2013-2017: CANCER IN NORTH AMERICA

NAACCR
North American Association of Central Cancer Registries

North American Association of Central Cancer Registries, Inc.

● PARTICIPATING REGISTRIES
● NOT PARTICIPATING

EXECUTIVE SUMMARY: Cancer in North America: 2013-2017

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. NAACCR issues an annual call for data, and the member registries data submissions are combined and used to create the CiNA Monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., NAACCR FastStats on-line query system, NACCCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality, with standard data quality metrics reported for all contributors.

In May of 2020, NAACCR released a five volume monograph, Cancer in North America (CiNA): 2013-2017. This release is the 30th publication of the series and the 28th release that includes statistics for both Canada and the United States (U.S.). This year's publication includes cancer incidence data for all 50 U.S. states, the District of Columbia, Puerto Rico, and for 11 Canadian provinces and territories. We also report data by 5 regions: California (excluding the Greater Bay area and Los Angeles), and 4 SEER urban registries (Detroit, Los Angeles, San Francisco/Oakland, and Seattle). CiNA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

The CiNA Monograph encompasses five separate volumes:
Volume One: Combined Incidence for the United States, Canada, and North America
Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from the high quality registries in the U. S. and Canada.
Volume Two: Registry-Specific Cancer Incidence in the United States and Canada
Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions are presented.
Volume Three: Registry-Specific Cancer Mortality in the United States and Canada
Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.
Volume Four: Cancer Survival in the United States and Canada
Includes cancer survival data for the U.S. and Canada from 61 registries on more than 13 million cases diagnosed among North Americans between 2010 and 2016.
Volume Five: Cancer Prevalence in the United States and Canada
Includes cancer prevalence estimates for the U.S. and Canada from 61 registries on more than 18 million cases diagnosed among North Americans between 2007 and 2016.

All CiNA volumes are available free of charge from the NAACCR website, along with accompanying technical data including population data and supporting appendices.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality, standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance. The Editors would like to acknowledge the fine work and support of the National Cancer Institute, the National Center for Health Statistics, and Statistics Canada for their assistance in developing this publication.

We hope that Cancer in North America: 2013-2017, with the companion CiNA products and resources, facilitate studies of cancer burden, so that we are better able to identify, and understand, appropriate and important measures to control the myriad diseases known collectively as cancer.

The Editors June 2020

CANCER IN NORTH AMERICA: 2013-2017

VOLUME ONE: COMBINED CANCER INCIDENCE FOR THE UNITED STATES, CANADA AND NORTH AMERICA

A Publication of the North American Association of Central Cancer Registries, Inc. (NAACCR)

Editors:
Recinda Sherman, NAACCR Inc.
Rick Firth, Information Management Services, Inc.
Mary Charlton, State Health Registry of Iowa
Prithwish De, Ontario Cancer Registry at Cancer Care Ontario
Don Green, Information Management Services, Inc.
Brenda Hofer, California Cancer Registry
Jim Hofferkamp, NAACCR, Inc.
Mei-Chin Hsieh, Louisiana Tumor Registry
Chris Johnson, Cancer Data Registry of Idaho
Betsy Kohler, NAACCR, Inc.
Bozena Morawski, Cancer Data Registry of Idaho
Sarah Nash, SEER Alaska Native Tumor Registry
Baozhen Qiao, New York State Cancer Registry
Hannah Weir, U.S. Centers for Disease Control and Prevention

June 2020

The Editorial Subcommittee of the NAACCR Standing Committee, Data Use and Research Committee publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401. We acknowledge partial support of NAACCR staff by cooperative agreement U75/CCU52346-05 from the Centers for Disease Control and Prevention (CDC) and by the NCI/NIH Contract No. HHSN261200444001C/ADB Contract No. PC-44401. Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC.

CINA PARTICIPANTS
2013-2017

SUGGESTED CITATION:
Sherman R, Firth R, Charlton M, De P, Green D, Hofer B, Hofferkamp J, Hsieh M, Johnson C, Kohler B, Morawski B, Nash S, Qiao B, Wier H (eds). *Cancer in North America: 2013-2017. Volume One: Combined Cancer Incidence for the United States, Canada and North America*. Springfield, IL: North American Association of Central Cancer Registries, Inc. June 2020.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes I-1

SECTION II: Top Five Most Commonly Diagnosed Cancers in North America
Top Five Most Commonly Diagnosed Cancers in North America II-1
Top Five Most Commonly Diagnosed Cancers in the U.S. by Race/Ethnicity
Males II-2
Females II-3

SECTION III: Average-annual Age-adjusted NAACCR Combined Cancer Incidence Rates for the United States, Canada and North America
Data Quality Indicators for the United States III-1
Map: Registries included in U.S. Combined Incidence for All Races III-3
Combined Registries, All Races (2000 U.S. and 2011 Canadian populations) III-4
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,
All Races, Males (2000 U.S. population) III-5
All Races, Males (2011 Canadian population) III-7
All Races, Females (2000 U.S. population) III-9
All Races, Females (2011 Canadian population) III-11
Map: Registries included in U.S. Combined Incidence for White III-13
Combined Registries, White (2000 U.S. and 2011 Canadian populations) III-14
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,
White, Males (2000 U.S. population) III-15
White, Males (2011 Canadian population) III-17
White, Females (2000 U.S. population) III-19
White, Females (2011 Canadian population) III-21
Map: Registries included in U.S. Combined Incidence for Black III-23
Combined Registries, Black (2000 U.S. and 2011 Canadian populations) III-24
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,
Black, Males (2000 U.S. population) III-25
Black, Males (2011 Canadian population) III-27
Black, Females (2000 U.S. population) III-29
Black, Females (2011 Canadian population) III-31
Map: Registries included in U.S. Combined Incidence for Asian/Pacific Islander III-33
Combined Registries, Asian/Pacific Islander (2000 U.S. and 2011 Canadian populations) III-34
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,
Asian/Pacific Islander, Males (2000 U.S. population) III-35
Asian/Pacific Islander, Males (2011 Canadian population) III-37
Asian/Pacific Islander, Females (2000 U.S. population) III-39
Asian/Pacific Islander, Females (2011 Canadian population) III-41
Map: Selected PRCDA Counties included in U.S. Combined Incidence for American Indian/Alaskan Native III-43
Combined Registries, American Indian/Alaskan Native (2000 U.S. and 2011 Canadian populations) III-44
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,
American Indian/Alaskan Native, Males (2000 U.S. population) III-45
American Indian/Alaskan Native, Males (2011 Canadian population) III-47
American Indian/Alaskan Native, Females (2000 U.S. population) III-49
American Indian/Alaskan Native, Females (2011 Canadian population) III-51
Most Frequent Cancer Sites by IHS Region,
American Indian/Alaskan Native, Males (2000 U.S. population) III-53
American Indian/Alaskan Native, Females (2000 U.S. population) III-55
Map: Registries included in U.S. Combined Incidence for Hispanic/Latino, All Races III-57
Combined Registries, Hispanic/Latino, All Races (2000 U.S. and 2011 Canadian populations) III-58
Commonly Diagnosed Cancers, Incidence Rates by Registry,
Hispanic/Latino, All Races, Males (2000 U.S. population) III-59
Hispanic/Latina, All Races, Females (2000 U.S. population) III-63

Contents

Map: Registries included in U.S. Combined Incidence for Non-Hispanic White III-67
Combined Registries, Non-Hispanic White (2000 U.S. and 2011 Canadian populations) III-68
Commonly Diagnosed Cancers, Incidence Rates by Registry,
Non-Hispanic White, Males (2000 U.S. population) III-69
Non-Hispanic White, Females (2000 U.S. population) III-73
Map: Registries included in U.S. Combined Incidence for Non-Hispanic Black III-77
Combined Registries, Non-Hispanic Black (2000 U.S. and 2011 Canadian populations) III-78
Commonly Diagnosed Cancers, Incidence Rates by Registry,
Non-Hispanic Black, Males (2000 U.S. population) III-79
Non-Hispanic Black, Females (2000 U.S. population) III-83
Data Quality Indicators for Canada III-88
Map: Registries included in Canadian Combined Incidence for All Races III-89
Combined Registries, All Races (2000 U.S. and 2011 Canadian populations) III-90
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,
All Races, Males (2000 U.S. and 2011 Canadian populations) III-91
All Races, Females (2000 U.S. and 2011 Canadian populations) III-92
Data Quality Indicators for North America III-94
Map: Registries included in North America Combined Incidence for All Races III-95
Combined Registries, All Races (2000 U.S. and 2011 Canadian populations) III-96
Five Most Commonly Diagnosed Cancers, Incidence Rates by Registry,
All Races, Males (2000 U.S. population) III-97
All Races, Males (2011 Canadian population) III-99
All Races, Females (2000 U.S. population) III-101
All Races, Females (2011 Canadian population) III-103
Map: Registries included in U.S. Pediatric Cancer Incidence III-106
Age-specific Rates for the United States
All Races, Males III-107
All Races, Females III-108
White, Males III-109
White, Females III-110
Black, Males III-111
Black, Females III-112
Asian/Pacific Islander, Males III-113
Asian/Pacific Islander, Females III-114
American Indian/Alaskan Native, Males III-115
American Indian/Alaskan Native, Females III-116
Hispanic/Latino, All Races, Males III-117
Hispanic/Latina, All Races, Females III-118
Non-Hispanic White, Males III-119
Non-Hispanic White, Females III-120
Non-Hispanic Black, Males III-121
Non-Hispanic Black, Females III-122
Age-adjusted Rates (2000 U.S. and 2011 Canadian population) (Ages 0-14, Ages 0-19)
All Races, Males III-123
All Races, Females III-124
White, Males III-125
White, Females III-126
Black, Males III-127
Black, Females III-128
Asian/Pacific Islander, Males III-129
Asian/Pacific Islander, Females III-130
American Indian/Alaskan Native, Males III-131
American Indian/Alaskan Native, Females III-132
Hispanic/Latino, All Races, Males III-133
Hispanic/Latina, All Races, Females III-134
Non-Hispanic White, Males III-135
Non-Hispanic White, Females III-136
Non-Hispanic Black, Males III-137
Non-Hispanic Black, Females III-138
Map: Registries included in Canadian Pediatric Cancer Incidence III-140
Age-specific Rates for Canada
All Races, Males III-141
All Races, Females III-142

Contents

Age-adjusted Rates (2000 U.S. and 2011 Canadian population) (Ages 0-14, Ages 0-19)
All Races, Males III-143
All Races, Females III-144
Map: Registries included in North American Pediatric Cancer Incidence III-146
Age-specific Rates for North America
All Races, Males III-147
All Races, Females III-148
Age-adjusted Rates (2000 U.S. and 2011 Canadian population) (Ages 0-14, Ages 0-19)
All Races, Males III-149
All Races, Females III-150

SECTION IV: Stage at Diagnosis by Age for Select Cancer Sites
United States Combined Registries IV-1
Canada Combined Registries IV-3
North America Combined Registries IV-4

SECTION V: Average-annual Age-adjusted Cancer Incidence Observed and Delay Adjusted Counts and Rates by Race, Sex and Selected Sites, for the United States, Canada and North America
Map: Registries included in U.S. Combined Delay Adjusted Incidence for All Races V-1
Combined Registries, All Races (2000 U.S. population) V-2
All Races, Males (2000 U.S. population) V-3
All Races, Females (2000 U.S. population) V-9
Map: Registries included in U.S. Combined Delay Adjusted Incidence for White V-15
Combined Registries, White (2000 U.S. population) V-16
White, Males (2000 U.S. population) V-17
White, Females (2000 U.S. population) V-23
Map: Registries included in U.S. Combined Delay Adjusted Incidence for Black V-29
Combined Registries, Black (2000 U.S. population) V-30
Black, Males (2000 U.S. population) V-31
Black, Females (2000 U.S. population) V-37
Map: Registries included in U.S. Combined Delay Adjusted Incidence for Asian/Pacific Islander V-43
Combined Registries, Asian/Pacific Islander (2000 U.S. population) V-44
Asian/Pacific Islander, Males (2000 U.S. population) V-45
Asian/Pacific Islander, Females (2000 U.S. population) V-51
Map: Selected PRCDA Counties included in U.S. Combined Incidence for American Indian/Alaskan Native V-57
Combined Registries, American Indian/Alaskan Native (2000 U.S. population) V-58
American Indian/Alaskan Native, Males (2000 U.S. population) by Region V-59
American Indian/Alaskan Native, Females (2000 U.S. population) by Region V-60
Map: Registries included in U.S. Combined Delay Adjusted Incidence for Hispanic V-61
Combined Registries, Hispanic (2000 U.S. population) V-62
Hispanic, Males (2000 U.S. population) V-63
Hispanic, Females (2000 U.S. population) V-69
Map: Registries included in U.S. Combined Delay Adjusted Incidence for Non-Hispanic White V-75
Combined Registries, Non-Hispanic White (2000 U.S. population) V-76
Non-Hispanic White, Males (2000 U.S. population) V-77
Non-Hispanic White, Females (2000 U.S. population) V-83
Map: Registries included in U.S. Combined Delay Adjusted Incidence for Non-Hispanic Black V-89
Combined Registries, Non-Hispanic Black (2000 U.S. population) V-90
Non-Hispanic Black, Males (2000 U.S. population) V-91
Non-Hispanic Black, Females (2000 U.S. population) V-97
Map: Registries included in Canadian Combined Delay Adjusted Incidence V-103
Combined Registries, All Races (2000 U.S. population) V-104
All Races, Males (2000 U.S. population) V-105
All Races, Females (2000 U.S. population) V-106
Map: Registries included in North American Combined Delay Adjusted Incidence V-107
Combined Registries, All Races (2000 U.S. population) V-108

All Appendices are available on the NAACCR website:
https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices

Section I

Introduction and Technical Notes

Cancer in North America: 2013-2017, Volume One: Combined Cancer Incidence for the United States and Canada

Introduction and Technical Notes

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population-based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence, mortality, and other cancer burden statistics for the U. S. (U.S.), Canada, and North America.

Annual cancer statistics for the U. S., for Canada, and for North America are presented in each of the five CiNA Volumes. This year marks the 30th annual release of the series of Cancer in North America (CiNA) monographs; and the 28th year CiNA has included data from both the U.S. and Canada. The *2020 CiNA Combined Monograph* includes data from 67 central population-based cancer registries: 57 from the U. S. (50 states, the District of Columbia, and Puerto Rico, plus 5 regions (California--excluding the Greater Bay area and Los Angeles plus 4 metropolitan areas) and 10 from Canada (9 provinces and 2 territories).

NAACCR issues an annual call for data to member registries to create the CiNA monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., NAACCR FastStats on-line query system, NACCCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). For more information on these products and the process for gaining access to them, please visit www.naaccr.org and select *Cancer in North America CiNA Data Products* under the *Research & Analytic Tools* tab.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the U. S. and Canada to collect timely, complete, and accurate data make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in production of the monograph. The objective of this work is to provide timely and useful information on cancer burden for all geographic areas and race/ethnic groups in the U. S. and Canada.

CONTENTS OF THE CiNA MONOGRAPH:

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America
Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from the high quality registries in the U. S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada
Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions are presented.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada
Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada
Includes cancer survival data for the U.S. and Canada from 61 registries on more than 13 million cases diagnosed among North Americans between 2010 and 2016.

Volume Five: Cancer Prevalence in the United States and Canada
Includes cancer prevalence estimates for the U.S. and Canada from 61 registries on more than 18 million cases diagnosed among North Americans between 2007 and 2016.

In the U. S., cancer statistics are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for

PRCDA counties, Hispanic/Latino (all races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented.

It should be noted that cancer incidence data for the second largest province in Canada, Quebec, are not included in *CiNA Combined*. Quebec did not complete a data submission for these years. Nearly one-quarter of Canada lives in Quebec. As a result, the statistics for Canada should be interpreted with this in mind.

Rates are presented as average annual, age-adjusted rates using three different standard million populations: the 2000 U.S. (Census P25-1130), the 2011 Canadian, and the World (WHO 2000-2025) standard populations. We believe that presenting cancer rates adjusted to all three standards enhances the meaning and utility of the rates for users in the U. S., Canada, and international settings. Recent volumes of the CiNA publication, including sections containing rates standardized to the World Standard and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, https://www.naaccr.org/cancer-in-north-america-cina-volumes/.

CiNA Volume One: Combined Cancer Incidence for the United States and Canada

The incidence data presented in *CiNA Combined* represents 100% population coverage of the U.S. and 77% of Canada. The *CiNA Combined* is comprised of five sections:

Section 1: Introduction and Technical Notes

Section 2: Top Five Most Commonly Diagnosed Cancer in North America
Includes the five most common types of cancer by sex in North America, the U. S. and Canada based on the combined U. S. and the combined Canadian data. The section also includes the top five most common types of cancer by sex, race, and ethnicity in the U. S. based on the combined U. S. data.

Section 3: Average-annual Age-Adjusted NAACCR Combined Cancer Incidence Rates for the United States, Canada, and North America
Includes cancer incidence average annual counts and rates for the U. S., Canada and North America. The rates for the U. S. are presented for all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native, Hispanic, non-Hispanic white, and non-Hispanic black populations for all ages combined. The rates for Canada and North America are presented for all races combined and for all ages combined. Also included in section three are tables of cancer rates for children, aged 0-14 and 0-19 for the U. S., Canada, and North America. As with the tables for all ages, the pediatric tables are presented by race and ethnicity for the U. S. and for all races combined for Canada and North America.

Section 4: Stage at Diagnosis by Age for Select Cancer Sites
Includes the frequency counts, percent distribution, and age-adjusted rates of cancer by summary stage at diagnosis for female breast, prostate, lung, uterine cervix, and colorectal cancers. Combined U. S. data are provided for white, black, Asian or Pacific Islander, and American Indian/Alaskan Native populations with American Indian/Alaskan Native data limited to PRCDA counties. In addition, combined U. S. data, combined Canadian data, and combined North America data are provided for all races combined. U.S. data are also provided by Hispanic ethnicity.

Section 5: Average-annual Age-adjusted Cancer Incidence Observed and Delay-Adjusted Counts and Rates by Race, Sex, and Selected Sites, for the United States, Canada and North America
Includes average annual cancer counts and rates for the time period 2013-2017 that are "delay-adjusted." This adjustment is done to estimate the number of incident cancer cases that were diagnosed in the time period but whose reporting to a central registry is delayed. These estimates are derived from historic patterns of reporting lag adjusted by various factors including cancer type, sex, age, and race/ethnicity. A U.S. average and a Canadian average delay factor was calculated and applied to excluded registries to assure the combined delay-adjusted data are consistent with the incidence rates otherwise presented in Volume One

Rates are presented as average annual, age-adjusted rates using three different standard million populations: the 2000 U.S. (Census P25-1130), the 2011 Canadian, and the World (WHO 2000-2025) standard populations. We

believe that presenting cancer rates adjusted to all three standards enhances the meaning and utility of the rates for users in the U. S., Canada, and international settings.

TECHNICAL SECTION

SOURCES OF DATA

Cancer Incidence. A cancer registry must be population-based and a NAACCR member in good standing to be included in NAACCR data publications. All cancer registries in the U. S. and Canada are NAACCR members, including the three territories in Canada and three U.S. territories. An annual request is sent to all members to submit voluntarily a data file for use in CiNA, CiNA research and data information products, the U.S. *Annual Report to the Nation*, and other annual publications. All NAACCR member registries receive support from the state, province, or territory. In the U.S., they also participate in the National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) Program or the Centers for Disease Control and Prevention's National Program of Cancer Registries (NPCR) or both. In Canada, all registries submit data to the Canadian Cancer Registry maintained by Statistics Canada.

Delay-adjustment. Starting in 2015, a joint effort by NCI, CDC, and NAACCR was mounted to develop a unified approach for estimating and reporting delay-adjusted rates across all of the U.S. and Canada. The delay-adjusted rates for NAACCR registries, including SEER registries reported in the Cancer Statistics Review, is based on historic data submitted to NAACCR. Statistical models to estimate delay are estimated for each registry by age (<50, 50-69, 70+), gender (male and female) and race/ethnicity (all races combined, white, black, API, AIAN PRCDA region, Hispanic, non-Hispanic white and non-Hispanic black), and delay time (for the December 3, 2019 submission a delay of 2 years for diagnosis year 2017, 3 years for diagnosis year 2016, etc.) The statistical models estimate reporting delay factors by age, race and gender for each registry, and calculating delay adjusted rates for any grouping is done in SEER*Stat by weighting each group appropriately.[1]

For the fourth year, an improved statistical model has been used for this report with the goal of producing more stable estimates.[2] The details of the new modeling are described elsewhere.[3]

For some registries, there were insufficient historical data available to calculate registry-specific delay factors. In order to calculate delay adjusted national statistics, delay factors were applied to registries with missing data using an average of the U.S. or Canadian delay factors.

Population Estimates. To assist the reader, population estimates by age, sex, and race/ethnicity (where relevant) used in the calculation of rates in the monograph are available for each central registry, the U. S., and Canada. These data are available online on the NAACCR website at https://www.naaccr.org/cancer-in-north-america-cina-volumes/.

Population estimates for 2013 through 2017 for the U. S., individual states, and SEER metropolitan areas were obtained from the SEER program. These estimates were based on U. S. Census Bureau population estimates for these years and represent a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the NCI. The population estimates incorporate bridged, single race estimates that are derived from the original multiple race categories in the 2010 Census. These bridged estimates are consistent with the four race groups enumerated in the 1990 Census and were produced under a collaborative arrangement between the NCHS and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990-2000 intercensal estimates and is described on the Census Bureau's website.[4]

In 2007, the U.S. Census revised their methodology for population estimation. This revision impacts all population denominators for 2013 to 2017. The main effect of this approach was on specific age groups, particularly, two of the oldest age groups, ages 65-74 and 75 and older. In many states, the new method results in a larger increase in the younger age category and fewer in the older age category than estimated in previous years.

The NCI modifies the Census data for the population estimates for the state of Hawaii. The Epidemiology Program of the Hawaii Cancer Research Center has developed its own set of population estimates, based on sample survey data collected by the Hawaii Department of Health. This effort grew out of a concern that the native Hawaiian population had been vastly undercounted in previous censuses. The "Hawaii adjustment" to the Census Bureau estimates has the net result of reducing the estimated white population and increasing the Asian and Pacific Islander population for the state. The Census Bureau estimates for the total population, black population, and American Indian and Alaskan Native populations in Hawaii are unaffected. The details of the methodology are described elsewhere.[5]

For **Canada**, Statistics Canada provided the estimates of the Canadian population for all Canadian provinces and territories, adjusted for census net under coverage.

CODING, 2013-2017

Incidence Data. All cancer registries use the International Classification of Diseases for Oncology, third edition (ICD-O-3) to code the anatomic site and morphology. Cancer incidence statistics include invasive cancers only, with the exception of *in situ* cancer of the bladder. Although tables include incidence statistics for breast cancer *in situ* and benign tumors of the brain and central nervous system, these cases are not included in any counts or rates of total cancer incidence.

The SEER program site recode groups were used for classifying types of cancer, using anatomic site and morphology. Using this standard ontology, only squamous and basal cell carcinomas of the lip and genital organs are included in the data reported. All categories used to present pediatric cancer rates in Volume One are based on the International Classification of Childhood Cancer, third edition (ICCC-3).[6]

Summary tables of all codes and site groups for incidence can be found in the electronic copy of the CiNA Monograph Appendices on the NAACCR website, https://www.naaccr.org/cancer-in-north-america-cina-volumes/.

Behavior Recode Selection used in the CiNA Publication. The CiNA publication uses the SEER Behavior Recode variable for selecting tumors for inclusion. In the CiNA publication, all *in situ* cancers of the bladder are considered malignant. Invasive cancers are selected based on the selection from the Behavior Recode variable values "Malignant", "Only malignant in ICD-O-3", and "Only malignant 2010+". But one exception to this selection is the delay-adjusted incidence statistics in Section 5. For these statistics, invasive cancers are based solely on the "Malignant only". For some statistics, non-invasive breast (behavior recode variable equals "*in situ*") and non-malignant Brain and Other Central Nervous System (behavior recode variable "Benign or borderline malignancy") statistics are available. For more details on the categories, how they are defined, and how the Behavior Recode variable is derived, see https://seer.cancer.gov/behavrecode/.

Summary Stage used in the CiNA Publication. In this year's call for data, Derived Summary Stage 2000 (data item 3020) was reported for diagnosis years 2004-2014. The SEER Summary Stage 2000 field (data item 759) was reported for diagnosis years 2015-2017. Some registries continue to record and report this information for years outside of these ranges.

The CiNA publication presents data from 2013-2017, a timeframe that spans both reporting diagnosis years for Derived Summary Stage 2000 and SEER Summary Stage 2000. For diagnosis years 2013-2014, the Derived Summary Stage 2000 field was used. If the field was blank or unknown, then the SEER Summary Stage 2000 value was used as long as it was not blank or unknown. For diagnosis years 2015-2017, SEER Summary Stage 2000 was used. If that field was blank or unknown, then the Derived Summary Stage 2000 value was used, as long as it wasn't blank or unknown.

Hispanic/Latino Ethnicity Identification. The ethnicity available in medical records and reported to cancer registries is enhanced using the NAACCR Hispanic Identification Algorithm, version 2 (NHIAv2). The NHIAv2 method is described in detail elsewhere.[7] NHIAv2 uses a combination of NAACCR variables including direct

identification of ethnicity from the Spanish/Hispanic Origin variable (NAACCR data element 190 values 1-6, 8), and information indirectly derived based on an evaluation of the strength of birthplace, race, and surname (including maiden name when available) associations with Hispanic ethnicity status. After applying NHIAv2, cases not ultimately classified as Hispanic are classified as non-Hispanic, leaving no cases with "unknown" Hispanic status. The NHIAv2 algorithm allows the user to run the program using one of three possible options:

1) All Records: Surname portion is run on 0 (non-Hispanic), 7 (surname only), and 9 (unknown) for all counties. After the algorithm, item 190 codes (0, 7, 9) are either NHIA - Hispanic or non-Hispanic.

2) Option 1: (The default) For counties with 5% or more Hispanics, the surname portion is run the same as for the all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only) and 9 (unknown). After the algorithm, item 190 codes (7, 9) are either NHIA - Hispanic or non-Hispanic.

3) Option 2: For counties with 5% or more Hispanics, the surname portion is run the same as for the all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only). These become either NHIA - Hispanic or non-Hispanic. All cases coded to 9 on item 190 are converted to NHIA - non-Hispanic.

A comparison of the direct and indirect categorization of Hispanic ethnicity is provided in Appendix F available from the NAACCR Website, https://www.naaccr.org/cancer-in-north-america-cina-volumes/.

Asian/Pacific Islander Identification. The information on Asian and Pacific Islander populations is also enhanced by submitting registries using a NAACCR developed algorithm.[8] The NAACCR Asian Pacific Islander Identification Algorithm version 1 (NAPIIA v1.2.1) uses a combination of NAACCR variables to classify cases directly or indirectly as Asian/Pacific Islander for analytic purposes. It is focused on coding cases with a race code of Asian NOS (race code 96) or Pacific Islander NOS (race code 97) to a more specific Asian or Pacific Islander race category, using birthplace and name fields (first, last, and maiden names). Birthplace can be used to indirectly assign a specific race to one of eight Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, Thai, and Cambodian) and three Pacific Islander groups (Samoan, Micronesian, and Polynesian). Names can be used to indirectly assign a specific race to one of seven Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, and Hmong) and three Pacific Islander groups (Hawaiian, Guamanian, and Samoan). The algorithm uses the following NAACCR standard variables: Race 1 through Race 5 (NAACCR Items 160 through 164), Name – Last (NAACCR Item 2230), Name – First (NAACCR Item 2240), Name – Maiden (NAACCR Item 2390), Birthplace (NAACCR Item 250), Sex (NAACCR Item 220).

Misclassification of American Indian and Alaskan Native Populations. The collection of accurate information on the cancer incidence in American Indian and Alaskan Native (AI/AN) populations is hampered by misclassification of this population within cancer case reports.[9] In order to address this problem, cancer registries in the U. S. coordinate with the Centers for Disease Control and the Bureau of Indian Affairs to link their case files to the enrollment files of the Indian Health Service.[9] This process identifies significant numbers of American Indians and Alaskan Natives that were otherwise classified within the cancer case report. The improved information on this population enables calculation of much more accurate cancer incidence rates. As presented in the incidence volumes, the data on American Indians and Alaskan Natives are restricted to those counties where Indian Health Service Clinics are located, namely PRCDA counties (Purchased/Referred Care Delivery Area counties previously known as the Contract Health Service Delivery Area (CHSDA) counties)—with the exception of data from Kansas and Minnesota due to limitations in county-level reporting from those states). This restriction assures that the incidence data presented is the best available data for this population.

DATA QUALITY INDICATORS AND REGISTRY INCLUSION

NAACCR assesses the quality of cancer incidence data from individual registries using several data quality indicators, which are described in detail below. Results for these indicators can be found in the *Cancer in North America, 2013-2017* Appendices on the NAACCR website (https://www.naaccr.org/cancer-in-north-america-cina-volumes/). A dash in the tables indicates that data were not submitted for the year or were not able to be calculated.

In order to be included in the NAACCR combined rates presented in *CiNA Combined*, the data had to meet the criteria for high quality incidence data based on the five years combined.

- Data for 2013 through 2017 had to be submitted to NAACCR by December 3, 2019.
- The estimate of duplicate case reports had to be less than 2 duplicate reports per 1,000 cases.
- All cases had to pass the edits on variables needed to compute cancer incidence rates by site, sex, race, and tumor descriptions on the NAACCR Call for Data EDITS metafile.
- Fewer than 3% of cases had missing information for sex, county of residence at diagnosis, and age at diagnosis, and fewer than 5% of the cases had an unknown race.
- Death clearance must be completed for 2013 through 2017 mortality with the percent of all cases derived from death certificates only (DCOs) of less than 5%.
- The NAACCR method to estimate completeness of case ascertainment yielded an estimate of 90% or higher. The five year completeness estimate was based on the average of completeness for each of the five years.
- All cases had to pass the inter-record edits on cases reporting multiple primary cancers, as determined by the standard Inter-record EDITS program developed for the NAACCR Call for Data submissions.

If a registry does not meet the criteria above for the five-year aggregated data, only years that meet the criteria are included (as long as there are three (3) years that meet the criteria). When this is the case the average annual counts and rates are based on the three (3) or four (4) years of data meeting the high quality criteria. This ensures the most accurate national-level average case counts and rates.

To be included in the combined stage data, the registry must meet the requirements for being included in the combined rates (above), submit stage data for all years 2013 through 2017, and provide the derived summary stage field in their submission.

To be included in the delay-adjusted data, the registry must meet the requirements for being included in the combined rates, have submitted data for all years 2013 through 2017 and have provided the data needed to calculate the delay factors.

Duplicate Case Records. Central cancer registries rely on multiple reporting sources for cancer case reports. At the central cancer registry, multiple reports for the same patient must then be matched and the information from all records consolidated. In addition to determining whether multiple reports refer to the same individual, central cancer registry staff must also determine whether the tumor represents a new primary tumor or a duplicate report for a tumor already recorded. Failure to eliminate duplicate cases and duplicate tumors results in over-counting cancer cases. As a part of routine cancer registry operations, a variety of tools are used to ensure accurate case linkage and case consolidation. As part of the preparation of the data submission to NAACCR, each registry uses the NAACCR protocol to determine the adequacy of case linkage and consolidation operations in identifying duplicate records.

The NAACCR protocol for assessing duplicate cases can be found on the NAACCR website.[10]

Completeness of Case Ascertainment. In order to evaluate case completeness for all geographic areas included in this monograph, the NAACCR Method to Estimate Completeness is used. The method is described in detail elsewhere,[11] and a data analysis tool is available on the NAACCR website.[12] The tool documents and calculates sex-, race-, and site- specific estimates based on observed incidence counts and rates, observed local cancer death rates, and a standard rate ratio of incidence to mortality. In addition, adjustments are made to the calculations to account for some variation in sex-, race- and site-specific variation in case fatality. The method assumes that the relationship between incidence rates and mortality rates are stable. However, with the recent annual decreases in cancer death rates, and the awareness that the decreases are not the same in all parts of the U. S. and Canada, it appears that this assumption is being challenged with a noticeable bias in an upward migration of completeness estimates for many locales.

The completeness estimates provided in this publication used mortality data for the years 2013-2017 to determine completeness in U.S. registries and Canadian registries. The percent completeness presented for each registry and used to determine inclusion of individual registry data in the combined rates presented in Volume One were

based upon the average of the annual rate ratios for 2013-2017 of SEER 11 incidence rates divided by U.S. mortality rates.

Missing Case Information. NAACCR has developed standards for completeness of data on key data items that are needed to produce meaningful cancer incidence statistics. These key data items include race, sex, county of residence at diagnosis, and age at diagnosis. Cases with unknown sex or age are omitted from all calculations. Cases with unknown race and county of residence were included in the cancer counts and rates for all races and/or all counties combined.

Death Certificate Only Cases. The proportion of cases identified by death certificate only (DCO) is an indicator of data quality and completeness. Central cancer registries use death certificates to identify potentially missed cases and to conduct follow back on cases that have cancer on the death certificate but who are not incident cases in the registry. Cases without follow back information are considered DCO cases and may have incomplete or missing information, including date of diagnosis and stage at diagnosis. For DCO cases, the date of death is used as the date of diagnosis. Registries that did not use death certificates as a source of case ascertainment have "na" listed in the death certificate only row on the registry description page.

Data Reliability and Accuracy. All data submitted to NAACCR are evaluated for reliability and accuracy using the EDITS program and a specific set of edits incorporated into a Call for Data Edits Metafile. An edit reviews the internal consistency between and among data elements, such as anatomic site and morphology. Cases that are identified as having errors are reviewed by registry staff and resolved prior to their NAACCR submission.

The NAACCR Call for Data EDITS metafile is available on the NAACCR website here: https://www.naaccr.org/call-for-data/#datatools. An inter-record edits program, developed by the Centers for Disease Control and Prevention, is used to identify errors among the records reported for persons who have had multiple tumors diagnosed. For example, an inter-record edit will identify whether birthplace is the same on all reports of multiple tumors that are reported for one individual.

Timeliness of Data. The NAACCR standard defines timely data as data that are available for use in incidence statistics within 23 months of the close of a diagnostic year (i.e., December 3, 2019 for all cases diagnosed in 2017).

Site-Specific Microscopic Confirmation. This criterion is not used by NAACCR to determine high quality for the purposes of this publication. However, it is a useful indicator of quality of data collection. A proportion of microscopically confirmed cases that is too high or low may suggest problems in case ascertainment or abstracting. However, this proportion varies by cancer site. For sites that are more likely to rely on a clinical or radiological diagnosis, e.g., cancers of the pancreas and brain, confirmation rates that are too high may suggest that some clinically diagnosed cases are missing. Also, registries that do not use death certificates for case finding have an artificially high proportion of microscopically confirmed cases, because DCO cases by definition do not have information on whether the tumor was microscopically confirmed. While no NAACCR standard has been determined for microscopic confirmation, the guideline we use is that the proportion should fall between 92 and 96 percent of all cancer cases, based on the experience of the SEER program.

CALCULATION OF STATISTICS

Counts. Counts are the average annual count rounded to nearest whole number. Cell suppression rules were applied based on the five-year aggregate count.

Rates. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age,[13,14] the 2011 Canadian population standard,[15] and to the World (WHO 2000-2025) population standard.[16] Rates for children and adolescents in are expressed per million population. The incidence and death rates in this monograph are annual averages for the period 2013 through 2017.

The age distributions of the three population standards are as follows:

AGE GROUP	2000 U.S. (Census P25-1130)	2011 CDN.	WORLD (WHO 2000-2025)
00 years	3,794,901	376,321	17,917
01-04 years	15,191,619	1,522,743	70,625
05-09 years	19,919,840	1,810,433	86,870
10-14 years	20,056,779	1,918,164	85,970
15-19 years	19,819,518	2,238,952	84,670
20-24 years	18,257,225	2,354,354	82,171
25-29 years	17,722,067	2,369,841	79,272
30-34 years	19,511,370	2,327,955	76,073
35-39 years	22,179,956	2,273,087	71,475
40-44 years	22,479,229	2,385,918	65,877
45-49 years	19,805,793	2,719,909	60,379
50-54 years	17,224,359	2,691,260	53,681
55-59 years	13,307,234	2,353,090	45,484
60-64 years	10,654,272	2,050,443	37,187
65-69 years	9,409,940	1,532,940	29,590
70-74 years	8,725,574	1,153,822	22,092
75-79 years	7,414,559	919,338	15,195
80-84 years	4,900,234	701,140	9,097
85+ years	4,259,173	643,070	6,348
Total	**274,633,642**	**34,342,780**	**1,000,000**

Standard Errors. Standard errors (S.E.) of the rates were calculated using the formula:

$$S.E. = \sqrt{\sum \frac{w_j^2 n_j}{p_j^2}}$$

where w_j = the fraction of the standard population in age group j, n_j = number of cases or deaths in that age group, and p_j = person years denominator.[17] For many registries, the standard errors of the rates are small, as the population covered is large. However, for registries that cover a small population, the standard error may be substantial.

Confidence Intervals. Although not reproduced in the printed monograph, bar charts of the registry-specific, age-adjusted rates with 95 percent confidence intervals[18] are available on the NAACCR website (https://www.naaccr.org/cancer-in-north-america-cina-volumes). The confidence intervals allow the user to assess the precision of the estimate and is an approximate and conservative indicator of whether a registry's rate is statistically higher or lower than the rate for the combined U. S., based on whether or not the upper or lower limit of the confidence interval overlaps the 95% confidence interval for the U. S..

Comparison of Rates. In addition to true regional variation in cancer risk, differences in cancer incidence or mortality rates between areas may be due to either differences in the demographic makeup of the population or differences in data quality. In making valid comparisons of cancer incidence rates among registries, it is important to review the data quality indicators for each registry and consider differences in the racial composition

of the populations being compared before conclusions are drawn about variations in regional rates. Interpretation without consideration of these factors may contribute to misleading or inaccurate conclusions.

The standard error of adjusted rates can be used to evaluate the statistical significance of rate differences among comparable populations. For example, if the adjusted rates in two populations are R_1 and R_2 and their standard errors are $S.E._1$ and $S.E._2$, an approximate confidence interval for the rate ratio can be calculated using the following formula:

$$(R_1/R_2)^{1 \pm z/x}$$

where $x = (R_1 \text{ B } R_2) / \sqrt{(S.E._1^2 + S.E._2^2)}$ and z = 1.96 for 95% limits.[19] If this interval does not include one, the two rates are statistically significantly different at a p value of 0.05. This test can be inaccurate for rates based on fewer than 16 cases or deaths, and it should not be used for rates based on fewer than six cases or deaths. It should be emphasized that this kind of comparison of adjusted rates must be undertaken with caution as misleading conclusions may be drawn if the ratios of the age-specific rates in the two populations are not constant in all age groups. In these circumstances, the ratios of the adjusted rates will vary according to the standard populations used.[20]

Cell Suppression. Counts and rates were suppressed (indicated by "-") in the tables if the race, gender, and site-specific number of cases for incidence was less than six or when the number of deaths was less than ten. Complementary cell suppression was employed, when necessary, to prevent the contents of a single suppressed cell from being calculated. These counts are included in the calculation of all sites combined. A dash is also used to indicate not applicable, as in the gender-specific cancers. If the rate was less than 0.05 per 100,000 then the rate is listed as 0.0.

SEER*Stat Variables. The following SEER*Stat variables were used to create the statistics for the registry incidence pages: Year of Diagnosis, NAACCR Registry, Sex, Race Recode (W, B, AI, API) IHS Modified, PRCDA 2016, NHIAv2 Recode, Site recode ICD-O-3/WHO 2008 and Behavior recode for analysis.

REFERENCES

1. Midthune DN, Fay MP, Clegg LX, Feuer EJ. Modeling reporting delays and reporting corrections in cancer registry data. J Am Stat Assoc 2005;100(469):61-70. [View Abstract]

2. Clegg LX, Feuer EJ, Midthune D, Fay MP, Hankey BF. Impact of reporting delay and reporting error on cancer incidence rates and trends. J Natl Cancer Inst 2002;94:1537-45. [Full Text]

3. SEER Delay Model. Available here: http://www.surveillance.cancer.gov/delay

4. National Center for Health Statistics. U.S. Census Populations with Bridged Race Categories. September 2003. Available here: https://www.cdc.gov/nchs/nvss/bridged_race.htm.

5. Horner MJ, Ries LAG, Krapcho M, Neyman N, Aminou R, Howlader N, Altekruse SF, Feuer EJ, Huang L, Mariotto A, Miller BA, Lewis DR, Eisner MP, Stinchcomb DG, Edwards BK (eds). SEER Cancer Statistics Review, 1975-2006, National Cancer Institute. Bethesda, MD, based on November 2008 SEER data submission, posted to the SEER web site, 2009. Available here: https://seer.cancer.gov/archive/csr/1975_2006/.

6. Steliarova-Foucher E, Stiller C, Lacour B, Kaatsch P. International Classification of Childhood Cancer, third edition. Cancer 2005;103:1457-67.

7. NAACCR Latino Research Work Group. *NAACCR Guideline for Enhancing Hispanic/Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2]*. Springfield (IL): North American Association of Central Cancer Registries. September 2005. Available here: https://www.naaccr.org/wp-content/uploads/2016/11/NHIA_v2_2_1_09122011.pdf

8. NAACCR Race and Ethnicity Work Group. *NAACCR Asian Pacific Islander Identification Algorithm [NAPIIA v1.2.1]*. Springfield, IL: North American Association of Central Cancer Registries, September 2010.

9. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. Cancer. 2008 Sep 1 Suppl):112030.

10. NAACCR Duplicate Protocol. Available here: https://www.naaccr.org/call-for-data/

11. Wu XC, Hotes J, Fulton JP, Cormier M, Correa C, McLaughlin CC, Kosary C, Howe HL, Chen VW (Eds.) Cancer in North America, 1996-2000, Volume One: Introduction and Technical Notes, Incidence. April 2002. Available here: https://www.naaccr.org/previous-volumes-of-cina/.

12. NAACCR Method to Estimate Completeness. A Data Analysis Tool for Calculations. Available here: https://www.naaccr.org/analysis-and-data-improvement-tools/#COMPLETENESS.

13. SEER. 2000 U.S. Standard Population vs. Standard Million. 13 December 2004. Available here: http://seer.cancer.gov/stdpopulations/single_age.html.

14. Day, Jennifer Cheeseman, *Population Projections of the United States by Age, Sex, Race, and Hispanic Origin: 1995 to 2050*, U.S. Bureau of the Census, Current Population Reports, P25-1130, U.S. Government Printing Office, Washington, DC, 1996. Available here: https://www.census.gov/prod/1/pop/p25-1130/p251130.pdf.

15. 2011 Canadian Standard Population. Statistics Canada, Table 051-0001 – Estimates of population, by age group and sex for July 1, Canada, provinces and territories, annual (persons unless otherwise noted). CANSIM (database).Available here: http://www5.statcan.gc.ca/cansim/a26?id=510001.

16. Ahmad O, Boschi-Pinto C, Lopez A, Murray C, Lozano R, Inoue M. Age Standardization of Rates: A New WHO Standard. GPE Discussion Paper Series: No. 31. World Health Organization 2001. Available here: http://www.who.int/healthinfo/paper31.pdf.

17. Breslow NE and Day NE. Statistical Methods in Cancer Research. Vol. II. 1987. International Agency for Research on Cancer: Lyon, France. Anderson RN, Minino AM, Hoyert DL, Rosenberg HM. Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports 2001*;49:1-32.

18. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. Stat Methods Med Res 2006;15:547-569.

19. Parkin D.M., Whelan S.L., Ferlay J., Teppo L., Thomas D., Thomas D.B. Cancer Incidence in Five Continents. Vol. VIII. 2002. International Agency for Research on Cancer: Lyon, France.

20. Esteve J, Benhamou E, and Raymond L. Statistical Methods in Cancer Research. Vol. V. 1994. International Agency for Research on Cancer: Lyon, France.

Section II

Top Five Most Commonly Diagnosed Cancers in North America

Top Five Most Commonly Diagnosed Cancers[1] in North America
by Sex, All Races
2013-2017

Males/All Races

United States

Cancer Sites	Avg. Annual Cases	Percent
All Sites	850,556	100.0
Prostate	195,572	23.0
Lung & Bronchus	115,837	13.6
Colon & Rectum	75,621	8.9
Bladder	57,232	6.7
Melanomas of the Skin	48,083	5.7

Canada

Cancer Sites	Avg. Annual Cases	Percent
All Sites	77,772	100.0
Prostate	16,399	21.1
Colon & Rectum	9,859	12.7
Lung & Bronchus	9,854	12.7
Bladder	5,918	7.6
Melanomas of the Skin	3,714	4.8

North America

Cancer Sites	Avg. Annual Cases	Percent
All Sites	928,328	100.0
Prostate	211,970	22.8
Lung & Bronchus	125,691	13.5
Colon & Rectum	85,479	9.2
Bladder	63,150	6.8
Melanomas of the Skin	51,797	5.6

Females/All Races

United States

Cancer Sites	Avg. Annual Cases	Percent
All Sites	836,529	100.0
Breast	247,416	29.6
Lung & Bronchus	106,996	12.8
Colon & Rectum	68,637	8.2
Uterus Corpus & Uterus NOS	55,781	6.7
Thyroid	36,957	4.4

Canada

Cancer Sites	Avg. Annual Cases	Percent
All Sites	75,972	100.0
Breast	20,721	27.3
Lung & Bronchus	9,854	13.0
Colon & Rectum	7,984	10.5
Uterus Corpus & Uterus NOS	4,996	6.6
Thyroid	3,504	4.6

North America

Cancer Sites	Avg. Annual Cases	Percent
All Sites	912,502	100.0
Breast	267,034	29.3
Lung & Bronchus	116,308	12.7
Colon & Rectum	76,304	8.4
Uterus Corpus & Uterus NOS	60,567	6.6
Thyroid	40,249	4.4

[1] Compiled by the North American Association of Central Cancer Registries, based on cases included in the combined incidence for North America.

Top Five Most Commonly Diagnosed Cancers[1] in the U.S. by Race/Ethnicity, Males 2013-2017

Hispanic/Latino, All Races

Cancer Sites	Avg. Annual Cases	Percent
All Sites	69,079	100.0
Prostate	16,486	23.6
Colon & Rectum	7,740	11.1
Lung & Bronchus	5,631	8.1
Kidney & Renal Pelvis	4,169	6.0
Non-Hodgkin Lymphoma	3,782	5.4

White

Cancer Sites	Avg. Annual Cases	Percent
All Sites	705,623	100.0
Prostate	149,340	21.2
Lung & Bronchus	98,037	13.9
Colon & Rectum	61,360	8.7
Bladder	51,806	7.3
Melanomas of the Skin	45,628	6.5

Black

Cancer Sites	Avg. Annual Cases	Percent
All Sites	92,180	100.0
Prostate	31,219	33.9
Lung & Bronchus	12,802	13.9
Colon & Rectum	8,863	9.6
Kidney & Renal Pelvis	4,641	5.0
Liver & Intrahepatic Bile Duct	3,533	3.8

American Indian/Alaskan Native[2]

Cancer Sites	Avg. Annual Cases	Percent
All Sites	3,198	100.0
Prostate	532	16.6
Lung & Bronchus	425	13.3
Colon & Rectum	387	12.1
Kidney & Renal Pelvis	270	8.4
Liver & Intrahepatic Bile Duct	206	6.4

Chinese

Cancer Sites	Avg. Annual Cases	Percent
All Sites	4,774	100.0
Lung & Bronchus	846	17.7
Prostate	710	14.9
Colon & Rectum	604	12.7
Liver & Intrahepatic Bile Duct	345	7.2
Stomach	270	5.7

Japanese

Cancer Sites	Avg. Annual Cases	Percent
All Sites	1,525	100.0
Prostate	328	21.5
Colon & Rectum	210	13.8
Lung & Bronchus	200	13.1
Bladder	91	6.0
Non-Hodgkin Lymphoma	83	5.4

Filipino

Cancer Sites	Avg. Annual Cases	Percent
All Sites	3,250	100.0
Prostate	706	21.7
Lung & Bronchus	534	16.4
Colon & Rectum	392	12.1
Non-Hodgkin Lymphoma	180	5.5
Liver & Intrahepatic Bile Duct	176	5.4

Vietnamese

Cancer Sites	Avg. Annual Cases	Percent
All Sites	2,076	100.0
Lung & Bronchus	409	19.7
Liver & Intrahepatic Bile Duct	329	15.8
Colon & Rectum	262	12.6
Prostate	221	10.6
Non-Hodgkin Lymphoma	109	5.3

Korean

Cancer Sites	Avg. Annual Cases	Percent
All Sites	1,552	100.0
Colon & Rectum	233	15.0
Lung & Bronchus	228	14.7
Prostate	189	12.2
Stomach	171	11.0
Liver & Intrahepatic Bile Duct	113	7.3

[1] Compiled by the North American Association of Central Cancer Registries, based on cases included in the combined incidence for the United States.
[2] Counts and percentages are based upon cancer cases diagnosed among the AI/AN population in PRCDA counties. Statistics exclude data for MN for all years, see Technical Notes.

Top Five Most Commonly Diagnosed Cancers[1] in the U.S. by Race/Ethnicity, Females 2013-2017

Hispanic/Latino, All Races

Cancer Sites	Avg. Annual Cases	Percent
All Sites	77,265	100.0
Breast	22,270	28.8
Colon & Rectum	6,551	8.5
Thyroid	5,949	7.7
Uterus Corpus & Uterus NOS	5,789	7.5
Lung and Bronchus	4,766	6.2

White

Cancer Sites	Avg. Annual Cases	Percent
All Sites	691,331	100.0
Breast	201,427	29.1
Lung & Bronchus	91,596	13.2
Colon & Rectum	54,921	7.9
Uterus Corpus & Uterus NOS	45,309	6.6
Melanomas of the Skin	31,099	4.5

Black

Cancer Sites	Avg. Annual Cases	Percent
All Sites	91,147	100.0
Breast	28,660	31.4
Lung & Bronchus	10,663	11.7
Colon & Rectum	8,702	9.5
Uterus Corpus & Uterus NOS	6,442	7.1
Pancreas	3,236	3.6

American Indian/Alaskan Native[2]

Cancer Sites	Avg. Annual Cases	Percent
All Sites	3,572	100.0
Breast	945	26.5
Lung & Bronchus	436	12.2
Colon & Rectum	367	10.3
Uterus Corpus & Uterus NOS	244	6.8
Kidney & Renal Pelvis	177	5.0

Chinese

Cancer Sites	Avg. Annual Cases	Percent
All Sites	5,518	100.0
Breast	1,694	30.7
Lung & Bronchus	699	12.7
Colon & Rectum	500	9.1
Thyroid	411	7.4
Uterus Corpus & Uterus NOS	313	5.7

Japanese

Cancer Sites	Avg. Annual Cases	Percent
All Sites	2,247	100.0
Breast	763	34.0
Colon & Rectum	256	11.4
Lung & Bronchus	247	11.0
Uterus Corpus & Uterus NOS	117	5.2
Pancreas	104	4.6

Filipino

Cancer Sites	Avg. Annual Cases	Percent
All Sites	5,140	100.0
Breast	1,921	37.4
Lung & Bronchus	447	8.7
Uterus Corpus & Uterus NOS	439	8.5
Colon & Rectum	380	7.4
Thyroid	376	7.3

Vietnamese

Cancer Sites	Avg. Annual Cases	Percent
All Sites	2,008	100.0
Breast	568	28.3
Lung & Bronchus	243	12.1
Colon & Rectum	205	10.2
Thyroid	136	6.8
Uterus Corpus & Uterus NOS	104	5.2

Korean

Cancer Sites	Avg. Annual Cases	Percent
All Sites	2,052	100.0
Breast	602	29.3
Colon & Rectum	223	10.9
Lung & Bronchus	214	10.4
Thyroid	146	7.1
Stomach	119	5.8

[1] Compiled by the North American Association of Central Cancer Registries, based on cases included in the combined incidence for the United States.
[2] Counts and percentages are based upon cancer cases diagnosed among the AI/AN population in PRCDA counties. Statistics exclude data for MN for all years, see Technical Notes.

Section III

Average-annual Age-adjusted NAACCR Combined Cancer Incidence Rates for the United States, Canada and North America

Race-Specific Population Counts by Year[1]

Race	2013	2014	2015	2016	2017
All Races	319,650,804	321,921,295	321,347,173	326,477,837	325,499,717
White	249,091,869	250,256,404	249,180,468	252,560,588	251,260,379
Black	43,733,888	44,254,976	44,483,323	45,304,031	45,461,140
American Indian/Alaskan Native (AI/AN)	4,449,254	4,509,146	4,514,712	4,628,751	4,626,767
Asian/Pacific Islander (API)	18,782,716	19,365,895	19,695,504	20,577,972	20,826,430

All Races Population 2013-2017 1,613,234,326
Distribution of Population by Race

Hispanic/Latino Population Counts by Year[1]

Ethnicity	2013	2014	2015	2016	2017
Hispanic/Latino, All Races	57,643,015	58,704,102	59,023,278	60,972,818	61,171,104
Non-Hispanic White	200,683,467	200,874,311	199,490,653	201,085,383	199,565,937
Non-Hispanic Black	40,841,174	41,276,824	41,448,597	42,150,031	42,255,906

Hispanic/Latino Population, Census 2010: 54,166,049
Distribution of Hispanic/Latino Populations[2]

% Hispanic/Latino of Total Population
By Census Year[2]

Census Year

[1] Source: NCI SEER Program, U.S. Population Data Puerto Rico is defined as "Other" race and therefore is only included in the All Races and Hispanic/All Races categories, see Technical Notes
[2] Source: U.S. Census Bureau, 2010 Census

Race-Specific Population Indicators (2013-2017)

Combined Population[1]:	
All Races	1,613,234,326
White	1,252,349,708
Black	223,237,358
American Indian/Alaskan Native	22,728,630
Asian/Pacific Islander	99,248,517
Hispanic/All Races	295,851,817
Non-Hispanic White	1,001,699,751
Non-Hispanic Black	207,972,532

Percentage of U.S. Population Reflected in the Combined Cancer Statistics[2]:	
All Races	99.5%
White	99.6%
Black	99.7%
American Indian/Alaskan Native	99.5%
Asian/Pacific Islander	99.4%
Hispanic/All Races	98.9%
Non-Hispanic White	99.7%
Non-Hispanic Black	99.7%

Number of Cases in Combined Cancer Statistics[1]:	
All Races	1,687,085
White	1,396,954
Black	183,327
American Indian/Alaskan Native	9,974
Asian/Pacific Islander	54,555
Hispanic/All Races	146,344
Non-Hispanic White	1,275,708
Non-Hispanic Black	179,420

Data Quality Indicators (2013-2017)

Indicators (%)	2013	2014	2015	2016	2017
Missing Race	1.8	1.8	2.0	2.1	2.0
Missing Sex	0.0	0.0	0.0	0.0	0.0
Missing County	0.0	0.0	0.0	0.0	0.0
Missing Age	0.0	0.0	0.0	0.0	0.0
Death Certificate Only Cases	1.6	1.9	1.9	1.7	1.6

Site-Specific Microscopic Confirmation (2013-2017)

Cancer Site	% Micro. Confirm
All Sites	93.1
Oral Cavity & Pharynx	97.5
Esophagus	94.9
Stomach	96.2
Colon & Rectum	96.0
Liver	53.5
Pancreas	83.9
Lung & Bronchus	88.1
Melanomas of the Skin	99.2
Female Breast (excl. *in situ*)	98.6
Cervix uteri	97.1
Uterus Corpus & Uterus NOS[3]	98.6
Ovary	92.5
Prostate	96.4
Testis	99.0
Bladder (incl. *in situ*)	97.6
Kidney & Renal Pelvis	89.8
Brain & Other CNS[3]	84.9
Thyroid	99.4
Hodgkin Lymphoma	98.5
Non-Hodgkin Lymphoma	96.7
Multiple Myeloma	89.7
Leukemias	90.0
Brain & Other CNS[3] *non-malig*	41.9
Breast *in situ*	100.0

[1] Puerto Rico is defined as "Other" race and therefore is only included in the All Races and Hispanic/All Races categories, see Technical Notes
[2] Population coverage is limited by years contributed and by data completeness, see Technical notes.
[3] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NAACCR U.S. Combined Incidence 2013-2017, All Races Combined

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR United States Combined, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	850,556	487.8	0.24	579.1	0.28	836,529	421.2	0.21	491.3	0.24
Oral Cavity & Pharynx	32,491	17.9	0.05	21.9	0.05	13,019	6.4	0.03	7.6	0.03
Lip	1,457	0.9	0.01	1.0	0.01	581	0.3	0.01	0.3	0.01
Tongue	10,321	5.6	0.03	6.9	0.03	3,956	2.0	0.01	2.3	0.02
Major salivary gland	2,748	1.7	0.01	1.9	0.02	1,936	1.0	0.01	1.1	0.01
Floor of mouth	1,383	0.7	0.01	0.9	0.01	639	0.3	0.01	0.4	0.01
Gum & other mouth	3,358	1.9	0.02	2.3	0.02	2,628	1.3	0.01	1.5	0.01
Nasopharynx	1,346	0.8	0.01	0.9	0.01	553	0.3	0.01	0.3	0.01
Oropharynx	1,745	0.9	0.01	1.2	0.01	488	0.2	0.00	0.3	0.01
Hypopharynx	1,890	1.0	0.01	1.3	0.01	464	0.2	0.00	0.3	0.01
Digestive System	168,609	96.7	0.11	115.7	0.13	133,235	65.0	0.08	76.6	0.09
Esophagus	13,848	7.8	0.03	9.4	0.04	3,700	1.8	0.01	2.1	0.02
Stomach	15,139	8.9	0.03	10.5	0.04	9,377	4.6	0.02	5.4	0.03
Small intestine	4,859	2.8	0.02	3.3	0.02	4,310	2.2	0.02	2.5	0.02
Colon excl. rectum	51,034	30.0	0.06	35.4	0.07	51,045	25.0	0.05	29.2	0.06
Rectum & rectosigmoid	24,586	14.0	0.04	16.8	0.05	17,276	8.7	0.03	10.3	0.04
Anus, anal canal & anorectum	2,624	1.5	0.01	1.8	0.02	4,718	2.3	0.02	2.8	0.02
Liver	21,638	11.5	0.04	14.4	0.04	7,250	3.4	0.02	4.1	0.02
Gallbladder	1,344	0.8	0.01	0.9	0.01	2,800	1.3	0.01	1.6	0.01
Pancreas	25,385	14.7	0.04	17.5	0.05	23,763	11.3	0.03	13.4	0.04
Respiratory System	127,893	73.8	0.09	87.8	0.11	110,250	52.7	0.07	62.7	0.09
Larynx	10,085	5.6	0.03	6.8	0.03	2,580	1.2	0.01	1.5	0.01
Lung & bronchus	115,837	67.1	0.09	79.6	0.11	106,453	50.8	0.07	60.4	0.08
Bones & Joints	1,851	1.1	0.01	1.2	0.01	1,414	0.8	0.01	0.8	0.01
Soft Tissue (incl. heart)	6,625	4.0	0.02	4.5	0.02	5,235	2.8	0.02	3.1	0.02
Skin (excl. basal & sq.)	52,008	30.8	0.06	36.0	0.07	35,742	18.8	0.05	21.4	0.05
Melanomas of the skin	48,083	28.4	0.06	33.2	0.07	33,242	17.6	0.04	20.0	0.05
Breast (excl. *in situ*)	2,201	1.3	0.01	1.5	0.01	246,313	125.6	0.12	147.5	0.13
Female Genital System	-	-	-	-	-	99,762	50.3	0.07	59.6	0.09
Cervix uteri	-	-	-	-	-	13,050	7.7	0.03	8.2	0.03
Uterus Corpus	-	-	-	-	-	53,719	26.1	0.05	31.9	0.06
Uterus, NOS[1]	-	-	-	-	-	1,852	0.9	0.01	1.1	0.01
Ovary	-	-	-	-	-	21,505	10.9	0.03	12.8	0.04
Male Genital System	206,305	111.8	0.11	136.5	0.14	-	-	-	-	-
Prostate	195,572	104.9	0.11	129.6	0.13	-	-	-	-	-
Testis	8,846	5.7	0.03	5.6	0.03	-	-	-	-	-
Penis	1,496	0.9	0.01	1.0	0.01	-	-	-	-	-
Urinary System	99,257	58.5	0.09	68.8	0.10	42,302	20.7	0.05	24.3	0.05
Bladder (incl. *in situ*)	57,232	34.4	0.07	40.3	0.08	17,941	8.5	0.03	10.0	0.03
Kidney & renal pelvis	39,858	22.7	0.05	26.9	0.06	23,148	11.6	0.04	13.6	0.04
Ureter	1,287	0.8	0.01	0.9	0.01	808	0.4	0.01	0.4	0.01
Eye & Orbit	1,663	1.0	0.01	1.1	0.01	1,424	0.7	0.01	0.8	0.01
Brain & Other CNS[1]	12,769	7.6	0.03	8.4	0.03	10,154	5.5	0.03	6.0	0.03
Brain	12,076	7.2	0.03	8.0	0.03	9,432	5.1	0.02	5.5	0.03
Endocrine System	13,861	8.2	0.03	9.2	0.04	37,994	22.1	0.05	23.9	0.06
Thyroid gland	12,465	7.4	0.03	8.3	0.03	36,745	21.4	0.05	23.1	0.05
Lymphomas	43,977	26.2	0.06	30.0	0.06	35,976	18.3	0.04	20.9	0.05
Hodgkin Lymphoma	4,840	3.0	0.02	3.1	0.02	3,906	2.3	0.02	2.4	0.02
Non-Hodgkin Lymphoma	39,137	23.2	0.05	26.9	0.06	32,071	15.9	0.04	18.5	0.05
Multiple Myeloma	14,639	8.5	0.03	10.1	0.04	11,579	5.6	0.02	6.6	0.03
Leukemias	30,040	18.1	0.05	20.5	0.05	21,541	11.0	0.03	12.4	0.04
Acute lymphocytic	2,925	1.9	0.02	1.7	0.01	2,281	1.4	0.01	1.3	0.01
Chronic lymphocytic	11,084	6.5	0.03	7.7	0.03	7,127	3.4	0.02	4.0	0.02
Acute myeloid	8,552	5.2	0.03	5.9	0.03	6,842	3.5	0.02	4.0	0.02
Chronic myeloid	4,037	2.5	0.02	2.8	0.02	2,913	1.5	0.01	1.7	0.01
Other leukemias	3,442	2.1	0.02	2.4	0.02	2,378	1.2	0.01	1.4	0.01
Mesothelioma	2,441	1.5	0.01	1.8	0.02	802	0.4	0.01	0.5	0.01
Kaposi Sarcoma	1,036	0.7	0.01	0.7	0.01	128	0.1	0.00	0.1	0.00
Ill-defined & Unknown	32,888	20.0	0.05	23.3	0.06	29,659	14.3	0.04	16.5	0.04
Selected tumors (non-invasive)										
Brain & Other CNS[1](non-malig)	14,710	8.8	0.03	10.0	0.04	30,004	15.5	0.04	17.8	0.05
Breast (*in situ*)	234	0.1	0.00	0.2	0.00	57,335	29.7	0.06	35.1	0.07

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**850,556**	**487.8**	**0.24**	**195,572**	**104.9**	**0.11**	**115,837**	**67.1**	**0.09**	**75,621**	**44.0**	**0.07**	**57,232**	**34.4**	**0.07**	**48,083**	**28.4**	**0.06**
Alabama	13,953	517.6	2.02	3,486	121.0	0.94	2,279	84.1	0.81	1,332	50.4	0.64	835	32.7	0.52	725	28.2	0.48
Alaska	1,484	437.2	5.64	303	83.4	2.39	202	64.8	2.28	156	45.1	1.79	101	34.4	1.71	54	16.7	1.12
Arizona	15,935	409.8	1.47	3,249	79.1	0.63	2,021	51.2	0.52	1,422	37.2	0.45	1,220	31.6	0.41	1,256	33.0	0.42
Arkansas	9,012	537.2	2.59	2,016	112.4	1.14	1,627	95.8	1.08	840	51.2	0.81	567	35.1	0.67	454	28.3	0.61
California	83,082	432.9	0.69	18,743	93.0	0.31	8,507	46.4	0.23	7,657	39.9	0.21	5,288	29.3	0.18	5,752	30.4	0.18
CA: Greater California	47,754	446.1	0.93	10,645	94.3	0.42	4,990	48.4	0.31	4,255	39.9	0.28	3,109	30.9	0.25	3,594	34.2	0.26
CA: Greater Bay Area	16,186	430.7	1.55	3,657	92.2	0.70	1,593	44.5	0.51	1,449	38.2	0.46	1,010	28.4	0.41	1,277	34.3	0.44
CA: Los Angeles	19,144	404.8	1.34	4,442	90.3	0.62	1,925	43.1	0.45	1,953	41.2	0.43	1,170	26.4	0.35	882	18.9	0.29
Colorado	11,481	419.4	1.82	2,727	92.7	0.83	1,143	44.1	0.61	996	37.0	0.54	802	31.7	0.52	747	27.6	0.47
Connecticut	10,321	504.9	2.28	2,447	111.3	1.03	1,314	65.0	0.82	804	40.2	0.65	867	44.0	0.68	517	25.9	0.52
Delaware	2,982	537.5	4.52	748	124.5	2.08	416	75.3	1.69	235	44.1	1.32	226	42.2	1.28	209	38.8	1.24
District of Columbia	1,327	452.8	5.74	375	127.4	3.03	141	49.8	1.93	117	40.9	1.74	56	20.4	1.26	43	14.9	1.05
Florida	65,331	499.1	0.89	13,024	93.9	0.37	8,976	66.5	0.32	5,352	41.6	0.26	4,335	32.4	0.22	4,285	33.3	0.23
Georgia	25,945	532.1	1.54	6,491	124.2	0.72	3,745	79.0	0.60	2,362	48.5	0.46	1,427	32.5	0.40	1,683	35.8	0.41
Hawaii	3,650	437.7	3.33	771	88.2	1.46	477	57.3	1.20	391	47.2	1.10	204	24.8	0.80	239	28.8	0.86
Idaho	4,239	473.1	3.34	1,005	105.3	1.52	480	54.3	1.14	347	39.4	0.97	314	36.2	0.94	294	33.6	0.90
Illinois	33,844	504.2	1.26	7,843	109.1	0.57	4,849	73.8	0.49	3,273	49.5	0.40	2,343	36.9	0.35	1,652	25.2	0.28
Indiana	17,638	503.6	1.74	3,522	94.2	0.73	3,016	86.4	0.72	1,684	48.7	0.55	1,277	38.3	0.49	912	26.8	0.41
Iowa	9,335	523.9	2.48	2,061	107.7	1.08	1,338	74.7	0.93	856	49.3	0.77	656	37.6	0.67	539	31.3	0.62
Kansas	7,669	493.3	2.58	1,777	108.3	1.18	998	64.9	0.94	681	44.8	0.79	540	36.1	0.71	488	32.2	0.67
Kentucky	13,939	574.4	2.25	2,721	104.1	0.92	2,647	109.0	0.98	1,349	56.4	0.71	892	38.8	0.60	782	33.7	0.56
Louisiana	13,494	556.1	2.21	3,404	131.2	1.04	1,981	82.6	0.86	1,277	53.1	0.69	741	32.5	0.55	553	24.2	0.47
Maine	4,398	500.5	3.50	856	88.1	1.38	717	80.3	1.38	348	40.7	1.01	397	45.9	1.06	248	29.1	0.86
Maryland	15,375	493.8	1.84	4,195	124.7	0.89	1,898	62.9	0.67	1,235	40.6	0.53	993	34.4	0.50	953	31.7	0.47
Massachusetts	17,967	483.3	1.66	4,133	102.6	0.73	2,394	65.5	0.61	1,449	40.0	0.48	1,374	38.7	0.48	997	27.6	0.40
Michigan	27,762	487.9	1.35	6,554	106.3	0.60	4,085	71.8	0.52	2,338	42.3	0.40	2,065	38.0	0.38	1,331	24.3	0.31
MI: Metropolitan Detroit	11,484	547.2	2.36	2,898	128.2	1.10	1,603	78.0	0.90	983	47.7	0.70	796	40.1	0.65	463	23.0	0.49
Minnesota	15,130	503.6	1.88	3,524	108.8	0.84	1,822	61.5	0.66	1,246	42.6	0.55	1,064	37.0	0.52	1,099	37.4	0.52
Mississippi	8,648	547.4	2.72	2,164	127.7	1.26	1,526	97.6	1.15	884	56.5	0.88	457	31.0	0.67	351	23.5	0.58
Missouri	16,717	490.3	1.74	3,364	91.4	0.72	2,858	83.6	0.71	1,558	46.9	0.54	1,151	35.1	0.47	810	24.6	0.40

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	3,208	490.5	4.02	850	118.3	1.87	347	53.3	1.31	283	44.7	1.23	232	36.1	1.09	196	31.4	1.05
Nebraska	5,109	501.9	3.21	1,263	116.7	1.50	657	65.4	1.17	479	47.9	1.00	343	35.0	0.86	288	29.2	0.79
New Hampshire	4,170	511.6	3.68	991	109.2	1.60	542	67.2	1.34	330	42.0	1.07	352	45.4	1.12	304	38.3	1.02
New Jersey	25,464	530.5	1.52	6,723	131.3	0.73	2,836	60.8	0.52	2,223	46.9	0.46	1,841	40.2	0.43	1,360	28.9	0.36
New Mexico	4,605	391.5	2.65	1,046	82.8	1.17	510	43.9	0.89	435	37.5	0.83	281	24.4	0.67	235	20.2	0.60
New York	55,956	531.6	1.03	14,016	125.0	0.48	6,863	66.2	0.36	4,614	44.7	0.30	4,022	39.9	0.29	2,420	23.7	0.22
North Carolina	28,090	522.2	1.43	6,808	117.4	0.65	4,418	82.8	0.57	2,251	42.5	0.41	1,763	35.0	0.38	1,781	34.4	0.38
North Dakota	1,968	489.6	5.07	488	113.5	2.36	258	65.4	1.86	192	48.3	1.60	132	34.6	1.38	100	25.6	1.18
Ohio	33,071	502.9	1.27	7,389	104.1	0.56	5,262	80.0	0.51	3,035	47.2	0.39	2,415	38.3	0.36	1,849	29.3	0.31
Oklahoma	10,204	490.8	2.22	2,068	93.8	0.94	1,683	80.5	0.90	982	48.1	0.70	674	34.0	0.60	592	29.7	0.56
Oregon	10,835	460.2	2.04	2,386	93.3	0.88	1,370	58.7	0.73	888	38.8	0.60	835	36.8	0.58	749	32.7	0.55
Pennsylvania	39,560	522.3	1.20	8,493	103.7	0.51	5,594	73.4	0.45	3,509	47.4	0.37	3,074	41.5	0.34	2,223	30.2	0.29
Puerto Rico*	7,556	409.4	2.15	2,783	142.5	1.22	439	23.6	0.51	936	51.0	0.76	303	16.6	0.43	80	4.5	0.23
Rhode Island	2,906	489.8	4.18	613	96.5	1.79	444	75.4	1.64	218	38.0	1.18	244	42.4	1.24	170	29.3	1.03
South Carolina	14,209	511.0	1.99	3,464	114.5	0.90	2,243	80.1	0.78	1,185	43.7	0.59	847	32.7	0.52	826	31.0	0.50
South Dakota	2,407	496.7	4.66	600	114.8	2.15	318	66.7	1.71	224	47.3	1.45	160	34.0	1.23	136	29.0	1.15
Tennessee	18,932	520.7	1.75	4,366	111.5	0.78	3,324	91.6	0.73	1,626	45.7	0.52	1,183	34.5	0.46	907	26.0	0.40
Texas	55,935	450.3	0.88	12,174	94.0	0.39	7,247	61.3	0.33	5,580	44.8	0.28	3,011	26.6	0.22	2,155	17.9	0.18
Utah	5,389	439.1	2.75	1,425	112.8	1.37	348	30.2	0.74	395	32.9	0.76	337	29.8	0.74	611	50.1	0.93
Vermont	1,875	478.1	5.15	382	87.1	2.06	268	67.9	1.92	141	36.7	1.44	148	38.9	1.48	175	46.1	1.63
Virginia	19,629	445.6	1.47	4,728	99.4	0.66	2,845	65.9	0.57	1,710	39.6	0.44	1,237	30.2	0.40	1,115	26.3	0.36
Washington	18,199	473.6	1.62	4,087	98.7	0.71	2,201	58.8	0.58	1,494	39.3	0.47	1,339	37.2	0.47	1,180	31.3	0.42
WA: Seattle/Puget Sound	13,175	508.3	2.05	3,032	108.7	0.91	1,505	60.3	0.72	1,074	41.6	0.59	943	39.0	0.59	914	35.9	0.55
West Virginia	6,038	512.7	3.05	1,183	92.1	1.23	1,138	94.0	1.28	603	52.6	0.99	437	37.7	0.83	295	26.6	0.72
Wisconsin	16,693	503.7	1.79	3,939	109.3	0.80	2,194	66.6	0.65	1,329	41.2	0.52	1,237	39.0	0.51	953	29.6	0.44
Wyoming	1,446	431.5	5.28	394	108.1	2.53	148	45.2	1.73	117	35.9	1.55	109	34.8	1.54	88	27.0	1.34

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**851,191**	**578.8**	**0.28**	**195,785**	**129.6**	**0.13**	**115,880**	**79.5**	**0.11**	**75,702**	**52.2**	**0.09**	**57,261**	**40.3**	**0.08**	**48,089**	**33.2**	**0.07**
Alabama	13,953	618.5	2.38	3,486	149.9	1.15	2,279	100.9	0.96	1,332	60.0	0.74	835	38.4	0.61	725	32.9	0.56
Alaska	1,484	513.5	6.46	303	101.8	2.81	202	76.0	2.59	156	53.2	2.05	101	40.0	1.95	54	18.9	1.25
Arizona	15,935	486.2	1.74	3,249	97.6	0.77	2,021	60.6	0.61	1,422	44.3	0.53	1,220	37.1	0.48	1,256	38.6	0.49
Arkansas	9,012	640.7	3.05	2,016	139.0	1.40	1,627	114.8	1.29	840	60.8	0.95	567	41.3	0.79	454	33.0	0.70
California	83,082	512.1	0.80	18,743	114.2	0.38	8,507	54.4	0.27	7,657	47.4	0.24	5,288	34.3	0.21	5,752	35.8	0.21
CA: Greater California	47,754	528.0	1.09	10,645	115.8	0.50	4,990	56.9	0.36	4,255	47.5	0.33	3,109	36.1	0.29	3,594	40.2	0.30
CA: Greater Bay Area	16,186	508.9	1.80	3,657	113.6	0.84	1,593	52.1	0.59	1,449	45.4	0.54	1,010	33.3	0.47	1,277	40.2	0.51
CA: Los Angeles	19,144	478.5	1.56	4,442	111.1	0.75	1,925	50.6	0.52	1,953	48.9	0.50	1,170	31.0	0.41	882	22.2	0.34
Colorado	11,481	495.9	2.11	2,727	114.1	0.99	1,143	51.9	0.70	996	43.6	0.63	802	37.0	0.60	747	32.3	0.54
Connecticut	10,321	598.3	2.65	2,447	137.6	1.25	1,314	76.9	0.95	804	47.2	0.75	867	51.5	0.79	517	30.3	0.60
Delaware	2,982	639.0	5.30	748	154.4	2.55	416	88.7	1.97	235	51.8	1.53	226	49.5	1.49	209	45.3	1.42
District of Columbia	1,327	541.6	6.76	375	157.2	3.66	141	60.1	2.28	117	48.3	2.03	56	24.2	1.47	43	17.1	1.20
Florida	65,331	593.6	1.05	13,024	115.9	0.46	8,976	79.7	0.38	5,352	49.7	0.31	4,335	38.0	0.26	4,285	39.0	0.27
Georgia	25,945	634.1	1.81	6,491	153.5	0.87	3,745	94.4	0.71	2,362	57.8	0.55	1,427	38.1	0.47	1,683	41.9	0.47
Hawaii	3,650	517.3	3.86	771	106.7	1.73	477	67.5	1.40	391	56.8	1.30	204	29.0	0.92	239	33.7	0.98
Idaho	4,239	558.2	3.89	1,005	128.2	1.83	480	63.7	1.32	347	46.7	1.14	314	42.4	1.09	294	39.4	1.04
Illinois	33,844	598.4	1.47	7,843	135.0	0.69	4,849	87.5	0.57	3,273	58.7	0.46	2,343	43.2	0.40	1,652	29.5	0.33
Indiana	17,638	596.3	2.03	3,522	115.7	0.88	3,016	102.4	0.84	1,684	57.7	0.63	1,277	44.9	0.57	912	31.3	0.47
Iowa	9,335	620.5	2.89	2,061	133.3	1.32	1,338	88.7	1.09	856	58.1	0.89	656	44.0	0.77	539	36.4	0.70
Kansas	7,669	585.0	3.01	1,777	132.8	1.42	998	76.9	1.09	681	52.8	0.91	540	42.3	0.82	488	37.7	0.77
Kentucky	13,939	682.6	2.63	2,721	128.6	1.12	2,647	130.0	1.15	1,349	66.9	0.83	892	45.6	0.70	782	39.1	0.64
Louisiana	13,494	665.7	2.60	3,404	162.7	1.26	1,981	98.9	1.01	1,277	63.6	0.81	741	38.3	0.64	553	28.1	0.54
Maine	4,398	592.7	4.05	856	108.6	1.68	717	95.6	1.62	348	48.3	1.17	397	53.8	1.22	248	34.2	0.98
Maryland	15,375	587.5	2.14	4,195	154.8	1.08	1,898	74.3	0.77	1,235	47.9	0.62	993	40.3	0.58	953	37.1	0.54
Massachusetts	17,967	572.5	1.92	4,133	127.6	0.89	2,394	77.3	0.71	1,449	46.9	0.55	1,374	45.2	0.55	997	32.2	0.46
Michigan	27,762	578.8	1.57	6,554	131.3	0.73	4,085	85.4	0.60	2,338	49.8	0.47	2,065	44.5	0.44	1,331	28.4	0.35
MI: Metropolitan Detroit	11,484	650.1	2.74	2,898	158.3	1.33	1,603	92.4	1.04	983	56.4	0.81	796	47.0	0.75	463	26.8	0.56
Minnesota	15,130	595.9	2.18	3,524	134.4	1.02	1,822	72.7	0.77	1,246	49.9	0.64	1,064	43.3	0.60	1,099	43.6	0.59
Mississippi	8,648	656.8	3.21	2,164	158.7	1.54	1,526	116.8	1.36	884	68.0	1.04	457	36.5	0.78	351	27.4	0.66
Missouri	16,717	583.1	2.03	3,364	113.5	0.88	2,858	99.5	0.84	1,558	55.4	0.63	1,151	41.1	0.55	810	28.7	0.45

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	3,208	580.5	4.66	850	145.5	2.26	347	62.5	1.52	283	53.0	1.43	232	42.5	1.27	196	36.4	1.18
Nebraska	5,109	595.1	3.74	1,263	144.1	1.82	657	77.3	1.35	479	56.7	1.16	343	40.9	0.99	288	34.0	0.90
New Hampshire	4,170	604.2	4.24	991	135.3	1.94	542	79.3	1.54	330	49.1	1.22	352	53.0	1.28	304	44.7	1.16
New Jersey	25,464	628.4	1.77	6,723	161.7	0.89	2,836	71.4	0.60	2,223	55.4	0.53	1,841	47.1	0.49	1,360	34.0	0.41
New Mexico	4,605	463.7	3.09	1,046	101.8	1.42	510	51.5	1.03	435	44.8	0.97	281	28.8	0.78	235	23.8	0.70
New York	55,956	629.9	1.20	14,016	154.3	0.59	6,863	78.3	0.42	4,614	52.7	0.35	4,022	46.6	0.33	2,420	27.6	0.25
North Carolina	28,090	621.6	1.68	6,808	145.6	0.80	4,418	98.5	0.67	2,251	50.6	0.48	1,763	40.9	0.44	1,781	40.1	0.43
North Dakota	1,968	578.7	5.87	488	140.5	2.86	258	76.9	2.15	192	57.1	1.86	132	40.1	1.57	100	29.6	1.33
Ohio	33,071	597.1	1.48	7,389	128.8	0.67	5,262	95.3	0.59	3,035	55.8	0.46	2,415	44.8	0.41	1,849	34.1	0.36
Oklahoma	10,204	583.6	2.61	2,068	115.6	1.14	1,683	96.1	1.06	982	56.8	0.82	674	39.9	0.69	592	34.7	0.64
Oregon	10,835	545.2	2.37	2,386	114.6	1.06	1,370	69.3	0.85	888	46.0	0.70	835	43.2	0.68	749	38.3	0.63
Pennsylvania	39,560	619.2	1.40	8,493	128.7	0.63	5,594	87.1	0.52	3,509	55.9	0.42	3,074	48.7	0.39	2,223	35.3	0.34
Puerto Rico*	8,191	474.9	2.37	2,996	169.3	1.40	482	27.4	0.56	1,017	59.7	0.85	332	19.2	0.48	86	5.2	0.25
Rhode Island	2,906	580.2	4.84	613	118.9	2.16	444	89.1	1.90	218	44.5	1.36	244	49.6	1.43	170	34.3	1.18
South Carolina	14,209	610.4	2.34	3,464	141.9	1.10	2,243	95.8	0.93	1,185	52.1	0.69	847	38.3	0.61	826	36.2	0.58
South Dakota	2,407	586.3	5.38	600	141.2	2.59	318	78.2	1.97	224	55.7	1.68	160	39.6	1.41	136	33.7	1.31
Tennessee	18,932	620.7	2.05	4,366	137.9	0.94	3,324	109.4	0.86	1,626	54.3	0.61	1,183	40.4	0.54	907	30.4	0.46
Texas	55,935	534.4	1.03	12,174	115.4	0.47	7,247	72.3	0.39	5,580	53.4	0.33	3,011	31.2	0.26	2,155	20.9	0.21
Utah	5,389	518.8	3.21	1,425	138.3	1.65	348	35.6	0.86	395	38.6	0.88	337	34.9	0.86	611	58.5	1.08
Vermont	1,875	564.5	5.93	382	107.8	2.50	268	80.4	2.23	141	43.5	1.67	148	45.6	1.71	175	53.6	1.84
Virginia	19,629	531.0	1.72	4,728	123.4	0.81	2,845	78.3	0.67	1,710	46.9	0.51	1,237	35.5	0.46	1,115	30.8	0.42
Washington	18,199	560.0	1.88	4,087	121.1	0.86	2,201	69.3	0.67	1,494	46.5	0.55	1,339	43.5	0.54	1,180	36.5	0.48
WA: Seattle/Puget Sound	13,175	600.7	2.38	3,032	133.3	1.10	1,505	70.9	0.83	1,074	49.2	0.68	943	45.7	0.68	914	41.8	0.63
West Virginia	6,038	609.8	3.56	1,183	113.4	1.49	1,138	113.1	1.52	603	62.3	1.15	437	44.5	0.97	295	30.9	0.82
Wisconsin	16,693	597.4	2.08	3,939	135.5	0.97	2,194	78.9	0.76	1,329	48.5	0.60	1,237	45.7	0.59	953	34.6	0.50
Wyoming	1,446	511.2	6.12	394	133.1	3.04	148	53.2	1.99	117	42.1	1.77	109	40.5	1.77	88	31.8	1.55

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**836,529**	**421.2**	**0.21**	**246,313**	**125.6**	**0.12**	**106,453**	**50.8**	**0.07**	**68,321**	**33.7**	**0.06**	**55,571**	**27.0**	**0.05**	**36,745**	**21.4**	**0.05**
Alabama	12,566	403.3	1.66	3,753	121.6	0.92	1,676	50.0	0.55	1,200	37.9	0.50	640	19.9	0.36	377	14.1	0.34
Alaska	1,380	403.2	5.11	421	120.1	2.75	155	47.6	1.81	133	40.7	1.66	92	24.2	1.19	67	19.2	1.08
Arizona	15,505	370.1	1.37	4,734	114.3	0.77	1,948	43.0	0.44	1,207	28.3	0.37	970	22.9	0.34	738	20.9	0.36
Arkansas	7,968	424.8	2.19	2,192	118.2	1.17	1,259	62.7	0.80	727	37.9	0.64	458	24.1	0.52	277	17.6	0.49
California	85,518	387.6	0.60	26,599	121.5	0.34	8,521	37.8	0.19	6,947	31.0	0.17	5,902	25.9	0.15	3,953	19.4	0.14
CA: Greater California	48,080	397.2	0.83	14,664	122.0	0.46	5,138	41.3	0.26	3,840	31.4	0.23	3,194	25.5	0.21	2,196	19.9	0.19
CA: Greater Bay Area	16,644	386.9	1.37	5,378	126.4	0.79	1,595	36.2	0.41	1,309	30.0	0.38	1,165	26.2	0.35	689	17.5	0.30
CA: Los Angeles	20,795	367.7	1.16	6,557	116.6	0.65	1,789	31.3	0.34	1,799	31.2	0.33	1,543	26.7	0.31	1,068	19.9	0.28
Colorado	11,752	388.5	1.64	3,875	127.6	0.94	1,207	39.6	0.52	897	29.8	0.46	732	22.6	0.38	622	22.2	0.41
Connecticut	10,694	449.9	2.02	3,263	140.5	1.14	1,407	55.8	0.68	774	31.1	0.52	735	29.6	0.50	532	27.4	0.55
Delaware	2,852	453.1	3.94	836	134.7	2.17	415	60.8	1.36	208	32.7	1.05	202	30.6	1.00	127	25.2	1.04
District of Columbia	1,509	417.8	4.94	489	139.4	2.89	164	44.5	1.58	133	36.5	1.45	111	30.2	1.31	72	19.3	1.06
Florida	61,222	425.9	0.81	16,451	118.3	0.43	8,029	50.5	0.26	4,737	31.7	0.21	3,624	24.6	0.19	2,068	18.5	0.19
Georgia	24,469	421.4	1.23	7,398	126.8	0.67	2,999	50.6	0.42	2,063	35.5	0.36	1,458	23.8	0.28	979	17.9	0.26
Hawaii	3,634	406.4	3.15	1,214	138.9	1.86	357	36.3	0.88	329	35.7	0.92	283	32.6	0.90	162	22.2	0.81
Idaho	3,960	419.5	3.06	1,191	126.7	1.69	451	45.7	0.98	300	31.6	0.84	249	25.2	0.74	185	22.4	0.76
Illinois	34,658	442.0	1.09	10,269	133.1	0.60	4,608	56.3	0.38	2,968	36.8	0.31	2,439	30.0	0.28	1,496	21.9	0.26
Indiana	17,351	430.7	1.50	4,915	122.9	0.81	2,596	61.4	0.55	1,541	37.5	0.44	1,171	28.2	0.38	626	18.4	0.34
Iowa	8,838	449.2	2.23	2,465	128.9	1.21	1,150	54.5	0.74	804	38.7	0.64	615	30.1	0.56	337	21.5	0.54
Kansas	7,296	425.2	2.30	2,137	126.0	1.26	902	49.7	0.75	606	34.3	0.64	465	26.4	0.56	350	23.9	0.59
Kentucky	13,374	483.3	1.92	3,491	126.7	0.99	2,277	77.5	0.74	1,171	41.5	0.56	773	27.5	0.46	546	23.1	0.46
Louisiana	11,867	425.6	1.79	3,484	125.9	0.98	1,565	53.6	0.62	1,090	38.7	0.54	592	20.5	0.39	521	20.9	0.42
Maine	4,419	458.9	3.26	1,203	127.4	1.74	679	65.8	1.16	333	33.4	0.86	325	31.4	0.81	169	22.4	0.82
Maryland	15,868	428.0	1.56	4,903	132.9	0.87	1,980	51.7	0.53	1,235	33.0	0.43	1,090	27.9	0.39	693	21.0	0.37
Massachusetts	19,424	443.1	1.47	5,921	137.9	0.83	2,732	59.2	0.52	1,415	31.4	0.39	1,328	29.0	0.36	1,035	27.6	0.40
Michigan	26,981	421.7	1.19	7,708	122.6	0.65	3,873	56.9	0.42	2,192	33.5	0.33	1,941	29.0	0.30	1,019	19.4	0.28
MI: Metropolitan Detroit	11,476	457.8	1.97	3,288	133.5	1.07	1,644	62.6	0.70	959	37.2	0.55	794	30.3	0.50	502	23.6	0.49
Minnesota	14,634	443.0	1.69	4,311	132.5	0.93	1,803	52.2	0.56	1,148	33.9	0.46	1,072	31.0	0.43	538	19.1	0.38
Mississippi	7,589	414.2	2.18	2,134	118.0	1.18	1,122	57.7	0.78	768	41.0	0.68	423	22.4	0.50	250	15.7	0.46
Missouri	16,722	431.9	1.54	4,951	130.5	0.86	2,609	63.2	0.56	1,398	35.2	0.43	1,070	26.8	0.38	569	17.5	0.34

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	2,888	435.4	3.80	845	128.5	2.08	391	54.7	1.26	220	32.4	1.02	187	27.1	0.93	108	20.5	0.92
Nebraska	4,853	433.6	2.88	1,405	127.2	1.57	600	50.8	0.95	440	37.8	0.83	315	27.6	0.72	210	22.3	0.71
New Hampshire	4,142	463.9	3.36	1,283	144.7	1.89	585	61.8	1.17	289	31.7	0.87	298	31.4	0.84	166	23.1	0.84
New Jersey	26,226	458.8	1.30	7,668	136.6	0.72	3,113	51.7	0.42	2,120	35.9	0.36	1,913	31.9	0.33	1,374	28.3	0.35
New Mexico	4,705	365.7	2.47	1,438	111.8	1.37	472	34.3	0.72	387	29.4	0.69	317	24.1	0.63	255	23.5	0.69
New York	57,193	456.3	0.88	16,238	132.8	0.48	7,099	53.4	0.29	4,413	34.0	0.24	4,158	32.1	0.23	3,100	29.0	0.24
North Carolina	27,200	431.7	1.20	8,384	134.0	0.67	3,748	56.4	0.42	2,066	32.5	0.33	1,664	25.3	0.28	977	17.9	0.26
North Dakota	1,804	430.1	4.72	526	128.6	2.62	230	52.3	1.58	168	38.3	1.38	114	26.6	1.16	96	27.4	1.30
Ohio	33,164	441.3	1.12	9,568	128.9	0.61	4,687	58.7	0.39	2,839	36.6	0.32	2,394	30.6	0.29	1,416	22.9	0.28
Oklahoma	9,807	421.2	1.95	2,827	122.7	1.06	1,413	57.1	0.69	857	36.1	0.57	545	23.0	0.45	388	19.3	0.45
Oregon	10,716	417.7	1.87	3,204	125.5	1.03	1,371	50.6	0.63	801	30.7	0.50	758	28.3	0.48	432	20.2	0.45
Pennsylvania	40,035	462.2	1.08	11,177	132.3	0.59	5,273	56.4	0.36	3,287	35.9	0.29	2,928	32.6	0.28	1,990	29.0	0.30
Puerto Rico*	6,957	333.7	1.86	1,977	93.9	0.98	283	12.0	0.33	782	34.9	0.58	593	28.4	0.54	801	45.6	0.75
Rhode Island	3,218	460.4	3.78	940	137.8	2.09	486	65.6	1.36	221	29.9	0.94	219	30.2	0.94	152	26.8	1.01
South Carolina	13,117	413.1	1.67	4,084	129.9	0.94	1,777	52.3	0.57	1,054	32.9	0.47	773	23.1	0.39	438	16.1	0.36
South Dakota	2,228	434.1	4.30	644	128.3	2.37	293	54.1	1.45	199	36.8	1.22	150	28.7	1.09	82	19.8	1.02
Tennessee	17,565	422.1	1.46	5,070	122.6	0.79	2,702	61.4	0.54	1,485	35.3	0.42	1,050	24.5	0.35	644	18.2	0.33
Texas	54,169	378.4	0.74	16,186	112.8	0.40	6,070	42.2	0.25	4,524	31.5	0.21	3,370	22.8	0.18	2,434	17.6	0.16
Utah	5,041	375.2	2.40	1,518	114.4	1.33	300	22.5	0.59	357	27.1	0.65	373	27.0	0.64	372	27.3	0.64
Vermont	1,880	440.7	4.78	553	131.3	2.63	255	55.6	1.60	142	32.4	1.27	155	34.1	1.28	69	20.7	1.19
Virginia	20,071	397.4	1.28	6,410	127.3	0.73	2,578	49.2	0.44	1,604	31.5	0.36	1,326	25.0	0.31	887	19.9	0.31
Washington	18,227	429.8	1.46	5,692	134.3	0.82	2,195	50.3	0.49	1,361	32.1	0.40	1,167	26.1	0.35	748	19.7	0.33
WA: Seattle/Puget Sound	13,056	448.9	1.81	4,080	140.3	1.01	1,524	51.3	0.60	959	32.8	0.49	829	26.9	0.43	539	20.4	0.40
West Virginia	5,801	457.1	2.82	1,481	117.5	1.43	951	68.9	1.02	541	41.0	0.82	405	31.3	0.73	257	26.3	0.77
Wisconsin	15,899	438.3	1.61	4,677	131.5	0.89	2,049	53.5	0.54	1,214	32.6	0.43	1,209	31.9	0.42	618	20.5	0.38
Wyoming	1,262	376.6	4.92	376	112.5	2.70	141	40.0	1.54	97	29.2	1.36	80	22.5	1.17	66	23.8	1.36

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**836,529**	**491.3**	**0.24**	**246,313**	**147.5**	**0.13**	**106,453**	**60.4**	**0.08**	**68,321**	**39.5**	**0.07**	**55,571**	**33.0**	**0.06**	**36,745**	**23.1**	**0.05**
Alabama	12,566	471.0	1.90	3,753	142.9	1.05	1,676	60.1	0.66	1,200	44.6	0.58	640	24.0	0.43	377	15.4	0.36
Alaska	1,380	469.8	5.81	421	140.8	3.13	155	56.4	2.09	133	47.5	1.89	92	29.5	1.41	67	20.5	1.13
Arizona	15,505	431.0	1.57	4,734	134.3	0.89	1,948	50.7	0.52	1,207	33.2	0.43	970	27.7	0.40	738	22.6	0.38
Arkansas	7,968	497.0	2.52	2,192	139.2	1.35	1,259	75.1	0.96	727	44.7	0.75	458	29.3	0.62	277	19.2	0.52
California	85,518	452.3	0.69	26,599	142.9	0.39	8,521	44.4	0.22	6,947	36.5	0.20	5,902	31.6	0.18	3,953	21.2	0.15
CA: Greater California	48,080	463.4	0.95	14,664	143.6	0.53	5,138	48.5	0.30	3,840	36.8	0.27	3,194	31.1	0.25	2,196	21.7	0.21
CA: Greater Bay Area	16,644	451.2	1.57	5,378	148.2	0.91	1,595	42.4	0.48	1,309	35.1	0.44	1,165	32.0	0.42	689	19.0	0.33
CA: Los Angeles	20,795	429.1	1.34	6,557	137.1	0.76	1,789	36.8	0.39	1,799	36.9	0.39	1,543	32.3	0.37	1,068	21.8	0.30
Colorado	11,752	451.4	1.87	3,875	149.5	1.08	1,207	46.4	0.60	897	34.7	0.52	732	27.7	0.46	622	23.8	0.43
Connecticut	10,694	523.0	2.29	3,263	164.2	1.30	1,407	65.9	0.79	774	36.4	0.59	735	36.1	0.60	532	29.4	0.57
Delaware	2,852	528.0	4.48	836	157.8	2.48	415	72.5	1.61	208	38.0	1.19	202	37.3	1.19	127	26.9	1.08
District of Columbia	1,509	490.5	5.74	489	162.2	3.33	164	54.2	1.91	133	43.1	1.70	111	37.3	1.60	72	21.5	1.18
Florida	61,222	497.4	0.92	16,451	138.8	0.50	8,029	60.3	0.31	4,737	37.4	0.25	3,624	30.1	0.23	2,068	20.0	0.20
Georgia	24,469	492.5	1.41	7,398	149.0	0.78	2,999	60.3	0.49	2,063	41.9	0.41	1,458	29.1	0.34	979	19.5	0.28
Hawaii	3,634	474.9	3.60	1,214	164.3	2.15	357	43.0	1.04	329	41.8	1.06	283	39.0	1.05	162	23.8	0.85
Idaho	3,960	488.1	3.50	1,191	148.8	1.95	451	53.8	1.14	300	37.0	0.96	249	30.8	0.88	185	24.2	0.80
Illinois	34,658	516.1	1.25	10,269	156.4	0.69	4,608	66.8	0.44	2,968	43.1	0.36	2,439	36.8	0.33	1,496	23.7	0.28
Indiana	17,351	502.9	1.72	4,915	145.0	0.93	2,596	73.2	0.65	1,541	43.8	0.50	1,171	34.3	0.45	626	19.7	0.35
Iowa	8,838	522.7	2.54	2,465	151.4	1.39	1,150	64.9	0.87	804	44.9	0.73	615	37.1	0.68	337	23.0	0.57
Kansas	7,296	494.8	2.62	2,137	148.0	1.45	902	59.1	0.89	606	39.9	0.74	465	32.1	0.67	350	25.9	0.62
Kentucky	13,374	563.9	2.20	3,491	149.0	1.14	2,277	92.7	0.87	1,171	48.8	0.64	773	33.0	0.54	546	24.9	0.48
Louisiana	11,867	498.1	2.06	3,484	148.3	1.13	1,565	64.1	0.73	1,090	45.7	0.62	592	24.9	0.46	521	22.9	0.45
Maine	4,419	533.5	3.66	1,203	148.6	1.96	679	77.6	1.35	333	38.9	0.97	325	38.8	0.98	169	24.2	0.85
Maryland	15,868	499.5	1.78	4,903	155.9	1.00	1,980	61.3	0.62	1,235	38.6	0.49	1,090	34.1	0.46	693	22.8	0.39
Massachusetts	19,424	516.3	1.67	5,921	161.6	0.95	2,732	70.1	0.60	1,415	36.4	0.44	1,328	35.6	0.44	1,035	30.0	0.42
Michigan	26,981	492.1	1.35	7,708	143.6	0.74	3,873	67.9	0.49	2,192	39.1	0.38	1,941	35.5	0.36	1,019	20.8	0.29
MI: Metropolitan Detroit	11,476	535.0	2.25	3,288	156.4	1.23	1,644	74.4	0.83	959	43.7	0.64	794	37.2	0.59	502	25.6	0.51
Minnesota	14,634	515.1	1.92	4,311	155.2	1.07	1,803	61.8	0.65	1,148	39.3	0.53	1,072	38.0	0.52	538	20.4	0.40
Mississippi	7,589	485.4	2.51	2,134	138.9	1.35	1,122	69.4	0.93	768	48.6	0.79	423	27.2	0.60	250	17.1	0.49
Missouri	16,722	505.2	1.77	4,951	153.5	0.99	2,609	75.7	0.67	1,398	41.1	0.50	1,070	32.7	0.45	569	19.0	0.36

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	2,888	506.5	4.29	845	150.9	2.37	391	64.6	1.48	220	38.0	1.17	187	32.7	1.09	108	21.9	0.95
Nebraska	4,853	504.5	3.28	1,405	150.3	1.82	600	60.3	1.11	440	43.9	0.95	315	33.6	0.85	210	24.0	0.75
New Hampshire	4,142	540.8	3.80	1,283	169.6	2.14	585	73.6	1.37	289	37.0	0.98	298	38.3	1.00	166	24.6	0.86
New Jersey	26,226	534.0	1.49	7,668	159.7	0.82	3,113	61.1	0.49	2,120	41.9	0.41	1,913	39.3	0.40	1,374	30.7	0.37
New Mexico	4,705	426.6	2.82	1,438	132.1	1.58	472	40.4	0.84	387	34.9	0.80	317	29.0	0.74	255	25.5	0.72
New York	57,193	531.4	1.00	16,238	155.4	0.55	7,099	63.5	0.34	4,413	39.8	0.27	4,158	39.2	0.27	3,100	31.4	0.25
North Carolina	27,200	504.5	1.38	8,384	157.6	0.78	3,748	67.3	0.49	2,066	38.2	0.38	1,664	30.9	0.34	977	19.4	0.28
North Dakota	1,804	498.4	5.35	526	150.9	3.00	230	61.7	1.84	168	44.6	1.57	114	32.6	1.38	96	29.3	1.36
Ohio	33,164	515.1	1.28	9,568	151.4	0.70	4,687	70.0	0.46	2,839	42.8	0.36	2,394	37.5	0.35	1,416	24.7	0.30
Oklahoma	9,807	492.3	2.24	2,827	144.6	1.23	1,413	68.3	0.82	857	42.5	0.66	545	27.9	0.54	388	20.9	0.48
Oregon	10,716	487.2	2.14	3,204	148.0	1.19	1,371	59.5	0.73	801	36.0	0.58	758	34.7	0.57	432	21.6	0.47
Pennsylvania	40,035	538.3	1.23	11,177	155.0	0.67	5,273	67.2	0.42	3,287	41.9	0.33	2,928	40.0	0.33	1,990	31.2	0.32
Puerto Rico*	6,957	384.7	2.10	1,977	110.4	1.13	283	14.4	0.39	782	41.3	0.67	593	33.8	0.63	801	49.6	0.79
Rhode Island	3,218	536.3	4.29	940	161.6	2.39	486	77.7	1.60	221	35.1	1.08	219	37.1	1.13	152	28.8	1.05
South Carolina	13,117	482.8	1.91	4,084	152.4	1.08	1,777	62.5	0.67	1,054	38.8	0.54	773	28.2	0.46	438	17.5	0.38
South Dakota	2,228	502.7	4.86	644	149.6	2.69	293	64.0	1.69	199	42.5	1.38	150	34.9	1.29	82	21.1	1.06
Tennessee	17,565	493.6	1.68	5,070	144.3	0.91	2,702	73.5	0.64	1,485	41.4	0.48	1,050	29.7	0.41	644	19.5	0.35
Texas	54,169	441.1	0.85	16,186	132.6	0.47	6,070	50.0	0.29	4,524	37.2	0.25	3,370	27.4	0.21	2,434	19.2	0.17
Utah	5,041	435.2	2.77	1,518	134.3	1.55	300	26.7	0.69	357	31.5	0.75	373	32.9	0.77	372	29.3	0.69
Vermont	1,880	512.5	5.37	553	153.4	2.97	255	66.0	1.87	142	37.7	1.44	155	41.6	1.51	69	21.9	1.20
Virginia	20,071	463.9	1.47	6,410	149.6	0.84	2,578	58.4	0.52	1,604	36.9	0.41	1,326	30.5	0.38	887	21.4	0.32
Washington	18,227	500.7	1.67	5,692	158.0	0.94	2,195	59.2	0.57	1,361	37.4	0.46	1,167	31.9	0.42	748	21.4	0.35
WA: Seattle/Puget Sound	13,056	522.5	2.06	4,080	164.8	1.16	1,524	60.3	0.70	959	38.3	0.56	829	33.0	0.52	539	22.0	0.43
West Virginia	5,801	533.8	3.20	1,481	138.5	1.64	951	82.8	1.22	541	48.0	0.94	405	38.0	0.86	257	27.9	0.79
Wisconsin	15,899	510.8	1.83	4,677	154.1	1.02	2,049	63.4	0.63	1,214	37.8	0.49	1,209	39.0	0.51	618	22.1	0.40
Wyoming	1,262	437.3	5.57	376	131.9	3.08	141	47.4	1.80	97	33.7	1.54	80	27.6	1.40	66	24.8	1.38

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR U.S. Combined Incidence 2013-2017, The White Population

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR United States Combined, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	705,623	486.0	0.27	575.6	0.31	691,331	428.7	0.24	499.6	0.27
Oral Cavity & Pharynx	27,986	18.6	0.05	22.8	0.06	10,931	6.6	0.03	7.9	0.03
Lip	1,354	1.0	0.01	1.1	0.01	526	0.3	0.01	0.4	0.01
Tongue	9,265	6.1	0.03	7.5	0.03	3,459	2.1	0.02	2.5	0.02
Major salivary gland	2,356	1.7	0.02	2.0	0.02	1,520	1.0	0.01	1.1	0.01
Floor of mouth	1,183	0.8	0.01	1.0	0.01	555	0.3	0.01	0.4	0.01
Gum & other mouth	2,767	1.9	0.02	2.3	0.02	2,220	1.3	0.01	1.5	0.01
Nasopharynx	790	0.5	0.01	0.6	0.01	331	0.2	0.01	0.2	0.01
Oropharynx	1,472	0.9	0.01	1.2	0.01	407	0.2	0.01	0.3	0.01
Hypopharynx	1,501	1.0	0.01	1.2	0.01	369	0.2	0.01	0.3	0.01
Digestive System	136,118	93.8	0.12	111.9	0.14	106,088	63.0	0.09	74.1	0.10
Esophagus	12,185	8.2	0.03	9.9	0.04	3,036	1.7	0.01	2.1	0.02
Stomach	11,467	8.0	0.03	9.5	0.04	6,625	4.0	0.02	4.7	0.03
Small intestine	3,863	2.7	0.02	3.2	0.02	3,320	2.0	0.02	2.4	0.02
Colon excl. rectum	41,372	29.2	0.07	34.4	0.08	41,188	24.5	0.06	28.5	0.06
Rectum & rectosigmoid	19,989	13.8	0.04	16.5	0.05	13,733	8.5	0.03	10.1	0.04
Anus, anal canal & anorectum	2,137	1.5	0.01	1.8	0.02	4,148	2.5	0.02	3.1	0.02
Liver	16,117	10.3	0.04	12.9	0.05	5,298	3.1	0.02	3.7	0.02
Gallbladder	1,021	0.7	0.01	0.8	0.01	2,110	1.2	0.01	1.4	0.01
Pancreas	21,222	14.6	0.05	17.4	0.05	19,245	11.1	0.04	13.1	0.04
Respiratory System	107,915	74.1	0.10	87.9	0.12	94,736	54.9	0.08	65.3	0.10
Larynx	8,237	5.5	0.03	6.7	0.03	2,146	1.3	0.01	1.6	0.02
Lung & bronchus	98,037	67.5	0.10	79.9	0.12	91,596	53.0	0.08	63.0	0.09
Bones & Joints	1,518	1.2	0.01	1.2	0.01	1,150	0.9	0.01	0.9	0.01
Soft Tissue (incl. heart)	5,481	4.0	0.02	4.5	0.03	4,150	2.8	0.02	3.1	0.02
Skin (excl. basal & sq.)	49,107	34.9	0.07	40.7	0.08	33,174	21.9	0.06	24.9	0.06
Melanomas of the skin	45,628	32.3	0.07	37.7	0.08	31,099	20.6	0.05	23.4	0.06
Breast (excl. *in situ*)	1,787	1.2	0.01	1.5	0.02	201,427	126.9	0.13	149.1	0.15
Female Genital System	-	-	-	-	-	81,341	50.9	0.08	60.2	0.10
Cervix uteri	-	-	-	-	-	9,813	7.5	0.04	8.0	0.04
Uterus Corpus	-	-	-	-	-	43,989	26.4	0.06	32.3	0.07
Uterus, NOS[1]	-	-	-	-	-	1,320	0.8	0.01	0.9	0.01
Ovary	-	-	-	-	-	17,974	11.2	0.04	13.2	0.04
Male Genital System	158,800	103.5	0.12	125.8	0.14	-	-	-	-	-
Prostate	149,340	95.8	0.11	118.0	0.14	-	-	-	-	-
Testis	7,914	6.6	0.03	6.6	0.03	-	-	-	-	-
Penis	1,238	0.9	0.01	1.0	0.01	-	-	-	-	-
Urinary System	87,006	61.1	0.09	71.8	0.11	35,759	21.4	0.05	25.1	0.06
Bladder (incl. *in situ*)	51,806	36.8	0.07	43.1	0.09	15,718	9.0	0.03	10.6	0.04
Kidney & renal pelvis	33,260	22.9	0.06	27.1	0.07	19,009	11.8	0.04	13.8	0.05
Ureter	1,188	0.9	0.01	1.0	0.01	718	0.4	0.01	0.5	0.01
Eye & Orbit	1,488	1.1	0.01	1.2	0.01	1,286	0.8	0.01	0.9	0.01
Brain & Other CNS[1]	11,172	8.2	0.04	9.1	0.04	8,789	5.9	0.03	6.5	0.03
Brain	10,604	7.7	0.03	8.6	0.04	8,213	5.5	0.03	6.1	0.03
Endocrine System	11,625	8.5	0.04	9.5	0.04	30,371	22.8	0.06	24.5	0.06
Thyroid gland	10,582	7.7	0.03	8.7	0.04	29,451	22.1	0.06	23.8	0.06
Lymphomas	37,547	27.0	0.06	31.0	0.07	30,304	18.9	0.05	21.6	0.06
Hodgkin Lymphoma	3,903	3.0	0.02	3.2	0.02	3,117	2.4	0.02	2.5	0.02
Non-Hodgkin Lymphoma	33,643	23.9	0.06	27.8	0.07	27,186	16.4	0.05	19.1	0.05
Multiple Myeloma	11,167	7.8	0.03	9.2	0.04	8,225	4.8	0.02	5.7	0.03
Leukemias	25,906	18.8	0.05	21.3	0.06	18,131	11.4	0.04	12.8	0.04
Acute lymphocytic	2,424	2.0	0.02	1.9	0.02	1,859	1.5	0.02	1.4	0.01
Chronic lymphocytic	9,787	6.8	0.03	8.1	0.04	6,244	3.6	0.02	4.2	0.02
Acute myeloid	7,342	5.3	0.03	6.1	0.03	5,686	3.6	0.02	4.0	0.02
Chronic myeloid	3,369	2.5	0.02	2.8	0.02	2,372	1.5	0.01	1.7	0.02
Other leukemias	2,985	2.2	0.02	2.5	0.02	1,970	1.2	0.01	1.4	0.01
Mesothelioma	2,251	1.7	0.02	1.9	0.02	730	0.4	0.01	0.5	0.01
Kaposi Sarcoma	621	0.5	0.01	0.5	0.01	78	0.0	0.00	0.1	0.00
Ill-defined & Unknown	28,128	20.3	0.06	23.6	0.06	24,663	14.3	0.04	16.6	0.05
Selected tumors (non-invasive)										
Brain & Other CNS[1](non-malig)	12,175	8.9	0.04	10.1	0.04	24,330	15.6	0.05	17.8	0.05
Breast (*in situ*)	177	0.1	0.00	0.1	0.00	45,354	29.4	0.06	34.7	0.07

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
[1] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**705,623**	**486.0**	**0.27**	**149,340**	**95.8**	**0.11**	**98,037**	**67.5**	**0.10**	**61,360**	**43.0**	**0.08**	**51,806**	**36.8**	**0.07**	**45,628**	**32.3**	**0.07**
Alabama	10,533	501.9	2.25	2,204	97.5	0.95	1,798	84.2	0.91	996	48.3	0.70	729	35.6	0.60	716	35.5	0.61
Alaska	1,158	432.0	6.30	255	86.8	2.70	149	60.3	2.46	106	38.9	1.87	89	38.5	2.03	51	20.4	1.39
Arizona	14,661	413.6	1.56	2,918	77.5	0.65	1,897	52.0	0.54	1,303	37.6	0.47	1,177	32.9	0.43	1,199	34.6	0.46
Arkansas	7,651	524.5	2.74	1,568	100.1	1.15	1,406	94.1	1.14	705	49.6	0.86	526	36.8	0.73	433	30.8	0.68
California	65,939	445.4	0.79	13,999	89.7	0.35	6,511	45.8	0.26	5,862	39.7	0.24	4,518	32.2	0.22	5,217	35.7	0.23
CA: Greater California	40,428	453.1	1.03	8,532	90.3	0.45	4,222	48.8	0.34	3,524	39.8	0.31	2,783	32.8	0.28	3,252	37.0	0.30
CA: Greater Bay Area	11,598	461.8	1.96	2,524	94.4	0.86	1,003	41.7	0.60	960	38.2	0.56	804	33.5	0.54	1,175	47.3	0.63
CA: Los Angeles	13,913	412.7	1.61	2,941	84.3	0.71	1,286	40.9	0.52	1,378	40.7	0.50	932	29.6	0.44	790	23.8	0.39
Colorado	10,474	413.4	1.88	2,355	86.2	0.83	1,060	43.8	0.63	901	36.2	0.56	748	31.6	0.54	743	29.7	0.50
Connecticut	9,091	501.2	2.42	2,047	104.4	1.06	1,185	65.2	0.87	694	39.3	0.69	818	46.0	0.73	495	28.0	0.58
Delaware	2,403	537.1	5.06	530	108.3	2.15	349	76.8	1.88	185	43.1	1.47	203	45.8	1.47	207	47.8	1.54
District of Columbia	418	334.5	7.67	101	82.4	3.77	28	24.8	2.16	30	23.8	2.03	25	21.8	2.02	29	22.9	1.99
Florida	55,796	490.4	0.95	10,086	83.2	0.37	7,944	66.9	0.34	4,484	40.3	0.28	3,918	33.0	0.24	4,077	36.5	0.26
Georgia	18,592	530.3	1.80	3,899	103.4	0.76	2,806	80.4	0.70	1,620	46.6	0.53	1,218	36.8	0.49	1,655	48.2	0.55
Hawaii	1,330	507.5	6.70	249	86.3	2.62	131	49.1	2.05	106	41.5	1.95	94	37.6	1.85	206	82.0	2.74
Idaho	4,093	470.2	3.37	951	102.3	1.52	469	54.2	1.15	336	39.3	0.99	307	36.3	0.95	294	34.6	0.93
Illinois	28,051	503.0	1.38	6,059	101.2	0.60	4,018	73.1	0.53	2,650	48.2	0.43	2,125	39.7	0.39	1,586	29.1	0.33
Indiana	16,091	502.0	1.82	3,054	88.9	0.74	2,810	87.3	0.76	1,538	48.6	0.57	1,209	39.2	0.52	875	28.1	0.44
Iowa	8,993	522.1	2.52	1,971	106.1	1.09	1,296	74.4	0.94	827	49.3	0.79	642	37.9	0.68	517	31.2	0.63
Kansas	6,895	479.2	2.64	1,520	99.6	1.17	918	64.1	0.97	618	43.9	0.81	503	35.9	0.73	438	31.4	0.69
Kentucky	12,767	568.2	2.32	2,255	92.9	0.90	2,501	110.2	1.02	1,240	56.0	0.73	857	39.8	0.63	759	35.3	0.59
Louisiana	9,560	547.2	2.57	2,162	115.2	1.14	1,365	77.9	0.97	862	50.0	0.78	632	37.4	0.68	545	32.6	0.64
Maine	4,304	499.5	3.53	830	86.9	1.39	707	80.6	1.40	341	40.6	1.02	392	46.1	1.07	238	28.5	0.86
Maryland	10,656	497.1	2.21	2,454	105.6	0.98	1,366	64.3	0.80	815	39.0	0.63	821	39.6	0.63	932	44.4	0.67
Massachusetts	15,928	480.3	1.75	3,474	96.2	0.75	2,190	66.4	0.65	1,277	39.6	0.51	1,302	40.5	0.51	899	28.0	0.43
Michigan	23,479	476.4	1.43	5,177	96.4	0.61	3,501	70.3	0.55	1,942	40.6	0.42	1,901	39.8	0.42	1,244	26.3	0.34
MI: Metropolitan Detroit	8,651	543.4	2.70	2,002	116.2	1.20	1,203	76.2	1.01	699	44.7	0.78	694	45.1	0.79	448	29.1	0.64
Minnesota	14,067	500.0	1.94	3,244	106.1	0.85	1,699	60.7	0.67	1,149	42.0	0.57	1,025	37.5	0.54	1,069	39.1	0.55
Mississippi	5,864	530.9	3.18	1,233	103.9	1.35	1,050	93.8	1.32	564	52.0	1.01	384	35.6	0.83	345	32.6	0.81
Missouri	14,862	485.7	1.82	2,858	86.3	0.74	2,558	82.7	0.75	1,381	46.4	0.57	1,076	36.1	0.50	791	26.8	0.44

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	3,024	483.9	4.09	803	116.6	1.89	327	52.2	1.33	261	43.1	1.24	227	36.7	1.12	182	30.7	1.06
Nebraska	4,783	495.8	3.28	1,153	111.7	1.50	626	65.2	1.19	450	47.5	1.02	333	35.4	0.88	278	29.9	0.82
New Hampshire	4,033	508.6	3.73	950	107.1	1.60	530	67.2	1.35	320	42.1	1.10	345	45.5	1.13	283	36.5	1.01
New Jersey	20,757	537.5	1.71	4,985	120.5	0.78	2,399	62.8	0.59	1,799	47.2	0.51	1,631	43.3	0.49	1,292	34.1	0.43
New Mexico	4,127	391.4	2.80	919	80.6	1.22	479	45.4	0.95	383	36.9	0.87	266	25.4	0.71	220	21.2	0.66
New York	44,086	539.2	1.17	10,022	114.7	0.52	5,563	68.1	0.42	3,534	44.0	0.34	3,591	44.8	0.34	2,335	29.3	0.28
North Carolina	21,779	510.6	1.59	4,667	101.0	0.68	3,497	81.5	0.63	1,697	40.6	0.45	1,557	38.0	0.44	1,708	41.4	0.46
North Dakota	1,856	484.0	5.17	460	111.4	2.38	243	63.8	1.87	180	47.5	1.63	129	34.9	1.41	99	26.7	1.24
Ohio	28,779	494.1	1.34	5,987	94.7	0.56	4,674	79.6	0.53	2,640	46.4	0.42	2,248	39.7	0.38	1,692	30.3	0.34
Oklahoma	8,383	470.5	2.35	1,615	85.0	0.96	1,420	78.2	0.94	788	45.2	0.74	602	34.8	0.64	534	31.1	0.62
Oregon	10,138	459.2	2.10	2,193	90.8	0.89	1,279	58.0	0.74	829	38.8	0.62	794	37.0	0.60	733	34.2	0.58
Pennsylvania	34,695	512.0	1.26	6,946	94.3	0.52	5,012	72.7	0.47	3,124	47.2	0.39	2,890	43.0	0.36	2,028	30.9	0.32
Rhode Island	2,682	491.4	4.37	553	94.4	1.84	416	76.2	1.71	201	37.9	1.23	236	44.0	1.31	161	30.2	1.10
South Carolina	10,738	503.4	2.25	2,288	97.8	0.94	1,719	78.9	0.88	853	41.2	0.65	754	36.8	0.62	815	39.5	0.64
South Dakota	2,257	494.5	4.80	566	114.3	2.21	298	65.5	1.73	208	46.5	1.49	155	34.4	1.26	133	30.5	1.23
Tennessee	16,240	517.4	1.87	3,481	102.5	0.80	2,913	91.9	0.78	1,370	44.7	0.56	1,105	36.6	0.51	894	29.5	0.46
Texas	47,495	450.6	0.95	9,680	88.0	0.41	6,120	60.4	0.35	4,691	44.5	0.30	2,759	28.2	0.25	2,076	20.1	0.20
Utah	5,158	441.0	2.81	1,362	112.7	1.40	333	30.1	0.75	373	32.6	0.77	330	30.3	0.76	598	51.5	0.96
Vermont	1,827	474.6	5.18	372	86.0	2.06	262	67.4	1.93	136	36.3	1.45	146	39.0	1.49	171	46.1	1.65
Virginia	14,767	430.9	1.63	3,051	82.2	0.68	2,209	64.6	0.63	1,268	37.8	0.49	1,047	32.1	0.45	1,101	33.0	0.46
Washington	16,153	474.7	1.72	3,566	96.5	0.74	1,984	59.1	0.61	1,288	38.5	0.49	1,239	38.3	0.50	1,129	34.0	0.47
WA: Seattle/Puget Sound	11,505	518.4	2.23	2,624	109.0	0.98	1,316	60.8	0.77	895	40.7	0.63	870	41.3	0.65	892	41.1	0.63
West Virginia	5,803	511.9	3.11	1,108	89.5	1.23	1,102	94.3	1.31	579	52.6	1.01	429	38.3	0.85	291	27.3	0.74
Wisconsin	15,479	496.1	1.84	3,587	105.2	0.81	2,026	64.9	0.66	1,219	40.2	0.53	1,196	39.6	0.52	910	30.0	0.46
Wyoming	1,403	432.3	5.37	386	108.8	2.57	144	45.2	1.75	111	35.1	1.56	107	35.2	1.57	87	27.7	1.38

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**705,623**	**575.6**	**0.31**	**149,340**	**118.0**	**0.14**	**98,037**	**79.9**	**0.12**	**61,360**	**50.9**	**0.09**	**51,806**	**43.1**	**0.09**	**45,628**	**37.7**	**0.08**
Alabama	10,533	597.5	2.64	2,204	120.4	1.16	1,798	100.7	1.08	996	57.5	0.83	729	42.0	0.71	716	41.4	0.70
Alaska	1,158	508.2	7.21	255	106.2	3.18	149	70.8	2.81	106	46.1	2.14	89	44.7	2.32	51	23.0	1.55
Arizona	14,661	490.6	1.83	2,918	95.7	0.80	1,897	61.7	0.64	1,303	44.7	0.56	1,177	38.7	0.51	1,199	40.5	0.53
Arkansas	7,651	623.9	3.23	1,568	123.2	1.40	1,406	112.7	1.36	705	58.7	1.00	526	43.4	0.86	433	36.1	0.78
California	65,939	525.8	0.92	13,999	110.1	0.42	6,511	53.6	0.30	5,862	47.1	0.28	4,518	37.6	0.25	5,217	42.0	0.26
CA: Greater California	40,428	535.6	1.20	8,532	110.9	0.54	4,222	57.2	0.40	3,524	47.2	0.36	2,783	38.3	0.33	3,252	43.6	0.34
CA: Greater Bay Area	11,598	544.4	2.28	2,524	116.3	1.04	1,003	48.7	0.69	960	45.2	0.66	804	39.2	0.62	1,175	55.4	0.73
CA: Los Angeles	13,913	486.3	1.86	2,941	103.4	0.86	1,286	47.7	0.60	1,378	48.2	0.59	932	34.7	0.51	790	28.0	0.45
Colorado	10,474	488.3	2.17	2,355	106.0	0.99	1,060	51.4	0.72	901	42.7	0.65	748	37.0	0.62	743	34.7	0.58
Connecticut	9,091	592.5	2.79	2,047	128.8	1.28	1,185	77.1	1.01	694	45.9	0.78	818	53.8	0.85	495	32.7	0.66
Delaware	2,403	636.3	5.89	530	133.7	2.63	349	90.6	2.20	185	50.6	1.69	203	53.7	1.71	207	55.6	1.76
District of Columbia	418	393.1	8.93	101	100.6	4.53	28	29.4	2.52	30	28.0	2.37	25	25.6	2.33	29	26.3	2.29
Florida	55,796	582.6	1.12	10,086	102.4	0.46	7,944	80.2	0.41	4,484	48.0	0.33	3,918	38.8	0.28	4,077	42.8	0.30
Georgia	18,592	628.9	2.10	3,899	126.9	0.92	2,806	95.8	0.82	1,620	55.3	0.63	1,218	43.2	0.57	1,655	56.5	0.63
Hawaii	1,330	594.3	7.60	249	104.1	3.08	131	57.7	2.35	106	49.2	2.23	94	43.5	2.10	206	94.3	3.06
Idaho	4,093	554.6	3.93	951	124.5	1.83	469	63.7	1.34	336	46.6	1.15	307	42.5	1.10	294	40.6	1.07
Illinois	28,051	595.0	1.60	6,059	124.8	0.72	4,018	86.3	0.61	2,650	57.0	0.50	2,125	46.4	0.45	1,586	33.9	0.38
Indiana	16,091	593.3	2.11	3,054	109.0	0.89	2,810	103.5	0.88	1,538	57.4	0.66	1,209	45.9	0.60	875	32.7	0.50
Iowa	8,993	617.8	2.93	1,971	131.2	1.33	1,296	88.3	1.10	827	58.0	0.91	642	44.2	0.78	517	36.2	0.72
Kansas	6,895	567.3	3.07	1,520	122.0	1.41	918	75.7	1.12	618	51.7	0.94	503	42.1	0.84	438	36.6	0.79
Kentucky	12,767	673.8	2.71	2,255	114.6	1.09	2,501	131.5	1.19	1,240	66.3	0.85	857	46.8	0.73	759	40.9	0.67
Louisiana	9,560	651.4	3.01	2,162	142.2	1.38	1,365	92.9	1.14	862	59.6	0.92	632	44.0	0.79	545	37.9	0.73
Maine	4,304	591.1	4.08	830	107.2	1.68	707	95.9	1.63	341	48.2	1.18	392	54.0	1.24	238	33.4	0.98
Maryland	10,656	588.3	2.57	2,454	130.5	1.18	1,366	75.8	0.92	815	45.8	0.72	821	46.5	0.73	932	51.9	0.77
Massachusetts	15,928	567.9	2.02	3,474	119.4	0.91	2,190	78.3	0.75	1,277	46.4	0.58	1,302	47.3	0.59	899	32.6	0.49
Michigan	23,479	563.5	1.66	5,177	118.7	0.74	3,501	83.6	0.64	1,942	47.7	0.49	1,901	46.6	0.48	1,244	30.6	0.39
MI: Metropolitan Detroit	8,651	642.8	3.12	2,002	143.0	1.44	1,203	90.1	1.17	699	52.7	0.90	694	52.9	0.90	448	34.0	0.72
Minnesota	14,067	591.0	2.24	3,244	131.1	1.03	1,699	71.6	0.78	1,149	49.2	0.65	1,025	43.9	0.62	1,069	45.5	0.63
Mississippi	5,864	632.4	3.74	1,233	127.6	1.64	1,050	111.7	1.56	564	62.0	1.18	384	41.9	0.97	345	38.1	0.93
Missouri	14,862	576.6	2.13	2,858	106.8	0.90	2,558	98.4	0.88	1,381	54.8	0.66	1,076	42.2	0.58	791	31.3	0.50

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	3,024	572.7	4.74	803	143.5	2.30	327	61.3	1.54	261	51.2	1.44	227	43.2	1.30	182	35.6	1.20
Nebraska	4,783	587.1	3.82	1,153	138.0	1.83	626	77.1	1.38	450	56.2	1.19	333	41.5	1.02	278	34.7	0.94
New Hampshire	4,033	600.4	4.28	950	132.9	1.95	530	79.3	1.56	320	49.1	1.24	345	53.2	1.30	283	42.7	1.15
New Jersey	20,757	634.9	1.98	4,985	148.2	0.94	2,399	73.7	0.68	1,799	55.6	0.59	1,631	50.6	0.56	1,292	39.9	0.50
New Mexico	4,127	464.0	3.27	919	99.2	1.48	479	53.4	1.10	383	44.2	1.02	266	30.0	0.83	220	25.0	0.76
New York	44,086	637.1	1.36	10,022	141.3	0.63	5,563	80.4	0.48	3,534	51.8	0.39	3,591	52.4	0.39	2,335	34.2	0.32
North Carolina	21,779	605.4	1.86	4,667	124.8	0.83	3,497	96.8	0.74	1,697	48.1	0.53	1,557	44.4	0.51	1,708	48.2	0.53
North Dakota	1,856	571.3	5.97	460	137.9	2.89	243	75.0	2.16	180	56.0	1.88	129	40.4	1.60	99	30.8	1.40
Ohio	28,779	585.3	1.55	5,987	116.9	0.68	4,674	94.7	0.62	2,640	54.7	0.48	2,248	46.5	0.44	1,692	35.1	0.38
Oklahoma	8,383	559.0	2.75	1,615	104.7	1.17	1,420	93.5	1.12	788	53.3	0.86	602	40.8	0.75	534	36.4	0.71
Oregon	10,138	543.7	2.45	2,193	111.7	1.08	1,279	68.4	0.87	829	45.9	0.72	794	43.4	0.70	733	40.1	0.67
Pennsylvania	34,695	605.6	1.46	6,946	116.9	0.63	5,012	86.3	0.55	3,124	55.5	0.45	2,890	50.4	0.42	2,028	36.0	0.36
Rhode Island	2,682	581.5	5.05	553	116.1	2.22	416	90.0	1.99	201	44.5	1.41	236	51.6	1.51	161	35.2	1.25
South Carolina	10,738	598.4	2.64	2,288	120.4	1.15	1,719	94.2	1.04	853	49.0	0.77	754	43.1	0.72	815	46.3	0.74
South Dakota	2,257	583.1	5.53	566	140.5	2.66	298	76.8	2.00	208	54.7	1.71	155	40.1	1.45	133	35.5	1.39
Tennessee	16,240	615.2	2.19	3,481	126.3	0.97	2,913	109.6	0.92	1,370	53.0	0.65	1,105	42.8	0.59	894	34.5	0.52
Texas	47,495	533.5	1.11	9,680	107.7	0.49	6,120	71.1	0.41	4,691	52.9	0.35	2,759	33.0	0.29	2,076	23.6	0.24
Utah	5,158	521.0	3.29	1,362	138.3	1.69	333	35.5	0.88	373	38.4	0.90	330	35.5	0.88	598	60.2	1.12
Vermont	1,827	560.3	5.96	372	106.4	2.50	262	79.8	2.24	136	43.0	1.68	146	45.8	1.72	171	53.6	1.86
Virginia	14,767	511.0	1.90	3,051	101.5	0.83	2,209	76.6	0.74	1,268	44.6	0.57	1,047	37.6	0.53	1,101	38.6	0.53
Washington	16,153	560.8	2.00	3,566	118.3	0.90	1,984	69.7	0.71	1,288	45.5	0.57	1,239	44.8	0.58	1,129	39.6	0.53
WA: Seattle/Puget Sound	11,505	612.1	2.59	2,624	133.5	1.18	1,316	71.4	0.89	895	48.2	0.73	870	48.4	0.75	892	47.8	0.72
West Virginia	5,803	608.5	3.63	1,108	109.9	1.50	1,102	113.4	1.55	579	62.2	1.17	429	45.2	0.99	291	31.6	0.84
Wisconsin	15,479	587.2	2.13	3,587	130.3	0.98	2,026	76.7	0.77	1,219	47.2	0.61	1,196	46.4	0.60	910	35.0	0.52
Wyoming	1,403	512.5	6.22	386	134.1	3.10	144	53.3	2.02	111	41.1	1.78	107	41.0	1.81	87	32.6	1.59

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**691,331**	**428.7**	**0.24**	**201,427**	**126.9**	**0.13**	**91,596**	**53.0**	**0.08**	**54,921**	**33.1**	**0.07**	**45,309**	**27.2**	**0.06**	**31,099**	**20.6**	**0.05**
Alabama	9,485	407.8	1.95	2,747	119.0	1.06	1,382	54.1	0.66	852	35.8	0.57	458	19.4	0.42	480	23.0	0.49
Alaska	1,004	395.4	5.89	317	122.5	3.25	109	44.2	2.02	81	32.9	1.73	71	24.7	1.39	38	15.4	1.16
Arizona	14,157	377.2	1.47	4,338	117.3	0.83	1,831	44.2	0.47	1,097	28.4	0.40	866	22.8	0.36	664	18.6	0.34
Arkansas	6,746	422.4	2.39	1,826	115.4	1.26	1,117	64.4	0.88	599	36.3	0.69	378	23.8	0.57	276	19.1	0.54
California	67,093	403.8	0.71	20,600	125.4	0.40	6,785	39.5	0.22	5,295	31.3	0.20	4,566	26.7	0.18	3,292	20.1	0.16
CA: Greater California	40,526	408.3	0.93	12,276	125.1	0.52	4,455	43.0	0.29	3,182	31.5	0.26	2,666	26.0	0.23	2,031	20.9	0.21
CA: Greater Bay Area	11,578	419.2	1.79	3,676	135.4	1.03	1,102	38.3	0.53	871	30.9	0.48	789	27.5	0.45	774	28.7	0.48
CA: Los Angeles	14,984	381.5	1.42	4,647	119.1	0.79	1,228	31.2	0.40	1,242	31.1	0.40	1,110	27.8	0.38	487	12.4	0.26
Colorado	10,899	391.8	1.72	3,603	129.2	0.99	1,127	39.8	0.54	816	29.4	0.47	673	22.5	0.40	536	19.8	0.39
Connecticut	9,407	453.5	2.20	2,853	141.8	1.25	1,287	57.5	0.73	671	30.5	0.56	642	29.6	0.54	356	18.1	0.46
Delaware	2,270	462.8	4.61	648	134.3	2.51	344	62.8	1.55	161	32.2	1.19	159	31.4	1.18	130	28.5	1.20
District of Columbia	442	344.6	7.68	164	130.7	4.73	36	29.8	2.31	29	22.9	1.97	25	20.7	1.89	18	11.5	1.36
Florida	51,779	424.5	0.89	13,752	117.0	0.48	7,255	52.7	0.28	3,942	30.7	0.23	2,949	23.9	0.21	2,320	20.3	0.20
Georgia	17,242	439.0	1.53	4,985	126.8	0.82	2,319	55.6	0.52	1,348	33.8	0.42	963	23.6	0.35	1,115	30.4	0.42
Hawaii	1,026	461.6	7.06	315	143.4	3.97	98	40.7	1.98	82	37.1	1.99	62	25.3	1.56	112	51.0	2.38
Idaho	3,828	419.3	3.12	1,150	126.6	1.72	439	45.7	0.99	290	31.6	0.85	241	25.2	0.75	211	24.5	0.78
Illinois	28,486	449.6	1.23	8,337	134.1	0.68	3,844	57.4	0.42	2,370	35.9	0.34	1,980	30.3	0.31	1,207	20.6	0.27
Indiana	15,833	435.5	1.60	4,455	123.5	0.86	2,395	62.2	0.58	1,401	37.5	0.46	1,076	28.8	0.41	644	19.5	0.36
Iowa	8,545	450.3	2.29	2,390	129.8	1.25	1,121	54.7	0.75	779	38.6	0.65	595	30.2	0.57	419	25.6	0.59
Kansas	6,610	418.0	2.39	1,953	124.9	1.32	831	49.3	0.78	551	33.7	0.67	423	26.1	0.59	320	22.2	0.58
Kentucky	12,374	486.2	2.02	3,221	127.0	1.04	2,136	78.4	0.77	1,072	41.2	0.58	712	27.7	0.48	573	24.6	0.48
Louisiana	8,321	432.1	2.19	2,354	122.9	1.18	1,173	56.8	0.75	707	36.1	0.63	388	19.9	0.47	329	18.8	0.48
Maine	4,331	458.7	3.30	1,182	127.9	1.77	669	66.0	1.17	326	33.4	0.87	321	31.6	0.82	197	23.1	0.79
Maryland	10,714	445.6	2.00	3,175	134.0	1.11	1,417	55.3	0.67	797	32.3	0.53	711	28.3	0.49	638	28.4	0.53
Massachusetts	17,360	447.6	1.59	5,307	140.3	0.90	2,547	61.5	0.56	1,262	31.4	0.41	1,188	29.3	0.39	710	19.3	0.34
Michigan	22,863	423.1	1.31	6,513	122.7	0.71	3,317	57.0	0.45	1,813	32.5	0.36	1,666	29.5	0.34	928	19.3	0.30
MI: Metropolitan Detroit	8,571	472.2	2.38	2,425	136.5	1.29	1,251	64.4	0.83	680	35.8	0.64	598	31.7	0.60	327	20.0	0.52
Minnesota	13,619	444.4	1.77	4,048	134.2	0.98	1,686	51.8	0.58	1,067	33.6	0.48	1,001	31.0	0.45	823	29.9	0.49
Mississippi	5,138	424.3	2.76	1,387	115.9	1.46	841	63.4	1.00	479	38.0	0.81	265	21.9	0.63	230	21.3	0.66
Missouri	14,719	432.4	1.66	4,330	129.9	0.92	2,327	63.5	0.60	1,215	34.5	0.46	946	27.0	0.41	537	17.7	0.36

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	2,702	430.2	3.90	795	128.1	2.15	362	53.1	1.28	203	31.7	1.04	174	26.4	0.94	138	24.2	0.98
Nebraska	4,575	434.7	2.99	1,336	128.8	1.64	565	50.3	0.97	415	37.7	0.86	299	27.8	0.75	238	25.4	0.77
New Hampshire	4,016	463.2	3.42	1,255	146.1	1.94	573	62.0	1.19	281	31.8	0.88	288	31.2	0.85	214	26.2	0.85
New Jersey	21,347	475.1	1.52	6,100	139.5	0.83	2,672	55.2	0.49	1,699	35.9	0.41	1,554	33.1	0.39	916	21.5	0.33
New Mexico	4,203	371.7	2.68	1,307	115.9	1.50	444	36.2	0.78	337	29.0	0.73	271	23.3	0.66	149	13.3	0.51
New York	44,818	476.3	1.05	12,536	137.7	0.57	5,934	58.4	0.35	3,362	34.0	0.27	3,161	32.7	0.27	1,675	18.9	0.22
North Carolina	21,045	436.8	1.39	6,373	133.6	0.77	3,072	59.3	0.49	1,527	31.3	0.37	1,250	25.1	0.33	1,136	25.4	0.35
North Dakota	1,688	424.2	4.85	496	128.0	2.71	213	50.5	1.59	157	37.3	1.40	106	26.1	1.18	85	23.9	1.23
Ohio	29,064	443.5	1.21	8,365	129.2	0.66	4,142	59.0	0.42	2,470	36.1	0.34	2,135	31.4	0.32	1,236	20.8	0.28
Oklahoma	8,028	408.0	2.11	2,310	118.6	1.15	1,190	56.0	0.74	689	34.1	0.60	438	22.0	0.49	317	17.4	0.46
Oregon	10,052	421.4	1.96	3,007	126.8	1.08	1,296	50.8	0.65	746	30.6	0.52	715	28.7	0.50	556	25.0	0.50
Pennsylvania	35,246	463.0	1.17	9,901	133.7	0.64	4,647	55.8	0.38	2,875	35.2	0.31	2,609	33.2	0.30	1,427	20.9	0.26
Rhode Island	2,981	466.5	4.02	873	140.4	2.23	463	67.5	1.44	204	29.7	0.98	203	30.6	0.99	119	19.4	0.84
South Carolina	9,847	422.6	1.99	3,023	130.8	1.12	1,437	56.5	0.68	742	31.5	0.54	531	22.0	0.45	530	24.8	0.51
South Dakota	2,074	435.0	4.51	598	128.5	2.48	272	53.2	1.48	182	35.8	1.25	143	29.3	1.15	104	25.1	1.18
Tennessee	14,938	427.2	1.62	4,249	122.3	0.87	2,382	63.5	0.59	1,229	34.4	0.45	884	24.8	0.39	619	19.1	0.36
Texas	45,756	384.1	0.82	13,535	113.8	0.45	5,198	42.7	0.27	3,715	30.9	0.23	2,831	23.2	0.20	1,288	11.1	0.14
Utah	4,797	377.1	2.47	1,453	115.6	1.38	286	22.4	0.60	336	26.8	0.66	349	26.7	0.65	427	33.7	0.74
Vermont	1,839	440.5	4.85	541	131.5	2.67	250	55.3	1.61	139	32.1	1.28	155	34.7	1.31	124	31.5	1.35
Virginia	15,222	400.0	1.49	4,798	126.9	0.84	2,047	50.7	0.51	1,178	30.6	0.41	990	24.8	0.36	760	21.1	0.35
Washington	16,099	436.2	1.59	5,012	136.1	0.89	1,987	51.5	0.53	1,187	32.0	0.43	1,022	26.2	0.38	874	24.9	0.39
WA: Seattle/Puget Sound	11,255	462.3	2.02	3,504	144.2	1.13	1,347	53.2	0.66	811	33.0	0.54	707	27.3	0.47	684	29.5	0.52
West Virginia	5,610	459.0	2.88	1,427	117.4	1.46	926	69.5	1.05	524	41.2	0.84	393	31.6	0.75	192	17.5	0.60
Wisconsin	14,703	434.8	1.67	4,349	131.5	0.93	1,895	52.4	0.55	1,106	31.5	0.44	1,125	31.8	0.44	624	20.3	0.38
Wyoming	1,221	378.1	5.03	363	112.7	2.76	136	39.8	1.56	94	29.1	1.39	77	22.4	1.19	63	20.6	1.20

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**691,331**	**499.6**	**0.27**	**201,427**	**149.1**	**0.15**	**91,596**	**63.0**	**0.09**	**54,921**	**38.6**	**0.07**	**45,309**	**33.2**	**0.07**	**31,099**	**23.4**	**0.06**
Alabama	9,485	475.3	2.22	2,747	139.9	1.22	1,382	65.1	0.79	852	42.0	0.66	458	23.2	0.49	480	25.9	0.54
Alaska	1,004	460.3	6.67	317	143.3	3.68	109	52.6	2.33	81	38.5	1.98	71	30.6	1.66	38	17.1	1.26
Arizona	14,157	439.0	1.68	4,338	137.8	0.96	1,831	52.2	0.55	1,097	33.3	0.46	866	27.6	0.43	664	21.3	0.38
Arkansas	6,746	493.5	2.74	1,826	136.1	1.45	1,117	77.0	1.05	599	42.8	0.80	378	28.8	0.67	276	21.5	0.59
California	67,093	470.8	0.82	20,600	147.5	0.46	6,785	46.3	0.25	5,295	36.7	0.23	4,566	32.6	0.22	3,292	23.3	0.18
CA: Greater California	40,526	476.1	1.07	12,276	147.2	0.60	4,455	50.4	0.34	3,182	36.9	0.30	2,666	31.8	0.28	2,031	24.2	0.24
CA: Greater Bay Area	11,578	488.1	2.05	3,676	158.6	1.18	1,102	44.6	0.61	871	36.1	0.55	789	33.6	0.54	774	33.1	0.54
CA: Los Angeles	14,984	445.0	1.63	4,647	140.3	0.92	1,228	36.4	0.47	1,242	36.6	0.47	1,110	33.7	0.45	487	14.3	0.29
Colorado	10,899	455.0	1.96	3,603	151.3	1.13	1,127	46.6	0.62	816	34.2	0.54	673	27.7	0.48	536	22.5	0.44
Connecticut	9,407	526.9	2.48	2,853	165.7	1.41	1,287	67.8	0.86	671	35.5	0.63	642	36.1	0.64	356	20.6	0.50
Delaware	2,270	538.8	5.20	648	157.4	2.85	344	75.1	1.84	161	37.2	1.35	159	38.3	1.39	130	32.5	1.31
District of Columbia	442	398.7	8.89	164	152.2	5.53	36	34.8	2.67	29	26.9	2.31	25	25.4	2.31	18	12.5	1.49
Florida	51,779	495.7	1.01	13,752	137.4	0.54	7,255	63.1	0.34	3,942	36.2	0.27	2,949	29.2	0.25	2,320	23.3	0.23
Georgia	17,242	511.9	1.76	4,985	149.2	0.95	2,319	66.3	0.62	1,348	39.7	0.49	963	28.8	0.42	1,115	34.4	0.46
Hawaii	1,026	530.5	7.76	315	166.0	4.39	98	47.6	2.24	82	42.8	2.21	62	30.5	1.81	112	58.0	2.57
Idaho	3,828	487.8	3.56	1,150	148.7	1.98	439	53.8	1.16	290	36.9	0.98	241	30.8	0.90	211	27.6	0.86
Illinois	28,486	523.8	1.40	8,337	157.6	0.78	3,844	68.0	0.49	2,370	41.9	0.39	1,980	37.1	0.38	1,207	23.2	0.30
Indiana	15,833	507.7	1.82	4,455	145.6	0.99	2,395	74.0	0.68	1,401	43.7	0.53	1,076	35.0	0.48	644	21.8	0.39
Iowa	8,545	523.7	2.59	2,390	152.3	1.42	1,121	65.0	0.88	779	44.8	0.74	595	37.1	0.69	419	28.2	0.63
Kansas	6,610	486.7	2.72	1,953	147.0	1.51	831	58.6	0.92	551	39.2	0.76	423	31.8	0.70	320	24.9	0.63
Kentucky	12,374	567.0	2.30	3,221	149.4	1.19	2,136	93.9	0.91	1,072	48.4	0.67	712	33.3	0.56	573	27.6	0.52
Louisiana	8,321	504.5	2.50	2,354	145.1	1.35	1,173	67.9	0.89	707	42.4	0.72	388	23.9	0.55	329	21.1	0.53
Maine	4,331	533.3	3.70	1,182	149.1	1.98	669	77.7	1.36	326	38.9	0.99	321	39.1	0.99	197	26.1	0.86
Maryland	10,714	518.8	2.27	3,175	157.4	1.26	1,417	65.4	0.78	797	37.5	0.60	711	34.5	0.58	638	32.3	0.58
Massachusetts	17,360	521.4	1.80	5,307	164.4	1.02	2,547	72.7	0.65	1,262	36.4	0.47	1,188	36.0	0.47	710	22.0	0.38
Michigan	22,863	492.5	1.48	6,513	143.7	0.81	3,317	67.8	0.53	1,813	37.8	0.40	1,666	36.0	0.40	928	21.5	0.32
MI: Metropolitan Detroit	8,571	549.2	2.69	2,425	159.5	1.47	1,251	76.2	0.97	680	41.9	0.73	598	38.9	0.72	327	22.4	0.56
Minnesota	13,619	516.1	2.00	4,048	157.2	1.12	1,686	61.2	0.67	1,067	38.8	0.54	1,001	38.1	0.54	823	33.4	0.53
Mississippi	5,138	495.3	3.16	1,387	136.4	1.67	841	76.1	1.19	479	44.7	0.93	265	26.5	0.74	230	23.9	0.72
Missouri	14,719	505.2	1.89	4,330	153.0	1.06	2,327	76.0	0.71	1,215	40.2	0.53	946	32.9	0.48	537	19.7	0.39

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	2,702	500.7	4.40	795	150.4	2.45	362	62.7	1.49	203	37.1	1.19	174	31.9	1.10	138	27.5	1.08
Nebraska	4,575	505.2	3.40	1,336	152.0	1.89	565	59.6	1.14	415	43.6	0.98	299	33.9	0.89	238	28.1	0.83
New Hampshire	4,016	539.8	3.86	1,255	171.1	2.19	573	73.9	1.39	281	37.0	1.00	288	38.1	1.01	214	29.8	0.93
New Jersey	21,347	552.1	1.72	6,100	163.1	0.95	2,672	65.1	0.57	1,699	41.8	0.46	1,554	40.7	0.47	916	24.6	0.37
New Mexico	4,203	433.1	3.04	1,307	136.9	1.73	444	42.5	0.91	337	34.4	0.85	271	28.2	0.78	149	15.5	0.58
New York	44,818	554.2	1.19	12,536	161.2	0.65	5,934	69.3	0.41	3,362	39.6	0.31	3,161	39.9	0.32	1,675	21.4	0.24
North Carolina	21,045	509.8	1.59	6,373	157.2	0.89	3,072	70.6	0.57	1,527	36.5	0.42	1,250	30.6	0.39	1,136	28.9	0.39
North Dakota	1,688	491.5	5.48	496	150.3	3.09	213	59.7	1.85	157	43.3	1.59	106	32.0	1.41	85	26.5	1.32
Ohio	29,064	516.9	1.38	8,365	151.8	0.75	4,142	70.2	0.49	2,470	42.2	0.39	2,135	38.4	0.38	1,236	23.4	0.30
Oklahoma	8,028	477.1	2.42	2,310	140.1	1.33	1,190	67.1	0.88	689	40.1	0.69	438	26.7	0.58	317	19.6	0.50
Oregon	10,052	491.2	2.23	3,007	149.5	1.24	1,296	59.8	0.75	746	35.8	0.60	715	35.2	0.60	556	28.4	0.55
Pennsylvania	35,246	538.4	1.32	9,901	156.6	0.72	4,647	66.4	0.44	2,875	41.0	0.35	2,609	40.6	0.36	1,427	23.5	0.29
Rhode Island	2,981	542.9	4.54	873	164.5	2.53	463	80.0	1.69	204	35.0	1.13	203	37.5	1.19	119	22.3	0.93
South Carolina	9,847	493.1	2.27	3,023	153.5	1.28	1,437	67.6	0.81	742	36.9	0.62	531	26.8	0.53	530	28.1	0.56
South Dakota	2,074	503.2	5.07	598	149.8	2.81	272	62.9	1.73	182	41.2	1.41	143	35.7	1.36	104	27.6	1.25
Tennessee	14,938	499.3	1.85	4,249	144.1	1.00	2,382	76.0	0.70	1,229	40.3	0.52	884	30.0	0.46	619	21.7	0.40
Texas	45,756	447.3	0.94	13,535	133.9	0.52	5,198	50.5	0.31	3,715	36.4	0.27	2,831	27.9	0.24	1,288	12.6	0.16
Utah	4,797	437.6	2.85	1,453	135.9	1.60	286	26.6	0.71	336	31.2	0.77	349	32.6	0.78	427	38.2	0.84
Vermont	1,839	512.2	5.44	541	153.5	3.01	250	65.7	1.88	139	37.5	1.45	155	42.3	1.54	124	36.1	1.48
Virginia	15,222	466.4	1.70	4,798	149.2	0.97	2,047	60.3	0.60	1,178	35.6	0.47	990	30.4	0.44	760	24.1	0.39
Washington	16,099	508.1	1.81	5,012	160.3	1.02	1,987	60.6	0.61	1,187	37.3	0.49	1,022	32.1	0.45	874	28.4	0.43
WA: Seattle/Puget Sound	11,255	538.2	2.29	3,504	169.6	1.29	1,347	62.5	0.77	811	38.5	0.61	707	33.5	0.57	684	33.6	0.58
West Virginia	5,610	535.9	3.27	1,427	138.4	1.68	926	83.6	1.25	524	48.1	0.96	393	38.4	0.88	192	19.7	0.65
Wisconsin	14,703	506.3	1.90	4,349	154.1	1.06	1,895	62.1	0.64	1,106	36.5	0.50	1,125	39.0	0.52	624	23.0	0.42
Wyoming	1,221	439.3	5.69	363	132.2	3.15	136	47.3	1.83	94	33.6	1.57	77	27.6	1.42	63	23.5	1.34

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR U.S. Combined Incidence 2013-2017, The Black Population

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR United States Combined, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	92,180	521.7	0.82	630.5	0.97	91,147	398.2	0.60	468.8	0.70
Oral Cavity & Pharynx	2,608	13.8	0.13	16.8	0.15	1,175	5.0	0.07	6.0	0.08
Lip	16	0.1	0.01	0.1	0.01	12	0.1	0.01	0.1	0.01
Tongue	605	3.2	0.06	3.9	0.07	234	1.0	0.03	1.2	0.04
Major salivary gland	217	1.2	0.04	1.4	0.04	262	1.1	0.03	1.3	0.04
Floor of mouth	135	0.7	0.03	0.9	0.03	53	0.2	0.01	0.3	0.02
Gum & other mouth	301	1.6	0.05	2.0	0.05	226	1.0	0.03	1.2	0.03
Nasopharynx	203	1.0	0.03	1.2	0.04	87	0.4	0.02	0.4	0.02
Oropharynx	205	1.1	0.04	1.3	0.04	65	0.3	0.02	0.3	0.02
Hypopharynx	285	1.6	0.04	1.9	0.05	71	0.3	0.02	0.4	0.02
Digestive System	20,410	116.8	0.39	141.3	0.46	17,761	78.1	0.27	93.1	0.31
Esophagus	1,086	6.2	0.09	7.6	0.11	493	2.1	0.04	2.6	0.05
Stomach	2,175	13.4	0.14	15.9	0.16	1,618	7.3	0.08	8.6	0.10
Small intestine	753	4.3	0.08	5.2	0.09	794	3.5	0.06	4.1	0.07
Colon excl. rectum	6,292	37.2	0.22	44.4	0.26	6,631	29.3	0.16	34.8	0.19
Rectum & rectosigmoid	2,572	14.3	0.13	17.2	0.16	2,071	8.9	0.09	10.7	0.11
Anus, anal canal & anorectum	384	2.0	0.05	2.3	0.05	416	1.8	0.04	2.1	0.05
Liver	3,305	16.3	0.13	21.1	0.17	1,088	4.5	0.06	5.6	0.08
Gallbladder	205	1.3	0.04	1.6	0.05	462	2.0	0.04	2.4	0.05
Pancreas	2,871	17.2	0.15	20.6	0.18	3,236	14.5	0.12	17.2	0.14
Respiratory System	14,395	86.6	0.35	104.0	0.40	11,155	48.9	0.21	58.9	0.25
Larynx	1,408	7.8	0.10	9.6	0.12	361	1.5	0.04	1.9	0.04
Lung & bronchus	12,802	77.7	0.33	93.2	0.38	10,663	46.9	0.21	56.4	0.25
Bones & Joints	188	0.9	0.03	1.0	0.03	157	0.7	0.02	0.7	0.03
Soft Tissue (incl. heart)	684	3.7	0.07	4.1	0.07	702	3.1	0.05	3.4	0.06
Skin (excl. basal & sq.)	370	2.1	0.05	2.4	0.06	409	1.8	0.04	2.1	0.05
Melanomas of the skin	183	1.1	0.04	1.3	0.05	200	0.9	0.03	1.0	0.03
Breast (excl. *in situ*)	311	1.9	0.05	2.2	0.06	28,660	124.4	0.34	146.3	0.39
Female Genital System	-	-	-	-	-	11,336	48.4	0.21	57.6	0.24
Cervix uteri	-	-	-	-	-	1,977	8.8	0.09	9.7	0.10
Uterus Corpus	-	-	-	-	-	6,028	25.1	0.15	30.8	0.18
Uterus, NOS[1]	-	-	-	-	-	414	1.8	0.04	2.2	0.05
Ovary	-	-	-	-	-	2,014	8.8	0.09	10.3	0.10
Male Genital System	31,713	170.4	0.45	212.3	0.55	-	-	-	-	-
Prostate	31,219	167.8	0.45	209.5	0.55	-	-	-	-	-
Testis	309	1.5	0.04	1.5	0.04	-	-	-	-	-
Penis	143	0.9	0.04	1.0	0.04	-	-	-	-	-
Urinary System	7,689	45.5	0.25	54.0	0.29	4,518	20.0	0.14	23.5	0.16
Bladder (incl. *in situ*)	2,932	19.3	0.17	22.8	0.20	1,414	6.5	0.08	7.6	0.09
Kidney & renal pelvis	4,641	25.4	0.18	30.3	0.21	2,996	13.0	0.11	15.3	0.13
Ureter	42	0.3	0.02	0.3	0.02	39	0.2	0.01	0.2	0.02
Eye & Orbit	60	0.3	0.02	0.3	0.02	52	0.2	0.01	0.2	0.01
Brain & Other CNS[1]	909	4.7	0.07	5.1	0.08	798	3.5	0.06	3.7	0.06
Brain	833	4.3	0.07	4.7	0.08	713	3.1	0.05	3.3	0.06
Endocrine System	929	4.9	0.08	5.6	0.09	3,291	14.3	0.11	16.0	0.13
Thyroid gland	721	3.8	0.07	4.4	0.08	3,079	13.4	0.11	15.0	0.12
Lymphomas	3,676	20.0	0.16	22.8	0.18	3,289	14.4	0.12	16.4	0.13
Hodgkin Lymphoma	623	3.0	0.06	3.1	0.06	533	2.3	0.05	2.4	0.05
Non-Hodgkin Lymphoma	3,052	17.1	0.15	19.7	0.17	2,756	12.2	0.11	14.1	0.12
Multiple Myeloma	2,661	16.2	0.15	19.2	0.17	2,672	11.9	0.11	14.1	0.12
Leukemias	2,310	13.5	0.14	15.5	0.15	1,994	8.9	0.09	10.0	0.10
Acute lymphocytic	234	1.1	0.03	1.0	0.03	199	0.9	0.03	0.8	0.03
Chronic lymphocytic	738	4.6	0.08	5.5	0.09	505	2.3	0.05	2.7	0.05
Acute myeloid	706	4.2	0.08	4.8	0.09	709	3.1	0.05	3.5	0.06
Chronic myeloid	378	2.1	0.05	2.4	0.06	324	1.4	0.04	1.6	0.04
Other leukemias	255	1.5	0.05	1.8	0.05	256	1.2	0.03	1.3	0.04
Mesothelioma	116	0.8	0.04	0.9	0.04	44	0.2	0.01	0.2	0.02
Kaposi Sarcoma	300	1.5	0.04	1.5	0.04	31	0.1	0.01	0.1	0.01
Ill-defined & Unknown	2,851	18.1	0.16	21.3	0.19	3,104	14.1	0.12	16.5	0.13
Selected tumors (non-invasive)										
Brain & Other CNS[1](non-malig)	1,492	8.6	0.11	9.8	0.12	3,532	15.7	0.12	18.0	0.14
Breast (*in situ*)	42	0.2	0.02	0.3	0.02	7,330	31.4	0.17	37.4	0.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
[1] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**92,180**	**521.7**	**0.82**	**31,219**	**167.8**	**0.45**	**12,802**	**77.7**	**0.33**	**8,863**	**51.5**	**0.26**	**4,641**	**25.4**	**0.18**	**3,533**	**17.6**	**0.14**
Alabama	3,025	541.5	4.72	1,091	186.6	2.70	461	85.0	1.90	306	57.4	1.57	147	25.7	1.01	85	13.2	0.68
Alaska	40	405.3	35.68	14	134.8	20.15	5	61.0	14.95	3	36.8	11.31	-	-	-	-	-	-
Arizona	487	383.2	8.56	151	113.5	4.48	67	60.1	3.62	40	30.4	2.39	33	24.4	2.09	18	13.3	1.54
Arkansas	1,133	589.1	8.44	378	185.2	4.57	200	109.0	3.73	113	59.4	2.70	53	27.7	1.81	33	15.8	1.33
California	5,399	452.9	2.91	1,754	138.0	1.55	661	60.4	1.11	512	43.6	0.91	287	23.4	0.65	230	17.6	0.55
CA: Greater California	2,244	442.1	4.51	748	138.9	2.43	259	57.0	1.71	215	42.6	1.41	122	22.9	0.99	98	17.5	0.84
CA: Greater Bay Area	1,161	488.6	6.75	367	142.6	3.49	144	65.6	2.58	102	43.5	2.03	65	26.9	1.56	60	23.0	1.39
CA: Los Angeles	1,994	447.0	4.64	639	134.7	2.46	259	61.4	1.77	195	45.0	1.49	101	22.4	1.03	72	14.9	0.81
Colorado	428	431.8	10.44	140	131.0	5.50	44	52.2	3.90	43	45.1	3.45	23	21.6	2.23	19	17.4	1.97
Connecticut	812	501.7	8.39	279	164.3	4.64	100	70.6	3.36	71	44.6	2.55	43	23.6	1.69	28	15.8	1.39
Delaware	504	558.0	11.78	198	202.8	6.75	61	74.2	4.51	45	52.8	3.73	26	27.7	2.56	21	20.3	2.07
District of Columbia	795	500.2	8.21	232	141.5	4.30	108	68.6	3.05	77	50.9	2.68	36	22.0	1.70	49	27.2	1.79
Florida	6,450	461.9	2.71	2,150	147.1	1.49	770	57.9	0.99	637	46.6	0.87	270	18.8	0.54	194	12.5	0.42
Georgia	6,792	559.6	3.37	2,464	193.3	1.91	893	80.5	1.35	668	55.2	1.06	326	25.5	0.69	197	14.1	0.49
Hawaii	61	456.5	30.15	23	162.5	16.68	4	44.2	10.72	6	43.9	9.57	3	17.8	5.99	3	21.0	6.25
Idaho	17	437.9	62.16	6	139.7	28.56	3	67.4	25.40	1	31.6	15.37	-	-	-	1	34.1	20.60
Illinois	4,472	558.9	3.91	1,440	170.2	2.09	704	93.0	1.64	474	62.0	1.33	237	28.8	0.87	141	15.8	0.62
Indiana	1,282	531.1	7.09	400	160.4	3.82	190	83.6	2.90	124	52.8	2.27	78	30.9	1.67	55	20.0	1.28
Iowa	193	574.1	21.33	59	174.6	11.32	29	98.5	9.32	17	54.6	6.87	10	26.3	4.51	11	29.4	4.27
Kansas	370	507.1	12.78	118	154.6	6.84	57	82.9	5.31	35	51.4	4.24	18	22.7	2.57	16	19.4	2.33
Kentucky	797	537.4	9.28	226	144.9	4.68	137	101.8	4.24	86	59.5	3.14	49	31.2	2.15	29	16.9	1.50
Louisiana	3,741	592.4	4.63	1,194	180.0	2.48	595	99.1	1.95	392	63.2	1.52	178	28.1	1.00	167	22.6	0.82
Maine	25	361.8	37.05	7	110.9	20.73	4	59.8	15.66	2	24.9	7.69	-	-	-	2	25.6	8.21
Maryland	4,062	515.4	3.87	1,569	186.4	2.23	468	64.8	1.44	355	47.2	1.20	183	22.7	0.80	174	19.3	0.69
Massachusetts	1,021	453.1	6.82	373	158.6	3.92	106	52.4	2.45	99	45.1	2.19	43	18.6	1.35	44	17.7	1.26
Michigan	3,319	539.6	4.40	1,050	160.9	2.32	501	86.4	1.82	327	54.7	1.42	176	27.9	0.98	132	18.8	0.76
MI: Metropolitan Detroit	2,535	588.5	5.47	815	178.3	2.92	372	90.8	2.21	258	62.1	1.81	132	30.1	1.22	100	20.3	0.94
Minnesota	508	535.5	12.61	154	158.3	6.58	62	76.6	5.09	45	46.8	3.78	29	28.0	2.82	37	38.8	3.36
Mississippi	2,719	587.9	5.44	915	186.9	2.96	470	107.9	2.42	314	68.9	1.88	137	29.6	1.21	60	11.5	0.71
Missouri	1,582	546.0	6.53	459	147.7	3.26	270	99.1	2.87	147	52.8	2.07	83	28.0	1.45	76	23.4	1.26

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	9	503.7	85.51	3	187.6	50.29	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	193	595.2	20.99	68	203.2	11.86	22	76.6	8.06	19	58.8	6.61	15	42.1	5.21	9	24.6	4.07
New Hampshire	28	370.9	36.75	11	152.2	24.20	3	41.7	12.49	3	37.2	10.97	2	15.0	5.43	1	19.6	8.34
New Jersey	2,836	515.1	4.57	1,075	187.1	2.68	314	62.9	1.67	270	49.8	1.43	131	22.3	0.91	92	14.9	0.73
New Mexico	91	361.2	18.28	32	113.1	9.49	12	60.5	8.20	6	25.0	4.73	5	16.1	3.52	4	11.2	2.71
New York	7,933	527.5	2.77	3,039	193.5	1.63	849	59.6	0.96	698	48.4	0.86	356	22.9	0.56	304	18.5	0.49
North Carolina	5,299	547.8	3.61	1,813	176.9	1.98	819	89.8	1.51	469	49.5	1.10	262	26.3	0.77	172	15.5	0.56
North Dakota	13	292.2	60.26	5	97.5	23.51	-	-	-	1	70.6	43.08	-	-	-	-	-	-
Ohio	3,303	513.7	4.20	1,065	156.0	2.24	540	89.0	1.80	290	46.1	1.27	174	26.7	0.94	136	18.9	0.76
Oklahoma	638	521.5	10.06	212	164.9	5.49	96	83.7	4.14	63	52.1	3.20	35	28.5	2.35	21	13.6	1.39
Oregon	187	497.8	18.42	60	157.3	10.25	25	74.0	7.50	12	34.6	4.99	12	27.0	3.86	13	29.9	4.06
Pennsylvania	3,369	551.9	4.49	1,014	157.0	2.32	488	86.3	1.85	287	48.7	1.36	203	32.1	1.05	197	28.7	0.96
Rhode Island	120	369.9	16.36	36	105.3	8.49	18	60.9	6.84	9	28.1	4.53	6	17.4	3.46	4	10.0	2.37
South Carolina	3,258	534.7	4.48	1,111	171.3	2.45	506	86.2	1.84	313	53.4	1.44	158	24.9	0.93	95	13.7	0.67
South Dakota	18	344.2	46.03	5	89.0	19.40	2	46.6	21.03	2	23.8	8.54	2	21.6	7.68	-	-	-
Tennessee	2,422	549.8	5.50	822	177.8	3.04	384	94.4	2.38	233	54.5	1.76	127	27.7	1.19	93	17.5	0.86
Texas	6,548	513.8	3.14	2,027	152.6	1.66	927	81.4	1.32	705	55.7	1.04	345	26.1	0.69	345	22.6	0.58
Utah	53	415.2	31.85	18	154.7	19.01	3	41.1	12.32	7	49.3	10.60	2	13.9	4.83	3	20.1	6.04
Vermont	11	370.9	57.59	4	161.7	39.73	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,781	509.8	3.96	1,329	167.1	2.17	538	78.4	1.62	342	47.8	1.23	222	29.0	0.92	121	14.2	0.61
Washington	580	474.3	10.11	182	140.2	5.25	63	63.9	4.06	51	41.5	2.96	34	25.4	2.23	34	23.8	2.01
WA: Seattle/Puget Sound	554	525.4	11.45	177	160.1	6.07	59	68.6	4.49	50	48.6	3.49	33	28.6	2.55	32	25.4	2.22
West Virginia	185	531.6	19.16	64	168.8	10.20	29	93.7	8.59	17	47.7	5.69	9	24.9	4.09	8	17.0	2.72
Wisconsin	824	641.0	11.03	249	187.0	5.80	132	113.0	4.87	76	58.9	3.35	47	35.3	2.51	44	29.5	2.14
Wyoming	9	300.9	53.52	3	95.4	29.58	-	-	-	1	36.8	18.22	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**92,180**	**630.5**	**0.97**	**31,219**	**209.5**	**0.55**	**12,802**	**93.2**	**0.38**	**8,863**	**61.6**	**0.31**	**4,641**	**30.3**	**0.21**	**3,533**	**22.7**	**0.18**
Alabama	3,025	654.7	5.54	1,091	232.1	3.25	461	103.0	2.23	306	67.9	1.81	147	30.7	1.17	85	17.1	0.85
Alaska	40	479.4	40.54	14	167.7	23.76	5	71.0	16.65	3	42.2	12.28	-	-	-	-	-	-
Arizona	487	459.8	10.05	151	141.3	5.41	67	70.8	4.17	40	36.2	2.79	33	29.4	2.47	18	16.6	1.87
Arkansas	1,133	713.2	9.89	378	231.9	5.51	200	132.0	4.37	113	71.7	3.15	53	33.0	2.09	33	20.0	1.61
California	5,399	547.4	3.44	1,754	173.4	1.89	661	72.0	1.29	512	52.2	1.06	287	27.9	0.76	230	22.6	0.68
CA: Greater California	2,244	535.7	5.33	748	174.5	2.96	259	68.1	1.99	215	51.4	1.66	122	27.5	1.17	98	22.4	1.05
CA: Greater Bay Area	1,161	590.0	7.94	367	179.8	4.28	144	77.9	2.98	102	52.1	2.36	65	32.1	1.82	60	29.4	1.73
CA: Los Angeles	1,994	538.5	5.48	639	169.0	3.02	259	73.2	2.07	195	53.3	1.73	101	26.3	1.19	72	19.0	1.01
Colorado	428	518.7	12.22	140	165.1	6.67	44	61.8	4.49	43	53.5	4.01	23	25.6	2.60	19	22.1	2.43
Connecticut	812	604.3	9.89	279	205.0	5.63	100	83.1	3.86	71	53.1	2.98	43	28.4	1.99	28	20.4	1.75
Delaware	504	673.2	13.90	198	254.0	8.24	61	87.2	5.20	45	62.7	4.35	26	32.7	2.96	21	26.4	2.61
District of Columbia	795	603.7	9.67	232	175.4	5.20	108	83.0	3.60	77	60.0	3.09	36	26.8	2.02	49	35.3	2.27
Florida	6,450	555.8	3.20	2,150	183.2	1.80	770	69.8	1.16	637	55.8	1.02	270	22.4	0.63	194	15.9	0.52
Georgia	6,792	675.3	3.96	2,464	240.3	2.29	893	96.8	1.57	668	66.2	1.24	326	30.4	0.80	197	18.2	0.61
Hawaii	61	556.1	35.41	23	206.0	20.19	4	52.0	12.28	6	54.2	11.20	3	19.2	6.53	3	27.0	7.51
Idaho	17	522.9	71.68	6	167.1	32.11	3	80.5	28.88	1	37.3	18.12	-	-	-	1	40.8	23.95
Illinois	4,472	677.3	4.64	1,440	213.6	2.56	704	111.8	1.93	474	74.1	1.56	237	34.6	1.03	141	20.5	0.78
Indiana	1,282	641.8	8.36	400	199.7	4.61	190	100.7	3.40	124	63.0	2.65	78	37.0	1.96	55	26.1	1.61
Iowa	193	701.1	25.19	59	222.2	13.78	29	119.9	10.88	17	65.4	7.94	10	30.9	5.28	11	37.5	5.25
Kansas	370	615.2	15.08	118	193.9	8.27	57	99.7	6.16	35	61.3	4.95	18	27.4	3.02	16	25.2	2.92
Kentucky	797	648.6	10.89	226	180.7	5.63	137	121.6	4.91	86	71.7	3.69	49	37.1	2.51	29	21.9	1.88
Louisiana	3,741	717.8	5.45	1,194	224.4	2.99	595	119.5	2.28	392	76.2	1.79	178	33.5	1.16	167	29.4	1.04
Maine	25	444.1	44.34	7	135.4	24.29	4	77.8	19.29	2	29.4	9.39	-	-	-	2	34.0	11.04
Maryland	4,062	622.5	4.56	1,569	232.7	2.70	468	77.2	1.67	355	56.0	1.39	183	27.1	0.93	174	24.7	0.86
Massachusetts	1,021	548.0	8.03	373	199.4	4.77	106	62.4	2.83	99	53.8	2.56	43	22.1	1.56	44	22.2	1.55
Michigan	3,319	651.7	5.18	1,050	201.3	2.82	501	103.3	2.11	327	65.2	1.65	176	33.3	1.14	132	24.6	0.97
MI: Metropolitan Detroit	2,535	709.6	6.42	815	222.6	3.54	372	108.3	2.56	258	73.9	2.10	132	35.9	1.42	100	26.4	1.20
Minnesota	508	648.6	14.73	154	199.6	7.91	62	92.8	5.91	45	56.0	4.39	29	33.6	3.31	37	48.0	3.97
Mississippi	2,719	714.7	6.42	915	234.1	3.58	470	130.4	2.83	314	83.8	2.22	137	35.1	1.39	60	14.5	0.86
Missouri	1,582	659.9	7.69	459	185.6	3.96	270	118.9	3.35	147	62.9	2.41	83	33.5	1.70	76	29.9	1.57

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	9	583.9	97.44	3	224.4	58.57	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	193	718.7	24.63	68	252.6	14.23	22	91.0	9.29	19	69.7	7.68	15	51.6	6.17	9	31.2	4.95
New Hampshire	28	445.0	42.63	11	186.0	28.39	3	48.5	14.26	3	44.8	12.59	2	19.4	7.05	1	23.0	9.30
New Jersey	2,836	621.4	5.40	1,075	231.6	3.23	314	74.6	1.95	270	59.3	1.68	131	26.7	1.07	92	19.3	0.92
New Mexico	91	436.4	21.54	32	143.3	11.63	12	69.8	9.32	6	30.2	5.63	5	19.8	4.19	4	15.0	3.55
New York	7,933	635.7	3.27	3,039	240.7	1.98	849	71.3	1.12	698	57.4	1.00	356	27.6	0.67	304	23.5	0.61
North Carolina	5,299	661.6	4.25	1,813	220.5	2.40	819	107.7	1.76	469	59.4	1.29	262	31.4	0.90	172	20.1	0.71
North Dakota	13	355.7	69.47	5	128.1	28.78	-	-	-	1	79.4	47.20	-	-	-	-	-	-
Ohio	3,303	623.2	4.96	1,065	196.5	2.73	540	107.0	2.10	290	55.7	1.50	174	31.8	1.10	136	24.4	0.95
Oklahoma	638	629.1	11.80	212	205.8	6.61	96	99.1	4.76	63	62.2	3.75	35	33.8	2.74	21	17.9	1.77
Oregon	187	597.8	21.30	60	194.0	12.05	25	87.7	8.54	12	41.1	5.71	12	32.8	4.52	13	38.5	5.01
Pennsylvania	3,369	668.1	5.31	1,014	197.3	2.83	488	103.5	2.15	287	58.3	1.59	203	38.1	1.23	197	37.2	1.21
Rhode Island	120	444.3	19.06	36	132.3	10.25	18	72.4	7.83	9	32.8	5.17	6	21.2	4.01	4	13.1	3.04
South Carolina	3,258	647.5	5.29	1,111	214.0	2.97	506	103.9	2.16	313	63.8	1.68	158	30.0	1.10	95	17.7	0.84
South Dakota	18	423.6	53.33	5	118.0	24.69	2	55.4	22.58	2	29.9	11.11	2	29.3	10.64	-	-	-
Tennessee	2,422	665.0	6.44	822	221.5	3.64	384	113.3	2.76	233	65.3	2.05	127	33.0	1.38	93	22.7	1.09
Texas	6,548	619.8	3.67	2,027	189.8	1.99	927	96.8	1.52	705	66.9	1.21	345	31.1	0.80	345	29.4	0.73
Utah	53	504.2	36.66	18	194.4	22.29	3	48.9	13.97	7	58.6	12.53	2	17.1	5.76	3	26.5	7.64
Vermont	11	449.4	66.55	4	196.1	45.17	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,781	618.1	4.67	1,329	209.7	2.64	538	94.1	1.89	342	57.0	1.44	222	34.7	1.07	121	18.5	0.77
Washington	580	567.4	11.69	182	174.0	6.21	63	74.6	4.58	51	49.1	3.41	34	30.4	2.58	34	30.2	2.44
WA: Seattle/Puget Sound	554	628.2	13.24	177	197.7	7.14	59	80.2	5.07	50	57.0	3.97	33	34.3	2.96	32	32.3	2.70
West Virginia	185	644.7	22.45	64	213.4	12.34	29	112.6	9.94	17	57.8	6.68	9	29.7	4.80	8	23.4	3.71
Wisconsin	824	781.6	13.03	249	236.8	7.05	132	137.3	5.71	76	71.0	3.93	47	41.5	2.90	44	38.3	2.69
Wyoming	9	337.7	58.47	3	111.7	33.68	-	-	-	1	38.4	18.84	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**91,147**	**398.2**	**0.60**	**28,660**	**124.4**	**0.34**	**10,663**	**46.9**	**0.21**	**8,702**	**38.2**	**0.19**	**6,442**	**26.9**	**0.15**	**3,236**	**14.5**	**0.12**
Alabama	2,817	384.3	3.32	934	126.1	1.90	277	37.4	1.04	318	43.7	1.12	170	22.3	0.79	104	14.5	0.65
Alaska	33	324.9	27.85	11	102.7	14.73	4	46.2	11.28	2	17.3	6.31	2	17.4	6.21	-	-	-
Arizona	448	323.5	7.10	146	102.2	3.91	51	38.7	2.54	43	32.1	2.28	30	21.6	1.82	19	14.9	1.59
Arkansas	979	402.7	5.94	294	120.1	3.23	123	50.2	2.10	107	45.1	2.01	65	25.1	1.44	38	16.3	1.22
California	5,318	372.7	2.33	1,720	120.4	1.32	630	44.3	0.81	509	36.1	0.73	388	25.8	0.60	185	13.0	0.44
CA: Greater California	2,050	362.0	3.69	680	118.4	2.09	235	43.1	1.30	190	34.5	1.15	136	22.8	0.90	65	11.9	0.68
CA: Greater Bay Area	1,093	392.5	5.43	338	122.5	3.05	133	46.9	1.86	109	39.5	1.73	85	28.9	1.43	40	14.2	1.03
CA: Los Angeles	2,175	373.8	3.65	702	121.3	2.09	262	44.3	1.24	210	35.9	1.13	167	27.3	0.96	80	13.5	0.68
Colorado	357	338.1	8.27	121	113.2	4.74	37	37.5	2.84	33	31.6	2.54	24	23.0	2.15	10	10.2	1.47
Connecticut	825	376.6	5.97	261	117.0	3.29	93	43.7	2.07	70	32.2	1.75	63	27.5	1.58	28	13.7	1.17
Delaware	506	431.3	8.82	163	135.6	4.88	66	58.1	3.31	43	37.3	2.61	37	29.9	2.27	19	16.8	1.77
District of Columbia	952	434.2	6.51	290	137.4	3.75	124	53.1	2.19	94	42.0	2.00	75	33.0	1.75	35	15.2	1.17
Florida	6,486	370.6	2.10	1,901	107.4	1.12	574	33.2	0.63	595	34.4	0.64	524	28.7	0.57	221	13.1	0.40
Georgia	6,611	400.0	2.28	2,213	130.2	1.28	634	40.0	0.74	663	40.6	0.73	460	26.3	0.57	224	14.7	0.46
Hawaii	28	322.9	29.91	10	99.2	14.98	3	54.1	14.25	2	23.9	9.33	2	19.6	7.42	-	-	-
Idaho	9	265.1	45.51	3	83.6	25.91	-	-	-	1	41.6	18.49	-	-	-	-	-	-
Illinois	4,770	437.6	2.89	1,468	135.2	1.61	678	61.1	1.07	483	44.3	0.92	346	30.3	0.74	166	15.3	0.54
Indiana	1,270	402.4	5.18	394	123.5	2.85	184	59.2	2.01	122	39.4	1.63	81	24.3	1.24	47	15.0	1.01
Iowa	156	441.3	16.81	40	111.9	8.32	20	62.0	6.57	14	38.7	4.96	12	34.4	4.73	5	16.4	3.46
Kansas	333	405.0	10.16	102	124.5	5.65	45	55.1	3.77	28	35.1	3.03	20	23.0	2.39	13	17.3	2.18
Kentucky	824	447.1	7.17	233	125.0	3.76	131	73.1	2.95	83	44.4	2.24	51	26.8	1.73	29	15.9	1.37
Louisiana	3,375	421.9	3.34	1,083	135.2	1.89	377	46.7	1.11	368	45.8	1.10	194	22.9	0.76	116	14.9	0.64
Maine	18	300.2	33.45	5	80.0	16.37	2	26.5	9.80	1	26.7	10.76	2	30.4	11.09	-	-	-
Maryland	4,310	402.6	2.82	1,448	133.4	1.61	509	48.2	0.99	373	35.3	0.84	321	28.1	0.72	147	14.2	0.54
Massachusetts	1,053	367.1	5.16	337	116.1	2.88	107	38.4	1.70	88	31.0	1.51	77	26.2	1.36	34	12.5	0.98
Michigan	3,310	411.7	3.28	979	123.1	1.80	469	57.4	1.22	323	40.0	1.02	227	26.8	0.82	128	15.6	0.63
MI: Metropolitan Detroit	2,599	438.8	3.95	772	132.0	2.18	363	60.0	1.45	256	43.0	1.23	176	28.1	0.97	101	16.7	0.76
Minnesota	434	399.5	9.36	123	106.5	4.62	51	54.3	3.68	36	35.2	2.85	34	32.8	2.69	15	15.7	1.99
Mississippi	2,376	401.0	3.78	728	121.8	2.07	273	46.1	1.29	280	47.1	1.29	155	25.0	0.92	85	14.9	0.74
Missouri	1,691	436.2	4.85	526	136.3	2.72	250	64.2	1.86	157	40.7	1.48	105	26.0	1.16	62	16.1	0.93

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	4	183.4	44.86	1	60.0	24.63	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	160	421.8	15.41	42	110.0	7.79	26	71.7	6.49	14	38.2	4.71	9	23.1	3.55	5	15.7	3.11
New Hampshire	18	251.7	29.12	6	87.3	17.37	1	27.8	11.65	2	23.8	8.46	1	15.2	6.24	-	-	-
New Jersey	3,102	410.2	3.34	975	128.2	1.86	343	45.2	1.11	290	38.8	1.03	238	29.9	0.88	108	14.4	0.63
New Mexico	64	272.9	15.65	19	79.0	8.36	8	35.7	5.84	6	27.7	5.09	3	14.5	3.59	2	9.3	3.00
New York	8,252	392.0	1.96	2,503	119.6	1.09	819	38.2	0.61	730	34.5	0.58	710	32.3	0.55	289	13.8	0.37
North Carolina	5,183	403.6	2.57	1,720	133.2	1.47	594	45.9	0.86	461	36.1	0.77	351	26.1	0.64	188	14.9	0.50
North Dakota	8	251.4	55.60	1	49.2	30.38	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,351	409.5	3.23	1,035	127.5	1.81	501	60.3	1.23	299	36.4	0.96	217	25.6	0.79	120	14.6	0.61
Oklahoma	571	391.8	7.57	179	122.2	4.21	74	51.4	2.77	56	39.0	2.40	38	24.7	1.85	19	13.1	1.40
Oregon	134	376.6	15.08	42	113.7	8.05	18	56.6	6.18	11	30.4	4.29	9	23.0	3.59	5	15.7	3.13
Pennsylvania	3,612	443.8	3.37	1,018	126.2	1.80	551	67.0	1.30	315	38.5	0.99	256	30.1	0.86	129	15.7	0.63
Rhode Island	118	307.6	13.01	40	99.9	7.26	14	39.4	4.84	8	22.9	3.68	7	17.9	3.06	4	9.3	2.23
South Carolina	3,059	387.9	3.23	1,003	127.2	1.85	325	40.3	1.03	291	36.7	0.99	226	26.8	0.82	119	15.4	0.65
South Dakota	10	251.9	40.59	3	88.5	22.55	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	2,351	400.4	3.81	737	123.6	2.10	296	51.4	1.39	235	40.6	1.22	147	23.9	0.91	82	14.8	0.75
Texas	6,369	386.5	2.24	1,991	117.8	1.22	704	45.1	0.79	646	39.4	0.72	407	23.9	0.55	226	14.5	0.45
Utah	30	314.3	28.30	8	79.9	14.16	3	45.4	11.81	2	28.7	8.77	2	19.4	6.87	-	-	-
Vermont	6	247.6	52.68	2	54.6	19.82	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,649	389.2	2.95	1,246	131.9	1.71	441	47.3	1.03	332	35.7	0.90	241	24.6	0.73	143	15.5	0.59
Washington	461	384.1	8.52	144	116.4	4.58	49	45.2	3.06	40	34.0	2.57	32	26.2	2.21	11	10.4	1.47
WA: Seattle/Puget Sound	437	410.2	9.35	138	124.9	5.02	47	49.2	3.42	37	36.0	2.82	29	26.9	2.36	12	11.7	1.64
West Virginia	135	378.1	15.03	40	116.3	8.48	19	52.9	5.50	14	38.3	4.67	8	20.8	3.37	5	13.5	2.83
Wisconsin	767	478.0	8.04	224	136.5	4.23	108	70.6	3.18	71	44.6	2.47	51	30.5	1.99	27	18.1	1.62
Wyoming	6	201.2	41.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**91,147**	**468.8**	**0.70**	**28,660**	**146.3**	**0.39**	**10,663**	**56.4**	**0.25**	**8,702**	**45.4**	**0.22**	**6,442**	**33.0**	**0.18**	**3,236**	**17.2**	**0.14**
Alabama	2,817	451.4	3.82	934	148.6	2.19	277	45.1	1.22	318	51.6	1.30	170	27.0	0.93	104	17.1	0.75
Alaska	33	390.7	32.59	11	125.5	17.60	4	52.9	12.68	2	22.5	7.92	2	20.5	7.04	-	-	-
Arizona	448	380.3	8.25	146	120.4	4.55	51	46.5	2.97	43	38.1	2.68	30	25.9	2.15	19	17.6	1.85
Arkansas	979	476.6	6.88	294	141.7	3.72	123	61.2	2.49	107	53.1	2.32	65	31.2	1.74	38	19.3	1.41
California	5,318	439.8	2.71	1,720	141.7	1.53	630	53.2	0.95	509	42.7	0.85	388	31.9	0.73	185	15.6	0.51
CA: Greater California	2,050	427.6	4.28	680	139.4	2.42	235	51.7	1.52	190	40.8	1.34	136	28.1	1.09	65	14.3	0.80
CA: Greater Bay Area	1,093	463.9	6.30	338	144.1	3.52	133	56.6	2.20	109	46.5	2.00	85	35.8	1.74	40	17.0	1.22
CA: Los Angeles	2,175	440.0	4.23	702	142.7	2.41	262	52.9	1.46	210	42.5	1.31	167	33.6	1.17	80	16.1	0.81
Colorado	357	398.5	9.63	121	133.7	5.53	37	44.5	3.30	33	37.1	2.96	24	28.1	2.58	10	12.6	1.76
Connecticut	825	442.6	6.95	261	137.2	3.83	93	52.3	2.44	70	38.3	2.06	63	34.2	1.94	28	16.1	1.36
Delaware	506	504.9	10.14	163	159.4	5.62	66	68.3	3.81	43	44.1	3.03	37	36.4	2.71	19	20.3	2.09
District of Columbia	952	513.1	7.52	290	159.7	4.24	124	65.3	2.65	94	49.8	2.33	75	40.6	2.11	35	18.5	1.40
Florida	6,486	434.9	2.43	1,901	126.1	1.30	574	39.9	0.75	595	40.9	0.75	524	35.1	0.69	221	15.5	0.47
Georgia	6,611	469.4	2.63	2,213	152.9	1.48	634	47.9	0.86	663	48.2	0.85	460	32.3	0.68	224	17.3	0.53
Hawaii	28	381.7	34.68	10	118.7	17.86	3	60.0	15.36	2	26.6	10.42	2	24.2	9.00	-	-	-
Idaho	9	310.1	52.29	3	97.7	29.98	-	-	-	1	50.8	21.51	-	-	-	-	-	-
Illinois	4,770	516.9	3.36	1,468	159.4	1.86	678	73.8	1.27	483	52.8	1.08	346	37.3	0.90	166	18.2	0.63
Indiana	1,270	476.0	6.03	394	146.6	3.32	184	71.3	2.37	122	46.9	1.92	81	30.0	1.49	47	18.1	1.19
Iowa	156	518.8	19.57	40	130.5	9.66	20	75.1	7.74	14	46.4	5.87	12	41.8	5.63	5	19.6	4.00
Kansas	333	473.4	11.71	102	144.7	6.47	45	66.0	4.43	28	40.9	3.49	20	27.9	2.83	13	20.0	2.47
Kentucky	824	526.3	8.27	233	147.3	4.34	131	87.0	3.43	83	53.4	2.64	51	32.2	2.03	29	18.9	1.59
Louisiana	3,375	496.3	3.85	1,083	159.0	2.17	377	56.2	1.30	368	54.6	1.28	194	28.0	0.90	116	17.7	0.74
Maine	18	361.4	41.17	5	94.1	19.93	2	30.6	11.62	1	31.7	12.98	2	37.3	13.54	-	-	-
Maryland	4,310	474.0	3.26	1,448	156.5	1.85	509	57.8	1.16	373	41.8	0.98	321	34.7	0.87	147	16.9	0.63
Massachusetts	1,053	429.9	5.99	337	134.9	3.32	107	46.2	2.01	88	36.8	1.77	77	32.2	1.65	34	14.5	1.12
Michigan	3,310	487.2	3.81	979	144.9	2.08	469	69.6	1.44	323	47.8	1.20	227	33.0	0.98	128	19.0	0.75
MI: Metropolitan Detroit	2,599	519.4	4.58	772	155.2	2.51	363	72.7	1.72	256	51.4	1.44	176	34.5	1.17	101	20.3	0.91
Minnesota	434	474.6	11.02	123	125.7	5.44	51	66.1	4.35	36	42.4	3.39	34	40.7	3.25	15	18.7	2.33
Mississippi	2,376	473.1	4.38	728	143.6	2.39	273	55.8	1.52	280	56.6	1.52	155	30.6	1.10	85	17.7	0.87
Missouri	1,691	516.6	5.64	526	160.4	3.14	250	77.7	2.21	157	48.4	1.74	105	31.8	1.39	62	19.3	1.10

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	4	214.6	53.03	1	73.0	30.06	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	160	499.7	18.07	42	131.2	9.20	26	86.4	7.67	14	45.6	5.55	9	27.8	4.21	5	18.6	3.62
New Hampshire	18	303.2	34.67	6	104.2	20.33	1	31.9	13.41	2	29.4	10.52	1	20.3	8.48	-	-	-
New Jersey	3,102	481.9	3.88	975	150.2	2.16	343	54.5	1.32	290	45.7	1.20	238	37.0	1.08	108	17.2	0.74
New Mexico	64	323.0	18.26	19	94.2	9.82	8	41.8	6.71	6	32.4	5.86	3	16.5	4.02	2	10.8	3.43
New York	8,252	460.6	2.27	2,503	140.3	1.26	819	46.0	0.72	730	40.9	0.68	710	39.6	0.67	289	16.3	0.43
North Carolina	5,183	475.4	2.97	1,720	156.8	1.70	594	55.3	1.02	461	42.9	0.90	351	31.8	0.76	188	17.7	0.58
North Dakota	8	293.1	63.82	1	59.1	35.27	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,351	483.9	3.75	1,035	150.5	2.10	501	73.0	1.46	299	43.4	1.13	217	31.3	0.95	120	17.4	0.71
Oklahoma	571	460.7	8.74	179	142.7	4.83	74	61.5	3.24	56	46.1	2.79	38	30.2	2.21	19	16.0	1.68
Oregon	134	444.7	17.61	42	134.3	9.43	18	67.5	7.21	11	36.3	5.06	9	29.0	4.42	5	19.3	3.76
Pennsylvania	3,612	523.6	3.91	1,018	148.2	2.08	551	80.7	1.54	315	46.0	1.16	256	37.2	1.04	129	18.8	0.74
Rhode Island	118	360.9	15.15	40	117.3	8.49	14	47.3	5.72	8	26.0	4.13	7	22.5	3.79	4	11.6	2.76
South Carolina	3,059	455.6	3.71	1,003	149.2	2.12	325	48.4	1.21	291	43.7	1.15	226	32.9	0.98	119	18.2	0.75
South Dakota	10	296.9	47.28	3	111.0	28.14	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	2,351	470.5	4.39	737	145.4	2.42	296	61.6	1.62	235	47.9	1.41	147	28.9	1.08	82	17.4	0.87
Texas	6,369	454.6	2.60	1,991	138.0	1.41	704	54.1	0.93	646	47.2	0.85	407	29.1	0.65	226	17.3	0.52
Utah	30	364.8	32.59	8	91.2	16.01	3	54.7	13.86	2	32.2	9.75	2	24.2	8.49	-	-	-
Vermont	6	272.8	57.81	2	61.2	22.95	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,649	458.2	3.41	1,246	155.3	1.97	441	56.5	1.21	332	42.2	1.04	241	30.0	0.87	143	18.5	0.69
Washington	461	452.9	9.87	144	137.1	5.30	49	53.8	3.53	40	40.3	2.99	32	32.2	2.63	11	12.7	1.74
WA: Seattle/Puget Sound	437	484.1	10.82	138	147.5	5.82	47	58.0	3.91	37	42.8	3.29	29	33.0	2.81	12	14.2	1.94
West Virginia	135	450.8	17.51	40	137.2	9.78	19	64.7	6.60	14	47.2	5.64	8	26.4	4.15	5	16.3	3.35
Wisconsin	767	566.4	9.39	224	160.9	4.92	108	85.6	3.75	71	53.3	2.90	51	37.7	2.41	27	21.8	1.91
Wyoming	6	221.7	44.47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR U.S. Combined Incidence 2013-2017, The Asian/Pacific Islander Population

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR United States Combined, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	23,921	293.8	0.88	346.0	1.03	30,634	292.6	0.76	340.3	0.88
Oral Cavity & Pharynx	1,008	11.5	0.17	13.6	0.20	543	5.2	0.10	6.0	0.12
Lip	11	0.1	0.02	0.1	0.02	7	0.1	0.01	0.1	0.01
Tongue	221	2.6	0.08	3.0	0.09	162	1.6	0.06	1.8	0.07
Major salivary gland	96	1.1	0.05	1.3	0.06	97	0.9	0.04	1.0	0.05
Floor of mouth	25	0.3	0.03	0.3	0.03	14	0.1	0.02	0.2	0.02
Gum & other mouth	170	2.0	0.07	2.4	0.08	98	1.0	0.04	1.1	0.05
Nasopharynx	303	3.3	0.09	3.8	0.10	117	1.1	0.04	1.2	0.05
Oropharynx	21	0.2	0.02	0.3	0.03	6	0.1	0.01	0.1	0.01
Hypopharynx	52	0.7	0.04	0.8	0.05	13	0.1	0.02	0.1	0.02
Digestive System	7,192	88.1	0.48	105.1	0.57	5,643	56.0	0.34	65.9	0.40
Esophagus	290	3.6	0.10	4.3	0.12	96	1.0	0.04	1.1	0.05
Stomach	1,016	13.1	0.19	15.3	0.22	768	7.7	0.13	8.9	0.15
Small intestine	123	1.5	0.06	1.8	0.07	96	0.9	0.04	1.1	0.05
Colon excl. rectum	1,770	21.7	0.24	25.9	0.28	1,777	17.5	0.19	20.6	0.22
Rectum & rectosigmoid	1,173	13.5	0.18	16.3	0.22	841	8.0	0.13	9.5	0.15
Anus, anal canal & anorectum	35	0.4	0.03	0.5	0.04	46	0.4	0.03	0.5	0.04
Liver	1,477	17.5	0.21	21.2	0.25	581	5.9	0.11	6.9	0.13
Gallbladder	77	1.0	0.05	1.2	0.06	139	1.4	0.05	1.7	0.06
Pancreas	796	10.3	0.17	12.1	0.20	843	8.6	0.14	10.1	0.16
Respiratory System	3,554	46.2	0.36	54.5	0.42	2,863	28.6	0.25	33.8	0.29
Larynx	160	2.0	0.07	2.4	0.09	23	0.2	0.02	0.3	0.03
Lung & bronchus	3,309	43.2	0.35	51.0	0.41	2,788	27.9	0.24	32.9	0.28
Bones & Joints	79	0.8	0.04	0.9	0.05	57	0.6	0.03	0.6	0.03
Soft Tissue (incl. heart)	254	2.9	0.08	3.3	0.10	222	2.1	0.07	2.4	0.07
Skin (excl. basal & sq.)	201	2.5	0.08	2.8	0.09	195	1.9	0.06	2.1	0.07
Melanomas of the skin	123	1.5	0.06	1.7	0.07	127	1.2	0.05	1.4	0.06
Breast (excl. *in situ*)	55	0.7	0.04	0.8	0.05	10,260	95.5	0.43	111.9	0.50
Female Genital System	-	-	-	-	-	4,046	37.2	0.27	44.1	0.31
Cervix uteri	-	-	-	-	-	657	6.1	0.11	6.8	0.12
Uterus Corpus	-	-	-	-	-	2,108	19.1	0.19	23.2	0.23
Uterus, NOS[1]	-	-	-	-	-	62	0.6	0.03	0.7	0.04
Ovary	-	-	-	-	-	973	9.1	0.13	10.6	0.15
Male Genital System	4,691	56.4	0.38	67.9	0.45	-	-	-	-	-
Prostate	4,418	53.6	0.37	65.1	0.44	-	-	-	-	-
Testis	216	2.0	0.06	2.0	0.06	-	-	-	-	-
Penis	36	0.5	0.04	0.5	0.04	-	-	-	-	-
Urinary System	2,110	27.0	0.27	31.7	0.32	952	9.5	0.14	11.1	0.16
Bladder (incl. *in situ*)	1,085	14.8	0.21	17.3	0.24	351	3.6	0.09	4.2	0.10
Kidney & renal pelvis	964	11.3	0.17	13.4	0.20	551	5.3	0.10	6.3	0.12
Ureter	39	0.5	0.04	0.6	0.05	37	0.4	0.03	0.4	0.03
Eye & Orbit	31	0.3	0.03	0.4	0.03	27	0.3	0.02	0.3	0.02
Brain & Other CNS[1]	386	4.3	0.10	4.7	0.11	320	3.1	0.08	3.4	0.09
Brain	357	4.0	0.10	4.4	0.11	288	2.8	0.08	3.0	0.08
Endocrine System	778	8.4	0.14	9.4	0.16	2,482	22.6	0.21	24.7	0.23
Thyroid gland	679	7.3	0.13	8.2	0.14	2,400	21.8	0.20	23.8	0.22
Lymphomas	1,437	17.4	0.21	19.9	0.24	1,211	11.8	0.16	13.5	0.18
Hodgkin Lymphoma	146	1.5	0.06	1.6	0.06	115	1.1	0.05	1.1	0.05
Non-Hodgkin Lymphoma	1,291	15.9	0.20	18.3	0.24	1,095	10.8	0.15	12.4	0.17
Multiple Myeloma	387	4.9	0.12	5.8	0.14	309	3.0	0.08	3.6	0.09
Leukemias	819	9.9	0.16	10.8	0.18	641	6.3	0.11	6.9	0.12
Acute lymphocytic	145	1.6	0.06	1.4	0.05	122	1.3	0.05	1.2	0.05
Chronic lymphocytic	125	1.6	0.07	1.9	0.08	76	0.7	0.04	0.9	0.05
Acute myeloid	328	4.1	0.10	4.5	0.12	290	2.8	0.08	3.2	0.08
Chronic myeloid	133	1.6	0.06	1.7	0.07	89	0.9	0.04	1.0	0.05
Other leukemias	89	1.1	0.06	1.3	0.06	64	0.6	0.04	0.7	0.04
Mesothelioma	41	0.6	0.04	0.6	0.05	16	0.2	0.02	0.2	0.02
Kaposi Sarcoma	28	0.3	0.03	0.3	0.03	3	0.0	0.01	0.0	0.01
Ill-defined & Unknown	870	11.6	0.18	13.5	0.21	843	8.6	0.14	9.9	0.15
Selected tumors (non-invasive)										
Brain & Other CNS[1](non-malig)	624	7.3	0.14	8.3	0.15	1,356	13.1	0.16	15.1	0.19
Breast (*in situ*)	7	0.1	0.01	0.1	0.02	3,207	29.7	0.24	35.0	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Cetnral Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Non-Hodgkin Lymphoma			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**23,921**	**293.8**	**0.88**	**4,418**	**53.6**	**0.37**	**3,309**	**43.2**	**0.35**	**2,943**	**35.2**	**0.30**	**1,291**	**15.9**	**0.20**	**1,614**	**19.2**	**0.22**
Alabama	67	300.2	18.69	14	66.8	8.70	10	51.8	8.21	7	28.5	5.19	2	11.8	3.95	6	22.6	4.62
Alaska	57	309.2	20.74	9	48.9	8.24	9	54.9	9.10	8	39.9	7.16	5	24.7	6.03	4	23.0	5.99
Arizona	206	223.0	7.38	38	41.9	3.22	29	33.8	2.97	22	23.8	2.39	11	12.5	1.77	14	15.5	1.96
Arkansas	56	351.4	24.08	9	58.9	9.79	9	55.5	9.13	7	43.5	8.04	4	23.3	6.65	5	29.9	6.54
California	8,502	290.5	1.44	1,502	49.5	0.58	1,240	43.9	0.57	1,105	37.0	0.51	487	16.8	0.35	593	19.6	0.37
CA: Greater California	3,108	280.0	2.31	553	48.0	0.94	440	41.5	0.91	399	35.4	0.81	179	16.3	0.56	232	20.1	0.61
CA: Greater Bay Area	2,967	305.9	2.56	551	55.7	1.09	437	47.0	1.03	362	36.2	0.87	175	18.1	0.62	210	20.9	0.66
CA: Los Angeles	2,428	286.5	2.65	398	44.5	1.02	364	43.5	1.04	343	39.9	0.98	133	15.9	0.63	152	17.6	0.65
Colorado	177	264.5	9.47	26	40.7	3.74	23	39.0	3.87	24	34.8	3.33	11	16.9	2.48	15	20.2	2.49
Connecticut	132	219.6	9.32	24	41.2	4.01	14	23.9	3.13	16	23.4	2.86	8	13.0	2.38	9	14.6	2.29
Delaware	40	267.3	19.74	9	63.7	9.65	4	29.5	7.40	3	22.0	5.79	2	16.7	5.29	2	15.1	4.49
District of Columbia	27	356.1	33.02	5	65.9	13.67	3	54.4	13.65	3	46.1	12.33	-	-	-	1	15.9	6.90
Florida	623	226.6	4.23	114	40.4	1.75	80	30.0	1.57	76	27.5	1.47	40	14.4	1.05	32	11.4	0.93
Georgia	434	286.4	6.84	76	53.7	2.98	38	29.1	2.36	62	39.2	2.47	23	13.8	1.43	31	19.8	1.78
Hawaii	2,180	394.7	3.84	475	83.5	1.74	340	61.2	1.51	275	50.2	1.38	100	18.2	0.83	102	18.4	0.83
Idaho	28	301.0	27.88	5	53.2	11.39	3	44.7	11.94	3	32.7	10.07	2	15.8	6.28	2	19.3	6.98
Illinois	840	274.8	4.46	162	50.8	1.86	110	38.2	1.72	108	35.1	1.58	46	15.7	1.09	49	15.6	1.05
Indiana	95	231.7	12.33	15	43.7	5.38	10	26.2	4.31	13	28.5	3.94	5	10.3	2.49	6	13.6	2.77
Iowa	57	292.0	20.28	6	33.0	6.39	9	57.2	9.81	8	42.3	7.66	3	15.6	5.08	7	33.8	6.35
Kansas	79	288.3	16.32	11	40.1	5.87	9	32.5	5.46	11	37.4	5.43	5	21.0	4.75	7	24.5	4.30
Kentucky	45	222.3	16.79	6	33.7	6.71	5	24.6	5.14	7	35.7	6.99	2	10.2	3.54	4	20.0	5.15
Louisiana	107	298.0	13.95	16	45.8	5.66	15	44.4	5.61	15	41.1	5.07	5	13.9	3.07	14	34.2	4.42
Maine	13	240.7	33.45	1	20.7	7.90	-	-	-	2	27.8	10.21	-	-	-	1	23.2	9.23
Maryland	479	272.7	5.79	113	61.8	2.68	54	33.5	2.12	52	28.5	1.83	24	14.5	1.36	27	15.1	1.35
Massachusetts	489	301.8	6.42	84	53.5	2.71	77	52.3	2.79	52	32.0	2.08	22	13.1	1.32	40	24.5	1.82
Michigan	277	253.3	7.33	60	55.1	3.35	29	30.2	2.71	32	29.7	2.55	18	15.6	1.82	11	8.8	1.23
MI: Metropolitan Detroit	189	269.0	9.39	47	66.9	4.62	19	31.0	3.43	20	27.6	3.00	9	10.8	1.62	6	7.0	1.36
Minnesota	217	297.2	10.03	29	46.9	4.14	32	50.9	4.36	27	34.2	3.21	12	16.8	2.36	23	30.7	3.10
Mississippi	33	283.1	23.85	7	63.0	11.32	5	43.8	9.61	2	16.8	4.94	2	13.6	4.79	2	20.5	6.64
Missouri	103	243.1	11.58	15	36.4	4.49	15	38.3	4.77	13	32.7	4.36	6	11.1	2.13	9	20.2	3.15

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Non-Hodgkin Lymphoma			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	9	293.0	46.18	2	49.5	18.26	-	-	-	1	35.7	14.85	-	-	-	1	29.2	12.47
Nebraska	38	326.7	26.60	7	66.7	12.56	5	58.9	12.15	4	31.2	8.09	2	18.8	6.77	5	38.8	8.79
New Hampshire	30	256.0	23.77	6	49.4	10.06	3	38.2	10.27	3	20.9	5.59	1	12.7	5.37	2	16.1	6.05
New Jersey	1,012	277.2	4.13	230	61.9	1.92	108	32.5	1.48	117	30.5	1.33	52	13.9	0.91	49	13.6	0.93
New Mexico	52	331.4	21.74	14	88.7	11.22	4	29.0	6.72	5	30.2	6.70	2	14.3	4.53	4	26.7	6.38
New York	2,824	356.6	3.12	511	62.6	1.29	408	54.6	1.26	316	39.2	1.03	135	17.3	0.69	189	22.6	0.76
North Carolina	216	231.7	7.88	39	45.0	3.42	28	32.4	3.03	22	22.1	2.33	12	12.6	1.86	15	16.2	2.04
North Dakota	8	291.3	65.91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	209	230.3	7.67	41	45.4	3.32	26	33.6	3.16	25	26.3	2.57	10	10.7	1.62	13	12.7	1.64
Oklahoma	96	334.1	16.99	14	48.9	6.32	12	45.8	6.46	13	42.8	5.98	6	22.4	4.48	9	29.5	5.00
Oregon	230	311.0	9.69	36	49.3	3.86	36	52.1	4.10	27	35.8	3.21	13	19.5	2.53	21	26.7	2.73
Pennsylvania	451	277.7	6.27	76	47.1	2.55	58	39.7	2.50	49	31.1	2.13	21	12.4	1.32	34	19.2	1.56
Rhode Island	30	230.7	20.00	4	31.1	7.22	4	27.6	6.58	4	32.2	7.87	2	17.4	5.77	4	27.3	6.40
South Carolina	70	234.0	13.79	12	41.9	5.82	9	28.5	4.46	8	28.6	4.86	7	22.0	4.37	4	11.3	2.96
South Dakota	9	366.3	69.90	-	-	-	-	-	-	1	30.2	12.06	-	-	-	1	35.9	19.50
Tennessee	109	253.7	12.03	20	52.0	5.60	14	39.6	5.14	11	25.1	3.57	6	14.3	2.93	8	18.4	3.03
Texas	1,291	259.0	3.53	240	49.5	1.54	166	36.9	1.41	145	28.1	1.14	76	15.1	0.84	105	20.3	0.96
Utah	102	315.5	15.35	19	64.1	7.03	9	32.3	5.15	11	34.7	5.19	4	12.1	2.86	8	25.8	4.44
Vermont	9	353.3	59.87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	511	241.2	5.11	97	46.3	2.21	66	33.7	2.00	55	24.7	1.57	27	12.1	1.10	38	17.5	1.35
Washington	834	321.8	5.25	144	55.7	2.17	111	47.2	2.10	103	37.9	1.75	45	17.5	1.22	67	25.0	1.43
WA: Seattle/Puget Sound	804	345.2	5.73	142	61.5	2.41	107	50.6	2.29	100	41.0	1.92	45	19.4	1.36	65	27.0	1.57
West Virginia	11	187.7	28.17	1	15.7	6.49	3	36.0	9.69	2	34.0	10.89	-	-	-	-	-	-
Wisconsin	111	283.9	13.69	18	50.6	5.86	13	41.9	5.70	13	31.7	4.34	7	16.2	3.14	9	23.5	3.96
Wyoming	6	306.3	59.56	-	-	-	-	-	-	1	76.9	32.44	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Non-Hodgkin Lymphoma			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**23,921**	**346.0**	**1.03**	**4,418**	**65.1**	**0.44**	**3,309**	**51.0**	**0.41**	**2,943**	**42.1**	**0.36**	**1,291**	**18.3**	**0.24**	**1,614**	**23.2**	**0.26**
Alabama	67	355.3	21.84	14	80.1	10.17	10	61.5	9.58	7	35.1	6.20	2	13.3	4.50	6	28.1	5.60
Alaska	57	354.3	23.29	9	56.2	9.15	9	63.0	10.16	8	47.3	8.28	5	29.4	7.03	4	26.5	6.77
Arizona	206	261.9	8.62	38	50.8	3.84	29	40.2	3.48	22	28.0	2.79	11	14.1	2.02	14	18.5	2.33
Arkansas	56	415.6	27.75	9	71.9	11.41	9	66.3	10.45	7	52.3	9.32	4	28.1	7.83	5	37.6	7.88
California	8,502	342.2	1.67	1,502	60.4	0.70	1,240	51.7	0.66	1,105	44.4	0.60	487	19.4	0.40	593	23.8	0.44
CA: Greater California	3,108	329.7	2.69	553	58.5	1.12	440	48.9	1.06	399	42.3	0.96	179	18.7	0.64	232	24.4	0.73
CA: Greater Bay Area	2,967	360.2	2.98	551	67.6	1.29	437	55.3	1.19	362	43.5	1.03	175	20.7	0.71	210	25.5	0.79
CA: Los Angeles	2,428	337.8	3.08	398	54.5	1.23	364	51.3	1.21	343	47.9	1.16	133	18.5	0.72	152	21.2	0.77
Colorado	177	311.5	11.09	26	49.5	4.45	23	46.6	4.56	24	41.1	3.90	11	19.0	2.80	15	24.7	3.00
Connecticut	132	260.9	11.01	24	49.5	4.71	14	29.3	3.76	16	28.6	3.47	8	15.0	2.81	9	17.5	2.69
Delaware	40	308.3	22.89	9	75.3	11.34	4	34.5	8.69	3	25.2	6.71	2	19.2	6.13	2	17.4	5.21
District of Columbia	27	426.8	39.01	5	84.7	17.19	3	64.1	15.80	3	53.7	14.05	-	-	-	1	19.4	8.15
Florida	623	266.3	4.95	114	49.0	2.10	80	35.7	1.86	76	32.3	1.71	40	16.3	1.19	32	13.7	1.11
Georgia	434	338.0	8.01	76	64.5	3.50	38	34.6	2.78	62	47.0	2.92	23	16.2	1.67	31	24.3	2.15
Hawaii	2,180	467.7	4.51	475	100.9	2.08	340	72.4	1.77	275	60.7	1.65	100	21.3	0.96	102	22.4	0.99
Idaho	28	357.6	32.42	5	67.2	13.86	3	52.5	13.44	3	37.0	11.10	2	18.1	7.34	2	24.5	8.59
Illinois	840	322.2	5.19	162	61.6	2.22	110	45.1	2.00	108	41.7	1.87	46	18.0	1.26	49	19.0	1.27
Indiana	95	268.2	14.23	15	49.9	5.97	10	31.1	5.08	13	33.8	4.54	5	11.7	2.88	6	15.8	3.14
Iowa	57	348.3	23.89	6	40.8	7.70	9	68.7	11.56	8	51.5	9.15	3	17.3	5.73	7	40.9	7.37
Kansas	79	341.3	19.22	11	48.4	6.92	9	39.6	6.54	11	44.1	6.36	5	23.8	5.48	7	30.0	5.16
Kentucky	45	258.3	19.37	6	40.1	7.80	5	28.1	5.76	7	42.7	8.30	2	11.8	4.07	4	24.9	6.25
Louisiana	107	356.4	16.33	16	56.4	6.75	15	54.2	6.64	15	48.1	5.82	5	16.6	3.58	14	42.6	5.37
Maine	13	291.3	39.62	1	27.2	10.27	-	-	-	2	33.8	12.32	-	-	-	1	30.4	11.83
Maryland	479	321.0	6.77	113	75.8	3.23	54	39.4	2.47	52	34.0	2.16	24	16.5	1.55	27	17.8	1.59
Massachusetts	489	355.3	7.50	84	65.3	3.23	77	62.1	3.26	52	38.3	2.47	22	14.8	1.51	40	29.6	2.16
Michigan	277	295.4	8.53	60	66.5	3.97	29	35.4	3.16	32	35.3	3.01	18	18.1	2.12	11	10.5	1.48
MI: Metropolitan Detroit	189	313.9	10.92	47	80.2	5.45	19	36.9	4.04	20	33.0	3.55	9	12.6	1.91	6	8.5	1.67
Minnesota	217	349.7	11.67	29	56.4	4.82	32	60.1	5.03	27	40.5	3.77	12	19.5	2.72	23	37.3	3.67
Mississippi	33	341.7	28.13	7	77.0	13.41	5	51.4	10.89	2	20.3	5.99	2	17.1	5.94	2	24.4	7.91
Missouri	103	286.2	13.60	15	44.3	5.37	15	45.2	5.57	13	37.9	5.06	6	13.6	2.64	9	23.8	3.68

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Non-Hodgkin Lymphoma			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	9	360.4	55.93	2	66.5	24.09	-	-	-	1	44.1	18.35	-	-	-	1	39.7	17.12
Nebraska	38	379.2	30.52	7	79.6	14.59	5	66.2	13.59	4	37.8	9.60	2	22.4	7.97	5	44.3	10.07
New Hampshire	30	298.2	27.41	6	59.8	11.86	3	44.2	11.77	3	26.1	6.89	1	13.0	5.44	2	18.2	6.77
New Jersey	1,012	323.9	4.79	230	74.7	2.27	108	37.8	1.71	117	36.1	1.56	52	15.8	1.04	49	16.3	1.10
New Mexico	52	387.9	25.08	14	107.8	13.27	4	34.3	7.75	5	35.2	7.73	2	16.4	5.11	4	30.4	7.16
New York	2,824	419.6	3.62	511	76.1	1.53	408	64.4	1.46	316	46.7	1.20	135	19.8	0.78	189	27.2	0.90
North Carolina	216	272.1	9.21	39	54.5	4.04	28	38.8	3.57	22	26.5	2.79	12	14.1	2.10	15	19.4	2.41
North Dakota	8	337.0	72.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	209	270.8	8.99	41	54.6	3.92	26	40.0	3.72	25	31.6	3.08	10	12.2	1.84	13	15.6	1.98
Oklahoma	96	392.6	19.69	14	59.6	7.49	12	54.8	7.55	13	49.4	6.86	6	24.9	5.01	9	35.4	5.88
Oregon	230	363.2	11.19	36	60.1	4.57	36	61.7	4.77	27	41.9	3.69	13	22.4	2.90	21	31.7	3.18
Pennsylvania	451	328.5	7.35	76	57.1	3.03	58	47.3	2.94	49	37.3	2.52	21	14.6	1.55	34	23.6	1.89
Rhode Island	30	267.5	22.91	4	39.4	8.87	4	33.7	7.81	4	36.0	8.85	2	18.6	6.17	4	32.2	7.55
South Carolina	70	275.5	16.12	12	49.7	6.79	9	34.7	5.31	8	34.0	5.69	7	25.8	5.20	4	13.4	3.51
South Dakota	9	424.0	79.26	-	-	-	-	-	-	1	38.0	15.60	-	-	-	1	40.7	20.54
Tennessee	109	300.0	14.11	20	63.1	6.61	14	45.9	5.87	11	29.9	4.20	6	15.8	3.31	8	22.7	3.68
Texas	1,291	304.8	4.12	240	60.0	1.83	166	43.7	1.65	145	33.7	1.35	76	17.3	0.96	105	24.4	1.14
Utah	102	370.4	17.76	19	77.7	8.24	9	37.8	5.87	11	40.8	6.01	4	14.2	3.35	8	30.5	5.09
Vermont	9	398.0	67.67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	511	283.5	5.97	97	55.6	2.61	66	40.3	2.36	55	29.1	1.84	27	14.1	1.29	38	20.9	1.59
Washington	834	378.1	6.11	144	67.5	2.57	111	55.6	2.44	103	45.2	2.06	45	20.1	1.40	67	30.0	1.69
WA: Seattle/Puget Sound	804	405.9	6.67	142	74.5	2.85	107	59.6	2.66	100	48.9	2.27	45	22.2	1.56	65	32.4	1.86
West Virginia	11	229.6	34.14	1	21.0	8.59	3	45.2	12.13	2	41.8	13.18	-	-	-	-	-	-
Wisconsin	111	333.2	15.93	18	60.9	6.88	13	48.7	6.55	13	38.4	5.16	7	19.0	3.71	9	27.4	4.57
Wyoming	6	364.0	69.42	-	-	-	-	-	-	1	86.0	35.97	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Uterus Corpus & Uterus, NOS[3]			Colon & Rectum			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**30,634**	**292.6**	**0.76**	**10,260**	**95.5**	**0.43**	**2,788**	**27.9**	**0.24**	**2,170**	**19.7**	**0.19**	**2,617**	**25.5**	**0.23**	**2,400**	**21.8**	**0.20**
Alabama	89	266.8	13.50	26	70.6	6.62	8	29.7	4.90	3	7.9	2.27	10	28.3	4.37	6	15.0	2.68
Alaska	82	290.2	14.95	24	81.2	7.71	8	32.1	5.35	9	30.3	4.54	7	21.1	3.80	7	22.9	4.00
Arizona	329	243.6	6.21	114	80.5	3.44	35	28.8	2.27	21	13.9	1.41	24	19.8	1.87	26	17.6	1.57
Arkansas	90	398.9	20.45	27	115.4	10.74	8	39.8	6.75	6	22.9	4.54	9	45.8	7.32	6	21.6	4.19
California	11,072	298.0	1.29	3,763	100.6	0.74	1,012	27.1	0.39	818	21.3	0.34	997	26.5	0.38	715	19.8	0.33
CA: Greater California	4,150	292.9	2.06	1,369	94.8	1.16	376	27.1	0.63	311	21.0	0.54	366	26.0	0.62	290	20.4	0.54
CA: Greater Bay Area	3,710	303.1	2.26	1,299	105.5	1.32	354	28.9	0.70	275	21.8	0.60	313	25.3	0.65	218	18.1	0.56
CA: Los Angeles	3,212	299.6	2.42	1,094	103.0	1.42	282	25.2	0.68	232	21.2	0.64	318	28.6	0.73	207	20.8	0.66
Colorado	259	266.3	7.63	81	78.8	4.00	25	29.9	2.74	16	15.4	1.73	23	25.4	2.42	22	19.5	1.86
Connecticut	195	255.3	8.66	74	90.9	4.92	14	22.5	2.86	10	12.2	1.80	13	18.4	2.46	22	23.6	2.33
Delaware	46	245.2	16.64	17	90.2	9.95	4	22.9	5.48	3	16.6	4.27	2	9.7	3.32	6	26.5	5.18
District of Columbia	38	295.8	22.97	13	98.8	12.77	3	25.8	7.32	2	16.3	5.29	2	15.0	4.89	4	24.0	5.94
Florida	872	238.4	3.71	295	77.4	2.06	78	22.6	1.19	59	14.9	0.89	65	18.7	1.07	57	15.2	0.91
Georgia	526	272.1	5.69	180	87.3	3.06	39	23.4	1.80	30	14.4	1.25	47	25.5	1.80	44	19.1	1.31
Hawaii	2,511	384.7	3.56	875	138.3	2.16	251	34.6	1.00	215	35.1	1.10	239	35.2	1.06	123	23.0	0.95
Idaho	42	292.7	20.90	14	89.1	11.04	4	29.8	6.87	2	12.4	3.96	2	14.0	4.30	3	20.4	4.97
Illinois	1,049	275.7	3.89	387	98.6	2.28	73	20.8	1.12	79	19.3	0.99	85	23.2	1.15	91	22.4	1.07
Indiana	130	226.5	9.58	46	76.9	5.41	10	22.1	3.33	8	11.9	1.91	10	19.7	2.93	9	11.9	1.82
Iowa	76	297.7	16.69	25	89.8	8.47	6	27.4	5.53	5	17.7	3.86	7	30.0	5.62	4	11.8	2.88
Kansas	100	262.5	12.48	30	74.6	6.36	11	33.5	4.80	7	15.8	2.86	9	24.4	3.86	9	18.6	2.76
Kentucky	76	269.4	14.85	23	73.2	7.20	7	34.0	5.89	5	15.7	3.37	6	26.1	4.91	7	19.5	3.29
Louisiana	115	278.8	12.16	33	76.3	6.09	10	27.3	4.14	7	14.6	2.52	8	21.8	3.56	11	23.9	3.26
Maine	22	249.5	25.13	5	52.4	10.37	3	41.3	11.48	1	14.5	5.57	2	26.8	8.66	3	25.4	7.06
Maryland	625	283.8	5.19	214	93.1	2.89	46	22.5	1.52	42	17.8	1.26	47	22.1	1.48	64	27.6	1.56
Massachusetts	600	291.3	5.50	201	93.3	3.02	58	32.4	1.96	35	15.9	1.23	46	24.1	1.64	63	25.9	1.50
Michigan	350	252.2	6.30	122	82.8	3.45	32	27.2	2.23	23	15.8	1.50	26	20.6	1.89	26	15.7	1.41
MI: Metropolitan Detroit	222	263.2	8.25	77	86.2	4.52	19	25.5	2.79	16	17.5	1.99	16	20.5	2.39	18	18.5	1.96
Minnesota	287	291.1	8.22	82	78.2	4.02	24	29.1	2.80	19	15.8	1.69	25	29.1	2.76	25	19.2	1.84
Mississippi	49	301.7	20.52	15	80.1	9.66	7	53.6	9.50	2	8.8	3.37	4	23.0	5.86	4	20.0	4.60
Missouri	165	278.3	10.15	59	94.2	5.68	15	28.1	3.45	9	13.8	2.08	15	27.2	3.35	11	16.9	2.31

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Uterus Corpus & Uterus, NOS[3]			Colon & Rectum			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	16	311.9	36.36	6	110.8	20.61	2	37.8	13.24	-	-	-	-	-	-	-	-	-
Nebraska	45	248.7	17.80	12	62.8	8.38	3	22.0	5.68	2	13.4	4.25	3	20.3	5.44	6	25.5	5.07
New Hampshire	44	265.8	19.68	16	84.4	9.99	5	38.7	8.28	4	24.5	5.55	3	21.6	6.39	3	14.6	3.67
New Jersey	1,257	283.0	3.67	483	103.5	2.15	83	20.5	1.04	87	17.8	0.87	94	22.6	1.08	107	21.9	0.96
New Mexico	69	287.7	15.89	20	81.3	8.21	8	37.3	6.00	5	19.6	3.96	4	19.6	4.29	5	20.3	4.03
New York	3,162	333.5	2.70	961	99.0	1.45	305	33.4	0.88	215	21.7	0.67	252	27.2	0.78	356	35.4	0.85
North Carolina	328	262.9	6.98	109	79.1	3.56	32	30.9	2.62	20	14.4	1.53	27	22.8	2.14	28	17.3	1.52
North Dakota	12	330.1	51.86	3	70.0	19.08	-	-	-	-	-	-	-	-	-	3	52.0	19.76
Ohio	278	235.7	6.62	96	77.2	3.64	29	29.2	2.55	21	16.2	1.62	19	17.3	1.84	24	17.8	1.66
Oklahoma	134	329.0	13.49	40	90.4	6.61	14	37.7	4.80	9	20.7	3.29	14	39.5	5.11	7	15.4	2.86
Oregon	320	300.5	7.76	98	87.1	4.05	33	34.0	2.75	19	16.0	1.67	30	29.5	2.49	28	23.4	2.00
Pennsylvania	578	281.4	5.46	172	79.3	2.79	52	29.0	1.88	37	16.8	1.27	56	28.4	1.78	61	25.0	1.48
Rhode Island	47	290.3	19.92	14	83.4	10.04	4	26.6	6.29	3	20.5	5.19	5	31.5	6.87	4	18.8	4.39
South Carolina	109	256.0	11.57	33	72.2	5.86	11	28.2	4.05	8	17.2	2.77	12	28.8	4.02	6	13.0	2.40
South Dakota	12	281.4	42.09	4	89.0	22.09	1	35.4	16.69	-	-	-	2	39.7	15.07	-	-	-
Tennessee	138	236.7	9.62	46	75.1	5.20	14	25.6	3.32	9	15.2	2.33	12	19.9	2.79	11	16.3	2.40
Texas	1,570	246.8	2.94	520	75.2	1.53	136	24.5	1.00	96	13.9	0.66	133	22.4	0.92	130	17.8	0.72
Utah	148	337.8	13.06	43	92.7	6.55	9	24.4	3.72	18	37.5	4.04	14	36.2	4.50	11	20.5	2.87
Vermont	10	216.7	33.63	4	85.6	20.98	-	-	-	-	-	-	-	-	-	1	20.7	9.00
Virginia	719	245.4	4.25	243	78.9	2.33	62	23.6	1.41	48	14.9	0.98	53	19.3	1.24	100	30.4	1.38
Washington	1,140	306.9	4.16	374	97.1	2.28	112	32.2	1.40	81	20.4	1.03	90	24.7	1.19	74	18.6	0.98
WA: Seattle/Puget Sound	1,078	322.8	4.49	353	102.1	2.47	104	33.1	1.49	77	21.7	1.12	86	26.2	1.29	70	19.7	1.07
West Virginia	20	228.1	23.66	8	92.8	14.77	2	22.7	7.46	-	-	-	-	-	-	1	15.5	5.93
Wisconsin	173	309.3	11.24	45	75.3	5.26	21	45.9	4.71	14	22.5	2.86	16	30.7	3.66	13	16.8	2.28
Wyoming	8	299.5	49.12	3	86.6	24.61	1	61.2	24.01	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Uterus Corpus & Uterus, NOS[3]			Colon & Rectum			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**30,634**	**340.3**	**0.88**	**10,260**	**111.9**	**0.50**	**2,788**	**32.9**	**0.28**	**2,170**	**23.9**	**0.23**	**2,617**	**30.2**	**0.27**	**2,400**	**23.8**	**0.22**
Alabama	89	307.8	15.49	26	82.4	7.75	8	34.8	5.61	3	9.8	2.75	10	33.6	5.08	6	16.6	3.02
Alaska	82	331.5	16.86	24	93.8	8.77	8	36.8	6.01	9	34.2	5.12	7	25.8	4.57	7	23.3	4.07
Arizona	329	281.9	7.18	114	93.2	3.99	35	34.1	2.66	21	16.8	1.69	24	23.1	2.17	26	19.1	1.72
Arkansas	90	457.9	23.26	27	133.3	12.28	8	47.1	7.78	6	26.9	5.35	9	53.1	8.31	6	23.9	4.65
California	11,072	347.1	1.48	3,763	118.0	0.86	1,012	32.0	0.45	818	25.8	0.40	997	31.4	0.45	715	21.8	0.37
CA: Greater California	4,150	340.4	2.37	1,369	111.1	1.35	376	31.8	0.74	311	25.4	0.65	366	30.5	0.72	290	22.6	0.60
CA: Greater Bay Area	3,710	353.7	2.61	1,299	123.9	1.54	354	34.1	0.81	275	26.6	0.72	313	30.1	0.76	218	19.8	0.61
CA: Los Angeles	3,212	349.3	2.77	1,094	120.6	1.64	282	29.9	0.80	232	25.6	0.76	318	34.0	0.86	207	23.0	0.72
Colorado	259	307.9	8.80	81	92.5	4.70	25	34.5	3.11	16	19.2	2.15	23	30.1	2.84	22	20.8	2.04
Connecticut	195	294.9	10.02	74	105.3	5.71	14	25.7	3.24	10	14.9	2.20	13	21.7	2.85	22	25.7	2.59
Delaware	46	280.6	19.13	17	104.3	11.51	4	27.8	6.59	3	18.1	4.74	2	11.4	3.89	6	27.3	5.48
District of Columbia	38	341.9	26.82	13	112.7	14.86	3	32.8	9.12	2	20.2	6.58	2	18.0	5.98	4	27.9	7.15
Florida	872	275.9	4.26	295	90.1	2.38	78	26.4	1.37	59	18.0	1.06	65	21.6	1.23	57	16.7	1.00
Georgia	526	315.6	6.60	180	101.7	3.57	39	27.6	2.08	30	17.5	1.50	47	30.7	2.13	44	20.7	1.45
Hawaii	2,511	452.5	4.14	875	165.0	2.54	251	41.3	1.19	215	42.2	1.30	239	41.4	1.24	123	24.9	1.02
Idaho	42	337.7	23.95	14	107.0	13.20	4	34.5	7.87	2	15.1	4.80	2	15.8	4.90	3	22.0	5.42
Illinois	1,049	320.8	4.51	387	115.3	2.66	73	24.4	1.30	79	23.9	1.22	85	27.3	1.35	91	24.6	1.18
Indiana	130	262.3	11.12	46	89.6	6.29	10	26.0	3.86	8	14.2	2.32	10	23.9	3.49	9	12.5	2.01
Iowa	76	347.2	19.33	25	107.3	10.08	6	32.3	6.36	5	21.4	4.65	7	35.1	6.46	4	11.9	2.97
Kansas	100	302.8	14.37	30	85.7	7.34	11	39.8	5.58	7	18.9	3.41	9	29.7	4.61	9	20.6	3.14
Kentucky	76	307.5	17.03	23	84.1	8.40	7	38.8	6.60	5	18.8	4.04	6	29.5	5.54	7	21.5	3.76
Louisiana	115	322.5	13.91	33	88.4	6.98	10	31.1	4.63	7	18.0	3.09	8	26.3	4.19	11	25.8	3.53
Maine	22	295.0	29.70	5	61.5	12.25	3	50.2	13.87	1	18.6	7.10	2	32.3	10.34	3	30.4	8.51
Maryland	625	328.7	5.98	214	108.8	3.37	46	26.4	1.75	42	21.6	1.52	47	26.2	1.74	64	29.9	1.70
Massachusetts	600	338.3	6.40	201	108.4	3.53	58	38.2	2.28	35	19.5	1.51	46	28.0	1.90	63	28.7	1.70
Michigan	350	292.3	7.31	122	97.0	4.05	32	31.7	2.57	23	18.7	1.78	26	24.2	2.21	26	17.7	1.62
MI: Metropolitan Detroit	222	304.5	9.56	77	101.2	5.32	19	29.6	3.20	16	20.9	2.39	16	24.1	2.80	18	20.4	2.22
Minnesota	287	336.7	9.57	82	91.9	4.79	24	34.7	3.27	19	18.2	2.00	25	34.0	3.21	25	20.6	2.06
Mississippi	49	354.3	23.80	15	96.6	11.47	7	62.5	10.90	2	11.8	4.39	4	28.3	7.02	4	22.5	5.19
Missouri	165	324.4	11.83	59	110.2	6.67	15	34.4	4.12	9	16.8	2.54	15	32.3	3.95	11	18.1	2.51

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Uterus Corpus & Uterus, NOS[3]			Colon & Rectum			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Montana	16	346.7	40.01	6	128.4	23.51	2	43.2	14.64	-	-	-	-	-	-	-	-	-
Nebraska	45	291.7	20.82	12	74.5	9.98	3	26.1	6.60	2	16.1	5.02	3	23.8	6.33	6	26.8	5.51
New Hampshire	44	315.1	23.20	16	101.2	11.97	5	44.9	9.40	4	29.8	6.77	3	26.5	7.70	3	17.0	4.39
New Jersey	1,257	328.3	4.25	483	121.1	2.51	83	24.2	1.22	87	22.2	1.08	94	26.8	1.27	107	23.7	1.04
New Mexico	69	336.4	18.36	20	95.6	9.56	8	45.1	7.05	5	24.6	4.85	4	22.7	4.93	5	22.1	4.38
New York	3,162	386.3	3.11	961	114.9	1.67	305	39.8	1.03	215	26.2	0.80	252	32.1	0.91	356	38.7	0.93
North Carolina	328	305.3	8.10	109	92.1	4.17	32	36.1	3.01	20	17.6	1.86	27	27.1	2.52	28	19.0	1.71
North Dakota	12	381.5	60.11	3	83.3	23.17	-	-	-	-	-	-	-	-	-	3	52.4	21.57
Ohio	278	273.6	7.67	96	89.8	4.24	29	34.0	2.91	21	19.9	1.99	19	20.7	2.18	24	19.2	1.82
Oklahoma	134	381.5	15.57	40	105.1	7.66	14	44.1	5.50	9	24.6	3.86	14	47.4	6.07	7	16.0	3.11
Oregon	320	349.2	8.96	98	101.9	4.72	33	40.1	3.20	19	19.8	2.06	30	35.0	2.91	28	25.2	2.19
Pennsylvania	578	326.2	6.32	172	92.2	3.24	52	34.3	2.18	37	20.7	1.55	56	33.7	2.10	61	27.5	1.65
Rhode Island	47	340.8	23.18	14	99.5	11.95	4	32.8	7.50	3	24.8	6.25	5	36.9	7.98	4	22.5	5.37
South Carolina	109	303.4	13.60	33	84.7	6.87	11	33.1	4.67	8	21.0	3.35	12	35.6	4.86	6	14.2	2.64
South Dakota	12	331.5	48.16	4	99.0	24.22	1	40.9	18.03	-	-	-	2	52.9	19.19	-	-	-
Tennessee	138	274.9	11.19	46	89.3	6.18	14	30.0	3.86	9	18.3	2.77	12	23.5	3.30	11	16.6	2.50
Texas	1,570	286.6	3.41	520	88.1	1.79	136	28.9	1.16	96	17.0	0.80	133	26.5	1.08	130	19.4	0.80
Utah	148	389.3	15.05	43	107.0	7.60	9	29.5	4.41	18	43.5	4.74	14	42.0	5.18	11	21.6	3.09
Vermont	10	251.4	38.35	4	102.9	24.46	-	-	-	-	-	-	-	-	-	1	22.3	9.73
Virginia	719	284.2	4.91	243	92.2	2.72	62	27.9	1.64	48	18.0	1.19	53	22.7	1.44	100	33.1	1.52
Washington	1,140	355.4	4.78	374	113.2	2.65	112	38.0	1.62	81	24.8	1.24	90	29.3	1.40	74	20.0	1.06
WA: Seattle/Puget Sound	1,078	373.7	5.17	353	118.8	2.86	104	39.2	1.73	77	26.4	1.35	86	31.1	1.52	70	21.1	1.15
West Virginia	20	259.6	26.98	8	104.7	16.76	2	26.2	8.46	-	-	-	-	-	-	1	16.3	6.34
Wisconsin	173	360.7	13.11	45	89.3	6.29	21	53.3	5.37	14	26.2	3.36	16	35.4	4.21	13	18.1	2.53
Wyoming	8	341.2	54.85	3	106.6	29.84	1	66.8	25.87	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR U.S. Combined Incidence 2013-2017,
The American Indian/Alaskan Native PRCDA Counties Population

UNITED STATES

III-43 Combined Incidence – American Indian/Alaskan Native

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR United States Combined, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	3,198	397.6	3.44	471.3	4.01	3,572	367.6	2.87	430.3	3.31
Oral Cavity & Pharynx	126	13.7	0.59	16.9	0.70	54	5.5	0.35	6.6	0.41
Lip	5	0.7	0.16	0.8	0.19	2	0.2	0.07	0.2	0.08
Tongue	29	3.2	0.29	4.0	0.35	16	1.5	0.17	1.8	0.21
Major salivary gland	9	1.1	0.17	1.2	0.19	7	0.8	0.13	0.9	0.15
Floor of mouth	8	0.8	0.12	1.0	0.16	4	0.4	0.10	0.5	0.11
Gum & other mouth	11	1.1	0.17	1.3	0.19	9	1.0	0.16	1.2	0.18
Nasopharynx	12	1.2	0.16	1.5	0.20	5	0.5	0.11	0.6	0.13
Oropharynx	7	0.8	0.14	1.0	0.17	1	0.1	0.05	0.2	0.07
Hypopharynx	10	1.1	0.18	1.4	0.21	3	0.3	0.09	0.4	0.11
Digestive System	907	111.3	1.81	133.8	2.12	718	76.6	1.34	90.9	1.56
Esophagus	61	7.6	0.47	9.1	0.55	20	2.0	0.21	2.4	0.25
Stomach	86	11.3	0.60	13.3	0.69	63	6.8	0.40	7.8	0.46
Small intestine	15	1.8	0.23	2.2	0.26	14	1.4	0.18	1.6	0.20
Colon excl. rectum	245	31.4	0.99	37.2	1.15	261	28.3	0.82	33.4	0.95
Rectum & rectosigmoid	142	16.4	0.67	19.7	0.79	106	10.8	0.49	12.7	0.56
Anus, anal canal & anorectum	10	1.0	0.15	1.3	0.19	13	1.3	0.16	1.6	0.20
Liver	194	21.2	0.73	26.7	0.89	81	8.5	0.44	10.3	0.52
Gallbladder	10	1.5	0.24	1.8	0.27	25	2.7	0.25	3.2	0.30
Pancreas	102	13.4	0.65	16.1	0.77	91	10.1	0.50	12.0	0.58
Respiratory System	475	64.8	1.45	76.5	1.67	453	49.6	1.09	58.8	1.26
Larynx	41	4.9	0.37	6.0	0.44	12	1.2	0.16	1.5	0.19
Lung & bronchus	425	58.8	1.39	69.3	1.60	436	47.8	1.07	56.7	1.24
Bones & Joints	11	1.0	0.15	1.1	0.16	10	0.9	0.14	1.0	0.14
Soft Tissue (incl. heart)	31	3.5	0.32	3.9	0.36	25	2.4	0.23	2.7	0.26
Skin (excl. basal & sq.)	85	10.8	0.57	12.5	0.66	69	7.1	0.40	8.0	0.44
Melanomas of the skin	74	9.5	0.54	11.1	0.62	58	6.0	0.36	6.7	0.40
Breast (excl. *in situ*)	3	0.4	0.12	0.5	0.14	945	94.6	1.43	111.8	1.66
Female Genital System	-	-	-	-	-	470	45.9	0.98	53.4	1.13
Cervix uteri	-	-	-	-	-	90	8.8	0.42	9.4	0.45
Uterus Corpus	-	-	-	-	-	234	22.4	0.68	26.7	0.79
Uterus, NOS[1]	-	-	-	-	-	10	1.0	0.15	1.2	0.17
Ovary	-	-	-	-	-	101	10.2	0.47	11.9	0.54
Male Genital System	605	73.6	1.46	88.4	1.72	-	-	-	-	-
Prostate	532	67.3	1.42	81.8	1.68	-	-	-	-	-
Testis	65	5.4	0.31	5.3	0.31	-	-	-	-	-
Penis	7	0.8	0.15	1.0	0.18	-	-	-	-	-
Urinary System	404	51.1	1.24	60.4	1.44	224	23.0	0.72	27.2	0.83
Bladder (incl. *in situ*)	129	19.1	0.82	22.3	0.95	45	5.1	0.36	6.0	0.41
Kidney & renal pelvis	270	31.2	0.92	37.2	1.07	177	17.6	0.62	20.7	0.72
Ureter	2	0.4	0.12	0.4	0.13	2	0.2	0.08	0.3	0.09
Eye & Orbit	4	0.5	0.13	0.6	0.14	5	0.4	0.09	0.5	0.10
Brain & Other CNS[1]	49	5.1	0.36	5.6	0.40	35	3.2	0.26	3.6	0.28
Brain	47	4.8	0.35	5.3	0.39	32	3.0	0.25	3.3	0.27
Endocrine System	48	5.1	0.35	5.7	0.39	173	16.2	0.57	17.8	0.62
Thyroid gland	42	4.4	0.33	5.0	0.37	167	15.6	0.56	17.1	0.61
Lymphomas	136	16.4	0.69	18.9	0.79	135	14.3	0.58	16.4	0.66
Hodgkin Lymphoma	15	1.5	0.18	1.6	0.20	14	1.3	0.16	1.4	0.17
Non-Hodgkin Lymphoma	120	14.9	0.67	17.3	0.77	121	13.0	0.55	15.1	0.63
Multiple Myeloma	59	8.1	0.52	9.6	0.60	53	5.8	0.37	6.7	0.43
Leukemias	111	12.8	0.61	14.4	0.69	80	7.8	0.41	8.6	0.46
Acute lymphocytic	23	1.8	0.18	1.7	0.17	19	1.5	0.16	1.5	0.16
Chronic lymphocytic	25	3.5	0.35	4.1	0.40	11	1.1	0.16	1.4	0.19
Acute myeloid	32	3.9	0.34	4.4	0.38	25	2.6	0.24	2.9	0.27
Chronic myeloid	18	2.1	0.24	2.4	0.28	13	1.3	0.17	1.5	0.19
Other leukemias	13	1.6	0.22	1.8	0.25	12	1.2	0.17	1.4	0.20
Mesothelioma	7	1.2	0.21	1.4	0.25	3	0.4	0.10	0.5	0.11
Kaposi Sarcoma	5	0.5	0.11	0.6	0.13	-	-	-	-	-
Ill-defined & Unknown	131	17.7	0.76	20.7	0.88	119	13.6	0.58	15.8	0.67
Selected tumors (non-invasive)										
Brain & Other CNS[1](non-malig)	61	7.2	0.46	8.2	0.52	136	14.0	0.56	15.9	0.63
Breast (*in situ*)	1	0.2	0.06	0.2	0.07	177	17.2	0.59	20.6	0.70

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Statistics exclude data for MN for all years, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.

\- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

[2] Abbreviations: NOS - Not Otherwise Specified; CNS - Cetnral Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[4]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**3,198**	**397.6**	**3.44**	**532**	**67.3**	**1.42**	**425**	**58.8**	**1.39**	**387**	**47.8**	**1.19**	**270**	**31.2**	**0.92**	**206**	**22.7**	**0.76**
Alabama	10	216.5	33.32	2	37.6	14.29	2	39.5	14.13	2	38.3	14.58	-	-	-	-	-	-
Alaska	221	514.9	17.15	22	56.2	6.00	38	99.4	7.89	38	87.4	6.96	16	33.0	4.03	8	15.8	2.74
Arizona	356	292.6	7.54	55	51.7	3.36	20	20.0	2.12	43	34.3	2.51	48	36.8	2.52	31	22.6	1.94
Arkansas	310	239.3	6.67	55	42.1	2.76	39	35.1	2.73	28	22.6	2.12	18	12.2	1.41	28	18.5	1.68
California	315	243.5	6.73	57	43.2	2.79	39	35.4	2.74	28	23.0	2.13	18	12.2	1.41	28	18.9	1.71
CA: Greater California	6	198.8	41.01	-	-	-	1	55.3	24.03	-	-	-	-	-	-	-	-	-
Colorado	11	145.8	21.34	2	34.1	12.18	2	23.5	8.40	-	-	-	-	-	-	-	-	-
Connecticut	19	189.1	20.84	4	45.0	10.28	1	15.5	6.26	2	18.7	6.42	2	16.7	5.62	-	-	-
Florida	20	347.2	37.52	4	70.7	17.07	2	37.4	13.21	2	42.6	13.68	2	37.5	13.89	2	34.4	10.69
Idaho	2	137.5	41.49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Indiana	8	670.8	127.38	1	101.6	42.77	1	103.0	43.10	1	131.3	57.21	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	4	242.9	53.75	1	62.9	27.05	-	-	-	-	-	-	-	-	-	-	-	-
Maine	14	570.1	80.23	3	126.0	32.83	3	117.3	31.86	1	85.4	47.50	-	-	-	-	-	-
Massachusetts	8	100.4	16.88	2	21.4	7.23	1	19.9	8.37	-	-	-	-	-	-	-	-	-
Michigan	100	524.0	25.62	15	76.2	9.64	22	117.1	12.25	12	65.5	9.02	7	34.5	6.19	4	19.6	4.46
Minnesota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	14	568.2	79.68	2	66.0	27.32	-	-	-	2	80.9	29.87	1	50.4	20.34	2	70.8	26.94
Montana	106	548.0	26.76	23	109.8	11.39	14	78.0	10.38	14	77.7	10.63	10	50.3	8.02	4	21.1	4.91
Nebraska	20	389.2	45.69	3	45.7	13.55	2	50.6	21.16	2	45.6	14.98	2	24.5	8.21	3	54.3	14.08
New Mexico	235	314.8	9.82	37	53.0	4.18	11	18.9	2.65	37	47.2	3.70	29	36.8	3.20	20	24.1	2.55
New York	63	360.4	21.63	16	87.3	10.30	9	57.9	9.41	5	26.2	5.74	5	31.2	6.50	4	18.9	4.23
North Carolina	33	408.6	35.04	5	66.6	14.10	4	63.8	14.99	5	56.1	12.12	3	34.6	10.41	3	29.5	8.66
North Dakota	54	588.2	40.25	9	96.0	16.06	10	127.1	19.83	8	88.3	15.58	4	40.2	9.62	3	28.3	8.66
Oklahoma	912	626.3	10.02	152	102.6	4.00	151	110.9	4.33	108	74.0	3.45	74	47.8	2.65	44	26.9	1.91
Oregon	115	370.7	17.05	16	48.1	5.90	22	76.4	8.11	12	37.8	5.32	7	22.5	4.04	9	21.8	3.42
Pennsylvania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhode Island	2	408.0	130.69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[4]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
South Carolina	17	138.2	17.17	5	40.2	9.59	2	22.6	7.43	1	10.5	4.87	-	-	-	-	-	-
South Dakota	96	515.0	26.30	22	111.8	11.54	14	97.2	13.08	11	59.0	8.49	8	40.2	7.07	7	34.1	6.39
Texas	10	247.6	37.84	4	110.6	25.30	-	-	-	-	-	-	-	-	-	-	-	-
Utah	19	275.5	30.02	3	55.4	14.03	-	-	-	2	32.6	10.05	1	17.0	6.53	2	23.0	7.99
Virginia	3	142.5	38.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	240	466.5	15.58	37	71.3	5.83	28	59.8	5.74	25	47.6	4.95	13	23.0	3.08	20	34.0	3.95
WA: Seattle/Puget Sound	171	538.0	21.69	30	95.4	8.93	20	68.8	7.94	17	51.3	6.48	8	24.5	4.35	15	41.5	5.63
Wisconsin	93	637.4	35.16	20	131.6	14.88	11	85.0	13.10	11	74.7	12.02	6	36.7	7.09	4	27.3	7.88
Wyoming	16	633.1	84.48	3	117.1	33.88	1	83.6	35.79	3	103.5	35.70	2	39.4	14.07	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Statistics exclude data for MN for all years, see Technical Notes. KS statistics are included in the U.S. combined, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. PRCDA – Indian Health Services Purchased/Referred Care Delivery Areas (See Appendix G)
4. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[4]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**3,198**	**471.3**	**4.01**	**532**	**81.8**	**1.68**	**425**	**69.3**	**1.60**	**387**	**56.9**	**1.39**	**270**	**37.2**	**1.07**	**206**	**28.5**	**0.93**
Alabama	10	259.2	38.94	2	45.2	16.91	2	48.8	16.63	2	45.9	17.08	-	-	-	-	-	-
Alaska	221	604.2	19.79	22	67.7	7.06	38	117.1	9.07	38	103.6	8.07	16	39.0	4.69	8	19.0	3.25
Arizona	356	344.1	8.75	55	61.2	3.90	20	23.1	2.41	43	40.7	2.94	48	43.3	2.94	31	28.3	2.37
Arkansas	310	285.9	7.79	55	51.7	3.28	39	41.5	3.16	28	27.1	2.49	18	14.9	1.69	28	23.2	2.03
California	315	291.0	7.87	57	53.1	3.32	39	41.8	3.17	28	27.6	2.51	18	14.9	1.69	28	23.6	2.07
CA: Greater California	6	227.5	46.21	-	-	-	1	59.4	25.27	-	-	-	-	-	-	-	-	-
Colorado	11	172.5	24.77	2	40.3	14.06	2	28.7	9.80	-	-	-	-	-	-	-	-	-
Connecticut	19	228.4	24.61	4	55.6	12.32	1	18.1	7.01	2	25.9	8.60	2	19.3	6.52	-	-	-
Florida	20	412.7	43.86	4	85.1	20.18	2	42.4	14.78	2	53.4	16.46	2	42.4	15.92	2	45.4	13.62
Idaho	2	164.1	49.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Indiana	8	827.5	152.16	1	120.7	48.24	1	127.0	49.97	1	159.3	67.49	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	4	280.5	60.62	1	77.3	32.45	-	-	-	-	-	-	-	-	-	-	-	-
Maine	14	700.6	95.86	3	154.9	39.03	3	153.8	39.85	1	99.6	56.37	-	-	-	-	-	-
Massachusetts	8	126.4	20.96	2	29.5	9.88	1	22.3	9.17	-	-	-	-	-	-	-	-	-
Michigan	100	627.6	29.89	15	92.9	11.28	22	141.2	14.37	12	74.5	10.08	7	41.2	7.15	4	25.6	5.61
Minnesota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	14	673.5	92.68	2	85.5	34.37	-	-	-	2	94.1	34.48	1	59.4	24.02	2	82.3	29.98
Montana	106	650.1	30.92	23	136.4	13.73	14	91.5	11.72	14	90.9	12.17	10	59.8	9.36	4	25.2	5.57
Nebraska	20	480.1	54.29	3	58.8	16.72	2	61.5	25.14	2	54.2	17.07	2	33.7	11.41	3	71.7	17.95
New Mexico	235	366.6	11.31	37	63.5	4.89	11	21.4	3.00	37	55.9	4.30	29	43.7	3.74	20	29.6	3.05
New York	63	431.6	25.41	16	107.8	12.32	9	67.3	10.80	5	30.8	6.69	5	36.7	7.49	4	24.8	5.48
North Carolina	33	488.5	41.15	5	83.2	17.18	4	74.7	17.26	5	68.8	14.78	3	41.8	12.53	3	35.7	10.10
North Dakota	54	707.8	47.39	9	120.1	19.51	10	152.6	23.21	8	106.2	18.39	4	47.1	11.03	3	34.1	10.10
Oklahoma	912	742.4	11.71	152	125.4	4.77	151	130.4	4.99	108	88.5	4.06	74	57.3	3.14	44	33.9	2.35
Oregon	115	443.6	19.94	16	58.9	6.92	22	92.5	9.58	12	45.2	6.18	7	26.2	4.64	9	28.8	4.43
Pennsylvania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhode Island	2	502.6	158.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[4]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
South Carolina	17	168.2	20.32	5	49.6	11.59	2	27.1	8.57	1	12.8	5.77	-	-	-	-	-	-
South Dakota	96	612.1	30.56	22	140.0	13.89	14	112.8	14.97	11	70.3	9.82	8	48.4	8.28	7	40.4	7.39
Texas	10	300.5	45.09	4	137.0	30.49	-	-	-	-	-	-	-	-	-	-	-	-
Utah	19	309.9	33.50	3	62.7	15.65	-	-	-	2	34.8	10.70	1	18.3	7.14	2	30.0	10.07
Virginia	3	180.2	47.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	240	552.8	18.12	37	85.5	6.74	28	71.2	6.62	25	55.3	5.73	13	27.5	3.59	20	43.2	4.84
WA: Seattle/Puget Sound	171	638.2	25.15	30	114.1	10.28	20	82.4	9.15	17	59.2	7.43	8	29.7	5.07	15	52.3	6.86
Wisconsin	93	763.0	41.37	20	161.9	17.64	11	99.6	15.17	11	90.2	14.30	6	45.1	8.43	4	34.7	9.61
Wyoming	16	729.0	95.29	3	138.9	38.66	1	90.9	38.42	3	126.8	41.82	2	50.8	18.02	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Statistics exclude data for MN for all years, see Technical Notes. KS statistics are included in the U.S. combined, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. PRCDA – Indian Health Services Purchased/Referred Care Delivery Areas (See Appendix G)
4. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[4]			Kidney & Renal Pelvis		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**3,572**	**367.6**	**2.87**	**945**	**94.6**	**1.43**	**436**	**47.8**	**1.07**	**367**	**39.0**	**0.95**	**244**	**23.4**	**0.69**	**177**	**17.6**	**0.62**
Alabama	7	166.1	30.15	2	60.1	18.98	1	28.2	10.91	-	-	-	-	-	-	-	-	-
Alaska	257	513.4	14.96	68	132.4	7.46	35	73.0	5.78	44	94.5	6.65	9	17.0	2.57	11	19.6	2.75
Arizona	419	269.9	6.09	91	57.7	2.77	23	16.6	1.58	34	23.0	1.81	43	26.0	1.80	31	19.1	1.59
Arkansas	337	223.3	5.72	87	54.9	2.75	39	27.7	2.09	33	22.5	1.84	28	17.7	1.56	18	11.7	1.29
California	343	227.5	5.77	88	55.9	2.78	40	27.9	2.09	34	22.8	1.85	29	18.2	1.59	18	12.1	1.32
CA: Greater California	9	304.9	48.48	2	89.7	27.40	-	-	-	1	35.9	15.87	1	35.5	15.54	-	-	-
Colorado	13	132.4	17.08	4	46.8	10.36	2	20.5	6.65	-	-	-	-	-	-	-	-	-
Connecticut	22	198.3	19.57	8	68.3	11.40	2	18.0	6.16	3	24.1	6.93	2	16.6	5.60	-	-	-
Florida	29	464.7	41.20	9	138.2	21.57	5	88.8	18.66	3	50.8	15.05	2	24.1	8.81	1	19.9	8.49
Idaho	2	136.7	44.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Indiana	11	598.7	85.50	2	144.8	45.57	-	-	-	2	109.8	40.60	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	5	209.2	44.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maine	16	562.5	67.40	6	192.2	37.40	3	112.8	30.12	-	-	-	-	-	-	-	-	-
Massachusetts	10	143.6	21.50	4	52.1	12.49	1	23.7	9.19	-	-	-	-	-	-	-	-	-
Michigan	102	482.2	22.46	24	109.1	10.36	26	128.3	11.89	8	37.0	6.12	6	25.0	4.90	3	17.1	4.33
Minnesota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	17	523.6	62.09	2	53.0	16.82	-	-	-	4	111.4	26.28	1	52.4	22.81	1	39.1	14.85
Montana	118	509.8	22.19	32	134.6	11.19	17	87.9	10.06	13	55.0	7.20	8	32.4	5.26	7	30.2	5.30
Nebraska	23	371.0	39.58	7	92.6	16.88	3	68.2	18.93	3	63.1	19.86	-	-	-	2	23.0	7.30
New Mexico	293	293.0	7.82	70	68.3	3.73	9	10.3	1.53	34	35.0	2.73	30	28.5	2.38	14	14.4	1.74
New York	65	313.1	17.71	16	78.2	8.91	10	50.1	7.15	7	32.6	5.62	3	15.8	3.91	2	11.2	3.29
North Carolina	36	375.6	29.34	9	100.4	15.16	7	73.8	13.43	4	41.8	9.65	2	17.0	5.40	2	18.8	6.51
North Dakota	59	523.2	32.59	15	127.0	15.54	11	112.5	16.04	6	54.2	10.55	3	25.7	6.37	3	24.6	6.17
Oklahoma	958	548.4	8.17	272	153.2	4.26	133	77.7	3.12	93	54.2	2.60	54	29.5	1.85	47	26.1	1.76
Oregon	131	379.8	15.95	34	92.2	7.46	21	66.1	7.03	9	29.2	4.52	10	25.2	3.69	4	13.4	3.09
Pennsylvania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhode Island	3	505.2	127.38	1	162.0	67.39	-	-	-	-	-	-	-	-	-	-	-	-

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[4]			Kidney & Renal Pelvis		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
South Carolina	18	142.0	15.35	5	45.3	9.05	2	16.8	5.50	2	14.7	5.12	1	9.5	3.67	-	-	-
South Dakota	104	439.4	20.19	28	111.3	9.75	18	78.8	8.79	12	50.5	6.89	5	18.9	3.99	5	19.9	4.10
Texas	7	158.5	27.13	1	26.7	11.24	-	-	-	-	-	-	-	-	-	-	-	-
Utah	19	220.4	23.52	4	41.3	9.62	-	-	-	3	30.5	8.73	-	-	-	-	-	-
Virginia	3	128.6	33.89	1	60.7	23.31	-	-	-	-	-	-	-	-	-	-	-	-
Washington	276	454.0	13.14	82	131.3	6.92	33	60.5	5.06	26	45.7	4.33	17	24.0	2.71	10	14.1	2.15
WA: Seattle/Puget Sound	192	503.3	17.69	58	150.4	9.51	23	69.3	7.02	18	50.3	5.80	10	22.5	3.27	6	13.8	2.64
Wisconsin	108	599.1	27.07	29	153.3	13.36	17	102.9	11.61	11	58.7	8.47	7	37.7	6.66	4	24.1	5.43
Wyoming	17	442.6	49.74	6	134.0	25.91	2	63.7	20.03	2	49.5	16.21	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Statistics exclude data for MN for all years, see Technical Notes. KS statistics are included in the U.S. combined, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. PRCDA – Indian Health Services Purchased/Referred Care Delivery Areas (See Appendix G)
4. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[4]			Kidney & Renal Pelvis		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**3,572**	**430.3**	**3.31**	**945**	**111.8**	**1.66**	**436**	**56.7**	**1.24**	**367**	**46.1**	**1.10**	**244**	**27.8**	**0.81**	**177**	**20.7**	**0.72**
Alabama	7	193.2	34.21	2	69.7	21.56	1	35.6	13.62	-	-	-	-	-	-	-	-	-
Alaska	257	602.8	17.25	68	156.5	8.63	35	86.7	6.69	44	109.3	7.58	9	20.9	3.09	11	23.5	3.26
Arizona	419	315.2	7.06	91	68.2	3.24	23	19.6	1.84	34	27.3	2.12	43	30.1	2.08	31	22.6	1.87
Arkansas	337	263.6	6.63	87	65.6	3.22	39	33.4	2.44	33	26.7	2.14	28	21.0	1.82	18	13.4	1.46
California	343	268.4	6.70	88	66.8	3.26	40	33.6	2.45	34	27.1	2.15	29	21.6	1.85	18	13.9	1.49
CA: Greater California	9	352.0	55.08	2	100.5	30.24	-	-	-	1	45.4	19.75	1	43.2	18.31	-	-	-
Colorado	13	160.6	20.52	4	57.1	12.55	2	26.2	8.35	-	-	-	-	-	-	-	-	-
Connecticut	22	223.6	21.80	8	78.9	12.95	2	20.5	6.92	3	29.1	8.25	2	17.7	5.90	-	-	-
Florida	29	536.8	47.18	9	162.4	24.84	5	99.2	20.66	3	62.4	18.28	2	26.1	9.39	1	23.2	9.94
Idaho	2	169.6	53.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Indiana	11	731.0	104.20	2	172.2	54.19	-	-	-	2	123.8	45.60	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	5	266.4	55.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maine	16	662.4	77.98	6	226.6	43.16	3	138.9	35.96	-	-	-	-	-	-	-	-	-
Massachusetts	10	168.3	24.56	4	62.3	14.55	1	26.7	10.21	-	-	-	-	-	-	-	-	-
Michigan	102	568.5	25.96	24	131.1	12.16	26	151.2	13.70	8	42.3	6.88	6	29.1	5.58	3	19.7	4.93
Minnesota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	17	623.0	73.88	2	68.9	21.87	-	-	-	4	130.3	30.91	1	59.4	26.63	1	46.4	17.90
Montana	118	592.7	25.40	32	160.3	13.07	17	102.8	11.59	13	66.2	8.44	8	39.2	6.24	7	33.5	5.81
Nebraska	23	438.4	45.45	7	113.6	20.47	3	79.2	21.02	3	73.2	22.32	-	-	-	2	27.6	9.01
New Mexico	293	341.6	9.03	70	81.0	4.35	9	12.0	1.76	34	41.5	3.20	30	33.3	2.75	14	16.7	1.99
New York	65	367.5	20.59	16	89.3	10.09	10	60.6	8.54	7	39.9	6.78	3	18.8	4.59	2	13.5	3.89
North Carolina	36	445.2	34.36	9	114.8	17.13	7	90.4	16.07	4	48.1	10.95	2	21.5	6.87	2	22.2	7.67
North Dakota	59	619.6	38.00	15	149.2	17.98	11	132.9	18.58	6	63.7	12.19	3	32.5	7.94	3	32.1	7.95
Oklahoma	958	639.3	9.42	272	179.7	4.93	133	92.7	3.65	93	64.1	3.04	54	34.9	2.15	47	30.7	2.04
Oregon	131	446.6	18.35	34	110.1	8.69	21	77.8	8.01	9	33.5	5.14	10	31.4	4.53	4	16.0	3.62
Pennsylvania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rhode Island	3	554.6	137.52	1	195.5	81.28	-	-	-	-	-	-	-	-	-	-	-	-

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[4]			Kidney & Renal Pelvis		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
South Carolina	18	164.1	17.56	5	51.5	10.21	2	19.2	6.24	2	16.6	5.77	1	11.1	4.21	-	-	-
South Dakota	104	514.7	23.34	28	133.3	11.49	18	93.6	10.23	12	59.8	8.02	5	21.9	4.60	5	23.7	4.82
Texas	7	179.0	30.65	1	33.1	13.54	-	-	-	-	-	-	-	-	-	-	-	-
Utah	19	247.6	26.55	4	46.6	10.92	-	-	-	3	35.3	10.11	-	-	-	-	-	-
Virginia	3	154.7	40.19	1	69.5	26.36	-	-	-	-	-	-	-	-	-	-	-	-
Washington	276	530.2	15.06	82	154.5	8.00	33	69.9	5.72	26	52.8	4.90	17	29.8	3.29	10	17.0	2.52
WA: Seattle/Puget Sound	192	587.1	20.31	58	175.8	10.96	23	79.9	7.90	18	57.7	6.53	10	28.0	3.95	6	16.3	3.05
Wisconsin	108	701.4	31.07	29	181.1	15.49	17	119.3	13.17	11	71.3	10.04	7	46.3	8.00	4	28.6	6.35
Wyoming	17	509.3	56.29	6	161.4	30.71	2	73.6	22.51	2	59.9	19.08	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Statistics exclude data for MN for all years, see Technical Notes. KS statistics are included in the U.S. combined, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. PRCDA – Indian Health Services Purchased/Referred Care Delivery Areas (See Appendix G)
4. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-Adjusted Incidence Rates*
Most Frequent Cancer Sites by IHS[1] Region, NAACCR U.S. Combined Selected PRCDA[1] Counties
2013-2017, American Indian/Alaskan Native, Males

	U.S. (PRCDA Counties)					Northern Plains				
Cancer site or type	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*
All Sites		3,198	397.6	390.9 - 404.4	3.44		496	539.7	516.0 - 564.1	12.21
Prostate	1	532	67.3	64.5 - 70.1	1.42	1	96	100.1	90.5 - 110.4	5.04
Lung & Bronchus	2	425	58.8	56.1 - 61.6	1.39	2	76	94.0	83.7 - 105.1	5.40
Colon & Rectum	3	387	47.8	45.5 - 50.2	1.19	3	63	69.1	60.8 - 78.1	4.37
Kidney & Renal Pelvis	4	270	31.2	29.4 - 33.1	0.92	4	39	39.7	33.8 - 46.2	3.11
Liver and Intrahepatic Bile Duct	5	206	22.7	21.3 - 24.3	0.76	5	26	25.7	21.0 - 31.1	2.52
Urinary Bladder	6	129	19.1	17.5 - 20.7	0.82	8	18	23.1	18.0 - 29.1	2.80
Oral Cavity & Pharynx	7	126	13.7	12.6 - 14.9	0.59	7	19	17.5	13.8 - 21.9	2.01
Non-Hodgkin Lymphoma	8	120	14.9	13.7 - 16.3	0.67	6	20	23.3	18.3 - 29.0	2.68
Leukemia	9	111	12.8	11.7 - 14.1	0.61	9	16	16.2	12.4 - 20.7	2.07
Pancreas	10	102	13.4	12.2 - 14.8	0.65	10	15	16.2	12.4 - 20.7	2.08
Stomach	11	86	11.3	10.2 - 12.5	0.60	11	12	14.2	10.5 - 18.7	2.06
Melanoma of the Skin	12	74	9.5	8.5 - 10.6	0.54	16	7	9.3	6.1 - 13.4	1.83
Testis	13	65	5.4	4.8 - 6.0	0.31	15	8	5.5	3.8 - 7.7	0.92
Esophagus	14	61	7.6	6.7 - 8.5	0.47	12	10	10.5	7.5 - 14.1	1.62
Myeloma	15	59	8.1	7.2 - 9.2	0.52	13	9	10.9	7.5 - 15.0	1.85
Brain & Other Nervous System	16	49	5.1	4.4 - 5.8	0.36	17	7	6.1	4.0 - 8.8	1.16
Thyroid	17	42	4.4	3.8 - 5.1	0.33	18	6	4.6	3.0 - 6.7	0.87
Larynx	18	41	4.9	4.2 - 5.7	0.37	14	9	8.5	6.0 - 11.6	1.37

	Alaska					Southern Plains				
Cancer site or type	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*
All Sites		221	514.9	481.9 - 549.5	17.15		932	615.8	596.9 - 635.1	9.73
Prostate	3	22	56.2	45.0 - 69.0	6.00	1	157	102.3	94.8 - 110.2	3.92
Lung & Bronchus	1	38	99.4	84.6 - 115.9	7.89	2	152	108.0	100.0 - 116.5	4.19
Colon & Rectum	2	38	87.4	74.3 - 102.1	6.96	3	110	72.9	66.5 - 79.8	3.36
Kidney & Renal Pelvis	4	16	33.0	25.6 - 41.9	4.03	4	76	47.4	42.5 - 52.8	2.59
Liver and Intrahepatic Bile Duct	10	8	15.8	10.9 - 22.1	2.74	5	46	27.0	23.4 - 30.9	1.88
Urinary Bladder	8	8	21.9	15.1 - 30.5	3.80	6	42	33.3	28.6 - 38.4	2.48
Oral Cavity & Pharynx	6	10	18.1	13.3 - 24.2	2.66	7	38	22.9	19.5 - 26.6	1.77
Non-Hodgkin Lymphoma	12	6	14.5	9.3 - 21.2	2.92	8	35	24.2	20.5 - 28.4	2.00
Leukemia	9	8	15.6	10.6 - 22.1	2.81	10	31	19.3	16.0 - 22.9	1.72
Pancreas	7	9	21.7	15.2 - 29.9	3.65	11	24	15.6	12.8 - 18.9	1.53
Stomach	5	12	27.0	20.4 - 35.0	3.62	14	16	11.8	9.2 - 15.0	1.45
Melanoma of the Skin	19	2	4.8	2.1 - 9.1	1.67	9	32	21.1	17.8 - 24.8	1.76
Testis	13	4	5.6	3.3 - 9.0	1.32	17	14	6.8	5.3 - 8.7	0.83
Esophagus	11	6	14.7	9.6 - 21.3	2.86	12	16	9.9	7.7 - 12.5	1.19
Myeloma	17	2	6.6	3.0 - 12.1	2.20	15	16	11.5	8.9 - 14.5	1.41
Brain & Other Nervous System	15	3	4.9	2.7 - 8.3	1.29	13	16	8.8	6.8 - 11.1	1.08
Thyroid	14	4	7.7	4.3 - 12.4	1.93	18	11	6.9	5.1 - 9.1	0.98
Larynx	16	3	9.7	5.3 - 16.0	2.64	16	15	8.9	6.9 - 11.3	1.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. The rates are based on cases and populations included in the combined incidence for the United States excluding MN, see Technical Notes.

[1] Abbreviations: IHS - Indian Health Services; PRCDA – Purchased/Referred Care Delivery Area

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-Adjusted Incidence Rates*
Most Frequent Cancer Sites by IHS[1] Region, NAACCR U.S. Combined Selected PRCDA[1] Counties
2013-2017, American Indian/Alaskan Native, Males

	Pacific Coast					East				
Cancer site or type	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*
All Sites		685	313.0	301.5 - 324.8	5.92		198	260.2	243.0 - 278.2	8.91
Prostate	1	112	50.7	46.2 - 55.5	2.35	1	43	55.3	47.7 - 63.7	4.02
Lung & Bronchus	2	91	46.9	42.2 - 51.8	2.43	2	27	39.9	33.0 - 47.8	3.69
Colon & Rectum	3	67	31.2	27.6 - 35.1	1.89	3	20	26.1	20.9 - 32.2	2.83
Kidney & Renal Pelvis	5	40	16.9	14.4 - 19.6	1.30	4	14	18.0	13.8 - 23.0	2.27
Liver and Intrahepatic Bile Duct	4	59	22.9	20.2 - 25.9	1.44	5	12	14.5	10.9 - 18.9	1.97
Urinary Bladder	6	36	19.7	16.6 - 23.0	1.62	7	9	14.2	10.2 - 19.3	2.26
Oral Cavity & Pharynx	7	30	11.7	9.8 - 13.9	1.03	6	11	12.6	9.2 - 16.8	1.85
Non-Hodgkin Lymphoma	8	29	12.6	10.5 - 15.1	1.15	9	6	6.9	4.5 - 10.2	1.39
Leukemia	10	25	10.6	8.6 - 12.8	1.04	8	8	12.1	8.4 - 16.8	2.06
Pancreas	9	27	13.2	10.9 - 15.9	1.27	10	5	7.4	4.7 - 11.0	1.54
Stomach	13	14	6.5	4.9 - 8.5	0.90	11	5	6.5	4.1 - 9.8	1.36
Melanoma of the Skin	11	19	8.2	6.5 - 10.3	0.95	12	3	4.1	2.2 - 6.7	1.08
Testis	12	16	4.9	3.8 - 6.1	0.56	14	3	3.0	1.7 - 5.0	0.76
Esophagus	14	14	6.3	4.8 - 8.2	0.84	13	3	4.2	2.4 - 6.8	1.05
Myeloma	16	11	5.4	3.9 - 7.2	0.80	15	3	3.4	1.8 - 6.0	0.99
Brain & Other Nervous System	15	12	4.8	3.6 - 6.4	0.70	18	2	2.3	1.0 - 4.3	0.75
Thyroid	18	7	3.1	2.1 - 4.4	0.57	16	2	2.5	1.3 - 4.6	0.77
Larynx	17	8	3.6	2.5 - 5.0	0.61	17	2	3.1	1.4 - 5.6	0.99

	Southwest				
Cancer site or type	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*
All Sites		666	296.8	285.9 - 308.1	5.65
Prostate	1	102	51.4	46.7 - 56.5	2.47
Lung & Bronchus	5	40	20.6	17.5 - 23.9	1.61
Colon & Rectum	2	89	38.5	34.7 - 42.6	1.99
Kidney & Renal Pelvis	3	85	35.5	31.9 - 39.3	1.85
Liver and Intrahepatic Bile Duct	4	56	22.5	19.7 - 25.5	1.44
Urinary Bladder	13	15	8.2	6.3 - 10.4	1.02
Oral Cavity & Pharynx	12	19	7.5	6.0 - 9.3	0.83
Non-Hodgkin Lymphoma	7	24	10.4	8.5 - 12.5	1.01
Leukemia	8	23	8.7	7.0 - 10.7	0.93
Pancreas	9	22	11.3	9.1 - 13.8	1.18
Stomach	6	27	12.9	10.6 - 15.5	1.21
Melanoma of the Skin	16	11	5.7	4.2 - 7.5	0.82
Testis	10	20	5.6	4.5 - 6.9	0.59
Esophagus	14	12	5.8	4.3 - 7.6	0.82
Myeloma	11	19	9.4	7.4 - 11.6	1.04
Brain & Other Nervous System	18	9	3.4	2.4 - 4.7	0.56
Thyroid	15	11	4.1	3.1 - 5.4	0.57
Larynx	20	4	1.7	1.0 - 2.7	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. The rates are based on cases and populations included in the combined incidence for the United States excluding MN, see Technical Notes.

[1] Abbreviations: IHS - Indian Health Services; PRCDA – Purchased/Referred Care Delivery Area

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-Adjusted Incidence Rates*
Most Frequent Cancer Sites by IHS[1] Region, NAACCR U.S. Combined Selected PRCDA[1] Counties
2013-2017, American Indian/Alaskan Native, Females

	U.S. (PRCDA Counties)					Northern Plains				
Cancer site or type	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*
All Sites		3,572	367.6	362.0 - 373.2	2.87		545	490.4	471.2 - 510.2	9.91
Breast	1	945	94.6	91.8 - 97.4	1.43	1	143	122.5	113.3 - 132.3	4.79
Lung & Bronchus	2	436	47.8	45.7 - 49.9	1.07	2	96	95.7	86.9 - 105.1	4.60
Colon & Rectum	3	367	39.0	37.2 - 41.0	0.95	3	56	51.1	45.0 - 57.7	3.22
Corpus & Uterus, NOS	4	244	23.4	22.1 - 24.8	0.69	4	32	26.3	22.2 - 30.8	2.17
Kidney & Renal Pelvis	5	177	17.6	16.4 - 18.8	0.62	5	26	22.6	18.7 - 27.0	2.07
Thyroid	6	167	15.6	14.5 - 16.7	0.56	6	17	14.0	11.1 - 17.4	1.56
Non-Hodgkin Lymphoma	7	121	13.0	11.9 - 14.1	0.55	7	15	14.3	11.1 - 18.1	1.74
Ovary	8	101	10.2	9.3 - 11.1	0.47	10	12	11.4	8.6 - 14.8	1.53
Pancreas	9	91	10.1	9.2 - 11.2	0.50	9	13	12.5	9.5 - 16.0	1.64
Cervix Uteri	10	90	8.8	8.0 - 9.6	0.42	8	14	11.7	9.0 - 14.8	1.44
Liver and Intrahepatic Bile Duct	11	89	9.3	8.4 - 10.3	0.46	13	10	8.9	6.5 - 11.9	1.33
Leukemia	12	80	7.8	7.0 - 8.6	0.41	11	11	9.7	7.2 - 12.7	1.38
Stomach	13	63	6.8	6.0 - 7.6	0.40	15	8	7.2	5.0 - 10.0	1.22
Melanoma of the Skin	14	58	6.0	5.3 - 6.7	0.36	18	5	3.9	2.5 - 5.8	0.79
Oral Cavity & Pharynx	15	54	5.5	4.8 - 6.2	0.35	12	10	9.5	7.0 - 12.6	1.39
Myeloma	16	53	5.8	5.1 - 6.6	0.37	17	6	5.8	3.8 - 8.4	1.12
Urinary Bladder	17	45	5.1	4.4 - 5.8	0.36	14	8	8.5	5.9 - 11.6	1.41
Esophagus	21	20	2.0	1.6 - 2.4	0.21	21	3	3.0	1.7 - 4.8	0.76

	Alaska					Southern Plains				
Cancer site or type	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*
All Sites		257	513.4	484.5 - 543.5	14.96		980	540.2	524.7 - 556.0	7.96
Breast	1	68	132.4	118.2 - 147.8	7.46	1	278	150.7	142.7 - 159.0	4.15
Lung & Bronchus	3	35	73.0	62.1 - 85.1	5.78	2	134	75.7	69.9 - 81.9	3.02
Colon & Rectum	2	44	94.5	81.9 - 108.4	6.65	3	96	53.8	49.0 - 59.1	2.55
Corpus & Uterus, NOS	6	9	17.0	12.3 - 22.8	2.57	4	55	29.4	25.9 - 33.1	1.81
Kidney & Renal Pelvis	5	11	19.6	14.5 - 25.7	2.75	5	48	25.7	22.4 - 29.2	1.71
Thyroid	4	11	21.4	16.0 - 28.0	2.94	6	43	22.4	19.5 - 25.7	1.56
Non-Hodgkin Lymphoma	9	6	12.1	8.1 - 17.4	2.27	7	32	18.5	15.6 - 21.6	1.50
Ovary	14	4	7.0	4.2 - 10.9	1.60	8	28	15.2	12.7 - 18.0	1.32
Pancreas	7	6	13.7	9.2 - 19.5	2.54	10	25	14.6	12.0 - 17.5	1.36
Cervix Uteri	11	6	12.1	7.9 - 17.4	2.32	9	25	13.4	11.1 - 16.0	1.23
Liver and Intrahepatic Bile Duct	12	6	10.4	6.8 - 15.1	2.01	12	20	11.1	9.0 - 13.6	1.15
Leukemia	13	4	7.4	4.5 - 11.5	1.68	11	24	13.0	10.7 - 15.6	1.23
Stomach	8	6	12.8	8.6 - 18.2	2.35	14	13	7.1	5.5 - 9.1	0.91
Melanoma of the Skin	16	3	5.4	3.0 - 9.0	1.40	13	19	11.2	9.0 - 13.7	1.18
Oral Cavity & Pharynx	10	6	11.7	7.8 - 17.0	2.24	15	13	7.2	5.5 - 9.2	0.92
Myeloma	19	2	3.8	1.7 - 7.2	1.31	17	12	7.1	5.4 - 9.2	0.94
Urinary Bladder	17	3	6.6	3.5 - 11.1	1.84	16	12	7.0	5.3 - 9.0	0.92
Esophagus	15	3	6.4	3.6 - 10.4	1.63	23	4	2.5	1.5 - 3.9	0.56

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. The rates are based on cases and populations included in the combined incidence for the United States excluding MN, see Technical Notes.

[1] Abbreviations: IHS - Indian Health Services; PRCDA – Purchased/Referred Care Delivery Area

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-Adjusted Incidence Rates*
Most Frequent Cancer Sites by IHS[1] Region, NAACCR U.S. Combined Selected PRCDA[1] Counties
2013-2017, American Indian/Alaskan Native, Females

	Pacific Coast					East				
Cancer site or type	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*
All Sites		773	305.1	295.0 - 315.4	5.19		214	248.5	233.4 - 264.3	7.84
Breast	1	211	80.2	75.2 - 85.4	2.59	1	60	70.0	62.1 - 78.7	4.17
Lung & Bronchus	2	98	42.2	38.4 - 46.4	2.02	2	31	37.2	31.3 - 43.7	3.10
Colon & Rectum	3	71	29.5	26.4 - 32.9	1.66	3	23	26.7	22.0 - 32.2	2.55
Corpus & Uterus, NOS	4	57	20.5	18.1 - 23.1	1.27	4	11	12.4	9.3 - 16.2	1.68
Kidney & Renal Pelvis	6	33	12.7	10.7 - 14.9	1.04	5	10	11.1	8.1 - 14.8	1.65
Thyroid	5	35	12.2	10.4 - 14.2	0.96	6	8	8.9	6.4 - 12.0	1.38
Non-Hodgkin Lymphoma	7	28	12.0	10.0 - 14.3	1.08	7	8	8.5	5.9 - 11.7	1.42
Ovary	11	20	7.5	6.0 - 9.2	0.80	9	5	5.7	3.6 - 8.5	1.19
Pancreas	10	21	9.1	7.4 - 11.1	0.94	11	4	5.4	3.3 - 8.3	1.21
Cervix Uteri	8	22	7.9	6.4 - 9.5	0.77	10	5	5.1	3.2 - 7.7	1.08
Liver and Intrahepatic Bile Duct	9	22	8.5	6.9 - 10.3	0.87	12	4	5.1	3.1 - 7.9	1.17
Leukemia	12	15	5.9	4.5 - 7.4	0.71	13	4	4.1	2.4 - 6.5	0.97
Stomach	17	9	3.9	2.7 - 5.2	0.62	8	5	6.2	4.0 - 9.1	1.26
Melanoma of the Skin	13	15	5.6	4.3 - 7.1	0.68	14	4	4.3	2.6 - 6.7	0.99
Oral Cavity & Pharynx	14	13	5.2	3.9 - 6.6	0.68	15	3	4.2	2.4 - 6.8	1.04
Myeloma	16	11	4.8	3.5 - 6.3	0.69	16	3	4.6	2.7 - 7.4	1.14
Urinary Bladder	15	12	5.6	4.2 - 7.3	0.77	18	2	3.1	1.5 - 5.4	0.92
Esophagus	19	5	1.6	1.0 - 2.5	0.35	-	-	-	-	-

	Southwest				
Cancer site or type	*Rank*	*Avg. Annual Cases*	*Rate*	*95% CI*	*S.E.*
All Sites		805	277.2	268.3 - 286.3	4.57
Breast	1	185	62.0	57.9 - 66.3	2.13
Lung & Bronchus	6	42	15.2	13.1 - 17.5	1.12
Colon & Rectum	3	78	27.6	24.8 - 30.7	1.47
Corpus & Uterus, NOS	2	79	25.8	23.3 - 28.6	1.34
Kidney & Renal Pelvis	5	49	16.5	14.4 - 18.8	1.10
Thyroid	4	52	16.3	14.3 - 18.5	1.05
Non-Hodgkin Lymphoma	8	32	11.4	9.7 - 13.5	0.95
Ovary	7	32	10.8	9.2 - 12.7	0.89
Pancreas	11	21	8.1	6.5 - 9.8	0.82
Cervix Uteri	13	19	6.2	4.9 - 7.6	0.66
Liver and Intrahepatic Bile Duct	9	27	10.0	8.3 - 11.9	0.90
Leukemia	12	21	6.7	5.4 - 8.1	0.69
Stomach	10	22	8.1	6.6 - 9.8	0.81
Melanoma of the Skin	15	12	4.3	3.3 - 5.6	0.58
Oral Cavity & Pharynx	18	8	2.5	1.8 - 3.5	0.43
Myeloma	14	19	6.6	5.3 - 8.2	0.72
Urinary Bladder	20	7	2.6	1.8 - 3.6	0.46
Esophagus	28	3	1.0	0.5 - 1.7	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. The rates are based on cases and populations included in the combined incidence for the United States excluding MN, see Technical Notes.

[1] Abbreviations: IHS - Indian Health Services; PRCDA – Purchased/Referred Care Delivery Area

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

NAACCR United States Combined Incidence 2013-2017, Hispanic/Latino, All Races Combined

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR United States Combined, 2013-2017, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
SITES	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 US.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	69,709	373.5	0.68	441.6	0.79	77,265	333.0	0.55	388.3	0.64
Oral Cavity & Pharynx	2,118	10.8	0.11	13.1	0.13	961	4.2	0.06	5.0	0.07
Lip	80	0.4	0.02	0.5	0.03	40	0.2	0.01	0.2	0.02
Tongue	572	2.9	0.06	3.5	0.07	284	1.3	0.03	1.5	0.04
Major salivary gland	206	1.1	0.04	1.3	0.04	197	0.8	0.03	0.9	0.03
Floor of mouth	86	0.4	0.02	0.5	0.03	30	0.1	0.01	0.2	0.01
Gum & other mouth	254	1.4	0.04	1.6	0.05	192	0.9	0.03	1.0	0.03
Nasopharynx	117	0.5	0.02	0.6	0.03	48	0.2	0.01	0.2	0.01
Oropharynx	125	0.6	0.03	0.8	0.03	32	0.1	0.01	0.2	0.01
Hypopharynx	144	0.8	0.03	1.0	0.04	24	0.1	0.01	0.1	0.01
Digestive System	18,048	97.4	0.35	116.8	0.41	14,150	64.6	0.25	76.4	0.29
Esophagus	854	4.8	0.08	5.8	0.09	221	1.1	0.03	1.2	0.04
Stomach	2,113	11.8	0.12	13.8	0.14	1,684	7.6	0.08	8.8	0.10
Small intestine	390	2.1	0.05	2.4	0.06	352	1.6	0.04	1.9	0.05
Colon excl. rectum	5,011	27.7	0.19	32.8	0.22	4,739	21.6	0.14	25.4	0.17
Rectum & rectosigmoid	2,729	13.7	0.13	16.6	0.15	1,811	7.8	0.08	9.3	0.10
Anus, anal canal & anorectum	209	1.0	0.03	1.2	0.04	362	1.6	0.04	2.0	0.05
Liver	3,512	17.9	0.14	22.3	0.17	1,349	6.3	0.08	7.5	0.09
Gallbladder	193	1.1	0.04	1.3	0.05	491	2.3	0.05	2.7	0.06
Pancreas	2,081	11.9	0.12	14.2	0.15	2,115	10.1	0.10	11.9	0.12
Respiratory System	6,681	40.8	0.24	47.9	0.27	5,020	23.9	0.15	28.2	0.18
Larynx	825	4.6	0.08	5.5	0.09	134	0.6	0.02	0.7	0.03
Lung & bronchus	5,631	35.2	0.22	41.2	0.25	4,766	22.8	0.15	26.9	0.18
Bones & Joints	295	1.1	0.03	1.1	0.03	220	0.8	0.02	0.8	0.03
Soft Tissue (incl. heart)	771	3.5	0.06	3.8	0.07	672	2.7	0.05	2.9	0.05
Skin (excl. basal & sq.)	1,116	6.1	0.09	7.1	0.10	1,242	5.2	0.07	6.0	0.08
Melanomas of the skin	914	4.9	0.08	5.8	0.09	1,039	4.4	0.06	5.0	0.07
Breast (excl. *in situ*)	151	0.8	0.03	1.0	0.04	22,270	94.5	0.29	111.4	0.34
Female Genital System	-	-	-	-	-	11,381	47.1	0.20	55.3	0.24
Cervix uteri	-	-	-	-	-	2,469	9.7	0.09	10.6	0.10
Uterus Corpus	-	-	-	-	-	5,544	23.0	0.14	27.8	0.17
Uterus, NOS[1]	-	-	-	-	-	246	1.1	0.03	1.3	0.04
Ovary	-	-	-	-	-	2,340	9.8	0.09	11.5	0.11
Male Genital System	18,460	98.5	0.34	118.8	0.41	-	-	-	-	-
Prostate	16,486	91.8	0.34	111.8	0.40	-	-	-	-	-
Testis	1,664	5.1	0.06	5.0	0.06	-	-	-	-	-
Penis	275	1.5	0.04	1.8	0.05	-	-	-	-	-
Urinary System	7,163	40.0	0.23	47.1	0.26	3,807	16.9	0.13	19.9	0.15
Bladder (incl. *in situ*)	2,871	18.4	0.16	21.4	0.19	996	4.8	0.07	5.6	0.08
Kidney & renal pelvis	4,169	20.8	0.15	24.8	0.18	2,727	11.7	0.10	13.8	0.12
Ureter	73	0.5	0.03	0.6	0.03	53	0.3	0.02	0.3	0.02
Eye & Orbit	140	0.6	0.03	0.7	0.03	120	0.4	0.02	0.5	0.02
Brain & Other CNS[1]	1,329	5.7	0.08	6.2	0.09	1,140	4.4	0.06	4.8	0.07
Brain	1,235	5.3	0.07	5.9	0.08	1,039	4.1	0.06	4.5	0.07
Endocrine System	1,616	6.8	0.08	7.7	0.09	6,096	23.2	0.14	25.6	0.15
Thyroid gland	1,439	6.2	0.08	7.0	0.09	5,949	22.7	0.13	25.0	0.15
Lymphomas	4,466	22.3	0.16	25.7	0.19	3,963	17.2	0.13	19.9	0.15
Hodgkin Lymphoma	685	2.7	0.05	2.9	0.05	569	2.1	0.04	2.2	0.04
Non-Hodgkin Lymphoma	3,782	19.7	0.15	22.8	0.18	3,394	15.1	0.12	17.7	0.14
Multiple Myeloma	1,385	7.9	0.10	9.3	0.12	1,192	5.5	0.07	6.6	0.09
Leukemias	2,905	13.4	0.12	14.7	0.14	2,336	9.4	0.09	10.4	0.10
Acute lymphocytic	860	2.7	0.04	2.5	0.04	633	2.0	0.04	1.9	0.04
Chronic lymphocytic	498	3.0	0.06	3.5	0.07	386	1.8	0.04	2.2	0.05
Acute myeloid	793	4.0	0.07	4.5	0.08	737	3.1	0.05	3.5	0.06
Chronic myeloid	432	2.0	0.05	2.3	0.05	320	1.3	0.03	1.5	0.04
Other leukemias	322	1.7	0.05	1.9	0.05	259	1.1	0.03	1.3	0.04
Mesothelioma	174	1.1	0.04	1.3	0.04	66	0.3	0.02	0.4	0.02
Kaposi Sarcoma	253	1.1	0.03	1.2	0.04	25	0.1	0.01	0.1	0.01
Ill-defined & Unknown	2,640	15.7	0.15	18.2	0.17	2,603	12.2	0.11	14.1	0.13
Selected tumors (non-invasive)										
Brain & Other CNS[1](non-malig)	1,470	6.9	0.09	7.8	0.10	3,181	13.6	0.11	15.6	0.13
Breast (*in situ*)	14	0.1	0.01	0.1	0.01	5,262	22.0	0.14	26.2	0.16

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as Hispanic and therefore is only included in the Hispanic/Latino All Races category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males
{Page 1 of 4}

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**69,709**	**373.5**	**0.68**	**16,486**	**91.8**	**0.34**	**7,740**	**41.4**	**0.22**	**5,631**	**35.2**	**0.22**	**4,169**	**20.8**	**0.15**	**3,782**	**19.7**	**0.15**
Alabama	112	239.3	11.93	25	59.6	5.85	11	26.9	4.07	8	21.3	3.82	6	12.0	2.44	6	11.2	2.49
Alaska	36	345.1	32.14	6	57.0	13.32	4	33.3	8.03	4	42.6	11.75	3	33.9	10.69	2	18.0	6.70
Arizona	2,015	333.8	3.63	387	65.9	1.60	245	41.7	1.29	170	34.3	1.25	157	24.0	0.92	98	15.5	0.77
Arkansas	155	338.7	14.98	35	92.3	7.91	17	29.3	3.87	17	43.2	5.46	10	20.0	3.55	7	18.8	3.90
California	15,732	350.3	1.36	3,460	81.4	0.66	1,751	38.2	0.44	1,072	29.9	0.43	1,092	22.7	0.33	914	20.1	0.33
CA: Greater California	8,507	358.6	1.90	1,846	83.2	0.93	940	38.8	0.61	575	30.4	0.60	620	24.4	0.47	484	20.4	0.46
CA: Greater Bay Area	2,050	365.9	3.96	448	83.7	1.90	213	36.7	1.23	151	34.6	1.33	131	22.1	0.94	120	20.7	0.93
CA: Los Angeles	5,175	331.9	2.24	1,166	77.7	1.08	598	37.7	0.75	346	27.5	0.70	341	20.5	0.54	310	19.3	0.53
Colorado	1,221	364.1	5.11	229	71.5	2.27	148	44.0	1.76	103	37.7	1.77	90	24.6	1.25	58	16.8	1.09
Connecticut	697	462.0	8.78	153	103.5	4.08	74	48.4	2.85	68	53.8	3.18	31	18.2	1.62	38	23.6	1.97
Delaware	83	427.7	23.97	21	117.6	12.49	9	37.9	6.45	5	32.9	7.03	3	13.9	4.39	5	25.0	5.89
District of Columbia	59	304.7	21.35	11	68.1	10.46	6	28.6	6.12	4	23.9	6.03	2	6.7	2.92	4	24.3	6.37
Florida	8,947	426.1	2.05	2,041	96.8	0.97	906	43.2	0.65	1,014	51.0	0.73	404	18.6	0.42	554	25.9	0.50
Georgia	746	396.8	8.12	160	96.4	3.94	75	37.5	2.41	59	41.3	2.82	43	21.6	1.84	47	19.9	1.72
Hawaii	171	557.0	21.94	30	96.9	8.75	16	52.9	6.83	26	107.6	10.43	9	27.7	4.57	10	33.0	5.23
Idaho	158	347.4	14.52	29	71.8	6.72	17	34.4	4.33	14	38.9	5.20	12	24.7	3.78	11	21.1	3.46
Illinois	2,183	364.4	3.94	499	87.7	1.92	231	38.3	1.27	155	32.6	1.28	154	23.4	0.95	125	20.1	0.92
Indiana	325	315.6	9.12	62	67.2	4.22	36	35.2	3.03	28	33.9	3.20	27	24.3	2.45	19	16.1	1.94
Iowa	121	306.1	15.08	23	68.0	7.25	13	38.4	5.52	7	25.3	4.91	8	19.0	3.60	7	19.0	3.92
Kansas	283	361.7	11.05	61	89.1	5.58	31	42.3	3.82	17	29.3	3.47	23	27.7	2.88	13	16.4	2.32
Kentucky	95	258.8	14.11	17	55.0	6.63	11	30.5	4.86	10	32.4	5.14	6	11.9	2.47	5	12.7	3.18
Louisiana	250	333.9	10.14	66	96.0	5.55	25	30.8	2.96	21	30.6	3.15	17	23.2	2.68	12	13.9	1.95
Maine	17	280.4	32.98	3	56.6	14.49	2	23.9	9.12	2	28.9	10.68	-	-	-	1	21.2	9.19
Maryland	312	230.8	7.07	74	62.3	3.68	32	21.0	2.03	18	19.5	2.27	13	8.6	1.27	23	14.7	1.67
Massachusetts	716	356.4	6.73	189	97.0	3.44	63	32.0	2.05	63	38.0	2.37	36	16.0	1.31	42	20.0	1.60
Michigan	437	341.7	8.11	88	72.0	3.71	43	32.9	2.49	38	35.6	2.78	31	23.1	2.07	29	23.7	2.19
MI: Metropolitan Detroit	215	475.4	15.97	47	103.4	7.29	20	44.2	4.92	22	56.4	5.82	12	25.9	3.68	16	37.0	4.59
Minnesota	238	437.4	15.72	43	95.3	7.45	22	40.7	4.82	21	50.2	5.62	16	24.4	3.32	15	28.2	4.03
Mississippi	56	224.9	15.41	13	69.9	9.19	8	28.0	5.00	6	26.6	5.41	2	8.5	2.81	3	9.4	2.98

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males
{Page 2 of 4}

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.*[3]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	170	271.0	10.46	31	54.7	4.78	19	29.9	3.43	17	33.4	3.96	13	18.4	2.52	9	16.1	2.77
Montana	39	412.2	32.81	8	86.1	14.42	5	53.6	11.67	2	25.9	8.89	4	39.4	9.97	2	22.6	8.13
Nebraska	152	353.3	15.35	30	82.0	7.52	16	37.4	5.00	12	36.3	5.27	11	21.4	3.39	9	23.2	4.14
New Hampshire	41	349.1	27.93	10	90.4	13.81	4	31.1	7.89	4	39.2	9.70	1	11.4	4.64	2	20.6	7.39
New Jersey	2,395	426.7	4.24	670	121.8	2.25	241	42.8	1.34	188	38.7	1.35	123	19.5	0.85	143	24.6	1.01
New Mexico	1,478	352.2	4.22	306	71.3	1.88	172	41.0	1.44	136	35.4	1.40	90	20.5	0.99	66	15.8	0.89
New York	5,628	442.9	2.80	1,533	120.5	1.44	538	43.2	0.88	506	44.6	0.93	249	18.2	0.54	300	23.0	0.63
North Carolina	454	250.7	6.72	93	62.0	3.30	43	24.0	2.06	33	27.4	2.49	26	15.1	1.70	29	14.0	1.54
North Dakota	12	262.3	46.15	2	65.2	23.11	2	37.8	15.72	-	-	-	1	20.1	7.67	-	-	-
Ohio	326	305.2	8.38	73	72.8	4.13	35	33.0	2.77	33	37.6	3.15	21	16.6	1.78	19	17.2	1.96
Oklahoma	272	327.8	10.67	45	63.9	4.83	33	38.1	3.48	24	37.8	3.91	21	25.4	2.91	13	15.7	2.34
Oregon	392	343.9	9.35	78	78.5	4.45	43	36.0	2.94	29	34.2	3.26	25	19.9	2.14	24	18.8	2.12
Pennsylvania	868	391.6	6.73	196	92.8	3.25	84	38.1	2.09	83	44.9	2.43	51	20.8	1.46	46	19.4	1.45
Puerto Rico*	7,556	409.4	2.15	2,783	142.5	1.22	936	51.0	0.76	439	23.6	0.51	218	12.1	0.38	299	17.2	0.45
Rhode Island	119	316.9	14.74	29	86.0	7.82	12	31.1	4.61	12	36.6	5.10	6	14.9	3.02	5	11.3	2.61
South Carolina	153	246.5	10.71	37	75.0	6.18	17	23.0	2.93	10	18.9	3.15	9	14.5	2.53	9	15.4	2.78
South Dakota	17	290.3	39.11	3	71.0	20.90	2	26.9	10.70	-	-	-	1	14.5	6.99	2	30.7	14.03
Tennessee	218	294.8	10.87	42	72.8	5.67	17	23.8	3.15	21	34.9	3.90	14	18.3	2.72	11	9.8	1.56
Texas	11,816	369.9	1.66	2,274	76.2	0.76	1,473	45.6	0.57	948	36.0	0.56	932	27.3	0.43	608	18.6	0.37
Utah	336	382.9	10.95	74	92.2	5.29	35	39.6	3.48	19	31.6	3.52	23	25.9	2.76	24	27.2	2.95
Vermont	7	180.6	34.32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	436	261.8	6.98	101	67.7	3.52	40	23.7	2.08	33	28.3	2.53	26	14.4	1.57	28	15.9	1.71
Washington	654	350.2	7.42	122	76.2	3.52	68	34.7	2.25	52	36.6	2.58	41	19.8	1.64	37	19.4	1.74
WA: Seattle/Puget Sound	409	438.5	12.06	75	90.3	5.41	41	42.1	3.67	33	46.5	4.27	26	23.7	2.55	23	23.2	2.71
West Virginia	24	276.3	26.98	6	80.9	15.03	3	29.7	8.35	2	30.2	9.27	2	21.5	7.42	1	9.8	4.02
Wisconsin	294	357.8	11.13	61	79.4	5.13	25	28.7	3.04	24	40.2	4.10	24	25.0	2.69	15	16.3	2.36
Wyoming	56	305.0	19.81	13	73.6	9.76	8	46.5	7.70	4	31.1	6.96	3	16.0	4.37	2	12.7	4.27

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latino, All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males
{Page 3 of 4}

	Liver & IBD[3]			Leukemia			Bladder			Oral Cavity & Pharynx			Stomach			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**3,775**	**19.3**	**0.15**	**2,905**	**13.4**	**0.12**	**2,871**	**18.4**	**0.16**	**2,118**	**10.8**	**0.11**	**2,113**	**11.8**	**0.12**	**2,081**	**11.9**	**0.12**
Alabama	4	8.8	2.14	7	12.8	2.89	4	13.6	3.28	4	8.6	2.12	4	6.4	1.61	3	6.5	2.03
Alaska	2	17.6	6.70	2	19.5	8.43	2	31.4	11.85	-	-	-	2	16.8	6.22	1	10.7	5.19
Arizona	133	20.3	0.84	84	10.6	0.60	90	18.4	0.92	46	7.6	0.53	66	12.1	0.72	64	11.3	0.68
Arkansas	5	7.0	1.49	9	14.9	3.25	6	18.8	3.93	4	9.8	2.51	4	10.8	2.92	4	10.9	3.05
California	941	20.0	0.31	693	12.4	0.24	614	16.9	0.32	407	8.5	0.20	538	12.4	0.26	494	12.1	0.26
CA: Greater California	550	21.6	0.44	378	12.5	0.33	326	17.0	0.45	214	8.5	0.28	262	11.7	0.35	272	12.6	0.37
CA: Greater Bay Area	123	21.0	0.91	91	13.6	0.73	93	20.3	1.00	55	9.1	0.60	68	12.6	0.74	63	12.7	0.77
CA: Los Angeles	267	17.2	0.51	224	11.8	0.39	195	15.5	0.52	138	8.3	0.34	208	13.6	0.46	159	11.1	0.42
Colorado	90	25.2	1.28	46	11.1	0.84	51	18.3	1.23	35	9.9	0.81	40	13.2	1.02	39	12.8	0.99
Connecticut	48	29.5	2.06	25	14.2	1.50	35	29.8	2.47	24	14.9	1.50	24	16.7	1.70	16	11.3	1.38
Delaware	5	27.2	6.22	5	21.2	5.14	4	29.2	7.15	3	12.6	3.86	2	14.7	4.54	2	13.7	4.85
District of Columbia	1	8.4	3.64	4	16.4	4.43	1	11.0	4.86	2	10.8	3.77	3	17.8	5.01	2	16.7	6.01
Florida	286	13.1	0.35	388	18.1	0.42	456	23.6	0.50	335	15.2	0.38	203	9.7	0.31	278	13.6	0.37
Georgia	29	15.4	1.55	45	18.1	1.71	29	23.7	2.25	19	8.6	1.08	20	10.6	1.35	20	11.7	1.40
Hawaii	9	33.4	5.67	7	20.3	3.94	10	36.6	5.85	6	17.6	3.59	3	14.6	3.90	7	18.4	3.38
Idaho	8	17.0	2.91	9	14.9	2.74	7	19.7	3.81	3	6.7	1.92	3	5.8	1.63	5	15.2	3.32
Illinois	109	18.0	0.86	100	13.1	0.70	80	17.2	0.95	59	9.4	0.61	74	13.0	0.76	73	13.9	0.81
Indiana	15	15.7	2.02	16	11.6	1.70	12	16.4	2.32	9	6.9	1.23	11	12.0	1.85	11	11.4	1.76
Iowa	6	17.8	3.55	7	10.2	2.26	5	15.3	3.44	3	8.7	2.55	4	10.9	2.97	4	11.6	2.82
Kansas	13	15.2	2.05	15	14.1	2.08	12	20.0	2.86	7	8.1	1.56	9	11.5	1.96	7	10.0	1.86
Kentucky	4	12.7	3.22	5	11.7	2.98	4	13.8	3.42	2	5.5	2.10	3	6.8	2.26	3	11.2	3.07
Louisiana	12	14.6	2.03	9	11.3	1.85	9	16.1	2.45	9	10.2	1.67	7	9.2	1.65	6	8.5	1.68
Maine	-	-	-	-	-	-	2	41.5	13.68	-	-	-	-	-	-	-	-	-
Maryland	14	10.8	1.53	16	6.9	1.04	13	14.0	1.96	7	5.0	1.04	19	13.4	1.68	9	8.7	1.49
Massachusetts	39	19.0	1.49	23	9.8	1.10	32	18.5	1.64	26	13.2	1.28	29	15.7	1.47	18	10.2	1.22
Michigan	25	20.0	1.95	20	11.7	1.38	23	20.4	2.07	15	10.7	1.33	11	11.4	1.64	15	13.6	1.70
MI: Metropolitan Detroit	10	21.8	3.36	10	16.2	2.59	14	35.7	4.63	9	16.8	2.77	5	14.0	3.01	7	16.9	3.20
Minnesota	14	29.9	4.36	14	18.5	3.09	10	25.1	4.08	7	11.7	2.43	8	13.2	2.68	8	14.3	2.80
Mississippi	2	7.8	2.85	2	5.4	2.21	2	10.8	3.74	-	-	-	-	-	-	2	7.7	2.97

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males
{Page 4 of 4}

	Liver & IBD[3]			Leukemia			Bladder			Oral Cavity & Pharynx			Stomach			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	9	13.5	2.21	7	8.2	1.58	8	15.2	2.59	5	8.7	1.90	6	8.6	1.76	3	7.3	1.90
Montana	2	17.4	5.71	2	22.6	8.10	2	19.1	6.88	2	14.5	5.40	-	-	-	1	17.2	7.07
Nebraska	7	15.7	3.17	10	18.7	3.46	7	19.3	3.87	3	6.5	1.99	4	9.0	2.32	4	10.3	2.85
New Hampshire	2	14.3	5.29	1	8.3	3.96	2	17.8	7.30	-	-	-	2	16.8	6.65	-	-	-
New Jersey	90	15.3	0.78	98	15.7	0.78	119	26.0	1.14	70	11.5	0.66	78	14.2	0.78	66	13.1	0.78
New Mexico	107	23.8	1.05	59	13.7	0.83	65	16.9	0.96	42	9.9	0.70	44	11.1	0.77	56	13.6	0.84
New York	300	22.7	0.62	206	15.2	0.51	239	22.2	0.68	177	13.3	0.47	191	15.6	0.54	166	13.9	0.51
North Carolina	23	11.6	1.31	29	9.0	1.12	13	10.2	1.52	14	7.4	1.14	14	6.6	1.02	13	8.3	1.28
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	19	16.5	1.80	15	11.3	1.55	16	18.1	2.19	8	6.4	1.13	8	8.5	1.45	9	8.7	1.42
Oklahoma	13	13.2	1.83	14	12.0	1.96	12	22.3	3.24	9	10.4	1.85	6	6.9	1.47	9	11.1	1.94
Oregon	23	19.0	2.04	22	13.7	1.76	17	20.2	2.52	11	8.8	1.35	13	12.0	1.80	13	12.8	1.85
Pennsylvania	57	23.6	1.54	37	14.4	1.26	39	23.1	1.81	29	12.1	1.12	27	13.4	1.30	24	11.2	1.13
Puerto Rico*	252	13.3	0.38	203	11.9	0.38	303	16.6	0.43	297	16.2	0.43	177	9.8	0.33	178	9.7	0.33
Rhode Island	5	12.2	2.68	6	13.7	2.93	4	14.0	3.37	4	9.1	2.40	6	14.7	3.19	4	11.2	2.94
South Carolina	5	8.1	1.75	8	7.3	1.53	4	10.4	2.57	3	4.3	1.23	7	11.5	2.32	5	7.5	1.72
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	1	13.5	6.85	-	-	-
Tennessee	12	15.3	2.32	15	12.5	1.92	9	17.6	3.01	7	6.9	1.28	7	10.6	2.15	5	8.9	2.02
Texas	913	27.1	0.43	504	13.1	0.30	399	15.3	0.37	338	10.0	0.26	350	11.7	0.30	363	12.1	0.31
Utah	19	22.1	2.57	16	12.4	1.84	12	19.0	2.73	7	7.5	1.50	11	13.3	2.07	9	12.1	2.00
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	15	9.3	1.31	19	8.5	1.15	16	12.4	1.67	10	6.5	1.12	20	11.5	1.48	11	7.9	1.26
Washington	36	18.3	1.57	34	12.1	1.27	28	21.7	2.11	18	8.7	1.09	20	11.8	1.42	17	10.7	1.36
WA: Seattle/Puget Sound	22	21.8	2.43	21	15.2	2.01	19	29.6	3.54	13	12.4	1.85	12	13.9	2.18	10	12.9	2.16
West Virginia	1	12.9	5.62	1	13.6	5.60	1	18.9	7.77	-	-	-	-	-	-	-	-	-
Wisconsin	19	23.0	2.73	14	12.2	1.86	10	15.5	2.57	7	7.1	1.46	10	12.2	2.02	11	15.8	2.42
Wyoming	3	13.8	3.91	2	14.1	4.70	2	15.5	4.75	1	8.4	3.48	-	-	-	2	13.2	4.10

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as Hispanic and therefore is only included in the Hispanic/Latino All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females
{Page 1 of 4}

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus NOS[3]			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**77,265**	**333.0**	**0.55**	**22,270**	**94.5**	**0.29**	**6,551**	**29.4**	**0.17**	**5,949**	**22.7**	**0.13**	**5,789**	**24.1**	**0.14**	**4,766**	**22.8**	**0.15**
Alabama	113	223.1	10.36	31	57.4	4.88	12	26.3	3.73	6	9.3	1.80	8	16.6	2.91	8	21.6	3.55
Alaska	43	335.6	26.42	16	123.0	16.24	3	21.9	5.58	3	14.9	3.92	3	21.8	6.17	2	19.8	6.37
Arizona	2,391	319.6	3.05	703	91.9	1.60	183	26.2	0.90	188	20.8	0.70	174	21.8	0.76	160	25.4	0.93
Arkansas	171	346.5	14.00	46	90.8	6.84	13	33.6	4.73	17	20.2	2.40	12	22.8	3.40	14	39.0	5.24
California	18,390	324.7	1.11	5,414	92.9	0.58	1,527	28.0	0.33	1,274	19.3	0.25	1,415	23.9	0.29	1,015	20.9	0.30
CA: Greater California	9,752	332.2	1.57	2,895	95.7	0.82	792	28.1	0.46	710	20.3	0.35	703	22.9	0.40	565	23.0	0.45
CA: Greater Bay Area	2,353	336.5	3.21	700	97.4	1.69	196	29.3	0.97	141	16.9	0.65	177	24.4	0.85	139	22.8	0.89
CA: Los Angeles	6,286	310.1	1.80	1,819	87.4	0.94	538	27.4	0.54	424	18.6	0.41	536	25.3	0.50	311	17.5	0.45
Colorado	1,452	361.5	4.42	440	106.3	2.34	125	33.2	1.38	113	23.4	1.02	90	20.6	0.99	115	34.5	1.48
Connecticut	844	424.4	6.92	252	121.6	3.60	64	33.2	1.96	79	31.7	1.65	60	29.5	1.78	67	40.3	2.31
Delaware	90	380.2	19.55	25	105.8	10.33	8	42.6	7.20	9	27.2	4.15	8	33.6	5.60	5	25.6	5.24
District of Columbia	70	274.9	15.71	21	82.0	8.37	5	21.7	4.67	7	21.9	3.78	3	13.2	3.65	3	15.4	4.16
Florida	9,628	361.2	1.65	2,691	100.9	0.87	848	31.6	0.49	624	24.0	0.43	657	24.2	0.42	741	27.6	0.46
Georgia	890	376.5	6.46	269	108.2	3.32	70	33.9	2.04	79	22.9	1.28	54	22.5	1.52	53	30.6	2.02
Hawaii	208	541.1	18.10	65	160.8	9.42	18	50.4	5.66	11	23.1	3.41	14	34.3	4.36	24	76.3	7.35
Idaho	189	351.2	12.70	56	102.6	6.66	13	24.0	3.30	16	20.9	2.50	13	22.0	2.85	14	35.4	4.58
Illinois	2,448	348.3	3.36	713	97.0	1.71	189	29.0	1.00	202	22.8	0.75	205	26.8	0.87	140	24.2	0.96
Indiana	380	318.0	8.00	106	90.4	4.25	32	30.6	2.60	27	16.1	1.46	32	23.3	1.96	26	27.2	2.53
Iowa	122	264.9	12.06	34	70.3	5.82	9	21.0	3.52	12	19.9	2.80	10	19.4	3.01	7	22.9	4.09
Kansas	320	347.2	9.46	88	94.2	4.79	23	25.8	2.62	29	24.5	2.18	23	24.7	2.44	21	31.3	3.22
Kentucky	94	249.0	12.63	29	76.4	6.84	9	25.0	4.11	5	8.2	1.78	8	17.9	3.09	6	23.7	4.42
Louisiana	247	306.0	8.86	74	92.9	4.90	19	22.5	2.38	15	16.2	1.93	14	16.9	2.05	23	30.5	2.89
Maine	19	276.5	29.20	7	98.0	17.15	1	23.0	8.99	2	21.1	7.14	2	21.8	7.30	2	23.5	8.51
Maryland	403	227.1	5.52	123	66.8	2.90	28	17.6	1.60	35	15.1	1.22	30	15.8	1.38	22	15.6	1.58
Massachusetts	838	307.2	5.03	253	90.3	2.66	57	22.5	1.40	88	26.1	1.29	61	21.9	1.31	59	25.8	1.58
Michigan	443	293.6	6.57	117	74.1	3.19	35	24.3	1.93	26	14.0	1.29	36	22.8	1.76	41	31.9	2.33
MI: Metropolitan Detroit	249	444.8	13.26	71	123.4	6.83	19	36.5	3.91	17	23.6	2.69	18	30.1	3.27	22	46.5	4.59
Minnesota	278	428.8	13.35	71	101.4	6.07	23	40.0	4.22	21	21.4	2.39	21	29.6	3.24	16	36.4	4.38
Mississippi	49	200.9	13.82	12	48.8	6.67	2	12.0	3.82	3	9.0	2.41	4	13.0	3.14	5	28.8	5.83

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females
{Page 2 of 4}

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus NOS[3]			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	191	276.3	9.53	52	75.1	4.92	17	26.0	3.03	16	17.4	2.07	14	18.3	2.24	18	32.7	3.55
Montana	45	390.1	27.41	13	109.6	14.33	3	30.5	7.70	2	13.6	4.72	2	24.0	7.24	4	40.6	9.46
Nebraska	169	356.0	13.84	46	96.3	7.03	14	33.1	4.41	15	19.3	2.40	11	21.8	3.11	14	38.9	5.07
New Hampshire	44	290.8	21.08	15	92.1	11.33	2	12.6	4.29	5	29.2	6.03	3	17.4	5.14	4	34.4	8.10
New Jersey	2,707	377.2	3.34	806	109.5	1.77	220	32.4	1.01	222	26.8	0.81	193	25.7	0.85	182	28.3	0.96
New Mexico	1,675	348.5	3.86	501	103.6	2.10	155	31.9	1.16	117	24.7	1.04	107	21.8	0.96	125	26.8	1.09
New York	6,301	370.6	2.12	1,806	105.0	1.12	489	29.4	0.60	509	28.3	0.57	468	26.7	0.56	469	28.6	0.60
North Carolina	529	249.6	5.68	149	64.6	2.71	34	18.4	1.61	46	13.8	1.03	38	17.3	1.42	32	21.5	1.86
North Dakota	11	259.0	39.93	3	74.3	21.36	1	29.9	12.89	1	17.0	7.26	-	-	-	-	-	-
Ohio	325	255.3	6.64	84	65.9	3.33	27	22.2	1.99	24	15.6	1.46	27	20.6	1.84	27	24.6	2.18
Oklahoma	343	358.9	9.79	95	96.1	4.84	26	30.9	3.07	24	17.5	1.76	23	23.7	2.42	21	30.7	3.23
Oregon	479	361.3	8.36	136	99.2	4.20	36	28.9	2.37	40	20.7	1.61	38	26.4	2.08	33	34.7	2.94
Pennsylvania	961	343.4	5.30	260	92.2	2.70	71	27.1	1.53	91	25.6	1.26	78	27.5	1.46	63	26.7	1.59
Puerto Rico*	6,957	333.7	1.86	1,977	93.9	0.98	782	34.9	0.58	801	45.6	0.75	593	28.4	0.54	283	12.0	0.33
Rhode Island	153	296.9	11.48	45	83.4	5.84	11	22.6	3.19	13	19.9	2.54	12	24.6	3.41	10	26.4	3.82
South Carolina	146	203.9	8.51	45	58.6	4.32	14	22.3	2.95	9	10.0	1.71	6	9.6	1.87	8	13.3	2.32
South Dakota	19	314.5	37.06	5	68.1	15.77	2	25.7	10.60	1	17.1	7.34	-	-	-	2	43.4	15.65
Tennessee	239	299.3	9.93	65	78.1	4.85	13	17.4	2.44	15	13.2	1.70	15	17.9	2.25	19	33.5	3.69
Texas	12,849	324.3	1.32	3,646	90.0	0.68	1,075	28.3	0.40	821	18.0	0.29	1,000	23.7	0.34	665	19.4	0.35
Utah	421	376.5	9.12	125	109.5	4.77	33	31.8	2.70	46	30.2	2.13	29	24.2	2.17	23	26.7	2.68
Vermont	9	258.8	41.80	3	90.3	25.30	-	-	-	-	-	-	1	37.0	16.66	-	-	-
Virginia	639	278.3	5.52	191	79.6	2.83	51	24.6	1.71	69	21.5	1.24	37	16.1	1.29	39	22.0	1.71
Washington	792	356.0	6.41	235	101.9	3.27	58	27.8	1.84	62	19.3	1.22	52	23.3	1.59	53	32.1	2.12
WA: Seattle/Puget Sound	521	446.6	9.97	161	131.3	5.15	39	35.8	2.91	38	22.0	1.76	30	25.2	2.28	40	44.7	3.45
West Virginia	20	213.8	21.68	5	58.8	11.39	2	21.8	7.02	1	10.9	4.51	-	-	-	2	24.5	7.09
Wisconsin	301	310.3	8.88	81	82.7	4.48	22	24.9	2.64	25	18.4	1.80	27	26.9	2.48	20	25.6	2.76
Wyoming	59	319.0	19.44	14	78.6	9.59	6	35.5	6.72	3	13.6	3.56	4	21.0	4.59	5	36.1	7.37

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latino, All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS – Not Otherwise Specified; S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females
{Page 3 of 4}

	Non-Hodgkin Lymphoma			Kidney & Renal Pelvis			Cervix			Ovary			Leukemia			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.*[3]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**3,394**	**15.1**	**0.12**	**2,727**	**11.7**	**0.10**	**2,469**	**9.7**	**0.09**	**2,340**	**9.8**	**0.09**	**2,336**	**9.4**	**0.09**	**2,115**	**10.1**	**0.10**
Alabama	6	13.3	2.75	4	9.3	2.23	6	8.1	1.51	4	7.0	1.79	4	7.4	1.96	2	3.4	1.11
Alaska	2	18.0	6.06	-	-	-	-	-	-	2	14.3	5.81	2	11.1	4.36	-	-	-
Arizona	89	12.3	0.61	114	15.3	0.66	74	8.7	0.46	78	9.9	0.52	66	7.8	0.46	74	11.5	0.62
Arkansas	4	7.2	1.83	6	11.1	2.28	9	14.3	2.63	5	9.1	2.22	8	13.6	2.70	4	13.7	3.22
California	832	15.4	0.25	702	12.4	0.22	553	8.8	0.17	620	10.6	0.20	530	8.5	0.17	528	10.6	0.21
CA: Greater California	426	15.3	0.35	387	13.2	0.31	297	8.9	0.24	315	10.4	0.27	290	8.8	0.25	270	10.7	0.30
CA: Greater Bay Area	117	17.3	0.74	84	12.0	0.60	63	7.9	0.46	70	9.7	0.53	65	8.5	0.50	73	11.9	0.64
CA: Los Angeles	289	15.0	0.40	230	11.4	0.35	193	8.8	0.29	235	11.1	0.33	176	8.1	0.28	185	9.9	0.34
Colorado	50	13.3	0.88	66	16.3	0.93	41	8.7	0.63	39	9.2	0.69	40	8.8	0.67	38	10.7	0.80
Connecticut	39	20.9	1.57	25	12.0	1.14	22	9.3	0.93	19	9.1	1.00	23	10.8	1.08	22	12.2	1.25
Delaware	4	17.3	4.45	3	15.2	3.90	2	4.8	1.75	2	8.3	2.74	4	11.8	3.14	2	7.6	2.67
District of Columbia	4	18.1	4.18	1	5.8	2.32	3	10.2	2.61	2	6.6	2.39	1	4.4	1.94	1	6.0	2.63
Florida	516	19.4	0.38	246	9.2	0.26	247	9.4	0.27	273	10.2	0.28	348	13.3	0.32	270	10.1	0.28
Georgia	39	17.5	1.44	26	11.5	1.14	35	10.1	0.83	29	11.1	1.04	32	11.7	1.15	18	10.7	1.24
Hawaii	7	19.7	3.56	4	11.7	2.78	4	8.4	1.94	4	11.3	2.70	6	12.1	2.69	8	23.5	4.02
Idaho	8	15.5	2.80	7	12.4	2.38	6	8.9	1.60	6	11.2	2.31	8	14.2	2.66	4	9.0	2.05
Illinois	112	17.4	0.78	86	12.2	0.63	78	9.5	0.50	73	10.1	0.56	77	9.7	0.55	63	11.0	0.65
Indiana	18	16.7	1.92	16	13.8	1.71	19	11.7	1.28	10	7.9	1.24	13	8.2	1.17	9	8.8	1.44
Iowa	5	14.5	3.23	5	9.2	2.16	6	10.9	2.34	4	6.6	1.67	6	9.7	2.23	2	5.9	1.96
Kansas	12	13.2	1.86	15	14.7	1.85	11	10.0	1.46	9	9.8	1.59	10	10.2	1.61	7	8.5	1.57
Kentucky	4	11.6	2.81	2	4.9	1.47	4	6.9	1.72	3	8.3	2.29	5	9.8	2.41	2	7.3	2.36
Louisiana	13	16.8	2.09	8	10.4	1.68	10	10.7	1.58	5	6.1	1.24	7	7.4	1.33	6	7.9	1.47
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	15	8.8	1.11	10	5.8	0.89	18	8.3	0.94	13	6.3	0.85	13	6.2	0.88	13	9.2	1.23
Massachusetts	37	14.8	1.15	25	9.2	0.88	25	8.4	0.80	18	5.9	0.64	22	7.5	0.79	20	8.5	0.90
Michigan	19	13.1	1.43	17	11.5	1.32	16	8.9	1.02	14	8.5	1.08	13	7.1	0.96	17	12.5	1.42
MI: Metropolitan Detroit	11	18.4	2.65	9	16.7	2.65	8	11.4	1.90	7	13.0	2.24	7	12.2	2.19	9	17.9	2.78
Minnesota	15	24.8	3.33	10	12.8	2.09	9	10.7	1.86	6	8.9	1.81	10	12.4	2.17	8	16.7	2.90
Mississippi	2	8.4	3.02	1	5.8	2.23	2	5.7	1.86	-	-	-	2	6.0	2.17	-	-	-

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females
{Page 4 of 4}

	Non-Hodgkin Lymphoma			Kidney & Renal Pelvis			Cervix			Ovary			Leukemia			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.*[3]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	8	11.2	1.91	9	13.4	2.11	6	8.1	1.55	5	7.0	1.52	7	8.2	1.59	4	6.1	1.50
Montana	2	13.8	5.09	1	14.7	5.76	-	-	-	1	9.5	4.11	-	-	-	1	13.7	5.34
Nebraska	7	16.7	3.08	6	12.8	2.75	7	12.9	2.59	5	8.2	1.90	5	8.6	2.07	4	11.9	2.81
New Hampshire	2	18.5	5.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	120	17.3	0.73	79	10.8	0.56	86	11.0	0.54	73	10.0	0.54	79	10.7	0.56	77	12.0	0.63
New Mexico	62	12.8	0.74	66	13.7	0.76	41	8.9	0.63	54	11.1	0.69	45	9.2	0.62	52	10.9	0.69
New York	287	17.0	0.46	166	9.7	0.34	171	9.8	0.34	177	10.3	0.35	179	10.4	0.35	173	10.8	0.37
North Carolina	23	12.3	1.33	19	9.6	1.12	23	7.5	0.85	18	7.7	0.93	20	8.0	1.02	13	8.2	1.12
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	14	11.5	1.45	12	8.6	1.17	9	6.4	0.97	10	7.7	1.13	8	5.9	1.02	10	8.7	1.30
Oklahoma	16	19.2	2.45	12	11.6	1.64	16	11.7	1.41	13	12.8	1.78	12	10.2	1.58	9	12.9	2.09
Oregon	19	14.3	1.68	17	12.3	1.49	13	7.2	0.95	15	10.9	1.50	14	8.2	1.16	15	14.2	1.83
Pennsylvania	43	16.6	1.22	32	10.8	0.91	35	10.4	0.83	27	9.4	0.86	29	8.7	0.82	21	9.2	0.95
Puerto Rico*	268	12.4	0.35	126	6.0	0.25	222	13.0	0.40	174	8.4	0.30	176	8.8	0.31	161	7.0	0.25
Rhode Island	7	14.7	2.74	5	11.2	2.34	5	8.8	1.79	3	5.4	1.66	5	8.1	1.87	4	8.8	2.08
South Carolina	6	10.2	2.16	4	6.0	1.60	7	7.1	1.18	4	4.6	1.11	7	7.0	1.45	5	8.6	1.89
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	11	14.4	2.23	10	11.9	1.88	9	9.1	1.55	7	6.9	1.35	12	11.3	1.85	3	4.4	1.29
Texas	522	13.8	0.28	660	16.7	0.30	515	11.5	0.23	425	10.4	0.23	384	8.8	0.21	373	10.8	0.26
Utah	17	18.4	2.20	13	12.0	1.62	11	6.7	0.93	13	11.1	1.53	12	9.9	1.51	8	10.1	1.66
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	27	13.4	1.30	19	7.9	0.90	24	8.4	0.84	22	9.6	1.04	20	7.2	0.84	13	7.4	1.00
Washington	34	17.0	1.47	27	12.7	1.22	21	6.5	0.69	23	9.9	1.06	29	9.5	0.97	17	9.8	1.17
WA: Seattle/Puget Sound	21	18.9	2.10	16	13.1	1.68	12	7.2	1.02	14	11.2	1.58	16	11.1	1.52	12	12.6	1.84
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	16	19.1	2.36	12	11.0	1.57	11	8.3	1.18	10	10.5	1.63	10	8.0	1.38	7	9.4	1.72
Wyoming	1	7.3	2.82	2	13.1	4.00	2	10.5	3.42	3	13.2	3.81	1	5.4	2.18	1	6.1	2.50

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as Hispanic and therefore is only included in the Hispanic/Latino All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

NAACCR United States Combined Incidence 2013-2017, The Non-Hispanic White Population

UNITED STATES

III-67 Combined Incidence – Non-Hispanic White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR United States Combined, 2013-2017, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
SITES	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	648,979	501.2	0.29	593.3	0.33	626,729	442.1	0.26	514.6	0.30
Oral Cavity & Pharynx	26,313	19.8	0.06	24.3	0.07	10,143	7.0	0.03	8.3	0.04
Lip	1,295	1.0	0.01	1.2	0.02	498	0.3	0.01	0.4	0.01
Tongue	8,801	6.5	0.03	8.0	0.04	3,218	2.2	0.02	2.7	0.02
Major salivary gland	2,195	1.8	0.02	2.1	0.02	1,358	1.0	0.01	1.1	0.01
Floor of mouth	1,115	0.8	0.01	1.0	0.01	530	0.4	0.01	0.4	0.01
Gum & other mouth	2,575	2.0	0.02	2.4	0.02	2,071	1.4	0.01	1.6	0.02
Nasopharynx	697	0.5	0.01	0.7	0.01	291	0.2	0.01	0.3	0.01
Oropharynx	1,374	1.0	0.01	1.2	0.02	380	0.3	0.01	0.3	0.01
Hypopharynx	1,392	1.0	0.01	1.3	0.02	349	0.2	0.01	0.3	0.01
Digestive System	121,027	93.5	0.12	111.5	0.14	94,303	62.9	0.10	73.9	0.11
Esophagus	11,483	8.6	0.04	10.4	0.04	2,857	1.8	0.02	2.2	0.02
Stomach	9,680	7.5	0.04	8.9	0.04	5,208	3.5	0.02	4.1	0.03
Small intestine	3,547	2.8	0.02	3.3	0.02	3,033	2.1	0.02	2.5	0.02
Colon excl. rectum	37,338	29.6	0.07	34.8	0.08	37,349	24.9	0.06	29.0	0.07
Rectum & rectosigmoid	17,724	13.9	0.05	16.6	0.06	12,271	8.7	0.04	10.3	0.04
Anus, anal canal & anorectum	1,969	1.5	0.02	1.8	0.02	3,856	2.6	0.02	3.2	0.02
Liver	13,067	9.3	0.04	11.7	0.05	4,136	2.7	0.02	3.2	0.02
Gallbladder	854	0.7	0.01	0.8	0.01	1,682	1.1	0.01	1.3	0.01
Pancreas	19,443	14.9	0.05	17.7	0.06	17,420	11.1	0.04	13.1	0.05
Respiratory System	102,263	77.6	0.11	92.2	0.13	90,359	58.4	0.09	69.4	0.10
Larynx	7,592	5.6	0.03	6.9	0.04	2,037	1.4	0.01	1.7	0.02
Lung & bronchus	93,223	70.8	0.11	84.0	0.12	87,425	56.4	0.09	67.0	0.10
Bones & Joints	1,260	1.2	0.02	1.2	0.02	959	0.9	0.01	0.9	0.01
Soft Tissue (incl. heart)	4,828	4.1	0.03	4.6	0.03	3,573	2.8	0.02	3.1	0.02
Skin (excl. basal & sq.)	48,160	38.7	0.08	45.0	0.09	32,095	24.9	0.07	28.1	0.07
Melanomas of the skin	44,834	35.9	0.08	41.8	0.09	30,182	23.6	0.06	26.6	0.07
Breast (excl. *in situ*)	1,668	1.3	0.01	1.5	0.02	182,820	131.6	0.15	154.4	0.17
Female Genital System	-	-	-	-	-	71,867	51.2	0.09	60.6	0.10
Cervix uteri	-	-	-	-	-	7,759	7.2	0.04	7.6	0.04
Uterus Corpus	-	-	-	-	-	39,442	26.8	0.06	32.8	0.08
Uterus, NOS[1]	-	-	-	-	-	1,111	0.7	0.01	0.9	0.01
Ovary	-	-	-	-	-	15,960	11.4	0.04	13.3	0.05
Male Genital System	145,236	105.7	0.13	128.6	0.15	-	-	-	-	-
Prostate	137,478	97.7	0.12	120.5	0.15	-	-	-	-	-
Testis	6,448	7.0	0.04	6.9	0.04	-	-	-	-	-
Penis	1,029	0.8	0.01	1.0	0.01	-	-	-	-	-
Urinary System	80,854	63.2	0.10	74.3	0.12	32,457	21.8	0.06	25.5	0.06
Bladder (incl. *in situ*)	49,435	38.7	0.08	45.3	0.09	14,901	9.5	0.04	11.2	0.04
Kidney & renal pelvis	29,582	23.1	0.06	27.3	0.07	16,593	11.7	0.04	13.6	0.05
Ureter	1,127	0.9	0.01	1.0	0.01	674	0.4	0.01	0.5	0.01
Eye & Orbit	1,379	1.1	0.01	1.3	0.02	1,187	0.9	0.01	1.0	0.01
Brain & Other CNS[1]	10,021	8.6	0.04	9.5	0.04	7,802	6.2	0.03	6.8	0.04
Brain	9,536	8.2	0.04	9.1	0.04	7,310	5.8	0.03	6.3	0.03
Endocrine System	10,334	9.0	0.04	10.0	0.04	25,538	23.2	0.07	24.9	0.07
Thyroid gland	9,439	8.2	0.04	9.2	0.04	24,745	22.5	0.07	24.2	0.07
Lymphomas	33,755	27.6	0.07	31.6	0.08	26,963	19.1	0.05	21.9	0.06
Hodgkin Lymphoma	3,320	3.2	0.03	3.4	0.03	2,638	2.6	0.02	2.6	0.02
Non-Hodgkin Lymphoma	30,435	24.4	0.06	28.3	0.07	24,325	16.5	0.05	19.2	0.06
Multiple Myeloma	10,032	7.8	0.04	9.2	0.04	7,270	4.7	0.03	5.6	0.03
Leukemias	23,420	19.2	0.06	21.9	0.06	16,151	11.5	0.04	12.9	0.05
Acute lymphocytic	1,646	1.8	0.02	1.6	0.02	1,294	1.4	0.02	1.3	0.02
Chronic lymphocytic	9,391	7.2	0.03	8.6	0.04	5,936	3.8	0.02	4.5	0.03
Acute myeloid	6,660	5.4	0.03	6.2	0.03	5,058	3.6	0.02	4.1	0.03
Chronic myeloid	3,014	2.5	0.02	2.9	0.02	2,114	1.5	0.02	1.7	0.02
Other leukemias	2,708	2.2	0.02	2.6	0.02	1,750	1.2	0.01	1.4	0.02
Mesothelioma	2,092	1.7	0.02	1.9	0.02	670	0.4	0.01	0.5	0.01
Kaposi Sarcoma	414	0.4	0.01	0.4	0.01	61	0.0	0.00	0.0	0.00
Ill-defined & Unknown	25,923	20.8	0.06	24.2	0.07	22,511	14.6	0.05	16.8	0.05
Selected tumors (non-invasive)										
Brain & Other CNS[1](non-malig)	10,906	9.3	0.04	10.4	0.05	21,554	16.0	0.05	18.2	0.06
Breast (*in situ*)	166	0.1	0.00	0.2	0.01	40,958	30.7	0.07	36.1	0.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the non-Hispanic White race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males
{Page 1 of 4}

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.*[3]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**648,979**	**501.2**	**0.29**	**137,478**	**97.7**	**0.12**	**55,062**	**43.6**	**0.09**	**93,223**	**70.8**	**0.11**	**29,582**	**23.1**	**0.06**	**30,435**	**24.4**	**0.06**
Alabama	10,450	508.2	2.29	2,188	98.4	0.96	988	49.0	0.72	1,791	85.2	0.92	483	24.0	0.51	407	20.5	0.47
Alaska	1,127	434.9	6.42	251	87.8	2.75	103	39.0	1.90	146	60.8	2.51	60	21.9	1.38	54	21.7	1.46
Arizona	12,739	431.4	1.78	2,555	80.2	0.73	1,066	37.2	0.53	1,733	55.3	0.60	578	20.3	0.40	551	19.3	0.39
Arkansas	7,523	532.4	2.82	1,541	101.0	1.17	690	50.3	0.88	1,392	95.6	1.17	380	27.7	0.66	308	22.7	0.59
California	50,887	479.7	0.98	10,873	94.3	0.41	4,162	40.2	0.29	5,465	50.8	0.31	2,175	20.6	0.20	2,530	24.7	0.23
CA: Greater California	32,302	482.2	1.24	6,853	93.8	0.52	2,618	40.1	0.36	3,663	53.7	0.40	1,405	21.1	0.26	1,530	23.7	0.28
CA: Greater Bay Area	9,618	481.5	2.27	2,105	96.5	0.96	752	38.2	0.64	854	42.8	0.67	392	19.6	0.46	524	27.1	0.55
CA: Los Angeles	8,965	469.3	2.28	1,915	93.6	0.97	792	42.3	0.69	947	49.2	0.73	378	20.0	0.47	475	25.7	0.54
Colorado	9,349	421.3	2.03	2,147	88.4	0.89	765	35.4	0.59	964	44.6	0.67	385	17.2	0.41	460	21.5	0.47
Connecticut	8,526	507.8	2.55	1,933	105.7	1.10	635	39.0	0.72	1,125	65.9	0.90	373	22.2	0.54	433	26.9	0.60
Delaware	2,342	545.8	5.25	517	109.4	2.20	177	43.3	1.52	344	78.4	1.94	99	23.8	1.13	107	25.8	1.17
District of Columbia	380	345.5	8.26	95	87.1	4.07	26	23.8	2.15	26	25.3	2.28	13	12.0	1.53	19	18.6	2.02
Florida	47,693	513.0	1.11	8,283	82.1	0.41	3,663	40.8	0.32	7,001	71.0	0.39	1,797	20.3	0.23	2,573	28.7	0.27
Georgia	17,921	538.6	1.86	3,761	104.1	0.78	1,554	47.4	0.56	2,752	82.1	0.72	776	23.2	0.38	751	23.5	0.40
Hawaii	1,235	507.2	7.02	231	85.1	2.69	97	41.4	2.06	117	46.5	2.06	49	19.4	1.36	52	22.1	1.51
Idaho	3,951	478.1	3.50	927	104.3	1.57	321	39.7	1.02	455	54.9	1.18	180	21.7	0.75	185	23.0	0.78
Illinois	25,989	518.5	1.48	5,594	102.9	0.63	2,434	49.4	0.46	3,872	76.9	0.56	1,245	24.9	0.33	1,220	25.2	0.33
Indiana	15,780	507.7	1.86	2,996	89.5	0.75	1,504	49.0	0.58	2,784	88.8	0.77	794	25.5	0.42	691	22.9	0.40
Iowa	8,877	526.8	2.57	1,950	106.9	1.10	814	49.6	0.80	1,290	75.3	0.96	434	26.2	0.58	423	26.1	0.58
Kansas	6,659	488.2	2.75	1,470	100.8	1.20	590	44.3	0.84	903	65.8	1.00	341	25.0	0.63	321	24.2	0.62
Kentucky	12,682	573.0	2.35	2,240	93.5	0.91	1,231	56.5	0.74	2,492	111.2	1.03	612	27.8	0.52	535	25.0	0.50
Louisiana	9,349	556.8	2.65	2,109	116.4	1.16	842	50.8	0.81	1,347	79.7	1.00	520	31.0	0.63	413	25.6	0.58
Maine	4,291	501.0	3.55	827	87.1	1.39	339	40.7	1.02	706	80.9	1.40	185	21.4	0.73	208	25.3	0.82
Maryland	10,435	515.9	2.33	2,408	108.7	1.01	790	40.3	0.66	1,354	66.6	0.83	429	21.3	0.48	469	23.9	0.51
Massachusetts	15,214	482.3	1.80	3,295	95.4	0.76	1,218	39.7	0.52	2,119	66.8	0.66	729	23.2	0.40	732	24.1	0.41
Michigan	23,100	480.4	1.46	5,106	97.1	0.62	1,904	40.8	0.43	3,467	71.1	0.55	1,034	21.7	0.31	1,107	24.1	0.33
MI: Metropolitan Detroit	8,461	546.2	2.74	1,964	116.9	1.21	681	44.8	0.79	1,183	76.8	1.03	372	23.9	0.58	412	27.8	0.63
Minnesota	13,850	501.7	1.96	3,203	106.3	0.86	1,130	42.2	0.58	1,679	60.8	0.68	655	23.7	0.43	698	26.1	0.45
Mississippi	5,813	536.3	3.23	1,222	104.5	1.36	557	52.3	1.02	1,044	94.8	1.34	304	28.5	0.76	232	22.4	0.68

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males
{Page 2 of 4}

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.*[3]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	14,733	490.6	1.85	2,836	87.0	0.74	1,368	46.8	0.58	2,545	83.6	0.76	755	25.3	0.42	682	23.3	0.41
Montana	2,988	484.9	4.13	795	117.0	1.91	256	42.9	1.25	325	52.5	1.34	127	20.8	0.87	133	22.5	0.91
Nebraska	4,644	502.8	3.39	1,127	113.2	1.54	435	47.9	1.06	615	66.2	1.22	218	23.7	0.74	223	24.9	0.77
New Hampshire	4,000	511.2	3.77	942	107.3	1.61	317	42.3	1.11	526	67.4	1.36	168	21.8	0.79	190	25.4	0.86
New Jersey	18,652	553.8	1.87	4,439	121.7	0.83	1,577	47.7	0.55	2,227	65.5	0.63	800	23.9	0.39	913	28.3	0.43
New Mexico	2,704	413.9	3.77	629	86.8	1.60	216	34.6	1.12	347	51.1	1.26	100	16.2	0.78	116	18.5	0.82
New York	39,811	554.0	1.28	8,985	115.9	0.56	3,110	44.2	0.36	5,157	70.8	0.45	1,795	25.2	0.28	1,983	28.6	0.30
North Carolina	21,435	522.8	1.64	4,600	102.7	0.69	1,666	41.6	0.47	3,472	83.3	0.65	962	23.6	0.35	886	22.4	0.35
North Dakota	1,849	486.9	5.22	458	111.8	2.40	179	47.8	1.65	242	64.1	1.88	88	23.9	1.18	83	22.1	1.12
Ohio	28,539	498.5	1.36	5,935	95.3	0.57	2,614	46.8	0.42	4,647	80.3	0.54	1,310	23.0	0.29	1,332	24.1	0.30
Oklahoma	8,178	480.0	2.43	1,582	86.4	0.99	764	46.0	0.76	1,401	79.9	0.97	393	23.5	0.55	346	21.1	0.52
Oregon	9,768	465.2	2.18	2,120	91.5	0.91	789	39.0	0.64	1,253	59.0	0.77	461	22.3	0.48	463	22.9	0.49
Pennsylvania	34,051	517.3	1.29	6,812	94.9	0.52	3,059	47.6	0.40	4,946	73.5	0.48	1,532	23.8	0.28	1,615	25.4	0.29
Rhode Island	2,571	500.1	4.57	521	93.4	1.88	189	37.8	1.27	406	78.2	1.78	111	21.9	0.97	128	25.8	1.06
South Carolina	10,616	511.6	2.30	2,259	98.7	0.95	839	41.9	0.67	1,712	80.3	0.89	499	24.6	0.51	434	21.7	0.48
South Dakota	2,244	497.1	4.84	563	114.9	2.22	206	46.7	1.50	297	65.8	1.75	102	22.8	1.05	98	22.8	1.07
Tennessee	16,073	523.4	1.90	3,450	103.4	0.81	1,356	45.3	0.57	2,897	92.9	0.79	772	25.4	0.42	670	22.6	0.40
Texas	35,978	483.9	1.17	7,527	94.0	0.50	3,241	44.4	0.36	5,188	69.2	0.44	1,857	24.9	0.27	1,623	22.7	0.26
Utah	4,837	446.2	2.93	1,293	114.3	1.45	340	32.3	0.80	315	30.2	0.78	204	18.7	0.60	244	23.0	0.67
Vermont	1,821	477.1	5.22	371	86.4	2.07	136	36.6	1.47	261	67.6	1.94	73	19.8	1.08	94	25.4	1.22
Virginia	14,449	441.8	1.69	2,983	83.6	0.70	1,238	38.8	0.51	2,182	66.2	0.65	671	20.4	0.36	689	21.8	0.38
Washington	15,566	482.4	1.79	3,457	97.6	0.76	1,226	38.9	0.51	1,936	60.1	0.63	666	20.6	0.37	761	24.5	0.41
WA: Seattle/Puget Sound	11,139	522.8	2.29	2,559	109.8	1.00	859	40.9	0.65	1,286	61.3	0.79	464	21.8	0.47	550	26.8	0.53
West Virginia	5,785	514.1	3.13	1,102	89.6	1.24	578	52.8	1.02	1,100	94.8	1.31	281	25.7	0.72	247	22.7	0.67
Wisconsin	15,210	499.9	1.87	3,534	105.9	0.82	1,195	40.5	0.54	2,004	65.4	0.67	759	25.0	0.42	745	25.4	0.43
Wyoming	1,351	438.7	5.56	374	110.6	2.65	103	34.5	1.59	140	46.1	1.81	55	18.2	1.14	62	21.4	1.26

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White ethnicity category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males
{Page 3 of 4}

	Liver & IBD[3]			Leukemia			Bladder			Oral Cavity & Pharynx			Stomach			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**14,889**	**10.7**	**0.04**	**23,420**	**19.2**	**0.06**	**49,435**	**38.7**	**0.08**	**26,313**	**19.8**	**0.06**	**9,680**	**7.5**	**0.04**	**19,443**	**14.9**	**0.05**
Alabama	246	11.3	0.33	303	16.0	0.42	726	36.0	0.61	462	22.1	0.47	152	7.4	0.28	304	14.6	0.38
Alaska	35	11.2	0.93	35	13.7	1.13	87	38.7	2.06	47	15.6	1.11	17	7.0	0.84	33	13.0	1.13
Arizona	288	9.4	0.26	387	14.3	0.34	1,090	35.3	0.49	481	16.6	0.36	173	5.8	0.20	427	13.9	0.31
Arkansas	169	11.4	0.40	249	18.5	0.54	521	37.4	0.75	314	22.3	0.58	113	8.0	0.34	205	14.5	0.46
California	1,239	10.7	0.14	1,797	18.1	0.20	3,927	37.1	0.27	2,166	19.9	0.20	781	7.4	0.12	1,540	14.3	0.17
CA: Greater California	802	11.0	0.18	1,122	17.9	0.25	2,470	37.0	0.34	1,427	20.8	0.26	475	7.1	0.15	974	14.2	0.21
CA: Greater Bay Area	248	11.3	0.33	348	18.6	0.46	713	36.1	0.62	379	18.1	0.43	139	7.0	0.27	287	14.2	0.38
CA: Los Angeles	190	9.3	0.31	327	18.2	0.47	744	38.6	0.64	360	18.3	0.44	167	8.8	0.31	279	14.4	0.39
Colorado	209	8.5	0.27	369	17.7	0.43	701	33.3	0.58	401	17.0	0.39	142	6.5	0.25	294	13.2	0.36
Connecticut	191	10.5	0.35	290	18.3	0.50	789	47.1	0.77	311	18.0	0.47	166	9.8	0.35	269	15.7	0.44
Delaware	54	12.0	0.75	72	18.0	1.00	199	46.5	1.51	93	21.7	1.06	34	8.1	0.64	74	16.6	0.88
District of Columbia	7	6.4	1.09	12	11.2	1.55	24	23.4	2.18	18	17.2	1.84	8	7.3	1.21	13	13.2	1.70
Florida	1,106	11.5	0.16	2,139	24.0	0.25	3,506	35.2	0.27	2,194	24.8	0.25	605	6.4	0.12	1,419	14.7	0.18
Georgia	414	11.6	0.26	623	19.9	0.37	1,192	37.4	0.50	779	22.4	0.37	229	6.9	0.21	486	14.6	0.31
Hawaii	34	11.5	0.95	34	14.7	1.23	88	37.5	1.91	70	27.4	1.59	15	5.9	0.74	35	14.1	1.15
Idaho	91	10.2	0.49	164	20.7	0.74	300	37.0	0.98	156	18.4	0.68	58	7.1	0.43	133	16.1	0.64
Illinois	508	9.6	0.19	841	17.9	0.28	2,050	41.7	0.42	1,043	20.1	0.29	423	8.5	0.19	802	16.0	0.26
Indiana	338	10.1	0.25	528	18.1	0.36	1,198	39.8	0.53	652	20.2	0.37	250	8.0	0.23	482	15.5	0.32
Iowa	161	9.1	0.33	355	22.0	0.54	637	38.2	0.69	347	20.2	0.50	103	6.1	0.28	264	15.6	0.44
Kansas	136	9.3	0.37	265	20.3	0.57	493	36.7	0.75	263	18.8	0.54	84	6.1	0.31	166	12.1	0.43
Kentucky	299	12.7	0.34	428	20.4	0.46	854	40.1	0.63	513	22.1	0.45	190	8.7	0.29	339	15.3	0.38
Louisiana	245	13.4	0.39	308	19.7	0.52	624	38.2	0.70	388	22.4	0.52	135	8.2	0.32	268	16.1	0.45
Maine	82	9.0	0.46	151	18.7	0.71	390	46.1	1.07	177	20.2	0.71	61	7.1	0.42	124	14.4	0.60
Maryland	242	11.1	0.33	341	18.2	0.46	812	40.9	0.66	423	20.1	0.45	152	7.5	0.28	318	15.7	0.41
Massachusetts	385	11.5	0.27	472	15.9	0.34	1,260	40.8	0.53	601	18.2	0.34	256	8.2	0.24	476	15.0	0.32
Michigan	467	9.0	0.19	826	18.2	0.29	1,879	40.2	0.42	894	18.0	0.28	355	7.5	0.18	721	14.8	0.25
MI: Metropolitan Detroit	178	10.7	0.37	336	22.9	0.58	681	45.3	0.80	332	20.4	0.52	132	8.7	0.35	261	16.8	0.48
Minnesota	264	9.0	0.26	581	22.0	0.42	1,016	37.7	0.54	504	17.4	0.36	198	7.2	0.24	411	15.0	0.34
Mississippi	165	14.3	0.51	167	16.3	0.58	382	35.9	0.84	247	22.5	0.66	77	7.2	0.38	178	16.5	0.57

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males
{Page 4 of 4}

	Liver & IBD[3]			Leukemia			Bladder			Oral Cavity & Pharynx			Stomach			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	336	10.5	0.26	528	18.5	0.37	1,069	36.4	0.51	630	20.3	0.37	214	7.3	0.23	429	14.3	0.31
Montana	58	8.9	0.54	116	19.8	0.86	225	36.9	1.13	106	17.2	0.78	38	6.3	0.47	81	13.2	0.68
Nebraska	69	7.0	0.39	159	17.9	0.65	327	35.9	0.91	181	19.4	0.67	64	6.9	0.40	137	15.1	0.59
New Hampshire	82	9.7	0.50	133	18.3	0.74	344	45.8	1.14	152	18.5	0.70	57	7.2	0.44	107	13.4	0.60
New Jersey	390	11.0	0.26	664	20.8	0.37	1,523	45.3	0.53	637	18.3	0.34	312	9.2	0.24	583	17.0	0.32
New Mexico	65	9.1	0.52	104	17.3	0.82	203	30.1	0.97	109	16.6	0.75	37	5.6	0.43	82	12.1	0.63
New York	818	10.7	0.17	1,665	24.1	0.27	3,401	47.4	0.37	1,327	18.2	0.23	679	9.5	0.17	1,229	16.9	0.22
North Carolina	542	12.5	0.25	753	19.7	0.33	1,547	38.8	0.45	877	20.9	0.32	301	7.3	0.19	600	14.6	0.27
North Dakota	24	6.2	0.58	75	20.7	1.10	129	35.1	1.42	71	18.1	0.99	28	7.8	0.67	52	13.9	0.89
Ohio	581	9.6	0.18	860	16.1	0.25	2,234	40.0	0.39	1,127	19.0	0.26	471	8.3	0.18	836	14.5	0.23
Oklahoma	195	10.6	0.35	288	17.8	0.48	593	35.4	0.66	344	20.0	0.50	114	6.8	0.29	209	12.3	0.39
Oregon	301	12.7	0.34	328	16.8	0.43	778	37.6	0.62	407	19.0	0.44	144	6.9	0.27	319	15.1	0.39
Pennsylvania	790	11.3	0.18	1,245	19.9	0.26	2,859	43.5	0.37	1,237	18.4	0.24	541	8.2	0.16	1,121	16.8	0.23
Rhode Island	66	12.0	0.69	91	19.0	0.93	231	45.2	1.37	88	16.5	0.82	52	10.1	0.64	80	15.5	0.80
South Carolina	274	12.5	0.35	354	18.2	0.45	750	37.3	0.63	459	21.9	0.47	158	7.7	0.29	315	15.2	0.40
South Dakota	42	8.8	0.63	89	20.7	1.01	154	34.6	1.27	88	19.5	0.96	28	6.1	0.53	65	14.0	0.80
Tennessee	396	12.2	0.28	516	18.1	0.37	1,098	36.9	0.51	674	21.4	0.38	220	7.3	0.23	435	14.1	0.31
Texas	1,043	12.8	0.18	1,403	20.1	0.25	2,368	32.7	0.31	1,678	21.7	0.24	491	6.6	0.14	1,091	14.7	0.20
Utah	81	7.3	0.37	203	19.0	0.61	317	31.0	0.79	159	14.3	0.52	56	5.3	0.32	132	12.4	0.49
Vermont	32	7.8	0.64	56	16.1	1.00	146	39.3	1.50	74	18.3	1.00	28	7.6	0.67	53	14.0	0.89
Virginia	346	9.9	0.25	418	13.8	0.31	1,036	32.9	0.47	643	18.9	0.34	243	7.5	0.22	432	13.2	0.29
Washington	415	11.4	0.26	593	19.4	0.37	1,215	39.1	0.52	645	19.3	0.35	223	7.0	0.22	462	14.3	0.31
WA: Seattle/Puget Sound	294	12.2	0.33	440	21.6	0.48	853	41.7	0.66	469	21.1	0.45	159	7.6	0.28	298	14.0	0.38
West Virginia	130	11.0	0.44	197	18.7	0.62	428	38.5	0.85	236	21.0	0.64	85	7.7	0.38	147	12.9	0.49
Wisconsin	292	9.1	0.25	623	21.4	0.40	1,187	40.1	0.53	568	17.9	0.35	236	7.8	0.23	474	15.6	0.33
Wyoming	30	8.7	0.73	46	15.7	1.08	105	36.1	1.63	48	15.3	1.04	19	6.5	0.69	39	12.8	0.95

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as Hispanic and therefore is not included in the Non-Hispanic White ethnicity category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females
{Page 1 of 4}

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus NOS[3]			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**626,729**	**442.1**	**0.26**	**182,820**	**131.6**	**0.15**	**49,620**	**33.7**	**0.07**	**24,745**	**22.5**	**0.07**	**40,552**	**27.5**	**0.06**	**87,425**	**56.4**	**0.09**
Alabama	9,398	412.5	1.99	2,725	120.5	1.08	842	36.0	0.58	292	16.2	0.45	452	19.5	0.43	1,375	54.6	0.67
Alaska	966	396.8	6.03	303	121.8	3.30	78	33.5	1.79	45	18.7	1.29	68	24.6	1.41	106	45.0	2.07
Arizona	11,862	390.6	1.74	3,662	123.5	0.99	922	29.0	0.46	472	21.9	0.49	701	22.4	0.41	1,676	47.6	0.53
Arkansas	6,600	427.2	2.47	1,786	116.8	1.30	588	36.7	0.71	221	18.1	0.57	367	23.9	0.59	1,104	65.2	0.90
California	49,284	433.1	0.93	15,365	138.7	0.53	3,818	32.1	0.25	1,765	20.4	0.23	3,195	26.6	0.22	5,797	45.9	0.28
CA: Greater California	31,117	431.2	1.17	9,488	134.4	0.66	2,421	32.2	0.31	1,097	20.3	0.29	1,986	26.1	0.28	3,906	48.5	0.36
CA: Greater Bay Area	9,295	436.4	2.14	2,997	144.8	1.25	681	30.8	0.56	301	18.2	0.50	619	27.1	0.50	966	41.5	0.61
CA: Los Angeles	8,869	437.0	2.19	2,879	146.9	1.29	716	33.3	0.59	368	23.4	0.57	590	28.1	0.54	925	41.0	0.62
Colorado	9,558	397.0	1.88	3,193	132.7	1.09	703	29.1	0.51	464	22.5	0.48	593	22.6	0.43	1,020	40.6	0.58
Connecticut	8,720	458.9	2.36	2,650	145.0	1.35	620	30.2	0.58	382	27.8	0.69	594	29.6	0.57	1,229	58.8	0.77
Delaware	2,202	469.9	4.82	631	137.0	2.63	154	32.2	1.24	90	26.8	1.36	153	31.5	1.22	340	64.0	1.60
District of Columbia	398	365.7	8.63	150	142.5	5.41	27	24.7	2.21	29	22.8	2.14	24	23.1	2.18	34	32.4	2.58
Florida	43,024	447.6	1.07	11,309	123.4	0.58	3,167	31.1	0.27	1,155	18.2	0.27	2,351	24.1	0.24	6,571	59.1	0.34
Georgia	16,463	443.6	1.60	4,757	128.2	0.86	1,286	33.9	0.44	635	20.6	0.38	916	23.7	0.36	2,271	56.6	0.54
Hawaii	923	456.4	7.48	283	142.3	4.22	72	36.2	2.08	29	19.3	1.76	55	24.2	1.59	87	38.9	2.02
Idaho	3,651	423.4	3.25	1,098	127.8	1.79	278	31.9	0.88	161	22.4	0.82	228	25.3	0.78	425	46.2	1.02
Illinois	26,162	461.6	1.34	7,657	138.6	0.74	2,191	36.6	0.37	1,055	23.8	0.34	1,789	30.3	0.33	3,709	60.4	0.45
Indiana	15,469	438.9	1.64	4,353	124.6	0.88	1,369	37.7	0.47	549	19.4	0.39	1,046	28.8	0.41	2,370	63.0	0.59
Iowa	8,425	454.0	2.33	2,356	131.0	1.27	771	38.9	0.66	310	21.9	0.58	585	30.2	0.58	1,114	55.3	0.76
Kansas	6,333	423.9	2.50	1,875	127.0	1.38	532	34.2	0.69	278	23.5	0.66	404	26.4	0.61	812	50.1	0.81
Kentucky	12,287	489.7	2.04	3,194	127.8	1.05	1,063	41.4	0.58	492	23.7	0.50	705	27.8	0.49	2,131	79.0	0.78
Louisiana	8,104	437.4	2.26	2,289	124.2	1.21	691	36.6	0.65	379	24.6	0.59	376	19.9	0.48	1,153	57.8	0.77
Maine	4,314	460.3	3.32	1,176	128.2	1.78	325	33.5	0.87	162	22.6	0.85	319	31.7	0.83	668	66.2	1.18
Maryland	10,439	465.6	2.15	3,096	140.6	1.19	777	33.5	0.56	438	25.0	0.57	690	29.2	0.52	1,402	57.5	0.70
Massachusetts	16,558	452.5	1.66	5,089	143.3	0.95	1,210	31.7	0.43	785	27.4	0.46	1,126	29.3	0.41	2,467	62.3	0.58
Michigan	22,472	427.2	1.34	6,408	124.1	0.73	1,783	32.8	0.36	847	20.9	0.34	1,633	29.7	0.34	3,281	57.5	0.46
MI: Metropolitan Detroit	8,345	473.2	2.43	2,361	136.9	1.32	663	35.9	0.65	378	27.5	0.67	581	31.7	0.61	1,232	64.9	0.85
Minnesota	13,367	445.5	1.80	3,983	135.0	1.00	1,046	33.5	0.48	461	19.4	0.42	983	30.9	0.46	1,671	52.0	0.58
Mississippi	5,095	428.0	2.81	1,377	117.0	1.48	478	38.5	0.82	172	18.7	0.67	261	22.0	0.64	836	63.9	1.01

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females
{Page 2 of 4}

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus NOS[3]			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	14,564	436.6	1.69	4,288	131.3	0.94	1,201	34.8	0.47	491	18.3	0.39	935	27.1	0.41	2,311	64.1	0.61
Montana	2,661	430.3	3.94	783	128.2	2.18	200	31.7	1.05	100	21.0	0.99	172	26.5	0.95	359	53.2	1.29
Nebraska	4,422	440.0	3.11	1,295	130.8	1.71	404	38.1	0.89	181	22.6	0.79	289	28.1	0.77	552	50.7	0.99
New Hampshire	3,981	466.1	3.47	1,242	147.0	1.96	280	32.0	0.90	154	23.0	0.88	286	31.5	0.87	570	62.3	1.20
New Jersey	18,942	491.0	1.70	5,381	144.8	0.94	1,500	36.4	0.45	907	31.9	0.51	1,384	34.1	0.43	2,507	58.9	0.54
New Mexico	2,584	384.9	3.76	820	121.3	2.09	189	27.4	0.98	112	24.6	1.16	170	24.3	0.92	322	41.8	1.08
New York	39,919	493.7	1.17	11,156	143.8	0.64	2,983	34.7	0.30	1,896	31.0	0.34	2,806	33.6	0.30	5,549	62.5	0.39
North Carolina	20,659	448.3	1.46	6,267	137.5	0.81	1,503	32.1	0.38	711	19.7	0.35	1,222	25.5	0.34	3,047	60.5	0.50
North Dakota	1,680	427.0	4.91	494	128.7	2.73	156	37.5	1.41	87	27.6	1.39	106	26.2	1.19	213	50.8	1.60
Ohio	28,819	447.9	1.23	8,304	130.6	0.67	2,449	36.4	0.34	1,224	24.2	0.32	2,115	31.6	0.32	4,118	59.5	0.42
Oklahoma	7,750	412.2	2.19	2,229	119.8	1.19	668	34.4	0.62	291	19.5	0.54	420	22.1	0.50	1,173	57.1	0.76
Oregon	9,589	424.1	2.05	2,874	128.0	1.13	712	30.6	0.54	347	19.7	0.50	677	28.5	0.52	1,264	51.4	0.66
Pennsylvania	34,515	468.2	1.20	9,700	135.4	0.65	2,822	35.5	0.32	1,670	30.6	0.36	2,546	33.3	0.31	4,598	56.6	0.38
Rhode Island	2,848	478.6	4.28	833	144.5	2.38	193	29.7	1.01	126	28.7	1.22	193	31.0	1.04	454	69.9	1.51
South Carolina	9,726	429.7	2.05	2,986	133.0	1.15	730	31.8	0.55	323	18.1	0.48	525	22.4	0.46	1,431	57.4	0.70
South Dakota	2,058	437.1	4.56	594	129.5	2.52	181	35.8	1.26	75	20.7	1.13	143	29.4	1.16	270	53.3	1.49
Tennessee	14,749	431.5	1.65	4,198	123.6	0.89	1,219	34.9	0.46	548	20.1	0.40	873	25.0	0.39	2,366	64.1	0.60
Texas	33,161	411.1	1.05	9,959	124.9	0.58	2,659	32.1	0.29	1,259	19.3	0.25	1,856	22.2	0.24	4,545	51.9	0.35
Utah	4,396	377.1	2.59	1,333	115.5	1.44	303	26.3	0.69	309	27.3	0.71	322	26.8	0.68	264	22.2	0.62
Vermont	1,830	442.2	4.88	538	131.7	2.69	138	32.2	1.29	67	21.1	1.23	153	34.7	1.31	249	55.7	1.62
Virginia	14,735	409.8	1.57	4,648	130.4	0.89	1,138	31.1	0.43	573	19.9	0.39	962	25.4	0.38	2,015	52.1	0.53
Washington	15,389	441.8	1.66	4,799	138.2	0.93	1,137	32.3	0.45	566	19.8	0.39	978	26.5	0.39	1,939	52.4	0.55
WA: Seattle/Puget Sound	10,789	463.7	2.08	3,359	144.8	1.16	777	33.0	0.55	394	20.2	0.48	681	27.5	0.49	1,311	53.4	0.68
West Virginia	5,596	461.5	2.90	1,423	117.9	1.47	522	41.3	0.84	248	26.9	0.81	392	31.8	0.76	925	69.8	1.05
Wisconsin	14,429	438.8	1.71	4,276	133.3	0.96	1,087	31.7	0.45	544	21.2	0.43	1,101	31.9	0.45	1,877	53.0	0.56
Wyoming	1,165	381.7	5.23	350	114.8	2.88	88	29.0	1.43	61	25.2	1.50	73	22.2	1.22	131	40.2	1.61

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White ethnicity category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS – Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females
{Page 3 of 4}

	Non-Hodgkin Lymphoma			Kidney & Renal Pelvis			Cervix			Ovary			Leukemia			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**24,325**	**16.5**	**0.05**	**16,593**	**11.7**	**0.04**	**7,759**	**7.2**	**0.04**	**15,960**	**11.4**	**0.04**	**16,151**	**11.5**	**0.04**	**17,420**	**11.1**	**0.04**
Alabama	334	14.0	0.35	295	13.1	0.36	156	9.1	0.34	269	12.0	0.34	220	10.0	0.32	252	10.2	0.29
Alaska	35	14.3	1.15	31	13.0	1.10	16	6.9	0.81	26	10.5	0.98	21	10.0	1.01	28	11.4	1.02
Arizona	421	13.1	0.31	298	9.8	0.28	128	6.0	0.26	318	10.6	0.29	253	9.0	0.28	339	9.7	0.24
Arkansas	252	15.6	0.46	212	13.9	0.45	105	9.0	0.41	173	11.7	0.42	169	11.2	0.40	173	10.1	0.35
California	1,865	15.8	0.17	1,095	9.4	0.14	553	6.5	0.13	1,354	12.1	0.16	1,193	10.7	0.15	1,346	10.6	0.13
CA: Greater California	1,121	14.9	0.21	737	10.1	0.18	372	7.1	0.18	838	11.8	0.19	756	10.8	0.19	847	10.5	0.17
CA: Greater Bay Area	387	17.8	0.43	179	8.2	0.29	85	5.2	0.26	254	12.0	0.36	213	10.0	0.33	254	10.7	0.31
CA: Los Angeles	357	16.8	0.42	179	8.5	0.30	96	6.0	0.29	262	13.2	0.38	224	11.3	0.37	245	10.6	0.32
Colorado	351	14.5	0.36	219	9.0	0.28	119	5.8	0.25	255	10.7	0.31	244	10.5	0.31	239	9.4	0.28
Connecticut	348	17.2	0.44	197	10.4	0.35	78	5.6	0.31	212	10.9	0.36	232	12.1	0.39	255	11.7	0.34
Delaware	87	17.5	0.89	54	11.9	0.79	28	8.1	0.74	55	11.8	0.76	43	9.4	0.70	59	11.2	0.67
District of Columbia	12	11.4	1.53	8	7.5	1.27	5	4.0	0.86	14	13.3	1.65	5	5.1	1.11	13	12.6	1.62
Florida	2,030	20.1	0.22	974	10.1	0.16	544	8.8	0.19	1,083	11.7	0.18	1,447	14.9	0.20	1,195	10.7	0.15
Georgia	608	15.9	0.30	445	11.9	0.26	235	8.0	0.24	424	11.4	0.26	445	12.2	0.27	425	10.6	0.23
Hawaii	33	16.0	1.36	16	7.4	0.92	10	6.6	1.02	25	13.6	1.33	21	11.3	1.28	25	11.6	1.11
Idaho	141	16.0	0.62	102	11.6	0.53	43	6.2	0.44	95	10.9	0.52	110	12.9	0.57	113	12.2	0.53
Illinois	994	16.9	0.25	716	12.6	0.22	325	7.2	0.19	647	11.6	0.21	615	10.9	0.21	728	11.5	0.20
Indiana	578	16.0	0.31	475	13.6	0.29	226	8.1	0.25	380	10.8	0.26	371	10.8	0.26	428	11.3	0.25
Iowa	335	17.5	0.45	235	12.7	0.39	102	7.3	0.34	202	10.7	0.35	234	12.3	0.38	245	11.6	0.35
Kansas	247	15.8	0.47	195	13.0	0.44	81	7.1	0.37	159	10.8	0.40	161	10.6	0.39	164	10.1	0.36
Kentucky	440	16.9	0.37	379	15.5	0.37	192	9.7	0.32	252	10.3	0.30	315	12.7	0.33	315	11.8	0.30
Louisiana	325	17.0	0.44	307	16.4	0.44	120	8.3	0.35	186	10.1	0.35	226	12.3	0.38	235	11.8	0.35
Maine	162	16.7	0.62	119	12.7	0.56	42	5.9	0.44	87	9.5	0.48	108	11.7	0.55	119	11.5	0.49
Maryland	393	17.0	0.40	247	11.1	0.33	116	6.4	0.28	270	12.0	0.34	251	11.2	0.34	277	11.4	0.32
Massachusetts	597	15.8	0.30	380	10.4	0.25	132	4.6	0.19	391	10.6	0.25	346	9.6	0.25	476	11.7	0.25
Michigan	913	16.8	0.26	586	11.1	0.21	260	6.5	0.19	586	11.2	0.22	566	10.9	0.22	656	11.4	0.20
MI: Metropolitan Detroit	346	18.9	0.47	198	11.2	0.37	90	6.5	0.32	222	12.6	0.40	229	13.2	0.41	251	12.9	0.37
Minnesota	532	17.1	0.34	333	11.0	0.28	121	5.1	0.22	313	10.5	0.28	360	12.0	0.30	374	11.5	0.27
Mississippi	184	14.9	0.51	182	15.6	0.55	82	9.1	0.47	120	10.4	0.45	119	10.2	0.44	148	11.2	0.42

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

	Non-Hodgkin Lymphoma			Kidney & Renal Pelvis			Cervix			Ovary			Leukemia			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.*[3]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	549	15.9	0.31	452	13.5	0.30	207	8.0	0.26	332	10.2	0.26	358	11.0	0.27	377	10.4	0.25
Montana	98	15.5	0.73	68	11.1	0.64	33	6.7	0.56	68	11.2	0.64	67	10.9	0.63	73	10.8	0.58
Nebraska	182	17.2	0.60	118	11.9	0.51	60	7.8	0.47	107	11.0	0.50	112	11.1	0.50	122	11.0	0.46
New Hampshire	151	17.2	0.65	91	10.5	0.52	33	4.7	0.39	88	10.1	0.50	83	10.6	0.55	100	11.3	0.52
New Jersey	789	19.8	0.34	449	11.4	0.26	202	6.9	0.23	485	12.5	0.27	492	12.7	0.28	575	13.1	0.25
New Mexico	96	13.6	0.68	55	8.5	0.57	32	7.5	0.66	81	11.9	0.65	78	12.5	0.72	73	9.6	0.53
New York	1,644	19.5	0.23	964	11.8	0.18	420	6.6	0.15	1,033	13.0	0.19	1,160	14.0	0.20	1,174	12.8	0.17
North Carolina	720	15.0	0.26	541	11.7	0.24	243	6.8	0.21	520	11.5	0.24	520	11.5	0.24	541	10.8	0.21
North Dakota	68	16.3	0.93	41	9.9	0.72	15	4.9	0.59	39	9.9	0.74	50	12.4	0.82	44	10.0	0.71
Ohio	1,074	16.2	0.23	815	12.7	0.21	399	8.0	0.19	712	11.0	0.19	609	9.7	0.18	805	11.4	0.18
Oklahoma	300	15.3	0.41	259	13.8	0.40	121	8.6	0.37	206	11.1	0.36	201	10.7	0.36	205	10.0	0.32
Oregon	372	15.9	0.39	237	10.5	0.32	119	7.0	0.30	267	11.9	0.34	224	10.2	0.33	281	11.5	0.32
Pennsylvania	1,401	18.2	0.23	893	12.2	0.19	381	6.8	0.17	891	12.1	0.19	873	12.0	0.20	1,019	12.2	0.18
Rhode Island	105	17.0	0.79	73	12.4	0.69	29	7.0	0.62	62	10.7	0.65	67	12.0	0.73	72	10.8	0.59
South Carolina	357	15.2	0.37	277	12.2	0.35	128	7.5	0.31	222	9.9	0.31	236	10.7	0.33	266	10.9	0.31
South Dakota	81	16.6	0.87	52	11.3	0.75	25	6.7	0.63	54	11.2	0.71	63	13.7	0.82	58	10.9	0.67
Tennessee	516	14.5	0.29	431	12.6	0.28	227	8.4	0.26	371	10.9	0.26	356	10.9	0.27	389	10.6	0.25
Texas	1,255	15.1	0.20	1,051	12.8	0.18	539	8.5	0.17	899	11.4	0.18	958	12.1	0.18	938	10.7	0.16
Utah	173	14.6	0.50	107	9.1	0.40	54	4.9	0.30	130	11.1	0.44	129	10.7	0.43	109	9.2	0.40
Vermont	68	16.1	0.92	41	10.0	0.74	14	4.2	0.55	41	10.2	0.75	37	9.2	0.72	41	9.4	0.67
Virginia	550	15.0	0.29	361	10.2	0.25	159	5.6	0.21	384	10.6	0.25	330	9.6	0.25	390	10.0	0.23
Washington	575	16.2	0.32	387	11.0	0.26	182	6.6	0.23	388	11.1	0.26	394	11.4	0.27	430	11.5	0.26
WA: Seattle/Puget Sound	410	17.4	0.40	262	11.3	0.32	131	6.9	0.28	265	11.4	0.32	290	12.5	0.34	291	11.8	0.32
West Virginia	208	16.6	0.54	192	15.5	0.53	84	9.4	0.48	147	12.2	0.47	140	11.9	0.48	146	11.2	0.43
Wisconsin	580	17.0	0.33	400	12.2	0.28	149	5.9	0.23	384	11.7	0.28	406	12.2	0.29	404	11.1	0.25
Wyoming	43	13.9	0.98	30	9.8	0.84	16	6.2	0.73	32	10.8	0.89	30	9.8	0.82	31	9.0	0.75

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White ethnicity category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

NAACCR United States Combined Incidence 2013-2017, The Non-Hispanic Black Population

UNITED STATES

III-77 Combined Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR United States Combined, 2013-2017, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
SITES	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	90,378	533.5	0.85	644.6	1.00	89,042	406.4	0.62	478.2	0.72
Oral Cavity & Pharynx	2,556	14.1	0.13	17.2	0.16	1,151	5.1	0.07	6.1	0.08
Lip	15	0.1	0.01	0.1	0.01	12	0.1	0.01	0.1	0.01
Tongue	593	3.3	0.06	4.0	0.08	230	1.0	0.03	1.2	0.04
Major salivary gland	213	1.2	0.04	1.4	0.05	254	1.2	0.03	1.3	0.04
Floor of mouth	133	0.7	0.03	0.9	0.04	53	0.2	0.01	0.3	0.02
Gum & other mouth	295	1.7	0.05	2.0	0.05	220	1.0	0.03	1.2	0.04
Nasopharynx	199	1.1	0.04	1.2	0.04	85	0.4	0.02	0.4	0.02
Oropharynx	202	1.1	0.04	1.4	0.04	63	0.3	0.02	0.3	0.02
Hypopharynx	280	1.6	0.05	2.0	0.05	70	0.3	0.02	0.4	0.02
Digestive System	20,000	119.4	0.40	144.4	0.48	17,366	79.6	0.28	94.8	0.32
Esophagus	1,068	6.3	0.09	7.7	0.11	483	2.2	0.05	2.6	0.05
Stomach	2,124	13.7	0.14	16.2	0.16	1,576	7.4	0.09	8.7	0.10
Small intestine	739	4.5	0.08	5.3	0.09	778	3.5	0.06	4.2	0.07
Colon excl. rectum	6,172	38.0	0.23	45.4	0.27	6,504	29.9	0.17	35.5	0.20
Rectum & rectosigmoid	2,522	14.6	0.14	17.6	0.16	2,023	9.1	0.09	10.9	0.11
Anus, anal canal & anorectum	374	2.1	0.05	2.4	0.06	404	1.8	0.04	2.2	0.05
Liver	3,232	16.6	0.14	21.5	0.17	1,056	4.5	0.06	5.6	0.08
Gallbladder	202	1.4	0.05	1.6	0.05	445	2.0	0.04	2.4	0.05
Pancreas	2,821	17.6	0.16	21.1	0.19	3,173	14.8	0.12	17.6	0.14
Respiratory System	14,191	88.8	0.36	106.7	0.42	10,982	50.0	0.22	60.2	0.26
Larynx	1,383	8.0	0.10	9.9	0.12	352	1.5	0.04	1.9	0.05
Lung & bronchus	12,627	79.7	0.34	95.6	0.40	10,502	47.9	0.21	57.7	0.25
Bones & Joints	182	1.0	0.03	1.0	0.03	151	0.7	0.03	0.7	0.03
Soft Tissue (incl. heart)	659	3.8	0.07	4.1	0.08	684	3.1	0.05	3.5	0.06
Skin (excl. basal & sq.)	359	2.2	0.05	2.5	0.06	399	1.9	0.04	2.1	0.05
Melanomas of the skin	174	1.1	0.04	1.3	0.05	195	0.9	0.03	1.1	0.03
Breast (excl. *in situ*)	305	1.9	0.05	2.2	0.06	27,992	127.2	0.35	149.4	0.40
Female Genital System	-	-	-	-	-	11,053	49.4	0.22	58.7	0.25
Cervix uteri	-	-	-	-	-	1,915	9.0	0.09	9.9	0.10
Uterus Corpus	-	-	-	-	-	5,880	25.5	0.15	31.3	0.18
Uterus, NOS[1]	-	-	-	-	-	408	1.8	0.04	2.2	0.05
Ovary	-	-	-	-	-	1,968	9.0	0.09	10.5	0.11
Male Genital System	31,099	173.9	0.47	216.8	0.57	-	-	-	-	-
Prostate	30,629	171.3	0.46	214.0	0.56	-	-	-	-	-
Testis	292	1.5	0.04	1.5	0.04	-	-	-	-	-
Penis	136	0.9	0.04	1.0	0.04	-	-	-	-	-
Urinary System	7,551	46.6	0.26	55.3	0.30	4,430	20.4	0.14	24.0	0.16
Bladder (incl. *in situ*)	2,870	19.7	0.18	23.2	0.20	1,386	6.6	0.08	7.8	0.09
Kidney & renal pelvis	4,567	26.1	0.18	31.2	0.21	2,939	13.3	0.11	15.7	0.13
Ureter	41	0.3	0.02	0.3	0.02	39	0.2	0.01	0.2	0.02
Eye & Orbit	58	0.3	0.02	0.3	0.02	49	0.2	0.01	0.2	0.01
Brain & Other CNS[1]	878	4.8	0.08	5.2	0.08	770	3.5	0.06	3.8	0.06
Brain	806	4.4	0.07	4.8	0.08	687	3.1	0.05	3.4	0.06
Endocrine System	904	5.0	0.08	5.7	0.09	3,174	14.6	0.12	16.2	0.13
Thyroid gland	702	3.9	0.07	4.5	0.08	2,968	13.7	0.11	15.2	0.13
Lymphomas	3,574	20.5	0.16	23.3	0.18	3,179	14.7	0.12	16.7	0.13
Hodgkin Lymphoma	605	3.1	0.06	3.3	0.06	515	2.4	0.05	2.4	0.05
Non-Hodgkin Lymphoma	2,969	17.4	0.15	20.1	0.17	2,665	12.3	0.11	14.2	0.12
Multiple Myeloma	2,610	16.6	0.15	19.7	0.18	2,620	12.2	0.11	14.4	0.13
Leukemias	2,248	13.8	0.14	15.8	0.16	1,933	9.0	0.09	10.2	0.10
Acute lymphocytic	222	1.1	0.03	1.0	0.03	188	0.9	0.03	0.8	0.03
Chronic lymphocytic	724	4.7	0.08	5.6	0.10	494	2.3	0.05	2.7	0.06
Acute myeloid	686	4.3	0.08	4.9	0.09	687	3.2	0.06	3.6	0.06
Chronic myeloid	368	2.2	0.05	2.5	0.06	316	1.5	0.04	1.7	0.04
Other leukemias	248	1.6	0.05	1.8	0.05	249	1.2	0.03	1.3	0.04
Mesothelioma	113	0.8	0.04	0.9	0.04	42	0.2	0.01	0.2	0.02
Kaposi Sarcoma	294	1.5	0.04	1.6	0.04	29	0.1	0.01	0.1	0.01
Ill-defined & Unknown	2,796	18.5	0.17	21.8	0.19	3,035	14.4	0.12	16.8	0.14
Selected tumors (non-invasive)										
Brain & Other CNS[1](non-malig)	1,459	8.8	0.11	10.0	0.12	3,440	16.0	0.12	18.3	0.14
Breast (*in situ*)	42	0.2	0.02	0.3	0.02	7,151	32.0	0.17	38.1	0.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the non-Hispanic Black race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males
{Page 1 of 4}

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**90,378**	**533.5**	**0.85**	**30,629**	**171.3**	**0.46**	**8,694**	**52.7**	**0.27**	**12,627**	**79.7**	**0.34**	**4,567**	**26.1**	**0.18**	**2,969**	**17.4**	**0.15**
Alabama	3,021	544.6	4.74	1,090	187.5	2.71	305	57.6	1.57	461	85.5	1.91	146	25.9	1.01	83	15.5	0.81
Alaska	38	408.7	36.65	14	133.0	20.15	3	38.0	12.03	5	64.2	15.75	-	-	-	2	23.9	8.45
Arizona	479	404.3	9.06	150	120.3	4.75	39	32.5	2.55	66	63.2	3.82	32	25.9	2.22	19	16.1	1.82
Arkansas	1,129	591.9	8.50	376	185.9	4.60	113	59.7	2.72	200	109.5	3.75	53	27.8	1.82	30	16.4	1.42
California	5,323	477.8	3.08	1,731	145.1	1.63	506	46.1	0.96	653	63.4	1.17	282	24.8	0.69	194	17.4	0.58
CA: Greater California	2,211	469.9	4.81	739	147.3	2.59	212	45.4	1.50	255	60.2	1.81	119	24.4	1.07	76	15.4	0.84
CA: Greater Bay Area	1,147	510.3	7.08	363	148.5	3.65	101	45.5	2.12	143	68.4	2.69	64	28.3	1.65	45	20.3	1.41
CA: Los Angeles	1,965	470.2	4.91	630	141.3	2.60	193	47.5	1.58	256	64.3	1.86	99	23.7	1.10	73	18.0	0.97
Colorado	422	448.6	10.86	138	135.9	5.71	42	46.5	3.57	43	53.8	4.05	22	22.4	2.33	17	16.3	1.88
Connecticut	792	533.1	8.99	272	173.7	4.96	68	47.1	2.72	98	74.6	3.57	42	25.7	1.84	27	17.6	1.61
Delaware	498	563.6	11.96	194	203.3	6.83	45	54.0	3.81	61	75.3	4.58	26	28.4	2.62	15	17.4	2.12
District of Columbia	790	507.5	8.36	230	143.2	4.37	76	51.1	2.72	107	69.3	3.10	36	22.5	1.75	28	18.7	1.62
Florida	6,187	474.3	2.84	2,069	151.1	1.56	612	47.9	0.91	744	59.8	1.04	262	19.6	0.57	259	19.7	0.57
Georgia	6,739	563.3	3.40	2,447	194.5	1.93	662	55.5	1.07	889	81.1	1.36	323	25.7	0.70	233	18.6	0.60
Hawaii	59	471.5	31.49	23	165.0	17.17	6	45.9	10.16	4	47.0	11.38	3	18.0	6.31	2	15.5	5.31
Idaho	16	482.8	75.64	6	146.6	31.52	1	34.5	16.47	2	68.1	30.70	-	-	-	-	-	-
Illinois	4,443	567.0	3.98	1,433	172.7	2.13	471	62.8	1.35	699	94.0	1.67	235	29.3	0.89	132	17.2	0.70
Indiana	1,279	537.8	7.18	399	162.3	3.86	123	53.3	2.29	189	84.6	2.94	77	31.4	1.69	41	17.3	1.29
Iowa	192	585.8	21.76	59	177.4	11.53	17	55.9	7.00	29	100.6	9.50	9	26.8	4.62	8	18.2	3.22
Kansas	368	517.7	13.05	117	157.3	6.97	35	52.7	4.33	56	84.4	5.41	18	23.3	2.63	10	13.0	2.00
Kentucky	795	542.5	9.38	225	146.3	4.73	86	60.1	3.18	137	102.8	4.28	49	31.3	2.17	26	18.3	1.75
Louisiana	3,724	595.8	4.67	1,188	180.8	2.50	390	63.5	1.54	593	99.7	1.97	177	28.3	1.01	110	17.9	0.81
Maine	24	376.4	38.96	7	114.0	21.60	2	26.3	8.10	4	60.7	16.46	-	-	-	1	17.7	8.52
Maryland	4,044	521.7	3.92	1,561	188.4	2.26	353	47.8	1.22	467	65.5	1.45	183	23.1	0.81	125	15.9	0.68
Massachusetts	928	474.8	7.47	345	168.8	4.34	90	47.3	2.39	99	55.6	2.69	40	19.9	1.50	31	14.9	1.27
Michigan	3,306	542.8	4.44	1,045	161.5	2.34	326	55.1	1.43	500	86.9	1.83	175	27.9	0.99	109	18.4	0.82
MI: Metropolitan Detroit	2,520	588.5	5.49	810	178.1	2.92	256	62.0	1.81	370	90.8	2.21	132	30.1	1.22	82	19.6	1.01
Minnesota	505	546.2	12.89	154	162.0	6.74	44	47.4	3.84	62	77.7	5.19	29	28.7	2.89	22	22.8	2.66
Mississippi	2,716	591.7	5.48	914	188.0	2.98	314	69.3	1.89	470	108.7	2.44	137	29.8	1.22	68	14.9	0.86

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males
{Page 2 of 4}

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.*[3]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	1,577	549.5	6.58	457	148.4	3.28	146	53.0	2.09	269	99.8	2.90	83	28.3	1.47	51	17.3	1.15
Montana	9	548.0	93.92	3	198.9	53.83	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	191	612.5	21.65	68	208.8	12.23	19	60.1	6.79	22	79.2	8.33	15	43.7	5.40	7	18.8	3.63
New Hampshire	26	381.7	39.03	10	157.3	25.87	3	41.4	12.13	2	37.5	11.82	2	16.9	6.11	1	12.5	5.66
New Jersey	2,749	550.9	4.94	1,043	199.7	2.89	262	53.4	1.55	308	67.2	1.80	128	24.1	0.99	88	17.6	0.88
New Mexico	89	400.8	20.52	32	126.2	10.64	6	27.7	5.37	12	65.4	9.04	5	18.4	4.01	3	13.8	3.50
New York	7,081	550.1	3.05	2,752	204.1	1.81	618	50.2	0.94	767	62.5	1.05	326	24.5	0.63	243	18.8	0.56
North Carolina	5,286	554.9	3.66	1,809	179.0	2.01	467	50.2	1.11	817	90.7	1.53	261	26.6	0.78	161	17.0	0.64
North Dakota	13	300.9	61.92	5	100.9	24.33	1	73.0	44.64	-	-	-	-	-	-	-	-	-
Ohio	3,294	518.7	4.24	1,062	157.4	2.26	290	46.7	1.29	539	89.8	1.82	174	27.0	0.96	106	17.2	0.78
Oklahoma	635	529.7	10.23	211	167.3	5.58	63	53.0	3.26	95	84.8	4.21	35	29.1	2.40	22	17.7	1.83
Oregon	184	523.4	19.36	60	166.6	10.81	12	36.5	5.27	24	76.0	7.79	11	28.4	4.08	8	22.1	3.86
Pennsylvania	3,321	569.8	4.66	1,002	162.2	2.41	283	50.2	1.41	483	88.9	1.91	199	33.1	1.10	116	19.4	0.85
Rhode Island	107	416.7	19.50	31	113.1	9.80	8	31.9	5.45	17	72.4	8.41	5	18.3	4.00	4	14.2	3.56
South Carolina	3,249	538.0	4.51	1,106	172.0	2.46	312	53.6	1.45	505	86.7	1.85	158	25.1	0.94	88	15.1	0.76
South Dakota	18	366.5	50.26	5	93.3	20.63	2	24.8	8.92	2	50.4	23.32	2	22.3	7.93	-	-	-
Tennessee	2,415	553.0	5.54	820	178.7	3.06	232	54.8	1.77	383	95.0	2.40	127	27.9	1.20	71	16.1	0.94
Texas	6,470	523.3	3.21	2,001	155.0	1.70	698	56.8	1.06	920	82.9	1.35	342	26.7	0.70	218	16.5	0.55
Utah	51	459.2	35.47	18	164.8	20.66	7	57.6	12.28	3	44.2	13.89	2	16.1	5.57	2	18.0	7.13
Vermont	11	394.3	61.86	4	174.5	42.97	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,763	515.5	4.00	1,323	168.8	2.20	341	48.4	1.25	538	79.3	1.64	222	29.4	0.93	117	16.3	0.72
Washington	572	485.5	10.36	179	143.5	5.39	50	42.2	3.01	63	65.8	4.18	33	25.7	2.28	22	17.2	1.86
WA: Seattle/Puget Sound	546	532.7	11.63	175	162.0	6.17	50	49.1	3.52	59	69.6	4.57	32	28.5	2.58	21	19.3	2.14
West Virginia	184	537.0	19.40	64	170.3	10.30	17	48.4	5.77	29	94.3	8.68	9	25.3	4.17	6	17.8	3.40
Wisconsin	822	654.9	11.27	248	190.5	5.91	76	60.4	3.43	131	115.2	4.97	47	35.9	2.55	23	18.2	1.86
Wyoming	8	313.8	56.91	3	101.8	31.63	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black ethnicity category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males
{Page 3 of 4}

	Liver & IBD[3]			Leukemia			Bladder			Oral Cavity & Pharynx			Stomach			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**3,454**	**18.0**	**0.14**	**2,248**	**13.8**	**0.14**	**2,870**	**19.7**	**0.18**	**2,556**	**14.1**	**0.13**	**2,124**	**13.7**	**0.14**	**2,821**	**17.6**	**0.16**
Alabama	85	13.3	0.69	60	11.4	0.70	91	18.8	0.95	82	13.9	0.73	70	13.6	0.79	87	16.4	0.85
Alaska	-	-	-	2	21.9	9.30	1	13.3	5.71	-	-	-	-	-	-	2	18.8	7.36
Arizona	17	14.0	1.63	11	10.0	1.51	14	15.5	2.03	9	7.3	1.15	12	10.8	1.50	18	15.3	1.77
Arkansas	33	15.9	1.34	27	14.8	1.39	31	19.1	1.66	33	15.6	1.28	27	15.3	1.39	33	18.3	1.55
California	228	18.6	0.58	147	14.0	0.54	208	21.3	0.69	148	12.4	0.48	126	12.5	0.52	185	17.4	0.60
CA: Greater California	97	18.6	0.90	64	14.1	0.85	85	21.0	1.10	57	11.3	0.72	49	11.6	0.79	77	17.7	0.97
CA: Greater Bay Area	60	24.1	1.46	30	14.6	1.24	42	21.1	1.53	33	14.2	1.16	28	14.0	1.23	41	19.2	1.40
CA: Los Angeles	71	15.6	0.85	54	13.6	0.85	82	21.4	1.09	59	13.0	0.78	49	12.6	0.83	66	16.3	0.93
Colorado	19	17.9	2.05	12	13.5	1.95	15	18.4	2.29	15	14.9	1.93	10	12.6	1.99	13	13.2	1.83
Connecticut	27	16.5	1.49	18	13.2	1.46	28	23.0	2.08	23	14.4	1.43	24	19.0	1.84	24	16.4	1.58
Delaware	21	20.6	2.10	11	12.7	1.84	20	26.0	2.79	10	11.5	1.75	9	10.8	1.69	16	18.0	2.17
District of Columbia	49	27.7	1.83	14	9.9	1.20	26	17.5	1.58	26	17.2	1.55	21	14.3	1.43	34	21.7	1.71
Florida	184	12.7	0.44	202	15.7	0.52	167	15.2	0.56	190	13.9	0.47	162	13.5	0.50	175	14.2	0.51
Georgia	196	14.2	0.49	172	15.5	0.59	182	19.0	0.70	182	13.8	0.49	147	13.1	0.54	186	17.0	0.62
Hawaii	3	21.3	6.56	2	13.2	5.19	3	36.5	10.20	1	10.7	5.11	1	12.0	5.26	2	14.4	5.32
Idaho	1	42.8	27.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	140	16.0	0.63	102	13.4	0.62	152	21.5	0.82	140	17.3	0.68	109	15.1	0.68	142	18.8	0.74
Indiana	55	20.3	1.29	36	14.5	1.17	47	22.8	1.60	38	15.1	1.15	28	13.5	1.20	40	18.7	1.40
Iowa	11	29.7	4.34	6	18.8	4.19	6	18.6	3.94	6	15.5	3.32	3	9.9	2.94	5	18.0	4.01
Kansas	16	19.6	2.37	12	17.5	2.49	13	21.0	2.82	9	12.4	1.97	6	8.5	1.64	12	19.3	2.72
Kentucky	29	17.1	1.52	21	14.6	1.53	26	19.7	1.89	24	14.8	1.45	15	11.1	1.41	25	16.7	1.61
Louisiana	166	22.8	0.83	87	14.1	0.73	101	17.7	0.85	113	16.9	0.75	91	15.7	0.79	107	18.3	0.85
Maine	2	27.0	8.66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	173	19.6	0.70	92	12.4	0.62	141	21.4	0.86	102	12.7	0.60	79	11.1	0.60	128	17.2	0.73
Massachusetts	40	18.3	1.37	24	12.1	1.21	27	15.8	1.46	25	12.8	1.21	29	17.0	1.52	31	17.1	1.48
Michigan	132	18.9	0.77	76	13.3	0.72	119	22.0	0.95	101	15.8	0.73	76	13.8	0.74	118	20.6	0.89
MI: Metropolitan Detroit	100	20.3	0.95	59	14.8	0.90	86	22.7	1.14	80	18.3	0.95	54	13.9	0.88	88	21.2	1.06
Minnesota	36	39.7	3.44	13	13.9	2.10	16	23.5	3.02	15	15.2	2.13	12	14.2	2.20	14	16.8	2.37
Mississippi	60	11.6	0.71	61	14.2	0.87	70	17.6	1.03	87	17.2	0.87	58	13.4	0.85	81	19.1	1.04

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males
{Page 4 of 4}

	Liver & IBD[3]			Leukemia			Bladder			Oral Cavity & Pharynx			Stomach			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	75	23.5	1.27	41	14.9	1.11	54	22.1	1.43	50	16.2	1.08	33	12.6	1.04	63	23.5	1.40
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	9	25.4	4.21	4	10.9	2.83	5	21.3	4.43	6	16.3	3.19	4	14.1	3.32	7	27.1	4.96
New Hampshire	1	17.5	8.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	88	15.8	0.78	70	14.7	0.83	97	22.5	1.07	73	13.8	0.75	64	14.4	0.85	85	17.6	0.90
New Mexico	4	12.6	3.03	2	9.6	3.13	4	24.3	5.99	2	8.0	2.66	2	8.0	2.70	3	18.3	4.86
New York	263	18.8	0.54	170	13.8	0.49	223	19.6	0.61	160	12.0	0.44	182	15.4	0.54	212	17.0	0.55
North Carolina	171	15.7	0.57	137	15.1	0.62	167	20.2	0.76	160	15.4	0.57	119	13.4	0.59	166	18.5	0.69
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	135	19.0	0.76	71	11.6	0.65	118	21.0	0.91	88	13.2	0.66	81	13.9	0.73	102	16.9	0.79
Oklahoma	21	13.9	1.41	21	18.2	1.95	22	22.0	2.31	16	13.1	1.56	15	13.5	1.71	18	15.1	1.76
Oregon	13	31.7	4.29	6	20.0	4.05	5	14.6	3.27	4	9.4	2.35	4	11.5	2.69	7	22.3	4.31
Pennsylvania	194	29.5	1.00	79	13.8	0.73	132	25.6	1.05	98	16.1	0.76	73	13.8	0.76	106	19.2	0.88
Rhode Island	4	12.6	3.03	4	13.0	3.34	3	13.0	3.83	3	10.8	3.07	3	14.5	3.88	5	21.5	4.69
South Carolina	94	13.8	0.67	68	12.3	0.72	83	16.5	0.87	104	16.1	0.74	86	15.1	0.78	105	18.3	0.86
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	93	17.5	0.87	51	12.6	0.87	66	18.1	1.10	65	13.1	0.78	49	12.3	0.87	74	17.8	1.03
Texas	341	22.9	0.60	171	14.4	0.54	176	16.9	0.63	166	12.2	0.46	157	13.8	0.54	196	17.0	0.60
Utah	3	22.4	6.76	2	12.7	5.82	-	-	-	1	8.9	3.43	1	8.4	3.17	1	8.0	3.33
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	120	14.3	0.62	79	11.6	0.62	133	20.8	0.86	114	14.6	0.65	85	12.7	0.66	125	18.5	0.79
Washington	34	24.6	2.08	18	15.3	1.86	22	24.8	2.69	16	12.3	1.52	12	11.6	1.72	20	18.7	2.12
WA: Seattle/Puget Sound	31	26.1	2.29	18	17.2	2.12	21	25.5	2.84	15	11.9	1.54	12	13.7	2.05	19	20.4	2.36
West Virginia	8	17.2	2.76	5	19.9	4.26	5	16.7	3.57	4	13.3	3.11	3	9.3	2.51	6	20.8	4.03
Wisconsin	44	30.2	2.19	25	20.8	2.08	26	24.1	2.31	24	17.5	1.74	19	17.3	1.95	25	19.8	1.96
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as Hispanic and therefore is not included in the Non-Hispanic Black ethnicity category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females
{Page 1 of 4}

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus NOS[3]			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**89,042**	**406.4**	**0.62**	**27,992**	**127.2**	**0.35**	**8,527**	**39.1**	**0.19**	**2,968**	**13.7**	**0.11**	**6,288**	**27.4**	**0.16**	**10,502**	**47.9**	**0.21**
Alabama	2,813	386.3	3.35	932	126.7	1.91	317	43.8	1.13	67	9.4	0.53	170	22.4	0.79	276	37.6	1.04
Alaska	32	341.1	29.66	11	105.4	15.59	2	18.5	6.74	2	16.5	5.99	2	16.9	6.41	4	49.9	12.13
Arizona	435	343.5	7.62	142	109.0	4.22	42	34.1	2.45	20	14.9	1.52	29	22.6	1.93	48	39.9	2.67
Arkansas	975	404.0	5.97	293	120.6	3.25	106	45.0	2.01	28	11.9	1.02	65	25.2	1.45	123	50.4	2.11
California	5,203	394.1	2.50	1,680	127.7	1.42	500	38.1	0.78	135	10.8	0.43	379	27.1	0.64	620	46.5	0.85
CA: Greater California	2,007	389.5	4.00	663	127.5	2.28	187	37.0	1.25	57	11.0	0.66	133	24.3	0.97	231	45.8	1.39
CA: Greater Bay Area	1,071	409.9	5.74	331	128.6	3.24	107	41.0	1.81	19	7.9	0.83	83	29.8	1.50	131	48.5	1.94
CA: Los Angeles	2,125	390.9	3.87	685	127.2	2.22	206	37.6	1.19	58	12.1	0.73	163	28.4	1.01	258	46.1	1.30
Colorado	349	353.7	8.71	119	119.1	5.02	32	33.3	2.69	15	13.9	1.65	24	24.2	2.26	36	38.6	2.95
Connecticut	797	399.0	6.43	252	125.0	3.58	67	33.8	1.88	34	17.3	1.34	61	28.8	1.68	90	45.5	2.19
Delaware	498	435.8	8.98	160	136.9	4.97	43	37.8	2.66	20	18.7	1.90	37	30.5	2.32	65	58.6	3.35
District of Columbia	944	439.5	6.64	288	139.1	3.82	93	42.6	2.04	29	14.9	1.29	75	33.6	1.79	123	53.9	2.22
Florida	6,215	379.7	2.20	1,823	110.2	1.18	573	35.3	0.67	202	12.1	0.39	504	29.5	0.60	552	33.9	0.66
Georgia	6,525	400.8	2.30	2,181	130.4	1.29	656	40.8	0.74	218	12.6	0.39	454	26.3	0.57	629	40.2	0.75
Hawaii	27	344.6	32.75	9	107.1	16.49	2	27.4	10.73	-	-	-	2	22.3	8.47	3	56.8	15.52
Idaho	8	289.8	51.88	2	91.2	29.96	1	47.9	21.10	-	-	-	-	-	-	-	-	-
Illinois	4,734	443.2	2.94	1,456	137.0	1.64	480	44.8	0.93	133	13.0	0.52	343	30.6	0.75	676	61.9	1.08
Indiana	1,265	407.1	5.25	393	125.1	2.89	121	39.6	1.65	34	10.9	0.85	81	24.6	1.25	183	59.9	2.03
Iowa	154	448.6	17.12	40	114.6	8.53	13	39.0	5.02	6	14.0	2.66	12	35.2	4.84	19	61.8	6.61
Kansas	329	411.4	10.39	99	126.0	5.78	27	35.2	3.07	13	16.2	2.03	20	23.7	2.46	44	55.6	3.82
Kentucky	822	451.0	7.25	232	125.9	3.80	83	44.9	2.27	37	19.9	1.51	51	27.1	1.75	130	73.4	2.97
Louisiana	3,361	424.1	3.36	1,079	135.9	1.90	366	46.0	1.10	114	14.7	0.63	193	23.1	0.76	374	46.8	1.11
Maine	17	311.0	35.08	5	81.1	16.94	1	28.2	11.34	-	-	-	1	27.9	10.91	2	28.2	10.38
Maryland	4,287	408.0	2.87	1,439	135.3	1.64	371	35.8	0.85	150	14.4	0.54	319	28.4	0.73	507	48.7	1.00
Massachusetts	954	389.8	5.75	302	122.8	3.21	80	32.8	1.67	52	20.4	1.28	70	27.9	1.52	99	41.2	1.89
Michigan	3,295	414.4	3.31	975	124.0	1.82	321	40.3	1.03	104	13.7	0.62	226	27.0	0.83	467	57.8	1.23
MI: Metropolitan Detroit	2,586	439.6	3.97	768	132.2	2.19	255	43.1	1.24	85	15.3	0.76	175	28.2	0.98	362	60.1	1.45
Minnesota	429	404.2	9.51	122	107.7	4.70	36	35.5	2.90	22	15.6	1.58	33	32.8	2.70	51	55.4	3.75
Mississippi	2,372	402.8	3.80	727	122.4	2.08	280	47.3	1.30	70	11.8	0.65	155	25.1	0.93	272	46.3	1.29

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females
{Page 2 of 4}

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus NOS[3]			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	1,685	438.5	4.88	523	136.9	2.74	156	40.9	1.49	45	11.8	0.80	104	26.1	1.17	250	64.6	1.87
Montana	3	155.7	43.17	1	66.1	27.18	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	159	431.7	15.83	41	112.4	8.01	13	38.0	4.78	6	15.5	2.93	9	23.4	3.64	26	73.7	6.67
New Hampshire	17	281.2	33.60	5	94.7	19.57	2	27.9	9.84	-	-	-	1	17.6	7.20	1	33.7	14.16
New Jersey	2,978	432.1	3.60	938	135.9	2.02	279	40.8	1.11	109	16.4	0.72	230	31.5	0.94	334	47.7	1.18
New Mexico	61	325.2	19.09	18	95.2	10.38	6	30.9	5.97	2	11.0	3.76	3	17.4	4.53	8	41.9	6.84
New York	7,304	406.0	2.16	2,198	123.4	1.20	653	36.0	0.64	280	16.4	0.45	639	33.9	0.61	751	40.5	0.67
North Carolina	5,165	408.6	2.60	1,715	135.1	1.49	459	36.4	0.78	169	13.6	0.48	350	26.4	0.65	593	46.3	0.87
North Dakota	8	259.6	57.37	1	49.7	30.46	-	-	-	1	26.1	11.06	-	-	-	-	-	-
Ohio	3,342	414.1	3.27	1,032	129.0	1.84	298	36.8	0.97	129	16.8	0.68	216	25.8	0.80	500	60.9	1.24
Oklahoma	565	395.5	7.67	177	124.1	4.29	55	39.4	2.43	19	13.2	1.38	38	25.0	1.88	73	51.5	2.79
Oregon	132	400.3	16.06	42	122.6	8.69	11	32.2	4.57	7	21.3	3.62	9	24.3	3.83	18	58.7	6.42
Pennsylvania	3,543	455.5	3.49	999	130.1	1.88	310	39.6	1.02	142	19.3	0.74	250	30.7	0.89	546	68.9	1.34
Rhode Island	106	353.6	15.73	37	120.4	9.08	7	22.7	4.06	6	18.7	3.52	6	19.9	3.60	13	44.1	5.69
South Carolina	3,054	390.9	3.26	1,002	128.3	1.87	291	36.9	1.00	95	12.7	0.60	226	27.0	0.83	325	40.6	1.04
South Dakota	9	257.0	42.70	3	83.4	22.86	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	2,340	402.0	3.84	734	124.1	2.11	234	40.8	1.23	65	11.1	0.63	146	24.0	0.92	296	51.6	1.39
Texas	6,289	394.2	2.30	1,970	120.5	1.25	640	40.2	0.74	202	12.0	0.39	400	24.2	0.56	699	45.9	0.81
Utah	28	354.3	32.40	7	93.8	16.50	2	34.1	10.23	2	16.7	5.47	2	21.7	7.94	3	52.2	13.48
Vermont	6	272.5	58.73	2	58.9	21.31	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,623	393.5	2.99	1,237	133.5	1.74	329	35.9	0.91	117	12.9	0.55	240	24.9	0.74	440	47.7	1.04
Washington	449	394.0	8.82	141	120.6	4.78	39	34.8	2.65	19	14.1	1.49	31	26.4	2.26	48	46.0	3.14
WA: Seattle/Puget Sound	424	416.1	9.58	134	127.5	5.18	36	36.6	2.89	19	15.8	1.68	28	26.9	2.40	46	49.6	3.48
West Virginia	134	379.4	15.14	40	117.6	8.59	14	38.7	4.72	5	15.0	3.17	8	21.0	3.40	19	52.7	5.51
Wisconsin	763	487.7	8.21	223	139.5	4.32	71	45.7	2.52	27	15.7	1.39	50	31.0	2.03	107	71.9	3.24
Wyoming	5	207.2	43.36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black ethnicity category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS – Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females
{Page 3 of 4}

	Non-Hodgkin Lymphoma			Kidney & Renal Pelvis			Cervix			Ovary			Leukemia			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**2,665**	**12.3**	**0.11**	**2,939**	**13.3**	**0.11**	**1,915**	**9.0**	**0.09**	**1,968**	**9.0**	**0.09**	**1,933**	**9.0**	**0.09**	**3,173**	**14.8**	**0.12**
Alabama	72	9.9	0.54	97	13.1	0.61	72	10.5	0.57	73	10.1	0.54	52	7.2	0.46	104	14.5	0.65
Alaska	1	19.0	7.83	2	22.6	8.36	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	11	8.9	1.24	12	8.8	1.18	9	6.1	0.94	11	9.3	1.27	10	7.9	1.19	19	15.7	1.68
Arkansas	26	11.1	1.01	38	16.1	1.21	24	10.1	0.95	21	8.9	0.89	21	8.5	0.84	38	16.3	1.22
California	166	12.8	0.45	169	12.8	0.45	91	7.3	0.35	126	9.5	0.39	112	8.7	0.37	182	13.7	0.46
CA: Greater California	62	12.3	0.72	72	14.0	0.76	40	7.6	0.56	49	9.1	0.60	40	7.9	0.57	64	12.7	0.73
CA: Greater Bay Area	38	14.8	1.10	38	14.5	1.08	13	5.6	0.72	28	10.7	0.93	22	8.7	0.85	39	14.8	1.08
CA: Los Angeles	65	12.2	0.69	58	10.8	0.65	39	7.9	0.58	50	9.3	0.60	50	9.5	0.62	79	14.1	0.72
Colorado	11	10.9	1.51	11	11.4	1.57	6	6.0	1.11	7	7.4	1.30	8	8.0	1.32	10	10.6	1.53
Connecticut	22	11.1	1.09	20	10.4	1.06	15	7.4	0.88	17	8.6	0.94	18	9.4	1.01	28	14.2	1.23
Delaware	15	13.4	1.58	15	13.2	1.55	10	9.1	1.34	9	8.2	1.22	9	7.9	1.19	19	17.0	1.80
District of Columbia	24	11.3	1.08	24	10.8	1.03	18	9.7	1.06	24	11.5	1.09	14	6.4	0.81	35	15.5	1.19
Florida	239	14.7	0.44	172	10.5	0.37	174	10.7	0.37	150	9.2	0.34	177	10.9	0.37	211	13.4	0.42
Georgia	189	11.7	0.39	214	13.0	0.41	132	8.0	0.32	160	9.9	0.36	154	9.8	0.36	223	14.7	0.46
Hawaii	-	-	-	-	-	-	-	-	-	1	15.1	6.76	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	124	12.0	0.49	146	13.7	0.52	107	10.6	0.47	102	9.7	0.44	93	8.9	0.42	165	15.5	0.55
Indiana	37	12.1	0.91	42	13.3	0.94	26	8.1	0.73	25	8.1	0.74	25	8.0	0.74	47	15.2	1.02
Iowa	4	11.7	2.66	9	26.1	4.21	3	6.6	1.77	3	8.6	2.30	4	10.0	2.52	5	16.8	3.53
Kansas	11	13.5	1.86	11	12.8	1.77	6	7.0	1.35	5	7.1	1.43	11	14.2	1.96	13	17.7	2.22
Kentucky	19	10.7	1.13	37	20.0	1.53	15	8.7	1.02	14	8.1	0.98	19	10.8	1.14	29	16.0	1.38
Louisiana	97	12.5	0.58	122	15.2	0.63	83	11.3	0.57	72	9.0	0.49	70	8.9	0.49	116	15.0	0.64
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	133	12.7	0.51	126	11.9	0.49	70	6.7	0.37	96	9.0	0.42	88	8.5	0.42	147	14.3	0.55
Massachusetts	30	12.1	1.01	29	11.8	0.99	21	8.5	0.85	22	8.6	0.83	20	8.2	0.83	30	12.7	1.07
Michigan	103	13.0	0.59	107	13.4	0.59	55	7.4	0.46	66	8.2	0.46	69	9.0	0.49	127	15.7	0.64
MI: Metropolitan Detroit	81	14.0	0.71	80	13.5	0.69	41	7.5	0.54	54	9.1	0.57	57	10.0	0.61	101	16.6	0.76
Minnesota	13	12.8	1.71	14	12.9	1.63	9	7.9	1.24	9	7.9	1.32	9	6.2	1.07	14	15.6	1.99
Mississippi	67	11.8	0.66	105	18.4	0.82	61	10.5	0.61	48	8.3	0.55	47	8.3	0.56	84	14.9	0.75

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

	Non-Hodgkin Lymphoma			Kidney & Renal Pelvis			Cervix			Ovary			Leukemia			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.*[3]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Missouri	50	13.0	0.84	64	16.6	0.95	33	9.0	0.71	29	7.6	0.64	36	9.4	0.72	62	16.2	0.94
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	6	15.3	3.00	7	17.6	3.19	4	10.6	2.44	2	6.4	2.02	3	7.8	2.03	5	16.2	3.20
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	87	12.8	0.63	81	11.6	0.59	70	10.5	0.57	68	9.8	0.54	64	9.7	0.55	103	15.0	0.67
New Mexico	2	8.3	2.80	2	9.8	3.00	-	-	-	2	8.9	3.24	3	13.9	3.92	2	10.9	3.53
New York	243	13.7	0.40	192	10.5	0.35	175	10.2	0.35	175	9.7	0.34	167	9.6	0.34	260	14.3	0.40
North Carolina	154	12.3	0.45	183	14.4	0.49	96	7.8	0.37	98	7.9	0.36	110	9.0	0.39	188	15.1	0.50
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	91	11.2	0.54	108	13.5	0.59	61	8.0	0.47	62	7.7	0.45	64	7.9	0.45	120	14.8	0.62
Oklahoma	15	11.2	1.31	21	14.3	1.45	10	7.2	1.05	12	8.4	1.12	13	9.4	1.20	18	12.8	1.39
Oregon	4	11.9	2.85	3	9.7	2.52	1	3.8	1.59	3	8.7	2.38	3	9.0	2.28	5	16.7	3.31
Pennsylvania	106	13.7	0.61	121	15.5	0.64	73	9.9	0.53	67	8.7	0.48	67	8.6	0.48	126	16.0	0.65
Rhode Island	2	8.0	2.38	3	11.0	2.89	2	5.8	1.94	1	4.7	1.79	2	6.8	2.07	4	11.7	2.80
South Carolina	73	9.7	0.52	101	12.7	0.58	66	9.1	0.52	65	8.5	0.48	65	8.8	0.50	119	15.5	0.65
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	63	11.1	0.65	98	16.5	0.77	59	10.0	0.60	53	9.1	0.58	49	8.4	0.55	82	14.9	0.76
Texas	193	12.1	0.40	228	14.3	0.44	154	9.3	0.34	154	9.4	0.35	141	9.1	0.36	224	14.8	0.46
Utah	2	25.7	9.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	106	11.7	0.52	135	14.6	0.58	61	6.9	0.41	76	8.2	0.43	68	7.8	0.43	143	15.6	0.60
Washington	14	12.7	1.60	18	14.9	1.65	9	6.9	1.07	7	6.3	1.11	11	9.9	1.41	11	10.8	1.52
WA: Seattle/Puget Sound	13	12.5	1.65	17	15.5	1.78	8	7.0	1.15	8	7.4	1.25	11	10.9	1.57	12	12.1	1.70
West Virginia	4	10.6	2.48	3	9.6	2.41	2	4.7	1.69	3	9.7	2.48	4	11.0	2.64	5	13.6	2.86
Wisconsin	23	14.9	1.45	30	18.9	1.60	20	11.8	1.22	16	9.7	1.13	20	13.2	1.38	27	18.5	1.66
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black ethnicity category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Race-Specific Population Indicators (2013-2017)

Combined Population:	
All Races	137,725,408
White	-
Black	-
American Indian/Alaskan Native	-
Asian/Pacific Islander	-

Percentage of Canada Population Reflected in the Combined Cancer Statistics:	
All Races	77.0%
White	-
Black	-
American Indian/Alaskan Native	-
Asian/Pacific Islander	-

Number of Cases in Combined Cancer Statistics:	
All Races	153,744
White	-
Black	-
American Indian/Alaskan Native	-
Asian/Pacific Islander	-

Race-Specific Population Counts by Year

Race	2013	2014	2015	2016	2017
All Races	26,935,553	27,250,115	27,489,946	27,844,990	28,204,804

Data Quality Indicators (2012-2016)

Indicators (%)	2013	2014	2015	2016	2017
Missing Race	na	na	na	na	na
Missing Sex	0.0	0.0	0.0	0.0	0.0
Missing County	0.0	0.0	0.0	0.0	0.0
Missing Age	0.0	0.0	0.0	0.0	0.0
Death Certificate Only Cases	0.9	0.9	0.9	1.0	1.1

Site-Specific Microscopic Confirmation (2013-2017)

Cancer Site	% Micro. Confirm	Cancer Site	% Micro. Confirm
All Sites	90.5	Prostate	95.1
Oral Cavity & Pharynx	96.6	Testis	98.2
Esophagus	94.7	Bladder (incl. *in situ*)	97.1
Stomach	94.3	Kidney & Renal Pelvis	88.9
Colon & Rectum	94.3	Brain & Other CNS[1]	83.2
Liver	49.7	Thyroid	99.3
Pancreas	68.3	Hodgkin Lymphoma	96.4
Lung & Bronchus	82.2	Non-Hodgkin Lymphoma	95.7
Melanomas of the Skin	98.7	Multiple Myeloma	78.6
Female Breast (excl. *in situ*)	98.2	Leukemias	84.3
Cervix uteri	98.1	Brain & Other CNS[1] *non-malig*	44.3
Uterus Corpus & Uterus NOS[1]	98.2	Breast *in situ*	100.0
Ovary	90.3		

[1] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NAACCR Canadian Combined Incidence 2013-2017, All Races Combined

CANADA

III-89 Combined Incidence – All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
NAACCR Canadian Combined, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Cases*[1]	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	77,772	493.4	0.81	581.3	0.94	75,972	432.5	0.72	504.6	0.82
Oral Cavity & Pharynx	2,680	16.2	0.14	19.7	0.17	1,188	6.7	0.09	7.9	0.10
Lip	193	1.3	0.04	1.5	0.05	69	0.4	0.02	0.4	0.02
Tongue	783	4.6	0.08	5.7	0.09	324	1.8	0.05	2.2	0.05
Major salivary gland	245	1.6	0.05	1.9	0.05	179	1.1	0.04	1.2	0.04
Floor of mouth	143	0.8	0.03	1.0	0.04	66	0.4	0.02	0.4	0.02
Gum & other mouth	299	1.9	0.05	2.2	0.06	261	1.4	0.04	1.7	0.05
Nasopharynx	169	1.1	0.04	1.2	0.04	66	0.4	0.02	0.5	0.03
Oropharynx	126	0.7	0.03	0.9	0.04	34	0.2	0.01	0.2	0.02
Hypopharynx	146	0.9	0.03	1.1	0.04	32	0.2	0.01	0.2	0.02
Digestive System	18,166	115.0	0.39	136.4	0.46	13,690	75.2	0.29	88.3	0.34
Esophagus	1,236	7.6	0.10	9.2	0.12	391	2.1	0.05	2.5	0.06
Stomach	1,770	11.4	0.12	13.4	0.14	946	5.2	0.08	6.1	0.09
Small intestine	441	2.8	0.06	3.3	0.07	390	2.2	0.05	2.6	0.06
Colon excl. rectum	6,279	40.5	0.23	47.5	0.27	5,813	32.0	0.19	37.3	0.22
Rectum & rectosigmoid	3,579	22.3	0.17	26.6	0.20	2,170	12.1	0.12	14.4	0.14
Anus, anal canal & anorectum	197	1.2	0.04	1.5	0.05	366	2.0	0.05	2.5	0.06
Liver	1,466	8.8	0.10	10.8	0.13	481	2.6	0.05	3.1	0.06
Gallbladder	133	0.9	0.03	1.0	0.04	245	1.3	0.04	1.6	0.05
Pancreas	2,067	13.1	0.13	15.6	0.15	1,903	10.2	0.11	12.1	0.12
Respiratory System	10,691	68.1	0.30	80.4	0.35	10,083	54.9	0.25	65.1	0.29
Larynx	648	3.9	0.07	4.8	0.08	113	0.6	0.03	0.7	0.03
Lung & bronchus	9,854	63.0	0.29	74.2	0.34	9,854	53.6	0.25	63.6	0.29
Bones & Joints	164	1.1	0.04	1.2	0.04	136	0.9	0.04	1.0	0.04
Soft Tissue (incl. heart)	646	4.4	0.08	4.9	0.09	497	3.1	0.06	3.4	0.07
Skin (excl. basal & sq.)	4,123	26.7	0.19	31.2	0.22	3,290	19.3	0.15	22.1	0.17
Melanomas of the skin	3,714	23.9	0.18	28.0	0.21	2,998	17.6	0.15	20.2	0.17
Breast (excl. *in situ*)	164	1.0	0.04	1.2	0.04	20,721	119.1	0.38	140.2	0.44
Female Genital System	-	-	-	-	-	9,269	52.9	0.25	62.6	0.29
Cervix uteri	-	-	-	-	-	1,123	7.6	0.10	8.0	0.11
Uterus Corpus	-	-	-	-	-	4,895	26.8	0.17	32.9	0.21
Uterus, NOS[2]	-	-	-	-	-	101	0.6	0.03	0.7	0.03
Ovary	-	-	-	-	-	2,148	12.4	0.12	14.5	0.14
Male Genital System	17,510	106.5	0.37	128.0	0.43	-	-	-	-	-
Prostate	16,399	98.4	0.35	119.8	0.42	-	-	-	-	-
Testis	865	6.4	0.10	6.3	0.10	-	-	-	-	-
Penis	197	1.3	0.04	1.5	0.05	-	-	-	-	-
Urinary System	9,457	61.0	0.29	71.6	0.33	3,746	20.7	0.15	24.3	0.18
Bladder (incl. *in situ*)	5,918	38.8	0.23	45.3	0.27	1,840	10.0	0.11	11.7	0.12
Kidney & renal pelvis	3,149	19.6	0.16	23.3	0.19	1,713	9.7	0.11	11.4	0.12
Ureter	102	0.7	0.03	0.8	0.04	67	0.4	0.02	0.4	0.02
Eye & Orbit	160	1.0	0.04	1.2	0.04	137	0.8	0.03	0.9	0.04
Brain & Other CNS[2]	1,191	7.9	0.10	8.8	0.11	897	5.5	0.09	6.1	0.09
Brain	1,138	7.5	0.10	8.4	0.11	848	5.2	0.08	5.8	0.09
Endocrine System	1,370	9.0	0.11	10.1	0.12	3,632	23.9	0.18	26.0	0.19
Thyroid gland	1,222	8.0	0.11	9.0	0.12	3,504	23.1	0.18	25.1	0.19
Lymphomas	4,072	26.5	0.19	30.4	0.21	3,253	18.9	0.15	21.6	0.17
Hodgkin Lymphoma	423	3.0	0.07	3.1	0.07	330	2.3	0.06	2.4	0.06
Non-Hodgkin Lymphoma	3,649	23.5	0.18	27.3	0.20	2,924	16.5	0.14	19.3	0.16
Multiple Myeloma	1,368	8.8	0.11	10.4	0.13	996	5.4	0.08	6.4	0.09
Leukemias	3,073	20.3	0.17	23.2	0.19	2,096	12.2	0.12	13.8	0.14
Acute lymphocytic	240	1.9	0.06	1.7	0.05	178	1.4	0.05	1.3	0.04
Chronic lymphocytic	1,412	8.9	0.11	10.6	0.13	891	4.8	0.07	5.7	0.09
Acute myeloid	705	4.7	0.08	5.4	0.09	532	3.1	0.06	3.5	0.07
Chronic myeloid	352	2.4	0.06	2.7	0.06	240	1.4	0.04	1.6	0.05
Other leukemias	364	2.4	0.06	2.8	0.07	256	1.5	0.04	1.7	0.05
Mesothelioma	343	2.3	0.06	2.7	0.06	93	0.5	0.02	0.6	0.03
Kaposi Sarcoma	59	0.4	0.02	0.4	0.03	11	0.1	0.01	0.1	0.01
Ill-defined & Unknown	2,533	17.1	0.15	19.7	0.18	2,236	12.3	0.12	14.2	0.14
Selected tumors (non-invasive)										
Brain & Other CNS[2](non-malig)	1,344	9.0	0.11	10.0	0.12	2,062	12.3	0.12	14.0	0.14
Breast (*in situ*)	10	0.1	0.01	0.1	0.01	2,991	17.2	0.14	20.6	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard.
\- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
[1] Canada average cases are based on 77% of the population. See Technical Notes.
[2] Abbreviations: NOS - Not Otherwise Specified; CNS - Centrail Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined[3], 2013-2017, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR Canadian Combined	**77,772**	**493.4**	**0.81**	**16,399**	**98.4**	**0.35**	**9,859**	**62.8**	**0.29**	**9,854**	**63.0**	**0.29**	**5,918**	**38.8**	**0.23**	**3,714**	**23.9**	**0.18**
Alberta	9,525	482.2	2.29	2,324	112.3	1.08	1,180	60.3	0.81	1,125	60.5	0.83	688	37.5	0.66	370	18.6	0.45
British Columbia	13,343	449.0	1.78	2,871	91.8	0.78	1,804	60.4	0.65	1,622	54.5	0.62	1,112	38.4	0.52	614	21.0	0.39
Manitoba	3,369	480.3	3.78	704	96.9	1.67	464	66.4	1.41	442	63.5	1.38	229	33.7	1.01	133	19.3	0.76
New Brunswick	2,589	500.3	4.56	524	90.8	1.83	336	65.8	1.66	445	86.7	1.89	199	39.1	1.28	100	19.8	0.93
Newfoundland and Labrador	1,900	526.3	5.68	432	107.3	2.40	346	96.8	2.44	277	77.3	2.18	131	38.1	1.57	60	17.9	1.09
Northwest Territory	82	490.8	28.21	14	77.1	10.76	15	100.8	13.43	13	94.2	13.28	3	13.2	4.15	2	11.5	3.96
Nova Scotia	3,343	540.2	4.33	640	96.1	1.75	471	76.5	1.63	511	81.0	1.65	243	40.0	1.18	191	31.9	1.08
Nunavut	34	364.9	33.26	3	30.7	9.57	8	69.2	12.36	10	137.8	22.74	-	-	-	-	-	-
Ontario	40,168	509.5	1.16	8,124	97.4	0.49	4,716	60.1	0.40	4,961	63.0	0.41	3,058	39.7	0.33	2,114	27.2	0.27
Prince Edward Island	487	517.9	10.88	98	95.9	4.46	70	74.8	4.12	69	73.3	4.07	34	36.5	2.87	33	36.5	2.97
Saskatchewan	2,932	470.8	3.97	666	102.2	1.81	449	72.4	1.56	379	62.1	1.45	221	36.6	1.12	97	15.6	0.72

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[2] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined[3], 2013-2017, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR Canadian Combined	**77,772**	**581.3**	**0.94**	**16,399**	**119.8**	**0.42**	**9,859**	**74.1**	**0.34**	**9,854**	**74.2**	**0.34**	**5,918**	**45.3**	**0.27**	**3,714**	**28.0**	**0.21**
Alberta	9,525	569.4	2.66	2,324	137.4	1.29	1,180	71.2	0.94	1,125	70.8	0.96	688	43.7	0.76	370	21.8	0.52
British Columbia	13,343	528.7	2.06	2,871	110.6	0.93	1,804	71.6	0.76	1,622	64.2	0.72	1,112	44.8	0.60	614	24.6	0.45
Manitoba	3,369	564.9	4.37	704	116.7	1.98	464	78.6	1.64	442	74.7	1.60	229	39.4	1.17	133	22.6	0.88
New Brunswick	2,589	593.2	5.30	524	112.8	2.23	336	77.7	1.93	445	102.0	2.20	199	46.1	1.49	100	23.3	1.06
Newfoundland and Labrador	1,900	624.6	6.60	432	133.1	2.93	346	114.3	2.84	277	91.1	2.53	131	44.9	1.82	60	20.3	1.20
Northwest Territory	82	571.0	31.72	14	93.8	12.37	15	115.1	14.88	13	107.8	14.72	3	15.9	4.81	2	13.3	4.32
Nova Scotia	3,343	635.0	5.00	640	116.2	2.08	471	90.2	1.89	511	95.6	1.92	243	46.8	1.37	191	37.0	1.22
Nunavut	34	424.9	37.34	3	36.2	10.70	8	83.8	14.37	10	159.8	25.29	-	-	-	-	-	-
Ontario	40,168	599.6	1.34	8,124	118.6	0.59	4,716	70.8	0.46	4,961	74.3	0.47	3,058	46.4	0.38	2,114	31.8	0.31
Prince Edward Island	487	611.1	12.63	98	117.6	5.40	70	88.2	4.79	69	85.6	4.70	34	42.7	3.33	33	42.1	3.36
Saskatchewan	2,932	556.4	4.61	666	125.0	2.17	449	85.7	1.81	379	72.7	1.67	221	42.7	1.29	97	18.3	0.84

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard.
2. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard.
3. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
4. Abbreviations: S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined[3], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[4]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR Canadian Combined	**75,972**	**432.5**	**0.72**	**20,721**	**119.1**	**0.38**	**9,854**	**53.6**	**0.25**	**7,984**	**44.1**	**0.23**	**4,996**	**27.4**	**0.18**	**3,504**	**23.1**	**0.18**
Alberta	9,003	415.9	1.99	2,667	122.6	1.08	1,127	53.1	0.72	904	41.9	0.63	615	27.2	0.50	377	17.8	0.42
British Columbia	12,558	388.2	1.60	3,537	110.8	0.86	1,719	50.7	0.56	1,426	42.7	0.52	784	23.3	0.38	328	12.0	0.31
Manitoba	3,347	425.6	3.38	859	110.9	1.74	473	58.0	1.22	370	45.5	1.09	282	35.7	0.97	110	16.2	0.71
New Brunswick	2,368	421.2	4.04	617	111.0	2.09	372	61.8	1.46	259	44.3	1.27	153	25.7	0.96	78	17.3	0.93
Newfoundland and Labrador	1,759	465.0	5.16	465	121.8	2.63	227	56.6	1.72	269	69.8	1.96	111	27.9	1.23	93	28.3	1.39
Northwest Territory	76	453.5	26.24	23	125.0	12.99	9	76.3	12.39	13	77.5	11.02	5	24.5	5.67	2	10.0	2.91
Nova Scotia	3,154	450.5	3.75	794	115.2	1.91	497	66.0	1.35	379	51.5	1.22	189	25.9	0.87	98	17.7	0.85
Nunavut	37	436.4	40.26	5	48.6	11.28	11	142.5	22.65	8	126.9	25.13	1	9.6	4.09	2	16.0	8.13
Ontario	40,450	453.1	1.03	10,877	123.1	0.54	4,945	52.4	0.34	3,965	42.8	0.31	2,652	28.5	0.25	2,344	30.7	0.29
Prince Edward Island	452	423.5	9.26	119	112.1	4.79	75	66.1	3.47	55	50.7	3.16	26	23.0	2.10	7	7.9	1.40
Saskatchewan	2,769	408.6	3.58	758	115.2	1.93	399	56.9	1.30	335	47.5	1.20	179	25.9	0.89	67	11.5	0.65

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[2] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined[3], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[4]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR Canadian Combined	**75,972**	**504.6**	**0.82**	**20,721**	**140.2**	**0.44**	**9,854**	**63.6**	**0.29**	**7,984**	**51.6**	**0.26**	**4,996**	**33.6**	**0.21**	**3,504**	**25.1**	**0.19**
Alberta	9,003	485.8	2.30	2,667	144.3	1.25	1,127	62.5	0.83	904	49.2	0.73	615	33.4	0.60	377	19.1	0.44
British Columbia	12,558	453.2	1.82	3,537	130.2	0.99	1,719	59.8	0.65	1,426	50.2	0.60	784	28.5	0.46	328	13.0	0.32
Manitoba	3,347	498.7	3.89	859	131.1	2.02	473	68.8	1.43	370	53.3	1.26	282	43.5	1.16	110	17.7	0.76
New Brunswick	2,368	492.6	4.60	617	130.9	2.39	372	73.7	1.72	259	51.4	1.45	153	32.0	1.17	78	18.9	0.98
Newfoundland and Labrador	1,759	543.1	5.86	465	143.5	3.01	227	67.0	2.00	269	81.8	2.25	111	34.2	1.46	93	31.4	1.48
Northwest Territory	76	525.0	29.71	23	146.7	15.00	9	87.5	13.83	13	91.8	12.51	5	29.5	6.55	2	10.3	3.01
Nova Scotia	3,154	526.7	4.26	794	135.7	2.19	497	78.8	1.59	379	60.5	1.41	189	31.7	1.04	98	19.1	0.88
Nunavut	37	512.1	46.25	5	56.1	13.13	11	169.1	25.52	8	149.0	28.91	1	13.3	5.70	2	18.2	9.33
Ontario	40,450	528.0	1.18	10,877	144.9	0.63	4,945	62.3	0.40	3,965	50.0	0.36	2,652	35.0	0.31	2,344	33.3	0.31
Prince Edward Island	452	497.1	10.60	119	132.7	5.52	75	78.2	4.07	55	58.7	3.59	26	28.5	2.54	7	8.8	1.51
Saskatchewan	2,769	476.9	4.11	758	135.8	2.23	399	67.0	1.52	335	55.2	1.37	179	32.0	1.08	67	12.6	0.70

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard.
2. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard.
3. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
4. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

Race-Specific Population Indicators (2013-2017)

Combined Population[1]:	
All Races	1,750,959,734
White	-
Black	-
American Indian/Alaskan Native	-
Asian/Pacific Islander	-

Percentage of North America Population Reflected in the Combined Cancer Statistics[2]:	
All Races	97.3%
White	-
Black	-
American Indian/Alaskan Native	-
Asian/Pacific Islander	-

Number of Cases in Combined Cancer Statistics[1]:	
All Races	1,840,830
White	-
Black	-
American Indian/Alaskan Native	-
Asian/Pacific Islander	-

Race-Specific Population Counts by Year

Race	2013	2014	2015	2016	2017
All Races	346,586,357	349,171,410	348,837,119	354,322,827	352,042,021

Data Quality Indicators (2013-2017)

Indicators (%)	2013	2014	2015	2016	2017
Missing Race	na	na	na	na	na
Missing Sex	0.0	0.0	0.0	0.0	0.0
Missing County	0.0	0.0	0.0	0.0	0.0
Missing Age	0.0	0.0	0.0	0.0	0.0
Death Certificate Only Cases	1.6	1.8	1.8	1.6	1.5

Site-Specific Microscopic Confirmation (2013-2017)

Cancer Site	% Micro. Confirm	Cancer Site	% Micro. Confirm
All Sites	92.9	Prostate	96.3
Oral Cavity & Pharynx	97.4	Testis	98.9
Esophagus	94.9	Bladder (incl. *in situ*)	97.6
Stomach	96.0	Kidney & Renal Pelvis	89.8
Colon & Rectum	95.9	Brain & Other CNS[3]	84.8
Liver	53.3	Thyroid	99.4
Pancreas	82.7	Hodgkin Lymphoma	98.3
Lung & Bronchus	87.7	Non-Hodgkin Lymphoma	96.6
Melanomas of the Skin	99.1	Multiple Myeloma	88.7
Female Breast (excl. *in situ*)	98.5	Leukemias	89.5
Cervix uteri	97.2	Brain & ONS[3] *non-malig*	42.0
Uterus Corpus & Uterus NOS[3]	98.6	Breast *in situ*	100.0
Ovary	92.3		

[1] Puerto Rico is defined as "Other" race and therefore is only included in the All Races and Hispanic/All Races categories, see Technical Notes
[2] Population coverage is limited by years contributed and by data completeness, see Technical notes.
[3] Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NAACCR North America Combined Incidence 2013-2017, All Races Combined

NORTH AMERICA

III-95 Combined Incidence – All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates *
NAACCR North America Combined, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Cases*[1]	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*	*Avg. Annual Cases*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate 2011 Cdn*	*S.E.*
All Sites (invasive & in situ bladder)	928,328	488.3	0.23	579.3	0.27	912,502	422.1	0.20	492.4	0.23
Oral Cavity & Pharynx	35,171	17.8	0.04	21.7	0.05	14,207	6.5	0.02	7.7	0.03
Lip	1,651	0.9	0.01	1.1	0.01	650	0.3	0.01	0.3	0.01
Tongue	11,104	5.5	0.02	6.8	0.03	4,280	1.9	0.01	2.3	0.02
Major salivary gland	2,993	1.7	0.01	1.9	0.02	2,115	1.0	0.01	1.1	0.01
Floor of mouth	1,526	0.7	0.01	0.9	0.01	705	0.3	0.01	0.4	0.01
Gum & other mouth	3,657	1.9	0.01	2.3	0.02	2,889	1.3	0.01	1.5	0.01
Nasopharynx	1,515	0.8	0.01	0.9	0.01	619	0.3	0.01	0.3	0.01
Oropharynx	1,871	0.9	0.01	1.1	0.01	522	0.2	0.00	0.3	0.01
Hypopharynx	2,037	1.0	0.01	1.3	0.01	496	0.2	0.00	0.3	0.01
Digestive System	186,775	98.3	0.10	117.4	0.12	146,925	65.8	0.08	77.5	0.09
Esophagus	15,084	7.8	0.03	9.4	0.03	4,091	1.8	0.01	2.1	0.02
Stomach	16,908	9.1	0.03	10.7	0.04	10,324	4.7	0.02	5.5	0.02
Small intestine	5,300	2.8	0.02	3.3	0.02	4,700	2.2	0.01	2.5	0.02
Colon excl. rectum	57,314	30.9	0.06	36.4	0.07	56,858	25.5	0.05	29.8	0.06
Rectum & rectosigmoid	28,166	14.7	0.04	17.6	0.05	19,446	9.0	0.03	10.6	0.03
Anus, anal canal & anorectum	2,822	1.5	0.01	1.8	0.01	5,084	2.3	0.01	2.8	0.02
Liver	23,104	11.2	0.03	14.1	0.04	7,732	3.4	0.02	4.1	0.02
Gallbladder	1,477	0.8	0.01	0.9	0.01	3,046	1.3	0.01	1.6	0.01
Pancreas	27,452	14.6	0.04	17.3	0.05	25,666	11.2	0.03	13.3	0.04
Respiratory System	138,583	73.3	0.09	87.1	0.11	120,333	52.9	0.07	62.8	0.08
Larynx	10,734	5.4	0.02	6.6	0.03	2,693	1.2	0.01	1.5	0.01
Lung & bronchus	125,691	66.7	0.09	79.2	0.10	116,308	51.1	0.07	60.7	0.08
Bones & Joints	2,015	1.1	0.01	1.2	0.01	1,550	0.8	0.01	0.9	0.01
Soft Tissue (incl. heart)	7,272	4.0	0.02	4.5	0.02	5,732	2.8	0.02	3.1	0.02
Skin (excl. basal & sq.)	56,131	30.5	0.06	35.6	0.07	39,032	18.9	0.04	21.5	0.05
Melanomas of the skin	51,797	28.0	0.06	32.8	0.06	36,240	17.6	0.04	20.0	0.05
Breast (excl. *in situ*)	2,366	1.3	0.01	1.5	0.01	267,034	125.1	0.11	146.9	0.13
Female Genital System	-	-	-	-	-	109,031	50.5	0.07	59.8	0.08
Cervix uteri	-	-	-	-	-	14,173	7.7	0.03	8.2	0.03
Uterus Corpus	-	-	-	-	-	58,614	26.2	0.05	32.0	0.06
Uterus, NOS[2]	-	-	-	-	-	1,953	0.9	0.01	1.0	0.01
Ovary	-	-	-	-	-	23,652	11.0	0.03	12.9	0.04
Male Genital System	223,815	111.3	0.11	135.8	0.13	-	-	-	-	-
Prostate	211,970	104.4	0.10	128.8	0.13	-	-	-	-	-
Testis	9,711	5.7	0.03	5.7	0.03	-	-	-	-	-
Penis	1,693	0.9	0.01	1.1	0.01	-	-	-	-	-
Urinary System	108,714	58.7	0.08	69.1	0.09	46,048	20.7	0.04	24.3	0.05
Bladder (incl. *in situ*)	63,150	34.8	0.06	40.8	0.07	19,781	8.6	0.03	10.2	0.03
Kidney & renal pelvis	43,006	22.5	0.05	26.6	0.06	24,861	11.5	0.03	13.4	0.04
Ureter	1,389	0.8	0.01	0.9	0.01	874	0.4	0.01	0.4	0.01
Eye & Orbit	1,823	1.0	0.01	1.1	0.01	1,561	0.8	0.01	0.8	0.01
Brain & Other CNS[2]	13,961	7.6	0.03	8.4	0.03	11,051	5.5	0.02	6.0	0.03
Brain	13,214	7.2	0.03	8.0	0.03	10,280	5.1	0.02	5.6	0.02
Endocrine System	15,231	8.3	0.03	9.3	0.03	41,626	22.2	0.05	24.1	0.05
Thyroid gland	13,687	7.4	0.03	8.4	0.03	40,249	21.5	0.05	23.3	0.05
Lymphomas	48,048	26.2	0.05	30.1	0.06	39,230	18.3	0.04	21.0	0.05
Hodgkin Lymphoma	5,262	3.0	0.02	3.1	0.02	4,236	2.3	0.02	2.4	0.02
Non-Hodgkin Lymphoma	42,786	23.2	0.05	26.9	0.06	34,995	16.0	0.04	18.6	0.04
Multiple Myeloma	16,007	8.6	0.03	10.1	0.04	12,575	5.6	0.02	6.6	0.03
Leukemias	33,113	18.3	0.05	20.7	0.05	23,637	11.1	0.03	12.5	0.04
Acute lymphocytic	3,165	1.9	0.02	1.7	0.01	2,459	1.4	0.01	1.3	0.01
Chronic lymphocytic	12,496	6.7	0.03	7.9	0.03	8,018	3.5	0.02	4.1	0.02
Acute myeloid	9,257	5.1	0.02	5.9	0.03	7,374	3.5	0.02	3.9	0.02
Chronic myeloid	4,388	2.4	0.02	2.8	0.02	3,153	1.5	0.01	1.7	0.01
Other leukemias	3,806	2.1	0.02	2.4	0.02	2,634	1.2	0.01	1.4	0.01
Mesothelioma	2,784	1.6	0.01	1.8	0.02	896	0.4	0.01	0.5	0.01
Kaposi Sarcoma	1,095	0.6	0.01	0.7	0.01	139	0.1	0.00	0.1	0.00
Ill-defined & Unknown	35,422	19.7	0.05	23.0	0.06	31,894	14.1	0.04	16.4	0.04
Selected tumors (non-invasive)										
Brain & Other CNS[2](non-malig)	16,054	8.9	0.03	10.0	0.04	32,066	15.3	0.04	17.5	0.04
Breast (*in situ*)	245	0.1	0.00	0.2	0.00	60,325	28.7	0.05	34.0	0.06

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
[1] North America average cases are based on 97% of the population. See Technical notes.
[2] Abbreviations: NOS - Not Otherwise Specified; CNS - Other Nervous System

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**850,556**	**487.8**	**0.24**	**195,572**	**104.9**	**0.11**	**115,837**	**67.1**	**0.09**	**75,621**	**44.0**	**0.07**	**57,232**	**34.4**	**0.07**	**48,083**	**28.4**	**0.06**
Alabama	13,953	517.6	2.02	3,486	121.0	0.94	2,279	84.1	0.81	1,332	50.4	0.64	835	32.7	0.52	725	28.2	0.48
Alaska	1,484	437.2	5.64	303	83.4	2.39	202	64.8	2.28	156	45.1	1.79	101	34.4	1.71	54	16.7	1.12
Arizona	15,935	409.8	1.47	3,249	79.1	0.63	2,021	51.2	0.52	1,422	37.2	0.45	1,220	31.6	0.41	1,256	33.0	0.42
Arkansas	9,012	537.2	2.59	2,016	112.4	1.14	1,627	95.8	1.08	840	51.2	0.81	567	35.1	0.67	454	28.3	0.61
California	83,082	432.9	0.69	18,743	93.0	0.31	8,507	46.4	0.23	7,657	39.9	0.21	5,288	29.3	0.18	5,752	30.4	0.18
CA: Greater California	47,754	446.1	0.93	10,645	94.3	0.42	4,990	48.4	0.31	4,255	39.9	0.28	3,109	30.9	0.25	3,594	34.2	0.26
CA: Greater Bay Area	16,186	430.7	1.55	3,657	92.2	0.70	1,593	44.5	0.51	1,449	38.2	0.46	1,010	28.4	0.41	1,277	34.3	0.44
CA: Los Angeles	19,144	404.8	1.34	4,442	90.3	0.62	1,925	43.1	0.45	1,953	41.2	0.43	1,170	26.4	0.35	882	18.9	0.29
Colorado	11,481	419.4	1.82	2,727	92.7	0.83	1,143	44.1	0.61	996	37.0	0.54	802	31.7	0.52	747	27.6	0.47
Connecticut	10,321	504.9	2.28	2,447	111.3	1.03	1,314	65.0	0.82	804	40.2	0.65	867	44.0	0.68	517	25.9	0.52
Delaware	2,982	537.5	4.52	748	124.5	2.08	416	75.3	1.69	235	44.1	1.32	226	42.2	1.28	209	38.8	1.24
District of Columbia	1,327	452.8	5.74	375	127.4	3.03	141	49.8	1.93	117	40.9	1.74	56	20.4	1.26	43	14.9	1.05
Florida	65,331	499.1	0.89	13,024	93.9	0.37	8,976	66.5	0.32	5,352	41.6	0.26	4,335	32.4	0.22	4,285	33.3	0.23
Georgia	25,945	532.1	1.54	6,491	124.2	0.72	3,745	79.0	0.60	2,362	48.5	0.46	1,427	32.5	0.40	1,683	35.8	0.41
Hawaii	3,650	437.7	3.33	771	88.2	1.46	477	57.3	1.20	391	47.2	1.10	204	24.8	0.80	239	28.8	0.86
Idaho	4,239	473.1	3.34	1,005	105.3	1.52	480	54.3	1.14	347	39.4	0.97	314	36.2	0.94	294	33.6	0.90
Illinois	33,844	504.2	1.26	7,843	109.1	0.57	4,849	73.8	0.49	3,273	49.5	0.40	2,343	36.9	0.35	1,652	25.2	0.28
Indiana	17,638	503.6	1.74	3,522	94.2	0.73	3,016	86.4	0.72	1,684	48.7	0.55	1,277	38.3	0.49	912	26.8	0.41
Iowa	9,335	523.9	2.48	2,061	107.7	1.08	1,338	74.7	0.93	856	49.3	0.77	656	37.6	0.67	539	31.3	0.62
Kansas	7,669	493.3	2.58	1,777	108.3	1.18	998	64.9	0.94	681	44.8	0.79	540	36.1	0.71	488	32.2	0.67
Kentucky	13,939	574.4	2.25	2,721	104.1	0.92	2,647	109.0	0.98	1,349	56.4	0.71	892	38.8	0.60	782	33.7	0.56
Louisiana	13,494	556.1	2.21	3,404	131.2	1.04	1,981	82.6	0.86	1,277	53.1	0.69	741	32.5	0.55	553	24.2	0.47
Maine	4,398	500.5	3.50	856	88.1	1.38	717	80.3	1.38	348	40.7	1.01	397	45.9	1.06	248	29.1	0.86
Maryland	15,375	493.8	1.84	4,195	124.7	0.89	1,898	62.9	0.67	1,235	40.6	0.53	993	34.4	0.50	953	31.7	0.47
Massachusetts	17,967	483.3	1.66	4,133	102.6	0.73	2,394	65.5	0.61	1,449	40.0	0.48	1,374	38.7	0.48	997	27.6	0.40
Michigan	27,762	487.9	1.35	6,554	106.3	0.60	4,085	71.8	0.52	2,338	42.3	0.40	2,065	38.0	0.38	1,331	24.3	0.31
MI: Metropolitan Detroit	11,484	547.2	2.36	2,898	128.2	1.10	1,603	78.0	0.90	983	47.7	0.70	796	40.1	0.65	463	23.0	0.49
Minnesota	15,130	503.6	1.88	3,524	108.8	0.84	1,822	61.5	0.66	1,246	42.6	0.55	1,064	37.0	0.52	1,099	37.4	0.52
Mississippi	8,648	547.4	2.72	2,164	127.7	1.26	1,526	97.6	1.15	884	56.5	0.88	457	31.0	0.67	351	23.5	0.58
Missouri	16,717	490.3	1.74	3,364	91.4	0.72	2,858	83.6	0.71	1,558	46.9	0.54	1,151	35.1	0.47	810	24.6	0.40
Montana	3,208	490.5	4.02	850	118.3	1.87	347	53.3	1.31	283	44.7	1.23	232	36.1	1.09	196	31.4	1.05
Nebraska	5,109	501.9	3.21	1,263	116.7	1.50	657	65.4	1.17	479	47.9	1.00	343	35.0	0.86	288	29.2	0.79
New Hampshire	4,170	511.6	3.68	991	109.2	1.60	542	67.2	1.34	330	42.0	1.07	352	45.4	1.12	304	38.3	1.02
New Jersey	25,464	530.5	1.52	6,723	131.3	0.73	2,836	60.8	0.52	2,223	46.9	0.46	1,841	40.2	0.43	1,360	28.9	0.36
New Mexico	4,605	391.5	2.65	1,046	82.8	1.17	510	43.9	0.89	435	37.5	0.83	281	24.4	0.67	235	20.2	0.60

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
New York	55,956	531.6	1.03	14,016	125.0	0.48	6,863	66.2	0.36	4,614	44.7	0.30	4,022	39.9	0.29	2,420	23.7	0.22
North Carolina	28,090	522.2	1.43	6,808	117.4	0.65	4,418	82.8	0.57	2,251	42.5	0.41	1,763	35.0	0.38	1,781	34.4	0.38
North Dakota	1,968	489.6	5.07	488	113.5	2.36	258	65.4	1.86	192	48.3	1.60	132	34.6	1.38	100	25.6	1.18
Ohio	33,071	502.9	1.27	7,389	104.1	0.56	5,262	80.0	0.51	3,035	47.2	0.39	2,415	38.3	0.36	1,849	29.3	0.31
Oklahoma	10,204	490.8	2.22	2,068	93.8	0.94	1,683	80.5	0.90	982	48.1	0.70	674	34.0	0.60	592	29.7	0.56
Oregon	10,835	460.2	2.04	2,386	93.3	0.88	1,370	58.7	0.73	888	38.8	0.60	835	36.8	0.58	749	32.7	0.55
Pennsylvania	39,560	522.3	1.20	8,493	103.7	0.51	5,594	73.4	0.45	3,509	47.4	0.37	3,074	41.5	0.34	2,223	30.2	0.29
Puerto Rico*	7,556	409.4	2.15	2,783	142.5	1.22	439	23.6	0.51	936	51.0	0.76	303	16.6	0.43	80	4.5	0.23
Rhode Island	2,906	489.8	4.18	613	96.5	1.79	444	75.4	1.64	218	38.0	1.18	244	42.4	1.24	170	29.3	1.03
South Carolina	14,209	511.0	1.99	3,464	114.5	0.90	2,243	80.1	0.78	1,185	43.7	0.59	847	32.7	0.52	826	31.0	0.50
South Dakota	2,407	496.7	4.66	600	114.8	2.15	318	66.7	1.71	224	47.3	1.45	160	34.0	1.23	136	29.0	1.15
Tennessee	18,932	520.7	1.75	4,366	111.5	0.78	3,324	91.6	0.73	1,626	45.7	0.52	1,183	34.5	0.46	907	26.0	0.40
Texas	55,935	450.3	0.88	12,174	94.0	0.39	7,247	61.3	0.33	5,580	44.8	0.28	3,011	26.6	0.22	2,155	17.9	0.18
Utah	5,389	439.1	2.75	1,425	112.8	1.37	348	30.2	0.74	395	32.9	0.76	337	29.8	0.74	611	50.1	0.93
Vermont	1,875	478.1	5.15	382	87.1	2.06	268	67.9	1.92	141	36.7	1.44	148	38.9	1.48	175	46.1	1.63
Virginia	19,629	445.6	1.47	4,728	99.4	0.66	2,845	65.9	0.57	1,710	39.6	0.44	1,237	30.2	0.40	1,115	26.3	0.36
Washington	18,199	473.6	1.62	4,087	98.7	0.71	2,201	58.8	0.58	1,494	39.3	0.47	1,339	37.2	0.47	1,180	31.3	0.42
WA: Seattle/Puget Sound	13,175	508.3	2.05	3,032	108.7	0.91	1,505	60.3	0.72	1,074	41.6	0.59	943	39.0	0.59	914	35.9	0.55
West Virginia	6,038	512.7	3.05	1,183	92.1	1.23	1,138	94.0	1.28	603	52.6	0.99	437	37.7	0.83	295	26.6	0.72
Wisconsin	16,693	503.7	1.79	3,939	109.3	0.80	2,194	66.6	0.65	1,329	41.2	0.52	1,237	39.0	0.51	953	29.6	0.44
Wyoming	1,446	431.5	5.28	394	108.1	2.53	148	45.2	1.73	117	35.9	1.55	109	34.8	1.54	88	27.0	1.34
NAACCR Canadian Combined	**77,772**	**493.4**	**0.81**	**16,399**	**98.4**	**0.35**	**9,854**	**63.0**	**0.29**	**9,859**	**62.8**	**0.29**	**5,918**	**38.8**	**0.23**	**3,714**	**23.9**	**0.18**
Alberta	9,525	482.2	2.29	2,324	112.3	1.08	1,125	60.5	0.83	1,180	60.3	0.81	688	37.5	0.66	370	18.6	0.45
British Columbia	13,343	449.0	1.78	2,871	91.8	0.78	1,622	54.5	0.62	1,804	60.4	0.65	1,112	38.4	0.52	614	21.0	0.39
Manitoba	3,369	480.3	3.78	704	96.9	1.67	442	63.5	1.38	464	66.4	1.41	229	33.7	1.01	133	19.3	0.76
New Brunswick	2,589	500.3	4.56	524	90.8	1.83	445	86.7	1.89	336	65.8	1.66	199	39.1	1.28	100	19.8	0.93
Newfoundland and Labrador	1,900	526.3	5.68	432	107.3	2.40	277	77.3	2.18	346	96.8	2.44	131	38.1	1.57	60	17.9	1.09
Northwest Territory	82	490.8	28.21	14	77.1	10.76	13	94.2	13.28	15	100.8	13.43	3	13.2	4.15	2	11.5	3.96
Nova Scotia	3,343	540.2	4.33	640	96.1	1.75	511	81.0	1.65	471	76.5	1.63	243	40.0	1.18	191	31.9	1.08
Nunavut	34	364.9	33.26	3	30.7	9.57	10	137.8	22.74	8	69.2	12.36	-	-	-	-	-	-
Ontario	40,168	509.5	1.16	8,124	97.4	0.49	4,961	63.0	0.41	4,716	60.1	0.40	3,058	39.7	0.33	2,114	27.2	0.27
Prince Edward Island	487	517.9	10.88	98	95.9	4.46	69	73.3	4.07	70	74.8	4.12	34	36.5	2.87	33	36.5	2.97
Saskatchewan	2,932	470.8	3.97	666	102.2	1.81	379	62.1	1.45	449	72.4	1.56	221	36.6	1.12	97	15.6	0.72
NAACCR North American Combined	**928,328**	**488.3**	**0.23**	**211,970**	**104.4**	**0.10**	**125,691**	**66.7**	**0.09**	**85,479**	**45.6**	**0.07**	**63,150**	**34.8**	**0.06**	**51,797**	**28.0**	**0.06**

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**850,556**	**579.1**	**0.28**	**195,572**	**129.6**	**0.13**	**115,837**	**79.6**	**0.11**	**75,621**	**52.2**	**0.09**	**57,232**	**40.3**	**0.08**	**48,083**	**33.2**	**0.07**
Alabama	13,953	618.5	2.38	3,486	149.9	1.15	2,279	100.9	0.96	1,332	60.0	0.74	835	38.4	0.61	725	32.9	0.56
Alaska	1,484	513.5	6.46	303	101.8	2.81	202	76.0	2.59	156	53.2	2.05	101	40.0	1.95	54	18.9	1.25
Arizona	15,935	486.2	1.74	3,249	97.6	0.77	2,021	60.6	0.61	1,422	44.3	0.53	1,220	37.1	0.48	1,256	38.6	0.49
Arkansas	9,012	640.7	3.05	2,016	139.0	1.40	1,627	114.8	1.29	840	60.8	0.95	567	41.3	0.79	454	33.0	0.70
California	83,082	512.1	0.80	18,743	114.2	0.38	8,507	54.4	0.27	7,657	47.4	0.24	5,288	34.3	0.21	5,752	35.8	0.21
CA: Greater California	47,754	528.0	1.09	10,645	115.8	0.50	4,990	56.9	0.36	4,255	47.5	0.33	3,109	36.1	0.29	3,594	40.2	0.30
CA: Greater Bay Area	16,186	508.9	1.80	3,657	113.6	0.84	1,593	52.1	0.59	1,449	45.4	0.54	1,010	33.3	0.47	1,277	40.2	0.51
CA: Los Angeles	19,144	478.5	1.56	4,442	111.1	0.75	1,925	50.6	0.52	1,953	48.9	0.50	1,170	31.0	0.41	882	22.2	0.34
Colorado	11,481	495.9	2.11	2,727	114.1	0.99	1,143	51.9	0.70	996	43.6	0.63	802	37.0	0.60	747	32.3	0.54
Connecticut	10,321	598.3	2.65	2,447	137.6	1.25	1,314	76.9	0.95	804	47.2	0.75	867	51.5	0.79	517	30.3	0.60
Delaware	2,982	639.0	5.30	748	154.4	2.55	416	88.7	1.97	235	51.8	1.53	226	49.5	1.49	209	45.3	1.42
District of Columbia	1,327	541.6	6.76	375	157.2	3.66	141	60.1	2.28	117	48.3	2.03	56	24.2	1.47	43	17.1	1.20
Florida	65,331	593.6	1.05	13,024	115.9	0.46	8,976	79.7	0.38	5,352	49.7	0.31	4,335	38.0	0.26	4,285	39.0	0.27
Georgia	25,945	634.1	1.81	6,491	153.5	0.87	3,745	94.4	0.71	2,362	57.8	0.55	1,427	38.1	0.47	1,683	41.9	0.47
Hawaii	3,650	517.3	3.86	771	106.7	1.73	477	67.5	1.40	391	56.8	1.30	204	29.0	0.92	239	33.7	0.98
Idaho	4,239	558.2	3.89	1,005	128.2	1.83	480	63.7	1.32	347	46.7	1.14	314	42.4	1.09	294	39.4	1.04
Illinois	33,844	598.4	1.47	7,843	135.0	0.69	4,849	87.5	0.57	3,273	58.7	0.46	2,343	43.2	0.40	1,652	29.5	0.33
Indiana	17,638	596.3	2.03	3,522	115.7	0.88	3,016	102.4	0.84	1,684	57.7	0.63	1,277	44.9	0.57	912	31.3	0.47
Iowa	9,335	620.5	2.89	2,061	133.3	1.32	1,338	88.7	1.09	856	58.1	0.89	656	44.0	0.77	539	36.4	0.70
Kansas	7,669	585.0	3.01	1,777	132.8	1.42	998	76.9	1.09	681	52.8	0.91	540	42.3	0.82	488	37.7	0.77
Kentucky	13,939	682.6	2.63	2,721	128.6	1.12	2,647	130.0	1.15	1,349	66.9	0.83	892	45.6	0.70	782	39.1	0.64
Louisiana	13,494	665.7	2.60	3,404	162.7	1.26	1,981	98.9	1.01	1,277	63.6	0.81	741	38.3	0.64	553	28.1	0.54
Maine	4,398	592.7	4.05	856	108.6	1.68	717	95.6	1.62	348	48.3	1.17	397	53.8	1.22	248	34.2	0.98
Maryland	15,375	587.5	2.14	4,195	154.8	1.08	1,898	74.3	0.77	1,235	47.9	0.62	993	40.3	0.58	953	37.1	0.54
Massachusetts	17,967	572.5	1.92	4,133	127.6	0.89	2,394	77.3	0.71	1,449	46.9	0.55	1,374	45.2	0.55	997	32.2	0.46
Michigan	27,762	578.8	1.57	6,554	131.3	0.73	4,085	85.4	0.60	2,338	49.8	0.47	2,065	44.5	0.44	1,331	28.4	0.35
MI: Metropolitan Detroit	11,484	650.1	2.74	2,898	158.3	1.33	1,603	92.4	1.04	983	56.4	0.81	796	47.0	0.75	463	26.8	0.56
Minnesota	15,130	595.9	2.18	3,524	134.4	1.02	1,822	72.7	0.77	1,246	49.9	0.64	1,064	43.3	0.60	1,099	43.6	0.59
Mississippi	8,648	656.8	3.21	2,164	158.7	1.54	1,526	116.8	1.36	884	68.0	1.04	457	36.5	0.78	351	27.4	0.66
Missouri	16,717	583.1	2.03	3,364	113.5	0.88	2,858	99.5	0.84	1,558	55.4	0.63	1,151	41.1	0.55	810	28.7	0.45
Montana	3,208	580.5	4.66	850	145.5	2.26	347	62.5	1.52	283	53.0	1.43	232	42.5	1.27	196	36.4	1.18
Nebraska	5,109	595.1	3.74	1,263	144.1	1.82	657	77.3	1.35	479	56.7	1.16	343	40.9	0.99	288	34.0	0.90
New Hampshire	4,170	604.2	4.24	991	135.3	1.94	542	79.3	1.54	330	49.1	1.22	352	53.0	1.28	304	44.7	1.16
New Jersey	25,464	628.4	1.77	6,723	161.7	0.89	2,836	71.4	0.60	2,223	55.4	0.53	1,841	47.1	0.49	1,360	34.0	0.41
New Mexico	4,605	463.7	3.09	1,046	101.8	1.42	510	51.5	1.03	435	44.8	0.97	281	28.8	0.78	235	23.8	0.70

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
New York	55,956	629.9	1.20	14,016	154.3	0.59	6,863	78.3	0.42	4,614	52.7	0.35	4,022	46.6	0.33	2,420	27.6	0.25
North Carolina	28,090	621.6	1.68	6,808	145.6	0.80	4,418	98.5	0.67	2,251	50.6	0.48	1,763	40.9	0.44	1,781	40.1	0.43
North Dakota	1,968	578.7	5.87	488	140.5	2.86	258	76.9	2.15	192	57.1	1.86	132	40.1	1.57	100	29.6	1.33
Ohio	33,071	597.1	1.48	7,389	128.8	0.67	5,262	95.3	0.59	3,035	55.8	0.46	2,415	44.8	0.41	1,849	34.1	0.36
Oklahoma	10,204	583.6	2.61	2,068	115.6	1.14	1,683	96.1	1.06	982	56.8	0.82	674	39.9	0.69	592	34.7	0.64
Oregon	10,835	545.2	2.37	2,386	114.6	1.06	1,370	69.3	0.85	888	46.0	0.70	835	43.2	0.68	749	38.3	0.63
Pennsylvania	39,560	619.2	1.40	8,493	128.7	0.63	5,594	87.1	0.52	3,509	55.9	0.42	3,074	48.7	0.39	2,223	35.3	0.34
Puerto Rico*	7,556	487.9	2.54	2,783	175.2	1.50	439	27.9	0.60	936	61.1	0.90	303	19.5	0.51	80	5.3	0.27
Rhode Island	2,906	580.2	4.84	613	118.9	2.16	444	89.1	1.90	218	44.5	1.36	244	49.6	1.43	170	34.3	1.18
South Carolina	14,209	610.4	2.34	3,464	141.9	1.10	2,243	95.8	0.93	1,185	52.1	0.69	847	38.3	0.61	826	36.2	0.58
South Dakota	2,407	586.3	5.38	600	141.2	2.59	318	78.2	1.97	224	55.7	1.68	160	39.6	1.41	136	33.7	1.31
Tennessee	18,932	620.7	2.05	4,366	137.9	0.94	3,324	109.4	0.86	1,626	54.3	0.61	1,183	40.4	0.54	907	30.4	0.46
Texas	55,935	534.4	1.03	12,174	115.4	0.47	7,247	72.3	0.39	5,580	53.4	0.33	3,011	31.2	0.26	2,155	20.9	0.21
Utah	5,389	518.8	3.21	1,425	138.3	1.65	348	35.6	0.86	395	38.6	0.88	337	34.9	0.86	611	58.5	1.08
Vermont	1,875	564.5	5.93	382	107.8	2.50	268	80.4	2.23	141	43.5	1.67	148	45.6	1.71	175	53.6	1.84
Virginia	19,629	531.0	1.72	4,728	123.4	0.81	2,845	78.3	0.67	1,710	46.9	0.51	1,237	35.5	0.46	1,115	30.8	0.42
Washington	18,199	560.0	1.88	4,087	121.1	0.86	2,201	69.3	0.67	1,494	46.5	0.55	1,339	43.5	0.54	1,180	36.5	0.48
WA: Seattle/Puget Sound	13,175	600.7	2.38	3,032	133.3	1.10	1,505	70.9	0.83	1,074	49.2	0.68	943	45.7	0.68	914	41.8	0.63
West Virginia	6,038	609.8	3.56	1,183	113.4	1.49	1,138	113.1	1.52	603	62.3	1.15	437	44.5	0.97	295	30.9	0.82
Wisconsin	16,693	597.4	2.08	3,939	135.5	0.97	2,194	78.9	0.76	1,329	48.5	0.60	1,237	45.7	0.59	953	34.6	0.50
Wyoming	1,446	511.2	6.12	394	133.1	3.04	148	53.2	1.99	117	42.1	1.77	109	40.5	1.77	88	31.8	1.55
NAACCR Canadian Combined	**77,772**	**581.3**	**0.94**	**16,399**	**119.8**	**0.42**	**9,854**	**74.2**	**0.34**	**9,859**	**74.1**	**0.34**	**5,918**	**45.3**	**0.27**	**3,714**	**28.0**	**0.21**
Alberta	9,525	569.4	2.66	2,324	137.4	1.29	1,125	70.8	0.96	1,180	71.2	0.94	688	43.7	0.76	370	21.8	0.52
British Columbia	13,343	528.7	2.06	2,871	110.6	0.93	1,622	64.2	0.72	1,804	71.6	0.76	1,112	44.8	0.60	614	24.6	0.45
Manitoba	3,369	564.9	4.37	704	116.7	1.98	442	74.7	1.60	464	78.6	1.64	229	39.4	1.17	133	22.6	0.88
New Brunswick	2,589	593.2	5.30	524	112.8	2.23	445	102.0	2.20	336	77.7	1.93	199	46.1	1.49	100	23.3	1.06
Newfoundland and Labrador	1,900	624.6	6.60	432	133.1	2.93	277	91.1	2.53	346	114.3	2.84	131	44.9	1.82	60	20.3	1.20
Northwest Territory	82	571.0	31.72	14	93.8	12.37	13	107.8	14.72	15	115.1	14.88	3	15.9	4.81	2	13.3	4.32
Nova Scotia	3,343	635.0	5.00	640	116.2	2.08	511	95.6	1.92	471	90.2	1.89	243	46.8	1.37	191	37.0	1.22
Nunavut	34	424.9	37.34	3	36.2	10.70	10	159.8	25.29	8	83.8	14.37	-	-	-	-	-	-
Ontario	40,168	599.6	1.34	8,124	118.6	0.59	4,961	74.3	0.47	4,716	70.8	0.46	3,058	46.4	0.38	2,114	31.8	0.31
Prince Edward Island	487	611.1	12.63	98	117.6	5.40	69	85.6	4.70	70	88.2	4.79	34	42.7	3.33	33	42.1	3.36
Saskatchewan	2,932	556.4	4.61	666	125.0	2.17	379	72.7	1.67	449	85.7	1.81	221	42.7	1.29	97	18.3	0.84
NAACCR North American Combined	**928,328**	**579.3**	**0.27**	**211,970**	**128.8**	**0.13**	**125,691**	**79.2**	**0.10**	**85,479**	**54.0**	**0.08**	**63,150**	**40.8**	**0.07**	**51,797**	**32.8**	**0.06**

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the combined.

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**836,529**	**421.2**	**0.21**	**246,313**	**125.6**	**0.12**	**106,453**	**50.8**	**0.07**	**68,321**	**33.7**	**0.06**	**55,571**	**27.0**	**0.05**	**36,745**	**21.4**	**0.05**
Alabama	12,566	403.3	1.66	3,753	121.6	0.92	1,676	50.0	0.55	1,200	37.9	0.50	640	19.9	0.36	377	14.1	0.34
Alaska	1,380	403.2	5.11	421	120.1	2.75	155	47.6	1.81	133	40.7	1.66	92	24.2	1.19	67	19.2	1.08
Arizona	15,505	370.1	1.37	4,734	114.3	0.77	1,948	43.0	0.44	1,207	28.3	0.37	970	22.9	0.34	738	20.9	0.36
Arkansas	7,968	424.8	2.19	2,192	118.2	1.17	1,259	62.7	0.80	727	37.9	0.64	458	24.1	0.52	277	17.6	0.49
California	85,518	387.6	0.60	26,599	121.5	0.34	8,521	37.8	0.19	6,947	31.0	0.17	5,902	25.9	0.15	3,953	19.4	0.14
CA: Greater California	48,080	397.2	0.83	14,664	122.0	0.46	5,138	41.3	0.26	3,840	31.4	0.23	3,194	25.5	0.21	2,196	19.9	0.19
CA: Greater Bay Area	16,644	386.9	1.37	5,378	126.4	0.79	1,595	36.2	0.41	1,309	30.0	0.38	1,165	26.2	0.35	689	17.5	0.30
CA: Los Angeles	20,795	367.7	1.16	6,557	116.6	0.65	1,789	31.3	0.34	1,799	31.2	0.33	1,543	26.7	0.31	1,068	19.9	0.28
Colorado	11,752	388.5	1.64	3,875	127.6	0.94	1,207	39.6	0.52	897	29.8	0.46	732	22.6	0.38	622	22.2	0.41
Connecticut	10,694	449.9	2.02	3,263	140.5	1.14	1,407	55.8	0.68	774	31.1	0.52	735	29.6	0.50	532	27.4	0.55
Delaware	2,852	453.1	3.94	836	134.7	2.17	415	60.8	1.36	208	32.7	1.05	202	30.6	1.00	127	25.2	1.04
District of Columbia	1,509	417.8	4.94	489	139.4	2.89	164	44.5	1.58	133	36.5	1.45	111	30.2	1.31	72	19.3	1.06
Florida	61,222	425.9	0.81	16,451	118.3	0.43	8,029	50.5	0.26	4,737	31.7	0.21	3,624	24.6	0.19	2,068	18.5	0.19
Georgia	24,469	421.4	1.23	7,398	126.8	0.67	2,999	50.6	0.42	2,063	35.5	0.36	1,458	23.8	0.28	979	17.9	0.26
Hawaii	3,634	406.4	3.15	1,214	138.9	1.86	357	36.3	0.88	329	35.7	0.92	283	32.6	0.90	162	22.2	0.81
Idaho	3,960	419.5	3.06	1,191	126.7	1.69	451	45.7	0.98	300	31.6	0.84	249	25.2	0.74	185	22.4	0.76
Illinois	34,658	442.0	1.09	10,269	133.1	0.60	4,608	56.3	0.38	2,968	36.8	0.31	2,439	30.0	0.28	1,496	21.9	0.26
Indiana	17,351	430.7	1.50	4,915	122.9	0.81	2,596	61.4	0.55	1,541	37.5	0.44	1,171	28.2	0.38	626	18.4	0.34
Iowa	8,838	449.2	2.23	2,465	128.9	1.21	1,150	54.5	0.74	804	38.7	0.64	615	30.1	0.56	337	21.5	0.54
Kansas	7,296	425.2	2.30	2,137	126.0	1.26	902	49.7	0.75	606	34.3	0.64	465	26.4	0.56	350	23.9	0.59
Kentucky	13,374	483.3	1.92	3,491	126.7	0.99	2,277	77.5	0.74	1,171	41.5	0.56	773	27.5	0.46	546	23.1	0.46
Louisiana	11,867	425.6	1.79	3,484	125.9	0.98	1,565	53.6	0.62	1,090	38.7	0.54	592	20.5	0.39	521	20.9	0.42
Maine	4,419	458.9	3.26	1,203	127.4	1.74	679	65.8	1.16	333	33.4	0.86	325	31.4	0.81	169	22.4	0.82
Maryland	15,868	428.0	1.56	4,903	132.9	0.87	1,980	51.7	0.53	1,235	33.0	0.43	1,090	27.9	0.39	693	21.0	0.37
Massachusetts	19,424	443.1	1.47	5,921	137.9	0.83	2,732	59.2	0.52	1,415	31.4	0.39	1,328	29.0	0.36	1,035	27.6	0.40
Michigan	26,981	421.7	1.19	7,708	122.6	0.65	3,873	56.9	0.42	2,192	33.5	0.33	1,941	29.0	0.30	1,019	19.4	0.28
MI: Metropolitan Detroit	11,476	457.8	1.97	3,288	133.5	1.07	1,644	62.6	0.70	959	37.2	0.55	794	30.3	0.50	502	23.6	0.49
Minnesota	14,634	443.0	1.69	4,311	132.5	0.93	1,803	52.2	0.56	1,148	33.9	0.46	1,072	31.0	0.43	538	19.1	0.38
Mississippi	7,589	414.2	2.18	2,134	118.0	1.18	1,122	57.7	0.78	768	41.0	0.68	423	22.4	0.50	250	15.7	0.46
Missouri	16,722	431.9	1.54	4,951	130.5	0.86	2,609	63.2	0.56	1,398	35.2	0.43	1,070	26.8	0.38	569	17.5	0.34
Montana	2,888	435.4	3.80	845	128.5	2.08	391	54.7	1.26	220	32.4	1.02	187	27.1	0.93	108	20.5	0.92
Nebraska	4,853	433.6	2.88	1,405	127.2	1.57	600	50.8	0.95	440	37.8	0.83	315	27.6	0.72	210	22.3	0.71
New Hampshire	4,142	463.9	3.36	1,283	144.7	1.89	585	61.8	1.17	289	31.7	0.87	298	31.4	0.84	166	23.1	0.84
New Jersey	26,226	458.8	1.30	7,668	136.6	0.72	3,113	51.7	0.42	2,120	35.9	0.36	1,913	31.9	0.33	1,374	28.3	0.35
New Mexico	4,705	365.7	2.47	1,438	111.8	1.37	472	34.3	0.72	387	29.4	0.69	317	24.1	0.63	255	23.5	0.69

Average Annual Cancer Cases and Age-adjusted (2000 U.S. Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
New York	57,193	456.3	0.88	16,238	132.8	0.48	7,099	53.4	0.29	4,413	34.0	0.24	4,158	32.1	0.23	3,100	29.0	0.24
North Carolina	27,200	431.7	1.20	8,384	134.0	0.67	3,748	56.4	0.42	2,066	32.5	0.33	1,664	25.3	0.28	977	17.9	0.26
North Dakota	1,804	430.1	4.72	526	128.6	2.62	230	52.3	1.58	168	38.3	1.38	114	26.6	1.16	96	27.4	1.30
Ohio	33,164	441.3	1.12	9,568	128.9	0.61	4,687	58.7	0.39	2,839	36.6	0.32	2,394	30.6	0.29	1,416	22.9	0.28
Oklahoma	9,807	421.2	1.95	2,827	122.7	1.06	1,413	57.1	0.69	857	36.1	0.57	545	23.0	0.45	388	19.3	0.45
Oregon	10,716	417.7	1.87	3,204	125.5	1.03	1,371	50.6	0.63	801	30.7	0.50	758	28.3	0.48	432	20.2	0.45
Pennsylvania	40,035	462.2	1.08	11,177	132.3	0.59	5,273	56.4	0.36	3,287	35.9	0.29	2,928	32.6	0.28	1,990	29.0	0.30
Puerto Rico*	6,957	333.7	1.86	1,977	93.9	0.98	283	12.0	0.33	782	34.9	0.58	593	28.4	0.54	801	45.6	0.75
Rhode Island	3,218	460.4	3.78	940	137.8	2.09	486	65.6	1.36	221	29.9	0.94	219	30.2	0.94	152	26.8	1.01
South Carolina	13,117	413.1	1.67	4,084	129.9	0.94	1,777	52.3	0.57	1,054	32.9	0.47	773	23.1	0.39	438	16.1	0.36
South Dakota	2,228	434.1	4.30	644	128.3	2.37	293	54.1	1.45	199	36.8	1.22	150	28.7	1.09	82	19.8	1.02
Tennessee	17,565	422.1	1.46	5,070	122.6	0.79	2,702	61.4	0.54	1,485	35.3	0.42	1,050	24.5	0.35	644	18.2	0.33
Texas	54,169	378.4	0.74	16,186	112.8	0.40	6,070	42.2	0.25	4,524	31.5	0.21	3,370	22.8	0.18	2,434	17.6	0.16
Utah	5,041	375.2	2.40	1,518	114.4	1.33	300	22.5	0.59	357	27.1	0.65	373	27.0	0.64	372	27.3	0.64
Vermont	1,880	440.7	4.78	553	131.3	2.63	255	55.6	1.60	142	32.4	1.27	155	34.1	1.28	69	20.7	1.19
Virginia	20,071	397.4	1.28	6,410	127.3	0.73	2,578	49.2	0.44	1,604	31.5	0.36	1,326	25.0	0.31	887	19.9	0.31
Washington	18,227	429.8	1.46	5,692	134.3	0.82	2,195	50.3	0.49	1,361	32.1	0.40	1,167	26.1	0.35	748	19.7	0.33
WA: Seattle/Puget Sound	13,056	448.9	1.81	4,080	140.3	1.01	1,524	51.3	0.60	959	32.8	0.49	829	26.9	0.43	539	20.4	0.40
West Virginia	5,801	457.1	2.82	1,481	117.5	1.43	951	68.9	1.02	541	41.0	0.82	405	31.3	0.73	257	26.3	0.77
Wisconsin	15,899	438.3	1.61	4,677	131.5	0.89	2,049	53.5	0.54	1,214	32.6	0.43	1,209	31.9	0.42	618	20.5	0.38
Wyoming	1,262	376.6	4.92	376	112.5	2.70	141	40.0	1.54	97	29.2	1.36	80	22.5	1.17	66	23.8	1.36
NAACCR Canadian Combined	**75,972**	**432.5**	**0.72**	**20,721**	**119.1**	**0.38**	**9,854**	**53.6**	**0.25**	**7,984**	**44.1**	**0.23**	**4,996**	**27.4**	**0.18**	**3,504**	**23.1**	**0.18**
Alberta	9,003	415.9	1.99	2,667	122.6	1.08	1,127	53.1	0.72	904	41.9	0.63	615	27.2	0.50	377	17.8	0.42
British Columbia	12,558	388.2	1.60	3,537	110.8	0.86	1,719	50.7	0.56	1,426	42.7	0.52	784	23.3	0.38	328	12.0	0.31
Manitoba	3,347	425.6	3.38	859	110.9	1.74	473	58.0	1.22	370	45.5	1.09	282	35.7	0.97	110	16.2	0.71
New Brunswick	2,368	421.2	4.04	617	111.0	2.09	372	61.8	1.46	259	44.3	1.27	153	25.7	0.96	78	17.3	0.93
Newfoundland and Labrador	1,759	465.0	5.16	465	121.8	2.63	227	56.6	1.72	269	69.8	1.96	111	27.9	1.23	93	28.3	1.39
Northwest Territory	76	453.5	26.24	23	125.0	12.99	9	76.3	12.39	13	77.5	11.02	5	24.5	5.67	2	10.0	2.91
Nova Scotia	3,154	450.5	3.75	794	115.2	1.91	497	66.0	1.35	379	51.5	1.22	189	25.9	0.87	98	17.7	0.85
Nunavut	37	436.4	40.26	5	48.6	11.28	11	142.5	22.65	8	126.9	25.13	1	9.6	4.09	2	16.0	8.13
Ontario	40,450	453.1	1.03	10,877	123.1	0.54	4,945	52.4	0.34	3,965	42.8	0.31	2,652	28.5	0.25	2,344	30.7	0.29
Prince Edward Island	452	423.5	9.26	119	112.1	4.79	75	66.1	3.47	55	50.7	3.16	26	23.0	2.10	7	7.9	1.40
Saskatchewan	2,769	408.6	3.58	758	115.2	1.93	399	56.9	1.30	335	47.5	1.20	179	25.9	0.89	67	11.5	0.65
NAACCR North American Combined	**912,502**	**422.1**	**0.20**	**267,034**	**125.1**	**0.11**	**116,308**	**51.1**	**0.07**	**76,304**	**34.5**	**0.06**	**60,567**	**27.0**	**0.05**	**40,249**	**21.5**	**0.05**

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the combined.

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined	**836,529**	**491.3**	**0.24**	**246,313**	**147.5**	**0.13**	**106,453**	**60.4**	**0.08**	**68,321**	**39.5**	**0.07**	**55,571**	**33.0**	**0.06**	**36,745**	**23.1**	**0.05**
Alabama	12,566	471.0	1.90	3,753	142.9	1.05	1,676	60.1	0.66	1,200	44.6	0.58	640	24.0	0.43	377	15.4	0.36
Alaska	1,380	469.8	5.81	421	140.8	3.13	155	56.4	2.09	133	47.5	1.89	92	29.5	1.41	67	20.5	1.13
Arizona	15,505	431.0	1.57	4,734	134.3	0.89	1,948	50.7	0.52	1,207	33.2	0.43	970	27.7	0.40	738	22.6	0.38
Arkansas	7,968	497.0	2.52	2,192	139.2	1.35	1,259	75.1	0.96	727	44.7	0.75	458	29.3	0.62	277	19.2	0.52
California	85,518	452.3	0.69	26,599	142.9	0.39	8,521	44.4	0.22	6,947	36.5	0.20	5,902	31.6	0.18	3,953	21.2	0.15
CA: Greater California	48,080	463.4	0.95	14,664	143.6	0.53	5,138	48.5	0.30	3,840	36.8	0.27	3,194	31.1	0.25	2,196	21.7	0.21
CA: Greater Bay Area	16,644	451.2	1.57	5,378	148.2	0.91	1,595	42.4	0.48	1,309	35.1	0.44	1,165	32.0	0.42	689	19.0	0.33
CA: Los Angeles	20,795	429.1	1.34	6,557	137.1	0.76	1,789	36.8	0.39	1,799	36.9	0.39	1,543	32.3	0.37	1,068	21.8	0.30
Colorado	11,752	451.4	1.87	3,875	149.5	1.08	1,207	46.4	0.60	897	34.7	0.52	732	27.7	0.46	622	23.8	0.43
Connecticut	10,694	523.0	2.29	3,263	164.2	1.30	1,407	65.9	0.79	774	36.4	0.59	735	36.1	0.60	532	29.4	0.57
Delaware	2,852	528.0	4.48	836	157.8	2.48	415	72.5	1.61	208	38.0	1.19	202	37.3	1.19	127	26.9	1.08
District of Columbia	1,509	490.5	5.74	489	162.2	3.33	164	54.2	1.91	133	43.1	1.70	111	37.3	1.60	72	21.5	1.18
Florida	61,222	497.4	0.92	16,451	138.8	0.50	8,029	60.3	0.31	4,737	37.4	0.25	3,624	30.1	0.23	2,068	20.0	0.20
Georgia	24,469	492.5	1.41	7,398	149.0	0.78	2,999	60.3	0.49	2,063	41.9	0.41	1,458	29.1	0.34	979	19.5	0.28
Hawaii	3,634	474.9	3.60	1,214	164.3	2.15	357	43.0	1.04	329	41.8	1.06	283	39.0	1.05	162	23.8	0.85
Idaho	3,960	488.1	3.50	1,191	148.8	1.95	451	53.8	1.14	300	37.0	0.96	249	30.8	0.88	185	24.2	0.80
Illinois	34,658	516.1	1.25	10,269	156.4	0.69	4,608	66.8	0.44	2,968	43.1	0.36	2,439	36.8	0.33	1,496	23.7	0.28
Indiana	17,351	502.9	1.72	4,915	145.0	0.93	2,596	73.2	0.65	1,541	43.8	0.50	1,171	34.3	0.45	626	19.7	0.35
Iowa	8,838	522.7	2.54	2,465	151.4	1.39	1,150	64.9	0.87	804	44.9	0.73	615	37.1	0.68	337	23.0	0.57
Kansas	7,296	494.8	2.62	2,137	148.0	1.45	902	59.1	0.89	606	39.9	0.74	465	32.1	0.67	350	25.9	0.62
Kentucky	13,374	563.9	2.20	3,491	149.0	1.14	2,277	92.7	0.87	1,171	48.8	0.64	773	33.0	0.54	546	24.9	0.48
Louisiana	11,867	498.1	2.06	3,484	148.3	1.13	1,565	64.1	0.73	1,090	45.7	0.62	592	24.9	0.46	521	22.9	0.45
Maine	4,419	533.5	3.66	1,203	148.6	1.96	679	77.6	1.35	333	38.9	0.97	325	38.8	0.98	169	24.2	0.85
Maryland	15,868	499.5	1.78	4,903	155.9	1.00	1,980	61.3	0.62	1,235	38.6	0.49	1,090	34.1	0.46	693	22.8	0.39
Massachusetts	19,424	516.3	1.67	5,921	161.6	0.95	2,732	70.1	0.60	1,415	36.4	0.44	1,328	35.6	0.44	1,035	30.0	0.42
Michigan	26,981	492.1	1.35	7,708	143.6	0.74	3,873	67.9	0.49	2,192	39.1	0.38	1,941	35.5	0.36	1,019	20.8	0.29
MI: Metropolitan Detroit	11,476	535.0	2.25	3,288	156.4	1.23	1,644	74.4	0.83	959	43.7	0.64	794	37.2	0.59	502	25.6	0.51
Minnesota	14,634	515.1	1.92	4,311	155.2	1.07	1,803	61.8	0.65	1,148	39.3	0.53	1,072	38.0	0.52	538	20.4	0.40
Mississippi	7,589	485.4	2.51	2,134	138.9	1.35	1,122	69.4	0.93	768	48.6	0.79	423	27.2	0.60	250	17.1	0.49
Missouri	16,722	505.2	1.77	4,951	153.5	0.99	2,609	75.7	0.67	1,398	41.1	0.50	1,070	32.7	0.45	569	19.0	0.36
Montana	2,888	506.5	4.29	845	150.9	2.37	391	64.6	1.48	220	38.0	1.17	187	32.7	1.09	108	21.9	0.95
Nebraska	4,853	504.5	3.28	1,405	150.3	1.82	600	60.3	1.11	440	43.9	0.95	315	33.6	0.85	210	24.0	0.75
New Hampshire	4,142	540.8	3.80	1,283	169.6	2.14	585	73.6	1.37	289	37.0	0.98	298	38.3	1.00	166	24.6	0.86
New Jersey	26,226	534.0	1.49	7,668	159.7	0.82	3,113	61.1	0.49	2,120	41.9	0.41	1,913	39.3	0.40	1,374	30.7	0.37
New Mexico	4,705	426.6	2.82	1,438	132.1	1.58	472	40.4	0.84	387	34.9	0.80	317	29.0	0.74	255	25.5	0.72

Average Annual Cancer Cases and Age-adjusted (2011 Canadian Standard) Incidence Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR North American Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
New York	57,193	531.4	1.00	16,238	155.4	0.55	7,099	63.5	0.34	4,413	39.8	0.27	4,158	39.2	0.27	3,100	31.4	0.25
North Carolina	27,200	504.5	1.38	8,384	157.6	0.78	3,748	67.3	0.49	2,066	38.2	0.38	1,664	30.9	0.34	977	19.4	0.28
North Dakota	1,804	498.4	5.35	526	150.9	3.00	230	61.7	1.84	168	44.6	1.57	114	32.6	1.38	96	29.3	1.36
Ohio	33,164	515.1	1.28	9,568	151.4	0.70	4,687	70.0	0.46	2,839	42.8	0.36	2,394	37.5	0.35	1,416	24.7	0.30
Oklahoma	9,807	492.3	2.24	2,827	144.6	1.23	1,413	68.3	0.82	857	42.5	0.66	545	27.9	0.54	388	20.9	0.48
Oregon	10,716	487.2	2.14	3,204	148.0	1.19	1,371	59.5	0.73	801	36.0	0.58	758	34.7	0.57	432	21.6	0.47
Pennsylvania	40,035	538.3	1.23	11,177	155.0	0.67	5,273	67.2	0.42	3,287	41.9	0.33	2,928	40.0	0.33	1,990	31.2	0.32
Puerto Rico*	6,957	384.7	2.10	1,977	110.4	1.13	283	14.4	0.39	782	41.3	0.67	593	33.8	0.63	801	49.6	0.79
Rhode Island	3,218	536.3	4.29	940	161.6	2.39	486	77.7	1.60	221	35.1	1.08	219	37.1	1.13	152	28.8	1.05
South Carolina	13,117	482.8	1.91	4,084	152.4	1.08	1,777	62.5	0.67	1,054	38.8	0.54	773	28.2	0.46	438	17.5	0.38
South Dakota	2,228	502.7	4.86	644	149.6	2.69	293	64.0	1.69	199	42.5	1.38	150	34.9	1.29	82	21.1	1.06
Tennessee	17,565	493.6	1.68	5,070	144.3	0.91	2,702	73.5	0.64	1,485	41.4	0.48	1,050	29.7	0.41	644	19.5	0.35
Texas	54,169	441.1	0.85	16,186	132.6	0.47	6,070	50.0	0.29	4,524	37.2	0.25	3,370	27.4	0.21	2,434	19.2	0.17
Utah	5,041	435.2	2.77	1,518	134.3	1.55	300	26.7	0.69	357	31.5	0.75	373	32.9	0.77	372	29.3	0.69
Vermont	1,880	512.5	5.37	553	153.4	2.97	255	66.0	1.87	142	37.7	1.44	155	41.6	1.51	69	21.9	1.20
Virginia	20,071	463.9	1.47	6,410	149.6	0.84	2,578	58.4	0.52	1,604	36.9	0.41	1,326	30.5	0.38	887	21.4	0.32
Washington	18,227	500.7	1.67	5,692	158.0	0.94	2,195	59.2	0.57	1,361	37.4	0.46	1,167	31.9	0.42	748	21.4	0.35
WA: Seattle/Puget Sound	13,056	522.5	2.06	4,080	164.8	1.16	1,524	60.3	0.70	959	38.3	0.56	829	33.0	0.52	539	22.0	0.43
West Virginia	5,801	533.8	3.20	1,481	138.5	1.64	951	82.8	1.22	541	48.0	0.94	405	38.0	0.86	257	27.9	0.79
Wisconsin	15,899	510.8	1.83	4,677	154.1	1.02	2,049	63.4	0.63	1,214	37.8	0.49	1,209	39.0	0.51	618	22.1	0.40
Wyoming	1,262	437.3	5.57	376	131.9	3.08	141	47.4	1.80	97	33.7	1.54	80	27.6	1.40	66	24.8	1.38
NAACCR Canadian Combined	**75,972**	**504.6**	**0.82**	**20,721**	**140.2**	**0.44**	**9,854**	**63.6**	**0.29**	**7,984**	**51.6**	**0.26**	**4,996**	**33.6**	**0.21**	**3,504**	**25.1**	**0.19**
Alberta	9,003	485.8	2.30	2,667	144.3	1.25	1,127	62.5	0.83	904	49.2	0.73	615	33.4	0.60	377	19.1	0.44
British Columbia	12,558	453.2	1.82	3,537	130.2	0.99	1,719	59.8	0.65	1,426	50.2	0.60	784	28.5	0.46	328	13.0	0.32
Manitoba	3,347	498.7	3.89	859	131.1	2.02	473	68.8	1.43	370	53.3	1.26	282	43.5	1.16	110	17.7	0.76
New Brunswick	2,368	492.6	4.60	617	130.9	2.39	372	73.7	1.72	259	51.4	1.45	153	32.0	1.17	78	18.9	0.98
Newfoundland and Labrador	1,759	543.1	5.86	465	143.5	3.01	227	67.0	2.00	269	81.8	2.25	111	34.2	1.46	93	31.4	1.48
Northwest Territory	76	525.0	29.71	23	146.7	15.00	9	87.5	13.83	13	91.8	12.51	5	29.5	6.55	2	10.3	3.01
Nova Scotia	3,154	526.7	4.26	794	135.7	2.19	497	78.8	1.59	379	60.5	1.41	189	31.7	1.04	98	19.1	0.88
Nunavut	37	512.1	46.25	5	56.1	13.13	11	169.1	25.52	8	149.0	28.91	1	13.3	5.70	2	18.2	9.33
Ontario	40,450	528.0	1.18	10,877	144.9	0.63	4,945	62.3	0.40	3,965	50.0	0.36	2,652	35.0	0.31	2,344	33.3	0.31
Prince Edward Island	452	497.1	10.60	119	132.7	5.52	75	78.2	4.07	55	58.7	3.59	26	28.5	2.54	7	8.8	1.51
Saskatchewan	2,769	476.9	4.11	758	135.8	2.23	399	67.0	1.52	335	55.2	1.37	179	32.0	1.08	67	12.6	0.70
NAACCR North American Combined	**912,502**	**492.4**	**0.23**	**267,034**	**146.9**	**0.13**	**116,308**	**60.7**	**0.08**	**76,304**	**40.5**	**0.07**	**60,567**	**33.0**	**0.06**	**40,249**	**23.3**	**0.05**

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the combined.

NAACCR U.S. Combined Pediatric Cancer Incidence
2013-2017

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, All Races, Males

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**2,547**	**248.5**	**2.21**	**1,506**	**143.0**	**1.65**	**1,669**	**156.9**	**1.72**	**2,611**	**239.4**	**2.10**
I. Leukemias	882	86.0	1.30	489	46.4	0.94	400	37.6	0.84	450	41.3	0.87
I(a). Lymphoid leukemias	674	65.6	1.13	398	37.8	0.85	269	25.2	0.69	252	23.1	0.65
I(b). Acute myeloid leukemias	123	12.0	0.49	49	4.6	0.30	80	7.5	0.38	105	9.6	0.42
II. Lymphomas & reticuloendothelial neoplasms	217	21.2	0.64	273	26.0	0.70	380	35.8	0.82	636	58.3	1.04
II(a). Hodgkin lymphomas	10	0.9	0.14	60	5.8	0.33	144	13.5	0.50	329	30.2	0.75
II(b, c, e). Non-Hodgkin lymphomas	85	8.3	0.40	154	14.6	0.53	188	17.7	0.58	279	25.6	0.69
III. CNS[3] & misc. intracranial & intraspinal neoplasms	454	44.4	0.93	400	38.0	0.85	325	30.5	0.76	260	23.8	0.66
III(a). Ependymomas and choroids plexus tumor	59	5.8	0.34	24	2.3	0.21	25	2.3	0.21	17	1.5	0.17
III(b). Astrocytomas	214	20.9	0.64	187	17.7	0.58	174	16.4	0.56	148	13.6	0.50
III(c). Intracranial and intraspinal embryonal tumors	112	11.0	0.46	95	9.0	0.41	55	5.2	0.31	29	2.6	0.22
III(d). Other gliomas	53	5.2	0.32	82	7.7	0.38	61	5.7	0.33	51	4.7	0.29
IV. Neuroblastoma and other peripheral nervous cell tumors	308	30.1	0.77	51	4.9	0.31	16	1.5	0.17	10	0.9	0.13
IV(a). Neuroblastoma & ganglioneuroblastoma	307	30.0	0.77	50	4.7	0.30	11	1.0	0.14	5	0.5	0.09
V. Retinoblastoma	136	13.2	0.51	3	0.3	0.08	-	-	-	-	-	-
VI. Renal Tumors	182	17.8	0.59	57	5.4	0.32	16	1.6	0.17	21	2.0	0.19
VI(a). Nephroblastoma and other nonepithelial renal tumors	181	17.6	0.59	53	5.0	0.31	7	0.7	0.11	4	0.3	0.08
VII. Hepatic tumors	92	8.9	0.42	10	1.0	0.14	9	0.9	0.13	12	1.1	0.14
VII(a). Hepatoblastoma	88	8.6	0.41	7	0.7	0.12	1	0.1	0.05	-	-	-
VIII. Malignant bone tumors	16	1.5	0.17	68	6.5	0.35	168	15.8	0.55	195	17.9	0.57
VIII(a). Osteosarcomas	3	0.3	0.08	32	3.0	0.24	103	9.7	0.43	114	10.5	0.44
VIII(c). Ewing tumor and related sarcomas of bone	10	1.0	0.14	30	2.8	0.23	51	4.7	0.30	58	5.3	0.31
IX. Soft tissue and other extraosseous sarcomas	153	15.0	0.54	93	8.9	0.41	131	12.4	0.48	184	16.8	0.56
IX(a). Rhabdomyosarcomas	90	8.8	0.41	50	4.8	0.30	45	4.2	0.28	44	4.0	0.27
X. Germ cell & trophoblastic tumors & neoplasms of gonads	64	6.2	0.35	16	1.5	0.17	66	6.2	0.34	451	41.2	0.87
X(a). Intracranial & intraspinal germ cell tumors	7	0.7	0.12	12	1.1	0.15	46	4.3	0.29	46	4.2	0.28
X(c). Malignant gonadal germ cell tumors	32	3.2	0.25	-	-	-	14	1.3	0.16	376	34.4	0.80
XI. Other malignant epithelial neoplasms and melanomas	25	2.5	0.22	41	3.9	0.27	150	14.1	0.52	383	35.1	0.80
XI(b). Thyroid carcinomas	2	0.2	0.07	10	0.9	0.13	44	4.1	0.28	116	10.7	0.44
XI(d). Malignant melanomas	15	1.5	0.17	14	1.3	0.16	29	2.8	0.23	76	7.0	0.36
XII. Other & unspecified malignant neoplasms	17	1.7	0.18	3	0.3	0.08	5	0.5	0.10	10	0.9	0.13

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, All Races, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**2,209**	**225.6**	**2.15**	**1,247**	**123.4**	**1.57**	**1,500**	**147.0**	**1.70**	**2,387**	**229.2**	**2.10**
I. Leukemias	768	78.3	1.27	394	39.1	0.88	310	30.4	0.77	294	28.3	0.74
I(a). Lymphoid leukemias	585	59.6	1.11	316	31.2	0.79	197	19.3	0.62	120	11.5	0.47
I(b). Acute myeloid leukemias	117	11.9	0.49	46	4.6	0.30	67	6.6	0.36	99	9.5	0.43
II. Lymphomas & reticuloendothelial neoplasms	142	14.5	0.54	132	13.1	0.51	234	23.0	0.67	476	45.8	0.94
II(a). Hodgkin lymphomas	2	0.2	0.07	22	2.2	0.21	112	11.0	0.46	329	31.6	0.78
II(b, c, e). Non-Hodgkin lymphomas	49	5.0	0.32	68	6.8	0.37	95	9.3	0.43	136	13.1	0.50
III. CNS[3] & misc. intracranial & intraspinal neoplasms	400	40.8	0.91	337	33.3	0.81	278	27.1	0.73	220	21.1	0.64
III(a). Ependymomas and choroids plexus tumor	47	4.8	0.31	22	2.2	0.21	15	1.5	0.17	15	1.4	0.17
III(b). Astrocytomas	199	20.4	0.65	176	17.5	0.59	161	15.8	0.56	122	11.7	0.47
III(c). Intracranial and intraspinal embryonal tumors	86	8.7	0.42	53	5.3	0.32	30	3.0	0.24	20	1.9	0.19
III(d). Other gliomas	52	5.3	0.33	75	7.4	0.38	59	5.8	0.34	50	4.9	0.31
IV. Neuroblastoma and other peripheral nervous cell tumors	283	28.8	0.77	45	4.5	0.30	15	1.5	0.17	12	1.2	0.15
IV(a). Neuroblastoma & ganglioneuroblastoma	281	28.7	0.77	44	4.4	0.29	13	1.3	0.16	7	0.7	0.12
V. Retinoblastoma	124	12.7	0.51	6	0.6	0.11	-	-	-	-	-	-
VI. Renal Tumors	201	20.5	0.65	79	7.8	0.39	19	1.8	0.19	23	2.2	0.20
VI(a). Nephroblastoma and other nonepithelial renal tumors	200	20.3	0.65	75	7.4	0.38	10	1.0	0.14	3	0.3	0.07
VII. Hepatic tumors	58	5.9	0.35	8	0.8	0.13	8	0.7	0.12	14	1.4	0.16
VII(a). Hepatoblastoma	57	5.8	0.35	5	0.5	0.10	3	0.3	0.07	-	-	-
VIII. Malignant bone tumors	20	2.0	0.20	61	6.1	0.35	136	13.3	0.51	113	10.8	0.46
VIII(a). Osteosarcomas	3	0.3	0.08	33	3.3	0.26	79	7.8	0.39	57	5.4	0.32
VIII(c). Ewing tumor and related sarcomas of bone	13	1.3	0.17	22	2.2	0.21	41	4.0	0.28	36	3.4	0.26
IX. Soft tissue and other extraosseous sarcomas	103	10.6	0.46	78	7.7	0.39	120	11.7	0.48	150	14.4	0.53
IX(a). Rhabdomyosarcomas	63	6.4	0.36	38	3.8	0.27	35	3.3	0.26	31	3.0	0.24
X. Germ cell & trophoblastic tumors & neoplasms of gonads	70	7.1	0.38	38	3.7	0.27	103	10.1	0.45	150	14.3	0.52
X(a). Intracranial & intraspinal germ cell tumors	9	0.9	0.14	13	1.3	0.16	17	1.7	0.18	7	0.7	0.12
X(c). Malignant gonadal germ cell tumors	4	0.5	0.10	21	2.1	0.20	72	7.1	0.37	86	8.2	0.40
XI. Other malignant epithelial neoplasms and melanomas	28	2.9	0.24	64	6.4	0.36	273	26.7	0.72	919	88.2	1.30
XI(b). Thyroid carcinomas	4	0.4	0.09	21	2.1	0.20	138	13.6	0.52	545	52.4	1.00
XI(d). Malignant melanomas	14	1.5	0.17	20	2.0	0.20	28	2.7	0.23	122	11.8	0.48
XII. Other & unspecified malignant neoplasms	15	1.5	0.18	4	0.4	0.09	6	0.6	0.10	16	1.6	0.18

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, White, Males

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**1,956**	**257.0**	**2.60**	**1,176**	**149.8**	**1.96**	**1,288**	**161.0**	**2.01**	**2,079**	**253.6**	**2.49**
I. Leukemias	693	90.9	1.55	394	50.1	1.13	304	38.0	0.98	358	43.7	1.03
I(a). Lymphoid leukemias	541	71.0	1.37	324	41.3	1.03	210	26.3	0.81	212	25.9	0.80
I(b). Acute myeloid leukemias	91	11.9	0.56	37	4.7	0.35	57	7.1	0.42	79	9.6	0.49
II. Lymphomas & reticuloendothelial neoplasms	167	21.9	0.76	211	26.9	0.83	287	36.0	0.95	483	59.0	1.20
II(a). Hodgkin lymphomas	6	0.8	0.14	43	5.5	0.37	109	13.6	0.58	261	31.8	0.88
II(b, c, e). Non-Hodgkin lymphomas	64	8.4	0.47	119	15.2	0.62	136	17.1	0.65	199	24.3	0.77
III. CNS[3] & misc. intracranial & intraspinal neoplasms	356	46.9	1.11	310	39.4	1.00	259	32.3	0.90	206	25.1	0.78
III(a). Ependymomas and choroids plexus tumor	46	6.1	0.40	19	2.3	0.24	21	2.6	0.26	12	1.4	0.19
III(b). Astrocytomas	171	22.5	0.77	146	18.6	0.69	138	17.3	0.66	120	14.6	0.60
III(c). Intracranial and intraspinal embryonal tumors	86	11.4	0.55	74	9.4	0.49	45	5.7	0.38	22	2.7	0.26
III(d). Other gliomas	42	5.5	0.38	62	8.0	0.45	47	5.8	0.38	40	4.9	0.35
IV. Neuroblastoma and other peripheral nervous cell tumors	235	30.9	0.90	40	5.1	0.36	11	1.4	0.19	7	0.8	0.14
IV(a). Neuroblastoma & ganglioneuroblastoma	234	30.9	0.90	38	4.9	0.35	7	0.9	0.15	4	0.5	0.11
V. Retinoblastoma	97	12.6	0.58	2	0.3	0.08	-	-	-	-	-	-
VI. Renal Tumors	137	17.9	0.69	39	5.1	0.36	9	1.2	0.17	15	1.8	0.21
VI(a). Nephroblastoma and other nonepithelial renal tumors	136	17.8	0.68	37	4.7	0.35	4	0.6	0.12	3	0.4	0.09
VII. Hepatic tumors	70	9.2	0.49	8	1.1	0.17	7	0.9	0.15	9	1.2	0.17
VII(a). Hepatoblastoma	68	8.9	0.48	6	0.7	0.14	-	-	-	-	-	-
VIII. Malignant bone tumors	12	1.7	0.21	56	7.2	0.43	132	16.4	0.64	154	18.8	0.68
VIII(a). Osteosarcomas	2	0.2	0.08	25	3.2	0.29	77	9.6	0.49	84	10.3	0.50
VIII(c). Ewing tumor and related sarcomas of bone	9	1.2	0.18	26	3.3	0.29	45	5.5	0.37	52	6.3	0.39
IX. Soft tissue and other extraosseous sarcomas	111	14.6	0.62	69	8.8	0.48	100	12.6	0.56	136	16.5	0.64
IX(a). Rhabdomyosarcomas	65	8.7	0.48	37	4.7	0.35	33	4.2	0.32	31	3.8	0.30
X. Germ cell & trophoblastic tumors & neoplasms of gonads	48	6.3	0.41	12	1.5	0.20	53	6.6	0.41	396	48.2	1.09
X(a). Intracranial & intraspinal germ cell tumors	5	0.6	0.13	9	1.2	0.17	36	4.5	0.34	33	4.1	0.32
X(c). Malignant gonadal germ cell tumors	25	3.3	0.29	-	-	-	12	1.5	0.20	340	41.4	1.01
XI. Other malignant epithelial neoplasms and melanomas	19	2.5	0.26	32	4.1	0.33	120	15.1	0.61	309	37.7	0.96
XI(b). Thyroid carcinomas	2	0.2	0.08	8	1.0	0.16	34	4.3	0.33	94	11.5	0.53
XI(d). Malignant melanomas	13	1.8	0.22	12	1.5	0.20	27	3.4	0.29	71	8.7	0.46
XII. Other & unspecified malignant neoplasms	13	1.7	0.21	2	0.3	0.08	4	0.5	0.11	7	0.9	0.15

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, White, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**1,709**	**235.5**	**2.55**	**942**	**125.5**	**1.83**	**1,175**	**153.7**	**2.01**	**1,893**	**243.1**	**2.50**
I. Leukemias	602	82.9	1.51	310	41.3	1.05	248	32.4	0.92	221	28.5	0.86
I(a). Lymphoid leukemias	468	64.5	1.34	254	33.8	0.95	165	21.5	0.75	95	12.3	0.56
I(b). Acute myeloid leukemias	86	11.8	0.57	32	4.3	0.34	50	6.6	0.42	72	9.3	0.49
II. Lymphomas & reticuloendothelial neoplasms	113	15.6	0.66	98	13.2	0.59	180	23.5	0.79	380	48.8	1.12
II(a). Hodgkin lymphomas	2	0.2	0.08	14	1.9	0.23	85	11.1	0.54	269	34.5	0.94
II(b, c, e). Non-Hodgkin lymphomas	37	5.1	0.38	49	6.5	0.42	71	9.2	0.49	102	13.0	0.58
III. CNS[3] & misc. intracranial & intraspinal neoplasms	308	42.6	1.09	249	33.2	0.94	226	29.6	0.88	173	22.2	0.76
III(a). Ependymomas and choroids plexus tumor	38	5.3	0.38	16	2.1	0.24	12	1.6	0.21	12	1.5	0.20
III(b). Astrocytomas	158	21.8	0.78	133	17.8	0.69	134	17.5	0.68	98	12.6	0.57
III(c). Intracranial and intraspinal embryonal tumors	65	9.0	0.50	40	5.2	0.37	24	3.1	0.29	15	1.9	0.22
III(d). Other gliomas	36	5.0	0.37	55	7.3	0.44	48	6.3	0.41	38	4.9	0.36
IV. Neuroblastoma and other peripheral nervous cell tumors	223	30.7	0.92	33	4.4	0.34	12	1.5	0.20	9	1.2	0.18
IV(a). Neuroblastoma & ganglioneuroblastoma	222	30.5	0.92	32	4.3	0.34	10	1.4	0.19	5	0.7	0.13
V. Retinoblastoma	88	12.1	0.58	4	0.6	0.13	-	-	-	-	-	-
VI. Renal Tumors	151	20.8	0.76	54	7.1	0.44	12	1.6	0.21	17	2.1	0.23
VI(a). Nephroblastoma and other nonepithelial renal tumors	150	20.6	0.75	52	6.9	0.43	7	0.9	0.16	2	0.3	0.09
VII. Hepatic tumors	45	6.3	0.42	7	0.9	0.15	6	0.8	0.14	11	1.4	0.19
VII(a). Hepatoblastoma	44	6.1	0.41	4	0.6	0.13	2	0.3	0.08	-	-	-
VIII. Malignant bone tumors	16	2.2	0.24	48	6.4	0.41	103	13.5	0.60	88	11.2	0.54
VIII(a). Osteosarcomas	2	0.3	0.10	24	3.3	0.30	57	7.5	0.44	41	5.3	0.37
VIII(c). Ewing tumor and related sarcomas of bone	10	1.4	0.20	20	2.6	0.27	34	4.5	0.34	31	3.9	0.32
IX. Soft tissue and other extraosseous sarcomas	78	10.8	0.55	58	7.7	0.46	91	11.9	0.56	111	14.2	0.61
IX(a). Rhabdomyosarcomas	48	6.6	0.43	30	4.0	0.33	26	3.3	0.29	23	3.0	0.28
X. Germ cell & trophoblastic tumors & neoplasms of gonads	52	7.1	0.44	26	3.4	0.30	73	9.6	0.50	107	13.6	0.59
X(a). Intracranial & intraspinal germ cell tumors	7	1.0	0.17	10	1.3	0.19	12	1.6	0.21	5	0.7	0.13
X(c). Malignant gonadal germ cell tumors	3	0.4	0.11	14	1.8	0.22	49	6.5	0.41	60	7.7	0.44
XI. Other malignant epithelial neoplasms and melanomas	22	3.0	0.29	52	6.9	0.43	221	28.9	0.87	766	98.4	1.59
XI(b). Thyroid carcinomas	3	0.5	0.11	17	2.3	0.25	111	14.6	0.62	459	58.9	1.23
XI(d). Malignant melanomas	11	1.5	0.21	18	2.4	0.25	23	3.0	0.28	110	14.2	0.61
XII. Other & unspecified malignant neoplasms	11	1.5	0.21	3	0.4	0.11	4	0.5	0.11	11	1.4	0.19

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Black, Males

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**303**	**176.0**	**4.52**	**183**	**104.8**	**3.47**	**214**	**125.0**	**3.83**	**294**	**165.8**	**4.33**
I. Leukemias	81	47.0	2.34	46	26.5	1.75	51	29.3	1.85	53	29.9	1.84
I(a). Lymphoid leukemias	49	28.4	1.82	35	20.1	1.52	29	16.4	1.39	21	12.0	1.16
I(b). Acute myeloid leukemias	19	10.9	1.13	6	3.3	0.62	13	7.4	0.93	15	8.7	0.99
II. Lymphomas & reticuloendothelial neoplasms	21	12.0	1.18	34	19.4	1.49	55	32.0	1.94	94	53.2	2.45
II(a). Hodgkin lymphomas	2	1.3	0.39	11	6.2	0.84	22	12.7	1.22	45	25.6	1.70
II(b, c, e). Non-Hodgkin lymphomas	11	6.2	0.85	19	11.1	1.13	31	17.9	1.45	47	26.7	1.74
III. CNS[3] & misc. intracranial & intraspinal neoplasms	55	31.9	1.93	54	30.6	1.87	40	23.4	1.66	31	17.6	1.41
III(a). Ependymomas and choroids plexus tumor	7	4.4	0.72	3	2.0	0.47	2	1.5	0.42	3	1.8	0.45
III(b). Astrocytomas	24	14.0	1.27	25	14.4	1.28	21	12.3	1.20	15	8.6	0.99
III(c). Intracranial and intraspinal embryonal tumors	15	8.6	1.00	9	5.3	0.78	5	3.2	0.61	3	1.7	0.44
III(d). Other gliomas	6	3.6	0.65	13	7.4	0.92	9	5.0	0.77	7	4.0	0.67
IV. Neuroblastoma and other peripheral nervous cell tumors	42	24.8	1.70	8	4.4	0.71	3	1.8	0.45	2	0.9	0.32
IV(a). Neuroblastoma & ganglioneuroblastoma	42	24.5	1.69	8	4.4	0.71	2	1.2	0.37	-	-	-
V. Retinoblastoma	22	12.7	1.21	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	33	19.2	1.49	11	6.7	0.87	5	3.0	0.60	5	2.9	0.58
VI(a). Nephroblastoma and other nonepithelial renal tumors	32	19.0	1.48	11	6.2	0.84	2	1.4	0.41	-	-	-
VII. Hepatic tumors	11	6.6	0.88	1	0.7	0.28	1	0.8	0.31	2	1.0	0.34
VII(a). Hepatoblastoma	11	6.5	0.87	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	-	-	-	6	3.3	0.62	20	11.7	1.17	26	14.5	1.28
VIII(a). Osteosarcomas	-	-	-	4	2.5	0.54	16	9.6	1.06	20	11.3	1.13
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	1	0.7	0.29	2	1.0	0.34
IX. Soft tissue and other extraosseous sarcomas	27	15.7	1.35	16	9.0	1.01	20	11.6	1.17	31	17.4	1.40
IX(a). Rhabdomyosarcomas	16	9.5	1.05	10	5.5	0.80	7	3.9	0.67	8	4.6	0.72
X. Germ cell & trophoblastic tumors & neoplasms of gonads	5	2.9	0.58	2	1.1	0.36	4	2.5	0.54	14	7.7	0.93
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	1	0.8	0.30	4	2.2	0.51	5	2.6	0.54
X(c). Malignant gonadal germ cell tumors	2	1.2	0.37	-	-	-	-	-	-	7	4.0	0.67
XI. Other malignant epithelial neoplasms and melanomas	3	1.9	0.47	5	2.6	0.55	14	8.1	0.97	35	19.8	1.50
XI(b). Thyroid carcinomas	-	-	-	-	-	-	4	2.3	0.52	8	4.3	0.70
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	2	0.9	0.33	-	-	-	-	-	-	2	0.9	0.32

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Black, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**264**	**158.4**	**4.37**	**173**	**102.5**	**3.49**	**175**	**105.4**	**3.57**	**267**	**155.9**	**4.27**
I. Leukemias	81	48.5	2.42	40	23.6	1.67	31	18.8	1.51	39	23.2	1.65
I(a). Lymphoid leukemias	52	31.2	1.94	27	16.1	1.38	14	8.6	1.02	9	5.6	0.81
I(b). Acute myeloid leukemias	18	11.1	1.16	7	4.4	0.72	10	6.2	0.86	16	9.4	1.05
II. Lymphomas & reticuloendothelial neoplasms	11	6.5	0.89	19	11.0	1.14	32	19.1	1.52	58	33.7	1.99
II(a). Hodgkin lymphomas	-	-	-	5	2.7	0.57	17	10.2	1.11	38	22.0	1.60
II(b, c, e). Non-Hodgkin lymphomas	6	3.4	0.64	12	7.1	0.92	14	8.2	1.00	20	11.6	1.16
III. CNS[3] & misc. intracranial & intraspinal neoplasms	51	30.4	1.91	54	32.3	1.96	30	18.1	1.48	30	17.4	1.43
III(a). Ependymomas and choroids plexus tumor	6	3.6	0.66	3	1.9	0.47	2	1.3	0.40	2	1.2	0.37
III(b). Astrocytomas	21	12.6	1.23	27	16.0	1.38	16	9.7	1.08	14	8.2	0.98
III(c). Intracranial and intraspinal embryonal tumors	11	6.9	0.91	7	4.4	0.72	3	1.8	0.47	4	2.2	0.51
III(d). Other gliomas	9	5.7	0.83	13	7.9	0.97	7	4.2	0.72	8	4.4	0.72
IV. Neuroblastoma and other peripheral nervous cell tumors	30	18.1	1.48	9	5.3	0.80	2	1.5	0.42	2	0.9	0.33
IV(a). Neuroblastoma & ganglioneuroblastoma	30	18.1	1.48	9	5.2	0.79	2	1.2	0.38	-	-	-
V. Retinoblastoma	20	11.9	1.20	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	35	21.1	1.59	17	10.1	1.09	5	2.9	0.59	4	2.6	0.55
VI(a). Nephroblastoma and other nonepithelial renal tumors	35	21.0	1.59	16	9.4	1.05	2	1.3	0.40	-	-	-
VII. Hepatic tumors	6	3.4	0.64	-	-	-	1	0.7	0.30	2	1.3	0.39
VII(a). Hepatoblastoma	6	3.4	0.64	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	-	-	-	9	5.1	0.78	19	11.5	1.18	15	8.7	1.01
VIII(a). Osteosarcomas	-	-	-	6	3.7	0.66	14	8.2	1.00	10	6.1	0.84
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	3	1.8	0.47	2	1.4	0.41
IX. Soft tissue and other extraosseous sarcomas	15	8.8	1.03	12	7.4	0.93	19	11.3	1.17	26	15.2	1.33
IX(a). Rhabdomyosarcomas	9	5.7	0.83	4	2.6	0.56	6	3.9	0.68	6	3.6	0.65
X. Germ cell & trophoblastic tumors & neoplasms of gonads	11	6.7	0.90	6	3.4	0.64	15	9.3	1.06	26	15.2	1.33
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	1	0.7	0.29	2	1.2	0.38	1	0.8	0.31
X(c). Malignant gonadal germ cell tumors	-	-	-	3	1.9	0.47	12	7.0	0.92	15	8.9	1.02
XI. Other malignant epithelial neoplasms and melanomas	3	1.6	0.43	5	3.0	0.59	18	11.3	1.17	61	35.5	2.04
XI(b). Thyroid carcinomas	-	-	-	2	0.9	0.34	7	4.1	0.71	27	15.8	1.36
XI(d). Malignant melanomas	-	-	-	-	-	-	2	1.3	0.40	1	0.7	0.29
XII. Other & unspecified malignant neoplasms	1	0.8	0.32	-	-	-	1	0.7	0.30	4	2.2	0.51

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
Cancer Types	*Avg Annual Cases*	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**145**	**226.2**	**8.42**	**74**	**114.6**	**5.95**	**91**	**143.1**	**6.72**	**121**	**189.4**	**7.72**
I. Leukemias	55	85.9	5.19	26	40.5	3.53	28	43.6	3.71	21	32.4	3.19
I(a). Lymphoid leukemias	42	64.9	4.51	20	30.9	3.09	17	26.9	2.91	9	14.2	2.11
I(b). Acute myeloid leukemias	8	12.8	2.01	4	5.9	1.35	8	12.0	1.95	6	8.8	1.67
II. Lymphomas & reticuloendothelial neoplasms	18	27.3	2.92	14	22.2	2.62	19	30.0	3.08	33	51.0	4.00
II(a). Hodgkin lymphomas	-	-	-	3	5.3	1.27	7	11.4	1.90	13	20.8	2.56
II(b, c, e). Non-Hodgkin lymphomas	6	10.0	1.77	8	12.4	1.95	11	17.1	2.32	18	28.3	2.99
III. CNS[3] & misc. intracranial & intraspinal neoplasms	20	31.6	3.15	18	28.4	2.96	15	24.0	2.75	10	15.1	2.18
III(a). Ependymomas and choroids plexus tumor	4	6.9	1.47	2	2.5	0.87	-	-	-	-	-	-
III(b). Astrocytomas	8	11.9	1.93	7	11.4	1.88	9	13.6	2.07	5	8.2	1.60
III(c). Intracranial and intraspinal embryonal tumors	6	9.1	1.69	6	9.6	1.72	3	4.7	1.22	2	2.5	0.89
III(d). Other gliomas	2	2.8	0.94	3	4.3	1.16	3	4.1	1.14	2	2.5	0.89
IV. Neuroblastoma and other peripheral nervous cell tumors	15	23.5	2.71	2	3.1	0.98	-	-	-	-	-	-
IV(a). Neuroblastoma & ganglioneuroblastoma	15	23.5	2.71	2	2.8	0.93	-	-	-	-	-	-
V. Retinoblastoma	9	14.4	2.13	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	6	8.8	1.66	2	3.4	1.02	-	-	-	-	-	-
VI(a). Nephroblastoma and other nonepithelial renal tumors	6	8.8	1.66	1	2.2	0.82	-	-	-	-	-	-
VII. Hepatic tumors	6	8.8	1.66	-	-	-	-	-	-	-	-	-
VII(a). Hepatoblastoma	5	8.1	1.60	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	1	2.5	0.89	3	4.9	1.24	9	12.6	2.00	9	13.8	2.09
VIII(a). Osteosarcomas	-	-	-	2	2.5	0.87	5	7.6	1.55	6	9.4	1.72
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	1	1.9	0.76	2	3.5	1.05	2	3.5	1.04
IX. Soft tissue and other extraosseous sarcomas	8	11.9	1.93	4	6.2	1.38	6	9.2	1.70	8	12.3	1.97
IX(a). Rhabdomyosarcomas	4	6.6	1.44	2	2.5	0.87	2	3.8	1.09	2	3.5	1.04
X. Germ cell & trophoblastic tumors & neoplasms of gonads	6	9.4	1.72	-	-	-	5	8.2	1.61	21	33.4	3.24
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	4	6.3	1.41	8	12.0	1.94
X(c). Malignant gonadal germ cell tumors	3	5.3	1.29	-	-	-	-	-	-	11	16.7	2.29
XI. Other malignant epithelial neoplasms and melanomas	-	-	-	2	3.4	1.02	8	12.0	1.95	17	27.4	2.93
XI(b). Thyroid carcinomas	-	-	-	-	-	-	3	5.1	1.26	7	11.3	1.89
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	1	1.9	0.77
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-	-	-

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**131**	**214.9**	**8.42**	**61**	**96.6**	**5.55**	**76**	**121.0**	**6.23**	**109**	**174.5**	**7.49**
I. Leukemias	47	77.3	5.05	24	38.0	3.48	17	27.5	2.97	17	27.0	2.95
I(a). Lymphoid leukemias	35	58.8	4.40	17	27.7	2.98	10	16.0	2.26	7	10.9	1.88
I(b). Acute myeloid leukemias	8	12.9	2.06	4	6.1	1.39	4	6.7	1.47	7	10.6	1.85
II. Lymphomas & reticuloendothelial neoplasms	11	17.8	2.43	6	9.2	1.72	13	20.2	2.54	21	34.1	3.31
II(a). Hodgkin lymphomas	-	-	-	-	-	-	5	7.4	1.54	11	18.3	2.43
II(b, c, e). Non-Hodgkin lymphomas	4	7.3	1.55	3	4.8	1.24	7	10.9	1.87	9	14.8	2.18
III. CNS[3] & misc. intracranial & intraspinal neoplasms	19	31.7	3.23	15	23.0	2.71	11	18.3	2.42	8	12.2	1.98
III(a). Ependymomas and choroids plexus tumor	1	2.0	0.81	1	2.6	0.90	-	-	-	-	-	-
III(b). Astrocytomas	10	15.8	2.29	6	9.2	1.72	5	8.6	1.66	4	6.8	1.48
III(c). Intracranial and intraspinal embryonal tumors	6	9.9	1.81	3	5.7	1.35	2	3.5	1.06	-	-	-
III(d). Other gliomas	2	3.3	1.04	3	4.5	1.19	3	4.8	1.24	2	3.2	1.02
IV. Neuroblastoma and other peripheral nervous cell tumors	19	30.7	3.18	2	2.6	0.90	-	-	-	-	-	-
IV(a). Neuroblastoma & ganglioneuroblastoma	19	30.7	3.18	2	2.6	0.90	-	-	-	-	-	-
V. Retinoblastoma	10	17.2	2.38	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	7	12.2	2.01	2	3.2	1.01	-	-	-	-	-	-
VI(a). Nephroblastoma and other nonepithelial renal tumors	7	11.9	1.98	2	2.9	0.96	-	-	-	-	-	-
VII. Hepatic tumors	4	6.3	1.44	-	-	-	-	-	-	-	-	-
VII(a). Hepatoblastoma	4	6.3	1.44	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	2	2.6	0.93	3	4.8	1.24	6	9.3	1.72	5	8.4	1.64
VIII(a). Osteosarcomas	-	-	-	2	2.9	0.96	4	5.8	1.36	3	4.5	1.20
VIII(c). Ewing tumor and related sarcomas of bone	1	2.0	0.81	-	-	-	1	2.2	0.85	1	1.9	0.79
IX. Soft tissue and other extraosseous sarcomas	6	9.2	1.75	3	5.1	1.28	3	5.4	1.32	7	10.9	1.88
IX(a). Rhabdomyosarcomas	3	5.3	1.32	3	4.1	1.15	-	-	-	-	-	-
X. Germ cell & trophoblastic tumors & neoplasms of gonads	4	6.9	1.51	3	5.1	1.28	10	14.4	2.15	7	11.9	1.96
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	2	3.8	1.11	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	2	3.8	1.10	7	10.2	1.81	4	5.8	1.37
XI. Other malignant epithelial neoplasms and melanomas	1	2.0	0.81	3	4.1	1.15	14	22.7	2.70	41	66.0	4.61
XI(b). Thyroid carcinomas	-	-	-	-	-	-	10	16.6	2.31	29	46.7	3.88
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-	-	-

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Males

	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
Cancer Types	*Avg Annual Cases*	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**22**	**197.6**	**18.59**	**12**	**110.2**	**14.23**	**12**	**115.7**	**14.93**	**16**	**160.1**	**17.79**
I. Leukemias	10	89.2	12.49	5	47.8	9.37	2	23.1	6.68	3	25.7	7.13
I(a). Lymphoid leukemias	8	68.2	10.92	4	40.4	8.62	2	19.3	6.10	2	17.8	5.93
I(b). Acute myeloid leukemias	1	10.5	4.28	-	-	-	-	-	-	-	-	-
II. Lymphomas & reticuloendothelial neoplasms	1	12.2	4.63	2	16.5	5.51	3	27.0	7.21	3	33.6	8.15
II(a). Hodgkin lymphomas	-	-	-	-	-	-	-	-	-	1	11.9	4.84
II(b, c, e). Non-Hodgkin lymphomas	-	-	-	-	-	-	2	19.3	6.10	2	15.8	5.59
III. CNS[3] & misc. intracranial & intraspinal neoplasms	3	29.7	7.21	3	31.2	7.57	3	27.0	7.21	2	23.7	6.85
III(a). Ependymomas and choroids plexus tumor	-	-	-	-	-	-	-	-	-	-	-	-
III(b). Astrocytomas	-	-	-	1	11.0	4.50	1	13.5	5.10	2	17.8	5.93
III(c). Intracranial and intraspinal embryonal tumors	1	12.2	4.63	-	-	-	-	-	-	-	-	-
III(d). Other gliomas	-	-	-	-	-	-	-	-	-	-	-	-
IV. Neuroblastoma and other peripheral nervous cell tumors	2	14.0	4.95	-	-	-	-	-	-	-	-	-
IV(a). Neuroblastoma & ganglioneuroblastoma	2	14.0	4.95	-	-	-	-	-	-	-	-	-
V. Retinoblastoma	-	-	-	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	1	12.2	4.63	-	-	-	-	-	-	-	-	-
VI(a). Nephroblastoma and other nonepithelial renal tumors	1	12.2	4.63	-	-	-	-	-	-	-	-	-
VII. Hepatic tumors	1	10.5	4.28	-	-	-	-	-	-	-	-	-
VII(a). Hepatoblastoma	1	10.5	4.28	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	-	-	-	-	-	-	-	-	-	-	-	-
VIII(a). Osteosarcomas	-	-	-	-	-	-	-	-	-	-	-	-
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	-	-	-	-	-	-
IX. Soft tissue and other extraosseous sarcomas	1	10.5	4.28	-	-	-	1	11.6	4.72	2	15.8	5.59
IX(a). Rhabdomyosarcomas	-	-	-	-	-	-	-	-	-	-	-	-
X. Germ cell & trophoblastic tumors & neoplasms of gonads	-	-	-	-	-	-	-	-	-	3	31.6	7.90
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	-	-	-	-	3	29.6	7.65
XI. Other malignant epithelial neoplasms and melanomas	-	-	-	-	-	-	-	-	-	2	15.8	5.59
XI(b). Thyroid carcinomas	-	-	-	-	-	-	-	-	-	-	-	-
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-	-	-

[1] Rates are **per million** population. Statistics exclude cases diagnosed for MN for all years, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] PRCDA - Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)
[4] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Females

	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
Cancer Types	*Avg Annual Cases*	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**16**	**141.4**	**16.01**	**9**	**85.1**	**12.69**	**9**	**93.0**	**13.57**	**14**	**144.4**	**17.14**
I. Leukemias	6	54.4	9.93	3	28.4	7.33	3	27.7	7.41	2	20.3	6.43
I(a). Lymphoid leukemias	5	43.5	8.88	2	22.7	6.55	2	17.8	5.94	-	-	-
I(b). Acute myeloid leukemias	-	-	-	-	-	-	-	-	-	-	-	-
II. Lymphomas & reticuloendothelial neoplasms	-	-	-	-	-	-	2	19.8	6.26	2	22.4	6.75
II(a). Hodgkin lymphomas	-	-	-	-	-	-	-	-	-	-	-	-
II(b, c, e). Non-Hodgkin lymphomas	-	-	-	-	-	-	1	11.9	4.85	-	-	-
III. CNS[3] & misc. intracranial & intraspinal neoplasms	2	18.1	5.73	2	17.0	5.68	-	-	-	-	-	-
III(a). Ependymomas and choroids plexus tumor	-	-	-	-	-	-	-	-	-	-	-	-
III(b). Astrocytomas	-	-	-	-	-	-	-	-	-	-	-	-
III(c). Intracranial and intraspinal embryonal tumors	-	-	-	-	-	-	-	-	-	-	-	-
III(d). Other gliomas	-	-	-	-	-	-	-	-	-	-	-	-
IV. Neuroblastoma and other peripheral nervous cell tumors	1	12.7	4.80	-	-	-	-	-	-	-	-	-
IV(a). Neuroblastoma & ganglioneuroblastoma	1	12.7	4.80	-	-	-	-	-	-	-	-	-
V. Retinoblastoma	1	12.7	4.80	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	2	14.5	5.13	-	-	-	-	-	-	-	-	-
VI(a). Nephroblastoma and other nonepithelial renal tumors	2	14.5	5.13	-	-	-	-	-	-	-	-	-
VII. Hepatic tumors	-	-	-	-	-	-	-	-	-	-	-	-
VII(a). Hepatoblastoma	-	-	-	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	-	-	-	-	-	-	2	15.8	5.60	-	-	-
VIII(a). Osteosarcomas	-	-	-	-	-	-	1	13.9	5.24	-	-	-
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	-	-	-	-	-	-
IX. Soft tissue and other extraosseous sarcomas	-	-	-	-	-	-	-	-	-	-	-	-
IX(a). Rhabdomyosarcomas	-	-	-	-	-	-	-	-	-	-	-	-
X. Germ cell & trophoblastic tumors & neoplasms of gonads	-	-	-	-	-	-	-	-	-	-	-	-
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	-	-	-	-	-	-	-
XI. Other malignant epithelial neoplasms and melanomas	-	-	-	-	-	-	1	11.9	4.85	6	63.1	11.33
XI(b). Thyroid carcinomas	-	-	-	-	-	-	-	-	-	4	38.7	8.87
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-	-	-

[1] Rates are **per million** population. Statistics exclude cases diagnosed for MN for all years, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] PRCDA - Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)
[4] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males

	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
Cancer Types	*Avg Annual Cases*	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**620**	**229.2**	**4.13**	**385**	**140.3**	**3.20**	**436**	**166.9**	**3.58**	**613**	**242.2**	**4.39**
I. Leukemias	252	92.9	2.63	159	57.6	2.05	145	55.4	2.06	144	57.0	2.13
I(a). Lymphoid leukemias	201	74.3	2.35	131	47.8	1.87	106	40.6	1.77	94	37.1	1.72
I(b). Acute myeloid leukemias	30	11.2	0.91	15	5.6	0.64	24	9.1	0.84	26	10.3	0.91
II. Lymphomas & reticuloendothelial neoplasms	57	20.9	1.25	73	26.8	1.40	83	31.6	1.56	114	44.9	1.89
II(a). Hodgkin lymphomas	4	1.4	0.32	20	7.5	0.74	30	11.5	0.94	55	21.9	1.32
II(b, c, e). Non-Hodgkin lymphomas	15	5.4	0.64	36	13.0	0.98	36	14.0	1.04	53	20.9	1.29
III. CNS[3] & misc. intracranial & intraspinal neoplasms	92	33.9	1.59	77	28.1	1.43	61	23.4	1.34	41	16.2	1.14
III(a). Ependymomas and choroids plexus tumor	10	3.9	0.54	6	2.3	0.41	7	2.7	0.45	3	1.2	0.31
III(b). Astrocytomas	40	14.7	1.05	35	12.7	0.96	33	12.7	0.99	23	9.1	0.85
III(c). Intracranial and intraspinal embryonal tumors	27	10.2	0.87	19	6.8	0.71	10	3.8	0.54	7	2.6	0.46
III(d). Other gliomas	10	3.6	0.52	14	5.1	0.61	10	3.5	0.52	6	2.3	0.43
IV. Neuroblastoma and other peripheral nervous cell tumors	54	19.9	1.22	10	3.8	0.53	3	1.0	0.28	2	0.9	0.26
IV(a). Neuroblastoma & ganglioneuroblastoma	54	19.8	1.21	10	3.6	0.51	2	0.8	0.25	1	0.5	0.19
V. Retinoblastoma	36	13.4	1.00	1	0.5	0.19	-	-	-	-	-	-
VI. Renal Tumors	38	13.8	1.01	11	4.0	0.54	4	1.6	0.35	4	1.4	0.34
VI(a). Nephroblastoma and other nonepithelial renal tumors	37	13.7	1.01	11	3.9	0.53	1	0.5	0.19	-	-	-
VII. Hepatic tumors	28	10.3	0.88	3	1.2	0.29	3	1.0	0.28	3	1.1	0.30
VII(a). Hepatoblastoma	27	10.0	0.86	2	0.7	0.22	-	-	-	-	-	-
VIII. Malignant bone tumors	4	1.6	0.34	16	5.9	0.66	46	17.7	1.17	42	16.4	1.14
VIII(a). Osteosarcomas	-	-	-	9	3.1	0.48	31	12.0	0.96	27	10.4	0.91
VIII(c). Ewing tumor and related sarcomas of bone	2	0.9	0.26	6	2.2	0.40	12	4.5	0.59	9	3.6	0.53
IX. Soft tissue and other extraosseous sarcomas	34	12.6	0.97	20	7.2	0.73	33	12.9	1.00	39	15.8	1.12
IX(a). Rhabdomyosarcomas	18	6.8	0.71	10	3.7	0.52	13	5.1	0.63	9	3.7	0.55
X. Germ cell & trophoblastic tumors & neoplasms of gonads	18	6.5	0.69	5	1.8	0.36	24	9.1	0.84	156	61.4	2.21
X(a). Intracranial & intraspinal germ cell tumors	2	0.7	0.22	3	1.1	0.28	14	5.4	0.64	8	3.2	0.50
X(c). Malignant gonadal germ cell tumors	10	3.9	0.54	-	-	-	7	2.8	0.46	137	54.3	2.08
XI. Other malignant epithelial neoplasms and melanomas	5	1.9	0.38	8	3.0	0.47	33	12.5	0.98	66	25.9	1.44
XI(b). Thyroid carcinomas	-	-	-	2	0.7	0.23	13	4.9	0.61	24	9.4	0.86
XI(d). Malignant melanomas	2	0.8	0.25	2	0.8	0.24	4	1.5	0.33	4	1.4	0.34
XII. Other & unspecified malignant neoplasms	4	1.6	0.34	-	-	-	1	0.5	0.20	3	1.1	0.30

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is only included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**545**	**209.9**	**4.03**	**321**	**121.3**	**3.04**	**381**	**150.8**	**3.46**	**509**	**210.9**	**4.19**
I. Leukemias	214	82.2	2.52	121	46.1	1.87	106	41.9	1.83	85	35.3	1.71
I(a). Lymphoid leukemias	165	63.4	2.21	100	38.0	1.70	71	28.3	1.50	45	18.7	1.25
I(b). Acute myeloid leukemias	29	11.3	0.93	12	4.4	0.58	21	8.3	0.81	24	10.1	0.92
II. Lymphomas & reticuloendothelial neoplasms	44	16.9	1.14	36	13.8	1.02	55	21.6	1.31	89	37.0	1.75
II(a). Hodgkin lymphomas	1	0.5	0.19	6	2.2	0.41	26	10.4	0.91	55	23.1	1.39
II(b, c, e). Non-Hodgkin lymphomas	12	4.8	0.61	17	6.5	0.70	20	8.0	0.80	31	12.8	1.03
III. CNS[3] & misc. intracranial & intraspinal neoplasms	94	36.3	1.68	73	27.5	1.45	51	20.2	1.27	37	15.4	1.13
III(a). Ependymomas and choroids plexus tumor	13	5.0	0.62	6	2.2	0.41	3	1.0	0.29	2	1.0	0.29
III(b). Astrocytomas	41	15.9	1.11	36	13.6	1.02	28	11.1	0.94	18	7.4	0.79
III(c). Intracranial and intraspinal embryonal tumors	23	8.9	0.83	11	4.1	0.56	6	2.5	0.44	5	1.9	0.40
III(d). Other gliomas	13	5.0	0.62	17	6.4	0.70	12	4.7	0.61	9	3.7	0.56
IV. Neuroblastoma and other peripheral nervous cell tumors	48	18.6	1.20	8	3.2	0.49	1	0.5	0.19	2	0.7	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	48	18.6	1.20	8	3.2	0.49	-	-	-	-	-	-
V. Retinoblastoma	32	12.2	0.97	1	0.5	0.20	-	-	-	-	-	-
VI. Renal Tumors	48	18.3	1.19	16	5.9	0.67	3	1.2	0.31	4	1.6	0.36
VI(a). Nephroblastoma and other nonepithelial renal tumors	48	18.3	1.19	14	5.2	0.63	1	0.6	0.21	-	-	-
VII. Hepatic tumors	19	7.3	0.75	2	0.9	0.26	2	0.7	0.24	2	0.8	0.26
VII(a). Hepatoblastoma	18	7.1	0.74	1	0.5	0.20	-	-	-	-	-	-
VIII. Malignant bone tumors	4	1.5	0.34	14	5.5	0.65	32	12.8	1.01	21	8.7	0.85
VIII(a). Osteosarcomas	-	-	-	8	3.3	0.50	22	8.6	0.83	11	4.6	0.62
VIII(c). Ewing tumor and related sarcomas of bone	2	0.7	0.23	4	1.6	0.35	6	2.5	0.44	6	2.4	0.45
IX. Soft tissue and other extraosseous sarcomas	21	8.2	0.80	20	7.8	0.77	32	12.6	1.00	34	14.2	1.09
IX(a). Rhabdomyosarcomas	15	5.7	0.67	10	3.7	0.53	9	3.4	0.52	6	2.3	0.44
X. Germ cell & trophoblastic tumors & neoplasms of gonads	14	5.3	0.64	11	4.3	0.57	30	11.9	0.97	41	16.9	1.19
X(a). Intracranial & intraspinal germ cell tumors	2	0.9	0.26	3	1.2	0.30	5	2.1	0.41	2	1.0	0.29
X(c). Malignant gonadal germ cell tumors	2	0.6	0.22	8	2.9	0.47	21	8.3	0.81	25	10.0	0.91
XI. Other malignant epithelial neoplasms and melanomas	5	1.9	0.39	14	5.3	0.64	68	26.9	1.46	189	78.4	2.55
XI(b). Thyroid carcinomas	1	0.5	0.19	4	1.7	0.36	39	15.2	1.10	130	53.7	2.11
XI(d). Malignant melanomas	2	0.9	0.27	2	0.8	0.25	4	1.6	0.36	8	3.3	0.53
XII. Other & unspecified malignant neoplasms	3	1.1	0.29	1	0.5	0.19	1	0.5	0.19	4	1.7	0.38

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is only included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males

	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
Cancer Types	*Avg Annual Cases*	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**1,415**	**266.2**	**3.17**	**833**	**151.2**	**2.35**	**903**	**156.5**	**2.33**	**1,539**	**254.4**	**2.90**
I. Leukemias	470	88.3	1.83	249	45.1	1.28	175	30.2	1.02	227	37.5	1.12
I(a). Lymphoid leukemias	363	68.3	1.61	204	37.1	1.16	115	19.9	0.83	125	20.7	0.83
I(b). Acute myeloid leukemias	63	11.9	0.67	23	4.2	0.39	36	6.2	0.46	56	9.3	0.55
II. Lymphomas & reticuloendothelial neoplasms	116	21.9	0.91	146	26.5	0.98	216	37.4	1.14	386	64.0	1.46
II(a). Hodgkin lymphomas	3	0.5	0.14	26	4.7	0.42	82	14.2	0.70	212	35.1	1.08
II(b, c, e). Non-Hodgkin lymphomas	52	9.8	0.61	87	15.8	0.76	105	18.3	0.80	156	25.7	0.92
III. CNS[3] & misc. intracranial & intraspinal neoplasms	277	52.2	1.40	242	43.8	1.26	204	35.4	1.11	171	28.3	0.97
III(a). Ependymomas and choroids plexus tumor	37	6.9	0.51	13	2.2	0.28	14	2.5	0.29	10	1.6	0.23
III(b). Astrocytomas	137	25.8	0.99	116	21.0	0.87	110	18.9	0.81	99	16.4	0.74
III(c). Intracranial and intraspinal embryonal tumors	62	11.6	0.66	58	10.4	0.62	36	6.2	0.46	17	2.8	0.31
III(d). Other gliomas	34	6.3	0.49	50	9.1	0.57	39	6.8	0.49	35	5.9	0.44
IV. Neuroblastoma and other peripheral nervous cell tumors	191	36.0	1.17	31	5.6	0.45	9	1.6	0.23	6	0.9	0.18
IV(a). Neuroblastoma & ganglioneuroblastoma	190	36.0	1.17	30	5.4	0.44	6	1.0	0.18	3	0.5	0.13
V. Retinoblastoma	65	12.2	0.68	1	0.2	0.09	-	-	-	-	-	-
VI. Renal Tumors	104	19.5	0.86	31	5.6	0.45	6	1.0	0.19	12	1.9	0.25
VI(a). Nephroblastoma and other nonepithelial renal tumors	103	19.3	0.85	28	5.2	0.43	3	0.6	0.14	2	0.4	0.11
VII. Hepatic tumors	44	8.3	0.56	5	1.0	0.19	5	0.8	0.17	7	1.1	0.19
VII(a). Hepatoblastoma	42	8.0	0.55	4	0.8	0.17	-	-	-	-	-	-
VIII. Malignant bone tumors	8	1.6	0.25	41	7.6	0.52	90	15.6	0.74	116	19.3	0.80
VIII(a). Osteosarcomas	1	0.2	0.09	17	3.1	0.34	49	8.5	0.54	61	10.0	0.58
VIII(c). Ewing tumor and related sarcomas of bone	6	1.2	0.22	21	3.8	0.37	33	5.8	0.45	44	7.2	0.49
IX. Soft tissue and other extraosseous sarcomas	82	15.4	0.76	52	9.4	0.59	70	12.2	0.65	102	16.8	0.75
IX(a). Rhabdomyosarcomas	49	9.3	0.59	27	5.0	0.43	22	3.8	0.36	23	3.8	0.36
X. Germ cell & trophoblastic tumors & neoplasms of gonads	32	6.1	0.48	8	1.5	0.23	32	5.6	0.44	252	41.7	1.18
X(a). Intracranial & intraspinal germ cell tumors	3	0.6	0.15	7	1.2	0.21	24	4.1	0.38	26	4.3	0.38
X(c). Malignant gonadal germ cell tumors	16	3.0	0.34	-	-	-	6	1.0	0.19	214	35.3	1.08
XI. Other malignant epithelial neoplasms and melanomas	15	2.9	0.33	25	4.6	0.41	93	16.1	0.75	254	42.1	1.18
XI(b). Thyroid carcinomas	1	0.3	0.10	6	1.1	0.20	24	4.1	0.38	75	12.4	0.64
XI(d). Malignant melanomas	12	2.3	0.29	10	1.8	0.25	24	4.1	0.38	68	11.2	0.61
XII. Other & unspecified malignant neoplasms	9	1.8	0.26	2	0.3	0.10	2	0.4	0.12	5	0.9	0.17

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**1,230**	**243.7**	**3.11**	**665**	**126.5**	**2.20**	**840**	**153.2**	**2.37**	**1,454**	**253.6**	**2.98**
I. Leukemias	414	81.8	1.80	203	38.5	1.21	151	27.6	1.00	148	25.8	0.95
I(a). Lymphoid leukemias	321	63.6	1.59	166	31.5	1.10	98	18.0	0.81	56	9.8	0.58
I(b). Acute myeloid leukemias	60	11.9	0.69	21	4.1	0.40	32	5.8	0.46	52	9.0	0.56
II. Lymphomas & reticuloendothelial neoplasms	74	14.7	0.76	67	12.8	0.70	132	24.0	0.94	302	52.8	1.36
II(a). Hodgkin lymphomas	-	-	-	10	1.9	0.27	64	11.5	0.65	220	38.4	1.16
II(b, c, e). Non-Hodgkin lymphomas	27	5.4	0.46	34	6.5	0.50	52	9.4	0.59	74	13.0	0.67
III. CNS[3] & misc. intracranial & intraspinal neoplasms	226	44.8	1.33	188	35.7	1.17	179	32.7	1.09	141	24.5	0.93
III(a). Ependymomas and choroids plexus tumor	26	5.2	0.45	12	2.1	0.29	10	1.8	0.26	10	1.7	0.24
III(b). Astrocytomas	122	24.2	0.98	103	19.6	0.87	109	19.7	0.85	83	14.3	0.71
III(c). Intracranial and intraspinal embryonal tumors	44	8.9	0.59	30	5.7	0.46	18	3.3	0.34	11	1.9	0.26
III(d). Other gliomas	26	5.1	0.45	40	7.6	0.54	37	6.7	0.50	31	5.3	0.43
IV. Neuroblastoma and other peripheral nervous cell tumors	181	35.8	1.19	25	4.7	0.43	10	1.9	0.26	8	1.4	0.22
IV(a). Neuroblastoma & ganglioneuroblastoma	179	35.6	1.19	24	4.6	0.42	9	1.7	0.25	5	0.8	0.17
V. Retinoblastoma	61	12.0	0.69	3	0.6	0.15	-	-	-	-	-	-
VI. Renal Tumors	108	21.5	0.92	41	7.9	0.55	10	1.8	0.26	13	2.3	0.29
VI(a). Nephroblastoma and other nonepithelial renal tumors	107	21.3	0.92	40	7.7	0.54	6	1.1	0.20	2	0.3	0.11
VII. Hepatic tumors	29	5.7	0.48	4	0.8	0.18	4	0.8	0.17	9	1.6	0.24
VII(a). Hepatoblastoma	28	5.6	0.47	3	0.6	0.15	1	0.2	0.09	-	-	-
VIII. Malignant bone tumors	12	2.4	0.31	35	6.7	0.51	75	13.7	0.71	70	12.1	0.65
VIII(a). Osteosarcomas	2	0.3	0.11	17	3.2	0.35	38	7.0	0.51	32	5.5	0.44
VIII(c). Ewing tumor and related sarcomas of bone	9	1.7	0.26	16	3.1	0.34	29	5.3	0.44	26	4.4	0.39
IX. Soft tissue and other extraosseous sarcomas	60	11.9	0.69	39	7.5	0.54	64	11.5	0.65	80	14.0	0.70
IX(a). Rhabdomyosarcomas	35	6.9	0.52	21	4.0	0.39	19	3.3	0.35	18	3.1	0.33
X. Germ cell & trophoblastic tumors & neoplasms of gonads	39	7.7	0.55	16	3.1	0.35	48	8.7	0.56	70	12.2	0.65
X(a). Intracranial & intraspinal germ cell tumors	5	1.0	0.20	7	1.3	0.23	8	1.4	0.23	3	0.5	0.13
X(c). Malignant gonadal germ cell tumors	2	0.4	0.12	8	1.5	0.24	32	5.9	0.46	40	6.9	0.49
XI. Other malignant epithelial neoplasms and melanomas	18	3.5	0.37	40	7.8	0.54	164	29.9	1.05	604	105.4	1.92
XI(b). Thyroid carcinomas	2	0.4	0.13	13	2.6	0.31	79	14.5	0.73	349	60.8	1.46
XI(d). Malignant melanomas	9	1.8	0.27	16	3.1	0.34	20	3.7	0.37	104	18.2	0.80
XII. Other & unspecified malignant neoplasms	9	1.8	0.27	2	0.4	0.12	3	0.5	0.13	8	1.4	0.22

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males

	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
Cancer Types	*Avg Annual Cases*	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**287**	**185.5**	**4.90**	**175**	**111.3**	**3.76**	**203**	**129.8**	**4.08**	**281**	**172.1**	**4.60**
I. Leukemias	77	49.7	2.54	43	27.5	1.87	48	30.3	1.97	50	30.9	1.95
I(a). Lymphoid leukemias	46	30.0	1.97	33	20.9	1.63	27	17.1	1.48	20	12.3	1.23
I(b). Acute myeloid leukemias	18	11.5	1.22	5	3.2	0.64	12	7.6	0.99	15	9.0	1.05
II. Lymphomas & reticuloendothelial neoplasms	20	12.8	1.29	32	20.6	1.62	53	34.3	2.10	91	55.7	2.61
II(a). Hodgkin lymphomas	2	1.3	0.41	10	6.5	0.91	21	13.5	1.32	44	26.7	1.81
II(b, c, e). Non-Hodgkin lymphomas	10	6.5	0.92	19	11.8	1.23	30	19.3	1.57	46	28.1	1.86
III. CNS[3] & misc. intracranial & intraspinal neoplasms	53	34.2	2.10	53	33.1	2.05	37	24.0	1.76	30	18.3	1.50
III(a). Ependymomas and choroids plexus tumor	7	4.7	0.78	3	2.2	0.52	2	1.7	0.46	3	1.8	0.48
III(b). Astrocytomas	23	15.3	1.41	24	15.6	1.41	19	12.3	1.26	14	8.8	1.04
III(c). Intracranial and intraspinal embryonal tumors	14	9.2	1.09	9	5.7	0.85	5	3.3	0.65	3	1.8	0.48
III(d). Other gliomas	6	3.6	0.69	12	7.8	0.99	8	5.1	0.81	7	4.2	0.72
IV. Neuroblastoma and other peripheral nervous cell tumors	39	25.6	1.82	7	4.7	0.77	3	1.9	0.50	1	0.7	0.30
IV(a). Neuroblastoma & ganglioneuroblastoma	39	25.4	1.81	7	4.7	0.77	2	1.3	0.41	-	-	-
V. Retinoblastoma	21	13.5	1.32	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	32	20.7	1.64	11	7.1	0.95	5	3.1	0.63	5	3.2	0.63
VI(a). Nephroblastoma and other nonepithelial renal tumors	31	20.5	1.63	10	6.6	0.92	2	1.4	0.43	-	-	-
VII. Hepatic tumors	11	7.3	0.97	1	0.8	0.31	1	0.8	0.31	2	1.1	0.37
VII(a). Hepatoblastoma	11	7.1	0.96	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	-	-	-	5	3.4	0.66	19	12.2	1.25	24	14.7	1.34
VIII(a). Osteosarcomas	-	-	-	4	2.5	0.57	16	10.0	1.13	19	11.5	1.19
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	-	-	-	2	1.0	0.35
IX. Soft tissue and other extraosseous sarcomas	24	15.5	1.42	15	9.7	1.11	19	11.9	1.24	30	18.3	1.50
IX(a). Rhabdomyosarcomas	15	9.8	1.13	9	6.0	0.87	6	3.9	0.70	8	4.9	0.78
X. Germ cell & trophoblastic tumors & neoplasms of gonads	5	3.1	0.63	2	1.1	0.38	3	1.9	0.50	12	7.5	0.96
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	1	0.9	0.34	3	1.8	0.48	5	2.8	0.59
X(c). Malignant gonadal germ cell tumors	2	1.2	0.39	-	-	-	-	-	-	6	3.6	0.66
XI. Other malignant epithelial neoplasms and melanomas	3	1.7	0.47	5	2.9	0.61	13	8.6	1.05	34	20.9	1.60
XI(b). Thyroid carcinomas	-	-	-	-	-	-	4	2.4	0.56	7	4.3	0.73
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	1	0.9	0.34	-	-	-	-	-	-	1	0.9	0.32

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**246**	**164.9**	**4.70**	**166**	**108.7**	**3.78**	**167**	**110.3**	**3.82**	**256**	**161.7**	**4.53**
I. Leukemias	76	50.4	2.60	38	24.9	1.81	30	20.0	1.63	37	23.4	1.72
I(a). Lymphoid leukemias	48	32.3	2.08	26	16.8	1.48	14	9.1	1.10	9	5.7	0.85
I(b). Acute myeloid leukemias	17	11.8	1.26	7	4.9	0.80	10	6.5	0.93	15	9.5	1.10
II. Lymphomas & reticuloendothelial neoplasms	10	6.6	0.94	18	11.9	1.25	30	19.6	1.61	54	34.3	2.09
II(a). Hodgkin lymphomas	-	-	-	4	2.8	0.60	16	10.5	1.18	36	22.6	1.69
II(b, c, e). Non-Hodgkin lymphomas	5	3.2	0.66	12	7.9	1.02	13	8.6	1.07	18	11.7	1.22
III. CNS[3] & misc. intracranial & intraspinal neoplasms	48	32.0	2.07	52	34.1	2.12	29	19.3	1.60	29	18.4	1.53
III(a). Ependymomas and choroids plexus tumor	6	3.9	0.72	3	1.7	0.47	2	1.3	0.42	2	1.3	0.40
III(b). Astrocytomas	20	13.4	1.34	26	16.9	1.49	16	10.3	1.17	14	8.6	1.04
III(c). Intracranial and intraspinal embryonal tumors	11	7.2	0.98	7	4.9	0.80	3	1.9	0.50	4	2.3	0.54
III(d). Other gliomas	9	5.8	0.88	13	8.4	1.05	7	4.6	0.78	7	4.7	0.77
IV. Neuroblastoma and other peripheral nervous cell tumors	28	18.9	1.59	9	5.8	0.87	2	1.6	0.46	2	1.0	0.36
IV(a). Neuroblastoma & ganglioneuroblastoma	28	18.9	1.59	9	5.6	0.86	2	1.3	0.42	-	-	-
V. Retinoblastoma	19	12.5	1.29	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	33	22.1	1.72	16	10.8	1.19	5	3.2	0.65	4	2.7	0.58
VI(a). Nephroblastoma and other nonepithelial renal tumors	33	22.0	1.72	15	10.1	1.15	2	1.5	0.44	-	-	-
VII. Hepatic tumors	5	3.3	0.67	-	-	-	1	0.8	0.32	2	1.4	0.42
VII(a). Hepatoblastoma	5	3.3	0.67	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	-	-	-	8	5.1	0.82	18	11.8	1.25	14	9.1	1.08
VIII(a). Osteosarcomas	-	-	-	6	3.7	0.69	13	8.6	1.07	10	6.5	0.90
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	3	1.9	0.50	2	1.5	0.44
IX. Soft tissue and other extraosseous sarcomas	13	9.0	1.10	12	7.9	1.02	17	11.5	1.23	25	16.2	1.43
IX(a). Rhabdomyosarcomas	9	5.8	0.88	4	2.8	0.60	6	3.8	0.71	6	3.8	0.69
X. Germ cell & trophoblastic tumors & neoplasms of gonads	10	7.0	0.97	6	3.7	0.69	15	9.8	1.14	26	16.5	1.44
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	2	1.1	0.37	1	0.9	0.34
X(c). Malignant gonadal germ cell tumors	-	-	-	3	2.1	0.52	11	7.5	1.00	15	9.6	1.10
XI. Other malignant epithelial neoplasms and melanomas	2	1.6	0.46	5	3.3	0.66	17	11.6	1.24	57	36.2	2.14
XI(b). Thyroid carcinomas	-	-	-	2	1.0	0.37	7	4.5	0.77	25	16.0	1.42
XI(d). Malignant melanomas	-	-	-	-	-	-	2	1.3	0.42	1	0.8	0.31
XII. Other & unspecified malignant neoplasms	1	0.9	0.35	-	-	-	1	0.8	0.32	4	2.4	0.55

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is not included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, All Races, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**5,722**	**181.7**	**1.08**	**183.3**	**1.09**	**8,334**	**196.2**	**0.96**	**199.3**	**0.98**
I. Leukemias	1,772	56.1	0.60	56.8	0.60	2,223	52.4	0.50	52.4	0.50
I(a). Lymphoid leukemias	1,340	42.4	0.52	42.9	0.53	1,592	37.6	0.42	37.3	0.42
I(b). Acute myeloid leukemias	252	8.0	0.23	8.1	0.23	357	8.4	0.20	8.5	0.20
II. Lymphomas & reticuloendothelial neoplasms	870	27.8	0.42	27.7	0.42	1,506	35.5	0.41	36.4	0.42
II(a). Hodgkin lymphomas	213	6.8	0.21	6.8	0.21	542	12.7	0.24	13.4	0.26
II(b, c, e). Non-Hodgkin lymphomas	428	13.7	0.30	13.6	0.29	707	16.7	0.28	17.0	0.29
III. CNS[3] & misc. intracranial & intraspinal neoplasms	1,180	37.5	0.49	37.6	0.49	1,440	34.1	0.40	33.7	0.40
III(a). Ependymomas and choroids plexus tumor	108	3.4	0.15	3.5	0.15	125	2.9	0.12	2.9	0.12
III(b). Astrocytomas	575	18.3	0.34	18.3	0.34	723	17.1	0.28	17.0	0.28
III(c). Intracranial and intraspinal embryonal tumors	262	8.3	0.23	8.4	0.23	291	6.9	0.18	6.7	0.18
III(d). Other gliomas	194	6.2	0.20	6.1	0.20	245	5.8	0.17	5.7	0.16
IV. Neuroblastoma and other peripheral nervous cell tumors	375	11.9	0.27	12.2	0.28	385	9.1	0.21	9.0	0.21
IV(a). Neuroblastoma & ganglioneuroblastoma	367	11.6	0.27	12.0	0.28	372	8.8	0.20	8.7	0.20
V. Retinoblastoma	140	4.4	0.17	4.6	0.17	140	3.3	0.13	3.3	0.12
VI. Renal Tumors	256	8.1	0.23	8.3	0.23	278	6.5	0.18	6.5	0.17
VI(a). Nephroblastoma and other nonepithelial renal tumors	240	7.6	0.22	7.8	0.22	244	5.8	0.17	5.7	0.16
VII. Hepatic tumors	112	3.5	0.15	3.6	0.15	124	2.9	0.12	2.9	0.12
VII(a). Hepatoblastoma	97	3.1	0.14	3.2	0.14	97	2.3	0.10	2.3	0.10
VIII. Malignant bone tumors	252	8.0	0.23	8.0	0.23	447	10.5	0.22	10.8	0.23
VIII(a). Osteosarcomas	139	4.4	0.17	4.4	0.17	253	5.9	0.17	6.1	0.17
VIII(c). Ewing tumor and related sarcomas of bone	90	2.9	0.14	2.8	0.13	148	3.5	0.13	3.5	0.13
IX. Soft tissue and other extraosseous sarcomas	379	12.0	0.28	12.1	0.28	562	13.3	0.25	13.5	0.26
IX(a). Rhabdomyosarcomas	186	5.9	0.19	6.0	0.20	229	5.4	0.16	5.4	0.16
X. Germ cell & trophoblastic tumors & neoplasms of gonads	146	4.6	0.17	4.7	0.17	595	13.8	0.25	15.1	0.28
X(a). Intracranial & intraspinal germ cell tumors	65	2.1	0.12	2.1	0.11	111	2.6	0.11	2.7	0.11
X(c). Malignant gonadal germ cell tumors	47	1.5	0.10	1.5	0.10	424	9.8	0.21	10.9	0.24
XI. Other malignant epithelial neoplasms and melanomas	216	6.9	0.21	6.9	0.21	599	14.0	0.26	14.9	0.27
XI(b). Thyroid carcinomas	56	1.8	0.11	1.8	0.11	172	4.0	0.14	4.3	0.15
XI(d). Malignant melanomas	59	1.9	0.11	1.9	0.11	135	3.2	0.12	3.3	0.13
XII. Other & unspecified malignant neoplasms	26	0.8	0.07	0.8	0.07	36	0.8	0.06	0.9	0.06

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, All Races, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**4,957**	**164.3**	**1.05**	**165.9**	**1.06**	**7,344**	**180.7**	**0.94**	**183.9**	**0.96**
I. Leukemias	1,472	48.7	0.57	49.3	0.58	1,767	43.6	0.46	43.3	0.46
I(a). Lymphoid leukemias	1,098	36.3	0.49	36.8	0.50	1,218	30.1	0.39	29.6	0.38
I(b). Acute myeloid leukemias	230	7.6	0.23	7.7	0.23	329	8.1	0.20	8.2	0.20
II. Lymphomas & reticuloendothelial neoplasms	508	16.9	0.34	16.9	0.34	984	24.2	0.34	25.1	0.36
II(a). Hodgkin lymphomas	136	4.5	0.17	4.5	0.17	466	11.4	0.24	12.2	0.25
II(b, c, e). Non-Hodgkin lymphomas	212	7.1	0.22	7.0	0.22	348	8.6	0.21	8.8	0.21
III. CNS[3] & misc. intracranial & intraspinal neoplasms	1,014	33.6	0.47	33.8	0.48	1,234	30.5	0.39	30.2	0.39
III(a). Ependymomas and choroids plexus tumor	84	2.8	0.14	2.8	0.14	99	2.4	0.11	2.4	0.11
III(b). Astrocytomas	537	17.8	0.34	17.9	0.35	659	16.3	0.28	16.1	0.28
III(c). Intracranial and intraspinal embryonal tumors	170	5.6	0.19	5.7	0.20	189	4.7	0.15	4.6	0.15
III(d). Other gliomas	186	6.2	0.20	6.1	0.20	236	5.8	0.17	5.8	0.17
IV. Neuroblastoma and other peripheral nervous cell tumors	342	11.3	0.27	11.6	0.28	354	8.8	0.21	8.7	0.21
IV(a). Neuroblastoma & ganglioneuroblastoma	338	11.2	0.27	11.5	0.28	346	8.5	0.21	8.4	0.20
V. Retinoblastoma	130	4.3	0.17	4.5	0.18	131	3.2	0.13	3.2	0.13
VI. Renal Tumors	299	9.9	0.26	10.1	0.26	322	7.9	0.20	7.8	0.20
VI(a). Nephroblastoma and other nonepithelial renal tumors	285	9.4	0.25	9.6	0.25	288	7.1	0.19	6.9	0.18
VII. Hepatic tumors	74	2.4	0.13	2.5	0.13	89	2.2	0.10	2.2	0.10
VII(a). Hepatoblastoma	65	2.1	0.12	2.2	0.12	66	1.6	0.09	1.6	0.09
VIII. Malignant bone tumors	216	7.2	0.22	7.2	0.22	329	8.1	0.20	8.2	0.20
VIII(a). Osteosarcomas	116	3.9	0.16	3.8	0.16	173	4.3	0.15	4.3	0.15
VIII(c). Ewing tumor and related sarcomas of bone	76	2.5	0.13	2.5	0.13	112	2.8	0.12	2.8	0.12
IX. Soft tissue and other extraosseous sarcomas	300	10.0	0.26	10.0	0.26	451	11.1	0.23	11.3	0.24
IX(a). Rhabdomyosarcomas	136	4.5	0.17	4.5	0.17	166	4.1	0.14	4.1	0.14
X. Germ cell & trophoblastic tumors & neoplasms of gonads	210	7.0	0.22	7.0	0.22	360	8.8	0.21	9.1	0.22
X(a). Intracranial & intraspinal germ cell tumors	39	1.3	0.09	1.3	0.09	46	1.1	0.08	1.1	0.07
X(c). Malignant gonadal germ cell tumors	98	3.3	0.15	3.2	0.15	184	4.5	0.15	4.6	0.15
XI. Other malignant epithelial neoplasms and melanomas	366	12.2	0.29	12.1	0.28	1,284	31.3	0.39	33.8	0.42
XI(b). Thyroid carcinomas	163	5.5	0.19	5.4	0.19	709	17.3	0.29	18.8	0.32
XI(d). Malignant melanomas	62	2.1	0.12	2.1	0.12	184	4.5	0.15	4.8	0.16
XII. Other & unspecified malignant neoplasms	24	0.8	0.07	0.8	0.07	41	1.0	0.07	1.0	0.07

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, White, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**4,420**	**188.2**	**1.27**	**189.8**	**1.28**	**6,499**	**204.6**	**1.14**	**208.0**	**1.16**
I. Leukemias	1,391	59.1	0.71	59.8	0.72	1,749	55.2	0.59	55.2	0.59
I(a). Lymphoid leukemias	1,076	45.7	0.62	46.2	0.63	1,288	40.7	0.51	40.4	0.51
I(b). Acute myeloid leukemias	185	7.8	0.26	8.0	0.26	264	8.3	0.23	8.4	0.23
II. Lymphomas & reticuloendothelial neoplasms	665	28.4	0.49	28.3	0.49	1,148	36.1	0.48	37.0	0.49
II(a). Hodgkin lymphomas	158	6.7	0.24	6.7	0.24	418	13.0	0.29	13.8	0.30
II(b, c, e). Non-Hodgkin lymphomas	319	13.6	0.34	13.5	0.34	518	16.3	0.32	16.6	0.33
III. CNS[3] & misc. intracranial & intraspinal neoplasms	924	39.4	0.58	39.5	0.58	1,130	35.8	0.48	35.4	0.47
III(a). Ependymomas and choroids plexus tumor	85	3.6	0.18	3.7	0.18	97	3.1	0.14	3.1	0.14
III(b). Astrocytomas	454	19.4	0.41	19.4	0.41	574	18.2	0.34	18.1	0.34
III(c). Intracranial and intraspinal embryonal tumors	205	8.8	0.27	8.8	0.27	227	7.2	0.21	7.0	0.21
III(d). Other gliomas	151	6.4	0.23	6.4	0.23	191	6.1	0.20	6.0	0.19
IV. Neuroblastoma and other peripheral nervous cell tumors	286	12.2	0.32	12.5	0.33	293	9.3	0.24	9.2	0.24
IV(a). Neuroblastoma & ganglioneuroblastoma	280	11.9	0.32	12.3	0.33	284	9.0	0.24	8.9	0.24
V. Retinoblastoma	100	4.2	0.19	4.4	0.20	100	3.1	0.14	3.1	0.14
VI. Renal Tumors	186	7.9	0.26	8.1	0.27	201	6.4	0.20	6.3	0.20
VI(a). Nephroblastoma and other nonepithelial renal tumors	177	7.5	0.25	7.7	0.26	180	5.7	0.19	5.6	0.19
VII. Hepatic tumors	85	3.6	0.18	3.7	0.18	94	3.0	0.14	3.0	0.14
VII(a). Hepatoblastoma	74	3.1	0.16	3.3	0.17	74	2.3	0.12	2.3	0.12
VIII. Malignant bone tumors	200	8.5	0.27	8.5	0.27	354	11.1	0.26	11.4	0.27
VIII(a). Osteosarcomas	103	4.4	0.19	4.4	0.19	188	5.9	0.19	6.1	0.20
VIII(c). Ewing tumor and related sarcomas of bone	79	3.4	0.17	3.3	0.17	132	4.1	0.16	4.2	0.16
IX. Soft tissue and other extraosseous sarcomas	280	12.0	0.32	12.0	0.32	416	13.1	0.29	13.3	0.29
IX(a). Rhabdomyosarcomas	136	5.8	0.22	5.9	0.22	167	5.3	0.18	5.3	0.18
X. Germ cell & trophoblastic tumors & neoplasms of gonads	113	4.8	0.20	4.9	0.21	508	15.7	0.31	17.2	0.34
X(a). Intracranial & intraspinal germ cell tumors	50	2.1	0.14	2.1	0.13	83	2.6	0.13	2.7	0.13
X(c). Malignant gonadal germ cell tumors	38	1.6	0.12	1.7	0.12	379	11.6	0.27	13.0	0.30
XI. Other malignant epithelial neoplasms and melanomas	172	7.3	0.25	7.3	0.25	480	15.0	0.31	16.0	0.33
XI(b). Thyroid carcinomas	44	1.9	0.13	1.9	0.13	138	4.3	0.16	4.6	0.18
XI(d). Malignant melanomas	52	2.2	0.14	2.2	0.14	124	3.9	0.16	4.1	0.16
XII. Other & unspecified malignant neoplasms	19	0.8	0.08	0.8	0.08	26	0.8	0.07	0.8	0.07

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, White, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**3,826**	**170.6**	**1.24**	**172.2**	**1.25**	**5,720**	**188.8**	**1.12**	**192.4**	**1.14**
I. Leukemias	1,159	51.6	0.68	52.3	0.69	1,381	45.8	0.55	45.5	0.55
I(a). Lymphoid leukemias	886	39.5	0.59	40.0	0.60	983	32.6	0.47	32.1	0.46
I(b). Acute myeloid leukemias	168	7.5	0.26	7.6	0.26	240	7.9	0.23	8.1	0.23
II. Lymphomas & reticuloendothelial neoplasms	392	17.5	0.40	17.5	0.40	772	25.4	0.41	26.4	0.43
II(a). Hodgkin lymphomas	101	4.5	0.20	4.5	0.20	370	12.1	0.28	13.0	0.30
II(b, c, e). Non-Hodgkin lymphomas	156	7.0	0.25	7.0	0.25	258	8.5	0.24	8.7	0.24
III. CNS[3] & misc. intracranial & intraspinal neoplasms	784	35.0	0.56	35.1	0.56	957	31.8	0.46	31.5	0.46
III(a). Ependymomas and choroids plexus tumor	67	3.0	0.16	3.0	0.17	78	2.6	0.13	2.6	0.13
III(b). Astrocytomas	425	19.0	0.41	19.0	0.41	522	17.4	0.34	17.2	0.34
III(c). Intracranial and intraspinal embryonal tumors	128	5.7	0.23	5.8	0.23	143	4.8	0.18	4.7	0.18
III(d). Other gliomas	139	6.2	0.24	6.2	0.23	177	5.9	0.20	5.8	0.20
IV. Neuroblastoma and other peripheral nervous cell tumors	268	11.9	0.33	12.3	0.34	277	9.2	0.25	9.1	0.25
IV(a). Neuroblastoma & ganglioneuroblastoma	265	11.8	0.32	12.1	0.33	270	9.0	0.25	8.9	0.24
V. Retinoblastoma	93	4.1	0.19	4.3	0.20	93	3.1	0.14	3.1	0.14
VI. Renal Tumors	218	9.7	0.29	9.9	0.30	234	7.8	0.23	7.7	0.22
VI(a). Nephroblastoma and other nonepithelial renal tumors	209	9.3	0.29	9.5	0.29	212	7.0	0.22	6.9	0.21
VII. Hepatic tumors	57	2.6	0.15	2.7	0.16	68	2.3	0.12	2.3	0.12
VII(a). Hepatoblastoma	50	2.3	0.14	2.3	0.15	51	1.7	0.11	1.7	0.11
VIII. Malignant bone tumors	166	7.4	0.26	7.4	0.26	254	8.4	0.24	8.5	0.24
VIII(a). Osteosarcomas	84	3.8	0.18	3.7	0.18	125	4.1	0.17	4.2	0.17
VIII(c). Ewing tumor and related sarcomas of bone	64	2.9	0.16	2.9	0.16	96	3.2	0.14	3.2	0.15
IX. Soft tissue and other extraosseous sarcomas	227	10.1	0.30	10.2	0.30	338	11.2	0.27	11.3	0.28
IX(a). Rhabdomyosarcomas	103	4.6	0.20	4.6	0.20	127	4.2	0.17	4.2	0.17
X. Germ cell & trophoblastic tumors & neoplasms of gonads	150	6.7	0.24	6.7	0.25	257	8.4	0.24	8.7	0.24
X(a). Intracranial & intraspinal germ cell tumors	30	1.3	0.11	1.3	0.11	35	1.2	0.09	1.1	0.09
X(c). Malignant gonadal germ cell tumors	67	3.0	0.16	2.9	0.16	126	4.1	0.17	4.3	0.17
XI. Other malignant epithelial neoplasms and melanomas	294	13.1	0.34	13.1	0.34	1,061	34.6	0.48	37.4	0.51
XI(b). Thyroid carcinomas	132	5.9	0.23	5.9	0.23	591	19.2	0.35	21.0	0.39
XI(d). Malignant melanomas	52	2.3	0.14	2.3	0.14	162	5.3	0.19	5.7	0.20
XII. Other & unspecified malignant neoplasms	18	0.8	0.08	0.8	0.09	29	0.9	0.08	1.0	0.08

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Black, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**700**	**134.6**	**2.28**	**135.7**	**2.30**	**994**	**142.4**	**2.02**	**144.2**	**2.05**
I. Leukemias	177	34.1	1.15	34.4	1.16	230	33.0	0.97	33.1	0.98
I(a). Lymphoid leukemias	112	21.5	0.91	21.6	0.92	133	19.1	0.74	18.9	0.73
I(b). Acute myeloid leukemias	37	7.2	0.53	7.3	0.53	53	7.5	0.47	7.7	0.47
II. Lymphomas & reticuloendothelial neoplasms	109	21.3	0.91	21.2	0.91	203	29.3	0.92	30.3	0.95
II(a). Hodgkin lymphomas	35	6.8	0.52	6.7	0.51	80	11.5	0.58	12.1	0.61
II(b, c, e). Non-Hodgkin lymphomas	61	11.8	0.68	11.8	0.68	108	15.6	0.67	16.0	0.69
III. CNS[3] & misc. intracranial & intraspinal neoplasms	149	28.6	1.05	28.6	1.05	180	25.8	0.86	25.5	0.85
III(a). Ependymomas and choroids plexus tumor	14	2.6	0.32	2.6	0.32	17	2.4	0.26	2.4	0.26
III(b). Astrocytomas	71	13.5	0.72	13.5	0.72	86	12.3	0.60	12.1	0.59
III(c). Intracranial and intraspinal embryonal tumors	29	5.6	0.46	5.7	0.47	32	4.6	0.36	4.5	0.36
III(d). Other gliomas	27	5.4	0.46	5.3	0.45	34	5.0	0.38	4.9	0.37
IV. Neuroblastoma and other peripheral nervous cell tumors	53	10.1	0.62	10.4	0.64	55	7.8	0.47	7.7	0.46
IV(a). Neuroblastoma & ganglioneuroblastoma	52	9.8	0.61	10.1	0.63	52	7.4	0.46	7.3	0.45
V. Retinoblastoma	22	4.2	0.40	4.3	0.41	22	3.1	0.30	3.1	0.30
VI. Renal Tumors	50	9.5	0.60	9.7	0.61	55	7.8	0.47	7.7	0.47
VI(a). Nephroblastoma and other nonepithelial renal tumors	46	8.7	0.57	8.9	0.59	47	6.5	0.43	6.4	0.42
VII. Hepatic tumors	14	2.6	0.32	2.7	0.33	16	2.2	0.25	2.2	0.25
VII(a). Hepatoblastoma	12	2.4	0.30	2.5	0.31	12	1.8	0.22	1.8	0.22
VIII. Malignant bone tumors	27	5.3	0.46	5.2	0.45	52	7.6	0.47	7.9	0.49
VIII(a). Osteosarcomas	21	4.2	0.41	4.2	0.41	41	6.0	0.42	6.2	0.43
VIII(c). Ewing tumor and related sarcomas of bone	2	0.4	0.13	0.4	0.13	4	0.6	0.13	0.6	0.13
IX. Soft tissue and other extraosseous sarcomas	62	12.0	0.68	12.1	0.69	93	13.4	0.62	13.6	0.63
IX(a). Rhabdomyosarcomas	33	6.2	0.49	6.3	0.49	41	5.8	0.41	5.8	0.41
X. Germ cell & trophoblastic tumors & neoplasms of gonads	11	2.2	0.29	2.2	0.29	25	3.6	0.32	3.8	0.34
X(a). Intracranial & intraspinal germ cell tumors	6	1.2	0.22	1.2	0.21	11	1.5	0.21	1.6	0.22
X(c). Malignant gonadal germ cell tumors	2	0.4	0.13	0.4	0.13	9	1.3	0.19	1.4	0.21
XI. Other malignant epithelial neoplasms and melanomas	22	4.2	0.41	4.2	0.41	56	8.2	0.48	8.7	0.52
XI(b). Thyroid carcinomas	5	1.0	0.19	0.9	0.19	12	1.8	0.23	1.9	0.24
XI(d). Malignant melanomas	2	0.4	0.13	0.4	0.13	3	0.4	0.11	0.4	0.11
XII. Other & unspecified malignant neoplasms	3	0.6	0.15	0.6	0.16	5	0.7	0.14	0.7	0.14

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Black, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**611**	**121.5**	**2.20**	**122.3**	**2.22**	**878**	**130.1**	**1.97**	**131.9**	**2.00**
I. Leukemias	152	30.0	1.09	30.4	1.10	191	28.3	0.92	28.3	0.92
I(a). Lymphoid leukemias	94	18.4	0.85	18.7	0.86	103	15.2	0.67	14.9	0.66
I(b). Acute myeloid leukemias	36	7.2	0.53	7.3	0.54	52	7.7	0.48	7.9	0.49
II. Lymphomas & reticuloendothelial neoplasms	61	12.3	0.71	12.3	0.70	119	17.7	0.73	18.4	0.76
II(a). Hodgkin lymphomas	21	4.4	0.42	4.3	0.42	59	8.8	0.51	9.4	0.55
II(b, c, e). Non-Hodgkin lymphomas	31	6.3	0.50	6.2	0.50	51	7.6	0.48	7.8	0.49
III. CNS[3] & misc. intracranial & intraspinal neoplasms	135	26.8	1.03	26.8	1.03	165	24.5	0.85	24.1	0.84
III(a). Ependymomas and choroids plexus tumor	11	2.3	0.30	2.3	0.30	13	2.0	0.24	2.0	0.24
III(b). Astrocytomas	64	12.8	0.71	12.7	0.71	78	11.6	0.59	11.4	0.58
III(c). Intracranial and intraspinal embryonal tumors	22	4.3	0.41	4.3	0.42	25	3.8	0.33	3.7	0.33
III(d). Other gliomas	30	5.9	0.49	5.9	0.48	37	5.6	0.41	5.5	0.40
IV. Neuroblastoma and other peripheral nervous cell tumors	41	8.1	0.56	8.3	0.58	43	6.3	0.43	6.2	0.42
IV(a). Neuroblastoma & ganglioneuroblastoma	41	8.0	0.56	8.2	0.57	42	6.1	0.42	6.0	0.42
V. Retinoblastoma	21	4.1	0.40	4.3	0.41	21	3.1	0.30	3.0	0.30
VI. Renal Tumors	57	11.2	0.66	11.3	0.67	61	9.0	0.52	8.9	0.51
VI(a). Nephroblastoma and other nonepithelial renal tumors	53	10.4	0.64	10.5	0.65	53	7.8	0.48	7.6	0.47
VII. Hepatic tumors	8	1.5	0.25	1.6	0.25	10	1.5	0.21	1.5	0.21
VII(a). Hepatoblastoma	6	1.1	0.21	1.2	0.22	6	0.8	0.16	0.8	0.16
VIII. Malignant bone tumors	29	5.8	0.49	5.8	0.48	43	6.5	0.44	6.6	0.45
VIII(a). Osteosarcomas	20	4.2	0.41	4.1	0.41	31	4.6	0.37	4.7	0.38
VIII(c). Ewing tumor and related sarcomas of bone	4	0.9	0.19	0.9	0.19	7	1.0	0.17	1.0	0.18
IX. Soft tissue and other extraosseous sarcomas	46	9.1	0.61	9.2	0.61	71	10.7	0.56	10.9	0.58
IX(a). Rhabdomyosarcomas	20	4.0	0.40	4.1	0.41	26	3.9	0.34	3.9	0.34
X. Germ cell & trophoblastic tumors & neoplasms of gonads	32	6.5	0.51	6.6	0.51	58	8.7	0.51	9.0	0.53
X(a). Intracranial & intraspinal germ cell tumors	4	0.8	0.18	0.8	0.18	5	0.8	0.16	0.8	0.16
X(c). Malignant gonadal germ cell tumors	16	3.2	0.36	3.2	0.36	31	4.6	0.37	4.8	0.39
XI. Other malignant epithelial neoplasms and melanomas	26	5.3	0.47	5.3	0.46	87	12.9	0.62	13.9	0.67
XI(b). Thyroid carcinomas	8	1.7	0.27	1.7	0.26	35	5.3	0.40	5.7	0.43
XI(d). Malignant melanomas	4	0.8	0.18	0.8	0.18	5	0.8	0.15	0.8	0.15
XII. Other & unspecified malignant neoplasms	3	0.6	0.15	0.6	0.16	7	1.0	0.17	1.1	0.18

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.*[3]	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**310**	**160.3**	**4.08**	**162.0**	**4.12**	**431**	**167.7**	**3.62**	**169.8**	**3.68**
I. Leukemias	109	56.1	2.41	56.8	2.44	130	50.1	1.97	49.9	1.97
I(a). Lymphoid leukemias	79	40.4	2.04	40.9	2.07	88	33.8	1.62	33.3	1.60
I(b). Acute myeloid leukemias	20	10.2	1.03	10.3	1.04	25	9.9	0.88	9.9	0.88
II. Lymphomas & reticuloendothelial neoplasms	51	26.5	1.66	26.6	1.67	83	32.7	1.60	33.5	1.65
II(a). Hodgkin lymphomas	12	6.1	0.81	6.1	0.80	25	9.8	0.88	10.3	0.93
II(b, c, e). Non-Hodgkin lymphomas	25	13.2	1.18	13.2	1.17	44	17.0	1.16	17.5	1.19
III. CNS[3] & misc. intracranial & intraspinal neoplasms	54	27.9	1.70	28.0	1.71	63	24.7	1.39	24.3	1.37
III(a). Ependymomas and choroids plexus tumor	7	3.4	0.59	3.4	0.60	7	2.7	0.45	2.6	0.45
III(b). Astrocytomas	24	12.3	1.13	12.3	1.13	29	11.3	0.94	11.1	0.93
III(c). Intracranial and intraspinal embryonal tumors	15	7.8	0.90	7.8	0.90	17	6.5	0.71	6.3	0.69
III(d). Other gliomas	7	3.8	0.63	3.7	0.62	9	3.5	0.52	3.4	0.51
IV. Neuroblastoma and other peripheral nervous cell tumors	17	8.7	0.94	9.1	0.98	17	6.6	0.71	6.6	0.70
IV(a). Neuroblastoma & ganglioneuroblastoma	17	8.6	0.94	9.0	0.97	17	6.5	0.71	6.5	0.70
V. Retinoblastoma	9	4.7	0.69	4.9	0.72	9	3.6	0.52	3.6	0.52
VI. Renal Tumors	9	4.5	0.68	4.6	0.69	10	3.8	0.54	3.7	0.53
VI(a). Nephroblastoma and other nonepithelial renal tumors	7	3.5	0.60	3.7	0.62	7	2.8	0.46	2.8	0.46
VII. Hepatic tumors	7	3.5	0.60	3.6	0.62	8	3.0	0.48	3.0	0.48
VII(a). Hepatoblastoma	6	3.1	0.56	3.2	0.58	6	2.3	0.42	2.3	0.41
VIII. Malignant bone tumors	13	6.8	0.85	6.7	0.84	22	8.6	0.82	8.8	0.85
VIII(a). Osteosarcomas	7	3.7	0.63	3.7	0.63	13	5.2	0.64	5.3	0.66
VIII(c). Ewing tumor and related sarcomas of bone	4	2.0	0.46	2.0	0.46	6	2.4	0.43	2.4	0.44
IX. Soft tissue and other extraosseous sarcomas	17	9.1	0.97	9.1	0.98	25	9.9	0.88	10.0	0.90
IX(a). Rhabdomyosarcomas	8	4.2	0.66	4.3	0.67	10	4.0	0.56	4.1	0.57
X. Germ cell & trophoblastic tumors & neoplasms of gonads	12	6.2	0.80	6.3	0.82	33	13.0	1.01	14.0	1.09
X(a). Intracranial & intraspinal germ cell tumors	5	2.9	0.55	2.9	0.55	13	5.2	0.64	5.5	0.68
X(c). Malignant gonadal germ cell tumors	4	2.0	0.46	2.1	0.48	15	5.7	0.67	6.3	0.74
XI. Other malignant epithelial neoplasms and melanomas	10	5.4	0.76	5.4	0.76	28	11.0	0.93	11.7	1.00
XI(b). Thyroid carcinomas	4	2.2	0.49	2.2	0.49	11	4.5	0.60	4.8	0.64
XI(d). Malignant melanomas	2	0.8	0.30	0.8	0.29	3	1.1	0.29	1.1	0.30
XII. Other & unspecified malignant neoplasms	2	0.9	0.31	0.9	0.31	2	0.8	0.25	0.8	0.24

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**267**	**143.2**	**3.92**	**145.0**	**3.97**	**376**	**151.1**	**3.49**	**153.4**	**3.55**
I. Leukemias	88	47.0	2.24	47.6	2.27	105	42.0	1.84	41.8	1.83
I(a). Lymphoid leukemias	64	33.6	1.90	34.1	1.93	70	27.9	1.50	27.5	1.48
I(b). Acute myeloid leukemias	16	8.5	0.96	8.6	0.97	22	9.0	0.85	9.2	0.87
II. Lymphomas & reticuloendothelial neoplasms	30	15.8	1.30	15.9	1.32	51	20.4	1.28	21.1	1.33
II(a). Hodgkin lymphomas	6	3.3	0.59	3.2	0.59	17	7.1	0.76	7.5	0.81
II(b, c, e). Non-Hodgkin lymphomas	14	7.7	0.91	7.7	0.91	23	9.5	0.87	9.7	0.90
III. CNS[3] & misc. intracranial & intraspinal neoplasms	45	24.2	1.61	24.3	1.62	53	21.2	1.31	20.9	1.29
III(a). Ependymomas and choroids plexus tumor	3	1.6	0.42	1.6	0.41	3	1.4	0.34	1.4	0.34
III(b). Astrocytomas	21	11.2	1.10	11.3	1.11	25	10.1	0.90	10.0	0.90
III(c). Intracranial and intraspinal embryonal tumors	12	6.3	0.82	6.4	0.83	12	5.1	0.64	4.9	0.62
III(d). Other gliomas	8	4.2	0.67	4.2	0.67	10	4.0	0.57	3.9	0.56
IV. Neuroblastoma and other peripheral nervous cell tumors	21	11.2	1.09	11.6	1.13	21	8.6	0.83	8.5	0.83
IV(a). Neuroblastoma & ganglioneuroblastoma	21	11.0	1.09	11.5	1.13	21	8.5	0.83	8.5	0.82
V. Retinoblastoma	10	5.6	0.77	5.8	0.81	10	4.2	0.58	4.2	0.58
VI. Renal Tumors	10	5.4	0.76	5.5	0.78	11	4.3	0.58	4.2	0.58
VI(a). Nephroblastoma and other nonepithelial renal tumors	9	5.0	0.74	5.2	0.75	9	3.8	0.55	3.7	0.54
VII. Hepatic tumors	5	2.7	0.54	2.8	0.55	5	2.2	0.43	2.2	0.42
VII(a). Hepatoblastoma	5	2.6	0.53	2.7	0.54	5	1.9	0.39	1.9	0.39
VIII. Malignant bone tumors	10	5.6	0.78	5.6	0.78	16	6.3	0.71	6.4	0.73
VIII(a). Osteosarcomas	6	3.0	0.57	3.0	0.57	8	3.4	0.53	3.4	0.53
VIII(c). Ewing tumor and related sarcomas of bone	4	1.9	0.46	1.9	0.46	5	1.9	0.39	1.9	0.40
IX. Soft tissue and other extraosseous sarcomas	12	6.6	0.84	6.6	0.85	19	7.7	0.79	7.9	0.81
IX(a). Rhabdomyosarcomas	7	3.5	0.62	3.6	0.62	8	3.1	0.50	3.0	0.49
X. Germ cell & trophoblastic tumors & neoplasms of gonads	17	8.9	0.98	8.9	0.98	24	9.6	0.88	9.8	0.90
X(a). Intracranial & intraspinal germ cell tumors	3	1.8	0.45	1.8	0.44	4	1.7	0.37	1.7	0.37
X(c). Malignant gonadal germ cell tumors	10	5.0	0.74	4.9	0.73	13	5.2	0.65	5.2	0.65
XI. Other malignant epithelial neoplasms and melanomas	18	9.8	1.03	9.8	1.03	59	23.9	1.39	25.8	1.50
XI(b). Thyroid carcinomas	11	6.2	0.82	6.2	0.82	40	16.4	1.15	17.7	1.25
XI(d). Malignant melanomas	1	0.6	0.26	0.7	0.27	2	0.9	0.27	0.9	0.28
XII. Other & unspecified malignant neoplasms	1	0.6	0.26	0.7	0.27	2	0.7	0.24	0.7	0.25

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**47**	**140.2**	**9.21**	**141.6**	**9.29**	**63**	**145.2**	**8.21**	**146.8**	**8.35**
I. Leukemias	18	52.7	5.60	53.4	5.66	20	45.9	4.56	45.5	4.53
I(a). Lymphoid leukemias	14	42.2	5.02	42.6	5.06	16	36.0	4.04	35.6	4.00
I(b). Acute myeloid leukemias	2	5.3	1.76	5.4	1.79	2	5.4	1.57	5.5	1.61
II. Lymphomas & reticuloendothelial neoplasms	6	18.7	3.42	18.6	3.41	9	22.5	3.28	22.9	3.37
II(a). Hodgkin lymphomas	-	-	-	-	-	2	5.4	1.63	5.7	1.72
II(b, c, e). Non-Hodgkin lymphomas	3	10.3	2.57	10.1	2.53	5	11.7	2.38	11.7	2.41
III. CNS[3] & misc. intracranial & intraspinal neoplasms	10	29.3	4.24	29.3	4.23	12	27.9	3.61	27.7	3.60
III(a). Ependymomas and choroids plexus tumor	-	-	-	-	-	-	-	-	-	-
III(b). Astrocytomas	3	10.6	2.57	10.5	2.55	5	12.4	2.43	12.6	2.49
III(c). Intracranial and intraspinal embryonal tumors	3	8.4	2.24	8.4	2.25	3	6.3	1.67	6.0	1.61
III(d). Other gliomas	2	6.8	2.05	6.8	2.04	2	5.6	1.61	5.4	1.57
IV. Neuroblastoma and other peripheral nervous cell tumors	2	6.4	1.93	6.6	1.98	3	5.8	1.61	5.8	1.62
IV(a). Neuroblastoma & ganglioneuroblastoma	2	6.4	1.93	6.6	1.98	3	5.8	1.61	5.8	1.62
V. Retinoblastoma	-	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	2	5.8	1.85	6.0	1.89	2	4.4	1.38	4.3	1.35
VI(a). Nephroblastoma and other nonepithelial renal tumors	2	5.8	1.85	6.0	1.89	2	4.4	1.38	4.3	1.35
VII. Hepatic tumors	1	3.4	1.38	3.5	1.43	1	2.5	1.03	2.5	1.02
VII(a). Hepatoblastoma	1	3.4	1.38	3.5	1.43	1	2.5	1.03	2.5	1.02
VIII. Malignant bone tumors	1	3.8	1.57	3.9	1.58	2	4.9	1.54	5.0	1.60
VIII(a). Osteosarcomas	-	-	-	-	-	1	3.0	1.21	3.1	1.27
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	-	-	-	-
IX. Soft tissue and other extraosseous sarcomas	3	9.8	2.45	9.8	2.47	5	11.3	2.31	11.5	2.38
IX(a). Rhabdomyosarcomas	2	6.8	2.05	6.8	2.06	3	6.6	1.76	6.6	1.77
X. Germ cell & trophoblastic tumors & neoplasms of gonads	-	-	-	-	-	4	10.3	2.24	11.2	2.47
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	3	7.9	1.97	8.9	2.22
XI. Other malignant epithelial neoplasms and melanomas	-	-	-	-	-	3	6.4	1.77	6.8	1.89
XI(b). Thyroid carcinomas	-	-	-	-	-	-	-	-	-	-
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Statistics exclude cases diagnosed for MN for all years. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)
[4] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA[3] Counties, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**34**	**105.9**	**8.14**	**106.8**	**8.20**	**48**	**115.6**	**7.46**	**117.5**	**7.63**
I. Leukemias	12	36.5	4.76	36.9	4.81	14	32.5	3.92	32.2	3.90
I(a). Lymphoid leukemias	9	27.7	4.14	28.1	4.19	10	22.8	3.26	22.4	3.21
I(b). Acute myeloid leukemias	1	4.4	1.66	4.4	1.66	2	4.8	1.52	4.9	1.56
II. Lymphomas & reticuloendothelial neoplasms	4	12.8	2.88	12.8	2.88	6	15.2	2.74	15.6	2.81
II(a). Hodgkin lymphomas	-	-	-	-	-	1	3.6	1.35	3.9	1.46
II(b, c, e). Non-Hodgkin lymphomas	2	7.8	2.24	7.7	2.23	3	8.4	2.03	8.4	2.05
III. CNS[3] & misc. intracranial & intraspinal neoplasms	5	14.3	2.98	14.3	2.98	5	12.7	2.46	12.5	2.43
III(a). Ependymomas and choroids plexus tumor	-	-	-	-	-	-	-	-	-	-
III(b). Astrocytomas	2	7.1	2.13	7.0	2.10	3	7.3	1.89	7.3	1.90
III(c). Intracranial and intraspinal embryonal tumors	-	-	-	-	-	-	-	-	-	-
III(d). Other gliomas	-	-	-	-	-	-	-	-	-	-
IV. Neuroblastoma and other peripheral nervous cell tumors	2	5.4	1.79	5.5	1.82	2	4.0	1.34	3.9	1.31
IV(a). Neuroblastoma & ganglioneuroblastoma	2	5.4	1.79	5.5	1.82	2	4.0	1.34	3.9	1.31
V. Retinoblastoma	1	4.1	1.54	4.3	1.61	1	3.1	1.16	3.0	1.15
VI. Renal Tumors	3	7.9	2.18	7.9	2.20	3	6.4	1.71	6.3	1.68
VI(a). Nephroblastoma and other nonepithelial renal tumors	3	7.9	2.18	7.9	2.20	3	5.9	1.63	5.7	1.57
VII. Hepatic tumors	-	-	-	-	-	1	2.7	1.10	2.8	1.14
VII(a). Hepatoblastoma	-	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	2	7.8	2.26	7.8	2.26	3	8.4	2.04	8.5	2.07
VIII(a). Osteosarcomas	2	6.0	2.00	5.9	1.98	2	5.5	1.66	5.4	1.64
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	-	-	-	-	-	-	-
IX. Soft tissue and other extraosseous sarcomas	2	6.3	2.00	6.3	1.99	3	7.3	1.89	7.4	1.93
IX(a). Rhabdomyosarcomas	-	-	-	-	-	-	-	-	-	-
X. Germ cell & trophoblastic tumors & neoplasms of gonads	-	-	-	-	-	1	3.0	1.22	3.1	1.29
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	-	-	-	-	-
XI. Other malignant epithelial neoplasms and melanomas	2	6.0	1.99	5.9	1.96	8	20.3	3.21	22.2	3.52
XI(b). Thyroid carcinomas	-	-	-	-	-	5	12.2	2.49	13.4	2.74
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	-
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	-

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Statistics exclude cases diagnosed for MN for all years. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] PRCDA - Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)
[4] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined..

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**1,441**	**178.0**	**2.10**	**179.3**	**2.12**	**2,054**	**194.1**	**1.92**	**197.2**	**1.96**
I. Leukemias	555	68.2	1.30	68.7	1.31	699	65.4	1.11	65.4	1.12
I(a). Lymphoid leukemias	438	53.8	1.15	54.3	1.16	532	49.6	0.97	49.4	0.97
I(b). Acute myeloid leukemias	69	8.6	0.46	8.7	0.47	95	9.0	0.41	9.1	0.42
II. Lymphomas & reticuloendothelial neoplasms	213	26.5	0.82	26.4	0.81	327	31.2	0.77	31.7	0.79
II(a). Hodgkin lymphomas	55	6.9	0.42	6.8	0.41	110	10.7	0.46	11.1	0.48
II(b, c, e). Non-Hodgkin lymphomas	87	10.9	0.52	10.8	0.52	140	13.4	0.51	13.7	0.52
III. CNS[3] & misc. intracranial & intraspinal neoplasms	230	28.3	0.84	28.4	0.84	271	25.3	0.69	25.0	0.68
III(a). Ependymomas and choroids plexus tumor	24	3.0	0.27	3.0	0.27	27	2.5	0.22	2.5	0.21
III(b). Astrocytomas	108	13.3	0.58	13.4	0.58	130	12.3	0.48	12.1	0.48
III(c). Intracranial and intraspinal embryonal tumors	56	6.9	0.41	6.9	0.41	63	5.8	0.33	5.7	0.32
III(d). Other gliomas	34	4.1	0.32	4.1	0.32	39	3.7	0.26	3.6	0.26
IV. Neuroblastoma and other peripheral nervous cell tumors	67	8.0	0.44	8.3	0.45	69	6.2	0.34	6.2	0.33
IV(a). Neuroblastoma & ganglioneuroblastoma	66	7.9	0.44	8.1	0.45	67	6.0	0.33	5.9	0.33
V. Retinoblastoma	37	4.5	0.33	4.7	0.34	37	3.4	0.25	3.4	0.25
VI. Renal Tumors	53	6.4	0.39	6.5	0.40	56	5.1	0.31	5.1	0.30
VI(a). Nephroblastoma and other nonepithelial renal tumors	49	5.9	0.38	6.0	0.39	50	4.5	0.28	4.4	0.28
VII. Hepatic tumors	34	4.1	0.31	4.2	0.32	37	3.3	0.25	3.3	0.25
VII(a). Hepatoblastoma	29	3.5	0.29	3.6	0.30	29	2.6	0.22	2.6	0.21
VIII. Malignant bone tumors	66	8.5	0.47	8.5	0.47	108	10.5	0.45	10.7	0.47
VIII(a). Osteosarcomas	40	5.2	0.37	5.2	0.36	67	6.5	0.36	6.7	0.37
VIII(c). Ewing tumor and related sarcomas of bone	20	2.6	0.26	2.6	0.25	29	2.8	0.23	2.8	0.24
IX. Soft tissue and other extraosseous sarcomas	87	10.9	0.52	11.0	0.53	127	12.1	0.48	12.3	0.49
IX(a). Rhabdomyosarcomas	42	5.2	0.36	5.3	0.36	51	4.8	0.30	4.8	0.30
X. Germ cell & trophoblastic tumors & neoplasms of gonads	47	5.8	0.38	5.9	0.39	202	19.8	0.63	21.7	0.69
X(a). Intracranial & intraspinal germ cell tumors	19	2.4	0.25	2.4	0.25	27	2.6	0.23	2.6	0.23
X(c). Malignant gonadal germ cell tumors	18	2.2	0.24	2.3	0.24	156	15.3	0.55	17.1	0.62
XI. Other malignant epithelial neoplasms and melanomas	46	5.9	0.39	5.9	0.39	112	10.9	0.46	11.6	0.49
XI(b). Thyroid carcinomas	15	2.0	0.23	2.0	0.22	39	3.8	0.28	4.1	0.29
XI(d). Malignant melanomas	8	1.0	0.16	1.0	0.16	12	1.1	0.15	1.1	0.15
XII. Other & unspecified malignant neoplasms	7	0.8	0.14	0.8	0.14	9	0.9	0.13	0.9	0.13

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**1,247**	**159.9**	**2.03**	**161.3**	**2.05**	**1,757**	**172.7**	**1.85**	**175.4**	**1.89**
I. Leukemias	442	56.3	1.20	56.9	1.21	527	51.0	1.00	50.7	1.00
I(a). Lymphoid leukemias	337	42.8	1.05	43.3	1.06	382	36.8	0.84	36.3	0.84
I(b). Acute myeloid leukemias	62	7.9	0.45	8.1	0.46	86	8.5	0.41	8.6	0.42
II. Lymphomas & reticuloendothelial neoplasms	135	17.5	0.67	17.5	0.68	224	22.4	0.67	23.1	0.70
II(a). Hodgkin lymphomas	33	4.4	0.34	4.4	0.34	89	9.1	0.43	9.7	0.46
II(b, c, e). Non-Hodgkin lymphomas	49	6.5	0.41	6.4	0.41	81	8.1	0.40	8.3	0.41
III. CNS[3] & misc. intracranial & intraspinal neoplasms	219	27.9	0.85	28.0	0.85	256	24.7	0.69	24.4	0.69
III(a). Ependymomas and choroids plexus tumor	21	2.7	0.26	2.8	0.27	24	2.3	0.21	2.3	0.21
III(b). Astrocytomas	105	13.5	0.59	13.5	0.59	123	11.9	0.48	11.8	0.48
III(c). Intracranial and intraspinal embryonal tumors	40	5.1	0.36	5.2	0.37	45	4.3	0.29	4.2	0.28
III(d). Other gliomas	42	5.4	0.37	5.4	0.37	51	5.0	0.31	4.9	0.31
IV. Neuroblastoma and other peripheral nervous cell tumors	58	7.2	0.43	7.5	0.44	60	5.6	0.33	5.5	0.32
IV(a). Neuroblastoma & ganglioneuroblastoma	58	7.2	0.43	7.4	0.44	59	5.5	0.32	5.4	0.32
V. Retinoblastoma	33	4.1	0.32	4.3	0.33	33	3.1	0.24	3.1	0.24
VI. Renal Tumors	67	8.3	0.46	8.5	0.47	70	6.6	0.35	6.5	0.35
VI(a). Nephroblastoma and other nonepithelial renal tumors	63	7.8	0.44	8.0	0.46	63	5.9	0.33	5.8	0.33
VII. Hepatic tumors	23	2.9	0.27	3.0	0.28	25	2.4	0.21	2.4	0.21
VII(a). Hepatoblastoma	20	2.6	0.25	2.7	0.26	21	2.0	0.19	1.9	0.19
VIII. Malignant bone tumors	50	6.7	0.42	6.6	0.42	71	7.2	0.38	7.2	0.38
VIII(a). Osteosarcomas	31	4.1	0.33	4.1	0.33	42	4.2	0.29	4.2	0.29
VIII(c). Ewing tumor and related sarcomas of bone	12	1.6	0.21	1.6	0.20	18	1.8	0.19	1.8	0.19
IX. Soft tissue and other extraosseous sarcomas	73	9.6	0.50	9.6	0.50	108	10.7	0.46	10.9	0.47
IX(a). Rhabdomyosarcomas	33	4.3	0.33	4.3	0.33	39	3.8	0.27	3.7	0.27
X. Germ cell & trophoblastic tumors & neoplasms of gonads	55	7.2	0.44	7.2	0.44	96	9.6	0.44	10.0	0.46
X(a). Intracranial & intraspinal germ cell tumors	11	1.4	0.19	1.4	0.19	13	1.3	0.16	1.3	0.16
X(c). Malignant gonadal germ cell tumors	30	4.0	0.33	4.0	0.32	55	5.5	0.33	5.7	0.35
XI. Other malignant epithelial neoplasms and melanomas	87	11.6	0.56	11.5	0.55	276	28.4	0.77	30.6	0.83
XI(b). Thyroid carcinomas	44	5.9	0.40	5.9	0.40	174	17.9	0.61	19.5	0.67
XI(d). Malignant melanomas	9	1.1	0.17	1.1	0.17	17	1.7	0.18	1.8	0.19
XII. Other & unspecified malignant neoplasms	5	0.7	0.13	0.7	0.13	9	0.9	0.14	1.0	0.14

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**3,150**	**190.0**	**1.52**	**191.8**	**1.53**	**4,688**	**206.2**	**1.35**	**209.6**	**1.37**
I. Leukemias	893	53.9	0.81	54.6	0.82	1,120	49.8	0.67	49.8	0.67
I(a). Lymphoid leukemias	683	41.2	0.71	41.7	0.72	808	36.1	0.57	35.7	0.56
I(b). Acute myeloid leukemias	122	7.4	0.30	7.5	0.30	179	7.8	0.26	8.0	0.27
II. Lymphomas & reticuloendothelial neoplasms	477	28.7	0.59	28.7	0.59	863	37.6	0.57	38.7	0.59
II(a). Hodgkin lymphomas	111	6.6	0.28	6.6	0.28	323	13.8	0.34	14.7	0.37
II(b, c, e). Non-Hodgkin lymphomas	244	14.7	0.42	14.6	0.42	400	17.5	0.39	17.8	0.40
III. CNS[3] & misc. intracranial & intraspinal neoplasms	722	43.6	0.73	43.8	0.73	894	39.8	0.60	39.4	0.59
III(a). Ependymomas and choroids plexus tumor	63	3.8	0.21	3.9	0.22	73	3.2	0.17	3.2	0.17
III(b). Astrocytomas	362	21.8	0.51	21.9	0.52	461	20.5	0.43	20.4	0.42
III(c). Intracranial and intraspinal embryonal tumors	155	9.4	0.34	9.4	0.34	172	7.7	0.26	7.5	0.26
III(d). Other gliomas	122	7.4	0.30	7.4	0.30	158	7.0	0.25	6.9	0.25
IV. Neuroblastoma and other peripheral nervous cell tumors	230	14.0	0.41	14.5	0.43	236	10.7	0.31	10.6	0.31
IV(a). Neuroblastoma & ganglioneuroblastoma	226	13.8	0.41	14.2	0.42	229	10.4	0.31	10.3	0.30
V. Retinoblastoma	67	4.0	0.22	4.2	0.23	67	3.0	0.17	3.0	0.17
VI. Renal Tumors	141	8.5	0.32	8.7	0.33	153	6.9	0.25	6.8	0.25
VI(a). Nephroblastoma and other nonepithelial renal tumors	135	8.2	0.32	8.4	0.32	138	6.2	0.24	6.1	0.23
VII. Hepatic tumors	54	3.3	0.20	3.4	0.21	60	2.7	0.16	2.7	0.16
VII(a). Hepatoblastoma	47	2.9	0.19	3.0	0.19	47	2.1	0.14	2.1	0.14
VIII. Malignant bone tumors	141	8.4	0.32	8.3	0.31	257	11.1	0.31	11.4	0.32
VIII(a). Osteosarcomas	68	4.0	0.22	4.0	0.22	129	5.5	0.22	5.7	0.23
VIII(c). Ewing tumor and related sarcomas of bone	62	3.7	0.21	3.6	0.21	105	4.6	0.20	4.6	0.20
IX. Soft tissue and other extraosseous sarcomas	204	12.3	0.39	12.4	0.39	306	13.4	0.34	13.7	0.35
IX(a). Rhabdomyosarcomas	99	6.0	0.27	6.0	0.27	122	5.4	0.22	5.4	0.22
X. Germ cell & trophoblastic tumors & neoplasms of gonads	73	4.4	0.23	4.4	0.23	325	13.8	0.34	15.0	0.37
X(a). Intracranial & intraspinal germ cell tumors	34	2.0	0.15	2.0	0.15	60	2.6	0.15	2.7	0.15
X(c). Malignant gonadal germ cell tumors	22	1.3	0.13	1.4	0.13	236	9.9	0.29	11.0	0.32
XI. Other malignant epithelial neoplasms and melanomas	133	8.0	0.31	7.9	0.31	387	16.5	0.38	17.7	0.40
XI(b). Thyroid carcinomas	31	1.9	0.15	1.8	0.15	106	4.5	0.20	4.9	0.21
XI(d). Malignant melanomas	46	2.7	0.18	2.7	0.18	114	4.9	0.21	5.2	0.22
XII. Other & unspecified malignant neoplasms	13	0.8	0.10	0.8	0.10	19	0.8	0.09	0.8	0.09

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**2,736**	**173.3**	**1.48**	**175.1**	**1.50**	**4,190**	**193.5**	**1.34**	**197.5**	**1.37**
I. Leukemias	767	48.7	0.79	49.4	0.80	915	43.0	0.64	42.7	0.63
I(a). Lymphoid leukemias	586	37.2	0.69	37.7	0.70	642	30.3	0.54	29.8	0.53
I(b). Acute myeloid leukemias	113	7.2	0.30	7.3	0.31	165	7.6	0.27	7.8	0.27
II. Lymphomas & reticuloendothelial neoplasms	273	17.3	0.47	17.3	0.47	576	26.2	0.49	27.4	0.51
II(a). Hodgkin lymphomas	74	4.6	0.24	4.6	0.24	294	13.1	0.34	14.2	0.37
II(b, c, e). Non-Hodgkin lymphomas	113	7.1	0.30	7.1	0.30	187	8.6	0.28	8.8	0.29
III. CNS[3] & misc. intracranial & intraspinal neoplasms	594	37.6	0.69	37.8	0.69	735	34.3	0.57	34.0	0.56
III(a). Ependymomas and choroids plexus tumor	48	3.0	0.20	3.0	0.20	57	2.7	0.16	2.7	0.16
III(b). Astrocytomas	334	21.1	0.52	21.2	0.52	415	19.4	0.43	19.3	0.42
III(c). Intracranial and intraspinal embryonal tumors	92	5.9	0.27	5.9	0.28	103	4.9	0.21	4.8	0.21
III(d). Other gliomas	103	6.5	0.29	6.5	0.29	133	6.2	0.24	6.1	0.24
IV. Neuroblastoma and other peripheral nervous cell tumors	216	13.8	0.42	14.3	0.43	224	10.7	0.32	10.6	0.32
IV(a). Neuroblastoma & ganglioneuroblastoma	213	13.6	0.42	14.1	0.43	217	10.4	0.32	10.3	0.31
V. Retinoblastoma	64	4.1	0.23	4.2	0.24	64	3.1	0.17	3.0	0.17
VI. Renal Tumors	160	10.2	0.36	10.4	0.37	173	8.2	0.28	8.1	0.28
VI(a). Nephroblastoma and other nonepithelial renal tumors	153	9.8	0.35	10.0	0.36	155	7.4	0.27	7.3	0.26
VII. Hepatic tumors	37	2.4	0.17	2.4	0.18	46	2.2	0.14	2.2	0.15
VII(a). Hepatoblastoma	32	2.1	0.16	2.1	0.17	33	1.6	0.12	1.5	0.12
VIII. Malignant bone tumors	122	7.7	0.31	7.7	0.31	192	8.8	0.29	8.9	0.29
VIII(a). Osteosarcomas	56	3.6	0.21	3.5	0.21	88	4.1	0.19	4.1	0.20
VIII(c). Ewing tumor and related sarcomas of bone	54	3.4	0.21	3.4	0.21	79	3.6	0.18	3.7	0.18
IX. Soft tissue and other extraosseous sarcomas	163	10.3	0.36	10.4	0.36	243	11.2	0.32	11.4	0.33
IX(a). Rhabdomyosarcomas	75	4.7	0.24	4.8	0.25	93	4.3	0.20	4.3	0.20
X. Germ cell & trophoblastic tumors & neoplasms of gonads	103	6.5	0.29	6.6	0.29	174	7.9	0.27	8.2	0.28
X(a). Intracranial & intraspinal germ cell tumors	20	1.3	0.13	1.3	0.13	23	1.1	0.10	1.0	0.10
X(c). Malignant gonadal germ cell tumors	42	2.6	0.18	2.6	0.18	82	3.7	0.18	3.8	0.19
XI. Other malignant epithelial neoplasms and melanomas	222	13.9	0.42	13.9	0.42	827	36.9	0.58	39.9	0.62
XI(b). Thyroid carcinomas	95	6.0	0.27	5.9	0.27	444	19.8	0.42	21.6	0.46
XI(d). Malignant melanomas	45	2.9	0.19	2.9	0.19	149	6.7	0.25	7.2	0.26
XII. Other & unspecified malignant neoplasms	14	0.9	0.11	0.9	0.11	22	1.0	0.10	1.0	0.10

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**666**	**141.5**	**2.46**	**142.6**	**2.48**	**947**	**149.2**	**2.17**	**151.0**	**2.20**
I. Leukemias	168	35.6	1.23	35.9	1.24	218	34.4	1.04	34.5	1.05
I(a). Lymphoid leukemias	106	22.5	0.98	22.7	0.99	126	19.9	0.80	19.7	0.79
I(b). Acute myeloid leukemias	35	7.4	0.56	7.5	0.57	49	7.8	0.50	7.9	0.51
II. Lymphomas & reticuloendothelial neoplasms	106	22.7	0.99	22.6	0.99	196	31.0	0.99	32.0	1.03
II(a). Hodgkin lymphomas	33	7.2	0.56	7.1	0.55	77	12.1	0.62	12.7	0.65
II(b, c, e). Non-Hodgkin lymphomas	59	12.6	0.74	12.6	0.73	104	16.5	0.72	17.0	0.74
III. CNS[3] & misc. intracranial & intraspinal neoplasms	143	30.3	1.14	30.4	1.14	173	27.3	0.93	26.9	0.92
III(a). Ependymomas and choroids plexus tumor	14	2.8	0.34	2.8	0.35	17	2.6	0.28	2.6	0.28
III(b). Astrocytomas	68	14.4	0.78	14.4	0.78	82	13.0	0.64	12.8	0.63
III(c). Intracranial and intraspinal embryonal tumors	28	6.0	0.51	6.1	0.51	31	5.0	0.40	4.9	0.39
III(d). Other gliomas	26	5.5	0.49	5.5	0.48	32	5.2	0.41	5.1	0.40
IV. Neuroblastoma and other peripheral nervous cell tumors	50	10.5	0.66	10.8	0.68	51	8.0	0.50	7.9	0.50
IV(a). Neuroblastoma & ganglioneuroblastoma	48	10.2	0.65	10.5	0.67	49	7.7	0.49	7.6	0.49
V. Retinoblastoma	21	4.4	0.43	4.6	0.45	21	3.3	0.32	3.3	0.32
VI. Renal Tumors	49	10.1	0.65	10.3	0.67	54	8.4	0.51	8.3	0.51
VI(a). Nephroblastoma and other nonepithelial renal tumors	45	9.3	0.63	9.5	0.64	45	7.0	0.47	6.8	0.46
VII. Hepatic tumors	13	2.9	0.35	3.0	0.36	15	2.4	0.28	2.4	0.28
VII(a). Hepatoblastoma	12	2.6	0.33	2.7	0.34	12	1.9	0.25	1.9	0.24
VIII. Malignant bone tumors	25	5.5	0.49	5.4	0.48	49	7.8	0.50	8.1	0.52
VIII(a). Osteosarcomas	20	4.4	0.44	4.4	0.43	39	6.2	0.44	6.4	0.46
VIII(c). Ewing tumor and related sarcomas of bone	2	0.4	0.14	0.4	0.13	4	0.6	0.13	0.6	0.14
IX. Soft tissue and other extraosseous sarcomas	58	12.3	0.73	12.4	0.73	87	13.8	0.66	14.1	0.67
IX(a). Rhabdomyosarcomas	31	6.5	0.53	6.6	0.53	39	6.1	0.44	6.1	0.44
X. Germ cell & trophoblastic tumors & neoplasms of gonads	10	2.0	0.30	2.1	0.30	22	3.4	0.33	3.6	0.35
X(a). Intracranial & intraspinal germ cell tumors	5	1.1	0.22	1.1	0.21	10	1.5	0.22	1.6	0.23
X(c). Malignant gonadal germ cell tumors	2	0.4	0.13	0.4	0.13	8	1.2	0.19	1.3	0.21
XI. Other malignant epithelial neoplasms and melanomas	21	4.5	0.44	4.4	0.44	54	8.6	0.52	9.1	0.55
XI(b). Thyroid carcinomas	5	1.0	0.21	1.0	0.21	12	1.8	0.24	1.9	0.25
XI(d). Malignant melanomas	2	0.3	0.12	0.3	0.12	2	0.4	0.11	0.4	0.11
XII. Other & unspecified malignant neoplasms	3	0.6	0.16	0.6	0.16	4	0.7	0.14	0.7	0.15

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**579**	**127.4**	**2.37**	**128.2**	**2.38**	**835**	**136.0**	**2.11**	**137.7**	**2.14**
I. Leukemias	144	31.4	1.17	31.8	1.19	181	29.4	0.98	29.4	0.98
I(a). Lymphoid leukemias	88	19.2	0.92	19.4	0.93	97	15.8	0.72	15.5	0.71
I(b). Acute myeloid leukemias	35	7.6	0.58	7.7	0.59	50	8.1	0.51	8.2	0.52
II. Lymphomas & reticuloendothelial neoplasms	58	12.8	0.76	12.7	0.75	112	18.2	0.77	18.9	0.80
II(a). Hodgkin lymphomas	20	4.5	0.45	4.5	0.45	56	9.0	0.54	9.6	0.58
II(b, c, e). Non-Hodgkin lymphomas	30	6.6	0.54	6.5	0.54	48	7.9	0.51	8.0	0.52
III. CNS[3] & misc. intracranial & intraspinal neoplasms	130	28.4	1.12	28.4	1.12	159	25.9	0.92	25.5	0.91
III(a). Ependymomas and choroids plexus tumor	10	2.3	0.32	2.3	0.32	12	2.0	0.26	2.0	0.26
III(b). Astrocytomas	61	13.5	0.77	13.5	0.77	75	12.3	0.64	12.1	0.63
III(c). Intracranial and intraspinal embryonal tumors	21	4.6	0.45	4.6	0.45	24	4.0	0.36	4.0	0.36
III(d). Other gliomas	28	6.3	0.53	6.2	0.52	36	5.9	0.44	5.8	0.43
IV. Neuroblastoma and other peripheral nervous cell tumors	39	8.6	0.61	8.8	0.62	41	6.7	0.47	6.6	0.46
IV(a). Neuroblastoma & ganglioneuroblastoma	39	8.4	0.61	8.6	0.62	40	6.5	0.46	6.4	0.45
V. Retinoblastoma	20	4.2	0.43	4.4	0.45	20	3.2	0.32	3.2	0.32
VI. Renal Tumors	54	11.8	0.72	12.0	0.73	58	9.5	0.56	9.3	0.55
VI(a). Nephroblastoma and other nonepithelial renal tumors	50	11.0	0.69	11.2	0.70	51	8.3	0.52	8.1	0.51
VII. Hepatic tumors	7	1.6	0.26	1.6	0.27	9	1.5	0.22	1.5	0.23
VII(a). Hepatoblastoma	5	1.1	0.22	1.2	0.23	5	0.8	0.17	0.8	0.16
VIII. Malignant bone tumors	27	6.0	0.52	5.9	0.51	41	6.7	0.47	6.8	0.48
VIII(a). Osteosarcomas	19	4.3	0.44	4.3	0.43	29	4.8	0.40	4.9	0.40
VIII(c). Ewing tumor and related sarcomas of bone	4	0.9	0.20	0.8	0.19	6	1.0	0.18	1.0	0.19
IX. Soft tissue and other extraosseous sarcomas	43	9.5	0.65	9.5	0.65	68	11.2	0.60	11.4	0.62
IX(a). Rhabdomyosarcomas	19	4.1	0.42	4.1	0.43	25	4.0	0.36	4.0	0.37
X. Germ cell & trophoblastic tumors & neoplasms of gonads	31	6.8	0.55	6.9	0.55	57	9.2	0.55	9.6	0.57
X(a). Intracranial & intraspinal germ cell tumors	3	0.8	0.18	0.8	0.18	5	0.8	0.16	0.8	0.16
X(c). Malignant gonadal germ cell tumors	15	3.4	0.39	3.4	0.39	30	5.0	0.40	5.2	0.42
XI. Other malignant epithelial neoplasms and melanomas	25	5.6	0.50	5.6	0.50	82	13.3	0.66	14.3	0.71
XI(b). Thyroid carcinomas	8	1.9	0.29	1.9	0.29	34	5.4	0.42	5.9	0.45
XI(d). Malignant melanomas	3	0.8	0.18	0.8	0.18	5	0.8	0.16	0.8	0.16
XII. Other & unspecified malignant neoplasms	3	0.7	0.17	0.7	0.17	7	1.1	0.19	1.2	0.20

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is not included in the RegistryRaceT race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.
N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates. Data Item 190 used in place of NHIA for MA and RI, see Technical Notes.

NAACCR Canadian Combined Pediatric Cancer Incidence
2013-2017

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR Canadian Combined[2], 2013-2017, All Races, Males

	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
Cancer Types	*Avg Annual Cases*	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**950**	**249.5**	**8.09**	**590**	**151.7**	**6.24**	**546**	**141.8**	**6.07**	**1,038**	**241.1**	**7.48**
I. Leukemias	426	111.9	5.42	227	58.4	3.87	149	38.7	3.17	167	38.8	3.00
I(a). Lymphoid leukemias	325	85.3	4.73	179	46.0	3.44	107	27.8	2.69	86	20.0	2.15
I(b). Acute myeloid leukemias	51	13.4	1.88	26	6.7	1.31	22	5.7	1.22	41	9.5	1.49
II. Lymphomas & reticuloendothelial neoplasms	55	14.4	1.95	99	25.4	2.56	126	32.7	2.91	280	65.0	3.89
II(a). Hodgkin lymphomas	-	-	-	23	5.9	1.23	55	14.3	1.93	170	39.5	3.03
II(b, c, e). Non-Hodgkin lymphomas	34	8.9	1.53	54	13.9	1.89	67	17.4	2.13	101	23.5	2.33
III. CNS[3] & misc. intracranial & intraspinal neoplasms	132	34.7	3.02	131	33.7	2.94	81	21.0	2.34	82	19.0	2.10
III(a). Ependymomas and choroids plexus tumor	26	6.8	1.34	16	4.1	1.03	-	-	-	-	-	-
III(b). Astrocytomas	52	13.7	1.89	47	12.1	1.76	44	11.4	1.72	45	10.5	1.56
III(c). Intracranial and intraspinal embryonal tumors	41	10.8	1.68	35	9.0	1.52	17	4.4	1.07	10	2.3	0.73
III(d). Other gliomas	11	2.9	0.87	26	6.7	1.31	13	3.4	0.94	16	3.7	0.93
IV. Neuroblastoma and other peripheral nervous cell tumors	131	34.4	3.01	17	4.4	1.06	-	-	-	7	1.6	0.61
IV(a). Neuroblastoma & ganglioneuroblastoma	131	34.4	3.01	17	4.4	1.06	-	-	-	6	1.4	0.57
V. Retinoblastoma	35	9.2	1.55	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	58	15.2	2.00	24	6.2	1.26	6	1.6	0.64	7	1.6	0.61
VI(a). Nephroblastoma and other nonepithelial renal tumors	58	15.2	2.00	24	6.2	1.26	-	-	-	-	-	-
VII. Hepatic tumors	24	6.3	1.29	-	-	-	-	-	-	-	-	-
VII(a). Hepatoblastoma	24	6.3	1.29	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	-	-	-	22	5.7	1.21	49	12.7	1.82	62	14.4	1.83
VIII(a). Osteosarcomas	-	-	-	8	2.1	0.73	27	7.0	1.35	39	9.1	1.45
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	12	3.1	0.89	17	4.4	1.07	19	4.4	1.01
IX. Soft tissue and other extraosseous sarcomas	53	13.9	1.91	42	10.8	1.67	51	13.2	1.85	107	24.9	2.40
IX(a). Rhabdomyosarcomas	30	7.9	1.44	26	6.7	1.31	18	4.7	1.10	35	8.1	1.37
X. Germ cell & trophoblastic tumors & neoplasms of gonads	27	7.1	1.36	8	2.1	0.73	25	6.5	1.30	162	37.6	2.96
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	8	2.1	0.73	19	4.9	1.13	16	3.7	0.93
X(c). Malignant gonadal germ cell tumors	12	3.2	0.91	-	-	-	-	-	-	142	33.0	2.77
XI. Other malignant epithelial neoplasms and melanomas	-	-	-	15	3.9	1.00	51	13.2	1.85	157	36.5	2.91
XI(b). Thyroid carcinomas	-	-	-	-	-	-	16	4.2	1.04	49	11.4	1.63
XI(d). Malignant melanomas	-	-	-	-	-	-	-	-	-	21	4.9	1.06
XII. Other & unspecified malignant neoplasms	6	1.6	0.64	-	-	-	-	-	-	-	-	-

[1] Rates are **per million** population.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR Canadian Combined[2], 2013-2017, All Races, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**804**	**221.4**	**7.81**	**447**	**119.6**	**5.66**	**496**	**134.8**	**6.05**	**946**	**235.2**	**7.65**
I. Leukemias	316	87.0	4.90	164	43.9	3.43	111	30.2	2.86	126	31.3	2.79
I(a). Lymphoid leukemias	242	66.6	4.28	134	35.8	3.10	74	20.1	2.34	58	14.4	1.89
I(b). Acute myeloid leukemias	40	11.0	1.74	19	5.1	1.17	22	6.0	1.27	38	9.4	1.53
II. Lymphomas & reticuloendothelial neoplasms	41	11.3	1.76	40	10.7	1.69	74	20.1	2.34	209	52.0	3.59
II(a). Hodgkin lymphomas	-	-	-	-	-	-	46	12.5	1.84	155	38.5	3.10
II(b, c, e). Non-Hodgkin lymphomas	18	5.0	1.17	25	6.7	1.34	21	5.7	1.25	50	12.4	1.76
III. CNS[3] & misc. intracranial & intraspinal neoplasms	127	35.0	3.10	115	30.8	2.87	89	24.2	2.56	64	15.9	1.99
III(a). Ependymomas and choroids plexus tumor	23	6.3	1.32	-	-	-	-	-	-	-	-	-
III(b). Astrocytomas	59	16.2	2.12	63	16.9	2.12	51	13.9	1.94	39	9.7	1.55
III(c). Intracranial and intraspinal embryonal tumors	27	7.4	1.43	18	4.8	1.13	14	3.8	1.02	6	1.5	0.61
III(d). Other gliomas	15	4.1	1.07	28	7.5	1.42	12	3.3	0.94	10	2.5	0.79
IV. Neuroblastoma and other peripheral nervous cell tumors	121	33.3	3.03	15	4.0	1.04	-	-	-	-	-	-
IV(a). Neuroblastoma & ganglioneuroblastoma	121	33.3	3.03	14	3.7	1.00	-	-	-	-	-	-
V. Retinoblastoma	28	7.7	1.46	-	-	-	-	-	-	-	-	-
VI. Renal Tumors	66	18.2	2.24	24	6.4	1.31	6	1.6	0.67	8	2.0	0.70
VI(a). Nephroblastoma and other nonepithelial renal tumors	65	17.9	2.22	22	5.9	1.25	-	-	-	-	-	-
VII. Hepatic tumors	17	4.7	1.14	-	-	-	-	-	-	-	-	-
VII(a). Hepatoblastoma	17	4.7	1.14	-	-	-	-	-	-	-	-	-
VIII. Malignant bone tumors	-	-	-	29	7.8	1.44	50	13.6	1.92	52	12.9	1.79
VIII(a). Osteosarcomas	-	-	-	14	3.7	1.00	35	9.5	1.61	31	7.7	1.38
VIII(c). Ewing tumor and related sarcomas of bone	-	-	-	14	3.7	1.00	11	3.0	0.90	14	3.5	0.93
IX. Soft tissue and other extraosseous sarcomas	49	13.5	1.93	34	9.1	1.56	35	9.5	1.61	64	15.9	1.99
IX(a). Rhabdomyosarcomas	33	9.1	1.58	18	4.8	1.13	10	2.7	0.86	13	3.2	0.90
X. Germ cell & trophoblastic tumors & neoplasms of gonads	28	7.7	1.46	8	2.1	0.76	21	5.7	1.25	51	12.7	1.78
X(a). Intracranial & intraspinal germ cell tumors	-	-	-	-	-	-	-	-	-	-	-	-
X(c). Malignant gonadal germ cell tumors	-	-	-	-	-	-	15	4.1	1.05	31	7.7	1.38
XI. Other malignant epithelial neoplasms and melanomas	-	-	-	13	3.5	0.96	105	28.5	2.79	359	89.3	4.71
XI(b). Thyroid carcinomas	-	-	-	-	-	-	43	11.7	1.78	193	48.0	3.45
XI(d). Malignant melanomas	-	-	-	-	-	-	7	1.9	0.72	46	11.4	1.69
XII. Other & unspecified malignant neoplasms	-	-	-	-	-	-	-	-	-	9	2.2	0.75

[1] Rates are **per million** population.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR Canadian Combined[2], 2013-2017, All Races, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**2,086**	**179.8**	**3.94**	**181.3**	**3.97**	**3,124**	**195.3**	**3.50**	**198.3**	**3.55**
I. Leukemias	802	68.9	2.43	69.7	2.46	969	61.3	1.97	60.9	1.96
I(a). Lymphoid leukemias	611	52.4	2.12	53.1	2.15	697	44.3	1.68	43.6	1.65
I(b). Acute myeloid leukemias	99	8.5	0.86	8.6	0.87	140	8.8	0.74	8.9	0.75
II. Lymphomas & reticuloendothelial neoplasms	280	24.4	1.46	24.2	1.45	560	34.6	1.46	35.8	1.52
II(a). Hodgkin lymphomas	79	6.9	0.78	6.9	0.77	249	15.1	0.96	16.1	1.02
II(b, c, e). Non-Hodgkin lymphomas	155	13.5	1.08	13.4	1.08	256	16.0	1.00	16.3	1.02
III. CNS[3] & misc. intracranial & intraspinal neoplasms	344	29.7	1.60	29.7	1.60	426	27.0	1.31	26.7	1.29
III(a). Ependymomas and choroids plexus tumor	44	3.8	0.57	3.8	0.57	49	3.1	0.44	3.1	0.44
III(b). Astrocytomas	143	12.4	1.03	12.4	1.04	188	11.9	0.87	11.8	0.86
III(c). Intracranial and intraspinal embryonal tumors	93	8.0	0.83	8.0	0.83	103	6.6	0.65	6.4	0.63
III(d). Other gliomas	50	4.3	0.61	4.3	0.60	66	4.2	0.52	4.1	0.51
IV. Neuroblastoma and other peripheral nervous cell tumors	152	12.9	1.05	13.4	1.09	159	10.1	0.80	10.0	0.80
IV(a). Neuroblastoma & ganglioneuroblastoma	150	12.8	1.04	13.2	1.08	156	9.9	0.79	9.8	0.79
V. Retinoblastoma	35	3.0	0.50	3.1	0.52	35	2.2	0.38	2.2	0.38
VI. Renal Tumors	88	7.5	0.80	7.7	0.82	95	6.0	0.62	5.9	0.61
VI(a). Nephroblastoma and other nonepithelial renal tumors	86	7.3	0.79	7.5	0.81	88	5.6	0.60	5.5	0.58
VII. Hepatic tumors	29	2.5	0.46	2.6	0.47	32	2.0	0.36	2.0	0.36
VII(a). Hepatoblastoma	27	2.3	0.44	2.4	0.46	27	1.7	0.33	1.7	0.33
VIII. Malignant bone tumors	72	6.3	0.75	6.2	0.74	134	8.4	0.72	8.6	0.74
VIII(a). Osteosarcomas	35	3.1	0.52	3.1	0.52	74	4.6	0.53	4.8	0.55
VIII(c). Ewing tumor and related sarcomas of bone	30	2.6	0.48	2.6	0.47	49	3.1	0.44	3.1	0.44
IX. Soft tissue and other extraosseous sarcomas	146	12.6	1.05	12.7	1.05	253	15.7	0.99	16.1	1.02
IX(a). Rhabdomyosarcomas	74	6.4	0.74	6.4	0.74	109	6.8	0.65	6.9	0.66
X. Germ cell & trophoblastic tumors & neoplasms of gonads	60	5.2	0.67	5.3	0.68	222	13.4	0.90	14.5	0.97
X(a). Intracranial & intraspinal germ cell tumors	32	2.8	0.49	2.8	0.49	48	3.0	0.44	3.1	0.44
X(c). Malignant gonadal germ cell tumors	17	1.5	0.35	1.5	0.37	159	9.4	0.75	10.5	0.83
XI. Other malignant epithelial neoplasms and melanomas	68	6.0	0.72	5.9	0.72	225	13.6	0.91	14.6	0.98
XI(b). Thyroid carcinomas	19	1.7	0.38	1.7	0.38	68	4.1	0.50	4.4	0.54
XI(d). Malignant melanomas	7	0.6	0.23	0.6	0.23	28	1.7	0.32	1.8	0.34
XII. Other & unspecified malignant neoplasms	10	0.9	0.27	0.9	0.28	14	0.9	0.23	0.9	0.24

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR Canadian Combined[2], 2013-2017, All Races, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**1,747**	**157.6**	**3.77**	**159.2**	**3.81**	**2,693**	**177.1**	**3.42**	**180.8**	**3.49**
I. Leukemias	591	53.1	2.18	53.8	2.21	717	47.6	1.78	47.4	1.77
I(a). Lymphoid leukemias	450	40.4	1.90	40.9	1.93	508	33.8	1.50	33.3	1.48
I(b). Acute myeloid leukemias	81	7.3	0.81	7.4	0.82	119	7.8	0.72	8.0	0.73
II. Lymphomas & reticuloendothelial neoplasms	155	14.1	1.13	14.1	1.13	364	23.6	1.24	24.9	1.31
II(a). Hodgkin lymphomas	51	4.7	0.66	4.7	0.66	206	13.2	0.92	14.3	1.00
II(b, c, e). Non-Hodgkin lymphomas	64	5.8	0.72	5.8	0.72	114	7.5	0.70	7.7	0.72
III. CNS[3] & misc. intracranial & intraspinal neoplasms	331	29.9	1.64	29.9	1.65	395	26.4	1.33	26.0	1.31
III(a). Ependymomas and choroids plexus tumor	33	3.0	0.51	3.0	0.53	36	2.4	0.40	2.4	0.40
III(b). Astrocytomas	173	15.6	1.19	15.6	1.19	212	14.1	0.97	13.9	0.96
III(c). Intracranial and intraspinal embryonal tumors	59	5.3	0.69	5.4	0.70	65	4.4	0.54	4.3	0.53
III(d). Other gliomas	55	5.0	0.67	4.9	0.66	65	4.3	0.54	4.2	0.52
IV. Neuroblastoma and other peripheral nervous cell tumors	138	12.3	1.05	12.7	1.08	141	9.4	0.79	9.3	0.79
IV(a). Neuroblastoma & ganglioneuroblastoma	136	12.1	1.04	12.6	1.08	138	9.2	0.78	9.1	0.78
V. Retinoblastoma	29	2.6	0.48	2.7	0.50	29	1.9	0.36	1.9	0.36
VI. Renal Tumors	96	8.6	0.88	8.8	0.89	104	6.9	0.68	6.8	0.67
VI(a). Nephroblastoma and other nonepithelial renal tumors	90	8.0	0.85	8.2	0.87	93	6.2	0.64	6.1	0.63
VII. Hepatic tumors	21	1.9	0.41	1.9	0.42	22	1.5	0.31	1.5	0.31
VII(a). Hepatoblastoma	18	1.6	0.38	1.7	0.39	18	1.2	0.28	1.2	0.28
VIII. Malignant bone tumors	82	7.5	0.83	7.4	0.82	134	8.9	0.77	9.0	0.78
VIII(a). Osteosarcomas	49	4.5	0.64	4.4	0.64	80	5.3	0.59	5.4	0.60
VIII(c). Ewing tumor and related sarcomas of bone	26	2.4	0.47	2.3	0.45	40	2.7	0.42	2.6	0.42
IX. Soft tissue and other extraosseous sarcomas	118	10.7	0.98	10.7	0.99	182	12.0	0.89	12.2	0.91
IX(a). Rhabdomyosarcomas	61	5.5	0.70	5.5	0.71	74	4.9	0.57	4.9	0.57
X. Germ cell & trophoblastic tumors & neoplasms of gonads	57	5.2	0.68	5.2	0.69	108	7.1	0.68	7.4	0.71
X(a). Intracranial & intraspinal germ cell tumors	10	0.9	0.29	0.9	0.29	11	0.7	0.22	0.7	0.22
X(c). Malignant gonadal germ cell tumors	22	2.0	0.43	2.0	0.43	53	3.4	0.47	3.6	0.50
XI. Other malignant epithelial neoplasms and melanomas	123	11.3	1.02	11.3	1.02	482	30.9	1.41	33.5	1.53
XI(b). Thyroid carcinomas	45	4.2	0.62	4.2	0.62	238	15.2	0.99	16.6	1.08
XI(d). Malignant melanomas	13	1.2	0.33	1.2	0.33	59	3.8	0.49	4.1	0.53
XII. Other & unspecified malignant neoplasms	6	0.5	0.22	0.5	0.22	15	1.0	0.25	1.0	0.27

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

NAACCR North American Combined Pediatric Cancer Incidence 2013-2017

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR North American Combined[2], 2013-2017, All Races, Males

	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
Cancer Types	*Avg Annual Cases*	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**2,737**	**248.6**	**2.13**	**1,624**	**143.6**	**1.60**	**1,778**	**155.9**	**1.66**	**2,819**	**239.5**	**2.02**
I. Leukemias	967	87.8	1.26	535	47.2	0.92	430	37.7	0.81	483	41.1	0.84
I(a). Lymphoid leukemias	739	67.0	1.10	434	38.3	0.82	290	25.4	0.67	269	22.9	0.62
I(b). Acute myeloid leukemias	134	12.1	0.47	54	4.7	0.29	85	7.4	0.36	113	9.6	0.40
II. Lymphomas & reticuloendothelial neoplasms	228	20.7	0.61	293	25.9	0.68	405	35.6	0.79	692	58.8	1.00
II(a). Hodgkin lymphomas	10	0.9	0.13	65	5.8	0.32	155	13.5	0.49	363	30.9	0.73
II(b, c, e). Non-Hodgkin lymphomas	92	8.4	0.39	165	14.6	0.51	201	17.7	0.56	299	25.4	0.66
III. CNS[3] & misc. intracranial & intraspinal neoplasms	480	43.7	0.89	427	37.7	0.82	341	29.9	0.72	276	23.5	0.63
III(a). Ependymomas and choroids plexus tumor	65	5.8	0.33	28	2.4	0.21	25	2.2	0.20	18	1.5	0.16
III(b). Astrocytomas	224	20.4	0.61	196	17.3	0.55	183	16.0	0.53	157	13.3	0.48
III(c). Intracranial and intraspinal embryonal tumors	121	11.0	0.45	102	9.0	0.40	58	5.1	0.30	31	2.6	0.21
III(d). Other gliomas	55	5.0	0.30	87	7.6	0.37	63	5.5	0.31	54	4.6	0.28
IV. Neuroblastoma and other peripheral nervous cell tumors	334	30.4	0.74	55	4.9	0.29	16	1.4	0.16	11	1.0	0.13
IV(a). Neuroblastoma & ganglioneuroblastoma	333	30.3	0.74	53	4.7	0.29	11	1.0	0.13	6	0.5	0.10
V. Retinoblastoma	143	12.9	0.49	3	0.3	0.07	-	-	-	-	-	-
VI. Renal Tumors	194	17.6	0.57	62	5.4	0.31	18	1.6	0.17	23	1.9	0.18
VI(a). Nephroblastoma and other nonepithelial renal tumors	192	17.5	0.56	57	5.0	0.30	8	0.7	0.11	4	0.3	0.08
VII. Hepatic tumors	97	8.7	0.40	11	1.0	0.13	10	0.8	0.12	13	1.1	0.14
VII(a). Hepatoblastoma	93	8.5	0.39	8	0.7	0.11	2	0.2	0.05	-	-	-
VIII. Malignant bone tumors	17	1.5	0.16	72	6.4	0.34	178	15.6	0.52	208	17.6	0.55
VIII(a). Osteosarcomas	3	0.3	0.07	33	3.0	0.23	109	9.5	0.41	122	10.4	0.42
VIII(c). Ewing tumor and related sarcomas of bone	10	0.9	0.13	32	2.8	0.22	54	4.7	0.29	62	5.2	0.30
IX. Soft tissue and other extraosseous sarcomas	164	14.9	0.52	101	9.0	0.40	142	12.5	0.47	205	17.4	0.55
IX(a). Rhabdomyosarcomas	96	8.7	0.40	56	4.9	0.30	48	4.3	0.27	51	4.3	0.27
X. Germ cell & trophoblastic tumors & neoplasms of gonads	70	6.3	0.34	17	1.5	0.16	71	6.2	0.33	483	40.9	0.84
X(a). Intracranial & intraspinal germ cell tumors	8	0.7	0.12	13	1.2	0.15	50	4.4	0.28	49	4.2	0.27
X(c). Malignant gonadal germ cell tumors	35	3.2	0.24	-	-	-	15	1.3	0.15	404	34.3	0.76
XI. Other malignant epithelial neoplasms and melanomas	26	2.3	0.21	44	3.9	0.26	160	14.1	0.50	415	35.2	0.77
XI(b). Thyroid carcinomas	2	0.2	0.06	10	0.9	0.13	47	4.1	0.27	126	10.7	0.43
XI(d). Malignant melanomas	16	1.4	0.16	14	1.3	0.15	30	2.7	0.22	81	6.8	0.34
XII. Other & unspecified malignant neoplasms	19	1.7	0.18	4	0.3	0.08	6	0.5	0.09	11	0.9	0.12

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-specific Incidence Rates[1] for Pediatric Cancers
NAACCR North American Combined[2], 2013-2017, All Races, Females

Cancer Types	Ages 0-4			Ages 5-9			Ages 10-14			Ages 15-19		
	Avg Annual Cases	*Rate*	*S.E.[3]*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*	*Avg Annual Cases*	*Rate*	*S.E.*
All Sites	**2,370**	**225.3**	**2.07**	**1,336**	**123.1**	**1.51**	**1,600**	**146.1**	**1.64**	**2,576**	**229.7**	**2.03**
I. Leukemias	831	78.9	1.23	427	39.4	0.85	332	30.4	0.75	319	28.5	0.71
I(a). Lymphoid leukemias	633	60.1	1.07	343	31.5	0.76	212	19.4	0.60	131	11.7	0.46
I(b). Acute myeloid leukemias	125	11.8	0.48	50	4.6	0.29	72	6.6	0.35	106	9.5	0.41
II. Lymphomas & reticuloendothelial neoplasms	150	14.2	0.52	140	12.9	0.49	249	22.8	0.65	518	46.2	0.91
II(a). Hodgkin lymphomas	3	0.2	0.07	22	2.1	0.20	121	11.1	0.45	360	32.1	0.76
II(b, c, e). Non-Hodgkin lymphomas	53	5.0	0.31	73	6.8	0.35	99	9.1	0.41	146	13.0	0.48
III. CNS[3] & misc. intracranial & intraspinal neoplasms	425	40.4	0.88	360	33.2	0.78	295	26.9	0.70	233	20.8	0.61
III(a). Ependymomas and choroids plexus tumor	51	4.9	0.31	23	2.1	0.20	16	1.4	0.16	16	1.4	0.16
III(b). Astrocytomas	211	20.1	0.62	189	17.4	0.57	172	15.7	0.54	130	11.5	0.45
III(c). Intracranial and intraspinal embryonal tumors	91	8.6	0.41	57	5.3	0.31	33	3.0	0.24	21	1.9	0.18
III(d). Other gliomas	55	5.2	0.32	81	7.4	0.37	61	5.6	0.32	52	4.7	0.29
IV. Neuroblastoma and other peripheral nervous cell tumors	307	29.1	0.75	48	4.4	0.29	15	1.4	0.16	13	1.1	0.14
IV(a). Neuroblastoma & ganglioneuroblastoma	306	29.0	0.74	47	4.3	0.28	13	1.2	0.15	8	0.7	0.11
V. Retinoblastoma	130	12.3	0.48	6	0.5	0.10	-	-	-	-	-	-
VI. Renal Tumors	215	20.4	0.62	84	7.7	0.38	20	1.8	0.18	24	2.2	0.20
VI(a). Nephroblastoma and other nonepithelial renal tumors	213	20.2	0.62	79	7.3	0.37	11	1.0	0.14	4	0.3	0.08
VII. Hepatic tumors	62	5.8	0.33	9	0.8	0.12	8	0.7	0.11	15	1.3	0.15
VII(a). Hepatoblastoma	61	5.7	0.33	5	0.5	0.09	3	0.2	0.07	-	-	-
VIII. Malignant bone tumors	20	1.9	0.19	67	6.2	0.34	146	13.3	0.49	123	11.0	0.44
VIII(a). Osteosarcomas	3	0.3	0.08	36	3.3	0.25	86	7.9	0.38	63	5.6	0.32
VIII(c). Ewing tumor and related sarcomas of bone	13	1.3	0.15	25	2.3	0.21	43	3.9	0.27	39	3.4	0.25
IX. Soft tissue and other extraosseous sarcomas	113	10.8	0.45	84	7.8	0.38	127	11.6	0.46	163	14.5	0.51
IX(a). Rhabdomyosarcomas	69	6.6	0.36	42	3.9	0.27	37	3.3	0.25	33	3.0	0.23
X. Germ cell & trophoblastic tumors & neoplasms of gonads	76	7.2	0.37	39	3.6	0.26	107	9.8	0.42	160	14.2	0.50
X(a). Intracranial & intraspinal germ cell tumors	9	0.9	0.13	13	1.2	0.15	18	1.6	0.17	7	0.7	0.11
X(c). Malignant gonadal germ cell tumors	5	0.5	0.10	22	2.0	0.19	75	6.9	0.35	92	8.1	0.38
XI. Other malignant epithelial neoplasms and melanomas	29	2.8	0.23	66	6.2	0.34	294	26.9	0.70	990	88.3	1.26
XI(b). Thyroid carcinomas	4	0.3	0.08	22	2.0	0.19	147	13.5	0.50	584	52.0	0.96
XI(d). Malignant melanomas	15	1.4	0.16	21	1.9	0.19	29	2.7	0.22	131	11.7	0.46
XII. Other & unspecified malignant neoplasms	15	1.4	0.17	4	0.4	0.08	6	0.5	0.10	18	1.6	0.17

[1] Rates are **per million** population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR North American Combined[2], 2013-2017, All Races, Males

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.[3]*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**6,139**	**181.6**	**1.04**	**183.2**	**1.05**	**8,958**	**196.2**	**0.93**	**199.2**	**0.94**
I. Leukemias	1,932	57.0	0.58	57.7	0.59	2,416	53.0	0.48	52.9	0.48
I(a). Lymphoid leukemias	1,462	43.1	0.51	43.6	0.51	1,732	38.0	0.41	37.7	0.41
I(b). Acute myeloid leukemias	271	8.0	0.22	8.1	0.22	385	8.4	0.19	8.6	0.20
II. Lymphomas & reticuloendothelial neoplasms	926	27.5	0.41	27.5	0.40	1,618	35.4	0.39	36.4	0.41
II(a). Hodgkin lymphomas	229	6.8	0.20	6.8	0.20	592	12.9	0.24	13.6	0.25
II(b, c, e). Non-Hodgkin lymphomas	459	13.6	0.29	13.6	0.28	758	16.6	0.27	16.9	0.28
III. CNS[3] & misc. intracranial & intraspinal neoplasms	1,249	37.0	0.47	37.1	0.47	1,525	33.6	0.39	33.2	0.38
III(a). Ependymomas and choroids plexus tumor	117	3.4	0.14	3.5	0.15	135	3.0	0.11	2.9	0.11
III(b). Astrocytomas	604	17.9	0.33	17.9	0.33	760	16.7	0.27	16.6	0.27
III(c). Intracranial and intraspinal embryonal tumors	280	8.3	0.22	8.3	0.22	311	6.9	0.17	6.7	0.17
III(d). Other gliomas	204	6.1	0.19	6.0	0.19	258	5.7	0.16	5.6	0.16
IV. Neuroblastoma and other peripheral nervous cell tumors	405	11.9	0.27	12.3	0.27	416	9.2	0.20	9.1	0.20
IV(a). Neuroblastoma & ganglioneuroblastoma	397	11.7	0.26	12.1	0.27	404	8.9	0.20	8.8	0.20
V. Retinoblastoma	147	4.3	0.16	4.5	0.17	147	3.2	0.12	3.2	0.12
VI. Renal Tumors	273	8.0	0.22	8.2	0.22	297	6.5	0.17	6.4	0.17
VI(a). Nephroblastoma and other nonepithelial renal tumors	257	7.6	0.21	7.8	0.22	261	5.7	0.16	5.6	0.16
VII. Hepatic tumors	118	3.4	0.14	3.6	0.15	130	2.8	0.11	2.9	0.11
VII(a). Hepatoblastoma	103	3.0	0.13	3.1	0.14	103	2.3	0.10	2.2	0.10
VIII. Malignant bone tumors	266	7.9	0.22	7.9	0.22	474	10.4	0.21	10.6	0.22
VIII(a). Osteosarcomas	146	4.3	0.16	4.3	0.16	267	5.8	0.16	6.0	0.17
VIII(c). Ewing tumor and related sarcomas of bone	96	2.9	0.13	2.8	0.13	158	3.4	0.12	3.5	0.13
IX. Soft tissue and other extraosseous sarcomas	408	12.1	0.27	12.2	0.27	613	13.4	0.24	13.7	0.25
IX(a). Rhabdomyosarcomas	201	5.9	0.19	6.0	0.19	251	5.5	0.16	5.5	0.16
X. Germ cell & trophoblastic tumors & neoplasms of gonads	158	4.7	0.17	4.7	0.17	640	13.8	0.24	15.0	0.27
X(a). Intracranial & intraspinal germ cell tumors	71	2.1	0.11	2.1	0.11	120	2.6	0.11	2.7	0.11
X(c). Malignant gonadal germ cell tumors	50	1.5	0.09	1.5	0.10	456	9.8	0.20	10.9	0.23
XI. Other malignant epithelial neoplasms and melanomas	229	6.8	0.20	6.8	0.20	644	14.0	0.25	14.9	0.26
XI(b). Thyroid carcinomas	60	1.8	0.10	1.8	0.10	186	4.0	0.13	4.3	0.14
XI(d). Malignant melanomas	60	1.8	0.10	1.8	0.10	141	3.1	0.12	3.2	0.12
XII. Other & unspecified malignant neoplasms	28	0.8	0.07	0.8	0.07	39	0.8	0.06	0.9	0.06

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Average Annual Cancer Cases and Age-adjusted Incidence Rates[1] for Pediatric Cancers
NAACCR North American Combined[2], 2013-2017, All Races, Females

	Ages 0-14					Ages 0-19				
		2000 U.S.		2011 Cdn			2000 U.S.		2011 Cdn	
Cancer Types	*Avg. Annual Cases*	*Rate*	*S.E.*[3]	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Rate*	*S.E.*
All Sites	**5,306**	**163.9**	**1.01**	**165.5**	**1.02**	**7,882**	**180.4**	**0.91**	**183.7**	**0.93**
I. Leukemias	1,591	49.0	0.55	49.6	0.56	1,911	43.9	0.45	43.6	0.45
I(a). Lymphoid leukemias	1,188	36.6	0.48	37.0	0.48	1,319	30.3	0.37	29.8	0.37
I(b). Acute myeloid leukemias	246	7.6	0.22	7.7	0.22	353	8.1	0.19	8.2	0.20
II. Lymphomas & reticuloendothelial neoplasms	539	16.7	0.32	16.7	0.32	1,057	24.1	0.33	25.1	0.35
II(a). Hodgkin lymphomas	146	4.6	0.17	4.5	0.17	507	11.5	0.23	12.4	0.25
II(b, c, e). Non-Hodgkin lymphomas	225	7.0	0.21	7.0	0.21	371	8.5	0.20	8.7	0.20
III. CNS[3] & misc. intracranial & intraspinal neoplasms	1,080	33.4	0.45	33.5	0.46	1,313	30.2	0.37	29.9	0.37
III(a). Ependymomas and choroids plexus tumor	91	2.8	0.13	2.8	0.13	106	2.4	0.11	2.4	0.11
III(b). Astrocytomas	572	17.7	0.33	17.7	0.33	701	16.1	0.27	16.0	0.27
III(c). Intracranial and intraspinal embryonal tumors	181	5.6	0.19	5.6	0.19	202	4.7	0.15	4.6	0.14
III(d). Other gliomas	197	6.1	0.19	6.0	0.19	249	5.7	0.16	5.7	0.16
IV. Neuroblastoma and other peripheral nervous cell tumors	370	11.4	0.26	11.7	0.27	383	8.8	0.20	8.7	0.20
IV(a). Neuroblastoma & ganglioneuroblastoma	365	11.2	0.26	11.6	0.27	373	8.6	0.20	8.5	0.20
V. Retinoblastoma	136	4.2	0.16	4.3	0.17	136	3.1	0.12	3.1	0.12
VI. Renal Tumors	318	9.8	0.25	10.0	0.25	343	7.9	0.19	7.7	0.19
VI(a). Nephroblastoma and other nonepithelial renal tumors	303	9.3	0.24	9.5	0.24	306	7.0	0.18	6.9	0.18
VII. Hepatic tumors	79	2.4	0.12	2.5	0.13	93	2.1	0.10	2.1	0.10
VII(a). Hepatoblastoma	69	2.1	0.11	2.2	0.12	69	1.6	0.09	1.6	0.08
VIII. Malignant bone tumors	233	7.2	0.21	7.2	0.21	356	8.2	0.19	8.3	0.20
VIII(a). Osteosarcomas	126	3.9	0.16	3.9	0.15	189	4.3	0.14	4.4	0.14
VIII(c). Ewing tumor and related sarcomas of bone	81	2.5	0.13	2.5	0.12	120	2.7	0.11	2.8	0.11
IX. Soft tissue and other extraosseous sarcomas	324	10.0	0.25	10.1	0.25	487	11.2	0.23	11.4	0.23
IX(a). Rhabdomyosarcomas	148	4.6	0.17	4.6	0.17	181	4.2	0.14	4.1	0.14
X. Germ cell & trophoblastic tumors & neoplasms of gonads	222	6.9	0.21	6.9	0.21	382	8.7	0.20	9.0	0.21
X(a). Intracranial & intraspinal germ cell tumors	41	1.3	0.09	1.3	0.09	49	1.1	0.07	1.1	0.07
X(c). Malignant gonadal germ cell tumors	102	3.2	0.14	3.2	0.14	194	4.4	0.14	4.6	0.15
XI. Other malignant epithelial neoplasms and melanomas	390	12.1	0.27	12.1	0.27	1,381	31.3	0.38	33.8	0.41
XI(b). Thyroid carcinomas	172	5.4	0.18	5.3	0.18	756	17.1	0.28	18.6	0.30
XI(d). Malignant melanomas	65	2.0	0.11	2.0	0.11	196	4.5	0.14	4.8	0.15
XII. Other & unspecified malignant neoplasms	25	0.8	0.07	0.8	0.07	44	1.0	0.07	1.0	0.07

[1] Rates are **per million** population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the 2011 Canadian Population Standard. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
[2] See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
[3] Abbreviations: S.E. - Standard Error; CNS - Central Nervous System.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Section IV

NAACCR Combined Stage at Diagnosis by Age for Select Cancer Sites in the United States, Canada and North America

Average Annual Stage at Diagnosis Cases and Age-adjusted Rates by Age and Race and Hispanic Ethnicity for Select Cancer Sites NAACCR United States Combined, 2013-2017

Cervix, 2013-2017

	All Races			White			Black			AI/AN PRCDA[1]			API[1]			Hispanic, All Races		
Stage at Diagnosis	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*
All Ages																		
Localized	5,635	43.5	3.5	4,371	45.0	3.6	723	36.8	3.2	36	40.9	3.4	280	43.3	2.6	1,072	43.6	4.1
Regional	4,428	34.2	2.6	3,282	33.8	2.4	746	37.9	3.3	30	34.2	3.0	244	37.7	2.3	846	34.5	3.4
Distant	1,940	15.0	1.1	1,450	14.9	1.0	352	17.9	1.5	12	14.2	1.3	87	13.5	0.8	310	12.6	1.3
Unknown	937	7.2	0.5	610	6.3	0.4	146	7.4	0.7	9	10.7	1.0	36	5.5	0.3	227	9.2	0.9

Colon and Rectum, 2013-2017

	All Races			White			Black			AI/AN PRCDA[1]			API[1]			Hispanic, All Races		
Stage at Diagnosis	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*
Male																		
All Ages																		
In Situ	3,733	4.7	2.1	2,917	4.6	2.0	505	5.4	2.8	11	2.7	1.3	151	5.0	1.8	323	4.0	1.7
Localized	26,810	34.0	15.6	21,837	34.3	15.4	2,973	31.9	17.1	121	31.0	15.0	1,050	34.5	12.7	2,667	33.0	14.2
Regional	26,753	34.0	15.7	22,081	34.6	15.7	2,883	30.9	16.8	133	34.1	16.7	1,073	35.2	13.0	2,777	34.4	14.8
Distant	15,965	20.3	9.3	12,779	20.0	9.0	2,240	24.0	12.9	86	22.2	10.6	566	18.6	6.8	1,636	20.3	8.5
Unknown	5,524	7.0	3.3	4,136	6.5	3.0	719	7.7	4.7	39	10.1	5.6	207	6.8	2.7	666	8.3	3.9
Age < 50																		
In Situ	255	3.0	0.3	187	2.8	0.2	40	3.4	0.3	1	2.2	0.2	10	2.4	0.2	29	2.3	0.1
Localized	2,510	29.2	2.5	1,961	29.4	2.5	312	26.8	2.4	16	25.9	2.4	119	27.9	1.8	375	29.9	1.9
Regional	3,255	37.9	3.3	2,564	38.5	3.3	416	35.8	3.2	24	38.5	3.6	171	40.3	2.6	469	37.4	2.4
Distant	2,181	25.4	2.2	1,680	25.2	2.2	336	28.9	2.6	17	26.8	2.5	106	24.9	1.6	318	25.4	1.6
Unknown	396	4.6	0.4	269	4.0	0.3	60	5.1	0.5	4	6.6	0.6	19	4.4	0.3	64	5.1	0.3
Age ≥ 50																		
In Situ	3,478	5.0	6.9	2,731	4.8	6.5	466	5.7	9.5	9	2.8	4.2	141	5.4	6.1	293	4.3	5.8
Localized	24,300	34.6	50.1	19,877	34.8	49.0	2,661	32.6	55.7	104	31.9	48.1	931	35.5	41.1	2,292	33.6	46.6
Regional	23,498	33.5	48.3	19,517	34.2	47.9	2,467	30.2	52.3	108	33.2	51.0	901	34.4	40.4	2,308	33.9	47.2
Distant	13,784	19.6	27.9	11,099	19.4	26.8	1,904	23.3	39.8	69	21.3	31.8	459	17.5	20.5	1,318	19.3	26.4
Unknown	5,127	7.3	11.1	3,867	6.8	10.0	659	8.1	15.8	35	10.7	18.6	188	7.2	9.0	603	8.8	13.2
Female																		
All Ages																		
In Situ	2,907	4.1	1.4	2,220	3.9	1.4	460	5.0	2.0	9	2.4	0.9	107	4.0	1.0	271	4.0	1.2
Localized	24,617	34.8	12.3	19,791	34.9	12.1	3,095	33.9	13.5	120	32.6	12.6	892	33.3	8.8	2,361	34.6	10.5
Regional	24,058	34.0	12.0	19,652	34.6	11.9	2,808	30.8	12.4	130	35.1	14.4	979	36.5	9.7	2,316	33.9	10.4
Distant	13,864	19.6	7.0	10,957	19.3	6.8	2,090	22.9	9.2	82	22.2	8.9	513	19.1	5.0	1,302	19.1	5.8
Unknown	5,322	7.5	2.5	4,097	7.2	2.3	666	7.3	3.0	28	7.6	3.2	190	7.1	2.0	575	8.4	2.7
Age < 50																		
In Situ	258	3.3	0.3	194	3.2	0.3	41	3.4	0.3	-	-	-	11	2.6	0.1	34	2.8	0.2
Localized	2,673	33.7	2.6	2,054	34.3	2.7	381	31.7	2.6	19	34.4	2.7	113	27.3	1.5	390	32.3	2.0
Regional	2,719	34.3	2.7	2,058	34.4	2.7	402	33.5	2.8	19	35.2	2.8	162	39.0	2.2	424	35.2	2.2
Distant	1,919	24.2	1.9	1,438	24.0	1.9	321	26.7	2.2	12	22.7	1.8	111	26.6	1.5	292	24.2	1.5
Unknown	355	4.5	0.4	237	4.0	0.3	56	4.7	0.4	4	7.0	0.6	19	4.5	0.3	66	5.5	0.4
Age ≥ 50																		
In Situ	2,649	4.2	4.5	2,026	4.0	4.2	419	5.3	6.4	-	-	-	96	4.2	3.3	237	4.2	3.8
Localized	21,944	34.9	37.5	17,738	35.0	36.7	2,714	34.3	42.1	102	32.3	38.5	779	34.4	27.8	1,971	35.1	32.8
Regional	21,339	34.0	36.2	17,594	34.7	36.1	2,406	30.4	37.8	110	35.1	44.7	817	36.1	29.4	1,892	33.7	31.7
Distant	11,945	19.0	20.1	9,518	18.8	19.5	1,770	22.3	27.6	70	22.1	27.6	402	17.8	14.3	1,010	18.0	16.8
Unknown	4,967	7.9	8.1	3,860	7.6	7.4	610	7.7	10.0	24	7.8	10.3	171	7.6	6.4	509	9.1	8.8

[1] Abbreviations: AI/AN PRCDA - American Indian/Alaskan Native Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G); API - Asian/Pacific Islander
[2] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer.
Note: Percentages based upon small cell sizes should be used with caution.

Average Annual Stage at Diagnosis Cases and Age-adjusted Rates by Age and Race and Hispanic Ethnicity for Select Cancer Sites NAACCR United States Combined, 2013-2017

Female Breast, 2013-2017

	All Races			White			Black			AI/AN PRCDA[1]			API[1]			Hispanic, All Races		
Stage at Diagnosis	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*
All Ages																		
In Situ	57,009	18.9	29.8	45,081	18.4	29.4	7,300	20.4	31.4	175	15.9	17.3	3,161	23.8	29.7	5,251	19.1	22.0
Localized	158,353	52.5	80.4	132,270	54.0	82.8	16,119	45.0	70.3	551	50.1	56.4	6,520	49.2	61.8	13,071	47.6	56.1
Regional	65,108	21.6	34.6	51,495	21.0	34.2	9,180	25.6	40.1	278	25.3	28.0	2,834	21.4	26.7	6,945	25.3	28.8
Distant	14,154	4.7	7.2	10,964	4.5	6.9	2,382	6.7	10.4	55	5.0	5.8	504	3.8	4.8	1,279	4.7	5.4
Unknown	7,026	2.3	3.4	5,223	2.1	3.1	833	2.3	3.8	40	3.6	4.3	242	1.8	2.4	927	3.4	4.1
Age < 50																		
In Situ	11,743	21.1	11.9	8,953	21.3	11.9	1,449	18.5	10.2	37	15.3	5.8	972	24.3	13.3	1,516	19.4	8.3
Localized	24,450	44.0	24.6	18,861	44.9	25.0	3,116	39.7	21.8	104	42.8	15.7	1,784	44.6	24.2	3,223	41.2	17.4
Regional	16,035	28.8	16.2	11,950	28.4	16.0	2,582	32.9	18.0	79	32.5	11.7	1,038	26.0	14.0	2,513	32.1	13.4
Distant	2,425	4.4	2.4	1,664	4.0	2.2	543	6.9	3.8	14	5.9	2.1	145	3.6	1.9	355	4.5	1.9
Unknown	947	1.7	1.0	589	1.4	0.8	158	2.0	1.1	9	3.5	1.3	61	1.5	0.8	212	2.7	1.1
Age ≥ 50																		
In Situ	45,266	18.4	76.6	36,127	17.8	75.3	5,852	20.9	86.9	138	16.1	47.5	2,189	23.6	72.7	3,735	19.0	57.7
Localized	133,902	54.4	226.4	113,409	55.9	234.2	13,003	46.5	197.0	447	52.2	163.2	4,737	51.1	160.1	9,848	50.1	157.2
Regional	49,073	19.9	82.8	39,545	19.5	81.9	6,598	23.6	97.8	200	23.3	70.7	1,796	19.4	59.9	4,432	22.6	68.8
Distant	11,729	4.8	19.7	9,300	4.6	19.1	1,838	6.6	27.7	40	4.7	15.7	359	3.9	12.3	924	4.7	14.8
Unknown	6,079	2.5	10.0	4,634	2.3	9.1	675	2.4	10.7	31	3.6	12.4	182	2.0	6.4	715	3.6	11.9

Lung and Bronchus, 2013-2017

	All Races			White			Black			AI/AN PRCDA[1]			API[1]			Hispanic, All Races		
Stage at Diagnosis	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*
Male																		
In Situ	245	0.2	0.1	212	0.2	0.1	21	0.2	0.1	-	-	-	7	0.2	0.1	12	0.2	0.1
Localized	23,545	20.4	14.0	20,435	21.0	14.4	2,205	17.3	14.0	68	16.4	9.8	584	17.9	7.9	988	17.5	6.3
Regional	25,884	22.5	14.9	22,054	22.6	15.1	2,847	22.3	17.3	94	22.6	12.9	658	20.1	8.6	1,148	20.3	7.1
Distant	56,499	49.0	32.6	47,245	48.5	32.5	6,720	52.6	39.9	203	48.7	28.4	1,800	55.1	23.5	2,857	50.7	17.3
Unknown	9,070	7.9	5.5	7,551	7.7	5.4	970	7.6	6.6	51	12.2	8.0	220	6.7	3.2	636	11.3	4.3
Female																		
In Situ	363	0.3	0.2	312	0.3	0.2	32	0.3	0.1	-	-	-	17	0.6	0.2	18	0.4	0.1
Localized	26,687	25.2	12.9	23,373	25.6	13.7	2,384	22.4	10.7	95	22.1	10.8	604	22.0	6.2	1,115	23.4	5.4
Regional	23,425	22.1	11.3	20,200	22.2	11.9	2,463	23.1	10.8	99	23.3	11.0	497	18.1	5.1	922	19.4	4.4
Distant	47,861	45.2	23.0	40,746	44.7	23.8	5,100	47.9	22.3	195	45.7	21.5	1,450	52.7	14.7	2,194	46.1	10.3
Unknown	7,601	7.2	3.6	6,505	7.1	3.6	660	6.2	3.1	38	8.8	4.7	182	6.6	1.9	505	10.6	2.5

Prostate, 2013-2017

	All Races			White			Black			AI/AN PRCDA[1]			API[1]			Hispanic, All Races		
Stage at Diagnosis	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*	*Avg. Annual Cases*	*%*	*Rate[2]*
All Ages																		
Localized	138,784	71.4	74.2	106,629	72.0	68.3	22,828	73.4	120.1	343	65.4	42.4	2,944	67.4	35.7	11,159	67.4	60.2
Regional	24,870	12.8	12.7	20,362	13.7	12.5	3,339	10.7	16.4	70	13.4	7.9	646	14.8	7.4	1,856	11.2	9.2
Distant	13,621	7.0	8.1	10,514	7.1	7.5	2,439	7.8	15.3	57	10.8	8.5	367	8.4	5.1	1,213	7.3	7.5
Unknown	17,101	8.8	10.0	10,644	7.2	7.5	2,488	8.0	16.2	54	10.4	8.9	408	9.3	5.6	2,330	14.1	14.9
Age < 65																		
Localized	57,829	73.7	31.5	41,735	74.0	27.7	12,431	75.4	60.1	151	68.0	15.5	1,041	70.2	11.4	4,807	70.9	21.8
Regional	12,309	15.7	6.7	9,627	17.1	6.4	2,138	13.0	10.4	39	17.4	4.0	270	18.2	3.0	976	14.4	4.4
Distant	3,756	4.8	2.0	2,568	4.6	1.7	1,018	6.2	4.9	18	8.2	1.9	84	5.7	0.9	396	5.8	1.8
Unknown	4,568	5.8	2.5	2,453	4.4	1.6	893	5.4	4.3	14	6.4	1.4	88	5.9	1.0	600	8.8	2.7
Age ≥ 65																		
Localized	80,955	69.8	369.0	64,894	70.7	349.0	10,397	71.1	535.1	192	63.5	228.5	1,903	66.0	203.1	6,352	64.9	325.9
Regional	12,561	10.8	54.6	10,735	11.7	55.0	1,201	8.2	58.2	32	10.5	34.8	377	13.1	38.3	880	9.0	42.5
Distant	9,866	8.5	50.1	7,947	8.7	47.3	1,421	9.7	87.3	38	12.7	54.2	283	9.8	34.0	817	8.4	47.3
Unknown	12,533	10.8	62.2	8,191	8.9	47.9	1,595	10.9	98.9	40	13.3	60.2	320	11.1	37.5	1,731	17.7	98.7

[1] Abbreviations: AI/AN PRCDA - American Indian/Alaskan Native Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G); API - Asian/Pacific Islander
[2] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer.
Note: Percentages based upon small cell sizes should be used with caution.

Average Annual Stage at Diagnosis Cases and Age-adjusted Rates by Age for Select Cancer Sites NAACCR Canada Combined, 2013-2017

Cervix, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
All Ages			
Localized	268	48.1	3.9
Regional	184	33.1	2.4
Distant	57	10.3	0.7
Unknown	47	8.4	0.6

Colon and Rectum, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
Male			
All Ages			
In Situ	960	15.8	11.7
Localized	1,938	31.8	24.5
Regional	1,880	30.8	23.9
Distant	1,063	17.4	13.5
Unknown	254	4.2	3.5
Age < 50			
In Situ	43	10.9	1.0
Localized	109	27.8	2.4
Regional	141	36.0	3.1
Distant	88	22.4	1.9
Unknown	11	2.9	0.3
Age ≥ 50			
In Situ	917	16.1	39.8
Localized	1,829	32.1	82.5
Regional	1,738	30.5	78.1
Distant	975	17.1	43.8
Unknown	243	4.3	12.1
Female			
All Ages			
In Situ	571	12.5	6.5
Localized	1,513	33.0	17.2
Regional	1,441	31.4	16.4
Distant	810	17.7	9.2
Unknown	247	5.4	2.6
Age < 50			
In Situ	37	10.6	0.8
Localized	114	32.6	2.6
Regional	111	31.7	2.5
Distant	78	22.3	1.7
Unknown	10	2.7	0.2
Age ≥ 50			
In Situ	534	12.6	21.2
Localized	1,399	33.1	55.7
Regional	1,330	31.4	52.7
Distant	731	17.3	28.6
Unknown	238	5.6	8.9

Female Breast, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
All Ages			
In Situ	1,443	12.8	16.9
Localized	6,014	53.3	69.5
Regional	3,086	27.4	37.1
Distant	601	5.3	7.0
Unknown	137	1.2	1.5
Age < 50			
In Situ	262	13.7	5.9
Localized	842	44.2	18.9
Regional	702	36.8	15.8
Distant	93	4.9	2.1
Unknown	9	0.5	0.2
Age ≥ 50			
In Situ	1,181	12.6	45.9
Localized	5,172	55.2	202.0
Regional	2,384	25.4	92.7
Distant	509	5.4	19.9
Unknown	128	1.4	4.7

Lung and Bronchus, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
Male			
In Situ	12	0.2	0.2
Localized	804	16.4	10.5
Regional	1,209	24.7	15.6
Distant	2,767	56.5	35.4
Unknown	104	2.1	1.4
Female			
In Situ	22	0.5	0.3
Localized	1,038	21.1	11.7
Regional	1,224	24.9	13.7
Distant	2,533	51.5	28.3
Unknown	102	2.1	1.1

Prostate, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
All Ages			
Localized	5,687	68.7	67.7
Regional	1,456	17.6	16.3
Distant	900	10.9	12.2
Unknown	229	2.8	3.3
Age < 65			
Localized	2,045	71.3	23.7
Regional	638	22.2	7.3
Distant	157	5.5	1.8
Unknown	31	1.1	0.4
Age ≥ 65			
Localized	3,641	67.4	372.0
Regional	819	15.2	79.0
Distant	744	13.8	84.2
Unknown	198	3.7	23.3

[2] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer.
Note: Percentages based upon small cell sizes should be used with caution.

Average Annual Stage at Diagnosis Cases and Age-adjusted Rates by Age for Select Cancer Sites NAACCR North America Combined, 2013-2017

Cervix, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
All Ages			
Localized	5,892	43.8	3.5
Regional	4,602	34.2	2.5
Distant	1,993	14.8	1.0
Unknown	979	7.3	0.5

Colon and Rectum, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
Male			
All Ages			
In Situ	4,683	5.5	2.5
Localized	28,709	33.9	16.0
Regional	28,595	33.7	16.1
Distant	17,000	20.1	9.5
Unknown	5,765	6.8	3.4
Age < 50			
In Situ	296	3.3	0.3
Localized	2,613	29.1	2.5
Regional	3,390	37.8	3.3
Distant	2,263	25.2	2.2
Unknown	406	4.5	0.4
Age ≥ 50			
In Situ	4,387	5.8	8.4
Localized	26,097	34.4	51.5
Regional	25,205	33.3	49.7
Distant	14,737	19.4	28.6
Unknown	5,358	7.1	11.1
Female			
All Ages			
In Situ	3,467	4.6	1.6
Localized	26,088	34.7	12.5
Regional	25,459	33.9	12.2
Distant	14,641	19.5	7.0
Unknown	5,551	7.4	2.5
Age < 50			
In Situ	294	3.6	0.3
Localized	2,781	33.7	2.6
Regional	2,824	34.2	2.7
Distant	1,991	24.1	1.9
Unknown	363	4.4	0.3
Age ≥ 50			
In Situ	3,173	4.7	5.2
Localized	23,307	34.8	38.2
Regional	22,635	33.8	36.9
Distant	12,650	18.9	20.5
Unknown	5,188	7.7	8.1

Female Breast, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
All Ages			
In Situ	58,314	18.7	29.2
Localized	164,076	52.5	79.9
Regional	68,047	21.8	34.7
Distant	14,718	4.7	7.2
Unknown	7,148	2.3	3.4
Age < 50			
In Situ	11,971	20.9	11.6
Localized	25,233	44.0	24.3
Regional	16,695	29.1	16.2
Distant	2,509	4.4	2.4
Unknown	952	1.7	0.9
Age ≥ 50			
In Situ	46,343	18.2	75.3
Localized	138,843	54.5	225.4
Regional	51,352	20.1	83.2
Distant	12,209	4.8	19.7
Unknown	6,196	2.4	9.8

Lung and Bronchus, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
Male			
In Situ	257	0.2	0.1
Localized	24,324	20.3	13.8
Regional	27,065	22.6	15.0
Distant	59,199	49.3	32.8
Unknown	9,153	7.6	5.4
Female			
In Situ	385	0.3	0.2
Localized	27,686	25.0	12.9
Regional	24,613	22.2	11.4
Distant	50,322	45.5	23.2
Unknown	7,685	6.9	3.5

Prostate, 2013-2017

Stage at Diagnosis	All Races Avg. Annual Cases	%	Rate[2]
All Ages			
Localized	144,197	71.3	73.9
Regional	26,287	13.0	12.9
Distant	14,493	7.2	8.3
Unknown	17,296	8.6	9.7
Age < 65			
Localized	59,744	73.6	31.2
Regional	12,925	15.9	6.7
Distant	3,902	4.8	2.0
Unknown	4,589	5.7	2.4
Age ≥ 65			
Localized	84,453	69.7	369.0
Regional	13,362	11.0	55.6
Distant	10,591	8.7	51.6
Unknown	12,707	10.5	60.5

[2] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer.
Note: Percentages based upon small cell sizes should be used with caution.

Section V

Average-annual Age-adjusted Cancer Incidence Observed and Delay Adjusted Counts and Rates for Select Cancer Sites in the United States, Canada and North America

NAACCR U.S. Combined Delay Adjusted Incidence 2013-2017, All Races Combined

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR United States Combined[1], 2013-2017, All Races

	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	833,268	477.1	0.24	850,547	487.0	0.24	821,438	413.7	0.21	838,303	422.2	0.21
Oral Cavity & Pharynx	32,491	17.9	0.05	33,120	18.3	0.05	13,019	6.4	0.03	13,261	6.6	0.03
Digestive												
Esophagus	13,848	7.8	0.03	14,004	7.9	0.03	3,700	1.8	0.01	3,740	1.8	0.01
Stomach	15,139	8.9	0.03	15,325	9.0	0.03	9,377	4.6	0.02	9,491	4.7	0.02
Colon & Rectum	75,621	44.0	0.07	76,664	44.6	0.07	68,321	33.7	0.06	69,249	34.1	0.06
Liver & IBD[2]	24,108	12.9	0.04	24,626	13.2	0.04	9,600	4.6	0.02	9,806	4.7	0.02
Pancreas	25,385	14.7	0.04	25,698	14.9	0.04	23,763	11.3	0.03	24,048	11.4	0.03
Respiratory												
Larynx	10,085	5.6	0.03	10,234	5.7	0.03	2,580	1.2	0.01	2,618	1.3	0.01
Lung & bronchus	115,828	67.1	0.09	117,268	67.9	0.09	106,446	50.8	0.07	107,786	51.5	0.07
Skin												
Melanomas of the skin	48,083	28.4	0.06	49,262	29.1	0.06	33,242	17.6	0.04	34,026	18.0	0.05
Breast (female cases only)	-	-	-	-	-	-	246,313	125.6	0.12	249,907	127.5	0.12
Female Genital												
Cervix uteri	-	-	-	-	-	-	13,050	7.7	0.03	13,229	7.8	0.03
Corpus & uterus, NOS[2]	-	-	-	-	-	-	55,571	27.0	0.05	56,090	27.3	0.05
Ovary	-	-	-	-	-	-	21,505	10.9	0.03	21,997	11.2	0.04
Male Genital												
Prostate	195,572	104.9	0.11	201,920	108.4	0.11	-	-	-	-	-	-
Testis	8,846	5.7	0.03	8,963	5.8	0.03	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	57,232	34.4	0.07	58,402	35.1	0.07	17,941	8.5	0.03	18,304	8.7	0.03
Kidney & renal pelvis	39,858	22.7	0.05	40,722	23.2	0.05	23,148	11.6	0.04	23,652	11.9	0.04
Brain & Other CNS[2]	12,747	7.6	0.03	13,019	7.8	0.03	10,132	5.5	0.03	10,345	5.6	0.03
Endocrine												
Thyroid gland	12,465	7.4	0.03	12,634	7.5	0.03	36,745	21.4	0.05	37,248	21.7	0.05
Lymphomas												
Hodgkin Lymphoma	4,840	3.0	0.02	4,924	3.0	0.02	3,906	2.3	0.02	3,974	2.4	0.02
Non-Hodgkin Lymphoma	39,129	23.2	0.05	40,233	23.9	0.06	32,063	15.9	0.04	32,961	16.4	0.04
Multiple Myeloma	14,639	8.5	0.03	15,635	9.1	0.03	11,579	5.6	0.02	12,370	6.0	0.03
Leukemias	29,624	17.8	0.05	32,127	19.3	0.05	21,179	10.9	0.03	22,953	11.7	0.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	833,268	477.1	0.24	195,572	104.9	0.11	115,828	67.1	0.09	75,621	44.0	0.07	57,232	34.4	0.07	48,083	28.4	0.06
Delay Adjusted	850,547	487.0	0.24	201,920	108.4	0.11	117,268	67.9	0.09	76,664	44.6	0.07	58,402	35.1	0.07	49,262	29.1	0.06
Alabama																		
Observed	13,773	510.5	2.00	3,486	121.0	0.94	2,279	84.1	0.81	1,332	50.4	0.64	835	32.7	0.52	725	28.2	0.48
Delay Adjusted	13,896	515.0	2.02	3,532	122.6	0.95	2,290	84.5	0.81	1,341	50.7	0.64	839	32.8	0.52	731	28.4	0.49
Alaska																		
Observed	1,464	430.2	5.58	303	83.4	2.39	202	64.8	2.28	156	45.1	1.79	101	34.4	1.71	54	16.7	1.12
Delay Adjusted	1,521	446.8	5.80	321	88.5	2.54	207	66.7	2.34	161	46.4	1.84	104	35.5	1.76	58	17.9	1.20
Arizona																		
Observed	15,680	402.9	1.46	3,249	79.1	0.63	2,021	51.2	0.52	1,422	37.2	0.45	1,220	31.6	0.41	1,256	33.0	0.42
Delay Adjusted	16,393	421.3	1.53	3,475	84.6	0.67	2,065	52.3	0.53	1,487	39.0	0.47	1,276	33.1	0.43	1,320	34.7	0.44
Arkansas																		
Observed	8,849	526.8	2.56	2,016	112.4	1.14	1,627	95.8	1.08	840	51.2	0.81	567	35.1	0.67	454	28.3	0.61
Delay Adjusted	8,980	534.6	2.60	2,046	114.0	1.16	1,640	96.5	1.09	849	51.7	0.82	573	35.5	0.68	462	28.8	0.62
California																		
Observed	81,526	424.2	0.68	18,743	93.0	0.31	8,507	46.4	0.23	7,657	39.9	0.21	5,288	29.3	0.18	5,752	30.4	0.18
Delay Adjusted	82,854	431.1	0.69	19,217	95.3	0.32	8,608	46.9	0.23	7,729	40.3	0.21	5,364	29.8	0.19	5,832	30.9	0.19
Greater California																		
Observed	46,826	436.8	0.92	10,645	94.3	0.42	4,990	48.4	0.31	4,255	39.9	0.28	3,109	30.9	0.25	3,594	34.2	0.26
Delay Adjusted	47,711	445.0	0.94	10,954	97.1	0.43	5,057	49.1	0.32	4,305	40.4	0.28	3,166	31.5	0.26	3,650	34.7	0.26
Greater Bay																		
Observed	15,900	422.4	1.53	3,657	92.2	0.70	1,593	44.5	0.51	1,449	38.2	0.46	1,010	28.4	0.41	1,277	34.3	0.44
Delay Adjusted	16,058	426.6	1.55	3,704	93.5	0.71	1,606	44.8	0.51	1,454	38.3	0.46	1,017	28.6	0.41	1,285	34.5	0.44
Los Angeles																		
Observed	18,803	397.1	1.33	4,442	90.3	0.62	1,925	43.1	0.45	1,953	41.2	0.43	1,170	26.4	0.35	882	18.9	0.29
Delay Adjusted	19,088	403.0	1.35	4,560	92.7	0.64	1,946	43.6	0.46	1,970	41.5	0.43	1,182	26.7	0.36	898	19.3	0.30
Colorado																		
Observed	11,271	410.7	1.80	2,727	92.7	0.83	1,143	44.1	0.61	996	37.0	0.54	802	31.7	0.52	747	27.6	0.47
Delay Adjusted	11,471	418.0	1.83	2,867	97.4	0.87	1,151	44.4	0.61	1,003	37.2	0.55	827	32.7	0.54	763	28.3	0.48

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	10,111	493.9	2.25	2,447	111.3	1.03	1,314	65.0	0.82	804	40.2	0.65	867	44.0	0.68	517	25.9	0.52
Delay Adjusted	10,268	501.6	2.29	2,519	114.7	1.06	1,326	65.6	0.83	810	40.5	0.66	877	44.5	0.69	524	26.3	0.53
Delaware																		
Observed	2,932	527.9	4.48	748	124.5	2.08	416	75.3	1.69	235	44.1	1.32	226	42.2	1.28	209	38.8	1.24
Delay Adjusted	3,012	542.4	4.60	780	129.8	2.17	424	76.7	1.72	240	44.9	1.35	233	43.5	1.32	213	39.6	1.26
District of Columbia																		
Observed	1,313	447.5	5.70	375	127.4	3.03	141	49.8	1.93	117	40.9	1.74	56	20.4	1.26	43	14.9	1.05
Delay Adjusted	1,363	464.8	5.93	391	132.9	3.16	144	50.6	1.96	120	42.0	1.79	57	20.9	1.29	45	15.4	1.08
Florida																		
Observed	62,412	476.4	0.87	13,024	93.9	0.37	8,976	66.5	0.32	5,352	41.6	0.26	4,335	32.4	0.22	4,285	33.3	0.23
Delay Adjusted	65,067	496.6	0.91	14,042	101.2	0.40	9,107	67.4	0.32	5,510	42.9	0.27	4,530	33.9	0.23	4,556	35.4	0.25
Georgia																		
Observed	25,401	519.5	1.52	6,491	124.2	0.72	3,744	79.0	0.60	2,362	48.5	0.46	1,427	32.5	0.40	1,683	35.8	0.41
Delay Adjusted	25,824	528.2	1.55	6,622	126.7	0.73	3,783	79.9	0.61	2,391	49.0	0.47	1,449	33.0	0.41	1,702	36.2	0.41
Hawaii																		
Observed	3,588	429.9	3.30	771	88.2	1.46	477	57.3	1.20	391	47.2	1.10	204	24.8	0.80	239	28.8	0.86
Delay Adjusted	3,622	434.0	3.33	782	89.5	1.48	483	57.9	1.22	393	47.5	1.10	206	25.1	0.81	240	28.9	0.86
Idaho																		
Observed	4,157	463.3	3.30	1,005	105.3	1.52	480	54.2	1.14	347	39.4	0.97	314	36.2	0.94	294	33.6	0.90
Delay Adjusted	4,266	475.3	3.39	1,057	110.7	1.60	489	55.2	1.15	352	40.0	0.99	331	38.2	0.99	301	34.3	0.92
Illinois																		
Observed	33,362	496.4	1.25	7,843	109.1	0.57	4,848	73.8	0.49	3,273	49.5	0.40	2,343	36.9	0.35	1,652	25.2	0.28
Delay Adjusted	33,765	502.5	1.26	8,041	111.9	0.58	4,881	74.3	0.49	3,291	49.8	0.40	2,368	37.3	0.35	1,667	25.5	0.29
Indiana																		
Observed	17,377	495.5	1.73	3,522	94.2	0.73	3,016	86.4	0.72	1,684	48.7	0.55	1,277	38.3	0.49	912	26.8	0.41
Delay Adjusted	18,002	513.3	1.79	3,729	99.8	0.77	3,088	88.4	0.74	1,729	50.0	0.56	1,339	40.1	0.52	975	28.6	0.44

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	9,150	513.0	2.46	2,061	107.7	1.08	1,338	74.7	0.93	856	49.3	0.77	656	37.6	0.67	539	31.3	0.62
Delay Adjusted	9,261	519.2	2.49	2,098	109.7	1.10	1,353	75.6	0.94	861	49.6	0.77	662	38.0	0.68	545	31.6	0.63
Kansas																		
Observed	7,510	482.5	2.55	1,777	108.3	1.18	998	64.9	0.94	681	44.8	0.79	540	36.1	0.71	488	32.2	0.67
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	13,676	562.7	2.22	2,721	104.1	0.92	2,646	109.0	0.98	1,349	56.4	0.71	892	38.8	0.60	782	33.7	0.56
Delay Adjusted	13,819	568.6	2.25	2,761	105.6	0.93	2,664	109.7	0.98	1,361	56.9	0.72	902	39.2	0.61	790	34.0	0.56
Louisiana																		
Observed	13,261	545.5	2.19	3,404	131.2	1.04	1,981	82.6	0.86	1,277	53.1	0.69	741	32.5	0.55	553	24.2	0.47
Delay Adjusted	13,427	552.2	2.22	3,443	132.7	1.05	1,995	83.2	0.86	1,285	53.5	0.69	750	32.9	0.56	560	24.5	0.48
Maine																		
Observed	4,321	491.3	3.47	856	88.1	1.38	717	80.3	1.38	348	40.7	1.01	397	45.9	1.06	248	29.1	0.86
Delay Adjusted	4,356	495.3	3.49	869	89.5	1.41	719	80.6	1.39	350	40.9	1.01	402	46.5	1.07	250	29.3	0.86
Maryland																		
Observed	15,129	485.0	1.82	4,195	124.7	0.89	1,898	62.9	0.67	1,235	40.6	0.53	993	34.4	0.50	953	31.7	0.47
Delay Adjusted	15,511	497.2	1.86	4,332	128.7	0.92	1,940	64.3	0.68	1,258	41.4	0.54	1,017	35.2	0.51	958	31.9	0.48
Massachusetts																		
Observed	17,677	474.9	1.64	4,133	102.6	0.73	2,393	65.4	0.61	1,449	40.0	0.48	1,374	38.7	0.48	997	27.6	0.40
Delay Adjusted	17,853	479.6	1.66	4,227	105.0	0.75	2,419	66.1	0.62	1,459	40.2	0.48	1,385	39.0	0.48	1,032	28.5	0.42
Michigan																		
Observed	27,270	478.7	1.34	6,554	106.3	0.60	4,085	71.8	0.52	2,338	42.3	0.40	2,065	38.0	0.38	1,331	24.3	0.31
Delay Adjusted	27,703	486.3	1.36	6,664	108.1	0.61	4,158	73.1	0.53	2,377	43.0	0.41	2,090	38.4	0.39	1,349	24.7	0.31
Detroit																		
Observed	11,245	534.8	2.33	2,898	128.2	1.10	1,603	78.0	0.90	983	47.7	0.70	796	40.1	0.65	463	23.0	0.49
Delay Adjusted	11,333	539.1	2.35	2,916	129.0	1.11	1,612	78.4	0.90	986	47.9	0.70	803	40.4	0.66	464	23.1	0.50
Minnesota																		
Observed	14,796	491.5	1.86	3,524	108.8	0.84	1,822	61.5	0.66	1,246	42.6	0.55	1,064	37.0	0.52	1,099	37.4	0.52
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	8,540	539.8	2.70	2,164	127.7	1.26	1,526	97.6	1.15	884	56.5	0.88	457	31.0	0.67	351	23.5	0.58
Delay Adjusted	8,677	548.4	2.74	2,216	130.8	1.29	1,539	98.5	1.16	892	57.0	0.88	464	31.5	0.68	356	23.8	0.58
Missouri																		
Observed	16,433	481.4	1.72	3,364	91.4	0.72	2,858	83.6	0.71	1,558	46.9	0.54	1,151	35.1	0.47	810	24.6	0.40
Delay Adjusted	16,811	492.5	1.76	3,516	95.6	0.75	2,895	84.7	0.72	1,581	47.6	0.55	1,181	36.0	0.48	832	25.3	0.41
Montana																		
Observed	3,135	478.7	3.96	850	118.3	1.87	347	53.3	1.31	283	44.7	1.23	232	36.1	1.09	196	31.4	1.05
Delay Adjusted	3,237	494.4	4.10	893	124.2	1.96	354	54.3	1.34	290	45.8	1.26	243	37.8	1.15	202	32.4	1.08
Nebraska																		
Observed	5,031	494.0	3.19	1,263	116.7	1.50	657	65.4	1.17	479	47.9	1.00	343	35.0	0.86	288	29.2	0.79
Delay Adjusted	5,191	509.7	3.29	1,336	123.4	1.59	670	66.7	1.19	490	48.9	1.02	359	36.6	0.90	296	30.0	0.81
New Hampshire																		
Observed	4,099	502.1	3.65	991	109.2	1.60	541	67.1	1.34	330	42.0	1.07	352	45.4	1.12	304	38.3	1.02
Delay Adjusted	4,193	513.7	3.73	1,018	112.2	1.65	551	68.3	1.36	337	42.9	1.10	358	46.2	1.14	312	39.3	1.05
New Jersey																		
Observed	24,890	517.6	1.50	6,723	131.3	0.73	2,836	60.8	0.52	2,223	46.9	0.46	1,841	40.2	0.43	1,360	28.9	0.36
Delay Adjusted	25,307	526.3	1.53	6,869	134.2	0.75	2,872	61.5	0.53	2,243	47.3	0.46	1,874	40.9	0.44	1,376	29.3	0.36
New Mexico																		
Observed	4,530	384.7	2.62	1,046	82.8	1.17	510	43.9	0.89	435	37.5	0.83	281	24.4	0.67	235	20.2	0.60
Delay Adjusted	4,641	394.1	2.69	1,082	85.6	1.21	520	44.8	0.91	445	38.3	0.84	288	25.1	0.68	240	20.7	0.62
New York																		
Observed	54,589	517.7	1.01	14,016	125.0	0.48	6,862	66.2	0.36	4,614	44.7	0.30	4,022	39.9	0.29	2,420	23.7	0.22
Delay Adjusted	55,186	523.4	1.02	14,214	126.8	0.49	6,905	66.6	0.37	4,638	44.9	0.30	4,075	40.4	0.29	2,464	24.1	0.22
North Carolina																		
Observed	27,562	511.4	1.42	6,808	117.4	0.65	4,418	82.8	0.57	2,251	42.5	0.41	1,763	35.0	0.38	1,781	34.4	0.38
Delay Adjusted	28,385	526.7	1.46	7,187	123.9	0.69	4,474	83.9	0.58	2,296	43.4	0.42	1,807	35.9	0.39	1,843	35.6	0.39

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	1,927	478.9	5.02	488	113.5	2.36	258	65.4	1.86	192	48.3	1.60	132	34.6	1.38	100	25.6	1.18
Delay Adjusted	1,980	491.9	5.15	504	117.3	2.44	264	66.7	1.90	196	49.3	1.64	138	36.0	1.43	103	26.2	1.21
Ohio																		
Observed	32,676	496.4	1.26	7,389	104.1	0.56	5,262	80.0	0.51	3,035	47.2	0.39	2,415	38.3	0.36	1,849	29.3	0.31
Delay Adjusted	33,628	510.9	1.30	7,685	108.2	0.58	5,383	81.9	0.52	3,099	48.2	0.40	2,465	39.1	0.36	1,902	30.1	0.32
Oklahoma																		
Observed	10,048	482.8	2.20	2,068	93.8	0.94	1,683	80.5	0.90	982	48.1	0.70	674	34.0	0.60	592	29.7	0.56
Delay Adjusted	10,165	488.4	2.23	2,106	95.5	0.96	1,699	81.3	0.90	988	48.4	0.71	679	34.3	0.60	594	29.7	0.56
Oregon																		
Observed	10,687	453.5	2.02	2,386	93.3	0.88	1,370	58.7	0.73	888	38.8	0.60	835	36.8	0.58	749	32.7	0.55
Delay Adjusted	10,979	465.9	2.08	2,482	97.0	0.91	1,396	59.8	0.74	908	39.7	0.61	854	37.7	0.60	769	33.6	0.56
Pennsylvania																		
Observed	38,749	510.9	1.19	8,493	103.7	0.51	5,593	73.4	0.45	3,509	47.4	0.37	3,074	41.5	0.34	2,223	30.2	0.29
Delay Adjusted	39,316	518.3	1.21	8,744	106.8	0.53	5,633	73.9	0.45	3,537	47.8	0.37	3,112	42.0	0.35	2,254	30.6	0.30
Puerto Rico*																		
Observed	7,399	400.6	2.12	2,783	142.5	1.22	439	23.6	0.51	936	51.0	0.76	303	16.6	0.43	80	4.5	0.23
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Rhode Island																		
Observed	2,864	482.2	4.14	613	96.5	1.79	444	75.4	1.64	218	38.0	1.18	244	42.4	1.24	170	29.3	1.03
Delay Adjusted	2,930	493.4	4.24	636	100.2	1.86	452	76.9	1.67	221	38.5	1.20	249	43.3	1.27	173	29.8	1.05
South Carolina																		
Observed	13,984	502.0	1.97	3,464	114.5	0.90	2,243	80.0	0.78	1,185	43.7	0.59	847	32.7	0.52	826	31.0	0.50
Delay Adjusted	14,388	516.5	2.02	3,622	119.8	0.94	2,282	81.5	0.80	1,216	44.9	0.60	871	33.7	0.54	846	31.7	0.51
South Dakota																		
Observed	2,357	485.8	4.60	600	114.8	2.15	318	66.7	1.71	224	47.3	1.45	160	34.0	1.23	136	29.0	1.15
Delay Adjusted	2,455	505.7	4.79	643	123.1	2.31	328	68.7	1.76	231	48.7	1.49	170	36.3	1.31	143	30.7	1.21
Tennessee																		
Observed	18,658	512.5	1.73	4,366	111.5	0.78	3,324	91.6	0.73	1,626	45.7	0.52	1,183	34.5	0.46	907	26.0	0.40
Delay Adjusted	18,983	521.4	1.76	4,461	113.9	0.79	3,358	92.5	0.74	1,640	46.0	0.53	1,200	35.0	0.47	926	26.5	0.41

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Texas																		
Observed	54,673	439.2	0.87	12,174	94.0	0.39	7,246	61.3	0.33	5,580	44.8	0.28	3,011	26.6	0.22	2,155	17.9	0.18
Delay Adjusted	55,857	448.6	0.89	12,618	97.4	0.41	7,322	61.9	0.34	5,637	45.2	0.28	3,056	27.0	0.23	2,206	18.3	0.18
Utah																		
Observed	5,285	430.0	2.72	1,425	112.8	1.37	348	30.2	0.74	395	32.9	0.76	337	29.8	0.74	611	50.1	0.93
Delay Adjusted	5,357	435.9	2.75	1,451	114.8	1.39	352	30.6	0.75	398	33.1	0.76	343	30.3	0.76	619	50.7	0.94
Vermont																		
Observed	1,847	470.7	5.11	382	87.1	2.06	268	67.9	1.92	141	36.7	1.44	148	38.9	1.48	175	46.1	1.63
Delay Adjusted	1,877	478.4	5.19	388	88.5	2.09	272	68.8	1.95	143	37.4	1.47	151	39.6	1.51	177	46.8	1.65
Virginia																		
Observed	19,395	439.7	1.46	4,728	99.4	0.66	2,845	65.9	0.57	1,710	39.6	0.44	1,237	30.2	0.40	1,115	26.3	0.36
Delay Adjusted	19,707	446.8	1.48	4,837	101.7	0.68	2,873	66.5	0.58	1,727	40.0	0.45	1,248	30.5	0.40	1,132	26.6	0.37
Washington																		
Observed	17,827	462.9	1.60	4,087	98.7	0.71	2,201	58.8	0.58	1,494	39.3	0.47	1,339	37.2	0.47	1,180	31.3	0.42
Delay Adjusted	18,026	468.1	1.62	4,143	100.0	0.72	2,226	59.4	0.59	1,506	39.6	0.47	1,357	37.7	0.48	1,196	31.7	0.43
Seattle																		
Observed	12,863	495.0	2.02	3,032	108.7	0.91	1,505	60.3	0.72	1,074	41.6	0.59	943	39.0	0.59	914	35.9	0.55
Delay Adjusted	12,928	497.5	2.03	3,048	109.3	0.92	1,507	60.4	0.72	1,076	41.6	0.59	948	39.2	0.59	927	36.4	0.56
West Virginia																		
Observed	5,949	504.5	3.03	1,183	92.1	1.23	1,138	94.0	1.28	603	52.6	0.99	437	37.7	0.83	295	26.6	0.72
Delay Adjusted	6,084	516.2	3.10	1,210	94.2	1.26	1,156	95.5	1.30	613	53.5	1.01	446	38.4	0.85	303	27.3	0.74
Wisconsin																		
Observed	16,328	491.8	1.77	3,939	109.3	0.80	2,194	66.6	0.65	1,329	41.2	0.52	1,237	39.0	0.51	953	29.6	0.44
Delay Adjusted	16,735	504.0	1.81	4,064	112.8	0.82	2,225	67.5	0.66	1,360	42.1	0.53	1,282	40.4	0.53	1,001	31.0	0.46
Wyoming																		
Observed	1,430	426.5	5.25	394	108.1	2.53	148	45.1	1.72	117	35.9	1.55	109	34.8	1.54	88	27.0	1.34
Delay Adjusted	1,441	430.0	5.29	398	108.9	2.55	148	45.2	1.73	117	36.1	1.55	109	35.0	1.55	90	27.5	1.36

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	821,438	413.7	0.21	246,313	125.6	0.12	106,446	50.8	0.07	68,321	33.7	0.06	55,571	27.0	0.05	36,745	21.4	0.05
Delay Adjusted	838,303	422.2	0.21	249,907	127.5	0.12	107,786	51.5	0.07	69,249	34.1	0.06	56,090	27.3	0.05	37,248	21.7	0.05
Alabama																		
Observed	12,403	398.1	1.65	3,753	121.6	0.92	1,676	50.0	0.55	1,200	37.9	0.50	640	19.9	0.36	377	14.1	0.34
Delay Adjusted	12,515	401.8	1.66	3,786	122.7	0.93	1,684	50.3	0.56	1,207	38.2	0.51	643	20.0	0.36	381	14.2	0.34
Alaska																		
Observed	1,366	398.6	5.08	421	120.1	2.75	155	47.6	1.81	133	40.7	1.66	92	24.2	1.19	67	19.2	1.08
Delay Adjusted	1,418	413.8	5.27	429	122.5	2.80	160	49.1	1.87	137	41.9	1.71	94	24.7	1.21	70	20.1	1.13
Arizona																		
Observed	15,321	365.8	1.36	4,734	114.3	0.77	1,947	43.0	0.44	1,207	28.3	0.37	970	22.9	0.34	738	20.9	0.36
Delay Adjusted	16,021	382.7	1.43	4,935	119.2	0.80	1,991	43.9	0.45	1,263	29.6	0.39	1,009	23.8	0.35	768	21.7	0.37
Arkansas																		
Observed	7,835	417.9	2.18	2,192	118.2	1.17	1,259	62.6	0.80	727	37.9	0.64	458	24.1	0.52	277	17.6	0.49
Delay Adjusted	7,955	424.5	2.21	2,223	119.9	1.18	1,269	63.2	0.81	735	38.3	0.65	462	24.3	0.52	284	18.0	0.50
California																		
Observed	84,202	381.7	0.60	26,599	121.5	0.34	8,520	37.8	0.19	6,947	31.0	0.17	5,902	25.9	0.15	3,953	19.4	0.14
Delay Adjusted	85,569	387.9	0.61	26,851	122.7	0.34	8,623	38.2	0.19	7,012	31.3	0.17	5,938	26.1	0.15	3,991	19.6	0.14
Greater California																		
Observed	47,318	391.0	0.82	14,664	122.0	0.46	5,137	41.3	0.26	3,840	31.4	0.23	3,194	25.5	0.21	2,196	19.9	0.19
Delay Adjusted	48,208	398.3	0.84	14,832	123.5	0.47	5,207	41.8	0.27	3,884	31.7	0.23	3,218	25.7	0.21	2,220	20.1	0.20
Greater Bay																		
Observed	16,390	381.1	1.36	5,378	126.4	0.79	1,595	36.2	0.41	1,309	30.0	0.38	1,165	26.2	0.35	689	17.5	0.30
Delay Adjusted	16,551	384.8	1.37	5,401	126.9	0.79	1,608	36.5	0.42	1,314	30.1	0.38	1,169	26.2	0.35	694	17.6	0.30
Los Angeles																		
Observed	20,496	362.4	1.15	6,557	116.6	0.65	1,788	31.3	0.34	1,799	31.2	0.33	1,543	26.7	0.31	1,068	19.9	0.28
Delay Adjusted	20,812	368.0	1.17	6,617	117.7	0.66	1,808	31.6	0.34	1,813	31.5	0.34	1,551	26.8	0.31	1,078	20.1	0.28
Colorado																		
Observed	11,584	382.9	1.63	3,875	127.6	0.94	1,207	39.6	0.52	897	29.8	0.46	732	22.6	0.38	622	22.2	0.41
Delay Adjusted	11,791	389.7	1.66	3,893	128.2	0.95	1,216	39.9	0.53	903	30.0	0.46	734	22.6	0.38	627	22.3	0.41

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	10,506	442.4	2.00	3,263	140.5	1.14	1,407	55.8	0.68	774	31.1	0.52	735	29.6	0.50	532	27.4	0.55
Delay Adjusted	10,665	449.0	2.03	3,301	142.2	1.15	1,420	56.3	0.69	780	31.3	0.52	739	29.7	0.50	535	27.6	0.56
Delaware																		
Observed	2,813	447.2	3.92	836	134.7	2.17	415	60.8	1.36	208	32.7	1.05	202	30.6	1.00	127	25.2	1.04
Delay Adjusted	2,890	459.3	4.03	846	136.3	2.20	423	62.0	1.39	212	33.3	1.07	203	30.9	1.01	130	25.7	1.06
District of Columbia																		
Observed	1,502	415.7	4.93	489	139.4	2.89	164	44.5	1.58	133	36.5	1.45	111	30.2	1.31	72	19.3	1.06
Delay Adjusted	1,559	431.7	5.12	510	145.3	3.01	167	45.2	1.61	136	37.5	1.49	113	30.8	1.34	75	20.2	1.11
Florida																		
Observed	58,446	407.3	0.79	16,451	118.3	0.43	8,028	50.4	0.26	4,737	31.7	0.21	3,624	24.6	0.19	2,068	18.5	0.19
Delay Adjusted	60,948	424.7	0.82	16,989	122.1	0.45	8,148	51.2	0.26	4,873	32.7	0.22	3,718	25.3	0.20	2,094	18.7	0.19
Georgia																		
Observed	23,972	412.6	1.21	7,398	126.8	0.67	2,999	50.6	0.42	2,063	35.5	0.36	1,458	23.8	0.28	979	17.9	0.26
Delay Adjusted	24,362	419.3	1.23	7,470	128.0	0.68	3,030	51.1	0.42	2,088	35.9	0.36	1,467	23.9	0.29	986	18.0	0.26
Hawaii																		
Observed	3,590	401.9	3.13	1,214	138.9	1.86	357	36.3	0.88	329	35.7	0.92	283	32.6	0.90	162	22.2	0.81
Delay Adjusted	3,623	405.5	3.16	1,220	139.6	1.87	361	36.7	0.89	331	35.9	0.92	284	32.6	0.90	163	22.2	0.81
Idaho																		
Observed	3,888	411.9	3.04	1,191	126.7	1.69	451	45.7	0.98	300	31.6	0.84	249	25.2	0.74	185	22.4	0.76
Delay Adjusted	3,988	422.6	3.12	1,207	128.3	1.71	459	46.6	1.00	304	32.1	0.85	251	25.4	0.74	186	22.6	0.76
Illinois																		
Observed	34,226	436.6	1.08	10,269	133.1	0.60	4,608	56.3	0.38	2,968	36.8	0.31	2,439	30.0	0.28	1,496	21.9	0.26
Delay Adjusted	34,635	441.8	1.10	10,344	134.0	0.61	4,640	56.7	0.38	2,984	37.0	0.31	2,449	30.1	0.28	1,506	22.0	0.26
Indiana																		
Observed	17,135	425.5	1.49	4,915	122.9	0.81	2,596	61.4	0.55	1,541	37.5	0.44	1,171	28.2	0.38	626	18.4	0.34
Delay Adjusted	17,742	440.3	1.55	5,010	125.3	0.82	2,659	62.9	0.56	1,581	38.4	0.45	1,182	28.5	0.38	643	18.9	0.35

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	8,697	442.5	2.21	2,465	128.9	1.21	1,150	54.5	0.74	804	38.7	0.64	615	30.1	0.56	337	21.5	0.54
Delay Adjusted	8,800	447.6	2.24	2,475	129.5	1.22	1,163	55.2	0.75	808	38.9	0.64	618	30.3	0.57	339	21.6	0.55
Kansas																		
Observed	7,158	417.5	2.28	2,137	126.0	1.26	902	49.7	0.75	606	34.3	0.64	465	26.4	0.56	350	23.9	0.59
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	13,117	474.1	1.91	3,491	126.7	0.99	2,277	77.5	0.74	1,171	41.5	0.56	773	27.5	0.46	546	23.1	0.46
Delay Adjusted	13,253	479.0	1.93	3,513	127.5	1.00	2,293	78.0	0.74	1,181	41.9	0.56	776	27.6	0.46	552	23.3	0.46
Louisiana																		
Observed	11,664	418.4	1.78	3,484	125.9	0.98	1,564	53.6	0.62	1,090	38.7	0.54	592	20.5	0.39	521	20.9	0.42
Delay Adjusted	11,811	423.7	1.80	3,510	126.8	0.99	1,575	53.9	0.62	1,097	38.9	0.54	596	20.6	0.39	528	21.2	0.43
Maine																		
Observed	4,355	452.3	3.23	1,203	127.4	1.74	679	65.8	1.16	333	33.4	0.86	325	31.4	0.81	169	22.4	0.82
Delay Adjusted	4,392	456.2	3.26	1,220	129.2	1.76	682	66.1	1.16	334	33.6	0.86	325	31.5	0.81	169	22.5	0.83
Maryland																		
Observed	15,642	422.0	1.55	4,903	132.9	0.87	1,980	51.7	0.53	1,235	33.0	0.43	1,090	27.9	0.39	693	21.0	0.37
Delay Adjusted	16,036	432.6	1.59	4,993	135.3	0.89	2,026	52.9	0.54	1,258	33.6	0.44	1,101	28.2	0.39	706	21.4	0.37
Massachusetts																		
Observed	19,173	437.6	1.46	5,921	137.9	0.83	2,732	59.2	0.52	1,415	31.4	0.39	1,328	29.0	0.36	1,035	27.6	0.40
Delay Adjusted	19,356	441.6	1.47	5,926	138.1	0.83	2,761	59.9	0.52	1,424	31.6	0.39	1,329	29.0	0.36	1,038	27.7	0.40
Michigan																		
Observed	26,588	415.8	1.18	7,708	122.6	0.65	3,873	56.9	0.42	2,192	33.5	0.33	1,941	29.0	0.30	1,019	19.4	0.28
Delay Adjusted	26,999	422.2	1.20	7,797	123.9	0.66	3,940	57.9	0.42	2,228	34.0	0.34	1,957	29.3	0.31	1,028	19.5	0.29
Detroit																		
Observed	11,278	450.1	1.96	3,288	133.5	1.07	1,644	62.6	0.70	959	37.2	0.55	794	30.3	0.50	502	23.6	0.49
Delay Adjusted	11,367	453.7	1.97	3,303	134.1	1.08	1,653	62.9	0.71	962	37.3	0.55	795	30.4	0.50	504	23.7	0.49
Minnesota																		
Observed	14,380	435.7	1.68	4,311	132.5	0.93	1,802	52.2	0.56	1,148	33.9	0.46	1,072	31.0	0.43	538	19.1	0.38
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	7,494	409.0	2.17	2,134	118.0	1.18	1,122	57.7	0.78	768	41.0	0.68	423	22.4	0.50	250	15.7	0.46
Delay Adjusted	7,615	415.6	2.20	2,164	119.6	1.19	1,132	58.3	0.79	775	41.3	0.68	426	22.5	0.50	253	15.9	0.46
Missouri																		
Observed	16,480	425.8	1.53	4,951	130.5	0.86	2,609	63.2	0.56	1,398	35.2	0.43	1,070	26.8	0.38	569	17.5	0.34
Delay Adjusted	16,857	435.5	1.57	5,015	132.2	0.87	2,643	64.0	0.57	1,419	35.7	0.44	1,078	27.0	0.38	577	17.8	0.35
Montana																		
Observed	2,827	426.5	3.76	845	128.5	2.08	391	54.7	1.26	220	32.4	1.02	187	27.1	0.93	108	20.5	0.92
Delay Adjusted	2,920	440.7	3.89	864	131.4	2.13	398	55.7	1.29	225	33.3	1.04	190	27.5	0.94	110	20.9	0.94
Nebraska																		
Observed	4,795	428.7	2.87	1,405	127.2	1.57	600	50.8	0.95	440	37.8	0.83	315	27.6	0.72	210	22.3	0.71
Delay Adjusted	4,947	442.3	2.96	1,427	129.2	1.60	612	51.8	0.97	450	38.7	0.85	316	27.7	0.72	214	22.6	0.72
New Hampshire																		
Observed	4,079	456.7	3.34	1,283	144.7	1.89	585	61.8	1.17	289	31.7	0.87	298	31.4	0.84	166	23.1	0.84
Delay Adjusted	4,170	466.7	3.41	1,294	146.0	1.90	595	62.8	1.19	295	32.4	0.89	301	31.7	0.85	170	23.6	0.86
New Jersey																		
Observed	25,727	450.4	1.29	7,668	136.6	0.72	3,113	51.7	0.42	2,120	35.9	0.36	1,913	31.9	0.33	1,374	28.3	0.35
Delay Adjusted	26,152	457.8	1.31	7,752	138.1	0.73	3,152	52.3	0.43	2,139	36.2	0.36	1,926	32.2	0.34	1,391	28.6	0.36
New Mexico																		
Observed	4,646	361.1	2.46	1,438	111.8	1.37	472	34.3	0.72	387	29.4	0.69	317	24.1	0.63	255	23.5	0.69
Delay Adjusted	4,760	370.0	2.52	1,466	114.0	1.40	482	35.1	0.73	396	30.0	0.70	320	24.3	0.64	259	23.8	0.70
New York																		
Observed	55,941	446.7	0.87	16,238	132.8	0.48	7,099	53.4	0.29	4,413	34.0	0.24	4,158	32.1	0.23	3,100	29.0	0.24
Delay Adjusted	56,547	451.5	0.88	16,323	133.5	0.48	7,143	53.8	0.29	4,436	34.2	0.24	4,167	32.1	0.23	3,121	29.2	0.24
North Carolina																		
Observed	26,719	424.1	1.19	8,384	134.0	0.67	3,748	56.4	0.42	2,066	32.5	0.33	1,664	25.3	0.28	977	17.9	0.26
Delay Adjusted	27,514	436.7	1.22	8,598	137.5	0.69	3,797	57.2	0.42	2,106	33.2	0.33	1,680	25.6	0.29	1,001	18.3	0.27

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	1,773	422.8	4.69	526	128.6	2.62	230	52.3	1.58	168	38.3	1.38	114	26.6	1.16	96	27.4	1.30
Delay Adjusted	1,821	434.3	4.81	530	129.5	2.64	235	53.4	1.61	172	39.1	1.40	116	27.0	1.17	98	28.0	1.33
Ohio																		
Observed	32,819	436.9	1.12	9,568	128.9	0.61	4,687	58.7	0.39	2,839	36.6	0.32	2,394	30.6	0.29	1,416	22.9	0.28
Delay Adjusted	33,765	449.4	1.15	9,794	131.9	0.63	4,796	60.1	0.40	2,899	37.3	0.32	2,447	31.3	0.30	1,455	23.5	0.29
Oklahoma																		
Observed	9,685	416.0	1.94	2,827	122.7	1.06	1,413	57.0	0.69	857	36.1	0.57	545	23.0	0.45	388	19.3	0.45
Delay Adjusted	9,800	421.0	1.97	2,843	123.4	1.07	1,426	57.6	0.70	862	36.3	0.57	547	23.1	0.46	393	19.5	0.46
Oregon																		
Observed	10,595	413.0	1.86	3,204	125.5	1.03	1,371	50.6	0.63	801	30.7	0.50	758	28.3	0.48	432	20.2	0.45
Delay Adjusted	10,882	424.2	1.91	3,280	128.5	1.06	1,398	51.6	0.64	819	31.4	0.51	767	28.6	0.48	439	20.5	0.46
Pennsylvania																		
Observed	39,340	454.7	1.07	11,177	132.3	0.59	5,273	56.4	0.36	3,287	35.9	0.29	2,928	32.6	0.28	1,990	29.0	0.30
Delay Adjusted	39,920	461.4	1.09	11,279	133.6	0.59	5,311	56.8	0.36	3,312	36.2	0.29	2,936	32.7	0.28	2,012	29.3	0.31
Puerto Rico*																		
Observed	6,794	326.4	1.84	1,977	93.9	0.98	283	12.0	0.33	782	34.9	0.58	593	28.4	0.54	801	45.6	0.75
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Rhode Island																		
Observed	3,177	454.9	3.76	940	137.8	2.09	486	65.6	1.36	221	29.9	0.94	219	30.2	0.94	152	26.8	1.01
Delay Adjusted	3,250	465.2	3.85	953	139.8	2.12	496	66.9	1.39	224	30.3	0.95	222	30.7	0.95	153	26.9	1.02
South Carolina																		
Observed	12,933	407.3	1.66	4,084	129.9	0.94	1,777	52.3	0.57	1,054	32.9	0.47	773	23.1	0.39	438	16.1	0.36
Delay Adjusted	13,304	418.8	1.70	4,179	132.9	0.97	1,809	53.2	0.58	1,081	33.8	0.48	785	23.5	0.39	448	16.5	0.37
South Dakota																		
Observed	2,181	425.8	4.26	644	128.3	2.37	293	54.1	1.45	199	36.8	1.22	150	28.7	1.09	82	19.8	1.02
Delay Adjusted	2,268	442.4	4.43	654	130.2	2.41	302	55.7	1.49	205	37.8	1.25	151	28.9	1.10	84	20.3	1.04
Tennessee																		
Observed	17,332	416.4	1.45	5,070	122.6	0.79	2,702	61.4	0.54	1,485	35.3	0.42	1,050	24.5	0.35	644	18.2	0.33
Delay Adjusted	17,637	423.9	1.48	5,168	125.0	0.81	2,731	62.0	0.54	1,497	35.6	0.42	1,060	24.8	0.35	657	18.6	0.34

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Texas																		
Observed	53,104	370.8	0.73	16,186	112.8	0.40	6,069	42.2	0.25	4,524	31.5	0.21	3,370	22.8	0.18	2,434	17.6	0.16
Delay Adjusted	54,261	378.8	0.75	16,507	115.0	0.41	6,134	42.7	0.25	4,569	31.8	0.21	3,402	23.0	0.18	2,498	18.1	0.17
Utah																		
Observed	4,975	370.1	2.38	1,518	114.4	1.33	300	22.5	0.59	357	27.1	0.65	373	27.0	0.64	372	27.3	0.64
Delay Adjusted	5,039	374.9	2.41	1,523	114.8	1.34	304	22.8	0.60	360	27.3	0.65	375	27.2	0.64	373	27.3	0.64
Vermont																		
Observed	1,858	435.7	4.75	553	131.3	2.63	255	55.6	1.60	142	32.4	1.27	155	34.1	1.28	69	20.7	1.19
Delay Adjusted	1,887	442.4	4.83	556	132.2	2.65	258	56.3	1.62	145	33.0	1.29	156	34.3	1.28	69	21.0	1.20
Virginia																		
Observed	19,874	393.5	1.28	6,410	127.3	0.73	2,578	49.1	0.44	1,604	31.5	0.36	1,326	25.0	0.31	887	19.9	0.31
Delay Adjusted	20,198	400.0	1.30	6,488	128.9	0.74	2,603	49.6	0.44	1,619	31.9	0.36	1,336	25.2	0.32	897	20.1	0.31
Washington																		
Observed	17,911	422.3	1.45	5,692	134.3	0.82	2,195	50.3	0.49	1,361	32.1	0.40	1,167	26.1	0.35	748	19.7	0.33
Delay Adjusted	18,112	427.0	1.47	5,721	134.9	0.82	2,220	50.9	0.50	1,373	32.3	0.40	1,171	26.2	0.35	751	19.8	0.33
Seattle																		
Observed	12,791	439.6	1.79	4,080	140.3	1.01	1,524	51.3	0.60	959	32.8	0.49	829	26.9	0.43	539	20.4	0.40
Delay Adjusted	12,855	441.8	1.80	4,088	140.5	1.01	1,527	51.4	0.60	960	32.8	0.49	830	26.9	0.43	540	20.4	0.40
West Virginia																		
Observed	5,718	450.7	2.80	1,481	117.5	1.43	951	68.8	1.02	541	41.0	0.82	405	31.3	0.73	257	26.3	0.77
Delay Adjusted	5,853	462.0	2.87	1,520	120.8	1.48	966	69.9	1.04	550	41.6	0.83	410	31.7	0.74	263	26.9	0.79
Wisconsin																		
Observed	15,596	430.4	1.60	4,677	131.5	0.89	2,049	53.5	0.54	1,214	32.6	0.43	1,209	31.9	0.42	618	20.5	0.38
Delay Adjusted	15,983	441.0	1.64	4,779	134.3	0.91	2,079	54.2	0.55	1,243	33.3	0.44	1,234	32.5	0.43	627	20.8	0.39
Wyoming																		
Observed	1,245	371.6	4.89	376	112.5	2.70	141	40.0	1.54	97	29.2	1.36	80	22.5	1.17	66	23.8	1.36
Delay Adjusted	1,255	374.6	4.93	380	113.5	2.73	141	40.0	1.55	98	29.3	1.37	80	22.5	1.18	67	24.0	1.37

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR U.S. Combined Delay Adjusted Incidence 2013-2017, White Combined

UNITED STATES

V-15 Combined Delay Adjusted Incidence – White

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR United States Combined[1], 2013-2017, White

	MALES (WHITE)						FEMALES (WHITE)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	690,760	475.1	0.26	709,019	487.7	0.27	678,802	421.3	0.24	696,549	432.2	0.24
Oral Cavity & Pharynx	27,986	18.6	0.05	28,652	19.1	0.05	10,931	6.6	0.03	11,184	6.8	0.03
Digestive												
Esophagus	12,185	8.2	0.03	12,360	8.3	0.03	3,036	1.7	0.01	3,080	1.8	0.01
Stomach	11,467	8.0	0.03	11,647	8.1	0.03	6,625	4.0	0.02	6,728	4.1	0.02
Colon & Rectum	61,360	43.0	0.08	62,398	43.7	0.08	54,921	33.1	0.07	55,836	33.6	0.07
Liver & IBD[2]	18,170	11.7	0.04	18,612	12.0	0.04	7,249	4.2	0.02	7,427	4.3	0.02
Pancreas	21,222	14.6	0.05	21,530	14.8	0.05	19,245	11.1	0.04	19,518	11.2	0.04
Respiratory												
Larynx	8,237	5.5	0.03	8,381	5.6	0.03	2,146	1.3	0.01	2,182	1.3	0.01
Lung & bronchus	98,030	67.4	0.10	99,377	68.4	0.10	91,590	53.0	0.08	92,860	53.8	0.08
Skin												
Melanomas of the skin	45,628	32.3	0.07	47,515	33.6	0.07	31,099	20.6	0.05	32,334	21.4	0.06
Breast (female cases only)	-	-	-	-	-	-	201,427	126.9	0.13	204,822	129.1	0.13
Female Genital												
Cervix uteri	-	-	-	-	-	-	9,813	7.5	0.04	9,987	7.6	0.04
Corpus & uterus, NOS[2]	-	-	-	-	-	-	45,309	27.2	0.06	45,871	27.6	0.06
Ovary	-	-	-	-	-	-	17,974	11.2	0.04	18,419	11.5	0.04
Male Genital												
Prostate	149,340	95.8	0.11	156,580	100.4	0.12	-	-	-	-	-	-
Testis	7,914	6.6	0.03	8,047	6.7	0.03	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	51,806	36.8	0.07	53,198	37.8	0.08	15,718	9.0	0.03	16,139	9.3	0.03
Kidney & renal pelvis	33,260	22.9	0.06	34,056	23.5	0.06	19,009	11.8	0.04	19,465	12.1	0.04
Brain & Other CNS[2]	11,153	8.2	0.04	11,416	8.4	0.04	8,772	5.9	0.03	8,976	6.1	0.03
Endocrine												
Thyroid gland	10,582	7.7	0.03	10,764	7.9	0.04	29,451	22.1	0.06	29,960	22.5	0.06
Lymphomas												
Hodgkin Lymphoma	3,903	3.0	0.02	3,982	3.1	0.02	3,117	2.4	0.02	3,180	2.5	0.02
Non-Hodgkin Lymphoma	33,639	23.9	0.06	34,787	24.7	0.06	27,181	16.4	0.05	28,102	17.0	0.05
Multiple Myeloma	11,167	7.8	0.03	11,964	8.3	0.04	8,225	4.8	0.02	8,813	5.1	0.03
Leukemias	25,550	18.5	0.05	28,005	20.3	0.06	17,836	11.2	0.04	19,543	12.3	0.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	690,760	475.1	0.26	149,340	95.8	0.11	98,030	67.4	0.10	61,360	43.0	0.08	51,806	36.8	0.07	45,628	32.3	0.07
Delay Adjusted	709,019	487.7	0.27	156,580	100.4	0.12	99,377	68.4	0.10	62,398	43.7	0.08	53,198	37.8	0.08	47,515	33.6	0.07
Alabama																		
Observed	10,385	494.4	2.23	2,204	97.5	0.95	1,798	84.2	0.91	996	48.3	0.70	729	35.6	0.60	716	35.5	0.61
Delay Adjusted	10,517	500.7	2.26	2,261	100.1	0.98	1,807	84.6	0.91	1,004	48.7	0.71	734	35.8	0.61	729	36.2	0.62
Alaska																		
Observed	1,144	425.0	6.23	255	86.8	2.70	149	60.3	2.46	106	38.9	1.87	89	38.5	2.03	51	20.4	1.39
Delay Adjusted	1,198	445.3	6.53	275	93.6	2.92	154	62.3	2.55	110	40.3	1.93	92	39.9	2.10	55	22.1	1.51
Arizona																		
Observed	14,420	406.6	1.54	2,918	77.5	0.65	1,897	52.0	0.54	1,303	37.6	0.47	1,177	32.9	0.43	1,199	34.6	0.46
Delay Adjusted	15,270	430.7	1.63	3,224	85.6	0.72	1,943	53.3	0.55	1,375	39.6	0.50	1,238	34.7	0.46	1,356	39.1	0.52
Arkansas																		
Observed	7,511	514.3	2.71	1,568	100.1	1.15	1,406	94.1	1.14	705	49.6	0.86	526	36.8	0.73	433	30.8	0.68
Delay Adjusted	7,628	522.3	2.76	1,613	103.0	1.18	1,416	94.8	1.15	713	50.2	0.87	536	37.5	0.74	441	31.4	0.69
California																		
Observed	64,674	436.2	0.78	13,999	89.7	0.35	6,511	45.8	0.26	5,862	39.7	0.24	4,518	32.2	0.22	5,217	35.7	0.23
Delay Adjusted	66,147	446.2	0.80	14,714	94.5	0.37	6,591	46.4	0.26	5,920	40.1	0.24	4,616	32.9	0.22	5,410	37.1	0.23
Greater California																		
Observed	39,631	443.6	1.02	8,532	90.3	0.45	4,222	48.8	0.34	3,524	39.8	0.31	2,783	32.8	0.28	3,252	37.0	0.30
Delay Adjusted	40,678	455.4	1.05	9,017	95.6	0.47	4,280	49.4	0.35	3,565	40.3	0.31	2,857	33.7	0.29	3,402	38.7	0.31
Greater Bay																		
Observed	11,393	453.0	1.94	2,524	94.4	0.86	1,003	41.7	0.60	960	38.2	0.56	804	33.5	0.54	1,175	47.3	0.63
Delay Adjusted	11,513	457.8	1.97	2,569	96.1	0.88	1,009	42.0	0.61	963	38.3	0.57	810	33.8	0.55	1,194	48.1	0.64
Los Angeles																		
Observed	13,649	404.3	1.59	2,941	84.3	0.71	1,286	40.9	0.52	1,378	40.7	0.50	932	29.6	0.44	790	23.8	0.39
Delay Adjusted	13,955	413.6	1.63	3,126	89.9	0.76	1,302	41.4	0.53	1,392	41.1	0.51	949	30.2	0.45	815	24.6	0.40
Colorado																		
Observed	10,280	404.8	1.85	2,355	86.2	0.83	1,059	43.8	0.63	901	36.2	0.56	748	31.6	0.54	743	29.7	0.50
Delay Adjusted	10,541	415.3	1.90	2,538	93.2	0.90	1,068	44.1	0.63	911	36.6	0.56	777	32.8	0.56	762	30.4	0.52

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	8,904	490.2	2.39	2,047	104.4	1.06	1,185	65.2	0.87	694	39.3	0.69	818	46.0	0.73	495	28.0	0.58
Delay Adjusted	9,068	499.3	2.44	2,124	108.5	1.10	1,198	65.9	0.88	701	39.7	0.69	830	46.6	0.75	506	28.6	0.59
Delaware																		
Observed	2,360	527.2	5.01	530	108.3	2.15	349	76.8	1.88	185	43.1	1.47	203	45.8	1.47	207	47.8	1.54
Delay Adjusted	2,419	540.4	5.13	549	112.2	2.22	356	78.3	1.92	187	43.8	1.49	209	47.2	1.52	211	48.8	1.58
District of Columbia																		
Observed	412	329.8	7.61	101	82.4	3.77	28	24.8	2.16	30	23.8	2.03	25	21.8	2.02	29	22.9	1.99
Delay Adjusted	440	351.9	8.13	107	87.4	4.01	29	25.9	2.25	32	25.2	2.15	26	22.5	2.08	31	24.1	2.09
Florida																		
Observed	53,288	468.3	0.93	10,086	83.2	0.37	7,944	66.9	0.34	4,484	40.3	0.28	3,918	33.0	0.24	4,077	36.5	0.26
Delay Adjusted	55,694	489.4	0.97	10,877	89.7	0.40	8,061	67.9	0.34	4,617	41.5	0.29	4,102	34.5	0.25	4,351	38.9	0.28
Georgia																		
Observed	18,168	517.0	1.77	3,899	103.4	0.76	2,806	80.4	0.70	1,620	46.6	0.53	1,218	36.8	0.49	1,655	48.2	0.55
Delay Adjusted	18,547	527.8	1.81	4,004	106.2	0.78	2,839	81.3	0.71	1,642	47.2	0.54	1,242	37.5	0.50	1,703	49.6	0.56
Hawaii																		
Observed	1,313	500.4	6.65	249	86.3	2.62	131	49.1	2.05	106	41.5	1.95	94	37.6	1.85	206	82.0	2.74
Delay Adjusted	1,335	508.9	6.77	256	88.7	2.70	132	49.6	2.07	107	42.0	1.97	95	38.4	1.89	211	83.9	2.81
Idaho																		
Observed	4,013	460.3	3.34	951	102.3	1.52	468	54.2	1.15	336	39.3	0.99	307	36.3	0.95	294	34.6	0.93
Delay Adjusted	4,139	474.7	3.44	1,020	109.7	1.63	477	55.2	1.17	342	40.0	1.00	325	38.5	1.01	303	35.7	0.96
Illinois																		
Observed	27,628	494.9	1.36	6,059	101.2	0.60	4,018	73.1	0.53	2,650	48.2	0.43	2,125	39.7	0.39	1,586	29.1	0.33
Delay Adjusted	28,088	503.2	1.39	6,268	104.8	0.62	4,053	73.7	0.53	2,673	48.6	0.43	2,163	40.4	0.40	1,625	29.8	0.34
Indiana																		
Observed	15,853	494.0	1.80	3,054	88.9	0.74	2,810	87.3	0.76	1,538	48.6	0.57	1,209	39.2	0.52	875	28.1	0.44
Delay Adjusted	16,512	514.4	1.88	3,291	95.9	0.80	2,880	89.5	0.78	1,585	50.0	0.59	1,280	41.5	0.55	955	30.6	0.48

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	8,812	511.2	2.50	1,971	106.1	1.09	1,296	74.4	0.94	827	49.3	0.79	642	37.9	0.68	517	31.2	0.63
Delay Adjusted	8,943	518.8	2.53	2,031	109.4	1.12	1,311	75.3	0.95	831	49.6	0.79	652	38.4	0.69	527	31.8	0.64
Kansas																		
Observed	6,748	468.6	2.61	1,520	99.6	1.17	918	64.1	0.97	618	43.9	0.81	503	35.9	0.73	438	31.4	0.69
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	12,524	556.6	2.30	2,255	92.9	0.90	2,501	110.2	1.02	1,240	56.0	0.73	857	39.8	0.63	759	35.3	0.59
Delay Adjusted	12,707	564.7	2.33	2,337	96.3	0.93	2,517	111.0	1.02	1,252	56.6	0.74	872	40.5	0.64	771	35.8	0.60
Louisiana																		
Observed	9,373	535.6	2.54	2,162	115.2	1.14	1,364	77.9	0.97	862	50.0	0.78	632	37.4	0.68	545	32.6	0.64
Delay Adjusted	9,474	541.4	2.57	2,181	116.3	1.15	1,373	78.4	0.97	865	50.2	0.79	640	37.8	0.69	554	33.1	0.65
Maine																		
Observed	4,229	490.3	3.50	830	86.9	1.39	707	80.6	1.40	341	40.6	1.02	392	46.1	1.07	238	28.5	0.86
Delay Adjusted	4,279	496.2	3.54	855	89.6	1.43	710	80.9	1.40	342	40.8	1.02	398	46.7	1.08	241	28.9	0.87
Maryland																		
Observed	10,464	487.4	2.19	2,454	105.6	0.98	1,366	64.3	0.80	815	39.0	0.63	821	39.6	0.63	932	44.4	0.67
Delay Adjusted	10,763	501.4	2.25	2,570	110.7	1.03	1,398	65.8	0.82	831	39.8	0.64	849	41.0	0.65	944	45.0	0.68
Massachusetts																		
Observed	15,666	471.9	1.73	3,474	96.2	0.75	2,190	66.3	0.65	1,277	39.6	0.51	1,302	40.5	0.51	899	28.0	0.43
Delay Adjusted	15,842	477.1	1.75	3,562	98.7	0.77	2,216	67.1	0.66	1,288	39.9	0.51	1,316	41.0	0.52	928	28.9	0.44
Michigan																		
Observed	23,049	467.1	1.42	5,177	96.4	0.61	3,500	70.3	0.55	1,942	40.6	0.42	1,901	39.8	0.42	1,244	26.3	0.34
Delay Adjusted	23,671	479.6	1.46	5,457	101.6	0.65	3,568	71.7	0.56	1,984	41.5	0.43	1,941	40.6	0.43	1,299	27.4	0.36
Detroit																		
Observed	8,453	530.2	2.66	2,002	116.2	1.20	1,202	76.2	1.01	699	44.7	0.78	694	45.1	0.79	448	29.1	0.64
Delay Adjusted	8,550	536.3	2.69	2,048	118.9	1.22	1,208	76.6	1.02	702	44.9	0.78	706	45.8	0.80	451	29.3	0.64
Minnesota																		
Observed	13,750	487.9	1.91	3,244	106.1	0.85	1,699	60.7	0.67	1,149	42.0	0.57	1,025	37.5	0.54	1,069	39.1	0.55
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	5,780	522.8	3.16	1,233	103.9	1.35	1,050	93.8	1.32	564	52.0	1.01	384	35.6	0.83	345	32.6	0.81
Delay Adjusted	5,888	532.6	3.21	1,273	107.3	1.39	1,060	94.7	1.34	569	52.4	1.02	393	36.4	0.85	351	33.1	0.82
Missouri																		
Observed	14,600	476.7	1.81	2,858	86.3	0.74	2,558	82.7	0.75	1,381	46.4	0.57	1,076	36.1	0.50	791	26.8	0.44
Delay Adjusted	14,928	487.3	1.85	2,990	90.3	0.77	2,591	83.8	0.76	1,402	47.1	0.58	1,104	37.0	0.51	814	27.6	0.45
Montana																		
Observed	2,956	472.4	4.04	803	116.6	1.89	327	52.2	1.33	261	43.1	1.24	227	36.7	1.12	182	30.7	1.06
Delay Adjusted	3,076	491.6	4.20	861	125.2	2.04	333	53.2	1.35	269	44.3	1.27	239	38.7	1.18	190	32.0	1.11
Nebraska																		
Observed	4,708	487.8	3.26	1,153	111.7	1.50	626	65.2	1.19	450	47.5	1.02	333	35.4	0.88	278	29.9	0.82
Delay Adjusted	4,874	504.9	3.37	1,233	119.4	1.61	638	66.4	1.21	460	48.5	1.05	350	37.3	0.93	293	31.6	0.87
New Hampshire																		
Observed	3,962	499.0	3.69	950	107.1	1.60	530	67.2	1.35	320	42.1	1.10	345	45.5	1.13	283	36.5	1.01
Delay Adjusted	4,056	510.9	3.78	978	110.3	1.65	538	68.3	1.37	327	43.0	1.12	351	46.3	1.15	292	37.7	1.04
New Jersey																		
Observed	20,269	524.1	1.69	4,985	120.5	0.78	2,399	62.8	0.59	1,799	47.2	0.51	1,631	43.3	0.49	1,292	34.1	0.43
Delay Adjusted	20,854	539.3	1.74	5,253	127.0	0.82	2,427	63.5	0.59	1,829	48.0	0.52	1,691	44.9	0.51	1,345	35.5	0.45
New Mexico																		
Observed	4,060	384.7	2.77	919	80.6	1.22	479	45.4	0.95	383	36.9	0.87	266	25.4	0.71	220	21.2	0.66
Delay Adjusted	4,182	396.3	2.86	957	83.9	1.27	489	46.3	0.97	393	37.9	0.89	274	26.2	0.73	230	22.1	0.69
New York																		
Observed	42,943	524.4	1.16	10,022	114.7	0.52	5,562	68.1	0.42	3,534	44.0	0.34	3,591	44.8	0.34	2,335	29.3	0.28
Delay Adjusted	43,696	533.6	1.18	10,266	117.5	0.54	5,605	68.6	0.42	3,568	44.5	0.34	3,658	45.6	0.35	2,433	30.5	0.29
North Carolina																		
Observed	21,339	499.5	1.57	4,667	101.0	0.68	3,497	81.5	0.63	1,697	40.6	0.45	1,557	38.0	0.44	1,708	41.4	0.46
Delay Adjusted	22,089	517.1	1.62	4,974	107.7	0.72	3,551	82.8	0.64	1,736	41.5	0.46	1,602	39.0	0.45	1,790	43.4	0.48

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	1,819	473.7	5.11	460	111.4	2.38	243	63.8	1.87	180	47.5	1.63	129	34.9	1.41	99	26.7	1.24
Delay Adjusted	1,868	486.6	5.25	474	114.9	2.46	249	65.3	1.92	183	48.3	1.66	134	36.3	1.46	102	27.4	1.28
Ohio																		
Observed	28,427	487.6	1.33	5,987	94.7	0.56	4,674	79.6	0.53	2,640	46.4	0.42	2,248	39.7	0.38	1,692	30.3	0.34
Delay Adjusted	29,438	505.0	1.38	6,388	101.1	0.60	4,784	81.5	0.55	2,707	47.6	0.43	2,321	41.0	0.40	1,774	31.7	0.35
Oklahoma																		
Observed	8,251	462.7	2.33	1,615	85.0	0.96	1,420	78.2	0.94	788	45.2	0.74	602	34.8	0.64	534	31.1	0.62
Delay Adjusted	8,350	468.3	2.36	1,663	87.6	0.99	1,431	78.8	0.95	792	45.4	0.74	608	35.1	0.65	536	31.2	0.62
Oregon																		
Observed	9,998	452.5	2.09	2,193	90.8	0.89	1,279	58.0	0.74	829	38.8	0.62	794	37.0	0.60	733	34.2	0.58
Delay Adjusted	10,353	468.5	2.16	2,310	95.7	0.94	1,309	59.4	0.76	856	40.0	0.64	822	38.3	0.62	754	35.2	0.60
Pennsylvania																		
Observed	33,954	500.5	1.25	6,946	94.3	0.52	5,012	72.7	0.47	3,124	47.2	0.39	2,890	43.0	0.36	2,028	30.9	0.32
Delay Adjusted	34,597	510.0	1.27	7,265	98.7	0.54	5,059	73.4	0.47	3,154	47.6	0.39	2,939	43.7	0.37	2,095	31.9	0.33
Rhode Island																		
Observed	2,641	483.5	4.33	553	94.4	1.84	416	76.2	1.71	201	37.9	1.23	236	44.0	1.31	161	30.2	1.10
Delay Adjusted	2,704	495.1	4.44	582	99.3	1.94	424	77.7	1.75	204	38.5	1.25	242	45.2	1.35	164	30.8	1.12
South Carolina																		
Observed	10,554	494.0	2.22	2,288	97.8	0.94	1,719	78.9	0.88	853	41.2	0.65	754	36.8	0.62	815	39.5	0.64
Delay Adjusted	10,897	510.0	2.30	2,420	103.5	0.99	1,751	80.3	0.89	875	42.3	0.67	779	38.0	0.64	842	40.8	0.66
South Dakota																		
Observed	2,210	483.5	4.74	566	114.3	2.21	298	65.5	1.73	208	46.5	1.49	155	34.4	1.26	133	30.5	1.23
Delay Adjusted	2,300	503.2	4.94	606	122.4	2.36	307	67.4	1.79	214	47.9	1.53	165	36.7	1.35	141	32.2	1.29
Tennessee																		
Observed	15,994	508.9	1.85	3,481	102.5	0.80	2,913	91.9	0.78	1,370	44.7	0.56	1,105	36.6	0.51	894	29.5	0.46
Delay Adjusted	16,293	518.5	1.89	3,567	105.0	0.82	2,945	92.8	0.79	1,382	45.1	0.56	1,124	37.2	0.51	920	30.4	0.47
Texas																		
Observed	46,370	439.1	0.94	9,680	88.0	0.41	6,120	60.4	0.35	4,691	44.5	0.30	2,759	28.2	0.25	2,076	20.1	0.20
Delay Adjusted	47,917	453.7	0.97	10,361	94.2	0.44	6,199	61.1	0.36	4,777	45.2	0.30	2,843	29.0	0.25	2,237	21.7	0.22

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	5,060	432.0	2.78	1,362	112.7	1.40	333	30.1	0.75	373	32.6	0.77	330	30.3	0.76	598	51.5	0.96
Delay Adjusted	5,154	440.0	2.83	1,403	116.0	1.44	339	30.7	0.77	376	32.9	0.78	336	31.0	0.78	612	52.6	0.98
Vermont																		
Observed	1,801	467.7	5.14	372	86.0	2.06	262	67.4	1.93	136	36.3	1.45	146	39.0	1.49	171	46.1	1.65
Delay Adjusted	1,830	475.1	5.23	378	87.3	2.09	265	68.2	1.96	139	37.0	1.48	149	39.7	1.52	174	46.8	1.67
Virginia																		
Observed	14,583	425.1	1.62	3,051	82.2	0.68	2,208	64.6	0.63	1,268	37.8	0.49	1,047	32.1	0.45	1,101	33.0	0.46
Delay Adjusted	14,880	433.8	1.65	3,124	84.2	0.70	2,228	65.2	0.64	1,279	38.1	0.49	1,059	32.4	0.46	1,122	33.6	0.46
Washington																		
Observed	15,824	464.1	1.70	3,566	96.5	0.74	1,984	59.1	0.61	1,288	38.5	0.49	1,239	38.3	0.50	1,129	34.0	0.47
Delay Adjusted	16,109	472.5	1.73	3,667	99.2	0.77	2,010	59.9	0.62	1,307	39.0	0.50	1,269	39.2	0.51	1,147	34.5	0.47
Seattle																		
Observed	11,233	504.9	2.20	2,624	109.0	0.98	1,316	60.8	0.77	895	40.7	0.63	870	41.3	0.65	892	41.1	0.63
Delay Adjusted	11,363	510.7	2.23	2,686	111.6	1.01	1,318	60.9	0.78	900	41.0	0.63	885	42.0	0.66	914	42.1	0.65
West Virginia																		
Observed	5,717	503.8	3.08	1,108	89.5	1.23	1,102	94.3	1.31	579	52.6	1.01	429	38.3	0.85	291	27.3	0.74
Delay Adjusted	5,854	516.1	3.16	1,137	91.8	1.27	1,120	95.9	1.33	590	53.5	1.03	438	39.1	0.87	300	28.1	0.76
Wisconsin																		
Observed	15,130	484.0	1.81	3,587	105.2	0.81	2,026	64.9	0.66	1,219	40.2	0.53	1,196	39.6	0.52	910	30.0	0.46
Delay Adjusted	15,604	499.2	1.87	3,719	109.1	0.84	2,075	66.4	0.68	1,256	41.5	0.55	1,240	41.1	0.54	961	31.7	0.49
Wyoming																		
Observed	1,388	427.4	5.34	386	108.8	2.57	144	45.1	1.75	111	35.1	1.56	107	35.2	1.57	87	27.7	1.38
Delay Adjusted	1,399	431.0	5.38	390	109.8	2.59	144	45.2	1.75	111	35.3	1.56	108	35.4	1.58	89	28.1	1.40

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	678,802	421.3	0.24	201,427	126.9	0.13	91,590	53.0	0.08	54,921	33.1	0.07	45,309	27.2	0.06	31,099	20.6	0.05
Delay Adjusted	696,549	432.2	0.24	204,822	129.1	0.13	92,860	53.8	0.08	55,836	33.6	0.07	45,871	27.6	0.06	32,334	21.4	0.06
Alabama																		
Observed	9,359	402.4	1.94	2,747	119.0	1.06	1,382	54.1	0.66	852	35.8	0.57	458	19.4	0.42	480	23.0	0.49
Delay Adjusted	9,477	407.5	1.96	2,776	120.3	1.07	1,389	54.3	0.67	858	36.1	0.57	460	19.5	0.42	489	23.5	0.50
Alaska																		
Observed	995	391.6	5.86	317	122.5	3.25	109	44.2	2.02	81	32.9	1.73	71	24.7	1.39	38	15.4	1.16
Delay Adjusted	1,042	410.1	6.14	324	125.2	3.32	112	45.7	2.09	83	34.1	1.80	72	25.3	1.42	42	16.6	1.25
Arizona																		
Observed	13,988	372.9	1.47	4,338	117.3	0.83	1,831	44.2	0.47	1,097	28.4	0.40	866	22.8	0.36	664	18.6	0.34
Delay Adjusted	14,819	395.3	1.56	4,562	123.3	0.87	1,876	45.3	0.48	1,157	30.0	0.42	907	23.9	0.38	749	21.0	0.38
Arkansas																		
Observed	6,633	415.6	2.37	1,826	115.4	1.26	1,117	64.4	0.88	599	36.3	0.69	378	23.8	0.57	276	19.1	0.54
Delay Adjusted	6,735	422.0	2.41	1,844	116.5	1.27	1,125	64.8	0.88	606	36.7	0.69	380	24.0	0.57	281	19.4	0.55
California																		
Observed	66,061	397.7	0.71	20,600	125.4	0.40	6,784	39.5	0.22	5,295	31.3	0.20	4,566	26.7	0.18	3,292	20.1	0.16
Delay Adjusted	67,537	406.5	0.72	20,777	126.5	0.40	6,868	40.0	0.22	5,348	31.6	0.20	4,590	26.9	0.18	3,412	20.8	0.17
Greater California																		
Observed	39,888	402.0	0.92	12,276	125.1	0.52	4,454	43.0	0.29	3,182	31.5	0.26	2,666	26.0	0.23	2,031	20.9	0.21
Delay Adjusted	40,921	412.3	0.95	12,416	126.5	0.52	4,516	43.6	0.30	3,220	31.9	0.26	2,684	26.2	0.23	2,125	21.8	0.22
Greater Bay																		
Observed	11,399	413.0	1.78	3,676	135.4	1.03	1,102	38.3	0.53	871	30.9	0.48	789	27.5	0.45	774	28.7	0.48
Delay Adjusted	11,518	417.3	1.80	3,680	135.6	1.03	1,110	38.6	0.53	874	31.0	0.48	792	27.6	0.45	787	29.2	0.48
Los Angeles																		
Observed	14,771	376.2	1.41	4,647	119.1	0.79	1,228	31.2	0.40	1,242	31.1	0.40	1,110	27.8	0.38	487	12.4	0.26
Delay Adjusted	15,094	384.4	1.44	4,679	120.0	0.80	1,243	31.6	0.41	1,254	31.4	0.40	1,113	27.9	0.38	501	12.8	0.26
Colorado																		
Observed	10,742	386.1	1.71	3,603	129.2	0.99	1,127	39.8	0.54	816	29.4	0.47	673	22.5	0.40	536	19.8	0.39
Delay Adjusted	11,006	395.5	1.75	3,640	130.5	1.00	1,137	40.1	0.55	824	29.7	0.48	678	22.6	0.40	549	20.2	0.40

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	9,240	446.0	2.18	2,853	141.8	1.25	1,287	57.5	0.73	671	30.5	0.56	642	29.6	0.54	356	18.1	0.46
Delay Adjusted	9,406	453.9	2.22	2,894	143.9	1.26	1,301	58.1	0.74	677	30.8	0.56	645	29.7	0.54	363	18.5	0.47
Delaware																		
Observed	2,236	456.2	4.58	648	134.3	2.51	344	62.8	1.55	161	32.2	1.19	159	31.4	1.18	130	28.5	1.20
Delay Adjusted	2,292	467.5	4.69	656	135.9	2.54	351	64.0	1.58	163	32.7	1.21	161	31.8	1.19	133	29.2	1.23
District of Columbia																		
Observed	440	342.8	7.66	164	130.7	4.73	36	29.8	2.31	29	22.9	1.97	25	20.7	1.89	18	11.5	1.36
Delay Adjusted	469	365.6	8.18	171	136.6	4.95	37	31.1	2.41	31	24.3	2.09	26	21.4	1.96	18	12.1	1.43
Florida																		
Observed	49,529	407.2	0.87	13,752	117.0	0.48	7,255	52.7	0.28	3,942	30.7	0.23	2,949	23.9	0.21	2,320	20.3	0.20
Delay Adjusted	51,777	425.6	0.91	14,201	120.8	0.49	7,363	53.5	0.29	4,055	31.7	0.24	3,026	24.5	0.21	2,478	21.7	0.22
Georgia																		
Observed	16,880	429.9	1.52	4,985	126.8	0.82	2,319	55.6	0.52	1,348	33.8	0.42	963	23.6	0.35	1,115	30.4	0.42
Delay Adjusted	17,227	438.7	1.55	5,043	128.3	0.83	2,346	56.3	0.53	1,366	34.3	0.43	972	23.8	0.35	1,147	31.3	0.43
Hawaii																		
Observed	1,016	457.4	7.03	315	143.4	3.97	98	40.7	1.98	82	37.1	1.99	62	25.3	1.56	112	51.0	2.38
Delay Adjusted	1,033	465.1	7.15	317	144.1	3.99	99	41.1	2.00	82	37.5	2.01	63	25.5	1.58	114	52.1	2.43
Idaho																		
Observed	3,758	411.7	3.09	1,150	126.6	1.72	439	45.7	0.99	290	31.6	0.85	241	25.2	0.75	211	24.5	0.78
Delay Adjusted	3,874	424.5	3.19	1,168	128.5	1.75	447	46.6	1.01	295	32.2	0.87	245	25.7	0.76	217	25.2	0.80
Illinois																		
Observed	28,124	444.0	1.22	8,337	134.1	0.68	3,844	57.4	0.42	2,370	35.9	0.34	1,980	30.3	0.31	1,207	20.6	0.27
Delay Adjusted	28,582	451.1	1.24	8,415	135.4	0.68	3,878	57.9	0.43	2,391	36.2	0.34	1,994	30.5	0.31	1,234	21.0	0.28
Indiana																		
Observed	15,634	430.2	1.59	4,455	123.5	0.86	2,395	62.2	0.58	1,401	37.5	0.46	1,076	28.8	0.41	644	19.5	0.36
Delay Adjusted	16,270	447.3	1.65	4,560	126.4	0.88	2,456	63.7	0.59	1,443	38.6	0.48	1,091	29.2	0.41	699	21.0	0.38

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	8,407	443.6	2.27	2,390	129.8	1.25	1,121	54.7	0.75	779	38.6	0.65	595	30.2	0.57	419	25.6	0.59
Delay Adjusted	8,530	449.9	2.30	2,403	130.5	1.25	1,134	55.3	0.76	783	38.9	0.65	599	30.4	0.58	428	26.1	0.60
Kansas																		
Observed	6,482	410.3	2.37	1,953	124.9	1.32	831	49.3	0.78	551	33.7	0.67	423	26.1	0.59	320	22.2	0.58
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	12,141	477.2	2.00	3,221	127.0	1.04	2,136	78.4	0.77	1,072	41.2	0.58	712	27.7	0.48	573	24.6	0.48
Delay Adjusted	12,319	484.2	2.03	3,247	128.1	1.04	2,151	79.0	0.78	1,082	41.6	0.58	717	27.9	0.48	582	25.0	0.49
Louisiana																		
Observed	8,168	424.4	2.18	2,354	122.9	1.18	1,173	56.8	0.75	707	36.1	0.63	388	19.9	0.47	329	18.8	0.48
Delay Adjusted	8,256	429.0	2.20	2,364	123.5	1.18	1,181	57.2	0.76	710	36.3	0.63	391	20.0	0.47	334	19.1	0.49
Maine																		
Observed	4,268	452.0	3.28	1,182	127.9	1.77	669	66.0	1.17	326	33.4	0.87	321	31.6	0.82	197	23.1	0.79
Delay Adjusted	4,318	457.3	3.31	1,199	129.7	1.79	672	66.2	1.18	327	33.5	0.87	321	31.7	0.83	200	23.4	0.80
Maryland																		
Observed	10,545	439.1	1.99	3,175	134.0	1.11	1,417	55.3	0.67	797	32.3	0.53	711	28.3	0.49	638	28.4	0.53
Delay Adjusted	10,843	451.5	2.04	3,244	136.9	1.13	1,450	56.6	0.69	812	32.9	0.54	723	28.8	0.50	646	28.8	0.53
Massachusetts																		
Observed	17,137	442.1	1.58	5,307	140.3	0.90	2,547	61.5	0.56	1,262	31.4	0.41	1,188	29.3	0.39	710	19.3	0.34
Delay Adjusted	17,321	446.6	1.59	5,316	140.5	0.90	2,577	62.2	0.56	1,273	31.7	0.42	1,193	29.4	0.39	731	19.8	0.35
Michigan																		
Observed	22,526	417.1	1.30	6,513	122.7	0.71	3,316	56.9	0.45	1,813	32.5	0.36	1,666	29.5	0.34	928	19.3	0.30
Delay Adjusted	23,127	428.2	1.34	6,617	124.7	0.72	3,379	58.0	0.46	1,853	33.2	0.36	1,691	29.9	0.34	969	20.1	0.31
Detroit																		
Observed	8,416	464.1	2.36	2,425	136.5	1.29	1,251	64.4	0.83	680	35.8	0.64	598	31.7	0.60	327	20.0	0.52
Delay Adjusted	8,512	469.3	2.39	2,444	137.5	1.30	1,258	64.7	0.84	684	36.0	0.64	599	31.8	0.60	330	20.2	0.53
Minnesota																		
Observed	13,380	437.1	1.76	4,048	134.2	0.98	1,686	51.8	0.58	1,067	33.6	0.48	1,001	31.0	0.45	823	29.9	0.49
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	5,069	418.8	2.75	1,387	115.9	1.46	841	63.4	1.00	479	38.0	0.81	265	21.9	0.63	230	21.3	0.66
Delay Adjusted	5,164	426.6	2.80	1,407	117.6	1.48	849	64.0	1.01	484	38.4	0.81	266	22.1	0.63	233	21.6	0.67
Missouri																		
Observed	14,503	426.4	1.65	4,330	129.9	0.92	2,327	63.5	0.60	1,215	34.5	0.46	946	27.0	0.41	537	17.7	0.36
Delay Adjusted	14,825	435.7	1.68	4,383	131.5	0.93	2,357	64.3	0.61	1,233	35.1	0.47	953	27.2	0.41	552	18.2	0.37
Montana																		
Observed	2,645	421.4	3.87	795	128.1	2.15	362	53.0	1.28	203	31.7	1.04	174	26.4	0.94	138	24.2	0.98
Delay Adjusted	2,752	438.5	4.02	814	131.2	2.21	369	54.0	1.30	209	32.6	1.07	177	26.8	0.96	144	25.2	1.03
Nebraska																		
Observed	4,520	429.8	2.98	1,336	128.8	1.64	565	50.3	0.97	415	37.7	0.86	299	27.8	0.75	238	25.4	0.77
Delay Adjusted	4,678	444.8	3.08	1,358	131.0	1.67	575	51.2	0.99	425	38.6	0.88	300	28.0	0.75	251	26.8	0.81
New Hampshire																		
Observed	3,955	456.1	3.40	1,255	146.1	1.94	573	62.0	1.19	281	31.8	0.88	288	31.2	0.85	214	26.2	0.85
Delay Adjusted	4,047	466.7	3.48	1,266	147.5	1.95	583	63.0	1.21	287	32.4	0.90	291	31.5	0.86	220	27.0	0.87
New Jersey																		
Observed	20,935	466.6	1.50	6,100	139.5	0.83	2,672	55.2	0.49	1,699	35.9	0.41	1,554	33.1	0.39	916	21.5	0.33
Delay Adjusted	21,534	479.9	1.55	6,189	141.5	0.84	2,703	55.9	0.49	1,728	36.5	0.41	1,570	33.5	0.39	954	22.4	0.35
New Mexico																		
Observed	4,149	367.0	2.66	1,307	115.9	1.50	444	36.2	0.78	337	29.0	0.73	271	23.3	0.66	149	13.3	0.51
Delay Adjusted	4,273	378.0	2.74	1,336	118.4	1.54	454	37.0	0.80	347	29.7	0.75	274	23.6	0.67	155	13.9	0.53
New York																		
Observed	43,789	466.1	1.04	12,536	137.7	0.57	5,934	58.4	0.35	3,362	34.0	0.27	3,161	32.7	0.27	1,675	18.9	0.22
Delay Adjusted	44,550	474.2	1.06	12,660	139.1	0.58	5,980	58.8	0.35	3,394	34.3	0.28	3,184	32.9	0.27	1,744	19.7	0.23
North Carolina																		
Observed	20,668	429.3	1.38	6,373	133.6	0.77	3,072	59.3	0.49	1,527	31.3	0.37	1,250	25.1	0.33	1,136	25.4	0.35
Delay Adjusted	21,394	444.3	1.43	6,554	137.4	0.80	3,120	60.2	0.49	1,562	32.0	0.38	1,266	25.4	0.33	1,191	26.6	0.37

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	1,658	416.8	4.81	496	128.0	2.71	213	50.5	1.59	157	37.3	1.40	106	26.1	1.18	85	23.9	1.23
Delay Adjusted	1,703	428.2	4.94	500	129.1	2.73	218	51.7	1.62	159	38.0	1.43	108	26.6	1.20	87	24.3	1.25
Ohio																		
Observed	28,758	439.0	1.21	8,365	129.2	0.66	4,142	59.0	0.42	2,470	36.1	0.34	2,135	31.4	0.32	1,236	20.8	0.28
Delay Adjusted	29,770	454.3	1.25	8,581	132.5	0.68	4,240	60.3	0.43	2,532	37.0	0.35	2,186	32.2	0.32	1,295	21.8	0.29
Oklahoma																		
Observed	7,926	402.9	2.10	2,310	118.6	1.15	1,190	56.0	0.74	689	34.1	0.60	438	22.0	0.49	317	17.4	0.46
Delay Adjusted	8,022	407.8	2.12	2,315	118.8	1.15	1,199	56.4	0.74	692	34.2	0.60	441	22.1	0.49	318	17.4	0.46
Oregon																		
Observed	9,940	416.7	1.95	3,007	126.8	1.08	1,296	50.8	0.65	746	30.6	0.52	715	28.7	0.50	556	25.0	0.50
Delay Adjusted	10,290	431.2	2.02	3,095	130.5	1.11	1,327	52.0	0.66	769	31.6	0.54	727	29.1	0.51	571	25.6	0.51
Pennsylvania																		
Observed	34,618	455.4	1.16	9,901	133.7	0.64	4,647	55.8	0.38	2,875	35.2	0.31	2,609	33.2	0.30	1,427	20.9	0.26
Delay Adjusted	35,273	464.0	1.18	10,010	135.2	0.64	4,691	56.3	0.38	2,903	35.6	0.31	2,623	33.3	0.30	1,470	21.4	0.27
Rhode Island																		
Observed	2,942	460.8	4.00	873	140.4	2.23	463	67.5	1.44	204	29.7	0.98	203	30.6	0.99	119	19.4	0.84
Delay Adjusted	3,012	471.7	4.09	885	142.3	2.26	472	68.9	1.47	207	30.2	0.99	207	31.1	1.01	122	19.8	0.86
South Carolina																		
Observed	9,709	416.8	1.98	3,023	130.8	1.12	1,437	56.5	0.68	742	31.5	0.54	531	22.0	0.45	530	24.8	0.51
Delay Adjusted	10,021	429.9	2.04	3,095	133.9	1.14	1,464	57.6	0.69	762	32.3	0.55	542	22.5	0.46	547	25.6	0.52
South Dakota																		
Observed	2,028	426.4	4.47	598	128.5	2.48	272	53.2	1.48	182	35.8	1.25	143	29.3	1.15	104	25.1	1.18
Delay Adjusted	2,111	443.7	4.65	608	130.6	2.53	280	54.8	1.53	188	36.9	1.29	144	29.5	1.15	109	26.5	1.24
Tennessee																		
Observed	14,737	421.5	1.61	4,249	122.3	0.87	2,382	63.5	0.59	1,229	34.4	0.45	884	24.8	0.39	619	19.1	0.36
Delay Adjusted	15,014	429.5	1.64	4,337	124.8	0.89	2,409	64.2	0.60	1,239	34.7	0.46	893	25.0	0.39	637	19.7	0.37
Texas																		
Observed	44,843	376.4	0.81	13,535	113.8	0.45	5,198	42.7	0.27	3,715	30.9	0.23	2,831	23.2	0.20	1,288	11.1	0.14
Delay Adjusted	46,333	388.9	0.83	13,875	116.7	0.46	5,265	43.3	0.27	3,782	31.5	0.23	2,881	23.6	0.20	1,387	11.9	0.15

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	4,733	372.0	2.46	1,453	115.6	1.38	286	22.4	0.60	336	26.8	0.66	349	26.7	0.65	427	33.7	0.74
Delay Adjusted	4,820	378.8	2.50	1,464	116.4	1.39	291	22.8	0.61	339	27.1	0.67	352	26.8	0.65	437	34.5	0.76
Vermont																		
Observed	1,818	435.6	4.82	541	131.5	2.67	250	55.3	1.61	139	32.1	1.28	155	34.7	1.31	124	31.5	1.35
Delay Adjusted	1,846	442.2	4.89	544	132.3	2.69	253	56.0	1.63	141	32.7	1.30	155	34.9	1.31	126	31.9	1.36
Virginia																		
Observed	15,071	396.1	1.49	4,798	126.9	0.84	2,046	50.7	0.51	1,178	30.6	0.41	990	24.8	0.36	760	21.1	0.35
Delay Adjusted	15,385	404.6	1.52	4,854	128.5	0.86	2,065	51.2	0.51	1,188	30.9	0.41	999	25.1	0.37	776	21.6	0.36
Washington																		
Observed	15,825	428.8	1.58	5,012	136.1	0.89	1,987	51.5	0.53	1,187	32.0	0.43	1,022	26.2	0.38	874	24.9	0.39
Delay Adjusted	16,112	436.6	1.61	5,070	137.6	0.90	2,014	52.2	0.54	1,205	32.5	0.44	1,036	26.6	0.38	888	25.3	0.40
Seattle																		
Observed	11,029	453.0	2.00	3,504	144.2	1.13	1,347	53.2	0.66	811	33.0	0.54	707	27.3	0.47	684	29.5	0.52
Delay Adjusted	11,155	458.1	2.02	3,519	144.8	1.13	1,349	53.2	0.66	815	33.2	0.54	711	27.5	0.48	701	30.2	0.53
West Virginia																		
Observed	5,529	452.5	2.86	1,427	117.4	1.46	926	69.5	1.05	524	41.2	0.84	393	31.6	0.75	192	17.5	0.60
Delay Adjusted	5,666	464.3	2.94	1,466	120.6	1.50	942	70.7	1.06	533	41.9	0.85	399	32.0	0.76	197	18.0	0.62
Wisconsin																		
Observed	14,416	426.9	1.66	4,349	131.5	0.93	1,895	52.4	0.55	1,106	31.5	0.44	1,125	31.8	0.44	624	20.3	0.38
Delay Adjusted	14,868	440.3	1.71	4,457	134.7	0.95	1,941	53.7	0.56	1,141	32.5	0.45	1,151	32.5	0.45	660	21.5	0.41
Wyoming																		
Observed	1,205	373.3	5.00	363	112.7	2.76	136	39.8	1.56	94	29.1	1.39	77	22.4	1.19	63	20.6	1.20
Delay Adjusted	1,216	376.8	5.05	366	113.6	2.79	136	39.9	1.57	94	29.3	1.40	77	22.4	1.19	65	21.1	1.23

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR U.S. Combined Delay Adjusted Incidence 2013-2017, Black Combined

UNITED STATES

V-29 Combined Delay Adjusted Incidence – Black

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR United States Combined[1], 2013-2017, Black

	MALES (BLACK)						FEMALES (BLACK)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	90,926	513.6	0.81	93,662	529.2	0.84	89,746	391.8	0.60	92,444	403.6	0.62
Oral Cavity & Pharynx	2,608	13.8	0.13	2,665	14.1	0.13	1,175	5.0	0.07	1,201	5.1	0.07
Digestive												
Esophagus	1,086	6.2	0.09	1,098	6.3	0.09	493	2.1	0.04	499	2.1	0.04
Stomach	2,175	13.4	0.14	2,213	13.7	0.14	1,618	7.3	0.08	1,645	7.4	0.08
Colon & Rectum	8,863	51.5	0.26	9,052	52.5	0.27	8,702	38.2	0.19	8,885	39.0	0.19
Liver & IBD[2]	3,533	17.6	0.14	3,625	18.1	0.14	1,319	5.5	0.07	1,353	5.6	0.07
Pancreas	2,871	17.2	0.15	2,912	17.4	0.16	3,236	14.5	0.12	3,281	14.7	0.12
Respiratory												
Larynx	1,408	7.8	0.10	1,429	8.0	0.10	361	1.5	0.04	366	1.5	0.04
Lung & bronchus	12,801	77.7	0.33	12,984	78.8	0.33	10,661	46.8	0.21	10,819	47.5	0.21
Skin												
Melanomas of the skin	183	1.1	0.04	190	1.2	0.04	200	0.9	0.03	208	0.9	0.03
Breast (female cases only)	-	-	-	-	-	-	28,660	124.4	0.34	29,291	127.2	0.34
Female Genital												
Cervix uteri	-	-	-	-	-	-	1,977	8.8	0.09	2,014	8.9	0.09
Corpus & uterus, NOS[2]	-	-	-	-	-	-	6,442	26.9	0.15	6,544	27.3	0.16
Ovary	-	-	-	-	-	-	2,014	8.8	0.09	2,070	9.0	0.09
Male Genital												
Prostate	31,219	167.8	0.45	32,882	176.9	0.48	-	-	-	-	-	-
Testis	309	1.5	0.04	314	1.5	0.04	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	2,932	19.3	0.17	3,009	19.9	0.18	1,414	6.5	0.08	1,452	6.7	0.08
Kidney & renal pelvis	4,641	25.4	0.18	4,765	26.1	0.18	2,996	13.0	0.11	3,076	13.3	0.11
Brain & Other CNS[2]	906	4.6	0.07	933	4.8	0.07	795	3.5	0.06	817	3.5	0.06
Endocrine												
Thyroid gland	721	3.8	0.07	738	3.9	0.07	3,079	13.4	0.11	3,149	13.7	0.11
Lymphomas												
Hodgkin Lymphoma	623	3.0	0.06	639	3.1	0.06	533	2.3	0.05	547	2.3	0.05
Non-Hodgkin Lymphoma	3,051	17.0	0.15	3,165	17.7	0.15	2,755	12.2	0.11	2,857	12.6	0.11
Multiple Myeloma	2,661	16.2	0.15	2,886	17.6	0.16	2,672	11.9	0.11	2,896	12.9	0.11
Leukemias	2,279	13.4	0.13	2,475	14.5	0.15	1,951	8.7	0.09	2,118	9.4	0.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	90,926	513.6	0.81	31,219	167.8	0.45	12,801	77.7	0.33	8,863	51.5	0.26	4,641	25.4	0.18	3,533	17.6	0.14
Delay Adjusted	93,662	529.2	0.84	32,882	176.9	0.48	12,984	78.8	0.33	9,052	52.5	0.27	4,765	26.1	0.18	3,625	18.1	0.14
Alabama																		
Observed	2,997	536.4	4.69	1,091	186.6	2.70	461	85.0	1.90	306	57.4	1.57	147	25.7	1.01	85	13.2	0.68
Delay Adjusted	3,048	545.5	4.77	1,131	193.6	2.81	464	85.5	1.91	309	57.9	1.58	148	25.9	1.01	86	13.4	0.69
Alaska																		
Observed	39	392.9	34.90	14	134.8	20.15	5	61.0	14.95	3	36.8	11.31	-	-	-	-	-	-
Delay Adjusted	41	411.7	36.52	15	141.9	21.24	5	62.8	15.38	3	38.1	11.72	-	-	-	-	-	-
Arizona																		
Observed	481	377.7	8.49	151	113.5	4.48	67	60.1	3.62	40	30.4	2.39	33	24.4	2.09	18	13.3	1.54
Delay Adjusted	518	406.3	9.12	168	125.5	4.96	68	61.6	3.71	43	32.9	2.59	34	25.7	2.19	18	13.9	1.61
Arkansas																		
Observed	1,116	578.5	8.35	378	185.2	4.57	200	109.0	3.73	113	59.4	2.70	53	27.7	1.81	33	15.8	1.33
Delay Adjusted	1,144	593.1	8.56	389	190.4	4.71	202	109.8	3.76	114	60.0	2.73	54	28.1	1.84	34	16.2	1.35
California																		
Observed	5,317	445.1	2.88	1,754	138.0	1.55	661	60.4	1.11	512	43.6	0.91	287	23.4	0.65	230	17.6	0.55
Delay Adjusted	5,565	466.1	3.02	1,901	150.0	1.69	681	62.2	1.14	529	45.0	0.94	299	24.4	0.67	238	18.2	0.56
Greater California																		
Observed	2,203	432.8	4.45	748	138.9	2.43	259	57.0	1.71	215	42.6	1.41	122	22.9	0.99	98	17.5	0.84
Delay Adjusted	2,327	457.4	4.71	816	152.1	2.68	268	59.1	1.77	222	44.1	1.46	129	24.2	1.05	102	18.1	0.87
Greater Bay																		
Observed	1,147	481.8	6.69	367	142.6	3.49	144	65.6	2.58	102	43.5	2.03	65	26.9	1.56	60	23.0	1.39
Delay Adjusted	1,187	498.8	6.93	389	151.2	3.70	147	67.2	2.64	105	44.7	2.08	67	27.8	1.62	62	23.8	1.44
Los Angeles																		
Observed	1,968	440.4	4.60	639	134.7	2.46	259	61.4	1.77	195	45.0	1.49	101	22.4	1.03	72	14.9	0.81
Delay Adjusted	2,051	459.3	4.80	696	147.2	2.71	266	63.1	1.82	201	46.4	1.53	103	22.9	1.05	74	15.3	0.83
Colorado																		
Observed	421	423.3	10.32	140	131.0	5.50	44	52.2	3.90	43	45.1	3.45	23	21.6	2.23	19	17.4	1.97
Delay Adjusted	433	436.4	10.66	149	141.2	5.98	45	52.6	3.94	44	46.1	3.52	23	22.0	2.27	19	17.5	1.99

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	800	494.1	8.32	279	164.3	4.64	100	70.6	3.36	71	44.6	2.55	43	23.6	1.69	28	15.8	1.39
Delay Adjusted	822	507.6	8.56	289	170.7	4.84	101	71.4	3.39	72	45.2	2.58	44	24.0	1.71	29	16.1	1.42
Delaware																		
Observed	498	549.2	11.65	198	202.8	6.75	61	74.2	4.51	45	52.8	3.73	26	27.7	2.56	21	20.3	2.07
Delay Adjusted	518	570.7	12.11	211	215.8	7.19	62	75.6	4.60	47	54.7	3.87	26	28.6	2.65	22	20.9	2.12
District of Columbia																		
Observed	788	494.7	8.16	232	141.5	4.30	108	68.6	3.05	77	50.9	2.68	36	22.0	1.70	49	27.2	1.79
Delay Adjusted	813	510.9	8.43	245	149.8	4.55	109	69.3	3.08	78	51.9	2.74	37	22.9	1.78	51	28.2	1.86
Florida																		
Observed	6,281	448.2	2.67	2,150	147.1	1.49	770	57.8	0.99	637	46.6	0.87	270	18.8	0.54	194	12.5	0.42
Delay Adjusted	6,563	468.4	2.79	2,310	158.3	1.60	782	58.7	1.00	658	48.0	0.90	280	19.5	0.56	198	12.8	0.43
Georgia																		
Observed	6,685	549.2	3.33	2,464	193.3	1.91	893	80.5	1.35	668	55.2	1.06	326	25.5	0.69	197	14.1	0.49
Delay Adjusted	6,823	560.7	3.40	2,547	199.9	1.98	904	81.5	1.36	680	56.2	1.08	335	26.1	0.71	201	14.4	0.50
Hawaii																		
Observed	59	447.1	29.74	23	162.5	16.68	4	44.2	10.72	6	43.9	9.57	3	17.8	5.99	3	21.0	6.25
Delay Adjusted	61	458.6	30.48	24	166.7	17.09	4	44.8	10.86	6	44.4	9.65	3	18.1	6.13	3	21.3	6.35
Idaho																		
Observed	17	428.5	61.91	6	139.7	28.56	3	67.4	25.40	1	31.6	15.37	-	-	-	1	34.1	20.60
Delay Adjusted	17	442.9	64.17	7	149.6	30.64	3	68.4	25.68	1	32.6	15.93	-	-	-	1	34.4	20.77
Illinois																		
Observed	4,434	553.7	3.89	1,440	170.2	2.09	704	92.9	1.64	474	62.0	1.33	237	28.8	0.87	141	15.8	0.62
Delay Adjusted	4,511	563.4	3.96	1,498	177.3	2.18	711	93.8	1.66	479	62.6	1.35	240	29.3	0.89	144	16.1	0.63
Indiana																		
Observed	1,265	523.3	7.04	400	160.4	3.82	190	83.6	2.90	124	52.8	2.27	78	30.9	1.67	55	20.0	1.28
Delay Adjusted	1,337	553.3	7.45	451	181.4	4.34	196	86.5	3.00	128	54.4	2.33	83	33.2	1.80	58	21.1	1.35

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	190	564.0	21.08	59	174.6	11.32	29	98.5	9.32	17	54.6	6.87	10	26.3	4.51	11	29.4	4.27
Delay Adjusted	195	577.5	21.59	61	179.8	11.64	30	99.8	9.44	17	55.0	6.92	10	26.7	4.59	12	30.3	4.39
Kansas																		
Observed	364	497.3	12.63	118	154.6	6.84	57	82.9	5.31	35	51.4	4.24	18	22.7	2.57	16	19.4	2.33
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	784	527.3	9.19	226	144.9	4.68	137	101.8	4.24	86	59.5	3.14	49	31.2	2.15	29	16.9	1.50
Delay Adjusted	796	535.0	9.32	234	150.1	4.85	138	102.5	4.27	87	60.2	3.18	50	31.7	2.19	30	17.0	1.51
Louisiana																		
Observed	3,698	584.4	4.60	1,194	180.0	2.48	595	99.1	1.95	392	63.2	1.52	178	28.1	1.00	167	22.6	0.82
Delay Adjusted	3,765	595.1	4.68	1,223	184.3	2.54	600	99.8	1.97	397	63.9	1.54	180	28.6	1.02	172	23.3	0.85
Maine																		
Observed	24	346.9	35.99	7	110.9	20.73	4	59.8	15.66	2	24.9	7.69	-	-	-	2	25.6	8.21
Delay Adjusted	24	351.2	36.44	7	114.8	21.54	4	59.9	15.69	2	25.1	7.73	-	-	-	2	26.0	8.35
Maryland																		
Observed	4,020	509.1	3.84	1,569	186.4	2.23	468	64.8	1.44	355	47.2	1.20	183	22.7	0.80	174	19.3	0.69
Delay Adjusted	4,160	527.0	3.98	1,637	195.0	2.35	479	66.4	1.47	369	49.0	1.25	190	23.6	0.83	182	20.2	0.72
Massachusetts																		
Observed	1,009	446.8	6.76	373	158.6	3.92	106	52.4	2.45	99	45.1	2.19	43	18.6	1.35	44	17.7	1.26
Delay Adjusted	1,039	460.5	6.98	384	163.4	4.05	107	53.0	2.48	100	45.8	2.23	44	18.8	1.36	45	18.2	1.30
Michigan																		
Observed	3,274	531.5	4.37	1,050	160.9	2.32	501	86.4	1.82	327	54.7	1.42	176	27.9	0.98	132	18.8	0.76
Delay Adjusted	3,333	541.1	4.45	1,086	166.5	2.41	507	87.5	1.84	332	55.5	1.44	180	28.4	1.00	135	19.2	0.78
Detroit																		
Observed	2,498	579.0	5.42	815	178.3	2.92	372	90.8	2.21	258	62.1	1.81	132	30.1	1.22	100	20.3	0.94
Delay Adjusted	2,535	587.5	5.50	835	182.6	2.99	374	91.3	2.22	259	62.4	1.82	135	30.7	1.24	101	20.5	0.96
Minnesota																		
Observed	501	528.4	12.51	154	158.3	6.58	62	76.6	5.09	45	46.8	3.78	29	28.0	2.82	37	38.8	3.36
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	2,695	581.8	5.41	915	186.9	2.96	470	107.9	2.42	314	68.9	1.88	137	29.6	1.21	60	11.5	0.71
Delay Adjusted	2,746	592.8	5.51	945	193.0	3.06	474	108.9	2.44	317	69.5	1.90	139	30.1	1.23	61	11.7	0.72
Missouri																		
Observed	1,565	539.4	6.48	459	147.7	3.26	270	99.1	2.87	147	52.8	2.07	83	28.0	1.45	76	23.4	1.26
Delay Adjusted	1,599	551.3	6.63	486	156.7	3.46	273	100.4	2.91	149	53.5	2.10	85	28.7	1.49	77	23.8	1.29
Montana																		
Observed	9	503.7	85.51	3	187.6	50.29	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	10	525.8	89.19	3	202.4	54.43	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	191	588.7	20.83	68	203.2	11.86	22	76.6	8.06	19	58.8	6.61	15	42.1	5.21	9	24.6	4.07
Delay Adjusted	202	623.9	22.08	73	217.1	12.67	23	79.9	8.41	19	60.3	6.77	16	44.2	5.47	9	25.6	4.25
New Hampshire																		
Observed	27	367.5	36.67	11	152.2	24.20	3	41.7	12.49	3	37.2	10.97	2	15.0	5.43	1	19.6	8.34
Delay Adjusted	29	387.1	38.64	11	156.9	25.00	3	42.5	12.72	3	37.9	11.15	2	15.5	5.63	2	21.4	9.27
New Jersey																		
Observed	2,792	506.1	4.52	1,075	187.1	2.68	314	62.9	1.67	270	49.8	1.43	131	22.3	0.91	92	14.9	0.73
Delay Adjusted	2,891	524.2	4.68	1,156	201.4	2.89	319	63.8	1.70	280	51.7	1.49	134	22.8	0.93	96	15.5	0.76
New Mexico																		
Observed	90	358.6	18.20	32	113.1	9.49	12	60.5	8.20	6	25.0	4.73	5	16.1	3.52	4	11.2	2.71
Delay Adjusted	100	395.3	20.08	37	129.3	10.84	13	64.1	8.69	7	25.5	4.83	5	16.7	3.66	4	11.7	2.82
New York																		
Observed	7,808	518.5	2.74	3,039	193.5	1.63	849	59.6	0.96	698	48.4	0.86	356	22.9	0.56	304	18.5	0.49
Delay Adjusted	7,981	530.1	2.80	3,164	201.7	1.71	856	60.1	0.97	711	49.3	0.87	364	23.4	0.58	311	19.0	0.51
North Carolina																		
Observed	5,234	539.8	3.58	1,813	176.9	1.98	819	89.8	1.51	469	49.5	1.10	262	26.3	0.77	172	15.5	0.56
Delay Adjusted	5,417	558.8	3.71	1,932	188.6	2.12	832	91.1	1.53	479	50.6	1.12	269	27.0	0.79	178	16.1	0.58

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	12	283.9	60.06	5	97.5	23.51	-	-	-	1	70.6	43.08	-	-	-	-	-	-
Delay Adjusted	13	292.5	61.95	5	100.7	24.31	-	-	-	1	72.3	44.21	-	-	-	-	-	-
Ohio																		
Observed	3,273	508.6	4.17	1,065	156.0	2.24	540	89.0	1.80	290	46.1	1.27	174	26.7	0.94	136	18.9	0.76
Delay Adjusted	3,391	527.1	4.33	1,136	166.3	2.38	553	91.1	1.84	298	47.3	1.30	180	27.6	0.98	141	19.6	0.78
Oklahoma																		
Observed	631	514.6	9.97	212	164.9	5.49	96	83.7	4.14	63	52.1	3.20	35	28.5	2.35	21	13.6	1.39
Delay Adjusted	650	529.8	10.27	223	173.8	5.80	97	85.3	4.22	64	53.2	3.27	35	28.8	2.38	21	13.9	1.41
Oregon																		
Observed	185	492.0	18.33	60	157.3	10.25	25	74.0	7.50	12	34.6	4.99	12	27.0	3.86	13	29.9	4.06
Delay Adjusted	191	510.1	19.03	64	166.1	10.79	26	75.7	7.67	13	35.7	5.16	12	27.9	3.99	13	30.9	4.17
Pennsylvania																		
Observed	3,322	543.0	4.45	1,014	157.0	2.32	488	86.3	1.85	287	48.7	1.36	203	32.1	1.05	197	28.7	0.96
Delay Adjusted	3,430	560.6	4.60	1,102	170.5	2.52	493	87.1	1.86	293	49.6	1.38	209	33.1	1.09	202	29.4	0.99
Rhode Island																		
Observed	120	369.4	16.35	36	105.3	8.49	18	60.9	6.84	9	28.1	4.53	6	17.4	3.46	4	10.0	2.37
Delay Adjusted	123	378.3	16.74	38	111.2	8.97	19	61.8	6.94	9	28.5	4.60	6	17.7	3.52	4	10.4	2.47
South Carolina																		
Observed	3,225	528.4	4.45	1,111	171.3	2.45	506	86.2	1.84	313	53.4	1.44	158	24.9	0.93	95	13.7	0.67
Delay Adjusted	3,332	546.2	4.60	1,173	181.0	2.59	515	87.8	1.87	323	54.9	1.48	163	25.7	0.97	98	14.1	0.69
South Dakota																		
Observed	18	330.8	44.67	5	89.0	19.40	2	46.6	21.03	2	23.8	8.54	2	21.6	7.68	-	-	-
Delay Adjusted	19	344.9	46.65	6	95.8	20.90	2	48.6	22.06	2	24.4	8.77	2	22.3	7.92	-	-	-
Tennessee																		
Observed	2,398	543.2	5.46	822	177.8	3.04	384	94.4	2.38	233	54.5	1.76	127	27.7	1.19	93	17.5	0.86
Delay Adjusted	2,461	557.4	5.60	847	183.2	3.13	390	95.9	2.42	237	55.4	1.79	130	28.3	1.22	96	17.8	0.88
Texas																		
Observed	6,451	505.2	3.11	2,027	152.6	1.66	927	81.4	1.32	705	55.7	1.04	345	26.1	0.69	345	22.6	0.58
Delay Adjusted	6,718	526.1	3.23	2,195	165.6	1.81	939	82.4	1.33	718	56.6	1.05	357	27.0	0.71	351	23.0	0.59

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	52	411.4	31.80	18	154.7	19.01	3	41.1	12.32	7	49.3	10.60	2	13.9	4.83	3	20.1	6.04
Delay Adjusted	55	437.8	33.82	21	179.6	22.04	3	41.9	12.58	7	49.7	10.70	2	14.2	4.95	3	20.7	6.19
Vermont																		
Observed	10	343.2	56.22	4	161.7	39.73	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	10	349.1	57.22	4	164.4	40.44	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	3,744	504.0	3.93	1,329	167.1	2.17	538	78.4	1.62	342	47.8	1.23	222	29.0	0.92	121	14.2	0.61
Delay Adjusted	3,820	514.3	4.01	1,361	171.1	2.22	543	79.1	1.63	347	48.5	1.25	226	29.4	0.93	123	14.5	0.63
Washington																		
Observed	571	465.7	10.00	182	140.2	5.25	63	63.9	4.06	51	41.5	2.96	34	25.4	2.23	34	23.8	2.01
Delay Adjusted	579	471.7	10.13	186	143.8	5.38	64	64.4	4.09	51	41.9	2.99	34	25.7	2.25	35	24.2	2.05
Seattle																		
Observed	546	516.1	11.33	177	160.1	6.07	59	68.6	4.49	50	48.6	3.49	33	28.6	2.55	32	25.4	2.22
Delay Adjusted	560	529.5	11.63	188	169.9	6.44	60	68.7	4.50	52	50.5	3.62	34	29.1	2.59	32	25.5	2.24
West Virginia																		
Observed	183	523.7	18.98	64	168.8	10.20	29	93.7	8.59	17	47.7	5.69	9	24.9	4.09	8	17.0	2.72
Delay Adjusted	190	543.6	19.69	67	176.7	10.67	30	95.1	8.72	17	48.7	5.80	9	25.7	4.21	8	17.4	2.78
Wisconsin																		
Observed	814	631.6	10.93	249	187.0	5.80	132	113.0	4.87	76	58.9	3.35	47	35.3	2.51	44	29.5	2.14
Delay Adjusted	836	648.6	11.22	258	193.7	6.00	135	115.9	4.99	78	60.7	3.46	49	36.4	2.59	45	30.3	2.20
Wyoming																		
Observed	8	297.7	53.42	3	95.4	29.58	-	-	-	1	36.8	18.22	-	-	-	-	-	-
Delay Adjusted	8	300.1	53.81	3	96.3	29.85	-	-	-	1	37.2	18.38	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	89,746	391.8	0.60	28,660	124.4	0.34	10,661	46.8	0.21	8,702	38.2	0.19	6,442	26.9	0.15	3,236	14.5	0.12
Delay Adjusted	92,444	403.6	0.62	29,291	127.2	0.34	10,819	47.5	0.21	8,885	39.0	0.19	6,544	27.3	0.16	3,281	14.7	0.12
Alabama																		
Observed	2,785	379.9	3.31	934	126.1	1.90	277	37.4	1.04	318	43.7	1.12	170	22.3	0.79	104	14.5	0.65
Delay Adjusted	2,832	386.3	3.36	945	127.6	1.92	278	37.7	1.04	321	44.0	1.13	171	22.5	0.79	105	14.6	0.65
Alaska																		
Observed	32	318.9	27.61	11	102.7	14.73	4	46.2	11.28	2	17.3	6.31	2	17.4	6.21	-	-	-
Delay Adjusted	34	333.9	28.90	11	104.9	15.04	4	48.1	11.76	2	18.0	6.55	2	17.8	6.35	-	-	-
Arizona																		
Observed	444	319.8	7.06	146	102.2	3.91	51	38.7	2.54	43	32.1	2.28	30	21.6	1.82	19	14.9	1.59
Delay Adjusted	478	344.1	7.59	154	107.9	4.13	52	39.7	2.60	46	34.8	2.48	32	22.6	1.90	20	15.5	1.65
Arkansas																		
Observed	963	396.1	5.89	294	120.1	3.23	123	50.2	2.10	107	45.1	2.01	65	25.1	1.44	38	16.3	1.22
Delay Adjusted	988	406.1	6.04	307	125.2	3.36	123	50.5	2.11	108	45.5	2.03	67	26.0	1.49	38	16.5	1.23
California																		
Observed	5,238	366.7	2.31	1,720	120.4	1.32	630	44.3	0.81	509	36.1	0.73	388	25.8	0.60	185	13.0	0.44
Delay Adjusted	5,480	383.7	2.42	1,786	125.0	1.38	649	45.6	0.83	525	37.2	0.75	399	26.5	0.61	189	13.3	0.45
Greater California																		
Observed	2,021	356.4	3.65	680	118.4	2.09	235	43.1	1.30	190	34.5	1.15	136	22.8	0.90	65	11.9	0.68
Delay Adjusted	2,135	376.7	3.86	715	124.6	2.20	244	44.7	1.35	197	35.7	1.19	143	23.8	0.94	67	12.3	0.70
Greater Bay																		
Observed	1,075	385.9	5.39	338	122.5	3.05	133	46.8	1.86	109	39.5	1.73	85	28.9	1.43	40	14.2	1.03
Delay Adjusted	1,113	399.4	5.57	348	125.8	3.13	136	48.0	1.91	112	40.5	1.77	87	29.3	1.45	40	14.3	1.04
Los Angeles																		
Observed	2,142	367.8	3.62	702	121.3	2.09	262	44.2	1.24	210	35.9	1.13	167	27.3	0.96	80	13.5	0.68
Delay Adjusted	2,232	383.3	3.77	723	125.0	2.15	269	45.4	1.27	216	37.0	1.16	170	27.8	0.98	82	13.8	0.70
Colorado																		
Observed	352	333.9	8.22	121	113.2	4.74	37	37.3	2.84	33	31.6	2.54	24	23.0	2.15	10	10.2	1.47
Delay Adjusted	363	343.9	8.47	122	114.4	4.79	37	37.6	2.86	34	32.4	2.60	25	23.2	2.16	10	10.2	1.47

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	812	370.4	5.92	261	117.0	3.29	93	43.7	2.07	70	32.2	1.75	63	27.5	1.58	28	13.7	1.17
Delay Adjusted	833	380.2	6.08	266	119.2	3.35	94	44.2	2.09	71	32.6	1.78	64	28.1	1.62	29	13.8	1.18
Delaware																		
Observed	501	427.2	8.78	163	135.6	4.88	66	58.1	3.31	43	37.3	2.61	37	29.9	2.27	19	16.8	1.77
Delay Adjusted	521	443.9	9.12	165	137.2	4.94	67	59.2	3.37	45	38.7	2.70	37	30.0	2.29	19	16.9	1.78
District of Columbia																		
Observed	947	431.9	6.50	290	137.4	3.75	124	53.1	2.19	94	42.0	2.00	75	33.0	1.75	35	15.2	1.17
Delay Adjusted	978	445.9	6.71	304	143.7	3.92	125	53.7	2.21	96	42.8	2.04	77	34.0	1.80	36	15.5	1.19
Florida																		
Observed	6,262	357.3	2.06	1,901	107.4	1.12	574	33.2	0.63	595	34.4	0.64	524	28.7	0.57	221	13.1	0.40
Delay Adjusted	6,548	373.6	2.15	1,963	110.9	1.16	583	33.7	0.64	614	35.4	0.66	540	29.6	0.59	225	13.4	0.41
Georgia																		
Observed	6,485	391.9	2.25	2,213	130.2	1.28	634	40.0	0.74	663	40.6	0.73	460	26.3	0.57	224	14.7	0.46
Delay Adjusted	6,618	399.9	2.30	2,239	131.7	1.29	642	40.5	0.75	675	41.3	0.75	464	26.6	0.58	227	14.9	0.46
Hawaii																		
Observed	28	309.6	29.10	10	99.2	14.98	3	54.1	14.25	2	23.9	9.33	2	19.6	7.42	-	-	-
Delay Adjusted	28	318.0	29.87	10	100.8	15.22	3	54.9	14.44	2	24.1	9.40	2	19.8	7.48	-	-	-
Idaho																		
Observed	9	259.0	45.24	3	83.6	25.91	-	-	-	1	41.6	18.49	-	-	-	-	-	-
Delay Adjusted	9	267.2	46.64	3	85.0	26.29	-	-	-	1	42.5	18.99	-	-	-	-	-	-
Illinois																		
Observed	4,724	433.3	2.87	1,468	135.2	1.61	678	61.1	1.07	483	44.3	0.92	346	30.3	0.74	166	15.3	0.54
Delay Adjusted	4,805	440.7	2.92	1,481	136.5	1.62	685	61.7	1.08	489	44.8	0.93	350	30.7	0.75	168	15.4	0.54
Indiana																		
Observed	1,255	397.6	5.14	394	123.5	2.85	184	59.2	2.01	122	39.4	1.63	81	24.3	1.24	47	15.0	1.01
Delay Adjusted	1,325	419.5	5.43	403	126.3	2.91	190	61.1	2.07	125	40.5	1.68	83	24.7	1.25	47	15.2	1.02

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	154	435.2	16.68	40	111.9	8.32	20	62.0	6.57	14	38.7	4.96	12	34.4	4.73	5	16.4	3.46
Delay Adjusted	157	445.5	17.09	40	112.8	8.39	20	62.7	6.65	14	39.0	5.01	12	34.6	4.76	5	16.7	3.51
Kansas																		
Observed	329	399.5	10.10	102	124.5	5.65	45	55.1	3.77	28	35.1	3.03	20	23.0	2.39	13	17.3	2.18
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	810	438.5	7.10	233	125.0	3.76	131	73.1	2.95	83	44.4	2.24	51	26.8	1.73	29	15.9	1.37
Delay Adjusted	822	445.0	7.20	236	126.3	3.80	132	73.6	2.97	84	44.9	2.27	52	27.2	1.76	29	16.0	1.38
Louisiana																		
Observed	3,327	415.8	3.31	1,083	135.2	1.89	377	46.7	1.11	368	45.8	1.10	194	22.9	0.76	116	14.9	0.64
Delay Adjusted	3,388	423.3	3.37	1,098	137.0	1.91	379	47.1	1.12	372	46.3	1.11	195	23.1	0.76	118	15.1	0.65
Maine																		
Observed	18	297.2	33.32	5	80.0	16.37	2	26.5	9.80	1	26.7	10.76	2	30.4	11.09	-	-	-
Delay Adjusted	18	300.7	33.72	5	81.2	16.62	2	26.6	9.81	1	26.9	10.84	2	30.4	11.11	-	-	-
Maryland																		
Observed	4,262	397.7	2.80	1,448	133.4	1.61	509	48.2	0.99	373	35.3	0.84	321	28.1	0.72	147	14.2	0.54
Delay Adjusted	4,410	411.6	2.90	1,491	137.4	1.66	522	49.5	1.01	387	36.7	0.87	327	28.6	0.73	151	14.5	0.55
Massachusetts																		
Observed	1,042	362.9	5.13	337	116.1	2.88	107	38.4	1.70	88	31.0	1.51	77	26.2	1.36	34	12.5	0.98
Delay Adjusted	1,072	373.4	5.28	339	117.0	2.91	108	38.9	1.72	90	31.5	1.53	78	26.4	1.37	34	12.6	0.99
Michigan																		
Observed	3,271	406.7	3.26	979	123.1	1.80	469	57.4	1.22	323	40.0	1.02	227	26.8	0.82	128	15.6	0.63
Delay Adjusted	3,327	413.7	3.32	989	124.3	1.82	474	58.1	1.23	327	40.6	1.03	230	27.1	0.83	130	15.8	0.64
Detroit																		
Observed	2,563	432.6	3.92	772	132.0	2.18	363	60.0	1.45	256	43.0	1.23	176	28.1	0.97	101	16.7	0.76
Delay Adjusted	2,600	438.8	3.98	778	133.0	2.20	365	60.4	1.45	258	43.3	1.24	177	28.4	0.99	102	16.7	0.76
Minnesota																		
Observed	429	394.6	9.31	123	106.5	4.62	51	54.3	3.68	36	35.2	2.85	34	32.8	2.69	15	15.7	1.99
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	2,351	396.6	3.76	728	121.8	2.07	273	46.1	1.29	280	47.1	1.29	155	25.0	0.92	85	14.9	0.74
Delay Adjusted	2,395	404.2	3.83	740	123.8	2.10	275	46.6	1.30	283	47.5	1.30	157	25.2	0.93	86	15.1	0.75
Missouri																		
Observed	1,669	430.5	4.81	526	136.3	2.72	250	64.2	1.86	157	40.7	1.48	105	26.0	1.16	62	16.1	0.93
Delay Adjusted	1,706	440.0	4.92	533	138.2	2.75	253	65.0	1.88	159	41.2	1.50	106	26.2	1.17	63	16.3	0.94
Montana																		
Observed	4	183.4	44.86	1	60.0	24.63	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	4	192.5	47.08	1	61.8	25.33	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	159	418.7	15.35	42	110.0	7.79	26	71.7	6.49	14	38.2	4.71	9	23.1	3.55	5	15.7	3.11
Delay Adjusted	169	443.9	16.28	43	111.9	7.92	27	74.7	6.76	14	39.3	4.85	9	23.2	3.57	5	16.0	3.16
New Hampshire																		
Observed	17	245.2	28.85	6	87.3	17.37	1	27.8	11.65	2	23.8	8.46	1	15.2	6.24	-	-	-
Delay Adjusted	18	258.1	30.36	6	88.1	17.53	1	28.2	11.84	2	24.2	8.59	1	15.3	6.28	-	-	-
New Jersey																		
Observed	3,052	403.2	3.31	975	128.2	1.86	343	45.2	1.11	290	38.8	1.03	238	29.9	0.88	108	14.4	0.63
Delay Adjusted	3,159	417.4	3.43	995	130.8	1.90	348	45.9	1.13	302	40.3	1.07	242	30.4	0.90	109	14.6	0.64
New Mexico																		
Observed	63	269.2	15.54	19	79.0	8.36	8	35.7	5.84	6	27.7	5.09	3	14.5	3.59	2	9.3	3.00
Delay Adjusted	69	295.2	17.04	20	86.0	9.10	8	37.6	6.15	6	28.3	5.19	3	14.7	3.63	2	9.5	3.06
New York																		
Observed	8,105	384.9	1.94	2,503	119.6	1.09	819	38.2	0.61	730	34.5	0.58	710	32.3	0.55	289	13.8	0.37
Delay Adjusted	8,285	393.5	1.99	2,541	121.4	1.10	826	38.5	0.61	743	35.1	0.59	716	32.6	0.56	291	13.9	0.37
North Carolina																		
Observed	5,103	397.2	2.55	1,720	133.2	1.47	594	45.9	0.86	461	36.1	0.77	351	26.1	0.64	188	14.9	0.50
Delay Adjusted	5,282	411.2	2.64	1,769	137.1	1.51	603	46.6	0.88	472	36.9	0.79	357	26.6	0.65	191	15.1	0.50

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	8	243.7	55.20	1	49.2	30.38	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	8	251.8	57.30	1	49.8	30.81	-	-	-	-	-	-	-	-	-	-	-	-
Ohio																		
Observed	3,321	405.9	3.22	1,035	127.5	1.81	501	60.3	1.23	299	36.4	0.96	217	25.6	0.79	120	14.6	0.61
Delay Adjusted	3,440	420.4	3.33	1,062	130.8	1.86	513	61.7	1.26	307	37.4	0.99	222	26.2	0.81	122	14.9	0.62
Oklahoma																		
Observed	563	386.2	7.51	179	122.2	4.21	74	51.4	2.77	56	39.0	2.40	38	24.7	1.85	19	13.1	1.40
Delay Adjusted	580	397.7	7.74	183	125.0	4.31	75	52.3	2.82	57	39.9	2.46	38	24.8	1.87	19	13.3	1.43
Oregon																		
Observed	133	373.0	15.00	42	113.7	8.05	18	56.6	6.18	11	30.4	4.29	9	23.0	3.59	5	15.7	3.13
Delay Adjusted	138	386.2	15.56	44	117.6	8.34	18	58.0	6.33	11	31.4	4.43	9	23.4	3.65	6	16.3	3.24
Pennsylvania																		
Observed	3,564	437.7	3.34	1,018	126.2	1.80	551	67.0	1.30	315	38.5	0.99	256	30.1	0.86	129	15.7	0.63
Delay Adjusted	3,680	451.9	3.45	1,032	127.9	1.83	556	67.7	1.31	321	39.3	1.01	258	30.5	0.87	130	15.9	0.64
Rhode Island																		
Observed	117	305.4	12.96	40	99.9	7.26	14	39.4	4.84	8	22.9	3.68	7	17.9	3.06	4	9.3	2.23
Delay Adjusted	120	313.0	13.29	40	101.3	7.36	14	40.2	4.94	8	23.3	3.73	7	18.2	3.11	4	9.4	2.26
South Carolina																		
Observed	3,020	382.8	3.21	1,003	127.2	1.85	325	40.3	1.03	291	36.7	0.99	226	26.8	0.82	119	15.4	0.65
Delay Adjusted	3,122	395.7	3.32	1,030	130.5	1.90	331	41.0	1.05	300	37.8	1.02	229	27.1	0.83	121	15.6	0.66
South Dakota																		
Observed	9	226.5	36.13	3	88.5	22.55	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	10	235.6	37.60	3	89.7	22.86	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee																		
Observed	2,322	395.3	3.79	737	123.6	2.10	296	51.4	1.39	235	40.6	1.22	147	23.9	0.91	82	14.8	0.75
Delay Adjusted	2,381	405.4	3.88	754	126.4	2.15	301	52.2	1.41	239	41.3	1.24	150	24.3	0.93	83	14.9	0.76
Texas																		
Observed	6,254	379.1	2.22	1,991	117.8	1.22	704	45.1	0.79	646	39.4	0.72	407	23.9	0.55	226	14.5	0.45
Delay Adjusted	6,512	394.7	2.31	2,070	122.5	1.27	713	45.7	0.80	658	40.1	0.73	415	24.3	0.56	228	14.7	0.46

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	30	314.3	28.30	8	79.9	14.16	3	45.4	11.81	2	28.7	8.77	2	19.4	6.87	-	-	-
Delay Adjusted	32	334.5	30.12	8	84.4	14.96	3	46.3	12.08	2	29.0	8.84	2	19.5	6.91	-	-	-
Vermont																		
Observed	6	247.6	52.68	2	54.6	19.82	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	6	250.1	53.20	2	54.7	19.86	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	3,614	385.3	2.93	1,246	131.9	1.71	441	47.3	1.03	332	35.7	0.90	241	24.6	0.73	143	15.5	0.59
Delay Adjusted	3,690	393.5	3.00	1,261	133.5	1.73	445	47.7	1.04	337	36.2	0.91	243	24.9	0.74	144	15.6	0.60
Washington																		
Observed	452	375.4	8.41	144	116.4	4.58	49	45.2	3.06	40	34.0	2.57	32	26.2	2.21	11	10.4	1.47
Delay Adjusted	458	380.3	8.52	147	118.4	4.66	50	45.6	3.09	40	34.3	2.60	32	26.6	2.24	11	10.5	1.48
Seattle																		
Observed	429	400.7	9.22	138	124.9	5.02	47	49.2	3.42	37	36.0	2.82	29	26.9	2.36	12	11.7	1.64
Delay Adjusted	440	411.2	9.47	139	125.6	5.05	47	49.3	3.43	38	37.5	2.93	29	27.1	2.38	12	11.7	1.65
West Virginia																		
Observed	133	374.4	14.96	40	116.3	8.48	19	52.9	5.50	14	38.3	4.67	8	20.8	3.37	5	13.5	2.83
Delay Adjusted	138	388.7	15.55	41	119.4	8.71	20	53.6	5.57	14	39.1	4.76	8	21.1	3.42	5	13.7	2.88
Wisconsin																		
Observed	756	471.2	7.98	224	136.5	4.23	108	70.6	3.18	71	44.6	2.47	51	30.5	1.99	27	18.1	1.62
Delay Adjusted	776	483.8	8.20	229	139.8	4.33	110	72.3	3.26	73	46.0	2.55	52	31.2	2.04	28	18.6	1.67
Wyoming																		
Observed	6	196.0	40.74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	6	198.0	41.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR U.S. Combined Delay Adjusted Incidence 2013-2017, Asian/Pacific Islander (API) Combined

UNITED STATES

V-43 Combined Delay Adjusted Incidence – Asian/Pacific Islander (API)

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR United States Combined[1], 2013-2017, Asian/Pacific Islander (API)

	MALES (API)						FEMALES (API)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	23,421	287.1	0.87	24,303	298.0	0.90	30,189	288.0	0.76	31,330	299.0	0.79
Oral Cavity & Pharynx	1,008	11.5	0.17	1,039	11.8	0.17	543	5.2	0.10	559	5.3	0.10
Digestive												
Esophagus	290	3.6	0.10	294	3.6	0.10	96	1.0	0.04	97	1.0	0.05
Stomach	1,016	13.1	0.19	1,033	13.3	0.19	768	7.7	0.13	781	7.8	0.13
Colon & Rectum	2,943	35.2	0.30	3,010	36.0	0.31	2,617	25.5	0.23	2,678	26.1	0.23
Liver & IBD[2]	1,614	19.2	0.22	1,661	19.7	0.23	704	7.1	0.12	724	7.3	0.13
Pancreas	796	10.3	0.17	809	10.4	0.17	843	8.6	0.14	857	8.8	0.14
Respiratory												
Larynx	160	2.0	0.07	163	2.0	0.07	23	0.2	0.02	24	0.2	0.02
Lung & bronchus	3,308	43.2	0.35	3,378	44.1	0.36	2,788	27.9	0.24	2,848	28.5	0.25
Skin												
Melanomas of the skin	123	1.5	0.06	130	1.6	0.07	127	1.2	0.05	134	1.3	0.05
Breast (female cases only)	-	-	-	-	-	-	10,260	95.5	0.43	10,597	98.7	0.44
Female Genital												
Cervix uteri	-	-	-	-	-	-	657	6.1	0.11	673	6.2	0.11
Corpus & uterus, NOS[2]	-	-	-	-	-	-	2,170	19.7	0.19	2,220	20.2	0.20
Ovary	-	-	-	-	-	-	973	9.1	0.13	1,008	9.4	0.14
Male Genital												
Prostate	4,418	53.6	0.37	4,713	57.2	0.40	-	-	-	-	-	-
Testis	216	2.0	0.06	219	2.1	0.06	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	1,085	14.8	0.21	1,125	15.3	0.22	351	3.6	0.09	364	3.7	0.09
Kidney & renal pelvis	964	11.3	0.17	996	11.7	0.17	551	5.3	0.10	570	5.5	0.11
Brain & Other CNS[2]	386	4.3	0.10	398	4.5	0.10	320	3.1	0.08	329	3.2	0.08
Endocrine												
Thyroid gland	679	7.3	0.13	697	7.5	0.13	2,400	21.8	0.20	2,464	22.3	0.21
Lymphomas												
Hodgkin Lymphoma	146	1.5	0.06	150	1.6	0.06	115	1.1	0.05	118	1.1	0.05
Non-Hodgkin Lymphoma	1,291	15.9	0.20	1,348	16.6	0.21	1,094	10.7	0.15	1,143	11.2	0.15
Multiple Myeloma	387	4.9	0.12	421	5.3	0.13	309	3.0	0.08	336	3.3	0.09
Leukemias	804	9.7	0.16	865	10.4	0.17	633	6.3	0.11	681	6.8	0.12

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander (API) race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD[3]			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	23,421	287.1	0.87	4,418	53.6	0.37	3,308	43.2	0.35	2,943	35.2	0.30	1,614	19.2	0.22	1,291	15.9	0.20
Delay Adjusted	24,303	298.0	0.90	4,713	57.2	0.40	3,378	44.1	0.36	3,010	36.0	0.31	1,661	19.7	0.23	1,348	16.6	0.21
Alabama																		
Observed	66	294.8	18.52	14	66.8	8.70	10	51.8	8.21	7	28.5	5.19	6	22.6	4.62	2	11.8	3.95
Delay Adjusted	67	300.3	18.86	15	69.7	9.09	10	52.1	8.27	7	28.9	5.26	6	22.8	4.67	2	12.1	4.04
Alaska																		
Observed	56	302.8	20.58	9	48.9	8.24	9	54.9	9.10	8	39.9	7.16	4	23.0	5.99	5	24.7	6.03
Delay Adjusted	58	317.5	21.60	9	51.4	8.66	10	57.0	9.46	8	41.2	7.40	4	24.1	6.30	5	26.4	6.44
Arizona																		
Observed	204	220.6	7.33	38	41.9	3.22	29	33.8	2.97	22	23.8	2.39	14	15.5	1.96	11	12.5	1.77
Delay Adjusted	220	237.2	7.88	42	46.3	3.56	30	35.3	3.10	24	25.8	2.59	15	16.0	2.03	12	13.5	1.92
Arkansas																		
Observed	53	330.9	23.16	9	58.9	9.79	9	55.5	9.13	7	43.5	8.04	5	29.9	6.54	4	23.3	6.65
Delay Adjusted	58	357.0	24.98	9	60.8	10.15	9	55.9	9.21	7	43.8	8.10	5	30.6	6.72	4	25.1	7.17
California																		
Observed	8,331	284.2	1.42	1,502	49.5	0.58	1,240	43.9	0.57	1,105	37.0	0.51	593	19.6	0.37	487	16.8	0.35
Delay Adjusted	8,687	296.5	1.48	1,613	53.2	0.63	1,277	45.2	0.59	1,132	37.9	0.52	614	20.3	0.38	511	17.6	0.36
Greater California																		
Observed	3,042	273.5	2.28	553	48.0	0.94	440	41.5	0.91	399	35.4	0.81	232	20.1	0.61	179	16.3	0.56
Delay Adjusted	3,212	288.9	2.41	605	52.6	1.03	457	43.1	0.94	414	36.7	0.84	240	20.8	0.63	189	17.2	0.59
Greater Bay																		
Observed	2,906	299.1	2.53	551	55.7	1.09	437	47.0	1.03	362	36.2	0.87	210	20.9	0.66	175	18.1	0.62
Delay Adjusted	3,006	309.4	2.62	583	58.9	1.15	447	48.2	1.05	368	36.8	0.88	217	21.6	0.68	183	18.9	0.65
Los Angeles																		
Observed	2,383	281.0	2.62	398	44.5	1.02	364	43.5	1.04	343	39.9	0.98	152	17.6	0.65	133	15.9	0.63
Delay Adjusted	2,469	291.2	2.72	425	47.6	1.09	373	44.5	1.06	350	40.7	1.00	157	18.2	0.67	139	16.6	0.65
Colorado																		
Observed	173	258.9	9.36	26	40.7	3.74	23	39.0	3.87	24	34.8	3.33	15	20.2	2.49	11	16.9	2.48
Delay Adjusted	178	266.6	9.66	28	44.3	4.08	23	39.3	3.90	25	35.6	3.40	15	20.4	2.51	11	17.6	2.58

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD[3]			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	128	213.6	9.21	24	41.2	4.01	14	23.9	3.13	16	23.4	2.86	9	14.6	2.29	8	13.0	2.38
Delay Adjusted	132	219.4	9.47	25	43.2	4.20	14	24.2	3.17	16	23.7	2.90	9	14.8	2.32	8	13.6	2.50
Delaware																		
Observed	38	257.3	19.36	9	63.7	9.65	4	29.5	7.40	3	22.0	5.79	2	15.1	4.49	2	16.7	5.29
Delay Adjusted	40	266.3	20.03	10	68.0	10.30	4	30.1	7.53	3	22.8	6.00	2	15.5	4.60	2	17.3	5.49
District of Columbia																		
Observed	26	351.6	32.87	5	65.9	13.67	3	54.4	13.65	3	46.1	12.33	1	15.9	6.90	-	-	-
Delay Adjusted	27	363.1	33.94	5	69.7	14.44	3	55.0	13.80	3	46.9	12.52	1	16.4	7.08	-	-	-
Florida																		
Observed	598	216.7	4.13	114	40.4	1.75	80	30.0	1.57	76	27.5	1.47	32	11.4	0.93	40	14.4	1.05
Delay Adjusted	625	226.7	4.32	123	43.6	1.89	81	30.4	1.60	78	28.3	1.51	33	11.7	0.96	43	15.3	1.12
Georgia																		
Observed	422	277.3	6.71	76	53.7	2.98	38	29.1	2.36	62	39.2	2.47	31	19.8	1.78	23	13.8	1.43
Delay Adjusted	433	284.7	6.90	79	55.5	3.09	39	29.5	2.40	63	40.1	2.52	31	20.2	1.83	23	14.1	1.46
Hawaii																		
Observed	2,137	386.8	3.80	475	83.5	1.74	340	61.2	1.51	275	50.2	1.38	102	18.4	0.83	100	18.2	0.83
Delay Adjusted	2,175	393.7	3.87	488	85.9	1.79	344	61.9	1.52	278	50.7	1.39	104	18.7	0.84	102	18.6	0.85
Idaho																		
Observed	28	299.2	27.82	5	53.2	11.39	3	44.7	11.94	3	32.7	10.07	2	19.3	6.98	2	15.8	6.28
Delay Adjusted	29	308.8	28.70	6	57.2	12.25	3	45.5	12.17	3	33.2	10.23	2	19.7	7.12	2	16.2	6.51
Illinois																		
Observed	829	270.2	4.41	162	50.8	1.86	110	38.2	1.72	108	35.1	1.58	49	15.6	1.05	46	15.7	1.09
Delay Adjusted	852	277.8	4.54	169	53.0	1.95	113	39.1	1.75	110	35.5	1.60	50	15.9	1.07	47	16.0	1.12
Indiana																		
Observed	92	223.7	12.06	15	43.7	5.38	10	26.2	4.31	13	28.5	3.94	6	13.6	2.77	5	10.3	2.49
Delay Adjusted	97	237.6	12.81	17	49.5	6.12	11	27.2	4.47	13	29.4	4.06	6	14.4	2.94	5	10.6	2.57

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD[3]			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	57	290.0	20.19	6	33.0	6.39	9	57.2	9.81	8	42.3	7.66	7	33.8	6.35	3	15.6	5.08
Delay Adjusted	58	297.1	20.71	6	34.0	6.57	9	57.9	9.93	8	42.6	7.73	7	34.9	6.58	3	15.8	5.15
Kansas																		
Observed	77	282.9	16.11	11	40.1	5.87	9	32.5	5.46	11	37.4	5.43	7	24.5	4.30	5	21.0	4.75
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	44	213.5	16.31	6	33.7	6.71	5	24.6	5.14	7	35.7	6.99	4	20.0	5.15	2	10.2	3.54
Delay Adjusted	44	216.6	16.55	6	34.6	6.88	5	24.8	5.18	7	36.2	7.08	4	20.2	5.19	2	10.3	3.57
Louisiana																		
Observed	105	290.5	13.73	16	45.8	5.66	15	44.4	5.61	15	41.1	5.07	14	34.2	4.42	5	13.9	3.07
Delay Adjusted	107	296.6	14.02	16	46.9	5.79	15	44.8	5.66	15	41.6	5.13	14	35.2	4.55	5	14.2	3.13
Maine																		
Observed	12	234.7	33.18	1	20.7	7.90	-	-	-	2	27.8	10.21	1	23.2	9.23	-	-	-
Delay Adjusted	12	237.9	33.66	1	21.3	8.15	-	-	-	2	28.0	10.28	1	23.5	9.35	-	-	-
Maryland																		
Observed	470	266.8	5.72	113	61.8	2.68	54	33.5	2.12	52	28.5	1.83	27	15.1	1.35	24	14.5	1.36
Delay Adjusted	499	283.0	6.07	119	65.1	2.83	55	34.4	2.18	54	29.6	1.90	28	15.9	1.43	26	15.2	1.43
Massachusetts																		
Observed	480	296.4	6.36	84	53.5	2.71	77	52.2	2.78	52	32.0	2.08	40	24.5	1.82	22	13.1	1.32
Delay Adjusted	484	299.0	6.42	87	55.2	2.80	77	52.5	2.80	53	32.3	2.11	41	25.2	1.87	22	13.5	1.36
Michigan																		
Observed	272	248.7	7.26	60	55.1	3.35	29	30.2	2.71	32	29.7	2.55	11	8.8	1.23	18	15.6	1.82
Delay Adjusted	293	267.5	7.85	62	57.1	3.48	29	30.6	2.75	33	30.1	2.59	12	9.1	1.27	18	16.1	1.88
Detroit																		
Observed	187	264.9	9.31	47	66.9	4.62	19	31.0	3.43	20	27.6	3.00	6	7.0	1.36	9	10.8	1.62
Delay Adjusted	194	275.1	9.67	48	68.5	4.74	19	31.2	3.46	20	27.7	3.01	6	7.0	1.37	10	10.9	1.64
Minnesota																		
Observed	212	290.6	9.91	29	46.9	4.14	32	50.9	4.36	27	34.2	3.21	23	30.7	3.10	12	16.8	2.36
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD[3]			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	33	279.4	23.75	7	63.0	11.32	5	43.8	9.61	2	16.8	4.94	2	20.5	6.64	2	13.6	4.79
Delay Adjusted	33	285.2	24.24	7	65.2	11.72	5	44.4	9.74	2	17.0	4.98	2	20.8	6.72	2	14.0	4.92
Missouri																		
Observed	101	239.3	11.47	15	36.4	4.49	15	38.3	4.77	13	32.7	4.36	9	20.2	3.15	6	11.1	2.13
Delay Adjusted	106	250.5	12.00	16	38.7	4.77	15	38.8	4.84	13	33.2	4.41	9	20.6	3.20	7	11.7	2.25
Montana																		
Observed	9	280.7	45.24	2	49.5	18.26	-	-	-	1	35.7	14.85	1	29.2	12.47	-	-	-
Delay Adjusted	9	290.3	46.76	2	52.5	19.46	-	-	-	1	36.7	15.25	1	30.2	12.91	-	-	-
Nebraska																		
Observed	38	326.7	26.60	7	66.7	12.56	5	58.9	12.15	4	31.2	8.09	5	38.8	8.79	2	18.8	6.77
Delay Adjusted	39	336.2	27.39	7	71.2	13.39	6	61.6	12.71	4	32.3	8.41	5	40.3	9.17	2	19.6	7.03
New Hampshire																		
Observed	29	254.0	23.73	6	49.4	10.06	3	38.2	10.27	3	20.9	5.59	2	16.1	6.05	1	12.7	5.37
Delay Adjusted	30	259.9	24.29	6	50.5	10.31	3	39.2	10.60	3	21.4	5.73	2	16.6	6.25	1	13.2	5.60
New Jersey																		
Observed	990	270.7	4.07	230	61.9	1.92	108	32.5	1.48	117	30.5	1.33	49	13.6	0.93	51	13.8	0.91
Delay Adjusted	1,042	285.1	4.29	248	66.8	2.08	112	33.6	1.54	122	31.8	1.39	51	14.2	0.97	54	14.6	0.96
New Mexico																		
Observed	50	316.8	21.21	14	88.7	11.22	4	29.0	6.72	5	30.2	6.70	4	26.7	6.38	2	14.3	4.53
Delay Adjusted	55	351.8	23.59	16	101.8	12.87	4	30.9	7.18	5	30.9	6.85	4	27.7	6.62	2	15.1	4.77
New York																		
Observed	2,761	347.8	3.08	511	62.6	1.29	408	54.6	1.26	316	39.2	1.03	189	22.6	0.76	135	17.3	0.69
Delay Adjusted	2,840	357.9	3.17	550	67.5	1.39	412	55.2	1.27	322	39.9	1.04	193	23.1	0.78	138	17.7	0.71
North Carolina																		
Observed	210	223.4	7.69	39	45.0	3.42	28	32.4	3.03	22	22.1	2.33	15	16.2	2.04	12	12.6	1.86
Delay Adjusted	222	236.5	8.14	42	47.7	3.62	28	32.7	3.05	23	22.5	2.38	16	16.8	2.12	12	13.0	1.91

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD[3]			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	7	281.3	65.59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	7	290.1	67.93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio																		
Observed	205	226.3	7.60	41	45.4	3.32	26	33.6	3.16	25	26.3	2.57	13	12.7	1.64	10	10.7	1.62
Delay Adjusted	219	241.3	8.11	43	48.4	3.54	28	35.7	3.35	27	28.5	2.78	14	13.3	1.70	10	11.1	1.69
Oklahoma																		
Observed	94	327.5	16.79	14	48.9	6.32	12	45.8	6.46	13	42.8	5.98	9	29.5	5.00	6	22.4	4.48
Delay Adjusted	97	337.6	17.29	15	52.0	6.74	12	46.5	6.57	13	43.8	6.11	9	29.9	5.06	6	22.5	4.52
Oregon																		
Observed	226	306.1	9.62	36	49.3	3.86	36	52.1	4.10	27	35.8	3.21	21	26.7	2.73	13	19.5	2.53
Delay Adjusted	234	317.6	9.99	38	52.4	4.11	37	53.5	4.21	28	36.9	3.31	21	27.4	2.80	14	20.4	2.65
Pennsylvania																		
Observed	440	270.2	6.17	76	47.1	2.55	58	39.7	2.50	49	31.1	2.13	34	19.2	1.56	21	12.4	1.32
Delay Adjusted	455	279.1	6.38	83	51.3	2.78	59	40.1	2.53	50	31.7	2.17	34	19.6	1.59	21	12.7	1.36
Rhode Island																		
Observed	30	225.5	19.66	4	31.1	7.22	4	27.6	6.58	4	32.2	7.87	4	27.3	6.40	2	17.4	5.77
Delay Adjusted	31	231.2	20.15	4	32.7	7.59	4	28.0	6.70	4	32.8	8.01	4	27.9	6.55	2	17.8	5.88
South Carolina																		
Observed	68	227.7	13.51	12	41.9	5.82	9	28.5	4.46	8	28.6	4.86	4	11.3	2.96	7	22.0	4.37
Delay Adjusted	69	231.6	13.77	13	44.7	6.24	9	28.9	4.52	8	29.3	4.98	4	11.8	3.12	7	22.7	4.51
South Dakota																		
Observed	9	366.3	69.90	-	-	-	-	-	-	1	30.2	12.06	1	35.9	19.50	-	-	-
Delay Adjusted	9	382.1	72.97	-	-	-	-	-	-	1	31.1	12.41	1	36.8	19.91	-	-	-
Tennessee																		
Observed	108	251.4	11.99	20	52.0	5.60	14	39.6	5.14	11	25.1	3.57	8	18.4	3.03	6	14.3	2.93
Delay Adjusted	110	257.9	12.29	21	53.5	5.76	14	40.2	5.23	11	25.4	3.62	9	18.8	3.08	6	14.7	3.02
Texas																		
Observed	1,265	253.6	3.49	240	49.5	1.54	166	36.9	1.41	145	28.1	1.14	105	20.3	0.96	76	15.1	0.84
Delay Adjusted	1,339	268.5	3.70	274	56.7	1.77	169	37.6	1.44	150	29.0	1.18	107	20.7	0.98	85	16.8	0.94

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Liver & IBD[3]			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	100	307.6	15.15	19	64.1	7.03	9	32.3	5.15	11	34.7	5.19	8	25.8	4.44	4	12.1	2.86
Delay Adjusted	106	327.1	16.11	22	74.3	8.15	9	32.9	5.25	11	35.1	5.24	8	26.5	4.55	4	12.2	2.90
Vermont																		
Observed	8	342.6	58.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	9	347.7	59.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	507	238.5	5.07	97	46.3	2.21	66	33.7	2.00	55	24.7	1.57	38	17.5	1.35	27	12.1	1.10
Delay Adjusted	518	243.6	5.18	102	48.5	2.32	67	34.2	2.03	56	25.1	1.59	39	17.9	1.38	28	12.5	1.13
Washington																		
Observed	809	311.0	5.15	144	55.7	2.17	111	47.2	2.10	103	37.9	1.75	67	25.0	1.43	45	17.4	1.22
Delay Adjusted	821	315.7	5.22	148	57.1	2.23	112	47.6	2.12	104	38.3	1.77	68	25.4	1.45	46	17.7	1.24
Seattle																		
Observed	780	333.6	5.62	142	61.5	2.41	107	50.6	2.29	100	41.0	1.92	65	27.0	1.57	45	19.4	1.36
Delay Adjusted	800	342.5	5.77	151	65.3	2.56	108	51.2	2.32	102	42.0	1.97	65	27.1	1.58	46	19.5	1.37
West Virginia																		
Observed	11	185.3	28.07	1	15.7	6.49	3	36.0	9.69	2	34.0	10.89	-	-	-	-	-	-
Delay Adjusted	12	192.0	29.03	1	16.5	6.82	3	36.5	9.82	2	34.7	11.08	-	-	-	-	-	-
Wisconsin																		
Observed	109	280.1	13.62	18	50.6	5.86	13	41.9	5.70	13	31.7	4.34	9	23.5	3.96	7	16.2	3.14
Delay Adjusted	112	287.5	13.98	18	52.2	6.04	13	42.9	5.84	14	32.8	4.49	9	24.1	4.05	8	16.8	3.25
Wyoming																		
Observed	6	300.4	59.27	-	-	-	-	-	-	1	76.9	32.44	-	-	-	-	-	-
Delay Adjusted	6	303.3	59.82	-	-	-	-	-	-	1	77.5	32.67	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	30,189	288.0	0.76	10,260	95.5	0.43	2,788	27.9	0.24	2,617	25.5	0.23	2,400	21.8	0.20	2,170	19.7	0.19
Delay Adjusted	31,330	299.0	0.79	10,597	98.7	0.44	2,848	28.5	0.25	2,678	26.1	0.23	2,464	22.3	0.21	2,220	20.2	0.20
Alabama																		
Observed	89	264.9	13.44	26	70.6	6.62	8	29.7	4.90	10	28.3	4.37	6	15.0	2.68	3	7.9	2.27
Delay Adjusted	90	269.3	13.67	26	71.4	6.70	8	29.9	4.93	10	28.5	4.40	6	15.2	2.71	3	8.0	2.29
Alaska																		
Observed	81	287.5	14.86	24	81.2	7.71	8	32.1	5.35	7	21.1	3.80	7	22.9	4.00	9	30.3	4.54
Delay Adjusted	85	301.0	15.56	24	83.0	7.88	8	33.1	5.53	7	21.8	3.94	7	24.3	4.22	10	31.0	4.65
Arizona																		
Observed	324	239.7	6.15	114	80.5	3.44	35	28.8	2.27	24	19.8	1.87	26	17.6	1.57	21	13.9	1.41
Delay Adjusted	349	258.0	6.62	126	88.3	3.78	36	30.0	2.36	26	21.5	2.03	27	18.5	1.65	22	14.6	1.47
Arkansas																		
Observed	89	391.3	20.19	27	115.4	10.74	8	39.8	6.75	9	45.8	7.32	6	21.6	4.19	6	22.9	4.54
Delay Adjusted	96	422.1	21.79	28	120.2	11.19	8	40.1	6.81	10	46.4	7.42	6	22.0	4.26	6	23.6	4.68
California																		
Observed	10,905	293.4	1.28	3,763	100.6	0.74	1,012	27.1	0.39	997	26.5	0.38	715	19.8	0.33	818	21.3	0.34
Delay Adjusted	11,366	305.8	1.33	3,905	104.4	0.77	1,043	27.9	0.40	1,021	27.2	0.39	735	20.3	0.34	842	21.9	0.35
Greater California																		
Observed	4,082	287.9	2.04	1,369	94.8	1.16	376	27.1	0.63	366	26.0	0.62	290	20.4	0.54	311	21.0	0.54
Delay Adjusted	4,306	303.7	2.16	1,442	99.8	1.22	391	28.1	0.66	379	26.9	0.64	299	21.0	0.56	325	22.0	0.56
Greater Bay																		
Observed	3,656	298.6	2.24	1,299	105.5	1.32	354	28.9	0.70	313	25.3	0.65	218	18.1	0.56	275	21.8	0.60
Delay Adjusted	3,782	308.9	2.32	1,335	108.4	1.36	363	29.6	0.71	318	25.8	0.66	225	18.7	0.57	281	22.3	0.61
Los Angeles																		
Observed	3,167	295.5	2.40	1,094	103.0	1.42	282	25.2	0.68	318	28.6	0.73	207	20.8	0.66	232	21.2	0.64
Delay Adjusted	3,279	305.8	2.49	1,129	106.2	1.47	289	25.8	0.70	324	29.1	0.74	211	21.2	0.67	237	21.7	0.65
Colorado																		
Observed	256	262.9	7.58	81	78.8	4.00	25	29.9	2.74	23	25.4	2.42	22	19.5	1.86	16	15.4	1.73
Delay Adjusted	263	270.3	7.80	82	79.7	4.04	25	30.2	2.76	24	25.9	2.47	23	19.7	1.88	17	15.5	1.74

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	193	250.4	8.55	74	90.9	4.92	14	22.5	2.86	13	18.4	2.46	22	23.6	2.33	10	12.2	1.80
Delay Adjusted	198	257.0	8.79	79	96.9	5.25	14	22.8	2.89	13	18.6	2.49	22	23.9	2.36	10	12.5	1.84
Delaware																		
Observed	46	244.3	16.61	17	90.2	9.95	4	22.9	5.48	2	9.7	3.32	6	26.5	5.18	3	16.6	4.27
Delay Adjusted	48	252.7	17.19	17	91.4	10.08	4	23.3	5.59	2	10.1	3.44	6	26.9	5.27	3	16.7	4.30
District of Columbia																		
Observed	38	292.3	22.84	13	98.8	12.77	3	25.8	7.32	2	15.0	4.89	4	24.0	5.94	2	16.3	5.29
Delay Adjusted	39	301.9	23.59	14	103.2	13.35	3	26.0	7.39	2	15.2	4.98	4	25.1	6.21	2	16.8	5.45
Florida																		
Observed	841	229.0	3.63	295	77.4	2.06	78	22.6	1.19	65	18.7	1.07	57	15.2	0.91	59	14.9	0.89
Delay Adjusted	880	239.6	3.80	314	82.2	2.18	79	22.9	1.21	68	19.3	1.10	58	15.4	0.92	61	15.4	0.92
Georgia																		
Observed	519	268.1	5.64	180	87.3	3.06	39	23.4	1.80	47	25.5	1.80	44	19.1	1.31	30	14.4	1.25
Delay Adjusted	532	275.0	5.79	182	88.2	3.10	40	23.7	1.82	48	26.1	1.84	45	19.3	1.33	30	14.6	1.26
Hawaii																		
Observed	2,480	380.4	3.55	875	138.3	2.16	251	34.6	1.00	239	35.2	1.06	123	23.0	0.95	215	35.1	1.10
Delay Adjusted	2,523	387.1	3.61	889	140.5	2.19	254	35.0	1.02	242	35.6	1.07	124	23.3	0.97	217	35.4	1.11
Idaho																		
Observed	42	287.0	20.63	14	89.1	11.04	4	29.8	6.87	2	14.0	4.30	3	20.4	4.97	2	12.4	3.96
Delay Adjusted	43	296.3	21.29	14	90.5	11.22	4	30.4	7.00	2	14.3	4.38	3	20.6	5.00	2	12.6	4.03
Illinois																		
Observed	1,035	271.8	3.86	387	98.6	2.28	73	20.8	1.12	85	23.2	1.15	91	22.4	1.07	79	19.3	0.99
Delay Adjusted	1,063	279.3	3.97	397	101.1	2.34	75	21.2	1.14	86	23.4	1.16	92	22.6	1.08	79	19.5	1.00
Indiana																		
Observed	129	224.6	9.53	46	76.9	5.41	10	22.1	3.33	10	19.7	2.93	9	11.9	1.82	8	11.9	1.91
Delay Adjusted	137	238.4	10.14	47	78.8	5.55	11	22.8	3.44	11	20.2	3.01	9	12.2	1.87	8	12.1	1.93

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	75	292.6	16.54	25	89.8	8.47	6	27.4	5.53	7	30.0	5.62	4	11.8	2.88	5	17.7	3.86
Delay Adjusted	77	299.4	16.93	25	90.5	8.54	6	27.8	5.61	7	30.3	5.65	4	11.9	2.91	5	17.8	3.88
Kansas																		
Observed	99	258.4	12.35	30	74.6	6.36	11	33.5	4.80	9	24.4	3.86	9	18.6	2.76	7	15.8	2.86
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	74	262.6	14.64	23	73.2	7.20	7	34.0	5.89	6	26.1	4.91	7	19.5	3.29	5	15.7	3.37
Delay Adjusted	75	266.5	14.85	23	73.9	7.28	7	34.2	5.92	6	26.5	4.98	7	19.7	3.33	5	16.0	3.42
Louisiana																		
Observed	113	273.3	12.02	33	76.3	6.09	10	27.3	4.14	8	21.8	3.56	11	23.9	3.26	7	14.6	2.52
Delay Adjusted	116	279.0	12.27	34	77.3	6.17	10	27.6	4.17	9	22.1	3.61	11	24.3	3.31	7	14.7	2.53
Maine																		
Observed	21	241.6	24.48	5	52.4	10.37	3	41.3	11.48	2	26.8	8.66	3	25.4	7.06	1	14.5	5.57
Delay Adjusted	22	244.4	24.77	5	53.3	10.53	3	41.4	11.51	2	27.0	8.72	3	25.4	7.09	1	14.5	5.58
Maryland																		
Observed	618	280.1	5.15	214	93.1	2.89	46	22.5	1.52	47	22.1	1.48	64	27.6	1.56	42	17.8	1.26
Delay Adjusted	655	296.8	5.46	221	96.0	2.98	48	23.2	1.56	49	22.9	1.54	65	28.2	1.60	42	18.1	1.28
Massachusetts																		
Observed	591	286.4	5.45	201	93.3	3.02	58	32.4	1.96	46	24.1	1.64	63	25.9	1.50	35	15.9	1.23
Delay Adjusted	596	288.7	5.49	201	93.6	3.03	59	32.6	1.97	47	24.4	1.66	63	26.2	1.52	35	15.9	1.23
Michigan																		
Observed	345	248.2	6.24	122	82.8	3.45	32	27.2	2.23	26	20.6	1.89	26	15.7	1.41	23	15.8	1.50
Delay Adjusted	375	269.8	6.81	128	86.5	3.61	33	27.6	2.27	26	21.0	1.93	26	16.1	1.44	23	16.0	1.52
Detroit																		
Observed	219	258.6	8.17	77	86.2	4.52	19	25.5	2.79	16	20.5	2.39	18	18.5	1.96	16	17.5	1.99
Delay Adjusted	227	268.4	8.48	78	87.1	4.57	19	25.7	2.80	16	20.6	2.40	19	18.8	1.98	16	17.6	2.01
Minnesota																		
Observed	284	287.3	8.15	82	78.2	4.02	24	29.1	2.80	25	29.1	2.76	25	19.2	1.84	19	15.8	1.69
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	48	295.5	20.25	15	80.1	9.66	7	53.6	9.50	4	23.0	5.86	4	20.0	4.60	2	8.8	3.37
Delay Adjusted	49	301.5	20.68	15	81.4	9.81	7	54.3	9.63	4	23.3	5.90	4	20.3	4.68	2	8.9	3.40
Missouri																		
Observed	163	272.8	10.03	59	94.2	5.68	15	28.1	3.45	15	27.2	3.35	11	16.9	2.31	9	13.8	2.08
Delay Adjusted	170	285.2	10.49	63	100.0	6.03	15	28.5	3.50	15	27.5	3.40	12	17.4	2.38	9	13.9	2.10
Montana																		
Observed	15	297.4	35.58	6	110.8	20.61	2	37.8	13.24	-	-	-	-	-	-	-	-	-
Delay Adjusted	16	311.5	37.27	6	113.3	21.08	2	38.6	13.50	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	44	245.7	17.71	12	62.8	8.38	3	22.0	5.68	3	20.3	5.44	6	25.5	5.07	2	13.4	4.25
Delay Adjusted	45	252.4	18.20	12	63.9	8.53	4	22.8	5.91	3	20.8	5.57	6	25.9	5.13	2	13.5	4.28
New Hampshire																		
Observed	42	257.9	19.37	16	84.4	9.99	5	38.7	8.28	3	21.6	6.39	3	14.6	3.67	4	24.5	5.55
Delay Adjusted	43	263.4	19.77	16	85.1	10.08	5	39.4	8.41	3	22.0	6.49	3	14.9	3.75	4	24.7	5.60
New Jersey																		
Observed	1,242	279.2	3.64	483	103.5	2.15	83	20.5	1.04	94	22.6	1.08	107	21.9	0.96	87	17.8	0.87
Delay Adjusted	1,308	293.9	3.84	507	108.7	2.26	86	21.2	1.08	98	23.5	1.12	112	22.9	0.99	90	18.4	0.90
New Mexico																		
Observed	68	282.1	15.72	20	81.3	8.21	8	37.3	6.00	4	19.6	4.29	5	20.3	4.03	5	19.6	3.96
Delay Adjusted	75	312.1	17.42	22	88.5	8.95	9	39.8	6.38	5	20.1	4.39	5	20.8	4.12	5	19.9	4.02
New York																		
Observed	3,124	329.0	2.69	961	99.0	1.45	305	33.4	0.88	252	27.2	0.78	356	35.4	0.85	215	21.7	0.67
Delay Adjusted	3,214	338.5	2.76	976	100.5	1.47	308	33.7	0.88	257	27.7	0.80	368	36.6	0.88	221	22.4	0.70
North Carolina																		
Observed	321	257.7	6.91	109	79.1	3.56	32	30.9	2.62	27	22.8	2.14	28	17.3	1.52	20	14.4	1.53
Delay Adjusted	341	273.2	7.32	120	87.5	3.93	32	31.1	2.64	27	23.4	2.19	28	17.8	1.57	20	14.6	1.56

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	12	330.1	51.86	3	70.0	19.08	-	-	-	-	-	-	3	52.0	19.76	-	-	-
Delay Adjusted	13	340.1	53.59	3	70.7	19.24	-	-	-	-	-	-	3	52.9	20.11	-	-	-
Ohio																		
Observed	275	232.5	6.56	96	77.2	3.64	29	29.2	2.55	19	17.3	1.84	24	17.8	1.66	21	16.2	1.62
Delay Adjusted	293	247.8	7.00	98	79.2	3.74	31	30.9	2.70	21	18.8	2.00	25	18.3	1.71	21	16.6	1.66
Oklahoma																		
Observed	133	326.9	13.46	40	90.4	6.61	14	37.7	4.80	14	39.5	5.11	7	15.4	2.86	9	20.7	3.29
Delay Adjusted	138	337.4	13.90	42	93.4	6.83	14	38.4	4.89	14	40.5	5.23	7	15.6	2.89	9	20.9	3.31
Oregon																		
Observed	316	295.2	7.68	98	87.1	4.05	33	34.0	2.75	30	29.5	2.49	28	23.4	2.00	19	16.0	1.67
Delay Adjusted	327	305.8	7.97	101	90.2	4.19	33	34.9	2.83	31	30.3	2.55	29	23.9	2.04	19	16.2	1.69
Pennsylvania																		
Observed	570	277.5	5.42	172	79.3	2.79	52	29.0	1.88	56	28.4	1.78	61	25.0	1.48	37	16.8	1.27
Delay Adjusted	590	286.8	5.61	174	80.6	2.83	53	29.2	1.89	57	29.0	1.82	64	26.4	1.56	37	17.0	1.29
Rhode Island																		
Observed	47	289.0	19.90	14	83.4	10.04	4	26.6	6.29	5	31.5	6.87	4	18.8	4.39	3	20.5	5.19
Delay Adjusted	48	296.2	20.41	15	84.6	10.18	4	27.1	6.41	5	32.0	6.99	4	18.9	4.41	3	20.7	5.27
South Carolina																		
Observed	107	249.9	11.42	33	72.2	5.86	11	28.2	4.05	12	28.8	4.02	6	13.0	2.40	8	17.2	2.77
Delay Adjusted	108	254.0	11.63	33	74.2	6.03	11	28.7	4.13	12	29.6	4.13	6	13.3	2.46	8	17.4	2.81
South Dakota																		
Observed	12	281.4	42.09	4	89.0	22.09	1	35.4	16.69	2	39.7	15.07	-	-	-	-	-	-
Delay Adjusted	13	293.1	43.81	4	90.6	22.49	1	36.8	17.42	2	40.9	15.46	-	-	-	-	-	-
Tennessee																		
Observed	136	234.2	9.56	46	75.1	5.20	14	25.6	3.32	12	19.9	2.79	11	16.3	2.40	9	15.2	2.33
Delay Adjusted	140	240.3	9.80	47	77.3	5.35	14	26.0	3.37	12	20.2	2.83	11	16.7	2.45	9	15.4	2.36
Texas																		
Observed	1,542	241.5	2.90	520	75.2	1.53	136	24.5	1.00	133	22.4	0.92	130	17.8	0.72	96	13.9	0.66
Delay Adjusted	1,631	255.4	3.07	545	78.8	1.60	139	24.9	1.02	137	23.1	0.95	136	18.5	0.75	97	14.2	0.67

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Asian/Pacific Islander, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	146	333.5	12.95	43	92.7	6.55	9	24.4	3.72	14	36.2	4.50	11	20.5	2.87	18	37.5	4.04
Delay Adjusted	156	355.1	13.79	45	97.9	6.92	10	24.9	3.78	14	36.5	4.54	11	20.6	2.88	18	37.8	4.07
Vermont																		
Observed	10	215.0	33.59	4	85.6	20.98	-	-	-	-	-	-	1	20.7	9.00	-	-	-
Delay Adjusted	10	218.4	34.06	4	86.1	21.09	-	-	-	-	-	-	1	20.9	9.10	-	-	-
Virginia																		
Observed	715	243.8	4.23	243	78.9	2.33	62	23.6	1.41	53	19.3	1.24	100	30.4	1.38	48	14.9	0.98
Delay Adjusted	731	249.2	4.32	246	79.9	2.36	63	24.0	1.43	54	19.6	1.25	102	30.9	1.41	48	15.0	0.99
Washington																		
Observed	1,115	299.7	4.10	374	97.1	2.28	112	32.2	1.40	90	24.7	1.19	74	18.6	0.98	81	20.4	1.03
Delay Adjusted	1,132	304.3	4.17	381	98.8	2.32	113	32.5	1.41	91	24.9	1.21	75	18.8	0.99	82	20.7	1.05
Seattle																		
Observed	1,053	314.7	4.43	353	102.1	2.47	104	33.1	1.49	86	26.2	1.29	70	19.7	1.07	77	21.7	1.12
Delay Adjusted	1,080	322.8	4.54	361	104.3	2.52	105	33.5	1.51	88	26.8	1.33	72	20.3	1.10	78	21.9	1.13
West Virginia																		
Observed	20	228.1	23.66	8	92.8	14.77	2	22.7	7.46	-	-	-	1	15.5	5.93	-	-	-
Delay Adjusted	21	237.1	24.60	8	95.2	15.17	2	22.9	7.55	-	-	-	1	15.9	6.09	-	-	-
Wisconsin																		
Observed	171	305.2	11.15	45	75.3	5.26	21	45.9	4.71	16	30.7	3.66	13	16.8	2.28	14	22.5	2.86
Delay Adjusted	176	313.4	11.45	45	75.7	5.29	21	47.0	4.83	16	31.6	3.76	13	17.2	2.33	14	23.0	2.93
Wyoming																		
Observed	8	291.5	48.47	3	86.6	24.61	1	61.2	24.01	-	-	-	-	-	-	-	-	-
Delay Adjusted	8	294.0	48.86	3	87.3	24.78	1	61.4	24.07	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Asian/Pacific Islander race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR U.S. Combined Delay Adjusted Incidence 2013-2017, American Indian/Alaskan Native for PRCDA Combined

UNITED STATES

V-57 Combined Delay Adjusted Incidence – American Indian/Alaskan Native for PRCDA

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites NAACCR United States Combined[1], 2013-2017, American Indian/Alaskan Native for PRCDA[2]

	MALES (AI/AN)						FEMALES (AI/AN)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	3,149	391.2	3.41	3,356	416.9	3.64	3,531	362.9	2.85	3,766	387.1	3.04
Oral Cavity & Pharynx	126	13.7	0.59	133	14.5	0.62	54	5.5	0.35	57	5.8	0.37
Digestive												
Esophagus	61	7.6	0.47	64	7.9	0.49	20	2.0	0.21	21	2.0	0.22
Stomach	86	11.3	0.60	88	11.6	0.61	63	6.8	0.40	64	7.0	0.41
Colon & Rectum	387	47.8	1.19	410	50.7	1.26	367	39.0	0.95	389	41.4	1.01
Liver & IBD[3]	206	22.7	0.76	217	23.9	0.80	89	9.3	0.46	93	9.8	0.49
Pancreas	102	13.4	0.65	105	13.8	0.67	91	10.1	0.50	94	10.4	0.51
Respiratory												
Larynx	41	4.9	0.37	44	5.2	0.39	12	1.2	0.16	13	1.3	0.18
Lung & bronchus	425	58.8	1.39	443	61.4	1.45	436	47.8	1.07	457	50.1	1.12
Skin												
Melanomas of the skin	74	9.5	0.54	84	10.7	0.60	58	6.0	0.36	65	6.7	0.41
Breast (female cases only)	-	-	-	-	-	-	945	94.6	1.43	1,012	101.3	1.53
Female Genital												
Cervix uteri	-	-	-	-	-	-	90	8.8	0.42	96	9.4	0.45
Corpus & uterus, NOS[3]	-	-	-	-	-	-	244	23.4	0.69	255	24.5	0.73
Ovary	-	-	-	-	-	-	101	10.2	0.47	109	11.0	0.51
Male Genital												
Prostate	532	67.3	1.42	589	74.5	1.57	-	-	-	-	-	-
Testis	65	5.4	0.31	68	5.7	0.33	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	129	19.1	0.82	141	20.9	0.90	45	5.1	0.36	49	5.5	0.39
Kidney & renal pelvis	270	31.2	0.92	287	33.1	0.97	177	17.6	0.62	187	18.7	0.65
Brain & Other CNS[3]	49	5.1	0.36	53	5.5	0.39	35	3.2	0.26	38	3.5	0.28
Endocrine												
Thyroid gland	42	4.4	0.33	44	4.8	0.35	167	15.6	0.56	179	16.7	0.60
Lymphomas												
Hodgkin Lymphoma	15	1.5	0.18	16	1.6	0.19	14	1.3	0.16	15	1.3	0.17
Non-Hodgkin Lymphoma	120	14.9	0.67	128	15.9	0.71	120	13.0	0.55	128	13.8	0.59
Multiple Myeloma	59	8.1	0.52	66	9.1	0.58	53	5.8	0.37	58	6.5	0.42
Leukemias	109	12.6	0.60	121	14.0	0.67	77	7.5	0.40	85	8.3	0.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Statistics exclude data fo MN for all years, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See Technical Notes.
[2] PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)
[3] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA3 by Region, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum		
	Avg. Annual Cases	*Rate*	*S.E.[4]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined												
Observed	3,149	391.2	3.41	532	67.3	1.42	425	58.8	1.39	387	47.8	1.19
Delay Adjusted	3,356	266.1	24.19	589	43.5	9.98	443	32.5	8.53	410	37.3	9.46
Alaska												
Observed	218	508.9	17.06	22	56.2	6.00	38	99.4	7.89	38	87.4	6.96
Delay Adjusted	223	520.5	17.45	22	57.3	6.12	39	101.3	8.03	38	88.8	7.07
East												
Observed	195	255.5	8.83	43	55.3	4.02	27	39.9	3.69	20	26.1	2.83
Delay Adjusted	207	272.1	9.41	48	61.2	4.47	29	42.5	3.93	21	27.8	3.01
Northern Plains												
Observed	486	528.6	12.07	96	100.1	5.04	76	94.0	5.40	63	69.1	4.37
Delay Adjusted	511	555.1	12.68	104	108.8	5.48	79	97.1	5.58	66	72.4	4.58
Southern Plains												
Observed	919	605.9	9.64	157	102.3	3.92	152	108.0	4.19	110	72.9	3.36
Delay Adjusted	965	635.8	10.11	173	112.8	4.32	157	111.4	4.32	113	75.2	3.47
Pacific Coast												
Observed	674	307.4	5.86	112	50.7	2.35	91	46.9	2.43	67	31.2	1.89
Delay Adjusted	737	335.9	6.41	126	57.2	2.65	97	49.9	2.58	73	33.8	2.05
Southwest												
Observed	657	293.1	5.61	102	51.4	2.47	40	20.6	1.61	89	38.5	1.99
Delay Adjusted	713	266.1	24.19	116	43.5	9.98	43	32.5	8.53	98	37.3	9.46

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Statistics exclude data for MN for all years, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. PRCDA – Purchase/Referral Care Delivery Areas (See Appendix G).
4. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined[2], 2013-2017, American Indian/Alaskan Native for PRCDA3 by Region, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum		
	Avg. Annual Cases	*Rate*	*S.E.*[4]	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined												
Observed	3,531	362.9	2.85	945	94.6	1.43	436	47.8	1.07	367	39.0	0.95
Delay Adjusted	3,766	293.8	22.40	1,012	79.7	11.59	457	39.6	8.51	389	23.1	6.39
Alaska												
Observed	253	504.4	14.80	68	132.4	7.46	35	73.0	5.78	44	94.5	6.65
Delay Adjusted	259	515.8	15.14	69	134.8	7.60	35	74.6	5.91	44	96.0	6.75
East												
Observed	211	245.7	7.79	60	70.0	4.17	31	37.2	3.10	23	26.7	2.55
Delay Adjusted	225	261.5	8.30	66	77.1	4.59	33	39.5	3.29	25	28.4	2.71
Northern Plains												
Observed	538	483.9	9.84	143	122.5	4.79	96	95.7	4.60	56	51.1	3.22
Delay Adjusted	565	508.3	10.34	151	129.1	5.05	100	99.2	4.77	59	53.4	3.37
Southern Plains												
Observed	969	533.7	7.91	278	150.7	4.15	134	75.7	3.02	96	53.8	2.55
Delay Adjusted	1,017	559.9	8.30	293	158.8	4.37	138	78.1	3.12	99	55.6	2.63
Pacific Coast												
Observed	762	300.4	5.15	211	80.2	2.59	98	42.2	2.02	71	29.5	1.66
Delay Adjusted	834	328.9	5.64	230	87.3	2.82	105	45.3	2.17	77	32.0	1.80
Southwest												
Observed	798	274.6	4.55	185	62.0	2.13	42	15.2	1.12	78	27.6	1.47
Delay Adjusted	866	293.8	22.40	203	79.7	11.59	45	39.6	8.51	85	23.1	6.39

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Statistics exclude data for MN for all years, see Technical Notes. Puerto Rico is defined as "Other" race and therefore is not included in the AI/AN race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. PRCDA – Purchase/Referral Care Delivery Areas (See Appendix G).
4. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR U.S. Combined Delay Adjusted Incidence 2013-2017, Hispanic/Latino, All Races Combined

UNITED STATES

V-61 Combined Delay Adjusted Incidence – Hispanic/Latino, All Races

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR United States Combined[1], 2013-2017, Hispanic/Latino, All Races

	MALES (HISPANIC/LATINO, ALL RACES)						FEMALES (HISPANIC/LATINO, ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	68,293	365.2	0.67	70,072	374.8	0.69	75,886	326.6	0.54	77,864	335.2	0.56
Oral Cavity & Pharynx	2,118	10.8	0.11	2,168	11.1	0.11	961	4.2	0.06	983	4.3	0.06
Digestive												
Esophagus	854	4.8	0.08	866	4.9	0.08	221	1.1	0.03	223	1.1	0.03
Stomach	2,113	11.8	0.12	2,143	12.0	0.12	1,684	7.6	0.08	1,708	7.7	0.09
Colon & Rectum	7,740	41.4	0.22	7,882	42.1	0.23	6,551	29.4	0.17	6,673	29.9	0.17
Liver & IBD[2]	3,775	19.3	0.15	3,851	19.7	0.15	1,617	7.5	0.09	1,650	7.7	0.09
Pancreas	2,081	11.9	0.12	2,112	12.1	0.13	2,115	10.1	0.10	2,145	10.2	0.10
Respiratory												
Larynx	825	4.6	0.08	839	4.7	0.08	134	0.6	0.02	137	0.6	0.02
Lung & bronchus	5,630	35.2	0.22	5,715	35.8	0.22	4,765	22.8	0.15	4,838	23.1	0.15
Skin												
Melanomas of the skin	914	4.9	0.08	948	5.1	0.08	1,039	4.4	0.06	1,075	4.5	0.06
Breast (female cases only)	-	-	-	-	-	-	22,270	94.5	0.29	22,778	96.7	0.30
Female Genital												
Cervix uteri	-	-	-	-	-	-	2,469	9.7	0.09	2,510	9.9	0.09
Corpus & uterus, NOS[2]	-	-	-	-	-	-	5,789	24.1	0.14	5,858	24.4	0.15
Ovary	-	-	-	-	-	-	2,340	9.8	0.09	2,405	10.1	0.10
Male Genital												
Prostate	16,486	91.8	0.34	17,160	95.6	0.35	-	-	-	-	-	-
Testis	1,664	5.1	0.06	1,691	5.1	0.06	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	2,871	18.4	0.16	2,947	18.8	0.17	996	4.8	0.07	1,023	4.9	0.07
Kidney & renal pelvis	4,169	20.8	0.15	4,271	21.3	0.16	2,727	11.7	0.10	2,793	12.0	0.11
Brain & Other CNS[2]	1,326	5.6	0.08	1,361	5.8	0.08	1,136	4.4	0.06	1,165	4.5	0.06
Endocrine												
Thyroid gland	1,439	6.2	0.08	1,464	6.3	0.08	5,949	22.7	0.13	6,049	23.1	0.14
Lymphomas												
Hodgkin Lymphoma	685	2.7	0.05	701	2.7	0.05	569	2.1	0.04	583	2.1	0.04
Non-Hodgkin Lymphoma	3,779	19.7	0.15	3,910	20.4	0.16	3,391	15.1	0.12	3,506	15.7	0.12
Multiple Myeloma	1,385	7.9	0.10	1,483	8.4	0.11	1,192	5.5	0.07	1,276	5.9	0.08
Leukemias	2,880	13.2	0.12	3,085	14.3	0.13	2,304	9.3	0.09	2,475	10.0	0.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latino, All Races race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	68,293	365.2	0.67	16,486	91.8	0.34	7,740	41.4	0.22	5,630	35.2	0.22	4,169	20.8	0.15	3,779	19.7	0.15
Delay Adjusted	70,072	374.8	0.69	17,160	95.6	0.35	7,882	42.1	0.23	5,715	35.8	0.22	4,271	21.3	0.16	3,910	20.4	0.16
Alabama																		
Observed	110	235.0	11.77	25	59.6	5.85	11	26.9	4.07	8	21.3	3.82	6	12.0	2.44	6	11.2	2.49
Delay Adjusted	111	236.8	11.86	25	60.5	5.94	11	27.0	4.08	8	21.4	3.84	6	12.1	2.47	6	11.3	2.51
Alaska																		
Observed	36	344.0	32.13	6	57.0	13.32	4	33.3	8.03	4	42.6	11.75	3	33.9	10.69	2	18.0	6.70
Delay Adjusted	39	377.9	35.34	6	61.0	14.29	4	34.3	8.26	4	43.8	12.09	3	35.7	11.23	2	19.0	7.11
Arizona																		
Observed	1,992	329.8	3.60	387	65.9	1.60	245	41.7	1.29	170	34.3	1.25	157	24.0	0.92	98	15.5	0.77
Delay Adjusted	2,114	349.7	3.82	415	70.7	1.71	262	44.5	1.37	176	35.5	1.29	168	25.7	0.99	105	16.5	0.82
Arkansas																		
Observed	152	335.1	14.94	35	92.3	7.91	17	29.3	3.87	17	43.2	5.46	10	20.0	3.55	7	18.8	3.90
Delay Adjusted	159	351.1	15.65	35	93.9	8.05	17	29.5	3.90	17	43.5	5.51	10	20.3	3.58	7	19.3	4.00
California																		
Observed	15,494	344.4	1.35	3,460	81.4	0.66	1,751	38.2	0.44	1,072	29.9	0.43	1,092	22.7	0.33	914	20.1	0.33
Delay Adjusted	15,755	350.3	1.37	3,549	83.5	0.68	1,771	38.6	0.45	1,083	30.2	0.44	1,110	23.1	0.34	934	20.5	0.33
Greater California																		
Observed	8,370	352.2	1.88	1,846	83.2	0.93	940	38.8	0.61	575	30.4	0.60	620	24.4	0.47	484	20.4	0.46
Delay Adjusted	8,536	359.3	1.92	1,903	85.8	0.95	953	39.3	0.62	580	30.7	0.61	631	24.8	0.48	497	21.0	0.47
Greater Bay																		
Observed	2,020	360.0	3.92	448	83.7	1.90	213	36.7	1.23	151	34.6	1.33	131	22.1	0.94	120	20.7	0.93
Delay Adjusted	2,030	361.8	3.94	451	84.3	1.91	214	36.8	1.23	153	34.9	1.34	132	22.4	0.96	122	21.0	0.94
Los Angeles																		
Observed	5,105	326.8	2.22	1,166	77.7	1.08	598	37.7	0.75	346	27.5	0.70	341	20.5	0.54	310	19.3	0.53
Delay Adjusted	5,190	332.4	2.26	1,195	79.6	1.11	604	38.1	0.75	350	27.8	0.71	346	20.8	0.54	315	19.6	0.54
Colorado																		
Observed	1,203	358.0	5.06	229	71.5	2.27	148	44.0	1.76	103	37.6	1.77	90	24.6	1.25	58	16.8	1.09
Delay Adjusted	1,245	370.5	5.23	240	75.1	2.38	152	44.9	1.80	104	38.0	1.79	94	25.4	1.29	59	17.1	1.11

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	683	451.0	8.65	153	103.5	4.08	74	48.4	2.85	68	53.8	3.18	31	18.2	1.62	38	23.6	1.97
Delay Adjusted	699	461.5	8.86	162	110.3	4.36	74	48.8	2.87	69	54.1	3.20	32	18.4	1.64	39	24.2	2.03
Delaware																		
Observed	82	417.1	23.60	21	117.6	12.49	9	37.9	6.45	5	32.9	7.03	3	13.9	4.39	5	25.0	5.89
Delay Adjusted	84	428.8	24.27	22	122.8	13.06	9	38.7	6.58	5	33.5	7.18	3	14.3	4.54	5	26.2	6.20
District of Columbia																		
Observed	58	299.9	21.18	11	68.1	10.46	6	28.6	6.12	4	23.9	6.03	2	6.7	2.92	4	24.3	6.37
Delay Adjusted	60	311.6	22.00	11	70.9	10.87	6	29.3	6.28	4	24.3	6.12	2	6.9	3.02	5	26.4	7.03
Florida																		
Observed	8,608	408.9	2.01	2,041	96.8	0.97	906	43.2	0.65	1,014	51.0	0.73	404	18.6	0.42	554	25.9	0.50
Delay Adjusted	9,093	432.0	2.12	2,197	104.3	1.05	935	44.5	0.67	1,041	52.3	0.75	426	19.6	0.44	600	28.0	0.54
Georgia																		
Observed	731	386.1	7.97	160	96.4	3.94	75	37.5	2.41	59	41.3	2.82	43	21.6	1.84	47	19.9	1.72
Delay Adjusted	774	409.6	8.47	174	105.0	4.29	79	39.6	2.55	60	42.0	2.86	44	22.1	1.88	50	21.2	1.83
Hawaii																		
Observed	168	548.8	21.78	30	96.9	8.75	16	52.9	6.83	26	107.6	10.43	9	27.7	4.57	10	33.0	5.23
Delay Adjusted	196	641.9	25.56	36	116.6	10.56	19	60.9	7.87	29	119.5	11.60	9	28.1	4.63	10	33.3	5.27
Idaho																		
Observed	154	339.1	14.34	29	71.8	6.72	17	34.4	4.33	14	38.9	5.20	12	24.7	3.78	11	21.1	3.46
Delay Adjusted	158	348.0	14.72	30	75.6	7.08	17	34.9	4.41	14	39.6	5.29	12	25.7	3.93	11	21.6	3.55
Illinois																		
Observed	2,149	357.9	3.90	499	87.7	1.92	231	38.3	1.27	155	32.5	1.28	154	23.4	0.95	125	20.1	0.92
Delay Adjusted	2,162	360.2	3.93	511	89.9	1.97	232	38.6	1.28	156	32.7	1.29	156	23.7	0.96	127	20.5	0.94
Indiana																		
Observed	321	310.7	9.04	62	67.2	4.22	36	35.2	3.03	28	33.9	3.20	27	24.3	2.45	19	16.1	1.94
Delay Adjusted	326	315.7	9.19	66	71.3	4.49	37	36.0	3.10	28	34.7	3.27	27	24.7	2.49	19	16.5	1.98

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latino, All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	119	302.5	14.97	23	68.0	7.25	13	38.4	5.52	7	25.3	4.91	8	19.0	3.60	7	19.0	3.92
Delay Adjusted	120	304.9	15.10	23	69.3	7.39	13	38.6	5.54	7	25.6	4.98	8	19.3	3.65	7	19.2	3.97
Kansas																		
Observed	279	356.1	10.95	61	89.1	5.58	31	42.3	3.82	17	29.3	3.47	23	27.7	2.88	13	16.4	2.32
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	93	251.6	13.83	17	55.0	6.63	11	30.5	4.86	10	32.4	5.14	6	11.9	2.47	5	12.7	3.18
Delay Adjusted	95	256.2	14.10	17	56.0	6.76	11	30.8	4.90	10	32.7	5.18	6	12.1	2.51	5	12.9	3.22
Louisiana																		
Observed	244	325.7	10.00	66	96.0	5.55	25	30.8	2.96	21	30.6	3.15	17	23.2	2.68	12	13.9	1.95
Delay Adjusted	246	327.9	10.06	67	97.2	5.62	25	31.0	2.98	21	30.7	3.15	17	23.5	2.72	12	14.1	1.99
Maine																		
Observed	17	274.3	32.40	3	56.6	14.49	2	23.9	9.12	2	28.9	10.68	-	-	-	1	21.2	9.19
Delay Adjusted	17	276.9	32.72	3	57.3	14.68	2	24.0	9.15	2	29.0	10.71	-	-	-	1	21.5	9.37
Maryland																		
Observed	308	227.4	7.01	74	62.3	3.68	32	21.0	2.03	18	19.5	2.27	13	8.6	1.27	23	14.7	1.67
Delay Adjusted	316	232.9	7.18	77	64.8	3.82	32	21.3	2.05	19	19.8	2.31	14	8.9	1.30	24	15.1	1.72
Massachusetts																		
Observed	707	351.4	6.67	189	97.0	3.44	63	32.0	2.05	63	38.0	2.37	36	16.0	1.31	42	20.0	1.60
Delay Adjusted	716	355.7	6.75	195	99.9	3.55	64	32.5	2.09	64	38.5	2.40	37	16.2	1.33	42	20.1	1.61
Michigan																		
Observed	431	336.8	8.05	88	72.0	3.71	43	32.9	2.49	38	35.5	2.78	31	23.1	2.07	29	23.7	2.19
Delay Adjusted	462	361.0	8.65	89	72.9	3.76	48	36.7	2.78	44	41.0	3.25	32	23.5	2.10	30	24.2	2.23
Detroit																		
Observed	211	464.9	15.77	47	103.4	7.29	20	44.2	4.92	22	56.4	5.82	12	25.9	3.68	16	37.0	4.59
Delay Adjusted	213	468.8	15.90	49	108.8	7.68	20	44.3	4.94	22	56.8	5.86	12	26.1	3.71	16	37.5	4.64
Minnesota																		
Observed	235	432.3	15.61	43	95.3	7.45	22	40.7	4.82	21	50.2	5.62	16	24.4	3.32	15	28.2	4.03
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	55	218.7	15.18	13	69.9	9.19	8	28.0	5.00	6	26.6	5.41	2	8.5	2.81	3	9.4	2.98
Delay Adjusted	59	235.7	16.38	14	71.8	9.45	8	28.3	5.05	6	26.9	5.48	2	8.6	2.84	3	9.7	3.05
Missouri																		
Observed	167	265.9	10.35	31	54.7	4.78	19	29.9	3.43	17	33.4	3.96	13	18.4	2.52	9	16.0	2.76
Delay Adjusted	170	272.1	10.59	32	57.2	5.00	19	30.9	3.54	17	33.9	4.01	13	18.9	2.59	9	16.5	2.84
Montana																		
Observed	38	400.3	32.08	8	86.1	14.42	5	53.6	11.67	2	25.9	8.89	4	39.4	9.97	2	22.6	8.13
Delay Adjusted	39	405.9	32.53	9	90.3	15.14	5	54.9	11.98	2	26.4	9.06	4	41.7	10.55	2	23.4	8.37
Nebraska																		
Observed	150	349.7	15.29	30	82.0	7.52	16	37.4	5.00	12	36.3	5.27	11	21.4	3.39	9	23.1	4.14
Delay Adjusted	151	353.3	15.45	31	86.8	7.96	16	38.3	5.12	12	36.9	5.36	11	22.3	3.54	10	23.9	4.27
New Hampshire																		
Observed	40	343.9	27.67	10	90.4	13.81	4	31.1	7.89	4	39.2	9.70	1	11.4	4.64	2	20.6	7.39
Delay Adjusted	41	351.2	28.28	10	92.4	14.13	4	31.4	7.96	4	39.7	9.80	1	11.7	4.79	2	21.3	7.60
New Jersey																		
Observed	2,350	418.1	4.19	670	121.8	2.25	241	42.8	1.34	188	38.7	1.35	123	19.5	0.85	142	24.6	1.01
Delay Adjusted	2,402	427.7	4.29	699	127.2	2.35	245	43.5	1.37	190	39.1	1.37	125	20.0	0.87	146	25.1	1.03
New Mexico																		
Observed	1,458	347.0	4.19	306	71.3	1.88	172	41.0	1.44	136	35.4	1.40	90	20.5	0.99	66	15.8	0.89
Delay Adjusted	1,501	357.2	4.31	317	73.8	1.95	177	42.4	1.49	139	36.3	1.43	93	21.2	1.03	68	16.2	0.92
New York																		
Observed	5,511	433.5	2.77	1,533	120.5	1.44	538	43.2	0.88	506	44.6	0.93	249	18.2	0.54	300	23.0	0.63
Delay Adjusted	5,543	436.1	2.79	1,554	122.2	1.47	540	43.4	0.89	511	45.0	0.94	250	18.3	0.55	305	23.4	0.64
North Carolina																		
Observed	445	245.1	6.63	93	62.0	3.30	43	24.0	2.06	33	27.4	2.49	26	15.1	1.70	29	14.0	1.54
Delay Adjusted	449	247.1	6.68	95	63.2	3.36	43	24.3	2.09	33	27.6	2.51	27	15.3	1.72	30	14.2	1.56

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latino, All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	12	262.3	46.15	2	65.2	23.11	2	37.8	15.72	-	-	-	1	20.1	7.67	-	-	-
Delay Adjusted	12	269.9	47.44	2	67.6	23.96	2	38.9	16.22	-	-	-	1	21.3	8.13	-	-	-
Ohio																		
Observed	323	302.0	8.33	73	72.8	4.13	35	33.0	2.77	33	37.6	3.15	21	16.6	1.78	19	17.2	1.96
Delay Adjusted	333	311.7	8.61	76	75.9	4.31	36	33.7	2.83	34	38.5	3.23	22	17.2	1.84	20	17.9	2.04
Oklahoma																		
Observed	268	322.4	10.57	45	63.9	4.83	33	38.1	3.48	24	37.7	3.90	21	25.4	2.91	13	15.7	2.34
Delay Adjusted	273	327.8	10.75	47	65.8	4.98	34	39.1	3.57	24	37.9	3.92	22	25.8	2.97	13	15.9	2.36
Oregon																		
Observed	389	340.7	9.30	78	78.5	4.45	43	36.0	2.94	29	34.2	3.26	25	19.9	2.14	24	18.8	2.12
Delay Adjusted	396	347.9	9.51	81	80.7	4.58	44	36.9	3.01	29	34.9	3.33	26	20.2	2.18	24	19.3	2.18
Pennsylvania																		
Observed	854	384.1	6.65	196	92.8	3.25	84	38.1	2.09	83	44.9	2.43	51	20.8	1.46	46	19.4	1.45
Delay Adjusted	877	394.3	6.83	202	95.6	3.35	85	38.4	2.10	84	45.1	2.45	54	21.8	1.53	47	19.8	1.48
Puerto Rico*																		
Observed	7,399	400.6	2.12	2,783	142.5	1.22	936	51.0	0.76	439	23.6	0.51	218	12.1	0.38	298	17.2	0.45
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Rhode Island																		
Observed	118	312.5	14.59	29	86.0	7.82	12	31.1	4.61	12	36.6	5.10	6	14.9	3.02	5	11.3	2.61
Delay Adjusted	121	321.5	15.02	31	90.5	8.22	12	31.6	4.68	13	37.4	5.22	6	15.3	3.11	5	11.5	2.67
South Carolina																		
Observed	151	243.7	10.65	37	75.0	6.18	17	23.0	2.93	10	18.9	3.15	9	14.5	2.53	9	15.4	2.78
Delay Adjusted	152	244.8	10.70	38	77.1	6.35	17	23.4	2.99	10	19.2	3.20	10	15.1	2.63	10	16.0	2.90
South Dakota																		
Observed	17	289.4	39.10	3	71.0	20.90	2	26.9	10.70	-	-	-	1	14.5	6.99	2	30.7	14.03
Delay Adjusted	18	300.9	40.74	3	76.0	22.32	2	27.8	11.14	-	-	-	1	15.2	7.39	2	31.6	14.49
Tennessee																		
Observed	214	289.4	10.77	42	72.8	5.67	17	23.8	3.15	21	34.9	3.90	14	18.3	2.72	11	9.8	1.56
Delay Adjusted	218	294.6	10.95	43	74.5	5.80	17	24.0	3.18	21	35.3	3.95	14	18.6	2.76	11	10.0	1.59

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latino, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Kidney & Renal Pelvis			Non-Hodgkin Lymphoma		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Texas																		
Observed	11,556	361.4	1.64	2,274	76.2	0.76	1,473	45.6	0.57	948	36.0	0.56	932	27.3	0.43	607	18.6	0.37
Delay Adjusted	11,812	369.1	1.67	2,392	80.2	0.80	1,492	46.1	0.58	954	36.3	0.56	951	27.8	0.44	627	19.1	0.38
Utah																		
Observed	330	375.1	10.82	74	92.2	5.29	35	39.6	3.48	19	31.6	3.52	23	25.9	2.76	24	27.2	2.95
Delay Adjusted	343	390.1	11.26	81	100.9	5.80	37	42.1	3.71	20	32.1	3.57	24	26.5	2.82	25	27.5	2.98
Vermont																		
Observed	7	177.8	34.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	7	180.9	34.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	432	259.1	6.94	101	67.7	3.52	40	23.7	2.08	33	28.3	2.53	26	14.4	1.57	28	15.9	1.71
Delay Adjusted	441	263.8	7.06	104	69.4	3.61	41	24.0	2.11	34	28.5	2.55	26	14.7	1.60	28	16.3	1.76
Washington																		
Observed	644	343.7	7.34	122	76.2	3.52	68	34.7	2.25	52	36.6	2.58	41	19.8	1.64	37	19.4	1.74
Delay Adjusted	658	350.8	7.49	124	77.5	3.58	69	35.1	2.27	53	37.1	2.62	42	20.2	1.67	38	19.7	1.77
Seattle																		
Observed	402	428.6	11.88	75	90.3	5.41	41	42.1	3.67	33	46.5	4.27	26	23.7	2.55	23	23.2	2.71
Delay Adjusted	429	458.0	12.70	80	96.8	5.80	41	42.2	3.68	35	49.9	4.58	28	25.3	2.72	24	24.5	2.86
West Virginia																		
Observed	24	276.3	26.98	6	80.9	15.03	3	29.7	8.35	2	30.2	9.27	2	21.5	7.42	1	9.8	4.02
Delay Adjusted	24	282.5	27.55	7	82.8	15.38	3	30.1	8.46	2	30.6	9.36	2	22.1	7.62	1	10.2	4.19
Wisconsin																		
Observed	289	351.6	11.02	61	79.4	5.13	25	28.7	3.04	24	40.2	4.10	24	25.0	2.69	15	16.3	2.36
Delay Adjusted	292	356.1	11.17	63	81.7	5.29	25	29.1	3.08	25	40.8	4.17	24	25.7	2.77	15	16.5	2.38
Wyoming																		
Observed	55	298.9	19.58	13	73.6	9.76	8	46.5	7.70	4	31.1	6.96	3	16.0	4.37	2	12.7	4.27
Delay Adjusted	55	301.5	19.76	13	74.2	9.83	8	46.8	7.74	4	31.2	6.99	3	16.3	4.45	2	12.9	4.34

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latino, All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS3			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	75,886	326.6	0.54	22,270	94.5	0.29	6,551	29.4	0.17	5,949	22.7	0.13	5,789	24.1	0.14	4,765	22.8	0.15
Delay Adjusted	77,864	335.2	0.56	22,778	96.7	0.30	6,673	29.9	0.17	6,049	23.1	0.14	5,858	24.4	0.15	4,838	23.1	0.15
Alabama																		
Observed	112	219.7	10.27	31	57.4	4.88	12	26.3	3.73	6	9.3	1.80	8	16.6	2.91	8	21.6	3.55
Delay Adjusted	113	221.3	10.34	32	58.0	4.92	12	26.5	3.75	6	9.4	1.82	8	16.7	2.93	8	21.7	3.57
Alaska																		
Observed	43	333.0	26.30	16	123.0	16.24	3	21.9	5.58	3	14.9	3.92	3	21.8	6.17	2	19.8	6.37
Delay Adjusted	47	364.3	28.78	16	125.5	16.58	3	22.5	5.73	3	15.4	4.07	3	22.3	6.32	2	20.3	6.57
Arizona																		
Observed	2,368	316.1	3.03	703	91.9	1.60	183	26.2	0.90	188	20.8	0.70	174	21.8	0.76	160	25.3	0.93
Delay Adjusted	2,515	335.5	3.21	755	98.7	1.72	196	28.0	0.96	196	21.7	0.73	181	22.7	0.79	166	26.2	0.96
Arkansas																		
Observed	170	343.3	13.93	46	90.8	6.84	13	33.6	4.73	17	20.2	2.40	12	22.8	3.40	14	39.0	5.24
Delay Adjusted	178	359.8	14.60	47	91.9	6.93	14	33.9	4.78	17	20.6	2.46	12	23.0	3.42	14	39.4	5.29
California																		
Observed	18,177	320.6	1.10	5,414	92.9	0.58	1,527	28.0	0.33	1,274	19.3	0.25	1,415	23.9	0.29	1,015	20.9	0.30
Delay Adjusted	18,484	326.1	1.12	5,461	93.7	0.59	1,544	28.3	0.33	1,287	19.5	0.25	1,424	24.1	0.29	1,026	21.1	0.31
Greater California																		
Observed	9,629	327.6	1.56	2,895	95.7	0.82	792	28.1	0.46	710	20.3	0.35	703	22.9	0.40	565	23.0	0.45
Delay Adjusted	9,820	334.2	1.59	2,921	96.5	0.83	803	28.5	0.47	718	20.5	0.36	709	23.1	0.40	571	23.2	0.45
Greater Bay																		
Observed	2,324	332.1	3.19	700	97.4	1.69	196	29.3	0.97	141	16.9	0.65	177	24.4	0.85	139	22.8	0.89
Delay Adjusted	2,335	333.7	3.20	703	97.9	1.70	197	29.5	0.97	141	16.9	0.65	177	24.5	0.85	140	23.0	0.89
Los Angeles																		
Observed	6,225	306.8	1.79	1,819	87.4	0.94	538	27.4	0.54	424	18.6	0.41	536	25.3	0.50	311	17.5	0.45
Delay Adjusted	6,329	311.9	1.82	1,836	88.2	0.95	544	27.6	0.55	428	18.8	0.41	538	25.4	0.50	315	17.7	0.46
Colorado																		
Observed	1,434	356.9	4.39	440	106.3	2.34	125	33.2	1.38	113	23.4	1.02	90	20.6	0.99	115	34.5	1.48
Delay Adjusted	1,485	369.4	4.55	450	108.9	2.40	128	33.9	1.41	119	24.7	1.07	94	21.5	1.04	116	34.8	1.50

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS3			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	833	417.4	6.85	252	121.6	3.60	64	33.2	1.96	79	31.7	1.65	60	29.5	1.78	67	40.3	2.31
Delay Adjusted	852	426.9	7.01	258	124.4	3.68	65	33.4	1.97	79	31.9	1.66	61	29.6	1.79	67	40.5	2.32
Delaware																		
Observed	89	374.0	19.37	25	105.8	10.33	8	42.6	7.20	9	27.2	4.15	8	33.6	5.60	5	25.6	5.24
Delay Adjusted	91	384.4	19.91	25	107.1	10.45	8	43.5	7.34	9	27.7	4.23	8	33.9	5.65	6	26.1	5.36
District of Columbia																		
Observed	69	270.4	15.54	21	82.0	8.37	5	21.7	4.67	7	21.9	3.78	3	13.2	3.65	3	15.4	4.16
Delay Adjusted	72	281.6	16.19	22	85.7	8.76	5	22.5	4.84	8	23.0	3.98	3	13.4	3.71	3	15.6	4.22
Florida																		
Observed	9,280	348.0	1.62	2,691	100.9	0.87	848	31.6	0.49	624	24.0	0.43	657	24.2	0.42	741	27.6	0.46
Delay Adjusted	9,806	367.7	1.72	2,845	106.7	0.92	875	32.6	0.50	640	24.6	0.44	675	24.8	0.44	761	28.4	0.47
Georgia																		
Observed	876	369.6	6.39	269	108.2	3.32	70	33.9	2.04	79	22.9	1.28	54	22.5	1.52	53	30.6	2.02
Delay Adjusted	927	391.9	6.79	280	112.9	3.46	74	35.8	2.16	79	23.1	1.29	55	22.6	1.53	54	31.2	2.06
Hawaii																		
Observed	205	533.3	17.96	65	160.8	9.42	18	50.4	5.66	11	23.1	3.41	14	34.3	4.36	24	76.3	7.35
Delay Adjusted	239	621.7	20.96	79	194.9	11.42	21	57.7	6.48	11	23.2	3.42	14	34.3	4.37	27	84.8	8.17
Idaho																		
Observed	187	347.6	12.65	56	102.6	6.66	13	24.0	3.30	16	20.9	2.50	13	22.0	2.85	14	35.4	4.58
Delay Adjusted	192	356.6	12.97	57	104.0	6.74	13	24.3	3.34	16	21.0	2.51	13	22.2	2.88	14	36.0	4.67
Illinois																		
Observed	2,418	343.5	3.33	713	97.0	1.71	189	29.0	1.00	202	22.8	0.75	205	26.8	0.87	140	24.2	0.96
Delay Adjusted	2,432	345.7	3.35	718	97.7	1.72	190	29.2	1.01	204	23.0	0.76	206	26.9	0.88	140	24.4	0.97
Indiana																		
Observed	377	315.9	7.97	106	90.4	4.25	32	30.6	2.60	27	16.1	1.46	32	23.3	1.96	26	27.2	2.53
Delay Adjusted	384	321.4	8.11	108	92.0	4.32	33	31.4	2.67	27	16.5	1.50	32	23.5	1.98	27	27.9	2.60

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latina, All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS3			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	121	262.2	11.99	34	70.3	5.82	9	21.0	3.52	12	19.9	2.80	10	19.4	3.01	7	22.9	4.09
Delay Adjusted	122	264.0	12.09	34	70.5	5.84	9	21.2	3.55	12	20.0	2.82	10	19.5	3.03	7	23.2	4.15
Kansas																		
Observed	315	341.7	9.37	88	94.2	4.79	23	25.8	2.62	29	24.5	2.18	23	24.7	2.44	21	31.3	3.22
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	92	244.1	12.48	29	76.4	6.84	9	25.0	4.11	5	8.2	1.78	8	17.9	3.09	6	23.7	4.42
Delay Adjusted	94	248.2	12.70	29	76.9	6.89	9	25.3	4.15	5	8.3	1.80	8	18.0	3.11	6	23.9	4.46
Louisiana																		
Observed	244	301.5	8.79	74	92.9	4.90	19	22.5	2.38	15	16.2	1.93	14	16.9	2.05	23	30.5	2.89
Delay Adjusted	245	303.6	8.86	75	93.6	4.94	19	22.6	2.39	15	16.4	1.96	14	17.0	2.06	23	30.6	2.90
Maine																		
Observed	19	272.4	28.90	7	98.0	17.15	1	23.0	8.99	2	21.1	7.14	2	21.8	7.30	2	23.5	8.51
Delay Adjusted	19	274.9	29.18	7	99.4	17.41	1	23.1	9.05	2	21.2	7.16	2	21.8	7.32	2	23.6	8.54
Maryland																		
Observed	400	225.8	5.50	123	66.8	2.90	28	17.6	1.60	35	15.1	1.22	30	15.8	1.38	22	15.6	1.58
Delay Adjusted	409	231.2	5.64	125	67.9	2.95	29	18.0	1.63	35	15.4	1.24	30	15.9	1.39	23	15.9	1.62
Massachusetts																		
Observed	830	303.8	5.00	253	90.3	2.66	57	22.5	1.40	88	26.1	1.29	61	21.9	1.31	59	25.8	1.58
Delay Adjusted	840	307.5	5.06	254	90.9	2.68	58	22.8	1.42	88	26.3	1.30	61	22.1	1.32	60	26.2	1.60
Michigan																		
Observed	437	289.6	6.52	117	74.1	3.19	35	24.3	1.93	26	14.0	1.29	36	22.8	1.76	41	31.9	2.33
Delay Adjusted	470	311.5	7.03	120	76.1	3.28	39	27.2	2.16	27	14.1	1.30	37	23.0	1.78	47	36.7	2.70
Detroit																		
Observed	245	436.3	13.12	71	123.4	6.83	19	36.5	3.91	17	23.6	2.69	18	30.1	3.27	22	46.5	4.59
Delay Adjusted	247	439.7	13.23	72	124.0	6.86	19	36.6	3.93	17	23.7	2.70	18	30.1	3.28	23	46.7	4.62
Minnesota																		
Observed	276	422.4	13.21	71	101.4	6.07	23	40.0	4.22	21	21.4	2.39	21	29.6	3.24	16	36.4	4.38
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS3			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	48	200.1	13.80	12	48.8	6.67	2	12.0	3.82	3	9.0	2.41	4	13.0	3.14	5	28.8	5.83
Delay Adjusted	52	215.1	14.82	12	49.5	6.76	2	12.1	3.83	3	9.1	2.44	4	13.1	3.16	5	29.1	5.88
Missouri																		
Observed	188	270.6	9.42	52	75.1	4.92	17	26.0	3.03	16	17.4	2.07	14	18.3	2.24	18	32.7	3.55
Delay Adjusted	192	276.8	9.64	53	76.1	4.99	17	26.8	3.13	16	17.6	2.10	15	18.4	2.25	19	33.1	3.59
Montana																		
Observed	44	382.4	27.12	13	109.6	14.33	3	30.5	7.70	2	13.6	4.72	2	24.0	7.24	4	40.6	9.46
Delay Adjusted	45	386.9	27.45	13	112.1	14.68	3	31.1	7.83	2	14.0	4.81	2	24.4	7.36	4	41.4	9.63
Nebraska																		
Observed	167	351.4	13.74	46	96.3	7.03	14	33.1	4.41	15	19.3	2.40	11	21.8	3.11	14	38.9	5.07
Delay Adjusted	168	355.2	13.88	46	96.9	7.07	15	33.8	4.50	15	19.6	2.44	11	21.9	3.12	14	39.7	5.16
New Hampshire																		
Observed	44	287.2	20.99	15	92.1	11.33	2	12.6	4.29	5	29.2	6.03	3	17.4	5.14	4	34.4	8.10
Delay Adjusted	44	292.6	21.40	15	93.0	11.45	2	12.8	4.36	5	29.4	6.09	3	17.7	5.23	4	34.8	8.20
New Jersey																		
Observed	2,661	370.2	3.30	806	109.5	1.77	220	32.4	1.01	222	26.8	0.81	193	25.7	0.85	182	28.3	0.96
Delay Adjusted	2,719	378.3	3.38	821	111.5	1.80	224	32.9	1.02	225	27.1	0.82	194	25.9	0.85	184	28.5	0.97
New Mexico																		
Observed	1,656	344.5	3.84	501	103.6	2.10	155	31.9	1.16	117	24.7	1.04	107	21.8	0.96	125	26.8	1.09
Delay Adjusted	1,705	354.6	3.95	517	107.1	2.17	160	33.0	1.20	119	25.0	1.05	109	22.1	0.97	128	27.5	1.11
New York																		
Observed	6,169	362.5	2.09	1,806	105.0	1.12	489	29.4	0.60	509	28.3	0.57	468	26.7	0.56	469	28.6	0.60
Delay Adjusted	6,204	364.6	2.10	1,810	105.3	1.12	491	29.5	0.60	512	28.5	0.57	469	26.8	0.56	473	28.8	0.60
North Carolina																		
Observed	520	244.2	5.61	149	64.6	2.71	34	18.4	1.61	46	13.8	1.03	38	17.3	1.42	32	21.5	1.86
Delay Adjusted	524	246.2	5.66	150	65.3	2.75	34	18.6	1.64	46	13.9	1.04	38	17.4	1.43	32	21.7	1.88

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latina, All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS3			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	11	246.9	38.60	3	74.3	21.36	1	29.9	12.89	1	17.0	7.26	-	-	-	-	-	-
Delay Adjusted	11	254.1	39.72	3	74.8	21.53	1	30.8	13.19	1	17.4	7.44	-	-	-	-	-	-
Ohio																		
Observed	322	252.7	6.60	84	65.9	3.33	27	22.2	1.99	24	15.6	1.46	27	20.6	1.84	27	24.6	2.18
Delay Adjusted	332	260.6	6.81	86	67.5	3.41	28	22.7	2.03	25	16.0	1.50	27	21.1	1.89	28	25.1	2.23
Oklahoma																		
Observed	338	354.2	9.73	95	96.1	4.84	26	30.9	3.07	24	17.5	1.76	23	23.7	2.42	21	30.7	3.23
Delay Adjusted	344	360.3	9.90	96	97.0	4.88	26	31.6	3.15	24	17.7	1.78	24	23.8	2.44	21	30.9	3.25
Oregon																		
Observed	474	356.5	8.28	136	99.2	4.20	36	28.9	2.37	40	20.7	1.61	38	26.4	2.08	33	34.7	2.94
Delay Adjusted	484	363.9	8.46	140	101.7	4.30	37	29.6	2.43	41	21.1	1.63	39	26.8	2.10	34	35.3	3.00
Pennsylvania																		
Observed	943	336.7	5.24	260	92.2	2.70	71	27.1	1.53	91	25.6	1.26	78	27.5	1.46	63	26.7	1.59
Delay Adjusted	969	345.8	5.38	264	93.8	2.75	72	27.3	1.54	92	25.9	1.27	78	27.8	1.48	63	26.8	1.60
Puerto Rico*																		
Observed	6,794	326.4	1.84	1,977	93.9	0.98	782	34.9	0.58	801	45.6	0.75	593	28.4	0.54	283	12.0	0.33
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Rhode Island																		
Observed	151	291.2	11.34	45	83.4	5.84	11	22.6	3.19	13	19.9	2.54	12	24.6	3.41	10	26.4	3.82
Delay Adjusted	155	299.4	11.67	46	84.7	5.93	12	22.9	3.24	13	20.1	2.56	12	25.1	3.47	11	27.0	3.91
South Carolina																		
Observed	143	199.5	8.40	45	58.6	4.32	14	22.3	2.95	9	10.0	1.71	6	9.6	1.87	8	13.3	2.32
Delay Adjusted	144	200.4	8.44	45	59.2	4.35	14	22.5	2.98	9	10.2	1.74	7	9.8	1.90	8	13.5	2.35
South Dakota																		
Observed	18	296.1	35.86	5	68.1	15.77	2	25.7	10.60	1	17.1	7.34	-	-	-	2	43.4	15.65
Delay Adjusted	19	308.5	37.40	5	69.1	16.01	2	26.5	11.02	1	17.6	7.54	-	-	-	2	44.7	16.11
Tennessee																		
Observed	235	294.2	9.84	65	78.1	4.85	13	17.4	2.44	15	13.2	1.70	15	17.9	2.25	19	33.5	3.69
Delay Adjusted	239	299.5	10.01	66	79.6	4.94	13	17.6	2.46	16	13.5	1.73	15	18.0	2.28	20	33.9	3.74

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Hispanic/Latina, All Races, Females

	All Sites			Breast			Colon & Rectum			Thyroid			Uterus Corpus & Uterus, NOS3			Lung & Bronchus		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Texas																		
Observed	12,618	318.1	1.31	3,646	90.0	0.68	1,075	28.3	0.40	821	18.0	0.29	1,000	23.7	0.34	665	19.4	0.35
Delay Adjusted	12,905	325.1	1.34	3,729	92.1	0.70	1,089	28.6	0.40	843	18.5	0.30	1,012	24.0	0.35	669	19.5	0.35
Utah																		
Observed	416	371.5	9.05	125	109.5	4.77	33	31.8	2.70	46	30.2	2.13	29	24.2	2.17	23	26.7	2.68
Delay Adjusted	432	386.1	9.41	126	110.0	4.79	35	33.9	2.87	46	30.2	2.14	29	24.4	2.19	23	27.0	2.71
Vermont																		
Observed	9	252.8	41.56	3	90.3	25.30	-	-	-	-	-	-	1	37.0	16.66	-	-	-
Delay Adjusted	9	257.7	42.40	3	91.3	25.59	-	-	-	-	-	-	1	37.0	16.66	-	-	-
Virginia																		
Observed	635	275.9	5.49	191	79.6	2.83	51	24.6	1.71	69	21.5	1.24	37	16.1	1.29	39	22.0	1.71
Delay Adjusted	647	281.1	5.58	194	80.7	2.87	52	25.0	1.74	70	21.8	1.26	38	16.2	1.30	39	22.1	1.72
Washington																		
Observed	782	350.0	6.34	235	101.9	3.27	58	27.8	1.84	62	19.3	1.22	52	23.3	1.59	53	32.1	2.12
Delay Adjusted	797	357.1	6.47	240	103.9	3.34	58	28.1	1.86	63	19.4	1.22	53	23.4	1.60	54	32.5	2.15
Seattle																		
Observed	512	437.4	9.85	161	131.3	5.15	39	35.8	2.91	38	22.0	1.76	30	25.2	2.28	40	44.7	3.45
Delay Adjusted	546	466.9	10.51	176	143.7	5.64	39	35.9	2.92	38	22.0	1.76	30	25.2	2.28	43	47.9	3.70
West Virginia																		
Observed	20	213.8	21.68	5	58.8	11.39	2	21.8	7.02	1	10.9	4.51	-	-	-	2	24.5	7.09
Delay Adjusted	21	220.2	22.32	6	60.9	11.80	2	22.1	7.13	1	11.2	4.64	-	-	-	2	25.0	7.23
Wisconsin																		
Observed	297	305.4	8.80	81	82.7	4.48	22	24.9	2.64	25	18.4	1.80	27	26.9	2.48	20	25.6	2.76
Delay Adjusted	300	309.4	8.92	82	83.5	4.53	22	25.3	2.68	25	18.8	1.84	28	27.6	2.54	20	26.0	2.80
Wyoming																		
Observed	58	315.4	19.33	14	78.6	9.59	6	35.5	6.72	3	13.6	3.56	4	21.0	4.59	5	36.1	7.37
Delay Adjusted	58	318.1	19.49	14	79.3	9.68	6	35.7	6.76	3	13.7	3.59	4	21.0	4.60	5	36.2	7.39

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the Hispanic/Latina, All Races race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
* Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR U.S. Combined Delay Adjusted Incidence 2013-2017, Non-Hispanic White Combined

UNITED STATES

V-75 Combined Delay Adjusted Incidence – Non-Hispanic White

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR United States Combined[1], 2013-2017, Non-Hispanic White

	MALES (NON-HISPANIC WHITE)						FEMALES (NON-HISPANIC WHITE)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	764,519	491.0	0.26	780,672	501.4	0.26	745,207	425.4	0.23	760,767	434.3	0.23
Oral Cavity & Pharynx	30,365	19.0	0.05	30,948	19.3	0.05	12,053	6.7	0.03	12,275	6.9	0.03
Digestive												
Esophagus	12,987	8.2	0.03	13,135	8.2	0.03	3,477	1.8	0.01	3,515	1.9	0.01
Stomach	13,019	8.5	0.03	13,181	8.6	0.03	7,692	4.2	0.02	7,785	4.3	0.02
Colon & Rectum	67,860	44.5	0.08	68,803	45.2	0.08	61,753	34.3	0.06	62,599	34.7	0.06
Liver & IBD[2]	20,325	12.2	0.04	20,772	12.4	0.04	7,981	4.3	0.02	8,157	4.4	0.02
Pancreas	23,296	15.0	0.05	23,588	15.2	0.05	21,639	11.5	0.04	21,906	11.6	0.04
Respiratory												
Larynx	9,256	5.7	0.03	9,394	5.8	0.03	2,446	1.3	0.01	2,482	1.3	0.01
Lung & bronchus	110,171	70.6	0.10	111,588	71.5	0.10	101,638	54.1	0.08	102,963	54.8	0.08
Skin												
Melanomas of the skin	47,081	31.4	0.07	48,233	32.1	0.07	32,121	19.7	0.05	32,880	20.1	0.05
Breast (female cases only)	-	-	-	-	-	-	223,998	130.0	0.13	227,300	132.0	0.13
Female Genital												
Cervix uteri	-	-	-	-	-	-	10,575	7.3	0.03	10,715	7.4	0.03
Corpus & uterus, NOS[2]	-	-	-	-	-	-	49,752	27.2	0.06	50,241	27.5	0.06
Ovary	-	-	-	-	-	-	19,157	11.0	0.04	19,584	11.3	0.04
Male Genital												
Prostate	178,924	106.7	0.12	184,763	110.2	0.12	-	-	-	-	-	-
Testis	7,177	5.8	0.03	7,272	5.9	0.03	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	54,330	36.1	0.07	55,460	36.9	0.07	16,933	8.9	0.03	17,282	9.1	0.03
Kidney & renal pelvis	35,674	23.0	0.06	36,463	23.5	0.06	20,414	11.6	0.04	20,868	11.9	0.04
Brain & Other CNS[2]	11,415	7.9	0.03	11,656	8.1	0.04	8,994	5.7	0.03	9,181	5.8	0.03
Endocrine												
Thyroid gland	11,015	7.6	0.03	11,170	7.7	0.03	30,764	21.3	0.06	31,198	21.6	0.06
Lymphomas												
Hodgkin Lymphoma	4,155	3.1	0.02	4,224	3.2	0.02	3,337	2.4	0.02	3,392	2.5	0.02
Non-Hodgkin Lymphoma	35,340	23.7	0.06	36,376	24.4	0.06	28,662	16.0	0.04	29,496	16.5	0.05
Multiple Myeloma	13,248	8.6	0.03	14,137	9.2	0.04	10,383	5.6	0.03	11,083	6.0	0.03
Leukemias	26,732	18.2	0.05	29,048	19.8	0.06	18,866	11.0	0.04	20,488	11.9	0.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	635,264	490.0	0.28	137,478	97.7	0.12	93,217	70.8	0.11	55,062	43.6	0.09	49,435	38.7	0.08	44,834	35.9	0.08
Delay Adjusted	651,899	502.8	0.29	144,008	102.4	0.13	94,543	71.8	0.11	55,958	44.3	0.09	50,753	39.7	0.08	46,700	37.4	0.08
Alabama																		
Observed	10,304	500.6	2.27	2,188	98.4	0.96	1,791	85.2	0.92	988	49.0	0.72	726	36.0	0.61	713	36.2	0.63
Delay Adjusted	10,422	506.3	2.30	2,247	101.1	0.99	1,800	85.6	0.93	995	49.3	0.72	730	36.2	0.62	726	36.9	0.64
Alaska																		
Observed	1,112	427.8	6.35	251	87.8	2.75	146	60.8	2.51	103	39.0	1.90	87	38.7	2.06	51	21.1	1.44
Delay Adjusted	1,165	448.2	6.66	270	94.6	2.97	151	62.8	2.59	106	40.4	1.97	90	40.1	2.14	55	22.9	1.57
Arizona																		
Observed	12,521	423.9	1.76	2,555	80.2	0.73	1,733	55.3	0.60	1,066	37.2	0.53	1,090	35.3	0.49	1,173	41.3	0.57
Delay Adjusted	13,210	447.2	1.86	2,810	88.2	0.80	1,772	56.5	0.62	1,118	39.0	0.56	1,146	37.1	0.51	1,326	46.7	0.64
Arkansas																		
Observed	7,385	522.1	2.79	1,541	101.0	1.17	1,392	95.6	1.17	690	50.3	0.88	521	37.4	0.75	430	31.7	0.71
Delay Adjusted	7,501	530.2	2.83	1,586	103.9	1.20	1,402	96.3	1.17	697	50.8	0.89	529	38.0	0.76	438	32.3	0.72
California																		
Observed	49,853	469.6	0.97	10,873	94.3	0.41	5,465	50.8	0.31	4,162	40.2	0.29	3,927	37.1	0.27	5,006	48.4	0.32
Delay Adjusted	51,153	481.8	1.00	11,492	99.8	0.44	5,553	51.6	0.32	4,211	40.6	0.29	4,023	38.0	0.28	5,217	50.4	0.33
Greater California																		
Observed	31,639	471.9	1.23	6,853	93.8	0.52	3,663	53.7	0.40	2,618	40.1	0.36	2,470	37.0	0.34	3,140	48.3	0.40
Delay Adjusted	32,629	486.6	1.27	7,299	100.0	0.55	3,731	54.7	0.41	2,657	40.7	0.37	2,546	38.2	0.35	3,311	50.9	0.42
Greater Bay																		
Observed	9,442	472.2	2.24	2,105	96.5	0.96	854	42.8	0.67	752	38.2	0.64	713	36.1	0.62	1,136	58.1	0.79
Delay Adjusted	9,539	477.0	2.27	2,142	98.2	0.98	861	43.2	0.68	754	38.3	0.64	719	36.4	0.62	1,153	59.0	0.81
Los Angeles																		
Observed	8,771	458.9	2.25	1,915	93.6	0.97	947	49.2	0.73	792	42.3	0.69	744	38.6	0.64	731	38.8	0.66
Delay Adjusted	8,983	470.0	2.30	2,049	100.3	1.05	960	49.8	0.74	800	42.7	0.70	758	39.3	0.66	753	40.0	0.68
Colorado																		
Observed	9,170	412.3	2.00	2,147	88.4	0.89	964	44.6	0.67	765	35.4	0.59	701	33.3	0.58	729	33.5	0.58
Delay Adjusted	9,420	423.6	2.06	2,314	95.6	0.96	974	45.1	0.67	774	35.8	0.60	728	34.6	0.61	746	34.3	0.59

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	8,350	496.8	2.52	1,933	105.7	1.10	1,125	65.9	0.90	635	39.0	0.72	789	47.1	0.77	488	30.1	0.63
Delay Adjusted	8,500	505.7	2.57	2,005	109.7	1.14	1,139	66.7	0.91	641	39.4	0.73	801	47.8	0.78	499	30.7	0.65
Delaware																		
Observed	2,300	535.7	5.20	517	109.4	2.20	344	78.4	1.94	177	43.3	1.52	199	46.5	1.51	205	49.8	1.63
Delay Adjusted	2,358	549.2	5.33	536	113.3	2.28	351	79.9	1.98	180	43.9	1.54	206	47.9	1.56	209	50.9	1.67
District of Columbia																		
Observed	375	340.6	8.20	95	87.1	4.07	26	25.3	2.28	26	23.8	2.15	24	23.4	2.18	29	25.4	2.21
Delay Adjusted	398	362.4	8.73	101	92.5	4.33	27	26.5	2.39	28	25.2	2.28	25	24.4	2.27	30	26.7	2.32
Florida																		
Observed	45,490	489.6	1.08	8,283	82.1	0.41	7,001	71.0	0.39	3,663	40.8	0.32	3,506	35.2	0.27	3,943	43.9	0.33
Delay Adjusted	47,442	510.4	1.13	8,925	88.4	0.44	7,098	71.9	0.39	3,767	42.0	0.33	3,658	36.8	0.28	4,198	46.8	0.36
Georgia																		
Observed	17,512	525.1	1.83	3,761	104.1	0.78	2,752	82.1	0.72	1,554	47.4	0.56	1,192	37.4	0.50	1,640	50.8	0.58
Delay Adjusted	17,826	534.5	1.87	3,851	106.6	0.80	2,783	83.0	0.73	1,570	47.9	0.56	1,214	38.1	0.51	1,686	52.2	0.60
Hawaii																		
Observed	1,219	500.0	6.96	231	85.1	2.69	117	46.5	2.06	97	41.4	2.06	88	37.5	1.91	202	87.2	2.96
Delay Adjusted	1,236	506.8	7.06	239	87.8	2.77	118	47.0	2.08	98	41.9	2.09	90	38.3	1.95	207	89.2	3.03
Idaho																		
Observed	3,873	468.1	3.46	927	104.3	1.57	455	54.9	1.18	321	39.7	1.02	300	37.0	0.98	291	36.4	0.99
Delay Adjusted	3,994	482.7	3.57	993	111.8	1.68	463	55.8	1.20	327	40.5	1.04	318	39.2	1.04	300	37.6	1.02
Illinois																		
Observed	25,599	510.3	1.47	5,594	102.9	0.63	3,872	76.9	0.56	2,434	49.4	0.46	2,050	41.7	0.42	1,559	32.2	0.38
Delay Adjusted	26,030	518.9	1.49	5,782	106.4	0.65	3,910	77.7	0.57	2,455	49.8	0.46	2,086	42.5	0.43	1,599	33.0	0.38
Indiana																		
Observed	15,546	499.6	1.84	2,996	89.5	0.75	2,784	88.8	0.77	1,504	49.0	0.58	1,198	39.8	0.53	871	28.9	0.45
Delay Adjusted	16,168	519.4	1.92	3,225	96.5	0.81	2,853	91.0	0.79	1,549	50.5	0.60	1,265	42.0	0.56	948	31.4	0.49

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	8,698	515.8	2.54	1,950	106.9	1.10	1,290	75.3	0.96	814	49.6	0.80	637	38.2	0.69	515	31.9	0.65
Delay Adjusted	8,830	523.6	2.58	2,010	110.2	1.14	1,304	76.2	0.97	818	49.9	0.80	648	38.8	0.70	525	32.6	0.66
Kansas																		
Observed	6,516	477.3	2.72	1,470	100.8	1.20	903	65.8	1.00	590	44.3	0.84	493	36.7	0.75	434	33.1	0.73
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	12,441	561.3	2.32	2,240	93.5	0.91	2,492	111.2	1.03	1,231	56.5	0.74	854	40.1	0.63	758	35.9	0.60
Delay Adjusted	12,644	570.4	2.36	2,327	97.0	0.94	2,511	112.0	1.03	1,244	57.1	0.75	870	40.9	0.65	771	36.5	0.61
Louisiana																		
Observed	9,167	545.0	2.62	2,109	116.4	1.16	1,347	79.7	1.00	842	50.8	0.81	624	38.2	0.70	541	33.8	0.67
Delay Adjusted	9,271	551.2	2.65	2,125	117.4	1.17	1,357	80.3	1.00	844	51.0	0.81	633	38.7	0.71	548	34.2	0.68
Maine																		
Observed	4,215	491.8	3.52	827	87.1	1.39	706	80.9	1.40	339	40.7	1.02	390	46.1	1.07	238	28.7	0.87
Delay Adjusted	4,267	497.8	3.56	852	89.7	1.43	708	81.2	1.41	341	40.9	1.03	396	46.8	1.09	241	29.1	0.88
Maryland																		
Observed	10,246	505.9	2.31	2,408	108.7	1.01	1,354	66.6	0.83	790	40.3	0.66	812	40.9	0.66	928	47.2	0.72
Delay Adjusted	10,514	519.0	2.37	2,510	113.4	1.06	1,380	68.0	0.85	804	41.0	0.67	838	42.2	0.68	933	47.4	0.72
Massachusetts																		
Observed	14,961	473.8	1.79	3,295	95.4	0.76	2,118	66.8	0.66	1,218	39.7	0.52	1,260	40.8	0.53	881	28.9	0.45
Delay Adjusted	15,212	481.7	1.82	3,410	98.7	0.79	2,151	67.8	0.67	1,237	40.4	0.53	1,279	41.4	0.53	916	30.0	0.47
Michigan																		
Observed	22,675	471.0	1.44	5,106	97.1	0.62	3,466	71.1	0.55	1,904	40.8	0.43	1,879	40.2	0.42	1,238	26.9	0.35
Delay Adjusted	23,331	484.6	1.49	5,394	102.6	0.66	3,540	72.6	0.57	1,945	41.7	0.44	1,934	41.3	0.44	1,299	28.2	0.37
Detroit																		
Observed	8,266	532.8	2.71	1,964	116.9	1.21	1,183	76.8	1.03	681	44.8	0.79	681	45.3	0.80	445	29.8	0.65
Delay Adjusted	8,365	539.2	2.74	2,004	119.2	1.24	1,188	77.1	1.03	685	45.0	0.80	692	46.0	0.81	448	30.0	0.66
Minnesota																		
Observed	13,536	489.5	1.94	3,203	106.3	0.86	1,679	60.8	0.68	1,130	42.2	0.58	1,016	37.7	0.54	1,064	39.9	0.56
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	5,731	528.2	3.21	1,222	104.5	1.36	1,044	94.8	1.34	557	52.3	1.02	382	35.9	0.84	344	33.1	0.82
Delay Adjusted	5,834	537.7	3.27	1,262	108.0	1.41	1,054	95.6	1.35	562	52.7	1.03	391	36.8	0.86	349	33.7	0.84
Missouri																		
Observed	14,473	481.5	1.84	2,836	87.0	0.74	2,545	83.6	0.76	1,368	46.8	0.58	1,069	36.4	0.51	788	27.3	0.45
Delay Adjusted	14,800	492.3	1.88	2,962	90.9	0.78	2,578	84.6	0.77	1,387	47.5	0.59	1,095	37.3	0.52	810	28.0	0.46
Montana																		
Observed	2,920	473.3	4.07	795	117.0	1.91	325	52.5	1.34	256	42.9	1.25	225	36.9	1.13	182	31.1	1.08
Delay Adjusted	3,032	491.6	4.23	853	125.6	2.05	331	53.5	1.36	263	44.2	1.28	237	38.8	1.19	190	32.4	1.13
Nebraska																		
Observed	4,572	494.8	3.36	1,127	113.2	1.54	615	66.2	1.22	435	47.9	1.06	327	35.9	0.91	276	31.4	0.87
Delay Adjusted	4,736	512.5	3.48	1,205	121.0	1.65	627	67.4	1.24	445	49.0	1.08	344	37.8	0.95	292	33.1	0.92
New Hampshire																		
Observed	3,930	501.5	3.73	942	107.3	1.61	526	67.4	1.36	317	42.3	1.11	344	45.8	1.14	282	36.9	1.02
Delay Adjusted	4,010	511.8	3.80	966	110.1	1.66	533	68.3	1.38	321	42.7	1.12	348	46.3	1.16	289	37.9	1.05
New Jersey																		
Observed	18,204	539.9	1.85	4,439	121.7	0.83	2,227	65.5	0.63	1,577	47.7	0.55	1,523	45.3	0.53	1,269	38.7	0.50
Delay Adjusted	18,693	554.3	1.90	4,686	128.5	0.88	2,254	66.4	0.64	1,599	48.4	0.56	1,579	46.9	0.55	1,321	40.3	0.52
New Mexico																		
Observed	2,657	406.2	3.73	629	86.8	1.60	347	51.1	1.26	216	34.6	1.12	203	30.1	0.97	203	32.4	1.09
Delay Adjusted	2,730	417.4	3.83	655	90.3	1.66	353	52.0	1.28	220	35.2	1.14	209	30.9	1.00	212	33.8	1.13
New York																		
Observed	38,757	538.6	1.26	8,985	115.9	0.56	5,156	70.8	0.45	3,110	44.2	0.36	3,401	47.4	0.37	2,289	32.9	0.32
Delay Adjusted	39,401	547.5	1.28	9,167	118.3	0.57	5,198	71.4	0.45	3,140	44.7	0.37	3,462	48.3	0.38	2,385	34.3	0.33
North Carolina																		
Observed	21,002	511.5	1.63	4,600	102.7	0.69	3,472	83.3	0.65	1,666	41.6	0.47	1,547	38.8	0.45	1,700	43.2	0.48
Delay Adjusted	21,851	532.2	1.69	4,921	109.9	0.74	3,534	84.8	0.66	1,712	42.8	0.48	1,593	39.9	0.47	1,793	45.5	0.51

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	1,811	476.5	5.16	458	111.8	2.40	242	64.1	1.88	179	47.8	1.65	129	35.1	1.42	99	27.2	1.26
Delay Adjusted	1,861	489.7	5.30	472	115.3	2.47	248	65.6	1.93	182	48.7	1.68	134	36.5	1.47	102	27.9	1.30
Ohio																		
Observed	28,189	491.9	1.35	5,935	95.3	0.57	4,647	80.3	0.54	2,614	46.8	0.42	2,234	40.0	0.39	1,688	30.7	0.34
Delay Adjusted	29,159	508.9	1.40	6,324	101.5	0.60	4,752	82.1	0.55	2,677	47.9	0.43	2,301	41.2	0.40	1,766	32.2	0.36
Oklahoma																		
Observed	8,049	472.0	2.41	1,582	86.4	0.99	1,401	79.9	0.97	764	46.0	0.76	593	35.4	0.66	529	32.3	0.65
Delay Adjusted	8,152	478.0	2.44	1,630	89.0	1.02	1,413	80.6	0.98	768	46.2	0.77	598	35.7	0.67	531	32.5	0.65
Oregon																		
Observed	9,631	458.3	2.16	2,120	91.5	0.91	1,253	59.0	0.77	789	39.0	0.64	778	37.6	0.62	727	36.0	0.62
Delay Adjusted	9,958	473.9	2.24	2,232	96.3	0.96	1,282	60.4	0.78	814	40.2	0.66	805	38.9	0.64	748	37.0	0.64
Pennsylvania																		
Observed	33,319	505.6	1.28	6,812	94.9	0.52	4,946	73.4	0.48	3,059	47.6	0.40	2,859	43.5	0.37	2,019	31.8	0.33
Delay Adjusted	33,955	515.3	1.30	7,118	99.2	0.55	4,992	74.1	0.48	3,087	48.1	0.40	2,906	44.2	0.38	2,085	32.8	0.34
Rhode Island																		
Observed	2,531	492.1	4.53	521	93.4	1.88	406	78.2	1.78	189	37.8	1.27	231	45.2	1.37	157	31.4	1.16
Delay Adjusted	2,598	505.1	4.65	550	98.7	1.98	414	79.7	1.82	192	38.4	1.29	238	46.5	1.41	161	32.2	1.19
South Carolina																		
Observed	10,433	501.9	2.28	2,259	98.7	0.95	1,712	80.3	0.89	839	41.9	0.67	750	37.3	0.63	813	40.7	0.67
Delay Adjusted	10,823	520.6	2.37	2,397	104.7	1.01	1,752	82.2	0.92	865	43.2	0.69	777	38.7	0.65	841	42.1	0.69
South Dakota																		
Observed	2,196	486.1	4.79	563	114.9	2.22	297	65.8	1.75	206	46.7	1.50	154	34.6	1.27	133	30.9	1.25
Delay Adjusted	2,288	506.4	4.99	603	123.1	2.38	306	67.8	1.80	212	48.1	1.55	165	36.9	1.36	140	32.6	1.31
Tennessee																		
Observed	15,831	514.9	1.89	3,450	103.4	0.81	2,897	92.9	0.79	1,356	45.3	0.57	1,098	36.9	0.51	889	30.2	0.47
Delay Adjusted	16,094	523.5	1.92	3,527	105.7	0.82	2,924	93.8	0.80	1,366	45.6	0.57	1,112	37.4	0.52	910	30.9	0.48
Texas																		
Observed	35,107	471.3	1.16	7,527	94.0	0.50	5,188	69.2	0.44	3,241	44.4	0.36	2,368	32.7	0.31	1,959	27.3	0.28
Delay Adjusted	36,201	486.1	1.19	8,008	100.1	0.53	5,243	70.0	0.44	3,281	44.9	0.36	2,433	33.6	0.32	2,105	29.3	0.30

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	4,745	437.1	2.90	1,293	114.3	1.45	315	30.2	0.78	340	32.3	0.80	317	31.0	0.79	591	55.1	1.03
Delay Adjusted	4,827	444.7	2.95	1,328	117.4	1.49	321	30.8	0.79	341	32.4	0.80	323	31.5	0.81	604	56.3	1.06
Vermont																		
Observed	1,796	470.1	5.18	371	86.4	2.07	261	67.6	1.94	136	36.6	1.47	146	39.3	1.50	171	46.4	1.66
Delay Adjusted	1,824	477.6	5.26	377	87.7	2.11	264	68.5	1.97	139	37.3	1.49	149	39.9	1.53	174	47.1	1.69
Virginia																		
Observed	14,267	435.8	1.68	2,983	83.6	0.70	2,182	66.2	0.65	1,238	38.8	0.51	1,036	32.9	0.47	1,094	34.5	0.48
Delay Adjusted	14,588	445.6	1.72	3,052	85.5	0.72	2,204	66.8	0.66	1,251	39.2	0.51	1,049	33.3	0.47	1,117	35.3	0.49
Washington																		
Observed	15,246	471.6	1.77	3,457	97.6	0.76	1,936	60.1	0.63	1,226	38.9	0.51	1,215	39.1	0.52	1,117	35.8	0.50
Delay Adjusted	15,441	477.6	1.79	3,515	99.3	0.78	1,961	60.9	0.64	1,239	39.3	0.52	1,237	39.8	0.53	1,134	36.3	0.50
Seattle																		
Observed	10,873	509.1	2.26	2,559	109.8	1.00	1,286	61.3	0.79	859	40.9	0.65	853	41.7	0.66	882	42.6	0.66
Delay Adjusted	10,985	514.3	2.28	2,620	112.4	1.03	1,287	61.4	0.79	863	41.1	0.65	868	42.5	0.67	904	43.7	0.68
West Virginia																		
Observed	5,699	506.0	3.10	1,102	89.6	1.24	1,100	94.8	1.31	578	52.8	1.02	428	38.5	0.85	290	27.5	0.75
Delay Adjusted	5,836	518.4	3.18	1,133	92.1	1.27	1,118	96.3	1.34	588	53.8	1.04	438	39.3	0.87	299	28.3	0.77
Wisconsin																		
Observed	14,866	487.7	1.85	3,534	105.9	0.82	2,004	65.4	0.67	1,195	40.5	0.54	1,187	40.1	0.53	906	30.8	0.47
Delay Adjusted	15,384	504.7	1.91	3,687	110.5	0.85	2,066	67.4	0.69	1,234	41.9	0.56	1,241	41.9	0.56	957	32.5	0.50
Wyoming																		
Observed	1,336	433.7	5.53	374	110.6	2.65	140	46.0	1.80	103	34.5	1.59	105	36.1	1.63	86	29.0	1.45
Delay Adjusted	1,347	437.4	5.58	377	111.7	2.68	140	46.1	1.81	103	34.7	1.60	105	36.2	1.64	88	29.4	1.48

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	615,287	434.5	0.26	182,820	131.6	0.15	87,420	56.4	0.09	49,620	33.7	0.07	40,552	27.5	0.06	30,182	23.6	0.06
Delay Adjusted	631,243	445.7	0.27	185,790	133.7	0.15	88,679	57.2	0.09	50,423	34.2	0.07	41,056	27.9	0.06	31,378	24.5	0.07
Alabama																		
Observed	9,274	407.1	1.98	2,725	120.5	1.08	1,375	54.6	0.67	842	36.0	0.58	452	19.5	0.43	478	23.6	0.51
Delay Adjusted	9,380	411.8	2.00	2,753	121.8	1.09	1,382	54.8	0.67	848	36.3	0.58	454	19.6	0.43	486	24.1	0.52
Alaska																		
Observed	957	392.9	6.00	303	121.8	3.30	106	45.0	2.07	78	33.5	1.79	68	24.6	1.41	38	16.1	1.22
Delay Adjusted	1,002	411.5	6.29	309	124.3	3.37	110	46.5	2.14	81	34.7	1.85	70	25.2	1.44	41	17.5	1.32
Arizona																		
Observed	11,715	386.0	1.73	3,662	123.5	0.99	1,676	47.6	0.53	922	29.0	0.46	701	22.4	0.41	628	23.3	0.46
Delay Adjusted	12,356	407.1	1.83	3,823	129.0	1.04	1,714	48.7	0.55	966	30.4	0.48	729	23.4	0.43	708	26.2	0.52
Arkansas																		
Observed	6,488	420.2	2.45	1,786	116.8	1.30	1,104	65.2	0.90	588	36.7	0.71	367	23.9	0.59	273	19.9	0.57
Delay Adjusted	6,589	426.7	2.48	1,804	118.0	1.31	1,112	65.6	0.90	595	37.1	0.71	370	24.2	0.59	278	20.2	0.58
California																		
Observed	48,457	426.4	0.92	15,365	138.7	0.53	5,796	45.9	0.28	3,818	32.1	0.25	3,195	26.6	0.22	3,023	29.0	0.25
Delay Adjusted	49,719	437.4	0.95	15,532	140.2	0.54	5,890	46.6	0.28	3,864	32.5	0.25	3,220	26.8	0.22	3,141	30.0	0.26
Greater California																		
Observed	30,597	424.5	1.16	9,488	134.4	0.66	3,905	48.5	0.36	2,421	32.2	0.31	1,986	26.1	0.28	1,880	28.6	0.32
Delay Adjusted	31,554	437.7	1.20	9,626	136.4	0.67	3,978	49.4	0.36	2,458	32.7	0.32	2,006	26.4	0.28	1,974	30.0	0.33
Greater Bay																		
Observed	9,143	429.7	2.12	2,997	144.8	1.25	966	41.5	0.61	681	30.8	0.56	619	27.1	0.50	725	36.9	0.65
Delay Adjusted	9,237	434.1	2.14	2,999	144.9	1.25	975	41.9	0.62	683	30.9	0.56	621	27.2	0.51	736	37.4	0.66
Los Angeles																		
Observed	8,714	430.0	2.18	2,879	146.9	1.29	924	41.0	0.62	716	33.3	0.59	590	28.1	0.54	419	22.0	0.51
Delay Adjusted	8,925	440.3	2.23	2,907	148.3	1.30	937	41.6	0.63	723	33.7	0.59	592	28.2	0.54	431	22.6	0.53
Colorado																		
Observed	9,418	391.3	1.87	3,193	132.7	1.09	1,020	40.6	0.58	703	29.1	0.51	593	22.6	0.43	511	22.3	0.46
Delay Adjusted	9,668	401.5	1.92	3,233	134.3	1.11	1,031	41.0	0.59	711	29.4	0.51	596	22.7	0.43	523	22.8	0.47

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	8,561	451.2	2.34	2,650	145.0	1.35	1,229	58.8	0.77	620	30.2	0.58	594	29.6	0.57	347	19.9	0.52
Delay Adjusted	8,713	459.2	2.38	2,685	147.0	1.36	1,243	59.6	0.78	625	30.5	0.59	598	29.7	0.57	354	20.3	0.53
Delaware																		
Observed	2,169	463.3	4.79	631	137.0	2.63	340	64.0	1.60	154	32.2	1.24	153	31.5	1.22	129	30.0	1.29
Delay Adjusted	2,223	474.8	4.91	637	138.5	2.66	347	65.3	1.63	156	32.6	1.25	155	31.8	1.23	131	30.7	1.33
District of Columbia																		
Observed	397	363.9	8.61	150	142.5	5.41	34	32.4	2.58	27	24.7	2.21	24	23.1	2.18	17	12.8	1.56
Delay Adjusted	421	386.9	9.16	157	148.7	5.65	35	33.9	2.71	29	26.0	2.33	25	23.9	2.25	18	13.5	1.64
Florida																		
Observed	41,073	429.0	1.05	11,309	123.4	0.58	6,571	59.1	0.34	3,167	31.1	0.27	2,351	24.1	0.24	2,202	25.6	0.28
Delay Adjusted	42,842	447.3	1.10	11,630	126.8	0.59	6,663	60.0	0.35	3,257	32.0	0.28	2,411	24.7	0.25	2,346	27.3	0.30
Georgia																		
Observed	16,114	434.3	1.58	4,757	128.2	0.86	2,271	56.6	0.54	1,286	33.9	0.44	916	23.7	0.36	1,098	32.7	0.46
Delay Adjusted	16,400	442.0	1.61	4,797	129.2	0.87	2,297	57.3	0.55	1,300	34.3	0.44	924	24.0	0.37	1,129	33.6	0.47
Hawaii																		
Observed	913	452.3	7.45	283	142.3	4.22	87	38.9	2.02	72	36.2	2.08	55	24.2	1.59	107	54.8	2.66
Delay Adjusted	925	458.2	7.55	284	142.8	4.23	88	39.3	2.04	73	36.6	2.11	57	24.8	1.63	109	55.9	2.71
Idaho																		
Observed	3,583	415.6	3.22	1,098	127.8	1.79	425	46.2	1.02	278	31.9	0.88	228	25.3	0.78	206	25.9	0.84
Delay Adjusted	3,694	428.4	3.32	1,114	129.7	1.82	433	47.0	1.04	283	32.5	0.90	232	25.7	0.79	212	26.7	0.87
Illinois																		
Observed	25,828	455.9	1.33	7,657	138.6	0.74	3,709	60.4	0.45	2,191	36.6	0.37	1,789	30.3	0.33	1,175	23.4	0.32
Delay Adjusted	26,261	463.6	1.35	7,728	139.9	0.75	3,746	61.1	0.46	2,210	36.9	0.37	1,802	30.5	0.33	1,205	24.0	0.33
Indiana																		
Observed	15,271	433.5	1.63	4,353	124.6	0.88	2,370	63.0	0.59	1,369	37.7	0.47	1,046	28.8	0.41	637	20.1	0.37
Delay Adjusted	15,869	449.9	1.69	4,435	127.0	0.89	2,430	64.6	0.61	1,410	38.8	0.49	1,058	29.2	0.42	689	21.7	0.40

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	8,289	447.3	2.32	2,356	131.0	1.27	1,114	55.3	0.76	771	38.9	0.66	585	30.2	0.58	417	26.5	0.62
Delay Adjusted	8,412	453.8	2.35	2,369	131.7	1.28	1,127	55.9	0.77	775	39.2	0.67	589	30.4	0.58	426	27.0	0.63
Kansas																		
Observed	6,209	416.0	2.48	1,875	127.0	1.38	812	50.1	0.81	532	34.2	0.69	404	26.4	0.61	313	23.6	0.63
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	12,055	480.6	2.03	3,194	127.8	1.05	2,131	79.0	0.78	1,063	41.4	0.58	705	27.8	0.49	572	25.1	0.49
Delay Adjusted	12,254	488.5	2.06	3,224	129.0	1.06	2,147	79.7	0.79	1,075	41.8	0.59	711	28.0	0.49	582	25.5	0.50
Louisiana																		
Observed	7,954	429.6	2.24	2,289	124.2	1.21	1,153	57.8	0.77	691	36.6	0.65	376	19.9	0.48	325	19.4	0.51
Delay Adjusted	8,044	434.4	2.26	2,302	124.9	1.22	1,162	58.2	0.78	693	36.7	0.65	381	20.2	0.48	329	19.7	0.51
Maine																		
Observed	4,251	453.5	3.30	1,176	128.2	1.78	668	66.2	1.18	325	33.5	0.87	319	31.7	0.83	197	23.3	0.80
Delay Adjusted	4,303	459.0	3.34	1,193	130.0	1.80	671	66.4	1.18	326	33.6	0.88	320	31.8	0.83	200	23.6	0.81
Maryland																		
Observed	10,273	458.9	2.13	3,096	140.6	1.19	1,402	57.5	0.70	777	33.5	0.56	690	29.2	0.52	634	31.0	0.59
Delay Adjusted	10,540	470.8	2.19	3,144	142.8	1.21	1,429	58.6	0.72	791	34.1	0.57	698	29.6	0.53	638	31.2	0.59
Massachusetts																		
Observed	16,345	447.0	1.65	5,089	143.3	0.95	2,467	62.3	0.58	1,210	31.7	0.43	1,126	29.3	0.41	689	20.1	0.36
Delay Adjusted	16,616	454.4	1.67	5,131	144.5	0.95	2,506	63.3	0.58	1,229	32.2	0.44	1,137	29.6	0.41	714	20.8	0.38
Michigan																		
Observed	22,141	421.2	1.33	6,408	124.1	0.73	3,281	57.5	0.46	1,783	32.8	0.36	1,633	29.7	0.34	921	19.9	0.31
Delay Adjusted	22,774	433.2	1.37	6,518	126.3	0.74	3,348	58.7	0.47	1,822	33.5	0.37	1,659	30.1	0.35	966	20.8	0.33
Detroit																		
Observed	8,194	465.1	2.41	2,361	136.9	1.32	1,232	64.9	0.85	663	35.9	0.65	581	31.7	0.61	323	20.6	0.54
Delay Adjusted	8,291	470.5	2.44	2,378	137.9	1.33	1,238	65.2	0.85	666	36.1	0.65	582	31.7	0.61	326	20.8	0.55
Minnesota																		
Observed	13,130	438.2	1.79	3,983	135.0	1.00	1,671	52.0	0.58	1,046	33.5	0.48	983	30.9	0.46	814	30.7	0.51
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	5,026	422.4	2.79	1,377	117.0	1.48	836	63.9	1.01	478	38.5	0.82	261	22.0	0.64	229	21.7	0.68
Delay Adjusted	5,117	430.0	2.84	1,396	118.7	1.50	844	64.5	1.02	482	38.8	0.83	263	22.1	0.64	233	22.1	0.69
Missouri																		
Observed	14,351	430.5	1.68	4,288	131.3	0.94	2,311	64.1	0.61	1,201	34.8	0.47	935	27.1	0.41	535	18.2	0.37
Delay Adjusted	14,673	440.0	1.71	4,342	133.0	0.95	2,341	64.9	0.62	1,218	35.3	0.47	942	27.3	0.42	550	18.7	0.38
Montana																		
Observed	2,604	421.6	3.91	783	128.2	2.18	359	53.2	1.29	200	31.7	1.05	172	26.5	0.95	134	23.9	0.99
Delay Adjusted	2,704	437.7	4.06	802	131.2	2.23	365	54.2	1.31	206	32.6	1.08	175	26.9	0.97	140	25.0	1.03
Nebraska																		
Observed	4,369	435.0	3.09	1,295	130.8	1.71	552	50.7	0.99	404	38.1	0.89	289	28.1	0.77	235	27.0	0.83
Delay Adjusted	4,524	450.5	3.20	1,317	133.1	1.74	562	51.7	1.01	413	39.0	0.91	290	28.2	0.77	248	28.4	0.88
New Hampshire																		
Observed	3,920	459.0	3.44	1,242	147.0	1.96	570	62.3	1.20	280	32.0	0.90	286	31.5	0.87	213	26.7	0.87
Delay Adjusted	3,998	468.1	3.51	1,254	148.4	1.98	577	63.1	1.21	282	32.3	0.90	289	31.8	0.87	219	27.3	0.89
New Jersey																		
Observed	18,571	482.3	1.69	5,381	144.8	0.94	2,506	58.9	0.54	1,500	36.4	0.45	1,384	34.1	0.43	890	25.3	0.41
Delay Adjusted	19,062	494.9	1.73	5,445	146.5	0.95	2,537	59.6	0.55	1,521	36.9	0.45	1,398	34.4	0.43	927	26.3	0.43
New Mexico																		
Observed	2,548	379.8	3.73	820	121.3	2.09	322	41.8	1.08	189	27.4	0.98	170	24.3	0.92	127	20.7	0.93
Delay Adjusted	2,618	390.1	3.84	832	123.1	2.12	328	42.5	1.10	193	27.9	1.00	172	24.7	0.93	133	21.6	0.97
New York																		
Observed	38,987	483.3	1.16	11,156	143.8	0.64	5,549	62.5	0.39	2,983	34.7	0.30	2,806	33.6	0.30	1,629	22.0	0.26
Delay Adjusted	39,629	491.1	1.18	11,260	145.2	0.65	5,594	63.0	0.39	3,012	35.1	0.30	2,824	33.8	0.30	1,697	22.9	0.27
North Carolina																		
Observed	20,290	440.6	1.44	6,267	137.5	0.81	3,047	60.5	0.50	1,503	32.1	0.38	1,222	25.5	0.34	1,132	27.0	0.38
Delay Adjusted	21,110	458.4	1.50	6,478	142.4	0.84	3,102	61.6	0.51	1,544	33.0	0.40	1,247	26.1	0.35	1,194	28.5	0.40

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	1,650	419.7	4.87	494	128.7	2.73	213	50.8	1.60	156	37.5	1.41	106	26.2	1.19	85	24.3	1.25
Delay Adjusted	1,696	431.3	5.00	498	129.8	2.76	218	52.0	1.64	159	38.2	1.44	107	26.6	1.21	86	24.7	1.28
Ohio																		
Observed	28,515	443.4	1.23	8,304	130.6	0.67	4,118	59.5	0.42	2,449	36.4	0.34	2,115	31.6	0.32	1,232	21.3	0.29
Delay Adjusted	29,486	458.4	1.27	8,513	133.9	0.69	4,211	60.8	0.43	2,508	37.3	0.35	2,167	32.4	0.33	1,288	22.2	0.30
Oklahoma																		
Observed	7,652	407.2	2.18	2,229	119.8	1.19	1,173	57.1	0.76	668	34.4	0.62	420	22.1	0.50	311	18.2	0.49
Delay Adjusted	7,751	412.4	2.21	2,238	120.3	1.19	1,183	57.6	0.77	672	34.6	0.62	424	22.3	0.51	312	18.3	0.49
Oregon																		
Observed	9,481	419.4	2.03	2,874	128.0	1.13	1,264	51.4	0.66	712	30.6	0.54	677	28.5	0.52	546	26.6	0.54
Delay Adjusted	9,800	433.3	2.10	2,957	131.8	1.16	1,294	52.6	0.68	734	31.5	0.55	686	28.9	0.52	560	27.2	0.56
Pennsylvania																		
Observed	33,899	460.5	1.19	9,700	135.4	0.65	4,598	56.6	0.38	2,822	35.5	0.32	2,546	33.3	0.31	1,415	21.7	0.28
Delay Adjusted	34,545	469.3	1.21	9,803	136.9	0.66	4,642	57.1	0.39	2,848	35.9	0.32	2,560	33.5	0.31	1,457	22.3	0.28
Rhode Island																		
Observed	2,811	472.9	4.26	833	144.5	2.38	454	69.9	1.51	193	29.7	1.01	193	31.0	1.04	117	20.9	0.93
Delay Adjusted	2,884	485.1	4.37	845	146.5	2.41	463	71.3	1.54	196	30.2	1.03	195	31.5	1.06	120	21.4	0.96
South Carolina																		
Observed	9,591	423.8	2.04	2,986	133.0	1.15	1,431	57.4	0.70	730	31.8	0.55	525	22.4	0.46	529	25.8	0.53
Delay Adjusted	9,946	439.3	2.11	3,073	136.9	1.18	1,464	58.8	0.71	754	32.8	0.57	539	23.0	0.47	547	26.6	0.55
South Dakota																		
Observed	2,013	428.5	4.52	594	129.5	2.52	270	53.3	1.49	181	35.8	1.26	143	29.4	1.16	103	25.6	1.21
Delay Adjusted	2,097	446.4	4.71	604	131.6	2.56	278	54.9	1.54	186	36.9	1.30	144	29.6	1.16	109	26.9	1.27
Tennessee																		
Observed	14,550	425.7	1.64	4,198	123.6	0.89	2,366	64.1	0.60	1,219	34.9	0.46	873	25.0	0.39	613	19.6	0.37
Delay Adjusted	14,796	433.1	1.67	4,277	125.9	0.90	2,388	64.7	0.61	1,227	35.1	0.46	880	25.2	0.40	628	20.1	0.38
Texas																		
Observed	32,473	402.8	1.04	9,959	124.9	0.58	4,545	51.9	0.35	2,659	32.1	0.29	1,856	22.2	0.24	1,164	15.9	0.22
Delay Adjusted	33,490	415.6	1.07	10,174	127.7	0.60	4,593	52.5	0.35	2,690	32.5	0.29	1,881	22.5	0.24	1,251	17.1	0.24

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic White, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	4,336	372.0	2.57	1,333	115.5	1.44	264	22.2	0.62	303	26.3	0.69	322	26.8	0.68	414	36.2	0.81
Delay Adjusted	4,411	378.4	2.62	1,343	116.3	1.45	269	22.6	0.63	305	26.4	0.69	324	26.9	0.68	423	37.0	0.83
Vermont																		
Observed	1,809	437.4	4.86	538	131.7	2.69	249	55.7	1.62	138	32.2	1.29	153	34.7	1.31	124	31.7	1.36
Delay Adjusted	1,837	444.0	4.93	541	132.6	2.70	252	56.4	1.64	140	32.8	1.31	154	34.9	1.32	126	32.1	1.37
Virginia																		
Observed	14,587	405.8	1.56	4,648	130.4	0.89	2,015	52.0	0.53	1,138	31.1	0.43	962	25.4	0.38	749	22.5	0.38
Delay Adjusted	14,912	414.8	1.60	4,706	132.1	0.90	2,036	52.6	0.53	1,150	31.4	0.43	971	25.7	0.38	766	23.0	0.39
Washington																		
Observed	15,124	434.3	1.65	4,799	138.2	0.93	1,939	52.4	0.55	1,137	32.3	0.45	978	26.5	0.39	853	26.4	0.42
Delay Adjusted	15,319	439.8	1.67	4,829	139.1	0.94	1,964	53.1	0.55	1,149	32.7	0.45	983	26.6	0.40	866	26.8	0.43
Seattle																		
Observed	10,569	454.3	2.06	3,359	144.8	1.16	1,311	53.4	0.68	777	33.0	0.55	681	27.5	0.49	666	30.6	0.56
Delay Adjusted	10,675	458.7	2.08	3,365	145.1	1.17	1,313	53.5	0.68	781	33.2	0.55	685	27.6	0.49	683	31.3	0.57
West Virginia																		
Observed	5,515	454.9	2.88	1,423	117.9	1.47	924	69.8	1.05	522	41.3	0.84	392	31.8	0.76	192	17.7	0.61
Delay Adjusted	5,653	467.0	2.97	1,463	121.2	1.51	940	71.0	1.07	531	42.1	0.86	398	32.2	0.77	197	18.2	0.62
Wisconsin																		
Observed	14,145	430.8	1.70	4,276	133.3	0.96	1,877	52.9	0.56	1,087	31.7	0.45	1,101	31.9	0.45	621	21.1	0.40
Delay Adjusted	14,636	445.7	1.76	4,389	136.8	0.98	1,936	54.6	0.58	1,123	32.7	0.46	1,131	32.8	0.46	656	22.3	0.43
Wyoming																		
Observed	1,150	376.8	5.20	350	114.8	2.88	131	40.2	1.61	88	29.0	1.43	73	22.2	1.22	62	21.5	1.28
Delay Adjusted	1,159	380.0	5.24	353	115.8	2.91	132	40.2	1.61	88	29.2	1.44	73	22.3	1.22	63	21.9	1.31

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic White race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR U.S. Combined Delay Adjusted Incidence 2013-2017, Non-Hispanic Black Combined

UNITED STATES

V-89 Combined Delay Adjusted Incidence – Non-Hispanic Black

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR United States Combined[1], 2013-2017, Non-Hispanic Black

	MALES (NON-HISPANIC BLACK)						FEMALES (NON-HISPANIC BLACK)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	635,264	490.0	0.28	651,899	502.8	0.29	615,287	434.5	0.26	631,243	445.7	0.27
Oral Cavity & Pharynx	26,313	19.8	0.06	26,930	20.3	0.06	10,143	7.0	0.03	10,373	7.1	0.03
Digestive												
Esophagus	11,483	8.6	0.04	11,644	8.7	0.04	2,857	1.8	0.02	2,896	1.9	0.02
Stomach	9,680	7.5	0.04	9,825	7.6	0.04	5,208	3.5	0.02	5,286	3.5	0.02
Colon & Rectum	55,062	43.6	0.09	55,958	44.3	0.09	49,620	33.7	0.07	50,423	34.2	0.07
Liver & IBD[2]	14,889	10.7	0.04	15,253	11.0	0.04	5,853	3.8	0.02	5,997	3.9	0.02
Pancreas	19,443	14.9	0.05	19,735	15.1	0.05	17,420	11.1	0.04	17,674	11.3	0.04
Respiratory												
Larynx	7,592	5.6	0.03	7,724	5.7	0.03	2,037	1.4	0.01	2,072	1.4	0.01
Lung & bronchus	93,217	70.8	0.11	94,543	71.8	0.11	87,420	56.4	0.09	88,679	57.2	0.09
Skin												
Melanomas of the skin	44,834	35.9	0.08	46,700	37.4	0.08	30,182	23.6	0.06	31,378	24.5	0.07
Breast (female cases only)	-	-	-	-	-	-	182,820	131.6	0.15	185,790	133.7	0.15
Female Genital												
Cervix uteri	-	-	-	-	-	-	7,759	7.2	0.04	7,896	7.3	0.04
Corpus & uterus, NOS[2]	-	-	-	-	-	-	40,552	27.5	0.06	41,056	27.9	0.06
Ovary	-	-	-	-	-	-	15,960	11.4	0.04	16,337	11.6	0.04
Male Genital												
Prostate	137,478	97.7	0.12	144,008	102.4	0.13	-	-	-	-	-	-
Testis	6,448	7.0	0.04	6,546	7.1	0.04	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	49,435	38.7	0.08	50,753	39.7	0.08	14,901	9.5	0.04	15,297	9.8	0.04
Kidney & renal pelvis	29,582	23.1	0.06	30,285	23.6	0.06	16,593	11.7	0.04	16,989	12.0	0.04
Brain & Other CNS[2]	10,005	8.6	0.04	10,235	8.8	0.04	7,788	6.2	0.03	7,964	6.4	0.03
Endocrine												
Thyroid gland	9,439	8.2	0.04	9,593	8.3	0.04	24,745	22.5	0.07	25,151	22.9	0.07
Lymphomas												
Hodgkin Lymphoma	3,320	3.2	0.03	3,381	3.3	0.03	2,638	2.6	0.02	2,687	2.6	0.02
Non-Hodgkin Lymphoma	30,432	24.4	0.06	31,482	25.2	0.07	24,322	16.5	0.05	25,151	17.1	0.05
Multiple Myeloma	10,032	7.8	0.04	10,744	8.3	0.04	7,270	4.7	0.03	7,788	5.1	0.03
Leukemias	23,086	18.9	0.06	25,366	20.7	0.06	15,882	11.3	0.04	17,441	12.4	0.05

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR United States Combined includes registries for which a U.S. average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	89,154	525.2	0.84	30,629	171.3	0.46	12,626	79.7	0.34	8,694	52.7	0.27	4,567	26.1	0.18	3,454	18.0	0.14
Delay Adjusted	91,688	540.2	0.86	32,223	180.4	0.49	12,783	80.7	0.34	8,864	53.7	0.27	4,678	26.8	0.19	3,537	18.4	0.15
Alabama																		
Observed	2,994	539.4	4.72	1,090	187.5	2.71	461	85.5	1.91	305	57.6	1.57	146	25.9	1.01	85	13.3	0.69
Delay Adjusted	3,042	548.1	4.80	1,121	193.2	2.80	463	86.0	1.92	309	58.3	1.59	148	26.2	1.03	86	13.5	0.70
Alaska																		
Observed	38	395.8	35.86	14	133.0	20.15	5	64.2	15.75	3	38.0	12.03	-	-	-	-	-	-
Delay Adjusted	39	414.4	37.49	15	143.4	21.75	5	66.1	16.20	3	39.3	12.45	-	-	-	-	-	-
Arizona																		
Observed	473	398.7	8.99	150	120.3	4.75	66	63.2	3.82	39	32.5	2.55	32	25.9	2.22	17	14.0	1.63
Delay Adjusted	508	427.7	9.64	170	136.2	5.38	67	64.6	3.91	43	35.2	2.76	33	26.8	2.30	18	14.8	1.72
Arkansas																		
Observed	1,111	581.2	8.41	376	185.9	4.60	200	109.5	3.75	113	59.7	2.72	53	27.8	1.82	33	15.9	1.34
Delay Adjusted	1,138	595.1	8.61	387	191.3	4.74	201	110.5	3.79	114	60.4	2.75	54	28.4	1.86	34	16.2	1.36
California																		
Observed	5,242	469.5	3.05	1,731	145.1	1.63	653	63.4	1.17	506	46.1	0.96	282	24.8	0.69	228	18.6	0.58
Delay Adjusted	5,434	486.8	3.16	1,858	156.2	1.77	663	64.4	1.18	518	47.2	0.99	288	25.3	0.70	234	19.1	0.59
Greater California																		
Observed	2,170	459.9	4.75	739	147.3	2.59	255	60.2	1.81	212	45.4	1.50	119	24.4	1.07	97	18.6	0.90
Delay Adjusted	2,238	474.4	4.90	782	156.6	2.76	260	61.3	1.84	215	46.0	1.52	122	25.0	1.09	100	19.1	0.92
Greater Bay																		
Observed	1,133	503.3	7.02	363	148.5	3.65	143	68.4	2.69	101	45.5	2.12	64	28.3	1.65	60	24.1	1.46
Delay Adjusted	1,173	521.1	7.27	387	158.3	3.89	144	69.0	2.72	104	46.8	2.18	66	29.1	1.70	61	24.7	1.49
Los Angeles																		
Observed	1,939	463.1	4.86	630	141.3	2.60	256	64.3	1.86	193	47.5	1.58	99	23.7	1.10	71	15.6	0.85
Delay Adjusted	2,023	483.2	5.08	688	155.0	2.86	260	65.4	1.89	198	48.8	1.62	100	23.9	1.11	73	16.0	0.88
Colorado																		
Observed	415	439.7	10.74	138	135.9	5.71	43	53.8	4.05	42	46.5	3.57	22	22.4	2.33	19	17.9	2.05
Delay Adjusted	426	451.7	11.05	148	146.5	6.21	44	54.4	4.09	43	47.0	3.61	22	22.7	2.36	19	18.0	2.06

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	780	524.8	8.91	272	173.7	4.96	98	74.6	3.57	68	47.1	2.72	42	25.7	1.84	27	16.5	1.49
Delay Adjusted	797	536.7	9.12	282	180.5	5.17	100	75.7	3.63	69	47.8	2.76	43	26.1	1.87	27	16.7	1.51
Delaware																		
Observed	492	554.6	11.83	194	203.3	6.83	61	75.3	4.58	45	54.0	3.81	26	28.4	2.62	21	20.6	2.10
Delay Adjusted	510	575.4	12.27	207	216.2	7.27	62	76.7	4.67	47	56.6	4.00	26	29.4	2.71	21	21.2	2.16
District of Columbia																		
Observed	782	502.1	8.31	230	143.2	4.37	107	69.3	3.10	76	51.1	2.72	36	22.5	1.75	49	27.7	1.83
Delay Adjusted	808	518.8	8.59	244	151.6	4.63	108	70.0	3.13	77	52.3	2.78	37	23.4	1.82	51	28.8	1.91
Florida																		
Observed	6,023	460.0	2.79	2,069	151.1	1.56	744	59.8	1.04	612	47.9	0.91	262	19.6	0.57	184	12.7	0.44
Delay Adjusted	6,286	480.2	2.92	2,224	162.6	1.68	755	60.7	1.05	630	49.3	0.94	271	20.3	0.59	188	13.0	0.45
Georgia																		
Observed	6,633	552.7	3.37	2,447	194.5	1.93	889	81.1	1.36	662	55.5	1.07	323	25.7	0.70	196	14.2	0.49
Delay Adjusted	6,759	563.3	3.43	2,530	201.2	2.00	900	82.1	1.38	673	56.4	1.09	331	26.3	0.71	200	14.5	0.50
Hawaii																		
Observed	58	461.2	31.04	23	165.0	17.17	4	47.0	11.38	6	45.9	10.16	3	18.0	6.31	3	21.3	6.56
Delay Adjusted	60	476.5	32.01	24	174.8	18.17	4	47.5	11.50	6	46.4	10.25	3	18.4	6.50	3	21.6	6.68
Idaho																		
Observed	16	472.3	75.39	6	146.6	31.52	2	68.1	30.70	1	34.5	16.47	-	-	-	1	42.8	27.38
Delay Adjusted	16	488.5	78.28	6	157.0	33.82	2	69.0	30.97	1	35.7	17.07	-	-	-	1	43.2	27.59
Illinois																		
Observed	4,405	561.8	3.96	1,433	172.7	2.13	699	94.0	1.67	471	62.8	1.35	235	29.3	0.89	140	16.0	0.63
Delay Adjusted	4,482	571.6	4.03	1,487	179.5	2.21	703	94.5	1.67	476	63.4	1.37	238	29.7	0.90	143	16.3	0.64
Indiana																		
Observed	1,262	530.0	7.12	399	162.3	3.86	189	84.6	2.94	123	53.3	2.29	77	31.4	1.69	55	20.3	1.29
Delay Adjusted	1,333	560.3	7.54	452	184.3	4.41	194	86.7	3.01	127	54.9	2.36	81	32.8	1.77	58	21.5	1.38

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	189	575.5	21.51	59	177.4	11.53	29	100.6	9.50	17	55.9	7.00	9	26.8	4.62	11	29.7	4.34
Delay Adjusted	192	585.2	21.88	61	182.5	11.89	29	101.4	9.57	17	56.2	7.04	10	27.3	4.69	11	30.6	4.47
Kansas																		
Observed	362	507.7	12.90	117	157.3	6.97	56	84.4	5.41	35	52.7	4.33	18	23.3	2.63	16	19.6	2.37
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	782	532.6	9.28	225	146.3	4.73	137	102.8	4.28	86	60.1	3.18	49	31.3	2.17	29	17.1	1.52
Delay Adjusted	794	541.2	9.43	234	151.9	4.90	138	103.6	4.32	87	60.7	3.21	49	31.9	2.21	30	17.3	1.54
Louisiana																		
Observed	3,681	587.7	4.63	1,188	180.8	2.50	593	99.7	1.97	390	63.5	1.54	177	28.3	1.01	166	22.8	0.83
Delay Adjusted	3,748	598.4	4.71	1,219	185.5	2.56	598	100.5	1.98	396	64.4	1.56	179	28.7	1.02	171	23.4	0.85
Maine																		
Observed	23	360.6	37.82	7	114.0	21.60	4	60.7	16.46	2	26.3	8.10	-	-	-	2	27.0	8.66
Delay Adjusted	24	365.3	38.31	7	117.9	22.43	4	60.8	16.49	2	26.4	8.14	-	-	-	2	27.5	8.81
Maryland																		
Observed	4,002	515.2	3.89	1,561	188.4	2.26	467	65.5	1.45	353	47.8	1.22	183	23.1	0.81	173	19.6	0.70
Delay Adjusted	4,107	528.7	3.99	1,621	196.2	2.36	476	66.7	1.48	361	48.9	1.24	189	23.8	0.84	180	20.3	0.73
Massachusetts																		
Observed	917	468.3	7.41	345	168.8	4.34	99	55.6	2.69	90	47.3	2.39	40	19.9	1.50	40	18.3	1.37
Delay Adjusted	946	483.4	7.65	359	175.9	4.52	100	56.5	2.73	93	49.0	2.48	40	20.2	1.52	41	19.1	1.43
Michigan																		
Observed	3,263	534.8	4.40	1,045	161.5	2.34	500	86.9	1.83	326	55.1	1.43	175	27.9	0.99	132	18.9	0.77
Delay Adjusted	3,322	544.6	4.48	1,082	167.2	2.42	506	87.9	1.85	331	55.9	1.45	177	28.2	1.00	135	19.4	0.79
Detroit																		
Observed	2,484	579.1	5.44	810	178.1	2.92	370	90.8	2.21	256	62.0	1.81	132	30.1	1.22	100	20.3	0.95
Delay Adjusted	2,516	586.6	5.51	834	183.6	3.01	372	91.4	2.23	258	62.4	1.82	133	30.4	1.24	101	20.5	0.96
Minnesota																		
Observed	498	538.9	12.79	154	162.0	6.74	62	77.7	5.19	44	47.4	3.84	29	28.7	2.89	36	39.7	3.44
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	2,692	585.6	5.45	914	188.0	2.98	470	108.7	2.44	314	69.3	1.89	137	29.8	1.22	60	11.6	0.71
Delay Adjusted	2,741	596.3	5.55	946	194.6	3.09	474	109.6	2.46	317	69.9	1.91	139	30.4	1.24	60	11.7	0.72
Missouri																		
Observed	1,560	542.9	6.53	457	148.4	3.28	269	99.8	2.90	146	53.0	2.09	83	28.3	1.47	75	23.5	1.27
Delay Adjusted	1,595	555.0	6.68	483	157.0	3.48	272	100.9	2.93	147	53.7	2.11	86	29.3	1.52	77	23.9	1.29
Montana																		
Observed	9	548.0	93.92	3	198.9	53.83	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	10	568.4	97.37	3	214.7	58.29	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	190	605.8	21.49	68	208.8	12.23	22	79.2	8.33	19	60.1	6.79	15	43.7	5.40	9	25.4	4.21
Delay Adjusted	202	643.5	22.83	72	223.1	13.07	22	80.8	8.50	19	61.5	6.93	16	45.9	5.68	9	26.4	4.39
New Hampshire																		
Observed	25	377.8	38.93	10	157.3	25.87	2	37.5	11.82	3	41.4	12.13	2	16.9	6.11	1	17.5	8.15
Delay Adjusted	26	396.4	40.86	10	161.6	26.63	2	38.1	11.98	3	41.7	12.22	2	17.3	6.23	1	19.0	9.02
New Jersey																		
Observed	2,707	541.2	4.89	1,043	199.7	2.89	308	67.2	1.80	262	53.4	1.55	128	24.1	0.99	88	15.8	0.78
Delay Adjusted	2,810	561.9	5.08	1,119	214.1	3.10	312	68.3	1.83	272	55.5	1.61	131	24.7	1.02	90	16.2	0.80
New Mexico																		
Observed	89	397.9	20.44	32	126.2	10.64	12	65.4	9.04	6	27.7	5.37	5	18.4	4.01	4	12.6	3.03
Delay Adjusted	98	437.9	22.49	35	140.1	11.82	12	67.5	9.31	6	28.6	5.54	5	19.0	4.17	4	13.1	3.16
New York																		
Observed	6,972	540.9	3.02	2,752	204.1	1.81	767	62.5	1.05	618	50.2	0.94	326	24.5	0.63	263	18.8	0.54
Delay Adjusted	7,098	550.8	3.08	2,847	211.3	1.88	773	63.0	1.06	625	50.8	0.95	333	25.1	0.64	269	19.2	0.55
North Carolina																		
Observed	5,221	546.7	3.63	1,809	179.0	2.01	817	90.7	1.53	467	50.2	1.11	261	26.6	0.78	171	15.7	0.57
Delay Adjusted	5,434	569.1	3.78	1,936	191.5	2.15	832	92.3	1.56	480	51.5	1.15	268	27.3	0.80	173	15.9	0.58

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	12	292.3	61.71	5	100.9	24.33	-	-	-	1	73.0	44.64	-	-	-	-	-	-
Delay Adjusted	13	301.3	63.72	5	104.2	25.15	-	-	-	1	74.9	45.88	-	-	-	-	-	-
Ohio																		
Observed	3,265	513.6	4.22	1,062	157.4	2.26	539	89.8	1.82	290	46.7	1.29	174	27.0	0.96	135	19.0	0.76
Delay Adjusted	3,379	531.7	4.37	1,131	167.5	2.40	551	91.8	1.86	297	47.8	1.32	180	27.9	0.99	140	19.7	0.79
Oklahoma																		
Observed	628	522.6	10.15	211	167.3	5.58	95	84.8	4.21	63	53.0	3.26	35	29.1	2.40	21	13.9	1.41
Delay Adjusted	645	536.8	10.43	222	175.7	5.86	97	86.5	4.29	64	54.1	3.33	35	29.5	2.43	21	14.1	1.44
Oregon																		
Observed	182	517.2	19.27	60	166.6	10.81	24	76.0	7.79	12	36.5	5.27	11	28.4	4.08	13	31.7	4.29
Delay Adjusted	188	535.5	19.98	63	175.1	11.33	25	77.7	7.97	13	37.7	5.44	13	31.4	4.51	15	36.8	4.96
Pennsylvania																		
Observed	3,275	560.8	4.62	1,002	162.2	2.41	483	88.9	1.91	283	50.2	1.41	199	33.1	1.10	194	29.5	1.00
Delay Adjusted	3,382	579.0	4.77	1,095	177.6	2.64	488	89.8	1.93	288	51.2	1.44	205	34.2	1.13	198	30.2	1.02
Rhode Island																		
Observed	107	416.1	19.49	31	113.1	9.80	17	72.4	8.41	8	31.9	5.45	5	18.3	4.00	4	12.6	3.03
Delay Adjusted	110	427.0	20.01	33	119.7	10.40	18	73.7	8.56	8	32.4	5.54	5	18.7	4.07	4	13.2	3.16
South Carolina																		
Observed	3,216	531.6	4.48	1,106	172.0	2.46	505	86.7	1.85	312	53.6	1.45	158	25.1	0.94	94	13.8	0.67
Delay Adjusted	3,332	551.0	4.65	1,169	181.9	2.61	512	87.8	1.87	319	54.7	1.48	161	25.7	0.97	97	14.1	0.69
South Dakota																		
Observed	18	351.9	48.73	5	93.3	20.63	2	50.4	23.32	2	24.8	8.92	2	22.3	7.93	-	-	-
Delay Adjusted	20	391.8	54.40	6	100.5	22.24	2	52.6	24.47	2	25.5	9.15	2	23.0	8.17	-	-	-
Tennessee																		
Observed	2,391	546.4	5.50	820	178.7	3.06	383	95.0	2.40	232	54.8	1.77	127	27.9	1.20	93	17.5	0.87
Delay Adjusted	2,446	558.7	5.62	843	183.8	3.14	386	95.9	2.42	236	55.8	1.80	129	28.4	1.22	95	17.9	0.89
Texas																		
Observed	6,374	514.6	3.17	2,001	155.0	1.70	920	82.9	1.34	698	56.8	1.06	342	26.7	0.70	341	22.9	0.60
Delay Adjusted	6,589	531.9	3.28	2,161	167.8	1.84	930	83.8	1.36	715	58.2	1.09	352	27.5	0.73	345	23.3	0.60

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Males

	All Sites			Prostate			Lung & Bronchus			Colon & Rectum			Kidney & Renal Pelvis			Liver & IBD[3]		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	50	454.6	35.41	18	164.8	20.66	3	44.2	13.89	7	57.6	12.28	2	16.1	5.57	3	22.4	6.76
Delay Adjusted	52	470.5	36.64	20	183.0	22.92	3	44.5	14.01	7	60.3	12.86	2	16.5	5.68	3	23.0	6.92
Vermont																		
Observed	10	364.9	60.41	4	174.5	42.97	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	10	371.2	61.50	4	177.4	43.74	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	3,726	509.6	3.98	1,323	168.8	2.20	538	79.3	1.64	341	48.4	1.25	222	29.4	0.93	120	14.3	0.62
Delay Adjusted	3,810	521.1	4.07	1,362	173.8	2.26	542	79.9	1.65	344	48.9	1.26	225	30.0	0.95	122	14.6	0.63
Washington																		
Observed	563	476.6	10.25	179	143.5	5.39	63	65.8	4.18	50	42.2	3.01	33	25.7	2.28	34	24.6	2.08
Delay Adjusted	568	480.6	10.34	181	144.7	5.44	63	66.2	4.20	51	42.4	3.02	33	25.9	2.30	34	24.9	2.11
Seattle																		
Observed	538	523.0	11.51	175	162.0	6.17	59	69.6	4.57	50	49.1	3.52	32	28.5	2.58	31	26.1	2.29
Delay Adjusted	552	536.8	11.82	184	171.1	6.52	59	69.8	4.58	51	50.9	3.65	33	29.1	2.63	32	26.2	2.30
West Virginia																		
Observed	182	529.0	19.21	64	170.3	10.30	29	94.3	8.68	17	48.4	5.77	9	25.3	4.17	8	17.2	2.76
Delay Adjusted	190	551.5	20.02	66	174.9	10.57	29	95.9	8.82	17	49.3	5.87	9	26.1	4.29	8	17.6	2.82
Wisconsin																		
Observed	811	645.1	11.17	248	190.5	5.91	131	115.2	4.97	76	60.4	3.43	47	35.9	2.55	44	30.2	2.19
Delay Adjusted	837	665.9	11.53	258	198.0	6.14	135	118.5	5.11	78	62.1	3.53	49	37.0	2.63	45	31.3	2.27
Wyoming																		
Observed	8	310.3	56.80	3	101.8	31.63	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	8	312.8	57.26	3	102.8	31.91	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: IBD - Intrahepatic Bile Duct; S.E. - Standard Error
^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.
- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR U.S. Combined																		
Observed	87,680	400.0	0.62	27,992	127.2	0.35	10,501	47.9	0.21	8,527	39.1	0.19	6,288	27.4	0.16	3,173	14.8	0.12
Delay Adjusted	90,178	411.4	0.64	28,556	129.8	0.36	10,633	48.5	0.22	8,694	39.8	0.20	6,371	27.7	0.16	3,218	15.0	0.12
Alabama																		
Observed	2,781	381.9	3.33	932	126.7	1.91	276	37.6	1.04	317	43.8	1.13	170	22.4	0.79	104	14.5	0.65
Delay Adjusted	2,826	388.1	3.38	942	128.1	1.93	278	37.8	1.05	321	44.3	1.14	171	22.6	0.80	105	14.6	0.66
Alaska																		
Observed	31	334.8	29.41	11	105.4	15.59	4	49.9	12.13	2	18.5	6.74	2	16.9	6.41	-	-	-
Delay Adjusted	32	350.5	30.79	11	107.5	15.90	4	51.9	12.67	2	19.2	6.98	2	17.3	6.54	-	-	-
Arizona																		
Observed	430	339.6	7.57	142	109.0	4.22	48	39.9	2.67	42	34.1	2.45	29	22.6	1.93	19	15.7	1.68
Delay Adjusted	461	364.1	8.12	148	114.2	4.42	50	40.9	2.73	45	37.1	2.66	31	24.2	2.07	19	16.1	1.73
Arkansas																		
Observed	960	397.5	5.92	293	120.6	3.25	123	50.4	2.11	106	45.0	2.01	65	25.2	1.45	38	16.3	1.22
Delay Adjusted	983	406.9	6.06	306	125.9	3.39	124	50.9	2.13	107	45.4	2.03	66	25.6	1.47	38	16.5	1.24
California																		
Observed	5,124	387.8	2.47	1,680	127.7	1.42	620	46.4	0.85	500	38.1	0.78	379	27.1	0.64	182	13.7	0.46
Delay Adjusted	5,315	402.3	2.57	1,711	130.0	1.45	630	47.2	0.86	512	39.0	0.80	382	27.3	0.64	185	13.9	0.47
Greater California																		
Observed	1,978	383.6	3.97	663	127.5	2.28	231	45.8	1.39	187	37.0	1.25	133	24.3	0.97	64	12.7	0.73
Delay Adjusted	2,041	395.8	4.10	681	130.8	2.34	236	46.7	1.42	190	37.6	1.27	135	24.5	0.98	65	12.8	0.74
Greater Bay																		
Observed	1,054	402.9	5.69	331	128.6	3.24	131	48.4	1.94	107	41.0	1.81	83	29.8	1.50	39	14.8	1.08
Delay Adjusted	1,091	417.1	5.89	338	131.2	3.31	132	48.8	1.95	110	42.1	1.86	84	30.0	1.51	40	14.9	1.09
Los Angeles																		
Observed	2,092	384.6	3.84	685	127.2	2.22	258	46.0	1.30	206	37.6	1.19	163	28.4	1.01	79	14.1	0.72
Delay Adjusted	2,183	401.3	4.01	692	128.4	2.24	263	46.8	1.32	212	38.7	1.23	163	28.5	1.02	81	14.4	0.74
Colorado																		
Observed	344	349.1	8.66	119	119.1	5.02	36	38.4	2.94	32	33.3	2.69	24	24.2	2.26	10	10.6	1.53
Delay Adjusted	353	358.4	8.89	120	120.3	5.07	37	38.8	2.98	33	33.7	2.72	25	24.6	2.30	10	10.6	1.54

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Connecticut																		
Observed	784	392.4	6.37	252	125.0	3.58	90	45.5	2.19	67	33.8	1.88	61	28.8	1.68	28	14.2	1.23
Delay Adjusted	802	401.2	6.52	257	127.2	3.64	91	46.2	2.22	68	34.3	1.91	61	29.1	1.70	28	14.4	1.25
Delaware																		
Observed	494	431.8	8.94	160	136.9	4.97	65	58.6	3.35	43	37.8	2.66	37	30.5	2.32	19	17.0	1.80
Delay Adjusted	512	447.8	9.27	163	139.0	5.05	66	59.8	3.41	45	39.5	2.78	37	30.7	2.33	19	17.1	1.81
District of Columbia																		
Observed	939	437.2	6.62	288	139.1	3.82	123	53.9	2.22	93	42.6	2.04	75	33.6	1.79	35	15.5	1.19
Delay Adjusted	970	451.7	6.84	300	145.2	3.99	124	54.5	2.25	95	43.5	2.09	77	34.7	1.85	36	15.8	1.22
Florida																		
Observed	5,999	365.9	2.16	1,823	110.2	1.18	552	33.9	0.66	573	35.3	0.67	504	29.5	0.60	211	13.4	0.42
Delay Adjusted	6,265	382.1	2.25	1,886	114.0	1.22	560	34.4	0.67	590	36.4	0.69	520	30.4	0.62	215	13.6	0.43
Georgia																		
Observed	6,400	392.6	2.27	2,181	130.4	1.29	629	40.2	0.75	656	40.8	0.74	454	26.3	0.57	223	14.7	0.46
Delay Adjusted	6,522	400.1	2.32	2,205	131.8	1.30	637	40.7	0.76	667	41.4	0.75	458	26.6	0.58	226	15.0	0.47
Hawaii																		
Observed	26	335.1	32.27	9	107.1	16.49	3	56.8	15.52	2	27.4	10.73	2	22.3	8.47	-	-	-
Delay Adjusted	27	347.1	33.36	11	120.8	18.57	3	57.5	15.70	2	27.6	10.77	2	22.8	8.64	-	-	-
Idaho																		
Observed	8	288.1	51.85	2	91.2	29.96	-	-	-	1	47.9	21.10	-	-	-	-	-	-
Delay Adjusted	8	296.7	53.36	2	92.6	30.36	-	-	-	1	48.9	21.66	-	-	-	-	-	-
Illinois																		
Observed	4,689	438.9	2.92	1,456	137.0	1.64	676	61.9	1.08	480	44.8	0.93	343	30.6	0.75	165	15.5	0.55
Delay Adjusted	4,771	446.6	2.97	1,469	138.3	1.65	679	62.3	1.09	484	45.2	0.94	345	30.8	0.76	167	15.6	0.55
Indiana																		
Observed	1,250	402.3	5.21	393	125.1	2.89	183	59.9	2.03	121	39.6	1.65	81	24.6	1.25	47	15.2	1.02
Delay Adjusted	1,319	424.3	5.50	400	127.4	2.94	188	61.3	2.08	124	40.8	1.70	82	24.9	1.27	48	15.5	1.04

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Iowa																		
Observed	152	442.4	17.00	40	114.6	8.53	19	61.8	6.61	13	39.0	5.02	12	35.2	4.84	5	16.8	3.53
Delay Adjusted	155	449.6	17.29	40	115.3	8.58	19	62.2	6.66	13	39.2	5.06	12	35.4	4.87	5	17.0	3.58
Kansas																		
Observed	324	405.6	10.32	99	126.0	5.78	44	55.6	3.82	27	35.2	3.07	20	23.7	2.46	13	17.7	2.22
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Kentucky																		
Observed	807	442.3	7.17	232	125.9	3.80	130	73.4	2.97	83	44.9	2.27	51	27.1	1.75	29	16.0	1.38
Delay Adjusted	821	449.7	7.29	235	127.3	3.85	131	74.0	2.99	84	45.4	2.29	51	27.2	1.76	29	16.2	1.39
Louisiana																		
Observed	3,314	417.9	3.34	1,079	135.9	1.90	374	46.8	1.11	366	46.0	1.10	193	23.1	0.76	116	15.0	0.64
Delay Adjusted	3,374	425.5	3.40	1,092	137.6	1.93	377	47.2	1.12	371	46.6	1.12	194	23.1	0.77	117	15.1	0.65
Maine																		
Observed	17	307.8	34.93	5	81.1	16.94	2	28.2	10.38	1	28.2	11.34	1	27.9	10.91	-	-	-
Delay Adjusted	17	311.6	35.35	5	82.2	17.17	2	28.2	10.39	1	28.4	11.42	1	28.0	10.93	-	-	-
Maryland																		
Observed	4,239	403.1	2.85	1,439	135.3	1.64	507	48.7	1.00	371	35.8	0.85	319	28.4	0.73	147	14.3	0.55
Delay Adjusted	4,351	413.6	2.92	1,472	138.4	1.68	517	49.7	1.02	380	36.6	0.87	323	28.8	0.74	149	14.6	0.56
Massachusetts																		
Observed	943	385.2	5.71	302	122.8	3.21	99	41.2	1.89	80	32.8	1.67	70	27.9	1.52	30	12.7	1.07
Delay Adjusted	973	397.6	5.90	308	125.0	3.27	101	41.8	1.92	83	33.8	1.72	71	28.3	1.54	30	12.9	1.08
Michigan																		
Observed	3,255	409.5	3.29	975	124.0	1.82	467	57.8	1.23	321	40.3	1.03	226	27.0	0.83	127	15.7	0.64
Delay Adjusted	3,312	416.6	3.35	985	125.3	1.84	473	58.4	1.24	325	40.8	1.04	229	27.3	0.84	131	16.1	0.65
Detroit																		
Observed	2,550	433.2	3.94	768	132.2	2.19	362	60.1	1.45	255	43.1	1.24	175	28.2	0.98	101	16.6	0.76
Delay Adjusted	2,583	438.8	3.99	773	133.2	2.21	364	60.5	1.46	257	43.3	1.24	175	28.2	0.98	101	16.7	0.76
Minnesota																		
Observed	424	399.2	9.45	122	107.7	4.70	51	55.4	3.75	36	35.5	2.90	33	32.8	2.70	14	15.6	1.99
Delay Adjusted	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Mississippi																		
Observed	2,347	398.4	3.78	727	122.4	2.08	272	46.3	1.29	280	47.3	1.30	155	25.1	0.93	84	14.9	0.75
Delay Adjusted	2,390	405.7	3.85	738	124.1	2.11	275	46.8	1.31	283	47.7	1.31	156	25.3	0.94	86	15.1	0.76
Missouri																		
Observed	1,663	432.8	4.85	523	136.9	2.74	250	64.6	1.87	156	40.9	1.49	104	26.1	1.17	62	16.2	0.94
Delay Adjusted	1,700	442.5	4.96	531	138.9	2.78	253	65.4	1.89	158	41.4	1.51	105	26.3	1.18	63	16.4	0.95
Montana																		
Observed	3	155.7	43.17	1	66.1	27.18	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	3	161.5	44.71	1	68.1	27.94	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska																		
Observed	157	428.5	15.78	41	112.4	8.01	26	73.7	6.67	13	38.0	4.78	9	23.4	3.64	5	16.2	3.20
Delay Adjusted	167	455.2	16.77	42	114.4	8.16	27	75.2	6.80	14	38.9	4.90	9	23.5	3.65	5	16.5	3.25
New Hampshire																		
Observed	16	275.1	33.32	5	94.7	19.57	1	33.7	14.16	2	27.9	9.84	1	17.6	7.20	-	-	-
Delay Adjusted	17	288.7	34.96	5	95.6	19.76	1	34.1	14.35	2	28.1	9.91	1	17.7	7.26	-	-	-
New Jersey																		
Observed	2,929	424.6	3.56	938	135.9	2.02	334	47.7	1.18	279	40.8	1.11	230	31.5	0.94	103	15.0	0.67
Delay Adjusted	3,039	440.6	3.70	963	139.5	2.07	339	48.4	1.20	290	42.3	1.15	233	32.0	0.96	105	15.2	0.68
New Mexico																		
Observed	60	320.9	18.97	18	95.2	10.38	8	41.9	6.84	6	30.9	5.97	3	17.4	4.53	2	10.9	3.53
Delay Adjusted	66	350.5	20.72	18	98.8	10.77	8	42.8	7.00	6	31.8	6.14	3	17.6	4.58	2	11.1	3.59
New York																		
Observed	7,176	398.7	2.14	2,198	123.4	1.20	750	40.5	0.67	653	36.0	0.64	639	33.9	0.61	260	14.3	0.40
Delay Adjusted	7,306	405.9	2.18	2,217	124.4	1.21	756	40.8	0.68	660	36.4	0.65	645	34.2	0.61	262	14.4	0.41
North Carolina																		
Observed	5,085	402.2	2.58	1,715	135.1	1.49	593	46.3	0.87	459	36.4	0.78	350	26.4	0.65	188	15.1	0.50
Delay Adjusted	5,293	418.6	2.69	1,774	139.9	1.55	603	47.1	0.89	472	37.4	0.80	352	26.6	0.65	189	15.2	0.51

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
North Dakota																		
Observed	8	251.6	56.96	1	49.7	30.46	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	8	260.0	59.09	1	50.4	30.91	-	-	-	-	-	-	-	-	-	-	-	-
Ohio																		
Observed	3,312	410.4	3.26	1,032	129.0	1.84	500	60.9	1.24	298	36.8	0.97	216	25.8	0.80	120	14.8	0.62
Delay Adjusted	3,427	424.7	3.37	1,058	132.2	1.88	512	62.2	1.27	305	37.7	0.99	222	26.5	0.82	122	15.1	0.63
Oklahoma																		
Observed	557	389.9	7.62	177	124.1	4.29	73	51.5	2.79	55	39.4	2.43	38	25.0	1.88	18	12.8	1.39
Delay Adjusted	572	400.5	7.82	178	124.5	4.30	74	52.5	2.84	57	40.2	2.48	38	25.0	1.89	18	13.0	1.41
Oregon																		
Observed	131	396.5	15.98	42	122.6	8.69	18	58.7	6.42	11	32.2	4.57	9	24.3	3.83	5	16.7	3.31
Delay Adjusted	135	409.8	16.54	43	126.2	8.95	18	60.1	6.58	11	33.2	4.72	9	24.7	3.88	6	17.3	3.42
Pennsylvania																		
Observed	3,495	449.4	3.47	999	130.1	1.88	546	68.9	1.34	310	39.6	1.02	250	30.7	0.89	126	16.0	0.65
Delay Adjusted	3,610	464.0	3.58	1,013	131.9	1.91	551	69.5	1.35	317	40.4	1.05	253	31.2	0.90	127	16.2	0.66
Rhode Island																		
Observed	105	350.9	15.66	37	120.4	9.08	13	44.1	5.69	7	22.7	4.06	6	19.9	3.60	4	11.7	2.80
Delay Adjusted	108	360.4	16.10	37	122.2	9.21	13	45.2	5.84	7	23.1	4.13	6	20.2	3.65	4	11.8	2.84
South Carolina																		
Observed	3,016	385.8	3.23	1,002	128.3	1.87	325	40.6	1.04	291	36.9	1.00	226	27.0	0.83	119	15.5	0.65
Delay Adjusted	3,126	399.9	3.35	1,031	132.0	1.92	329	41.1	1.05	297	37.8	1.02	227	27.2	0.84	121	15.8	0.67
South Dakota																		
Observed	9	229.8	37.81	3	83.4	22.86	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	10	254.6	41.92	3	84.5	23.14	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee																		
Observed	2,312	396.9	3.81	734	124.1	2.11	296	51.6	1.39	234	40.8	1.23	146	24.0	0.92	82	14.9	0.76
Delay Adjusted	2,364	405.8	3.90	749	126.7	2.16	299	52.1	1.41	238	41.5	1.25	149	24.5	0.94	83	15.0	0.76
Texas																		
Observed	6,176	386.7	2.27	1,970	120.5	1.25	699	45.9	0.81	640	40.2	0.74	400	24.2	0.56	224	14.8	0.46
Delay Adjusted	6,387	399.8	2.35	2,039	124.8	1.29	706	46.4	0.82	656	41.1	0.75	407	24.6	0.57	227	15.0	0.47

Average Annual Cancer Incidence Delay Adjusted Counts and Age-adjusted (2000 U.S. Standard) Rates[1] for the Five Most Commonly Diagnosed Cancers Selected Areas in the NAACCR United States Combined[2], 2013-2017, Non-Hispanic Black, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Pancreas		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
Utah																		
Observed	28	354.3	32.40	7	93.8	16.50	3	52.2	13.48	2	34.1	10.23	2	21.7	7.94	-	-	-
Delay Adjusted	29	366.7	33.54	7	94.5	16.62	3	52.6	13.60	3	35.6	10.69	2	21.8	7.97	-	-	-
Vermont																		
Observed	6	272.5	58.73	2	58.9	21.31	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	6	275.2	59.30	2	59.0	21.36	-	-	-	-	-	-	-	-	-	-	-	-
Virginia																		
Observed	3,588	389.5	2.98	1,237	133.5	1.74	440	47.7	1.04	329	35.9	0.91	240	24.9	0.74	143	15.6	0.60
Delay Adjusted	3,669	398.2	3.05	1,253	135.2	1.76	443	48.1	1.05	333	36.3	0.91	242	25.1	0.75	144	15.8	0.61
Washington																		
Observed	440	385.6	8.71	141	120.6	4.78	48	46.0	3.14	39	34.8	2.65	31	26.4	2.26	11	10.8	1.52
Delay Adjusted	444	388.9	8.78	142	121.2	4.80	49	46.3	3.16	39	35.0	2.66	31	26.5	2.26	11	10.9	1.53
Seattle																		
Observed	416	407.0	9.46	134	127.5	5.18	46	49.6	3.48	36	36.6	2.89	28	26.9	2.40	12	12.1	1.70
Delay Adjusted	427	417.8	9.72	135	128.4	5.22	46	49.8	3.49	37	38.0	3.00	28	27.1	2.41	12	12.8	1.78
West Virginia																		
Observed	132	375.6	15.07	40	117.6	8.59	19	52.7	5.51	14	38.7	4.72	8	21.0	3.40	5	13.6	2.86
Delay Adjusted	138	391.9	15.74	41	120.8	8.82	19	53.5	5.59	14	39.3	4.80	8	21.3	3.45	5	13.8	2.90
Wisconsin																		
Observed	752	480.7	8.15	223	139.5	4.32	107	71.9	3.24	71	45.7	2.52	50	31.0	2.03	27	18.5	1.66
Delay Adjusted	776	496.0	8.41	229	143.1	4.44	110	73.9	3.33	73	47.0	2.59	52	31.8	2.08	28	19.2	1.72
Wyoming																		
Observed	5	201.0	42.91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delay Adjusted	5	202.5	43.24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is not included in the Non-Hispanic Black race category, see Technical Notes.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR Canadian Combined Delay Adjusted Incidence 2013-2017, All Races Combined

CANADA

V-103 Combined Delay Adjusted Incidence – All Races

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR Canadian Combined[1], 2013-2017, All Races

	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	75,876	480.6	0.80	76,707	485.9	0.81	74,355	423.5	0.71	75,165	428.2	0.72
Oral Cavity & Pharynx	2,680	16.2	0.14	2,715	16.4	0.15	1,188	6.7	0.09	1,203	6.8	0.09
Digestive												
Esophagus	1,236	7.6	0.10	1,244	7.7	0.10	391	2.1	0.05	393	2.1	0.05
Stomach	1,770	11.4	0.12	1,788	11.5	0.12	946	5.2	0.08	956	5.3	0.08
Colon & Rectum	9,859	62.8	0.29	9,927	63.2	0.29	7,984	44.1	0.23	8,039	44.4	0.23
Liver & IBD[2]	1,750	10.6	0.12	1,848	11.2	0.12	771	4.2	0.07	814	4.4	0.07
Pancreas	2,067	13.1	0.13	2,098	13.3	0.13	1,903	10.2	0.11	1,931	10.4	0.11
Respiratory												
Larynx	648	3.9	0.07	657	4.0	0.07	113	0.6	0.03	114	0.6	0.03
Lung & bronchus	9,853	63.0	0.29	9,955	63.6	0.29	9,853	53.6	0.25	9,956	54.2	0.25
Skin												
Melanomas of the skin	3,714	23.9	0.18	3,833	24.7	0.19	2,998	17.6	0.15	3,090	18.1	0.15
Breast (female cases only)	-	-	-	-	-	-	20,721	119.1	0.38	20,943	120.4	0.38
Female Genital												
Cervix uteri	-	-	-	-	-	-	1,123	7.6	0.10	1,131	7.6	0.10
Corpus & uterus, NOS[2]	-	-	-	-	-	-	4,996	27.4	0.18	5,022	27.5	0.18
Ovary	-	-	-	-	-	-	2,148	12.4	0.12	2,215	12.7	0.13
Male Genital												
Prostate	16,399	98.4	0.35	16,530	99.2	0.35	-	-	-	-	-	-
Testis	865	6.4	0.10	870	6.5	0.10	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	5,918	38.8	0.23	6,052	39.6	0.23	1,840	10.0	0.11	1,881	10.2	0.11
Kidney & renal pelvis	3,149	19.6	0.16	3,277	20.4	0.17	1,713	9.7	0.11	1,783	10.1	0.11
Brain & Other CNS[2]	1,189	7.9	0.10	1,215	8.0	0.11	893	5.5	0.09	912	5.6	0.09
Endocrine												
Thyroid gland	1,222	8.0	0.11	1,248	8.2	0.11	3,504	23.1	0.18	3,581	23.6	0.18
Lymphomas												
Hodgkin Lymphoma	423	3.0	0.07	424	3.0	0.07	330	2.3	0.06	331	2.3	0.06
Non-Hodgkin Lymphoma	3,649	23.5	0.18	3,680	23.7	0.18	2,923	16.5	0.14	2,948	16.7	0.14
Multiple Myeloma	1,368	8.8	0.11	1,427	9.2	0.11	996	5.4	0.08	1,041	5.7	0.08
Leukemias	3,022	20.0	0.17	3,153	20.9	0.17	2,061	12.0	0.12	2,149	12.5	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR Canadian Combined includes registries for which a Canada average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined[2], 2013-2017, All Races, Males

	All Sites			Prostate			Colon & Rectum			Lung & Bronchus			Bladder			Melanoma of the Skin		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR Canadian Combined																		
Observed	75,876	480.6	0.80	16,399	98.4	0.35	9,853	63.0	0.29	9,859	62.8	0.29	5,918	38.8	0.23	3,714	23.9	0.18
Delay Adjusted	76,707	485.9	0.81	16,530	99.2	0.35	9,955	63.6	0.29	9,927	63.2	0.29	6,052	39.6	0.23	3,833	24.7	0.19
Alberta																		
Observed	9,342	472.1	2.26	2,324	112.3	1.08	1,125	60.5	0.83	1,180	60.3	0.81	688	37.5	0.66	370	18.6	0.45
Delay Adjusted	9,439	477.3	2.29	2,347	113.5	1.09	1,135	61.1	0.84	1,186	60.6	0.82	697	38.0	0.67	372	18.6	0.45
British Columbia																		
Observed	13,078	439.6	1.76	2,871	91.8	0.78	1,622	54.4	0.61	1,804	60.4	0.65	1,112	38.4	0.52	614	21.0	0.39
Delay Adjusted	13,198	443.7	1.77	2,875	91.9	0.78	1,639	55.0	0.62	1,822	61.0	0.66	1,152	39.8	0.54	633	21.6	0.40
Manitoba																		
Observed	3,314	471.9	3.74	704	96.9	1.67	442	63.5	1.38	464	66.4	1.41	229	33.7	1.01	133	19.3	0.76
Delay Adjusted	3,338	475.6	3.77	718	98.9	1.70	444	63.8	1.38	466	66.6	1.41	231	33.9	1.02	133	19.3	0.77
New Brunswick																		
Observed	2,548	491.8	4.52	524	90.8	1.83	445	86.7	1.89	336	65.8	1.66	199	39.1	1.28	100	19.8	0.93
Delay Adjusted	2,582	498.4	4.58	533	92.4	1.86	450	87.9	1.92	339	66.6	1.69	200	39.4	1.29	101	20.1	0.93
Newfoundland and Labrador																		
Observed	1,883	521.3	5.65	432	107.3	2.40	277	77.3	2.18	346	96.8	2.44	131	38.1	1.57	60	17.9	1.09
Delay Adjusted	1,904	527.0	5.72	435	108.0	2.42	280	78.2	2.20	348	97.6	2.46	132	38.4	1.58	60	17.9	1.09
Northwest Territories																		
Observed	82	486.9	28.13	14	77.1	10.76	13	94.2	13.28	15	100.8	13.43	3	13.2	4.15	2	11.5	3.96
Delay Adjusted	83	492.8	28.47	14	78.2	10.91	13	96.1	13.55	15	101.4	13.51	3	13.8	4.32	2	11.9	4.11
Nova Scotia																		
Observed	3,294	531.8	4.30	640	96.1	1.75	511	81.0	1.65	471	76.5	1.63	243	40.0	1.18	191	31.9	1.08
Delay Adjusted	3,339	539.1	4.36	649	97.4	1.77	517	81.9	1.67	474	77.1	1.64	246	40.5	1.19	192	32.1	1.08
Nunavut																		
Observed	34	363.7	33.23	3	30.7	9.57	10	137.8	22.74	8	69.2	12.36	-	-	-	-	-	-
Delay Adjusted	34	367.3	33.62	3	31.0	9.67	10	138.9	22.97	8	69.8	12.48	-	-	-	-	-	-
Ontario																		
Observed	38,935	492.9	1.14	8,124	97.4	0.49	4,961	63.0	0.41	4,716	60.1	0.40	3,058	39.7	0.33	2,114	27.2	0.27
Delay Adjusted	39,404	498.9	1.15	8,190	98.2	0.50	5,015	63.7	0.41	4,744	60.5	0.40	3,134	40.7	0.33	2,209	28.5	0.28
Prince Edward Island																		
Observed	479	509.3	10.79	98	95.9	4.46	69	73.3	4.07	70	74.8	4.12	34	36.5	2.87	33	36.5	2.97
Delay Adjusted	486	516.3	10.94	100	97.7	4.56	69	73.9	4.11	71	75.1	4.14	35	36.9	2.90	33	36.9	3.01
Saskatchewan																		
Observed	2,886	463.3	3.94	666	102.2	1.81	379	62.1	1.45	449	72.4	1.56	221	36.6	1.12	97	15.6	0.72
Delay Adjusted	2,900	465.5	3.95	668	102.7	1.82	382	62.6	1.47	452	73.0	1.57	222	36.8	1.12	98	15.7	0.73

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

Average Annual Age-adjusted (2000 U.S. Standard) Cancer Incidence Delay Adjusted Counts and Rates[1] for the Five Most Commonly Diagnosed Cancers
Selected Areas in the NAACCR Canadian Combined[2], 2013-2017, All Races, Females

	All Sites			Breast			Lung & Bronchus			Colon & Rectum			Uterus Corpus & Uterus, NOS[3]			Thyroid		
	Avg. Annual Cases	*Rate*	*S.E.[3]*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
NAACCR Canadian Combined																		
Observed	74,355	423.5	0.71	20,721	119.1	0.38	9,853	53.6	0.25	7,984	44.1	0.23	4,996	27.4	0.18	3,504	23.1	0.18
Delay Adjusted	75,165	428.2	0.72	20,943	120.4	0.38	9,956	54.2	0.25	8,039	44.4	0.23	5,022	27.5	0.18	3,581	23.6	0.18
Alberta																		
Observed	8,854	408.9	1.98	2,667	122.6	1.08	1,127	53.1	0.72	904	41.9	0.63	615	27.2	0.50	377	17.8	0.42
Delay Adjusted	8,942	413.0	2.00	2,673	122.9	1.08	1,138	53.7	0.73	909	42.1	0.64	617	27.2	0.50	378	17.8	0.42
British Columbia																		
Observed	12,346	381.8	1.58	3,537	110.8	0.86	1,719	50.7	0.56	1,426	42.7	0.52	784	23.3	0.38	328	12.0	0.31
Delay Adjusted	12,457	385.2	1.60	3,546	111.0	0.86	1,737	51.2	0.56	1,440	43.2	0.52	791	23.5	0.38	334	12.2	0.31
Manitoba																		
Observed	3,302	420.1	3.36	859	110.9	1.74	473	58.0	1.21	370	45.5	1.09	282	35.7	0.97	110	16.2	0.71
Delay Adjusted	3,324	422.9	3.38	860	111.0	1.74	476	58.3	1.22	371	45.6	1.09	283	35.8	0.98	110	16.3	0.71
New Brunswick																		
Observed	2,336	415.4	4.02	617	111.0	2.09	372	61.8	1.46	259	44.3	1.27	153	25.7	0.96	78	17.3	0.93
Delay Adjusted	2,366	420.6	4.06	620	111.4	2.10	377	62.6	1.48	262	44.8	1.29	154	25.8	0.96	78	17.4	0.93
Newfoundland and Labrador																		
Observed	1,745	461.5	5.14	465	121.8	2.63	227	56.6	1.72	269	69.8	1.96	111	27.9	1.23	93	28.3	1.39
Delay Adjusted	1,764	466.4	5.19	466	122.1	2.63	230	57.2	1.74	272	70.3	1.97	112	28.1	1.23	93	28.3	1.39
Northwest Territories																		
Observed	75	451.8	26.21	23	125.0	12.99	9	76.3	12.39	13	77.5	11.02	5	24.5	5.67	2	10.0	2.91
Delay Adjusted	76	457.4	26.55	23	125.8	13.07	9	77.7	12.64	13	78.0	11.10	5	24.6	5.69	2	10.1	2.94
Nova Scotia																		
Observed	3,120	445.6	3.73	794	115.2	1.91	497	66.0	1.35	379	51.5	1.22	189	25.9	0.87	98	17.7	0.85
Delay Adjusted	3,160	451.2	3.77	797	115.6	1.92	502	66.7	1.36	382	51.9	1.23	190	26.0	0.88	98	17.8	0.85
Nunavut																		
Observed	36	434.0	40.19	5	48.6	11.28	11	142.5	22.65	8	126.9	25.13	1	9.6	4.09	2	16.0	8.13
Delay Adjusted	37	438.6	40.68	5	48.7	11.31	11	143.6	22.83	8	128.1	25.42	1	9.7	4.12	2	16.1	8.16
Ontario																		
Observed	39,367	441.4	1.02	10,877	123.1	0.54	4,945	52.4	0.34	3,965	42.8	0.31	2,652	28.5	0.25	2,344	30.7	0.29
Delay Adjusted	39,846	446.9	1.03	11,075	125.4	0.55	4,999	52.9	0.34	3,990	43.1	0.31	2,664	28.7	0.25	2,411	31.6	0.30
Prince Edward Island																		
Observed	446	418.4	9.20	119	112.1	4.79	75	66.1	3.47	55	50.7	3.16	26	23.0	2.10	7	7.9	1.40
Delay Adjusted	452	423.8	9.32	119	112.1	4.79	75	66.7	3.50	55	50.9	3.18	26	23.1	2.11	7	7.9	1.41
Saskatchewan																		
Observed	2,727	402.7	3.56	758	115.2	1.93	399	56.9	1.30	335	47.5	1.20	179	25.9	0.89	67	11.5	0.65
Delay Adjusted	2,740	404.6	3.58	759	115.4	1.93	403	57.5	1.31	338	47.9	1.21	179	26.0	0.89	67	11.6	0.65

1. Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
2. See Technical Notes, Section I, for NAACCR area inclusion criteria for the combined cancer statistics.
3. Abbreviations: NOS - Not Otherwise Specified; S.E. - Standard Error

^ There are insufficient historical registry data to calculate delay factors necessary for delay adjusted rates.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.

NAACCR North American Combined Delay Adjusted Incidence 2013-2017, All Races Combined

NORTH AMERICA

V-107 Combined Delay Adjusted Incidence – All Races

Average Annual Delay Adjusted Cancer Cases and Age-adjusted Incidence Rates*, Selected Sites
NAACCR North American Combined[1], 2013-2017, All Races

	MALES (ALL RACES)						FEMALES (ALL RACES)					
	Observed			Delay Adjusted			Observed			Delay Adjusted		
SITES	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E*	*Avg. Annual Cases*	*Rate*	*S.E.*	*Avg. Annual Cases*	*Rate*	*S.E.*
All Sites (invasive & in situ bladder)	909,145	477.4	0.23	927,253	486.9	0.23	895,793	414.5	0.20	913,468	422.7	0.21
Oral Cavity & Pharynx	35,171	17.8	0.04	35,834	18.1	0.04	14,207	6.5	0.02	14,464	6.6	0.03
Digestive												
Esophagus	15,084	7.8	0.03	15,247	7.9	0.03	4,091	1.8	0.01	4,133	1.8	0.01
Stomach	16,908	9.1	0.03	17,113	9.2	0.03	10,324	4.7	0.02	10,448	4.7	0.02
Colon & Rectum	85,479	45.6	0.07	86,591	46.2	0.07	76,304	34.5	0.06	77,287	35.0	0.06
Liver & IBD[2]	25,858	12.7	0.04	26,474	13.0	0.04	10,372	4.5	0.02	10,620	4.7	0.02
Pancreas	27,452	14.6	0.04	27,796	14.7	0.04	25,666	11.2	0.03	25,979	11.4	0.03
Respiratory												
Larynx	10,734	5.4	0.02	10,891	5.5	0.02	2,693	1.2	0.01	2,732	1.2	0.01
Lung & bronchus	125,681	66.7	0.09	127,223	67.6	0.09	116,299	51.1	0.07	117,742	51.7	0.07
Skin												
Melanomas of the skin	51,797	28.0	0.06	53,095	28.7	0.06	36,240	17.6	0.04	37,116	18.0	0.04
Breast (female cases only)	-	-	-	-	-	-	267,034	125.1	0.11	270,851	126.9	0.11
Female Genital												
Cervix uteri	-	-	-	-	-	-	14,173	7.7	0.03	14,361	7.8	0.03
Corpus & uterus, NOS[2]	-	-	-	-	-	-	60,567	27.0	0.05	61,112	27.3	0.05
Ovary	-	-	-	-	-	-	23,652	11.0	0.03	24,212	11.3	0.03
Male Genital												
Prostate	211,970	104.4	0.10	218,451	107.6	0.11	-	-	-	-	-	-
Testis	9,711	5.7	0.03	9,833	5.8	0.03	-	-	-	-	-	-
Urinary												
Bladder (incl. *in situ*)	63,150	34.8	0.06	64,454	35.5	0.06	19,781	8.6	0.03	20,185	8.8	0.03
Kidney & renal pelvis	43,006	22.5	0.05	43,999	23.0	0.05	24,861	11.5	0.03	25,435	11.7	0.03
Brain & Other CNS[2]	13,936	7.6	0.03	14,234	7.8	0.03	11,025	5.5	0.02	11,257	5.6	0.02
Endocrine												
Thyroid gland	13,687	7.4	0.03	13,883	7.5	0.03	40,249	21.5	0.05	40,829	21.8	0.05
Lymphomas												
Hodgkin Lymphoma	5,262	3.0	0.02	5,348	3.0	0.02	4,236	2.3	0.02	4,305	2.4	0.02
Non-Hodgkin Lymphoma	42,778	23.2	0.05	43,914	23.9	0.05	34,986	16.0	0.04	35,909	16.4	0.04
Multiple Myeloma	16,007	8.6	0.03	17,063	9.1	0.03	12,575	5.6	0.02	13,411	6.0	0.02
Leukemias	32,646	18.0	0.05	35,280	19.4	0.05	23,240	10.9	0.03	25,101	11.8	0.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population. Puerto Rico is defined as "Other" race and therefore is only included in the All Races race category, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] NAACCR North American Combined includes registries for which a U.S. and Canada average delay adjustment factor was calculated. See Technical Notes.

[2] Abbreviations: IBD – Intrahepatic Bile Duct; NOS - Not Otherwise Specified; CNS – Central Nervous System

Note: Delay adjusted counts are rounded to the nearest whole number. A small registry and/or rare cancer site may have the same delay adjusted count and observed count, but this is just due to rounding to whole counts. For more information about cancer incidence rates adjusted for reporting delay see https://surveillance.cancer.gov/delay/.