



Average-annual Registry-specific Cancer Incidence by Race, Ethnicity and Sex

**Age-adjusted to the 2000 U.S. and
World Population Standards**



TABLE OF CONTENTS

Average-annual Registry-specific Cancer Incidence by Race, Ethnicity and Sex, Age-adjusted to the 2000 U.S. and World Population Standards

UNITED STATES REGISTRIES

Alabama	1
Alaska	9
Arizona	17
Arkansas	25
California.....	33
CA: Greater California	41
CA: Greater Bay Area	49
CA: Los Angeles	57
Colorado	65
Connecticut.....	73
Delaware.....	81
District of Columbia	89
Florida	97
Georgia	105
Hawaii	113
Idaho.....	121
Illinois.....	129
Indiana.....	137
Iowa.....	145
Kansas	153
Kentucky	161
Louisiana	169
Maine.....	177
Maryland	185
Massachusetts.....	193
Michigan.....	201
MI: Metropolitan Detroit.....	209
Minnesota	217
Mississippi.....	225
Missouri.....	233
Montana.....	241
Nebraska.....	249
Nevada.....	257
New Hampshire.....	265
New Jersey	273
New Mexico	281
New York	289
New Carolina.....	297
North Dakota	305
Ohio.....	313
Oklahoma.....	321
Oregon	329

Contents

Pennsylvania	337
Rhode Island.....	345
South Carolina.....	353
South Dakota.....	361
Tennessee	369
Texas	377
Utah.....	385
Vermont.....	393
Virginia	401
Washington	409
WA: Seattle/Puget Sound.....	417
West Virginia	425
Wisconsin.....	433
Wyoming.....	441
UNITED STATES TERRITORY	
Puerto Rico.....	449
 CANADIAN REGISTRIES	
Alberta.....	450
British Columbia	451
Manitoba	452
New Brunswick.....	453
Newfoundland and Labrador.....	454
Northwest Territories	455
Nova Scotia	456
Nunavut.....	457
Ontario	458
Prince Edward Island.....	459
Saskatchewan	460

All Appendices are available on the NAACCR website:

<https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices>

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alabama, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,953	517.6	2.02	388.3	1.50	12,566	403.3	1.66	315.3	1.34
Oral Cavity & Pharynx	563	20.3	0.39	16.0	0.31	224	7.1	0.22	5.6	0.18
Lip	36	1.4	0.11	0.9	0.07	22	0.7	0.07	0.5	0.05
Tongue	163	5.8	0.21	4.7	0.17	57	1.9	0.11	1.5	0.09
Major salivary gland	54	2.1	0.13	1.5	0.09	34	1.1	0.09	0.9	0.08
Floor of mouth	25	0.9	0.08	0.7	0.06	12	0.4	0.05	0.3	0.04
Gum & other mouth	58	2.2	0.13	1.6	0.10	42	1.3	0.09	1.0	0.07
Nasopharynx	23	0.9	0.09	0.7	0.07	7	0.2	0.04	0.2	0.03
Oropharynx	33	1.1	0.09	0.9	0.07	9	0.3	0.04	0.2	0.04
Hypopharynx	32	1.1	0.09	0.9	0.07	6	0.2	0.04	0.2	0.03
Digestive System	2,728	101.7	0.90	76.2	0.67	2,175	68.0	0.67	50.6	0.52
Esophagus	224	8.1	0.25	6.1	0.19	53	1.6	0.10	1.2	0.08
Stomach	232	8.8	0.27	6.4	0.19	163	5.1	0.18	3.7	0.14
Small intestine	75	2.8	0.15	2.2	0.11	73	2.3	0.13	1.8	0.10
Colon excl. rectum	952	36.3	0.54	26.7	0.40	929	29.2	0.44	21.6	0.34
Rectum & rectosigmoid	380	14.1	0.33	11.0	0.26	271	8.8	0.25	6.9	0.20
Anus, anal canal & anorectum	38	1.5	0.11	1.2	0.09	72	2.3	0.12	1.8	0.10
Liver	314	10.8	0.28	8.6	0.22	115	3.5	0.15	2.6	0.12
Gallbladder	18	0.7	0.08	0.5	0.05	33	1.0	0.08	0.7	0.06
Pancreas	398	14.8	0.34	10.7	0.24	363	11.0	0.26	7.9	0.20
Respiratory System	2,513	92.5	0.85	66.9	0.60	1,750	52.3	0.57	38.8	0.43
Larynx	205	7.2	0.23	5.6	0.18	52	1.6	0.10	1.3	0.08
Lung & bronchus	2,279	84.1	0.81	60.3	0.57	1,676	50.0	0.55	37.0	0.42
Bones & Joints	29	1.2	0.10	1.1	0.10	24	0.9	0.08	0.8	0.08
Soft Tissue (incl. heart)	105	4.3	0.19	3.4	0.15	88	3.1	0.15	2.6	0.14
Skin (excl. basal & sq.)	769	30.1	0.50	21.9	0.36	526	18.1	0.37	14.8	0.31
Melanomas of the skin	725	28.2	0.48	20.7	0.35	491	17.0	0.36	13.9	0.30
Breast (excl. <i>in situ</i>)	45	1.7	0.12	1.2	0.08	3,753	121.6	0.92	96.6	0.74
Female Genital System	-	-	-	-	-	1,359	44.9	0.56	36.4	0.47
Cervix uteri	-	-	-	-	-	239	9.4	0.28	8.2	0.25
Uterus Corpus	-	-	-	-	-	606	18.8	0.35	15.2	0.29
Uterus, NOS ¹	-	-	-	-	-	34	1.1	0.09	0.9	0.07
Ovary	-	-	-	-	-	353	11.5	0.28	9.0	0.23
Male Genital System	3,611	126.5	0.97	97.9	0.74	-	-	-	-	-
Prostate	3,486	121.0	0.94	92.7	0.71	-	-	-	-	-
Testis	95	4.3	0.20	4.3	0.20	-	-	-	-	-
Penis	25	1.0	0.09	0.7	0.06	-	-	-	-	-
Urinary System	1,502	57.6	0.69	41.3	0.49	663	20.8	0.37	15.8	0.29
Bladder (incl. <i>in situ</i>)	835	32.7	0.52	21.9	0.34	247	7.5	0.22	5.2	0.16
Kidney & renal pelvis	640	23.9	0.44	18.7	0.34	399	12.8	0.30	10.2	0.24
Ureter	19	0.8	0.08	0.5	0.05	13	0.4	0.05	0.3	0.04
Eye & Orbit	28	1.1	0.10	0.9	0.08	20	0.7	0.07	0.5	0.06
Brain & Other CNS ¹	184	7.2	0.24	6.1	0.21	157	5.5	0.20	4.8	0.19
Brain	177	6.9	0.24	5.9	0.21	145	5.0	0.19	4.3	0.18
Endocrine System	152	5.9	0.22	5.1	0.19	399	14.9	0.34	13.4	0.32
Thyroid gland	129	5.0	0.21	4.3	0.17	377	14.1	0.34	12.6	0.31
Lymphomas	574	22.5	0.43	17.3	0.34	480	15.5	0.33	12.0	0.27
Hodgkin Lymphoma	65	2.7	0.15	2.6	0.15	54	2.1	0.13	2.1	0.13
Non-Hodgkin Lymphoma	510	19.8	0.40	14.7	0.30	425	13.4	0.30	9.9	0.23
Multiple Myeloma	225	8.5	0.26	6.1	0.19	200	6.1	0.20	4.5	0.15
Leukemias	394	15.6	0.36	12.0	0.28	295	9.7	0.26	7.8	0.23
Acute lymphocytic	36	1.6	0.12	1.7	0.13	27	1.1	0.10	1.3	0.12
Chronic lymphocytic	138	5.3	0.21	3.7	0.14	91	2.7	0.13	1.9	0.09
Acute myeloid	112	4.5	0.20	3.3	0.15	95	3.2	0.15	2.5	0.13
Chronic myeloid	52	2.0	0.13	1.6	0.10	41	1.4	0.10	1.1	0.09
Other leukemias	56	2.3	0.14	1.6	0.10	42	1.3	0.10	1.0	0.07
Mesothelioma	29	1.2	0.10	0.8	0.06	8	0.3	0.04	0.2	0.03
Kaposi Sarcoma	10	0.4	0.06	0.4	0.06	-	-	-	-	-
Ill-defined & Unknown	492	19.3	0.40	13.8	0.29	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	155	6.1	0.22	4.9	0.19	302	10.1	0.27	8.2	0.23
Breast (<i>in situ</i>)	5	0.2	0.04	0.1	0.03	746	24.3	0.41	19.7	0.34

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alabama, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	10,533	501.9	2.25	374.9	1.70	9,485	407.8	1.95	319.3	1.60
Oral Cavity & Pharynx	466	21.8	0.46	17.1	0.37	180	7.6	0.26	6.0	0.22
Lip	34	1.7	0.13	1.1	0.09	21	0.8	0.08	0.6	0.06
Tongue	138	6.4	0.25	5.2	0.20	48	2.1	0.14	1.7	0.12
Major salivary gland	46	2.3	0.15	1.6	0.11	25	1.1	0.10	0.9	0.09
Floor of mouth	20	0.9	0.09	0.7	0.07	10	0.4	0.06	0.3	0.04
Gum & other mouth	46	2.2	0.15	1.6	0.11	33	1.3	0.11	1.0	0.09
Nasopharynx	17	0.9	0.10	0.7	0.08	4	0.1	0.04	0.1	0.03
Oropharynx	26	1.2	0.10	1.0	0.09	7	0.3	0.05	0.2	0.04
Hypopharynx	23	1.0	0.10	0.8	0.08	5	0.2	0.04	0.2	0.03
Digestive System	2,026	96.8	0.99	72.2	0.74	1,535	63.5	0.75	47.2	0.59
Esophagus	175	8.1	0.28	6.2	0.21	37	1.4	0.11	1.1	0.08
Stomach	154	7.5	0.28	5.3	0.20	99	4.1	0.19	3.0	0.15
Small intestine	52	2.6	0.16	1.9	0.13	48	2.0	0.14	1.6	0.11
Colon excl. rectum	709	34.5	0.60	25.4	0.44	659	27.4	0.49	20.2	0.39
Rectum & rectosigmoid	287	13.7	0.37	10.8	0.29	193	8.4	0.28	6.5	0.23
Anus, anal canal & anorectum	28	1.4	0.12	1.1	0.09	62	2.6	0.16	2.1	0.13
Liver	226	10.2	0.31	8.0	0.24	83	3.4	0.17	2.5	0.14
Gallbladder	13	0.7	0.08	0.5	0.06	21	0.8	0.09	0.6	0.06
Pancreas	306	14.4	0.38	10.4	0.27	254	10.1	0.29	7.2	0.22
Respiratory System	1,967	92.0	0.95	66.2	0.68	1,442	56.5	0.68	42.1	0.52
Larynx	145	6.6	0.25	5.1	0.20	42	1.8	0.12	1.4	0.11
Lung & bronchus	1,798	84.2	0.91	60.0	0.64	1,382	54.1	0.66	40.1	0.50
Bones & Joints	21	1.2	0.12	1.0	0.11	16	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	83	4.4	0.22	3.4	0.18	62	3.0	0.18	2.5	0.16
Skin (excl. basal & sq.)	755	37.5	0.63	27.7	0.47	506	24.1	0.50	19.9	0.44
Melanomas of the skin	716	35.5	0.61	26.4	0.46	480	23.0	0.49	19.2	0.43
Breast (excl. <i>in situ</i>)	34	1.7	0.13	1.2	0.09	2,747	119.0	1.06	94.1	0.86
Female Genital System	-	-	-	-	-	988	44.5	0.66	36.1	0.56
Cervix uteri	-	-	-	-	-	160	9.1	0.33	8.0	0.30
Uterus Corpus	-	-	-	-	-	440	18.6	0.41	15.1	0.34
Uterus, NOS ¹	-	-	-	-	-	17	0.8	0.09	0.6	0.07
Ovary	-	-	-	-	-	272	11.9	0.33	9.2	0.27
Male Genital System	2,311	104.1	0.99	80.3	0.77	-	-	-	-	-
Prostate	2,204	97.5	0.95	73.9	0.71	-	-	-	-	-
Testis	83	5.4	0.27	5.5	0.27	-	-	-	-	-
Penis	21	1.0	0.11	0.7	0.08	-	-	-	-	-
Urinary System	1,241	60.4	0.79	43.1	0.56	508	21.3	0.44	16.3	0.35
Bladder (incl. <i>in situ</i>)	729	35.6	0.60	23.9	0.40	198	7.8	0.25	5.5	0.19
Kidney & renal pelvis	488	23.6	0.49	18.4	0.39	297	12.9	0.35	10.4	0.29
Ureter	18	0.9	0.09	0.6	0.06	11	0.4	0.06	0.3	0.04
Eye & Orbit	26	1.3	0.12	1.0	0.10	18	0.8	0.09	0.7	0.08
Brain & Other CNS ¹	150	7.7	0.29	6.5	0.26	127	6.0	0.25	5.3	0.24
Brain	145	7.4	0.29	6.3	0.25	119	5.6	0.24	4.8	0.23
Endocrine System	123	6.4	0.27	5.5	0.24	310	16.5	0.44	14.9	0.41
Thyroid gland	108	5.6	0.25	4.8	0.22	297	15.8	0.43	14.3	0.40
Lymphomas	456	22.8	0.49	17.3	0.39	374	16.0	0.38	12.2	0.32
Hodgkin Lymphoma	45	2.6	0.18	2.5	0.18	36	2.0	0.16	2.0	0.16
Non-Hodgkin Lymphoma	411	20.2	0.46	14.9	0.34	339	13.9	0.35	10.2	0.27
Multiple Myeloma	142	6.8	0.26	4.9	0.19	108	4.2	0.19	3.0	0.14
Leukemias	309	15.9	0.42	12.3	0.34	224	9.9	0.31	8.0	0.28
Acute lymphocytic	30	1.9	0.16	2.2	0.18	22	1.4	0.14	1.5	0.16
Chronic lymphocytic	102	4.9	0.22	3.4	0.15	68	2.6	0.15	1.8	0.10
Acute myeloid	96	4.9	0.23	3.6	0.18	75	3.4	0.18	2.7	0.16
Chronic myeloid	36	1.9	0.14	1.4	0.11	28	1.3	0.11	1.0	0.10
Other leukemias	45	2.3	0.16	1.6	0.12	30	1.3	0.11	0.9	0.09
Mesothelioma	26	1.3	0.12	0.9	0.08	7	0.3	0.05	0.2	0.04
Kaposi Sarcoma	5	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	393	19.6	0.45	13.9	0.33	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	123	6.3	0.26	5.1	0.22	224	10.2	0.32	8.3	0.27
Breast (<i>in situ</i>)	4	0.2	0.04	0.1	0.03	527	23.2	0.47	18.9	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alabama, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,025	541.5	4.72	413.7	3.40	2,817	384.3	3.32	300.3	2.59
Oral Cavity & Pharynx	82	13.8	0.72	11.1	0.55	38	5.1	0.38	4.0	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	20	3.2	0.34	2.6	0.26	8	1.2	0.19	0.9	0.15
Major salivary gland	7	1.1	0.21	1.0	0.17	9	1.1	0.17	0.9	0.15
Floor of mouth	5	0.9	0.19	0.7	0.14	2	0.2	0.08	0.2	0.06
Gum & other mouth	10	1.7	0.26	1.4	0.20	8	1.2	0.19	0.9	0.14
Nasopharynx	6	1.1	0.21	0.8	0.15	2	0.3	0.09	0.2	0.07
Oropharynx	6	1.0	0.19	0.8	0.14	2	0.2	0.08	0.2	0.07
Hypopharynx	8	1.4	0.22	1.1	0.17	1	0.2	0.06	0.1	0.05
Digestive System	643	117.6	2.22	88.6	1.58	590	81.0	1.53	60.0	1.13
Esophagus	46	7.8	0.55	6.1	0.41	16	2.1	0.24	1.6	0.18
Stomach	70	13.5	0.78	9.7	0.53	58	8.2	0.49	5.9	0.35
Small intestine	20	3.6	0.38	2.8	0.28	25	3.4	0.31	2.6	0.24
Colon excl. rectum	223	42.4	1.36	31.3	0.95	249	34.3	1.00	25.4	0.74
Rectum & rectosigmoid	83	15.0	0.78	11.6	0.58	69	9.3	0.52	7.3	0.40
Anus, anal canal & anorectum	10	1.9	0.28	1.6	0.22	10	1.3	0.19	1.0	0.14
Liver	80	12.3	0.65	10.3	0.52	27	3.5	0.31	2.7	0.24
Gallbladder	4	1.0	0.22	0.6	0.14	11	1.5	0.21	1.1	0.15
Pancreas	87	16.4	0.85	11.9	0.58	104	14.5	0.65	10.2	0.46
Respiratory System	522	95.5	2.01	70.8	1.40	290	39.2	1.06	29.0	0.77
Larynx	56	9.5	0.61	7.4	0.45	8	1.0	0.17	0.9	0.13
Lung & bronchus	461	85.0	1.90	62.6	1.32	277	37.4	1.04	27.6	0.75
Bones & Joints	8	1.4	0.24	1.3	0.21	8	1.0	0.17	0.9	0.15
Soft Tissue (incl. heart)	20	3.6	0.38	3.0	0.31	24	3.3	0.31	2.8	0.27
Skin (excl. basal & sq.)	-	-	-	-	-	13	1.9	0.24	1.4	0.18
Melanomas of the skin	6	1.2	0.23	0.9	0.17	8	1.2	0.19	0.8	0.13
Breast (excl. <i>in situ</i>)	10	2.1	0.31	1.5	0.20	934	126.1	1.90	101.6	1.52
Female Genital System	-	-	-	-	-	340	46.5	1.16	37.3	0.92
Cervix uteri	-	-	-	-	-	72	10.4	0.56	8.7	0.47
Uterus Corpus	-	-	-	-	-	154	20.2	0.75	16.0	0.59
Uterus, NOS ¹	-	-	-	-	-	16	2.2	0.25	1.7	0.19
Ovary	-	-	-	-	-	73	10.0	0.54	8.0	0.43
Male Genital System	1,104	188.8	2.72	146.6	1.99	-	-	-	-	-
Prostate	1,091	186.6	2.70	144.6	1.98	-	-	-	-	-
Testis	8	1.4	0.23	1.3	0.21	-	-	-	-	-
Penis	4	0.6	0.16	0.5	0.12	-	-	-	-	-
Urinary System	239	44.8	1.38	33.5	0.98	146	19.8	0.75	14.9	0.57
Bladder (incl. <i>in situ</i>)	91	18.7	0.94	12.9	0.61	45	6.3	0.43	4.2	0.29
Kidney & renal pelvis	147	25.7	1.01	20.4	0.76	97	13.0	0.61	10.3	0.48
Ureter	-	-	-	-	-	2	0.2	0.08	0.2	0.06
Eye & Orbit	2	0.4	0.11	0.4	0.11	-	-	-	-	-
Brain & Other CNS ¹	30	5.0	0.43	4.5	0.37	27	3.7	0.33	3.4	0.30
Brain	28	4.7	0.42	4.3	0.36	23	3.2	0.30	2.9	0.28
Endocrine System	23	4.0	0.39	3.4	0.32	76	10.5	0.55	9.4	0.49
Thyroid gland	16	2.9	0.34	2.4	0.26	67	9.3	0.52	8.2	0.46
Lymphomas	100	18.4	0.87	14.9	0.68	88	12.3	0.60	10.0	0.49
Hodgkin Lymphoma	17	3.0	0.33	2.8	0.30	16	2.4	0.27	2.2	0.25
Non-Hodgkin Lymphoma	83	15.4	0.80	12.1	0.60	72	9.9	0.53	7.8	0.42
Multiple Myeloma	79	15.1	0.82	10.9	0.56	88	12.2	0.60	9.0	0.44
Leukemias	60	11.3	0.69	8.8	0.51	52	7.2	0.46	5.8	0.38
Acute lymphocytic	5	0.9	0.19	0.9	0.17	4	0.6	0.13	0.6	0.15
Chronic lymphocytic	23	4.5	0.45	3.3	0.31	14	1.8	0.22	1.3	0.16
Acute myeloid	15	2.8	0.34	2.2	0.26	17	2.4	0.27	2.0	0.22
Chronic myeloid	9	1.6	0.24	1.3	0.20	9	1.3	0.20	1.1	0.17
Other leukemias	8	1.5	0.26	1.1	0.18	-	-	-	-	-
Mesothelioma	3	0.6	0.16	0.4	0.11	1	0.2	0.08	0.1	0.05
Kaposi Sarcoma	4	0.8	0.17	0.7	0.16	-	-	-	-	-
Ill-defined & Unknown	85	16.5	0.86	12.0	0.59	102	14.2	0.64	10.3	0.47
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	30	5.4	0.47	4.4	0.37	74	10.4	0.55	8.3	0.44
Breast (<i>in situ</i>)	-	-	-	-	-	199	26.9	0.88	21.7	0.70

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alabama, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	67	300.2	18.69	213.1	11.97	89	266.8	13.50	199.2	9.49
Oral Cavity & Pharynx	3	9.4	2.94	7.5	2.14	1	3.6	1.58	2.7	1.12
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	22	89.0	9.67	65.4	6.45	21	67.1	6.95	48.1	4.68
Esophagus	1	6.4	2.99	4.0	1.66	-	-	-	-	-
Stomach	4	13.5	3.43	10.4	2.51	4	11.9	2.82	8.9	1.99
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	18.6	4.17	14.5	3.02	7	21.8	3.91	16.1	2.70
Rectum & rectosigmoid	3	9.8	3.08	7.5	2.15	2	6.5	1.95	5.3	1.54
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	21.9	4.58	16.8	3.23	3	11.0	3.02	7.2	1.87
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	10.0	3.62	6.6	2.10	3	11.3	3.06	7.1	1.79
Respiratory System	10	53.2	8.27	35.8	5.08	9	30.7	5.00	20.0	3.08
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	51.8	8.21	34.6	5.00	8	29.7	4.90	19.5	3.03
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	26	70.6	6.62	54.6	4.85
Female Genital System	-	-	-	-	-	10	27.2	4.12	21.4	3.08
Cervix uteri	-	-	-	-	-	2	5.7	1.66	5.0	1.46
Uterus Corpus	-	-	-	-	-	2	6.3	1.90	5.2	1.52
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	4	12.2	2.91	9.1	2.04
Male Genital System	15	68.5	8.75	49.5	5.79	-	-	-	-	-
Prostate	14	66.8	8.70	47.6	5.72	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	21.9	5.53	14.2	3.21	3	10.5	2.68	7.9	1.93
Bladder (incl. <i>in situ</i>)	3	17.6	5.28	10.4	2.86	1	4.0	1.73	2.7	1.12
Kidney & renal pelvis	1	4.3	1.64	3.8	1.46	2	5.9	1.93	4.7	1.50
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	5.7	2.04	5.2	1.76	2	4.9	1.77	4.3	1.44
Brain	2	5.1	1.96	4.7	1.68	2	4.4	1.70	3.8	1.38
Endocrine System	1	4.1	1.64	3.6	1.37	6	15.0	2.68	13.7	2.42
Thyroid gland	1	4.1	1.64	3.6	1.37	6	15.0	2.68	13.7	2.42
Lymphomas	2	11.8	3.95	7.8	2.33	3	9.1	2.39	7.4	1.85
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	11.8	3.95	7.8	2.33	3	8.3	2.32	6.4	1.73
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	7.7	3.18	5.4	1.97	3	9.8	2.90	6.7	1.86
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	1	4.5	1.80	3.4	1.30
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	13.4	4.22	9.0	2.51	3	8.8	2.61	6.1	1.70
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1	3.3	1.34	3.1	1.28	2	6.3	2.02	4.9	1.49
Breast (<i>in situ</i>)	-	-	-	-	-	9	22.5	3.55	18.4	2.82

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alabama, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10	216.5	33.32	174.0	25.70	7	166.1	30.15	130.8	22.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	67.7	18.49	56.3	14.86	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	39.5	14.13	30.7	10.33	1	28.2	10.91	21.5	8.19
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	39.5	14.13	30.7	10.33	1	28.2	10.91	21.5	8.19
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	2	60.1	18.98	48.8	14.64
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	41.1	14.71	31.1	10.49	-	-	-	-	-
Prostate	2	37.6	14.29	27.8	9.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alabama, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	112	239.3	11.93	180.2	8.21	113	223.1	10.36	177.9	7.81
Oral Cavity & Pharynx	4	8.6	2.12	6.7	1.56	2	2.7	1.06	2.5	0.90
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	4.8	1.68	3.5	1.14	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	55.7	5.60	43.1	4.01	17	37.6	4.43	28.8	3.22
Esophagus	2	3.7	1.32	3.1	1.04	-	-	-	-	-
Stomach	4	6.4	1.61	5.5	1.29	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	18.7	3.50	13.4	2.34	8	19.2	3.35	13.9	2.30
Rectum & rectosigmoid	4	8.2	2.07	6.6	1.54	4	7.1	1.64	5.9	1.35
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	8.1	2.01	6.8	1.56	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	6.5	2.03	4.7	1.36	2	3.4	1.11	3.1	1.02
Respiratory System	9	22.4	3.86	16.0	2.55	8	21.9	3.56	15.7	2.48
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	21.3	3.82	14.9	2.49	8	21.6	3.55	15.5	2.47
Bones & Joints	1	1.0	0.41	1.1	0.44	-	-	-	-	-
Soft Tissue (incl. heart)	2	2.5	1.13	1.9	0.76	1	1.5	0.65	1.6	0.64
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	3	9.1	2.58	6.0	1.60	3	5.2	1.60	4.1	1.19
Breast (excl. <i>in situ</i>)	-	-	-	-	-	31	57.4	4.88	48.4	4.01
Female Genital System	-	-	-	-	-	20	36.0	4.02	29.5	3.12
Cervix uteri	-	-	-	-	-	6	8.1	1.51	7.4	1.37
Uterus Corpus	-	-	-	-	-	8	16.3	2.89	12.8	2.16
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	4	7.0	1.79	5.7	1.38
Male Genital System	29	63.3	5.91	50.1	4.38	-	-	-	-	-
Prostate	25	59.6	5.85	46.4	4.30	-	-	-	-	-
Testis	3	2.5	0.70	2.6	0.69	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	25.6	4.09	17.8	2.65	5	11.1	2.43	8.0	1.70
Bladder (incl. <i>in situ</i>)	4	13.6	3.28	8.4	1.93	-	-	-	-	-
Kidney & renal pelvis	6	12.0	2.44	9.4	1.81	4	9.3	2.23	7.0	1.61
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	1.7	0.61	1.7	0.61	3	3.9	1.29	3.5	1.06
Brain	2	1.4	0.56	1.6	0.58	2	3.8	1.27	3.3	1.04
Endocrine System	3	3.0	0.91	2.8	0.85	6	9.3	1.80	8.4	1.59
Thyroid gland	2	2.9	0.90	2.7	0.83	6	9.3	1.80	8.4	1.59
Lymphomas	8	12.6	2.53	10.1	1.79	7	16.2	2.98	12.2	2.10
Hodgkin Lymphoma	2	1.4	0.48	1.5	0.49	2	2.9	1.17	2.4	0.90
Non-Hodgkin Lymphoma	6	11.2	2.49	8.6	1.72	6	13.3	2.75	9.8	1.89
Multiple Myeloma	2	7.0	2.23	4.6	1.39	2	4.7	1.64	3.5	1.17
Leukemias	7	12.8	2.89	9.2	1.75	4	7.4	1.96	5.8	1.32
Acute lymphocytic	3	2.3	0.63	2.5	0.67	2	1.3	0.46	1.6	0.56
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	2	3.1	1.33	2.3	0.81	1	2.9	1.36	1.8	0.78
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	12.4	3.12	7.7	1.78	3	7.3	2.12	5.1	1.34
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	3.6	1.28	3.1	0.94	3	6.3	1.70	5.1	1.30
Breast (<i>in situ</i>)	-	-	-	-	-	7	13.4	2.45	11.4	2.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ALABAMA

6 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alabama, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,450	508.2	2.29	380.1	1.74	9,398	412.5	1.99	323.5	1.65
Oral Cavity & Pharynx	462	22.1	0.47	17.4	0.37	178	7.7	0.27	6.1	0.22
Lip	34	1.7	0.13	1.1	0.09	20	0.8	0.08	0.6	0.06
Tongue	137	6.5	0.26	5.2	0.21	47	2.1	0.15	1.7	0.12
Major salivary gland	46	2.3	0.16	1.6	0.11	25	1.1	0.11	0.9	0.09
Floor of mouth	20	0.9	0.09	0.7	0.08	10	0.4	0.06	0.3	0.05
Gum & other mouth	46	2.2	0.15	1.6	0.11	33	1.4	0.11	1.0	0.09
Nasopharynx	16	0.9	0.10	0.7	0.09	4	0.1	0.03	0.1	0.03
Oropharynx	26	1.2	0.11	1.0	0.09	7	0.3	0.05	0.2	0.04
Hypopharynx	23	1.1	0.10	0.8	0.08	5	0.2	0.04	0.2	0.03
Digestive System	2,006	97.8	1.01	73.1	0.75	1,521	64.0	0.76	47.6	0.60
Esophagus	173	8.2	0.29	6.2	0.22	36	1.4	0.11	1.1	0.08
Stomach	152	7.4	0.28	5.3	0.20	98	4.1	0.19	3.0	0.15
Small intestine	52	2.6	0.17	2.0	0.13	48	2.1	0.14	1.6	0.11
Colon excl. rectum	704	35.0	0.61	25.8	0.45	652	27.7	0.50	20.4	0.39
Rectum & rectosigmoid	284	14.0	0.38	10.9	0.30	190	8.4	0.28	6.6	0.23
Anus, anal canal & anorectum	28	1.4	0.12	1.1	0.10	62	2.7	0.16	2.1	0.13
Liver	223	10.2	0.31	8.0	0.25	83	3.4	0.17	2.6	0.14
Gallbladder	13	0.7	0.09	0.5	0.06	21	0.9	0.09	0.6	0.07
Pancreas	304	14.6	0.38	10.5	0.28	252	10.2	0.29	7.2	0.22
Respiratory System	1,959	93.2	0.96	67.1	0.69	1,434	57.1	0.69	42.6	0.53
Larynx	145	6.7	0.26	5.2	0.20	42	1.8	0.13	1.5	0.11
Lung & bronchus	1,791	85.2	0.92	60.8	0.65	1,375	54.6	0.67	40.5	0.51
Bones & Joints	20	1.1	0.12	1.0	0.11	16	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	82	4.5	0.23	3.5	0.19	61	3.0	0.18	2.5	0.17
Skin (excl. basal & sq.)	752	38.3	0.65	28.3	0.49	504	24.8	0.52	20.5	0.45
Melanomas of the skin	713	36.2	0.63	27.0	0.48	478	23.6	0.51	19.7	0.45
Breast (excl. <i>in situ</i>)	34	1.7	0.13	1.2	0.10	2,725	120.5	1.08	95.3	0.88
Female Genital System	-	-	-	-	-	974	44.8	0.68	36.4	0.57
Cervix uteri	-	-	-	-	-	156	9.1	0.34	8.1	0.31
Uterus Corpus	-	-	-	-	-	435	18.7	0.42	15.2	0.35
Uterus, NOS ¹	-	-	-	-	-	17	0.8	0.09	0.6	0.08
Ovary	-	-	-	-	-	269	12.0	0.34	9.3	0.28
Male Genital System	2,292	105.2	1.01	81.2	0.78	-	-	-	-	-
Prostate	2,188	98.4	0.96	74.7	0.72	-	-	-	-	-
Testis	81	5.6	0.28	5.7	0.29	-	-	-	-	-
Penis	20	1.0	0.10	0.7	0.07	-	-	-	-	-
Urinary System	1,233	61.1	0.80	43.7	0.58	505	21.6	0.45	16.5	0.36
Bladder (incl. <i>in situ</i>)	726	36.0	0.61	24.2	0.41	197	7.9	0.26	5.6	0.19
Kidney & renal pelvis	483	24.0	0.51	18.7	0.40	295	13.1	0.36	10.6	0.30
Ureter	18	0.9	0.10	0.6	0.06	11	0.4	0.06	0.3	0.04
Eye & Orbit	25	1.3	0.12	1.0	0.10	18	0.8	0.09	0.6	0.08
Brain & Other CNS ¹	148	8.0	0.30	6.8	0.28	125	6.1	0.26	5.4	0.25
Brain	144	7.7	0.30	6.5	0.27	117	5.7	0.25	4.9	0.24
Endocrine System	122	6.6	0.28	5.7	0.25	305	16.9	0.45	15.4	0.43
Thyroid gland	107	5.8	0.26	4.9	0.23	292	16.2	0.45	14.7	0.42
Lymphomas	451	23.1	0.50	17.6	0.40	369	16.0	0.39	12.3	0.32
Hodgkin Lymphoma	44	2.6	0.18	2.5	0.18	35	2.1	0.16	2.1	0.17
Non-Hodgkin Lymphoma	407	20.5	0.47	15.1	0.35	334	14.0	0.35	10.3	0.28
Multiple Myeloma	140	6.8	0.27	4.9	0.19	107	4.2	0.19	3.0	0.14
Leukemias	303	16.0	0.42	12.3	0.35	220	10.0	0.32	8.1	0.29
Acute lymphocytic	28	1.9	0.16	2.1	0.19	20	1.4	0.14	1.5	0.16
Chronic lymphocytic	101	5.0	0.23	3.5	0.16	68	2.7	0.15	1.8	0.10
Acute myeloid	94	4.9	0.23	3.6	0.18	74	3.4	0.19	2.8	0.16
Chronic myeloid	36	1.9	0.15	1.5	0.12	28	1.3	0.12	1.1	0.10
Other leukemias	44	2.3	0.16	1.7	0.12	30	1.3	0.11	0.9	0.09
Mesothelioma	26	1.3	0.12	0.9	0.08	7	0.3	0.05	0.2	0.04
Kaposi Sarcoma	5	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	389	19.8	0.46	14.2	0.34	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	121	6.4	0.27	5.2	0.23	221	10.3	0.33	8.5	0.28
Breast (<i>in situ</i>)	4	0.2	0.05	0.1	0.04	523	23.5	0.48	19.1	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alabama, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,021	544.6	4.74	416.3	3.43	2,813	386.3	3.35	301.9	2.61
Oral Cavity & Pharynx	82	13.9	0.73	11.2	0.56	38	5.1	0.38	4.1	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	20	3.2	0.34	2.6	0.27	8	1.2	0.19	0.9	0.15
Major salivary gland	7	1.1	0.21	1.0	0.17	9	1.1	0.18	1.0	0.15
Floor of mouth	5	0.9	0.19	0.7	0.14	2	0.2	0.08	0.2	0.06
Gum & other mouth	10	1.8	0.26	1.4	0.20	8	1.2	0.19	0.9	0.14
Nasopharynx	6	1.1	0.21	0.8	0.15	2	0.3	0.09	0.2	0.07
Oropharynx	6	1.0	0.19	0.8	0.15	2	0.2	0.08	0.2	0.07
Hypopharynx	8	1.4	0.22	1.1	0.17	1	0.2	0.07	0.1	0.05
Digestive System	642	118.2	2.24	89.0	1.59	589	81.4	1.54	60.3	1.14
Esophagus	46	7.9	0.56	6.1	0.41	16	2.1	0.24	1.6	0.18
Stomach	70	13.6	0.79	9.8	0.53	58	8.3	0.50	5.9	0.35
Small intestine	20	3.6	0.38	2.8	0.28	24	3.4	0.32	2.6	0.24
Colon excl. rectum	222	42.6	1.37	31.4	0.95	248	34.4	1.00	25.5	0.74
Rectum & rectosigmoid	83	15.0	0.78	11.6	0.58	69	9.4	0.52	7.4	0.41
Anus, anal canal & anorectum	10	2.0	0.28	1.6	0.22	10	1.3	0.19	1.0	0.14
Liver	80	12.4	0.66	10.3	0.52	27	3.5	0.31	2.7	0.24
Gallbladder	4	1.0	0.22	0.6	0.14	11	1.5	0.21	1.1	0.15
Pancreas	87	16.4	0.85	12.0	0.58	104	14.5	0.65	10.3	0.46
Respiratory System	522	96.1	2.02	71.2	1.41	289	39.4	1.06	29.2	0.78
Larynx	56	9.6	0.61	7.4	0.45	8	1.1	0.17	0.9	0.14
Lung & bronchus	461	85.5	1.91	63.0	1.33	276	37.6	1.04	27.8	0.76
Bones & Joints	8	1.4	0.24	1.3	0.21	8	1.1	0.17	0.9	0.15
Soft Tissue (incl. heart)	20	3.7	0.39	3.0	0.31	24	3.4	0.31	2.9	0.27
Skin (excl. basal & sq.)	9	1.8	0.28	1.4	0.21	13	1.9	0.24	1.5	0.18
Melanomas of the skin	6	1.2	0.23	0.9	0.17	8	1.2	0.19	0.8	0.13
Breast (excl. <i>in situ</i>)	10	2.1	0.31	1.5	0.21	932	126.7	1.91	102.1	1.53
Female Genital System	-	-	-	-	-	340	46.8	1.17	37.6	0.93
Cervix uteri	-	-	-	-	-	72	10.5	0.57	8.8	0.48
Uterus Corpus	-	-	-	-	-	154	20.3	0.75	16.1	0.59
Uterus, NOS ¹	-	-	-	-	-	16	2.2	0.25	1.7	0.19
Ovary	-	-	-	-	-	73	10.1	0.54	8.1	0.43
Male Genital System	1,103	189.8	2.73	147.4	2.01	-	-	-	-	-
Prostate	1,090	187.5	2.71	145.4	1.99	-	-	-	-	-
Testis	8	1.4	0.24	1.4	0.22	-	-	-	-	-
Penis	4	0.6	0.16	0.5	0.12	-	-	-	-	-
Urinary System	239	45.0	1.39	33.7	0.99	146	19.9	0.76	15.0	0.57
Bladder (incl. <i>in situ</i>)	91	18.8	0.95	12.9	0.61	45	6.3	0.43	4.2	0.29
Kidney & renal pelvis	146	25.9	1.01	20.5	0.77	97	13.1	0.61	10.4	0.48
Ureter	-	-	-	-	-	2	0.2	0.08	0.2	0.06
Eye & Orbit	2	0.4	0.12	0.4	0.11	-	-	-	-	-
Brain & Other CNS ¹	30	5.1	0.43	4.5	0.38	27	3.7	0.33	3.4	0.31
Brain	28	4.8	0.42	4.3	0.37	23	3.2	0.30	2.9	0.28
Endocrine System	23	4.1	0.40	3.5	0.33	76	10.6	0.56	9.4	0.50
Thyroid gland	16	2.9	0.34	2.4	0.27	67	9.4	0.53	8.2	0.46
Lymphomas	100	18.5	0.88	15.1	0.68	88	12.3	0.60	10.0	0.49
Hodgkin Lymphoma	17	3.0	0.34	2.8	0.31	16	2.4	0.27	2.3	0.25
Non-Hodgkin Lymphoma	83	15.5	0.81	12.2	0.61	72	9.9	0.54	7.8	0.42
Multiple Myeloma	79	15.2	0.82	11.0	0.56	88	12.3	0.60	9.1	0.44
Leukemias	60	11.4	0.70	8.8	0.52	52	7.2	0.46	5.9	0.38
Acute lymphocytic	5	0.9	0.19	0.9	0.18	4	0.6	0.13	0.7	0.15
Chronic lymphocytic	23	4.6	0.45	3.3	0.31	14	1.8	0.22	1.3	0.16
Acute myeloid	15	2.8	0.34	2.2	0.26	17	2.4	0.27	2.0	0.22
Chronic myeloid	9	1.6	0.24	1.3	0.20	9	1.3	0.20	1.1	0.17
Other leukemias	8	1.5	0.26	1.1	0.18	8	1.1	0.18	0.8	0.14
Mesothelioma	3	0.6	0.16	0.4	0.11	1	0.2	0.08	0.1	0.05
Kaposi Sarcoma	4	0.8	0.17	0.7	0.16	-	-	-	-	-
Ill-defined & Unknown	85	16.6	0.87	12.1	0.59	102	14.3	0.65	10.4	0.47
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	30	5.4	0.47	4.4	0.37	74	10.5	0.56	8.4	0.45
Breast (<i>in situ</i>)	-	-	-	-	-	198	27.0	0.88	21.8	0.70

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

ALABAMA

8 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alaska, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,484	437.2	5.64	320.2	3.81	1,380	403.2	5.11	312.0	3.83
Oral Cavity & Pharynx	61	15.0	0.93	12.2	0.71	21	5.9	0.62	4.5	0.45
Lip	2	0.6	0.22	0.5	0.15	-	-	-	-	-
Tongue	18	4.3	0.48	3.6	0.38	6	1.7	0.33	1.3	0.25
Major salivary gland	2	0.7	0.24	0.5	0.16	3	0.9	0.24	0.6	0.18
Floor of mouth	-	-	-	-	-	2	0.5	0.18	0.4	0.14
Gum & other mouth	6	1.6	0.35	1.2	0.22	3	1.0	0.25	0.7	0.17
Nasopharynx	6	1.3	0.27	1.1	0.22	2	0.6	0.21	0.5	0.15
Oropharynx	4	0.9	0.20	0.8	0.18	-	-	-	-	-
Hypopharynx	5	1.3	0.29	1.0	0.21	-	-	-	-	-
Digestive System	343	99.9	2.68	73.0	1.80	248	74.3	2.23	54.6	1.58
Esophagus	30	8.8	0.82	6.3	0.53	10	2.9	0.44	2.1	0.30
Stomach	35	10.8	0.89	7.7	0.59	18	5.3	0.59	4.0	0.43
Small intestine	8	2.4	0.42	1.8	0.29	7	1.9	0.34	1.5	0.26
Colon excl. rectum	99	29.3	1.47	21.1	0.97	94	29.2	1.42	21.0	0.99
Rectum & rectosigmoid	57	15.8	1.02	12.1	0.73	39	11.5	0.86	8.9	0.64
Anus, anal canal & anorectum	6	1.8	0.38	1.3	0.25	8	2.1	0.35	1.7	0.28
Liver	45	11.4	0.84	9.0	0.61	17	4.8	0.55	3.7	0.41
Gallbladder	3	1.1	0.34	0.7	0.18	4	0.9	0.23	0.8	0.18
Pancreas	45	13.9	1.03	9.8	0.66	39	11.5	0.88	8.2	0.60
Respiratory System	222	70.5	2.36	48.1	1.48	160	49.3	1.84	34.6	1.24
Larynx	16	4.3	0.53	3.2	0.37	3	0.9	0.24	0.7	0.17
Lung & bronchus	202	64.8	2.28	43.9	1.42	155	47.6	1.81	33.5	1.22
Bones & Joints	4	1.0	0.27	0.9	0.22	3	0.8	0.23	0.7	0.20
Soft Tissue (incl. heart)	16	4.4	0.54	3.6	0.42	9	2.3	0.36	2.0	0.32
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	54	16.7	1.12	12.2	0.76	43	12.3	0.88	10.3	0.72
Breast (excl. <i>in situ</i>)	4	1.0	0.26	0.8	0.18	421	120.1	2.75	94.9	2.11
Female Genital System	-	-	-	-	-	170	46.6	1.68	38.0	1.33
Cervix uteri	-	-	-	-	-	24	7.2	0.68	6.1	0.57
Uterus Corpus	-	-	-	-	-	89	23.3	1.16	19.1	0.92
Uterus, NOS ¹	-	-	-	-	-	3	0.9	0.24	0.6	0.16
Ovary	-	-	-	-	-	35	9.9	0.79	8.0	0.62
Male Genital System	331	90.5	2.47	68.3	1.72	-	-	-	-	-
Prostate	303	83.4	2.39	61.4	1.61	-	-	-	-	-
Testis	25	6.0	0.56	6.1	0.56	-	-	-	-	-
Penis	2	0.7	0.25	0.5	0.15	-	-	-	-	-
Urinary System	186	58.3	2.13	40.9	1.37	77	22.8	1.23	17.0	0.88
Bladder (incl. <i>in situ</i>)	101	34.4	1.71	22.6	1.03	29	8.8	0.78	6.1	0.52
Kidney & renal pelvis	82	22.6	1.22	17.6	0.89	47	13.7	0.94	10.6	0.71
Ureter	2	1.0	0.34	0.6	0.17	-	-	-	-	-
Eye & Orbit	2	0.4	0.14	0.3	0.12	4	1.3	0.28	1.0	0.23
Brain & Other CNS ¹	27	7.0	0.64	6.4	0.56	19	5.6	0.59	4.7	0.50
Brain	26	6.8	0.63	6.2	0.55	18	5.2	0.57	4.5	0.48
Endocrine System	27	7.0	0.63	6.1	0.53	71	20.1	1.11	18.4	1.00
Thyroid gland	24	6.3	0.60	5.3	0.49	67	19.2	1.08	17.5	0.97
Lymphomas	77	23.0	1.29	17.4	0.91	52	15.0	0.99	11.8	0.75
Hodgkin Lymphoma	8	2.0	0.33	1.9	0.32	6	1.6	0.31	1.5	0.29
Non-Hodgkin Lymphoma	69	21.0	1.25	15.4	0.85	46	13.5	0.94	10.3	0.70
Multiple Myeloma	20	5.8	0.65	4.2	0.43	13	4.0	0.52	2.9	0.37
Leukemias	48	14.2	1.00	11.3	0.74	28	9.1	0.79	7.0	0.61
Acute lymphocytic	5	1.2	0.26	1.4	0.30	5	1.3	0.27	1.5	0.31
Chronic lymphocytic	14	4.2	0.56	3.0	0.37	6	1.9	0.37	1.3	0.24
Acute myeloid	15	4.4	0.55	3.4	0.41	10	3.3	0.48	2.4	0.35
Chronic myeloid	7	2.1	0.40	1.7	0.28	4	1.4	0.32	1.1	0.24
Other leukemias	-	-	-	-	-	3	1.1	0.29	0.7	0.18
Mesothelioma	5	2.0	0.43	1.2	0.25	2	0.5	0.19	0.4	0.13
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	54	18.6	1.26	12.3	0.76	36	11.8	0.92	8.0	0.61
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	31	9.3	0.83	7.1	0.58	54	16.3	1.04	12.6	0.78
Breast (<i>in situ</i>)	-	-	-	-	-	101	27.6	1.28	22.5	1.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alaska, 2013-2017, White

SITES	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,158	432.0	6.30	316.5	4.28	1,004	395.4	5.89	305.7	4.43
Oral Cavity & Pharynx	48	15.3	1.08	12.3	0.82	14	5.3	0.68	4.0	0.50
Lip	2	0.8	0.27	0.6	0.18	-	-	-	-	-
Tongue	16	4.8	0.57	4.0	0.45	5	1.9	0.41	1.4	0.29
Major salivary gland	2	0.9	0.30	0.6	0.20	2	0.8	0.27	0.6	0.21
Floor of mouth	-	-	-	-	-	1	0.4	0.15	0.3	0.14
Gum & other mouth	4	1.6	0.39	1.1	0.25	3	1.1	0.31	0.8	0.21
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	4	1.1	0.25	0.9	0.21	-	-	-	-	-
Hypopharynx	4	1.3	0.32	1.0	0.24	-	-	-	-	-
Digestive System	240	87.6	2.81	64.1	1.90	156	62.9	2.38	46.1	1.69
Esophagus	23	8.4	0.89	6.0	0.58	6	2.5	0.48	1.7	0.32
Stomach	19	7.6	0.86	5.3	0.55	9	3.5	0.55	2.7	0.41
Small intestine	7	2.9	0.52	2.1	0.37	6	2.3	0.44	1.8	0.33
Colon excl. rectum	67	25.4	1.55	18.2	1.02	59	24.7	1.52	17.9	1.07
Rectum & rectosigmoid	39	13.5	1.04	10.5	0.77	22	8.2	0.84	6.4	0.63
Anus, anal canal & anorectum	5	1.8	0.41	1.3	0.27	7	2.4	0.44	2.0	0.35
Liver	33	10.3	0.88	8.2	0.65	9	3.6	0.57	2.7	0.43
Gallbladder	2	1.1	0.38	0.6	0.19	2	0.8	0.27	0.6	0.19
Pancreas	34	13.0	1.12	9.1	0.72	28	11.1	0.99	7.9	0.67
Respiratory System	164	65.3	2.55	44.7	1.60	113	45.8	2.05	32.0	1.37
Larynx	12	3.6	0.51	2.9	0.38	2	0.9	0.27	0.7	0.20
Lung & bronchus	149	60.3	2.46	40.9	1.53	109	44.2	2.02	30.9	1.35
Bones & Joints	2	1.0	0.32	0.8	0.24	1	0.5	0.21	0.5	0.19
Soft Tissue (incl. heart)	12	4.7	0.65	3.8	0.50	7	2.5	0.44	2.2	0.39
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	51	20.4	1.39	14.9	0.96	38	15.4	1.16	12.8	0.95
Breast (excl. <i>in situ</i>)	4	1.3	0.33	1.0	0.23	317	122.5	3.25	96.1	2.47
Female Genital System	-	-	-	-	-	130	47.7	1.98	38.7	1.56
Cervix uteri	-	-	-	-	-	17	6.8	0.77	5.9	0.66
Uterus Corpus	-	-	-	-	-	68	23.8	1.36	19.1	1.05
Uterus, NOS ¹	-	-	-	-	-	3	0.9	0.28	0.7	0.20
Ovary	-	-	-	-	-	28	10.8	0.97	8.7	0.76
Male Genital System	276	94.0	2.80	71.5	1.97	-	-	-	-	-
Prostate	255	86.8	2.70	64.4	1.84	-	-	-	-	-
Testis	19	6.4	0.68	6.6	0.69	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	154	61.9	2.48	42.9	1.59	56	22.5	1.42	16.6	1.02
Bladder (incl. <i>in situ</i>)	89	38.5	2.03	25.2	1.22	24	9.4	0.91	6.7	0.63
Kidney & renal pelvis	63	22.2	1.37	17.1	0.99	32	12.9	1.08	9.8	0.80
Ureter	2	1.1	0.40	0.6	0.20	-	-	-	-	-
Eye & Orbit	2	0.5	0.18	0.4	0.16	4	1.4	0.35	1.2	0.29
Brain & Other CNS ¹	22	7.8	0.78	6.9	0.68	16	6.3	0.75	5.2	0.62
Brain	22	7.6	0.77	6.7	0.67	15	5.9	0.73	5.0	0.61
Endocrine System	21	6.9	0.72	6.0	0.61	49	19.5	1.28	18.1	1.18
Thyroid gland	19	6.2	0.67	5.3	0.56	47	18.3	1.24	17.0	1.14
Lymphomas	62	23.8	1.48	18.0	1.05	41	16.1	1.20	12.7	0.92
Hodgkin Lymphoma	6	2.2	0.41	2.2	0.40	4	1.7	0.40	1.6	0.39
Non-Hodgkin Lymphoma	56	21.6	1.43	15.8	0.97	-	-	-	-	-
Multiple Myeloma	14	5.3	0.69	3.9	0.47	10	4.2	0.63	3.1	0.44
Leukemias	36	13.7	1.11	10.7	0.83	23	10.2	0.99	7.7	0.75
Acute lymphocytic	3	1.1	0.30	1.2	0.34	2	1.0	0.30	1.1	0.35
Chronic lymphocytic	13	4.9	0.67	3.5	0.45	6	2.4	0.48	1.6	0.32
Acute myeloid	11	4.0	0.59	3.1	0.44	10	4.3	0.64	3.2	0.47
Chronic myeloid	5	2.0	0.44	1.5	0.31	4	1.7	0.41	1.3	0.30
Other leukemias	5	1.8	0.40	1.4	0.29	2	0.8	0.29	0.5	0.17
Mesothelioma	5	2.2	0.50	1.4	0.29	2	0.7	0.25	0.5	0.17
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	43	18.8	1.44	12.2	0.86	25	10.7	1.02	7.4	0.68
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	21	7.9	0.84	6.3	0.63	39	15.9	1.19	12.3	0.91
Breast (<i>in situ</i>)	-	-	-	-	-	80	28.6	1.51	23.6	1.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alaska, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	40	405.3	35.68	294.0	22.61	33	324.9	27.85	250.3	20.02
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	81.5	16.77	56.5	10.21	5	49.8	11.11	36.8	7.64
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	17.3	6.84	13.2	4.73	2	16.0	6.17	11.9	4.29
Rectum & rectosigmoid	1	19.5	9.01	12.3	5.16	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	17.7	6.94	13.5	4.84	-	-	-	-	-
Respiratory System	5	62.8	15.07	42.8	9.22	4	53.1	12.29	37.2	8.25
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	61.0	14.95	41.2	9.08	4	46.2	11.28	33.0	7.68
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	11	102.7	14.73	84.2	11.44
Female Genital System	-	-	-	-	-	2	21.3	6.60	17.8	5.24
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	17.4	6.21	14.0	4.75
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	138.5	20.26	102.7	12.88	-	-	-	-	-
Prostate	14	134.8	20.15	99.4	12.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	16.6	5.78	14.0	4.52	2	27.3	8.71	19.1	5.68
Bladder (incl. <i>in situ</i>)	1	12.6	5.40	10.0	4.05	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	2	21.3	7.90	14.4	4.93
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	6.7	2.79	6.2	2.54	-	-	-	-	-
Brain	1	6.7	2.79	6.2	2.54	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	17.3	5.78	15.1	4.64
Thyroid gland	-	-	-	-	-	2	16.4	5.71	14.0	4.52
Lymphomas	3	23.0	7.99	17.5	5.34	2	19.0	7.37	12.8	4.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	22.5	7.97	16.9	5.30	1	17.4	7.20	11.4	4.41
Multiple Myeloma	2	25.6	8.85	18.5	5.93	-	-	-	-	-
Leukemias	2	26.7	9.99	17.9	6.11	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	1	12.0	5.22	9.5	4.00
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	2	20.7	7.95	13.5	4.88
Breast (<i>in situ</i>)	-	-	-	-	-	2	23.5	7.85	17.5	5.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alaska, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	57	309.2	20.74	218.9	13.35	82	290.2	14.95	226.6	11.29
Oral Cavity & Pharynx	2	9.2	3.14	7.0	2.28	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	1	4.8	2.04	4.0	1.64	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	17	99.1	12.14	66.8	7.45	15	52.7	6.38	40.0	4.69
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	3	18.0	5.63	10.8	3.09	2	8.8	2.64	6.6	1.91
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	22.5	5.20	16.9	3.62	4	12.2	2.92	9.9	2.30
Rectum & rectosigmoid	3	17.4	4.92	12.2	3.04	3	8.8	2.44	7.4	1.98
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	23.0	5.99	15.0	3.58	1	6.2	2.39	4.1	1.57
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	3	10.8	3.02	7.7	2.10
Respiratory System	10	56.3	9.15	37.8	5.63	8	32.1	5.35	21.7	3.46
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	54.9	9.10	36.6	5.56	8	32.1	5.35	21.7	3.46
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	24	81.2	7.71	65.3	6.03
Female Genital System	-	-	-	-	-	14	45.8	5.64	39.0	4.69
Cervix uteri	-	-	-	-	-	2	5.5	2.01	4.6	1.65
Uterus Corpus	-	-	-	-	-	9	29.2	4.41	25.7	3.81
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	9.6	2.64	7.7	2.06
Male Genital System	10	54.6	8.46	40.1	5.73	-	-	-	-	-
Prostate	9	48.9	8.24	34.1	5.35	-	-	-	-	-
Testis	1	4.6	1.78	4.9	1.85	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	24.5	5.74	17.1	3.74	4	18.1	4.08	11.9	2.62
Bladder (incl. <i>in situ</i>)	1	9.0	3.76	5.7	2.21	2	7.6	2.73	4.4	1.56
Kidney & renal pelvis	3	13.7	3.95	10.4	2.84	2	8.7	2.74	6.3	1.90
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	1	3.8	1.56	3.6	1.50
Brain	-	-	-	-	-	1	3.8	1.56	3.6	1.50
Endocrine System	1	4.3	1.75	3.8	1.55	7	22.9	4.00	20.1	3.45
Thyroid gland	1	4.3	1.75	3.8	1.55	7	22.9	4.00	20.1	3.45
Lymphomas	5	25.8	6.08	18.6	3.86	2	5.3	1.92	4.7	1.67
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	5	24.7	6.03	17.3	3.75	1	4.2	1.76	3.3	1.38
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	10.9	3.65	8.9	2.64	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	15.9	4.79	11.3	3.11	4	17.0	3.89	11.2	2.46
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	11.1	3.44	9.3	2.63	3	12.0	3.27	8.4	2.19
Breast (<i>in situ</i>)	-	-	-	-	-	5	18.0	3.81	13.3	2.73

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alaska, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	221	514.9	17.15	379.1	11.59	257	513.4	14.96	398.8	11.24
Oral Cavity & Pharynx	10	18.1	2.66	15.5	2.21	6	11.7	2.24	9.1	1.68
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	3.6	1.27	2.9	0.98	1	2.5	0.97	2.1	0.81
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	3	6.0	1.49	5.3	1.29	2	3.7	1.31	2.8	0.95
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	78	178.8	9.90	133.1	6.84	71	148.9	8.22	109.6	5.85
Esophagus	6	14.7	2.86	10.9	1.96	3	6.4	1.63	4.9	1.19
Stomach	12	27.0	3.62	21.1	2.71	6	12.8	2.35	9.9	1.76
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	25	58.7	5.72	43.0	3.90	29	63.8	5.50	45.1	3.78
Rectum & rectosigmoid	13	28.8	3.97	21.8	2.76	15	30.7	3.73	23.3	2.76
Anus, anal canal & anorectum	-	-	-	-	-	1	1.9	0.79	1.7	0.70
Liver	7	14.3	2.47	11.9	1.97	6	10.4	2.01	8.4	1.58
Gallbladder	-	-	-	-	-	1	2.1	0.78	1.9	0.73
Pancreas	9	21.7	3.65	15.2	2.35	6	13.7	2.54	9.4	1.68
Respiratory System	42	111.5	8.40	75.7	5.28	35	74.3	5.84	53.7	4.07
Larynx	3	9.7	2.64	6.0	1.53	-	-	-	-	-
Lung & bronchus	38	99.4	7.89	67.9	4.99	35	73.0	5.78	52.6	4.02
Bones & Joints	-	-	-	-	-	1	2.4	1.01	2.1	0.88
Soft Tissue (incl. heart)	2	3.8	1.17	3.4	1.04	-	-	-	-	-
Skin (excl. basal & sq.)	3	6.2	1.83	4.8	1.35	3	5.4	1.40	4.9	1.23
Melanomas of the skin	2	4.8	1.67	3.5	1.18	3	5.4	1.40	4.9	1.23
Breast (excl. <i>in situ</i>)	-	-	-	-	-	68	132.4	7.46	106.8	5.85
Female Genital System	-	-	-	-	-	23	44.0	4.27	36.0	3.39
Cervix uteri	-	-	-	-	-	6	12.1	2.32	9.8	1.85
Uterus Corpus	-	-	-	-	-	9	16.7	2.55	14.0	2.08
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	4	7.0	1.60	6.0	1.36
Male Genital System	27	65.3	6.35	46.5	4.09	-	-	-	-	-
Prostate	22	56.2	6.00	38.4	3.74	-	-	-	-	-
Testis	4	5.6	1.32	5.9	1.36	-	-	-	-	-
Penis	1	3.5	1.60	2.2	0.92	-	-	-	-	-
Urinary System	25	56.8	5.65	42.4	3.88	14	26.7	3.35	21.4	2.59
Bladder (incl. <i>in situ</i>)	8	21.9	3.80	14.8	2.35	3	6.6	1.84	4.2	1.13
Kidney & renal pelvis	16	33.0	4.03	26.5	3.01	11	19.6	2.75	16.8	2.31
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	3	4.9	1.29	5.0	1.22	2	3.4	1.10	3.3	1.04
Brain	3	4.7	1.27	4.7	1.19	2	3.0	1.00	2.9	0.97
Endocrine System	4	8.6	1.99	7.4	1.59	12	21.9	2.96	19.5	2.56
Thyroid gland	4	7.7	1.93	6.3	1.49	11	21.4	2.94	18.9	2.53
Lymphomas	7	15.4	2.97	11.6	2.03	7	13.5	2.38	10.9	1.86
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	6.6	2.20	4.2	1.27	2	3.8	1.31	2.8	0.94
Leukemias	8	15.6	2.81	13.0	2.07	4	7.4	1.68	6.6	1.42
Acute lymphocytic	2	1.9	0.65	2.4	0.81	2	2.1	0.72	2.5	0.85
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	3	4.7	1.50	4.0	1.14	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	2	4.8	1.66	3.6	1.11	2	3.5	1.28	2.5	0.88
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	8	19.2	3.32	13.8	2.24	6	14.0	2.66	9.3	1.71
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	6	15.3	3.32	10.1	1.95	11	21.0	2.99	16.9	2.34
Breast (<i>in situ</i>)	-	-	-	-	-	14	28.8	3.51	23.2	2.77

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alaska, 2013-2017, Hispanic/Latino, All Races

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	36	345.1	32.14	250.3	20.38	43	335.6	26.42	254.7	18.20
Oral Cavity & Pharynx	-	-	-	-	-	1	7.5	3.09	6.7	2.75
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	91.2	14.42	70.9	10.36	6	51.6	11.17	36.0	7.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	16.8	6.22	12.7	4.34	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	17.7	5.95	14.4	4.59	2	15.8	4.96	13.6	4.16
Rectum & rectosigmoid	2	15.6	5.39	12.7	4.21	1	6.1	2.56	5.5	2.27
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	17.6	6.70	13.5	4.73	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	1	10.7	5.19	8.3	3.60	-	-	-	-	-
Respiratory System	4	46.4	12.13	33.5	7.61	3	23.4	7.31	17.5	5.04
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	42.6	11.75	30.7	7.29	2	19.8	6.37	15.5	4.61
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	16	123.0	16.24	91.6	10.94
Female Genital System	-	-	-	-	-	7	47.8	9.28	37.6	6.60
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	3	20.7	6.06	16.5	4.43
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	14.3	5.81	9.9	3.50
Male Genital System	7	60.6	13.41	45.4	8.54	-	-	-	-	-
Prostate	6	57.0	13.32	41.6	8.39	-	-	-	-	-
Testis	1	3.6	1.60	3.8	1.60	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	65.3	15.96	42.4	9.01	1	12.8	5.70	9.1	3.68
Bladder (incl. <i>in situ</i>)	2	31.4	11.85	19.8	6.22	-	-	-	-	-
Kidney & renal pelvis	3	33.9	10.69	22.5	6.51	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	3	17.4	4.70	15.0	3.87
Thyroid gland	-	-	-	-	-	3	14.9	3.92	13.2	3.42
Lymphomas	2	18.0	6.70	13.7	4.69	2	18.8	6.11	14.7	4.61
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	19.5	8.43	12.4	4.74	2	11.1	4.36	9.5	3.42
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	20.8	8.31	14.0	4.98	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	14.6	6.03	10.8	4.10	2	13.4	5.82	8.7	3.16
Breast (<i>in situ</i>)	-	-	-	-	-	2	19.4	6.42	15.1	4.53

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ALASKA

14 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alaska, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,127	434.9	6.42	318.8	4.38	966	396.8	6.03	307.1	4.56
Oral Cavity & Pharynx	47	15.6	1.11	12.6	0.84	13	5.2	0.69	3.9	0.50
Lip	2	0.8	0.28	0.6	0.19	-	-	-	-	-
Tongue	16	4.9	0.59	4.1	0.47	4	1.8	0.42	1.4	0.30
Major salivary gland	2	0.9	0.31	0.6	0.19	2	0.8	0.29	0.6	0.23
Floor of mouth	-	-	-	-	-	1	0.4	0.16	0.3	0.14
Gum & other mouth	4	1.6	0.40	1.1	0.25	3	1.1	0.31	0.8	0.21
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	4	1.1	0.26	1.0	0.22	-	-	-	-	-
Hypopharynx	4	1.3	0.33	1.1	0.26	-	-	-	-	-
Digestive System	230	87.0	2.85	63.5	1.92	152	63.5	2.44	46.7	1.74
Esophagus	22	8.5	0.91	6.1	0.59	6	2.6	0.50	1.8	0.34
Stomach	17	7.0	0.84	4.8	0.53	9	3.5	0.56	2.7	0.42
Small intestine	7	2.9	0.53	2.2	0.37	6	2.4	0.46	1.8	0.34
Colon excl. rectum	65	25.6	1.58	18.4	1.05	57	25.2	1.57	18.3	1.11
Rectum & rectosigmoid	37	13.4	1.06	10.4	0.78	21	8.3	0.86	6.4	0.64
Anus, anal canal & anorectum	4	1.6	0.40	1.2	0.26	7	2.4	0.45	2.0	0.35
Liver	32	10.1	0.88	8.0	0.65	8	3.3	0.54	2.6	0.43
Gallbladder	2	1.1	0.39	0.6	0.20	2	0.8	0.27	0.6	0.19
Pancreas	33	13.0	1.13	9.1	0.73	28	11.4	1.02	8.2	0.70
Respiratory System	160	65.7	2.59	45.0	1.63	110	46.5	2.10	32.5	1.41
Larynx	12	3.7	0.53	3.0	0.40	2	0.8	0.25	0.6	0.19
Lung & bronchus	146	60.8	2.51	41.1	1.56	106	45.0	2.07	31.5	1.38
Bones & Joints	2	1.1	0.33	0.8	0.25	1	0.6	0.22	0.5	0.21
Soft Tissue (incl. heart)	12	4.8	0.68	4.0	0.53	6	2.3	0.44	2.0	0.38
Skin (excl. basal & sq.)	54	22.7	1.50	16.5	1.03	41	17.3	1.27	14.2	1.03
Melanomas of the skin	51	21.1	1.44	15.5	1.00	38	16.1	1.22	13.5	1.01
Breast (excl. <i>in situ</i>)	4	1.4	0.34	1.0	0.24	303	121.8	3.30	95.6	2.53
Female Genital System	-	-	-	-	-	124	47.2	2.01	38.4	1.59
Cervix uteri	-	-	-	-	-	16	6.9	0.81	6.0	0.69
Uterus Corpus	-	-	-	-	-	66	23.7	1.38	19.1	1.07
Uterus, NOS ¹	-	-	-	-	-	2	0.9	0.28	0.7	0.19
Ovary	-	-	-	-	-	26	10.5	0.98	8.5	0.77
Male Genital System	270	95.2	2.86	72.4	2.02	-	-	-	-	-
Prostate	251	87.8	2.75	65.1	1.88	-	-	-	-	-
Testis	18	6.6	0.72	6.7	0.73	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	149	61.8	2.51	42.9	1.61	55	22.7	1.45	16.9	1.05
Bladder (incl. <i>in situ</i>)	87	38.7	2.06	25.3	1.24	23	9.5	0.94	6.8	0.65
Kidney & renal pelvis	60	21.9	1.38	16.9	1.01	31	13.0	1.10	9.9	0.82
Ureter	2	1.2	0.41	0.6	0.20	-	-	-	-	-
Eye & Orbit	2	0.5	0.19	0.5	0.17	4	1.5	0.36	1.3	0.31
Brain & Other CNS ¹	22	8.0	0.81	7.1	0.71	15	6.5	0.78	5.4	0.65
Brain	21	7.8	0.80	6.9	0.70	14	6.1	0.76	5.1	0.64
Endocrine System	20	7.2	0.75	6.3	0.64	47	19.8	1.33	18.5	1.25
Thyroid gland	18	6.4	0.70	5.5	0.59	45	18.7	1.29	17.4	1.20
Lymphomas	60	24.1	1.52	18.2	1.09	39	16.0	1.22	12.6	0.95
Hodgkin Lymphoma	6	2.4	0.44	2.4	0.43	4	1.7	0.41	1.6	0.40
Non-Hodgkin Lymphoma	54	21.7	1.46	15.9	1.00	35	14.3	1.15	11.0	0.86
Multiple Myeloma	14	5.3	0.70	3.9	0.47	10	4.3	0.65	3.1	0.45
Leukemias	35	13.7	1.13	10.8	0.86	21	10.0	1.01	7.5	0.76
Acute lymphocytic	2	1.1	0.31	1.2	0.36	2	0.8	0.28	0.9	0.33
Chronic lymphocytic	12	4.7	0.66	3.4	0.44	5	2.3	0.49	1.6	0.32
Acute myeloid	10	4.1	0.61	3.2	0.46	10	4.5	0.67	3.3	0.50
Chronic myeloid	5	2.1	0.46	1.6	0.33	3	1.7	0.42	1.3	0.31
Other leukemias	4	1.8	0.41	1.4	0.30	1	0.7	0.28	0.4	0.15
Mesothelioma	5	2.2	0.51	1.4	0.30	1	0.5	0.21	0.4	0.15
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	20	7.7	0.85	6.1	0.64	38	16.0	1.23	12.5	0.94
Breast (<i>in situ</i>)	-	-	-	-	-	78	29.3	1.57	24.2	1.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alaska, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	38	408.7	36.65	297.4	23.34	32	341.1	29.66	262.2	21.28
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	85.3	17.75	58.8	10.78	5	53.4	11.91	39.4	8.18
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	17.2	7.14	12.8	4.88	2	17.1	6.59	12.7	4.56
Rectum & rectosigmoid	1	20.8	9.68	13.1	5.53	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	18.8	7.36	14.4	5.14	-	-	-	-	-
Respiratory System	5	66.1	15.87	45.0	9.72	4	57.0	13.16	40.0	8.85
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	64.2	15.75	43.3	9.58	4	49.9	12.13	35.6	8.27
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	11	105.4	15.59	86.3	12.07
Female Genital System	-	-	-	-	-	2	21.1	6.86	17.7	5.45
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	16.9	6.41	13.6	4.88
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	14	137.0	20.28	102.5	13.09	-	-	-	-	-
Prostate	14	133.0	20.15	99.0	12.94	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	17.7	6.14	14.9	4.81	2	28.9	9.21	20.2	5.99
Bladder (incl. <i>in situ</i>)	1	13.3	5.71	10.5	4.28	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	2	22.6	8.36	15.2	5.21
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	7.2	3.00	6.7	2.74	-	-	-	-	-
Brain	1	7.2	3.00	6.7	2.74	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	17.5	6.07	15.1	4.85
Thyroid gland	-	-	-	-	-	2	16.5	5.99	13.9	4.69
Lymphomas	3	24.5	8.47	18.7	5.68	2	20.7	8.01	14.0	5.04
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	25.9	9.42	18.5	6.21	-	-	-	-	-
Leukemias	2	21.9	9.30	15.0	5.73	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	1	12.6	5.47	10.1	4.20
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	2	22.4	8.56	14.6	5.26
Breast (<i>in situ</i>)	-	-	-	-	-	2	23.8	8.27	17.5	5.67

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

ALASKA

16 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arizona, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,935	409.8	1.47	303.4	1.11	15,505	370.1	1.37	286.5	1.10
Oral Cavity & Pharynx	557	14.1	0.27	11.1	0.22	208	4.8	0.15	3.8	0.13
Lip	16	0.4	0.05	0.3	0.04	5	0.1	0.03	0.1	0.02
Tongue	202	5.0	0.16	4.1	0.13	71	1.6	0.09	1.3	0.07
Major salivary gland	57	1.5	0.09	1.1	0.07	35	0.9	0.07	0.7	0.06
Floor of mouth	22	0.5	0.05	0.4	0.04	9	0.2	0.03	0.2	0.02
Gum & other mouth	51	1.3	0.09	1.0	0.06	39	0.9	0.07	0.6	0.05
Nasopharynx	17	0.4	0.05	0.4	0.04	7	0.2	0.03	0.2	0.03
Oropharynx	26	0.6	0.06	0.5	0.05	8	0.2	0.03	0.1	0.02
Hypopharynx	23	0.6	0.05	0.4	0.04	7	0.2	0.03	0.1	0.02
Digestive System	3,249	83.6	0.67	62.0	0.50	2,424	55.8	0.52	40.4	0.39
Esophagus	287	7.2	0.19	5.2	0.14	74	1.7	0.09	1.2	0.07
Stomach	271	7.1	0.20	5.1	0.14	161	3.8	0.14	2.8	0.11
Small intestine	78	2.1	0.11	1.5	0.08	76	1.8	0.09	1.3	0.07
Colon excl. rectum	946	24.8	0.37	17.9	0.27	908	21.0	0.32	14.8	0.24
Rectum & rectosigmoid	475	12.5	0.26	9.7	0.20	300	7.2	0.19	5.6	0.15
Anus, anal canal & anorectum	37	1.0	0.07	0.7	0.06	77	1.7	0.09	1.4	0.07
Liver	447	11.0	0.24	8.9	0.19	159	3.6	0.13	2.7	0.10
Gallbladder	23	0.6	0.06	0.4	0.04	53	1.2	0.08	0.9	0.06
Pancreas	526	13.4	0.26	9.6	0.19	452	10.1	0.22	6.9	0.15
Respiratory System	2,211	56.0	0.54	38.9	0.38	2,005	44.3	0.45	31.0	0.32
Larynx	148	3.7	0.14	2.8	0.10	34	0.8	0.06	0.6	0.05
Lung & bronchus	2,021	51.2	0.52	35.3	0.36	1,948	43.0	0.44	30.0	0.31
Bones & Joints	44	1.2	0.08	1.1	0.08	28	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	141	3.8	0.15	3.1	0.12	94	2.4	0.11	2.0	0.10
Skin (excl. basal & sq.)	1,321	34.7	0.43	25.1	0.32	735	18.2	0.31	14.6	0.26
Melanomas of the skin	1,256	33.0	0.42	23.9	0.31	702	17.4	0.30	14.0	0.25
Breast (excl. <i>in situ</i>)	46	1.2	0.08	0.9	0.06	4,734	114.3	0.77	90.2	0.62
Female Genital System	-	-	-	-	-	1,772	43.3	0.48	35.3	0.40
Cervix uteri	-	-	-	-	-	224	6.5	0.20	5.7	0.18
Uterus Corpus	-	-	-	-	-	922	21.8	0.33	17.9	0.28
Uterus, NOS ¹	-	-	-	-	-	48	1.2	0.08	0.9	0.06
Ovary	-	-	-	-	-	435	10.5	0.23	8.4	0.19
Male Genital System	3,454	85.2	0.66	65.7	0.51	-	-	-	-	-
Prostate	3,249	79.1	0.63	59.7	0.48	-	-	-	-	-
Testis	174	5.3	0.18	5.4	0.18	-	-	-	-	-
Penis	24	0.6	0.06	0.4	0.04	-	-	-	-	-
Urinary System	2,085	54.2	0.54	38.2	0.39	821	19.1	0.31	14.2	0.24
Bladder (incl. <i>in situ</i>)	1,220	31.6	0.41	20.8	0.27	342	7.6	0.19	5.2	0.13
Kidney & renal pelvis	825	21.5	0.34	16.7	0.27	457	10.9	0.24	8.7	0.19
Ureter	27	0.7	0.06	0.5	0.04	16	0.4	0.04	0.2	0.03
Eye & Orbit	27	0.7	0.06	0.6	0.05	28	0.7	0.06	0.6	0.05
Brain & Other CNS ¹	259	7.0	0.20	6.0	0.18	199	4.9	0.16	4.3	0.15
Brain	244	6.6	0.19	5.6	0.17	183	4.5	0.15	3.8	0.14
Endocrine System	265	7.4	0.21	6.3	0.18	756	21.4	0.36	19.4	0.33
Thyroid gland	236	6.6	0.20	5.6	0.17	738	20.9	0.36	18.9	0.33
Lymphomas	784	20.9	0.34	15.9	0.27	620	14.8	0.27	11.4	0.22
Hodgkin Lymphoma	85	2.5	0.12	2.3	0.11	68	1.9	0.11	1.8	0.10
Non-Hodgkin Lymphoma	699	18.5	0.32	13.7	0.24	552	12.9	0.25	9.6	0.20
Multiple Myeloma	247	6.3	0.18	4.6	0.13	175	4.0	0.14	2.9	0.10
Leukemias	507	13.8	0.28	10.7	0.23	347	8.7	0.21	7.1	0.19
Acute lymphocytic	69	2.1	0.11	2.2	0.12	52	1.6	0.10	1.7	0.11
Chronic lymphocytic	134	3.5	0.14	2.4	0.09	80	1.8	0.09	1.2	0.06
Acute myeloid	169	4.6	0.16	3.4	0.12	120	2.9	0.12	2.3	0.10
Chronic myeloid	66	1.8	0.10	1.4	0.08	47	1.2	0.08	0.9	0.07
Other leukemias	68	1.9	0.10	1.3	0.08	48	1.2	0.08	0.9	0.07
Mesothelioma	55	1.5	0.09	0.9	0.06	15	0.3	0.04	0.2	0.03
Kaposi Sarcoma	12	0.4	0.05	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	671	17.6	0.31	11.9	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	271	7.5	0.21	6.0	0.17	550	13.6	0.27	10.9	0.22
Breast (<i>in situ</i>)	8	0.2	0.03	0.2	0.03	994	24.2	0.36	19.7	0.29

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arizona, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	14,661	413.6	1.56	306.6	1.19	14,157	377.2	1.47	292.5	1.20
Oral Cavity & Pharynx	524	14.7	0.29	11.6	0.24	191	4.9	0.17	3.9	0.13
Lip	15	0.4	0.05	0.3	0.04	5	0.1	0.03	0.1	0.02
Tongue	194	5.4	0.18	4.3	0.14	65	1.7	0.09	1.3	0.08
Major salivary gland	54	1.6	0.10	1.1	0.07	31	0.9	0.07	0.7	0.06
Floor of mouth	21	0.6	0.06	0.5	0.05	9	0.2	0.03	0.2	0.03
Gum & other mouth	47	1.3	0.09	1.0	0.07	36	0.9	0.07	0.6	0.05
Nasopharynx	13	0.4	0.05	0.3	0.04	6	0.2	0.03	0.1	0.03
Oropharynx	24	0.7	0.06	0.5	0.05	8	0.2	0.03	0.1	0.02
Hypopharynx	20	0.6	0.06	0.4	0.04	6	0.2	0.03	0.1	0.03
Digestive System	2,950	83.2	0.70	61.7	0.53	2,174	55.2	0.55	40.1	0.42
Esophagus	269	7.4	0.20	5.4	0.15	69	1.7	0.10	1.3	0.07
Stomach	236	6.8	0.20	4.9	0.15	135	3.5	0.14	2.6	0.11
Small intestine	71	2.0	0.11	1.5	0.08	69	1.8	0.10	1.3	0.08
Colon excl. rectum	873	25.1	0.39	18.1	0.29	826	21.1	0.34	14.9	0.25
Rectum & rectosigmoid	430	12.5	0.28	9.7	0.22	271	7.3	0.21	5.7	0.17
Anus, anal canal & anorectum	34	1.0	0.08	0.8	0.06	72	1.8	0.10	1.5	0.08
Liver	384	10.4	0.24	8.4	0.20	132	3.3	0.13	2.6	0.11
Gallbladder	19	0.5	0.05	0.4	0.04	43	1.1	0.07	0.8	0.06
Pancreas	489	13.5	0.28	9.7	0.20	410	10.0	0.22	6.9	0.16
Respiratory System	2,071	56.9	0.57	39.5	0.40	1,885	45.6	0.48	31.9	0.34
Larynx	136	3.7	0.14	2.8	0.11	32	0.8	0.07	0.6	0.05
Lung & bronchus	1,897	52.0	0.54	35.8	0.38	1,831	44.2	0.47	30.9	0.34
Bones & Joints	39	1.2	0.09	1.2	0.09	26	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	126	3.8	0.16	3.1	0.13	84	2.4	0.12	2.0	0.11
Skin (excl. basal & sq.)	1,262	36.4	0.47	26.4	0.35	694	19.4	0.34	15.7	0.29
Melanomas of the skin	1,199	34.6	0.46	25.2	0.34	664	18.6	0.34	15.1	0.29
Breast (excl. <i>in situ</i>)	44	1.2	0.09	0.9	0.07	4,338	117.3	0.83	92.6	0.67
Female Genital System	-	-	-	-	-	1,590	43.7	0.51	35.6	0.43
Cervix uteri	-	-	-	-	-	199	6.8	0.22	5.9	0.20
Uterus Corpus	-	-	-	-	-	825	21.7	0.35	17.8	0.29
Uterus, NOS ¹	-	-	-	-	-	40	1.1	0.08	0.8	0.06
Ovary	-	-	-	-	-	392	10.6	0.25	8.4	0.21
Male Genital System	3,102	84.0	0.69	65.0	0.54	-	-	-	-	-
Prostate	2,918	77.5	0.65	58.6	0.50	-	-	-	-	-
Testis	155	5.7	0.21	5.8	0.21	-	-	-	-	-
Penis	22	0.6	0.06	0.4	0.04	-	-	-	-	-
Urinary System	1,945	55.0	0.57	38.7	0.41	751	19.3	0.33	14.4	0.26
Bladder (incl. <i>in situ</i>)	1,177	32.9	0.43	21.7	0.29	325	7.9	0.20	5.4	0.14
Kidney & renal pelvis	729	20.9	0.36	16.3	0.28	406	10.8	0.25	8.6	0.21
Ureter	27	0.8	0.07	0.5	0.04	15	0.4	0.04	0.2	0.03
Eye & Orbit	26	0.8	0.07	0.6	0.06	27	0.7	0.07	0.6	0.06
Brain & Other CNS ¹	241	7.4	0.22	6.3	0.20	184	5.2	0.18	4.5	0.17
Brain	227	6.9	0.21	5.9	0.19	169	4.7	0.17	4.0	0.16
Endocrine System	241	7.7	0.23	6.6	0.20	669	22.1	0.40	20.1	0.37
Thyroid gland	216	6.9	0.22	5.8	0.19	653	21.6	0.39	19.7	0.36
Lymphomas	721	21.3	0.36	16.3	0.29	566	15.1	0.29	11.6	0.24
Hodgkin Lymphoma	75	2.5	0.13	2.3	0.13	60	2.0	0.12	1.9	0.12
Non-Hodgkin Lymphoma	646	18.8	0.34	13.9	0.26	506	13.1	0.27	9.7	0.21
Multiple Myeloma	216	6.1	0.19	4.4	0.14	151	3.7	0.14	2.7	0.10
Leukemias	467	14.1	0.30	11.0	0.25	316	8.9	0.23	7.3	0.21
Acute lymphocytic	61	2.2	0.13	2.3	0.14	45	1.6	0.11	1.8	0.13
Chronic lymphocytic	128	3.6	0.15	2.5	0.10	77	1.9	0.10	1.3	0.07
Acute myeloid	153	4.5	0.17	3.4	0.13	109	3.0	0.13	2.3	0.11
Chronic myeloid	61	1.8	0.11	1.4	0.09	41	1.1	0.08	0.9	0.07
Other leukemias	63	1.9	0.11	1.4	0.08	44	1.3	0.09	1.0	0.07
Mesothelioma	52	1.5	0.09	0.9	0.06	15	0.4	0.04	0.3	0.03
Kaposi Sarcoma	8	0.3	0.05	0.3	0.04	-	-	-	-	-
Ill-defined & Unknown	627	17.9	0.32	12.2	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	247	7.6	0.22	6.1	0.19	493	13.8	0.29	11.1	0.25
Breast (<i>in situ</i>)	7	0.2	0.04	0.2	0.03	896	24.6	0.38	20.0	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arizona, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	487	383.2	8.56	288.9	5.94	448	323.5	7.10	248.4	5.26
Oral Cavity & Pharynx	9	7.1	1.09	5.5	0.82	3	2.0	0.52	1.7	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.0	0.64	1.4	0.42	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	0.8	0.35	0.7	0.28	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	102	79.8	3.89	60.2	2.71	88	66.2	3.27	48.6	2.32
Esophagus	4	4.2	1.03	2.7	0.60	2	1.6	0.47	1.2	0.36
Stomach	12	10.4	1.42	7.6	0.98	7	5.6	0.96	4.2	0.69
Small intestine	5	3.0	0.66	2.5	0.53	4	2.9	0.67	2.2	0.51
Colon excl. rectum	26	21.4	2.07	15.8	1.39	34	25.9	2.05	18.8	1.44
Rectum & rectosigmoid	13	9.1	1.21	7.3	0.91	8	6.2	1.00	4.6	0.71
Anus, anal canal & anorectum	-	-	-	-	-	2	1.1	0.37	1.0	0.33
Liver	16	12.5	1.51	9.7	1.08	6	4.2	0.81	3.3	0.61
Gallbladder	-	-	-	-	-	2	1.4	0.49	1.0	0.35
Pancreas	18	14.4	1.67	10.7	1.15	19	14.9	1.59	10.4	1.07
Respiratory System	75	66.3	3.77	46.7	2.45	52	39.8	2.56	29.1	1.80
Larynx	7	5.4	0.98	4.2	0.72	2	1.0	0.34	0.9	0.30
Lung & bronchus	67	60.1	3.62	41.8	2.33	51	38.7	2.54	28.1	1.77
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	5	3.5	0.75	2.9	0.58	3	2.0	0.56	1.6	0.42
Skin (excl. basal & sq.)	3	1.8	0.50	1.5	0.41	3	2.7	0.67	1.8	0.45
Melanomas of the skin	2	1.6	0.47	1.3	0.39	3	2.2	0.61	1.5	0.41
Breast (excl. <i>in situ</i>)	-	-	-	-	-	146	102.2	3.91	81.2	3.01
Female Genital System	-	-	-	-	-	53	37.7	2.39	29.7	1.82
Cervix uteri	-	-	-	-	-	9	5.6	0.85	5.0	0.75
Uterus Corpus	-	-	-	-	-	27	19.5	1.73	15.2	1.30
Uterus, NOS ¹	-	-	-	-	-	3	2.1	0.56	1.7	0.43
Ovary	-	-	-	-	-	11	8.5	1.17	6.4	0.84
Male Genital System	154	115.1	4.51	89.8	3.28	-	-	-	-	-
Prostate	151	113.5	4.48	88.4	3.25	-	-	-	-	-
Testis	2	0.8	0.28	0.9	0.29	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	48	39.6	2.87	28.7	1.89	21	15.6	1.57	11.8	1.14
Bladder (incl. <i>in situ</i>)	14	14.6	1.92	9.4	1.12	8	6.6	1.08	4.5	0.71
Kidney & renal pelvis	33	24.4	2.09	19.0	1.50	13	8.5	1.10	6.9	0.87
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	3.8	0.76	3.3	0.62	4	3.1	0.69	2.5	0.53
Brain	6	3.7	0.75	3.2	0.61	4	2.7	0.63	2.2	0.50
Endocrine System	7	4.5	0.82	3.9	0.66	21	13.7	1.38	11.7	1.15
Thyroid gland	6	4.0	0.78	3.3	0.61	20	13.4	1.36	11.4	1.13
Lymphomas	27	19.1	1.84	15.2	1.33	14	10.0	1.24	7.9	0.94
Hodgkin Lymphoma	7	3.8	0.67	3.7	0.62	3	1.9	0.50	1.8	0.45
Non-Hodgkin Lymphoma	20	15.3	1.72	11.5	1.18	-	-	-	-	-
Multiple Myeloma	16	12.7	1.56	9.5	1.08	12	8.5	1.16	6.4	0.84
Leukemias	12	9.7	1.43	7.1	0.94	10	7.4	1.10	5.4	0.78
Acute lymphocytic	1	0.6	0.24	0.6	0.26	-	-	-	-	-
Chronic lymphocytic	2	2.1	0.63	1.5	0.44	2	1.7	0.54	1.1	0.36
Acute myeloid	6	4.4	0.93	3.3	0.63	4	3.0	0.69	2.3	0.51
Chronic myeloid	2	1.7	0.64	1.2	0.38	2	1.6	0.49	1.3	0.38
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	2	1.2	0.36	1.2	0.35	-	-	-	-	-
Ill-defined & Unknown	19	16.7	1.91	11.7	1.23	16	12.2	1.44	8.7	0.99
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	9	6.6	1.13	5.0	0.77	19	13.9	1.49	10.4	1.08
Breast (<i>in situ</i>)	-	-	-	-	-	40	28.2	2.04	22.4	1.58

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arizona, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	206	223.0	7.38	161.4	5.04	329	243.6	6.21	187.4	4.65
Oral Cavity & Pharynx	8	7.7	1.33	5.8	0.94	6	3.9	0.73	3.4	0.64
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	1.7	0.62	1.3	0.44	2	1.7	0.50	1.4	0.42
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	2.1	0.79	1.4	0.47	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	58	63.3	3.96	44.9	2.66	55	44.2	2.77	30.7	1.86
Esophagus	4	4.3	1.03	2.9	0.68	1	0.8	0.36	0.6	0.26
Stomach	7	8.4	1.47	5.8	0.96	7	5.0	0.91	3.7	0.64
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	13	14.4	1.90	10.1	1.26	17	14.6	1.63	9.6	1.03
Rectum & rectosigmoid	9	9.5	1.45	7.2	1.06	7	5.2	0.91	3.9	0.67
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	14	15.5	1.96	11.0	1.31	7	6.3	1.07	4.2	0.70
Gallbladder	-	-	-	-	-	1	1.0	0.42	0.7	0.28
Pancreas	6	6.6	1.30	4.6	0.86	8	6.9	1.11	4.6	0.72
Respiratory System	32	36.5	3.06	25.2	2.01	36	29.4	2.29	19.7	1.48
Larynx	2	2.0	0.69	1.4	0.48	-	-	-	-	-
Lung & bronchus	29	33.8	2.97	23.1	1.92	35	28.8	2.27	19.3	1.46
Bones & Joints	1	1.1	0.45	1.0	0.40	-	-	-	-	-
Soft Tissue (incl. heart)	3	3.2	0.90	2.4	0.63	3	2.1	0.53	1.9	0.49
Skin (excl. basal & sq.)	1	1.2	0.47	1.0	0.40	2	1.2	0.43	1.0	0.34
Melanomas of the skin	-	-	-	-	-	1	1.0	0.38	0.8	0.29
Breast (excl. <i>in situ</i>)	-	-	-	-	-	114	80.5	3.44	64.9	2.72
Female Genital System	-	-	-	-	-	38	26.2	1.94	21.8	1.58
Cervix uteri	-	-	-	-	-	6	3.6	0.69	3.2	0.60
Uterus Corpus	-	-	-	-	-	19	13.1	1.36	11.0	1.12
Uterus, NOS ¹	-	-	-	-	-	1	0.8	0.36	0.6	0.26
Ovary	-	-	-	-	-	10	7.3	1.06	5.8	0.82
Male Genital System	40	43.8	3.27	31.8	2.25	-	-	-	-	-
Prostate	38	41.9	3.22	30.1	2.20	-	-	-	-	-
Testis	2	1.3	0.41	1.3	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	21	23.7	2.46	16.6	1.62	9	7.4	1.16	5.0	0.77
Bladder (incl. <i>in situ</i>)	10	13.0	1.88	8.3	1.17	3	3.0	0.76	1.9	0.46
Kidney & renal pelvis	11	10.5	1.54	8.1	1.12	5	3.9	0.81	2.8	0.58
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	3.5	0.85	2.8	0.65	4	2.6	0.60	2.3	0.53
Brain	4	3.5	0.85	2.8	0.65	4	2.5	0.58	2.2	0.51
Endocrine System	6	5.1	0.93	4.4	0.80	27	18.3	1.61	15.9	1.38
Thyroid gland	5	4.4	0.88	3.8	0.74	26	17.6	1.57	15.3	1.35
Lymphomas	14	14.4	1.86	10.4	1.27	13	9.9	1.27	7.7	0.95
Hodgkin Lymphoma	2	1.9	0.57	1.7	0.50	2	1.1	0.36	1.2	0.42
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	1.9	0.67	1.4	0.48	2	1.7	0.53	1.2	0.38
Leukemias	11	10.2	1.47	8.4	1.16	8	5.9	0.95	5.2	0.84
Acute lymphocytic	2	1.6	0.48	1.8	0.54	2	1.8	0.51	2.0	0.60
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	5	5.0	1.05	3.9	0.78	4	2.7	0.66	2.0	0.48
Chronic myeloid	1	1.4	0.59	1.1	0.42	1	0.8	0.33	0.7	0.28
Other leukemias	1	1.3	0.55	0.9	0.38	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	6.0	1.28	4.0	0.81	11	10.0	1.40	6.3	0.88
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	2.9	0.72	2.5	0.62	15	11.2	1.35	8.6	1.00
Breast (<i>in situ</i>)	-	-	-	-	-	31	21.3	1.75	17.3	1.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arizona, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	356	292.6	7.54	216.4	5.18	419	269.9	6.09	207.8	4.56
Oral Cavity & Pharynx	11	8.0	1.13	6.5	0.88	5	2.8	0.60	2.3	0.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	1.8	0.52	1.5	0.42	2	0.9	0.34	0.8	0.27
Major salivary gland	1	1.0	0.37	0.8	0.31	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	2	1.4	0.45	1.2	0.37	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	116	94.5	4.24	70.4	2.95	91	62.9	3.04	44.7	2.10
Esophagus	8	8.0	1.31	5.4	0.84	2	1.1	0.41	0.8	0.28
Stomach	14	12.4	1.61	8.6	1.05	11	7.3	1.03	5.3	0.72
Small intestine	1	0.9	0.39	0.7	0.29	2	1.5	0.47	1.1	0.33
Colon excl. rectum	25	21.0	2.01	15.4	1.38	24	16.9	1.58	11.9	1.09
Rectum & rectosigmoid	18	13.3	1.50	10.6	1.13	10	6.1	0.89	4.9	0.69
Anus, anal canal & anorectum	-	-	-	-	-	2	1.3	0.39	1.0	0.31
Liver	29	20.9	1.86	16.9	1.41	13	9.2	1.18	6.4	0.80
Gallbladder	2	2.6	0.78	1.6	0.47	7	4.9	0.87	3.2	0.57
Pancreas	11	9.8	1.42	6.9	0.93	12	8.8	1.17	6.0	0.77
Respiratory System	23	22.3	2.22	15.0	1.40	25	17.6	1.63	12.1	1.09
Larynx	2	1.4	0.48	1.2	0.37	-	-	-	-	-
Lung & bronchus	20	20.0	2.12	13.2	1.32	23	16.6	1.58	11.4	1.06
Bones & Joints	2	1.1	0.35	1.1	0.34	2	0.8	0.28	0.8	0.29
Soft Tissue (incl. heart)	5	3.4	0.74	2.9	0.57	4	2.0	0.50	1.7	0.41
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	7	7.1	1.28	4.6	0.78	7	4.7	0.83	3.5	0.60
Breast (excl. <i>in situ</i>)	-	-	-	-	-	91	57.7	2.77	45.7	2.14
Female Genital System	-	-	-	-	-	69	42.0	2.31	34.9	1.88
Cervix uteri	-	-	-	-	-	8	4.4	0.73	3.9	0.64
Uterus Corpus	-	-	-	-	-	41	24.3	1.74	20.7	1.45
Uterus, NOS ²	-	-	-	-	-	2	1.6	0.49	1.2	0.34
Ovary	-	-	-	-	-	16	9.9	1.14	7.9	0.88
Male Genital System	65	57.1	3.45	40.6	2.27	-	-	-	-	-
Prostate	55	51.7	3.36	35.1	2.14	-	-	-	-	-
Testis	10	4.9	0.71	5.1	0.72	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	44.0	2.82	33.6	2.03	33	21.1	1.68	16.6	1.29
Bladder (incl. <i>in situ</i>)	8	7.0	1.22	4.8	0.79	3	2.0	0.55	1.4	0.37
Kidney & renal pelvis	48	36.8	2.52	28.7	1.86	31	19.1	1.59	15.3	1.24
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	5	2.8	0.63	2.6	0.54	5	2.8	0.60	2.3	0.48
Brain	4	2.4	0.58	2.3	0.50	4	2.7	0.60	2.2	0.47
Endocrine System	6	4.2	0.79	3.5	0.65	29	16.7	1.40	15.0	1.24
Thyroid gland	5	3.7	0.75	3.1	0.61	28	15.9	1.37	14.4	1.21
Lymphomas	16	12.7	1.52	9.6	1.09	18	12.3	1.33	8.9	0.94
Hodgkin Lymphoma	-	-	-	-	-	1	0.8	0.34	0.6	0.24
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	9.3	1.37	6.8	0.92	10	6.6	0.97	4.8	0.69
Leukemias	12	8.1	1.18	6.8	0.89	10	6.0	0.88	5.0	0.71
Acute lymphocytic	4	1.6	0.39	1.8	0.43	3	1.4	0.42	1.3	0.36
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	4	2.8	0.69	2.3	0.52	3	2.0	0.51	1.6	0.40
Chronic myeloid	2	1.0	0.34	1.0	0.32	2	1.0	0.36	0.9	0.30
Other leukemias	2	1.5	0.56	1.1	0.36	2	1.5	0.45	1.1	0.33
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	13.7	1.74	9.4	1.10	18	13.1	1.44	8.6	0.91
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	10	7.2	1.11	5.7	0.82	20	12.9	1.36	9.6	0.98
Breast (<i>in situ</i>)	-	-	-	-	-	15	9.3	1.09	7.6	0.87

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arizona, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,015	333.8	3.63	245.2	2.48	2,391	319.6	3.05	248.2	2.28
Oral Cavity & Pharynx	46	7.6	0.53	5.7	0.38	28	3.8	0.34	2.9	0.25
Lip	2	0.4	0.14	0.2	0.08	1	0.2	0.07	0.1	0.05
Tongue	14	2.1	0.27	1.7	0.20	7	1.0	0.19	0.7	0.13
Major salivary gland	6	1.0	0.20	0.7	0.14	8	1.1	0.18	0.8	0.13
Floor of mouth	2	0.3	0.10	0.2	0.07	-	-	-	-	-
Gum & other mouth	4	0.9	0.20	0.6	0.13	4	0.5	0.13	0.4	0.10
Nasopharynx	4	0.5	0.13	0.4	0.09	2	0.2	0.07	0.2	0.06
Oropharynx	2	0.3	0.10	0.3	0.08	-	-	-	-	-
Hypopharynx	2	0.3	0.12	0.2	0.08	-	-	-	-	-
Digestive System	574	97.3	1.96	70.8	1.34	425	62.3	1.40	44.8	0.98
Esophagus	27	4.6	0.43	3.4	0.29	7	1.0	0.18	0.7	0.12
Stomach	66	12.1	0.72	8.2	0.46	51	7.4	0.48	5.3	0.34
Small intestine	9	1.5	0.24	1.1	0.17	12	1.6	0.22	1.2	0.16
Colon excl. rectum	154	27.0	1.05	19.2	0.70	134	19.5	0.78	14.0	0.54
Rectum & rectosigmoid	91	14.7	0.75	10.9	0.52	49	6.7	0.44	5.1	0.33
Anus, anal canal & anorectum	3	0.5	0.13	0.4	0.09	6	0.8	0.16	0.6	0.11
Liver	128	19.5	0.82	15.4	0.62	46	6.7	0.46	5.0	0.33
Gallbladder	5	1.1	0.23	0.7	0.13	17	2.4	0.27	1.8	0.19
Pancreas	64	11.3	0.68	8.1	0.46	74	11.5	0.62	7.8	0.41
Respiratory System	195	38.5	1.32	25.7	0.83	168	26.5	0.95	18.1	0.63
Larynx	18	3.4	0.38	2.3	0.25	4	0.6	0.13	0.4	0.10
Lung & bronchus	170	34.3	1.25	22.7	0.78	160	25.4	0.93	17.3	0.61
Bones & Joints	9	0.8	0.14	0.8	0.13	8	0.8	0.13	0.8	0.12
Soft Tissue (incl. heart)	24	3.2	0.33	2.6	0.24	18	2.3	0.25	1.8	0.19
Skin (excl. basal & sq.)	35	5.9	0.49	4.2	0.32	41	5.2	0.37	4.2	0.29
Melanomas of the skin	31	5.1	0.45	3.7	0.30	38	4.8	0.36	3.9	0.28
Breast (excl. <i>in situ</i>)	5	0.8	0.18	0.6	0.12	703	91.9	1.60	73.3	1.24
Female Genital System	-	-	-	-	-	341	42.6	1.07	35.0	0.85
Cervix uteri	-	-	-	-	-	74	8.7	0.46	7.5	0.39
Uterus Corpus	-	-	-	-	-	164	20.5	0.74	16.9	0.59
Uterus, NOS ¹	-	-	-	-	-	10	1.3	0.19	1.0	0.15
Ovary	-	-	-	-	-	78	9.9	0.52	8.0	0.41
Male Genital System	449	71.8	1.64	54.8	1.17	-	-	-	-	-
Prostate	387	65.9	1.60	49.0	1.12	-	-	-	-	-
Testis	56	4.8	0.30	5.1	0.31	-	-	-	-	-
Penis	5	1.0	0.20	0.7	0.13	-	-	-	-	-
Urinary System	249	43.0	1.31	30.9	0.89	145	20.1	0.78	15.2	0.57
Bladder (incl. <i>in situ</i>)	90	18.4	0.92	11.9	0.57	28	4.3	0.38	3.0	0.25
Kidney & renal pelvis	157	24.0	0.92	18.6	0.67	114	15.3	0.66	11.9	0.50
Ureter	2	0.4	0.13	0.2	0.08	2	0.5	0.13	0.3	0.08
Eye & Orbit	3	0.4	0.12	0.3	0.08	4	0.5	0.11	0.4	0.09
Brain & Other CNS ¹	46	5.9	0.43	4.9	0.33	36	4.2	0.33	3.6	0.27
Brain	42	5.5	0.43	4.6	0.32	33	3.9	0.32	3.3	0.26
Endocrine System	48	6.4	0.45	5.2	0.34	191	21.1	0.70	19.0	0.62
Thyroid gland	42	5.6	0.42	4.6	0.32	188	20.8	0.70	18.8	0.61
Lymphomas	119	17.9	0.81	13.7	0.57	110	14.7	0.66	11.5	0.49
Hodgkin Lymphoma	20	2.3	0.26	2.1	0.21	22	2.4	0.24	2.1	0.21
Non-Hodgkin Lymphoma	98	15.5	0.77	11.6	0.53	89	12.3	0.61	9.3	0.45
Multiple Myeloma	43	7.4	0.54	5.4	0.37	26	3.7	0.34	2.7	0.24
Leukemias	84	10.6	0.60	8.8	0.44	66	7.8	0.46	6.6	0.37
Acute lymphocytic	31	2.7	0.23	2.8	0.23	21	1.8	0.18	1.9	0.19
Chronic lymphocytic	9	1.7	0.27	1.1	0.17	7	1.0	0.18	0.7	0.13
Acute myeloid	22	3.3	0.35	2.5	0.24	22	2.8	0.28	2.2	0.22
Chronic myeloid	12	1.4	0.20	1.3	0.17	10	1.3	0.19	1.0	0.15
Other leukemias	10	1.6	0.26	1.2	0.17	7	1.0	0.17	0.7	0.12
Mesothelioma	8	1.6	0.27	1.1	0.17	2	0.3	0.10	0.2	0.07
Kaposi Sarcoma	4	0.4	0.11	0.4	0.09	-	-	-	-	-
Ill-defined & Unknown	76	14.4	0.81	9.5	0.50	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	47	7.2	0.53	5.4	0.36	103	13.7	0.63	10.5	0.47
Breast (<i>in situ</i>)	1	0.2	0.10	0.2	0.06	148	19.0	0.72	15.5	0.57

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ARIZONA

22 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arizona, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	12,739	431.4	1.78	321.5	1.41	11,862	390.6	1.74	303.6	1.45
Oral Cavity & Pharynx	481	16.6	0.36	13.3	0.29	166	5.3	0.20	4.2	0.17
Lip	14	0.5	0.06	0.4	0.05	4	0.1	0.03	0.1	0.03
Tongue	181	6.2	0.22	5.1	0.18	59	1.9	0.12	1.5	0.10
Major salivary gland	49	1.7	0.11	1.2	0.08	24	0.8	0.08	0.7	0.07
Floor of mouth	19	0.6	0.07	0.5	0.06	8	0.3	0.04	0.2	0.03
Gum & other mouth	43	1.5	0.11	1.1	0.08	33	1.0	0.08	0.7	0.07
Nasopharynx	9	0.3	0.05	0.3	0.04	4	0.2	0.04	0.1	0.04
Oropharynx	22	0.7	0.07	0.6	0.06	7	0.2	0.03	0.1	0.03
Hypopharynx	19	0.6	0.06	0.5	0.05	5	0.2	0.04	0.1	0.03
Digestive System	2,396	80.9	0.77	60.0	0.59	1,764	54.0	0.61	39.2	0.48
Esophagus	244	7.9	0.23	5.8	0.17	62	1.9	0.11	1.4	0.09
Stomach	173	5.8	0.20	4.1	0.15	86	2.6	0.13	1.9	0.10
Small intestine	63	2.2	0.13	1.6	0.10	58	1.8	0.11	1.3	0.09
Colon excl. rectum	724	25.0	0.43	18.2	0.33	698	21.4	0.39	15.1	0.30
Rectum & rectosigmoid	342	12.2	0.31	9.5	0.25	224	7.6	0.25	5.9	0.20
Anus, anal canal & anorectum	31	1.1	0.09	0.9	0.08	67	2.1	0.13	1.7	0.10
Liver	261	8.5	0.24	6.9	0.20	88	2.7	0.13	2.1	0.12
Gallbladder	15	0.5	0.05	0.3	0.04	28	0.8	0.07	0.5	0.05
Pancreas	427	13.9	0.31	9.9	0.23	339	9.7	0.24	6.7	0.18
Respiratory System	1,883	60.3	0.63	42.3	0.46	1,721	49.0	0.54	34.6	0.40
Larynx	118	3.8	0.16	2.9	0.12	28	0.9	0.08	0.7	0.06
Lung & bronchus	1,733	55.3	0.60	38.4	0.43	1,676	47.6	0.53	33.5	0.39
Bones & Joints	31	1.4	0.12	1.3	0.12	18	0.9	0.10	0.8	0.11
Soft Tissue (incl. heart)	103	3.9	0.18	3.2	0.16	66	2.5	0.16	2.2	0.15
Skin (excl. basal & sq.)	1,231	43.3	0.58	32.1	0.45	655	24.1	0.46	19.8	0.41
Melanomas of the skin	1,173	41.3	0.57	30.7	0.45	628	23.3	0.46	19.2	0.40
Breast (excl. <i>in situ</i>)	40	1.3	0.10	1.0	0.08	3,662	123.5	0.99	97.6	0.81
Female Genital System	-	-	-	-	-	1,266	42.9	0.59	34.8	0.50
Cervix uteri	-	-	-	-	-	128	6.0	0.26	5.2	0.23
Uterus Corpus	-	-	-	-	-	671	21.4	0.40	17.5	0.33
Uterus, NOS ¹	-	-	-	-	-	31	1.0	0.09	0.8	0.07
Ovary	-	-	-	-	-	318	10.6	0.29	8.4	0.24
Male Genital System	2,681	87.1	0.78	67.6	0.63	-	-	-	-	-
Prostate	2,555	80.2	0.73	60.8	0.56	-	-	-	-	-
Testis	105	6.1	0.27	6.2	0.28	-	-	-	-	-
Penis	17	0.6	0.06	0.4	0.04	-	-	-	-	-
Urinary System	1,704	56.8	0.64	40.0	0.47	613	18.9	0.36	14.0	0.29
Bladder (incl. <i>in situ</i>)	1,090	35.3	0.49	23.4	0.33	298	8.6	0.23	5.9	0.17
Kidney & renal pelvis	578	20.3	0.40	15.8	0.32	298	9.8	0.28	7.8	0.24
Ureter	25	0.8	0.07	0.5	0.05	13	0.4	0.05	0.3	0.03
Eye & Orbit	24	0.9	0.09	0.8	0.09	23	0.8	0.08	0.7	0.08
Brain & Other CNS ¹	197	8.0	0.27	6.8	0.26	149	5.6	0.23	4.9	0.22
Brain	187	7.4	0.26	6.4	0.24	137	5.0	0.21	4.3	0.20
Endocrine System	196	8.4	0.29	7.3	0.26	486	22.5	0.50	20.5	0.47
Thyroid gland	176	7.5	0.27	6.4	0.24	472	21.9	0.49	20.0	0.46
Lymphomas	605	22.0	0.42	16.9	0.35	461	15.0	0.34	11.6	0.29
Hodgkin Lymphoma	55	2.7	0.17	2.5	0.17	40	1.9	0.15	1.8	0.15
Non-Hodgkin Lymphoma	551	19.3	0.39	14.4	0.31	421	13.1	0.31	9.7	0.25
Multiple Myeloma	176	5.8	0.20	4.2	0.15	126	3.6	0.15	2.6	0.11
Leukemias	387	14.3	0.34	11.0	0.30	253	9.0	0.28	7.3	0.26
Acute lymphocytic	32	1.8	0.15	1.9	0.17	25	1.5	0.15	1.7	0.17
Chronic lymphocytic	119	4.0	0.17	2.7	0.12	71	2.0	0.11	1.4	0.08
Acute myeloid	133	4.8	0.19	3.5	0.16	88	2.9	0.15	2.3	0.13
Chronic myeloid	49	1.8	0.12	1.3	0.10	31	1.1	0.09	0.9	0.08
Other leukemias	54	2.0	0.13	1.4	0.10	37	1.4	0.11	1.1	0.10
Mesothelioma	44	1.5	0.10	0.9	0.06	13	0.4	0.05	0.2	0.03
Kaposi Sarcoma	5	0.3	0.06	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	555	18.7	0.36	12.7	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	201	8.0	0.27	6.6	0.24	393	14.1	0.35	11.4	0.31
Breast (<i>in situ</i>)	6	0.2	0.04	0.2	0.04	753	26.3	0.47	21.4	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arizona, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	479	404.3	9.06	305.4	6.32	435	343.5	7.62	265.2	5.71
Oral Cavity & Pharynx	9	7.3	1.15	5.7	0.86	3	2.0	0.55	1.7	0.45
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.0	0.66	1.4	0.44	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	100	84.2	4.12	63.6	2.88	87	70.6	3.51	52.2	2.52
Esophagus	4	4.1	1.04	2.6	0.61	2	1.7	0.51	1.4	0.40
Stomach	12	10.8	1.50	7.9	1.03	7	6.2	1.05	4.6	0.76
Small intestine	5	3.3	0.71	2.7	0.57	4	2.9	0.71	2.3	0.54
Colon excl. rectum	26	22.6	2.19	16.7	1.49	33	27.5	2.20	20.0	1.56
Rectum & rectosigmoid	13	9.8	1.30	8.0	0.99	8	6.7	1.08	4.9	0.77
Anus, anal canal & anorectum	-	-	-	-	-	2	1.2	0.41	1.1	0.36
Liver	16	13.1	1.59	10.2	1.15	6	4.6	0.88	3.6	0.66
Gallbladder	-	-	-	-	-	2	1.5	0.53	1.1	0.38
Pancreas	18	15.3	1.77	11.4	1.22	19	15.7	1.68	11.1	1.16
Respiratory System	74	69.7	3.97	49.1	2.59	50	41.1	2.70	30.0	1.90
Larynx	7	5.7	1.03	4.4	0.76	2	1.0	0.37	0.9	0.33
Lung & bronchus	66	63.2	3.82	44.0	2.46	48	39.9	2.67	29.0	1.87
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	5	3.8	0.81	3.1	0.63	3	2.2	0.62	1.8	0.47
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	2	1.6	0.50	1.3	0.41	3	2.4	0.66	1.7	0.45
Breast (excl. <i>in situ</i>)	-	-	-	-	-	142	109.0	4.22	86.8	3.27
Female Genital System	-	-	-	-	-	51	39.8	2.56	31.5	1.97
Cervix uteri	-	-	-	-	-	9	6.1	0.94	5.4	0.83
Uterus Corpus	-	-	-	-	-	26	20.3	1.83	15.9	1.40
Uterus, NOS ¹	-	-	-	-	-	3	2.3	0.61	1.8	0.48
Ovary	-	-	-	-	-	11	9.3	1.27	7.0	0.93
Male Genital System	153	122.0	4.78	95.4	3.49	-	-	-	-	-
Prostate	150	120.3	4.75	93.7	3.46	-	-	-	-	-
Testis	2	0.9	0.32	1.0	0.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	47	42.0	3.04	30.4	2.01	21	16.5	1.68	12.4	1.23
Bladder (incl. <i>in situ</i>)	14	15.5	2.03	10.0	1.19	8	7.1	1.16	4.8	0.77
Kidney & renal pelvis	32	25.9	2.22	20.2	1.61	12	8.8	1.18	7.1	0.93
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	4.0	0.81	3.5	0.67	4	3.4	0.76	2.8	0.60
Brain	5	3.9	0.81	3.4	0.65	4	3.0	0.70	2.5	0.57
Endocrine System	7	5.0	0.89	4.3	0.73	20	15.2	1.54	13.0	1.29
Thyroid gland	6	4.4	0.85	3.7	0.68	20	14.9	1.52	12.6	1.28
Lymphomas	26	20.5	1.97	16.4	1.45	14	10.7	1.34	8.6	1.04
Hodgkin Lymphoma	7	4.4	0.76	4.3	0.71	3	1.9	0.51	1.9	0.50
Non-Hodgkin Lymphoma	19	16.1	1.82	12.1	1.26	11	8.9	1.24	6.8	0.92
Multiple Myeloma	16	13.1	1.63	9.9	1.13	11	9.1	1.25	6.8	0.91
Leukemias	11	10.0	1.51	7.3	1.00	10	7.9	1.19	5.9	0.86
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	2.2	0.67	1.6	0.47	2	1.6	0.55	1.1	0.36
Acute myeloid	6	4.8	1.00	3.6	0.69	4	3.3	0.76	2.5	0.57
Chronic myeloid	2	1.6	0.66	1.1	0.38	2	1.8	0.54	1.5	0.42
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	2	1.4	0.41	1.4	0.40	-	-	-	-	-
Ill-defined & Unknown	18	16.9	1.98	11.9	1.28	15	12.6	1.52	9.1	1.06
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	8	6.9	1.20	5.3	0.82	19	15.2	1.62	11.4	1.18
Breast (<i>in situ</i>)	-	-	-	-	-	40	30.2	2.20	24.0	1.71

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

ARIZONA

24 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arkansas, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,012	537.2	2.59	402.4	1.95	7,968	424.8	2.19	332.0	1.78
Oral Cavity & Pharynx	359	21.1	0.51	16.7	0.40	139	7.3	0.28	5.7	0.23
Lip	18	1.1	0.12	0.8	0.08	5	0.3	0.05	0.2	0.04
Tongue	108	6.2	0.28	5.1	0.22	39	2.1	0.15	1.6	0.12
Major salivary gland	30	1.9	0.16	1.3	0.11	19	1.1	0.11	0.9	0.10
Floor of mouth	14	0.8	0.10	0.6	0.08	9	0.5	0.07	0.3	0.06
Gum & other mouth	40	2.4	0.18	1.8	0.13	27	1.3	0.11	0.9	0.08
Nasopharynx	12	0.7	0.10	0.6	0.09	4	0.2	0.05	0.2	0.04
Oropharynx	18	1.1	0.11	0.8	0.09	5	0.2	0.05	0.2	0.04
Hypopharynx	22	1.2	0.12	1.0	0.09	6	0.3	0.06	0.3	0.05
Digestive System	1,720	103.0	1.14	77.5	0.86	1,300	67.1	0.85	49.7	0.66
Esophagus	135	7.8	0.31	6.0	0.23	29	1.5	0.13	1.1	0.10
Stomach	147	8.8	0.33	6.5	0.25	82	4.3	0.22	3.2	0.17
Small intestine	53	3.1	0.20	2.4	0.15	44	2.4	0.17	1.8	0.13
Colon excl. rectum	577	35.3	0.67	26.0	0.50	552	28.6	0.56	21.0	0.43
Rectum & rectosigmoid	262	15.9	0.45	12.5	0.35	175	9.3	0.32	7.3	0.26
Anus, anal canal & anorectum	26	1.6	0.14	1.3	0.12	48	2.6	0.17	2.1	0.14
Liver	194	10.9	0.36	8.7	0.28	61	3.1	0.18	2.3	0.14
Gallbladder	12	0.7	0.09	0.5	0.07	24	1.2	0.11	0.9	0.08
Pancreas	246	14.8	0.43	10.6	0.31	217	10.8	0.33	7.5	0.24
Respiratory System	1,760	103.4	1.13	74.6	0.81	1,308	65.2	0.82	48.4	0.62
Larynx	115	6.6	0.28	5.1	0.22	35	1.8	0.14	1.5	0.12
Lung & bronchus	1,627	95.8	1.08	68.6	0.77	1,259	62.7	0.80	46.3	0.61
Bones & Joints	20	1.3	0.13	1.2	0.13	15	0.9	0.11	0.9	0.11
Soft Tissue (incl. heart)	56	3.6	0.22	2.9	0.18	46	2.7	0.18	2.3	0.16
Skin (excl. basal & sq.)	486	30.4	0.63	21.9	0.46	313	18.0	0.47	14.8	0.40
Melanomas of the skin	454	28.3	0.61	20.5	0.44	294	17.0	0.46	14.0	0.39
Breast (excl. <i>in situ</i>)	21	1.3	0.13	0.9	0.09	2,192	118.2	1.17	93.7	0.95
Female Genital System	-	-	-	-	-	896	49.5	0.77	40.6	0.64
Cervix uteri	-	-	-	-	-	146	9.5	0.36	8.3	0.32
Uterus Corpus	-	-	-	-	-	442	23.2	0.51	19.2	0.43
Uterus, NOS ¹	-	-	-	-	-	17	0.9	0.10	0.6	0.07
Ovary	-	-	-	-	-	204	11.2	0.36	8.8	0.30
Male Genital System	2,107	118.8	1.18	92.4	0.92	-	-	-	-	-
Prostate	2,016	112.4	1.14	86.3	0.87	-	-	-	-	-
Testis	72	5.3	0.28	5.3	0.28	-	-	-	-	-
Penis	18	1.1	0.12	0.8	0.09	-	-	-	-	-
Urinary System	1,038	63.8	0.91	45.6	0.65	430	22.5	0.50	17.0	0.39
Bladder (incl. <i>in situ</i>)	567	35.1	0.67	23.5	0.45	160	8.0	0.29	5.6	0.21
Kidney & renal pelvis	451	27.4	0.59	21.2	0.46	261	14.0	0.40	11.0	0.33
Ureter	14	0.9	0.11	0.6	0.07	6	0.3	0.06	0.2	0.04
Eye & Orbit	14	0.9	0.11	0.7	0.09	11	0.6	0.09	0.5	0.08
Brain & Other CNS ¹	131	8.3	0.33	7.2	0.30	97	5.5	0.26	4.8	0.24
Brain	123	7.7	0.32	6.7	0.28	90	5.0	0.25	4.3	0.23
Endocrine System	114	7.2	0.31	6.1	0.27	290	18.4	0.50	16.6	0.46
Thyroid gland	100	6.3	0.29	5.3	0.25	277	17.6	0.49	15.8	0.45
Lymphomas	398	25.0	0.57	19.0	0.44	329	17.6	0.45	13.7	0.37
Hodgkin Lymphoma	45	3.0	0.21	2.9	0.20	37	2.4	0.18	2.4	0.18
Non-Hodgkin Lymphoma	353	22.0	0.54	16.1	0.40	292	15.2	0.41	11.3	0.32
Multiple Myeloma	137	8.3	0.32	5.9	0.23	112	5.7	0.25	4.1	0.18
Leukemias	296	18.5	0.49	14.0	0.38	209	11.2	0.36	8.9	0.31
Acute lymphocytic	25	1.7	0.15	1.8	0.17	19	1.3	0.14	1.4	0.15
Chronic lymphocytic	118	7.0	0.30	5.1	0.21	74	3.7	0.19	2.6	0.14
Acute myeloid	81	5.2	0.26	3.7	0.19	63	3.4	0.20	2.8	0.17
Chronic myeloid	39	2.5	0.18	1.9	0.15	32	1.8	0.14	1.4	0.12
Other leukemias	32	2.0	0.17	1.4	0.12	21	1.1	0.11	0.7	0.08
Mesothelioma	19	1.2	0.13	0.8	0.08	6	0.3	0.06	0.2	0.04
Kaposi Sarcoma	5	0.4	0.08	0.3	0.06	1	0.1	0.02	0.0	0.01
Ill-defined & Unknown	331	20.6	0.52	14.6	0.37	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	124	8.0	0.33	6.4	0.27	239	13.2	0.40	10.7	0.33
Breast (<i>in situ</i>)	1	0.1	0.03	0.1	0.02	487	26.7	0.56	21.8	0.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arkansas, 2013-2017, White

SITES	MALES (WHITE)					FEMALES (WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	7,651	524.5	2.74	391.4	2.08	6,746	422.4	2.39	330.1	1.96
Oral Cavity & Pharynx	318	21.7	0.56	17.1	0.44	120	7.4	0.31	5.7	0.26
Lip	18	1.2	0.14	0.8	0.09	5	0.3	0.06	0.2	0.04
Tongue	97	6.6	0.31	5.3	0.25	36	2.3	0.18	1.8	0.14
Major salivary gland	27	2.0	0.17	1.3	0.12	14	1.0	0.12	0.8	0.11
Floor of mouth	12	0.8	0.10	0.6	0.08	8	0.5	0.08	0.4	0.06
Gum & other mouth	34	2.4	0.19	1.8	0.14	23	1.3	0.12	0.9	0.09
Nasopharynx	10	0.7	0.11	0.6	0.09	3	0.2	0.05	0.2	0.04
Oropharynx	16	1.1	0.12	0.8	0.10	3	0.2	0.05	0.2	0.04
Hypopharynx	17	1.1	0.12	0.8	0.09	4	0.3	0.06	0.2	0.05
Digestive System	1,444	99.6	1.20	74.6	0.91	1,066	63.9	0.90	47.3	0.70
Esophagus	120	8.0	0.33	6.1	0.25	24	1.4	0.13	1.0	0.10
Stomach	116	7.9	0.34	5.9	0.25	63	3.8	0.22	2.8	0.17
Small intestine	46	3.1	0.21	2.4	0.16	34	2.1	0.17	1.6	0.13
Colon excl. rectum	480	33.8	0.71	24.8	0.52	455	27.4	0.59	20.0	0.46
Rectum & rectosigmoid	224	15.8	0.49	12.4	0.38	144	8.9	0.34	7.0	0.28
Anus, anal canal & anorectum	22	1.5	0.15	1.2	0.12	44	2.8	0.20	2.3	0.16
Liver	158	10.2	0.37	8.1	0.30	50	3.0	0.19	2.3	0.16
Gallbladder	9	0.6	0.09	0.4	0.07	19	1.1	0.12	0.8	0.09
Pancreas	209	14.4	0.45	10.3	0.33	176	10.1	0.35	7.0	0.25
Respiratory System	1,517	101.5	1.19	72.9	0.85	1,159	67.0	0.90	49.7	0.68
Larynx	95	6.2	0.29	4.9	0.23	30	1.8	0.15	1.5	0.13
Lung & bronchus	1,406	94.1	1.14	67.1	0.81	1,117	64.4	0.88	47.6	0.67
Bones & Joints	16	1.3	0.14	1.2	0.14	12	1.0	0.13	0.9	0.13
Soft Tissue (incl. heart)	45	3.4	0.23	2.7	0.19	39	2.6	0.20	2.2	0.18
Skin (excl. basal & sq.)	461	32.9	0.70	23.8	0.52	291	20.0	0.55	16.5	0.48
Melanomas of the skin	433	30.8	0.68	22.4	0.50	276	19.1	0.54	15.9	0.47
Breast (excl. <i>in situ</i>)	15	1.1	0.13	0.8	0.09	1,826	115.4	1.26	91.1	1.02
Female Genital System	-	-	-	-	-	743	49.1	0.84	40.3	0.71
Cervix uteri	-	-	-	-	-	112	9.0	0.40	7.9	0.35
Uterus Corpus	-	-	-	-	-	366	23.1	0.56	19.1	0.47
Uterus, NOS ¹	-	-	-	-	-	12	0.7	0.10	0.5	0.08
Ovary	-	-	-	-	-	177	11.5	0.40	9.1	0.33
Male Genital System	1,653	107.5	1.21	83.2	0.94	-	-	-	-	-
Prostate	1,568	100.1	1.15	76.2	0.87	-	-	-	-	-
Testis	67	6.2	0.34	6.2	0.34	-	-	-	-	-
Penis	16	1.1	0.13	0.8	0.10	-	-	-	-	-
Urinary System	934	65.5	0.98	46.8	0.71	367	22.5	0.54	17.0	0.43
Bladder (incl. <i>in situ</i>)	526	36.8	0.73	24.8	0.49	141	8.2	0.32	5.7	0.23
Kidney & renal pelvis	387	27.2	0.64	21.1	0.50	217	13.8	0.44	10.9	0.36
Ureter	14	1.0	0.12	0.6	0.08	6	0.3	0.06	0.2	0.04
Eye & Orbit	13	1.0	0.12	0.8	0.10	11	0.7	0.10	0.6	0.10
Brain & Other CNS ¹	118	8.8	0.37	7.7	0.34	88	6.1	0.30	5.3	0.29
Brain	111	8.3	0.36	7.2	0.33	81	5.5	0.29	4.7	0.26
Endocrine System	101	7.6	0.35	6.5	0.31	246	19.1	0.57	17.3	0.53
Thyroid gland	89	6.7	0.33	5.6	0.28	236	18.3	0.56	16.6	0.51
Lymphomas	349	25.2	0.62	19.1	0.48	285	17.9	0.49	13.8	0.41
Hodgkin Lymphoma	36	3.0	0.23	2.8	0.22	30	2.4	0.20	2.3	0.20
Non-Hodgkin Lymphoma	313	22.3	0.58	16.3	0.43	256	15.5	0.45	11.5	0.35
Multiple Myeloma	105	7.2	0.32	5.1	0.23	80	4.7	0.24	3.3	0.18
Leukemias	257	18.4	0.53	14.0	0.42	176	11.2	0.39	8.9	0.34
Acute lymphocytic	21	1.8	0.18	1.9	0.20	16	1.4	0.16	1.6	0.19
Chronic lymphocytic	104	7.0	0.31	5.1	0.23	64	3.7	0.21	2.6	0.15
Acute myeloid	72	5.2	0.28	3.7	0.21	54	3.4	0.22	2.8	0.19
Chronic myeloid	32	2.4	0.19	1.8	0.16	27	1.7	0.16	1.3	0.13
Other leukemias	28	2.1	0.18	1.4	0.13	16	0.9	0.11	0.6	0.08
Mesothelioma	18	1.3	0.14	0.8	0.09	6	0.3	0.06	0.2	0.05
Kaposi Sarcoma	4	0.3	0.07	0.2	0.05	1	0.1	0.02	0.0	0.01
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	102	7.8	0.35	6.2	0.30	197	13.0	0.43	10.4	0.37
Breast (<i>in situ</i>)	-	-	-	-	-	398	26.0	0.61	21.1	0.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arkansas, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,133	589.1	8.44	453.0	6.11	979	402.7	5.94	316.3	4.61
Oral Cavity & Pharynx	33	15.5	1.27	12.9	1.02	16	6.2	0.71	5.2	0.60
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	4.0	0.64	3.3	0.51	2	0.7	0.23	0.6	0.20
Major salivary gland	2	1.0	0.32	0.9	0.26	4	1.7	0.38	1.6	0.34
Floor of mouth	2	0.7	0.25	0.6	0.21	-	-	-	-	-
Gum & other mouth	4	1.9	0.43	1.6	0.36	3	1.2	0.32	0.9	0.23
Nasopharynx	1	0.6	0.24	0.6	0.22	-	-	-	-	-
Oropharynx	2	0.8	0.28	0.6	0.23	1	0.4	0.18	0.4	0.15
Hypopharynx	5	2.5	0.52	2.0	0.40	2	0.6	0.21	0.6	0.19
Digestive System	235	123.4	3.89	94.2	2.79	197	82.8	2.72	61.3	2.00
Esophagus	13	6.2	0.83	4.9	0.62	5	2.1	0.41	1.7	0.33
Stomach	27	15.1	1.38	11.3	0.98	16	6.9	0.79	5.1	0.58
Small intestine	6	2.9	0.58	2.3	0.43	8	3.1	0.51	2.5	0.42
Colon excl. rectum	82	44.1	2.36	33.1	1.66	83	34.8	1.76	26.1	1.31
Rectum & rectosigmoid	31	15.3	1.32	12.2	1.00	23	10.2	0.98	7.6	0.72
Anus, anal canal & anorectum	3	1.6	0.42	1.4	0.36	3	1.1	0.31	0.8	0.22
Liver	29	14.0	1.24	11.3	0.95	8	3.4	0.54	2.5	0.41
Gallbladder	3	1.5	0.45	1.0	0.29	4	1.6	0.38	1.1	0.26
Pancreas	33	18.1	1.54	13.2	1.05	38	16.3	1.22	11.3	0.84
Respiratory System	220	119.1	3.89	88.3	2.70	128	52.3	2.14	39.6	1.59
Larynx	19	9.4	1.05	7.3	0.77	4	1.7	0.38	1.4	0.30
Lung & bronchus	200	109.0	3.73	80.4	2.58	123	50.2	2.10	37.8	1.55
Bones & Joints	3	1.2	0.36	1.2	0.33	2	0.7	0.24	0.7	0.24
Soft Tissue (incl. heart)	9	4.7	0.75	3.9	0.59	6	2.6	0.49	2.3	0.42
Skin (excl. basal & sq.)	7	4.1	0.75	3.0	0.52	5	2.2	0.44	1.8	0.35
Melanomas of the skin	3	1.7	0.49	1.2	0.33	3	1.1	0.31	0.8	0.23
Breast (excl. <i>in situ</i>)	4	2.5	0.59	1.7	0.38	294	120.1	3.23	97.5	2.59
Female Genital System	-	-	-	-	-	121	48.4	2.03	39.2	1.63
Cervix uteri	-	-	-	-	-	24	10.1	0.94	8.7	0.81
Uterus Corpus	-	-	-	-	-	61	23.5	1.39	19.3	1.11
Uterus, NOS ¹	-	-	-	-	-	4	1.6	0.37	1.1	0.27
Ovary	-	-	-	-	-	21	8.8	0.88	6.8	0.68
Male Genital System	383	187.3	4.60	148.0	3.43	-	-	-	-	-
Prostate	378	185.2	4.57	146.2	3.41	-	-	-	-	-
Testis	3	1.2	0.33	1.2	0.33	-	-	-	-	-
Penis	2	0.8	0.32	0.6	0.22	-	-	-	-	-
Urinary System	85	46.9	2.45	34.8	1.71	53	22.5	1.43	16.7	1.05
Bladder (incl. <i>in situ</i>)	31	19.1	1.65	13.0	1.06	15	6.4	0.77	4.4	0.53
Kidney & renal pelvis	53	27.7	1.81	21.7	1.35	38	16.0	1.20	12.2	0.90
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	11	5.5	0.78	4.8	0.64	7	2.9	0.50	2.5	0.43
Brain	10	5.2	0.77	4.4	0.62	7	2.7	0.48	2.4	0.42
Endocrine System	10	4.9	0.73	4.1	0.59	31	12.8	1.06	11.2	0.92
Thyroid gland	8	3.7	0.63	3.2	0.51	28	11.8	1.01	10.4	0.88
Lymphomas	39	20.0	1.54	16.4	1.20	32	13.3	1.09	10.8	0.88
Hodgkin Lymphoma	8	3.5	0.57	3.5	0.56	6	2.3	0.43	2.4	0.45
Non-Hodgkin Lymphoma	31	16.5	1.43	12.9	1.06	26	11.0	1.00	8.4	0.76
Multiple Myeloma	29	16.5	1.50	11.8	1.00	28	11.1	0.97	8.6	0.74
Leukemias	27	14.8	1.39	11.4	0.99	22	8.6	0.84	7.0	0.69
Acute lymphocytic	4	1.4	0.34	1.6	0.37	2	0.8	0.27	0.8	0.26
Chronic lymphocytic	10	6.2	0.95	4.2	0.61	7	2.8	0.48	2.1	0.35
Acute myeloid	7	4.3	0.78	3.2	0.53	7	2.5	0.44	2.1	0.38
Chronic myeloid	4	1.8	0.42	1.6	0.35	3	1.1	0.31	0.9	0.25
Other leukemias	2	1.1	0.35	0.9	0.26	3	1.3	0.34	1.0	0.26
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	2	0.7	0.27	0.7	0.25	-	-	-	-	-
Ill-defined & Unknown	37	21.0	1.67	15.3	1.14	36	16.0	1.23	11.5	0.87
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	19	10.2	1.11	8.0	0.83	36	14.6	1.12	11.9	0.91
Breast (<i>in situ</i>)	-	-	-	-	-	68	26.6	1.48	22.1	1.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arkansas, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	56	351.4	24.08	261.3	16.26	90	398.9	20.45	303.2	14.50
Oral Cavity & Pharynx	3	12.3	3.50	10.8	2.96	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	97.5	12.16	75.0	8.53	16	81.0	9.73	57.5	6.44
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	9.2	4.46	6.2	2.48	2	9.9	3.35	7.0	2.25
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	28.6	6.56	21.7	4.64	6	32.8	6.40	22.5	4.09
Rectum & rectosigmoid	3	14.8	4.65	11.6	3.34	3	13.0	3.55	10.4	2.63
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	5	29.9	6.54	23.5	4.74	1	9.0	3.76	4.9	2.01
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	1	7.0	2.76	6.0	2.29	2	8.2	2.90	6.1	2.05
Respiratory System	9	58.9	9.51	45.1	6.82	8	39.8	6.75	28.4	4.54
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	55.5	9.13	43.0	6.65	8	39.8	6.75	28.4	4.54
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	27	115.4	10.74	89.1	7.82
Female Genital System	-	-	-	-	-	14	53.2	6.92	43.8	5.34
Cervix uteri	-	-	-	-	-	4	12.3	2.92	11.2	2.58
Uterus Corpus	-	-	-	-	-	6	22.9	4.54	18.3	3.42
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	14.1	3.77	11.5	2.84
Male Genital System	9	60.2	9.84	45.1	6.82	-	-	-	-	-
Prostate	9	58.9	9.79	43.8	6.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	27.9	7.65	18.0	4.49	4	20.0	4.56	14.8	3.18
Bladder (incl. <i>in situ</i>)	2	17.6	6.70	9.7	3.47	2	11.0	3.69	7.0	2.25
Kidney & renal pelvis	2	10.4	3.69	8.3	2.84	2	9.1	2.67	7.8	2.25
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	1	4.1	1.73	3.9	1.59	6	21.6	4.19	18.6	3.43
Thyroid gland	-	-	-	-	-	6	21.6	4.19	18.6	3.43
Lymphomas	4	23.3	6.65	16.9	4.11	5	21.2	4.54	17.4	3.45
Hodgkin Lymphoma	-	-	-	-	-	1	3.6	1.61	3.7	1.55
Non-Hodgkin Lymphoma	4	23.3	6.65	16.9	4.11	4	17.6	4.25	13.7	3.09
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	16.5	5.67	11.7	3.36	3	13.4	3.79	10.3	2.71
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	4.6	2.18	4.1	1.76	2	6.8	2.59	5.3	1.90
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	29.7	7.79	19.6	4.85	2	14.6	4.48	9.4	2.74
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	4	17.4	4.43	12.9	3.08
Breast (<i>in situ</i>)	-	-	-	-	-	7	30.1	5.26	24.1	4.01

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arkansas, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	155	338.7	14.98	251.2	9.90	171	346.5	14.00	264.3	9.67
Oral Cavity & Pharynx	4	9.8	2.51	7.4	1.70	2	3.6	1.36	2.9	1.01
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	2.9	1.45	2.1	0.93	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	33	64.8	6.22	48.9	4.12	29	71.9	6.93	50.8	4.50
Esophagus	1	3.6	1.62	2.5	0.98	-	-	-	-	-
Stomach	4	10.8	2.92	7.3	1.79	3	5.4	1.70	4.2	1.17
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	19.4	3.32	14.7	2.18	9	23.4	4.04	16.1	2.57
Rectum & rectosigmoid	7	9.9	1.98	8.3	1.57	5	10.2	2.46	7.6	1.67
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	6.6	1.46	5.8	1.29	3	7.9	2.29	5.9	1.60
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	4	10.9	3.05	7.0	1.75	4	13.7	3.22	9.0	1.99
Respiratory System	20	50.1	5.87	36.5	3.89	14	40.0	5.29	27.3	3.36
Larynx	2	5.4	2.04	3.7	1.34	-	-	-	-	-
Lung & bronchus	17	43.2	5.46	31.3	3.60	14	39.0	5.24	26.6	3.32
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	5.4	2.14	3.4	1.12	2	2.2	0.80	2.0	0.71
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	3	10.5	2.93	7.0	1.86	3	6.6	2.13	4.5	1.30
Breast (excl. <i>in situ</i>)	-	-	-	-	-	46	90.8	6.84	71.2	4.95
Female Genital System	-	-	-	-	-	26	48.8	5.01	38.6	3.62
Cervix uteri	-	-	-	-	-	9	14.3	2.63	11.4	1.87
Uterus Corpus	-	-	-	-	-	11	21.9	3.36	17.7	2.53
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	9.1	2.22	6.9	1.52
Male Genital System	41	97.3	7.97	73.6	5.51	-	-	-	-	-
Prostate	35	92.3	7.91	68.3	5.42	-	-	-	-	-
Testis	6	4.3	0.83	4.6	0.88	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	38.9	5.29	27.7	3.38	8	17.4	3.18	13.5	2.26
Bladder (incl. <i>in situ</i>)	6	18.8	3.93	12.7	2.40	2	5.4	2.00	3.6	1.26
Kidney & renal pelvis	10	20.0	3.55	15.0	2.39	6	11.1	2.28	9.3	1.81
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	4.2	1.18	3.9	1.00	2	2.7	0.86	2.7	0.83
Brain	3	3.2	0.90	3.1	0.83	2	2.6	0.84	2.6	0.81
Endocrine System	3	5.4	1.67	4.2	1.17	17	20.6	2.42	18.9	2.11
Thyroid gland	3	4.8	1.64	3.7	1.14	17	20.2	2.40	18.4	2.09
Lymphomas	9	20.0	3.93	13.8	2.38	6	8.8	1.92	7.6	1.50
Hodgkin Lymphoma	2	1.2	0.44	1.3	0.47	2	1.6	0.57	1.6	0.57
Non-Hodgkin Lymphoma	7	18.8	3.90	12.5	2.33	4	7.2	1.83	6.0	1.38
Multiple Myeloma	2	4.9	1.73	3.7	1.18	2	5.8	1.98	4.0	1.28
Leukemias	9	14.9	3.25	11.2	1.96	8	13.6	2.70	10.7	1.85
Acute lymphocytic	-	-	-	-	-	3	2.2	0.66	2.4	0.69
Chronic lymphocytic	1	3.8	1.85	2.5	1.08	-	-	-	-	-
Acute myeloid	3	4.1	1.57	3.2	1.01	3	6.2	2.08	4.1	1.23
Chronic myeloid	2	5.0	2.09	3.3	1.14	1	1.9	0.72	1.7	0.63
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	9.3	2.28	7.3	1.54	5	13.0	3.02	8.8	1.88
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	2.5	0.84	2.4	0.77	5	9.2	2.28	7.1	1.61
Breast (<i>in situ</i>)	-	-	-	-	-	11	18.5	2.79	15.2	2.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ARKANSAS

30 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arkansas, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	7,523	532.4	2.82	398.1	2.15	6,600	427.2	2.47	334.2	2.03
Oral Cavity & Pharynx	314	22.3	0.58	17.6	0.46	118	7.5	0.32	5.9	0.27
Lip	18	1.3	0.14	0.9	0.10	5	0.3	0.06	0.2	0.05
Tongue	97	6.8	0.32	5.5	0.26	36	2.4	0.18	1.9	0.15
Major salivary gland	27	2.0	0.18	1.4	0.12	14	1.0	0.12	0.8	0.12
Floor of mouth	12	0.8	0.11	0.6	0.08	8	0.5	0.09	0.4	0.07
Gum & other mouth	33	2.4	0.19	1.8	0.15	22	1.3	0.12	0.9	0.09
Nasopharynx	10	0.8	0.11	0.7	0.10	3	0.2	0.06	0.2	0.04
Oropharynx	15	1.1	0.13	0.8	0.10	3	0.2	0.05	0.2	0.04
Hypopharynx	16	1.1	0.12	0.9	0.10	4	0.2	0.06	0.2	0.05
Digestive System	1,415	100.8	1.23	75.6	0.94	1,044	64.3	0.93	47.7	0.72
Esophagus	118	8.1	0.34	6.2	0.26	23	1.4	0.13	1.0	0.10
Stomach	113	8.0	0.34	5.9	0.26	60	3.7	0.22	2.7	0.17
Small intestine	46	3.2	0.22	2.5	0.17	33	2.2	0.17	1.7	0.14
Colon excl. rectum	472	34.3	0.73	25.2	0.54	448	27.8	0.61	20.4	0.48
Rectum & rectosigmoid	218	16.0	0.50	12.5	0.40	141	9.0	0.35	7.1	0.29
Anus, anal canal & anorectum	22	1.6	0.16	1.3	0.13	44	2.9	0.21	2.4	0.17
Liver	154	10.3	0.38	8.2	0.30	48	2.9	0.20	2.2	0.16
Gallbladder	9	0.6	0.09	0.4	0.07	19	1.1	0.12	0.8	0.09
Pancreas	205	14.5	0.46	10.4	0.34	173	10.1	0.35	7.0	0.26
Respiratory System	1,501	103.0	1.21	74.1	0.87	1,147	67.8	0.92	50.4	0.70
Larynx	94	6.4	0.30	5.0	0.24	30	1.9	0.16	1.5	0.13
Lung & bronchus	1,392	95.6	1.17	68.3	0.84	1,104	65.2	0.90	48.3	0.68
Bones & Joints	16	1.3	0.15	1.2	0.15	12	1.0	0.14	1.0	0.14
Soft Tissue (incl. heart)	43	3.4	0.24	2.7	0.20	37	2.6	0.20	2.2	0.19
Skin (excl. basal & sq.)	457	33.8	0.73	24.6	0.54	288	20.8	0.58	17.3	0.51
Melanomas of the skin	430	31.7	0.71	23.2	0.53	273	19.9	0.57	16.6	0.50
Breast (excl. <i>in situ</i>)	15	1.1	0.13	0.8	0.10	1,786	116.8	1.30	92.3	1.06
Female Genital System	-	-	-	-	-	720	49.4	0.87	40.7	0.74
Cervix uteri	-	-	-	-	-	105	9.0	0.41	7.9	0.37
Uterus Corpus	-	-	-	-	-	356	23.2	0.58	19.2	0.49
Uterus, NOS ¹	-	-	-	-	-	11	0.7	0.09	0.5	0.07
Ovary	-	-	-	-	-	173	11.7	0.42	9.2	0.35
Male Genital System	1,620	108.5	1.23	84.1	0.97	-	-	-	-	-
Prostate	1,541	101.0	1.17	76.9	0.89	-	-	-	-	-
Testis	62	6.3	0.36	6.3	0.36	-	-	-	-	-
Penis	15	1.1	0.13	0.8	0.10	-	-	-	-	-
Urinary System	921	66.6	1.01	47.6	0.73	361	22.8	0.56	17.2	0.45
Bladder (incl. <i>in situ</i>)	521	37.4	0.75	25.2	0.51	140	8.3	0.32	5.8	0.24
Kidney & renal pelvis	380	27.7	0.66	21.5	0.52	212	13.9	0.45	11.0	0.37
Ureter	14	1.0	0.12	0.6	0.08	6	0.3	0.06	0.2	0.04
Eye & Orbit	13	1.0	0.13	0.8	0.11	11	0.8	0.11	0.7	0.11
Brain & Other CNS ¹	115	9.1	0.40	8.0	0.37	86	6.2	0.32	5.5	0.31
Brain	109	8.6	0.38	7.5	0.35	79	5.6	0.30	4.9	0.28
Endocrine System	98	7.8	0.37	6.7	0.33	231	18.9	0.58	17.1	0.54
Thyroid gland	87	6.9	0.34	5.8	0.30	221	18.1	0.57	16.4	0.53
Lymphomas	342	25.8	0.64	19.5	0.51	280	18.1	0.51	14.0	0.42
Hodgkin Lymphoma	35	3.1	0.24	2.9	0.24	29	2.5	0.22	2.4	0.22
Non-Hodgkin Lymphoma	308	22.7	0.59	16.6	0.45	252	15.6	0.46	11.6	0.36
Multiple Myeloma	102	7.2	0.33	5.1	0.23	79	4.8	0.25	3.4	0.18
Leukemias	249	18.5	0.54	14.0	0.43	169	11.2	0.40	8.9	0.36
Acute lymphocytic	18	1.7	0.18	1.8	0.20	14	1.4	0.17	1.5	0.20
Chronic lymphocytic	103	7.1	0.32	5.2	0.24	63	3.7	0.21	2.6	0.16
Acute myeloid	70	5.2	0.28	3.7	0.21	51	3.4	0.23	2.8	0.20
Chronic myeloid	31	2.4	0.20	1.8	0.16	26	1.8	0.16	1.4	0.14
Other leukemias	28	2.1	0.18	1.5	0.13	15	0.9	0.11	0.6	0.08
Mesothelioma	18	1.3	0.14	0.9	0.10	6	0.3	0.06	0.3	0.05
Kaposi Sarcoma	4	0.3	0.08	0.2	0.06	1	0.1	0.02	0.0	0.01
Ill-defined & Unknown	280	20.5	0.56	14.5	0.41	225	13.7	0.42	9.8	0.32
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	100	8.1	0.37	6.5	0.32	193	13.3	0.45	10.7	0.39
Breast (<i>in situ</i>)	-	-	-	-	-	388	26.2	0.63	21.3	0.52

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Arkansas, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,129	591.9	8.50	455.5	6.15	975	404.0	5.97	317.4	4.64
Oral Cavity & Pharynx	33	15.6	1.28	13.1	1.03	16	6.2	0.72	5.2	0.60
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	9	4.0	0.65	3.3	0.51	2	0.7	0.23	0.6	0.20
Major salivary gland	2	1.0	0.32	0.9	0.26	4	1.8	0.39	1.6	0.35
Floor of mouth	2	0.7	0.25	0.6	0.21	-	-	-	-	-
Gum & other mouth	4	1.9	0.43	1.6	0.36	3	1.2	0.32	0.9	0.24
Nasopharynx	1	0.6	0.25	0.6	0.23	-	-	-	-	-
Oropharynx	2	0.8	0.28	0.6	0.23	1	0.4	0.19	0.4	0.15
Hypopharynx	5	2.5	0.52	2.0	0.40	2	0.5	0.20	0.5	0.18
Digestive System	234	124.3	3.92	95.0	2.82	195	82.8	2.73	61.2	2.01
Esophagus	13	6.2	0.84	5.0	0.63	5	2.1	0.41	1.7	0.33
Stomach	27	15.3	1.39	11.4	0.99	16	6.9	0.79	5.1	0.58
Small intestine	6	2.9	0.59	2.3	0.44	8	3.1	0.52	2.5	0.42
Colon excl. rectum	82	44.3	2.37	33.4	1.68	83	34.7	1.76	26.0	1.31
Rectum & rectosigmoid	31	15.4	1.33	12.3	1.01	23	10.3	0.98	7.7	0.72
Anus, anal canal & anorectum	3	1.7	0.42	1.4	0.36	3	1.1	0.31	0.8	0.22
Liver	29	14.1	1.25	11.4	0.95	8	3.4	0.54	2.6	0.41
Gallbladder	3	1.5	0.45	1.0	0.30	4	1.6	0.38	1.1	0.26
Pancreas	33	18.3	1.55	13.3	1.06	38	16.3	1.22	11.3	0.84
Respiratory System	219	119.6	3.91	88.7	2.72	128	52.6	2.15	39.9	1.60
Larynx	18	9.4	1.05	7.3	0.77	4	1.7	0.38	1.4	0.31
Lung & bronchus	200	109.5	3.75	80.8	2.60	123	50.4	2.11	38.0	1.56
Bones & Joints	3	1.3	0.36	1.2	0.33	2	0.7	0.24	0.7	0.24
Soft Tissue (incl. heart)	9	4.8	0.76	3.9	0.59	6	2.7	0.49	2.3	0.42
Skin (excl. basal & sq.)	7	4.2	0.76	3.0	0.53	5	2.2	0.44	1.8	0.36
Melanomas of the skin	3	1.7	0.50	1.2	0.33	3	1.1	0.31	0.8	0.23
Breast (excl. <i>in situ</i>)	4	2.5	0.60	1.7	0.39	293	120.6	3.25	98.0	2.61
Female Genital System	-	-	-	-	-	120	48.6	2.05	39.4	1.64
Cervix uteri	-	-	-	-	-	24	10.1	0.95	8.7	0.81
Uterus Corpus	-	-	-	-	-	61	23.6	1.40	19.3	1.12
Uterus, NOS ¹	-	-	-	-	-	4	1.6	0.37	1.1	0.27
Ovary	-	-	-	-	-	21	8.9	0.89	6.8	0.68
Male Genital System	381	188.0	4.63	148.6	3.45	-	-	-	-	-
Prostate	376	185.9	4.60	146.7	3.43	-	-	-	-	-
Testis	3	1.2	0.34	1.2	0.34	-	-	-	-	-
Penis	2	0.8	0.32	0.6	0.22	-	-	-	-	-
Urinary System	85	47.2	2.47	35.0	1.73	53	22.5	1.43	16.8	1.05
Bladder (incl. <i>in situ</i>)	31	19.1	1.66	13.0	1.06	15	6.3	0.76	4.4	0.53
Kidney & renal pelvis	53	27.8	1.82	21.8	1.36	38	16.1	1.21	12.3	0.91
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	11	5.5	0.79	4.7	0.65	7	2.9	0.50	2.6	0.44
Brain	10	5.2	0.77	4.4	0.62	7	2.8	0.48	2.4	0.43
Endocrine System	10	4.8	0.73	4.1	0.59	31	12.9	1.07	11.4	0.93
Thyroid gland	8	3.8	0.64	3.2	0.52	28	11.9	1.02	10.5	0.89
Lymphomas	38	20.0	1.54	16.4	1.21	32	13.4	1.10	10.9	0.89
Hodgkin Lymphoma	8	3.6	0.58	3.6	0.57	6	2.4	0.44	2.5	0.45
Non-Hodgkin Lymphoma	30	16.4	1.42	12.9	1.06	26	11.1	1.01	8.5	0.76
Multiple Myeloma	29	16.7	1.51	11.9	1.01	28	11.2	0.98	8.7	0.75
Leukemias	27	14.8	1.39	11.4	1.00	21	8.5	0.84	6.9	0.69
Acute lymphocytic	4	1.4	0.35	1.6	0.38	2	0.9	0.27	0.8	0.26
Chronic lymphocytic	10	6.3	0.95	4.3	0.62	7	2.8	0.49	2.1	0.35
Acute myeloid	7	4.4	0.79	3.2	0.53	6	2.4	0.43	2.1	0.38
Chronic myeloid	4	1.6	0.38	1.5	0.35	3	1.1	0.30	0.9	0.25
Other leukemias	2	1.1	0.36	0.9	0.27	3	1.4	0.35	1.0	0.27
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	2	0.7	0.27	0.7	0.25	-	-	-	-	-
Ill-defined & Unknown	37	21.2	1.69	15.4	1.16	36	15.9	1.23	11.4	0.87
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	19	10.3	1.12	8.1	0.84	36	14.7	1.13	12.1	0.92
Breast (<i>in situ</i>)	-	-	-	-	-	68	26.7	1.49	22.2	1.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

ARKANSAS

32 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
California, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	83,082	432.9	0.69	318.3	0.50	85,518	387.6	0.60	299.0	0.48
Oral Cavity & Pharynx	3,105	15.5	0.13	12.0	0.10	1,255	5.6	0.07	4.3	0.06
Lip	200	1.0	0.03	0.8	0.02	80	0.4	0.02	0.3	0.01
Tongue	1,011	5.0	0.07	3.9	0.06	398	1.8	0.04	1.4	0.03
Major salivary gland	300	1.6	0.04	1.1	0.03	197	0.9	0.03	0.7	0.02
Floor of mouth	93	0.5	0.02	0.4	0.02	54	0.2	0.01	0.2	0.01
Gum & other mouth	282	1.5	0.04	1.1	0.03	222	1.0	0.03	0.7	0.02
Nasopharynx	202	1.0	0.03	0.9	0.03	82	0.4	0.02	0.3	0.02
Oropharynx	133	0.6	0.03	0.5	0.02	36	0.2	0.01	0.1	0.01
Hypopharynx	149	0.8	0.03	0.6	0.02	36	0.2	0.01	0.1	0.01
Digestive System	17,747	92.0	0.32	67.3	0.23	14,224	63.1	0.24	45.6	0.18
Esophagus	1,121	5.8	0.08	4.2	0.06	341	1.5	0.04	1.0	0.03
Stomach	1,816	9.7	0.10	6.9	0.07	1,234	5.6	0.07	4.0	0.05
Small intestine	418	2.2	0.05	1.6	0.04	374	1.7	0.04	1.3	0.03
Colon excl. rectum	5,057	26.7	0.17	19.2	0.12	5,064	22.6	0.14	16.1	0.11
Rectum & rectosigmoid	2,600	13.2	0.12	10.2	0.09	1,884	8.5	0.09	6.6	0.07
Anus, anal canal & anorectum	298	1.5	0.04	1.2	0.03	477	2.1	0.04	1.6	0.03
Liver	2,791	13.5	0.12	10.6	0.09	1,029	4.5	0.06	3.3	0.05
Gallbladder	156	0.9	0.03	0.6	0.02	349	1.5	0.04	1.1	0.03
Pancreas	2,542	13.5	0.12	9.4	0.08	2,401	10.5	0.10	7.3	0.07
Respiratory System	9,398	51.0	0.24	34.6	0.16	8,783	39.0	0.19	26.9	0.13
Larynx	672	3.5	0.06	2.5	0.04	138	0.6	0.02	0.5	0.02
Lung & bronchus	8,507	46.4	0.23	31.1	0.15	8,521	37.8	0.19	26.0	0.13
Bones & Joints	198	1.0	0.03	1.0	0.03	150	0.8	0.03	0.7	0.03
Soft Tissue (incl. heart)	830	4.4	0.07	3.5	0.06	659	3.1	0.06	2.6	0.05
Skin (excl. basal & sq.)	6,278	33.4	0.19	23.8	0.14	4,057	18.5	0.13	14.7	0.11
Melanomas of the skin	5,752	30.4	0.18	21.9	0.13	3,743	17.1	0.13	13.7	0.10
Breast (excl. <i>in situ</i>)	190	1.0	0.03	0.7	0.02	26,599	121.5	0.34	96.2	0.27
Female Genital System	-	-	-	-	-	10,731	48.4	0.21	39.2	0.17
Cervix uteri	-	-	-	-	-	1,456	7.2	0.09	6.3	0.08
Uterus Corpus	-	-	-	-	-	5,688	25.0	0.15	20.3	0.12
Uterus, NOS ¹	-	-	-	-	-	214	1.0	0.03	0.7	0.02
Ovary	-	-	-	-	-	2,471	11.3	0.10	9.0	0.08
Male Genital System	20,162	100.2	0.32	77.0	0.24	-	-	-	-	-
Prostate	18,743	93.0	0.31	70.0	0.23	-	-	-	-	-
Testis	1,215	6.1	0.08	6.3	0.08	-	-	-	-	-
Penis	152	0.8	0.03	0.6	0.02	-	-	-	-	-
Urinary System	9,444	50.7	0.24	35.3	0.16	3,894	17.4	0.13	12.7	0.10
Bladder (incl. <i>in situ</i>)	5,288	29.3	0.18	19.1	0.12	1,573	6.9	0.08	4.6	0.05
Kidney & renal pelvis	3,958	20.3	0.15	15.5	0.11	2,209	10.0	0.10	7.7	0.08
Ureter	108	0.6	0.03	0.4	0.02	70	0.3	0.02	0.2	0.01
Eye & Orbit	192	1.0	0.03	0.8	0.03	163	0.8	0.03	0.7	0.02
Brain & Other CNS ¹	1,365	7.1	0.09	6.0	0.07	1,057	5.0	0.07	4.3	0.06
Brain	1,287	6.6	0.08	5.6	0.07	981	4.6	0.07	4.0	0.06
Endocrine System	1,469	7.5	0.09	6.4	0.08	4,094	20.1	0.14	18.0	0.13
Thyroid gland	1,308	6.6	0.08	5.6	0.07	3,953	19.4	0.14	17.4	0.13
Lymphomas	4,707	24.8	0.17	18.9	0.13	3,744	17.1	0.13	13.2	0.10
Hodgkin Lymphoma	487	2.5	0.05	2.3	0.05	392	1.9	0.04	1.9	0.04
Non-Hodgkin Lymphoma	4,220	22.4	0.16	16.5	0.12	3,352	15.1	0.12	11.3	0.09
Multiple Myeloma	1,418	7.5	0.09	5.3	0.06	1,052	4.7	0.07	3.4	0.05
Leukemias	2,968	15.9	0.13	12.4	0.11	2,094	9.7	0.10	7.9	0.08
Acute lymphocytic	443	2.3	0.05	2.5	0.06	330	1.8	0.04	1.9	0.05
Chronic lymphocytic	946	5.0	0.07	3.5	0.05	586	2.5	0.05	1.7	0.03
Acute myeloid	885	4.8	0.07	3.6	0.05	708	3.3	0.06	2.5	0.05
Chronic myeloid	384	2.1	0.05	1.6	0.04	262	1.2	0.03	0.9	0.03
Other leukemias	310	1.7	0.04	1.2	0.03	207	0.9	0.03	0.7	0.02
Mesothelioma	249	1.4	0.04	0.9	0.03	88	0.4	0.02	0.3	0.01
Kaposi Sarcoma	191	1.0	0.03	0.9	0.03	18	0.1	0.01	0.1	0.01
Ill-defined & Unknown	3,168	17.5	0.14	11.6	0.09	2,855	12.6	0.11	8.5	0.08
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1,559	8.2	0.09	6.5	0.08	3,181	14.6	0.12	11.5	0.10
Breast (<i>in situ</i>)	20	0.1	0.01	0.1	0.01	6,098	27.9	0.16	22.7	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
California, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	65,939	445.4	0.79	326.6	0.58	67,093	403.8	0.71	311.0	0.56
Oral Cavity & Pharynx	2,561	16.5	0.15	12.8	0.11	980	5.8	0.08	4.4	0.07
Lip	184	1.2	0.04	0.9	0.03	73	0.4	0.02	0.3	0.02
Tongue	887	5.7	0.09	4.4	0.07	325	1.9	0.05	1.5	0.04
Major salivary gland	245	1.7	0.05	1.2	0.03	145	0.9	0.03	0.7	0.03
Floor of mouth	77	0.5	0.03	0.4	0.02	46	0.3	0.02	0.2	0.01
Gum & other mouth	220	1.5	0.05	1.1	0.03	177	1.0	0.04	0.7	0.03
Nasopharynx	69	0.4	0.02	0.4	0.02	30	0.2	0.02	0.2	0.01
Oropharynx	110	0.7	0.03	0.5	0.02	29	0.2	0.01	0.1	0.01
Hypopharynx	120	0.8	0.03	0.6	0.02	29	0.2	0.01	0.1	0.01
Digestive System	13,549	91.0	0.36	66.5	0.26	10,821	63.3	0.28	45.9	0.21
Esophagus	967	6.5	0.10	4.7	0.07	280	1.6	0.04	1.1	0.03
Stomach	1,306	9.0	0.11	6.4	0.08	847	5.1	0.08	3.8	0.06
Small intestine	332	2.3	0.06	1.6	0.04	298	1.8	0.05	1.3	0.04
Colon excl. rectum	3,905	26.8	0.20	19.1	0.14	3,883	22.8	0.17	16.2	0.12
Rectum & rectosigmoid	1,957	12.9	0.13	9.9	0.10	1,412	8.5	0.10	6.6	0.08
Anus, anal canal & anorectum	250	1.6	0.05	1.3	0.04	425	2.4	0.05	1.9	0.04
Liver	1,966	12.2	0.13	9.7	0.10	713	4.1	0.07	3.0	0.05
Gallbladder	118	0.8	0.03	0.6	0.02	275	1.6	0.04	1.1	0.03
Pancreas	2,024	13.8	0.14	9.7	0.10	1,863	10.7	0.11	7.4	0.08
Respiratory System	7,237	50.7	0.27	34.2	0.18	6,994	40.7	0.22	27.9	0.15
Larynx	552	3.7	0.07	2.7	0.05	114	0.7	0.03	0.5	0.02
Lung & bronchus	6,511	45.8	0.26	30.6	0.17	6,785	39.5	0.22	27.0	0.15
Bones & Joints	162	1.1	0.04	1.1	0.04	124	0.8	0.03	0.8	0.03
Soft Tissue (incl. heart)	663	4.6	0.08	3.6	0.06	509	3.2	0.06	2.7	0.06
Skin (excl. basal & sq.)	5,661	39.0	0.24	27.7	0.17	3,538	21.5	0.17	17.1	0.14
Melanomas of the skin	5,217	35.7	0.23	25.6	0.16	3,292	20.1	0.16	16.1	0.13
Breast (excl. <i>in situ</i>)	153	1.1	0.04	0.7	0.03	20,600	125.4	0.40	98.8	0.32
Female Genital System	-	-	-	-	-	8,359	50.4	0.25	40.6	0.21
Cervix uteri	-	-	-	-	-	1,089	7.4	0.10	6.5	0.09
Uterus Corpus	-	-	-	-	-	4,407	25.8	0.18	20.9	0.14
Uterus, NOS ¹	-	-	-	-	-	159	0.9	0.03	0.7	0.03
Ovary	-	-	-	-	-	1,959	11.9	0.12	9.4	0.10
Male Genital System	15,229	98.0	0.36	75.6	0.28	-	-	-	-	-
Prostate	13,999	89.7	0.35	67.4	0.26	-	-	-	-	-
Testis	1,065	7.2	0.10	7.4	0.10	-	-	-	-	-
Penis	129	0.9	0.04	0.6	0.03	-	-	-	-	-
Urinary System	7,920	54.9	0.28	38.1	0.19	3,177	18.7	0.15	13.7	0.11
Bladder (incl. <i>in situ</i>)	4,518	32.2	0.22	20.9	0.14	1,316	7.6	0.09	5.0	0.07
Kidney & renal pelvis	3,239	21.5	0.17	16.5	0.13	1,777	10.7	0.12	8.3	0.09
Ureter	89	0.7	0.03	0.4	0.02	53	0.3	0.02	0.2	0.01
Eye & Orbit	172	1.1	0.04	0.9	0.03	147	0.9	0.03	0.8	0.03
Brain & Other CNS ¹	1,161	7.8	0.10	6.6	0.09	897	5.6	0.09	4.9	0.08
Brain	1,100	7.4	0.10	6.2	0.09	840	5.3	0.08	4.5	0.07
Endocrine System	1,139	7.6	0.10	6.5	0.09	3,096	20.7	0.17	18.6	0.15
Thyroid gland	1,028	6.8	0.10	5.8	0.08	3,001	20.1	0.17	18.0	0.15
Lymphomas	3,815	26.2	0.19	19.8	0.15	2,988	18.0	0.15	13.9	0.12
Hodgkin Lymphoma	396	2.7	0.06	2.5	0.06	321	2.1	0.05	2.1	0.05
Non-Hodgkin Lymphoma	3,419	23.5	0.18	17.3	0.13	2,667	15.9	0.14	11.8	0.11
Multiple Myeloma	1,091	7.5	0.10	5.3	0.07	788	4.6	0.07	3.3	0.06
Leukemias	2,472	17.2	0.16	13.4	0.13	1,710	10.5	0.12	8.4	0.10
Acute lymphocytic	378	2.6	0.06	2.9	0.07	272	1.9	0.05	2.1	0.06
Chronic lymphocytic	812	5.6	0.09	3.8	0.06	507	2.9	0.06	2.0	0.04
Acute myeloid	715	5.1	0.09	3.7	0.06	560	3.4	0.07	2.6	0.05
Chronic myeloid	307	2.1	0.06	1.6	0.04	205	1.3	0.04	1.0	0.03
Other leukemias	260	1.8	0.05	1.3	0.04	166	1.0	0.03	0.7	0.03
Mesothelioma	222	1.6	0.05	1.0	0.03	79	0.5	0.02	0.3	0.02
Kaposi Sarcoma	137	0.9	0.04	0.8	0.03	12	0.1	0.01	0.0	0.01
Ill-defined & Unknown	2,596	18.5	0.17	12.2	0.11	2,274	13.1	0.13	8.8	0.09
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	1,228	8.4	0.11	6.7	0.09	2,461	15.1	0.14	11.8	0.11
Breast (<i>in situ</i>)	15	0.1	0.01	0.1	0.01	4,382	26.9	0.19	21.8	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
California, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,399	452.9	2.91	341.6	2.09	5,318	372.7	2.33	286.3	1.79
Oral Cavity & Pharynx	149	11.6	0.45	9.3	0.34	65	4.4	0.25	3.5	0.20
Lip	2	0.2	0.06	0.1	0.04	-	-	-	-	-
Tongue	40	3.1	0.23	2.5	0.18	14	1.0	0.12	0.8	0.09
Major salivary gland	12	1.0	0.14	0.7	0.10	13	0.9	0.11	0.8	0.09
Floor of mouth	8	0.7	0.11	0.5	0.08	3	0.2	0.05	0.1	0.04
Gum & other mouth	15	1.2	0.15	1.0	0.11	13	0.9	0.11	0.7	0.09
Nasopharynx	10	0.8	0.12	0.7	0.10	5	0.3	0.07	0.3	0.05
Oropharynx	13	1.0	0.13	0.8	0.10	4	0.3	0.06	0.2	0.05
Hypopharynx	11	0.9	0.12	0.7	0.09	3	0.2	0.05	0.1	0.04
Digestive System	1,224	103.9	1.40	77.2	0.99	1,032	72.7	1.03	53.3	0.76
Esophagus	46	3.8	0.27	2.9	0.19	24	1.7	0.16	1.2	0.11
Stomach	129	12.0	0.50	8.3	0.33	88	6.4	0.31	4.5	0.22
Small intestine	41	3.6	0.26	2.6	0.18	39	2.7	0.20	2.1	0.15
Colon excl. rectum	371	32.0	0.78	23.5	0.55	393	28.1	0.65	20.3	0.47
Rectum & rectosigmoid	142	11.6	0.46	8.9	0.34	116	8.0	0.34	6.3	0.26
Anus, anal canal & anorectum	28	2.2	0.19	1.7	0.15	27	1.9	0.16	1.5	0.13
Liver	217	16.5	0.52	13.4	0.41	75	4.8	0.26	3.8	0.20
Gallbladder	11	1.0	0.14	0.7	0.10	24	1.7	0.16	1.2	0.11
Pancreas	187	16.5	0.57	11.8	0.39	185	13.0	0.44	9.3	0.31
Respiratory System	730	66.3	1.16	46.7	0.78	651	45.8	0.82	33.1	0.59
Larynx	58	5.0	0.31	3.6	0.21	13	0.9	0.11	0.7	0.08
Lung & bronchus	661	60.4	1.11	42.3	0.74	630	44.3	0.81	32.0	0.58
Bones & Joints	10	0.8	0.11	0.7	0.10	8	0.6	0.09	0.6	0.09
Soft Tissue (incl. heart)	52	4.2	0.27	3.5	0.22	52	3.7	0.23	3.1	0.20
Skin (excl. basal & sq.)	29	2.5	0.22	1.9	0.16	25	1.8	0.16	1.4	0.13
Melanomas of the skin	15	1.4	0.17	1.0	0.11	11	0.8	0.11	0.6	0.09
Breast (excl. <i>in situ</i>)	17	1.5	0.17	1.1	0.12	1,720	120.4	1.32	94.7	1.04
Female Genital System	-	-	-	-	-	663	45.0	0.80	36.2	0.64
Cervix uteri	-	-	-	-	-	95	6.9	0.32	5.8	0.27
Uterus Corpus	-	-	-	-	-	359	23.8	0.57	19.1	0.46
Uterus, NOS ¹	-	-	-	-	-	29	2.0	0.17	1.6	0.13
Ovary	-	-	-	-	-	129	8.9	0.36	7.1	0.29
Male Genital System	1,785	140.3	1.56	110.4	1.17	-	-	-	-	-
Prostate	1,754	138.0	1.55	108.3	1.16	-	-	-	-	-
Testis	21	1.5	0.15	1.5	0.14	-	-	-	-	-
Penis	7	0.6	0.11	0.4	0.07	-	-	-	-	-
Urinary System	505	44.5	0.93	32.3	0.65	262	18.6	0.52	13.7	0.39
Bladder (incl. <i>in situ</i>)	211	20.4	0.66	13.6	0.42	82	6.0	0.30	4.0	0.20
Kidney & renal pelvis	287	23.4	0.65	18.3	0.49	172	12.0	0.42	9.3	0.32
Ureter	2	0.2	0.06	0.1	0.04	3	0.2	0.06	0.1	0.04
Eye & Orbit	3	0.3	0.08	0.2	0.06	4	0.3	0.07	0.2	0.06
Brain & Other CNS ¹	61	4.8	0.28	4.1	0.24	42	2.9	0.20	2.6	0.18
Brain	56	4.3	0.27	3.7	0.23	38	2.6	0.19	2.3	0.17
Endocrine System	57	4.5	0.28	3.7	0.22	153	11.0	0.41	9.4	0.35
Thyroid gland	44	3.5	0.24	2.8	0.19	138	9.9	0.39	8.5	0.33
Lymphomas	229	18.6	0.58	15.1	0.45	197	14.0	0.45	11.2	0.36
Hodgkin Lymphoma	33	2.4	0.19	2.3	0.18	27	1.9	0.17	1.8	0.16
Non-Hodgkin Lymphoma	197	16.3	0.54	12.8	0.41	170	12.1	0.42	9.4	0.33
Multiple Myeloma	170	15.2	0.55	10.8	0.37	131	9.2	0.37	6.7	0.27
Leukemias	152	13.3	0.51	10.1	0.37	115	8.2	0.35	6.6	0.28
Acute lymphocytic	15	1.1	0.13	1.2	0.14	15	1.1	0.12	1.1	0.13
Chronic lymphocytic	50	4.6	0.31	3.2	0.20	29	2.0	0.17	1.5	0.12
Acute myeloid	48	4.3	0.29	3.2	0.21	40	2.9	0.20	2.3	0.17
Chronic myeloid	22	1.9	0.19	1.5	0.14	17	1.2	0.13	1.0	0.11
Other leukemias	16	1.4	0.16	1.0	0.12	14	1.0	0.13	0.7	0.09
Mesothelioma	10	1.1	0.16	0.7	0.09	3	0.2	0.06	0.1	0.04
Kaposi Sarcoma	23	1.6	0.16	1.5	0.15	2	0.1	0.05	0.1	0.04
Ill-defined & Unknown	-	-	-	-	-	192	13.9	0.46	9.7	0.32
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	90	7.6	0.38	6.0	0.28	196	13.9	0.45	10.9	0.36
Breast (<i>in situ</i>)	2	0.1	0.05	0.1	0.04	417	28.5	0.64	23.0	0.51

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
California, 2013-2017, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8,502	290.5	1.44	213.5	1.05	11,072	298.0	1.29	233.1	1.02
Oral Cavity & Pharynx	325	10.7	0.27	8.5	0.21	180	4.8	0.16	3.9	0.13
Lip	4	0.1	0.03	0.1	0.02	2	0.1	0.02	0.0	0.01
Tongue	66	2.2	0.12	1.7	0.09	50	1.3	0.09	1.0	0.07
Major salivary gland	35	1.2	0.09	1.0	0.07	35	0.9	0.07	0.8	0.06
Floor of mouth	6	0.2	0.03	0.1	0.03	4	0.1	0.02	0.1	0.02
Gum & other mouth	42	1.4	0.10	1.0	0.07	27	0.7	0.06	0.5	0.05
Nasopharynx	118	3.8	0.16	3.2	0.13	45	1.2	0.08	1.1	0.07
Oropharynx	6	0.2	0.03	0.2	0.03	2	0.1	0.02	0.0	0.01
Hypopharynx	16	0.6	0.06	0.4	0.04	4	0.1	0.02	0.1	0.02
Digestive System	2,632	89.4	0.80	65.0	0.57	2,119	56.8	0.56	40.3	0.40
Esophagus	91	3.1	0.15	2.2	0.10	32	0.8	0.07	0.6	0.05
Stomach	353	12.5	0.30	8.6	0.21	275	7.5	0.20	5.2	0.14
Small intestine	38	1.3	0.10	1.0	0.07	29	0.8	0.07	0.6	0.05
Colon excl. rectum	683	23.2	0.40	16.8	0.29	697	18.6	0.32	13.3	0.23
Rectum & rectosigmoid	422	13.8	0.31	10.7	0.24	300	8.0	0.21	6.1	0.16
Anus, anal canal & anorectum	13	0.4	0.05	0.3	0.04	16	0.4	0.05	0.3	0.03
Liver	548	18.0	0.35	13.7	0.26	219	5.9	0.18	4.1	0.13
Gallbladder	26	0.9	0.08	0.6	0.06	47	1.3	0.08	0.9	0.06
Pancreas	299	10.5	0.28	7.2	0.19	330	8.9	0.22	6.0	0.15
Respiratory System	1,319	46.6	0.59	31.8	0.40	1,036	27.8	0.39	19.4	0.28
Larynx	47	1.6	0.11	1.1	0.08	6	0.2	0.03	0.1	0.02
Lung & bronchus	1,240	43.9	0.57	29.7	0.38	1,012	27.1	0.39	18.9	0.27
Bones & Joints	23	0.8	0.07	0.8	0.07	16	0.5	0.06	0.5	0.06
Soft Tissue (incl. heart)	93	3.1	0.15	2.6	0.12	82	2.3	0.12	2.0	0.10
Skin (excl. basal & sq.)	67	2.3	0.13	1.7	0.09	67	1.8	0.10	1.5	0.08
Melanomas of the skin	38	1.3	0.10	1.0	0.07	44	1.2	0.08	1.0	0.07
Breast (excl. <i>in situ</i>)	17	0.6	0.06	0.4	0.05	3,763	100.6	0.74	82.0	0.61
Female Genital System	-	-	-	-	-	1,484	39.3	0.46	32.4	0.38
Cervix uteri	-	-	-	-	-	233	6.4	0.19	5.4	0.16
Uterus Corpus	-	-	-	-	-	796	20.7	0.33	17.2	0.28
Uterus, NOS ¹	-	-	-	-	-	23	0.6	0.06	0.4	0.04
Ovary	-	-	-	-	-	348	9.4	0.23	7.7	0.19
Male Genital System	1,594	52.5	0.60	39.5	0.45	-	-	-	-	-
Prostate	1,502	49.5	0.58	36.7	0.43	-	-	-	-	-
Testis	71	2.2	0.12	2.3	0.12	-	-	-	-	-
Penis	11	0.4	0.06	0.3	0.04	-	-	-	-	-
Urinary System	793	27.7	0.45	19.4	0.31	364	9.8	0.23	7.0	0.17
Bladder (incl. <i>in situ</i>)	409	14.8	0.33	9.6	0.22	137	3.6	0.14	2.4	0.10
Kidney & renal pelvis	360	12.0	0.29	9.2	0.22	208	5.6	0.18	4.3	0.14
Ureter	16	0.6	0.07	0.4	0.04	13	0.4	0.05	0.2	0.03
Eye & Orbit	11	0.4	0.05	0.4	0.05	9	0.3	0.05	0.3	0.05
Brain & Other CNS ¹	127	4.4	0.18	3.8	0.16	101	2.9	0.13	2.6	0.13
Brain	117	4.0	0.17	3.5	0.15	89	2.6	0.13	2.3	0.12
Endocrine System	241	7.9	0.23	6.7	0.20	743	20.6	0.34	18.3	0.31
Thyroid gland	206	6.7	0.21	5.7	0.18	715	19.8	0.33	17.5	0.30
Lymphomas	531	18.3	0.36	14.0	0.28	447	12.3	0.26	9.5	0.21
Hodgkin Lymphoma	44	1.5	0.10	1.4	0.10	34	1.0	0.08	1.0	0.08
Non-Hodgkin Lymphoma	487	16.8	0.35	12.6	0.26	413	11.3	0.25	8.5	0.20
Multiple Myeloma	133	4.6	0.18	3.2	0.13	111	2.9	0.13	2.1	0.09
Leukemias	262	9.3	0.26	7.5	0.22	217	6.3	0.20	5.3	0.18
Acute lymphocytic	43	1.5	0.10	1.7	0.12	37	1.3	0.10	1.5	0.11
Chronic lymphocytic	38	1.3	0.10	0.9	0.07	24	0.6	0.06	0.5	0.04
Acute myeloid	113	4.0	0.17	3.0	0.13	102	2.9	0.13	2.3	0.11
Chronic myeloid	43	1.5	0.10	1.2	0.08	31	0.9	0.07	0.7	0.06
Other leukemias	25	0.9	0.08	0.7	0.06	23	0.7	0.06	0.5	0.05
Mesothelioma	15	0.5	0.06	0.4	0.04	6	0.2	0.03	0.1	0.02
Kaposi Sarcoma	12	0.4	0.06	0.3	0.04	-	-	-	-	-
Ill-defined & Unknown	308	11.2	0.29	7.4	0.19	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	202	6.9	0.22	5.4	0.17	455	12.3	0.26	9.5	0.21
Breast (<i>in situ</i>)	2	0.1	0.02	0.1	0.02	1,146	30.4	0.41	25.1	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
California, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	310	239.3	6.67	174.5	4.49	337	223.3	5.72	168.8	4.14
Oral Cavity & Pharynx	13	9.0	1.19	7.1	0.89	5	3.6	0.73	2.6	0.51
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	1.7	0.54	1.2	0.37	1	0.7	0.30	0.6	0.24
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	1	1.0	0.42	0.7	0.27
Nasopharynx	1	0.8	0.37	0.6	0.26	-	-	-	-	-
Oropharynx	1	1.0	0.39	0.8	0.30	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	89	67.4	3.49	49.5	2.38	63	42.8	2.54	31.1	1.76
Esophagus	7	5.0	0.94	3.7	0.65	2	1.2	0.41	1.0	0.32
Stomach	8	5.5	0.98	4.1	0.68	3	2.5	0.67	1.5	0.39
Small intestine	2	1.9	0.59	1.4	0.39	-	-	-	-	-
Colon excl. rectum	17	14.5	1.72	9.9	1.08	24	16.5	1.59	11.8	1.09
Rectum & rectosigmoid	11	8.1	1.24	5.8	0.81	10	6.0	0.92	4.6	0.67
Anus, anal canal & anorectum	1	0.7	0.28	0.6	0.24	2	0.9	0.35	0.8	0.27
Liver	27	18.1	1.66	14.5	1.26	10	6.3	0.94	4.9	0.70
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	13	10.6	1.46	7.4	0.93	9	6.5	1.03	4.4	0.66
Respiratory System	42	37.5	2.81	25.0	1.74	42	29.4	2.15	20.8	1.45
Larynx	3	2.3	0.65	1.6	0.43	1	1.0	0.40	0.7	0.26
Lung & bronchus	39	35.1	2.73	23.3	1.68	39	27.7	2.09	19.7	1.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	3	2.0	0.60	1.5	0.41	2	1.2	0.41	1.0	0.32
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	8	6.4	1.10	4.5	0.72	7	4.4	0.78	3.6	0.60
Breast (excl. <i>in situ</i>)	-	-	-	-	-	87	54.9	2.75	43.2	2.09
Female Genital System	-	-	-	-	-	49	30.5	2.02	24.8	1.59
Cervix uteri	-	-	-	-	-	10	6.1	0.88	5.3	0.75
Uterus Corpus	-	-	-	-	-	27	16.9	1.52	13.4	1.16
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	5.2	0.82	4.2	0.65
Male Genital System	65	47.3	2.88	36.0	2.02	-	-	-	-	-
Prostate	55	42.1	2.76	31.0	1.89	-	-	-	-	-
Testis	8	4.2	0.67	4.3	0.66	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	28.3	2.36	19.8	1.53	24	16.3	1.57	12.1	1.11
Bladder (incl. <i>in situ</i>)	16	15.5	1.86	9.9	1.12	5	4.0	0.83	2.7	0.52
Kidney & renal pelvis	18	12.2	1.41	9.5	1.03	18	11.7	1.29	9.0	0.96
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	5	3.3	0.72	2.7	0.54	3	2.1	0.54	1.7	0.43
Brain	5	2.9	0.65	2.6	0.52	3	2.1	0.54	1.7	0.43
Endocrine System	5	3.1	0.71	2.5	0.52	15	9.0	1.10	7.5	0.88
Thyroid gland	5	3.0	0.70	2.4	0.51	14	8.7	1.07	7.3	0.87
Lymphomas	12	8.9	1.26	6.8	0.88	13	8.9	1.17	6.5	0.82
Hodgkin Lymphoma	1	0.8	0.37	0.6	0.27	2	1.0	0.37	0.9	0.30
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	3.4	0.77	2.5	0.54	5	3.8	0.81	2.5	0.51
Leukemias	11	7.9	1.18	6.1	0.84	8	5.3	0.90	4.0	0.66
Acute lymphocytic	2	1.0	0.33	1.0	0.34	1	0.7	0.27	0.8	0.32
Chronic lymphocytic	2	1.3	0.48	1.0	0.34	1	0.9	0.39	0.6	0.26
Acute myeloid	3	2.6	0.67	2.0	0.48	3	1.9	0.55	1.3	0.37
Chronic myeloid	2	1.6	0.54	1.1	0.35	1	0.8	0.34	0.6	0.25
Other leukemias	2	1.4	0.55	1.0	0.35	1	0.9	0.40	0.6	0.26
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	12.6	1.60	8.6	1.01	12	9.6	1.28	6.2	0.80
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	7	4.6	0.88	3.6	0.63	11	6.7	0.95	5.3	0.73
Breast (<i>in situ</i>)	-	-	-	-	-	19	11.5	1.23	9.3	0.96

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
California, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	15,732	350.3	1.36	257.4	0.94	18,390	324.7	1.11	252.9	0.84
Oral Cavity & Pharynx	407	8.5	0.20	6.5	0.15	202	3.7	0.12	2.8	0.09
Lip	21	0.5	0.05	0.3	0.03	12	0.2	0.03	0.2	0.02
Tongue	110	2.3	0.10	1.7	0.08	63	1.2	0.07	0.9	0.05
Major salivary gland	51	1.1	0.07	0.8	0.05	43	0.7	0.05	0.6	0.04
Floor of mouth	15	0.3	0.04	0.3	0.03	5	0.1	0.02	0.1	0.01
Gum & other mouth	47	1.0	0.07	0.8	0.05	35	0.7	0.06	0.5	0.04
Nasopharynx	20	0.4	0.04	0.3	0.03	10	0.2	0.02	0.1	0.02
Oropharynx	19	0.4	0.05	0.3	0.03	5	0.1	0.02	0.1	0.01
Hypopharynx	22	0.5	0.05	0.4	0.04	5	0.1	0.02	0.1	0.01
Digestive System	4,276	95.8	0.71	69.9	0.49	3,494	66.2	0.52	48.2	0.37
Esophagus	186	4.5	0.16	3.1	0.10	48	1.0	0.06	0.7	0.04
Stomach	538	12.4	0.26	8.8	0.17	451	8.4	0.18	6.2	0.13
Small intestine	81	1.9	0.10	1.3	0.07	81	1.5	0.08	1.1	0.06
Colon excl. rectum	1,094	24.8	0.36	17.8	0.25	1,078	20.2	0.28	14.7	0.20
Rectum & rectosigmoid	657	13.4	0.25	10.3	0.18	449	7.8	0.17	6.1	0.13
Anus, anal canal & anorectum	47	0.9	0.06	0.7	0.05	69	1.2	0.07	1.0	0.05
Liver	876	18.5	0.30	14.3	0.22	355	7.0	0.17	5.0	0.12
Gallbladder	53	1.4	0.09	0.9	0.06	147	2.9	0.11	2.0	0.08
Pancreas	494	12.1	0.26	8.4	0.17	528	10.6	0.21	7.3	0.14
Respiratory System	1,263	34.2	0.46	22.4	0.29	1,066	21.8	0.31	14.9	0.21
Larynx	133	3.2	0.13	2.3	0.09	23	0.4	0.04	0.3	0.03
Lung & bronchus	1,072	29.9	0.43	19.3	0.27	1,015	20.9	0.30	14.2	0.20
Bones & Joints	74	1.1	0.06	1.0	0.05	54	0.7	0.05	0.7	0.04
Soft Tissue (incl. heart)	207	3.8	0.13	3.1	0.10	194	3.1	0.10	2.6	0.09
Skin (excl. basal & sq.)	282	6.3	0.18	4.5	0.12	351	6.0	0.15	4.8	0.12
Melanomas of the skin	225	5.0	0.16	3.6	0.11	294	5.0	0.14	4.0	0.11
Breast (excl. <i>in situ</i>)	28	0.7	0.06	0.5	0.04	5,414	92.9	0.58	74.6	0.46
Female Genital System	-	-	-	-	-	2,775	46.8	0.41	38.1	0.33
Cervix uteri	-	-	-	-	-	553	8.8	0.17	7.4	0.14
Uterus Corpus	-	-	-	-	-	1,353	22.8	0.29	18.8	0.23
Uterus, NOS ¹	-	-	-	-	-	62	1.1	0.06	0.8	0.05
Ovary	-	-	-	-	-	620	10.6	0.20	8.5	0.15
Male Genital System	4,032	88.9	0.68	67.5	0.48	-	-	-	-	-
Prostate	3,460	81.4	0.66	60.1	0.46	-	-	-	-	-
Testis	503	5.9	0.12	6.3	0.13	-	-	-	-	-
Penis	60	1.3	0.08	1.0	0.06	-	-	-	-	-
Urinary System	1,733	40.5	0.47	28.7	0.31	924	17.0	0.26	12.8	0.19
Bladder (incl. <i>in situ</i>)	614	16.9	0.32	10.8	0.20	205	4.2	0.14	2.8	0.09
Kidney & renal pelvis	1,092	22.7	0.33	17.4	0.24	702	12.4	0.22	9.7	0.17
Ureter	16	0.5	0.06	0.3	0.03	10	0.2	0.03	0.1	0.02
Eye & Orbit	33	0.7	0.06	0.5	0.04	32	0.5	0.04	0.4	0.04
Brain & Other CNS ¹	320	5.6	0.15	4.7	0.12	279	4.4	0.12	3.8	0.10
Brain	297	5.2	0.15	4.4	0.12	256	4.1	0.12	3.5	0.10
Endocrine System	347	6.0	0.16	5.0	0.12	1,309	19.8	0.25	17.7	0.22
Thyroid gland	308	5.3	0.15	4.4	0.12	1,274	19.3	0.25	17.2	0.22
Lymphomas	1,061	22.4	0.34	16.7	0.23	959	17.2	0.26	13.2	0.19
Hodgkin Lymphoma	147	2.3	0.09	2.1	0.08	127	1.8	0.07	1.7	0.07
Non-Hodgkin Lymphoma	914	20.1	0.33	14.7	0.22	832	15.4	0.25	11.5	0.18
Multiple Myeloma	313	7.4	0.20	5.2	0.13	261	5.0	0.14	3.7	0.10
Leukemias	693	12.4	0.24	10.2	0.18	530	8.5	0.17	7.2	0.14
Acute lymphocytic	253	3.1	0.09	3.3	0.09	181	2.3	0.08	2.4	0.08
Chronic lymphocytic	89	2.3	0.11	1.5	0.07	65	1.3	0.07	0.9	0.05
Acute myeloid	194	4.0	0.14	3.0	0.10	174	3.0	0.11	2.4	0.08
Chronic myeloid	91	1.7	0.09	1.3	0.06	62	1.0	0.06	0.8	0.05
Other leukemias	67	1.4	0.08	1.0	0.06	47	0.8	0.06	0.6	0.04
Mesothelioma	55	1.4	0.09	1.0	0.06	19	0.3	0.04	0.3	0.03
Kaposi Sarcoma	73	1.2	0.07	1.0	0.05	7	0.2	0.03	0.1	0.02
Ill-defined & Unknown	533	13.6	0.29	9.0	0.18	522	10.4	0.21	7.0	0.14
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	336	6.3	0.17	5.0	0.13	748	13.1	0.22	10.2	0.17
Breast (<i>in situ</i>)	2	0.0	0.01	0.0	0.01	1,247	21.2	0.27	17.3	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

CALIFORNIA

38 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
California, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	50,887	479.7	0.98	353.3	0.75	49,284	433.1	0.93	333.9	0.76
Oral Cavity & Pharynx	2,166	19.9	0.20	15.5	0.16	784	6.7	0.11	5.1	0.09
Lip	163	1.6	0.06	1.2	0.04	61	0.5	0.03	0.4	0.02
Tongue	780	7.1	0.12	5.6	0.09	263	2.3	0.07	1.8	0.05
Major salivary gland	196	1.9	0.06	1.3	0.04	104	0.9	0.04	0.7	0.04
Floor of mouth	62	0.6	0.03	0.4	0.02	40	0.3	0.02	0.2	0.02
Gum & other mouth	174	1.6	0.06	1.2	0.04	143	1.2	0.05	0.8	0.04
Nasopharynx	50	0.5	0.03	0.4	0.03	21	0.2	0.02	0.2	0.02
Oropharynx	92	0.8	0.04	0.6	0.03	24	0.2	0.02	0.2	0.02
Hypopharynx	98	0.9	0.04	0.6	0.03	24	0.2	0.02	0.1	0.01
Digestive System	9,379	87.9	0.42	64.2	0.31	7,425	61.0	0.33	44.0	0.25
Esophagus	785	7.2	0.12	5.2	0.08	233	1.8	0.05	1.2	0.04
Stomach	781	7.4	0.12	5.2	0.09	408	3.3	0.08	2.4	0.06
Small intestine	254	2.4	0.07	1.8	0.05	220	1.9	0.06	1.4	0.05
Colon excl. rectum	2,841	27.4	0.24	19.6	0.17	2,838	23.4	0.21	16.5	0.16
Rectum & rectosigmoid	1,321	12.7	0.16	9.8	0.13	980	8.7	0.13	6.8	0.11
Anus, anal canal & anorectum	204	1.9	0.06	1.5	0.05	358	3.0	0.07	2.3	0.06
Liver	1,108	9.5	0.13	7.6	0.11	369	2.9	0.07	2.2	0.06
Gallbladder	65	0.6	0.04	0.4	0.03	130	1.0	0.04	0.7	0.03
Pancreas	1,540	14.3	0.17	10.0	0.12	1,346	10.6	0.13	7.3	0.10
Respiratory System	6,004	55.8	0.33	38.0	0.23	5,957	47.3	0.28	32.6	0.20
Larynx	422	3.8	0.09	2.8	0.06	92	0.8	0.04	0.6	0.03
Lung & bronchus	5,465	50.8	0.31	34.3	0.21	5,797	45.9	0.28	31.6	0.20
Bones & Joints	90	1.1	0.06	1.0	0.06	71	0.9	0.05	0.8	0.05
Soft Tissue (incl. heart)	462	4.8	0.10	3.8	0.09	322	3.2	0.09	2.7	0.08
Skin (excl. basal & sq.)	5,398	52.2	0.33	38.0	0.25	3,218	30.6	0.26	24.8	0.22
Melanomas of the skin	5,006	48.4	0.32	35.5	0.24	3,023	29.0	0.25	23.7	0.22
Breast (excl. <i>in situ</i>)	125	1.2	0.05	0.8	0.03	15,365	138.7	0.53	109.2	0.43
Female Genital System	-	-	-	-	-	5,668	49.9	0.31	40.0	0.26
Cervix uteri	-	-	-	-	-	553	6.5	0.13	5.7	0.12
Uterus Corpus	-	-	-	-	-	3,097	25.8	0.22	20.7	0.18
Uterus, NOS ¹	-	-	-	-	-	99	0.8	0.04	0.6	0.03
Ovary	-	-	-	-	-	1,354	12.1	0.16	9.5	0.13
Male Genital System	11,551	103.1	0.44	79.7	0.35	-	-	-	-	-
Prostate	10,873	94.3	0.41	71.2	0.31	-	-	-	-	-
Testis	580	7.8	0.15	7.9	0.15	-	-	-	-	-
Penis	70	0.7	0.04	0.4	0.02	-	-	-	-	-
Urinary System	6,237	59.0	0.34	40.9	0.24	2,278	18.6	0.18	13.4	0.14
Bladder (incl. <i>in situ</i>)	3,927	37.1	0.27	24.3	0.18	1,115	8.7	0.12	5.8	0.08
Kidney & renal pelvis	2,175	20.6	0.20	15.7	0.16	1,095	9.4	0.14	7.3	0.11
Ureter	73	0.7	0.04	0.4	0.02	43	0.3	0.02	0.2	0.02
Eye & Orbit	140	1.4	0.05	1.1	0.05	116	1.1	0.05	0.9	0.05
Brain & Other CNS ¹	848	9.1	0.15	7.8	0.14	625	6.4	0.12	5.6	0.12
Brain	809	8.6	0.14	7.3	0.13	590	6.0	0.12	5.2	0.11
Endocrine System	803	8.6	0.14	7.5	0.13	1,828	21.1	0.24	19.1	0.22
Thyroid gland	731	7.7	0.13	6.6	0.12	1,765	20.4	0.23	18.4	0.21
Lymphomas	2,785	27.8	0.25	21.3	0.20	2,063	18.4	0.19	14.3	0.17
Hodgkin Lymphoma	255	3.1	0.09	3.0	0.09	199	2.5	0.09	2.5	0.09
Non-Hodgkin Lymphoma	2,530	24.7	0.23	18.3	0.18	1,865	15.8	0.17	11.8	0.14
Multiple Myeloma	786	7.3	0.12	5.2	0.09	536	4.3	0.09	3.1	0.06
Leukemias	1,797	18.1	0.20	13.7	0.16	1,193	10.7	0.15	8.5	0.14
Acute lymphocytic	130	1.9	0.08	2.1	0.09	96	1.5	0.07	1.6	0.08
Chronic lymphocytic	728	6.7	0.11	4.7	0.08	445	3.5	0.08	2.4	0.06
Acute myeloid	526	5.3	0.11	3.8	0.08	388	3.4	0.08	2.6	0.07
Chronic myeloid	219	2.2	0.07	1.7	0.05	144	1.3	0.05	1.0	0.05
Other leukemias	194	2.0	0.07	1.5	0.05	120	1.0	0.05	0.8	0.04
Mesothelioma	168	1.6	0.06	1.0	0.04	61	0.5	0.03	0.3	0.02
Kaposi Sarcoma	70	0.8	0.04	0.7	0.04	6	0.0	0.01	0.0	0.01
Ill-defined & Unknown	2,077	19.9	0.20	13.2	0.14	1,768	14.0	0.16	9.4	0.12
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	904	9.4	0.15	7.5	0.12	1,739	16.0	0.18	12.7	0.16
Breast (<i>in situ</i>)	13	0.1	0.02	0.1	0.01	3,182	29.9	0.25	24.2	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
California, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,323	477.8	3.08	361.4	2.23	5,203	394.1	2.50	304.0	1.94
Oral Cavity & Pharynx	148	12.4	0.48	9.9	0.37	64	4.7	0.27	3.7	0.21
Lip	2	0.2	0.06	0.1	0.04	-	-	-	-	-
Tongue	40	3.3	0.24	2.6	0.19	14	1.1	0.13	0.9	0.10
Major salivary gland	12	1.0	0.14	0.8	0.11	13	1.0	0.12	0.8	0.10
Floor of mouth	8	0.7	0.12	0.5	0.08	3	0.2	0.05	0.2	0.04
Gum & other mouth	15	1.3	0.16	1.0	0.12	13	1.0	0.12	0.7	0.09
Nasopharynx	10	0.9	0.13	0.7	0.11	4	0.3	0.07	0.3	0.06
Oropharynx	13	1.1	0.14	0.9	0.11	4	0.3	0.07	0.2	0.05
Hypopharynx	11	0.9	0.13	0.7	0.10	3	0.2	0.05	0.2	0.04
Digestive System	1,207	109.5	1.48	81.6	1.06	1,013	76.5	1.10	56.3	0.81
Esophagus	46	4.1	0.28	3.1	0.21	23	1.8	0.17	1.3	0.12
Stomach	126	12.5	0.52	8.7	0.35	86	6.7	0.33	4.8	0.24
Small intestine	40	3.7	0.28	2.7	0.19	38	2.9	0.21	2.2	0.16
Colon excl. rectum	366	33.8	0.83	24.9	0.59	387	29.6	0.69	21.4	0.50
Rectum & rectosigmoid	140	12.3	0.49	9.5	0.36	114	8.5	0.36	6.7	0.29
Anus, anal canal & anorectum	28	2.3	0.21	1.9	0.16	27	2.0	0.17	1.5	0.13
Liver	215	17.5	0.56	14.2	0.43	72	5.0	0.27	4.0	0.21
Gallbladder	10	1.0	0.15	0.7	0.10	23	1.8	0.17	1.2	0.12
Pancreas	185	17.4	0.60	12.5	0.41	182	13.7	0.46	9.8	0.33
Respiratory System	721	69.6	1.22	49.1	0.82	641	48.0	0.86	34.8	0.62
Larynx	58	5.3	0.33	3.8	0.23	13	0.9	0.12	0.7	0.09
Lung & bronchus	653	63.4	1.17	44.5	0.78	620	46.5	0.85	33.6	0.61
Bones & Joints	10	0.9	0.13	0.8	0.12	8	0.7	0.10	0.6	0.10
Soft Tissue (incl. heart)	50	4.4	0.29	3.7	0.24	50	3.9	0.25	3.3	0.22
Skin (excl. basal & sq.)	28	2.7	0.23	2.1	0.17	24	1.9	0.18	1.6	0.15
Melanomas of the skin	14	1.4	0.18	1.0	0.12	11	0.9	0.12	0.7	0.10
Breast (excl. <i>in situ</i>)	17	1.6	0.18	1.2	0.13	1,680	127.7	1.42	100.8	1.13
Female Genital System	-	-	-	-	-	644	47.4	0.85	38.3	0.69
Cervix uteri	-	-	-	-	-	91	7.3	0.35	6.3	0.30
Uterus Corpus	-	-	-	-	-	351	25.0	0.61	20.1	0.49
Uterus, NOS ¹	-	-	-	-	-	28	2.1	0.18	1.6	0.14
Ovary	-	-	-	-	-	126	9.5	0.39	7.6	0.31
Male Genital System	1,761	147.7	1.65	116.3	1.25	-	-	-	-	-
Prostate	1,731	145.1	1.63	114.0	1.23	-	-	-	-	-
Testis	20	1.6	0.16	1.6	0.16	-	-	-	-	-
Penis	7	0.6	0.11	0.4	0.08	-	-	-	-	-
Urinary System	498	46.9	0.99	34.1	0.69	258	19.6	0.56	14.5	0.42
Bladder (incl. <i>in situ</i>)	208	21.3	0.69	14.2	0.44	82	6.3	0.32	4.2	0.21
Kidney & renal pelvis	282	24.8	0.69	19.4	0.52	169	12.8	0.45	9.9	0.35
Ureter	2	0.2	0.07	0.1	0.04	3	0.2	0.06	0.1	0.04
Eye & Orbit	2	0.3	0.08	0.2	0.06	4	0.3	0.07	0.3	0.07
Brain & Other CNS ¹	59	5.1	0.31	4.5	0.27	41	3.1	0.22	2.8	0.21
Brain	53	4.6	0.29	4.0	0.25	36	2.8	0.21	2.5	0.20
Endocrine System	56	4.8	0.30	4.0	0.24	149	12.0	0.45	10.2	0.39
Thyroid gland	44	3.8	0.26	3.1	0.21	135	10.8	0.43	9.3	0.37
Lymphomas	225	20.0	0.62	16.3	0.49	192	14.9	0.49	12.0	0.40
Hodgkin Lymphoma	31	2.6	0.21	2.5	0.20	26	2.1	0.19	2.0	0.18
Non-Hodgkin Lymphoma	194	17.4	0.58	13.8	0.45	166	12.8	0.45	10.0	0.36
Multiple Myeloma	167	16.0	0.58	11.4	0.40	129	9.7	0.39	7.1	0.28
Leukemias	147	14.0	0.54	10.7	0.40	112	8.7	0.37	7.0	0.31
Acute lymphocytic	14	1.2	0.14	1.2	0.15	14	1.1	0.14	1.2	0.15
Chronic lymphocytic	50	4.9	0.33	3.4	0.22	29	2.1	0.18	1.5	0.13
Acute myeloid	46	4.5	0.31	3.3	0.22	39	3.0	0.22	2.4	0.18
Chronic myeloid	22	2.1	0.20	1.7	0.16	17	1.3	0.14	1.1	0.12
Other leukemias	15	1.4	0.17	1.1	0.12	14	1.1	0.13	0.8	0.10
Mesothelioma	10	1.1	0.17	0.7	0.10	3	0.2	0.07	0.2	0.05
Kaposi Sarcoma	23	1.9	0.18	1.8	0.17	2	0.2	0.05	0.2	0.05
Ill-defined & Unknown	192	19.0	0.65	13.2	0.43	188	14.6	0.48	10.2	0.34
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	90	8.3	0.41	6.5	0.31	191	14.8	0.49	11.7	0.39
Breast (<i>in situ</i>)	2	0.2	0.05	0.1	0.04	408	30.2	0.68	24.4	0.55

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater California, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	47,754	446.1	0.93	327.6	0.68	48,080	397.2	0.83	305.9	0.65
Oral Cavity & Pharynx	1,856	16.6	0.18	12.9	0.14	717	5.8	0.10	4.4	0.08
Lip	136	1.3	0.05	0.9	0.04	53	0.4	0.03	0.3	0.02
Tongue	610	5.4	0.10	4.2	0.08	229	1.8	0.06	1.4	0.04
Major salivary gland	183	1.8	0.06	1.2	0.04	112	0.9	0.04	0.7	0.03
Floor of mouth	59	0.5	0.03	0.4	0.02	34	0.3	0.02	0.2	0.02
Gum & other mouth	152	1.4	0.05	1.0	0.04	120	1.0	0.04	0.7	0.03
Nasopharynx	91	0.8	0.04	0.7	0.03	34	0.3	0.02	0.2	0.02
Oropharynx	85	0.7	0.04	0.6	0.03	21	0.2	0.02	0.1	0.01
Hypopharynx	88	0.8	0.04	0.6	0.03	21	0.2	0.02	0.1	0.01
Digestive System	9,876	91.8	0.42	67.4	0.31	7,759	62.7	0.32	45.4	0.24
Esophagus	690	6.4	0.11	4.6	0.08	199	1.6	0.05	1.1	0.04
Stomach	912	8.8	0.13	6.2	0.09	602	5.0	0.09	3.6	0.07
Small intestine	239	2.3	0.07	1.7	0.05	207	1.7	0.05	1.3	0.04
Colon excl. rectum	2,791	26.5	0.23	19.0	0.16	2,791	22.7	0.20	16.1	0.14
Rectum & rectosigmoid	1,464	13.4	0.16	10.3	0.12	1,048	8.6	0.12	6.7	0.10
Anus, anal canal & anorectum	154	1.4	0.05	1.1	0.04	303	2.4	0.06	1.9	0.05
Liver	1,588	13.6	0.16	10.9	0.12	564	4.4	0.08	3.3	0.06
Gallbladder	86	0.8	0.04	0.6	0.03	174	1.4	0.05	1.0	0.03
Pancreas	1,447	13.7	0.16	9.6	0.11	1,316	10.5	0.13	7.3	0.09
Respiratory System	5,501	53.2	0.33	36.1	0.22	5,300	42.6	0.27	29.4	0.19
Larynx	391	3.6	0.08	2.6	0.06	89	0.7	0.03	0.5	0.03
Lung & bronchus	4,990	48.4	0.31	32.6	0.21	5,138	41.3	0.26	28.4	0.18
Bones & Joints	109	1.0	0.04	1.0	0.04	88	0.8	0.04	0.8	0.04
Soft Tissue (incl. heart)	457	4.3	0.09	3.4	0.07	363	3.1	0.08	2.7	0.07
Skin (excl. basal & sq.)	3,903	37.3	0.27	26.6	0.19	2,497	20.8	0.19	16.6	0.16
Melanomas of the skin	3,594	34.2	0.26	24.5	0.19	2,320	19.4	0.18	15.6	0.15
Breast (excl. <i>in situ</i>)	109	1.0	0.05	0.7	0.03	14,664	122.0	0.46	96.3	0.37
Female Genital System	-	-	-	-	-	5,869	48.4	0.29	39.2	0.24
Cervix uteri	-	-	-	-	-	824	7.6	0.12	6.6	0.11
Uterus Corpus	-	-	-	-	-	3,079	24.6	0.20	20.0	0.17
Uterus, NOS ¹	-	-	-	-	-	115	0.9	0.04	0.7	0.03
Ovary	-	-	-	-	-	1,348	11.2	0.14	8.9	0.11
Male Genital System	11,437	101.7	0.44	78.1	0.33	-	-	-	-	-
Prostate	10,645	94.3	0.42	70.9	0.31	-	-	-	-	-
Testis	675	6.2	0.11	6.4	0.11	-	-	-	-	-
Penis	90	0.9	0.04	0.6	0.03	-	-	-	-	-
Urinary System	5,535	53.3	0.33	37.1	0.23	2,265	18.4	0.18	13.5	0.13
Bladder (incl. <i>in situ</i>)	3,109	30.9	0.25	20.0	0.16	907	7.2	0.11	4.8	0.07
Kidney & renal pelvis	2,307	21.2	0.20	16.3	0.15	1,296	10.7	0.14	8.3	0.11
Ureter	66	0.7	0.04	0.4	0.02	39	0.3	0.02	0.2	0.02
Eye & Orbit	119	1.1	0.05	0.9	0.04	90	0.8	0.04	0.7	0.03
Brain & Other CNS ¹	786	7.3	0.12	6.2	0.10	613	5.3	0.10	4.5	0.09
Brain	742	6.9	0.12	5.8	0.10	567	4.9	0.09	4.1	0.08
Endocrine System	791	7.3	0.12	6.2	0.10	2,268	20.5	0.20	18.4	0.18
Thyroid gland	704	6.5	0.11	5.5	0.09	2,196	19.9	0.19	17.8	0.18
Lymphomas	2,598	24.7	0.22	18.7	0.17	2,033	16.9	0.17	13.1	0.14
Hodgkin Lymphoma	272	2.5	0.07	2.4	0.07	223	2.0	0.06	2.0	0.06
Non-Hodgkin Lymphoma	2,326	22.2	0.21	16.3	0.15	1,811	14.9	0.16	11.1	0.12
Multiple Myeloma	797	7.5	0.12	5.4	0.09	587	4.7	0.09	3.4	0.07
Leukemias	1,711	16.4	0.18	12.7	0.14	1,200	10.1	0.13	8.1	0.11
Acute lymphocytic	249	2.3	0.07	2.5	0.07	185	1.7	0.06	1.9	0.07
Chronic lymphocytic	564	5.4	0.10	3.7	0.07	352	2.8	0.07	1.9	0.05
Acute myeloid	493	4.8	0.10	3.6	0.07	390	3.3	0.08	2.5	0.06
Chronic myeloid	224	2.2	0.07	1.6	0.05	151	1.3	0.05	1.0	0.04
Other leukemias	181	1.8	0.06	1.3	0.04	123	1.0	0.04	0.8	0.03
Mesothelioma	152	1.5	0.06	1.0	0.04	51	0.4	0.03	0.3	0.02
Kaposi Sarcoma	79	0.8	0.04	0.7	0.03	8	0.1	0.01	0.0	0.01
Ill-defined & Unknown	1,938	19.2	0.20	12.7	0.13	1,706	13.7	0.15	9.2	0.11
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	905	8.6	0.13	6.9	0.11	1,839	15.5	0.16	12.2	0.13
Breast (<i>in situ</i>)	11	0.1	0.01	0.1	0.01	3,214	26.8	0.22	21.8	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater California, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	40,428	453.1	1.03	332.4	0.75	40,526	408.3	0.93	314.4	0.74
Oral Cavity & Pharynx	1,634	17.6	0.20	13.6	0.15	610	6.0	0.11	4.6	0.09
Lip	125	1.4	0.06	1.0	0.04	48	0.5	0.03	0.3	0.02
Tongue	562	6.0	0.12	4.7	0.09	203	2.0	0.06	1.5	0.05
Major salivary gland	158	1.8	0.07	1.3	0.05	89	0.9	0.04	0.7	0.04
Floor of mouth	52	0.5	0.03	0.4	0.03	30	0.3	0.02	0.2	0.02
Gum & other mouth	129	1.5	0.06	1.0	0.04	104	1.0	0.05	0.7	0.03
Nasopharynx	41	0.4	0.03	0.4	0.03	17	0.2	0.02	0.1	0.02
Oropharynx	74	0.8	0.04	0.6	0.03	17	0.2	0.02	0.1	0.01
Hypopharynx	78	0.8	0.04	0.6	0.03	18	0.2	0.02	0.1	0.01
Digestive System	8,188	91.3	0.46	67.0	0.34	6,411	62.8	0.36	45.5	0.27
Esophagus	632	7.0	0.13	5.0	0.09	175	1.7	0.06	1.2	0.04
Stomach	730	8.4	0.14	6.0	0.10	454	4.5	0.10	3.4	0.08
Small intestine	201	2.3	0.07	1.7	0.05	176	1.8	0.06	1.3	0.05
Colon excl. rectum	2,333	26.7	0.25	19.1	0.18	2,329	22.9	0.22	16.2	0.16
Rectum & rectosigmoid	1,190	13.2	0.17	10.1	0.13	853	8.6	0.13	6.7	0.11
Anus, anal canal & anorectum	137	1.5	0.06	1.2	0.05	279	2.7	0.07	2.1	0.06
Liver	1,232	12.7	0.16	10.1	0.13	429	4.1	0.09	3.1	0.07
Gallbladder	69	0.8	0.04	0.6	0.03	146	1.4	0.05	1.0	0.04
Pancreas	1,239	14.0	0.18	9.8	0.13	1,110	10.6	0.15	7.4	0.10
Respiratory System	4,666	53.7	0.36	36.3	0.24	4,595	44.4	0.30	30.5	0.21
Larynx	343	3.8	0.09	2.7	0.07	79	0.8	0.04	0.6	0.03
Lung & bronchus	4,222	48.8	0.34	32.7	0.23	4,455	43.0	0.29	29.5	0.20
Bones & Joints	94	1.1	0.05	1.0	0.05	77	0.9	0.05	0.8	0.05
Soft Tissue (incl. heart)	385	4.4	0.10	3.5	0.08	302	3.2	0.08	2.7	0.08
Skin (excl. basal & sq.)	3,524	40.3	0.31	28.7	0.22	2,174	22.3	0.22	17.8	0.18
Melanomas of the skin	3,252	37.0	0.30	26.6	0.21	2,031	20.9	0.21	16.7	0.18
Breast (excl. <i>in situ</i>)	94	1.1	0.05	0.7	0.04	12,276	125.1	0.52	98.5	0.41
Female Genital System	-	-	-	-	-	4,911	49.7	0.33	40.1	0.27
Cervix uteri	-	-	-	-	-	660	7.7	0.14	6.7	0.12
Uterus Corpus	-	-	-	-	-	2,573	25.1	0.23	20.4	0.19
Uterus, NOS ¹	-	-	-	-	-	93	0.9	0.04	0.7	0.03
Ovary	-	-	-	-	-	1,147	11.7	0.16	9.2	0.13
Male Genital System	9,234	98.5	0.47	75.8	0.36	-	-	-	-	-
Prostate	8,532	90.3	0.45	67.7	0.33	-	-	-	-	-
Testis	602	7.0	0.13	7.2	0.13	-	-	-	-	-
Penis	79	0.9	0.05	0.6	0.03	-	-	-	-	-
Urinary System	4,896	56.4	0.37	39.1	0.25	1,968	19.4	0.20	14.2	0.15
Bladder (incl. <i>in situ</i>)	2,783	32.8	0.28	21.2	0.18	805	7.7	0.12	5.1	0.08
Kidney & renal pelvis	2,008	22.3	0.23	17.1	0.17	1,111	11.2	0.15	8.7	0.12
Ureter	60	0.7	0.04	0.5	0.03	34	0.3	0.03	0.2	0.02
Eye & Orbit	108	1.2	0.05	1.0	0.04	83	0.9	0.04	0.7	0.04
Brain & Other CNS ¹	698	7.9	0.14	6.7	0.12	544	5.7	0.11	4.9	0.10
Brain	662	7.5	0.13	6.3	0.11	509	5.3	0.11	4.6	0.10
Endocrine System	654	7.4	0.13	6.3	0.11	1,833	20.9	0.22	18.8	0.20
Thyroid gland	590	6.6	0.13	5.6	0.11	1,781	20.3	0.22	18.3	0.20
Lymphomas	2,226	25.5	0.25	19.3	0.19	1,723	17.4	0.19	13.5	0.16
Hodgkin Lymphoma	229	2.6	0.08	2.5	0.07	192	2.2	0.07	2.1	0.07
Non-Hodgkin Lymphoma	1,997	22.9	0.23	16.8	0.17	1,532	15.2	0.18	11.4	0.14
Multiple Myeloma	663	7.5	0.13	5.3	0.09	479	4.7	0.10	3.4	0.07
Leukemias	1,490	17.3	0.20	13.4	0.16	1,038	10.6	0.15	8.5	0.13
Acute lymphocytic	221	2.6	0.08	2.8	0.09	159	1.9	0.07	2.1	0.08
Chronic lymphocytic	495	5.6	0.12	3.9	0.08	314	3.0	0.08	2.0	0.05
Acute myeloid	425	5.0	0.11	3.7	0.08	333	3.4	0.09	2.6	0.07
Chronic myeloid	190	2.2	0.07	1.7	0.06	125	1.3	0.05	1.0	0.04
Other leukemias	160	1.9	0.07	1.4	0.05	107	1.1	0.05	0.8	0.04
Mesothelioma	139	1.7	0.06	1.0	0.04	48	0.5	0.03	0.3	0.02
Kaposi Sarcoma	60	0.7	0.04	0.6	0.04	5	0.1	0.01	0.0	0.01
Ill-defined & Unknown	1,674	19.7	0.22	13.1	0.15	1,449	13.9	0.17	9.4	0.12
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	757	8.8	0.15	7.0	0.12	1,529	15.7	0.18	12.4	0.15
Breast (<i>in situ</i>)	9	0.1	0.02	0.1	0.01	2,558	26.3	0.24	21.3	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater California, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,244	442.1	4.51	333.3	3.18	2,050	362.0	3.69	278.4	2.77
Oral Cavity & Pharynx	57	10.4	0.67	8.2	0.49	26	4.5	0.41	3.5	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	2.3	0.30	1.9	0.23	6	0.9	0.18	0.7	0.14
Major salivary gland	5	1.0	0.23	0.7	0.15	6	1.1	0.20	0.9	0.16
Floor of mouth	3	0.6	0.16	0.4	0.11	-	-	-	-	-
Gum & other mouth	5	0.9	0.19	0.7	0.14	5	0.9	0.19	0.7	0.14
Nasopharynx	5	1.0	0.21	0.8	0.16	2	0.3	0.10	0.2	0.08
Oropharynx	6	1.0	0.19	0.8	0.15	2	0.4	0.12	0.3	0.09
Hypopharynx	4	0.7	0.16	0.6	0.13	-	-	-	-	-
Digestive System	502	99.8	2.16	74.3	1.50	382	68.9	1.63	50.7	1.17
Esophagus	16	3.0	0.37	2.3	0.26	8	1.6	0.25	1.1	0.17
Stomach	50	10.9	0.74	7.6	0.48	33	6.1	0.49	4.4	0.35
Small intestine	18	3.7	0.42	2.7	0.29	15	2.7	0.32	2.0	0.24
Colon excl. rectum	155	31.1	1.21	23.0	0.83	144	26.5	1.02	19.1	0.72
Rectum & rectosigmoid	60	11.5	0.73	8.7	0.51	46	7.9	0.54	6.3	0.42
Anus, anal canal & anorectum	8	1.4	0.24	1.1	0.18	11	2.0	0.27	1.5	0.20
Liver	94	16.8	0.82	13.6	0.63	29	4.6	0.40	3.7	0.31
Gallbladder	4	0.8	0.20	0.6	0.14	8	1.5	0.25	1.0	0.16
Pancreas	78	16.6	0.91	11.8	0.60	65	11.9	0.68	8.5	0.47
Respiratory System	285	62.2	1.78	43.8	1.17	243	44.5	1.32	32.0	0.93
Larynx	21	4.3	0.45	3.1	0.31	4	0.7	0.16	0.6	0.12
Lung & bronchus	259	57.0	1.71	40.0	1.12	235	43.1	1.30	31.0	0.91
Bones & Joints	5	0.8	0.17	0.7	0.15	4	0.6	0.13	0.6	0.13
Soft Tissue (incl. heart)	23	4.3	0.44	3.5	0.33	20	3.4	0.35	2.8	0.29
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	6	1.2	0.25	0.9	0.17	6	1.2	0.21	0.9	0.16
Breast (excl. <i>in situ</i>)	8	1.8	0.30	1.3	0.20	680	118.4	2.09	93.3	1.61
Female Genital System	-	-	-	-	-	246	41.4	1.21	33.6	0.97
Cervix uteri	-	-	-	-	-	41	6.9	0.50	5.9	0.42
Uterus Corpus	-	-	-	-	-	126	20.9	0.86	16.8	0.68
Uterus, NOS ¹	-	-	-	-	-	11	1.9	0.26	1.5	0.20
Ovary	-	-	-	-	-	49	8.3	0.55	6.7	0.43
Male Genital System	763	141.2	2.45	110.9	1.81	-	-	-	-	-
Prostate	748	138.9	2.43	108.8	1.80	-	-	-	-	-
Testis	12	1.6	0.21	1.6	0.21	-	-	-	-	-
Penis	2	0.5	0.17	0.4	0.11	-	-	-	-	-
Urinary System	210	43.5	1.45	31.6	0.99	108	19.7	0.88	14.6	0.63
Bladder (incl. <i>in situ</i>)	86	20.0	1.04	13.4	0.65	32	6.3	0.51	4.2	0.34
Kidney & renal pelvis	122	22.9	0.99	17.8	0.73	74	13.0	0.70	10.0	0.53
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	2	0.3	0.13	0.3	0.09	2	0.3	0.10	0.2	0.09
Brain & Other CNS ¹	29	5.0	0.45	4.3	0.36	19	3.0	0.32	2.7	0.28
Brain	25	4.3	0.42	3.7	0.33	16	2.6	0.30	2.4	0.26
Endocrine System	25	4.4	0.42	3.7	0.33	66	11.1	0.63	9.4	0.53
Thyroid gland	20	3.6	0.38	2.9	0.29	59	9.9	0.59	8.5	0.50
Lymphomas	93	16.6	0.83	13.6	0.64	75	13.2	0.70	10.6	0.55
Hodgkin Lymphoma	15	2.3	0.27	2.2	0.26	11	1.9	0.26	1.7	0.23
Non-Hodgkin Lymphoma	77	14.3	0.78	11.4	0.58	64	11.4	0.65	8.8	0.50
Multiple Myeloma	68	14.6	0.85	10.3	0.57	53	9.4	0.60	7.0	0.43
Leukemias	66	13.3	0.79	10.0	0.56	42	7.3	0.52	5.9	0.41
Acute lymphocytic	6	1.0	0.18	1.0	0.18	7	1.1	0.18	1.1	0.19
Chronic lymphocytic	22	4.7	0.49	3.3	0.32	10	1.9	0.28	1.3	0.19
Acute myeloid	20	4.0	0.44	3.0	0.31	13	2.1	0.28	1.8	0.23
Chronic myeloid	10	2.1	0.31	1.6	0.22	7	1.2	0.21	1.0	0.17
Other leukemias	7	1.5	0.28	1.1	0.18	5	1.0	0.20	0.7	0.14
Mesothelioma	5	1.2	0.27	0.8	0.16	-	-	-	-	-
Kaposi Sarcoma	6	1.0	0.18	0.9	0.16	-	-	-	-	-
Ill-defined & Unknown	89	19.6	1.01	13.6	0.65	75	14.3	0.76	9.9	0.52
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	44	8.4	0.61	6.7	0.45	83	14.9	0.75	11.5	0.57
Breast (<i>in situ</i>)	-	-	-	-	-	161	27.0	0.98	22.0	0.78

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater California, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,108	280.0	2.31	206.0	1.67	4,150	292.9	2.06	228.5	1.62
Oral Cavity & Pharynx	118	10.0	0.42	8.1	0.33	61	4.3	0.25	3.4	0.20
Lip	2	0.1	0.05	0.1	0.04	-	-	-	-	-
Tongue	23	2.0	0.19	1.6	0.14	16	1.1	0.13	0.8	0.09
Major salivary gland	14	1.2	0.15	1.0	0.12	13	0.9	0.12	0.8	0.10
Floor of mouth	3	0.2	0.06	0.2	0.05	2	0.1	0.04	0.1	0.03
Gum & other mouth	14	1.3	0.15	0.9	0.11	7	0.5	0.08	0.4	0.06
Nasopharynx	42	3.5	0.24	3.0	0.21	15	1.0	0.12	0.9	0.10
Oropharynx	2	0.2	0.06	0.2	0.05	-	-	-	-	-
Hypopharynx	5	0.4	0.09	0.3	0.06	2	0.1	0.04	0.1	0.03
Digestive System	957	86.0	1.28	62.7	0.91	792	56.9	0.92	40.2	0.65
Esophagus	30	2.7	0.23	2.0	0.16	12	0.8	0.11	0.6	0.08
Stomach	113	10.7	0.46	7.4	0.31	101	7.3	0.33	5.1	0.23
Small intestine	15	1.4	0.16	1.0	0.12	11	0.8	0.11	0.5	0.08
Colon excl. rectum	238	21.4	0.64	15.6	0.45	255	18.2	0.52	13.1	0.38
Rectum & rectosigmoid	161	14.0	0.50	10.8	0.38	111	7.7	0.33	5.9	0.25
Anus, anal canal & anorectum	5	0.4	0.09	0.3	0.07	6	0.4	0.08	0.3	0.06
Liver	218	18.8	0.59	14.3	0.44	89	6.5	0.31	4.4	0.21
Gallbladder	11	1.1	0.15	0.7	0.10	18	1.3	0.14	0.9	0.10
Pancreas	109	10.3	0.45	7.0	0.30	126	9.2	0.37	6.1	0.25
Respiratory System	471	44.2	0.94	30.3	0.63	385	27.7	0.64	19.2	0.45
Larynx	19	1.7	0.18	1.2	0.12	2	0.2	0.05	0.1	0.04
Lung & bronchus	440	41.5	0.91	28.2	0.60	376	27.1	0.63	18.7	0.44
Bones & Joints	8	0.7	0.11	0.7	0.11	6	0.5	0.08	0.4	0.08
Soft Tissue (incl. heart)	35	3.0	0.23	2.5	0.19	32	2.4	0.19	2.0	0.17
Skin (excl. basal & sq.)	27	2.5	0.22	1.8	0.15	26	1.9	0.17	1.5	0.14
Melanomas of the skin	17	1.7	0.18	1.1	0.12	19	1.3	0.14	1.1	0.12
Breast (excl. <i>in situ</i>)	6	0.5	0.10	0.4	0.07	1,369	94.8	1.16	77.2	0.94
Female Genital System	-	-	-	-	-	573	39.3	0.74	32.5	0.62
Cervix uteri	-	-	-	-	-	97	6.9	0.32	5.8	0.27
Uterus Corpus	-	-	-	-	-	302	20.4	0.53	17.0	0.44
Uterus, NOS ¹	-	-	-	-	-	9	0.6	0.09	0.4	0.07
Ovary	-	-	-	-	-	132	9.1	0.36	7.5	0.30
Male Genital System	587	50.8	0.96	38.3	0.71	-	-	-	-	-
Prostate	553	48.0	0.94	35.7	0.68	-	-	-	-	-
Testis	26	2.0	0.18	2.1	0.19	-	-	-	-	-
Penis	5	0.5	0.10	0.3	0.06	-	-	-	-	-
Urinary System	276	25.4	0.70	18.0	0.49	127	9.2	0.37	6.5	0.27
Bladder (incl. <i>in situ</i>)	141	13.7	0.53	9.0	0.34	46	3.3	0.22	2.1	0.15
Kidney & renal pelvis	127	11.0	0.45	8.5	0.34	75	5.4	0.28	4.1	0.22
Ureter	5	0.5	0.10	0.3	0.06	4	0.3	0.07	0.2	0.05
Eye & Orbit	4	0.3	0.08	0.3	0.08	3	0.3	0.07	0.3	0.08
Brain & Other CNS ¹	50	4.3	0.28	3.8	0.24	40	2.9	0.21	2.6	0.19
Brain	46	4.0	0.27	3.5	0.23	34	2.5	0.20	2.2	0.18
Endocrine System	89	7.6	0.37	6.4	0.30	302	21.3	0.55	18.9	0.50
Thyroid gland	75	6.4	0.34	5.3	0.28	290	20.4	0.54	18.1	0.48
Lymphomas	197	17.8	0.58	13.6	0.44	169	12.1	0.42	9.4	0.33
Hodgkin Lymphoma	19	1.5	0.16	1.5	0.16	14	1.0	0.12	1.0	0.12
Non-Hodgkin Lymphoma	179	16.3	0.56	12.1	0.41	156	11.2	0.41	8.5	0.31
Multiple Myeloma	49	4.6	0.30	3.1	0.20	40	2.8	0.20	2.0	0.15
Leukemias	98	8.9	0.41	7.3	0.34	85	6.4	0.31	5.3	0.28
Acute lymphocytic	18	1.5	0.16	1.7	0.18	16	1.3	0.15	1.4	0.17
Chronic lymphocytic	14	1.3	0.16	0.9	0.11	8	0.6	0.09	0.4	0.06
Acute myeloid	42	3.9	0.28	3.0	0.21	40	2.9	0.21	2.4	0.18
Chronic myeloid	15	1.4	0.16	1.1	0.13	14	1.0	0.12	0.7	0.09
Other leukemias	8	0.8	0.12	0.6	0.09	8	0.6	0.10	0.4	0.07
Mesothelioma	6	0.6	0.11	0.4	0.07	2	0.1	0.04	0.1	0.03
Kaposi Sarcoma	5	0.4	0.09	0.3	0.07	-	-	-	-	-
Ill-defined & Unknown	125	12.2	0.50	8.1	0.33	138	10.1	0.39	6.9	0.28
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	79	7.0	0.36	5.6	0.28	181	12.9	0.44	9.9	0.34
Breast (<i>in situ</i>)	-	-	-	-	-	393	26.8	0.61	22.1	0.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater California, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	315	243.5	6.73	177.4	4.53	343	227.5	5.77	171.5	4.17
Oral Cavity & Pharynx	13	9.1	1.19	7.2	0.89	6	3.7	0.74	2.7	0.52
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	1.7	0.54	1.2	0.37	1	0.7	0.30	0.6	0.24
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	1	1.0	0.42	0.7	0.27
Nasopharynx	1	0.8	0.37	0.6	0.26	-	-	-	-	-
Oropharynx	1	1.0	0.39	0.8	0.30	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	90	68.2	3.52	50.1	2.39	64	43.3	2.55	31.3	1.77
Esophagus	7	5.0	0.94	3.7	0.65	2	1.2	0.41	1.0	0.32
Stomach	8	5.5	0.98	4.1	0.68	3	2.5	0.67	1.5	0.39
Small intestine	3	2.0	0.60	1.4	0.41	-	-	-	-	-
Colon excl. rectum	18	14.8	1.73	10.2	1.10	24	16.5	1.59	11.8	1.09
Rectum & rectosigmoid	11	8.1	1.24	5.8	0.81	10	6.3	0.94	4.8	0.68
Anus, anal canal & anorectum	1	0.7	0.28	0.6	0.24	2	0.9	0.35	0.8	0.27
Liver	27	18.4	1.69	14.7	1.27	10	6.5	0.95	5.0	0.70
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	13	10.7	1.46	7.5	0.94	9	6.5	1.02	4.3	0.66
Respiratory System	43	37.8	2.82	25.2	1.75	42	29.6	2.16	20.9	1.45
Larynx	3	2.3	0.65	1.6	0.43	1	1.0	0.40	0.7	0.26
Lung & bronchus	39	35.4	2.74	23.4	1.69	40	27.9	2.09	19.8	1.42
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	3	2.0	0.60	1.5	0.41	2	1.2	0.41	1.0	0.32
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	8	6.5	1.10	4.6	0.72	7	4.5	0.79	3.7	0.61
Breast (excl. <i>in situ</i>)	-	-	-	-	-	88	55.9	2.78	43.9	2.10
Female Genital System	-	-	-	-	-	50	31.0	2.04	25.2	1.60
Cervix uteri	-	-	-	-	-	10	6.1	0.88	5.3	0.75
Uterus Corpus	-	-	-	-	-	28	17.5	1.55	13.8	1.18
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	5.2	0.82	4.2	0.65
Male Genital System	66	48.4	2.91	36.8	2.05	-	-	-	-	-
Prostate	57	43.2	2.79	31.9	1.92	-	-	-	-	-
Testis	8	4.2	0.67	4.3	0.66	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	28.5	2.37	19.9	1.54	24	16.7	1.60	12.3	1.12
Bladder (incl. <i>in situ</i>)	16	15.7	1.87	10.0	1.12	5	4.0	0.83	2.7	0.52
Kidney & renal pelvis	18	12.2	1.41	9.5	1.03	18	12.1	1.32	9.2	0.97
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	5	3.3	0.72	2.7	0.54	3	2.2	0.55	1.8	0.44
Brain	5	2.9	0.65	2.6	0.52	3	2.2	0.55	1.8	0.44
Endocrine System	5	3.1	0.71	2.5	0.52	15	9.3	1.12	7.8	0.90
Thyroid gland	5	3.0	0.70	2.4	0.51	15	9.0	1.09	7.6	0.88
Lymphomas	13	9.1	1.26	7.0	0.89	13	9.2	1.19	6.7	0.83
Hodgkin Lymphoma	1	0.8	0.37	0.6	0.27	2	1.2	0.40	1.0	0.32
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	3.7	0.80	2.8	0.56	5	3.8	0.81	2.5	0.51
Leukemias	11	8.0	1.18	6.2	0.85	8	5.3	0.90	4.0	0.66
Acute lymphocytic	2	1.0	0.33	1.0	0.34	1	0.7	0.27	0.8	0.32
Chronic lymphocytic	2	1.4	0.48	1.1	0.36	1	0.9	0.39	0.6	0.26
Acute myeloid	3	2.6	0.67	2.0	0.48	3	1.9	0.55	1.3	0.37
Chronic myeloid	2	1.6	0.54	1.1	0.35	1	0.8	0.34	0.6	0.25
Other leukemias	2	1.4	0.55	1.0	0.35	1	0.9	0.40	0.6	0.26
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	15	13.2	1.66	8.8	1.03	13	10.0	1.31	6.4	0.81
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	7	4.7	0.89	3.7	0.64	12	7.5	1.02	5.8	0.76
Breast (<i>in situ</i>)	-	-	-	-	-	19	11.7	1.24	9.5	0.97

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater California, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8,507	358.6	1.90	263.4	1.30	9,752	332.2	1.57	258.6	1.18
Oral Cavity & Pharynx	214	8.5	0.28	6.4	0.20	109	3.9	0.17	2.9	0.13
Lip	11	0.4	0.07	0.3	0.04	6	0.2	0.04	0.2	0.03
Tongue	56	2.2	0.14	1.7	0.10	32	1.1	0.09	0.8	0.07
Major salivary gland	29	1.1	0.10	0.9	0.07	24	0.8	0.08	0.6	0.06
Floor of mouth	8	0.3	0.06	0.2	0.04	4	0.1	0.03	0.1	0.02
Gum & other mouth	24	1.1	0.11	0.8	0.07	19	0.7	0.08	0.5	0.05
Nasopharynx	10	0.3	0.05	0.3	0.04	4	0.1	0.03	0.1	0.02
Oropharynx	11	0.5	0.07	0.4	0.05	3	0.1	0.03	0.1	0.02
Hypopharynx	11	0.5	0.07	0.3	0.05	2	0.1	0.02	0.1	0.02
Digestive System	2,309	97.5	0.99	71.5	0.68	1,778	65.5	0.72	47.7	0.51
Esophagus	97	4.4	0.21	3.1	0.14	27	1.0	0.09	0.7	0.06
Stomach	262	11.7	0.35	8.2	0.23	215	7.7	0.25	5.7	0.18
Small intestine	44	1.9	0.14	1.4	0.09	40	1.5	0.11	1.1	0.08
Colon excl. rectum	582	24.8	0.50	18.0	0.34	550	20.0	0.40	14.6	0.28
Rectum & rectosigmoid	359	13.9	0.36	10.7	0.26	242	8.1	0.24	6.4	0.19
Anus, anal canal & anorectum	22	0.8	0.08	0.6	0.06	37	1.3	0.10	1.0	0.07
Liver	520	20.3	0.43	15.9	0.32	192	7.3	0.24	5.3	0.17
Gallbladder	28	1.4	0.12	0.9	0.08	68	2.6	0.15	1.8	0.10
Pancreas	272	12.6	0.37	8.8	0.24	270	10.7	0.30	7.3	0.20
Respiratory System	672	34.4	0.63	22.6	0.40	595	24.0	0.46	16.4	0.30
Larynx	66	3.0	0.18	2.1	0.12	13	0.5	0.06	0.4	0.04
Lung & bronchus	575	30.4	0.60	19.6	0.37	565	23.0	0.45	15.6	0.30
Bones & Joints	40	1.0	0.08	1.0	0.07	33	0.8	0.07	0.8	0.06
Soft Tissue (incl. heart)	109	3.8	0.18	3.0	0.13	104	3.2	0.15	2.7	0.12
Skin (excl. basal & sq.)	152	6.5	0.26	4.6	0.17	196	6.4	0.21	5.2	0.17
Melanomas of the skin	120	5.1	0.23	3.6	0.15	167	5.4	0.19	4.4	0.15
Breast (excl. <i>in situ</i>)	16	0.8	0.09	0.5	0.06	2,895	95.7	0.82	76.8	0.64
Female Genital System	-	-	-	-	-	1,409	45.7	0.56	37.2	0.45
Cervix uteri	-	-	-	-	-	297	8.9	0.24	7.6	0.20
Uterus Corpus	-	-	-	-	-	670	21.8	0.39	17.9	0.31
Uterus, NOS ¹	-	-	-	-	-	33	1.1	0.09	0.9	0.07
Ovary	-	-	-	-	-	315	10.4	0.27	8.3	0.21
Male Genital System	2,160	90.8	0.95	68.6	0.67	-	-	-	-	-
Prostate	1,846	83.2	0.93	61.2	0.65	-	-	-	-	-
Testis	276	5.9	0.17	6.3	0.17	-	-	-	-	-
Penis	33	1.4	0.12	1.0	0.08	-	-	-	-	-
Urinary System	961	42.2	0.66	30.2	0.44	503	17.9	0.37	13.5	0.27
Bladder (incl. <i>in situ</i>)	326	17.0	0.45	10.9	0.28	106	4.3	0.19	2.9	0.13
Kidney & renal pelvis	620	24.4	0.47	18.7	0.34	387	13.2	0.31	10.4	0.24
Ureter	9	0.5	0.08	0.3	0.05	6	0.3	0.05	0.2	0.03
Eye & Orbit	19	0.7	0.08	0.6	0.06	17	0.5	0.05	0.4	0.05
Brain & Other CNS ¹	178	5.7	0.21	4.8	0.16	153	4.6	0.18	3.9	0.14
Brain	166	5.3	0.21	4.5	0.16	141	4.3	0.17	3.6	0.14
Endocrine System	187	6.1	0.22	5.1	0.17	727	20.8	0.36	18.5	0.31
Thyroid gland	165	5.4	0.21	4.5	0.16	710	20.3	0.35	18.1	0.30
Lymphomas	562	22.7	0.47	16.7	0.32	497	17.2	0.36	13.2	0.27
Hodgkin Lymphoma	78	2.2	0.13	2.0	0.10	71	1.9	0.11	1.8	0.09
Non-Hodgkin Lymphoma	484	20.4	0.46	14.7	0.31	426	15.3	0.35	11.4	0.25
Multiple Myeloma	176	7.8	0.28	5.6	0.19	143	5.4	0.21	3.9	0.15
Leukemias	378	12.5	0.33	10.3	0.24	290	8.8	0.25	7.4	0.20
Acute lymphocytic	141	3.1	0.13	3.3	0.13	99	2.2	0.11	2.4	0.11
Chronic lymphocytic	47	2.3	0.16	1.5	0.10	39	1.5	0.11	1.1	0.08
Acute myeloid	102	3.9	0.19	2.9	0.13	87	2.8	0.14	2.3	0.11
Chronic myeloid	50	1.8	0.13	1.4	0.09	35	1.1	0.09	0.9	0.07
Other leukemias	38	1.5	0.12	1.1	0.08	29	1.0	0.09	0.8	0.06
Mesothelioma	29	1.4	0.13	1.0	0.08	10	0.4	0.05	0.3	0.04
Kaposi Sarcoma	33	1.0	0.09	0.9	0.07	3	0.1	0.04	0.1	0.02
Ill-defined & Unknown	313	15.2	0.42	10.0	0.26	290	11.4	0.31	7.7	0.20
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	203	7.1	0.25	5.7	0.18	433	14.6	0.33	11.4	0.25
Breast (<i>in situ</i>)	1	0.1	0.02	0.0	0.02	645	21.0	0.38	17.2	0.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater California, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	32,302	482.2	1.24	355.2	0.94	31,117	431.2	1.17	332.3	0.96
Oral Cavity & Pharynx	1,427	20.8	0.26	16.3	0.20	504	6.8	0.14	5.2	0.12
Lip	115	1.8	0.08	1.3	0.06	42	0.6	0.04	0.4	0.03
Tongue	508	7.3	0.15	5.8	0.12	171	2.3	0.08	1.8	0.07
Major salivary gland	131	2.0	0.08	1.4	0.06	66	0.9	0.06	0.7	0.05
Floor of mouth	44	0.6	0.04	0.5	0.03	27	0.3	0.03	0.3	0.02
Gum & other mouth	105	1.6	0.07	1.1	0.05	86	1.1	0.06	0.8	0.05
Nasopharynx	31	0.5	0.04	0.4	0.03	13	0.2	0.02	0.1	0.02
Oropharynx	63	0.9	0.05	0.7	0.04	15	0.2	0.02	0.1	0.02
Hypopharynx	67	0.9	0.05	0.7	0.04	16	0.2	0.02	0.1	0.02
Digestive System	5,948	88.4	0.53	64.7	0.40	4,693	60.9	0.42	44.1	0.32
Esophagus	537	7.7	0.15	5.6	0.11	149	1.8	0.07	1.3	0.05
Stomach	475	7.1	0.15	5.0	0.11	245	3.2	0.10	2.3	0.07
Small intestine	158	2.4	0.09	1.8	0.07	138	1.9	0.08	1.4	0.06
Colon excl. rectum	1,772	27.1	0.30	19.4	0.22	1,799	23.5	0.26	16.5	0.20
Rectum & rectosigmoid	846	13.0	0.21	10.0	0.16	622	8.7	0.17	6.8	0.14
Anus, anal canal & anorectum	116	1.8	0.08	1.4	0.06	243	3.2	0.10	2.5	0.08
Liver	726	9.8	0.17	7.9	0.14	244	3.1	0.09	2.3	0.07
Gallbladder	42	0.6	0.05	0.4	0.03	79	1.0	0.05	0.7	0.04
Pancreas	974	14.2	0.21	10.1	0.15	847	10.5	0.17	7.3	0.12
Respiratory System	4,013	58.8	0.42	40.1	0.29	4,017	50.1	0.36	34.7	0.26
Larynx	279	4.0	0.11	2.9	0.08	66	0.9	0.05	0.7	0.04
Lung & bronchus	3,663	53.7	0.40	36.4	0.28	3,906	48.5	0.36	33.5	0.25
Bones & Joints	55	1.1	0.07	1.0	0.07	44	0.9	0.06	0.8	0.07
Soft Tissue (incl. heart)	279	4.6	0.13	3.7	0.11	201	3.2	0.11	2.8	0.10
Skin (excl. basal & sq.)	3,382	52.0	0.42	37.9	0.31	1,997	30.2	0.33	24.6	0.28
Melanomas of the skin	3,140	48.3	0.40	35.4	0.30	1,880	28.6	0.32	23.5	0.28
Breast (excl. <i>in situ</i>)	78	1.2	0.06	0.8	0.04	9,488	134.4	0.66	105.8	0.54
Female Genital System	-	-	-	-	-	3,545	49.6	0.40	39.9	0.33
Cervix uteri	-	-	-	-	-	372	7.1	0.18	6.3	0.16
Uterus Corpus	-	-	-	-	-	1,926	25.3	0.27	20.4	0.22
Uterus, NOS ¹	-	-	-	-	-	61	0.8	0.05	0.6	0.04
Ovary	-	-	-	-	-	838	11.8	0.19	9.2	0.16
Male Genital System	7,252	102.2	0.55	78.9	0.43	-	-	-	-	-
Prostate	6,853	93.8	0.52	70.7	0.39	-	-	-	-	-
Testis	336	7.5	0.19	7.5	0.19	-	-	-	-	-
Penis	46	0.7	0.05	0.5	0.03	-	-	-	-	-
Urinary System	3,967	59.6	0.43	41.2	0.31	1,482	19.2	0.24	13.9	0.18
Bladder (incl. <i>in situ</i>)	2,470	37.0	0.34	24.2	0.23	702	8.6	0.15	5.8	0.11
Kidney & renal pelvis	1,405	21.1	0.26	16.2	0.21	737	10.1	0.18	7.8	0.14
Ureter	51	0.8	0.05	0.5	0.03	28	0.3	0.03	0.2	0.02
Eye & Orbit	90	1.4	0.07	1.2	0.06	67	1.0	0.06	0.9	0.06
Brain & Other CNS ¹	524	9.0	0.19	7.7	0.17	395	6.3	0.16	5.5	0.15
Brain	500	8.5	0.18	7.3	0.17	371	5.9	0.15	5.1	0.14
Endocrine System	476	8.2	0.18	7.0	0.16	1,132	20.9	0.30	18.8	0.28
Thyroid gland	432	7.3	0.17	6.3	0.15	1,097	20.3	0.29	18.2	0.27
Lymphomas	1,685	26.7	0.30	20.5	0.25	1,244	17.5	0.24	13.6	0.20
Hodgkin Lymphoma	155	3.1	0.12	3.0	0.12	123	2.5	0.11	2.5	0.11
Non-Hodgkin Lymphoma	1,530	23.7	0.28	17.5	0.22	1,121	14.9	0.21	11.1	0.17
Multiple Myeloma	492	7.3	0.15	5.1	0.11	341	4.4	0.11	3.1	0.08
Leukemias	1,122	17.9	0.25	13.6	0.21	756	10.8	0.19	8.5	0.17
Acute lymphocytic	83	1.9	0.10	2.0	0.11	63	1.5	0.09	1.7	0.11
Chronic lymphocytic	451	6.6	0.14	4.6	0.10	278	3.4	0.09	2.4	0.07
Acute myeloid	325	5.2	0.13	3.8	0.11	247	3.5	0.11	2.6	0.09
Chronic myeloid	141	2.3	0.09	1.7	0.07	90	1.3	0.07	1.0	0.06
Other leukemias	122	2.0	0.08	1.4	0.06	78	1.1	0.06	0.8	0.05
Mesothelioma	111	1.7	0.07	1.0	0.05	38	0.5	0.04	0.3	0.03
Kaposi Sarcoma	30	0.6	0.05	0.5	0.04	3	0.0	0.01	0.0	0.01
Ill-defined & Unknown	1,370	20.8	0.26	13.8	0.18	1,168	14.6	0.20	9.8	0.15
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	563	9.5	0.19	7.6	0.16	1,114	16.4	0.24	13.0	0.20
Breast (<i>in situ</i>)	8	0.1	0.02	0.1	0.01	1,943	28.5	0.31	23.1	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater California, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,211	469.9	4.81	355.1	3.41	2,007	389.5	4.00	301.0	3.05
Oral Cavity & Pharynx	57	11.3	0.72	8.9	0.53	26	4.9	0.45	3.8	0.34
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	2.5	0.33	2.1	0.25	6	1.0	0.20	0.8	0.16
Major salivary gland	5	1.1	0.24	0.8	0.16	6	1.2	0.22	0.9	0.17
Floor of mouth	3	0.6	0.17	0.5	0.12	-	-	-	-	-
Gum & other mouth	5	0.9	0.20	0.7	0.15	5	1.0	0.21	0.7	0.15
Nasopharynx	5	1.1	0.23	0.9	0.17	2	0.3	0.12	0.2	0.09
Oropharynx	6	1.0	0.21	0.9	0.16	2	0.4	0.13	0.3	0.09
Hypopharynx	4	0.8	0.17	0.7	0.14	-	-	-	-	-
Digestive System	495	106.1	2.30	79.1	1.61	375	73.8	1.75	54.4	1.27
Esophagus	15	3.2	0.39	2.4	0.28	8	1.7	0.27	1.2	0.19
Stomach	49	11.6	0.79	8.1	0.52	33	6.6	0.53	4.8	0.38
Small intestine	17	3.8	0.44	2.8	0.30	15	2.9	0.34	2.2	0.26
Colon excl. rectum	153	33.0	1.28	24.5	0.89	141	28.4	1.10	20.5	0.78
Rectum & rectosigmoid	59	12.4	0.78	9.3	0.55	45	8.6	0.59	6.8	0.46
Anus, anal canal & anorectum	8	1.5	0.26	1.2	0.20	11	2.1	0.29	1.6	0.22
Liver	93	17.9	0.88	14.5	0.68	28	4.9	0.43	3.8	0.33
Gallbladder	4	0.8	0.20	0.6	0.14	8	1.6	0.26	1.0	0.17
Pancreas	77	17.7	0.97	12.6	0.65	64	12.7	0.73	9.0	0.51
Respiratory System	281	65.8	1.89	46.3	1.25	239	47.3	1.41	34.2	0.99
Larynx	21	4.5	0.48	3.3	0.33	4	0.8	0.18	0.6	0.13
Lung & bronchus	255	60.2	1.81	42.2	1.19	231	45.8	1.39	33.0	0.98
Bones & Joints	5	0.9	0.19	0.8	0.17	4	0.6	0.15	0.6	0.15
Soft Tissue (incl. heart)	22	4.6	0.47	3.7	0.35	19	3.7	0.39	3.1	0.32
Skin (excl. basal & sq.)	10	2.2	0.33	1.7	0.24	11	2.1	0.30	1.7	0.24
Melanomas of the skin	5	1.2	0.26	0.9	0.18	6	1.3	0.24	1.0	0.18
Breast (excl. <i>in situ</i>)	8	2.0	0.33	1.4	0.22	663	127.5	2.28	101.0	1.78
Female Genital System	-	-	-	-	-	240	44.6	1.32	36.3	1.06
Cervix uteri	-	-	-	-	-	40	7.6	0.56	6.5	0.47
Uterus Corpus	-	-	-	-	-	122	22.2	0.92	17.9	0.73
Uterus, NOS ¹	-	-	-	-	-	11	2.0	0.29	1.7	0.23
Ovary	-	-	-	-	-	49	9.1	0.60	7.4	0.48
Male Genital System	752	149.7	2.61	117.7	1.94	-	-	-	-	-
Prostate	739	147.3	2.59	115.5	1.92	-	-	-	-	-
Testis	11	1.7	0.24	1.7	0.24	-	-	-	-	-
Penis	2	0.6	0.18	0.4	0.12	-	-	-	-	-
Urinary System	206	46.1	1.55	33.6	1.06	106	21.2	0.95	15.7	0.69
Bladder (incl. <i>in situ</i>)	85	21.0	1.10	14.2	0.70	32	6.7	0.55	4.5	0.36
Kidney & renal pelvis	119	24.4	1.07	19.0	0.79	72	14.0	0.76	10.9	0.58
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	0.3	0.14	0.2	0.09	2	0.3	0.11	0.3	0.10
Brain & Other CNS ¹	27	5.3	0.49	4.6	0.40	18	3.3	0.36	3.0	0.33
Brain	24	4.6	0.45	4.0	0.37	15	2.9	0.34	2.6	0.31
Endocrine System	24	4.8	0.45	3.9	0.36	64	12.3	0.70	10.5	0.60
Thyroid gland	19	3.9	0.41	3.1	0.32	57	11.0	0.66	9.4	0.57
Lymphomas	91	18.0	0.90	14.9	0.71	74	14.5	0.78	11.7	0.62
Hodgkin Lymphoma	15	2.6	0.31	2.5	0.30	11	2.2	0.30	2.0	0.27
Non-Hodgkin Lymphoma	76	15.4	0.84	12.4	0.64	62	12.3	0.72	9.7	0.56
Multiple Myeloma	68	15.5	0.91	11.0	0.60	52	10.0	0.64	7.5	0.47
Leukemias	64	14.1	0.85	10.7	0.60	40	7.9	0.57	6.4	0.46
Acute lymphocytic	5	1.0	0.20	1.0	0.20	6	1.1	0.20	1.2	0.21
Chronic lymphocytic	22	5.0	0.52	3.6	0.35	10	2.0	0.30	1.4	0.20
Acute myeloid	19	4.2	0.46	3.2	0.33	12	2.4	0.31	2.0	0.26
Chronic myeloid	10	2.3	0.34	1.8	0.25	7	1.4	0.23	1.1	0.19
Other leukemias	7	1.6	0.30	1.2	0.20	5	1.0	0.21	0.7	0.15
Mesothelioma	5	1.2	0.28	0.8	0.17	-	-	-	-	-
Kaposi Sarcoma	6	1.1	0.20	1.1	0.19	-	-	-	-	-
Ill-defined & Unknown	88	20.9	1.08	14.6	0.70	73	15.1	0.81	10.5	0.56
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	44	9.1	0.66	7.3	0.50	81	16.1	0.83	12.6	0.64
Breast (<i>in situ</i>)	-	-	-	-	-	157	28.8	1.06	23.5	0.85

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater Bay Area, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	16,186	430.7	1.55	317.0	1.13	16,644	386.9	1.37	298.4	1.08
Oral Cavity & Pharynx	588	15.0	0.28	11.6	0.22	259	5.9	0.17	4.6	0.13
Lip	29	0.8	0.07	0.6	0.05	13	0.3	0.04	0.2	0.03
Tongue	188	4.7	0.16	3.7	0.12	82	1.9	0.09	1.4	0.07
Major salivary gland	55	1.5	0.09	1.1	0.07	39	0.9	0.07	0.7	0.06
Floor of mouth	14	0.4	0.04	0.3	0.03	11	0.2	0.03	0.2	0.03
Gum & other mouth	61	1.7	0.10	1.2	0.07	50	1.1	0.07	0.8	0.05
Nasopharynx	61	1.6	0.09	1.3	0.08	25	0.6	0.06	0.5	0.05
Oropharynx	23	0.6	0.05	0.5	0.04	8	0.2	0.03	0.1	0.02
Hypopharynx	25	0.6	0.06	0.5	0.04	8	0.2	0.03	0.1	0.02
Digestive System	3,448	90.8	0.71	66.5	0.51	2,731	62.0	0.54	44.6	0.40
Esophagus	210	5.6	0.18	4.0	0.12	74	1.7	0.09	1.1	0.06
Stomach	350	9.6	0.23	6.7	0.16	243	5.6	0.16	4.0	0.12
Small intestine	86	2.3	0.11	1.7	0.08	72	1.6	0.09	1.2	0.07
Colon excl. rectum	958	25.7	0.38	18.5	0.27	968	22.1	0.32	15.7	0.24
Rectum & rectosigmoid	491	12.5	0.26	9.8	0.20	341	7.9	0.19	6.1	0.15
Anus, anal canal & anorectum	65	1.6	0.09	1.3	0.07	80	1.8	0.09	1.4	0.07
Liver	580	14.3	0.27	11.2	0.21	196	4.4	0.14	3.2	0.11
Gallbladder	30	0.8	0.07	0.6	0.05	65	1.4	0.08	1.0	0.06
Pancreas	495	13.4	0.28	9.3	0.19	478	10.7	0.22	7.3	0.16
Respiratory System	1,755	48.8	0.53	32.9	0.36	1,637	37.2	0.42	25.5	0.29
Larynx	120	3.2	0.13	2.3	0.09	21	0.5	0.05	0.4	0.04
Lung & bronchus	1,593	44.5	0.51	29.7	0.34	1,595	36.2	0.41	24.7	0.29
Bones & Joints	38	1.1	0.08	1.1	0.08	25	0.6	0.06	0.6	0.06
Soft Tissue (incl. heart)	164	4.5	0.16	3.5	0.13	125	3.0	0.12	2.4	0.11
Skin (excl. basal & sq.)	1,396	37.8	0.46	27.1	0.33	926	21.7	0.33	17.4	0.27
Melanomas of the skin	1,277	34.3	0.44	24.9	0.32	860	20.2	0.31	16.3	0.26
Breast (excl. <i>in situ</i>)	37	1.0	0.08	0.7	0.05	5,378	126.4	0.79	100.3	0.63
Female Genital System	-	-	-	-	-	2,027	46.7	0.47	37.4	0.38
Cervix uteri	-	-	-	-	-	226	5.7	0.17	4.9	0.15
Uterus Corpus	-	-	-	-	-	1,140	25.6	0.35	20.6	0.28
Uterus, NOS ¹	-	-	-	-	-	25	0.6	0.05	0.4	0.04
Ovary	-	-	-	-	-	461	10.9	0.23	8.6	0.19
Male Genital System	3,925	99.3	0.73	76.6	0.55	-	-	-	-	-
Prostate	3,657	92.2	0.70	69.7	0.52	-	-	-	-	-
Testis	231	6.0	0.18	6.2	0.19	-	-	-	-	-
Penis	27	0.8	0.07	0.5	0.04	-	-	-	-	-
Urinary System	1,761	48.2	0.53	33.4	0.36	703	15.9	0.27	11.5	0.20
Bladder (incl. <i>in situ</i>)	1,010	28.4	0.41	18.6	0.27	305	6.8	0.18	4.6	0.12
Kidney & renal pelvis	715	18.8	0.32	14.2	0.24	375	8.6	0.20	6.6	0.16
Ureter	22	0.7	0.06	0.4	0.04	14	0.3	0.04	0.2	0.03
Eye & Orbit	39	1.0	0.08	0.8	0.06	33	0.8	0.06	0.7	0.06
Brain & Other CNS ¹	271	7.3	0.20	6.2	0.18	198	4.9	0.16	4.3	0.15
Brain	254	6.8	0.20	5.8	0.17	185	4.5	0.15	4.0	0.14
Endocrine System	291	7.6	0.20	6.6	0.18	721	18.3	0.31	16.5	0.28
Thyroid gland	255	6.6	0.19	5.6	0.16	689	17.5	0.30	15.7	0.28
Lymphomas	977	26.4	0.39	20.2	0.30	769	18.1	0.30	14.1	0.24
Hodgkin Lymphoma	98	2.6	0.12	2.5	0.12	73	1.9	0.10	1.9	0.10
Non-Hodgkin Lymphoma	879	23.7	0.37	17.6	0.27	696	16.2	0.28	12.2	0.22
Multiple Myeloma	285	7.7	0.21	5.4	0.14	202	4.6	0.15	3.3	0.11
Leukemias	574	16.0	0.31	12.3	0.24	373	9.0	0.21	7.3	0.19
Acute lymphocytic	70	2.0	0.11	2.2	0.12	53	1.6	0.10	1.8	0.11
Chronic lymphocytic	199	5.4	0.18	3.8	0.12	111	2.5	0.11	1.7	0.08
Acute myeloid	179	5.1	0.17	3.7	0.13	131	3.1	0.12	2.4	0.10
Chronic myeloid	69	1.9	0.10	1.4	0.08	45	1.1	0.07	0.8	0.06
Other leukemias	56	1.6	0.09	1.2	0.07	32	0.8	0.06	0.6	0.05
Mesothelioma	47	1.4	0.09	0.9	0.06	18	0.4	0.05	0.3	0.03
Kaposi Sarcoma	45	1.2	0.08	1.0	0.07	5	0.1	0.02	0.1	0.02
Ill-defined & Unknown	547	15.6	0.30	10.2	0.20	513	11.4	0.23	7.6	0.16
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	321	8.6	0.22	6.7	0.17	644	15.1	0.27	11.9	0.22
Breast (<i>in situ</i>)	4	0.1	0.02	0.1	0.02	1,371	32.5	0.40	26.6	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater Bay Area, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	11,598	461.8	1.96	339.1	1.44	11,578	419.2	1.79	322.3	1.42
Oral Cavity & Pharynx	432	16.3	0.36	12.6	0.28	165	5.7	0.21	4.3	0.16
Lip	27	1.1	0.09	0.8	0.07	11	0.4	0.06	0.3	0.04
Tongue	156	5.8	0.21	4.5	0.16	54	1.9	0.12	1.5	0.09
Major salivary gland	38	1.6	0.12	1.1	0.08	24	0.9	0.08	0.7	0.07
Floor of mouth	11	0.4	0.06	0.3	0.04	8	0.3	0.04	0.2	0.03
Gum & other mouth	42	1.7	0.12	1.2	0.08	34	1.1	0.09	0.8	0.06
Nasopharynx	11	0.4	0.06	0.4	0.05	3	0.1	0.03	0.1	0.03
Oropharynx	18	0.7	0.07	0.5	0.06	6	0.2	0.04	0.2	0.03
Hypopharynx	18	0.7	0.07	0.5	0.05	6	0.2	0.04	0.1	0.03
Digestive System	2,248	88.6	0.86	64.8	0.62	1,807	63.1	0.68	45.5	0.51
Esophagus	159	6.3	0.23	4.5	0.16	57	1.9	0.12	1.3	0.08
Stomach	206	8.3	0.27	5.9	0.19	135	4.8	0.19	3.5	0.15
Small intestine	62	2.5	0.14	1.8	0.10	53	1.9	0.12	1.4	0.09
Colon excl. rectum	646	26.1	0.47	18.6	0.34	655	23.1	0.42	16.4	0.31
Rectum & rectosigmoid	314	12.1	0.31	9.5	0.24	216	7.8	0.24	6.1	0.20
Anus, anal canal & anorectum	52	2.0	0.13	1.5	0.10	69	2.3	0.13	1.8	0.10
Liver	324	11.8	0.30	9.3	0.23	108	3.7	0.16	2.8	0.12
Gallbladder	18	0.7	0.08	0.5	0.05	43	1.5	0.10	1.0	0.07
Pancreas	349	14.1	0.35	9.7	0.24	327	11.1	0.28	7.6	0.20
Respiratory System	1,121	46.5	0.64	31.1	0.42	1,130	39.3	0.53	26.5	0.37
Larynx	88	3.5	0.17	2.5	0.12	16	0.5	0.06	0.4	0.05
Lung & bronchus	1,003	41.7	0.60	27.5	0.39	1,102	38.3	0.53	25.8	0.36
Bones & Joints	29	1.3	0.11	1.2	0.11	18	0.7	0.08	0.7	0.08
Soft Tissue (incl. heart)	120	5.0	0.21	3.8	0.16	82	3.1	0.16	2.5	0.14
Skin (excl. basal & sq.)	1,273	51.5	0.66	36.9	0.47	824	30.5	0.49	24.4	0.40
Melanomas of the skin	1,175	47.3	0.63	34.3	0.46	774	28.7	0.48	23.2	0.40
Breast (excl. <i>in situ</i>)	28	1.1	0.10	0.8	0.07	3,676	135.4	1.03	106.7	0.82
Female Genital System	-	-	-	-	-	1,387	49.8	0.61	39.8	0.50
Cervix uteri	-	-	-	-	-	146	6.2	0.23	5.4	0.21
Uterus Corpus	-	-	-	-	-	774	26.9	0.44	21.6	0.36
Uterus, NOS ¹	-	-	-	-	-	16	0.5	0.06	0.4	0.05
Ovary	-	-	-	-	-	322	11.8	0.30	9.3	0.24
Male Genital System	2,743	103.5	0.91	80.3	0.70	-	-	-	-	-
Prostate	2,524	94.4	0.86	71.3	0.64	-	-	-	-	-
Testis	192	8.0	0.26	8.2	0.27	-	-	-	-	-
Penis	20	0.8	0.09	0.6	0.06	-	-	-	-	-
Urinary System	1,350	55.2	0.69	38.0	0.47	510	17.8	0.36	12.9	0.27
Bladder (incl. <i>in situ</i>)	804	33.5	0.54	21.8	0.35	233	7.9	0.24	5.3	0.16
Kidney & renal pelvis	521	20.6	0.41	15.5	0.31	262	9.4	0.27	7.3	0.21
Ureter	16	0.7	0.08	0.4	0.05	9	0.3	0.04	0.2	0.03
Eye & Orbit	34	1.4	0.11	1.1	0.09	29	1.1	0.09	0.9	0.08
Brain & Other CNS ¹	209	8.5	0.27	7.2	0.23	151	5.9	0.22	5.1	0.20
Brain	197	8.0	0.26	6.8	0.23	143	5.5	0.21	4.8	0.20
Endocrine System	196	7.8	0.26	6.9	0.23	455	18.8	0.40	17.1	0.37
Thyroid gland	176	7.0	0.24	6.0	0.21	438	18.1	0.40	16.4	0.37
Lymphomas	714	29.0	0.50	22.0	0.38	553	20.2	0.40	15.8	0.32
Hodgkin Lymphoma	73	3.0	0.16	2.9	0.16	55	2.3	0.14	2.3	0.15
Non-Hodgkin Lymphoma	641	26.0	0.47	19.1	0.35	498	17.9	0.37	13.5	0.29
Multiple Myeloma	194	7.9	0.26	5.4	0.18	131	4.5	0.18	3.2	0.13
Leukemias	435	18.2	0.40	13.9	0.31	276	10.2	0.28	8.2	0.25
Acute lymphocytic	51	2.3	0.15	2.5	0.17	34	1.6	0.13	1.8	0.14
Chronic lymphocytic	167	6.8	0.24	4.7	0.16	92	3.1	0.15	2.2	0.11
Acute myeloid	125	5.4	0.22	3.9	0.16	93	3.4	0.16	2.7	0.14
Chronic myeloid	48	2.0	0.13	1.5	0.10	34	1.2	0.10	1.0	0.08
Other leukemias	43	1.8	0.12	1.3	0.09	23	0.8	0.08	0.6	0.06
Mesothelioma	39	1.7	0.12	1.0	0.08	15	0.5	0.06	0.4	0.05
Kaposi Sarcoma	33	1.3	0.10	1.1	0.09	3	0.1	0.03	0.1	0.02
Ill-defined & Unknown	400	16.9	0.39	11.0	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	223	9.0	0.28	7.0	0.22	423	15.6	0.35	12.3	0.29
Breast (<i>in situ</i>)	3	0.1	0.03	0.1	0.02	824	31.1	0.50	25.2	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater Bay Area, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,161	488.6	6.75	369.0	4.89	1,093	392.5	5.43	301.5	4.20
Oral Cavity & Pharynx	33	13.4	1.10	10.5	0.82	12	4.3	0.56	3.5	0.46
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	3.2	0.53	2.5	0.40	3	1.0	0.28	0.8	0.23
Major salivary gland	3	1.4	0.39	1.0	0.26	2	0.9	0.26	0.8	0.23
Floor of mouth	2	0.8	0.27	0.6	0.20	-	-	-	-	-
Gum & other mouth	4	1.7	0.40	1.2	0.29	2	0.8	0.24	0.6	0.18
Nasopharynx	2	0.8	0.25	0.7	0.22	-	-	-	-	-
Oropharynx	3	1.0	0.27	0.9	0.23	1	0.4	0.16	0.3	0.12
Hypopharynx	2	1.1	0.32	0.8	0.22	-	-	-	-	-
Digestive System	275	116.3	3.30	86.8	2.36	222	80.0	2.46	58.8	1.81
Esophagus	13	5.7	0.73	4.2	0.52	6	2.3	0.43	1.8	0.32
Stomach	29	13.4	1.18	9.2	0.77	19	7.0	0.74	5.0	0.53
Small intestine	10	4.4	0.65	3.2	0.45	8	2.7	0.44	2.0	0.33
Colon excl. rectum	73	31.5	1.74	23.4	1.23	87	31.5	1.54	22.8	1.13
Rectum & rectosigmoid	29	12.0	1.05	9.2	0.77	22	7.9	0.77	6.0	0.59
Anus, anal canal & anorectum	7	2.5	0.44	2.1	0.37	7	2.6	0.45	2.0	0.34
Liver	56	21.3	1.34	17.2	1.03	16	5.3	0.60	4.4	0.50
Gallbladder	3	1.6	0.42	1.1	0.27	5	1.9	0.38	1.3	0.26
Pancreas	42	18.4	1.34	13.2	0.92	40	14.2	1.03	10.3	0.75
Respiratory System	161	73.2	2.72	51.2	1.82	139	48.9	1.90	35.8	1.39
Larynx	15	6.8	0.84	4.7	0.55	3	1.2	0.29	0.9	0.23
Lung & bronchus	144	65.6	2.58	45.9	1.72	133	46.9	1.86	34.2	1.35
Bones & Joints	1	0.6	0.24	0.6	0.23	2	0.7	0.22	0.7	0.21
Soft Tissue (incl. heart)	9	3.7	0.58	3.0	0.46	12	4.2	0.56	3.7	0.52
Skin (excl. basal & sq.)	8	3.5	0.59	2.6	0.43	4	1.4	0.32	1.1	0.26
Melanomas of the skin	4	1.7	0.43	1.2	0.28	1	0.5	0.20	0.4	0.16
Breast (excl. <i>in situ</i>)	3	1.4	0.39	1.0	0.26	338	122.5	3.05	97.1	2.42
Female Genital System	-	-	-	-	-	138	48.0	1.87	38.2	1.49
Cervix uteri	-	-	-	-	-	13	5.2	0.66	4.4	0.55
Uterus Corpus	-	-	-	-	-	81	27.6	1.40	22.0	1.10
Uterus, NOS ¹	-	-	-	-	-	4	1.3	0.31	0.9	0.22
Ovary	-	-	-	-	-	28	10.2	0.88	8.1	0.70
Male Genital System	374	145.2	3.52	115.0	2.68	-	-	-	-	-
Prostate	367	142.6	3.49	112.9	2.65	-	-	-	-	-
Testis	4	1.5	0.34	1.5	0.34	-	-	-	-	-
Penis	2	0.7	0.24	0.5	0.17	-	-	-	-	-
Urinary System	109	48.1	2.16	34.8	1.51	59	21.1	1.25	15.5	0.93
Bladder (incl. <i>in situ</i>)	42	20.3	1.47	13.4	0.93	18	6.6	0.70	4.3	0.47
Kidney & renal pelvis	65	26.9	1.56	20.9	1.17	39	13.8	1.01	10.7	0.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	12	4.5	0.62	4.0	0.54	8	2.8	0.46	2.5	0.42
Brain	11	4.3	0.60	3.8	0.53	7	2.6	0.45	2.3	0.41
Endocrine System	9	3.5	0.54	3.0	0.46	22	8.4	0.81	7.3	0.71
Thyroid gland	7	2.5	0.45	2.2	0.38	19	7.3	0.76	6.3	0.66
Lymphomas	53	22.0	1.41	18.2	1.14	44	16.3	1.12	12.9	0.90
Hodgkin Lymphoma	7	2.8	0.47	2.8	0.47	5	2.1	0.42	2.0	0.39
Non-Hodgkin Lymphoma	46	19.2	1.33	15.4	1.03	39	14.1	1.04	10.9	0.81
Multiple Myeloma	37	16.3	1.26	11.7	0.87	25	9.1	0.84	6.6	0.61
Leukemias	31	14.2	1.19	10.6	0.87	23	8.5	0.80	6.6	0.65
Acute lymphocytic	2	1.0	0.29	1.1	0.33	3	1.0	0.29	1.0	0.29
Chronic lymphocytic	11	4.9	0.70	3.5	0.47	7	2.5	0.43	1.8	0.30
Acute myeloid	11	5.2	0.74	3.6	0.50	9	3.3	0.50	2.6	0.41
Chronic myeloid	4	1.7	0.38	1.4	0.31	2	0.9	0.26	0.7	0.21
Other leukemias	3	1.4	0.38	1.0	0.26	2	0.7	0.24	0.5	0.17
Mesothelioma	3	1.6	0.45	0.9	0.24	-	-	-	-	-
Kaposi Sarcoma	5	2.1	0.43	1.8	0.37	-	-	-	-	-
Ill-defined & Unknown	39	18.7	1.40	12.8	0.92	42	15.4	1.08	10.4	0.75
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	18	8.0	0.87	6.1	0.64	42	15.3	1.08	11.8	0.84
Breast (<i>in situ</i>)	-	-	-	-	-	85	29.4	1.46	24.2	1.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater Bay Area, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,967	305.9	2.56	224.4	1.87	3,710	303.1	2.26	236.9	1.80
Oral Cavity & Pharynx	116	11.4	0.48	9.1	0.38	79	6.4	0.33	5.1	0.27
Lip	1	0.1	0.05	0.1	0.04	1	0.1	0.04	0.1	0.03
Tongue	22	2.2	0.21	1.7	0.16	23	1.9	0.18	1.5	0.14
Major salivary gland	13	1.2	0.16	1.0	0.13	13	1.0	0.13	0.8	0.11
Floor of mouth	1	0.1	0.06	0.1	0.04	2	0.2	0.05	0.1	0.04
Gum & other mouth	15	1.5	0.18	1.1	0.13	13	1.1	0.14	0.8	0.10
Nasopharynx	47	4.6	0.30	3.8	0.25	21	1.7	0.17	1.5	0.15
Oropharynx	2	0.2	0.07	0.2	0.05	-	-	-	-	-
Hypopharynx	4	0.5	0.10	0.3	0.07	1	0.1	0.04	0.1	0.03
Digestive System	883	89.8	1.38	65.5	1.00	675	55.2	0.96	39.2	0.70
Esophagus	37	3.7	0.28	2.7	0.20	10	0.8	0.12	0.6	0.08
Stomach	112	12.0	0.52	8.2	0.35	85	7.1	0.35	4.9	0.25
Small intestine	13	1.4	0.17	1.0	0.12	11	0.9	0.12	0.6	0.09
Colon excl. rectum	225	22.9	0.70	16.8	0.50	216	17.5	0.54	12.6	0.40
Rectum & rectosigmoid	137	13.3	0.52	10.4	0.40	97	7.9	0.36	6.1	0.28
Anus, anal canal & anorectum	5	0.5	0.10	0.4	0.08	4	0.3	0.07	0.2	0.05
Liver	192	19.1	0.63	14.4	0.47	70	5.8	0.32	3.9	0.22
Gallbladder	9	1.0	0.15	0.6	0.10	16	1.3	0.15	0.9	0.10
Pancreas	102	10.7	0.49	7.4	0.33	109	9.0	0.39	6.1	0.27
Respiratory System	461	49.4	1.05	33.5	0.71	361	29.5	0.70	20.5	0.50
Larynx	13	1.3	0.17	1.0	0.12	1	0.1	0.04	0.1	0.03
Lung & bronchus	437	47.0	1.03	31.5	0.68	354	28.9	0.70	20.0	0.49
Bones & Joints	8	0.8	0.13	0.8	0.13	4	0.4	0.09	0.4	0.10
Soft Tissue (incl. heart)	30	3.0	0.25	2.5	0.21	27	2.3	0.20	1.9	0.18
Skin (excl. basal & sq.)	24	2.5	0.23	1.9	0.17	25	2.0	0.19	1.7	0.16
Melanomas of the skin	11	1.1	0.15	0.9	0.12	15	1.3	0.15	1.1	0.13
Breast (excl. <i>in situ</i>)	6	0.6	0.11	0.4	0.08	1,299	105.5	1.32	85.8	1.08
Female Genital System	-	-	-	-	-	477	38.4	0.80	31.4	0.65
Cervix uteri	-	-	-	-	-	63	5.1	0.29	4.3	0.25
Uterus Corpus	-	-	-	-	-	270	21.4	0.59	17.6	0.48
Uterus, NOS ¹	-	-	-	-	-	5	0.4	0.09	0.3	0.06
Ovary	-	-	-	-	-	106	8.8	0.38	7.2	0.32
Male Genital System	584	58.9	1.11	44.0	0.82	-	-	-	-	-
Prostate	551	55.7	1.09	41.0	0.79	-	-	-	-	-
Testis	27	2.5	0.22	2.6	0.23	-	-	-	-	-
Penis	4	0.5	0.10	0.3	0.06	-	-	-	-	-
Urinary System	273	28.7	0.79	20.1	0.55	121	9.8	0.41	7.1	0.30
Bladder (incl. <i>in situ</i>)	142	15.5	0.59	10.1	0.38	47	3.8	0.25	2.6	0.17
Kidney & renal pelvis	124	12.3	0.51	9.5	0.39	68	5.5	0.30	4.2	0.23
Ureter	6	0.6	0.12	0.4	0.08	4	0.4	0.08	0.3	0.06
Eye & Orbit	4	0.4	0.09	0.3	0.08	3	0.3	0.08	0.3	0.08
Brain & Other CNS ¹	48	5.0	0.33	4.3	0.29	36	3.2	0.24	2.8	0.23
Brain	44	4.5	0.31	3.9	0.27	33	2.9	0.23	2.5	0.22
Endocrine System	82	8.0	0.40	6.8	0.34	229	19.1	0.57	17.1	0.52
Thyroid gland	69	6.6	0.36	5.6	0.31	218	18.1	0.56	16.1	0.50
Lymphomas	192	19.7	0.65	15.3	0.51	155	12.9	0.47	10.1	0.38
Hodgkin Lymphoma	17	1.6	0.18	1.7	0.19	12	1.1	0.14	1.1	0.15
Non-Hodgkin Lymphoma	175	18.1	0.62	13.6	0.47	143	11.8	0.45	9.0	0.35
Multiple Myeloma	52	5.3	0.34	3.8	0.24	44	3.6	0.24	2.6	0.18
Leukemias	96	10.3	0.48	8.2	0.39	69	6.2	0.34	5.4	0.32
Acute lymphocytic	14	1.5	0.18	1.7	0.21	14	1.6	0.19	1.8	0.22
Chronic lymphocytic	17	1.7	0.19	1.2	0.14	10	0.8	0.12	0.6	0.09
Acute myeloid	41	4.5	0.32	3.4	0.24	30	2.5	0.21	1.9	0.17
Chronic myeloid	15	1.6	0.19	1.2	0.14	9	0.7	0.11	0.6	0.09
Other leukemias	9	1.0	0.15	0.7	0.10	6	0.6	0.11	0.5	0.09
Mesothelioma	5	0.6	0.12	0.4	0.08	2	0.2	0.05	0.1	0.04
Kaposi Sarcoma	5	0.5	0.10	0.4	0.08	-	-	-	-	-
Ill-defined & Unknown	100	11.1	0.50	7.2	0.33	101	8.2	0.37	5.4	0.26
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	75	7.6	0.40	5.9	0.31	169	13.8	0.48	10.6	0.38
Breast (<i>in situ</i>)	-	-	-	-	-	443	35.8	0.77	29.5	0.63

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater Bay Area, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,050	365.9	3.96	267.7	2.71	2,353	336.5	3.21	261.1	2.44
Oral Cavity & Pharynx	55	9.1	0.60	6.8	0.42	26	4.0	0.37	2.9	0.26
Lip	3	0.5	0.14	0.4	0.10	2	0.3	0.11	0.2	0.06
Tongue	14	2.3	0.30	1.7	0.21	9	1.3	0.20	1.0	0.15
Major salivary gland	7	1.3	0.24	0.9	0.16	6	0.9	0.17	0.6	0.12
Floor of mouth	3	0.5	0.16	0.4	0.10	-	-	-	-	-
Gum & other mouth	5	0.9	0.19	0.6	0.13	5	0.8	0.17	0.5	0.11
Nasopharynx	2	0.3	0.10	0.2	0.07	-	-	-	-	-
Oropharynx	3	0.4	0.13	0.3	0.09	-	-	-	-	-
Hypopharynx	2	0.4	0.12	0.3	0.08	-	-	-	-	-
Digestive System	537	96.0	2.02	70.1	1.39	463	71.3	1.53	51.8	1.09
Esophagus	24	4.6	0.45	3.2	0.30	8	1.2	0.20	0.8	0.13
Stomach	68	12.6	0.74	9.0	0.50	60	9.0	0.54	6.7	0.39
Small intestine	12	2.2	0.31	1.6	0.21	11	1.8	0.25	1.3	0.17
Colon excl. rectum	137	24.7	1.03	17.6	0.69	144	22.1	0.85	16.0	0.61
Rectum & rectosigmoid	76	11.9	0.67	9.2	0.49	52	7.2	0.46	5.6	0.35
Anus, anal canal & anorectum	6	0.9	0.18	0.7	0.14	11	1.6	0.22	1.2	0.17
Liver	112	18.9	0.86	14.7	0.63	48	7.7	0.52	5.6	0.37
Gallbladder	5	1.1	0.23	0.7	0.14	17	2.7	0.30	2.0	0.22
Pancreas	63	12.7	0.77	8.8	0.51	73	11.9	0.64	8.1	0.43
Respiratory System	176	39.1	1.40	25.1	0.86	143	23.4	0.90	16.1	0.61
Larynx	18	3.3	0.38	2.4	0.26	2	0.3	0.10	0.2	0.08
Lung & bronchus	151	34.6	1.33	21.8	0.81	139	22.8	0.89	15.6	0.60
Bones & Joints	10	1.1	0.16	1.1	0.15	5	0.6	0.12	0.6	0.11
Soft Tissue (incl. heart)	29	4.3	0.40	3.4	0.29	22	2.8	0.27	2.4	0.23
Skin (excl. basal & sq.)	51	9.0	0.62	6.6	0.42	60	8.3	0.50	6.6	0.38
Melanomas of the skin	43	7.4	0.56	5.4	0.38	53	7.3	0.47	5.8	0.36
Breast (excl. <i>in situ</i>)	4	0.7	0.17	0.5	0.12	700	97.4	1.69	77.6	1.33
Female Genital System	-	-	-	-	-	336	45.8	1.15	37.4	0.92
Cervix uteri	-	-	-	-	-	63	7.9	0.46	6.7	0.38
Uterus Corpus	-	-	-	-	-	173	23.9	0.84	19.6	0.67
Uterus, NOS ¹	-	-	-	-	-	4	0.5	0.12	0.4	0.09
Ovary	-	-	-	-	-	70	9.7	0.53	7.8	0.42
Male Genital System	522	91.3	1.95	69.6	1.40	-	-	-	-	-
Prostate	448	83.7	1.90	62.1	1.34	-	-	-	-	-
Testis	65	6.0	0.34	6.4	0.36	-	-	-	-	-
Penis	8	1.5	0.25	1.0	0.16	-	-	-	-	-
Urinary System	227	43.4	1.40	30.4	0.92	116	17.2	0.74	13.1	0.55
Bladder (incl. <i>in situ</i>)	93	20.3	1.00	13.1	0.62	30	4.9	0.41	3.4	0.28
Kidney & renal pelvis	131	22.1	0.94	16.8	0.67	84	12.0	0.60	9.5	0.47
Ureter	3	0.8	0.21	0.5	0.12	-	-	-	-	-
Eye & Orbit	5	0.8	0.18	0.6	0.13	4	0.5	0.12	0.5	0.10
Brain & Other CNS ¹	40	5.9	0.47	4.8	0.35	35	4.3	0.34	3.8	0.29
Brain	36	5.4	0.46	4.4	0.33	31	3.9	0.33	3.4	0.28
Endocrine System	44	5.6	0.42	4.8	0.33	145	17.5	0.67	15.8	0.59
Thyroid gland	40	5.2	0.41	4.4	0.32	141	16.9	0.65	15.2	0.58
Lymphomas	143	23.6	0.97	17.8	0.69	133	19.3	0.78	14.8	0.58
Hodgkin Lymphoma	23	2.9	0.30	2.6	0.24	17	2.0	0.23	1.8	0.20
Non-Hodgkin Lymphoma	120	20.7	0.93	15.3	0.64	117	17.3	0.74	13.0	0.55
Multiple Myeloma	39	7.5	0.58	5.2	0.38	29	4.7	0.40	3.4	0.28
Leukemias	91	13.6	0.73	10.8	0.52	65	8.5	0.50	7.1	0.40
Acute lymphocytic	30	2.9	0.24	3.1	0.26	21	2.1	0.21	2.3	0.22
Chronic lymphocytic	14	2.9	0.38	1.9	0.23	7	1.2	0.20	0.8	0.13
Acute myeloid	28	4.5	0.43	3.4	0.29	24	3.4	0.32	2.7	0.25
Chronic myeloid	12	2.0	0.29	1.5	0.20	9	1.3	0.20	1.0	0.15
Other leukemias	8	1.4	0.24	1.0	0.16	4	0.5	0.12	0.4	0.10
Mesothelioma	7	1.6	0.29	1.0	0.17	2	0.3	0.11	0.2	0.08
Kaposi Sarcoma	9	1.1	0.18	0.9	0.14	1	0.2	0.10	0.2	0.06
Ill-defined & Unknown	62	12.3	0.76	8.2	0.48	65	10.4	0.59	6.9	0.39
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	41	6.2	0.48	4.9	0.35	100	13.8	0.64	11.1	0.50
Breast (<i>in situ</i>)	-	-	-	-	-	175	23.9	0.83	19.6	0.67

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Greater Bay Area

54 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater Bay Area, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9,618	481.5	2.27	354.8	1.71	9,295	436.4	2.14	335.6	1.74
Oral Cavity & Pharynx	379	18.1	0.43	14.1	0.33	140	6.2	0.25	4.8	0.20
Lip	24	1.2	0.11	0.9	0.09	9	0.4	0.07	0.3	0.05
Tongue	143	6.7	0.26	5.3	0.20	46	2.1	0.14	1.6	0.12
Major salivary gland	31	1.6	0.13	1.1	0.10	18	0.9	0.10	0.7	0.08
Floor of mouth	8	0.4	0.06	0.3	0.05	7	0.3	0.05	0.2	0.04
Gum & other mouth	37	1.8	0.14	1.3	0.10	29	1.2	0.10	0.8	0.08
Nasopharynx	9	0.5	0.07	0.4	0.06	2	0.1	0.04	0.1	0.03
Oropharynx	15	0.7	0.08	0.6	0.07	5	0.2	0.05	0.2	0.04
Hypopharynx	16	0.7	0.08	0.5	0.06	5	0.2	0.04	0.2	0.03
Digestive System	1,723	85.3	0.95	62.3	0.70	1,357	59.5	0.76	42.7	0.58
Esophagus	135	6.5	0.26	4.7	0.18	49	2.1	0.14	1.4	0.10
Stomach	139	7.0	0.27	4.9	0.19	77	3.3	0.17	2.3	0.13
Small intestine	50	2.5	0.16	1.8	0.12	42	1.9	0.14	1.5	0.11
Colon excl. rectum	512	26.2	0.53	18.7	0.39	514	22.9	0.48	16.1	0.36
Rectum & rectosigmoid	240	12.0	0.36	9.4	0.28	167	7.9	0.29	6.2	0.23
Anus, anal canal & anorectum	46	2.3	0.15	1.8	0.12	58	2.5	0.15	2.0	0.12
Liver	214	9.7	0.30	7.7	0.24	62	2.6	0.15	1.9	0.12
Gallbladder	13	0.7	0.08	0.5	0.06	27	1.1	0.10	0.7	0.07
Pancreas	287	14.2	0.38	9.8	0.27	254	10.7	0.31	7.3	0.22
Respiratory System	949	47.6	0.71	32.1	0.48	990	42.6	0.62	28.7	0.43
Larynx	71	3.5	0.19	2.5	0.13	14	0.6	0.08	0.5	0.06
Lung & bronchus	854	42.8	0.67	28.5	0.45	966	41.5	0.61	27.9	0.43
Bones & Joints	19	1.3	0.14	1.2	0.14	13	0.8	0.11	0.8	0.11
Soft Tissue (incl. heart)	92	5.0	0.24	3.9	0.20	61	3.0	0.19	2.4	0.17
Skin (excl. basal & sq.)	1,225	62.7	0.83	45.7	0.62	768	38.7	0.67	31.6	0.57
Melanomas of the skin	1,136	58.1	0.79	42.8	0.60	725	36.9	0.65	30.3	0.56
Breast (excl. <i>in situ</i>)	24	1.2	0.11	0.8	0.07	2,997	144.8	1.25	114.0	1.01
Female Genital System	-	-	-	-	-	1,063	48.8	0.70	38.7	0.57
Cervix uteri	-	-	-	-	-	85	5.2	0.26	4.6	0.24
Uterus Corpus	-	-	-	-	-	607	26.6	0.50	21.1	0.40
Uterus, NOS ¹	-	-	-	-	-	12	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	254	12.0	0.36	9.4	0.29
Male Genital System	2,253	106.3	1.03	82.7	0.81	-	-	-	-	-
Prostate	2,105	96.5	0.96	73.1	0.72	-	-	-	-	-
Testis	130	8.8	0.35	8.9	0.36	-	-	-	-	-
Penis	12	0.6	0.09	0.4	0.06	-	-	-	-	-
Urinary System	1,127	56.9	0.78	39.1	0.54	396	17.1	0.40	12.2	0.31
Bladder (incl. <i>in situ</i>)	713	36.1	0.62	23.7	0.41	203	8.5	0.27	5.7	0.19
Kidney & renal pelvis	392	19.6	0.46	14.7	0.35	179	8.2	0.29	6.2	0.24
Ureter	13	0.7	0.08	0.4	0.05	8	0.3	0.05	0.2	0.03
Eye & Orbit	30	1.5	0.13	1.2	0.10	25	1.2	0.11	1.0	0.10
Brain & Other CNS ¹	169	9.5	0.34	8.2	0.32	117	6.3	0.28	5.5	0.27
Brain	162	9.1	0.34	7.8	0.31	111	6.0	0.28	5.2	0.27
Endocrine System	154	8.6	0.33	7.6	0.30	313	18.9	0.51	17.2	0.48
Thyroid gland	137	7.6	0.30	6.5	0.27	301	18.2	0.50	16.5	0.46
Lymphomas	575	30.3	0.59	23.2	0.47	425	20.4	0.47	16.0	0.40
Hodgkin Lymphoma	51	3.2	0.21	3.1	0.21	39	2.6	0.20	2.6	0.21
Non-Hodgkin Lymphoma	524	27.1	0.55	20.1	0.42	387	17.8	0.43	13.4	0.35
Multiple Myeloma	157	7.8	0.29	5.4	0.20	102	4.4	0.20	3.1	0.15
Leukemias	348	18.6	0.46	13.9	0.38	213	10.0	0.33	7.8	0.29
Acute lymphocytic	23	1.7	0.17	1.9	0.20	14	1.2	0.15	1.3	0.17
Chronic lymphocytic	154	7.7	0.28	5.4	0.20	85	3.6	0.18	2.5	0.13
Acute myeloid	98	5.3	0.25	3.7	0.19	70	3.3	0.19	2.6	0.16
Chronic myeloid	37	2.0	0.15	1.4	0.11	25	1.2	0.11	0.9	0.10
Other leukemias	36	1.9	0.15	1.5	0.12	19	0.8	0.09	0.6	0.07
Mesothelioma	32	1.7	0.14	1.0	0.09	13	0.6	0.07	0.4	0.05
Kaposi Sarcoma	24	1.3	0.13	1.1	0.11	2	0.1	0.03	0.1	0.02
Ill-defined & Unknown	341	17.7	0.44	11.4	0.29	301	12.7	0.35	8.5	0.26
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	182	9.7	0.33	7.5	0.27	326	15.8	0.42	12.4	0.35
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.03	655	33.1	0.61	26.8	0.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Greater Bay Area, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,147	510.3	7.08	386.2	5.16	1,071	409.9	5.74	315.8	4.47
Oral Cavity & Pharynx	33	14.2	1.16	11.0	0.87	12	4.5	0.60	3.7	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	3.3	0.56	2.6	0.42	3	1.1	0.30	0.9	0.25
Major salivary gland	3	1.5	0.41	1.1	0.27	2	0.9	0.29	0.8	0.26
Floor of mouth	2	0.8	0.29	0.6	0.21	-	-	-	-	-
Gum & other mouth	4	1.8	0.43	1.3	0.31	2	0.8	0.25	0.6	0.19
Nasopharynx	2	0.8	0.27	0.7	0.24	-	-	-	-	-
Oropharynx	3	1.0	0.29	0.9	0.24	1	0.4	0.17	0.3	0.13
Hypopharynx	2	1.1	0.34	0.8	0.23	-	-	-	-	-
Digestive System	272	121.6	3.46	90.9	2.49	217	82.7	2.58	61.0	1.91
Esophagus	13	6.0	0.77	4.5	0.55	6	2.4	0.46	1.8	0.35
Stomach	28	14.0	1.23	9.6	0.81	19	7.2	0.77	5.2	0.56
Small intestine	10	4.6	0.68	3.3	0.47	7	2.7	0.45	2.0	0.34
Colon excl. rectum	72	32.8	1.82	24.4	1.30	85	32.7	1.62	23.7	1.20
Rectum & rectosigmoid	29	12.7	1.10	9.7	0.81	22	8.3	0.82	6.3	0.63
Anus, anal canal & anorectum	6	2.6	0.47	2.2	0.39	7	2.8	0.48	2.1	0.36
Liver	56	22.5	1.41	18.1	1.09	15	5.4	0.63	4.5	0.52
Gallbladder	3	1.7	0.44	1.1	0.28	5	1.9	0.40	1.3	0.27
Pancreas	41	19.2	1.40	13.8	0.97	39	14.8	1.08	10.8	0.79
Respiratory System	159	76.3	2.84	53.4	1.91	136	50.5	1.98	37.0	1.45
Larynx	15	7.2	0.88	5.0	0.58	3	1.2	0.31	1.0	0.24
Lung & bronchus	143	68.4	2.69	47.8	1.81	131	48.5	1.94	35.3	1.41
Bones & Joints	1	0.7	0.27	0.7	0.27	2	0.8	0.25	0.7	0.24
Soft Tissue (incl. heart)	9	3.9	0.61	3.2	0.49	11	4.4	0.60	3.9	0.56
Skin (excl. basal & sq.)	7	3.6	0.61	2.8	0.47	4	1.5	0.35	1.2	0.28
Melanomas of the skin	3	1.7	0.43	1.2	0.29	1	0.6	0.22	0.5	0.18
Breast (excl. <i>in situ</i>)	3	1.5	0.41	1.1	0.28	331	128.6	3.24	102.2	2.59
Female Genital System	-	-	-	-	-	134	50.0	1.98	39.7	1.58
Cervix uteri	-	-	-	-	-	13	5.6	0.72	4.7	0.61
Uterus Corpus	-	-	-	-	-	80	28.6	1.47	22.8	1.16
Uterus, NOS ¹	-	-	-	-	-	3	1.2	0.31	0.9	0.21
Ovary	-	-	-	-	-	28	10.7	0.93	8.5	0.75
Male Genital System	369	151.3	3.68	120.0	2.81	-	-	-	-	-
Prostate	363	148.5	3.65	117.6	2.78	-	-	-	-	-
Testis	4	1.7	0.39	1.7	0.38	-	-	-	-	-
Penis	2	0.7	0.25	0.5	0.18	-	-	-	-	-
Urinary System	108	50.2	2.27	36.5	1.59	59	22.1	1.32	16.4	0.99
Bladder (incl. <i>in situ</i>)	42	21.1	1.53	13.9	0.97	18	6.9	0.74	4.6	0.49
Kidney & renal pelvis	64	28.3	1.65	21.9	1.24	38	14.5	1.08	11.3	0.85
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	11	4.7	0.65	4.3	0.59	8	3.1	0.51	2.8	0.48
Brain	10	4.4	0.63	4.0	0.58	7	2.9	0.50	2.6	0.47
Endocrine System	9	3.8	0.59	3.3	0.50	22	9.1	0.89	8.0	0.78
Thyroid gland	7	2.7	0.48	2.3	0.41	19	7.9	0.83	6.9	0.73
Lymphomas	52	23.3	1.50	19.4	1.23	43	17.2	1.20	13.7	0.97
Hodgkin Lymphoma	7	3.0	0.52	3.0	0.52	5	2.4	0.47	2.2	0.44
Non-Hodgkin Lymphoma	45	20.3	1.41	16.4	1.11	38	14.8	1.10	11.5	0.87
Multiple Myeloma	36	16.8	1.32	12.1	0.91	24	9.4	0.87	6.8	0.64
Leukemias	30	14.6	1.24	11.0	0.92	22	8.7	0.85	6.8	0.69
Acute lymphocytic	2	1.1	0.32	1.2	0.37	2	1.1	0.33	1.1	0.34
Chronic lymphocytic	11	5.2	0.74	3.7	0.50	7	2.7	0.45	1.9	0.32
Acute myeloid	10	5.2	0.76	3.6	0.51	8	3.2	0.51	2.6	0.43
Chronic myeloid	4	1.8	0.41	1.5	0.34	2	1.0	0.28	0.7	0.23
Other leukemias	3	1.4	0.40	1.0	0.28	2	0.8	0.26	0.5	0.19
Mesothelioma	3	1.7	0.47	0.9	0.25	-	-	-	-	-
Kaposi Sarcoma	5	2.3	0.48	2.1	0.42	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	42	16.2	1.14	11.0	0.79
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	18	8.5	0.92	6.5	0.69	42	16.2	1.15	12.6	0.90
Breast (<i>in situ</i>)	-	-	-	-	-	83	31.0	1.56	25.5	1.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Los Angeles, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	19,144	404.8	1.34	298.4	0.98	20,795	367.7	1.16	284.8	0.92
Oral Cavity & Pharynx	661	13.3	0.24	10.3	0.18	280	4.9	0.13	3.7	0.10
Lip	35	0.7	0.06	0.5	0.04	14	0.2	0.03	0.2	0.02
Tongue	213	4.3	0.13	3.3	0.10	87	1.5	0.07	1.2	0.06
Major salivary gland	62	1.3	0.08	1.0	0.06	47	0.8	0.06	0.7	0.05
Floor of mouth	20	0.4	0.04	0.3	0.03	9	0.2	0.02	0.1	0.02
Gum & other mouth	68	1.4	0.08	1.1	0.06	52	0.9	0.06	0.6	0.04
Nasopharynx	50	1.0	0.07	0.8	0.05	23	0.4	0.04	0.4	0.03
Oropharynx	26	0.5	0.05	0.4	0.04	8	0.1	0.02	0.1	0.02
Hypopharynx	37	0.8	0.06	0.6	0.04	7	0.1	0.02	0.1	0.02
Digestive System	4,423	93.5	0.64	68.0	0.46	3,734	64.8	0.48	46.8	0.36
Esophagus	221	4.7	0.15	3.4	0.10	69	1.2	0.07	0.8	0.04
Stomach	555	12.0	0.23	8.6	0.16	389	6.9	0.16	5.0	0.12
Small intestine	93	2.0	0.09	1.4	0.07	95	1.6	0.08	1.2	0.06
Colon excl. rectum	1,308	28.1	0.36	20.0	0.25	1,304	22.6	0.28	16.2	0.21
Rectum & rectosigmoid	645	13.1	0.24	10.1	0.18	495	8.6	0.18	6.7	0.14
Anus, anal canal & anorectum	79	1.6	0.08	1.2	0.06	94	1.6	0.07	1.2	0.06
Liver	623	12.5	0.23	9.6	0.17	269	4.6	0.13	3.4	0.10
Gallbladder	41	0.9	0.07	0.6	0.04	110	1.9	0.08	1.4	0.06
Pancreas	600	13.0	0.24	9.1	0.17	606	10.5	0.19	7.2	0.14
Respiratory System	2,142	47.7	0.47	32.4	0.32	1,846	32.3	0.34	22.4	0.24
Larynx	161	3.4	0.12	2.5	0.09	28	0.5	0.04	0.3	0.03
Lung & bronchus	1,925	43.1	0.45	29.0	0.30	1,789	31.3	0.34	21.6	0.24
Bones & Joints	51	1.1	0.07	1.0	0.07	37	0.7	0.05	0.7	0.05
Soft Tissue (incl. heart)	210	4.4	0.14	3.5	0.11	172	3.1	0.11	2.7	0.10
Skin (excl. basal & sq.)	979	21.2	0.31	15.0	0.22	634	11.2	0.20	8.8	0.16
Melanomas of the skin	882	18.9	0.29	13.6	0.21	563	10.0	0.19	7.9	0.15
Breast (excl. <i>in situ</i>)	44	0.9	0.06	0.7	0.05	6,557	116.6	0.65	92.6	0.52
Female Genital System	-	-	-	-	-	2,834	49.9	0.43	40.5	0.35
Cervix uteri	-	-	-	-	-	407	7.6	0.17	6.5	0.15
Uterus Corpus	-	-	-	-	-	1,469	25.4	0.30	20.7	0.25
Uterus, NOS ¹	-	-	-	-	-	74	1.3	0.07	1.0	0.05
Ovary	-	-	-	-	-	662	11.7	0.21	9.4	0.17
Male Genital System	4,801	97.3	0.64	75.1	0.49	-	-	-	-	-
Prostate	4,442	90.3	0.62	68.2	0.46	-	-	-	-	-
Testis	309	5.9	0.15	6.1	0.16	-	-	-	-	-
Penis	36	0.8	0.06	0.6	0.04	-	-	-	-	-
Urinary System	2,149	46.8	0.46	32.7	0.32	926	16.2	0.24	11.8	0.18
Bladder (incl. <i>in situ</i>)	1,170	26.4	0.35	17.2	0.23	361	6.2	0.15	4.1	0.10
Kidney & renal pelvis	936	19.3	0.29	14.8	0.22	538	9.5	0.19	7.4	0.15
Ureter	20	0.5	0.05	0.3	0.03	17	0.3	0.03	0.2	0.02
Eye & Orbit	34	0.7	0.06	0.6	0.05	39	0.7	0.05	0.6	0.05
Brain & Other CNS ¹	308	6.4	0.17	5.3	0.14	247	4.5	0.13	3.9	0.12
Brain	291	6.0	0.16	5.0	0.13	229	4.2	0.13	3.6	0.12
Endocrine System	387	7.7	0.18	6.6	0.15	1,106	20.6	0.28	18.4	0.25
Thyroid gland	349	6.9	0.17	5.9	0.14	1,068	19.9	0.28	17.8	0.25
Lymphomas	1,132	24.0	0.33	18.2	0.25	941	16.7	0.25	12.9	0.20
Hodgkin Lymphoma	117	2.3	0.10	2.2	0.09	96	1.8	0.08	1.7	0.08
Non-Hodgkin Lymphoma	1,015	21.6	0.31	16.0	0.23	846	14.9	0.23	11.1	0.18
Multiple Myeloma	336	7.3	0.18	5.2	0.13	263	4.5	0.13	3.3	0.09
Leukemias	684	14.7	0.26	11.7	0.21	520	9.5	0.19	7.8	0.17
Acute lymphocytic	124	2.6	0.10	2.8	0.11	92	1.9	0.09	2.0	0.10
Chronic lymphocytic	183	3.9	0.13	2.7	0.09	123	2.1	0.09	1.5	0.06
Acute myeloid	214	4.7	0.15	3.5	0.11	187	3.4	0.11	2.6	0.09
Chronic myeloid	91	1.9	0.09	1.5	0.07	66	1.2	0.07	1.0	0.06
Other leukemias	72	1.5	0.08	1.2	0.06	52	0.9	0.06	0.7	0.05
Mesothelioma	51	1.2	0.07	0.8	0.05	19	0.3	0.04	0.2	0.03
Kaposi Sarcoma	68	1.4	0.08	1.2	0.07	5	0.1	0.02	0.1	0.01
Ill-defined & Unknown	684	15.3	0.27	10.2	0.18	635	11.0	0.20	7.5	0.14
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	333	6.9	0.17	5.4	0.14	698	12.4	0.21	9.7	0.17
Breast (<i>in situ</i>)	4	0.1	0.02	0.1	0.01	1,513	26.9	0.31	21.9	0.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Los Angeles, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	13,913	412.7	1.61	302.7	1.16	14,984	381.5	1.42	294.8	1.12
Oral Cavity & Pharynx	495	14.0	0.29	10.7	0.22	206	5.2	0.17	3.9	0.13
Lip	32	0.9	0.08	0.7	0.05	14	0.3	0.04	0.2	0.03
Tongue	169	4.7	0.17	3.7	0.13	68	1.7	0.09	1.3	0.07
Major salivary gland	48	1.5	0.10	1.0	0.07	32	0.8	0.07	0.7	0.05
Floor of mouth	14	0.4	0.05	0.3	0.04	7	0.2	0.03	0.1	0.02
Gum & other mouth	49	1.4	0.09	1.0	0.07	39	1.0	0.07	0.7	0.05
Nasopharynx	18	0.5	0.05	0.4	0.05	11	0.3	0.04	0.2	0.03
Oropharynx	19	0.5	0.05	0.4	0.04	6	0.1	0.03	0.1	0.02
Hypopharynx	24	0.7	0.07	0.5	0.05	5	0.1	0.03	0.1	0.02
Digestive System	3,112	92.1	0.76	66.8	0.54	2,602	65.1	0.58	47.1	0.43
Esophagus	176	5.3	0.18	3.8	0.13	48	1.2	0.08	0.8	0.05
Stomach	370	11.1	0.27	8.0	0.19	258	6.6	0.19	4.9	0.14
Small intestine	69	2.1	0.11	1.5	0.08	69	1.7	0.09	1.3	0.07
Colon excl. rectum	926	27.9	0.42	19.8	0.29	900	22.5	0.34	16.0	0.25
Rectum & rectosigmoid	453	12.9	0.28	9.8	0.21	342	8.6	0.21	6.7	0.17
Anus, anal canal & anorectum	61	1.7	0.10	1.3	0.08	77	1.9	0.10	1.5	0.08
Liver	409	11.4	0.26	8.9	0.20	176	4.4	0.15	3.2	0.11
Gallbladder	31	1.0	0.08	0.7	0.05	86	2.1	0.10	1.5	0.08
Pancreas	435	13.3	0.29	9.2	0.20	427	10.6	0.23	7.3	0.17
Respiratory System	1,450	45.8	0.55	30.7	0.36	1,269	32.2	0.41	22.0	0.29
Larynx	121	3.6	0.15	2.6	0.11	19	0.5	0.05	0.4	0.04
Lung & bronchus	1,286	40.9	0.52	27.1	0.34	1,228	31.2	0.40	21.2	0.28
Bones & Joints	39	1.1	0.08	1.1	0.08	29	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	158	4.6	0.17	3.6	0.13	125	3.3	0.13	2.8	0.12
Skin (excl. basal & sq.)	865	26.3	0.41	18.4	0.28	540	13.7	0.27	10.6	0.21
Melanomas of the skin	790	23.8	0.39	16.9	0.27	487	12.4	0.26	9.6	0.20
Breast (excl. <i>in situ</i>)	32	1.0	0.08	0.7	0.05	4,647	119.1	0.79	94.2	0.63
Female Genital System	-	-	-	-	-	2,060	52.3	0.52	42.4	0.43
Cervix uteri	-	-	-	-	-	283	7.6	0.21	6.6	0.18
Uterus Corpus	-	-	-	-	-	1,060	26.5	0.37	21.6	0.30
Uterus, NOS ¹	-	-	-	-	-	50	1.2	0.08	1.0	0.06
Ovary	-	-	-	-	-	490	12.5	0.26	10.0	0.21
Male Genital System	3,251	92.5	0.75	71.4	0.56	-	-	-	-	-
Prostate	2,941	84.3	0.71	63.3	0.52	-	-	-	-	-
Testis	271	7.0	0.19	7.3	0.20	-	-	-	-	-
Penis	30	0.9	0.08	0.7	0.05	-	-	-	-	-
Urinary System	1,673	51.1	0.57	35.5	0.39	699	17.6	0.30	12.9	0.23
Bladder (incl. <i>in situ</i>)	932	29.6	0.44	19.3	0.29	278	6.9	0.19	4.6	0.13
Kidney & renal pelvis	710	20.5	0.35	15.6	0.26	404	10.3	0.23	8.0	0.18
Ureter	14	0.4	0.05	0.3	0.03	11	0.3	0.04	0.2	0.02
Eye & Orbit	29	0.8	0.07	0.7	0.06	35	0.9	0.07	0.8	0.06
Brain & Other CNS ¹	255	7.3	0.21	6.0	0.17	202	5.2	0.17	4.5	0.15
Brain	241	6.9	0.20	5.7	0.17	188	4.9	0.16	4.2	0.15
Endocrine System	288	7.9	0.21	6.8	0.18	807	21.5	0.34	19.3	0.31
Thyroid gland	263	7.2	0.20	6.1	0.17	781	20.8	0.34	18.7	0.30
Lymphomas	874	25.8	0.40	19.5	0.30	711	18.0	0.31	13.8	0.24
Hodgkin Lymphoma	94	2.6	0.12	2.4	0.11	74	1.9	0.10	1.9	0.10
Non-Hodgkin Lymphoma	780	23.2	0.38	17.1	0.28	637	16.1	0.29	12.0	0.22
Multiple Myeloma	234	7.1	0.21	5.0	0.15	179	4.5	0.15	3.3	0.11
Leukemias	547	16.3	0.32	12.9	0.25	396	10.3	0.23	8.4	0.20
Acute lymphocytic	106	3.0	0.13	3.2	0.14	79	2.2	0.11	2.4	0.12
Chronic lymphocytic	150	4.5	0.17	3.1	0.12	100	2.4	0.11	1.7	0.08
Acute myeloid	166	5.1	0.18	3.7	0.13	134	3.5	0.14	2.7	0.11
Chronic myeloid	69	2.1	0.11	1.5	0.08	47	1.2	0.08	1.0	0.07
Other leukemias	57	1.7	0.10	1.3	0.08	36	0.9	0.07	0.7	0.05
Mesothelioma	44	1.4	0.10	0.9	0.06	16	0.4	0.05	0.3	0.03
Kaposi Sarcoma	44	1.2	0.09	1.1	0.07	3	0.1	0.02	0.0	0.01
Ill-defined & Unknown	521	16.4	0.33	10.9	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	248	7.2	0.21	5.6	0.16	509	13.0	0.26	10.2	0.21
Breast (<i>in situ</i>)	3	0.1	0.02	0.1	0.02	999	25.6	0.37	20.8	0.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Los Angeles, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,994	447.0	4.64	337.4	3.41	2,175	373.8	3.65	287.2	2.85
Oral Cavity & Pharynx	60	12.2	0.73	10.0	0.59	27	4.4	0.38	3.5	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	19	3.8	0.40	3.1	0.32	6	1.0	0.19	0.8	0.15
Major salivary gland	4	0.8	0.18	0.7	0.16	5	0.7	0.16	0.6	0.13
Floor of mouth	3	0.7	0.17	0.5	0.13	1	0.2	0.08	0.2	0.07
Gum & other mouth	7	1.5	0.26	1.2	0.22	6	0.9	0.18	0.7	0.14
Nasopharynx	3	0.6	0.17	0.5	0.14	2	0.4	0.12	0.3	0.09
Oropharynx	5	1.0	0.22	0.8	0.17	1	0.2	0.08	0.1	0.06
Hypopharynx	5	0.9	0.20	0.8	0.16	2	0.3	0.10	0.2	0.08
Digestive System	447	101.9	2.23	75.4	1.61	428	72.7	1.59	53.1	1.18
Esophagus	17	3.8	0.42	2.9	0.31	9	1.5	0.23	1.1	0.16
Stomach	51	12.4	0.80	8.5	0.54	36	6.2	0.47	4.3	0.34
Small intestine	13	3.0	0.39	2.2	0.27	16	2.8	0.31	2.1	0.24
Colon excl. rectum	143	33.4	1.29	24.2	0.91	162	28.0	1.00	20.2	0.73
Rectum & rectosigmoid	53	11.6	0.74	9.1	0.57	47	7.9	0.52	6.2	0.41
Anus, anal canal & anorectum	13	2.9	0.37	2.3	0.29	9	1.4	0.22	1.2	0.17
Liver	67	13.6	0.77	11.0	0.61	30	4.8	0.40	3.7	0.31
Gallbladder	3	0.8	0.20	0.6	0.14	11	1.8	0.25	1.3	0.18
Pancreas	67	15.5	0.88	11.1	0.61	80	13.5	0.68	9.6	0.49
Respiratory System	285	67.3	1.85	47.5	1.27	270	45.5	1.26	32.8	0.91
Larynx	22	4.9	0.49	3.6	0.34	5	0.9	0.17	0.6	0.13
Lung & bronchus	259	61.4	1.77	43.1	1.20	262	44.3	1.24	31.9	0.90
Bones & Joints	4	0.9	0.21	0.8	0.19	3	0.5	0.15	0.4	0.13
Soft Tissue (incl. heart)	19	4.3	0.46	3.7	0.39	20	3.7	0.38	3.2	0.33
Skin (excl. basal & sq.)	11	2.5	0.35	2.0	0.27	10	1.9	0.27	1.5	0.23
Melanomas of the skin	6	1.4	0.26	1.0	0.19	3	0.6	0.16	0.5	0.13
Breast (excl. <i>in situ</i>)	6	1.3	0.24	1.0	0.19	702	121.3	2.09	95.1	1.65
Female Genital System	-	-	-	-	-	279	47.0	1.28	38.0	1.04
Cervix uteri	-	-	-	-	-	41	7.6	0.54	6.5	0.47
Uterus Corpus	-	-	-	-	-	152	24.9	0.92	20.0	0.74
Uterus, NOS ¹	-	-	-	-	-	15	2.4	0.29	1.9	0.23
Ovary	-	-	-	-	-	52	8.9	0.56	7.0	0.46
Male Genital System	649	137.0	2.49	107.5	1.89	-	-	-	-	-
Prostate	639	134.7	2.46	105.5	1.87	-	-	-	-	-
Testis	6	1.4	0.25	1.3	0.24	-	-	-	-	-
Penis	3	0.6	0.18	0.4	0.12	-	-	-	-	-
Urinary System	187	43.9	1.49	31.8	1.05	95	16.3	0.76	12.0	0.58
Bladder (incl. <i>in situ</i>)	83	20.6	1.05	13.7	0.67	32	5.5	0.44	3.6	0.29
Kidney & renal pelvis	101	22.4	1.03	17.6	0.79	60	10.3	0.61	8.1	0.49
Ureter	-	-	-	-	-	1	0.2	0.09	0.1	0.06
Eye & Orbit	-	-	-	-	-	2	0.3	0.11	0.3	0.11
Brain & Other CNS ¹	21	4.6	0.46	4.0	0.41	16	2.8	0.32	2.5	0.29
Brain	20	4.3	0.45	3.8	0.39	15	2.6	0.30	2.3	0.28
Endocrine System	23	4.9	0.48	4.0	0.39	65	12.3	0.70	10.5	0.60
Thyroid gland	18	3.9	0.42	3.1	0.33	60	11.4	0.67	9.7	0.57
Lymphomas	84	19.0	0.96	15.0	0.74	78	13.6	0.70	11.0	0.58
Hodgkin Lymphoma	10	2.2	0.32	2.0	0.29	10	1.9	0.27	1.9	0.27
Non-Hodgkin Lymphoma	74	16.8	0.90	13.0	0.68	68	11.8	0.65	9.1	0.51
Multiple Myeloma	65	15.2	0.88	10.8	0.61	54	9.1	0.56	6.5	0.41
Leukemias	55	12.8	0.80	9.9	0.61	51	9.0	0.57	7.4	0.50
Acute lymphocytic	7	1.4	0.25	1.5	0.27	6	1.2	0.23	1.3	0.26
Chronic lymphocytic	17	4.3	0.48	2.9	0.31	12	1.9	0.26	1.4	0.19
Acute myeloid	17	4.1	0.45	3.1	0.34	19	3.3	0.34	2.6	0.28
Chronic myeloid	8	1.8	0.30	1.5	0.24	8	1.4	0.22	1.2	0.19
Other leukemias	6	1.3	0.24	1.0	0.19	7	1.2	0.21	0.9	0.16
Mesothelioma	3	0.8	0.21	0.5	0.13	-	-	-	-	-
Kaposi Sarcoma	11	2.4	0.32	2.3	0.31	-	-	-	-	-
Ill-defined & Unknown	65	15.9	0.91	10.9	0.61	75	13.0	0.68	9.2	0.50
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	28	6.4	0.57	4.9	0.43	70	12.2	0.66	9.8	0.54
Breast (<i>in situ</i>)	-	-	-	-	-	172	29.5	1.02	23.4	0.82

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Los Angeles, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,428	286.5	2.65	210.9	1.97	3,212	299.6	2.42	235.7	1.96
Oral Cavity & Pharynx	91	10.9	0.52	8.6	0.41	40	3.8	0.28	3.0	0.23
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	21	2.4	0.24	2.0	0.20	11	1.0	0.14	0.8	0.12
Major salivary gland	9	1.1	0.17	0.9	0.14	9	0.9	0.13	0.7	0.11
Floor of mouth	1	0.1	0.06	0.1	0.05	-	-	-	-	-
Gum & other mouth	13	1.5	0.19	1.1	0.14	6	0.5	0.10	0.4	0.07
Nasopharynx	28	3.4	0.30	2.9	0.25	10	1.0	0.14	0.8	0.13
Oropharynx	1	0.1	0.06	0.1	0.05	-	-	-	-	-
Hypopharynx	7	0.9	0.15	0.6	0.10	-	-	-	-	-
Digestive System	793	93.1	1.51	67.6	1.10	652	58.5	1.04	41.7	0.77
Esophagus	24	2.8	0.26	2.0	0.18	10	0.9	0.13	0.6	0.09
Stomach	128	15.3	0.62	10.7	0.43	89	8.0	0.39	5.5	0.28
Small intestine	9	1.1	0.16	0.8	0.12	8	0.7	0.11	0.5	0.08
Colon excl. rectum	219	25.6	0.79	18.5	0.57	226	20.2	0.61	14.5	0.45
Rectum & rectosigmoid	124	14.3	0.59	11.1	0.45	92	8.4	0.40	6.5	0.32
Anus, anal canal & anorectum	3	0.4	0.10	0.3	0.07	6	0.5	0.10	0.3	0.07
Liver	138	15.9	0.62	12.0	0.47	60	5.3	0.31	3.7	0.22
Gallbladder	6	0.8	0.14	0.5	0.10	14	1.2	0.15	0.9	0.11
Pancreas	89	10.6	0.51	7.4	0.36	95	8.5	0.40	5.8	0.28
Respiratory System	388	46.3	1.07	31.8	0.74	290	26.0	0.69	18.5	0.51
Larynx	15	1.8	0.21	1.3	0.15	3	0.2	0.06	0.1	0.04
Lung & bronchus	364	43.5	1.04	29.6	0.71	282	25.2	0.68	17.9	0.50
Bones & Joints	7	0.9	0.16	0.9	0.16	5	0.6	0.13	0.6	0.14
Soft Tissue (incl. heart)	28	3.4	0.29	2.8	0.25	23	2.3	0.22	2.0	0.20
Skin (excl. basal & sq.)	16	2.0	0.22	1.5	0.17	16	1.5	0.17	1.2	0.14
Melanomas of the skin	10	1.1	0.17	0.9	0.13	10	0.9	0.13	0.7	0.11
Breast (excl. <i>in situ</i>)	5	0.6	0.12	0.5	0.10	1,094	103.0	1.42	84.3	1.17
Female Genital System	-	-	-	-	-	434	40.7	0.89	33.7	0.75
Cervix uteri	-	-	-	-	-	72	7.2	0.39	6.0	0.33
Uterus Corpus	-	-	-	-	-	223	20.4	0.62	17.1	0.53
Uterus, NOS ¹	-	-	-	-	-	9	0.8	0.13	0.6	0.10
Ovary	-	-	-	-	-	109	10.4	0.46	8.5	0.38
Male Genital System	422	47.4	1.05	36.0	0.80	-	-	-	-	-
Prostate	398	44.5	1.02	33.2	0.75	-	-	-	-	-
Testis	18	2.2	0.24	2.3	0.25	-	-	-	-	-
Penis	2	0.3	0.09	0.2	0.06	-	-	-	-	-
Urinary System	244	29.1	0.85	20.2	0.59	116	10.6	0.45	7.7	0.34
Bladder (incl. <i>in situ</i>)	126	15.3	0.62	9.9	0.40	44	3.9	0.27	2.7	0.19
Kidney & renal pelvis	109	12.8	0.56	9.7	0.43	65	6.0	0.34	4.7	0.27
Ureter	6	0.7	0.13	0.4	0.08	5	0.4	0.09	0.3	0.06
Eye & Orbit	3	0.4	0.10	0.4	0.11	2	0.3	0.09	0.3	0.09
Brain & Other CNS ¹	29	3.6	0.31	3.1	0.28	25	2.7	0.25	2.4	0.25
Brain	27	3.4	0.30	2.9	0.27	23	2.4	0.24	2.2	0.24
Endocrine System	70	8.2	0.45	7.2	0.40	212	21.4	0.67	18.9	0.61
Thyroid gland	62	7.3	0.42	6.4	0.37	207	20.8	0.66	18.5	0.60
Lymphomas	142	17.0	0.65	12.9	0.50	123	11.7	0.48	8.9	0.39
Hodgkin Lymphoma	9	1.1	0.17	1.1	0.17	9	1.0	0.15	0.9	0.15
Non-Hodgkin Lymphoma	133	15.9	0.63	11.8	0.47	114	10.7	0.46	7.9	0.36
Multiple Myeloma	32	3.8	0.31	2.7	0.22	27	2.3	0.20	1.8	0.16
Leukemias	68	8.5	0.47	6.9	0.40	62	6.4	0.38	5.3	0.35
Acute lymphocytic	10	1.5	0.21	1.5	0.22	7	1.0	0.17	1.1	0.20
Chronic lymphocytic	7	0.8	0.14	0.6	0.10	6	0.5	0.10	0.4	0.07
Acute myeloid	30	3.6	0.30	2.7	0.24	32	3.2	0.26	2.5	0.22
Chronic myeloid	12	1.6	0.20	1.3	0.17	9	0.9	0.14	0.7	0.12
Other leukemias	8	1.0	0.17	0.8	0.13	8	0.8	0.13	0.6	0.11
Mesothelioma	3	0.4	0.10	0.3	0.07	2	0.2	0.06	0.1	0.04
Kaposi Sarcoma	3	0.4	0.10	0.3	0.09	-	-	-	-	-
Ill-defined & Unknown	83	10.2	0.51	7.0	0.36	88	7.9	0.38	5.3	0.27
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	49	5.8	0.38	4.6	0.31	106	9.9	0.44	7.8	0.36
Breast (<i>in situ</i>)	-	-	-	-	-	311	29.2	0.76	24.0	0.62

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Los Angeles, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,175	331.9	2.24	244.7	1.55	6,286	310.1	1.80	242.1	1.38
Oral Cavity & Pharynx	138	8.3	0.34	6.4	0.25	68	3.4	0.19	2.6	0.14
Lip	7	0.5	0.09	0.4	0.06	4	0.2	0.05	0.1	0.03
Tongue	40	2.3	0.18	1.8	0.13	22	1.1	0.11	0.9	0.08
Major salivary gland	14	0.9	0.12	0.7	0.08	14	0.7	0.08	0.5	0.07
Floor of mouth	5	0.3	0.07	0.2	0.05	-	-	-	-	-
Gum & other mouth	17	1.1	0.12	0.8	0.09	12	0.6	0.08	0.4	0.06
Nasopharynx	8	0.5	0.08	0.4	0.06	5	0.2	0.05	0.2	0.04
Oropharynx	5	0.3	0.07	0.2	0.05	1	0.1	0.03	0.1	0.02
Hypopharynx	9	0.6	0.10	0.4	0.07	2	0.1	0.03	0.1	0.02
Digestive System	1,430	93.2	1.19	67.5	0.81	1,253	65.4	0.85	47.6	0.61
Esophagus	65	4.5	0.27	3.2	0.18	14	0.8	0.09	0.5	0.06
Stomach	208	13.6	0.46	9.7	0.31	176	9.1	0.32	6.7	0.23
Small intestine	24	1.7	0.17	1.2	0.11	29	1.5	0.13	1.1	0.09
Colon excl. rectum	375	24.5	0.61	17.6	0.41	383	19.8	0.47	14.5	0.34
Rectum & rectosigmoid	222	13.2	0.43	10.0	0.31	155	7.6	0.28	5.9	0.21
Anus, anal canal & anorectum	19	1.0	0.12	0.8	0.08	21	1.0	0.10	0.8	0.08
Liver	245	15.6	0.48	11.7	0.34	115	6.3	0.27	4.5	0.19
Gallbladder	21	1.5	0.16	1.0	0.10	62	3.3	0.19	2.4	0.14
Pancreas	159	11.1	0.42	7.8	0.28	185	9.9	0.34	6.9	0.23
Respiratory System	415	32.0	0.75	21.1	0.47	328	18.3	0.46	12.5	0.31
Larynx	50	3.5	0.24	2.5	0.16	7	0.4	0.06	0.3	0.05
Lung & bronchus	346	27.5	0.70	17.8	0.43	311	17.5	0.45	11.8	0.30
Bones & Joints	24	1.1	0.11	1.0	0.09	16	0.7	0.08	0.6	0.07
Soft Tissue (incl. heart)	69	3.7	0.22	3.0	0.16	67	3.1	0.17	2.7	0.15
Skin (excl. basal & sq.)	78	5.1	0.28	3.6	0.19	95	4.7	0.22	3.6	0.17
Melanomas of the skin	63	4.0	0.24	2.9	0.17	74	3.6	0.19	2.8	0.15
Breast (excl. <i>in situ</i>)	8	0.6	0.09	0.4	0.06	1,819	87.4	0.94	70.3	0.74
Female Genital System	-	-	-	-	-	1,030	48.8	0.70	39.9	0.56
Cervix uteri	-	-	-	-	-	193	8.8	0.29	7.5	0.24
Uterus Corpus	-	-	-	-	-	511	24.1	0.49	19.9	0.39
Uterus, NOS ¹	-	-	-	-	-	25	1.2	0.11	1.0	0.09
Ovary	-	-	-	-	-	235	11.1	0.33	9.0	0.27
Male Genital System	1,350	85.0	1.11	65.0	0.80	-	-	-	-	-
Prostate	1,166	77.7	1.08	57.7	0.77	-	-	-	-	-
Testis	162	5.9	0.21	6.3	0.22	-	-	-	-	-
Penis	19	1.2	0.13	0.8	0.09	-	-	-	-	-
Urinary System	545	36.7	0.76	25.9	0.51	305	15.6	0.41	11.7	0.30
Bladder (incl. <i>in situ</i>)	195	15.5	0.52	9.8	0.32	69	3.9	0.21	2.6	0.14
Kidney & renal pelvis	341	20.5	0.54	15.7	0.39	230	11.4	0.35	8.9	0.27
Ureter	4	0.4	0.08	0.2	0.05	3	0.2	0.05	0.1	0.03
Eye & Orbit	9	0.6	0.10	0.4	0.07	11	0.5	0.07	0.5	0.06
Brain & Other CNS ¹	102	5.3	0.26	4.5	0.20	91	4.2	0.20	3.6	0.17
Brain	96	5.0	0.25	4.2	0.20	83	3.9	0.20	3.3	0.16
Endocrine System	116	5.8	0.26	4.9	0.21	436	19.1	0.42	17.1	0.37
Thyroid gland	103	5.1	0.24	4.3	0.19	424	18.6	0.41	16.6	0.36
Lymphomas	356	21.5	0.56	16.3	0.39	328	16.6	0.42	12.6	0.31
Hodgkin Lymphoma	46	2.2	0.16	2.0	0.13	39	1.6	0.12	1.5	0.11
Non-Hodgkin Lymphoma	310	19.3	0.53	14.4	0.37	289	15.0	0.40	11.1	0.29
Multiple Myeloma	99	6.7	0.33	4.7	0.22	88	4.6	0.23	3.4	0.16
Leukemias	224	11.8	0.39	9.9	0.30	176	8.1	0.28	7.1	0.24
Acute lymphocytic	83	3.2	0.16	3.5	0.17	62	2.5	0.14	2.6	0.15
Chronic lymphocytic	28	2.0	0.18	1.4	0.12	18	1.0	0.11	0.7	0.07
Acute myeloid	64	3.9	0.24	2.9	0.17	64	3.1	0.18	2.5	0.14
Chronic myeloid	29	1.5	0.14	1.2	0.10	18	0.8	0.09	0.7	0.08
Other leukemias	21	1.2	0.13	0.9	0.09	14	0.7	0.09	0.5	0.07
Mesothelioma	19	1.4	0.15	1.0	0.10	6	0.3	0.06	0.2	0.04
Kaposi Sarcoma	31	1.5	0.13	1.3	0.10	2	0.1	0.04	0.1	0.03
Ill-defined & Unknown	159	11.6	0.45	7.8	0.28	167	9.1	0.32	6.1	0.22
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	91	5.1	0.26	4.0	0.19	215	10.7	0.33	8.3	0.25
Breast (<i>in situ</i>)	-	-	-	-	-	427	20.4	0.45	16.6	0.36

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Los Angeles

62 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Los Angeles, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,965	469.3	2.28	345.9	1.74	8,869	437.0	2.19	338.1	1.80
Oral Cavity & Pharynx	360	18.3	0.44	14.3	0.35	140	6.8	0.27	5.2	0.22
Lip	25	1.3	0.12	1.0	0.09	10	0.5	0.07	0.3	0.05
Tongue	130	6.6	0.26	5.1	0.21	46	2.2	0.15	1.7	0.12
Major salivary gland	34	1.8	0.14	1.3	0.10	19	1.0	0.11	0.8	0.10
Floor of mouth	10	0.5	0.07	0.4	0.05	6	0.3	0.05	0.2	0.04
Gum & other mouth	31	1.6	0.13	1.2	0.10	27	1.3	0.12	0.9	0.09
Nasopharynx	10	0.6	0.09	0.5	0.08	6	0.3	0.06	0.3	0.06
Oropharynx	14	0.7	0.08	0.6	0.07	5	0.2	0.05	0.2	0.04
Hypopharynx	15	0.8	0.09	0.6	0.07	3	0.1	0.04	0.1	0.03
Digestive System	1,708	89.1	0.99	64.5	0.73	1,375	62.6	0.79	45.1	0.61
Esophagus	113	5.8	0.25	4.1	0.18	35	1.5	0.12	1.0	0.08
Stomach	167	8.8	0.31	6.2	0.22	86	3.9	0.20	2.8	0.15
Small intestine	46	2.3	0.16	1.7	0.12	40	1.8	0.13	1.4	0.11
Colon excl. rectum	557	29.8	0.58	21.1	0.42	525	23.9	0.49	16.9	0.38
Rectum & rectosigmoid	235	12.5	0.37	9.5	0.29	191	9.5	0.32	7.3	0.26
Anus, anal canal & anorectum	42	2.1	0.15	1.7	0.12	57	2.7	0.16	2.1	0.13
Liver	168	8.1	0.29	6.4	0.23	63	2.8	0.17	2.1	0.14
Gallbladder	10	0.6	0.08	0.4	0.05	24	1.0	0.10	0.7	0.07
Pancreas	279	14.4	0.39	10.0	0.27	245	10.6	0.32	7.3	0.23
Respiratory System	1,043	54.0	0.76	36.8	0.52	950	42.3	0.63	29.3	0.46
Larynx	72	3.6	0.19	2.7	0.14	12	0.6	0.07	0.4	0.06
Lung & bronchus	947	49.2	0.73	33.2	0.50	925	41.0	0.62	28.3	0.44
Bones & Joints	16	1.1	0.13	1.0	0.14	13	0.9	0.13	0.9	0.14
Soft Tissue (incl. heart)	91	5.1	0.25	4.0	0.21	59	3.3	0.21	2.8	0.20
Skin (excl. basal & sq.)	792	42.1	0.69	30.5	0.51	453	23.4	0.52	18.7	0.44
Melanomas of the skin	731	38.8	0.66	28.4	0.50	419	22.0	0.51	17.7	0.43
Breast (excl. <i>in situ</i>)	24	1.2	0.12	0.9	0.08	2,879	146.9	1.29	116.2	1.05
Female Genital System	-	-	-	-	-	1,060	52.3	0.75	42.0	0.63
Cervix uteri	-	-	-	-	-	96	6.0	0.29	5.2	0.26
Uterus Corpus	-	-	-	-	-	564	26.9	0.53	21.7	0.43
Uterus, NOS ¹	-	-	-	-	-	26	1.2	0.11	0.9	0.08
Ovary	-	-	-	-	-	262	13.2	0.38	10.4	0.32
Male Genital System	2,045	102.6	1.04	79.5	0.82	-	-	-	-	-
Prostate	1,915	93.6	0.97	70.8	0.73	-	-	-	-	-
Testis	114	8.1	0.35	8.0	0.35	-	-	-	-	-
Penis	12	0.6	0.08	0.4	0.06	-	-	-	-	-
Urinary System	1,143	59.7	0.81	41.6	0.57	400	18.0	0.42	13.0	0.33
Bladder (incl. <i>in situ</i>)	744	38.6	0.64	25.6	0.43	210	9.1	0.29	6.1	0.21
Kidney & renal pelvis	378	20.0	0.47	15.3	0.37	179	8.5	0.30	6.6	0.25
Ureter	10	0.5	0.07	0.3	0.05	7	0.3	0.05	0.2	0.03
Eye & Orbit	20	1.1	0.11	0.8	0.09	24	1.2	0.12	1.0	0.11
Brain & Other CNS ¹	155	9.0	0.34	7.6	0.31	114	6.5	0.30	5.7	0.29
Brain	147	8.5	0.33	7.1	0.30	107	6.1	0.29	5.4	0.29
Endocrine System	174	10.1	0.36	8.7	0.32	382	24.2	0.59	21.9	0.54
Thyroid gland	161	9.3	0.34	7.9	0.30	368	23.4	0.57	21.2	0.53
Lymphomas	524	28.9	0.59	22.2	0.48	394	19.3	0.46	15.1	0.40
Hodgkin Lymphoma	49	3.2	0.22	3.1	0.22	37	2.5	0.20	2.5	0.21
Non-Hodgkin Lymphoma	475	25.7	0.54	19.1	0.42	357	16.8	0.42	12.6	0.34
Multiple Myeloma	137	7.1	0.28	5.0	0.20	92	4.2	0.20	3.0	0.15
Leukemias	327	18.2	0.47	14.0	0.40	224	11.3	0.37	8.9	0.34
Acute lymphocytic	24	2.1	0.20	2.3	0.23	18	1.5	0.18	1.7	0.21
Chronic lymphocytic	123	6.2	0.26	4.4	0.19	82	3.6	0.18	2.5	0.14
Acute myeloid	103	5.6	0.25	4.1	0.20	71	3.4	0.20	2.6	0.17
Chronic myeloid	41	2.3	0.16	1.6	0.13	30	1.6	0.14	1.3	0.12
Other leukemias	36	2.0	0.16	1.5	0.13	22	1.1	0.11	0.8	0.10
Mesothelioma	25	1.3	0.12	0.8	0.08	10	0.5	0.07	0.3	0.05
Kaposi Sarcoma	16	1.0	0.11	0.8	0.09	1	0.1	0.02	0.0	0.01
Ill-defined & Unknown	365	19.3	0.46	12.9	0.32	299	13.1	0.36	8.8	0.27
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	159	9.0	0.33	7.2	0.28	299	15.1	0.42	12.0	0.35
Breast (<i>in situ</i>)	3	0.1	0.04	0.1	0.03	584	31.0	0.60	25.3	0.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Los Angeles, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,965	470.2	4.91	356.1	3.64	2,125	390.9	3.87	301.3	3.05
Oral Cavity & Pharynx	59	13.0	0.78	10.7	0.63	26	4.6	0.41	3.7	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	19	4.0	0.43	3.3	0.35	6	1.1	0.20	0.9	0.16
Major salivary gland	4	0.8	0.19	0.7	0.17	4	0.8	0.16	0.6	0.14
Floor of mouth	3	0.7	0.18	0.6	0.14	1	0.2	0.09	0.2	0.07
Gum & other mouth	6	1.6	0.28	1.3	0.23	6	1.0	0.19	0.8	0.14
Nasopharynx	3	0.7	0.18	0.6	0.15	2	0.4	0.11	0.3	0.08
Oropharynx	5	1.1	0.23	0.9	0.18	1	0.2	0.08	0.1	0.06
Hypopharynx	5	1.0	0.21	0.8	0.17	2	0.3	0.11	0.3	0.09
Digestive System	440	106.8	2.36	79.5	1.71	421	76.0	1.68	55.7	1.25
Esophagus	17	4.0	0.45	3.1	0.34	9	1.6	0.24	1.1	0.17
Stomach	49	12.6	0.83	8.8	0.57	35	6.5	0.50	4.5	0.36
Small intestine	13	3.2	0.41	2.3	0.29	16	3.0	0.33	2.2	0.26
Colon excl. rectum	141	35.2	1.37	25.6	0.98	160	29.3	1.05	21.2	0.78
Rectum & rectosigmoid	52	12.3	0.79	9.7	0.61	46	8.3	0.56	6.6	0.44
Anus, anal canal & anorectum	13	3.2	0.40	2.5	0.31	9	1.4	0.22	1.2	0.18
Liver	66	14.3	0.81	11.6	0.65	29	5.0	0.42	3.8	0.32
Gallbladder	3	0.9	0.22	0.6	0.15	11	1.9	0.26	1.4	0.19
Pancreas	66	16.3	0.93	11.7	0.65	79	14.1	0.72	10.0	0.52
Respiratory System	281	70.4	1.94	49.9	1.34	266	47.4	1.32	34.3	0.96
Larynx	22	5.1	0.51	3.8	0.36	5	0.9	0.18	0.7	0.14
Lung & bronchus	256	64.3	1.86	45.2	1.27	258	46.1	1.30	33.3	0.95
Bones & Joints	4	1.0	0.23	1.0	0.22	3	0.6	0.17	0.5	0.15
Soft Tissue (incl. heart)	19	4.6	0.49	4.0	0.42	20	3.9	0.41	3.4	0.36
Skin (excl. basal & sq.)	11	2.7	0.38	2.2	0.30	10	2.0	0.30	1.7	0.25
Melanomas of the skin	6	1.5	0.28	1.1	0.20	3	0.7	0.17	0.5	0.14
Breast (excl. <i>in situ</i>)	6	1.3	0.25	1.1	0.20	685	127.2	2.22	99.9	1.77
Female Genital System	-	-	-	-	-	270	48.9	1.36	39.6	1.11
Cervix uteri	-	-	-	-	-	39	7.9	0.58	6.8	0.50
Uterus Corpus	-	-	-	-	-	149	25.9	0.97	20.9	0.78
Uterus, NOS ¹	-	-	-	-	-	14	2.5	0.30	2.0	0.24
Ovary	-	-	-	-	-	50	9.3	0.60	7.4	0.49
Male Genital System	640	143.8	2.63	113.0	2.01	-	-	-	-	-
Prostate	630	141.3	2.60	110.9	1.98	-	-	-	-	-
Testis	6	1.5	0.29	1.4	0.27	-	-	-	-	-
Penis	3	0.7	0.19	0.5	0.13	-	-	-	-	-
Urinary System	184	45.9	1.57	33.4	1.12	93	16.9	0.80	12.6	0.62
Bladder (incl. <i>in situ</i>)	82	21.4	1.09	14.3	0.71	32	5.7	0.46	3.7	0.31
Kidney & renal pelvis	99	23.7	1.10	18.6	0.85	58	10.8	0.65	8.5	0.53
Ureter	-	-	-	-	-	1	0.2	0.09	0.1	0.06
Eye & Orbit	-	-	-	-	-	2	0.3	0.12	0.3	0.12
Brain & Other CNS ¹	20	5.0	0.51	4.4	0.46	15	2.9	0.34	2.6	0.32
Brain	19	4.7	0.49	4.2	0.44	14	2.6	0.33	2.4	0.31
Endocrine System	23	5.3	0.52	4.4	0.42	63	13.2	0.76	11.2	0.66
Thyroid gland	18	4.2	0.46	3.4	0.36	58	12.1	0.73	10.3	0.63
Lymphomas	83	20.4	1.03	16.1	0.81	75	14.2	0.75	11.5	0.63
Hodgkin Lymphoma	10	2.4	0.35	2.2	0.32	9	2.0	0.30	2.0	0.30
Non-Hodgkin Lymphoma	73	18.0	0.97	13.9	0.74	65	12.2	0.69	9.6	0.55
Multiple Myeloma	64	16.0	0.93	11.4	0.64	53	9.5	0.59	6.8	0.43
Leukemias	54	13.6	0.85	10.5	0.67	50	9.5	0.62	7.8	0.54
Acute lymphocytic	6	1.5	0.28	1.6	0.31	5	1.2	0.25	1.3	0.28
Chronic lymphocytic	17	4.5	0.50	3.0	0.33	12	2.0	0.27	1.5	0.20
Acute myeloid	17	4.3	0.48	3.3	0.37	18	3.5	0.37	2.7	0.31
Chronic myeloid	8	1.9	0.32	1.6	0.27	8	1.4	0.24	1.2	0.21
Other leukemias	6	1.3	0.25	1.0	0.19	7	1.3	0.23	1.0	0.18
Mesothelioma	3	0.8	0.22	0.5	0.14	-	-	-	-	-
Kaposi Sarcoma	11	2.7	0.36	2.6	0.35	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	73	13.5	0.72	9.6	0.53
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	28	6.9	0.61	5.4	0.47	69	12.8	0.71	10.4	0.59
Breast (<i>in situ</i>)	-	-	-	-	-	168	30.9	1.09	24.7	0.87

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Colorado, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11,481	419.4	1.82	309.0	1.31	11,752	388.5	1.64	300.0	1.29
Oral Cavity & Pharynx	465	15.9	0.34	12.4	0.26	183	5.8	0.20	4.5	0.15
Lip	26	1.0	0.09	0.7	0.06	13	0.4	0.05	0.3	0.04
Tongue	151	5.0	0.19	4.0	0.15	63	2.0	0.11	1.6	0.09
Major salivary gland	40	1.6	0.12	1.1	0.08	26	0.8	0.08	0.7	0.06
Floor of mouth	17	0.5	0.06	0.4	0.05	9	0.3	0.04	0.2	0.03
Gum & other mouth	41	1.5	0.11	1.1	0.08	32	1.1	0.09	0.7	0.06
Nasopharynx	16	0.6	0.07	0.5	0.06	8	0.2	0.04	0.2	0.03
Oropharynx	18	0.6	0.07	0.5	0.05	5	0.1	0.03	0.1	0.02
Hypopharynx	15	0.5	0.06	0.4	0.04	6	0.2	0.03	0.1	0.03
Digestive System	2,307	84.3	0.82	61.6	0.58	1,735	56.9	0.63	41.1	0.46
Esophagus	212	7.8	0.25	5.6	0.17	44	1.4	0.10	1.0	0.07
Stomach	201	7.6	0.25	5.3	0.17	103	3.4	0.15	2.5	0.12
Small intestine	71	2.7	0.15	1.9	0.10	60	2.0	0.12	1.5	0.09
Colon excl. rectum	662	25.1	0.45	17.9	0.32	667	22.2	0.39	15.7	0.28
Rectum & rectosigmoid	334	11.8	0.30	9.1	0.23	230	7.6	0.23	5.9	0.18
Anus, anal canal & anorectum	32	1.1	0.09	0.9	0.07	70	2.1	0.11	1.7	0.09
Liver	307	10.1	0.27	8.0	0.21	93	2.9	0.14	2.2	0.10
Gallbladder	15	0.6	0.07	0.4	0.04	38	1.3	0.09	0.9	0.06
Pancreas	354	13.1	0.33	9.2	0.22	295	9.5	0.25	6.6	0.18
Respiratory System	1,282	49.0	0.64	33.4	0.42	1,255	41.2	0.53	28.5	0.37
Larynx	110	3.9	0.17	2.9	0.12	29	0.9	0.08	0.7	0.06
Lung & bronchus	1,143	44.1	0.61	29.7	0.40	1,207	39.6	0.52	27.3	0.36
Bones & Joints	37	1.3	0.10	1.2	0.09	22	0.8	0.08	0.7	0.07
Soft Tissue (incl. heart)	100	3.8	0.17	3.0	0.14	75	2.6	0.14	2.2	0.12
Skin (excl. basal & sq.)	799	29.8	0.49	21.7	0.35	580	19.5	0.37	15.9	0.31
Melanomas of the skin	747	27.6	0.47	20.3	0.34	541	18.2	0.36	14.9	0.30
Breast (excl. <i>in situ</i>)	27	1.0	0.09	0.7	0.06	3,875	127.6	0.94	100.6	0.74
Female Genital System	-	-	-	-	-	1,363	43.8	0.54	35.4	0.44
Cervix uteri	-	-	-	-	-	174	6.2	0.22	5.5	0.19
Uterus Corpus	-	-	-	-	-	728	22.4	0.38	18.2	0.31
Uterus, NOS ¹	-	-	-	-	-	4	0.1	0.03	0.1	0.02
Ovary	-	-	-	-	-	311	10.4	0.27	8.1	0.21
Male Genital System	2,911	99.3	0.86	76.3	0.64	-	-	-	-	-
Prostate	2,727	92.7	0.83	69.9	0.60	-	-	-	-	-
Testis	160	5.7	0.20	5.8	0.21	-	-	-	-	-
Penis	19	0.7	0.08	0.5	0.05	-	-	-	-	-
Urinary System	1,341	51.1	0.65	35.6	0.44	556	18.3	0.36	13.3	0.26
Bladder (incl. <i>in situ</i>)	802	31.7	0.52	20.9	0.33	238	7.8	0.23	5.3	0.16
Kidney & renal pelvis	509	18.2	0.37	13.9	0.28	305	10.1	0.26	7.7	0.21
Ureter	19	0.8	0.08	0.5	0.05	9	0.3	0.04	0.2	0.03
Eye & Orbit	32	1.2	0.10	1.0	0.08	28	0.9	0.08	0.8	0.07
Brain & Other CNS ¹	208	7.6	0.24	6.4	0.21	162	5.6	0.20	4.9	0.18
Brain	195	7.1	0.23	6.0	0.20	149	5.1	0.19	4.4	0.17
Endocrine System	242	8.5	0.25	7.3	0.21	640	22.8	0.41	20.5	0.37
Thyroid gland	220	7.7	0.24	6.6	0.20	622	22.2	0.41	20.0	0.37
Lymphomas	631	23.6	0.44	17.9	0.33	479	16.1	0.34	12.3	0.26
Hodgkin Lymphoma	77	2.8	0.14	2.6	0.13	55	2.0	0.12	2.0	0.12
Non-Hodgkin Lymphoma	554	20.8	0.41	15.4	0.30	424	14.1	0.31	10.4	0.23
Multiple Myeloma	217	8.1	0.25	5.8	0.18	143	4.6	0.18	3.3	0.13
Leukemias	444	17.0	0.37	12.7	0.28	300	10.2	0.27	8.1	0.22
Acute lymphocytic	42	1.6	0.11	1.8	0.13	33	1.3	0.10	1.5	0.12
Chronic lymphocytic	158	5.9	0.22	4.1	0.15	91	2.9	0.14	2.1	0.10
Acute myeloid	123	4.8	0.20	3.5	0.14	104	3.6	0.16	2.8	0.13
Chronic myeloid	57	2.2	0.13	1.6	0.10	35	1.2	0.09	0.9	0.07
Other leukemias	64	2.6	0.15	1.7	0.10	37	1.2	0.09	0.8	0.06
Mesothelioma	34	1.4	0.11	0.9	0.07	11	0.4	0.05	0.3	0.04
Kaposi Sarcoma	10	0.4	0.05	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	395	16.2	0.38	10.5	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	300	11.3	0.30	8.7	0.23	603	20.3	0.38	15.7	0.30
Breast (<i>in situ</i>)	3	0.1	0.02	0.1	0.02	862	28.3	0.44	23.0	0.36

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Colorado, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	10,474	413.4	1.88	304.1	1.35	10,899	391.8	1.72	302.8	1.36
Oral Cavity & Pharynx	433	16.0	0.36	12.5	0.27	171	5.9	0.21	4.5	0.16
Lip	26	1.1	0.10	0.7	0.06	13	0.5	0.06	0.3	0.04
Tongue	144	5.2	0.20	4.1	0.16	58	2.0	0.12	1.6	0.10
Major salivary gland	37	1.6	0.12	1.1	0.08	24	0.8	0.08	0.6	0.06
Floor of mouth	15	0.5	0.06	0.4	0.05	8	0.3	0.04	0.2	0.04
Gum & other mouth	39	1.5	0.11	1.1	0.08	30	1.1	0.09	0.7	0.06
Nasopharynx	10	0.4	0.06	0.3	0.05	6	0.2	0.04	0.2	0.03
Oropharynx	17	0.6	0.07	0.5	0.05	4	0.1	0.03	0.1	0.02
Hypopharynx	14	0.5	0.07	0.4	0.05	6	0.2	0.04	0.1	0.03
Digestive System	2,097	82.7	0.84	60.4	0.60	1,575	55.9	0.65	40.3	0.47
Esophagus	203	8.0	0.26	5.7	0.18	40	1.4	0.10	1.0	0.07
Stomach	180	7.3	0.25	5.2	0.17	86	3.1	0.15	2.3	0.12
Small intestine	66	2.7	0.15	1.9	0.11	55	2.0	0.12	1.5	0.09
Colon excl. rectum	600	24.6	0.47	17.5	0.32	609	22.0	0.41	15.5	0.29
Rectum & rectosigmoid	301	11.6	0.31	8.9	0.23	207	7.4	0.24	5.7	0.19
Anus, anal canal & anorectum	29	1.1	0.09	0.9	0.07	66	2.1	0.12	1.8	0.10
Liver	263	9.3	0.27	7.4	0.21	77	2.6	0.14	1.9	0.10
Gallbladder	14	0.6	0.08	0.4	0.05	34	1.2	0.10	0.8	0.07
Pancreas	330	13.2	0.34	9.2	0.23	275	9.6	0.26	6.6	0.19
Respiratory System	1,187	48.7	0.66	33.2	0.43	1,173	41.4	0.55	28.6	0.38
Larynx	102	3.9	0.18	2.9	0.13	28	1.0	0.08	0.7	0.06
Lung & bronchus	1,060	43.8	0.63	29.5	0.41	1,127	39.8	0.54	27.4	0.37
Bones & Joints	33	1.4	0.11	1.2	0.10	19	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	92	3.8	0.18	3.0	0.14	67	2.6	0.14	2.2	0.13
Skin (excl. basal & sq.)	792	31.8	0.52	23.3	0.38	571	21.1	0.40	17.3	0.34
Melanomas of the skin	743	29.7	0.50	21.9	0.37	536	19.8	0.39	16.3	0.33
Breast (excl. <i>in situ</i>)	26	1.0	0.10	0.7	0.07	3,603	129.2	0.99	101.9	0.79
Female Genital System	-	-	-	-	-	1,258	44.0	0.57	35.6	0.47
Cervix uteri	-	-	-	-	-	156	6.2	0.23	5.5	0.20
Uterus Corpus	-	-	-	-	-	669	22.4	0.40	18.2	0.32
Uterus, NOS ¹	-	-	-	-	-	4	0.1	0.03	0.1	0.02
Ovary	-	-	-	-	-	292	10.6	0.28	8.3	0.23
Male Genital System	2,523	93.0	0.86	71.4	0.64	-	-	-	-	-
Prostate	2,355	86.2	0.83	64.8	0.60	-	-	-	-	-
Testis	146	5.9	0.22	6.0	0.22	-	-	-	-	-
Penis	17	0.7	0.08	0.5	0.05	-	-	-	-	-
Urinary System	1,245	51.0	0.67	35.5	0.45	511	18.2	0.37	13.2	0.27
Bladder (incl. <i>in situ</i>)	748	31.6	0.54	20.9	0.34	219	7.7	0.24	5.2	0.16
Kidney & renal pelvis	468	18.1	0.39	13.8	0.29	280	10.0	0.28	7.7	0.22
Ureter	18	0.8	0.09	0.5	0.05	8	0.3	0.05	0.2	0.03
Eye & Orbit	29	1.2	0.10	1.0	0.08	27	1.0	0.09	0.8	0.08
Brain & Other CNS ¹	196	7.8	0.26	6.6	0.22	153	5.8	0.22	5.1	0.20
Brain	184	7.3	0.25	6.1	0.21	142	5.3	0.21	4.6	0.19
Endocrine System	225	8.7	0.26	7.4	0.23	583	23.1	0.44	20.9	0.40
Thyroid gland	206	7.9	0.25	6.7	0.21	568	22.5	0.43	20.3	0.39
Lymphomas	583	23.6	0.45	17.9	0.34	446	16.3	0.35	12.5	0.28
Hodgkin Lymphoma	69	2.8	0.15	2.6	0.14	49	2.0	0.13	2.0	0.13
Non-Hodgkin Lymphoma	514	20.9	0.43	15.4	0.31	397	14.3	0.33	10.5	0.25
Multiple Myeloma	195	7.8	0.26	5.5	0.18	126	4.4	0.18	3.1	0.13
Leukemias	412	17.1	0.39	12.8	0.29	281	10.4	0.29	8.3	0.24
Acute lymphocytic	37	1.6	0.12	1.7	0.13	30	1.3	0.11	1.5	0.13
Chronic lymphocytic	150	6.0	0.23	4.2	0.15	87	3.0	0.15	2.1	0.10
Acute myeloid	114	4.8	0.21	3.5	0.15	99	3.7	0.17	2.9	0.14
Chronic myeloid	51	2.1	0.14	1.6	0.10	32	1.2	0.10	1.0	0.08
Other leukemias	61	2.6	0.16	1.8	0.10	34	1.2	0.09	0.8	0.07
Mesothelioma	31	1.4	0.12	0.9	0.07	11	0.4	0.05	0.3	0.04
Kaposi Sarcoma	7	0.3	0.05	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	368	16.2	0.39	10.5	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	277	11.4	0.32	8.8	0.24	550	20.1	0.39	15.6	0.31
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.02	792	28.4	0.46	23.1	0.38

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Colorado, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	428	431.8	10.44	319.8	7.06	357	338.1	8.27	259.9	6.19
Oral Cavity & Pharynx	15	14.2	1.85	10.8	1.27	3	2.8	0.70	2.4	0.59
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	4.4	1.04	3.3	0.70	-	-	-	-	-
Major salivary gland	1	1.4	0.63	1.0	0.39	1	1.0	0.40	0.9	0.37
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	1.5	0.67	1.1	0.41	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	97	100.9	5.14	73.0	3.39	67	64.5	3.65	48.0	2.65
Esophagus	4	5.2	1.27	3.4	0.77	2	1.7	0.57	1.3	0.43
Stomach	10	12.1	1.91	8.0	1.16	4	3.7	0.86	2.8	0.63
Small intestine	3	2.9	0.79	2.3	0.58	3	2.6	0.69	2.1	0.55
Colon excl. rectum	30	31.9	2.93	22.7	1.91	23	22.8	2.20	16.5	1.55
Rectum & rectosigmoid	14	13.2	1.81	9.8	1.21	10	8.8	1.29	7.2	1.04
Anus, anal canal & anorectum	1	1.2	0.49	0.9	0.36	2	1.6	0.53	1.4	0.44
Liver	18	16.2	1.87	13.1	1.40	6	5.6	1.09	4.1	0.78
Gallbladder	-	-	-	-	-	2	2.6	0.78	1.7	0.50
Pancreas	13	13.0	1.79	9.5	1.20	10	10.2	1.47	7.5	1.04
Respiratory System	50	58.2	4.08	39.9	2.58	39	39.1	2.89	29.0	2.08
Larynx	4	4.2	1.03	3.2	0.71	-	-	-	-	-
Lung & bronchus	44	52.2	3.90	35.4	2.44	37	37.5	2.84	27.5	2.03
Bones & Joints	2	1.3	0.51	1.1	0.39	1	1.1	0.46	0.9	0.38
Soft Tissue (incl. heart)	4	3.5	0.85	2.9	0.65	4	2.9	0.71	2.7	0.65
Skin (excl. basal & sq.)	2	1.9	0.60	1.6	0.48	1	1.2	0.50	0.8	0.34
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	121	113.2	4.74	88.1	3.60
Female Genital System	-	-	-	-	-	42	40.3	2.86	30.7	2.12
Cervix uteri	-	-	-	-	-	6	5.7	1.05	4.8	0.84
Uterus Corpus	-	-	-	-	-	24	22.5	2.12	17.4	1.60
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	7.2	1.24	5.3	0.89
Male Genital System	142	132.6	5.53	103.0	3.95	-	-	-	-	-
Prostate	140	131.0	5.50	101.6	3.92	-	-	-	-	-
Testis	2	1.0	0.36	1.0	0.35	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	39	40.5	3.19	29.6	2.16	16	15.5	1.81	11.6	1.31
Bladder (incl. <i>in situ</i>)	16	17.8	2.21	12.5	1.43	4	4.7	1.04	3.3	0.72
Kidney & renal pelvis	23	21.6	2.23	16.5	1.58	11	10.6	1.47	8.1	1.09
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	5	4.4	1.00	3.6	0.73	3	2.6	0.64	2.6	0.62
Brain	5	4.2	0.99	3.3	0.70	3	2.2	0.60	2.1	0.56
Endocrine System	6	5.1	1.02	4.1	0.78	17	14.2	1.58	12.7	1.39
Thyroid gland	4	3.8	0.89	3.0	0.65	16	13.2	1.52	11.9	1.34
Lymphomas	21	17.9	1.90	14.9	1.48	14	12.3	1.54	9.9	1.21
Hodgkin Lymphoma	3	2.4	0.61	2.3	0.56	2	1.7	0.51	1.7	0.50
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	17.9	2.26	12.3	1.43	11	10.3	1.45	7.7	1.05
Leukemias	12	12.7	1.86	9.2	1.21	8	7.5	1.23	5.7	0.92
Acute lymphocytic	-	-	-	-	-	2	1.2	0.41	1.2	0.43
Chronic lymphocytic	3	3.6	1.02	2.5	0.64	1	1.4	0.56	1.0	0.39
Acute myeloid	5	5.3	1.23	3.8	0.77	2	2.3	0.71	1.6	0.48
Chronic myeloid	2	1.5	0.60	1.2	0.42	1	1.4	0.54	1.0	0.39
Other leukemias	2	1.9	0.69	1.4	0.47	1	1.2	0.49	0.8	0.34
Mesothelioma	2	1.8	0.70	1.3	0.47	-	-	-	-	-
Kaposi Sarcoma	2	1.0	0.36	1.0	0.36	-	-	-	-	-
Ill-defined & Unknown	13	16.8	2.30	10.7	1.33	10	10.6	1.54	7.2	1.01
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	10	9.6	1.52	7.2	1.05	22	21.5	2.12	15.9	1.53
Breast (<i>in situ</i>)	-	-	-	-	-	28	25.1	2.18	20.5	1.73

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Colorado, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	177	264.5	9.47	194.2	6.57	259	266.3	7.63	204.8	5.74
Oral Cavity & Pharynx	7	9.0	1.58	7.4	1.25	5	5.5	1.10	4.4	0.85
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	2	1.5	0.56	1.2	0.44
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	4	4.9	1.14	4.0	0.90	1	1.3	0.50	1.2	0.46
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	56	81.6	5.14	61.2	3.67	53	59.6	3.77	42.0	2.59
Esophagus	2	3.3	1.05	2.4	0.73	1	1.4	0.58	1.0	0.39
Stomach	7	10.8	1.91	7.9	1.34	10	11.2	1.65	7.7	1.11
Small intestine	-	-	-	-	-	1	1.3	0.51	1.1	0.43
Colon excl. rectum	16	23.0	2.75	16.9	1.93	16	17.3	2.02	12.2	1.39
Rectum & rectosigmoid	9	11.9	1.88	9.3	1.41	8	8.1	1.33	6.1	0.98
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	13	18.4	2.38	14.3	1.76	6	6.6	1.25	4.8	0.88
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	5	7.6	1.63	5.4	1.11	6	6.8	1.31	4.5	0.84
Respiratory System	25	42.4	4.02	28.1	2.54	25	30.1	2.74	20.0	1.80
Larynx	1	2.3	0.98	1.4	0.59	-	-	-	-	-
Lung & bronchus	23	39.0	3.87	25.8	2.43	25	29.9	2.74	19.9	1.79
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	2.9	0.97	2.3	0.69	2	1.8	0.65	1.3	0.47
Skin (excl. basal & sq.)	-	-	-	-	-	3	2.8	0.77	2.2	0.58
Melanomas of the skin	-	-	-	-	-	2	1.7	0.54	1.5	0.49
Breast (excl. <i>in situ</i>)	-	-	-	-	-	81	78.8	4.00	63.6	3.16
Female Genital System	-	-	-	-	-	31	29.6	2.43	24.2	1.95
Cervix uteri	-	-	-	-	-	5	4.3	0.92	3.5	0.74
Uterus Corpus	-	-	-	-	-	16	15.1	1.70	12.7	1.42
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	8.5	1.34	6.6	1.03
Male Genital System	29	43.5	3.84	31.9	2.68	-	-	-	-	-
Prostate	26	40.7	3.74	29.6	2.60	-	-	-	-	-
Testis	2	2.2	0.77	1.8	0.58	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	22.1	2.82	15.5	1.86	8	9.9	1.57	6.7	1.04
Bladder (incl. <i>in situ</i>)	7	12.2	2.19	7.9	1.35	3	4.5	1.11	2.7	0.66
Kidney & renal pelvis	7	9.5	1.74	7.3	1.26	4	4.7	1.04	3.6	0.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	5.5	1.26	4.6	1.01	4	4.2	0.93	3.8	0.84
Brain	4	5.1	1.23	4.1	0.95	4	3.8	0.89	3.4	0.80
Endocrine System	6	7.3	1.33	6.4	1.14	23	19.8	1.88	18.1	1.70
Thyroid gland	5	6.1	1.22	5.3	1.04	22	19.5	1.86	17.7	1.68
Lymphomas	12	18.9	2.59	13.6	1.75	8	8.3	1.38	6.5	1.06
Hodgkin Lymphoma	2	2.1	0.74	1.8	0.62	2	1.3	0.47	1.5	0.53
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	5.4	1.40	3.8	0.93	3	2.8	0.79	2.2	0.61
Leukemias	8	12.0	2.04	9.4	1.47	5	4.3	0.92	4.0	0.84
Acute lymphocytic	2	2.4	0.69	3.0	0.87	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	3	5.3	1.42	3.5	0.88	2	1.9	0.58	1.8	0.55
Chronic myeloid	1	1.7	0.74	1.3	0.55	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	10.1	1.96	6.8	1.23	7	8.1	1.43	5.1	0.89
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	8.8	1.60	7.1	1.23	17	17.9	1.98	13.9	1.51
Breast (<i>in situ</i>)	-	-	-	-	-	26	25.2	2.23	20.9	1.82

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Colorado, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	6	198.8	41.01	161.2	30.56	9	304.9	48.48	222.8	33.33
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	1	53.8	21.61	41.2	15.77	2	70.3	23.94	47.7	15.23
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	1	55.3	24.03	38.7	15.97	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	1	55.3	24.03	38.7	15.97	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	2	89.7	27.40	61.9	18.14
Female Genital System	-	-	-	-	-	1	40.7	16.37	33.5	12.79
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	1	35.5	15.54	29.1	12.01
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Colorado, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,221	364.1	5.11	267.6	3.48	1,452	361.5	4.42	280.5	3.31
Oral Cavity & Pharynx	35	9.9	0.81	7.6	0.58	16	4.3	0.50	3.1	0.35
Lip	1	0.6	0.23	0.3	0.13	-	-	-	-	-
Tongue	9	2.5	0.40	2.0	0.30	5	1.2	0.25	0.9	0.19
Major salivary gland	2	0.6	0.21	0.4	0.14	3	0.7	0.20	0.5	0.14
Floor of mouth	1	0.3	0.11	0.2	0.10	-	-	-	-	-
Gum & other mouth	5	1.4	0.32	1.0	0.22	4	1.1	0.27	0.8	0.18
Nasopharynx	3	0.7	0.22	0.5	0.15	-	-	-	-	-
Oropharynx	1	0.4	0.16	0.3	0.11	-	-	-	-	-
Hypopharynx	3	1.0	0.26	0.7	0.18	-	-	-	-	-
Digestive System	369	111.7	2.83	81.8	1.93	262	70.6	2.03	51.4	1.43
Esophagus	21	6.4	0.68	4.6	0.46	4	1.2	0.26	0.9	0.19
Stomach	40	13.2	1.02	9.0	0.65	28	7.5	0.65	5.4	0.46
Small intestine	9	2.6	0.43	1.9	0.29	8	2.2	0.36	1.6	0.25
Colon excl. rectum	94	29.3	1.48	20.8	0.98	95	25.6	1.22	18.6	0.86
Rectum & rectosigmoid	54	14.7	0.96	11.5	0.71	30	7.6	0.64	5.9	0.48
Anus, anal canal & anorectum	3	0.7	0.20	0.6	0.16	3	0.8	0.22	0.6	0.16
Liver	84	23.2	1.21	18.3	0.90	27	7.3	0.65	5.5	0.47
Gallbladder	3	1.5	0.38	0.8	0.20	9	2.5	0.38	1.7	0.26
Pancreas	39	12.8	0.99	9.0	0.65	38	10.7	0.80	7.6	0.55
Respiratory System	122	43.2	1.88	28.8	1.18	120	35.7	1.50	24.4	1.00
Larynx	15	4.5	0.56	3.4	0.39	2	0.5	0.16	0.4	0.13
Lung & bronchus	103	37.7	1.77	24.7	1.10	115	34.5	1.48	23.4	0.98
Bones & Joints	5	0.9	0.20	0.9	0.18	4	0.8	0.18	0.7	0.16
Soft Tissue (incl. heart)	16	4.0	0.50	3.2	0.36	14	3.2	0.41	2.6	0.32
Skin (excl. basal & sq.)	17	4.7	0.57	3.5	0.39	30	6.8	0.57	5.6	0.46
Melanomas of the skin	14	4.1	0.53	3.0	0.36	26	5.7	0.51	4.8	0.43
Breast (excl. <i>in situ</i>)	-	-	-	-	-	440	106.3	2.34	85.0	1.82
Female Genital System	-	-	-	-	-	187	43.0	1.45	35.7	1.17
Cervix uteri	-	-	-	-	-	41	8.7	0.63	7.5	0.53
Uterus Corpus	-	-	-	-	-	90	20.6	0.99	17.4	0.82
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	39	9.2	0.69	7.3	0.53
Male Genital System	266	78.3	2.34	59.0	1.64	-	-	-	-	-
Prostate	229	71.5	2.27	52.6	1.57	-	-	-	-	-
Testis	32	4.8	0.39	5.2	0.41	-	-	-	-	-
Penis	5	1.9	0.40	1.2	0.23	-	-	-	-	-
Urinary System	143	43.5	1.77	31.7	1.20	84	21.6	1.10	16.5	0.81
Bladder (incl. <i>in situ</i>)	51	18.3	1.23	12.1	0.77	16	4.7	0.55	3.1	0.35
Kidney & renal pelvis	90	24.6	1.25	19.2	0.92	66	16.3	0.93	12.9	0.71
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	2	0.4	0.15	0.4	0.13	3	0.6	0.17	0.5	0.14
Brain & Other CNS ¹	25	5.8	0.58	4.8	0.44	21	4.6	0.49	3.9	0.38
Brain	22	5.2	0.56	4.3	0.42	19	4.2	0.46	3.5	0.36
Endocrine System	30	6.4	0.56	5.6	0.47	116	23.9	1.03	21.4	0.89
Thyroid gland	26	5.8	0.54	5.0	0.44	113	23.4	1.02	20.8	0.88
Lymphomas	72	20.0	1.17	15.1	0.81	59	15.0	0.92	11.5	0.67
Hodgkin Lymphoma	14	3.1	0.43	2.6	0.32	9	1.7	0.26	1.6	0.24
Non-Hodgkin Lymphoma	58	16.8	1.09	12.4	0.74	50	13.3	0.88	9.8	0.63
Multiple Myeloma	24	7.6	0.75	5.4	0.50	18	5.0	0.54	3.7	0.39
Leukemias	46	11.1	0.84	9.0	0.60	40	8.8	0.67	7.3	0.52
Acute lymphocytic	13	1.9	0.24	2.1	0.26	11	1.7	0.24	1.9	0.26
Chronic lymphocytic	7	2.2	0.41	1.5	0.26	7	2.0	0.35	1.4	0.24
Acute myeloid	15	3.8	0.50	2.9	0.35	12	2.6	0.37	2.2	0.28
Chronic myeloid	7	1.6	0.31	1.3	0.23	6	1.3	0.25	1.1	0.20
Other leukemias	5	1.7	0.37	1.1	0.22	4	1.1	0.26	0.7	0.16
Mesothelioma	3	1.3	0.34	0.8	0.20	-	-	-	-	-
Kaposi Sarcoma	2	0.5	0.16	0.4	0.12	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	37	10.8	0.82	7.1	0.52
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	38	10.1	0.83	7.6	0.56	76	18.9	1.02	14.6	0.75
Breast (<i>in situ</i>)	-	-	-	-	-	93	22.0	1.04	18.1	0.84

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

COLORADO

70 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Colorado, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,349	421.3	2.03	310.2	1.48	9,558	397.0	1.88	306.9	1.50
Oral Cavity & Pharynx	401	17.0	0.39	13.3	0.30	156	6.2	0.23	4.8	0.18
Lip	24	1.1	0.11	0.8	0.07	12	0.5	0.07	0.4	0.05
Tongue	135	5.6	0.22	4.5	0.17	54	2.2	0.14	1.7	0.11
Major salivary gland	35	1.7	0.13	1.1	0.09	21	0.8	0.09	0.7	0.07
Floor of mouth	14	0.6	0.07	0.5	0.05	8	0.3	0.05	0.2	0.04
Gum & other mouth	34	1.6	0.12	1.1	0.09	26	1.1	0.10	0.7	0.07
Nasopharynx	8	0.3	0.06	0.3	0.05	5	0.2	0.04	0.2	0.04
Oropharynx	16	0.7	0.08	0.5	0.06	3	0.1	0.03	0.1	0.03
Hypopharynx	11	0.5	0.07	0.3	0.05	6	0.2	0.04	0.2	0.03
Digestive System	1,756	79.2	0.88	57.7	0.63	1,336	54.1	0.68	39.0	0.51
Esophagus	184	8.1	0.28	5.9	0.20	36	1.4	0.11	1.0	0.08
Stomach	142	6.5	0.25	4.6	0.18	60	2.4	0.15	1.8	0.11
Small intestine	58	2.7	0.16	2.0	0.12	47	1.9	0.13	1.4	0.10
Colon excl. rectum	513	24.1	0.49	17.2	0.35	524	21.6	0.44	15.2	0.32
Rectum & rectosigmoid	252	11.2	0.33	8.7	0.25	179	7.5	0.26	5.7	0.20
Anus, anal canal & anorectum	26	1.2	0.10	0.9	0.08	63	2.3	0.14	1.9	0.11
Liver	188	7.6	0.26	6.0	0.20	53	2.1	0.13	1.5	0.10
Gallbladder	11	0.5	0.07	0.3	0.05	26	1.1	0.09	0.7	0.06
Pancreas	294	13.2	0.36	9.3	0.24	239	9.4	0.28	6.5	0.20
Respiratory System	1,074	49.5	0.70	33.8	0.47	1,062	42.3	0.60	29.3	0.41
Larynx	88	3.8	0.19	2.8	0.14	26	1.0	0.09	0.8	0.07
Lung & bronchus	964	44.6	0.67	30.2	0.44	1,020	40.6	0.58	28.0	0.40
Bones & Joints	29	1.4	0.12	1.3	0.12	16	0.8	0.09	0.7	0.09
Soft Tissue (incl. heart)	77	3.7	0.20	2.9	0.16	55	2.5	0.16	2.2	0.15
Skin (excl. basal & sq.)	775	35.8	0.60	26.4	0.44	542	23.7	0.47	19.5	0.40
Melanomas of the skin	729	33.5	0.58	24.9	0.42	511	22.3	0.46	18.5	0.39
Breast (excl. <i>in situ</i>)	25	1.2	0.11	0.8	0.07	3,193	132.7	1.09	104.5	0.87
Female Genital System	-	-	-	-	-	1,088	43.8	0.62	35.3	0.50
Cervix uteri	-	-	-	-	-	119	5.8	0.25	5.1	0.22
Uterus Corpus	-	-	-	-	-	590	22.4	0.43	18.2	0.35
Uterus, NOS ¹	-	-	-	-	-	4	0.1	0.03	0.1	0.02
Ovary	-	-	-	-	-	255	10.7	0.31	8.4	0.25
Male Genital System	2,281	95.3	0.93	73.3	0.70	-	-	-	-	-
Prostate	2,147	88.4	0.89	66.5	0.65	-	-	-	-	-
Testis	118	6.1	0.26	6.2	0.26	-	-	-	-	-
Penis	12	0.5	0.07	0.4	0.05	-	-	-	-	-
Urinary System	1,113	51.8	0.72	35.9	0.49	434	17.5	0.39	12.6	0.29
Bladder (incl. <i>in situ</i>)	701	33.3	0.58	22.0	0.38	205	8.1	0.26	5.5	0.18
Kidney & renal pelvis	385	17.2	0.41	13.0	0.31	219	9.0	0.28	6.8	0.22
Ureter	17	0.8	0.09	0.5	0.06	7	0.3	0.05	0.2	0.03
Eye & Orbit	28	1.3	0.12	1.1	0.10	24	1.0	0.10	0.9	0.09
Brain & Other CNS ¹	172	8.2	0.29	7.0	0.26	132	6.0	0.24	5.3	0.23
Brain	163	7.7	0.28	6.5	0.24	123	5.5	0.23	4.8	0.21
Endocrine System	197	9.1	0.30	7.8	0.26	477	23.1	0.49	20.9	0.45
Thyroid gland	181	8.3	0.29	7.1	0.25	464	22.5	0.48	20.3	0.45
Lymphomas	516	24.3	0.50	18.5	0.38	391	16.6	0.39	12.7	0.31
Hodgkin Lymphoma	56	2.8	0.17	2.6	0.16	40	2.1	0.15	2.0	0.15
Non-Hodgkin Lymphoma	460	21.5	0.47	15.9	0.34	351	14.5	0.36	10.7	0.27
Multiple Myeloma	172	7.7	0.27	5.5	0.19	110	4.3	0.19	3.1	0.14
Leukemias	369	17.7	0.43	13.1	0.32	244	10.5	0.31	8.3	0.27
Acute lymphocytic	25	1.4	0.13	1.6	0.15	20	1.2	0.13	1.4	0.15
Chronic lymphocytic	143	6.5	0.25	4.5	0.17	80	3.1	0.16	2.2	0.11
Acute myeloid	100	4.8	0.22	3.5	0.16	87	3.8	0.19	3.0	0.16
Chronic myeloid	45	2.2	0.15	1.6	0.11	27	1.2	0.10	0.9	0.08
Other leukemias	56	2.8	0.17	1.9	0.12	30	1.2	0.10	0.8	0.07
Mesothelioma	28	1.4	0.12	0.9	0.07	10	0.4	0.06	0.3	0.05
Kaposi Sarcoma	5	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	330	16.4	0.42	10.6	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	241	11.5	0.34	8.9	0.27	482	20.5	0.43	15.9	0.35
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.02	705	29.5	0.52	24.1	0.42

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Colorado, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	422	448.6	10.86	333.0	7.39	349	353.7	8.71	273.2	6.59
Oral Cavity & Pharynx	15	14.9	1.93	11.4	1.34	3	2.9	0.73	2.5	0.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	4.7	1.09	3.5	0.74	-	-	-	-	-
Major salivary gland	1	1.5	0.67	1.1	0.41	1	1.0	0.44	1.0	0.41
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	1.6	0.71	1.1	0.43	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	95	104.3	5.33	75.5	3.53	66	67.6	3.84	50.4	2.81
Esophagus	4	5.4	1.33	3.6	0.81	2	1.8	0.61	1.4	0.46
Stomach	10	12.6	1.99	8.3	1.21	4	3.9	0.90	3.0	0.67
Small intestine	3	3.1	0.83	2.4	0.62	3	2.8	0.73	2.2	0.58
Colon excl. rectum	29	33.0	3.04	23.6	1.99	23	24.0	2.32	17.4	1.66
Rectum & rectosigmoid	13	13.5	1.89	9.9	1.25	10	9.3	1.37	7.6	1.11
Anus, anal canal & anorectum	1	1.3	0.52	1.0	0.38	2	1.7	0.55	1.5	0.46
Liver	18	16.7	1.94	13.5	1.46	6	5.9	1.15	4.4	0.83
Gallbladder	-	-	-	-	-	2	2.5	0.78	1.6	0.49
Pancreas	13	13.2	1.83	9.8	1.24	10	10.6	1.53	7.7	1.09
Respiratory System	49	60.1	4.24	41.2	2.67	38	40.4	3.01	30.0	2.18
Larynx	4	4.4	1.07	3.3	0.74	-	-	-	-	-
Lung & bronchus	43	53.8	4.05	36.5	2.53	36	38.6	2.95	28.4	2.12
Bones & Joints	2	1.4	0.55	1.2	0.43	1	1.2	0.51	1.1	0.43
Soft Tissue (incl. heart)	4	3.7	0.90	3.1	0.71	3	2.9	0.73	2.7	0.68
Skin (excl. basal & sq.)	2	2.1	0.64	1.8	0.52	1	1.3	0.53	0.9	0.37
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	119	119.1	5.02	93.2	3.86
Female Genital System	-	-	-	-	-	42	42.2	3.01	32.3	2.25
Cervix uteri	-	-	-	-	-	6	6.0	1.11	5.0	0.91
Uterus Corpus	-	-	-	-	-	24	23.6	2.23	18.3	1.69
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	7.4	1.30	5.5	0.94
Male Genital System	141	137.6	5.74	107.2	4.12	-	-	-	-	-
Prostate	138	135.9	5.71	105.6	4.09	-	-	-	-	-
Testis	2	1.1	0.41	1.1	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	38	41.8	3.32	30.5	2.25	16	16.4	1.92	12.3	1.40
Bladder (incl. <i>in situ</i>)	15	18.4	2.29	12.8	1.49	4	4.8	1.08	3.4	0.74
Kidney & renal pelvis	22	22.4	2.33	17.0	1.65	11	11.4	1.57	8.8	1.18
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	5	4.6	1.06	3.8	0.78	3	2.9	0.73	3.0	0.72
Brain	4	4.3	1.04	3.5	0.75	3	2.5	0.68	2.4	0.65
Endocrine System	6	5.5	1.08	4.5	0.84	16	14.9	1.71	13.3	1.50
Thyroid gland	4	4.1	0.94	3.3	0.70	15	13.9	1.65	12.4	1.45
Lymphomas	20	18.8	1.99	15.7	1.57	13	12.9	1.62	10.5	1.30
Hodgkin Lymphoma	3	2.5	0.66	2.4	0.60	2	1.9	0.59	1.9	0.58
Non-Hodgkin Lymphoma	17	16.3	1.88	13.3	1.45	11	10.9	1.51	8.6	1.16
Multiple Myeloma	16	18.7	2.35	12.9	1.49	11	10.7	1.52	8.0	1.11
Leukemias	12	13.5	1.95	9.9	1.29	8	8.0	1.32	6.1	1.00
Acute lymphocytic	-	-	-	-	-	1	1.2	0.46	1.3	0.48
Chronic lymphocytic	3	3.8	1.06	2.6	0.67	1	1.5	0.59	1.1	0.42
Acute myeloid	5	5.6	1.30	4.1	0.83	2	2.5	0.75	1.7	0.52
Chronic myeloid	2	1.6	0.63	1.3	0.45	1	1.5	0.58	1.1	0.43
Other leukemias	-	-	-	-	-	1	1.3	0.53	0.9	0.38
Mesothelioma	2	1.9	0.73	1.3	0.49	-	-	-	-	-
Kaposi Sarcoma	1	1.0	0.39	1.0	0.37	-	-	-	-	-
Ill-defined & Unknown	13	17.6	2.40	11.2	1.40	10	10.4	1.56	7.1	1.03
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	10	10.0	1.60	7.6	1.12	21	21.8	2.20	16.1	1.59
Breast (<i>in situ</i>)	-	-	-	-	-	28	26.4	2.31	21.5	1.84

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

COLORADO

72 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Connecticut, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,321	504.9	2.28	373.7	1.70	10,694	449.9	2.02	348.3	1.63
Oral Cavity & Pharynx	370	17.3	0.41	13.7	0.33	175	7.2	0.25	5.6	0.21
Lip	9	0.5	0.07	0.3	0.05	7	0.3	0.05	0.2	0.04
Tongue	123	5.7	0.23	4.5	0.19	55	2.3	0.14	1.8	0.12
Major salivary gland	28	1.5	0.13	1.1	0.09	27	1.2	0.11	1.0	0.10
Floor of mouth	16	0.7	0.08	0.6	0.07	8	0.3	0.05	0.2	0.04
Gum & other mouth	44	2.1	0.15	1.6	0.11	37	1.4	0.11	1.0	0.08
Nasopharynx	13	0.6	0.08	0.5	0.07	6	0.3	0.05	0.2	0.05
Oropharynx	19	0.9	0.09	0.7	0.07	6	0.3	0.05	0.2	0.04
Hypopharynx	25	1.2	0.11	0.9	0.08	6	0.2	0.04	0.2	0.03
Digestive System	1,965	96.3	1.00	70.2	0.73	1,592	63.4	0.74	45.9	0.56
Esophagus	168	8.1	0.29	5.9	0.21	50	1.9	0.12	1.4	0.09
Stomach	223	11.1	0.34	7.9	0.24	130	5.3	0.22	3.8	0.16
Small intestine	54	2.8	0.17	2.0	0.13	54	2.3	0.14	1.7	0.11
Colon excl. rectum	539	27.1	0.53	19.5	0.39	573	22.8	0.44	16.2	0.33
Rectum & rectosigmoid	265	13.1	0.37	10.0	0.28	201	8.3	0.27	6.5	0.22
Anus, anal canal & anorectum	30	1.5	0.12	1.1	0.09	53	2.1	0.13	1.7	0.11
Liver	243	10.9	0.32	8.6	0.25	70	2.7	0.15	2.0	0.12
Gallbladder	14	0.7	0.09	0.5	0.06	30	1.2	0.10	0.9	0.07
Pancreas	317	15.5	0.40	10.9	0.28	309	11.9	0.31	8.3	0.23
Respiratory System	1,459	71.9	0.86	50.2	0.60	1,456	57.8	0.69	41.1	0.50
Larynx	122	5.7	0.24	4.3	0.18	33	1.3	0.10	1.0	0.08
Lung & bronchus	1,314	65.0	0.82	44.9	0.56	1,407	55.8	0.68	39.5	0.49
Bones & Joints	20	1.1	0.12	1.1	0.12	16	0.9	0.10	0.9	0.11
Soft Tissue (incl. heart)	80	4.2	0.22	3.4	0.18	63	2.9	0.17	2.4	0.15
Skin (excl. basal & sq.)	562	28.3	0.55	20.3	0.40	403	17.5	0.41	13.7	0.34
Melanomas of the skin	517	25.9	0.52	18.7	0.38	376	16.4	0.39	12.9	0.33
Breast (excl. <i>in situ</i>)	30	1.5	0.12	1.1	0.09	3,263	140.5	1.14	111.5	0.92
Female Genital System	-	-	-	-	-	1,233	51.3	0.68	41.1	0.56
Cervix uteri	-	-	-	-	-	118	6.1	0.26	5.3	0.23
Uterus Corpus	-	-	-	-	-	712	28.7	0.49	23.0	0.40
Uterus, NOS ¹	-	-	-	-	-	23	0.9	0.09	0.7	0.07
Ovary	-	-	-	-	-	256	10.7	0.31	8.5	0.26
Male Genital System	2,579	119.0	1.07	92.7	0.83	-	-	-	-	-
Prostate	2,447	111.3	1.03	85.4	0.78	-	-	-	-	-
Testis	108	6.4	0.28	6.5	0.29	-	-	-	-	-
Penis	19	0.9	0.10	0.6	0.07	-	-	-	-	-
Urinary System	1,361	67.9	0.84	47.4	0.59	566	22.9	0.45	16.7	0.34
Bladder (incl. <i>in situ</i>)	867	44.0	0.68	29.0	0.45	293	11.4	0.31	7.8	0.22
Kidney & renal pelvis	460	22.2	0.48	17.3	0.37	251	10.7	0.31	8.3	0.26
Ureter	17	0.9	0.10	0.6	0.06	14	0.5	0.06	0.3	0.04
Eye & Orbit	17	0.9	0.10	0.7	0.08	19	0.9	0.09	0.8	0.09
Brain & Other CNS ¹	158	8.2	0.30	6.9	0.26	124	5.8	0.24	5.1	0.23
Brain	151	7.8	0.29	6.6	0.26	117	5.4	0.24	4.7	0.22
Endocrine System	205	10.7	0.34	9.3	0.31	546	28.0	0.56	25.5	0.52
Thyroid gland	187	9.7	0.33	8.4	0.29	532	27.4	0.55	24.9	0.51
Lymphomas	582	30.0	0.57	22.7	0.44	472	19.9	0.43	15.5	0.35
Hodgkin Lymphoma	68	3.8	0.21	3.6	0.20	52	2.8	0.18	2.8	0.18
Non-Hodgkin Lymphoma	514	26.2	0.53	19.2	0.40	421	17.1	0.39	12.8	0.30
Multiple Myeloma	188	9.3	0.31	6.7	0.22	143	5.8	0.22	4.3	0.17
Leukemias	346	17.8	0.44	13.5	0.35	281	11.8	0.33	9.2	0.28
Acute lymphocytic	29	1.7	0.14	1.8	0.16	26	1.5	0.14	1.6	0.15
Chronic lymphocytic	142	7.0	0.27	4.9	0.19	108	4.1	0.18	2.9	0.13
Acute myeloid	95	4.9	0.23	3.6	0.17	82	3.5	0.18	2.7	0.15
Chronic myeloid	42	2.3	0.16	1.7	0.12	38	1.6	0.12	1.3	0.10
Other leukemias	38	2.0	0.15	1.5	0.12	26	1.1	0.10	0.8	0.08
Mesothelioma	31	1.6	0.13	1.0	0.08	7	0.3	0.05	0.2	0.04
Kaposi Sarcoma	10	0.6	0.08	0.5	0.07	2	0.1	0.02	0.0	0.01
Ill-defined & Unknown	357	18.5	0.45	12.3	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	155	8.1	0.30	6.6	0.25	316	13.9	0.37	11.4	0.31
Breast (<i>in situ</i>)	6	0.3	0.05	0.2	0.05	967	43.4	0.65	35.5	0.53

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Connecticut, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9,091	501.2	2.42	369.9	1.81	9,407	453.5	2.20	350.9	1.79
Oral Cavity & Pharynx	332	17.6	0.45	13.9	0.35	157	7.4	0.28	5.8	0.23
Lip	8	0.5	0.08	0.3	0.06	6	0.3	0.05	0.2	0.04
Tongue	115	6.0	0.26	4.8	0.21	51	2.5	0.16	1.9	0.13
Major salivary gland	25	1.5	0.14	1.0	0.10	23	1.2	0.12	1.0	0.11
Floor of mouth	15	0.7	0.09	0.6	0.07	7	0.3	0.06	0.3	0.04
Gum & other mouth	36	2.0	0.15	1.5	0.11	33	1.4	0.12	1.0	0.09
Nasopharynx	9	0.5	0.08	0.4	0.07	4	0.2	0.05	0.2	0.04
Oropharynx	16	0.9	0.10	0.7	0.08	6	0.3	0.05	0.2	0.04
Hypopharynx	22	1.1	0.11	0.9	0.08	6	0.2	0.05	0.2	0.04
Digestive System	1,705	94.1	1.05	68.2	0.77	1,366	61.4	0.78	44.2	0.60
Esophagus	155	8.4	0.31	6.0	0.22	44	1.9	0.13	1.3	0.09
Stomach	187	10.4	0.35	7.3	0.25	104	4.7	0.22	3.4	0.17
Small intestine	44	2.6	0.18	1.8	0.13	44	2.1	0.15	1.6	0.12
Colon excl. rectum	469	26.5	0.56	19.0	0.41	501	22.5	0.47	15.8	0.36
Rectum & rectosigmoid	226	12.8	0.39	9.6	0.30	169	8.0	0.29	6.2	0.23
Anus, anal canal & anorectum	27	1.5	0.13	1.2	0.10	48	2.2	0.15	1.8	0.12
Liver	201	10.1	0.33	8.0	0.26	56	2.5	0.15	1.8	0.12
Gallbladder	11	0.7	0.09	0.4	0.06	23	1.1	0.10	0.7	0.07
Pancreas	284	15.5	0.42	10.9	0.30	274	11.8	0.33	8.2	0.24
Respiratory System	1,311	72.0	0.91	50.2	0.63	1,329	59.4	0.75	42.1	0.54
Larynx	105	5.6	0.25	4.2	0.19	30	1.3	0.11	1.1	0.09
Lung & bronchus	1,185	65.2	0.87	45.0	0.59	1,287	57.5	0.73	40.6	0.53
Bones & Joints	18	1.2	0.13	1.3	0.14	13	0.8	0.11	0.9	0.12
Soft Tissue (incl. heart)	69	4.1	0.23	3.2	0.19	53	2.8	0.18	2.3	0.16
Skin (excl. basal & sq.)	538	30.4	0.60	21.9	0.44	380	19.3	0.47	15.3	0.39
Melanomas of the skin	495	28.0	0.58	20.3	0.43	356	18.1	0.46	14.4	0.38
Breast (excl. <i>in situ</i>)	26	1.4	0.13	1.0	0.09	2,853	141.8	1.25	112.5	1.02
Female Genital System	-	-	-	-	-	1,073	51.4	0.73	41.1	0.61
Cervix uteri	-	-	-	-	-	95	6.0	0.29	5.3	0.27
Uterus Corpus	-	-	-	-	-	623	28.8	0.53	23.1	0.43
Uterus, NOS ¹	-	-	-	-	-	18	0.8	0.09	0.6	0.07
Ovary	-	-	-	-	-	228	10.8	0.33	8.5	0.28
Male Genital System	2,168	113.1	1.12	88.1	0.87	-	-	-	-	-
Prostate	2,047	104.4	1.06	79.7	0.79	-	-	-	-	-
Testis	100	7.5	0.34	7.6	0.35	-	-	-	-	-
Penis	16	0.9	0.10	0.6	0.07	-	-	-	-	-
Urinary System	1,247	69.5	0.90	48.4	0.63	511	23.2	0.48	16.8	0.37
Bladder (incl. <i>in situ</i>)	818	46.0	0.73	30.4	0.49	273	11.9	0.33	8.1	0.24
Kidney & renal pelvis	398	21.8	0.50	16.9	0.39	217	10.5	0.33	8.1	0.27
Ureter	16	1.0	0.11	0.6	0.07	13	0.5	0.07	0.3	0.05
Eye & Orbit	16	0.9	0.11	0.8	0.09	18	1.0	0.11	0.8	0.10
Brain & Other CNS ¹	142	8.5	0.33	7.1	0.29	109	6.0	0.27	5.3	0.26
Brain	136	8.1	0.32	6.8	0.28	103	5.6	0.26	4.9	0.25
Endocrine System	180	11.0	0.38	9.6	0.34	456	28.5	0.63	26.0	0.59
Thyroid gland	166	10.1	0.37	8.8	0.33	445	27.9	0.63	25.4	0.58
Lymphomas	518	30.3	0.61	22.9	0.48	421	20.2	0.46	15.7	0.39
Hodgkin Lymphoma	55	3.7	0.23	3.5	0.23	42	2.8	0.20	2.7	0.21
Non-Hodgkin Lymphoma	463	26.6	0.57	19.4	0.43	379	17.4	0.42	13.0	0.33
Multiple Myeloma	154	8.5	0.31	6.0	0.22	112	5.1	0.23	3.8	0.17
Leukemias	310	17.9	0.47	13.6	0.38	252	12.1	0.36	9.4	0.31
Acute lymphocytic	24	1.7	0.16	1.8	0.18	22	1.5	0.15	1.6	0.17
Chronic lymphocytic	130	7.0	0.28	5.0	0.20	101	4.3	0.20	3.0	0.14
Acute myeloid	85	4.9	0.24	3.6	0.19	74	3.6	0.20	2.8	0.17
Chronic myeloid	36	2.2	0.17	1.6	0.13	32	1.6	0.13	1.2	0.11
Other leukemias	35	2.1	0.16	1.6	0.13	23	1.1	0.11	0.8	0.09
Mesothelioma	30	1.7	0.14	1.1	0.09	6	0.3	0.05	0.2	0.04
Kaposi Sarcoma	7	0.5	0.09	0.4	0.07	2	0.1	0.02	0.0	0.02
Ill-defined & Unknown	321	18.5	0.47	12.2	0.32	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	136	8.2	0.33	6.7	0.28	276	14.2	0.41	11.5	0.35
Breast (<i>in situ</i>)	4	0.3	0.06	0.2	0.05	830	43.8	0.71	35.8	0.59

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Connecticut, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	812	501.7	8.39	380.5	6.02	825	376.6	5.97	291.2	4.58
Oral Cavity & Pharynx	23	13.3	1.32	10.5	0.98	10	4.6	0.65	3.6	0.51
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	2.5	0.55	2.0	0.43	2	0.9	0.31	0.7	0.21
Major salivary gland	3	1.7	0.50	1.3	0.35	2	1.0	0.30	0.9	0.26
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	3	1.5	0.45	1.2	0.33	2	0.8	0.28	0.6	0.22
Nasopharynx	2	0.9	0.34	0.7	0.26	1	0.5	0.22	0.5	0.20
Oropharynx	2	1.0	0.32	0.9	0.29	-	-	-	-	-
Hypopharynx	3	1.7	0.52	1.2	0.35	-	-	-	-	-
Digestive System	176	110.5	3.98	82.5	2.80	160	74.0	2.67	54.9	1.96
Esophagus	11	7.1	1.01	5.2	0.70	4	2.0	0.43	1.6	0.34
Stomach	25	17.8	1.71	12.0	1.09	18	8.9	0.95	6.1	0.65
Small intestine	9	5.2	0.83	4.0	0.61	8	3.4	0.56	2.6	0.42
Colon excl. rectum	46	30.0	2.11	21.8	1.45	52	24.1	1.52	17.7	1.11
Rectum & rectosigmoid	24	14.6	1.42	11.1	1.02	18	8.1	0.88	6.3	0.67
Anus, anal canal & anorectum	1	0.7	0.25	0.6	0.24	4	1.8	0.40	1.6	0.34
Liver	27	15.0	1.35	12.4	1.07	9	3.8	0.56	3.2	0.47
Gallbladder	2	1.3	0.44	0.9	0.29	5	2.4	0.48	1.8	0.35
Pancreas	24	15.3	1.47	11.5	1.05	28	13.7	1.17	9.6	0.81
Respiratory System	114	79.0	3.51	55.3	2.33	99	46.1	2.12	33.8	1.54
Larynx	13	7.4	0.99	5.8	0.74	3	1.5	0.37	1.2	0.29
Lung & bronchus	100	70.6	3.36	48.7	2.19	93	43.7	2.07	31.7	1.48
Bones & Joints	1	0.6	0.23	0.6	0.25	3	1.1	0.31	1.1	0.32
Soft Tissue (incl. heart)	8	4.2	0.72	3.6	0.58	6	2.8	0.50	2.4	0.43
Skin (excl. basal & sq.)	3	1.7	0.45	1.5	0.37	4	1.9	0.43	1.5	0.33
Melanomas of the skin	2	1.1	0.38	0.9	0.30	2	1.0	0.33	0.7	0.22
Breast (excl. <i>in situ</i>)	4	2.3	0.59	1.7	0.40	261	117.0	3.29	93.1	2.60
Female Genital System	-	-	-	-	-	106	46.9	2.08	37.5	1.65
Cervix uteri	-	-	-	-	-	15	6.8	0.80	5.5	0.64
Uterus Corpus	-	-	-	-	-	59	25.8	1.53	20.7	1.21
Uterus, NOS ¹	-	-	-	-	-	4	1.8	0.40	1.4	0.32
Ovary	-	-	-	-	-	18	8.0	0.87	6.5	0.69
Male Genital System	284	166.9	4.68	131.1	3.50	-	-	-	-	-
Prostate	279	164.3	4.64	128.8	3.47	-	-	-	-	-
Testis	3	1.2	0.33	1.2	0.32	-	-	-	-	-
Penis	2	1.1	0.42	0.8	0.29	-	-	-	-	-
Urinary System	73	47.1	2.64	34.6	1.82	37	17.7	1.32	13.1	0.98
Bladder (incl. <i>in situ</i>)	28	21.6	1.94	13.9	1.18	15	7.3	0.85	5.1	0.59
Kidney & renal pelvis	43	23.6	1.69	19.5	1.34	21	9.7	0.97	7.6	0.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	9	5.1	0.78	4.5	0.66	7	3.3	0.56	2.8	0.47
Brain	9	4.7	0.73	4.2	0.64	7	3.1	0.54	2.5	0.44
Endocrine System	12	6.4	0.87	5.5	0.73	39	17.2	1.25	14.7	1.06
Thyroid gland	9	4.5	0.71	4.0	0.61	36	16.2	1.22	13.8	1.03
Lymphomas	35	20.5	1.66	16.3	1.24	28	12.8	1.11	10.1	0.87
Hodgkin Lymphoma	7	4.1	0.72	3.4	0.57	5	2.2	0.44	2.2	0.43
Non-Hodgkin Lymphoma	28	16.5	1.49	12.9	1.11	22	10.5	1.01	7.9	0.76
Multiple Myeloma	28	17.3	1.54	13.2	1.12	25	11.5	1.06	8.4	0.77
Leukemias	19	12.3	1.36	9.1	0.94	18	8.8	0.94	6.6	0.70
Acute lymphocytic	2	1.0	0.30	1.0	0.30	2	0.8	0.26	0.8	0.28
Chronic lymphocytic	5	3.5	0.74	2.4	0.48	4	2.0	0.44	1.5	0.33
Acute myeloid	6	4.0	0.79	3.0	0.54	5	2.7	0.52	1.9	0.38
Chronic myeloid	4	2.4	0.60	1.7	0.41	5	2.3	0.49	1.7	0.35
Other leukemias	2	1.3	0.46	0.9	0.31	2	1.0	0.31	0.6	0.20
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	1	0.7	0.29	0.6	0.24	-	-	-	-	-
Ill-defined & Unknown	20	13.5	1.43	9.7	0.97	22	10.5	1.02	7.3	0.71
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	10	5.5	0.84	4.5	0.65	21	9.3	0.93	7.6	0.75
Breast (<i>in situ</i>)	-	-	-	-	-	86	37.7	1.85	30.7	1.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Connecticut, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	132	219.6	9.32	163.0	6.41	195	255.3	8.66	199.7	6.45
Oral Cavity & Pharynx	7	10.2	1.80	8.6	1.43	4	5.7	1.29	4.5	0.96
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	2	2.4	0.81	2.0	0.65
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	4	5.2	1.24	4.5	1.05	-	-	-	-	-
Nasopharynx	1	1.3	0.54	1.2	0.50	1	1.3	0.54	1.2	0.50
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	39	63.8	4.92	47.3	3.43	29	44.8	3.96	31.3	2.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	11.9	2.12	8.5	1.46	4	5.1	1.29	3.8	0.90
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	16.6	2.52	12.5	1.75	8	11.9	2.06	8.3	1.36
Rectum & rectosigmoid	5	6.8	1.34	5.7	1.13	5	6.5	1.34	5.3	1.04
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	12.9	2.13	9.9	1.58	3	5.0	1.37	3.2	0.83
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	4	7.6	1.85	5.2	1.16	4	6.1	1.49	4.1	0.95
Respiratory System	15	27.0	3.38	19.2	2.24	15	23.5	2.91	15.7	1.85
Larynx	1	2.3	1.01	1.6	0.64	-	-	-	-	-
Lung & bronchus	14	23.9	3.13	17.4	2.12	14	22.5	2.86	15.0	1.81
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	2	2.2	0.71	2.0	0.63
Skin (excl. basal & sq.)	-	-	-	-	-	2	2.6	0.92	1.9	0.64
Melanomas of the skin	-	-	-	-	-	2	2.4	0.89	1.7	0.61
Breast (excl. <i>in situ</i>)	-	-	-	-	-	74	90.9	4.92	73.3	3.84
Female Genital System	-	-	-	-	-	21	26.3	2.69	21.2	2.08
Cervix uteri	-	-	-	-	-	3	3.5	0.95	2.9	0.75
Uterus Corpus	-	-	-	-	-	10	11.5	1.71	9.5	1.38
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	9.0	1.66	7.0	1.22
Male Genital System	25	43.1	4.11	31.8	2.87	-	-	-	-	-
Prostate	24	41.2	4.01	30.3	2.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	23.5	3.25	16.3	2.04	5	5.9	1.23	5.2	1.07
Bladder (incl. <i>in situ</i>)	6	12.9	2.58	8.1	1.47	1	1.8	0.68	1.5	0.55
Kidney & renal pelvis	7	10.7	1.98	8.3	1.42	3	3.9	1.00	3.5	0.90
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	3.3	0.99	2.9	0.81	4	4.1	1.02	4.0	0.97
Brain	2	3.0	0.96	2.7	0.79	3	3.5	0.95	3.3	0.87
Endocrine System	5	6.9	1.44	6.0	1.16	22	23.8	2.34	21.6	2.08
Thyroid gland	5	6.4	1.40	5.5	1.11	22	23.6	2.33	21.4	2.07
Lymphomas	9	15.0	2.52	11.3	1.69	7	8.9	1.65	7.1	1.22
Hodgkin Lymphoma	2	2.0	0.82	1.9	0.68	1	1.3	0.50	1.4	0.51
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	3.4	1.23	2.4	0.79	2	2.4	0.91	1.6	0.57
Leukemias	5	8.0	1.78	6.2	1.27	3	3.5	0.97	3.0	0.82
Acute lymphocytic	1	1.6	0.61	1.8	0.69	-	-	-	-	-
Chronic lymphocytic	1	2.2	0.94	1.5	0.64	-	-	-	-	-
Acute myeloid	-	-	-	-	-	2	2.2	0.81	1.7	0.60
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	9.4	1.90	6.9	1.32	6	9.5	1.88	6.3	1.20
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	4	6.2	1.50	4.9	1.09	8	10.3	1.75	8.2	1.32
Breast (<i>in situ</i>)	-	-	-	-	-	26	31.2	2.82	25.7	2.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Connecticut, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	11	145.8	21.34	109.2	14.88	13	132.4	17.08	105.2	13.31
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	25.8	8.27	19.0	5.79	2	22.8	7.52	16.1	5.23
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	23.5	8.40	18.3	6.22	2	20.5	6.65	17.2	5.49
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	23.5	8.40	18.3	6.22	2	20.5	6.65	17.2	5.49
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	4	46.8	10.36	36.4	7.85
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	36.3	12.36	25.0	7.82	-	-	-	-	-
Prostate	2	34.1	12.18	23.2	7.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	1	17.1	7.25	11.8	4.93	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	2	14.7	5.22	13.2	4.66

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Connecticut, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	697	462.0	8.78	344.2	6.01	844	424.4	6.92	329.7	5.13
Oral Cavity & Pharynx	24	14.9	1.50	11.6	1.09	13	6.5	0.86	5.0	0.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.1	0.70	2.4	0.51	3	1.8	0.47	1.2	0.31
Major salivary gland	2	1.3	0.50	0.8	0.28	3	1.4	0.37	1.2	0.30
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	3	1.9	0.54	1.5	0.40	2	1.1	0.37	0.7	0.24
Nasopharynx	2	0.7	0.28	0.6	0.24	-	-	-	-	-
Oropharynx	2	1.8	0.56	1.2	0.36	-	-	-	-	-
Hypopharynx	3	1.9	0.55	1.5	0.41	-	-	-	-	-
Digestive System	184	121.4	4.46	90.7	3.08	142	77.0	3.06	56.2	2.13
Esophagus	7	5.4	0.98	3.8	0.65	3	2.4	0.59	1.4	0.36
Stomach	24	16.7	1.70	12.0	1.12	16	8.6	1.01	6.5	0.73
Small intestine	4	2.8	0.71	1.9	0.46	5	2.5	0.53	1.9	0.38
Colon excl. rectum	48	33.7	2.45	23.9	1.60	45	23.8	1.68	17.4	1.18
Rectum & rectosigmoid	26	14.7	1.44	11.7	1.07	19	9.4	1.00	7.4	0.76
Anus, anal canal & anorectum	3	2.1	0.56	1.6	0.40	6	3.1	0.62	2.3	0.43
Liver	43	26.2	1.93	21.1	1.46	12	6.9	0.94	4.9	0.64
Gallbladder	2	1.7	0.60	1.1	0.35	4	2.1	0.49	1.6	0.35
Pancreas	16	11.3	1.38	8.3	0.95	22	12.2	1.25	8.8	0.85
Respiratory System	83	62.7	3.39	44.5	2.24	71	42.1	2.35	29.7	1.59
Larynx	11	7.3	1.06	5.6	0.77	2	0.9	0.29	0.8	0.24
Lung & bronchus	68	53.8	3.18	37.5	2.07	67	40.3	2.31	28.2	1.56
Bones & Joints	2	0.8	0.24	0.9	0.25	3	1.0	0.28	1.0	0.27
Soft Tissue (incl. heart)	8	3.6	0.62	3.2	0.52	4	1.7	0.39	1.6	0.35
Skin (excl. basal & sq.)	-	-	-	-	-	13	6.6	0.89	5.0	0.63
Melanomas of the skin	9	6.5	1.12	4.4	0.69	10	5.0	0.77	3.7	0.54
Breast (excl. <i>in situ</i>)	-	-	-	-	-	252	121.6	3.60	97.0	2.76
Female Genital System	-	-	-	-	-	109	52.0	2.35	42.1	1.82
Cervix uteri	-	-	-	-	-	22	9.3	0.93	7.9	0.76
Uterus Corpus	-	-	-	-	-	59	28.5	1.75	23.1	1.36
Uterus, NOS ¹	-	-	-	-	-	2	0.9	0.33	0.7	0.24
Ovary	-	-	-	-	-	19	9.1	1.00	7.2	0.76
Male Genital System	169	109.9	4.15	85.2	3.01	-	-	-	-	-
Prostate	153	103.5	4.08	79.3	2.93	-	-	-	-	-
Testis	13	4.6	0.59	4.6	0.56	-	-	-	-	-
Penis	3	1.8	0.52	1.4	0.37	-	-	-	-	-
Urinary System	68	49.7	3.01	34.8	1.94	40	21.2	1.59	15.8	1.13
Bladder (incl. <i>in situ</i>)	35	29.8	2.47	19.4	1.50	14	8.5	1.07	5.8	0.69
Kidney & renal pelvis	31	18.2	1.62	14.3	1.18	25	12.0	1.14	9.6	0.87
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	2	0.7	0.25	0.7	0.24	-	-	-	-	-
Brain & Other CNS ¹	13	6.7	0.96	5.7	0.72	13	6.0	0.82	5.0	0.63
Brain	13	6.3	0.91	5.4	0.70	12	5.7	0.80	4.7	0.61
Endocrine System	18	8.1	0.93	7.1	0.76	80	32.1	1.66	28.8	1.45
Thyroid gland	16	7.4	0.90	6.4	0.72	79	31.7	1.65	28.4	1.44
Lymphomas	48	27.5	2.07	21.1	1.41	46	23.6	1.65	18.6	1.23
Hodgkin Lymphoma	10	3.9	0.62	3.6	0.53	7	2.8	0.50	2.6	0.44
Non-Hodgkin Lymphoma	38	23.6	1.97	17.5	1.31	39	20.9	1.57	16.0	1.15
Multiple Myeloma	14	10.5	1.40	7.2	0.89	14	8.1	1.03	5.7	0.69
Leukemias	25	14.2	1.50	11.0	1.03	23	10.8	1.08	8.9	0.84
Acute lymphocytic	6	2.2	0.48	2.1	0.41	7	2.4	0.45	2.5	0.43
Chronic lymphocytic	4	2.8	0.69	2.0	0.46	4	2.5	0.57	1.9	0.40
Acute myeloid	9	5.5	0.97	4.1	0.64	6	3.1	0.60	2.4	0.42
Chronic myeloid	4	2.0	0.54	1.6	0.37	3	1.3	0.32	1.2	0.30
Other leukemias	3	1.7	0.54	1.3	0.35	3	1.4	0.41	1.1	0.30
Mesothelioma	2	2.3	0.76	1.2	0.39	-	-	-	-	-
Kaposi Sarcoma	2	1.2	0.42	1.0	0.30	-	-	-	-	-
Ill-defined & Unknown	24	20.0	2.04	13.1	1.23	22	13.4	1.36	8.8	0.86
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	13	7.3	1.02	5.7	0.73	35	17.0	1.36	13.4	1.02
Breast (<i>in situ</i>)	-	-	-	-	-	82	37.8	1.94	30.9	1.54

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

CONNECTICUT

78 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Connecticut, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,526	507.8	2.55	375.5	1.94	8,720	458.9	2.36	355.4	1.94
Oral Cavity & Pharynx	311	18.0	0.47	14.2	0.38	147	7.5	0.30	5.8	0.25
Lip	8	0.5	0.08	0.4	0.06	6	0.3	0.06	0.2	0.05
Tongue	111	6.3	0.28	5.1	0.23	48	2.5	0.18	2.0	0.15
Major salivary gland	23	1.4	0.14	1.0	0.10	21	1.2	0.13	1.0	0.12
Floor of mouth	14	0.8	0.10	0.6	0.08	7	0.3	0.06	0.3	0.05
Gum & other mouth	34	2.0	0.16	1.5	0.12	32	1.4	0.12	1.0	0.09
Nasopharynx	8	0.5	0.08	0.4	0.07	4	0.2	0.05	0.2	0.04
Oropharynx	14	0.8	0.10	0.7	0.08	5	0.3	0.05	0.2	0.04
Hypopharynx	19	1.1	0.11	0.8	0.09	5	0.2	0.05	0.2	0.04
Digestive System	1,551	92.3	1.08	66.7	0.80	1,249	60.2	0.81	43.2	0.62
Esophagus	148	8.6	0.33	6.3	0.24	41	1.9	0.14	1.3	0.10
Stomach	166	9.8	0.35	6.9	0.25	90	4.4	0.22	3.2	0.17
Small intestine	40	2.5	0.18	1.8	0.14	41	2.1	0.16	1.6	0.12
Colon excl. rectum	430	26.3	0.59	18.9	0.44	464	22.2	0.49	15.6	0.38
Rectum & rectosigmoid	205	12.8	0.42	9.6	0.32	155	8.0	0.31	6.3	0.25
Anus, anal canal & anorectum	25	1.5	0.14	1.1	0.11	43	2.1	0.15	1.7	0.12
Liver	165	9.0	0.32	7.0	0.25	46	2.2	0.15	1.6	0.12
Gallbladder	9	0.6	0.09	0.4	0.05	20	0.9	0.10	0.6	0.07
Pancreas	269	15.7	0.44	11.0	0.31	255	11.7	0.34	8.0	0.25
Respiratory System	1,238	72.5	0.94	50.6	0.66	1,268	60.8	0.79	43.2	0.58
Larynx	96	5.4	0.26	4.1	0.19	28	1.3	0.12	1.1	0.10
Lung & bronchus	1,125	65.9	0.90	45.5	0.62	1,229	58.8	0.77	41.6	0.56
Bones & Joints	16	1.3	0.15	1.3	0.16	11	0.8	0.12	0.8	0.13
Soft Tissue (incl. heart)	63	4.1	0.25	3.3	0.21	50	2.9	0.20	2.4	0.19
Skin (excl. basal & sq.)	530	32.7	0.66	23.8	0.50	368	20.9	0.53	16.7	0.45
Melanomas of the skin	488	30.1	0.63	22.1	0.48	347	19.9	0.52	16.0	0.45
Breast (excl. <i>in situ</i>)	25	1.4	0.13	1.0	0.10	2,650	145.0	1.35	115.1	1.10
Female Genital System	-	-	-	-	-	987	51.1	0.77	40.8	0.64
Cervix uteri	-	-	-	-	-	78	5.6	0.31	4.9	0.28
Uterus Corpus	-	-	-	-	-	578	28.8	0.56	23.0	0.45
Uterus, NOS ¹	-	-	-	-	-	17	0.8	0.09	0.6	0.07
Ovary	-	-	-	-	-	212	10.9	0.36	8.6	0.30
Male Genital System	2,040	115.0	1.18	89.8	0.93	-	-	-	-	-
Prostate	1,933	105.7	1.10	80.7	0.83	-	-	-	-	-
Testis	89	8.2	0.40	8.3	0.41	-	-	-	-	-
Penis	13	0.8	0.10	0.5	0.07	-	-	-	-	-
Urinary System	1,190	71.0	0.95	49.6	0.67	477	23.4	0.51	16.9	0.39
Bladder (incl. <i>in situ</i>)	789	47.1	0.77	31.3	0.52	260	12.1	0.35	8.3	0.25
Kidney & renal pelvis	373	22.2	0.54	17.2	0.42	197	10.4	0.35	8.0	0.29
Ureter	15	0.9	0.11	0.6	0.07	12	0.5	0.07	0.3	0.05
Eye & Orbit	15	1.0	0.12	0.8	0.10	17	1.1	0.13	0.9	0.13
Brain & Other CNS ¹	131	8.8	0.36	7.4	0.33	98	6.2	0.31	5.5	0.30
Brain	126	8.4	0.35	7.1	0.32	93	5.7	0.29	5.0	0.28
Endocrine System	165	11.5	0.43	10.1	0.39	393	28.5	0.70	26.1	0.66
Thyroid gland	153	10.6	0.41	9.2	0.37	382	27.8	0.69	25.4	0.65
Lymphomas	481	30.8	0.66	23.4	0.53	384	20.1	0.49	15.7	0.42
Hodgkin Lymphoma	49	3.9	0.26	3.7	0.26	37	2.9	0.23	2.9	0.24
Non-Hodgkin Lymphoma	433	26.9	0.60	19.7	0.46	348	17.2	0.44	12.8	0.35
Multiple Myeloma	143	8.5	0.33	6.0	0.23	102	5.0	0.23	3.7	0.18
Leukemias	290	18.3	0.50	13.9	0.42	232	12.1	0.39	9.4	0.35
Acute lymphocytic	19	1.6	0.18	1.8	0.21	17	1.5	0.17	1.6	0.20
Chronic lymphocytic	127	7.4	0.30	5.3	0.22	96	4.4	0.21	3.1	0.15
Acute myeloid	78	4.9	0.26	3.5	0.20	68	3.6	0.21	2.8	0.18
Chronic myeloid	33	2.2	0.18	1.6	0.14	29	1.6	0.14	1.2	0.12
Other leukemias	33	2.2	0.18	1.7	0.15	21	1.1	0.11	0.8	0.10
Mesothelioma	29	1.7	0.15	1.1	0.09	6	0.3	0.06	0.2	0.04
Kaposi Sarcoma	5	0.4	0.08	0.3	0.07	2	0.0	0.02	0.0	0.01
Ill-defined & Unknown	302	18.5	0.49	12.2	0.34	280	13.0	0.37	8.8	0.28
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	125	8.5	0.36	7.1	0.32	247	14.0	0.44	11.5	0.38
Breast (<i>in situ</i>)	4	0.2	0.06	0.2	0.05	763	45.0	0.78	36.8	0.64

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Connecticut, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	792	533.1	8.99	405.4	6.49	797	399.0	6.43	310.1	4.99
Oral Cavity & Pharynx	23	14.4	1.43	11.4	1.07	10	4.8	0.70	3.7	0.55
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	2.7	0.60	2.2	0.47	2	1.0	0.33	0.7	0.23
Major salivary gland	3	1.8	0.53	1.4	0.38	2	1.1	0.33	0.9	0.29
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	3	1.7	0.49	1.3	0.36	2	0.9	0.31	0.7	0.25
Nasopharynx	2	1.0	0.37	0.8	0.30	-	-	-	-	-
Oropharynx	2	1.0	0.34	0.9	0.30	-	-	-	-	-
Hypopharynx	3	1.9	0.56	1.3	0.38	-	-	-	-	-
Digestive System	171	117.3	4.27	87.6	3.01	155	77.7	2.84	58.0	2.11
Esophagus	11	7.5	1.08	5.5	0.75	4	2.2	0.47	1.7	0.37
Stomach	24	19.0	1.84	12.8	1.17	18	9.3	1.01	6.4	0.70
Small intestine	9	5.7	0.91	4.4	0.67	7	3.6	0.60	2.8	0.46
Colon excl. rectum	45	31.4	2.24	22.9	1.55	51	25.4	1.62	18.8	1.20
Rectum & rectosigmoid	24	15.7	1.54	12.0	1.11	17	8.4	0.94	6.4	0.71
Anus, anal canal & anorectum	1	0.7	0.29	0.7	0.27	4	2.0	0.45	1.7	0.38
Liver	26	15.7	1.44	12.9	1.14	9	4.0	0.60	3.4	0.50
Gallbladder	2	1.4	0.47	1.0	0.32	5	2.5	0.51	1.9	0.37
Pancreas	24	16.4	1.58	12.3	1.13	28	14.2	1.23	10.1	0.87
Respiratory System	112	83.7	3.75	58.8	2.50	95	48.0	2.24	35.3	1.64
Larynx	12	8.0	1.07	6.3	0.80	3	1.5	0.38	1.2	0.30
Lung & bronchus	98	74.6	3.57	51.7	2.35	90	45.5	2.19	33.2	1.58
Bones & Joints	1	0.6	0.26	0.7	0.28	3	1.3	0.37	1.3	0.38
Soft Tissue (incl. heart)	7	4.5	0.78	3.8	0.64	6	3.1	0.56	2.7	0.49
Skin (excl. basal & sq.)	3	1.8	0.48	1.5	0.40	4	2.1	0.48	1.6	0.37
Melanomas of the skin	2	1.2	0.41	1.0	0.32	2	1.1	0.36	0.8	0.25
Breast (excl. <i>in situ</i>)	4	2.5	0.64	1.9	0.44	252	125.0	3.58	99.8	2.85
Female Genital System	-	-	-	-	-	102	49.6	2.23	39.9	1.79
Cervix uteri	-	-	-	-	-	15	7.4	0.88	6.0	0.72
Uterus Corpus	-	-	-	-	-	57	26.9	1.62	21.7	1.30
Uterus, NOS ¹	-	-	-	-	-	4	1.9	0.44	1.6	0.35
Ovary	-	-	-	-	-	17	8.6	0.94	6.9	0.76
Male Genital System	277	176.5	4.99	139.0	3.76	-	-	-	-	-
Prostate	272	173.7	4.96	136.6	3.73	-	-	-	-	-
Testis	2	1.3	0.37	1.2	0.36	-	-	-	-	-
Penis	2	1.2	0.46	0.9	0.31	-	-	-	-	-
Urinary System	72	50.7	2.84	37.3	1.98	37	19.1	1.43	14.2	1.08
Bladder (incl. <i>in situ</i>)	28	23.0	2.08	14.8	1.27	15	7.9	0.92	5.5	0.65
Kidney & renal pelvis	42	25.7	1.84	21.2	1.47	20	10.4	1.06	8.2	0.84
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	9	5.6	0.86	4.9	0.74	7	3.4	0.59	2.8	0.51
Brain	8	5.1	0.81	4.6	0.71	6	3.1	0.57	2.5	0.46
Endocrine System	11	6.8	0.95	5.8	0.79	36	18.2	1.37	15.6	1.17
Thyroid gland	8	4.9	0.77	4.3	0.67	34	17.3	1.34	14.7	1.14
Lymphomas	34	22.0	1.79	17.6	1.36	27	13.8	1.21	11.0	0.97
Hodgkin Lymphoma	7	4.4	0.79	3.7	0.63	5	2.6	0.52	2.6	0.52
Non-Hodgkin Lymphoma	27	17.6	1.61	13.8	1.20	22	11.1	1.09	8.4	0.82
Multiple Myeloma	27	18.0	1.62	13.9	1.20	24	12.0	1.12	8.9	0.83
Leukemias	18	13.2	1.46	9.8	1.03	18	9.4	1.01	7.2	0.78
Acute lymphocytic	2	1.2	0.35	1.2	0.35	2	0.8	0.30	0.9	0.33
Chronic lymphocytic	5	3.6	0.79	2.4	0.51	4	2.2	0.48	1.7	0.36
Acute myeloid	6	4.5	0.87	3.3	0.61	5	2.9	0.57	2.1	0.42
Chronic myeloid	4	2.6	0.66	1.9	0.45	5	2.5	0.54	1.9	0.39
Other leukemias	2	1.3	0.47	0.9	0.32	2	0.9	0.31	0.6	0.21
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	1	0.8	0.32	0.6	0.26	-	-	-	-	-
Ill-defined & Unknown	20	14.5	1.53	10.6	1.06	21	10.9	1.08	7.6	0.78
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	9	5.8	0.90	4.8	0.71	20	9.8	1.00	8.2	0.84
Breast (<i>in situ</i>)	-	-	-	-	-	83	40.2	2.00	32.8	1.62

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Delaware, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,982	537.5	4.52	397.9	3.37	2,852	453.1	3.94	352.2	3.19
Oral Cavity & Pharynx	110	19.5	0.86	15.5	0.69	42	6.7	0.48	5.3	0.40
Lip	2	0.3	0.12	0.2	0.08	-	-	-	-	-
Tongue	36	6.3	0.49	5.0	0.39	11	1.7	0.25	1.3	0.20
Major salivary gland	10	1.9	0.28	1.4	0.21	9	1.5	0.24	1.2	0.20
Floor of mouth	6	0.9	0.17	0.7	0.14	2	0.3	0.10	0.3	0.09
Gum & other mouth	12	2.3	0.30	1.6	0.22	7	1.2	0.21	0.9	0.17
Nasopharynx	3	0.6	0.15	0.5	0.14	-	-	-	-	-
Oropharynx	5	0.9	0.18	0.7	0.14	2	0.3	0.10	0.2	0.08
Hypopharynx	6	1.0	0.19	0.8	0.15	1	0.2	0.09	0.1	0.06
Digestive System	559	101.7	1.97	74.4	1.45	428	65.7	1.46	47.8	1.11
Esophagus	49	9.0	0.59	6.3	0.41	10	1.6	0.22	1.1	0.16
Stomach	48	8.8	0.59	6.2	0.41	30	4.5	0.38	3.2	0.28
Small intestine	18	3.2	0.35	2.5	0.27	18	3.0	0.33	2.3	0.26
Colon excl. rectum	167	31.3	1.11	22.4	0.80	157	24.6	0.91	17.6	0.68
Rectum & rectosigmoid	68	12.8	0.71	9.9	0.55	51	8.1	0.52	6.3	0.42
Anus, anal canal & anorectum	8	1.4	0.24	1.1	0.18	15	2.3	0.27	1.9	0.23
Liver	73	12.3	0.66	9.9	0.53	25	3.6	0.33	2.6	0.25
Gallbladder	5	0.9	0.19	0.6	0.13	10	1.4	0.21	1.0	0.16
Pancreas	94	16.8	0.79	11.8	0.55	81	12.1	0.61	8.4	0.44
Respiratory System	456	82.2	1.76	57.3	1.22	430	63.0	1.38	45.6	1.02
Larynx	33	5.7	0.45	4.4	0.34	13	1.8	0.23	1.4	0.19
Lung & bronchus	416	75.3	1.69	51.9	1.16	415	60.8	1.36	43.9	1.00
Bones & Joints	4	0.9	0.20	0.9	0.21	4	0.8	0.19	0.8	0.19
Soft Tissue (incl. heart)	17	3.3	0.37	2.7	0.31	17	3.0	0.35	2.6	0.32
Skin (excl. basal & sq.)	221	41.2	1.27	29.6	0.93	143	23.6	0.92	19.0	0.77
Melanomas of the skin	209	38.8	1.24	28.2	0.91	135	22.3	0.90	18.0	0.75
Breast (excl. <i>in situ</i>)	7	1.2	0.21	0.9	0.15	836	134.7	2.17	106.2	1.75
Female Genital System	-	-	-	-	-	342	54.3	1.37	44.1	1.14
Cervix uteri	-	-	-	-	-	40	7.8	0.58	6.8	0.51
Uterus Corpus	-	-	-	-	-	190	28.9	0.97	23.4	0.80
Uterus, NOS ¹	-	-	-	-	-	11	1.7	0.24	1.4	0.20
Ovary	-	-	-	-	-	69	10.9	0.61	8.7	0.50
Male Genital System	776	130.8	2.15	102.2	1.68	-	-	-	-	-
Prostate	748	124.5	2.08	96.2	1.59	-	-	-	-	-
Testis	22	5.2	0.50	5.2	0.50	-	-	-	-	-
Penis	4	0.8	0.18	0.6	0.13	-	-	-	-	-
Urinary System	364	67.5	1.62	46.8	1.13	143	21.9	0.84	16.1	0.65
Bladder (incl. <i>in situ</i>)	226	42.2	1.28	27.7	0.84	66	9.7	0.54	6.7	0.39
Kidney & renal pelvis	129	23.5	0.95	18.1	0.74	74	11.7	0.63	9.1	0.51
Ureter	5	1.1	0.21	0.6	0.12	3	0.4	0.11	0.3	0.07
Eye & Orbit	-	-	-	-	-	2	0.4	0.13	0.3	0.13
Brain & Other CNS ¹	36	7.1	0.54	6.1	0.49	32	5.7	0.47	5.0	0.44
Brain	33	6.4	0.51	5.3	0.44	29	5.1	0.44	4.4	0.41
Endocrine System	41	7.9	0.57	7.1	0.53	131	26.0	1.06	23.5	0.98
Thyroid gland	35	6.8	0.53	6.0	0.48	127	25.2	1.04	22.8	0.96
Lymphomas	145	27.8	1.06	21.0	0.83	121	19.4	0.82	15.3	0.68
Hodgkin Lymphoma	16	3.4	0.39	3.3	0.38	12	2.6	0.34	2.6	0.34
Non-Hodgkin Lymphoma	129	24.5	0.99	17.8	0.73	108	16.8	0.75	12.7	0.59
Multiple Myeloma	47	8.6	0.57	6.2	0.42	41	6.2	0.44	4.5	0.33
Leukemias	91	17.3	0.84	13.3	0.67	57	9.1	0.56	7.5	0.50
Acute lymphocytic	8	1.8	0.29	1.9	0.31	-	-	-	-	-
Chronic lymphocytic	30	5.5	0.46	3.8	0.32	19	2.8	0.29	2.0	0.22
Acute myeloid	28	5.3	0.47	3.9	0.36	21	3.3	0.33	2.5	0.28
Chronic myeloid	11	2.2	0.31	1.7	0.24	7	1.0	0.19	0.9	0.15
Other leukemias	13	2.4	0.31	1.9	0.25	5	0.7	0.15	0.6	0.13
Mesothelioma	12	2.2	0.30	1.4	0.18	2	0.3	0.10	0.2	0.07
Kaposi Sarcoma	3	0.6	0.16	0.5	0.15	-	-	-	-	-
Ill-defined & Unknown	93	17.6	0.83	11.8	0.57	80	12.2	0.62	8.2	0.45
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	35	6.5	0.51	5.5	0.45	66	11.4	0.66	9.5	0.58
Breast (<i>in situ</i>)	-	-	-	-	-	199	32.8	1.09	26.8	0.89

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Delaware, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,403	537.1	5.06	396.1	3.83	2,270	462.8	4.61	359.8	3.78
Oral Cavity & Pharynx	95	21.2	1.01	17.1	0.82	35	6.8	0.55	5.3	0.45
Lip	2	0.4	0.15	0.3	0.10	-	-	-	-	-
Tongue	32	7.2	0.59	5.8	0.48	9	1.9	0.29	1.4	0.23
Major salivary gland	8	2.0	0.32	1.4	0.24	7	1.3	0.24	1.0	0.20
Floor of mouth	5	1.0	0.20	0.8	0.17	2	0.3	0.13	0.3	0.11
Gum & other mouth	10	2.3	0.32	1.6	0.24	6	1.3	0.25	1.0	0.21
Nasopharynx	1	0.3	0.13	0.3	0.11	-	-	-	-	-
Oropharynx	5	1.0	0.22	0.8	0.18	2	0.3	0.11	0.3	0.10
Hypopharynx	6	1.1	0.22	0.9	0.18	-	-	-	-	-
Digestive System	436	98.4	2.17	71.5	1.60	324	63.2	1.64	45.6	1.26
Esophagus	44	9.9	0.68	7.1	0.49	10	1.8	0.27	1.3	0.19
Stomach	36	8.1	0.62	5.6	0.44	21	4.2	0.43	2.9	0.31
Small intestine	14	2.9	0.37	2.3	0.28	13	2.7	0.36	2.1	0.29
Colon excl. rectum	131	30.4	1.23	21.8	0.90	120	23.8	1.02	16.9	0.78
Rectum & rectosigmoid	54	12.7	0.81	9.8	0.63	41	8.4	0.62	6.6	0.51
Anus, anal canal & anorectum	6	1.4	0.26	1.0	0.19	12	2.4	0.32	2.0	0.27
Liver	51	10.8	0.69	8.7	0.56	16	3.0	0.35	2.2	0.26
Gallbladder	4	0.8	0.20	0.6	0.14	7	1.2	0.23	0.9	0.17
Pancreas	75	16.4	0.86	11.3	0.60	61	11.2	0.66	7.7	0.48
Respiratory System	381	83.9	1.97	58.6	1.38	357	65.1	1.58	47.4	1.18
Larynx	27	5.8	0.51	4.5	0.39	10	1.8	0.26	1.4	0.21
Lung & bronchus	349	76.8	1.88	53.0	1.30	344	62.8	1.55	45.5	1.15
Bones & Joints	3	1.0	0.25	1.0	0.27	3	1.0	0.25	0.9	0.25
Soft Tissue (incl. heart)	13	3.2	0.42	2.6	0.36	12	2.8	0.39	2.5	0.38
Skin (excl. basal & sq.)	218	50.3	1.58	36.7	1.19	136	29.7	1.22	24.2	1.05
Melanomas of the skin	207	47.8	1.54	35.1	1.17	130	28.5	1.20	23.3	1.03
Breast (excl. <i>in situ</i>)	5	1.1	0.22	0.8	0.16	648	134.3	2.51	105.4	2.03
Female Genital System	-	-	-	-	-	271	55.7	1.61	45.5	1.36
Cervix uteri	-	-	-	-	-	29	7.8	0.69	6.9	0.63
Uterus Corpus	-	-	-	-	-	153	30.2	1.16	24.7	0.96
Uterus, NOS ¹	-	-	-	-	-	6	1.2	0.23	0.9	0.18
Ovary	-	-	-	-	-	57	11.6	0.73	9.1	0.60
Male Genital System	556	116.3	2.27	90.3	1.78	-	-	-	-	-
Prostate	530	108.3	2.15	82.5	1.63	-	-	-	-	-
Testis	21	6.9	0.69	6.9	0.69	-	-	-	-	-
Penis	4	0.8	0.21	0.6	0.16	-	-	-	-	-
Urinary System	312	70.8	1.84	48.9	1.30	116	22.6	0.99	16.7	0.78
Bladder (incl. <i>in situ</i>)	203	45.8	1.47	30.1	0.98	56	10.1	0.62	7.0	0.45
Kidney & renal pelvis	101	23.0	1.07	17.6	0.84	57	11.9	0.75	9.3	0.63
Ureter	5	1.2	0.24	0.7	0.14	3	0.5	0.13	0.3	0.09
Eye & Orbit	-	-	-	-	-	1	0.5	0.19	0.5	0.19
Brain & Other CNS ¹	32	8.2	0.68	7.0	0.62	26	6.1	0.56	5.2	0.54
Brain	30	7.6	0.65	6.3	0.57	25	5.5	0.53	4.7	0.50
Endocrine System	32	8.1	0.68	7.3	0.63	100	27.1	1.29	24.5	1.20
Thyroid gland	28	7.2	0.64	6.3	0.57	96	26.3	1.27	23.7	1.18
Lymphomas	120	28.4	1.20	21.2	0.94	100	20.3	0.97	15.8	0.81
Hodgkin Lymphoma	10	3.0	0.43	2.8	0.43	9	2.8	0.43	2.7	0.43
Non-Hodgkin Lymphoma	110	25.4	1.12	18.4	0.84	90	17.5	0.86	13.1	0.69
Multiple Myeloma	32	7.3	0.60	5.1	0.43	26	4.8	0.43	3.4	0.33
Leukemias	77	18.2	0.97	14.0	0.80	46	9.6	0.68	7.8	0.62
Acute lymphocytic	6	1.9	0.35	2.0	0.38	4	1.3	0.31	1.4	0.35
Chronic lymphocytic	27	6.0	0.53	4.2	0.38	16	2.9	0.34	2.1	0.26
Acute myeloid	23	5.5	0.52	4.0	0.41	17	3.5	0.40	2.7	0.36
Chronic myeloid	9	2.2	0.35	1.7	0.27	5	1.1	0.23	0.9	0.19
Other leukemias	11	2.6	0.37	2.1	0.33	4	0.8	0.18	0.7	0.17
Mesothelioma	11	2.5	0.34	1.5	0.21	2	0.4	0.13	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	78	17.9	0.93	12.2	0.66	68	12.8	0.73	8.8	0.54
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	26	6.1	0.56	5.2	0.50	50	11.6	0.78	9.8	0.71
Breast (<i>in situ</i>)	-	-	-	-	-	149	32.6	1.28	26.7	1.06

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Delaware, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	504	558.0	11.78	422.3	8.46	506	431.3	8.82	335.2	6.78
Oral Cavity & Pharynx	10	11.2	1.71	8.4	1.22	5	4.9	0.97	4.1	0.81
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.8	0.85	2.0	0.58	1	1.1	0.47	0.9	0.38
Major salivary gland	-	-	-	-	-	2	2.1	0.64	1.7	0.54
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	105	117.7	5.45	87.9	3.85	94	80.1	3.81	59.4	2.78
Esophagus	3	4.2	1.09	2.9	0.70	-	-	-	-	-
Stomach	9	10.5	1.65	7.7	1.13	7	5.9	1.03	4.1	0.71
Small intestine	4	4.7	1.09	3.5	0.77	5	4.5	0.92	3.3	0.68
Colon excl. rectum	33	39.5	3.27	28.0	2.19	34	29.8	2.35	22.0	1.71
Rectum & rectosigmoid	12	13.3	1.80	10.4	1.34	9	7.5	1.14	5.9	0.88
Anus, anal canal & anorectum	2	1.8	0.61	1.5	0.50	2	2.0	0.58	1.6	0.46
Liver	19	18.2	1.95	15.2	1.56	8	6.3	1.04	4.7	0.76
Gallbladder	1	2.0	0.76	1.2	0.47	2	1.8	0.55	1.3	0.40
Pancreas	16	17.6	2.12	13.1	1.49	19	16.8	1.77	11.9	1.23
Respiratory System	68	82.2	4.74	57.4	3.14	68	59.7	3.34	42.5	2.33
Larynx	5	6.2	1.26	4.5	0.87	2	1.5	0.48	1.3	0.40
Lung & bronchus	61	74.2	4.51	51.7	2.98	66	58.1	3.31	41.1	2.29
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	4	4.0	1.02	3.2	0.75	4	3.6	0.79	3.1	0.71
Skin (excl. basal & sq.)	2	2.1	0.80	1.4	0.48	3	2.9	0.72	2.6	0.63
Melanomas of the skin	-	-	-	-	-	2	1.5	0.52	1.3	0.45
Breast (excl. <i>in situ</i>)	2	2.1	0.77	1.4	0.48	163	135.6	4.88	108.6	3.86
Female Genital System	-	-	-	-	-	61	52.1	3.06	41.0	2.38
Cervix uteri	-	-	-	-	-	10	8.9	1.31	7.6	1.10
Uterus Corpus	-	-	-	-	-	32	26.4	2.16	20.3	1.63
Uterus, NOS ¹	-	-	-	-	-	5	3.5	0.72	3.1	0.64
Ovary	-	-	-	-	-	10	8.1	1.20	6.3	0.93
Male Genital System	200	204.6	6.79	162.5	5.16	-	-	-	-	-
Prostate	198	202.8	6.75	161.0	5.13	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	54.5	3.82	39.3	2.60	26	22.0	2.00	16.3	1.46
Bladder (incl. <i>in situ</i>)	20	25.9	2.77	17.1	1.72	9	8.4	1.25	5.9	0.87
Kidney & renal pelvis	26	27.7	2.56	21.6	1.92	16	13.3	1.54	10.2	1.16
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	2.8	0.71	2.9	0.74	5	4.4	0.88	4.1	0.82
Brain	2	1.9	0.57	1.9	0.58	4	3.7	0.81	3.5	0.77
Endocrine System	6	6.1	1.15	5.4	1.00	22	19.2	1.88	17.1	1.67
Thyroid gland	4	4.4	0.97	3.9	0.84	21	18.5	1.84	16.4	1.63
Lymphomas	19	21.4	2.29	17.1	1.76	18	15.4	1.66	13.1	1.42
Hodgkin Lymphoma	4	4.0	0.92	3.7	0.84	3	2.4	0.65	2.5	0.67
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	14	15.4	1.94	11.8	1.41	14	12.3	1.50	9.2	1.10
Leukemias	11	13.0	1.86	9.8	1.33	10	8.2	1.20	6.7	0.98
Acute lymphocytic	1	1.1	0.47	1.2	0.50	2	1.6	0.51	1.8	0.58
Chronic lymphocytic	3	3.3	0.99	2.2	0.61	3	2.6	0.68	1.9	0.49
Acute myeloid	3	3.9	1.05	2.8	0.70	3	2.6	0.71	1.7	0.47
Chronic myeloid	2	2.3	0.76	1.9	0.59	1	0.9	0.36	0.9	0.32
Other leukemias	2	2.3	0.76	1.7	0.55	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	2	1.6	0.58	1.6	0.56	-	-	-	-	-
Ill-defined & Unknown	12	17.3	2.37	10.8	1.38	11	10.4	1.42	7.0	0.95
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malignant)	7	7.4	1.31	6.3	1.07	13	11.2	1.42	9.0	1.13
Breast (<i>in situ</i>)	-	-	-	-	-	44	36.2	2.51	29.1	1.99

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Delaware, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	40	267.3	19.74	194.5	13.87	46	245.2	16.64	195.0	12.89
Oral Cavity & Pharynx	4	22.9	5.33	18.4	4.24	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	1	8.3	3.18	6.9	2.63	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	69.1	10.08	50.0	7.03	6	31.8	6.21	23.6	4.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	10.7	3.83	7.6	2.69	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	8.7	3.33	6.7	2.53	-	-	-	-	-
Rectum & rectosigmoid	2	13.3	4.74	9.1	3.05	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	11.9	3.81	9.6	3.04	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	11.5	4.33	8.1	2.87	1	8.7	3.41	6.0	2.28
Respiratory System	4	32.1	7.62	20.2	4.53	4	25.6	5.86	17.3	3.78
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	29.5	7.40	18.2	4.32	4	22.9	5.48	15.7	3.60
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	17	90.2	9.95	72.7	7.85
Female Genital System	-	-	-	-	-	6	27.9	5.39	23.2	4.40
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	3	16.6	4.27	13.2	3.30
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	7.3	2.58	6.7	2.36
Male Genital System	9	64.6	9.69	46.2	6.76	-	-	-	-	-
Prostate	9	63.7	9.65	45.4	6.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	18.6	4.85	14.3	3.70	2	8.5	3.09	6.4	2.26
Bladder (incl. <i>in situ</i>)	2	11.1	3.76	8.2	2.76	-	-	-	-	-
Kidney & renal pelvis	1	7.5	3.07	6.0	2.46	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	26.5	5.18	23.3	4.41
Thyroid gland	-	-	-	-	-	6	26.5	5.18	23.3	4.41
Lymphomas	3	19.8	5.59	13.7	3.68	2	11.5	3.58	9.3	2.80
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	16.7	5.29	10.9	3.29	2	10.8	3.51	8.4	2.67
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	9.6	3.48	8.3	3.02	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	11.2	4.02	7.9	2.79	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	2	12.0	3.82	9.8	3.11	2	8.1	2.86	6.8	2.40
Breast (<i>in situ</i>)	-	-	-	-	-	6	28.7	5.50	23.7	4.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Delaware, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	83	427.7	23.97	312.1	16.06	90	380.2	19.55	294.7	14.25
Oral Cavity & Pharynx	3	12.6	3.86	9.6	2.70	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	102.5	11.70	73.8	7.89	17	82.0	9.65	59.5	6.64
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	14.7	4.54	10.5	3.11	2	9.5	3.25	7.0	2.26
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	26.3	5.51	20.2	4.01	6	33.3	6.54	22.3	4.15
Rectum & rectosigmoid	3	11.7	3.36	9.3	2.49	2	9.3	3.01	7.4	2.29
Anus, anal canal & anorectum	-	-	-	-	-	1	4.8	2.05	4.1	1.71
Liver	4	26.2	6.13	18.5	4.08	1	6.3	2.72	4.7	1.94
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	13.7	4.85	7.9	2.72	2	7.6	2.67	6.1	2.08
Respiratory System	6	35.9	7.20	23.7	4.46	6	28.0	5.55	21.0	3.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	32.9	7.03	20.9	4.23	5	25.6	5.24	19.5	3.82
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	1	3.4	1.45	3.3	1.36	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	2	9.1	3.51	6.7	2.34	2	6.8	2.51	5.6	1.91
Breast (excl. <i>in situ</i>)	-	-	-	-	-	25	105.8	10.33	80.5	7.44
Female Genital System	-	-	-	-	-	13	53.1	6.97	42.5	5.33
Cervix uteri	-	-	-	-	-	2	4.8	1.75	4.1	1.49
Uterus Corpus	-	-	-	-	-	8	32.5	5.54	25.6	4.18
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	8.3	2.74	7.0	2.18
Male Genital System	25	126.4	12.75	96.2	9.00	-	-	-	-	-
Prostate	21	117.6	12.49	87.8	8.75	-	-	-	-	-
Testis	3	6.5	1.65	7.0	1.76	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	45.0	8.61	28.3	5.02	5	22.6	4.87	17.0	3.54
Bladder (incl. <i>in situ</i>)	4	29.2	7.15	17.3	3.94	1	7.4	2.92	5.4	2.07
Kidney & renal pelvis	3	13.9	4.39	10.0	2.91	3	15.2	3.90	11.6	2.87
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	7.0	2.61	6.3	2.04	2	5.2	2.14	4.7	1.65
Brain	2	5.3	2.35	4.6	1.74	-	-	-	-	-
Endocrine System	1	4.4	1.76	4.1	1.62	9	27.5	4.16	25.2	3.76
Thyroid gland	1	4.1	1.73	3.8	1.58	9	27.2	4.15	24.8	3.74
Lymphomas	6	29.2	6.07	22.9	4.34	4	19.8	4.64	15.0	3.29
Hodgkin Lymphoma	2	4.2	1.48	4.4	1.49	-	-	-	-	-
Non-Hodgkin Lymphoma	5	25.0	5.89	18.5	4.07	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	5	21.2	5.14	16.0	3.29	4	11.8	3.14	10.6	2.58
Acute lymphocytic	2	4.5	1.58	4.8	1.61	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	2	8.6	3.62	5.8	2.10	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	16.3	5.10	10.6	3.09	1	5.8	2.66	3.9	1.66
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	5.6	2.36	4.7	1.65	4	13.0	3.41	10.8	2.62
Breast (<i>in situ</i>)	-	-	-	-	-	8	30.0	4.85	24.9	4.00

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

DELAWARE

86 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Delaware, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,342	545.8	5.25	403.2	4.01	2,202	469.9	4.82	365.9	3.99
Oral Cavity & Pharynx	93	21.7	1.06	17.5	0.86	34	7.1	0.58	5.6	0.48
Lip	2	0.4	0.16	0.3	0.11	-	-	-	-	-
Tongue	31	7.5	0.63	6.1	0.52	9	1.9	0.31	1.5	0.25
Major salivary gland	7	1.9	0.32	1.3	0.23	7	1.4	0.26	1.1	0.22
Floor of mouth	5	1.0	0.21	0.8	0.18	2	0.4	0.13	0.3	0.11
Gum & other mouth	10	2.2	0.32	1.6	0.23	6	1.4	0.27	1.1	0.23
Nasopharynx	1	0.4	0.14	0.3	0.12	-	-	-	-	-
Oropharynx	5	1.1	0.24	0.8	0.19	2	0.3	0.12	0.3	0.10
Hypopharynx	5	1.1	0.23	0.9	0.19	-	-	-	-	-
Digestive System	421	99.0	2.23	72.1	1.67	311	62.9	1.69	45.4	1.30
Esophagus	44	10.3	0.71	7.3	0.52	9	1.8	0.28	1.3	0.20
Stomach	34	8.1	0.64	5.6	0.46	20	4.0	0.42	2.7	0.31
Small intestine	13	2.9	0.38	2.3	0.29	12	2.8	0.39	2.2	0.32
Colon excl. rectum	126	30.6	1.26	21.9	0.94	115	23.8	1.06	16.9	0.82
Rectum & rectosigmoid	51	12.7	0.84	9.8	0.66	39	8.4	0.64	6.7	0.53
Anus, anal canal & anorectum	5	1.3	0.26	1.0	0.19	11	2.3	0.32	1.9	0.27
Liver	48	10.6	0.71	8.6	0.58	15	3.0	0.36	2.2	0.27
Gallbladder	3	0.8	0.20	0.6	0.14	6	1.2	0.22	0.8	0.16
Pancreas	74	16.6	0.88	11.5	0.61	59	11.2	0.67	7.6	0.48
Respiratory System	376	85.7	2.03	60.0	1.44	352	66.4	1.63	48.4	1.22
Larynx	27	5.9	0.53	4.6	0.41	10	1.8	0.27	1.5	0.22
Lung & bronchus	344	78.4	1.94	54.3	1.35	340	64.0	1.60	46.5	1.19
Bones & Joints	3	0.9	0.25	0.9	0.28	3	0.8	0.25	0.8	0.25
Soft Tissue (incl. heart)	12	3.1	0.42	2.5	0.37	12	3.0	0.43	2.7	0.43
Skin (excl. basal & sq.)	216	52.4	1.67	38.5	1.28	135	31.3	1.32	25.6	1.14
Melanomas of the skin	205	49.8	1.63	36.8	1.26	129	30.0	1.29	24.7	1.13
Breast (excl. <i>in situ</i>)	5	1.1	0.21	0.8	0.15	631	137.0	2.63	107.7	2.14
Female Genital System	-	-	-	-	-	260	56.2	1.68	45.9	1.43
Cervix uteri	-	-	-	-	-	28	8.1	0.74	7.2	0.68
Uterus Corpus	-	-	-	-	-	147	30.2	1.19	24.7	1.00
Uterus, NOS ¹	-	-	-	-	-	6	1.3	0.24	1.0	0.19
Ovary	-	-	-	-	-	55	11.8	0.76	9.3	0.63
Male Genital System	540	117.2	2.33	91.0	1.84	-	-	-	-	-
Prostate	517	109.4	2.20	83.4	1.68	-	-	-	-	-
Testis	18	6.8	0.74	6.8	0.74	-	-	-	-	-
Penis	3	0.8	0.20	0.5	0.15	-	-	-	-	-
Urinary System	307	72.2	1.91	50.0	1.36	112	22.8	1.03	16.9	0.82
Bladder (incl. <i>in situ</i>)	199	46.5	1.51	30.6	1.01	55	10.3	0.65	7.2	0.47
Kidney & renal pelvis	99	23.8	1.13	18.3	0.89	54	11.9	0.79	9.3	0.66
Ureter	5	1.2	0.25	0.7	0.14	3	0.5	0.14	0.3	0.09
Eye & Orbit	-	-	-	-	-	1	0.6	0.22	0.6	0.23
Brain & Other CNS ¹	30	8.4	0.73	7.1	0.67	25	6.0	0.59	5.2	0.56
Brain	29	7.7	0.69	6.4	0.62	24	5.6	0.57	4.8	0.54
Endocrine System	31	8.8	0.76	8.0	0.72	93	27.6	1.38	25.0	1.29
Thyroid gland	28	7.7	0.71	6.8	0.64	90	26.8	1.36	24.3	1.27
Lymphomas	116	28.8	1.26	21.5	1.00	96	20.4	1.01	15.9	0.85
Hodgkin Lymphoma	9	2.9	0.46	2.8	0.46	9	2.9	0.47	2.9	0.47
Non-Hodgkin Lymphoma	107	25.8	1.17	18.7	0.89	87	17.5	0.89	13.0	0.71
Multiple Myeloma	31	7.5	0.62	5.3	0.45	25	4.8	0.45	3.5	0.34
Leukemias	72	18.0	1.00	13.7	0.83	43	9.4	0.70	7.5	0.64
Acute lymphocytic	5	1.6	0.35	1.7	0.38	3	1.3	0.34	1.4	0.38
Chronic lymphocytic	27	6.1	0.55	4.3	0.39	15	2.9	0.34	2.0	0.25
Acute myeloid	22	5.3	0.53	3.8	0.42	16	3.4	0.41	2.6	0.36
Chronic myeloid	9	2.3	0.38	1.7	0.30	5	1.1	0.25	0.9	0.20
Other leukemias	10	2.6	0.39	2.1	0.34	4	0.7	0.17	0.6	0.16
Mesothelioma	10	2.5	0.35	1.5	0.22	2	0.4	0.14	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	76	18.2	0.96	12.5	0.69	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	24	5.9	0.58	4.9	0.51	47	11.7	0.83	9.9	0.76
Breast (<i>in situ</i>)	-	-	-	-	-	142	32.8	1.33	26.8	1.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Delaware, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	498	563.6	11.96	426.9	8.61	498	435.8	8.98	339.3	6.94
Oral Cavity & Pharynx	10	11.5	1.75	8.6	1.25	5	4.9	0.98	4.1	0.83
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.8	0.87	2.1	0.60	1	1.2	0.49	1.0	0.40
Major salivary gland	-	-	-	-	-	2	1.9	0.62	1.6	0.53
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	105	120.2	5.57	89.8	3.94	93	81.1	3.88	60.2	2.83
Esophagus	3	4.3	1.11	2.9	0.72	-	-	-	-	-
Stomach	9	10.8	1.69	7.8	1.16	7	6.1	1.05	4.2	0.73
Small intestine	4	4.8	1.11	3.6	0.79	5	4.6	0.95	3.4	0.70
Colon excl. rectum	33	40.4	3.34	28.7	2.24	34	30.4	2.40	22.4	1.75
Rectum & rectosigmoid	12	13.6	1.84	10.7	1.38	9	7.4	1.15	5.8	0.89
Anus, anal canal & anorectum	2	1.8	0.63	1.5	0.51	2	1.9	0.58	1.5	0.46
Liver	19	18.4	1.98	15.3	1.58	8	6.4	1.05	4.8	0.78
Gallbladder	1	2.0	0.77	1.3	0.48	2	1.8	0.56	1.3	0.41
Pancreas	16	18.0	2.17	13.4	1.52	19	17.0	1.80	12.1	1.25
Respiratory System	67	83.4	4.82	58.5	3.20	67	60.3	3.39	42.9	2.36
Larynx	5	6.3	1.28	4.6	0.89	2	1.5	0.49	1.3	0.41
Lung & bronchus	61	75.3	4.58	52.6	3.04	65	58.6	3.35	41.5	2.32
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	4	4.1	1.05	3.3	0.78	4	3.7	0.82	3.3	0.74
Skin (excl. basal & sq.)	2	2.1	0.81	1.4	0.49	3	3.0	0.75	2.7	0.66
Melanomas of the skin	-	-	-	-	-	2	1.6	0.53	1.4	0.47
Breast (excl. <i>in situ</i>)	2	2.1	0.78	1.4	0.49	160	136.9	4.97	109.8	3.95
Female Genital System	-	-	-	-	-	61	53.1	3.13	41.9	2.45
Cervix uteri	-	-	-	-	-	10	9.1	1.34	7.7	1.14
Uterus Corpus	-	-	-	-	-	32	27.0	2.20	20.8	1.67
Uterus, NOS ¹	-	-	-	-	-	5	3.6	0.74	3.2	0.66
Ovary	-	-	-	-	-	9	8.2	1.22	6.4	0.96
Male Genital System	196	205.2	6.87	163.0	5.23	-	-	-	-	-
Prostate	194	203.3	6.83	161.4	5.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	55.4	3.88	40.0	2.66	25	21.5	2.00	16.0	1.46
Bladder (incl. <i>in situ</i>)	20	26.0	2.79	17.3	1.74	9	8.0	1.23	5.6	0.86
Kidney & renal pelvis	26	28.4	2.62	22.2	1.98	15	13.2	1.55	10.2	1.17
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	2.6	0.69	2.7	0.72	5	4.6	0.92	4.3	0.87
Brain	2	1.8	0.56	1.8	0.57	4	3.8	0.84	3.6	0.81
Endocrine System	6	6.3	1.19	5.6	1.04	21	19.5	1.94	17.4	1.73
Thyroid gland	4	4.6	1.00	4.1	0.88	20	18.7	1.90	16.7	1.68
Lymphomas	19	21.6	2.33	17.3	1.81	18	15.8	1.72	13.4	1.47
Hodgkin Lymphoma	4	4.2	0.96	3.9	0.88	3	2.4	0.67	2.5	0.69
Non-Hodgkin Lymphoma	15	17.4	2.12	13.3	1.58	15	13.4	1.58	11.0	1.30
Multiple Myeloma	14	15.3	1.96	11.7	1.43	14	12.6	1.53	9.4	1.13
Leukemias	11	12.7	1.84	9.7	1.34	9	7.9	1.19	6.4	0.97
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	2.9	0.91	2.0	0.59	3	2.4	0.67	1.8	0.48
Acute myeloid	3	4.0	1.07	2.9	0.72	3	2.6	0.73	1.8	0.48
Chronic myeloid	2	2.4	0.79	1.9	0.62	1	0.8	0.34	0.7	0.31
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	1	1.5	0.57	1.4	0.53	-	-	-	-	-
Ill-defined & Unknown	12	17.5	2.41	10.9	1.41	11	10.5	1.45	7.0	0.96
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	7.6	1.35	6.5	1.11	13	11.4	1.45	9.2	1.17
Breast (<i>in situ</i>)	-	-	-	-	-	43	36.5	2.56	29.4	2.03

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

DELAWARE

88 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
District of Columbia, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,327	452.8	5.74	347.8	4.32	1,509	417.8	4.94	328.1	3.93
Oral Cavity & Pharynx	49	17.1	1.12	13.1	0.85	22	5.9	0.58	4.8	0.47
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	14	4.8	0.59	3.7	0.44	5	1.5	0.30	1.1	0.22
Major salivary gland	5	1.8	0.37	1.4	0.29	6	1.6	0.31	1.4	0.26
Floor of mouth	2	0.7	0.22	0.5	0.17	-	-	-	-	-
Gum & other mouth	6	2.1	0.41	1.5	0.28	3	0.8	0.20	0.6	0.15
Nasopharynx	4	1.4	0.32	1.2	0.28	1	0.3	0.14	0.3	0.12
Oropharynx	3	1.2	0.30	0.8	0.21	2	0.5	0.17	0.5	0.15
Hypopharynx	5	1.7	0.36	1.3	0.26	-	-	-	-	-
Digestive System	314	107.3	2.79	81.8	2.08	281	76.9	2.10	57.9	1.61
Esophagus	16	5.6	0.65	4.1	0.47	9	2.2	0.35	1.6	0.26
Stomach	34	11.8	0.94	8.6	0.67	22	6.2	0.61	4.6	0.46
Small intestine	11	3.8	0.52	2.9	0.39	12	3.4	0.45	2.7	0.36
Colon excl. rectum	82	28.7	1.47	21.2	1.06	100	27.1	1.24	20.3	0.95
Rectum & rectosigmoid	36	12.2	0.94	9.5	0.72	33	9.4	0.75	7.4	0.59
Anus, anal canal & anorectum	12	4.1	0.53	3.3	0.42	11	2.8	0.40	2.4	0.33
Liver	55	16.8	1.04	14.1	0.86	20	5.2	0.53	4.1	0.43
Gallbladder	4	1.4	0.32	1.1	0.24	6	1.7	0.32	1.1	0.21
Pancreas	51	18.3	1.18	13.3	0.84	51	14.0	0.89	10.0	0.65
Respiratory System	159	55.6	2.04	41.1	1.47	172	46.7	1.62	34.8	1.22
Larynx	13	4.5	0.58	3.5	0.43	6	1.6	0.30	1.3	0.24
Lung & bronchus	141	49.8	1.93	36.5	1.38	164	44.5	1.58	33.1	1.19
Bones & Joints	4	1.4	0.32	1.4	0.33	4	1.0	0.25	1.0	0.26
Soft Tissue (incl. heart)	12	3.9	0.53	3.2	0.43	9	2.4	0.37	2.1	0.33
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	43	14.9	1.05	11.2	0.77	26	6.9	0.62	5.8	0.52
Breast (excl. <i>in situ</i>)	7	2.5	0.43	1.8	0.31	489	139.4	2.89	110.0	2.30
Female Genital System	-	-	-	-	-	199	55.0	1.78	44.3	1.44
Cervix uteri	-	-	-	-	-	31	8.8	0.73	7.3	0.60
Uterus Corpus	-	-	-	-	-	105	28.5	1.27	22.9	1.02
Uterus, NOS ¹	-	-	-	-	-	6	1.7	0.31	1.4	0.26
Ovary	-	-	-	-	-	43	12.1	0.84	9.7	0.69
Male Genital System	397	133.0	3.08	102.9	2.32	-	-	-	-	-
Prostate	375	127.4	3.03	97.4	2.26	-	-	-	-	-
Testis	20	5.1	0.54	5.1	0.52	-	-	-	-	-
Penis	1	0.4	0.15	0.3	0.11	-	-	-	-	-
Urinary System	111	38.8	1.70	28.5	1.22	63	17.1	0.99	12.8	0.76
Bladder (incl. <i>in situ</i>)	56	20.4	1.26	14.0	0.85	27	7.4	0.65	5.1	0.46
Kidney & renal pelvis	52	17.3	1.10	13.7	0.85	34	9.2	0.73	7.3	0.59
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	0.4	0.15	0.4	0.15	1	0.4	0.15	0.4	0.15
Brain & Other CNS ¹	19	6.2	0.65	5.7	0.61	13	3.8	0.49	3.5	0.47
Brain	18	5.7	0.63	5.2	0.58	11	3.2	0.45	2.9	0.42
Endocrine System	28	8.3	0.74	7.3	0.64	74	19.9	1.08	17.9	0.96
Thyroid gland	24	7.2	0.68	6.3	0.59	72	19.3	1.06	17.3	0.94
Lymphomas	65	22.0	1.26	17.6	1.00	55	14.8	0.92	12.2	0.77
Hodgkin Lymphoma	9	2.8	0.43	2.6	0.40	11	2.7	0.38	2.7	0.38
Non-Hodgkin Lymphoma	56	19.2	1.19	15.1	0.92	44	12.1	0.84	9.5	0.67
Multiple Myeloma	30	10.7	0.91	7.7	0.64	30	8.2	0.69	6.0	0.51
Leukemias	32	11.1	0.92	9.1	0.77	22	6.3	0.62	5.3	0.55
Acute lymphocytic	-	-	-	-	-	4	1.0	0.26	1.0	0.28
Chronic lymphocytic	9	3.0	0.48	2.2	0.34	5	1.4	0.29	1.0	0.22
Acute myeloid	9	3.1	0.49	2.4	0.37	9	2.5	0.39	2.1	0.35
Chronic myeloid	5	1.5	0.32	1.2	0.25	3	0.9	0.23	0.8	0.20
Other leukemias	4	1.4	0.33	0.9	0.21	2	0.5	0.16	0.4	0.12
Mesothelioma	2	0.9	0.27	0.6	0.18	-	-	-	-	-
Kaposi Sarcoma	8	2.2	0.36	2.1	0.34	-	-	-	-	-
Ill-defined & Unknown	44	15.7	1.09	11.8	0.81	43	11.5	0.81	8.1	0.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	25	9.0	0.83	7.1	0.65	48	13.4	0.89	10.8	0.74
Breast (<i>in situ</i>)	1	0.5	0.17	0.4	0.14	137	40.4	1.58	32.7	1.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
District of Columbia, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	418	334.5	7.67	251.1	5.65	442	344.6	7.68	266.0	5.94
Oral Cavity & Pharynx	20	16.2	1.69	11.9	1.22	7	5.5	0.96	4.1	0.70
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	5.7	1.00	4.2	0.72	3	2.1	0.62	1.5	0.44
Major salivary gland	3	2.1	0.61	1.5	0.43	2	1.3	0.42	1.0	0.33
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	3	2.7	0.72	1.9	0.49	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	1	1.1	0.46	0.8	0.32	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	79	65.5	3.42	47.6	2.42	62	49.5	2.93	36.2	2.16
Esophagus	5	4.0	0.87	2.8	0.59	2	1.6	0.54	1.0	0.35
Stomach	10	8.3	1.22	5.8	0.83	4	3.0	0.72	2.2	0.52
Small intestine	3	2.1	0.59	1.5	0.42	1	1.2	0.45	0.9	0.36
Colon excl. rectum	20	16.2	1.69	11.8	1.19	21	16.5	1.68	12.2	1.25
Rectum & rectosigmoid	10	7.5	1.12	5.9	0.86	8	6.4	1.04	5.0	0.81
Anus, anal canal & anorectum	5	3.5	0.72	3.0	0.62	2	1.9	0.57	1.6	0.47
Liver	7	5.7	0.99	4.4	0.75	2	1.4	0.49	1.1	0.38
Gallbladder	-	-	-	-	-	1	1.2	0.47	0.8	0.32
Pancreas	14	13.8	1.67	8.8	1.04	14	11.5	1.43	7.6	0.96
Respiratory System	32	28.2	2.30	19.2	1.53	37	30.6	2.34	20.8	1.59
Larynx	2	1.8	0.60	1.3	0.40	-	-	-	-	-
Lung & bronchus	28	24.8	2.16	16.7	1.43	36	29.8	2.31	20.1	1.55
Bones & Joints	2	1.1	0.40	1.1	0.39	2	1.6	0.53	1.5	0.49
Soft Tissue (incl. heart)	5	3.1	0.67	2.6	0.56	3	2.7	0.68	2.3	0.60
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	29	22.9	1.99	16.8	1.43	18	11.5	1.36	8.9	1.01
Breast (excl. <i>in situ</i>)	2	1.9	0.60	1.1	0.37	164	130.7	4.73	103.1	3.73
Female Genital System	-	-	-	-	-	52	41.4	2.67	32.0	2.06
Cervix uteri	-	-	-	-	-	7	4.6	0.84	3.8	0.69
Uterus Corpus	-	-	-	-	-	25	20.1	1.86	15.6	1.44
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	15	12.3	1.45	9.5	1.14
Male Genital System	117	90.0	3.88	69.6	2.92	-	-	-	-	-
Prostate	101	82.4	3.77	62.0	2.78	-	-	-	-	-
Testis	15	7.0	0.87	7.2	0.88	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	41	34.9	2.52	24.4	1.73	16	12.9	1.52	9.1	1.06
Bladder (incl. <i>in situ</i>)	25	21.8	2.02	14.7	1.33	7	5.3	0.95	3.7	0.66
Kidney & renal pelvis	14	11.4	1.41	8.6	1.03	8	7.1	1.15	5.1	0.82
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	1	0.9	0.39	0.8	0.35
Brain & Other CNS ¹	10	7.5	1.15	6.8	1.09	5	3.5	0.76	3.1	0.71
Brain	10	7.2	1.12	6.5	1.03	4	3.3	0.74	3.0	0.69
Endocrine System	15	9.5	1.21	8.7	1.13	34	22.0	1.86	20.0	1.66
Thyroid gland	13	8.0	1.08	7.3	0.98	34	21.6	1.84	19.7	1.65
Lymphomas	27	21.3	1.98	15.9	1.44	19	14.0	1.53	11.0	1.20
Hodgkin Lymphoma	5	2.8	0.61	2.7	0.57	4	2.1	0.51	2.3	0.56
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	6.5	1.09	4.8	0.78	5	4.1	0.84	3.0	0.61
Leukemias	15	11.6	1.44	10.0	1.27	6	5.1	1.01	4.3	0.95
Acute lymphocytic	4	3.0	0.75	3.3	0.87	1	1.2	0.56	1.3	0.62
Chronic lymphocytic	4	3.0	0.71	2.3	0.54	2	1.2	0.42	0.8	0.31
Acute myeloid	3	2.8	0.72	2.2	0.59	2	2.0	0.65	1.7	0.60
Chronic myeloid	3	1.9	0.59	1.4	0.40	-	-	-	-	-
Other leukemias	1	0.9	0.38	0.6	0.27	-	-	-	-	-
Mesothelioma	1	1.4	0.55	0.9	0.34	-	-	-	-	-
Kaposi Sarcoma	1	0.8	0.33	0.8	0.29	-	-	-	-	-
Ill-defined & Unknown	13	11.1	1.42	8.2	1.03	10	7.7	1.13	4.9	0.75
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	11	8.9	1.25	6.8	0.95	14	10.4	1.32	8.6	1.10
Breast (<i>in situ</i>)	-	-	-	-	-	48	40.7	2.68	33.4	2.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
District of Columbia, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	795	500.2	8.21	388.2	6.26	952	434.2	6.51	341.5	5.24
Oral Cavity & Pharynx	27	16.9	1.52	13.4	1.19	13	5.7	0.74	4.8	0.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	3.8	0.70	3.0	0.55	2	1.0	0.30	0.7	0.23
Major salivary gland	2	1.3	0.42	1.1	0.36	3	1.5	0.41	1.4	0.37
Floor of mouth	1	0.9	0.35	0.7	0.26	-	-	-	-	-
Gum & other mouth	2	1.5	0.46	1.1	0.33	2	0.9	0.27	0.8	0.24
Nasopharynx	3	2.0	0.53	1.8	0.48	-	-	-	-	-
Oropharynx	2	1.3	0.43	1.0	0.30	2	0.7	0.25	0.6	0.23
Hypopharynx	4	2.7	0.61	2.0	0.45	-	-	-	-	-
Digestive System	216	135.6	4.28	105.3	3.26	200	88.0	2.87	67.0	2.25
Esophagus	10	6.5	0.94	4.9	0.69	6	2.6	0.47	1.9	0.36
Stomach	21	14.1	1.41	10.4	1.02	16	7.4	0.86	5.4	0.66
Small intestine	8	5.1	0.84	4.1	0.67	10	4.6	0.68	3.7	0.56
Colon excl. rectum	54	36.2	2.26	26.7	1.65	73	31.8	1.72	24.0	1.33
Rectum & rectosigmoid	22	14.7	1.44	11.5	1.11	21	10.1	1.02	7.9	0.82
Anus, anal canal & anorectum	8	5.3	0.89	4.3	0.71	7	3.1	0.54	2.6	0.46
Liver	46	25.1	1.71	21.5	1.44	16	6.8	0.77	5.6	0.65
Gallbladder	3	2.0	0.53	1.4	0.38	5	2.0	0.42	1.3	0.28
Pancreas	34	21.2	1.68	16.5	1.27	35	15.2	1.17	11.3	0.89
Respiratory System	121	75.9	3.20	57.2	2.35	130	56.2	2.25	43.0	1.75
Larynx	11	6.5	0.92	5.1	0.70	5	2.4	0.47	1.9	0.38
Lung & bronchus	108	68.6	3.05	51.5	2.23	124	53.1	2.19	40.5	1.69
Bones & Joints	2	1.6	0.47	1.6	0.48	-	-	-	-	-
Soft Tissue (incl. heart)	7	4.4	0.80	3.6	0.64	5	2.5	0.51	2.2	0.45
Skin (excl. basal & sq.)	2	1.4	0.42	1.1	0.34	4	1.9	0.47	1.6	0.42
Melanomas of the skin	1	0.9	0.35	0.7	0.27	2	0.8	0.31	0.7	0.28
Breast (excl. <i>in situ</i>)	5	3.2	0.67	2.5	0.52	290	137.4	3.75	107.9	3.00
Female Genital System	-	-	-	-	-	127	57.8	2.37	46.9	1.95
Cervix uteri	-	-	-	-	-	19	9.6	1.03	7.9	0.86
Uterus Corpus	-	-	-	-	-	70	30.7	1.69	24.7	1.36
Uterus, NOS ¹	-	-	-	-	-	5	2.3	0.47	1.9	0.39
Ovary	-	-	-	-	-	24	11.2	1.06	9.1	0.89
Male Genital System	236	144.1	4.35	111.7	3.29	-	-	-	-	-
Prostate	232	141.5	4.30	109.3	3.24	-	-	-	-	-
Testis	3	2.3	0.60	2.1	0.53	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	63	39.7	2.32	30.1	1.73	45	19.6	1.36	15.0	1.07
Bladder (incl. <i>in situ</i>)	26	17.3	1.56	12.1	1.07	19	8.2	0.86	5.6	0.61
Kidney & renal pelvis	36	22.0	1.70	17.7	1.35	24	10.8	1.02	8.9	0.86
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	7	4.5	0.76	4.2	0.72	7	3.6	0.63	3.5	0.63
Brain	7	4.0	0.70	3.8	0.68	6	2.6	0.52	2.5	0.50
Endocrine System	10	6.3	0.91	5.0	0.73	31	15.4	1.29	13.5	1.13
Thyroid gland	9	5.3	0.84	4.3	0.67	30	14.7	1.26	12.8	1.09
Lymphomas	32	20.6	1.69	17.3	1.40	29	13.7	1.18	11.5	1.01
Hodgkin Lymphoma	4	2.4	0.59	2.1	0.51	5	2.6	0.52	2.5	0.50
Non-Hodgkin Lymphoma	-	-	-	-	-	24	11.1	1.06	9.0	0.88
Multiple Myeloma	20	13.3	1.38	9.6	0.99	24	10.4	0.98	7.8	0.75
Leukemias	15	9.8	1.18	7.4	0.90	14	6.4	0.80	5.4	0.72
Acute lymphocytic	1	0.9	0.36	1.1	0.44	2	1.2	0.36	1.2	0.38
Chronic lymphocytic	5	3.2	0.69	2.2	0.48	2	1.0	0.30	0.8	0.24
Acute myeloid	4	3.0	0.66	2.1	0.46	5	2.2	0.44	1.8	0.39
Chronic myeloid	2	1.0	0.34	0.9	0.29	3	1.5	0.41	1.3	0.36
Other leukemias	2	1.6	0.50	1.0	0.30	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	5	3.0	0.62	3.0	0.63	-	-	-	-	-
Ill-defined & Unknown	29	19.3	1.66	14.6	1.24	32	14.1	1.16	10.2	0.87
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	13	8.6	1.12	6.7	0.87	29	13.6	1.17	10.9	0.97
Breast (<i>in situ</i>)	-	-	-	-	-	77	37.2	1.96	29.8	1.58

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
District of Columbia, 2013-2017, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	27	356.1	33.02	269.6	24.12	38	295.8	22.97	234.1	17.66
Oral Cavity & Pharynx	2	23.5	7.85	18.5	6.08	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	9	121.3	19.84	91.9	14.34	6	49.8	9.63	37.1	6.98
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	20.4	8.14	15.3	5.80	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	24.6	8.96	18.6	6.41	2	10.7	4.17	9.0	3.36
Rectum & rectosigmoid	2	21.5	8.47	15.8	5.94	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	1	15.9	6.90	12.6	5.19	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	27.6	10.11	19.3	6.88	-	-	-	-	-
Respiratory System	4	59.8	14.28	41.4	9.75	3	25.8	7.32	18.4	5.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	54.4	13.65	37.5	9.29	3	25.8	7.32	18.4	5.03
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	13	98.8	12.77	80.3	10.15
Female Genital System	-	-	-	-	-	5	36.2	7.67	30.8	6.40
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	14.4	4.95	12.3	4.17
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	12.8	4.39	11.2	3.72
Male Genital System	6	78.4	15.18	62.8	11.69	-	-	-	-	-
Prostate	5	65.9	13.67	53.2	10.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	26.1	8.49	17.9	5.79	1	12.4	5.14	9.0	3.67
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	4	26.1	6.17	23.9	5.61
Thyroid gland	-	-	-	-	-	4	24.0	5.94	21.3	5.19
Lymphomas	1	19.6	7.87	16.0	6.14	2	13.5	5.05	10.4	3.70
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	1	11.1	4.82	8.1	3.41
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	2	21.4	6.32	16.2	4.73
Breast (<i>in situ</i>)	-	-	-	-	-	4	31.5	7.04	26.3	5.77

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
District of Columbia, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	59	304.7	21.35	228.9	14.37	70	274.9	15.71	214.7	11.72
Oral Cavity & Pharynx	2	10.8	3.77	8.7	2.78	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	83.2	11.21	61.5	7.51	13	55.1	7.37	39.4	5.06
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	3	17.8	5.01	13.4	3.47	2	7.1	2.67	5.2	1.86
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	4	19.2	5.11	14.7	3.53	3	13.5	3.76	8.8	2.34
Rectum & rectosigmoid	2	9.3	3.37	7.5	2.51	2	8.2	2.78	5.9	1.90
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	1	7.6	3.54	5.5	2.33	1	4.8	1.97	4.0	1.65
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	16.7	6.01	10.0	3.48	1	6.0	2.63	3.6	1.52
Respiratory System	5	26.5	6.23	20.3	4.44	3	16.1	4.23	10.7	2.70
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	23.9	6.03	17.9	4.21	3	15.4	4.16	10.0	2.62
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	1	3.8	1.65	3.1	1.29
Skin (excl. basal & sq.)	1	7.4	3.42	5.3	2.20	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	1	4.4	1.85	3.6	1.51
Breast (excl. <i>in situ</i>)	-	-	-	-	-	21	82.0	8.37	65.4	6.43
Female Genital System	-	-	-	-	-	8	30.0	5.08	24.3	3.88
Cervix uteri	-	-	-	-	-	3	10.2	2.61	9.1	2.27
Uterus Corpus	-	-	-	-	-	3	11.6	3.31	8.9	2.42
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	6.6	2.39	5.5	1.87
Male Genital System	14	75.7	10.75	56.9	7.26	-	-	-	-	-
Prostate	11	68.1	10.46	49.2	6.91	-	-	-	-	-
Testis	3	5.9	1.72	6.4	1.86	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	17.7	5.67	11.8	3.40	2	9.6	2.97	7.7	2.25
Bladder (incl. <i>in situ</i>)	1	11.0	4.86	6.4	2.71	-	-	-	-	-
Kidney & renal pelvis	2	6.7	2.92	5.3	2.05	1	5.8	2.32	4.7	1.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	2	7.8	2.94	6.7	2.17	8	23.5	3.97	21.7	3.61
Thyroid gland	2	6.8	2.84	5.8	2.06	7	21.9	3.78	20.4	3.48
Lymphomas	6	30.2	6.96	21.9	4.44	5	20.3	4.34	16.2	3.25
Hodgkin Lymphoma	2	5.9	2.81	4.9	1.96	-	-	-	-	-
Non-Hodgkin Lymphoma	4	24.3	6.37	17.1	3.99	-	-	-	-	-
Multiple Myeloma	2	9.2	3.08	7.8	2.55	-	-	-	-	-
Leukemias	4	16.4	4.43	13.9	3.22	1	4.4	1.94	4.1	1.73
Acute lymphocytic	2	6.3	2.94	5.5	2.04	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	3.8	1.57	3.3	1.38	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	10.2	4.43	6.5	2.51	3	15.6	4.03	10.5	2.66
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	4.6	1.66	4.2	1.54	3	14.2	3.97	9.5	2.56
Breast (<i>in situ</i>)	-	-	-	-	-	9	32.0	4.96	26.7	4.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

District of Columbia

94 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
District of Columbia, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	380	345.5	8.26	261.0	6.25	398	365.7	8.63	281.7	6.72
Oral Cavity & Pharynx	18	17.2	1.84	12.7	1.34	7	5.8	1.07	4.3	0.78
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	6.4	1.13	4.8	0.83	2	2.3	0.71	1.6	0.51
Major salivary gland	2	2.2	0.65	1.6	0.47	2	1.3	0.43	1.0	0.34
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	3	2.8	0.78	2.0	0.53	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	69	64.2	3.57	46.9	2.58	55	50.6	3.19	36.8	2.34
Esophagus	4	4.2	0.94	2.9	0.64	2	1.8	0.62	1.2	0.40
Stomach	8	7.3	1.21	5.0	0.82	3	2.4	0.68	1.7	0.49
Small intestine	2	1.9	0.61	1.3	0.43	1	1.1	0.48	0.9	0.38
Colon excl. rectum	18	16.4	1.80	11.9	1.28	20	17.8	1.88	13.3	1.42
Rectum & rectosigmoid	8	7.4	1.18	5.8	0.92	7	6.8	1.17	5.4	0.92
Anus, anal canal & anorectum	5	3.8	0.81	3.3	0.70	2	2.3	0.69	1.9	0.56
Liver	6	5.4	1.02	4.3	0.81	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	13	13.2	1.70	8.5	1.08	13	12.6	1.62	8.4	1.10
Respiratory System	29	28.8	2.44	19.6	1.64	35	33.1	2.61	22.6	1.78
Larynx	2	2.1	0.66	1.4	0.45	-	-	-	-	-
Lung & bronchus	26	25.3	2.28	17.0	1.52	34	32.4	2.58	21.9	1.75
Bones & Joints	1	1.0	0.44	1.1	0.46	2	1.7	0.58	1.5	0.52
Soft Tissue (incl. heart)	4	3.5	0.77	3.0	0.67	2	2.1	0.67	1.7	0.58
Skin (excl. basal & sq.)	-	-	-	-	-	18	13.8	1.60	10.6	1.19
Melanomas of the skin	29	25.4	2.21	18.8	1.62	17	12.8	1.56	9.9	1.16
Breast (excl. <i>in situ</i>)	2	2.1	0.67	1.3	0.42	150	142.5	5.41	112.5	4.29
Female Genital System	-	-	-	-	-	47	44.9	3.04	34.8	2.37
Cervix uteri	-	-	-	-	-	5	4.0	0.86	3.3	0.71
Uterus Corpus	-	-	-	-	-	24	22.7	2.15	17.7	1.68
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	14	13.3	1.65	10.3	1.30
Male Genital System	109	94.8	4.20	73.6	3.19	-	-	-	-	-
Prostate	95	87.1	4.07	66.1	3.05	-	-	-	-	-
Testis	13	7.0	0.95	7.1	0.94	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	39	37.2	2.72	26.3	1.90	14	13.5	1.67	9.3	1.16
Bladder (incl. <i>in situ</i>)	24	23.4	2.18	16.0	1.47	6	5.4	1.02	3.7	0.70
Kidney & renal pelvis	13	12.0	1.53	9.0	1.13	8	7.5	1.27	5.4	0.90
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	1	1.1	0.48	1.0	0.46
Brain & Other CNS ¹	9	8.7	1.43	8.2	1.46	4	4.0	0.92	3.7	0.91
Brain	9	8.2	1.36	7.6	1.37	4	3.8	0.90	3.5	0.89
Endocrine System	14	10.1	1.36	9.2	1.28	30	23.0	2.16	20.8	1.95
Thyroid gland	12	8.3	1.14	7.6	1.01	29	22.8	2.14	20.7	1.94
Lymphomas	22	20.8	2.11	15.6	1.62	15	13.2	1.61	10.2	1.26
Hodgkin Lymphoma	3	2.3	0.61	2.3	0.61	3	1.8	0.50	2.0	0.56
Non-Hodgkin Lymphoma	19	18.6	2.02	13.4	1.50	12	11.4	1.53	8.2	1.13
Multiple Myeloma	6	6.1	1.13	4.4	0.79	5	4.4	0.95	3.2	0.70
Leukemias	12	11.2	1.55	9.7	1.43	5	5.1	1.11	4.1	1.01
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	3	3.0	0.74	2.4	0.58	2	1.4	0.49	1.0	0.37
Acute myeloid	3	2.8	0.80	2.2	0.70	2	2.5	0.89	2.2	0.88
Chronic myeloid	2	2.0	0.64	1.5	0.45	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	1	1.4	0.57	0.8	0.34	-	-	-	-	-
Kaposi Sarcoma	1	1.0	0.40	0.8	0.35	-	-	-	-	-
Ill-defined & Unknown	12	11.3	1.52	8.4	1.13	8	7.0	1.17	4.5	0.79
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	10	9.3	1.38	7.1	1.04	12	10.6	1.46	9.1	1.28
Breast (<i>in situ</i>)	-	-	-	-	-	43	43.8	3.07	35.9	2.52

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
District of Columbia, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	790	507.5	8.36	394.3	6.40	944	439.5	6.64	346.0	5.35
Oral Cavity & Pharynx	26	17.2	1.55	13.6	1.22	13	5.9	0.76	4.9	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	3.8	0.71	3.1	0.56	2	1.0	0.31	0.8	0.24
Major salivary gland	2	1.2	0.42	1.0	0.36	3	1.6	0.43	1.4	0.38
Floor of mouth	1	0.9	0.36	0.7	0.26	-	-	-	-	-
Gum & other mouth	2	1.5	0.47	1.1	0.33	2	0.9	0.28	0.8	0.24
Nasopharynx	3	2.1	0.55	1.8	0.50	-	-	-	-	-
Oropharynx	2	1.3	0.43	1.0	0.31	2	0.7	0.26	0.6	0.23
Hypopharynx	4	2.8	0.62	2.1	0.46	-	-	-	-	-
Digestive System	214	137.2	4.35	106.6	3.32	198	89.2	2.93	68.0	2.29
Esophagus	10	6.7	0.96	5.0	0.71	6	2.6	0.47	1.9	0.36
Stomach	21	14.3	1.43	10.5	1.04	16	7.5	0.88	5.6	0.67
Small intestine	8	5.3	0.87	4.2	0.69	10	4.7	0.70	3.8	0.58
Colon excl. rectum	54	36.3	2.29	26.8	1.67	72	32.3	1.75	24.2	1.36
Rectum & rectosigmoid	22	14.8	1.47	11.6	1.13	21	10.3	1.04	8.1	0.84
Anus, anal canal & anorectum	7	5.3	0.89	4.2	0.71	7	3.2	0.56	2.7	0.47
Liver	46	25.6	1.75	21.9	1.47	16	6.9	0.79	5.7	0.66
Gallbladder	3	1.9	0.53	1.4	0.38	4	1.9	0.41	1.2	0.28
Pancreas	34	21.7	1.71	16.8	1.30	35	15.5	1.19	11.6	0.91
Respiratory System	120	76.7	3.25	57.9	2.39	130	57.0	2.29	43.7	1.78
Larynx	11	6.7	0.94	5.2	0.71	5	2.4	0.48	2.0	0.39
Lung & bronchus	107	69.3	3.10	52.0	2.27	123	53.9	2.22	41.2	1.72
Bones & Joints	2	1.6	0.48	1.6	0.50	-	-	-	-	-
Soft Tissue (incl. heart)	7	4.6	0.82	3.7	0.66	5	2.6	0.52	2.2	0.46
Skin (excl. basal & sq.)	-	-	-	-	-	3	1.8	0.47	1.6	0.42
Melanomas of the skin	1	0.9	0.36	0.7	0.28	1	0.7	0.29	0.7	0.27
Breast (excl. <i>in situ</i>)	5	3.2	0.68	2.6	0.54	288	139.1	3.82	109.3	3.06
Female Genital System	-	-	-	-	-	126	58.9	2.43	47.9	2.00
Cervix uteri	-	-	-	-	-	18	9.7	1.06	8.0	0.88
Uterus Corpus	-	-	-	-	-	70	31.2	1.72	25.2	1.39
Uterus, NOS ¹	-	-	-	-	-	5	2.4	0.48	2.0	0.40
Ovary	-	-	-	-	-	24	11.5	1.09	9.4	0.91
Male Genital System	234	145.9	4.42	113.2	3.35	-	-	-	-	-
Prostate	230	143.2	4.37	110.7	3.29	-	-	-	-	-
Testis	3	2.4	0.62	2.2	0.55	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	62	40.4	2.37	30.7	1.77	44	19.6	1.37	14.9	1.08
Bladder (incl. <i>in situ</i>)	26	17.5	1.58	12.2	1.09	19	8.2	0.87	5.7	0.62
Kidney & renal pelvis	36	22.5	1.75	18.1	1.39	24	10.8	1.03	8.8	0.86
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	7	4.7	0.79	4.4	0.75	7	3.8	0.65	3.6	0.65
Brain	7	4.1	0.73	3.9	0.70	6	2.7	0.53	2.5	0.52
Endocrine System	10	6.4	0.94	5.2	0.75	31	15.6	1.32	13.6	1.15
Thyroid gland	9	5.5	0.86	4.4	0.69	29	14.9	1.29	13.0	1.12
Lymphomas	32	21.2	1.74	17.8	1.44	29	14.0	1.21	11.7	1.04
Hodgkin Lymphoma	4	2.5	0.61	2.2	0.53	5	2.7	0.54	2.5	0.52
Non-Hodgkin Lymphoma	28	18.7	1.62	15.6	1.35	24	11.3	1.08	9.2	0.91
Multiple Myeloma	20	13.6	1.41	9.9	1.01	23	10.4	0.99	7.8	0.75
Leukemias	14	9.9	1.20	7.5	0.92	14	6.4	0.81	5.4	0.73
Acute lymphocytic	1	1.0	0.38	1.2	0.46	-	-	-	-	-
Chronic lymphocytic	5	3.2	0.70	2.3	0.49	2	1.0	0.31	0.8	0.24
Acute myeloid	4	3.0	0.67	2.1	0.47	5	2.1	0.43	1.7	0.37
Chronic myeloid	2	1.1	0.34	0.9	0.30	3	1.5	0.43	1.3	0.37
Other leukemias	2	1.5	0.50	0.9	0.30	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	5	3.1	0.65	3.1	0.65	-	-	-	-	-
Ill-defined & Unknown	29	19.6	1.69	14.9	1.28	31	13.9	1.16	10.0	0.86
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	13	8.8	1.15	6.9	0.90	29	13.9	1.20	11.1	1.00
Breast (<i>in situ</i>)	-	-	-	-	-	77	37.7	1.99	30.2	1.61

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Florida, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	65,331	499.1	0.89	373.3	0.69	61,222	425.9	0.81	331.3	0.66
Oral Cavity & Pharynx	2,804	21.6	0.19	17.4	0.15	990	6.8	0.10	5.4	0.08
Lip	58	0.5	0.03	0.4	0.02	17	0.1	0.01	0.1	0.01
Tongue	921	7.0	0.11	5.6	0.09	302	2.1	0.06	1.6	0.05
Major salivary gland	202	1.6	0.05	1.1	0.04	127	0.9	0.04	0.7	0.03
Floor of mouth	118	0.9	0.04	0.7	0.03	56	0.4	0.02	0.3	0.02
Gum & other mouth	233	1.8	0.05	1.4	0.04	180	1.2	0.04	0.9	0.03
Nasopharynx	95	0.8	0.04	0.7	0.03	40	0.3	0.02	0.3	0.02
Oropharynx	206	1.6	0.05	1.3	0.04	50	0.3	0.02	0.3	0.02
Hypopharynx	168	1.3	0.04	1.0	0.03	39	0.3	0.02	0.2	0.02
Digestive System	11,988	91.6	0.38	68.6	0.29	9,300	61.3	0.30	45.2	0.23
Esophagus	1,021	7.6	0.11	5.6	0.08	276	1.7	0.05	1.3	0.04
Stomach	1,008	7.8	0.11	5.7	0.08	606	4.1	0.08	3.0	0.06
Small intestine	300	2.3	0.06	1.7	0.05	257	1.8	0.05	1.4	0.04
Colon excl. rectum	3,768	29.2	0.22	21.4	0.16	3,653	24.1	0.19	17.4	0.14
Rectum & rectosigmoid	1,584	12.5	0.14	9.8	0.12	1,084	7.6	0.11	6.0	0.09
Anus, anal canal & anorectum	234	1.9	0.06	1.5	0.05	420	2.9	0.07	2.3	0.05
Liver	1,469	10.8	0.13	8.7	0.11	492	3.2	0.07	2.5	0.05
Gallbladder	95	0.7	0.03	0.5	0.02	183	1.2	0.04	0.8	0.03
Pancreas	1,920	14.5	0.15	10.4	0.11	1,724	10.9	0.12	7.7	0.09
Respiratory System	9,982	74.1	0.34	53.4	0.25	8,303	52.3	0.26	38.0	0.20
Larynx	858	6.4	0.10	5.0	0.08	185	1.2	0.04	1.0	0.03
Lung & bronchus	8,976	66.5	0.32	47.4	0.23	8,029	50.5	0.26	36.5	0.19
Bones & Joints	145	1.4	0.05	1.3	0.05	103	0.9	0.04	0.9	0.04
Soft Tissue (incl. heart)	477	4.0	0.08	3.3	0.07	383	3.0	0.07	2.6	0.07
Skin (excl. basal & sq.)	4,659	36.2	0.24	26.0	0.18	2,652	19.1	0.17	15.1	0.15
Melanomas of the skin	4,285	33.3	0.23	24.0	0.17	2,467	17.9	0.17	14.2	0.14
Breast (excl. <i>in situ</i>)	157	1.2	0.04	0.9	0.03	16,451	118.3	0.43	94.2	0.36
Female Genital System	-	-	-	-	-	6,793	48.8	0.28	39.8	0.23
Cervix uteri	-	-	-	-	-	1,001	8.9	0.13	7.8	0.12
Uterus Corpus	-	-	-	-	-	3,484	23.7	0.19	19.3	0.16
Uterus, NOS ¹	-	-	-	-	-	140	1.0	0.04	0.7	0.03
Ovary	-	-	-	-	-	1,567	11.1	0.13	8.9	0.11
Male Genital System	13,599	99.7	0.39	77.7	0.31	-	-	-	-	-
Prostate	13,024	93.9	0.37	72.1	0.29	-	-	-	-	-
Testis	447	4.8	0.10	4.9	0.10	-	-	-	-	-
Penis	102	0.8	0.04	0.6	0.03	-	-	-	-	-
Urinary System	7,015	53.3	0.29	37.6	0.21	2,826	18.6	0.16	13.7	0.13
Bladder (incl. <i>in situ</i>)	4,335	32.4	0.22	21.5	0.15	1,320	8.2	0.10	5.6	0.07
Kidney & renal pelvis	2,527	19.8	0.18	15.4	0.14	1,424	9.9	0.12	7.8	0.10
Ureter	104	0.8	0.03	0.5	0.02	57	0.3	0.02	0.2	0.01
Eye & Orbit	110	0.9	0.04	0.8	0.04	92	0.7	0.04	0.6	0.03
Brain & Other CNS ¹	874	7.5	0.12	6.6	0.11	689	5.4	0.10	4.8	0.09
Brain	827	7.1	0.11	6.1	0.11	640	5.0	0.09	4.4	0.09
Endocrine System	804	7.1	0.12	6.2	0.10	2,146	19.1	0.19	17.1	0.18
Thyroid gland	714	6.3	0.11	5.4	0.10	2,068	18.5	0.19	16.5	0.17
Lymphomas	3,921	31.8	0.23	24.5	0.19	3,261	23.0	0.19	18.1	0.16
Hodgkin Lymphoma	379	3.6	0.09	3.4	0.08	310	2.9	0.08	2.8	0.08
Non-Hodgkin Lymphoma	3,542	28.2	0.22	21.1	0.17	2,951	20.1	0.17	15.3	0.14
Multiple Myeloma	1,310	9.9	0.12	7.1	0.09	1,024	6.6	0.10	4.9	0.07
Leukemias	2,844	22.7	0.20	17.3	0.16	2,082	14.6	0.15	11.5	0.13
Acute lymphocytic	223	2.3	0.07	2.4	0.08	162	1.6	0.06	1.7	0.07
Chronic lymphocytic	1,090	8.2	0.11	5.7	0.08	752	4.7	0.08	3.3	0.06
Acute myeloid	742	5.9	0.10	4.4	0.08	565	4.1	0.08	3.2	0.07
Chronic myeloid	393	3.2	0.07	2.4	0.06	288	2.1	0.06	1.6	0.05
Other leukemias	396	3.2	0.07	2.3	0.06	314	2.2	0.06	1.7	0.05
Mesothelioma	174	1.3	0.04	0.8	0.03	58	0.4	0.02	0.3	0.02
Kaposi Sarcoma	91	0.9	0.04	0.7	0.04	15	0.1	0.01	0.1	0.01
Ill-defined & Unknown	4,378	33.8	0.23	23.3	0.17	4,054	26.6	0.20	19.0	0.15
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1,116	9.4	0.13	7.5	0.11	2,319	16.7	0.16	13.0	0.14
Breast (<i>in situ</i>)	15	0.1	0.01	0.1	0.01	3,693	27.1	0.21	22.0	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Florida, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	55,796	490.4	0.95	367.1	0.75	51,779	424.5	0.89	330.8	0.74
Oral Cavity & Pharynx	2,499	22.5	0.21	18.1	0.17	870	7.1	0.11	5.6	0.10
Lip	56	0.5	0.03	0.4	0.03	16	0.1	0.01	0.1	0.01
Tongue	845	7.5	0.12	6.1	0.10	275	2.3	0.06	1.8	0.05
Major salivary gland	179	1.6	0.05	1.2	0.04	101	0.9	0.04	0.7	0.04
Floor of mouth	111	1.0	0.04	0.8	0.04	51	0.4	0.03	0.3	0.02
Gum & other mouth	200	1.8	0.06	1.4	0.05	158	1.2	0.04	0.9	0.04
Nasopharynx	67	0.6	0.04	0.5	0.03	28	0.3	0.02	0.2	0.02
Oropharynx	179	1.6	0.06	1.3	0.05	44	0.4	0.02	0.3	0.02
Hypopharynx	141	1.2	0.05	1.0	0.04	34	0.3	0.02	0.2	0.02
Digestive System	10,124	89.0	0.41	66.6	0.32	7,687	58.9	0.32	43.4	0.25
Esophagus	923	7.9	0.12	5.9	0.09	232	1.7	0.05	1.2	0.04
Stomach	786	6.9	0.11	5.1	0.09	450	3.5	0.08	2.6	0.06
Small intestine	247	2.2	0.06	1.7	0.05	205	1.7	0.06	1.3	0.05
Colon excl. rectum	3,147	28.0	0.23	20.5	0.18	3,032	23.1	0.20	16.6	0.15
Rectum & rectosigmoid	1,338	12.3	0.16	9.6	0.13	910	7.6	0.12	6.0	0.10
Anus, anal canal & anorectum	199	1.9	0.06	1.5	0.05	380	3.1	0.07	2.5	0.06
Liver	1,222	10.4	0.14	8.4	0.11	388	2.9	0.07	2.3	0.06
Gallbladder	74	0.6	0.03	0.4	0.02	136	1.0	0.04	0.7	0.03
Pancreas	1,673	14.3	0.16	10.3	0.12	1,444	10.5	0.13	7.3	0.10
Respiratory System	8,818	74.6	0.36	53.8	0.27	7,492	54.6	0.29	39.8	0.22
Larynx	744	6.5	0.11	5.0	0.09	165	1.3	0.05	1.1	0.04
Lung & bronchus	7,944	66.9	0.34	47.7	0.25	7,255	52.7	0.28	38.2	0.22
Bones & Joints	119	1.4	0.06	1.4	0.06	83	0.9	0.05	0.9	0.05
Soft Tissue (incl. heart)	405	4.0	0.09	3.3	0.08	310	2.9	0.08	2.6	0.08
Skin (excl. basal & sq.)	4,426	39.5	0.27	28.6	0.21	2,482	21.5	0.21	17.2	0.18
Melanomas of the skin	4,077	36.5	0.26	26.6	0.20	2,320	20.3	0.20	16.3	0.17
Breast (excl. <i>in situ</i>)	129	1.1	0.04	0.8	0.03	13,752	117.0	0.48	93.0	0.39
Female Genital System	-	-	-	-	-	5,570	48.0	0.31	39.2	0.26
Cervix uteri	-	-	-	-	-	766	8.7	0.15	7.6	0.13
Uterus Corpus	-	-	-	-	-	2,847	23.1	0.20	18.8	0.17
Uterus, NOS ¹	-	-	-	-	-	102	0.8	0.04	0.7	0.03
Ovary	-	-	-	-	-	1,338	11.3	0.15	9.0	0.12
Male Genital System	10,586	89.6	0.40	69.9	0.32	-	-	-	-	-
Prostate	10,086	83.2	0.37	63.6	0.29	-	-	-	-	-
Testis	394	5.5	0.13	5.6	0.13	-	-	-	-	-
Penis	86	0.8	0.04	0.6	0.03	-	-	-	-	-
Urinary System	6,224	53.8	0.31	38.1	0.23	2,431	18.6	0.18	13.8	0.14
Bladder (incl. <i>in situ</i>)	3,918	33.0	0.24	22.0	0.17	1,160	8.3	0.11	5.7	0.08
Kidney & renal pelvis	2,164	19.6	0.20	15.2	0.16	1,197	9.8	0.14	7.7	0.11
Ureter	99	0.8	0.04	0.5	0.03	53	0.4	0.02	0.2	0.02
Eye & Orbit	99	1.0	0.05	0.8	0.04	83	0.8	0.04	0.7	0.04
Brain & Other CNS ¹	775	8.0	0.14	7.0	0.13	599	5.7	0.11	5.1	0.11
Brain	736	7.6	0.13	6.6	0.12	557	5.3	0.11	4.6	0.11
Endocrine System	699	7.5	0.13	6.5	0.12	1,795	20.2	0.23	18.2	0.21
Thyroid gland	631	6.8	0.13	5.8	0.11	1,736	19.6	0.22	17.6	0.21
Lymphomas	3,393	31.7	0.25	24.4	0.21	2,738	22.6	0.21	17.7	0.18
Hodgkin Lymphoma	308	3.6	0.10	3.4	0.09	241	2.8	0.09	2.8	0.09
Non-Hodgkin Lymphoma	3,085	28.1	0.23	21.0	0.19	2,498	19.8	0.19	15.0	0.15
Multiple Myeloma	1,010	8.7	0.12	6.2	0.09	738	5.5	0.09	4.0	0.07
Leukemias	2,490	23.0	0.21	17.5	0.18	1,761	14.6	0.17	11.5	0.15
Acute lymphocytic	186	2.5	0.08	2.6	0.09	135	1.8	0.07	1.9	0.08
Chronic lymphocytic	971	8.3	0.12	5.8	0.09	655	4.7	0.09	3.3	0.06
Acute myeloid	657	6.0	0.11	4.5	0.09	475	4.0	0.09	3.1	0.08
Chronic myeloid	336	3.1	0.08	2.3	0.06	243	2.0	0.06	1.6	0.05
Other leukemias	341	3.1	0.08	2.3	0.06	253	2.1	0.06	1.6	0.05
Mesothelioma	164	1.4	0.05	0.9	0.03	54	0.4	0.03	0.3	0.02
Kaposi Sarcoma	63	0.7	0.04	0.6	0.04	10	0.1	0.01	0.0	0.01
Ill-defined & Unknown	3,774	32.9	0.25	22.7	0.18	3,323	25.1	0.21	17.8	0.16
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	940	9.3	0.14	7.4	0.12	1,903	16.2	0.18	12.7	0.15
Breast (<i>in situ</i>)	13	0.1	0.01	0.1	0.01	3,037	26.7	0.23	21.7	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Florida, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	6,450	461.9	2.71	351.1	1.96	6,486	370.6	2.10	288.7	1.62
Oral Cavity & Pharynx	201	13.6	0.45	10.8	0.34	83	4.6	0.23	3.7	0.18
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	45	3.1	0.22	2.4	0.16	18	1.0	0.11	0.8	0.08
Major salivary gland	15	1.1	0.13	0.9	0.10	19	1.1	0.11	0.9	0.09
Floor of mouth	6	0.4	0.08	0.3	0.06	3	0.2	0.04	0.1	0.03
Gum & other mouth	22	1.5	0.15	1.2	0.11	15	0.8	0.10	0.7	0.08
Nasopharynx	18	1.2	0.13	1.0	0.10	8	0.4	0.07	0.4	0.06
Oropharynx	19	1.2	0.13	1.0	0.10	5	0.3	0.06	0.2	0.05
Hypopharynx	22	1.6	0.16	1.2	0.11	4	0.2	0.05	0.2	0.04
Digestive System	1,373	100.1	1.28	74.8	0.91	1,217	70.6	0.92	52.0	0.68
Esophagus	66	4.8	0.28	3.6	0.20	34	1.9	0.15	1.4	0.11
Stomach	168	13.1	0.48	9.2	0.32	117	7.0	0.29	4.9	0.21
Small intestine	43	3.1	0.22	2.4	0.16	42	2.4	0.17	1.8	0.13
Colon excl. rectum	472	35.0	0.76	25.8	0.53	473	27.4	0.58	20.2	0.42
Rectum & rectosigmoid	165	11.6	0.42	9.0	0.31	122	7.0	0.29	5.4	0.22
Anus, anal canal & anorectum	27	1.8	0.16	1.5	0.13	28	1.6	0.14	1.3	0.11
Liver	181	11.6	0.40	9.6	0.32	76	4.1	0.22	3.2	0.17
Gallbladder	15	1.3	0.15	0.9	0.10	37	2.1	0.16	1.5	0.11
Pancreas	184	14.0	0.49	10.1	0.33	221	13.1	0.40	9.2	0.28
Respiratory System	870	65.0	1.04	47.3	0.72	602	34.8	0.65	25.4	0.47
Larynx	88	6.3	0.32	4.8	0.23	16	0.9	0.10	0.7	0.08
Lung & bronchus	770	57.9	0.99	41.9	0.68	574	33.2	0.63	24.1	0.45
Bones & Joints	18	1.1	0.12	1.0	0.11	16	0.9	0.10	0.9	0.10
Soft Tissue (incl. heart)	53	3.6	0.23	3.0	0.18	56	3.2	0.19	2.7	0.17
Skin (excl. basal & sq.)	33	2.5	0.20	1.9	0.15	28	1.6	0.14	1.3	0.11
Melanomas of the skin	21	1.7	0.17	1.2	0.12	15	0.9	0.10	0.7	0.08
Breast (excl. <i>in situ</i>)	20	1.5	0.16	1.1	0.11	1,901	107.4	1.12	86.3	0.89
Female Genital System	-	-	-	-	-	926	51.7	0.78	41.5	0.62
Cervix uteri	-	-	-	-	-	183	10.5	0.35	8.7	0.29
Uterus Corpus	-	-	-	-	-	493	27.0	0.56	21.6	0.44
Uterus, NOS ¹	-	-	-	-	-	31	1.7	0.14	1.3	0.11
Ovary	-	-	-	-	-	154	8.9	0.33	6.9	0.25
Male Genital System	2,186	149.4	1.50	116.8	1.12	-	-	-	-	-
Prostate	2,150	147.1	1.49	114.8	1.11	-	-	-	-	-
Testis	20	1.2	0.12	1.2	0.12	-	-	-	-	-
Penis	12	0.9	0.11	0.7	0.09	-	-	-	-	-
Urinary System	452	34.3	0.76	24.9	0.53	264	15.4	0.43	11.5	0.32
Bladder (incl. <i>in situ</i>)	175	15.0	0.53	9.8	0.33	80	4.9	0.25	3.3	0.17
Kidney & renal pelvis	270	18.8	0.54	14.8	0.40	179	10.2	0.35	8.0	0.27
Ureter	3	0.2	0.05	0.1	0.04	2	0.1	0.04	0.1	0.03
Eye & Orbit	6	0.3	0.06	0.4	0.07	6	0.3	0.06	0.3	0.06
Brain & Other CNS ¹	72	4.8	0.26	4.1	0.22	63	3.5	0.20	3.2	0.18
Brain	66	4.4	0.25	3.8	0.21	58	3.2	0.19	2.9	0.17
Endocrine System	62	4.1	0.24	3.5	0.20	229	12.8	0.38	11.1	0.33
Thyroid gland	46	3.1	0.21	2.6	0.17	213	11.9	0.37	10.4	0.32
Lymphomas	319	21.9	0.58	18.0	0.45	295	16.9	0.45	13.8	0.36
Hodgkin Lymphoma	48	2.9	0.19	2.8	0.18	43	2.3	0.16	2.3	0.16
Non-Hodgkin Lymphoma	271	19.0	0.54	15.2	0.41	252	14.5	0.42	11.5	0.33
Multiple Myeloma	230	17.5	0.55	12.6	0.37	226	13.3	0.40	9.7	0.29
Leukemias	215	15.5	0.50	12.1	0.37	187	10.8	0.36	8.7	0.29
Acute lymphocytic	24	1.4	0.14	1.4	0.13	20	1.1	0.11	1.1	0.11
Chronic lymphocytic	59	4.6	0.28	3.3	0.19	43	2.6	0.18	1.8	0.12
Acute myeloid	63	4.5	0.27	3.5	0.20	60	3.5	0.20	2.8	0.17
Chronic myeloid	36	2.5	0.20	2.0	0.15	28	1.6	0.14	1.3	0.11
Other leukemias	33	2.4	0.20	1.8	0.14	36	2.0	0.15	1.6	0.12
Mesothelioma	7	0.5	0.10	0.4	0.07	2	0.1	0.04	0.1	0.03
Kaposi Sarcoma	21	1.3	0.13	1.2	0.12	3	0.2	0.04	0.2	0.04
Ill-defined & Unknown	311	24.8	0.67	17.3	0.44	380	22.6	0.53	16.4	0.38
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	127	9.3	0.39	7.1	0.28	301	17.5	0.46	13.5	0.35
Breast (<i>in situ</i>)	2	0.1	0.04	0.1	0.04	467	26.1	0.55	21.1	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Florida, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	623	226.6	4.23	169.9	3.06	872	238.4	3.71	187.5	2.88
Oral Cavity & Pharynx	32	11.1	0.91	8.9	0.70	14	3.9	0.47	3.1	0.37
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	2.8	0.46	2.2	0.35	3	0.9	0.22	0.7	0.18
Major salivary gland	2	0.7	0.23	0.6	0.18	3	0.8	0.22	0.7	0.17
Floor of mouth	-	-	-	-	-	1	0.3	0.12	0.3	0.11
Gum & other mouth	5	1.7	0.35	1.5	0.28	3	0.9	0.24	0.6	0.15
Nasopharynx	8	2.5	0.40	2.1	0.34	2	0.6	0.18	0.5	0.16
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	0.8	0.28	0.5	0.17	-	-	-	-	-
Digestive System	164	59.1	2.14	44.2	1.55	138	39.4	1.55	28.9	1.11
Esophagus	7	2.6	0.44	1.9	0.32	3	1.0	0.25	0.7	0.17
Stomach	20	7.0	0.73	5.3	0.53	16	4.6	0.53	3.4	0.38
Small intestine	2	0.8	0.25	0.7	0.19	3	0.8	0.23	0.5	0.15
Colon excl. rectum	46	17.0	1.17	12.5	0.82	45	13.0	0.90	9.4	0.63
Rectum & rectosigmoid	30	10.5	0.89	8.0	0.66	20	5.6	0.58	4.3	0.43
Anus, anal canal & anorectum	1	0.5	0.21	0.3	0.13	1	0.4	0.14	0.3	0.11
Liver	30	10.5	0.89	8.0	0.66	14	4.4	0.54	3.1	0.37
Gallbladder	2	0.7	0.24	0.5	0.17	3	0.9	0.22	0.7	0.17
Pancreas	17	6.4	0.73	4.7	0.50	21	5.9	0.60	4.3	0.42
Respiratory System	89	32.9	1.64	23.7	1.13	80	23.3	1.20	16.5	0.82
Larynx	6	2.1	0.40	1.6	0.29	-	-	-	-	-
Lung & bronchus	80	30.0	1.57	21.3	1.07	78	22.6	1.19	15.8	0.81
Bones & Joints	3	1.0	0.27	0.9	0.24	2	0.6	0.19	0.5	0.16
Soft Tissue (incl. heart)	5	1.7	0.37	1.3	0.27	9	2.4	0.38	2.1	0.33
Skin (excl. basal & sq.)	6	2.1	0.42	1.6	0.30	4	1.2	0.27	0.9	0.20
Melanomas of the skin	4	1.6	0.37	1.2	0.26	3	0.9	0.23	0.7	0.17
Breast (excl. <i>in situ</i>)	2	0.6	0.21	0.4	0.15	295	77.4	2.06	63.2	1.66
Female Genital System	-	-	-	-	-	114	29.5	1.27	24.4	1.03
Cervix uteri	-	-	-	-	-	20	5.2	0.53	4.4	0.45
Uterus Corpus	-	-	-	-	-	56	14.1	0.86	11.7	0.70
Uterus, NOS ¹	-	-	-	-	-	3	0.8	0.23	0.6	0.17
Ovary	-	-	-	-	-	30	7.9	0.66	6.5	0.54
Male Genital System	120	42.3	1.78	32.0	1.31	-	-	-	-	-
Prostate	114	40.4	1.75	30.1	1.26	-	-	-	-	-
Testis	5	1.5	0.30	1.5	0.31	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	19.8	1.29	14.0	0.87	22	6.7	0.65	4.6	0.44
Bladder (incl. <i>in situ</i>)	25	10.2	0.96	6.8	0.60	7	2.4	0.41	1.5	0.25
Kidney & renal pelvis	25	9.2	0.84	6.9	0.62	14	4.0	0.49	3.0	0.36
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	2.7	0.44	2.4	0.38	8	2.2	0.36	1.9	0.33
Brain	7	2.5	0.43	2.2	0.36	7	2.0	0.34	1.7	0.30
Endocrine System	15	4.7	0.55	4.2	0.49	59	15.7	0.93	14.0	0.83
Thyroid gland	13	4.0	0.51	3.6	0.46	57	15.2	0.91	13.6	0.82
Lymphomas	45	15.9	1.11	12.7	0.86	45	12.6	0.87	9.8	0.67
Hodgkin Lymphoma	5	1.6	0.34	1.4	0.30	3	1.0	0.25	1.0	0.25
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	5.6	0.69	3.9	0.46	13	3.4	0.44	2.6	0.33
Leukemias	27	9.9	0.88	8.1	0.71	26	7.0	0.64	5.9	0.54
Acute lymphocytic	-	-	-	-	-	3	0.7	0.21	0.8	0.22
Chronic lymphocytic	5	2.0	0.40	1.4	0.27	4	1.0	0.25	0.7	0.16
Acute myeloid	7	2.5	0.44	2.0	0.33	12	3.3	0.44	2.9	0.39
Chronic myeloid	6	2.0	0.38	1.7	0.31	4	0.9	0.23	0.8	0.19
Other leukemias	3	1.5	0.39	1.0	0.24	4	1.0	0.25	0.7	0.17
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	1	0.4	0.15	0.3	0.14	-	-	-	-	-
Ill-defined & Unknown	40	16.3	1.22	11.0	0.78	42	12.6	0.90	8.9	0.63
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	15	5.6	0.68	4.3	0.50	45	12.7	0.87	9.7	0.66
Breast (<i>in situ</i>)	-	-	-	-	-	79	20.4	1.05	16.7	0.84

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Florida, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	19	189.1	20.84	145.7	15.12	22	198.3	19.57	158.4	15.46
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	36.9	8.69	30.0	6.73	5	42.1	9.08	31.7	6.64
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	2	19.2	6.32	13.5	4.31
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	21.2	7.57	14.8	4.98	2	18.0	6.16	12.3	4.10
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	1	15.5	6.26	11.3	4.30	2	18.0	6.16	12.3	4.10
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	8	68.3	11.40	54.7	8.98
Female Genital System	-	-	-	-	-	3	28.3	7.40	23.4	6.09
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	16.6	5.60	13.7	4.59
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	46.3	10.37	36.2	7.58	-	-	-	-	-
Prostate	4	45.0	10.28	34.5	7.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	20.9	7.02	15.4	4.87	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	16.7	5.62	13.6	4.55	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	1	11.9	5.12	9.4	3.85	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	1	11.9	5.12	9.4	3.85	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	13.2	5.32	10.6	4.03	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	1	11.6	4.83	8.5	3.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Florida, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8,947	426.1	2.05	316.8	1.51	9,628	361.2	1.65	283.2	1.33
Oral Cavity & Pharynx	335	15.2	0.38	11.8	0.29	133	4.9	0.19	3.8	0.15
Lip	5	0.3	0.05	0.2	0.04	1	0.0	0.02	0.0	0.01
Tongue	105	4.7	0.21	3.7	0.16	41	1.5	0.11	1.2	0.09
Major salivary gland	22	1.0	0.10	0.8	0.07	22	0.8	0.08	0.7	0.07
Floor of mouth	15	0.7	0.08	0.5	0.06	4	0.1	0.03	0.1	0.02
Gum & other mouth	34	1.6	0.13	1.2	0.09	27	1.0	0.09	0.7	0.06
Nasopharynx	16	0.7	0.08	0.6	0.07	6	0.2	0.04	0.2	0.04
Oropharynx	24	1.1	0.10	0.8	0.08	5	0.2	0.03	0.1	0.03
Hypopharynx	18	0.8	0.09	0.6	0.07	3	0.1	0.03	0.1	0.02
Digestive System	1,934	92.2	0.95	67.6	0.69	1,655	61.7	0.68	44.9	0.51
Esophagus	100	4.8	0.22	3.5	0.16	28	1.0	0.09	0.7	0.06
Stomach	203	9.7	0.31	7.1	0.22	153	5.7	0.21	4.2	0.16
Small intestine	44	2.1	0.14	1.5	0.10	44	1.7	0.11	1.3	0.09
Colon excl. rectum	640	30.9	0.56	22.2	0.40	663	24.7	0.43	17.8	0.32
Rectum & rectosigmoid	266	12.3	0.34	9.3	0.26	186	6.9	0.23	5.3	0.18
Anus, anal canal & anorectum	30	1.4	0.11	1.1	0.09	68	2.5	0.14	1.9	0.11
Liver	262	12.0	0.34	9.4	0.26	103	3.8	0.17	2.8	0.13
Gallbladder	16	0.8	0.09	0.6	0.06	40	1.5	0.11	1.1	0.08
Pancreas	278	13.6	0.37	9.6	0.26	270	10.1	0.28	7.0	0.20
Respiratory System	1,168	58.1	0.77	40.7	0.54	774	28.8	0.47	20.9	0.34
Larynx	129	6.0	0.24	4.5	0.18	19	0.7	0.07	0.6	0.06
Lung & bronchus	1,014	51.0	0.73	35.2	0.50	741	27.6	0.46	20.0	0.34
Bones & Joints	31	1.3	0.11	1.3	0.10	21	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	89	4.0	0.19	3.3	0.16	81	3.1	0.15	2.7	0.14
Skin (excl. basal & sq.)	166	7.9	0.28	5.7	0.20	146	5.5	0.20	4.4	0.17
Melanomas of the skin	143	6.8	0.26	5.0	0.19	129	4.8	0.19	3.9	0.16
Breast (excl. <i>in situ</i>)	21	1.0	0.10	0.7	0.07	2,691	100.9	0.87	80.8	0.71
Female Genital System	-	-	-	-	-	1,261	46.9	0.59	38.5	0.49
Cervix uteri	-	-	-	-	-	247	9.4	0.27	8.2	0.24
Uterus Corpus	-	-	-	-	-	628	23.1	0.41	18.8	0.34
Uterus, NOS ¹	-	-	-	-	-	29	1.1	0.09	0.8	0.07
Ovary	-	-	-	-	-	273	10.2	0.28	8.2	0.23
Male Genital System	2,184	102.5	1.00	78.8	0.76	-	-	-	-	-
Prostate	2,041	96.8	0.97	73.2	0.73	-	-	-	-	-
Testis	114	4.3	0.18	4.5	0.19	-	-	-	-	-
Penis	24	1.1	0.10	0.9	0.08	-	-	-	-	-
Urinary System	878	43.1	0.66	30.5	0.46	413	15.4	0.34	11.7	0.26
Bladder (incl. <i>in situ</i>)	456	23.6	0.50	15.6	0.33	156	5.8	0.21	4.1	0.15
Kidney & renal pelvis	404	18.6	0.42	14.3	0.32	246	9.2	0.26	7.3	0.21
Ureter	13	0.6	0.08	0.4	0.05	7	0.3	0.05	0.2	0.03
Eye & Orbit	16	0.7	0.08	0.6	0.07	13	0.5	0.06	0.5	0.06
Brain & Other CNS ¹	155	6.9	0.25	5.9	0.21	137	5.3	0.20	4.7	0.19
Brain	144	6.4	0.24	5.4	0.21	123	4.7	0.19	4.2	0.18
Endocrine System	185	7.9	0.26	6.8	0.22	640	24.6	0.44	21.9	0.39
Thyroid gland	165	7.0	0.25	6.0	0.21	624	24.0	0.43	21.3	0.39
Lymphomas	644	29.6	0.53	23.1	0.41	592	22.4	0.41	17.6	0.34
Hodgkin Lymphoma	90	3.8	0.18	3.4	0.16	76	3.0	0.15	2.9	0.15
Non-Hodgkin Lymphoma	554	25.9	0.50	19.6	0.38	516	19.4	0.38	14.7	0.30
Multiple Myeloma	182	8.9	0.30	6.3	0.21	165	6.1	0.21	4.5	0.16
Leukemias	388	18.1	0.42	14.2	0.33	348	13.3	0.32	10.8	0.27
Acute lymphocytic	73	3.0	0.16	3.2	0.17	52	2.1	0.13	2.2	0.14
Chronic lymphocytic	98	4.8	0.22	3.4	0.15	80	3.0	0.15	2.1	0.11
Acute myeloid	110	5.2	0.23	3.9	0.17	114	4.3	0.18	3.5	0.15
Chronic myeloid	58	2.7	0.16	2.1	0.12	50	1.9	0.12	1.5	0.10
Other leukemias	49	2.3	0.15	1.7	0.11	52	2.0	0.12	1.6	0.10
Mesothelioma	14	0.7	0.09	0.5	0.06	7	0.2	0.04	0.2	0.03
Kaposi Sarcoma	25	1.1	0.10	0.9	0.08	1	0.1	0.02	0.0	0.01
Ill-defined & Unknown	533	26.8	0.53	18.2	0.36	550	20.6	0.39	14.6	0.29
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	197	9.1	0.29	7.0	0.23	451	17.0	0.36	13.2	0.29
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.02	655	24.6	0.43	20.1	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

FLORIDA

102 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Florida, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	47,693	513.0	1.11	385.6	0.89	43,024	447.6	1.07	349.1	0.91
Oral Cavity & Pharynx	2,194	24.8	0.25	20.2	0.21	747	7.8	0.14	6.2	0.12
Lip	51	0.6	0.04	0.5	0.03	14	0.1	0.02	0.1	0.01
Tongue	749	8.3	0.14	6.8	0.12	236	2.5	0.08	2.0	0.07
Major salivary gland	160	1.7	0.06	1.3	0.05	81	0.9	0.05	0.7	0.04
Floor of mouth	96	1.1	0.05	0.9	0.04	48	0.5	0.04	0.4	0.03
Gum & other mouth	169	1.9	0.07	1.5	0.06	133	1.3	0.05	1.0	0.04
Nasopharynx	52	0.6	0.04	0.5	0.04	22	0.3	0.03	0.2	0.03
Oropharynx	157	1.8	0.07	1.5	0.06	39	0.4	0.03	0.3	0.03
Hypopharynx	125	1.4	0.06	1.1	0.05	30	0.3	0.03	0.2	0.02
Digestive System	8,371	90.1	0.46	67.9	0.37	6,186	59.4	0.37	43.9	0.30
Esophagus	832	8.6	0.14	6.5	0.11	206	1.9	0.06	1.4	0.05
Stomach	605	6.4	0.12	4.7	0.09	316	3.0	0.08	2.2	0.07
Small intestine	207	2.3	0.08	1.7	0.06	166	1.7	0.07	1.3	0.05
Colon excl. rectum	2,564	28.1	0.26	20.7	0.21	2,425	23.1	0.23	16.6	0.18
Rectum & rectosigmoid	1,099	12.8	0.18	10.1	0.15	742	8.0	0.15	6.3	0.12
Anus, anal canal & anorectum	172	2.0	0.07	1.6	0.06	316	3.3	0.09	2.7	0.08
Liver	986	10.2	0.15	8.3	0.13	297	2.9	0.08	2.2	0.07
Gallbladder	59	0.6	0.04	0.4	0.03	101	0.9	0.04	0.6	0.03
Pancreas	1,419	14.7	0.18	10.6	0.14	1,195	10.7	0.15	7.6	0.11
Respiratory System	7,732	79.0	0.41	57.4	0.31	6,779	61.3	0.35	44.9	0.27
Larynx	625	6.7	0.13	5.3	0.10	148	1.5	0.06	1.2	0.05
Lung & bronchus	7,001	71.0	0.39	51.0	0.29	6,571	59.1	0.34	43.1	0.26
Bones & Joints	90	1.5	0.08	1.4	0.08	64	1.0	0.06	0.9	0.07
Soft Tissue (incl. heart)	326	4.1	0.11	3.3	0.10	236	2.9	0.10	2.5	0.09
Skin (excl. basal & sq.)	4,271	47.3	0.35	34.7	0.27	2,349	27.0	0.28	21.9	0.25
Melanomas of the skin	3,943	43.9	0.33	32.5	0.27	2,202	25.6	0.28	20.9	0.24
Breast (excl. <i>in situ</i>)	110	1.2	0.05	0.8	0.04	11,309	123.4	0.58	98.1	0.48
Female Genital System	-	-	-	-	-	4,417	49.0	0.37	40.0	0.32
Cervix uteri	-	-	-	-	-	544	8.8	0.19	7.7	0.17
Uterus Corpus	-	-	-	-	-	2,275	23.3	0.24	18.9	0.20
Uterus, NOS ¹	-	-	-	-	-	76	0.8	0.05	0.6	0.04
Ovary	-	-	-	-	-	1,083	11.7	0.18	9.3	0.15
Male Genital System	8,657	89.2	0.45	69.8	0.37	-	-	-	-	-
Prostate	8,283	82.1	0.41	62.9	0.32	-	-	-	-	-
Testis	294	6.2	0.17	6.2	0.17	-	-	-	-	-
Penis	64	0.7	0.04	0.5	0.03	-	-	-	-	-
Urinary System	5,428	56.7	0.36	40.3	0.27	2,059	19.6	0.21	14.5	0.17
Bladder (incl. <i>in situ</i>)	3,506	35.2	0.27	23.7	0.19	1,021	8.9	0.13	6.2	0.10
Kidney & renal pelvis	1,797	20.3	0.23	15.8	0.19	974	10.1	0.16	7.9	0.14
Ureter	87	0.9	0.04	0.6	0.03	46	0.4	0.03	0.3	0.02
Eye & Orbit	84	1.0	0.05	0.8	0.05	71	0.9	0.05	0.7	0.05
Brain & Other CNS ¹	632	8.6	0.17	7.6	0.16	475	6.0	0.14	5.3	0.14
Brain	603	8.1	0.16	7.1	0.16	446	5.5	0.14	4.9	0.13
Endocrine System	530	7.6	0.16	6.6	0.15	1,200	18.8	0.27	17.0	0.25
Thyroid gland	480	6.9	0.15	5.9	0.14	1,155	18.2	0.27	16.4	0.25
Lymphomas	2,795	32.3	0.29	24.7	0.25	2,201	23.0	0.25	18.0	0.21
Hodgkin Lymphoma	223	3.6	0.12	3.4	0.12	172	2.9	0.11	2.8	0.11
Non-Hodgkin Lymphoma	2,573	28.7	0.27	21.4	0.22	2,030	20.1	0.22	15.2	0.18
Multiple Myeloma	846	8.8	0.14	6.3	0.11	590	5.4	0.11	3.9	0.08
Leukemias	2,139	24.0	0.25	18.2	0.21	1,447	14.9	0.20	11.7	0.18
Acute lymphocytic	120	2.2	0.10	2.3	0.11	87	1.7	0.09	1.8	0.10
Chronic lymphocytic	881	9.0	0.14	6.4	0.11	582	5.2	0.10	3.6	0.08
Acute myeloid	558	6.2	0.13	4.6	0.10	373	3.9	0.10	3.1	0.09
Chronic myeloid	283	3.2	0.09	2.4	0.08	198	2.1	0.07	1.6	0.06
Other leukemias	297	3.4	0.09	2.5	0.08	207	2.1	0.07	1.6	0.06
Mesothelioma	151	1.5	0.06	1.0	0.04	48	0.4	0.03	0.3	0.02
Kaposi Sarcoma	41	0.6	0.05	0.5	0.04	9	0.1	0.01	0.1	0.01
Ill-defined & Unknown	3,294	34.8	0.28	24.1	0.22	2,837	26.7	0.25	19.0	0.20
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	765	9.7	0.17	7.9	0.15	1,500	16.5	0.22	12.9	0.19
Breast (<i>in situ</i>)	11	0.1	0.02	0.1	0.01	2,436	27.6	0.28	22.4	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Florida, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	6,187	474.3	2.84	361.0	2.06	6,215	379.7	2.20	296.0	1.70
Oral Cavity & Pharynx	190	13.9	0.47	11.0	0.36	79	4.7	0.24	3.8	0.19
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	42	3.1	0.23	2.4	0.17	18	1.0	0.11	0.8	0.09
Major salivary gland	15	1.1	0.13	0.9	0.10	18	1.1	0.12	0.9	0.10
Floor of mouth	6	0.4	0.09	0.3	0.06	3	0.2	0.04	0.1	0.03
Gum & other mouth	20	1.5	0.15	1.2	0.12	14	0.8	0.10	0.6	0.08
Nasopharynx	17	1.2	0.14	1.0	0.11	7	0.4	0.07	0.4	0.06
Oropharynx	19	1.3	0.14	1.1	0.11	5	0.3	0.06	0.2	0.05
Hypopharynx	21	1.7	0.17	1.2	0.12	4	0.2	0.05	0.2	0.04
Digestive System	1,316	102.6	1.34	76.8	0.95	1,166	72.1	0.96	53.2	0.71
Esophagus	64	4.9	0.29	3.7	0.21	33	2.0	0.16	1.5	0.12
Stomach	162	13.5	0.50	9.5	0.34	111	7.1	0.31	5.0	0.22
Small intestine	42	3.2	0.23	2.4	0.17	40	2.4	0.18	1.9	0.13
Colon excl. rectum	452	35.9	0.80	26.5	0.56	456	28.2	0.60	20.8	0.44
Rectum & rectosigmoid	160	12.0	0.45	9.3	0.33	117	7.1	0.30	5.5	0.23
Anus, anal canal & anorectum	26	1.8	0.17	1.5	0.14	27	1.7	0.15	1.3	0.11
Liver	173	11.8	0.42	9.8	0.33	72	4.2	0.22	3.3	0.18
Gallbladder	15	1.3	0.16	0.9	0.10	35	2.1	0.17	1.5	0.12
Pancreas	175	14.2	0.51	10.3	0.35	211	13.4	0.42	9.4	0.29
Respiratory System	840	67.1	1.09	48.8	0.76	578	35.5	0.67	25.9	0.49
Larynx	84	6.4	0.33	4.8	0.24	15	0.9	0.10	0.7	0.08
Lung & bronchus	744	59.8	1.04	43.3	0.71	552	33.9	0.66	24.7	0.47
Bones & Joints	17	1.1	0.12	1.1	0.12	15	0.9	0.10	0.9	0.11
Soft Tissue (incl. heart)	49	3.6	0.24	3.0	0.19	53	3.2	0.20	2.8	0.18
Skin (excl. basal & sq.)	32	2.5	0.21	1.9	0.15	28	1.7	0.15	1.4	0.12
Melanomas of the skin	20	1.7	0.18	1.2	0.12	15	0.9	0.11	0.7	0.08
Breast (excl. <i>in situ</i>)	19	1.6	0.17	1.1	0.12	1,823	110.2	1.18	88.6	0.94
Female Genital System	-	-	-	-	-	890	53.2	0.81	42.7	0.65
Cervix uteri	-	-	-	-	-	174	10.7	0.37	8.9	0.31
Uterus Corpus	-	-	-	-	-	474	27.7	0.58	22.1	0.46
Uterus, NOS ¹	-	-	-	-	-	30	1.8	0.15	1.4	0.11
Ovary	-	-	-	-	-	150	9.2	0.34	7.2	0.27
Male Genital System	2,100	153.3	1.57	120.0	1.18	-	-	-	-	-
Prostate	2,069	151.1	1.56	118.1	1.16	-	-	-	-	-
Testis	17	1.1	0.12	1.1	0.12	-	-	-	-	-
Penis	12	0.9	0.12	0.7	0.09	-	-	-	-	-
Urinary System	435	35.3	0.80	25.7	0.55	254	15.8	0.45	11.8	0.34
Bladder (incl. <i>in situ</i>)	167	15.2	0.56	10.0	0.35	77	5.0	0.26	3.4	0.17
Kidney & renal pelvis	262	19.6	0.57	15.4	0.43	172	10.5	0.37	8.2	0.29
Ureter	3	0.2	0.06	0.1	0.04	2	0.1	0.04	0.1	0.03
Eye & Orbit	5	0.3	0.06	0.4	0.07	5	0.3	0.06	0.3	0.06
Brain & Other CNS ¹	68	4.9	0.28	4.2	0.23	59	3.5	0.21	3.2	0.19
Brain	62	4.5	0.27	3.9	0.22	54	3.2	0.20	3.0	0.18
Endocrine System	59	4.2	0.25	3.6	0.21	216	13.0	0.40	11.3	0.35
Thyroid gland	44	3.1	0.22	2.6	0.18	202	12.1	0.39	10.5	0.34
Lymphomas	306	22.7	0.61	18.6	0.48	280	17.1	0.47	14.0	0.38
Hodgkin Lymphoma	47	3.0	0.20	2.9	0.19	41	2.4	0.17	2.3	0.16
Non-Hodgkin Lymphoma	259	19.7	0.57	15.7	0.44	239	14.7	0.44	11.7	0.34
Multiple Myeloma	222	18.1	0.57	13.0	0.39	220	13.8	0.42	10.1	0.31
Leukemias	202	15.7	0.52	12.3	0.39	177	10.9	0.37	8.8	0.30
Acute lymphocytic	22	1.5	0.15	1.5	0.14	19	1.1	0.12	1.1	0.12
Chronic lymphocytic	57	4.7	0.30	3.4	0.20	41	2.6	0.19	1.8	0.13
Acute myeloid	58	4.5	0.28	3.5	0.21	56	3.5	0.21	2.9	0.17
Chronic myeloid	34	2.5	0.20	2.0	0.16	26	1.6	0.14	1.3	0.12
Other leukemias	31	2.4	0.21	1.9	0.15	35	2.1	0.16	1.7	0.13
Mesothelioma	6	0.5	0.10	0.4	0.07	2	0.1	0.04	0.1	0.03
Kaposi Sarcoma	20	1.3	0.14	1.3	0.13	3	0.2	0.05	0.2	0.04
Ill-defined & Unknown	300	25.6	0.70	17.8	0.46	368	23.3	0.56	16.9	0.40
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	121	9.5	0.41	7.3	0.30	286	17.8	0.48	13.8	0.37
Breast (<i>in situ</i>)	2	0.1	0.05	0.1	0.04	449	26.9	0.58	21.7	0.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

FLORIDA

104 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Georgia, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	25,945	532.1	1.54	395.4	1.11	24,469	421.4	1.23	326.9	0.96
Oral Cavity & Pharynx	1,008	19.5	0.28	15.3	0.22	406	6.9	0.16	5.3	0.12
Lip	32	0.7	0.06	0.5	0.04	12	0.2	0.03	0.2	0.02
Tongue	309	5.8	0.15	4.6	0.12	114	1.9	0.08	1.5	0.06
Major salivary gland	90	2.0	0.10	1.4	0.07	58	1.0	0.06	0.8	0.05
Floor of mouth	45	0.8	0.06	0.7	0.04	19	0.3	0.03	0.2	0.03
Gum & other mouth	103	2.1	0.10	1.6	0.07	90	1.6	0.08	1.1	0.05
Nasopharynx	42	0.8	0.06	0.7	0.05	19	0.4	0.04	0.3	0.03
Oropharynx	55	1.0	0.06	0.8	0.05	14	0.2	0.03	0.2	0.02
Hypopharynx	67	1.3	0.07	1.0	0.05	18	0.3	0.03	0.2	0.02
Digestive System	4,974	101.4	0.67	75.5	0.48	3,908	66.9	0.49	49.2	0.36
Esophagus	378	7.6	0.18	5.6	0.13	103	1.7	0.08	1.2	0.06
Stomach	417	8.7	0.20	6.3	0.14	268	4.7	0.13	3.4	0.10
Small intestine	158	3.2	0.12	2.4	0.09	145	2.5	0.09	1.9	0.07
Colon excl. rectum	1,575	32.9	0.39	24.1	0.27	1,491	25.7	0.30	18.7	0.22
Rectum & rectosigmoid	788	15.6	0.26	12.1	0.19	572	9.8	0.19	7.7	0.15
Anus, anal canal & anorectum	99	2.0	0.09	1.6	0.07	140	2.3	0.09	1.8	0.07
Liver	598	11.1	0.21	8.9	0.16	198	3.3	0.11	2.5	0.08
Gallbladder	35	0.8	0.06	0.5	0.04	73	1.2	0.07	0.9	0.05
Pancreas	707	14.9	0.26	10.6	0.18	677	11.6	0.20	8.1	0.14
Respiratory System	4,140	86.9	0.63	61.5	0.43	3,120	52.6	0.43	37.8	0.31
Larynx	336	6.6	0.17	5.0	0.12	80	1.3	0.07	1.0	0.05
Lung & bronchus	3,745	79.0	0.60	55.5	0.41	2,999	50.6	0.42	36.2	0.30
Bones & Joints	57	1.1	0.07	1.1	0.07	46	0.9	0.06	0.8	0.06
Soft Tissue (incl. heart)	187	3.9	0.13	3.2	0.11	157	2.8	0.10	2.4	0.09
Skin (excl. basal & sq.)	1,796	38.4	0.42	27.8	0.30	1,221	21.6	0.28	17.7	0.24
Melanomas of the skin	1,683	35.8	0.41	26.0	0.29	1,144	20.3	0.27	16.7	0.23
Breast (excl. <i>in situ</i>)	68	1.4	0.08	1.0	0.06	7,398	126.8	0.67	100.3	0.53
Female Genital System	-	-	-	-	-	2,790	47.4	0.41	38.4	0.33
Cervix uteri	-	-	-	-	-	419	7.8	0.17	6.8	0.15
Uterus Corpus	-	-	-	-	-	1,422	23.2	0.28	18.9	0.23
Uterus, NOS ¹	-	-	-	-	-	36	0.6	0.05	0.4	0.03
Ovary	-	-	-	-	-	634	11.0	0.20	8.6	0.16
Male Genital System	6,757	129.7	0.73	100.3	0.55	-	-	-	-	-
Prostate	6,491	124.2	0.72	95.1	0.53	-	-	-	-	-
Testis	210	4.3	0.13	4.3	0.14	-	-	-	-	-
Penis	43	0.9	0.07	0.7	0.05	-	-	-	-	-
Urinary System	2,653	57.3	0.52	40.2	0.35	1,176	20.1	0.27	14.9	0.20
Bladder (incl. <i>in situ</i>)	1,427	32.5	0.40	21.3	0.25	445	7.7	0.16	5.2	0.11
Kidney & renal pelvis	1,160	23.2	0.32	17.9	0.24	694	11.8	0.20	9.2	0.16
Ureter	30	0.7	0.06	0.4	0.04	21	0.4	0.04	0.2	0.02
Eye & Orbit	43	0.9	0.06	0.7	0.05	42	0.7	0.05	0.6	0.05
Brain & Other CNS ¹	345	7.1	0.18	6.0	0.15	288	5.2	0.14	4.6	0.13
Brain	328	6.7	0.17	5.6	0.14	269	4.8	0.13	4.2	0.12
Endocrine System	356	7.2	0.17	6.1	0.15	1,020	18.6	0.27	16.7	0.24
Thyroid gland	311	6.3	0.16	5.2	0.13	979	17.9	0.26	16.0	0.24
Lymphomas	1,191	25.0	0.34	19.4	0.26	969	17.0	0.25	13.3	0.20
Hodgkin Lymphoma	135	2.7	0.11	2.6	0.10	113	2.2	0.09	2.1	0.09
Non-Hodgkin Lymphoma	1,055	22.3	0.32	16.8	0.23	856	14.9	0.23	11.2	0.18
Multiple Myeloma	488	10.3	0.22	7.4	0.15	433	7.4	0.16	5.4	0.12
Leukemias	862	18.7	0.30	13.9	0.22	650	11.6	0.21	9.0	0.17
Acute lymphocytic	74	1.5	0.08	1.6	0.09	61	1.2	0.07	1.3	0.08
Chronic lymphocytic	331	7.2	0.18	5.0	0.12	222	3.8	0.12	2.6	0.08
Acute myeloid	238	5.2	0.16	3.8	0.11	202	3.6	0.12	2.8	0.09
Chronic myeloid	126	2.7	0.11	2.1	0.08	94	1.7	0.08	1.3	0.06
Other leukemias	93	2.1	0.10	1.5	0.07	71	1.3	0.07	0.9	0.05
Mesothelioma	48	1.1	0.08	0.7	0.05	14	0.2	0.03	0.2	0.02
Kaposi Sarcoma	69	1.4	0.08	1.4	0.08	3	0.1	0.02	0.1	0.01
Ill-defined & Unknown	904	20.7	0.32	13.9	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	455	9.7	0.21	7.5	0.16	978	17.2	0.25	13.5	0.20
Breast (<i>in situ</i>)	10	0.2	0.03	0.2	0.02	1,698	28.9	0.32	23.4	0.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Georgia, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	18,592	530.3	1.80	392.0	1.31	17,242	439.0	1.53	342.0	1.23
Oral Cavity & Pharynx	796	21.5	0.35	16.9	0.27	300	7.5	0.20	5.7	0.16
Lip	29	0.9	0.08	0.6	0.05	12	0.3	0.04	0.2	0.03
Tongue	262	6.9	0.20	5.6	0.16	91	2.3	0.11	1.7	0.09
Major salivary gland	73	2.3	0.12	1.6	0.08	34	0.9	0.07	0.7	0.06
Floor of mouth	34	0.9	0.07	0.7	0.06	15	0.4	0.04	0.3	0.03
Gum & other mouth	73	2.1	0.11	1.5	0.08	69	1.7	0.09	1.2	0.07
Nasopharynx	19	0.5	0.05	0.4	0.04	11	0.3	0.04	0.2	0.03
Oropharynx	43	1.1	0.08	0.9	0.06	10	0.2	0.04	0.2	0.03
Hypopharynx	46	1.2	0.08	0.9	0.06	11	0.3	0.04	0.2	0.03
Digestive System	3,385	96.2	0.76	71.2	0.55	2,547	63.1	0.57	46.3	0.43
Esophagus	279	7.7	0.21	5.8	0.16	68	1.7	0.09	1.2	0.07
Stomach	247	7.1	0.21	5.1	0.15	152	3.9	0.14	2.8	0.11
Small intestine	105	3.0	0.13	2.2	0.10	82	2.0	0.10	1.6	0.08
Colon excl. rectum	1,070	31.2	0.44	22.7	0.32	973	24.3	0.35	17.5	0.27
Rectum & rectosigmoid	550	15.4	0.30	12.0	0.23	375	9.6	0.23	7.5	0.18
Anus, anal canal & anorectum	63	1.8	0.10	1.4	0.08	111	2.7	0.12	2.2	0.10
Liver	386	10.2	0.24	8.1	0.19	124	3.0	0.12	2.2	0.09
Gallbladder	19	0.6	0.06	0.4	0.04	44	1.1	0.07	0.8	0.05
Pancreas	504	14.5	0.30	10.2	0.21	441	10.6	0.23	7.4	0.17
Respiratory System	3,073	87.8	0.73	61.8	0.50	2,406	57.8	0.53	41.6	0.39
Larynx	221	6.1	0.19	4.6	0.14	59	1.4	0.08	1.1	0.07
Lung & bronchus	2,806	80.4	0.70	56.2	0.48	2,319	55.6	0.52	39.9	0.38
Bones & Joints	40	1.2	0.09	1.2	0.09	31	0.9	0.08	0.9	0.08
Soft Tissue (incl. heart)	134	4.0	0.16	3.2	0.13	97	2.6	0.12	2.3	0.11
Skin (excl. basal & sq.)	1,753	51.3	0.57	37.8	0.41	1,171	31.8	0.43	26.6	0.37
Melanomas of the skin	1,655	48.2	0.55	35.7	0.40	1,115	30.4	0.42	25.5	0.36
Breast (excl. <i>in situ</i>)	46	1.3	0.09	1.0	0.06	4,985	126.8	0.82	100.2	0.66
Female Genital System	-	-	-	-	-	1,881	48.4	0.51	39.5	0.43
Cervix uteri	-	-	-	-	-	266	8.1	0.23	7.2	0.21
Uterus Corpus	-	-	-	-	-	943	23.1	0.35	19.0	0.29
Uterus, NOS ¹	-	-	-	-	-	19	0.5	0.05	0.4	0.04
Ovary	-	-	-	-	-	449	11.5	0.25	9.0	0.20
Male Genital System	4,119	110.5	0.79	84.9	0.60	-	-	-	-	-
Prostate	3,899	103.4	0.76	78.0	0.56	-	-	-	-	-
Testis	181	5.9	0.20	6.1	0.21	-	-	-	-	-
Penis	31	0.9	0.08	0.7	0.06	-	-	-	-	-
Urinary System	2,088	61.5	0.62	42.9	0.43	834	20.7	0.33	15.4	0.25
Bladder (incl. <i>in situ</i>)	1,218	36.8	0.49	24.3	0.31	339	8.2	0.20	5.7	0.14
Kidney & renal pelvis	815	23.0	0.37	17.5	0.28	467	11.8	0.25	9.2	0.20
Ureter	26	0.8	0.07	0.5	0.04	18	0.4	0.05	0.3	0.03
Eye & Orbit	38	1.1	0.08	0.9	0.07	36	1.0	0.07	0.8	0.07
Brain & Other CNS ¹	274	8.2	0.23	6.9	0.20	223	6.1	0.19	5.3	0.18
Brain	262	7.8	0.22	6.6	0.19	209	5.7	0.18	5.0	0.17
Endocrine System	279	8.2	0.23	7.0	0.20	734	21.6	0.37	19.6	0.34
Thyroid gland	249	7.3	0.21	6.2	0.18	709	20.9	0.36	18.9	0.33
Lymphomas	879	26.1	0.40	19.9	0.31	711	18.2	0.31	14.1	0.25
Hodgkin Lymphoma	86	2.7	0.13	2.5	0.13	71	2.2	0.12	2.2	0.12
Non-Hodgkin Lymphoma	793	23.4	0.38	17.4	0.28	640	16.0	0.29	11.9	0.22
Multiple Myeloma	276	8.1	0.22	5.6	0.15	206	5.1	0.16	3.6	0.12
Leukemias	665	20.1	0.36	15.0	0.27	475	12.4	0.26	9.6	0.22
Acute lymphocytic	54	1.8	0.11	1.9	0.12	42	1.3	0.09	1.4	0.11
Chronic lymphocytic	264	7.7	0.22	5.4	0.15	177	4.3	0.15	3.0	0.10
Acute myeloid	179	5.4	0.19	3.9	0.13	140	3.7	0.14	2.8	0.12
Chronic myeloid	93	2.8	0.14	2.2	0.10	66	1.7	0.10	1.4	0.08
Other leukemias	73	2.3	0.12	1.6	0.09	50	1.3	0.08	1.0	0.07
Mesothelioma	42	1.3	0.09	0.9	0.06	12	0.3	0.04	0.2	0.03
Kaposi Sarcoma	20	0.6	0.06	0.6	0.06	-	-	-	-	-
Ill-defined & Unknown	686	21.3	0.38	14.3	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	326	9.8	0.25	7.7	0.20	646	17.0	0.31	13.4	0.25
Breast (<i>in situ</i>)	6	0.2	0.03	0.1	0.02	1,086	27.9	0.39	22.6	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

GEORGIA

106 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Georgia, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	6,792	559.6	3.37	424.7	2.34	6,611	400.0	2.28	309.5	1.72
Oral Cavity & Pharynx	184	13.7	0.49	11.0	0.37	94	5.5	0.26	4.4	0.20
Lip	2	0.2	0.05	0.1	0.04	-	-	-	-	-
Tongue	41	3.1	0.23	2.5	0.17	19	1.1	0.12	0.8	0.09
Major salivary gland	15	1.1	0.15	0.9	0.11	22	1.2	0.12	1.0	0.10
Floor of mouth	10	0.8	0.12	0.6	0.09	4	0.2	0.05	0.2	0.04
Gum & other mouth	22	1.7	0.18	1.3	0.13	19	1.1	0.12	0.9	0.09
Nasopharynx	16	1.2	0.14	1.0	0.11	7	0.4	0.07	0.3	0.06
Oropharynx	12	0.8	0.11	0.7	0.09	4	0.2	0.05	0.2	0.04
Hypopharynx	20	1.5	0.17	1.2	0.12	6	0.4	0.07	0.3	0.05
Digestive System	1,429	117.9	1.55	88.9	1.07	1,257	78.1	1.02	57.6	0.73
Esophagus	91	7.5	0.39	5.7	0.27	31	1.8	0.15	1.4	0.11
Stomach	148	13.0	0.54	9.4	0.35	103	6.6	0.30	4.7	0.21
Small intestine	50	4.1	0.29	3.1	0.20	61	3.7	0.22	2.8	0.16
Colon excl. rectum	462	39.2	0.91	29.1	0.62	486	30.2	0.64	22.4	0.46
Rectum & rectosigmoid	206	16.0	0.55	12.5	0.40	177	10.4	0.36	8.2	0.28
Anus, anal canal & anorectum	35	2.5	0.20	2.1	0.16	27	1.6	0.14	1.3	0.11
Liver	183	12.8	0.46	10.7	0.36	61	3.6	0.22	2.8	0.16
Gallbladder	15	1.5	0.20	1.0	0.12	27	1.7	0.16	1.2	0.11
Pancreas	187	16.9	0.62	12.0	0.40	224	14.7	0.46	10.3	0.31
Respiratory System	1,017	90.5	1.42	65.3	0.93	667	41.9	0.76	30.5	0.53
Larynx	111	8.9	0.41	6.8	0.29	21	1.2	0.13	1.0	0.09
Lung & bronchus	893	80.5	1.35	57.6	0.88	634	40.0	0.74	29.0	0.52
Bones & Joints	14	0.9	0.13	0.9	0.11	13	0.7	0.09	0.7	0.09
Soft Tissue (incl. heart)	46	3.6	0.26	2.9	0.20	54	3.3	0.21	2.7	0.17
Skin (excl. basal & sq.)	26	2.1	0.21	1.6	0.15	33	1.9	0.16	1.6	0.13
Melanomas of the skin	13	1.1	0.16	0.8	0.10	15	0.9	0.11	0.7	0.08
Breast (excl. <i>in situ</i>)	21	1.8	0.20	1.3	0.13	2,213	130.2	1.28	103.6	0.99
Female Genital System	-	-	-	-	-	826	48.5	0.78	38.7	0.61
Cervix uteri	-	-	-	-	-	135	8.0	0.31	6.7	0.26
Uterus Corpus	-	-	-	-	-	443	25.3	0.56	20.3	0.43
Uterus, NOS ¹	-	-	-	-	-	17	1.0	0.11	0.8	0.08
Ovary	-	-	-	-	-	163	9.9	0.36	7.7	0.27
Male Genital System	2,504	196.4	1.93	152.6	1.38	-	-	-	-	-
Prostate	2,464	193.3	1.91	150.0	1.37	-	-	-	-	-
Testis	23	1.6	0.15	1.5	0.14	-	-	-	-	-
Penis	11	1.1	0.17	0.8	0.10	-	-	-	-	-
Urinary System	520	45.4	0.99	33.3	0.66	323	20.2	0.52	14.9	0.38
Bladder (incl. <i>in situ</i>)	184	19.0	0.70	12.6	0.42	98	6.8	0.32	4.4	0.20
Kidney & renal pelvis	326	25.5	0.69	20.1	0.50	217	13.0	0.41	10.2	0.31
Ureter	3	0.3	0.08	0.2	0.05	2	0.1	0.04	0.1	0.03
Eye & Orbit	4	0.3	0.08	0.3	0.06	4	0.3	0.06	0.3	0.06
Brain & Other CNS ¹	61	4.5	0.28	3.9	0.22	59	3.5	0.21	3.2	0.19
Brain	57	4.1	0.27	3.6	0.22	53	3.2	0.20	2.8	0.18
Endocrine System	57	4.3	0.27	3.6	0.21	234	13.4	0.40	11.6	0.34
Thyroid gland	44	3.4	0.24	2.7	0.19	220	12.5	0.39	10.9	0.33
Lymphomas	282	21.5	0.63	17.7	0.48	233	14.0	0.42	11.4	0.34
Hodgkin Lymphoma	46	3.0	0.21	2.9	0.19	39	2.2	0.16	2.1	0.15
Non-Hodgkin Lymphoma	236	18.5	0.59	14.8	0.44	194	11.8	0.39	9.3	0.30
Multiple Myeloma	203	18.4	0.65	13.1	0.42	222	14.2	0.44	10.3	0.31
Leukemias	174	15.3	0.59	11.4	0.39	156	9.7	0.36	7.7	0.28
Acute lymphocytic	17	1.0	0.12	1.1	0.12	14	0.8	0.10	0.9	0.10
Chronic lymphocytic	61	5.7	0.36	4.0	0.23	40	2.7	0.20	1.8	0.13
Acute myeloid	52	4.6	0.32	3.5	0.22	56	3.4	0.21	2.8	0.17
Chronic myeloid	28	2.5	0.24	1.8	0.16	27	1.6	0.14	1.3	0.11
Other leukemias	16	1.5	0.19	1.1	0.12	19	1.2	0.13	0.9	0.10
Mesothelioma	4	0.5	0.11	0.3	0.07	2	0.1	0.04	0.1	0.03
Kaposi Sarcoma	49	3.1	0.20	3.2	0.20	2	0.2	0.05	0.1	0.04
Ill-defined & Unknown	197	19.4	0.70	13.2	0.43	220	14.4	0.45	10.2	0.31
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	112	9.5	0.45	7.2	0.31	297	18.3	0.49	14.2	0.37
Breast (<i>in situ</i>)	4	0.3	0.07	0.2	0.05	557	32.2	0.63	25.9	0.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Georgia, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	434	286.4	6.84	212.2	4.62	526	272.1	5.69	212.1	4.18
Oral Cavity & Pharynx	26	15.2	1.48	11.8	1.06	11	5.8	0.81	4.5	0.61
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.0	0.67	2.4	0.48	4	2.1	0.47	1.7	0.37
Major salivary gland	3	1.7	0.52	1.2	0.34	2	1.0	0.30	0.9	0.26
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	4.2	0.78	3.3	0.56	3	1.6	0.46	1.1	0.31
Nasopharynx	6	2.6	0.50	2.4	0.45	2	0.8	0.26	0.7	0.23
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	1	1.1	0.47	0.7	0.28	-	-	-	-	-
Digestive System	142	93.1	3.88	68.6	2.61	96	55.2	2.73	39.7	1.83
Esophagus	6	4.0	0.85	2.8	0.54	2	1.2	0.37	0.9	0.27
Stomach	21	14.5	1.58	10.3	1.02	13	7.8	1.05	5.3	0.67
Small intestine	3	1.5	0.45	1.2	0.33	1	0.9	0.37	0.6	0.23
Colon excl. rectum	35	22.9	1.91	16.9	1.30	30	17.3	1.52	12.6	1.03
Rectum & rectosigmoid	27	16.3	1.56	12.6	1.11	17	8.2	0.96	6.5	0.72
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	28	18.0	1.71	13.5	1.16	12	6.6	0.91	5.0	0.66
Gallbladder	1	0.9	0.39	0.7	0.26	2	1.3	0.44	0.9	0.28
Pancreas	14	10.0	1.31	7.0	0.85	11	7.5	1.09	4.7	0.64
Respiratory System	43	31.8	2.44	21.7	1.51	41	24.2	1.83	17.0	1.21
Larynx	3	1.9	0.53	1.4	0.37	-	-	-	-	-
Lung & bronchus	38	29.1	2.36	19.6	1.44	39	23.4	1.80	16.5	1.19
Bones & Joints	3	1.3	0.37	1.2	0.34	2	0.9	0.28	0.9	0.29
Soft Tissue (incl. heart)	6	3.1	0.64	2.7	0.50	4	1.7	0.40	1.7	0.40
Skin (excl. basal & sq.)	4	2.2	0.50	1.8	0.41	2	1.0	0.31	0.8	0.25
Melanomas of the skin	2	1.3	0.40	1.1	0.32	2	0.7	0.28	0.6	0.21
Breast (excl. <i>in situ</i>)	1	0.8	0.31	0.6	0.24	180	87.3	3.06	70.0	2.35
Female Genital System	-	-	-	-	-	69	34.1	1.94	27.4	1.48
Cervix uteri	-	-	-	-	-	14	6.6	0.81	5.5	0.65
Uterus Corpus	-	-	-	-	-	30	14.4	1.25	11.7	0.97
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	21	10.9	1.13	8.6	0.84
Male Genital System	80	55.5	3.01	40.4	2.04	-	-	-	-	-
Prostate	76	53.7	2.98	38.7	2.00	-	-	-	-	-
Testis	3	1.4	0.35	1.5	0.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	24.1	2.09	16.9	1.32	15	9.4	1.20	6.3	0.74
Bladder (incl. <i>in situ</i>)	19	14.6	1.73	9.6	1.02	5	3.5	0.76	2.2	0.43
Kidney & renal pelvis	15	8.6	1.07	6.8	0.80	8	4.9	0.82	3.5	0.54
Ureter	-	-	-	-	-	1	1.0	0.41	0.5	0.23
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	4.0	0.65	3.8	0.60	6	3.1	0.58	2.9	0.52
Brain	7	3.7	0.62	3.5	0.58	6	3.0	0.58	2.8	0.51
Endocrine System	18	9.1	1.04	7.8	0.84	46	19.9	1.35	18.0	1.20
Thyroid gland	16	8.1	0.98	6.9	0.79	44	19.1	1.31	17.3	1.18
Lymphomas	25	14.9	1.46	12.0	1.09	20	11.4	1.23	8.6	0.86
Hodgkin Lymphoma	2	1.1	0.31	1.1	0.33	2	1.0	0.28	1.0	0.31
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	5.8	1.03	3.9	0.64	5	2.5	0.55	1.9	0.40
Leukemias	19	11.5	1.33	9.2	0.96	15	7.8	0.96	6.9	0.80
Acute lymphocytic	2	1.0	0.30	1.2	0.36	5	2.5	0.52	2.5	0.51
Chronic lymphocytic	4	3.1	0.80	2.0	0.47	3	1.6	0.50	1.1	0.31
Acute myeloid	6	3.3	0.63	2.8	0.51	5	2.6	0.54	2.3	0.45
Chronic myeloid	4	2.2	0.54	1.8	0.42	-	-	-	-	-
Other leukemias	3	1.9	0.60	1.4	0.38	1	0.7	0.29	0.6	0.23
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	12.1	1.51	8.4	0.94	12	7.1	1.02	5.1	0.67
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	13	7.6	1.02	6.2	0.77	30	16.7	1.45	12.5	1.03
Breast (<i>in situ</i>)	-	-	-	-	-	50	23.2	1.51	19.1	1.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Georgia, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	746	396.8	8.12	286.0	5.19	890	376.5	6.46	290.3	4.62
Oral Cavity & Pharynx	19	8.6	1.08	6.7	0.74	10	4.6	0.75	3.5	0.53
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.0	0.68	2.2	0.45	4	2.0	0.52	1.5	0.35
Major salivary gland	1	0.3	0.12	0.3	0.12	2	0.4	0.16	0.4	0.15
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.2	0.42	1.0	0.29	3	1.1	0.37	0.9	0.26
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	1	0.6	0.28	0.5	0.19	-	-	-	-	-
Digestive System	168	90.9	3.85	65.2	2.47	145	73.9	3.07	52.9	2.06
Esophagus	11	7.2	1.19	4.7	0.69	2	1.5	0.47	0.9	0.28
Stomach	20	10.6	1.35	7.5	0.83	17	7.1	0.89	5.4	0.63
Small intestine	5	2.5	0.62	1.9	0.41	4	2.1	0.52	1.5	0.35
Colon excl. rectum	47	25.3	2.04	17.9	1.29	50	24.3	1.74	17.5	1.17
Rectum & rectosigmoid	28	12.2	1.29	9.4	0.88	20	9.5	1.06	7.3	0.75
Anus, anal canal & anorectum	2	1.2	0.43	0.9	0.28	5	2.8	0.62	2.0	0.41
Liver	26	13.3	1.39	10.2	0.96	13	7.2	0.99	5.0	0.65
Gallbladder	1	0.9	0.40	0.6	0.25	5	2.6	0.57	1.9	0.38
Pancreas	20	11.7	1.40	8.3	0.90	18	10.7	1.24	7.2	0.79
Respiratory System	70	46.5	2.96	31.4	1.81	55	31.2	2.04	22.4	1.39
Larynx	8	4.2	0.81	3.2	0.55	-	-	-	-	-
Lung & bronchus	59	41.3	2.82	27.6	1.71	53	30.6	2.02	21.9	1.38
Bones & Joints	6	1.1	0.21	1.1	0.21	4	1.2	0.31	1.1	0.25
Soft Tissue (incl. heart)	11	3.9	0.67	3.2	0.50	8	2.6	0.48	2.2	0.37
Skin (excl. basal & sq.)	18	10.0	1.33	7.0	0.82	20	8.8	1.04	6.6	0.71
Melanomas of the skin	16	8.7	1.24	6.1	0.76	17	7.4	0.93	5.6	0.65
Breast (excl. <i>in situ</i>)	2	0.9	0.40	0.7	0.26	269	108.2	3.32	85.7	2.47
Female Genital System	-	-	-	-	-	125	46.7	2.11	38.0	1.61
Cervix uteri	-	-	-	-	-	35	10.1	0.83	8.7	0.69
Uterus Corpus	-	-	-	-	-	53	21.9	1.50	17.4	1.13
Uterus, NOS ¹	-	-	-	-	-	2	0.6	0.25	0.5	0.19
Ovary	-	-	-	-	-	29	11.1	1.04	9.1	0.79
Male Genital System	187	101.6	3.96	76.4	2.69	-	-	-	-	-
Prostate	160	96.4	3.94	70.9	2.65	-	-	-	-	-
Testis	24	4.2	0.38	4.6	0.42	-	-	-	-	-
Penis	3	0.7	0.21	0.6	0.19	-	-	-	-	-
Urinary System	75	47.4	2.99	31.6	1.80	36	17.3	1.46	12.8	1.01
Bladder (incl. <i>in situ</i>)	29	23.7	2.25	14.6	1.29	9	5.2	0.85	3.4	0.53
Kidney & renal pelvis	43	21.6	1.84	15.8	1.19	26	11.5	1.14	8.9	0.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	0.3	0.15	0.3	0.13	2	0.7	0.26	0.6	0.20
Brain & Other CNS ¹	20	7.2	0.99	5.7	0.67	16	5.1	0.69	4.5	0.54
Brain	19	6.9	0.97	5.5	0.65	15	4.9	0.68	4.3	0.53
Endocrine System	18	6.2	0.86	5.0	0.61	80	23.3	1.29	21.0	1.10
Thyroid gland	14	5.2	0.79	4.1	0.56	79	22.9	1.28	20.6	1.09
Lymphomas	56	22.5	1.80	17.3	1.17	47	19.7	1.49	15.4	1.06
Hodgkin Lymphoma	9	2.6	0.54	2.2	0.38	9	2.3	0.39	2.2	0.34
Non-Hodgkin Lymphoma	47	19.9	1.72	15.0	1.11	39	17.5	1.44	13.2	1.00
Multiple Myeloma	17	9.7	1.25	7.0	0.83	14	7.4	0.96	5.3	0.65
Leukemias	45	18.1	1.71	13.7	1.08	32	11.7	1.15	9.2	0.78
Acute lymphocytic	17	3.1	0.46	3.3	0.40	11	2.3	0.36	2.3	0.33
Chronic lymphocytic	7	5.2	1.05	3.3	0.61	4	2.1	0.55	1.4	0.35
Acute myeloid	9	4.5	0.87	3.3	0.55	10	4.1	0.71	3.0	0.47
Chronic myeloid	7	3.2	0.74	2.3	0.46	5	1.5	0.39	1.2	0.27
Other leukemias	5	2.0	0.56	1.6	0.36	4	1.7	0.48	1.2	0.30
Mesothelioma	2	1.5	0.57	0.8	0.32	1	0.6	0.25	0.4	0.19
Kaposi Sarcoma	4	1.3	0.39	1.0	0.26	-	-	-	-	-
Ill-defined & Unknown	28	19.2	2.04	11.7	1.11	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	18	6.6	0.96	5.2	0.62	40	16.8	1.37	12.9	0.97
Breast (<i>in situ</i>)	-	-	-	-	-	64	24.5	1.52	20.0	1.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

GEORGIA

110 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Georgia, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17,921	538.6	1.86	399.0	1.37	16,463	443.6	1.60	345.9	1.30
Oral Cavity & Pharynx	779	22.4	0.37	17.6	0.29	291	7.6	0.21	5.9	0.16
Lip	28	0.9	0.08	0.6	0.05	12	0.3	0.04	0.2	0.03
Tongue	257	7.2	0.21	5.8	0.17	88	2.3	0.11	1.8	0.09
Major salivary gland	72	2.4	0.13	1.6	0.09	33	0.9	0.08	0.8	0.07
Floor of mouth	34	0.9	0.08	0.8	0.06	14	0.4	0.04	0.3	0.03
Gum & other mouth	71	2.1	0.12	1.6	0.09	66	1.7	0.10	1.2	0.07
Nasopharynx	19	0.5	0.06	0.4	0.05	10	0.3	0.04	0.2	0.04
Oropharynx	42	1.2	0.08	0.9	0.07	10	0.3	0.04	0.2	0.03
Hypopharynx	44	1.2	0.08	1.0	0.07	11	0.3	0.04	0.2	0.03
Digestive System	3,234	97.0	0.79	71.9	0.58	2,420	62.8	0.59	46.1	0.45
Esophagus	270	7.8	0.22	5.9	0.16	66	1.7	0.09	1.2	0.07
Stomach	229	6.9	0.21	5.0	0.15	137	3.6	0.14	2.6	0.11
Small intestine	100	3.0	0.14	2.3	0.10	79	2.1	0.11	1.6	0.09
Colon excl. rectum	1,029	31.7	0.46	23.1	0.33	929	24.2	0.36	17.5	0.28
Rectum & rectosigmoid	525	15.7	0.32	12.2	0.24	357	9.7	0.24	7.6	0.19
Anus, anal canal & anorectum	61	1.8	0.11	1.4	0.08	107	2.8	0.12	2.2	0.10
Liver	363	10.1	0.24	8.0	0.19	113	2.8	0.12	2.1	0.09
Gallbladder	18	0.6	0.06	0.4	0.04	38	0.9	0.07	0.7	0.05
Pancreas	486	14.6	0.31	10.3	0.21	425	10.6	0.23	7.5	0.17
Respiratory System	3,010	89.6	0.75	63.2	0.52	2,357	58.9	0.55	42.5	0.40
Larynx	215	6.2	0.19	4.7	0.14	58	1.5	0.09	1.2	0.07
Lung & bronchus	2,752	82.1	0.72	57.6	0.50	2,271	56.6	0.54	40.7	0.39
Bones & Joints	34	1.2	0.09	1.1	0.09	27	0.9	0.08	0.9	0.08
Soft Tissue (incl. heart)	124	4.0	0.17	3.2	0.14	91	2.7	0.13	2.3	0.12
Skin (excl. basal & sq.)	1,736	54.0	0.60	40.0	0.45	1,152	34.1	0.47	28.6	0.41
Melanomas of the skin	1,640	50.8	0.58	37.8	0.43	1,098	32.7	0.46	27.6	0.40
Breast (excl. <i>in situ</i>)	44	1.3	0.09	1.0	0.07	4,757	128.2	0.86	101.2	0.69
Female Genital System	-	-	-	-	-	1,772	48.4	0.53	39.5	0.45
Cervix uteri	-	-	-	-	-	235	8.0	0.24	7.1	0.22
Uterus Corpus	-	-	-	-	-	898	23.3	0.36	19.1	0.30
Uterus, NOS ¹	-	-	-	-	-	18	0.5	0.05	0.3	0.04
Ovary	-	-	-	-	-	424	11.4	0.26	8.9	0.21
Male Genital System	3,954	111.3	0.82	85.6	0.62	-	-	-	-	-
Prostate	3,761	104.1	0.78	78.6	0.58	-	-	-	-	-
Testis	157	6.1	0.22	6.2	0.23	-	-	-	-	-
Penis	29	0.9	0.08	0.7	0.06	-	-	-	-	-
Urinary System	2,020	62.3	0.64	43.6	0.44	803	21.0	0.34	15.6	0.26
Bladder (incl. <i>in situ</i>)	1,192	37.4	0.50	24.8	0.33	331	8.4	0.21	5.8	0.15
Kidney & renal pelvis	776	23.2	0.38	17.8	0.29	445	11.9	0.26	9.4	0.21
Ureter	25	0.8	0.07	0.5	0.05	18	0.4	0.05	0.3	0.03
Eye & Orbit	36	1.1	0.09	0.9	0.07	34	1.0	0.08	0.8	0.07
Brain & Other CNS ¹	256	8.3	0.24	7.1	0.22	208	6.2	0.20	5.4	0.19
Brain	244	7.9	0.23	6.7	0.21	195	5.8	0.19	5.0	0.18
Endocrine System	263	8.5	0.24	7.3	0.21	659	21.4	0.39	19.4	0.36
Thyroid gland	236	7.6	0.23	6.5	0.20	635	20.6	0.38	18.7	0.35
Lymphomas	828	26.2	0.42	20.1	0.33	672	18.2	0.32	14.0	0.27
Hodgkin Lymphoma	78	2.7	0.14	2.6	0.14	64	2.3	0.13	2.2	0.13
Non-Hodgkin Lymphoma	751	23.5	0.40	17.5	0.30	608	15.9	0.30	11.8	0.23
Multiple Myeloma	263	8.0	0.23	5.6	0.16	195	5.0	0.16	3.6	0.12
Leukemias	623	19.9	0.37	14.8	0.28	445	12.2	0.27	9.4	0.23
Acute lymphocytic	39	1.5	0.11	1.6	0.12	32	1.2	0.10	1.3	0.11
Chronic lymphocytic	258	7.9	0.23	5.5	0.15	174	4.4	0.15	3.1	0.11
Acute myeloid	171	5.5	0.19	3.9	0.14	131	3.6	0.15	2.8	0.12
Chronic myeloid	87	2.9	0.14	2.2	0.11	61	1.7	0.10	1.3	0.08
Other leukemias	68	2.3	0.13	1.6	0.09	47	1.3	0.09	0.9	0.07
Mesothelioma	41	1.3	0.09	0.9	0.06	11	0.3	0.04	0.2	0.03
Kaposi Sarcoma	16	0.6	0.06	0.5	0.06	-	-	-	-	-
Ill-defined & Unknown	660	21.5	0.39	14.5	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	309	10.1	0.26	7.9	0.21	609	17.1	0.32	13.6	0.27
Breast (<i>in situ</i>)	6	0.2	0.03	0.1	0.03	1,033	28.1	0.41	22.9	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Georgia, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	6,739	563.3	3.40	427.8	2.37	6,525	400.8	2.30	310.3	1.73
Oral Cavity & Pharynx	182	13.8	0.49	11.1	0.37	93	5.5	0.26	4.4	0.21
Lip	2	0.2	0.05	0.1	0.04	-	-	-	-	-
Tongue	41	3.1	0.24	2.5	0.18	18	1.1	0.12	0.8	0.09
Major salivary gland	15	1.2	0.15	0.9	0.11	21	1.3	0.12	1.0	0.10
Floor of mouth	10	0.8	0.12	0.6	0.09	4	0.2	0.05	0.2	0.04
Gum & other mouth	22	1.7	0.18	1.4	0.13	18	1.1	0.12	0.9	0.09
Nasopharynx	16	1.2	0.14	1.0	0.11	7	0.4	0.07	0.3	0.06
Oropharynx	12	0.9	0.12	0.7	0.09	4	0.2	0.05	0.2	0.04
Hypopharynx	20	1.6	0.17	1.2	0.12	6	0.4	0.07	0.3	0.05
Digestive System	1,417	118.6	1.57	89.5	1.08	1,243	78.3	1.03	57.8	0.74
Esophagus	90	7.5	0.39	5.7	0.27	31	1.8	0.15	1.4	0.11
Stomach	147	13.1	0.54	9.5	0.36	102	6.6	0.31	4.7	0.21
Small intestine	50	4.1	0.29	3.2	0.20	60	3.7	0.22	2.8	0.16
Colon excl. rectum	458	39.4	0.92	29.3	0.62	482	30.4	0.64	22.5	0.46
Rectum & rectosigmoid	204	16.1	0.55	12.6	0.40	175	10.4	0.36	8.2	0.28
Anus, anal canal & anorectum	35	2.6	0.20	2.2	0.17	26	1.6	0.14	1.2	0.11
Liver	182	12.9	0.46	10.8	0.36	60	3.6	0.22	2.8	0.16
Gallbladder	15	1.5	0.20	1.0	0.12	27	1.7	0.16	1.2	0.11
Pancreas	186	17.0	0.62	12.1	0.41	223	14.7	0.46	10.3	0.31
Respiratory System	1,013	91.2	1.43	65.9	0.94	661	42.1	0.76	30.6	0.54
Larynx	110	8.9	0.42	6.9	0.30	20	1.2	0.13	0.9	0.09
Lung & bronchus	889	81.1	1.36	58.1	0.89	629	40.2	0.75	29.1	0.52
Bones & Joints	14	1.0	0.13	0.9	0.11	13	0.7	0.09	0.7	0.09
Soft Tissue (incl. heart)	45	3.6	0.26	3.0	0.20	53	3.3	0.21	2.8	0.17
Skin (excl. basal & sq.)	25	2.1	0.21	1.7	0.15	33	2.0	0.16	1.6	0.13
Melanomas of the skin	13	1.2	0.17	0.8	0.11	15	0.9	0.11	0.7	0.08
Breast (excl. <i>in situ</i>)	21	1.9	0.20	1.4	0.14	2,181	130.4	1.29	103.7	1.00
Female Genital System	-	-	-	-	-	815	48.5	0.79	38.7	0.61
Cervix uteri	-	-	-	-	-	132	8.0	0.32	6.7	0.26
Uterus Corpus	-	-	-	-	-	438	25.3	0.56	20.3	0.44
Uterus, NOS ¹	-	-	-	-	-	16	1.0	0.11	0.7	0.08
Ovary	-	-	-	-	-	160	9.9	0.36	7.7	0.28
Male Genital System	2,487	197.6	1.94	153.6	1.40	-	-	-	-	-
Prostate	2,447	194.5	1.93	151.0	1.39	-	-	-	-	-
Testis	23	1.6	0.15	1.5	0.14	-	-	-	-	-
Penis	11	1.1	0.17	0.8	0.10	-	-	-	-	-
Urinary System	516	45.6	1.00	33.4	0.67	319	20.3	0.53	15.0	0.38
Bladder (incl. <i>in situ</i>)	182	19.0	0.70	12.6	0.43	98	6.8	0.32	4.4	0.20
Kidney & renal pelvis	323	25.7	0.70	20.2	0.51	214	13.0	0.41	10.2	0.32
Ureter	3	0.3	0.08	0.2	0.05	2	0.1	0.04	0.1	0.03
Eye & Orbit	4	0.3	0.09	0.3	0.06	4	0.3	0.06	0.3	0.06
Brain & Other CNS ¹	60	4.5	0.28	3.9	0.23	58	3.6	0.21	3.2	0.19
Brain	55	4.1	0.27	3.6	0.22	52	3.2	0.20	2.9	0.18
Endocrine System	56	4.3	0.28	3.6	0.22	232	13.5	0.40	11.7	0.35
Thyroid gland	43	3.4	0.25	2.7	0.19	218	12.6	0.39	11.0	0.34
Lymphomas	279	21.7	0.64	17.9	0.49	226	13.9	0.43	11.3	0.34
Hodgkin Lymphoma	46	3.1	0.21	2.9	0.20	37	2.2	0.16	2.1	0.15
Non-Hodgkin Lymphoma	233	18.6	0.60	14.9	0.44	189	11.7	0.39	9.2	0.30
Multiple Myeloma	200	18.5	0.65	13.2	0.42	218	14.1	0.44	10.2	0.31
Leukemias	172	15.5	0.59	11.6	0.40	154	9.8	0.36	7.8	0.28
Acute lymphocytic	16	1.0	0.12	1.1	0.12	13	0.8	0.10	0.9	0.11
Chronic lymphocytic	61	5.8	0.37	4.0	0.24	40	2.7	0.20	1.9	0.13
Acute myeloid	52	4.7	0.33	3.5	0.22	55	3.4	0.21	2.8	0.17
Chronic myeloid	27	2.4	0.24	1.8	0.16	27	1.6	0.15	1.3	0.11
Other leukemias	16	1.5	0.19	1.1	0.12	19	1.2	0.13	0.9	0.10
Mesothelioma	4	0.5	0.12	0.3	0.07	2	0.1	0.04	0.1	0.03
Kaposi Sarcoma	49	3.2	0.21	3.3	0.21	2	0.2	0.05	0.1	0.04
Ill-defined & Unknown	196	19.5	0.70	13.4	0.44	218	14.5	0.45	10.3	0.32
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	111	9.6	0.45	7.3	0.32	294	18.4	0.50	14.3	0.38
Breast (<i>in situ</i>)	4	0.3	0.07	0.2	0.05	549	32.3	0.64	26.0	0.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

GEORGIA

112 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Hawaii, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,650	437.7	3.33	324.8	2.50	3,634	406.4	3.15	320.9	2.58
Oral Cavity & Pharynx	158	18.8	0.69	14.9	0.55	73	8.1	0.44	6.4	0.37
Lip	6	0.7	0.14	0.6	0.12	2	0.2	0.06	0.2	0.05
Tongue	51	6.0	0.38	4.7	0.30	26	2.9	0.26	2.2	0.21
Major salivary gland	15	1.8	0.22	1.4	0.17	14	1.7	0.21	1.4	0.19
Floor of mouth	7	0.8	0.14	0.6	0.11	2	0.3	0.08	0.2	0.06
Gum & other mouth	13	1.6	0.20	1.2	0.16	14	1.5	0.19	1.1	0.15
Nasopharynx	17	2.2	0.25	1.8	0.21	6	0.7	0.13	0.6	0.12
Oropharynx	5	0.6	0.12	0.5	0.10	-	-	-	-	-
Hypopharynx	12	1.4	0.19	1.0	0.13	3	0.3	0.08	0.2	0.07
Digestive System	884	106.0	1.64	78.5	1.22	659	69.0	1.25	50.5	0.96
Esophagus	52	6.2	0.39	4.5	0.29	13	1.3	0.16	0.9	0.12
Stomach	92	11.3	0.54	7.6	0.37	63	6.3	0.37	4.4	0.28
Small intestine	19	2.2	0.24	1.7	0.18	15	1.7	0.20	1.3	0.16
Colon excl. rectum	236	28.5	0.85	21.4	0.65	226	23.9	0.75	17.4	0.57
Rectum & rectosigmoid	155	18.8	0.69	15.0	0.55	103	11.8	0.54	9.3	0.44
Anus, anal canal & anorectum	7	0.8	0.14	0.7	0.11	13	1.3	0.17	1.1	0.14
Liver	126	14.6	0.60	11.1	0.45	49	4.9	0.32	3.6	0.25
Gallbladder	9	1.1	0.17	0.8	0.12	10	1.1	0.15	0.8	0.11
Pancreas	130	15.5	0.63	11.0	0.45	120	12.1	0.51	8.4	0.38
Respiratory System	521	62.3	1.25	43.4	0.87	367	37.3	0.90	26.4	0.65
Larynx	32	3.6	0.29	2.7	0.22	5	0.5	0.10	0.4	0.09
Lung & bronchus	477	57.3	1.20	39.5	0.83	357	36.3	0.88	25.6	0.64
Bones & Joints	7	1.0	0.17	0.9	0.17	5	0.8	0.15	0.7	0.15
Soft Tissue (incl. heart)	33	4.2	0.33	3.4	0.29	25	2.8	0.27	2.4	0.24
Skin (excl. basal & sq.)	261	31.4	0.90	23.6	0.68	151	17.3	0.66	14.3	0.56
Melanomas of the skin	239	28.8	0.86	21.7	0.65	139	16.1	0.64	13.4	0.55
Breast (excl. <i>in situ</i>)	8	0.8	0.14	0.6	0.10	1,214	138.9	1.86	111.8	1.52
Female Genital System	-	-	-	-	-	461	54.1	1.18	45.1	1.00
Cervix uteri	-	-	-	-	-	49	6.8	0.45	6.0	0.40
Uterus Corpus	-	-	-	-	-	279	32.1	0.89	26.8	0.75
Uterus, NOS ¹	-	-	-	-	-	4	0.5	0.11	0.4	0.09
Ovary	-	-	-	-	-	85	10.1	0.51	8.4	0.44
Male Genital System	822	95.1	1.52	71.4	1.14	-	-	-	-	-
Prostate	771	88.2	1.46	64.7	1.06	-	-	-	-	-
Testis	42	5.9	0.42	5.9	0.42	-	-	-	-	-
Penis	5	0.6	0.12	0.5	0.09	-	-	-	-	-
Urinary System	374	45.5	1.08	32.3	0.77	134	14.1	0.57	10.5	0.44
Bladder (incl. <i>in situ</i>)	204	24.8	0.80	16.5	0.53	55	5.4	0.34	3.8	0.24
Kidney & renal pelvis	160	19.3	0.70	14.9	0.55	75	8.4	0.45	6.5	0.36
Ureter	6	0.8	0.14	0.5	0.09	3	0.3	0.07	0.2	0.05
Eye & Orbit	7	0.9	0.15	0.7	0.13	4	0.5	0.12	0.5	0.11
Brain & Other CNS ¹	38	5.0	0.37	4.3	0.33	29	3.5	0.30	3.0	0.28
Brain	36	4.6	0.35	3.9	0.31	26	3.1	0.28	2.7	0.26
Endocrine System	61	8.1	0.48	6.9	0.41	169	23.0	0.82	20.8	0.75
Thyroid gland	53	7.1	0.45	6.1	0.38	162	22.2	0.81	20.0	0.74
Lymphomas	176	21.6	0.75	16.7	0.59	133	14.7	0.60	11.5	0.50
Hodgkin Lymphoma	14	1.8	0.23	1.7	0.21	9	1.2	0.19	1.2	0.19
Non-Hodgkin Lymphoma	162	19.8	0.71	15.0	0.55	124	13.5	0.57	10.3	0.46
Multiple Myeloma	55	6.5	0.40	4.7	0.29	42	4.4	0.31	3.1	0.23
Leukemias	108	13.7	0.60	10.8	0.50	73	8.5	0.46	7.3	0.44
Acute lymphocytic	11	1.6	0.22	1.7	0.23	13	1.8	0.24	2.1	0.28
Chronic lymphocytic	23	2.7	0.25	2.0	0.18	15	1.5	0.18	1.1	0.13
Acute myeloid	40	5.2	0.37	4.0	0.30	29	3.3	0.29	2.7	0.25
Chronic myeloid	21	2.5	0.26	2.0	0.21	11	1.2	0.17	0.9	0.14
Other leukemias	13	1.7	0.21	1.2	0.15	6	0.6	0.13	0.5	0.11
Mesothelioma	6	0.8	0.14	0.5	0.09	1	0.1	0.06	0.1	0.06
Kaposi Sarcoma	4	0.6	0.13	0.5	0.11	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	93	9.3	0.45	6.5	0.35
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	61	7.7	0.45	6.0	0.37	130	14.7	0.61	11.5	0.51
Breast (<i>in situ</i>)	1	0.1	0.06	0.1	0.04	301	35.3	0.95	28.8	0.78

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Hawaii, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,330	507.5	6.70	375.1	4.96	1,026	461.6	7.06	355.8	5.57
Oral Cavity & Pharynx	74	26.8	1.50	21.0	1.16	21	9.6	1.02	7.2	0.80
Lip	3	1.5	0.39	1.2	0.31	-	-	-	-	-
Tongue	28	9.9	0.90	7.7	0.69	8	3.6	0.61	2.7	0.45
Major salivary gland	7	2.7	0.50	1.9	0.35	4	2.0	0.52	1.7	0.50
Floor of mouth	4	1.4	0.33	1.1	0.26	-	-	-	-	-
Gum & other mouth	5	1.8	0.41	1.3	0.29	4	1.7	0.42	1.1	0.27
Nasopharynx	2	0.7	0.26	0.5	0.19	-	-	-	-	-
Oropharynx	4	1.0	0.26	0.9	0.21	-	-	-	-	-
Hypopharynx	4	1.2	0.29	0.9	0.21	-	-	-	-	-
Digestive System	241	90.4	2.81	67.4	2.08	157	67.5	2.61	48.3	1.88
Esophagus	18	7.0	0.79	4.8	0.52	6	2.3	0.47	1.6	0.32
Stomach	16	6.3	0.74	4.4	0.50	8	3.2	0.56	2.2	0.38
Small intestine	5	1.9	0.41	1.4	0.30	3	1.4	0.36	1.0	0.25
Colon excl. rectum	68	26.8	1.58	20.1	1.20	57	25.6	1.64	17.9	1.17
Rectum & rectosigmoid	38	14.7	1.15	11.7	0.91	25	11.5	1.12	8.8	0.86
Anus, anal canal & anorectum	5	1.6	0.35	1.2	0.27	9	3.4	0.55	2.8	0.45
Liver	33	10.7	0.90	8.3	0.67	10	3.4	0.52	2.6	0.39
Gallbladder	2	0.7	0.25	0.5	0.17	2	0.8	0.28	0.5	0.18
Pancreas	39	14.5	1.11	10.6	0.80	29	12.1	1.08	8.3	0.75
Respiratory System	151	56.4	2.20	39.8	1.51	103	42.2	2.01	29.2	1.35
Larynx	16	5.6	0.68	4.4	0.51	3	0.9	0.26	0.7	0.20
Lung & bronchus	131	49.1	2.05	34.1	1.38	98	40.7	1.98	27.9	1.33
Bones & Joints	2	0.9	0.29	0.8	0.26	-	-	-	-	-
Soft Tissue (incl. heart)	10	4.4	0.70	3.3	0.59	6	3.1	0.67	2.9	0.68
Skin (excl. basal & sq.)	217	86.6	2.82	62.7	2.04	117	53.5	2.44	42.5	1.96
Melanomas of the skin	206	82.0	2.74	59.6	1.99	112	51.0	2.38	40.9	1.93
Breast (excl. <i>in situ</i>)	3	0.9	0.27	0.6	0.16	315	143.4	3.97	113.0	3.14
Female Genital System	-	-	-	-	-	120	53.8	2.40	42.4	1.91
Cervix uteri	-	-	-	-	-	13	7.3	0.99	6.5	0.88
Uterus Corpus	-	-	-	-	-	61	24.8	1.55	19.6	1.20
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	28	13.6	1.26	10.5	1.01
Male Genital System	268	95.6	2.81	72.8	2.12	-	-	-	-	-
Prostate	249	86.3	2.62	63.5	1.86	-	-	-	-	-
Testis	17	8.2	0.96	8.3	0.97	-	-	-	-	-
Penis	2	0.8	0.26	0.6	0.20	-	-	-	-	-
Urinary System	151	58.9	2.29	41.1	1.58	37	15.4	1.23	11.2	0.91
Bladder (incl. <i>in situ</i>)	94	37.6	1.85	25.1	1.21	18	7.5	0.84	5.2	0.58
Kidney & renal pelvis	54	20.0	1.30	15.1	1.00	17	7.4	0.87	5.8	0.69
Ureter	2	0.7	0.24	0.4	0.14	-	-	-	-	-
Eye & Orbit	5	1.9	0.42	1.4	0.32	2	1.1	0.36	1.0	0.31
Brain & Other CNS ¹	19	8.4	0.97	7.2	0.90	11	5.8	0.87	5.2	0.84
Brain	18	8.0	0.96	6.9	0.89	11	5.5	0.85	5.0	0.82
Endocrine System	17	7.1	0.84	6.3	0.74	36	20.3	1.64	18.5	1.51
Thyroid gland	16	6.8	0.81	5.9	0.70	35	20.0	1.63	18.3	1.51
Lymphomas	64	25.3	1.53	19.7	1.20	41	18.4	1.42	14.3	1.17
Hodgkin Lymphoma	7	2.9	0.52	2.6	0.47	3	2.2	0.58	2.2	0.61
Non-Hodgkin Lymphoma	57	22.4	1.44	17.1	1.11	-	-	-	-	-
Multiple Myeloma	21	8.1	0.84	5.7	0.58	10	4.4	0.67	3.0	0.45
Leukemias	38	15.0	1.18	11.2	0.90	23	11.6	1.20	9.5	1.07
Acute lymphocytic	2	1.0	0.35	0.8	0.32	2	1.6	0.51	1.9	0.61
Chronic lymphocytic	14	4.9	0.63	3.5	0.44	8	3.2	0.55	2.2	0.38
Acute myeloid	12	5.0	0.69	3.9	0.56	7	3.9	0.71	3.3	0.66
Chronic myeloid	6	2.3	0.44	1.7	0.32	4	1.9	0.47	1.3	0.34
Other leukemias	4	2.0	0.45	1.3	0.31	2	1.1	0.38	0.8	0.29
Mesothelioma	2	0.9	0.29	0.6	0.18	-	-	-	-	-
Kaposi Sarcoma	2	1.0	0.32	0.8	0.27	-	-	-	-	-
Ill-defined & Unknown	46	18.8	1.34	12.7	0.94	26	10.7	1.02	7.2	0.72
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	17	7.3	0.84	5.7	0.68	30	14.9	1.34	11.9	1.12
Breast (<i>in situ</i>)	-	-	-	-	-	61	27.8	1.76	22.5	1.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Hawaii, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	61	456.5	30.15	346.0	20.77	28	322.9	29.91	253.0	21.89
Oral Cavity & Pharynx	1	10.0	4.79	7.3	3.21	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	109.1	14.86	82.8	10.23	3	41.3	10.98	31.7	7.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	11.2	4.93	8.3	3.35	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	4	31.4	8.28	23.1	5.44	1	20.2	8.94	12.7	5.27
Rectum & rectosigmoid	2	12.5	4.80	10.1	3.51	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	21.0	6.25	17.1	4.72	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	13.4	5.01	10.0	3.43	-	-	-	-	-
Respiratory System	5	49.4	10.99	33.1	6.75	3	54.1	14.25	36.0	9.09
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	44.2	10.72	28.2	6.37	3	54.1	14.25	36.0	9.09
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	10	99.2	14.98	83.4	12.19
Female Genital System	-	-	-	-	-	4	39.8	10.20	32.4	7.65
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	19.6	7.42	15.5	5.36
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	1	15.4	6.33	12.6	4.81
Male Genital System	24	168.2	17.08	136.0	12.74	-	-	-	-	-
Prostate	23	162.5	16.68	131.9	12.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	53.1	11.37	35.6	6.86	1	20.6	8.33	14.6	5.61
Bladder (incl. <i>in situ</i>)	3	34.4	9.61	21.2	5.53	-	-	-	-	-
Kidney & renal pelvis	3	17.8	5.99	13.5	3.94	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	15.6	5.15	12.5	3.95	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	14.5	5.03	11.6	3.83	-	-	-	-	-
Multiple Myeloma	2	15.7	4.97	13.0	4.00	1	12.9	5.46	10.9	4.52
Leukemias	2	12.4	4.90	9.0	3.26	1	9.5	4.56	8.7	3.78
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	10.7	5.13	7.0	2.87	1	19.0	8.52	11.5	4.94
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1	7.6	3.27	6.4	2.57	1	15.3	6.34	11.8	4.57
Breast (<i>in situ</i>)	-	-	-	-	-	2	25.2	8.09	20.2	6.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Hawaii, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,180	394.7	3.84	291.9	2.91	2,511	384.7	3.56	305.3	2.96
Oral Cavity & Pharynx	79	14.7	0.75	11.6	0.61	50	7.6	0.50	6.1	0.42
Lip	2	0.3	0.12	0.3	0.11	-	-	-	-	-
Tongue	22	4.0	0.38	3.1	0.31	17	2.6	0.29	2.1	0.24
Major salivary gland	8	1.4	0.24	1.1	0.20	10	1.6	0.23	1.3	0.20
Floor of mouth	3	0.5	0.12	0.4	0.10	1	0.2	0.09	0.2	0.07
Gum & other mouth	8	1.5	0.24	1.2	0.19	10	1.5	0.21	1.1	0.17
Nasopharynx	15	2.9	0.35	2.5	0.29	6	1.0	0.18	0.9	0.17
Oropharynx	2	0.3	0.11	0.3	0.09	-	-	-	-	-
Hypopharynx	8	1.5	0.24	1.1	0.17	1	0.2	0.08	0.2	0.06
Digestive System	620	112.2	2.05	83.3	1.55	489	69.2	1.46	50.9	1.14
Esophagus	32	5.9	0.47	4.4	0.35	7	1.0	0.16	0.7	0.13
Stomach	73	13.2	0.70	8.9	0.49	54	7.2	0.46	5.0	0.35
Small intestine	13	2.4	0.30	1.8	0.23	12	1.8	0.24	1.4	0.19
Colon excl. rectum	163	29.5	1.05	22.3	0.81	165	23.6	0.86	17.3	0.67
Rectum & rectosigmoid	113	20.6	0.89	16.5	0.72	75	11.7	0.63	9.4	0.52
Anus, anal canal & anorectum	2	0.4	0.12	0.3	0.10	3	0.5	0.12	0.4	0.10
Liver	90	16.1	0.77	12.2	0.59	39	5.3	0.39	3.8	0.30
Gallbladder	7	1.3	0.22	0.9	0.16	8	1.2	0.19	0.9	0.15
Pancreas	87	15.6	0.76	10.9	0.55	89	12.0	0.59	8.4	0.44
Respiratory System	362	65.1	1.55	45.3	1.10	256	35.3	1.02	25.2	0.76
Larynx	14	2.5	0.30	1.8	0.22	2	0.3	0.10	0.3	0.09
Lung & bronchus	340	61.2	1.51	42.3	1.06	251	34.6	1.00	24.6	0.75
Bones & Joints	4	0.9	0.19	0.9	0.20	4	0.8	0.18	0.8	0.18
Soft Tissue (incl. heart)	22	4.2	0.40	3.5	0.35	19	2.9	0.31	2.5	0.28
Skin (excl. basal & sq.)	27	4.7	0.41	3.6	0.33	16	2.4	0.28	1.9	0.23
Melanomas of the skin	17	3.0	0.33	2.4	0.27	10	1.6	0.24	1.3	0.20
Breast (excl. <i>in situ</i>)	5	0.8	0.17	0.6	0.13	875	138.3	2.16	112.0	1.79
Female Genital System	-	-	-	-	-	329	54.1	1.38	45.8	1.19
Cervix uteri	-	-	-	-	-	34	6.3	0.50	5.5	0.44
Uterus Corpus	-	-	-	-	-	212	34.6	1.09	29.3	0.94
Uterus, NOS ¹	-	-	-	-	-	3	0.5	0.13	0.4	0.11
Ovary	-	-	-	-	-	54	9.1	0.57	7.7	0.50
Male Genital System	501	89.0	1.81	66.0	1.35	-	-	-	-	-
Prostate	475	83.5	1.74	60.7	1.27	-	-	-	-	-
Testis	22	4.7	0.46	4.7	0.45	-	-	-	-	-
Penis	3	0.4	0.13	0.3	0.10	-	-	-	-	-
Urinary System	212	38.5	1.20	27.4	0.88	94	13.6	0.65	10.1	0.51
Bladder (incl. <i>in situ</i>)	104	18.5	0.83	12.1	0.56	35	4.7	0.36	3.2	0.26
Kidney & renal pelvis	101	18.7	0.85	14.4	0.66	56	8.6	0.53	6.7	0.43
Ureter	4	0.8	0.17	0.5	0.11	2	0.3	0.08	0.2	0.06
Eye & Orbit	2	0.4	0.12	0.4	0.12	2	0.3	0.10	0.3	0.11
Brain & Other CNS ¹	18	3.4	0.37	3.0	0.34	17	2.7	0.31	2.4	0.28
Brain	16	3.1	0.35	2.7	0.32	15	2.3	0.28	2.0	0.26
Endocrine System	43	8.6	0.60	7.3	0.52	129	24.0	0.97	21.6	0.89
Thyroid gland	36	7.3	0.55	6.2	0.47	123	23.0	0.95	20.7	0.88
Lymphomas	106	19.5	0.86	14.9	0.68	90	13.4	0.66	10.4	0.55
Hodgkin Lymphoma	6	1.3	0.23	1.1	0.21	5	1.0	0.19	0.9	0.20
Non-Hodgkin Lymphoma	100	18.2	0.83	13.8	0.65	84	12.5	0.63	9.5	0.52
Multiple Myeloma	31	5.5	0.45	4.1	0.34	30	4.2	0.35	3.1	0.26
Leukemias	65	12.4	0.69	10.0	0.59	47	7.2	0.49	6.3	0.48
Acute lymphocytic	9	1.9	0.28	2.0	0.30	-	-	-	-	-
Chronic lymphocytic	7	1.1	0.20	0.8	0.14	6	0.7	0.13	0.5	0.10
Acute myeloid	28	5.3	0.46	4.2	0.38	21	3.2	0.33	2.6	0.29
Chronic myeloid	14	2.5	0.31	2.0	0.25	7	1.0	0.18	0.9	0.17
Other leukemias	8	1.5	0.25	1.1	0.18	3	0.5	0.13	0.4	0.11
Mesothelioma	4	0.7	0.17	0.5	0.11	-	-	-	-	-
Kaposi Sarcoma	1	0.3	0.11	0.2	0.10	-	-	-	-	-
Ill-defined & Unknown	78	14.0	0.72	9.5	0.51	63	8.4	0.50	5.9	0.39
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	41	7.5	0.54	5.7	0.43	93	13.8	0.68	10.7	0.56
Breast (<i>in situ</i>)	-	-	-	-	-	233	37.8	1.14	30.9	0.94

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Hawaii, 2013-2017, Hispanic/Latino, All Races

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	171	557.0	21.94	385.3	13.66	208	541.1	18.10	396.5	12.45
Oral Cavity & Pharynx	6	17.6	3.59	13.3	2.45	2	4.8	1.54	4.1	1.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	6.5	2.05	5.0	1.50	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	41	138.9	11.11	94.9	6.80	39	111.0	8.57	76.0	5.53
Esophagus	2	7.0	2.55	4.6	1.51	1	3.0	1.32	2.4	0.97
Stomach	3	14.6	3.90	8.8	2.19	3	10.7	2.75	6.8	1.66
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	12	39.8	6.01	26.8	3.63	12	34.4	4.81	23.4	3.07
Rectum & rectosigmoid	5	13.1	3.24	9.6	2.07	6	15.9	2.98	12.1	2.16
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	29.0	5.21	19.4	3.09	4	11.2	2.76	7.9	1.83
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	7	18.4	3.38	14.7	2.54	8	23.5	4.02	15.5	2.51
Respiratory System	29	112.5	10.55	71.3	6.12	25	77.9	7.43	51.1	4.64
Larynx	2	4.1	1.51	3.4	1.22	-	-	-	-	-
Lung & bronchus	26	107.6	10.43	67.0	5.97	24	76.3	7.35	49.9	4.58
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	2	3.3	1.29	2.7	1.00
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	5	13.2	3.39	9.4	2.02	6	13.2	2.65	10.3	1.97
Breast (excl. <i>in situ</i>)	-	-	-	-	-	65	160.8	9.42	123.6	6.89
Female Genital System	-	-	-	-	-	26	64.3	6.02	49.4	4.34
Cervix uteri	-	-	-	-	-	4	8.4	1.94	7.3	1.61
Uterus Corpus	-	-	-	-	-	14	34.3	4.36	26.4	3.19
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	4	11.3	2.70	8.0	1.78
Male Genital System	34	103.7	9.01	75.3	5.98	-	-	-	-	-
Prostate	30	96.9	8.75	69.6	5.81	-	-	-	-	-
Testis	3	4.0	1.10	4.1	1.09	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	66.0	7.49	45.5	4.72	7	20.4	3.63	14.2	2.39
Bladder (incl. <i>in situ</i>)	10	36.6	5.85	23.9	3.51	3	7.8	2.18	5.7	1.50
Kidney & renal pelvis	9	27.7	4.57	20.4	3.07	4	11.7	2.78	8.1	1.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	6.7	2.15	5.2	1.47	3	5.1	1.50	4.4	1.26
Brain	2	6.3	2.13	4.7	1.44	2	3.7	1.30	3.2	1.07
Endocrine System	2	3.6	1.14	3.4	1.05	11	23.1	3.41	19.1	2.59
Thyroid gland	1	2.3	0.90	2.1	0.82	11	23.1	3.41	19.1	2.59
Lymphomas	11	34.4	5.27	24.7	3.41	8	20.8	3.63	15.0	2.44
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	1	2.5	1.03	2.3	0.93	2	7.2	2.23	4.8	1.41
Leukemias	7	20.3	3.94	15.1	2.61	6	12.1	2.69	9.2	1.82
Acute lymphocytic	1	1.5	0.65	1.6	0.68	2	2.1	0.82	2.2	0.78
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	3	9.2	2.66	6.7	1.76	2	3.8	1.49	2.7	0.96
Chronic myeloid	-	-	-	-	-	1	3.4	1.50	2.4	1.00
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	23.6	4.90	15.0	2.77	5	14.0	3.02	10.0	2.00
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	5	12.3	3.21	8.8	1.95	7	19.8	3.61	13.3	2.27
Breast (<i>in situ</i>)	-	-	-	-	-	13	29.4	3.77	24.2	3.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

HAWAII

118 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Hawaii, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,235	507.2	7.02	376.5	5.30	923	456.4	7.48	352.3	5.98
Oral Cavity & Pharynx	70	27.4	1.59	21.5	1.23	20	10.1	1.11	7.6	0.89
Lip	3	1.6	0.42	1.3	0.34	-	-	-	-	-
Tongue	26	10.0	0.95	7.8	0.74	8	3.9	0.67	2.9	0.50
Major salivary gland	6	2.8	0.53	2.0	0.38	3	1.9	0.56	1.6	0.55
Floor of mouth	4	1.5	0.36	1.2	0.28	-	-	-	-	-
Gum & other mouth	5	1.9	0.44	1.4	0.32	4	1.8	0.45	1.2	0.30
Nasopharynx	2	0.7	0.28	0.6	0.21	-	-	-	-	-
Oropharynx	3	1.0	0.27	0.9	0.21	-	-	-	-	-
Hypopharynx	4	1.1	0.28	0.9	0.21	-	-	-	-	-
Digestive System	218	88.3	2.91	66.2	2.20	138	64.7	2.68	46.1	1.95
Esophagus	17	6.7	0.79	4.6	0.53	5	2.3	0.49	1.6	0.34
Stomach	15	5.9	0.74	4.1	0.50	6	2.8	0.54	1.8	0.35
Small intestine	4	1.9	0.44	1.4	0.33	3	1.4	0.39	1.0	0.26
Colon excl. rectum	61	26.2	1.65	19.9	1.30	51	25.3	1.72	17.6	1.23
Rectum & rectosigmoid	36	15.2	1.24	12.1	0.98	21	11.0	1.17	8.3	0.90
Anus, anal canal & anorectum	5	1.7	0.38	1.3	0.29	9	3.4	0.56	2.8	0.46
Liver	29	9.6	0.86	7.7	0.66	8	2.7	0.46	2.1	0.35
Gallbladder	2	0.8	0.27	0.5	0.18	2	0.8	0.29	0.5	0.18
Pancreas	35	14.1	1.15	10.1	0.82	25	11.6	1.11	8.0	0.78
Respiratory System	136	54.0	2.23	38.3	1.55	91	40.5	2.05	28.0	1.38
Larynx	15	5.7	0.71	4.4	0.54	3	0.9	0.28	0.8	0.22
Lung & bronchus	117	46.5	2.06	32.4	1.39	87	38.9	2.02	26.8	1.36
Bones & Joints	2	1.0	0.33	0.9	0.30	-	-	-	-	-
Soft Tissue (incl. heart)	9	4.5	0.77	3.4	0.68	5	3.0	0.74	2.8	0.79
Skin (excl. basal & sq.)	213	91.9	3.04	66.9	2.23	112	57.1	2.70	45.5	2.20
Melanomas of the skin	202	87.2	2.96	63.7	2.19	107	54.8	2.66	44.1	2.18
Breast (excl. <i>in situ</i>)	3	1.0	0.29	0.6	0.17	283	142.3	4.22	112.2	3.36
Female Genital System	-	-	-	-	-	107	51.9	2.48	40.9	1.98
Cervix uteri	-	-	-	-	-	10	6.6	1.02	5.9	0.90
Uterus Corpus	-	-	-	-	-	54	23.7	1.57	18.8	1.23
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	25	13.6	1.33	10.6	1.06
Male Genital System	249	95.2	2.93	72.7	2.25	-	-	-	-	-
Prostate	231	85.1	2.69	62.7	1.91	-	-	-	-	-
Testis	15	8.8	1.10	8.9	1.12	-	-	-	-	-
Penis	2	0.8	0.27	0.6	0.21	-	-	-	-	-
Urinary System	139	58.1	2.36	40.5	1.66	33	15.1	1.28	11.0	0.94
Bladder (incl. <i>in situ</i>)	88	37.5	1.91	25.1	1.26	17	7.3	0.86	4.9	0.57
Kidney & renal pelvis	49	19.4	1.36	14.7	1.07	16	7.4	0.92	5.8	0.73
Ureter	2	0.7	0.25	0.4	0.14	-	-	-	-	-
Eye & Orbit	5	2.1	0.47	1.6	0.36	2	1.2	0.41	1.1	0.35
Brain & Other CNS ¹	17	8.6	1.09	7.6	1.07	10	5.8	0.97	5.2	0.97
Brain	16	8.2	1.07	7.2	1.05	10	5.7	0.97	5.2	0.97
Endocrine System	16	7.6	0.93	6.7	0.84	30	19.6	1.77	17.7	1.63
Thyroid gland	15	7.2	0.89	6.3	0.78	29	19.3	1.76	17.6	1.63
Lymphomas	58	25.1	1.62	19.7	1.31	36	18.5	1.53	14.5	1.31
Hodgkin Lymphoma	6	3.1	0.57	2.8	0.54	3	2.5	0.70	2.6	0.76
Non-Hodgkin Lymphoma	52	22.1	1.51	16.9	1.19	33	16.0	1.36	11.9	1.07
Multiple Myeloma	20	8.3	0.89	5.8	0.61	9	4.1	0.66	2.8	0.44
Leukemias	34	14.7	1.23	11.0	0.97	21	11.3	1.28	9.4	1.18
Acute lymphocytic	2	1.0	0.39	0.8	0.38	1	1.3	0.53	1.5	0.64
Chronic lymphocytic	13	5.0	0.66	3.6	0.46	7	3.0	0.55	2.1	0.39
Acute myeloid	10	4.5	0.70	3.5	0.59	7	4.2	0.83	3.7	0.79
Chronic myeloid	6	2.3	0.46	1.7	0.35	3	1.5	0.42	1.1	0.31
Other leukemias	4	1.9	0.47	1.3	0.33	2	1.3	0.43	1.0	0.34
Mesothelioma	1	0.7	0.26	0.4	0.17	-	-	-	-	-
Kaposi Sarcoma	1	0.5	0.21	0.4	0.18	-	-	-	-	-
Ill-defined & Unknown	42	18.3	1.36	12.4	0.95	24	10.5	1.06	7.1	0.76
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	14	6.5	0.85	5.1	0.68	26	13.6	1.34	11.1	1.15
Breast (<i>in situ</i>)	-	-	-	-	-	56	28.9	1.93	23.3	1.55

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Hawaii, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	59	471.5	31.49	359.3	21.84	27	344.6	32.75	270.1	23.99
Oral Cavity & Pharynx	1	10.7	5.11	7.8	3.43	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	110.7	15.31	84.5	10.65	3	44.9	12.41	34.0	8.65
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	12.0	5.26	8.9	3.58	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	4	33.7	8.85	24.9	5.84	1	23.2	10.31	14.5	6.05
Rectum & rectosigmoid	2	12.2	4.99	9.6	3.57	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	21.3	6.56	17.2	4.92	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	14.4	5.32	10.7	3.66	-	-	-	-	-
Respiratory System	5	52.1	11.67	34.7	7.16	3	56.8	15.52	37.7	9.83
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	47.0	11.38	30.0	6.78	3	56.8	15.52	37.7	9.83
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	9	107.1	16.49	90.1	13.41
Female Genital System	-	-	-	-	-	4	42.9	11.36	34.8	8.45
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	22.3	8.47	17.6	6.08
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	1	15.1	6.76	12.3	5.08
Male Genital System	24	171.1	17.61	140.0	13.32	-	-	-	-	-
Prostate	23	165.0	17.17	135.5	13.12	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	55.6	12.04	37.2	7.25	1	23.1	9.32	16.4	6.29
Bladder (incl. <i>in situ</i>)	3	36.5	10.20	22.6	5.87	-	-	-	-	-
Kidney & renal pelvis	3	18.0	6.31	13.6	4.12	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	16.6	5.44	13.4	4.19	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	16.7	5.28	13.9	4.26	1	14.5	6.11	12.3	5.08
Leukemias	2	13.2	5.19	9.6	3.46	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	11.6	5.48	7.8	3.13	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1	7.7	3.44	6.3	2.69	1	15.0	6.76	11.4	4.79
Breast (<i>in situ</i>)	-	-	-	-	-	2	24.2	8.58	19.3	6.53

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

HAWAII

120 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Idaho, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,239	473.1	3.34	344.6	2.43	3,960	419.5	3.06	322.1	2.42
Oral Cavity & Pharynx	165	17.8	0.64	13.8	0.49	68	7.1	0.40	5.5	0.31
Lip	24	2.8	0.26	1.9	0.18	7	0.7	0.12	0.5	0.09
Tongue	50	5.3	0.35	4.2	0.27	20	2.1	0.22	1.7	0.18
Major salivary gland	16	1.9	0.22	1.3	0.15	11	1.2	0.17	1.0	0.14
Floor of mouth	6	0.6	0.11	0.5	0.09	2	0.2	0.07	0.2	0.06
Gum & other mouth	15	1.7	0.20	1.2	0.14	13	1.3	0.17	0.9	0.12
Nasopharynx	4	0.4	0.10	0.3	0.08	-	-	-	-	-
Oropharynx	7	0.7	0.12	0.6	0.10	2	0.2	0.06	0.2	0.05
Hypopharynx	6	0.6	0.11	0.5	0.09	2	0.2	0.07	0.2	0.05
Digestive System	796	88.8	1.45	64.5	1.04	603	62.2	1.16	45.1	0.86
Esophagus	78	8.5	0.44	6.2	0.32	16	1.6	0.18	1.1	0.13
Stomach	64	7.2	0.41	5.1	0.29	34	3.6	0.28	2.5	0.21
Small intestine	23	2.6	0.25	1.9	0.19	20	2.1	0.21	1.6	0.17
Colon excl. rectum	227	26.2	0.80	18.6	0.57	221	23.2	0.72	16.5	0.52
Rectum & rectosigmoid	120	13.2	0.56	10.2	0.43	79	8.4	0.44	6.6	0.35
Anus, anal canal & anorectum	6	0.7	0.13	0.5	0.10	29	2.9	0.25	2.3	0.20
Liver	91	9.1	0.44	7.3	0.35	28	2.8	0.24	2.1	0.18
Gallbladder	7	0.9	0.15	0.5	0.09	11	1.0	0.15	0.7	0.10
Pancreas	140	15.8	0.61	11.0	0.42	120	12.2	0.51	8.4	0.36
Respiratory System	524	58.9	1.18	39.8	0.79	464	47.1	1.00	32.8	0.70
Larynx	34	3.6	0.28	2.6	0.20	8	0.9	0.14	0.7	0.11
Lung & bronchus	480	54.3	1.14	36.4	0.75	451	45.7	0.98	31.7	0.69
Bones & Joints	9	1.1	0.16	1.0	0.16	7	0.8	0.14	0.8	0.14
Soft Tissue (incl. heart)	30	3.6	0.30	2.7	0.23	29	3.3	0.28	2.7	0.25
Skin (excl. basal & sq.)	310	35.5	0.93	26.2	0.69	223	24.9	0.77	20.4	0.65
Melanomas of the skin	294	33.6	0.90	24.9	0.67	211	23.7	0.75	19.4	0.63
Breast (excl. <i>in situ</i>)	9	1.0	0.16	0.7	0.10	1,191	126.7	1.69	99.2	1.35
Female Genital System	-	-	-	-	-	444	46.6	1.02	37.7	0.84
Cervix uteri	-	-	-	-	-	52	6.5	0.42	5.7	0.37
Uterus Corpus	-	-	-	-	-	242	24.5	0.73	19.9	0.59
Uterus, NOS ¹	-	-	-	-	-	7	0.7	0.11	0.5	0.09
Ovary	-	-	-	-	-	104	10.9	0.49	8.5	0.39
Male Genital System	1,068	113.2	1.59	85.6	1.20	-	-	-	-	-
Prostate	1,005	105.3	1.52	78.0	1.11	-	-	-	-	-
Testis	53	6.9	0.43	6.9	0.43	-	-	-	-	-
Penis	6	0.8	0.14	0.5	0.09	-	-	-	-	-
Urinary System	529	60.4	1.21	41.6	0.82	207	21.1	0.67	15.4	0.50
Bladder (incl. <i>in situ</i>)	314	36.2	0.94	23.7	0.61	89	8.9	0.43	6.1	0.30
Kidney & renal pelvis	199	22.2	0.72	16.6	0.54	112	11.7	0.51	8.8	0.39
Ureter	8	1.0	0.16	0.6	0.10	4	0.4	0.09	0.3	0.06
Eye & Orbit	11	1.1	0.15	0.9	0.13	6	0.6	0.12	0.5	0.10
Brain & Other CNS ¹	79	9.1	0.47	7.6	0.40	51	5.8	0.37	5.1	0.34
Brain	74	8.5	0.45	7.0	0.38	48	5.3	0.35	4.7	0.32
Endocrine System	73	8.6	0.46	7.5	0.41	189	22.9	0.77	20.7	0.70
Thyroid gland	66	7.8	0.44	6.7	0.38	185	22.4	0.76	20.2	0.69
Lymphomas	223	25.7	0.79	19.3	0.60	171	18.2	0.64	13.8	0.50
Hodgkin Lymphoma	22	2.7	0.26	2.5	0.25	18	2.2	0.23	2.1	0.23
Non-Hodgkin Lymphoma	201	23.0	0.74	16.8	0.54	153	16.0	0.59	11.7	0.45
Multiple Myeloma	71	8.1	0.44	5.5	0.30	50	5.1	0.33	3.5	0.23
Leukemias	176	20.4	0.70	15.1	0.53	121	13.0	0.54	9.6	0.42
Acute lymphocytic	20	2.3	0.23	2.4	0.25	11	1.3	0.18	1.4	0.20
Chronic lymphocytic	68	7.5	0.42	5.2	0.29	47	4.9	0.32	3.3	0.22
Acute myeloid	47	5.5	0.37	3.9	0.27	33	3.6	0.29	2.6	0.22
Chronic myeloid	27	3.1	0.28	2.3	0.21	15	1.6	0.19	1.2	0.15
Other leukemias	16	1.9	0.22	1.3	0.15	15	1.6	0.19	1.1	0.14
Mesothelioma	17	2.1	0.23	1.3	0.14	5	0.6	0.11	0.4	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	71	8.4	0.46	6.7	0.37	144	15.6	0.60	12.5	0.50
Breast (<i>in situ</i>)	-	-	-	-	-	212	23.4	0.74	18.9	0.60

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Idaho, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,093	470.2	3.37	342.3	2.46	3,828	419.3	3.12	322.0	2.47
Oral Cavity & Pharynx	159	17.7	0.64	13.6	0.50	65	7.0	0.40	5.4	0.32
Lip	23	2.7	0.26	1.8	0.18	7	0.7	0.12	0.5	0.09
Tongue	48	5.2	0.35	4.2	0.28	19	2.1	0.22	1.7	0.18
Major salivary gland	16	1.9	0.22	1.4	0.16	11	1.2	0.17	1.0	0.15
Floor of mouth	6	0.6	0.12	0.5	0.09	2	0.3	0.08	0.2	0.06
Gum & other mouth	14	1.6	0.19	1.2	0.14	12	1.3	0.17	0.9	0.12
Nasopharynx	3	0.4	0.09	0.3	0.07	-	-	-	-	-
Oropharynx	6	0.6	0.11	0.5	0.10	2	0.2	0.07	0.2	0.05
Hypopharynx	6	0.6	0.11	0.5	0.09	2	0.2	0.06	0.1	0.04
Digestive System	769	88.2	1.46	64.0	1.06	582	61.9	1.18	44.9	0.88
Esophagus	75	8.5	0.45	6.2	0.32	16	1.6	0.18	1.1	0.13
Stomach	61	7.1	0.42	5.0	0.29	32	3.5	0.28	2.5	0.21
Small intestine	22	2.6	0.25	1.9	0.19	20	2.1	0.21	1.6	0.17
Colon excl. rectum	220	26.0	0.81	18.5	0.57	214	23.2	0.73	16.4	0.53
Rectum & rectosigmoid	116	13.3	0.57	10.2	0.43	76	8.4	0.44	6.6	0.35
Anus, anal canal & anorectum	6	0.7	0.13	0.5	0.10	28	2.9	0.25	2.3	0.20
Liver	84	8.7	0.43	6.9	0.34	25	2.6	0.23	1.9	0.18
Gallbladder	7	0.9	0.15	0.5	0.09	11	1.1	0.15	0.7	0.10
Pancreas	139	16.0	0.62	11.2	0.43	117	12.1	0.51	8.4	0.36
Respiratory System	510	58.8	1.19	39.7	0.80	452	47.1	1.01	32.8	0.71
Larynx	32	3.5	0.28	2.6	0.20	8	0.9	0.14	0.7	0.11
Lung & bronchus	469	54.2	1.15	36.4	0.76	439	45.7	0.99	31.8	0.70
Bones & Joints	9	1.1	0.17	1.1	0.17	7	0.8	0.15	0.8	0.15
Soft Tissue (incl. heart)	29	3.5	0.30	2.7	0.24	28	3.3	0.29	2.8	0.25
Skin (excl. basal & sq.)	309	36.6	0.96	27.0	0.71	221	25.6	0.80	21.0	0.67
Melanomas of the skin	294	34.6	0.93	25.8	0.70	211	24.5	0.78	20.1	0.66
Breast (excl. <i>in situ</i>)	9	1.0	0.16	0.7	0.10	1,150	126.6	1.72	99.1	1.37
Female Genital System	-	-	-	-	-	428	46.6	1.04	37.7	0.86
Cervix uteri	-	-	-	-	-	49	6.4	0.42	5.7	0.38
Uterus Corpus	-	-	-	-	-	234	24.5	0.74	19.9	0.61
Uterus, NOS ¹	-	-	-	-	-	7	0.7	0.12	0.5	0.10
Ovary	-	-	-	-	-	100	10.9	0.50	8.5	0.40
Male Genital System	1,011	110.4	1.59	83.5	1.20	-	-	-	-	-
Prostate	951	102.3	1.52	75.7	1.11	-	-	-	-	-
Testis	51	7.0	0.45	7.0	0.45	-	-	-	-	-
Penis	6	0.8	0.14	0.5	0.09	-	-	-	-	-
Urinary System	512	60.0	1.22	41.2	0.83	200	21.0	0.68	15.3	0.51
Bladder (incl. <i>in situ</i>)	307	36.3	0.95	23.8	0.62	86	8.7	0.43	6.0	0.30
Kidney & renal pelvis	190	21.7	0.72	16.2	0.54	109	11.7	0.52	8.9	0.40
Ureter	8	1.1	0.17	0.6	0.10	4	0.4	0.09	0.3	0.06
Eye & Orbit	10	1.1	0.16	0.9	0.13	6	0.7	0.13	0.5	0.11
Brain & Other CNS ¹	77	9.2	0.48	7.6	0.41	49	5.7	0.37	5.0	0.34
Brain	72	8.6	0.47	7.0	0.39	45	5.2	0.36	4.6	0.33
Endocrine System	70	8.5	0.47	7.5	0.42	179	22.6	0.78	20.4	0.71
Thyroid gland	64	7.8	0.45	6.7	0.39	174	22.1	0.77	19.9	0.71
Lymphomas	215	25.6	0.80	19.2	0.61	166	18.2	0.65	13.9	0.52
Hodgkin Lymphoma	21	2.7	0.27	2.6	0.26	18	2.2	0.24	2.1	0.24
Non-Hodgkin Lymphoma	195	22.9	0.75	16.6	0.55	149	16.0	0.60	11.7	0.46
Multiple Myeloma	69	8.0	0.44	5.5	0.30	49	5.1	0.33	3.5	0.23
Leukemias	172	20.6	0.72	15.3	0.54	117	13.0	0.55	9.6	0.44
Acute lymphocytic	19	2.3	0.24	2.4	0.26	11	1.3	0.19	1.5	0.21
Chronic lymphocytic	66	7.6	0.43	5.2	0.29	46	4.9	0.33	3.3	0.23
Acute myeloid	46	5.6	0.38	4.0	0.27	31	3.5	0.29	2.6	0.22
Chronic myeloid	26	3.1	0.28	2.3	0.21	14	1.6	0.19	1.2	0.15
Other leukemias	15	1.9	0.22	1.3	0.15	15	1.6	0.19	1.1	0.14
Mesothelioma	17	2.1	0.23	1.3	0.14	5	0.6	0.11	0.4	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	67	8.2	0.46	6.4	0.37	139	15.8	0.62	12.6	0.51
Breast (<i>in situ</i>)	-	-	-	-	-	205	23.5	0.76	19.0	0.62

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Idaho, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17	437.9	62.16	310.0	37.87	9	265.1	45.51	203.5	32.22
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	94.3	32.73	62.5	18.53	2	50.0	19.43	40.3	14.60
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	67.4	25.40	47.0	15.07	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	67.4	25.40	47.0	15.07	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	3	83.6	25.91	60.5	17.57
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	139.7	28.56	107.8	20.44	-	-	-	-	-
Prostate	6	139.7	28.56	107.8	20.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	1	35.1	20.53	24.5	11.64	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Idaho, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	28	301.0	27.88	219.0	18.79	42	292.7	20.90	224.2	15.59
Oral Cavity & Pharynx	1	11.1	4.79	8.3	3.41	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	8	85.8	15.07	61.9	10.10	6	46.7	8.62	33.3	6.00
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	13.5	6.08	9.1	3.79	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	22.7	7.99	16.7	5.40	2	10.7	3.57	9.5	3.19
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	19.3	6.98	13.8	4.66	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	1	10.8	4.14	6.3	2.45
Respiratory System	4	47.6	12.12	32.5	7.64	4	29.8	6.87	20.8	4.75
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	44.7	11.94	29.8	7.38	4	29.8	6.87	20.8	4.75
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	14	89.1	11.04	72.6	8.77
Female Genital System	-	-	-	-	-	5	36.7	7.33	27.9	5.45
Cervix uteri	-	-	-	-	-	1	7.9	3.33	6.4	2.60
Uterus Corpus	-	-	-	-	-	2	12.4	3.96	10.7	3.41
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	10.7	3.86	7.3	2.66
Male Genital System	5	54.5	11.46	40.9	7.99	-	-	-	-	-
Prostate	5	53.2	11.39	39.5	7.86	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	50.3	11.87	33.1	7.38	2	12.2	4.63	9.9	3.55
Bladder (incl. <i>in situ</i>)	2	25.7	8.73	15.4	4.99	-	-	-	-	-
Kidney & renal pelvis	2	24.5	8.04	17.7	5.44	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	1	11.1	4.42	8.2	3.11
Brain	-	-	-	-	-	1	9.8	4.22	7.1	2.92
Endocrine System	-	-	-	-	-	4	21.6	5.10	18.9	4.47
Thyroid gland	-	-	-	-	-	3	20.4	4.97	17.9	4.34
Lymphomas	2	17.2	6.44	12.9	4.39	1	8.6	3.65	6.9	2.85
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	15.8	6.28	11.7	4.22	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	2	12.2	4.53	8.0	2.91
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	1	7.1	2.89	6.2	2.52
Breast (<i>in situ</i>)	-	-	-	-	-	3	18.1	5.17	13.4	3.73

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Idaho, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	20	347.2	37.52	256.6	25.72	29	464.7	41.20	335.8	28.24
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	113.5	21.33	84.7	14.71	6	96.7	19.67	63.4	12.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	42.6	13.68	29.8	8.76	2	42.8	14.30	21.9	6.93
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	34.4	10.69	28.0	8.17	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	39.5	13.39	25.6	8.18	5	92.1	18.95	61.3	12.11
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	37.4	13.21	23.5	7.91	5	88.8	18.66	58.4	11.75
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	9	138.2	21.57	106.8	15.90
Female Genital System	-	-	-	-	-	3	36.7	10.51	30.2	8.45
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	24.1	8.81	19.1	6.84
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	79.0	17.76	59.3	12.27	-	-	-	-	-
Prostate	4	70.7	17.07	51.2	11.33	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	51.2	15.58	34.7	9.76	2	29.5	10.32	20.5	6.87
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	37.5	13.89	24.6	8.32	1	19.9	8.49	13.6	5.58
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	16.1	6.67	15.0	6.18
Thyroid gland	-	-	-	-	-	1	16.1	6.67	15.0	6.18
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Idaho, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	158	347.4	14.52	246.5	9.24	189	351.2	12.70	273.5	9.17
Oral Cavity & Pharynx	3	6.7	1.92	4.9	1.28	3	5.3	1.58	4.1	1.14
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	1	2.5	1.07	1.9	0.80
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	38	83.5	6.92	60.8	4.59	30	60.2	5.37	46.0	3.85
Esophagus	2	4.0	1.56	2.8	1.03	-	-	-	-	-
Stomach	3	5.8	1.63	4.7	1.21	4	7.3	1.86	5.5	1.30
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	19.2	3.26	14.2	2.18	8	14.2	2.46	11.4	1.87
Rectum & rectosigmoid	7	15.2	2.86	11.4	1.95	5	9.8	2.19	7.2	1.51
Anus, anal canal & anorectum	-	-	-	-	-	2	2.9	1.13	2.3	0.82
Liver	8	16.0	2.74	12.9	2.06	3	8.1	2.19	5.5	1.41
Gallbladder	-	-	-	-	-	1	2.8	1.14	2.3	0.88
Pancreas	5	15.2	3.32	9.6	1.91	4	9.0	2.05	7.0	1.53
Respiratory System	15	43.4	5.49	28.1	3.30	14	35.8	4.60	24.1	2.91
Larynx	1	3.3	1.52	2.2	0.94	-	-	-	-	-
Lung & bronchus	14	38.9	5.20	25.1	3.12	14	35.4	4.58	23.7	2.89
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	4.5	1.77	3.0	1.02	2	2.9	1.12	2.4	0.82
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	3	6.0	1.94	4.0	1.17	5	7.4	1.60	6.6	1.38
Breast (excl. <i>in situ</i>)	-	-	-	-	-	56	102.6	6.66	80.8	4.96
Female Genital System	-	-	-	-	-	29	48.4	4.43	39.7	3.40
Cervix uteri	-	-	-	-	-	6	8.9	1.60	8.1	1.45
Uterus Corpus	-	-	-	-	-	13	22.0	2.85	18.8	2.36
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	11.2	2.31	8.7	1.62
Male Genital System	35	77.4	6.80	56.1	4.43	-	-	-	-	-
Prostate	29	71.8	6.72	50.2	4.30	-	-	-	-	-
Testis	6	4.7	0.87	5.3	0.97	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	19	45.9	5.47	30.9	3.29	9	18.7	3.12	13.9	2.13
Bladder (incl. <i>in situ</i>)	7	19.7	3.81	12.5	2.19	2	6.3	2.02	3.9	1.20
Kidney & renal pelvis	12	24.7	3.78	17.6	2.40	7	12.4	2.38	9.9	1.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	5.5	1.83	3.8	1.08	2	2.9	1.11	2.5	0.83
Brain	3	5.5	1.83	3.8	1.08	2	2.9	1.11	2.5	0.83
Endocrine System	6	9.3	2.01	7.4	1.42	16	21.2	2.51	19.3	2.18
Thyroid gland	6	8.8	1.97	6.9	1.37	16	20.9	2.50	19.0	2.17
Lymphomas	13	23.9	3.56	18.2	2.40	9	18.0	3.04	13.5	2.06
Hodgkin Lymphoma	3	2.7	0.87	2.6	0.75	1	2.5	1.18	1.9	0.77
Non-Hodgkin Lymphoma	11	21.1	3.46	15.6	2.27	8	15.5	2.80	11.6	1.91
Multiple Myeloma	3	10.4	2.88	6.0	1.56	-	-	-	-	-
Leukemias	9	14.9	2.74	11.9	1.86	8	14.2	2.66	11.0	1.83
Acute lymphocytic	4	3.0	0.73	3.4	0.80	1	1.1	0.45	1.2	0.48
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	2	5.6	1.96	3.7	1.16	3	5.9	1.73	4.5	1.19
Chronic myeloid	1	2.1	0.80	1.9	0.72	1	3.3	1.46	2.1	0.84
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	12.3	2.83	8.3	1.76	5	9.8	2.29	7.0	1.50
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	6	9.1	2.07	7.3	1.46	9	16.4	2.76	13.0	2.03
Breast (<i>in situ</i>)	-	-	-	-	-	10	16.8	2.56	13.5	1.95

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

IDAHO

126 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Idaho, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,951	478.1	3.50	349.1	2.58	3,651	423.4	3.25	325.4	2.59
Oral Cavity & Pharynx	156	18.4	0.68	14.3	0.53	62	7.1	0.41	5.5	0.33
Lip	22	2.8	0.27	1.9	0.19	6	0.7	0.13	0.5	0.09
Tongue	47	5.5	0.37	4.4	0.30	18	2.1	0.23	1.7	0.19
Major salivary gland	16	2.0	0.23	1.4	0.17	10	1.2	0.18	1.0	0.15
Floor of mouth	6	0.6	0.12	0.5	0.10	2	0.3	0.08	0.2	0.06
Gum & other mouth	14	1.6	0.20	1.2	0.15	12	1.3	0.17	0.9	0.12
Nasopharynx	3	0.4	0.10	0.3	0.08	-	-	-	-	-
Oropharynx	6	0.6	0.12	0.5	0.10	2	0.2	0.06	0.1	0.05
Hypopharynx	5	0.6	0.12	0.5	0.09	2	0.2	0.06	0.1	0.04
Digestive System	734	88.7	1.51	64.5	1.10	554	61.9	1.21	44.8	0.91
Esophagus	74	8.7	0.47	6.4	0.34	16	1.6	0.19	1.2	0.14
Stomach	58	7.1	0.43	5.0	0.30	29	3.3	0.28	2.3	0.20
Small intestine	22	2.6	0.26	2.0	0.20	19	2.1	0.23	1.6	0.18
Colon excl. rectum	211	26.4	0.84	18.8	0.60	207	23.5	0.76	16.7	0.56
Rectum & rectosigmoid	109	13.3	0.59	10.2	0.45	71	8.3	0.46	6.6	0.37
Anus, anal canal & anorectum	6	0.7	0.14	0.6	0.11	27	2.9	0.26	2.3	0.21
Liver	77	8.3	0.44	6.6	0.35	22	2.3	0.23	1.8	0.18
Gallbladder	7	0.8	0.15	0.5	0.09	9	1.0	0.15	0.6	0.10
Pancreas	133	16.1	0.64	11.3	0.45	113	12.2	0.53	8.4	0.37
Respiratory System	496	59.6	1.23	40.3	0.82	438	47.6	1.04	33.2	0.74
Larynx	31	3.6	0.29	2.6	0.21	8	0.9	0.15	0.7	0.12
Lung & bronchus	455	54.9	1.18	36.9	0.78	425	46.2	1.02	32.1	0.72
Bones & Joints	8	1.1	0.18	1.1	0.18	7	0.9	0.17	0.9	0.16
Soft Tissue (incl. heart)	27	3.5	0.31	2.7	0.25	26	3.4	0.30	2.8	0.27
Skin (excl. basal & sq.)	306	38.5	1.01	28.7	0.77	216	27.0	0.86	22.2	0.73
Melanomas of the skin	291	36.4	0.99	27.4	0.75	206	25.9	0.84	21.3	0.72
Breast (excl. <i>in situ</i>)	9	1.1	0.16	0.7	0.11	1,098	127.8	1.79	100.2	1.44
Female Genital System	-	-	-	-	-	402	46.4	1.08	37.5	0.89
Cervix uteri	-	-	-	-	-	43	6.2	0.44	5.5	0.39
Uterus Corpus	-	-	-	-	-	221	24.6	0.77	19.9	0.63
Uterus, NOS ¹	-	-	-	-	-	7	0.7	0.12	0.6	0.10
Ovary	-	-	-	-	-	95	10.9	0.52	8.5	0.42
Male Genital System	981	112.6	1.65	85.3	1.26	-	-	-	-	-
Prostate	927	104.3	1.57	77.4	1.15	-	-	-	-	-
Testis	46	7.3	0.49	7.2	0.49	-	-	-	-	-
Penis	6	0.8	0.14	0.5	0.09	-	-	-	-	-
Urinary System	495	60.7	1.25	41.8	0.86	191	21.1	0.70	15.3	0.53
Bladder (incl. <i>in situ</i>)	300	37.0	0.98	24.3	0.64	83	8.9	0.44	6.1	0.32
Kidney & renal pelvis	180	21.7	0.75	16.2	0.56	102	11.6	0.53	8.7	0.41
Ureter	8	1.1	0.17	0.7	0.10	4	0.4	0.10	0.3	0.07
Eye & Orbit	10	1.2	0.17	0.9	0.14	6	0.7	0.14	0.6	0.12
Brain & Other CNS ¹	74	9.6	0.51	8.0	0.45	47	6.0	0.41	5.3	0.38
Brain	69	8.9	0.49	7.4	0.42	44	5.5	0.39	4.9	0.36
Endocrine System	64	8.5	0.49	7.5	0.45	165	22.9	0.83	20.7	0.76
Thyroid gland	58	7.7	0.47	6.7	0.41	161	22.4	0.82	20.2	0.75
Lymphomas	204	25.7	0.83	19.3	0.64	158	18.3	0.67	14.0	0.54
Hodgkin Lymphoma	18	2.7	0.29	2.6	0.28	16	2.3	0.26	2.3	0.27
Non-Hodgkin Lymphoma	185	23.0	0.78	16.7	0.57	141	16.0	0.62	11.7	0.47
Multiple Myeloma	66	8.0	0.45	5.5	0.31	48	5.2	0.35	3.5	0.24
Leukemias	164	20.7	0.74	15.4	0.57	110	12.9	0.57	9.6	0.46
Acute lymphocytic	15	2.2	0.25	2.3	0.27	9	1.4	0.20	1.5	0.23
Chronic lymphocytic	65	7.8	0.44	5.4	0.31	46	5.1	0.34	3.4	0.24
Acute myeloid	44	5.7	0.39	4.1	0.29	28	3.4	0.30	2.4	0.22
Chronic myeloid	25	3.2	0.30	2.4	0.23	13	1.5	0.19	1.1	0.16
Other leukemias	14	1.9	0.23	1.2	0.15	14	1.6	0.20	1.1	0.15
Mesothelioma	16	2.1	0.24	1.3	0.14	5	0.6	0.12	0.4	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	62	8.2	0.48	6.4	0.39	131	15.9	0.65	12.7	0.54
Breast (<i>in situ</i>)	-	-	-	-	-	196	23.9	0.80	19.3	0.65

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Idaho, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	16	482.8	75.64	339.0	44.91	8	289.8	51.88	226.6	36.96
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	113.9	41.85	74.6	23.27	2	57.8	22.24	46.7	16.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	68.1	30.70	47.1	17.59	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	68.1	30.70	47.1	17.59	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	2	91.2	29.96	69.0	20.75
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	146.6	31.52	114.4	22.64	-	-	-	-	-
Prostate	6	146.6	31.52	114.4	22.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	1	43.9	27.30	29.7	15.03	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

IDAHO

128 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Illinois, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	33,844	504.2	1.26	373.1	0.92	34,658	442.0	1.09	341.9	0.87
Oral Cavity & Pharynx	1,298	18.5	0.24	14.5	0.18	536	6.7	0.13	5.2	0.11
Lip	52	0.8	0.05	0.6	0.04	19	0.2	0.02	0.2	0.02
Tongue	403	5.6	0.13	4.5	0.10	168	2.1	0.07	1.6	0.06
Major salivary gland	108	1.7	0.07	1.2	0.05	84	1.1	0.06	0.9	0.05
Floor of mouth	61	0.9	0.05	0.7	0.04	27	0.3	0.03	0.3	0.02
Gum & other mouth	150	2.2	0.08	1.7	0.06	108	1.3	0.06	1.0	0.04
Nasopharynx	53	0.8	0.05	0.6	0.04	23	0.3	0.03	0.3	0.03
Oropharynx	67	0.9	0.05	0.7	0.04	19	0.2	0.02	0.2	0.02
Hypopharynx	84	1.2	0.06	0.9	0.04	21	0.3	0.03	0.2	0.02
Digestive System	6,936	103.9	0.57	75.5	0.41	5,705	70.2	0.43	50.8	0.32
Esophagus	571	8.3	0.16	6.1	0.12	151	1.8	0.07	1.3	0.05
Stomach	638	9.8	0.18	7.0	0.13	416	5.2	0.12	3.7	0.09
Small intestine	209	3.1	0.10	2.4	0.07	188	2.4	0.08	1.8	0.06
Colon excl. rectum	2,208	33.9	0.33	24.0	0.23	2,212	27.2	0.27	19.3	0.20
Rectum & rectosigmoid	1,065	15.6	0.22	11.9	0.17	756	9.6	0.16	7.4	0.13
Anus, anal canal & anorectum	109	1.6	0.07	1.2	0.05	177	2.2	0.08	1.7	0.06
Liver	713	9.9	0.17	7.7	0.13	267	3.2	0.09	2.4	0.07
Gallbladder	58	0.9	0.05	0.6	0.04	144	1.8	0.07	1.2	0.05
Pancreas	1,040	15.7	0.22	11.0	0.15	981	11.8	0.17	8.2	0.12
Respiratory System	5,354	81.1	0.51	56.7	0.35	4,768	58.2	0.38	41.6	0.28
Larynx	433	6.2	0.14	4.7	0.10	116	1.4	0.06	1.1	0.05
Lung & bronchus	4,849	73.8	0.49	51.1	0.33	4,608	56.3	0.38	40.1	0.27
Bones & Joints	68	1.0	0.06	1.0	0.06	54	0.8	0.05	0.7	0.05
Soft Tissue (incl. heart)	272	4.3	0.12	3.4	0.10	212	2.9	0.09	2.4	0.08
Skin (excl. basal & sq.)	1,774	27.2	0.30	19.8	0.21	1,367	18.4	0.23	15.2	0.20
Melanomas of the skin	1,652	25.2	0.28	18.5	0.21	1,275	17.2	0.22	14.3	0.19
Breast (excl. <i>in situ</i>)	89	1.3	0.06	1.0	0.05	10,269	133.1	0.60	105.5	0.49
Female Genital System	-	-	-	-	-	4,233	53.8	0.38	43.5	0.31
Cervix uteri	-	-	-	-	-	531	7.7	0.15	6.7	0.13
Uterus Corpus	-	-	-	-	-	2,368	29.1	0.27	23.7	0.22
Uterus, NOS ¹	-	-	-	-	-	71	0.9	0.05	0.6	0.04
Ovary	-	-	-	-	-	857	11.0	0.17	8.7	0.14
Male Genital System	8,287	116.2	0.59	90.7	0.45	-	-	-	-	-
Prostate	7,843	109.1	0.57	83.7	0.42	-	-	-	-	-
Testis	382	6.2	0.14	6.3	0.15	-	-	-	-	-
Penis	48	0.8	0.05	0.5	0.03	-	-	-	-	-
Urinary System	4,109	63.0	0.45	44.4	0.31	1,789	22.2	0.24	16.3	0.18
Bladder (incl. <i>in situ</i>)	2,343	36.9	0.35	24.4	0.23	770	9.2	0.15	6.3	0.11
Kidney & renal pelvis	1,681	24.7	0.28	19.1	0.21	969	12.3	0.18	9.5	0.14
Ureter	53	0.9	0.05	0.5	0.03	35	0.4	0.03	0.3	0.02
Eye & Orbit	55	0.8	0.05	0.7	0.04	48	0.6	0.04	0.5	0.04
Brain & Other CNS ¹	487	7.4	0.15	6.4	0.13	391	5.3	0.12	4.7	0.12
Brain	461	7.0	0.15	6.0	0.13	362	4.9	0.12	4.3	0.11
Endocrine System	590	8.9	0.17	7.7	0.14	1,541	22.5	0.26	20.2	0.24
Thyroid gland	533	8.1	0.16	6.8	0.14	1,496	21.9	0.26	19.7	0.24
Lymphomas	1,740	26.9	0.29	20.4	0.22	1,443	18.6	0.22	14.5	0.18
Hodgkin Lymphoma	205	3.2	0.10	3.0	0.10	160	2.4	0.09	2.4	0.09
Non-Hodgkin Lymphoma	1,535	23.7	0.28	17.3	0.20	1,284	16.2	0.21	12.1	0.16
Multiple Myeloma	520	7.8	0.16	5.6	0.11	453	5.5	0.12	4.0	0.09
Leukemias	1,091	17.1	0.24	12.9	0.18	812	10.5	0.17	8.3	0.14
Acute lymphocytic	120	2.0	0.08	2.1	0.09	88	1.4	0.07	1.5	0.08
Chronic lymphocytic	358	5.4	0.13	3.8	0.09	239	2.9	0.09	2.0	0.06
Acute myeloid	352	5.6	0.14	4.1	0.10	294	3.8	0.10	2.9	0.08
Chronic myeloid	137	2.1	0.08	1.6	0.06	108	1.4	0.06	1.1	0.05
Other leukemias	124	2.0	0.08	1.4	0.06	83	1.0	0.05	0.8	0.04
Mesothelioma	97	1.6	0.07	1.0	0.05	39	0.5	0.04	0.3	0.03
Kaposi Sarcoma	33	0.5	0.04	0.5	0.04	5	0.1	0.01	0.0	0.01
Ill-defined & Unknown	1,043	16.5	0.23	11.1	0.16	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	602	9.3	0.17	7.4	0.14	1,250	16.5	0.21	13.1	0.18
Breast (<i>in situ</i>)	6	0.1	0.02	0.1	0.01	2,488	33.0	0.30	26.8	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Illinois, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	28,051	503.0	1.38	371.1	1.02	28,486	449.6	1.23	347.9	0.99
Oral Cavity & Pharynx	1,099	18.8	0.26	14.8	0.20	443	6.9	0.15	5.3	0.12
Lip	48	0.9	0.06	0.6	0.04	17	0.3	0.03	0.2	0.02
Tongue	355	6.0	0.15	4.8	0.12	145	2.2	0.09	1.8	0.07
Major salivary gland	90	1.7	0.08	1.2	0.06	65	1.1	0.06	0.9	0.05
Floor of mouth	52	0.9	0.06	0.7	0.04	22	0.3	0.03	0.3	0.02
Gum & other mouth	120	2.1	0.09	1.6	0.07	92	1.4	0.07	1.0	0.05
Nasopharynx	31	0.5	0.04	0.4	0.04	14	0.2	0.03	0.2	0.02
Oropharynx	55	0.9	0.06	0.7	0.04	15	0.2	0.03	0.2	0.02
Hypopharynx	66	1.1	0.06	0.9	0.05	17	0.3	0.03	0.2	0.02
Digestive System	5,614	101.0	0.62	73.1	0.44	4,520	68.0	0.47	48.9	0.35
Esophagus	498	8.7	0.18	6.4	0.13	120	1.7	0.07	1.3	0.05
Stomach	495	9.1	0.19	6.5	0.13	294	4.5	0.12	3.2	0.09
Small intestine	163	3.0	0.11	2.2	0.08	142	2.2	0.09	1.7	0.07
Colon excl. rectum	1,783	32.8	0.36	23.1	0.25	1,771	26.5	0.29	18.7	0.22
Rectum & rectosigmoid	867	15.4	0.24	11.7	0.18	599	9.4	0.18	7.2	0.14
Anus, anal canal & anorectum	87	1.6	0.08	1.2	0.06	153	2.3	0.09	1.9	0.07
Liver	531	9.0	0.18	6.9	0.14	197	2.9	0.10	2.2	0.07
Gallbladder	44	0.8	0.06	0.5	0.04	111	1.7	0.07	1.1	0.05
Pancreas	872	15.8	0.24	11.0	0.17	788	11.5	0.19	8.0	0.14
Respiratory System	4,424	80.1	0.55	55.7	0.38	3,970	59.4	0.43	42.3	0.31
Larynx	345	5.9	0.15	4.5	0.11	91	1.4	0.07	1.1	0.05
Lung & bronchus	4,018	73.1	0.53	50.3	0.36	3,844	57.4	0.42	40.8	0.31
Bones & Joints	55	1.1	0.07	1.0	0.06	46	0.8	0.06	0.8	0.06
Soft Tissue (incl. heart)	220	4.2	0.13	3.4	0.11	164	2.7	0.10	2.3	0.09
Skin (excl. basal & sq.)	1,697	31.2	0.35	22.8	0.25	1,287	21.8	0.28	18.1	0.24
Melanomas of the skin	1,586	29.1	0.33	21.4	0.25	1,207	20.6	0.27	17.2	0.24
Breast (excl. <i>in situ</i>)	70	1.3	0.07	0.9	0.05	8,337	134.1	0.68	106.2	0.55
Female Genital System	-	-	-	-	-	3,437	54.4	0.43	44.0	0.35
Cervix uteri	-	-	-	-	-	400	7.5	0.17	6.5	0.15
Uterus Corpus	-	-	-	-	-	1,932	29.6	0.31	24.1	0.25
Uterus, NOS ¹	-	-	-	-	-	49	0.7	0.05	0.5	0.04
Ovary	-	-	-	-	-	715	11.4	0.20	9.0	0.16
Male Genital System	6,462	109.4	0.62	85.4	0.48	-	-	-	-	-
Prostate	6,059	101.2	0.60	77.3	0.45	-	-	-	-	-
Testis	353	7.3	0.18	7.5	0.18	-	-	-	-	-
Penis	41	0.8	0.06	0.5	0.04	-	-	-	-	-
Urinary System	3,590	65.8	0.50	46.2	0.35	1,522	23.1	0.27	17.0	0.21
Bladder (incl. <i>in situ</i>)	2,125	39.7	0.39	26.2	0.26	681	9.9	0.17	6.8	0.12
Kidney & renal pelvis	1,389	24.7	0.30	19.0	0.23	797	12.6	0.21	9.8	0.16
Ureter	49	1.0	0.06	0.6	0.04	31	0.4	0.04	0.3	0.02
Eye & Orbit	50	0.9	0.06	0.7	0.05	45	0.7	0.05	0.6	0.04
Brain & Other CNS ¹	431	8.1	0.18	6.9	0.16	341	5.8	0.15	5.1	0.14
Brain	410	7.6	0.17	6.5	0.15	317	5.4	0.14	4.7	0.13
Endocrine System	505	9.4	0.19	8.1	0.17	1,278	24.0	0.31	21.6	0.28
Thyroid gland	463	8.6	0.18	7.3	0.16	1,245	23.4	0.31	21.1	0.28
Lymphomas	1,503	28.0	0.33	21.1	0.25	1,228	19.5	0.26	15.0	0.21
Hodgkin Lymphoma	165	3.2	0.11	3.1	0.11	128	2.5	0.10	2.5	0.10
Non-Hodgkin Lymphoma	1,338	24.8	0.31	18.1	0.23	1,100	16.9	0.24	12.6	0.18
Multiple Myeloma	393	7.1	0.16	5.0	0.11	316	4.7	0.12	3.4	0.09
Leukemias	937	17.8	0.26	13.4	0.21	688	11.0	0.19	8.6	0.17
Acute lymphocytic	102	2.1	0.10	2.3	0.11	74	1.5	0.08	1.7	0.09
Chronic lymphocytic	310	5.6	0.15	3.9	0.10	203	3.0	0.10	2.0	0.07
Acute myeloid	302	5.8	0.15	4.2	0.11	249	3.9	0.12	3.0	0.09
Chronic myeloid	113	2.2	0.09	1.6	0.07	89	1.4	0.07	1.1	0.06
Other leukemias	109	2.1	0.09	1.5	0.07	72	1.1	0.06	0.8	0.05
Mesothelioma	92	1.8	0.08	1.1	0.05	37	0.6	0.04	0.4	0.03
Kaposi Sarcoma	19	0.4	0.04	0.3	0.03	4	0.1	0.01	0.0	0.01
Ill-defined & Unknown	888	16.7	0.26	11.2	0.17	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	508	9.5	0.19	7.5	0.16	1,015	16.7	0.24	13.3	0.20
Breast (<i>in situ</i>)	4	0.1	0.02	0.1	0.01	1,954	32.6	0.34	26.5	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Illinois, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,472	558.9	3.91	423.6	2.85	4,770	437.6	2.89	338.3	2.25
Oral Cavity & Pharynx	141	17.0	0.67	13.4	0.51	67	6.0	0.33	4.9	0.27
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	34	4.1	0.33	3.2	0.25	15	1.3	0.16	1.1	0.13
Major salivary gland	14	1.7	0.21	1.4	0.17	16	1.5	0.17	1.2	0.14
Floor of mouth	7	0.8	0.14	0.7	0.11	4	0.3	0.08	0.3	0.06
Gum & other mouth	17	2.2	0.25	1.6	0.18	11	1.0	0.13	0.8	0.11
Nasopharynx	10	1.2	0.17	1.0	0.14	5	0.5	0.09	0.4	0.08
Oropharynx	12	1.4	0.19	1.1	0.15	4	0.3	0.07	0.3	0.06
Hypopharynx	15	1.9	0.23	1.4	0.16	3	0.3	0.07	0.3	0.06
Digestive System	1,022	130.4	1.91	96.6	1.36	960	87.7	1.29	65.0	0.96
Esophagus	60	7.5	0.45	5.6	0.33	27	2.4	0.21	1.8	0.16
Stomach	109	14.9	0.67	10.4	0.45	96	8.9	0.41	6.4	0.30
Small intestine	38	4.9	0.37	3.7	0.27	41	3.8	0.27	3.0	0.21
Colon excl. rectum	338	45.0	1.14	32.2	0.79	369	33.9	0.80	24.9	0.59
Rectum & rectosigmoid	136	17.0	0.68	12.9	0.50	114	10.4	0.44	8.2	0.35
Anus, anal canal & anorectum	20	2.3	0.24	1.9	0.19	22	2.0	0.20	1.6	0.16
Liver	131	14.6	0.59	12.0	0.47	50	4.2	0.27	3.3	0.21
Gallbladder	11	1.4	0.20	1.0	0.14	26	2.3	0.21	1.7	0.16
Pancreas	143	18.6	0.73	13.5	0.51	166	15.3	0.54	10.8	0.38
Respiratory System	791	103.7	1.73	74.6	1.19	708	63.8	1.09	46.8	0.80
Larynx	78	9.7	0.51	7.3	0.37	24	2.0	0.19	1.6	0.15
Lung & bronchus	704	93.0	1.64	66.5	1.12	678	61.1	1.07	44.6	0.78
Bones & Joints	8	0.9	0.15	0.8	0.13	6	0.6	0.11	0.5	0.10
Soft Tissue (incl. heart)	35	4.4	0.34	3.7	0.28	39	3.7	0.27	3.2	0.24
Skin (excl. basal & sq.)	12	1.6	0.21	1.2	0.15	17	1.7	0.18	1.3	0.15
Melanomas of the skin	6	0.8	0.15	0.6	0.11	8	0.8	0.13	0.6	0.10
Breast (excl. <i>in situ</i>)	16	2.2	0.25	1.5	0.17	1,468	135.2	1.61	107.5	1.28
Female Genital System	-	-	-	-	-	604	54.7	1.02	43.9	0.82
Cervix uteri	-	-	-	-	-	108	10.4	0.46	8.9	0.39
Uterus Corpus	-	-	-	-	-	325	28.4	0.72	22.7	0.57
Uterus, NOS ¹	-	-	-	-	-	21	1.9	0.19	1.5	0.15
Ovary	-	-	-	-	-	103	9.7	0.43	7.5	0.34
Male Genital System	1,462	172.8	2.11	135.9	1.60	-	-	-	-	-
Prostate	1,440	170.2	2.09	133.7	1.58	-	-	-	-	-
Testis	12	1.4	0.19	1.4	0.18	-	-	-	-	-
Penis	6	0.8	0.16	0.6	0.11	-	-	-	-	-
Urinary System	395	50.8	1.20	37.8	0.86	223	20.5	0.63	15.2	0.47
Bladder (incl. <i>in situ</i>)	152	21.2	0.80	14.5	0.53	69	6.4	0.35	4.4	0.24
Kidney & renal pelvis	237	28.8	0.87	22.7	0.67	147	13.5	0.51	10.4	0.39
Ureter	2	0.3	0.09	0.2	0.06	3	0.3	0.07	0.2	0.05
Eye & Orbit	2	0.3	0.08	0.2	0.07	1	0.1	0.05	0.1	0.06
Brain & Other CNS ¹	40	4.7	0.34	4.2	0.30	34	3.2	0.25	2.8	0.23
Brain	36	4.3	0.33	3.8	0.28	30	2.8	0.23	2.5	0.21
Endocrine System	44	5.3	0.37	4.4	0.30	141	13.4	0.52	11.7	0.45
Thyroid gland	34	4.1	0.33	3.4	0.26	134	12.7	0.50	11.1	0.44
Lymphomas	163	20.1	0.74	16.3	0.58	148	14.0	0.52	11.4	0.43
Hodgkin Lymphoma	29	3.2	0.28	3.1	0.26	22	2.1	0.21	2.1	0.20
Non-Hodgkin Lymphoma	134	16.9	0.68	13.2	0.52	125	11.9	0.48	9.3	0.38
Multiple Myeloma	107	14.2	0.64	10.2	0.44	124	11.4	0.47	8.3	0.34
Leukemias	103	13.2	0.61	10.1	0.45	94	8.7	0.41	6.9	0.33
Acute lymphocytic	10	1.0	0.15	1.1	0.15	8	0.8	0.12	0.8	0.13
Chronic lymphocytic	33	4.4	0.35	3.1	0.24	26	2.4	0.21	1.7	0.15
Acute myeloid	35	4.7	0.37	3.5	0.26	36	3.3	0.25	2.6	0.20
Chronic myeloid	15	1.9	0.23	1.5	0.17	15	1.4	0.16	1.1	0.13
Other leukemias	9	1.2	0.18	0.9	0.13	9	0.9	0.13	0.7	0.11
Mesothelioma	3	0.4	0.11	0.3	0.07	2	0.2	0.06	0.1	0.04
Kaposi Sarcoma	11	1.3	0.17	1.2	0.17	-	-	-	-	-
Ill-defined & Unknown	116	15.7	0.68	11.1	0.46	133	12.5	0.49	8.5	0.34
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	60	7.5	0.45	6.0	0.35	165	15.5	0.55	12.2	0.44
Breast (<i>in situ</i>)	1	0.1	0.06	0.1	0.05	392	35.6	0.82	28.7	0.66

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Illinois, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	840	274.8	4.46	203.4	3.16	1,049	275.7	3.89	218.1	3.04
Oral Cavity & Pharynx	41	12.3	0.89	9.9	0.69	18	4.7	0.51	3.7	0.40
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	2.9	0.43	2.3	0.33	5	1.4	0.27	1.1	0.22
Major salivary gland	4	1.1	0.27	0.9	0.20	3	0.7	0.20	0.6	0.16
Floor of mouth	1	0.4	0.15	0.3	0.13	-	-	-	-	-
Gum & other mouth	11	3.1	0.42	2.6	0.35	4	1.2	0.25	0.9	0.19
Nasopharynx	9	2.8	0.42	2.3	0.34	3	0.9	0.22	0.7	0.17
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	1	0.6	0.22	0.3	0.13	-	-	-	-	-
Digestive System	237	78.1	2.39	57.0	1.66	179	49.3	1.69	35.8	1.21
Esophagus	10	3.2	0.48	2.4	0.34	4	1.1	0.25	0.8	0.18
Stomach	29	9.9	0.86	7.0	0.58	23	6.5	0.63	4.5	0.42
Small intestine	4	1.6	0.34	1.1	0.23	3	0.7	0.19	0.5	0.15
Colon excl. rectum	65	21.4	1.25	15.5	0.87	54	14.8	0.93	10.9	0.67
Rectum & rectosigmoid	44	13.7	0.97	10.6	0.72	32	8.4	0.68	6.5	0.52
Anus, anal canal & anorectum	1	0.4	0.19	0.3	0.12	-	-	-	-	-
Liver	43	13.7	0.98	10.5	0.71	17	4.9	0.54	3.5	0.38
Gallbladder	3	1.0	0.26	0.8	0.19	5	1.4	0.28	1.1	0.21
Pancreas	20	6.9	0.72	4.8	0.48	23	6.5	0.63	4.4	0.42
Respiratory System	120	41.1	1.77	28.6	1.17	76	21.5	1.14	14.8	0.77
Larynx	7	2.2	0.39	1.6	0.28	-	-	-	-	-
Lung & bronchus	110	38.2	1.72	26.3	1.12	73	20.8	1.12	14.3	0.75
Bones & Joints	3	0.8	0.22	0.8	0.22	2	0.6	0.18	0.5	0.16
Soft Tissue (incl. heart)	12	3.6	0.48	2.9	0.38	6	1.8	0.32	1.4	0.26
Skin (excl. basal & sq.)	6	1.9	0.39	1.4	0.27	6	1.6	0.29	1.3	0.24
Melanomas of the skin	3	1.0	0.27	0.8	0.21	4	1.0	0.23	0.8	0.19
Breast (excl. <i>in situ</i>)	2	0.6	0.17	0.5	0.16	387	98.6	2.28	80.5	1.84
Female Genital System	-	-	-	-	-	141	35.5	1.36	29.3	1.11
Cervix uteri	-	-	-	-	-	18	4.6	0.49	3.7	0.40
Uterus Corpus	-	-	-	-	-	78	19.2	0.99	16.0	0.81
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	32	8.4	0.68	6.9	0.55
Male Genital System	171	53.3	1.90	40.1	1.38	-	-	-	-	-
Prostate	162	50.8	1.86	37.7	1.33	-	-	-	-	-
Testis	7	1.9	0.32	1.9	0.33	-	-	-	-	-
Penis	1	0.5	0.19	0.3	0.13	-	-	-	-	-
Urinary System	75	25.7	1.39	18.2	0.94	27	7.7	0.67	5.5	0.47
Bladder (incl. <i>in situ</i>)	38	13.7	1.04	9.2	0.67	10	2.8	0.41	1.8	0.27
Kidney & renal pelvis	35	11.0	0.87	8.5	0.65	16	4.4	0.50	3.3	0.37
Ureter	2	0.6	0.23	0.4	0.14	-	-	-	-	-
Eye & Orbit	1	0.4	0.16	0.4	0.17	-	-	-	-	-
Brain & Other CNS ¹	11	3.4	0.47	2.9	0.40	12	3.5	0.45	3.2	0.42
Brain	10	3.2	0.45	2.7	0.38	12	3.3	0.44	3.0	0.41
Endocrine System	32	9.2	0.74	8.1	0.64	93	23.0	1.08	20.6	0.97
Thyroid gland	28	8.0	0.69	6.9	0.58	91	22.4	1.07	20.1	0.96
Lymphomas	54	18.1	1.16	13.6	0.83	45	12.1	0.83	9.6	0.65
Hodgkin Lymphoma	8	2.4	0.38	2.3	0.37	6	1.5	0.29	1.4	0.28
Non-Hodgkin Lymphoma	46	15.7	1.09	11.2	0.75	39	10.7	0.78	8.2	0.59
Multiple Myeloma	15	5.0	0.62	3.5	0.41	9	2.5	0.39	1.7	0.26
Leukemias	31	10.1	0.85	8.2	0.66	19	5.3	0.56	4.5	0.49
Acute lymphocytic	6	1.7	0.33	1.9	0.36	4	1.2	0.27	1.3	0.29
Chronic lymphocytic	5	1.7	0.36	1.3	0.25	3	0.7	0.21	0.5	0.14
Acute myeloid	14	4.7	0.59	3.4	0.42	8	2.2	0.36	1.9	0.31
Chronic myeloid	4	1.1	0.25	0.9	0.21	3	0.8	0.22	0.6	0.16
Other leukemias	3	1.0	0.26	0.7	0.18	1	0.4	0.15	0.3	0.13
Mesothelioma	2	0.6	0.24	0.4	0.14	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	27	10.4	0.95	6.8	0.59	26	7.6	0.68	5.2	0.47
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	25	7.8	0.73	6.2	0.56	52	13.7	0.87	11.1	0.70
Breast (<i>in situ</i>)	-	-	-	-	-	116	29.4	1.24	24.4	1.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Illinois, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,183	364.4	3.94	269.4	2.67	2,448	348.3	3.36	270.1	2.48
Oral Cavity & Pharynx	59	9.4	0.61	7.1	0.43	30	4.5	0.39	3.4	0.28
Lip	4	0.7	0.20	0.5	0.11	1	0.3	0.10	0.2	0.06
Tongue	16	2.4	0.30	1.9	0.22	9	1.3	0.21	1.0	0.15
Major salivary gland	6	1.1	0.22	0.8	0.14	6	0.8	0.16	0.6	0.12
Floor of mouth	1	0.2	0.09	0.2	0.07	1	0.2	0.08	0.1	0.06
Gum & other mouth	9	1.5	0.25	1.1	0.17	6	1.1	0.21	0.8	0.14
Nasopharynx	2	0.3	0.11	0.3	0.08	2	0.2	0.07	0.2	0.06
Oropharynx	2	0.2	0.09	0.2	0.06	-	-	-	-	-
Hypopharynx	6	1.1	0.22	0.8	0.15	-	-	-	-	-
Digestive System	559	96.1	2.04	69.7	1.36	437	70.3	1.60	50.5	1.09
Esophagus	23	4.1	0.42	2.9	0.28	5	0.8	0.18	0.5	0.11
Stomach	74	13.0	0.76	9.2	0.50	65	10.4	0.61	7.3	0.41
Small intestine	13	1.9	0.27	1.5	0.19	11	1.5	0.22	1.2	0.17
Colon excl. rectum	138	24.3	1.04	17.2	0.68	127	20.2	0.85	14.6	0.59
Rectum & rectosigmoid	93	14.0	0.72	10.9	0.52	62	8.8	0.53	6.9	0.40
Anus, anal canal & anorectum	6	1.0	0.21	0.7	0.13	9	1.4	0.22	1.0	0.15
Liver	97	16.2	0.82	12.2	0.57	37	6.1	0.47	4.4	0.33
Gallbladder	8	1.4	0.25	1.0	0.17	17	2.8	0.32	2.0	0.21
Pancreas	73	13.9	0.81	9.6	0.52	63	11.0	0.65	7.5	0.43
Respiratory System	184	37.1	1.35	25.1	0.85	147	25.3	0.98	17.7	0.66
Larynx	21	3.6	0.39	2.6	0.26	4	0.6	0.14	0.5	0.11
Lung & bronchus	155	32.6	1.28	21.7	0.80	140	24.2	0.96	16.9	0.65
Bones & Joints	10	0.9	0.15	0.9	0.13	7	0.8	0.14	0.7	0.12
Soft Tissue (incl. heart)	28	3.7	0.36	3.0	0.27	21	2.6	0.27	2.2	0.22
Skin (excl. basal & sq.)	35	6.1	0.53	4.3	0.34	39	5.4	0.42	4.2	0.31
Melanomas of the skin	29	5.3	0.49	3.6	0.31	34	4.7	0.39	3.6	0.29
Breast (excl. <i>in situ</i>)	4	0.7	0.18	0.5	0.11	713	97.0	1.71	77.5	1.32
Female Genital System	-	-	-	-	-	381	50.0	1.21	41.1	0.95
Cervix uteri	-	-	-	-	-	78	9.5	0.50	8.0	0.41
Uterus Corpus	-	-	-	-	-	200	26.0	0.86	21.8	0.70
Uterus, NOS ¹	-	-	-	-	-	6	0.8	0.16	0.6	0.12
Ovary	-	-	-	-	-	73	10.1	0.56	7.9	0.42
Male Genital System	581	95.4	1.97	73.4	1.40	-	-	-	-	-
Prostate	499	87.7	1.92	65.9	1.35	-	-	-	-	-
Testis	72	5.8	0.31	6.2	0.33	-	-	-	-	-
Penis	8	1.6	0.28	1.0	0.17	-	-	-	-	-
Urinary System	237	41.5	1.36	29.6	0.89	119	18.3	0.80	13.6	0.56
Bladder (incl. <i>in situ</i>)	80	17.2	0.95	11.0	0.57	31	5.7	0.48	3.7	0.30
Kidney & renal pelvis	154	23.4	0.95	18.0	0.67	86	12.2	0.63	9.6	0.47
Ureter	2	0.6	0.19	0.4	0.11	2	0.3	0.10	0.2	0.06
Eye & Orbit	5	0.6	0.15	0.5	0.11	3	0.4	0.12	0.4	0.09
Brain & Other CNS ¹	48	6.2	0.46	5.2	0.35	35	4.2	0.35	3.6	0.28
Brain	46	5.9	0.45	5.0	0.34	31	3.8	0.34	3.2	0.26
Endocrine System	57	7.0	0.46	5.9	0.36	208	23.5	0.77	20.9	0.65
Thyroid gland	50	6.4	0.45	5.2	0.34	202	22.8	0.75	20.2	0.64
Lymphomas	153	23.4	0.98	17.6	0.66	132	19.6	0.82	14.8	0.59
Hodgkin Lymphoma	28	3.3	0.32	2.9	0.25	19	2.2	0.25	2.0	0.20
Non-Hodgkin Lymphoma	125	20.1	0.92	14.8	0.62	112	17.4	0.78	12.8	0.55
Multiple Myeloma	41	7.3	0.57	5.3	0.38	37	6.2	0.48	4.4	0.32
Leukemias	100	13.1	0.70	10.7	0.50	77	9.7	0.55	8.0	0.42
Acute lymphocytic	35	2.8	0.22	3.1	0.23	25	2.2	0.21	2.4	0.22
Chronic lymphocytic	11	2.1	0.31	1.5	0.20	9	1.8	0.27	1.1	0.17
Acute myeloid	31	4.8	0.45	3.5	0.29	26	3.5	0.34	2.8	0.25
Chronic myeloid	14	2.0	0.28	1.5	0.19	10	1.3	0.19	1.0	0.15
Other leukemias	9	1.5	0.25	1.1	0.17	7	0.9	0.17	0.7	0.12
Mesothelioma	7	1.3	0.26	0.9	0.16	2	0.3	0.09	0.2	0.07
Kaposi Sarcoma	8	1.0	0.18	0.8	0.13	-	-	-	-	-
Ill-defined & Unknown	69	13.6	0.82	9.1	0.51	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	55	7.8	0.55	6.0	0.38	101	13.5	0.64	10.9	0.49
Breast (<i>in situ</i>)	-	-	-	-	-	182	24.2	0.84	19.7	0.66

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

ILLINOIS

134 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Illinois, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	25,989	518.5	1.48	383.5	1.11	26,162	461.6	1.34	357.9	1.09
Oral Cavity & Pharynx	1,043	20.1	0.29	15.9	0.23	414	7.2	0.16	5.6	0.13
Lip	44	0.9	0.06	0.6	0.04	15	0.3	0.03	0.2	0.02
Tongue	340	6.4	0.16	5.2	0.13	137	2.4	0.09	1.9	0.08
Major salivary gland	84	1.8	0.09	1.2	0.06	59	1.1	0.07	0.9	0.06
Floor of mouth	51	1.0	0.06	0.8	0.05	21	0.3	0.03	0.3	0.03
Gum & other mouth	112	2.2	0.09	1.6	0.07	86	1.4	0.07	1.0	0.05
Nasopharynx	29	0.6	0.05	0.5	0.04	13	0.2	0.03	0.2	0.03
Oropharynx	53	1.0	0.06	0.8	0.05	14	0.2	0.03	0.2	0.02
Hypopharynx	60	1.1	0.07	0.9	0.05	16	0.3	0.03	0.2	0.02
Digestive System	5,081	101.6	0.65	73.6	0.48	4,105	67.7	0.49	48.7	0.37
Esophagus	476	9.2	0.19	6.8	0.14	115	1.8	0.08	1.3	0.06
Stomach	423	8.5	0.19	6.1	0.14	233	3.9	0.12	2.7	0.09
Small intestine	151	3.1	0.11	2.3	0.09	132	2.3	0.09	1.8	0.07
Colon excl. rectum	1,654	33.8	0.38	23.9	0.27	1,651	27.1	0.31	19.1	0.23
Rectum & rectosigmoid	780	15.6	0.26	11.9	0.20	540	9.5	0.19	7.3	0.15
Anus, anal canal & anorectum	81	1.6	0.08	1.3	0.07	144	2.5	0.10	2.0	0.08
Liver	437	8.2	0.18	6.3	0.14	162	2.7	0.10	1.9	0.08
Gallbladder	36	0.7	0.06	0.5	0.04	96	1.5	0.07	1.0	0.05
Pancreas	802	16.0	0.26	11.2	0.18	728	11.5	0.20	8.0	0.14
Respiratory System	4,251	84.2	0.59	58.8	0.41	3,828	62.5	0.46	44.6	0.34
Larynx	325	6.2	0.16	4.7	0.12	87	1.5	0.07	1.1	0.06
Lung & bronchus	3,872	76.9	0.56	53.2	0.39	3,709	60.4	0.45	43.1	0.33
Bones & Joints	46	1.1	0.07	1.0	0.07	38	0.9	0.07	0.8	0.07
Soft Tissue (incl. heart)	195	4.3	0.14	3.4	0.12	144	2.8	0.11	2.3	0.10
Skin (excl. basal & sq.)	1,665	34.4	0.39	25.4	0.29	1,250	24.7	0.33	20.7	0.29
Melanomas of the skin	1,559	32.2	0.38	24.0	0.28	1,175	23.4	0.32	19.8	0.29
Breast (excl. <i>in situ</i>)	66	1.3	0.07	0.9	0.05	7,657	138.6	0.74	109.9	0.60
Female Genital System	-	-	-	-	-	3,080	54.5	0.46	44.0	0.38
Cervix uteri	-	-	-	-	-	325	7.2	0.19	6.3	0.17
Uterus Corpus	-	-	-	-	-	1,746	29.6	0.33	24.0	0.27
Uterus, NOS ¹	-	-	-	-	-	43	0.7	0.05	0.5	0.04
Ovary	-	-	-	-	-	647	11.6	0.21	9.2	0.18
Male Genital System	5,919	111.4	0.66	87.1	0.52	-	-	-	-	-
Prostate	5,594	102.9	0.63	78.7	0.48	-	-	-	-	-
Testis	285	7.6	0.21	7.7	0.21	-	-	-	-	-
Penis	33	0.7	0.06	0.5	0.04	-	-	-	-	-
Urinary System	3,368	68.2	0.54	47.9	0.38	1,410	23.6	0.29	17.3	0.23
Bladder (incl. <i>in situ</i>)	2,050	41.7	0.42	27.8	0.28	653	10.3	0.19	7.2	0.14
Kidney & renal pelvis	1,245	24.9	0.33	19.2	0.25	716	12.6	0.22	9.8	0.18
Ureter	47	1.0	0.07	0.6	0.04	29	0.5	0.04	0.3	0.03
Eye & Orbit	46	0.9	0.06	0.8	0.06	42	0.8	0.06	0.6	0.05
Brain & Other CNS ¹	384	8.5	0.20	7.4	0.19	308	6.2	0.17	5.5	0.16
Brain	365	8.1	0.20	7.0	0.18	288	5.7	0.16	5.0	0.15
Endocrine System	451	9.9	0.22	8.6	0.19	1,083	24.4	0.35	22.0	0.32
Thyroid gland	415	9.1	0.21	7.8	0.18	1,055	23.8	0.34	21.4	0.32
Lymphomas	1,358	28.6	0.36	21.6	0.28	1,104	19.6	0.28	15.2	0.23
Hodgkin Lymphoma	138	3.4	0.13	3.2	0.13	110	2.7	0.12	2.7	0.12
Non-Hodgkin Lymphoma	1,220	25.2	0.33	18.4	0.25	994	16.9	0.25	12.6	0.20
Multiple Myeloma	354	7.0	0.17	5.0	0.12	281	4.5	0.12	3.2	0.09
Leukemias	841	17.9	0.28	13.3	0.22	615	10.9	0.21	8.5	0.18
Acute lymphocytic	68	1.8	0.10	2.0	0.11	50	1.3	0.09	1.4	0.10
Chronic lymphocytic	300	5.9	0.16	4.1	0.11	195	3.1	0.10	2.2	0.07
Acute myeloid	273	5.8	0.16	4.2	0.12	225	3.9	0.12	3.0	0.10
Chronic myeloid	100	2.1	0.10	1.5	0.07	79	1.5	0.08	1.1	0.06
Other leukemias	100	2.1	0.10	1.5	0.07	66	1.1	0.07	0.9	0.06
Mesothelioma	85	1.8	0.09	1.1	0.05	35	0.6	0.05	0.4	0.03
Kaposi Sarcoma	12	0.3	0.04	0.2	0.03	3	0.1	0.01	0.0	0.01
Ill-defined & Unknown	822	17.0	0.27	11.4	0.19	764	12.2	0.21	8.4	0.16
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	455	9.8	0.21	7.8	0.18	919	17.1	0.27	13.7	0.23
Breast (<i>in situ</i>)	4	0.1	0.02	0.1	0.01	1,783	33.9	0.38	27.6	0.31

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Illinois, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,443	567.0	3.98	430.0	2.90	4,734	443.2	2.94	342.9	2.29
Oral Cavity & Pharynx	140	17.3	0.68	13.6	0.52	67	6.1	0.34	5.0	0.28
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	34	4.2	0.33	3.3	0.25	15	1.3	0.16	1.1	0.13
Major salivary gland	14	1.7	0.21	1.4	0.17	16	1.5	0.17	1.2	0.14
Floor of mouth	7	0.9	0.15	0.7	0.12	4	0.3	0.08	0.3	0.06
Gum & other mouth	17	2.2	0.25	1.6	0.18	11	1.0	0.14	0.8	0.11
Nasopharynx	10	1.2	0.18	1.0	0.14	5	0.5	0.09	0.4	0.09
Oropharynx	12	1.4	0.19	1.1	0.15	3	0.3	0.07	0.2	0.06
Hypopharynx	15	1.9	0.23	1.5	0.17	3	0.3	0.08	0.3	0.06
Digestive System	1,015	132.2	1.94	98.0	1.38	953	88.7	1.31	65.7	0.98
Esophagus	60	7.6	0.46	5.7	0.33	27	2.4	0.21	1.8	0.16
Stomach	109	15.1	0.68	10.6	0.46	95	8.9	0.42	6.4	0.30
Small intestine	38	4.9	0.37	3.7	0.27	41	3.9	0.28	3.0	0.22
Colon excl. rectum	336	45.5	1.16	32.6	0.80	366	34.3	0.81	25.1	0.60
Rectum & rectosigmoid	135	17.3	0.69	13.1	0.51	114	10.6	0.45	8.3	0.36
Anus, anal canal & anorectum	20	2.4	0.25	2.0	0.20	22	2.0	0.20	1.7	0.16
Liver	130	14.7	0.60	12.1	0.48	50	4.3	0.28	3.3	0.22
Gallbladder	11	1.4	0.20	1.0	0.14	26	2.4	0.21	1.8	0.16
Pancreas	142	18.8	0.74	13.7	0.52	165	15.5	0.55	11.0	0.39
Respiratory System	785	104.9	1.75	75.5	1.21	706	64.6	1.11	47.4	0.81
Larynx	78	9.8	0.52	7.4	0.38	23	2.1	0.19	1.7	0.16
Lung & bronchus	699	94.0	1.67	67.3	1.14	676	61.9	1.08	45.2	0.79
Bones & Joints	7	0.9	0.15	0.8	0.13	6	0.6	0.11	0.6	0.11
Soft Tissue (incl. heart)	35	4.5	0.35	3.8	0.29	39	3.8	0.28	3.3	0.24
Skin (excl. basal & sq.)	12	1.6	0.21	1.2	0.16	17	1.7	0.19	1.3	0.15
Melanomas of the skin	6	0.8	0.15	0.6	0.11	8	0.8	0.13	0.6	0.10
Breast (excl. <i>in situ</i>)	16	2.2	0.26	1.6	0.18	1,456	137.0	1.64	109.1	1.31
Female Genital System	-	-	-	-	-	597	55.2	1.03	44.3	0.83
Cervix uteri	-	-	-	-	-	107	10.6	0.47	9.0	0.40
Uterus Corpus	-	-	-	-	-	322	28.6	0.73	22.9	0.58
Uterus, NOS ¹	-	-	-	-	-	21	2.0	0.19	1.5	0.15
Ovary	-	-	-	-	-	102	9.7	0.44	7.5	0.34
Male Genital System	1,454	175.3	2.14	137.9	1.62	-	-	-	-	-
Prostate	1,433	172.7	2.13	135.6	1.61	-	-	-	-	-
Testis	12	1.4	0.19	1.4	0.18	-	-	-	-	-
Penis	6	0.9	0.17	0.6	0.11	-	-	-	-	-
Urinary System	392	51.6	1.22	38.4	0.87	221	20.7	0.63	15.4	0.48
Bladder (incl. <i>in situ</i>)	152	21.5	0.82	14.7	0.54	69	6.5	0.35	4.4	0.24
Kidney & renal pelvis	235	29.3	0.89	23.1	0.68	146	13.7	0.52	10.6	0.40
Ureter	2	0.3	0.09	0.2	0.06	3	0.3	0.07	0.2	0.05
Eye & Orbit	2	0.3	0.08	0.2	0.07	1	0.1	0.05	0.2	0.06
Brain & Other CNS ¹	40	4.9	0.35	4.3	0.31	34	3.3	0.26	2.9	0.23
Brain	36	4.4	0.34	3.9	0.29	30	2.9	0.24	2.6	0.22
Endocrine System	44	5.5	0.38	4.6	0.31	140	13.7	0.53	12.0	0.46
Thyroid gland	34	4.2	0.34	3.5	0.27	133	13.0	0.52	11.3	0.45
Lymphomas	161	20.5	0.75	16.6	0.59	146	14.2	0.54	11.6	0.44
Hodgkin Lymphoma	29	3.3	0.29	3.2	0.27	22	2.2	0.21	2.1	0.21
Non-Hodgkin Lymphoma	132	17.2	0.70	13.4	0.53	124	12.0	0.49	9.5	0.39
Multiple Myeloma	107	14.4	0.65	10.4	0.45	123	11.6	0.47	8.4	0.35
Leukemias	102	13.4	0.62	10.3	0.46	93	8.9	0.42	7.0	0.34
Acute lymphocytic	10	1.1	0.16	1.1	0.16	8	0.8	0.13	0.8	0.14
Chronic lymphocytic	33	4.4	0.36	3.2	0.25	25	2.4	0.22	1.7	0.15
Acute myeloid	35	4.8	0.38	3.5	0.27	36	3.4	0.26	2.6	0.21
Chronic myeloid	15	1.9	0.23	1.6	0.18	15	1.4	0.17	1.1	0.13
Other leukemias	9	1.2	0.19	0.9	0.14	9	0.9	0.13	0.7	0.11
Mesothelioma	3	0.4	0.11	0.3	0.08	2	0.2	0.06	0.1	0.04
Kaposi Sarcoma	11	1.3	0.18	1.3	0.17	-	-	-	-	-
Ill-defined & Unknown	115	15.9	0.69	11.2	0.47	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	60	7.7	0.46	6.1	0.36	164	15.8	0.56	12.4	0.45
Breast (<i>in situ</i>)	1	0.1	0.05	0.1	0.05	389	36.0	0.83	29.1	0.67

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

ILLINOIS

136 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Indiana, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	17,638	503.6	1.74	371.6	1.28	17,351	430.7	1.50	333.6	1.20
Oral Cavity & Pharynx	714	19.6	0.34	15.4	0.26	269	6.6	0.18	5.1	0.15
Lip	29	0.9	0.08	0.6	0.05	9	0.2	0.03	0.1	0.02
Tongue	225	6.1	0.19	4.9	0.15	84	2.0	0.10	1.6	0.08
Major salivary gland	56	1.7	0.10	1.2	0.07	38	1.0	0.07	0.8	0.06
Floor of mouth	31	0.8	0.07	0.7	0.05	17	0.4	0.04	0.3	0.03
Gum & other mouth	74	2.1	0.11	1.6	0.08	52	1.2	0.08	0.9	0.06
Nasopharynx	22	0.6	0.06	0.5	0.05	9	0.3	0.04	0.2	0.03
Oropharynx	35	0.9	0.07	0.7	0.06	11	0.3	0.04	0.2	0.03
Hypopharynx	35	0.9	0.07	0.7	0.05	9	0.2	0.03	0.2	0.02
Digestive System	3,582	102.1	0.79	74.9	0.57	2,818	67.8	0.59	49.3	0.44
Esophagus	351	9.8	0.24	7.3	0.18	80	1.8	0.09	1.3	0.07
Stomach	294	8.5	0.23	6.1	0.16	155	3.7	0.14	2.7	0.10
Small intestine	102	2.9	0.13	2.1	0.10	88	2.2	0.11	1.7	0.08
Colon excl. rectum	1,136	33.3	0.45	23.8	0.32	1,147	27.6	0.37	19.5	0.27
Rectum & rectosigmoid	548	15.5	0.30	11.8	0.23	394	9.9	0.23	7.6	0.18
Anus, anal canal & anorectum	52	1.5	0.10	1.2	0.07	109	2.6	0.12	2.1	0.10
Liver	361	9.4	0.23	7.4	0.18	109	2.5	0.11	1.9	0.09
Gallbladder	25	0.7	0.07	0.5	0.04	54	1.2	0.08	0.9	0.05
Pancreas	537	15.5	0.31	11.0	0.22	486	11.5	0.24	8.2	0.17
Respiratory System	3,296	94.0	0.75	67.0	0.53	2,691	63.7	0.56	46.6	0.42
Larynx	238	6.4	0.19	5.0	0.15	71	1.7	0.09	1.4	0.07
Lung & bronchus	3,016	86.4	0.72	61.0	0.50	2,596	61.4	0.55	44.7	0.41
Bones & Joints	33	1.0	0.08	0.9	0.07	26	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	117	3.5	0.15	2.8	0.12	97	2.6	0.12	2.2	0.11
Skin (excl. basal & sq.)	974	28.7	0.42	21.0	0.31	729	19.4	0.33	16.1	0.28
Melanomas of the skin	912	26.8	0.41	19.6	0.30	685	18.3	0.32	15.2	0.28
Breast (excl. <i>in situ</i>)	39	1.2	0.08	0.8	0.06	4,915	122.9	0.81	97.0	0.65
Female Genital System	-	-	-	-	-	2,090	52.3	0.53	42.4	0.44
Cervix uteri	-	-	-	-	-	274	8.2	0.23	7.2	0.20
Uterus Corpus	-	-	-	-	-	1,160	28.0	0.38	22.8	0.31
Uterus, NOS ¹	-	-	-	-	-	10	0.2	0.03	0.2	0.02
Ovary	-	-	-	-	-	421	10.4	0.23	8.2	0.19
Male Genital System	3,746	101.4	0.76	77.7	0.58	-	-	-	-	-
Prostate	3,522	94.2	0.73	70.9	0.54	-	-	-	-	-
Testis	186	6.0	0.20	6.0	0.20	-	-	-	-	-
Penis	31	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	2,234	65.5	0.64	46.2	0.44	949	23.1	0.34	17.3	0.27
Bladder (incl. <i>in situ</i>)	1,277	38.3	0.49	25.5	0.32	386	9.1	0.21	6.3	0.15
Kidney & renal pelvis	904	25.6	0.39	19.6	0.30	536	13.4	0.27	10.5	0.22
Ureter	34	1.0	0.08	0.7	0.05	18	0.4	0.05	0.3	0.03
Eye & Orbit	36	1.0	0.08	0.8	0.07	29	0.7	0.06	0.6	0.05
Brain & Other CNS ¹	264	7.8	0.22	6.6	0.19	204	5.4	0.17	4.7	0.16
Brain	251	7.4	0.21	6.3	0.18	193	5.1	0.17	4.4	0.15
Endocrine System	244	7.3	0.21	6.2	0.18	653	19.1	0.34	17.2	0.32
Thyroid gland	217	6.5	0.20	5.4	0.17	626	18.4	0.34	16.6	0.31
Lymphomas	864	25.6	0.40	19.5	0.31	714	17.8	0.31	13.8	0.25
Hodgkin Lymphoma	105	3.2	0.14	3.1	0.14	74	2.2	0.12	2.2	0.12
Non-Hodgkin Lymphoma	759	22.3	0.37	16.5	0.27	640	15.6	0.28	11.6	0.22
Multiple Myeloma	284	8.4	0.23	5.9	0.16	228	5.4	0.16	3.9	0.12
Leukemias	589	17.7	0.33	13.2	0.25	415	10.5	0.24	8.2	0.20
Acute lymphocytic	57	1.8	0.10	1.9	0.12	38	1.2	0.09	1.2	0.09
Chronic lymphocytic	210	6.1	0.19	4.2	0.13	128	3.0	0.12	2.1	0.09
Acute myeloid	189	5.7	0.19	4.1	0.14	152	3.9	0.14	3.0	0.12
Chronic myeloid	78	2.4	0.12	1.7	0.09	59	1.5	0.09	1.2	0.07
Other leukemias	55	1.7	0.11	1.2	0.08	38	1.0	0.07	0.7	0.06
Mesothelioma	53	1.7	0.11	1.0	0.06	17	0.4	0.04	0.3	0.03
Kaposi Sarcoma	8	0.2	0.04	0.2	0.04	1	0.0	0.01	0.0	0.01
Ill-defined & Unknown	560	17.0	0.33	11.4	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	281	8.3	0.23	6.6	0.18	562	14.4	0.28	11.2	0.23
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	1,071	27.2	0.38	22.1	0.31

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Indiana, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	16,091	502.0	1.82	370.0	1.34	15,833	435.5	1.60	337.7	1.29
Oral Cavity & Pharynx	660	19.8	0.35	15.6	0.28	242	6.6	0.19	5.1	0.16
Lip	25	0.8	0.08	0.6	0.05	8	0.2	0.03	0.1	0.02
Tongue	212	6.3	0.20	5.0	0.16	77	2.1	0.11	1.7	0.09
Major salivary gland	52	1.7	0.11	1.2	0.08	33	0.9	0.07	0.7	0.06
Floor of mouth	29	0.8	0.07	0.7	0.06	16	0.4	0.05	0.3	0.04
Gum & other mouth	65	2.0	0.11	1.5	0.08	47	1.2	0.08	0.9	0.06
Nasopharynx	18	0.5	0.06	0.5	0.05	7	0.2	0.04	0.2	0.03
Oropharynx	32	0.9	0.07	0.7	0.06	9	0.2	0.04	0.2	0.03
Hypopharynx	31	0.9	0.07	0.7	0.06	8	0.2	0.03	0.2	0.03
Digestive System	3,247	101.0	0.82	74.0	0.59	2,536	67.2	0.61	48.8	0.46
Esophagus	333	10.1	0.25	7.5	0.19	71	1.8	0.10	1.3	0.07
Stomach	261	8.2	0.23	5.9	0.17	131	3.5	0.14	2.5	0.11
Small intestine	93	2.9	0.14	2.1	0.10	76	2.1	0.11	1.6	0.09
Colon excl. rectum	1,034	33.0	0.47	23.6	0.34	1,043	27.6	0.39	19.4	0.29
Rectum & rectosigmoid	504	15.5	0.32	11.9	0.24	358	9.9	0.24	7.6	0.19
Anus, anal canal & anorectum	46	1.5	0.10	1.1	0.08	103	2.8	0.13	2.2	0.10
Liver	301	8.7	0.23	6.8	0.18	92	2.3	0.11	1.8	0.09
Gallbladder	20	0.7	0.07	0.4	0.04	47	1.2	0.08	0.8	0.06
Pancreas	493	15.4	0.32	11.0	0.22	436	11.3	0.25	8.0	0.18
Respiratory System	3,064	95.0	0.79	67.6	0.55	2,482	64.5	0.59	47.1	0.44
Larynx	215	6.4	0.20	4.9	0.15	64	1.7	0.10	1.4	0.08
Lung & bronchus	2,810	87.3	0.76	61.6	0.52	2,395	62.2	0.58	45.3	0.43
Bones & Joints	29	1.0	0.08	0.9	0.08	24	0.8	0.07	0.8	0.08
Soft Tissue (incl. heart)	108	3.6	0.16	2.8	0.13	84	2.5	0.13	2.2	0.12
Skin (excl. basal & sq.)	931	30.0	0.45	22.0	0.33	683	20.5	0.37	17.0	0.31
Melanomas of the skin	875	28.1	0.44	20.7	0.32	644	19.5	0.36	16.2	0.31
Breast (excl. <i>in situ</i>)	33	1.1	0.08	0.7	0.06	4,455	123.5	0.86	97.4	0.69
Female Genital System	-	-	-	-	-	1,917	53.4	0.57	43.4	0.47
Cervix uteri	-	-	-	-	-	243	8.3	0.25	7.3	0.22
Uterus Corpus	-	-	-	-	-	1,067	28.6	0.40	23.3	0.33
Uterus, NOS ¹	-	-	-	-	-	9	0.2	0.03	0.2	0.03
Ovary	-	-	-	-	-	390	10.7	0.25	8.4	0.21
Male Genital System	3,266	96.7	0.78	74.1	0.59	-	-	-	-	-
Prostate	3,054	88.9	0.74	66.6	0.54	-	-	-	-	-
Testis	176	6.7	0.23	6.7	0.23	-	-	-	-	-
Penis	29	1.0	0.08	0.6	0.05	-	-	-	-	-
Urinary System	2,081	66.3	0.67	46.7	0.47	875	23.5	0.37	17.6	0.29
Bladder (incl. <i>in situ</i>)	1,209	39.2	0.52	26.1	0.34	359	9.2	0.22	6.4	0.16
Kidney & renal pelvis	820	25.4	0.41	19.5	0.31	490	13.6	0.28	10.7	0.23
Ureter	34	1.1	0.09	0.7	0.06	18	0.4	0.05	0.3	0.03
Eye & Orbit	34	1.1	0.09	0.9	0.07	28	0.8	0.07	0.6	0.06
Brain & Other CNS ¹	248	8.2	0.24	7.0	0.21	188	5.6	0.19	4.8	0.17
Brain	236	7.8	0.23	6.6	0.20	178	5.2	0.18	4.5	0.17
Endocrine System	223	7.4	0.23	6.3	0.20	599	20.0	0.38	18.1	0.35
Thyroid gland	200	6.6	0.22	5.6	0.18	575	19.3	0.37	17.4	0.34
Lymphomas	805	26.1	0.42	19.9	0.33	661	18.3	0.33	14.1	0.27
Hodgkin Lymphoma	95	3.4	0.16	3.1	0.15	66	2.3	0.13	2.2	0.13
Non-Hodgkin Lymphoma	710	22.8	0.39	16.8	0.29	594	16.0	0.30	11.8	0.23
Multiple Myeloma	246	7.9	0.23	5.5	0.16	189	4.9	0.16	3.5	0.12
Leukemias	544	18.0	0.35	13.4	0.27	384	10.9	0.26	8.5	0.22
Acute lymphocytic	51	1.8	0.12	2.0	0.13	36	1.3	0.10	1.4	0.11
Chronic lymphocytic	196	6.2	0.20	4.3	0.14	120	3.1	0.13	2.1	0.09
Acute myeloid	175	5.8	0.20	4.2	0.15	140	3.9	0.15	3.0	0.13
Chronic myeloid	71	2.3	0.13	1.7	0.09	53	1.5	0.10	1.2	0.08
Other leukemias	51	1.8	0.11	1.3	0.08	35	1.0	0.08	0.7	0.06
Mesothelioma	51	1.7	0.11	1.1	0.07	16	0.4	0.05	0.3	0.03
Kaposi Sarcoma	4	0.1	0.03	0.1	0.03	1	0.0	0.01	0.0	0.01
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	252	8.3	0.24	6.6	0.20	502	14.3	0.30	11.2	0.24
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	944	26.6	0.40	21.7	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

INDIANA

138 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Indiana, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,282	531.1	7.09	400.6	5.04	1,270	402.4	5.18	310.0	3.94
Oral Cavity & Pharynx	38	14.9	1.14	11.8	0.86	18	5.8	0.61	4.7	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	3.3	0.54	2.6	0.40	4	1.3	0.29	1.1	0.23
Major salivary gland	2	1.0	0.33	0.7	0.21	4	1.2	0.28	1.1	0.24
Floor of mouth	2	0.9	0.26	0.7	0.21	-	-	-	-	-
Gum & other mouth	6	2.4	0.47	1.8	0.34	2	0.9	0.25	0.6	0.19
Nasopharynx	3	1.3	0.34	1.0	0.26	1	0.4	0.17	0.4	0.14
Oropharynx	2	0.9	0.25	0.7	0.21	2	0.6	0.19	0.5	0.15
Hypopharynx	4	1.4	0.35	1.2	0.27	-	-	-	-	-
Digestive System	290	122.2	3.43	90.9	2.41	247	79.6	2.32	58.5	1.69
Esophagus	17	6.6	0.78	5.1	0.56	8	2.6	0.42	1.9	0.31
Stomach	29	13.4	1.19	9.3	0.79	19	6.1	0.65	4.5	0.47
Small intestine	9	3.7	0.60	2.8	0.42	11	3.5	0.49	2.6	0.36
Colon excl. rectum	89	38.3	1.93	28.1	1.34	93	30.4	1.44	22.0	1.04
Rectum & rectosigmoid	35	14.6	1.18	10.9	0.83	28	8.9	0.77	6.9	0.58
Anus, anal canal & anorectum	6	2.1	0.41	1.8	0.33	6	2.0	0.36	1.5	0.27
Liver	51	18.1	1.19	15.1	0.95	15	4.5	0.53	3.6	0.42
Gallbladder	4	1.8	0.44	1.2	0.28	6	1.8	0.34	1.3	0.24
Pancreas	40	18.4	1.38	13.0	0.92	47	15.0	1.01	10.9	0.72
Respiratory System	213	92.5	3.03	67.2	2.08	191	61.3	2.04	44.9	1.47
Larynx	21	8.1	0.83	6.5	0.63	6	1.8	0.33	1.5	0.27
Lung & bronchus	190	83.6	2.90	60.1	1.97	184	59.2	2.01	43.1	1.44
Bones & Joints	3	1.0	0.31	0.9	0.23	2	0.4	0.14	0.5	0.16
Soft Tissue (incl. heart)	8	2.9	0.48	2.5	0.40	11	3.3	0.45	2.9	0.39
Skin (excl. basal & sq.)	6	2.5	0.49	1.9	0.35	5	1.7	0.34	1.4	0.27
Melanomas of the skin	2	1.0	0.33	0.7	0.22	3	0.8	0.23	0.7	0.18
Breast (excl. <i>in situ</i>)	5	2.4	0.50	1.7	0.33	394	123.5	2.85	98.1	2.23
Female Genital System	-	-	-	-	-	146	44.7	1.70	36.2	1.36
Cervix uteri	-	-	-	-	-	26	8.1	0.72	7.0	0.62
Uterus Corpus	-	-	-	-	-	80	24.0	1.23	19.6	0.99
Uterus, NOS ¹	-	-	-	-	-	1	0.4	0.15	0.3	0.11
Ovary	-	-	-	-	-	25	8.0	0.73	6.2	0.56
Male Genital System	407	162.7	3.84	125.4	2.80	-	-	-	-	-
Prostate	400	160.4	3.82	123.3	2.78	-	-	-	-	-
Testis	4	1.2	0.27	1.2	0.27	-	-	-	-	-
Penis	2	0.9	0.28	0.7	0.21	-	-	-	-	-
Urinary System	125	53.8	2.31	39.3	1.59	64	20.8	1.19	15.4	0.87
Bladder (incl. <i>in situ</i>)	47	22.5	1.58	15.0	0.99	21	7.2	0.72	4.7	0.47
Kidney & renal pelvis	78	30.9	1.67	24.1	1.23	42	13.1	0.93	10.4	0.72
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	13	4.2	0.56	3.9	0.49	13	3.9	0.50	3.5	0.44
Brain	12	4.0	0.54	3.6	0.47	12	3.7	0.49	3.2	0.42
Endocrine System	13	4.8	0.64	4.0	0.50	37	11.7	0.87	10.2	0.75
Thyroid gland	10	3.7	0.55	3.1	0.44	34	10.7	0.83	9.4	0.73
Lymphomas	49	19.5	1.33	15.6	1.00	42	13.6	0.95	10.6	0.74
Hodgkin Lymphoma	8	2.5	0.40	2.5	0.40	5	1.5	0.30	1.6	0.30
Non-Hodgkin Lymphoma	41	17.0	1.27	13.0	0.92	37	12.0	0.90	9.0	0.67
Multiple Myeloma	36	15.8	1.24	11.6	0.87	36	11.8	0.90	8.6	0.65
Leukemias	36	14.3	1.16	11.1	0.83	25	7.9	0.73	6.0	0.55
Acute lymphocytic	4	1.2	0.27	1.3	0.28	1	0.4	0.16	0.4	0.15
Chronic lymphocytic	11	4.6	0.68	3.2	0.45	6	1.8	0.36	1.3	0.25
Acute myeloid	12	4.7	0.67	3.6	0.48	10	3.1	0.45	2.4	0.35
Chronic myeloid	7	2.7	0.52	2.1	0.36	5	1.7	0.34	1.2	0.24
Other leukemias	3	1.0	0.28	0.9	0.23	3	0.8	0.23	0.7	0.19
Mesothelioma	2	0.8	0.29	0.6	0.20	-	-	-	-	-
Kaposi Sarcoma	3	1.2	0.29	1.1	0.26	-	-	-	-	-
Ill-defined & Unknown	34	15.3	1.26	10.8	0.84	36	12.2	0.93	8.3	0.63
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	22	9.1	0.92	7.0	0.67	48	15.3	1.01	11.6	0.76
Breast (<i>in situ</i>)	-	-	-	-	-	108	33.9	1.49	27.2	1.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Indiana, 2013-2017, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	95	231.7	12.33	167.5	7.96	130	226.5	9.58	175.6	6.98
Oral Cavity & Pharynx	4	8.3	2.20	6.5	1.50	3	5.0	1.45	3.7	1.03
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	29	71.6	6.71	52.0	4.44	23	45.4	4.54	32.5	3.06
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	9.1	2.33	6.5	1.58	4	7.7	1.87	5.5	1.25
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	17.4	3.10	13.1	2.19	6	11.4	2.28	8.0	1.50
Rectum & rectosigmoid	5	11.2	2.43	8.7	1.77	5	8.3	1.84	6.4	1.36
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	13.6	2.77	10.2	1.93	2	3.9	1.28	3.1	0.93
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	8.3	2.49	5.7	1.51	2	5.4	1.66	3.6	1.05
Respiratory System	12	30.3	4.54	21.6	2.87	10	22.4	3.34	15.2	2.14
Larynx	2	3.5	1.28	2.8	1.01	-	-	-	-	-
Lung & bronchus	10	26.2	4.31	18.4	2.66	10	22.1	3.33	14.9	2.12
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	2	2.9	1.01	2.6	0.89	2	3.6	1.20	2.8	0.87
Melanomas of the skin	-	-	-	-	-	1	2.5	1.07	1.9	0.74
Breast (excl. <i>in situ</i>)	-	-	-	-	-	46	76.9	5.41	61.2	4.10
Female Genital System	-	-	-	-	-	17	26.8	3.04	22.6	2.47
Cervix uteri	-	-	-	-	-	3	4.1	1.06	3.6	0.94
Uterus Corpus	-	-	-	-	-	8	11.9	1.91	10.5	1.65
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	8.5	1.86	6.6	1.36
Male Genital System	17	45.7	5.43	32.2	3.57	-	-	-	-	-
Prostate	15	43.7	5.38	30.2	3.50	-	-	-	-	-
Testis	1	1.7	0.67	1.7	0.67	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	18.4	3.93	11.7	2.21	3	6.8	1.90	4.5	1.18
Bladder (incl. <i>in situ</i>)	4	13.9	3.67	8.1	1.91	1	3.6	1.43	2.2	0.84
Kidney & renal pelvis	2	4.5	1.40	3.6	1.12	2	3.3	1.25	2.3	0.82
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	2.5	0.90	2.4	0.85	3	3.5	0.99	3.5	0.95
Brain	2	2.5	0.90	2.4	0.85	3	3.3	0.97	3.3	0.92
Endocrine System	5	8.7	1.94	7.2	1.49	9	12.1	1.84	11.0	1.64
Thyroid gland	4	7.8	1.86	6.3	1.40	9	11.9	1.82	10.6	1.60
Lymphomas	6	11.6	2.57	9.2	1.77	6	8.9	1.77	7.7	1.45
Hodgkin Lymphoma	-	-	-	-	-	2	2.1	0.81	2.0	0.72
Non-Hodgkin Lymphoma	5	10.3	2.49	7.8	1.66	4	6.8	1.58	5.7	1.25
Multiple Myeloma	-	-	-	-	-	1	2.1	0.92	1.6	0.64
Leukemias	6	13.5	3.12	9.9	1.91	4	7.4	1.88	5.1	1.20
Acute lymphocytic	1	1.9	0.71	2.0	0.77	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	2	6.9	2.43	4.4	1.34	2	2.7	1.09	2.1	0.74
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	11.6	3.11	7.8	1.78	1	3.1	1.24	2.0	0.78
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	3.8	1.10	3.6	1.04	6	11.0	2.08	8.5	1.52
Breast (<i>in situ</i>)	-	-	-	-	-	14	23.7	2.92	19.5	2.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Indiana, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2	137.5	41.49	109.9	32.15	2	136.7	44.98	101.3	31.23
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Indiana, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	325	315.6	9.12	231.4	6.10	380	318.0	8.00	247.7	5.88
Oral Cavity & Pharynx	9	6.9	1.23	5.4	0.87	5	4.6	0.97	3.6	0.71
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	1.9	0.77	1.3	0.46	-	-	-	-	-
Major salivary gland	-	-	-	-	-	2	1.3	0.46	1.2	0.40
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	84	85.1	4.77	61.5	3.17	62	59.3	3.65	43.4	2.54
Esophagus	5	5.5	1.26	3.9	0.83	1	1.4	0.58	1.1	0.44
Stomach	11	12.0	1.85	8.2	1.16	7	6.3	1.17	4.7	0.84
Small intestine	2	1.4	0.56	1.0	0.37	2	1.6	0.60	1.2	0.42
Colon excl. rectum	23	23.6	2.54	16.8	1.66	21	21.1	2.22	15.2	1.52
Rectum & rectosigmoid	13	11.6	1.65	8.9	1.15	11	9.5	1.37	7.4	1.00
Anus, anal canal & anorectum	-	-	-	-	-	2	1.4	0.55	1.1	0.39
Liver	14	14.5	1.96	10.8	1.35	4	3.9	0.91	3.0	0.67
Gallbladder	-	-	-	-	-	1	1.3	0.53	0.9	0.35
Pancreas	11	11.4	1.76	8.1	1.16	9	8.8	1.44	6.2	0.95
Respiratory System	34	40.3	3.45	28.2	2.25	27	27.9	2.56	20.0	1.76
Larynx	4	4.8	1.17	3.3	0.75	-	-	-	-	-
Lung & bronchus	28	33.9	3.20	23.6	2.08	26	27.2	2.53	19.3	1.73
Bones & Joints	-	-	-	-	-	1	0.5	0.23	0.5	0.23
Soft Tissue (incl. heart)	3	1.9	0.61	1.5	0.44	4	2.7	0.71	2.1	0.51
Skin (excl. basal & sq.)	6	5.0	1.13	3.7	0.72	9	7.1	1.16	5.8	0.89
Melanomas of the skin	5	4.4	1.10	3.0	0.67	8	5.9	1.03	4.9	0.81
Breast (excl. <i>in situ</i>)	-	-	-	-	-	106	90.4	4.25	71.2	3.18
Female Genital System	-	-	-	-	-	64	47.2	2.83	39.6	2.27
Cervix uteri	-	-	-	-	-	19	11.7	1.28	10.4	1.11
Uterus Corpus	-	-	-	-	-	32	23.3	1.96	19.9	1.62
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	7.9	1.24	6.1	0.91
Male Genital System	76	73.9	4.34	55.9	3.03	-	-	-	-	-
Prostate	62	67.2	4.22	49.8	2.92	-	-	-	-	-
Testis	12	4.9	0.68	5.0	0.67	-	-	-	-	-
Penis	2	1.7	0.74	1.1	0.42	-	-	-	-	-
Urinary System	39	41.2	3.39	28.9	2.19	21	18.8	2.01	14.0	1.41
Bladder (incl. <i>in situ</i>)	12	16.4	2.32	10.4	1.40	5	5.1	1.07	3.6	0.72
Kidney & renal pelvis	27	24.3	2.45	18.2	1.68	16	13.8	1.71	10.4	1.21
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	9	5.3	0.99	4.7	0.77	4	2.3	0.62	2.0	0.47
Brain	9	5.3	0.99	4.7	0.77	3	2.1	0.61	1.8	0.46
Endocrine System	9	6.3	1.14	5.1	0.81	27	16.6	1.50	15.1	1.32
Thyroid gland	7	5.0	1.02	3.9	0.72	27	16.1	1.46	14.7	1.30
Lymphomas	22	17.8	2.00	13.8	1.40	22	19.0	2.01	14.6	1.46
Hodgkin Lymphoma	3	1.7	0.48	1.6	0.42	4	2.3	0.59	2.0	0.49
Non-Hodgkin Lymphoma	19	16.1	1.94	12.1	1.33	18	16.7	1.92	12.6	1.37
Multiple Myeloma	6	6.4	1.34	4.6	0.89	5	5.2	1.17	3.5	0.75
Leukemias	16	11.6	1.70	8.7	1.08	13	8.2	1.17	6.8	0.89
Acute lymphocytic	6	2.4	0.43	2.6	0.46	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	1	1.5	0.62	0.9	0.34
Acute myeloid	6	5.9	1.33	3.9	0.79	4	2.8	0.68	2.4	0.55
Chronic myeloid	2	1.7	0.64	1.2	0.40	1	0.9	0.35	0.8	0.31
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	1	2.1	0.84	1.3	0.52	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	9.7	1.71	6.4	1.04	7	7.1	1.28	4.8	0.82
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	5.1	1.07	4.0	0.74	16	13.2	1.65	10.1	1.18
Breast (<i>in situ</i>)	-	-	-	-	-	31	24.8	2.12	20.2	1.67

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

INDIANA

142 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Indiana, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	15,780	507.7	1.86	374.5	1.38	15,469	438.9	1.64	340.5	1.32
Oral Cavity & Pharynx	652	20.2	0.37	16.0	0.29	237	6.6	0.20	5.1	0.16
Lip	25	0.9	0.08	0.6	0.05	7	0.2	0.03	0.1	0.02
Tongue	211	6.5	0.21	5.2	0.16	76	2.1	0.11	1.7	0.09
Major salivary gland	51	1.8	0.11	1.2	0.08	31	0.9	0.08	0.7	0.06
Floor of mouth	29	0.9	0.07	0.7	0.06	15	0.4	0.05	0.3	0.04
Gum & other mouth	65	2.0	0.12	1.5	0.09	47	1.2	0.08	0.9	0.06
Nasopharynx	17	0.5	0.06	0.5	0.05	7	0.2	0.04	0.2	0.03
Oropharynx	31	0.9	0.08	0.7	0.06	9	0.2	0.04	0.2	0.03
Hypopharynx	30	0.9	0.08	0.7	0.06	8	0.2	0.03	0.2	0.03
Digestive System	3,166	101.6	0.83	74.5	0.61	2,476	67.3	0.62	48.9	0.47
Esophagus	329	10.3	0.26	7.6	0.19	69	1.8	0.10	1.3	0.07
Stomach	250	8.0	0.23	5.8	0.17	124	3.4	0.14	2.4	0.11
Small intestine	91	3.0	0.14	2.2	0.10	75	2.1	0.11	1.6	0.09
Colon excl. rectum	1,012	33.4	0.48	23.9	0.34	1,023	27.8	0.40	19.6	0.30
Rectum & rectosigmoid	491	15.7	0.33	12.0	0.25	347	9.9	0.25	7.6	0.20
Anus, anal canal & anorectum	46	1.5	0.10	1.2	0.08	101	2.8	0.13	2.3	0.11
Liver	288	8.5	0.23	6.7	0.18	88	2.3	0.11	1.7	0.09
Gallbladder	20	0.7	0.07	0.4	0.05	46	1.2	0.08	0.8	0.06
Pancreas	482	15.5	0.32	11.0	0.23	428	11.3	0.25	8.0	0.19
Respiratory System	3,031	96.5	0.80	68.7	0.57	2,455	65.4	0.60	47.8	0.45
Larynx	211	6.4	0.20	5.0	0.16	64	1.7	0.10	1.4	0.08
Lung & bronchus	2,784	88.8	0.77	62.7	0.54	2,370	63.0	0.59	45.9	0.44
Bones & Joints	28	1.0	0.09	1.0	0.09	23	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	105	3.7	0.16	2.9	0.13	81	2.5	0.13	2.2	0.12
Skin (excl. basal & sq.)	926	30.9	0.47	22.7	0.35	675	21.2	0.38	17.6	0.33
Melanomas of the skin	871	28.9	0.45	21.4	0.34	637	20.1	0.37	16.8	0.32
Breast (excl. <i>in situ</i>)	33	1.1	0.09	0.8	0.06	4,353	124.6	0.88	98.3	0.71
Female Genital System	-	-	-	-	-	1,856	53.4	0.58	43.3	0.48
Cervix uteri	-	-	-	-	-	226	8.1	0.25	7.1	0.22
Uterus Corpus	-	-	-	-	-	1,037	28.6	0.41	23.2	0.34
Uterus, NOS ¹	-	-	-	-	-	9	0.2	0.04	0.2	0.03
Ovary	-	-	-	-	-	380	10.8	0.26	8.5	0.21
Male Genital System	3,195	97.4	0.79	74.7	0.61	-	-	-	-	-
Prostate	2,996	89.5	0.75	67.1	0.55	-	-	-	-	-
Testis	165	6.8	0.24	6.8	0.24	-	-	-	-	-
Penis	27	0.9	0.08	0.6	0.05	-	-	-	-	-
Urinary System	2,043	67.0	0.68	47.2	0.48	854	23.6	0.37	17.7	0.29
Bladder (incl. <i>in situ</i>)	1,198	39.8	0.53	26.6	0.35	353	9.3	0.23	6.5	0.16
Kidney & renal pelvis	794	25.5	0.42	19.5	0.32	475	13.6	0.29	10.7	0.24
Ureter	34	1.1	0.09	0.7	0.06	18	0.5	0.05	0.3	0.03
Eye & Orbit	34	1.1	0.09	0.9	0.08	27	0.8	0.07	0.6	0.06
Brain & Other CNS ¹	240	8.3	0.25	7.1	0.22	184	5.7	0.20	5.0	0.18
Brain	227	7.9	0.24	6.7	0.21	175	5.4	0.19	4.6	0.18
Endocrine System	214	7.5	0.24	6.4	0.21	573	20.2	0.39	18.3	0.36
Thyroid gland	193	6.7	0.22	5.7	0.19	549	19.4	0.39	17.6	0.36
Lymphomas	782	26.3	0.43	20.1	0.34	640	18.3	0.34	14.1	0.28
Hodgkin Lymphoma	92	3.5	0.17	3.3	0.16	63	2.3	0.13	2.3	0.14
Non-Hodgkin Lymphoma	691	22.9	0.40	16.8	0.30	578	16.0	0.31	11.8	0.24
Multiple Myeloma	240	7.9	0.24	5.5	0.16	185	4.9	0.16	3.5	0.12
Leukemias	528	18.1	0.36	13.5	0.28	371	10.8	0.26	8.4	0.22
Acute lymphocytic	45	1.7	0.12	1.9	0.13	31	1.2	0.10	1.3	0.11
Chronic lymphocytic	196	6.4	0.21	4.4	0.14	119	3.1	0.13	2.2	0.09
Acute myeloid	169	5.8	0.20	4.1	0.15	136	3.9	0.16	3.0	0.13
Chronic myeloid	69	2.4	0.13	1.7	0.10	52	1.5	0.10	1.2	0.08
Other leukemias	50	1.8	0.12	1.3	0.09	34	1.0	0.08	0.7	0.06
Mesothelioma	49	1.7	0.11	1.1	0.07	15	0.4	0.05	0.3	0.04
Kaposi Sarcoma	3	0.1	0.03	0.1	0.02	1	0.0	0.01	0.0	0.01
Ill-defined & Unknown	509	17.2	0.35	11.6	0.24	462	12.2	0.26	8.4	0.19
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	246	8.4	0.25	6.8	0.21	487	14.4	0.30	11.2	0.25
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	914	26.7	0.41	21.8	0.34

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Indiana, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,279	537.8	7.18	406.1	5.12	1,265	407.1	5.25	313.9	4.00
Oral Cavity & Pharynx	38	15.1	1.15	12.0	0.88	18	5.9	0.63	4.7	0.50
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	8	3.3	0.55	2.6	0.41	4	1.4	0.30	1.1	0.23
Major salivary gland	2	1.0	0.34	0.7	0.22	4	1.3	0.29	1.1	0.25
Floor of mouth	2	0.9	0.27	0.7	0.21	-	-	-	-	-
Gum & other mouth	6	2.4	0.48	1.8	0.35	2	0.9	0.26	0.7	0.19
Nasopharynx	3	1.3	0.34	1.1	0.26	1	0.5	0.17	0.4	0.15
Oropharynx	2	0.9	0.26	0.7	0.21	2	0.6	0.19	0.5	0.16
Hypopharynx	4	1.4	0.35	1.1	0.27	-	-	-	-	-
Digestive System	289	123.6	3.47	92.0	2.44	246	80.4	2.35	59.1	1.71
Esophagus	17	6.7	0.79	5.2	0.57	8	2.6	0.42	2.0	0.31
Stomach	28	13.5	1.20	9.4	0.79	19	6.2	0.66	4.5	0.47
Small intestine	9	3.8	0.61	2.8	0.43	11	3.6	0.50	2.7	0.36
Colon excl. rectum	89	38.6	1.95	28.4	1.36	93	30.6	1.46	22.2	1.05
Rectum & rectosigmoid	34	14.7	1.19	11.0	0.84	28	9.0	0.78	6.9	0.59
Anus, anal canal & anorectum	6	2.2	0.42	1.8	0.34	6	2.0	0.36	1.5	0.28
Liver	51	18.3	1.21	15.3	0.97	15	4.6	0.54	3.6	0.42
Gallbladder	4	1.8	0.45	1.2	0.29	6	1.8	0.34	1.3	0.24
Pancreas	40	18.7	1.40	13.2	0.94	47	15.2	1.02	11.0	0.73
Respiratory System	212	93.6	3.07	68.1	2.11	191	62.0	2.06	45.4	1.49
Larynx	21	8.2	0.84	6.6	0.64	6	1.8	0.33	1.5	0.27
Lung & bronchus	189	84.6	2.94	60.9	1.99	183	59.9	2.03	43.6	1.46
Bones & Joints	3	1.1	0.31	0.9	0.24	1	0.4	0.14	0.4	0.16
Soft Tissue (incl. heart)	8	2.9	0.49	2.6	0.41	11	3.3	0.46	3.0	0.40
Skin (excl. basal & sq.)	6	2.6	0.50	2.0	0.36	5	1.7	0.34	1.4	0.27
Melanomas of the skin	2	1.0	0.33	0.7	0.22	3	0.8	0.23	0.7	0.19
Breast (excl. <i>in situ</i>)	5	2.4	0.51	1.7	0.34	393	125.1	2.89	99.5	2.27
Female Genital System	-	-	-	-	-	144	45.1	1.72	36.6	1.38
Cervix uteri	-	-	-	-	-	26	8.1	0.73	7.1	0.64
Uterus Corpus	-	-	-	-	-	80	24.3	1.24	19.9	1.00
Uterus, NOS ¹	-	-	-	-	-	1	0.4	0.16	0.3	0.11
Ovary	-	-	-	-	-	25	8.1	0.74	6.3	0.57
Male Genital System	406	164.7	3.89	127.0	2.84	-	-	-	-	-
Prostate	399	162.3	3.86	124.9	2.82	-	-	-	-	-
Testis	4	1.2	0.28	1.2	0.28	-	-	-	-	-
Penis	2	0.9	0.29	0.7	0.21	-	-	-	-	-
Urinary System	125	54.6	2.34	39.9	1.61	64	21.0	1.20	15.6	0.89
Bladder (incl. <i>in situ</i>)	47	22.8	1.60	15.2	1.00	21	7.3	0.73	4.7	0.47
Kidney & renal pelvis	77	31.4	1.69	24.5	1.25	42	13.3	0.94	10.5	0.74
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	13	4.3	0.57	4.0	0.50	13	4.0	0.51	3.6	0.45
Brain	12	4.1	0.56	3.7	0.49	12	3.8	0.50	3.3	0.43
Endocrine System	13	4.9	0.65	4.1	0.52	37	11.9	0.89	10.4	0.77
Thyroid gland	10	3.8	0.56	3.2	0.45	34	10.9	0.85	9.6	0.74
Lymphomas	49	19.9	1.36	15.9	1.02	42	13.7	0.97	10.7	0.75
Hodgkin Lymphoma	8	2.6	0.41	2.6	0.41	5	1.6	0.31	1.6	0.31
Non-Hodgkin Lymphoma	41	17.3	1.29	13.3	0.93	37	12.1	0.91	9.1	0.68
Multiple Myeloma	36	16.0	1.26	11.8	0.88	36	11.9	0.91	8.7	0.66
Leukemias	36	14.5	1.17	11.3	0.85	25	8.0	0.74	6.1	0.56
Acute lymphocytic	4	1.3	0.28	1.4	0.29	1	0.4	0.17	0.4	0.15
Chronic lymphocytic	11	4.6	0.69	3.3	0.46	6	1.9	0.36	1.3	0.25
Acute myeloid	12	4.8	0.68	3.7	0.49	10	3.2	0.46	2.5	0.36
Chronic myeloid	7	2.8	0.53	2.1	0.37	5	1.7	0.35	1.3	0.25
Other leukemias	3	1.0	0.29	0.9	0.24	3	0.8	0.23	0.7	0.19
Mesothelioma	2	0.8	0.29	0.6	0.20	-	-	-	-	-
Kaposi Sarcoma	3	1.1	0.29	1.1	0.27	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	36	12.3	0.94	8.4	0.64
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	22	9.2	0.93	7.2	0.68	48	15.5	1.03	11.8	0.78
Breast (<i>in situ</i>)	-	-	-	-	-	108	34.4	1.52	27.7	1.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

INDIANA

144 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Iowa, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,335	523.9	2.48	387.8	1.86	8,838	449.2	2.23	348.4	1.81
Oral Cavity & Pharynx	364	19.9	0.48	15.7	0.38	148	7.2	0.28	5.6	0.22
Lip	40	2.3	0.17	1.6	0.12	10	0.5	0.07	0.3	0.05
Tongue	114	6.1	0.26	5.0	0.21	46	2.3	0.16	1.9	0.13
Major salivary gland	31	1.8	0.15	1.3	0.11	21	1.1	0.11	0.8	0.09
Floor of mouth	15	0.8	0.10	0.7	0.08	5	0.3	0.05	0.2	0.04
Gum & other mouth	40	2.3	0.17	1.7	0.12	35	1.6	0.13	1.1	0.09
Nasopharynx	10	0.5	0.08	0.5	0.07	5	0.2	0.05	0.2	0.05
Oropharynx	14	0.7	0.09	0.6	0.07	4	0.2	0.04	0.1	0.04
Hypopharynx	19	1.0	0.10	0.8	0.08	4	0.2	0.04	0.2	0.04
Digestive System	1,773	100.2	1.09	73.0	0.80	1,444	68.9	0.84	49.5	0.64
Esophagus	187	10.3	0.34	7.6	0.26	41	1.9	0.14	1.4	0.10
Stomach	112	6.4	0.28	4.6	0.20	64	3.1	0.18	2.3	0.14
Small intestine	58	3.2	0.20	2.4	0.15	48	2.4	0.16	1.8	0.13
Colon excl. rectum	585	34.0	0.64	23.9	0.46	631	29.8	0.55	20.5	0.41
Rectum & rectosigmoid	271	15.3	0.43	11.8	0.33	173	9.0	0.32	7.0	0.26
Anus, anal canal & anorectum	25	1.4	0.13	1.1	0.10	53	2.7	0.17	2.2	0.14
Liver	156	8.3	0.30	6.5	0.24	55	2.6	0.16	2.0	0.13
Gallbladder	14	0.8	0.10	0.6	0.07	26	1.2	0.11	0.8	0.08
Pancreas	275	15.5	0.43	11.0	0.30	255	11.6	0.34	8.1	0.25
Respiratory System	1,467	81.8	0.97	57.6	0.69	1,189	56.5	0.75	40.9	0.56
Larynx	113	6.1	0.26	4.7	0.20	28	1.4	0.12	1.1	0.10
Lung & bronchus	1,338	74.7	0.93	52.2	0.65	1,150	54.5	0.74	39.4	0.55
Bones & Joints	17	1.0	0.11	1.0	0.12	12	0.7	0.10	0.7	0.10
Soft Tissue (incl. heart)	69	4.3	0.24	3.4	0.20	49	2.7	0.18	2.2	0.16
Skin (excl. basal & sq.)	590	34.3	0.65	25.2	0.48	468	26.7	0.58	22.3	0.50
Melanomas of the skin	539	31.3	0.62	23.2	0.47	434	25.0	0.56	21.1	0.49
Breast (excl. <i>in situ</i>)	22	1.2	0.12	0.9	0.09	2,465	128.9	1.21	101.9	0.98
Female Genital System	-	-	-	-	-	1,079	54.9	0.78	44.3	0.65
Cervix uteri	-	-	-	-	-	116	7.5	0.32	6.6	0.29
Uterus Corpus	-	-	-	-	-	599	29.4	0.56	23.8	0.46
Uterus, NOS ¹	-	-	-	-	-	15	0.7	0.09	0.5	0.07
Ovary	-	-	-	-	-	211	10.5	0.34	8.4	0.28
Male Genital System	2,186	116.0	1.14	90.0	0.88	-	-	-	-	-
Prostate	2,061	107.7	1.08	81.9	0.82	-	-	-	-	-
Testis	104	7.1	0.32	7.3	0.32	-	-	-	-	-
Penis	18	1.0	0.11	0.7	0.08	-	-	-	-	-
Urinary System	1,140	65.2	0.88	46.0	0.63	458	22.3	0.48	16.5	0.38
Bladder (incl. <i>in situ</i>)	656	37.6	0.67	24.9	0.45	194	8.8	0.29	6.0	0.21
Kidney & renal pelvis	458	26.0	0.56	20.1	0.44	252	12.9	0.38	10.2	0.31
Ureter	12	0.7	0.09	0.5	0.06	7	0.3	0.06	0.2	0.04
Eye & Orbit	25	1.5	0.14	1.3	0.12	22	1.1	0.11	0.9	0.10
Brain & Other CNS ¹	139	8.0	0.31	7.0	0.28	111	6.1	0.27	5.4	0.25
Brain	130	7.5	0.30	6.4	0.26	104	5.7	0.26	5.0	0.24
Endocrine System	140	8.4	0.33	7.2	0.29	347	22.0	0.55	20.0	0.51
Thyroid gland	127	7.7	0.31	6.5	0.27	337	21.5	0.54	19.5	0.50
Lymphomas	498	29.2	0.60	22.1	0.47	389	19.9	0.47	15.4	0.39
Hodgkin Lymphoma	54	3.4	0.21	3.2	0.20	41	2.6	0.19	2.6	0.19
Non-Hodgkin Lymphoma	444	25.8	0.56	18.9	0.42	348	17.3	0.43	12.8	0.34
Multiple Myeloma	159	9.1	0.33	6.3	0.23	117	5.5	0.23	3.9	0.17
Leukemias	373	21.8	0.52	16.2	0.40	248	12.3	0.36	9.6	0.31
Acute lymphocytic	30	2.0	0.16	2.1	0.18	21	1.3	0.13	1.5	0.16
Chronic lymphocytic	148	8.3	0.31	5.8	0.22	94	4.3	0.21	3.0	0.15
Acute myeloid	111	6.5	0.28	4.6	0.21	82	4.1	0.21	3.2	0.18
Chronic myeloid	50	2.9	0.19	2.2	0.15	28	1.4	0.13	1.1	0.11
Other leukemias	35	2.0	0.16	1.5	0.12	22	1.1	0.11	0.8	0.08
Mesothelioma	27	1.6	0.14	1.0	0.09	9	0.5	0.07	0.4	0.06
Kaposi Sarcoma	2	0.2	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	168	9.9	0.35	8.0	0.29	330	17.7	0.46	14.3	0.39
Breast (<i>in situ</i>)	3	0.1	0.04	0.1	0.03	519	28.1	0.58	22.9	0.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Iowa, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8,993	522.1	2.52	386.3	1.90	8,545	450.3	2.29	349.5	1.86
Oral Cavity & Pharynx	351	19.9	0.49	15.7	0.39	142	7.2	0.28	5.5	0.23
Lip	39	2.3	0.17	1.6	0.12	9	0.4	0.07	0.3	0.05
Tongue	111	6.2	0.27	5.0	0.22	44	2.3	0.16	1.9	0.14
Major salivary gland	29	1.8	0.15	1.3	0.11	21	1.1	0.11	0.9	0.10
Floor of mouth	15	0.8	0.10	0.7	0.08	5	0.3	0.05	0.2	0.05
Gum & other mouth	38	2.2	0.17	1.7	0.13	34	1.6	0.13	1.1	0.10
Nasopharynx	8	0.5	0.07	0.4	0.06	3	0.2	0.04	0.1	0.04
Oropharynx	14	0.7	0.09	0.6	0.07	3	0.2	0.05	0.1	0.04
Hypopharynx	19	1.0	0.11	0.8	0.08	4	0.2	0.04	0.2	0.04
Digestive System	1,701	99.4	1.10	72.3	0.81	1,389	68.2	0.85	48.9	0.65
Esophagus	183	10.4	0.35	7.7	0.26	40	1.9	0.14	1.4	0.10
Stomach	107	6.3	0.28	4.5	0.20	58	2.9	0.18	2.1	0.14
Small intestine	55	3.2	0.20	2.4	0.15	46	2.4	0.16	1.8	0.13
Colon excl. rectum	566	34.0	0.65	23.9	0.47	614	29.8	0.56	20.5	0.42
Rectum & rectosigmoid	261	15.3	0.44	11.8	0.34	165	8.9	0.33	7.0	0.27
Anus, anal canal & anorectum	23	1.4	0.13	1.1	0.10	52	2.7	0.18	2.2	0.15
Liver	139	7.6	0.30	5.9	0.23	49	2.4	0.16	1.8	0.13
Gallbladder	13	0.8	0.10	0.5	0.07	23	1.1	0.10	0.7	0.07
Pancreas	268	15.5	0.43	11.0	0.31	247	11.6	0.34	8.1	0.25
Respiratory System	1,421	81.5	0.99	57.4	0.70	1,160	56.7	0.76	41.1	0.57
Larynx	109	6.1	0.27	4.7	0.20	28	1.4	0.12	1.1	0.10
Lung & bronchus	1,296	74.4	0.94	51.9	0.66	1,121	54.7	0.75	39.6	0.56
Bones & Joints	16	1.0	0.12	1.0	0.12	12	0.8	0.10	0.7	0.10
Soft Tissue (incl. heart)	66	4.3	0.24	3.5	0.21	49	2.7	0.18	2.3	0.17
Skin (excl. basal & sq.)	566	34.2	0.66	25.1	0.50	452	27.2	0.61	22.9	0.53
Melanomas of the skin	517	31.2	0.63	23.2	0.48	419	25.6	0.59	21.6	0.52
Breast (excl. <i>in situ</i>)	22	1.3	0.13	0.9	0.09	2,390	129.8	1.25	102.6	1.01
Female Genital System	-	-	-	-	-	1,041	54.9	0.80	44.3	0.66
Cervix uteri	-	-	-	-	-	108	7.4	0.34	6.6	0.30
Uterus Corpus	-	-	-	-	-	581	29.5	0.57	23.8	0.47
Uterus, NOS ¹	-	-	-	-	-	14	0.7	0.09	0.5	0.06
Ovary	-	-	-	-	-	205	10.6	0.35	8.5	0.29
Male Genital System	2,088	114.7	1.15	88.9	0.90	-	-	-	-	-
Prostate	1,971	106.1	1.09	80.6	0.82	-	-	-	-	-
Testis	97	7.3	0.34	7.5	0.35	-	-	-	-	-
Penis	17	1.0	0.11	0.7	0.08	-	-	-	-	-
Urinary System	1,110	65.4	0.90	46.1	0.64	440	22.0	0.49	16.4	0.39
Bladder (incl. <i>in situ</i>)	642	37.9	0.68	25.0	0.45	188	8.8	0.30	6.0	0.21
Kidney & renal pelvis	442	26.0	0.57	20.1	0.45	240	12.7	0.38	10.0	0.32
Ureter	12	0.7	0.09	0.5	0.06	7	0.3	0.06	0.2	0.04
Eye & Orbit	24	1.5	0.14	1.3	0.12	22	1.2	0.12	1.0	0.11
Brain & Other CNS ¹	135	8.2	0.33	7.2	0.30	106	6.2	0.28	5.4	0.27
Brain	127	7.7	0.31	6.5	0.28	100	5.8	0.27	5.0	0.25
Endocrine System	135	8.6	0.34	7.4	0.30	330	22.3	0.57	20.3	0.53
Thyroid gland	123	7.8	0.33	6.7	0.29	322	21.8	0.57	19.8	0.52
Lymphomas	480	29.3	0.61	22.1	0.48	378	20.0	0.48	15.5	0.40
Hodgkin Lymphoma	50	3.4	0.22	3.2	0.21	38	2.6	0.20	2.5	0.20
Non-Hodgkin Lymphoma	430	25.9	0.57	18.9	0.43	340	17.4	0.44	13.0	0.35
Multiple Myeloma	154	9.0	0.33	6.3	0.23	111	5.3	0.23	3.8	0.17
Leukemias	361	21.9	0.53	16.3	0.41	240	12.4	0.37	9.7	0.32
Acute lymphocytic	28	2.0	0.17	2.2	0.19	19	1.4	0.14	1.5	0.17
Chronic lymphocytic	144	8.4	0.32	5.8	0.22	92	4.4	0.21	3.1	0.15
Acute myeloid	107	6.5	0.29	4.6	0.21	80	4.1	0.22	3.2	0.18
Chronic myeloid	47	2.9	0.19	2.2	0.15	27	1.4	0.13	1.1	0.11
Other leukemias	34	2.1	0.16	1.5	0.12	22	1.1	0.11	0.8	0.08
Mesothelioma	27	1.6	0.14	1.0	0.09	9	0.5	0.07	0.4	0.06
Kaposi Sarcoma	2	0.2	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	162	10.0	0.36	8.1	0.30	315	17.6	0.47	14.2	0.40
Breast (<i>in situ</i>)	3	0.1	0.04	0.1	0.04	499	28.2	0.59	23.0	0.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Iowa, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	193	574.1	21.33	437.9	14.71	156	441.3	16.81	345.1	12.59
Oral Cavity & Pharynx	6	15.1	3.25	12.0	2.33	2	3.8	1.47	3.3	1.17
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	1	3.2	1.69	2.4	1.05	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	42	131.0	10.38	97.8	7.02	31	89.3	7.56	68.8	5.60
Esophagus	1	6.0	2.61	3.7	1.45	-	-	-	-	-
Stomach	3	9.7	2.89	7.2	1.93	3	7.8	2.05	6.2	1.62
Small intestine	2	6.4	2.34	4.6	1.51	2	4.3	1.55	3.4	1.20
Colon excl. rectum	12	39.9	6.07	28.3	3.89	10	29.6	4.42	22.2	3.20
Rectum & rectosigmoid	5	14.7	3.23	11.5	2.28	4	9.1	2.24	7.5	1.79
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	29.0	4.25	24.4	3.39	3	7.6	1.99	6.7	1.69
Gallbladder	-	-	-	-	-	2	4.7	1.78	3.6	1.29
Pancreas	5	17.6	3.92	12.7	2.58	5	16.4	3.46	12.0	2.43
Respiratory System	33	110.2	9.84	80.0	6.49	20	62.9	6.63	47.2	4.82
Larynx	3	10.4	2.93	7.6	1.93	-	-	-	-	-
Lung & bronchus	29	98.5	9.32	71.7	6.16	20	62.0	6.57	46.5	4.78
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	4.0	1.75	3.3	1.18	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	40	111.9	8.32	89.1	6.39
Female Genital System	-	-	-	-	-	21	57.6	5.94	46.5	4.60
Cervix uteri	-	-	-	-	-	3	6.4	1.70	6.0	1.56
Uterus Corpus	-	-	-	-	-	11	31.6	4.55	24.5	3.41
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	8.4	2.25	6.6	1.69
Male Genital System	61	177.6	11.41	140.5	8.31	-	-	-	-	-
Prostate	59	174.6	11.32	138.0	8.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	46.1	6.03	34.8	4.04	11	34.3	4.96	24.7	3.42
Bladder (incl. <i>in situ</i>)	6	18.1	3.84	13.5	2.55	2	9.0	2.79	5.5	1.68
Kidney & renal pelvis	10	26.3	4.51	19.9	3.02	9	25.3	4.10	19.2	2.99
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	2.9	1.12	2.8	1.03	2	4.5	1.47	4.3	1.31
Brain	2	2.9	1.12	2.8	1.03	2	4.0	1.39	3.9	1.23
Endocrine System	2	5.0	1.79	4.2	1.35	7	14.2	2.62	12.9	2.28
Thyroid gland	1	3.4	1.56	2.8	1.12	6	13.5	2.56	12.2	2.23
Lymphomas	11	22.1	3.38	19.6	2.81	7	15.6	2.99	13.0	2.33
Hodgkin Lymphoma	3	4.2	1.22	4.0	1.13	2	4.3	1.52	3.9	1.23
Non-Hodgkin Lymphoma	-	-	-	-	-	4	11.3	2.58	9.1	1.98
Multiple Myeloma	5	14.2	3.41	10.4	2.26	5	17.1	3.44	12.8	2.50
Leukemias	6	18.3	4.09	13.0	2.58	4	9.7	2.45	7.3	1.70
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	1	5.2	2.09	3.8	1.48	-	-	-	-	-
Acute myeloid	2	8.4	2.92	5.5	1.71	1	2.3	1.00	2.2	0.93
Chronic myeloid	1	4.0	1.90	2.9	1.16	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	23.6	4.95	15.5	2.99	5	14.8	3.21	10.8	2.24
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	4	8.2	2.20	7.1	1.73	9	26.6	4.15	20.5	3.09
Breast (<i>in situ</i>)	-	-	-	-	-	11	30.7	4.42	24.6	3.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Iowa, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	57	292.0	20.28	213.9	13.22	76	297.7	16.69	225.0	11.74
Oral Cavity & Pharynx	3	15.9	4.41	12.1	3.07	2	8.3	2.93	6.0	1.94
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	1	5.8	2.55	4.7	1.93	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	1	3.4	1.41	3.1	1.29
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	21	107.6	12.02	79.7	8.06	17	79.1	9.42	53.3	5.94
Esophagus	1	5.9	2.59	4.7	1.94	-	-	-	-	-
Stomach	2	8.2	3.22	6.4	2.18	2	11.5	3.65	7.4	2.18
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	27.5	6.61	19.2	4.04	4	19.9	4.72	13.4	2.97
Rectum & rectosigmoid	3	14.8	3.88	11.9	2.96	3	10.2	3.04	7.7	2.17
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	5	27.5	5.71	21.2	4.16	3	15.0	4.39	9.1	2.53
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	9.9	3.91	6.6	2.42	2	9.9	3.37	6.7	2.14
Respiratory System	9	59.6	10.10	39.3	5.99	6	28.0	5.56	19.2	3.56
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	57.2	9.81	38.1	5.87	6	27.4	5.53	18.6	3.51
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	25	89.8	8.47	72.8	6.59
Female Genital System	-	-	-	-	-	10	34.1	5.17	27.9	3.98
Cervix uteri	-	-	-	-	-	3	9.1	2.64	7.5	2.07
Uterus Corpus	-	-	-	-	-	5	17.7	3.86	14.1	2.86
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	5.1	1.88	4.2	1.52
Male Genital System	7	34.8	6.43	27.4	4.70	-	-	-	-	-
Prostate	6	33.0	6.39	25.5	4.63	-	-	-	-	-
Testis	1	1.7	0.74	2.0	0.81	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	18.8	5.38	13.3	3.32	2	9.9	3.08	7.4	2.18
Bladder (incl. <i>in situ</i>)	2	11.3	4.52	7.4	2.52	-	-	-	-	-
Kidney & renal pelvis	1	6.8	2.80	5.2	2.02	2	6.0	2.28	4.7	1.69
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	2.9	1.22	3.0	1.27	1	4.5	1.99	3.5	1.48
Brain	1	2.9	1.22	3.0	1.27	1	4.5	1.99	3.5	1.48
Endocrine System	2	7.7	2.33	6.8	2.04	5	13.0	3.01	11.4	2.45
Thyroid gland	2	6.8	2.14	6.0	1.88	4	11.8	2.88	10.3	2.32
Lymphomas	4	17.2	5.16	12.0	3.08	3	10.2	3.22	7.3	2.09
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	3	15.6	5.08	10.5	2.99	2	8.4	3.08	5.6	1.90
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	12.2	4.61	8.3	2.62	2	5.8	2.07	5.2	1.70
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	8.9	3.83	6.1	2.27	2	8.2	2.97	5.5	1.86
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1	6.6	3.14	4.9	2.08	3	10.9	3.06	8.4	2.22
Breast (<i>in situ</i>)	-	-	-	-	-	6	20.0	3.55	17.9	3.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Iowa, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8	670.8	127.38	474.3	77.80	11	598.7	85.50	478.5	64.94
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	226.4	79.28	150.5	45.41	2	152.4	45.94	107.0	31.08
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	112.1	44.06	88.6	32.31	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	1	103.0	43.10	80.1	31.15	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	2	144.8	45.57	103.7	30.26
Female Genital System	-	-	-	-	-	2	106.9	32.87	95.8	29.01
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	110.9	43.78	87.6	32.02	-	-	-	-	-
Prostate	1	101.6	42.77	77.6	30.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Iowa, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	121	306.1	15.08	231.0	10.22	122	264.9	12.06	211.3	9.01
Oral Cavity & Pharynx	3	8.7	2.55	6.5	1.71	2	5.2	1.97	3.8	1.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	33	91.3	8.33	67.3	5.62	18	47.7	5.46	34.6	3.76
Esophagus	2	4.4	1.80	3.3	1.26	-	-	-	-	-
Stomach	4	10.9	2.97	7.5	1.81	2	5.1	1.61	4.4	1.35
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	10	31.5	5.14	22.2	3.34	5	14.3	3.08	10.4	2.09
Rectum & rectosigmoid	3	6.9	2.01	5.7	1.52	3	6.7	1.72	5.3	1.30
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	5	15.1	3.30	11.3	2.27	2	7.2	2.41	4.6	1.53
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	4	11.6	2.82	9.1	2.07	2	5.9	1.96	4.0	1.25
Respiratory System	9	28.9	5.08	19.7	3.19	8	23.3	4.11	16.9	2.84
Larynx	1	3.1	1.28	2.6	1.03	-	-	-	-	-
Lung & bronchus	7	25.3	4.91	16.5	3.00	7	22.9	4.09	16.6	2.81
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	3.1	1.18	2.9	0.97	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	2	3.8	1.39	3.3	1.14	2	4.5	1.61	3.6	1.21
Breast (excl. <i>in situ</i>)	-	-	-	-	-	34	70.3	5.82	57.8	4.62
Female Genital System	-	-	-	-	-	21	40.3	4.32	34.2	3.48
Cervix uteri	-	-	-	-	-	6	10.9	2.34	8.9	1.74
Uterus Corpus	-	-	-	-	-	9	18.7	2.97	15.7	2.40
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	4	6.6	1.67	5.9	1.45
Male Genital System	29	74.8	7.39	58.3	5.19	-	-	-	-	-
Prostate	23	68.0	7.25	51.1	5.02	-	-	-	-	-
Testis	6	5.9	1.07	6.5	1.16	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	34.2	4.98	25.2	3.34	5	12.0	2.72	9.7	2.02
Bladder (incl. <i>in situ</i>)	5	15.3	3.44	10.7	2.23	-	-	-	-	-
Kidney & renal pelvis	8	19.0	3.60	14.6	2.48	5	9.2	2.16	8.0	1.75
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	4.5	1.65	3.9	1.29	2	3.4	1.23	2.9	0.97
Brain	2	4.1	1.64	3.4	1.26	2	3.0	1.18	2.5	0.92
Endocrine System	3	6.8	2.14	5.4	1.47	12	20.1	2.81	17.9	2.39
Thyroid gland	2	3.8	1.14	3.5	1.04	12	19.9	2.80	17.7	2.38
Lymphomas	10	21.7	3.99	16.5	2.68	6	16.1	3.31	11.8	2.22
Hodgkin Lymphoma	3	2.7	0.77	2.7	0.76	1	1.6	0.70	1.5	0.63
Non-Hodgkin Lymphoma	7	19.0	3.92	13.8	2.57	5	14.5	3.23	10.3	2.13
Multiple Myeloma	1	3.3	1.41	2.5	0.95	-	-	-	-	-
Leukemias	7	10.2	2.26	9.1	1.75	6	9.7	2.23	8.3	1.68
Acute lymphocytic	4	3.1	0.84	3.5	0.88	2	2.1	0.66	2.4	0.73
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	2.4	1.16	2.0	0.91	3	4.7	1.59	4.2	1.26
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	8.6	2.68	6.1	1.63	3	6.6	2.10	5.2	1.50
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	4.5	1.43	4.0	1.18	6	14.3	2.92	11.0	2.08
Breast (<i>in situ</i>)	-	-	-	-	-	9	18.1	2.95	15.1	2.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

IOWA

150 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Iowa, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,877	526.8	2.57	390.1	1.94	8,425	454.0	2.33	352.6	1.91
Oral Cavity & Pharynx	347	20.2	0.50	16.0	0.40	140	7.3	0.29	5.6	0.23
Lip	39	2.4	0.17	1.6	0.12	9	0.5	0.07	0.3	0.05
Tongue	111	6.3	0.28	5.1	0.23	44	2.4	0.17	1.9	0.14
Major salivary gland	28	1.8	0.15	1.3	0.12	20	1.1	0.12	0.9	0.10
Floor of mouth	15	0.9	0.11	0.7	0.09	5	0.3	0.05	0.2	0.05
Gum & other mouth	38	2.3	0.17	1.7	0.13	34	1.6	0.13	1.1	0.09
Nasopharynx	8	0.5	0.08	0.4	0.06	3	0.2	0.05	0.1	0.04
Oropharynx	13	0.7	0.09	0.6	0.08	3	0.2	0.05	0.1	0.04
Hypopharynx	18	1.0	0.11	0.8	0.09	4	0.2	0.05	0.2	0.04
Digestive System	1,669	99.7	1.12	72.6	0.83	1,372	68.6	0.87	49.2	0.67
Esophagus	182	10.5	0.36	7.8	0.27	39	1.9	0.14	1.4	0.11
Stomach	103	6.1	0.28	4.4	0.20	56	2.8	0.18	2.1	0.14
Small intestine	54	3.2	0.20	2.4	0.15	46	2.4	0.17	1.8	0.13
Colon excl. rectum	556	34.1	0.66	24.0	0.48	608	30.0	0.57	20.7	0.43
Rectum & rectosigmoid	258	15.5	0.45	11.9	0.35	162	8.9	0.33	7.0	0.27
Anus, anal canal & anorectum	22	1.4	0.13	1.1	0.10	52	2.8	0.18	2.3	0.15
Liver	134	7.5	0.30	5.9	0.23	47	2.4	0.16	1.8	0.13
Gallbladder	13	0.8	0.10	0.5	0.07	22	1.0	0.10	0.7	0.07
Pancreas	264	15.6	0.44	11.1	0.31	245	11.6	0.35	8.1	0.25
Respiratory System	1,413	82.4	1.00	58.1	0.71	1,153	57.3	0.78	41.6	0.58
Larynx	107	6.1	0.27	4.7	0.21	28	1.4	0.12	1.1	0.10
Lung & bronchus	1,290	75.3	0.96	52.6	0.67	1,114	55.3	0.76	40.0	0.57
Bones & Joints	15	1.1	0.12	1.0	0.13	11	0.8	0.11	0.7	0.11
Soft Tissue (incl. heart)	64	4.4	0.25	3.5	0.21	48	2.8	0.19	2.4	0.18
Skin (excl. basal & sq.)	563	34.9	0.68	25.7	0.52	449	28.1	0.63	23.7	0.56
Melanomas of the skin	515	31.9	0.65	23.8	0.50	417	26.5	0.62	22.4	0.54
Breast (excl. <i>in situ</i>)	21	1.3	0.13	0.9	0.09	2,356	131.0	1.27	103.5	1.04
Female Genital System	-	-	-	-	-	1,020	54.9	0.81	44.3	0.68
Cervix uteri	-	-	-	-	-	102	7.3	0.34	6.5	0.31
Uterus Corpus	-	-	-	-	-	572	29.5	0.57	23.9	0.47
Uterus, NOS ¹	-	-	-	-	-	14	0.7	0.08	0.5	0.06
Ovary	-	-	-	-	-	202	10.7	0.35	8.5	0.30
Male Genital System	2,060	115.5	1.17	89.5	0.91	-	-	-	-	-
Prostate	1,950	106.9	1.10	81.2	0.83	-	-	-	-	-
Testis	91	7.4	0.35	7.5	0.36	-	-	-	-	-
Penis	17	1.0	0.11	0.7	0.08	-	-	-	-	-
Urinary System	1,097	66.0	0.91	46.6	0.66	435	22.2	0.50	16.5	0.39
Bladder (incl. <i>in situ</i>)	637	38.2	0.69	25.3	0.46	187	8.9	0.30	6.1	0.22
Kidney & renal pelvis	434	26.2	0.58	20.3	0.46	235	12.7	0.39	10.0	0.32
Ureter	12	0.7	0.09	0.5	0.06	7	0.3	0.06	0.2	0.04
Eye & Orbit	24	1.6	0.15	1.3	0.13	22	1.2	0.13	1.0	0.11
Brain & Other CNS ¹	133	8.4	0.34	7.4	0.31	104	6.3	0.29	5.6	0.28
Brain	125	7.8	0.33	6.7	0.29	99	5.9	0.28	5.1	0.26
Endocrine System	131	8.7	0.36	7.5	0.31	318	22.4	0.59	20.4	0.55
Thyroid gland	121	8.0	0.34	6.9	0.30	310	21.9	0.58	19.9	0.54
Lymphomas	471	29.4	0.62	22.3	0.49	372	20.2	0.49	15.7	0.41
Hodgkin Lymphoma	47	3.4	0.22	3.2	0.22	37	2.7	0.21	2.6	0.21
Non-Hodgkin Lymphoma	423	26.1	0.58	19.1	0.44	335	17.5	0.45	13.0	0.36
Multiple Myeloma	152	9.1	0.34	6.3	0.24	110	5.4	0.24	3.8	0.18
Leukemias	355	22.0	0.54	16.4	0.42	234	12.3	0.38	9.6	0.33
Acute lymphocytic	25	1.9	0.18	2.1	0.20	17	1.3	0.14	1.4	0.17
Chronic lymphocytic	144	8.5	0.32	5.9	0.23	92	4.4	0.21	3.1	0.16
Acute myeloid	106	6.6	0.29	4.7	0.22	77	4.1	0.22	3.1	0.19
Chronic myeloid	47	2.9	0.20	2.2	0.16	27	1.5	0.13	1.2	0.12
Other leukemias	34	2.1	0.17	1.5	0.13	22	1.1	0.11	0.8	0.09
Mesothelioma	26	1.6	0.14	1.0	0.09	9	0.5	0.08	0.4	0.06
Kaposi Sarcoma	2	0.2	0.05	0.1	0.05	-	-	-	-	-
Ill-defined & Unknown	333	20.4	0.51	13.7	0.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	159	10.2	0.37	8.3	0.32	310	17.8	0.48	14.4	0.41
Breast (<i>in situ</i>)	3	0.1	0.04	0.1	0.04	490	28.4	0.60	23.2	0.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Iowa, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	192	585.8	21.76	446.7	15.01	154	448.6	17.12	351.8	12.87
Oral Cavity & Pharynx	6	15.5	3.32	12.3	2.38	2	3.9	1.50	3.3	1.20
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	1	3.3	1.72	2.5	1.08	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	42	133.7	10.59	99.7	7.16	31	90.0	7.66	70.0	5.73
Esophagus	1	6.1	2.66	3.7	1.48	-	-	-	-	-
Stomach	3	9.9	2.94	7.3	1.97	3	8.0	2.11	6.4	1.66
Small intestine	2	6.6	2.40	4.7	1.54	2	4.4	1.59	3.5	1.24
Colon excl. rectum	12	40.8	6.17	29.0	3.96	10	30.4	4.53	22.8	3.28
Rectum & rectosigmoid	5	15.1	3.31	11.8	2.34	3	8.6	2.17	7.4	1.82
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	29.7	4.34	24.9	3.46	3	7.9	2.04	6.9	1.74
Gallbladder	-	-	-	-	-	2	4.9	1.82	3.7	1.32
Pancreas	5	18.0	4.01	13.0	2.64	5	16.8	3.53	12.3	2.48
Respiratory System	33	112.6	10.04	81.7	6.63	19	62.7	6.67	47.0	4.85
Larynx	3	10.7	3.00	7.8	1.97	-	-	-	-	-
Lung & bronchus	29	100.6	9.50	73.2	6.28	19	61.8	6.61	46.4	4.81
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	4.1	1.78	3.4	1.21	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	40	114.6	8.53	91.3	6.56
Female Genital System	-	-	-	-	-	21	59.2	6.08	47.8	4.73
Cervix uteri	-	-	-	-	-	3	6.6	1.77	6.2	1.62
Uterus Corpus	-	-	-	-	-	11	32.4	4.65	25.1	3.49
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	8.6	2.30	6.8	1.73
Male Genital System	60	180.4	11.62	142.7	8.46	-	-	-	-	-
Prostate	59	177.4	11.53	140.2	8.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	16	47.2	6.17	35.5	4.13	11	35.3	5.08	25.4	3.52
Bladder (incl. <i>in situ</i>)	6	18.6	3.94	13.9	2.61	2	9.2	2.85	5.6	1.71
Kidney & renal pelvis	9	26.8	4.62	20.2	3.09	9	26.1	4.21	19.8	3.07
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	3.0	1.16	2.9	1.06	2	4.7	1.51	4.5	1.35
Brain	2	3.0	1.16	2.9	1.06	2	4.2	1.43	4.0	1.28
Endocrine System	2	5.2	1.83	4.4	1.40	7	14.8	2.72	13.4	2.37
Thyroid gland	1	3.5	1.60	2.9	1.15	6	14.0	2.66	12.7	2.32
Lymphomas	10	22.6	3.46	20.0	2.88	6	15.6	3.03	13.1	2.37
Hodgkin Lymphoma	3	4.4	1.27	4.2	1.18	2	3.9	1.46	3.6	1.19
Non-Hodgkin Lymphoma	8	18.2	3.22	15.8	2.63	4	11.7	2.66	9.4	2.05
Multiple Myeloma	5	14.5	3.49	10.7	2.31	5	17.5	3.51	13.1	2.55
Leukemias	6	18.8	4.19	13.3	2.64	4	10.0	2.52	7.6	1.76
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	1	5.3	2.13	3.9	1.50	-	-	-	-	-
Acute myeloid	2	8.6	2.98	5.6	1.75	1	2.4	1.04	2.3	0.97
Chronic myeloid	1	4.2	1.96	3.0	1.19	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	24.1	5.05	15.8	3.05	5	14.7	3.25	10.6	2.25
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	4	8.5	2.26	7.4	1.78	9	27.4	4.26	21.1	3.18
Breast (<i>in situ</i>)	-	-	-	-	-	11	31.5	4.53	25.3	3.52

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kansas, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	7,669	493.3	2.58	366.7	1.92	7,296	425.2	2.30	332.4	1.86
Oral Cavity & Pharynx	292	18.1	0.49	14.3	0.38	112	6.3	0.28	5.0	0.23
Lip	16	1.0	0.12	0.8	0.09	5	0.3	0.06	0.2	0.05
Tongue	89	5.4	0.26	4.3	0.21	37	2.0	0.16	1.7	0.13
Major salivary gland	32	2.2	0.17	1.5	0.12	18	1.1	0.12	0.9	0.10
Floor of mouth	11	0.7	0.09	0.5	0.07	6	0.3	0.06	0.2	0.04
Gum & other mouth	31	2.0	0.16	1.5	0.12	19	1.0	0.11	0.7	0.08
Nasopharynx	9	0.6	0.09	0.5	0.08	5	0.3	0.07	0.3	0.06
Oropharynx	16	1.0	0.11	0.8	0.09	5	0.3	0.05	0.2	0.05
Hypopharynx	13	0.8	0.10	0.6	0.07	4	0.2	0.05	0.2	0.04
Digestive System	1,394	89.7	1.10	66.4	0.81	1,091	61.1	0.85	44.9	0.65
Esophagus	127	8.0	0.33	5.9	0.24	29	1.6	0.13	1.1	0.10
Stomach	104	6.7	0.30	4.9	0.22	57	3.2	0.19	2.4	0.15
Small intestine	46	3.0	0.20	2.2	0.15	41	2.5	0.18	1.9	0.14
Colon excl. rectum	455	30.2	0.65	21.6	0.47	457	25.8	0.56	18.5	0.42
Rectum & rectosigmoid	226	14.6	0.45	11.2	0.34	149	8.5	0.32	6.6	0.26
Anus, anal canal & anorectum	19	1.2	0.13	1.0	0.10	36	1.9	0.15	1.6	0.12
Liver	157	9.3	0.34	7.5	0.27	49	2.6	0.17	2.0	0.13
Gallbladder	11	0.7	0.10	0.5	0.07	20	1.1	0.11	0.8	0.08
Pancreas	191	12.3	0.41	8.8	0.29	189	10.4	0.35	7.3	0.25
Respiratory System	1,099	71.3	0.98	50.2	0.69	931	51.3	0.77	37.3	0.57
Larynx	84	5.3	0.26	4.0	0.20	17	1.0	0.11	0.8	0.09
Lung & bronchus	998	64.9	0.94	45.3	0.65	902	49.7	0.75	36.0	0.56
Bones & Joints	16	1.1	0.12	1.1	0.13	14	1.0	0.12	1.0	0.12
Soft Tissue (incl. heart)	66	4.4	0.25	3.5	0.20	50	3.1	0.20	2.7	0.18
Skin (excl. basal & sq.)	525	34.8	0.70	25.5	0.51	387	24.2	0.57	20.0	0.49
Melanomas of the skin	488	32.2	0.67	23.9	0.50	362	22.8	0.56	19.0	0.48
Breast (excl. <i>in situ</i>)	20	1.3	0.13	0.9	0.09	2,137	126.0	1.26	99.6	1.02
Female Genital System	-	-	-	-	-	829	49.0	0.79	40.0	0.66
Cervix uteri	-	-	-	-	-	107	7.6	0.34	6.7	0.30
Uterus Corpus	-	-	-	-	-	452	25.6	0.56	20.9	0.46
Uterus, NOS ¹	-	-	-	-	-	13	0.8	0.10	0.6	0.09
Ovary	-	-	-	-	-	181	10.8	0.37	8.6	0.30
Male Genital System	1,880	115.6	1.22	88.9	0.93	-	-	-	-	-
Prostate	1,777	108.3	1.18	81.8	0.87	-	-	-	-	-
Testis	88	6.3	0.31	6.4	0.31	-	-	-	-	-
Penis	13	0.9	0.11	0.6	0.08	-	-	-	-	-
Urinary System	950	62.3	0.93	44.3	0.66	403	22.7	0.52	16.9	0.40
Bladder (incl. <i>in situ</i>)	540	36.1	0.71	24.0	0.47	168	9.1	0.32	6.2	0.23
Kidney & renal pelvis	391	24.9	0.58	19.5	0.45	227	13.2	0.40	10.4	0.33
Ureter	11	0.8	0.10	0.5	0.07	7	0.3	0.06	0.2	0.04
Eye & Orbit	14	0.9	0.11	0.7	0.09	11	0.6	0.09	0.5	0.08
Brain & Other CNS ¹	111	7.3	0.32	6.3	0.28	88	5.5	0.27	4.9	0.25
Brain	104	6.8	0.31	5.9	0.27	82	5.1	0.26	4.5	0.24
Endocrine System	133	8.9	0.35	7.5	0.30	357	24.4	0.60	22.1	0.54
Thyroid gland	122	8.2	0.34	6.9	0.29	350	23.9	0.59	21.6	0.54
Lymphomas	400	26.6	0.61	20.2	0.47	311	17.9	0.47	13.9	0.38
Hodgkin Lymphoma	44	3.0	0.21	2.9	0.20	27	1.9	0.17	1.9	0.17
Non-Hodgkin Lymphoma	357	23.6	0.57	17.3	0.42	285	16.0	0.44	12.0	0.34
Multiple Myeloma	125	8.1	0.33	5.8	0.24	97	5.4	0.25	3.9	0.19
Leukemias	300	20.0	0.53	15.2	0.41	190	11.0	0.37	8.6	0.31
Acute lymphocytic	25	1.7	0.15	1.9	0.17	17	1.2	0.13	1.3	0.15
Chronic lymphocytic	125	8.0	0.33	5.7	0.23	71	3.9	0.21	2.8	0.16
Acute myeloid	81	5.5	0.28	4.0	0.21	58	3.4	0.20	2.6	0.16
Chronic myeloid	41	2.9	0.20	2.1	0.15	26	1.5	0.14	1.2	0.12
Other leukemias	28	1.9	0.16	1.4	0.12	18	1.0	0.11	0.7	0.09
Mesothelioma	16	1.1	0.12	0.7	0.08	7	0.4	0.07	0.3	0.05
Kaposi Sarcoma	2	0.2	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	126	8.4	0.34	6.8	0.28	253	15.2	0.44	12.2	0.37
Breast (<i>in situ</i>)	2	0.1	0.04	0.1	0.03	425	25.7	0.58	20.8	0.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kansas, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	6,895	479.2	2.64	355.4	1.98	6,610	418.0	2.39	326.3	1.94
Oral Cavity & Pharynx	269	18.1	0.51	14.2	0.40	100	6.1	0.28	4.8	0.23
Lip	13	0.9	0.12	0.7	0.08	5	0.3	0.06	0.2	0.05
Tongue	84	5.6	0.28	4.5	0.22	34	2.1	0.17	1.7	0.14
Major salivary gland	30	2.1	0.18	1.4	0.12	15	0.9	0.11	0.7	0.09
Floor of mouth	10	0.7	0.10	0.5	0.07	6	0.3	0.06	0.2	0.05
Gum & other mouth	29	2.0	0.17	1.5	0.13	17	1.0	0.11	0.7	0.08
Nasopharynx	7	0.5	0.09	0.4	0.07	4	0.3	0.07	0.2	0.06
Oropharynx	16	1.0	0.12	0.8	0.09	4	0.3	0.06	0.2	0.05
Hypopharynx	12	0.8	0.10	0.6	0.08	3	0.2	0.05	0.1	0.04
Digestive System	1,248	86.8	1.13	64.1	0.84	983	59.3	0.88	43.5	0.67
Esophagus	118	8.1	0.34	6.0	0.25	27	1.6	0.14	1.1	0.10
Stomach	91	6.3	0.30	4.7	0.22	48	2.8	0.19	2.1	0.15
Small intestine	40	2.8	0.20	2.1	0.15	36	2.3	0.18	1.8	0.14
Colon excl. rectum	410	29.4	0.66	21.0	0.48	420	25.6	0.58	18.3	0.44
Rectum & rectosigmoid	207	14.5	0.46	11.1	0.36	131	8.2	0.33	6.3	0.27
Anus, anal canal & anorectum	18	1.2	0.13	1.0	0.10	34	2.0	0.16	1.6	0.13
Liver	130	8.3	0.34	6.7	0.27	39	2.2	0.16	1.7	0.13
Gallbladder	10	0.7	0.10	0.5	0.07	18	1.1	0.12	0.8	0.09
Pancreas	173	11.9	0.42	8.6	0.30	170	10.0	0.35	7.1	0.26
Respiratory System	1,008	70.3	1.01	49.3	0.71	856	50.8	0.79	36.9	0.59
Larynx	75	5.1	0.27	3.9	0.20	15	0.9	0.11	0.8	0.09
Lung & bronchus	918	64.1	0.97	44.5	0.67	831	49.3	0.78	35.7	0.58
Bones & Joints	14	1.1	0.13	1.1	0.13	12	0.9	0.12	0.9	0.13
Soft Tissue (incl. heart)	60	4.3	0.26	3.4	0.21	44	3.0	0.21	2.6	0.19
Skin (excl. basal & sq.)	473	34.0	0.72	24.8	0.53	341	23.5	0.60	19.3	0.51
Melanomas of the skin	438	31.4	0.69	23.2	0.52	320	22.2	0.58	18.4	0.50
Breast (excl. <i>in situ</i>)	17	1.2	0.13	0.8	0.09	1,953	124.9	1.32	98.8	1.07
Female Genital System	-	-	-	-	-	752	48.3	0.82	39.5	0.69
Cervix uteri	-	-	-	-	-	90	7.2	0.35	6.3	0.31
Uterus Corpus	-	-	-	-	-	412	25.4	0.58	20.7	0.48
Uterus, NOS ¹	-	-	-	-	-	11	0.7	0.10	0.6	0.08
Ovary	-	-	-	-	-	167	10.7	0.38	8.5	0.32
Male Genital System	1,613	107.2	1.22	82.4	0.94	-	-	-	-	-
Prostate	1,520	99.6	1.17	75.0	0.87	-	-	-	-	-
Testis	80	6.6	0.34	6.7	0.34	-	-	-	-	-
Penis	12	0.8	0.11	0.6	0.08	-	-	-	-	-
Urinary System	882	62.2	0.96	44.2	0.69	369	22.5	0.54	16.8	0.42
Bladder (incl. <i>in situ</i>)	503	35.9	0.73	23.8	0.49	155	9.0	0.33	6.2	0.24
Kidney & renal pelvis	360	24.9	0.60	19.5	0.47	207	13.1	0.42	10.4	0.34
Ureter	11	0.8	0.11	0.5	0.07	6	0.3	0.06	0.2	0.04
Eye & Orbit	13	0.9	0.11	0.7	0.09	10	0.6	0.10	0.5	0.08
Brain & Other CNS ¹	105	7.6	0.34	6.6	0.30	82	5.7	0.29	5.1	0.27
Brain	99	7.1	0.33	6.1	0.29	77	5.3	0.28	4.6	0.26
Endocrine System	118	8.6	0.37	7.3	0.32	310	23.7	0.62	21.4	0.57
Thyroid gland	108	8.0	0.35	6.7	0.30	304	23.2	0.62	21.0	0.57
Lymphomas	369	26.5	0.63	20.1	0.49	282	17.7	0.49	13.7	0.40
Hodgkin Lymphoma	39	3.0	0.22	2.9	0.21	25	2.0	0.18	2.0	0.18
Non-Hodgkin Lymphoma	330	23.6	0.59	17.2	0.44	258	15.7	0.45	11.8	0.36
Multiple Myeloma	110	7.6	0.33	5.5	0.24	78	4.6	0.24	3.3	0.18
Leukemias	278	20.0	0.55	15.2	0.43	169	10.6	0.38	8.3	0.32
Acute lymphocytic	22	1.7	0.17	1.9	0.19	14	1.1	0.13	1.2	0.15
Chronic lymphocytic	117	8.1	0.34	5.8	0.24	64	3.8	0.22	2.8	0.16
Acute myeloid	75	5.5	0.29	4.0	0.21	52	3.2	0.21	2.4	0.17
Chronic myeloid	38	2.9	0.21	2.1	0.16	22	1.4	0.14	1.1	0.12
Other leukemias	26	1.9	0.17	1.4	0.13	17	1.0	0.11	0.7	0.09
Mesothelioma	16	1.1	0.13	0.8	0.09	7	0.4	0.07	0.3	0.06
Kaposi Sarcoma	2	0.1	0.05	0.1	0.04	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	111	8.1	0.35	6.6	0.29	228	15.0	0.46	12.2	0.39
Breast (<i>in situ</i>)	-	-	-	-	-	380	25.2	0.60	20.4	0.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

KANSAS

154 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kansas, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	370	507.1	12.78	386.5	9.11	333	405.0	10.16	315.7	7.85
Oral Cavity & Pharynx	9	12.0	1.92	9.4	1.42	6	6.6	1.26	5.5	1.04
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.4	0.84	2.0	0.66	1	1.5	0.59	1.3	0.49
Major salivary gland	-	-	-	-	-	2	2.6	0.81	2.2	0.67
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	81	114.2	6.15	84.9	4.26	61	75.1	4.40	55.2	3.22
Esophagus	6	7.3	1.51	5.7	1.08	2	1.9	0.67	1.4	0.50
Stomach	6	8.3	1.60	6.4	1.16	4	5.1	1.11	4.0	0.86
Small intestine	4	5.6	1.30	4.3	0.96	4	4.5	1.09	3.6	0.87
Colon excl. rectum	26	38.6	3.72	27.2	2.44	20	25.3	2.58	18.1	1.85
Rectum & rectosigmoid	9	12.8	2.03	9.6	1.43	8	9.8	1.60	7.0	1.15
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	14	17.4	2.21	14.3	1.72	7	6.7	1.17	6.1	1.05
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	12	18.9	2.66	12.8	1.68	13	17.3	2.18	11.8	1.48
Respiratory System	62	89.3	5.48	66.2	3.82	47	58.3	3.88	43.2	2.84
Larynx	4	5.1	1.15	4.3	0.93	1	1.6	0.62	1.2	0.45
Lung & bronchus	57	82.9	5.31	61.0	3.67	45	55.1	3.77	40.8	2.76
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	4	4.0	0.93	3.8	0.86	2	2.4	0.76	2.2	0.67
Skin (excl. basal & sq.)	2	4.0	1.28	2.6	0.77	-	-	-	-	-
Melanomas of the skin	2	3.3	1.22	1.9	0.66	-	-	-	-	-
Breast (excl. <i>in situ</i>)	2	2.3	0.73	1.9	0.62	102	124.5	5.65	98.9	4.45
Female Genital System	-	-	-	-	-	33	39.9	3.18	32.3	2.54
Cervix uteri	-	-	-	-	-	6	6.7	1.29	5.7	1.10
Uterus Corpus	-	-	-	-	-	19	22.4	2.35	18.1	1.87
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	7.1	1.40	5.6	1.10
Male Genital System	121	158.6	6.92	124.8	5.14	-	-	-	-	-
Prostate	118	154.6	6.84	121.4	5.07	-	-	-	-	-
Testis	2	1.8	0.58	1.9	0.59	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	43.6	3.78	32.8	2.67	17	19.9	2.24	15.3	1.70
Bladder (incl. <i>in situ</i>)	13	20.6	2.76	14.3	1.80	5	6.4	1.33	4.2	0.88
Kidney & renal pelvis	18	22.7	2.57	18.2	1.95	11	13.0	1.76	10.7	1.43
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	3.9	0.90	3.9	0.87	3	3.2	0.88	2.9	0.75
Brain	4	3.8	0.89	3.7	0.85	2	2.6	0.79	2.3	0.68
Endocrine System	5	7.1	1.46	5.6	1.10	14	16.2	1.98	14.5	1.74
Thyroid gland	4	5.3	1.22	4.4	0.96	13	15.4	1.93	13.7	1.70
Lymphomas	13	15.4	2.10	12.8	1.62	12	14.3	1.87	11.7	1.51
Hodgkin Lymphoma	3	2.8	0.81	2.6	0.73	1	1.2	0.49	1.2	0.51
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	16.7	2.52	11.3	1.60	14	17.2	2.12	12.5	1.53
Leukemias	12	17.3	2.44	13.0	1.70	11	13.7	1.89	10.9	1.49
Acute lymphocytic	1	1.2	0.45	1.3	0.48	1	1.0	0.40	1.2	0.47
Chronic lymphocytic	5	8.6	1.84	5.7	1.16	3	3.8	1.03	2.6	0.72
Acute myeloid	3	4.1	1.17	3.2	0.84	4	4.5	1.09	3.7	0.87
Chronic myeloid	2	2.8	0.94	2.2	0.71	3	3.3	0.93	2.6	0.74
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	11	17.1	2.54	11.8	1.62	9	11.0	1.65	8.7	1.30
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	8	11.0	1.93	8.2	1.33	11	13.0	1.81	9.9	1.38
Breast (<i>in situ</i>)	-	-	-	-	-	23	27.6	2.63	22.3	2.11

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kansas, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	79	288.3	16.32	209.6	10.77	100	262.5	12.48	204.9	9.25
Oral Cavity & Pharynx	4	14.3	3.87	10.0	2.39	1	2.9	1.29	2.3	0.95
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	29	106.2	9.74	77.2	6.53	19	56.0	6.08	40.8	4.18
Esophagus	1	4.6	2.04	3.3	1.36	-	-	-	-	-
Stomach	4	19.6	4.83	12.2	2.72	3	7.5	2.12	5.9	1.59
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	27.4	4.84	20.2	3.32	5	14.1	2.93	11.0	2.17
Rectum & rectosigmoid	4	10.0	2.47	8.5	2.04	4	10.3	2.52	7.7	1.78
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	6	22.0	4.11	17.2	3.06	2	7.1	2.29	4.9	1.49
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	12.2	3.70	7.7	2.15	2	6.3	2.23	3.9	1.31
Respiratory System	10	37.2	5.98	26.5	3.87	11	33.5	4.80	23.6	3.24
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	32.5	5.46	23.6	3.65	11	33.5	4.80	23.6	3.24
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	1	3.8	1.51	3.2	1.21
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	30	74.6	6.36	60.0	4.94
Female Genital System	-	-	-	-	-	12	29.2	3.88	24.6	3.17
Cervix uteri	-	-	-	-	-	2	5.6	1.69	4.6	1.32
Uterus Corpus	-	-	-	-	-	7	15.8	2.86	13.4	2.35
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	7.8	2.00	6.6	1.67
Male Genital System	13	43.6	5.98	33.2	4.25	-	-	-	-	-
Prostate	11	40.1	5.87	29.6	4.09	-	-	-	-	-
Testis	2	3.5	1.14	3.6	1.16	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	23.0	4.65	16.7	3.05	2	6.7	2.20	4.7	1.42
Bladder (incl. <i>in situ</i>)	3	13.8	3.84	9.5	2.34	-	-	-	-	-
Kidney & renal pelvis	3	9.2	2.63	7.2	1.95	1	3.5	1.45	2.9	1.11
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	3	6.9	1.83	6.4	1.68	10	20.4	2.90	18.9	2.65
Thyroid gland	3	6.4	1.78	5.9	1.61	9	18.6	2.76	17.4	2.54
Lymphomas	5	21.4	4.78	14.6	2.88	4	11.3	2.57	9.1	1.96
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	4	10.4	2.51	7.9	1.84
Multiple Myeloma	2	9.4	3.13	6.4	1.94	2	6.1	2.03	4.3	1.38
Leukemias	3	10.5	3.11	7.8	2.05	2	5.5	1.62	5.3	1.53
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	5.8	2.58	3.7	1.43	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	10.5	3.88	5.8	1.92	2	9.4	2.83	5.3	1.56
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	5.4	1.72	4.9	1.51	5	15.9	3.44	10.8	2.23
Breast (<i>in situ</i>)	-	-	-	-	-	7	18.5	3.20	14.9	2.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kansas, 2013-2017, Hispanic/Latino, All Races

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	283	361.7	11.05	267.4	7.48	320	347.2	9.46	272.6	7.02
Oral Cavity & Pharynx	7	8.1	1.56	6.1	1.07	5	5.4	1.17	4.4	0.92
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.4	0.95	1.6	0.58	2	1.8	0.61	1.6	0.54
Major salivary gland	-	-	-	-	-	2	1.8	0.69	1.4	0.52
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	70	93.2	5.61	68.5	3.80	48	57.2	3.97	42.9	2.83
Esophagus	3	5.5	1.48	3.5	0.88	-	-	-	-	-
Stomach	9	11.5	1.96	8.6	1.37	4	5.0	1.20	3.5	0.79
Small intestine	3	3.8	1.14	2.9	0.80	2	2.6	0.82	1.9	0.58
Colon excl. rectum	19	27.6	3.15	19.4	2.05	18	21.1	2.40	15.6	1.68
Rectum & rectosigmoid	12	14.7	2.17	11.0	1.49	5	4.8	1.04	4.0	0.84
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	12	13.4	1.92	11.0	1.48	4	5.7	1.29	4.3	0.93
Gallbladder	-	-	-	-	-	3	4.0	1.12	2.8	0.77
Pancreas	7	10.0	1.86	7.3	1.25	7	8.5	1.57	6.3	1.12
Respiratory System	22	34.4	3.69	22.9	2.29	22	32.2	3.26	22.3	2.17
Larynx	3	4.2	1.17	3.2	0.86	-	-	-	-	-
Lung & bronchus	17	29.3	3.47	18.8	2.09	21	31.3	3.22	21.7	2.15
Bones & Joints	2	0.8	0.27	0.8	0.29	-	-	-	-	-
Soft Tissue (incl. heart)	3	2.9	0.93	2.4	0.65	4	3.0	0.74	2.8	0.64
Skin (excl. basal & sq.)	-	-	-	-	-	9	7.9	1.28	6.6	1.03
Melanomas of the skin	4	5.9	1.46	4.0	0.90	7	6.0	1.06	5.4	0.93
Breast (excl. <i>in situ</i>)	-	-	-	-	-	88	94.2	4.79	74.8	3.65
Female Genital System	-	-	-	-	-	46	47.3	3.37	38.6	2.62
Cervix uteri	-	-	-	-	-	11	10.0	1.46	8.4	1.18
Uterus Corpus	-	-	-	-	-	22	23.4	2.40	19.2	1.87
Uterus, NOS ¹	-	-	-	-	-	1	1.2	0.47	1.1	0.42
Ovary	-	-	-	-	-	9	9.8	1.59	7.6	1.15
Male Genital System	73	96.1	5.69	72.8	3.99	-	-	-	-	-
Prostate	61	89.1	5.58	65.9	3.87	-	-	-	-	-
Testis	11	5.8	0.84	6.1	0.86	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	47.9	4.07	34.3	2.69	21	24.5	2.61	18.6	1.87
Bladder (incl. <i>in situ</i>)	12	20.0	2.86	12.7	1.70	6	8.7	1.73	5.8	1.11
Kidney & renal pelvis	23	27.7	2.88	21.5	2.08	15	14.7	1.85	12.4	1.47
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	4.5	1.01	4.0	0.75	7	5.1	1.04	4.5	0.81
Brain	6	4.3	1.01	3.8	0.74	7	4.9	1.03	4.3	0.79
Endocrine System	8	7.6	1.36	6.2	0.99	29	24.8	2.19	22.3	1.90
Thyroid gland	8	7.4	1.35	6.0	0.98	29	24.5	2.18	22.1	1.89
Lymphomas	16	18.6	2.45	14.1	1.70	14	14.5	1.90	11.3	1.39
Hodgkin Lymphoma	3	2.1	0.77	1.8	0.55	2	1.3	0.40	1.4	0.41
Non-Hodgkin Lymphoma	13	16.4	2.32	12.3	1.60	12	13.2	1.86	10.0	1.33
Multiple Myeloma	8	11.6	2.02	8.3	1.35	5	6.2	1.38	4.4	0.95
Leukemias	15	14.1	2.08	11.3	1.42	10	10.2	1.61	8.2	1.21
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	3.3	1.20	1.9	0.65	1	1.9	0.75	1.4	0.55
Acute myeloid	4	4.7	1.21	3.7	0.87	4	4.7	1.19	3.4	0.81
Chronic myeloid	2	2.6	0.95	1.8	0.60	1	1.0	0.42	1.0	0.38
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	11	14.0	2.20	9.9	1.40	10	13.3	2.02	9.4	1.36
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	6	4.9	1.13	4.0	0.80	14	14.7	1.90	11.7	1.44
Breast (<i>in situ</i>)	-	-	-	-	-	15	15.1	1.83	12.2	1.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

KANSAS

158 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kansas, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	6,659	488.2	2.75	362.9	2.07	6,333	423.9	2.50	331.3	2.04
Oral Cavity & Pharynx	263	18.8	0.54	14.8	0.42	95	6.1	0.30	4.8	0.24
Lip	13	1.0	0.12	0.7	0.09	5	0.3	0.06	0.2	0.05
Tongue	83	5.8	0.30	4.7	0.24	32	2.1	0.17	1.7	0.14
Major salivary gland	29	2.2	0.19	1.5	0.13	13	0.9	0.11	0.7	0.10
Floor of mouth	10	0.7	0.10	0.5	0.08	5	0.3	0.06	0.2	0.05
Gum & other mouth	28	2.1	0.18	1.6	0.14	17	1.0	0.11	0.7	0.09
Nasopharynx	6	0.5	0.09	0.4	0.08	4	0.3	0.07	0.3	0.07
Oropharynx	15	1.1	0.12	0.8	0.10	4	0.3	0.06	0.2	0.05
Hypopharynx	11	0.8	0.11	0.6	0.08	3	0.2	0.05	0.1	0.04
Digestive System	1,190	87.2	1.16	64.6	0.87	941	59.7	0.91	43.7	0.70
Esophagus	115	8.2	0.35	6.1	0.26	26	1.6	0.14	1.1	0.10
Stomach	84	6.1	0.31	4.5	0.22	44	2.8	0.19	2.1	0.15
Small intestine	38	2.8	0.21	2.1	0.16	34	2.3	0.19	1.8	0.15
Colon excl. rectum	394	29.8	0.69	21.3	0.50	405	25.8	0.60	18.5	0.46
Rectum & rectosigmoid	196	14.6	0.48	11.2	0.37	127	8.4	0.35	6.5	0.28
Anus, anal canal & anorectum	17	1.2	0.14	1.0	0.11	34	2.1	0.17	1.7	0.14
Liver	122	8.3	0.34	6.6	0.27	35	2.1	0.16	1.6	0.13
Gallbladder	9	0.7	0.10	0.5	0.07	16	1.0	0.11	0.7	0.08
Pancreas	166	12.1	0.43	8.7	0.31	164	10.1	0.36	7.1	0.27
Respiratory System	989	72.0	1.05	50.6	0.74	837	51.7	0.82	37.7	0.61
Larynx	72	5.2	0.28	3.9	0.21	15	1.0	0.12	0.8	0.10
Lung & bronchus	903	65.8	1.00	45.8	0.70	812	50.1	0.81	36.4	0.60
Bones & Joints	13	1.1	0.14	1.1	0.14	12	1.0	0.14	1.0	0.14
Soft Tissue (incl. heart)	58	4.4	0.27	3.5	0.22	42	3.0	0.22	2.6	0.20
Skin (excl. basal & sq.)	469	35.7	0.76	26.3	0.57	333	24.8	0.64	20.5	0.56
Melanomas of the skin	434	33.1	0.73	24.6	0.56	313	23.6	0.63	19.6	0.55
Breast (excl. <i>in situ</i>)	17	1.3	0.14	0.9	0.10	1,875	127.0	1.38	100.6	1.12
Female Genital System	-	-	-	-	-	714	48.7	0.86	39.8	0.72
Cervix uteri	-	-	-	-	-	81	7.1	0.37	6.3	0.33
Uterus Corpus	-	-	-	-	-	394	25.7	0.61	21.0	0.50
Uterus, NOS ¹	-	-	-	-	-	10	0.7	0.10	0.5	0.08
Ovary	-	-	-	-	-	159	10.8	0.40	8.7	0.33
Male Genital System	1,555	108.7	1.27	83.6	0.98	-	-	-	-	-
Prostate	1,470	100.8	1.20	76.0	0.90	-	-	-	-	-
Testis	71	6.9	0.37	7.0	0.38	-	-	-	-	-
Penis	11	0.8	0.11	0.6	0.08	-	-	-	-	-
Urinary System	851	63.1	0.99	44.9	0.72	352	22.5	0.56	16.7	0.44
Bladder (incl. <i>in situ</i>)	493	36.7	0.75	24.4	0.51	150	9.0	0.34	6.2	0.25
Kidney & renal pelvis	341	25.0	0.63	19.6	0.50	195	13.0	0.44	10.2	0.36
Ureter	11	0.8	0.12	0.5	0.08	6	0.3	0.06	0.2	0.04
Eye & Orbit	12	0.9	0.12	0.7	0.10	9	0.6	0.10	0.5	0.09
Brain & Other CNS ¹	99	7.9	0.37	6.8	0.33	76	5.7	0.31	5.1	0.29
Brain	93	7.4	0.35	6.4	0.32	71	5.3	0.29	4.6	0.27
Endocrine System	111	8.9	0.39	7.6	0.34	284	23.9	0.67	21.6	0.61
Thyroid gland	102	8.2	0.38	6.9	0.32	278	23.5	0.66	21.2	0.61
Lymphomas	357	27.4	0.67	20.8	0.52	270	17.9	0.51	13.9	0.43
Hodgkin Lymphoma	36	3.2	0.24	3.1	0.24	23	2.0	0.20	2.0	0.20
Non-Hodgkin Lymphoma	321	24.2	0.62	17.8	0.47	247	15.8	0.47	11.9	0.38
Multiple Myeloma	103	7.5	0.34	5.4	0.24	74	4.5	0.24	3.3	0.18
Leukemias	265	20.3	0.57	15.4	0.45	161	10.6	0.39	8.4	0.34
Acute lymphocytic	17	1.6	0.17	1.7	0.20	12	1.1	0.14	1.2	0.17
Chronic lymphocytic	115	8.3	0.36	6.0	0.26	63	3.9	0.23	2.9	0.17
Acute myeloid	71	5.5	0.30	4.0	0.22	49	3.2	0.22	2.4	0.18
Chronic myeloid	36	2.9	0.22	2.1	0.17	21	1.5	0.15	1.1	0.13
Other leukemias	25	2.0	0.18	1.5	0.14	16	1.0	0.12	0.7	0.09
Mesothelioma	15	1.1	0.13	0.7	0.09	6	0.4	0.07	0.3	0.06
Kaposi Sarcoma	1	0.1	0.04	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	292	21.7	0.58	15.1	0.41	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	106	8.4	0.38	6.8	0.32	216	15.2	0.49	12.4	0.42
Breast (<i>in situ</i>)	-	-	-	-	-	367	25.8	0.63	20.9	0.52

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kansas, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	368	517.7	13.05	394.9	9.32	329	411.4	10.39	321.4	8.06
Oral Cavity & Pharynx	9	12.4	1.97	9.7	1.46	6	6.8	1.30	5.7	1.07
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.5	0.87	2.0	0.68	1	1.6	0.60	1.3	0.50
Major salivary gland	-	-	-	-	-	2	2.7	0.84	2.3	0.70
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	81	116.7	6.29	86.9	4.37	60	75.8	4.47	55.7	3.28
Esophagus	6	7.5	1.55	5.8	1.11	1	1.6	0.61	1.1	0.44
Stomach	6	8.5	1.64	6.6	1.19	4	5.2	1.13	4.1	0.88
Small intestine	4	5.7	1.34	4.5	0.99	4	4.7	1.14	3.8	0.90
Colon excl. rectum	26	39.6	3.80	28.0	2.51	20	25.4	2.62	18.1	1.88
Rectum & rectosigmoid	9	13.2	2.07	9.9	1.47	8	9.7	1.61	6.9	1.16
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	14	17.6	2.24	14.4	1.74	7	6.9	1.20	6.3	1.08
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	12	19.3	2.72	13.1	1.72	13	17.7	2.22	12.1	1.51
Respiratory System	62	91.0	5.59	67.5	3.90	47	58.7	3.93	43.6	2.89
Larynx	4	5.2	1.18	4.4	0.95	1	1.5	0.61	1.0	0.42
Lung & bronchus	56	84.4	5.41	62.1	3.75	44	55.6	3.82	41.4	2.81
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	4	4.2	0.98	4.0	0.91	2	2.3	0.77	2.1	0.67
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	2	3.3	1.24	1.9	0.67	-	-	-	-	-
Breast (excl. <i>in situ</i>)	2	2.3	0.75	2.0	0.64	99	126.0	5.78	100.1	4.56
Female Genital System	-	-	-	-	-	33	41.0	3.28	33.2	2.63
Cervix uteri	-	-	-	-	-	6	7.0	1.35	6.0	1.16
Uterus Corpus	-	-	-	-	-	19	23.0	2.42	18.6	1.93
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	7.1	1.43	5.7	1.13
Male Genital System	120	161.2	7.05	126.9	5.24	-	-	-	-	-
Prostate	117	157.3	6.97	123.6	5.17	-	-	-	-	-
Testis	2	1.7	0.56	1.8	0.59	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	44.7	3.87	33.7	2.74	16	19.9	2.26	15.2	1.71
Bladder (incl. <i>in situ</i>)	13	21.0	2.82	14.6	1.84	5	6.5	1.35	4.3	0.89
Kidney & renal pelvis	18	23.3	2.63	18.7	2.01	11	12.8	1.77	10.6	1.44
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	4.2	0.95	4.1	0.93	3	3.4	0.93	3.1	0.81
Brain	4	4.0	0.94	3.9	0.91	2	2.8	0.83	2.5	0.73
Endocrine System	5	7.3	1.50	5.8	1.13	14	17.1	2.08	15.3	1.84
Thyroid gland	4	5.4	1.25	4.5	0.99	13	16.2	2.03	14.4	1.79
Lymphomas	13	16.0	2.18	13.3	1.70	12	14.8	1.93	12.1	1.57
Hodgkin Lymphoma	3	3.0	0.86	2.8	0.77	1	1.3	0.53	1.3	0.55
Non-Hodgkin Lymphoma	10	13.0	2.00	10.6	1.51	11	13.5	1.86	10.8	1.47
Multiple Myeloma	10	16.9	2.56	11.5	1.62	14	17.2	2.14	12.6	1.56
Leukemias	12	17.5	2.49	13.0	1.73	11	14.2	1.96	11.4	1.56
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	5	8.8	1.88	5.9	1.19	3	3.9	1.05	2.7	0.74
Acute myeloid	3	4.1	1.18	3.1	0.84	4	4.7	1.14	3.8	0.91
Chronic myeloid	2	2.9	0.97	2.3	0.73	3	3.4	0.96	2.7	0.77
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	11	17.5	2.59	12.1	1.66	9	11.3	1.70	8.9	1.34
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	8	11.4	1.98	8.5	1.38	11	13.4	1.87	10.3	1.44
Breast (<i>in situ</i>)	-	-	-	-	-	23	28.4	2.71	23.0	2.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

KANSAS

160 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kentucky, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	13,939	574.4	2.25	427.6	1.65	13,374	483.3	1.92	376.9	1.55
Oral Cavity & Pharynx	549	21.5	0.42	17.1	0.33	216	7.7	0.24	6.0	0.19
Lip	42	1.8	0.13	1.2	0.09	14	0.5	0.06	0.3	0.04
Tongue	157	6.0	0.22	4.8	0.17	62	2.3	0.13	1.8	0.11
Major salivary gland	36	1.6	0.12	1.1	0.09	28	1.0	0.09	0.8	0.08
Floor of mouth	22	0.9	0.09	0.7	0.06	10	0.4	0.05	0.3	0.04
Gum & other mouth	53	2.2	0.14	1.7	0.10	41	1.5	0.10	1.1	0.08
Nasopharynx	19	0.8	0.08	0.7	0.07	7	0.3	0.05	0.2	0.04
Oropharynx	25	1.0	0.09	0.8	0.07	6	0.2	0.04	0.2	0.03
Hypopharynx	29	1.1	0.09	0.9	0.07	7	0.3	0.04	0.2	0.03
Digestive System	2,721	112.1	0.99	83.4	0.73	2,148	75.5	0.75	55.9	0.57
Esophagus	228	9.0	0.28	6.9	0.21	54	1.9	0.12	1.4	0.09
Stomach	210	8.8	0.28	6.3	0.20	141	4.9	0.19	3.6	0.14
Small intestine	83	3.5	0.18	2.6	0.13	80	2.9	0.15	2.3	0.12
Colon excl. rectum	906	38.2	0.59	27.8	0.42	879	31.1	0.48	22.6	0.36
Rectum & rectosigmoid	443	18.2	0.40	14.1	0.31	291	10.4	0.28	8.2	0.23
Anus, anal canal & anorectum	42	1.8	0.13	1.4	0.10	86	3.0	0.15	2.4	0.12
Liver	301	11.5	0.31	9.1	0.24	99	3.4	0.16	2.6	0.12
Gallbladder	21	0.9	0.09	0.6	0.06	39	1.3	0.10	0.9	0.07
Pancreas	370	15.3	0.37	11.0	0.26	349	12.0	0.29	8.5	0.21
Respiratory System	2,897	119.0	1.02	85.2	0.71	2,372	80.8	0.75	59.8	0.57
Larynx	218	8.7	0.27	6.7	0.20	75	2.6	0.14	2.1	0.11
Lung & bronchus	2,647	109.0	0.98	77.5	0.68	2,277	77.5	0.74	57.1	0.55
Bones & Joints	27	1.2	0.11	1.1	0.10	23	0.9	0.09	0.9	0.09
Soft Tissue (incl. heart)	91	3.9	0.19	3.2	0.16	59	2.3	0.14	2.0	0.13
Skin (excl. basal & sq.)	838	36.2	0.58	26.4	0.42	626	24.4	0.45	20.1	0.38
Melanomas of the skin	782	33.7	0.56	24.7	0.40	590	23.1	0.44	19.1	0.38
Breast (excl. <i>in situ</i>)	23	0.9	0.09	0.7	0.07	3,491	126.7	0.99	100.3	0.80
Female Genital System	-	-	-	-	-	1,464	54.4	0.66	44.6	0.55
Cervix uteri	-	-	-	-	-	217	9.6	0.30	8.5	0.27
Uterus Corpus	-	-	-	-	-	756	26.8	0.45	22.2	0.38
Uterus, NOS ¹	-	-	-	-	-	17	0.6	0.07	0.4	0.05
Ovary	-	-	-	-	-	273	10.1	0.28	7.9	0.23
Male Genital System	2,878	111.4	0.96	86.1	0.73	-	-	-	-	-
Prostate	2,721	104.1	0.92	79.2	0.68	-	-	-	-	-
Testis	119	5.7	0.24	5.8	0.24	-	-	-	-	-
Penis	35	1.5	0.12	1.1	0.08	-	-	-	-	-
Urinary System	1,599	67.9	0.78	48.6	0.55	726	26.0	0.44	19.6	0.34
Bladder (incl. <i>in situ</i>)	892	38.8	0.60	26.0	0.39	288	9.9	0.27	6.9	0.19
Kidney & renal pelvis	672	27.6	0.49	21.6	0.38	420	15.4	0.35	12.3	0.28
Ureter	20	0.9	0.09	0.6	0.06	14	0.5	0.06	0.3	0.04
Eye & Orbit	36	1.5	0.11	1.2	0.09	24	0.9	0.08	0.8	0.08
Brain & Other CNS ¹	202	8.8	0.28	7.7	0.25	165	6.4	0.23	5.6	0.22
Brain	189	8.2	0.27	7.0	0.24	152	5.8	0.22	5.0	0.20
Endocrine System	212	9.0	0.28	7.8	0.25	559	23.6	0.46	21.3	0.42
Thyroid gland	194	8.2	0.27	7.1	0.23	546	23.1	0.46	20.8	0.42
Lymphomas	638	27.5	0.50	21.0	0.38	520	18.8	0.38	14.5	0.31
Hodgkin Lymphoma	66	3.0	0.17	2.8	0.16	49	2.2	0.14	2.2	0.15
Non-Hodgkin Lymphoma	572	24.5	0.47	18.1	0.35	471	16.6	0.35	12.4	0.27
Multiple Myeloma	221	9.4	0.29	6.6	0.20	155	5.4	0.20	3.8	0.14
Leukemias	465	20.2	0.43	15.3	0.33	349	12.7	0.31	10.0	0.26
Acute lymphocytic	36	1.7	0.13	1.8	0.14	29	1.3	0.11	1.4	0.13
Chronic lymphocytic	185	7.9	0.27	5.5	0.18	125	4.2	0.17	3.0	0.13
Acute myeloid	128	5.5	0.23	4.2	0.17	106	4.0	0.18	3.1	0.15
Chronic myeloid	70	3.1	0.17	2.4	0.13	52	2.0	0.13	1.5	0.10
Other leukemias	46	2.0	0.14	1.5	0.10	37	1.3	0.10	0.9	0.07
Mesothelioma	28	1.3	0.11	0.8	0.07	8	0.3	0.04	0.2	0.03
Kaposi Sarcoma	6	0.3	0.05	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	507	22.4	0.46	15.2	0.31	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	242	10.6	0.31	8.5	0.25	520	19.7	0.40	15.9	0.34
Breast (<i>in situ</i>)	3	0.1	0.03	0.1	0.03	717	26.1	0.45	21.3	0.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kentucky, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	12,767	568.2	2.32	422.6	1.72	12,374	486.2	2.02	379.5	1.63
Oral Cavity & Pharynx	514	21.8	0.44	17.3	0.35	203	7.8	0.25	6.1	0.21
Lip	39	1.8	0.13	1.3	0.09	13	0.5	0.06	0.3	0.04
Tongue	147	6.1	0.23	4.9	0.18	59	2.3	0.14	1.9	0.12
Major salivary gland	34	1.6	0.13	1.1	0.09	27	1.1	0.10	0.8	0.08
Floor of mouth	20	0.9	0.09	0.7	0.07	10	0.4	0.05	0.3	0.04
Gum & other mouth	50	2.2	0.14	1.7	0.11	38	1.5	0.11	1.0	0.08
Nasopharynx	17	0.7	0.08	0.6	0.07	6	0.3	0.05	0.2	0.04
Oropharynx	25	1.0	0.09	0.8	0.07	6	0.2	0.04	0.2	0.03
Hypopharynx	27	1.1	0.09	0.9	0.08	6	0.3	0.05	0.2	0.04
Digestive System	2,504	111.4	1.03	82.7	0.76	1,953	74.4	0.77	55.0	0.59
Esophagus	217	9.3	0.29	7.0	0.22	47	1.8	0.12	1.3	0.09
Stomach	192	8.7	0.29	6.3	0.21	124	4.7	0.19	3.4	0.15
Small intestine	75	3.4	0.18	2.6	0.14	68	2.8	0.15	2.1	0.12
Colon excl. rectum	834	37.9	0.61	27.6	0.44	806	30.9	0.50	22.4	0.38
Rectum & rectosigmoid	406	18.1	0.42	14.0	0.32	265	10.3	0.29	8.1	0.24
Anus, anal canal & anorectum	38	1.7	0.13	1.4	0.10	80	3.1	0.16	2.5	0.13
Liver	270	11.2	0.31	8.8	0.24	89	3.3	0.16	2.5	0.13
Gallbladder	20	0.9	0.09	0.6	0.06	34	1.3	0.10	0.9	0.07
Pancreas	342	15.3	0.38	10.9	0.27	318	11.8	0.30	8.3	0.22
Respiratory System	2,733	120.2	1.06	86.2	0.74	2,223	81.7	0.79	60.6	0.59
Larynx	203	8.7	0.28	6.7	0.21	69	2.6	0.14	2.1	0.12
Lung & bronchus	2,501	110.2	1.02	78.5	0.71	2,136	78.4	0.77	57.9	0.58
Bones & Joints	25	1.2	0.11	1.1	0.11	21	1.0	0.10	0.9	0.10
Soft Tissue (incl. heart)	84	4.0	0.20	3.2	0.17	53	2.2	0.14	1.9	0.13
Skin (excl. basal & sq.)	812	37.8	0.61	27.7	0.45	605	25.9	0.49	21.4	0.42
Melanomas of the skin	759	35.3	0.59	26.0	0.43	573	24.6	0.48	20.4	0.41
Breast (excl. <i>in situ</i>)	22	1.0	0.10	0.7	0.07	3,221	127.0	1.04	100.6	0.84
Female Genital System	-	-	-	-	-	1,353	55.0	0.70	45.2	0.58
Cervix uteri	-	-	-	-	-	196	9.6	0.32	8.5	0.29
Uterus Corpus	-	-	-	-	-	699	27.1	0.48	22.5	0.40
Uterus, NOS ¹	-	-	-	-	-	14	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	255	10.2	0.30	8.1	0.25
Male Genital System	2,405	100.8	0.95	77.8	0.72	-	-	-	-	-
Prostate	2,255	92.9	0.90	70.3	0.67	-	-	-	-	-
Testis	114	6.2	0.26	6.3	0.27	-	-	-	-	-
Penis	34	1.5	0.12	1.1	0.09	-	-	-	-	-
Urinary System	1,507	68.8	0.82	49.2	0.58	673	26.2	0.46	19.7	0.36
Bladder (incl. <i>in situ</i>)	857	39.8	0.63	26.7	0.41	274	10.2	0.28	7.1	0.20
Kidney & renal pelvis	618	27.5	0.51	21.5	0.40	381	15.3	0.36	12.2	0.30
Ureter	19	0.9	0.09	0.6	0.06	13	0.5	0.06	0.3	0.04
Eye & Orbit	35	1.6	0.12	1.3	0.10	24	1.0	0.09	0.8	0.08
Brain & Other CNS ¹	192	9.2	0.30	8.0	0.27	155	6.6	0.25	5.8	0.23
Brain	180	8.5	0.29	7.3	0.26	143	6.0	0.23	5.2	0.21
Endocrine System	200	9.3	0.30	8.1	0.27	508	23.9	0.49	21.6	0.46
Thyroid gland	185	8.6	0.29	7.4	0.25	496	23.3	0.49	21.2	0.45
Lymphomas	599	27.9	0.53	21.3	0.41	489	19.1	0.40	14.8	0.33
Hodgkin Lymphoma	59	3.0	0.18	2.8	0.17	45	2.3	0.15	2.3	0.16
Non-Hodgkin Lymphoma	540	24.8	0.49	18.4	0.37	444	16.9	0.37	12.6	0.29
Multiple Myeloma	193	8.9	0.29	6.2	0.20	132	4.9	0.20	3.5	0.14
Leukemias	432	20.2	0.45	15.4	0.35	320	12.7	0.33	9.9	0.28
Acute lymphocytic	33	1.8	0.14	1.9	0.16	27	1.4	0.12	1.5	0.14
Chronic lymphocytic	171	7.7	0.27	5.4	0.19	113	4.1	0.18	2.9	0.13
Acute myeloid	119	5.5	0.23	4.1	0.18	99	4.0	0.18	3.1	0.15
Chronic myeloid	65	3.1	0.18	2.4	0.14	46	1.9	0.13	1.5	0.11
Other leukemias	44	2.1	0.15	1.5	0.11	34	1.3	0.10	0.9	0.08
Mesothelioma	27	1.3	0.12	0.8	0.07	8	0.3	0.05	0.2	0.03
Kaposi Sarcoma	4	0.2	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	226	10.8	0.33	8.7	0.27	472	19.5	0.42	15.8	0.35
Breast (<i>in situ</i>)	3	0.1	0.03	0.1	0.02	651	25.9	0.47	21.1	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kentucky, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	797	537.4	9.28	403.9	6.49	824	447.1	7.17	345.6	5.49
Oral Cavity & Pharynx	24	14.6	1.43	11.7	1.08	7	3.9	0.66	3.2	0.54
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	3.9	0.75	3.1	0.55	1	0.7	0.28	0.5	0.23
Major salivary gland	2	1.3	0.42	1.1	0.33	1	0.6	0.27	0.5	0.23
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.7	0.54	1.2	0.36	1	0.7	0.29	0.6	0.23
Nasopharynx	2	0.8	0.27	0.7	0.27	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	1.3	0.41	1.1	0.32	-	-	-	-	-
Digestive System	182	121.3	4.40	91.0	3.06	166	88.7	3.17	66.9	2.37
Esophagus	9	5.8	0.91	4.6	0.67	6	2.8	0.54	2.3	0.43
Stomach	15	11.0	1.40	7.7	0.91	14	7.3	0.91	5.5	0.68
Small intestine	7	5.0	0.92	3.7	0.62	10	4.9	0.74	4.0	0.58
Colon excl. rectum	61	43.6	2.75	31.1	1.81	65	35.1	2.01	26.1	1.48
Rectum & rectosigmoid	25	15.8	1.52	12.4	1.12	18	9.3	1.00	7.5	0.80
Anus, anal canal & anorectum	3	2.2	0.57	1.8	0.44	4	2.1	0.47	1.7	0.39
Liver	27	15.3	1.42	12.7	1.11	8	4.0	0.64	3.3	0.52
Gallbladder	1	1.0	0.41	0.7	0.27	4	2.0	0.48	1.5	0.35
Pancreas	26	16.6	1.60	12.7	1.14	29	15.9	1.37	11.3	0.97
Respiratory System	152	112.2	4.44	79.3	2.92	138	76.6	3.01	54.9	2.12
Larynx	13	9.0	1.20	6.6	0.83	6	3.4	0.62	2.5	0.44
Lung & bronchus	137	101.8	4.24	71.7	2.78	131	73.1	2.95	52.4	2.07
Bones & Joints	2	1.4	0.48	1.2	0.36	-	-	-	-	-
Soft Tissue (incl. heart)	5	3.4	0.71	2.8	0.54	4	2.3	0.51	2.0	0.43
Skin (excl. basal & sq.)	4	2.8	0.66	2.1	0.48	4	2.1	0.48	1.7	0.40
Melanomas of the skin	2	1.8	0.57	1.2	0.37	2	1.2	0.38	0.8	0.26
Breast (excl. <i>in situ</i>)	2	0.9	0.36	0.8	0.27	233	125.0	3.76	99.5	2.97
Female Genital System	-	-	-	-	-	89	47.7	2.33	38.6	1.86
Cervix uteri	-	-	-	-	-	15	8.6	1.00	7.4	0.85
Uterus Corpus	-	-	-	-	-	48	25.1	1.68	20.2	1.33
Uterus, NOS ¹	-	-	-	-	-	3	1.6	0.43	1.3	0.35
Ovary	-	-	-	-	-	14	8.0	0.96	6.1	0.73
Male Genital System	229	146.9	4.71	113.4	3.40	-	-	-	-	-
Prostate	226	144.9	4.68	111.5	3.37	-	-	-	-	-
Testis	3	1.4	0.39	1.4	0.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	77	52.4	2.91	39.4	2.03	48	26.0	1.74	19.4	1.29
Bladder (incl. <i>in situ</i>)	26	19.6	1.87	13.7	1.21	10	5.6	0.82	3.8	0.55
Kidney & renal pelvis	49	31.2	2.15	24.7	1.60	37	19.8	1.51	15.2	1.15
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	4.5	0.75	4.1	0.65	9	4.7	0.73	4.1	0.63
Brain	8	4.2	0.73	3.8	0.63	8	4.1	0.68	3.5	0.57
Endocrine System	8	4.5	0.77	3.9	0.63	37	19.8	1.49	17.4	1.29
Thyroid gland	6	3.4	0.66	2.9	0.54	37	19.5	1.48	17.1	1.28
Lymphomas	32	21.6	1.84	16.9	1.34	23	12.7	1.22	10.2	0.98
Hodgkin Lymphoma	7	3.5	0.63	3.4	0.59	4	2.0	0.48	1.9	0.46
Non-Hodgkin Lymphoma	26	18.1	1.73	13.5	1.20	-	-	-	-	-
Multiple Myeloma	24	17.3	1.71	12.6	1.17	20	11.0	1.15	8.0	0.83
Leukemias	22	14.5	1.51	11.3	1.10	19	10.8	1.13	8.3	0.86
Acute lymphocytic	2	1.0	0.39	0.9	0.31	-	-	-	-	-
Chronic lymphocytic	7	5.8	1.03	3.9	0.66	7	3.6	0.62	2.7	0.46
Acute myeloid	8	4.7	0.82	4.0	0.65	6	3.3	0.65	2.6	0.49
Chronic myeloid	3	1.9	0.49	1.6	0.41	4	2.4	0.52	2.0	0.43
Other leukemias	2	1.0	0.37	0.9	0.31	2	1.3	0.42	0.8	0.27
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	1	0.7	0.28	0.6	0.26	-	-	-	-	-
Ill-defined & Unknown	23	17.5	1.78	12.1	1.15	26	15.2	1.37	10.8	0.97
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	12	8.1	1.14	6.3	0.81	40	21.7	1.57	17.8	1.28
Breast (<i>in situ</i>)	-	-	-	-	-	57	30.3	1.84	24.7	1.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kentucky, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	45	222.3	16.79	162.8	11.17	76	269.4	14.85	205.3	10.64
Oral Cavity & Pharynx	2	7.9	2.65	6.4	2.05	1	5.5	2.28	3.8	1.47
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	71.8	9.59	53.1	6.35	13	55.3	7.25	38.0	4.71
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	6.0	2.48	4.6	1.80	2	6.9	2.60	4.7	1.67
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	3	15.4	4.43	11.3	2.91	4	16.7	4.07	10.9	2.53
Rectum & rectosigmoid	4	20.4	5.41	14.5	3.38	3	9.4	2.76	7.2	2.02
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	17.2	4.60	13.1	3.16	1	5.8	2.47	3.6	1.46
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	7.8	2.95	5.9	2.10	2	7.0	2.47	5.1	1.71
Respiratory System	5	26.2	5.38	19.5	3.83	8	34.6	5.92	22.7	3.69
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	24.6	5.14	18.6	3.72	7	34.0	5.89	22.1	3.65
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	23	73.2	7.20	59.0	5.58
Female Genital System	-	-	-	-	-	10	35.3	5.30	27.5	3.86
Cervix uteri	-	-	-	-	-	2	5.4	1.89	4.4	1.49
Uterus Corpus	-	-	-	-	-	5	15.1	3.32	12.3	2.59
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	10.3	3.08	7.6	2.07
Male Genital System	7	37.4	6.90	27.3	4.64	-	-	-	-	-
Prostate	6	33.7	6.71	23.9	4.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	17.1	4.68	11.9	3.06	2	7.1	2.29	5.8	1.75
Bladder (incl. <i>in situ</i>)	2	9.6	3.57	6.8	2.34	-	-	-	-	-
Kidney & renal pelvis	1	7.4	3.03	5.1	1.98	1	4.7	1.94	3.6	1.39
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	2	8.2	3.05	6.4	2.13	7	19.8	3.31	17.8	2.94
Thyroid gland	2	7.7	3.00	5.8	2.03	7	19.5	3.29	17.3	2.90
Lymphomas	2	10.8	3.58	8.3	2.50	3	10.7	2.93	8.2	2.13
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	10.2	3.54	7.7	2.42	3	10.7	2.93	8.2	2.13
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	17.6	4.90	12.6	3.13	2	7.3	2.20	6.3	1.85
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	7.4	3.58	4.7	2.00	1	3.7	1.55	3.2	1.30
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	11.2	4.36	6.8	2.45	2	7.3	2.57	5.8	1.85
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	8.9	2.68	7.3	2.15	5	15.7	3.37	13.0	2.64
Breast (<i>in situ</i>)	-	-	-	-	-	6	19.6	3.60	16.5	2.98

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kentucky, 2013-2017, Hispanic/Latino, All Races

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	95	258.8	14.11	193.9	9.63	94	249.0	12.63	195.2	9.46
Oral Cavity & Pharynx	2	5.5	2.10	3.9	1.39	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	75.1	7.80	54.2	5.11	16	47.7	5.78	36.0	4.19
Esophagus	1	4.5	2.14	2.5	1.14	-	-	-	-	-
Stomach	3	6.8	2.26	4.9	1.48	2	4.7	1.84	3.4	1.26
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	21.8	4.12	16.3	2.82	6	19.0	3.69	14.0	2.62
Rectum & rectosigmoid	4	8.6	2.56	6.4	1.67	2	6.0	1.80	4.9	1.45
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	12.4	3.22	9.0	2.11	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	11.2	3.07	8.2	2.08	2	7.3	2.36	5.5	1.67
Respiratory System	11	36.1	5.38	26.6	3.71	7	24.8	4.49	18.2	3.21
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	32.4	5.14	23.9	3.55	6	23.7	4.42	17.2	3.13
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	2.4	0.77	2.2	0.71	-	-	-	-	-
Skin (excl. basal & sq.)	2	4.1	1.67	3.2	1.22	1	2.7	1.15	2.1	0.89
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	29	76.4	6.84	60.1	5.21
Female Genital System	-	-	-	-	-	16	36.5	4.38	30.6	3.53
Cervix uteri	-	-	-	-	-	4	6.9	1.72	5.5	1.33
Uterus Corpus	-	-	-	-	-	8	17.9	3.09	15.2	2.54
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	8.3	2.29	7.0	1.77
Male Genital System	20	59.2	6.79	45.1	4.76	-	-	-	-	-
Prostate	17	55.0	6.63	41.2	4.64	-	-	-	-	-
Testis	3	2.9	0.76	3.2	0.83	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	27.7	4.41	21.1	3.10	4	10.7	2.70	8.2	1.98
Bladder (incl. <i>in situ</i>)	4	13.8	3.42	9.9	2.29	1	4.9	2.07	3.1	1.32
Kidney & renal pelvis	6	11.9	2.47	9.8	1.91	2	4.9	1.47	4.4	1.32
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	3.1	1.09	3.0	1.01	2	2.4	0.89	2.2	0.78
Brain	2	2.4	1.01	2.3	0.92	1	2.3	0.88	2.0	0.76
Endocrine System	2	3.6	1.17	3.5	1.09	5	8.5	1.80	8.0	1.68
Thyroid gland	2	3.5	1.15	3.3	1.07	5	8.2	1.78	7.7	1.66
Lymphomas	6	13.6	3.21	10.3	2.17	4	11.6	2.81	8.5	2.00
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	5.1	1.71	4.4	1.43	1	3.5	1.44	3.1	1.28
Leukemias	5	11.7	2.98	8.9	1.94	5	9.8	2.41	8.2	1.85
Acute lymphocytic	-	-	-	-	-	2	3.0	1.14	3.0	0.97
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	3	7.8	2.62	5.2	1.53	1	3.8	1.59	2.7	1.07
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	10.3	3.19	6.3	1.80	4	12.5	3.22	8.3	2.02
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	5	9.0	2.39	7.1	1.66	4	8.2	1.92	7.3	1.67
Breast (<i>in situ</i>)	-	-	-	-	-	5	11.6	2.57	9.6	2.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

KENTUCKY

166 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kentucky, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	12,682	573.0	2.35	426.5	1.74	12,287	489.7	2.04	382.4	1.66
Oral Cavity & Pharynx	513	22.1	0.45	17.6	0.35	203	8.0	0.26	6.2	0.21
Lip	39	1.8	0.13	1.3	0.09	13	0.5	0.06	0.3	0.05
Tongue	147	6.2	0.23	5.0	0.19	59	2.4	0.14	1.9	0.12
Major salivary gland	34	1.7	0.13	1.2	0.09	27	1.1	0.10	0.9	0.08
Floor of mouth	20	0.9	0.09	0.7	0.07	10	0.4	0.05	0.3	0.04
Gum & other mouth	49	2.2	0.14	1.7	0.11	38	1.5	0.11	1.1	0.08
Nasopharynx	17	0.8	0.09	0.6	0.07	6	0.3	0.05	0.2	0.04
Oropharynx	25	1.0	0.10	0.8	0.08	6	0.2	0.04	0.2	0.04
Hypopharynx	26	1.1	0.10	0.9	0.08	6	0.3	0.05	0.2	0.04
Digestive System	2,481	112.0	1.04	83.3	0.77	1,939	74.7	0.78	55.2	0.60
Esophagus	216	9.3	0.29	7.1	0.22	47	1.8	0.12	1.3	0.09
Stomach	190	8.7	0.29	6.3	0.21	123	4.7	0.19	3.4	0.15
Small intestine	74	3.4	0.18	2.6	0.14	68	2.8	0.16	2.2	0.13
Colon excl. rectum	828	38.2	0.61	27.8	0.44	800	31.0	0.50	22.5	0.38
Rectum & rectosigmoid	403	18.3	0.42	14.2	0.32	263	10.4	0.30	8.2	0.24
Anus, anal canal & anorectum	38	1.8	0.13	1.4	0.11	80	3.1	0.16	2.5	0.13
Liver	266	11.2	0.32	8.8	0.25	89	3.4	0.16	2.6	0.13
Gallbladder	20	0.9	0.09	0.6	0.06	34	1.3	0.10	0.9	0.07
Pancreas	339	15.3	0.38	11.0	0.27	315	11.8	0.30	8.3	0.22
Respiratory System	2,723	121.3	1.07	87.0	0.75	2,217	82.4	0.80	61.2	0.60
Larynx	202	8.8	0.29	6.8	0.22	68	2.6	0.14	2.1	0.12
Lung & bronchus	2,492	111.2	1.03	79.2	0.72	2,131	79.0	0.78	58.4	0.59
Bones & Joints	25	1.3	0.12	1.2	0.11	21	1.0	0.10	0.9	0.10
Soft Tissue (incl. heart)	82	4.0	0.20	3.2	0.17	52	2.3	0.15	1.9	0.13
Skin (excl. basal & sq.)	810	38.4	0.62	28.2	0.46	604	26.3	0.50	21.8	0.43
Melanomas of the skin	758	35.9	0.60	26.4	0.45	572	25.1	0.49	20.9	0.42
Breast (excl. <i>in situ</i>)	22	1.0	0.10	0.7	0.07	3,194	127.8	1.05	101.2	0.85
Female Genital System	-	-	-	-	-	1,338	55.3	0.70	45.3	0.59
Cervix uteri	-	-	-	-	-	192	9.7	0.32	8.6	0.29
Uterus Corpus	-	-	-	-	-	691	27.2	0.48	22.6	0.40
Uterus, NOS ¹	-	-	-	-	-	14	0.5	0.07	0.4	0.05
Ovary	-	-	-	-	-	252	10.3	0.30	8.1	0.25
Male Genital System	2,387	101.5	0.96	78.3	0.73	-	-	-	-	-
Prostate	2,240	93.5	0.91	70.7	0.67	-	-	-	-	-
Testis	112	6.4	0.27	6.4	0.28	-	-	-	-	-
Penis	34	1.6	0.12	1.1	0.09	-	-	-	-	-
Urinary System	1,498	69.4	0.83	49.6	0.59	669	26.3	0.47	19.9	0.37
Bladder (incl. <i>in situ</i>)	854	40.1	0.63	27.0	0.42	273	10.3	0.28	7.2	0.20
Kidney & renal pelvis	612	27.8	0.52	21.7	0.40	379	15.5	0.37	12.3	0.30
Ureter	18	0.9	0.09	0.6	0.06	13	0.5	0.06	0.3	0.04
Eye & Orbit	35	1.6	0.12	1.3	0.10	24	1.0	0.09	0.8	0.09
Brain & Other CNS ¹	190	9.3	0.31	8.2	0.28	153	6.7	0.25	5.9	0.24
Brain	178	8.7	0.30	7.5	0.27	142	6.1	0.24	5.2	0.22
Endocrine System	198	9.5	0.31	8.3	0.28	503	24.2	0.50	22.0	0.47
Thyroid gland	183	8.7	0.30	7.5	0.26	492	23.7	0.50	21.5	0.46
Lymphomas	593	28.1	0.53	21.5	0.41	486	19.3	0.40	15.0	0.33
Hodgkin Lymphoma	58	3.1	0.19	2.9	0.18	45	2.3	0.16	2.3	0.16
Non-Hodgkin Lymphoma	535	25.0	0.50	18.6	0.37	440	16.9	0.37	12.6	0.29
Multiple Myeloma	191	8.9	0.30	6.2	0.20	131	4.9	0.20	3.5	0.14
Leukemias	428	20.4	0.46	15.6	0.36	315	12.7	0.33	9.9	0.28
Acute lymphocytic	33	1.8	0.14	2.0	0.16	25	1.3	0.12	1.4	0.14
Chronic lymphocytic	170	7.8	0.28	5.5	0.19	113	4.2	0.18	3.0	0.13
Acute myeloid	116	5.5	0.23	4.1	0.18	97	4.0	0.19	3.1	0.16
Chronic myeloid	65	3.1	0.18	2.4	0.14	46	1.9	0.13	1.5	0.11
Other leukemias	44	2.1	0.15	1.5	0.11	34	1.3	0.10	0.9	0.08
Mesothelioma	26	1.3	0.12	0.8	0.07	8	0.3	0.05	0.2	0.04
Kaposi Sarcoma	4	0.2	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	475	22.7	0.48	15.4	0.32	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	222	10.8	0.33	8.7	0.28	468	19.7	0.42	15.9	0.36
Breast (<i>in situ</i>)	3	0.1	0.04	0.1	0.03	647	26.1	0.48	21.2	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Kentucky, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	795	542.5	9.38	408.1	6.57	822	451.0	7.25	349.1	5.56
Oral Cavity & Pharynx	24	14.8	1.45	11.8	1.09	7	4.0	0.67	3.3	0.55
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	3.9	0.76	3.1	0.56	1	0.7	0.29	0.6	0.23
Major salivary gland	2	1.3	0.43	1.1	0.33	1	0.7	0.27	0.5	0.23
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.7	0.54	1.3	0.37	1	0.8	0.29	0.6	0.23
Nasopharynx	2	0.8	0.28	0.8	0.27	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	1.3	0.42	1.1	0.32	-	-	-	-	-
Digestive System	181	122.5	4.44	91.9	3.10	166	89.6	3.21	67.6	2.40
Esophagus	9	5.7	0.91	4.5	0.67	6	2.8	0.54	2.3	0.43
Stomach	15	11.1	1.41	7.8	0.92	14	7.4	0.92	5.6	0.69
Small intestine	7	5.1	0.93	3.7	0.63	10	5.0	0.74	4.0	0.59
Colon excl. rectum	60	44.0	2.78	31.4	1.83	65	35.5	2.03	26.4	1.50
Rectum & rectosigmoid	25	16.1	1.54	12.6	1.13	18	9.4	1.01	7.6	0.81
Anus, anal canal & anorectum	3	2.3	0.59	1.8	0.45	4	2.1	0.48	1.8	0.39
Liver	27	15.5	1.44	12.9	1.13	8	4.0	0.65	3.3	0.53
Gallbladder	1	1.0	0.41	0.7	0.27	4	2.0	0.48	1.5	0.35
Pancreas	25	16.7	1.61	12.8	1.15	29	16.0	1.38	11.4	0.98
Respiratory System	152	113.2	4.48	80.0	2.95	137	76.9	3.04	55.2	2.14
Larynx	13	9.1	1.22	6.7	0.83	6	3.4	0.62	2.5	0.44
Lung & bronchus	137	102.8	4.28	72.3	2.81	130	73.4	2.97	52.6	2.09
Bones & Joints	2	1.5	0.49	1.2	0.37	-	-	-	-	-
Soft Tissue (incl. heart)	5	3.5	0.72	2.8	0.55	4	2.4	0.51	2.0	0.44
Skin (excl. basal & sq.)	4	2.8	0.67	2.1	0.49	4	2.0	0.48	1.7	0.41
Melanomas of the skin	2	1.8	0.57	1.2	0.37	2	1.1	0.36	0.7	0.26
Breast (excl. <i>in situ</i>)	2	1.0	0.37	0.8	0.27	232	125.9	3.80	100.3	3.01
Female Genital System	-	-	-	-	-	89	48.3	2.36	39.2	1.89
Cervix uteri	-	-	-	-	-	15	8.7	1.02	7.5	0.87
Uterus Corpus	-	-	-	-	-	48	25.4	1.70	20.5	1.34
Uterus, NOS ¹	-	-	-	-	-	3	1.7	0.44	1.4	0.36
Ovary	-	-	-	-	-	14	8.1	0.98	6.1	0.74
Male Genital System	229	148.4	4.75	114.7	3.44	-	-	-	-	-
Prostate	225	146.3	4.73	112.8	3.41	-	-	-	-	-
Testis	3	1.4	0.40	1.4	0.39	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	76	52.6	2.93	39.6	2.05	48	26.3	1.76	19.7	1.30
Bladder (incl. <i>in situ</i>)	26	19.7	1.89	13.7	1.23	10	5.7	0.83	3.8	0.55
Kidney & renal pelvis	49	31.3	2.17	24.8	1.61	37	20.0	1.53	15.4	1.16
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	4.6	0.77	4.2	0.67	9	4.8	0.74	4.2	0.64
Brain	8	4.3	0.75	3.9	0.65	8	4.2	0.69	3.5	0.59
Endocrine System	8	4.6	0.78	4.0	0.64	37	20.2	1.52	17.7	1.32
Thyroid gland	6	3.4	0.67	2.9	0.55	37	19.9	1.51	17.4	1.31
Lymphomas	32	22.0	1.87	17.2	1.37	22	12.7	1.23	10.2	0.99
Hodgkin Lymphoma	7	3.6	0.65	3.5	0.61	4	2.0	0.49	2.0	0.47
Non-Hodgkin Lymphoma	26	18.3	1.75	13.7	1.22	19	10.7	1.13	8.2	0.87
Multiple Myeloma	24	17.4	1.73	12.7	1.18	20	11.1	1.16	8.1	0.84
Leukemias	21	14.6	1.53	11.4	1.12	19	10.8	1.14	8.3	0.87
Acute lymphocytic	2	1.1	0.40	0.9	0.32	-	-	-	-	-
Chronic lymphocytic	7	5.9	1.04	4.0	0.67	7	3.5	0.62	2.6	0.45
Acute myeloid	8	4.8	0.84	4.1	0.66	6	3.4	0.66	2.6	0.50
Chronic myeloid	3	2.0	0.50	1.7	0.42	4	2.4	0.53	2.0	0.44
Other leukemias	2	1.0	0.36	0.8	0.29	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	1	0.7	0.29	0.7	0.27	-	-	-	-	-
Ill-defined & Unknown	23	17.5	1.79	12.1	1.16	26	15.4	1.38	11.0	0.99
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	12	8.1	1.14	6.3	0.82	40	22.1	1.60	18.1	1.30
Breast (<i>in situ</i>)	-	-	-	-	-	57	30.6	1.87	24.9	1.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

KENTUCKY

168 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Louisiana, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,494	556.1	2.21	417.3	1.63	11,867	425.6	1.79	331.9	1.43
Oral Cavity & Pharynx	515	20.5	0.42	16.2	0.32	196	7.0	0.23	5.4	0.18
Lip	31	1.3	0.11	0.9	0.08	7	0.2	0.04	0.2	0.03
Tongue	155	6.1	0.23	4.9	0.18	59	2.1	0.13	1.7	0.10
Major salivary gland	35	1.6	0.12	1.1	0.09	27	1.0	0.09	0.8	0.07
Floor of mouth	26	1.0	0.09	0.8	0.07	11	0.4	0.05	0.3	0.04
Gum & other mouth	56	2.3	0.14	1.7	0.10	41	1.5	0.10	1.0	0.08
Nasopharynx	23	0.9	0.09	0.8	0.07	6	0.2	0.04	0.2	0.03
Oropharynx	25	0.9	0.09	0.8	0.07	11	0.4	0.05	0.3	0.04
Hypopharynx	32	1.2	0.10	1.0	0.08	9	0.3	0.05	0.2	0.04
Digestive System	2,751	112.8	0.99	84.8	0.73	2,038	71.5	0.72	53.6	0.56
Esophagus	190	7.7	0.26	5.8	0.19	52	1.7	0.11	1.3	0.08
Stomach	240	10.1	0.30	7.4	0.22	135	4.8	0.19	3.5	0.14
Small intestine	87	3.6	0.18	2.7	0.13	85	3.0	0.15	2.3	0.12
Colon excl. rectum	850	35.8	0.57	26.2	0.41	797	28.1	0.46	20.8	0.35
Rectum & rectosigmoid	427	17.3	0.39	13.6	0.30	293	10.6	0.28	8.5	0.23
Anus, anal canal & anorectum	43	1.7	0.12	1.4	0.10	59	2.1	0.12	1.6	0.10
Liver	411	15.1	0.34	12.4	0.28	109	3.7	0.16	2.9	0.13
Gallbladder	21	0.9	0.09	0.6	0.06	46	1.5	0.10	1.2	0.08
Pancreas	384	16.3	0.39	11.6	0.27	361	12.5	0.30	8.8	0.22
Respiratory System	2,219	92.2	0.91	66.5	0.64	1,645	56.3	0.63	41.3	0.47
Larynx	211	8.4	0.27	6.5	0.20	61	2.1	0.12	1.7	0.10
Lung & bronchus	1,981	82.6	0.86	59.1	0.60	1,565	53.6	0.62	39.1	0.45
Bones & Joints	19	0.8	0.09	0.8	0.09	18	0.7	0.08	0.7	0.08
Soft Tissue (incl. heart)	106	4.7	0.21	3.6	0.16	76	2.9	0.15	2.5	0.14
Skin (excl. basal & sq.)	618	27.2	0.50	19.6	0.36	383	14.5	0.34	12.0	0.29
Melanomas of the skin	553	24.2	0.47	17.6	0.34	339	12.9	0.32	10.7	0.28
Breast (excl. <i>in situ</i>)	32	1.3	0.11	1.0	0.08	3,484	125.9	0.98	99.7	0.79
Female Genital System	-	-	-	-	-	1,216	44.3	0.59	36.1	0.49
Cervix uteri	-	-	-	-	-	217	9.1	0.29	8.0	0.25
Uterus Corpus	-	-	-	-	-	572	19.8	0.38	16.2	0.31
Uterus, NOS ¹	-	-	-	-	-	20	0.7	0.07	0.6	0.06
Ovary	-	-	-	-	-	267	9.6	0.27	7.6	0.22
Male Genital System	3,544	137.5	1.07	106.9	0.81	-	-	-	-	-
Prostate	3,404	131.2	1.04	101.1	0.78	-	-	-	-	-
Testis	104	4.7	0.21	4.7	0.21	-	-	-	-	-
Penis	30	1.3	0.11	0.9	0.08	-	-	-	-	-
Urinary System	1,497	63.7	0.76	46.1	0.54	680	23.9	0.42	18.0	0.32
Bladder (incl. <i>in situ</i>)	741	32.5	0.55	22.0	0.36	216	7.5	0.23	5.2	0.16
Kidney & renal pelvis	720	29.6	0.51	23.1	0.39	442	15.7	0.34	12.3	0.27
Ureter	20	0.9	0.09	0.6	0.06	11	0.4	0.05	0.2	0.03
Eye & Orbit	19	0.8	0.08	0.7	0.07	15	0.6	0.07	0.5	0.07
Brain & Other CNS ¹	168	7.2	0.26	6.1	0.22	130	4.9	0.20	4.3	0.18
Brain	158	6.8	0.25	5.8	0.21	121	4.5	0.19	3.9	0.17
Endocrine System	194	8.1	0.27	6.9	0.23	537	21.5	0.43	19.1	0.38
Thyroid gland	176	7.3	0.26	6.2	0.21	521	20.9	0.42	18.6	0.38
Lymphomas	613	26.5	0.49	20.4	0.38	503	18.3	0.37	14.2	0.30
Hodgkin Lymphoma	71	3.1	0.17	3.0	0.16	60	2.5	0.15	2.4	0.14
Non-Hodgkin Lymphoma	542	23.3	0.46	17.4	0.34	443	15.9	0.35	11.8	0.27
Multiple Myeloma	234	10.1	0.30	7.1	0.21	191	6.6	0.22	4.8	0.16
Leukemias	409	18.0	0.41	13.6	0.31	307	11.1	0.29	8.7	0.24
Acute lymphocytic	32	1.4	0.11	1.5	0.12	29	1.2	0.10	1.3	0.11
Chronic lymphocytic	160	7.0	0.25	4.8	0.17	107	3.7	0.16	2.6	0.12
Acute myeloid	116	5.1	0.22	3.8	0.16	95	3.5	0.16	2.8	0.14
Chronic myeloid	60	2.6	0.16	2.0	0.12	48	1.8	0.12	1.4	0.10
Other leukemias	40	1.9	0.13	1.4	0.10	28	1.0	0.09	0.7	0.06
Mesothelioma	48	2.2	0.14	1.4	0.09	19	0.6	0.07	0.5	0.05
Kaposi Sarcoma	20	0.9	0.09	0.8	0.08	2	0.1	0.03	0.1	0.02
Ill-defined & Unknown	487	21.7	0.45	14.9	0.31	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	235	10.2	0.31	8.0	0.24	451	16.6	0.36	13.1	0.30
Breast (<i>in situ</i>)	3	0.1	0.03	0.1	0.03	704	25.3	0.44	20.3	0.36

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Louisiana, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9,560	547.2	2.57	408.2	1.92	8,321	432.1	2.19	337.9	1.78
Oral Cavity & Pharynx	395	21.9	0.51	17.3	0.40	151	7.7	0.29	5.9	0.23
Lip	30	1.7	0.15	1.3	0.10	7	0.3	0.06	0.2	0.04
Tongue	127	6.9	0.28	5.6	0.23	49	2.6	0.17	2.1	0.14
Major salivary gland	27	1.7	0.15	1.1	0.10	18	0.9	0.10	0.7	0.08
Floor of mouth	16	0.9	0.11	0.8	0.09	8	0.4	0.07	0.3	0.05
Gum & other mouth	39	2.2	0.17	1.6	0.12	32	1.6	0.13	1.1	0.10
Nasopharynx	14	0.8	0.10	0.7	0.08	4	0.2	0.04	0.1	0.03
Oropharynx	17	0.9	0.10	0.7	0.08	8	0.4	0.06	0.3	0.05
Hypopharynx	19	1.1	0.11	0.8	0.08	5	0.3	0.05	0.2	0.04
Digestive System	1,823	104.1	1.12	77.5	0.83	1,312	65.7	0.84	49.1	0.65
Esophagus	141	7.9	0.30	5.9	0.23	32	1.5	0.12	1.1	0.10
Stomach	141	8.3	0.32	6.0	0.23	71	3.5	0.19	2.6	0.15
Small intestine	56	3.2	0.20	2.5	0.15	48	2.5	0.16	1.9	0.13
Colon excl. rectum	574	33.6	0.64	24.4	0.47	519	26.2	0.53	19.3	0.41
Rectum & rectosigmoid	288	16.4	0.45	12.9	0.35	188	10.0	0.34	8.0	0.28
Anus, anal canal & anorectum	30	1.7	0.14	1.4	0.11	48	2.4	0.16	2.0	0.13
Liver	235	12.4	0.37	9.9	0.29	68	3.3	0.18	2.6	0.15
Gallbladder	13	0.7	0.09	0.5	0.07	27	1.3	0.11	0.9	0.08
Pancreas	273	15.8	0.44	11.1	0.31	241	11.7	0.34	8.2	0.25
Respiratory System	1,518	86.5	1.02	61.8	0.72	1,231	59.8	0.78	43.9	0.58
Larynx	133	7.4	0.29	5.7	0.23	43	2.1	0.15	1.7	0.12
Lung & bronchus	1,365	77.9	0.97	55.1	0.67	1,173	56.8	0.75	41.5	0.56
Bones & Joints	13	0.9	0.11	0.9	0.11	13	0.8	0.10	0.8	0.11
Soft Tissue (incl. heart)	82	5.1	0.26	3.9	0.21	51	2.8	0.18	2.4	0.17
Skin (excl. basal & sq.)	600	36.0	0.68	26.3	0.50	362	20.5	0.50	17.2	0.44
Melanomas of the skin	545	32.6	0.64	24.1	0.48	329	18.8	0.48	15.9	0.42
Breast (excl. <i>in situ</i>)	19	1.1	0.11	0.8	0.08	2,354	122.9	1.18	97.2	0.95
Female Genital System	-	-	-	-	-	810	43.5	0.71	35.6	0.60
Cervix uteri	-	-	-	-	-	128	8.3	0.34	7.4	0.31
Uterus Corpus	-	-	-	-	-	380	19.4	0.46	15.9	0.38
Uterus, NOS ¹	-	-	-	-	-	8	0.4	0.07	0.3	0.05
Ovary	-	-	-	-	-	191	10.0	0.33	7.8	0.27
Male Genital System	2,276	122.9	1.18	95.1	0.91	-	-	-	-	-
Prostate	2,162	115.2	1.14	87.8	0.85	-	-	-	-	-
Testis	90	6.3	0.30	6.3	0.30	-	-	-	-	-
Penis	19	1.1	0.12	0.7	0.08	-	-	-	-	-
Urinary System	1,197	69.7	0.93	50.3	0.67	498	25.0	0.52	18.8	0.40
Bladder (incl. <i>in situ</i>)	632	37.4	0.68	25.3	0.46	167	8.1	0.29	5.7	0.21
Kidney & renal pelvis	534	30.5	0.61	23.8	0.47	314	16.2	0.42	12.6	0.34
Ureter	19	1.1	0.12	0.7	0.08	9	0.4	0.06	0.3	0.04
Eye & Orbit	17	1.0	0.11	0.8	0.09	13	0.7	0.10	0.7	0.09
Brain & Other CNS ¹	136	8.4	0.33	7.2	0.29	104	5.9	0.27	5.2	0.25
Brain	129	7.9	0.32	6.7	0.28	98	5.5	0.26	4.8	0.24
Endocrine System	154	9.2	0.34	7.8	0.29	401	24.6	0.57	22.1	0.52
Thyroid gland	142	8.5	0.33	7.2	0.28	392	24.1	0.57	21.7	0.52
Lymphomas	470	28.3	0.60	21.6	0.47	378	19.8	0.47	15.2	0.38
Hodgkin Lymphoma	47	3.1	0.21	3.0	0.20	41	2.7	0.19	2.6	0.19
Non-Hodgkin Lymphoma	423	25.2	0.56	18.6	0.42	337	17.1	0.43	12.6	0.33
Multiple Myeloma	137	8.0	0.32	5.6	0.22	96	4.7	0.22	3.4	0.16
Leukemias	315	19.3	0.50	14.4	0.38	231	12.1	0.37	9.5	0.32
Acute lymphocytic	23	1.6	0.16	1.8	0.17	22	1.5	0.15	1.7	0.17
Chronic lymphocytic	129	7.6	0.31	5.2	0.21	88	4.2	0.20	2.9	0.15
Acute myeloid	87	5.3	0.26	3.9	0.20	65	3.4	0.20	2.7	0.17
Chronic myeloid	45	2.7	0.19	2.1	0.14	36	1.9	0.15	1.5	0.12
Other leukemias	30	1.9	0.16	1.4	0.12	20	1.0	0.11	0.7	0.08
Mesothelioma	39	2.3	0.17	1.5	0.11	15	0.7	0.09	0.5	0.07
Kaposi Sarcoma	9	0.6	0.09	0.5	0.08	1	0.1	0.03	0.0	0.02
Ill-defined & Unknown	361	21.9	0.53	14.9	0.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	175	10.7	0.37	8.4	0.30	314	16.8	0.44	13.5	0.37
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.02	460	24.3	0.53	19.5	0.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Louisiana, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,741	592.4	4.63	453.1	3.35	3,375	421.9	3.34	328.5	2.58
Oral Cavity & Pharynx	113	16.7	0.74	13.6	0.58	42	5.2	0.37	4.2	0.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	4.0	0.37	3.2	0.28	9	1.1	0.17	0.9	0.13
Major salivary gland	7	1.1	0.20	0.9	0.16	9	1.1	0.17	0.9	0.14
Floor of mouth	9	1.3	0.20	1.1	0.16	2	0.3	0.08	0.2	0.06
Gum & other mouth	15	2.3	0.27	1.8	0.21	8	1.1	0.17	0.8	0.13
Nasopharynx	7	0.9	0.16	0.8	0.14	2	0.2	0.08	0.2	0.07
Oropharynx	8	1.2	0.20	1.0	0.15	3	0.4	0.10	0.3	0.09
Hypopharynx	12	1.8	0.24	1.4	0.19	4	0.4	0.11	0.4	0.08
Digestive System	873	138.1	2.24	105.4	1.61	696	86.9	1.51	65.5	1.13
Esophagus	47	7.4	0.51	5.7	0.37	20	2.4	0.24	1.8	0.18
Stomach	92	15.5	0.78	11.3	0.53	61	7.9	0.46	5.7	0.33
Small intestine	29	4.7	0.42	3.6	0.30	36	4.5	0.34	3.5	0.26
Colon excl. rectum	263	43.2	1.28	32.2	0.90	269	33.7	0.94	25.4	0.70
Rectum & rectosigmoid	129	20.0	0.84	15.7	0.62	99	12.1	0.56	9.7	0.45
Anus, anal canal & anorectum	12	1.9	0.25	1.6	0.20	11	1.4	0.19	1.1	0.15
Liver	159	21.2	0.79	18.0	0.64	36	4.2	0.32	3.3	0.25
Gallbladder	8	1.3	0.23	1.0	0.16	18	2.2	0.24	1.7	0.18
Pancreas	108	18.2	0.84	13.2	0.58	116	14.9	0.64	10.5	0.44
Respiratory System	679	112.5	2.07	82.4	1.43	397	49.2	1.13	36.3	0.82
Larynx	77	12.2	0.66	9.3	0.48	17	2.0	0.22	1.6	0.17
Lung & bronchus	595	99.1	1.95	72.2	1.34	377	46.7	1.11	34.4	0.80
Bones & Joints	5	0.7	0.15	0.7	0.14	5	0.6	0.12	0.5	0.11
Soft Tissue (incl. heart)	22	3.4	0.34	2.9	0.28	23	2.9	0.27	2.5	0.24
Skin (excl. basal & sq.)	14	2.5	0.31	1.8	0.22	18	2.3	0.25	1.8	0.20
Melanomas of the skin	6	1.0	0.21	0.7	0.14	8	1.0	0.17	0.7	0.12
Breast (excl. <i>in situ</i>)	12	1.9	0.27	1.5	0.19	1,083	135.2	1.89	107.5	1.49
Female Genital System	-	-	-	-	-	384	47.4	1.11	38.3	0.89
Cervix uteri	-	-	-	-	-	84	11.2	0.56	9.4	0.47
Uterus Corpus	-	-	-	-	-	182	21.5	0.73	17.3	0.58
Uterus, NOS ¹	-	-	-	-	-	12	1.4	0.19	1.1	0.15
Ovary	-	-	-	-	-	72	8.9	0.48	7.2	0.39
Male Genital System	1,218	183.7	2.50	143.6	1.86	-	-	-	-	-
Prostate	1,194	180.0	2.48	140.5	1.83	-	-	-	-	-
Testis	11	1.7	0.23	1.6	0.21	-	-	-	-	-
Penis	11	1.8	0.26	1.4	0.19	-	-	-	-	-
Urinary System	283	46.5	1.32	35.0	0.94	176	22.1	0.77	16.6	0.57
Bladder (incl. <i>in situ</i>)	101	17.6	0.84	12.5	0.56	47	6.3	0.42	4.2	0.28
Kidney & renal pelvis	178	28.1	1.00	22.0	0.75	123	15.1	0.63	11.9	0.49
Ureter	-	-	-	-	-	1	0.1	0.06	0.1	0.05
Eye & Orbit	2	0.3	0.09	0.3	0.09	2	0.2	0.07	0.2	0.08
Brain & Other CNS ¹	29	4.3	0.38	3.8	0.32	23	2.9	0.28	2.5	0.24
Brain	27	4.1	0.37	3.6	0.31	20	2.6	0.26	2.2	0.23
Endocrine System	35	5.0	0.40	4.3	0.33	121	15.5	0.65	13.4	0.56
Thyroid gland	28	4.2	0.37	3.5	0.30	114	14.6	0.63	12.7	0.54
Lymphomas	133	20.9	0.86	17.1	0.67	115	14.5	0.62	11.8	0.50
Hodgkin Lymphoma	23	3.2	0.31	3.1	0.29	17	2.1	0.24	2.0	0.22
Non-Hodgkin Lymphoma	110	17.7	0.80	14.0	0.60	98	12.4	0.58	9.7	0.45
Multiple Myeloma	95	16.7	0.82	11.9	0.55	93	11.7	0.56	8.5	0.40
Leukemias	88	14.1	0.72	11.2	0.54	71	8.9	0.48	7.2	0.39
Acute lymphocytic	9	1.1	0.17	1.1	0.18	6	0.7	0.13	0.8	0.14
Chronic lymphocytic	29	5.0	0.44	3.6	0.30	18	2.3	0.24	1.7	0.18
Acute myeloid	26	4.4	0.41	3.4	0.30	28	3.6	0.31	2.9	0.25
Chronic myeloid	15	2.2	0.26	1.9	0.22	11	1.4	0.20	1.1	0.15
Other leukemias	9	1.5	0.24	1.2	0.18	7	0.9	0.16	0.7	0.11
Mesothelioma	9	1.9	0.29	1.2	0.17	4	0.5	0.11	0.4	0.09
Kaposi Sarcoma	11	1.7	0.24	1.5	0.21	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	122	15.8	0.66	11.1	0.46
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	56	9.3	0.59	7.2	0.43	129	16.6	0.67	12.9	0.52
Breast (<i>in situ</i>)	2	0.3	0.09	0.2	0.08	234	28.7	0.86	22.9	0.68

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Louisiana, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	107	298.0	13.95	227.7	9.94	115	278.8	12.16	218.9	9.20
Oral Cavity & Pharynx	3	7.6	1.97	6.4	1.60	3	7.8	2.04	5.8	1.45
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	1	3.2	1.23	2.8	1.06	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	41	106.6	8.01	84.4	5.98	21	55.2	5.72	38.7	3.83
Esophagus	2	3.5	1.24	3.1	1.10	-	-	-	-	-
Stomach	5	11.5	2.38	9.9	2.00	2	4.3	1.51	3.2	1.06
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	23.7	3.84	18.2	2.81	4	11.4	2.55	8.4	1.79
Rectum & rectosigmoid	6	17.5	3.32	13.5	2.41	4	10.4	2.48	7.4	1.66
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	13	32.6	4.31	26.5	3.33	4	9.9	2.40	7.1	1.65
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	7.6	2.09	6.1	1.60	4	10.2	2.53	6.8	1.61
Respiratory System	15	45.3	5.65	32.9	3.80	10	28.0	4.17	19.4	2.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	44.4	5.61	32.2	3.76	10	27.3	4.14	18.7	2.72
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	1	4.5	1.81	3.2	1.22	1	3.3	1.41	2.7	1.14
Skin (excl. basal & sq.)	2	4.5	1.75	3.3	1.17	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	33	76.3	6.09	62.5	4.86
Female Genital System	-	-	-	-	-	15	33.7	4.00	28.4	3.29
Cervix uteri	-	-	-	-	-	4	8.8	2.05	7.4	1.67
Uterus Corpus	-	-	-	-	-	7	14.2	2.48	12.3	2.12
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	6.2	1.73	5.5	1.50
Male Genital System	17	48.8	5.82	35.7	3.94	-	-	-	-	-
Prostate	16	45.8	5.66	33.2	3.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	20.4	3.97	13.9	2.53	3	8.8	2.26	6.4	1.56
Bladder (incl. <i>in situ</i>)	3	10.2	2.84	6.7	1.76	1	3.1	1.34	2.3	0.93
Kidney & renal pelvis	3	9.7	2.74	6.8	1.78	2	5.7	1.82	4.1	1.25
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	3.8	1.36	3.4	1.22	2	5.1	1.62	4.2	1.29
Brain	1	3.0	1.25	2.7	1.10	2	4.7	1.58	3.8	1.24
Endocrine System	4	8.3	2.08	7.4	1.76	11	23.9	3.26	21.4	2.88
Thyroid gland	3	7.8	2.02	6.8	1.67	11	23.9	3.26	21.4	2.88
Lymphomas	6	16.4	3.30	12.6	2.36	6	15.0	2.88	12.0	2.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	5	13.9	3.07	10.3	2.12	-	-	-	-	-
Multiple Myeloma	2	4.8	1.91	3.3	1.19	2	4.1	1.52	3.1	1.11
Leukemias	3	9.7	2.59	7.7	1.90	3	7.6	2.05	5.9	1.56
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	4.0	1.76	2.8	1.16	1	3.1	1.29	2.6	1.07
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	14.1	3.10	10.4	2.14	3	7.3	2.09	5.4	1.47
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	7.7	2.24	6.1	1.67	4	9.6	2.30	7.4	1.73
Breast (<i>in situ</i>)	-	-	-	-	-	7	16.3	2.85	13.1	2.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Louisiana, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4	242.9	53.75	183.0	39.40	5	209.2	44.27	173.2	35.56
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	1	72.5	28.33	57.6	21.94	1	52.4	22.17	42.7	17.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	1	62.9	27.05	46.7	19.21	-	-	-	-	-
Prostate	1	62.9	27.05	46.7	19.21	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Louisiana, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	250	333.9	10.14	249.0	7.16	247	306.0	8.86	237.3	6.84
Oral Cavity & Pharynx	9	10.2	1.67	8.1	1.25	5	5.8	1.22	4.4	0.93
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	4.4	1.17	3.1	0.80	1	1.6	0.65	1.2	0.48
Major salivary gland	-	-	-	-	-	2	2.1	0.70	1.7	0.57
Floor of mouth	1	1.3	0.50	1.2	0.45	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	55	69.9	4.51	53.6	3.29	42	51.6	3.63	39.5	2.78
Esophagus	2	3.3	1.06	2.2	0.67	-	-	-	-	-
Stomach	7	9.2	1.65	6.9	1.18	5	5.8	1.21	4.4	0.91
Small intestine	-	-	-	-	-	2	3.0	0.91	2.1	0.64
Colon excl. rectum	15	20.1	2.46	15.2	1.77	13	15.9	2.02	12.0	1.52
Rectum & rectosigmoid	9	10.7	1.64	8.9	1.32	6	6.5	1.25	5.4	1.04
Anus, anal canal & anorectum	-	-	-	-	-	1	1.9	0.74	1.2	0.45
Liver	11	13.8	1.94	11.2	1.50	4	4.6	1.07	3.8	0.85
Gallbladder	-	-	-	-	-	1	1.4	0.59	1.3	0.51
Pancreas	6	8.5	1.68	5.9	1.12	6	7.9	1.47	5.7	1.06
Respiratory System	26	36.1	3.39	26.6	2.38	24	32.3	2.97	23.1	2.13
Larynx	4	5.0	1.22	3.9	0.90	1	1.6	0.68	1.2	0.49
Lung & bronchus	21	30.6	3.15	22.3	2.19	23	30.5	2.89	21.7	2.06
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	2.0	0.70	1.7	0.55	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	4	5.5	1.28	4.2	0.92	5	5.7	1.14	4.7	0.96
Breast (excl. <i>in situ</i>)	-	-	-	-	-	74	92.9	4.90	72.7	3.81
Female Genital System	-	-	-	-	-	31	36.6	2.99	29.8	2.43
Cervix uteri	-	-	-	-	-	10	10.7	1.58	9.3	1.34
Uterus Corpus	-	-	-	-	-	14	16.5	2.02	13.4	1.65
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	6.1	1.24	4.9	1.00
Male Genital System	73	101.1	5.63	75.7	4.01	-	-	-	-	-
Prostate	66	96.0	5.55	70.6	3.91	-	-	-	-	-
Testis	6	3.9	0.75	4.1	0.79	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	40.9	3.73	27.9	2.43	12	16.3	2.14	11.5	1.50
Bladder (incl. <i>in situ</i>)	9	16.1	2.45	9.9	1.47	3	4.6	1.19	2.7	0.71
Kidney & renal pelvis	17	23.2	2.68	17.0	1.88	8	10.4	1.68	7.9	1.25
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	5	5.5	1.20	4.7	0.92	4	4.1	0.99	3.5	0.82
Brain	4	4.8	1.16	3.9	0.86	3	3.7	0.94	3.1	0.77
Endocrine System	6	7.0	1.39	5.4	1.01	15	16.4	1.95	14.4	1.68
Thyroid gland	6	6.6	1.36	5.1	0.99	15	16.2	1.93	14.2	1.67
Lymphomas	14	15.8	2.06	12.7	1.56	14	17.3	2.12	13.3	1.63
Hodgkin Lymphoma	2	1.9	0.66	1.6	0.52	-	-	-	-	-
Non-Hodgkin Lymphoma	12	13.9	1.95	11.1	1.47	-	-	-	-	-
Multiple Myeloma	5	7.3	1.50	5.4	1.07	3	4.5	1.10	3.2	0.79
Leukemias	9	11.3	1.85	8.5	1.29	7	7.4	1.33	6.4	1.10
Acute lymphocytic	2	1.9	0.72	1.7	0.55	2	1.9	0.58	2.2	0.63
Chronic lymphocytic	3	4.1	1.16	3.0	0.81	2	2.1	0.73	1.6	0.58
Acute myeloid	2	2.7	0.94	1.9	0.61	2	2.3	0.75	1.9	0.60
Chronic myeloid	1	1.2	0.57	1.0	0.43	-	-	-	-	-
Other leukemias	1	1.3	0.58	0.9	0.39	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	11	17.6	2.54	11.2	1.53	10	12.6	1.84	8.5	1.26
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	9.0	1.71	6.4	1.15	11	12.8	1.79	10.2	1.42
Breast (<i>in situ</i>)	-	-	-	-	-	16	19.8	2.26	16.0	1.81

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

LOUISIANA

174 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Louisiana, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,349	556.8	2.65	415.7	1.99	8,104	437.4	2.26	342.2	1.84
Oral Cavity & Pharynx	388	22.4	0.52	17.7	0.41	147	7.8	0.30	6.0	0.24
Lip	30	1.8	0.15	1.3	0.11	7	0.4	0.06	0.3	0.05
Tongue	124	7.1	0.29	5.7	0.23	49	2.7	0.18	2.1	0.14
Major salivary gland	27	1.7	0.15	1.2	0.10	16	0.9	0.10	0.7	0.08
Floor of mouth	15	0.9	0.11	0.7	0.09	8	0.4	0.07	0.3	0.05
Gum & other mouth	39	2.3	0.17	1.7	0.12	31	1.6	0.13	1.1	0.10
Nasopharynx	14	0.8	0.10	0.7	0.08	4	0.2	0.04	0.1	0.03
Oropharynx	16	0.9	0.10	0.7	0.08	7	0.4	0.07	0.3	0.05
Hypopharynx	19	1.1	0.11	0.8	0.08	5	0.3	0.05	0.2	0.04
Digestive System	1,777	105.6	1.15	78.6	0.86	1,275	66.2	0.86	49.3	0.67
Esophagus	139	8.1	0.31	6.0	0.23	31	1.6	0.13	1.2	0.10
Stomach	135	8.2	0.32	5.9	0.23	66	3.4	0.19	2.5	0.15
Small intestine	56	3.3	0.21	2.6	0.16	47	2.5	0.17	1.9	0.13
Colon excl. rectum	561	34.1	0.66	24.8	0.48	508	26.5	0.54	19.5	0.42
Rectum & rectosigmoid	280	16.7	0.46	13.1	0.36	184	10.1	0.35	8.1	0.29
Anus, anal canal & anorectum	29	1.7	0.15	1.4	0.12	46	2.5	0.17	2.0	0.14
Liver	226	12.3	0.38	9.9	0.30	65	3.2	0.18	2.5	0.15
Gallbladder	12	0.7	0.10	0.5	0.07	26	1.2	0.11	0.9	0.08
Pancreas	268	16.1	0.45	11.3	0.31	235	11.8	0.35	8.3	0.26
Respiratory System	1,496	88.4	1.05	63.1	0.74	1,210	60.8	0.80	44.6	0.60
Larynx	129	7.5	0.30	5.8	0.23	42	2.1	0.15	1.8	0.13
Lung & bronchus	1,347	79.7	1.00	56.4	0.70	1,153	57.8	0.77	42.2	0.58
Bones & Joints	12	0.9	0.12	0.9	0.12	13	0.8	0.11	0.8	0.11
Soft Tissue (incl. heart)	81	5.3	0.27	4.1	0.22	50	2.9	0.19	2.5	0.18
Skin (excl. basal & sq.)	595	37.3	0.71	27.4	0.52	357	21.1	0.52	17.8	0.46
Melanomas of the skin	541	33.8	0.67	25.0	0.50	325	19.4	0.51	16.5	0.45
Breast (excl. <i>in situ</i>)	19	1.1	0.12	0.8	0.08	2,289	124.2	1.21	98.2	0.98
Female Genital System	-	-	-	-	-	784	43.8	0.73	35.8	0.62
Cervix uteri	-	-	-	-	-	120	8.3	0.35	7.4	0.32
Uterus Corpus	-	-	-	-	-	368	19.5	0.47	16.0	0.39
Uterus, NOS ¹	-	-	-	-	-	8	0.4	0.07	0.3	0.06
Ovary	-	-	-	-	-	186	10.1	0.35	7.9	0.28
Male Genital System	2,217	124.3	1.21	96.4	0.94	-	-	-	-	-
Prostate	2,109	116.4	1.16	88.9	0.87	-	-	-	-	-
Testis	85	6.5	0.32	6.5	0.32	-	-	-	-	-
Penis	18	1.1	0.12	0.7	0.08	-	-	-	-	-
Urinary System	1,173	71.0	0.95	51.3	0.69	487	25.4	0.53	19.2	0.42
Bladder (incl. <i>in situ</i>)	624	38.2	0.70	25.9	0.47	164	8.2	0.29	5.8	0.22
Kidney & renal pelvis	520	31.0	0.63	24.2	0.49	307	16.4	0.44	12.9	0.35
Ureter	18	1.1	0.12	0.7	0.08	9	0.4	0.07	0.3	0.04
Eye & Orbit	16	1.0	0.12	0.8	0.10	13	0.8	0.10	0.7	0.10
Brain & Other CNS ¹	131	8.5	0.34	7.3	0.31	101	6.0	0.28	5.2	0.26
Brain	125	8.1	0.33	6.9	0.30	95	5.6	0.27	4.8	0.25
Endocrine System	148	9.4	0.36	8.0	0.31	387	25.1	0.60	22.6	0.55
Thyroid gland	137	8.6	0.34	7.3	0.29	379	24.6	0.59	22.1	0.54
Lymphomas	458	28.8	0.62	22.0	0.49	366	19.9	0.48	15.3	0.40
Hodgkin Lymphoma	45	3.2	0.22	3.1	0.22	41	2.8	0.20	2.8	0.21
Non-Hodgkin Lymphoma	413	25.6	0.58	18.9	0.43	325	17.0	0.44	12.5	0.34
Multiple Myeloma	133	8.1	0.32	5.6	0.22	93	4.7	0.22	3.4	0.16
Leukemias	308	19.7	0.52	14.7	0.40	226	12.3	0.38	9.6	0.33
Acute lymphocytic	21	1.7	0.16	1.8	0.18	20	1.5	0.15	1.6	0.17
Chronic lymphocytic	128	7.8	0.32	5.3	0.21	87	4.3	0.21	3.0	0.15
Acute myeloid	85	5.4	0.27	4.0	0.20	64	3.5	0.20	2.7	0.17
Chronic myeloid	44	2.8	0.20	2.1	0.15	36	2.0	0.16	1.6	0.13
Other leukemias	30	2.0	0.17	1.5	0.13	20	1.0	0.11	0.7	0.08
Mesothelioma	38	2.3	0.17	1.5	0.11	15	0.7	0.09	0.6	0.07
Kaposi Sarcoma	8	0.6	0.09	0.5	0.08	1	0.1	0.03	0.1	0.02
Ill-defined & Unknown	351	22.1	0.54	15.1	0.37	292	14.8	0.40	10.5	0.30
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	169	10.8	0.38	8.6	0.31	305	17.1	0.46	13.7	0.39
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.03	445	24.5	0.54	19.7	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Louisiana, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,724	595.8	4.67	455.9	3.38	3,361	424.1	3.36	330.2	2.60
Oral Cavity & Pharynx	113	16.9	0.75	13.7	0.58	42	5.3	0.37	4.2	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	27	4.0	0.37	3.2	0.28	9	1.1	0.17	0.9	0.13
Major salivary gland	7	1.2	0.20	1.0	0.16	9	1.1	0.17	0.9	0.15
Floor of mouth	9	1.3	0.20	1.1	0.16	2	0.3	0.09	0.2	0.06
Gum & other mouth	15	2.3	0.28	1.8	0.21	8	1.1	0.17	0.8	0.13
Nasopharynx	7	0.9	0.16	0.8	0.14	2	0.2	0.08	0.2	0.07
Oropharynx	8	1.2	0.20	1.0	0.15	3	0.4	0.10	0.3	0.09
Hypopharynx	12	1.8	0.24	1.5	0.19	4	0.5	0.11	0.4	0.08
Digestive System	870	139.0	2.26	106.1	1.63	693	87.3	1.52	65.8	1.14
Esophagus	47	7.5	0.52	5.7	0.38	19	2.4	0.25	1.8	0.18
Stomach	91	15.7	0.79	11.4	0.54	61	7.9	0.47	5.7	0.33
Small intestine	29	4.8	0.42	3.6	0.30	35	4.4	0.34	3.5	0.27
Colon excl. rectum	262	43.4	1.29	32.3	0.90	268	33.9	0.95	25.5	0.71
Rectum & rectosigmoid	129	20.1	0.84	15.8	0.63	98	12.1	0.56	9.8	0.45
Anus, anal canal & anorectum	12	1.9	0.25	1.6	0.21	11	1.4	0.19	1.1	0.15
Liver	158	21.4	0.80	18.1	0.65	36	4.2	0.32	3.3	0.25
Gallbladder	8	1.4	0.23	1.0	0.16	18	2.2	0.24	1.7	0.18
Pancreas	107	18.3	0.85	13.3	0.58	116	15.0	0.64	10.6	0.45
Respiratory System	677	113.1	2.09	82.9	1.44	395	49.3	1.14	36.4	0.83
Larynx	77	12.2	0.66	9.4	0.48	17	2.0	0.22	1.6	0.18
Lung & bronchus	593	99.7	1.97	72.7	1.35	374	46.8	1.11	34.5	0.80
Bones & Joints	5	0.7	0.15	0.7	0.14	5	0.6	0.12	0.5	0.11
Soft Tissue (incl. heart)	21	3.4	0.35	2.8	0.28	23	2.9	0.28	2.6	0.24
Skin (excl. basal & sq.)	14	2.5	0.32	1.9	0.22	18	2.4	0.26	1.8	0.20
Melanomas of the skin	6	1.0	0.21	0.7	0.14	8	1.0	0.17	0.7	0.12
Breast (excl. <i>in situ</i>)	12	1.9	0.27	1.5	0.20	1,079	135.9	1.90	108.1	1.50
Female Genital System	-	-	-	-	-	383	47.6	1.12	38.6	0.90
Cervix uteri	-	-	-	-	-	83	11.3	0.57	9.4	0.47
Uterus Corpus	-	-	-	-	-	182	21.6	0.74	17.4	0.59
Uterus, NOS ¹	-	-	-	-	-	12	1.4	0.19	1.1	0.15
Ovary	-	-	-	-	-	72	9.0	0.49	7.2	0.39
Male Genital System	1,212	184.6	2.52	144.3	1.87	-	-	-	-	-
Prostate	1,188	180.8	2.50	141.1	1.85	-	-	-	-	-
Testis	11	1.7	0.23	1.6	0.22	-	-	-	-	-
Penis	11	1.8	0.26	1.4	0.19	-	-	-	-	-
Urinary System	282	46.7	1.33	35.2	0.95	175	22.2	0.77	16.6	0.58
Bladder (incl. <i>in situ</i>)	101	17.7	0.85	12.6	0.57	47	6.3	0.42	4.2	0.28
Kidney & renal pelvis	177	28.3	1.01	22.1	0.75	122	15.2	0.63	12.0	0.50
Ureter	-	-	-	-	-	1	0.1	0.06	0.1	0.05
Eye & Orbit	2	0.3	0.09	0.3	0.09	2	0.2	0.07	0.2	0.08
Brain & Other CNS ¹	29	4.4	0.39	3.8	0.32	23	2.9	0.28	2.6	0.25
Brain	27	4.2	0.38	3.6	0.31	20	2.6	0.26	2.2	0.23
Endocrine System	34	5.1	0.41	4.4	0.34	121	15.6	0.65	13.5	0.56
Thyroid gland	28	4.2	0.37	3.6	0.30	114	14.7	0.63	12.7	0.55
Lymphomas	132	21.1	0.87	17.2	0.68	115	14.6	0.63	11.9	0.51
Hodgkin Lymphoma	23	3.2	0.31	3.1	0.29	17	2.2	0.24	2.1	0.23
Non-Hodgkin Lymphoma	110	17.9	0.81	14.1	0.61	97	12.5	0.58	9.8	0.45
Multiple Myeloma	94	16.7	0.82	11.9	0.56	93	11.8	0.56	8.6	0.40
Leukemias	87	14.1	0.73	11.2	0.55	70	8.9	0.49	7.2	0.39
Acute lymphocytic	8	1.1	0.17	1.1	0.18	6	0.7	0.13	0.7	0.14
Chronic lymphocytic	29	5.0	0.45	3.6	0.30	18	2.3	0.25	1.7	0.18
Acute myeloid	26	4.4	0.41	3.5	0.31	28	3.6	0.31	3.0	0.26
Chronic myeloid	14	2.1	0.26	1.8	0.22	11	1.4	0.20	1.1	0.15
Other leukemias	9	1.5	0.24	1.2	0.18	7	0.9	0.16	0.7	0.12
Mesothelioma	9	1.9	0.30	1.2	0.18	4	0.5	0.11	0.4	0.09
Kaposi Sarcoma	11	1.7	0.25	1.6	0.21	-	-	-	-	-
Ill-defined & Unknown	120	21.7	0.95	15.1	0.63	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	56	9.4	0.60	7.3	0.44	129	16.7	0.67	13.1	0.53
Breast (<i>in situ</i>)	2	0.3	0.09	0.2	0.08	233	28.8	0.87	23.1	0.69

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

LOUISIANA

176 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maine, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,398	500.5	3.50	369.2	2.63	4,419	458.9	3.26	355.4	2.65
Oral Cavity & Pharynx	181	20.1	0.70	15.8	0.55	71	7.3	0.41	5.6	0.33
Lip	15	1.9	0.22	1.2	0.15	6	0.5	0.10	0.4	0.07
Tongue	55	5.9	0.37	4.8	0.31	17	1.8	0.21	1.5	0.17
Major salivary gland	10	1.2	0.18	0.9	0.13	9	1.0	0.16	0.8	0.13
Floor of mouth	12	1.3	0.17	1.0	0.14	3	0.3	0.08	0.3	0.06
Gum & other mouth	17	2.0	0.22	1.4	0.16	16	1.6	0.18	1.1	0.13
Nasopharynx	7	0.8	0.15	0.7	0.13	2	0.2	0.08	0.2	0.07
Oropharynx	9	1.0	0.16	0.7	0.12	3	0.4	0.10	0.3	0.08
Hypopharynx	10	1.2	0.17	0.9	0.13	3	0.3	0.09	0.3	0.07
Digestive System	800	91.4	1.50	66.6	1.10	649	63.7	1.17	46.4	0.89
Esophagus	105	11.7	0.53	8.5	0.38	26	2.5	0.22	1.8	0.17
Stomach	63	7.2	0.42	5.2	0.30	40	3.9	0.28	2.8	0.21
Small intestine	28	3.3	0.29	2.5	0.22	27	2.7	0.25	2.2	0.21
Colon excl. rectum	229	27.0	0.83	19.3	0.60	253	25.4	0.75	18.1	0.57
Rectum & rectosigmoid	119	13.7	0.58	10.5	0.45	80	8.1	0.42	6.2	0.34
Anus, anal canal & anorectum	13	1.6	0.20	1.2	0.15	27	2.6	0.24	2.2	0.20
Liver	77	8.1	0.43	6.1	0.32	17	1.6	0.18	1.1	0.13
Gallbladder	4	0.5	0.11	0.3	0.08	11	1.1	0.15	0.7	0.11
Pancreas	127	14.3	0.59	10.2	0.42	122	11.5	0.48	8.1	0.35
Respiratory System	782	87.4	1.44	62.1	1.02	704	68.3	1.18	49.3	0.87
Larynx	54	5.9	0.37	4.4	0.27	19	1.8	0.20	1.5	0.17
Lung & bronchus	717	80.3	1.38	56.7	0.97	679	65.8	1.16	47.2	0.85
Bones & Joints	5	0.8	0.17	0.8	0.17	5	0.7	0.15	0.7	0.15
Soft Tissue (incl. heart)	29	3.7	0.32	3.0	0.28	24	3.0	0.29	2.6	0.27
Skin (excl. basal & sq.)	271	32.0	0.90	23.3	0.67	229	26.2	0.83	21.3	0.71
Melanomas of the skin	248	29.1	0.86	21.4	0.65	212	24.5	0.80	20.0	0.69
Breast (excl. <i>in situ</i>)	13	1.4	0.18	1.0	0.13	1,203	127.4	1.74	100.7	1.41
Female Genital System	-	-	-	-	-	537	54.6	1.11	44.0	0.92
Cervix uteri	-	-	-	-	-	44	5.9	0.43	5.3	0.39
Uterus Corpus	-	-	-	-	-	317	30.6	0.80	24.9	0.66
Uterus, NOS ¹	-	-	-	-	-	8	0.8	0.13	0.6	0.11
Ovary	-	-	-	-	-	89	9.4	0.47	7.4	0.39
Male Genital System	911	96.8	1.49	74.8	1.16	-	-	-	-	-
Prostate	856	88.1	1.38	66.6	1.03	-	-	-	-	-
Testis	41	7.1	0.51	7.2	0.51	-	-	-	-	-
Penis	12	1.4	0.19	0.9	0.13	-	-	-	-	-
Urinary System	598	68.5	1.29	47.9	0.91	248	24.6	0.73	18.0	0.56
Bladder (incl. <i>in situ</i>)	397	45.9	1.06	30.7	0.70	122	11.6	0.48	8.0	0.34
Kidney & renal pelvis	188	21.2	0.72	16.2	0.56	121	12.5	0.54	9.7	0.44
Ureter	7	0.8	0.14	0.5	0.09	4	0.3	0.08	0.2	0.05
Eye & Orbit	12	1.5	0.20	1.1	0.16	8	1.0	0.16	0.8	0.15
Brain & Other CNS ¹	70	9.0	0.50	7.8	0.47	55	6.6	0.43	5.8	0.42
Brain	68	8.6	0.49	7.4	0.45	51	6.2	0.42	5.4	0.40
Endocrine System	76	9.9	0.54	8.7	0.49	175	23.3	0.84	21.1	0.79
Thyroid gland	70	8.9	0.51	7.8	0.45	169	22.4	0.82	20.3	0.77
Lymphomas	236	28.7	0.87	21.9	0.69	185	19.5	0.68	15.2	0.57
Hodgkin Lymphoma	23	3.3	0.33	3.3	0.33	20	2.8	0.30	2.8	0.32
Non-Hodgkin Lymphoma	213	25.4	0.81	18.6	0.61	165	16.7	0.61	12.4	0.48
Multiple Myeloma	63	7.1	0.41	5.1	0.29	55	5.2	0.33	3.7	0.24
Leukemias	154	18.5	0.70	14.0	0.56	109	11.5	0.53	9.2	0.47
Acute lymphocytic	10	1.8	0.25	1.9	0.29	10	1.6	0.25	1.9	0.30
Chronic lymphocytic	69	7.7	0.43	5.5	0.31	47	4.4	0.29	3.2	0.22
Acute myeloid	42	5.0	0.36	3.5	0.26	30	3.2	0.27	2.4	0.23
Chronic myeloid	18	2.2	0.24	1.6	0.18	12	1.4	0.19	1.1	0.15
Other leukemias	15	1.9	0.23	1.4	0.18	10	0.9	0.14	0.7	0.11
Mesothelioma	20	2.5	0.26	1.5	0.15	5	0.5	0.10	0.3	0.07
Kaposi Sarcoma	2	0.2	0.09	0.2	0.08	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	54	6.9	0.44	5.7	0.38	89	9.9	0.50	8.0	0.43
Breast (<i>in situ</i>)	-	-	-	-	-	271	29.4	0.84	24.0	0.69

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maine, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,304	499.5	3.53	368.5	2.66	4,331	458.7	3.30	355.0	2.69
Oral Cavity & Pharynx	178	20.1	0.70	15.8	0.56	69	7.3	0.42	5.6	0.33
Lip	15	1.8	0.22	1.2	0.15	6	0.5	0.10	0.4	0.08
Tongue	54	6.0	0.38	4.9	0.32	17	1.8	0.22	1.5	0.18
Major salivary gland	10	1.2	0.18	0.9	0.13	9	1.0	0.17	0.8	0.14
Floor of mouth	12	1.3	0.18	1.1	0.14	3	0.3	0.08	0.3	0.06
Gum & other mouth	17	1.9	0.22	1.4	0.16	16	1.6	0.18	1.1	0.13
Nasopharynx	6	0.7	0.14	0.6	0.12	2	0.2	0.08	0.2	0.07
Oropharynx	9	1.0	0.16	0.7	0.12	3	0.4	0.10	0.3	0.08
Hypopharynx	10	1.2	0.17	0.9	0.13	3	0.3	0.08	0.3	0.07
Digestive System	783	91.2	1.51	66.5	1.11	634	63.5	1.18	46.3	0.91
Esophagus	104	11.8	0.53	8.6	0.39	25	2.4	0.23	1.8	0.17
Stomach	61	7.1	0.42	5.1	0.31	38	3.7	0.28	2.7	0.21
Small intestine	28	3.4	0.30	2.5	0.23	27	2.8	0.25	2.2	0.21
Colon excl. rectum	224	26.9	0.83	19.2	0.61	249	25.5	0.76	18.2	0.58
Rectum & rectosigmoid	116	13.6	0.59	10.5	0.46	76	7.9	0.42	6.1	0.34
Anus, anal canal & anorectum	13	1.6	0.20	1.2	0.15	27	2.7	0.24	2.2	0.20
Liver	72	7.8	0.42	5.9	0.31	16	1.6	0.18	1.1	0.14
Gallbladder	4	0.5	0.11	0.3	0.08	11	1.1	0.15	0.8	0.11
Pancreas	125	14.4	0.60	10.3	0.43	120	11.5	0.48	8.1	0.36
Respiratory System	770	87.6	1.45	62.2	1.03	694	68.5	1.20	49.4	0.88
Larynx	53	5.9	0.37	4.4	0.27	19	1.9	0.20	1.6	0.17
Lung & bronchus	707	80.6	1.40	57.0	0.98	669	66.0	1.17	47.3	0.86
Bones & Joints	5	0.8	0.17	0.8	0.18	5	0.7	0.16	0.7	0.16
Soft Tissue (incl. heart)	28	3.7	0.33	2.9	0.28	23	2.9	0.29	2.5	0.27
Skin (excl. basal & sq.)	260	31.3	0.90	22.8	0.68	213	24.8	0.81	20.0	0.69
Melanomas of the skin	238	28.5	0.86	21.0	0.65	197	23.1	0.79	18.8	0.68
Breast (excl. <i>in situ</i>)	13	1.4	0.18	1.0	0.13	1,182	127.9	1.77	101.0	1.43
Female Genital System	-	-	-	-	-	529	54.9	1.13	44.3	0.94
Cervix uteri	-	-	-	-	-	43	5.9	0.43	5.2	0.39
Uterus Corpus	-	-	-	-	-	313	30.9	0.81	25.1	0.67
Uterus, NOS ¹	-	-	-	-	-	8	0.8	0.13	0.6	0.10
Ovary	-	-	-	-	-	88	9.5	0.48	7.5	0.40
Male Genital System	884	95.8	1.50	74.1	1.17	-	-	-	-	-
Prostate	830	86.9	1.39	65.6	1.03	-	-	-	-	-
Testis	40	7.3	0.53	7.4	0.53	-	-	-	-	-
Penis	11	1.4	0.19	1.0	0.13	-	-	-	-	-
Urinary System	590	68.8	1.31	48.1	0.92	246	24.8	0.74	18.2	0.57
Bladder (incl. <i>in situ</i>)	392	46.1	1.07	30.8	0.71	121	11.7	0.49	8.0	0.35
Kidney & renal pelvis	186	21.3	0.73	16.3	0.56	119	12.6	0.55	9.8	0.45
Ureter	7	0.8	0.14	0.5	0.09	4	0.3	0.08	0.2	0.05
Eye & Orbit	12	1.4	0.19	1.0	0.15	8	1.0	0.16	0.8	0.15
Brain & Other CNS ¹	70	9.1	0.52	8.0	0.49	54	6.7	0.44	5.8	0.42
Brain	67	8.7	0.51	7.6	0.47	50	6.2	0.42	5.4	0.41
Endocrine System	75	10.1	0.55	8.9	0.50	170	23.4	0.86	21.2	0.81
Thyroid gland	69	9.1	0.52	8.0	0.47	164	22.5	0.84	20.4	0.79
Lymphomas	231	28.7	0.88	21.9	0.71	181	19.5	0.69	15.2	0.58
Hodgkin Lymphoma	22	3.4	0.34	3.4	0.35	19	2.9	0.31	2.9	0.33
Non-Hodgkin Lymphoma	209	25.3	0.81	18.6	0.62	162	16.6	0.61	12.3	0.48
Multiple Myeloma	62	7.1	0.42	5.0	0.29	54	5.2	0.33	3.7	0.24
Leukemias	151	18.6	0.71	14.0	0.57	108	11.7	0.54	9.4	0.49
Acute lymphocytic	10	1.8	0.26	1.9	0.30	10	1.7	0.26	2.0	0.31
Chronic lymphocytic	68	7.7	0.43	5.5	0.31	47	4.4	0.30	3.2	0.22
Acute myeloid	42	5.0	0.36	3.6	0.27	30	3.2	0.28	2.4	0.24
Chronic myeloid	17	2.2	0.25	1.6	0.19	12	1.4	0.20	1.1	0.16
Other leukemias	14	1.9	0.23	1.4	0.18	10	0.9	0.14	0.7	0.12
Mesothelioma	20	2.5	0.26	1.5	0.15	5	0.5	0.11	0.3	0.08
Kaposi Sarcoma	2	0.3	0.09	0.2	0.08	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	51	6.7	0.44	5.5	0.38	87	9.8	0.51	7.9	0.43
Breast (<i>in situ</i>)	-	-	-	-	-	266	29.4	0.86	24.0	0.70

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maine, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	25	361.8	37.05	290.6	27.39	18	300.2	33.45	253.1	27.54
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	82.3	15.77	70.3	12.99	4	71.3	16.95	58.3	13.59
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	13.3	5.55	11.4	4.74	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	25.6	8.21	22.9	7.34	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	71.4	17.68	54.5	12.09	2	26.5	9.80	21.3	7.63
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	59.8	15.66	47.9	11.40	2	26.5	9.80	21.3	7.63
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	5	80.0	16.37	69.6	14.18
Female Genital System	-	-	-	-	-	3	51.4	14.27	43.0	11.72
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	1	27.6	10.73	22.7	8.62
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	112.4	20.78	89.6	15.69	-	-	-	-	-
Prostate	7	110.9	20.73	88.0	15.60	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	31.9	12.36	23.7	8.36	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	1	17.8	8.11	14.2	5.78	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	1	16.8	8.05	13.0	5.65	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	1	21.0	10.26	14.2	6.13	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maine, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	13	240.7	33.45	173.0	22.23	22	249.5	25.13	194.6	18.80
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	70.4	16.83	52.2	11.76	5	54.8	11.76	41.3	8.46
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	2	20.0	7.66	14.4	5.09
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	1	23.2	9.23	17.6	6.68	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	3	41.3	11.48	26.6	6.90
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	3	41.3	11.48	26.6	6.90
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	5	52.4	10.37	45.5	8.95
Female Genital System	-	-	-	-	-	2	23.0	7.01	19.0	5.74
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	1	14.5	5.57	11.8	4.46
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	22.8	8.17	19.9	7.06	-	-	-	-	-
Prostate	1	20.7	7.90	17.7	6.70	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	39.9	14.30	23.9	8.08	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	3	25.4	7.06	23.6	6.57
Thyroid gland	-	-	-	-	-	3	25.4	7.06	23.6	6.57
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	2	19.5	6.18	17.2	5.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maine, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14	570.1	80.23	426.9	52.33	16	562.5	67.40	451.1	51.93
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	166.2	54.54	106.4	29.06	2	97.2	32.48	66.5	20.43
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	123.9	32.53	98.7	23.68	3	119.7	30.90	93.9	23.05
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	117.3	31.86	93.0	23.00	3	112.8	30.12	88.0	22.27
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	6	192.2	37.40	158.5	30.43
Female Genital System	-	-	-	-	-	1	38.9	16.41	34.1	14.01
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	134.5	33.92	106.0	25.37	-	-	-	-	-
Prostate	3	126.0	32.83	98.8	24.33	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maine, 2013-2017, Hispanic/Latino, All Races

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17	280.4	32.98	218.8	24.48	19	276.5	29.20	210.7	21.64
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	75.2	17.06	57.4	12.47	3	51.4	13.69	32.9	8.68
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	1	18.5	7.78	11.4	4.81
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	28.9	10.68	21.7	7.82	2	23.5	8.51	14.6	5.34
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	28.9	10.68	21.7	7.82	2	23.5	8.51	14.6	5.34
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	7	98.0	17.15	78.0	13.29
Female Genital System	-	-	-	-	-	2	29.9	8.86	26.0	7.55
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	21.8	7.30	20.0	6.68
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	59.4	14.63	48.6	11.40	-	-	-	-	-
Prostate	3	56.6	14.49	45.2	11.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	50.7	14.47	39.1	10.73	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	2	41.5	13.68	30.7	9.84	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	21.1	7.14	19.3	6.47
Thyroid gland	-	-	-	-	-	2	21.1	7.14	19.3	6.47
Lymphomas	1	21.2	9.19	16.8	6.65	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MAINE

182 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maine, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,291	501.0	3.55	369.6	2.68	4,314	460.3	3.32	356.4	2.71
Oral Cavity & Pharynx	177	20.2	0.71	15.9	0.56	69	7.3	0.42	5.6	0.33
Lip	14	1.8	0.22	1.2	0.15	6	0.6	0.11	0.4	0.08
Tongue	54	6.0	0.38	4.9	0.32	17	1.8	0.22	1.5	0.18
Major salivary gland	10	1.2	0.18	0.9	0.13	9	1.0	0.17	0.8	0.14
Floor of mouth	12	1.3	0.18	1.1	0.14	3	0.3	0.08	0.3	0.07
Gum & other mouth	17	1.9	0.22	1.4	0.16	16	1.5	0.18	1.1	0.13
Nasopharynx	6	0.7	0.14	0.6	0.12	2	0.2	0.08	0.2	0.07
Oropharynx	9	1.0	0.16	0.7	0.12	3	0.4	0.10	0.3	0.08
Hypopharynx	10	1.2	0.17	0.9	0.13	3	0.3	0.08	0.3	0.07
Digestive System	780	91.3	1.52	66.6	1.12	632	63.6	1.18	46.4	0.91
Esophagus	103	11.7	0.53	8.5	0.39	25	2.4	0.23	1.8	0.17
Stomach	61	7.1	0.42	5.1	0.31	38	3.8	0.28	2.7	0.21
Small intestine	28	3.4	0.30	2.5	0.23	27	2.8	0.26	2.2	0.21
Colon excl. rectum	224	27.0	0.84	19.3	0.61	248	25.6	0.76	18.2	0.59
Rectum & rectosigmoid	116	13.7	0.59	10.5	0.46	76	7.9	0.43	6.1	0.34
Anus, anal canal & anorectum	13	1.6	0.21	1.2	0.16	27	2.7	0.24	2.2	0.20
Liver	72	7.8	0.42	5.9	0.32	16	1.6	0.18	1.1	0.14
Gallbladder	4	0.5	0.11	0.3	0.08	10	1.0	0.15	0.7	0.11
Pancreas	124	14.4	0.60	10.3	0.43	119	11.5	0.49	8.1	0.36
Respiratory System	769	88.0	1.46	62.5	1.03	692	68.7	1.20	49.6	0.89
Larynx	53	5.9	0.37	4.4	0.27	19	1.9	0.20	1.6	0.17
Lung & bronchus	706	80.9	1.40	57.2	0.99	668	66.2	1.18	47.5	0.86
Bones & Joints	5	0.8	0.18	0.8	0.18	5	0.7	0.16	0.7	0.16
Soft Tissue (incl. heart)	28	3.8	0.33	3.0	0.29	23	2.9	0.29	2.5	0.28
Skin (excl. basal & sq.)	260	31.5	0.91	23.0	0.68	213	25.0	0.82	20.2	0.70
Melanomas of the skin	238	28.7	0.87	21.2	0.66	197	23.3	0.80	19.0	0.69
Breast (excl. <i>in situ</i>)	13	1.4	0.18	1.0	0.13	1,176	128.2	1.78	101.3	1.44
Female Genital System	-	-	-	-	-	527	55.1	1.14	44.5	0.95
Cervix uteri	-	-	-	-	-	42	5.9	0.44	5.2	0.40
Uterus Corpus	-	-	-	-	-	312	31.0	0.82	25.2	0.67
Uterus, NOS ¹	-	-	-	-	-	8	0.8	0.13	0.6	0.10
Ovary	-	-	-	-	-	87	9.5	0.48	7.5	0.40
Male Genital System	880	96.0	1.50	74.3	1.18	-	-	-	-	-
Prostate	827	87.1	1.39	65.7	1.03	-	-	-	-	-
Testis	40	7.4	0.54	7.4	0.54	-	-	-	-	-
Penis	11	1.4	0.19	1.0	0.13	-	-	-	-	-
Urinary System	588	68.9	1.31	48.1	0.92	245	24.9	0.75	18.3	0.58
Bladder (incl. <i>in situ</i>)	390	46.1	1.07	30.8	0.72	121	11.7	0.49	8.1	0.35
Kidney & renal pelvis	185	21.4	0.73	16.4	0.57	119	12.7	0.56	9.9	0.46
Ureter	7	0.8	0.14	0.5	0.09	4	0.3	0.08	0.2	0.05
Eye & Orbit	12	1.4	0.19	1.0	0.15	8	1.0	0.17	0.8	0.15
Brain & Other CNS ¹	69	9.2	0.52	8.0	0.49	53	6.7	0.45	5.9	0.43
Brain	67	8.8	0.51	7.6	0.48	50	6.2	0.43	5.4	0.41
Endocrine System	75	10.1	0.56	8.9	0.51	169	23.5	0.87	21.3	0.82
Thyroid gland	69	9.2	0.53	8.0	0.47	162	22.6	0.85	20.5	0.80
Lymphomas	230	28.8	0.89	22.0	0.71	181	19.6	0.70	15.3	0.59
Hodgkin Lymphoma	22	3.5	0.34	3.4	0.35	19	2.9	0.32	2.9	0.33
Non-Hodgkin Lymphoma	208	25.3	0.82	18.6	0.62	162	16.7	0.62	12.4	0.49
Multiple Myeloma	61	7.1	0.42	5.0	0.30	54	5.2	0.33	3.7	0.24
Leukemias	151	18.7	0.71	14.1	0.57	108	11.7	0.55	9.4	0.50
Acute lymphocytic	10	1.8	0.27	2.0	0.30	10	1.7	0.26	2.0	0.32
Chronic lymphocytic	68	7.7	0.43	5.5	0.31	47	4.4	0.30	3.2	0.22
Acute myeloid	42	5.1	0.36	3.6	0.27	29	3.2	0.28	2.5	0.24
Chronic myeloid	17	2.2	0.25	1.6	0.19	12	1.5	0.20	1.1	0.16
Other leukemias	14	1.9	0.24	1.4	0.18	10	1.0	0.14	0.7	0.12
Mesothelioma	20	2.5	0.26	1.5	0.15	5	0.5	0.11	0.3	0.08
Kaposi Sarcoma	2	0.3	0.09	0.2	0.08	-	-	-	-	-
Ill-defined & Unknown	171	20.8	0.73	13.7	0.49	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	51	6.7	0.44	5.5	0.38	87	9.9	0.51	8.0	0.44
Breast (<i>in situ</i>)	-	-	-	-	-	266	29.7	0.86	24.2	0.71

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maine, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	24	376.4	38.96	301.7	28.67	17	311.0	35.08	262.0	28.81
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	86.7	16.60	74.1	13.68	4	75.9	18.03	62.1	14.49
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	14.0	5.83	11.9	4.98	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	27.0	8.66	24.2	7.75	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	73.0	18.63	55.2	12.55	2	28.2	10.38	22.6	8.07
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	60.7	16.46	48.1	11.81	2	28.2	10.38	22.6	8.07
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	5	81.1	16.94	70.5	14.63
Female Genital System	-	-	-	-	-	3	50.4	14.54	42.0	11.85
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	1	24.9	10.48	20.3	8.33
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	115.6	21.66	92.0	16.32	-	-	-	-	-
Prostate	7	114.0	21.60	90.3	16.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	33.7	13.19	25.0	8.85	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	1	18.8	8.58	15.0	6.09	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maryland, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,375	493.8	1.84	366.5	1.34	15,868	428.0	1.56	331.4	1.24
Oral Cavity & Pharynx	552	16.8	0.33	13.3	0.26	234	6.2	0.19	4.8	0.15
Lip	13	0.4	0.05	0.3	0.04	6	0.1	0.03	0.1	0.02
Tongue	187	5.6	0.19	4.5	0.15	82	2.2	0.11	1.7	0.09
Major salivary gland	46	1.6	0.11	1.1	0.08	36	1.0	0.08	0.8	0.07
Floor of mouth	19	0.6	0.06	0.5	0.05	10	0.3	0.04	0.2	0.03
Gum & other mouth	63	2.0	0.12	1.5	0.08	46	1.2	0.08	0.9	0.06
Nasopharynx	22	0.7	0.07	0.6	0.06	10	0.3	0.04	0.3	0.04
Oropharynx	32	1.0	0.08	0.8	0.06	11	0.3	0.04	0.2	0.03
Hypopharynx	35	1.1	0.08	0.8	0.06	8	0.2	0.03	0.2	0.02
Digestive System	2,920	94.5	0.81	69.2	0.58	2,467	65.2	0.60	47.7	0.45
Esophagus	223	7.3	0.22	5.2	0.16	72	1.9	0.10	1.3	0.07
Stomach	275	9.1	0.25	6.5	0.18	191	5.1	0.17	3.8	0.13
Small intestine	92	2.9	0.14	2.2	0.10	86	2.3	0.11	1.8	0.09
Colon excl. rectum	847	28.3	0.45	20.1	0.31	934	24.9	0.37	17.8	0.28
Rectum & rectosigmoid	388	12.3	0.29	9.5	0.22	301	8.1	0.21	6.3	0.17
Anus, anal canal & anorectum	46	1.5	0.10	1.2	0.08	79	2.0	0.10	1.6	0.08
Liver	409	12.0	0.27	9.6	0.21	138	3.5	0.14	2.7	0.11
Gallbladder	24	0.8	0.08	0.6	0.05	48	1.2	0.08	0.9	0.06
Pancreas	474	15.6	0.33	11.0	0.23	454	11.9	0.25	8.4	0.18
Respiratory System	2,096	69.1	0.70	48.3	0.48	2,045	53.4	0.54	37.9	0.39
Larynx	155	4.8	0.18	3.6	0.13	41	1.0	0.07	0.8	0.06
Lung & bronchus	1,898	62.9	0.67	43.6	0.45	1,980	51.7	0.53	36.6	0.38
Bones & Joints	36	1.2	0.09	1.2	0.09	28	0.9	0.08	0.8	0.08
Soft Tissue (incl. heart)	121	4.1	0.17	3.3	0.14	100	2.9	0.13	2.5	0.12
Skin (excl. basal & sq.)	1,012	33.8	0.49	24.3	0.35	705	19.7	0.34	15.8	0.28
Melanomas of the skin	953	31.7	0.47	22.9	0.34	660	18.4	0.33	14.9	0.27
Breast (excl. <i>in situ</i>)	52	1.7	0.11	1.2	0.08	4,903	132.9	0.87	105.7	0.70
Female Genital System	-	-	-	-	-	1,910	50.6	0.53	40.7	0.43
Cervix uteri	-	-	-	-	-	220	6.6	0.21	5.7	0.18
Uterus Corpus	-	-	-	-	-	1,049	26.8	0.38	21.7	0.31
Uterus, NOS ¹	-	-	-	-	-	41	1.1	0.08	0.8	0.06
Ovary	-	-	-	-	-	404	10.8	0.25	8.6	0.20
Male Genital System	4,349	130.0	0.91	101.7	0.70	-	-	-	-	-
Prostate	4,195	124.7	0.89	96.5	0.67	-	-	-	-	-
Testis	131	4.6	0.18	4.6	0.18	-	-	-	-	-
Penis	16	0.6	0.07	0.4	0.04	-	-	-	-	-
Urinary System	1,680	56.4	0.63	39.1	0.43	748	19.9	0.33	14.6	0.25
Bladder (incl. <i>in situ</i>)	993	34.4	0.50	22.5	0.32	330	8.6	0.22	5.9	0.15
Kidney & renal pelvis	643	20.5	0.37	15.6	0.28	397	10.7	0.25	8.4	0.20
Ureter	23	0.8	0.08	0.5	0.05	14	0.4	0.04	0.2	0.03
Eye & Orbit	21	0.7	0.07	0.6	0.06	18	0.5	0.06	0.5	0.05
Brain & Other CNS ¹	219	7.3	0.22	6.2	0.20	180	5.2	0.18	4.5	0.17
Brain	207	6.8	0.22	5.8	0.19	166	4.8	0.17	4.1	0.16
Endocrine System	245	8.0	0.24	6.8	0.20	720	21.8	0.37	19.5	0.34
Thyroid gland	216	7.1	0.22	6.0	0.19	693	21.0	0.37	18.8	0.33
Lymphomas	733	24.4	0.42	18.8	0.32	646	17.8	0.32	14.0	0.26
Hodgkin Lymphoma	86	2.9	0.14	2.8	0.14	77	2.5	0.13	2.5	0.13
Non-Hodgkin Lymphoma	647	21.5	0.39	16.0	0.29	569	15.3	0.29	11.6	0.23
Multiple Myeloma	279	9.2	0.25	6.5	0.18	261	6.8	0.19	5.0	0.14
Leukemias	472	16.0	0.34	12.3	0.26	370	10.2	0.24	8.1	0.21
Acute lymphocytic	48	1.7	0.11	1.9	0.12	37	1.2	0.09	1.3	0.10
Chronic lymphocytic	165	5.5	0.20	3.8	0.13	118	3.0	0.13	2.1	0.09
Acute myeloid	144	4.9	0.19	3.6	0.14	123	3.4	0.14	2.7	0.12
Chronic myeloid	58	1.9	0.12	1.5	0.09	51	1.4	0.09	1.1	0.08
Other leukemias	56	1.9	0.12	1.4	0.09	40	1.1	0.08	0.8	0.06
Mesothelioma	34	1.2	0.10	0.8	0.06	15	0.4	0.05	0.3	0.04
Kaposi Sarcoma	17	0.6	0.06	0.5	0.06	3	0.1	0.03	0.1	0.02
Ill-defined & Unknown	537	18.7	0.37	12.4	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	260	8.7	0.25	6.8	0.19	513	14.0	0.28	11.0	0.23
Breast (<i>in situ</i>)	6	0.2	0.03	0.1	0.03	1,162	31.8	0.43	26.0	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maryland, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	10,656	497.1	2.21	366.6	1.64	10,714	445.6	2.00	345.0	1.61
Oral Cavity & Pharynx	428	19.1	0.42	15.1	0.33	169	6.9	0.24	5.3	0.20
Lip	11	0.5	0.07	0.4	0.05	5	0.2	0.04	0.1	0.03
Tongue	158	6.8	0.25	5.5	0.20	64	2.6	0.15	2.1	0.12
Major salivary gland	36	1.8	0.14	1.2	0.10	20	0.9	0.09	0.7	0.08
Floor of mouth	14	0.7	0.08	0.5	0.06	8	0.3	0.05	0.2	0.04
Gum & other mouth	45	2.0	0.14	1.5	0.10	34	1.3	0.10	0.9	0.08
Nasopharynx	10	0.5	0.07	0.4	0.05	4	0.2	0.04	0.1	0.03
Oropharynx	25	1.1	0.10	0.9	0.08	8	0.3	0.05	0.2	0.04
Hypopharynx	21	1.0	0.10	0.7	0.07	6	0.3	0.05	0.2	0.03
Digestive System	1,900	89.3	0.94	64.7	0.68	1,545	61.7	0.73	44.7	0.55
Esophagus	179	8.3	0.29	5.9	0.20	50	1.9	0.13	1.3	0.09
Stomach	165	7.8	0.28	5.6	0.20	94	3.8	0.18	2.8	0.14
Small intestine	55	2.5	0.16	1.9	0.12	48	2.0	0.13	1.5	0.11
Colon excl. rectum	547	26.5	0.52	18.6	0.37	608	24.4	0.46	17.3	0.34
Rectum & rectosigmoid	268	12.6	0.35	9.7	0.27	189	7.9	0.27	6.2	0.22
Anus, anal canal & anorectum	28	1.3	0.11	1.0	0.08	59	2.3	0.14	1.8	0.11
Liver	221	9.5	0.29	7.4	0.23	74	2.9	0.16	2.2	0.12
Gallbladder	15	0.7	0.09	0.5	0.06	25	0.9	0.09	0.6	0.06
Pancreas	325	15.3	0.39	10.7	0.27	287	11.2	0.31	7.9	0.22
Respiratory System	1,502	70.5	0.83	49.1	0.58	1,462	57.1	0.68	40.4	0.49
Larynx	105	4.7	0.21	3.6	0.16	28	1.1	0.09	0.9	0.08
Lung & bronchus	1,366	64.3	0.80	44.4	0.54	1,417	55.3	0.67	39.0	0.48
Bones & Joints	24	1.3	0.12	1.3	0.13	18	0.9	0.10	0.9	0.10
Soft Tissue (incl. heart)	85	4.2	0.21	3.4	0.18	63	2.9	0.17	2.5	0.16
Skin (excl. basal & sq.)	980	46.8	0.69	34.2	0.51	671	29.7	0.54	24.3	0.46
Melanomas of the skin	932	44.4	0.67	32.6	0.49	638	28.4	0.53	23.3	0.45
Breast (excl. <i>in situ</i>)	31	1.5	0.12	1.0	0.09	3,175	134.0	1.11	106.2	0.89
Female Genital System	-	-	-	-	-	1,259	52.1	0.68	41.9	0.56
Cervix uteri	-	-	-	-	-	129	6.5	0.27	5.7	0.24
Uterus Corpus	-	-	-	-	-	694	27.6	0.48	22.3	0.39
Uterus, NOS ¹	-	-	-	-	-	17	0.7	0.08	0.5	0.06
Ovary	-	-	-	-	-	278	11.5	0.32	9.2	0.26
Male Genital System	2,580	112.7	1.02	87.7	0.79	-	-	-	-	-
Prostate	2,454	105.6	0.98	80.8	0.73	-	-	-	-	-
Testis	110	6.3	0.27	6.5	0.28	-	-	-	-	-
Penis	11	0.6	0.08	0.4	0.05	-	-	-	-	-
Urinary System	1,294	61.8	0.79	42.6	0.54	516	20.7	0.42	15.1	0.32
Bladder (incl. <i>in situ</i>)	821	39.6	0.63	26.0	0.41	246	9.5	0.28	6.5	0.20
Kidney & renal pelvis	437	20.3	0.45	15.4	0.34	254	10.6	0.31	8.2	0.25
Ureter	19	1.0	0.10	0.6	0.06	11	0.4	0.06	0.3	0.04
Eye & Orbit	18	0.9	0.10	0.8	0.09	15	0.7	0.08	0.6	0.08
Brain & Other CNS ¹	163	8.1	0.29	7.0	0.26	135	6.1	0.25	5.3	0.23
Brain	156	7.7	0.29	6.6	0.25	126	5.6	0.24	4.8	0.22
Endocrine System	172	8.6	0.30	7.4	0.27	475	24.1	0.52	21.8	0.48
Thyroid gland	157	7.9	0.29	6.7	0.25	461	23.4	0.51	21.1	0.47
Lymphomas	541	26.2	0.52	19.9	0.40	450	18.9	0.41	14.8	0.35
Hodgkin Lymphoma	55	3.0	0.18	2.8	0.18	46	2.5	0.17	2.5	0.18
Non-Hodgkin Lymphoma	486	23.3	0.48	17.0	0.36	404	16.4	0.38	12.3	0.30
Multiple Myeloma	155	7.4	0.27	5.1	0.19	125	4.9	0.20	3.5	0.15
Leukemias	354	17.6	0.43	13.4	0.34	260	10.8	0.31	8.5	0.27
Acute lymphocytic	30	1.8	0.15	2.0	0.17	26	1.4	0.13	1.5	0.14
Chronic lymphocytic	133	6.3	0.25	4.3	0.17	92	3.5	0.17	2.4	0.12
Acute myeloid	107	5.3	0.24	3.9	0.18	83	3.5	0.18	2.7	0.15
Chronic myeloid	41	2.0	0.14	1.6	0.11	33	1.4	0.11	1.1	0.09
Other leukemias	43	2.1	0.15	1.6	0.12	26	1.1	0.10	0.8	0.08
Mesothelioma	29	1.5	0.12	0.9	0.08	12	0.5	0.07	0.3	0.05
Kaposi Sarcoma	5	0.3	0.05	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	173	8.6	0.30	6.7	0.24	328	13.9	0.36	10.9	0.30
Breast (<i>in situ</i>)	4	0.2	0.04	0.1	0.03	704	30.8	0.54	25.2	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maryland, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,062	515.4	3.87	390.4	2.76	4,310	402.6	2.82	311.8	2.16
Oral Cavity & Pharynx	103	12.5	0.59	9.8	0.44	52	4.8	0.31	3.8	0.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	24	3.0	0.30	2.3	0.21	12	1.0	0.14	0.8	0.11
Major salivary gland	9	1.1	0.17	0.9	0.13	14	1.3	0.16	1.1	0.13
Floor of mouth	4	0.5	0.11	0.4	0.08	2	0.2	0.06	0.1	0.04
Gum & other mouth	13	1.6	0.21	1.2	0.15	9	0.9	0.14	0.7	0.10
Nasopharynx	8	0.9	0.15	0.8	0.13	5	0.5	0.09	0.4	0.09
Oropharynx	8	0.9	0.15	0.7	0.11	3	0.3	0.07	0.2	0.06
Hypopharynx	12	1.5	0.20	1.1	0.15	2	0.1	0.04	0.1	0.04
Digestive System	856	110.5	1.81	82.3	1.27	781	73.6	1.21	54.5	0.88
Esophagus	38	5.2	0.40	3.7	0.27	20	1.9	0.19	1.4	0.14
Stomach	79	11.0	0.59	7.8	0.39	75	7.1	0.38	5.2	0.27
Small intestine	32	4.3	0.36	3.1	0.25	35	3.4	0.26	2.5	0.19
Colon excl. rectum	259	35.0	1.05	25.2	0.71	286	27.1	0.74	19.9	0.54
Rectum & rectosigmoid	96	12.2	0.59	9.3	0.43	87	8.2	0.40	6.3	0.31
Anus, anal canal & anorectum	17	2.0	0.23	1.7	0.19	18	1.6	0.17	1.3	0.14
Liver	161	17.7	0.66	14.7	0.52	52	4.5	0.29	3.6	0.22
Gallbladder	8	1.1	0.18	0.8	0.12	18	1.7	0.18	1.3	0.13
Pancreas	128	17.0	0.72	12.3	0.49	147	14.2	0.54	10.1	0.38
Respiratory System	523	71.6	1.50	50.9	1.00	527	49.9	1.00	35.9	0.71
Larynx	46	5.8	0.41	4.4	0.29	12	1.1	0.15	0.9	0.11
Lung & bronchus	468	64.8	1.44	45.7	0.95	509	48.2	0.99	34.6	0.69
Bones & Joints	10	1.1	0.16	1.1	0.15	6	0.6	0.12	0.6	0.11
Soft Tissue (incl. heart)	30	3.9	0.34	3.2	0.26	32	2.9	0.24	2.7	0.22
Skin (excl. basal & sq.)	19	2.6	0.29	1.9	0.20	17	1.7	0.18	1.3	0.15
Melanomas of the skin	10	1.5	0.23	1.0	0.15	8	0.7	0.12	0.6	0.09
Breast (excl. <i>in situ</i>)	19	2.6	0.29	1.9	0.20	1,448	133.4	1.61	106.3	1.27
Female Genital System	-	-	-	-	-	536	48.1	0.96	38.7	0.76
Cervix uteri	-	-	-	-	-	71	6.6	0.36	5.6	0.30
Uterus Corpus	-	-	-	-	-	300	26.1	0.70	21.1	0.55
Uterus, NOS ¹	-	-	-	-	-	22	2.0	0.20	1.5	0.15
Ovary	-	-	-	-	-	97	8.9	0.42	7.0	0.33
Male Genital System	1,587	188.6	2.25	148.2	1.68	-	-	-	-	-
Prostate	1,569	186.4	2.23	146.2	1.66	-	-	-	-	-
Testis	12	1.4	0.18	1.4	0.18	-	-	-	-	-
Penis	4	0.6	0.15	0.4	0.09	-	-	-	-	-
Urinary System	331	44.9	1.18	32.4	0.80	204	19.5	0.63	14.5	0.46
Bladder (incl. <i>in situ</i>)	142	21.3	0.86	14.2	0.54	73	7.3	0.39	4.9	0.26
Kidney & renal pelvis	183	22.7	0.80	17.7	0.59	127	11.8	0.48	9.3	0.38
Ureter	2	0.3	0.11	0.2	0.06	2	0.2	0.07	0.1	0.04
Eye & Orbit	3	0.3	0.10	0.3	0.08	1	0.1	0.05	0.2	0.07
Brain & Other CNS ¹	38	4.7	0.35	4.0	0.29	32	3.2	0.26	2.8	0.23
Brain	36	4.4	0.34	3.7	0.28	29	2.9	0.25	2.6	0.22
Endocrine System	50	6.3	0.42	5.0	0.32	161	15.1	0.54	13.1	0.47
Thyroid gland	39	5.0	0.37	3.9	0.28	151	14.2	0.53	12.3	0.46
Lymphomas	151	18.7	0.72	15.3	0.56	160	15.1	0.55	12.3	0.45
Hodgkin Lymphoma	26	3.0	0.27	2.8	0.25	26	2.6	0.23	2.5	0.22
Non-Hodgkin Lymphoma	125	15.7	0.67	12.5	0.50	133	12.5	0.50	9.8	0.39
Multiple Myeloma	113	15.5	0.70	11.1	0.47	128	12.2	0.50	8.9	0.36
Leukemias	93	12.2	0.61	9.5	0.45	88	8.4	0.41	6.8	0.33
Acute lymphocytic	11	1.2	0.16	1.3	0.18	6	0.7	0.12	0.7	0.13
Chronic lymphocytic	28	3.9	0.35	2.8	0.23	23	2.2	0.21	1.6	0.15
Acute myeloid	28	3.7	0.34	2.9	0.25	33	3.1	0.25	2.6	0.21
Chronic myeloid	14	1.8	0.23	1.4	0.17	13	1.2	0.15	1.0	0.13
Other leukemias	12	1.6	0.22	1.2	0.16	12	1.2	0.16	0.9	0.12
Mesothelioma	3	0.6	0.14	0.3	0.08	2	0.2	0.06	0.2	0.05
Kaposi Sarcoma	11	1.3	0.18	1.2	0.16	2	0.2	0.07	0.2	0.06
Ill-defined & Unknown	121	17.5	0.77	12.0	0.49	134	13.6	0.54	9.1	0.36
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	67	9.1	0.53	6.8	0.38	147	14.0	0.53	10.8	0.41
Breast (<i>in situ</i>)	2	0.3	0.09	0.2	0.06	375	33.9	0.80	27.4	0.64

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maryland, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	479	272.7	5.79	201.5	4.13	625	283.8	5.19	223.4	4.04
Oral Cavity & Pharynx	18	9.6	1.03	7.7	0.80	11	5.0	0.68	3.9	0.53
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	2.4	0.52	1.9	0.40	4	2.1	0.45	1.5	0.33
Major salivary gland	-	-	-	-	-	2	0.8	0.28	0.6	0.21
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	5	2.5	0.54	1.9	0.39	2	1.0	0.30	0.8	0.23
Nasopharynx	4	1.8	0.42	1.6	0.37	1	0.6	0.23	0.6	0.22
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	0.9	0.34	0.7	0.24	-	-	-	-	-
Digestive System	131	74.4	3.02	54.5	2.13	105	50.1	2.25	36.1	1.59
Esophagus	4	2.5	0.56	1.8	0.39	1	0.6	0.26	0.4	0.16
Stomach	22	13.6	1.34	9.3	0.88	16	7.7	0.88	5.6	0.63
Small intestine	3	1.8	0.44	1.4	0.35	2	1.0	0.30	0.8	0.25
Colon excl. rectum	33	18.7	1.51	13.7	1.07	28	13.6	1.17	9.7	0.82
Rectum & rectosigmoid	19	9.8	1.03	7.9	0.81	19	8.5	0.91	6.5	0.68
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	24	13.1	1.25	9.8	0.91	10	4.8	0.71	3.2	0.47
Gallbladder	-	-	-	-	-	3	1.6	0.42	1.1	0.27
Pancreas	17	10.0	1.14	7.0	0.76	16	8.2	0.93	5.6	0.62
Respiratory System	58	35.9	2.19	24.2	1.42	48	23.2	1.54	16.5	1.07
Larynx	3	1.4	0.39	1.1	0.29	-	-	-	-	-
Lung & bronchus	54	33.5	2.12	22.3	1.36	46	22.5	1.52	15.9	1.05
Bones & Joints	1	0.7	0.31	0.6	0.25	2	1.1	0.35	1.1	0.34
Soft Tissue (incl. heart)	4	2.4	0.54	2.1	0.46	4	1.7	0.39	1.5	0.36
Skin (excl. basal & sq.)	4	2.6	0.58	1.9	0.39	4	1.8	0.43	1.4	0.33
Melanomas of the skin	4	2.1	0.52	1.5	0.36	2	1.1	0.33	0.9	0.26
Breast (excl. <i>in situ</i>)	1	0.8	0.30	0.6	0.23	214	93.1	2.89	75.9	2.33
Female Genital System	-	-	-	-	-	82	35.6	1.79	29.2	1.46
Cervix uteri	-	-	-	-	-	12	5.3	0.70	4.3	0.55
Uterus Corpus	-	-	-	-	-	41	17.4	1.24	14.3	1.01
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	23	9.8	0.94	8.3	0.79
Male Genital System	118	64.2	2.73	48.8	2.01	-	-	-	-	-
Prostate	113	61.8	2.68	46.7	1.96	-	-	-	-	-
Testis	3	1.4	0.36	1.5	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	26.2	1.85	18.2	1.23	21	10.1	1.02	7.1	0.70
Bladder (incl. <i>in situ</i>)	25	16.1	1.51	10.3	0.92	9	4.5	0.70	2.8	0.43
Kidney & renal pelvis	17	9.0	1.00	7.1	0.77	11	5.1	0.70	3.9	0.53
Ureter	1	0.9	0.36	0.6	0.22	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	1	0.5	0.22	0.6	0.24
Brain & Other CNS ¹	12	6.1	0.81	5.3	0.70	8	3.6	0.59	3.1	0.52
Brain	11	5.6	0.78	4.8	0.66	7	3.1	0.55	2.7	0.48
Endocrine System	18	9.1	0.97	8.1	0.86	66	28.5	1.59	25.2	1.41
Thyroid gland	16	8.0	0.92	7.1	0.80	64	27.6	1.56	24.4	1.39
Lymphomas	28	16.4	1.43	12.4	1.05	25	12.0	1.10	9.1	0.84
Hodgkin Lymphoma	4	1.9	0.43	1.9	0.45	3	1.2	0.34	1.3	0.36
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	3.8	0.68	2.7	0.47	5	2.4	0.48	1.9	0.36
Leukemias	15	8.5	1.03	6.5	0.77	13	5.9	0.75	5.0	0.65
Acute lymphocytic	2	1.2	0.36	1.2	0.36	2	1.0	0.32	1.0	0.33
Chronic lymphocytic	2	1.7	0.49	1.0	0.29	-	-	-	-	-
Acute myeloid	7	4.1	0.72	3.1	0.52	5	2.5	0.49	2.0	0.40
Chronic myeloid	2	0.9	0.31	0.7	0.26	3	1.2	0.32	1.1	0.29
Other leukemias	1	0.7	0.28	0.5	0.21	2	0.9	0.30	0.7	0.25
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	10.7	1.23	7.1	0.79	17	9.0	1.00	5.7	0.63
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	13	7.3	0.92	5.8	0.71	27	12.3	1.07	10.0	0.87
Breast (<i>in situ</i>)	-	-	-	-	-	67	28.5	1.57	23.6	1.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maryland, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	312	230.8	7.07	169.7	4.67	403	227.1	5.52	176.4	4.05
Oral Cavity & Pharynx	7	5.0	1.04	3.6	0.68	4	2.4	0.57	1.8	0.41
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	1.2	0.46	0.9	0.34	1	0.7	0.32	0.6	0.24
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	2	0.9	0.34	0.7	0.25
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	82	60.3	3.57	44.1	2.35	70	46.0	2.65	33.0	1.81
Esophagus	2	2.0	0.63	1.5	0.44	-	-	-	-	-
Stomach	19	13.4	1.68	9.8	1.11	12	7.0	0.98	5.2	0.70
Small intestine	2	1.5	0.58	1.0	0.37	-	-	-	-	-
Colon excl. rectum	21	14.4	1.71	10.8	1.16	21	13.2	1.40	9.6	0.96
Rectum & rectosigmoid	11	6.6	1.08	5.1	0.76	8	4.4	0.77	3.3	0.56
Anus, anal canal & anorectum	-	-	-	-	-	1	0.8	0.34	0.6	0.25
Liver	12	9.8	1.48	7.0	0.96	7	5.0	0.91	3.5	0.61
Gallbladder	-	-	-	-	-	3	2.1	0.59	1.5	0.40
Pancreas	9	8.7	1.49	5.7	0.89	13	9.2	1.23	6.3	0.81
Respiratory System	22	22.4	2.42	14.7	1.48	23	16.2	1.61	11.1	1.06
Larynx	2	1.7	0.64	1.1	0.37	-	-	-	-	-
Lung & bronchus	18	19.5	2.27	12.7	1.39	22	15.6	1.58	10.6	1.03
Bones & Joints	2	0.8	0.24	0.8	0.26	-	-	-	-	-
Soft Tissue (incl. heart)	5	2.1	0.54	1.9	0.43	3	1.4	0.40	1.2	0.33
Skin (excl. basal & sq.)	-	-	-	-	-	6	3.4	0.67	2.7	0.51
Melanomas of the skin	5	4.0	1.01	2.6	0.60	5	2.7	0.61	2.1	0.46
Breast (excl. <i>in situ</i>)	-	-	-	-	-	123	66.8	2.90	53.2	2.21
Female Genital System	-	-	-	-	-	67	34.5	2.05	28.0	1.58
Cervix uteri	-	-	-	-	-	18	8.3	0.94	7.0	0.75
Uterus Corpus	-	-	-	-	-	28	14.7	1.32	12.3	1.06
Uterus, NOS ¹	-	-	-	-	-	2	1.1	0.41	0.8	0.29
Ovary	-	-	-	-	-	13	6.3	0.85	5.3	0.68
Male Genital System	83	66.2	3.76	49.7	2.58	-	-	-	-	-
Prostate	74	62.3	3.68	46.3	2.52	-	-	-	-	-
Testis	7	2.4	0.48	2.4	0.41	-	-	-	-	-
Penis	2	1.5	0.63	1.0	0.38	-	-	-	-	-
Urinary System	26	23.1	2.36	15.9	1.49	16	10.2	1.25	7.3	0.84
Bladder (incl. <i>in situ</i>)	13	14.0	1.96	8.9	1.18	5	3.9	0.83	2.6	0.53
Kidney & renal pelvis	13	8.6	1.27	6.8	0.90	10	5.8	0.89	4.5	0.65
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	11	5.0	0.88	4.3	0.63	8	4.3	0.76	3.5	0.57
Brain	11	4.8	0.87	4.1	0.62	7	3.8	0.70	3.1	0.53
Endocrine System	8	4.2	0.84	3.5	0.61	35	15.3	1.22	13.7	1.06
Thyroid gland	6	2.9	0.65	2.6	0.51	35	15.1	1.22	13.4	1.05
Lymphomas	26	16.0	1.72	12.4	1.19	18	9.8	1.15	7.7	0.84
Hodgkin Lymphoma	3	1.3	0.42	1.2	0.33	2	1.0	0.28	1.0	0.28
Non-Hodgkin Lymphoma	23	14.7	1.67	11.2	1.15	15	8.8	1.11	6.8	0.80
Multiple Myeloma	5	3.4	0.85	2.5	0.56	5	3.0	0.64	2.4	0.49
Leukemias	16	6.9	1.04	6.1	0.76	13	6.2	0.88	5.3	0.69
Acute lymphocytic	8	2.4	0.48	2.6	0.44	5	2.0	0.43	2.0	0.39
Chronic lymphocytic	1	1.0	0.47	0.7	0.29	2	1.2	0.45	0.8	0.31
Acute myeloid	4	2.5	0.68	2.0	0.46	4	1.9	0.48	1.6	0.37
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	11	9.7	1.58	6.4	0.93	10	6.6	1.00	4.6	0.67
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	8	3.8	0.77	3.2	0.57	17	9.5	1.10	7.4	0.82
Breast (<i>in situ</i>)	-	-	-	-	-	27	13.6	1.22	11.4	1.00

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MARYLAND

190 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maryland, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,435	515.9	2.33	382.2	1.76	10,439	465.6	2.15	362.0	1.75
Oral Cavity & Pharynx	423	20.1	0.45	16.0	0.36	166	7.2	0.26	5.6	0.21
Lip	11	0.6	0.08	0.4	0.06	5	0.2	0.04	0.1	0.03
Tongue	156	7.2	0.27	5.8	0.22	63	2.8	0.16	2.2	0.14
Major salivary gland	35	1.9	0.15	1.3	0.11	20	1.0	0.10	0.8	0.09
Floor of mouth	14	0.7	0.08	0.5	0.06	8	0.4	0.06	0.3	0.04
Gum & other mouth	45	2.2	0.15	1.6	0.11	33	1.3	0.11	0.9	0.08
Nasopharynx	10	0.5	0.07	0.4	0.06	4	0.2	0.04	0.1	0.04
Oropharynx	24	1.1	0.11	0.9	0.09	8	0.3	0.05	0.2	0.04
Hypopharynx	20	1.0	0.10	0.7	0.07	6	0.3	0.05	0.2	0.04
Digestive System	1,838	91.4	0.98	66.4	0.72	1,496	63.4	0.77	46.1	0.59
Esophagus	177	8.7	0.30	6.2	0.21	50	2.0	0.13	1.4	0.10
Stomach	152	7.5	0.28	5.4	0.20	87	3.7	0.19	2.7	0.14
Small intestine	54	2.7	0.17	2.0	0.13	48	2.1	0.14	1.6	0.12
Colon excl. rectum	530	27.3	0.54	19.2	0.39	592	25.3	0.49	17.9	0.37
Rectum & rectosigmoid	260	13.1	0.38	10.1	0.29	185	8.3	0.29	6.5	0.24
Anus, anal canal & anorectum	28	1.4	0.12	1.0	0.09	58	2.4	0.15	1.9	0.12
Liver	211	9.6	0.30	7.5	0.24	68	2.9	0.16	2.1	0.13
Gallbladder	14	0.7	0.09	0.5	0.06	23	0.9	0.09	0.6	0.06
Pancreas	318	15.7	0.41	11.0	0.28	277	11.4	0.32	8.0	0.24
Respiratory System	1,487	73.1	0.87	51.1	0.61	1,445	59.4	0.72	42.2	0.52
Larynx	104	4.9	0.22	3.7	0.17	28	1.2	0.10	0.9	0.08
Lung & bronchus	1,354	66.6	0.83	46.2	0.57	1,402	57.5	0.70	40.7	0.51
Bones & Joints	22	1.4	0.14	1.4	0.14	18	1.0	0.12	1.0	0.12
Soft Tissue (incl. heart)	81	4.3	0.22	3.5	0.19	61	3.1	0.19	2.7	0.18
Skin (excl. basal & sq.)	975	49.7	0.74	36.6	0.55	667	32.4	0.60	26.6	0.51
Melanomas of the skin	928	47.2	0.72	34.9	0.54	634	31.0	0.59	25.6	0.51
Breast (excl. <i>in situ</i>)	31	1.5	0.13	1.1	0.09	3,096	140.6	1.19	111.7	0.97
Female Genital System	-	-	-	-	-	1,212	53.6	0.72	43.2	0.60
Cervix uteri	-	-	-	-	-	116	6.4	0.28	5.6	0.25
Uterus Corpus	-	-	-	-	-	673	28.5	0.51	23.0	0.42
Uterus, NOS ¹	-	-	-	-	-	17	0.7	0.08	0.6	0.07
Ovary	-	-	-	-	-	270	12.0	0.34	9.5	0.28
Male Genital System	2,528	116.7	1.07	91.2	0.84	-	-	-	-	-
Prostate	2,408	108.7	1.01	83.3	0.77	-	-	-	-	-
Testis	105	7.3	0.32	7.4	0.33	-	-	-	-	-
Penis	10	0.5	0.08	0.4	0.05	-	-	-	-	-
Urinary System	1,276	64.0	0.82	44.3	0.57	505	21.5	0.45	15.7	0.34
Bladder (incl. <i>in situ</i>)	812	40.9	0.66	27.0	0.43	243	9.8	0.29	6.7	0.21
Kidney & renal pelvis	429	21.3	0.48	16.2	0.36	247	11.1	0.33	8.6	0.27
Ureter	19	1.0	0.10	0.6	0.07	10	0.4	0.06	0.3	0.04
Eye & Orbit	18	1.0	0.11	0.9	0.10	15	0.8	0.09	0.6	0.09
Brain & Other CNS ¹	156	8.6	0.32	7.4	0.30	129	6.5	0.27	5.7	0.26
Brain	148	8.1	0.31	7.0	0.28	121	5.9	0.26	5.1	0.24
Endocrine System	166	9.3	0.34	8.1	0.30	453	25.8	0.57	23.4	0.53
Thyroid gland	153	8.6	0.33	7.4	0.29	438	25.0	0.57	22.7	0.52
Lymphomas	522	27.1	0.55	20.7	0.44	437	19.7	0.44	15.5	0.38
Hodgkin Lymphoma	53	3.3	0.21	3.2	0.21	44	2.7	0.19	2.8	0.20
Non-Hodgkin Lymphoma	469	23.9	0.51	17.5	0.38	393	17.0	0.40	12.7	0.32
Multiple Myeloma	152	7.6	0.28	5.3	0.20	121	5.0	0.21	3.6	0.16
Leukemias	341	18.2	0.46	13.8	0.37	251	11.2	0.34	8.8	0.30
Acute lymphocytic	24	1.7	0.16	1.9	0.18	22	1.4	0.14	1.5	0.16
Chronic lymphocytic	132	6.6	0.26	4.6	0.18	91	3.7	0.18	2.6	0.13
Acute myeloid	103	5.5	0.25	4.0	0.19	81	3.6	0.19	2.8	0.16
Chronic myeloid	41	2.2	0.16	1.7	0.13	32	1.5	0.12	1.2	0.10
Other leukemias	41	2.2	0.16	1.6	0.13	25	1.1	0.10	0.8	0.09
Mesothelioma	29	1.5	0.13	0.9	0.08	11	0.5	0.07	0.3	0.05
Kaposi Sarcoma	4	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	386	20.0	0.47	13.2	0.32	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	168	9.0	0.32	7.1	0.27	317	14.4	0.38	11.4	0.32
Breast (<i>in situ</i>)	4	0.2	0.04	0.1	0.03	688	32.7	0.59	26.8	0.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Maryland, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,044	521.7	3.92	395.7	2.81	4,287	408.0	2.87	316.4	2.21
Oral Cavity & Pharynx	102	12.7	0.60	9.9	0.44	51	4.9	0.31	3.9	0.25
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	24	3.1	0.30	2.3	0.22	12	1.1	0.14	0.8	0.11
Major salivary gland	9	1.1	0.18	0.9	0.13	14	1.3	0.16	1.1	0.14
Floor of mouth	4	0.5	0.12	0.4	0.09	2	0.2	0.06	0.1	0.04
Gum & other mouth	13	1.6	0.21	1.2	0.15	9	0.9	0.14	0.7	0.11
Nasopharynx	8	0.9	0.16	0.8	0.13	5	0.5	0.10	0.4	0.09
Oropharynx	8	0.9	0.16	0.7	0.12	3	0.3	0.07	0.2	0.06
Hypopharynx	12	1.5	0.21	1.1	0.15	2	0.1	0.04	0.1	0.04
Digestive System	853	111.9	1.84	83.4	1.29	777	74.5	1.23	55.2	0.90
Esophagus	38	5.2	0.41	3.7	0.27	20	1.9	0.19	1.4	0.14
Stomach	79	11.1	0.60	7.9	0.40	75	7.2	0.38	5.2	0.28
Small intestine	32	4.3	0.37	3.2	0.25	35	3.4	0.27	2.5	0.19
Colon excl. rectum	257	35.4	1.06	25.5	0.72	285	27.5	0.75	20.2	0.55
Rectum & rectosigmoid	96	12.4	0.60	9.5	0.44	87	8.3	0.41	6.4	0.31
Anus, anal canal & anorectum	17	2.1	0.23	1.8	0.19	18	1.6	0.18	1.3	0.14
Liver	161	18.0	0.66	15.0	0.53	52	4.6	0.29	3.6	0.23
Gallbladder	8	1.1	0.18	0.8	0.13	18	1.7	0.18	1.3	0.13
Pancreas	128	17.2	0.73	12.5	0.50	147	14.3	0.55	10.2	0.38
Respiratory System	521	72.4	1.52	51.5	1.02	524	50.4	1.01	36.3	0.72
Larynx	46	5.9	0.42	4.5	0.29	12	1.1	0.15	0.9	0.12
Lung & bronchus	467	65.5	1.45	46.3	0.97	507	48.7	1.00	35.0	0.70
Bones & Joints	10	1.1	0.16	1.1	0.16	6	0.7	0.12	0.6	0.11
Soft Tissue (incl. heart)	30	4.0	0.35	3.3	0.27	32	3.0	0.25	2.7	0.23
Skin (excl. basal & sq.)	19	2.6	0.29	1.9	0.20	17	1.7	0.19	1.3	0.15
Melanomas of the skin	10	1.5	0.23	1.0	0.15	7	0.7	0.12	0.5	0.09
Breast (excl. <i>in situ</i>)	19	2.6	0.29	1.9	0.20	1,439	135.3	1.64	107.9	1.29
Female Genital System	-	-	-	-	-	532	48.7	0.97	39.2	0.77
Cervix uteri	-	-	-	-	-	70	6.7	0.37	5.7	0.31
Uterus Corpus	-	-	-	-	-	298	26.4	0.71	21.4	0.56
Uterus, NOS ¹	-	-	-	-	-	21	2.0	0.20	1.5	0.15
Ovary	-	-	-	-	-	96	9.0	0.42	7.1	0.33
Male Genital System	1,579	190.6	2.27	149.9	1.70	-	-	-	-	-
Prostate	1,561	188.4	2.26	147.9	1.68	-	-	-	-	-
Testis	12	1.4	0.18	1.4	0.18	-	-	-	-	-
Penis	4	0.6	0.15	0.4	0.09	-	-	-	-	-
Urinary System	330	45.3	1.19	32.8	0.82	203	19.7	0.64	14.7	0.47
Bladder (incl. <i>in situ</i>)	141	21.4	0.86	14.3	0.54	73	7.4	0.40	5.0	0.27
Kidney & renal pelvis	183	23.1	0.81	17.9	0.60	126	11.9	0.49	9.4	0.39
Ureter	2	0.3	0.11	0.2	0.07	2	0.2	0.07	0.1	0.04
Eye & Orbit	3	0.3	0.10	0.3	0.08	1	0.1	0.06	0.2	0.07
Brain & Other CNS ¹	38	4.8	0.36	4.1	0.30	32	3.3	0.27	2.9	0.24
Brain	36	4.5	0.35	3.8	0.29	29	3.0	0.25	2.7	0.23
Endocrine System	50	6.4	0.42	5.2	0.33	160	15.3	0.56	13.3	0.48
Thyroid gland	39	5.1	0.38	4.0	0.29	150	14.4	0.54	12.6	0.47
Lymphomas	151	19.0	0.73	15.6	0.58	159	15.4	0.56	12.6	0.46
Hodgkin Lymphoma	26	3.1	0.28	2.9	0.26	26	2.7	0.24	2.6	0.23
Non-Hodgkin Lymphoma	125	15.9	0.68	12.7	0.51	133	12.7	0.51	10.0	0.40
Multiple Myeloma	113	15.7	0.71	11.3	0.48	128	12.3	0.50	9.0	0.36
Leukemias	92	12.4	0.62	9.7	0.46	88	8.5	0.42	6.9	0.34
Acute lymphocytic	11	1.2	0.17	1.3	0.18	6	0.7	0.13	0.7	0.13
Chronic lymphocytic	28	4.0	0.36	2.8	0.24	23	2.2	0.21	1.6	0.15
Acute myeloid	28	3.8	0.34	2.9	0.25	33	3.1	0.25	2.6	0.21
Chronic myeloid	14	1.8	0.23	1.4	0.17	13	1.3	0.16	1.0	0.13
Other leukemias	12	1.6	0.22	1.2	0.16	12	1.2	0.16	0.9	0.12
Mesothelioma	3	0.6	0.14	0.4	0.09	2	0.2	0.06	0.2	0.05
Kaposi Sarcoma	11	1.3	0.18	1.2	0.17	2	0.2	0.07	0.2	0.06
Ill-defined & Unknown	121	17.7	0.78	12.1	0.50	134	13.8	0.55	9.2	0.36
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	67	9.2	0.54	6.9	0.38	146	14.2	0.54	10.9	0.42
Breast (<i>in situ</i>)	2	0.3	0.09	0.2	0.06	373	34.4	0.82	27.8	0.65

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

MARYLAND

192 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Massachusetts, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	17,967	483.3	1.66	357.9	1.23	19,424	443.1	1.47	343.1	1.18
Oral Cavity & Pharynx	690	17.7	0.31	14.0	0.24	316	7.0	0.18	5.4	0.15
Lip	20	0.6	0.06	0.4	0.04	14	0.3	0.04	0.2	0.03
Tongue	217	5.5	0.17	4.4	0.14	94	2.1	0.10	1.7	0.08
Major salivary gland	53	1.5	0.09	1.1	0.07	46	1.1	0.07	0.9	0.06
Floor of mouth	35	0.9	0.07	0.7	0.05	17	0.4	0.04	0.3	0.03
Gum & other mouth	78	2.1	0.11	1.5	0.08	66	1.4	0.08	1.0	0.06
Nasopharynx	31	0.8	0.07	0.7	0.06	13	0.3	0.04	0.3	0.03
Oropharynx	33	0.8	0.06	0.7	0.05	7	0.2	0.03	0.1	0.02
Hypopharynx	45	1.1	0.08	0.9	0.06	10	0.2	0.03	0.2	0.02
Digestive System	3,532	95.8	0.74	69.4	0.53	2,869	62.9	0.54	45.3	0.41
Esophagus	345	9.2	0.23	6.6	0.16	105	2.2	0.10	1.6	0.07
Stomach	343	9.5	0.23	6.7	0.17	201	4.5	0.15	3.2	0.11
Small intestine	97	2.6	0.12	2.0	0.09	83	1.9	0.09	1.4	0.07
Colon excl. rectum	977	27.1	0.40	19.1	0.28	1,045	22.9	0.33	16.1	0.24
Rectum & rectosigmoid	472	12.8	0.27	9.8	0.21	370	8.5	0.20	6.5	0.16
Anus, anal canal & anorectum	62	1.6	0.10	1.2	0.07	100	2.2	0.10	1.7	0.08
Liver	444	11.2	0.25	8.7	0.19	125	2.7	0.11	2.0	0.09
Gallbladder	29	0.8	0.07	0.5	0.05	70	1.5	0.08	1.0	0.06
Pancreas	549	14.9	0.29	10.5	0.20	553	11.8	0.23	8.2	0.17
Respiratory System	2,643	72.0	0.64	50.1	0.44	2,815	61.1	0.53	43.6	0.38
Larynx	205	5.3	0.17	4.0	0.13	54	1.2	0.07	0.9	0.06
Lung & bronchus	2,394	65.5	0.61	45.2	0.42	2,732	59.2	0.52	42.1	0.37
Bones & Joints	36	1.0	0.08	1.0	0.08	29	0.8	0.07	0.8	0.07
Soft Tissue (incl. heart)	134	3.8	0.15	3.1	0.13	104	2.6	0.12	2.2	0.11
Skin (excl. basal & sq.)	1,091	30.3	0.42	21.9	0.30	857	20.1	0.32	16.0	0.26
Melanomas of the skin	997	27.6	0.40	20.0	0.29	797	18.7	0.31	15.0	0.26
Breast (excl. <i>in situ</i>)	52	1.4	0.09	1.0	0.06	5,921	137.9	0.83	109.5	0.67
Female Genital System	-	-	-	-	-	2,220	49.8	0.49	39.9	0.40
Cervix uteri	-	-	-	-	-	197	5.2	0.17	4.5	0.15
Uterus Corpus	-	-	-	-	-	1,297	28.3	0.36	22.8	0.29
Uterus, NOS ¹	-	-	-	-	-	31	0.7	0.05	0.5	0.04
Ovary	-	-	-	-	-	458	10.4	0.22	8.2	0.18
Male Genital System	4,370	109.8	0.76	86.1	0.59	-	-	-	-	-
Prostate	4,133	102.6	0.73	79.3	0.55	-	-	-	-	-
Testis	194	6.0	0.20	6.0	0.19	-	-	-	-	-
Penis	35	1.0	0.08	0.7	0.05	-	-	-	-	-
Urinary System	2,272	62.8	0.60	44.0	0.42	980	21.6	0.32	15.9	0.24
Bladder (incl. <i>in situ</i>)	1,374	38.7	0.48	25.5	0.31	494	10.6	0.22	7.3	0.16
Kidney & renal pelvis	846	22.6	0.36	17.5	0.28	455	10.4	0.22	8.1	0.18
Ureter	31	0.9	0.07	0.6	0.05	18	0.4	0.04	0.2	0.03
Eye & Orbit	38	1.1	0.08	0.9	0.07	31	0.8	0.06	0.7	0.06
Brain & Other CNS ¹	288	8.2	0.22	6.9	0.19	240	6.0	0.18	5.2	0.17
Brain	276	7.8	0.22	6.6	0.19	226	5.6	0.17	4.8	0.16
Endocrine System	399	11.3	0.26	9.8	0.23	1,062	28.3	0.40	25.5	0.37
Thyroid gland	366	10.3	0.25	8.9	0.21	1,035	27.6	0.40	24.8	0.36
Lymphomas	945	26.4	0.39	20.2	0.31	792	18.2	0.30	14.3	0.25
Hodgkin Lymphoma	103	3.0	0.13	2.9	0.13	93	2.6	0.12	2.5	0.12
Non-Hodgkin Lymphoma	842	23.4	0.37	17.4	0.28	699	15.6	0.27	11.7	0.21
Multiple Myeloma	302	8.2	0.22	5.9	0.15	237	5.1	0.15	3.7	0.11
Leukemias	552	15.6	0.30	11.9	0.24	414	9.6	0.22	7.6	0.19
Acute lymphocytic	47	1.5	0.10	1.6	0.11	44	1.4	0.10	1.5	0.11
Chronic lymphocytic	193	5.2	0.17	3.7	0.12	126	2.7	0.11	1.9	0.08
Acute myeloid	174	4.9	0.17	3.6	0.13	143	3.3	0.13	2.6	0.11
Chronic myeloid	78	2.2	0.12	1.7	0.09	53	1.2	0.08	0.9	0.06
Other leukemias	61	1.7	0.10	1.3	0.08	47	1.0	0.07	0.7	0.05
Mesothelioma	64	1.9	0.11	1.2	0.07	22	0.5	0.05	0.3	0.03
Kaposi Sarcoma	21	0.6	0.06	0.5	0.05	4	0.1	0.02	0.1	0.01
Ill-defined & Unknown	536	15.4	0.30	10.0	0.20	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	246	6.9	0.20	5.6	0.17	485	11.5	0.24	9.3	0.20
Breast (<i>in situ</i>)	6	0.2	0.03	0.1	0.03	1,634	39.6	0.45	32.5	0.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Massachusetts, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	15,928	480.3	1.75	354.9	1.30	17,360	447.6	1.59	346.6	1.28
Oral Cavity & Pharynx	626	18.0	0.33	14.2	0.26	285	7.1	0.20	5.5	0.16
Lip	18	0.6	0.06	0.4	0.04	13	0.3	0.04	0.2	0.03
Tongue	204	5.8	0.19	4.7	0.15	87	2.2	0.11	1.8	0.09
Major salivary gland	47	1.5	0.10	1.1	0.07	39	1.0	0.08	0.9	0.07
Floor of mouth	32	0.9	0.07	0.7	0.06	17	0.4	0.04	0.3	0.03
Gum & other mouth	71	2.1	0.11	1.6	0.08	58	1.4	0.08	1.0	0.06
Nasopharynx	16	0.5	0.06	0.4	0.05	9	0.2	0.03	0.2	0.03
Oropharynx	31	0.8	0.07	0.7	0.06	6	0.2	0.03	0.1	0.02
Hypopharynx	41	1.1	0.08	0.9	0.06	10	0.2	0.03	0.2	0.03
Digestive System	3,084	93.6	0.77	67.5	0.56	2,525	61.8	0.57	44.4	0.43
Esophagus	323	9.6	0.24	6.9	0.18	97	2.3	0.11	1.6	0.08
Stomach	282	8.7	0.24	6.1	0.17	160	3.9	0.15	2.8	0.11
Small intestine	81	2.5	0.13	1.8	0.09	71	1.8	0.10	1.4	0.08
Colon excl. rectum	864	26.9	0.42	18.9	0.30	940	23.0	0.35	16.2	0.26
Rectum & rectosigmoid	413	12.7	0.29	9.7	0.22	322	8.4	0.22	6.5	0.17
Anus, anal canal & anorectum	56	1.7	0.10	1.3	0.08	92	2.3	0.11	1.8	0.09
Liver	356	10.1	0.25	7.7	0.19	97	2.3	0.11	1.8	0.09
Gallbladder	25	0.8	0.07	0.5	0.05	59	1.4	0.09	1.0	0.06
Pancreas	496	15.0	0.31	10.5	0.22	496	11.7	0.24	8.1	0.18
Respiratory System	2,416	73.0	0.68	50.7	0.47	2,622	63.4	0.57	45.2	0.41
Larynx	188	5.4	0.18	4.1	0.14	50	1.2	0.08	0.9	0.06
Lung & bronchus	2,190	66.4	0.65	45.7	0.44	2,547	61.5	0.56	43.7	0.41
Bones & Joints	31	1.1	0.09	1.0	0.09	24	0.8	0.07	0.8	0.08
Soft Tissue (incl. heart)	116	3.7	0.16	3.0	0.13	89	2.5	0.13	2.1	0.12
Skin (excl. basal & sq.)	982	30.7	0.45	22.1	0.33	762	20.5	0.35	16.5	0.29
Melanomas of the skin	899	28.0	0.43	20.4	0.32	710	19.3	0.34	15.6	0.29
Breast (excl. <i>in situ</i>)	46	1.4	0.09	1.0	0.07	5,307	140.3	0.90	111.3	0.73
Female Genital System	-	-	-	-	-	1,969	50.0	0.52	40.0	0.43
Cervix uteri	-	-	-	-	-	154	4.9	0.19	4.3	0.17
Uterus Corpus	-	-	-	-	-	1,162	28.6	0.39	23.1	0.32
Uterus, NOS ¹	-	-	-	-	-	26	0.6	0.06	0.5	0.04
Ovary	-	-	-	-	-	409	10.5	0.24	8.3	0.20
Male Genital System	3,688	104.1	0.79	81.6	0.61	-	-	-	-	-
Prostate	3,474	96.2	0.75	74.1	0.57	-	-	-	-	-
Testis	179	6.8	0.23	6.8	0.23	-	-	-	-	-
Penis	30	1.0	0.08	0.6	0.05	-	-	-	-	-
Urinary System	2,115	65.1	0.65	45.6	0.46	893	22.1	0.34	16.2	0.26
Bladder (incl. <i>in situ</i>)	1,302	40.5	0.51	26.7	0.34	465	11.1	0.24	7.7	0.17
Kidney & renal pelvis	764	23.0	0.38	17.8	0.30	401	10.3	0.24	8.1	0.20
Ureter	29	0.9	0.08	0.6	0.05	17	0.4	0.04	0.3	0.03
Eye & Orbit	35	1.1	0.08	0.9	0.07	29	0.8	0.07	0.7	0.07
Brain & Other CNS ¹	265	8.6	0.24	7.3	0.22	216	6.2	0.20	5.4	0.19
Brain	254	8.2	0.24	6.9	0.21	205	5.9	0.19	5.1	0.18
Endocrine System	348	11.4	0.28	9.9	0.25	887	28.1	0.44	25.4	0.41
Thyroid gland	321	10.5	0.27	9.0	0.24	864	27.4	0.44	24.8	0.40
Lymphomas	858	27.1	0.43	20.8	0.34	712	18.6	0.33	14.6	0.27
Hodgkin Lymphoma	90	3.1	0.15	3.0	0.15	83	2.8	0.14	2.8	0.15
Non-Hodgkin Lymphoma	768	24.0	0.40	17.7	0.30	629	15.8	0.29	11.8	0.23
Multiple Myeloma	257	7.8	0.22	5.5	0.16	191	4.6	0.15	3.3	0.11
Leukemias	496	15.8	0.33	11.9	0.26	365	9.6	0.24	7.5	0.21
Acute lymphocytic	38	1.5	0.11	1.6	0.12	36	1.4	0.11	1.4	0.12
Chronic lymphocytic	178	5.4	0.19	3.8	0.13	116	2.7	0.12	1.9	0.09
Acute myeloid	160	5.1	0.18	3.7	0.14	125	3.3	0.14	2.5	0.11
Chronic myeloid	67	2.2	0.12	1.6	0.10	47	1.2	0.08	0.9	0.07
Other leukemias	54	1.7	0.11	1.2	0.08	42	1.0	0.07	0.7	0.06
Mesothelioma	61	2.0	0.12	1.2	0.07	21	0.5	0.05	0.3	0.04
Kaposi Sarcoma	13	0.4	0.05	0.3	0.04	2	0.0	0.01	0.0	0.01
Ill-defined & Unknown	491	15.6	0.32	10.2	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	212	6.8	0.22	5.6	0.18	413	11.2	0.26	9.1	0.22
Breast (<i>in situ</i>)	5	0.2	0.04	0.1	0.03	1,443	40.2	0.49	33.0	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

MASSACHUSETTS

194 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Massachusetts, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,021	453.1	6.82	346.1	4.90	1,053	367.1	5.16	285.1	3.96
Oral Cavity & Pharynx	29	12.8	1.13	9.9	0.83	12	3.9	0.51	3.4	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	3.7	0.66	2.5	0.43	2	0.5	0.17	0.4	0.15
Major salivary gland	2	1.0	0.31	0.7	0.22	3	0.9	0.24	0.8	0.21
Floor of mouth	2	0.8	0.30	0.6	0.21	-	-	-	-	-
Gum & other mouth	3	1.5	0.38	1.2	0.29	4	1.1	0.27	1.0	0.23
Nasopharynx	3	1.3	0.36	1.0	0.26	1	0.5	0.18	0.4	0.14
Oropharynx	2	0.7	0.25	0.6	0.20	-	-	-	-	-
Hypopharynx	2	0.9	0.30	0.7	0.22	-	-	-	-	-
Digestive System	244	110.9	3.42	82.9	2.40	198	70.8	2.30	52.3	1.68
Esophagus	12	5.4	0.76	4.0	0.53	6	2.0	0.38	1.4	0.27
Stomach	33	16.9	1.42	11.6	0.91	23	8.6	0.82	6.0	0.56
Small intestine	10	3.8	0.57	3.2	0.46	8	2.7	0.44	2.2	0.34
Colon excl. rectum	71	33.2	1.90	24.2	1.30	63	22.7	1.30	16.6	0.95
Rectum & rectosigmoid	27	11.8	1.08	9.1	0.79	25	8.3	0.76	6.6	0.59
Anus, anal canal & anorectum	4	1.4	0.34	1.2	0.28	5	1.7	0.35	1.3	0.27
Liver	39	15.1	1.14	12.7	0.92	13	4.5	0.56	3.5	0.44
Gallbladder	1	0.6	0.24	0.5	0.18	8	3.0	0.49	2.2	0.35
Pancreas	32	15.6	1.32	11.3	0.90	34	12.5	0.98	8.9	0.70
Respiratory System	119	57.8	2.55	41.7	1.73	112	40.1	1.74	29.4	1.26
Larynx	10	4.2	0.63	3.3	0.48	4	1.1	0.27	0.9	0.22
Lung & bronchus	106	52.4	2.45	37.3	1.64	107	38.4	1.70	28.0	1.22
Bones & Joints	2	0.9	0.27	0.8	0.23	3	1.0	0.25	1.0	0.24
Soft Tissue (incl. heart)	8	3.6	0.61	2.8	0.45	7	2.5	0.41	2.2	0.36
Skin (excl. basal & sq.)	4	1.6	0.36	1.4	0.30	6	2.0	0.39	1.6	0.31
Melanomas of the skin	-	-	-	-	-	2	0.6	0.22	0.4	0.15
Breast (excl. <i>in situ</i>)	4	1.9	0.46	1.4	0.32	337	116.1	2.88	92.3	2.26
Female Genital System	-	-	-	-	-	134	45.6	1.80	36.1	1.41
Cervix uteri	-	-	-	-	-	22	7.8	0.75	6.2	0.59
Uterus Corpus	-	-	-	-	-	74	25.2	1.34	19.9	1.04
Uterus, NOS ¹	-	-	-	-	-	3	1.0	0.28	0.8	0.20
Ovary	-	-	-	-	-	23	7.7	0.72	6.2	0.58
Male Genital System	381	161.6	3.96	127.2	2.95	-	-	-	-	-
Prostate	373	158.6	3.92	124.7	2.92	-	-	-	-	-
Testis	4	1.2	0.28	1.1	0.27	-	-	-	-	-
Penis	3	1.4	0.41	1.0	0.27	-	-	-	-	-
Urinary System	76	34.9	1.92	26.1	1.35	48	17.1	1.12	12.9	0.84
Bladder (incl. <i>in situ</i>)	31	15.8	1.35	11.1	0.89	15	5.7	0.67	3.9	0.45
Kidney & renal pelvis	43	18.6	1.35	14.6	1.00	32	10.9	0.88	8.7	0.69
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	2.9	0.47	2.8	0.43	11	3.7	0.50	3.3	0.45
Brain	7	2.5	0.43	2.3	0.39	11	3.5	0.49	3.1	0.44
Endocrine System	13	5.0	0.64	4.4	0.54	61	20.2	1.17	17.4	1.00
Thyroid gland	11	4.2	0.59	3.7	0.50	59	19.5	1.15	16.8	0.98
Lymphomas	44	17.9	1.30	14.5	0.99	39	13.4	0.98	10.5	0.76
Hodgkin Lymphoma	8	2.8	0.46	2.7	0.42	5	1.7	0.34	1.6	0.30
Non-Hodgkin Lymphoma	36	15.1	1.22	11.9	0.90	33	11.6	0.92	9.0	0.70
Multiple Myeloma	31	14.3	1.22	10.8	0.87	35	12.8	1.00	9.2	0.71
Leukemias	26	11.4	1.10	8.8	0.78	23	7.8	0.75	6.4	0.61
Acute lymphocytic	3	1.0	0.23	1.1	0.27	2	0.7	0.20	0.8	0.23
Chronic lymphocytic	6	2.9	0.55	2.2	0.39	4	1.5	0.33	1.2	0.25
Acute myeloid	6	2.9	0.58	2.2	0.40	9	3.1	0.47	2.6	0.38
Chronic myeloid	6	2.7	0.53	2.1	0.38	4	1.4	0.32	1.1	0.25
Other leukemias	4	1.9	0.48	1.2	0.30	3	1.1	0.30	0.8	0.20
Mesothelioma	1	0.9	0.37	0.5	0.20	-	-	-	-	-
Kaposi Sarcoma	5	2.3	0.49	1.8	0.35	1	0.4	0.19	0.4	0.15
Ill-defined & Unknown	24	12.2	1.21	8.3	0.77	25	9.5	0.86	6.6	0.60
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	17	7.8	0.93	5.8	0.64	36	12.6	0.96	9.9	0.74
Breast (<i>in situ</i>)	-	-	-	-	-	101	34.3	1.55	27.8	1.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Massachusetts, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	489	301.8	6.42	222.9	4.54	600	291.3	5.50	228.8	4.21
Oral Cavity & Pharynx	25	13.8	1.28	10.9	0.98	13	6.6	0.84	5.1	0.62
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	2.1	0.49	1.7	0.38	4	2.2	0.48	1.7	0.36
Major salivary gland	2	1.2	0.36	1.1	0.31	2	0.9	0.29	0.7	0.23
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.0	0.35	0.8	0.26	3	1.5	0.42	1.1	0.29
Nasopharynx	12	6.1	0.81	5.1	0.67	2	1.1	0.32	0.9	0.26
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	1	1.0	0.42	0.6	0.23	-	-	-	-	-
Digestive System	145	91.2	3.55	66.0	2.46	102	54.6	2.50	39.1	1.74
Esophagus	8	5.2	0.86	3.7	0.58	2	1.1	0.35	0.9	0.26
Stomach	20	12.6	1.33	8.9	0.91	13	6.9	0.88	4.9	0.61
Small intestine	3	2.1	0.55	1.4	0.36	1	0.6	0.25	0.5	0.20
Colon excl. rectum	30	20.0	1.70	13.8	1.13	31	16.4	1.37	11.7	0.95
Rectum & rectosigmoid	22	12.0	1.21	9.5	0.91	15	7.7	0.91	5.9	0.67
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	37	22.7	1.75	16.9	1.25	12	6.5	0.87	4.6	0.61
Gallbladder	3	1.9	0.54	1.3	0.36	1	0.7	0.27	0.5	0.19
Pancreas	14	8.8	1.10	6.4	0.77	15	8.3	0.99	5.7	0.67
Respiratory System	81	54.7	2.84	37.7	1.88	60	33.3	1.98	23.3	1.35
Larynx	2	1.2	0.40	0.8	0.28	-	-	-	-	-
Lung & bronchus	77	52.3	2.79	35.8	1.84	58	32.4	1.96	22.6	1.33
Bones & Joints	2	0.9	0.30	0.9	0.29	2	1.0	0.32	0.9	0.28
Soft Tissue (incl. heart)	6	3.3	0.66	2.7	0.51	5	2.4	0.51	2.0	0.43
Skin (excl. basal & sq.)	3	1.7	0.43	1.4	0.35	4	1.7	0.38	1.5	0.33
Melanomas of the skin	2	0.8	0.27	0.8	0.26	2	0.7	0.24	0.7	0.22
Breast (excl. <i>in situ</i>)	2	1.2	0.40	0.9	0.28	201	93.3	3.02	75.9	2.40
Female Genital System	-	-	-	-	-	70	32.4	1.78	26.6	1.43
Cervix uteri	-	-	-	-	-	14	5.9	0.72	5.1	0.62
Uterus Corpus	-	-	-	-	-	34	15.5	1.21	13.0	1.00
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	16	7.9	0.91	6.2	0.69
Male Genital System	90	56.7	2.78	42.2	2.00	-	-	-	-	-
Prostate	84	53.5	2.71	39.8	1.94	-	-	-	-	-
Testis	3	1.4	0.35	1.4	0.33	-	-	-	-	-
Penis	2	1.3	0.46	0.8	0.27	-	-	-	-	-
Urinary System	38	24.7	1.89	17.3	1.26	14	7.4	0.92	5.4	0.65
Bladder (incl. <i>in situ</i>)	20	14.2	1.50	9.1	0.93	4	2.2	0.50	1.5	0.35
Kidney & renal pelvis	17	9.6	1.09	7.5	0.82	9	4.5	0.71	3.3	0.50
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	9	4.0	0.63	4.0	0.62	8	3.9	0.62	3.5	0.56
Brain	8	3.7	0.60	3.8	0.61	7	3.3	0.57	3.0	0.52
Endocrine System	26	12.2	1.13	10.6	0.95	64	26.8	1.53	23.6	1.32
Thyroid gland	23	10.6	1.05	9.2	0.87	63	25.9	1.50	22.7	1.29
Lymphomas	25	14.3	1.37	11.2	1.01	24	11.1	1.06	9.1	0.84
Hodgkin Lymphoma	3	1.3	0.35	1.2	0.32	3	1.0	0.27	1.1	0.29
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	4.0	0.74	2.9	0.52	5	3.0	0.60	2.1	0.41
Leukemias	16	9.2	1.07	7.6	0.86	14	6.4	0.80	5.6	0.70
Acute lymphocytic	3	1.6	0.40	1.7	0.43	3	1.3	0.34	1.5	0.40
Chronic lymphocytic	2	1.3	0.41	1.0	0.31	2	1.2	0.38	0.8	0.25
Acute myeloid	5	3.3	0.66	2.5	0.49	6	2.9	0.54	2.5	0.45
Chronic myeloid	3	1.7	0.45	1.4	0.34	-	-	-	-	-
Other leukemias	2	1.4	0.42	1.1	0.31	1	0.5	0.22	0.5	0.19
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	13	8.9	1.15	6.0	0.74	13	7.2	0.91	5.0	0.61
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	9	5.4	0.85	4.0	0.59	20	10.1	1.03	7.9	0.79
Breast (<i>in situ</i>)	-	-	-	-	-	70	32.0	1.74	26.6	1.42

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Massachusetts, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8	100.4	16.88	79.9	13.03	10	143.6	21.50	101.2	14.65
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	1	19.1	7.48	13.5	5.14	2	24.9	9.15	15.8	5.66
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	1	19.9	8.37	13.8	5.64	1	23.7	9.19	14.1	5.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	1	19.9	8.37	13.8	5.64	1	23.7	9.19	14.1	5.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	4	52.1	12.49	39.3	9.11
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	27.2	7.97	25.0	7.24	-	-	-	-	-
Prostate	2	21.4	7.23	19.1	6.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

**Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Massachusetts, 2013-2017, Hispanic/Latino, All Races**

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	716	356.4	6.73	269.8	4.67	838	307.2	5.03	242.5	3.78
Oral Cavity & Pharynx	26	13.2	1.28	10.0	0.90	14	5.3	0.68	4.1	0.50
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	4.0	0.74	2.8	0.49	4	1.4	0.36	1.1	0.26
Major salivary gland	3	1.3	0.42	0.9	0.27	1	0.5	0.20	0.4	0.15
Floor of mouth	2	1.0	0.31	0.8	0.26	-	-	-	-	-
Gum & other mouth	2	1.0	0.36	0.8	0.25	4	1.8	0.41	1.3	0.29
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	3	1.6	0.44	1.2	0.31	-	-	-	-	-
Digestive System	173	88.9	3.41	65.7	2.31	133	53.0	2.17	39.6	1.55
Esophagus	6	3.1	0.62	2.4	0.44	1	0.5	0.20	0.4	0.17
Stomach	29	15.7	1.47	11.3	0.97	17	6.6	0.76	5.1	0.55
Small intestine	4	2.1	0.49	1.6	0.36	4	1.3	0.30	1.1	0.25
Colon excl. rectum	42	22.5	1.77	16.0	1.14	41	16.0	1.19	11.9	0.84
Rectum & rectosigmoid	21	9.5	1.05	7.4	0.75	17	6.5	0.74	4.9	0.54
Anus, anal canal & anorectum	3	1.4	0.41	1.0	0.27	6	2.0	0.40	1.7	0.31
Liver	36	17.2	1.41	13.6	1.04	11	4.8	0.69	3.4	0.47
Gallbladder	2	1.1	0.41	0.7	0.26	5	1.9	0.40	1.5	0.30
Pancreas	18	10.2	1.22	7.1	0.78	20	8.5	0.90	6.1	0.62
Respiratory System	79	46.0	2.58	32.3	1.67	62	26.8	1.61	19.4	1.11
Larynx	14	7.3	0.96	5.5	0.66	1	0.5	0.20	0.4	0.15
Lung & bronchus	63	38.0	2.37	26.3	1.52	59	25.8	1.58	18.6	1.09
Bones & Joints	3	0.7	0.20	0.8	0.21	2	0.7	0.23	0.7	0.19
Soft Tissue (incl. heart)	7	3.0	0.59	2.4	0.43	8	2.2	0.38	2.1	0.34
Skin (excl. basal & sq.)	7	2.9	0.57	2.3	0.41	9	3.3	0.51	2.6	0.38
Melanomas of the skin	3	1.7	0.47	1.3	0.32	8	2.9	0.49	2.2	0.35
Breast (excl. <i>in situ</i>)	2	1.1	0.39	0.8	0.25	253	90.3	2.66	72.8	2.07
Female Genital System	-	-	-	-	-	115	40.5	1.78	32.7	1.38
Cervix uteri	-	-	-	-	-	25	8.4	0.80	6.7	0.61
Uterus Corpus	-	-	-	-	-	58	20.8	1.27	16.9	1.00
Uterus, NOS ¹	-	-	-	-	-	2	1.0	0.31	0.8	0.23
Ovary	-	-	-	-	-	18	5.9	0.64	5.0	0.53
Male Genital System	204	100.7	3.47	79.1	2.54	-	-	-	-	-
Prostate	189	97.0	3.44	75.3	2.50	-	-	-	-	-
Testis	12	2.6	0.35	2.8	0.36	-	-	-	-	-
Penis	3	1.0	0.31	0.8	0.24	-	-	-	-	-
Urinary System	70	35.8	2.15	26.6	1.47	37	14.6	1.15	10.8	0.81
Bladder (incl. <i>in situ</i>)	32	18.5	1.64	13.1	1.07	11	5.0	0.72	3.3	0.45
Kidney & renal pelvis	36	16.0	1.31	12.8	0.98	25	9.2	0.88	7.3	0.66
Ureter	1	0.8	0.38	0.5	0.22	-	-	-	-	-
Eye & Orbit	2	0.7	0.29	0.5	0.20	-	-	-	-	-
Brain & Other CNS ¹	16	5.0	0.66	4.6	0.54	14	4.5	0.58	3.9	0.47
Brain	15	4.8	0.66	4.3	0.53	12	4.0	0.55	3.5	0.45
Endocrine System	19	6.7	0.75	5.9	0.62	89	26.7	1.32	23.6	1.13
Thyroid gland	17	6.0	0.71	5.1	0.58	88	26.1	1.29	23.2	1.11
Lymphomas	51	23.0	1.68	17.6	1.15	48	17.9	1.24	13.9	0.91
Hodgkin Lymphoma	9	3.0	0.54	2.6	0.40	10	3.1	0.46	2.8	0.39
Non-Hodgkin Lymphoma	42	20.0	1.60	15.0	1.08	37	14.8	1.15	11.1	0.82
Multiple Myeloma	14	6.9	0.92	5.2	0.65	16	6.5	0.76	4.9	0.55
Leukemias	23	9.8	1.10	7.7	0.76	22	7.5	0.79	6.2	0.60
Acute lymphocytic	7	1.5	0.27	1.7	0.29	6	1.3	0.25	1.5	0.28
Chronic lymphocytic	4	2.3	0.56	1.7	0.39	4	1.5	0.37	1.0	0.25
Acute myeloid	6	3.5	0.72	2.4	0.45	7	2.7	0.49	2.1	0.36
Chronic myeloid	3	1.3	0.38	1.0	0.26	3	1.2	0.31	0.9	0.23
Other leukemias	3	1.3	0.42	0.9	0.25	2	0.8	0.28	0.6	0.19
Mesothelioma	1	1.1	0.47	0.7	0.26	-	-	-	-	-
Kaposi Sarcoma	2	1.0	0.30	0.8	0.24	-	-	-	-	-
Ill-defined & Unknown	16	9.9	1.24	6.7	0.77	16	6.6	0.80	4.6	0.53
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	15	5.7	0.76	4.8	0.57	28	9.8	0.87	7.7	0.66
Breast (<i>in situ</i>)	-	-	-	-	-	76	26.6	1.42	21.8	1.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MASSACHUSETTS

198 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Massachusetts, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	15,214	482.3	1.80	356.9	1.36	16,558	452.5	1.66	350.8	1.35
Oral Cavity & Pharynx	601	18.2	0.34	14.5	0.27	272	7.2	0.20	5.6	0.17
Lip	18	0.6	0.06	0.4	0.04	13	0.3	0.04	0.2	0.03
Tongue	197	6.0	0.20	4.8	0.16	83	2.3	0.12	1.8	0.09
Major salivary gland	43	1.4	0.10	1.0	0.08	38	1.1	0.09	0.9	0.08
Floor of mouth	30	0.9	0.07	0.7	0.06	16	0.4	0.05	0.3	0.04
Gum & other mouth	69	2.2	0.12	1.6	0.09	55	1.4	0.09	1.0	0.07
Nasopharynx	15	0.5	0.06	0.4	0.05	8	0.2	0.04	0.2	0.03
Oropharynx	30	0.9	0.07	0.7	0.06	6	0.1	0.03	0.1	0.02
Hypopharynx	38	1.1	0.08	0.9	0.06	10	0.2	0.03	0.2	0.03
Digestive System	2,920	92.9	0.79	67.1	0.58	2,405	61.8	0.59	44.4	0.45
Esophagus	313	9.7	0.25	7.0	0.18	94	2.3	0.11	1.6	0.08
Stomach	256	8.2	0.24	5.8	0.17	145	3.7	0.15	2.6	0.11
Small intestine	79	2.5	0.13	1.9	0.10	68	1.8	0.10	1.4	0.08
Colon excl. rectum	825	26.9	0.43	18.9	0.31	903	23.2	0.36	16.3	0.28
Rectum & rectosigmoid	394	12.8	0.30	9.8	0.23	308	8.5	0.23	6.6	0.18
Anus, anal canal & anorectum	52	1.6	0.10	1.2	0.08	87	2.3	0.11	1.8	0.09
Liver	327	9.7	0.25	7.4	0.19	88	2.2	0.11	1.7	0.09
Gallbladder	23	0.7	0.07	0.5	0.04	54	1.3	0.09	0.9	0.06
Pancreas	476	15.0	0.32	10.5	0.22	476	11.7	0.25	8.1	0.18
Respiratory System	2,331	73.3	0.70	51.0	0.48	2,538	64.2	0.59	45.9	0.43
Larynx	175	5.3	0.18	4.0	0.14	48	1.2	0.08	1.0	0.06
Lung & bronchus	2,119	66.8	0.66	46.1	0.46	2,467	62.3	0.58	44.4	0.42
Bones & Joints	29	1.1	0.10	1.1	0.10	21	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	110	3.8	0.17	3.1	0.14	83	2.5	0.13	2.1	0.12
Skin (excl. basal & sq.)	960	31.6	0.47	22.9	0.35	738	21.3	0.37	17.3	0.32
Melanomas of the skin	881	28.9	0.45	21.2	0.34	689	20.1	0.36	16.4	0.31
Breast (excl. <i>in situ</i>)	44	1.4	0.10	1.0	0.07	5,089	143.3	0.95	113.8	0.77
Female Genital System	-	-	-	-	-	1,855	49.8	0.54	39.9	0.45
Cervix uteri	-	-	-	-	-	132	4.6	0.19	4.0	0.17
Uterus Corpus	-	-	-	-	-	1,102	28.7	0.40	23.1	0.33
Uterus, NOS ¹	-	-	-	-	-	24	0.6	0.06	0.5	0.05
Ovary	-	-	-	-	-	391	10.6	0.25	8.4	0.21
Male Genital System	3,498	103.8	0.81	81.5	0.64	-	-	-	-	-
Prostate	3,295	95.4	0.76	73.5	0.58	-	-	-	-	-
Testis	168	7.3	0.26	7.3	0.26	-	-	-	-	-
Penis	29	1.0	0.08	0.6	0.05	-	-	-	-	-
Urinary System	2,036	65.6	0.67	46.0	0.47	858	22.3	0.36	16.4	0.28
Bladder (incl. <i>in situ</i>)	1,260	40.8	0.53	26.9	0.35	451	11.3	0.25	7.9	0.18
Kidney & renal pelvis	729	23.2	0.40	18.0	0.31	380	10.4	0.25	8.1	0.21
Ureter	28	0.9	0.08	0.6	0.05	17	0.4	0.05	0.3	0.03
Eye & Orbit	34	1.1	0.09	0.9	0.08	28	0.9	0.08	0.8	0.08
Brain & Other CNS ¹	248	8.7	0.26	7.3	0.23	202	6.3	0.21	5.4	0.20
Brain	239	8.3	0.25	7.0	0.22	192	5.9	0.21	5.1	0.19
Endocrine System	326	11.7	0.30	10.2	0.27	805	28.1	0.47	25.4	0.43
Thyroid gland	302	10.7	0.29	9.2	0.25	785	27.4	0.46	24.8	0.43
Lymphomas	814	27.3	0.44	21.0	0.35	671	18.6	0.34	14.6	0.29
Hodgkin Lymphoma	82	3.2	0.16	3.1	0.16	74	2.8	0.15	2.8	0.16
Non-Hodgkin Lymphoma	732	24.1	0.41	17.9	0.32	597	15.8	0.30	11.8	0.24
Multiple Myeloma	246	7.8	0.23	5.5	0.16	179	4.5	0.15	3.2	0.12
Leukemias	472	15.9	0.34	12.0	0.27	346	9.6	0.25	7.5	0.22
Acute lymphocytic	33	1.4	0.12	1.6	0.13	32	1.3	0.11	1.4	0.13
Chronic lymphocytic	172	5.5	0.19	3.8	0.13	112	2.8	0.12	2.0	0.09
Acute myeloid	152	5.1	0.19	3.8	0.15	118	3.3	0.14	2.5	0.12
Chronic myeloid	64	2.2	0.13	1.7	0.10	44	1.2	0.09	0.9	0.07
Other leukemias	51	1.7	0.11	1.2	0.09	39	1.0	0.08	0.7	0.06
Mesothelioma	60	2.0	0.12	1.3	0.07	21	0.5	0.05	0.4	0.04
Kaposi Sarcoma	11	0.4	0.05	0.3	0.04	2	0.0	0.01	0.0	0.01
Ill-defined & Unknown	475	15.8	0.33	10.2	0.22	446	10.9	0.24	7.4	0.18
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	200	6.9	0.23	5.7	0.20	391	11.3	0.27	9.2	0.23
Breast (<i>in situ</i>)	5	0.2	0.04	0.1	0.03	1,377	41.3	0.52	33.9	0.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Massachusetts, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	928	474.8	7.47	364.7	5.41	954	389.8	5.75	303.2	4.45
Oral Cavity & Pharynx	25	12.8	1.21	9.9	0.89	12	4.3	0.58	3.7	0.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	3.4	0.68	2.4	0.45	1	0.5	0.18	0.4	0.16
Major salivary gland	2	1.1	0.36	0.9	0.26	3	1.0	0.27	0.9	0.24
Floor of mouth	1	0.8	0.30	0.6	0.22	-	-	-	-	-
Gum & other mouth	3	1.6	0.43	1.2	0.32	3	1.2	0.31	1.1	0.26
Nasopharynx	3	1.5	0.42	1.2	0.31	1	0.5	0.21	0.4	0.17
Oropharynx	2	0.8	0.29	0.7	0.23	-	-	-	-	-
Hypopharynx	2	0.9	0.33	0.7	0.23	-	-	-	-	-
Digestive System	222	116.1	3.74	87.3	2.65	180	74.7	2.54	55.2	1.87
Esophagus	11	5.8	0.86	4.2	0.59	5	2.0	0.41	1.4	0.29
Stomach	29	17.0	1.52	11.7	0.98	22	9.5	0.92	6.5	0.64
Small intestine	9	3.9	0.62	3.3	0.51	8	3.0	0.50	2.4	0.39
Colon excl. rectum	64	34.0	2.05	25.0	1.42	58	24.0	1.44	17.7	1.06
Rectum & rectosigmoid	27	13.3	1.23	10.3	0.90	23	8.9	0.84	7.0	0.67
Anus, anal canal & anorectum	4	1.6	0.39	1.4	0.33	4	1.8	0.40	1.4	0.30
Liver	35	15.6	1.24	13.3	1.01	12	4.6	0.61	3.6	0.48
Gallbladder	1	0.7	0.28	0.5	0.21	8	3.4	0.56	2.5	0.40
Pancreas	31	17.1	1.48	12.3	1.01	30	12.7	1.07	9.1	0.76
Respiratory System	109	60.8	2.79	44.2	1.91	104	43.1	1.93	31.6	1.40
Larynx	8	4.2	0.68	3.3	0.52	4	1.3	0.31	1.1	0.26
Lung & bronchus	99	55.6	2.69	40.0	1.82	99	41.2	1.89	30.1	1.37
Bones & Joints	2	1.0	0.31	0.9	0.26	3	1.1	0.29	1.0	0.28
Soft Tissue (incl. heart)	7	3.6	0.65	2.9	0.50	6	2.6	0.47	2.2	0.40
Skin (excl. basal & sq.)	4	1.6	0.41	1.4	0.33	5	2.2	0.44	1.7	0.34
Melanomas of the skin	-	-	-	-	-	1	0.6	0.25	0.4	0.16
Breast (excl. <i>in situ</i>)	4	2.2	0.54	1.6	0.37	302	122.8	3.21	97.9	2.54
Female Genital System	-	-	-	-	-	123	49.0	2.02	38.8	1.58
Cervix uteri	-	-	-	-	-	21	8.5	0.85	6.8	0.68
Uterus Corpus	-	-	-	-	-	67	26.7	1.48	21.1	1.16
Uterus, NOS ¹	-	-	-	-	-	3	1.2	0.32	0.9	0.24
Ovary	-	-	-	-	-	22	8.6	0.83	6.9	0.67
Male Genital System	350	171.5	4.37	135.3	3.27	-	-	-	-	-
Prostate	345	168.8	4.34	133.1	3.24	-	-	-	-	-
Testis	3	1.2	0.32	1.2	0.30	-	-	-	-	-
Penis	2	1.2	0.41	0.9	0.27	-	-	-	-	-
Urinary System	68	36.3	2.11	27.1	1.49	45	18.4	1.25	13.9	0.94
Bladder (incl. <i>in situ</i>)	27	15.8	1.46	11.0	0.96	14	6.1	0.74	4.1	0.50
Kidney & renal pelvis	40	19.9	1.50	15.7	1.12	29	11.8	0.99	9.4	0.78
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	3.3	0.54	3.1	0.50	10	4.2	0.59	3.8	0.53
Brain	7	2.7	0.49	2.6	0.45	10	3.9	0.57	3.5	0.51
Endocrine System	11	5.1	0.71	4.5	0.60	54	21.1	1.31	18.3	1.12
Thyroid gland	9	4.3	0.65	3.7	0.55	52	20.4	1.28	17.6	1.10
Lymphomas	39	18.1	1.38	15.0	1.09	34	13.9	1.08	11.1	0.85
Hodgkin Lymphoma	8	3.2	0.54	3.0	0.49	5	1.8	0.38	1.7	0.35
Non-Hodgkin Lymphoma	31	14.9	1.27	12.0	0.97	30	12.1	1.01	9.4	0.78
Multiple Myeloma	27	14.5	1.32	11.0	0.95	31	13.5	1.10	9.6	0.78
Leukemias	24	12.1	1.21	9.6	0.89	20	8.2	0.83	6.8	0.69
Acute lymphocytic	3	1.1	0.28	1.3	0.34	2	0.8	0.24	0.9	0.29
Chronic lymphocytic	6	3.0	0.60	2.2	0.42	4	1.6	0.37	1.2	0.28
Acute myeloid	5	2.9	0.60	2.2	0.43	8	3.2	0.52	2.7	0.43
Chronic myeloid	6	3.2	0.62	2.4	0.44	3	1.3	0.32	1.0	0.26
Other leukemias	3	2.0	0.51	1.4	0.34	3	1.3	0.35	0.9	0.24
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	5	2.4	0.55	1.9	0.39	-	-	-	-	-
Ill-defined & Unknown	21	12.6	1.30	8.6	0.84	23	10.1	0.95	7.1	0.67
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	16	8.7	1.06	6.5	0.73	34	13.8	1.08	10.8	0.84
Breast (<i>in situ</i>)	-	-	-	-	-	91	36.2	1.73	29.6	1.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Michigan, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	27,762	487.9	1.35	362.1	1.00	26,981	421.7	1.19	326.8	0.96
Oral Cavity & Pharynx	1,036	17.6	0.25	13.9	0.20	428	6.6	0.15	5.1	0.12
Lip	32	0.6	0.05	0.4	0.03	13	0.2	0.02	0.1	0.02
Tongue	340	5.7	0.14	4.6	0.11	120	1.9	0.08	1.5	0.06
Major salivary gland	81	1.5	0.08	1.1	0.06	66	1.1	0.06	0.9	0.05
Floor of mouth	49	0.8	0.05	0.7	0.04	25	0.4	0.03	0.3	0.03
Gum & other mouth	110	2.0	0.09	1.4	0.06	100	1.5	0.07	1.1	0.05
Nasopharynx	40	0.7	0.05	0.6	0.04	13	0.2	0.03	0.2	0.02
Oropharynx	48	0.8	0.05	0.6	0.04	15	0.2	0.02	0.2	0.02
Hypopharynx	65	1.1	0.06	0.9	0.05	18	0.3	0.03	0.2	0.02
Digestive System	5,304	93.7	0.59	68.7	0.43	4,255	64.0	0.45	46.5	0.34
Esophagus	530	9.1	0.18	6.7	0.13	142	2.1	0.08	1.5	0.06
Stomach	460	8.4	0.18	5.9	0.13	262	4.0	0.11	2.8	0.08
Small intestine	164	2.9	0.10	2.2	0.08	140	2.2	0.08	1.7	0.07
Colon excl. rectum	1,587	29.0	0.33	20.7	0.24	1,641	24.9	0.28	17.6	0.21
Rectum & rectosigmoid	751	13.3	0.22	10.2	0.17	551	8.6	0.17	6.8	0.14
Anus, anal canal & anorectum	71	1.3	0.07	1.0	0.06	147	2.2	0.09	1.8	0.07
Liver	579	9.3	0.18	7.3	0.14	210	3.1	0.10	2.3	0.08
Gallbladder	42	0.8	0.05	0.5	0.04	79	1.2	0.06	0.8	0.04
Pancreas	870	15.3	0.24	10.9	0.17	817	11.9	0.19	8.3	0.14
Respiratory System	4,502	78.8	0.54	55.8	0.38	4,015	59.1	0.43	42.9	0.31
Larynx	357	5.9	0.14	4.6	0.11	101	1.5	0.07	1.2	0.06
Lung & bronchus	4,085	71.8	0.52	50.4	0.36	3,873	56.9	0.42	41.2	0.31
Bones & Joints	58	1.1	0.07	1.0	0.06	41	0.7	0.05	0.7	0.05
Soft Tissue (incl. heart)	200	3.8	0.12	3.1	0.10	159	2.7	0.10	2.2	0.09
Skin (excl. basal & sq.)	1,482	27.2	0.33	19.8	0.24	1,110	18.9	0.26	15.5	0.23
Melanomas of the skin	1,331	24.3	0.31	17.8	0.23	1,004	17.2	0.25	14.3	0.22
Breast (excl. <i>in situ</i>)	82	1.4	0.07	1.0	0.05	7,708	122.6	0.65	96.8	0.52
Female Genital System	-	-	-	-	-	3,321	51.9	0.42	42.0	0.35
Cervix uteri	-	-	-	-	-	344	6.7	0.17	5.9	0.15
Uterus Corpus	-	-	-	-	-	1,878	28.1	0.30	22.8	0.25
Uterus, NOS ¹	-	-	-	-	-	63	1.0	0.06	0.7	0.04
Ovary	-	-	-	-	-	685	10.8	0.19	8.6	0.16
Male Genital System	6,877	113.2	0.63	88.2	0.48	-	-	-	-	-
Prostate	6,554	106.3	0.60	81.5	0.45	-	-	-	-	-
Testis	272	5.9	0.16	6.0	0.17	-	-	-	-	-
Penis	39	0.7	0.05	0.5	0.04	-	-	-	-	-
Urinary System	3,423	62.0	0.49	43.6	0.34	1,426	21.4	0.26	15.8	0.20
Bladder (incl. <i>in situ</i>)	2,065	38.0	0.38	25.2	0.25	657	9.5	0.17	6.5	0.12
Kidney & renal pelvis	1,271	22.4	0.29	17.3	0.22	725	11.3	0.19	8.8	0.16
Ureter	46	0.8	0.06	0.5	0.04	31	0.4	0.04	0.3	0.02
Eye & Orbit	55	1.0	0.06	0.8	0.05	42	0.7	0.05	0.6	0.05
Brain & Other CNS ¹	410	7.7	0.18	6.6	0.16	313	5.4	0.14	4.7	0.13
Brain	387	7.3	0.17	6.1	0.15	291	4.9	0.13	4.3	0.12
Endocrine System	390	7.3	0.17	6.3	0.15	1,054	20.0	0.29	18.1	0.26
Thyroid gland	348	6.5	0.16	5.6	0.14	1,019	19.4	0.28	17.4	0.26
Lymphomas	1,436	26.7	0.32	20.3	0.25	1,185	18.7	0.25	14.6	0.21
Hodgkin Lymphoma	149	3.0	0.11	2.8	0.11	117	2.3	0.10	2.3	0.10
Non-Hodgkin Lymphoma	1,287	23.7	0.30	17.4	0.23	1,068	16.4	0.23	12.3	0.18
Multiple Myeloma	478	8.6	0.18	6.1	0.13	370	5.5	0.13	4.0	0.10
Leukemias	956	17.8	0.26	13.3	0.20	679	10.8	0.19	8.5	0.16
Acute lymphocytic	84	1.7	0.09	1.8	0.09	60	1.2	0.07	1.3	0.08
Chronic lymphocytic	354	6.3	0.15	4.4	0.11	222	3.2	0.10	2.3	0.07
Acute myeloid	295	5.5	0.15	4.0	0.11	232	3.7	0.11	2.8	0.09
Chronic myeloid	122	2.3	0.10	1.7	0.07	106	1.7	0.08	1.4	0.07
Other leukemias	101	1.9	0.09	1.3	0.06	60	0.9	0.06	0.7	0.04
Mesothelioma	86	1.7	0.08	1.0	0.05	28	0.4	0.04	0.3	0.03
Kaposi Sarcoma	18	0.4	0.04	0.3	0.04	4	0.1	0.01	0.0	0.01
Ill-defined & Unknown	970	17.9	0.26	12.2	0.18	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	409	7.7	0.18	6.2	0.14	840	13.7	0.22	10.8	0.18
Breast (<i>in situ</i>)	10	0.2	0.03	0.1	0.02	1,976	32.0	0.34	26.1	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Michigan, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	23,479	476.4	1.43	352.2	1.07	22,863	423.1	1.31	328.0	1.06
Oral Cavity & Pharynx	908	17.8	0.27	14.1	0.22	364	6.5	0.16	5.0	0.13
Lip	31	0.7	0.05	0.5	0.04	13	0.2	0.03	0.1	0.02
Tongue	308	5.9	0.16	4.8	0.13	106	2.0	0.09	1.6	0.07
Major salivary gland	71	1.6	0.09	1.1	0.06	54	1.0	0.07	0.8	0.06
Floor of mouth	45	0.8	0.06	0.7	0.05	21	0.4	0.04	0.3	0.03
Gum & other mouth	95	1.9	0.09	1.4	0.07	87	1.5	0.07	1.1	0.06
Nasopharynx	27	0.5	0.05	0.5	0.04	9	0.2	0.03	0.1	0.02
Oropharynx	40	0.7	0.05	0.6	0.04	13	0.2	0.03	0.2	0.02
Hypopharynx	52	1.0	0.06	0.8	0.05	12	0.2	0.03	0.2	0.02
Digestive System	4,380	89.2	0.62	64.9	0.45	3,475	61.2	0.48	44.2	0.37
Esophagus	474	9.3	0.20	6.8	0.14	119	2.0	0.08	1.5	0.06
Stomach	365	7.6	0.18	5.3	0.13	191	3.4	0.11	2.4	0.09
Small intestine	127	2.6	0.11	2.0	0.08	108	2.0	0.09	1.5	0.07
Colon excl. rectum	1,315	27.7	0.35	19.7	0.25	1,355	24.0	0.30	16.8	0.23
Rectum & rectosigmoid	627	12.9	0.24	9.9	0.18	458	8.5	0.19	6.7	0.15
Anus, anal canal & anorectum	56	1.2	0.07	0.9	0.05	132	2.4	0.10	1.9	0.08
Liver	431	8.1	0.18	6.2	0.14	152	2.6	0.10	1.9	0.08
Gallbladder	32	0.7	0.06	0.5	0.04	64	1.1	0.06	0.7	0.04
Pancreas	735	14.8	0.25	10.5	0.18	672	11.4	0.20	7.9	0.15
Respiratory System	3,847	77.0	0.57	54.4	0.40	3,429	59.0	0.46	42.7	0.34
Larynx	296	5.6	0.15	4.4	0.12	79	1.4	0.07	1.1	0.06
Lung & bronchus	3,501	70.3	0.55	49.2	0.38	3,317	57.0	0.45	41.1	0.33
Bones & Joints	50	1.2	0.08	1.1	0.07	35	0.8	0.06	0.7	0.06
Soft Tissue (incl. heart)	165	3.7	0.13	2.9	0.11	128	2.6	0.11	2.1	0.10
Skin (excl. basal & sq.)	1,374	29.1	0.36	21.2	0.27	1,014	20.8	0.31	17.3	0.27
Melanomas of the skin	1,244	26.3	0.34	19.3	0.26	928	19.3	0.30	16.1	0.26
Breast (excl. <i>in situ</i>)	68	1.4	0.08	1.0	0.05	6,513	122.7	0.71	96.9	0.58
Female Genital System	-	-	-	-	-	2,847	52.8	0.46	42.8	0.39
Cervix uteri	-	-	-	-	-	273	6.6	0.19	5.8	0.17
Uterus Corpus	-	-	-	-	-	1,619	28.7	0.33	23.3	0.27
Uterus, NOS ¹	-	-	-	-	-	47	0.8	0.06	0.6	0.04
Ovary	-	-	-	-	-	597	11.2	0.21	8.9	0.18
Male Genital System	5,473	104.2	0.65	81.1	0.50	-	-	-	-	-
Prostate	5,177	96.4	0.61	73.4	0.46	-	-	-	-	-
Testis	252	6.9	0.20	7.0	0.20	-	-	-	-	-
Penis	33	0.7	0.06	0.5	0.04	-	-	-	-	-
Urinary System	3,039	63.1	0.53	44.1	0.37	1,225	21.6	0.29	15.9	0.22
Bladder (incl. <i>in situ</i>)	1,901	39.8	0.42	26.4	0.28	584	9.8	0.19	6.8	0.13
Kidney & renal pelvis	1,059	21.7	0.31	16.7	0.24	601	11.1	0.21	8.7	0.17
Ureter	42	0.9	0.06	0.6	0.04	29	0.5	0.04	0.3	0.03
Eye & Orbit	51	1.1	0.07	0.9	0.06	39	0.8	0.06	0.7	0.06
Brain & Other CNS ¹	373	8.3	0.20	7.1	0.18	277	5.6	0.16	4.9	0.15
Brain	354	7.8	0.19	6.6	0.17	259	5.2	0.15	4.5	0.14
Endocrine System	342	7.7	0.19	6.7	0.17	899	21.2	0.33	19.2	0.31
Thyroid gland	309	6.9	0.18	6.0	0.16	871	20.5	0.33	18.6	0.30
Lymphomas	1,257	27.0	0.35	20.5	0.28	1,025	19.0	0.28	14.9	0.23
Hodgkin Lymphoma	124	3.0	0.12	2.9	0.12	97	2.4	0.11	2.3	0.11
Non-Hodgkin Lymphoma	1,133	24.0	0.33	17.6	0.25	929	16.7	0.25	12.5	0.20
Multiple Myeloma	373	7.7	0.18	5.4	0.13	265	4.6	0.13	3.3	0.09
Leukemias	842	18.1	0.29	13.6	0.23	578	10.8	0.21	8.5	0.18
Acute lymphocytic	74	1.9	0.10	2.0	0.11	49	1.3	0.08	1.4	0.10
Chronic lymphocytic	311	6.3	0.16	4.5	0.12	192	3.2	0.11	2.3	0.08
Acute myeloid	264	5.7	0.16	4.1	0.12	199	3.7	0.12	2.9	0.10
Chronic myeloid	103	2.2	0.10	1.7	0.08	87	1.7	0.09	1.3	0.07
Other leukemias	91	2.0	0.09	1.4	0.07	50	0.9	0.06	0.7	0.05
Mesothelioma	83	1.8	0.09	1.1	0.06	26	0.4	0.04	0.3	0.03
Kaposi Sarcoma	9	0.2	0.03	0.2	0.02	2	0.0	0.01	0.0	0.01
Ill-defined & Unknown	845	17.9	0.28	12.1	0.19	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	346	7.6	0.19	6.1	0.16	681	13.2	0.24	10.5	0.20
Breast (<i>in situ</i>)	8	0.2	0.03	0.1	0.02	1,618	31.5	0.37	25.7	0.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Michigan, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,319	539.6	4.40	413.3	3.24	3,310	411.7	3.28	319.7	2.55
Oral Cavity & Pharynx	101	15.6	0.72	12.7	0.57	48	6.0	0.40	4.9	0.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	23	3.5	0.34	2.9	0.27	11	1.4	0.19	1.1	0.15
Major salivary gland	8	1.2	0.20	1.0	0.16	10	1.2	0.18	1.1	0.16
Floor of mouth	4	0.5	0.13	0.5	0.11	2	0.3	0.09	0.3	0.08
Gum & other mouth	11	1.8	0.26	1.4	0.19	7	0.9	0.15	0.7	0.12
Nasopharynx	8	1.2	0.19	1.0	0.17	2	0.2	0.08	0.2	0.07
Oropharynx	8	1.2	0.20	0.9	0.16	2	0.2	0.08	0.2	0.06
Hypopharynx	12	2.0	0.26	1.5	0.20	6	0.7	0.14	0.6	0.11
Digestive System	772	126.8	2.15	96.2	1.56	668	82.0	1.45	61.6	1.09
Esophagus	44	6.9	0.49	5.4	0.36	21	2.6	0.25	1.9	0.19
Stomach	76	13.6	0.73	9.8	0.51	59	7.4	0.44	5.3	0.32
Small intestine	33	5.4	0.45	4.1	0.32	29	3.4	0.29	2.7	0.23
Colon excl. rectum	230	39.1	1.21	29.1	0.87	249	31.1	0.90	23.2	0.68
Rectum & rectosigmoid	97	15.6	0.74	12.2	0.56	74	8.9	0.47	7.1	0.38
Anus, anal canal & anorectum	14	2.2	0.27	1.9	0.23	13	1.6	0.20	1.2	0.16
Liver	127	18.0	0.74	15.0	0.60	47	5.4	0.36	4.3	0.28
Gallbladder	8	1.5	0.24	1.0	0.16	13	1.6	0.21	1.2	0.15
Pancreas	118	20.4	0.88	14.9	0.62	128	15.6	0.63	11.3	0.46
Respiratory System	562	96.1	1.91	69.9	1.33	494	60.5	1.25	44.7	0.91
Larynx	54	8.6	0.55	6.7	0.41	20	2.3	0.24	1.8	0.19
Lung & bronchus	501	86.4	1.82	62.3	1.25	469	57.4	1.22	42.3	0.89
Bones & Joints	6	0.8	0.15	0.8	0.15	4	0.6	0.12	0.5	0.12
Soft Tissue (incl. heart)	27	4.2	0.38	3.6	0.31	24	3.0	0.28	2.6	0.24
Skin (excl. basal & sq.)	11	1.9	0.26	1.5	0.20	19	2.4	0.25	2.0	0.22
Melanomas of the skin	5	0.8	0.17	0.6	0.13	8	1.0	0.16	0.8	0.13
Breast (excl. <i>in situ</i>)	13	2.3	0.29	1.6	0.20	979	123.1	1.80	97.4	1.43
Female Genital System	-	-	-	-	-	382	46.5	1.09	37.5	0.88
Cervix uteri	-	-	-	-	-	56	7.5	0.46	6.4	0.39
Uterus Corpus	-	-	-	-	-	213	25.1	0.79	20.2	0.63
Uterus, NOS ¹	-	-	-	-	-	14	1.7	0.21	1.3	0.16
Ovary	-	-	-	-	-	67	8.2	0.46	6.5	0.36
Male Genital System	1,066	163.4	2.34	129.8	1.79	-	-	-	-	-
Prostate	1,050	160.9	2.32	127.6	1.77	-	-	-	-	-
Testis	11	1.6	0.23	1.6	0.22	-	-	-	-	-
Penis	4	0.7	0.17	0.5	0.11	-	-	-	-	-
Urinary System	301	50.7	1.37	37.9	0.99	173	21.6	0.75	16.0	0.56
Bladder (incl. <i>in situ</i>)	119	21.8	0.94	14.8	0.61	61	7.8	0.46	5.2	0.31
Kidney & renal pelvis	176	27.9	0.98	22.4	0.76	108	13.3	0.59	10.4	0.46
Ureter	2	0.4	0.11	0.3	0.08	-	-	-	-	-
Eye & Orbit	2	0.3	0.09	0.3	0.09	2	0.2	0.08	0.2	0.07
Brain & Other CNS ¹	27	4.1	0.37	3.6	0.32	26	3.4	0.30	3.1	0.28
Brain	24	3.7	0.35	3.3	0.30	23	2.9	0.28	2.8	0.26
Endocrine System	31	5.1	0.43	4.0	0.33	111	14.3	0.62	12.5	0.54
Thyroid gland	25	4.1	0.39	3.2	0.29	104	13.5	0.61	11.7	0.53
Lymphomas	130	21.4	0.88	17.2	0.68	119	14.9	0.63	12.2	0.52
Hodgkin Lymphoma	21	3.2	0.32	3.0	0.30	16	2.1	0.24	2.0	0.23
Non-Hodgkin Lymphoma	110	18.2	0.82	14.2	0.61	103	12.9	0.58	10.2	0.47
Multiple Myeloma	91	15.9	0.78	11.5	0.54	96	12.3	0.57	8.8	0.41
Leukemias	76	13.2	0.71	9.9	0.51	70	8.9	0.49	7.0	0.39
Acute lymphocytic	6	0.8	0.14	0.9	0.16	7	0.9	0.16	1.0	0.17
Chronic lymphocytic	27	4.8	0.43	3.4	0.30	17	2.1	0.24	1.5	0.17
Acute myeloid	23	4.1	0.40	3.0	0.28	26	3.5	0.31	2.6	0.24
Chronic myeloid	13	2.2	0.29	1.6	0.21	12	1.5	0.20	1.3	0.17
Other leukemias	7	1.3	0.23	0.9	0.15	7	0.9	0.16	0.6	0.11
Mesothelioma	2	0.5	0.15	0.3	0.09	2	0.2	0.08	0.1	0.05
Kaposi Sarcoma	8	1.2	0.20	1.2	0.19	1	0.2	0.07	0.1	0.05
Ill-defined & Unknown	92	16.2	0.80	11.4	0.53	92	11.6	0.55	8.3	0.40
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	49	8.2	0.55	6.5	0.42	127	16.4	0.67	12.6	0.52
Breast (<i>in situ</i>)	2	0.4	0.11	0.3	0.08	287	35.5	0.96	28.3	0.76

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Michigan, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	277	253.3	7.33	183.6	4.97	350	252.2	6.30	195.0	4.68
Oral Cavity & Pharynx	12	8.7	1.20	7.2	0.95	7	4.6	0.81	3.8	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	3.3	0.82	2.4	0.56	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	0.9	0.40	0.7	0.31	3	1.7	0.48	1.5	0.40
Nasopharynx	4	2.4	0.57	2.2	0.51	1	1.0	0.40	0.8	0.30
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	75	69.5	3.87	49.5	2.58	56	45.3	2.85	31.4	1.89
Esophagus	4	3.4	0.82	2.6	0.59	-	-	-	-	-
Stomach	12	11.8	1.60	8.2	1.05	9	7.7	1.21	5.1	0.76
Small intestine	2	1.6	0.58	1.1	0.38	-	-	-	-	-
Colon excl. rectum	20	18.7	2.05	13.0	1.32	17	13.7	1.56	9.3	1.02
Rectum & rectosigmoid	12	11.0	1.51	8.1	1.04	9	6.9	1.07	5.1	0.76
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	10	7.7	1.17	6.2	0.89	5	4.6	0.94	3.1	0.61
Gallbladder	-	-	-	-	-	1	1.0	0.38	0.8	0.30
Pancreas	7	7.6	1.37	4.9	0.82	8	6.7	1.14	4.3	0.70
Respiratory System	32	33.3	2.82	22.2	1.76	34	28.5	2.28	19.4	1.49
Larynx	2	1.8	0.57	1.3	0.42	-	-	-	-	-
Lung & bronchus	29	30.2	2.71	19.8	1.67	32	27.2	2.23	18.4	1.45
Bones & Joints	1	1.3	0.57	0.8	0.33	1	0.7	0.30	0.6	0.26
Soft Tissue (incl. heart)	4	3.0	0.73	2.6	0.57	3	2.0	0.54	1.8	0.49
Skin (excl. basal & sq.)	3	2.3	0.69	1.7	0.47	4	2.8	0.68	2.1	0.49
Melanomas of the skin	-	-	-	-	-	3	2.2	0.63	1.6	0.43
Breast (excl. <i>in situ</i>)	-	-	-	-	-	122	82.8	3.45	67.0	2.72
Female Genital System	-	-	-	-	-	46	30.7	2.09	25.0	1.66
Cervix uteri	-	-	-	-	-	6	3.8	0.72	3.2	0.59
Uterus Corpus	-	-	-	-	-	22	14.8	1.45	12.1	1.17
Uterus, NOS ¹	-	-	-	-	-	1	1.0	0.38	0.8	0.29
Ovary	-	-	-	-	-	12	8.2	1.11	6.4	0.84
Male Genital System	65	57.9	3.41	43.0	2.40	-	-	-	-	-
Prostate	60	55.1	3.35	40.4	2.34	-	-	-	-	-
Testis	4	1.9	0.46	2.0	0.46	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	25.2	2.37	17.4	1.54	7	6.2	1.07	4.2	0.70
Bladder (incl. <i>in situ</i>)	12	12.9	1.81	8.1	1.06	3	3.2	0.83	1.9	0.47
Kidney & renal pelvis	13	11.5	1.48	8.7	1.07	4	2.5	0.60	2.1	0.49
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	3.4	0.83	2.6	0.61	6	4.2	0.78	3.7	0.67
Brain	4	3.4	0.83	2.6	0.61	6	3.8	0.74	3.3	0.64
Endocrine System	12	8.8	1.22	7.3	0.96	27	16.3	1.45	14.6	1.27
Thyroid gland	10	7.2	1.10	5.9	0.85	26	15.7	1.41	14.1	1.25
Lymphomas	19	16.4	1.85	12.4	1.28	16	12.0	1.40	9.2	1.03
Hodgkin Lymphoma	1	0.8	0.31	0.8	0.30	2	1.1	0.34	1.1	0.36
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	5.5	1.11	3.6	0.70	3	2.0	0.55	1.6	0.43
Leukemias	10	8.3	1.31	6.6	0.94	9	6.3	0.99	5.3	0.81
Acute lymphocytic	2	1.4	0.42	1.5	0.45	2	1.1	0.38	1.3	0.45
Chronic lymphocytic	2	1.9	0.62	1.4	0.44	-	-	-	-	-
Acute myeloid	4	3.8	0.95	2.6	0.59	3	2.1	0.58	1.7	0.44
Chronic myeloid	-	-	-	-	-	2	1.4	0.50	1.0	0.33
Other leukemias	-	-	-	-	-	1	0.8	0.35	0.7	0.29
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	8	7.7	1.31	5.5	0.88	8	7.2	1.18	4.7	0.72
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	6	4.6	0.90	3.8	0.70	15	10.8	1.29	8.5	0.98
Breast (<i>in situ</i>)	-	-	-	-	-	36	23.7	1.82	19.3	1.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Michigan, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	100	524.0	25.62	393.2	17.84	102	482.2	22.46	365.9	16.37
Oral Cavity & Pharynx	2	10.3	3.03	8.7	2.54	3	16.1	4.25	11.5	2.89
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	27	138.4	12.82	106.1	9.25	17	78.1	8.94	60.3	6.62
Esophagus	3	14.9	3.91	12.0	3.02	-	-	-	-	-
Stomach	1	7.6	3.06	5.8	2.23	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	45.4	7.75	32.9	5.27	5	24.6	5.00	19.2	3.75
Rectum & rectosigmoid	4	20.1	4.61	16.7	3.68	3	12.4	3.52	10.1	2.85
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	18.0	4.33	14.6	3.30	2	8.9	2.99	6.6	2.10
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	5	23.7	5.41	17.8	3.76	3	16.0	4.16	11.8	2.89
Respiratory System	24	128.5	12.69	94.9	8.70	26	130.4	11.96	93.0	8.15
Larynx	3	11.4	3.34	9.5	2.65	-	-	-	-	-
Lung & bronchus	22	117.1	12.25	85.5	8.29	26	128.3	11.89	91.1	8.08
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	3	21.2	6.20	12.9	3.31	1	5.0	2.06	4.7	1.94
Melanomas of the skin	3	19.8	6.12	11.6	3.18	1	5.0	2.06	4.7	1.94
Breast (excl. <i>in situ</i>)	-	-	-	-	-	24	109.1	10.36	86.9	7.96
Female Genital System	-	-	-	-	-	9	41.9	6.43	33.6	5.01
Cervix uteri	-	-	-	-	-	1	6.4	2.45	5.5	2.10
Uterus Corpus	-	-	-	-	-	5	24.3	4.86	19.6	3.81
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	8.6	3.16	6.0	2.15
Male Genital System	16	81.9	9.89	63.0	7.10	-	-	-	-	-
Prostate	15	76.2	9.64	57.0	6.72	-	-	-	-	-
Testis	1	4.9	2.02	5.3	2.18	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	62.1	8.95	45.5	6.12	6	31.3	5.93	21.7	3.92
Bladder (incl. <i>in situ</i>)	4	27.6	6.46	18.4	3.98	3	12.7	3.75	8.9	2.49
Kidney & renal pelvis	7	34.5	6.19	27.2	4.64	3	17.1	4.33	12.1	2.96
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	1	7.4	2.95	6.1	2.31	-	-	-	-	-
Brain	1	7.4	2.95	6.1	2.31	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	10.6	3.30	9.2	2.81
Thyroid gland	-	-	-	-	-	2	10.6	3.30	9.2	2.81
Lymphomas	4	20.1	5.01	15.3	3.55	5	21.7	4.67	17.7	3.66
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	3	18.7	4.90	13.9	3.39	4	17.4	4.23	13.5	3.14
Multiple Myeloma	2	14.6	4.90	9.2	2.81	1	7.4	3.19	4.1	1.69
Leukemias	2	10.9	3.58	8.4	2.55	2	8.9	2.92	7.8	2.52
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	23.1	5.45	17.8	3.86	2	11.8	3.80	7.4	2.23
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	1	6.3	2.73	4.9	2.01	3	14.3	3.94	11.2	3.03
Breast (<i>in situ</i>)	-	-	-	-	-	9	41.7	6.34	33.7	5.03

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Michigan, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	437	341.7	8.11	251.1	5.51	443	293.6	6.57	227.4	4.90
Oral Cavity & Pharynx	15	10.7	1.33	8.5	0.98	5	3.0	0.63	2.4	0.50
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.7	0.75	3.0	0.59	2	1.4	0.44	1.1	0.35
Major salivary gland	2	1.1	0.44	0.9	0.32	1	0.6	0.26	0.5	0.21
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	0.8	0.29	0.7	0.26	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	109	88.7	4.18	64.0	2.81	81	57.9	3.02	42.4	2.14
Esophagus	5	3.9	0.80	3.1	0.59	3	2.2	0.62	1.4	0.40
Stomach	11	11.4	1.64	7.2	0.98	7	4.6	0.82	3.4	0.60
Small intestine	2	0.9	0.32	0.8	0.29	2	1.1	0.35	1.0	0.31
Colon excl. rectum	27	21.4	2.03	15.6	1.37	22	15.8	1.57	11.3	1.09
Rectum & rectosigmoid	16	11.5	1.44	8.7	1.01	13	8.5	1.12	6.6	0.84
Anus, anal canal & anorectum	2	1.5	0.50	1.1	0.34	1	1.1	0.44	0.8	0.31
Liver	23	18.2	1.86	13.7	1.31	8	6.1	1.02	4.4	0.71
Gallbladder	-	-	-	-	-	2	1.9	0.56	1.3	0.38
Pancreas	15	13.6	1.70	9.4	1.09	17	12.5	1.42	8.8	0.97
Respiratory System	44	39.5	2.90	27.1	1.87	44	34.2	2.42	24.0	1.64
Larynx	4	2.8	0.68	2.2	0.51	2	1.3	0.50	0.9	0.31
Lung & bronchus	38	35.6	2.78	24.1	1.78	41	31.9	2.33	22.6	1.60
Bones & Joints	1	0.9	0.37	0.7	0.29	-	-	-	-	-
Soft Tissue (incl. heart)	4	2.1	0.56	1.9	0.44	4	2.3	0.55	1.8	0.42
Skin (excl. basal & sq.)	-	-	-	-	-	10	6.5	0.97	5.1	0.74
Melanomas of the skin	7	6.1	1.15	4.0	0.70	8	5.1	0.83	4.2	0.67
Breast (excl. <i>in situ</i>)	1	1.2	0.53	0.7	0.28	117	74.1	3.19	59.9	2.50
Female Genital System	-	-	-	-	-	72	44.4	2.45	36.4	1.94
Cervix uteri	-	-	-	-	-	16	8.9	1.02	7.7	0.86
Uterus Corpus	-	-	-	-	-	35	22.0	1.73	18.2	1.39
Uterus, NOS ¹	-	-	-	-	-	1	0.8	0.32	0.7	0.25
Ovary	-	-	-	-	-	14	8.5	1.08	6.9	0.85
Male Genital System	100	76.7	3.77	58.2	2.66	-	-	-	-	-
Prostate	88	72.0	3.71	53.5	2.59	-	-	-	-	-
Testis	11	4.1	0.58	4.3	0.59	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	44.8	2.98	32.0	1.97	23	16.7	1.62	12.2	1.15
Bladder (incl. <i>in situ</i>)	23	20.4	2.07	14.0	1.32	6	4.7	0.92	3.0	0.57
Kidney & renal pelvis	31	23.1	2.07	17.2	1.42	17	11.5	1.32	8.9	0.98
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	0.4	0.15	0.5	0.19	-	-	-	-	-
Brain & Other CNS ¹	8	4.5	0.83	3.8	0.63	5	2.8	0.63	2.3	0.47
Brain	7	4.2	0.82	3.5	0.61	4	2.5	0.61	2.0	0.45
Endocrine System	10	5.9	0.95	4.8	0.71	27	14.4	1.30	12.7	1.10
Thyroid gland	8	5.3	0.92	4.2	0.67	26	14.0	1.29	12.3	1.08
Lymphomas	33	25.6	2.24	18.6	1.50	21	14.4	1.48	10.9	1.07
Hodgkin Lymphoma	4	1.9	0.46	1.8	0.41	3	1.3	0.37	1.2	0.33
Non-Hodgkin Lymphoma	29	23.7	2.19	16.8	1.44	19	13.1	1.43	9.7	1.02
Multiple Myeloma	11	8.6	1.24	6.5	0.88	7	5.3	0.96	3.5	0.62
Leukemias	20	11.7	1.38	9.6	1.01	13	7.1	0.96	6.1	0.77
Acute lymphocytic	6	2.3	0.43	2.4	0.44	-	-	-	-	-
Chronic lymphocytic	3	2.3	0.69	1.6	0.46	2	1.7	0.55	1.2	0.35
Acute myeloid	6	3.9	0.81	3.1	0.58	5	2.4	0.52	2.2	0.45
Chronic myeloid	3	1.8	0.55	1.5	0.40	2	1.1	0.39	0.9	0.31
Other leukemias	2	1.4	0.55	0.9	0.34	-	-	-	-	-
Mesothelioma	1	1.2	0.50	0.9	0.34	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	14	12.3	1.58	8.6	1.03	14	9.9	1.24	7.1	0.87
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	8	4.7	0.87	3.8	0.63	18	10.9	1.24	8.8	0.95
Breast (<i>in situ</i>)	-	-	-	-	-	39	24.9	1.84	20.4	1.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MICHIGAN

206 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Michigan, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	23,100	480.4	1.46	355.5	1.09	22,472	427.2	1.34	331.5	1.09
Oral Cavity & Pharynx	894	18.0	0.28	14.3	0.22	359	6.6	0.16	5.1	0.13
Lip	30	0.7	0.05	0.5	0.04	13	0.2	0.03	0.1	0.02
Tongue	303	6.0	0.16	4.9	0.13	104	2.0	0.09	1.6	0.08
Major salivary gland	69	1.6	0.09	1.1	0.06	53	1.0	0.07	0.8	0.06
Floor of mouth	44	0.8	0.06	0.7	0.05	21	0.4	0.04	0.3	0.03
Gum & other mouth	93	1.9	0.09	1.4	0.07	87	1.5	0.08	1.1	0.06
Nasopharynx	27	0.6	0.05	0.5	0.04	9	0.2	0.03	0.2	0.03
Oropharynx	40	0.8	0.06	0.6	0.04	13	0.2	0.03	0.2	0.02
Hypopharynx	52	1.0	0.07	0.8	0.05	12	0.2	0.03	0.2	0.02
Digestive System	4,283	89.4	0.63	65.1	0.46	3,404	61.4	0.49	44.3	0.37
Esophagus	469	9.4	0.20	6.9	0.15	117	2.0	0.09	1.5	0.06
Stomach	355	7.5	0.18	5.3	0.13	185	3.4	0.12	2.4	0.09
Small intestine	125	2.7	0.11	2.0	0.08	107	2.0	0.09	1.5	0.07
Colon excl. rectum	1,291	27.9	0.36	19.8	0.26	1,336	24.2	0.31	17.0	0.23
Rectum & rectosigmoid	613	12.9	0.24	10.0	0.19	447	8.5	0.19	6.7	0.15
Anus, anal canal & anorectum	55	1.2	0.07	0.9	0.06	131	2.4	0.10	2.0	0.08
Liver	411	7.9	0.18	6.1	0.14	146	2.6	0.10	1.9	0.08
Gallbladder	31	0.7	0.06	0.5	0.04	61	1.1	0.06	0.7	0.04
Pancreas	721	14.8	0.25	10.5	0.18	656	11.4	0.20	7.9	0.15
Respiratory System	3,808	77.9	0.58	55.0	0.41	3,391	59.6	0.47	43.2	0.35
Larynx	292	5.7	0.15	4.4	0.12	78	1.4	0.07	1.1	0.06
Lung & bronchus	3,467	71.1	0.55	49.8	0.38	3,281	57.5	0.46	41.6	0.34
Bones & Joints	49	1.2	0.08	1.1	0.08	34	0.8	0.06	0.8	0.07
Soft Tissue (incl. heart)	161	3.7	0.14	2.9	0.11	125	2.6	0.11	2.2	0.10
Skin (excl. basal & sq.)	1,367	29.8	0.37	21.8	0.28	1,006	21.5	0.32	17.8	0.28
Melanomas of the skin	1,238	26.9	0.35	19.8	0.27	921	19.9	0.31	16.7	0.27
Breast (excl. <i>in situ</i>)	67	1.4	0.08	1.0	0.05	6,408	124.1	0.73	98.1	0.59
Female Genital System	-	-	-	-	-	2,783	53.0	0.47	43.0	0.39
Cervix uteri	-	-	-	-	-	260	6.5	0.19	5.8	0.17
Uterus Corpus	-	-	-	-	-	1,588	28.8	0.34	23.4	0.28
Uterus, NOS ¹	-	-	-	-	-	45	0.8	0.06	0.6	0.04
Ovary	-	-	-	-	-	586	11.2	0.22	8.9	0.18
Male Genital System	5,392	105.1	0.66	81.8	0.52	-	-	-	-	-
Prostate	5,106	97.1	0.62	74.1	0.47	-	-	-	-	-
Testis	242	7.0	0.21	7.1	0.21	-	-	-	-	-
Penis	33	0.7	0.06	0.5	0.04	-	-	-	-	-
Urinary System	2,991	63.5	0.53	44.4	0.38	1,204	21.7	0.29	16.0	0.22
Bladder (incl. <i>in situ</i>)	1,879	40.2	0.42	26.6	0.28	579	9.9	0.19	6.9	0.14
Kidney & renal pelvis	1,034	21.7	0.31	16.7	0.24	586	11.1	0.21	8.7	0.18
Ureter	42	0.9	0.06	0.6	0.04	28	0.5	0.04	0.3	0.03
Eye & Orbit	49	1.0	0.07	0.8	0.06	38	0.8	0.06	0.7	0.06
Brain & Other CNS ¹	366	8.5	0.21	7.3	0.19	272	5.8	0.17	5.1	0.16
Brain	347	8.0	0.20	6.8	0.18	255	5.4	0.16	4.7	0.15
Endocrine System	333	7.8	0.20	6.8	0.18	874	21.5	0.34	19.5	0.32
Thyroid gland	302	7.0	0.19	6.1	0.17	847	20.9	0.34	18.9	0.31
Lymphomas	1,229	27.2	0.36	20.6	0.28	1,007	19.2	0.28	15.0	0.24
Hodgkin Lymphoma	122	3.1	0.13	3.0	0.13	94	2.4	0.12	2.4	0.12
Non-Hodgkin Lymphoma	1,107	24.1	0.33	17.6	0.25	913	16.8	0.26	12.6	0.21
Multiple Myeloma	362	7.6	0.18	5.3	0.13	260	4.6	0.13	3.3	0.10
Leukemias	826	18.2	0.29	13.7	0.23	566	10.9	0.22	8.6	0.19
Acute lymphocytic	68	1.9	0.10	2.0	0.12	47	1.3	0.09	1.4	0.10
Chronic lymphocytic	309	6.4	0.17	4.5	0.12	190	3.3	0.11	2.3	0.08
Acute myeloid	258	5.7	0.16	4.1	0.12	194	3.7	0.13	2.8	0.11
Chronic myeloid	101	2.3	0.10	1.7	0.08	86	1.7	0.09	1.3	0.07
Other leukemias	90	2.0	0.10	1.4	0.07	49	0.9	0.06	0.7	0.05
Mesothelioma	81	1.8	0.09	1.1	0.06	26	0.5	0.04	0.3	0.03
Kaposi Sarcoma	9	0.2	0.03	0.2	0.03	2	0.0	0.01	0.0	0.01
Ill-defined & Unknown	833	18.1	0.29	12.3	0.20	711	12.5	0.22	8.5	0.16
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	339	7.8	0.20	6.2	0.16	666	13.3	0.24	10.6	0.21
Breast (<i>in situ</i>)	8	0.2	0.03	0.1	0.02	1,585	31.8	0.38	25.9	0.31

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Michigan, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,306	542.8	4.44	416.2	3.27	3,295	414.4	3.31	322.1	2.58
Oral Cavity & Pharynx	101	15.8	0.73	12.8	0.57	48	6.1	0.40	5.0	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	23	3.6	0.35	2.9	0.27	11	1.4	0.19	1.1	0.15
Major salivary gland	8	1.2	0.20	1.0	0.16	10	1.3	0.19	1.1	0.16
Floor of mouth	4	0.6	0.13	0.5	0.11	2	0.3	0.09	0.3	0.08
Gum & other mouth	11	1.9	0.26	1.4	0.20	7	0.9	0.15	0.7	0.12
Nasopharynx	8	1.2	0.20	1.1	0.17	2	0.2	0.09	0.2	0.07
Oropharynx	8	1.2	0.20	1.0	0.16	2	0.2	0.08	0.2	0.06
Hypopharynx	12	2.0	0.26	1.5	0.20	6	0.7	0.14	0.6	0.11
Digestive System	771	127.8	2.16	97.1	1.58	665	82.4	1.47	61.9	1.10
Esophagus	44	7.0	0.49	5.4	0.37	21	2.6	0.26	1.9	0.19
Stomach	76	13.8	0.74	9.9	0.51	58	7.4	0.44	5.3	0.32
Small intestine	33	5.5	0.45	4.1	0.32	29	3.4	0.30	2.7	0.23
Colon excl. rectum	229	39.4	1.22	29.3	0.88	248	31.3	0.91	23.4	0.68
Rectum & rectosigmoid	97	15.7	0.75	12.3	0.56	73	8.9	0.48	7.2	0.38
Anus, anal canal & anorectum	14	2.3	0.28	1.9	0.23	13	1.6	0.20	1.3	0.16
Liver	127	18.1	0.75	15.1	0.60	46	5.4	0.37	4.3	0.29
Gallbladder	8	1.5	0.24	1.0	0.16	13	1.7	0.21	1.2	0.15
Pancreas	118	20.6	0.89	15.0	0.62	127	15.7	0.64	11.3	0.46
Respiratory System	561	96.7	1.92	70.3	1.34	492	60.9	1.26	45.0	0.92
Larynx	54	8.7	0.56	6.7	0.41	20	2.3	0.24	1.9	0.19
Lung & bronchus	500	86.9	1.83	62.7	1.26	467	57.8	1.23	42.6	0.90
Bones & Joints	6	0.8	0.16	0.8	0.15	4	0.6	0.12	0.5	0.12
Soft Tissue (incl. heart)	27	4.2	0.38	3.7	0.32	24	3.0	0.28	2.6	0.25
Skin (excl. basal & sq.)	11	1.9	0.26	1.5	0.21	19	2.4	0.26	2.0	0.22
Melanomas of the skin	5	0.8	0.18	0.6	0.13	8	1.0	0.16	0.8	0.13
Breast (excl. <i>in situ</i>)	13	2.2	0.29	1.6	0.20	975	124.0	1.82	98.2	1.44
Female Genital System	-	-	-	-	-	380	46.8	1.10	37.8	0.89
Cervix uteri	-	-	-	-	-	55	7.4	0.46	6.3	0.39
Uterus Corpus	-	-	-	-	-	213	25.3	0.80	20.3	0.64
Uterus, NOS ¹	-	-	-	-	-	14	1.8	0.22	1.3	0.16
Ovary	-	-	-	-	-	66	8.2	0.46	6.5	0.37
Male Genital System	1,060	164.1	2.36	130.4	1.80	-	-	-	-	-
Prostate	1,045	161.5	2.34	128.1	1.78	-	-	-	-	-
Testis	11	1.6	0.23	1.6	0.22	-	-	-	-	-
Penis	4	0.7	0.17	0.5	0.11	-	-	-	-	-
Urinary System	299	50.9	1.38	38.1	0.99	172	21.7	0.76	16.1	0.56
Bladder (incl. <i>in situ</i>)	119	22.0	0.95	15.0	0.62	61	7.8	0.46	5.2	0.31
Kidney & renal pelvis	175	27.9	0.99	22.4	0.77	107	13.4	0.59	10.4	0.46
Ureter	2	0.4	0.11	0.3	0.08	-	-	-	-	-
Eye & Orbit	2	0.3	0.09	0.3	0.09	2	0.2	0.08	0.2	0.07
Brain & Other CNS ¹	27	4.1	0.37	3.7	0.32	26	3.4	0.30	3.2	0.29
Brain	24	3.8	0.36	3.3	0.31	23	3.0	0.28	2.8	0.27
Endocrine System	31	5.2	0.43	4.1	0.33	110	14.5	0.63	12.7	0.55
Thyroid gland	25	4.1	0.39	3.2	0.29	104	13.7	0.62	11.9	0.54
Lymphomas	130	21.6	0.89	17.4	0.69	119	15.1	0.64	12.4	0.53
Hodgkin Lymphoma	21	3.2	0.33	3.1	0.31	16	2.1	0.24	2.0	0.23
Non-Hodgkin Lymphoma	109	18.4	0.82	14.3	0.62	103	13.0	0.59	10.3	0.47
Multiple Myeloma	91	16.0	0.79	11.6	0.55	95	12.3	0.58	8.8	0.42
Leukemias	76	13.3	0.72	9.9	0.52	69	9.0	0.49	7.0	0.40
Acute lymphocytic	6	0.8	0.15	0.9	0.17	7	0.9	0.16	1.0	0.17
Chronic lymphocytic	27	4.8	0.44	3.4	0.30	17	2.1	0.24	1.5	0.17
Acute myeloid	23	4.1	0.41	3.0	0.29	26	3.5	0.31	2.6	0.24
Chronic myeloid	13	2.2	0.29	1.7	0.21	12	1.5	0.20	1.3	0.17
Other leukemias	7	1.3	0.23	0.9	0.16	7	0.9	0.16	0.6	0.11
Mesothelioma	2	0.5	0.15	0.3	0.09	2	0.2	0.08	0.1	0.05
Kaposi Sarcoma	8	1.3	0.20	1.2	0.20	1	0.2	0.07	0.1	0.06
Ill-defined & Unknown	91	16.2	0.80	11.4	0.54	91	11.6	0.56	8.3	0.40
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	49	8.2	0.55	6.5	0.42	125	16.4	0.67	12.7	0.53
Breast (<i>in situ</i>)	2	0.4	0.11	0.3	0.08	286	35.8	0.97	28.6	0.77

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

MICHIGAN

208 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Metropolitan Detroit, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11,484	547.2	2.36	405.9	1.73	11,476	457.8	1.97	353.5	1.57
Oral Cavity & Pharynx	432	19.7	0.44	15.5	0.34	173	6.8	0.24	5.3	0.19
Lip	11	0.5	0.07	0.4	0.05	5	0.2	0.04	0.1	0.03
Tongue	133	5.9	0.24	4.8	0.19	45	1.7	0.12	1.4	0.10
Major salivary gland	34	1.8	0.14	1.2	0.10	29	1.2	0.10	1.0	0.09
Floor of mouth	20	0.9	0.09	0.7	0.07	9	0.4	0.05	0.3	0.04
Gum & other mouth	46	2.2	0.15	1.6	0.11	37	1.4	0.11	1.0	0.08
Nasopharynx	20	0.9	0.10	0.8	0.08	6	0.3	0.05	0.2	0.04
Oropharynx	21	0.9	0.09	0.7	0.07	7	0.2	0.04	0.2	0.03
Hypopharynx	30	1.4	0.12	1.1	0.09	9	0.4	0.06	0.3	0.04
Digestive System	2,247	107.1	1.04	78.5	0.76	1,893	72.3	0.76	52.4	0.57
Esophagus	193	9.0	0.30	6.6	0.22	59	2.2	0.13	1.6	0.10
Stomach	200	9.9	0.32	7.0	0.23	132	5.0	0.20	3.5	0.15
Small intestine	73	3.5	0.19	2.6	0.14	65	2.5	0.14	1.9	0.11
Colon excl. rectum	667	32.9	0.59	23.6	0.42	709	27.3	0.47	19.5	0.35
Rectum & rectosigmoid	316	14.8	0.38	11.4	0.29	250	9.9	0.29	7.7	0.23
Anus, anal canal & anorectum	35	1.7	0.13	1.3	0.10	58	2.2	0.13	1.8	0.11
Liver	266	11.4	0.32	9.0	0.25	97	3.6	0.17	2.7	0.13
Gallbladder	18	0.9	0.09	0.6	0.07	35	1.3	0.10	0.9	0.07
Pancreas	361	17.3	0.42	12.3	0.29	369	13.8	0.33	9.6	0.24
Respiratory System	1,771	85.5	0.94	60.1	0.65	1,705	64.9	0.72	46.4	0.52
Larynx	145	6.4	0.25	5.0	0.19	43	1.6	0.11	1.3	0.09
Lung & bronchus	1,603	78.0	0.90	54.2	0.61	1,644	62.6	0.70	44.6	0.51
Bones & Joints	25	1.3	0.12	1.1	0.11	14	0.7	0.08	0.6	0.08
Soft Tissue (incl. heart)	80	4.0	0.21	3.3	0.17	70	3.0	0.17	2.5	0.15
Skin (excl. basal & sq.)	520	26.0	0.53	18.6	0.38	388	16.5	0.39	13.6	0.33
Melanomas of the skin	463	23.0	0.49	16.5	0.35	342	14.6	0.37	12.1	0.32
Breast (excl. <i>in situ</i>)	33	1.6	0.13	1.1	0.09	3,288	133.5	1.07	105.5	0.86
Female Genital System	-	-	-	-	-	1,380	54.7	0.68	44.2	0.56
Cervix uteri	-	-	-	-	-	142	6.7	0.26	5.8	0.23
Uterus Corpus	-	-	-	-	-	771	29.4	0.49	24.0	0.40
Uterus, NOS ¹	-	-	-	-	-	23	0.9	0.09	0.7	0.07
Ovary	-	-	-	-	-	293	11.7	0.32	9.3	0.26
Male Genital System	3,020	134.9	1.13	105.3	0.87	-	-	-	-	-
Prostate	2,898	128.2	1.10	98.9	0.83	-	-	-	-	-
Testis	101	5.6	0.25	5.7	0.26	-	-	-	-	-
Penis	15	0.8	0.09	0.5	0.06	-	-	-	-	-
Urinary System	1,359	66.7	0.84	47.2	0.58	576	22.3	0.43	16.2	0.32
Bladder (incl. <i>in situ</i>)	796	40.1	0.65	26.6	0.43	270	10.2	0.28	6.9	0.20
Kidney & renal pelvis	529	24.9	0.50	19.4	0.39	292	11.6	0.31	9.0	0.25
Ureter	18	0.9	0.10	0.6	0.06	9	0.3	0.05	0.2	0.03
Eye & Orbit	20	1.0	0.10	0.8	0.08	14	0.6	0.08	0.5	0.07
Brain & Other CNS ¹	152	7.6	0.28	6.3	0.24	121	5.3	0.22	4.6	0.21
Brain	142	7.1	0.28	5.9	0.23	110	4.9	0.21	4.2	0.20
Endocrine System	184	9.1	0.31	7.9	0.27	517	24.3	0.49	22.0	0.46
Thyroid gland	167	8.3	0.30	7.1	0.26	502	23.6	0.49	21.3	0.45
Lymphomas	588	29.4	0.56	22.6	0.43	499	20.1	0.42	15.7	0.34
Hodgkin Lymphoma	66	3.4	0.19	3.4	0.19	49	2.5	0.16	2.4	0.16
Non-Hodgkin Lymphoma	522	26.0	0.52	19.2	0.39	450	17.7	0.38	13.3	0.30
Multiple Myeloma	212	10.4	0.33	7.4	0.23	181	7.0	0.24	5.0	0.17
Leukemias	420	21.1	0.47	15.7	0.36	304	12.3	0.33	9.5	0.27
Acute lymphocytic	33	1.8	0.14	1.9	0.15	21	1.1	0.11	1.2	0.13
Chronic lymphocytic	170	8.2	0.29	5.8	0.20	107	4.0	0.18	2.8	0.13
Acute myeloid	117	6.1	0.26	4.3	0.19	103	4.2	0.19	3.2	0.16
Chronic myeloid	62	3.1	0.18	2.4	0.14	48	2.0	0.13	1.6	0.11
Other leukemias	37	1.9	0.14	1.3	0.10	25	1.0	0.09	0.7	0.07
Mesothelioma	30	1.7	0.14	1.0	0.08	10	0.4	0.06	0.3	0.04
Kaposi Sarcoma	14	0.8	0.09	0.7	0.08	3	0.1	0.03	0.1	0.03
Ill-defined & Unknown	378	19.3	0.46	12.8	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	188	9.5	0.32	7.5	0.26	434	17.8	0.40	13.8	0.32
Breast (<i>in situ</i>)	4	0.2	0.04	0.1	0.03	868	35.6	0.56	29.1	0.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Metropolitan Detroit, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8,651	543.4	2.70	399.9	1.99	8,571	472.2	2.38	364.7	1.93
Oral Cavity & Pharynx	340	20.3	0.51	16.0	0.40	130	6.9	0.28	5.3	0.23
Lip	10	0.6	0.09	0.5	0.07	4	0.2	0.05	0.1	0.03
Tongue	111	6.5	0.28	5.2	0.23	35	1.9	0.15	1.5	0.12
Major salivary gland	28	1.9	0.17	1.3	0.12	21	1.2	0.12	1.0	0.11
Floor of mouth	17	1.0	0.11	0.8	0.09	8	0.4	0.07	0.3	0.05
Gum & other mouth	35	2.2	0.17	1.6	0.12	29	1.5	0.13	1.0	0.09
Nasopharynx	11	0.7	0.09	0.6	0.08	4	0.2	0.06	0.2	0.05
Oropharynx	14	0.8	0.10	0.7	0.08	5	0.2	0.05	0.2	0.04
Hypopharynx	21	1.2	0.13	1.0	0.10	4	0.2	0.05	0.2	0.04
Digestive System	1,595	100.2	1.16	72.4	0.83	1,317	68.3	0.87	48.9	0.66
Esophagus	157	9.5	0.35	7.0	0.25	41	2.0	0.15	1.5	0.11
Stomach	136	8.8	0.35	6.1	0.24	81	4.2	0.22	3.0	0.16
Small intestine	46	2.9	0.20	2.2	0.15	42	2.3	0.16	1.7	0.13
Colon excl. rectum	467	30.3	0.64	21.4	0.46	500	25.9	0.54	18.2	0.40
Rectum & rectosigmoid	231	14.4	0.44	11.0	0.33	180	9.9	0.35	7.7	0.28
Anus, anal canal & anorectum	23	1.4	0.14	1.1	0.10	46	2.4	0.17	1.9	0.13
Liver	163	9.5	0.34	7.3	0.26	56	2.8	0.17	2.1	0.14
Gallbladder	10	0.7	0.10	0.5	0.07	24	1.1	0.11	0.7	0.07
Pancreas	268	16.8	0.47	11.7	0.33	259	13.0	0.37	8.9	0.26
Respiratory System	1,323	83.2	1.05	57.9	0.72	1,291	66.5	0.85	47.3	0.61
Larynx	102	5.9	0.27	4.6	0.21	28	1.5	0.13	1.2	0.10
Lung & bronchus	1,203	76.2	1.01	52.4	0.68	1,251	64.4	0.83	45.7	0.60
Bones & Joints	19	1.4	0.14	1.2	0.14	10	0.7	0.10	0.6	0.10
Soft Tissue (incl. heart)	58	3.9	0.24	3.2	0.20	48	2.9	0.20	2.4	0.18
Skin (excl. basal & sq.)	497	32.5	0.67	23.4	0.49	362	21.8	0.54	18.1	0.47
Melanomas of the skin	448	29.1	0.64	21.1	0.46	327	20.0	0.52	16.8	0.46
Breast (excl. <i>in situ</i>)	22	1.4	0.14	1.0	0.09	2,425	136.5	1.29	107.7	1.04
Female Genital System	-	-	-	-	-	1,044	57.4	0.83	46.4	0.69
Cervix uteri	-	-	-	-	-	96	6.6	0.32	5.9	0.29
Uterus Corpus	-	-	-	-	-	584	31.0	0.59	25.3	0.49
Uterus, NOS ¹	-	-	-	-	-	14	0.7	0.09	0.5	0.07
Ovary	-	-	-	-	-	229	12.7	0.39	10.0	0.32
Male Genital System	2,107	124.5	1.25	96.8	0.97	-	-	-	-	-
Prostate	2,002	116.2	1.20	88.7	0.89	-	-	-	-	-
Testis	89	7.2	0.35	7.3	0.36	-	-	-	-	-
Penis	11	0.7	0.10	0.5	0.06	-	-	-	-	-
Urinary System	1,105	70.8	0.98	49.6	0.69	433	22.8	0.51	16.6	0.39
Bladder (incl. <i>in situ</i>)	694	45.1	0.79	30.0	0.52	216	10.9	0.34	7.4	0.24
Kidney & renal pelvis	383	24.0	0.57	18.4	0.44	206	11.3	0.37	8.8	0.30
Ureter	16	1.1	0.12	0.7	0.08	8	0.4	0.06	0.3	0.04
Eye & Orbit	18	1.1	0.12	0.9	0.10	12	0.7	0.10	0.6	0.09
Brain & Other CNS ¹	127	8.5	0.35	7.1	0.30	94	5.7	0.28	4.9	0.26
Brain	120	8.1	0.34	6.7	0.29	88	5.3	0.27	4.6	0.25
Endocrine System	148	10.1	0.39	8.9	0.35	404	28.0	0.65	25.6	0.61
Thyroid gland	138	9.4	0.37	8.2	0.33	394	27.4	0.65	25.0	0.60
Lymphomas	474	31.4	0.67	23.9	0.52	392	21.7	0.51	16.9	0.43
Hodgkin Lymphoma	48	3.6	0.24	3.5	0.24	37	2.8	0.21	2.8	0.22
Non-Hodgkin Lymphoma	426	27.9	0.62	20.4	0.46	356	18.9	0.47	14.2	0.37
Multiple Myeloma	137	8.7	0.34	6.1	0.24	102	5.3	0.24	3.7	0.18
Leukemias	345	22.8	0.57	17.0	0.44	236	13.1	0.40	10.2	0.34
Acute lymphocytic	28	2.2	0.19	2.4	0.21	15	1.2	0.14	1.3	0.17
Chronic lymphocytic	139	8.7	0.34	6.1	0.24	87	4.4	0.22	3.1	0.16
Acute myeloid	97	6.6	0.31	4.7	0.23	80	4.5	0.24	3.5	0.20
Chronic myeloid	49	3.3	0.22	2.4	0.16	36	2.1	0.16	1.6	0.14
Other leukemias	31	2.0	0.17	1.4	0.12	18	1.0	0.11	0.7	0.09
Mesothelioma	28	2.0	0.17	1.2	0.10	9	0.4	0.07	0.3	0.05
Kaposi Sarcoma	6	0.4	0.08	0.3	0.05	1	0.1	0.02	0.0	0.02
Ill-defined & Unknown	301	20.0	0.53	13.1	0.35	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	141	9.5	0.37	7.5	0.30	315	17.6	0.47	13.8	0.39
Breast (<i>in situ</i>)	3	0.2	0.05	0.1	0.04	619	36.0	0.67	29.5	0.56

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Metropolitan Detroit, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,535	588.5	5.47	452.3	4.06	2,599	438.8	3.95	341.0	3.09
Oral Cavity & Pharynx	80	18.2	0.95	14.5	0.74	38	6.4	0.47	5.2	0.39
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	19	4.1	0.44	3.4	0.35	8	1.4	0.22	1.1	0.17
Major salivary gland	5	1.2	0.24	0.9	0.18	7	1.3	0.21	1.1	0.19
Floor of mouth	3	0.7	0.18	0.6	0.15	2	0.3	0.10	0.2	0.08
Gum & other mouth	9	2.1	0.33	1.6	0.24	5	0.9	0.17	0.7	0.14
Nasopharynx	6	1.4	0.26	1.2	0.22	2	0.3	0.11	0.3	0.09
Oropharynx	6	1.4	0.27	1.1	0.20	2	0.3	0.10	0.2	0.08
Hypopharynx	9	2.2	0.34	1.6	0.25	4	0.8	0.17	0.6	0.13
Digestive System	593	138.7	2.67	105.7	1.97	527	87.3	1.74	65.5	1.31
Esophagus	32	7.3	0.60	5.7	0.45	17	2.7	0.31	2.1	0.23
Stomach	54	13.8	0.87	10.0	0.62	44	7.4	0.51	5.2	0.36
Small intestine	26	6.0	0.56	4.5	0.41	23	3.7	0.35	2.9	0.28
Colon excl. rectum	184	45.1	1.55	33.3	1.11	195	33.0	1.08	24.5	0.81
Rectum & rectosigmoid	74	17.0	0.92	13.4	0.71	61	10.0	0.58	8.0	0.47
Anus, anal canal & anorectum	11	2.6	0.36	2.2	0.30	12	1.9	0.26	1.5	0.21
Liver	96	19.3	0.92	16.1	0.74	36	5.6	0.43	4.4	0.33
Gallbladder	7	1.6	0.30	1.1	0.20	10	1.6	0.24	1.2	0.17
Pancreas	88	21.1	1.05	15.6	0.76	101	16.7	0.76	12.2	0.55
Respiratory System	417	101.1	2.33	73.6	1.63	383	63.2	1.48	46.6	1.08
Larynx	40	9.2	0.68	7.1	0.50	15	2.3	0.28	1.8	0.22
Lung & bronchus	372	90.8	2.21	65.6	1.54	363	60.0	1.45	44.1	1.05
Bones & Joints	5	1.0	0.22	1.0	0.20	3	0.6	0.16	0.6	0.15
Soft Tissue (incl. heart)	19	4.3	0.46	3.8	0.39	20	3.3	0.34	2.9	0.30
Skin (excl. basal & sq.)	7	1.6	0.28	1.3	0.23	15	2.6	0.31	2.2	0.27
Melanomas of the skin	3	0.7	0.19	0.6	0.15	6	1.0	0.19	0.8	0.15
Breast (excl. <i>in situ</i>)	10	2.3	0.35	1.7	0.25	772	132.0	2.18	104.7	1.73
Female Genital System	-	-	-	-	-	298	49.3	1.31	40.1	1.07
Cervix uteri	-	-	-	-	-	42	7.6	0.54	6.5	0.47
Uterus Corpus	-	-	-	-	-	167	26.6	0.95	21.5	0.76
Uterus, NOS ¹	-	-	-	-	-	9	1.5	0.23	1.2	0.18
Ovary	-	-	-	-	-	54	9.1	0.57	7.4	0.46
Male Genital System	827	181.3	2.94	144.0	2.26	-	-	-	-	-
Prostate	815	178.3	2.92	141.4	2.23	-	-	-	-	-
Testis	8	1.9	0.31	1.9	0.30	-	-	-	-	-
Penis	4	0.9	0.22	0.6	0.15	-	-	-	-	-
Urinary System	224	53.9	1.69	40.2	1.22	132	22.4	0.90	16.5	0.66
Bladder (incl. <i>in situ</i>)	87	22.8	1.14	15.2	0.74	49	8.4	0.55	5.6	0.38
Kidney & renal pelvis	132	30.1	1.22	24.2	0.95	81	13.5	0.69	10.5	0.54
Ureter	2	0.4	0.15	0.3	0.11	-	-	-	-	-
Eye & Orbit	2	0.5	0.15	0.4	0.13	2	0.3	0.11	0.3	0.11
Brain & Other CNS ¹	19	4.3	0.45	3.8	0.39	22	3.9	0.39	3.7	0.37
Brain	17	3.8	0.43	3.3	0.37	19	3.5	0.36	3.3	0.35
Endocrine System	27	6.4	0.58	5.2	0.45	89	15.9	0.77	13.9	0.68
Thyroid gland	22	5.3	0.53	4.2	0.40	85	15.1	0.75	13.1	0.66
Lymphomas	99	23.4	1.09	19.2	0.88	91	15.8	0.76	12.8	0.62
Hodgkin Lymphoma	16	3.7	0.42	3.6	0.40	11	1.9	0.27	1.9	0.27
Non-Hodgkin Lymphoma	83	19.7	1.01	15.6	0.78	81	13.8	0.71	10.9	0.56
Multiple Myeloma	69	17.0	0.96	12.4	0.68	76	12.9	0.68	9.4	0.49
Leukemias	60	15.0	0.90	11.3	0.66	57	10.0	0.60	7.7	0.48
Acute lymphocytic	4	0.8	0.18	0.8	0.20	5	0.9	0.19	1.0	0.21
Chronic lymphocytic	23	5.8	0.56	4.2	0.39	16	2.6	0.30	1.8	0.21
Acute myeloid	17	4.5	0.50	3.2	0.35	20	3.6	0.36	2.6	0.28
Chronic myeloid	11	2.8	0.38	2.2	0.30	10	1.8	0.26	1.5	0.22
Other leukemias	5	1.1	0.25	0.8	0.17	-	-	-	-	-
Mesothelioma	2	0.5	0.17	0.3	0.11	1	0.3	0.10	0.2	0.06
Kaposi Sarcoma	7	1.7	0.30	1.7	0.29	1	0.2	0.10	0.2	0.08
Ill-defined & Unknown	69	17.3	0.98	12.1	0.66	72	12.4	0.67	8.7	0.48
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	40	9.7	0.71	7.8	0.56	106	18.7	0.83	14.5	0.66
Breast (<i>in situ</i>)	1	0.3	0.12	0.2	0.09	220	37.1	1.15	29.6	0.91

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Metropolitan Detroit, 2013-2017, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	189	269.0	9.39	197.0	6.45	222	263.2	8.25	204.0	6.17
Oral Cavity & Pharynx	8	10.5	1.72	8.3	1.28	4	4.3	0.96	3.6	0.81
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	3.9	1.18	2.7	0.74	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	1.5	0.65	1.2	0.48	2	2.4	0.73	2.0	0.61
Nasopharynx	2	2.3	0.69	2.1	0.63	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	47	66.1	4.67	47.9	3.16	37	48.8	3.78	33.9	2.52
Esophagus	3	3.8	1.10	2.7	0.76	-	-	-	-	-
Stomach	9	12.9	2.13	9.0	1.38	6	8.4	1.61	5.4	0.99
Small intestine	1	1.7	0.71	1.2	0.48	-	-	-	-	-
Colon excl. rectum	13	18.6	2.51	13.2	1.66	10	13.1	1.92	9.3	1.32
Rectum & rectosigmoid	7	9.0	1.64	7.1	1.20	6	7.4	1.42	5.5	1.01
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	5	6.1	1.29	5.1	1.02	3	4.7	1.28	3.0	0.77
Gallbladder	-	-	-	-	-	1	1.3	0.55	1.1	0.44
Pancreas	4	6.8	1.58	4.5	0.97	6	8.3	1.60	5.6	1.03
Respiratory System	21	33.9	3.58	22.6	2.22	20	26.9	2.85	18.4	1.86
Larynx	2	2.3	0.82	1.7	0.59	-	-	-	-	-
Lung & bronchus	19	31.0	3.43	20.7	2.13	19	25.5	2.79	17.3	1.80
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	2.9	0.87	2.4	0.70	2	2.5	0.78	2.1	0.66
Skin (excl. basal & sq.)	2	2.5	0.99	1.7	0.61	2	2.5	0.85	2.0	0.63
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	77	86.2	4.52	69.4	3.54
Female Genital System	-	-	-	-	-	30	33.1	2.80	27.1	2.24
Cervix uteri	-	-	-	-	-	3	3.6	1.00	2.7	0.70
Uterus Corpus	-	-	-	-	-	16	16.9	1.95	14.2	1.61
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	9.2	1.51	7.4	1.18
Male Genital System	50	70.2	4.70	52.0	3.31	-	-	-	-	-
Prostate	47	66.9	4.62	48.7	3.20	-	-	-	-	-
Testis	3	2.6	0.71	2.7	0.75	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	19	27.7	3.05	19.7	2.04	5	7.3	1.55	4.7	0.96
Bladder (incl. <i>in situ</i>)	9	14.2	2.33	9.3	1.42	3	4.7	1.33	2.6	0.73
Kidney & renal pelvis	10	12.7	1.91	9.9	1.42	2	2.6	0.80	2.0	0.62
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	5.5	1.35	4.1	0.96	3	3.3	0.84	3.1	0.80
Brain	4	5.5	1.35	4.1	0.96	3	2.9	0.78	2.8	0.76
Endocrine System	8	8.9	1.50	7.6	1.25	19	19.4	2.03	17.4	1.80
Thyroid gland	6	7.0	1.31	6.0	1.10	18	18.5	1.96	16.8	1.77
Lymphomas	10	11.8	1.67	10.4	1.44	10	12.3	1.79	9.7	1.36
Hodgkin Lymphoma	-	-	-	-	-	2	1.6	0.58	1.7	0.61
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	7.0	1.50	4.7	0.99	2	2.6	0.84	2.0	0.62
Leukemias	7	10.2	1.92	7.6	1.32	5	6.0	1.23	5.0	1.02
Acute lymphocytic	2	1.7	0.62	1.8	0.66	-	-	-	-	-
Chronic lymphocytic	2	2.7	0.95	1.9	0.65	-	-	-	-	-
Acute myeloid	2	3.8	1.32	2.4	0.75	1	1.4	0.55	1.3	0.51
Chronic myeloid	-	-	-	-	-	1	1.7	0.73	1.1	0.43
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	6.9	1.56	5.1	1.07	5	6.8	1.47	4.5	0.93
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	4	5.4	1.28	4.2	0.93	10	12.7	1.85	9.5	1.33
Breast (<i>in situ</i>)	-	-	-	-	-	22	24.3	2.37	19.7	1.89

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Metropolitan Detroit, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	215	475.4	15.97	344.2	10.79	249	444.8	13.26	342.3	9.85
Oral Cavity & Pharynx	9	16.8	2.77	13.2	2.04	3	5.3	1.51	4.1	1.10
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	6.4	1.65	5.2	1.28	-	-	-	-	-
Major salivary gland	-	-	-	-	-	1	2.5	1.01	2.0	0.77
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	48	110.4	7.85	78.0	5.20	43	82.9	5.90	60.0	4.17
Esophagus	2	4.5	1.47	3.4	1.05	-	-	-	-	-
Stomach	5	14.0	3.01	8.8	1.81	4	7.8	1.80	5.8	1.28
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	13	31.2	4.21	21.6	2.73	12	24.0	3.28	15.9	2.14
Rectum & rectosigmoid	6	13.0	2.55	9.5	1.73	7	12.5	2.14	10.2	1.70
Anus, anal canal & anorectum	1	3.1	1.32	2.1	0.87	1	2.6	1.11	1.9	0.77
Liver	9	19.1	3.09	14.8	2.24	3	5.3	1.48	4.0	1.09
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	7	16.9	3.20	11.4	2.04	9	17.9	2.78	12.7	1.92
Respiratory System	24	61.1	6.02	41.4	3.88	23	49.2	4.76	34.0	3.20
Larynx	1	2.9	1.17	2.3	0.87	-	-	-	-	-
Lung & bronchus	22	56.4	5.82	37.8	3.71	22	46.5	4.59	32.3	3.12
Bones & Joints	1	2.5	1.05	2.1	0.82	-	-	-	-	-
Soft Tissue (incl. heart)	2	4.0	1.52	2.9	0.98	2	3.5	1.07	2.5	0.76
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	4	8.8	2.27	5.9	1.42	4	7.1	1.58	5.9	1.27
Breast (excl. <i>in situ</i>)	-	-	-	-	-	71	123.4	6.83	98.3	5.27
Female Genital System	-	-	-	-	-	37	62.4	4.79	50.4	3.75
Cervix uteri	-	-	-	-	-	8	11.4	1.90	9.6	1.56
Uterus Corpus	-	-	-	-	-	18	29.0	3.21	24.3	2.62
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	13.0	2.24	10.4	1.73
Male Genital System	50	108.3	7.39	82.7	5.32	-	-	-	-	-
Prostate	47	103.4	7.29	78.2	5.21	-	-	-	-	-
Testis	4	4.3	1.02	4.2	1.00	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	63.0	6.00	43.0	3.83	12	23.3	3.18	17.6	2.30
Bladder (incl. <i>in situ</i>)	14	35.7	4.63	23.3	2.85	3	6.6	1.76	4.5	1.19
Kidney & renal pelvis	12	25.9	3.68	18.9	2.49	9	16.7	2.65	13.0	1.97
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	6.9	1.82	5.4	1.28	3	4.8	1.35	3.9	1.01
Brain	4	6.8	1.81	5.1	1.26	3	4.6	1.34	3.7	0.99
Endocrine System	5	7.2	1.63	6.1	1.27	17	24.0	2.71	21.5	2.33
Thyroid gland	5	7.0	1.62	5.9	1.25	17	23.6	2.69	21.0	2.31
Lymphomas	17	38.6	4.63	26.9	3.01	13	21.7	2.85	17.2	2.18
Hodgkin Lymphoma	1	1.6	0.62	1.7	0.65	2	3.3	1.05	2.8	0.87
Non-Hodgkin Lymphoma	16	37.0	4.59	25.2	2.94	11	18.4	2.65	14.3	1.99
Multiple Myeloma	6	11.7	2.28	9.5	1.73	3	6.7	1.65	4.8	1.18
Leukemias	10	16.2	2.59	13.7	1.98	7	12.2	2.19	9.7	1.64
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	5.8	1.81	4.1	1.21	3	5.3	1.54	3.7	1.05
Acute myeloid	1	2.1	0.81	1.9	0.73	2	3.7	1.17	3.1	0.90
Chronic myeloid	2	4.0	1.36	3.0	0.95	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	15.0	2.94	9.7	1.80	8	16.0	2.64	10.7	1.75
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	4	6.5	1.77	5.2	1.26	10	16.1	2.40	13.0	1.87
Breast (<i>in situ</i>)	-	-	-	-	-	18	32.5	3.55	25.9	2.74

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Metropolitan Detroit

214 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Metropolitan Detroit, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8,461	546.2	2.74	402.3	2.04	8,345	473.2	2.43	365.6	1.97
Oral Cavity & Pharynx	332	20.4	0.52	16.1	0.41	127	6.9	0.29	5.4	0.23
Lip	10	0.6	0.10	0.5	0.07	4	0.2	0.04	0.1	0.03
Tongue	108	6.5	0.29	5.2	0.23	35	1.9	0.15	1.5	0.12
Major salivary gland	27	1.9	0.17	1.3	0.12	20	1.2	0.12	0.9	0.11
Floor of mouth	16	1.0	0.11	0.8	0.09	8	0.4	0.07	0.3	0.05
Gum & other mouth	35	2.2	0.17	1.6	0.13	29	1.5	0.13	1.1	0.10
Nasopharynx	11	0.7	0.09	0.6	0.08	4	0.2	0.06	0.2	0.05
Oropharynx	14	0.8	0.10	0.7	0.08	4	0.2	0.05	0.2	0.04
Hypopharynx	21	1.3	0.13	1.0	0.10	4	0.2	0.05	0.2	0.04
Digestive System	1,552	100.0	1.17	72.3	0.85	1,279	68.0	0.88	48.6	0.67
Esophagus	155	9.6	0.36	7.1	0.26	40	2.0	0.15	1.5	0.11
Stomach	132	8.7	0.35	6.0	0.24	78	4.1	0.22	2.9	0.16
Small intestine	45	2.9	0.20	2.2	0.15	41	2.3	0.16	1.7	0.13
Colon excl. rectum	455	30.3	0.65	21.4	0.47	490	26.0	0.55	18.3	0.41
Rectum & rectosigmoid	226	14.5	0.45	11.1	0.34	174	9.8	0.35	7.6	0.28
Anus, anal canal & anorectum	22	1.4	0.14	1.0	0.10	45	2.4	0.17	1.9	0.14
Liver	155	9.2	0.34	7.1	0.26	53	2.8	0.17	2.0	0.14
Gallbladder	10	0.6	0.10	0.5	0.07	23	1.1	0.11	0.7	0.07
Pancreas	261	16.8	0.48	11.8	0.33	251	12.9	0.37	8.8	0.27
Respiratory System	1,301	83.9	1.07	58.3	0.73	1,271	67.0	0.86	47.7	0.63
Larynx	101	6.0	0.27	4.7	0.21	27	1.5	0.13	1.2	0.11
Lung & bronchus	1,183	76.8	1.03	52.8	0.70	1,232	64.9	0.85	46.0	0.61
Bones & Joints	18	1.4	0.15	1.2	0.14	10	0.7	0.11	0.6	0.11
Soft Tissue (incl. heart)	56	4.0	0.24	3.2	0.21	46	2.9	0.20	2.4	0.19
Skin (excl. basal & sq.)	493	33.2	0.69	23.9	0.50	358	22.5	0.56	18.7	0.49
Melanomas of the skin	445	29.8	0.65	21.7	0.48	323	20.6	0.54	17.3	0.48
Breast (excl. <i>in situ</i>)	22	1.4	0.14	1.0	0.10	2,361	136.9	1.32	108.1	1.07
Female Genital System	-	-	-	-	-	1,010	57.1	0.84	46.1	0.70
Cervix uteri	-	-	-	-	-	90	6.5	0.32	5.7	0.29
Uterus Corpus	-	-	-	-	-	568	30.9	0.60	25.3	0.50
Uterus, NOS ¹	-	-	-	-	-	13	0.7	0.09	0.5	0.07
Ovary	-	-	-	-	-	222	12.6	0.40	9.9	0.33
Male Genital System	2,066	125.4	1.27	97.5	0.99	-	-	-	-	-
Prostate	1,964	116.9	1.21	89.2	0.91	-	-	-	-	-
Testis	86	7.4	0.36	7.5	0.37	-	-	-	-	-
Penis	10	0.7	0.10	0.5	0.07	-	-	-	-	-
Urinary System	1,080	71.0	1.00	49.8	0.70	422	22.7	0.51	16.5	0.39
Bladder (incl. <i>in situ</i>)	681	45.3	0.80	30.2	0.53	213	11.0	0.35	7.4	0.25
Kidney & renal pelvis	372	23.9	0.58	18.4	0.45	198	11.2	0.37	8.7	0.30
Ureter	16	1.1	0.12	0.7	0.08	8	0.4	0.07	0.3	0.04
Eye & Orbit	17	1.1	0.12	0.9	0.10	12	0.7	0.10	0.6	0.10
Brain & Other CNS ¹	124	8.7	0.36	7.3	0.32	91	5.7	0.29	5.0	0.27
Brain	117	8.2	0.35	6.8	0.31	85	5.3	0.28	4.6	0.26
Endocrine System	144	10.2	0.40	9.0	0.36	387	28.1	0.67	25.7	0.63
Thyroid gland	133	9.5	0.38	8.3	0.34	378	27.5	0.67	25.1	0.62
Lymphomas	459	31.5	0.68	24.1	0.54	381	21.7	0.52	16.9	0.44
Hodgkin Lymphoma	47	3.7	0.25	3.7	0.25	35	2.8	0.22	2.8	0.23
Non-Hodgkin Lymphoma	412	27.8	0.63	20.4	0.48	346	18.9	0.47	14.1	0.38
Multiple Myeloma	132	8.6	0.35	6.0	0.24	99	5.3	0.25	3.7	0.18
Leukemias	336	22.9	0.58	17.0	0.45	229	13.2	0.41	10.2	0.35
Acute lymphocytic	25	2.1	0.19	2.2	0.22	14	1.2	0.15	1.3	0.18
Chronic lymphocytic	138	8.8	0.34	6.2	0.24	84	4.3	0.22	3.1	0.16
Acute myeloid	96	6.7	0.32	4.8	0.23	78	4.5	0.24	3.5	0.20
Chronic myeloid	47	3.2	0.22	2.4	0.17	35	2.1	0.17	1.6	0.14
Other leukemias	31	2.1	0.17	1.4	0.12	18	1.0	0.11	0.7	0.09
Mesothelioma	27	2.0	0.17	1.2	0.10	9	0.4	0.07	0.3	0.05
Kaposi Sarcoma	6	0.4	0.08	0.3	0.06	1	0.1	0.02	0.0	0.02
Ill-defined & Unknown	296	20.2	0.54	13.3	0.36	252	13.2	0.39	9.0	0.29
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	138	9.7	0.38	7.6	0.31	306	17.7	0.48	13.8	0.40
Breast (<i>in situ</i>)	3	0.2	0.05	0.1	0.04	603	36.2	0.69	29.8	0.57

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Metropolitan Detroit, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,520	588.5	5.49	452.5	4.08	2,586	439.6	3.97	341.7	3.11
Oral Cavity & Pharynx	80	18.3	0.95	14.6	0.74	38	6.4	0.48	5.2	0.39
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	19	4.2	0.45	3.4	0.36	8	1.4	0.22	1.1	0.17
Major salivary gland	5	1.2	0.25	0.9	0.18	7	1.2	0.21	1.1	0.19
Floor of mouth	3	0.7	0.18	0.6	0.15	2	0.3	0.10	0.2	0.09
Gum & other mouth	9	2.1	0.33	1.6	0.25	5	0.9	0.17	0.7	0.14
Nasopharynx	6	1.4	0.26	1.2	0.22	2	0.3	0.11	0.3	0.09
Oropharynx	6	1.4	0.27	1.1	0.20	2	0.3	0.10	0.2	0.08
Hypopharynx	9	2.2	0.34	1.7	0.25	4	0.8	0.17	0.6	0.13
Digestive System	591	139.0	2.68	106.0	1.98	524	87.2	1.75	65.4	1.32
Esophagus	32	7.3	0.60	5.7	0.45	17	2.7	0.30	2.1	0.23
Stomach	54	13.9	0.88	10.1	0.62	43	7.3	0.51	5.1	0.36
Small intestine	26	6.0	0.56	4.6	0.41	23	3.7	0.36	2.9	0.28
Colon excl. rectum	183	45.1	1.56	33.4	1.12	195	33.1	1.09	24.6	0.82
Rectum & rectosigmoid	74	17.0	0.92	13.4	0.71	61	10.0	0.59	7.9	0.47
Anus, anal canal & anorectum	11	2.7	0.36	2.3	0.31	12	1.9	0.26	1.6	0.21
Liver	95	19.3	0.92	16.1	0.74	36	5.6	0.43	4.4	0.34
Gallbladder	7	1.6	0.30	1.1	0.20	10	1.6	0.24	1.2	0.17
Pancreas	88	21.2	1.06	15.7	0.76	101	16.6	0.76	12.1	0.55
Respiratory System	415	101.2	2.33	73.7	1.63	381	63.3	1.49	46.6	1.09
Larynx	40	9.3	0.69	7.1	0.51	15	2.4	0.28	1.8	0.22
Lung & bronchus	370	90.8	2.21	65.6	1.54	362	60.1	1.45	44.2	1.06
Bones & Joints	5	1.0	0.22	1.0	0.21	3	0.7	0.16	0.6	0.16
Soft Tissue (incl. heart)	19	4.3	0.46	3.8	0.40	19	3.3	0.34	2.9	0.31
Skin (excl. basal & sq.)	7	1.6	0.28	1.4	0.23	14	2.5	0.31	2.2	0.27
Melanomas of the skin	3	0.7	0.19	0.6	0.15	5	0.9	0.19	0.7	0.15
Breast (excl. <i>in situ</i>)	10	2.3	0.35	1.7	0.25	768	132.2	2.19	104.9	1.74
Female Genital System	-	-	-	-	-	296	49.4	1.32	40.2	1.07
Cervix uteri	-	-	-	-	-	41	7.5	0.54	6.5	0.47
Uterus Corpus	-	-	-	-	-	166	26.7	0.95	21.5	0.76
Uterus, NOS ¹	-	-	-	-	-	9	1.5	0.24	1.2	0.18
Ovary	-	-	-	-	-	54	9.1	0.57	7.4	0.46
Male Genital System	822	181.2	2.95	144.0	2.26	-	-	-	-	-
Prostate	810	178.1	2.92	141.3	2.24	-	-	-	-	-
Testis	8	2.0	0.31	1.9	0.30	-	-	-	-	-
Penis	4	0.9	0.23	0.6	0.15	-	-	-	-	-
Urinary System	223	54.0	1.69	40.3	1.22	132	22.4	0.90	16.5	0.67
Bladder (incl. <i>in situ</i>)	86	22.7	1.14	15.2	0.74	49	8.4	0.55	5.7	0.38
Kidney & renal pelvis	132	30.1	1.22	24.2	0.96	80	13.5	0.69	10.5	0.54
Ureter	2	0.4	0.15	0.3	0.11	-	-	-	-	-
Eye & Orbit	2	0.5	0.15	0.4	0.14	2	0.3	0.11	0.3	0.12
Brain & Other CNS ¹	18	4.2	0.45	3.7	0.39	22	4.0	0.39	3.7	0.38
Brain	16	3.8	0.43	3.3	0.37	19	3.5	0.37	3.3	0.36
Endocrine System	27	6.5	0.58	5.2	0.46	89	16.1	0.78	14.0	0.69
Thyroid gland	22	5.4	0.53	4.2	0.40	85	15.3	0.76	13.2	0.66
Lymphomas	98	23.3	1.10	19.2	0.88	91	15.9	0.76	12.9	0.63
Hodgkin Lymphoma	16	3.8	0.43	3.6	0.41	11	2.0	0.27	1.9	0.27
Non-Hodgkin Lymphoma	82	19.6	1.01	15.5	0.78	81	14.0	0.71	11.0	0.57
Multiple Myeloma	68	16.9	0.96	12.3	0.68	75	12.9	0.68	9.4	0.50
Leukemias	59	14.8	0.90	11.1	0.66	57	10.0	0.61	7.8	0.49
Acute lymphocytic	3	0.7	0.18	0.8	0.19	5	1.0	0.20	1.0	0.22
Chronic lymphocytic	23	5.7	0.56	4.1	0.39	16	2.6	0.30	1.9	0.21
Acute myeloid	17	4.5	0.50	3.3	0.35	20	3.6	0.37	2.6	0.28
Chronic myeloid	11	2.8	0.39	2.2	0.30	10	1.8	0.26	1.6	0.22
Other leukemias	4	1.1	0.25	0.8	0.16	6	1.1	0.20	0.7	0.14
Mesothelioma	2	0.5	0.17	0.3	0.11	1	0.3	0.10	0.2	0.06
Kaposi Sarcoma	7	1.8	0.30	1.7	0.29	1	0.2	0.10	0.2	0.09
Ill-defined & Unknown	68	17.2	0.98	12.0	0.66	72	12.4	0.67	8.7	0.48
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	40	9.8	0.72	7.8	0.56	105	18.7	0.84	14.5	0.66
Breast (<i>in situ</i>)	1	0.3	0.12	0.2	0.09	220	37.3	1.16	29.8	0.91

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Minnesota, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	15,130	503.6	1.88	371.9	1.39	14,634	443.0	1.69	342.4	1.35
Oral Cavity & Pharynx	552	17.5	0.34	13.8	0.27	251	7.4	0.21	5.7	0.17
Lip	48	1.7	0.11	1.1	0.07	19	0.6	0.06	0.4	0.04
Tongue	176	5.5	0.19	4.5	0.15	74	2.2	0.12	1.7	0.09
Major salivary gland	42	1.5	0.10	1.1	0.08	37	1.1	0.09	0.9	0.08
Floor of mouth	28	0.9	0.08	0.7	0.06	15	0.5	0.05	0.3	0.04
Gum & other mouth	56	1.9	0.11	1.4	0.09	57	1.6	0.10	1.2	0.08
Nasopharynx	18	0.6	0.07	0.5	0.06	6	0.2	0.03	0.1	0.03
Oropharynx	24	0.7	0.07	0.6	0.06	6	0.2	0.03	0.1	0.03
Hypopharynx	31	1.0	0.08	0.7	0.06	7	0.2	0.03	0.2	0.03
Digestive System	2,748	92.3	0.81	67.1	0.58	2,196	64.2	0.63	46.1	0.47
Esophagus	248	8.1	0.24	5.9	0.17	67	1.9	0.11	1.4	0.08
Stomach	233	7.9	0.24	5.6	0.17	124	3.7	0.15	2.7	0.12
Small intestine	91	3.1	0.15	2.3	0.11	76	2.3	0.12	1.8	0.09
Colon excl. rectum	838	29.0	0.46	20.5	0.33	884	25.9	0.40	17.8	0.29
Rectum & rectosigmoid	408	13.6	0.31	10.5	0.24	265	8.1	0.23	6.3	0.18
Anus, anal canal & anorectum	31	1.0	0.08	0.8	0.06	73	2.1	0.11	1.7	0.09
Liver	294	9.1	0.25	7.1	0.19	96	2.8	0.13	2.1	0.10
Gallbladder	22	0.8	0.07	0.5	0.05	44	1.3	0.09	0.9	0.06
Pancreas	444	15.1	0.33	10.6	0.23	409	11.7	0.27	8.1	0.19
Respiratory System	2,005	67.4	0.69	47.0	0.47	1,859	53.9	0.57	38.6	0.41
Larynx	150	4.7	0.18	3.5	0.13	38	1.1	0.08	0.9	0.07
Lung & bronchus	1,822	61.5	0.66	42.5	0.45	1,803	52.2	0.56	37.2	0.41
Bones & Joints	32	1.1	0.09	1.1	0.09	17	0.6	0.07	0.6	0.07
Soft Tissue (incl. heart)	123	4.3	0.18	3.5	0.15	97	3.2	0.15	2.8	0.14
Skin (excl. basal & sq.)	1,199	41.0	0.54	30.2	0.40	911	29.6	0.45	24.7	0.39
Melanomas of the skin	1,099	37.4	0.52	27.8	0.39	851	27.8	0.44	23.4	0.38
Breast (excl. <i>in situ</i>)	29	1.0	0.08	0.7	0.06	4,311	132.5	0.93	104.5	0.75
Female Genital System	-	-	-	-	-	1,784	53.2	0.58	42.8	0.48
Cervix uteri	-	-	-	-	-	154	5.5	0.21	4.9	0.18
Uterus Corpus	-	-	-	-	-	1,055	30.5	0.43	24.6	0.35
Uterus, NOS ¹	-	-	-	-	-	17	0.5	0.05	0.3	0.04
Ovary	-	-	-	-	-	339	10.2	0.26	8.2	0.21
Male Genital System	3,745	117.0	0.88	91.1	0.68	-	-	-	-	-
Prostate	3,524	108.8	0.84	83.2	0.63	-	-	-	-	-
Testis	182	6.9	0.23	6.9	0.23	-	-	-	-	-
Penis	28	1.0	0.09	0.7	0.06	-	-	-	-	-
Urinary System	1,828	62.3	0.67	43.6	0.47	716	21.0	0.36	15.5	0.28
Bladder (incl. <i>in situ</i>)	1,064	37.0	0.52	24.4	0.34	324	9.2	0.24	6.4	0.17
Kidney & renal pelvis	724	23.9	0.41	18.3	0.31	370	11.1	0.27	8.7	0.21
Ureter	20	0.7	0.07	0.5	0.05	14	0.4	0.05	0.3	0.03
Eye & Orbit	25	0.9	0.08	0.7	0.07	25	0.7	0.07	0.6	0.06
Brain & Other CNS ¹	242	8.4	0.25	7.2	0.22	184	6.1	0.21	5.4	0.19
Brain	231	8.0	0.24	6.8	0.21	169	5.5	0.20	4.8	0.18
Endocrine System	225	7.7	0.24	6.6	0.20	557	19.7	0.39	17.9	0.36
Thyroid gland	204	7.0	0.22	5.9	0.19	538	19.1	0.38	17.4	0.35
Lymphomas	855	29.5	0.46	22.3	0.35	649	19.6	0.35	15.0	0.28
Hodgkin Lymphoma	94	3.4	0.16	3.2	0.15	65	2.4	0.13	2.3	0.13
Non-Hodgkin Lymphoma	761	26.1	0.43	19.1	0.32	583	17.3	0.33	12.7	0.25
Multiple Myeloma	256	8.6	0.25	6.1	0.17	180	5.2	0.18	3.7	0.13
Leukemias	631	21.9	0.40	16.2	0.30	401	12.1	0.28	9.4	0.23
Acute lymphocytic	44	1.6	0.11	1.7	0.12	39	1.5	0.11	1.6	0.12
Chronic lymphocytic	273	9.2	0.26	6.4	0.18	144	4.1	0.16	2.8	0.11
Acute myeloid	176	6.1	0.21	4.4	0.15	135	4.1	0.16	3.1	0.13
Chronic myeloid	84	3.0	0.15	2.2	0.11	52	1.6	0.10	1.2	0.08
Other leukemias	55	2.0	0.12	1.4	0.09	31	0.9	0.08	0.6	0.06
Mesothelioma	55	2.0	0.12	1.3	0.08	20	0.6	0.06	0.4	0.05
Kaposi Sarcoma	10	0.4	0.06	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	570	20.4	0.39	13.2	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	239	8.2	0.24	6.7	0.20	403	12.7	0.29	10.4	0.25
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	960	30.2	0.45	24.6	0.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Minnesota, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	14,067	500.0	1.94	369.3	1.44	13,619	444.4	1.77	343.8	1.43
Oral Cavity & Pharynx	511	17.3	0.35	13.7	0.28	231	7.3	0.22	5.7	0.18
Lip	46	1.7	0.12	1.1	0.08	18	0.6	0.06	0.4	0.04
Tongue	166	5.5	0.20	4.5	0.16	70	2.3	0.13	1.8	0.10
Major salivary gland	39	1.4	0.11	1.0	0.08	33	1.1	0.09	0.9	0.08
Floor of mouth	26	0.9	0.08	0.7	0.06	13	0.4	0.05	0.3	0.04
Gum & other mouth	52	1.8	0.12	1.4	0.09	55	1.6	0.10	1.2	0.08
Nasopharynx	12	0.4	0.05	0.3	0.05	4	0.1	0.03	0.1	0.02
Oropharynx	23	0.7	0.07	0.6	0.06	5	0.2	0.03	0.1	0.03
Hypopharynx	27	0.9	0.08	0.7	0.06	6	0.2	0.03	0.1	0.03
Digestive System	2,499	89.6	0.82	64.9	0.60	2,008	62.4	0.65	44.6	0.48
Esophagus	238	8.2	0.24	6.0	0.18	60	1.8	0.11	1.3	0.08
Stomach	205	7.4	0.24	5.3	0.17	105	3.3	0.15	2.4	0.12
Small intestine	85	3.0	0.15	2.3	0.11	73	2.3	0.13	1.8	0.10
Colon excl. rectum	778	28.8	0.47	20.3	0.34	828	25.8	0.42	17.7	0.30
Rectum & rectosigmoid	371	13.3	0.32	10.2	0.24	239	7.8	0.24	6.1	0.19
Anus, anal canal & anorectum	28	1.0	0.09	0.8	0.07	68	2.1	0.12	1.7	0.10
Liver	229	7.6	0.23	5.8	0.18	74	2.3	0.12	1.8	0.10
Gallbladder	20	0.7	0.07	0.5	0.05	38	1.1	0.08	0.8	0.06
Pancreas	418	15.0	0.34	10.5	0.24	381	11.5	0.27	8.0	0.19
Respiratory System	1,867	66.4	0.70	46.1	0.48	1,736	53.4	0.59	38.1	0.43
Larynx	137	4.6	0.18	3.4	0.13	34	1.1	0.08	0.8	0.07
Lung & bronchus	1,699	60.7	0.67	41.8	0.46	1,686	51.8	0.58	36.8	0.42
Bones & Joints	29	1.2	0.10	1.1	0.10	16	0.6	0.07	0.6	0.08
Soft Tissue (incl. heart)	114	4.4	0.19	3.5	0.16	89	3.2	0.16	2.8	0.15
Skin (excl. basal & sq.)	1,163	42.7	0.58	31.6	0.43	875	31.6	0.50	26.6	0.44
Melanomas of the skin	1,069	39.1	0.55	29.3	0.42	823	29.9	0.49	25.4	0.43
Breast (excl. <i>in situ</i>)	27	1.0	0.08	0.7	0.06	4,048	134.2	0.98	105.8	0.79
Female Genital System	-	-	-	-	-	1,654	53.1	0.61	42.6	0.50
Cervix uteri	-	-	-	-	-	128	5.2	0.22	4.6	0.19
Uterus Corpus	-	-	-	-	-	986	30.6	0.45	24.6	0.36
Uterus, NOS ¹	-	-	-	-	-	15	0.4	0.05	0.3	0.04
Ovary	-	-	-	-	-	319	10.4	0.27	8.3	0.23
Male Genital System	3,450	115.0	0.90	89.7	0.70	-	-	-	-	-
Prostate	3,244	106.1	0.85	81.2	0.64	-	-	-	-	-
Testis	170	7.5	0.26	7.6	0.27	-	-	-	-	-
Penis	27	1.0	0.09	0.7	0.06	-	-	-	-	-
Urinary System	1,732	62.6	0.69	43.9	0.48	670	21.0	0.38	15.5	0.29
Bladder (incl. <i>in situ</i>)	1,025	37.5	0.54	24.8	0.35	308	9.3	0.24	6.5	0.18
Kidney & renal pelvis	670	23.7	0.42	18.2	0.33	342	11.1	0.28	8.7	0.23
Ureter	19	0.7	0.08	0.5	0.05	13	0.4	0.05	0.2	0.03
Eye & Orbit	24	0.9	0.08	0.7	0.07	23	0.7	0.07	0.6	0.06
Brain & Other CNS ¹	225	8.6	0.26	7.4	0.24	170	6.3	0.23	5.6	0.21
Brain	215	8.2	0.26	7.0	0.23	157	5.7	0.21	5.0	0.20
Endocrine System	206	7.8	0.25	6.7	0.22	497	19.9	0.42	18.1	0.39
Thyroid gland	189	7.1	0.24	6.1	0.21	479	19.3	0.41	17.6	0.38
Lymphomas	797	29.6	0.48	22.4	0.38	606	19.8	0.37	15.2	0.30
Hodgkin Lymphoma	85	3.5	0.17	3.3	0.17	60	2.5	0.15	2.4	0.15
Non-Hodgkin Lymphoma	712	26.1	0.45	19.1	0.33	546	17.3	0.34	12.7	0.26
Multiple Myeloma	234	8.4	0.25	5.9	0.18	164	5.0	0.18	3.6	0.13
Leukemias	594	22.1	0.42	16.4	0.32	368	12.0	0.29	9.3	0.25
Acute lymphocytic	38	1.7	0.12	1.8	0.14	32	1.4	0.12	1.6	0.13
Chronic lymphocytic	257	9.2	0.26	6.4	0.18	134	4.0	0.16	2.8	0.11
Acute myeloid	168	6.2	0.22	4.5	0.16	125	4.1	0.17	3.1	0.14
Chronic myeloid	80	3.0	0.16	2.2	0.12	48	1.6	0.11	1.2	0.09
Other leukemias	52	2.0	0.13	1.4	0.09	30	0.9	0.08	0.6	0.06
Mesothelioma	53	2.0	0.13	1.3	0.08	19	0.6	0.06	0.4	0.05
Kaposi Sarcoma	6	0.3	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	536	20.3	0.40	13.1	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	218	8.2	0.25	6.6	0.21	367	12.6	0.31	10.3	0.27
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	894	30.6	0.48	24.9	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Minnesota, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	508	535.5	12.61	408.1	8.60	434	399.5	9.36	313.0	6.86
Oral Cavity & Pharynx	15	14.8	2.07	11.3	1.41	8	6.8	1.16	5.5	0.89
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	4.3	1.11	3.3	0.77	2	1.6	0.62	1.2	0.42
Major salivary gland	1	1.7	0.81	1.2	0.50	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	2.2	0.76	1.8	0.54	2	2.1	0.70	1.6	0.48
Nasopharynx	2	1.0	0.35	1.0	0.34	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	1.8	0.79	1.3	0.47	-	-	-	-	-
Digestive System	122	132.6	6.40	98.9	4.27	85	86.3	4.55	64.4	3.18
Esophagus	5	6.1	1.54	4.1	0.93	5	5.2	1.12	3.9	0.79
Stomach	12	13.8	2.14	10.0	1.38	6	6.5	1.29	4.6	0.87
Small intestine	4	3.5	0.94	2.7	0.68	1	1.0	0.44	0.9	0.36
Colon excl. rectum	30	31.9	3.14	23.5	2.05	26	25.1	2.41	19.0	1.70
Rectum & rectosigmoid	15	14.9	2.09	11.2	1.40	11	10.1	1.52	7.7	1.07
Anus, anal canal & anorectum	2	1.3	0.50	1.1	0.41	3	3.3	0.85	2.5	0.62
Liver	35	36.5	3.23	28.6	2.29	10	11.2	1.69	8.3	1.18
Gallbladder	-	-	-	-	-	2	2.0	0.69	1.5	0.48
Pancreas	14	16.9	2.38	12.3	1.55	15	15.7	1.99	11.3	1.34
Respiratory System	70	83.5	5.24	61.1	3.45	54	57.8	3.78	42.7	2.63
Larynx	7	6.0	1.20	5.0	0.91	3	2.7	0.76	2.1	0.57
Lung & bronchus	62	76.6	5.09	55.3	3.31	51	54.3	3.68	39.9	2.55
Bones & Joints	1	0.6	0.24	0.7	0.26	-	-	-	-	-
Soft Tissue (incl. heart)	5	2.7	0.63	2.6	0.57	3	2.1	0.66	1.7	0.47
Skin (excl. basal & sq.)	4	3.3	0.98	2.6	0.65	5	3.7	0.80	3.3	0.67
Melanomas of the skin	-	-	-	-	-	2	1.6	0.55	1.4	0.44
Breast (excl. <i>in situ</i>)	2	1.5	0.56	1.2	0.44	123	106.5	4.62	85.8	3.52
Female Genital System	-	-	-	-	-	58	53.7	3.40	42.9	2.57
Cervix uteri	-	-	-	-	-	10	7.9	1.22	6.6	0.97
Uterus Corpus	-	-	-	-	-	33	32.2	2.67	25.4	2.01
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	7.7	1.29	6.1	0.95
Male Genital System	157	160.1	6.59	126.4	4.73	-	-	-	-	-
Prostate	154	158.3	6.58	124.7	4.71	-	-	-	-	-
Testis	2	1.2	0.35	1.2	0.35	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	52.6	4.13	38.4	2.68	21	19.8	2.09	15.6	1.55
Bladder (incl. <i>in situ</i>)	16	22.9	2.94	15.6	1.82	5	5.6	1.16	4.2	0.82
Kidney & renal pelvis	29	28.0	2.82	21.4	1.90	15	12.7	1.60	10.5	1.25
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	5.5	1.06	4.8	0.84	6	3.4	0.66	3.4	0.63
Brain	7	5.3	1.05	4.7	0.83	5	2.9	0.62	2.9	0.59
Endocrine System	8	7.1	1.32	5.8	0.94	23	16.1	1.59	14.3	1.35
Thyroid gland	7	5.8	1.17	4.7	0.84	22	15.5	1.56	13.8	1.32
Lymphomas	26	24.6	2.65	18.9	1.78	16	14.6	1.82	11.5	1.32
Hodgkin Lymphoma	4	2.5	0.55	2.3	0.50	2	1.7	0.61	1.5	0.45
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	11.8	1.80	9.2	1.29	7	7.5	1.36	5.5	0.93
Leukemias	13	13.7	2.06	10.5	1.40	9	6.2	1.05	5.4	0.84
Acute lymphocytic	2	1.3	0.62	1.0	0.41	3	1.8	0.53	1.7	0.46
Chronic lymphocytic	4	5.4	1.34	4.0	0.90	1	1.6	0.66	1.1	0.42
Acute myeloid	4	4.5	1.12	3.5	0.80	2	1.0	0.37	1.0	0.35
Chronic myeloid	2	2.0	0.84	1.4	0.52	2	1.3	0.45	1.2	0.40
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	3	2.3	0.68	2.0	0.54	-	-	-	-	-
Ill-defined & Unknown	15	17.3	2.39	12.6	1.55	13	14.1	1.91	10.0	1.26
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	9	8.1	1.39	6.5	0.99	13	10.8	1.51	8.7	1.12
Breast (<i>in situ</i>)	-	-	-	-	-	28	23.9	2.11	20.1	1.72

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Minnesota, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	217	297.2	10.03	223.1	6.97	287	291.1	8.22	229.8	6.18
Oral Cavity & Pharynx	12	12.7	1.77	10.9	1.45	6	6.0	1.20	4.7	0.91
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.1	0.67	1.9	0.61	-	-	-	-	-
Major salivary gland	1	1.3	0.51	1.2	0.47	2	1.8	0.61	1.6	0.52
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	4	4.9	1.11	4.0	0.88	1	1.5	0.59	1.2	0.46
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	1	1.8	0.80	1.3	0.55	-	-	-	-	-
Digestive System	73	101.7	5.83	76.2	4.07	60	71.0	4.35	50.5	2.97
Esophagus	3	4.5	1.24	3.3	0.86	-	-	-	-	-
Stomach	10	15.5	2.43	10.7	1.55	10	11.4	1.77	7.8	1.15
Small intestine	1	1.8	0.78	1.3	0.54	-	-	-	-	-
Colon excl. rectum	15	20.7	2.60	15.7	1.85	16	18.4	2.21	12.9	1.49
Rectum & rectosigmoid	12	13.5	1.88	11.1	1.46	9	10.7	1.64	7.8	1.15
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	20	26.5	2.82	21.2	2.15	7	8.6	1.55	6.1	1.05
Gallbladder	-	-	-	-	-	4	4.3	1.07	3.2	0.75
Pancreas	7	11.3	2.07	7.7	1.32	6	8.5	1.58	5.6	1.02
Respiratory System	33	53.2	4.46	37.7	2.97	25	29.8	2.82	21.8	1.98
Larynx	1	2.1	0.89	1.4	0.59	-	-	-	-	-
Lung & bronchus	32	50.9	4.36	36.0	2.90	24	29.1	2.80	21.3	1.96
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	1.4	0.45	1.4	0.43	3	1.8	0.51	1.9	0.53
Skin (excl. basal & sq.)	2	2.0	0.76	1.6	0.58	2	2.1	0.71	1.7	0.53
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	82	78.2	4.02	65.1	3.26
Female Genital System	-	-	-	-	-	38	33.0	2.54	28.3	2.10
Cervix uteri	-	-	-	-	-	10	8.2	1.25	7.0	1.02
Uterus Corpus	-	-	-	-	-	18	15.3	1.66	13.5	1.44
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	4.8	0.93	4.4	0.83
Male Genital System	33	49.8	4.20	37.1	2.92	-	-	-	-	-
Prostate	29	46.9	4.14	34.1	2.85	-	-	-	-	-
Testis	3	1.9	0.47	2.0	0.51	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	21.3	2.85	14.6	1.82	8	10.0	1.65	7.1	1.13
Bladder (incl. <i>in situ</i>)	7	13.2	2.35	8.5	1.41	3	4.3	1.11	3.0	0.74
Kidney & renal pelvis	6	7.2	1.47	5.6	1.07	4	4.7	1.08	3.6	0.79
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	5	4.1	0.82	4.1	0.80	4	3.4	0.79	3.2	0.70
Brain	5	3.7	0.78	3.8	0.77	4	3.4	0.79	3.2	0.70
Endocrine System	6	5.8	1.16	5.0	0.95	25	20.0	1.90	17.6	1.61
Thyroid gland	4	3.6	0.84	3.2	0.72	25	19.2	1.84	17.0	1.57
Lymphomas	14	18.5	2.46	14.0	1.73	11	11.2	1.63	8.8	1.22
Hodgkin Lymphoma	2	1.7	0.68	1.4	0.49	1	1.0	0.44	0.9	0.36
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	5.1	1.28	3.8	0.90	4	5.0	1.14	3.7	0.82
Leukemias	9	8.0	1.34	7.4	1.13	11	9.2	1.39	8.1	1.13
Acute lymphocytic	3	2.0	0.49	2.4	0.58	3	1.9	0.55	2.0	0.54
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	2	2.3	0.73	2.0	0.60	6	5.0	1.05	4.3	0.84
Chronic myeloid	2	1.7	0.73	1.3	0.50	1	1.5	0.64	1.0	0.42
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	8	12.7	2.31	8.4	1.37	8	10.0	1.69	6.5	1.06
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	7.1	1.35	5.9	1.05	15	14.5	1.78	11.9	1.39
Breast (<i>in situ</i>)	-	-	-	-	-	22	21.6	2.13	17.9	1.74

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Minnesota, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	238	437.4	15.72	317.7	10.21	278	428.8	13.35	327.0	9.37
Oral Cavity & Pharynx	7	11.7	2.43	8.9	1.65	4	7.5	2.02	4.6	1.17
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	3.6	1.52	2.5	0.95	2	3.7	1.51	2.4	0.90
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	59	112.3	8.06	79.8	5.13	53	95.5	6.68	67.7	4.40
Esophagus	2	5.1	1.73	3.8	1.16	-	-	-	-	-
Stomach	8	13.2	2.68	9.5	1.71	7	10.2	2.05	7.8	1.46
Small intestine	2	3.5	1.25	2.9	0.92	2	2.0	0.71	1.7	0.63
Colon excl. rectum	14	27.1	4.07	18.6	2.50	17	29.8	3.71	20.9	2.41
Rectum & rectosigmoid	9	13.5	2.58	10.2	1.71	7	10.2	2.00	7.7	1.40
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	12	26.6	4.13	18.0	2.52	4	7.9	1.93	6.1	1.39
Gallbladder	-	-	-	-	-	2	5.8	1.87	3.6	1.11
Pancreas	8	14.3	2.80	10.4	1.86	8	16.7	2.90	11.0	1.81
Respiratory System	25	58.5	6.03	40.5	3.84	17	37.5	4.42	26.0	2.91
Larynx	3	6.3	1.95	4.5	1.26	-	-	-	-	-
Lung & bronchus	21	50.2	5.62	34.6	3.57	16	36.4	4.38	25.1	2.87
Bones & Joints	1	0.8	0.37	0.9	0.38	-	-	-	-	-
Soft Tissue (incl. heart)	3	4.7	1.70	3.2	0.92	4	3.4	0.79	3.5	0.77
Skin (excl. basal & sq.)	-	-	-	-	-	10	12.9	2.15	10.8	1.66
Melanomas of the skin	5	8.4	2.03	6.2	1.38	9	11.4	2.02	9.5	1.55
Breast (excl. <i>in situ</i>)	-	-	-	-	-	71	101.4	6.07	81.3	4.59
Female Genital System	-	-	-	-	-	41	58.9	4.70	47.1	3.49
Cervix uteri	-	-	-	-	-	9	10.7	1.86	8.4	1.36
Uterus Corpus	-	-	-	-	-	21	28.6	3.19	23.6	2.46
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	8.9	1.81	7.3	1.37
Male Genital System	52	101.6	7.55	75.4	5.06	-	-	-	-	-
Prostate	43	95.3	7.45	69.1	4.96	-	-	-	-	-
Testis	8	4.6	0.73	5.1	0.80	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	52.1	5.48	36.8	3.52	14	21.2	2.97	16.4	2.13
Bladder (incl. <i>in situ</i>)	10	25.1	4.08	16.7	2.54	4	8.5	2.12	5.6	1.34
Kidney & renal pelvis	16	24.4	3.32	18.7	2.29	10	12.8	2.09	10.8	1.66
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	5	4.6	1.17	4.1	0.94	4	4.4	1.29	3.6	0.89
Brain	4	4.1	1.13	3.6	0.90	4	4.1	1.27	3.2	0.86
Endocrine System	7	6.5	1.26	5.9	1.09	21	21.7	2.40	19.4	1.99
Thyroid gland	7	6.2	1.25	5.7	1.07	21	21.4	2.39	19.1	1.98
Lymphomas	18	30.8	4.10	22.5	2.63	17	27.3	3.50	19.9	2.31
Hodgkin Lymphoma	3	2.6	0.78	2.5	0.71	2	2.6	1.07	1.8	0.64
Non-Hodgkin Lymphoma	15	28.2	4.03	20.0	2.53	15	24.8	3.33	18.1	2.22
Multiple Myeloma	6	11.2	2.40	8.6	1.66	4	7.4	1.86	5.5	1.30
Leukemias	14	18.5	3.09	14.6	2.05	10	12.4	2.17	9.9	1.57
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	3	7.3	2.12	5.0	1.36	2	3.3	1.22	2.5	0.88
Acute myeloid	3	5.6	1.88	3.8	1.16	4	6.2	1.65	4.6	1.11
Chronic myeloid	2	1.5	0.54	1.4	0.52	1	1.1	0.51	1.1	0.47
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	12.0	2.93	7.7	1.73	8	16.1	2.97	10.1	1.73
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	4	5.3	1.40	4.4	1.08	10	12.4	2.13	10.1	1.57
Breast (<i>in situ</i>)	-	-	-	-	-	20	29.6	3.31	23.6	2.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MINNESOTA

222 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Minnesota, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,850	501.7	1.96	370.8	1.47	13,367	445.5	1.80	344.7	1.46
Oral Cavity & Pharynx	504	17.4	0.36	13.8	0.28	228	7.3	0.23	5.7	0.18
Lip	46	1.7	0.12	1.1	0.08	18	0.6	0.06	0.4	0.05
Tongue	164	5.6	0.20	4.6	0.17	68	2.2	0.13	1.8	0.10
Major salivary gland	38	1.4	0.11	1.1	0.08	33	1.1	0.09	0.9	0.08
Floor of mouth	26	0.9	0.08	0.7	0.06	13	0.4	0.05	0.3	0.04
Gum & other mouth	51	1.8	0.12	1.4	0.09	54	1.7	0.10	1.2	0.08
Nasopharynx	11	0.4	0.05	0.3	0.04	4	0.1	0.03	0.1	0.03
Oropharynx	22	0.7	0.07	0.6	0.06	5	0.2	0.03	0.1	0.03
Hypopharynx	26	0.9	0.08	0.7	0.06	6	0.2	0.03	0.1	0.03
Digestive System	2,446	89.3	0.83	64.7	0.61	1,960	61.9	0.65	44.2	0.49
Esophagus	236	8.2	0.25	6.0	0.18	59	1.8	0.11	1.3	0.08
Stomach	198	7.2	0.24	5.2	0.17	99	3.1	0.15	2.3	0.11
Small intestine	82	3.0	0.15	2.2	0.11	71	2.3	0.13	1.8	0.10
Colon excl. rectum	767	28.9	0.48	20.4	0.34	813	25.7	0.42	17.6	0.31
Rectum & rectosigmoid	364	13.3	0.32	10.2	0.25	233	7.8	0.24	6.0	0.19
Anus, anal canal & anorectum	28	1.0	0.09	0.8	0.07	67	2.1	0.12	1.7	0.10
Liver	218	7.3	0.23	5.6	0.18	70	2.2	0.12	1.7	0.10
Gallbladder	19	0.7	0.07	0.5	0.05	36	1.1	0.08	0.7	0.06
Pancreas	411	15.0	0.34	10.5	0.24	374	11.5	0.27	7.9	0.20
Respiratory System	1,844	66.6	0.71	46.2	0.49	1,720	53.7	0.59	38.3	0.43
Larynx	134	4.6	0.18	3.4	0.13	33	1.1	0.09	0.8	0.07
Lung & bronchus	1,679	60.8	0.68	41.9	0.46	1,671	52.0	0.58	37.0	0.42
Bones & Joints	28	1.2	0.10	1.2	0.10	15	0.7	0.08	0.6	0.08
Soft Tissue (incl. heart)	111	4.4	0.19	3.6	0.17	85	3.2	0.16	2.8	0.15
Skin (excl. basal & sq.)	1,158	43.5	0.59	32.3	0.45	865	32.3	0.52	27.3	0.45
Melanomas of the skin	1,064	39.9	0.56	29.9	0.43	814	30.7	0.51	26.1	0.45
Breast (excl. <i>in situ</i>)	26	1.0	0.09	0.7	0.06	3,983	135.0	1.00	106.5	0.81
Female Genital System	-	-	-	-	-	1,618	53.0	0.61	42.5	0.51
Cervix uteri	-	-	-	-	-	121	5.1	0.22	4.6	0.20
Uterus Corpus	-	-	-	-	-	968	30.5	0.45	24.5	0.37
Uterus, NOS ¹	-	-	-	-	-	15	0.4	0.05	0.3	0.04
Ovary	-	-	-	-	-	313	10.5	0.28	8.4	0.23
Male Genital System	3,401	115.4	0.91	90.1	0.71	-	-	-	-	-
Prostate	3,203	106.3	0.86	81.4	0.65	-	-	-	-	-
Testis	162	7.7	0.28	7.8	0.28	-	-	-	-	-
Penis	26	1.0	0.09	0.6	0.06	-	-	-	-	-
Urinary System	1,707	62.7	0.70	44.0	0.49	658	21.0	0.38	15.4	0.29
Bladder (incl. <i>in situ</i>)	1,016	37.7	0.54	24.9	0.36	305	9.3	0.25	6.5	0.18
Kidney & renal pelvis	655	23.7	0.43	18.2	0.33	333	11.0	0.28	8.6	0.23
Ureter	19	0.7	0.08	0.4	0.05	13	0.4	0.05	0.2	0.03
Eye & Orbit	23	0.9	0.09	0.7	0.07	23	0.7	0.07	0.6	0.06
Brain & Other CNS ¹	220	8.7	0.27	7.5	0.25	166	6.3	0.23	5.6	0.22
Brain	211	8.3	0.26	7.1	0.24	154	5.8	0.22	5.1	0.21
Endocrine System	200	7.8	0.26	6.7	0.23	478	20.0	0.43	18.2	0.40
Thyroid gland	183	7.1	0.24	6.1	0.21	461	19.4	0.42	17.6	0.39
Lymphomas	781	29.7	0.49	22.6	0.39	590	19.6	0.38	15.1	0.31
Hodgkin Lymphoma	83	3.6	0.18	3.4	0.18	59	2.6	0.16	2.5	0.16
Non-Hodgkin Lymphoma	698	26.1	0.45	19.2	0.34	532	17.1	0.34	12.6	0.26
Multiple Myeloma	230	8.4	0.25	5.9	0.18	161	4.9	0.18	3.5	0.13
Leukemias	581	22.0	0.42	16.2	0.32	360	12.0	0.30	9.2	0.25
Acute lymphocytic	32	1.5	0.12	1.6	0.13	29	1.4	0.12	1.6	0.14
Chronic lymphocytic	254	9.2	0.27	6.5	0.19	132	4.0	0.16	2.8	0.12
Acute myeloid	165	6.2	0.22	4.5	0.17	122	4.0	0.17	3.0	0.14
Chronic myeloid	78	3.0	0.16	2.2	0.12	47	1.6	0.11	1.2	0.09
Other leukemias	52	2.0	0.13	1.4	0.09	30	0.9	0.08	0.7	0.06
Mesothelioma	52	2.1	0.13	1.3	0.08	19	0.6	0.06	0.4	0.05
Kaposi Sarcoma	6	0.3	0.05	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	531	20.4	0.40	13.2	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	214	8.3	0.26	6.8	0.22	358	12.7	0.32	10.4	0.27
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	877	30.8	0.49	25.1	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Minnesota, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	505	546.2	12.89	416.5	8.79	429	404.2	9.51	317.2	6.98
Oral Cavity & Pharynx	15	15.2	2.13	11.6	1.45	8	6.9	1.19	5.7	0.91
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	4.4	1.14	3.4	0.79	2	1.6	0.64	1.2	0.43
Major salivary gland	1	1.8	0.84	1.2	0.51	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	2.3	0.78	1.8	0.56	2	2.2	0.71	1.6	0.49
Nasopharynx	2	1.1	0.37	1.0	0.35	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	1.9	0.81	1.3	0.49	-	-	-	-	-
Digestive System	121	134.7	6.52	100.7	4.36	84	87.2	4.62	65.1	3.23
Esophagus	5	6.3	1.58	4.2	0.96	5	5.3	1.14	4.0	0.81
Stomach	12	14.2	2.20	10.3	1.42	6	6.6	1.32	4.7	0.89
Small intestine	4	3.6	0.97	2.8	0.70	1	1.1	0.45	0.9	0.37
Colon excl. rectum	29	32.1	3.18	23.7	2.08	25	25.1	2.44	18.9	1.72
Rectum & rectosigmoid	15	15.3	2.15	11.5	1.43	11	10.4	1.55	7.9	1.10
Anus, anal canal & anorectum	1	1.2	0.50	1.0	0.40	3	3.3	0.87	2.6	0.63
Liver	34	37.3	3.31	29.2	2.34	10	11.5	1.72	8.5	1.21
Gallbladder	-	-	-	-	-	2	2.0	0.70	1.5	0.49
Pancreas	14	16.8	2.37	12.4	1.56	14	15.6	1.99	11.3	1.35
Respiratory System	70	84.8	5.35	62.1	3.52	54	59.0	3.86	43.7	2.68
Larynx	7	6.2	1.23	5.1	0.94	3	2.7	0.78	2.2	0.58
Lung & bronchus	62	77.7	5.19	56.1	3.37	51	55.4	3.75	40.8	2.60
Bones & Joints	1	0.5	0.21	0.6	0.25	-	-	-	-	-
Soft Tissue (incl. heart)	5	2.8	0.65	2.7	0.58	3	2.1	0.67	1.8	0.49
Skin (excl. basal & sq.)	4	3.4	1.00	2.7	0.66	5	3.8	0.82	3.4	0.69
Melanomas of the skin	-	-	-	-	-	2	1.6	0.56	1.4	0.45
Breast (excl. <i>in situ</i>)	2	1.5	0.57	1.2	0.46	122	107.7	4.70	86.8	3.58
Female Genital System	-	-	-	-	-	57	54.0	3.44	43.3	2.61
Cervix uteri	-	-	-	-	-	9	7.9	1.24	6.6	0.99
Uterus Corpus	-	-	-	-	-	32	32.1	2.68	25.5	2.03
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	9	7.9	1.32	6.3	0.98
Male Genital System	157	163.9	6.76	129.4	4.85	-	-	-	-	-
Prostate	154	162.0	6.74	127.5	4.83	-	-	-	-	-
Testis	2	1.2	0.36	1.3	0.37	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	54.1	4.24	39.4	2.75	21	20.1	2.12	15.8	1.58
Bladder (incl. <i>in situ</i>)	16	23.5	3.02	16.0	1.87	5	5.8	1.18	4.3	0.84
Kidney & renal pelvis	29	28.7	2.89	22.0	1.95	14	12.9	1.63	10.6	1.27
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	5.3	1.03	4.8	0.82	6	3.6	0.68	3.6	0.66
Brain	7	5.1	1.02	4.6	0.81	5	3.0	0.64	3.0	0.61
Endocrine System	8	7.3	1.35	6.0	0.97	22	16.1	1.61	14.4	1.38
Thyroid gland	7	5.9	1.20	4.8	0.87	22	15.6	1.58	13.8	1.35
Lymphomas	26	25.3	2.72	19.5	1.83	16	14.6	1.82	11.6	1.34
Hodgkin Lymphoma	4	2.6	0.57	2.4	0.52	2	1.8	0.62	1.5	0.46
Non-Hodgkin Lymphoma	22	22.8	2.66	17.1	1.75	13	12.8	1.71	10.1	1.26
Multiple Myeloma	11	11.8	1.84	9.2	1.31	7	7.7	1.39	5.6	0.95
Leukemias	13	13.9	2.10	10.5	1.43	9	6.2	1.07	5.4	0.85
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	4	5.4	1.36	3.9	0.91	1	1.5	0.66	1.0	0.40
Acute myeloid	4	4.6	1.15	3.6	0.82	2	1.1	0.38	1.1	0.36
Chronic myeloid	2	2.1	0.87	1.5	0.53	2	1.4	0.47	1.2	0.41
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	3	2.4	0.70	2.0	0.56	-	-	-	-	-
Ill-defined & Unknown	15	17.8	2.45	13.0	1.60	13	14.0	1.91	10.0	1.27
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	9	8.3	1.43	6.7	1.02	12	10.7	1.51	8.6	1.12
Breast (<i>in situ</i>)	-	-	-	-	-	27	24.0	2.14	20.2	1.75

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

MINNESOTA

224 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Mississippi, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8,648	547.4	2.72	411.6	2.01	7,589	414.2	2.18	324.0	1.76
Oral Cavity & Pharynx	339	20.8	0.52	16.7	0.41	130	7.0	0.28	5.5	0.23
Lip	12	0.8	0.11	0.6	0.08	2	0.1	0.03	0.1	0.02
Tongue	92	5.6	0.27	4.5	0.21	35	1.9	0.14	1.5	0.12
Major salivary gland	26	1.8	0.16	1.3	0.12	20	1.1	0.12	0.9	0.10
Floor of mouth	15	0.9	0.11	0.7	0.08	6	0.3	0.06	0.2	0.04
Gum & other mouth	41	2.5	0.18	2.0	0.14	24	1.3	0.12	0.9	0.09
Nasopharynx	15	0.9	0.11	0.8	0.09	7	0.4	0.07	0.3	0.06
Oropharynx	24	1.5	0.14	1.2	0.11	6	0.3	0.06	0.2	0.04
Hypopharynx	30	1.7	0.15	1.4	0.11	7	0.4	0.06	0.3	0.05
Digestive System	1,785	113.1	1.24	85.5	0.92	1,404	74.5	0.91	55.6	0.70
Esophagus	129	7.9	0.32	6.1	0.24	35	1.8	0.14	1.4	0.11
Stomach	140	9.0	0.35	6.7	0.26	94	5.1	0.24	3.8	0.18
Small intestine	57	3.7	0.22	2.8	0.17	57	3.1	0.19	2.4	0.15
Colon excl. rectum	630	40.6	0.75	30.2	0.55	589	31.3	0.59	23.2	0.45
Rectum & rectosigmoid	254	15.9	0.46	12.6	0.36	179	9.7	0.33	7.6	0.27
Anus, anal canal & anorectum	23	1.5	0.15	1.2	0.12	46	2.5	0.17	2.0	0.13
Liver	213	12.5	0.39	10.1	0.31	67	3.5	0.19	2.7	0.16
Gallbladder	10	0.7	0.10	0.4	0.06	23	1.2	0.11	0.9	0.09
Pancreas	262	17.1	0.49	12.2	0.34	235	12.2	0.36	8.6	0.26
Respiratory System	1,687	107.3	1.21	77.5	0.85	1,166	60.0	0.80	44.5	0.60
Larynx	142	8.5	0.33	6.7	0.26	32	1.7	0.13	1.4	0.11
Lung & bronchus	1,526	97.6	1.15	69.7	0.80	1,122	57.7	0.78	42.7	0.59
Bones & Joints	16	1.1	0.12	1.0	0.11	14	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	59	4.0	0.24	3.2	0.20	48	2.8	0.19	2.4	0.17
Skin (excl. basal & sq.)	381	25.5	0.60	18.6	0.44	252	14.6	0.42	12.0	0.36
Melanomas of the skin	351	23.5	0.58	17.3	0.42	236	13.7	0.41	11.3	0.35
Breast (excl. <i>in situ</i>)	22	1.4	0.14	1.0	0.10	2,134	118.0	1.18	93.9	0.95
Female Genital System	-	-	-	-	-	832	46.3	0.74	38.0	0.62
Cervix uteri	-	-	-	-	-	147	9.4	0.36	8.2	0.32
Uterus Corpus	-	-	-	-	-	405	21.4	0.49	17.6	0.41
Uterus, NOS ¹	-	-	-	-	-	18	1.0	0.10	0.7	0.08
Ovary	-	-	-	-	-	172	9.5	0.33	7.6	0.27
Male Genital System	2,233	132.7	1.29	103.7	0.99	-	-	-	-	-
Prostate	2,164	127.7	1.26	99.1	0.96	-	-	-	-	-
Testis	53	4.0	0.25	3.9	0.24	-	-	-	-	-
Penis	14	0.9	0.11	0.6	0.08	-	-	-	-	-
Urinary System	917	60.4	0.92	43.5	0.65	437	23.6	0.52	17.9	0.41
Bladder (incl. <i>in situ</i>)	457	31.0	0.67	20.7	0.44	135	7.0	0.27	4.9	0.20
Kidney & renal pelvis	446	28.3	0.62	22.1	0.48	292	16.1	0.43	12.7	0.35
Ureter	10	0.8	0.11	0.4	0.06	5	0.3	0.05	0.2	0.04
Eye & Orbit	17	1.2	0.13	0.9	0.10	15	0.8	0.10	0.7	0.08
Brain & Other CNS ¹	107	7.1	0.32	5.9	0.26	88	5.1	0.25	4.5	0.23
Brain	102	6.8	0.31	5.6	0.26	83	4.8	0.24	4.1	0.22
Endocrine System	89	5.9	0.29	5.0	0.24	264	16.6	0.47	14.8	0.43
Thyroid gland	77	5.2	0.27	4.3	0.23	250	15.7	0.46	14.0	0.41
Lymphomas	345	23.2	0.57	17.7	0.44	290	16.1	0.43	12.5	0.35
Hodgkin Lymphoma	40	2.7	0.19	2.6	0.19	33	2.1	0.17	2.0	0.16
Non-Hodgkin Lymphoma	305	20.5	0.54	15.1	0.40	257	14.0	0.40	10.5	0.31
Multiple Myeloma	145	9.3	0.36	6.8	0.26	124	6.5	0.27	4.8	0.20
Leukemias	232	15.5	0.47	12.0	0.36	169	9.5	0.33	7.6	0.29
Acute lymphocytic	22	1.5	0.14	1.6	0.16	18	1.2	0.13	1.3	0.14
Chronic lymphocytic	83	5.3	0.27	3.8	0.19	51	2.6	0.17	1.8	0.12
Acute myeloid	68	4.6	0.26	3.4	0.19	59	3.4	0.20	2.7	0.17
Chronic myeloid	38	2.7	0.20	2.0	0.15	24	1.3	0.13	1.0	0.10
Other leukemias	22	1.5	0.15	1.1	0.11	18	0.9	0.10	0.7	0.08
Mesothelioma	19	1.4	0.15	0.9	0.09	7	0.4	0.07	0.3	0.05
Kaposi Sarcoma	6	0.5	0.09	0.4	0.08	-	-	-	-	-
Ill-defined & Unknown	249	16.9	0.50	11.5	0.33	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	123	8.3	0.35	6.5	0.27	247	13.9	0.41	11.1	0.34
Breast (<i>in situ</i>)	3	0.2	0.05	0.2	0.04	450	24.7	0.54	20.1	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Mississippi, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,864	530.9	3.18	395.7	2.39	5,138	424.3	2.76	333.0	2.27
Oral Cavity & Pharynx	248	22.1	0.65	17.6	0.51	95	7.6	0.36	6.0	0.30
Lip	11	1.1	0.14	0.8	0.10	2	0.1	0.04	0.1	0.03
Tongue	73	6.5	0.35	5.3	0.28	30	2.4	0.20	1.9	0.17
Major salivary gland	18	1.8	0.19	1.2	0.13	13	1.0	0.13	0.8	0.11
Floor of mouth	9	0.7	0.11	0.6	0.09	4	0.3	0.07	0.2	0.05
Gum & other mouth	29	2.6	0.22	2.0	0.17	17	1.4	0.16	1.0	0.12
Nasopharynx	9	0.8	0.13	0.7	0.11	3	0.3	0.07	0.3	0.07
Oropharynx	15	1.4	0.16	1.1	0.13	4	0.3	0.07	0.2	0.06
Hypopharynx	19	1.5	0.16	1.2	0.13	4	0.3	0.07	0.3	0.06
Digestive System	1,160	105.0	1.42	78.7	1.06	878	68.9	1.08	51.4	0.84
Esophagus	84	7.3	0.36	5.5	0.27	21	1.6	0.16	1.2	0.12
Stomach	78	7.1	0.37	5.3	0.28	47	3.8	0.26	2.8	0.20
Small intestine	32	2.9	0.24	2.2	0.18	34	2.8	0.22	2.2	0.18
Colon excl. rectum	399	36.9	0.85	27.1	0.63	362	28.2	0.69	20.7	0.53
Rectum & rectosigmoid	165	15.0	0.54	11.9	0.43	117	9.8	0.42	7.7	0.34
Anus, anal canal & anorectum	18	1.7	0.18	1.3	0.14	34	2.8	0.23	2.3	0.18
Liver	153	12.9	0.48	10.4	0.38	44	3.4	0.24	2.7	0.20
Gallbladder	6	0.6	0.11	0.4	0.07	13	1.1	0.13	0.8	0.10
Pancreas	179	16.3	0.56	11.6	0.40	148	11.1	0.42	7.8	0.31
Respiratory System	1,146	102.3	1.38	73.0	0.98	871	65.9	1.02	49.1	0.78
Larynx	81	7.1	0.36	5.6	0.28	22	1.8	0.17	1.4	0.14
Lung & bronchus	1,050	93.8	1.32	66.3	0.93	841	63.4	1.00	47.1	0.76
Bones & Joints	12	1.2	0.16	1.1	0.16	10	0.9	0.14	0.8	0.14
Soft Tissue (incl. heart)	42	4.2	0.30	3.4	0.25	29	2.7	0.23	2.3	0.22
Skin (excl. basal & sq.)	372	35.1	0.84	26.2	0.64	241	22.1	0.67	18.5	0.59
Melanomas of the skin	345	32.6	0.81	24.5	0.62	230	21.3	0.66	17.9	0.58
Breast (excl. <i>in situ</i>)	13	1.2	0.16	0.9	0.11	1,387	115.9	1.46	91.8	1.19
Female Genital System	-	-	-	-	-	536	46.9	0.95	38.6	0.81
Cervix uteri	-	-	-	-	-	84	9.0	0.46	8.0	0.42
Uterus Corpus	-	-	-	-	-	257	21.3	0.62	17.6	0.52
Uterus, NOS ¹	-	-	-	-	-	8	0.7	0.11	0.5	0.08
Ovary	-	-	-	-	-	121	10.3	0.44	8.2	0.37
Male Genital System	1,288	110.3	1.41	85.1	1.09	-	-	-	-	-
Prostate	1,233	103.9	1.35	79.0	1.02	-	-	-	-	-
Testis	44	5.4	0.37	5.4	0.37	-	-	-	-	-
Penis	10	0.9	0.13	0.6	0.09	-	-	-	-	-
Urinary System	702	64.9	1.12	46.4	0.81	295	23.8	0.65	18.2	0.52
Bladder (incl. <i>in situ</i>)	384	35.6	0.83	23.8	0.55	105	7.8	0.35	5.6	0.26
Kidney & renal pelvis	306	28.1	0.74	21.9	0.58	183	15.5	0.54	12.3	0.44
Ureter	10	1.0	0.14	0.6	0.08	4	0.3	0.07	0.2	0.05
Eye & Orbit	16	1.6	0.18	1.3	0.15	13	1.1	0.15	0.9	0.13
Brain & Other CNS ¹	84	8.3	0.42	6.9	0.36	66	6.1	0.35	5.3	0.33
Brain	82	8.1	0.41	6.6	0.35	63	5.8	0.34	5.1	0.32
Endocrine System	70	6.9	0.38	5.9	0.34	181	19.0	0.66	17.1	0.61
Thyroid gland	63	6.3	0.37	5.3	0.32	175	18.4	0.65	16.6	0.60
Lymphomas	259	24.8	0.71	18.6	0.55	206	17.0	0.55	13.0	0.45
Hodgkin Lymphoma	25	2.6	0.24	2.5	0.24	20	2.1	0.22	2.0	0.22
Non-Hodgkin Lymphoma	234	22.2	0.67	16.1	0.49	186	14.9	0.50	11.1	0.40
Multiple Myeloma	80	7.3	0.37	5.2	0.26	55	4.1	0.25	2.9	0.19
Leukemias	168	16.1	0.57	12.4	0.46	121	10.1	0.43	8.2	0.39
Acute lymphocytic	17	1.9	0.22	2.1	0.24	12	1.3	0.18	1.5	0.21
Chronic lymphocytic	61	5.4	0.32	3.9	0.23	39	2.9	0.21	2.1	0.16
Acute myeloid	48	4.5	0.30	3.3	0.23	42	3.7	0.27	3.0	0.24
Chronic myeloid	26	2.5	0.23	1.9	0.17	15	1.2	0.14	0.9	0.11
Other leukemias	17	1.7	0.18	1.2	0.13	13	1.0	0.13	0.7	0.10
Mesothelioma	16	1.6	0.18	1.0	0.11	6	0.5	0.10	0.4	0.08
Kaposi Sarcoma	2	0.2	0.07	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	87	8.6	0.42	6.8	0.35	161	13.8	0.51	11.1	0.44
Breast (<i>in situ</i>)	2	0.1	0.05	0.1	0.04	277	23.5	0.66	19.0	0.54

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Mississippi, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,719	587.9	5.44	451.6	3.92	2,376	401.0	3.78	312.8	2.92
Oral Cavity & Pharynx	87	17.0	0.86	14.2	0.69	34	5.5	0.43	4.6	0.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	3.4	0.37	2.9	0.31	5	0.8	0.17	0.7	0.14
Major salivary gland	8	1.7	0.29	1.4	0.22	8	1.3	0.21	1.1	0.18
Floor of mouth	6	1.2	0.23	1.0	0.18	2	0.3	0.08	0.2	0.07
Gum & other mouth	11	2.3	0.32	1.8	0.25	6	1.0	0.19	0.8	0.14
Nasopharynx	6	1.2	0.23	1.0	0.19	3	0.6	0.14	0.4	0.11
Oropharynx	9	1.6	0.25	1.4	0.21	1	0.2	0.09	0.2	0.07
Hypopharynx	11	2.2	0.31	1.8	0.24	3	0.5	0.13	0.4	0.11
Digestive System	607	132.8	2.61	101.2	1.86	509	86.3	1.76	64.4	1.30
Esophagus	44	9.0	0.65	7.2	0.49	13	2.1	0.27	1.7	0.21
Stomach	58	13.3	0.85	9.8	0.58	45	7.8	0.53	5.6	0.38
Small intestine	25	5.5	0.54	4.2	0.38	22	3.8	0.37	3.0	0.29
Colon excl. rectum	227	50.2	1.62	37.9	1.14	222	37.5	1.16	28.2	0.86
Rectum & rectosigmoid	88	18.7	0.96	14.6	0.70	59	9.6	0.57	7.6	0.45
Anus, anal canal & anorectum	6	1.1	0.22	1.0	0.20	11	1.9	0.26	1.5	0.20
Liver	56	10.6	0.67	8.9	0.54	20	3.3	0.34	2.6	0.26
Gallbladder	4	0.8	0.20	0.6	0.15	8	1.5	0.23	1.0	0.16
Pancreas	81	19.0	1.03	13.8	0.69	85	14.9	0.74	10.4	0.51
Respiratory System	534	121.0	2.54	89.0	1.75	286	48.1	1.31	35.6	0.95
Larynx	60	12.1	0.76	9.6	0.56	10	1.5	0.22	1.3	0.18
Lung & bronchus	470	107.9	2.42	78.6	1.64	273	46.1	1.29	33.9	0.93
Bones & Joints	4	0.8	0.18	0.8	0.17	4	0.7	0.16	0.7	0.15
Soft Tissue (incl. heart)	16	3.4	0.42	2.8	0.32	18	3.0	0.32	2.6	0.28
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	5	1.3	0.27	0.9	0.19	5	0.9	0.18	0.7	0.14
Breast (excl. <i>in situ</i>)	9	2.0	0.34	1.5	0.23	728	121.8	2.07	97.8	1.65
Female Genital System	-	-	-	-	-	286	47.4	1.29	38.3	1.03
Cervix uteri	-	-	-	-	-	61	10.4	0.61	8.9	0.52
Uterus Corpus	-	-	-	-	-	145	23.3	0.89	18.7	0.70
Uterus, NOS ¹	-	-	-	-	-	10	1.6	0.24	1.2	0.18
Ovary	-	-	-	-	-	48	8.3	0.55	6.5	0.42
Male Genital System	928	189.6	2.98	149.5	2.22	-	-	-	-	-
Prostate	915	186.9	2.96	147.1	2.20	-	-	-	-	-
Testis	8	1.7	0.27	1.6	0.25	-	-	-	-	-
Penis	4	1.0	0.24	0.7	0.16	-	-	-	-	-
Urinary System	209	47.6	1.59	35.6	1.12	138	24.0	0.94	17.9	0.70
Bladder (incl. <i>in situ</i>)	70	17.5	1.02	12.1	0.65	30	5.3	0.44	3.6	0.30
Kidney & renal pelvis	137	29.6	1.21	23.2	0.90	105	18.3	0.82	14.0	0.62
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	2	0.3	0.09	0.2	0.08
Brain & Other CNS ¹	21	4.3	0.45	3.8	0.37	21	3.6	0.36	3.1	0.31
Brain	19	3.9	0.43	3.4	0.35	18	3.1	0.34	2.6	0.28
Endocrine System	17	3.8	0.43	3.1	0.33	78	13.1	0.68	11.5	0.59
Thyroid gland	13	3.0	0.39	2.3	0.29	70	11.7	0.64	10.3	0.56
Lymphomas	84	17.7	0.92	14.7	0.73	80	13.8	0.71	11.0	0.56
Hodgkin Lymphoma	15	2.8	0.34	2.8	0.32	13	2.1	0.26	2.0	0.26
Non-Hodgkin Lymphoma	68	14.8	0.85	11.9	0.65	67	11.7	0.66	9.0	0.50
Multiple Myeloma	64	14.7	0.89	10.8	0.61	69	11.8	0.65	8.8	0.48
Leukemias	61	14.1	0.87	11.0	0.63	47	8.3	0.55	6.6	0.44
Acute lymphocytic	4	0.7	0.15	0.8	0.18	7	1.1	0.19	1.1	0.20
Chronic lymphocytic	22	5.1	0.53	3.7	0.36	11	2.1	0.28	1.4	0.19
Acute myeloid	19	4.5	0.50	3.4	0.36	17	2.9	0.32	2.3	0.26
Chronic myeloid	12	2.9	0.39	2.3	0.29	8	1.3	0.22	1.1	0.18
Other leukemias	4	0.9	0.22	0.8	0.17	5	0.9	0.18	0.7	0.13
Mesothelioma	4	1.0	0.26	0.7	0.16	-	-	-	-	-
Kaposi Sarcoma	4	0.9	0.22	0.9	0.19	-	-	-	-	-
Ill-defined & Unknown	61	15.0	0.93	10.5	0.61	65	11.5	0.65	8.1	0.46
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	34	7.9	0.65	6.1	0.47	83	14.3	0.72	11.3	0.57
Breast (<i>in situ</i>)	1	0.2	0.09	0.2	0.08	167	27.3	0.97	22.2	0.78

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Mississippi, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	33	283.1	23.85	213.3	16.71	49	301.7	20.52	230.3	14.82
Oral Cavity & Pharynx	2	10.6	3.78	9.3	3.31	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	9	78.7	12.73	58.2	8.69	8	57.9	9.62	39.2	6.08
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	18.9	6.13	14.1	4.30	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	11.8	4.26	9.9	3.52	2	14.7	4.51	11.0	3.22
Rectum & rectosigmoid	-	-	-	-	-	1	8.3	3.74	5.3	2.17
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	20.5	6.64	14.7	4.31	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	1	9.6	3.94	6.4	2.45
Respiratory System	5	45.1	9.69	32.8	6.64	7	53.6	9.50	34.6	5.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	43.8	9.61	31.6	6.54	7	53.6	9.50	34.6	5.80
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	15	80.1	9.66	66.6	7.78
Female Genital System	-	-	-	-	-	6	34.4	6.80	26.5	4.94
Cervix uteri	-	-	-	-	-	2	10.8	3.81	8.4	2.81
Uterus Corpus	-	-	-	-	-	1	7.8	3.20	6.0	2.27
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	12.2	4.13	9.2	2.93
Male Genital System	8	65.3	11.44	49.2	8.07	-	-	-	-	-
Prostate	7	63.0	11.32	47.0	7.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	23.7	7.48	16.2	4.73	2	12.8	4.22	10.1	3.30
Bladder (incl. <i>in situ</i>)	1	16.1	6.62	9.9	3.79	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	2	10.8	3.99	8.4	3.06
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	1	9.9	4.36	7.7	3.17	4	21.9	4.99	19.6	4.31
Thyroid gland	1	9.9	4.36	7.7	3.17	4	20.0	4.60	18.5	4.17
Lymphomas	2	13.6	4.79	10.8	3.62	3	17.3	4.98	13.2	3.59
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	13.6	4.79	10.8	3.62	2	15.3	4.78	11.4	3.36
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	15.0	5.66	12.2	4.12	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	10.7	4.83	7.6	3.12	1	8.5	3.71	5.7	2.33
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	2	12.4	4.18	9.4	2.99
Breast (<i>in situ</i>)	-	-	-	-	-	5	28.6	6.09	22.2	4.55

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Mississippi, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14	568.2	79.68	421.0	53.19	17	523.6	62.09	413.9	45.77
Oral Cavity & Pharynx	1	46.0	18.84	36.4	13.97	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	239.6	51.39	178.6	35.18	7	211.0	37.53	170.4	29.36
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	66.5	28.65	48.3	19.05	3	81.5	23.18	66.2	18.45
Rectum & rectosigmoid	-	-	-	-	-	1	29.9	12.39	28.2	11.56
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	70.8	26.94	50.6	18.15	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	2	53.0	16.82	46.9	14.88
Female Genital System	-	-	-	-	-	3	90.7	27.15	69.9	18.88
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	1	52.4	22.81	36.2	13.89
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	69.4	27.53	52.7	18.01	-	-	-	-	-
Prostate	2	66.0	27.32	48.5	17.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	73.4	25.32	59.1	19.32	2	56.5	22.90	41.4	14.81
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	1	50.4	20.34	42.2	16.51	1	39.1	14.85	34.2	12.98
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Mississippi, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	56	224.9	15.41	169.9	10.73	49	200.9	13.82	159.0	10.46
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	50.4	6.84	40.3	5.12	9	42.1	6.67	30.8	4.70
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	18.1	4.30	13.7	2.99	1	6.3	2.70	4.6	1.88
Rectum & rectosigmoid	3	9.9	2.56	8.5	2.18	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	7.8	2.85	6.2	2.15	2	9.3	3.21	6.4	2.11
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	7.7	2.97	5.7	2.07	-	-	-	-	-
Respiratory System	6	28.0	5.51	20.8	3.86	5	29.7	5.90	20.3	3.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	26.6	5.41	19.6	3.76	5	28.8	5.83	19.5	3.88
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	1	2.3	0.97	2.3	0.93	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	2	6.8	2.90	4.7	1.75	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	12	48.8	6.67	39.1	5.17
Female Genital System	-	-	-	-	-	6	21.7	3.96	19.2	3.46
Cervix uteri	-	-	-	-	-	2	5.7	1.86	5.4	1.73
Uterus Corpus	-	-	-	-	-	4	13.0	3.14	11.2	2.70
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	16	75.5	9.34	54.8	6.34	-	-	-	-	-
Prostate	13	69.9	9.19	49.3	6.14	-	-	-	-	-
Testis	2	4.0	1.22	4.1	1.20	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	22.3	5.17	15.6	3.32	2	6.5	2.36	5.6	1.98
Bladder (incl. <i>in situ</i>)	2	10.8	3.74	7.2	2.33	-	-	-	-	-
Kidney & renal pelvis	2	8.5	2.81	6.6	2.01	1	5.8	2.23	4.8	1.83
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	3.6	2.01	2.8	1.26	2	6.0	2.21	5.5	1.92
Brain	1	3.6	2.01	2.8	1.26	2	5.7	2.19	5.2	1.89
Endocrine System	-	-	-	-	-	4	11.4	2.84	10.5	2.51
Thyroid gland	-	-	-	-	-	3	9.0	2.41	8.5	2.23
Lymphomas	3	9.4	2.98	7.5	2.20	3	11.6	3.54	8.9	2.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	5.4	2.21	4.7	1.67	2	6.0	2.17	5.3	1.85
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	10.7	3.38	7.9	2.30	1	4.9	2.23	4.0	1.69
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1	4.8	2.22	3.8	1.51	2	9.8	3.03	7.5	2.25
Breast (<i>in situ</i>)	-	-	-	-	-	3	10.5	2.90	8.6	2.31

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MISSISSIPPI

230 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Mississippi, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,813	536.3	3.23	400.1	2.44	5,095	428.0	2.81	336.1	2.32
Oral Cavity & Pharynx	247	22.5	0.66	17.9	0.53	95	7.7	0.37	6.0	0.30
Lip	11	1.1	0.15	0.8	0.11	2	0.1	0.04	0.1	0.03
Tongue	73	6.6	0.36	5.4	0.29	30	2.4	0.21	1.9	0.17
Major salivary gland	18	1.8	0.19	1.2	0.14	12	1.0	0.13	0.8	0.11
Floor of mouth	9	0.7	0.11	0.6	0.09	4	0.3	0.07	0.2	0.06
Gum & other mouth	29	2.7	0.23	2.1	0.18	17	1.4	0.16	1.0	0.12
Nasopharynx	9	0.8	0.13	0.7	0.11	3	0.3	0.07	0.3	0.07
Oropharynx	15	1.4	0.16	1.1	0.13	4	0.3	0.07	0.3	0.06
Hypopharynx	19	1.6	0.17	1.2	0.13	4	0.3	0.07	0.3	0.06
Digestive System	1,148	105.9	1.44	79.4	1.08	871	69.4	1.09	51.7	0.86
Esophagus	84	7.4	0.37	5.6	0.28	20	1.6	0.16	1.2	0.12
Stomach	77	7.2	0.38	5.3	0.28	46	3.7	0.26	2.8	0.20
Small intestine	32	3.0	0.24	2.2	0.19	34	2.8	0.23	2.2	0.19
Colon excl. rectum	395	37.3	0.86	27.3	0.64	361	28.6	0.70	21.0	0.54
Rectum & rectosigmoid	162	15.0	0.55	11.9	0.44	116	9.9	0.43	7.8	0.35
Anus, anal canal & anorectum	18	1.7	0.19	1.3	0.14	34	2.9	0.23	2.3	0.19
Liver	151	13.1	0.49	10.5	0.39	42	3.3	0.24	2.6	0.19
Gallbladder	6	0.6	0.11	0.4	0.07	13	1.0	0.13	0.8	0.10
Pancreas	178	16.5	0.57	11.7	0.40	148	11.2	0.42	7.9	0.31
Respiratory System	1,140	103.5	1.40	73.9	1.00	867	66.4	1.03	49.5	0.79
Larynx	81	7.2	0.37	5.7	0.29	22	1.8	0.18	1.4	0.14
Lung & bronchus	1,044	94.8	1.34	67.0	0.94	836	63.9	1.01	47.5	0.77
Bones & Joints	11	1.2	0.16	1.1	0.16	10	1.0	0.15	0.9	0.14
Soft Tissue (incl. heart)	41	4.2	0.30	3.4	0.26	29	2.7	0.24	2.3	0.23
Skin (excl. basal & sq.)	370	35.7	0.86	26.7	0.65	240	22.6	0.69	19.0	0.61
Melanomas of the skin	344	33.1	0.82	25.0	0.64	229	21.7	0.68	18.4	0.60
Breast (excl. <i>in situ</i>)	13	1.2	0.16	0.9	0.12	1,377	117.0	1.48	92.7	1.21
Female Genital System	-	-	-	-	-	530	47.2	0.97	38.9	0.82
Cervix uteri	-	-	-	-	-	82	9.1	0.47	8.0	0.42
Uterus Corpus	-	-	-	-	-	253	21.3	0.63	17.7	0.53
Uterus, NOS ¹	-	-	-	-	-	8	0.7	0.11	0.5	0.09
Ovary	-	-	-	-	-	120	10.4	0.45	8.3	0.37
Male Genital System	1,274	111.0	1.43	85.8	1.11	-	-	-	-	-
Prostate	1,222	104.5	1.36	79.6	1.03	-	-	-	-	-
Testis	42	5.5	0.38	5.5	0.39	-	-	-	-	-
Penis	10	0.9	0.13	0.6	0.09	-	-	-	-	-
Urinary System	697	65.6	1.14	47.0	0.82	293	24.1	0.66	18.5	0.53
Bladder (incl. <i>in situ</i>)	382	35.9	0.84	24.1	0.56	104	7.9	0.36	5.6	0.27
Kidney & renal pelvis	304	28.5	0.76	22.3	0.60	182	15.6	0.55	12.5	0.45
Ureter	9	0.9	0.14	0.6	0.08	4	0.3	0.07	0.2	0.05
Eye & Orbit	16	1.6	0.19	1.3	0.16	13	1.2	0.15	1.0	0.13
Brain & Other CNS ¹	83	8.4	0.43	7.0	0.37	64	6.1	0.36	5.3	0.34
Brain	81	8.2	0.42	6.7	0.36	62	5.8	0.35	5.1	0.33
Endocrine System	69	7.1	0.40	6.0	0.35	178	19.2	0.68	17.4	0.63
Thyroid gland	62	6.4	0.38	5.4	0.33	172	18.7	0.67	16.8	0.62
Lymphomas	257	25.1	0.72	18.9	0.56	204	17.0	0.56	13.1	0.46
Hodgkin Lymphoma	25	2.7	0.25	2.6	0.25	19	2.1	0.22	2.0	0.22
Non-Hodgkin Lymphoma	232	22.4	0.68	16.3	0.50	184	14.9	0.51	11.1	0.40
Multiple Myeloma	79	7.4	0.38	5.2	0.27	54	4.1	0.25	2.9	0.19
Leukemias	167	16.3	0.58	12.6	0.47	119	10.2	0.44	8.2	0.40
Acute lymphocytic	16	2.0	0.23	2.2	0.25	11	1.3	0.18	1.5	0.22
Chronic lymphocytic	61	5.5	0.33	4.0	0.24	39	2.9	0.22	2.1	0.16
Acute myeloid	48	4.6	0.30	3.4	0.23	41	3.7	0.27	3.0	0.25
Chronic myeloid	26	2.6	0.24	1.9	0.18	15	1.2	0.15	0.9	0.11
Other leukemias	17	1.6	0.18	1.1	0.13	12	1.0	0.13	0.7	0.10
Mesothelioma	16	1.6	0.18	1.0	0.11	6	0.5	0.10	0.4	0.08
Kaposi Sarcoma	2	0.2	0.07	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	183	17.6	0.60	11.9	0.41	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	86	8.7	0.44	6.9	0.36	159	13.9	0.52	11.2	0.45
Breast (<i>in situ</i>)	2	0.1	0.05	0.1	0.04	274	23.6	0.67	19.2	0.55

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Mississippi, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,716	591.7	5.48	454.5	3.95	2,372	402.8	3.80	314.2	2.94
Oral Cavity & Pharynx	87	17.2	0.87	14.3	0.70	34	5.5	0.44	4.6	0.36
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	3.4	0.37	2.9	0.31	5	0.8	0.17	0.7	0.14
Major salivary gland	8	1.7	0.29	1.4	0.23	8	1.3	0.21	1.1	0.18
Floor of mouth	6	1.2	0.23	1.0	0.18	2	0.3	0.09	0.2	0.07
Gum & other mouth	11	2.3	0.33	1.9	0.25	6	1.0	0.19	0.8	0.14
Nasopharynx	6	1.2	0.23	1.0	0.19	3	0.6	0.14	0.4	0.11
Oropharynx	9	1.6	0.25	1.4	0.21	1	0.2	0.09	0.2	0.07
Hypopharynx	11	2.2	0.32	1.8	0.24	3	0.5	0.13	0.4	0.11
Digestive System	607	133.7	2.63	101.9	1.88	508	86.6	1.77	64.6	1.30
Esophagus	44	9.1	0.66	7.2	0.49	13	2.1	0.27	1.7	0.21
Stomach	58	13.4	0.85	9.9	0.59	45	7.8	0.53	5.6	0.38
Small intestine	25	5.6	0.54	4.2	0.39	22	3.9	0.38	3.0	0.29
Colon excl. rectum	226	50.5	1.63	38.1	1.15	221	37.7	1.16	28.3	0.86
Rectum & rectosigmoid	87	18.8	0.97	14.6	0.71	59	9.6	0.58	7.6	0.45
Anus, anal canal & anorectum	6	1.2	0.22	1.0	0.20	11	1.9	0.26	1.5	0.20
Liver	56	10.6	0.67	8.9	0.54	20	3.3	0.34	2.6	0.27
Gallbladder	4	0.8	0.20	0.6	0.15	8	1.4	0.23	1.0	0.16
Pancreas	81	19.1	1.04	13.8	0.70	84	14.9	0.75	10.4	0.52
Respiratory System	534	121.8	2.56	89.6	1.76	285	48.3	1.32	35.8	0.96
Larynx	59	12.2	0.76	9.6	0.57	10	1.5	0.22	1.3	0.18
Lung & bronchus	470	108.7	2.44	79.2	1.66	272	46.3	1.29	34.1	0.93
Bones & Joints	4	0.8	0.19	0.8	0.17	4	0.7	0.16	0.7	0.15
Soft Tissue (incl. heart)	16	3.5	0.42	2.8	0.32	18	3.0	0.32	2.7	0.29
Skin (excl. basal & sq.)	8	1.8	0.31	1.4	0.23	10	1.7	0.25	1.3	0.20
Melanomas of the skin	5	1.3	0.27	0.9	0.19	5	0.9	0.18	0.7	0.14
Breast (excl. <i>in situ</i>)	9	2.1	0.34	1.5	0.23	727	122.4	2.08	98.3	1.66
Female Genital System	-	-	-	-	-	286	47.7	1.29	38.5	1.04
Cervix uteri	-	-	-	-	-	61	10.5	0.61	8.9	0.52
Uterus Corpus	-	-	-	-	-	145	23.4	0.90	18.8	0.71
Uterus, NOS ¹	-	-	-	-	-	10	1.6	0.24	1.2	0.18
Ovary	-	-	-	-	-	48	8.3	0.55	6.5	0.43
Male Genital System	926	190.7	3.01	150.3	2.23	-	-	-	-	-
Prostate	914	188.0	2.98	148.0	2.21	-	-	-	-	-
Testis	8	1.7	0.28	1.6	0.25	-	-	-	-	-
Penis	4	1.0	0.24	0.7	0.16	-	-	-	-	-
Urinary System	209	48.0	1.60	35.9	1.13	138	24.1	0.94	18.0	0.70
Bladder (incl. <i>in situ</i>)	70	17.6	1.03	12.1	0.66	30	5.3	0.45	3.6	0.30
Kidney & renal pelvis	137	29.8	1.22	23.4	0.91	105	18.4	0.82	14.1	0.62
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	2	0.3	0.09	0.2	0.08
Brain & Other CNS ¹	21	4.4	0.45	3.8	0.37	21	3.7	0.36	3.1	0.31
Brain	19	3.9	0.43	3.4	0.35	18	3.2	0.34	2.6	0.28
Endocrine System	17	3.8	0.44	3.1	0.33	77	13.1	0.68	11.5	0.60
Thyroid gland	13	3.0	0.39	2.4	0.29	70	11.8	0.65	10.4	0.56
Lymphomas	83	17.8	0.93	14.8	0.74	80	13.9	0.71	11.1	0.57
Hodgkin Lymphoma	15	2.9	0.34	2.8	0.33	13	2.1	0.27	2.1	0.26
Non-Hodgkin Lymphoma	68	14.9	0.86	12.0	0.66	67	11.8	0.66	9.0	0.50
Multiple Myeloma	64	14.8	0.89	10.9	0.62	69	11.9	0.66	8.8	0.48
Leukemias	61	14.2	0.87	11.1	0.64	47	8.3	0.56	6.7	0.45
Acute lymphocytic	4	0.7	0.15	0.9	0.18	7	1.1	0.19	1.2	0.21
Chronic lymphocytic	22	5.1	0.53	3.7	0.36	11	2.1	0.28	1.4	0.19
Acute myeloid	19	4.5	0.50	3.5	0.36	17	2.9	0.33	2.4	0.26
Chronic myeloid	12	2.9	0.40	2.3	0.30	8	1.4	0.23	1.1	0.18
Other leukemias	4	0.9	0.22	0.8	0.17	5	0.9	0.19	0.7	0.14
Mesothelioma	4	1.0	0.26	0.7	0.16	-	-	-	-	-
Kaposi Sarcoma	4	1.0	0.22	0.9	0.19	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	64	11.5	0.66	8.1	0.46
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	34	7.9	0.65	6.1	0.47	83	14.3	0.72	11.3	0.57
Breast (<i>in situ</i>)	1	0.2	0.09	0.2	0.08	167	27.4	0.97	22.3	0.78

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

MISSISSIPPI

232 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Missouri, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16,717	490.3	1.74	365.7	1.30	16,722	431.9	1.54	335.5	1.24
Oral Cavity & Pharynx	692	19.6	0.34	15.7	0.27	258	6.5	0.19	5.1	0.15
Lip	24	0.7	0.07	0.5	0.05	9	0.2	0.03	0.1	0.02
Tongue	216	6.0	0.19	4.9	0.15	76	1.9	0.10	1.5	0.08
Major salivary gland	52	1.6	0.10	1.2	0.08	34	0.9	0.07	0.7	0.06
Floor of mouth	29	0.8	0.06	0.6	0.05	15	0.4	0.04	0.3	0.04
Gum & other mouth	72	2.1	0.12	1.6	0.08	55	1.4	0.08	0.9	0.06
Nasopharynx	23	0.7	0.07	0.6	0.06	13	0.3	0.04	0.3	0.04
Oropharynx	42	1.1	0.08	0.9	0.06	8	0.2	0.03	0.1	0.02
Hypopharynx	42	1.1	0.08	0.9	0.06	9	0.2	0.03	0.2	0.03
Digestive System	3,345	98.7	0.78	72.9	0.58	2,612	65.0	0.59	47.5	0.45
Esophagus	307	8.9	0.23	6.5	0.17	81	1.9	0.10	1.4	0.07
Stomach	260	7.8	0.22	5.6	0.16	137	3.5	0.14	2.5	0.10
Small intestine	97	2.8	0.13	2.2	0.10	91	2.3	0.11	1.8	0.09
Colon excl. rectum	1,065	32.5	0.45	23.2	0.33	1,069	26.7	0.38	18.9	0.28
Rectum & rectosigmoid	492	14.5	0.30	11.2	0.23	328	8.5	0.22	6.7	0.18
Anus, anal canal & anorectum	54	1.6	0.10	1.3	0.08	106	2.7	0.12	2.2	0.10
Liver	381	10.3	0.24	8.2	0.19	122	3.0	0.12	2.3	0.10
Gallbladder	26	0.8	0.07	0.5	0.05	47	1.1	0.07	0.8	0.05
Pancreas	503	14.8	0.30	10.6	0.22	447	10.8	0.23	7.7	0.17
Respiratory System	3,133	91.4	0.75	65.2	0.53	2,700	65.5	0.57	47.9	0.43
Larynx	235	6.6	0.20	5.1	0.15	69	1.7	0.09	1.4	0.08
Lung & bronchus	2,858	83.6	0.71	59.1	0.50	2,609	63.2	0.56	46.1	0.42
Bones & Joints	34	1.1	0.08	1.0	0.08	26	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	121	3.8	0.16	3.1	0.13	93	2.6	0.12	2.2	0.11
Skin (excl. basal & sq.)	865	26.3	0.41	19.5	0.31	586	16.5	0.32	13.7	0.27
Melanomas of the skin	810	24.6	0.40	18.3	0.30	553	15.7	0.31	13.1	0.27
Breast (excl. <i>in situ</i>)	38	1.2	0.09	0.8	0.06	4,951	130.5	0.86	103.6	0.70
Female Genital System	-	-	-	-	-	1,901	49.8	0.53	40.6	0.44
Cervix uteri	-	-	-	-	-	253	8.0	0.23	7.1	0.21
Uterus Corpus	-	-	-	-	-	1,039	26.0	0.37	21.2	0.31
Uterus, NOS ¹	-	-	-	-	-	31	0.8	0.06	0.6	0.05
Ovary	-	-	-	-	-	374	9.9	0.24	7.9	0.20
Male Genital System	3,554	98.0	0.75	76.9	0.59	-	-	-	-	-
Prostate	3,364	91.4	0.72	70.6	0.55	-	-	-	-	-
Testis	156	5.5	0.20	5.6	0.20	-	-	-	-	-
Penis	26	0.8	0.07	0.6	0.05	-	-	-	-	-
Urinary System	2,056	61.7	0.62	44.0	0.44	907	22.7	0.35	16.9	0.27
Bladder (incl. <i>in situ</i>)	1,151	35.1	0.47	23.4	0.31	346	8.3	0.20	5.7	0.15
Kidney & renal pelvis	861	25.3	0.40	19.7	0.31	530	13.6	0.27	10.7	0.22
Ureter	29	0.9	0.07	0.6	0.05	23	0.5	0.05	0.3	0.03
Eye & Orbit	37	1.1	0.09	0.9	0.07	25	0.7	0.06	0.6	0.06
Brain & Other CNS ¹	253	7.9	0.23	6.8	0.20	205	5.8	0.19	5.1	0.18
Brain	241	7.5	0.22	6.5	0.20	190	5.3	0.18	4.7	0.17
Endocrine System	225	7.1	0.22	6.0	0.19	589	18.1	0.35	16.2	0.32
Thyroid gland	202	6.3	0.21	5.3	0.17	569	17.5	0.34	15.6	0.31
Lymphomas	844	25.7	0.41	19.7	0.32	693	17.9	0.31	14.0	0.26
Hodgkin Lymphoma	92	3.0	0.14	2.9	0.14	76	2.4	0.13	2.4	0.13
Non-Hodgkin Lymphoma	752	22.7	0.38	16.8	0.28	616	15.5	0.29	11.6	0.22
Multiple Myeloma	282	8.4	0.23	6.0	0.16	211	5.2	0.16	3.7	0.12
Leukemias	584	18.0	0.34	13.5	0.26	408	10.7	0.25	8.5	0.21
Acute lymphocytic	45	1.5	0.10	1.7	0.11	36	1.2	0.09	1.3	0.10
Chronic lymphocytic	207	6.1	0.19	4.4	0.14	131	3.1	0.13	2.3	0.09
Acute myeloid	179	5.6	0.19	4.1	0.14	137	3.7	0.15	2.9	0.12
Chronic myeloid	77	2.4	0.13	1.8	0.10	51	1.4	0.09	1.1	0.07
Other leukemias	75	2.4	0.12	1.6	0.09	52	1.3	0.08	0.9	0.06
Mesothelioma	42	1.3	0.09	0.9	0.06	14	0.4	0.05	0.3	0.03
Kaposi Sarcoma	8	0.3	0.04	0.3	0.04	-	-	-	-	-
Ill-defined & Unknown	604	18.7	0.35	12.6	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	284	9.0	0.24	7.2	0.20	605	16.2	0.31	13.0	0.26
Breast (<i>in situ</i>)	2	0.1	0.02	0.0	0.02	1,025	27.3	0.40	22.3	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Missouri, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	14,862	485.7	1.82	361.6	1.37	14,719	432.4	1.66	336.0	1.34
Oral Cavity & Pharynx	634	20.1	0.37	16.0	0.29	232	6.6	0.20	5.1	0.16
Lip	23	0.8	0.07	0.6	0.05	9	0.2	0.04	0.2	0.03
Tongue	204	6.4	0.21	5.2	0.17	70	2.0	0.11	1.6	0.09
Major salivary gland	47	1.6	0.11	1.2	0.08	29	0.9	0.08	0.7	0.07
Floor of mouth	26	0.8	0.07	0.6	0.05	13	0.4	0.05	0.3	0.04
Gum & other mouth	66	2.2	0.12	1.6	0.09	50	1.4	0.09	0.9	0.06
Nasopharynx	18	0.6	0.06	0.5	0.05	10	0.3	0.04	0.3	0.04
Oropharynx	36	1.1	0.08	0.9	0.07	7	0.2	0.03	0.2	0.03
Hypopharynx	35	1.1	0.08	0.9	0.07	8	0.2	0.03	0.2	0.03
Digestive System	2,904	95.5	0.81	70.3	0.60	2,232	62.6	0.61	45.6	0.47
Esophagus	287	9.2	0.25	6.8	0.18	69	1.9	0.10	1.3	0.08
Stomach	219	7.3	0.23	5.2	0.16	108	3.1	0.14	2.2	0.11
Small intestine	80	2.6	0.13	2.0	0.10	74	2.2	0.12	1.7	0.09
Colon excl. rectum	941	31.9	0.48	22.8	0.34	936	26.3	0.40	18.6	0.30
Rectum & rectosigmoid	440	14.5	0.32	11.2	0.25	278	8.3	0.23	6.4	0.19
Anus, anal canal & anorectum	45	1.5	0.10	1.2	0.08	96	2.8	0.13	2.2	0.11
Liver	295	8.9	0.24	7.1	0.19	95	2.6	0.12	2.0	0.10
Gallbladder	21	0.7	0.07	0.5	0.05	37	1.0	0.07	0.7	0.05
Pancreas	432	14.1	0.31	10.1	0.22	380	10.3	0.24	7.2	0.18
Respiratory System	2,794	90.2	0.78	64.1	0.55	2,407	65.8	0.61	48.1	0.46
Larynx	202	6.3	0.20	4.9	0.16	59	1.7	0.10	1.4	0.08
Lung & bronchus	2,558	82.7	0.75	58.3	0.52	2,327	63.5	0.60	46.3	0.45
Bones & Joints	30	1.1	0.09	1.0	0.09	23	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	105	3.7	0.17	3.1	0.14	78	2.5	0.13	2.1	0.12
Skin (excl. basal & sq.)	843	28.6	0.45	21.3	0.34	565	18.5	0.37	15.4	0.32
Melanomas of the skin	791	26.8	0.44	20.1	0.33	537	17.7	0.36	14.8	0.31
Breast (excl. <i>in situ</i>)	32	1.1	0.09	0.7	0.06	4,330	129.9	0.92	103.0	0.75
Female Genital System	-	-	-	-	-	1,680	50.4	0.57	41.1	0.48
Cervix uteri	-	-	-	-	-	211	7.9	0.25	7.0	0.23
Uterus Corpus	-	-	-	-	-	922	26.3	0.40	21.4	0.33
Uterus, NOS ¹	-	-	-	-	-	24	0.7	0.06	0.5	0.05
Ovary	-	-	-	-	-	336	10.1	0.26	8.1	0.22
Male Genital System	3,033	93.4	0.78	73.1	0.61	-	-	-	-	-
Prostate	2,858	86.3	0.74	66.2	0.56	-	-	-	-	-
Testis	145	6.1	0.23	6.2	0.23	-	-	-	-	-
Penis	23	0.8	0.07	0.5	0.05	-	-	-	-	-
Urinary System	1,881	62.6	0.66	44.5	0.47	796	22.6	0.37	16.8	0.29
Bladder (incl. <i>in situ</i>)	1,076	36.1	0.50	24.1	0.33	309	8.4	0.22	5.7	0.16
Kidney & renal pelvis	764	25.1	0.42	19.5	0.33	459	13.5	0.29	10.6	0.24
Ureter	28	0.9	0.08	0.6	0.05	21	0.6	0.06	0.4	0.04
Eye & Orbit	34	1.2	0.09	1.0	0.08	23	0.7	0.07	0.6	0.06
Brain & Other CNS ¹	232	8.2	0.25	7.2	0.23	187	6.1	0.21	5.4	0.20
Brain	221	7.8	0.24	6.7	0.22	174	5.6	0.20	5.0	0.19
Endocrine System	204	7.3	0.24	6.2	0.20	518	18.8	0.39	16.8	0.35
Thyroid gland	186	6.7	0.23	5.6	0.19	502	18.2	0.38	16.3	0.35
Lymphomas	770	26.2	0.43	20.0	0.34	622	18.3	0.34	14.2	0.28
Hodgkin Lymphoma	81	3.1	0.16	2.9	0.15	66	2.4	0.14	2.4	0.14
Non-Hodgkin Lymphoma	689	23.1	0.40	17.0	0.30	556	15.8	0.31	11.7	0.24
Multiple Myeloma	235	7.8	0.23	5.5	0.16	163	4.5	0.16	3.2	0.12
Leukemias	533	18.3	0.36	13.8	0.28	363	10.9	0.27	8.6	0.23
Acute lymphocytic	39	1.6	0.12	1.7	0.13	31	1.2	0.10	1.3	0.12
Chronic lymphocytic	190	6.2	0.20	4.4	0.15	118	3.2	0.13	2.3	0.10
Acute myeloid	165	5.7	0.20	4.2	0.15	122	3.7	0.16	3.0	0.14
Chronic myeloid	69	2.4	0.13	1.8	0.10	44	1.4	0.10	1.1	0.08
Other leukemias	69	2.4	0.13	1.7	0.09	48	1.3	0.09	0.9	0.07
Mesothelioma	41	1.4	0.10	0.9	0.07	13	0.4	0.05	0.3	0.04
Kaposi Sarcoma	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	552	18.8	0.37	12.7	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	246	8.8	0.26	7.1	0.22	516	15.7	0.32	12.6	0.27
Breast (<i>in situ</i>)	1	0.0	0.02	0.0	0.01	871	26.6	0.42	21.7	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Missouri, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,582	546.0	6.53	415.6	4.71	1,691	436.2	4.85	339.5	3.76
Oral Cavity & Pharynx	50	16.2	1.07	13.1	0.83	21	5.1	0.51	4.2	0.42
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	3.1	0.47	2.5	0.36	5	1.2	0.24	0.8	0.18
Major salivary gland	4	1.5	0.35	1.1	0.25	4	0.9	0.21	0.8	0.19
Floor of mouth	2	0.7	0.21	0.6	0.17	2	0.4	0.15	0.4	0.12
Gum & other mouth	5	1.5	0.32	1.2	0.25	3	0.7	0.19	0.6	0.17
Nasopharynx	4	1.4	0.32	1.1	0.25	2	0.5	0.16	0.5	0.16
Oropharynx	6	1.9	0.38	1.5	0.28	-	-	-	-	-
Hypopharynx	6	2.0	0.38	1.5	0.28	1	0.4	0.15	0.3	0.10
Digestive System	371	130.2	3.22	97.7	2.29	331	85.8	2.15	64.0	1.60
Esophagus	17	6.1	0.70	4.6	0.49	11	2.8	0.38	2.2	0.29
Stomach	33	12.5	1.03	8.9	0.69	24	6.4	0.59	4.5	0.42
Small intestine	15	5.0	0.62	3.9	0.46	16	4.3	0.49	3.3	0.37
Colon excl. rectum	104	38.1	1.77	27.8	1.23	116	30.4	1.29	22.4	0.95
Rectum & rectosigmoid	42	14.7	1.07	11.2	0.78	40	10.2	0.73	8.1	0.58
Anus, anal canal & anorectum	7	2.2	0.39	1.8	0.31	9	2.4	0.37	1.8	0.27
Liver	71	21.6	1.21	17.8	0.96	22	5.3	0.52	4.1	0.40
Gallbladder	4	1.5	0.36	1.0	0.23	9	2.5	0.37	1.9	0.27
Pancreas	63	23.3	1.39	16.8	0.95	62	16.1	0.93	11.8	0.68
Respiratory System	304	110.7	3.02	80.6	2.08	261	66.8	1.89	49.5	1.39
Larynx	30	10.1	0.88	7.8	0.64	9	2.1	0.32	1.8	0.27
Lung & bronchus	270	99.1	2.87	71.6	1.96	250	64.2	1.86	47.3	1.35
Bones & Joints	3	0.7	0.20	0.7	0.20	3	0.7	0.19	0.6	0.18
Soft Tissue (incl. heart)	12	3.8	0.51	3.3	0.43	13	3.4	0.42	3.0	0.37
Skin (excl. basal & sq.)	4	1.6	0.37	1.2	0.26	4	1.0	0.23	0.9	0.21
Melanomas of the skin	2	1.0	0.31	0.7	0.19	2	0.4	0.16	0.3	0.12
Breast (excl. <i>in situ</i>)	5	2.0	0.43	1.3	0.27	526	136.3	2.72	108.8	2.16
Female Genital System	-	-	-	-	-	181	46.0	1.56	37.4	1.26
Cervix uteri	-	-	-	-	-	34	8.9	0.70	7.8	0.61
Uterus Corpus	-	-	-	-	-	99	24.5	1.13	19.8	0.90
Uterus, NOS ¹	-	-	-	-	-	6	1.5	0.28	1.2	0.21
Ovary	-	-	-	-	-	30	7.6	0.64	6.1	0.51
Male Genital System	468	151.0	3.29	120.0	2.50	-	-	-	-	-
Prostate	459	147.7	3.26	117.3	2.47	-	-	-	-	-
Testis	6	1.8	0.34	1.7	0.32	-	-	-	-	-
Penis	3	1.0	0.31	0.7	0.20	-	-	-	-	-
Urinary System	140	51.1	2.06	37.3	1.42	97	25.0	1.16	18.8	0.87
Bladder (incl. <i>in situ</i>)	55	22.1	1.42	14.8	0.90	30	7.9	0.65	5.4	0.45
Kidney & renal pelvis	83	28.0	1.45	21.9	1.09	64	16.5	0.94	12.9	0.73
Ureter	1	0.5	0.22	0.3	0.14	-	-	-	-	-
Eye & Orbit	2	0.5	0.18	0.5	0.16	1	0.3	0.12	0.3	0.14
Brain & Other CNS ¹	16	5.1	0.60	4.4	0.49	14	3.5	0.42	3.2	0.39
Brain	15	4.8	0.59	4.2	0.48	12	3.1	0.40	2.9	0.37
Endocrine System	14	4.5	0.56	3.8	0.45	49	12.7	0.83	11.2	0.72
Thyroid gland	10	3.4	0.49	2.8	0.38	46	11.8	0.79	10.3	0.69
Lymphomas	61	19.9	1.20	16.4	0.95	60	15.4	0.91	12.7	0.75
Hodgkin Lymphoma	10	2.7	0.41	2.7	0.39	10	2.6	0.38	2.4	0.35
Non-Hodgkin Lymphoma	51	17.1	1.13	13.7	0.86	50	12.8	0.83	10.3	0.66
Multiple Myeloma	43	16.3	1.18	11.6	0.79	45	12.0	0.81	8.7	0.59
Leukemias	41	14.8	1.10	11.3	0.79	36	9.3	0.71	7.3	0.56
Acute lymphocytic	3	0.9	0.22	1.0	0.24	3	0.7	0.18	0.7	0.20
Chronic lymphocytic	15	5.3	0.65	3.9	0.45	11	3.0	0.40	2.1	0.29
Acute myeloid	12	4.6	0.63	3.4	0.44	12	3.1	0.41	2.5	0.33
Chronic myeloid	6	2.2	0.40	1.7	0.31	6	1.6	0.31	1.3	0.24
Other leukemias	4	1.9	0.42	1.2	0.26	4	1.0	0.23	0.7	0.17
Mesothelioma	1	0.7	0.27	0.4	0.15	-	-	-	-	-
Kaposi Sarcoma	3	0.7	0.20	0.7	0.20	-	-	-	-	-
Ill-defined & Unknown	43	16.3	1.19	11.5	0.80	48	12.8	0.84	8.7	0.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	28	10.2	0.92	7.6	0.65	73	19.4	1.03	15.0	0.81
Breast (<i>in situ</i>)	-	-	-	-	-	130	33.5	1.34	27.1	1.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Missouri, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	103	243.1	11.58	177.7	7.91	165	278.3	10.15	216.1	7.55
Oral Cavity & Pharynx	3	7.0	1.84	5.6	1.36	3	5.9	1.56	4.2	1.04
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	34	82.7	6.75	59.5	4.57	29	55.2	4.79	38.9	3.22
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	9.7	2.42	6.5	1.51	4	7.4	1.77	5.3	1.19
Small intestine	1	3.5	1.40	2.5	0.96	-	-	-	-	-
Colon excl. rectum	10	24.1	3.69	16.8	2.42	9	18.0	2.79	12.2	1.81
Rectum & rectosigmoid	3	8.6	2.31	5.9	1.45	5	9.2	1.85	7.0	1.35
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	19.1	3.08	14.4	2.24	4	6.9	1.67	5.0	1.16
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	4	8.8	2.01	7.0	1.56	4	7.4	1.82	4.9	1.16
Respiratory System	17	44.9	5.19	30.9	3.36	15	28.4	3.47	20.0	2.32
Larynx	2	4.2	1.60	3.0	1.06	-	-	-	-	-
Lung & bronchus	15	38.3	4.77	26.4	3.11	15	28.1	3.45	19.8	2.30
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	2	4.1	1.60	2.7	0.95	2	2.3	0.89	1.9	0.68
Melanomas of the skin	-	-	-	-	-	1	1.8	0.67	1.7	0.63
Breast (excl. <i>in situ</i>)	-	-	-	-	-	59	94.2	5.68	76.0	4.44
Female Genital System	-	-	-	-	-	22	32.4	3.18	27.8	2.67
Cervix uteri	-	-	-	-	-	5	7.0	1.41	6.1	1.22
Uterus Corpus	-	-	-	-	-	9	12.9	1.99	11.3	1.71
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	8.7	1.63	7.5	1.39
Male Genital System	16	38.3	4.60	28.0	3.18	-	-	-	-	-
Prostate	15	36.4	4.49	26.4	3.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	19.4	3.11	15.1	2.30	6	12.6	2.36	8.4	1.51
Bladder (incl. <i>in situ</i>)	4	10.4	2.44	7.6	1.66	3	7.2	1.88	4.4	1.10
Kidney & renal pelvis	4	8.1	1.81	6.8	1.50	2	4.1	1.21	3.2	0.92
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	4.7	1.47	3.9	1.13	1	1.8	0.70	1.8	0.71
Brain	2	4.4	1.45	3.5	1.07	1	1.5	0.63	1.6	0.66
Endocrine System	3	5.3	1.47	4.5	1.18	11	16.9	2.31	14.7	1.96
Thyroid gland	3	5.0	1.45	4.2	1.13	11	16.9	2.31	14.7	1.96
Lymphomas	7	12.2	2.20	10.9	1.87	6	10.2	1.87	8.4	1.48
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	5.1	1.81	3.4	1.15	-	-	-	-	-
Leukemias	2	4.6	1.76	3.2	1.08	3	4.6	1.17	4.8	1.21
Acute lymphocytic	-	-	-	-	-	1	1.9	0.72	2.2	0.85
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	1	2.2	0.82	2.0	0.79
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	9.8	2.54	6.4	1.55	5	10.9	2.24	7.0	1.39
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	7.6	2.09	5.3	1.38	7	11.6	2.05	9.5	1.60
Breast (<i>in situ</i>)	-	-	-	-	-	15	23.5	2.79	19.3	2.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Missouri, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	170	271.0	10.46	203.3	7.27	191	276.3	9.53	214.5	7.11
Oral Cavity & Pharynx	5	8.7	1.90	6.5	1.32	2	3.0	0.95	2.5	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.5	0.96	2.0	0.74	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	42	68.7	5.21	52.3	3.72	30	47.9	4.13	35.3	2.94
Esophagus	3	5.0	1.44	3.7	1.02	-	-	-	-	-
Stomach	6	8.6	1.76	6.7	1.31	3	4.4	1.24	3.1	0.86
Small intestine	-	-	-	-	-	1	1.7	0.74	1.4	0.57
Colon excl. rectum	10	17.6	2.75	12.7	1.86	11	18.3	2.57	13.1	1.78
Rectum & rectosigmoid	9	12.3	2.04	10.0	1.57	5	7.7	1.59	6.0	1.20
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	12.9	2.17	10.5	1.67	2	2.7	1.01	2.0	0.73
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	7.3	1.90	4.9	1.21	4	6.1	1.50	4.4	1.07
Respiratory System	19	36.4	4.10	25.2	2.69	19	33.3	3.58	23.5	2.47
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	33.4	3.96	23.0	2.59	18	32.7	3.55	23.2	2.45
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	2.5	0.99	1.9	0.65	3	3.3	1.05	2.6	0.75
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	4	6.2	1.61	4.3	1.03	2	2.7	0.90	2.2	0.69
Breast (excl. <i>in situ</i>)	-	-	-	-	-	52	75.1	4.92	59.0	3.74
Female Genital System	-	-	-	-	-	28	36.6	3.27	30.2	2.61
Cervix uteri	-	-	-	-	-	6	8.1	1.55	6.5	1.20
Uterus Corpus	-	-	-	-	-	14	18.3	2.24	15.7	1.88
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	7.0	1.52	5.5	1.15
Male Genital System	38	60.3	4.87	47.1	3.53	-	-	-	-	-
Prostate	31	54.7	4.78	41.2	3.40	-	-	-	-	-
Testis	7	5.1	0.87	5.5	0.91	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	22	34.3	3.65	25.5	2.53	12	18.0	2.49	13.8	1.85
Bladder (incl. <i>in situ</i>)	8	15.2	2.59	10.4	1.65	2	3.0	1.06	2.2	0.75
Kidney & renal pelvis	13	18.4	2.52	14.6	1.87	9	13.4	2.11	10.7	1.62
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	5	4.4	0.95	4.2	0.89	3	2.9	0.80	2.9	0.71
Brain	5	4.3	0.95	4.1	0.88	3	2.7	0.79	2.6	0.69
Endocrine System	3	4.0	1.17	3.4	0.90	16	17.6	2.08	15.6	1.78
Thyroid gland	3	3.2	1.02	2.8	0.79	16	17.4	2.07	15.4	1.77
Lymphomas	10	17.4	2.81	12.1	1.78	9	13.1	2.04	10.4	1.55
Hodgkin Lymphoma	2	1.3	0.51	1.3	0.50	2	1.9	0.73	1.7	0.63
Non-Hodgkin Lymphoma	9	16.1	2.77	10.8	1.71	8	11.2	1.91	8.7	1.42
Multiple Myeloma	3	4.8	1.32	3.6	0.95	2	3.1	1.09	2.3	0.77
Leukemias	7	8.2	1.58	6.7	1.14	7	8.2	1.59	6.9	1.22
Acute lymphocytic	3	2.1	0.58	2.3	0.59	2	1.5	0.50	1.6	0.53
Chronic lymphocytic	-	-	-	-	-	1	2.6	1.05	1.8	0.69
Acute myeloid	2	2.5	0.96	1.9	0.61	3	3.4	0.95	3.0	0.79
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	1	2.7	1.17	1.7	0.72	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	10.8	2.26	7.0	1.36	5	8.7	1.84	5.3	1.12
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	5	6.2	1.47	5.1	1.08	10	13.8	2.06	10.9	1.55
Breast (<i>in situ</i>)	-	-	-	-	-	14	20.2	2.52	16.2	1.96

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MISSOURI

238 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Missouri, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14,733	490.6	1.85	365.5	1.40	14,564	436.6	1.69	339.5	1.37
Oral Cavity & Pharynx	630	20.3	0.37	16.3	0.30	230	6.7	0.20	5.2	0.17
Lip	23	0.8	0.08	0.6	0.05	9	0.2	0.04	0.2	0.03
Tongue	203	6.5	0.21	5.3	0.17	70	2.1	0.12	1.6	0.10
Major salivary gland	46	1.6	0.11	1.2	0.08	28	0.9	0.08	0.7	0.07
Floor of mouth	26	0.8	0.07	0.6	0.05	13	0.4	0.05	0.3	0.04
Gum & other mouth	66	2.2	0.12	1.6	0.09	50	1.4	0.09	1.0	0.07
Nasopharynx	18	0.6	0.07	0.5	0.06	10	0.3	0.04	0.3	0.04
Oropharynx	36	1.1	0.08	0.9	0.07	7	0.2	0.03	0.2	0.03
Hypopharynx	35	1.1	0.08	0.9	0.07	8	0.2	0.03	0.2	0.03
Digestive System	2,871	96.2	0.82	70.9	0.61	2,207	63.0	0.62	45.8	0.48
Esophagus	285	9.3	0.25	6.9	0.19	69	1.9	0.10	1.4	0.08
Stomach	214	7.3	0.23	5.2	0.16	106	3.1	0.14	2.2	0.11
Small intestine	79	2.7	0.14	2.0	0.10	73	2.2	0.12	1.7	0.09
Colon excl. rectum	934	32.3	0.48	23.1	0.35	927	26.4	0.40	18.7	0.30
Rectum & rectosigmoid	434	14.6	0.32	11.3	0.25	274	8.3	0.24	6.5	0.19
Anus, anal canal & anorectum	45	1.5	0.10	1.2	0.08	95	2.8	0.13	2.3	0.11
Liver	288	8.9	0.24	7.0	0.19	94	2.6	0.12	2.0	0.10
Gallbladder	21	0.7	0.07	0.5	0.05	36	1.0	0.07	0.7	0.05
Pancreas	429	14.3	0.31	10.2	0.23	377	10.4	0.25	7.3	0.18
Respiratory System	2,779	91.1	0.79	64.8	0.56	2,390	66.4	0.62	48.5	0.46
Larynx	201	6.4	0.21	5.0	0.16	59	1.7	0.10	1.4	0.09
Lung & bronchus	2,545	83.6	0.76	58.9	0.53	2,311	64.1	0.61	46.7	0.45
Bones & Joints	30	1.2	0.10	1.1	0.09	23	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	104	3.8	0.17	3.1	0.15	76	2.5	0.13	2.1	0.12
Skin (excl. basal & sq.)	839	29.1	0.46	21.7	0.35	563	19.0	0.38	15.9	0.33
Melanomas of the skin	788	27.3	0.45	20.5	0.34	535	18.2	0.37	15.3	0.32
Breast (excl. <i>in situ</i>)	32	1.1	0.09	0.8	0.06	4,288	131.3	0.94	104.2	0.76
Female Genital System	-	-	-	-	-	1,660	50.9	0.59	41.5	0.49
Cervix uteri	-	-	-	-	-	207	8.0	0.26	7.1	0.24
Uterus Corpus	-	-	-	-	-	911	26.5	0.41	21.6	0.34
Uterus, NOS ¹	-	-	-	-	-	24	0.7	0.06	0.5	0.05
Ovary	-	-	-	-	-	332	10.2	0.26	8.2	0.22
Male Genital System	3,005	94.2	0.79	73.8	0.62	-	-	-	-	-
Prostate	2,836	87.0	0.74	66.8	0.57	-	-	-	-	-
Testis	140	6.2	0.24	6.3	0.24	-	-	-	-	-
Penis	23	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	1,864	63.1	0.67	44.9	0.48	786	22.7	0.38	16.9	0.29
Bladder (incl. <i>in situ</i>)	1,069	36.4	0.51	24.3	0.34	307	8.4	0.22	5.8	0.16
Kidney & renal pelvis	755	25.3	0.42	19.7	0.33	452	13.5	0.30	10.6	0.24
Ureter	27	0.9	0.08	0.6	0.05	21	0.6	0.06	0.4	0.04
Eye & Orbit	34	1.2	0.10	1.0	0.08	23	0.7	0.07	0.6	0.07
Brain & Other CNS ¹	228	8.4	0.26	7.3	0.23	184	6.2	0.21	5.4	0.20
Brain	218	7.9	0.25	6.9	0.23	172	5.7	0.21	5.0	0.20
Endocrine System	202	7.5	0.24	6.3	0.21	506	18.9	0.40	17.0	0.36
Thyroid gland	184	6.8	0.23	5.7	0.20	491	18.3	0.39	16.4	0.36
Lymphomas	761	26.5	0.44	20.2	0.35	613	18.4	0.35	14.3	0.29
Hodgkin Lymphoma	79	3.1	0.16	3.0	0.16	64	2.5	0.14	2.5	0.15
Non-Hodgkin Lymphoma	682	23.3	0.41	17.2	0.31	549	15.9	0.31	11.8	0.25
Multiple Myeloma	232	7.8	0.24	5.5	0.17	162	4.5	0.16	3.2	0.12
Leukemias	528	18.5	0.37	14.0	0.29	358	11.0	0.27	8.7	0.24
Acute lymphocytic	37	1.6	0.12	1.7	0.13	30	1.2	0.11	1.4	0.12
Chronic lymphocytic	190	6.2	0.21	4.5	0.15	117	3.2	0.14	2.3	0.10
Acute myeloid	164	5.8	0.21	4.2	0.16	120	3.7	0.16	3.0	0.14
Chronic myeloid	68	2.5	0.14	1.9	0.11	44	1.4	0.10	1.1	0.08
Other leukemias	69	2.5	0.14	1.7	0.10	48	1.4	0.09	0.9	0.07
Mesothelioma	39	1.4	0.10	0.9	0.07	13	0.4	0.05	0.3	0.04
Kaposi Sarcoma	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	547	19.0	0.37	12.8	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	243	8.9	0.26	7.2	0.22	509	15.9	0.33	12.7	0.28
Breast (<i>in situ</i>)	1	0.0	0.02	0.0	0.01	860	26.8	0.43	21.9	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Missouri, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,577	549.5	6.58	418.4	4.75	1,685	438.5	4.88	341.4	3.79
Oral Cavity & Pharynx	50	16.2	1.08	13.1	0.84	21	5.2	0.52	4.2	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	10	3.1	0.47	2.5	0.36	5	1.2	0.25	0.8	0.18
Major salivary gland	4	1.5	0.35	1.1	0.25	4	0.9	0.22	0.8	0.19
Floor of mouth	2	0.7	0.21	0.6	0.18	2	0.4	0.15	0.4	0.12
Gum & other mouth	5	1.5	0.32	1.2	0.25	3	0.7	0.19	0.6	0.17
Nasopharynx	4	1.4	0.32	1.1	0.25	2	0.5	0.16	0.5	0.16
Oropharynx	6	1.9	0.38	1.5	0.28	-	-	-	-	-
Hypopharynx	6	2.0	0.38	1.6	0.29	1	0.4	0.15	0.3	0.10
Digestive System	370	131.0	3.24	98.2	2.30	330	86.2	2.17	64.3	1.61
Esophagus	17	6.2	0.71	4.6	0.50	11	2.8	0.38	2.2	0.29
Stomach	33	12.6	1.04	9.0	0.70	24	6.5	0.60	4.5	0.42
Small intestine	15	5.1	0.63	3.9	0.46	16	4.2	0.49	3.3	0.37
Colon excl. rectum	104	38.2	1.79	27.9	1.23	116	30.6	1.30	22.5	0.96
Rectum & rectosigmoid	42	14.8	1.08	11.3	0.78	40	10.3	0.74	8.2	0.59
Anus, anal canal & anorectum	7	2.2	0.40	1.8	0.31	9	2.5	0.37	1.8	0.27
Liver	70	21.7	1.21	17.9	0.96	22	5.3	0.52	4.2	0.41
Gallbladder	4	1.5	0.36	1.0	0.24	9	2.5	0.37	1.9	0.28
Pancreas	63	23.5	1.40	17.0	0.96	62	16.2	0.94	11.9	0.69
Respiratory System	304	111.5	3.05	81.2	2.10	261	67.2	1.90	49.9	1.40
Larynx	30	10.2	0.88	7.9	0.65	9	2.2	0.32	1.8	0.27
Lung & bronchus	269	99.8	2.90	72.1	1.98	250	64.6	1.87	47.7	1.36
Bones & Joints	3	0.7	0.20	0.7	0.20	3	0.7	0.19	0.6	0.18
Soft Tissue (incl. heart)	12	3.8	0.51	3.4	0.43	13	3.4	0.43	3.0	0.38
Skin (excl. basal & sq.)	4	1.6	0.37	1.2	0.27	4	1.0	0.24	0.9	0.21
Melanomas of the skin	2	1.0	0.31	0.7	0.19	2	0.4	0.16	0.3	0.12
Breast (excl. <i>in situ</i>)	5	2.0	0.43	1.3	0.27	523	136.9	2.74	109.3	2.18
Female Genital System	-	-	-	-	-	180	46.1	1.57	37.5	1.27
Cervix uteri	-	-	-	-	-	33	9.0	0.71	7.8	0.62
Uterus Corpus	-	-	-	-	-	98	24.6	1.14	19.9	0.91
Uterus, NOS ¹	-	-	-	-	-	6	1.5	0.28	1.2	0.21
Ovary	-	-	-	-	-	29	7.6	0.64	6.2	0.52
Male Genital System	467	151.7	3.31	120.6	2.51	-	-	-	-	-
Prostate	457	148.4	3.28	117.8	2.48	-	-	-	-	-
Testis	6	1.8	0.35	1.7	0.33	-	-	-	-	-
Penis	2	1.0	0.30	0.7	0.19	-	-	-	-	-
Urinary System	139	51.4	2.07	37.6	1.44	97	25.1	1.17	18.9	0.88
Bladder (incl. <i>in situ</i>)	54	22.1	1.43	14.8	0.91	30	7.9	0.65	5.5	0.46
Kidney & renal pelvis	83	28.3	1.47	22.1	1.10	64	16.6	0.95	13.0	0.74
Ureter	1	0.5	0.22	0.3	0.14	-	-	-	-	-
Eye & Orbit	2	0.5	0.18	0.5	0.17	1	0.3	0.12	0.3	0.14
Brain & Other CNS ¹	16	5.1	0.61	4.4	0.50	14	3.5	0.43	3.2	0.40
Brain	15	4.8	0.59	4.2	0.48	12	3.1	0.41	2.9	0.38
Endocrine System	14	4.5	0.56	3.8	0.46	49	12.8	0.83	11.2	0.73
Thyroid gland	10	3.4	0.49	2.8	0.39	45	11.8	0.80	10.4	0.70
Lymphomas	61	20.1	1.22	16.6	0.96	60	15.5	0.92	12.8	0.76
Hodgkin Lymphoma	10	2.8	0.41	2.7	0.40	10	2.6	0.38	2.4	0.36
Non-Hodgkin Lymphoma	51	17.3	1.15	13.9	0.88	50	13.0	0.84	10.4	0.67
Multiple Myeloma	43	16.4	1.19	11.6	0.80	45	12.1	0.82	8.8	0.59
Leukemias	41	14.9	1.11	11.3	0.80	36	9.4	0.72	7.4	0.57
Acute lymphocytic	3	0.9	0.23	1.0	0.24	3	0.7	0.18	0.8	0.20
Chronic lymphocytic	15	5.3	0.66	3.9	0.46	11	2.9	0.40	2.1	0.29
Acute myeloid	12	4.6	0.63	3.4	0.44	12	3.1	0.41	2.5	0.33
Chronic myeloid	6	2.2	0.41	1.8	0.32	6	1.6	0.32	1.3	0.25
Other leukemias	4	1.9	0.42	1.2	0.27	4	1.0	0.23	0.7	0.17
Mesothelioma	1	0.7	0.28	0.4	0.15	-	-	-	-	-
Kaposi Sarcoma	3	0.7	0.20	0.7	0.20	-	-	-	-	-
Ill-defined & Unknown	43	16.5	1.20	11.7	0.81	48	12.7	0.84	8.6	0.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	28	10.3	0.93	7.7	0.66	72	19.1	1.03	14.8	0.80
Breast (<i>in situ</i>)	-	-	-	-	-	130	33.8	1.36	27.3	1.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Montana, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,208	490.5	4.02	363.0	3.00	2,888	435.4	3.80	337.0	3.05
Oral Cavity & Pharynx	114	17.3	0.75	13.6	0.60	43	6.4	0.46	4.9	0.36
Lip	8	1.3	0.21	0.9	0.14	2	0.3	0.08	0.2	0.06
Tongue	35	5.2	0.41	4.2	0.33	15	2.3	0.28	1.8	0.23
Major salivary gland	10	1.5	0.22	1.2	0.18	5	0.8	0.17	0.6	0.14
Floor of mouth	5	0.7	0.16	0.6	0.13	3	0.4	0.10	0.3	0.08
Gum & other mouth	15	2.3	0.27	1.6	0.20	6	0.9	0.17	0.6	0.12
Nasopharynx	2	0.4	0.11	0.3	0.09	-	-	-	-	-
Oropharynx	5	0.9	0.18	0.7	0.14	2	0.3	0.09	0.2	0.08
Hypopharynx	5	0.7	0.15	0.5	0.10	1	0.2	0.08	0.2	0.06
Digestive System	586	90.7	1.74	66.8	1.29	426	61.6	1.39	45.0	1.05
Esophagus	56	8.5	0.53	6.3	0.39	13	1.8	0.23	1.3	0.17
Stomach	43	6.7	0.47	4.8	0.34	23	3.3	0.32	2.5	0.25
Small intestine	19	2.8	0.30	2.1	0.23	15	2.1	0.26	1.6	0.20
Colon excl. rectum	190	30.0	1.01	21.6	0.73	166	24.2	0.88	17.4	0.66
Rectum & rectosigmoid	93	14.6	0.71	11.3	0.55	54	8.2	0.52	6.5	0.42
Anus, anal canal & anorectum	8	1.3	0.21	1.0	0.16	18	2.6	0.29	2.1	0.23
Liver	62	8.8	0.52	7.0	0.42	18	2.5	0.27	1.8	0.20
Gallbladder	3	0.5	0.13	0.3	0.08	9	1.3	0.20	0.9	0.14
Pancreas	87	13.3	0.66	9.4	0.47	79	11.0	0.57	7.6	0.41
Respiratory System	384	58.9	1.38	40.3	0.94	401	56.2	1.28	39.6	0.92
Larynx	30	4.5	0.38	3.3	0.28	7	1.0	0.19	0.9	0.16
Lung & bronchus	347	53.3	1.31	36.1	0.88	391	54.7	1.26	38.4	0.90
Bones & Joints	6	1.0	0.19	0.9	0.18	8	1.5	0.25	1.4	0.24
Soft Tissue (incl. heart)	18	3.0	0.32	2.5	0.28	19	3.2	0.35	2.7	0.31
Skin (excl. basal & sq.)	222	35.6	1.11	26.3	0.83	162	26.3	0.98	21.6	0.83
Melanomas of the skin	196	31.4	1.05	23.6	0.80	149	24.4	0.95	20.3	0.81
Breast (excl. <i>in situ</i>)	10	1.6	0.24	1.1	0.16	845	128.5	2.08	100.9	1.67
Female Genital System	-	-	-	-	-	324	49.0	1.29	39.7	1.07
Cervix uteri	-	-	-	-	-	37	6.8	0.53	6.2	0.49
Uterus Corpus	-	-	-	-	-	187	27.0	0.93	21.7	0.76
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	73	11.3	0.62	8.8	0.50
Male Genital System	892	126.9	1.96	97.5	1.51	-	-	-	-	-
Prostate	850	118.3	1.87	89.6	1.39	-	-	-	-	-
Testis	34	7.2	0.57	7.1	0.55	-	-	-	-	-
Penis	6	1.0	0.19	0.6	0.12	-	-	-	-	-
Urinary System	383	59.5	1.41	42.1	1.00	154	22.4	0.84	16.9	0.66
Bladder (incl. <i>in situ</i>)	232	36.1	1.09	24.4	0.74	73	10.1	0.55	7.2	0.40
Kidney & renal pelvis	144	22.2	0.87	17.0	0.67	78	11.9	0.63	9.4	0.52
Ureter	6	0.9	0.18	0.6	0.10	1	0.2	0.08	0.1	0.05
Eye & Orbit	7	1.1	0.20	0.9	0.18	7	1.0	0.19	0.8	0.16
Brain & Other CNS ¹	51	8.3	0.55	6.9	0.47	38	6.4	0.49	5.7	0.46
Brain	48	7.8	0.53	6.5	0.45	36	6.0	0.47	5.3	0.44
Endocrine System	49	8.6	0.57	7.4	0.50	114	21.4	0.94	19.7	0.88
Thyroid gland	45	7.7	0.54	6.5	0.46	108	20.5	0.92	18.8	0.86
Lymphomas	155	25.2	0.94	19.3	0.74	115	17.5	0.76	13.5	0.62
Hodgkin Lymphoma	14	2.6	0.33	2.5	0.32	11	2.1	0.28	2.0	0.29
Non-Hodgkin Lymphoma	141	22.6	0.88	16.8	0.67	104	15.4	0.70	11.5	0.55
Multiple Myeloma	56	8.7	0.54	6.2	0.38	36	5.0	0.38	3.5	0.27
Leukemias	123	19.7	0.82	14.8	0.64	72	10.9	0.60	8.5	0.50
Acute lymphocytic	7	1.4	0.24	1.5	0.27	6	1.1	0.22	1.3	0.26
Chronic lymphocytic	59	9.1	0.54	6.4	0.38	32	4.4	0.36	3.0	0.25
Acute myeloid	27	4.3	0.38	3.2	0.29	20	3.1	0.33	2.5	0.28
Chronic myeloid	15	2.6	0.31	2.0	0.25	8	1.2	0.21	0.9	0.16
Other leukemias	15	2.4	0.29	1.8	0.22	6	0.9	0.18	0.7	0.14
Mesothelioma	14	2.3	0.28	1.4	0.17	4	0.7	0.16	0.5	0.12
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	121	17.4	0.74	12.0	0.53
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	54	9.1	0.58	7.4	0.48	100	15.7	0.74	12.7	0.62
Breast (<i>in situ</i>)	-	-	-	-	-	172	27.2	0.98	22.0	0.80

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Montana, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,024	483.9	4.09	357.9	3.07	2,702	430.2	3.90	332.9	3.15
Oral Cavity & Pharynx	107	17.1	0.77	13.6	0.61	39	6.1	0.46	4.7	0.37
Lip	8	1.3	0.21	0.9	0.15	2	0.2	0.08	0.2	0.06
Tongue	34	5.3	0.42	4.3	0.34	14	2.3	0.29	1.8	0.23
Major salivary gland	10	1.5	0.23	1.2	0.19	5	0.7	0.17	0.6	0.13
Floor of mouth	4	0.7	0.15	0.5	0.12	3	0.4	0.10	0.3	0.08
Gum & other mouth	13	2.1	0.27	1.5	0.20	6	0.9	0.16	0.6	0.11
Nasopharynx	2	0.4	0.12	0.3	0.10	-	-	-	-	-
Oropharynx	5	1.0	0.19	0.7	0.14	2	0.3	0.10	0.3	0.09
Hypopharynx	4	0.7	0.15	0.5	0.10	1	0.2	0.07	0.1	0.06
Digestive System	542	87.7	1.75	64.5	1.30	397	60.5	1.42	44.1	1.08
Esophagus	53	8.4	0.53	6.2	0.40	12	1.8	0.24	1.3	0.17
Stomach	39	6.3	0.47	4.4	0.33	20	3.1	0.32	2.3	0.25
Small intestine	18	2.8	0.31	2.1	0.23	14	2.2	0.27	1.7	0.21
Colon excl. rectum	176	29.0	1.01	20.8	0.74	155	23.8	0.90	17.1	0.68
Rectum & rectosigmoid	85	14.1	0.72	10.9	0.56	49	7.9	0.53	6.2	0.43
Anus, anal canal & anorectum	8	1.3	0.22	1.0	0.17	18	2.7	0.30	2.2	0.24
Liver	54	8.2	0.51	6.5	0.42	16	2.3	0.27	1.7	0.20
Gallbladder	3	0.5	0.13	0.3	0.08	8	1.2	0.19	0.8	0.14
Pancreas	83	13.3	0.68	9.4	0.48	75	10.9	0.58	7.6	0.42
Respiratory System	362	57.7	1.40	39.4	0.95	371	54.5	1.30	38.5	0.93
Larynx	28	4.4	0.38	3.2	0.28	6	1.0	0.19	0.9	0.17
Lung & bronchus	327	52.2	1.33	35.3	0.89	362	53.1	1.28	37.3	0.91
Bones & Joints	6	1.1	0.20	1.0	0.20	7	1.4	0.25	1.3	0.24
Soft Tissue (incl. heart)	18	3.2	0.35	2.7	0.31	16	3.0	0.36	2.6	0.32
Skin (excl. basal & sq.)	208	35.0	1.13	25.8	0.85	151	26.0	1.01	21.4	0.86
Melanomas of the skin	182	30.7	1.06	23.0	0.81	138	24.2	0.98	20.1	0.85
Breast (excl. <i>in situ</i>)	9	1.7	0.25	1.1	0.17	795	128.1	2.15	100.5	1.73
Female Genital System	-	-	-	-	-	301	48.0	1.31	38.8	1.09
Cervix uteri	-	-	-	-	-	34	6.7	0.55	6.1	0.51
Uterus Corpus	-	-	-	-	-	173	26.3	0.94	21.1	0.77
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	69	11.2	0.63	8.7	0.51
Male Genital System	842	125.4	2.00	96.5	1.54	-	-	-	-	-
Prostate	803	116.6	1.89	88.3	1.42	-	-	-	-	-
Testis	31	7.3	0.60	7.2	0.59	-	-	-	-	-
Penis	6	1.0	0.20	0.7	0.13	-	-	-	-	-
Urinary System	365	58.9	1.43	41.6	1.02	143	21.8	0.86	16.4	0.67
Bladder (incl. <i>in situ</i>)	227	36.7	1.12	24.8	0.76	71	10.4	0.57	7.3	0.42
Kidney & renal pelvis	130	21.0	0.86	16.0	0.67	69	11.1	0.63	8.8	0.52
Ureter	6	0.9	0.18	0.6	0.11	1	0.2	0.07	0.1	0.05
Eye & Orbit	7	1.2	0.22	1.0	0.20	7	1.1	0.20	0.9	0.17
Brain & Other CNS ¹	48	8.4	0.57	7.0	0.49	36	6.5	0.51	5.8	0.48
Brain	46	8.0	0.55	6.6	0.47	34	6.1	0.49	5.3	0.46
Endocrine System	47	8.6	0.59	7.4	0.52	107	21.8	0.99	20.1	0.94
Thyroid gland	42	7.7	0.56	6.5	0.48	102	20.8	0.97	19.1	0.91
Lymphomas	147	25.1	0.97	19.2	0.77	111	17.6	0.78	13.6	0.65
Hodgkin Lymphoma	13	2.7	0.36	2.6	0.34	11	2.1	0.30	2.1	0.32
Non-Hodgkin Lymphoma	135	22.4	0.90	16.7	0.69	100	15.5	0.72	11.5	0.57
Multiple Myeloma	53	8.6	0.55	6.0	0.39	35	5.1	0.40	3.5	0.28
Leukemias	119	19.9	0.85	15.0	0.67	68	10.8	0.62	8.5	0.53
Acute lymphocytic	6	1.3	0.25	1.5	0.28	5	1.2	0.25	1.4	0.29
Chronic lymphocytic	58	9.3	0.56	6.5	0.39	32	4.5	0.37	3.1	0.26
Acute myeloid	26	4.3	0.39	3.2	0.31	18	3.0	0.33	2.3	0.28
Chronic myeloid	14	2.6	0.32	2.0	0.25	8	1.3	0.22	1.0	0.17
Other leukemias	14	2.5	0.30	1.8	0.23	5	0.8	0.17	0.6	0.13
Mesothelioma	14	2.4	0.28	1.5	0.18	4	0.6	0.15	0.4	0.11
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	115	17.2	0.75	11.8	0.55
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	52	9.3	0.61	7.6	0.51	94	15.8	0.78	12.8	0.65
Breast (<i>in situ</i>)	-	-	-	-	-	163	27.4	1.02	22.2	0.83

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Montana, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9	503.7	85.51	365.2	56.92	4	183.4	44.86	148.9	35.58
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	110.3	39.42	79.6	26.82	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	1	60.0	24.63	52.3	21.40
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	194.5	50.77	148.7	37.17	-	-	-	-	-
Prostate	3	187.6	50.29	143.1	36.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	1	43.9	21.21	37.3	16.67	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Montana, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9	293.0	46.18	228.8	34.25	16	311.9	36.36	237.0	26.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	92.1	25.27	74.3	19.51	2	43.0	14.18	29.7	9.50
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	1	29.2	12.47	27.1	11.41	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	1	44.0	19.22	30.5	12.55	2	43.0	14.22	31.2	9.97
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	2	37.8	13.24	27.6	9.30
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	6	110.8	20.61	90.2	16.28
Female Genital System	-	-	-	-	-	2	31.8	11.63	25.1	8.92
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	49.5	18.26	39.2	13.87	-	-	-	-	-
Prostate	2	49.5	18.26	39.2	13.87	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	1	25.7	10.94	16.8	6.91
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	2	31.3	11.50	24.4	8.70

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Montana, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	106	548.0	26.76	410.3	18.25	118	509.8	22.19	389.1	16.12
Oral Cavity & Pharynx	4	20.7	5.19	15.9	3.56	2	10.0	3.15	7.5	2.26
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	28	146.0	14.02	108.4	9.40	21	92.1	9.46	68.5	6.67
Esophagus	2	9.9	3.30	7.7	2.48	-	-	-	-	-
Stomach	4	14.3	3.43	12.7	3.02	1	5.7	2.25	4.5	1.70
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	45.7	8.32	32.7	5.27	9	39.3	6.07	29.8	4.42
Rectum & rectosigmoid	6	32.0	6.61	23.0	4.39	4	15.7	3.87	11.9	2.77
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	20.2	4.82	15.4	3.44	1	3.6	1.50	3.4	1.41
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	14.3	4.56	10.2	2.94	3	15.4	4.25	9.9	2.57
Respiratory System	15	84.5	10.65	60.8	7.10	18	90.5	10.18	58.7	6.25
Larynx	1	5.2	2.01	4.7	1.79	-	-	-	-	-
Lung & bronchus	14	78.0	10.38	55.2	6.81	17	87.9	10.06	56.7	6.14
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	2	7.2	2.65	5.8	1.93
Skin (excl. basal & sq.)	2	10.6	3.60	8.3	2.58	-	-	-	-	-
Melanomas of the skin	2	8.6	3.40	6.4	2.32	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	32	134.6	11.19	105.1	8.39
Female Genital System	-	-	-	-	-	15	59.1	7.20	48.7	5.73
Cervix uteri	-	-	-	-	-	2	5.9	2.13	5.6	2.00
Uterus Corpus	-	-	-	-	-	8	31.7	5.21	26.4	4.18
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	13.2	3.46	10.5	2.66
Male Genital System	25	117.5	11.66	92.7	8.50	-	-	-	-	-
Prostate	23	109.8	11.39	85.2	8.15	-	-	-	-	-
Testis	2	7.1	2.45	6.9	2.33	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	71.4	10.27	51.4	6.51	8	35.5	5.69	28.0	4.35
Bladder (incl. <i>in situ</i>)	3	21.1	6.42	13.2	3.53	1	5.3	2.08	4.4	1.67
Kidney & renal pelvis	10	50.3	8.02	38.2	5.47	7	30.2	5.30	23.6	4.02
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	2	8.3	3.10	6.6	2.24	2	4.8	1.73	5.1	1.83
Brain	2	7.5	2.99	5.9	2.12	2	4.8	1.73	5.1	1.83
Endocrine System	2	7.8	2.64	6.8	2.29	5	18.5	3.89	16.5	3.40
Thyroid gland	2	6.7	2.41	6.0	2.12	4	17.2	3.78	15.3	3.30
Lymphomas	5	28.3	6.31	20.4	4.19	3	14.8	3.76	11.7	2.86
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	5	26.5	6.16	18.9	4.04	3	13.6	3.67	10.4	2.69
Multiple Myeloma	2	9.1	3.19	7.0	2.34	1	5.4	2.16	4.3	1.64
Leukemias	3	15.0	4.43	11.4	3.03	3	9.8	2.80	8.8	2.37
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	1	4.9	1.96	4.4	1.69
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	26.8	6.02	19.0	4.04	4	16.9	4.14	12.4	2.96
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	-	-	-	-	-	3	12.8	3.40	10.5	2.64
Breast (<i>in situ</i>)	-	-	-	-	-	6	23.5	4.62	18.6	3.54

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Montana, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	39	412.2	32.81	300.8	22.19	45	390.1	27.41	302.7	20.41
Oral Cavity & Pharynx	2	14.5	5.40	12.0	4.33	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	105.1	16.17	79.2	11.27	7	62.6	11.20	46.7	8.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	26.2	8.43	18.1	5.35	2	16.6	5.37	13.8	4.40
Rectum & rectosigmoid	3	27.5	8.07	21.4	5.82	1	13.9	5.51	9.2	3.51
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	17.4	5.71	15.2	4.73	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	1	17.2	7.07	11.8	4.54	1	13.7	5.34	10.1	3.84
Respiratory System	2	27.4	9.01	18.2	5.64	4	42.1	9.57	29.5	6.48
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	25.9	8.89	16.8	5.47	4	40.6	9.46	28.2	6.35
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	4	31.2	7.00	26.8	6.01
Breast (excl. <i>in situ</i>)	-	-	-	-	-	13	109.6	14.33	86.8	11.00
Female Genital System	-	-	-	-	-	5	39.9	8.83	30.9	6.50
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	24.0	7.24	17.4	5.04
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	1	9.5	4.11	7.4	3.08
Male Genital System	9	87.3	14.48	66.0	10.24	-	-	-	-	-
Prostate	8	86.1	14.42	64.9	10.18	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	58.5	12.11	44.0	8.61	2	18.4	6.36	12.2	4.12
Bladder (incl. <i>in situ</i>)	2	19.1	6.88	14.6	4.92	-	-	-	-	-
Kidney & renal pelvis	4	39.4	9.97	29.4	7.06	1	14.7	5.76	9.3	3.56
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	1	7.1	3.12	7.2	2.84
Brain	-	-	-	-	-	1	6.5	3.06	6.4	2.73
Endocrine System	-	-	-	-	-	2	15.0	4.90	13.4	4.10
Thyroid gland	-	-	-	-	-	2	13.6	4.72	12.2	3.90
Lymphomas	2	24.6	8.28	16.9	5.25	2	16.6	5.49	13.5	4.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	22.6	8.10	15.7	5.10	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	23.3	9.52	12.4	5.09	2	22.2	6.99	15.2	4.64
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	15.6	6.54	11.2	4.14	1	10.2	4.25	8.5	3.47
Breast (<i>in situ</i>)	-	-	-	-	-	1	8.6	3.54	7.8	3.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

MONTANA

246 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Montana, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,988	484.9	4.13	358.8	3.11	2,661	430.3	3.94	333.1	3.19
Oral Cavity & Pharynx	106	17.2	0.78	13.6	0.62	39	6.1	0.46	4.7	0.37
Lip	8	1.3	0.22	0.9	0.15	2	0.2	0.08	0.2	0.06
Tongue	34	5.3	0.43	4.3	0.35	14	2.4	0.30	1.9	0.24
Major salivary gland	9	1.5	0.23	1.2	0.19	5	0.8	0.17	0.6	0.14
Floor of mouth	4	0.7	0.15	0.5	0.12	3	0.4	0.10	0.3	0.08
Gum & other mouth	13	2.1	0.27	1.5	0.20	6	0.9	0.17	0.6	0.11
Nasopharynx	2	0.4	0.12	0.3	0.10	-	-	-	-	-
Oropharynx	5	1.0	0.19	0.7	0.15	2	0.3	0.09	0.2	0.08
Hypopharynx	4	0.7	0.15	0.4	0.10	1	0.2	0.07	0.1	0.06
Digestive System	532	87.4	1.76	64.1	1.31	390	60.4	1.43	44.1	1.09
Esophagus	53	8.4	0.54	6.2	0.40	12	1.8	0.24	1.3	0.18
Stomach	38	6.3	0.47	4.4	0.33	20	3.1	0.32	2.3	0.25
Small intestine	18	2.8	0.31	2.1	0.23	14	2.2	0.28	1.7	0.22
Colon excl. rectum	174	29.0	1.02	20.8	0.74	153	23.9	0.91	17.1	0.69
Rectum & rectosigmoid	82	13.9	0.72	10.8	0.57	48	7.8	0.53	6.1	0.43
Anus, anal canal & anorectum	8	1.3	0.22	1.0	0.17	18	2.7	0.30	2.1	0.24
Liver	52	7.9	0.51	6.3	0.41	16	2.3	0.27	1.6	0.20
Gallbladder	3	0.5	0.13	0.3	0.08	8	1.2	0.20	0.8	0.14
Pancreas	81	13.2	0.68	9.3	0.48	73	10.8	0.58	7.5	0.42
Respiratory System	360	58.1	1.41	39.7	0.96	368	54.6	1.31	38.6	0.94
Larynx	28	4.4	0.39	3.2	0.29	6	1.0	0.20	0.9	0.18
Lung & bronchus	325	52.5	1.34	35.5	0.90	359	53.2	1.29	37.4	0.92
Bones & Joints	6	1.1	0.21	1.0	0.20	7	1.4	0.25	1.2	0.24
Soft Tissue (incl. heart)	17	3.1	0.34	2.5	0.30	16	3.1	0.37	2.6	0.33
Skin (excl. basal & sq.)	207	35.4	1.15	26.1	0.87	147	25.8	1.02	21.2	0.87
Melanomas of the skin	182	31.1	1.08	23.3	0.83	134	23.9	0.99	20.0	0.85
Breast (excl. <i>in situ</i>)	9	1.6	0.25	1.1	0.17	783	128.2	2.18	100.5	1.75
Female Genital System	-	-	-	-	-	297	48.1	1.33	38.9	1.10
Cervix uteri	-	-	-	-	-	33	6.7	0.56	6.0	0.51
Uterus Corpus	-	-	-	-	-	171	26.4	0.95	21.2	0.78
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	68	11.2	0.64	8.8	0.52
Male Genital System	834	126.0	2.02	97.0	1.56	-	-	-	-	-
Prostate	795	117.0	1.91	88.6	1.43	-	-	-	-	-
Testis	31	7.5	0.62	7.5	0.61	-	-	-	-	-
Penis	6	1.1	0.20	0.7	0.13	-	-	-	-	-
Urinary System	359	58.8	1.44	41.5	1.03	141	21.9	0.86	16.5	0.68
Bladder (incl. <i>in situ</i>)	225	36.9	1.13	24.9	0.77	70	10.4	0.58	7.4	0.42
Kidney & renal pelvis	127	20.8	0.87	15.8	0.67	68	11.1	0.64	8.8	0.53
Ureter	6	0.9	0.18	0.6	0.11	1	0.2	0.08	0.1	0.05
Eye & Orbit	6	1.2	0.22	1.0	0.20	7	1.1	0.21	0.9	0.17
Brain & Other CNS ¹	48	8.5	0.58	7.1	0.51	35	6.4	0.52	5.7	0.48
Brain	45	8.0	0.56	6.6	0.48	33	6.0	0.50	5.3	0.46
Endocrine System	46	8.6	0.60	7.4	0.54	105	22.0	1.02	20.3	0.96
Thyroid gland	42	7.8	0.57	6.6	0.49	100	21.0	0.99	19.3	0.93
Lymphomas	145	25.2	0.98	19.4	0.79	109	17.6	0.79	13.6	0.66
Hodgkin Lymphoma	13	2.8	0.37	2.6	0.35	10	2.1	0.30	2.1	0.32
Non-Hodgkin Lymphoma	133	22.5	0.91	16.8	0.70	98	15.5	0.73	11.5	0.58
Multiple Myeloma	52	8.6	0.55	6.1	0.39	34	5.0	0.39	3.5	0.28
Leukemias	116	19.8	0.86	14.9	0.67	67	10.9	0.63	8.6	0.55
Acute lymphocytic	5	1.3	0.25	1.4	0.28	5	1.3	0.26	1.5	0.31
Chronic lymphocytic	58	9.3	0.57	6.6	0.40	31	4.5	0.37	3.1	0.26
Acute myeloid	25	4.2	0.39	3.1	0.30	18	3.0	0.34	2.4	0.29
Chronic myeloid	14	2.6	0.32	2.0	0.26	8	1.3	0.22	1.0	0.18
Other leukemias	14	2.5	0.31	1.8	0.24	5	0.8	0.17	0.6	0.13
Mesothelioma	14	2.3	0.28	1.5	0.18	4	0.6	0.15	0.4	0.11
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	50	9.2	0.61	7.4	0.52	93	15.9	0.79	12.9	0.67
Breast (<i>in situ</i>)	-	-	-	-	-	162	27.7	1.04	22.4	0.85

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Montana, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9	548.0	93.92	394.8	61.73	3	155.7	43.17	130.3	35.22
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	122.9	44.66	87.9	29.78	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	1	66.1	27.18	57.6	23.59
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	206.6	54.38	157.2	39.38	-	-	-	-	-
Prostate	3	198.9	53.83	151.1	38.90	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	1	46.7	22.48	39.7	17.68	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

MONTANA

248 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nebraska, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,109	501.9	3.21	372.6	2.39	4,853	433.6	2.88	338.1	2.33
Oral Cavity & Pharynx	195	18.8	0.62	14.7	0.48	78	6.8	0.36	5.3	0.29
Lip	18	1.9	0.20	1.2	0.13	8	0.7	0.11	0.5	0.08
Tongue	56	5.3	0.32	4.3	0.26	22	2.0	0.20	1.6	0.16
Major salivary gland	18	1.9	0.20	1.3	0.14	12	1.1	0.14	0.9	0.12
Floor of mouth	7	0.7	0.12	0.5	0.09	4	0.3	0.08	0.2	0.06
Gum & other mouth	23	2.2	0.21	1.6	0.15	18	1.5	0.17	1.1	0.13
Nasopharynx	7	0.7	0.12	0.6	0.10	3	0.3	0.08	0.3	0.07
Oropharynx	11	1.0	0.13	0.8	0.11	2	0.2	0.05	0.1	0.04
Hypopharynx	11	1.0	0.14	0.8	0.11	3	0.3	0.07	0.2	0.06
Digestive System	960	95.3	1.41	69.5	1.03	780	66.6	1.10	48.1	0.83
Esophagus	84	8.1	0.41	5.9	0.29	21	1.7	0.17	1.2	0.13
Stomach	74	7.4	0.39	5.3	0.28	37	3.2	0.24	2.4	0.19
Small intestine	30	3.0	0.26	2.3	0.19	24	2.2	0.20	1.7	0.16
Colon excl. rectum	326	32.7	0.83	23.2	0.59	331	28.0	0.71	19.6	0.53
Rectum & rectosigmoid	154	15.2	0.56	11.7	0.43	109	9.8	0.44	7.6	0.35
Anus, anal canal & anorectum	13	1.3	0.17	1.0	0.13	27	2.4	0.21	1.9	0.18
Liver	81	7.5	0.38	5.9	0.30	26	2.1	0.19	1.6	0.15
Gallbladder	10	1.0	0.15	0.7	0.10	17	1.4	0.16	1.0	0.11
Pancreas	149	15.0	0.56	10.7	0.40	134	11.3	0.45	7.8	0.32
Respiratory System	716	71.0	1.21	49.6	0.84	624	52.9	0.97	38.3	0.72
Larynx	51	4.7	0.30	3.6	0.23	15	1.3	0.16	1.0	0.12
Lung & bronchus	657	65.4	1.17	45.3	0.80	600	50.8	0.95	36.7	0.70
Bones & Joints	9	0.9	0.14	0.9	0.14	8	0.8	0.13	0.8	0.14
Soft Tissue (incl. heart)	44	4.6	0.32	3.6	0.25	25	2.4	0.22	2.1	0.20
Skin (excl. basal & sq.)	315	32.1	0.83	23.9	0.62	266	26.1	0.75	21.9	0.64
Melanomas of the skin	288	29.2	0.79	22.0	0.60	252	24.8	0.73	20.9	0.63
Breast (excl. <i>in situ</i>)	17	1.6	0.18	1.2	0.14	1,405	127.2	1.57	100.8	1.27
Female Genital System	-	-	-	-	-	563	51.1	1.00	41.6	0.83
Cervix uteri	-	-	-	-	-	72	7.8	0.43	6.9	0.38
Uterus Corpus	-	-	-	-	-	310	27.1	0.71	22.1	0.58
Uterus, NOS ¹	-	-	-	-	-	5	0.4	0.09	0.4	0.07
Ovary	-	-	-	-	-	115	10.6	0.46	8.4	0.38
Male Genital System	1,340	125.1	1.56	96.7	1.20	-	-	-	-	-
Prostate	1,263	116.7	1.50	88.5	1.12	-	-	-	-	-
Testis	64	7.1	0.40	7.2	0.41	-	-	-	-	-
Penis	11	1.1	0.15	0.7	0.10	-	-	-	-	-
Urinary System	604	60.6	1.13	42.7	0.80	251	21.5	0.63	15.9	0.49
Bladder (incl. <i>in situ</i>)	343	35.0	0.86	23.1	0.57	110	8.8	0.39	5.9	0.27
Kidney & renal pelvis	247	24.1	0.70	18.7	0.54	135	12.2	0.49	9.6	0.40
Ureter	8	0.9	0.14	0.5	0.08	4	0.4	0.08	0.3	0.06
Eye & Orbit	12	1.1	0.15	1.0	0.13	10	0.9	0.13	0.8	0.12
Brain & Other CNS ¹	81	8.2	0.41	7.0	0.36	62	5.9	0.35	5.3	0.33
Brain	76	7.6	0.40	6.4	0.34	58	5.4	0.33	4.8	0.31
Endocrine System	81	8.3	0.42	7.4	0.38	218	23.0	0.72	20.8	0.66
Thyroid gland	72	7.4	0.40	6.5	0.35	210	22.3	0.71	20.1	0.65
Lymphomas	277	28.2	0.78	21.1	0.59	222	19.5	0.60	15.2	0.49
Hodgkin Lymphoma	33	3.6	0.28	3.3	0.26	24	2.5	0.23	2.5	0.24
Non-Hodgkin Lymphoma	243	24.7	0.72	17.8	0.53	197	17.0	0.56	12.7	0.43
Multiple Myeloma	80	8.1	0.41	5.8	0.29	55	4.6	0.28	3.4	0.21
Leukemias	180	18.1	0.62	13.9	0.48	123	11.0	0.46	8.7	0.39
Acute lymphocytic	18	1.9	0.20	2.1	0.22	13	1.4	0.18	1.5	0.20
Chronic lymphocytic	64	6.3	0.36	4.4	0.25	38	3.1	0.23	2.2	0.17
Acute myeloid	55	5.6	0.34	4.0	0.25	44	3.9	0.27	3.0	0.22
Chronic myeloid	23	2.3	0.22	1.9	0.18	14	1.3	0.16	1.0	0.13
Other leukemias	20	2.0	0.21	1.5	0.16	15	1.3	0.16	1.0	0.14
Mesothelioma	12	1.3	0.17	0.8	0.10	4	0.4	0.08	0.3	0.07
Kaposi Sarcoma	2	0.2	0.07	0.2	0.07	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	159	12.9	0.47	8.7	0.35
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	73	7.4	0.40	6.2	0.34	146	13.9	0.53	11.3	0.45
Breast (<i>in situ</i>)	2	0.2	0.06	0.1	0.05	289	27.0	0.74	21.9	0.60

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nebraska, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,783	495.8	3.28	368.3	2.46	4,575	434.7	2.99	339.1	2.43
Oral Cavity & Pharynx	184	18.7	0.64	14.6	0.50	74	6.9	0.37	5.3	0.30
Lip	17	1.8	0.21	1.2	0.13	8	0.7	0.12	0.5	0.08
Tongue	53	5.3	0.33	4.3	0.27	21	2.1	0.21	1.7	0.17
Major salivary gland	17	1.9	0.20	1.3	0.14	12	1.1	0.15	0.9	0.12
Floor of mouth	7	0.7	0.12	0.5	0.09	3	0.3	0.08	0.2	0.06
Gum & other mouth	22	2.2	0.22	1.6	0.16	17	1.5	0.17	1.1	0.13
Nasopharynx	5	0.5	0.11	0.5	0.10	3	0.3	0.08	0.2	0.07
Oropharynx	10	0.9	0.14	0.8	0.11	2	0.2	0.06	0.2	0.04
Hypopharynx	11	1.0	0.15	0.8	0.11	3	0.3	0.08	0.2	0.06
Digestive System	887	92.9	1.43	67.6	1.05	729	65.7	1.13	47.3	0.86
Esophagus	81	8.2	0.42	6.0	0.30	20	1.7	0.18	1.2	0.13
Stomach	67	7.1	0.39	5.1	0.28	33	3.0	0.24	2.2	0.19
Small intestine	27	2.9	0.26	2.2	0.20	22	2.1	0.21	1.6	0.16
Colon excl. rectum	304	32.1	0.84	22.8	0.60	314	28.0	0.73	19.5	0.55
Rectum & rectosigmoid	146	15.3	0.58	11.7	0.45	102	9.7	0.45	7.5	0.36
Anus, anal canal & anorectum	12	1.2	0.17	0.9	0.13	26	2.4	0.22	1.9	0.18
Liver	64	6.2	0.36	4.9	0.28	21	1.8	0.18	1.4	0.14
Gallbladder	9	1.0	0.15	0.6	0.10	15	1.3	0.15	0.8	0.11
Pancreas	140	14.9	0.58	10.6	0.41	126	11.1	0.46	7.7	0.33
Respiratory System	680	70.5	1.23	49.3	0.86	587	52.3	0.99	37.9	0.73
Larynx	45	4.4	0.30	3.4	0.23	14	1.3	0.16	1.0	0.12
Lung & bronchus	626	65.2	1.19	45.2	0.82	565	50.3	0.97	36.2	0.71
Bones & Joints	9	0.9	0.14	0.9	0.15	7	0.8	0.14	0.8	0.14
Soft Tissue (incl. heart)	40	4.5	0.32	3.4	0.26	23	2.4	0.23	2.1	0.22
Skin (excl. basal & sq.)	303	32.7	0.86	24.5	0.65	252	26.7	0.79	22.4	0.69
Melanomas of the skin	278	29.9	0.82	22.5	0.63	238	25.4	0.77	21.5	0.67
Breast (excl. <i>in situ</i>)	16	1.6	0.18	1.2	0.14	1,336	128.8	1.64	102.1	1.33
Female Genital System	-	-	-	-	-	534	51.8	1.05	42.1	0.87
Cervix uteri	-	-	-	-	-	66	7.9	0.45	6.9	0.40
Uterus Corpus	-	-	-	-	-	294	27.4	0.74	22.3	0.61
Uterus, NOS ¹	-	-	-	-	-	5	0.5	0.10	0.4	0.08
Ovary	-	-	-	-	-	111	10.9	0.48	8.7	0.40
Male Genital System	1,228	120.9	1.58	93.6	1.22	-	-	-	-	-
Prostate	1,153	111.7	1.50	84.8	1.13	-	-	-	-	-
Testis	62	7.8	0.45	7.9	0.45	-	-	-	-	-
Penis	11	1.1	0.16	0.7	0.11	-	-	-	-	-
Urinary System	575	60.6	1.15	42.7	0.82	234	21.2	0.64	15.7	0.50
Bladder (incl. <i>in situ</i>)	333	35.4	0.88	23.5	0.59	105	8.8	0.40	5.9	0.28
Kidney & renal pelvis	228	23.6	0.72	18.2	0.56	123	11.9	0.50	9.4	0.41
Ureter	8	0.9	0.15	0.5	0.09	4	0.4	0.08	0.2	0.06
Eye & Orbit	11	1.1	0.16	1.0	0.14	9	0.9	0.14	0.8	0.13
Brain & Other CNS ¹	78	8.4	0.44	7.2	0.38	59	6.1	0.37	5.5	0.35
Brain	73	7.8	0.42	6.6	0.36	55	5.6	0.35	5.0	0.33
Endocrine System	76	8.5	0.45	7.5	0.40	202	23.3	0.76	21.1	0.70
Thyroid gland	67	7.5	0.42	6.5	0.37	195	22.5	0.75	20.4	0.69
Lymphomas	263	28.4	0.80	21.3	0.61	209	19.4	0.62	15.1	0.51
Hodgkin Lymphoma	31	3.7	0.30	3.4	0.28	21	2.3	0.23	2.3	0.24
Non-Hodgkin Lymphoma	231	24.8	0.74	17.9	0.55	188	17.1	0.58	12.8	0.45
Multiple Myeloma	75	7.9	0.42	5.6	0.30	49	4.2	0.28	3.1	0.21
Leukemias	169	18.1	0.64	13.9	0.51	116	11.0	0.48	8.8	0.41
Acute lymphocytic	17	2.0	0.22	2.2	0.24	12	1.5	0.20	1.7	0.22
Chronic lymphocytic	61	6.3	0.37	4.4	0.26	37	3.1	0.24	2.2	0.17
Acute myeloid	51	5.4	0.35	4.0	0.26	41	3.8	0.28	2.9	0.22
Chronic myeloid	21	2.3	0.23	1.8	0.19	13	1.3	0.17	1.0	0.14
Other leukemias	19	2.1	0.22	1.5	0.17	13	1.3	0.16	1.0	0.14
Mesothelioma	12	1.3	0.17	0.8	0.10	4	0.4	0.09	0.3	0.07
Kaposi Sarcoma	1	0.2	0.07	0.2	0.07	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	151	12.8	0.48	8.7	0.35
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	67	7.3	0.41	6.2	0.35	134	13.5	0.55	11.0	0.46
Breast (<i>in situ</i>)	1	0.2	0.06	0.1	0.04	269	26.9	0.76	21.9	0.63

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nebraska, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	193	595.2	20.99	448.7	14.74	160	421.8	15.41	330.2	11.72
Oral Cavity & Pharynx	6	15.7	3.08	13.0	2.41	2	4.1	1.40	3.7	1.24
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	1	3.4	1.30	3.0	1.14	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	1	3.6	1.63	2.7	1.12	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	44	140.7	10.35	103.8	7.11	30	80.4	6.79	60.9	5.02
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	13.6	3.21	10.0	2.19	2	5.3	1.64	4.3	1.31
Small intestine	2	7.9	2.46	5.8	1.70	2	4.4	1.50	3.7	1.22
Colon excl. rectum	14	44.1	5.82	32.3	3.99	9	25.6	3.91	19.0	2.81
Rectum & rectosigmoid	5	14.7	3.14	11.4	2.27	5	12.5	2.63	10.0	2.04
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	21.9	3.72	17.8	2.86	2	5.2	1.71	4.1	1.30
Gallbladder	-	-	-	-	-	2	4.3	1.56	3.4	1.21
Pancreas	7	26.2	4.80	17.9	3.07	5	15.7	3.11	10.9	2.12
Respiratory System	25	86.0	8.44	60.7	5.55	27	74.1	6.58	55.7	4.82
Larynx	3	9.4	2.49	7.6	1.92	-	-	-	-	-
Lung & bronchus	22	76.6	8.06	53.2	5.21	26	71.7	6.49	53.6	4.72
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	3.8	1.30	3.6	1.21	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	1	3.1	1.31	2.6	1.06
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	42	110.0	7.79	87.3	6.05
Female Genital System	-	-	-	-	-	17	44.7	4.98	35.8	3.88
Cervix uteri	-	-	-	-	-	4	10.2	2.34	8.4	1.89
Uterus Corpus	-	-	-	-	-	9	22.7	3.52	18.5	2.80
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	6.3	1.97	4.4	1.33
Male Genital System	69	203.9	11.87	159.2	8.74	-	-	-	-	-
Prostate	68	203.2	11.86	158.5	8.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	21	62.7	6.74	47.5	4.77	10	28.4	4.10	20.9	2.92
Bladder (incl. <i>in situ</i>)	5	20.6	4.29	13.8	2.70	4	10.9	2.64	7.6	1.80
Kidney & renal pelvis	15	42.1	5.21	33.7	3.93	7	17.0	3.09	12.8	2.25
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	2.4	0.92	2.5	0.96	2	3.7	1.21	3.8	1.22
Brain	1	2.1	0.87	2.1	0.89	2	3.5	1.19	3.5	1.17
Endocrine System	2	7.5	2.38	5.5	1.68	6	15.6	2.90	13.0	2.34
Thyroid gland	2	7.0	2.34	5.1	1.63	6	14.9	2.82	12.5	2.29
Lymphomas	7	20.0	3.63	16.1	2.69	9	20.2	3.24	17.4	2.67
Hodgkin Lymphoma	-	-	-	-	-	3	5.4	1.44	6.0	1.54
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	14.2	3.26	10.6	2.31	6	16.0	3.12	11.7	2.22
Leukemias	4	11.4	2.86	8.7	2.01	3	7.4	1.95	6.4	1.63
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	1	2.6	1.08	2.3	0.97	-	-	-	-	-
Acute myeloid	-	-	-	-	-	2	3.4	1.24	3.3	1.17
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	16.3	4.03	10.1	2.30	4	11.0	2.53	8.3	1.83
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	4.3	1.34	4.2	1.29	8	20.9	3.36	17.1	2.68
Breast (<i>in situ</i>)	-	-	-	-	-	10	27.7	3.98	21.1	2.97

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nebraska, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	38	326.7	26.60	225.8	16.84	45	248.7	17.80	193.6	13.06
Oral Cavity & Pharynx	2	11.8	3.65	10.4	3.21	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	104.5	14.71	74.6	9.73	9	59.1	9.24	42.1	6.19
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	11.0	4.76	8.4	3.29	1	6.0	2.48	5.3	2.15
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	3	22.9	7.15	15.2	4.31	3	17.5	5.18	11.8	3.30
Rectum & rectosigmoid	1	8.3	3.78	6.6	2.78	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	5	37.8	8.74	27.1	5.82	2	12.7	4.55	8.0	2.70
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	2	10.5	3.95	7.5	2.67
Respiratory System	6	64.7	12.83	39.3	7.42	4	26.0	6.22	18.3	4.13
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	58.9	12.15	36.0	7.06	3	22.0	5.68	15.6	3.80
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	12	62.8	8.38	51.8	6.69
Female Genital System	-	-	-	-	-	4	22.6	5.39	17.7	3.98
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	13.4	4.25	10.1	3.07
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	7	68.6	12.65	45.5	7.79	-	-	-	-	-
Prostate	7	66.7	12.56	43.6	7.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	19.6	7.12	11.6	3.91	2	10.1	3.59	7.9	2.63
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	2	9.1	3.45	7.0	2.48
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	5.8	2.28	5.5	2.13	-	-	-	-	-
Brain	1	5.8	2.28	5.5	2.13	-	-	-	-	-
Endocrine System	1	6.2	2.41	6.0	2.30	6	25.5	5.07	22.1	4.15
Thyroid gland	1	6.2	2.41	6.0	2.30	6	25.5	5.07	22.1	4.15
Lymphomas	2	19.6	6.81	12.5	3.89	2	9.7	3.74	7.0	2.49
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	18.8	6.77	11.6	3.79	1	9.0	3.66	6.1	2.34
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	9.2	3.80	7.7	2.83	2	10.7	3.89	8.2	2.75
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	1	7.8	3.09	6.3	2.38
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1	8.8	4.11	6.4	2.65	2	10.9	3.68	8.4	2.67
Breast (<i>in situ</i>)	-	-	-	-	-	5	25.4	5.45	19.8	4.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nebraska, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	20	389.2	45.69	298.8	31.42	23	371.0	39.58	279.9	27.10
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	125.8	22.78	104.7	18.04	5	92.7	22.12	64.0	13.83
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	37.7	14.27	27.8	10.13	2	54.2	19.12	33.4	10.81
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	51.9	13.88	44.7	11.50	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	69.4	23.45	46.2	13.57	3	68.2	18.93	48.0	12.20
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	50.6	21.16	33.0	11.71	3	68.2	18.93	48.0	12.20
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	7	92.6	16.88	75.0	13.19
Female Genital System	-	-	-	-	-	2	34.8	12.17	26.0	8.18
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	50.2	13.93	41.8	11.04	-	-	-	-	-
Prostate	3	45.7	13.55	37.7	10.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	41.5	14.76	31.3	9.88	2	23.0	7.30	20.8	6.59
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	24.5	8.21	22.3	7.47	2	23.0	7.30	20.8	6.59
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	38.0	15.14	26.8	9.63	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	21.9	10.33	16.0	7.04	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nebraska, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	152	353.3	15.35	260.1	10.13	169	356.0	13.84	277.7	10.06
Oral Cavity & Pharynx	3	6.5	1.99	4.8	1.26	2	3.8	1.40	3.0	1.03
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	36	86.8	7.73	62.1	4.97	28	69.1	6.45	51.7	4.52
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	9.0	2.32	6.9	1.60	3	6.9	2.08	4.9	1.38
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	23.9	4.23	16.1	2.58	10	25.3	3.96	18.5	2.68
Rectum & rectosigmoid	7	13.5	2.67	10.8	1.96	4	7.8	1.93	6.3	1.46
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	15.3	3.13	11.6	2.15	3	7.2	1.95	6.0	1.58
Gallbladder	1	4.4	1.88	2.8	1.10	-	-	-	-	-
Pancreas	4	10.3	2.85	6.7	1.70	4	11.9	2.81	8.6	1.91
Respiratory System	13	39.5	5.44	27.5	3.52	14	40.5	5.16	27.7	3.39
Larynx	1	3.1	1.34	2.5	0.99	-	-	-	-	-
Lung & bronchus	12	36.3	5.27	24.8	3.38	14	38.9	5.07	26.7	3.34
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	3.2	1.33	2.4	0.82	2	2.8	1.14	2.2	0.79
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	1	2.6	1.28	1.9	0.75	4	6.4	1.60	5.4	1.31
Breast (excl. <i>in situ</i>)	-	-	-	-	-	46	96.3	7.03	76.7	5.29
Female Genital System	-	-	-	-	-	24	46.2	4.71	38.3	3.66
Cervix uteri	-	-	-	-	-	7	12.9	2.59	10.2	1.90
Uterus Corpus	-	-	-	-	-	11	21.2	3.08	18.2	2.55
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	8.2	1.90	6.8	1.43
Male Genital System	35	87.8	7.65	65.8	5.24	-	-	-	-	-
Prostate	30	82.0	7.52	60.1	5.10	-	-	-	-	-
Testis	5	5.2	1.34	5.1	1.10	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	40.7	5.14	29.9	3.39	7	17.4	3.23	12.6	2.19
Bladder (incl. <i>in situ</i>)	7	19.3	3.87	12.8	2.31	2	4.3	1.64	3.0	1.10
Kidney & renal pelvis	11	21.4	3.39	17.1	2.49	6	12.8	2.75	9.3	1.86
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	5	9.6	2.44	7.4	1.64	3	3.9	1.17	3.8	1.03
Brain	5	8.7	2.32	6.7	1.54	3	3.6	1.13	3.4	0.98
Endocrine System	6	10.0	2.13	8.7	1.66	15	19.4	2.40	17.9	2.11
Thyroid gland	6	9.4	2.11	8.0	1.63	15	19.3	2.40	17.8	2.11
Lymphomas	12	26.1	4.23	18.9	2.68	8	18.3	3.17	14.8	2.40
Hodgkin Lymphoma	3	2.9	0.85	2.9	0.80	1	1.6	0.74	1.6	0.70
Non-Hodgkin Lymphoma	9	23.2	4.14	16.1	2.56	7	16.7	3.08	13.2	2.30
Multiple Myeloma	4	10.3	2.81	6.7	1.66	3	6.7	1.89	5.3	1.44
Leukemias	10	18.7	3.46	14.2	2.21	5	8.6	2.07	7.2	1.53
Acute lymphocytic	5	4.6	1.19	4.7	1.06	3	2.9	0.99	2.8	0.84
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	3	7.3	2.36	4.9	1.43	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	1	3.0	1.63	1.7	0.76	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	8.7	2.08	7.4	1.63	5	13.4	2.91	8.7	1.81
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	6.0	2.02	4.4	1.33	8	12.8	2.39	10.7	1.84
Breast (<i>in situ</i>)	-	-	-	-	-	7	14.8	2.75	11.4	2.00

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEBRASKA

254 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nebraska, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,644	502.8	3.39	374.1	2.56	4,422	440.0	3.11	343.7	2.55
Oral Cavity & Pharynx	181	19.4	0.67	15.2	0.52	73	7.0	0.39	5.4	0.31
Lip	17	1.9	0.21	1.2	0.14	8	0.7	0.12	0.5	0.09
Tongue	53	5.5	0.35	4.5	0.29	21	2.1	0.22	1.7	0.18
Major salivary gland	17	1.9	0.21	1.3	0.15	12	1.1	0.15	0.9	0.13
Floor of mouth	7	0.7	0.13	0.6	0.10	3	0.3	0.08	0.2	0.06
Gum & other mouth	22	2.3	0.23	1.7	0.17	17	1.6	0.18	1.1	0.14
Nasopharynx	5	0.6	0.12	0.5	0.11	3	0.3	0.08	0.3	0.08
Oropharynx	10	1.0	0.14	0.8	0.12	2	0.2	0.06	0.2	0.05
Hypopharynx	11	1.1	0.15	0.8	0.12	3	0.3	0.08	0.2	0.06
Digestive System	855	93.4	1.47	68.0	1.08	704	65.7	1.16	47.4	0.88
Esophagus	80	8.5	0.43	6.2	0.32	19	1.7	0.18	1.2	0.13
Stomach	64	6.9	0.40	4.9	0.29	30	2.8	0.24	2.1	0.19
Small intestine	26	3.0	0.27	2.3	0.21	21	2.1	0.21	1.6	0.17
Colon excl. rectum	296	32.5	0.87	23.1	0.63	306	28.3	0.76	19.8	0.57
Rectum & rectosigmoid	139	15.4	0.60	11.8	0.47	98	9.8	0.46	7.6	0.37
Anus, anal canal & anorectum	12	1.3	0.17	1.0	0.13	25	2.5	0.23	2.0	0.19
Liver	58	5.9	0.35	4.6	0.27	18	1.6	0.17	1.2	0.13
Gallbladder	8	0.9	0.15	0.6	0.09	14	1.2	0.15	0.8	0.11
Pancreas	137	15.1	0.59	10.8	0.43	122	11.0	0.46	7.6	0.34
Respiratory System	667	71.6	1.27	50.2	0.89	573	52.8	1.01	38.3	0.76
Larynx	44	4.5	0.31	3.4	0.24	14	1.3	0.17	1.0	0.13
Lung & bronchus	615	66.2	1.22	45.9	0.84	552	50.7	0.99	36.6	0.73
Bones & Joints	8	1.0	0.15	0.9	0.16	7	0.8	0.15	0.8	0.16
Soft Tissue (incl. heart)	39	4.6	0.34	3.5	0.27	21	2.3	0.24	2.1	0.23
Skin (excl. basal & sq.)	301	34.3	0.91	25.7	0.70	247	28.3	0.85	23.9	0.75
Melanomas of the skin	276	31.4	0.87	23.8	0.67	235	27.0	0.83	22.9	0.73
Breast (excl. <i>in situ</i>)	15	1.6	0.19	1.2	0.15	1,295	130.8	1.71	103.8	1.39
Female Genital System	-	-	-	-	-	512	52.2	1.09	42.4	0.91
Cervix uteri	-	-	-	-	-	60	7.8	0.47	6.8	0.42
Uterus Corpus	-	-	-	-	-	285	27.7	0.76	22.5	0.63
Uterus, NOS ¹	-	-	-	-	-	4	0.4	0.09	0.3	0.07
Ovary	-	-	-	-	-	107	11.0	0.50	8.8	0.42
Male Genital System	1,198	122.9	1.63	95.4	1.27	-	-	-	-	-
Prostate	1,127	113.2	1.54	86.1	1.16	-	-	-	-	-
Testis	58	8.2	0.49	8.4	0.50	-	-	-	-	-
Penis	10	1.1	0.16	0.7	0.11	-	-	-	-	-
Urinary System	558	61.2	1.19	43.2	0.85	228	21.4	0.66	15.8	0.52
Bladder (incl. <i>in situ</i>)	327	35.9	0.91	23.9	0.61	104	8.9	0.40	6.0	0.29
Kidney & renal pelvis	218	23.7	0.74	18.3	0.58	118	11.9	0.51	9.5	0.43
Ureter	8	0.9	0.15	0.5	0.09	4	0.3	0.08	0.2	0.05
Eye & Orbit	11	1.2	0.17	1.1	0.16	9	1.0	0.15	0.9	0.14
Brain & Other CNS ¹	73	8.5	0.46	7.3	0.41	56	6.2	0.39	5.6	0.38
Brain	68	7.8	0.44	6.6	0.39	52	5.7	0.37	5.1	0.36
Endocrine System	70	8.5	0.47	7.6	0.43	188	23.4	0.80	21.2	0.74
Thyroid gland	62	7.5	0.44	6.6	0.39	181	22.6	0.79	20.4	0.72
Lymphomas	252	28.7	0.83	21.5	0.64	201	19.7	0.65	15.3	0.54
Hodgkin Lymphoma	29	3.8	0.32	3.5	0.30	19	2.4	0.25	2.4	0.26
Non-Hodgkin Lymphoma	223	24.9	0.77	18.0	0.57	182	17.2	0.60	12.9	0.47
Multiple Myeloma	71	7.8	0.42	5.6	0.30	46	4.1	0.28	3.0	0.21
Leukemias	159	17.9	0.65	13.7	0.52	112	11.1	0.50	8.8	0.43
Acute lymphocytic	13	1.7	0.22	1.8	0.24	10	1.4	0.20	1.6	0.24
Chronic lymphocytic	60	6.4	0.38	4.6	0.27	36	3.2	0.24	2.2	0.18
Acute myeloid	49	5.4	0.35	3.9	0.26	40	3.9	0.29	3.0	0.24
Chronic myeloid	21	2.3	0.24	1.9	0.20	13	1.3	0.18	1.0	0.14
Other leukemias	18	2.1	0.22	1.5	0.17	13	1.3	0.17	1.0	0.15
Mesothelioma	12	1.3	0.17	0.8	0.10	4	0.4	0.09	0.3	0.07
Kaposi Sarcoma	1	0.2	0.08	0.2	0.08	-	-	-	-	-
Ill-defined & Unknown	172	18.8	0.65	13.1	0.47	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	65	7.7	0.44	6.5	0.38	127	13.5	0.57	11.0	0.48
Breast (<i>in situ</i>)	1	0.2	0.06	0.1	0.05	263	27.6	0.80	22.5	0.66

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nebraska, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	191	612.5	21.65	461.7	15.20	159	431.7	15.83	338.0	12.07
Oral Cavity & Pharynx	6	16.3	3.19	13.5	2.50	2	4.3	1.46	3.9	1.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	1	3.6	1.36	3.1	1.19	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	1	3.7	1.69	2.8	1.17	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	44	144.9	10.68	106.9	7.34	29	81.5	6.94	61.6	5.13
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	14.1	3.32	10.4	2.27	2	5.5	1.69	4.5	1.36
Small intestine	2	8.2	2.54	6.0	1.76	2	4.6	1.56	3.8	1.27
Colon excl. rectum	14	45.7	6.02	33.5	4.13	9	25.4	3.96	18.7	2.84
Rectum & rectosigmoid	5	14.4	3.14	11.2	2.27	5	12.5	2.67	9.9	2.07
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	22.6	3.84	18.4	2.96	2	5.4	1.75	4.2	1.33
Gallbladder	-	-	-	-	-	2	4.5	1.61	3.5	1.25
Pancreas	7	27.1	4.96	18.5	3.18	5	16.2	3.20	11.3	2.19
Respiratory System	25	88.9	8.72	62.8	5.74	27	76.3	6.77	57.4	4.97
Larynx	3	9.7	2.58	7.8	1.99	-	-	-	-	-
Lung & bronchus	22	79.2	8.33	54.9	5.38	26	73.7	6.67	55.2	4.86
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	3.9	1.35	3.8	1.27	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	1	3.2	1.36	2.7	1.11
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	41	112.4	8.01	89.1	6.23
Female Genital System	-	-	-	-	-	17	45.8	5.12	36.7	4.00
Cervix uteri	-	-	-	-	-	4	10.6	2.44	8.8	1.98
Uterus Corpus	-	-	-	-	-	9	23.0	3.61	18.7	2.86
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	6.4	2.02	4.5	1.37
Male Genital System	68	209.6	12.24	163.5	9.00	-	-	-	-	-
Prostate	68	208.8	12.23	162.8	8.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	21	65.0	6.98	49.2	4.94	10	28.9	4.20	21.2	2.99
Bladder (incl. <i>in situ</i>)	5	21.3	4.43	14.3	2.79	3	10.7	2.67	7.4	1.80
Kidney & renal pelvis	15	43.7	5.40	34.9	4.08	7	17.6	3.19	13.3	2.34
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	2.1	0.87	2.3	0.93	2	3.9	1.27	4.0	1.28
Brain	-	-	-	-	-	2	3.6	1.24	3.7	1.23
Endocrine System	2	7.7	2.46	5.7	1.74	6	16.2	3.00	13.5	2.43
Thyroid gland	2	7.3	2.42	5.3	1.69	6	15.5	2.93	13.0	2.39
Lymphomas	7	20.4	3.75	16.3	2.77	9	21.0	3.36	18.1	2.78
Hodgkin Lymphoma	-	-	-	-	-	3	5.7	1.52	6.3	1.63
Non-Hodgkin Lymphoma	-	-	-	-	-	6	15.3	3.00	11.8	2.25
Multiple Myeloma	4	14.7	3.38	11.0	2.40	5	15.9	3.16	11.5	2.23
Leukemias	4	10.9	2.83	8.5	1.99	3	7.8	2.03	6.8	1.71
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	1	2.7	1.12	2.4	1.00	-	-	-	-	-
Acute myeloid	-	-	-	-	-	2	3.6	1.29	3.4	1.23
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	16.8	4.16	10.4	2.37	4	11.4	2.61	8.7	1.91
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	4.5	1.41	4.5	1.35	8	21.1	3.44	17.3	2.74
Breast (<i>in situ</i>)	-	-	-	-	-	10	27.8	4.03	21.5	3.05

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NEBRASKA

256 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nevada, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	6,421	405.6	2.34	298.6	1.70	6,287	379.6	2.19	291.8	1.71
Oral Cavity & Pharynx	255	15.5	0.45	12.0	0.34	99	5.8	0.27	4.5	0.21
Lip	15	1.0	0.12	0.7	0.09	5	0.3	0.06	0.2	0.05
Tongue	88	5.3	0.26	4.1	0.20	36	2.1	0.16	1.6	0.13
Major salivary gland	24	1.7	0.16	1.1	0.10	12	0.8	0.10	0.6	0.09
Floor of mouth	8	0.5	0.07	0.4	0.06	5	0.3	0.06	0.2	0.04
Gum & other mouth	18	1.1	0.12	0.9	0.09	14	0.8	0.10	0.6	0.08
Nasopharynx	12	0.8	0.10	0.6	0.08	6	0.3	0.07	0.3	0.06
Oropharynx	16	1.0	0.11	0.7	0.08	5	0.3	0.06	0.2	0.04
Hypopharynx	12	0.7	0.09	0.6	0.07	4	0.2	0.05	0.2	0.04
Digestive System	1,328	83.6	1.06	61.3	0.76	989	59.0	0.86	42.9	0.63
Esophagus	118	7.2	0.31	5.3	0.22	28	1.6	0.14	1.1	0.10
Stomach	102	6.6	0.30	4.7	0.21	67	4.1	0.23	3.0	0.17
Small intestine	31	2.0	0.16	1.5	0.12	24	1.5	0.14	1.1	0.10
Colon excl. rectum	421	27.3	0.61	19.5	0.43	377	22.8	0.54	16.3	0.39
Rectum & rectosigmoid	210	13.0	0.41	10.0	0.31	140	8.3	0.32	6.5	0.25
Anus, anal canal & anorectum	22	1.4	0.14	1.0	0.10	36	2.0	0.15	1.6	0.12
Liver	160	9.4	0.34	7.4	0.27	58	3.4	0.20	2.5	0.15
Gallbladder	10	0.6	0.09	0.4	0.06	17	1.0	0.11	0.7	0.08
Pancreas	197	12.4	0.41	8.9	0.29	189	11.1	0.37	7.7	0.26
Respiratory System	911	58.4	0.89	39.8	0.59	906	53.0	0.80	36.7	0.56
Larynx	61	3.7	0.22	2.7	0.16	15	0.8	0.10	0.6	0.08
Lung & bronchus	838	53.9	0.86	36.5	0.57	881	51.6	0.79	35.6	0.55
Bones & Joints	19	1.3	0.14	1.2	0.13	12	0.8	0.11	0.7	0.10
Soft Tissue (incl. heart)	60	3.9	0.23	3.2	0.19	44	2.8	0.19	2.3	0.16
Skin (excl. basal & sq.)	352	22.9	0.56	16.5	0.40	210	12.9	0.41	10.3	0.33
Melanomas of the skin	331	21.6	0.55	15.5	0.39	198	12.1	0.39	9.7	0.32
Breast (excl. <i>in situ</i>)	21	1.3	0.14	1.0	0.10	1,835	110.3	1.18	86.7	0.93
Female Genital System	-	-	-	-	-	723	43.7	0.75	35.7	0.62
Cervix uteri	-	-	-	-	-	130	8.9	0.36	7.8	0.32
Uterus Corpus	-	-	-	-	-	351	20.2	0.49	16.6	0.41
Uterus, NOS ¹	-	-	-	-	-	15	0.9	0.10	0.7	0.08
Ovary	-	-	-	-	-	170	10.3	0.36	8.1	0.29
Male Genital System	1,536	91.5	1.07	69.8	0.81	-	-	-	-	-
Prostate	1,445	85.1	1.03	63.7	0.75	-	-	-	-	-
Testis	76	5.4	0.28	5.5	0.28	-	-	-	-	-
Penis	12	0.8	0.11	0.5	0.07	-	-	-	-	-
Urinary System	788	51.1	0.84	35.7	0.58	338	20.1	0.50	14.7	0.37
Bladder (incl. <i>in situ</i>)	482	32.0	0.68	21.1	0.43	152	9.1	0.33	6.1	0.23
Kidney & renal pelvis	291	18.1	0.49	14.0	0.37	176	10.5	0.36	8.2	0.29
Ureter	7	0.5	0.08	0.3	0.05	7	0.4	0.07	0.3	0.05
Eye & Orbit	15	1.0	0.12	0.8	0.10	10	0.6	0.09	0.5	0.08
Brain & Other CNS ¹	113	7.3	0.32	6.3	0.28	86	5.3	0.26	4.7	0.24
Brain	109	7.1	0.31	6.0	0.27	82	5.1	0.26	4.4	0.23
Endocrine System	121	7.8	0.32	6.7	0.28	359	23.9	0.58	21.3	0.52
Thyroid gland	111	7.1	0.31	6.0	0.26	349	23.2	0.57	20.7	0.51
Lymphomas	293	19.2	0.52	14.7	0.39	230	13.9	0.42	10.7	0.33
Hodgkin Lymphoma	26	1.8	0.16	1.7	0.15	24	1.7	0.15	1.7	0.16
Non-Hodgkin Lymphoma	267	17.4	0.49	13.0	0.36	205	12.3	0.39	9.1	0.29
Multiple Myeloma	90	5.8	0.28	4.1	0.20	66	3.9	0.22	2.8	0.16
Leukemias	223	15.0	0.46	11.7	0.37	147	9.4	0.35	7.5	0.30
Acute lymphocytic	25	1.9	0.17	2.1	0.19	18	1.4	0.14	1.5	0.16
Chronic lymphocytic	71	4.5	0.25	3.2	0.17	45	2.7	0.19	1.8	0.13
Acute myeloid	67	4.6	0.26	3.3	0.19	48	3.0	0.20	2.3	0.16
Chronic myeloid	24	1.6	0.15	1.3	0.12	18	1.1	0.12	0.9	0.10
Other leukemias	36	2.5	0.19	1.8	0.14	18	1.2	0.13	0.9	0.11
Mesothelioma	17	1.1	0.13	0.7	0.08	6	0.4	0.07	0.2	0.05
Kaposi Sarcoma	11	0.8	0.10	0.7	0.10	-	-	-	-	-
Ill-defined & Unknown	267	17.9	0.51	12.1	0.34	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	96	6.4	0.30	4.9	0.23	203	12.4	0.40	9.6	0.32
Breast (<i>in situ</i>)	3	0.2	0.05	0.1	0.04	352	20.8	0.51	16.9	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nevada, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,472	414.8	2.58	305.4	1.90	5,150	389.7	2.49	299.1	1.96
Oral Cavity & Pharynx	224	16.4	0.50	12.7	0.39	84	6.2	0.31	4.8	0.25
Lip	15	1.2	0.14	0.9	0.10	5	0.4	0.08	0.3	0.06
Tongue	80	5.7	0.29	4.5	0.23	31	2.3	0.19	1.8	0.15
Major salivary gland	21	1.8	0.18	1.1	0.11	10	0.8	0.12	0.7	0.10
Floor of mouth	7	0.5	0.08	0.4	0.07	4	0.3	0.07	0.2	0.05
Gum & other mouth	15	1.1	0.13	0.9	0.10	12	0.9	0.11	0.6	0.09
Nasopharynx	7	0.6	0.10	0.5	0.08	4	0.3	0.06	0.2	0.05
Oropharynx	14	0.9	0.12	0.7	0.09	4	0.3	0.06	0.2	0.05
Hypopharynx	11	0.8	0.11	0.6	0.08	3	0.2	0.06	0.2	0.04
Digestive System	1,075	81.1	1.14	59.4	0.83	789	58.6	0.95	42.6	0.71
Esophagus	104	7.6	0.35	5.5	0.24	25	1.8	0.16	1.3	0.12
Stomach	77	5.9	0.31	4.2	0.22	48	3.6	0.24	2.7	0.19
Small intestine	25	1.9	0.18	1.4	0.13	20	1.6	0.16	1.2	0.12
Colon excl. rectum	340	26.4	0.66	18.9	0.47	300	22.6	0.60	16.1	0.44
Rectum & rectosigmoid	169	12.6	0.45	9.6	0.34	116	8.7	0.37	6.7	0.29
Anus, anal canal & anorectum	19	1.5	0.15	1.1	0.11	31	2.2	0.18	1.8	0.14
Liver	122	8.6	0.36	6.8	0.28	40	2.9	0.21	2.1	0.16
Gallbladder	7	0.5	0.09	0.3	0.06	14	1.1	0.13	0.7	0.09
Pancreas	166	12.5	0.45	9.0	0.31	155	11.2	0.41	7.8	0.29
Respiratory System	776	59.1	0.98	40.3	0.65	773	55.7	0.91	38.6	0.63
Larynx	53	3.8	0.24	2.8	0.17	13	0.9	0.12	0.7	0.09
Lung & bronchus	712	54.5	0.94	36.8	0.62	751	54.2	0.90	37.4	0.62
Bones & Joints	15	1.3	0.16	1.3	0.15	10	0.9	0.13	0.8	0.12
Soft Tissue (incl. heart)	50	4.0	0.26	3.3	0.22	32	2.5	0.20	2.0	0.17
Skin (excl. basal & sq.)	343	26.8	0.67	19.4	0.48	201	15.6	0.51	12.5	0.42
Melanomas of the skin	323	25.3	0.65	18.3	0.47	191	14.8	0.49	11.9	0.41
Breast (excl. <i>in situ</i>)	17	1.3	0.15	1.0	0.11	1,473	111.2	1.33	87.2	1.06
Female Genital System	-	-	-	-	-	583	44.5	0.85	36.2	0.70
Cervix uteri	-	-	-	-	-	101	9.0	0.41	7.9	0.36
Uterus Corpus	-	-	-	-	-	286	20.7	0.56	16.9	0.46
Uterus, NOS ¹	-	-	-	-	-	11	0.8	0.11	0.6	0.08
Ovary	-	-	-	-	-	136	10.4	0.41	8.1	0.33
Male Genital System	1,287	92.0	1.18	70.4	0.90	-	-	-	-	-
Prostate	1,205	84.7	1.12	63.3	0.82	-	-	-	-	-
Testis	68	6.2	0.34	6.4	0.35	-	-	-	-	-
Penis	11	0.9	0.13	0.6	0.08	-	-	-	-	-
Urinary System	697	53.9	0.94	37.7	0.65	287	21.3	0.58	15.6	0.43
Bladder (incl. <i>in situ</i>)	443	34.8	0.76	23.0	0.49	136	10.0	0.39	6.8	0.27
Kidney & renal pelvis	241	18.1	0.54	13.9	0.41	142	10.6	0.41	8.3	0.33
Ureter	7	0.5	0.10	0.3	0.06	7	0.5	0.09	0.3	0.06
Eye & Orbit	14	1.2	0.14	0.9	0.12	9	0.7	0.11	0.6	0.10
Brain & Other CNS ¹	99	7.8	0.36	6.7	0.32	73	5.7	0.31	5.0	0.29
Brain	95	7.5	0.36	6.4	0.31	70	5.4	0.30	4.7	0.27
Endocrine System	103	8.1	0.37	6.9	0.32	281	24.4	0.67	22.0	0.61
Thyroid gland	95	7.5	0.35	6.3	0.30	273	23.6	0.66	21.2	0.60
Lymphomas	251	19.9	0.58	15.1	0.45	190	14.5	0.48	11.1	0.38
Hodgkin Lymphoma	22	1.9	0.19	1.8	0.18	19	1.7	0.18	1.7	0.18
Non-Hodgkin Lymphoma	229	18.0	0.55	13.4	0.41	172	12.8	0.45	9.4	0.34
Multiple Myeloma	74	5.7	0.30	4.0	0.21	49	3.6	0.23	2.6	0.17
Leukemias	195	15.9	0.52	12.5	0.43	123	9.9	0.41	7.9	0.35
Acute lymphocytic	21	2.0	0.20	2.3	0.23	16	1.5	0.17	1.7	0.20
Chronic lymphocytic	64	4.8	0.28	3.5	0.19	39	3.0	0.22	2.0	0.15
Acute myeloid	57	4.6	0.28	3.4	0.22	38	3.0	0.23	2.4	0.18
Chronic myeloid	21	1.7	0.17	1.4	0.14	14	1.1	0.14	0.9	0.11
Other leukemias	32	2.7	0.22	2.0	0.17	15	1.2	0.15	0.9	0.12
Mesothelioma	14	1.2	0.14	0.7	0.09	5	0.4	0.08	0.3	0.06
Kaposi Sarcoma	8	0.7	0.11	0.6	0.10	-	-	-	-	-
Ill-defined & Unknown	230	18.3	0.56	12.4	0.37	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	78	6.3	0.33	4.8	0.26	160	12.3	0.44	9.4	0.35
Breast (<i>in situ</i>)	3	0.2	0.05	0.1	0.04	265	19.8	0.56	16.1	0.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NEVADA

258 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nevada, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	438	378.4	8.59	283.7	6.08	437	330.8	7.28	255.2	5.48
Oral Cavity & Pharynx	15	12.9	1.54	9.9	1.13	6	4.5	0.82	3.7	0.66
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	3.9	0.89	2.8	0.61	2	1.2	0.42	0.9	0.32
Major salivary gland	2	1.6	0.55	1.2	0.40	1	0.9	0.39	0.7	0.29
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	1	0.8	0.31	0.7	0.27
Nasopharynx	2	1.4	0.46	1.1	0.38	-	-	-	-	-
Oropharynx	2	1.5	0.49	1.3	0.40	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	100	86.8	4.11	64.8	2.90	80	61.7	3.18	45.6	2.29
Esophagus	6	4.4	0.85	3.6	0.67	1	0.9	0.37	0.7	0.28
Stomach	9	7.8	1.26	5.6	0.85	7	5.5	0.99	3.7	0.65
Small intestine	4	3.2	0.77	2.5	0.57	2	1.7	0.52	1.3	0.38
Colon excl. rectum	38	34.0	2.64	24.5	1.79	32	24.6	2.00	18.4	1.46
Rectum & rectosigmoid	11	9.1	1.32	7.0	0.95	8	6.5	1.04	4.8	0.76
Anus, anal canal & anorectum	-	-	-	-	-	3	2.2	0.58	1.7	0.45
Liver	14	10.9	1.38	8.8	1.06	6	4.1	0.78	3.3	0.62
Gallbladder	-	-	-	-	-	1	1.1	0.44	0.8	0.29
Pancreas	15	12.9	1.57	9.7	1.12	16	12.5	1.43	9.0	1.01
Respiratory System	60	55.4	3.38	39.3	2.27	60	48.1	2.87	33.8	1.96
Larynx	5	4.1	0.89	3.0	0.63	-	-	-	-	-
Lung & bronchus	55	51.1	3.26	36.2	2.18	58	46.7	2.84	32.8	1.92
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	4	3.0	0.68	2.7	0.59	5	3.2	0.68	2.9	0.60
Skin (excl. basal & sq.)	2	1.4	0.48	1.1	0.38	3	2.3	0.62	1.9	0.48
Melanomas of the skin	1	1.0	0.43	0.8	0.31	2	1.4	0.51	1.0	0.34
Breast (excl. <i>in situ</i>)	2	2.0	0.62	1.5	0.45	141	104.6	4.03	83.3	3.15
Female Genital System	-	-	-	-	-	50	36.5	2.36	29.7	1.89
Cervix uteri	-	-	-	-	-	10	7.6	1.06	6.7	0.93
Uterus Corpus	-	-	-	-	-	23	16.2	1.56	13.1	1.23
Uterus, NOS ¹	-	-	-	-	-	2	1.2	0.40	1.1	0.35
Ovary	-	-	-	-	-	11	8.8	1.20	6.6	0.88
Male Genital System	133	109.3	4.46	85.1	3.30	-	-	-	-	-
Prostate	131	108.0	4.44	83.8	3.28	-	-	-	-	-
Testis	1	0.9	0.36	0.9	0.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	42.3	2.99	29.7	1.98	23	17.5	1.68	13.1	1.23
Bladder (incl. <i>in situ</i>)	19	21.4	2.31	13.2	1.34	7	5.5	0.98	3.8	0.65
Kidney & renal pelvis	25	20.5	1.89	16.3	1.45	16	12.0	1.37	9.3	1.04
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	7	5.2	0.96	4.6	0.78	6	4.0	0.77	3.5	0.66
Brain	7	5.1	0.95	4.5	0.77	5	3.8	0.75	3.3	0.64
Endocrine System	4	2.5	0.60	2.4	0.55	13	9.4	1.16	8.2	1.01
Thyroid gland	2	1.7	0.52	1.6	0.45	13	8.8	1.12	7.8	0.99
Lymphomas	18	15.9	1.81	11.9	1.26	15	10.9	1.32	8.8	1.03
Hodgkin Lymphoma	2	1.7	0.48	1.6	0.46	3	1.8	0.46	1.9	0.48
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	9.8	1.43	6.9	0.96	8	6.3	1.03	4.5	0.72
Leukemias	14	11.6	1.50	8.9	1.09	9	6.9	1.07	5.4	0.81
Acute lymphocytic	2	1.3	0.44	1.2	0.41	-	-	-	-	-
Chronic lymphocytic	4	3.5	0.86	2.5	0.57	2	2.0	0.63	1.2	0.38
Acute myeloid	4	3.7	0.86	2.8	0.60	3	2.4	0.62	1.9	0.47
Chronic myeloid	1	1.0	0.40	0.9	0.34	2	1.4	0.46	1.2	0.38
Other leukemias	2	2.1	0.65	1.6	0.45	-	-	-	-	-
Mesothelioma	2	1.7	0.68	1.1	0.38	-	-	-	-	-
Kaposi Sarcoma	3	1.5	0.43	1.7	0.46	-	-	-	-	-
Ill-defined & Unknown	17	16.2	1.90	11.2	1.22	17	13.9	1.55	9.7	1.05
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	6.0	1.12	4.5	0.77	19	14.0	1.49	11.0	1.15
Breast (<i>in situ</i>)	-	-	-	-	-	27	20.6	1.82	15.7	1.36

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nevada, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	305	237.6	6.39	172.8	4.48	492	271.2	5.65	212.1	4.40
Oral Cavity & Pharynx	9	6.2	0.98	4.9	0.76	6	3.2	0.59	2.7	0.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	1.4	0.51	1.1	0.37	3	1.3	0.37	1.1	0.30
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	2	1.6	0.50	1.3	0.38	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	94	74.5	3.61	53.5	2.48	82	46.4	2.39	33.1	1.68
Esophagus	5	3.3	0.71	2.5	0.52	-	-	-	-	-
Stomach	11	9.4	1.35	6.3	0.85	10	5.6	0.84	4.1	0.60
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	26	21.8	2.01	15.1	1.32	32	18.1	1.49	12.9	1.04
Rectum & rectosigmoid	22	16.1	1.59	12.5	1.21	10	5.3	0.78	4.1	0.59
Anus, anal canal & anorectum	-	-	-	-	-	1	0.6	0.28	0.5	0.20
Liver	13	10.7	1.37	7.6	0.93	9	4.9	0.77	3.6	0.59
Gallbladder	2	1.1	0.38	0.9	0.32	-	-	-	-	-
Pancreas	9	7.2	1.10	5.4	0.79	12	7.2	0.97	4.7	0.61
Respiratory System	50	40.6	2.71	27.7	1.76	52	29.5	1.89	20.6	1.29
Larynx	2	1.1	0.38	0.9	0.31	-	-	-	-	-
Lung & bronchus	48	39.5	2.68	26.7	1.73	52	29.4	1.89	20.5	1.29
Bones & Joints	2	1.5	0.50	1.4	0.49	-	-	-	-	-
Soft Tissue (incl. heart)	3	2.5	0.62	2.1	0.53	6	3.1	0.60	2.6	0.50
Skin (excl. basal & sq.)	2	2.0	0.59	1.4	0.41	3	2.0	0.50	1.5	0.39
Melanomas of the skin	2	1.6	0.54	1.1	0.36	3	1.6	0.45	1.3	0.37
Breast (excl. <i>in situ</i>)	-	-	-	-	-	162	87.0	3.15	69.4	2.48
Female Genital System	-	-	-	-	-	65	34.8	1.97	29.6	1.69
Cervix uteri	-	-	-	-	-	12	7.1	0.91	6.2	0.81
Uterus Corpus	-	-	-	-	-	29	14.7	1.24	12.7	1.06
Uterus, NOS ¹	-	-	-	-	-	2	1.0	0.33	0.9	0.30
Ovary	-	-	-	-	-	19	10.5	1.11	8.7	0.94
Male Genital System	65	48.3	2.80	35.2	1.96	-	-	-	-	-
Prostate	63	46.8	2.76	33.7	1.90	-	-	-	-	-
Testis	2	1.5	0.46	1.4	0.44	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	19.7	1.79	14.9	1.31	17	9.7	1.08	7.0	0.76
Bladder (incl. <i>in situ</i>)	11	8.3	1.20	5.8	0.81	6	3.3	0.65	2.1	0.40
Kidney & renal pelvis	16	11.3	1.32	8.9	1.02	11	6.1	0.84	4.7	0.64
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	2.9	0.64	2.7	0.59	4	2.3	0.56	2.2	0.59
Brain	4	2.6	0.60	2.3	0.54	3	2.0	0.54	2.1	0.58
Endocrine System	11	8.1	1.14	6.5	0.90	48	27.4	1.80	23.6	1.56
Thyroid gland	9	7.3	1.10	5.8	0.85	48	27.1	1.79	23.4	1.56
Lymphomas	14	11.3	1.39	8.6	1.03	16	9.0	1.04	7.0	0.83
Hodgkin Lymphoma	-	-	-	-	-	1	0.8	0.35	0.9	0.40
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	1.7	0.52	1.3	0.37	6	3.1	0.60	2.3	0.43
Leukemias	8	7.1	1.18	5.2	0.85	9	5.4	0.84	4.6	0.75
Acute lymphocytic	1	1.1	0.41	1.2	0.49	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	4	3.9	0.90	2.4	0.53	5	2.7	0.57	2.1	0.47
Chronic myeloid	-	-	-	-	-	2	0.8	0.30	0.6	0.23
Other leukemias	-	-	-	-	-	1	0.8	0.36	0.8	0.37
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	11	9.7	1.38	6.4	0.87	13	7.4	0.96	5.1	0.65
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	5.2	0.90	4.2	0.73	16	8.8	1.02	6.8	0.78
Breast (<i>in situ</i>)	-	-	-	-	-	44	22.5	1.56	18.5	1.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nevada, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCD¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	52	265.0	18.03	192.1	12.01	62	262.0	15.60	201.8	11.50
Oral Cavity & Pharynx	2	7.1	2.41	6.1	2.03	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	66.3	8.57	50.2	6.07	12	52.9	7.26	38.7	5.02
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	5.2	2.18	4.2	1.73	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	27.3	6.02	18.5	3.84	4	16.7	4.08	12.0	2.77
Rectum & rectosigmoid	2	9.6	3.32	7.1	2.29	1	4.3	1.64	4.4	1.66
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	12.7	3.14	11.2	2.73	1	6.4	2.70	3.9	1.59
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	1	6.7	2.77	5.0	1.91	2	9.8	3.15	7.3	2.21
Respiratory System	7	40.9	7.45	27.5	4.64	7	35.3	6.07	24.1	3.98
Larynx	1	7.4	3.40	4.6	1.91	-	-	-	-	-
Lung & bronchus	6	32.7	6.57	22.1	4.16	7	33.2	5.87	22.8	3.87
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	17	71.0	8.05	55.2	6.02
Female Genital System	-	-	-	-	-	8	28.9	4.73	25.0	4.03
Cervix uteri	-	-	-	-	-	2	9.1	2.64	7.9	2.30
Uterus Corpus	-	-	-	-	-	4	13.0	3.11	11.6	2.74
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	12	57.0	8.01	43.3	5.63	-	-	-	-	-
Prostate	10	51.4	7.75	37.6	5.26	-	-	-	-	-
Testis	2	5.7	2.02	5.7	2.02	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	33.3	6.79	22.2	4.11	5	18.7	4.06	14.7	3.07
Bladder (incl. <i>in situ</i>)	2	12.5	4.25	8.1	2.49	2	8.2	2.90	5.9	1.97
Kidney & renal pelvis	4	20.7	5.30	14.1	3.27	3	10.5	2.85	8.8	2.35
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	1	6.0	2.44	5.1	1.93	-	-	-	-	-
Brain	1	6.0	2.44	5.1	1.93	-	-	-	-	-
Endocrine System	1	5.1	2.14	4.2	1.74	4	15.9	3.79	12.4	2.87
Thyroid gland	1	5.1	2.14	4.2	1.74	4	14.4	3.51	11.9	2.81
Lymphomas	2	11.2	3.79	8.0	2.46	2	8.7	2.54	7.9	2.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	11.2	3.79	8.0	2.46	1	5.1	1.93	4.4	1.68
Multiple Myeloma	-	-	-	-	-	1	5.6	2.42	4.0	1.64
Leukemias	2	13.4	4.68	8.1	2.60	1	5.3	2.31	4.0	1.65
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	15.8	4.83	10.0	2.82	2	11.2	3.44	7.8	2.26
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	2	7.7	2.54	6.6	2.11
Breast (<i>in situ</i>)	-	-	-	-	-	3	12.6	3.17	10.7	2.62

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCD¹ – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nevada, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	632	292.2	5.92	214.5	3.95	768	289.6	5.04	224.9	3.68
Oral Cavity & Pharynx	19	9.1	1.07	6.4	0.68	7	2.9	0.52	2.2	0.37
Lip	2	0.8	0.35	0.5	0.19	-	-	-	-	-
Tongue	5	2.4	0.56	1.6	0.35	2	0.9	0.30	0.6	0.19
Major salivary gland	2	1.5	0.51	0.8	0.26	2	0.7	0.21	0.6	0.18
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	2	0.6	0.19	0.5	0.17	-	-	-	-	-
Oropharynx	1	0.6	0.22	0.5	0.18	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	154	72.2	2.94	52.5	1.95	132	55.5	2.32	40.5	1.59
Esophagus	8	4.1	0.73	2.9	0.47	3	1.4	0.41	0.9	0.24
Stomach	17	8.4	1.04	5.9	0.66	18	6.6	0.76	5.2	0.56
Small intestine	3	1.4	0.40	1.1	0.27	3	1.2	0.35	0.8	0.23
Colon excl. rectum	49	23.5	1.71	16.8	1.11	44	17.8	1.29	13.3	0.90
Rectum & rectosigmoid	23	9.2	0.96	7.2	0.70	19	7.1	0.78	5.5	0.58
Anus, anal canal & anorectum	2	0.8	0.35	0.5	0.19	3	1.1	0.31	0.9	0.24
Liver	26	12.0	1.17	9.0	0.81	10	4.9	0.72	3.3	0.47
Gallbladder	2	0.9	0.34	0.6	0.22	3	1.7	0.43	1.1	0.26
Pancreas	18	9.1	1.07	6.4	0.69	23	10.5	1.05	7.3	0.69
Respiratory System	53	30.5	2.06	20.4	1.28	55	26.0	1.67	17.8	1.09
Larynx	5	2.8	0.63	1.9	0.39	1	0.5	0.20	0.4	0.15
Lung & bronchus	45	26.9	1.95	17.8	1.20	52	25.0	1.64	17.1	1.07
Bones & Joints	4	0.9	0.20	0.9	0.21	3	1.1	0.32	0.9	0.24
Soft Tissue (incl. heart)	12	4.6	0.71	3.6	0.48	5	1.9	0.39	1.5	0.30
Skin (excl. basal & sq.)	9	4.1	0.70	3.0	0.46	-	-	-	-	-
Melanomas of the skin	8	3.5	0.65	2.5	0.42	11	4.3	0.61	3.3	0.45
Breast (excl. <i>in situ</i>)	3	1.2	0.36	0.9	0.25	218	78.8	2.53	62.9	1.93
Female Genital System	-	-	-	-	-	109	37.8	1.73	30.7	1.33
Cervix uteri	-	-	-	-	-	30	9.2	0.79	7.9	0.65
Uterus Corpus	-	-	-	-	-	50	17.6	1.18	14.4	0.92
Uterus, NOS ¹	-	-	-	-	-	2	0.7	0.25	0.6	0.20
Ovary	-	-	-	-	-	21	7.9	0.83	6.2	0.61
Male Genital System	166	76.8	2.99	57.9	2.07	-	-	-	-	-
Prostate	140	70.5	2.92	51.6	1.99	-	-	-	-	-
Testis	23	5.2	0.49	5.5	0.51	-	-	-	-	-
Penis	2	0.9	0.33	0.7	0.22	-	-	-	-	-
Urinary System	67	34.0	2.10	23.8	1.34	43	17.4	1.27	13.2	0.91
Bladder (incl. <i>in situ</i>)	28	17.1	1.58	11.1	0.95	13	6.3	0.83	4.3	0.54
Kidney & renal pelvis	37	16.4	1.35	12.3	0.93	30	11.0	0.96	8.8	0.73
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	0.5	0.23	0.4	0.16	-	-	-	-	-
Brain & Other CNS ¹	15	5.3	0.71	4.4	0.53	12	4.4	0.62	3.5	0.45
Brain	14	5.1	0.71	4.3	0.53	12	4.3	0.61	3.4	0.44
Endocrine System	15	5.0	0.67	4.2	0.50	80	23.3	1.21	21.1	1.06
Thyroid gland	14	4.6	0.65	3.8	0.47	79	23.0	1.21	20.8	1.06
Lymphomas	39	14.7	1.24	11.5	0.86	33	12.7	1.08	9.8	0.78
Hodgkin Lymphoma	7	2.0	0.39	1.8	0.31	4	1.0	0.25	1.1	0.24
Non-Hodgkin Lymphoma	32	12.8	1.17	9.8	0.81	28	11.6	1.05	8.8	0.74
Multiple Myeloma	11	5.6	0.85	3.9	0.53	9	3.7	0.61	2.7	0.42
Leukemias	30	10.6	1.07	8.6	0.74	25	8.7	0.87	7.0	0.64
Acute lymphocytic	9	2.2	0.38	2.3	0.34	6	1.5	0.28	1.6	0.28
Chronic lymphocytic	4	2.5	0.61	1.6	0.36	4	2.0	0.47	1.4	0.30
Acute myeloid	6	2.5	0.52	2.0	0.37	9	3.2	0.53	2.5	0.38
Chronic myeloid	4	1.2	0.32	1.1	0.25	3	1.2	0.33	0.9	0.23
Other leukemias	6	2.1	0.50	1.6	0.32	3	0.8	0.26	0.8	0.21
Mesothelioma	2	1.1	0.36	0.8	0.25	-	-	-	-	-
Kaposi Sarcoma	3	0.8	0.21	0.8	0.19	-	-	-	-	-
Ill-defined & Unknown	29	15.1	1.40	10.6	0.91	23	10.6	1.06	7.2	0.68
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	11	4.7	0.75	3.5	0.49	31	11.4	1.00	8.9	0.73
Breast (<i>in situ</i>)	-	-	-	-	-	45	15.5	1.08	12.9	0.87

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEVADA

262 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nevada, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,910	440.5	2.93	326.1	2.23	4,465	414.7	2.93	319.4	2.38
Oral Cavity & Pharynx	207	18.1	0.59	14.2	0.46	77	7.1	0.38	5.6	0.31
Lip	14	1.3	0.17	1.0	0.13	5	0.4	0.10	0.3	0.07
Tongue	77	6.5	0.35	5.2	0.28	29	2.6	0.23	2.1	0.19
Major salivary gland	19	1.9	0.19	1.2	0.13	8	0.9	0.15	0.7	0.14
Floor of mouth	6	0.5	0.09	0.4	0.08	4	0.3	0.08	0.2	0.06
Gum & other mouth	15	1.3	0.16	1.0	0.13	11	1.0	0.14	0.7	0.12
Nasopharynx	5	0.5	0.11	0.4	0.09	3	0.3	0.08	0.2	0.07
Oropharynx	12	1.0	0.13	0.8	0.10	3	0.3	0.07	0.2	0.06
Hypopharynx	10	0.8	0.12	0.7	0.09	3	0.3	0.07	0.2	0.05
Digestive System	946	84.0	1.27	61.8	0.94	673	59.6	1.07	43.3	0.81
Esophagus	98	8.4	0.39	6.1	0.28	23	1.9	0.19	1.4	0.14
Stomach	62	5.6	0.33	3.9	0.23	32	2.8	0.23	2.0	0.17
Small intestine	23	2.1	0.21	1.5	0.15	18	1.6	0.18	1.2	0.14
Colon excl. rectum	298	27.2	0.73	19.6	0.53	262	23.5	0.68	16.7	0.51
Rectum & rectosigmoid	150	13.5	0.51	10.4	0.40	100	9.3	0.44	7.3	0.35
Anus, anal canal & anorectum	18	1.6	0.18	1.2	0.14	28	2.4	0.21	2.0	0.18
Liver	100	8.3	0.38	6.6	0.31	32	2.7	0.22	2.0	0.18
Gallbladder	6	0.5	0.10	0.3	0.06	11	0.9	0.13	0.7	0.09
Pancreas	150	13.2	0.50	9.5	0.36	133	11.3	0.45	7.9	0.32
Respiratory System	731	63.7	1.09	43.6	0.74	725	60.9	1.04	42.4	0.73
Larynx	48	4.0	0.26	2.9	0.19	12	1.0	0.14	0.8	0.11
Lung & bronchus	674	58.8	1.04	40.0	0.70	705	59.3	1.02	41.1	0.72
Bones & Joints	12	1.5	0.21	1.4	0.22	7	0.9	0.16	0.8	0.17
Soft Tissue (incl. heart)	40	4.1	0.30	3.3	0.27	28	2.7	0.25	2.2	0.22
Skin (excl. basal & sq.)	334	31.5	0.81	23.2	0.61	190	19.2	0.66	15.6	0.57
Melanomas of the skin	316	29.8	0.78	22.0	0.59	180	18.2	0.64	14.9	0.55
Breast (excl. <i>in situ</i>)	15	1.4	0.17	1.0	0.12	1,279	119.7	1.58	94.0	1.28
Female Genital System	-	-	-	-	-	485	46.2	1.00	37.6	0.84
Cervix uteri	-	-	-	-	-	74	9.0	0.50	7.9	0.45
Uterus Corpus	-	-	-	-	-	242	21.3	0.65	17.4	0.54
Uterus, NOS ¹	-	-	-	-	-	10	0.8	0.13	0.6	0.09
Ovary	-	-	-	-	-	117	11.0	0.48	8.7	0.40
Male Genital System	1,137	95.3	1.31	73.0	1.02	-	-	-	-	-
Prostate	1,079	87.5	1.22	65.7	0.91	-	-	-	-	-
Testis	47	6.7	0.45	6.7	0.46	-	-	-	-	-
Penis	9	0.9	0.14	0.5	0.08	-	-	-	-	-
Urinary System	635	57.4	1.06	40.3	0.75	247	21.8	0.65	15.8	0.49
Bladder (incl. <i>in situ</i>)	417	37.5	0.85	25.0	0.56	124	10.7	0.44	7.4	0.31
Kidney & renal pelvis	206	18.8	0.62	14.6	0.49	114	10.3	0.46	8.0	0.37
Ureter	6	0.6	0.11	0.4	0.06	7	0.6	0.10	0.4	0.06
Eye & Orbit	13	1.3	0.18	1.1	0.17	8	0.8	0.14	0.7	0.14
Brain & Other CNS ¹	85	8.9	0.46	7.8	0.44	63	6.6	0.41	6.0	0.41
Brain	82	8.6	0.45	7.4	0.43	60	6.2	0.39	5.5	0.38
Endocrine System	89	9.1	0.46	7.9	0.41	209	25.4	0.84	22.8	0.77
Thyroid gland	82	8.4	0.44	7.1	0.39	202	24.4	0.82	21.9	0.75
Lymphomas	215	20.8	0.67	15.9	0.54	161	15.0	0.56	11.5	0.47
Hodgkin Lymphoma	16	1.9	0.23	1.8	0.22	15	2.1	0.25	2.0	0.27
Non-Hodgkin Lymphoma	200	18.9	0.63	14.1	0.49	145	12.9	0.50	9.5	0.39
Multiple Myeloma	63	5.7	0.33	4.0	0.24	42	3.6	0.26	2.6	0.19
Leukemias	167	16.9	0.62	13.5	0.55	100	10.2	0.49	8.2	0.45
Acute lymphocytic	13	2.2	0.28	2.4	0.32	10	1.7	0.25	1.9	0.29
Chronic lymphocytic	60	5.3	0.31	3.8	0.23	36	3.2	0.25	2.1	0.17
Acute myeloid	51	5.1	0.34	3.8	0.28	31	3.0	0.26	2.4	0.23
Chronic myeloid	17	1.8	0.20	1.4	0.17	12	1.1	0.15	0.9	0.13
Other leukemias	26	2.6	0.24	2.0	0.20	13	1.2	0.17	0.9	0.14
Mesothelioma	12	1.2	0.15	0.7	0.09	4	0.4	0.09	0.3	0.06
Kaposi Sarcoma	5	0.6	0.12	0.5	0.12	-	-	-	-	-
Ill-defined & Unknown	205	19.1	0.62	12.9	0.42	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	69	6.9	0.40	5.4	0.33	134	12.6	0.52	9.7	0.43
Breast (<i>in situ</i>)	2	0.2	0.06	0.2	0.04	226	21.1	0.67	17.1	0.55

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nevada, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	433	392.0	8.90	295.5	6.37	430	344.9	7.64	266.9	5.80
Oral Cavity & Pharynx	15	12.8	1.52	10.2	1.18	6	4.6	0.85	3.8	0.70
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	3.7	0.84	2.8	0.62	2	1.2	0.44	1.0	0.34
Major salivary gland	2	1.7	0.58	1.3	0.42	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	1	0.8	0.32	0.7	0.28
Nasopharynx	2	1.5	0.49	1.2	0.41	-	-	-	-	-
Oropharynx	2	1.6	0.52	1.3	0.42	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	100	90.8	4.29	68.0	3.05	78	63.6	3.31	47.1	2.40
Esophagus	6	4.6	0.89	3.7	0.70	1	0.9	0.39	0.7	0.29
Stomach	9	8.2	1.31	5.9	0.90	7	5.8	1.04	3.9	0.68
Small intestine	4	3.4	0.81	2.6	0.60	2	1.8	0.54	1.3	0.40
Colon excl. rectum	37	35.4	2.74	25.5	1.87	31	25.2	2.08	18.8	1.52
Rectum & rectosigmoid	11	9.6	1.38	7.4	1.01	8	6.6	1.08	4.9	0.79
Anus, anal canal & anorectum	-	-	-	-	-	3	2.1	0.57	1.7	0.46
Liver	14	11.4	1.44	9.3	1.12	6	4.3	0.82	3.5	0.66
Gallbladder	-	-	-	-	-	1	1.2	0.45	0.8	0.30
Pancreas	15	13.5	1.64	10.2	1.18	16	12.9	1.49	9.4	1.05
Respiratory System	60	57.0	3.47	40.7	2.36	59	49.5	2.97	34.9	2.04
Larynx	5	4.3	0.93	3.1	0.65	-	-	-	-	-
Lung & bronchus	55	52.5	3.34	37.4	2.26	57	48.0	2.93	33.7	2.00
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	4	2.9	0.70	2.5	0.59	5	3.5	0.73	3.1	0.66
Skin (excl. basal & sq.)	2	1.3	0.49	1.1	0.38	3	2.4	0.65	1.9	0.52
Melanomas of the skin	-	-	-	-	-	1	1.3	0.52	0.9	0.34
Breast (excl. <i>in situ</i>)	2	2.1	0.65	1.6	0.47	139	109.7	4.26	87.6	3.35
Female Genital System	-	-	-	-	-	49	38.2	2.50	31.1	2.00
Cervix uteri	-	-	-	-	-	10	8.1	1.15	7.2	1.02
Uterus Corpus	-	-	-	-	-	23	17.0	1.65	13.8	1.31
Uterus, NOS ¹	-	-	-	-	-	2	1.2	0.41	1.0	0.35
Ovary	-	-	-	-	-	11	8.9	1.24	6.7	0.91
Male Genital System	132	113.5	4.63	88.4	3.45	-	-	-	-	-
Prostate	130	112.0	4.61	87.0	3.42	-	-	-	-	-
Testis	1	1.0	0.40	1.0	0.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	43.4	3.08	30.9	2.07	23	18.3	1.76	13.7	1.29
Bladder (incl. <i>in situ</i>)	19	21.4	2.33	13.2	1.37	7	5.7	1.02	3.9	0.68
Kidney & renal pelvis	25	21.7	1.99	17.4	1.54	16	12.5	1.44	9.8	1.10
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	7	5.5	1.02	4.9	0.85	6	4.2	0.82	3.7	0.71
Brain	7	5.4	1.01	4.8	0.84	5	4.0	0.80	3.5	0.69
Endocrine System	3	2.6	0.64	2.4	0.59	13	10.2	1.26	9.0	1.10
Thyroid gland	2	1.9	0.56	1.7	0.50	13	9.6	1.21	8.5	1.07
Lymphomas	18	16.6	1.88	12.6	1.34	14	11.5	1.40	9.3	1.10
Hodgkin Lymphoma	2	1.8	0.53	1.7	0.50	3	1.9	0.50	2.1	0.53
Non-Hodgkin Lymphoma	15	14.8	1.81	10.9	1.24	11	9.5	1.30	7.2	0.97
Multiple Myeloma	11	10.2	1.49	7.3	1.00	8	6.6	1.08	4.8	0.76
Leukemias	13	12.1	1.56	9.4	1.16	9	7.2	1.12	5.7	0.87
Acute lymphocytic	2	1.2	0.42	1.3	0.45	-	-	-	-	-
Chronic lymphocytic	4	3.6	0.89	2.6	0.60	2	2.1	0.65	1.3	0.40
Acute myeloid	4	3.9	0.90	2.9	0.65	3	2.5	0.66	2.0	0.50
Chronic myeloid	1	1.1	0.43	1.0	0.36	2	1.4	0.46	1.1	0.38
Other leukemias	2	2.2	0.68	1.7	0.48	-	-	-	-	-
Mesothelioma	2	1.8	0.70	1.1	0.40	-	-	-	-	-
Kaposi Sarcoma	3	1.7	0.47	1.8	0.51	-	-	-	-	-
Ill-defined & Unknown	17	16.7	1.95	11.7	1.28	17	14.4	1.62	10.1	1.10
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	6.3	1.16	4.8	0.82	18	14.6	1.57	11.5	1.21
Breast (<i>in situ</i>)	-	-	-	-	-	27	21.5	1.91	16.4	1.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NEVADA

264 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Hampshire, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,170	511.6	3.68	377.8	2.72	4,142	463.9	3.36	359.4	2.69
Oral Cavity & Pharynx	155	18.1	0.68	14.3	0.53	58	6.2	0.38	4.9	0.31
Lip	5	0.7	0.14	0.5	0.10	3	0.3	0.08	0.2	0.06
Tongue	53	6.2	0.39	4.9	0.31	19	2.1	0.22	1.7	0.18
Major salivary gland	8	1.1	0.18	0.8	0.14	5	0.6	0.13	0.5	0.12
Floor of mouth	7	0.8	0.13	0.6	0.10	4	0.5	0.11	0.4	0.09
Gum & other mouth	14	1.7	0.21	1.3	0.15	11	1.1	0.16	0.8	0.11
Nasopharynx	5	0.6	0.13	0.5	0.10	-	-	-	-	-
Oropharynx	10	1.1	0.17	0.9	0.13	2	0.2	0.07	0.2	0.05
Hypopharynx	9	0.9	0.15	0.7	0.11	4	0.4	0.09	0.3	0.07
Digestive System	754	92.7	1.57	68.1	1.15	558	60.8	1.20	44.1	0.90
Esophagus	95	11.5	0.55	8.3	0.39	24	2.4	0.23	1.8	0.17
Stomach	61	7.4	0.44	5.3	0.31	32	3.5	0.29	2.5	0.22
Small intestine	25	3.0	0.28	2.3	0.21	18	2.1	0.22	1.7	0.18
Colon excl. rectum	213	27.5	0.87	19.7	0.63	217	23.6	0.75	16.7	0.56
Rectum & rectosigmoid	117	14.5	0.62	11.2	0.48	73	8.1	0.44	6.4	0.35
Anus, anal canal & anorectum	12	1.4	0.19	1.1	0.15	22	2.3	0.23	1.9	0.19
Liver	78	8.8	0.46	6.8	0.35	18	2.0	0.21	1.5	0.16
Gallbladder	6	0.8	0.15	0.5	0.10	14	1.6	0.19	1.0	0.13
Pancreas	111	13.3	0.59	9.7	0.42	103	11.1	0.51	7.7	0.36
Respiratory System	593	73.5	1.40	50.8	0.95	602	63.6	1.19	46.1	0.87
Larynx	41	4.9	0.36	3.7	0.26	11	1.1	0.15	0.9	0.12
Lung & bronchus	542	67.2	1.34	46.1	0.90	585	61.8	1.17	44.6	0.85
Bones & Joints	7	1.0	0.18	1.0	0.17	4	0.7	0.15	0.7	0.16
Soft Tissue (incl. heart)	29	4.1	0.35	3.3	0.29	22	2.7	0.27	2.3	0.25
Skin (excl. basal & sq.)	324	41.0	1.06	29.3	0.75	249	29.2	0.87	23.3	0.73
Melanomas of the skin	304	38.3	1.02	27.6	0.73	234	27.7	0.85	22.3	0.71
Breast (excl. <i>in situ</i>)	12	1.5	0.20	1.1	0.14	1,283	144.7	1.89	114.6	1.52
Female Genital System	-	-	-	-	-	475	51.5	1.10	41.3	0.90
Cervix uteri	-	-	-	-	-	35	4.7	0.38	4.1	0.34
Uterus Corpus	-	-	-	-	-	288	30.3	0.83	24.4	0.67
Uterus, NOS ¹	-	-	-	-	-	10	1.1	0.16	0.9	0.13
Ovary	-	-	-	-	-	91	10.0	0.49	7.9	0.39
Male Genital System	1,046	117.9	1.69	92.1	1.31	-	-	-	-	-
Prostate	991	109.2	1.60	83.8	1.20	-	-	-	-	-
Testis	44	7.2	0.50	7.3	0.50	-	-	-	-	-
Penis	7	0.9	0.15	0.6	0.10	-	-	-	-	-
Urinary System	535	68.0	1.36	47.4	0.94	220	23.9	0.75	17.3	0.56
Bladder (incl. <i>in situ</i>)	352	45.4	1.12	30.1	0.73	117	12.5	0.53	8.8	0.38
Kidney & renal pelvis	174	21.4	0.76	16.6	0.59	95	10.5	0.50	8.0	0.39
Ureter	7	0.9	0.15	0.6	0.10	6	0.6	0.11	0.4	0.08
Eye & Orbit	8	1.0	0.16	0.8	0.14	8	0.9	0.15	0.7	0.12
Brain & Other CNS ¹	66	8.8	0.51	7.5	0.46	51	6.2	0.41	5.6	0.39
Brain	62	8.3	0.49	6.9	0.43	48	5.8	0.40	5.2	0.37
Endocrine System	66	8.7	0.50	7.5	0.44	171	23.7	0.85	21.6	0.80
Thyroid gland	59	7.8	0.48	6.7	0.41	166	23.1	0.84	21.1	0.79
Lymphomas	218	28.4	0.89	21.7	0.70	175	19.9	0.70	15.3	0.57
Hodgkin Lymphoma	22	3.2	0.32	3.1	0.32	18	2.6	0.29	2.5	0.29
Non-Hodgkin Lymphoma	197	25.2	0.83	18.5	0.62	158	17.3	0.64	12.8	0.49
Multiple Myeloma	59	7.5	0.45	5.2	0.31	45	4.6	0.32	3.4	0.23
Leukemias	137	18.0	0.72	13.6	0.56	86	10.4	0.53	8.3	0.46
Acute lymphocytic	10	1.7	0.24	1.8	0.28	8	1.3	0.22	1.5	0.26
Chronic lymphocytic	54	6.8	0.43	4.7	0.29	30	3.3	0.27	2.2	0.19
Acute myeloid	38	5.0	0.37	3.7	0.29	26	3.2	0.29	2.6	0.26
Chronic myeloid	17	2.3	0.26	1.7	0.19	11	1.3	0.18	1.0	0.14
Other leukemias	17	2.3	0.26	1.6	0.19	11	1.4	0.19	1.0	0.16
Mesothelioma	14	1.9	0.24	1.2	0.14	3	0.3	0.09	0.2	0.06
Kaposi Sarcoma	3	0.3	0.10	0.3	0.07	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	133	14.4	0.58	9.5	0.41
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	58	7.6	0.47	6.2	0.39	121	14.1	0.60	11.4	0.50
Breast (<i>in situ</i>)	-	-	-	-	-	312	36.0	0.95	29.6	0.78

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Hampshire, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,033	508.6	3.73	375.9	2.76	4,016	463.2	3.42	359.2	2.75
Oral Cavity & Pharynx	152	18.3	0.69	14.5	0.54	56	6.2	0.39	4.8	0.31
Lip	5	0.7	0.15	0.5	0.10	3	0.3	0.08	0.2	0.06
Tongue	52	6.3	0.41	5.0	0.32	19	2.1	0.23	1.7	0.19
Major salivary gland	7	1.0	0.18	0.7	0.13	4	0.6	0.14	0.5	0.12
Floor of mouth	7	0.7	0.13	0.6	0.10	4	0.5	0.11	0.4	0.09
Gum & other mouth	14	1.8	0.22	1.3	0.16	11	1.2	0.16	0.8	0.12
Nasopharynx	4	0.5	0.13	0.4	0.10	-	-	-	-	-
Oropharynx	10	1.1	0.17	0.9	0.13	1	0.1	0.06	0.1	0.04
Hypopharynx	9	1.0	0.15	0.8	0.12	4	0.4	0.09	0.3	0.07
Digestive System	728	92.3	1.59	67.8	1.17	543	60.9	1.22	44.2	0.92
Esophagus	93	11.5	0.55	8.3	0.40	23	2.4	0.23	1.8	0.17
Stomach	58	7.2	0.44	5.2	0.32	30	3.5	0.29	2.5	0.22
Small intestine	24	3.0	0.28	2.3	0.22	18	2.1	0.23	1.7	0.19
Colon excl. rectum	208	27.7	0.89	19.8	0.65	211	23.6	0.76	16.7	0.57
Rectum & rectosigmoid	113	14.4	0.63	11.1	0.49	71	8.1	0.45	6.4	0.36
Anus, anal canal & anorectum	12	1.5	0.20	1.1	0.15	22	2.4	0.23	2.0	0.19
Liver	74	8.5	0.46	6.5	0.35	18	1.9	0.21	1.4	0.16
Gallbladder	6	0.8	0.15	0.5	0.10	13	1.6	0.20	1.0	0.13
Pancreas	108	13.3	0.60	9.8	0.43	101	11.2	0.51	7.8	0.37
Respiratory System	580	73.6	1.41	51.0	0.96	590	63.8	1.20	46.3	0.88
Larynx	40	5.0	0.36	3.7	0.27	11	1.1	0.16	0.9	0.13
Lung & bronchus	530	67.2	1.35	46.1	0.91	573	62.0	1.19	44.9	0.86
Bones & Joints	7	1.1	0.19	1.0	0.18	4	0.6	0.15	0.6	0.16
Soft Tissue (incl. heart)	28	4.0	0.35	3.2	0.30	21	2.7	0.28	2.3	0.26
Skin (excl. basal & sq.)	302	39.2	1.05	28.1	0.75	227	27.7	0.87	22.1	0.73
Melanomas of the skin	283	36.5	1.01	26.4	0.73	214	26.2	0.85	21.1	0.72
Breast (excl. <i>in situ</i>)	12	1.6	0.21	1.1	0.15	1,255	146.1	1.94	115.8	1.56
Female Genital System	-	-	-	-	-	459	51.3	1.12	41.1	0.92
Cervix uteri	-	-	-	-	-	34	4.7	0.39	4.1	0.35
Uterus Corpus	-	-	-	-	-	278	30.1	0.84	24.2	0.68
Uterus, NOS ¹	-	-	-	-	-	10	1.1	0.16	0.9	0.13
Ovary	-	-	-	-	-	89	10.0	0.50	7.9	0.40
Male Genital System	1,003	116.1	1.70	90.9	1.32	-	-	-	-	-
Prostate	950	107.1	1.60	82.3	1.20	-	-	-	-	-
Testis	43	7.5	0.52	7.6	0.53	-	-	-	-	-
Penis	6	0.9	0.16	0.6	0.10	-	-	-	-	-
Urinary System	524	68.3	1.38	47.7	0.96	215	23.9	0.75	17.3	0.56
Bladder (incl. <i>in situ</i>)	345	45.5	1.13	30.2	0.74	115	12.5	0.54	8.8	0.39
Kidney & renal pelvis	169	21.6	0.78	16.7	0.61	91	10.4	0.51	7.9	0.40
Ureter	7	0.9	0.16	0.6	0.10	6	0.6	0.11	0.4	0.08
Eye & Orbit	7	1.0	0.17	0.8	0.14	8	0.9	0.15	0.7	0.12
Brain & Other CNS ¹	63	8.8	0.52	7.5	0.47	50	6.4	0.43	5.7	0.41
Brain	59	8.2	0.50	6.9	0.44	47	5.9	0.41	5.2	0.39
Endocrine System	65	8.9	0.52	7.7	0.46	162	23.6	0.87	21.5	0.82
Thyroid gland	58	8.0	0.50	6.9	0.43	158	23.1	0.87	21.1	0.81
Lymphomas	212	28.6	0.91	21.8	0.72	169	19.8	0.71	15.2	0.58
Hodgkin Lymphoma	21	3.3	0.33	3.2	0.33	17	2.7	0.30	2.6	0.31
Non-Hodgkin Lymphoma	191	25.3	0.85	18.6	0.64	152	17.1	0.64	12.6	0.49
Multiple Myeloma	57	7.4	0.46	5.1	0.31	43	4.5	0.32	3.3	0.23
Leukemias	134	18.2	0.73	13.7	0.58	84	10.4	0.54	8.4	0.48
Acute lymphocytic	10	1.6	0.25	1.8	0.28	7	1.3	0.22	1.4	0.26
Chronic lymphocytic	53	6.8	0.43	4.7	0.30	29	3.2	0.28	2.2	0.19
Acute myeloid	38	5.1	0.38	3.8	0.30	26	3.3	0.31	2.7	0.27
Chronic myeloid	17	2.3	0.26	1.7	0.20	11	1.3	0.18	1.0	0.14
Other leukemias	17	2.3	0.26	1.7	0.20	11	1.4	0.20	1.1	0.17
Mesothelioma	13	1.9	0.24	1.2	0.14	3	0.3	0.09	0.3	0.07
Kaposi Sarcoma	2	0.3	0.10	0.2	0.07	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	128	14.2	0.58	9.4	0.42
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	56	7.7	0.48	6.2	0.40	116	14.1	0.61	11.3	0.52
Breast (<i>in situ</i>)	-	-	-	-	-	304	36.2	0.97	29.7	0.80

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Hampshire, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	28	370.9	36.75	276.3	24.81	18	251.7	29.12	195.3	21.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	81.2	16.90	61.7	11.84	3	42.9	11.37	34.5	8.78
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	20.4	7.11	17.4	5.93	1	19.8	7.95	13.8	5.23
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	1	18.0	8.20	13.4	5.69	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	49.1	13.88	34.3	8.98	1	30.2	11.89	16.6	6.35
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	41.7	12.49	29.6	8.23	1	27.8	11.65	14.5	5.98
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	6	87.3	17.37	67.5	12.88
Female Genital System	-	-	-	-	-	2	21.6	7.27	20.2	6.76
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	11	152.2	24.20	111.2	15.86	-	-	-	-	-
Prostate	11	152.2	24.20	111.2	15.86	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	34.1	11.89	23.6	7.28	2	28.4	10.36	20.5	6.98
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	15.0	5.43	13.1	4.74	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	1	11.0	5.05	9.7	4.15	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	1	11.0	5.05	9.7	4.15	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	2	25.0	9.61	17.8	6.47
Breast (<i>in situ</i>)	-	-	-	-	-	2	25.3	9.18	20.0	6.82

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Hampshire, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	30	256.0	23.77	186.3	15.74	44	265.8	19.68	204.2	14.03
Oral Cavity & Pharynx	1	9.5	3.99	7.6	2.97	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	8	68.6	12.01	51.7	8.25	6	46.7	9.40	29.9	5.51
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	2	16.4	5.70	10.2	3.25
Rectum & rectosigmoid	2	13.6	4.42	11.6	3.71	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	16.1	6.05	11.8	4.03	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	38.2	10.27	23.6	5.88	5	38.7	8.28	27.1	5.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	38.2	10.27	23.6	5.88	5	38.7	8.28	27.1	5.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	16	84.4	9.99	70.6	8.03
Female Genital System	-	-	-	-	-	7	35.2	6.43	29.4	5.14
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	4	24.5	5.55	20.1	4.31
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	54.3	10.44	41.3	7.47	-	-	-	-	-
Prostate	6	49.4	10.06	37.2	7.14	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	21.6	7.44	14.5	4.45	1	13.0	5.32	7.5	2.92
Bladder (incl. <i>in situ</i>)	1	15.5	6.72	9.5	3.67	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	4	18.2	4.58	16.0	3.85
Thyroid gland	-	-	-	-	-	3	14.6	3.67	13.3	3.33
Lymphomas	2	14.8	5.51	11.1	3.68	2	8.2	2.98	7.3	2.60
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	1	12.7	5.37	8.7	3.39	1	7.2	2.81	6.5	2.46
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	13.2	5.33	10.5	3.79	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	2	10.3	3.85	7.6	2.73
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	1	8.7	3.91	7.2	3.00	2	18.3	5.76	12.4	3.65
Breast (<i>in situ</i>)	-	-	-	-	-	4	22.6	4.86	19.3	4.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Hampshire, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	41	349.1	27.93	270.7	20.17	44	290.8	21.08	233.2	16.00
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	86.8	13.75	67.1	9.98	4	28.8	6.69	22.3	4.94
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	16.8	6.65	11.2	4.18	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	17.6	6.22	13.4	4.40	1	8.3	3.70	6.3	2.62
Rectum & rectosigmoid	2	13.5	4.85	11.0	3.63	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	13.2	5.17	10.6	3.98	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	5	45.5	10.69	33.3	7.28	4	35.5	8.18	25.8	5.73
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	39.2	9.70	28.8	6.71	4	34.4	8.10	24.7	5.64
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	15	92.1	11.33	75.5	9.00
Female Genital System	-	-	-	-	-	4	30.8	7.10	23.3	5.08
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	3	17.4	5.14	13.5	3.80
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	99.9	14.10	81.5	10.87	-	-	-	-	-
Prostate	10	90.4	13.81	72.1	10.53	-	-	-	-	-
Testis	2	8.5	2.65	8.4	2.56	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	29.2	8.65	22.1	6.05	1	7.4	3.06	6.6	2.72
Bladder (incl. <i>in situ</i>)	2	17.8	7.30	12.7	4.77	-	-	-	-	-
Kidney & renal pelvis	1	11.4	4.64	9.4	3.73	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	4.9	2.09	5.2	2.15	2	6.4	2.32	6.7	2.38
Brain	1	4.9	2.09	5.2	2.15	2	6.4	2.32	6.7	2.38
Endocrine System	2	13.8	5.54	10.5	3.94	5	29.2	6.03	25.8	5.04
Thyroid gland	1	9.7	4.52	7.4	3.20	5	29.2	6.03	25.8	5.04
Lymphomas	2	20.6	7.39	14.9	4.87	3	22.6	6.37	17.3	4.55
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	1	8.3	3.96	7.2	3.19	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	13.7	5.87	9.6	3.93	2	14.0	5.09	10.0	3.42
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	3	16.3	4.73	13.6	3.85
Breast (<i>in situ</i>)	-	-	-	-	-	3	16.8	4.34	15.0	3.90

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW HAMPSHIRE

270 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Hampshire, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,000	511.2	3.77	377.8	2.80	3,981	466.1	3.47	361.6	2.80
Oral Cavity & Pharynx	152	18.5	0.70	14.6	0.55	55	6.2	0.39	4.9	0.32
Lip	5	0.7	0.15	0.5	0.11	3	0.3	0.08	0.2	0.05
Tongue	52	6.3	0.41	5.0	0.33	18	2.1	0.23	1.7	0.19
Major salivary gland	7	1.0	0.18	0.8	0.14	4	0.6	0.14	0.5	0.13
Floor of mouth	7	0.8	0.13	0.6	0.10	4	0.5	0.11	0.4	0.10
Gum & other mouth	14	1.8	0.22	1.3	0.16	11	1.2	0.16	0.8	0.12
Nasopharynx	4	0.5	0.13	0.4	0.10	-	-	-	-	-
Oropharynx	10	1.1	0.17	0.9	0.13	1	0.1	0.06	0.1	0.04
Hypopharynx	8	1.0	0.15	0.8	0.12	4	0.4	0.09	0.3	0.08
Digestive System	721	92.6	1.61	68.0	1.18	539	61.4	1.23	44.6	0.94
Esophagus	92	11.5	0.56	8.4	0.40	23	2.4	0.23	1.8	0.18
Stomach	57	7.2	0.44	5.2	0.32	30	3.5	0.30	2.5	0.23
Small intestine	24	3.0	0.29	2.3	0.22	18	2.1	0.23	1.7	0.19
Colon excl. rectum	206	27.8	0.90	19.8	0.65	210	23.8	0.77	16.8	0.58
Rectum & rectosigmoid	111	14.5	0.64	11.1	0.50	70	8.2	0.46	6.4	0.37
Anus, anal canal & anorectum	11	1.5	0.20	1.1	0.16	22	2.4	0.24	2.0	0.20
Liver	72	8.4	0.46	6.5	0.35	17	1.9	0.22	1.4	0.16
Gallbladder	6	0.8	0.16	0.5	0.10	13	1.5	0.20	1.0	0.13
Pancreas	107	13.4	0.60	9.8	0.44	100	11.3	0.52	7.8	0.37
Respiratory System	576	73.8	1.42	51.1	0.97	586	64.1	1.22	46.6	0.89
Larynx	40	5.0	0.37	3.7	0.27	11	1.1	0.16	0.9	0.13
Lung & bronchus	526	67.4	1.36	46.3	0.91	570	62.3	1.20	45.1	0.87
Bones & Joints	7	1.1	0.20	1.1	0.19	3	0.6	0.14	0.6	0.16
Soft Tissue (incl. heart)	28	4.1	0.36	3.3	0.31	21	2.7	0.28	2.3	0.27
Skin (excl. basal & sq.)	301	39.6	1.06	28.4	0.76	227	28.1	0.89	22.5	0.75
Melanomas of the skin	282	36.9	1.02	26.7	0.74	213	26.7	0.87	21.5	0.74
Breast (excl. <i>in situ</i>)	12	1.6	0.21	1.1	0.15	1,242	147.0	1.96	116.5	1.58
Female Genital System	-	-	-	-	-	456	51.7	1.14	41.5	0.93
Cervix uteri	-	-	-	-	-	33	4.7	0.39	4.2	0.36
Uterus Corpus	-	-	-	-	-	276	30.3	0.85	24.4	0.69
Uterus, NOS ¹	-	-	-	-	-	10	1.1	0.17	0.9	0.13
Ovary	-	-	-	-	-	88	10.1	0.50	8.0	0.41
Male Genital System	993	116.2	1.71	90.9	1.33	-	-	-	-	-
Prostate	942	107.3	1.61	82.4	1.21	-	-	-	-	-
Testis	41	7.4	0.53	7.5	0.54	-	-	-	-	-
Penis	6	0.8	0.15	0.6	0.10	-	-	-	-	-
Urinary System	521	68.9	1.40	48.1	0.98	214	24.1	0.76	17.5	0.57
Bladder (incl. <i>in situ</i>)	344	45.8	1.14	30.3	0.75	115	12.7	0.55	8.9	0.39
Kidney & renal pelvis	168	21.8	0.79	16.9	0.62	91	10.5	0.52	8.0	0.41
Ureter	7	0.9	0.16	0.6	0.10	6	0.6	0.12	0.4	0.08
Eye & Orbit	7	1.0	0.17	0.8	0.15	8	0.9	0.15	0.7	0.12
Brain & Other CNS ¹	62	8.9	0.53	7.6	0.49	48	6.3	0.43	5.6	0.41
Brain	59	8.3	0.51	7.0	0.46	45	5.8	0.41	5.1	0.39
Endocrine System	63	9.0	0.53	7.7	0.47	158	23.5	0.89	21.5	0.84
Thyroid gland	57	8.1	0.51	6.9	0.44	154	23.0	0.88	21.0	0.83
Lymphomas	210	28.8	0.93	22.0	0.73	168	19.9	0.72	15.3	0.59
Hodgkin Lymphoma	21	3.4	0.35	3.3	0.34	17	2.7	0.31	2.7	0.32
Non-Hodgkin Lymphoma	190	25.4	0.86	18.7	0.65	151	17.2	0.65	12.6	0.49
Multiple Myeloma	56	7.4	0.46	5.1	0.31	43	4.5	0.32	3.3	0.24
Leukemias	133	18.3	0.74	13.8	0.59	83	10.6	0.55	8.5	0.49
Acute lymphocytic	9	1.6	0.25	1.8	0.29	7	1.3	0.23	1.4	0.27
Chronic lymphocytic	53	6.9	0.44	4.7	0.30	29	3.2	0.28	2.2	0.20
Acute myeloid	37	5.1	0.39	3.8	0.30	26	3.4	0.31	2.8	0.28
Chronic myeloid	17	2.3	0.27	1.8	0.21	11	1.3	0.18	0.9	0.14
Other leukemias	17	2.3	0.27	1.7	0.21	11	1.4	0.20	1.0	0.17
Mesothelioma	13	1.9	0.24	1.2	0.15	3	0.3	0.09	0.3	0.07
Kaposi Sarcoma	2	0.3	0.10	0.2	0.08	-	-	-	-	-
Ill-defined & Unknown	141	19.2	0.75	12.9	0.51	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	55	7.8	0.49	6.4	0.42	114	14.0	0.62	11.3	0.52
Breast (<i>in situ</i>)	-	-	-	-	-	302	36.7	0.99	30.1	0.82

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Hampshire, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	26	381.7	39.03	288.0	26.76	17	281.2	33.60	216.0	24.24
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	82.1	17.82	63.1	12.50	3	46.8	12.82	37.4	9.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	22.8	7.90	19.5	6.60	1	23.0	9.21	16.1	6.10
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	45.7	13.57	33.8	9.42	1	36.7	14.48	20.2	7.75
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	37.5	11.82	28.6	8.53	1	33.7	14.16	17.5	7.27
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	5	94.7	19.57	72.7	14.38
Female Genital System	-	-	-	-	-	2	24.9	8.38	23.3	7.80
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	157.3	25.87	116.5	17.22	-	-	-	-	-
Prostate	10	157.3	25.87	116.5	17.22	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	38.2	13.28	26.5	8.15	2	33.6	12.38	24.1	8.24
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	16.9	6.11	14.8	5.33	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	1	12.5	5.66	11.1	4.72	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	2	29.1	11.19	20.8	7.54
Breast (<i>in situ</i>)	-	-	-	-	-	1	21.6	9.69	16.3	6.85

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Jersey, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	25,464	530.5	1.52	390.9	1.12	26,226	458.8	1.30	354.4	1.05
Oral Cavity & Pharynx	842	16.8	0.27	13.1	0.21	362	6.2	0.15	4.8	0.12
Lip	24	0.5	0.05	0.4	0.03	15	0.2	0.03	0.2	0.02
Tongue	255	5.0	0.14	4.0	0.11	112	1.9	0.08	1.5	0.07
Major salivary gland	91	2.0	0.09	1.4	0.07	61	1.1	0.07	0.9	0.06
Floor of mouth	32	0.6	0.05	0.5	0.04	16	0.3	0.03	0.2	0.02
Gum & other mouth	104	2.2	0.10	1.6	0.07	76	1.3	0.07	0.9	0.05
Nasopharynx	39	0.8	0.06	0.7	0.05	16	0.3	0.04	0.3	0.03
Oropharynx	43	0.8	0.06	0.7	0.05	15	0.2	0.03	0.2	0.02
Hypopharynx	45	0.9	0.06	0.7	0.05	11	0.2	0.02	0.1	0.02
Digestive System	4,911	102.6	0.67	74.2	0.48	4,160	69.8	0.50	50.2	0.37
Esophagus	360	7.4	0.18	5.4	0.13	110	1.8	0.08	1.2	0.06
Stomach	503	10.7	0.22	7.5	0.15	344	5.9	0.15	4.4	0.11
Small intestine	146	3.0	0.11	2.3	0.08	128	2.2	0.09	1.6	0.07
Colon excl. rectum	1,492	31.8	0.38	22.6	0.27	1,554	26.2	0.31	18.4	0.23
Rectum & rectosigmoid	730	15.0	0.25	11.4	0.19	566	9.7	0.19	7.4	0.15
Anus, anal canal & anorectum	66	1.3	0.08	1.0	0.06	131	2.2	0.09	1.8	0.07
Liver	545	10.6	0.21	8.2	0.16	176	2.9	0.10	2.1	0.08
Gallbladder	45	1.0	0.07	0.7	0.05	94	1.5	0.07	1.1	0.05
Pancreas	768	16.2	0.27	11.3	0.19	787	12.9	0.21	8.9	0.15
Respiratory System	3,152	67.2	0.55	46.3	0.37	3,209	53.3	0.43	37.7	0.31
Larynx	264	5.4	0.15	4.0	0.11	60	1.0	0.06	0.8	0.05
Lung & bronchus	2,836	60.8	0.52	41.4	0.35	3,113	51.7	0.42	36.4	0.30
Bones & Joints	53	1.2	0.07	1.1	0.07	46	1.0	0.07	0.9	0.07
Soft Tissue (incl. heart)	199	4.4	0.14	3.5	0.12	162	3.0	0.11	2.6	0.10
Skin (excl. basal & sq.)	1,480	31.6	0.38	22.7	0.27	1,058	19.0	0.27	15.1	0.22
Melanomas of the skin	1,360	28.9	0.36	20.8	0.26	975	17.6	0.26	14.1	0.22
Breast (excl. <i>in situ</i>)	72	1.5	0.08	1.1	0.06	7,668	136.6	0.72	108.1	0.58
Female Genital System	-	-	-	-	-	3,284	56.8	0.46	45.6	0.37
Cervix uteri	-	-	-	-	-	382	7.7	0.18	6.6	0.16
Uterus Corpus	-	-	-	-	-	1,834	30.6	0.33	24.6	0.27
Uterus, NOS ¹	-	-	-	-	-	80	1.4	0.07	1.0	0.06
Ovary	-	-	-	-	-	679	11.8	0.21	9.4	0.17
Male Genital System	7,030	138.4	0.76	107.3	0.58	-	-	-	-	-
Prostate	6,723	131.3	0.73	100.4	0.55	-	-	-	-	-
Testis	253	6.0	0.17	6.1	0.17	-	-	-	-	-
Penis	40	0.9	0.06	0.6	0.04	-	-	-	-	-
Urinary System	3,014	64.4	0.54	44.9	0.37	1,328	22.3	0.28	16.2	0.21
Bladder (incl. <i>in situ</i>)	1,841	40.2	0.43	26.4	0.28	646	10.5	0.19	7.1	0.13
Kidney & renal pelvis	1,101	22.6	0.31	17.4	0.24	635	11.0	0.20	8.6	0.16
Ureter	38	0.9	0.06	0.5	0.04	29	0.5	0.04	0.3	0.03
Eye & Orbit	34	0.8	0.06	0.6	0.05	33	0.6	0.05	0.6	0.05
Brain & Other CNS ¹	371	8.1	0.19	6.9	0.17	302	5.8	0.15	5.1	0.14
Brain	353	7.7	0.19	6.5	0.16	284	5.4	0.15	4.7	0.14
Endocrine System	510	10.9	0.22	9.5	0.19	1,421	29.2	0.36	26.3	0.33
Thyroid gland	466	9.9	0.21	8.6	0.18	1,374	28.3	0.35	25.5	0.32
Lymphomas	1,370	29.7	0.37	22.7	0.29	1,192	21.3	0.28	16.7	0.24
Hodgkin Lymphoma	158	3.5	0.13	3.4	0.13	132	2.9	0.12	2.9	0.12
Non-Hodgkin Lymphoma	1,212	26.1	0.34	19.3	0.26	1,059	18.3	0.26	13.8	0.20
Multiple Myeloma	434	9.1	0.20	6.4	0.14	360	6.0	0.15	4.4	0.11
Leukemias	917	20.0	0.30	15.0	0.23	693	12.3	0.22	9.6	0.18
Acute lymphocytic	82	2.0	0.10	2.1	0.11	74	1.7	0.09	1.8	0.10
Chronic lymphocytic	370	7.8	0.18	5.4	0.13	255	4.1	0.12	2.9	0.09
Acute myeloid	243	5.4	0.16	3.9	0.12	205	3.6	0.12	2.7	0.10
Chronic myeloid	123	2.8	0.11	2.0	0.08	81	1.5	0.08	1.1	0.06
Other leukemias	99	2.2	0.10	1.5	0.07	78	1.4	0.07	1.0	0.06
Mesothelioma	83	1.9	0.10	1.2	0.06	33	0.6	0.04	0.4	0.03
Kaposi Sarcoma	32	0.7	0.06	0.6	0.05	5	0.1	0.02	0.1	0.02
Ill-defined & Unknown	958	21.2	0.31	14.0	0.21	910	14.8	0.23	10.0	0.16
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	444	9.7	0.21	7.8	0.17	893	16.0	0.25	12.7	0.21
Breast (<i>in situ</i>)	8	0.2	0.03	0.1	0.02	2,245	41.2	0.40	33.8	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Jersey, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	20,757	537.5	1.71	394.8	1.27	21,347	475.1	1.52	367.0	1.23
Oral Cavity & Pharynx	700	17.4	0.30	13.6	0.24	297	6.4	0.17	5.0	0.14
Lip	22	0.6	0.06	0.4	0.04	13	0.3	0.03	0.2	0.03
Tongue	222	5.4	0.17	4.3	0.13	96	2.1	0.10	1.6	0.08
Major salivary gland	77	2.1	0.11	1.5	0.08	48	1.1	0.08	0.9	0.07
Floor of mouth	26	0.6	0.06	0.5	0.04	14	0.3	0.04	0.2	0.03
Gum & other mouth	77	2.0	0.10	1.4	0.08	59	1.2	0.08	0.9	0.06
Nasopharynx	25	0.7	0.06	0.5	0.05	10	0.2	0.03	0.2	0.03
Oropharynx	34	0.8	0.06	0.7	0.05	12	0.3	0.03	0.2	0.03
Hypopharynx	35	0.9	0.07	0.6	0.05	9	0.2	0.03	0.1	0.02
Digestive System	3,961	102.5	0.75	73.9	0.54	3,291	68.9	0.56	49.3	0.42
Esophagus	315	8.0	0.21	5.8	0.15	88	1.8	0.09	1.2	0.06
Stomach	383	10.0	0.23	7.1	0.17	239	5.2	0.16	3.8	0.12
Small intestine	113	2.9	0.13	2.2	0.09	93	2.0	0.10	1.5	0.07
Colon excl. rectum	1,213	32.1	0.42	22.7	0.30	1,251	26.2	0.35	18.4	0.26
Rectum & rectosigmoid	586	15.1	0.29	11.4	0.22	448	9.7	0.21	7.4	0.17
Anus, anal canal & anorectum	53	1.3	0.08	1.0	0.06	111	2.4	0.11	1.9	0.09
Liver	407	9.9	0.22	7.6	0.17	129	2.6	0.11	1.9	0.08
Gallbladder	35	1.0	0.07	0.6	0.05	67	1.3	0.07	0.9	0.05
Pancreas	644	16.7	0.30	11.6	0.21	646	13.1	0.24	9.0	0.17
Respiratory System	2,658	69.3	0.61	47.7	0.42	2,746	56.8	0.50	40.1	0.36
Larynx	220	5.5	0.17	4.1	0.13	45	0.9	0.06	0.7	0.05
Lung & bronchus	2,399	62.8	0.59	42.8	0.40	2,672	55.2	0.49	38.9	0.35
Bones & Joints	42	1.3	0.09	1.2	0.09	35	1.0	0.08	1.0	0.08
Soft Tissue (incl. heart)	166	4.6	0.17	3.6	0.14	128	3.1	0.13	2.6	0.12
Skin (excl. basal & sq.)	1,397	36.9	0.45	26.5	0.33	984	22.9	0.34	18.4	0.29
Melanomas of the skin	1,292	34.1	0.43	24.6	0.32	916	21.5	0.33	17.3	0.28
Breast (excl. <i>in situ</i>)	58	1.5	0.09	1.1	0.06	6,100	139.5	0.83	110.2	0.67
Female Genital System	-	-	-	-	-	2,646	58.7	0.53	47.1	0.44
Cervix uteri	-	-	-	-	-	280	7.7	0.22	6.7	0.19
Uterus Corpus	-	-	-	-	-	1,497	31.9	0.38	25.6	0.31
Uterus, NOS ¹	-	-	-	-	-	57	1.2	0.08	0.9	0.06
Ovary	-	-	-	-	-	551	12.2	0.24	9.6	0.20
Male Genital System	5,249	129.0	0.82	99.9	0.63	-	-	-	-	-
Prostate	4,985	120.5	0.78	91.7	0.59	-	-	-	-	-
Testis	220	7.3	0.22	7.4	0.23	-	-	-	-	-
Penis	33	0.9	0.07	0.6	0.05	-	-	-	-	-
Urinary System	2,604	68.4	0.61	47.4	0.43	1,120	23.5	0.33	17.1	0.25
Bladder (incl. <i>in situ</i>)	1,631	43.3	0.49	28.3	0.32	563	11.3	0.22	7.7	0.16
Kidney & renal pelvis	910	23.4	0.36	18.0	0.28	518	11.4	0.23	8.9	0.19
Ureter	36	1.0	0.07	0.6	0.05	26	0.5	0.05	0.3	0.03
Eye & Orbit	30	0.8	0.07	0.7	0.06	29	0.7	0.06	0.6	0.06
Brain & Other CNS ¹	310	8.6	0.22	7.3	0.20	253	6.3	0.19	5.5	0.18
Brain	297	8.2	0.22	6.9	0.19	239	5.9	0.18	5.2	0.17
Endocrine System	428	11.8	0.26	10.3	0.24	1,131	31.4	0.44	28.5	0.41
Thyroid gland	394	10.9	0.25	9.4	0.22	1,099	30.6	0.43	27.8	0.40
Lymphomas	1,166	31.7	0.43	24.2	0.34	996	22.5	0.33	17.6	0.28
Hodgkin Lymphoma	126	3.8	0.15	3.6	0.15	102	3.1	0.14	3.1	0.15
Non-Hodgkin Lymphoma	1,040	27.9	0.40	20.6	0.30	894	19.4	0.30	14.5	0.24
Multiple Myeloma	328	8.5	0.21	5.9	0.15	250	5.2	0.15	3.8	0.11
Leukemias	750	20.4	0.34	15.2	0.27	562	12.6	0.25	9.9	0.22
Acute lymphocytic	66	2.2	0.12	2.3	0.13	55	1.7	0.11	1.8	0.12
Chronic lymphocytic	298	7.7	0.20	5.3	0.14	209	4.2	0.13	2.9	0.10
Acute myeloid	205	5.6	0.18	4.1	0.14	169	3.8	0.14	2.9	0.11
Chronic myeloid	97	2.7	0.13	1.9	0.09	65	1.5	0.09	1.2	0.07
Other leukemias	83	2.3	0.11	1.6	0.08	64	1.4	0.08	1.1	0.07
Mesothelioma	78	2.2	0.11	1.3	0.07	29	0.6	0.05	0.4	0.04
Kaposi Sarcoma	21	0.6	0.06	0.5	0.05	3	0.1	0.02	0.0	0.01
Ill-defined & Unknown	810	21.9	0.35	14.3	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	353	9.8	0.24	7.9	0.20	707	16.2	0.29	12.9	0.24
Breast (<i>in situ</i>)	6	0.1	0.03	0.1	0.02	1,750	41.9	0.47	34.5	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Jersey, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,836	515.1	4.57	388.3	3.28	3,102	410.2	3.34	317.3	2.60
Oral Cavity & Pharynx	75	12.8	0.69	10.1	0.52	36	4.7	0.36	3.7	0.28
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	2.7	0.32	2.1	0.24	8	1.0	0.16	0.8	0.13
Major salivary gland	7	1.2	0.22	1.0	0.16	8	1.1	0.18	0.8	0.14
Floor of mouth	3	0.5	0.14	0.4	0.11	-	-	-	-	-
Gum & other mouth	8	1.5	0.24	1.1	0.17	8	1.1	0.17	0.8	0.13
Nasopharynx	6	0.9	0.17	0.8	0.15	3	0.5	0.12	0.4	0.10
Oropharynx	7	1.2	0.21	0.9	0.16	1	0.2	0.06	0.1	0.05
Hypopharynx	8	1.4	0.24	1.0	0.17	2	0.2	0.07	0.2	0.05
Digestive System	605	111.2	2.14	82.6	1.51	605	80.4	1.48	59.0	1.09
Esophagus	31	5.8	0.50	4.2	0.34	17	2.2	0.24	1.6	0.18
Stomach	67	13.6	0.79	9.3	0.51	61	8.2	0.48	6.0	0.35
Small intestine	24	4.2	0.40	3.2	0.30	28	3.8	0.32	2.9	0.24
Colon excl. rectum	193	36.0	1.22	26.5	0.86	220	29.7	0.91	21.5	0.66
Rectum & rectosigmoid	76	13.8	0.75	10.4	0.53	70	9.1	0.50	7.0	0.38
Anus, anal canal & anorectum	10	1.6	0.24	1.3	0.19	16	2.1	0.24	1.7	0.19
Liver	87	14.0	0.70	11.6	0.56	32	4.0	0.32	3.2	0.26
Gallbladder	7	1.3	0.24	0.9	0.16	18	2.4	0.26	1.8	0.19
Pancreas	88	16.4	0.83	12.0	0.58	108	14.4	0.63	10.1	0.44
Respiratory System	355	70.2	1.76	49.3	1.18	359	47.2	1.13	34.4	0.82
Larynx	34	6.2	0.50	4.7	0.36	13	1.6	0.20	1.3	0.16
Lung & bronchus	314	62.9	1.67	43.7	1.11	343	45.2	1.11	32.7	0.80
Bones & Joints	6	0.9	0.18	0.9	0.16	6	0.8	0.15	0.7	0.14
Soft Tissue (incl. heart)	20	3.3	0.35	2.8	0.29	23	3.0	0.28	2.6	0.26
Skin (excl. basal & sq.)	14	2.4	0.31	2.0	0.24	14	2.0	0.23	1.6	0.19
Melanomas of the skin	6	1.2	0.23	0.9	0.16	7	1.0	0.16	0.7	0.12
Breast (excl. <i>in situ</i>)	10	2.0	0.29	1.4	0.20	975	128.2	1.86	101.5	1.48
Female Genital System	-	-	-	-	-	416	53.6	1.19	42.8	0.95
Cervix uteri	-	-	-	-	-	75	10.1	0.53	8.2	0.44
Uterus Corpus	-	-	-	-	-	218	27.4	0.84	21.8	0.67
Uterus, NOS ¹	-	-	-	-	-	19	2.5	0.26	1.9	0.20
Ovary	-	-	-	-	-	71	9.2	0.50	7.3	0.40
Male Genital System	1,091	189.8	2.70	147.3	2.01	-	-	-	-	-
Prostate	1,075	187.1	2.68	145.0	1.99	-	-	-	-	-
Testis	10	1.6	0.23	1.6	0.22	-	-	-	-	-
Penis	5	0.9	0.20	0.6	0.13	-	-	-	-	-
Urinary System	236	44.2	1.36	32.4	0.95	135	18.0	0.70	13.3	0.52
Bladder (incl. <i>in situ</i>)	101	21.2	1.00	14.1	0.63	48	6.5	0.43	4.3	0.29
Kidney & renal pelvis	131	22.3	0.91	17.8	0.70	83	11.0	0.54	8.6	0.43
Ureter	1	0.2	0.10	0.2	0.07	1	0.2	0.06	0.1	0.05
Eye & Orbit	1	0.2	0.09	0.2	0.07	2	0.3	0.09	0.3	0.10
Brain & Other CNS ¹	31	5.3	0.44	4.5	0.37	28	3.8	0.33	3.4	0.30
Brain	28	4.8	0.42	4.1	0.35	27	3.6	0.32	3.2	0.29
Endocrine System	30	5.0	0.42	4.2	0.34	128	17.1	0.69	14.8	0.60
Thyroid gland	25	4.1	0.38	3.4	0.31	118	15.9	0.66	13.6	0.57
Lymphomas	112	19.6	0.87	15.7	0.67	114	15.4	0.65	12.7	0.55
Hodgkin Lymphoma	20	3.0	0.31	2.9	0.29	22	2.9	0.29	2.9	0.28
Non-Hodgkin Lymphoma	92	16.6	0.81	12.9	0.60	93	12.4	0.59	9.8	0.47
Multiple Myeloma	78	14.7	0.78	10.7	0.54	87	11.7	0.57	8.6	0.42
Leukemias	73	13.7	0.76	10.4	0.55	67	9.2	0.51	7.4	0.42
Acute lymphocytic	5	0.8	0.17	0.9	0.17	10	1.4	0.20	1.5	0.21
Chronic lymphocytic	24	4.7	0.46	3.3	0.30	16	2.2	0.25	1.5	0.17
Acute myeloid	23	4.3	0.43	3.3	0.31	22	3.1	0.30	2.4	0.24
Chronic myeloid	14	2.6	0.33	2.0	0.24	9	1.2	0.18	1.0	0.15
Other leukemias	7	1.2	0.22	0.9	0.16	10	1.4	0.20	1.1	0.15
Mesothelioma	3	0.7	0.18	0.4	0.11	3	0.4	0.11	0.3	0.09
Kaposi Sarcoma	8	1.2	0.20	1.1	0.18	2	0.3	0.09	0.3	0.08
Ill-defined & Unknown	88	17.9	0.91	12.2	0.59	102	14.1	0.63	9.8	0.45
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	48	8.6	0.58	6.8	0.44	106	14.3	0.63	11.2	0.50
Breast (<i>in situ</i>)	2	0.3	0.11	0.2	0.08	265	34.2	0.95	27.7	0.77

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Jersey, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,012	277.2	4.13	204.3	2.89	1,257	283.0	3.67	223.1	2.84
Oral Cavity & Pharynx	51	13.0	0.86	10.1	0.63	23	5.3	0.51	4.0	0.38
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	3.3	0.43	2.5	0.32	6	1.4	0.26	1.1	0.20
Major salivary gland	5	1.4	0.29	1.1	0.21	3	0.5	0.15	0.4	0.12
Floor of mouth	1	0.3	0.12	0.2	0.09	-	-	-	-	-
Gum & other mouth	15	3.9	0.48	3.0	0.34	7	1.6	0.29	1.2	0.21
Nasopharynx	7	1.7	0.29	1.4	0.24	3	0.7	0.17	0.6	0.14
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	0.7	0.21	0.5	0.14	-	-	-	-	-
Digestive System	275	76.0	2.18	54.6	1.48	198	48.4	1.59	34.5	1.10
Esophagus	12	3.3	0.46	2.3	0.30	5	1.2	0.25	0.8	0.17
Stomach	46	13.0	0.92	9.1	0.60	34	8.1	0.64	6.0	0.46
Small intestine	5	1.5	0.30	1.1	0.21	3	0.7	0.18	0.5	0.13
Colon excl. rectum	66	17.7	1.03	13.0	0.72	62	15.0	0.89	10.7	0.61
Rectum & rectosigmoid	51	12.8	0.84	10.0	0.63	33	7.6	0.61	5.6	0.44
Anus, anal canal & anorectum	1	0.3	0.12	0.3	0.10	3	0.7	0.19	0.5	0.13
Liver	43	12.0	0.88	8.6	0.59	13	3.2	0.41	2.2	0.28
Gallbladder	3	1.0	0.28	0.6	0.16	7	1.6	0.29	1.1	0.20
Pancreas	31	9.4	0.81	6.2	0.50	28	7.1	0.62	4.9	0.41
Respiratory System	120	35.6	1.54	24.1	0.99	86	21.5	1.07	14.9	0.72
Larynx	7	1.9	0.35	1.4	0.23	1	0.4	0.16	0.2	0.09
Lung & bronchus	108	32.5	1.48	21.7	0.94	83	20.5	1.04	14.2	0.70
Bones & Joints	4	0.9	0.21	0.8	0.19	3	0.7	0.19	0.8	0.20
Soft Tissue (incl. heart)	9	2.2	0.36	1.9	0.30	7	1.6	0.27	1.4	0.25
Skin (excl. basal & sq.)	7	1.8	0.33	1.4	0.24	5	1.4	0.27	1.0	0.19
Melanomas of the skin	5	1.2	0.28	0.9	0.20	3	0.9	0.22	0.6	0.14
Breast (excl. <i>in situ</i>)	2	0.6	0.20	0.4	0.13	483	103.5	2.15	84.1	1.71
Female Genital System	-	-	-	-	-	166	35.4	1.26	29.1	1.01
Cervix uteri	-	-	-	-	-	22	4.9	0.48	3.9	0.37
Uterus Corpus	-	-	-	-	-	85	17.2	0.85	14.6	0.71
Uterus, NOS ¹	-	-	-	-	-	3	0.6	0.16	0.5	0.13
Ovary	-	-	-	-	-	48	10.7	0.70	8.7	0.56
Male Genital System	241	64.7	1.95	48.0	1.39	-	-	-	-	-
Prostate	230	61.9	1.92	45.2	1.34	-	-	-	-	-
Testis	10	2.1	0.31	2.3	0.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	89	25.0	1.26	17.8	0.85	38	9.1	0.68	6.5	0.48
Bladder (incl. <i>in situ</i>)	47	14.1	0.98	9.4	0.62	13	3.7	0.46	2.3	0.28
Kidney & renal pelvis	40	10.3	0.77	7.9	0.56	22	4.8	0.47	3.8	0.37
Ureter	1	0.4	0.16	0.3	0.11	2	0.5	0.18	0.4	0.11
Eye & Orbit	1	0.3	0.11	0.3	0.14	2	0.5	0.15	0.5	0.18
Brain & Other CNS ¹	23	5.7	0.56	5.2	0.50	16	3.8	0.44	3.3	0.38
Brain	22	5.5	0.55	5.0	0.48	15	3.5	0.42	3.0	0.37
Endocrine System	40	9.1	0.65	8.1	0.58	111	22.9	0.98	20.9	0.91
Thyroid gland	36	8.0	0.61	7.1	0.54	107	21.9	0.96	20.1	0.88
Lymphomas	58	15.4	0.95	12.0	0.71	47	10.9	0.73	8.7	0.58
Hodgkin Lymphoma	6	1.5	0.27	1.5	0.27	6	1.4	0.26	1.4	0.27
Non-Hodgkin Lymphoma	52	13.9	0.91	10.5	0.66	41	9.5	0.68	7.3	0.51
Multiple Myeloma	17	4.9	0.57	3.4	0.37	13	3.1	0.40	2.3	0.28
Leukemias	37	10.4	0.80	8.2	0.61	27	6.7	0.59	5.5	0.49
Acute lymphocytic	-	-	-	-	-	7	1.7	0.29	2.0	0.34
Chronic lymphocytic	7	2.0	0.35	1.4	0.23	4	1.1	0.25	0.8	0.16
Acute myeloid	12	3.5	0.48	2.6	0.34	11	2.7	0.38	1.9	0.26
Chronic myeloid	6	1.6	0.31	1.3	0.23	3	0.6	0.17	0.5	0.14
Other leukemias	4	1.3	0.30	0.9	0.19	2	0.6	0.19	0.4	0.12
Mesothelioma	2	0.6	0.20	0.4	0.14	-	-	-	-	-
Kaposi Sarcoma	1	0.3	0.14	0.2	0.10	-	-	-	-	-
Ill-defined & Unknown	35	10.7	0.87	7.3	0.55	31	8.3	0.69	5.4	0.45
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	28	7.1	0.62	5.7	0.49	47	10.7	0.72	8.4	0.55
Breast (<i>in situ</i>)	-	-	-	-	-	177	37.5	1.28	30.9	1.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Jersey, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,395	426.7	4.24	315.9	2.93	2,707	377.2	3.34	292.3	2.53
Oral Cavity & Pharynx	70	11.5	0.66	8.8	0.48	34	4.7	0.38	3.7	0.29
Lip	2	0.3	0.10	0.2	0.07	2	0.2	0.08	0.2	0.06
Tongue	18	3.1	0.35	2.3	0.25	10	1.3	0.20	1.1	0.15
Major salivary gland	6	1.2	0.23	0.9	0.15	9	1.2	0.18	1.0	0.15
Floor of mouth	2	0.4	0.13	0.3	0.08	-	-	-	-	-
Gum & other mouth	10	1.8	0.26	1.4	0.19	4	0.7	0.15	0.5	0.10
Nasopharynx	6	0.9	0.17	0.8	0.14	3	0.4	0.10	0.3	0.08
Oropharynx	6	0.9	0.19	0.7	0.14	1	0.2	0.07	0.1	0.06
Hypopharynx	3	0.5	0.15	0.4	0.10	-	-	-	-	-
Digestive System	554	100.4	2.07	72.6	1.40	483	71.9	1.51	51.6	1.06
Esophagus	23	4.5	0.45	3.2	0.30	9	1.5	0.23	0.9	0.14
Stomach	78	14.2	0.78	10.2	0.52	65	9.4	0.54	7.0	0.39
Small intestine	17	3.1	0.36	2.2	0.24	14	2.0	0.24	1.5	0.18
Colon excl. rectum	162	29.8	1.14	21.3	0.76	159	23.9	0.87	17.0	0.61
Rectum & rectosigmoid	79	13.0	0.71	9.9	0.51	61	8.5	0.50	6.5	0.37
Anus, anal canal & anorectum	7	1.1	0.20	0.8	0.14	19	2.7	0.29	2.1	0.21
Liver	80	13.6	0.73	10.4	0.53	31	4.8	0.40	3.3	0.27
Gallbladder	6	1.3	0.25	0.8	0.16	15	2.3	0.27	1.6	0.19
Pancreas	66	13.1	0.78	9.0	0.50	77	12.0	0.63	8.2	0.42
Respiratory System	220	44.6	1.44	30.8	0.94	190	29.5	0.98	20.7	0.68
Larynx	27	5.1	0.47	3.7	0.32	5	0.7	0.14	0.5	0.11
Lung & bronchus	188	38.7	1.35	26.5	0.88	182	28.3	0.96	19.7	0.66
Bones & Joints	9	1.0	0.16	1.1	0.16	7	0.9	0.15	0.8	0.14
Soft Tissue (incl. heart)	23	3.3	0.33	2.8	0.27	24	3.0	0.29	2.7	0.25
Skin (excl. basal & sq.)	34	5.9	0.49	4.4	0.34	35	4.9	0.38	3.8	0.29
Melanomas of the skin	25	4.4	0.43	3.2	0.29	29	4.0	0.34	3.1	0.26
Breast (excl. <i>in situ</i>)	4	0.7	0.18	0.5	0.11	806	109.5	1.77	86.5	1.37
Female Genital System	-	-	-	-	-	386	51.8	1.21	41.8	0.96
Cervix uteri	-	-	-	-	-	86	11.0	0.54	9.2	0.45
Uterus Corpus	-	-	-	-	-	183	24.3	0.82	19.9	0.66
Uterus, NOS ¹	-	-	-	-	-	10	1.4	0.20	1.1	0.15
Ovary	-	-	-	-	-	73	10.0	0.54	8.0	0.42
Male Genital System	725	128.7	2.30	97.8	1.65	-	-	-	-	-
Prostate	670	121.8	2.25	91.5	1.60	-	-	-	-	-
Testis	43	4.4	0.30	4.7	0.32	-	-	-	-	-
Penis	12	2.4	0.34	1.6	0.21	-	-	-	-	-
Urinary System	246	46.5	1.44	32.8	0.95	125	18.1	0.75	13.6	0.55
Bladder (incl. <i>in situ</i>)	119	26.0	1.14	16.8	0.70	42	6.7	0.47	4.5	0.31
Kidney & renal pelvis	123	19.5	0.85	15.4	0.63	79	10.8	0.56	8.6	0.43
Ureter	2	0.5	0.16	0.3	0.10	2	0.3	0.10	0.2	0.07
Eye & Orbit	3	0.4	0.12	0.3	0.09	4	0.5	0.11	0.5	0.10
Brain & Other CNS ¹	49	6.9	0.48	6.0	0.38	36	4.5	0.35	4.0	0.30
Brain	47	6.7	0.48	5.7	0.38	34	4.3	0.34	3.8	0.29
Endocrine System	52	6.9	0.46	6.0	0.38	229	27.6	0.83	25.0	0.74
Thyroid gland	47	6.3	0.44	5.4	0.36	222	26.8	0.81	24.2	0.73
Lymphomas	166	27.5	1.05	20.9	0.74	142	19.9	0.77	15.5	0.59
Hodgkin Lymphoma	23	2.9	0.29	2.8	0.26	22	2.6	0.25	2.5	0.24
Non-Hodgkin Lymphoma	143	24.6	1.01	18.1	0.69	120	17.3	0.73	13.0	0.53
Multiple Myeloma	48	9.1	0.64	6.5	0.42	40	5.9	0.43	4.4	0.31
Leukemias	98	15.7	0.78	12.4	0.57	79	10.7	0.56	8.8	0.45
Acute lymphocytic	23	2.5	0.25	2.7	0.25	21	2.3	0.23	2.4	0.24
Chronic lymphocytic	19	3.9	0.43	2.7	0.28	13	2.0	0.26	1.4	0.17
Acute myeloid	28	4.6	0.43	3.5	0.30	23	3.3	0.32	2.5	0.24
Chronic myeloid	15	2.3	0.29	1.8	0.21	11	1.5	0.21	1.2	0.16
Other leukemias	13	2.4	0.33	1.7	0.22	11	1.6	0.22	1.2	0.17
Mesothelioma	5	1.1	0.22	0.7	0.14	3	0.5	0.12	0.4	0.09
Kaposi Sarcoma	9	1.3	0.21	1.0	0.16	-	-	-	-	-
Ill-defined & Unknown	79	15.4	0.85	10.5	0.54	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	49	7.3	0.52	5.8	0.38	109	14.6	0.64	11.8	0.51
Breast (<i>in situ</i>)	-	-	-	-	-	245	31.8	0.93	26.2	0.75

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW JERSEY

278 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Jersey, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	18,652	553.8	1.87	407.7	1.42	18,942	491.0	1.70	380.1	1.41
Oral Cavity & Pharynx	637	18.3	0.34	14.3	0.27	267	6.7	0.19	5.2	0.16
Lip	20	0.6	0.06	0.4	0.04	11	0.3	0.04	0.2	0.03
Tongue	206	5.8	0.19	4.7	0.15	87	2.2	0.11	1.7	0.09
Major salivary gland	71	2.2	0.12	1.6	0.09	41	1.1	0.09	0.9	0.08
Floor of mouth	24	0.7	0.06	0.5	0.05	13	0.3	0.04	0.2	0.03
Gum & other mouth	68	2.0	0.11	1.5	0.08	56	1.3	0.09	1.0	0.07
Nasopharynx	19	0.6	0.06	0.5	0.05	7	0.2	0.04	0.2	0.04
Oropharynx	29	0.8	0.07	0.6	0.06	11	0.3	0.04	0.2	0.03
Hypopharynx	32	0.9	0.07	0.7	0.05	8	0.2	0.03	0.2	0.02
Digestive System	3,453	102.3	0.80	73.7	0.59	2,858	68.1	0.60	48.6	0.46
Esophagus	293	8.5	0.23	6.2	0.17	79	1.8	0.09	1.3	0.07
Stomach	312	9.2	0.24	6.5	0.17	180	4.3	0.15	3.1	0.12
Small intestine	98	2.9	0.14	2.2	0.10	82	2.0	0.11	1.5	0.08
Colon excl. rectum	1,063	32.3	0.46	22.8	0.33	1,106	26.4	0.38	18.5	0.29
Rectum & rectosigmoid	514	15.4	0.32	11.6	0.24	393	9.9	0.24	7.6	0.19
Anus, anal canal & anorectum	47	1.4	0.09	1.1	0.07	93	2.3	0.11	1.9	0.09
Liver	334	9.3	0.23	7.1	0.18	102	2.4	0.11	1.7	0.09
Gallbladder	29	0.9	0.08	0.6	0.05	55	1.2	0.08	0.8	0.05
Pancreas	583	17.0	0.32	11.9	0.23	575	13.1	0.25	9.0	0.19
Respiratory System	2,456	72.2	0.67	49.7	0.46	2,573	60.6	0.55	42.9	0.40
Larynx	195	5.6	0.18	4.1	0.14	41	1.0	0.07	0.8	0.06
Lung & bronchus	2,227	65.5	0.63	44.7	0.43	2,507	58.9	0.54	41.6	0.40
Bones & Joints	34	1.2	0.10	1.1	0.10	28	1.0	0.09	1.0	0.10
Soft Tissue (incl. heart)	146	4.8	0.19	3.7	0.16	109	3.1	0.14	2.6	0.13
Skin (excl. basal & sq.)	1,366	41.7	0.52	30.3	0.39	953	26.8	0.42	21.8	0.36
Melanomas of the skin	1,269	38.7	0.50	28.2	0.38	890	25.3	0.41	20.7	0.36
Breast (excl. <i>in situ</i>)	55	1.6	0.10	1.2	0.07	5,381	144.8	0.94	114.6	0.77
Female Genital System	-	-	-	-	-	2,301	59.2	0.58	47.5	0.49
Cervix uteri	-	-	-	-	-	202	6.9	0.23	6.0	0.21
Uterus Corpus	-	-	-	-	-	1,336	32.9	0.42	26.4	0.34
Uterus, NOS ¹	-	-	-	-	-	48	1.2	0.08	0.9	0.06
Ovary	-	-	-	-	-	485	12.5	0.27	10.0	0.23
Male Genital System	4,655	131.0	0.88	101.9	0.69	-	-	-	-	-
Prostate	4,439	121.7	0.83	92.9	0.63	-	-	-	-	-
Testis	183	8.2	0.28	8.3	0.29	-	-	-	-	-
Penis	23	0.7	0.07	0.5	0.05	-	-	-	-	-
Urinary System	2,382	71.0	0.67	49.3	0.47	1,010	24.1	0.36	17.5	0.28
Bladder (incl. <i>in situ</i>)	1,523	45.3	0.53	29.8	0.35	525	11.9	0.24	8.2	0.17
Kidney & renal pelvis	800	23.9	0.39	18.4	0.31	449	11.4	0.26	8.9	0.21
Ureter	34	1.0	0.08	0.6	0.05	24	0.5	0.05	0.3	0.03
Eye & Orbit	28	0.9	0.08	0.8	0.08	25	0.7	0.07	0.7	0.07
Brain & Other CNS ¹	267	8.9	0.26	7.6	0.24	222	6.8	0.22	6.0	0.22
Brain	255	8.4	0.25	7.2	0.23	210	6.3	0.21	5.6	0.21
Endocrine System	382	13.1	0.32	11.5	0.29	933	32.6	0.51	29.7	0.48
Thyroid gland	353	12.1	0.30	10.6	0.27	907	31.9	0.51	29.0	0.48
Lymphomas	1,018	32.4	0.47	24.8	0.38	872	23.0	0.38	18.0	0.32
Hodgkin Lymphoma	106	4.1	0.19	3.9	0.19	83	3.2	0.17	3.2	0.18
Non-Hodgkin Lymphoma	913	28.3	0.43	20.9	0.34	789	19.8	0.34	14.8	0.27
Multiple Myeloma	284	8.3	0.23	5.8	0.16	213	5.0	0.16	3.6	0.12
Leukemias	664	20.8	0.37	15.4	0.30	492	12.7	0.28	9.9	0.25
Acute lymphocytic	45	1.9	0.13	2.1	0.15	36	1.5	0.12	1.6	0.14
Chronic lymphocytic	282	8.2	0.22	5.7	0.16	198	4.5	0.15	3.2	0.11
Acute myeloid	179	5.6	0.20	4.1	0.15	148	3.9	0.15	2.9	0.13
Chronic myeloid	86	2.7	0.14	1.9	0.10	56	1.5	0.10	1.2	0.09
Other leukemias	72	2.3	0.12	1.5	0.09	53	1.3	0.09	1.0	0.07
Mesothelioma	73	2.3	0.12	1.4	0.08	26	0.6	0.06	0.4	0.04
Kaposi Sarcoma	13	0.5	0.06	0.3	0.05	2	0.1	0.02	0.0	0.01
Ill-defined & Unknown	739	22.5	0.38	14.7	0.26	677	15.1	0.28	10.1	0.21
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	310	10.3	0.27	8.3	0.23	616	16.6	0.32	13.2	0.28
Breast (<i>in situ</i>)	5	0.2	0.03	0.1	0.03	1,533	44.1	0.53	36.4	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Jersey, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,749	550.9	4.94	416.2	3.57	2,978	432.1	3.60	334.8	2.82
Oral Cavity & Pharynx	73	13.8	0.75	10.9	0.57	33	4.8	0.38	3.8	0.30
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	15	2.8	0.34	2.2	0.26	8	1.1	0.18	0.9	0.14
Major salivary gland	7	1.3	0.23	1.0	0.18	7	1.2	0.19	0.9	0.15
Floor of mouth	3	0.6	0.15	0.5	0.12	-	-	-	-	-
Gum & other mouth	8	1.5	0.26	1.2	0.19	8	1.1	0.18	0.8	0.13
Nasopharynx	6	1.0	0.19	0.9	0.17	3	0.5	0.13	0.4	0.11
Oropharynx	7	1.3	0.24	1.0	0.18	1	0.2	0.07	0.1	0.05
Hypopharynx	7	1.5	0.26	1.1	0.18	2	0.2	0.08	0.2	0.06
Digestive System	586	118.8	2.31	88.4	1.64	580	84.0	1.58	61.8	1.17
Esophagus	30	6.2	0.53	4.5	0.37	16	2.3	0.25	1.7	0.19
Stomach	64	14.4	0.85	9.8	0.55	59	8.6	0.51	6.2	0.37
Small intestine	23	4.5	0.44	3.4	0.32	27	4.0	0.35	3.0	0.26
Colon excl. rectum	189	38.8	1.33	28.6	0.94	212	31.0	0.97	22.6	0.71
Rectum & rectosigmoid	73	14.6	0.81	11.1	0.58	68	9.7	0.54	7.5	0.42
Anus, anal canal & anorectum	10	1.8	0.27	1.4	0.21	16	2.2	0.26	1.8	0.21
Liver	84	14.9	0.76	12.4	0.61	29	4.0	0.33	3.2	0.27
Gallbladder	7	1.4	0.26	1.0	0.18	17	2.5	0.27	1.8	0.20
Pancreas	85	17.6	0.90	12.9	0.63	103	15.0	0.67	10.6	0.47
Respiratory System	348	75.0	1.90	52.9	1.27	350	49.9	1.21	36.4	0.89
Larynx	34	6.6	0.54	5.0	0.39	13	1.8	0.22	1.4	0.17
Lung & bronchus	308	67.2	1.80	46.9	1.20	334	47.7	1.18	34.6	0.86
Bones & Joints	5	1.0	0.20	1.0	0.19	6	0.9	0.17	0.8	0.16
Soft Tissue (incl. heart)	19	3.6	0.38	3.1	0.32	21	3.1	0.31	2.7	0.28
Skin (excl. basal & sq.)	14	2.7	0.34	2.2	0.28	14	2.0	0.25	1.6	0.21
Melanomas of the skin	6	1.3	0.25	1.0	0.17	7	1.0	0.17	0.7	0.13
Breast (excl. <i>in situ</i>)	10	2.1	0.31	1.5	0.22	938	135.9	2.02	107.8	1.61
Female Genital System	-	-	-	-	-	400	56.4	1.28	45.1	1.03
Cervix uteri	-	-	-	-	-	70	10.5	0.57	8.6	0.47
Uterus Corpus	-	-	-	-	-	211	28.8	0.90	22.9	0.71
Uterus, NOS ¹	-	-	-	-	-	19	2.7	0.28	2.1	0.22
Ovary	-	-	-	-	-	68	9.8	0.54	7.8	0.43
Male Genital System	1,058	202.6	2.91	157.5	2.18	-	-	-	-	-
Prostate	1,043	199.7	2.89	155.0	2.16	-	-	-	-	-
Testis	10	1.9	0.27	1.8	0.26	-	-	-	-	-
Penis	4	0.8	0.20	0.6	0.13	-	-	-	-	-
Urinary System	229	47.5	1.48	34.9	1.04	131	19.0	0.75	14.1	0.57
Bladder (incl. <i>in situ</i>)	97	22.5	1.07	15.0	0.68	46	6.9	0.46	4.6	0.31
Kidney & renal pelvis	128	24.1	0.99	19.3	0.77	81	11.6	0.59	9.1	0.47
Ureter	1	0.3	0.11	0.2	0.08	1	0.2	0.07	0.1	0.05
Eye & Orbit	1	0.2	0.10	0.2	0.08	2	0.3	0.11	0.4	0.12
Brain & Other CNS ¹	29	5.7	0.49	4.9	0.41	25	3.8	0.35	3.4	0.32
Brain	27	5.2	0.47	4.5	0.39	23	3.5	0.33	3.1	0.30
Endocrine System	29	5.3	0.46	4.4	0.38	119	17.9	0.75	15.4	0.65
Thyroid gland	23	4.4	0.42	3.6	0.34	109	16.4	0.72	14.1	0.62
Lymphomas	106	20.8	0.95	16.8	0.73	107	15.9	0.70	13.3	0.60
Hodgkin Lymphoma	19	3.2	0.34	3.1	0.33	20	3.1	0.32	3.1	0.32
Non-Hodgkin Lymphoma	88	17.6	0.88	13.6	0.66	87	12.8	0.63	10.2	0.51
Multiple Myeloma	76	15.7	0.85	11.4	0.59	86	12.6	0.61	9.3	0.45
Leukemias	70	14.7	0.83	11.1	0.60	64	9.7	0.55	7.8	0.47
Acute lymphocytic	5	0.9	0.20	0.9	0.19	9	1.4	0.22	1.5	0.24
Chronic lymphocytic	23	5.0	0.49	3.5	0.33	15	2.3	0.27	1.6	0.19
Acute myeloid	22	4.7	0.47	3.6	0.34	21	3.3	0.32	2.5	0.26
Chronic myeloid	13	2.8	0.36	2.1	0.26	9	1.3	0.20	1.1	0.17
Other leukemias	6	1.2	0.24	1.0	0.18	9	1.4	0.21	1.1	0.16
Mesothelioma	3	0.7	0.20	0.5	0.12	3	0.4	0.11	0.3	0.08
Kaposi Sarcoma	7	1.3	0.22	1.2	0.20	2	0.3	0.10	0.3	0.09
Ill-defined & Unknown	86	19.4	0.99	13.3	0.64	100	15.0	0.68	10.5	0.49
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	47	9.3	0.64	7.4	0.49	102	15.1	0.68	11.9	0.54
Breast (<i>in situ</i>)	2	0.3	0.12	0.3	0.09	255	36.4	1.03	29.5	0.84

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NEW JERSEY

280 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Mexico, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,605	391.5	2.65	290.9	1.98	4,705	365.7	2.47	285.6	1.99
Oral Cavity & Pharynx	162	13.6	0.49	10.4	0.37	59	4.5	0.27	3.4	0.21
Lip	10	0.9	0.13	0.6	0.09	2	0.2	0.05	0.1	0.04
Tongue	49	3.9	0.26	3.2	0.21	21	1.5	0.15	1.2	0.13
Major salivary gland	19	1.8	0.18	1.1	0.12	9	0.8	0.12	0.6	0.09
Floor of mouth	5	0.5	0.09	0.4	0.07	2	0.1	0.05	0.1	0.03
Gum & other mouth	15	1.3	0.15	0.9	0.11	11	0.9	0.12	0.5	0.08
Nasopharynx	7	0.6	0.10	0.5	0.08	1	0.1	0.04	0.1	0.03
Oropharynx	10	0.8	0.12	0.7	0.09	3	0.2	0.06	0.2	0.04
Hypopharynx	10	0.8	0.12	0.6	0.09	2	0.1	0.04	0.1	0.03
Digestive System	1,052	89.2	1.26	66.5	0.94	781	58.6	0.97	43.4	0.74
Esophagus	83	6.9	0.35	5.0	0.25	15	1.1	0.13	0.8	0.10
Stomach	94	8.3	0.39	5.9	0.28	65	5.0	0.29	3.6	0.22
Small intestine	24	2.1	0.20	1.6	0.15	20	1.5	0.16	1.1	0.12
Colon excl. rectum	280	24.2	0.66	17.7	0.49	281	21.3	0.58	15.8	0.45
Rectum & rectosigmoid	155	13.3	0.49	10.3	0.38	106	8.2	0.37	6.4	0.29
Anus, anal canal & anorectum	13	1.1	0.14	0.9	0.11	22	1.7	0.16	1.3	0.13
Liver	186	14.9	0.50	12.0	0.40	64	4.7	0.27	3.5	0.21
Gallbladder	11	0.9	0.13	0.6	0.09	21	1.6	0.16	1.2	0.12
Pancreas	151	12.7	0.47	9.1	0.34	136	9.9	0.39	7.0	0.28
Respiratory System	572	49.1	0.94	33.4	0.64	492	35.8	0.74	25.0	0.52
Larynx	49	4.0	0.26	3.0	0.19	13	0.9	0.12	0.7	0.10
Lung & bronchus	510	43.9	0.89	29.5	0.59	472	34.3	0.72	23.9	0.51
Bones & Joints	11	1.1	0.15	1.0	0.14	11	1.0	0.14	1.0	0.14
Soft Tissue (incl. heart)	40	3.7	0.27	2.9	0.22	32	2.7	0.22	2.4	0.20
Skin (excl. basal & sq.)	257	22.2	0.64	16.2	0.47	178	14.0	0.49	11.1	0.40
Melanomas of the skin	235	20.2	0.60	14.8	0.45	160	12.5	0.46	10.0	0.38
Breast (excl. <i>in situ</i>)	12	1.0	0.14	0.7	0.10	1,438	111.8	1.37	88.6	1.10
Female Genital System	-	-	-	-	-	610	48.3	0.91	39.6	0.76
Cervix uteri	-	-	-	-	-	84	8.2	0.41	7.4	0.38
Uterus Corpus	-	-	-	-	-	304	23.1	0.62	19.0	0.51
Uterus, NOS ¹	-	-	-	-	-	13	1.0	0.12	0.7	0.10
Ovary	-	-	-	-	-	152	11.8	0.44	9.3	0.36
Male Genital System	1,124	90.5	1.24	69.8	0.95	-	-	-	-	-
Prostate	1,046	82.8	1.17	62.2	0.87	-	-	-	-	-
Testis	65	6.6	0.37	6.8	0.38	-	-	-	-	-
Penis	11	0.9	0.13	0.7	0.09	-	-	-	-	-
Urinary System	517	44.9	0.91	32.0	0.65	236	18.1	0.54	13.5	0.42
Bladder (incl. <i>in situ</i>)	281	24.4	0.67	16.1	0.44	91	6.7	0.32	4.5	0.22
Kidney & renal pelvis	224	19.4	0.60	15.2	0.47	140	11.0	0.43	8.7	0.35
Ureter	7	0.6	0.10	0.4	0.07	4	0.3	0.07	0.2	0.04
Eye & Orbit	9	0.8	0.13	0.7	0.11	7	0.6	0.09	0.5	0.09
Brain & Other CNS ¹	69	6.0	0.33	5.0	0.29	56	4.6	0.29	3.9	0.26
Brain	66	5.8	0.33	4.8	0.28	51	4.1	0.27	3.5	0.24
Endocrine System	95	8.5	0.40	7.3	0.35	262	24.1	0.69	21.8	0.63
Thyroid gland	86	7.7	0.38	6.6	0.33	255	23.5	0.69	21.3	0.63
Lymphomas	228	20.1	0.61	15.5	0.48	196	15.1	0.50	11.7	0.40
Hodgkin Lymphoma	32	2.9	0.24	2.7	0.22	19	1.8	0.18	1.7	0.19
Non-Hodgkin Lymphoma	196	17.1	0.56	12.8	0.43	177	13.4	0.46	10.0	0.36
Multiple Myeloma	82	7.2	0.36	5.0	0.25	57	4.3	0.26	3.1	0.20
Leukemias	180	16.2	0.55	12.6	0.44	139	11.1	0.43	8.9	0.37
Acute lymphocytic	20	2.0	0.20	2.2	0.22	18	1.8	0.19	1.9	0.21
Chronic lymphocytic	64	5.5	0.31	3.9	0.22	45	3.3	0.22	2.2	0.15
Acute myeloid	48	4.3	0.29	3.2	0.22	44	3.4	0.24	2.7	0.20
Chronic myeloid	27	2.5	0.22	2.0	0.18	19	1.6	0.17	1.2	0.14
Other leukemias	21	2.0	0.20	1.4	0.14	13	1.0	0.13	0.8	0.11
Mesothelioma	12	1.1	0.14	0.7	0.09	4	0.3	0.07	0.2	0.05
Kaposi Sarcoma	3	0.4	0.09	0.3	0.08	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	145	10.8	0.41	7.5	0.30
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	68	6.2	0.34	5.0	0.29	144	11.8	0.46	9.5	0.38
Breast (<i>in situ</i>)	1	0.1	0.05	0.1	0.04	260	20.5	0.59	16.8	0.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Mexico, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	4,127	391.4	2.80	291.1	2.11	4,203	371.7	2.68	290.7	2.18
Oral Cavity & Pharynx	151	14.1	0.53	10.8	0.41	55	4.7	0.30	3.6	0.23
Lip	9	0.9	0.14	0.7	0.10	2	0.2	0.05	0.1	0.04
Tongue	47	4.3	0.29	3.5	0.23	20	1.7	0.17	1.3	0.14
Major salivary gland	18	1.8	0.20	1.2	0.13	8	0.8	0.13	0.6	0.10
Floor of mouth	5	0.5	0.10	0.4	0.08	2	0.1	0.05	0.1	0.03
Gum & other mouth	13	1.2	0.15	0.9	0.11	10	0.9	0.13	0.6	0.09
Nasopharynx	6	0.5	0.10	0.4	0.08	-	-	-	-	-
Oropharynx	10	0.9	0.13	0.7	0.10	3	0.2	0.06	0.2	0.05
Hypopharynx	9	0.9	0.13	0.6	0.09	2	0.1	0.04	0.1	0.03
Digestive System	925	87.5	1.32	65.4	1.00	676	57.3	1.02	42.4	0.79
Esophagus	78	7.1	0.37	5.1	0.27	14	1.1	0.14	0.8	0.10
Stomach	80	7.8	0.40	5.5	0.29	52	4.5	0.29	3.2	0.22
Small intestine	22	2.1	0.21	1.6	0.17	17	1.4	0.16	1.1	0.13
Colon excl. rectum	247	23.9	0.70	17.5	0.52	244	20.9	0.62	15.6	0.48
Rectum & rectosigmoid	135	13.0	0.52	10.0	0.40	93	8.1	0.39	6.3	0.31
Anus, anal canal & anorectum	13	1.2	0.16	0.9	0.12	21	1.8	0.18	1.4	0.14
Liver	159	14.4	0.52	11.6	0.42	52	4.3	0.28	3.2	0.22
Gallbladder	9	0.9	0.13	0.6	0.09	16	1.4	0.16	1.1	0.13
Pancreas	137	12.7	0.50	9.2	0.36	124	10.2	0.42	7.2	0.31
Respiratory System	534	50.5	1.00	34.5	0.68	463	37.8	0.80	26.5	0.58
Larynx	44	4.1	0.28	3.0	0.21	12	1.0	0.13	0.8	0.11
Lung & bronchus	479	45.4	0.95	30.6	0.64	444	36.2	0.78	25.3	0.56
Bones & Joints	10	1.2	0.17	1.0	0.16	10	1.0	0.15	1.0	0.16
Soft Tissue (incl. heart)	34	3.5	0.28	2.7	0.22	28	2.7	0.24	2.4	0.22
Skin (excl. basal & sq.)	240	23.2	0.69	16.9	0.51	164	14.6	0.54	11.6	0.44
Melanomas of the skin	220	21.2	0.66	15.5	0.49	149	13.3	0.51	10.6	0.42
Breast (excl. <i>in situ</i>)	11	1.0	0.15	0.7	0.10	1,307	115.9	1.50	91.8	1.22
Female Genital System	-	-	-	-	-	527	47.5	0.97	39.1	0.82
Cervix uteri	-	-	-	-	-	71	8.2	0.46	7.5	0.42
Uterus Corpus	-	-	-	-	-	260	22.4	0.65	18.3	0.54
Uterus, NOS ¹	-	-	-	-	-	10	0.9	0.12	0.7	0.10
Ovary	-	-	-	-	-	132	11.7	0.47	9.3	0.39
Male Genital System	985	88.4	1.29	68.5	1.01	-	-	-	-	-
Prostate	919	80.6	1.22	60.7	0.91	-	-	-	-	-
Testis	54	6.7	0.41	7.0	0.43	-	-	-	-	-
Penis	10	1.0	0.14	0.7	0.10	-	-	-	-	-
Urinary System	464	44.7	0.95	31.8	0.69	207	17.9	0.58	13.3	0.45
Bladder (incl. <i>in situ</i>)	266	25.4	0.71	16.8	0.47	84	6.8	0.34	4.6	0.24
Kidney & renal pelvis	186	18.2	0.62	14.3	0.49	118	10.6	0.46	8.4	0.38
Ureter	7	0.7	0.11	0.5	0.08	4	0.3	0.07	0.2	0.05
Eye & Orbit	7	0.7	0.13	0.6	0.11	7	0.6	0.11	0.5	0.10
Brain & Other CNS ¹	64	6.4	0.37	5.4	0.32	50	4.8	0.32	4.1	0.29
Brain	62	6.1	0.36	5.1	0.31	47	4.4	0.30	3.7	0.27
Endocrine System	84	8.8	0.44	7.5	0.38	231	25.2	0.78	22.9	0.72
Thyroid gland	77	8.0	0.42	6.8	0.37	225	24.7	0.77	22.5	0.71
Lymphomas	209	20.7	0.66	16.0	0.52	173	15.1	0.53	11.8	0.44
Hodgkin Lymphoma	29	3.1	0.27	2.8	0.25	18	1.9	0.21	1.9	0.22
Non-Hodgkin Lymphoma	180	17.6	0.60	13.1	0.46	156	13.2	0.49	9.9	0.38
Multiple Myeloma	72	6.9	0.37	4.9	0.27	47	3.9	0.27	2.8	0.20
Leukemias	161	16.4	0.59	12.7	0.48	123	11.2	0.47	9.1	0.42
Acute lymphocytic	17	2.0	0.22	2.3	0.25	15	1.8	0.21	2.0	0.25
Chronic lymphocytic	57	5.4	0.33	3.8	0.23	40	3.2	0.23	2.2	0.16
Acute myeloid	44	4.4	0.31	3.3	0.24	39	3.5	0.26	2.8	0.22
Chronic myeloid	24	2.5	0.24	2.0	0.20	17	1.6	0.18	1.2	0.15
Other leukemias	19	2.0	0.21	1.4	0.15	12	1.1	0.15	0.9	0.12
Mesothelioma	11	1.1	0.15	0.7	0.09	4	0.3	0.08	0.2	0.06
Kaposi Sarcoma	2	0.2	0.08	0.2	0.07	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	130	10.9	0.44	7.5	0.32
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	59	6.2	0.37	5.1	0.31	123	11.6	0.49	9.4	0.42
Breast (<i>in situ</i>)	1	0.1	0.05	0.1	0.04	235	21.2	0.65	17.3	0.54

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Mexico, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	91	361.2	18.28	268.6	12.71	64	272.9	15.65	208.2	11.89
Oral Cavity & Pharynx	2	7.1	2.36	5.8	1.85	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	74.3	8.50	53.5	5.66	13	56.2	7.19	41.8	5.31
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	7.2	2.45	5.7	1.82	2	6.8	2.43	5.2	1.85
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	20.2	4.21	15.5	3.06	5	22.0	4.51	16.6	3.35
Rectum & rectosigmoid	1	4.8	2.15	3.5	1.43	1	5.7	2.36	4.3	1.78
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	10.7	2.65	9.3	2.27	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	16.3	4.29	10.4	2.55	2	9.3	3.00	5.5	1.82
Respiratory System	14	65.9	8.44	43.6	5.26	8	36.3	5.87	24.9	4.01
Larynx	1	3.9	1.63	3.3	1.37	-	-	-	-	-
Lung & bronchus	12	60.5	8.20	39.0	4.99	8	35.7	5.84	24.2	3.96
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	1	5.5	2.30	4.3	1.62	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	19	79.0	8.36	62.8	6.61
Female Genital System	-	-	-	-	-	6	24.4	4.71	19.4	3.73
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	3	13.9	3.53	11.0	2.79
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	7.2	2.59	5.5	1.97
Male Genital System	33	116.0	9.60	93.4	7.35	-	-	-	-	-
Prostate	32	113.1	9.49	90.9	7.24	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	38.1	6.33	25.8	4.01	3	12.6	3.25	10.3	2.59
Bladder (incl. <i>in situ</i>)	4	22.0	5.26	12.6	2.90	-	-	-	-	-
Kidney & renal pelvis	5	16.1	3.52	13.2	2.78	2	7.9	2.43	7.0	2.13
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	1	4.0	1.67	3.4	1.40	3	10.5	2.99	9.5	2.66
Thyroid gland	1	4.0	1.67	3.4	1.40	2	9.2	2.82	8.3	2.51
Lymphomas	4	13.7	3.21	11.7	2.64	3	10.4	2.84	8.8	2.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	3	11.9	3.03	9.9	2.43	2	7.0	2.39	5.4	1.82
Multiple Myeloma	2	8.4	2.64	6.6	2.01	3	10.9	2.96	8.8	2.39
Leukemias	2	8.1	2.69	6.4	1.96	3	12.6	3.43	8.7	2.39
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	1	5.9	2.46	3.4	1.46
Acute myeloid	-	-	-	-	-	1	5.0	2.07	3.8	1.59
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	13.0	3.58	9.2	2.39	3	12.9	3.50	8.3	2.26
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	3	11.3	3.06	8.6	2.37
Breast (<i>in situ</i>)	-	-	-	-	-	4	15.2	3.55	13.0	3.00

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Mexico, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	52	331.4	21.74	243.4	15.14	69	287.7	15.89	225.3	12.31
Oral Cavity & Pharynx	2	9.7	3.55	7.5	2.65	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	88.8	11.47	62.5	7.66	11	47.2	6.61	34.7	4.78
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	10.1	3.78	7.3	2.58	1	6.1	2.54	3.9	1.60
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	3	20.1	5.66	13.5	3.63	3	14.1	3.64	10.0	2.51
Rectum & rectosigmoid	2	10.2	3.59	8.0	2.67	1	5.5	2.28	3.8	1.57
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	24.3	6.13	16.4	3.98	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	11.5	4.09	8.1	2.72	2	9.2	2.73	7.5	2.16
Respiratory System	6	38.1	7.53	27.6	5.15	9	37.9	6.03	25.9	3.97
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	29.0	6.72	20.0	4.39	8	37.3	6.00	25.3	3.93
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	2	8.5	3.03	7.2	2.56	-	-	-	-	-
Melanomas of the skin	1	7.4	2.83	6.3	2.38	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	20	81.3	8.21	66.3	6.60
Female Genital System	-	-	-	-	-	9	32.7	5.10	27.9	4.28
Cervix uteri	-	-	-	-	-	2	7.7	2.46	7.1	2.25
Uterus Corpus	-	-	-	-	-	5	19.0	3.90	15.7	3.15
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	1	4.6	1.95	4.0	1.65
Male Genital System	15	93.1	11.43	68.2	7.96	-	-	-	-	-
Prostate	14	88.7	11.22	64.5	7.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	25.6	6.05	18.7	4.20	3	14.9	3.81	10.0	2.52
Bladder (incl. <i>in situ</i>)	2	13.4	4.75	8.7	2.91	2	7.6	2.78	4.7	1.66
Kidney & renal pelvis	2	12.2	3.74	10.0	3.03	1	6.3	2.41	4.6	1.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	1	5.4	2.27	4.9	2.22
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	2	9.0	3.01	8.5	2.91	5	20.3	4.03	18.7	3.74
Thyroid gland	2	7.8	2.77	7.0	2.48	5	20.3	4.03	18.7	3.74
Lymphomas	3	15.7	4.64	12.1	3.36	4	18.7	4.21	13.9	3.10
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	14.3	4.53	10.4	3.14	4	16.2	3.94	11.1	2.64
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	18.8	5.36	13.1	3.51	2	9.9	2.93	7.8	2.34
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	1	5.2	2.19	3.8	1.56
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	11.4	4.12	8.8	2.96	2	8.6	2.92	5.9	2.06
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	1	5.5	2.27	5.2	2.14	2	9.6	2.81	8.6	2.55
Breast (<i>in situ</i>)	-	-	-	-	-	6	21.3	4.07	18.3	3.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Mexico, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	235	314.8	9.82	231.1	6.78	293	293.0	7.82	228.5	6.03
Oral Cavity & Pharynx	5	6.7	1.38	5.1	1.00	2	1.7	0.59	1.4	0.46
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	85	114.3	5.91	83.1	4.06	72	73.4	3.97	53.2	2.84
Esophagus	2	3.5	1.07	2.4	0.71	-	-	-	-	-
Stomach	10	14.8	2.18	10.4	1.45	9	9.1	1.42	6.6	1.01
Small intestine	1	2.0	0.78	1.4	0.54	2	2.0	0.64	1.5	0.47
Colon excl. rectum	21	28.4	2.93	20.8	2.03	25	25.4	2.34	18.5	1.67
Rectum & rectosigmoid	15	18.8	2.26	14.7	1.69	10	9.6	1.41	7.5	1.10
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	18	21.7	2.42	17.1	1.82	10	10.0	1.46	7.2	1.03
Gallbladder	1	2.4	0.95	1.5	0.56	4	3.8	0.89	2.8	0.64
Pancreas	9	14.2	2.30	8.8	1.35	6	6.6	1.21	4.3	0.78
Respiratory System	14	22.1	2.81	14.3	1.72	10	10.7	1.56	7.2	1.03
Larynx	1	1.7	0.66	1.3	0.51	-	-	-	-	-
Lung & bronchus	11	18.9	2.65	11.7	1.57	9	10.3	1.53	6.9	1.01
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	4	4.7	1.21	3.7	0.85	3	3.2	0.83	2.7	0.67
Skin (excl. basal & sq.)	4	5.6	1.31	4.2	0.92	6	6.0	1.12	4.9	0.90
Melanomas of the skin	3	4.5	1.18	3.4	0.82	4	4.1	0.92	3.3	0.73
Breast (excl. <i>in situ</i>)	-	-	-	-	-	70	68.3	3.73	55.0	2.96
Female Genital System	-	-	-	-	-	56	55.4	3.37	45.1	2.72
Cervix uteri	-	-	-	-	-	9	9.0	1.38	7.5	1.15
Uterus Corpus	-	-	-	-	-	28	26.7	2.29	22.6	1.93
Uterus, NOS ²	-	-	-	-	-	2	1.9	0.64	1.5	0.49
Ovary	-	-	-	-	-	14	14.1	1.72	10.8	1.30
Male Genital System	44	60.1	4.34	43.7	2.95	-	-	-	-	-
Prostate	37	53.0	4.18	36.4	2.71	-	-	-	-	-
Testis	7	6.3	1.09	6.6	1.11	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	46.3	3.72	34.3	2.60	18	17.9	1.94	13.8	1.48
Bladder (incl. <i>in situ</i>)	6	9.6	1.91	5.8	1.09	3	3.5	0.86	2.6	0.64
Kidney & renal pelvis	29	36.8	3.20	28.4	2.36	14	14.4	1.74	11.2	1.34
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	3	3.6	1.08	2.6	0.73	3	3.1	0.76	2.8	0.70
Brain	3	3.6	1.08	2.6	0.73	3	2.4	0.69	2.1	0.60
Endocrine System	6	5.7	1.11	5.2	0.99	19	17.5	1.84	15.5	1.61
Thyroid gland	5	4.9	1.02	4.4	0.91	18	16.8	1.80	14.8	1.58
Lymphomas	8	10.1	1.66	8.1	1.26	12	12.9	1.69	9.4	1.22
Hodgkin Lymphoma	1	1.8	0.74	1.4	0.52	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	10.2	1.90	6.6	1.17	6	5.9	1.12	4.4	0.82
Leukemias	8	8.9	1.54	7.5	1.21	8	7.6	1.23	6.5	1.04
Acute lymphocytic	2	2.0	0.58	2.2	0.63	3	2.4	0.65	2.3	0.61
Chronic lymphocytic	1	2.2	0.88	1.5	0.56	1	1.2	0.53	0.9	0.35
Acute myeloid	2	1.9	0.74	1.6	0.56	2	1.6	0.55	1.5	0.50
Chronic myeloid	2	2.0	0.69	1.7	0.57	2	1.9	0.63	1.6	0.54
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	12.0	1.86	9.3	1.35	7	8.1	1.37	5.4	0.92
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	5	6.7	1.39	5.1	1.01	13	13.6	1.70	10.6	1.31
Breast (<i>in situ</i>)	-	-	-	-	-	12	11.3	1.49	9.4	1.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Mexico, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,478	352.2	4.22	262.5	3.07	1,675	348.5	3.86	272.3	3.04
Oral Cavity & Pharynx	42	9.9	0.70	7.5	0.52	21	4.5	0.44	3.4	0.34
Lip	2	0.6	0.16	0.4	0.13	-	-	-	-	-
Tongue	12	2.7	0.36	2.1	0.28	7	1.5	0.24	1.2	0.20
Major salivary gland	4	1.2	0.26	0.8	0.17	4	0.8	0.19	0.7	0.15
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	4	1.0	0.23	0.7	0.16	4	0.9	0.21	0.6	0.13
Nasopharynx	3	0.6	0.16	0.5	0.14	-	-	-	-	-
Oropharynx	3	0.6	0.16	0.4	0.12	1	0.3	0.11	0.2	0.09
Hypopharynx	3	0.7	0.20	0.5	0.13	-	-	-	-	-
Digestive System	445	105.3	2.30	78.4	1.67	325	67.6	1.70	49.5	1.25
Esophagus	25	6.0	0.55	4.4	0.39	4	0.8	0.18	0.6	0.14
Stomach	44	11.1	0.77	7.9	0.53	36	7.6	0.57	5.4	0.41
Small intestine	11	2.6	0.35	2.1	0.27	8	1.6	0.26	1.2	0.20
Colon excl. rectum	106	25.6	1.14	18.6	0.81	113	23.3	1.00	17.4	0.75
Rectum & rectosigmoid	66	15.5	0.88	11.7	0.65	42	8.6	0.60	6.7	0.47
Anus, anal canal & anorectum	4	0.9	0.20	0.8	0.17	6	1.2	0.22	0.9	0.17
Liver	104	23.0	1.03	18.4	0.81	32	6.6	0.53	4.7	0.38
Gallbladder	6	1.4	0.28	1.0	0.18	10	2.2	0.30	1.6	0.23
Pancreas	56	13.6	0.84	9.7	0.58	52	10.9	0.69	7.7	0.48
Respiratory System	156	40.1	1.48	26.9	0.97	131	28.1	1.11	19.2	0.76
Larynx	16	3.9	0.44	2.8	0.32	3	0.7	0.17	0.5	0.12
Lung & bronchus	136	35.4	1.40	23.3	0.90	125	26.8	1.09	18.2	0.74
Bones & Joints	6	1.3	0.24	1.1	0.21	6	1.2	0.22	1.1	0.21
Soft Tissue (incl. heart)	16	3.8	0.43	3.0	0.33	14	2.8	0.34	2.5	0.30
Skin (excl. basal & sq.)	23	5.4	0.51	4.2	0.39	27	5.6	0.49	4.5	0.39
Melanomas of the skin	19	4.3	0.45	3.4	0.35	23	4.6	0.44	3.6	0.35
Breast (excl. <i>in situ</i>)	3	0.7	0.19	0.5	0.14	501	103.6	2.10	83.3	1.69
Female Genital System	-	-	-	-	-	224	46.3	1.40	37.9	1.15
Cervix uteri	-	-	-	-	-	41	8.9	0.63	8.1	0.57
Uterus Corpus	-	-	-	-	-	102	20.7	0.93	17.0	0.76
Uterus, NOS ¹	-	-	-	-	-	5	1.1	0.21	0.8	0.15
Ovary	-	-	-	-	-	54	11.1	0.69	8.8	0.55
Male Genital System	345	79.4	1.97	60.9	1.47	-	-	-	-	-
Prostate	306	71.3	1.88	53.0	1.36	-	-	-	-	-
Testis	34	6.6	0.52	6.9	0.54	-	-	-	-	-
Penis	5	1.4	0.27	1.0	0.18	-	-	-	-	-
Urinary System	158	38.3	1.40	28.0	1.00	92	19.3	0.91	14.5	0.69
Bladder (incl. <i>in situ</i>)	65	16.9	0.96	11.1	0.62	24	5.1	0.47	3.3	0.31
Kidney & renal pelvis	90	20.5	0.99	16.3	0.77	66	13.7	0.76	10.9	0.61
Ureter	2	0.5	0.16	0.3	0.11	1	0.3	0.12	0.2	0.08
Eye & Orbit	2	0.5	0.17	0.4	0.12	2	0.4	0.13	0.4	0.13
Brain & Other CNS ¹	23	5.3	0.50	4.3	0.40	18	3.7	0.39	3.2	0.34
Brain	21	4.9	0.49	4.0	0.39	17	3.5	0.38	3.0	0.33
Endocrine System	38	8.5	0.63	7.2	0.52	120	25.2	1.05	22.7	0.94
Thyroid gland	35	7.8	0.60	6.7	0.50	117	24.7	1.04	22.3	0.93
Lymphomas	80	18.7	0.97	14.4	0.73	71	14.6	0.79	11.3	0.61
Hodgkin Lymphoma	14	3.0	0.37	2.6	0.31	9	1.8	0.27	1.7	0.26
Non-Hodgkin Lymphoma	66	15.8	0.89	11.8	0.65	62	12.8	0.74	9.5	0.56
Multiple Myeloma	27	6.7	0.59	4.8	0.41	23	4.8	0.46	3.4	0.33
Leukemias	59	13.7	0.83	11.0	0.64	45	9.2	0.62	7.5	0.51
Acute lymphocytic	12	2.3	0.30	2.5	0.32	10	1.8	0.27	1.9	0.28
Chronic lymphocytic	13	3.1	0.40	2.3	0.29	11	2.3	0.32	1.6	0.22
Acute myeloid	17	4.1	0.46	3.1	0.34	16	3.1	0.36	2.6	0.30
Chronic myeloid	10	2.3	0.34	1.8	0.26	5	1.1	0.22	0.8	0.16
Other leukemias	7	2.0	0.33	1.3	0.22	4	0.8	0.19	0.7	0.15
Mesothelioma	3	0.9	0.23	0.6	0.14	2	0.5	0.15	0.4	0.11
Kaposi Sarcoma	1	0.3	0.13	0.2	0.10	-	-	-	-	-
Ill-defined & Unknown	52	13.4	0.86	9.0	0.56	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	26	6.1	0.55	4.8	0.42	58	12.0	0.72	9.9	0.59
Breast (<i>in situ</i>)	-	-	-	-	-	92	18.9	0.89	15.4	0.73

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW MEXICO

286 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Mexico, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,704	413.9	3.77	307.9	2.94	2,584	384.9	3.76	301.7	3.16
Oral Cavity & Pharynx	109	16.6	0.75	12.9	0.59	35	4.7	0.38	3.5	0.30
Lip	7	1.1	0.20	0.8	0.15	2	0.2	0.08	0.1	0.06
Tongue	36	5.3	0.42	4.4	0.35	13	1.8	0.24	1.4	0.19
Major salivary gland	14	2.1	0.26	1.3	0.17	5	0.7	0.17	0.5	0.14
Floor of mouth	4	0.7	0.16	0.5	0.13	-	-	-	-	-
Gum & other mouth	9	1.3	0.20	1.0	0.16	7	0.9	0.16	0.6	0.12
Nasopharynx	3	0.4	0.12	0.3	0.09	-	-	-	-	-
Oropharynx	7	1.1	0.21	0.9	0.16	1	0.2	0.07	0.1	0.05
Hypopharynx	6	1.0	0.18	0.8	0.14	-	-	-	-	-
Digestive System	494	75.7	1.61	56.4	1.24	363	50.9	1.30	37.9	1.04
Esophagus	53	7.7	0.49	5.5	0.36	10	1.3	0.19	0.9	0.15
Stomach	37	5.6	0.43	3.9	0.32	19	2.7	0.30	2.0	0.24
Small intestine	11	1.8	0.26	1.4	0.21	10	1.4	0.23	1.1	0.19
Colon excl. rectum	145	23.2	0.92	17.0	0.70	136	19.5	0.81	14.5	0.65
Rectum & rectosigmoid	71	11.4	0.65	8.8	0.51	53	7.9	0.54	6.3	0.45
Anus, anal canal & anorectum	9	1.4	0.23	1.1	0.18	15	2.2	0.28	1.8	0.23
Liver	59	8.3	0.50	6.7	0.41	21	2.9	0.31	2.2	0.28
Gallbladder	3	0.6	0.15	0.4	0.12	6	0.9	0.18	0.7	0.14
Pancreas	82	12.1	0.63	8.8	0.47	73	9.6	0.53	6.7	0.39
Respiratory System	382	56.6	1.33	39.1	0.94	335	43.5	1.11	30.9	0.82
Larynx	29	4.3	0.38	3.2	0.29	9	1.2	0.19	1.0	0.16
Lung & bronchus	347	51.1	1.26	34.9	0.87	322	41.8	1.08	29.6	0.79
Bones & Joints	5	1.0	0.23	0.9	0.22	4	0.8	0.21	0.7	0.21
Soft Tissue (incl. heart)	19	3.2	0.35	2.4	0.29	15	2.5	0.33	2.2	0.32
Skin (excl. basal & sq.)	219	35.0	1.13	25.8	0.88	137	22.2	0.96	17.9	0.83
Melanomas of the skin	203	32.4	1.09	24.0	0.85	127	20.7	0.93	16.8	0.80
Breast (excl. <i>in situ</i>)	8	1.3	0.21	0.9	0.16	820	121.3	2.09	95.5	1.71
Female Genital System	-	-	-	-	-	314	47.9	1.35	39.5	1.17
Cervix uteri	-	-	-	-	-	32	7.5	0.66	6.8	0.61
Uterus Corpus	-	-	-	-	-	165	23.6	0.91	19.3	0.76
Uterus, NOS ¹	-	-	-	-	-	5	0.7	0.15	0.6	0.13
Ovary	-	-	-	-	-	81	11.9	0.65	9.5	0.55
Male Genital System	658	94.2	1.72	73.2	1.38	-	-	-	-	-
Prostate	629	86.8	1.60	65.9	1.22	-	-	-	-	-
Testis	22	6.5	0.63	6.7	0.65	-	-	-	-	-
Penis	5	0.7	0.14	0.5	0.10	-	-	-	-	-
Urinary System	311	47.4	1.26	33.3	0.91	119	16.9	0.75	12.4	0.60
Bladder (incl. <i>in situ</i>)	203	30.1	0.97	20.1	0.66	61	7.9	0.47	5.5	0.34
Kidney & renal pelvis	100	16.2	0.78	12.4	0.62	55	8.5	0.57	6.7	0.49
Ureter	5	0.8	0.16	0.5	0.12	3	0.3	0.10	0.2	0.06
Eye & Orbit	5	1.0	0.23	0.9	0.22	5	0.6	0.14	0.5	0.11
Brain & Other CNS ¹	42	7.3	0.55	6.2	0.51	32	5.8	0.53	5.0	0.51
Brain	41	7.1	0.54	6.1	0.50	30	5.1	0.47	4.2	0.44
Endocrine System	49	9.3	0.66	8.0	0.58	116	25.2	1.17	23.2	1.10
Thyroid gland	44	8.3	0.62	7.2	0.55	112	24.6	1.16	22.7	1.09
Lymphomas	132	22.1	0.93	17.3	0.79	104	15.6	0.76	12.3	0.67
Hodgkin Lymphoma	16	3.6	0.43	3.4	0.43	9	2.1	0.35	2.1	0.37
Non-Hodgkin Lymphoma	116	18.5	0.82	13.9	0.66	96	13.6	0.68	10.2	0.56
Multiple Myeloma	46	7.0	0.48	4.9	0.34	25	3.4	0.34	2.5	0.26
Leukemias	104	17.3	0.82	13.1	0.70	78	12.5	0.72	10.0	0.67
Acute lymphocytic	5	1.5	0.31	1.7	0.38	5	1.7	0.36	2.0	0.42
Chronic lymphocytic	45	6.8	0.47	4.8	0.34	29	3.8	0.33	2.6	0.24
Acute myeloid	28	4.5	0.41	3.3	0.33	24	3.7	0.38	2.9	0.34
Chronic myeloid	14	2.5	0.33	2.0	0.28	12	2.0	0.30	1.6	0.25
Other leukemias	12	2.0	0.26	1.3	0.19	8	1.3	0.21	0.9	0.17
Mesothelioma	8	1.1	0.19	0.7	0.12	1	0.2	0.07	0.1	0.05
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	35	6.6	0.55	5.6	0.51	67	10.6	0.64	8.5	0.57
Breast (<i>in situ</i>)	1	0.2	0.07	0.1	0.06	146	23.3	0.96	19.0	0.80

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Mexico, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	89	400.8	20.52	299.0	14.33	61	325.2	19.09	250.8	14.84
Oral Cavity & Pharynx	2	8.0	2.66	6.6	2.10	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	81.0	9.47	58.4	6.29	12	65.0	8.61	48.6	6.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	8.0	2.70	6.3	2.01	2	8.3	2.98	6.4	2.30
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	23.0	4.82	17.7	3.50	4	23.8	5.20	18.0	3.92
Rectum & rectosigmoid	-	-	-	-	-	1	7.1	2.94	5.5	2.26
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	12.0	2.97	10.4	2.54	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	18.3	4.86	11.6	2.86	2	10.9	3.53	6.6	2.21
Respiratory System	14	71.7	9.32	47.8	5.86	8	42.6	6.88	29.4	4.76
Larynx	1	4.3	1.80	3.7	1.51	-	-	-	-	-
Lung & bronchus	12	65.4	9.04	42.3	5.51	8	41.9	6.84	28.6	4.71
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	1	6.1	2.72	4.5	1.84	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	18	95.2	10.38	76.2	8.34
Female Genital System	-	-	-	-	-	5	30.2	6.02	24.3	4.86
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	3	16.7	4.47	13.4	3.63
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	8.9	3.24	6.9	2.52
Male Genital System	33	129.8	10.79	104.5	8.26	-	-	-	-	-
Prostate	32	126.2	10.64	101.5	8.12	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	42.7	7.21	28.8	4.54	3	15.4	3.94	12.8	3.25
Bladder (incl. <i>in situ</i>)	4	24.3	5.99	13.7	3.23	-	-	-	-	-
Kidney & renal pelvis	5	18.4	4.01	15.1	3.19	2	9.8	3.00	8.9	2.74
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	1	4.6	1.94	4.0	1.64	2	12.6	3.94	11.3	3.46
Thyroid gland	1	4.6	1.94	4.0	1.64	2	11.0	3.76	9.8	3.29
Lymphomas	4	16.2	3.78	14.0	3.19	3	13.2	3.61	11.4	3.17
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	8.5	2.82	6.7	2.14	3	13.2	3.61	10.8	2.95
Leukemias	2	9.6	3.13	7.9	2.42	3	13.9	3.92	9.8	2.84
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	1	6.2	2.56	4.8	2.00
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	14.5	3.98	10.2	2.67	3	14.9	4.05	9.7	2.65
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	3	13.1	3.68	10.1	2.93
Breast (<i>in situ</i>)	-	-	-	-	-	4	18.3	4.45	15.7	3.80

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NEW MEXICO

288 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New York, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	55,956	531.6	1.03	394.2	0.76	57,193	456.3	0.88	354.4	0.71
Oral Cavity & Pharynx	1,802	16.7	0.18	13.0	0.14	828	6.5	0.10	5.0	0.08
Lip	65	0.6	0.04	0.4	0.02	35	0.3	0.02	0.2	0.01
Tongue	558	5.1	0.10	4.0	0.08	242	1.9	0.06	1.5	0.04
Major salivary gland	171	1.7	0.06	1.2	0.04	137	1.1	0.04	0.9	0.04
Floor of mouth	77	0.7	0.04	0.5	0.03	39	0.3	0.02	0.2	0.02
Gum & other mouth	208	2.0	0.06	1.5	0.05	172	1.3	0.05	0.9	0.03
Nasopharynx	123	1.2	0.05	1.0	0.04	47	0.4	0.03	0.3	0.02
Oropharynx	94	0.8	0.04	0.7	0.03	28	0.2	0.02	0.2	0.01
Hypopharynx	116	1.1	0.05	0.8	0.03	32	0.2	0.02	0.2	0.02
Digestive System	10,956	104.5	0.46	76.2	0.33	9,097	69.5	0.33	50.4	0.25
Esophagus	815	7.6	0.12	5.6	0.09	269	2.0	0.06	1.4	0.04
Stomach	1,226	11.9	0.15	8.5	0.11	816	6.3	0.10	4.6	0.08
Small intestine	336	3.2	0.08	2.4	0.06	290	2.3	0.06	1.8	0.05
Colon excl. rectum	3,105	30.4	0.25	21.5	0.18	3,274	25.0	0.20	17.8	0.15
Rectum & rectosigmoid	1,509	14.3	0.17	10.9	0.13	1,139	9.0	0.12	7.0	0.10
Anus, anal canal & anorectum	201	1.9	0.06	1.5	0.05	309	2.4	0.06	1.9	0.05
Liver	1,400	12.5	0.15	9.8	0.12	465	3.5	0.07	2.6	0.06
Gallbladder	111	1.1	0.05	0.7	0.03	232	1.8	0.05	1.3	0.04
Pancreas	1,692	16.2	0.18	11.4	0.13	1,695	12.6	0.14	8.7	0.10
Respiratory System	7,598	73.0	0.38	51.1	0.27	7,348	55.4	0.29	39.8	0.22
Larynx	611	5.7	0.10	4.2	0.08	161	1.2	0.04	1.0	0.04
Lung & bronchus	6,863	66.2	0.36	45.9	0.25	7,099	53.4	0.29	38.2	0.21
Bones & Joints	125	1.3	0.05	1.2	0.05	102	1.0	0.04	1.0	0.05
Soft Tissue (incl. heart)	438	4.4	0.10	3.5	0.08	345	3.0	0.07	2.5	0.07
Skin (excl. basal & sq.)	2,683	26.4	0.23	18.9	0.17	1,946	16.0	0.17	12.9	0.14
Melanomas of the skin	2,420	23.7	0.22	17.1	0.16	1,762	14.5	0.16	11.7	0.13
Breast (excl. <i>in situ</i>)	155	1.5	0.05	1.1	0.04	16,238	132.8	0.48	105.5	0.39
Female Genital System	-	-	-	-	-	7,163	56.9	0.31	45.8	0.25
Cervix uteri	-	-	-	-	-	859	7.8	0.12	6.7	0.11
Uterus Corpus	-	-	-	-	-	4,034	31.1	0.22	25.1	0.18
Uterus, NOS ¹	-	-	-	-	-	125	1.0	0.04	0.7	0.03
Ovary	-	-	-	-	-	1,495	12.1	0.14	9.6	0.12
Male Genital System	14,697	132.0	0.50	102.6	0.38	-	-	-	-	-
Prostate	14,016	125.0	0.48	95.8	0.36	-	-	-	-	-
Testis	562	5.9	0.11	6.0	0.11	-	-	-	-	-
Penis	93	0.9	0.04	0.6	0.03	-	-	-	-	-
Urinary System	6,665	64.8	0.36	45.5	0.25	2,854	21.8	0.19	16.0	0.14
Bladder (incl. <i>in situ</i>)	4,022	39.9	0.29	26.3	0.19	1,381	10.2	0.13	7.0	0.09
Kidney & renal pelvis	2,496	23.5	0.22	18.2	0.17	1,387	11.0	0.14	8.6	0.11
Ureter	86	0.9	0.04	0.5	0.03	54	0.4	0.03	0.3	0.02
Eye & Orbit	97	0.9	0.04	0.8	0.04	94	0.8	0.04	0.7	0.04
Brain & Other CNS ¹	798	7.9	0.13	6.9	0.11	643	5.6	0.10	4.9	0.10
Brain	746	7.4	0.12	6.3	0.11	594	5.1	0.10	4.5	0.09
Endocrine System	1,171	11.5	0.15	10.0	0.14	3,206	29.9	0.24	27.0	0.22
Thyroid gland	1,054	10.3	0.15	8.9	0.13	3,100	29.0	0.24	26.2	0.22
Lymphomas	3,034	29.9	0.25	23.0	0.19	2,605	21.0	0.19	16.7	0.16
Hodgkin Lymphoma	344	3.5	0.09	3.3	0.08	311	3.0	0.08	3.0	0.08
Non-Hodgkin Lymphoma	2,690	26.3	0.23	19.7	0.18	2,293	18.0	0.17	13.7	0.14
Multiple Myeloma	1,065	10.2	0.14	7.3	0.10	889	6.8	0.10	4.9	0.08
Leukemias	2,172	21.5	0.21	16.1	0.16	1,599	12.7	0.15	10.0	0.12
Acute lymphocytic	177	1.9	0.07	2.1	0.07	132	1.4	0.05	1.5	0.06
Chronic lymphocytic	921	8.8	0.13	6.2	0.09	627	4.6	0.08	3.3	0.06
Acute myeloid	581	5.8	0.11	4.2	0.08	476	3.8	0.08	3.0	0.07
Chronic myeloid	274	2.7	0.07	2.1	0.06	207	1.7	0.05	1.3	0.04
Other leukemias	220	2.2	0.07	1.6	0.05	158	1.2	0.05	0.9	0.04
Mesothelioma	145	1.5	0.06	0.9	0.04	53	0.4	0.03	0.3	0.02
Kaposi Sarcoma	125	1.3	0.05	1.0	0.04	20	0.2	0.02	0.1	0.01
Ill-defined & Unknown	2,228	22.3	0.22	15.0	0.15	2,163	16.1	0.16	10.9	0.12
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	1,097	10.9	0.15	8.6	0.12	2,224	18.1	0.18	14.3	0.15
Breast (<i>in situ</i>)	16	0.2	0.02	0.1	0.01	4,984	42.3	0.28	34.7	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New York, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	44,086	539.2	1.17	398.0	0.88	44,818	476.3	1.05	369.4	0.85
Oral Cavity & Pharynx	1,465	17.5	0.21	13.6	0.16	649	6.7	0.12	5.2	0.10
Lip	60	0.7	0.04	0.5	0.03	33	0.3	0.03	0.2	0.02
Tongue	482	5.7	0.12	4.5	0.09	197	2.0	0.07	1.6	0.06
Major salivary gland	140	1.8	0.07	1.3	0.05	100	1.1	0.05	0.9	0.04
Floor of mouth	65	0.8	0.04	0.6	0.03	33	0.3	0.03	0.3	0.02
Gum & other mouth	166	2.0	0.07	1.5	0.05	138	1.4	0.05	1.0	0.04
Nasopharynx	51	0.6	0.04	0.5	0.03	21	0.2	0.02	0.2	0.02
Oropharynx	76	0.9	0.05	0.7	0.04	21	0.2	0.02	0.2	0.02
Hypopharynx	87	1.0	0.05	0.8	0.04	26	0.3	0.02	0.2	0.02
Digestive System	8,239	100.9	0.51	73.1	0.37	6,785	67.8	0.38	48.9	0.29
Esophagus	686	8.2	0.14	6.0	0.10	213	2.1	0.07	1.5	0.05
Stomach	832	10.3	0.16	7.4	0.12	526	5.3	0.11	3.9	0.08
Small intestine	250	3.1	0.09	2.3	0.07	209	2.2	0.07	1.7	0.06
Colon excl. rectum	2,387	29.9	0.28	21.1	0.20	2,513	25.0	0.23	17.7	0.18
Rectum & rectosigmoid	1,147	14.1	0.19	10.7	0.15	849	9.0	0.14	6.9	0.12
Anus, anal canal & anorectum	152	1.8	0.07	1.4	0.05	252	2.6	0.08	2.1	0.06
Liver	916	10.5	0.16	8.1	0.12	296	2.9	0.08	2.1	0.06
Gallbladder	74	0.9	0.05	0.6	0.03	153	1.5	0.06	1.1	0.04
Pancreas	1,362	16.6	0.21	11.7	0.14	1,312	12.6	0.16	8.7	0.12
Respiratory System	6,147	75.1	0.44	52.3	0.30	6,128	60.4	0.35	43.3	0.26
Larynx	484	5.8	0.12	4.3	0.09	125	1.3	0.05	1.0	0.04
Lung & bronchus	5,563	68.1	0.42	47.0	0.29	5,934	58.4	0.35	41.7	0.25
Bones & Joints	97	1.4	0.06	1.3	0.06	76	1.0	0.05	1.0	0.05
Soft Tissue (incl. heart)	345	4.5	0.11	3.6	0.09	257	3.0	0.09	2.5	0.08
Skin (excl. basal & sq.)	2,566	32.2	0.29	23.3	0.21	1,824	20.4	0.22	16.5	0.19
Melanomas of the skin	2,335	29.3	0.28	21.3	0.20	1,675	18.9	0.22	15.4	0.18
Breast (excl. <i>in situ</i>)	122	1.5	0.06	1.1	0.04	12,536	137.7	0.57	109.2	0.47
Female Genital System	-	-	-	-	-	5,416	57.8	0.36	46.5	0.30
Cervix uteri	-	-	-	-	-	549	7.1	0.14	6.1	0.13
Uterus Corpus	-	-	-	-	-	3,090	32.0	0.27	25.8	0.22
Uterus, NOS ¹	-	-	-	-	-	71	0.7	0.04	0.5	0.03
Ovary	-	-	-	-	-	1,174	12.7	0.17	10.1	0.14
Male Genital System	10,605	123.2	0.55	95.5	0.42	-	-	-	-	-
Prostate	10,022	114.7	0.52	87.3	0.39	-	-	-	-	-
Testis	492	7.3	0.15	7.4	0.15	-	-	-	-	-
Penis	71	0.9	0.05	0.6	0.03	-	-	-	-	-
Urinary System	5,707	70.7	0.43	49.5	0.30	2,363	23.8	0.23	17.4	0.17
Bladder (incl. <i>in situ</i>)	3,591	44.8	0.34	29.6	0.23	1,201	11.6	0.15	8.0	0.11
Kidney & renal pelvis	1,988	24.3	0.25	18.8	0.20	1,093	11.5	0.16	9.0	0.13
Ureter	79	1.0	0.05	0.6	0.03	47	0.5	0.03	0.3	0.02
Eye & Orbit	83	1.1	0.05	0.9	0.05	84	1.0	0.05	0.8	0.05
Brain & Other CNS ¹	670	8.8	0.16	7.6	0.14	534	6.3	0.13	5.6	0.12
Brain	631	8.2	0.15	7.1	0.13	497	5.8	0.12	5.1	0.12
Endocrine System	928	12.2	0.18	10.6	0.16	2,361	31.2	0.30	28.3	0.28
Thyroid gland	844	11.1	0.18	9.6	0.15	2,288	30.3	0.29	27.6	0.27
Lymphomas	2,480	31.6	0.29	24.3	0.23	2,104	22.5	0.23	17.7	0.19
Hodgkin Lymphoma	265	3.7	0.10	3.6	0.10	237	3.2	0.10	3.2	0.10
Non-Hodgkin Lymphoma	2,215	27.9	0.27	20.8	0.21	1,867	19.3	0.21	14.5	0.17
Multiple Myeloma	758	9.3	0.15	6.6	0.11	586	5.8	0.11	4.2	0.08
Leukemias	1,830	23.3	0.25	17.4	0.19	1,301	13.6	0.18	10.6	0.15
Acute lymphocytic	140	2.1	0.08	2.3	0.09	103	1.5	0.07	1.6	0.08
Chronic lymphocytic	815	9.9	0.16	6.9	0.11	548	5.3	0.10	3.7	0.08
Acute myeloid	477	6.1	0.13	4.4	0.10	371	3.9	0.10	3.0	0.08
Chronic myeloid	220	2.8	0.09	2.1	0.07	159	1.7	0.06	1.3	0.05
Other leukemias	178	2.3	0.08	1.6	0.06	120	1.2	0.05	0.9	0.04
Mesothelioma	130	1.7	0.07	1.0	0.04	47	0.5	0.03	0.3	0.03
Kaposi Sarcoma	76	1.0	0.05	0.8	0.04	14	0.1	0.02	0.1	0.01
Ill-defined & Unknown	1,839	23.4	0.25	15.6	0.17	1,753	16.7	0.19	11.3	0.14
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	850	11.1	0.17	8.8	0.14	1,711	18.7	0.21	14.8	0.18
Breast (<i>in situ</i>)	12	0.1	0.02	0.1	0.01	3,729	43.5	0.33	35.7	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New York, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	7,933	527.5	2.77	402.7	2.03	8,252	392.0	1.96	306.2	1.55
Oral Cavity & Pharynx	185	11.9	0.41	9.4	0.31	102	4.8	0.22	3.8	0.17
Lip	1	0.1	0.03	0.1	0.02	-	-	-	-	-
Tongue	44	2.8	0.20	2.2	0.15	21	1.0	0.10	0.7	0.07
Major salivary gland	16	1.0	0.11	0.8	0.09	23	1.1	0.11	0.9	0.09
Floor of mouth	8	0.5	0.08	0.4	0.06	5	0.2	0.04	0.2	0.03
Gum & other mouth	20	1.4	0.14	1.1	0.11	21	1.0	0.10	0.8	0.08
Nasopharynx	19	1.1	0.12	1.0	0.10	7	0.3	0.06	0.3	0.05
Oropharynx	14	0.9	0.12	0.7	0.08	6	0.3	0.05	0.2	0.04
Hypopharynx	22	1.5	0.15	1.1	0.11	6	0.3	0.05	0.2	0.04
Digestive System	1,718	117.2	1.32	87.2	0.95	1,609	76.0	0.86	56.2	0.64
Esophagus	87	6.3	0.31	4.4	0.21	43	2.0	0.14	1.5	0.10
Stomach	208	15.1	0.49	10.6	0.33	179	8.6	0.29	6.1	0.21
Small intestine	67	4.7	0.26	3.4	0.19	62	2.9	0.17	2.3	0.13
Colon excl. rectum	482	34.0	0.72	24.6	0.50	545	25.8	0.50	18.9	0.37
Rectum & rectosigmoid	216	14.4	0.46	11.0	0.34	185	8.7	0.29	6.9	0.23
Anus, anal canal & anorectum	43	2.7	0.19	2.2	0.15	49	2.3	0.15	1.8	0.12
Liver	282	17.1	0.47	14.0	0.38	103	4.6	0.21	3.6	0.16
Gallbladder	25	1.9	0.17	1.3	0.12	59	2.7	0.16	2.0	0.12
Pancreas	237	16.2	0.49	12.0	0.35	289	13.8	0.37	9.7	0.26
Respiratory System	960	67.0	1.01	48.6	0.70	862	40.2	0.62	29.6	0.46
Larynx	94	6.3	0.31	4.7	0.22	30	1.3	0.11	1.1	0.09
Lung & bronchus	849	59.6	0.96	43.0	0.66	819	38.2	0.61	28.0	0.44
Bones & Joints	17	1.0	0.11	1.0	0.11	17	0.9	0.10	0.9	0.10
Soft Tissue (incl. heart)	60	3.9	0.23	3.3	0.19	61	3.0	0.17	2.6	0.16
Skin (excl. basal & sq.)	34	2.3	0.19	1.8	0.14	40	2.0	0.14	1.6	0.12
Melanomas of the skin	15	1.1	0.13	0.8	0.09	19	0.9	0.10	0.7	0.07
Breast (excl. <i>in situ</i>)	27	1.8	0.17	1.4	0.12	2,503	119.6	1.09	95.6	0.87
Female Genital System	-	-	-	-	-	1,196	55.7	0.73	44.7	0.59
Cervix uteri	-	-	-	-	-	202	9.9	0.32	8.2	0.27
Uterus Corpus	-	-	-	-	-	663	30.1	0.53	24.0	0.42
Uterus, NOS ¹	-	-	-	-	-	47	2.2	0.15	1.7	0.11
Ovary	-	-	-	-	-	196	9.3	0.30	7.5	0.25
Male Genital System	3,091	196.7	1.65	154.1	1.24	-	-	-	-	-
Prostate	3,039	193.5	1.63	151.2	1.23	-	-	-	-	-
Testis	34	2.0	0.16	2.0	0.15	-	-	-	-	-
Penis	15	1.0	0.12	0.8	0.09	-	-	-	-	-
Urinary System	620	42.7	0.80	31.5	0.57	356	16.9	0.41	12.6	0.31
Bladder (incl. <i>in situ</i>)	254	19.1	0.56	12.9	0.36	130	6.2	0.25	4.1	0.17
Kidney & renal pelvis	356	22.9	0.56	18.1	0.43	214	10.1	0.31	8.0	0.25
Ureter	3	0.3	0.07	0.2	0.04	4	0.2	0.04	0.1	0.03
Eye & Orbit	6	0.3	0.07	0.3	0.06	5	0.3	0.05	0.3	0.05
Brain & Other CNS ¹	75	4.7	0.25	4.2	0.22	64	3.2	0.18	2.9	0.17
Brain	68	4.3	0.24	3.8	0.21	57	2.9	0.17	2.6	0.16
Endocrine System	87	5.6	0.28	4.7	0.23	352	17.3	0.42	15.1	0.37
Thyroid gland	68	4.4	0.25	3.6	0.20	332	16.4	0.41	14.3	0.36
Lymphomas	338	22.0	0.56	17.9	0.44	339	16.4	0.41	13.7	0.35
Hodgkin Lymphoma	55	3.3	0.21	3.1	0.19	56	2.8	0.17	2.8	0.17
Non-Hodgkin Lymphoma	283	18.7	0.52	14.8	0.40	284	13.6	0.37	11.0	0.30
Multiple Myeloma	241	16.9	0.51	12.3	0.36	255	12.1	0.34	8.9	0.25
Leukemias	194	13.3	0.45	10.3	0.33	190	9.3	0.30	7.5	0.26
Acute lymphocytic	20	1.2	0.12	1.2	0.12	15	0.8	0.09	0.9	0.10
Chronic lymphocytic	56	4.0	0.25	2.9	0.17	49	2.3	0.15	1.6	0.11
Acute myeloid	63	4.4	0.26	3.3	0.19	69	3.4	0.18	2.8	0.16
Chronic myeloid	31	2.0	0.17	1.6	0.13	30	1.5	0.12	1.2	0.10
Other leukemias	24	1.7	0.16	1.3	0.12	27	1.3	0.12	1.0	0.09
Mesothelioma	9	0.8	0.11	0.5	0.07	3	0.2	0.04	0.1	0.03
Kaposi Sarcoma	33	2.0	0.16	1.8	0.14	4	0.2	0.05	0.2	0.04
Ill-defined & Unknown	238	17.2	0.52	12.2	0.36	292	14.0	0.37	9.9	0.27
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	137	9.2	0.37	7.2	0.28	308	14.9	0.38	11.6	0.31
Breast (<i>in situ</i>)	3	0.2	0.05	0.2	0.04	769	36.5	0.60	29.6	0.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New York, 2013-2017, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,824	356.6	3.12	266.5	2.26	3,162	333.5	2.70	265.2	2.14
Oral Cavity & Pharynx	127	15.0	0.61	12.1	0.48	65	6.9	0.39	5.5	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	25	2.9	0.27	2.4	0.21	21	2.3	0.23	1.7	0.17
Major salivary gland	12	1.5	0.20	1.2	0.15	12	1.2	0.17	1.1	0.15
Floor of mouth	4	0.4	0.10	0.3	0.08	1	0.1	0.06	0.1	0.04
Gum & other mouth	19	2.3	0.25	1.7	0.18	10	1.2	0.16	0.8	0.12
Nasopharynx	51	5.9	0.38	5.0	0.31	17	1.7	0.18	1.5	0.16
Oropharynx	3	0.4	0.11	0.3	0.07	-	-	-	-	-
Hypopharynx	6	0.7	0.15	0.5	0.10	-	-	-	-	-
Digestive System	852	107.0	1.71	79.4	1.22	581	63.7	1.21	46.2	0.87
Esophagus	37	4.7	0.36	3.4	0.25	10	1.2	0.17	0.8	0.12
Stomach	168	21.7	0.78	15.6	0.54	98	10.7	0.49	7.8	0.36
Small intestine	14	1.9	0.23	1.3	0.16	14	1.4	0.17	1.1	0.13
Colon excl. rectum	191	24.1	0.81	17.8	0.58	169	18.5	0.65	13.4	0.47
Rectum & rectosigmoid	125	15.1	0.63	11.7	0.47	83	8.7	0.44	6.7	0.33
Anus, anal canal & anorectum	4	0.5	0.12	0.4	0.08	3	0.3	0.08	0.3	0.07
Liver	173	20.6	0.73	16.2	0.55	58	6.4	0.38	4.6	0.27
Gallbladder	9	1.3	0.20	0.8	0.13	17	1.8	0.21	1.3	0.14
Pancreas	81	10.5	0.55	7.5	0.37	82	9.3	0.47	6.3	0.32
Respiratory System	439	58.4	1.30	40.7	0.87	313	34.3	0.89	24.8	0.63
Larynx	25	3.0	0.28	2.3	0.20	3	0.3	0.08	0.3	0.07
Lung & bronchus	408	54.6	1.26	37.8	0.84	305	33.4	0.88	24.1	0.62
Bones & Joints	7	0.9	0.15	0.9	0.15	6	0.6	0.12	0.6	0.12
Soft Tissue (incl. heart)	26	3.2	0.29	2.6	0.23	20	2.1	0.22	1.8	0.19
Skin (excl. basal & sq.)	20	2.6	0.27	1.9	0.20	18	2.0	0.21	1.6	0.16
Melanomas of the skin	12	1.7	0.22	1.2	0.16	10	1.1	0.15	0.8	0.12
Breast (excl. <i>in situ</i>)	5	0.7	0.15	0.5	0.10	961	99.0	1.45	81.2	1.18
Female Genital System	-	-	-	-	-	418	42.7	0.95	35.2	0.78
Cervix uteri	-	-	-	-	-	81	8.4	0.43	7.0	0.35
Uterus Corpus	-	-	-	-	-	210	21.2	0.66	17.4	0.54
Uterus, NOS ¹	-	-	-	-	-	5	0.5	0.11	0.3	0.07
Ovary	-	-	-	-	-	100	10.2	0.47	8.6	0.39
Male Genital System	537	65.5	1.32	49.5	0.96	-	-	-	-	-
Prostate	511	62.6	1.29	46.7	0.93	-	-	-	-	-
Testis	20	2.1	0.21	2.2	0.23	-	-	-	-	-
Penis	5	0.7	0.14	0.5	0.10	-	-	-	-	-
Urinary System	243	31.7	0.95	22.7	0.66	97	10.6	0.49	7.9	0.36
Bladder (incl. <i>in situ</i>)	132	18.3	0.74	12.2	0.48	36	4.1	0.31	2.8	0.21
Kidney & renal pelvis	105	12.6	0.57	9.9	0.44	57	6.0	0.37	4.7	0.29
Ureter	3	0.4	0.11	0.3	0.07	3	0.4	0.09	0.2	0.06
Eye & Orbit	4	0.5	0.11	0.4	0.10	3	0.4	0.09	0.4	0.09
Brain & Other CNS ¹	41	4.9	0.35	4.5	0.32	35	3.9	0.30	3.4	0.27
Brain	37	4.4	0.33	4.0	0.30	32	3.5	0.29	3.1	0.26
Endocrine System	123	14.1	0.58	12.3	0.50	368	36.7	0.87	33.2	0.78
Thyroid gland	111	12.6	0.54	11.1	0.47	356	35.4	0.85	32.1	0.77
Lymphomas	151	19.2	0.72	14.9	0.55	112	12.1	0.52	9.7	0.42
Hodgkin Lymphoma	16	1.9	0.22	1.8	0.20	11	1.2	0.16	1.2	0.16
Non-Hodgkin Lymphoma	135	17.3	0.69	13.1	0.51	101	10.9	0.50	8.5	0.39
Multiple Myeloma	44	5.6	0.39	4.1	0.28	29	3.1	0.26	2.3	0.19
Leukemias	91	11.6	0.56	9.3	0.45	65	7.1	0.40	5.9	0.34
Acute lymphocytic	14	1.7	0.21	1.9	0.23	10	1.1	0.17	1.2	0.18
Chronic lymphocytic	17	2.2	0.25	1.6	0.17	9	1.0	0.15	0.7	0.11
Acute myeloid	35	4.6	0.36	3.5	0.27	29	3.1	0.27	2.5	0.22
Chronic myeloid	13	1.6	0.21	1.3	0.16	9	1.0	0.15	0.8	0.12
Other leukemias	11	1.5	0.21	1.1	0.15	7	0.8	0.13	0.6	0.11
Mesothelioma	5	0.6	0.13	0.5	0.10	1	0.2	0.06	0.1	0.05
Kaposi Sarcoma	4	0.6	0.13	0.4	0.10	-	-	-	-	-
Ill-defined & Unknown	104	14.5	0.67	9.9	0.44	70	8.2	0.44	5.6	0.31
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	77	9.4	0.50	7.5	0.39	145	15.3	0.58	12.1	0.45
Breast (<i>in situ</i>)	1	0.2	0.07	0.1	0.05	389	40.0	0.92	33.3	0.76

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New York, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	63	360.4	21.63	269.3	15.32	65	313.1	17.71	240.0	13.44
Oral Cavity & Pharynx	3	16.5	4.10	14.1	3.44	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	1	6.6	2.55	5.7	2.16	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	69.9	9.16	53.2	6.66	13	62.9	7.91	48.3	5.98
Esophagus	1	8.2	3.28	6.0	2.27	-	-	-	-	-
Stomach	1	6.4	2.75	4.8	1.95	1	6.1	2.56	4.4	1.82
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	3	16.7	4.70	11.6	3.13	6	27.4	5.19	21.3	3.98
Rectum & rectosigmoid	2	9.4	3.29	7.1	2.38	1	5.2	2.15	4.6	1.89
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	17.9	4.11	15.8	3.55	1	5.4	2.28	4.3	1.74
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	1	7.1	2.74	5.3	2.02
Respiratory System	9	60.9	9.58	41.2	6.14	11	54.5	7.42	39.0	5.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	57.9	9.41	38.7	5.98	10	50.1	7.15	35.3	5.01
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	1	8.0	3.22	5.7	2.17	2	8.9	2.84	7.9	2.50
Melanomas of the skin	1	8.0	3.22	5.7	2.17	1	5.3	2.18	4.8	1.97
Breast (excl. <i>in situ</i>)	-	-	-	-	-	16	78.2	8.91	60.0	6.78
Female Genital System	-	-	-	-	-	8	36.5	6.01	28.8	4.70
Cervix uteri	-	-	-	-	-	2	8.9	3.01	7.4	2.48
Uterus Corpus	-	-	-	-	-	3	15.8	3.91	12.7	3.09
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	1	6.6	2.54	5.4	2.03
Male Genital System	17	91.5	10.47	72.6	7.94	-	-	-	-	-
Prostate	16	87.3	10.30	68.2	7.68	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	54.5	8.87	37.8	5.84	3	15.8	3.92	12.0	2.94
Bladder (incl. <i>in situ</i>)	3	23.4	6.04	14.9	3.68	-	-	-	-	-
Kidney & renal pelvis	5	31.2	6.50	22.9	4.53	2	11.2	3.29	8.8	2.54
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	1	6.4	2.64	5.2	2.11	3	13.5	3.52	12.7	3.30
Thyroid gland	-	-	-	-	-	3	13.5	3.52	12.7	3.30
Lymphomas	2	8.2	2.76	7.4	2.46	3	16.1	4.12	12.0	3.02
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	7.3	2.62	6.4	2.28	3	15.3	4.04	11.3	2.94
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	15.8	4.89	11.2	3.25	1	5.4	2.26	4.7	1.92
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	12.0	4.10	8.6	2.74	2	8.0	2.89	5.7	2.00
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	1	5.0	2.05	5.1	2.11	2	10.1	2.96	9.3	2.74
Breast (<i>in situ</i>)	-	-	-	-	-	6	27.7	5.03	23.4	4.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New York, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,628	442.9	2.80	331.1	1.99	6,301	370.6	2.12	289.6	1.65
Oral Cavity & Pharynx	177	13.3	0.47	10.2	0.35	84	5.0	0.25	3.8	0.19
Lip	3	0.3	0.07	0.2	0.05	3	0.2	0.05	0.1	0.03
Tongue	47	3.6	0.24	2.7	0.18	24	1.4	0.13	1.1	0.10
Major salivary gland	15	1.0	0.12	0.8	0.10	16	0.9	0.11	0.8	0.08
Floor of mouth	7	0.6	0.10	0.4	0.07	4	0.2	0.06	0.1	0.04
Gum & other mouth	21	1.7	0.17	1.2	0.12	19	1.2	0.12	0.8	0.09
Nasopharynx	14	1.0	0.12	0.8	0.09	4	0.2	0.05	0.2	0.04
Oropharynx	13	1.0	0.13	0.8	0.10	3	0.2	0.05	0.1	0.03
Hypopharynx	15	1.2	0.15	0.9	0.10	3	0.2	0.05	0.2	0.04
Digestive System	1,392	111.6	1.42	81.7	0.98	1,154	70.0	0.93	50.8	0.68
Esophagus	67	5.6	0.33	4.0	0.22	23	1.4	0.14	1.0	0.09
Stomach	191	15.6	0.54	11.2	0.36	152	9.2	0.34	6.7	0.25
Small intestine	36	2.8	0.22	2.1	0.16	33	2.0	0.16	1.5	0.12
Colon excl. rectum	355	29.3	0.74	20.9	0.50	350	21.3	0.51	15.3	0.37
Rectum & rectosigmoid	183	13.9	0.49	10.6	0.35	140	8.2	0.31	6.4	0.24
Anus, anal canal & anorectum	29	2.1	0.18	1.6	0.13	43	2.5	0.17	1.9	0.13
Liver	274	20.6	0.59	16.1	0.44	109	6.6	0.29	4.8	0.21
Gallbladder	19	1.6	0.18	1.1	0.12	51	3.1	0.20	2.3	0.14
Pancreas	166	13.9	0.51	9.8	0.34	173	10.8	0.37	7.4	0.26
Respiratory System	601	52.1	1.00	36.4	0.67	498	30.3	0.62	21.9	0.44
Larynx	76	6.3	0.34	4.6	0.23	21	1.2	0.12	0.9	0.09
Lung & bronchus	506	44.6	0.93	30.9	0.62	469	28.6	0.60	20.6	0.43
Bones & Joints	20	1.1	0.12	1.1	0.11	17	1.0	0.10	0.9	0.10
Soft Tissue (incl. heart)	58	3.9	0.24	3.3	0.19	46	2.6	0.17	2.3	0.15
Skin (excl. basal & sq.)	66	5.3	0.31	3.8	0.21	68	4.0	0.22	3.1	0.17
Melanomas of the skin	53	4.3	0.28	3.1	0.19	53	3.1	0.20	2.4	0.15
Breast (excl. <i>in situ</i>)	10	0.9	0.13	0.6	0.09	1,806	105.0	1.12	83.9	0.89
Female Genital System	-	-	-	-	-	881	50.7	0.77	41.2	0.62
Cervix uteri	-	-	-	-	-	171	9.8	0.34	8.2	0.28
Uterus Corpus	-	-	-	-	-	455	25.9	0.55	21.1	0.45
Uterus, NOS ¹	-	-	-	-	-	14	0.8	0.10	0.6	0.08
Ovary	-	-	-	-	-	177	10.3	0.35	8.3	0.28
Male Genital System	1,645	126.7	1.47	97.7	1.08	-	-	-	-	-
Prostate	1,533	120.5	1.44	91.8	1.05	-	-	-	-	-
Testis	88	4.4	0.21	4.6	0.22	-	-	-	-	-
Penis	20	1.6	0.17	1.2	0.12	-	-	-	-	-
Urinary System	497	41.3	0.88	29.3	0.59	272	16.4	0.45	12.1	0.33
Bladder (incl. <i>in situ</i>)	239	22.2	0.68	14.5	0.42	96	6.1	0.28	4.1	0.19
Kidney & renal pelvis	249	18.2	0.54	14.2	0.41	166	9.7	0.34	7.7	0.27
Ureter	5	0.4	0.09	0.3	0.06	5	0.4	0.07	0.2	0.04
Eye & Orbit	9	0.6	0.09	0.5	0.08	9	0.5	0.08	0.4	0.07
Brain & Other CNS ¹	99	6.6	0.32	5.6	0.25	78	4.4	0.23	3.8	0.20
Brain	92	6.2	0.31	5.2	0.25	71	4.1	0.22	3.5	0.19
Endocrine System	130	8.2	0.34	7.1	0.28	522	29.0	0.57	25.9	0.51
Thyroid gland	113	7.2	0.32	6.1	0.26	509	28.3	0.57	25.2	0.50
Lymphomas	358	26.4	0.67	20.5	0.49	339	19.9	0.49	15.8	0.39
Hodgkin Lymphoma	57	3.4	0.21	3.1	0.19	52	2.9	0.18	2.7	0.17
Non-Hodgkin Lymphoma	300	23.0	0.63	17.3	0.45	287	17.0	0.46	13.1	0.35
Multiple Myeloma	132	11.0	0.45	7.9	0.31	122	7.5	0.31	5.4	0.22
Leukemias	206	15.2	0.51	12.0	0.38	179	10.4	0.35	8.6	0.29
Acute lymphocytic	49	2.6	0.17	2.8	0.18	34	1.8	0.14	1.9	0.15
Chronic lymphocytic	42	3.7	0.27	2.5	0.18	37	2.2	0.17	1.6	0.12
Acute myeloid	61	4.9	0.30	3.6	0.21	63	3.7	0.21	3.0	0.17
Chronic myeloid	35	2.5	0.20	2.0	0.15	27	1.6	0.14	1.3	0.11
Other leukemias	20	1.6	0.17	1.2	0.12	18	1.1	0.11	0.8	0.09
Mesothelioma	8	0.7	0.13	0.5	0.08	7	0.4	0.07	0.3	0.05
Kaposi Sarcoma	31	2.1	0.19	1.7	0.14	3	0.2	0.05	0.1	0.03
Ill-defined & Unknown	190	15.8	0.55	11.2	0.36	213	13.2	0.41	9.2	0.29
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	119	8.6	0.38	6.8	0.28	276	16.2	0.44	12.9	0.35
Breast (<i>in situ</i>)	1	0.1	0.04	0.1	0.03	625	36.0	0.65	29.6	0.53

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NEW YORK

294 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New York, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	39,811	554.0	1.28	409.4	0.97	39,919	493.7	1.17	383.4	0.96
Oral Cavity & Pharynx	1,327	18.2	0.23	14.2	0.18	579	6.9	0.14	5.4	0.11
Lip	58	0.8	0.05	0.6	0.03	30	0.3	0.03	0.2	0.02
Tongue	444	6.0	0.13	4.8	0.11	178	2.2	0.08	1.7	0.06
Major salivary gland	130	1.9	0.08	1.3	0.06	87	1.1	0.06	0.9	0.05
Floor of mouth	59	0.8	0.05	0.6	0.04	29	0.3	0.03	0.3	0.02
Gum & other mouth	148	2.1	0.08	1.5	0.06	121	1.4	0.06	1.0	0.04
Nasopharynx	41	0.6	0.04	0.5	0.03	18	0.2	0.03	0.2	0.02
Oropharynx	66	0.9	0.05	0.7	0.04	19	0.2	0.02	0.2	0.02
Hypopharynx	76	1.0	0.05	0.8	0.04	23	0.3	0.03	0.2	0.02
Digestive System	7,130	99.1	0.54	71.6	0.40	5,877	67.3	0.41	48.5	0.32
Esophagus	630	8.5	0.15	6.3	0.11	195	2.2	0.07	1.5	0.05
Stomach	679	9.5	0.17	6.7	0.12	402	4.6	0.11	3.4	0.08
Small intestine	223	3.1	0.10	2.3	0.07	184	2.3	0.08	1.7	0.06
Colon excl. rectum	2,109	30.1	0.30	21.1	0.22	2,244	25.6	0.26	18.1	0.20
Rectum & rectosigmoid	1,002	14.2	0.21	10.8	0.16	740	9.1	0.16	7.0	0.13
Anus, anal canal & anorectum	130	1.8	0.07	1.4	0.06	220	2.6	0.08	2.1	0.07
Liver	695	9.0	0.16	6.9	0.12	208	2.3	0.08	1.7	0.06
Gallbladder	59	0.8	0.05	0.5	0.03	113	1.3	0.06	0.9	0.04
Pancreas	1,229	16.9	0.22	11.9	0.16	1,174	12.8	0.17	8.9	0.13
Respiratory System	5,666	77.8	0.47	54.3	0.33	5,722	64.6	0.39	46.3	0.29
Larynx	424	5.7	0.13	4.3	0.10	111	1.3	0.06	1.0	0.05
Lung & bronchus	5,157	70.8	0.45	49.0	0.31	5,549	62.5	0.39	44.7	0.29
Bones & Joints	82	1.4	0.07	1.3	0.07	64	1.0	0.06	1.0	0.06
Soft Tissue (incl. heart)	300	4.5	0.12	3.6	0.10	221	3.0	0.10	2.5	0.09
Skin (excl. basal & sq.)	2,509	36.1	0.33	26.3	0.25	1,766	23.6	0.27	19.3	0.23
Melanomas of the skin	2,289	32.9	0.32	24.1	0.24	1,629	22.0	0.26	18.1	0.23
Breast (excl. <i>in situ</i>)	115	1.6	0.07	1.1	0.05	11,156	143.8	0.64	114.0	0.53
Female Genital System	-	-	-	-	-	4,739	58.7	0.40	47.1	0.33
Cervix uteri	-	-	-	-	-	420	6.6	0.15	5.7	0.14
Uterus Corpus	-	-	-	-	-	2,745	32.9	0.29	26.5	0.24
Uterus, NOS ¹	-	-	-	-	-	61	0.7	0.04	0.5	0.03
Ovary	-	-	-	-	-	1,033	13.0	0.19	10.3	0.16
Male Genital System	9,480	125.1	0.59	97.3	0.46	-	-	-	-	-
Prostate	8,985	115.9	0.56	88.4	0.42	-	-	-	-	-
Testis	421	8.1	0.18	8.2	0.18	-	-	-	-	-
Penis	56	0.8	0.05	0.5	0.03	-	-	-	-	-
Urinary System	5,317	74.3	0.47	52.2	0.33	2,151	24.9	0.25	18.3	0.20
Bladder (incl. <i>in situ</i>)	3,401	47.4	0.37	31.5	0.25	1,125	12.4	0.17	8.6	0.13
Kidney & renal pelvis	1,795	25.2	0.28	19.6	0.22	964	11.8	0.18	9.3	0.15
Ureter	74	1.0	0.06	0.7	0.04	42	0.5	0.03	0.3	0.02
Eye & Orbit	76	1.1	0.06	1.0	0.05	77	1.1	0.06	0.9	0.05
Brain & Other CNS ¹	590	9.2	0.18	8.0	0.16	471	6.7	0.15	6.0	0.15
Brain	555	8.6	0.17	7.4	0.16	439	6.2	0.14	5.4	0.14
Endocrine System	824	13.1	0.21	11.4	0.19	1,958	31.9	0.34	29.1	0.32
Thyroid gland	754	11.9	0.20	10.4	0.18	1,896	31.0	0.34	28.3	0.31
Lymphomas	2,205	32.5	0.32	25.0	0.26	1,840	22.9	0.25	18.1	0.22
Hodgkin Lymphoma	222	3.9	0.12	3.8	0.12	196	3.3	0.11	3.4	0.12
Non-Hodgkin Lymphoma	1,983	28.6	0.30	21.3	0.23	1,644	19.5	0.23	14.7	0.18
Multiple Myeloma	660	9.1	0.16	6.4	0.12	496	5.6	0.12	4.0	0.09
Leukemias	1,665	24.1	0.27	17.9	0.22	1,160	14.0	0.20	10.8	0.17
Acute lymphocytic	98	1.9	0.09	2.0	0.10	73	1.4	0.08	1.5	0.09
Chronic lymphocytic	785	10.8	0.18	7.6	0.12	520	5.7	0.12	4.1	0.09
Acute myeloid	426	6.2	0.14	4.5	0.11	323	3.9	0.10	3.0	0.09
Chronic myeloid	194	2.8	0.09	2.1	0.07	138	1.7	0.07	1.3	0.06
Other leukemias	163	2.4	0.09	1.7	0.06	106	1.2	0.06	0.9	0.05
Mesothelioma	123	1.8	0.07	1.1	0.05	41	0.5	0.04	0.3	0.03
Kaposi Sarcoma	54	0.8	0.05	0.6	0.04	12	0.1	0.02	0.1	0.01
Ill-defined & Unknown	1,688	24.2	0.27	16.1	0.19	1,588	17.2	0.20	11.6	0.15
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	760	11.6	0.20	9.3	0.17	1,503	19.3	0.24	15.2	0.20
Breast (<i>in situ</i>)	11	0.2	0.02	0.1	0.02	3,242	45.0	0.37	37.0	0.31

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New York, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	7,081	550.1	3.05	420.8	2.25	7,304	406.0	2.16	317.7	1.72
Oral Cavity & Pharynx	160	12.0	0.44	9.5	0.34	93	5.1	0.24	4.1	0.20
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	38	2.9	0.21	2.3	0.16	19	1.0	0.11	0.8	0.08
Major salivary gland	14	1.0	0.13	0.8	0.10	20	1.2	0.12	1.0	0.10
Floor of mouth	6	0.4	0.08	0.4	0.07	5	0.2	0.05	0.2	0.04
Gum & other mouth	18	1.4	0.16	1.1	0.12	19	1.1	0.11	0.8	0.09
Nasopharynx	16	1.2	0.14	1.0	0.12	7	0.4	0.07	0.3	0.06
Oropharynx	12	0.9	0.13	0.7	0.09	5	0.3	0.06	0.2	0.04
Hypopharynx	19	1.4	0.16	1.1	0.11	5	0.3	0.06	0.2	0.05
Digestive System	1,517	121.0	1.45	90.1	1.04	1,426	78.5	0.94	58.2	0.71
Esophagus	78	6.6	0.35	4.6	0.23	39	2.1	0.15	1.6	0.12
Stomach	182	15.4	0.54	10.8	0.36	159	8.9	0.32	6.4	0.23
Small intestine	61	4.9	0.29	3.6	0.21	57	3.2	0.19	2.5	0.15
Colon excl. rectum	429	35.4	0.80	25.7	0.56	490	27.0	0.55	19.9	0.42
Rectum & rectosigmoid	189	14.8	0.50	11.3	0.37	163	9.0	0.32	7.1	0.25
Anus, anal canal & anorectum	36	2.7	0.20	2.2	0.17	42	2.3	0.16	1.9	0.13
Liver	244	17.3	0.51	14.3	0.41	87	4.5	0.22	3.6	0.18
Gallbladder	23	2.0	0.19	1.4	0.13	49	2.6	0.17	1.9	0.13
Pancreas	212	17.0	0.55	12.5	0.39	260	14.3	0.40	10.1	0.29
Respiratory System	864	70.1	1.11	51.0	0.78	787	42.5	0.69	31.4	0.51
Larynx	82	6.5	0.34	4.8	0.24	24	1.3	0.12	1.1	0.10
Lung & bronchus	767	62.5	1.05	45.3	0.73	751	40.5	0.67	29.8	0.50
Bones & Joints	15	1.1	0.13	1.1	0.13	14	0.9	0.11	0.9	0.11
Soft Tissue (incl. heart)	50	3.9	0.26	3.3	0.21	55	3.2	0.20	2.8	0.18
Skin (excl. basal & sq.)	30	2.4	0.20	1.9	0.16	37	2.1	0.16	1.7	0.13
Melanomas of the skin	12	1.0	0.13	0.7	0.09	18	1.0	0.11	0.7	0.08
Breast (excl. <i>in situ</i>)	24	1.9	0.18	1.4	0.13	2,198	123.4	1.20	98.6	0.97
Female Genital System	-	-	-	-	-	1,068	58.2	0.81	46.8	0.66
Cervix uteri	-	-	-	-	-	175	10.2	0.35	8.5	0.30
Uterus Corpus	-	-	-	-	-	594	31.4	0.59	25.1	0.47
Uterus, NOS ¹	-	-	-	-	-	45	2.5	0.17	1.9	0.13
Ovary	-	-	-	-	-	175	9.7	0.34	7.9	0.28
Male Genital System	2,792	207.1	1.82	162.5	1.38	-	-	-	-	-
Prostate	2,752	204.1	1.81	159.8	1.37	-	-	-	-	-
Testis	26	1.9	0.17	1.9	0.16	-	-	-	-	-
Penis	10	0.8	0.12	0.6	0.09	-	-	-	-	-
Urinary System	558	44.8	0.89	33.2	0.63	316	17.4	0.44	13.0	0.34
Bladder (incl. <i>in situ</i>)	223	19.6	0.61	13.2	0.40	114	6.3	0.27	4.2	0.18
Kidney & renal pelvis	326	24.5	0.63	19.5	0.49	192	10.5	0.35	8.4	0.28
Ureter	3	0.2	0.07	0.2	0.04	3	0.2	0.04	0.1	0.03
Eye & Orbit	6	0.4	0.08	0.4	0.08	4	0.2	0.06	0.3	0.06
Brain & Other CNS ¹	63	4.7	0.27	4.2	0.24	54	3.2	0.20	3.0	0.19
Brain	57	4.3	0.26	3.8	0.23	49	2.9	0.19	2.7	0.18
Endocrine System	75	5.7	0.30	4.8	0.25	297	17.4	0.46	15.1	0.40
Thyroid gland	58	4.4	0.27	3.7	0.22	280	16.4	0.45	14.3	0.39
Lymphomas	289	22.2	0.61	18.2	0.48	291	16.6	0.44	14.0	0.38
Hodgkin Lymphoma	46	3.4	0.23	3.1	0.21	48	3.0	0.19	2.9	0.19
Non-Hodgkin Lymphoma	243	18.8	0.56	15.0	0.44	243	13.7	0.40	11.1	0.33
Multiple Myeloma	218	17.9	0.57	13.0	0.40	231	12.7	0.38	9.4	0.28
Leukemias	170	13.8	0.49	10.7	0.37	167	9.6	0.34	7.8	0.29
Acute lymphocytic	16	1.2	0.13	1.2	0.14	13	0.9	0.11	1.0	0.13
Chronic lymphocytic	50	4.2	0.28	3.0	0.19	44	2.4	0.17	1.7	0.12
Acute myeloid	56	4.6	0.29	3.5	0.21	58	3.4	0.20	2.8	0.17
Chronic myeloid	26	2.1	0.19	1.6	0.14	27	1.6	0.14	1.3	0.11
Other leukemias	21	1.8	0.18	1.4	0.13	25	1.4	0.13	1.1	0.10
Mesothelioma	8	0.8	0.13	0.5	0.08	2	0.1	0.04	0.1	0.03
Kaposi Sarcoma	30	2.2	0.19	2.0	0.17	3	0.2	0.05	0.2	0.04
Ill-defined & Unknown	213	18.0	0.58	12.8	0.40	262	14.5	0.41	10.4	0.30
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	123	9.8	0.41	7.7	0.31	269	15.3	0.42	12.0	0.34
Breast (<i>in situ</i>)	2	0.2	0.06	0.2	0.05	678	37.6	0.66	30.6	0.54

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Carolina, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	28,090	522.2	1.43	388.9	1.06	27,200	431.7	1.20	335.1	0.96
Oral Cavity & Pharynx	1,081	19.3	0.27	15.3	0.21	431	6.8	0.15	5.2	0.12
Lip	34	0.7	0.05	0.5	0.04	17	0.3	0.03	0.2	0.02
Tongue	349	6.1	0.15	4.9	0.12	121	1.9	0.08	1.5	0.06
Major salivary gland	85	1.7	0.09	1.2	0.06	57	0.9	0.06	0.8	0.05
Floor of mouth	55	1.0	0.06	0.8	0.05	20	0.3	0.03	0.2	0.02
Gum & other mouth	105	1.9	0.09	1.4	0.06	100	1.6	0.07	1.1	0.05
Nasopharynx	34	0.6	0.05	0.5	0.04	16	0.3	0.03	0.2	0.03
Oropharynx	66	1.1	0.06	0.9	0.05	19	0.3	0.03	0.2	0.03
Hypopharynx	69	1.2	0.07	1.0	0.05	14	0.2	0.02	0.2	0.02
Digestive System	5,129	95.5	0.61	71.1	0.45	4,124	64.1	0.46	47.4	0.35
Esophagus	414	7.5	0.17	5.6	0.12	102	1.5	0.07	1.1	0.05
Stomach	456	8.6	0.18	6.3	0.13	297	4.7	0.12	3.4	0.09
Small intestine	178	3.3	0.12	2.5	0.09	171	2.7	0.09	2.1	0.08
Colon excl. rectum	1,532	29.3	0.34	21.3	0.25	1,544	24.1	0.28	17.6	0.21
Rectum & rectosigmoid	719	13.3	0.23	10.4	0.18	523	8.5	0.17	6.6	0.14
Anus, anal canal & anorectum	80	1.5	0.08	1.2	0.06	161	2.5	0.09	2.0	0.07
Liver	672	11.6	0.21	9.2	0.16	198	2.9	0.10	2.3	0.08
Gallbladder	44	0.8	0.06	0.6	0.04	78	1.2	0.06	0.9	0.04
Pancreas	797	15.0	0.25	10.7	0.17	759	11.5	0.19	8.2	0.14
Respiratory System	4,856	90.7	0.60	64.4	0.42	3,890	58.6	0.43	42.6	0.31
Larynx	377	6.7	0.16	5.2	0.12	107	1.6	0.07	1.3	0.06
Lung & bronchus	4,418	82.8	0.57	58.4	0.40	3,748	56.4	0.42	40.9	0.31
Bones & Joints	51	1.0	0.07	1.0	0.06	46	0.9	0.06	0.8	0.06
Soft Tissue (incl. heart)	195	3.9	0.13	3.1	0.10	164	2.8	0.10	2.3	0.09
Skin (excl. basal & sq.)	1,907	37.0	0.39	26.9	0.28	1,269	21.1	0.27	17.1	0.23
Melanomas of the skin	1,781	34.4	0.38	25.1	0.27	1,195	20.0	0.27	16.3	0.22
Breast (excl. <i>in situ</i>)	65	1.2	0.07	0.9	0.05	8,384	134.0	0.67	106.2	0.54
Female Genital System	-	-	-	-	-	3,047	48.4	0.40	39.1	0.33
Cervix uteri	-	-	-	-	-	380	7.1	0.17	6.1	0.15
Uterus Corpus	-	-	-	-	-	1,606	24.4	0.28	19.8	0.23
Uterus, NOS ¹	-	-	-	-	-	58	0.9	0.06	0.7	0.04
Ovary	-	-	-	-	-	658	10.6	0.19	8.3	0.15
Male Genital System	7,110	123.7	0.67	96.2	0.52	-	-	-	-	-
Prostate	6,808	117.4	0.65	90.2	0.49	-	-	-	-	-
Testis	243	5.1	0.15	5.2	0.15	-	-	-	-	-
Penis	46	0.9	0.06	0.6	0.04	-	-	-	-	-
Urinary System	3,115	60.0	0.50	42.4	0.34	1,378	21.3	0.26	15.9	0.20
Bladder (incl. <i>in situ</i>)	1,763	35.0	0.38	23.1	0.25	578	8.7	0.16	6.1	0.12
Kidney & renal pelvis	1,279	23.5	0.30	18.3	0.23	762	12.0	0.20	9.5	0.16
Ureter	47	1.0	0.06	0.6	0.04	26	0.4	0.04	0.3	0.02
Eye & Orbit	47	0.9	0.06	0.7	0.05	50	0.8	0.05	0.7	0.05
Brain & Other CNS ¹	380	7.4	0.17	6.3	0.15	321	5.5	0.14	4.8	0.13
Brain	360	7.0	0.17	5.9	0.15	300	5.1	0.14	4.4	0.12
Endocrine System	369	7.2	0.17	6.1	0.15	1,018	18.6	0.27	16.7	0.24
Thyroid gland	328	6.4	0.16	5.4	0.14	977	17.9	0.26	16.0	0.24
Lymphomas	1,257	24.4	0.32	18.8	0.24	1,040	16.7	0.24	13.0	0.19
Hodgkin Lymphoma	148	3.0	0.11	2.8	0.11	113	2.1	0.09	2.1	0.09
Non-Hodgkin Lymphoma	1,108	21.4	0.30	15.9	0.22	927	14.6	0.22	10.9	0.17
Multiple Myeloma	494	9.3	0.19	6.7	0.14	428	6.6	0.14	4.7	0.11
Leukemias	952	18.8	0.28	14.2	0.22	676	11.0	0.19	8.6	0.16
Acute lymphocytic	87	1.8	0.09	2.0	0.10	59	1.2	0.07	1.3	0.08
Chronic lymphocytic	371	7.1	0.17	5.0	0.12	245	3.7	0.11	2.6	0.08
Acute myeloid	263	5.2	0.15	3.9	0.11	209	3.4	0.11	2.7	0.09
Chronic myeloid	134	2.7	0.11	2.0	0.08	97	1.6	0.07	1.3	0.06
Other leukemias	97	2.0	0.09	1.4	0.07	66	1.1	0.06	0.8	0.05
Mesothelioma	58	1.2	0.07	0.8	0.05	19	0.3	0.03	0.2	0.02
Kaposi Sarcoma	25	0.5	0.05	0.5	0.04	1	0.0	0.01	0.0	0.01
Ill-defined & Unknown	998	20.1	0.29	13.5	0.19	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	473	9.2	0.19	7.3	0.16	979	16.0	0.24	12.7	0.19
Breast (<i>in situ</i>)	6	0.1	0.02	0.1	0.02	1,855	29.9	0.32	24.3	0.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Carolina, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	21,779	510.6	1.59	378.3	1.18	21,045	436.8	1.39	339.2	1.13
Oral Cavity & Pharynx	887	20.2	0.31	16.0	0.24	347	7.1	0.18	5.4	0.14
Lip	31	0.8	0.06	0.5	0.04	14	0.3	0.04	0.2	0.03
Tongue	303	6.8	0.18	5.5	0.14	105	2.1	0.10	1.7	0.08
Major salivary gland	68	1.7	0.10	1.2	0.07	41	0.9	0.06	0.7	0.05
Floor of mouth	43	1.0	0.07	0.8	0.05	17	0.3	0.04	0.3	0.03
Gum & other mouth	81	1.9	0.10	1.4	0.07	81	1.6	0.08	1.1	0.06
Nasopharynx	21	0.5	0.05	0.4	0.04	11	0.3	0.04	0.2	0.03
Oropharynx	48	1.1	0.07	0.9	0.06	16	0.3	0.04	0.3	0.03
Hypopharynx	49	1.1	0.07	0.9	0.06	10	0.2	0.03	0.1	0.02
Digestive System	3,841	90.1	0.67	66.7	0.49	2,998	60.4	0.51	44.5	0.39
Esophagus	342	7.8	0.19	5.8	0.14	71	1.4	0.07	1.0	0.06
Stomach	311	7.3	0.19	5.3	0.14	187	3.8	0.13	2.7	0.10
Small intestine	128	3.0	0.12	2.3	0.09	114	2.3	0.10	1.8	0.08
Colon excl. rectum	1,147	27.6	0.37	19.9	0.27	1,138	23.0	0.31	16.6	0.24
Rectum & rectosigmoid	550	13.0	0.25	10.2	0.20	389	8.3	0.19	6.5	0.16
Anus, anal canal & anorectum	60	1.4	0.08	1.1	0.07	135	2.8	0.11	2.2	0.09
Liver	482	10.6	0.22	8.4	0.17	138	2.7	0.10	2.0	0.08
Gallbladder	29	0.7	0.06	0.5	0.04	48	0.9	0.06	0.7	0.04
Pancreas	611	14.3	0.27	10.2	0.19	551	10.7	0.21	7.6	0.15
Respiratory System	3,822	88.9	0.66	62.8	0.46	3,180	61.5	0.50	44.7	0.37
Larynx	275	6.2	0.17	4.8	0.13	81	1.7	0.08	1.3	0.07
Lung & bronchus	3,497	81.5	0.63	57.1	0.44	3,072	59.3	0.49	42.9	0.36
Bones & Joints	38	1.0	0.08	0.9	0.07	37	0.9	0.07	0.9	0.07
Soft Tissue (incl. heart)	154	3.9	0.14	3.0	0.12	121	2.7	0.11	2.2	0.10
Skin (excl. basal & sq.)	1,817	44.1	0.48	32.4	0.35	1,195	26.6	0.36	21.8	0.31
Melanomas of the skin	1,708	41.4	0.46	30.5	0.34	1,136	25.4	0.35	20.9	0.30
Breast (excl. <i>in situ</i>)	47	1.1	0.07	0.8	0.05	6,373	133.6	0.77	105.6	0.63
Female Genital System	-	-	-	-	-	2,323	48.8	0.47	39.4	0.39
Cervix uteri	-	-	-	-	-	259	6.7	0.19	5.9	0.17
Uterus Corpus	-	-	-	-	-	1,217	24.4	0.32	19.8	0.27
Uterus, NOS ¹	-	-	-	-	-	33	0.7	0.05	0.5	0.04
Ovary	-	-	-	-	-	532	11.2	0.23	8.9	0.19
Male Genital System	4,926	108.4	0.71	84.1	0.55	-	-	-	-	-
Prostate	4,667	101.0	0.68	76.9	0.51	-	-	-	-	-
Testis	213	6.3	0.19	6.4	0.20	-	-	-	-	-
Penis	38	0.9	0.07	0.6	0.05	-	-	-	-	-
Urinary System	2,605	62.6	0.56	43.9	0.39	1,062	21.3	0.30	15.8	0.23
Bladder (incl. <i>in situ</i>)	1,557	38.0	0.44	25.1	0.29	477	9.2	0.19	6.4	0.14
Kidney & renal pelvis	982	23.0	0.34	17.8	0.26	554	11.5	0.23	9.0	0.18
Ureter	43	1.1	0.07	0.7	0.05	22	0.4	0.04	0.3	0.03
Eye & Orbit	42	1.0	0.07	0.8	0.06	45	1.0	0.07	0.9	0.07
Brain & Other CNS ¹	316	8.0	0.21	6.8	0.18	263	6.0	0.17	5.2	0.16
Brain	299	7.5	0.20	6.3	0.18	248	5.6	0.17	4.8	0.15
Endocrine System	307	7.8	0.20	6.6	0.18	771	19.6	0.33	17.6	0.30
Thyroid gland	279	7.1	0.19	6.0	0.17	743	18.9	0.32	17.0	0.30
Lymphomas	1,015	24.9	0.36	18.9	0.28	817	17.0	0.27	13.2	0.23
Hodgkin Lymphoma	108	2.9	0.13	2.8	0.13	81	2.2	0.11	2.2	0.12
Non-Hodgkin Lymphoma	907	22.0	0.33	16.2	0.25	736	14.9	0.25	11.0	0.20
Multiple Myeloma	315	7.4	0.19	5.2	0.13	254	5.0	0.14	3.5	0.10
Leukemias	776	19.3	0.32	14.6	0.25	536	11.3	0.23	8.9	0.20
Acute lymphocytic	66	1.9	0.11	2.1	0.12	46	1.3	0.09	1.4	0.10
Chronic lymphocytic	315	7.5	0.19	5.2	0.13	201	3.9	0.12	2.7	0.09
Acute myeloid	208	5.2	0.16	3.8	0.12	163	3.5	0.13	2.7	0.11
Chronic myeloid	106	2.7	0.12	2.0	0.09	72	1.6	0.09	1.2	0.07
Other leukemias	81	2.1	0.11	1.5	0.08	54	1.1	0.07	0.8	0.06
Mesothelioma	54	1.4	0.08	0.9	0.05	16	0.3	0.04	0.3	0.03
Kaposi Sarcoma	11	0.3	0.04	0.3	0.04	-	-	-	-	-
Ill-defined & Unknown	808	20.2	0.32	13.5	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	358	8.9	0.22	7.1	0.18	748	16.0	0.27	12.7	0.23
Breast (<i>in situ</i>)	4	0.1	0.02	0.1	0.02	1,376	29.5	0.37	23.9	0.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Carolina, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,299	547.8	3.61	417.0	2.59	5,183	403.6	2.57	313.3	1.99
Oral Cavity & Pharynx	160	15.1	0.56	12.3	0.44	69	5.3	0.29	4.2	0.23
Lip	1	0.1	0.06	0.1	0.04	2	0.1	0.05	0.1	0.03
Tongue	37	3.5	0.27	2.8	0.21	12	0.9	0.13	0.7	0.09
Major salivary gland	13	1.4	0.18	1.1	0.13	14	1.1	0.13	0.9	0.12
Floor of mouth	10	0.9	0.13	0.8	0.11	3	0.2	0.06	0.2	0.05
Gum & other mouth	18	1.8	0.21	1.4	0.15	16	1.2	0.14	0.9	0.10
Nasopharynx	10	1.0	0.14	0.8	0.12	4	0.3	0.07	0.3	0.06
Oropharynx	15	1.4	0.17	1.1	0.13	3	0.2	0.06	0.2	0.05
Hypopharynx	19	1.7	0.18	1.4	0.15	4	0.3	0.07	0.2	0.05
Digestive System	1,096	114.5	1.66	86.5	1.18	973	76.2	1.12	56.5	0.83
Esophagus	65	6.8	0.41	5.0	0.28	28	2.2	0.19	1.7	0.14
Stomach	120	13.3	0.58	9.6	0.40	92	7.5	0.36	5.4	0.26
Small intestine	45	4.8	0.34	3.6	0.24	52	4.0	0.26	3.2	0.20
Colon excl. rectum	333	36.0	0.95	26.6	0.66	354	27.7	0.67	20.5	0.50
Rectum & rectosigmoid	136	13.5	0.55	10.7	0.41	107	8.4	0.37	6.5	0.29
Anus, anal canal & anorectum	18	1.7	0.19	1.5	0.16	24	1.9	0.18	1.5	0.14
Liver	155	13.7	0.52	11.5	0.41	47	3.4	0.23	2.8	0.18
Gallbladder	13	1.5	0.20	1.1	0.13	25	2.0	0.18	1.4	0.13
Pancreas	166	18.2	0.68	13.2	0.46	188	14.9	0.50	10.5	0.35
Respiratory System	921	100.1	1.59	72.5	1.08	625	48.1	0.88	35.6	0.64
Larynx	92	9.3	0.47	7.1	0.33	24	1.7	0.16	1.4	0.13
Lung & bronchus	819	89.8	1.51	64.6	1.02	594	45.9	0.86	33.8	0.63
Bones & Joints	9	0.9	0.14	0.8	0.12	7	0.6	0.10	0.5	0.10
Soft Tissue (incl. heart)	33	3.3	0.27	2.9	0.23	34	2.8	0.22	2.3	0.18
Skin (excl. basal & sq.)	22	2.4	0.24	1.9	0.18	20	1.6	0.16	1.3	0.13
Melanomas of the skin	10	1.1	0.17	0.8	0.11	10	0.8	0.12	0.6	0.09
Breast (excl. <i>in situ</i>)	15	1.7	0.21	1.2	0.14	1,720	133.2	1.47	106.1	1.17
Female Genital System	-	-	-	-	-	599	45.8	0.86	36.7	0.68
Cervix uteri	-	-	-	-	-	96	7.7	0.36	6.6	0.31
Uterus Corpus	-	-	-	-	-	329	24.4	0.62	19.5	0.49
Uterus, NOS ¹	-	-	-	-	-	23	1.8	0.17	1.3	0.13
Ovary	-	-	-	-	-	98	7.8	0.36	6.0	0.28
Male Genital System	1,841	179.9	2.00	140.4	1.48	-	-	-	-	-
Prostate	1,813	176.9	1.98	137.9	1.46	-	-	-	-	-
Testis	18	1.8	0.19	1.7	0.18	-	-	-	-	-
Penis	8	0.9	0.17	0.6	0.10	-	-	-	-	-
Urinary System	436	47.0	1.08	34.8	0.75	279	21.7	0.60	16.5	0.45
Bladder (incl. <i>in situ</i>)	167	20.0	0.75	13.5	0.47	89	7.0	0.34	4.8	0.23
Kidney & renal pelvis	262	26.3	0.77	20.8	0.58	184	14.2	0.48	11.2	0.38
Ureter	3	0.4	0.10	0.2	0.06	3	0.2	0.06	0.1	0.04
Eye & Orbit	4	0.4	0.09	0.3	0.08	3	0.2	0.06	0.3	0.07
Brain & Other CNS ¹	49	4.7	0.32	4.2	0.27	47	3.8	0.25	3.4	0.23
Brain	46	4.5	0.31	3.9	0.26	42	3.4	0.24	3.0	0.22
Endocrine System	47	4.9	0.33	4.0	0.27	181	14.3	0.49	12.5	0.43
Thyroid gland	36	3.8	0.29	3.1	0.23	169	13.4	0.47	11.7	0.41
Lymphomas	195	19.9	0.67	16.4	0.53	183	14.4	0.49	11.7	0.40
Hodgkin Lymphoma	34	3.2	0.25	3.0	0.24	28	2.2	0.19	2.2	0.19
Non-Hodgkin Lymphoma	162	16.7	0.63	13.3	0.47	155	12.2	0.45	9.6	0.35
Multiple Myeloma	166	18.5	0.69	13.4	0.47	160	12.6	0.46	9.1	0.33
Leukemias	137	14.8	0.61	11.5	0.44	110	8.9	0.39	7.0	0.31
Acute lymphocytic	14	1.1	0.14	1.3	0.15	9	0.7	0.11	0.8	0.12
Chronic lymphocytic	42	4.8	0.36	3.4	0.24	33	2.6	0.21	1.8	0.15
Acute myeloid	45	4.9	0.35	3.7	0.25	42	3.3	0.24	2.7	0.20
Chronic myeloid	23	2.5	0.25	2.0	0.19	19	1.5	0.16	1.2	0.13
Other leukemias	13	1.5	0.20	1.1	0.13	9	0.7	0.11	0.5	0.08
Mesothelioma	3	0.4	0.12	0.3	0.07	2	0.2	0.05	0.1	0.04
Kaposi Sarcoma	12	1.1	0.15	1.1	0.15	-	-	-	-	-
Ill-defined & Unknown	153	18.1	0.71	12.5	0.46	168	13.6	0.48	9.4	0.34
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	91	10.0	0.50	7.6	0.36	196	15.8	0.52	12.4	0.41
Breast (<i>in situ</i>)	1	0.2	0.07	0.1	0.04	406	30.9	0.70	25.0	0.56

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Carolina, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	216	231.7	7.88	171.2	5.32	328	262.9	6.98	201.9	5.04
Oral Cavity & Pharynx	12	10.5	1.45	8.5	1.13	5	4.7	1.00	3.4	0.66
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	3.7	0.85	2.9	0.65	2	2.3	0.73	1.5	0.45
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.7	0.55	1.5	0.49	-	-	-	-	-
Nasopharynx	2	1.4	0.52	1.2	0.42	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	62	66.8	4.21	49.3	2.85	58	54.4	3.43	37.9	2.24
Esophagus	2	2.5	0.79	1.9	0.56	-	-	-	-	-
Stomach	10	12.5	1.91	8.8	1.24	8	7.0	1.22	5.0	0.80
Small intestine	2	1.7	0.56	1.5	0.47	2	1.4	0.52	1.1	0.37
Colon excl. rectum	10	10.6	1.70	7.9	1.14	17	15.4	1.79	11.0	1.19
Rectum & rectosigmoid	12	11.4	1.59	9.1	1.19	9	7.4	1.17	5.7	0.84
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	14	14.6	1.95	10.8	1.33	6	5.8	1.12	4.1	0.75
Gallbladder	-	-	-	-	-	2	1.8	0.68	1.1	0.39
Pancreas	7	7.5	1.42	5.4	0.95	8	9.2	1.52	5.7	0.89
Respiratory System	31	35.0	3.11	25.3	2.07	33	31.9	2.66	21.8	1.71
Larynx	2	2.1	0.66	1.7	0.50	-	-	-	-	-
Lung & bronchus	28	32.4	3.03	23.1	1.99	32	30.9	2.62	21.0	1.68
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	1.5	0.57	1.2	0.43	3	2.3	0.65	1.8	0.47
Skin (excl. basal & sq.)	2	1.8	0.56	1.6	0.47	1	0.9	0.43	0.7	0.29
Melanomas of the skin	1	1.1	0.46	0.9	0.38	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	109	79.1	3.56	64.4	2.78
Female Genital System	-	-	-	-	-	41	30.8	2.28	24.9	1.75
Cervix uteri	-	-	-	-	-	8	5.9	0.99	4.6	0.73
Uterus Corpus	-	-	-	-	-	19	13.8	1.50	11.3	1.17
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	11	8.3	1.17	6.9	0.93
Male Genital System	42	46.7	3.46	34.9	2.43	-	-	-	-	-
Prostate	39	45.0	3.42	33.3	2.39	-	-	-	-	-
Testis	2	1.3	0.38	1.4	0.40	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	18.5	2.46	12.0	1.46	9	8.2	1.30	6.0	0.88
Bladder (incl. <i>in situ</i>)	9	11.8	2.00	7.5	1.17	3	3.0	0.83	2.0	0.51
Kidney & renal pelvis	5	5.5	1.24	4.0	0.81	5	4.2	0.89	3.3	0.65
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	7	6.6	1.28	5.2	0.90	3	2.7	0.74	2.1	0.53
Brain	7	6.4	1.27	5.1	0.89	3	2.7	0.74	2.1	0.53
Endocrine System	5	3.4	0.75	3.0	0.62	28	17.8	1.54	16.0	1.36
Thyroid gland	5	2.9	0.66	2.7	0.58	28	17.3	1.52	15.5	1.34
Lymphomas	14	14.0	1.90	10.6	1.30	15	11.6	1.45	9.2	1.09
Hodgkin Lymphoma	2	1.4	0.42	1.4	0.42	1	0.9	0.40	0.9	0.36
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	3.8	1.03	2.7	0.67	5	4.6	1.02	3.1	0.65
Leukemias	9	8.1	1.43	6.6	1.02	5	3.9	0.87	3.2	0.66
Acute lymphocytic	2	1.1	0.36	1.3	0.42	2	1.5	0.49	1.4	0.45
Chronic lymphocytic	2	2.1	0.81	1.5	0.50	-	-	-	-	-
Acute myeloid	5	4.5	1.08	3.5	0.74	1	1.0	0.41	0.8	0.31
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	12.4	2.07	8.0	1.19	11	9.1	1.33	6.9	0.95
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	9	9.1	1.51	6.9	1.03	16	13.1	1.59	9.9	1.12
Breast (<i>in situ</i>)	-	-	-	-	-	31	22.2	1.84	18.5	1.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Carolina, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	33	408.6	35.04	298.8	23.61	36	375.6	29.34	283.0	21.24
Oral Cavity & Pharynx	1	11.2	4.59	10.1	4.13	1	18.9	7.42	11.3	4.26
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	125.9	18.44	96.7	13.07	7	70.8	12.87	52.1	9.09
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	14.5	5.15	12.6	4.46	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	3	37.9	10.66	28.3	7.17	3	28.0	8.02	20.9	5.80
Rectum & rectosigmoid	2	18.2	5.76	16.0	5.08	1	13.8	5.38	11.0	4.16
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	25.4	7.67	20.6	5.98	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	5	70.4	15.73	46.1	9.58	7	73.8	13.43	52.5	9.15
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	63.8	14.99	42.0	9.13	7	73.8	13.43	52.5	9.15
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	9	100.4	15.16	74.9	10.94
Female Genital System	-	-	-	-	-	4	34.2	7.96	30.3	6.96
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	17.0	5.40	15.9	5.06
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	1	12.5	4.73	11.1	4.19
Male Genital System	6	71.8	14.42	54.4	10.06	-	-	-	-	-
Prostate	5	66.6	14.10	49.4	9.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	64.3	14.19	46.4	9.42	2	26.6	8.02	19.1	5.51
Bladder (incl. <i>in situ</i>)	2	23.0	8.37	17.2	5.79	-	-	-	-	-
Kidney & renal pelvis	3	34.6	10.41	25.2	6.84	2	18.8	6.51	14.2	4.73
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	1	10.8	4.45	9.3	3.80
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	1	10.8	4.45	9.3	3.80
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	21.4	9.14	12.9	5.33	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	3	28.2	8.05	21.3	5.90
Breast (<i>in situ</i>)	-	-	-	-	-	2	18.1	5.75	15.7	4.96

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Carolina, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	454	250.7	6.72	185.0	4.39	529	249.6	5.68	189.7	3.97
Oral Cavity & Pharynx	14	7.4	1.14	5.5	0.74	4	2.3	0.60	1.6	0.38
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	2.2	0.64	1.6	0.40	-	-	-	-	-
Major salivary gland	2	1.1	0.50	0.7	0.28	2	1.0	0.41	0.7	0.27
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	1.1	0.45	0.8	0.29	-	-	-	-	-
Nasopharynx	1	0.6	0.33	0.4	0.19	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	1	0.4	0.16	0.4	0.15	-	-	-	-	-
Digestive System	106	59.8	3.25	43.9	2.13	87	49.0	2.67	35.0	1.78
Esophagus	5	3.9	0.93	2.6	0.56	1	1.1	0.44	0.7	0.27
Stomach	14	6.6	1.02	5.0	0.67	14	6.9	0.96	5.0	0.66
Small intestine	2	1.1	0.49	0.7	0.27	4	2.1	0.53	1.5	0.36
Colon excl. rectum	26	15.4	1.70	11.0	1.10	24	13.1	1.37	9.3	0.90
Rectum & rectosigmoid	17	8.6	1.16	6.7	0.81	10	5.3	0.85	4.0	0.60
Anus, anal canal & anorectum	2	1.3	0.53	0.9	0.32	2	0.9	0.35	0.6	0.22
Liver	20	10.2	1.21	8.2	0.89	7	4.6	0.85	3.2	0.56
Gallbladder	1	1.2	0.52	0.7	0.30	3	2.0	0.56	1.4	0.38
Pancreas	13	8.3	1.28	5.7	0.80	13	8.2	1.12	5.8	0.74
Respiratory System	41	31.6	2.64	21.1	1.60	34	22.8	1.92	15.4	1.23
Larynx	5	3.5	0.84	2.4	0.52	1	1.1	0.45	0.6	0.27
Lung & bronchus	33	27.4	2.49	18.0	1.50	32	21.5	1.86	14.4	1.19
Bones & Joints	2	0.4	0.13	0.5	0.14	2	0.3	0.12	0.4	0.13
Soft Tissue (incl. heart)	7	2.1	0.47	2.0	0.38	7	2.6	0.53	2.1	0.39
Skin (excl. basal & sq.)	11	5.9	1.02	4.4	0.67	-	-	-	-	-
Melanomas of the skin	9	4.7	0.91	3.5	0.60	6	2.5	0.56	1.9	0.39
Breast (excl. <i>in situ</i>)	2	1.1	0.49	0.7	0.26	149	64.6	2.71	51.6	2.03
Female Genital System	-	-	-	-	-	85	36.3	2.05	28.7	1.50
Cervix uteri	-	-	-	-	-	23	7.5	0.85	6.2	0.63
Uterus Corpus	-	-	-	-	-	36	16.3	1.37	13.0	1.03
Uterus, NOS ¹	-	-	-	-	-	2	1.0	0.37	0.7	0.24
Ovary	-	-	-	-	-	18	7.7	0.93	6.2	0.69
Male Genital System	111	65.5	3.32	50.4	2.33	-	-	-	-	-
Prostate	93	62.0	3.30	46.6	2.29	-	-	-	-	-
Testis	17	3.2	0.35	3.5	0.38	-	-	-	-	-
Penis	1	0.4	0.15	0.3	0.14	-	-	-	-	-
Urinary System	39	25.6	2.28	17.6	1.40	25	14.0	1.42	10.1	0.96
Bladder (incl. <i>in situ</i>)	13	10.2	1.52	6.5	0.89	6	4.2	0.85	2.8	0.54
Kidney & renal pelvis	26	15.1	1.70	10.8	1.07	19	9.6	1.12	7.2	0.78
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	0.3	0.11	0.3	0.11	-	-	-	-	-
Brain & Other CNS ¹	14	4.6	0.81	3.9	0.54	9	3.5	0.67	2.7	0.46
Brain	13	4.5	0.80	3.7	0.53	8	3.3	0.64	2.5	0.45
Endocrine System	14	4.8	0.80	3.9	0.55	47	14.2	1.06	12.7	0.89
Thyroid gland	12	4.4	0.79	3.5	0.54	46	13.8	1.03	12.4	0.87
Lymphomas	35	16.0	1.65	11.9	1.06	28	14.2	1.41	10.8	0.98
Hodgkin Lymphoma	6	2.0	0.60	1.5	0.33	5	1.9	0.47	1.7	0.35
Non-Hodgkin Lymphoma	29	14.0	1.54	10.5	1.01	23	12.3	1.33	9.1	0.91
Multiple Myeloma	9	5.4	0.98	3.9	0.63	9	4.8	0.83	3.5	0.57
Leukemias	29	9.0	1.12	7.7	0.77	20	8.0	1.02	6.1	0.67
Acute lymphocytic	13	2.2	0.29	2.5	0.32	6	1.6	0.39	1.4	0.29
Chronic lymphocytic	2	1.6	0.57	1.1	0.36	3	2.6	0.68	1.5	0.39
Acute myeloid	7	2.3	0.56	1.9	0.38	6	1.8	0.39	1.6	0.32
Chronic myeloid	4	1.6	0.52	1.2	0.33	3	1.2	0.36	0.9	0.24
Other leukemias	3	1.4	0.50	1.0	0.32	2	0.9	0.37	0.7	0.25
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	2	0.6	0.24	0.5	0.19	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	16	9.8	1.26	6.4	0.77
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	16	6.2	0.95	4.9	0.64	26	10.9	1.12	8.6	0.80
Breast (<i>in situ</i>)	-	-	-	-	-	30	11.9	1.08	9.9	0.87

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NORTH CAROLINA

302 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Carolina, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	21,435	522.8	1.64	388.5	1.24	20,659	448.3	1.46	349.2	1.19
Oral Cavity & Pharynx	877	20.9	0.32	16.6	0.26	344	7.3	0.18	5.6	0.15
Lip	31	0.8	0.07	0.6	0.05	14	0.3	0.04	0.2	0.03
Tongue	299	7.0	0.19	5.7	0.15	104	2.2	0.10	1.8	0.08
Major salivary gland	68	1.8	0.10	1.2	0.07	40	0.9	0.07	0.7	0.06
Floor of mouth	43	1.0	0.07	0.8	0.06	16	0.3	0.04	0.3	0.03
Gum & other mouth	80	1.9	0.10	1.4	0.07	80	1.6	0.09	1.2	0.06
Nasopharynx	20	0.5	0.05	0.4	0.04	10	0.2	0.03	0.2	0.03
Oropharynx	48	1.1	0.08	0.9	0.06	16	0.4	0.04	0.3	0.03
Hypopharynx	48	1.1	0.07	0.9	0.06	10	0.2	0.03	0.1	0.02
Digestive System	3,762	91.9	0.69	68.1	0.51	2,934	61.3	0.52	45.3	0.41
Esophagus	337	8.0	0.20	6.0	0.15	70	1.4	0.08	1.0	0.06
Stomach	301	7.3	0.19	5.3	0.14	178	3.7	0.13	2.7	0.10
Small intestine	126	3.1	0.13	2.3	0.10	111	2.4	0.10	1.8	0.08
Colon excl. rectum	1,129	28.3	0.39	20.5	0.28	1,121	23.5	0.33	17.1	0.25
Rectum & rectosigmoid	536	13.4	0.27	10.5	0.21	382	8.6	0.21	6.8	0.17
Anus, anal canal & anorectum	58	1.4	0.09	1.1	0.07	134	2.9	0.12	2.3	0.09
Liver	468	10.7	0.23	8.4	0.18	133	2.6	0.11	2.0	0.08
Gallbladder	28	0.7	0.06	0.5	0.04	46	0.9	0.06	0.6	0.05
Pancreas	600	14.6	0.27	10.4	0.19	541	10.8	0.21	7.6	0.16
Respiratory System	3,790	90.9	0.68	64.4	0.48	3,153	62.8	0.51	45.7	0.38
Larynx	271	6.4	0.18	4.9	0.14	80	1.7	0.09	1.4	0.07
Lung & bronchus	3,472	83.3	0.65	58.6	0.45	3,047	60.5	0.50	44.0	0.37
Bones & Joints	36	1.1	0.08	1.0	0.08	36	1.0	0.08	1.0	0.08
Soft Tissue (incl. heart)	148	4.0	0.15	3.1	0.13	116	2.7	0.12	2.2	0.11
Skin (excl. basal & sq.)	1,808	46.0	0.50	33.9	0.38	1,190	28.2	0.39	23.3	0.33
Melanomas of the skin	1,700	43.2	0.48	32.0	0.37	1,132	27.0	0.38	22.4	0.33
Breast (excl. <i>in situ</i>)	46	1.1	0.08	0.8	0.06	6,267	137.5	0.81	108.9	0.66
Female Genital System	-	-	-	-	-	2,260	49.7	0.49	40.3	0.41
Cervix uteri	-	-	-	-	-	243	6.8	0.21	6.0	0.18
Uterus Corpus	-	-	-	-	-	1,189	24.8	0.33	20.2	0.28
Uterus, NOS ¹	-	-	-	-	-	33	0.7	0.06	0.5	0.05
Ovary	-	-	-	-	-	520	11.5	0.24	9.1	0.20
Male Genital System	4,844	110.6	0.73	86.0	0.57	-	-	-	-	-
Prostate	4,600	102.7	0.69	78.3	0.52	-	-	-	-	-
Testis	199	6.7	0.22	6.8	0.22	-	-	-	-	-
Penis	36	0.9	0.07	0.6	0.05	-	-	-	-	-
Urinary System	2,575	64.1	0.58	45.2	0.41	1,044	21.7	0.31	16.2	0.24
Bladder (incl. <i>in situ</i>)	1,547	38.8	0.45	25.7	0.30	473	9.4	0.20	6.6	0.14
Kidney & renal pelvis	962	23.6	0.35	18.4	0.28	541	11.7	0.24	9.2	0.19
Ureter	43	1.1	0.08	0.7	0.05	22	0.4	0.04	0.3	0.03
Eye & Orbit	40	1.0	0.07	0.8	0.06	45	1.1	0.08	0.9	0.07
Brain & Other CNS ¹	304	8.3	0.22	7.1	0.20	258	6.3	0.19	5.5	0.18
Brain	289	7.8	0.21	6.6	0.19	243	5.9	0.18	5.1	0.17
Endocrine System	296	8.1	0.22	7.0	0.19	738	20.3	0.35	18.3	0.33
Thyroid gland	270	7.4	0.21	6.3	0.18	711	19.7	0.35	17.7	0.32
Lymphomas	989	25.5	0.37	19.5	0.30	797	17.3	0.29	13.5	0.24
Hodgkin Lymphoma	103	3.1	0.14	3.0	0.14	77	2.3	0.12	2.3	0.13
Non-Hodgkin Lymphoma	886	22.4	0.35	16.5	0.26	720	15.0	0.26	11.2	0.20
Multiple Myeloma	309	7.5	0.20	5.3	0.14	247	5.0	0.15	3.6	0.11
Leukemias	753	19.7	0.33	14.9	0.27	520	11.5	0.24	9.1	0.21
Acute lymphocytic	55	1.9	0.12	2.0	0.13	42	1.4	0.10	1.5	0.12
Chronic lymphocytic	313	7.7	0.20	5.4	0.14	199	3.9	0.13	2.8	0.09
Acute myeloid	203	5.3	0.17	3.9	0.13	157	3.5	0.13	2.7	0.11
Chronic myeloid	103	2.8	0.13	2.1	0.10	69	1.6	0.09	1.3	0.08
Other leukemias	79	2.1	0.11	1.5	0.08	54	1.2	0.08	0.9	0.06
Mesothelioma	53	1.4	0.09	0.9	0.06	16	0.4	0.04	0.3	0.03
Kaposi Sarcoma	10	0.3	0.05	0.3	0.04	-	-	-	-	-
Ill-defined & Unknown	796	20.5	0.33	13.8	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	348	9.2	0.23	7.4	0.19	727	16.4	0.29	13.0	0.24
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	1,355	30.5	0.39	24.8	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Carolina, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,286	554.9	3.66	422.8	2.63	5,165	408.6	2.60	317.6	2.02
Oral Cavity & Pharynx	160	15.4	0.57	12.5	0.45	69	5.4	0.30	4.3	0.24
Lip	1	0.1	0.06	0.1	0.04	2	0.1	0.05	0.1	0.03
Tongue	37	3.5	0.27	2.9	0.21	12	1.0	0.13	0.7	0.09
Major salivary gland	13	1.4	0.18	1.1	0.14	14	1.1	0.14	1.0	0.12
Floor of mouth	10	0.9	0.13	0.8	0.11	3	0.3	0.06	0.2	0.05
Gum & other mouth	18	1.8	0.21	1.4	0.15	16	1.3	0.14	0.9	0.11
Nasopharynx	10	1.0	0.14	0.8	0.12	4	0.3	0.07	0.3	0.06
Oropharynx	15	1.5	0.18	1.2	0.13	3	0.2	0.06	0.2	0.05
Hypopharynx	19	1.7	0.18	1.4	0.15	4	0.3	0.07	0.2	0.05
Digestive System	1,092	116.0	1.69	87.6	1.20	969	77.0	1.13	57.1	0.84
Esophagus	65	6.9	0.41	5.1	0.29	28	2.3	0.20	1.7	0.14
Stomach	119	13.4	0.59	9.7	0.40	92	7.6	0.36	5.4	0.26
Small intestine	45	4.9	0.35	3.7	0.25	52	4.1	0.26	3.2	0.20
Colon excl. rectum	332	36.5	0.96	27.0	0.67	352	28.0	0.68	20.7	0.50
Rectum & rectosigmoid	135	13.7	0.56	10.8	0.42	107	8.5	0.37	6.6	0.29
Anus, anal canal & anorectum	18	1.8	0.19	1.5	0.16	24	1.9	0.18	1.5	0.14
Liver	154	13.8	0.53	11.6	0.42	47	3.5	0.23	2.8	0.19
Gallbladder	13	1.5	0.20	1.1	0.14	25	2.0	0.18	1.5	0.13
Pancreas	166	18.5	0.69	13.4	0.47	188	15.1	0.50	10.6	0.35
Respiratory System	919	101.1	1.61	73.3	1.09	624	48.6	0.89	35.9	0.65
Larynx	92	9.4	0.47	7.2	0.34	24	1.7	0.16	1.4	0.13
Lung & bronchus	817	90.7	1.53	65.3	1.03	593	46.3	0.87	34.1	0.63
Bones & Joints	9	0.9	0.14	0.8	0.12	7	0.6	0.10	0.6	0.10
Soft Tissue (incl. heart)	33	3.4	0.28	3.0	0.24	34	2.8	0.22	2.3	0.19
Skin (excl. basal & sq.)	22	2.4	0.25	1.9	0.18	20	1.6	0.17	1.3	0.13
Melanomas of the skin	10	1.1	0.17	0.8	0.11	10	0.8	0.12	0.6	0.09
Breast (excl. <i>in situ</i>)	15	1.7	0.21	1.3	0.15	1,715	135.1	1.49	107.7	1.19
Female Genital System	-	-	-	-	-	598	46.5	0.87	37.2	0.70
Cervix uteri	-	-	-	-	-	96	7.8	0.37	6.7	0.31
Uterus Corpus	-	-	-	-	-	328	24.7	0.62	19.7	0.49
Uterus, NOS ¹	-	-	-	-	-	22	1.8	0.17	1.4	0.13
Ovary	-	-	-	-	-	98	7.9	0.36	6.1	0.29
Male Genital System	1,838	182.1	2.03	142.2	1.49	-	-	-	-	-
Prostate	1,809	179.0	2.01	139.5	1.48	-	-	-	-	-
Testis	18	1.9	0.20	1.8	0.19	-	-	-	-	-
Penis	8	1.0	0.17	0.6	0.10	-	-	-	-	-
Urinary System	434	47.6	1.10	35.2	0.76	278	22.0	0.60	16.7	0.46
Bladder (incl. <i>in situ</i>)	167	20.2	0.76	13.7	0.48	89	7.1	0.34	4.9	0.24
Kidney & renal pelvis	261	26.6	0.78	21.1	0.59	183	14.4	0.49	11.4	0.39
Ureter	3	0.4	0.10	0.2	0.06	3	0.2	0.06	0.1	0.04
Eye & Orbit	4	0.4	0.10	0.4	0.08	3	0.3	0.07	0.3	0.07
Brain & Other CNS ¹	48	4.9	0.33	4.3	0.28	47	3.9	0.26	3.5	0.24
Brain	45	4.6	0.32	4.0	0.27	41	3.4	0.24	3.1	0.23
Endocrine System	47	5.0	0.34	4.1	0.27	180	14.6	0.50	12.7	0.44
Thyroid gland	36	3.8	0.30	3.1	0.23	169	13.6	0.48	11.9	0.42
Lymphomas	195	20.3	0.69	16.7	0.54	182	14.6	0.50	11.9	0.41
Hodgkin Lymphoma	34	3.3	0.26	3.1	0.25	28	2.3	0.20	2.2	0.19
Non-Hodgkin Lymphoma	161	17.0	0.64	13.6	0.49	154	12.3	0.45	9.7	0.36
Multiple Myeloma	166	18.7	0.70	13.6	0.48	159	12.8	0.46	9.2	0.33
Leukemias	137	15.1	0.62	11.7	0.46	110	9.0	0.39	7.1	0.32
Acute lymphocytic	14	1.2	0.15	1.3	0.16	8	0.7	0.11	0.8	0.12
Chronic lymphocytic	42	4.9	0.36	3.5	0.24	32	2.6	0.21	1.9	0.15
Acute myeloid	45	5.0	0.36	3.8	0.26	41	3.4	0.24	2.8	0.20
Chronic myeloid	23	2.6	0.25	2.0	0.19	19	1.5	0.16	1.2	0.13
Other leukemias	13	1.5	0.20	1.1	0.14	9	0.7	0.11	0.5	0.09
Mesothelioma	3	0.5	0.12	0.3	0.07	2	0.2	0.05	0.1	0.04
Kaposi Sarcoma	12	1.2	0.16	1.2	0.15	-	-	-	-	-
Ill-defined & Unknown	152	18.3	0.72	12.7	0.46	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	91	10.2	0.51	7.7	0.37	196	16.1	0.52	12.6	0.42
Breast (<i>in situ</i>)	1	0.2	0.07	0.1	0.04	405	31.4	0.71	25.4	0.57

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Dakota, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,968	489.6	5.07	363.6	3.77	1,804	430.1	4.72	333.2	3.79
Oral Cavity & Pharynx	76	18.3	0.97	14.3	0.75	32	7.5	0.61	5.7	0.49
Lip	16	4.1	0.47	2.8	0.32	4	0.9	0.22	0.6	0.15
Tongue	17	4.2	0.46	3.4	0.38	9	2.1	0.33	1.6	0.26
Major salivary gland	5	1.4	0.27	1.1	0.21	5	1.3	0.26	1.1	0.23
Floor of mouth	2	0.6	0.17	0.4	0.13	2	0.5	0.16	0.4	0.13
Gum & other mouth	7	1.8	0.29	1.3	0.22	6	1.3	0.24	0.9	0.17
Nasopharynx	2	0.5	0.17	0.4	0.15	-	-	-	-	-
Oropharynx	3	0.8	0.20	0.6	0.15	-	-	-	-	-
Hypopharynx	4	0.9	0.21	0.7	0.17	1	0.3	0.11	0.2	0.09
Digestive System	362	91.4	2.21	66.7	1.62	286	64.6	1.78	46.8	1.35
Esophagus	34	8.3	0.65	6.2	0.49	8	2.0	0.33	1.4	0.24
Stomach	31	8.1	0.67	5.7	0.47	15	3.5	0.42	2.5	0.32
Small intestine	9	2.2	0.35	1.6	0.26	7	1.7	0.30	1.3	0.24
Colon excl. rectum	127	32.2	1.31	23.0	0.94	124	28.0	1.17	19.6	0.86
Rectum & rectosigmoid	65	16.1	0.93	12.6	0.72	44	10.4	0.73	8.2	0.59
Anus, anal canal & anorectum	4	1.0	0.23	0.8	0.17	9	2.2	0.34	1.7	0.28
Liver	24	5.7	0.54	4.5	0.42	7	1.6	0.27	1.2	0.22
Gallbladder	2	0.6	0.19	0.4	0.12	7	1.4	0.26	1.0	0.19
Pancreas	55	13.9	0.86	9.8	0.61	47	10.4	0.70	7.3	0.52
Respiratory System	284	71.8	1.95	49.8	1.34	235	53.5	1.60	38.6	1.18
Larynx	23	5.7	0.55	4.3	0.41	4	0.8	0.20	0.6	0.15
Lung & bronchus	258	65.4	1.86	44.9	1.27	230	52.3	1.58	37.6	1.16
Bones & Joints	2	0.7	0.20	0.6	0.17	2	0.5	0.17	0.5	0.17
Soft Tissue (incl. heart)	13	3.5	0.44	2.8	0.36	9	2.2	0.35	1.8	0.30
Skin (excl. basal & sq.)	108	27.6	1.22	21.1	0.94	-	-	-	-	-
Melanomas of the skin	100	25.6	1.18	19.9	0.92	87	22.7	1.14	19.5	1.01
Breast (excl. <i>in situ</i>)	5	1.5	0.29	1.1	0.22	526	128.6	2.62	101.5	2.11
Female Genital System	-	-	-	-	-	197	47.2	1.57	38.2	1.29
Cervix uteri	-	-	-	-	-	19	5.5	0.58	4.9	0.52
Uterus Corpus	-	-	-	-	-	112	26.2	1.15	21.4	0.94
Uterus, NOS ¹	-	-	-	-	-	2	0.4	0.14	0.3	0.10
Ovary	-	-	-	-	-	41	9.9	0.71	7.8	0.58
Male Genital System	522	122.2	2.46	95.4	1.90	-	-	-	-	-
Prostate	488	113.5	2.36	87.1	1.78	-	-	-	-	-
Testis	29	7.2	0.62	7.4	0.63	-	-	-	-	-
Penis	5	1.3	0.27	0.8	0.17	-	-	-	-	-
Urinary System	234	60.9	1.83	42.4	1.28	88	19.6	0.97	14.2	0.73
Bladder (incl. <i>in situ</i>)	132	34.6	1.38	22.6	0.91	37	8.1	0.62	5.5	0.44
Kidney & renal pelvis	96	24.6	1.16	18.7	0.88	46	10.7	0.73	8.1	0.57
Ureter	4	0.9	0.23	0.6	0.14	3	0.6	0.15	0.4	0.11
Eye & Orbit	3	0.6	0.16	0.6	0.16	2	0.4	0.14	0.3	0.12
Brain & Other CNS ¹	31	7.7	0.64	6.7	0.57	20	5.0	0.52	4.4	0.48
Brain	29	7.1	0.61	6.2	0.54	19	4.7	0.50	4.0	0.45
Endocrine System	35	8.9	0.70	7.8	0.61	99	28.1	1.31	25.1	1.17
Thyroid gland	33	8.5	0.68	7.3	0.59	96	27.4	1.30	24.5	1.16
Lymphomas	101	25.5	1.17	19.3	0.89	79	18.4	0.96	14.0	0.77
Hodgkin Lymphoma	14	3.6	0.45	3.3	0.41	7	2.0	0.34	2.0	0.34
Non-Hodgkin Lymphoma	87	21.9	1.08	16.0	0.79	72	16.4	0.90	12.0	0.69
Multiple Myeloma	30	7.8	0.65	5.4	0.45	22	4.8	0.48	3.4	0.34
Leukemias	81	20.6	1.06	15.8	0.82	53	12.1	0.78	8.9	0.61
Acute lymphocytic	7	1.9	0.33	2.1	0.36	4	1.1	0.25	1.1	0.27
Chronic lymphocytic	36	8.8	0.68	6.4	0.50	22	5.0	0.49	3.4	0.35
Acute myeloid	18	4.5	0.49	3.2	0.35	16	3.7	0.42	2.7	0.34
Chronic myeloid	11	3.0	0.41	2.2	0.31	7	1.5	0.27	1.1	0.21
Other leukemias	10	2.5	0.37	1.9	0.28	3	0.8	0.21	0.6	0.15
Mesothelioma	5	1.2	0.26	0.8	0.17	2	0.4	0.13	0.3	0.10
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	74	19.1	1.02	12.9	0.69	61	13.4	0.80	9.1	0.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	25	6.9	0.63	5.6	0.52	49	12.6	0.83	10.2	0.70
Breast (<i>in situ</i>)	-	-	-	-	-	103	26.6	1.23	21.5	1.00

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Dakota, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,856	484.0	5.17	359.5	3.87	1,688	424.2	4.85	328.8	3.91
Oral Cavity & Pharynx	71	18.0	0.98	13.9	0.76	32	7.8	0.65	6.0	0.52
Lip	16	4.2	0.48	2.8	0.33	4	1.0	0.24	0.6	0.16
Tongue	16	4.2	0.48	3.4	0.40	9	2.2	0.35	1.7	0.29
Major salivary gland	5	1.4	0.28	1.1	0.22	5	1.3	0.28	1.1	0.25
Floor of mouth	2	0.6	0.18	0.4	0.14	2	0.5	0.17	0.4	0.14
Gum & other mouth	7	1.7	0.30	1.3	0.22	6	1.3	0.25	0.9	0.18
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	3	0.8	0.21	0.6	0.15	-	-	-	-	-
Hypopharynx	4	0.9	0.21	0.7	0.17	-	-	-	-	-
Digestive System	337	88.9	2.23	64.8	1.64	263	62.0	1.79	44.7	1.36
Esophagus	31	7.9	0.65	5.9	0.49	7	1.8	0.32	1.2	0.23
Stomach	29	7.8	0.67	5.4	0.47	14	3.2	0.41	2.3	0.32
Small intestine	8	2.0	0.34	1.4	0.24	6	1.4	0.28	1.1	0.22
Colon excl. rectum	120	31.9	1.34	22.8	0.97	117	27.4	1.19	19.1	0.88
Rectum & rectosigmoid	59	15.6	0.94	12.2	0.74	40	9.9	0.74	7.8	0.60
Anus, anal canal & anorectum	4	1.1	0.24	0.8	0.18	8	2.1	0.35	1.7	0.28
Liver	21	5.2	0.52	4.1	0.41	6	1.5	0.27	1.1	0.22
Gallbladder	2	0.6	0.19	0.4	0.13	6	1.2	0.24	0.9	0.17
Pancreas	52	13.8	0.88	9.8	0.62	44	10.0	0.71	7.0	0.52
Respiratory System	267	70.0	1.96	48.4	1.35	219	51.8	1.61	37.3	1.19
Larynx	21	5.4	0.54	4.0	0.40	4	0.9	0.21	0.6	0.16
Lung & bronchus	243	63.8	1.87	43.7	1.28	213	50.5	1.59	36.3	1.17
Bones & Joints	2	0.7	0.22	0.6	0.19	2	0.5	0.18	0.5	0.18
Soft Tissue (incl. heart)	12	3.4	0.45	2.9	0.39	8	2.1	0.36	1.7	0.31
Skin (excl. basal & sq.)	106	28.8	1.29	22.1	1.01	-	-	-	-	-
Melanomas of the skin	99	26.7	1.24	20.9	0.98	85	23.9	1.23	20.7	1.09
Breast (excl. <i>in situ</i>)	5	1.5	0.31	1.1	0.23	496	128.0	2.71	101.0	2.19
Female Genital System	-	-	-	-	-	183	46.0	1.60	37.1	1.32
Cervix uteri	-	-	-	-	-	15	4.8	0.58	4.3	0.52
Uterus Corpus	-	-	-	-	-	105	25.8	1.18	21.0	0.97
Uterus, NOS ¹	-	-	-	-	-	2	0.3	0.12	0.2	0.08
Ovary	-	-	-	-	-	39	9.8	0.73	7.7	0.59
Male Genital System	491	120.5	2.50	94.2	1.94	-	-	-	-	-
Prostate	460	111.4	2.38	85.4	1.80	-	-	-	-	-
Testis	27	7.7	0.69	7.9	0.69	-	-	-	-	-
Penis	4	1.3	0.27	0.7	0.16	-	-	-	-	-
Urinary System	224	60.7	1.86	42.2	1.31	80	18.7	0.97	13.5	0.73
Bladder (incl. <i>in situ</i>)	129	34.9	1.41	22.8	0.93	35	8.0	0.63	5.5	0.45
Kidney & renal pelvis	89	24.0	1.18	18.3	0.90	41	9.9	0.72	7.5	0.56
Ureter	3	0.9	0.22	0.6	0.14	3	0.6	0.16	0.4	0.11
Eye & Orbit	2	0.5	0.15	0.5	0.14	2	0.5	0.15	0.4	0.13
Brain & Other CNS ¹	30	8.0	0.68	7.1	0.62	19	5.4	0.57	4.8	0.53
Brain	28	7.5	0.65	6.5	0.58	18	5.0	0.54	4.3	0.50
Endocrine System	32	9.0	0.73	7.8	0.64	90	27.8	1.37	24.9	1.23
Thyroid gland	31	8.6	0.71	7.4	0.61	88	27.2	1.36	24.4	1.22
Lymphomas	97	25.7	1.21	19.5	0.93	75	18.2	0.98	13.8	0.80
Hodgkin Lymphoma	14	3.8	0.48	3.5	0.45	7	2.1	0.36	2.1	0.37
Non-Hodgkin Lymphoma	83	21.9	1.11	16.0	0.82	68	16.1	0.92	11.8	0.71
Multiple Myeloma	29	7.8	0.66	5.4	0.46	21	4.9	0.49	3.4	0.35
Leukemias	76	20.5	1.08	15.6	0.85	50	12.2	0.81	9.0	0.65
Acute lymphocytic	6	1.9	0.35	2.0	0.39	4	1.1	0.28	1.2	0.30
Chronic lymphocytic	35	8.9	0.70	6.5	0.51	22	5.2	0.52	3.5	0.37
Acute myeloid	16	4.4	0.49	3.0	0.35	15	3.6	0.44	2.7	0.35
Chronic myeloid	10	2.8	0.41	2.1	0.32	6	1.4	0.28	1.0	0.21
Other leukemias	9	2.5	0.39	1.9	0.30	3	0.9	0.22	0.6	0.17
Mesothelioma	5	1.3	0.27	0.8	0.18	2	0.4	0.14	0.3	0.11
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	69	18.5	1.02	12.4	0.69	58	13.2	0.82	9.0	0.60
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	23	6.9	0.66	5.6	0.54	45	12.1	0.85	9.8	0.71
Breast (<i>in situ</i>)	-	-	-	-	-	97	26.7	1.28	21.6	1.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Dakota, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13	292.2	60.26	217.4	35.45	8	251.4	55.60	194.1	35.62
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	82.1	43.41	49.4	22.51	1	38.5	14.75	34.7	13.46
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	1	49.2	30.38	33.2	17.07
Female Genital System	-	-	-	-	-	2	32.2	11.97	28.9	10.60
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	98.6	23.54	84.8	18.81	-	-	-	-	-
Prostate	5	97.5	23.51	83.7	18.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	25.2	10.70	21.4	9.02
Thyroid gland	-	-	-	-	-	1	25.2	10.70	21.4	9.02
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Dakota, 2013-2017, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8	291.3	65.91	219.1	42.34	12	330.1	51.86	248.4	34.03
Oral Cavity & Pharynx	1	36.9	14.70	33.6	13.36	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	2	102.6	35.19	62.1	19.64
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	1	48.5	23.10	31.7	13.34	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	3	70.0	19.08	56.9	14.48
Female Genital System	-	-	-	-	-	2	41.8	13.48	38.1	12.29
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	1	38.8	15.94	35.7	14.21	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	3	52.0	19.76	43.3	13.40
Thyroid gland	-	-	-	-	-	3	52.0	19.76	43.3	13.40
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Dakota, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCD¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	54	588.2	40.25	437.6	27.29	59	523.2	32.59	398.0	23.32
Oral Cavity & Pharynx	3	28.8	7.92	23.3	6.09	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	173.5	22.28	126.4	14.59	11	101.9	14.53	77.0	10.28
Esophagus	1	13.0	5.15	10.5	4.04	-	-	-	-	-
Stomach	2	23.0	9.81	14.1	5.21	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	48.4	10.78	37.3	7.73	4	31.8	8.10	23.8	5.66
Rectum & rectosigmoid	4	39.9	11.25	28.9	7.06	2	22.5	6.76	17.0	4.92
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	22.8	7.49	17.1	5.25	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	1	15.5	6.30	11.5	4.42	1	12.1	5.17	9.3	3.53
Respiratory System	11	136.5	20.34	94.5	12.98	11	112.5	16.04	77.5	10.42
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	127.1	19.83	87.2	12.55	11	112.5	16.04	77.5	10.42
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	1	11.4	4.39	10.0	3.79
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	15	127.0	15.54	100.2	11.68
Female Genital System	-	-	-	-	-	7	51.2	8.85	45.3	7.70
Cervix uteri	-	-	-	-	-	2	14.6	4.50	13.8	4.19
Uterus Corpus	-	-	-	-	-	3	24.1	6.16	20.5	5.17
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	9	98.8	16.30	75.5	11.36	-	-	-	-	-
Prostate	9	96.0	16.06	73.6	11.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	56.9	11.75	43.6	8.61	5	39.1	8.87	29.9	6.29
Bladder (incl. <i>in situ</i>)	1	13.2	5.81	10.0	4.12	-	-	-	-	-
Kidney & renal pelvis	4	40.2	9.62	31.6	7.31	3	24.6	6.17	21.6	5.28
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	14.5	4.96	12.4	4.16
Thyroid gland	-	-	-	-	-	2	13.3	4.82	11.2	4.00
Lymphomas	2	20.0	6.57	16.8	5.13	2	21.1	7.63	13.0	4.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	18.5	6.38	15.3	4.90	2	21.1	7.63	13.0	4.34
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	17.5	6.06	14.9	4.80	1	12.3	4.95	9.3	3.55
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	26.6	7.81	21.3	5.96	2	21.9	7.25	14.5	4.41
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	1	8.0	3.37	7.9	3.24
Breast (<i>in situ</i>)	-	-	-	-	-	2	13.4	4.58	11.6	3.88

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCD – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Dakota, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	12	262.3	46.15	210.4	33.35	11	259.0	39.93	199.8	29.15
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	80.9	25.63	65.1	19.26	2	55.0	17.24	46.4	14.18
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	1	26.3	12.35	21.1	9.42
Rectum & rectosigmoid	1	19.6	8.07	17.8	7.44	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	1	21.4	9.54	19.1	8.48	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	3	74.3	21.36	55.2	15.18
Female Genital System	-	-	-	-	-	2	35.5	14.56	28.6	10.91
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	67.9	23.16	56.2	17.93	-	-	-	-	-
Prostate	2	65.2	23.11	53.1	17.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	37.4	18.94	26.7	11.19	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	1	20.1	7.67	17.8	6.87	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	17.0	7.26	14.7	6.24
Thyroid gland	-	-	-	-	-	1	17.0	7.26	14.7	6.24
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

NORTH DAKOTA

310 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Dakota, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,849	486.9	5.22	361.9	3.91	1,680	427.0	4.91	331.3	3.97
Oral Cavity & Pharynx	71	18.1	0.99	14.0	0.77	31	7.8	0.65	5.9	0.52
Lip	16	4.3	0.49	2.9	0.33	4	1.0	0.24	0.6	0.17
Tongue	16	4.2	0.48	3.4	0.40	9	2.2	0.36	1.7	0.29
Major salivary gland	5	1.4	0.29	1.1	0.23	5	1.3	0.27	1.1	0.24
Floor of mouth	2	0.6	0.18	0.4	0.14	2	0.5	0.17	0.4	0.14
Gum & other mouth	7	1.8	0.30	1.3	0.22	6	1.3	0.25	0.9	0.18
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	3	0.8	0.21	0.6	0.16	-	-	-	-	-
Hypopharynx	3	0.8	0.21	0.7	0.17	-	-	-	-	-
Digestive System	336	89.5	2.25	65.2	1.66	262	62.4	1.81	45.0	1.38
Esophagus	31	8.0	0.66	6.0	0.50	7	1.8	0.32	1.3	0.24
Stomach	28	7.8	0.67	5.4	0.47	14	3.3	0.42	2.4	0.32
Small intestine	8	2.1	0.35	1.4	0.25	6	1.5	0.29	1.1	0.23
Colon excl. rectum	120	32.1	1.35	22.9	0.98	116	27.5	1.20	19.2	0.89
Rectum & rectosigmoid	59	15.8	0.95	12.3	0.75	40	10.0	0.75	7.9	0.61
Anus, anal canal & anorectum	4	1.1	0.24	0.8	0.18	8	2.1	0.35	1.7	0.29
Liver	21	5.2	0.52	4.1	0.41	6	1.4	0.27	1.1	0.22
Gallbladder	2	0.6	0.19	0.4	0.13	6	1.2	0.24	0.9	0.18
Pancreas	52	13.9	0.89	9.8	0.63	44	10.0	0.71	7.0	0.52
Respiratory System	266	70.3	1.97	48.6	1.36	218	52.1	1.62	37.5	1.20
Larynx	21	5.4	0.55	4.1	0.41	4	0.9	0.21	0.7	0.16
Lung & bronchus	242	64.1	1.88	43.9	1.29	213	50.8	1.60	36.5	1.18
Bones & Joints	2	0.8	0.22	0.7	0.20	2	0.5	0.19	0.5	0.19
Soft Tissue (incl. heart)	12	3.4	0.45	2.8	0.39	8	2.2	0.37	1.8	0.32
Skin (excl. basal & sq.)	106	29.2	1.31	22.5	1.03	88	25.1	1.27	21.7	1.13
Melanomas of the skin	99	27.2	1.26	21.3	1.00	85	24.3	1.25	21.1	1.12
Breast (excl. <i>in situ</i>)	5	1.5	0.31	1.1	0.24	494	128.7	2.73	101.6	2.21
Female Genital System	-	-	-	-	-	181	46.3	1.62	37.3	1.34
Cervix uteri	-	-	-	-	-	15	4.9	0.59	4.4	0.53
Uterus Corpus	-	-	-	-	-	104	25.9	1.19	21.1	0.98
Uterus, NOS ¹	-	-	-	-	-	2	0.3	0.12	0.2	0.08
Ovary	-	-	-	-	-	39	9.9	0.74	7.7	0.60
Male Genital System	489	121.2	2.52	94.7	1.96	-	-	-	-	-
Prostate	458	111.8	2.40	85.8	1.81	-	-	-	-	-
Testis	26	7.9	0.71	8.1	0.71	-	-	-	-	-
Penis	4	1.3	0.27	0.7	0.16	-	-	-	-	-
Urinary System	222	60.7	1.87	42.2	1.32	80	18.7	0.98	13.5	0.74
Bladder (incl. <i>in situ</i>)	129	35.1	1.42	23.0	0.94	35	8.1	0.63	5.6	0.46
Kidney & renal pelvis	88	23.9	1.18	18.2	0.91	41	9.9	0.72	7.5	0.56
Ureter	3	0.9	0.22	0.6	0.14	3	0.6	0.16	0.4	0.11
Eye & Orbit	2	0.5	0.16	0.5	0.14	2	0.5	0.15	0.4	0.14
Brain & Other CNS ¹	29	8.1	0.69	7.1	0.63	19	5.3	0.57	4.7	0.54
Brain	28	7.6	0.67	6.6	0.60	18	4.9	0.55	4.3	0.51
Endocrine System	32	9.1	0.74	7.9	0.65	90	28.3	1.40	25.4	1.26
Thyroid gland	31	8.6	0.73	7.4	0.63	87	27.6	1.39	24.8	1.25
Lymphomas	97	26.1	1.23	19.9	0.95	75	18.4	1.00	14.1	0.81
Hodgkin Lymphoma	14	4.0	0.50	3.7	0.47	7	2.1	0.37	2.1	0.38
Non-Hodgkin Lymphoma	83	22.1	1.12	16.2	0.83	68	16.3	0.93	11.9	0.72
Multiple Myeloma	29	7.8	0.66	5.5	0.46	21	4.9	0.49	3.4	0.35
Leukemias	75	20.7	1.10	15.7	0.87	50	12.4	0.82	9.2	0.66
Acute lymphocytic	5	1.9	0.36	2.1	0.41	4	1.2	0.29	1.2	0.31
Chronic lymphocytic	34	8.9	0.70	6.5	0.51	22	5.2	0.52	3.5	0.37
Acute myeloid	16	4.4	0.50	3.1	0.35	15	3.7	0.45	2.7	0.36
Chronic myeloid	10	2.9	0.42	2.2	0.33	6	1.4	0.28	1.1	0.22
Other leukemias	9	2.5	0.39	1.9	0.30	3	0.9	0.22	0.6	0.17
Mesothelioma	5	1.3	0.27	0.8	0.18	2	0.4	0.14	0.3	0.11
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	23	7.0	0.67	5.7	0.56	45	12.3	0.86	10.0	0.73
Breast (<i>in situ</i>)	-	-	-	-	-	97	27.0	1.30	21.8	1.06

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
North Dakota, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	13	300.9	61.92	224.4	36.65	8	259.6	57.37	200.4	36.83
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	84.8	44.98	51.2	23.51	1	39.5	15.15	35.6	13.84
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	1	49.7	30.46	33.8	17.20
Female Genital System	-	-	-	-	-	2	33.3	12.36	29.9	10.94
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	102.0	24.35	87.7	19.46	-	-	-	-	-
Prostate	5	100.9	24.33	86.5	19.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	26.1	11.06	22.2	9.33
Thyroid gland	-	-	-	-	-	1	26.1	11.06	22.2	9.33
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Ohio, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	33,071	502.9	1.27	374.9	0.95	33,164	441.3	1.12	343.8	0.91
Oral Cavity & Pharynx	1,243	18.2	0.24	14.5	0.19	511	6.7	0.14	5.3	0.11
Lip	28	0.4	0.04	0.3	0.03	12	0.2	0.02	0.1	0.02
Tongue	431	6.2	0.14	5.0	0.11	158	2.1	0.08	1.6	0.06
Major salivary gland	99	1.6	0.07	1.1	0.05	73	1.0	0.05	0.8	0.05
Floor of mouth	60	0.8	0.05	0.7	0.04	26	0.3	0.03	0.3	0.02
Gum & other mouth	133	2.0	0.08	1.5	0.06	104	1.3	0.06	1.0	0.05
Nasopharynx	42	0.6	0.05	0.5	0.04	17	0.2	0.03	0.2	0.03
Oropharynx	67	0.9	0.05	0.8	0.04	20	0.2	0.03	0.2	0.02
Hypopharynx	68	1.0	0.05	0.8	0.04	22	0.3	0.03	0.2	0.02
Digestive System	6,491	99.1	0.57	72.9	0.41	5,332	67.9	0.43	49.5	0.33
Esophagus	625	9.3	0.17	6.9	0.13	156	1.9	0.07	1.4	0.05
Stomach	574	8.9	0.17	6.4	0.12	327	4.2	0.11	3.0	0.08
Small intestine	205	3.2	0.10	2.4	0.08	180	2.4	0.08	1.8	0.06
Colon excl. rectum	2,073	32.5	0.33	23.3	0.23	2,160	27.5	0.27	19.5	0.20
Rectum & rectosigmoid	963	14.8	0.22	11.3	0.17	679	9.1	0.16	7.1	0.13
Anus, anal canal & anorectum	91	1.4	0.07	1.1	0.05	184	2.4	0.08	1.9	0.07
Liver	661	9.3	0.17	7.3	0.13	235	2.9	0.09	2.2	0.07
Gallbladder	47	0.7	0.05	0.5	0.03	108	1.4	0.06	0.9	0.04
Pancreas	960	14.6	0.22	10.5	0.15	946	11.6	0.17	8.2	0.13
Respiratory System	5,808	88.1	0.53	63.1	0.38	4,870	61.1	0.40	44.8	0.30
Larynx	468	6.8	0.14	5.3	0.11	140	1.8	0.07	1.5	0.06
Lung & bronchus	5,262	80.0	0.51	56.8	0.35	4,687	58.7	0.39	42.9	0.29
Bones & Joints	63	1.1	0.06	1.0	0.06	51	0.8	0.05	0.8	0.05
Soft Tissue (incl. heart)	241	3.9	0.12	3.2	0.10	200	2.9	0.09	2.5	0.09
Skin (excl. basal & sq.)	1,966	31.2	0.32	22.8	0.24	1,477	21.3	0.26	17.6	0.22
Melanomas of the skin	1,849	29.3	0.31	21.5	0.23	1,389	20.1	0.25	16.7	0.22
Breast (excl. <i>in situ</i>)	74	1.1	0.06	0.8	0.04	9,568	128.9	0.61	101.6	0.49
Female Genital System	-	-	-	-	-	4,046	54.0	0.39	44.0	0.33
Cervix uteri	-	-	-	-	-	481	7.9	0.17	6.9	0.15
Uterus Corpus	-	-	-	-	-	2,291	29.3	0.28	23.9	0.23
Uterus, NOS ¹	-	-	-	-	-	103	1.3	0.06	1.0	0.05
Ovary	-	-	-	-	-	798	10.6	0.17	8.4	0.14
Male Genital System	7,765	110.9	0.58	86.4	0.45	-	-	-	-	-
Prostate	7,389	104.1	0.56	79.9	0.42	-	-	-	-	-
Testis	306	5.7	0.15	5.7	0.15	-	-	-	-	-
Penis	58	0.9	0.06	0.6	0.04	-	-	-	-	-
Urinary System	4,021	62.8	0.45	44.5	0.32	1,755	22.6	0.25	16.8	0.19
Bladder (incl. <i>in situ</i>)	2,415	38.3	0.36	25.5	0.24	766	9.4	0.16	6.5	0.11
Kidney & renal pelvis	1,520	23.1	0.27	18.1	0.21	942	12.6	0.19	9.9	0.16
Ureter	55	0.9	0.05	0.6	0.03	33	0.4	0.03	0.3	0.02
Eye & Orbit	76	1.2	0.06	1.0	0.05	65	0.9	0.05	0.8	0.05
Brain & Other CNS ¹	520	8.4	0.17	7.3	0.15	412	6.0	0.14	5.3	0.13
Brain	492	7.9	0.16	6.8	0.15	384	5.5	0.13	4.8	0.12
Endocrine System	505	8.2	0.17	7.1	0.15	1,461	23.6	0.29	21.3	0.26
Thyroid gland	455	7.4	0.16	6.3	0.14	1,416	22.9	0.28	20.7	0.26
Lymphomas	1,670	26.6	0.30	20.4	0.23	1,349	18.1	0.23	14.1	0.19
Hodgkin Lymphoma	184	3.2	0.11	3.0	0.10	145	2.4	0.09	2.4	0.09
Non-Hodgkin Lymphoma	1,487	23.5	0.28	17.4	0.21	1,204	15.7	0.21	11.7	0.16
Multiple Myeloma	500	7.7	0.16	5.5	0.11	386	4.9	0.11	3.5	0.08
Leukemias	982	15.9	0.23	12.1	0.18	705	9.5	0.17	7.6	0.14
Acute lymphocytic	94	1.7	0.08	1.8	0.09	76	1.3	0.07	1.4	0.08
Chronic lymphocytic	324	5.0	0.13	3.5	0.09	199	2.4	0.08	1.7	0.06
Acute myeloid	309	5.0	0.13	3.7	0.10	252	3.4	0.10	2.6	0.08
Chronic myeloid	128	2.1	0.09	1.6	0.07	88	1.2	0.06	1.0	0.05
Other leukemias	127	2.1	0.09	1.5	0.06	90	1.1	0.06	0.8	0.04
Mesothelioma	112	1.9	0.08	1.2	0.05	33	0.4	0.03	0.3	0.03
Kaposi Sarcoma	20	0.4	0.04	0.3	0.03	3	0.0	0.01	0.0	0.01
Ill-defined & Unknown	1,011	16.2	0.23	10.9	0.16	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	467	7.6	0.16	6.3	0.14	905	12.8	0.20	10.4	0.17
Breast (<i>in situ</i>)	6	0.1	0.02	0.1	0.02	2,085	28.5	0.29	23.2	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Ohio, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	28,779	494.1	1.34	367.3	1.00	29,064	443.5	1.21	345.7	0.99
Oral Cavity & Pharynx	1,133	18.7	0.26	15.0	0.20	456	6.8	0.15	5.4	0.12
Lip	27	0.5	0.04	0.4	0.03	11	0.2	0.02	0.1	0.02
Tongue	403	6.6	0.15	5.3	0.12	147	2.2	0.08	1.7	0.07
Major salivary gland	89	1.6	0.08	1.1	0.06	61	0.9	0.06	0.8	0.05
Floor of mouth	54	0.9	0.05	0.7	0.04	24	0.4	0.03	0.3	0.03
Gum & other mouth	119	2.0	0.09	1.5	0.06	95	1.4	0.07	1.0	0.05
Nasopharynx	33	0.6	0.04	0.5	0.04	14	0.2	0.03	0.2	0.03
Oropharynx	61	1.0	0.06	0.8	0.05	17	0.2	0.03	0.2	0.02
Hypopharynx	58	0.9	0.06	0.7	0.04	17	0.3	0.03	0.2	0.02
Digestive System	5,599	96.5	0.59	70.5	0.43	4,580	66.3	0.45	48.0	0.35
Esophagus	584	9.8	0.19	7.2	0.14	135	1.9	0.07	1.3	0.06
Stomach	476	8.3	0.17	5.9	0.12	254	3.7	0.11	2.6	0.08
Small intestine	171	3.0	0.10	2.2	0.08	148	2.2	0.09	1.7	0.07
Colon excl. rectum	1,796	31.8	0.34	22.6	0.25	1,883	27.2	0.29	19.2	0.22
Rectum & rectosigmoid	844	14.7	0.23	11.2	0.18	587	9.0	0.17	6.9	0.14
Anus, anal canal & anorectum	76	1.3	0.07	1.0	0.05	168	2.5	0.09	2.0	0.07
Liver	512	8.2	0.17	6.4	0.13	186	2.7	0.09	2.0	0.07
Gallbladder	39	0.7	0.05	0.5	0.03	88	1.3	0.06	0.8	0.04
Pancreas	844	14.4	0.23	10.3	0.16	813	11.3	0.18	8.0	0.13
Respiratory System	5,149	87.6	0.56	62.6	0.40	4,300	61.3	0.43	44.9	0.32
Larynx	408	6.7	0.15	5.2	0.12	121	1.8	0.08	1.5	0.06
Lung & bronchus	4,674	79.6	0.53	56.4	0.37	4,142	59.0	0.42	43.0	0.31
Bones & Joints	55	1.1	0.07	1.0	0.07	45	0.9	0.06	0.8	0.06
Soft Tissue (incl. heart)	210	3.9	0.12	3.1	0.10	167	2.8	0.10	2.4	0.09
Skin (excl. basal & sq.)	1,796	32.2	0.35	23.5	0.26	1,311	21.9	0.29	18.2	0.25
Melanomas of the skin	1,692	30.3	0.34	22.3	0.25	1,236	20.8	0.28	17.4	0.24
Breast (excl. <i>in situ</i>)	64	1.1	0.06	0.8	0.04	8,365	129.2	0.66	101.9	0.53
Female Genital System	-	-	-	-	-	3,594	55.3	0.43	45.1	0.36
Cervix uteri	-	-	-	-	-	407	7.9	0.18	7.0	0.17
Uterus Corpus	-	-	-	-	-	2,046	30.1	0.31	24.6	0.26
Uterus, NOS ¹	-	-	-	-	-	89	1.3	0.06	1.0	0.05
Ovary	-	-	-	-	-	719	11.0	0.19	8.6	0.16
Male Genital System	6,335	102.3	0.59	79.5	0.46	-	-	-	-	-
Prostate	5,987	94.7	0.56	72.2	0.42	-	-	-	-	-
Testis	286	6.4	0.17	6.5	0.17	-	-	-	-	-
Penis	52	0.9	0.06	0.7	0.04	-	-	-	-	-
Urinary System	3,654	64.0	0.49	45.2	0.34	1,558	22.9	0.27	17.0	0.21
Bladder (incl. <i>in situ</i>)	2,248	39.7	0.38	26.5	0.25	694	9.7	0.17	6.6	0.12
Kidney & renal pelvis	1,327	22.9	0.29	17.8	0.23	823	12.6	0.21	9.9	0.17
Ureter	53	1.0	0.06	0.6	0.04	30	0.4	0.03	0.3	0.02
Eye & Orbit	73	1.3	0.07	1.1	0.06	61	1.0	0.06	0.9	0.06
Brain & Other CNS ¹	468	8.7	0.19	7.6	0.17	370	6.3	0.15	5.5	0.15
Brain	444	8.2	0.18	7.0	0.16	347	5.8	0.15	5.0	0.14
Endocrine System	451	8.5	0.19	7.4	0.16	1,278	24.6	0.32	22.3	0.30
Thyroid gland	412	7.7	0.18	6.6	0.15	1,243	23.9	0.32	21.7	0.29
Lymphomas	1,503	27.1	0.32	20.7	0.25	1,207	18.5	0.25	14.4	0.21
Hodgkin Lymphoma	157	3.2	0.12	3.0	0.11	122	2.4	0.10	2.4	0.11
Non-Hodgkin Lymphoma	1,345	23.9	0.30	17.6	0.22	1,085	16.1	0.23	12.0	0.18
Multiple Myeloma	395	6.8	0.16	4.8	0.11	295	4.2	0.11	3.0	0.08
Leukemias	872	16.0	0.25	12.2	0.20	615	9.6	0.18	7.6	0.16
Acute lymphocytic	84	1.8	0.09	1.9	0.10	67	1.4	0.08	1.5	0.09
Chronic lymphocytic	282	4.8	0.13	3.4	0.09	171	2.3	0.08	1.7	0.06
Acute myeloid	279	5.1	0.14	3.7	0.11	221	3.4	0.11	2.6	0.09
Chronic myeloid	113	2.1	0.09	1.6	0.07	75	1.2	0.07	1.0	0.06
Other leukemias	114	2.1	0.09	1.5	0.07	82	1.2	0.06	0.8	0.05
Mesothelioma	106	1.9	0.09	1.2	0.05	31	0.4	0.04	0.3	0.03
Kaposi Sarcoma	11	0.2	0.03	0.2	0.03	2	0.0	0.01	0.0	0.00
Ill-defined & Unknown	904	16.3	0.25	10.9	0.17	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	406	7.6	0.17	6.3	0.15	772	12.6	0.21	10.3	0.18
Breast (<i>in situ</i>)	5	0.1	0.02	0.1	0.02	1,780	28.2	0.31	22.9	0.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Ohio, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,303	513.7	4.20	393.5	3.09	3,351	409.5	3.23	317.9	2.52
Oral Cavity & Pharynx	89	13.1	0.65	10.6	0.51	43	5.2	0.36	4.1	0.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	23	3.3	0.32	2.7	0.26	8	1.0	0.15	0.8	0.13
Major salivary gland	8	1.3	0.22	1.0	0.16	10	1.2	0.18	1.0	0.14
Floor of mouth	4	0.6	0.13	0.5	0.11	2	0.2	0.07	0.2	0.06
Gum & other mouth	10	1.5	0.22	1.3	0.18	7	0.9	0.15	0.6	0.11
Nasopharynx	6	0.9	0.17	0.7	0.14	2	0.2	0.06	0.2	0.06
Oropharynx	6	0.9	0.17	0.7	0.13	3	0.3	0.09	0.3	0.08
Hypopharynx	10	1.6	0.24	1.2	0.17	4	0.4	0.11	0.3	0.08
Digestive System	714	112.3	1.97	85.0	1.43	636	77.3	1.40	57.8	1.05
Esophagus	34	5.1	0.41	4.0	0.31	19	2.2	0.24	1.7	0.18
Stomach	81	13.9	0.72	9.8	0.49	60	7.6	0.45	5.5	0.32
Small intestine	30	4.7	0.40	3.7	0.30	29	3.5	0.30	2.8	0.24
Colon excl. rectum	205	32.8	1.08	24.4	0.77	228	27.7	0.83	20.8	0.63
Rectum & rectosigmoid	86	13.3	0.67	10.2	0.50	71	8.7	0.47	6.9	0.38
Anus, anal canal & anorectum	14	2.0	0.25	1.7	0.21	15	1.8	0.21	1.4	0.17
Liver	126	17.3	0.72	14.4	0.58	43	4.7	0.33	3.8	0.26
Gallbladder	7	1.2	0.22	0.9	0.15	18	2.1	0.23	1.6	0.17
Pancreas	102	16.8	0.78	12.3	0.55	120	14.6	0.61	10.4	0.44
Respiratory System	603	98.9	1.89	71.9	1.32	524	63.1	1.26	46.6	0.93
Larynx	55	8.6	0.55	6.5	0.39	18	2.1	0.23	1.7	0.18
Lung & bronchus	540	89.0	1.80	64.4	1.25	501	60.3	1.23	44.4	0.90
Bones & Joints	6	0.8	0.15	0.8	0.14	5	0.5	0.12	0.5	0.12
Soft Tissue (incl. heart)	26	4.0	0.36	3.4	0.30	27	3.3	0.29	2.9	0.26
Skin (excl. basal & sq.)	10	1.5	0.23	1.2	0.18	12	1.5	0.20	1.2	0.17
Melanomas of the skin	4	0.6	0.15	0.5	0.11	5	0.6	0.13	0.5	0.10
Breast (excl. <i>in situ</i>)	8	1.4	0.22	1.0	0.16	1,035	127.5	1.81	100.6	1.43
Female Genital System	-	-	-	-	-	373	45.1	1.07	36.4	0.86
Cervix uteri	-	-	-	-	-	61	7.9	0.46	6.9	0.40
Uterus Corpus	-	-	-	-	-	205	24.1	0.77	19.3	0.61
Uterus, NOS ¹	-	-	-	-	-	12	1.5	0.20	1.1	0.15
Ovary	-	-	-	-	-	62	7.6	0.44	6.0	0.35
Male Genital System	1,080	158.5	2.26	126.0	1.73	-	-	-	-	-
Prostate	1,065	156.0	2.24	123.9	1.71	-	-	-	-	-
Testis	10	1.5	0.21	1.4	0.20	-	-	-	-	-
Penis	5	0.9	0.20	0.5	0.12	-	-	-	-	-
Urinary System	296	48.2	1.31	35.8	0.94	169	20.6	0.73	15.6	0.55
Bladder (incl. <i>in situ</i>)	118	20.8	0.90	14.1	0.59	57	6.9	0.42	4.8	0.30
Kidney & renal pelvis	174	26.7	0.94	21.1	0.72	108	13.3	0.59	10.5	0.46
Ureter	2	0.3	0.10	0.2	0.07	2	0.3	0.07	0.2	0.06
Eye & Orbit	2	0.2	0.07	0.2	0.07	3	0.3	0.09	0.3	0.09
Brain & Other CNS ¹	39	5.4	0.40	4.9	0.36	32	4.0	0.32	3.6	0.29
Brain	36	5.0	0.39	4.5	0.34	29	3.6	0.30	3.2	0.27
Endocrine System	39	5.8	0.43	4.8	0.35	137	17.6	0.69	15.2	0.59
Thyroid gland	31	4.5	0.38	3.8	0.31	129	16.5	0.67	14.2	0.57
Lymphomas	127	19.9	0.83	16.0	0.64	110	13.5	0.59	10.8	0.48
Hodgkin Lymphoma	21	3.0	0.30	2.8	0.28	19	2.4	0.25	2.3	0.24
Non-Hodgkin Lymphoma	106	17.0	0.77	13.2	0.58	91	11.1	0.53	8.5	0.41
Multiple Myeloma	92	15.2	0.74	11.0	0.52	83	10.3	0.51	7.6	0.38
Leukemias	71	11.4	0.64	8.7	0.47	64	7.8	0.44	6.1	0.35
Acute lymphocytic	7	0.8	0.15	0.9	0.15	6	0.7	0.13	0.7	0.13
Chronic lymphocytic	24	4.2	0.40	2.9	0.26	16	1.9	0.22	1.4	0.16
Acute myeloid	21	3.4	0.34	2.6	0.26	25	3.2	0.29	2.4	0.22
Chronic myeloid	10	1.7	0.25	1.3	0.19	9	1.1	0.17	0.9	0.14
Other leukemias	8	1.3	0.22	1.0	0.16	7	0.9	0.15	0.6	0.11
Mesothelioma	5	1.1	0.22	0.7	0.13	2	0.3	0.08	0.2	0.06
Kaposi Sarcoma	6	0.9	0.17	0.9	0.16	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	94	11.5	0.54	8.0	0.38
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	45	7.0	0.49	5.7	0.38	110	13.7	0.60	11.0	0.49
Breast (<i>in situ</i>)	-	-	-	-	-	258	31.4	0.89	25.3	0.72

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Ohio, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	209	230.3	7.67	169.7	5.29	278	235.7	6.62	183.3	4.94
Oral Cavity & Pharynx	9	9.3	1.46	7.0	1.06	6	4.7	0.90	4.0	0.73
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	2.6	0.74	2.1	0.57	2	1.9	0.60	1.5	0.44
Major salivary gland	2	1.5	0.55	1.2	0.43	1	1.0	0.40	0.9	0.34
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	2.1	0.76	1.5	0.50	-	-	-	-	-
Nasopharynx	2	1.8	0.59	1.5	0.47	1	0.9	0.36	0.8	0.34
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	60	63.9	3.96	48.2	2.81	44	41.0	2.89	29.3	1.98
Esophagus	3	3.9	1.14	2.4	0.64	1	1.2	0.50	0.8	0.33
Stomach	9	10.0	1.60	7.2	1.09	6	5.4	1.01	4.2	0.74
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	14	15.4	2.01	11.3	1.36	14	12.8	1.60	9.2	1.10
Rectum & rectosigmoid	11	10.8	1.60	8.3	1.16	5	4.6	0.92	3.5	0.68
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	12	11.4	1.55	9.3	1.22	3	3.1	0.80	2.3	0.57
Gallbladder	-	-	-	-	-	2	1.7	0.58	1.2	0.40
Pancreas	7	7.6	1.34	5.7	0.97	7	7.0	1.27	4.5	0.79
Respiratory System	30	38.0	3.37	25.0	2.07	30	30.1	2.59	20.2	1.66
Larynx	2	2.6	0.89	1.7	0.54	-	-	-	-	-
Lung & bronchus	26	33.6	3.16	22.2	1.95	29	29.2	2.55	19.7	1.64
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	2.0	0.61	1.8	0.54	3	2.1	0.61	1.8	0.51
Skin (excl. basal & sq.)	2	1.5	0.55	1.3	0.46	2	1.9	0.59	1.5	0.45
Melanomas of the skin	-	-	-	-	-	1	1.1	0.45	0.9	0.35
Breast (excl. <i>in situ</i>)	-	-	-	-	-	96	77.2	3.64	62.3	2.85
Female Genital System	-	-	-	-	-	38	29.6	2.21	24.7	1.80
Cervix uteri	-	-	-	-	-	4	3.3	0.74	2.7	0.60
Uterus Corpus	-	-	-	-	-	19	14.9	1.53	12.6	1.28
Uterus, NOS ¹	-	-	-	-	-	1	1.3	0.52	0.9	0.36
Ovary	-	-	-	-	-	10	8.1	1.16	6.8	0.95
Male Genital System	44	48.5	3.41	36.3	2.45	-	-	-	-	-
Prostate	41	45.4	3.32	33.6	2.37	-	-	-	-	-
Testis	3	1.7	0.47	1.8	0.50	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	21.9	2.58	14.2	1.56	7	6.1	1.12	4.4	0.77
Bladder (incl. <i>in situ</i>)	9	13.3	2.08	8.0	1.18	3	3.4	0.88	2.1	0.53
Kidney & renal pelvis	7	7.7	1.41	5.7	0.97	3	2.3	0.61	2.0	0.52
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	4	3.5	0.89	3.0	0.69	2	2.0	0.62	1.8	0.53
Brain	4	3.3	0.86	2.8	0.67	2	1.8	0.59	1.4	0.46
Endocrine System	7	6.4	1.09	5.4	0.90	25	18.1	1.67	15.8	1.42
Thyroid gland	7	5.6	1.02	4.8	0.85	24	17.8	1.66	15.5	1.41
Lymphomas	11	11.6	1.66	9.0	1.20	11	10.1	1.42	7.6	1.01
Hodgkin Lymphoma	1	0.9	0.37	1.0	0.39	1	0.7	0.28	0.8	0.35
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	5.1	1.24	3.3	0.75	1	1.6	0.63	1.0	0.38
Leukemias	11	9.7	1.42	8.4	1.16	7	5.3	0.96	4.9	0.85
Acute lymphocytic	2	1.5	0.47	1.9	0.57	2	1.1	0.40	1.4	0.48
Chronic lymphocytic	2	1.5	0.56	1.3	0.46	-	-	-	-	-
Acute myeloid	4	3.5	0.78	3.1	0.67	3	2.2	0.56	2.1	0.54
Chronic myeloid	2	2.0	0.71	1.5	0.48	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	6	7.3	1.47	4.9	0.91	5	5.0	1.06	3.4	0.67
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	7	6.7	1.25	5.5	0.92	11	9.0	1.25	7.7	1.04
Breast (<i>in situ</i>)	-	-	-	-	-	30	24.0	1.99	19.8	1.61

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Ohio, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	326	305.2	8.38	225.6	5.77	325	255.3	6.64	198.0	4.98
Oral Cavity & Pharynx	8	6.4	1.13	5.2	0.85	4	2.8	0.67	2.4	0.55
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	1.7	0.58	1.3	0.44	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	84	79.1	4.24	57.9	2.91	57	48.0	2.96	35.4	2.13
Esophagus	6	5.8	1.17	4.1	0.78	-	-	-	-	-
Stomach	8	8.5	1.45	5.9	0.95	8	6.1	1.02	4.7	0.77
Small intestine	2	1.6	0.45	1.4	0.41	2	1.7	0.58	1.2	0.39
Colon excl. rectum	22	21.5	2.27	15.1	1.49	19	15.6	1.68	11.6	1.21
Rectum & rectosigmoid	13	11.6	1.58	8.6	1.10	8	6.6	1.07	5.0	0.79
Anus, anal canal & anorectum	1	1.2	0.54	0.8	0.35	2	1.4	0.50	1.1	0.38
Liver	18	14.7	1.68	11.8	1.27	4	3.4	0.76	2.7	0.59
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	9	8.7	1.42	6.3	0.98	10	8.7	1.30	6.1	0.89
Respiratory System	38	41.9	3.29	28.8	2.14	28	25.3	2.21	18.2	1.55
Larynx	4	3.4	0.89	2.5	0.61	-	-	-	-	-
Lung & bronchus	33	37.6	3.15	25.5	2.02	27	24.6	2.18	17.7	1.53
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	3	1.6	0.52	1.4	0.40	3	2.2	0.58	1.8	0.44
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	5	4.9	1.03	3.8	0.75	5	4.5	0.92	3.2	0.63
Breast (excl. <i>in situ</i>)	1	1.1	0.48	0.8	0.34	84	65.9	3.33	52.3	2.57
Female Genital System	-	-	-	-	-	50	38.2	2.50	30.9	1.97
Cervix uteri	-	-	-	-	-	9	6.4	0.97	5.5	0.81
Uterus Corpus	-	-	-	-	-	25	19.6	1.79	15.9	1.42
Uterus, NOS ¹	-	-	-	-	-	1	1.1	0.42	0.9	0.33
Ovary	-	-	-	-	-	10	7.7	1.13	6.1	0.87
Male Genital System	81	77.4	4.21	58.8	3.00	-	-	-	-	-
Prostate	73	72.8	4.13	54.5	2.92	-	-	-	-	-
Testis	6	2.8	0.52	3.0	0.53	-	-	-	-	-
Penis	2	1.8	0.64	1.3	0.44	-	-	-	-	-
Urinary System	37	35.2	2.85	25.9	1.95	17	13.4	1.53	10.1	1.12
Bladder (incl. <i>in situ</i>)	16	18.1	2.19	12.2	1.40	5	4.5	0.95	2.9	0.61
Kidney & renal pelvis	21	16.6	1.78	13.4	1.35	12	8.6	1.17	7.0	0.93
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	0.9	0.49	0.6	0.29	-	-	-	-	-
Brain & Other CNS ¹	8	5.2	1.01	4.3	0.74	6	3.6	0.70	3.2	0.59
Brain	7	4.9	1.00	4.0	0.72	6	3.5	0.69	3.0	0.58
Endocrine System	6	4.1	0.85	3.4	0.63	25	15.7	1.46	13.8	1.25
Thyroid gland	6	3.6	0.76	3.0	0.59	24	15.6	1.46	13.7	1.25
Lymphomas	23	19.6	2.05	14.8	1.43	16	12.9	1.53	9.9	1.12
Hodgkin Lymphoma	4	2.4	0.60	2.2	0.51	2	1.5	0.48	1.2	0.38
Non-Hodgkin Lymphoma	19	17.2	1.96	12.6	1.33	14	11.5	1.45	8.6	1.05
Multiple Myeloma	4	5.0	1.15	3.3	0.72	6	4.4	0.86	3.5	0.66
Leukemias	15	11.3	1.55	8.6	1.05	8	5.9	1.02	4.7	0.74
Acute lymphocytic	4	1.7	0.49	1.7	0.42	-	-	-	-	-
Chronic lymphocytic	2	2.1	0.76	1.5	0.49	1	1.3	0.51	1.0	0.37
Acute myeloid	6	5.2	1.10	3.5	0.68	1	0.8	0.36	0.7	0.25
Chronic myeloid	1	0.8	0.36	0.8	0.30	2	1.5	0.54	1.1	0.36
Other leukemias	2	1.5	0.50	1.1	0.37	-	-	-	-	-
Mesothelioma	1	1.7	0.71	0.9	0.39	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	9.1	1.51	6.3	0.96	12	10.2	1.41	7.1	0.95
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	8	5.7	1.08	4.5	0.76	11	7.3	1.06	6.3	0.87
Breast (<i>in situ</i>)	-	-	-	-	-	19	14.0	1.49	11.7	1.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

OHIO

318 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Ohio, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	28,539	498.5	1.36	370.9	1.02	28,819	447.9	1.23	349.5	1.01
Oral Cavity & Pharynx	1,127	19.0	0.26	15.2	0.21	453	6.9	0.15	5.5	0.12
Lip	27	0.5	0.04	0.4	0.03	11	0.2	0.02	0.1	0.02
Tongue	401	6.7	0.15	5.4	0.13	146	2.2	0.09	1.8	0.07
Major salivary gland	89	1.6	0.08	1.2	0.06	60	1.0	0.06	0.8	0.05
Floor of mouth	54	0.9	0.05	0.7	0.04	24	0.4	0.04	0.3	0.03
Gum & other mouth	119	2.1	0.09	1.5	0.06	95	1.4	0.07	1.1	0.05
Nasopharynx	33	0.6	0.05	0.5	0.04	14	0.2	0.03	0.2	0.03
Oropharynx	60	1.0	0.06	0.8	0.05	17	0.2	0.03	0.2	0.02
Hypopharynx	57	0.9	0.06	0.7	0.04	17	0.3	0.03	0.2	0.02
Digestive System	5,537	97.1	0.60	71.0	0.44	4,536	66.7	0.46	48.4	0.35
Esophagus	580	9.9	0.19	7.3	0.14	135	1.9	0.08	1.4	0.06
Stomach	471	8.3	0.18	5.9	0.13	249	3.7	0.11	2.6	0.08
Small intestine	169	3.0	0.11	2.3	0.08	147	2.3	0.09	1.7	0.07
Colon excl. rectum	1,780	32.0	0.35	22.8	0.25	1,868	27.4	0.29	19.3	0.22
Rectum & rectosigmoid	834	14.8	0.24	11.3	0.18	581	9.1	0.18	7.0	0.14
Anus, anal canal & anorectum	75	1.3	0.07	1.0	0.05	166	2.5	0.09	2.0	0.07
Liver	500	8.1	0.17	6.3	0.13	183	2.7	0.09	2.0	0.07
Gallbladder	39	0.7	0.05	0.5	0.03	87	1.3	0.06	0.8	0.04
Pancreas	836	14.5	0.23	10.4	0.16	805	11.4	0.18	8.0	0.14
Respiratory System	5,119	88.3	0.57	63.2	0.40	4,276	61.9	0.43	45.4	0.33
Larynx	405	6.8	0.15	5.3	0.12	121	1.8	0.08	1.5	0.06
Lung & bronchus	4,647	80.3	0.54	56.9	0.38	4,118	59.5	0.42	43.5	0.32
Bones & Joints	55	1.1	0.07	1.1	0.07	44	0.9	0.06	0.9	0.06
Soft Tissue (incl. heart)	208	4.0	0.13	3.2	0.11	164	2.8	0.10	2.4	0.10
Skin (excl. basal & sq.)	1,791	32.7	0.36	24.0	0.27	1,307	22.4	0.29	18.7	0.26
Melanomas of the skin	1,688	30.7	0.34	22.7	0.26	1,232	21.3	0.29	17.8	0.25
Breast (excl. <i>in situ</i>)	63	1.1	0.06	0.8	0.05	8,304	130.6	0.67	103.0	0.54
Female Genital System	-	-	-	-	-	3,556	55.7	0.44	45.5	0.37
Cervix uteri	-	-	-	-	-	399	8.0	0.19	7.1	0.17
Uterus Corpus	-	-	-	-	-	2,027	30.3	0.31	24.8	0.26
Uterus, NOS ¹	-	-	-	-	-	88	1.3	0.07	1.0	0.05
Ovary	-	-	-	-	-	712	11.0	0.19	8.7	0.16
Male Genital System	6,279	103.0	0.60	80.2	0.47	-	-	-	-	-
Prostate	5,935	95.3	0.57	72.7	0.43	-	-	-	-	-
Testis	283	6.6	0.18	6.7	0.18	-	-	-	-	-
Penis	50	0.9	0.06	0.6	0.04	-	-	-	-	-
Urinary System	3,624	64.5	0.49	45.6	0.35	1,546	23.1	0.27	17.1	0.21
Bladder (incl. <i>in situ</i>)	2,234	40.0	0.39	26.7	0.26	690	9.8	0.17	6.7	0.12
Kidney & renal pelvis	1,310	23.0	0.29	18.0	0.23	815	12.7	0.21	10.0	0.17
Ureter	52	1.0	0.06	0.6	0.04	30	0.4	0.03	0.3	0.02
Eye & Orbit	72	1.3	0.07	1.1	0.06	60	1.0	0.06	0.9	0.06
Brain & Other CNS ¹	464	8.9	0.19	7.7	0.18	367	6.4	0.16	5.7	0.15
Brain	440	8.3	0.18	7.2	0.17	343	5.9	0.15	5.1	0.14
Endocrine System	447	8.6	0.19	7.5	0.17	1,259	24.9	0.33	22.7	0.31
Thyroid gland	407	7.8	0.18	6.7	0.16	1,224	24.2	0.32	22.0	0.30
Lymphomas	1,487	27.3	0.33	20.9	0.26	1,195	18.7	0.25	14.6	0.21
Hodgkin Lymphoma	155	3.3	0.12	3.1	0.12	120	2.5	0.11	2.5	0.11
Non-Hodgkin Lymphoma	1,332	24.1	0.30	17.8	0.23	1,074	16.2	0.23	12.1	0.18
Multiple Myeloma	393	6.9	0.16	4.9	0.11	290	4.2	0.11	3.0	0.08
Leukemias	860	16.1	0.25	12.3	0.20	609	9.7	0.18	7.7	0.16
Acute lymphocytic	80	1.8	0.09	1.9	0.10	64	1.4	0.08	1.6	0.10
Chronic lymphocytic	280	4.9	0.13	3.4	0.09	170	2.4	0.08	1.7	0.06
Acute myeloid	275	5.1	0.14	3.7	0.11	220	3.5	0.11	2.7	0.09
Chronic myeloid	112	2.1	0.09	1.6	0.07	74	1.2	0.07	1.0	0.06
Other leukemias	113	2.2	0.09	1.6	0.07	81	1.2	0.06	0.9	0.05
Mesothelioma	105	2.0	0.09	1.2	0.05	30	0.4	0.04	0.3	0.03
Kaposi Sarcoma	11	0.2	0.03	0.2	0.03	2	0.0	0.01	0.0	0.00
Ill-defined & Unknown	897	16.4	0.25	11.0	0.17	821	11.6	0.19	7.9	0.14
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	401	7.7	0.18	6.4	0.15	765	12.8	0.22	10.5	0.19
Breast (<i>in situ</i>)	5	0.1	0.02	0.1	0.02	1,768	28.5	0.32	23.3	0.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Ohio, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,294	518.7	4.24	397.7	3.12	3,342	414.1	3.27	321.8	2.56
Oral Cavity & Pharynx	88	13.2	0.66	10.7	0.52	43	5.2	0.36	4.1	0.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	23	3.4	0.33	2.8	0.26	8	1.0	0.16	0.8	0.13
Major salivary gland	8	1.3	0.22	1.0	0.16	10	1.2	0.18	1.0	0.15
Floor of mouth	4	0.6	0.14	0.5	0.11	2	0.2	0.07	0.2	0.06
Gum & other mouth	10	1.5	0.22	1.3	0.18	7	0.9	0.15	0.7	0.11
Nasopharynx	6	0.9	0.17	0.7	0.14	1	0.2	0.06	0.1	0.06
Oropharynx	6	0.9	0.17	0.7	0.13	3	0.4	0.10	0.3	0.08
Hypopharynx	10	1.6	0.24	1.2	0.17	4	0.5	0.11	0.3	0.08
Digestive System	713	113.3	1.99	85.9	1.45	634	78.1	1.41	58.4	1.07
Esophagus	33	5.1	0.42	4.0	0.31	19	2.3	0.24	1.7	0.18
Stomach	81	13.9	0.73	9.9	0.50	60	7.7	0.45	5.5	0.33
Small intestine	30	4.7	0.40	3.7	0.31	28	3.6	0.31	2.8	0.24
Colon excl. rectum	205	33.2	1.09	24.8	0.78	228	28.0	0.84	21.0	0.64
Rectum & rectosigmoid	86	13.5	0.68	10.3	0.50	70	8.8	0.48	7.0	0.38
Anus, anal canal & anorectum	14	2.0	0.25	1.7	0.21	15	1.8	0.21	1.4	0.17
Liver	126	17.5	0.73	14.5	0.58	43	4.8	0.33	3.8	0.27
Gallbladder	7	1.2	0.22	0.9	0.15	17	2.1	0.23	1.6	0.18
Pancreas	102	16.9	0.79	12.4	0.55	120	14.8	0.62	10.5	0.44
Respiratory System	602	99.8	1.91	72.6	1.33	523	63.6	1.27	47.1	0.94
Larynx	54	8.7	0.55	6.5	0.40	18	2.1	0.23	1.7	0.18
Lung & bronchus	539	89.8	1.82	65.1	1.26	500	60.9	1.24	44.9	0.91
Bones & Joints	6	0.8	0.15	0.8	0.15	5	0.6	0.12	0.6	0.12
Soft Tissue (incl. heart)	26	4.1	0.37	3.5	0.31	27	3.4	0.30	3.0	0.27
Skin (excl. basal & sq.)	10	1.6	0.23	1.3	0.18	12	1.5	0.20	1.3	0.17
Melanomas of the skin	4	0.6	0.15	0.5	0.11	5	0.7	0.13	0.5	0.10
Breast (excl. <i>in situ</i>)	8	1.4	0.22	1.0	0.16	1,032	129.0	1.84	101.9	1.46
Female Genital System	-	-	-	-	-	372	45.6	1.08	36.9	0.88
Cervix uteri	-	-	-	-	-	61	8.0	0.47	7.0	0.41
Uterus Corpus	-	-	-	-	-	205	24.4	0.78	19.5	0.62
Uterus, NOS ¹	-	-	-	-	-	12	1.5	0.20	1.1	0.15
Ovary	-	-	-	-	-	62	7.7	0.45	6.1	0.36
Male Genital System	1,077	159.8	2.28	127.1	1.74	-	-	-	-	-
Prostate	1,062	157.4	2.26	125.1	1.73	-	-	-	-	-
Testis	9	1.4	0.21	1.4	0.20	-	-	-	-	-
Penis	5	0.9	0.20	0.6	0.12	-	-	-	-	-
Urinary System	296	48.8	1.33	36.3	0.95	168	20.9	0.73	15.8	0.56
Bladder (incl. <i>in situ</i>)	118	21.0	0.91	14.3	0.59	57	6.9	0.42	4.9	0.30
Kidney & renal pelvis	174	27.0	0.96	21.4	0.73	108	13.5	0.59	10.6	0.47
Ureter	2	0.3	0.10	0.2	0.07	2	0.3	0.07	0.2	0.06
Eye & Orbit	2	0.2	0.07	0.2	0.07	3	0.4	0.10	0.4	0.10
Brain & Other CNS ¹	38	5.5	0.41	5.0	0.36	32	4.0	0.32	3.6	0.29
Brain	36	5.1	0.39	4.6	0.35	29	3.6	0.31	3.2	0.28
Endocrine System	39	5.8	0.43	4.9	0.36	137	17.9	0.70	15.5	0.60
Thyroid gland	31	4.6	0.38	3.8	0.31	129	16.8	0.68	14.5	0.59
Lymphomas	127	20.2	0.84	16.2	0.65	110	13.7	0.59	11.0	0.49
Hodgkin Lymphoma	21	3.0	0.30	2.9	0.28	19	2.4	0.25	2.3	0.24
Non-Hodgkin Lymphoma	106	17.2	0.78	13.3	0.59	91	11.2	0.54	8.7	0.42
Multiple Myeloma	92	15.4	0.75	11.2	0.53	83	10.4	0.52	7.7	0.39
Leukemias	71	11.6	0.65	8.9	0.48	64	7.9	0.45	6.2	0.36
Acute lymphocytic	7	0.9	0.15	0.9	0.16	6	0.7	0.14	0.7	0.14
Chronic lymphocytic	24	4.2	0.40	2.9	0.27	16	1.9	0.22	1.4	0.16
Acute myeloid	21	3.4	0.35	2.7	0.26	25	3.2	0.29	2.5	0.23
Chronic myeloid	10	1.7	0.25	1.4	0.19	9	1.1	0.17	0.9	0.15
Other leukemias	8	1.4	0.22	1.0	0.16	7	0.9	0.15	0.6	0.11
Mesothelioma	5	1.1	0.23	0.7	0.13	2	0.3	0.08	0.2	0.07
Kaposi Sarcoma	6	1.0	0.18	0.9	0.16	-	-	-	-	-
Ill-defined & Unknown	88	15.2	0.77	10.5	0.51	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	45	7.1	0.49	5.8	0.39	109	13.8	0.61	11.2	0.49
Breast (<i>in situ</i>)	-	-	-	-	-	257	31.7	0.91	25.5	0.73

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oklahoma, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,204	490.8	2.22	365.5	1.65	9,807	421.2	1.95	328.0	1.57
Oral Cavity & Pharynx	412	19.4	0.44	15.2	0.34	159	6.7	0.24	5.2	0.20
Lip	44	2.2	0.15	1.5	0.11	16	0.7	0.07	0.4	0.05
Tongue	124	5.8	0.24	4.6	0.19	45	1.9	0.13	1.5	0.11
Major salivary gland	43	2.2	0.15	1.5	0.11	24	1.1	0.10	0.9	0.08
Floor of mouth	14	0.6	0.08	0.5	0.06	5	0.2	0.04	0.2	0.03
Gum & other mouth	33	1.6	0.12	1.2	0.10	29	1.2	0.11	0.9	0.08
Nasopharynx	15	0.7	0.09	0.6	0.07	9	0.4	0.06	0.3	0.05
Oropharynx	20	0.9	0.09	0.7	0.07	6	0.3	0.05	0.2	0.04
Hypopharynx	17	0.7	0.08	0.6	0.07	4	0.1	0.03	0.1	0.02
Digestive System	2,009	96.4	0.98	72.4	0.74	1,570	65.5	0.76	48.6	0.58
Esophagus	164	7.6	0.27	5.8	0.21	39	1.6	0.12	1.1	0.09
Stomach	156	7.7	0.28	5.6	0.20	95	4.0	0.19	3.0	0.15
Small intestine	56	2.6	0.16	2.0	0.12	54	2.3	0.14	1.8	0.12
Colon excl. rectum	667	33.0	0.58	24.1	0.43	642	26.9	0.49	19.6	0.37
Rectum & rectosigmoid	315	15.2	0.39	11.8	0.30	215	9.2	0.29	7.3	0.23
Anus, anal canal & anorectum	30	1.4	0.12	1.2	0.10	64	2.7	0.16	2.2	0.13
Liver	267	11.8	0.33	9.6	0.27	99	4.0	0.18	3.1	0.15
Gallbladder	16	0.8	0.09	0.5	0.06	28	1.1	0.10	0.8	0.07
Pancreas	261	12.6	0.36	9.0	0.25	260	10.5	0.30	7.4	0.22
Respiratory System	1,840	87.7	0.93	62.8	0.66	1,468	59.4	0.70	43.5	0.52
Larynx	129	5.9	0.24	4.5	0.18	42	1.8	0.13	1.4	0.10
Lung & bronchus	1,683	80.5	0.90	57.2	0.63	1,413	57.1	0.69	41.7	0.51
Bones & Joints	22	1.1	0.11	1.0	0.10	19	1.0	0.10	0.9	0.10
Soft Tissue (incl. heart)	68	3.5	0.19	2.9	0.16	53	2.4	0.15	2.1	0.14
Skin (excl. basal & sq.)	633	31.8	0.58	22.8	0.41	390	17.8	0.42	14.2	0.34
Melanomas of the skin	592	29.7	0.56	21.3	0.40	361	16.5	0.40	13.3	0.33
Breast (excl. <i>in situ</i>)	24	1.2	0.11	0.9	0.08	2,827	122.7	1.06	96.9	0.86
Female Genital System	-	-	-	-	-	1,084	47.9	0.67	39.3	0.56
Cervix uteri	-	-	-	-	-	176	9.2	0.32	8.2	0.29
Uterus Corpus	-	-	-	-	-	523	22.1	0.44	18.1	0.37
Uterus, NOS ¹	-	-	-	-	-	21	0.9	0.09	0.7	0.07
Ovary	-	-	-	-	-	265	11.5	0.32	9.0	0.26
Male Genital System	2,189	100.2	0.98	77.3	0.75	-	-	-	-	-
Prostate	2,068	93.8	0.94	71.1	0.70	-	-	-	-	-
Testis	99	5.3	0.24	5.4	0.24	-	-	-	-	-
Penis	18	0.9	0.10	0.7	0.07	-	-	-	-	-
Urinary System	1,223	60.6	0.79	43.1	0.56	541	22.6	0.45	17.3	0.35
Bladder (incl. <i>in situ</i>)	674	34.0	0.60	22.5	0.39	186	7.6	0.25	5.3	0.18
Kidney & renal pelvis	528	25.5	0.51	19.9	0.40	340	14.5	0.36	11.6	0.30
Ureter	13	0.7	0.09	0.4	0.05	10	0.4	0.06	0.3	0.04
Eye & Orbit	18	0.9	0.10	0.8	0.08	13	0.6	0.07	0.5	0.07
Brain & Other CNS ¹	154	7.5	0.28	6.6	0.25	126	5.7	0.23	5.0	0.21
Brain	148	7.2	0.27	6.3	0.24	120	5.4	0.23	4.7	0.21
Endocrine System	144	7.2	0.27	6.2	0.24	403	20.0	0.46	17.8	0.42
Thyroid gland	129	6.5	0.26	5.5	0.22	388	19.3	0.45	17.2	0.41
Lymphomas	473	23.5	0.49	18.0	0.38	412	17.8	0.40	13.6	0.32
Hodgkin Lymphoma	50	2.5	0.16	2.4	0.16	43	2.2	0.15	2.1	0.15
Non-Hodgkin Lymphoma	423	21.0	0.47	15.6	0.35	369	15.6	0.37	11.5	0.28
Multiple Myeloma	163	7.9	0.28	5.6	0.20	121	5.0	0.21	3.6	0.15
Leukemias	360	18.1	0.44	13.5	0.33	256	11.1	0.32	8.7	0.27
Acute lymphocytic	31	1.6	0.13	1.7	0.14	28	1.4	0.12	1.5	0.14
Chronic lymphocytic	135	6.6	0.26	4.6	0.18	85	3.4	0.17	2.4	0.12
Acute myeloid	102	5.2	0.23	3.8	0.17	80	3.5	0.18	2.7	0.15
Chronic myeloid	50	2.6	0.17	2.0	0.13	35	1.6	0.12	1.3	0.10
Other leukemias	41	2.1	0.15	1.5	0.10	27	1.1	0.10	0.8	0.08
Mesothelioma	25	1.3	0.12	0.8	0.08	6	0.3	0.05	0.2	0.04
Kaposi Sarcoma	8	0.4	0.07	0.4	0.06	-	-	-	-	-
Ill-defined & Unknown	438	22.0	0.48	15.3	0.33	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	162	8.1	0.29	6.6	0.24	313	14.1	0.37	11.3	0.31
Breast (<i>in situ</i>)	1	0.1	0.03	0.1	0.02	478	21.0	0.44	17.0	0.36

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oklahoma, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8,383	470.5	2.35	349.3	1.76	8,028	408.0	2.11	317.4	1.71
Oral Cavity & Pharynx	351	19.4	0.47	15.2	0.37	135	6.7	0.26	5.2	0.22
Lip	41	2.4	0.17	1.7	0.12	15	0.7	0.08	0.5	0.06
Tongue	108	5.9	0.26	4.8	0.21	39	1.9	0.14	1.5	0.12
Major salivary gland	37	2.1	0.16	1.4	0.11	20	1.1	0.11	0.9	0.10
Floor of mouth	13	0.7	0.09	0.5	0.07	4	0.2	0.05	0.1	0.03
Gum & other mouth	28	1.5	0.13	1.2	0.10	24	1.2	0.11	0.8	0.09
Nasopharynx	12	0.7	0.09	0.6	0.08	5	0.3	0.06	0.2	0.05
Oropharynx	15	0.8	0.10	0.7	0.08	6	0.3	0.05	0.2	0.04
Hypopharynx	12	0.7	0.08	0.5	0.07	3	0.1	0.03	0.1	0.03
Digestive System	1,600	89.8	1.03	67.1	0.77	1,250	61.2	0.80	45.3	0.62
Esophagus	141	7.6	0.29	5.8	0.22	31	1.5	0.12	1.1	0.09
Stomach	119	6.8	0.29	4.9	0.21	70	3.4	0.19	2.5	0.15
Small intestine	45	2.5	0.17	1.9	0.13	43	2.2	0.15	1.7	0.12
Colon excl. rectum	535	30.9	0.61	22.5	0.45	516	25.3	0.51	18.4	0.39
Rectum & rectosigmoid	253	14.3	0.41	11.1	0.32	173	8.8	0.31	6.9	0.25
Anus, anal canal & anorectum	24	1.4	0.13	1.1	0.10	58	3.0	0.18	2.4	0.15
Liver	191	9.9	0.33	8.1	0.27	69	3.3	0.18	2.5	0.15
Gallbladder	12	0.7	0.09	0.5	0.06	20	1.0	0.10	0.7	0.08
Pancreas	215	12.1	0.38	8.6	0.27	212	10.0	0.31	7.0	0.23
Respiratory System	1,546	84.9	0.98	60.7	0.70	1,235	58.3	0.75	42.7	0.57
Larynx	105	5.5	0.25	4.3	0.19	34	1.7	0.14	1.3	0.11
Lung & bronchus	1,420	78.2	0.94	55.5	0.67	1,190	56.0	0.74	40.9	0.55
Bones & Joints	16	1.0	0.12	0.9	0.11	14	0.9	0.11	0.8	0.11
Soft Tissue (incl. heart)	55	3.4	0.21	2.8	0.18	39	2.2	0.16	1.9	0.15
Skin (excl. basal & sq.)	569	33.2	0.64	23.8	0.46	340	18.6	0.47	14.9	0.39
Melanomas of the skin	534	31.1	0.62	22.3	0.45	317	17.4	0.46	14.0	0.39
Breast (excl. <i>in situ</i>)	20	1.1	0.12	0.8	0.09	2,310	118.6	1.15	93.3	0.92
Female Genital System	-	-	-	-	-	872	46.1	0.73	37.7	0.61
Cervix uteri	-	-	-	-	-	133	8.7	0.35	7.8	0.32
Uterus Corpus	-	-	-	-	-	422	21.2	0.48	17.4	0.40
Uterus, NOS ¹	-	-	-	-	-	16	0.8	0.09	0.6	0.07
Ovary	-	-	-	-	-	216	11.0	0.35	8.7	0.28
Male Genital System	1,713	91.6	1.01	70.6	0.78	-	-	-	-	-
Prostate	1,615	85.0	0.96	64.3	0.72	-	-	-	-	-
Testis	79	5.5	0.28	5.5	0.28	-	-	-	-	-
Penis	16	0.9	0.11	0.7	0.08	-	-	-	-	-
Urinary System	1,031	59.2	0.84	41.9	0.60	442	21.8	0.48	16.6	0.38
Bladder (incl. <i>in situ</i>)	602	34.8	0.64	23.1	0.43	161	7.6	0.27	5.4	0.20
Kidney & renal pelvis	410	23.3	0.53	18.2	0.42	269	13.6	0.39	10.9	0.32
Ureter	12	0.7	0.10	0.4	0.06	9	0.4	0.06	0.3	0.04
Eye & Orbit	16	0.9	0.11	0.8	0.09	11	0.6	0.08	0.5	0.07
Brain & Other CNS ¹	127	7.6	0.31	6.6	0.28	108	6.0	0.27	5.3	0.25
Brain	121	7.2	0.30	6.3	0.27	104	5.7	0.26	5.0	0.25
Endocrine System	118	7.2	0.31	6.2	0.27	323	19.9	0.52	17.8	0.47
Thyroid gland	109	6.6	0.29	5.7	0.25	312	19.3	0.51	17.2	0.46
Lymphomas	396	23.2	0.53	17.7	0.42	345	17.5	0.44	13.4	0.35
Hodgkin Lymphoma	39	2.4	0.18	2.4	0.18	33	2.2	0.17	2.1	0.17
Non-Hodgkin Lymphoma	358	20.8	0.50	15.3	0.38	312	15.4	0.40	11.3	0.31
Multiple Myeloma	128	7.2	0.29	5.0	0.20	90	4.3	0.21	3.1	0.15
Leukemias	298	17.5	0.46	13.0	0.36	210	10.7	0.34	8.4	0.29
Acute lymphocytic	21	1.4	0.14	1.5	0.15	19	1.3	0.14	1.4	0.15
Chronic lymphocytic	117	6.6	0.28	4.6	0.19	76	3.5	0.18	2.5	0.13
Acute myeloid	85	5.0	0.25	3.6	0.19	64	3.3	0.19	2.5	0.16
Chronic myeloid	40	2.4	0.18	1.8	0.14	28	1.5	0.13	1.2	0.11
Other leukemias	35	2.1	0.16	1.4	0.11	23	1.1	0.11	0.8	0.08
Mesothelioma	22	1.3	0.12	0.8	0.08	5	0.3	0.05	0.2	0.04
Kaposi Sarcoma	6	0.4	0.08	0.3	0.07	-	-	-	-	-
Ill-defined & Unknown	371	21.5	0.51	14.9	0.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	133	7.9	0.32	6.4	0.26	255	13.7	0.40	11.0	0.34
Breast (<i>in situ</i>)	-	-	-	-	-	386	20.3	0.48	16.3	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oklahoma, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	638	521.5	10.06	393.2	7.05	571	391.8	7.57	303.3	5.74
Oral Cavity & Pharynx	16	12.8	1.53	9.9	1.12	6	3.7	0.72	3.0	0.57
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.7	0.80	3.0	0.61	1	1.0	0.40	0.7	0.28
Major salivary gland	3	2.5	0.74	1.7	0.48	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	0.9	0.40	0.7	0.31	-	-	-	-	-
Nasopharynx	-	-	-	-	-	1	0.8	0.30	0.7	0.28
Oropharynx	1	1.1	0.42	0.8	0.33	-	-	-	-	-
Hypopharynx	2	1.1	0.40	0.9	0.34	-	-	-	-	-
Digestive System	134	108.1	4.57	81.7	3.20	110	75.9	3.34	56.9	2.45
Esophagus	6	4.6	0.93	3.5	0.66	3	1.7	0.47	1.4	0.37
Stomach	15	13.3	1.68	9.5	1.11	9	6.0	0.95	4.5	0.70
Small intestine	4	3.7	0.84	2.8	0.60	5	3.6	0.73	2.8	0.55
Colon excl. rectum	44	37.0	2.74	27.3	1.86	42	30.3	2.14	22.1	1.54
Rectum & rectosigmoid	19	15.0	1.66	11.6	1.20	13	8.7	1.09	7.1	0.87
Anus, anal canal & anorectum	3	2.4	0.70	1.7	0.47	3	2.2	0.57	1.7	0.44
Liver	20	13.3	1.37	11.5	1.15	7	4.3	0.75	3.5	0.60
Gallbladder	1	1.4	0.60	0.9	0.33	2	1.9	0.55	1.3	0.37
Pancreas	18	14.8	1.73	10.9	1.17	19	13.1	1.40	9.2	0.97
Respiratory System	106	92.9	4.37	67.2	2.96	76	52.9	2.81	38.8	2.01
Larynx	9	7.3	1.18	5.4	0.83	2	1.5	0.44	1.2	0.35
Lung & bronchus	96	83.7	4.14	60.6	2.81	74	51.4	2.77	37.5	1.97
Bones & Joints	-	-	-	-	-	2	1.5	0.46	1.3	0.40
Soft Tissue (incl. heart)	4	2.8	0.67	2.3	0.54	5	3.4	0.70	2.8	0.57
Skin (excl. basal & sq.)	2	1.6	0.54	1.2	0.39	3	2.0	0.53	1.7	0.43
Melanomas of the skin	1	1.0	0.47	0.7	0.31	2	1.3	0.44	1.1	0.35
Breast (excl. <i>in situ</i>)	2	2.1	0.65	1.5	0.45	179	122.2	4.21	97.1	3.29
Female Genital System	-	-	-	-	-	63	42.4	2.46	33.9	1.93
Cervix uteri	-	-	-	-	-	10	7.0	1.01	5.7	0.83
Uterus Corpus	-	-	-	-	-	35	22.8	1.78	18.5	1.40
Uterus, NOS ¹	-	-	-	-	-	3	1.9	0.53	1.4	0.40
Ovary	-	-	-	-	-	12	8.3	1.11	6.5	0.83
Male Genital System	215	167.1	5.52	129.4	4.00	-	-	-	-	-
Prostate	212	164.9	5.49	127.4	3.96	-	-	-	-	-
Testis	2	1.7	0.51	1.5	0.43	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	51.2	3.32	36.4	2.18	31	21.7	1.80	16.0	1.30
Bladder (incl. <i>in situ</i>)	22	21.6	2.27	14.3	1.38	10	7.5	1.09	4.9	0.70
Kidney & renal pelvis	35	28.5	2.35	21.5	1.65	21	14.0	1.43	11.0	1.09
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	7	4.5	0.84	4.0	0.70	5	2.9	0.62	2.6	0.54
Brain	7	4.5	0.84	4.0	0.70	5	2.9	0.62	2.6	0.54
Endocrine System	7	4.7	0.87	4.1	0.71	20	13.4	1.37	11.6	1.16
Thyroid gland	5	3.2	0.67	2.9	0.59	19	12.8	1.34	11.0	1.14
Lymphomas	26	20.1	1.89	16.0	1.42	20	13.6	1.41	10.9	1.11
Hodgkin Lymphoma	4	2.6	0.60	2.5	0.56	4	2.3	0.54	2.3	0.52
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	17	14.7	1.73	10.8	1.17	17	12.2	1.36	8.8	0.96
Leukemias	21	17.8	1.91	13.2	1.31	13	9.4	1.18	7.2	0.89
Acute lymphocytic	-	-	-	-	-	3	1.5	0.43	1.5	0.41
Chronic lymphocytic	7	5.9	1.09	4.4	0.74	3	2.7	0.66	1.8	0.44
Acute myeloid	6	5.7	1.12	4.1	0.74	4	3.0	0.66	2.2	0.49
Chronic myeloid	4	3.5	0.80	2.7	0.60	1	0.9	0.35	0.8	0.31
Other leukemias	2	2.2	0.71	1.5	0.45	2	1.3	0.47	0.9	0.31
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	21	18.8	2.02	13.3	1.32	20	14.2	1.46	10.4	1.04
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	11	8.5	1.22	6.9	0.93	21	14.4	1.43	11.8	1.15
Breast (<i>in situ</i>)	-	-	-	-	-	35	23.2	1.81	18.8	1.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oklahoma, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	96	334.1	16.99	242.5	11.30	134	329.0	13.49	246.4	9.55
Oral Cavity & Pharynx	3	13.0	3.43	8.8	2.19	2	5.2	1.62	4.0	1.22
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	32	109.6	9.66	79.3	6.42	28	77.2	6.97	52.3	4.43
Esophagus	2	8.1	2.89	5.2	1.78	-	-	-	-	-
Stomach	4	14.4	3.41	10.8	2.35	4	9.6	2.33	7.0	1.61
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	9	30.6	5.11	22.0	3.36	10	28.5	4.41	18.1	2.60
Rectum & rectosigmoid	4	12.2	3.10	9.1	2.13	4	11.0	2.58	7.8	1.70
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	29.0	4.97	21.0	3.29	3	8.6	2.34	5.5	1.43
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	8.2	2.75	5.7	1.77	4	9.9	2.42	7.1	1.64
Respiratory System	14	50.0	6.72	35.1	4.34	14	37.7	4.80	26.2	3.17
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	45.8	6.46	31.8	4.15	14	37.7	4.80	26.2	3.17
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	1	3.2	1.35	2.6	1.09	1	3.9	1.57	2.8	1.05
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	40	90.4	6.61	72.8	5.14
Female Genital System	-	-	-	-	-	21	48.3	5.00	37.7	3.71
Cervix uteri	-	-	-	-	-	5	11.3	2.38	8.8	1.77
Uterus Corpus	-	-	-	-	-	8	19.5	3.14	15.5	2.40
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	14.5	2.70	11.5	2.05
Male Genital System	14	49.7	6.34	37.1	4.42	-	-	-	-	-
Prostate	14	48.9	6.32	36.2	4.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	31.7	5.51	21.6	3.45	3	9.4	2.50	6.1	1.53
Bladder (incl. <i>in situ</i>)	3	12.7	3.63	8.2	2.17	1	4.8	1.88	2.8	1.07
Kidney & renal pelvis	5	16.8	3.82	12.1	2.52	1	3.4	1.39	2.5	0.94
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	5.1	1.55	5.2	1.56	2	3.2	1.23	2.9	1.05
Brain	2	5.1	1.55	5.2	1.56	2	3.2	1.23	2.9	1.05
Endocrine System	3	8.7	2.42	7.2	1.84	7	15.7	2.87	12.5	2.10
Thyroid gland	3	8.2	2.38	6.8	1.79	7	15.4	2.86	12.2	2.07
Lymphomas	7	22.9	4.51	16.5	2.95	6	14.7	2.83	11.3	2.08
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	1	3.8	1.78	2.9	1.21	-	-	-	-	-
Leukemias	5	14.7	3.48	11.6	2.43	4	9.5	2.20	7.8	1.71
Acute lymphocytic	-	-	-	-	-	1	2.1	0.86	2.2	0.90
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	2	6.8	2.28	5.3	1.58	2	4.4	1.56	3.4	1.13
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	15.4	4.03	9.8	2.36	3	7.6	2.07	5.5	1.43
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	7.4	2.24	6.4	1.76	4	10.8	2.45	8.2	1.75
Breast (<i>in situ</i>)	-	-	-	-	-	9	21.1	3.27	16.5	2.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oklahoma, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	912	626.3	10.02	465.5	6.94	958	548.4	8.17	424.6	6.18
Oral Cavity & Pharynx	37	23.2	1.83	18.4	1.37	13	7.4	0.95	5.6	0.71
Lip	3	2.3	0.70	1.4	0.40	-	-	-	-	-
Tongue	9	5.5	0.86	4.5	0.67	4	2.2	0.49	1.8	0.40
Major salivary gland	3	2.3	0.65	1.7	0.43	2	1.2	0.41	0.8	0.26
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.5	0.44	1.2	0.34	2	1.3	0.37	1.1	0.31
Nasopharynx	2	1.1	0.35	1.0	0.31	-	-	-	-	-
Oropharynx	3	2.0	0.53	1.6	0.40	-	-	-	-	-
Hypopharynx	3	1.6	0.47	1.3	0.36	-	-	-	-	-
Digestive System	223	150.9	4.88	113.3	3.41	171	100.4	3.56	73.6	2.54
Esophagus	15	10.0	1.23	7.7	0.88	4	2.6	0.59	1.8	0.40
Stomach	15	12.2	1.51	8.2	0.94	13	7.2	0.93	5.6	0.71
Small intestine	5	3.4	0.73	2.6	0.51	4	2.5	0.57	1.8	0.41
Colon excl. rectum	73	51.6	2.95	37.5	1.98	70	41.4	2.29	30.1	1.62
Rectum & rectosigmoid	35	22.3	1.79	17.6	1.34	23	12.8	1.24	10.0	0.94
Anus, anal canal & anorectum	3	1.8	0.49	1.5	0.39	2	1.3	0.38	1.0	0.29
Liver	43	26.0	1.88	20.9	1.44	19	10.8	1.15	8.0	0.83
Gallbladder	2	1.9	0.64	1.2	0.36	4	2.3	0.54	1.7	0.38
Pancreas	23	15.9	1.58	11.9	1.10	24	14.8	1.40	10.2	0.94
Respiratory System	168	121.6	4.50	86.3	3.00	138	81.0	3.18	59.0	2.25
Larynx	14	8.9	1.13	7.0	0.84	4	2.5	0.55	1.9	0.42
Lung & bronchus	151	110.9	4.33	77.8	2.85	133	77.7	3.12	56.5	2.20
Bones & Joints	4	2.4	0.59	2.1	0.47	2	1.0	0.33	0.9	0.29
Soft Tissue (incl. heart)	6	4.2	0.81	3.4	0.60	5	3.1	0.62	2.5	0.48
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	32	21.5	1.81	16.2	1.30	19	11.4	1.21	8.9	0.92
Breast (excl. <i>in situ</i>)	1	0.9	0.40	0.6	0.26	272	153.2	4.26	121.9	3.33
Female Genital System	-	-	-	-	-	113	62.7	2.70	51.8	2.19
Cervix uteri	-	-	-	-	-	24	13.2	1.24	11.8	1.09
Uterus Corpus	-	-	-	-	-	52	28.4	1.81	23.2	1.45
Uterus, NOS ²	-	-	-	-	-	2	1.1	0.36	1.0	0.31
Ovary	-	-	-	-	-	27	15.1	1.34	12.0	1.04
Male Genital System	168	110.9	4.12	84.4	2.93	-	-	-	-	-
Prostate	152	102.6	4.00	76.2	2.78	-	-	-	-	-
Testis	14	7.0	0.87	7.2	0.87	-	-	-	-	-
Penis	2	1.0	0.39	0.8	0.28	-	-	-	-	-
Urinary System	116	82.5	3.71	59.9	2.50	59	33.4	2.00	26.0	1.52
Bladder (incl. <i>in situ</i>)	41	34.0	2.56	22.1	1.55	12	6.9	0.94	5.0	0.65
Kidney & renal pelvis	74	47.8	2.65	37.3	1.96	47	26.1	1.76	20.7	1.36
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	2	0.8	0.31	0.7	0.25
Brain & Other CNS ²	16	9.1	1.13	7.8	0.89	10	5.2	0.78	4.5	0.65
Brain	16	9.1	1.13	7.8	0.89	9	4.8	0.74	4.1	0.62
Endocrine System	14	8.3	1.10	6.9	0.84	44	24.0	1.66	21.4	1.45
Thyroid gland	11	7.0	1.01	5.7	0.77	42	22.9	1.61	20.4	1.41
Lymphomas	40	27.8	2.16	20.6	1.47	35	20.5	1.60	15.5	1.18
Hodgkin Lymphoma	5	2.8	0.59	2.6	0.51	4	1.7	0.40	1.8	0.42
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	11.5	1.44	7.8	0.91	12	7.1	0.96	5.0	0.66
Leukemias	30	19.9	1.79	15.3	1.26	24	13.2	1.27	10.6	0.98
Acute lymphocytic	6	2.9	0.58	2.9	0.52	5	2.0	0.43	2.2	0.46
Chronic lymphocytic	8	6.0	1.04	4.2	0.67	4	2.6	0.59	1.7	0.38
Acute myeloid	8	5.8	0.98	4.2	0.67	8	4.6	0.75	3.7	0.58
Chronic myeloid	5	3.3	0.76	2.5	0.51	5	2.9	0.61	2.2	0.45
Other leukemias	3	1.8	0.51	1.5	0.39	2	1.1	0.38	0.8	0.28
Mesothelioma	2	1.3	0.48	0.9	0.32	-	-	-	-	-
Kaposi Sarcoma	1	0.7	0.27	0.6	0.25	-	-	-	-	-
Ill-defined & Unknown	36	27.4	2.20	19.1	1.43	35	21.3	1.67	15.0	1.15
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malignant)	14	9.4	1.26	7.1	0.87	29	17.2	1.46	13.7	1.14
Breast (<i>in situ</i>)	-	-	-	-	-	42	22.6	1.60	18.5	1.29

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oklahoma, 2013-2017, Hispanic/Latino, All Races

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	272	327.8	10.67	238.7	6.98	343	358.9	9.79	278.7	7.04
Oral Cavity & Pharynx	9	10.4	1.85	7.8	1.26	5	4.5	0.99	3.8	0.80
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	3.6	1.15	2.5	0.73	1	1.1	0.43	1.0	0.39
Major salivary gland	1	1.8	0.85	1.3	0.54	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	1	0.8	0.34	0.7	0.31
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	69	79.0	4.97	60.2	3.45	56	68.7	4.59	50.3	3.12
Esophagus	3	4.3	1.32	2.9	0.84	-	-	-	-	-
Stomach	6	6.9	1.47	5.2	1.00	6	7.5	1.54	5.4	1.03
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	21	24.4	2.82	18.2	1.92	20	24.8	2.82	17.3	1.83
Rectum & rectosigmoid	12	13.7	2.04	10.4	1.42	6	6.1	1.22	5.0	0.93
Anus, anal canal & anorectum	-	-	-	-	-	2	2.2	0.85	1.6	0.59
Liver	12	12.3	1.72	10.4	1.38	7	8.5	1.53	6.8	1.16
Gallbladder	1	2.0	0.84	1.5	0.58	1	1.2	0.51	1.1	0.43
Pancreas	9	11.1	1.94	8.2	1.29	9	12.9	2.09	9.0	1.36
Respiratory System	28	43.0	4.14	29.2	2.59	22	31.8	3.26	22.2	2.16
Larynx	3	3.9	1.21	2.7	0.79	-	-	-	-	-
Lung & bronchus	24	37.8	3.91	25.5	2.43	21	30.7	3.23	21.3	2.13
Bones & Joints	1	0.6	0.24	0.6	0.23	2	1.0	0.38	1.0	0.36
Soft Tissue (incl. heart)	5	3.3	0.84	2.8	0.64	3	2.5	0.77	2.1	0.61
Skin (excl. basal & sq.)	-	-	-	-	-	9	10.2	1.76	7.3	1.15
Melanomas of the skin	5	5.9	1.42	4.2	0.92	7	8.0	1.54	5.8	1.04
Breast (excl. <i>in situ</i>)	-	-	-	-	-	95	96.1	4.84	77.0	3.66
Female Genital System	-	-	-	-	-	55	51.4	3.46	41.8	2.62
Cervix uteri	-	-	-	-	-	16	11.7	1.41	10.1	1.16
Uterus Corpus	-	-	-	-	-	22	22.2	2.30	18.0	1.76
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	12.8	1.78	10.3	1.33
Male Genital System	57	70.6	4.96	51.8	3.28	-	-	-	-	-
Prostate	45	63.9	4.83	45.6	3.17	-	-	-	-	-
Testis	11	4.7	0.66	4.9	0.68	-	-	-	-	-
Penis	1	1.2	0.62	0.9	0.41	-	-	-	-	-
Urinary System	34	49.1	4.43	32.5	2.66	17	18.5	2.20	14.5	1.61
Bladder (incl. <i>in situ</i>)	12	22.3	3.24	13.0	1.77	4	5.9	1.38	4.1	0.90
Kidney & renal pelvis	21	25.4	2.91	18.5	1.93	12	11.6	1.64	9.6	1.27
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	4.2	0.77	4.1	0.71	8	5.3	1.09	4.7	0.83
Brain	8	4.2	0.77	4.1	0.71	7	5.2	1.08	4.6	0.83
Endocrine System	5	3.7	0.86	3.3	0.70	24	17.9	1.78	15.7	1.47
Thyroid gland	4	3.2	0.82	2.8	0.66	24	17.5	1.76	15.4	1.45
Lymphomas	16	17.9	2.46	13.3	1.62	18	20.7	2.50	15.5	1.71
Hodgkin Lymphoma	3	2.3	0.76	1.9	0.55	3	1.5	0.50	1.5	0.44
Non-Hodgkin Lymphoma	13	15.7	2.34	11.4	1.53	16	19.2	2.45	14.0	1.65
Multiple Myeloma	5	6.4	1.49	4.7	1.00	5	6.3	1.35	4.7	0.96
Leukemias	14	12.0	1.96	9.3	1.24	12	10.2	1.58	8.1	1.12
Acute lymphocytic	-	-	-	-	-	3	1.3	0.35	1.4	0.36
Chronic lymphocytic	1	2.3	1.05	1.2	0.53	1	1.5	0.71	1.0	0.41
Acute myeloid	3	2.8	1.01	2.0	0.62	5	4.5	1.03	3.6	0.75
Chronic myeloid	4	3.6	1.01	2.8	0.71	2	1.2	0.46	1.1	0.41
Other leukemias	-	-	-	-	-	1	1.7	0.78	1.1	0.46
Mesothelioma	1	2.2	1.00	1.4	0.57	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	16.3	2.54	10.9	1.54	11	13.2	2.00	9.4	1.33
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	5	4.3	1.09	3.4	0.74	11	13.4	2.05	9.6	1.37
Breast (<i>in situ</i>)	-	-	-	-	-	19	18.1	2.02	14.7	1.57

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

OKLAHOMA

326 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oklahoma, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	8,178	480.0	2.43	357.4	1.84	7,750	412.2	2.19	321.1	1.79
Oral Cavity & Pharynx	344	20.0	0.50	15.7	0.39	131	6.8	0.28	5.3	0.23
Lip	41	2.5	0.18	1.7	0.13	15	0.7	0.09	0.5	0.06
Tongue	106	6.1	0.27	4.9	0.22	38	2.0	0.15	1.5	0.12
Major salivary gland	36	2.2	0.16	1.5	0.11	20	1.1	0.12	0.9	0.10
Floor of mouth	13	0.7	0.09	0.5	0.07	4	0.2	0.05	0.2	0.04
Gum & other mouth	27	1.5	0.13	1.2	0.11	24	1.2	0.12	0.9	0.09
Nasopharynx	12	0.7	0.10	0.6	0.09	5	0.3	0.06	0.2	0.05
Oropharynx	15	0.8	0.10	0.7	0.08	5	0.3	0.05	0.2	0.04
Hypopharynx	12	0.7	0.09	0.5	0.07	3	0.1	0.04	0.1	0.03
Digestive System	1,551	91.2	1.06	68.2	0.80	1,205	61.4	0.82	45.5	0.64
Esophagus	139	7.9	0.31	6.0	0.24	31	1.5	0.13	1.1	0.09
Stomach	114	6.8	0.29	4.9	0.21	65	3.3	0.19	2.4	0.15
Small intestine	44	2.6	0.18	2.0	0.14	43	2.3	0.16	1.8	0.13
Colon excl. rectum	520	31.5	0.63	23.0	0.47	500	25.4	0.53	18.5	0.41
Rectum & rectosigmoid	244	14.5	0.43	11.2	0.33	168	9.0	0.32	7.1	0.26
Anus, anal canal & anorectum	23	1.4	0.13	1.1	0.11	56	3.1	0.19	2.5	0.16
Liver	183	10.0	0.34	8.1	0.27	63	3.1	0.18	2.4	0.15
Gallbladder	11	0.6	0.09	0.4	0.06	19	0.9	0.10	0.7	0.07
Pancreas	209	12.3	0.39	8.7	0.28	205	10.0	0.32	7.1	0.24
Respiratory System	1,524	86.8	1.01	62.3	0.73	1,218	59.5	0.78	43.7	0.59
Larynx	103	5.7	0.25	4.4	0.20	34	1.8	0.14	1.4	0.11
Lung & bronchus	1,401	79.9	0.97	56.8	0.69	1,173	57.1	0.76	41.8	0.57
Bones & Joints	15	1.0	0.12	1.0	0.12	13	0.9	0.12	0.8	0.12
Soft Tissue (incl. heart)	53	3.5	0.22	2.8	0.19	38	2.2	0.17	1.9	0.16
Skin (excl. basal & sq.)	564	34.5	0.67	24.8	0.49	333	19.4	0.50	15.6	0.43
Melanomas of the skin	529	32.3	0.65	23.3	0.48	311	18.2	0.49	14.8	0.42
Breast (excl. <i>in situ</i>)	20	1.2	0.12	0.9	0.09	2,229	119.8	1.19	94.4	0.96
Female Genital System	-	-	-	-	-	829	46.1	0.76	37.8	0.64
Cervix uteri	-	-	-	-	-	121	8.6	0.37	7.7	0.33
Uterus Corpus	-	-	-	-	-	405	21.3	0.50	17.5	0.41
Uterus, NOS ¹	-	-	-	-	-	15	0.8	0.09	0.6	0.07
Ovary	-	-	-	-	-	206	11.1	0.36	8.7	0.30
Male Genital System	1,670	93.1	1.04	71.9	0.81	-	-	-	-	-
Prostate	1,582	86.4	0.99	65.5	0.75	-	-	-	-	-
Testis	71	5.7	0.31	5.7	0.31	-	-	-	-	-
Penis	15	0.9	0.11	0.6	0.08	-	-	-	-	-
Urinary System	1,003	59.9	0.87	42.7	0.63	428	22.0	0.50	16.8	0.40
Bladder (incl. <i>in situ</i>)	593	35.4	0.66	23.6	0.44	157	7.7	0.28	5.4	0.21
Kidney & renal pelvis	393	23.5	0.55	18.4	0.44	259	13.8	0.40	11.0	0.34
Ureter	12	0.7	0.10	0.4	0.06	8	0.4	0.06	0.2	0.04
Eye & Orbit	15	1.0	0.11	0.8	0.10	11	0.6	0.09	0.5	0.08
Brain & Other CNS ¹	122	7.9	0.33	6.9	0.30	102	6.0	0.28	5.3	0.27
Brain	116	7.5	0.32	6.5	0.30	98	5.7	0.27	5.1	0.26
Endocrine System	114	7.6	0.33	6.6	0.30	303	20.2	0.55	18.1	0.50
Thyroid gland	106	7.0	0.32	6.1	0.28	291	19.5	0.54	17.5	0.49
Lymphomas	383	23.7	0.56	18.2	0.45	332	17.7	0.45	13.5	0.37
Hodgkin Lymphoma	37	2.6	0.20	2.6	0.20	32	2.3	0.19	2.3	0.20
Non-Hodgkin Lymphoma	346	21.1	0.52	15.7	0.40	300	15.3	0.41	11.2	0.32
Multiple Myeloma	124	7.2	0.30	5.0	0.21	86	4.2	0.21	3.0	0.15
Leukemias	288	17.8	0.48	13.2	0.38	201	10.7	0.36	8.3	0.31
Acute lymphocytic	18	1.4	0.15	1.5	0.17	17	1.3	0.15	1.4	0.16
Chronic lymphocytic	115	6.8	0.29	4.8	0.20	75	3.6	0.19	2.5	0.14
Acute myeloid	83	5.1	0.26	3.7	0.20	61	3.3	0.20	2.5	0.16
Chronic myeloid	37	2.4	0.18	1.8	0.14	26	1.5	0.14	1.2	0.12
Other leukemias	35	2.1	0.17	1.5	0.12	22	1.1	0.11	0.8	0.09
Mesothelioma	21	1.3	0.13	0.8	0.08	5	0.3	0.06	0.2	0.05
Kaposi Sarcoma	5	0.4	0.08	0.3	0.07	-	-	-	-	-
Ill-defined & Unknown	363	21.9	0.53	15.2	0.37	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	129	8.2	0.33	6.6	0.28	245	13.9	0.42	11.2	0.36
Breast (<i>in situ</i>)	-	-	-	-	-	371	20.4	0.50	16.4	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oklahoma, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	635	529.7	10.23	399.3	7.17	565	395.5	7.67	306.6	5.84
Oral Cavity & Pharynx	16	13.1	1.56	10.1	1.14	5	3.5	0.71	2.8	0.56
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.8	0.82	3.0	0.62	1	1.1	0.41	0.7	0.29
Major salivary gland	3	2.5	0.76	1.7	0.49	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	0.9	0.41	0.8	0.32	-	-	-	-	-
Nasopharynx	-	-	-	-	-	1	0.8	0.31	0.8	0.29
Oropharynx	1	1.1	0.43	0.9	0.33	-	-	-	-	-
Hypopharynx	2	1.1	0.41	1.0	0.34	-	-	-	-	-
Digestive System	133	110.1	4.65	83.3	3.27	109	76.2	3.37	57.2	2.49
Esophagus	6	4.5	0.93	3.5	0.66	3	1.8	0.48	1.4	0.37
Stomach	15	13.5	1.71	9.7	1.14	8	6.0	0.95	4.5	0.70
Small intestine	4	3.7	0.85	2.8	0.61	5	3.6	0.73	2.8	0.56
Colon excl. rectum	44	37.8	2.79	27.9	1.91	42	30.7	2.17	22.4	1.57
Rectum & rectosigmoid	19	15.2	1.69	11.7	1.22	13	8.7	1.10	7.1	0.89
Anus, anal canal & anorectum	3	2.4	0.72	1.8	0.48	3	2.3	0.58	1.8	0.45
Liver	20	13.5	1.40	11.8	1.17	7	4.4	0.76	3.6	0.61
Gallbladder	1	1.4	0.61	0.9	0.34	2	1.9	0.56	1.3	0.38
Pancreas	18	15.1	1.76	11.1	1.20	18	12.8	1.39	9.0	0.96
Respiratory System	105	94.1	4.44	68.0	3.00	75	53.1	2.83	39.0	2.03
Larynx	9	7.3	1.20	5.4	0.84	2	1.5	0.44	1.2	0.36
Lung & bronchus	95	84.8	4.21	61.4	2.85	73	51.5	2.79	37.7	1.99
Bones & Joints	-	-	-	-	-	2	1.5	0.48	1.4	0.41
Soft Tissue (incl. heart)	4	2.8	0.69	2.4	0.55	5	3.4	0.71	2.8	0.57
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	1	1.1	0.49	0.8	0.32	2	1.3	0.43	1.0	0.33
Breast (excl. <i>in situ</i>)	2	2.0	0.65	1.4	0.44	177	124.1	4.29	98.8	3.36
Female Genital System	-	-	-	-	-	63	43.0	2.51	34.4	1.97
Cervix uteri	-	-	-	-	-	10	7.2	1.05	5.9	0.86
Uterus Corpus	-	-	-	-	-	35	23.3	1.81	18.8	1.43
Uterus, NOS ¹	-	-	-	-	-	2	1.7	0.51	1.3	0.39
Ovary	-	-	-	-	-	12	8.4	1.12	6.5	0.85
Male Genital System	214	169.7	5.62	131.4	4.06	-	-	-	-	-
Prostate	211	167.3	5.58	129.3	4.03	-	-	-	-	-
Testis	2	1.7	0.53	1.5	0.45	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	52.3	3.38	37.2	2.22	31	22.0	1.83	16.3	1.32
Bladder (incl. <i>in situ</i>)	22	22.0	2.31	14.6	1.41	10	7.6	1.10	5.0	0.71
Kidney & renal pelvis	35	29.1	2.40	22.0	1.69	21	14.3	1.45	11.2	1.11
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	4.6	0.86	4.0	0.72	5	2.9	0.63	2.6	0.54
Brain	6	4.6	0.86	4.0	0.72	5	2.9	0.63	2.6	0.54
Endocrine System	6	4.7	0.88	4.0	0.71	20	13.9	1.41	12.0	1.20
Thyroid gland	5	3.2	0.69	2.8	0.60	19	13.2	1.38	11.4	1.18
Lymphomas	26	20.4	1.93	16.4	1.45	19	13.6	1.43	10.9	1.13
Hodgkin Lymphoma	4	2.8	0.62	2.7	0.58	4	2.4	0.57	2.4	0.55
Non-Hodgkin Lymphoma	22	17.7	1.83	13.7	1.33	15	11.2	1.31	8.6	0.99
Multiple Myeloma	17	15.0	1.76	11.0	1.19	17	12.2	1.38	8.8	0.97
Leukemias	21	18.2	1.95	13.5	1.34	13	9.4	1.20	7.3	0.91
Acute lymphocytic	-	-	-	-	-	3	1.6	0.45	1.5	0.43
Chronic lymphocytic	7	6.0	1.12	4.5	0.75	3	2.7	0.67	1.8	0.45
Acute myeloid	6	5.8	1.14	4.2	0.76	4	3.0	0.68	2.3	0.51
Chronic myeloid	4	3.6	0.82	2.8	0.62	1	0.9	0.36	0.8	0.32
Other leukemias	-	-	-	-	-	2	1.2	0.44	0.8	0.29
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	20	18.7	2.04	13.2	1.33	20	14.4	1.48	10.5	1.06
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	11	8.7	1.25	7.2	0.96	21	14.6	1.46	12.0	1.18
Breast (<i>in situ</i>)	-	-	-	-	-	35	23.6	1.84	19.1	1.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oregon, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10,835	460.2	2.04	340.7	1.51	10,716	417.7	1.87	323.2	1.50
Oral Cavity & Pharynx	442	18.2	0.40	14.4	0.31	181	6.9	0.24	5.3	0.19
Lip	20	0.9	0.09	0.6	0.06	9	0.3	0.05	0.2	0.04
Tongue	159	6.5	0.24	5.1	0.19	62	2.4	0.14	1.9	0.12
Major salivary gland	30	1.3	0.11	1.0	0.08	24	1.0	0.09	0.8	0.08
Floor of mouth	19	0.7	0.08	0.6	0.06	10	0.4	0.05	0.3	0.04
Gum & other mouth	42	1.8	0.13	1.3	0.09	35	1.3	0.10	0.9	0.07
Nasopharynx	14	0.6	0.08	0.5	0.07	5	0.2	0.04	0.2	0.04
Oropharynx	20	0.8	0.08	0.6	0.06	8	0.3	0.04	0.2	0.04
Hypopharynx	19	0.8	0.08	0.6	0.06	6	0.2	0.04	0.2	0.03
Digestive System	2,164	91.8	0.91	67.7	0.67	1,638	62.0	0.71	45.0	0.53
Esophagus	202	8.5	0.27	6.1	0.20	53	1.9	0.12	1.3	0.09
Stomach	173	7.4	0.26	5.4	0.19	92	3.6	0.18	2.7	0.14
Small intestine	60	2.6	0.15	1.9	0.11	54	2.1	0.13	1.6	0.10
Colon excl. rectum	575	25.4	0.49	18.2	0.35	600	22.9	0.43	15.9	0.31
Rectum & rectosigmoid	313	13.4	0.35	10.4	0.27	201	7.9	0.26	6.2	0.21
Anus, anal canal & anorectum	35	1.5	0.12	1.2	0.09	74	2.8	0.15	2.2	0.12
Liver	329	12.4	0.31	10.1	0.25	98	3.5	0.16	2.7	0.13
Gallbladder	18	0.8	0.09	0.5	0.06	34	1.2	0.10	0.9	0.07
Pancreas	353	15.1	0.37	10.7	0.26	317	11.7	0.30	8.2	0.22
Respiratory System	1,495	63.8	0.76	44.1	0.52	1,407	51.9	0.63	36.4	0.45
Larynx	97	3.9	0.18	2.9	0.14	21	0.8	0.08	0.6	0.06
Lung & bronchus	1,370	58.7	0.73	40.2	0.49	1,371	50.6	0.63	35.3	0.44
Bones & Joints	24	1.2	0.11	1.1	0.11	15	0.7	0.09	0.7	0.09
Soft Tissue (incl. heart)	84	3.8	0.19	3.1	0.16	70	2.9	0.16	2.5	0.15
Skin (excl. basal & sq.)	786	34.4	0.56	25.4	0.42	602	24.7	0.47	20.2	0.40
Melanomas of the skin	749	32.7	0.55	24.2	0.41	572	23.5	0.46	19.4	0.39
Breast (excl. <i>in situ</i>)	27	1.2	0.10	0.8	0.07	3,204	125.5	1.03	99.1	0.83
Female Genital System	-	-	-	-	-	1,322	51.4	0.66	41.7	0.54
Cervix uteri	-	-	-	-	-	145	7.0	0.27	6.1	0.24
Uterus Corpus	-	-	-	-	-	731	27.2	0.47	22.3	0.39
Uterus, NOS ¹	-	-	-	-	-	27	1.0	0.09	0.8	0.07
Ovary	-	-	-	-	-	301	11.8	0.32	9.2	0.26
Male Genital System	2,542	101.1	0.92	78.1	0.71	-	-	-	-	-
Prostate	2,386	93.3	0.88	70.5	0.65	-	-	-	-	-
Testis	132	6.8	0.27	6.9	0.27	-	-	-	-	-
Penis	18	0.8	0.09	0.6	0.06	-	-	-	-	-
Urinary System	1,376	60.0	0.74	41.8	0.52	521	19.6	0.40	14.4	0.30
Bladder (incl. <i>in situ</i>)	835	36.8	0.58	24.2	0.38	238	8.7	0.26	5.9	0.18
Kidney & renal pelvis	512	21.8	0.45	16.7	0.34	268	10.4	0.29	8.2	0.24
Ureter	20	0.9	0.09	0.6	0.06	11	0.4	0.05	0.3	0.04
Eye & Orbit	33	1.4	0.11	1.2	0.10	26	1.1	0.10	0.8	0.08
Brain & Other CNS ¹	191	8.7	0.29	7.4	0.25	140	6.0	0.24	5.3	0.22
Brain	185	8.4	0.28	7.1	0.25	131	5.6	0.23	4.8	0.21
Endocrine System	175	8.0	0.28	6.9	0.24	447	20.8	0.46	18.8	0.42
Thyroid gland	157	7.2	0.26	6.1	0.23	432	20.2	0.45	18.2	0.41
Lymphomas	568	25.2	0.49	19.1	0.38	458	18.0	0.39	13.9	0.32
Hodgkin Lymphoma	50	2.4	0.15	2.3	0.15	46	2.3	0.15	2.2	0.15
Non-Hodgkin Lymphoma	518	22.8	0.46	16.8	0.34	412	15.7	0.36	11.7	0.28
Multiple Myeloma	161	7.0	0.25	4.8	0.17	116	4.3	0.18	3.1	0.13
Leukemias	371	16.8	0.40	12.9	0.32	252	10.0	0.29	8.0	0.25
Acute lymphocytic	36	1.9	0.15	2.2	0.17	26	1.4	0.13	1.5	0.14
Chronic lymphocytic	137	6.0	0.23	4.1	0.16	88	3.1	0.15	2.2	0.11
Acute myeloid	117	5.2	0.22	3.9	0.17	85	3.4	0.17	2.7	0.15
Chronic myeloid	38	1.7	0.13	1.3	0.10	31	1.2	0.10	1.0	0.08
Other leukemias	42	2.0	0.14	1.4	0.10	22	0.9	0.08	0.6	0.07
Mesothelioma	36	1.6	0.13	1.0	0.08	9	0.3	0.05	0.2	0.03
Kaposi Sarcoma	8	0.4	0.07	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	352	15.7	0.38	10.6	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	161	7.3	0.26	6.1	0.23	284	11.7	0.32	9.5	0.27
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.02	633	25.4	0.47	20.7	0.38

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oregon, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	10,138	459.2	2.10	340.1	1.57	10,052	421.4	1.96	326.1	1.58
Oral Cavity & Pharynx	418	18.4	0.42	14.5	0.33	170	6.9	0.25	5.3	0.20
Lip	19	0.9	0.09	0.6	0.06	9	0.3	0.05	0.2	0.04
Tongue	152	6.6	0.25	5.2	0.19	60	2.5	0.15	2.0	0.13
Major salivary gland	28	1.3	0.12	1.0	0.09	22	1.0	0.10	0.8	0.08
Floor of mouth	18	0.7	0.08	0.6	0.06	10	0.4	0.06	0.3	0.05
Gum & other mouth	39	1.8	0.13	1.3	0.10	34	1.4	0.11	0.9	0.08
Nasopharynx	10	0.4	0.07	0.4	0.06	3	0.1	0.03	0.1	0.02
Oropharynx	19	0.8	0.08	0.7	0.07	7	0.2	0.04	0.2	0.03
Hypopharynx	19	0.8	0.09	0.6	0.07	6	0.2	0.05	0.2	0.03
Digestive System	2,004	90.7	0.93	66.9	0.69	1,514	61.2	0.73	44.4	0.55
Esophagus	194	8.6	0.29	6.2	0.20	50	2.0	0.13	1.4	0.09
Stomach	156	7.2	0.26	5.2	0.19	79	3.4	0.18	2.5	0.14
Small intestine	57	2.6	0.16	1.9	0.12	52	2.1	0.14	1.7	0.11
Colon excl. rectum	540	25.5	0.50	18.2	0.36	562	22.8	0.45	15.9	0.33
Rectum & rectosigmoid	289	13.3	0.36	10.3	0.28	184	7.8	0.27	6.1	0.21
Anus, anal canal & anorectum	33	1.6	0.13	1.2	0.10	72	2.9	0.16	2.3	0.13
Liver	290	11.6	0.31	9.5	0.25	85	3.2	0.16	2.5	0.13
Gallbladder	17	0.8	0.09	0.5	0.06	30	1.1	0.10	0.8	0.07
Pancreas	332	15.0	0.38	10.7	0.27	295	11.6	0.31	8.2	0.23
Respiratory System	1,398	63.2	0.78	43.6	0.53	1,329	52.2	0.66	36.5	0.47
Larynx	93	4.0	0.19	3.0	0.14	20	0.8	0.08	0.6	0.07
Lung & bronchus	1,279	58.0	0.74	39.6	0.50	1,296	50.8	0.65	35.4	0.46
Bones & Joints	21	1.2	0.12	1.1	0.12	14	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	78	3.8	0.20	3.1	0.17	66	3.0	0.17	2.5	0.16
Skin (excl. basal & sq.)	769	36.0	0.60	26.6	0.45	585	26.2	0.51	21.5	0.43
Melanomas of the skin	733	34.2	0.58	25.4	0.44	556	25.0	0.50	20.7	0.43
Breast (excl. <i>in situ</i>)	25	1.2	0.11	0.8	0.08	3,007	126.8	1.08	100.1	0.87
Female Genital System	-	-	-	-	-	1,241	52.0	0.69	42.2	0.57
Cervix uteri	-	-	-	-	-	132	7.0	0.28	6.2	0.25
Uterus Corpus	-	-	-	-	-	690	27.7	0.49	22.6	0.40
Uterus, NOS ¹	-	-	-	-	-	25	1.0	0.09	0.7	0.07
Ovary	-	-	-	-	-	282	11.9	0.33	9.3	0.27
Male Genital System	2,338	99.0	0.94	76.6	0.73	-	-	-	-	-
Prostate	2,193	90.8	0.89	68.6	0.66	-	-	-	-	-
Testis	124	7.2	0.29	7.3	0.30	-	-	-	-	-
Penis	16	0.8	0.09	0.5	0.06	-	-	-	-	-
Urinary System	1,306	60.4	0.77	42.1	0.54	491	19.8	0.41	14.5	0.32
Bladder (incl. <i>in situ</i>)	794	37.0	0.60	24.3	0.39	223	8.6	0.26	5.8	0.18
Kidney & renal pelvis	484	22.1	0.46	16.9	0.36	253	10.6	0.31	8.3	0.25
Ureter	18	0.8	0.09	0.5	0.06	10	0.4	0.06	0.3	0.04
Eye & Orbit	32	1.5	0.12	1.2	0.10	26	1.1	0.10	0.9	0.09
Brain & Other CNS ¹	179	8.8	0.30	7.5	0.27	134	6.3	0.26	5.6	0.24
Brain	173	8.5	0.30	7.2	0.26	125	5.8	0.24	5.0	0.23
Endocrine System	164	8.1	0.29	7.0	0.26	399	20.6	0.48	18.6	0.44
Thyroid gland	147	7.3	0.28	6.3	0.24	387	20.0	0.47	18.0	0.43
Lymphomas	532	25.3	0.50	19.2	0.39	432	18.3	0.41	14.1	0.34
Hodgkin Lymphoma	46	2.4	0.16	2.3	0.16	43	2.3	0.16	2.3	0.17
Non-Hodgkin Lymphoma	487	22.9	0.48	16.9	0.36	390	15.9	0.37	11.8	0.29
Multiple Myeloma	152	7.0	0.26	4.8	0.18	110	4.3	0.19	3.1	0.14
Leukemias	349	16.9	0.42	13.0	0.34	238	10.3	0.31	8.2	0.27
Acute lymphocytic	32	1.9	0.15	2.1	0.18	24	1.5	0.14	1.6	0.16
Chronic lymphocytic	130	6.0	0.24	4.1	0.17	85	3.2	0.16	2.2	0.11
Acute myeloid	111	5.3	0.23	3.9	0.18	79	3.5	0.18	2.8	0.16
Chronic myeloid	36	1.7	0.13	1.3	0.11	30	1.3	0.11	1.0	0.09
Other leukemias	41	2.0	0.14	1.4	0.10	20	0.9	0.09	0.6	0.07
Mesothelioma	34	1.7	0.13	1.0	0.08	9	0.3	0.05	0.2	0.04
Kaposi Sarcoma	7	0.4	0.07	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	331	15.6	0.39	10.5	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	149	7.3	0.28	6.1	0.24	260	11.6	0.34	9.4	0.29
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.02	583	25.3	0.49	20.6	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

OREGON

330 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oregon, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	187	497.8	18.42	379.0	12.79	134	376.6	15.08	287.4	11.17
Oral Cavity & Pharynx	4	8.7	2.19	7.0	1.69	2	5.3	1.82	4.0	1.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	41	107.9	8.42	82.8	5.93	25	73.7	6.78	54.4	4.86
Esophagus	1	3.6	1.48	2.8	1.07	-	-	-	-	-
Stomach	5	11.5	2.58	9.3	1.96	2	5.9	1.90	4.1	1.31
Small intestine	-	-	-	-	-	1	2.9	1.19	2.6	1.07
Colon excl. rectum	9	25.4	4.38	18.3	2.88	8	24.5	3.91	17.9	2.78
Rectum & rectosigmoid	4	9.2	2.39	7.1	1.66	2	5.9	1.77	5.1	1.48
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	12	28.9	4.01	23.8	3.12	2	6.8	2.15	4.9	1.47
Gallbladder	-	-	-	-	-	1	3.6	1.53	2.6	1.06
Pancreas	7	21.5	4.11	15.1	2.65	5	15.7	3.13	11.4	2.21
Respiratory System	28	80.2	7.71	58.5	5.15	18	57.0	6.19	38.6	4.09
Larynx	2	4.9	1.63	4.1	1.31	-	-	-	-	-
Lung & bronchus	25	74.0	7.50	53.4	4.94	18	56.6	6.18	38.2	4.07
Bones & Joints	1	2.2	0.89	2.0	0.84	-	-	-	-	-
Soft Tissue (incl. heart)	1	2.0	0.83	2.0	0.82	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	42	113.7	8.05	90.5	6.27
Female Genital System	-	-	-	-	-	14	38.4	4.69	31.2	3.72
Cervix uteri	-	-	-	-	-	1	4.0	1.54	3.1	1.18
Uterus Corpus	-	-	-	-	-	9	23.0	3.59	19.2	2.91
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	8.0	2.19	6.3	1.70
Male Genital System	62	161.7	10.38	124.7	7.28	-	-	-	-	-
Prostate	60	157.3	10.25	120.7	7.17	-	-	-	-	-
Testis	2	4.1	1.64	3.6	1.20	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	42.4	5.14	33.6	3.77	7	20.7	3.63	14.9	2.54
Bladder (incl. <i>in situ</i>)	5	13.8	3.10	10.2	2.14	4	11.2	2.72	7.6	1.80
Kidney & renal pelvis	12	27.0	3.86	22.3	3.01	3	9.1	2.36	6.9	1.74
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	6.8	1.97	5.8	1.49	2	4.0	1.46	3.5	1.24
Brain	3	6.6	1.95	5.5	1.46	-	-	-	-	-
Endocrine System	2	5.7	1.80	4.6	1.37	8	21.0	3.41	17.7	2.78
Thyroid gland	2	3.7	1.45	3.0	1.09	8	19.6	3.32	16.5	2.69
Lymphomas	9	22.0	3.70	17.4	2.71	5	12.9	2.84	9.5	2.01
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	4	11.2	2.69	7.9	1.84
Multiple Myeloma	4	13.1	3.29	8.9	2.04	2	6.5	2.00	4.8	1.46
Leukemias	6	18.8	3.84	13.6	2.54	4	8.9	2.19	7.5	1.77
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	7.3	2.42	5.1	1.59	-	-	-	-	-
Acute myeloid	2	5.5	1.94	4.1	1.35	2	4.5	1.66	3.4	1.20
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	18.5	4.12	12.0	2.38	4	10.5	2.60	7.6	1.79
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	2	4.2	1.47	3.8	1.22	4	10.8	2.47	8.6	1.90
Breast (<i>in situ</i>)	-	-	-	-	-	11	29.6	4.07	24.4	3.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oregon, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	230	311.0	9.69	227.1	6.74	320	300.5	7.76	234.2	5.90
Oral Cavity & Pharynx	11	12.0	1.70	9.7	1.34	6	5.1	0.99	4.2	0.79
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	2.7	0.77	2.3	0.65	-	-	-	-	-
Major salivary gland	-	-	-	-	-	1	1.0	0.40	0.9	0.36
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	1.8	0.71	1.3	0.51	-	-	-	-	-
Nasopharynx	4	4.4	0.96	3.8	0.84	2	1.9	0.61	1.6	0.50
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	74	100.1	5.48	72.9	3.82	69	69.2	3.87	49.5	2.70
Esophagus	3	4.0	1.11	2.8	0.76	-	-	-	-	-
Stomach	9	13.4	2.09	9.1	1.37	9	9.4	1.43	6.8	1.02
Small intestine	2	2.3	0.87	1.6	0.57	-	-	-	-	-
Colon excl. rectum	15	21.3	2.63	14.8	1.74	21	20.7	2.11	15.0	1.48
Rectum & rectosigmoid	13	14.5	1.85	12.1	1.52	9	8.8	1.32	6.9	1.01
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	17	22.0	2.46	17.1	1.84	8	8.5	1.40	5.8	0.93
Gallbladder	1	1.9	0.80	1.2	0.48	2	1.9	0.65	1.3	0.42
Pancreas	8	12.0	2.00	7.8	1.24	11	12.0	1.64	8.0	1.08
Respiratory System	38	54.7	4.19	37.6	2.75	34	35.5	2.80	24.3	1.88
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	36	52.1	4.10	35.6	2.68	33	34.0	2.75	23.2	1.84
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	3	3.8	1.04	2.9	0.75	2	2.0	0.63	1.4	0.46
Skin (excl. basal & sq.)	-	-	-	-	-	3	2.6	0.68	2.1	0.55
Melanomas of the skin	-	-	-	-	-	2	2.1	0.62	1.7	0.48
Breast (excl. <i>in situ</i>)	-	-	-	-	-	98	87.1	4.05	70.7	3.22
Female Genital System	-	-	-	-	-	38	33.6	2.50	27.9	2.03
Cervix uteri	-	-	-	-	-	7	6.2	1.10	4.9	0.85
Uterus Corpus	-	-	-	-	-	18	14.7	1.59	12.8	1.37
Uterus, NOS ¹	-	-	-	-	-	1	1.3	0.49	1.0	0.38
Ovary	-	-	-	-	-	10	9.1	1.35	7.3	1.05
Male Genital System	39	52.2	3.94	38.7	2.78	-	-	-	-	-
Prostate	36	49.3	3.86	36.1	2.70	-	-	-	-	-
Testis	2	1.8	0.56	1.9	0.56	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	23.6	2.74	16.4	1.81	8	7.3	1.23	5.7	0.92
Bladder (incl. <i>in situ</i>)	9	13.7	2.17	9.0	1.36	2	2.3	0.70	1.8	0.52
Kidney & renal pelvis	6	7.9	1.48	6.0	1.07	5	4.9	1.01	3.9	0.76
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	5	5.6	1.14	5.3	1.05	3	2.7	0.75	2.5	0.70
Brain	5	5.3	1.11	4.9	1.01	3	2.7	0.75	2.5	0.70
Endocrine System	7	9.1	1.61	7.0	1.17	30	24.7	2.07	22.3	1.84
Thyroid gland	6	8.1	1.51	6.2	1.10	28	23.4	2.00	21.3	1.80
Lymphomas	15	20.5	2.57	14.3	1.69	11	11.0	1.54	8.7	1.17
Hodgkin Lymphoma	1	1.0	0.42	1.1	0.44	1	0.9	0.36	1.0	0.42
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	3.5	1.04	2.6	0.72	3	2.4	0.68	1.8	0.51
Leukemias	8	10.2	1.73	8.3	1.33	7	6.0	1.05	5.3	0.93
Acute lymphocytic	2	2.3	0.67	2.9	0.84	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	2	3.6	1.11	2.4	0.69	3	3.1	0.77	2.5	0.62
Chronic myeloid	1	1.4	0.55	1.3	0.48	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	9	12.2	1.95	8.7	1.32	10	10.4	1.56	7.1	1.04
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	6	7.8	1.50	5.7	1.04	12	10.8	1.42	9.0	1.16
Breast (<i>in situ</i>)	-	-	-	-	-	27	23.5	2.07	19.4	1.68

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oregon, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	115	370.7	17.05	277.1	11.70	131	379.8	15.95	292.5	11.55
Oral Cavity & Pharynx	4	11.4	2.75	9.2	2.07	2	5.2	1.75	4.2	1.35
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	31	95.4	8.34	73.5	5.95	24	72.8	7.25	53.3	4.95
Esophagus	2	7.5	2.59	5.1	1.65	-	-	-	-	-
Stomach	1	3.9	1.92	2.8	1.18	2	4.2	1.63	3.4	1.24
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	25.2	4.54	18.5	3.05	6	20.4	3.85	14.6	2.63
Rectum & rectosigmoid	4	12.6	2.77	10.1	2.17	3	8.8	2.37	7.0	1.76
Anus, anal canal & anorectum	-	-	-	-	-	1	2.6	1.09	2.4	0.98
Liver	8	18.5	3.04	16.5	2.68	3	9.3	2.78	6.3	1.73
Gallbladder	-	-	-	-	-	1	4.2	1.88	2.8	1.18
Pancreas	5	17.3	3.55	13.0	2.53	4	15.5	3.58	10.2	2.22
Respiratory System	23	79.5	8.27	56.2	5.34	21	67.3	7.07	47.8	4.71
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	76.4	8.11	54.1	5.24	21	66.1	7.03	46.6	4.66
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	5	16.9	3.63	12.7	2.51	4	11.9	2.79	9.7	2.13
Melanomas of the skin	4	13.8	3.25	10.5	2.27	4	10.8	2.67	8.7	2.01
Breast (excl. <i>in situ</i>)	-	-	-	-	-	34	92.2	7.46	74.1	5.74
Female Genital System	-	-	-	-	-	21	55.1	5.79	44.9	4.47
Cervix uteri	-	-	-	-	-	4	11.3	2.57	9.6	2.12
Uterus Corpus	-	-	-	-	-	10	24.4	3.64	20.6	2.96
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	14.4	3.32	10.5	2.22
Male Genital System	18	54.5	6.16	42.8	4.54	-	-	-	-	-
Prostate	16	48.1	5.90	36.9	4.24	-	-	-	-	-
Testis	2	5.3	1.63	5.0	1.50	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	47.0	6.46	32.6	4.07	7	21.7	4.05	15.3	2.66
Bladder (incl. <i>in situ</i>)	6	23.4	4.92	14.9	2.82	2	8.4	2.61	5.7	1.66
Kidney & renal pelvis	7	22.5	4.04	17.0	2.87	4	13.4	3.09	9.7	2.08
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	2	6.2	2.20	5.0	1.59	-	-	-	-	-
Brain	2	6.2	2.20	5.0	1.59	-	-	-	-	-
Endocrine System	-	-	-	-	-	6	15.9	2.94	14.5	2.62
Thyroid gland	-	-	-	-	-	6	15.9	2.94	14.5	2.62
Lymphomas	7	17.4	3.13	15.5	2.67	5	15.1	3.31	11.4	2.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	4	13.0	3.14	9.5	2.11
Multiple Myeloma	1	5.9	2.49	3.7	1.42	-	-	-	-	-
Leukemias	3	11.0	2.94	8.3	2.05	2	5.0	1.62	4.4	1.40
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	1	4.5	2.02	3.1	1.27	-	-	-	-	-
Acute myeloid	2	5.0	1.92	3.8	1.38	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	16.5	3.98	11.2	2.42	3	9.6	2.78	6.7	1.81
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	2	6.0	2.16	4.5	1.51	6	15.6	2.94	13.4	2.46
Breast (<i>in situ</i>)	-	-	-	-	-	6	16.5	3.15	13.3	2.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oregon, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	392	343.9	9.35	254.2	6.18	479	361.3	8.36	279.4	5.96
Oral Cavity & Pharynx	11	8.8	1.35	7.0	0.98	5	4.3	0.91	3.3	0.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	3.2	0.89	2.3	0.61	2	1.7	0.54	1.4	0.41
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.0	0.40	0.9	0.32	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	104	91.4	4.75	67.5	3.15	90	76.3	4.01	56.4	2.75
Esophagus	5	5.5	1.28	3.8	0.80	2	2.6	0.82	1.6	0.49
Stomach	13	12.0	1.80	8.2	1.11	10	8.3	1.33	6.0	0.89
Small intestine	2	2.2	0.77	1.6	0.50	3	2.1	0.59	1.8	0.49
Colon excl. rectum	27	23.3	2.40	17.2	1.59	24	19.1	1.96	14.4	1.37
Rectum & rectosigmoid	16	12.8	1.69	9.8	1.16	13	9.7	1.33	7.7	0.99
Anus, anal canal & anorectum	-	-	-	-	-	3	2.1	0.55	1.7	0.44
Liver	21	17.2	1.88	13.8	1.39	9	7.3	1.21	5.8	0.89
Gallbladder	2	1.2	0.49	0.9	0.34	3	2.2	0.68	1.6	0.46
Pancreas	13	12.8	1.85	9.1	1.19	15	14.2	1.83	9.8	1.19
Respiratory System	32	37.1	3.35	25.1	2.08	34	35.1	2.95	24.0	1.90
Larynx	3	2.2	0.68	1.8	0.51	-	-	-	-	-
Lung & bronchus	29	34.2	3.26	22.7	1.99	33	34.7	2.94	23.6	1.88
Bones & Joints	2	0.7	0.21	0.8	0.24	2	1.1	0.39	0.9	0.30
Soft Tissue (incl. heart)	7	5.3	1.11	4.1	0.76	5	3.2	0.77	2.4	0.51
Skin (excl. basal & sq.)	-	-	-	-	-	12	9.0	1.37	6.9	0.94
Melanomas of the skin	7	6.3	1.29	4.5	0.84	11	7.9	1.25	6.1	0.87
Breast (excl. <i>in situ</i>)	-	-	-	-	-	136	99.2	4.20	78.6	3.12
Female Genital System	-	-	-	-	-	69	46.4	2.77	38.3	2.14
Cervix uteri	-	-	-	-	-	13	7.2	0.95	6.4	0.81
Uterus Corpus	-	-	-	-	-	37	25.8	2.05	21.5	1.62
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	15	10.9	1.50	8.3	1.03
Male Genital System	93	83.7	4.50	63.8	3.13	-	-	-	-	-
Prostate	78	78.5	4.45	58.3	3.06	-	-	-	-	-
Testis	14	4.5	0.54	4.9	0.58	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	43	40.9	3.34	28.8	2.10	23	18.8	1.95	14.1	1.37
Bladder (incl. <i>in situ</i>)	17	20.2	2.52	13.3	1.51	5	5.4	1.17	3.4	0.70
Kidney & renal pelvis	25	19.9	2.14	15.0	1.43	17	12.3	1.49	9.9	1.13
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	2	1.5	0.71	1.0	0.41	-	-	-	-	-
Brain & Other CNS ¹	9	5.7	1.14	4.6	0.77	8	4.7	0.90	3.9	0.65
Brain	9	5.6	1.14	4.5	0.77	8	4.6	0.90	3.8	0.64
Endocrine System	11	7.0	1.15	5.7	0.83	42	21.9	1.68	19.4	1.38
Thyroid gland	10	6.5	1.13	5.2	0.80	40	20.7	1.61	18.5	1.35
Lymphomas	27	20.3	2.16	15.6	1.47	22	16.4	1.77	13.0	1.29
Hodgkin Lymphoma	3	1.5	0.40	1.4	0.38	4	2.1	0.58	1.8	0.43
Non-Hodgkin Lymphoma	24	18.8	2.12	14.2	1.42	19	14.3	1.68	11.3	1.22
Multiple Myeloma	7	6.8	1.38	4.7	0.85	4	4.7	1.09	3.2	0.70
Leukemias	22	13.7	1.76	11.3	1.20	14	8.2	1.16	7.0	0.87
Acute lymphocytic	-	-	-	-	-	6	2.3	0.52	2.3	0.45
Chronic lymphocytic	2	3.0	0.98	2.0	0.60	1	0.9	0.41	0.7	0.29
Acute myeloid	7	5.1	1.16	3.8	0.75	6	3.3	0.67	2.8	0.55
Chronic myeloid	3	2.0	0.65	1.6	0.46	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	1	1.5	0.69	1.0	0.43	-	-	-	-	-
Kaposi Sarcoma	1	1.0	0.48	0.6	0.26	-	-	-	-	-
Ill-defined & Unknown	9	10.3	1.81	6.8	1.07	11	11.8	1.74	7.7	1.07
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	8	3.9	0.73	3.5	0.59	20	14.1	1.62	11.0	1.16
Breast (<i>in situ</i>)	-	-	-	-	-	28	19.0	1.70	15.8	1.38

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

OREGON

334 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oregon, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9,768	465.2	2.18	345.0	1.65	9,589	424.1	2.05	328.5	1.66
Oral Cavity & Pharynx	407	19.0	0.44	15.0	0.35	165	7.1	0.26	5.5	0.21
Lip	18	0.9	0.09	0.6	0.07	8	0.3	0.05	0.2	0.04
Tongue	148	6.8	0.26	5.4	0.21	58	2.6	0.16	2.1	0.13
Major salivary gland	27	1.4	0.12	1.0	0.09	21	1.0	0.10	0.8	0.09
Floor of mouth	17	0.8	0.08	0.6	0.07	10	0.4	0.06	0.3	0.05
Gum & other mouth	38	1.8	0.14	1.3	0.10	33	1.4	0.11	0.9	0.08
Nasopharynx	9	0.5	0.07	0.4	0.06	3	0.1	0.03	0.1	0.03
Oropharynx	19	0.8	0.09	0.7	0.07	7	0.3	0.05	0.2	0.04
Hypopharynx	18	0.8	0.09	0.6	0.07	6	0.2	0.05	0.2	0.04
Digestive System	1,905	90.5	0.96	66.8	0.71	1,428	60.3	0.75	43.7	0.57
Esophagus	189	8.8	0.29	6.3	0.21	48	2.0	0.13	1.4	0.10
Stomach	144	6.9	0.27	5.0	0.19	69	3.0	0.17	2.2	0.13
Small intestine	54	2.7	0.17	2.0	0.12	49	2.1	0.14	1.6	0.11
Colon excl. rectum	515	25.6	0.52	18.3	0.38	540	22.9	0.46	15.9	0.34
Rectum & rectosigmoid	274	13.4	0.38	10.4	0.29	172	7.7	0.28	6.0	0.22
Anus, anal canal & anorectum	32	1.6	0.13	1.3	0.10	69	2.9	0.17	2.4	0.14
Liver	270	11.3	0.32	9.3	0.26	76	3.0	0.16	2.3	0.13
Gallbladder	15	0.8	0.09	0.5	0.05	27	1.1	0.10	0.8	0.07
Pancreas	319	15.1	0.39	10.8	0.28	281	11.5	0.32	8.1	0.23
Respiratory System	1,368	64.4	0.80	44.6	0.55	1,297	52.8	0.67	37.0	0.48
Larynx	90	4.1	0.20	3.1	0.15	19	0.8	0.08	0.6	0.07
Lung & bronchus	1,253	59.0	0.77	40.4	0.52	1,264	51.4	0.66	35.9	0.47
Bones & Joints	19	1.2	0.13	1.1	0.13	12	0.8	0.10	0.7	0.11
Soft Tissue (incl. heart)	71	3.7	0.21	3.0	0.18	61	3.0	0.19	2.6	0.17
Skin (excl. basal & sq.)	762	37.8	0.63	28.2	0.48	574	27.7	0.55	22.9	0.48
Melanomas of the skin	727	36.0	0.62	26.9	0.47	546	26.6	0.54	22.1	0.47
Breast (excl. <i>in situ</i>)	25	1.2	0.11	0.9	0.08	2,874	128.0	1.13	101.1	0.91
Female Genital System	-	-	-	-	-	1,173	52.0	0.72	42.1	0.60
Cervix uteri	-	-	-	-	-	119	7.0	0.30	6.2	0.27
Uterus Corpus	-	-	-	-	-	653	27.5	0.51	22.5	0.42
Uterus, NOS ¹	-	-	-	-	-	24	1.0	0.10	0.8	0.08
Ovary	-	-	-	-	-	267	11.9	0.34	9.3	0.28
Male Genital System	2,250	100.0	0.98	77.5	0.76	-	-	-	-	-
Prostate	2,120	91.5	0.91	69.2	0.68	-	-	-	-	-
Testis	111	7.5	0.32	7.6	0.33	-	-	-	-	-
Penis	16	0.8	0.09	0.5	0.06	-	-	-	-	-
Urinary System	1,266	61.2	0.79	42.7	0.56	469	19.8	0.43	14.5	0.33
Bladder (incl. <i>in situ</i>)	778	37.6	0.62	24.8	0.41	218	8.7	0.27	5.9	0.19
Kidney & renal pelvis	461	22.3	0.48	17.1	0.38	237	10.5	0.32	8.3	0.27
Ureter	18	0.9	0.09	0.5	0.06	10	0.4	0.06	0.3	0.04
Eye & Orbit	30	1.5	0.13	1.2	0.11	25	1.2	0.11	1.0	0.10
Brain & Other CNS ¹	171	9.2	0.33	7.9	0.30	126	6.5	0.28	5.8	0.27
Brain	166	8.9	0.32	7.6	0.29	118	5.9	0.26	5.2	0.25
Endocrine System	152	8.3	0.32	7.2	0.28	358	20.2	0.51	18.3	0.47
Thyroid gland	137	7.5	0.30	6.5	0.27	347	19.7	0.50	17.7	0.46
Lymphomas	506	25.5	0.53	19.5	0.42	411	18.4	0.43	14.2	0.36
Hodgkin Lymphoma	43	2.6	0.18	2.5	0.19	39	2.5	0.18	2.4	0.19
Non-Hodgkin Lymphoma	463	22.9	0.49	16.9	0.38	372	15.9	0.39	11.8	0.30
Multiple Myeloma	145	7.0	0.27	4.8	0.18	106	4.3	0.20	3.1	0.14
Leukemias	328	16.8	0.43	12.7	0.35	224	10.2	0.33	8.1	0.29
Acute lymphocytic	23	1.6	0.16	1.8	0.18	18	1.3	0.15	1.4	0.17
Chronic lymphocytic	127	6.1	0.25	4.3	0.18	84	3.3	0.17	2.3	0.12
Acute myeloid	104	5.2	0.24	3.9	0.19	74	3.4	0.19	2.7	0.16
Chronic myeloid	33	1.7	0.14	1.3	0.11	29	1.3	0.11	1.0	0.10
Other leukemias	40	2.1	0.15	1.5	0.11	19	0.9	0.09	0.6	0.08
Mesothelioma	33	1.7	0.13	1.0	0.08	9	0.4	0.06	0.2	0.04
Kaposi Sarcoma	5	0.3	0.06	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	323	15.9	0.41	10.7	0.28	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	141	7.5	0.30	6.3	0.26	240	11.4	0.35	9.3	0.30
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.03	556	25.7	0.52	20.9	0.42

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Oregon, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	184	523.4	19.36	399.6	13.53	132	400.3	16.06	307.2	12.04
Oral Cavity & Pharynx	4	9.4	2.35	7.6	1.81	2	5.8	1.99	4.5	1.49
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	40	113.3	8.87	87.0	6.28	25	77.9	7.19	57.7	5.21
Esophagus	1	3.9	1.59	3.0	1.16	-	-	-	-	-
Stomach	4	11.5	2.69	9.3	2.03	2	6.3	2.03	4.4	1.42
Small intestine	-	-	-	-	-	1	3.2	1.33	2.9	1.19
Colon excl. rectum	8	26.7	4.61	19.1	3.03	8	25.7	4.14	18.9	2.98
Rectum & rectosigmoid	4	9.8	2.55	7.6	1.78	2	6.5	1.92	5.6	1.62
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	12	30.6	4.24	25.3	3.30	2	6.7	2.21	4.7	1.49
Gallbladder	-	-	-	-	-	1	3.8	1.61	2.8	1.13
Pancreas	7	22.3	4.31	15.7	2.78	5	16.7	3.31	12.2	2.36
Respiratory System	27	82.5	8.01	60.4	5.37	18	59.2	6.44	40.5	4.31
Larynx	2	5.2	1.73	4.3	1.39	-	-	-	-	-
Lung & bronchus	24	76.0	7.79	54.9	5.15	18	58.7	6.42	40.0	4.29
Bones & Joints	1	2.5	1.01	2.3	0.95	-	-	-	-	-
Soft Tissue (incl. heart)	1	2.2	0.93	2.3	0.93	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	42	122.6	8.69	98.0	6.82
Female Genital System	-	-	-	-	-	14	40.6	5.03	33.1	4.00
Cervix uteri	-	-	-	-	-	1	3.8	1.59	3.0	1.22
Uterus Corpus	-	-	-	-	-	9	24.3	3.83	20.3	3.11
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	8.7	2.38	6.9	1.86
Male Genital System	62	171.5	10.96	132.5	7.73	-	-	-	-	-
Prostate	60	166.6	10.81	128.0	7.60	-	-	-	-	-
Testis	2	4.5	1.76	4.1	1.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	44.8	5.42	35.5	3.99	7	21.4	3.79	15.4	2.67
Bladder (incl. <i>in situ</i>)	5	14.6	3.27	10.8	2.26	3	11.2	2.80	7.5	1.85
Kidney & renal pelvis	11	28.4	4.08	23.6	3.19	3	9.7	2.52	7.5	1.88
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	7.0	2.06	6.0	1.58	2	4.4	1.61	3.9	1.38
Brain	3	6.7	2.04	5.6	1.53	-	-	-	-	-
Endocrine System	2	6.2	1.93	5.0	1.48	8	22.8	3.72	19.4	3.07
Thyroid gland	2	4.0	1.56	3.3	1.19	7	21.3	3.62	18.0	2.97
Lymphomas	9	23.6	3.93	18.8	2.90	5	14.0	3.04	10.4	2.19
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	13.9	3.48	9.4	2.17	2	7.0	2.15	5.2	1.59
Leukemias	6	20.0	4.05	14.6	2.71	3	9.0	2.28	7.6	1.86
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	7.7	2.54	5.4	1.68	-	-	-	-	-
Acute myeloid	2	5.9	2.05	4.5	1.44	2	4.8	1.76	3.6	1.29
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	18.1	4.19	11.7	2.41	4	11.2	2.74	8.1	1.91
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	4.6	1.58	4.1	1.33	4	10.7	2.54	8.5	1.96
Breast (<i>in situ</i>)	-	-	-	-	-	11	31.7	4.37	26.1	3.52

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

OREGON

336 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Pennsylvania, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	39,560	522.3	1.20	387.7	0.90	40,035	462.2	1.08	359.5	0.88
Oral Cavity & Pharynx	1,401	18.0	0.22	14.3	0.18	604	6.8	0.13	5.3	0.11
Lip	55	0.8	0.05	0.5	0.03	29	0.3	0.03	0.2	0.02
Tongue	443	5.6	0.12	4.5	0.10	187	2.1	0.07	1.7	0.06
Major salivary gland	118	1.6	0.07	1.2	0.05	90	1.1	0.05	0.9	0.05
Floor of mouth	70	0.9	0.05	0.7	0.04	28	0.3	0.03	0.2	0.02
Gum & other mouth	168	2.2	0.08	1.7	0.06	126	1.4	0.06	1.0	0.04
Nasopharynx	49	0.7	0.04	0.6	0.04	24	0.3	0.03	0.3	0.03
Oropharynx	63	0.8	0.04	0.6	0.04	21	0.2	0.02	0.2	0.02
Hypopharynx	93	1.2	0.05	0.9	0.04	21	0.2	0.02	0.2	0.02
Digestive System	7,876	104.0	0.54	76.1	0.40	6,277	68.0	0.40	49.3	0.31
Esophagus	709	9.2	0.16	6.7	0.12	192	2.0	0.07	1.4	0.05
Stomach	665	8.9	0.16	6.3	0.11	362	4.0	0.10	2.9	0.07
Small intestine	223	3.0	0.09	2.2	0.07	199	2.2	0.07	1.7	0.06
Colon excl. rectum	2,372	32.2	0.30	22.8	0.22	2,468	26.5	0.25	18.7	0.19
Rectum & rectosigmoid	1,137	15.2	0.21	11.6	0.16	819	9.4	0.15	7.2	0.12
Anus, anal canal & anorectum	118	1.5	0.07	1.2	0.05	207	2.4	0.08	1.9	0.06
Liver	952	11.6	0.17	9.2	0.14	289	3.1	0.09	2.4	0.07
Gallbladder	60	0.8	0.05	0.5	0.03	128	1.3	0.05	0.9	0.04
Pancreas	1,270	16.7	0.21	11.9	0.15	1,185	12.4	0.17	8.7	0.12
Respiratory System	6,150	80.6	0.47	56.7	0.33	5,471	58.6	0.36	42.5	0.27
Larynx	470	6.0	0.13	4.5	0.10	136	1.5	0.06	1.2	0.05
Lung & bronchus	5,594	73.4	0.45	51.3	0.31	5,273	56.4	0.36	40.8	0.26
Bones & Joints	77	1.2	0.06	1.1	0.06	60	0.8	0.05	0.8	0.05
Soft Tissue (incl. heart)	267	3.8	0.11	3.0	0.09	221	2.8	0.09	2.4	0.08
Skin (excl. basal & sq.)	2,404	32.8	0.31	24.0	0.23	1,724	21.6	0.24	17.8	0.21
Melanomas of the skin	2,223	30.2	0.29	22.3	0.22	1,601	20.2	0.24	16.7	0.21
Breast (excl. <i>in situ</i>)	108	1.4	0.06	1.0	0.05	11,177	132.3	0.59	104.6	0.48
Female Genital System	-	-	-	-	-	4,966	57.4	0.38	46.4	0.32
Cervix uteri	-	-	-	-	-	510	7.3	0.15	6.4	0.14
Uterus Corpus	-	-	-	-	-	2,881	32.1	0.28	26.0	0.23
Uterus, NOS ¹	-	-	-	-	-	48	0.5	0.03	0.4	0.03
Ovary	-	-	-	-	-	1,013	11.8	0.17	9.3	0.14
Male Genital System	8,956	111.3	0.54	87.3	0.42	-	-	-	-	-
Prostate	8,493	103.7	0.51	80.0	0.39	-	-	-	-	-
Testis	381	6.4	0.15	6.5	0.15	-	-	-	-	-
Penis	65	0.9	0.05	0.6	0.04	-	-	-	-	-
Urinary System	5,004	67.4	0.44	47.4	0.31	2,135	23.6	0.24	17.4	0.18
Bladder (incl. <i>in situ</i>)	3,074	41.5	0.34	27.5	0.23	1,012	10.6	0.15	7.4	0.11
Kidney & renal pelvis	1,811	24.2	0.26	18.8	0.21	1,060	12.3	0.18	9.6	0.14
Ureter	73	1.0	0.05	0.7	0.03	43	0.4	0.03	0.3	0.02
Eye & Orbit	76	1.1	0.06	0.9	0.05	71	0.9	0.05	0.8	0.05
Brain & Other CNS ¹	601	8.7	0.16	7.4	0.15	463	5.9	0.13	5.1	0.12
Brain	569	8.2	0.16	7.0	0.14	426	5.3	0.12	4.6	0.11
Endocrine System	750	10.8	0.18	9.3	0.16	2,050	29.8	0.31	27.0	0.28
Thyroid gland	690	9.9	0.18	8.5	0.15	1,990	29.0	0.30	26.2	0.28
Lymphomas	2,070	28.7	0.29	22.1	0.23	1,780	20.7	0.23	16.1	0.19
Hodgkin Lymphoma	240	3.8	0.11	3.6	0.11	185	2.8	0.10	2.8	0.10
Non-Hodgkin Lymphoma	1,830	25.0	0.27	18.6	0.20	1,594	17.9	0.21	13.4	0.16
Multiple Myeloma	646	8.6	0.15	6.1	0.11	521	5.6	0.11	4.1	0.09
Leukemias	1,398	19.4	0.24	14.5	0.19	992	11.6	0.17	9.2	0.15
Acute lymphocytic	112	1.9	0.08	2.0	0.09	91	1.5	0.07	1.6	0.08
Chronic lymphocytic	547	7.2	0.14	5.1	0.10	339	3.5	0.09	2.5	0.06
Acute myeloid	411	5.7	0.13	4.1	0.10	328	3.9	0.10	3.1	0.09
Chronic myeloid	171	2.4	0.08	1.8	0.07	130	1.6	0.06	1.2	0.05
Other leukemias	156	2.2	0.08	1.5	0.06	103	1.1	0.05	0.8	0.04
Mesothelioma	143	2.0	0.08	1.2	0.05	48	0.5	0.03	0.4	0.03
Kaposi Sarcoma	25	0.4	0.04	0.4	0.03	5	0.1	0.01	0.0	0.01
Ill-defined & Unknown	1,606	22.0	0.25	14.7	0.17	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	718	10.2	0.17	8.0	0.14	1,487	17.9	0.22	14.3	0.18
Breast (<i>in situ</i>)	12	0.2	0.02	0.1	0.02	2,735	33.9	0.30	27.7	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Pennsylvania, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	34,695	512.0	1.26	379.0	0.96	35,246	463.0	1.17	360.2	0.96
Oral Cavity & Pharynx	1,260	18.2	0.24	14.5	0.19	534	6.8	0.14	5.3	0.11
Lip	51	0.8	0.05	0.5	0.03	25	0.3	0.03	0.2	0.02
Tongue	415	6.0	0.13	4.8	0.11	170	2.2	0.08	1.7	0.07
Major salivary gland	105	1.6	0.07	1.2	0.06	78	1.1	0.06	0.8	0.05
Floor of mouth	62	0.9	0.05	0.7	0.04	26	0.3	0.03	0.2	0.02
Gum & other mouth	146	2.1	0.08	1.6	0.06	112	1.3	0.06	1.0	0.05
Nasopharynx	35	0.5	0.04	0.4	0.03	17	0.2	0.03	0.2	0.03
Oropharynx	55	0.8	0.05	0.6	0.04	18	0.2	0.03	0.2	0.02
Hypopharynx	80	1.1	0.06	0.9	0.04	17	0.2	0.02	0.2	0.02
Digestive System	6,868	101.4	0.56	73.9	0.42	5,404	65.6	0.42	47.3	0.32
Esophagus	653	9.4	0.17	6.9	0.12	162	1.9	0.07	1.4	0.05
Stomach	563	8.4	0.16	6.0	0.12	289	3.5	0.10	2.5	0.07
Small intestine	190	2.8	0.09	2.1	0.07	162	2.1	0.08	1.6	0.06
Colon excl. rectum	2,106	31.9	0.32	22.6	0.23	2,177	26.2	0.26	18.4	0.20
Rectum & rectosigmoid	1,018	15.3	0.22	11.7	0.17	698	9.1	0.16	7.0	0.13
Anus, anal canal & anorectum	100	1.5	0.07	1.1	0.05	185	2.4	0.08	2.0	0.07
Liver	719	9.9	0.17	7.7	0.13	215	2.6	0.08	2.0	0.07
Gallbladder	50	0.7	0.05	0.5	0.03	103	1.2	0.05	0.8	0.04
Pancreas	1,142	16.7	0.23	11.8	0.16	1,035	12.1	0.17	8.5	0.13
Respiratory System	5,502	79.8	0.49	56.1	0.35	4,821	58.0	0.38	42.1	0.29
Larynx	415	5.9	0.13	4.5	0.10	119	1.5	0.06	1.2	0.05
Lung & bronchus	5,012	72.7	0.47	50.7	0.33	4,647	55.8	0.38	40.3	0.28
Bones & Joints	69	1.2	0.07	1.2	0.07	53	0.9	0.06	0.9	0.06
Soft Tissue (incl. heart)	234	3.8	0.11	2.9	0.09	190	2.8	0.10	2.4	0.09
Skin (excl. basal & sq.)	2,189	33.4	0.33	24.5	0.25	1,533	22.2	0.27	18.3	0.24
Melanomas of the skin	2,028	30.9	0.32	22.8	0.24	1,427	20.9	0.26	17.3	0.23
Breast (excl. <i>in situ</i>)	95	1.4	0.07	1.0	0.05	9,901	133.7	0.64	105.7	0.52
Female Genital System	-	-	-	-	-	4,396	58.0	0.41	46.8	0.34
Cervix uteri	-	-	-	-	-	408	7.0	0.16	6.1	0.15
Uterus Corpus	-	-	-	-	-	2,573	32.7	0.30	26.5	0.25
Uterus, NOS ¹	-	-	-	-	-	36	0.4	0.03	0.3	0.03
Ovary	-	-	-	-	-	913	12.1	0.19	9.6	0.16
Male Genital System	7,373	102.7	0.55	80.5	0.43	-	-	-	-	-
Prostate	6,946	94.3	0.52	72.4	0.39	-	-	-	-	-
Testis	353	7.2	0.18	7.3	0.18	-	-	-	-	-
Penis	59	0.9	0.05	0.6	0.04	-	-	-	-	-
Urinary System	4,576	68.4	0.46	47.9	0.33	1,907	23.8	0.26	17.6	0.20
Bladder (incl. <i>in situ</i>)	2,890	43.0	0.36	28.6	0.24	933	11.0	0.17	7.7	0.12
Kidney & renal pelvis	1,573	23.6	0.28	18.3	0.22	916	12.1	0.19	9.5	0.16
Ureter	68	1.0	0.06	0.7	0.04	41	0.5	0.03	0.3	0.02
Eye & Orbit	52	0.8	0.05	0.7	0.05	48	0.7	0.05	0.6	0.05
Brain & Other CNS ¹	539	8.9	0.18	7.6	0.16	420	6.1	0.14	5.3	0.14
Brain	513	8.4	0.17	7.2	0.16	388	5.6	0.14	4.8	0.13
Endocrine System	670	11.1	0.20	9.6	0.18	1,787	30.9	0.35	28.0	0.32
Thyroid gland	623	10.3	0.19	8.8	0.17	1,738	30.1	0.34	27.3	0.32
Lymphomas	1,853	28.9	0.31	22.2	0.25	1,592	20.9	0.25	16.3	0.21
Hodgkin Lymphoma	204	3.8	0.12	3.6	0.12	158	2.9	0.11	2.8	0.11
Non-Hodgkin Lymphoma	1,649	25.1	0.28	18.6	0.22	1,433	18.1	0.22	13.4	0.18
Multiple Myeloma	542	8.0	0.16	5.6	0.11	404	4.8	0.11	3.5	0.08
Leukemias	1,270	19.6	0.25	14.7	0.20	892	11.9	0.19	9.4	0.17
Acute lymphocytic	92	1.8	0.09	1.9	0.10	75	1.5	0.08	1.6	0.09
Chronic lymphocytic	510	7.4	0.15	5.2	0.11	315	3.7	0.10	2.6	0.07
Acute myeloid	373	5.8	0.14	4.1	0.10	295	4.0	0.11	3.1	0.09
Chronic myeloid	154	2.4	0.09	1.8	0.07	116	1.6	0.07	1.3	0.06
Other leukemias	140	2.2	0.08	1.6	0.06	91	1.1	0.06	0.8	0.05
Mesothelioma	135	2.1	0.08	1.3	0.05	44	0.5	0.04	0.4	0.03
Kaposi Sarcoma	14	0.3	0.03	0.2	0.03	3	0.0	0.01	0.0	0.01
Ill-defined & Unknown	1,453	22.1	0.26	14.6	0.18	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	630	10.1	0.19	8.0	0.15	1,292	17.8	0.24	14.2	0.20
Breast (<i>in situ</i>)	10	0.2	0.02	0.1	0.02	2,350	33.5	0.33	27.4	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Pennsylvania, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,369	551.9	4.49	419.6	3.26	3,612	443.8	3.37	343.6	2.62
Oral Cavity & Pharynx	99	15.5	0.73	12.3	0.56	49	5.9	0.38	4.8	0.32
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	22	3.5	0.35	2.7	0.26	10	1.1	0.16	0.9	0.14
Major salivary gland	10	1.6	0.24	1.2	0.18	11	1.3	0.18	1.1	0.16
Floor of mouth	5	0.8	0.18	0.6	0.13	2	0.2	0.08	0.2	0.07
Gum & other mouth	11	1.7	0.25	1.3	0.18	8	1.0	0.16	0.8	0.13
Nasopharynx	8	1.2	0.20	1.0	0.16	4	0.5	0.12	0.4	0.10
Oropharynx	7	1.0	0.18	0.8	0.14	2	0.2	0.08	0.2	0.06
Hypopharynx	12	1.9	0.27	1.5	0.19	4	0.4	0.10	0.4	0.08
Digestive System	778	128.3	2.18	96.6	1.56	688	83.9	1.46	62.7	1.10
Esophagus	43	7.1	0.51	5.3	0.37	26	3.2	0.28	2.3	0.20
Stomach	74	13.4	0.73	9.4	0.49	53	6.7	0.42	4.8	0.30
Small intestine	28	4.7	0.42	3.6	0.31	32	4.0	0.32	3.1	0.25
Colon excl. rectum	208	35.8	1.17	26.1	0.81	233	28.5	0.85	21.2	0.64
Rectum & rectosigmoid	79	12.9	0.68	9.8	0.50	82	10.0	0.50	7.9	0.40
Anus, anal canal & anorectum	17	2.5	0.29	2.1	0.23	19	2.2	0.23	1.8	0.19
Liver	185	26.7	0.92	22.1	0.73	55	6.4	0.39	5.2	0.32
Gallbladder	7	1.5	0.26	1.0	0.16	21	2.6	0.26	1.9	0.19
Pancreas	107	18.5	0.85	13.4	0.59	129	15.7	0.63	11.1	0.45
Respiratory System	541	95.1	1.93	68.2	1.32	570	69.3	1.32	50.9	0.97
Larynx	46	7.8	0.54	5.8	0.38	15	1.8	0.21	1.4	0.16
Lung & bronchus	488	86.3	1.85	61.6	1.26	551	67.0	1.30	49.1	0.95
Bones & Joints	4	0.5	0.12	0.5	0.11	4	0.5	0.12	0.5	0.11
Soft Tissue (incl. heart)	22	3.3	0.33	2.8	0.27	22	2.8	0.27	2.3	0.23
Skin (excl. basal & sq.)	14	2.2	0.27	1.8	0.21	14	1.7	0.21	1.4	0.17
Melanomas of the skin	6	1.0	0.19	0.8	0.14	6	0.8	0.14	0.6	0.12
Breast (excl. <i>in situ</i>)	10	1.6	0.25	1.2	0.18	1,018	126.2	1.80	99.5	1.43
Female Genital System	-	-	-	-	-	440	53.2	1.16	42.9	0.93
Cervix uteri	-	-	-	-	-	75	9.6	0.51	8.1	0.43
Uterus Corpus	-	-	-	-	-	246	29.0	0.84	23.3	0.67
Uterus, NOS ¹	-	-	-	-	-	9	1.1	0.17	0.9	0.13
Ovary	-	-	-	-	-	69	8.4	0.46	6.7	0.37
Male Genital System	1,031	159.5	2.34	125.8	1.76	-	-	-	-	-
Prostate	1,014	157.0	2.32	123.7	1.75	-	-	-	-	-
Testis	11	1.6	0.21	1.5	0.20	-	-	-	-	-
Penis	3	0.7	0.18	0.4	0.11	-	-	-	-	-
Urinary System	341	57.8	1.48	42.9	1.05	190	23.3	0.77	17.5	0.58
Bladder (incl. <i>in situ</i>)	133	24.8	1.02	16.8	0.66	60	7.6	0.44	5.1	0.30
Kidney & renal pelvis	203	32.1	1.05	25.5	0.81	125	15.2	0.62	12.0	0.49
Ureter	4	0.7	0.18	0.5	0.12	1	0.2	0.07	0.1	0.05
Eye & Orbit	3	0.3	0.08	0.4	0.10	1	0.2	0.06	0.2	0.07
Brain & Other CNS ¹	37	5.6	0.43	4.8	0.36	30	3.7	0.30	3.2	0.27
Brain	33	4.9	0.40	4.3	0.34	26	3.2	0.28	2.7	0.25
Endocrine System	43	6.4	0.45	5.5	0.38	157	20.0	0.73	17.5	0.64
Thyroid gland	35	5.3	0.41	4.4	0.34	150	19.0	0.71	16.7	0.62
Lymphomas	144	22.3	0.88	18.2	0.68	130	15.9	0.64	12.9	0.52
Hodgkin Lymphoma	26	3.5	0.32	3.3	0.29	20	2.5	0.25	2.4	0.24
Non-Hodgkin Lymphoma	118	18.8	0.81	14.9	0.62	109	13.4	0.59	10.5	0.46
Multiple Myeloma	90	16.0	0.80	11.5	0.54	105	13.2	0.59	9.7	0.43
Leukemias	82	13.5	0.71	10.4	0.52	69	8.4	0.46	6.6	0.37
Acute lymphocytic	11	1.4	0.20	1.5	0.20	7	0.8	0.14	0.8	0.14
Chronic lymphocytic	22	3.9	0.40	2.8	0.26	17	2.0	0.22	1.4	0.16
Acute myeloid	28	4.6	0.42	3.6	0.31	25	3.1	0.28	2.5	0.23
Chronic myeloid	11	1.8	0.26	1.3	0.18	11	1.3	0.19	1.1	0.15
Other leukemias	10	1.8	0.26	1.3	0.18	9	1.1	0.17	0.8	0.13
Mesothelioma	5	1.1	0.22	0.7	0.13	2	0.3	0.09	0.2	0.06
Kaposi Sarcoma	9	1.2	0.19	1.2	0.18	-	-	-	-	-
Ill-defined & Unknown	118	21.7	0.95	15.0	0.62	122	15.1	0.62	10.5	0.44
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	59	9.7	0.60	7.5	0.44	142	17.9	0.69	14.1	0.54
Breast (<i>in situ</i>)	1	0.2	0.09	0.2	0.06	299	36.8	0.97	29.7	0.78

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

**Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Pennsylvania, 2013-2017, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	451	277.7	6.27	203.2	4.30	578	281.4	5.46	220.1	4.11
Oral Cavity & Pharynx	21	11.3	1.13	9.1	0.89	12	6.1	0.82	4.5	0.59
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	1.9	0.50	1.4	0.35	4	2.1	0.50	1.5	0.33
Major salivary gland	2	0.9	0.32	0.7	0.25	1	0.7	0.27	0.5	0.21
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	7	3.7	0.64	3.0	0.51	3	1.5	0.43	1.0	0.28
Nasopharynx	5	2.5	0.51	2.1	0.42	3	1.1	0.30	1.0	0.27
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	132	82.9	3.45	59.4	2.32	112	60.7	2.69	42.8	1.81
Esophagus	7	4.4	0.80	3.1	0.53	2	1.2	0.40	0.7	0.23
Stomach	18	11.8	1.31	8.2	0.87	15	8.2	1.00	5.6	0.66
Small intestine	2	1.1	0.32	0.9	0.28	2	1.1	0.36	0.8	0.25
Colon excl. rectum	28	19.4	1.76	13.0	1.10	34	17.8	1.43	12.9	0.99
Rectum & rectosigmoid	21	11.7	1.20	9.1	0.90	22	10.7	1.07	8.2	0.79
Anus, anal canal & anorectum	-	-	-	-	-	1	0.6	0.28	0.5	0.19
Liver	32	17.8	1.48	13.9	1.11	11	6.7	0.93	4.4	0.59
Gallbladder	2	1.1	0.38	0.9	0.28	2	1.3	0.40	0.9	0.26
Pancreas	13	9.3	1.22	6.2	0.76	15	8.5	1.03	5.7	0.67
Respiratory System	64	43.2	2.60	29.3	1.65	54	29.7	1.90	20.9	1.28
Larynx	3	2.1	0.54	1.5	0.37	-	-	-	-	-
Lung & bronchus	58	39.7	2.50	26.8	1.58	52	29.0	1.88	20.3	1.26
Bones & Joints	2	1.0	0.37	0.8	0.26	-	-	-	-	-
Soft Tissue (incl. heart)	4	2.5	0.57	1.9	0.41	4	1.6	0.40	1.3	0.32
Skin (excl. basal & sq.)	3	2.1	0.56	1.5	0.38	5	2.4	0.51	1.8	0.38
Melanomas of the skin	3	1.6	0.50	1.2	0.34	3	1.7	0.43	1.3	0.32
Breast (excl. <i>in situ</i>)	2	1.1	0.39	0.8	0.27	172	79.3	2.79	64.5	2.21
Female Genital System	-	-	-	-	-	78	35.7	1.86	29.5	1.49
Cervix uteri	-	-	-	-	-	14	6.2	0.75	5.3	0.63
Uterus Corpus	-	-	-	-	-	36	16.6	1.26	13.7	1.02
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	23	10.5	1.01	8.7	0.81
Male Genital System	83	50.1	2.61	37.3	1.83	-	-	-	-	-
Prostate	76	47.1	2.55	34.3	1.76	-	-	-	-	-
Testis	6	2.2	0.44	2.3	0.44	-	-	-	-	-
Penis	1	0.6	0.27	0.5	0.21	-	-	-	-	-
Urinary System	37	24.0	1.90	16.8	1.24	17	9.2	1.06	6.5	0.72
Bladder (incl. <i>in situ</i>)	21	14.6	1.55	9.6	0.95	7	4.4	0.75	2.9	0.48
Kidney & renal pelvis	15	8.8	1.07	6.8	0.78	8	4.3	0.70	3.2	0.51
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	1	0.5	0.22	0.7	0.27
Brain & Other CNS ¹	12	6.7	0.93	5.6	0.72	6	2.8	0.52	2.6	0.47
Brain	11	6.2	0.90	5.2	0.69	6	2.5	0.47	2.3	0.44
Endocrine System	21	10.4	1.03	9.0	0.88	62	25.7	1.50	23.2	1.32
Thyroid gland	19	9.0	0.97	7.8	0.81	61	25.0	1.48	22.5	1.29
Lymphomas	25	14.2	1.37	11.0	0.99	24	11.4	1.08	9.4	0.86
Hodgkin Lymphoma	4	1.8	0.39	1.8	0.39	3	1.0	0.27	1.1	0.30
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	5.7	0.88	4.1	0.61	4	2.1	0.49	1.6	0.35
Leukemias	16	9.4	1.15	7.4	0.84	12	5.4	0.75	4.7	0.63
Acute lymphocytic	3	1.2	0.33	1.4	0.38	3	1.5	0.40	1.5	0.37
Chronic lymphocytic	2	1.7	0.52	1.1	0.32	-	-	-	-	-
Acute myeloid	6	3.9	0.75	2.9	0.53	5	2.2	0.47	1.9	0.38
Chronic myeloid	3	1.6	0.45	1.3	0.34	2	0.8	0.28	0.7	0.23
Other leukemias	1	1.0	0.42	0.6	0.25	1	0.6	0.25	0.5	0.21
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	18	12.1	1.39	8.2	0.88	14	7.7	0.98	5.3	0.64
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	16	9.0	1.09	7.0	0.79	26	12.6	1.16	9.8	0.87
Breast (<i>in situ</i>)	-	-	-	-	-	59	26.2	1.56	22.0	1.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Pennsylvania, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	868	391.6	6.73	290.9	4.58	961	343.4	5.30	269.6	3.95
Oral Cavity & Pharynx	29	12.1	1.12	9.3	0.80	11	4.3	0.63	3.1	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	2.6	0.56	1.8	0.35	3	1.7	0.42	1.1	0.26
Major salivary gland	3	1.1	0.31	1.0	0.25	2	0.6	0.20	0.5	0.16
Floor of mouth	2	0.6	0.25	0.5	0.18	-	-	-	-	-
Gum & other mouth	5	2.4	0.53	1.7	0.35	1	0.6	0.23	0.4	0.15
Nasopharynx	2	0.7	0.21	0.6	0.19	-	-	-	-	-
Oropharynx	1	0.6	0.25	0.4	0.18	-	-	-	-	-
Hypopharynx	3	1.3	0.35	1.0	0.27	-	-	-	-	-
Digestive System	221	99.7	3.37	74.3	2.31	156	61.2	2.33	45.4	1.65
Esophagus	11	5.4	0.78	4.0	0.54	3	1.5	0.37	1.0	0.25
Stomach	27	13.4	1.30	9.4	0.85	17	6.7	0.77	5.0	0.54
Small intestine	5	1.8	0.41	1.4	0.31	5	2.0	0.41	1.5	0.30
Colon excl. rectum	56	26.2	1.76	19.0	1.18	48	18.9	1.30	13.9	0.90
Rectum & rectosigmoid	28	11.9	1.12	9.1	0.79	23	8.2	0.81	6.4	0.61
Anus, anal canal & anorectum	4	1.5	0.37	1.2	0.27	8	2.8	0.48	2.3	0.37
Liver	54	21.7	1.45	17.6	1.10	14	5.4	0.69	4.2	0.51
Gallbladder	2	1.5	0.49	0.9	0.27	5	2.2	0.46	1.6	0.31
Pancreas	24	11.2	1.13	8.4	0.78	21	9.2	0.95	6.3	0.62
Respiratory System	97	51.3	2.59	35.5	1.66	67	28.0	1.63	20.2	1.12
Larynx	12	5.7	0.85	4.0	0.55	2	0.9	0.31	0.7	0.20
Lung & bronchus	83	44.9	2.43	30.9	1.55	63	26.7	1.59	19.2	1.10
Bones & Joints	4	0.9	0.22	0.9	0.21	3	0.8	0.24	0.8	0.19
Soft Tissue (incl. heart)	8	2.6	0.49	2.1	0.35	8	2.4	0.42	2.1	0.34
Skin (excl. basal & sq.)	13	6.4	0.91	4.4	0.58	17	5.7	0.66	4.7	0.52
Melanomas of the skin	11	5.5	0.84	3.8	0.53	15	4.9	0.60	4.1	0.48
Breast (excl. <i>in situ</i>)	2	0.7	0.28	0.5	0.18	260	92.2	2.70	73.1	2.05
Female Genital System	-	-	-	-	-	153	52.9	2.02	42.7	1.56
Cervix uteri	-	-	-	-	-	35	10.4	0.83	8.8	0.68
Uterus Corpus	-	-	-	-	-	76	27.1	1.45	22.0	1.14
Uterus, NOS ¹	-	-	-	-	-	1	0.4	0.18	0.3	0.13
Ovary	-	-	-	-	-	27	9.4	0.86	7.6	0.66
Male Genital System	221	99.4	3.33	75.8	2.35	-	-	-	-	-
Prostate	196	92.8	3.25	69.8	2.28	-	-	-	-	-
Testis	20	4.0	0.41	4.2	0.42	-	-	-	-	-
Penis	5	2.5	0.56	1.8	0.35	-	-	-	-	-
Urinary System	91	44.2	2.34	31.3	1.52	44	16.1	1.15	12.3	0.84
Bladder (incl. <i>in situ</i>)	39	23.1	1.81	15.0	1.10	12	4.9	0.68	3.4	0.45
Kidney & renal pelvis	51	20.8	1.46	16.0	1.04	32	10.8	0.91	8.7	0.70
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	2	0.7	0.26	0.5	0.17	2	0.5	0.18	0.5	0.16
Brain & Other CNS ¹	19	5.9	0.74	5.0	0.54	17	5.7	0.69	4.6	0.51
Brain	17	5.6	0.74	4.6	0.53	16	5.3	0.66	4.3	0.49
Endocrine System	19	5.7	0.66	5.0	0.54	94	26.6	1.28	23.8	1.11
Thyroid gland	16	5.1	0.64	4.3	0.51	91	25.6	1.26	22.9	1.09
Lymphomas	57	22.6	1.55	17.6	1.09	52	19.3	1.29	14.9	0.93
Hodgkin Lymphoma	11	3.1	0.52	2.7	0.40	10	2.6	0.41	2.4	0.35
Non-Hodgkin Lymphoma	46	19.4	1.45	14.8	1.02	43	16.6	1.22	12.4	0.87
Multiple Myeloma	16	8.0	1.00	5.7	0.66	18	7.2	0.80	5.4	0.58
Leukemias	37	14.4	1.26	11.1	0.85	29	8.7	0.82	7.4	0.62
Acute lymphocytic	11	2.3	0.37	2.4	0.34	8	1.8	0.30	1.9	0.29
Chronic lymphocytic	8	4.2	0.74	2.9	0.47	4	1.8	0.44	1.2	0.28
Acute myeloid	9	3.8	0.69	2.6	0.42	10	2.8	0.44	2.4	0.35
Chronic myeloid	7	2.7	0.51	2.1	0.37	3	1.0	0.29	0.8	0.21
Other leukemias	3	1.5	0.41	1.1	0.27	4	1.3	0.32	1.1	0.25
Mesothelioma	2	1.6	0.51	0.9	0.27	-	-	-	-	-
Kaposi Sarcoma	3	1.2	0.36	0.9	0.24	-	-	-	-	-
Ill-defined & Unknown	28	14.2	1.34	10.0	0.87	29	11.5	1.03	8.3	0.70
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	24	9.5	1.02	7.1	0.69	53	18.0	1.18	14.4	0.89
Breast (<i>in situ</i>)	-	-	-	-	-	78	26.2	1.38	21.5	1.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

PENNSYLVANIA

342 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Pennsylvania, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	34,051	517.3	1.29	383.4	0.98	34,515	468.2	1.20	364.7	0.99
Oral Cavity & Pharynx	1,237	18.4	0.24	14.7	0.20	525	6.9	0.14	5.4	0.12
Lip	50	0.8	0.05	0.5	0.03	25	0.3	0.03	0.2	0.02
Tongue	410	6.1	0.14	4.9	0.11	168	2.2	0.08	1.8	0.07
Major salivary gland	103	1.6	0.07	1.2	0.06	76	1.1	0.06	0.9	0.05
Floor of mouth	61	0.9	0.05	0.7	0.04	26	0.3	0.03	0.2	0.02
Gum & other mouth	142	2.1	0.08	1.6	0.06	111	1.4	0.06	1.0	0.05
Nasopharynx	34	0.5	0.04	0.4	0.03	16	0.2	0.03	0.2	0.03
Oropharynx	54	0.8	0.05	0.6	0.04	18	0.2	0.03	0.2	0.02
Hypopharynx	78	1.1	0.06	0.9	0.04	17	0.2	0.02	0.2	0.02
Digestive System	6,699	101.7	0.57	74.1	0.42	5,287	65.9	0.43	47.5	0.33
Esophagus	645	9.5	0.17	7.0	0.13	159	1.9	0.07	1.4	0.05
Stomach	541	8.2	0.16	5.9	0.12	276	3.4	0.10	2.4	0.07
Small intestine	187	2.9	0.10	2.1	0.07	159	2.1	0.08	1.6	0.06
Colon excl. rectum	2,064	32.1	0.33	22.8	0.24	2,141	26.4	0.27	18.6	0.21
Rectum & rectosigmoid	995	15.5	0.23	11.8	0.18	681	9.1	0.17	7.0	0.13
Anus, anal canal & anorectum	97	1.5	0.07	1.1	0.05	178	2.4	0.08	1.9	0.07
Liver	679	9.6	0.17	7.5	0.13	206	2.6	0.09	2.0	0.07
Gallbladder	48	0.7	0.05	0.5	0.03	99	1.2	0.05	0.8	0.04
Pancreas	1,121	16.8	0.23	11.9	0.16	1,019	12.2	0.18	8.6	0.13
Respiratory System	5,427	80.6	0.50	56.7	0.35	4,769	58.9	0.39	42.7	0.30
Larynx	407	6.0	0.14	4.5	0.10	118	1.5	0.06	1.2	0.05
Lung & bronchus	4,946	73.5	0.48	51.3	0.33	4,598	56.6	0.38	41.0	0.29
Bones & Joints	66	1.2	0.07	1.2	0.07	52	0.9	0.06	0.9	0.06
Soft Tissue (incl. heart)	229	3.8	0.12	3.0	0.10	185	2.8	0.10	2.4	0.10
Skin (excl. basal & sq.)	2,179	34.4	0.34	25.3	0.26	1,520	23.0	0.28	19.1	0.25
Melanomas of the skin	2,019	31.8	0.33	23.6	0.25	1,415	21.7	0.28	18.1	0.24
Breast (excl. <i>in situ</i>)	94	1.4	0.07	1.0	0.05	9,700	135.4	0.65	107.1	0.53
Female Genital System	-	-	-	-	-	4,271	58.1	0.42	47.0	0.35
Cervix uteri	-	-	-	-	-	381	6.8	0.17	6.0	0.15
Uterus Corpus	-	-	-	-	-	2,511	32.9	0.31	26.7	0.25
Uterus, NOS ¹	-	-	-	-	-	35	0.4	0.03	0.3	0.03
Ovary	-	-	-	-	-	891	12.1	0.19	9.6	0.16
Male Genital System	7,221	103.5	0.56	81.2	0.45	-	-	-	-	-
Prostate	6,812	94.9	0.52	72.9	0.40	-	-	-	-	-
Testis	339	7.5	0.19	7.6	0.19	-	-	-	-	-
Penis	55	0.9	0.05	0.6	0.04	-	-	-	-	-
Urinary System	4,504	69.0	0.47	48.5	0.34	1,876	24.0	0.26	17.8	0.21
Bladder (incl. <i>in situ</i>)	2,859	43.5	0.37	28.9	0.25	925	11.2	0.17	7.8	0.13
Kidney & renal pelvis	1,532	23.8	0.28	18.4	0.22	893	12.2	0.19	9.5	0.16
Ureter	68	1.0	0.06	0.7	0.04	40	0.5	0.03	0.3	0.02
Eye & Orbit	50	0.8	0.06	0.7	0.05	47	0.7	0.05	0.6	0.05
Brain & Other CNS ¹	527	9.2	0.19	7.9	0.17	407	6.2	0.15	5.4	0.14
Brain	502	8.7	0.18	7.4	0.17	376	5.6	0.14	4.8	0.13
Endocrine System	657	11.4	0.21	9.9	0.19	1,718	31.4	0.36	28.5	0.34
Thyroid gland	612	10.6	0.20	9.1	0.18	1,670	30.6	0.36	27.8	0.33
Lymphomas	1,811	29.3	0.32	22.5	0.26	1,553	21.1	0.26	16.4	0.22
Hodgkin Lymphoma	197	3.9	0.13	3.8	0.13	152	2.9	0.11	2.9	0.12
Non-Hodgkin Lymphoma	1,615	25.4	0.29	18.8	0.22	1,401	18.2	0.23	13.5	0.18
Multiple Myeloma	528	8.0	0.16	5.6	0.11	391	4.8	0.11	3.4	0.08
Leukemias	1,245	19.9	0.26	14.9	0.21	873	12.0	0.20	9.6	0.18
Acute lymphocytic	86	1.9	0.09	2.0	0.10	71	1.5	0.09	1.6	0.10
Chronic lymphocytic	505	7.5	0.15	5.3	0.11	312	3.7	0.10	2.6	0.07
Acute myeloid	368	5.8	0.14	4.2	0.11	288	4.0	0.11	3.1	0.10
Chronic myeloid	148	2.4	0.09	1.8	0.07	113	1.6	0.07	1.3	0.06
Other leukemias	138	2.2	0.09	1.6	0.07	89	1.1	0.06	0.8	0.05
Mesothelioma	134	2.1	0.08	1.3	0.05	43	0.5	0.04	0.4	0.03
Kaposi Sarcoma	11	0.2	0.03	0.2	0.03	3	0.0	0.01	0.0	0.01
Ill-defined & Unknown	1,433	22.3	0.27	14.8	0.19	1,296	15.4	0.20	10.4	0.15
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	612	10.2	0.19	8.1	0.16	1,253	17.9	0.24	14.3	0.21
Breast (<i>in situ</i>)	10	0.2	0.02	0.1	0.02	2,287	33.8	0.34	27.7	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Pennsylvania, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,321	569.8	4.66	434.0	3.39	3,543	455.5	3.49	353.4	2.74
Oral Cavity & Pharynx	98	16.1	0.76	12.8	0.58	48	6.1	0.40	5.1	0.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	22	3.6	0.37	2.8	0.27	10	1.2	0.17	1.0	0.14
Major salivary gland	10	1.7	0.25	1.3	0.18	10	1.3	0.19	1.2	0.17
Floor of mouth	5	0.9	0.19	0.7	0.13	2	0.3	0.08	0.2	0.07
Gum & other mouth	11	1.8	0.26	1.4	0.19	8	1.1	0.17	0.8	0.13
Nasopharynx	8	1.3	0.21	1.1	0.17	4	0.6	0.13	0.5	0.11
Oropharynx	7	1.0	0.19	0.8	0.15	2	0.3	0.08	0.2	0.07
Hypopharynx	12	2.0	0.28	1.5	0.20	4	0.5	0.11	0.4	0.08
Digestive System	767	132.4	2.25	99.8	1.62	676	85.9	1.50	64.3	1.14
Esophagus	42	7.3	0.53	5.5	0.38	25	3.2	0.29	2.3	0.21
Stomach	73	13.8	0.76	9.7	0.51	52	6.8	0.43	4.9	0.32
Small intestine	28	4.9	0.43	3.8	0.32	31	4.0	0.33	3.1	0.26
Colon excl. rectum	205	36.9	1.21	26.9	0.85	230	29.3	0.88	21.8	0.66
Rectum & rectosigmoid	78	13.3	0.71	10.2	0.52	81	10.4	0.53	8.2	0.42
Anus, anal canal & anorectum	16	2.6	0.30	2.2	0.24	19	2.3	0.25	1.9	0.20
Liver	182	27.5	0.95	22.8	0.76	54	6.6	0.41	5.3	0.33
Gallbladder	7	1.6	0.27	1.0	0.17	21	2.6	0.26	1.9	0.19
Pancreas	106	19.2	0.88	13.9	0.61	126	16.0	0.65	11.4	0.47
Respiratory System	534	97.9	2.00	70.3	1.37	565	71.2	1.36	52.5	1.01
Larynx	45	7.9	0.55	5.9	0.39	15	1.8	0.21	1.4	0.17
Lung & bronchus	483	88.9	1.91	63.6	1.30	546	68.9	1.34	50.6	0.99
Bones & Joints	3	0.5	0.12	0.5	0.12	4	0.6	0.12	0.5	0.11
Soft Tissue (incl. heart)	21	3.4	0.35	2.9	0.28	22	2.9	0.29	2.4	0.24
Skin (excl. basal & sq.)	13	2.2	0.28	1.8	0.22	14	1.8	0.22	1.5	0.18
Melanomas of the skin	5	0.9	0.19	0.7	0.14	6	0.8	0.15	0.6	0.12
Breast (excl. <i>in situ</i>)	9	1.7	0.26	1.2	0.18	999	130.1	1.88	102.8	1.50
Female Genital System	-	-	-	-	-	430	54.5	1.20	44.1	0.98
Cervix uteri	-	-	-	-	-	73	9.9	0.53	8.5	0.46
Uterus Corpus	-	-	-	-	-	240	29.5	0.87	23.7	0.70
Uterus, NOS ¹	-	-	-	-	-	9	1.2	0.17	0.9	0.14
Ovary	-	-	-	-	-	67	8.7	0.48	6.9	0.39
Male Genital System	1,017	164.7	2.43	130.0	1.83	-	-	-	-	-
Prostate	1,002	162.2	2.41	127.8	1.82	-	-	-	-	-
Testis	11	1.6	0.23	1.6	0.22	-	-	-	-	-
Penis	3	0.7	0.18	0.4	0.11	-	-	-	-	-
Urinary System	336	59.7	1.53	44.4	1.09	185	23.8	0.80	17.8	0.60
Bladder (incl. <i>in situ</i>)	132	25.6	1.05	17.4	0.68	60	7.7	0.45	5.1	0.31
Kidney & renal pelvis	199	33.1	1.10	26.3	0.84	121	15.5	0.64	12.2	0.51
Ureter	3	0.7	0.18	0.5	0.12	1	0.2	0.07	0.1	0.05
Eye & Orbit	3	0.3	0.09	0.4	0.11	1	0.2	0.07	0.2	0.08
Brain & Other CNS ¹	36	5.8	0.45	5.0	0.38	29	3.8	0.32	3.3	0.29
Brain	32	5.1	0.42	4.4	0.36	25	3.2	0.29	2.8	0.26
Endocrine System	42	6.7	0.48	5.7	0.40	149	20.2	0.76	17.8	0.67
Thyroid gland	34	5.5	0.44	4.6	0.36	142	19.3	0.74	17.0	0.65
Lymphomas	141	23.1	0.91	19.0	0.72	126	16.3	0.67	13.3	0.55
Hodgkin Lymphoma	25	3.7	0.34	3.5	0.32	20	2.7	0.27	2.6	0.26
Non-Hodgkin Lymphoma	116	19.4	0.85	15.4	0.65	106	13.7	0.61	10.7	0.48
Multiple Myeloma	90	16.7	0.83	11.9	0.57	104	13.6	0.61	10.0	0.45
Leukemias	79	13.8	0.73	10.7	0.54	67	8.6	0.48	6.8	0.39
Acute lymphocytic	10	1.4	0.21	1.5	0.21	6	0.8	0.14	0.8	0.15
Chronic lymphocytic	22	4.0	0.41	2.8	0.27	16	2.0	0.23	1.4	0.16
Acute myeloid	26	4.7	0.43	3.6	0.32	25	3.2	0.30	2.6	0.24
Chronic myeloid	11	1.9	0.27	1.4	0.20	11	1.4	0.20	1.1	0.16
Other leukemias	10	1.8	0.27	1.3	0.19	9	1.1	0.17	0.8	0.13
Mesothelioma	5	1.1	0.23	0.7	0.14	2	0.3	0.09	0.2	0.07
Kaposi Sarcoma	9	1.3	0.21	1.3	0.19	-	-	-	-	-
Ill-defined & Unknown	116	22.4	0.98	15.5	0.65	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	58	10.1	0.62	7.8	0.46	136	18.1	0.71	14.2	0.57
Breast (<i>in situ</i>)	1	0.2	0.10	0.2	0.07	295	38.2	1.02	30.9	0.82

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Rhode Island, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,906	489.8	4.18	361.7	3.10	3,218	460.4	3.78	357.4	3.05
Oral Cavity & Pharynx	97	15.6	0.73	12.3	0.57	54	7.3	0.46	5.6	0.36
Lip	4	0.6	0.15	0.5	0.11	2	0.2	0.06	0.1	0.05
Tongue	33	5.3	0.42	4.3	0.34	16	2.1	0.25	1.6	0.19
Major salivary gland	9	1.6	0.24	1.1	0.17	8	1.2	0.18	0.9	0.15
Floor of mouth	5	0.9	0.18	0.7	0.13	4	0.5	0.12	0.4	0.09
Gum & other mouth	10	1.6	0.23	1.2	0.17	11	1.5	0.21	1.1	0.17
Nasopharynx	4	0.7	0.17	0.6	0.13	2	0.3	0.09	0.2	0.07
Oropharynx	5	0.7	0.16	0.6	0.13	4	0.5	0.11	0.4	0.09
Hypopharynx	6	1.0	0.19	0.7	0.13	2	0.3	0.09	0.2	0.07
Digestive System	558	94.7	1.84	68.7	1.34	458	62.0	1.35	45.2	1.03
Esophagus	47	7.7	0.52	5.8	0.38	15	2.1	0.25	1.5	0.18
Stomach	65	11.2	0.64	8.0	0.45	37	5.1	0.39	3.7	0.30
Small intestine	19	3.3	0.35	2.4	0.25	15	2.2	0.25	1.6	0.19
Colon excl. rectum	144	25.2	0.96	17.6	0.68	159	21.0	0.77	14.8	0.58
Rectum & rectosigmoid	74	12.7	0.68	9.6	0.51	62	8.9	0.53	7.0	0.43
Anus, anal canal & anorectum	9	1.5	0.24	1.1	0.18	17	2.4	0.27	1.9	0.22
Liver	70	11.1	0.61	8.8	0.48	23	3.2	0.31	2.5	0.25
Gallbladder	5	0.9	0.18	0.6	0.12	12	1.7	0.23	1.3	0.17
Pancreas	91	15.4	0.74	10.9	0.52	82	10.6	0.54	7.5	0.40
Respiratory System	484	82.0	1.71	57.6	1.19	499	67.6	1.39	48.7	1.02
Larynx	35	5.9	0.45	4.5	0.34	10	1.5	0.22	1.2	0.17
Lung & bronchus	444	75.4	1.64	52.5	1.13	486	65.6	1.36	47.2	1.00
Bones & Joints	8	1.5	0.25	1.5	0.26	6	0.9	0.17	0.8	0.16
Soft Tissue (incl. heart)	23	4.0	0.39	3.2	0.32	17	2.6	0.30	2.2	0.28
Skin (excl. basal & sq.)	185	31.9	1.08	23.1	0.79	141	20.7	0.81	16.6	0.69
Melanomas of the skin	170	29.3	1.03	21.4	0.76	130	19.1	0.78	15.5	0.66
Breast (excl. <i>in situ</i>)	10	1.8	0.26	1.3	0.19	940	137.8	2.09	109.3	1.69
Female Genital System	-	-	-	-	-	377	54.2	1.30	43.9	1.08
Cervix uteri	-	-	-	-	-	40	7.0	0.52	6.2	0.47
Uterus Corpus	-	-	-	-	-	210	29.0	0.92	23.4	0.75
Uterus, NOS ¹	-	-	-	-	-	9	1.2	0.18	0.9	0.14
Ovary	-	-	-	-	-	71	10.3	0.57	8.3	0.48
Male Genital System	649	103.4	1.87	80.4	1.44	-	-	-	-	-
Prostate	613	96.5	1.79	73.8	1.34	-	-	-	-	-
Testis	29	5.7	0.48	5.8	0.49	-	-	-	-	-
Penis	5	0.9	0.19	0.6	0.13	-	-	-	-	-
Urinary System	377	64.8	1.53	45.4	1.07	184	25.2	0.87	18.5	0.66
Bladder (incl. <i>in situ</i>)	244	42.4	1.24	28.3	0.83	94	12.3	0.59	8.4	0.42
Kidney & renal pelvis	125	21.0	0.87	16.2	0.67	84	12.1	0.62	9.5	0.50
Ureter	6	1.1	0.19	0.7	0.13	4	0.5	0.12	0.3	0.08
Eye & Orbit	5	0.8	0.18	0.8	0.18	4	0.5	0.12	0.4	0.10
Brain & Other CNS ¹	41	7.1	0.51	6.1	0.46	40	6.3	0.47	5.2	0.41
Brain	39	6.8	0.50	5.8	0.44	37	5.7	0.44	4.8	0.39
Endocrine System	57	9.9	0.61	8.6	0.54	156	27.6	1.03	24.8	0.94
Thyroid gland	52	8.9	0.57	7.7	0.49	152	26.8	1.01	24.1	0.92
Lymphomas	161	28.1	1.02	21.3	0.79	136	19.8	0.79	15.7	0.66
Hodgkin Lymphoma	19	3.4	0.37	3.3	0.36	19	3.3	0.36	3.3	0.36
Non-Hodgkin Lymphoma	142	24.7	0.95	18.0	0.70	117	16.5	0.71	12.4	0.55
Multiple Myeloma	43	7.3	0.51	5.4	0.38	32	4.3	0.35	3.1	0.26
Leukemias	104	18.4	0.83	13.9	0.65	77	11.4	0.61	9.3	0.55
Acute lymphocytic	7	1.4	0.25	1.5	0.27	7	1.3	0.24	1.5	0.28
Chronic lymphocytic	41	6.9	0.49	4.8	0.34	26	3.5	0.32	2.4	0.23
Acute myeloid	28	4.9	0.43	3.6	0.33	23	3.5	0.34	2.8	0.30
Chronic myeloid	15	2.7	0.33	2.1	0.26	11	1.6	0.22	1.3	0.19
Other leukemias	14	2.4	0.30	1.9	0.24	10	1.5	0.23	1.3	0.23
Mesothelioma	11	2.1	0.29	1.3	0.18	3	0.4	0.11	0.3	0.09
Kaposi Sarcoma	3	0.6	0.15	0.4	0.11	-	-	-	-	-
Ill-defined & Unknown	90	15.7	0.76	10.3	0.50	92	11.7	0.57	7.8	0.41
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	45	7.9	0.54	6.4	0.45	78	11.9	0.63	9.7	0.54
Breast (<i>in situ</i>)	-	-	-	-	-	238	36.1	1.09	29.6	0.90

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Rhode Island, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,682	491.4	4.37	362.4	3.26	2,981	466.5	4.02	362.6	3.27
Oral Cavity & Pharynx	91	15.9	0.77	12.6	0.61	50	7.4	0.49	5.6	0.39
Lip	4	0.7	0.17	0.5	0.12	1	0.2	0.07	0.1	0.05
Tongue	32	5.5	0.45	4.4	0.36	15	2.2	0.26	1.6	0.20
Major salivary gland	9	1.7	0.26	1.1	0.18	8	1.1	0.19	0.9	0.16
Floor of mouth	4	0.8	0.18	0.6	0.14	3	0.4	0.12	0.3	0.09
Gum & other mouth	9	1.6	0.24	1.2	0.18	10	1.6	0.24	1.2	0.19
Nasopharynx	3	0.6	0.16	0.5	0.13	2	0.3	0.09	0.2	0.07
Oropharynx	4	0.7	0.16	0.6	0.14	4	0.5	0.12	0.4	0.10
Hypopharynx	6	1.0	0.20	0.8	0.14	2	0.3	0.09	0.2	0.07
Digestive System	507	93.1	1.90	67.5	1.39	416	60.8	1.40	44.3	1.07
Esophagus	43	7.7	0.54	5.7	0.40	14	2.1	0.26	1.4	0.19
Stomach	57	10.4	0.63	7.4	0.45	31	4.5	0.38	3.2	0.29
Small intestine	18	3.3	0.36	2.4	0.27	14	2.1	0.26	1.6	0.20
Colon excl. rectum	133	25.1	1.00	17.4	0.70	148	21.1	0.81	14.9	0.61
Rectum & rectosigmoid	68	12.9	0.72	9.7	0.55	55	8.6	0.55	6.8	0.45
Anus, anal canal & anorectum	8	1.5	0.25	1.1	0.19	15	2.4	0.29	1.9	0.24
Liver	61	10.4	0.62	8.3	0.50	21	3.1	0.31	2.4	0.26
Gallbladder	5	0.9	0.19	0.6	0.12	10	1.5	0.22	1.1	0.17
Pancreas	84	15.4	0.77	10.9	0.54	76	10.6	0.57	7.5	0.42
Respiratory System	451	82.7	1.78	57.8	1.24	476	69.5	1.47	50.1	1.08
Larynx	32	5.7	0.46	4.3	0.35	10	1.6	0.24	1.3	0.19
Lung & bronchus	416	76.2	1.71	52.9	1.18	463	67.5	1.44	48.5	1.06
Bones & Joints	7	1.6	0.27	1.6	0.29	5	0.9	0.18	0.8	0.18
Soft Tissue (incl. heart)	21	4.1	0.41	3.3	0.35	17	2.8	0.33	2.4	0.32
Skin (excl. basal & sq.)	174	32.8	1.14	23.8	0.84	130	21.1	0.88	17.1	0.75
Melanomas of the skin	161	30.2	1.10	22.0	0.81	119	19.4	0.84	15.8	0.72
Breast (excl. <i>in situ</i>)	10	1.9	0.27	1.4	0.21	873	140.4	2.23	111.3	1.81
Female Genital System	-	-	-	-	-	346	54.4	1.37	43.9	1.14
Cervix uteri	-	-	-	-	-	34	6.9	0.56	6.1	0.51
Uterus Corpus	-	-	-	-	-	195	29.5	0.98	23.8	0.80
Uterus, NOS ¹	-	-	-	-	-	8	1.1	0.18	0.8	0.14
Ovary	-	-	-	-	-	64	10.1	0.60	8.1	0.50
Male Genital System	587	102.1	1.94	79.3	1.50	-	-	-	-	-
Prostate	553	94.4	1.84	72.0	1.38	-	-	-	-	-
Testis	28	6.4	0.56	6.5	0.57	-	-	-	-	-
Penis	5	0.9	0.19	0.6	0.14	-	-	-	-	-
Urinary System	360	66.8	1.62	46.8	1.14	173	25.7	0.92	18.9	0.71
Bladder (incl. <i>in situ</i>)	236	44.0	1.31	29.4	0.88	90	12.7	0.63	8.8	0.45
Kidney & renal pelvis	116	21.3	0.92	16.5	0.71	77	12.1	0.65	9.5	0.54
Ureter	6	1.1	0.20	0.7	0.13	3	0.5	0.12	0.3	0.08
Eye & Orbit	5	1.0	0.21	0.9	0.21	4	0.5	0.13	0.4	0.12
Brain & Other CNS ¹	38	7.2	0.55	6.2	0.49	38	6.7	0.51	5.6	0.47
Brain	37	7.0	0.54	6.0	0.48	35	6.0	0.48	5.0	0.44
Endocrine System	52	10.1	0.65	8.9	0.59	140	28.3	1.12	25.5	1.03
Thyroid gland	48	9.2	0.62	8.0	0.54	137	27.6	1.11	25.0	1.02
Lymphomas	149	28.4	1.07	21.5	0.84	127	20.3	0.85	16.1	0.72
Hodgkin Lymphoma	17	3.6	0.40	3.4	0.39	17	3.5	0.40	3.5	0.41
Non-Hodgkin Lymphoma	132	24.9	1.00	18.1	0.74	110	16.8	0.75	12.6	0.59
Multiple Myeloma	36	6.5	0.50	4.8	0.37	27	3.9	0.35	2.8	0.26
Leukemias	96	18.7	0.88	14.1	0.70	71	11.6	0.67	9.5	0.62
Acute lymphocytic	6	1.5	0.29	1.6	0.32	6	1.4	0.28	1.6	0.32
Chronic lymphocytic	40	7.2	0.53	5.1	0.37	25	3.6	0.34	2.5	0.25
Acute myeloid	25	4.9	0.45	3.5	0.34	21	3.5	0.37	2.8	0.32
Chronic myeloid	12	2.6	0.34	2.0	0.27	9	1.5	0.23	1.2	0.21
Other leukemias	13	2.4	0.31	1.9	0.25	10	1.6	0.25	1.4	0.26
Mesothelioma	11	2.1	0.30	1.3	0.19	3	0.4	0.11	0.3	0.08
Kaposi Sarcoma	3	0.5	0.14	0.4	0.11	-	-	-	-	-
Ill-defined & Unknown	85	16.0	0.79	10.5	0.53	86	11.8	0.60	7.8	0.44
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	41	8.0	0.57	6.5	0.48	72	12.2	0.68	9.9	0.58
Breast (<i>in situ</i>)	-	-	-	-	-	219	36.8	1.17	30.2	0.96

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Rhode Island, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	120	369.9	16.36	286.8	11.90	118	307.6	13.01	242.7	10.13
Oral Cavity & Pharynx	3	10.0	2.67	7.7	1.95	3	6.3	1.78	5.3	1.48
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	82.2	7.88	61.6	5.54	21	57.1	5.70	41.8	4.15
Esophagus	2	8.6	2.79	5.6	1.73	-	-	-	-	-
Stomach	3	11.5	3.08	8.0	2.05	3	6.1	1.73	5.0	1.39
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	21.1	4.04	15.5	2.79	5	14.6	3.00	9.4	1.96
Rectum & rectosigmoid	3	7.0	2.06	5.7	1.61	3	8.3	2.13	6.4	1.61
Anus, anal canal & anorectum	-	-	-	-	-	1	3.1	1.30	2.6	1.07
Liver	3	8.5	2.12	7.5	1.84	1	3.1	1.31	2.1	0.88
Gallbladder	-	-	-	-	-	2	5.4	1.82	4.0	1.35
Pancreas	5	18.4	3.86	13.5	2.66	4	9.3	2.23	7.0	1.70
Respiratory System	20	65.2	7.02	49.5	5.04	14	40.4	4.90	30.6	3.66
Larynx	2	4.3	1.59	3.6	1.29	-	-	-	-	-
Lung & bronchus	18	60.9	6.84	45.9	4.87	14	39.4	4.84	29.9	3.63
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	4.1	1.63	3.6	1.29	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	40	99.9	7.26	81.2	5.83
Female Genital System	-	-	-	-	-	12	31.3	4.08	25.9	3.31
Cervix uteri	-	-	-	-	-	2	5.6	1.73	4.5	1.38
Uterus Corpus	-	-	-	-	-	6	16.0	2.91	13.2	2.36
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	1	3.6	1.39	3.0	1.12
Male Genital System	36	107.0	8.53	85.1	6.42	-	-	-	-	-
Prostate	36	105.3	8.49	83.4	6.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	31.5	4.96	23.3	3.43	6	16.3	3.15	11.5	2.22
Bladder (incl. <i>in situ</i>)	3	11.9	3.31	8.1	2.14	2	5.6	1.81	4.0	1.29
Kidney & renal pelvis	6	17.4	3.46	13.8	2.57	4	10.7	2.58	7.6	1.81
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	4.2	1.50	4.2	1.41	2	3.6	1.27	3.3	1.18
Brain	1	3.5	1.42	3.3	1.27	2	3.6	1.27	3.3	1.18
Endocrine System	3	8.1	2.44	6.2	1.77	7	15.9	2.77	14.5	2.49
Thyroid gland	2	6.0	1.89	5.0	1.53	6	14.6	2.67	13.2	2.38
Lymphomas	6	17.2	3.48	13.6	2.53	4	9.1	2.16	7.9	1.81
Hodgkin Lymphoma	1	2.4	0.99	2.5	1.03	1	2.6	1.09	2.5	1.02
Non-Hodgkin Lymphoma	5	14.8	3.33	11.1	2.31	3	6.5	1.87	5.4	1.50
Multiple Myeloma	5	14.5	2.98	12.1	2.36	3	9.2	2.44	6.3	1.65
Leukemias	4	11.3	2.75	9.3	2.11	3	7.3	1.94	6.3	1.64
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	3.3	1.34	3.1	1.18	-	-	-	-	-
Chronic myeloid	1	3.6	1.36	3.1	1.18	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	4.7	1.71	3.9	1.34	3	7.9	2.22	5.5	1.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	2	7.5	2.35	5.9	1.73	3	8.0	1.99	7.0	1.72
Breast (<i>in situ</i>)	-	-	-	-	-	10	26.3	3.75	21.8	3.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Rhode Island, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	30	230.7	20.00	173.2	14.17	47	290.3	19.92	228.3	15.02
Oral Cavity & Pharynx	2	13.5	4.65	10.4	3.49	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	83.3	12.23	60.5	8.40	10	70.9	10.55	50.1	7.16
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	11.3	4.64	8.0	3.06	1	10.8	4.32	7.3	2.78
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	3	22.2	6.57	15.2	4.23	3	18.2	5.26	12.6	3.52
Rectum & rectosigmoid	1	10.0	4.34	7.1	2.92	2	13.3	4.42	9.1	2.91
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	22.0	5.48	18.4	4.49	2	10.7	4.04	8.4	3.00
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	33.6	7.49	25.6	5.47	4	26.6	6.29	19.8	4.46
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	27.6	6.58	21.8	5.03	4	26.6	6.29	19.8	4.46
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	1	8.3	3.56	6.8	2.78	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	14	83.4	10.04	69.3	8.20
Female Genital System	-	-	-	-	-	8	48.6	8.28	38.0	6.16
Cervix uteri	-	-	-	-	-	2	9.8	3.36	8.5	2.86
Uterus Corpus	-	-	-	-	-	3	18.8	4.92	15.5	3.90
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	14.4	4.75	11.0	3.37
Male Genital System	4	31.7	7.24	25.0	5.38	-	-	-	-	-
Prostate	4	31.1	7.22	24.3	5.33	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	10.9	3.94	9.2	3.25	1	7.3	3.14	6.0	2.44
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	1	7.8	3.25	6.8	2.79	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	4	18.8	4.39	17.3	3.99
Thyroid gland	-	-	-	-	-	4	18.8	4.39	17.3	3.99
Lymphomas	2	18.4	5.85	13.3	3.91	1	8.0	3.27	6.6	2.54
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	17.4	5.77	12.2	3.75	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	1	7.9	3.71	6.2	2.60	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	2	11.2	4.32	7.6	2.74
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	3	16.4	4.26	14.2	3.68

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Rhode Island, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2	408.0	130.69	300.1	91.68	3	505.2	127.38	334.0	85.56
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	1	162.0	67.39	119.6	49.10
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Rhode Island, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	119	316.9	14.74	232.6	9.90	153	296.9	11.48	230.0	8.45
Oral Cavity & Pharynx	4	9.1	2.40	7.0	1.68	2	3.4	1.26	2.5	0.90
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	30	79.4	7.33	57.7	4.88	28	56.3	5.08	42.0	3.61
Esophagus	1	3.0	1.29	2.3	0.97	-	-	-	-	-
Stomach	6	14.7	3.19	10.9	2.14	5	8.9	2.00	7.0	1.49
Small intestine	1	3.3	1.45	2.4	1.02	-	-	-	-	-
Colon excl. rectum	6	18.4	3.73	12.5	2.33	8	15.2	2.62	11.5	1.89
Rectum & rectosigmoid	6	12.7	2.70	9.6	1.85	4	7.3	1.82	5.5	1.29
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	9.0	2.23	7.2	1.67	1	2.3	1.05	1.7	0.70
Gallbladder	-	-	-	-	-	2	3.9	1.31	3.1	0.98
Pancreas	4	11.2	2.94	7.5	1.81	4	8.8	2.08	6.0	1.37
Respiratory System	14	41.2	5.37	30.4	3.68	11	27.6	3.86	18.7	2.54
Larynx	2	4.2	1.65	3.2	1.15	-	-	-	-	-
Lung & bronchus	12	36.6	5.10	26.7	3.48	10	26.4	3.82	17.7	2.48
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	1	2.0	0.78	2.0	0.76	2	2.5	0.86	2.5	0.85
Skin (excl. basal & sq.)	-	-	-	-	-	1	2.3	1.02	1.8	0.74
Melanomas of the skin	1	5.5	2.28	3.3	1.33	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	45	83.4	5.84	66.6	4.50
Female Genital System	-	-	-	-	-	21	42.1	4.40	32.5	3.20
Cervix uteri	-	-	-	-	-	5	8.8	1.79	7.5	1.45
Uterus Corpus	-	-	-	-	-	11	23.5	3.35	17.7	2.40
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	5.4	1.66	4.1	1.16
Male Genital System	32	90.7	7.98	65.8	5.38	-	-	-	-	-
Prostate	29	86.0	7.82	61.9	5.27	-	-	-	-	-
Testis	2	2.5	0.78	2.6	0.79	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	30.0	4.66	21.2	3.04	6	13.4	2.52	10.1	1.81
Bladder (incl. <i>in situ</i>)	4	14.0	3.37	9.2	2.04	1	2.2	0.93	1.9	0.77
Kidney & renal pelvis	6	14.9	3.02	11.4	2.18	5	11.2	2.34	8.2	1.64
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	4.4	1.38	4.0	1.20	4	6.1	1.55	5.1	1.22
Brain	2	4.4	1.38	4.0	1.20	3	5.8	1.52	4.9	1.20
Endocrine System	4	5.6	1.36	5.3	1.26	13	19.9	2.54	18.0	2.23
Thyroid gland	3	5.4	1.33	5.0	1.24	13	19.9	2.54	18.0	2.23
Lymphomas	6	12.2	2.64	10.2	1.95	8	17.0	2.86	12.9	2.03
Hodgkin Lymphoma	-	-	-	-	-	2	2.3	0.83	2.4	0.81
Non-Hodgkin Lymphoma	-	-	-	-	-	7	14.7	2.74	10.5	1.86
Multiple Myeloma	3	8.9	2.58	6.2	1.67	3	6.6	1.73	5.1	1.28
Leukemias	6	13.7	2.93	10.7	1.99	5	8.1	1.87	6.7	1.41
Acute lymphocytic	1	1.9	0.74	1.9	0.74	1	1.5	0.63	1.5	0.62
Chronic lymphocytic	-	-	-	-	-	1	2.9	1.25	2.0	0.82
Acute myeloid	2	3.0	1.35	2.2	0.82	-	-	-	-	-
Chronic myeloid	1	3.6	1.57	2.7	1.08	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	11.7	3.25	6.9	1.78	3	7.7	2.06	5.1	1.32
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	8.4	2.29	6.4	1.61	5	8.4	1.72	7.3	1.45
Breast (<i>in situ</i>)	-	-	-	-	-	17	28.7	3.23	24.3	2.69

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

RHODE ISLAND

350 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Rhode Island, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,571	500.1	4.57	370.4	3.47	2,848	478.6	4.28	373.0	3.53
Oral Cavity & Pharynx	88	16.5	0.82	13.1	0.65	49	7.6	0.52	5.9	0.42
Lip	4	0.7	0.18	0.5	0.13	1	0.2	0.07	0.1	0.05
Tongue	31	5.8	0.48	4.7	0.39	14	2.3	0.28	1.7	0.22
Major salivary gland	8	1.7	0.27	1.2	0.19	7	1.2	0.21	0.9	0.17
Floor of mouth	4	0.8	0.19	0.6	0.14	3	0.4	0.12	0.3	0.09
Gum & other mouth	9	1.7	0.26	1.3	0.20	10	1.6	0.25	1.2	0.21
Nasopharynx	3	0.6	0.17	0.5	0.14	2	0.3	0.09	0.2	0.08
Oropharynx	4	0.8	0.18	0.7	0.15	4	0.5	0.13	0.4	0.10
Hypopharynx	6	1.1	0.21	0.8	0.15	2	0.3	0.09	0.2	0.07
Digestive System	480	93.0	1.96	67.5	1.45	394	60.7	1.44	44.2	1.12
Esophagus	42	8.0	0.56	5.9	0.42	14	2.2	0.28	1.5	0.20
Stomach	52	10.1	0.64	7.2	0.46	28	4.2	0.37	2.9	0.28
Small intestine	17	3.3	0.37	2.4	0.28	13	2.2	0.28	1.6	0.21
Colon excl. rectum	126	25.2	1.04	17.6	0.74	140	20.9	0.83	14.7	0.62
Rectum & rectosigmoid	63	12.5	0.73	9.4	0.56	53	8.8	0.58	7.0	0.48
Anus, anal canal & anorectum	8	1.6	0.27	1.2	0.21	15	2.5	0.31	2.1	0.26
Liver	57	10.3	0.63	8.2	0.52	19	3.0	0.32	2.3	0.27
Gallbladder	4	0.9	0.19	0.6	0.12	8	1.3	0.22	0.9	0.16
Pancreas	80	15.5	0.80	11.0	0.57	72	10.8	0.59	7.6	0.44
Respiratory System	440	84.7	1.85	59.3	1.30	466	71.9	1.54	52.0	1.14
Larynx	30	5.8	0.48	4.4	0.37	9	1.6	0.25	1.3	0.20
Lung & bronchus	406	78.2	1.78	54.4	1.24	454	69.9	1.51	50.4	1.12
Bones & Joints	6	1.7	0.31	1.7	0.33	5	0.9	0.21	0.8	0.21
Soft Tissue (incl. heart)	20	4.3	0.45	3.4	0.38	15	2.8	0.36	2.4	0.35
Skin (excl. basal & sq.)	171	34.2	1.21	25.0	0.92	127	22.5	0.97	18.4	0.84
Melanomas of the skin	157	31.4	1.16	23.2	0.88	117	20.9	0.93	17.2	0.82
Breast (excl. <i>in situ</i>)	9	1.9	0.29	1.4	0.22	833	144.5	2.38	114.7	1.94
Female Genital System	-	-	-	-	-	328	55.7	1.46	45.1	1.23
Cervix uteri	-	-	-	-	-	29	7.0	0.62	6.2	0.56
Uterus Corpus	-	-	-	-	-	185	30.0	1.03	24.3	0.85
Uterus, NOS ¹	-	-	-	-	-	7	1.0	0.18	0.8	0.14
Ovary	-	-	-	-	-	62	10.7	0.65	8.6	0.55
Male Genital System	552	101.6	2.00	79.4	1.57	-	-	-	-	-
Prostate	521	93.4	1.88	71.4	1.42	-	-	-	-	-
Testis	26	7.1	0.64	7.2	0.66	-	-	-	-	-
Penis	4	0.8	0.18	0.5	0.13	-	-	-	-	-
Urinary System	350	68.6	1.70	48.3	1.21	167	26.4	0.97	19.5	0.76
Bladder (incl. <i>in situ</i>)	231	45.2	1.37	30.4	0.93	88	13.1	0.66	9.0	0.48
Kidney & renal pelvis	111	21.9	0.97	17.0	0.77	73	12.4	0.69	9.8	0.58
Ureter	6	1.1	0.21	0.7	0.14	3	0.5	0.12	0.3	0.08
Eye & Orbit	5	1.1	0.25	1.1	0.27	3	0.5	0.15	0.4	0.14
Brain & Other CNS ¹	35	7.6	0.61	6.5	0.57	35	6.6	0.55	5.5	0.50
Brain	34	7.4	0.60	6.3	0.55	32	6.0	0.51	4.9	0.47
Endocrine System	48	10.5	0.72	9.3	0.66	129	29.5	1.24	26.7	1.15
Thyroid gland	45	9.6	0.68	8.3	0.59	126	28.7	1.22	26.0	1.13
Lymphomas	145	29.7	1.15	22.5	0.92	120	20.6	0.90	16.4	0.78
Hodgkin Lymphoma	16	3.9	0.46	3.8	0.46	15	3.6	0.44	3.5	0.45
Non-Hodgkin Lymphoma	128	25.8	1.06	18.7	0.80	105	17.0	0.79	12.8	0.64
Multiple Myeloma	34	6.6	0.52	4.9	0.39	25	3.8	0.36	2.7	0.26
Leukemias	91	19.0	0.93	14.4	0.76	67	12.0	0.73	10.0	0.70
Acute lymphocytic	5	1.6	0.34	1.8	0.39	5	1.5	0.32	1.6	0.37
Chronic lymphocytic	38	7.4	0.54	5.2	0.38	24	3.7	0.36	2.6	0.27
Acute myeloid	24	5.0	0.47	3.5	0.36	20	3.7	0.41	3.0	0.37
Chronic myeloid	12	2.7	0.36	2.0	0.29	9	1.6	0.26	1.3	0.23
Other leukemias	12	2.4	0.33	1.9	0.27	9	1.6	0.28	1.5	0.31
Mesothelioma	10	2.2	0.31	1.3	0.20	3	0.4	0.12	0.3	0.09
Kaposi Sarcoma	3	0.5	0.15	0.4	0.11	-	-	-	-	-
Ill-defined & Unknown	82	16.3	0.83	10.8	0.57	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	39	8.2	0.61	6.8	0.53	67	12.4	0.73	10.0	0.62
Breast (<i>in situ</i>)	-	-	-	-	-	205	37.4	1.24	30.6	1.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Rhode Island, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	107	416.7	19.50	323.7	14.27	106	353.6	15.73	281.6	12.46
Oral Cavity & Pharynx	3	10.8	3.07	8.3	2.26	2	7.7	2.27	6.4	1.87
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	24	97.5	9.65	72.9	6.79	18	59.7	6.50	44.0	4.82
Esophagus	2	10.6	3.43	7.0	2.14	-	-	-	-	-
Stomach	3	14.5	3.88	10.2	2.60	2	6.3	2.01	4.9	1.58
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	25.0	4.94	18.4	3.43	4	15.1	3.37	9.8	2.24
Rectum & rectosigmoid	2	6.9	2.30	5.6	1.78	2	7.7	2.26	6.3	1.84
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	10.7	2.69	9.4	2.32	-	-	-	-	-
Gallbladder	-	-	-	-	-	2	6.8	2.30	5.2	1.73
Pancreas	5	21.5	4.69	15.8	3.23	4	11.7	2.80	8.9	2.16
Respiratory System	19	77.2	8.62	58.2	6.16	13	45.4	5.78	34.8	4.40
Larynx	1	4.8	1.90	4.0	1.52	-	-	-	-	-
Lung & bronchus	17	72.4	8.41	54.2	5.97	13	44.1	5.69	33.9	4.34
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	37	120.4	9.08	97.9	7.35
Female Genital System	-	-	-	-	-	11	35.9	4.89	30.3	4.10
Cervix uteri	-	-	-	-	-	2	5.8	1.94	4.9	1.65
Uterus Corpus	-	-	-	-	-	6	17.4	3.38	14.8	2.83
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	1	4.7	1.79	3.9	1.48
Male Genital System	32	115.3	9.87	92.9	7.54	-	-	-	-	-
Prostate	31	113.1	9.80	90.6	7.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	34.0	5.76	25.1	4.01	5	18.0	3.65	13.3	2.71
Bladder (incl. <i>in situ</i>)	3	13.0	3.83	9.0	2.53	2	7.0	2.23	5.0	1.62
Kidney & renal pelvis	5	18.3	4.00	14.4	2.94	3	11.0	2.89	8.3	2.18
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	5.9	2.06	5.9	1.99	-	-	-	-	-
Brain	1	4.8	1.91	4.6	1.74	-	-	-	-	-
Endocrine System	2	9.7	3.04	7.4	2.20	6	20.5	3.67	18.5	3.29
Thyroid gland	2	7.0	2.35	5.8	1.89	6	18.7	3.52	16.8	3.13
Lymphomas	5	17.4	3.81	14.4	2.92	3	11.2	2.79	9.5	2.31
Hodgkin Lymphoma	1	3.2	1.35	3.4	1.41	-	-	-	-	-
Non-Hodgkin Lymphoma	4	14.2	3.56	11.0	2.56	-	-	-	-	-
Multiple Myeloma	5	16.2	3.59	13.3	2.81	3	11.3	3.00	7.9	2.05
Leukemias	4	13.0	3.34	10.7	2.57	2	6.8	2.07	6.0	1.84
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	3.7	1.64	3.5	1.47	-	-	-	-	-
Chronic myeloid	1	3.8	1.57	3.3	1.36	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	5.4	2.06	4.4	1.58	3	10.0	2.81	7.0	2.02
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	6.2	2.36	5.0	1.80	3	9.3	2.45	8.1	2.12
Breast (<i>in situ</i>)	-	-	-	-	-	9	29.7	4.53	24.6	3.68

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

RHODE ISLAND

352 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Carolina, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14,209	511.0	1.99	381.1	1.47	13,117	413.1	1.67	320.8	1.34
Oral Cavity & Pharynx	573	20.1	0.39	16.0	0.31	204	6.3	0.20	4.9	0.16
Lip	14	0.5	0.07	0.4	0.04	5	0.2	0.03	0.1	0.02
Tongue	171	5.9	0.21	4.8	0.17	58	1.8	0.11	1.4	0.09
Major salivary gland	48	1.9	0.12	1.3	0.09	26	0.8	0.08	0.7	0.07
Floor of mouth	31	1.0	0.09	0.8	0.07	11	0.3	0.05	0.3	0.04
Gum & other mouth	58	2.1	0.13	1.6	0.10	46	1.4	0.09	1.0	0.07
Nasopharynx	18	0.7	0.07	0.6	0.06	8	0.3	0.05	0.2	0.04
Oropharynx	36	1.2	0.09	1.0	0.08	10	0.3	0.04	0.2	0.03
Hypopharynx	47	1.6	0.11	1.3	0.08	9	0.2	0.04	0.2	0.03
Digestive System	2,691	97.3	0.87	73.0	0.64	2,091	64.4	0.65	47.7	0.49
Esophagus	228	7.8	0.24	6.0	0.18	61	1.8	0.11	1.3	0.08
Stomach	254	9.3	0.27	6.8	0.20	149	4.6	0.17	3.4	0.13
Small intestine	84	3.1	0.16	2.3	0.12	84	2.6	0.13	2.1	0.11
Colon excl. rectum	819	30.4	0.49	22.5	0.36	809	25.1	0.41	18.5	0.31
Rectum & rectosigmoid	366	13.3	0.32	10.4	0.25	245	7.8	0.23	6.1	0.19
Anus, anal canal & anorectum	37	1.4	0.10	1.1	0.08	71	2.1	0.12	1.8	0.10
Liver	339	11.3	0.28	9.1	0.22	94	2.8	0.13	2.1	0.10
Gallbladder	19	0.8	0.08	0.5	0.05	36	1.1	0.08	0.8	0.06
Pancreas	429	15.6	0.35	11.2	0.25	393	11.9	0.27	8.4	0.20
Respiratory System	2,495	88.8	0.82	63.8	0.58	1,846	54.4	0.58	40.0	0.43
Larynx	221	7.6	0.24	5.9	0.18	49	1.5	0.10	1.2	0.08
Lung & bronchus	2,243	80.1	0.78	57.0	0.54	1,777	52.3	0.57	38.2	0.42
Bones & Joints	30	1.2	0.10	1.1	0.10	21	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	104	4.1	0.18	3.3	0.15	77	2.6	0.14	2.2	0.12
Skin (excl. basal & sq.)	880	33.2	0.52	24.0	0.37	574	19.1	0.37	15.5	0.31
Melanomas of the skin	826	31.0	0.50	22.6	0.36	544	18.2	0.36	14.8	0.31
Breast (excl. <i>in situ</i>)	38	1.4	0.10	1.0	0.08	4,084	129.9	0.94	102.6	0.76
Female Genital System	-	-	-	-	-	1,425	45.3	0.56	36.7	0.46
Cervix uteri	-	-	-	-	-	206	7.9	0.25	6.9	0.23
Uterus Corpus	-	-	-	-	-	743	22.2	0.38	18.0	0.31
Uterus, NOS ¹	-	-	-	-	-	29	0.9	0.08	0.7	0.06
Ovary	-	-	-	-	-	297	9.4	0.25	7.3	0.20
Male Genital System	3,585	119.7	0.92	92.9	0.71	-	-	-	-	-
Prostate	3,464	114.5	0.90	87.9	0.67	-	-	-	-	-
Testis	94	4.2	0.20	4.2	0.20	-	-	-	-	-
Penis	23	0.8	0.08	0.6	0.06	-	-	-	-	-
Urinary System	1,545	58.0	0.68	40.8	0.48	685	21.1	0.37	15.5	0.28
Bladder (incl. <i>in situ</i>)	847	32.7	0.52	21.4	0.33	279	8.4	0.23	5.7	0.16
Kidney & renal pelvis	670	24.2	0.43	18.8	0.33	385	12.0	0.28	9.4	0.23
Ureter	19	0.7	0.08	0.5	0.05	15	0.4	0.05	0.3	0.04
Eye & Orbit	21	0.8	0.08	0.7	0.07	19	0.7	0.07	0.6	0.06
Brain & Other CNS ¹	197	7.6	0.25	6.4	0.22	160	5.4	0.20	4.6	0.18
Brain	189	7.2	0.24	6.1	0.21	150	5.0	0.19	4.3	0.18
Endocrine System	180	6.9	0.24	5.9	0.21	460	16.9	0.37	15.1	0.33
Thyroid gland	161	6.2	0.23	5.2	0.19	438	16.1	0.36	14.3	0.32
Lymphomas	610	23.3	0.44	18.0	0.34	499	16.0	0.33	12.2	0.27
Hodgkin Lymphoma	69	2.8	0.16	2.7	0.15	56	2.1	0.13	2.1	0.13
Non-Hodgkin Lymphoma	542	20.5	0.41	15.3	0.31	443	13.8	0.30	10.2	0.23
Multiple Myeloma	266	10.0	0.28	7.0	0.19	225	6.8	0.21	4.9	0.15
Leukemias	440	17.0	0.38	12.6	0.28	315	10.3	0.27	8.1	0.23
Acute lymphocytic	35	1.5	0.11	1.5	0.12	35	1.4	0.11	1.5	0.12
Chronic lymphocytic	154	5.7	0.21	4.0	0.15	99	2.9	0.13	2.0	0.09
Acute myeloid	138	5.2	0.21	3.8	0.15	101	3.3	0.15	2.6	0.12
Chronic myeloid	63	2.5	0.14	1.9	0.11	50	1.7	0.11	1.3	0.09
Other leukemias	51	2.1	0.14	1.4	0.09	31	1.0	0.08	0.7	0.06
Mesothelioma	36	1.4	0.11	0.9	0.07	14	0.4	0.05	0.3	0.04
Kaposi Sarcoma	10	0.4	0.06	0.4	0.05	-	-	-	-	-
Ill-defined & Unknown	506	19.7	0.41	13.4	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	214	8.2	0.26	6.6	0.21	473	15.4	0.33	12.3	0.27
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.03	971	30.9	0.46	25.0	0.38

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Carolina, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	10,738	503.4	2.25	373.6	1.68	9,847	422.6	1.99	328.5	1.62
Oral Cavity & Pharynx	462	21.3	0.46	16.9	0.36	163	6.8	0.25	5.3	0.20
Lip	13	0.6	0.08	0.4	0.06	4	0.2	0.04	0.1	0.02
Tongue	148	6.7	0.25	5.4	0.21	53	2.3	0.15	1.8	0.12
Major salivary gland	42	2.1	0.15	1.4	0.10	17	0.8	0.09	0.6	0.08
Floor of mouth	21	0.9	0.09	0.7	0.08	9	0.3	0.05	0.3	0.04
Gum & other mouth	41	2.0	0.14	1.5	0.11	38	1.5	0.11	1.1	0.08
Nasopharynx	11	0.5	0.07	0.4	0.06	5	0.2	0.05	0.2	0.04
Oropharynx	28	1.3	0.11	1.0	0.09	7	0.3	0.05	0.2	0.04
Hypopharynx	33	1.5	0.12	1.2	0.09	6	0.2	0.04	0.2	0.04
Digestive System	1,940	91.4	0.96	68.3	0.72	1,450	60.1	0.73	44.4	0.56
Esophagus	171	7.7	0.27	5.8	0.20	43	1.7	0.12	1.2	0.09
Stomach	163	7.8	0.28	5.6	0.20	83	3.4	0.17	2.5	0.13
Small intestine	60	2.8	0.17	2.2	0.13	52	2.2	0.14	1.8	0.12
Colon excl. rectum	589	28.6	0.54	21.1	0.40	566	23.7	0.46	17.4	0.36
Rectum & rectosigmoid	264	12.7	0.36	9.9	0.28	176	7.7	0.27	6.1	0.22
Anus, anal canal & anorectum	26	1.2	0.11	1.0	0.09	60	2.5	0.15	2.1	0.13
Liver	247	10.8	0.32	8.7	0.25	67	2.7	0.15	2.0	0.12
Gallbladder	11	0.6	0.08	0.4	0.05	21	0.8	0.08	0.6	0.06
Pancreas	319	15.0	0.39	10.6	0.27	270	10.8	0.30	7.6	0.22
Respiratory System	1,888	86.7	0.92	61.9	0.65	1,486	58.6	0.70	43.1	0.52
Larynx	146	6.7	0.26	5.1	0.19	36	1.5	0.12	1.2	0.09
Lung & bronchus	1,719	78.9	0.88	55.9	0.61	1,437	56.5	0.68	41.4	0.51
Bones & Joints	23	1.3	0.12	1.1	0.11	16	0.8	0.10	0.8	0.10
Soft Tissue (incl. heart)	82	4.3	0.22	3.4	0.18	53	2.4	0.16	2.0	0.14
Skin (excl. basal & sq.)	863	42.0	0.66	30.7	0.49	553	25.7	0.52	21.2	0.44
Melanomas of the skin	815	39.5	0.64	29.1	0.48	530	24.8	0.51	20.5	0.44
Breast (excl. <i>in situ</i>)	27	1.2	0.11	0.9	0.08	3,023	130.8	1.12	102.9	0.90
Female Genital System	-	-	-	-	-	1,011	44.6	0.66	36.3	0.55
Cervix uteri	-	-	-	-	-	133	7.5	0.30	6.7	0.27
Uterus Corpus	-	-	-	-	-	514	21.3	0.44	17.4	0.37
Uterus, NOS ¹	-	-	-	-	-	16	0.7	0.08	0.5	0.06
Ovary	-	-	-	-	-	225	9.7	0.30	7.6	0.25
Male Genital System	2,391	104.1	0.98	80.3	0.76	-	-	-	-	-
Prostate	2,288	97.8	0.94	74.1	0.70	-	-	-	-	-
Testis	85	5.4	0.27	5.5	0.27	-	-	-	-	-
Penis	15	0.7	0.09	0.5	0.06	-	-	-	-	-
Urinary System	1,286	62.2	0.80	43.5	0.56	518	21.5	0.44	15.9	0.34
Bladder (incl. <i>in situ</i>)	754	36.8	0.62	24.2	0.40	222	8.9	0.27	6.1	0.20
Kidney & renal pelvis	506	24.1	0.50	18.5	0.39	281	12.0	0.34	9.4	0.28
Ureter	18	0.9	0.10	0.6	0.06	12	0.5	0.06	0.3	0.05
Eye & Orbit	18	0.8	0.09	0.7	0.08	17	0.8	0.09	0.7	0.08
Brain & Other CNS ¹	167	8.5	0.31	7.2	0.27	131	6.1	0.25	5.3	0.24
Brain	161	8.2	0.30	6.9	0.26	123	5.7	0.24	4.9	0.23
Endocrine System	147	7.6	0.29	6.5	0.26	344	18.3	0.47	16.6	0.43
Thyroid gland	134	7.0	0.28	5.9	0.24	330	17.6	0.46	15.8	0.42
Lymphomas	489	24.2	0.51	18.5	0.40	400	17.1	0.40	13.0	0.33
Hodgkin Lymphoma	48	2.8	0.18	2.6	0.18	39	2.1	0.16	2.1	0.16
Non-Hodgkin Lymphoma	441	21.5	0.47	15.9	0.36	361	15.0	0.37	11.0	0.28
Multiple Myeloma	158	7.7	0.28	5.2	0.19	120	4.8	0.20	3.5	0.15
Leukemias	361	18.1	0.44	13.5	0.34	242	10.7	0.32	8.5	0.28
Acute lymphocytic	26	1.6	0.14	1.7	0.16	27	1.6	0.15	1.7	0.17
Chronic lymphocytic	128	6.1	0.25	4.2	0.17	80	3.1	0.16	2.1	0.11
Acute myeloid	115	5.6	0.24	4.1	0.18	77	3.4	0.18	2.6	0.15
Chronic myeloid	50	2.6	0.17	1.9	0.13	35	1.6	0.12	1.2	0.10
Other leukemias	41	2.2	0.16	1.5	0.11	24	1.0	0.10	0.7	0.08
Mesothelioma	32	1.5	0.13	1.0	0.08	12	0.5	0.06	0.3	0.05
Kaposi Sarcoma	5	0.3	0.06	0.3	0.05	-	-	-	-	-
Ill-defined & Unknown	402	20.0	0.46	13.6	0.32	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	167	8.6	0.31	6.9	0.26	335	15.0	0.39	11.9	0.32
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.03	709	31.4	0.55	25.4	0.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Carolina, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,258	534.7	4.48	406.6	3.22	3,059	387.9	3.23	301.5	2.51
Oral Cavity & Pharynx	104	15.9	0.73	13.0	0.58	39	4.8	0.36	3.9	0.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	22	3.4	0.34	2.8	0.27	5	0.6	0.13	0.5	0.10
Major salivary gland	5	1.0	0.20	0.8	0.15	8	1.1	0.18	0.9	0.14
Floor of mouth	9	1.4	0.22	1.2	0.17	2	0.3	0.09	0.2	0.07
Gum & other mouth	15	2.3	0.29	1.9	0.22	7	0.9	0.15	0.7	0.12
Nasopharynx	7	1.0	0.18	0.9	0.15	3	0.4	0.11	0.4	0.10
Oropharynx	7	1.1	0.19	0.9	0.15	3	0.4	0.10	0.3	0.07
Hypopharynx	13	1.9	0.25	1.6	0.20	3	0.3	0.09	0.3	0.07
Digestive System	713	119.6	2.15	89.8	1.52	604	76.7	1.43	57.0	1.07
Esophagus	54	8.5	0.55	6.6	0.41	18	2.1	0.23	1.6	0.17
Stomach	87	15.1	0.77	11.0	0.53	61	7.9	0.46	5.7	0.34
Small intestine	23	4.2	0.41	3.1	0.29	31	4.1	0.34	3.1	0.25
Colon excl. rectum	219	37.7	1.22	28.0	0.86	229	28.9	0.88	21.6	0.66
Rectum & rectosigmoid	94	15.7	0.77	12.0	0.56	62	7.8	0.45	6.2	0.36
Anus, anal canal & anorectum	10	1.7	0.25	1.4	0.20	11	1.3	0.18	1.0	0.14
Liver	89	12.6	0.64	10.5	0.50	25	2.9	0.27	2.3	0.21
Gallbladder	7	1.6	0.27	1.0	0.16	14	1.8	0.22	1.3	0.16
Pancreas	106	18.2	0.85	13.2	0.58	119	15.4	0.65	10.9	0.46
Respiratory System	587	98.9	1.96	72.4	1.35	345	42.6	1.06	31.6	0.77
Larynx	73	11.3	0.63	8.8	0.47	13	1.5	0.19	1.2	0.15
Lung & bronchus	506	86.2	1.84	62.6	1.25	325	40.3	1.03	29.7	0.75
Bones & Joints	6	0.8	0.16	0.8	0.16	4	0.5	0.12	0.5	0.11
Soft Tissue (incl. heart)	20	3.3	0.34	2.8	0.29	21	2.8	0.28	2.5	0.25
Skin (excl. basal & sq.)	9	1.4	0.22	1.2	0.18	12	1.7	0.22	1.2	0.17
Melanomas of the skin	3	0.5	0.13	0.4	0.11	6	0.8	0.15	0.6	0.11
Breast (excl. <i>in situ</i>)	11	1.9	0.27	1.4	0.19	1,003	127.2	1.85	102.0	1.48
Female Genital System	-	-	-	-	-	384	47.7	1.12	38.0	0.89
Cervix uteri	-	-	-	-	-	66	9.0	0.51	7.6	0.43
Uterus Corpus	-	-	-	-	-	214	25.3	0.80	20.1	0.63
Uterus, NOS ¹	-	-	-	-	-	12	1.6	0.21	1.2	0.15
Ovary	-	-	-	-	-	65	8.4	0.48	6.5	0.37
Male Genital System	1,126	173.8	2.47	135.4	1.82	-	-	-	-	-
Prostate	1,111	171.3	2.45	133.2	1.80	-	-	-	-	-
Testis	7	1.2	0.20	1.1	0.19	-	-	-	-	-
Penis	7	1.1	0.21	0.9	0.15	-	-	-	-	-
Urinary System	243	41.7	1.28	30.9	0.90	158	20.2	0.74	14.9	0.54
Bladder (incl. <i>in situ</i>)	83	16.4	0.87	10.6	0.53	53	7.0	0.44	4.5	0.29
Kidney & renal pelvis	158	24.9	0.93	20.0	0.72	101	12.6	0.58	9.9	0.45
Ureter	-	-	-	-	-	2	0.3	0.10	0.2	0.06
Eye & Orbit	2	0.4	0.13	0.3	0.11	1	0.2	0.07	0.2	0.08
Brain & Other CNS ¹	27	4.6	0.42	3.9	0.34	27	3.5	0.31	3.1	0.28
Brain	25	4.3	0.40	3.6	0.33	25	3.2	0.30	2.9	0.27
Endocrine System	29	4.7	0.41	4.0	0.34	103	13.5	0.61	11.6	0.53
Thyroid gland	23	3.8	0.37	3.1	0.29	95	12.5	0.59	10.7	0.51
Lymphomas	108	18.0	0.82	14.9	0.65	90	11.8	0.57	9.5	0.47
Hodgkin Lymphoma	20	3.0	0.31	3.0	0.30	16	2.1	0.24	2.1	0.24
Non-Hodgkin Lymphoma	88	15.0	0.76	12.0	0.58	74	9.6	0.52	7.4	0.40
Multiple Myeloma	103	18.8	0.89	13.2	0.59	102	12.9	0.59	9.4	0.43
Leukemias	68	12.2	0.71	9.2	0.50	66	8.8	0.50	6.8	0.40
Acute lymphocytic	7	1.1	0.19	1.1	0.19	7	1.0	0.17	1.0	0.18
Chronic lymphocytic	20	3.6	0.38	2.5	0.25	16	2.1	0.24	1.4	0.16
Acute myeloid	22	3.9	0.40	2.9	0.28	23	3.2	0.30	2.4	0.24
Chronic myeloid	10	1.8	0.26	1.4	0.21	12	1.6	0.21	1.3	0.17
Other leukemias	9	1.9	0.31	1.2	0.18	7	0.9	0.16	0.6	0.12
Mesothelioma	4	0.8	0.19	0.5	0.12	1	0.2	0.07	0.1	0.06
Kaposi Sarcoma	4	0.6	0.14	0.6	0.13	-	-	-	-	-
Ill-defined & Unknown	94	17.3	0.86	12.0	0.56	99	12.9	0.59	8.9	0.41
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	44	7.3	0.52	5.9	0.40	129	16.6	0.67	13.2	0.54
Breast (<i>in situ</i>)	1	0.2	0.09	0.2	0.07	247	30.4	0.89	24.6	0.71

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Carolina, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	70	234.0	13.79	170.1	9.22	109	256.0	11.57	198.9	8.58
Oral Cavity & Pharynx	3	9.6	2.72	7.2	1.89	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	69.2	7.51	49.3	4.96	22	54.5	5.59	39.5	3.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	3	10.0	2.86	7.2	1.87	3	7.0	1.97	5.2	1.34
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	4	12.6	3.07	9.3	2.15	9	21.2	3.46	15.4	2.36
Rectum & rectosigmoid	4	16.0	3.76	10.9	2.36	3	7.6	2.05	5.8	1.45
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	6.7	2.00	5.6	1.61	2	6.5	1.97	4.4	1.29
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	10.9	2.99	7.4	1.92	2	5.7	2.01	3.5	1.18
Respiratory System	10	30.0	4.54	23.0	3.33	11	29.1	4.10	20.8	2.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	28.5	4.46	21.6	3.23	11	28.2	4.05	19.9	2.72
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	2	4.3	1.42	3.6	1.15
Melanomas of the skin	-	-	-	-	-	1	3.1	1.25	2.6	0.98
Breast (excl. <i>in situ</i>)	-	-	-	-	-	33	72.2	5.86	58.2	4.57
Female Genital System	-	-	-	-	-	14	31.3	3.79	26.3	3.12
Cervix uteri	-	-	-	-	-	2	3.8	1.28	3.3	1.09
Uterus Corpus	-	-	-	-	-	8	16.2	2.68	13.8	2.25
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	6.8	1.66	6.2	1.52
Male Genital System	13	44.4	5.91	32.4	4.02	-	-	-	-	-
Prostate	12	41.9	5.82	29.6	3.86	-	-	-	-	-
Testis	1	2.4	1.00	2.7	1.12	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	17.9	3.78	12.9	2.55	4	8.6	2.10	6.7	1.55
Bladder (incl. <i>in situ</i>)	2	7.6	2.68	4.7	1.60	1	2.6	1.08	2.1	0.87
Kidney & renal pelvis	3	9.0	2.32	7.5	1.87	2	5.7	1.77	4.3	1.24
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	1	3.6	1.45	2.7	1.04
Brain	-	-	-	-	-	1	3.6	1.45	2.7	1.04
Endocrine System	1	3.5	1.35	3.1	1.18	7	13.9	2.48	12.3	2.16
Thyroid gland	-	-	-	-	-	6	13.0	2.40	11.6	2.10
Lymphomas	7	22.8	4.41	17.5	2.96	6	14.1	2.85	10.7	2.05
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	7.1	2.56	4.9	1.57	-	-	-	-	-
Leukemias	2	7.2	2.69	5.1	1.66	2	4.5	1.62	3.4	1.14
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	16.0	4.23	9.2	2.28	4	11.2	2.60	8.1	1.78
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	4.5	1.65	3.7	1.32	4	10.3	2.39	7.6	1.66
Breast (<i>in situ</i>)	-	-	-	-	-	8	17.9	2.87	14.6	2.29

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Carolina, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	17	138.2	17.17	102.9	11.50	18	142.0	15.35	112.3	11.82
Oral Cavity & Pharynx	1	8.5	3.75	6.9	2.83	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	28.5	7.77	21.0	5.22	3	23.5	6.12	19.8	5.03
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	10.5	4.87	7.5	3.16	2	13.4	4.96	10.1	3.61
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	25.5	7.73	17.9	4.93	2	16.8	5.50	11.9	3.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	22.6	7.43	15.6	4.65	2	16.8	5.50	11.9	3.80
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	5	45.3	9.05	32.1	6.22
Female Genital System	-	-	-	-	-	2	16.2	4.75	14.2	4.14
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	41.2	9.65	30.2	6.17	-	-	-	-	-
Prostate	5	40.2	9.59	28.9	6.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	15.4	5.80	11.2	3.82	1	8.3	3.40	6.9	2.83
Bladder (incl. <i>in situ</i>)	1	12.9	5.52	9.0	3.50	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	10.1	3.87	9.6	3.65
Thyroid gland	-	-	-	-	-	1	10.1	3.87	9.6	3.65
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	1	9.2	3.78	8.1	3.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Carolina, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	153	246.5	10.71	181.8	7.06	146	203.9	8.51	156.8	6.03
Oral Cavity & Pharynx	3	4.3	1.23	3.6	0.94	1	1.6	0.68	1.4	0.57
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	1	2.2	1.01	1.7	0.68	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	40	61.5	5.12	46.4	3.50	27	44.6	4.21	32.1	2.83
Esophagus	2	4.7	1.68	2.9	0.97	-	-	-	-	-
Stomach	7	11.5	2.32	8.1	1.48	3	3.3	0.99	2.7	0.78
Small intestine	2	2.5	1.05	1.9	0.71	-	-	-	-	-
Colon excl. rectum	9	14.5	2.53	10.7	1.68	11	18.4	2.71	13.2	1.82
Rectum & rectosigmoid	7	8.5	1.48	7.5	1.31	3	3.9	1.15	2.9	0.83
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	5	7.7	1.72	6.2	1.29	1	2.2	0.98	1.4	0.59
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	5	7.5	1.72	5.9	1.28	5	8.6	1.89	5.9	1.23
Respiratory System	11	22.3	3.42	15.6	2.18	9	14.8	2.42	10.9	1.64
Larynx	1	2.6	1.21	1.7	0.75	-	-	-	-	-
Lung & bronchus	10	18.9	3.15	13.3	2.01	8	13.3	2.32	9.7	1.57
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	3	2.7	0.92	2.3	0.69	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	2	3.7	1.33	2.7	0.86	1	1.2	0.50	1.1	0.46
Breast (excl. <i>in situ</i>)	-	-	-	-	-	45	58.6	4.32	46.8	3.23
Female Genital System	-	-	-	-	-	19	23.7	2.67	19.6	2.08
Cervix uteri	-	-	-	-	-	7	7.1	1.18	6.3	1.05
Uterus Corpus	-	-	-	-	-	6	9.6	1.87	7.5	1.37
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	4	4.6	1.11	4.0	0.93
Male Genital System	43	79.4	6.26	57.6	4.12	-	-	-	-	-
Prostate	37	75.0	6.18	53.4	4.03	-	-	-	-	-
Testis	5	3.2	0.62	3.4	0.65	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	24.9	3.60	16.8	2.19	5	9.0	1.97	5.9	1.19
Bladder (incl. <i>in situ</i>)	4	10.4	2.57	6.0	1.37	2	3.0	1.15	1.8	0.66
Kidney & renal pelvis	9	14.5	2.53	10.8	1.70	4	6.0	1.60	4.1	0.99
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	2.7	0.95	2.4	0.70	3	3.2	0.96	2.9	0.80
Brain	3	2.5	0.94	2.2	0.68	3	2.8	0.90	2.5	0.73
Endocrine System	4	4.2	1.00	3.5	0.80	10	10.7	1.74	9.1	1.35
Thyroid gland	4	4.1	1.00	3.4	0.79	9	10.0	1.71	8.4	1.30
Lymphomas	11	17.6	2.91	12.7	1.84	7	11.3	2.21	8.2	1.43
Hodgkin Lymphoma	2	2.2	0.87	2.0	0.65	1	1.2	0.46	1.2	0.46
Non-Hodgkin Lymphoma	9	15.4	2.78	10.7	1.72	6	10.2	2.16	6.9	1.35
Multiple Myeloma	2	3.9	1.35	2.8	0.88	2	3.5	1.13	2.8	0.85
Leukemias	8	7.3	1.53	6.5	1.12	7	7.0	1.45	6.1	1.11
Acute lymphocytic	4	2.1	0.50	2.4	0.55	3	2.4	0.78	2.4	0.64
Chronic lymphocytic	1	2.6	1.25	1.7	0.74	-	-	-	-	-
Acute myeloid	2	1.5	0.59	1.4	0.50	2	1.7	0.67	1.6	0.57
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	9.9	2.36	6.6	1.40	6	10.3	2.17	6.7	1.31
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	4.7	1.49	3.5	0.95	5	7.4	1.65	5.6	1.18
Breast (<i>in situ</i>)	-	-	-	-	-	11	14.4	2.07	12.0	1.65

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

SOUTH CAROLINA

358 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Carolina, 2013-2017, Non-Hispanic White

<i>SITES</i>	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	10,616	511.6	2.30	380.3	1.74	9,726	429.7	2.05	334.6	1.68
Oral Cavity & Pharynx	459	21.9	0.47	17.4	0.38	162	7.0	0.26	5.4	0.21
Lip	13	0.6	0.08	0.4	0.06	4	0.2	0.04	0.1	0.03
Tongue	146	6.9	0.26	5.5	0.21	52	2.4	0.15	1.9	0.12
Major salivary gland	42	2.1	0.15	1.5	0.11	17	0.8	0.09	0.6	0.08
Floor of mouth	21	1.0	0.10	0.8	0.08	9	0.3	0.05	0.3	0.04
Gum & other mouth	41	2.0	0.15	1.5	0.11	38	1.5	0.11	1.1	0.08
Nasopharynx	11	0.6	0.08	0.5	0.07	5	0.2	0.05	0.2	0.04
Oropharynx	28	1.3	0.11	1.1	0.09	7	0.3	0.05	0.2	0.04
Hypopharynx	33	1.5	0.12	1.2	0.10	6	0.2	0.04	0.2	0.04
Digestive System	1,907	92.4	0.98	69.1	0.74	1,427	60.6	0.75	44.8	0.58
Esophagus	169	7.8	0.28	5.9	0.21	43	1.8	0.12	1.2	0.09
Stomach	158	7.7	0.29	5.6	0.21	80	3.3	0.17	2.4	0.13
Small intestine	58	2.9	0.17	2.2	0.13	51	2.3	0.15	1.8	0.12
Colon excl. rectum	581	29.0	0.56	21.5	0.42	556	23.9	0.47	17.5	0.37
Rectum & rectosigmoid	257	12.8	0.37	10.0	0.29	174	7.9	0.28	6.2	0.23
Anus, anal canal & anorectum	26	1.3	0.12	1.0	0.09	59	2.5	0.15	2.1	0.13
Liver	243	11.0	0.32	8.8	0.26	66	2.7	0.15	2.0	0.12
Gallbladder	11	0.6	0.08	0.4	0.05	20	0.8	0.08	0.6	0.06
Pancreas	315	15.2	0.40	10.8	0.28	266	10.9	0.31	7.6	0.22
Respiratory System	1,880	88.3	0.94	63.1	0.67	1,479	59.5	0.71	43.8	0.54
Larynx	146	6.9	0.26	5.3	0.20	36	1.5	0.12	1.2	0.10
Lung & bronchus	1,712	80.3	0.89	57.0	0.63	1,431	57.4	0.70	42.1	0.52
Bones & Joints	23	1.3	0.13	1.2	0.12	15	0.8	0.10	0.8	0.11
Soft Tissue (incl. heart)	79	4.3	0.23	3.5	0.19	52	2.5	0.17	2.1	0.15
Skin (excl. basal & sq.)	861	43.3	0.69	31.8	0.51	552	26.8	0.54	22.1	0.47
Melanomas of the skin	813	40.7	0.67	30.1	0.50	529	25.8	0.53	21.4	0.46
Breast (excl. <i>in situ</i>)	27	1.3	0.12	1.0	0.09	2,986	133.0	1.15	104.8	0.93
Female Genital System	-	-	-	-	-	995	45.4	0.68	37.0	0.57
Cervix uteri	-	-	-	-	-	128	7.5	0.31	6.7	0.28
Uterus Corpus	-	-	-	-	-	509	21.7	0.45	17.8	0.38
Uterus, NOS ¹	-	-	-	-	-	16	0.7	0.08	0.5	0.07
Ovary	-	-	-	-	-	222	9.9	0.31	7.7	0.25
Male Genital System	2,357	105.2	1.00	81.2	0.78	-	-	-	-	-
Prostate	2,259	98.7	0.95	74.9	0.72	-	-	-	-	-
Testis	80	5.6	0.29	5.7	0.29	-	-	-	-	-
Penis	15	0.7	0.09	0.5	0.07	-	-	-	-	-
Urinary System	1,275	63.2	0.82	44.3	0.58	514	21.9	0.45	16.2	0.35
Bladder (incl. <i>in situ</i>)	750	37.3	0.63	24.6	0.41	221	9.1	0.28	6.2	0.20
Kidney & renal pelvis	499	24.6	0.51	18.9	0.40	277	12.2	0.35	9.6	0.29
Ureter	18	0.9	0.10	0.6	0.06	12	0.5	0.06	0.3	0.05
Eye & Orbit	17	0.9	0.10	0.7	0.09	17	0.8	0.10	0.7	0.09
Brain & Other CNS ¹	165	8.8	0.32	7.5	0.29	128	6.3	0.27	5.4	0.25
Brain	159	8.5	0.31	7.2	0.28	121	5.9	0.26	5.1	0.24
Endocrine System	143	7.8	0.31	6.7	0.27	335	18.8	0.49	17.0	0.45
Thyroid gland	131	7.1	0.29	6.0	0.25	323	18.1	0.48	16.3	0.44
Lymphomas	480	24.6	0.52	18.8	0.42	394	17.4	0.41	13.2	0.34
Hodgkin Lymphoma	46	2.9	0.20	2.7	0.19	38	2.2	0.17	2.1	0.17
Non-Hodgkin Lymphoma	434	21.7	0.48	16.1	0.37	357	15.2	0.37	11.1	0.29
Multiple Myeloma	156	7.8	0.29	5.3	0.20	118	4.9	0.21	3.5	0.15
Leukemias	354	18.2	0.45	13.5	0.35	236	10.7	0.33	8.5	0.29
Acute lymphocytic	23	1.5	0.15	1.6	0.16	24	1.6	0.15	1.7	0.17
Chronic lymphocytic	127	6.2	0.26	4.3	0.18	79	3.2	0.16	2.2	0.11
Acute myeloid	113	5.7	0.25	4.2	0.19	75	3.4	0.18	2.6	0.15
Chronic myeloid	50	2.6	0.17	1.9	0.13	34	1.6	0.13	1.2	0.11
Other leukemias	41	2.2	0.16	1.5	0.12	24	1.0	0.10	0.7	0.08
Mesothelioma	32	1.6	0.13	1.0	0.08	12	0.5	0.06	0.3	0.05
Kaposi Sarcoma	5	0.3	0.06	0.2	0.05	-	-	-	-	-
Ill-defined & Unknown	398	20.3	0.47	13.9	0.33	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	164	8.8	0.32	7.0	0.27	332	15.4	0.40	12.3	0.34
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.03	700	32.0	0.57	25.9	0.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Carolina, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,249	538.0	4.51	409.4	3.25	3,054	390.9	3.26	304.0	2.54
Oral Cavity & Pharynx	104	16.1	0.74	13.2	0.59	39	4.9	0.36	4.0	0.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	22	3.4	0.34	2.8	0.27	5	0.6	0.13	0.5	0.10
Major salivary gland	5	1.0	0.20	0.8	0.15	8	1.1	0.18	0.9	0.14
Floor of mouth	9	1.5	0.22	1.2	0.17	2	0.3	0.09	0.2	0.07
Gum & other mouth	15	2.4	0.29	1.9	0.22	7	0.9	0.15	0.7	0.12
Nasopharynx	7	1.0	0.18	0.9	0.15	3	0.4	0.11	0.4	0.10
Oropharynx	7	1.1	0.19	0.9	0.15	3	0.4	0.10	0.3	0.07
Hypopharynx	13	1.9	0.25	1.6	0.20	3	0.3	0.09	0.3	0.07
Digestive System	710	120.2	2.16	90.4	1.54	604	77.2	1.44	57.5	1.07
Esophagus	54	8.6	0.56	6.7	0.41	18	2.1	0.23	1.6	0.18
Stomach	86	15.1	0.78	11.0	0.54	61	7.9	0.47	5.8	0.34
Small intestine	23	4.2	0.42	3.1	0.29	31	4.1	0.34	3.1	0.26
Colon excl. rectum	218	37.8	1.22	28.2	0.86	228	29.1	0.88	21.7	0.66
Rectum & rectosigmoid	94	15.8	0.78	12.1	0.57	62	7.8	0.46	6.2	0.36
Anus, anal canal & anorectum	10	1.7	0.25	1.4	0.20	11	1.3	0.18	1.0	0.15
Liver	88	12.7	0.64	10.5	0.51	24	2.9	0.27	2.3	0.21
Gallbladder	7	1.6	0.27	1.0	0.16	14	1.8	0.22	1.4	0.16
Pancreas	105	18.3	0.86	13.3	0.58	119	15.5	0.65	10.9	0.46
Respiratory System	586	99.4	1.97	72.9	1.36	344	42.9	1.06	31.8	0.78
Larynx	73	11.4	0.64	8.9	0.47	13	1.5	0.19	1.2	0.15
Lung & bronchus	505	86.7	1.85	63.0	1.26	325	40.6	1.04	29.9	0.75
Bones & Joints	6	0.8	0.16	0.9	0.16	4	0.5	0.12	0.5	0.11
Soft Tissue (incl. heart)	20	3.3	0.34	2.9	0.29	21	2.9	0.29	2.5	0.25
Skin (excl. basal & sq.)	9	1.4	0.22	1.2	0.19	12	1.7	0.22	1.2	0.17
Melanomas of the skin	3	0.5	0.13	0.4	0.11	6	0.8	0.15	0.6	0.11
Breast (excl. <i>in situ</i>)	11	1.8	0.27	1.4	0.20	1,002	128.3	1.87	102.9	1.49
Female Genital System	-	-	-	-	-	384	48.1	1.13	38.4	0.90
Cervix uteri	-	-	-	-	-	66	9.1	0.52	7.7	0.43
Uterus Corpus	-	-	-	-	-	214	25.5	0.80	20.3	0.63
Uterus, NOS ¹	-	-	-	-	-	12	1.6	0.21	1.2	0.15
Ovary	-	-	-	-	-	65	8.5	0.48	6.6	0.38
Male Genital System	1,122	174.6	2.48	136.1	1.83	-	-	-	-	-
Prostate	1,106	172.0	2.46	133.8	1.81	-	-	-	-	-
Testis	7	1.2	0.20	1.2	0.20	-	-	-	-	-
Penis	7	1.2	0.21	0.9	0.15	-	-	-	-	-
Urinary System	243	42.1	1.29	31.2	0.91	158	20.4	0.75	15.0	0.55
Bladder (incl. <i>in situ</i>)	83	16.5	0.87	10.7	0.53	53	7.0	0.44	4.6	0.29
Kidney & renal pelvis	158	25.1	0.94	20.2	0.73	101	12.7	0.58	10.0	0.46
Ureter	-	-	-	-	-	2	0.3	0.10	0.2	0.06
Eye & Orbit	2	0.4	0.13	0.4	0.11	1	0.2	0.07	0.2	0.08
Brain & Other CNS ¹	27	4.7	0.42	4.0	0.35	27	3.5	0.31	3.1	0.28
Brain	25	4.4	0.41	3.7	0.33	25	3.3	0.30	2.9	0.27
Endocrine System	29	4.8	0.41	4.0	0.34	103	13.6	0.62	11.8	0.54
Thyroid gland	23	3.8	0.37	3.1	0.30	95	12.7	0.60	10.9	0.52
Lymphomas	108	18.2	0.83	15.1	0.66	89	11.8	0.57	9.6	0.47
Hodgkin Lymphoma	20	3.1	0.32	3.0	0.31	16	2.2	0.25	2.2	0.25
Non-Hodgkin Lymphoma	88	15.1	0.76	12.1	0.59	73	9.7	0.52	7.4	0.40
Multiple Myeloma	103	19.0	0.90	13.3	0.59	101	13.0	0.60	9.5	0.43
Leukemias	68	12.3	0.72	9.3	0.51	65	8.8	0.50	6.9	0.40
Acute lymphocytic	7	1.1	0.19	1.1	0.19	7	1.0	0.17	1.0	0.18
Chronic lymphocytic	20	3.6	0.39	2.6	0.26	16	2.1	0.24	1.5	0.16
Acute myeloid	22	3.9	0.41	2.9	0.28	23	3.2	0.31	2.5	0.24
Chronic myeloid	10	1.8	0.26	1.5	0.21	12	1.6	0.21	1.3	0.17
Other leukemias	9	1.9	0.31	1.2	0.18	7	0.9	0.16	0.7	0.12
Mesothelioma	4	0.8	0.19	0.5	0.12	1	0.2	0.07	0.1	0.06
Kaposi Sarcoma	4	0.6	0.14	0.6	0.14	-	-	-	-	-
Ill-defined & Unknown	94	17.4	0.87	12.1	0.57	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	44	7.3	0.52	6.0	0.41	128	16.7	0.68	13.3	0.54
Breast (<i>in situ</i>)	1	0.2	0.09	0.2	0.07	247	30.6	0.90	24.8	0.72

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Dakota, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,407	496.7	4.66	363.9	3.43	2,228	434.1	4.30	334.4	3.44
Oral Cavity & Pharynx	94	19.1	0.91	14.7	0.70	34	6.5	0.52	4.9	0.41
Lip	13	2.9	0.36	1.9	0.24	5	1.0	0.20	0.7	0.15
Tongue	25	5.2	0.48	4.1	0.38	10	1.8	0.27	1.4	0.21
Major salivary gland	9	2.0	0.30	1.3	0.20	5	0.9	0.19	0.7	0.16
Floor of mouth	5	1.0	0.19	0.8	0.16	2	0.5	0.16	0.4	0.13
Gum & other mouth	7	1.3	0.22	0.9	0.17	6	1.0	0.18	0.7	0.14
Nasopharynx	3	0.5	0.15	0.4	0.12	-	-	-	-	-
Oropharynx	3	0.6	0.16	0.5	0.13	2	0.4	0.11	0.3	0.09
Hypopharynx	4	0.8	0.19	0.6	0.14	-	-	-	-	-
Digestive System	454	94.0	2.03	68.6	1.49	351	64.5	1.61	45.8	1.20
Esophagus	39	7.6	0.56	5.7	0.41	9	1.6	0.25	1.2	0.19
Stomach	33	6.8	0.55	4.9	0.40	17	3.1	0.36	2.2	0.27
Small intestine	15	3.3	0.39	2.5	0.30	10	1.9	0.28	1.4	0.21
Colon excl. rectum	155	32.8	1.21	23.0	0.85	151	27.4	1.04	18.8	0.76
Rectum & rectosigmoid	69	14.5	0.80	11.1	0.62	48	9.4	0.64	7.3	0.51
Anus, anal canal & anorectum	4	0.8	0.19	0.7	0.15	10	1.8	0.27	1.5	0.22
Liver	42	8.2	0.59	6.6	0.47	12	2.2	0.30	1.6	0.23
Gallbladder	3	0.6	0.18	0.5	0.13	8	1.4	0.23	0.8	0.15
Pancreas	69	14.0	0.77	10.1	0.55	62	11.0	0.65	7.6	0.48
Respiratory System	347	72.6	1.78	49.2	1.20	303	55.9	1.47	40.4	1.08
Larynx	23	4.8	0.46	3.6	0.34	7	1.4	0.23	1.1	0.19
Lung & bronchus	318	66.7	1.71	44.7	1.14	293	54.1	1.45	39.0	1.06
Bones & Joints	3	0.7	0.18	0.7	0.19	2	0.4	0.15	0.4	0.15
Soft Tissue (incl. heart)	15	3.4	0.41	2.6	0.33	13	2.5	0.33	2.0	0.28
Skin (excl. basal & sq.)	145	31.0	1.19	22.7	0.88	-	-	-	-	-
Melanomas of the skin	136	29.0	1.15	21.4	0.86	105	23.1	1.06	19.3	0.92
Breast (excl. <i>in situ</i>)	5	1.1	0.23	0.8	0.15	644	128.3	2.37	100.6	1.90
Female Genital System	-	-	-	-	-	271	53.1	1.51	42.7	1.24
Cervix uteri	-	-	-	-	-	31	7.3	0.62	6.4	0.55
Uterus Corpus	-	-	-	-	-	148	28.4	1.08	22.8	0.88
Uterus, NOS ¹	-	-	-	-	-	2	0.3	0.10	0.3	0.09
Ovary	-	-	-	-	-	59	11.4	0.69	9.0	0.56
Male Genital System	632	122.7	2.25	94.6	1.72	-	-	-	-	-
Prostate	600	114.8	2.15	87.3	1.61	-	-	-	-	-
Testis	24	6.1	0.57	6.1	0.57	-	-	-	-	-
Penis	7	1.5	0.27	1.0	0.18	-	-	-	-	-
Urinary System	280	58.8	1.62	40.9	1.13	110	21.0	0.93	15.7	0.72
Bladder (incl. <i>in situ</i>)	160	34.0	1.23	22.2	0.80	47	8.4	0.57	6.0	0.42
Kidney & renal pelvis	114	23.5	1.02	17.9	0.78	60	11.9	0.72	9.3	0.58
Ureter	3	0.8	0.19	0.5	0.12	3	0.4	0.13	0.3	0.08
Eye & Orbit	5	1.0	0.20	0.9	0.19	4	0.7	0.16	0.6	0.15
Brain & Other CNS ¹	37	8.1	0.61	6.8	0.53	26	5.1	0.47	4.4	0.42
Brain	36	7.8	0.60	6.5	0.51	25	5.0	0.47	4.3	0.42
Endocrine System	38	8.4	0.63	7.2	0.55	85	20.4	1.03	18.3	0.93
Thyroid gland	34	7.6	0.60	6.5	0.52	82	19.8	1.02	17.7	0.92
Lymphomas	117	25.3	1.08	19.1	0.83	95	18.3	0.88	14.2	0.72
Hodgkin Lymphoma	12	2.6	0.35	2.5	0.34	9	2.1	0.33	2.2	0.35
Non-Hodgkin Lymphoma	105	22.6	1.02	16.6	0.76	86	16.1	0.81	11.9	0.63
Multiple Myeloma	42	8.8	0.62	6.0	0.42	25	4.4	0.41	3.2	0.31
Leukemias	93	20.0	0.95	14.6	0.72	68	13.3	0.75	10.7	0.65
Acute lymphocytic	6	1.3	0.25	1.5	0.29	7	1.6	0.28	1.8	0.32
Chronic lymphocytic	39	8.1	0.59	5.5	0.40	24	4.3	0.41	3.1	0.30
Acute myeloid	24	5.3	0.49	3.8	0.36	21	4.3	0.43	3.4	0.36
Chronic myeloid	18	3.8	0.42	2.8	0.32	9	2.0	0.30	1.5	0.25
Other leukemias	7	1.5	0.26	1.0	0.19	7	1.2	0.21	0.8	0.17
Mesothelioma	6	1.1	0.21	0.8	0.15	2	0.3	0.11	0.2	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	95	20.5	0.96	13.6	0.64	89	15.5	0.77	10.3	0.55
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	38	8.2	0.61	6.3	0.48	66	13.3	0.77	10.6	0.64
Breast (<i>in situ</i>)	-	-	-	-	-	133	27.5	1.12	22.3	0.91

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Dakota, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,257	494.5	4.80	362.2	3.57	2,074	435.0	4.51	335.7	3.65
Oral Cavity & Pharynx	88	19.2	0.95	14.8	0.73	32	6.5	0.54	5.0	0.43
Lip	13	2.9	0.38	2.0	0.26	5	1.0	0.22	0.8	0.17
Tongue	23	5.1	0.49	4.0	0.39	9	1.8	0.28	1.4	0.22
Major salivary gland	9	2.1	0.31	1.4	0.22	4	0.9	0.21	0.7	0.18
Floor of mouth	5	0.9	0.20	0.8	0.16	2	0.5	0.16	0.4	0.13
Gum & other mouth	6	1.3	0.23	0.9	0.17	6	1.0	0.19	0.7	0.15
Nasopharynx	2	0.4	0.13	0.3	0.10	-	-	-	-	-
Oropharynx	3	0.7	0.17	0.6	0.15	2	0.3	0.11	0.2	0.08
Hypopharynx	3	0.7	0.18	0.6	0.14	-	-	-	-	-
Digestive System	415	91.1	2.06	66.1	1.51	321	62.7	1.64	44.3	1.24
Esophagus	38	7.8	0.58	5.8	0.43	8	1.6	0.26	1.2	0.20
Stomach	29	6.3	0.54	4.6	0.39	14	2.8	0.35	1.9	0.26
Small intestine	14	3.5	0.42	2.6	0.33	9	2.0	0.30	1.4	0.23
Colon excl. rectum	145	32.4	1.24	22.6	0.88	139	26.7	1.06	18.1	0.78
Rectum & rectosigmoid	63	14.1	0.82	10.6	0.63	43	9.2	0.66	7.1	0.54
Anus, anal canal & anorectum	4	0.9	0.20	0.7	0.16	8	1.7	0.27	1.4	0.22
Liver	32	6.6	0.54	5.2	0.43	9	1.8	0.29	1.3	0.23
Gallbladder	2	0.5	0.16	0.4	0.12	7	1.2	0.22	0.8	0.15
Pancreas	65	13.9	0.79	10.0	0.57	58	10.9	0.67	7.5	0.49
Respiratory System	324	71.2	1.81	48.2	1.23	280	54.9	1.51	39.7	1.11
Larynx	21	4.7	0.47	3.6	0.36	6	1.3	0.24	1.0	0.19
Lung & bronchus	298	65.5	1.73	43.9	1.16	272	53.2	1.48	38.3	1.09
Bones & Joints	3	0.8	0.21	0.8	0.22	2	0.4	0.16	0.4	0.16
Soft Tissue (incl. heart)	13	3.2	0.42	2.5	0.34	12	2.7	0.36	2.1	0.32
Skin (excl. basal & sq.)	142	32.5	1.26	23.9	0.95	-	-	-	-	-
Melanomas of the skin	133	30.5	1.23	22.7	0.93	104	25.1	1.18	21.2	1.03
Breast (excl. <i>in situ</i>)	5	1.2	0.24	0.8	0.16	598	128.5	2.48	100.7	2.00
Female Genital System	-	-	-	-	-	252	52.9	1.57	42.5	1.30
Cervix uteri	-	-	-	-	-	26	6.7	0.63	6.0	0.57
Uterus Corpus	-	-	-	-	-	142	29.0	1.14	23.4	0.93
Uterus, NOS ¹	-	-	-	-	-	2	0.3	0.10	0.2	0.08
Ovary	-	-	-	-	-	55	11.2	0.71	8.9	0.59
Male Genital System	595	122.7	2.32	94.8	1.79	-	-	-	-	-
Prostate	566	114.3	2.21	86.9	1.66	-	-	-	-	-
Testis	22	6.8	0.65	6.8	0.65	-	-	-	-	-
Penis	6	1.4	0.26	0.9	0.17	-	-	-	-	-
Urinary System	263	58.4	1.65	40.5	1.16	101	20.6	0.97	15.3	0.75
Bladder (incl. <i>in situ</i>)	155	34.4	1.26	22.5	0.83	45	8.7	0.61	6.2	0.45
Kidney & renal pelvis	103	22.7	1.04	17.2	0.80	52	11.3	0.74	8.8	0.59
Ureter	3	0.7	0.19	0.5	0.12	2	0.4	0.13	0.3	0.08
Eye & Orbit	5	1.1	0.22	1.0	0.21	3	0.7	0.17	0.6	0.15
Brain & Other CNS ¹	35	8.2	0.65	6.9	0.57	24	5.3	0.51	4.6	0.47
Brain	34	7.9	0.63	6.6	0.55	24	5.3	0.51	4.5	0.47
Endocrine System	35	8.7	0.68	7.5	0.60	79	21.2	1.12	19.1	1.03
Thyroid gland	32	7.8	0.65	6.7	0.56	76	20.5	1.11	18.4	1.00
Lymphomas	110	25.8	1.13	19.6	0.89	90	18.9	0.94	14.7	0.79
Hodgkin Lymphoma	11	2.8	0.39	2.7	0.38	8	2.4	0.38	2.5	0.41
Non-Hodgkin Lymphoma	99	23.0	1.07	16.9	0.81	82	16.5	0.86	12.2	0.68
Multiple Myeloma	39	8.5	0.63	5.8	0.43	23	4.3	0.41	3.1	0.31
Leukemias	89	20.5	1.00	15.0	0.76	64	13.7	0.81	11.1	0.71
Acute lymphocytic	4	1.2	0.27	1.4	0.30	6	1.6	0.31	1.9	0.37
Chronic lymphocytic	38	8.4	0.62	5.7	0.43	23	4.4	0.43	3.2	0.32
Acute myeloid	24	5.5	0.52	4.0	0.39	20	4.5	0.47	3.6	0.40
Chronic myeloid	16	3.8	0.43	2.8	0.34	9	2.1	0.33	1.7	0.27
Other leukemias	-	-	-	-	-	6	1.1	0.22	0.8	0.18
Mesothelioma	6	1.1	0.21	0.8	0.15	1	0.2	0.10	0.2	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	90	20.3	0.98	13.3	0.66	84	15.5	0.80	10.4	0.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	36	8.4	0.65	6.5	0.52	60	12.9	0.79	10.3	0.66
Breast (<i>in situ</i>)	-	-	-	-	-	125	28.3	1.19	22.8	0.97

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Dakota, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	18	344.2	46.03	280.9	33.92	10	251.9	40.59	209.8	31.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	91.3	24.91	73.1	18.61	2	53.9	18.84	43.6	14.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	19.7	7.92	17.3	6.90	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	46.6	21.03	34.7	13.75	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	46.6	21.03	34.7	13.75	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	3	88.5	22.55	76.3	18.92
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	89.0	19.40	77.8	16.24	-	-	-	-	-
Prostate	5	89.0	19.40	77.8	16.24	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	26.4	8.43	24.1	7.77	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	21.6	7.68	19.7	7.04	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	2	26.6	10.36	25.6	9.53
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Dakota, 2013-2017, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9	366.3	69.90	250.8	42.30	12	281.4	42.09	217.6	29.11
Oral Cavity & Pharynx	1	46.0	22.39	33.1	14.96	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	142.3	39.06	106.9	27.14	2	61.5	21.59	43.5	13.68
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	1	28.7	13.66	22.4	9.42
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	1	35.9	19.50	26.6	12.46	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	1	35.4	16.69	25.0	10.72
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	1	35.4	16.69	25.0	10.72
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	4	89.0	22.09	71.8	16.33
Female Genital System	-	-	-	-	-	2	50.5	16.74	41.5	12.55
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Dakota, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCD¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	96	515.0	26.30	385.8	18.01	104	439.4	20.19	331.0	14.59
Oral Cavity & Pharynx	3	16.1	4.93	11.6	3.10	2	7.4	2.71	5.3	1.89
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	1	6.5	2.63	5.2	2.00	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	25	128.0	12.43	98.8	8.99	21	90.5	9.23	66.9	6.53
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	12.5	4.27	8.6	2.78	2	8.7	2.76	6.6	2.00
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	7	40.0	7.46	28.4	4.96	8	34.4	5.70	25.3	4.02
Rectum & rectosigmoid	5	18.9	4.04	16.9	3.54	4	16.1	3.88	12.3	2.83
Anus, anal canal & anorectum	-	-	-	-	-	1	3.9	1.58	3.6	1.47
Liver	6	30.3	5.89	23.7	4.34	1	6.8	2.69	4.4	1.67
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	13.1	3.91	10.4	2.91	2	10.7	3.18	7.7	2.23
Respiratory System	16	110.6	13.83	71.8	8.24	19	82.5	8.95	59.0	6.14
Larynx	1	7.7	3.28	5.5	2.26	-	-	-	-	-
Lung & bronchus	14	97.2	13.08	62.7	7.71	18	78.8	8.79	55.8	5.98
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	6.1	2.34	5.4	1.96	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	28	111.3	9.75	89.1	7.56
Female Genital System	-	-	-	-	-	13	55.0	7.12	42.3	5.27
Cervix uteri	-	-	-	-	-	4	15.6	3.66	12.9	2.96
Uterus Corpus	-	-	-	-	-	5	18.9	3.99	15.4	3.15
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	12.8	3.71	8.7	2.42
Male Genital System	23	115.9	11.67	91.4	8.67	-	-	-	-	-
Prostate	22	111.8	11.54	87.6	8.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	61.2	8.78	46.1	6.27	6	27.2	5.02	20.3	3.60
Bladder (incl. <i>in situ</i>)	3	19.1	4.89	14.3	3.51	1	6.7	2.84	3.8	1.56
Kidney & renal pelvis	8	40.2	7.07	30.8	5.09	5	19.9	4.10	15.9	3.19
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	1	5.4	2.10	4.9	1.86	3	12.0	3.20	10.4	2.63
Thyroid gland	1	4.5	1.86	4.1	1.68	3	12.0	3.20	10.4	2.63
Lymphomas	4	25.7	6.70	17.6	3.93	2	10.8	3.32	7.2	2.11
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	4	24.6	6.65	16.5	3.85	2	10.8	3.32	7.2	2.11
Multiple Myeloma	2	10.2	3.58	7.7	2.49	1	4.4	1.85	3.8	1.55
Leukemias	3	9.9	3.14	8.5	2.47	2	11.2	3.38	7.5	2.20
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	18.4	4.92	14.8	3.42	4	18.3	4.40	12.4	2.86
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	1	5.0	2.19	4.3	1.82	3	13.5	3.65	9.9	2.57
Breast (<i>in situ</i>)	-	-	-	-	-	4	15.8	3.44	13.7	2.93

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCD – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Dakota, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	17	290.3	39.11	205.3	24.88	19	314.5	37.06	230.0	25.03
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	5	67.7	17.46	53.2	12.24	4	68.4	17.97	46.9	11.30
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	13.5	6.85	11.0	5.22	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	2	43.4	15.65	30.0	10.32
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	2	43.4	15.65	30.0	10.32
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	5	68.1	15.77	54.3	11.53
Female Genital System	-	-	-	-	-	2	23.1	7.13	20.6	6.31
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	81.1	21.22	56.3	13.35	-	-	-	-	-
Prostate	3	71.0	20.90	46.8	12.92	-	-	-	-	-
Testis	1	6.9	2.90	6.8	2.80	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	30.4	12.39	22.3	8.35	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	1	14.5	6.99	12.0	5.46	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	17.1	7.34	14.4	5.80
Thyroid gland	-	-	-	-	-	1	17.1	7.34	14.4	5.80
Lymphomas	2	31.7	14.07	21.0	8.33	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	1	14.4	5.87	12.4	5.07

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

SOUTH DAKOTA

366 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Dakota, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,244	497.1	4.84	364.6	3.61	2,058	437.1	4.56	337.6	3.70
Oral Cavity & Pharynx	88	19.5	0.96	15.1	0.75	32	6.5	0.54	5.0	0.43
Lip	13	3.0	0.38	2.0	0.26	5	1.0	0.22	0.8	0.17
Tongue	23	5.1	0.50	4.1	0.40	9	1.7	0.27	1.3	0.21
Major salivary gland	9	2.1	0.32	1.4	0.22	4	0.9	0.21	0.7	0.18
Floor of mouth	5	0.9	0.20	0.8	0.17	2	0.5	0.17	0.4	0.14
Gum & other mouth	6	1.3	0.23	0.9	0.17	6	1.0	0.19	0.7	0.15
Nasopharynx	2	0.4	0.13	0.3	0.10	-	-	-	-	-
Oropharynx	3	0.7	0.18	0.6	0.15	2	0.3	0.11	0.2	0.09
Hypopharynx	3	0.7	0.19	0.6	0.14	-	-	-	-	-
Digestive System	411	91.4	2.08	66.3	1.53	318	62.5	1.65	44.2	1.24
Esophagus	37	7.8	0.58	5.7	0.43	8	1.6	0.26	1.2	0.20
Stomach	28	6.1	0.53	4.4	0.38	14	2.7	0.35	1.9	0.25
Small intestine	14	3.5	0.43	2.6	0.34	9	2.0	0.31	1.5	0.23
Colon excl. rectum	144	32.6	1.25	22.8	0.89	138	26.7	1.07	18.2	0.79
Rectum & rectosigmoid	62	14.1	0.83	10.7	0.64	42	9.1	0.66	7.0	0.53
Anus, anal canal & anorectum	4	0.9	0.20	0.7	0.16	8	1.6	0.26	1.3	0.22
Liver	32	6.6	0.54	5.3	0.44	9	1.8	0.29	1.3	0.24
Gallbladder	2	0.5	0.16	0.4	0.12	7	1.3	0.23	0.8	0.15
Pancreas	65	14.0	0.80	10.1	0.58	58	10.9	0.67	7.6	0.49
Respiratory System	323	71.6	1.82	48.6	1.24	279	55.0	1.52	39.8	1.12
Larynx	21	4.8	0.48	3.6	0.37	6	1.3	0.24	1.0	0.19
Lung & bronchus	297	65.8	1.75	44.2	1.17	270	53.3	1.49	38.4	1.10
Bones & Joints	3	0.8	0.22	0.8	0.23	2	0.4	0.16	0.4	0.17
Soft Tissue (incl. heart)	12	3.2	0.42	2.5	0.34	12	2.7	0.37	2.2	0.33
Skin (excl. basal & sq.)	142	32.9	1.28	24.2	0.97	106	26.4	1.23	22.3	1.07
Melanomas of the skin	133	30.9	1.25	23.0	0.95	103	25.6	1.21	21.6	1.06
Breast (excl. <i>in situ</i>)	5	1.2	0.24	0.8	0.17	594	129.5	2.52	101.5	2.03
Female Genital System	-	-	-	-	-	250	53.0	1.58	42.6	1.31
Cervix uteri	-	-	-	-	-	25	6.7	0.63	5.9	0.57
Uterus Corpus	-	-	-	-	-	141	29.1	1.15	23.5	0.94
Uterus, NOS ¹	-	-	-	-	-	2	0.3	0.10	0.2	0.08
Ovary	-	-	-	-	-	54	11.2	0.71	8.8	0.59
Male Genital System	592	123.3	2.34	95.4	1.81	-	-	-	-	-
Prostate	563	114.9	2.22	87.4	1.67	-	-	-	-	-
Testis	22	6.8	0.66	6.8	0.66	-	-	-	-	-
Penis	6	1.4	0.26	0.9	0.17	-	-	-	-	-
Urinary System	262	58.6	1.67	40.7	1.17	100	20.7	0.98	15.5	0.76
Bladder (incl. <i>in situ</i>)	154	34.6	1.27	22.6	0.84	45	8.7	0.61	6.2	0.46
Kidney & renal pelvis	102	22.8	1.05	17.3	0.81	52	11.3	0.75	8.9	0.60
Ureter	3	0.7	0.19	0.5	0.12	2	0.4	0.13	0.3	0.08
Eye & Orbit	5	1.0	0.23	1.0	0.21	3	0.7	0.17	0.6	0.16
Brain & Other CNS ¹	34	8.3	0.66	7.0	0.58	24	5.3	0.51	4.5	0.47
Brain	33	8.0	0.64	6.6	0.57	23	5.2	0.51	4.5	0.47
Endocrine System	35	8.9	0.70	7.7	0.62	78	21.4	1.14	19.3	1.05
Thyroid gland	31	7.9	0.66	6.8	0.58	75	20.7	1.13	18.6	1.02
Lymphomas	109	25.7	1.14	19.6	0.90	90	19.0	0.95	14.9	0.81
Hodgkin Lymphoma	11	2.8	0.40	2.7	0.39	8	2.5	0.39	2.6	0.42
Non-Hodgkin Lymphoma	98	22.8	1.07	16.9	0.81	81	16.6	0.87	12.3	0.69
Multiple Myeloma	39	8.6	0.63	5.8	0.43	23	4.3	0.42	3.1	0.32
Leukemias	89	20.7	1.01	15.2	0.78	63	13.7	0.82	11.2	0.73
Acute lymphocytic	4	1.3	0.28	1.4	0.32	5	1.6	0.32	1.9	0.38
Chronic lymphocytic	38	8.4	0.63	5.8	0.43	23	4.5	0.43	3.3	0.33
Acute myeloid	24	5.6	0.53	4.0	0.40	20	4.5	0.48	3.7	0.41
Chronic myeloid	16	3.9	0.44	2.9	0.35	9	2.1	0.33	1.7	0.28
Other leukemias	7	1.6	0.29	1.1	0.21	5	1.0	0.21	0.8	0.19
Mesothelioma	6	1.1	0.22	0.8	0.16	1	0.2	0.10	0.2	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	36	8.5	0.66	6.6	0.53	59	13.0	0.80	10.3	0.67
Breast (<i>in situ</i>)	-	-	-	-	-	124	28.4	1.21	22.9	0.98

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
South Dakota, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	18	366.5	50.26	297.4	36.59	9	257.0	42.70	212.6	33.06
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	98.0	27.25	78.2	20.23	2	57.5	20.16	46.3	15.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	20.6	8.29	18.0	7.22	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	50.4	23.32	37.2	15.08	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	50.4	23.32	37.2	15.08	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	3	83.4	22.86	71.0	18.85
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	93.3	20.63	81.4	17.15	-	-	-	-	-
Prostate	5	93.3	20.63	81.4	17.15	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	27.2	8.69	24.9	8.00	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	22.3	7.93	20.3	7.26	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	2	28.5	11.14	27.4	10.23
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Tennessee, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	18,932	520.7	1.75	390.3	1.30	17,565	422.1	1.46	329.6	1.18
Oral Cavity & Pharynx	756	20.1	0.34	16.0	0.26	279	6.6	0.18	5.1	0.15
Lip	28	0.8	0.07	0.6	0.05	9	0.2	0.03	0.1	0.02
Tongue	247	6.5	0.19	5.2	0.15	85	2.0	0.10	1.6	0.08
Major salivary gland	56	1.6	0.10	1.2	0.07	38	0.9	0.07	0.8	0.06
Floor of mouth	32	0.8	0.07	0.7	0.05	12	0.3	0.04	0.2	0.03
Gum & other mouth	84	2.3	0.12	1.7	0.09	62	1.4	0.08	1.0	0.06
Nasopharynx	28	0.8	0.07	0.7	0.06	13	0.3	0.04	0.3	0.03
Oropharynx	43	1.1	0.08	0.9	0.06	10	0.2	0.03	0.2	0.03
Hypopharynx	42	1.1	0.08	0.9	0.06	9	0.2	0.03	0.2	0.03
Digestive System	3,555	98.1	0.76	73.6	0.56	2,788	65.3	0.57	48.6	0.43
Esophagus	310	8.3	0.22	6.3	0.16	69	1.6	0.09	1.1	0.06
Stomach	280	7.9	0.22	5.8	0.16	170	4.1	0.14	3.0	0.11
Small intestine	113	3.1	0.14	2.4	0.10	100	2.4	0.11	1.9	0.09
Colon excl. rectum	1,118	31.6	0.44	23.3	0.32	1,124	26.5	0.36	19.3	0.27
Rectum & rectosigmoid	508	14.0	0.29	10.9	0.22	360	8.8	0.21	6.8	0.17
Anus, anal canal & anorectum	62	1.8	0.10	1.4	0.08	118	2.8	0.12	2.3	0.10
Liver	470	12.0	0.25	9.6	0.20	151	3.4	0.13	2.7	0.10
Gallbladder	22	0.7	0.06	0.4	0.04	43	1.0	0.07	0.7	0.05
Pancreas	519	14.4	0.29	10.4	0.21	479	10.9	0.23	7.8	0.17
Respiratory System	3,633	99.8	0.76	71.7	0.54	2,814	64.1	0.55	47.4	0.41
Larynx	269	7.0	0.20	5.5	0.15	82	1.9	0.10	1.6	0.08
Lung & bronchus	3,324	91.6	0.73	65.3	0.51	2,702	61.4	0.54	45.2	0.40
Bones & Joints	35	1.1	0.08	1.0	0.08	27	0.8	0.07	0.7	0.07
Soft Tissue (incl. heart)	137	4.0	0.16	3.3	0.13	107	2.7	0.12	2.4	0.11
Skin (excl. basal & sq.)	975	28.1	0.42	20.5	0.30	672	17.1	0.30	13.9	0.26
Melanomas of the skin	907	26.0	0.40	19.1	0.29	635	16.2	0.30	13.2	0.25
Breast (excl. <i>in situ</i>)	46	1.3	0.09	0.9	0.06	5,070	122.6	0.79	97.3	0.64
Female Genital System	-	-	-	-	-	1,998	48.7	0.50	39.6	0.42
Cervix uteri	-	-	-	-	-	298	8.4	0.22	7.3	0.20
Uterus Corpus	-	-	-	-	-	1,008	23.5	0.34	19.2	0.28
Uterus, NOS ¹	-	-	-	-	-	42	1.0	0.07	0.8	0.06
Ovary	-	-	-	-	-	438	10.6	0.23	8.3	0.19
Male Genital System	4,578	118.2	0.80	92.0	0.62	-	-	-	-	-
Prostate	4,366	111.5	0.78	85.6	0.58	-	-	-	-	-
Testis	168	5.5	0.19	5.5	0.19	-	-	-	-	-
Penis	38	1.0	0.08	0.8	0.06	-	-	-	-	-
Urinary System	2,151	61.1	0.61	43.8	0.43	942	22.1	0.33	16.7	0.26
Bladder (incl. <i>in situ</i>)	1,183	34.5	0.46	23.1	0.30	372	8.5	0.20	6.0	0.14
Kidney & renal pelvis	919	25.2	0.38	19.8	0.30	544	13.0	0.26	10.3	0.21
Ureter	31	0.9	0.07	0.6	0.05	19	0.4	0.05	0.3	0.03
Eye & Orbit	41	1.2	0.08	1.0	0.07	38	0.9	0.07	0.8	0.06
Brain & Other CNS ¹	261	7.6	0.22	6.5	0.19	210	5.4	0.17	4.7	0.16
Brain	249	7.3	0.21	6.1	0.18	197	5.1	0.17	4.4	0.15
Endocrine System	258	7.4	0.21	6.3	0.18	666	18.8	0.34	17.0	0.31
Thyroid gland	231	6.6	0.20	5.6	0.17	644	18.2	0.33	16.4	0.30
Lymphomas	859	24.8	0.39	19.0	0.30	676	16.4	0.29	12.8	0.24
Hodgkin Lymphoma	96	2.9	0.14	2.8	0.13	76	2.2	0.12	2.3	0.12
Non-Hodgkin Lymphoma	763	21.9	0.37	16.2	0.27	600	14.1	0.26	10.6	0.21
Multiple Myeloma	295	8.3	0.22	5.9	0.16	235	5.4	0.16	3.9	0.12
Leukemias	594	17.4	0.33	13.3	0.26	425	10.6	0.24	8.5	0.20
Acute lymphocytic	54	1.7	0.11	1.8	0.12	47	1.4	0.10	1.6	0.11
Chronic lymphocytic	222	6.3	0.19	4.4	0.13	131	3.0	0.12	2.1	0.08
Acute myeloid	175	5.1	0.18	3.9	0.14	134	3.4	0.13	2.7	0.11
Chronic myeloid	76	2.3	0.12	1.8	0.09	68	1.8	0.10	1.4	0.08
Other leukemias	66	2.0	0.11	1.4	0.08	44	1.1	0.07	0.8	0.06
Mesothelioma	42	1.2	0.09	0.8	0.05	12	0.3	0.04	0.2	0.03
Kaposi Sarcoma	14	0.4	0.05	0.4	0.05	-	-	-	-	-
Ill-defined & Unknown	703	20.6	0.36	14.2	0.24	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	308	9.1	0.24	7.2	0.19	689	17.2	0.30	13.6	0.25
Breast (<i>in situ</i>)	5	0.1	0.03	0.1	0.02	1,017	24.5	0.35	19.9	0.29

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Tennessee, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	16,240	517.4	1.87	387.3	1.40	14,938	427.2	1.62	334.3	1.32
Oral Cavity & Pharynx	679	21.0	0.37	16.7	0.29	246	6.9	0.20	5.4	0.17
Lip	27	0.9	0.08	0.6	0.05	9	0.2	0.04	0.2	0.02
Tongue	226	6.9	0.21	5.6	0.17	78	2.2	0.12	1.8	0.09
Major salivary gland	52	1.7	0.11	1.2	0.08	32	1.0	0.08	0.8	0.07
Floor of mouth	28	0.8	0.07	0.7	0.06	10	0.3	0.04	0.2	0.03
Gum & other mouth	74	2.4	0.13	1.8	0.10	55	1.5	0.09	1.1	0.07
Nasopharynx	21	0.7	0.07	0.6	0.06	10	0.3	0.04	0.2	0.03
Oropharynx	35	1.0	0.08	0.9	0.07	8	0.2	0.04	0.2	0.03
Hypopharynx	33	1.0	0.08	0.8	0.06	7	0.2	0.03	0.2	0.03
Digestive System	2,969	95.1	0.80	71.1	0.60	2,283	63.0	0.61	46.8	0.47
Esophagus	274	8.6	0.24	6.5	0.18	56	1.5	0.09	1.1	0.07
Stomach	224	7.3	0.22	5.3	0.16	130	3.6	0.15	2.7	0.11
Small intestine	91	2.9	0.14	2.2	0.11	76	2.1	0.11	1.7	0.09
Colon excl. rectum	936	30.7	0.46	22.5	0.34	933	25.8	0.39	18.8	0.30
Rectum & rectosigmoid	434	14.0	0.31	10.9	0.24	296	8.6	0.23	6.7	0.19
Anus, anal canal & anorectum	53	1.8	0.11	1.4	0.09	106	3.0	0.13	2.4	0.11
Liver	369	11.1	0.26	8.8	0.21	118	3.2	0.13	2.5	0.11
Gallbladder	17	0.6	0.06	0.4	0.04	33	0.9	0.07	0.6	0.05
Pancreas	439	14.0	0.31	10.1	0.22	391	10.5	0.24	7.5	0.18
Respiratory System	3,175	99.9	0.81	71.8	0.58	2,478	66.2	0.61	49.1	0.46
Larynx	227	6.9	0.21	5.4	0.16	70	2.0	0.11	1.6	0.09
Lung & bronchus	2,913	91.9	0.78	65.5	0.55	2,382	63.5	0.59	46.9	0.45
Bones & Joints	29	1.1	0.09	1.1	0.09	24	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	115	4.0	0.17	3.2	0.14	87	2.7	0.14	2.4	0.13
Skin (excl. basal & sq.)	956	31.8	0.47	23.4	0.35	649	20.0	0.37	16.4	0.31
Melanomas of the skin	894	29.5	0.46	21.9	0.34	619	19.1	0.36	15.8	0.31
Breast (excl. <i>in situ</i>)	37	1.2	0.09	0.9	0.07	4,249	122.3	0.87	96.9	0.70
Female Genital System	-	-	-	-	-	1,680	49.3	0.56	40.3	0.47
Cervix uteri	-	-	-	-	-	235	8.4	0.25	7.3	0.23
Uterus Corpus	-	-	-	-	-	856	24.0	0.38	19.7	0.32
Uterus, NOS ¹	-	-	-	-	-	28	0.8	0.07	0.6	0.05
Ovary	-	-	-	-	-	377	10.9	0.26	8.5	0.21
Male Genital System	3,672	110.0	0.83	85.5	0.65	-	-	-	-	-
Prostate	3,481	102.5	0.80	78.3	0.60	-	-	-	-	-
Testis	152	6.3	0.23	6.3	0.23	-	-	-	-	-
Penis	33	1.1	0.08	0.8	0.06	-	-	-	-	-
Urinary System	1,933	63.1	0.66	45.2	0.47	798	22.1	0.36	16.7	0.28
Bladder (incl. <i>in situ</i>)	1,105	36.6	0.51	24.5	0.33	336	9.0	0.22	6.3	0.16
Kidney & renal pelvis	782	25.1	0.41	19.6	0.32	438	12.5	0.28	9.9	0.23
Ureter	29	0.9	0.08	0.6	0.05	19	0.5	0.05	0.3	0.04
Eye & Orbit	38	1.3	0.10	1.1	0.08	36	1.1	0.08	0.9	0.07
Brain & Other CNS ¹	234	8.2	0.25	6.9	0.22	186	5.8	0.20	5.1	0.19
Brain	224	7.8	0.24	6.6	0.21	176	5.5	0.19	4.7	0.18
Endocrine System	234	8.0	0.24	6.9	0.21	577	20.2	0.39	18.4	0.36
Thyroid gland	213	7.3	0.23	6.2	0.20	561	19.7	0.39	17.9	0.36
Lymphomas	756	25.3	0.42	19.3	0.33	589	16.9	0.32	13.2	0.27
Hodgkin Lymphoma	77	2.9	0.15	2.8	0.15	63	2.3	0.13	2.4	0.14
Non-Hodgkin Lymphoma	679	22.4	0.40	16.5	0.30	526	14.5	0.29	10.8	0.23
Multiple Myeloma	227	7.3	0.22	5.2	0.16	163	4.4	0.16	3.1	0.12
Leukemias	527	17.9	0.36	13.8	0.29	365	10.9	0.27	8.8	0.23
Acute lymphocytic	46	1.9	0.12	2.0	0.14	40	1.6	0.12	1.8	0.13
Chronic lymphocytic	201	6.5	0.21	4.6	0.15	118	3.1	0.13	2.2	0.09
Acute myeloid	156	5.3	0.20	4.1	0.16	112	3.4	0.15	2.7	0.12
Chronic myeloid	64	2.2	0.13	1.7	0.10	57	1.8	0.11	1.4	0.09
Other leukemias	60	2.1	0.12	1.4	0.09	38	1.1	0.08	0.8	0.07
Mesothelioma	41	1.4	0.10	0.9	0.06	11	0.3	0.04	0.2	0.03
Kaposi Sarcoma	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	612	20.5	0.38	14.2	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	267	9.2	0.26	7.3	0.21	582	17.4	0.33	13.8	0.28
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	841	24.2	0.39	19.6	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Tennessee, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,422	549.8	5.50	416.1	3.85	2,351	400.4	3.81	310.0	2.90
Oral Cavity & Pharynx	65	12.9	0.77	10.7	0.60	28	4.5	0.40	3.6	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	3.4	0.39	2.9	0.31	6	0.9	0.18	0.8	0.14
Major salivary gland	3	0.6	0.17	0.5	0.14	5	0.8	0.17	0.7	0.15
Floor of mouth	3	0.6	0.17	0.4	0.12	2	0.3	0.10	0.2	0.07
Gum & other mouth	7	1.4	0.26	1.1	0.20	5	0.9	0.18	0.6	0.13
Nasopharynx	5	0.9	0.18	0.8	0.16	2	0.4	0.12	0.3	0.10
Oropharynx	7	1.5	0.26	1.2	0.20	2	0.3	0.11	0.3	0.08
Hypopharynx	8	1.7	0.28	1.4	0.22	2	0.3	0.09	0.2	0.08
Digestive System	526	119.3	2.56	90.0	1.79	463	80.1	1.72	59.6	1.26
Esophagus	32	6.9	0.60	5.3	0.43	12	2.0	0.26	1.5	0.20
Stomach	49	12.2	0.86	8.8	0.57	36	6.5	0.50	4.7	0.36
Small intestine	20	4.6	0.50	3.5	0.36	23	3.8	0.36	3.0	0.28
Colon excl. rectum	167	39.3	1.50	29.0	1.02	177	30.8	1.07	22.9	0.78
Rectum & rectosigmoid	66	15.2	0.92	11.4	0.64	58	9.8	0.59	7.6	0.45
Anus, anal canal & anorectum	9	1.7	0.26	1.5	0.23	11	1.9	0.26	1.5	0.20
Liver	89	16.4	0.83	14.0	0.67	30	4.7	0.40	3.7	0.31
Gallbladder	4	1.1	0.28	0.8	0.17	9	1.5	0.24	1.1	0.17
Pancreas	74	17.7	1.03	12.8	0.68	82	14.8	0.75	10.3	0.52
Respiratory System	427	103.6	2.48	74.7	1.65	312	53.7	1.41	39.4	1.01
Larynx	39	8.2	0.64	6.4	0.47	12	1.9	0.24	1.6	0.20
Lung & bronchus	384	94.4	2.38	67.5	1.57	296	51.4	1.39	37.4	0.98
Bones & Joints	4	1.1	0.27	0.8	0.18	3	0.5	0.13	0.5	0.13
Soft Tissue (incl. heart)	19	4.3	0.48	3.5	0.36	17	2.9	0.32	2.4	0.27
Skin (excl. basal & sq.)	7	1.4	0.26	1.2	0.21	10	1.7	0.25	1.4	0.20
Melanomas of the skin	3	0.6	0.17	0.5	0.13	4	0.7	0.17	0.5	0.12
Breast (excl. <i>in situ</i>)	8	1.9	0.33	1.4	0.23	737	123.6	2.10	98.6	1.65
Female Genital System	-	-	-	-	-	284	47.3	1.29	37.8	1.02
Cervix uteri	-	-	-	-	-	59	9.9	0.59	8.4	0.49
Uterus Corpus	-	-	-	-	-	133	21.5	0.86	17.4	0.68
Uterus, NOS ¹	-	-	-	-	-	13	2.3	0.29	1.7	0.22
Ovary	-	-	-	-	-	53	9.1	0.57	6.9	0.43
Male Genital System	835	180.4	3.05	139.7	2.20	-	-	-	-	-
Prostate	822	177.8	3.04	137.3	2.18	-	-	-	-	-
Testis	9	1.7	0.26	1.6	0.25	-	-	-	-	-
Penis	5	0.9	0.20	0.7	0.16	-	-	-	-	-
Urinary System	198	47.0	1.64	34.8	1.12	132	22.5	0.91	17.0	0.67
Bladder (incl. <i>in situ</i>)	66	18.1	1.10	12.1	0.68	32	5.7	0.47	3.9	0.31
Kidney & renal pelvis	127	27.7	1.19	21.8	0.88	98	16.4	0.77	12.9	0.59
Ureter	1	0.4	0.15	0.3	0.10	-	-	-	-	-
Eye & Orbit	2	0.3	0.09	0.3	0.11	1	0.2	0.09	0.2	0.09
Brain & Other CNS ¹	24	4.6	0.45	4.1	0.38	19	3.2	0.34	2.8	0.29
Brain	21	4.1	0.43	3.7	0.36	17	2.9	0.33	2.5	0.28
Endocrine System	18	3.8	0.44	3.1	0.34	70	11.8	0.65	10.3	0.56
Thyroid gland	12	2.4	0.34	2.0	0.27	65	11.0	0.62	9.6	0.54
Lymphomas	87	18.9	0.99	15.4	0.75	75	12.9	0.69	10.5	0.55
Hodgkin Lymphoma	16	2.9	0.34	2.8	0.32	11	1.8	0.24	1.9	0.25
Non-Hodgkin Lymphoma	71	16.0	0.93	12.5	0.68	64	11.1	0.64	8.6	0.49
Multiple Myeloma	63	15.0	0.92	11.1	0.63	67	11.9	0.67	8.6	0.47
Leukemias	51	12.5	0.86	9.3	0.59	49	8.4	0.55	6.7	0.44
Acute lymphocytic	5	0.9	0.19	0.9	0.19	5	0.8	0.16	0.8	0.17
Chronic lymphocytic	16	4.2	0.52	3.0	0.33	10	1.8	0.26	1.2	0.17
Acute myeloid	15	3.7	0.46	2.8	0.32	19	3.3	0.34	2.7	0.28
Chronic myeloid	10	2.3	0.37	1.8	0.26	9	1.6	0.24	1.2	0.19
Other leukemias	5	1.4	0.30	0.9	0.19	6	1.0	0.20	0.7	0.14
Mesothelioma	1	0.3	0.13	0.2	0.09	1	0.2	0.09	0.2	0.07
Kaposi Sarcoma	7	1.3	0.22	1.4	0.22	-	-	-	-	-
Ill-defined & Unknown	80	21.2	1.18	14.4	0.73	82	14.9	0.76	10.4	0.53
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	36	8.8	0.72	6.7	0.50	94	16.3	0.77	12.8	0.60
Breast (<i>in situ</i>)	1	0.3	0.14	0.2	0.09	157	26.1	0.96	21.0	0.76

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Tennessee, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	109	253.7	12.03	192.7	8.39	138	236.7	9.62	186.5	7.16
Oral Cavity & Pharynx	7	12.3	2.11	10.9	1.88	3	5.3	1.45	4.1	1.07
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	3.4	1.14	3.0	1.01	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	3.6	1.13	3.2	1.01	-	-	-	-	-
Nasopharynx	1	2.0	0.82	1.7	0.71	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	30	69.3	6.24	53.0	4.38	23	43.3	4.35	31.7	2.98
Esophagus	1	3.4	1.63	2.5	0.98	-	-	-	-	-
Stomach	3	8.4	2.38	5.9	1.51	3	4.4	1.26	3.5	0.98
Small intestine	1	2.4	1.00	2.1	0.85	-	-	-	-	-
Colon excl. rectum	7	14.8	2.69	11.7	2.02	7	12.5	2.22	9.7	1.63
Rectum & rectosigmoid	4	10.2	2.35	7.8	1.68	4	7.4	1.68	5.9	1.26
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	16.4	2.81	13.1	2.15	3	5.8	1.78	3.6	1.01
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	8.7	2.59	5.9	1.53	3	6.8	1.85	4.4	1.15
Respiratory System	16	44.4	5.38	30.5	3.44	14	26.3	3.36	19.5	2.34
Larynx	2	3.8	1.35	2.9	1.04	-	-	-	-	-
Lung & bronchus	14	39.6	5.14	26.8	3.23	14	25.6	3.32	18.9	2.31
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	1	2.5	1.12	2.1	0.88	2	2.4	0.88	2.3	0.81
Skin (excl. basal & sq.)	-	-	-	-	-	1	2.5	1.03	1.8	0.69
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	46	75.1	5.20	60.7	4.03
Female Genital System	-	-	-	-	-	16	26.3	3.04	21.6	2.41
Cervix uteri	-	-	-	-	-	2	2.8	0.89	2.5	0.79
Uterus Corpus	-	-	-	-	-	9	15.2	2.33	12.4	1.84
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	4	6.8	1.59	5.3	1.20
Male Genital System	22	54.8	5.67	40.7	3.92	-	-	-	-	-
Prostate	20	52.0	5.60	37.8	3.81	-	-	-	-	-
Testis	2	2.4	0.81	2.5	0.85	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	20.6	3.71	14.5	2.34	5	9.7	2.15	6.8	1.39
Bladder (incl. <i>in situ</i>)	4	12.1	2.99	8.3	1.80	1	3.1	1.30	2.0	0.75
Kidney & renal pelvis	4	8.5	2.20	6.2	1.50	3	5.4	1.49	4.2	1.10
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	2	3.7	1.21	3.5	1.11	2	3.4	1.14	2.9	0.94
Brain	2	3.7	1.21	3.5	1.11	2	3.4	1.14	2.9	0.94
Endocrine System	4	7.0	1.67	5.7	1.33	12	17.6	2.47	15.4	2.05
Thyroid gland	3	6.2	1.59	5.1	1.25	11	16.3	2.40	13.9	1.94
Lymphomas	7	16.4	3.04	12.8	2.14	5	8.8	1.87	7.1	1.42
Hodgkin Lymphoma	1	2.1	0.80	2.2	0.85	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	4	7.6	1.79	5.6	1.26
Multiple Myeloma	2	4.9	1.47	3.9	1.14	1	3.0	1.21	2.0	0.76
Leukemias	4	6.1	1.54	5.8	1.39	4	6.3	1.46	5.7	1.29
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	2.7	1.10	2.5	0.95	2	2.9	1.00	2.6	0.86
Chronic myeloid	1	1.9	0.83	1.8	0.74	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	6.9	2.16	5.1	1.40	3	6.1	1.68	4.3	1.08
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	4.1	1.22	3.9	1.12	7	11.8	2.13	9.0	1.56
Breast (<i>in situ</i>)	-	-	-	-	-	11	18.2	2.58	14.4	1.96

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Tennessee, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	218	294.8	10.87	224.2	7.45	239	299.3	9.93	230.9	7.08
Oral Cavity & Pharynx	7	6.9	1.28	6.0	1.09	4	4.9	1.38	3.6	0.92
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	2.0	0.62	1.8	0.56	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	1	0.9	0.39	0.8	0.35	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	70.6	5.42	51.7	3.58	31	46.4	4.16	33.5	2.82
Esophagus	3	4.9	1.51	3.3	0.94	-	-	-	-	-
Stomach	7	10.6	2.15	7.3	1.34	4	5.8	1.43	4.3	1.00
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	15.1	2.52	11.0	1.63	8	11.3	2.00	8.2	1.38
Rectum & rectosigmoid	6	8.7	1.90	6.3	1.22	5	6.2	1.39	4.8	1.01
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	11	14.1	2.23	11.4	1.65	5	10.0	2.10	6.9	1.36
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	5	8.9	2.02	6.4	1.31	3	4.4	1.29	3.3	0.90
Respiratory System	23	38.6	4.07	28.5	2.78	21	35.4	3.77	25.3	2.54
Larynx	2	2.6	0.88	2.2	0.71	-	-	-	-	-
Lung & bronchus	21	34.9	3.90	25.7	2.66	19	33.5	3.69	23.6	2.46
Bones & Joints	2	0.9	0.33	0.9	0.32	1	1.0	0.42	1.0	0.41
Soft Tissue (incl. heart)	5	3.2	0.78	2.9	0.66	3	3.0	1.05	2.2	0.66
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	5	9.0	2.09	6.2	1.32	6	8.6	1.71	6.6	1.21
Breast (excl. <i>in situ</i>)	-	-	-	-	-	65	78.1	4.85	61.4	3.58
Female Genital System	-	-	-	-	-	33	36.6	3.18	30.4	2.48
Cervix uteri	-	-	-	-	-	9	9.1	1.55	7.5	1.18
Uterus Corpus	-	-	-	-	-	15	17.0	2.19	14.1	1.71
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	6.9	1.35	5.8	1.06
Male Genital System	50	77.4	5.72	58.6	3.94	-	-	-	-	-
Prostate	42	72.8	5.67	53.7	3.86	-	-	-	-	-
Testis	8	4.0	0.65	4.3	0.69	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	36.1	4.07	25.7	2.63	13	16.7	2.41	12.3	1.65
Bladder (incl. <i>in situ</i>)	9	17.6	3.01	11.8	1.88	2	4.4	1.45	2.7	0.86
Kidney & renal pelvis	14	18.3	2.72	13.7	1.82	10	11.9	1.88	9.3	1.38
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	1.8	0.94	1.3	0.58	-	-	-	-	-
Brain & Other CNS ¹	7	4.9	1.04	4.5	0.88	6	5.4	1.28	4.6	0.95
Brain	7	4.9	1.04	4.5	0.88	5	5.3	1.27	4.4	0.95
Endocrine System	5	3.6	0.78	3.3	0.71	16	13.6	1.75	11.8	1.42
Thyroid gland	4	2.9	0.73	2.6	0.66	15	13.2	1.70	11.6	1.39
Lymphomas	14	12.6	1.76	11.0	1.44	14	16.0	2.28	12.5	1.62
Hodgkin Lymphoma	4	2.7	0.81	2.5	0.65	3	1.6	0.46	1.7	0.48
Non-Hodgkin Lymphoma	11	9.8	1.56	8.5	1.28	11	14.4	2.23	10.9	1.55
Multiple Myeloma	4	5.6	1.54	4.1	1.05	4	5.7	1.32	4.3	0.97
Leukemias	15	12.5	1.92	11.0	1.47	12	11.3	1.85	9.4	1.34
Acute lymphocytic	-	-	-	-	-	4	1.7	0.42	1.9	0.45
Chronic lymphocytic	2	3.7	1.27	2.8	0.88	2	2.1	0.79	1.7	0.60
Acute myeloid	4	4.0	1.07	3.5	0.86	3	4.0	1.22	3.2	0.85
Chronic myeloid	1	1.0	0.39	0.9	0.35	2	2.2	0.86	1.6	0.57
Other leukemias	-	-	-	-	-	1	1.2	0.63	1.0	0.43
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	8.4	1.78	6.6	1.26	10	14.1	2.42	10.1	1.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	6	6.2	1.49	4.9	1.03	11	11.5	1.80	9.5	1.39
Breast (<i>in situ</i>)	-	-	-	-	-	10	11.9	1.84	9.5	1.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

TENNESSEE

374 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Tennessee, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16,073	523.4	1.90	392.3	1.44	14,749	431.5	1.65	338.1	1.35
Oral Cavity & Pharynx	674	21.4	0.38	17.0	0.30	243	7.0	0.21	5.4	0.17
Lip	27	0.9	0.08	0.6	0.05	9	0.2	0.04	0.2	0.02
Tongue	224	7.0	0.22	5.7	0.17	77	2.2	0.12	1.8	0.10
Major salivary gland	52	1.8	0.11	1.2	0.08	32	1.0	0.08	0.8	0.07
Floor of mouth	28	0.9	0.07	0.7	0.06	10	0.3	0.04	0.2	0.03
Gum & other mouth	74	2.4	0.13	1.8	0.10	54	1.5	0.09	1.1	0.07
Nasopharynx	21	0.7	0.07	0.6	0.06	10	0.3	0.04	0.2	0.03
Oropharynx	35	1.0	0.08	0.9	0.07	8	0.2	0.04	0.2	0.03
Hypopharynx	33	1.0	0.08	0.8	0.06	7	0.2	0.04	0.2	0.03
Digestive System	2,932	96.0	0.82	71.9	0.61	2,258	63.6	0.62	47.3	0.48
Esophagus	272	8.6	0.24	6.6	0.18	56	1.5	0.09	1.1	0.07
Stomach	220	7.3	0.23	5.3	0.16	126	3.6	0.15	2.6	0.11
Small intestine	90	3.0	0.15	2.3	0.11	76	2.2	0.12	1.7	0.09
Colon excl. rectum	928	31.1	0.47	22.9	0.35	927	26.2	0.40	19.1	0.30
Rectum & rectosigmoid	429	14.2	0.32	11.0	0.25	292	8.7	0.24	6.8	0.19
Anus, anal canal & anorectum	53	1.8	0.11	1.4	0.09	105	3.0	0.14	2.5	0.11
Liver	360	11.0	0.27	8.7	0.21	113	3.1	0.13	2.4	0.11
Gallbladder	17	0.6	0.06	0.4	0.04	32	0.9	0.07	0.6	0.05
Pancreas	435	14.1	0.31	10.2	0.22	389	10.6	0.25	7.5	0.18
Respiratory System	3,157	101.1	0.83	72.8	0.59	2,461	66.9	0.62	49.7	0.47
Larynx	225	7.0	0.21	5.5	0.17	69	2.0	0.11	1.7	0.09
Lung & bronchus	2,897	92.9	0.79	66.3	0.56	2,366	64.1	0.60	47.4	0.45
Bones & Joints	28	1.1	0.10	1.1	0.10	23	0.8	0.08	0.8	0.08
Soft Tissue (incl. heart)	112	4.0	0.17	3.2	0.15	86	2.8	0.14	2.4	0.13
Skin (excl. basal & sq.)	951	32.4	0.49	23.9	0.36	643	20.5	0.38	16.9	0.32
Melanomas of the skin	889	30.2	0.47	22.5	0.35	613	19.6	0.37	16.2	0.32
Breast (excl. <i>in situ</i>)	37	1.2	0.09	0.9	0.07	4,198	123.6	0.89	98.0	0.72
Female Genital System	-	-	-	-	-	1,654	49.8	0.57	40.7	0.48
Cervix uteri	-	-	-	-	-	227	8.4	0.26	7.4	0.23
Uterus Corpus	-	-	-	-	-	845	24.2	0.39	19.9	0.32
Uterus, NOS ¹	-	-	-	-	-	28	0.8	0.07	0.6	0.06
Ovary	-	-	-	-	-	371	10.9	0.26	8.6	0.22
Male Genital System	3,637	111.2	0.85	86.6	0.66	-	-	-	-	-
Prostate	3,450	103.4	0.81	79.0	0.61	-	-	-	-	-
Testis	148	6.6	0.25	6.7	0.25	-	-	-	-	-
Penis	33	1.1	0.09	0.8	0.06	-	-	-	-	-
Urinary System	1,915	63.8	0.67	45.8	0.48	789	22.3	0.37	16.8	0.29
Bladder (incl. <i>in situ</i>)	1,098	36.9	0.51	24.8	0.34	335	9.1	0.23	6.4	0.17
Kidney & renal pelvis	772	25.4	0.42	19.9	0.33	431	12.6	0.28	10.0	0.23
Ureter	29	1.0	0.08	0.7	0.05	18	0.5	0.05	0.3	0.04
Eye & Orbit	37	1.3	0.10	1.1	0.09	35	1.1	0.08	0.9	0.07
Brain & Other CNS ¹	227	8.2	0.25	7.0	0.23	181	5.9	0.21	5.1	0.20
Brain	218	7.8	0.25	6.6	0.22	172	5.5	0.20	4.8	0.19
Endocrine System	229	8.2	0.25	7.0	0.22	563	20.6	0.41	18.8	0.38
Thyroid gland	210	7.5	0.24	6.3	0.21	548	20.1	0.40	18.3	0.37
Lymphomas	744	25.5	0.43	19.5	0.34	577	16.9	0.33	13.2	0.28
Hodgkin Lymphoma	74	2.9	0.16	2.8	0.16	61	2.4	0.14	2.4	0.15
Non-Hodgkin Lymphoma	670	22.6	0.40	16.7	0.30	516	14.5	0.29	10.8	0.23
Multiple Myeloma	225	7.4	0.23	5.2	0.16	160	4.4	0.16	3.1	0.12
Leukemias	516	18.1	0.37	13.9	0.30	356	10.9	0.27	8.8	0.24
Acute lymphocytic	41	1.8	0.13	1.9	0.14	37	1.6	0.12	1.8	0.14
Chronic lymphocytic	199	6.5	0.21	4.6	0.15	116	3.1	0.13	2.2	0.09
Acute myeloid	153	5.4	0.20	4.1	0.16	109	3.4	0.15	2.7	0.13
Chronic myeloid	63	2.2	0.13	1.7	0.10	56	1.8	0.11	1.4	0.09
Other leukemias	60	2.1	0.13	1.5	0.09	37	1.1	0.08	0.8	0.07
Mesothelioma	40	1.4	0.10	0.9	0.06	11	0.3	0.04	0.2	0.03
Kaposi Sarcoma	5	0.2	0.05	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	608	20.8	0.39	14.3	0.27	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	262	9.3	0.27	7.4	0.22	573	17.6	0.34	14.0	0.29
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	834	24.6	0.40	20.0	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Tennessee, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	2,415	553.0	5.54	418.7	3.88	2,340	402.0	3.84	311.3	2.93
Oral Cavity & Pharynx	65	13.1	0.78	10.8	0.61	27	4.5	0.40	3.6	0.31
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	18	3.5	0.39	2.9	0.31	6	0.9	0.18	0.8	0.14
Major salivary gland	3	0.7	0.17	0.6	0.14	5	0.9	0.18	0.7	0.15
Floor of mouth	3	0.6	0.17	0.4	0.13	2	0.3	0.11	0.2	0.07
Gum & other mouth	7	1.4	0.26	1.1	0.20	5	0.8	0.18	0.6	0.12
Nasopharynx	5	0.9	0.18	0.8	0.17	2	0.4	0.12	0.3	0.10
Oropharynx	7	1.5	0.27	1.2	0.20	2	0.3	0.11	0.3	0.08
Hypopharynx	8	1.7	0.29	1.4	0.22	2	0.3	0.09	0.2	0.08
Digestive System	524	119.9	2.58	90.5	1.80	462	80.4	1.73	59.9	1.27
Esophagus	32	6.9	0.60	5.4	0.43	12	2.0	0.27	1.6	0.20
Stomach	49	12.3	0.87	8.8	0.58	36	6.5	0.50	4.8	0.36
Small intestine	20	4.7	0.51	3.5	0.36	23	3.8	0.36	3.0	0.29
Colon excl. rectum	166	39.5	1.51	29.2	1.03	177	30.9	1.08	23.0	0.79
Rectum & rectosigmoid	66	15.4	0.93	11.5	0.64	57	9.8	0.60	7.6	0.46
Anus, anal canal & anorectum	9	1.7	0.26	1.5	0.23	11	1.9	0.26	1.5	0.20
Liver	88	16.5	0.83	14.0	0.67	29	4.7	0.40	3.7	0.31
Gallbladder	4	1.2	0.28	0.8	0.17	9	1.6	0.24	1.1	0.17
Pancreas	74	17.8	1.03	12.8	0.68	82	14.9	0.76	10.4	0.52
Respiratory System	426	104.2	2.50	75.2	1.66	311	53.9	1.42	39.5	1.01
Larynx	39	8.2	0.64	6.5	0.47	12	1.8	0.24	1.5	0.20
Lung & bronchus	383	95.0	2.40	67.9	1.58	296	51.6	1.39	37.6	0.99
Bones & Joints	4	1.2	0.27	0.9	0.18	3	0.5	0.13	0.5	0.13
Soft Tissue (incl. heart)	19	4.3	0.49	3.5	0.36	17	2.9	0.33	2.5	0.27
Skin (excl. basal & sq.)	7	1.4	0.26	1.2	0.22	10	1.7	0.25	1.4	0.20
Melanomas of the skin	3	0.6	0.17	0.5	0.13	4	0.8	0.17	0.5	0.12
Breast (excl. <i>in situ</i>)	8	1.9	0.34	1.4	0.23	734	124.1	2.11	99.1	1.66
Female Genital System	-	-	-	-	-	283	47.5	1.30	38.0	1.03
Cervix uteri	-	-	-	-	-	59	10.0	0.60	8.4	0.50
Uterus Corpus	-	-	-	-	-	133	21.7	0.87	17.5	0.69
Uterus, NOS ¹	-	-	-	-	-	13	2.3	0.30	1.8	0.22
Ovary	-	-	-	-	-	53	9.1	0.58	7.0	0.44
Male Genital System	833	181.3	3.07	140.4	2.21	-	-	-	-	-
Prostate	820	178.7	3.06	138.0	2.19	-	-	-	-	-
Testis	9	1.7	0.27	1.6	0.25	-	-	-	-	-
Penis	4	0.9	0.20	0.7	0.16	-	-	-	-	-
Urinary System	197	47.2	1.65	34.9	1.13	131	22.6	0.91	17.1	0.68
Bladder (incl. <i>in situ</i>)	66	18.1	1.10	12.1	0.68	32	5.7	0.47	3.9	0.31
Kidney & renal pelvis	127	27.9	1.20	22.0	0.89	98	16.5	0.77	12.9	0.59
Ureter	1	0.4	0.15	0.3	0.10	-	-	-	-	-
Eye & Orbit	2	0.3	0.10	0.3	0.12	1	0.2	0.09	0.2	0.09
Brain & Other CNS ¹	24	4.7	0.46	4.2	0.39	19	3.3	0.35	2.8	0.30
Brain	21	4.2	0.43	3.8	0.37	17	3.0	0.33	2.5	0.28
Endocrine System	18	3.8	0.44	3.1	0.34	70	11.9	0.65	10.4	0.56
Thyroid gland	12	2.4	0.34	2.1	0.27	65	11.1	0.63	9.7	0.55
Lymphomas	87	19.0	1.00	15.5	0.76	75	13.0	0.69	10.5	0.55
Hodgkin Lymphoma	16	2.9	0.34	2.9	0.33	11	1.8	0.25	1.9	0.25
Non-Hodgkin Lymphoma	71	16.1	0.94	12.7	0.68	63	11.1	0.65	8.6	0.49
Multiple Myeloma	63	15.0	0.93	11.1	0.64	67	11.9	0.67	8.6	0.48
Leukemias	51	12.6	0.87	9.5	0.60	49	8.4	0.55	6.8	0.45
Acute lymphocytic	5	0.9	0.20	0.9	0.19	5	0.8	0.17	0.8	0.17
Chronic lymphocytic	16	4.3	0.52	3.0	0.34	10	1.7	0.25	1.2	0.17
Acute myeloid	15	3.7	0.47	2.8	0.33	19	3.3	0.34	2.8	0.29
Chronic myeloid	10	2.3	0.37	1.8	0.26	9	1.6	0.24	1.2	0.19
Other leukemias	5	1.4	0.31	0.9	0.19	6	1.0	0.19	0.7	0.14
Mesothelioma	1	0.3	0.13	0.2	0.09	1	0.2	0.09	0.2	0.07
Kaposi Sarcoma	7	1.3	0.22	1.4	0.23	-	-	-	-	-
Ill-defined & Unknown	80	21.3	1.19	14.5	0.74	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	36	8.9	0.72	6.7	0.51	94	16.4	0.78	13.0	0.61
Breast (<i>in situ</i>)	1	0.3	0.14	0.2	0.09	157	26.3	0.97	21.1	0.76

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

TENNESSEE

376 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Texas, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	55,935	450.3	0.88	333.3	0.63	54,169	378.4	0.74	293.4	0.58
Oral Cavity & Pharynx	2,250	17.1	0.17	13.4	0.13	831	5.7	0.09	4.5	0.07
Lip	77	0.7	0.03	0.5	0.02	17	0.1	0.01	0.1	0.01
Tongue	709	5.3	0.09	4.2	0.07	259	1.8	0.05	1.4	0.04
Major salivary gland	201	1.7	0.06	1.2	0.04	134	1.0	0.04	0.8	0.03
Floor of mouth	85	0.6	0.03	0.5	0.02	33	0.2	0.02	0.2	0.01
Gum & other mouth	235	1.9	0.06	1.4	0.04	164	1.2	0.04	0.8	0.03
Nasopharynx	95	0.7	0.03	0.6	0.03	38	0.3	0.02	0.2	0.02
Oropharynx	140	1.0	0.04	0.8	0.03	39	0.3	0.02	0.2	0.01
Hypopharynx	122	0.9	0.04	0.7	0.03	28	0.2	0.02	0.1	0.01
Digestive System	12,615	100.4	0.41	74.6	0.30	9,209	63.9	0.30	46.9	0.22
Esophagus	863	6.9	0.11	5.0	0.08	216	1.5	0.05	1.1	0.03
Stomach	1,051	8.7	0.12	6.2	0.09	704	5.0	0.08	3.7	0.06
Small intestine	332	2.7	0.07	2.0	0.05	283	2.0	0.05	1.5	0.04
Colon excl. rectum	3,716	30.3	0.23	22.1	0.16	3,350	23.4	0.18	17.0	0.14
Rectum & rectosigmoid	1,864	14.5	0.15	11.2	0.12	1,174	8.1	0.11	6.3	0.08
Anus, anal canal & anorectum	176	1.4	0.05	1.1	0.04	276	1.9	0.05	1.5	0.04
Liver	2,220	16.2	0.16	13.0	0.12	779	5.3	0.09	4.0	0.06
Gallbladder	94	0.8	0.04	0.6	0.03	207	1.4	0.05	1.0	0.03
Pancreas	1,701	14.1	0.16	10.0	0.11	1,582	11.0	0.13	7.7	0.09
Respiratory System	8,076	67.7	0.35	47.1	0.24	6,293	43.8	0.25	31.0	0.18
Larynx	688	5.3	0.09	4.0	0.07	140	0.9	0.04	0.7	0.03
Lung & bronchus	7,247	61.3	0.33	42.2	0.22	6,070	42.2	0.25	29.8	0.17
Bones & Joints	155	1.2	0.04	1.1	0.04	121	0.9	0.04	0.8	0.03
Soft Tissue (incl. heart)	459	3.6	0.08	3.0	0.06	356	2.5	0.06	2.1	0.05
Skin (excl. basal & sq.)	2,325	19.3	0.19	13.9	0.13	1,459	10.3	0.12	8.3	0.10
Melanomas of the skin	2,155	17.9	0.18	12.9	0.12	1,342	9.5	0.12	7.7	0.10
Breast (excl. <i>in situ</i>)	173	1.4	0.05	1.0	0.04	16,186	112.8	0.40	89.4	0.32
Female Genital System	-	-	-	-	-	6,690	46.4	0.26	38.1	0.21
Cervix uteri	-	-	-	-	-	1,251	9.2	0.12	8.1	0.10
Uterus Corpus	-	-	-	-	-	3,167	21.3	0.17	17.6	0.14
Uterus, NOS ¹	-	-	-	-	-	203	1.4	0.05	1.1	0.03
Ovary	-	-	-	-	-	1,545	10.8	0.12	8.6	0.10
Male Genital System	13,032	100.3	0.41	76.7	0.30	-	-	-	-	-
Prostate	12,174	94.0	0.39	70.5	0.29	-	-	-	-	-
Testis	717	5.2	0.09	5.4	0.09	-	-	-	-	-
Penis	115	1.0	0.04	0.7	0.03	-	-	-	-	-
Urinary System	6,310	52.6	0.31	37.3	0.21	2,921	20.3	0.17	15.2	0.13
Bladder (incl. <i>in situ</i>)	3,011	26.6	0.22	17.4	0.14	881	6.2	0.09	4.2	0.06
Kidney & renal pelvis	3,191	25.0	0.20	19.2	0.15	1,973	13.7	0.14	10.7	0.11
Ureter	67	0.6	0.03	0.4	0.02	45	0.3	0.02	0.2	0.01
Eye & Orbit	109	0.9	0.04	0.7	0.03	96	0.7	0.03	0.6	0.03
Brain & Other CNS ¹	928	7.1	0.11	6.1	0.09	782	5.5	0.09	4.9	0.08
Brain	863	6.7	0.10	5.6	0.09	708	5.0	0.09	4.3	0.08
Endocrine System	931	7.1	0.11	6.0	0.09	2,535	18.3	0.17	16.4	0.15
Thyroid gland	828	6.3	0.10	5.3	0.08	2,434	17.6	0.16	15.8	0.15
Lymphomas	2,887	23.5	0.20	17.9	0.15	2,326	16.4	0.15	12.7	0.12
Hodgkin Lymphoma	348	2.6	0.06	2.4	0.06	286	2.1	0.05	2.0	0.05
Non-Hodgkin Lymphoma	2,539	20.9	0.19	15.4	0.14	2,040	14.3	0.14	10.7	0.11
Multiple Myeloma	1,052	8.8	0.13	6.2	0.09	854	6.0	0.09	4.2	0.07
Leukemias	2,145	17.8	0.18	13.5	0.13	1,528	10.8	0.13	8.5	0.10
Acute lymphocytic	291	2.1	0.06	2.3	0.06	213	1.5	0.05	1.7	0.05
Chronic lymphocytic	723	6.1	0.11	4.2	0.07	483	3.4	0.07	2.3	0.05
Acute myeloid	522	4.4	0.09	3.2	0.06	419	3.0	0.07	2.3	0.05
Chronic myeloid	313	2.6	0.07	2.0	0.05	211	1.5	0.05	1.2	0.04
Other leukemias	297	2.5	0.07	1.8	0.05	202	1.5	0.05	1.1	0.04
Mesothelioma	145	1.3	0.05	0.8	0.03	42	0.3	0.02	0.2	0.02
Kaposi Sarcoma	115	0.9	0.04	0.8	0.03	13	0.1	0.01	0.1	0.01
Ill-defined & Unknown	2,226	19.3	0.19	13.2	0.13	1,930	13.6	0.14	9.4	0.10
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	1,108	9.0	0.12	7.0	0.09	2,369	16.8	0.16	13.0	0.12
Breast (<i>in situ</i>)	18	0.2	0.02	0.1	0.01	3,241	22.5	0.18	18.3	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Texas, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	47,495	450.6	0.95	332.9	0.69	45,756	384.1	0.82	298.2	0.65
Oral Cavity & Pharynx	2,009	18.0	0.18	14.1	0.14	714	5.9	0.10	4.6	0.08
Lip	75	0.7	0.04	0.5	0.03	16	0.1	0.02	0.1	0.01
Tongue	652	5.8	0.10	4.6	0.08	232	1.9	0.06	1.5	0.05
Major salivary gland	180	1.8	0.06	1.3	0.04	109	0.9	0.04	0.8	0.03
Floor of mouth	75	0.7	0.03	0.5	0.03	28	0.2	0.02	0.2	0.01
Gum & other mouth	198	1.8	0.06	1.4	0.04	139	1.1	0.04	0.8	0.03
Nasopharynx	69	0.6	0.03	0.5	0.03	27	0.2	0.02	0.2	0.02
Oropharynx	126	1.1	0.05	0.9	0.04	33	0.3	0.02	0.2	0.02
Hypopharynx	104	1.0	0.04	0.7	0.03	25	0.2	0.02	0.2	0.01
Digestive System	10,534	98.9	0.44	73.4	0.32	7,569	62.6	0.33	45.9	0.24
Esophagus	776	7.3	0.12	5.3	0.09	181	1.5	0.05	1.1	0.04
Stomach	838	8.1	0.13	5.8	0.09	551	4.6	0.09	3.4	0.07
Small intestine	263	2.5	0.07	1.9	0.05	222	1.8	0.06	1.4	0.04
Colon excl. rectum	3,109	29.9	0.25	21.7	0.18	2,744	22.8	0.20	16.5	0.15
Rectum & rectosigmoid	1,583	14.6	0.17	11.3	0.13	971	8.1	0.12	6.3	0.09
Anus, anal canal & anorectum	146	1.3	0.05	1.0	0.04	249	2.0	0.06	1.6	0.05
Liver	1,783	15.5	0.17	12.4	0.13	638	5.2	0.09	3.9	0.07
Gallbladder	76	0.7	0.04	0.5	0.03	168	1.4	0.05	1.0	0.04
Pancreas	1,448	14.1	0.17	9.9	0.12	1,306	10.7	0.13	7.5	0.10
Respiratory System	6,821	66.8	0.37	46.3	0.25	5,385	44.3	0.27	31.3	0.20
Larynx	580	5.3	0.10	4.0	0.07	117	0.9	0.04	0.7	0.03
Lung & bronchus	6,120	60.4	0.35	41.3	0.24	5,198	42.7	0.27	30.1	0.19
Bones & Joints	132	1.2	0.05	1.1	0.05	103	0.9	0.04	0.9	0.04
Soft Tissue (incl. heart)	391	3.7	0.09	3.0	0.07	290	2.5	0.07	2.1	0.06
Skin (excl. basal & sq.)	2,228	21.7	0.21	15.7	0.15	1,389	11.9	0.15	9.7	0.12
Melanomas of the skin	2,076	20.1	0.20	14.6	0.14	1,288	11.1	0.14	9.0	0.12
Breast (excl. <i>in situ</i>)	143	1.4	0.05	1.0	0.04	13,535	113.8	0.45	90.1	0.36
Female Genital System	-	-	-	-	-	5,646	47.7	0.29	39.3	0.24
Cervix uteri	-	-	-	-	-	1,043	9.6	0.14	8.5	0.12
Uterus Corpus	-	-	-	-	-	2,678	21.9	0.19	18.1	0.16
Uterus, NOS ¹	-	-	-	-	-	153	1.3	0.05	1.0	0.04
Ovary	-	-	-	-	-	1,316	11.1	0.14	8.8	0.11
Male Genital System	10,475	95.2	0.43	72.7	0.32	-	-	-	-	-
Prostate	9,680	88.0	0.41	65.6	0.30	-	-	-	-	-
Testis	671	6.0	0.11	6.3	0.11	-	-	-	-	-
Penis	102	1.0	0.04	0.7	0.03	-	-	-	-	-
Urinary System	5,631	54.9	0.34	38.9	0.23	2,545	21.1	0.19	15.8	0.15
Bladder (incl. <i>in situ</i>)	2,759	28.2	0.25	18.5	0.16	783	6.5	0.10	4.4	0.07
Kidney & renal pelvis	2,771	25.7	0.22	19.8	0.17	1,703	14.2	0.16	11.1	0.12
Ureter	64	0.7	0.04	0.4	0.02	42	0.3	0.02	0.2	0.02
Eye & Orbit	103	1.0	0.04	0.8	0.04	90	0.8	0.04	0.6	0.03
Brain & Other CNS ¹	827	7.6	0.12	6.5	0.10	687	5.9	0.10	5.2	0.09
Brain	772	7.1	0.12	6.0	0.10	626	5.4	0.10	4.6	0.09
Endocrine System	805	7.4	0.12	6.3	0.10	2,136	19.2	0.19	17.2	0.17
Thyroid gland	725	6.6	0.11	5.6	0.09	2,061	18.5	0.19	16.6	0.17
Lymphomas	2,505	24.2	0.22	18.3	0.17	2,002	16.9	0.17	13.0	0.14
Hodgkin Lymphoma	285	2.6	0.07	2.4	0.07	236	2.1	0.06	2.1	0.06
Non-Hodgkin Lymphoma	2,220	21.6	0.21	15.9	0.15	1,766	14.7	0.16	11.0	0.12
Multiple Myeloma	826	8.1	0.13	5.7	0.09	639	5.3	0.09	3.7	0.07
Leukemias	1,897	18.6	0.20	14.1	0.15	1,335	11.3	0.14	9.0	0.12
Acute lymphocytic	257	2.3	0.06	2.5	0.07	189	1.7	0.06	1.8	0.06
Chronic lymphocytic	645	6.4	0.12	4.4	0.08	437	3.6	0.08	2.4	0.05
Acute myeloid	457	4.6	0.10	3.3	0.07	356	3.0	0.07	2.4	0.06
Chronic myeloid	272	2.7	0.07	2.0	0.06	180	1.6	0.05	1.2	0.04
Other leukemias	266	2.7	0.08	1.9	0.05	171	1.5	0.05	1.1	0.04
Mesothelioma	133	1.4	0.05	0.9	0.03	38	0.3	0.02	0.2	0.02
Kaposi Sarcoma	80	0.8	0.04	0.7	0.03	8	0.1	0.01	0.0	0.01
Ill-defined & Unknown	1,955	19.7	0.21	13.5	0.14	1,645	13.7	0.15	9.5	0.11
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	932	9.0	0.13	7.0	0.10	1,953	16.6	0.17	12.9	0.14
Breast (<i>in situ</i>)	14	0.1	0.02	0.1	0.01	2,598	21.9	0.20	17.8	0.16

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

TEXAS

378 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Texas, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	6,548	513.8	3.14	387.4	2.18	6,369	386.5	2.24	299.3	1.69
Oral Cavity & Pharynx	168	12.0	0.45	9.5	0.33	80	4.6	0.24	3.7	0.19
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	37	2.6	0.21	2.1	0.16	15	0.9	0.11	0.7	0.08
Major salivary gland	15	1.1	0.14	0.9	0.10	20	1.2	0.12	1.0	0.10
Floor of mouth	8	0.6	0.10	0.4	0.07	4	0.2	0.05	0.2	0.04
Gum & other mouth	21	1.5	0.17	1.2	0.12	17	1.0	0.11	0.8	0.09
Nasopharynx	15	1.0	0.12	0.8	0.10	5	0.3	0.06	0.3	0.05
Oropharynx	12	0.8	0.12	0.7	0.09	5	0.3	0.06	0.2	0.04
Hypopharynx	14	1.0	0.13	0.8	0.10	3	0.2	0.04	0.1	0.04
Digestive System	1,617	125.4	1.54	94.6	1.07	1,290	79.6	1.03	59.3	0.74
Esophagus	66	5.4	0.33	3.9	0.22	28	1.8	0.15	1.3	0.11
Stomach	159	13.5	0.53	9.7	0.35	109	7.0	0.31	5.0	0.22
Small intestine	62	5.0	0.31	3.7	0.21	55	3.3	0.21	2.6	0.16
Colon excl. rectum	495	39.9	0.89	29.3	0.60	497	30.6	0.64	22.8	0.46
Rectum & rectosigmoid	210	15.7	0.53	12.1	0.38	150	8.8	0.33	6.9	0.25
Anus, anal canal & anorectum	29	2.0	0.18	1.6	0.14	24	1.4	0.14	1.1	0.10
Liver	327	21.3	0.56	17.9	0.45	98	5.6	0.26	4.4	0.20
Gallbladder	14	1.3	0.17	0.9	0.11	30	1.9	0.16	1.4	0.11
Pancreas	198	16.7	0.59	11.9	0.39	226	14.5	0.45	10.3	0.31
Respiratory System	1,037	89.8	1.37	63.9	0.91	733	46.8	0.81	33.9	0.56
Larynx	98	7.6	0.38	5.7	0.26	22	1.3	0.12	1.0	0.10
Lung & bronchus	927	81.4	1.32	57.5	0.86	704	45.1	0.79	32.5	0.55
Bones & Joints	14	0.8	0.10	0.8	0.09	13	0.7	0.09	0.7	0.09
Soft Tissue (incl. heart)	50	3.4	0.23	2.9	0.19	53	3.1	0.20	2.6	0.16
Skin (excl. basal & sq.)	25	1.8	0.18	1.4	0.13	26	1.6	0.14	1.3	0.11
Melanomas of the skin	13	1.1	0.15	0.8	0.10	15	0.9	0.11	0.7	0.08
Breast (excl. <i>in situ</i>)	25	1.9	0.19	1.5	0.13	1,991	117.8	1.22	94.0	0.95
Female Genital System	-	-	-	-	-	774	45.5	0.76	36.5	0.59
Cervix uteri	-	-	-	-	-	157	9.1	0.33	7.6	0.27
Uterus Corpus	-	-	-	-	-	365	21.3	0.52	17.0	0.40
Uterus, NOS ¹	-	-	-	-	-	42	2.6	0.19	1.9	0.14
Ovary	-	-	-	-	-	156	9.3	0.34	7.4	0.27
Male Genital System	2,061	155.0	1.67	119.7	1.20	-	-	-	-	-
Prostate	2,027	152.6	1.66	117.7	1.19	-	-	-	-	-
Testis	21	1.3	0.13	1.2	0.12	-	-	-	-	-
Penis	10	0.9	0.14	0.6	0.09	-	-	-	-	-
Urinary System	529	43.2	0.93	31.7	0.63	315	19.6	0.51	14.7	0.37
Bladder (incl. <i>in situ</i>)	177	16.6	0.62	11.2	0.38	78	5.2	0.27	3.6	0.18
Kidney & renal pelvis	345	26.1	0.69	20.2	0.49	230	14.0	0.43	10.8	0.32
Ureter	2	0.1	0.05	0.1	0.04	2	0.1	0.05	0.1	0.03
Eye & Orbit	3	0.2	0.05	0.2	0.04	4	0.2	0.05	0.2	0.05
Brain & Other CNS ¹	69	4.6	0.27	4.0	0.22	66	3.8	0.22	3.4	0.19
Brain	61	4.2	0.26	3.6	0.21	56	3.2	0.20	2.9	0.18
Endocrine System	70	4.7	0.27	4.0	0.22	223	12.7	0.39	10.9	0.33
Thyroid gland	54	3.6	0.23	3.0	0.19	205	11.7	0.37	10.0	0.32
Lymphomas	272	19.2	0.57	15.7	0.43	236	14.1	0.42	11.5	0.34
Hodgkin Lymphoma	51	3.1	0.20	2.9	0.18	41	2.2	0.16	2.1	0.15
Non-Hodgkin Lymphoma	221	16.1	0.53	12.8	0.39	196	11.9	0.39	9.4	0.30
Multiple Myeloma	190	16.6	0.60	11.7	0.39	193	12.4	0.41	9.0	0.29
Leukemias	173	14.0	0.53	10.6	0.37	144	9.0	0.35	7.0	0.27
Acute lymphocytic	19	1.1	0.12	1.2	0.12	14	0.7	0.09	0.8	0.10
Chronic lymphocytic	61	5.5	0.35	3.8	0.22	38	2.5	0.19	1.8	0.13
Acute myeloid	42	3.4	0.26	2.6	0.18	46	2.8	0.19	2.3	0.15
Chronic myeloid	31	2.4	0.21	1.8	0.15	22	1.4	0.14	1.1	0.10
Other leukemias	21	1.6	0.18	1.2	0.12	24	1.5	0.14	1.2	0.11
Mesothelioma	9	0.9	0.15	0.6	0.09	3	0.2	0.06	0.1	0.04
Kaposi Sarcoma	31	1.8	0.15	1.8	0.14	4	0.3	0.06	0.2	0.05
Ill-defined & Unknown	-	-	-	-	-	221	14.4	0.45	10.2	0.31
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	122	9.4	0.42	7.3	0.30	302	18.6	0.49	14.4	0.37
Breast (<i>in situ</i>)	3	0.3	0.07	0.2	0.05	461	26.8	0.58	21.7	0.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Texas, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,291	259.0	3.53	189.9	2.39	1,570	246.8	2.94	192.1	2.18
Oral Cavity & Pharynx	55	9.7	0.63	7.6	0.46	29	4.5	0.40	3.5	0.29
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	13	2.4	0.31	1.9	0.23	9	1.4	0.22	1.1	0.16
Major salivary gland	5	0.8	0.19	0.6	0.14	4	0.6	0.13	0.5	0.11
Floor of mouth	2	0.2	0.08	0.2	0.08	-	-	-	-	-
Gum & other mouth	13	2.4	0.33	1.8	0.23	7	1.3	0.23	0.9	0.15
Nasopharynx	12	1.9	0.26	1.5	0.20	5	0.7	0.14	0.6	0.12
Oropharynx	2	0.4	0.16	0.3	0.10	-	-	-	-	-
Hypopharynx	3	0.5	0.15	0.4	0.11	-	-	-	-	-
Digestive System	385	77.3	1.93	56.0	1.29	290	50.8	1.42	36.0	0.95
Esophagus	17	3.4	0.40	2.4	0.27	5	0.9	0.20	0.6	0.12
Stomach	49	10.5	0.74	7.2	0.47	37	6.6	0.51	4.6	0.34
Small intestine	6	1.2	0.23	0.9	0.16	5	0.8	0.17	0.6	0.12
Colon excl. rectum	88	17.8	0.93	12.8	0.62	89	15.1	0.76	10.9	0.52
Rectum & rectosigmoid	57	10.3	0.65	8.0	0.48	44	7.3	0.52	5.4	0.37
Anus, anal canal & anorectum	-	-	-	-	-	1	0.2	0.08	0.2	0.06
Liver	97	18.8	0.93	14.0	0.64	36	6.8	0.54	4.6	0.34
Gallbladder	4	1.0	0.26	0.6	0.14	6	1.0	0.19	0.7	0.13
Pancreas	44	9.4	0.69	6.6	0.45	43	7.7	0.56	5.3	0.37
Respiratory System	179	39.3	1.45	26.9	0.91	141	25.4	1.01	17.6	0.67
Larynx	7	1.4	0.25	1.0	0.17	-	-	-	-	-
Lung & bronchus	166	36.9	1.41	25.0	0.88	136	24.5	1.00	16.9	0.65
Bones & Joints	7	1.0	0.18	1.0	0.18	4	0.6	0.13	0.6	0.13
Soft Tissue (incl. heart)	13	2.1	0.27	1.8	0.23	10	1.4	0.21	1.2	0.18
Skin (excl. basal & sq.)	-	-	-	-	-	7	1.2	0.22	0.9	0.15
Melanomas of the skin	7	1.5	0.27	1.0	0.17	4	0.7	0.17	0.5	0.11
Breast (excl. <i>in situ</i>)	4	0.8	0.19	0.6	0.13	520	75.2	1.53	61.7	1.21
Female Genital System	-	-	-	-	-	201	29.5	0.97	24.1	0.76
Cervix uteri	-	-	-	-	-	37	5.3	0.41	4.4	0.32
Uterus Corpus	-	-	-	-	-	89	12.8	0.63	10.6	0.50
Uterus, NOS ¹	-	-	-	-	-	7	1.1	0.21	0.8	0.14
Ovary	-	-	-	-	-	58	8.6	0.53	7.0	0.42
Male Genital System	252	51.3	1.56	37.5	1.06	-	-	-	-	-
Prostate	240	49.5	1.54	35.8	1.04	-	-	-	-	-
Testis	9	1.3	0.19	1.3	0.20	-	-	-	-	-
Penis	2	0.4	0.13	0.3	0.09	-	-	-	-	-
Urinary System	103	22.0	1.06	15.4	0.68	41	7.2	0.54	5.2	0.36
Bladder (incl. <i>in situ</i>)	54	12.8	0.86	8.4	0.51	14	2.8	0.35	1.8	0.22
Kidney & renal pelvis	48	8.9	0.62	6.8	0.44	25	4.1	0.39	3.1	0.28
Ureter	-	-	-	-	-	1	0.2	0.08	0.1	0.06
Eye & Orbit	-	-	-	-	-	2	0.3	0.09	0.3	0.11
Brain & Other CNS ¹	25	4.4	0.43	3.7	0.33	23	3.5	0.34	3.1	0.30
Brain	24	4.1	0.42	3.5	0.32	20	3.1	0.32	2.7	0.28
Endocrine System	40	6.5	0.49	5.5	0.39	137	18.7	0.74	16.6	0.64
Thyroid gland	35	5.6	0.46	4.7	0.36	130	17.8	0.72	15.7	0.62
Lymphomas	86	16.4	0.86	12.5	0.61	67	10.8	0.62	8.6	0.47
Hodgkin Lymphoma	9	1.4	0.20	1.4	0.20	7	1.0	0.17	1.0	0.17
Non-Hodgkin Lymphoma	76	15.1	0.84	11.1	0.58	60	9.8	0.60	7.6	0.44
Multiple Myeloma	28	6.0	0.56	4.2	0.36	18	3.0	0.33	2.2	0.23
Leukemias	55	10.1	0.67	8.3	0.51	34	5.4	0.43	4.6	0.36
Acute lymphocytic	11	1.6	0.22	1.8	0.25	7	1.0	0.18	1.1	0.19
Chronic lymphocytic	10	1.9	0.30	1.4	0.21	5	0.9	0.19	0.6	0.12
Acute myeloid	19	3.7	0.42	2.8	0.29	13	2.1	0.27	1.7	0.22
Chronic myeloid	7	1.2	0.22	1.0	0.17	5	0.7	0.15	0.6	0.12
Other leukemias	8	1.6	0.29	1.2	0.19	5	0.8	0.17	0.6	0.13
Mesothelioma	2	0.4	0.15	0.2	0.09	-	-	-	-	-
Kaposi Sarcoma	1	0.2	0.07	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	45	9.5	0.70	6.7	0.45	47	9.3	0.65	6.0	0.40
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	42	7.8	0.60	6.1	0.43	89	14.3	0.72	11.1	0.53
Breast (<i>in situ</i>)	-	-	-	-	-	149	21.3	0.80	17.6	0.65

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Texas, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	10	247.6	37.84	186.4	27.09	7	158.5	27.13	129.0	21.63
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	59.2	18.74	43.8	13.28	1	35.2	13.70	24.8	9.42
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	1	26.7	11.24	21.2	8.67
Female Genital System	-	-	-	-	-	2	34.5	12.42	29.3	10.42
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	117.3	25.74	88.8	18.65	-	-	-	-	-
Prostate	4	110.6	25.30	81.7	17.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Texas, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	11,816	369.9	1.66	272.3	1.14	12,849	324.3	1.32	252.3	1.00
Oral Cavity & Pharynx	338	10.0	0.26	7.6	0.19	153	3.9	0.15	3.0	0.11
Lip	12	0.4	0.06	0.3	0.04	3	0.1	0.02	0.0	0.01
Tongue	88	2.6	0.13	2.0	0.10	48	1.2	0.08	1.0	0.06
Major salivary gland	34	1.0	0.09	0.7	0.06	34	0.8	0.07	0.7	0.05
Floor of mouth	16	0.5	0.06	0.4	0.04	4	0.1	0.03	0.1	0.02
Gum & other mouth	40	1.3	0.10	0.9	0.07	31	0.8	0.07	0.6	0.05
Nasopharynx	16	0.4	0.05	0.3	0.04	6	0.2	0.03	0.1	0.02
Oropharynx	21	0.6	0.06	0.5	0.05	6	0.1	0.03	0.1	0.02
Hypopharynx	26	0.8	0.08	0.6	0.05	4	0.1	0.02	0.1	0.02
Digestive System	3,500	109.2	0.89	80.6	0.62	2,465	67.1	0.62	48.7	0.44
Esophagus	145	4.7	0.19	3.4	0.13	32	0.9	0.07	0.6	0.05
Stomach	350	11.7	0.30	8.2	0.20	289	7.7	0.21	5.7	0.15
Small intestine	67	2.0	0.12	1.5	0.08	54	1.4	0.09	1.1	0.07
Colon excl. rectum	927	29.5	0.47	21.5	0.32	781	20.8	0.34	15.4	0.25
Rectum & rectosigmoid	546	16.1	0.33	12.3	0.24	294	7.5	0.20	5.8	0.15
Anus, anal canal & anorectum	27	0.7	0.07	0.6	0.05	35	0.9	0.07	0.7	0.05
Liver	858	25.3	0.42	19.5	0.30	330	9.4	0.24	6.6	0.16
Gallbladder	35	1.2	0.09	0.8	0.06	91	2.5	0.12	1.8	0.09
Pancreas	363	12.1	0.31	8.6	0.20	373	10.8	0.26	7.3	0.17
Respiratory System	1,133	41.8	0.59	28.1	0.38	703	20.4	0.35	14.0	0.24
Larynx	147	4.8	0.19	3.5	0.13	18	0.5	0.05	0.4	0.04
Lung & bronchus	948	36.0	0.56	23.8	0.35	665	19.4	0.35	13.2	0.23
Bones & Joints	58	1.2	0.08	1.1	0.07	43	0.9	0.06	0.8	0.06
Soft Tissue (incl. heart)	121	3.1	0.14	2.5	0.11	104	2.4	0.11	2.0	0.09
Skin (excl. basal & sq.)	146	4.7	0.19	3.3	0.13	160	4.0	0.15	3.1	0.11
Melanomas of the skin	121	3.9	0.17	2.8	0.11	129	3.2	0.13	2.5	0.10
Breast (excl. <i>in situ</i>)	33	1.0	0.09	0.8	0.06	3,646	90.0	0.68	72.0	0.53
Female Genital System	-	-	-	-	-	2,057	48.8	0.49	40.3	0.40
Cervix uteri	-	-	-	-	-	515	11.5	0.23	9.9	0.20
Uterus Corpus	-	-	-	-	-	939	22.2	0.33	18.6	0.27
Uterus, NOS ¹	-	-	-	-	-	60	1.6	0.09	1.2	0.07
Ovary	-	-	-	-	-	425	10.4	0.23	8.3	0.18
Male Genital System	2,644	83.3	0.78	62.2	0.55	-	-	-	-	-
Prostate	2,274	76.2	0.76	55.2	0.52	-	-	-	-	-
Testis	315	5.4	0.14	5.7	0.14	-	-	-	-	-
Penis	50	1.6	0.11	1.1	0.07	-	-	-	-	-
Urinary System	1,347	43.1	0.57	31.1	0.38	811	21.1	0.34	16.0	0.25
Bladder (incl. <i>in situ</i>)	399	15.3	0.37	9.9	0.22	140	4.1	0.16	2.7	0.10
Kidney & renal pelvis	932	27.3	0.43	20.9	0.31	660	16.7	0.30	13.1	0.23
Ureter	9	0.3	0.06	0.2	0.03	8	0.2	0.04	0.1	0.02
Eye & Orbit	21	0.5	0.06	0.4	0.04	17	0.4	0.04	0.3	0.04
Brain & Other CNS ¹	218	5.3	0.18	4.5	0.14	211	4.6	0.15	4.1	0.13
Brain	200	4.9	0.17	4.1	0.13	189	4.2	0.14	3.6	0.12
Endocrine System	242	6.0	0.19	5.0	0.15	849	18.6	0.29	16.5	0.25
Thyroid gland	215	5.4	0.18	4.5	0.14	821	18.0	0.29	15.9	0.25
Lymphomas	722	21.3	0.39	16.0	0.27	612	15.7	0.29	12.1	0.22
Hodgkin Lymphoma	114	2.7	0.13	2.3	0.10	91	1.9	0.09	1.8	0.08
Non-Hodgkin Lymphoma	608	18.6	0.37	13.7	0.25	522	13.8	0.28	10.3	0.20
Multiple Myeloma	231	7.7	0.24	5.5	0.16	192	5.4	0.18	3.8	0.12
Leukemias	504	13.1	0.30	10.6	0.21	384	8.8	0.21	7.4	0.17
Acute lymphocytic	162	2.7	0.10	2.9	0.10	118	2.1	0.09	2.2	0.09
Chronic lymphocytic	75	2.7	0.15	1.8	0.09	56	1.6	0.10	1.1	0.07
Acute myeloid	118	3.4	0.16	2.6	0.11	105	2.6	0.12	2.0	0.09
Chronic myeloid	78	2.1	0.12	1.7	0.09	52	1.3	0.08	1.0	0.06
Other leukemias	71	2.2	0.13	1.6	0.09	54	1.3	0.08	1.0	0.06
Mesothelioma	32	1.1	0.10	0.8	0.06	11	0.3	0.04	0.2	0.03
Kaposi Sarcoma	51	1.3	0.09	1.1	0.07	5	0.1	0.03	0.1	0.02
Ill-defined & Unknown	476	16.2	0.36	11.1	0.23	425	12.0	0.27	8.1	0.18
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	267	7.5	0.23	5.8	0.16	583	14.8	0.28	11.4	0.21
Breast (<i>in situ</i>)	3	0.1	0.03	0.1	0.02	682	16.5	0.29	13.5	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

TEXAS

382 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Texas, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	35,978	483.9	1.17	359.5	0.88	33,161	411.1	1.05	320.1	0.86
Oral Cavity & Pharynx	1,678	21.7	0.24	17.2	0.19	565	6.9	0.13	5.4	0.11
Lip	64	0.9	0.05	0.6	0.04	13	0.2	0.02	0.1	0.01
Tongue	566	7.2	0.14	5.8	0.11	185	2.3	0.08	1.8	0.06
Major salivary gland	147	2.1	0.08	1.5	0.06	76	1.0	0.05	0.8	0.05
Floor of mouth	59	0.7	0.04	0.6	0.03	24	0.3	0.03	0.2	0.02
Gum & other mouth	158	2.1	0.08	1.6	0.06	108	1.3	0.06	0.9	0.04
Nasopharynx	53	0.7	0.05	0.6	0.04	21	0.3	0.03	0.2	0.02
Oropharynx	105	1.3	0.06	1.1	0.05	28	0.3	0.03	0.3	0.02
Hypopharynx	78	1.0	0.05	0.8	0.04	21	0.2	0.02	0.2	0.02
Digestive System	7,085	94.8	0.52	70.4	0.39	5,146	61.0	0.39	45.0	0.30
Esophagus	633	8.2	0.15	6.1	0.11	151	1.7	0.07	1.3	0.05
Stomach	491	6.6	0.14	4.7	0.10	268	3.2	0.09	2.3	0.07
Small intestine	197	2.7	0.09	2.0	0.07	170	2.1	0.07	1.6	0.06
Colon excl. rectum	2,196	30.2	0.30	22.0	0.22	1,976	23.6	0.25	17.1	0.19
Rectum & rectosigmoid	1,045	14.2	0.20	11.0	0.16	683	8.5	0.15	6.7	0.12
Anus, anal canal & anorectum	120	1.6	0.07	1.3	0.05	214	2.5	0.08	2.0	0.06
Liver	935	11.4	0.17	9.2	0.14	313	3.6	0.09	2.8	0.08
Gallbladder	42	0.6	0.04	0.4	0.03	79	0.9	0.05	0.6	0.03
Pancreas	1,091	14.7	0.20	10.4	0.14	938	10.7	0.16	7.5	0.12
Respiratory System	5,707	76.0	0.46	53.2	0.32	4,695	53.8	0.36	38.5	0.26
Larynx	435	5.6	0.12	4.2	0.09	99	1.1	0.05	0.9	0.04
Lung & bronchus	5,188	69.2	0.44	48.0	0.30	4,545	51.9	0.35	37.1	0.26
Bones & Joints	76	1.2	0.07	1.1	0.06	60	1.0	0.06	0.9	0.06
Soft Tissue (incl. heart)	274	4.0	0.11	3.2	0.09	188	2.5	0.09	2.1	0.08
Skin (excl. basal & sq.)	2,088	29.1	0.29	21.5	0.22	1,235	16.8	0.22	14.0	0.20
Melanomas of the skin	1,959	27.3	0.28	20.2	0.21	1,164	15.9	0.22	13.3	0.19
Breast (excl. <i>in situ</i>)	110	1.5	0.07	1.1	0.05	9,959	124.9	0.58	99.0	0.47
Female Genital System	-	-	-	-	-	3,635	46.1	0.36	37.8	0.30
Cervix uteri	-	-	-	-	-	539	8.5	0.17	7.6	0.15
Uterus Corpus	-	-	-	-	-	1,762	21.0	0.23	17.2	0.19
Uterus, NOS ¹	-	-	-	-	-	94	1.1	0.06	0.9	0.04
Ovary	-	-	-	-	-	899	11.4	0.18	9.0	0.15
Male Genital System	7,964	101.4	0.52	78.1	0.40	-	-	-	-	-
Prostate	7,527	94.0	0.50	70.8	0.37	-	-	-	-	-
Testis	367	6.5	0.15	6.6	0.16	-	-	-	-	-
Penis	54	0.7	0.05	0.5	0.03	-	-	-	-	-
Urinary System	4,310	58.8	0.41	41.6	0.29	1,746	20.8	0.23	15.4	0.18
Bladder (incl. <i>in situ</i>)	2,368	32.7	0.31	21.7	0.20	646	7.4	0.13	5.1	0.10
Kidney & renal pelvis	1,857	24.9	0.27	19.2	0.21	1,051	12.8	0.18	10.0	0.15
Ureter	55	0.8	0.05	0.5	0.03	34	0.4	0.03	0.3	0.02
Eye & Orbit	83	1.2	0.06	0.9	0.05	73	0.9	0.05	0.8	0.05
Brain & Other CNS ¹	613	9.0	0.17	7.8	0.15	481	6.7	0.14	5.9	0.14
Brain	576	8.4	0.16	7.2	0.15	441	6.0	0.14	5.3	0.13
Endocrine System	571	8.3	0.16	7.2	0.14	1,307	20.0	0.26	18.1	0.24
Thyroid gland	517	7.5	0.15	6.4	0.13	1,259	19.3	0.25	17.4	0.23
Lymphomas	1,795	25.5	0.28	19.4	0.22	1,403	17.6	0.22	13.7	0.18
Hodgkin Lymphoma	173	2.8	0.10	2.7	0.10	148	2.4	0.09	2.4	0.10
Non-Hodgkin Lymphoma	1,623	22.7	0.26	16.7	0.20	1,255	15.1	0.20	11.3	0.16
Multiple Myeloma	600	8.1	0.15	5.7	0.11	451	5.2	0.11	3.6	0.08
Leukemias	1,403	20.1	0.25	15.0	0.19	958	12.1	0.18	9.3	0.16
Acute lymphocytic	96	1.7	0.08	1.9	0.09	73	1.3	0.07	1.4	0.08
Chronic lymphocytic	571	7.7	0.15	5.4	0.10	382	4.4	0.10	3.0	0.07
Acute myeloid	342	4.9	0.12	3.5	0.09	254	3.2	0.09	2.5	0.08
Chronic myeloid	197	2.9	0.09	2.1	0.07	130	1.7	0.07	1.3	0.06
Other leukemias	197	2.9	0.09	2.0	0.07	119	1.5	0.06	1.1	0.05
Mesothelioma	101	1.4	0.06	0.9	0.04	27	0.3	0.03	0.2	0.02
Kaposi Sarcoma	31	0.5	0.04	0.4	0.04	4	0.0	0.01	0.0	0.01
Ill-defined & Unknown	1,490	21.1	0.25	14.6	0.18	1,230	14.5	0.19	10.1	0.14
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	671	9.9	0.18	7.8	0.14	1,385	17.8	0.22	14.1	0.19
Breast (<i>in situ</i>)	11	0.2	0.02	0.1	0.02	1,937	24.7	0.26	20.1	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Texas, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	6,470	523.3	3.21	395.1	2.24	6,289	394.2	2.30	305.6	1.74
Oral Cavity & Pharynx	166	12.2	0.46	9.7	0.34	78	4.7	0.25	3.8	0.19
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	37	2.7	0.22	2.2	0.16	15	0.9	0.11	0.7	0.08
Major salivary gland	14	1.1	0.14	0.9	0.11	19	1.2	0.12	1.0	0.10
Floor of mouth	8	0.6	0.10	0.5	0.07	4	0.2	0.06	0.2	0.04
Gum & other mouth	21	1.6	0.17	1.2	0.12	17	1.0	0.12	0.8	0.09
Nasopharynx	14	1.0	0.13	0.8	0.10	5	0.3	0.06	0.2	0.05
Oropharynx	11	0.9	0.12	0.7	0.09	5	0.3	0.06	0.2	0.05
Hypopharynx	14	1.0	0.14	0.8	0.10	3	0.2	0.04	0.1	0.04
Digestive System	1,598	127.8	1.58	96.5	1.10	1,276	81.1	1.05	60.4	0.76
Esophagus	65	5.5	0.34	4.0	0.23	27	1.8	0.16	1.3	0.11
Stomach	157	13.8	0.54	9.9	0.36	107	7.1	0.32	5.1	0.22
Small intestine	61	5.1	0.32	3.7	0.22	54	3.3	0.21	2.6	0.16
Colon excl. rectum	490	40.8	0.91	30.0	0.62	492	31.2	0.65	23.3	0.47
Rectum & rectosigmoid	207	16.0	0.55	12.4	0.39	148	9.0	0.34	7.1	0.26
Anus, anal canal & anorectum	28	2.0	0.18	1.6	0.14	24	1.5	0.14	1.1	0.11
Liver	323	21.7	0.58	18.3	0.46	97	5.7	0.27	4.5	0.21
Gallbladder	14	1.3	0.18	0.9	0.11	30	2.0	0.17	1.4	0.11
Pancreas	196	17.0	0.60	12.2	0.40	224	14.8	0.46	10.5	0.32
Respiratory System	1,029	91.5	1.40	65.2	0.93	727	47.6	0.82	34.5	0.58
Larynx	97	7.7	0.38	5.8	0.27	21	1.3	0.13	1.0	0.10
Lung & bronchus	920	82.9	1.35	58.7	0.88	699	45.9	0.81	33.1	0.57
Bones & Joints	13	0.8	0.10	0.8	0.10	12	0.7	0.10	0.7	0.09
Soft Tissue (incl. heart)	48	3.5	0.24	3.0	0.19	52	3.2	0.20	2.7	0.17
Skin (excl. basal & sq.)	24	1.8	0.19	1.4	0.13	26	1.6	0.15	1.3	0.11
Melanomas of the skin	12	1.1	0.15	0.8	0.10	15	1.0	0.12	0.7	0.08
Breast (excl. <i>in situ</i>)	24	1.9	0.19	1.5	0.14	1,970	120.5	1.25	96.3	0.98
Female Genital System	-	-	-	-	-	761	46.3	0.77	37.1	0.61
Cervix uteri	-	-	-	-	-	154	9.3	0.34	7.8	0.28
Uterus Corpus	-	-	-	-	-	359	21.5	0.53	17.2	0.41
Uterus, NOS ¹	-	-	-	-	-	42	2.7	0.19	2.0	0.14
Ovary	-	-	-	-	-	154	9.4	0.35	7.5	0.27
Male Genital System	2,034	157.4	1.71	121.6	1.23	-	-	-	-	-
Prostate	2,001	155.0	1.70	119.6	1.22	-	-	-	-	-
Testis	21	1.3	0.14	1.2	0.12	-	-	-	-	-
Penis	10	0.9	0.14	0.6	0.09	-	-	-	-	-
Urinary System	523	44.0	0.95	32.4	0.65	312	20.0	0.52	15.0	0.38
Bladder (incl. <i>in situ</i>)	176	16.9	0.63	11.4	0.39	78	5.3	0.28	3.7	0.19
Kidney & renal pelvis	342	26.7	0.70	20.7	0.51	228	14.3	0.44	11.1	0.33
Ureter	2	0.2	0.05	0.1	0.04	2	0.1	0.05	0.1	0.03
Eye & Orbit	3	0.2	0.05	0.2	0.05	4	0.2	0.05	0.2	0.06
Brain & Other CNS ¹	67	4.8	0.28	4.2	0.23	64	3.9	0.22	3.5	0.20
Brain	60	4.3	0.27	3.7	0.22	54	3.3	0.21	3.0	0.18
Endocrine System	69	4.9	0.28	4.1	0.22	220	13.1	0.40	11.3	0.34
Thyroid gland	53	3.7	0.24	3.1	0.19	202	12.0	0.39	10.3	0.33
Lymphomas	268	19.7	0.59	16.2	0.45	232	14.4	0.43	11.7	0.35
Hodgkin Lymphoma	50	3.2	0.21	3.0	0.19	39	2.3	0.16	2.1	0.15
Non-Hodgkin Lymphoma	218	16.5	0.55	13.1	0.40	193	12.1	0.40	9.6	0.31
Multiple Myeloma	188	17.0	0.61	12.0	0.40	191	12.6	0.42	9.2	0.30
Leukemias	171	14.4	0.54	10.9	0.38	141	9.1	0.36	7.1	0.27
Acute lymphocytic	19	1.2	0.13	1.2	0.13	13	0.7	0.09	0.8	0.10
Chronic lymphocytic	60	5.6	0.36	3.9	0.23	38	2.5	0.19	1.8	0.13
Acute myeloid	41	3.4	0.27	2.6	0.19	46	2.9	0.20	2.3	0.16
Chronic myeloid	30	2.5	0.22	1.9	0.16	22	1.5	0.14	1.1	0.10
Other leukemias	21	1.7	0.18	1.3	0.13	23	1.5	0.15	1.2	0.11
Mesothelioma	9	0.9	0.15	0.6	0.09	3	0.2	0.06	0.1	0.04
Kaposi Sarcoma	30	1.8	0.15	1.8	0.15	4	0.3	0.06	0.2	0.05
Ill-defined & Unknown	204	18.8	0.65	13.1	0.42	218	14.6	0.46	10.4	0.32
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	120	9.6	0.43	7.4	0.31	298	19.0	0.51	14.7	0.39
Breast (<i>in situ</i>)	3	0.3	0.07	0.2	0.05	456	27.4	0.59	22.2	0.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

TEXAS

384 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Utah, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,389	439.1	2.75	326.3	2.00	5,041	375.2	2.40	295.1	1.90
Oral Cavity & Pharynx	175	13.8	0.48	10.7	0.37	79	5.8	0.30	4.5	0.23
Lip	23	2.0	0.19	1.3	0.13	9	0.7	0.10	0.5	0.07
Tongue	55	4.2	0.26	3.4	0.20	24	1.7	0.16	1.4	0.13
Major salivary gland	17	1.4	0.16	1.0	0.11	15	1.1	0.13	0.9	0.10
Floor of mouth	6	0.5	0.09	0.4	0.07	3	0.2	0.06	0.2	0.04
Gum & other mouth	15	1.3	0.16	0.9	0.10	17	1.2	0.14	0.9	0.10
Nasopharynx	8	0.6	0.10	0.5	0.08	2	0.1	0.05	0.1	0.04
Oropharynx	8	0.6	0.10	0.5	0.08	2	0.1	0.05	0.1	0.04
Hypopharynx	5	0.3	0.07	0.3	0.06	2	0.2	0.05	0.1	0.04
Digestive System	886	73.3	1.13	53.7	0.81	705	53.1	0.91	39.1	0.67
Esophagus	68	5.6	0.31	4.1	0.22	14	1.0	0.13	0.8	0.10
Stomach	72	6.1	0.33	4.4	0.23	47	3.6	0.24	2.6	0.17
Small intestine	38	3.1	0.23	2.3	0.17	33	2.4	0.19	1.8	0.15
Colon excl. rectum	262	22.2	0.63	15.9	0.44	263	19.9	0.56	14.5	0.41
Rectum & rectosigmoid	133	10.7	0.42	8.4	0.33	95	7.2	0.34	5.8	0.27
Anus, anal canal & anorectum	11	0.9	0.12	0.7	0.09	26	1.9	0.17	1.5	0.13
Liver	103	8.0	0.36	6.2	0.27	37	2.7	0.20	2.0	0.15
Gallbladder	7	0.6	0.11	0.4	0.07	17	1.3	0.14	0.9	0.10
Pancreas	148	12.4	0.47	8.8	0.32	123	9.3	0.38	6.3	0.26
Respiratory System	396	34.0	0.78	23.4	0.53	316	23.7	0.60	16.9	0.43
Larynx	34	2.7	0.22	2.0	0.16	7	0.5	0.09	0.4	0.07
Lung & bronchus	348	30.2	0.74	20.5	0.49	300	22.5	0.59	16.0	0.42
Bones & Joints	22	1.6	0.16	1.4	0.14	15	1.0	0.12	1.0	0.12
Soft Tissue (incl. heart)	52	3.9	0.25	3.2	0.20	42	3.0	0.21	2.6	0.18
Skin (excl. basal & sq.)	654	53.9	0.97	39.8	0.70	462	34.4	0.73	28.2	0.60
Melanomas of the skin	611	50.1	0.93	37.3	0.68	438	32.6	0.71	26.8	0.58
Breast (excl. <i>in situ</i>)	11	0.9	0.13	0.6	0.09	1,518	114.4	1.33	89.8	1.05
Female Genital System	-	-	-	-	-	647	47.3	0.85	38.5	0.69
Cervix uteri	-	-	-	-	-	71	5.4	0.29	4.7	0.25
Uterus Corpus	-	-	-	-	-	366	26.5	0.63	21.6	0.51
Uterus, NOS ¹	-	-	-	-	-	7	0.5	0.09	0.4	0.06
Ovary	-	-	-	-	-	150	11.1	0.41	8.8	0.33
Male Genital System	1,547	121.2	1.41	93.3	1.06	-	-	-	-	-
Prostate	1,425	112.8	1.37	85.1	1.01	-	-	-	-	-
Testis	110	7.4	0.32	7.4	0.32	-	-	-	-	-
Penis	9	0.8	0.12	0.5	0.08	-	-	-	-	-
Urinary System	582	49.7	0.94	34.8	0.65	205	15.3	0.48	11.5	0.37
Bladder (incl. <i>in situ</i>)	337	29.8	0.74	19.7	0.48	74	5.6	0.29	3.9	0.21
Kidney & renal pelvis	235	18.9	0.56	14.5	0.43	124	9.2	0.38	7.3	0.30
Ureter	5	0.4	0.09	0.3	0.06	4	0.3	0.07	0.2	0.04
Eye & Orbit	14	1.1	0.14	0.9	0.11	13	0.9	0.11	0.8	0.10
Brain & Other CNS ¹	109	8.2	0.36	7.0	0.30	79	5.6	0.29	5.0	0.25
Brain	103	7.8	0.35	6.6	0.29	75	5.3	0.28	4.7	0.24
Endocrine System	121	9.2	0.38	7.9	0.32	380	27.8	0.65	25.3	0.59
Thyroid gland	113	8.6	0.37	7.3	0.31	372	27.3	0.64	24.8	0.58
Lymphomas	313	25.4	0.66	19.2	0.49	231	17.0	0.51	13.2	0.40
Hodgkin Lymphoma	36	2.4	0.18	2.4	0.18	33	2.2	0.18	2.2	0.17
Non-Hodgkin Lymphoma	277	23.0	0.64	16.8	0.45	198	14.8	0.48	10.9	0.36
Multiple Myeloma	92	7.8	0.37	5.5	0.26	63	4.7	0.27	3.4	0.20
Leukemias	228	18.5	0.56	13.9	0.41	148	10.6	0.40	8.5	0.32
Acute lymphocytic	27	1.6	0.14	1.8	0.16	25	1.5	0.14	1.7	0.15
Chronic lymphocytic	86	7.4	0.37	5.0	0.24	42	3.2	0.22	2.2	0.15
Acute myeloid	62	5.2	0.30	3.8	0.22	47	3.5	0.23	2.7	0.18
Chronic myeloid	28	2.3	0.20	1.8	0.15	19	1.4	0.14	1.1	0.11
Other leukemias	25	2.0	0.19	1.5	0.14	14	1.1	0.13	0.8	0.10
Mesothelioma	15	1.4	0.16	0.9	0.10	5	0.4	0.08	0.3	0.06
Kaposi Sarcoma	4	0.3	0.07	0.3	0.06	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	198	16.0	0.52	12.3	0.39	417	31.3	0.70	24.1	0.54
Breast (<i>in situ</i>)	1	0.1	0.04	0.1	0.03	301	22.6	0.59	18.6	0.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Utah, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,158	441.0	2.81	327.9	2.06	4,797	377.1	2.47	297.0	1.96
Oral Cavity & Pharynx	166	13.8	0.49	10.7	0.38	75	5.8	0.30	4.5	0.24
Lip	23	2.0	0.20	1.4	0.13	9	0.7	0.11	0.5	0.08
Tongue	53	4.2	0.26	3.4	0.21	23	1.7	0.17	1.4	0.13
Major salivary gland	15	1.4	0.16	1.0	0.11	14	1.1	0.13	0.9	0.11
Floor of mouth	6	0.5	0.09	0.4	0.07	3	0.2	0.06	0.2	0.05
Gum & other mouth	14	1.3	0.16	0.9	0.11	16	1.3	0.14	0.9	0.11
Nasopharynx	6	0.4	0.08	0.4	0.07	1	0.1	0.04	0.1	0.03
Oropharynx	7	0.6	0.10	0.5	0.08	2	0.2	0.05	0.1	0.04
Hypopharynx	4	0.3	0.07	0.3	0.06	2	0.2	0.05	0.1	0.04
Digestive System	832	72.3	1.15	52.9	0.83	657	52.0	0.92	38.3	0.69
Esophagus	66	5.7	0.32	4.1	0.23	14	1.0	0.13	0.8	0.10
Stomach	66	5.9	0.33	4.2	0.23	40	3.2	0.23	2.4	0.17
Small intestine	37	3.2	0.24	2.4	0.18	30	2.4	0.20	1.8	0.15
Colon excl. rectum	247	22.0	0.64	15.7	0.45	247	19.7	0.57	14.4	0.42
Rectum & rectosigmoid	126	10.6	0.43	8.3	0.34	88	7.1	0.34	5.7	0.28
Anus, anal canal & anorectum	10	0.9	0.12	0.7	0.09	26	2.0	0.17	1.5	0.14
Liver	91	7.5	0.36	5.8	0.27	32	2.4	0.19	1.8	0.15
Gallbladder	6	0.6	0.11	0.4	0.07	15	1.2	0.14	0.8	0.10
Pancreas	141	12.4	0.48	8.7	0.33	117	9.3	0.39	6.3	0.27
Respiratory System	379	34.0	0.80	23.4	0.54	301	23.6	0.62	16.9	0.44
Larynx	33	2.8	0.22	2.1	0.16	7	0.5	0.09	0.4	0.07
Lung & bronchus	333	30.1	0.75	20.5	0.50	286	22.4	0.60	16.0	0.43
Bones & Joints	21	1.6	0.17	1.4	0.14	14	1.0	0.13	1.0	0.12
Soft Tissue (incl. heart)	48	3.8	0.26	3.1	0.21	40	3.1	0.22	2.6	0.19
Skin (excl. basal & sq.)	639	55.3	1.00	41.0	0.73	449	35.5	0.76	29.2	0.63
Melanomas of the skin	598	51.5	0.96	38.5	0.71	427	33.7	0.74	27.9	0.62
Breast (excl. <i>in situ</i>)	10	0.9	0.13	0.6	0.09	1,453	115.6	1.38	90.7	1.09
Female Genital System	-	-	-	-	-	606	46.9	0.87	38.0	0.70
Cervix uteri	-	-	-	-	-	64	5.2	0.30	4.5	0.26
Uterus Corpus	-	-	-	-	-	343	26.2	0.64	21.4	0.52
Uterus, NOS ¹	-	-	-	-	-	6	0.5	0.09	0.3	0.06
Ovary	-	-	-	-	-	142	11.1	0.42	8.8	0.34
Male Genital System	1,480	121.5	1.45	93.6	1.09	-	-	-	-	-
Prostate	1,362	112.7	1.40	85.1	1.04	-	-	-	-	-
Testis	105	7.7	0.34	7.7	0.34	-	-	-	-	-
Penis	8	0.8	0.12	0.5	0.08	-	-	-	-	-
Urinary System	565	50.3	0.97	35.3	0.67	198	15.5	0.50	11.7	0.38
Bladder (incl. <i>in situ</i>)	330	30.3	0.76	20.1	0.50	72	5.7	0.30	4.0	0.22
Kidney & renal pelvis	225	19.1	0.58	14.6	0.44	120	9.4	0.39	7.4	0.31
Ureter	5	0.4	0.09	0.3	0.06	4	0.3	0.07	0.2	0.05
Eye & Orbit	14	1.2	0.14	0.9	0.11	12	0.9	0.12	0.8	0.10
Brain & Other CNS ¹	104	8.3	0.37	7.1	0.31	78	5.9	0.30	5.2	0.27
Brain	99	8.0	0.37	6.8	0.31	73	5.6	0.30	4.9	0.26
Endocrine System	116	9.4	0.40	8.0	0.34	360	28.3	0.68	25.8	0.61
Thyroid gland	108	8.8	0.39	7.5	0.32	353	27.7	0.67	25.2	0.61
Lymphomas	303	25.9	0.68	19.6	0.51	222	17.2	0.52	13.3	0.41
Hodgkin Lymphoma	35	2.5	0.20	2.5	0.19	32	2.3	0.19	2.3	0.19
Non-Hodgkin Lymphoma	268	23.4	0.65	17.1	0.47	189	14.9	0.49	11.0	0.37
Multiple Myeloma	85	7.6	0.38	5.3	0.26	59	4.6	0.27	3.3	0.20
Leukemias	218	18.7	0.58	14.0	0.43	140	10.6	0.41	8.5	0.33
Acute lymphocytic	26	1.7	0.15	1.9	0.16	22	1.5	0.14	1.6	0.16
Chronic lymphocytic	84	7.5	0.38	5.1	0.25	40	3.1	0.22	2.2	0.16
Acute myeloid	60	5.3	0.31	3.8	0.22	44	3.4	0.23	2.7	0.19
Chronic myeloid	26	2.2	0.20	1.7	0.15	19	1.5	0.15	1.1	0.12
Other leukemias	23	2.0	0.19	1.5	0.14	14	1.1	0.14	0.8	0.10
Mesothelioma	14	1.3	0.16	0.8	0.10	5	0.4	0.08	0.3	0.06
Kaposi Sarcoma	3	0.3	0.07	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	191	16.3	0.54	12.5	0.41	399	31.6	0.72	24.4	0.56
Breast (<i>in situ</i>)	1	0.1	0.04	0.1	0.03	286	22.8	0.61	18.7	0.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

UTAH

386 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Utah, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	53	415.2	31.85	325.2	22.15	30	314.3	28.30	235.9	19.98
Oral Cavity & Pharynx	1	7.8	3.02	7.1	2.74	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	96.0	13.73	78.0	10.20	6	69.3	13.58	49.2	9.32
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	7.3	2.75	6.6	2.50	1	13.7	6.18	9.2	3.96
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	4	39.3	10.15	28.2	6.54	2	27.2	8.63	19.3	6.02
Rectum & rectosigmoid	2	9.9	3.06	9.1	2.79	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	20.1	6.04	17.3	5.01	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	1	7.2	2.99	6.6	2.73	-	-	-	-	-
Respiratory System	4	43.9	12.49	29.4	7.41	3	45.4	11.81	30.9	7.68
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	41.1	12.32	26.8	7.18	3	45.4	11.81	30.9	7.68
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	1	8.2	3.77	6.3	2.64
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	8	79.9	14.16	61.7	10.36
Female Genital System	-	-	-	-	-	5	44.0	9.91	36.4	7.70
Cervix uteri	-	-	-	-	-	1	10.3	4.61	8.5	3.63
Uterus Corpus	-	-	-	-	-	2	17.8	6.69	14.2	4.87
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	19	155.5	19.02	124.2	13.86	-	-	-	-	-
Prostate	18	154.7	19.01	123.5	13.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	18.9	5.34	16.5	4.42	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	13.9	4.83	11.9	3.89	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	13.5	4.24	12.3	3.78
Thyroid gland	-	-	-	-	-	2	13.5	4.24	12.3	3.78
Lymphomas	3	17.0	6.44	13.8	4.41	2	23.6	8.73	16.2	5.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	2	16.1	6.40	12.7	4.34	2	23.6	8.73	16.2	5.42
Multiple Myeloma	3	22.7	7.64	17.3	5.34	-	-	-	-	-
Leukemias	2	10.9	5.26	8.7	3.43	1	10.3	4.89	8.8	3.94
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	13.8	6.97	9.5	4.20	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	10.9	4.51	9.2	3.57	2	16.6	5.71	12.7	4.13
Breast (<i>in situ</i>)	-	-	-	-	-	3	32.1	9.57	24.0	6.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Utah, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	102	315.5	15.35	232.7	10.50	148	337.8	13.06	264.2	9.81
Oral Cavity & Pharynx	5	13.8	3.05	10.7	2.24	2	5.4	1.67	4.3	1.25
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	1	3.1	1.31	2.7	1.10	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	2	5.1	1.78	4.1	1.32	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	30	95.3	8.48	69.3	5.77	31	80.2	6.77	57.7	4.68
Esophagus	1	3.1	1.28	2.8	1.08	-	-	-	-	-
Stomach	3	9.4	2.55	7.2	1.84	4	11.3	2.57	7.6	1.69
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	22.7	4.43	15.0	2.74	9	23.9	3.68	17.5	2.57
Rectum & rectosigmoid	4	11.9	2.69	9.6	2.08	5	12.2	2.59	8.9	1.83
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	7	24.5	4.37	17.6	2.95	4	9.2	2.31	6.8	1.62
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	5	14.8	3.37	10.8	2.30	4	11.3	2.53	8.0	1.72
Respiratory System	10	34.2	5.22	24.4	3.48	10	26.6	3.93	18.9	2.70
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	32.3	5.15	22.5	3.37	9	24.4	3.72	17.6	2.59
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	4.8	1.71	4.2	1.36	-	-	-	-	-
Skin (excl. basal & sq.)	5	13.4	3.09	9.8	2.08	2	6.5	1.96	4.6	1.33
Melanomas of the skin	4	10.3	2.51	8.1	1.83	2	4.5	1.55	3.2	1.08
Breast (excl. <i>in situ</i>)	-	-	-	-	-	43	92.7	6.55	75.4	5.19
Female Genital System	-	-	-	-	-	28	58.5	5.05	49.5	4.18
Cervix uteri	-	-	-	-	-	4	7.1	1.65	6.4	1.47
Uterus Corpus	-	-	-	-	-	18	36.8	4.01	31.0	3.30
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	12.1	2.41	9.7	1.89
Male Genital System	21	67.3	7.10	49.8	4.91	-	-	-	-	-
Prostate	19	64.1	7.03	46.4	4.80	-	-	-	-	-
Testis	2	2.6	0.86	2.9	0.92	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	25.1	4.59	16.4	2.82	5	11.6	2.55	8.7	1.82
Bladder (incl. <i>in situ</i>)	3	11.3	3.16	6.9	1.82	2	4.9	1.79	3.3	1.18
Kidney & renal pelvis	4	12.7	3.14	9.0	2.10	3	5.6	1.64	4.7	1.31
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	5.3	1.47	5.3	1.43	-	-	-	-	-
Brain	3	5.0	1.43	4.9	1.38	-	-	-	-	-
Endocrine System	3	7.7	2.20	6.5	1.65	11	21.3	2.93	19.0	2.53
Thyroid gland	3	6.7	2.12	5.3	1.52	11	20.5	2.87	18.3	2.48
Lymphomas	5	13.9	3.09	10.9	2.18	5	11.1	2.47	8.2	1.74
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	4	12.1	2.86	9.5	2.07	4	10.9	2.46	8.0	1.71
Multiple Myeloma	2	8.8	2.78	5.6	1.66	2	4.5	1.65	3.0	1.09
Leukemias	4	10.2	2.62	8.7	1.99	4	7.3	1.84	6.5	1.55
Acute lymphocytic	-	-	-	-	-	1	2.3	0.98	2.2	0.90
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	2	4.9	1.94	4.0	1.38	2	3.2	1.20	2.8	1.01
Chronic myeloid	1	2.5	1.07	2.4	0.98	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	11.5	3.05	7.9	1.96	3	8.2	2.37	4.7	1.32
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	5	13.9	3.27	9.9	2.11	12	29.2	4.01	21.7	2.86
Breast (<i>in situ</i>)	-	-	-	-	-	9	19.3	3.04	15.4	2.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Utah, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	19	275.5	30.02	203.2	20.88	19	220.4	23.52	165.2	16.93
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	79.1	15.63	60.2	11.27	6	83.7	15.49	55.5	9.92
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	30.6	9.85	22.6	6.88	2	22.3	7.67	15.7	5.27
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	18.6	6.70	16.5	5.84	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	4	41.3	9.62	33.1	7.63
Female Genital System	-	-	-	-	-	2	19.1	6.66	15.6	5.23
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	65.0	14.69	47.7	10.29	-	-	-	-	-
Prostate	3	55.4	14.03	38.9	9.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	36.0	11.01	25.6	7.42	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	1	17.0	6.53	14.0	5.32	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	21.2	6.51	19.3	5.85
Thyroid gland	-	-	-	-	-	2	21.2	6.51	19.3	5.85
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malig)	-	-	-	-	-	1	14.9	5.81	11.9	4.54
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Utah, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	336	382.9	10.95	280.5	7.28	421	376.5	9.12	292.9	6.61
Oral Cavity & Pharynx	7	7.5	1.50	5.6	1.02	5	3.8	0.85	3.3	0.68
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	2	1.4	0.53	1.2	0.43	1	1.0	0.47	0.8	0.33
Major salivary gland	1	1.8	0.78	1.3	0.53	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	2	1.5	0.52	1.4	0.45
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	83	98.9	5.56	71.9	3.70	66	69.5	4.18	50.6	2.85
Esophagus	4	4.7	1.22	3.4	0.81	-	-	-	-	-
Stomach	11	13.3	2.07	9.5	1.35	9	8.8	1.48	6.4	1.00
Small intestine	3	3.4	1.10	2.3	0.66	1	1.7	0.71	1.2	0.45
Colon excl. rectum	24	29.1	3.10	20.3	1.97	23	21.9	2.23	16.8	1.61
Rectum & rectosigmoid	11	10.4	1.59	8.4	1.20	10	9.9	1.53	7.4	1.06
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	19	21.6	2.54	16.3	1.76	6	6.5	1.30	4.7	0.88
Gallbladder	-	-	-	-	-	2	2.8	0.86	2.1	0.61
Pancreas	9	12.1	2.00	8.8	1.35	8	10.1	1.66	6.9	1.08
Respiratory System	22	34.8	3.65	22.5	2.20	24	27.4	2.71	19.5	1.83
Larynx	2	2.7	0.89	2.1	0.62	-	-	-	-	-
Lung & bronchus	19	31.6	3.52	20.1	2.10	23	26.7	2.68	18.9	1.80
Bones & Joints	3	2.1	0.70	1.8	0.47	2	1.5	0.49	1.4	0.43
Soft Tissue (incl. heart)	3	2.1	0.64	1.8	0.50	4	2.8	0.77	2.3	0.55
Skin (excl. basal & sq.)	-	-	-	-	-	15	11.6	1.52	9.4	1.13
Melanomas of the skin	8	9.2	1.68	6.7	1.12	13	10.1	1.39	8.2	1.04
Breast (excl. <i>in situ</i>)	-	-	-	-	-	125	109.5	4.77	86.9	3.58
Female Genital System	-	-	-	-	-	57	45.5	2.95	37.8	2.32
Cervix uteri	-	-	-	-	-	11	6.7	0.93	6.0	0.83
Uterus Corpus	-	-	-	-	-	28	23.9	2.16	19.9	1.71
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	13	11.1	1.53	8.9	1.14
Male Genital System	89	99.6	5.38	76.8	3.81	-	-	-	-	-
Prostate	74	92.2	5.29	69.5	3.71	-	-	-	-	-
Testis	14	6.4	0.78	6.7	0.79	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	45.3	3.89	31.7	2.49	18	17.2	2.03	12.8	1.41
Bladder (incl. <i>in situ</i>)	12	19.0	2.73	12.1	1.61	4	4.9	1.20	3.2	0.73
Kidney & renal pelvis	23	25.9	2.76	19.3	1.89	13	12.0	1.62	9.3	1.18
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	1	1.0	0.52	0.8	0.35	1	0.7	0.31	0.7	0.29
Brain & Other CNS ¹	8	5.8	1.09	5.1	0.87	8	5.8	1.05	4.9	0.82
Brain	8	5.6	1.08	4.9	0.85	7	5.6	1.04	4.6	0.81
Endocrine System	9	7.1	1.25	5.9	0.96	47	30.8	2.15	27.7	1.86
Thyroid gland	8	6.4	1.21	5.2	0.91	46	30.2	2.13	27.0	1.84
Lymphomas	30	30.2	3.04	22.4	2.00	21	20.7	2.31	14.8	1.52
Hodgkin Lymphoma	5	3.0	0.75	2.8	0.59	3	2.4	0.71	1.9	0.46
Non-Hodgkin Lymphoma	24	27.2	2.95	19.6	1.91	17	18.4	2.20	13.0	1.45
Multiple Myeloma	7	9.4	1.85	6.2	1.12	6	7.3	1.42	5.0	0.92
Leukemias	16	12.4	1.84	10.1	1.26	12	9.9	1.51	7.7	1.05
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	3.1	1.11	1.9	0.62	2	3.4	1.04	2.1	0.61
Acute myeloid	4	4.5	1.19	3.4	0.80	3	2.2	0.67	1.8	0.47
Chronic myeloid	3	1.7	0.55	1.6	0.48	2	1.7	0.62	1.3	0.45
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	14.1	2.30	9.0	1.35	10	11.8	1.84	7.9	1.14
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	14	12.8	1.96	9.5	1.24	30	26.5	2.40	20.6	1.74
Breast (<i>in situ</i>)	-	-	-	-	-	25	20.9	2.03	16.9	1.56

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

UTAH

390 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Utah, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	4,837	446.2	2.93	332.3	2.16	4,396	377.1	2.59	297.2	2.07
Oral Cavity & Pharynx	159	14.3	0.52	11.2	0.40	70	6.0	0.32	4.6	0.25
Lip	22	2.1	0.21	1.5	0.14	9	0.8	0.11	0.6	0.09
Tongue	51	4.4	0.28	3.6	0.23	22	1.8	0.18	1.5	0.15
Major salivary gland	14	1.4	0.17	1.0	0.12	13	1.1	0.14	0.9	0.11
Floor of mouth	6	0.5	0.10	0.4	0.08	2	0.2	0.06	0.2	0.05
Gum & other mouth	14	1.4	0.17	0.9	0.11	14	1.2	0.14	0.8	0.11
Nasopharynx	5	0.4	0.09	0.4	0.08	-	-	-	-	-
Oropharynx	7	0.6	0.10	0.5	0.08	2	0.2	0.05	0.1	0.04
Hypopharynx	4	0.3	0.07	0.3	0.06	2	0.1	0.05	0.1	0.04
Digestive System	751	70.6	1.18	51.6	0.85	592	50.6	0.94	37.3	0.71
Esophagus	62	5.7	0.33	4.1	0.24	13	1.1	0.14	0.8	0.11
Stomach	56	5.3	0.32	3.8	0.23	31	2.7	0.22	1.9	0.16
Small intestine	34	3.2	0.25	2.4	0.18	29	2.5	0.21	1.9	0.16
Colon excl. rectum	225	21.6	0.66	15.5	0.47	225	19.4	0.59	14.1	0.44
Rectum & rectosigmoid	115	10.7	0.46	8.4	0.36	78	6.9	0.36	5.6	0.29
Anus, anal canal & anorectum	10	0.9	0.13	0.7	0.10	25	2.0	0.19	1.6	0.15
Liver	73	6.4	0.34	4.9	0.26	26	2.1	0.19	1.7	0.15
Gallbladder	6	0.6	0.11	0.4	0.07	13	1.1	0.14	0.7	0.09
Pancreas	132	12.4	0.49	8.7	0.34	109	9.2	0.40	6.3	0.28
Respiratory System	358	34.1	0.82	23.6	0.56	278	23.4	0.64	16.7	0.46
Larynx	31	2.8	0.23	2.1	0.17	7	0.5	0.10	0.4	0.08
Lung & bronchus	315	30.2	0.78	20.6	0.52	264	22.2	0.62	15.8	0.44
Bones & Joints	18	1.6	0.17	1.4	0.15	12	1.0	0.13	0.9	0.13
Soft Tissue (incl. heart)	45	4.0	0.27	3.2	0.22	37	3.1	0.24	2.7	0.20
Skin (excl. basal & sq.)	631	59.1	1.07	44.1	0.80	434	38.0	0.83	31.3	0.69
Melanomas of the skin	591	55.1	1.03	41.4	0.77	414	36.2	0.81	30.1	0.68
Breast (excl. <i>in situ</i>)	9	0.9	0.14	0.6	0.09	1,333	115.5	1.44	90.6	1.14
Female Genital System	-	-	-	-	-	552	46.7	0.91	37.7	0.74
Cervix uteri	-	-	-	-	-	54	4.9	0.30	4.2	0.26
Uterus Corpus	-	-	-	-	-	316	26.3	0.67	21.4	0.55
Uterus, NOS ¹	-	-	-	-	-	6	0.5	0.09	0.3	0.06
Ovary	-	-	-	-	-	130	11.1	0.44	8.8	0.35
Male Genital System	1,395	123.2	1.51	94.9	1.15	-	-	-	-	-
Prostate	1,293	114.3	1.45	86.4	1.08	-	-	-	-	-
Testis	91	7.8	0.37	7.8	0.37	-	-	-	-	-
Penis	7	0.7	0.12	0.5	0.08	-	-	-	-	-
Urinary System	531	50.6	1.00	35.5	0.70	181	15.3	0.52	11.5	0.40
Bladder (incl. <i>in situ</i>)	317	31.0	0.79	20.5	0.52	68	5.7	0.31	4.0	0.23
Kidney & renal pelvis	204	18.7	0.60	14.4	0.46	107	9.1	0.40	7.2	0.32
Ureter	5	0.5	0.10	0.3	0.06	4	0.3	0.07	0.2	0.05
Eye & Orbit	13	1.2	0.15	0.9	0.12	11	0.9	0.13	0.8	0.11
Brain & Other CNS ¹	97	8.6	0.40	7.4	0.34	70	5.9	0.32	5.3	0.29
Brain	92	8.2	0.39	7.0	0.33	66	5.6	0.31	5.0	0.28
Endocrine System	108	9.8	0.43	8.4	0.36	315	27.9	0.72	25.5	0.65
Thyroid gland	101	9.2	0.42	7.9	0.35	309	27.3	0.71	25.0	0.65
Lymphomas	274	25.5	0.70	19.2	0.53	202	17.0	0.54	13.3	0.43
Hodgkin Lymphoma	30	2.5	0.21	2.5	0.20	29	2.4	0.20	2.4	0.20
Non-Hodgkin Lymphoma	244	23.0	0.67	16.8	0.49	173	14.6	0.50	10.8	0.38
Multiple Myeloma	79	7.5	0.38	5.2	0.27	54	4.5	0.28	3.3	0.21
Leukemias	203	19.0	0.61	14.1	0.45	129	10.7	0.43	8.6	0.35
Acute lymphocytic	19	1.5	0.15	1.7	0.17	18	1.4	0.15	1.6	0.17
Chronic lymphocytic	82	7.8	0.39	5.3	0.27	38	3.2	0.23	2.2	0.17
Acute myeloid	56	5.3	0.32	3.9	0.23	42	3.5	0.25	2.8	0.20
Chronic myeloid	24	2.2	0.21	1.7	0.16	17	1.4	0.16	1.1	0.12
Other leukemias	23	2.1	0.20	1.6	0.15	13	1.2	0.14	0.9	0.11
Mesothelioma	13	1.3	0.17	0.8	0.10	5	0.4	0.08	0.3	0.06
Kaposi Sarcoma	3	0.2	0.06	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	151	14.8	0.55	9.9	0.36	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	177	16.6	0.57	12.8	0.44	369	31.9	0.76	24.7	0.59
Breast (<i>in situ</i>)	1	0.1	0.04	0.1	0.04	262	22.9	0.65	18.8	0.53

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Utah, 2013-2017, Non-Hispanic Black

SITES	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	51	459.2	35.47	359.5	24.66	28	354.3	32.40	265.5	23.02
Oral Cavity & Pharynx	1	8.9	3.43	8.1	3.10	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	110.2	15.74	89.5	11.65	6	79.9	15.68	56.8	10.83
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	1	8.4	3.17	7.6	2.87	1	16.2	7.17	10.9	4.65
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	4	45.6	11.72	32.7	7.53	2	32.1	10.05	23.0	7.07
Rectum & rectosigmoid	2	12.0	3.68	11.0	3.35	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	22.4	6.76	19.3	5.59	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	1	8.0	3.33	7.3	3.03	-	-	-	-	-
Respiratory System	3	47.3	14.08	30.9	8.21	3	52.2	13.48	35.6	8.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	44.2	13.89	28.1	7.96	3	52.2	13.48	35.6	8.81
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	1	10.3	4.66	8.1	3.37
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	7	93.8	16.50	72.8	12.23
Female Genital System	-	-	-	-	-	4	47.9	11.33	39.3	8.79
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	2	19.6	7.64	15.4	5.55
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	18	165.8	20.68	132.5	15.06	-	-	-	-	-
Prostate	18	164.8	20.66	131.6	15.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	22.0	6.15	19.1	5.08	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	16.1	5.57	13.8	4.49	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	16.7	5.47	14.9	4.81
Thyroid gland	-	-	-	-	-	2	16.7	5.47	14.9	4.81
Lymphomas	3	19.1	7.18	15.5	4.99	2	25.7	9.82	17.4	6.06
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	24.7	8.51	18.7	5.94	-	-	-	-	-
Leukemias	2	12.7	5.82	10.3	3.91	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	15.4	7.56	10.7	4.63	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	12.5	5.16	10.5	4.07	2	20.0	6.79	15.3	4.95
Breast (<i>in situ</i>)	-	-	-	-	-	3	37.8	11.03	28.6	7.61

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

UTAH

392 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Vermont, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,875	478.1	5.15	352.9	3.83	1,880	440.7	4.78	341.4	3.86
Oral Cavity & Pharynx	75	18.0	0.98	14.5	0.78	26	6.2	0.57	5.0	0.47
Lip	2	0.6	0.19	0.4	0.13	1	0.2	0.10	0.2	0.08
Tongue	23	5.3	0.52	4.3	0.41	6	1.5	0.28	1.2	0.23
Major salivary gland	6	1.8	0.33	1.4	0.26	4	1.0	0.25	0.8	0.22
Floor of mouth	4	1.0	0.23	0.8	0.18	1	0.3	0.12	0.2	0.09
Gum & other mouth	6	1.4	0.27	1.0	0.19	5	1.0	0.21	0.8	0.17
Nasopharynx	3	0.9	0.23	0.7	0.20	2	0.5	0.19	0.4	0.16
Oropharynx	6	1.5	0.28	1.2	0.23	1	0.3	0.13	0.3	0.10
Hypopharynx	5	1.0	0.22	0.8	0.18	1	0.2	0.10	0.2	0.08
Digestive System	332	84.9	2.17	61.9	1.58	268	60.3	1.72	43.8	1.30
Esophagus	40	9.9	0.72	7.1	0.51	10	2.1	0.30	1.5	0.23
Stomach	29	7.5	0.65	5.5	0.48	17	4.0	0.45	2.9	0.35
Small intestine	8	2.2	0.35	1.6	0.26	7	1.6	0.27	1.3	0.22
Colon excl. rectum	89	23.5	1.16	16.6	0.82	107	24.1	1.08	16.8	0.80
Rectum & rectosigmoid	52	13.2	0.86	10.2	0.66	35	8.2	0.66	6.8	0.55
Anus, anal canal & anorectum	8	2.2	0.36	1.8	0.30	13	2.8	0.35	2.3	0.29
Liver	33	7.8	0.63	6.0	0.48	8	2.0	0.33	1.5	0.25
Gallbladder	2	0.4	0.15	0.3	0.10	7	1.6	0.27	1.1	0.20
Pancreas	56	14.1	0.88	9.8	0.60	44	9.8	0.68	6.8	0.48
Respiratory System	294	74.5	2.02	52.9	1.42	264	57.8	1.64	41.3	1.19
Larynx	22	5.3	0.54	4.1	0.41	6	1.5	0.30	1.2	0.24
Lung & bronchus	268	67.9	1.92	47.9	1.34	255	55.6	1.60	39.5	1.15
Bones & Joints	4	1.3	0.30	1.1	0.25	3	0.8	0.23	0.8	0.25
Soft Tissue (incl. heart)	16	4.4	0.52	3.4	0.41	10	3.2	0.47	2.9	0.45
Skin (excl. basal & sq.)	184	49.0	1.69	35.5	1.23	-	-	-	-	-
Melanomas of the skin	175	46.1	1.63	33.6	1.20	126	31.1	1.31	25.3	1.11
Breast (excl. <i>in situ</i>)	5	1.5	0.30	0.9	0.19	553	131.3	2.63	103.3	2.11
Female Genital System	-	-	-	-	-	237	54.0	1.65	43.3	1.35
Cervix uteri	-	-	-	-	-	14	4.3	0.54	3.9	0.50
Uterus Corpus	-	-	-	-	-	153	33.5	1.27	27.0	1.03
Uterus, NOS ¹	-	-	-	-	-	3	0.6	0.18	0.5	0.16
Ovary	-	-	-	-	-	42	10.1	0.73	7.9	0.60
Male Genital System	407	95.2	2.19	73.8	1.70	-	-	-	-	-
Prostate	382	87.1	2.06	65.7	1.52	-	-	-	-	-
Testis	22	7.3	0.72	7.6	0.75	-	-	-	-	-
Penis	2	0.5	0.17	0.3	0.10	-	-	-	-	-
Urinary System	230	60.3	1.85	42.1	1.29	95	21.5	1.02	15.6	0.78
Bladder (incl. <i>in situ</i>)	148	38.9	1.48	26.0	0.98	50	10.8	0.70	7.5	0.50
Kidney & renal pelvis	76	19.9	1.07	15.1	0.82	42	9.9	0.72	7.7	0.59
Ureter	3	0.7	0.19	0.5	0.13	3	0.7	0.18	0.4	0.10
Eye & Orbit	3	1.0	0.24	0.7	0.20	3	0.8	0.20	0.6	0.18
Brain & Other CNS ¹	28	8.1	0.71	6.9	0.64	24	6.5	0.63	5.8	0.61
Brain	27	7.7	0.69	6.5	0.61	23	6.1	0.61	5.4	0.58
Endocrine System	30	8.4	0.72	7.3	0.64	72	21.6	1.21	19.6	1.12
Thyroid gland	28	7.8	0.69	6.7	0.61	69	20.7	1.19	18.8	1.09
Lymphomas	105	28.3	1.28	21.4	1.00	78	18.5	0.99	14.3	0.80
Hodgkin Lymphoma	10	3.1	0.45	3.1	0.47	8	2.5	0.40	2.4	0.41
Non-Hodgkin Lymphoma	96	25.2	1.20	18.3	0.88	70	16.1	0.90	11.9	0.69
Multiple Myeloma	29	7.4	0.65	5.3	0.46	19	3.9	0.42	2.9	0.31
Leukemias	57	15.9	0.98	11.8	0.77	38	9.1	0.70	7.3	0.62
Acute lymphocytic	6	2.0	0.39	2.2	0.44	4	1.2	0.31	1.3	0.36
Chronic lymphocytic	20	5.1	0.53	3.4	0.36	14	3.0	0.37	2.1	0.26
Acute myeloid	18	4.9	0.53	3.4	0.37	14	3.2	0.41	2.6	0.36
Chronic myeloid	7	2.2	0.38	1.6	0.28	4	1.1	0.26	0.9	0.22
Other leukemias	6	1.7	0.31	1.2	0.23	3	0.5	0.15	0.4	0.12
Mesothelioma	7	2.0	0.35	1.2	0.22	1	0.3	0.12	0.2	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	66	17.9	1.02	12.0	0.69	57	12.5	0.77	8.7	0.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	33	9.2	0.75	7.2	0.61	68	17.0	0.97	14.1	0.85
Breast (<i>in situ</i>)	-	-	-	-	-	115	27.6	1.22	22.3	0.99

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Vermont, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,827	474.6	5.18	350.8	3.87	1,839	440.5	4.85	342.0	3.93
Oral Cavity & Pharynx	74	18.1	0.99	14.5	0.79	26	6.3	0.58	5.0	0.48
Lip	2	0.6	0.19	0.4	0.13	1	0.2	0.10	0.2	0.08
Tongue	23	5.4	0.53	4.4	0.42	6	1.5	0.28	1.2	0.23
Major salivary gland	6	1.8	0.34	1.3	0.26	4	1.0	0.26	0.9	0.22
Floor of mouth	4	1.0	0.23	0.8	0.19	1	0.3	0.13	0.2	0.09
Gum & other mouth	6	1.4	0.27	1.1	0.19	5	1.0	0.22	0.8	0.17
Nasopharynx	3	0.8	0.23	0.6	0.18	2	0.5	0.19	0.4	0.16
Oropharynx	6	1.4	0.27	1.1	0.22	1	0.4	0.14	0.3	0.11
Hypopharynx	4	1.0	0.22	0.8	0.18	1	0.2	0.10	0.2	0.08
Digestive System	320	83.5	2.18	60.8	1.59	259	59.4	1.72	43.1	1.31
Esophagus	40	9.8	0.73	7.1	0.51	10	2.1	0.31	1.5	0.23
Stomach	28	7.6	0.66	5.5	0.49	16	3.8	0.44	2.8	0.34
Small intestine	8	2.2	0.36	1.6	0.27	7	1.6	0.27	1.3	0.23
Colon excl. rectum	87	23.4	1.17	16.5	0.83	104	23.8	1.09	16.6	0.80
Rectum & rectosigmoid	49	12.9	0.86	9.9	0.66	34	8.3	0.68	6.8	0.56
Anus, anal canal & anorectum	8	2.3	0.37	1.8	0.31	13	2.8	0.36	2.3	0.30
Liver	29	7.1	0.61	5.4	0.46	8	1.9	0.32	1.4	0.26
Gallbladder	2	0.4	0.15	0.3	0.10	7	1.6	0.28	1.1	0.20
Pancreas	54	13.9	0.88	9.7	0.61	42	9.4	0.67	6.5	0.48
Respiratory System	288	73.9	2.03	52.5	1.43	258	57.6	1.65	41.3	1.20
Larynx	21	5.3	0.54	4.1	0.41	6	1.6	0.30	1.3	0.25
Lung & bronchus	262	67.4	1.93	47.5	1.35	250	55.3	1.61	39.4	1.16
Bones & Joints	4	1.4	0.31	1.1	0.26	3	0.8	0.25	0.9	0.27
Soft Tissue (incl. heart)	15	4.3	0.51	3.3	0.41	10	3.3	0.49	3.0	0.47
Skin (excl. basal & sq.)	181	49.0	1.70	35.5	1.25	-	-	-	-	-
Melanomas of the skin	171	46.1	1.65	33.7	1.22	124	31.5	1.35	25.6	1.14
Breast (excl. <i>in situ</i>)	5	1.4	0.30	0.9	0.19	541	131.5	2.67	103.6	2.15
Female Genital System	-	-	-	-	-	235	54.6	1.68	43.8	1.38
Cervix uteri	-	-	-	-	-	14	4.2	0.54	3.8	0.50
Uterus Corpus	-	-	-	-	-	152	34.1	1.29	27.4	1.05
Uterus, NOS ¹	-	-	-	-	-	3	0.6	0.19	0.5	0.16
Ovary	-	-	-	-	-	42	10.2	0.75	7.9	0.61
Male Genital System	396	94.3	2.20	73.4	1.72	-	-	-	-	-
Prostate	372	86.0	2.06	65.0	1.52	-	-	-	-	-
Testis	22	7.6	0.76	7.9	0.79	-	-	-	-	-
Penis	2	0.5	0.17	0.3	0.11	-	-	-	-	-
Urinary System	226	60.2	1.86	42.1	1.30	93	21.5	1.04	15.6	0.80
Bladder (incl. <i>in situ</i>)	146	39.0	1.49	26.1	0.99	49	10.8	0.71	7.5	0.50
Kidney & renal pelvis	74	19.7	1.08	15.0	0.83	41	9.9	0.73	7.7	0.61
Ureter	3	0.7	0.19	0.5	0.14	3	0.7	0.18	0.4	0.11
Eye & Orbit	3	1.0	0.25	0.8	0.21	3	0.8	0.21	0.6	0.19
Brain & Other CNS ¹	28	8.3	0.74	7.1	0.66	23	6.5	0.64	5.7	0.61
Brain	27	7.9	0.71	6.6	0.63	22	6.1	0.62	5.4	0.59
Endocrine System	30	8.4	0.73	7.3	0.65	71	22.0	1.25	19.9	1.15
Thyroid gland	28	7.7	0.69	6.6	0.61	67	21.0	1.22	19.1	1.13
Lymphomas	104	28.4	1.30	21.6	1.02	76	18.4	1.00	14.2	0.82
Hodgkin Lymphoma	10	3.1	0.47	3.2	0.49	8	2.4	0.41	2.4	0.41
Non-Hodgkin Lymphoma	94	25.3	1.21	18.4	0.90	68	16.0	0.91	11.9	0.71
Multiple Myeloma	27	7.3	0.65	5.2	0.46	18	3.9	0.42	2.9	0.31
Leukemias	57	16.1	1.00	12.1	0.79	37	9.1	0.71	7.4	0.65
Acute lymphocytic	6	2.1	0.41	2.3	0.47	4	1.3	0.33	1.4	0.38
Chronic lymphocytic	19	5.1	0.54	3.5	0.36	14	3.0	0.37	2.0	0.27
Acute myeloid	18	4.9	0.54	3.4	0.38	13	3.2	0.42	2.6	0.37
Chronic myeloid	7	2.3	0.39	1.6	0.29	4	1.1	0.26	0.9	0.23
Other leukemias	6	1.7	0.32	1.2	0.23	3	0.5	0.15	0.4	0.13
Mesothelioma	6	1.9	0.34	1.2	0.22	1	0.3	0.12	0.2	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	63	17.1	1.00	11.5	0.68	55	12.1	0.77	8.5	0.58
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	32	9.1	0.76	7.2	0.62	67	17.2	1.00	14.3	0.88
Breast (<i>in situ</i>)	-	-	-	-	-	113	27.9	1.25	22.5	1.01

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

VERMONT

394 Incidence – White

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Vermont, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11	370.9	57.59	297.5	43.20	6	247.6	52.68	187.7	36.94
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	83.5	28.22	66.2	21.30	1	80.2	33.60	54.5	21.39
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	2	54.6	19.82	44.8	16.04
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	161.7	39.73	127.3	29.20	-	-	-	-	-
Prostate	4	161.7	39.73	127.3	29.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	38.1	14.73	33.2	12.75	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Vermont, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9	353.3	59.87	250.8	39.61	10	216.7	33.63	171.5	24.51
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	94.3	29.06	70.5	20.76	2	42.7	14.14	33.6	10.21
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	4	85.6	20.98	66.7	15.22
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	1	37.4	14.36	31.7	12.19	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	20.7	9.00	18.7	7.76
Thyroid gland	-	-	-	-	-	1	20.7	9.00	18.7	7.76
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Vermont, 2013-2017, Hispanic/Latino, All Races

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	7	180.6	34.32	141.5	24.98	9	258.8	41.80	185.8	28.73
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	1	35.1	15.99	27.5	11.53	2	42.8	14.78	32.1	10.91
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	1	39.6	16.66	27.4	11.39	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	3	90.3	25.30	64.7	17.34
Female Genital System	-	-	-	-	-	2	49.1	18.84	34.6	12.85
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	1	37.0	16.66	25.5	11.07
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

VERMONT

398 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Vermont, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,821	477.1	5.22	352.7	3.90	1,830	442.2	4.88	343.6	3.96
Oral Cavity & Pharynx	74	18.3	1.00	14.7	0.80	26	6.3	0.59	5.1	0.49
Lip	2	0.6	0.19	0.4	0.13	1	0.3	0.10	0.2	0.08
Tongue	23	5.5	0.54	4.4	0.43	6	1.5	0.28	1.2	0.23
Major salivary gland	6	1.8	0.34	1.3	0.27	4	1.1	0.26	0.9	0.23
Floor of mouth	4	1.1	0.24	0.9	0.19	1	0.3	0.13	0.2	0.09
Gum & other mouth	6	1.5	0.27	1.1	0.19	5	1.0	0.22	0.8	0.18
Nasopharynx	3	0.8	0.23	0.6	0.19	2	0.5	0.20	0.4	0.16
Oropharynx	6	1.4	0.28	1.1	0.22	1	0.4	0.14	0.3	0.11
Hypopharynx	4	1.0	0.22	0.8	0.18	1	0.2	0.10	0.2	0.08
Digestive System	319	84.0	2.19	61.2	1.60	258	59.5	1.73	43.2	1.32
Esophagus	39	9.9	0.73	7.1	0.52	10	2.1	0.31	1.5	0.23
Stomach	28	7.6	0.67	5.6	0.49	16	3.9	0.45	2.8	0.34
Small intestine	8	2.2	0.36	1.6	0.27	7	1.6	0.28	1.3	0.23
Colon excl. rectum	87	23.6	1.18	16.7	0.84	104	23.8	1.09	16.5	0.80
Rectum & rectosigmoid	49	13.0	0.87	10.0	0.67	34	8.4	0.68	6.9	0.57
Anus, anal canal & anorectum	8	2.3	0.38	1.8	0.31	13	2.8	0.36	2.3	0.30
Liver	29	7.2	0.62	5.5	0.46	8	1.9	0.33	1.4	0.26
Gallbladder	2	0.4	0.15	0.3	0.10	7	1.5	0.27	1.1	0.20
Pancreas	53	14.0	0.89	9.7	0.61	41	9.4	0.67	6.5	0.48
Respiratory System	286	74.2	2.04	52.7	1.44	258	58.0	1.66	41.5	1.21
Larynx	21	5.4	0.55	4.1	0.42	6	1.6	0.31	1.3	0.25
Lung & bronchus	261	67.6	1.94	47.7	1.35	249	55.7	1.62	39.7	1.17
Bones & Joints	4	1.4	0.31	1.1	0.26	3	0.9	0.25	0.9	0.27
Soft Tissue (incl. heart)	15	4.3	0.52	3.4	0.42	10	3.4	0.50	3.1	0.48
Skin (excl. basal & sq.)	181	49.3	1.72	35.8	1.26	129	32.8	1.38	26.5	1.16
Melanomas of the skin	171	46.4	1.66	33.9	1.23	124	31.7	1.36	25.8	1.15
Breast (excl. <i>in situ</i>)	5	1.4	0.30	0.9	0.20	538	131.7	2.69	103.9	2.16
Female Genital System	-	-	-	-	-	233	54.8	1.69	43.9	1.39
Cervix uteri	-	-	-	-	-	14	4.2	0.55	3.8	0.51
Uterus Corpus	-	-	-	-	-	151	34.1	1.30	27.5	1.06
Uterus, NOS ¹	-	-	-	-	-	3	0.6	0.19	0.5	0.17
Ovary	-	-	-	-	-	41	10.2	0.75	8.0	0.62
Male Genital System	395	94.8	2.22	73.8	1.73	-	-	-	-	-
Prostate	371	86.4	2.07	65.3	1.53	-	-	-	-	-
Testis	21	7.7	0.77	8.0	0.81	-	-	-	-	-
Penis	2	0.5	0.17	0.3	0.11	-	-	-	-	-
Urinary System	225	60.5	1.87	42.3	1.32	93	21.5	1.04	15.7	0.81
Bladder (incl. <i>in situ</i>)	146	39.3	1.50	26.3	1.00	49	10.8	0.71	7.5	0.50
Kidney & renal pelvis	73	19.8	1.08	15.0	0.83	41	10.0	0.74	7.8	0.62
Ureter	3	0.7	0.19	0.5	0.14	3	0.7	0.18	0.4	0.11
Eye & Orbit	3	1.0	0.25	0.8	0.21	3	0.8	0.21	0.6	0.19
Brain & Other CNS ¹	28	8.2	0.74	7.0	0.66	23	6.5	0.65	5.8	0.62
Brain	27	7.9	0.72	6.6	0.63	22	6.2	0.63	5.4	0.60
Endocrine System	30	8.5	0.74	7.4	0.66	70	22.1	1.26	20.1	1.17
Thyroid gland	28	7.8	0.70	6.7	0.62	67	21.1	1.23	19.2	1.14
Lymphomas	103	28.6	1.31	21.7	1.03	76	18.5	1.01	14.4	0.83
Hodgkin Lymphoma	9	3.1	0.48	3.2	0.50	8	2.5	0.41	2.4	0.42
Non-Hodgkin Lymphoma	94	25.4	1.22	18.5	0.90	68	16.1	0.92	12.0	0.71
Multiple Myeloma	27	7.3	0.65	5.2	0.47	18	3.9	0.42	2.9	0.32
Leukemias	56	16.1	1.00	12.0	0.80	37	9.2	0.72	7.5	0.66
Acute lymphocytic	5	2.1	0.42	2.3	0.47	4	1.3	0.34	1.4	0.39
Chronic lymphocytic	19	5.1	0.54	3.5	0.36	14	3.0	0.37	2.1	0.27
Acute myeloid	18	4.9	0.53	3.3	0.37	13	3.3	0.42	2.6	0.37
Chronic myeloid	7	2.3	0.40	1.7	0.30	4	1.1	0.26	0.9	0.23
Other leukemias	6	1.7	0.32	1.2	0.23	3	0.5	0.15	0.4	0.13
Mesothelioma	6	1.9	0.35	1.2	0.22	1	0.3	0.12	0.2	0.08
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	32	9.2	0.77	7.3	0.63	66	17.3	1.01	14.5	0.89
Breast (<i>in situ</i>)	-	-	-	-	-	113	27.9	1.25	22.5	1.01

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Vermont, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	11	394.3	61.86	315.7	46.40	6	272.5	58.73	206.1	40.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	90.4	30.64	71.5	23.09	1	87.7	37.18	59.5	23.66
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	2	58.9	21.31	48.5	17.29
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	174.5	42.97	137.3	31.57	-	-	-	-	-
Prostate	4	174.5	42.97	137.3	31.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	1	40.8	15.79	35.6	13.69	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

VERMONT

400 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Virginia, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	19,629	445.6	1.47	330.7	1.07	20,071	397.4	1.28	307.6	1.02
Oral Cavity & Pharynx	808	17.4	0.28	13.8	0.22	315	6.1	0.16	4.7	0.13
Lip	29	0.7	0.06	0.5	0.04	8	0.2	0.03	0.1	0.02
Tongue	249	5.3	0.15	4.3	0.12	98	1.9	0.09	1.5	0.07
Major salivary gland	68	1.7	0.09	1.2	0.06	51	1.1	0.07	0.8	0.06
Floor of mouth	40	0.8	0.06	0.7	0.05	16	0.3	0.03	0.2	0.03
Gum & other mouth	84	1.9	0.10	1.4	0.07	66	1.3	0.07	0.9	0.05
Nasopharynx	28	0.6	0.05	0.5	0.05	14	0.3	0.04	0.2	0.03
Oropharynx	49	1.0	0.06	0.8	0.05	11	0.2	0.03	0.2	0.02
Hypopharynx	59	1.3	0.08	1.0	0.06	12	0.2	0.03	0.2	0.02
Digestive System	3,883	88.8	0.66	65.1	0.47	3,145	61.1	0.50	44.5	0.37
Esophagus	319	7.1	0.18	5.2	0.13	92	1.7	0.08	1.2	0.06
Stomach	379	8.8	0.21	6.3	0.15	216	4.3	0.13	3.1	0.10
Small intestine	131	3.0	0.12	2.2	0.09	119	2.3	0.10	1.8	0.07
Colon excl. rectum	1,172	27.6	0.37	19.8	0.26	1,200	23.4	0.31	16.8	0.23
Rectum & rectosigmoid	538	12.1	0.24	9.3	0.18	403	8.1	0.18	6.3	0.15
Anus, anal canal & anorectum	57	1.3	0.08	1.0	0.06	110	2.1	0.09	1.7	0.07
Liver	473	9.9	0.21	7.8	0.16	157	3.0	0.11	2.3	0.08
Gallbladder	29	0.7	0.06	0.5	0.04	67	1.3	0.07	0.9	0.05
Pancreas	598	13.9	0.26	9.8	0.18	570	10.8	0.21	7.5	0.15
Respiratory System	3,141	72.3	0.60	51.0	0.41	2,667	50.9	0.45	36.4	0.32
Larynx	248	5.4	0.16	4.1	0.12	62	1.2	0.07	0.9	0.05
Lung & bronchus	2,845	65.9	0.57	46.1	0.39	2,578	49.2	0.44	35.1	0.32
Bones & Joints	43	1.1	0.07	1.0	0.07	30	0.7	0.06	0.7	0.06
Soft Tissue (incl. heart)	156	3.7	0.14	2.9	0.11	131	2.7	0.11	2.2	0.09
Skin (excl. basal & sq.)	1,192	28.2	0.38	20.3	0.27	825	16.9	0.27	13.6	0.22
Melanomas of the skin	1,115	26.3	0.36	19.0	0.26	773	15.8	0.26	12.9	0.22
Breast (excl. <i>in situ</i>)	58	1.3	0.08	1.0	0.06	6,410	127.3	0.73	100.6	0.58
Female Genital System	-	-	-	-	-	2,325	45.4	0.43	36.5	0.35
Cervix uteri	-	-	-	-	-	268	6.0	0.17	5.2	0.15
Uterus Corpus	-	-	-	-	-	1,275	24.0	0.31	19.5	0.25
Uterus, NOS ¹	-	-	-	-	-	50	1.0	0.06	0.7	0.05
Ovary	-	-	-	-	-	511	10.1	0.20	7.9	0.16
Male Genital System	4,944	104.7	0.68	81.7	0.52	-	-	-	-	-
Prostate	4,728	99.4	0.66	76.7	0.50	-	-	-	-	-
Testis	176	4.3	0.15	4.3	0.15	-	-	-	-	-
Penis	33	0.8	0.07	0.6	0.04	-	-	-	-	-
Urinary System	2,236	52.6	0.51	37.1	0.35	968	18.9	0.28	14.0	0.21
Bladder (incl. <i>in situ</i>)	1,237	30.2	0.40	19.9	0.25	404	7.7	0.17	5.3	0.12
Kidney & renal pelvis	948	21.1	0.32	16.4	0.24	535	10.6	0.21	8.3	0.17
Ureter	32	0.8	0.06	0.5	0.04	20	0.4	0.04	0.2	0.02
Eye & Orbit	35	0.8	0.06	0.7	0.06	27	0.5	0.05	0.5	0.04
Brain & Other CNS ¹	294	6.9	0.18	5.8	0.16	255	5.4	0.15	4.7	0.14
Brain	279	6.5	0.18	5.5	0.15	242	5.0	0.15	4.4	0.14
Endocrine System	309	7.1	0.19	6.1	0.16	913	20.4	0.31	18.4	0.28
Thyroid gland	276	6.3	0.17	5.4	0.15	887	19.9	0.31	17.9	0.28
Lymphomas	984	23.2	0.34	17.7	0.26	814	16.4	0.26	12.8	0.21
Hodgkin Lymphoma	104	2.5	0.11	2.4	0.11	96	2.2	0.10	2.2	0.10
Non-Hodgkin Lymphoma	880	20.7	0.32	15.3	0.24	717	14.2	0.24	10.6	0.19
Multiple Myeloma	335	7.8	0.20	5.5	0.14	256	4.9	0.14	3.5	0.10
Leukemias	546	13.3	0.26	9.9	0.20	444	9.1	0.20	7.3	0.17
Acute lymphocytic	55	1.4	0.08	1.5	0.09	50	1.3	0.08	1.4	0.09
Chronic lymphocytic	172	4.1	0.14	2.8	0.10	114	2.2	0.09	1.5	0.07
Acute myeloid	174	4.2	0.15	3.0	0.11	162	3.3	0.12	2.6	0.10
Chronic myeloid	73	1.8	0.10	1.3	0.07	61	1.3	0.07	1.0	0.06
Other leukemias	73	1.8	0.10	1.3	0.07	57	1.1	0.07	0.9	0.06
Mesothelioma	68	1.7	0.10	1.1	0.06	19	0.4	0.04	0.3	0.03
Kaposi Sarcoma	16	0.4	0.04	0.4	0.04	2	0.0	0.01	0.0	0.01
Ill-defined & Unknown	581	14.2	0.27	9.5	0.18	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	289	6.9	0.18	5.4	0.15	577	11.7	0.22	9.4	0.18
Breast (<i>in situ</i>)	9	0.2	0.03	0.2	0.02	1,658	33.1	0.37	27.0	0.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Virginia, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	14,767	430.9	1.63	317.8	1.20	15,222	400.0	1.49	309.7	1.20
Oral Cavity & Pharynx	651	18.1	0.33	14.3	0.25	245	6.3	0.18	4.8	0.15
Lip	26	0.8	0.07	0.6	0.05	7	0.2	0.03	0.1	0.02
Tongue	214	5.8	0.18	4.7	0.15	81	2.1	0.11	1.6	0.09
Major salivary gland	54	1.7	0.10	1.2	0.07	40	1.1	0.08	0.8	0.07
Floor of mouth	31	0.8	0.07	0.7	0.05	13	0.3	0.04	0.2	0.03
Gum & other mouth	62	1.8	0.11	1.3	0.08	49	1.2	0.08	0.9	0.06
Nasopharynx	15	0.4	0.05	0.3	0.04	8	0.2	0.04	0.2	0.03
Oropharynx	38	1.0	0.07	0.8	0.06	9	0.2	0.03	0.2	0.03
Hypopharynx	42	1.2	0.08	0.9	0.06	8	0.2	0.03	0.2	0.03
Digestive System	2,842	83.3	0.72	60.7	0.52	2,258	57.6	0.56	41.8	0.42
Esophagus	269	7.6	0.21	5.7	0.16	69	1.7	0.09	1.2	0.07
Stomach	258	7.6	0.22	5.4	0.15	136	3.5	0.14	2.6	0.11
Small intestine	94	2.8	0.13	2.1	0.10	81	2.1	0.11	1.6	0.08
Colon excl. rectum	863	26.0	0.41	18.5	0.29	881	22.6	0.35	16.1	0.26
Rectum & rectosigmoid	406	11.8	0.27	9.0	0.21	297	8.0	0.21	6.2	0.17
Anus, anal canal & anorectum	43	1.2	0.09	0.9	0.07	93	2.4	0.11	1.9	0.09
Liver	313	8.5	0.22	6.6	0.17	102	2.5	0.11	1.9	0.09
Gallbladder	20	0.6	0.06	0.4	0.04	42	1.0	0.07	0.7	0.05
Pancreas	439	12.9	0.28	9.1	0.20	399	9.8	0.22	6.8	0.16
Respiratory System	2,432	71.0	0.66	49.9	0.46	2,113	52.4	0.52	37.5	0.38
Larynx	186	5.2	0.18	4.0	0.13	47	1.2	0.08	0.9	0.06
Lung & bronchus	2,209	64.6	0.63	45.0	0.43	2,047	50.7	0.51	36.2	0.37
Bones & Joints	30	1.0	0.08	1.0	0.08	20	0.6	0.07	0.6	0.07
Soft Tissue (incl. heart)	122	3.8	0.16	2.9	0.12	93	2.6	0.12	2.1	0.11
Skin (excl. basal & sq.)	1,169	35.2	0.47	25.5	0.34	804	22.2	0.36	18.1	0.31
Melanomas of the skin	1,101	33.0	0.46	24.1	0.33	760	21.1	0.35	17.3	0.30
Breast (excl. <i>in situ</i>)	44	1.3	0.09	0.9	0.06	4,798	126.9	0.84	100.0	0.68
Female Genital System	-	-	-	-	-	1,734	45.1	0.50	36.3	0.41
Cervix uteri	-	-	-	-	-	173	5.5	0.19	4.8	0.17
Uterus Corpus	-	-	-	-	-	960	24.1	0.36	19.6	0.29
Uterus, NOS ¹	-	-	-	-	-	30	0.8	0.06	0.6	0.05
Ovary	-	-	-	-	-	399	10.5	0.24	8.1	0.19
Male Genital System	3,234	88.4	0.71	68.5	0.55	-	-	-	-	-
Prostate	3,051	82.2	0.68	62.6	0.51	-	-	-	-	-
Testis	153	5.2	0.19	5.3	0.19	-	-	-	-	-
Penis	26	0.8	0.07	0.5	0.05	-	-	-	-	-
Urinary System	1,780	53.3	0.58	37.3	0.40	718	18.5	0.32	13.6	0.24
Bladder (incl. <i>in situ</i>)	1,047	32.1	0.45	21.1	0.29	322	7.9	0.20	5.5	0.14
Kidney & renal pelvis	692	19.9	0.35	15.4	0.27	374	9.9	0.24	7.7	0.19
Ureter	28	0.9	0.07	0.5	0.05	17	0.4	0.05	0.3	0.03
Eye & Orbit	30	0.9	0.08	0.8	0.07	24	0.6	0.06	0.5	0.05
Brain & Other CNS ¹	240	7.4	0.22	6.3	0.19	205	5.8	0.19	5.1	0.18
Brain	229	7.0	0.21	5.9	0.18	195	5.5	0.18	4.8	0.17
Endocrine System	241	7.4	0.22	6.4	0.19	646	20.3	0.37	18.4	0.34
Thyroid gland	218	6.6	0.21	5.6	0.18	627	19.7	0.36	17.9	0.34
Lymphomas	784	23.8	0.39	18.0	0.30	641	17.1	0.31	13.2	0.26
Hodgkin Lymphoma	74	2.4	0.13	2.4	0.13	70	2.3	0.13	2.3	0.13
Non-Hodgkin Lymphoma	710	21.4	0.37	15.7	0.27	571	14.8	0.28	11.0	0.22
Multiple Myeloma	214	6.3	0.20	4.5	0.14	158	4.0	0.14	2.8	0.10
Leukemias	432	13.5	0.30	10.1	0.23	344	9.4	0.23	7.5	0.20
Acute lymphocytic	40	1.4	0.10	1.6	0.12	35	1.3	0.10	1.4	0.11
Chronic lymphocytic	140	4.2	0.16	2.9	0.11	95	2.4	0.11	1.6	0.08
Acute myeloid	137	4.2	0.16	3.0	0.12	123	3.3	0.14	2.6	0.12
Chronic myeloid	55	1.7	0.11	1.2	0.08	46	1.3	0.09	1.0	0.07
Other leukemias	60	1.9	0.11	1.4	0.08	44	1.2	0.08	0.9	0.07
Mesothelioma	56	1.8	0.11	1.1	0.07	17	0.4	0.05	0.3	0.04
Kaposi Sarcoma	8	0.3	0.04	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	459	14.2	0.30	9.5	0.20	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	219	6.8	0.21	5.4	0.17	429	11.6	0.26	9.3	0.22
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.02	1,194	32.2	0.43	26.3	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Virginia, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	3,781	509.8	3.96	387.1	2.84	3,649	389.2	2.95	299.5	2.27
Oral Cavity & Pharynx	114	14.4	0.64	11.5	0.49	44	4.5	0.31	3.7	0.26
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	23	2.8	0.28	2.3	0.22	7	0.7	0.12	0.6	0.10
Major salivary gland	11	1.7	0.24	1.2	0.16	8	0.9	0.15	0.7	0.12
Floor of mouth	7	0.9	0.16	0.7	0.12	2	0.2	0.07	0.2	0.05
Gum & other mouth	12	1.5	0.21	1.2	0.16	9	1.0	0.15	0.8	0.12
Nasopharynx	7	0.9	0.15	0.8	0.13	4	0.4	0.10	0.4	0.09
Oropharynx	10	1.2	0.17	1.0	0.14	1	0.1	0.05	0.1	0.04
Hypopharynx	15	2.1	0.25	1.6	0.18	3	0.3	0.08	0.3	0.07
Digestive System	787	108.6	1.85	80.8	1.30	686	73.7	1.29	53.7	0.94
Esophagus	40	5.4	0.41	4.1	0.29	18	1.9	0.21	1.4	0.15
Stomach	85	12.6	0.65	9.0	0.44	52	5.8	0.37	4.0	0.26
Small intestine	30	4.3	0.37	3.2	0.26	34	3.7	0.29	2.8	0.22
Colon excl. rectum	246	35.1	1.07	25.6	0.74	256	27.4	0.78	19.9	0.57
Rectum & rectosigmoid	96	12.7	0.62	9.7	0.45	77	8.3	0.43	6.4	0.33
Anus, anal canal & anorectum	12	1.5	0.20	1.3	0.16	12	1.3	0.17	1.0	0.13
Liver	111	12.9	0.58	10.7	0.46	38	3.8	0.28	3.0	0.22
Gallbladder	7	1.1	0.20	0.7	0.12	18	2.0	0.22	1.4	0.15
Pancreas	125	18.3	0.78	13.0	0.53	143	15.5	0.59	10.8	0.41
Respiratory System	602	86.6	1.69	62.0	1.14	461	49.4	1.05	35.6	0.75
Larynx	56	7.3	0.46	5.6	0.34	15	1.5	0.18	1.2	0.14
Lung & bronchus	538	78.4	1.62	55.6	1.08	441	47.3	1.03	33.9	0.73
Bones & Joints	9	1.2	0.19	1.0	0.15	5	0.6	0.12	0.6	0.12
Soft Tissue (incl. heart)	23	3.2	0.31	2.6	0.24	28	3.0	0.26	2.5	0.22
Skin (excl. basal & sq.)	17	2.6	0.31	1.8	0.20	15	1.7	0.20	1.3	0.15
Melanomas of the skin	10	1.5	0.24	1.0	0.15	8	0.9	0.15	0.6	0.10
Breast (excl. <i>in situ</i>)	12	1.5	0.21	1.2	0.16	1,246	131.9	1.71	104.7	1.35
Female Genital System	-	-	-	-	-	413	43.2	0.97	34.4	0.77
Cervix uteri	-	-	-	-	-	61	6.8	0.40	5.8	0.34
Uterus Corpus	-	-	-	-	-	223	22.7	0.70	18.1	0.55
Uterus, NOS ¹	-	-	-	-	-	18	2.0	0.21	1.5	0.16
Ovary	-	-	-	-	-	76	8.1	0.43	6.3	0.33
Male Genital System	1,346	169.5	2.19	133.9	1.64	-	-	-	-	-
Prostate	1,329	167.1	2.17	131.9	1.63	-	-	-	-	-
Testis	11	1.4	0.19	1.4	0.18	-	-	-	-	-
Penis	6	0.9	0.18	0.6	0.11	-	-	-	-	-
Urinary System	362	50.4	1.26	37.6	0.89	209	22.3	0.71	16.7	0.53
Bladder (incl. <i>in situ</i>)	135	20.7	0.86	14.1	0.55	68	7.5	0.42	5.1	0.28
Kidney & renal pelvis	222	29.0	0.92	23.0	0.70	136	14.4	0.57	11.4	0.45
Ureter	3	0.4	0.12	0.3	0.08	2	0.2	0.06	0.1	0.04
Eye & Orbit	3	0.4	0.10	0.4	0.10	2	0.2	0.07	0.2	0.06
Brain & Other CNS ¹	36	4.5	0.35	4.0	0.30	34	3.6	0.28	3.1	0.25
Brain	33	4.2	0.34	3.6	0.29	32	3.4	0.27	3.0	0.24
Endocrine System	35	4.3	0.34	3.7	0.29	123	13.2	0.54	11.4	0.47
Thyroid gland	27	3.4	0.30	2.9	0.25	118	12.7	0.53	11.0	0.46
Lymphomas	140	18.8	0.75	15.2	0.58	128	13.8	0.56	11.3	0.46
Hodgkin Lymphoma	23	2.8	0.26	2.7	0.25	20	2.2	0.23	2.2	0.22
Non-Hodgkin Lymphoma	118	16.1	0.70	12.6	0.52	107	11.6	0.51	9.1	0.41
Multiple Myeloma	104	15.2	0.72	10.8	0.48	86	9.3	0.46	6.7	0.33
Leukemias	80	11.5	0.61	8.6	0.44	69	7.7	0.42	6.0	0.34
Acute lymphocytic	7	0.9	0.15	0.9	0.15	7	0.8	0.14	0.8	0.14
Chronic lymphocytic	25	3.8	0.36	2.6	0.23	15	1.6	0.19	1.1	0.13
Acute myeloid	27	3.9	0.36	2.9	0.25	28	3.1	0.27	2.4	0.21
Chronic myeloid	13	1.7	0.22	1.4	0.17	10	1.2	0.16	0.9	0.13
Other leukemias	8	1.3	0.21	0.9	0.14	9	1.1	0.16	0.8	0.12
Mesothelioma	9	1.6	0.25	1.0	0.15	2	0.2	0.07	0.2	0.05
Kaposi Sarcoma	8	1.0	0.16	0.9	0.15	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	97	10.8	0.50	7.3	0.34
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	48	6.7	0.46	5.1	0.33	108	11.6	0.51	9.4	0.42
Breast (<i>in situ</i>)	4	0.5	0.13	0.4	0.09	336	35.0	0.87	28.1	0.70

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Virginia, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	511	241.2	5.11	175.6	3.49	719	245.4	4.25	193.3	3.25
Oral Cavity & Pharynx	19	8.1	0.88	6.4	0.65	9	3.2	0.49	2.5	0.37
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	1.7	0.36	1.4	0.30	4	1.3	0.29	1.1	0.24
Major salivary gland	2	1.0	0.35	0.7	0.22	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	4	2.0	0.51	1.3	0.31	-	-	-	-	-
Nasopharynx	5	2.0	0.40	1.7	0.34	2	0.8	0.26	0.6	0.18
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	157	74.7	2.85	53.4	1.91	121	45.7	1.94	32.4	1.32
Esophagus	4	1.8	0.46	1.3	0.30	2	1.0	0.30	0.6	0.18
Stomach	23	12.0	1.19	8.1	0.75	19	7.0	0.76	5.0	0.52
Small intestine	3	1.3	0.39	0.9	0.25	2	0.8	0.26	0.6	0.17
Colon excl. rectum	34	15.7	1.28	11.4	0.88	37	14.0	1.07	9.9	0.73
Rectum & rectosigmoid	22	9.0	0.90	7.1	0.68	16	5.3	0.62	4.2	0.47
Anus, anal canal & anorectum	-	-	-	-	-	2	0.6	0.22	0.4	0.15
Liver	35	15.7	1.26	11.6	0.89	12	4.6	0.63	3.2	0.41
Gallbladder	1	0.7	0.30	0.4	0.18	6	2.1	0.41	1.5	0.28
Pancreas	23	11.9	1.19	8.0	0.75	16	6.5	0.76	4.4	0.49
Respiratory System	72	36.6	2.08	25.0	1.32	63	24.3	1.42	17.0	0.96
Larynx	3	1.9	0.51	1.2	0.30	-	-	-	-	-
Lung & bronchus	66	33.7	2.00	22.9	1.27	62	23.6	1.41	16.6	0.95
Bones & Joints	3	0.9	0.26	1.0	0.28	2	0.7	0.21	0.7	0.23
Soft Tissue (incl. heart)	5	2.3	0.46	1.8	0.36	5	1.7	0.32	1.6	0.31
Skin (excl. basal & sq.)	4	1.8	0.43	1.4	0.31	4	1.3	0.30	1.1	0.25
Melanomas of the skin	3	1.1	0.35	0.9	0.24	3	1.0	0.27	0.8	0.22
Breast (excl. <i>in situ</i>)	2	0.6	0.21	0.6	0.19	243	78.9	2.33	63.8	1.83
Female Genital System	-	-	-	-	-	89	28.6	1.39	23.7	1.12
Cervix uteri	-	-	-	-	-	14	4.4	0.55	3.6	0.44
Uterus Corpus	-	-	-	-	-	46	14.5	0.97	12.2	0.80
Uterus, NOS ¹	-	-	-	-	-	1	0.4	0.16	0.4	0.14
Ovary	-	-	-	-	-	22	7.1	0.70	5.8	0.56
Male Genital System	104	48.6	2.25	35.7	1.57	-	-	-	-	-
Prostate	97	46.3	2.21	33.6	1.52	-	-	-	-	-
Testis	5	1.6	0.33	1.7	0.35	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	23.4	1.65	16.0	1.06	19	7.2	0.77	5.2	0.53
Bladder (incl. <i>in situ</i>)	25	13.7	1.31	9.0	0.80	5	1.8	0.39	1.3	0.27
Kidney & renal pelvis	19	8.3	0.91	6.2	0.65	13	5.0	0.64	3.6	0.44
Ureter	1	0.6	0.24	0.5	0.18	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	7	3.0	0.54	2.5	0.42	7	2.5	0.44	2.2	0.39
Brain	7	2.9	0.53	2.4	0.41	6	2.4	0.43	2.0	0.37
Endocrine System	22	8.4	0.83	7.3	0.70	101	30.9	1.39	27.5	1.24
Thyroid gland	21	8.0	0.81	6.9	0.68	100	30.4	1.38	27.0	1.22
Lymphomas	32	13.8	1.17	10.9	0.87	22	8.2	0.81	6.3	0.60
Hodgkin Lymphoma	4	1.7	0.39	1.6	0.35	3	0.9	0.25	0.9	0.25
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	4.5	0.71	3.1	0.47	5	2.2	0.45	1.4	0.27
Leukemias	16	7.0	0.85	5.7	0.65	14	5.2	0.64	4.3	0.53
Acute lymphocytic	4	1.5	0.37	1.6	0.36	3	1.0	0.26	1.2	0.30
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	7	3.2	0.60	2.4	0.41	7	2.7	0.47	2.1	0.35
Chronic myeloid	2	1.1	0.34	0.8	0.24	2	0.6	0.22	0.5	0.18
Other leukemias	2	0.8	0.26	0.7	0.22	1	0.5	0.22	0.3	0.13
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	12	7.0	0.96	4.4	0.56	12	4.7	0.64	3.3	0.43
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	10	4.0	0.60	3.2	0.46	24	8.1	0.76	6.6	0.60
Breast (<i>in situ</i>)	-	-	-	-	-	92	29.4	1.40	24.1	1.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Virginia, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	436	261.8	6.98	189.2	4.48	639	278.3	5.52	215.6	3.96
Oral Cavity & Pharynx	10	6.5	1.12	4.5	0.69	8	3.5	0.61	2.7	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	2.3	0.67	1.6	0.43	2	1.0	0.34	0.7	0.23
Major salivary gland	1	0.8	0.37	0.6	0.24	2	0.8	0.25	0.7	0.21
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	0.8	0.41	0.6	0.26	2	0.8	0.30	0.6	0.21
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	101	61.7	3.41	43.5	2.14	108	54.2	2.59	39.0	1.74
Esophagus	5	3.5	0.85	2.3	0.51	2	1.2	0.40	0.8	0.25
Stomach	20	11.5	1.48	8.0	0.91	18	8.3	0.99	6.1	0.68
Small intestine	4	2.6	0.74	1.7	0.45	2	1.0	0.33	0.7	0.23
Colon excl. rectum	27	17.2	1.84	11.9	1.14	36	18.8	1.54	13.4	1.03
Rectum & rectosigmoid	13	6.4	0.98	4.9	0.65	15	5.8	0.74	4.6	0.56
Anus, anal canal & anorectum	1	0.7	0.33	0.5	0.23	3	1.5	0.45	1.1	0.29
Liver	13	8.1	1.21	5.9	0.80	9	5.3	0.85	3.7	0.56
Gallbladder	-	-	-	-	-	3	1.6	0.44	1.1	0.29
Pancreas	11	7.9	1.26	5.4	0.78	13	7.4	1.00	5.0	0.64
Respiratory System	38	30.6	2.59	20.3	1.58	40	22.7	1.74	15.9	1.15
Larynx	3	1.7	0.54	1.3	0.37	-	-	-	-	-
Lung & bronchus	33	28.3	2.53	18.4	1.52	39	22.0	1.71	15.4	1.14
Bones & Joints	2	0.7	0.26	0.7	0.22	2	0.7	0.21	0.7	0.20
Soft Tissue (incl. heart)	6	2.6	0.63	2.1	0.44	5	2.4	0.55	1.7	0.36
Skin (excl. basal & sq.)	-	-	-	-	-	13	5.3	0.74	4.3	0.55
Melanomas of the skin	7	4.1	0.85	3.0	0.55	12	4.6	0.66	3.7	0.50
Breast (excl. <i>in situ</i>)	1	0.3	0.14	0.3	0.13	191	79.6	2.83	63.4	2.13
Female Genital System	-	-	-	-	-	88	36.5	1.93	29.5	1.45
Cervix uteri	-	-	-	-	-	24	8.4	0.84	7.1	0.67
Uterus Corpus	-	-	-	-	-	35	15.0	1.24	12.1	0.95
Uterus, NOS ¹	-	-	-	-	-	2	1.1	0.36	0.8	0.24
Ovary	-	-	-	-	-	22	9.6	1.04	7.5	0.75
Male Genital System	117	72.4	3.59	54.0	2.41	-	-	-	-	-
Prostate	101	67.7	3.52	49.7	2.35	-	-	-	-	-
Testis	14	3.4	0.50	3.5	0.44	-	-	-	-	-
Penis	2	1.3	0.53	0.8	0.30	-	-	-	-	-
Urinary System	42	27.7	2.34	19.4	1.47	25	11.6	1.14	8.8	0.81
Bladder (incl. <i>in situ</i>)	16	12.4	1.67	8.1	0.99	6	3.2	0.65	2.3	0.43
Kidney & renal pelvis	26	14.4	1.57	10.8	1.06	19	7.9	0.90	6.2	0.67
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	2	0.6	0.25	0.6	0.21	-	-	-	-	-
Brain & Other CNS ¹	16	5.8	0.85	4.9	0.62	14	5.0	0.72	4.3	0.54
Brain	15	5.5	0.84	4.7	0.61	13	4.9	0.72	4.1	0.53
Endocrine System	16	5.7	0.84	4.9	0.60	71	22.3	1.27	20.1	1.10
Thyroid gland	14	5.2	0.80	4.3	0.57	69	21.5	1.24	19.4	1.07
Lymphomas	35	18.0	1.77	13.3	1.14	32	14.9	1.35	11.1	0.92
Hodgkin Lymphoma	7	2.0	0.45	1.9	0.35	5	1.5	0.34	1.4	0.29
Non-Hodgkin Lymphoma	28	15.9	1.71	11.4	1.08	27	13.4	1.30	9.6	0.87
Multiple Myeloma	10	6.3	1.07	4.6	0.70	8	4.0	0.71	2.9	0.48
Leukemias	19	8.5	1.15	6.7	0.76	20	7.2	0.84	6.0	0.63
Acute lymphocytic	8	1.8	0.31	2.0	0.32	6	1.5	0.27	1.7	0.30
Chronic lymphocytic	2	1.1	0.48	0.7	0.28	3	1.6	0.48	1.0	0.28
Acute myeloid	5	3.3	0.80	2.3	0.50	7	2.4	0.47	2.1	0.38
Chronic myeloid	2	1.0	0.39	0.8	0.26	2	0.6	0.19	0.5	0.18
Other leukemias	3	1.2	0.46	0.9	0.28	2	1.1	0.38	0.7	0.23
Mesothelioma	2	1.2	0.47	0.9	0.29	-	-	-	-	-
Kaposi Sarcoma	2	0.7	0.35	0.5	0.20	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	12	7.7	1.07	4.9	0.64
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	11	4.8	0.86	3.8	0.58	23	9.5	1.00	7.4	0.72
Breast (<i>in situ</i>)	-	-	-	-	-	57	22.3	1.41	18.5	1.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

VIRGINIA

406 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Virginia, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	14,449	441.8	1.69	326.9	1.26	14,735	409.8	1.57	317.9	1.27
Oral Cavity & Pharynx	643	18.9	0.34	15.0	0.27	238	6.4	0.19	4.9	0.15
Lip	26	0.8	0.07	0.6	0.05	7	0.2	0.03	0.1	0.02
Tongue	211	6.1	0.19	4.9	0.16	80	2.2	0.11	1.7	0.09
Major salivary gland	53	1.7	0.11	1.2	0.08	38	1.1	0.08	0.9	0.07
Floor of mouth	31	0.9	0.07	0.7	0.06	12	0.3	0.04	0.2	0.03
Gum & other mouth	61	1.9	0.11	1.3	0.08	47	1.2	0.08	0.9	0.06
Nasopharynx	14	0.4	0.05	0.4	0.04	7	0.2	0.03	0.2	0.03
Oropharynx	38	1.0	0.08	0.9	0.06	9	0.2	0.03	0.2	0.03
Hypopharynx	42	1.2	0.09	0.9	0.07	8	0.2	0.03	0.2	0.03
Digestive System	2,771	85.1	0.74	62.2	0.54	2,176	58.2	0.58	42.3	0.44
Esophagus	265	7.9	0.22	5.9	0.16	68	1.7	0.10	1.2	0.07
Stomach	243	7.5	0.22	5.3	0.15	123	3.3	0.14	2.4	0.10
Small intestine	92	2.9	0.14	2.1	0.10	78	2.1	0.11	1.6	0.09
Colon excl. rectum	843	26.6	0.42	19.0	0.30	852	23.0	0.36	16.4	0.27
Rectum & rectosigmoid	395	12.2	0.28	9.4	0.22	286	8.1	0.22	6.3	0.18
Anus, anal canal & anorectum	41	1.3	0.09	1.0	0.07	91	2.5	0.12	1.9	0.10
Liver	305	8.7	0.23	6.8	0.18	96	2.5	0.12	1.9	0.09
Gallbladder	20	0.7	0.07	0.4	0.05	39	1.0	0.07	0.7	0.05
Pancreas	432	13.2	0.29	9.4	0.21	390	10.0	0.23	7.0	0.17
Respiratory System	2,401	72.7	0.68	51.3	0.47	2,081	53.8	0.54	38.6	0.39
Larynx	184	5.4	0.18	4.1	0.14	47	1.2	0.08	0.9	0.06
Lung & bronchus	2,182	66.2	0.65	46.3	0.45	2,015	52.1	0.53	37.2	0.38
Bones & Joints	28	1.0	0.09	1.0	0.09	19	0.7	0.07	0.7	0.08
Soft Tissue (incl. heart)	117	3.9	0.17	3.0	0.13	89	2.7	0.13	2.2	0.12
Skin (excl. basal & sq.)	1,161	36.8	0.50	26.9	0.37	791	23.6	0.39	19.3	0.34
Melanomas of the skin	1,094	34.5	0.48	25.4	0.36	749	22.5	0.38	18.5	0.33
Breast (excl. <i>in situ</i>)	43	1.3	0.09	1.0	0.07	4,648	130.4	0.89	102.9	0.72
Female Genital System	-	-	-	-	-	1,671	46.1	0.52	37.1	0.43
Cervix uteri	-	-	-	-	-	159	5.6	0.21	4.9	0.18
Uterus Corpus	-	-	-	-	-	934	24.7	0.37	20.1	0.31
Uterus, NOS ¹	-	-	-	-	-	28	0.7	0.06	0.5	0.05
Ovary	-	-	-	-	-	384	10.6	0.25	8.3	0.20
Male Genital System	3,154	90.1	0.74	70.0	0.57	-	-	-	-	-
Prostate	2,983	83.6	0.70	63.8	0.53	-	-	-	-	-
Testis	141	5.6	0.21	5.6	0.22	-	-	-	-	-
Penis	24	0.8	0.07	0.5	0.05	-	-	-	-	-
Urinary System	1,748	54.6	0.60	38.3	0.42	700	18.9	0.33	14.0	0.26
Bladder (incl. <i>in situ</i>)	1,036	32.9	0.47	21.6	0.31	317	8.2	0.21	5.6	0.15
Kidney & renal pelvis	671	20.4	0.36	15.8	0.28	361	10.2	0.25	8.0	0.20
Ureter	27	0.9	0.08	0.6	0.05	16	0.4	0.05	0.3	0.03
Eye & Orbit	29	0.9	0.08	0.8	0.07	24	0.7	0.07	0.6	0.06
Brain & Other CNS ¹	230	7.7	0.23	6.5	0.21	195	6.0	0.20	5.3	0.19
Brain	218	7.3	0.23	6.1	0.20	186	5.6	0.19	4.9	0.18
Endocrine System	229	7.6	0.23	6.6	0.21	591	20.4	0.39	18.5	0.36
Thyroid gland	207	6.9	0.22	5.9	0.19	573	19.9	0.39	18.0	0.36
Lymphomas	757	24.3	0.41	18.5	0.32	616	17.4	0.33	13.6	0.27
Hodgkin Lymphoma	67	2.5	0.14	2.5	0.14	66	2.4	0.14	2.4	0.14
Non-Hodgkin Lymphoma	689	21.8	0.38	16.0	0.29	550	15.0	0.29	11.2	0.23
Multiple Myeloma	207	6.4	0.20	4.5	0.14	154	4.0	0.15	2.9	0.11
Leukemias	418	13.8	0.31	10.4	0.25	330	9.6	0.25	7.7	0.22
Acute lymphocytic	35	1.4	0.11	1.6	0.13	31	1.3	0.11	1.4	0.12
Chronic lymphocytic	139	4.4	0.17	3.0	0.12	93	2.4	0.12	1.7	0.08
Acute myeloid	133	4.3	0.17	3.1	0.13	118	3.4	0.14	2.7	0.12
Chronic myeloid	53	1.8	0.11	1.2	0.08	45	1.3	0.09	1.0	0.08
Other leukemias	58	2.0	0.12	1.4	0.09	43	1.2	0.09	0.9	0.07
Mesothelioma	55	1.8	0.11	1.1	0.07	17	0.5	0.05	0.3	0.04
Kaposi Sarcoma	6	0.2	0.04	0.2	0.03	-	-	-	-	-
Ill-defined & Unknown	453	14.5	0.31	9.7	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	213	7.1	0.23	5.7	0.19	410	11.8	0.27	9.5	0.23
Breast (<i>in situ</i>)	4	0.1	0.03	0.1	0.03	1,152	33.2	0.46	27.1	0.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Virginia, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,763	515.5	4.00	392.0	2.88	3,623	393.5	2.99	303.1	2.31
Oral Cavity & Pharynx	114	14.6	0.65	11.7	0.49	43	4.6	0.32	3.8	0.26
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	23	2.9	0.29	2.3	0.22	7	0.7	0.12	0.6	0.10
Major salivary gland	11	1.7	0.24	1.2	0.16	8	0.9	0.15	0.8	0.12
Floor of mouth	7	0.9	0.16	0.7	0.12	2	0.2	0.07	0.2	0.05
Gum & other mouth	12	1.5	0.21	1.2	0.16	9	1.0	0.15	0.8	0.13
Nasopharynx	7	0.9	0.16	0.8	0.13	4	0.5	0.11	0.4	0.09
Oropharynx	10	1.2	0.17	1.0	0.14	1	0.1	0.05	0.1	0.04
Hypopharynx	15	2.1	0.25	1.6	0.18	3	0.3	0.08	0.3	0.07
Digestive System	783	109.8	1.87	81.7	1.32	681	74.2	1.30	54.1	0.95
Esophagus	40	5.5	0.42	4.1	0.29	18	1.9	0.21	1.4	0.15
Stomach	85	12.7	0.66	9.0	0.44	51	5.8	0.37	4.0	0.26
Small intestine	30	4.3	0.37	3.2	0.26	34	3.7	0.29	2.8	0.22
Colon excl. rectum	245	35.5	1.08	25.9	0.75	254	27.6	0.79	20.1	0.58
Rectum & rectosigmoid	96	12.9	0.63	9.9	0.46	76	8.3	0.44	6.5	0.34
Anus, anal canal & anorectum	12	1.5	0.20	1.3	0.17	12	1.3	0.17	1.0	0.14
Liver	111	13.1	0.59	10.9	0.46	37	3.8	0.28	3.0	0.22
Gallbladder	7	1.1	0.20	0.7	0.13	18	2.0	0.22	1.4	0.15
Pancreas	125	18.5	0.79	13.2	0.53	143	15.6	0.60	10.9	0.42
Respiratory System	601	87.7	1.71	62.8	1.15	460	49.9	1.06	36.0	0.76
Larynx	56	7.4	0.47	5.7	0.34	14	1.5	0.18	1.2	0.14
Lung & bronchus	538	79.3	1.64	56.4	1.10	440	47.7	1.04	34.3	0.74
Bones & Joints	9	1.2	0.19	1.0	0.16	5	0.6	0.12	0.6	0.12
Soft Tissue (incl. heart)	23	3.2	0.31	2.6	0.25	28	3.1	0.27	2.5	0.22
Skin (excl. basal & sq.)	17	2.6	0.31	1.8	0.20	15	1.7	0.21	1.3	0.16
Melanomas of the skin	10	1.5	0.24	1.0	0.15	8	0.9	0.15	0.7	0.11
Breast (excl. <i>in situ</i>)	11	1.6	0.22	1.2	0.16	1,237	133.5	1.74	106.0	1.38
Female Genital System	-	-	-	-	-	410	43.7	0.99	34.9	0.79
Cervix uteri	-	-	-	-	-	61	6.9	0.41	5.9	0.35
Uterus Corpus	-	-	-	-	-	222	22.9	0.71	18.3	0.56
Uterus, NOS ¹	-	-	-	-	-	18	2.0	0.22	1.5	0.16
Ovary	-	-	-	-	-	76	8.2	0.43	6.4	0.34
Male Genital System	1,340	171.3	2.21	135.4	1.67	-	-	-	-	-
Prostate	1,323	168.8	2.20	133.3	1.65	-	-	-	-	-
Testis	11	1.5	0.20	1.4	0.19	-	-	-	-	-
Penis	6	0.9	0.18	0.6	0.11	-	-	-	-	-
Urinary System	360	51.0	1.28	38.0	0.91	207	22.6	0.72	16.9	0.54
Bladder (incl. <i>in situ</i>)	133	20.8	0.86	14.2	0.55	68	7.6	0.42	5.1	0.28
Kidney & renal pelvis	222	29.4	0.93	23.4	0.71	135	14.6	0.58	11.5	0.45
Ureter	3	0.4	0.12	0.3	0.08	2	0.2	0.06	0.1	0.04
Eye & Orbit	3	0.4	0.11	0.4	0.10	2	0.2	0.07	0.2	0.06
Brain & Other CNS ¹	36	4.6	0.36	4.1	0.31	33	3.6	0.29	3.2	0.26
Brain	33	4.3	0.35	3.7	0.29	31	3.4	0.28	3.0	0.25
Endocrine System	35	4.4	0.35	3.8	0.30	122	13.4	0.56	11.6	0.48
Thyroid gland	27	3.5	0.31	2.9	0.26	117	12.9	0.55	11.2	0.47
Lymphomas	140	19.2	0.77	15.6	0.60	126	14.0	0.57	11.5	0.47
Hodgkin Lymphoma	23	2.9	0.27	2.8	0.26	20	2.3	0.23	2.3	0.23
Non-Hodgkin Lymphoma	117	16.3	0.72	12.8	0.53	106	11.7	0.52	9.2	0.41
Multiple Myeloma	103	15.3	0.72	10.8	0.48	86	9.4	0.47	6.8	0.33
Leukemias	79	11.6	0.62	8.7	0.44	68	7.8	0.43	6.1	0.34
Acute lymphocytic	7	0.9	0.16	0.9	0.16	7	0.8	0.14	0.8	0.15
Chronic lymphocytic	25	3.8	0.37	2.6	0.24	15	1.6	0.19	1.1	0.13
Acute myeloid	27	4.0	0.36	2.9	0.26	27	3.1	0.27	2.4	0.22
Chronic myeloid	13	1.7	0.22	1.4	0.18	10	1.2	0.17	0.9	0.13
Other leukemias	8	1.3	0.21	0.9	0.14	9	1.1	0.16	0.8	0.12
Mesothelioma	9	1.6	0.25	1.0	0.15	2	0.2	0.07	0.2	0.05
Kaposi Sarcoma	8	1.0	0.16	1.0	0.15	-	-	-	-	-
Ill-defined & Unknown	96	14.6	0.71	10.3	0.47	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	48	6.8	0.47	5.2	0.34	107	11.8	0.52	9.5	0.42
Breast (<i>in situ</i>)	4	0.5	0.13	0.4	0.09	333	35.4	0.89	28.5	0.71

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

VIRGINIA

408 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Washington, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	18,199	473.6	1.62	347.6	1.18	18,227	429.8	1.46	331.3	1.15
Oral Cavity & Pharynx	733	18.2	0.31	14.2	0.24	303	7.0	0.18	5.3	0.14
Lip	55	1.5	0.09	1.0	0.06	31	0.7	0.06	0.5	0.04
Tongue	257	6.2	0.18	4.9	0.14	92	2.1	0.10	1.6	0.08
Major salivary gland	50	1.4	0.09	1.0	0.07	39	1.0	0.07	0.8	0.06
Floor of mouth	29	0.7	0.06	0.6	0.05	15	0.3	0.04	0.2	0.03
Gum & other mouth	81	2.1	0.11	1.5	0.08	63	1.4	0.08	1.0	0.06
Nasopharynx	27	0.7	0.06	0.6	0.05	10	0.3	0.04	0.2	0.03
Oropharynx	33	0.8	0.06	0.6	0.05	7	0.2	0.03	0.1	0.02
Hypopharynx	35	0.8	0.07	0.6	0.05	8	0.2	0.03	0.1	0.02
Digestive System	3,561	92.0	0.71	67.6	0.51	2,750	63.8	0.56	46.4	0.42
Esophagus	320	8.2	0.21	5.9	0.15	83	1.9	0.09	1.3	0.07
Stomach	294	7.8	0.21	5.5	0.15	164	3.9	0.14	2.8	0.10
Small intestine	99	2.6	0.12	1.9	0.09	88	2.0	0.10	1.6	0.08
Colon excl. rectum	961	25.8	0.38	18.5	0.27	985	23.2	0.34	16.5	0.25
Rectum & rectosigmoid	533	13.5	0.27	10.6	0.21	376	8.9	0.21	7.0	0.17
Anus, anal canal & anorectum	59	1.5	0.09	1.2	0.07	112	2.5	0.11	2.0	0.09
Liver	505	11.7	0.24	9.4	0.19	168	3.7	0.13	2.8	0.10
Gallbladder	30	0.8	0.07	0.6	0.05	54	1.2	0.08	0.9	0.05
Pancreas	538	14.2	0.28	9.9	0.19	500	11.4	0.23	7.9	0.16
Respiratory System	2,401	63.9	0.60	43.9	0.40	2,260	51.8	0.50	36.2	0.35
Larynx	156	3.9	0.15	2.9	0.10	40	0.9	0.06	0.7	0.05
Lung & bronchus	2,201	58.8	0.58	40.1	0.38	2,195	50.3	0.49	35.1	0.34
Bones & Joints	43	1.2	0.08	1.1	0.08	29	0.8	0.07	0.7	0.06
Soft Tissue (incl. heart)	153	4.2	0.16	3.4	0.13	108	2.7	0.12	2.3	0.11
Skin (excl. basal & sq.)	1,318	35.3	0.45	25.6	0.32	994	24.1	0.35	19.6	0.29
Melanomas of the skin	1,180	31.3	0.42	23.0	0.31	917	22.3	0.34	18.2	0.28
Breast (excl. <i>in situ</i>)	39	1.0	0.08	0.7	0.05	5,692	134.3	0.82	105.8	0.65
Female Genital System	-	-	-	-	-	2,133	49.6	0.50	39.8	0.40
Cervix uteri	-	-	-	-	-	248	6.7	0.20	5.9	0.17
Uterus Corpus	-	-	-	-	-	1,148	25.6	0.35	20.8	0.28
Uterus, NOS ¹	-	-	-	-	-	19	0.5	0.05	0.3	0.03
Ovary	-	-	-	-	-	462	10.9	0.23	8.5	0.19
Male Genital System	4,360	106.2	0.74	81.4	0.56	-	-	-	-	-
Prostate	4,087	98.7	0.71	74.1	0.52	-	-	-	-	-
Testis	235	6.5	0.19	6.6	0.19	-	-	-	-	-
Penis	26	0.7	0.07	0.5	0.04	-	-	-	-	-
Urinary System	2,193	59.3	0.58	40.7	0.39	885	20.5	0.32	14.9	0.24
Bladder (incl. <i>in situ</i>)	1,339	37.2	0.47	24.2	0.30	390	8.9	0.21	6.1	0.14
Kidney & renal pelvis	798	20.5	0.33	15.5	0.25	465	10.9	0.23	8.4	0.18
Ureter	25	0.7	0.06	0.5	0.04	18	0.4	0.04	0.3	0.03
Eye & Orbit	46	1.2	0.08	1.0	0.07	35	0.8	0.07	0.7	0.06
Brain & Other CNS ¹	323	8.6	0.22	7.5	0.19	235	6.0	0.18	5.3	0.17
Brain	304	8.1	0.21	6.9	0.19	219	5.5	0.17	4.8	0.16
Endocrine System	299	7.9	0.21	6.7	0.18	774	20.4	0.34	18.5	0.31
Thyroid gland	268	7.0	0.20	6.0	0.17	748	19.7	0.33	17.9	0.30
Lymphomas	996	26.9	0.39	20.1	0.29	758	18.1	0.30	13.9	0.24
Hodgkin Lymphoma	103	2.8	0.13	2.7	0.12	77	2.1	0.11	2.1	0.11
Non-Hodgkin Lymphoma	893	24.1	0.37	17.5	0.27	681	16.0	0.28	11.8	0.21
Multiple Myeloma	300	7.9	0.21	5.6	0.14	209	4.8	0.15	3.4	0.11
Leukemias	693	18.8	0.33	14.3	0.25	466	11.1	0.24	8.8	0.20
Acute lymphocytic	64	1.9	0.11	2.0	0.12	55	1.6	0.10	1.8	0.11
Chronic lymphocytic	290	7.5	0.20	5.4	0.14	171	3.8	0.13	2.7	0.10
Acute myeloid	182	5.0	0.17	3.6	0.12	150	3.6	0.13	2.7	0.11
Chronic myeloid	96	2.7	0.12	2.0	0.10	52	1.2	0.08	1.0	0.06
Other leukemias	61	1.7	0.10	1.2	0.07	39	0.9	0.07	0.7	0.05
Mesothelioma	71	2.1	0.11	1.3	0.07	22	0.5	0.05	0.4	0.04
Kaposi Sarcoma	18	0.5	0.05	0.4	0.05	3	0.1	0.02	0.1	0.02
Ill-defined & Unknown	653	18.5	0.33	12.1	0.22	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	461	12.4	0.27	9.8	0.21	923	22.3	0.34	17.5	0.27
Breast (<i>in situ</i>)	3	0.1	0.02	0.1	0.02	1,371	32.6	0.41	26.6	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Washington, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	16,153	474.7	1.72	348.1	1.26	16,099	436.2	1.59	336.0	1.26
Oral Cavity & Pharynx	661	18.7	0.34	14.5	0.26	268	7.1	0.20	5.4	0.16
Lip	51	1.6	0.10	1.1	0.07	28	0.7	0.06	0.5	0.05
Tongue	238	6.6	0.20	5.2	0.15	81	2.2	0.11	1.6	0.09
Major salivary gland	44	1.4	0.10	1.0	0.07	34	1.0	0.08	0.8	0.07
Floor of mouth	26	0.7	0.06	0.6	0.05	14	0.3	0.04	0.3	0.03
Gum & other mouth	72	2.2	0.12	1.5	0.08	58	1.5	0.09	1.1	0.07
Nasopharynx	15	0.4	0.05	0.4	0.04	5	0.1	0.03	0.1	0.02
Oropharynx	30	0.8	0.07	0.7	0.05	7	0.2	0.03	0.1	0.02
Hypopharynx	30	0.8	0.07	0.6	0.05	7	0.2	0.03	0.1	0.02
Digestive System	3,050	88.9	0.74	65.2	0.54	2,371	62.7	0.59	45.5	0.45
Esophagus	297	8.6	0.23	6.1	0.16	76	2.0	0.10	1.4	0.07
Stomach	241	7.2	0.21	5.1	0.15	121	3.2	0.14	2.3	0.10
Small intestine	86	2.5	0.13	1.9	0.09	77	2.0	0.11	1.5	0.08
Colon excl. rectum	836	25.4	0.40	18.2	0.29	865	23.2	0.36	16.5	0.27
Rectum & rectosigmoid	452	13.0	0.28	10.2	0.22	322	8.8	0.23	6.9	0.18
Anus, anal canal & anorectum	53	1.5	0.09	1.2	0.07	105	2.7	0.12	2.1	0.10
Liver	389	10.1	0.24	8.2	0.19	125	3.1	0.13	2.4	0.10
Gallbladder	27	0.8	0.07	0.6	0.05	44	1.2	0.08	0.8	0.06
Pancreas	477	14.1	0.30	9.9	0.20	446	11.5	0.25	8.0	0.18
Respiratory System	2,160	64.2	0.64	44.1	0.43	2,044	53.0	0.54	37.1	0.38
Larynx	137	3.9	0.15	2.9	0.11	36	0.9	0.07	0.7	0.05
Lung & bronchus	1,984	59.1	0.61	40.3	0.41	1,987	51.5	0.53	35.9	0.37
Bones & Joints	36	1.2	0.09	1.1	0.09	26	0.8	0.08	0.8	0.07
Soft Tissue (incl. heart)	130	4.1	0.17	3.3	0.14	93	2.7	0.13	2.3	0.12
Skin (excl. basal & sq.)	1,252	38.0	0.49	27.7	0.36	941	26.7	0.40	21.8	0.34
Melanomas of the skin	1,129	34.0	0.47	25.1	0.34	874	24.9	0.39	20.5	0.33
Breast (excl. <i>in situ</i>)	35	1.0	0.08	0.7	0.06	5,012	136.1	0.89	107.0	0.71
Female Genital System	-	-	-	-	-	1,862	49.9	0.54	40.0	0.44
Cervix uteri	-	-	-	-	-	199	6.5	0.21	5.7	0.19
Uterus Corpus	-	-	-	-	-	1,005	25.7	0.38	20.8	0.30
Uterus, NOS ¹	-	-	-	-	-	17	0.5	0.05	0.3	0.04
Ovary	-	-	-	-	-	408	11.1	0.25	8.5	0.20
Male Genital System	3,808	104.7	0.78	80.3	0.59	-	-	-	-	-
Prostate	3,566	96.5	0.74	72.4	0.55	-	-	-	-	-
Testis	210	7.2	0.22	7.2	0.23	-	-	-	-	-
Penis	22	0.7	0.07	0.5	0.05	-	-	-	-	-
Urinary System	1,993	60.5	0.62	41.5	0.42	796	21.0	0.34	15.3	0.26
Bladder (incl. <i>in situ</i>)	1,239	38.3	0.50	24.9	0.32	357	9.2	0.22	6.3	0.16
Kidney & renal pelvis	704	20.6	0.36	15.5	0.27	412	11.1	0.25	8.6	0.20
Ureter	24	0.7	0.07	0.5	0.04	16	0.4	0.05	0.3	0.03
Eye & Orbit	43	1.3	0.09	1.0	0.07	32	0.9	0.07	0.8	0.07
Brain & Other CNS ¹	293	9.1	0.24	7.9	0.22	213	6.4	0.20	5.7	0.19
Brain	276	8.5	0.24	7.3	0.21	199	5.9	0.20	5.2	0.18
Endocrine System	261	8.0	0.23	6.9	0.20	646	20.4	0.37	18.6	0.35
Thyroid gland	236	7.2	0.22	6.1	0.18	623	19.7	0.37	18.0	0.34
Lymphomas	884	27.1	0.42	20.3	0.32	672	18.5	0.33	14.2	0.27
Hodgkin Lymphoma	88	2.8	0.14	2.7	0.14	66	2.2	0.13	2.2	0.13
Non-Hodgkin Lymphoma	796	24.2	0.40	17.5	0.29	607	16.3	0.30	12.0	0.23
Multiple Myeloma	262	7.8	0.22	5.4	0.15	177	4.6	0.16	3.3	0.12
Leukemias	621	19.1	0.35	14.4	0.27	419	11.5	0.26	9.1	0.22
Acute lymphocytic	52	1.8	0.12	2.0	0.13	45	1.6	0.11	1.8	0.13
Chronic lymphocytic	270	7.8	0.22	5.6	0.15	161	4.1	0.15	2.9	0.11
Acute myeloid	158	4.9	0.18	3.5	0.13	132	3.6	0.15	2.8	0.12
Chronic myeloid	85	2.7	0.13	2.1	0.10	47	1.3	0.09	1.0	0.07
Other leukemias	56	1.8	0.11	1.3	0.08	34	0.9	0.07	0.7	0.06
Mesothelioma	66	2.1	0.12	1.3	0.07	20	0.5	0.05	0.4	0.04
Kaposi Sarcoma	13	0.4	0.05	0.4	0.05	2	0.0	0.02	0.0	0.01
Ill-defined & Unknown	585	18.5	0.35	12.1	0.23	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	393	12.2	0.28	9.6	0.23	776	21.7	0.36	17.1	0.30
Breast (<i>in situ</i>)	3	0.1	0.02	0.1	0.02	1,147	31.6	0.43	25.7	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Washington, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	580	474.3	10.11	355.7	6.86	461	384.1	8.52	294.7	6.21
Oral Cavity & Pharynx	16	11.8	1.46	9.4	1.07	4	3.3	0.73	2.6	0.56
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.9	0.90	3.0	0.63	1	1.2	0.47	0.7	0.28
Major salivary gland	2	1.8	0.62	1.3	0.41	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.3	0.43	1.1	0.36	-	-	-	-	-
Nasopharynx	2	1.0	0.34	0.9	0.30	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	136	109.8	4.81	82.7	3.29	89	77.9	3.94	57.1	2.75
Esophagus	6	4.8	0.94	3.8	0.70	2	2.2	0.66	1.5	0.45
Stomach	12	11.3	1.68	7.8	1.05	8	7.9	1.31	5.4	0.87
Small intestine	5	3.3	0.74	2.7	0.57	6	4.5	0.91	3.5	0.67
Colon excl. rectum	35	28.9	2.49	21.5	1.70	28	24.4	2.20	17.9	1.53
Rectum & rectosigmoid	16	12.6	1.60	9.5	1.09	12	9.5	1.33	7.4	0.98
Anus, anal canal & anorectum	3	1.8	0.58	1.5	0.42	3	3.1	0.80	2.2	0.54
Liver	32	22.1	1.92	18.3	1.49	9	7.2	1.14	5.8	0.87
Gallbladder	-	-	-	-	-	2	2.4	0.75	1.6	0.47
Pancreas	20	18.0	2.06	12.9	1.33	11	10.4	1.47	7.3	0.99
Respiratory System	72	70.2	4.22	48.6	2.66	53	48.3	3.17	35.2	2.20
Larynx	7	5.1	1.01	4.0	0.72	2	2.4	0.74	1.6	0.46
Lung & bronchus	63	63.9	4.06	43.6	2.54	49	45.2	3.06	33.1	2.14
Bones & Joints	2	0.9	0.30	1.0	0.32	-	-	-	-	-
Soft Tissue (incl. heart)	6	3.8	0.78	3.4	0.63	4	2.9	0.66	2.7	0.58
Skin (excl. basal & sq.)	4	3.0	0.75	2.4	0.54	3	2.9	0.78	2.1	0.52
Melanomas of the skin	2	1.3	0.50	1.0	0.35	2	2.1	0.69	1.3	0.42
Breast (excl. <i>in situ</i>)	2	1.4	0.56	1.1	0.37	144	116.4	4.58	91.5	3.44
Female Genital System	-	-	-	-	-	54	43.3	2.81	34.2	2.11
Cervix uteri	-	-	-	-	-	9	6.7	1.05	5.8	0.86
Uterus Corpus	-	-	-	-	-	31	25.4	2.17	20.0	1.62
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	6.3	1.09	4.9	0.79
Male Genital System	186	142.7	5.28	111.2	3.78	-	-	-	-	-
Prostate	182	140.2	5.25	109.0	3.74	-	-	-	-	-
Testis	3	1.3	0.36	1.4	0.36	-	-	-	-	-
Penis	1	1.0	0.44	0.8	0.31	-	-	-	-	-
Urinary System	57	52.1	3.57	36.5	2.25	26	22.2	2.07	16.8	1.48
Bladder (incl. <i>in situ</i>)	22	24.6	2.66	15.7	1.55	8	7.6	1.31	5.0	0.83
Kidney & renal pelvis	34	25.4	2.23	19.6	1.57	18	14.3	1.57	11.6	1.22
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	4.0	0.79	3.6	0.65	5	3.6	0.79	2.9	0.61
Brain	6	3.7	0.76	3.3	0.62	3	2.6	0.70	2.0	0.51
Endocrine System	7	4.0	0.73	3.6	0.62	21	14.0	1.43	12.7	1.26
Thyroid gland	6	3.2	0.67	2.9	0.55	20	13.5	1.41	12.3	1.23
Lymphomas	28	19.9	1.90	16.1	1.40	19	15.3	1.68	12.3	1.27
Hodgkin Lymphoma	6	3.3	0.62	3.2	0.58	4	2.8	0.64	2.6	0.57
Non-Hodgkin Lymphoma	22	16.6	1.80	12.9	1.28	-	-	-	-	-
Multiple Myeloma	18	15.8	1.90	11.5	1.26	13	11.2	1.50	8.2	1.05
Leukemias	19	15.0	1.81	11.3	1.21	12	9.6	1.36	7.3	0.97
Acute lymphocytic	2	1.2	0.36	1.2	0.36	2	1.1	0.41	1.0	0.36
Chronic lymphocytic	7	6.1	1.15	4.5	0.79	3	3.0	0.78	2.2	0.54
Acute myeloid	5	3.7	0.84	3.0	0.62	5	4.1	0.93	2.9	0.61
Chronic myeloid	3	3.0	0.93	2.0	0.51	1	1.0	0.36	0.9	0.32
Other leukemias	1	1.0	0.50	0.7	0.28	-	-	-	-	-
Mesothelioma	1	1.9	0.85	0.9	0.38	-	-	-	-	-
Kaposi Sarcoma	2	1.3	0.39	1.2	0.35	-	-	-	-	-
Ill-defined & Unknown	16	16.2	2.09	10.8	1.25	13	11.9	1.57	8.0	1.03
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	16	12.0	1.59	9.2	1.08	30	24.6	2.15	18.6	1.55
Breast (<i>in situ</i>)	-	-	-	-	-	45	35.4	2.48	29.0	1.95

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Washington, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	834	321.8	5.25	234.3	3.64	1,140	306.9	4.16	239.5	3.21
Oral Cavity & Pharynx	31	10.7	0.89	8.5	0.68	20	5.3	0.54	4.2	0.43
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	7	2.6	0.45	1.9	0.33	7	1.9	0.32	1.4	0.25
Major salivary gland	2	0.8	0.27	0.6	0.18	3	0.7	0.19	0.7	0.17
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	4	1.5	0.35	1.1	0.24	3	0.8	0.21	0.6	0.16
Nasopharynx	9	2.8	0.42	2.5	0.37	4	1.1	0.24	0.9	0.20
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	0.8	0.26	0.6	0.18	-	-	-	-	-
Digestive System	262	100.1	2.91	73.1	2.02	212	59.7	1.88	42.8	1.33
Esophagus	10	3.6	0.55	2.7	0.38	3	0.8	0.22	0.6	0.16
Stomach	32	13.0	1.08	9.0	0.72	29	8.1	0.68	5.9	0.49
Small intestine	5	1.9	0.39	1.4	0.28	4	1.1	0.25	0.9	0.19
Colon excl. rectum	60	22.7	1.39	16.6	0.96	61	17.3	1.01	12.4	0.72
Rectum & rectosigmoid	43	15.1	1.07	12.0	0.81	28	7.4	0.63	5.8	0.49
Anus, anal canal & anorectum	2	0.8	0.28	0.6	0.18	2	0.6	0.19	0.4	0.13
Liver	63	23.1	1.36	17.5	0.99	28	8.1	0.70	5.6	0.48
Gallbladder	2	0.8	0.27	0.6	0.18	6	1.6	0.31	1.1	0.21
Pancreas	28	11.7	1.04	8.0	0.68	33	9.6	0.77	6.5	0.52
Respiratory System	119	50.5	2.17	33.7	1.39	115	33.0	1.41	23.1	0.98
Larynx	5	2.3	0.47	1.5	0.29	-	-	-	-	-
Lung & bronchus	111	47.2	2.10	31.6	1.34	112	32.2	1.40	22.4	0.96
Bones & Joints	3	1.0	0.26	1.0	0.25	1	0.4	0.15	0.3	0.13
Soft Tissue (incl. heart)	10	3.4	0.51	2.8	0.40	8	2.0	0.33	1.7	0.29
Skin (excl. basal & sq.)	5	1.8	0.38	1.4	0.27	-	-	-	-	-
Melanomas of the skin	3	1.0	0.28	0.7	0.20	6	1.6	0.30	1.3	0.24
Breast (excl. <i>in situ</i>)	2	0.6	0.22	0.5	0.17	374	97.1	2.28	79.3	1.84
Female Genital System	-	-	-	-	-	156	40.1	1.46	33.1	1.19
Cervix uteri	-	-	-	-	-	28	7.1	0.61	6.0	0.51
Uterus Corpus	-	-	-	-	-	80	20.2	1.03	16.9	0.85
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	34	8.9	0.69	7.3	0.57
Male Genital System	156	59.2	2.22	43.7	1.57	-	-	-	-	-
Prostate	144	55.7	2.17	40.5	1.51	-	-	-	-	-
Testis	9	2.3	0.35	2.3	0.35	-	-	-	-	-
Penis	1	0.5	0.21	0.3	0.14	-	-	-	-	-
Urinary System	77	30.5	1.65	21.4	1.10	37	10.5	0.79	7.3	0.55
Bladder (incl. <i>in situ</i>)	36	16.0	1.25	10.2	0.76	14	4.2	0.52	2.6	0.32
Kidney & renal pelvis	37	13.2	1.01	10.3	0.76	20	5.5	0.56	4.2	0.42
Ureter	-	-	-	-	-	2	0.5	0.18	0.4	0.13
Eye & Orbit	1	0.4	0.15	0.5	0.18	-	-	-	-	-
Brain & Other CNS ¹	16	5.7	0.66	4.9	0.55	11	3.0	0.42	2.6	0.38
Brain	15	5.2	0.63	4.4	0.52	10	2.8	0.41	2.4	0.35
Endocrine System	23	7.3	0.71	6.3	0.59	76	19.3	1.01	16.9	0.88
Thyroid gland	19	6.2	0.65	5.2	0.53	74	18.6	0.98	16.4	0.86
Lymphomas	50	19.0	1.26	14.2	0.90	45	11.9	0.82	9.6	0.65
Hodgkin Lymphoma	5	1.5	0.30	1.4	0.29	4	0.9	0.21	1.0	0.23
Non-Hodgkin Lymphoma	45	17.5	1.22	12.7	0.85	-	-	-	-	-
Multiple Myeloma	13	5.3	0.69	3.6	0.45	14	4.3	0.52	3.0	0.36
Leukemias	29	10.5	0.92	8.5	0.71	23	6.4	0.61	5.5	0.54
Acute lymphocytic	4	1.3	0.28	1.4	0.32	4	1.2	0.26	1.3	0.31
Chronic lymphocytic	5	2.0	0.42	1.4	0.28	2	0.7	0.21	0.5	0.14
Acute myeloid	13	5.0	0.64	3.9	0.48	11	3.1	0.43	2.6	0.36
Chronic myeloid	5	1.7	0.35	1.4	0.29	2	0.7	0.20	0.5	0.15
Other leukemias	2	0.7	0.25	0.5	0.16	3	0.7	0.21	0.6	0.16
Mesothelioma	2	0.8	0.29	0.5	0.18	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	34	14.8	1.19	9.7	0.75	38	11.0	0.82	7.6	0.57
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	31	11.6	0.97	8.9	0.71	82	22.2	1.13	17.0	0.85
Breast (<i>in situ</i>)	-	-	-	-	-	137	35.3	1.37	29.1	1.11

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Washington, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	240	466.5	15.58	342.2	10.16	276	454.0	13.14	344.4	9.37
Oral Cavity & Pharynx	12	19.5	2.79	15.9	2.07	5	9.1	1.96	6.4	1.28
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	6.7	1.83	5.3	1.21	1	1.6	0.65	1.4	0.57
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	2	2.2	0.78	2.0	0.70	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	1	2.6	1.17	1.5	0.61
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	3.1	1.19	2.3	0.82	-	-	-	-	-
Digestive System	69	134.7	8.57	97.9	5.44	50	86.4	5.88	62.9	4.01
Esophagus	4	8.7	2.18	6.2	1.40	2	2.0	0.73	1.8	0.63
Stomach	5	11.6	2.86	7.3	1.58	4	6.5	1.62	4.8	1.14
Small intestine	1	2.5	0.96	2.0	0.75	-	-	-	-	-
Colon excl. rectum	16	30.9	4.11	22.4	2.61	19	33.1	3.71	23.6	2.47
Rectum & rectosigmoid	9	16.6	2.75	12.8	1.92	7	12.6	2.23	9.3	1.56
Anus, anal canal & anorectum	-	-	-	-	-	1	2.1	0.87	1.7	0.64
Liver	18	30.2	3.78	23.5	2.58	5	8.7	1.84	6.4	1.27
Gallbladder	-	-	-	-	-	1	2.5	1.14	1.5	0.61
Pancreas	8	19.3	3.67	12.4	2.06	7	11.9	2.14	8.7	1.47
Respiratory System	33	67.5	6.00	47.7	3.85	34	63.3	5.18	43.9	3.38
Larynx	4	7.5	1.73	5.9	1.28	-	-	-	-	-
Lung & bronchus	28	59.8	5.74	41.6	3.62	33	60.5	5.06	42.0	3.31
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	3	6.9	2.01	5.0	1.25	2	2.8	0.91	2.5	0.79
Skin (excl. basal & sq.)	-	-	-	-	-	4	7.0	1.61	5.6	1.20
Melanomas of the skin	6	10.1	2.02	8.0	1.50	4	5.6	1.35	4.7	1.09
Breast (excl. <i>in situ</i>)	-	-	-	-	-	82	131.3	6.92	101.4	5.06
Female Genital System	-	-	-	-	-	34	49.5	4.01	41.3	3.22
Cervix uteri	-	-	-	-	-	7	10.9	1.84	9.7	1.60
Uterus Corpus	-	-	-	-	-	17	23.8	2.70	20.1	2.20
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	6	9.4	1.84	7.3	1.38
Male Genital System	42	78.4	6.02	59.1	4.16	-	-	-	-	-
Prostate	37	71.3	5.83	52.5	3.95	-	-	-	-	-
Testis	4	5.9	1.28	5.7	1.22	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	27	54.7	5.49	39.2	3.48	13	22.3	2.95	16.5	2.03
Bladder (incl. <i>in situ</i>)	13	30.2	4.36	20.3	2.58	4	7.9	2.00	4.7	1.12
Kidney & renal pelvis	13	23.0	3.08	18.2	2.26	10	14.1	2.15	11.6	1.69
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	4	7.8	1.90	6.1	1.35	3	3.2	0.89	3.3	0.89
Brain	4	7.1	1.85	5.6	1.29	3	3.0	0.86	3.1	0.85
Endocrine System	2	4.4	1.52	3.2	1.00	13	18.4	2.32	16.9	2.09
Thyroid gland	2	3.8	1.37	2.8	0.93	13	18.2	2.30	16.6	2.08
Lymphomas	13	25.3	3.51	19.0	2.39	13	24.0	3.26	16.4	2.07
Hodgkin Lymphoma	2	2.4	0.81	2.4	0.79	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	10.8	2.52	7.3	1.53	5	8.2	1.85	5.8	1.21
Leukemias	10	17.1	2.88	13.9	1.99	5	7.3	1.54	6.2	1.24
Acute lymphocytic	3	2.9	0.82	3.3	0.88	1	1.7	0.67	1.8	0.67
Chronic lymphocytic	2	4.2	1.47	3.0	0.96	-	-	-	-	-
Acute myeloid	4	7.2	2.16	5.1	1.26	2	2.9	0.99	2.3	0.77
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	10	21.6	3.66	14.6	2.19	10	17.6	2.70	12.4	1.78
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	7	12.2	2.57	9.5	1.67	16	25.8	3.07	20.1	2.27
Breast (<i>in situ</i>)	-	-	-	-	-	20	30.7	3.20	24.9	2.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Washington, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	654	350.2	7.42	253.5	4.78	792	356.0	6.41	274.6	4.56
Oral Cavity & Pharynx	18	8.7	1.09	6.7	0.75	9	4.3	0.71	3.3	0.50
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	2.6	0.57	2.1	0.43	2	1.5	0.47	1.0	0.30
Major salivary gland	2	0.9	0.37	0.7	0.24	2	0.9	0.33	0.7	0.20
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.0	0.38	0.8	0.26	2	0.9	0.30	0.8	0.24
Nasopharynx	1	0.4	0.15	0.3	0.13	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	164	88.4	3.67	64.6	2.40	126	64.3	2.87	46.4	1.92
Esophagus	9	5.5	0.96	3.9	0.61	2	1.1	0.41	0.7	0.25
Stomach	20	11.8	1.42	8.1	0.88	15	7.0	0.90	5.1	0.62
Small intestine	4	2.1	0.57	1.5	0.36	3	1.3	0.39	0.9	0.27
Colon excl. rectum	38	20.7	1.79	14.9	1.16	40	20.4	1.64	14.4	1.07
Rectum & rectosigmoid	30	14.0	1.36	10.8	0.94	18	7.4	0.83	6.1	0.66
Anus, anal canal & anorectum	-	-	-	-	-	4	1.7	0.42	1.4	0.32
Liver	32	16.4	1.51	12.6	1.05	13	7.3	1.01	5.2	0.67
Gallbladder	2	1.7	0.60	1.0	0.32	5	3.1	0.67	2.0	0.41
Pancreas	17	10.7	1.36	7.4	0.85	17	9.8	1.17	6.7	0.75
Respiratory System	62	41.7	2.72	28.2	1.68	58	33.8	2.16	23.9	1.45
Larynx	6	3.5	0.72	2.6	0.49	2	0.7	0.27	0.6	0.23
Lung & bronchus	52	36.6	2.58	24.4	1.58	53	32.1	2.12	22.5	1.41
Bones & Joints	3	0.7	0.22	0.7	0.19	3	1.1	0.37	0.9	0.24
Soft Tissue (incl. heart)	10	4.1	0.76	3.3	0.51	11	3.4	0.55	3.0	0.43
Skin (excl. basal & sq.)	15	8.4	1.15	6.0	0.73	26	11.3	1.16	8.7	0.80
Melanomas of the skin	13	6.8	1.01	5.0	0.67	22	9.6	1.04	7.5	0.74
Breast (excl. <i>in situ</i>)	2	1.0	0.37	0.7	0.24	235	101.9	3.27	81.0	2.45
Female Genital System	-	-	-	-	-	106	45.5	2.22	35.9	1.63
Cervix uteri	-	-	-	-	-	21	6.5	0.69	5.6	0.58
Uterus Corpus	-	-	-	-	-	51	22.6	1.56	18.2	1.17
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	23	9.9	1.06	7.7	0.76
Male Genital System	152	82.8	3.58	61.0	2.37	-	-	-	-	-
Prostate	122	76.2	3.52	54.5	2.30	-	-	-	-	-
Testis	28	5.8	0.56	5.9	0.51	-	-	-	-	-
Penis	2	0.9	0.33	0.7	0.22	-	-	-	-	-
Urinary System	70	42.4	2.70	29.1	1.66	38	19.7	1.60	14.6	1.10
Bladder (incl. <i>in situ</i>)	28	21.7	2.11	13.3	1.19	10	6.3	0.99	4.2	0.63
Kidney & renal pelvis	41	19.8	1.64	15.2	1.13	27	12.7	1.22	9.9	0.88
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	2	0.6	0.23	0.6	0.19	1	0.5	0.22	0.5	0.19
Brain & Other CNS ¹	18	5.8	0.80	5.0	0.58	16	4.8	0.67	4.2	0.50
Brain	17	5.4	0.78	4.6	0.56	15	4.6	0.67	4.0	0.49
Endocrine System	19	7.2	0.90	5.8	0.65	64	19.8	1.24	17.6	1.03
Thyroid gland	17	6.4	0.84	5.1	0.61	62	19.3	1.22	17.3	1.02
Lymphomas	47	22.7	1.85	16.7	1.20	41	19.1	1.52	14.6	1.06
Hodgkin Lymphoma	10	3.3	0.64	2.8	0.44	7	2.1	0.41	1.9	0.34
Non-Hodgkin Lymphoma	37	19.4	1.74	14.0	1.11	34	17.0	1.47	12.6	1.01
Multiple Myeloma	13	7.5	1.12	5.2	0.70	10	5.3	0.83	3.9	0.57
Leukemias	34	12.1	1.27	9.7	0.84	29	9.5	0.97	8.2	0.74
Acute lymphocytic	12	2.3	0.32	2.5	0.32	-	-	-	-	-
Chronic lymphocytic	5	3.8	0.85	2.4	0.50	3	1.6	0.45	1.1	0.31
Acute myeloid	7	2.8	0.61	2.3	0.42	8	3.4	0.61	2.7	0.44
Chronic myeloid	6	2.0	0.47	1.7	0.33	3	1.3	0.37	1.1	0.28
Other leukemias	3	1.3	0.45	0.9	0.26	-	-	-	-	-
Mesothelioma	2	1.2	0.44	0.9	0.28	-	-	-	-	-
Kaposi Sarcoma	3	1.2	0.43	0.8	0.23	-	-	-	-	-
Ill-defined & Unknown	20	13.6	1.66	8.4	0.92	19	11.2	1.27	7.6	0.80
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	22	8.5	1.03	6.7	0.71	45	20.5	1.55	15.7	1.09
Breast (<i>in situ</i>)	-	-	-	-	-	55	22.1	1.44	18.3	1.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WASHINGTON

414 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Washington, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,566	482.4	1.79	354.7	1.32	15,389	441.8	1.66	340.8	1.33
Oral Cavity & Pharynx	645	19.3	0.35	15.0	0.27	260	7.2	0.21	5.5	0.17
Lip	50	1.6	0.11	1.1	0.07	28	0.8	0.07	0.6	0.05
Tongue	234	6.9	0.21	5.5	0.16	79	2.2	0.12	1.7	0.09
Major salivary gland	43	1.4	0.10	1.0	0.07	32	1.0	0.08	0.8	0.07
Floor of mouth	26	0.7	0.07	0.6	0.05	14	0.4	0.05	0.3	0.04
Gum & other mouth	70	2.2	0.12	1.6	0.09	56	1.5	0.09	1.1	0.07
Nasopharynx	14	0.4	0.05	0.3	0.04	5	0.1	0.03	0.1	0.03
Oropharynx	29	0.8	0.07	0.7	0.06	6	0.2	0.03	0.1	0.02
Hypopharynx	30	0.8	0.07	0.6	0.05	7	0.2	0.03	0.1	0.02
Digestive System	2,903	89.3	0.77	65.6	0.56	2,259	62.8	0.61	45.6	0.46
Esophagus	289	8.7	0.24	6.2	0.17	75	2.0	0.11	1.4	0.08
Stomach	223	7.0	0.22	4.9	0.15	108	3.0	0.13	2.2	0.10
Small intestine	82	2.6	0.13	1.9	0.10	74	2.1	0.11	1.6	0.09
Colon excl. rectum	800	25.7	0.42	18.4	0.30	830	23.4	0.38	16.7	0.28
Rectum & rectosigmoid	426	13.1	0.29	10.3	0.23	307	8.9	0.24	7.0	0.19
Anus, anal canal & anorectum	52	1.6	0.10	1.2	0.08	102	2.8	0.13	2.2	0.10
Liver	361	9.8	0.24	8.0	0.19	113	3.0	0.13	2.3	0.10
Gallbladder	25	0.8	0.08	0.6	0.05	39	1.1	0.08	0.7	0.05
Pancreas	462	14.3	0.31	10.0	0.21	430	11.5	0.26	8.0	0.18
Respiratory System	2,103	65.3	0.66	44.9	0.45	1,992	53.8	0.55	37.7	0.39
Larynx	132	4.0	0.16	2.9	0.12	34	0.9	0.07	0.7	0.06
Lung & bronchus	1,936	60.1	0.63	41.1	0.42	1,939	52.4	0.55	36.5	0.39
Bones & Joints	33	1.2	0.10	1.1	0.09	23	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	122	4.2	0.18	3.4	0.15	84	2.6	0.14	2.2	0.12
Skin (excl. basal & sq.)	1,238	39.9	0.52	29.3	0.39	918	28.2	0.44	23.1	0.37
Melanomas of the skin	1,117	35.8	0.50	26.7	0.37	853	26.4	0.42	21.8	0.37
Breast (excl. <i>in situ</i>)	33	1.0	0.08	0.7	0.06	4,799	138.2	0.93	108.8	0.75
Female Genital System	-	-	-	-	-	1,771	50.3	0.56	40.3	0.46
Cervix uteri	-	-	-	-	-	182	6.6	0.23	5.8	0.20
Uterus Corpus	-	-	-	-	-	962	26.0	0.39	21.1	0.32
Uterus, NOS ¹	-	-	-	-	-	16	0.5	0.05	0.3	0.04
Ovary	-	-	-	-	-	388	11.1	0.26	8.6	0.21
Male Genital System	3,672	106.0	0.81	81.4	0.62	-	-	-	-	-
Prostate	3,457	97.6	0.76	73.4	0.56	-	-	-	-	-
Testis	185	7.4	0.25	7.4	0.25	-	-	-	-	-
Penis	21	0.7	0.07	0.4	0.05	-	-	-	-	-
Urinary System	1,931	61.3	0.64	42.1	0.44	761	21.1	0.36	15.4	0.27
Bladder (incl. <i>in situ</i>)	1,215	39.1	0.52	25.5	0.33	349	9.4	0.23	6.4	0.16
Kidney & renal pelvis	666	20.6	0.37	15.6	0.28	387	11.0	0.26	8.5	0.21
Ureter	23	0.7	0.07	0.5	0.04	16	0.4	0.05	0.3	0.03
Eye & Orbit	41	1.3	0.09	1.1	0.08	31	1.0	0.08	0.9	0.08
Brain & Other CNS ¹	276	9.4	0.26	8.2	0.24	199	6.6	0.22	5.9	0.21
Brain	261	8.8	0.25	7.6	0.23	187	6.1	0.21	5.4	0.20
Endocrine System	243	8.2	0.24	7.1	0.22	588	20.6	0.40	18.8	0.37
Thyroid gland	220	7.3	0.23	6.3	0.20	566	19.8	0.39	18.1	0.36
Lymphomas	840	27.4	0.44	20.6	0.34	635	18.5	0.34	14.3	0.28
Hodgkin Lymphoma	79	2.9	0.15	2.8	0.15	60	2.3	0.14	2.3	0.14
Non-Hodgkin Lymphoma	761	24.5	0.41	17.8	0.30	575	16.2	0.32	12.0	0.24
Multiple Myeloma	251	7.8	0.23	5.4	0.16	168	4.6	0.16	3.3	0.12
Leukemias	593	19.4	0.37	14.7	0.29	394	11.4	0.27	8.9	0.23
Acute lymphocytic	43	1.8	0.13	1.9	0.14	34	1.4	0.12	1.6	0.13
Chronic lymphocytic	266	8.1	0.23	5.8	0.16	158	4.2	0.15	2.9	0.11
Acute myeloid	152	5.0	0.19	3.6	0.14	124	3.6	0.15	2.7	0.12
Chronic myeloid	80	2.7	0.14	2.0	0.11	44	1.3	0.09	1.0	0.07
Other leukemias	53	1.8	0.11	1.3	0.09	33	1.0	0.08	0.7	0.06
Mesothelioma	64	2.2	0.12	1.3	0.07	19	0.5	0.06	0.4	0.04
Kaposi Sarcoma	11	0.4	0.06	0.3	0.05	2	0.0	0.02	0.0	0.01
Ill-defined & Unknown	567	18.8	0.36	12.3	0.24	487	13.4	0.28	9.0	0.20
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	374	12.5	0.30	9.9	0.25	734	22.0	0.38	17.4	0.32
Breast (<i>in situ</i>)	3	0.1	0.03	0.1	0.02	1,097	32.2	0.46	26.2	0.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Washington, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	572	485.5	10.36	365.1	7.07	449	394.0	8.82	303.3	6.47
Oral Cavity & Pharynx	16	12.3	1.52	9.8	1.12	4	3.3	0.75	2.6	0.58
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	4.1	0.93	3.1	0.65	1	1.2	0.49	0.8	0.30
Major salivary gland	2	1.9	0.64	1.4	0.42	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	2	1.3	0.44	1.2	0.37	-	-	-	-	-
Nasopharynx	2	1.1	0.36	1.0	0.32	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	135	112.9	4.93	85.3	3.40	87	80.0	4.07	58.9	2.86
Esophagus	6	5.0	0.97	4.0	0.72	2	2.3	0.69	1.6	0.47
Stomach	12	11.6	1.72	8.1	1.08	8	8.1	1.36	5.6	0.90
Small intestine	5	3.4	0.77	2.8	0.59	6	4.8	0.95	3.7	0.70
Colon excl. rectum	34	29.6	2.54	22.1	1.75	27	24.8	2.26	18.2	1.58
Rectum & rectosigmoid	16	12.6	1.61	9.6	1.11	12	10.0	1.39	7.8	1.03
Anus, anal canal & anorectum	3	1.9	0.61	1.5	0.44	3	3.2	0.83	2.3	0.56
Liver	32	22.8	1.99	18.9	1.54	9	7.5	1.19	6.1	0.91
Gallbladder	-	-	-	-	-	2	2.0	0.70	1.4	0.45
Pancreas	20	18.7	2.12	13.3	1.38	11	10.8	1.52	7.7	1.03
Respiratory System	71	72.0	4.32	49.9	2.74	51	49.2	3.25	35.9	2.27
Larynx	7	5.0	0.98	4.0	0.72	2	2.5	0.76	1.6	0.48
Lung & bronchus	63	65.8	4.18	45.0	2.62	48	46.0	3.14	33.8	2.20
Bones & Joints	2	1.0	0.33	1.1	0.36	-	-	-	-	-
Soft Tissue (incl. heart)	6	4.0	0.82	3.6	0.66	4	3.0	0.69	2.8	0.61
Skin (excl. basal & sq.)	4	3.0	0.77	2.3	0.54	3	3.0	0.81	2.2	0.55
Melanomas of the skin	1	1.1	0.50	0.9	0.33	2	2.1	0.72	1.3	0.43
Breast (excl. <i>in situ</i>)	2	1.5	0.58	1.1	0.39	141	120.6	4.78	94.9	3.61
Female Genital System	-	-	-	-	-	52	43.8	2.88	34.8	2.18
Cervix uteri	-	-	-	-	-	9	6.9	1.07	6.0	0.90
Uterus Corpus	-	-	-	-	-	30	25.6	2.21	20.1	1.66
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	7	6.3	1.11	4.9	0.81
Male Genital System	184	146.1	5.43	114.0	3.89	-	-	-	-	-
Prostate	179	143.5	5.39	111.6	3.85	-	-	-	-	-
Testis	3	1.4	0.39	1.5	0.40	-	-	-	-	-
Penis	1	1.1	0.46	0.8	0.33	-	-	-	-	-
Urinary System	56	52.7	3.63	37.1	2.30	26	23.0	2.15	17.3	1.54
Bladder (incl. <i>in situ</i>)	22	24.8	2.69	16.0	1.59	7	7.7	1.34	5.1	0.85
Kidney & renal pelvis	33	25.7	2.28	19.8	1.61	18	14.9	1.65	12.0	1.28
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	4.3	0.83	3.9	0.70	5	3.8	0.84	3.2	0.66
Brain	6	3.9	0.80	3.5	0.66	3	2.8	0.74	2.2	0.54
Endocrine System	7	4.2	0.77	3.8	0.65	20	14.6	1.51	13.3	1.33
Thyroid gland	6	3.4	0.71	3.0	0.58	19	14.1	1.49	12.8	1.31
Lymphomas	27	20.3	1.96	16.5	1.45	18	15.4	1.73	12.4	1.32
Hodgkin Lymphoma	6	3.1	0.60	3.1	0.58	4	2.7	0.65	2.6	0.59
Non-Hodgkin Lymphoma	22	17.2	1.86	13.5	1.33	14	12.7	1.60	9.8	1.18
Multiple Myeloma	18	16.2	1.95	11.8	1.30	12	11.2	1.54	8.2	1.08
Leukemias	18	15.3	1.86	11.6	1.25	11	9.9	1.41	7.5	1.01
Acute lymphocytic	2	1.2	0.38	1.3	0.38	-	-	-	-	-
Chronic lymphocytic	7	6.1	1.17	4.5	0.80	3	3.1	0.81	2.3	0.57
Acute myeloid	5	3.9	0.88	3.1	0.65	4	4.2	0.96	2.9	0.63
Chronic myeloid	3	3.0	0.95	2.0	0.53	1	1.0	0.40	0.9	0.35
Other leukemias	1	1.0	0.51	0.7	0.29	-	-	-	-	-
Mesothelioma	1	1.9	0.87	0.9	0.39	-	-	-	-	-
Kaposi Sarcoma	2	1.3	0.40	1.2	0.36	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	12	11.6	1.59	8.0	1.06
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	16	12.5	1.64	9.6	1.13	29	25.7	2.25	19.5	1.63
Breast (<i>in situ</i>)	-	-	-	-	-	43	35.8	2.55	29.3	2.01

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Seattle/Puget Sound, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,175	508.3	2.05	371.5	1.47	13,056	448.9	1.81	345.0	1.42
Oral Cavity & Pharynx	538	19.7	0.39	15.2	0.30	226	7.6	0.23	5.8	0.18
Lip	41	1.7	0.12	1.1	0.08	25	0.8	0.08	0.6	0.06
Tongue	189	6.7	0.23	5.3	0.17	69	2.3	0.13	1.8	0.10
Major salivary gland	36	1.5	0.11	1.1	0.08	29	1.0	0.09	0.8	0.07
Floor of mouth	20	0.7	0.07	0.6	0.06	11	0.4	0.05	0.3	0.04
Gum & other mouth	59	2.3	0.14	1.7	0.10	45	1.5	0.10	1.1	0.08
Nasopharynx	21	0.8	0.08	0.6	0.06	8	0.3	0.05	0.2	0.04
Oropharynx	22	0.8	0.08	0.6	0.06	5	0.2	0.03	0.1	0.03
Hypopharynx	24	0.9	0.08	0.7	0.06	6	0.2	0.04	0.2	0.03
Digestive System	2,527	96.6	0.89	70.9	0.64	1,952	66.0	0.69	47.8	0.51
Esophagus	205	7.9	0.25	5.6	0.18	58	1.9	0.12	1.4	0.08
Stomach	214	8.5	0.27	6.0	0.18	124	4.3	0.18	3.1	0.13
Small intestine	71	2.7	0.15	2.0	0.11	63	2.1	0.12	1.6	0.09
Colon excl. rectum	689	27.3	0.48	19.6	0.34	693	23.7	0.41	16.9	0.30
Rectum & rectosigmoid	385	14.2	0.33	11.2	0.26	266	9.1	0.26	7.1	0.20
Anus, anal canal & anorectum	45	1.7	0.11	1.3	0.09	81	2.6	0.13	2.1	0.10
Liver	374	12.8	0.31	10.3	0.24	119	3.8	0.16	2.9	0.12
Gallbladder	20	0.8	0.08	0.6	0.06	36	1.2	0.09	0.8	0.06
Pancreas	359	14.1	0.35	9.8	0.23	349	11.7	0.29	8.0	0.20
Respiratory System	1,642	65.6	0.75	44.6	0.50	1,570	52.8	0.61	36.7	0.43
Larynx	105	3.9	0.18	2.9	0.13	27	0.8	0.08	0.6	0.06
Lung & bronchus	1,505	60.3	0.72	40.8	0.47	1,524	51.3	0.60	35.6	0.42
Bones & Joints	29	1.2	0.10	1.1	0.10	19	0.8	0.08	0.7	0.08
Soft Tissue (incl. heart)	98	4.0	0.18	3.2	0.15	73	2.7	0.14	2.3	0.13
Skin (excl. basal & sq.)	1,038	41.2	0.59	29.6	0.42	776	27.3	0.45	22.1	0.37
Melanomas of the skin	914	35.9	0.55	26.2	0.39	709	25.0	0.43	20.3	0.36
Breast (excl. <i>in situ</i>)	25	1.0	0.09	0.7	0.06	4,080	140.3	1.01	110.5	0.80
Female Genital System	-	-	-	-	-	1,527	51.6	0.61	41.2	0.49
Cervix uteri	-	-	-	-	-	181	7.0	0.24	6.1	0.21
Uterus Corpus	-	-	-	-	-	821	26.6	0.43	21.5	0.34
Uterus, NOS ¹	-	-	-	-	-	8	0.3	0.05	0.2	0.03
Ovary	-	-	-	-	-	324	11.2	0.29	8.7	0.23
Male Genital System	3,233	116.6	0.95	89.2	0.71	-	-	-	-	-
Prostate	3,032	108.7	0.91	81.6	0.67	-	-	-	-	-
Testis	173	6.7	0.23	6.8	0.23	-	-	-	-	-
Penis	18	0.8	0.08	0.5	0.05	-	-	-	-	-
Urinary System	1,553	62.4	0.73	42.7	0.49	612	20.8	0.39	15.0	0.29
Bladder (incl. <i>in situ</i>)	943	39.0	0.59	25.4	0.37	270	9.1	0.25	6.1	0.17
Kidney & renal pelvis	568	21.6	0.42	16.2	0.31	321	11.0	0.28	8.5	0.22
Ureter	18	0.7	0.08	0.5	0.05	12	0.4	0.05	0.3	0.03
Eye & Orbit	31	1.2	0.10	1.0	0.08	23	0.8	0.08	0.7	0.07
Brain & Other CNS ¹	228	8.9	0.27	7.7	0.24	168	6.3	0.22	5.6	0.21
Brain	214	8.3	0.26	7.1	0.23	155	5.8	0.21	5.0	0.19
Endocrine System	218	8.3	0.26	7.2	0.22	556	21.0	0.41	19.0	0.37
Thyroid gland	198	7.5	0.24	6.4	0.21	539	20.4	0.40	18.4	0.37
Lymphomas	726	28.9	0.50	21.6	0.37	543	18.9	0.37	14.5	0.30
Hodgkin Lymphoma	74	2.9	0.16	2.8	0.15	54	2.1	0.13	2.1	0.14
Non-Hodgkin Lymphoma	652	26.0	0.47	18.8	0.34	489	16.8	0.35	12.4	0.26
Multiple Myeloma	220	8.7	0.27	6.0	0.18	153	5.2	0.19	3.7	0.14
Leukemias	518	20.7	0.42	15.6	0.32	342	11.9	0.30	9.3	0.24
Acute lymphocytic	44	1.9	0.13	2.0	0.14	34	1.4	0.11	1.5	0.12
Chronic lymphocytic	232	8.9	0.27	6.3	0.19	134	4.4	0.17	3.1	0.12
Acute myeloid	127	5.2	0.21	3.7	0.15	106	3.7	0.17	2.9	0.13
Chronic myeloid	74	3.0	0.16	2.3	0.12	41	1.4	0.10	1.1	0.08
Other leukemias	40	1.6	0.12	1.2	0.09	26	0.9	0.08	0.7	0.07
Mesothelioma	50	2.2	0.14	1.3	0.09	15	0.5	0.06	0.4	0.04
Kaposi Sarcoma	16	0.6	0.07	0.5	0.06	3	0.1	0.03	0.1	0.02
Ill-defined & Unknown	484	20.5	0.43	13.3	0.28	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	377	14.8	0.35	11.6	0.28	772	27.0	0.45	20.9	0.36
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.02	1,031	35.6	0.51	29.0	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Seattle/Puget Sound, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	11,505	518.4	2.23	378.5	1.62	11,255	462.3	2.02	355.0	1.59
Oral Cavity & Pharynx	479	20.6	0.43	15.9	0.33	195	7.8	0.26	5.9	0.20
Lip	39	1.9	0.14	1.3	0.09	23	0.9	0.09	0.6	0.07
Tongue	174	7.3	0.25	5.8	0.20	60	2.5	0.15	1.9	0.11
Major salivary gland	31	1.5	0.12	1.1	0.09	24	1.0	0.10	0.8	0.08
Floor of mouth	18	0.8	0.08	0.6	0.06	10	0.4	0.06	0.3	0.04
Gum & other mouth	53	2.4	0.15	1.7	0.11	41	1.6	0.12	1.2	0.09
Nasopharynx	10	0.4	0.06	0.4	0.05	3	0.1	0.04	0.1	0.03
Oropharynx	20	0.8	0.09	0.7	0.07	5	0.2	0.04	0.1	0.03
Hypopharynx	20	0.8	0.09	0.6	0.06	4	0.2	0.04	0.1	0.03
Digestive System	2,083	93.1	0.94	68.2	0.68	1,622	64.8	0.74	46.9	0.55
Esophagus	186	8.3	0.28	5.9	0.20	52	2.0	0.13	1.4	0.09
Stomach	169	7.8	0.28	5.5	0.19	86	3.5	0.17	2.5	0.13
Small intestine	60	2.7	0.16	2.0	0.12	52	2.1	0.13	1.6	0.10
Colon excl. rectum	580	27.0	0.52	19.4	0.37	591	23.9	0.45	17.0	0.34
Rectum & rectosigmoid	315	13.7	0.36	10.8	0.28	220	9.1	0.28	7.1	0.23
Anus, anal canal & anorectum	39	1.7	0.12	1.3	0.09	74	2.9	0.15	2.3	0.12
Liver	270	10.7	0.30	8.6	0.24	81	3.1	0.16	2.4	0.12
Gallbladder	17	0.8	0.09	0.6	0.06	27	1.1	0.09	0.7	0.06
Pancreas	307	14.0	0.37	9.7	0.25	303	11.9	0.31	8.1	0.22
Respiratory System	1,434	66.1	0.81	45.0	0.54	1,386	54.7	0.67	38.0	0.47
Larynx	91	4.0	0.19	2.9	0.14	23	0.9	0.08	0.7	0.06
Lung & bronchus	1,316	60.8	0.77	41.1	0.51	1,347	53.2	0.66	36.8	0.46
Bones & Joints	24	1.2	0.11	1.1	0.11	17	0.8	0.10	0.8	0.09
Soft Tissue (incl. heart)	83	4.0	0.20	3.2	0.17	60	2.6	0.16	2.2	0.14
Skin (excl. basal & sq.)	1,007	46.8	0.68	33.8	0.49	744	32.0	0.54	26.0	0.46
Melanomas of the skin	892	41.1	0.63	30.2	0.46	684	29.5	0.52	24.2	0.44
Breast (excl. <i>in situ</i>)	21	1.0	0.10	0.7	0.07	3,504	144.2	1.13	113.3	0.90
Female Genital System	-	-	-	-	-	1,299	52.5	0.67	41.8	0.55
Cervix uteri	-	-	-	-	-	142	6.9	0.27	6.0	0.24
Uterus Corpus	-	-	-	-	-	700	27.0	0.47	21.8	0.38
Uterus, NOS ¹	-	-	-	-	-	7	0.3	0.05	0.2	0.03
Ovary	-	-	-	-	-	277	11.4	0.32	8.7	0.25
Male Genital System	2,801	117.8	1.03	90.2	0.78	-	-	-	-	-
Prostate	2,624	109.0	0.98	81.6	0.72	-	-	-	-	-
Testis	153	7.7	0.28	7.8	0.29	-	-	-	-	-
Penis	15	0.8	0.09	0.5	0.06	-	-	-	-	-
Urinary System	1,395	65.0	0.80	44.3	0.54	537	21.6	0.43	15.6	0.32
Bladder (incl. <i>in situ</i>)	870	41.3	0.65	26.9	0.41	243	9.5	0.28	6.5	0.20
Kidney & renal pelvis	488	21.9	0.46	16.3	0.34	276	11.3	0.32	8.7	0.25
Ureter	16	0.8	0.09	0.5	0.05	11	0.4	0.06	0.2	0.04
Eye & Orbit	29	1.3	0.11	1.1	0.09	21	0.9	0.09	0.8	0.09
Brain & Other CNS ¹	202	9.5	0.31	8.3	0.28	150	6.9	0.26	6.1	0.25
Brain	190	8.9	0.30	7.6	0.26	139	6.4	0.25	5.6	0.23
Endocrine System	184	8.5	0.29	7.3	0.25	443	21.0	0.46	19.1	0.43
Thyroid gland	169	7.7	0.27	6.6	0.23	429	20.3	0.45	18.5	0.42
Lymphomas	631	29.6	0.54	22.1	0.41	474	19.8	0.42	15.1	0.34
Hodgkin Lymphoma	60	2.9	0.18	2.8	0.17	44	2.3	0.16	2.3	0.16
Non-Hodgkin Lymphoma	571	26.6	0.51	19.2	0.37	429	17.5	0.39	12.8	0.30
Multiple Myeloma	189	8.7	0.29	6.0	0.20	125	4.9	0.20	3.5	0.15
Leukemias	458	21.5	0.46	16.1	0.36	304	12.6	0.33	9.8	0.28
Acute lymphocytic	35	1.9	0.15	2.1	0.16	27	1.5	0.13	1.6	0.15
Chronic lymphocytic	216	9.6	0.30	6.8	0.21	127	4.9	0.20	3.4	0.14
Acute myeloid	108	5.2	0.23	3.6	0.16	91	3.8	0.18	2.9	0.15
Chronic myeloid	64	3.1	0.18	2.3	0.14	36	1.5	0.11	1.1	0.09
Other leukemias	36	1.7	0.13	1.3	0.10	22	0.9	0.09	0.7	0.08
Mesothelioma	46	2.3	0.16	1.4	0.09	13	0.5	0.07	0.4	0.05
Kaposi Sarcoma	12	0.6	0.08	0.5	0.06	1	0.1	0.02	0.0	0.02
Ill-defined & Unknown	427	20.9	0.46	13.5	0.30	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	319	14.9	0.38	11.6	0.31	635	26.8	0.49	20.8	0.40
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.02	834	34.7	0.56	28.2	0.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Seattle/Puget Sound, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	554	525.4	11.45	392.4	7.74	437	410.2	9.35	315.4	6.83
Oral Cavity & Pharynx	15	11.6	1.50	9.4	1.13	4	3.8	0.83	2.9	0.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	3.7	0.91	2.9	0.65	1	1.3	0.53	0.8	0.32
Major salivary gland	2	2.0	0.71	1.5	0.47	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	0.9	0.36	0.8	0.32	-	-	-	-	-
Nasopharynx	2	1.0	0.36	0.9	0.33	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	132	125.3	5.57	93.3	3.78	85	83.9	4.34	61.6	3.03
Esophagus	6	5.5	1.13	4.3	0.81	2	2.3	0.73	1.6	0.48
Stomach	12	13.4	2.00	9.0	1.22	8	9.1	1.48	6.2	0.97
Small intestine	5	3.7	0.87	3.0	0.65	5	4.9	1.02	3.8	0.74
Colon excl. rectum	34	34.3	2.95	25.1	1.99	27	26.7	2.46	19.2	1.69
Rectum & rectosigmoid	16	14.4	1.86	10.7	1.25	10	9.4	1.39	7.3	1.04
Anus, anal canal & anorectum	3	2.4	0.70	1.9	0.51	3	3.0	0.78	2.2	0.57
Liver	30	23.6	2.12	19.6	1.65	9	7.7	1.26	6.2	0.96
Gallbladder	-	-	-	-	-	3	3.0	0.90	2.0	0.56
Pancreas	19	19.9	2.31	14.2	1.49	12	11.7	1.64	8.5	1.13
Respiratory System	68	75.3	4.66	52.4	2.96	50	52.6	3.54	38.0	2.44
Larynx	6	5.4	1.08	4.3	0.79	2	2.5	0.81	1.6	0.50
Lung & bronchus	59	68.6	4.49	47.0	2.83	47	49.2	3.42	35.7	2.36
Bones & Joints	1	0.8	0.29	0.8	0.32	-	-	-	-	-
Soft Tissue (incl. heart)	5	3.4	0.81	2.9	0.63	4	3.0	0.76	2.6	0.61
Skin (excl. basal & sq.)	4	2.9	0.82	2.3	0.57	2	1.9	0.60	1.6	0.50
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	2	1.8	0.65	1.3	0.44	138	124.9	5.02	98.8	3.79
Female Genital System	-	-	-	-	-	50	45.0	3.04	35.7	2.29
Cervix uteri	-	-	-	-	-	8	7.0	1.14	5.9	0.92
Uterus Corpus	-	-	-	-	-	29	26.4	2.33	20.8	1.76
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	7.4	1.24	5.9	0.93
Male Genital System	181	162.5	6.10	125.6	4.33	-	-	-	-	-
Prostate	177	160.1	6.07	123.6	4.29	-	-	-	-	-
Testis	2	1.3	0.39	1.3	0.38	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	56.9	3.95	40.3	2.52	25	24.0	2.28	18.0	1.63
Bladder (incl. <i>in situ</i>)	21	25.5	2.83	16.8	1.70	8	8.6	1.47	5.7	0.93
Kidney & renal pelvis	33	28.6	2.55	21.9	1.77	17	15.0	1.72	12.1	1.32
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	4.7	0.96	4.0	0.75	5	3.9	0.88	3.2	0.68
Brain	5	4.3	0.93	3.6	0.72	3	2.9	0.79	2.3	0.58
Endocrine System	8	4.9	0.87	4.5	0.73	21	15.9	1.64	14.4	1.42
Thyroid gland	6	4.0	0.80	3.5	0.66	20	15.4	1.61	13.8	1.40
Lymphomas	27	22.6	2.20	18.2	1.60	17	14.7	1.73	12.0	1.33
Hodgkin Lymphoma	6	3.9	0.72	3.7	0.68	3	2.6	0.65	2.4	0.59
Non-Hodgkin Lymphoma	21	18.7	2.08	14.4	1.45	-	-	-	-	-
Multiple Myeloma	15	15.2	2.03	10.8	1.32	12	11.4	1.60	8.5	1.13
Leukemias	18	17.0	2.09	12.7	1.38	11	10.8	1.53	8.1	1.08
Acute lymphocytic	2	1.2	0.38	1.2	0.39	2	1.2	0.46	1.1	0.41
Chronic lymphocytic	7	7.3	1.34	5.4	0.92	3	3.4	0.88	2.5	0.61
Acute myeloid	5	4.2	0.99	3.2	0.68	4	3.8	0.95	2.7	0.62
Chronic myeloid	3	3.4	1.06	2.2	0.58	2	1.3	0.49	1.1	0.38
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	1	2.1	0.97	1.0	0.44	-	-	-	-	-
Kaposi Sarcoma	2	1.6	0.45	1.4	0.41	-	-	-	-	-
Ill-defined & Unknown	14	16.6	2.28	11.0	1.35	12	13.1	1.76	8.8	1.15
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	16	15.3	2.03	11.2	1.31	29	27.7	2.43	21.0	1.75
Breast (<i>in situ</i>)	-	-	-	-	-	43	38.2	2.73	31.2	2.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Seattle/Puget Sound, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	804	345.2	5.73	250.9	3.97	1,078	322.8	4.49	252.0	3.48
Oral Cavity & Pharynx	30	11.4	0.98	9.0	0.74	19	5.4	0.57	4.4	0.46
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	6	2.5	0.48	1.9	0.34	6	1.7	0.32	1.3	0.25
Major salivary gland	2	0.9	0.29	0.6	0.19	3	0.7	0.20	0.7	0.18
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	4	1.5	0.36	1.1	0.26	3	1.0	0.25	0.7	0.19
Nasopharynx	9	3.0	0.45	2.7	0.40	4	1.1	0.26	0.9	0.21
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	2	1.1	0.32	0.8	0.22	-	-	-	-	-
Digestive System	250	106.4	3.16	77.5	2.20	202	63.1	2.03	45.3	1.44
Esophagus	9	3.7	0.58	2.8	0.41	3	0.9	0.24	0.7	0.18
Stomach	29	13.2	1.15	9.2	0.76	28	8.6	0.75	6.3	0.54
Small intestine	5	1.8	0.39	1.4	0.28	5	1.4	0.29	1.0	0.22
Colon excl. rectum	58	24.8	1.53	18.0	1.06	58	18.2	1.09	13.1	0.78
Rectum & rectosigmoid	42	16.2	1.17	12.8	0.89	28	8.0	0.69	6.3	0.54
Anus, anal canal & anorectum	2	1.0	0.32	0.7	0.21	2	0.8	0.23	0.5	0.15
Liver	61	24.8	1.49	18.7	1.08	25	8.1	0.74	5.5	0.50
Gallbladder	2	0.8	0.29	0.6	0.19	6	1.7	0.33	1.2	0.24
Pancreas	26	12.2	1.12	8.2	0.72	31	10.0	0.83	6.8	0.56
Respiratory System	114	53.8	2.36	35.8	1.50	107	33.9	1.50	23.7	1.04
Larynx	5	2.3	0.49	1.5	0.31	-	-	-	-	-
Lung & bronchus	107	50.6	2.29	33.7	1.46	104	33.1	1.49	23.0	1.02
Bones & Joints	3	1.1	0.28	1.0	0.27	1	0.4	0.15	0.3	0.14
Soft Tissue (incl. heart)	9	3.4	0.53	2.8	0.42	8	2.2	0.36	1.9	0.32
Skin (excl. basal & sq.)	5	1.9	0.41	1.4	0.30	-	-	-	-	-
Melanomas of the skin	2	1.0	0.30	0.7	0.21	6	1.7	0.33	1.4	0.27
Breast (excl. <i>in situ</i>)	2	0.7	0.24	0.5	0.18	353	102.1	2.47	83.5	1.99
Female Genital System	-	-	-	-	-	148	42.4	1.58	35.0	1.30
Cervix uteri	-	-	-	-	-	25	7.2	0.65	6.1	0.54
Uterus Corpus	-	-	-	-	-	76	21.5	1.12	18.0	0.92
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	33	9.5	0.76	7.8	0.62
Male Genital System	155	65.4	2.47	48.1	1.73	-	-	-	-	-
Prostate	142	61.5	2.41	44.5	1.67	-	-	-	-	-
Testis	9	2.6	0.39	2.7	0.39	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	73	32.5	1.79	22.7	1.19	34	11.0	0.86	7.7	0.60
Bladder (incl. <i>in situ</i>)	36	17.4	1.37	11.2	0.84	13	4.3	0.55	2.7	0.35
Kidney & renal pelvis	35	13.8	1.09	10.7	0.81	19	5.9	0.62	4.5	0.46
Ureter	-	-	-	-	-	2	0.5	0.19	0.4	0.14
Eye & Orbit	2	0.5	0.18	0.6	0.21	-	-	-	-	-
Brain & Other CNS ¹	16	5.9	0.70	5.1	0.59	11	3.4	0.47	3.0	0.43
Brain	14	5.4	0.67	4.7	0.56	10	3.1	0.45	2.7	0.40
Endocrine System	21	7.7	0.78	6.6	0.64	72	20.4	1.09	17.9	0.95
Thyroid gland	18	6.6	0.71	5.5	0.58	70	19.7	1.07	17.4	0.94
Lymphomas	50	20.9	1.40	15.6	0.99	42	12.5	0.88	10.0	0.71
Hodgkin Lymphoma	5	1.6	0.33	1.5	0.32	4	1.0	0.23	1.1	0.26
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	6.0	0.78	4.1	0.51	12	4.2	0.54	2.9	0.38
Leukemias	27	10.9	0.99	8.8	0.77	21	6.5	0.65	5.6	0.57
Acute lymphocytic	4	1.3	0.30	1.5	0.34	3	1.0	0.26	1.2	0.30
Chronic lymphocytic	4	1.7	0.40	1.2	0.27	2	0.8	0.23	0.5	0.15
Acute myeloid	12	5.0	0.69	3.9	0.50	10	3.2	0.46	2.7	0.39
Chronic myeloid	6	2.1	0.43	1.8	0.34	2	0.7	0.22	0.6	0.17
Other leukemias	2	0.7	0.27	0.5	0.18	3	0.8	0.22	0.6	0.18
Mesothelioma	2	1.0	0.33	0.6	0.20	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	32	15.6	1.29	10.3	0.81	37	11.9	0.90	8.1	0.61
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	30	12.3	1.06	9.3	0.77	82	25.0	1.26	19.0	0.96
Breast (<i>in situ</i>)	-	-	-	-	-	129	37.2	1.49	30.6	1.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Seattle/Puget Sound, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	171	538.0	21.69	393.0	13.98	192	503.3	17.69	379.4	12.39
Oral Cavity & Pharynx	10	25.5	4.11	20.7	3.00	4	11.4	2.83	7.9	1.75
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	3	9.1	2.83	6.9	1.79	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	1	2.6	1.08	2.3	0.96	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	47	148.2	11.67	107.3	7.30	34	91.5	7.69	66.8	5.21
Esophagus	3	8.1	2.49	6.2	1.71	1	2.8	1.07	2.4	0.92
Stomach	2	8.9	3.06	5.9	1.77	2	5.0	1.82	3.7	1.27
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	11	36.1	5.76	25.8	3.62	12	35.5	4.95	24.9	3.20
Rectum & rectosigmoid	6	15.3	2.98	12.3	2.32	5	14.8	3.03	11.0	2.15
Anus, anal canal & anorectum	-	-	-	-	-	1	3.0	1.38	2.3	0.96
Liver	13	36.0	5.36	27.8	3.58	4	9.9	2.58	7.1	1.70
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	24.0	5.64	14.7	2.96	4	8.7	2.19	6.9	1.63
Respiratory System	23	77.4	8.29	54.9	5.33	24	72.7	7.22	49.2	4.56
Larynx	3	8.6	2.40	6.6	1.75	-	-	-	-	-
Lung & bronchus	20	68.8	7.94	48.3	5.04	23	69.3	7.02	47.2	4.46
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	7.0	2.73	5.0	1.58	2	3.9	1.33	3.6	1.21
Skin (excl. basal & sq.)	5	14.1	3.04	11.0	2.25	4	10.1	2.64	7.3	1.73
Melanomas of the skin	4	10.8	2.49	8.9	1.97	3	8.1	2.22	6.3	1.59
Breast (excl. <i>in situ</i>)	-	-	-	-	-	58	150.4	9.51	114.7	6.80
Female Genital System	-	-	-	-	-	20	47.2	4.92	39.3	3.93
Cervix uteri	-	-	-	-	-	4	9.1	2.11	8.0	1.83
Uterus Corpus	-	-	-	-	-	10	22.5	3.27	19.1	2.67
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	4	10.2	2.42	8.0	1.80
Male Genital System	33	102.8	9.14	76.1	6.11	-	-	-	-	-
Prostate	30	95.4	8.93	69.1	5.87	-	-	-	-	-
Testis	3	6.3	1.60	6.3	1.58	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	18	57.2	7.20	40.9	4.55	9	24.5	3.97	17.9	2.67
Bladder (incl. <i>in situ</i>)	9	32.2	5.72	22.0	3.43	3	10.4	2.94	6.1	1.61
Kidney & renal pelvis	8	24.5	4.35	18.6	2.97	6	13.8	2.64	11.4	2.11
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	3	9.0	2.60	7.1	1.83	2	3.0	1.01	3.2	1.08
Brain	3	8.5	2.55	6.7	1.78	2	2.7	0.96	2.8	1.00
Endocrine System	1	5.3	2.34	3.5	1.41	11	23.6	3.23	21.8	2.95
Thyroid gland	1	4.2	2.06	2.9	1.26	11	23.2	3.20	21.4	2.93
Lymphomas	9	30.0	5.31	21.1	3.34	8	23.6	4.08	16.4	2.60
Hodgkin Lymphoma	1	2.5	1.02	2.5	1.02	1	3.8	1.58	3.0	1.15
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	11.9	3.68	7.5	2.08	4	10.7	2.73	7.5	1.75
Leukemias	8	19.3	3.77	16.2	2.70	4	9.0	2.20	7.5	1.73
Acute lymphocytic	2	4.4	1.31	4.7	1.35	1	2.4	0.98	2.3	0.96
Chronic lymphocytic	1	5.0	2.11	3.5	1.36	-	-	-	-	-
Acute myeloid	2	6.4	2.53	4.8	1.53	1	3.2	1.32	2.5	1.01
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	7	23.9	4.78	16.9	2.95	6	16.8	3.33	12.1	2.20
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	4	12.8	3.38	9.8	2.18	13	36.1	4.79	26.9	3.32
Breast (<i>in situ</i>)	-	-	-	-	-	13	31.9	4.15	25.6	3.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Seattle/Puget Sound, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	409	438.5	12.06	312.4	7.55	521	446.6	9.97	339.2	6.96
Oral Cavity & Pharynx	13	12.4	1.85	9.5	1.29	6	4.8	0.99	3.8	0.73
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	4.3	1.06	3.4	0.79	2	1.9	0.70	1.4	0.48
Major salivary gland	-	-	-	-	-	1	1.0	0.44	0.7	0.28
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	100	106.8	5.87	76.5	3.71	84	84.0	4.61	59.0	2.98
Esophagus	5	6.4	1.52	4.4	0.91	1	1.6	0.68	1.1	0.42
Stomach	12	13.9	2.18	9.6	1.37	12	10.7	1.59	7.6	1.04
Small intestine	2	2.2	0.90	1.4	0.51	-	-	-	-	-
Colon excl. rectum	22	25.2	3.03	17.0	1.78	27	26.2	2.58	18.3	1.65
Rectum & rectosigmoid	19	16.9	2.08	13.2	1.47	12	9.6	1.36	7.8	1.05
Anus, anal canal & anorectum	-	-	-	-	-	2	2.2	0.72	1.7	0.51
Liver	20	19.5	2.31	15.1	1.60	8	8.7	1.54	5.9	0.98
Gallbladder	2	2.2	0.93	1.4	0.52	3	4.2	1.14	2.5	0.65
Pancreas	10	12.9	2.16	8.8	1.32	12	12.6	1.84	8.5	1.15
Respiratory System	40	55.2	4.61	36.5	2.73	43	47.1	3.52	33.2	2.33
Larynx	5	6.2	1.48	4.2	0.93	-	-	-	-	-
Lung & bronchus	33	46.5	4.27	30.3	2.51	40	44.7	3.45	31.3	2.27
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	6	3.5	0.84	3.1	0.64	6	4.1	0.87	3.6	0.67
Skin (excl. basal & sq.)	14	15.7	2.31	11.0	1.43	22	18.4	2.05	13.9	1.39
Melanomas of the skin	11	12.3	1.98	8.8	1.28	19	15.5	1.83	11.9	1.28
Breast (excl. <i>in situ</i>)	2	1.2	0.47	1.0	0.38	161	131.3	5.15	102.9	3.77
Female Genital System	-	-	-	-	-	62	50.6	3.25	39.5	2.34
Cervix uteri	-	-	-	-	-	12	7.2	1.02	6.1	0.82
Uterus Corpus	-	-	-	-	-	29	24.4	2.21	19.6	1.67
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	14	11.2	1.58	8.6	1.11
Male Genital System	92	97.3	5.49	72.1	3.63	-	-	-	-	-
Prostate	75	90.3	5.41	65.3	3.54	-	-	-	-	-
Testis	16	6.4	0.90	6.3	0.75	-	-	-	-	-
Penis	1	0.6	0.25	0.5	0.22	-	-	-	-	-
Urinary System	47	56.0	4.49	37.9	2.70	23	22.5	2.36	16.7	1.62
Bladder (incl. <i>in situ</i>)	19	29.6	3.54	18.3	2.00	7	8.5	1.59	5.8	1.01
Kidney & renal pelvis	26	23.7	2.55	18.0	1.72	16	13.1	1.68	10.3	1.22
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	1	0.9	0.40	0.8	0.33
Brain & Other CNS ¹	10	7.2	1.46	5.5	0.91	9	5.6	1.05	4.6	0.73
Brain	9	6.8	1.43	5.2	0.88	8	5.3	1.04	4.3	0.72
Endocrine System	13	10.0	1.64	7.7	1.09	39	22.8	1.81	20.3	1.52
Thyroid gland	11	8.4	1.46	6.6	0.99	38	22.0	1.76	19.6	1.49
Lymphomas	29	28.1	2.96	20.5	1.89	26	21.8	2.22	16.8	1.56
Hodgkin Lymphoma	6	4.9	1.21	3.7	0.76	5	3.0	0.71	2.6	0.55
Non-Hodgkin Lymphoma	23	23.2	2.71	16.8	1.73	21	18.9	2.10	14.2	1.46
Multiple Myeloma	5	6.0	1.48	4.1	0.88	6	6.4	1.27	4.6	0.85
Leukemias	21	15.2	2.01	12.2	1.36	16	11.1	1.52	9.0	1.09
Acute lymphocytic	8	2.7	0.48	3.0	0.50	-	-	-	-	-
Chronic lymphocytic	3	4.1	1.16	3.0	0.77	2	2.4	0.84	1.6	0.51
Acute myeloid	4	3.9	1.11	2.9	0.72	5	4.1	0.90	3.2	0.65
Chronic myeloid	4	3.3	1.02	2.4	0.61	2	1.8	0.63	1.4	0.46
Other leukemias	2	1.1	0.44	1.0	0.36	-	-	-	-	-
Mesothelioma	2	2.2	0.89	1.6	0.53	-	-	-	-	-
Kaposi Sarcoma	3	1.7	0.70	1.3	0.39	-	-	-	-	-
Ill-defined & Unknown	12	18.9	2.93	11.0	1.55	13	13.7	1.92	9.3	1.20
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	13	10.2	1.69	7.8	1.08	34	29.6	2.60	22.2	1.79
Breast (<i>in situ</i>)	-	-	-	-	-	41	30.9	2.34	25.4	1.84

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

Seattle/Puget Sound

422 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Seattle/Puget Sound, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	11,139	522.8	2.29	382.3	1.68	10,789	463.7	2.08	356.4	1.66
Oral Cavity & Pharynx	469	21.1	0.45	16.3	0.34	190	8.0	0.27	6.1	0.21
Lip	39	1.9	0.14	1.3	0.09	23	0.9	0.09	0.7	0.07
Tongue	171	7.5	0.26	5.9	0.21	59	2.5	0.15	1.9	0.12
Major salivary gland	30	1.5	0.13	1.1	0.09	23	1.0	0.10	0.8	0.09
Floor of mouth	17	0.8	0.08	0.6	0.06	10	0.4	0.06	0.3	0.05
Gum & other mouth	52	2.5	0.16	1.8	0.11	40	1.7	0.12	1.2	0.09
Nasopharynx	10	0.4	0.06	0.4	0.05	3	0.1	0.04	0.1	0.03
Oropharynx	20	0.9	0.09	0.7	0.07	5	0.2	0.04	0.1	0.03
Hypopharynx	19	0.8	0.09	0.6	0.07	4	0.2	0.04	0.1	0.03
Digestive System	1,994	92.9	0.96	68.1	0.70	1,547	64.2	0.76	46.5	0.57
Esophagus	181	8.4	0.29	5.9	0.20	50	2.0	0.13	1.4	0.09
Stomach	159	7.6	0.28	5.3	0.19	75	3.1	0.17	2.2	0.12
Small intestine	58	2.7	0.17	2.0	0.12	52	2.2	0.14	1.6	0.11
Colon excl. rectum	560	27.2	0.53	19.6	0.38	568	23.9	0.47	17.1	0.35
Rectum & rectosigmoid	299	13.7	0.37	10.8	0.29	210	9.1	0.29	7.1	0.24
Anus, anal canal & anorectum	38	1.7	0.13	1.3	0.10	72	2.9	0.16	2.3	0.13
Liver	252	10.3	0.30	8.3	0.24	74	2.9	0.15	2.2	0.12
Gallbladder	15	0.8	0.09	0.5	0.06	24	1.0	0.09	0.6	0.06
Pancreas	298	14.0	0.38	9.8	0.26	291	11.8	0.32	8.1	0.22
Respiratory System	1,397	66.5	0.82	45.3	0.55	1,347	54.8	0.69	38.1	0.48
Larynx	86	3.9	0.19	2.9	0.14	22	0.9	0.08	0.6	0.06
Lung & bronchus	1,286	61.3	0.79	41.5	0.52	1,311	53.4	0.68	37.0	0.47
Bones & Joints	23	1.2	0.12	1.2	0.12	16	0.9	0.10	0.8	0.10
Soft Tissue (incl. heart)	78	4.0	0.21	3.2	0.17	55	2.5	0.16	2.2	0.15
Skin (excl. basal & sq.)	994	48.4	0.71	35.2	0.52	724	33.1	0.58	27.0	0.49
Melanomas of the skin	882	42.6	0.66	31.5	0.49	666	30.6	0.56	25.3	0.47
Breast (excl. <i>in situ</i>)	20	1.0	0.10	0.7	0.07	3,359	144.8	1.16	113.7	0.93
Female Genital System	-	-	-	-	-	1,244	52.6	0.70	41.9	0.56
Cervix uteri	-	-	-	-	-	131	6.9	0.28	6.0	0.25
Uterus Corpus	-	-	-	-	-	675	27.2	0.49	21.9	0.39
Uterus, NOS ¹	-	-	-	-	-	6	0.3	0.05	0.2	0.03
Ovary	-	-	-	-	-	265	11.4	0.32	8.7	0.26
Male Genital System	2,720	118.8	1.05	91.1	0.80	-	-	-	-	-
Prostate	2,559	109.8	1.00	82.4	0.73	-	-	-	-	-
Testis	138	7.9	0.31	8.0	0.31	-	-	-	-	-
Penis	14	0.7	0.09	0.5	0.06	-	-	-	-	-
Urinary System	1,352	65.3	0.82	44.5	0.55	516	21.6	0.44	15.6	0.33
Bladder (incl. <i>in situ</i>)	853	41.7	0.66	27.2	0.42	237	9.6	0.29	6.5	0.20
Kidney & renal pelvis	464	21.8	0.47	16.2	0.35	262	11.3	0.32	8.6	0.26
Ureter	15	0.7	0.09	0.5	0.05	10	0.4	0.06	0.3	0.04
Eye & Orbit	28	1.4	0.12	1.1	0.10	20	0.9	0.10	0.8	0.10
Brain & Other CNS ¹	193	9.8	0.33	8.6	0.30	142	7.1	0.28	6.3	0.27
Brain	182	9.1	0.31	7.9	0.29	132	6.5	0.27	5.7	0.26
Endocrine System	173	8.6	0.30	7.4	0.27	406	20.9	0.48	19.0	0.45
Thyroid gland	159	7.8	0.29	6.7	0.25	394	20.2	0.48	18.4	0.44
Lymphomas	604	29.8	0.56	22.3	0.43	450	19.7	0.43	15.0	0.35
Hodgkin Lymphoma	54	3.0	0.19	2.9	0.19	40	2.3	0.17	2.3	0.17
Non-Hodgkin Lymphoma	550	26.8	0.53	19.4	0.39	410	17.4	0.40	12.8	0.31
Multiple Myeloma	184	8.7	0.30	6.1	0.20	120	4.9	0.21	3.5	0.15
Leukemias	440	21.6	0.48	16.1	0.37	290	12.5	0.34	9.6	0.29
Acute lymphocytic	29	1.8	0.15	1.9	0.17	22	1.4	0.14	1.5	0.16
Chronic lymphocytic	213	9.8	0.31	7.0	0.22	125	5.0	0.20	3.5	0.15
Acute myeloid	105	5.2	0.24	3.7	0.17	86	3.7	0.19	2.8	0.15
Chronic myeloid	59	3.0	0.18	2.2	0.14	34	1.4	0.12	1.1	0.09
Other leukemias	34	1.7	0.14	1.3	0.10	22	1.0	0.10	0.7	0.08
Mesothelioma	44	2.3	0.16	1.4	0.09	13	0.5	0.07	0.4	0.05
Kaposi Sarcoma	10	0.5	0.07	0.4	0.06	1	0.1	0.02	0.0	0.02
Ill-defined & Unknown	417	21.1	0.48	13.7	0.31	349	14.6	0.36	9.7	0.26
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	306	15.1	0.40	11.9	0.32	605	26.8	0.51	20.8	0.42
Breast (<i>in situ</i>)	2	0.1	0.03	0.1	0.03	797	34.8	0.58	28.3	0.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Seattle/Puget Sound, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	546	532.7	11.63	399.0	7.91	424	416.1	9.58	320.7	7.04
Oral Cavity & Pharynx	15	11.9	1.54	9.7	1.16	4	3.7	0.85	2.9	0.64
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	4	3.9	0.93	3.0	0.67	1	1.4	0.55	0.9	0.33
Major salivary gland	2	2.1	0.73	1.6	0.48	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	1.0	0.37	0.9	0.33	-	-	-	-	-
Nasopharynx	2	1.1	0.38	1.0	0.34	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	131	127.9	5.68	95.6	3.87	83	85.5	4.45	63.0	3.12
Esophagus	6	5.7	1.16	4.4	0.83	2	2.4	0.75	1.7	0.50
Stomach	12	13.7	2.05	9.3	1.25	8	9.2	1.52	6.3	1.00
Small intestine	5	3.8	0.90	3.1	0.67	5	5.1	1.05	4.0	0.77
Colon excl. rectum	34	34.8	2.99	25.7	2.04	26	26.8	2.50	19.3	1.73
Rectum & rectosigmoid	15	14.3	1.86	10.7	1.26	10	9.8	1.44	7.7	1.08
Anus, anal canal & anorectum	3	2.5	0.72	2.0	0.53	3	3.1	0.81	2.3	0.59
Liver	29	24.2	2.18	20.1	1.70	9	8.0	1.30	6.4	1.00
Gallbladder	-	-	-	-	-	2	2.6	0.85	1.8	0.54
Pancreas	19	20.4	2.36	14.6	1.53	12	12.1	1.70	8.8	1.17
Respiratory System	67	76.1	4.72	53.2	3.01	49	53.1	3.61	38.5	2.49
Larynx	6	5.1	1.04	4.2	0.78	2	2.6	0.83	1.7	0.51
Lung & bronchus	59	69.6	4.57	47.8	2.88	46	49.6	3.48	36.1	2.42
Bones & Joints	1	0.8	0.32	0.9	0.36	-	-	-	-	-
Soft Tissue (incl. heart)	4	3.4	0.83	3.0	0.65	3	3.0	0.78	2.6	0.63
Skin (excl. basal & sq.)	4	3.0	0.84	2.4	0.59	2	1.9	0.63	1.7	0.53
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	2	1.8	0.67	1.4	0.45	134	127.5	5.18	100.8	3.93
Female Genital System	-	-	-	-	-	48	45.1	3.08	36.1	2.35
Cervix uteri	-	-	-	-	-	8	7.0	1.15	6.1	0.95
Uterus Corpus	-	-	-	-	-	28	26.4	2.36	20.9	1.79
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	8	7.4	1.25	5.9	0.95
Male Genital System	178	164.4	6.20	127.4	4.41	-	-	-	-	-
Prostate	175	162.0	6.17	125.1	4.38	-	-	-	-	-
Testis	2	1.4	0.42	1.4	0.41	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	57.0	3.99	40.4	2.55	24	24.6	2.35	18.4	1.68
Bladder (incl. <i>in situ</i>)	21	25.5	2.84	16.9	1.73	8	8.7	1.50	5.8	0.95
Kidney & renal pelvis	32	28.5	2.58	21.9	1.80	17	15.5	1.78	12.4	1.37
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	4.9	1.00	4.2	0.79	4	3.9	0.91	3.2	0.70
Brain	5	4.5	0.97	3.8	0.75	3	3.0	0.81	2.3	0.60
Endocrine System	7	5.1	0.90	4.6	0.76	20	16.3	1.70	14.7	1.49
Thyroid gland	6	4.2	0.83	3.7	0.69	19	15.8	1.68	14.2	1.46
Lymphomas	27	23.0	2.25	18.6	1.65	16	14.9	1.77	12.2	1.37
Hodgkin Lymphoma	6	3.7	0.71	3.7	0.69	3	2.4	0.64	2.3	0.59
Non-Hodgkin Lymphoma	21	19.3	2.14	14.9	1.50	13	12.5	1.65	9.9	1.24
Multiple Myeloma	14	15.4	2.08	11.0	1.35	11	11.4	1.64	8.6	1.16
Leukemias	18	17.2	2.12	12.9	1.41	11	10.9	1.57	8.2	1.12
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	7	7.3	1.35	5.4	0.93	3	3.5	0.91	2.6	0.64
Acute myeloid	5	4.4	1.03	3.4	0.71	4	3.8	0.96	2.6	0.63
Chronic myeloid	3	3.5	1.08	2.2	0.60	2	1.4	0.51	1.1	0.40
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	1	2.2	0.98	1.1	0.45	-	-	-	-	-
Kaposi Sarcoma	2	1.5	0.46	1.4	0.41	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	11	12.5	1.76	8.5	1.15
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	16	15.7	2.08	11.6	1.35	28	28.3	2.51	21.3	1.81
Breast (<i>in situ</i>)	-	-	-	-	-	41	38.2	2.78	31.3	2.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
West Virginia, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	6,038	512.7	3.05	384.2	2.31	5,801	457.1	2.82	358.7	2.31
Oral Cavity & Pharynx	243	20.6	0.61	16.5	0.49	94	7.4	0.35	5.7	0.29
Lip	10	0.8	0.12	0.6	0.09	4	0.3	0.06	0.2	0.04
Tongue	73	6.0	0.33	5.0	0.27	28	2.2	0.19	1.7	0.15
Major salivary gland	18	1.7	0.18	1.1	0.12	13	1.2	0.15	0.9	0.13
Floor of mouth	12	1.0	0.13	0.9	0.11	3	0.3	0.07	0.2	0.05
Gum & other mouth	32	2.7	0.22	2.1	0.17	21	1.6	0.16	1.2	0.14
Nasopharynx	7	0.6	0.11	0.5	0.09	4	0.3	0.07	0.3	0.06
Oropharynx	17	1.5	0.16	1.2	0.13	5	0.3	0.07	0.3	0.06
Hypopharynx	15	1.2	0.15	1.0	0.12	3	0.2	0.06	0.2	0.05
Digestive System	1,186	101.2	1.36	75.6	1.02	949	71.2	1.07	52.2	0.82
Esophagus	115	9.3	0.40	7.1	0.30	27	1.9	0.17	1.4	0.13
Stomach	89	7.7	0.37	5.5	0.27	56	4.2	0.26	3.0	0.20
Small intestine	28	2.4	0.21	1.9	0.16	26	2.1	0.20	1.7	0.16
Colon excl. rectum	410	35.7	0.82	26.0	0.60	406	30.3	0.70	21.7	0.53
Rectum & rectosigmoid	193	16.9	0.56	13.1	0.44	135	10.6	0.43	8.2	0.34
Anus, anal canal & anorectum	19	1.6	0.17	1.3	0.14	40	3.1	0.23	2.5	0.19
Liver	124	9.8	0.41	7.8	0.32	40	2.8	0.21	2.1	0.16
Gallbladder	6	0.5	0.09	0.3	0.06	13	0.9	0.12	0.7	0.09
Pancreas	155	13.1	0.49	9.6	0.35	152	11.2	0.42	7.9	0.31
Respiratory System	1,251	103.3	1.34	74.9	0.97	994	72.2	1.05	54.0	0.80
Larynx	98	7.9	0.37	6.3	0.29	34	2.6	0.21	2.2	0.17
Lung & bronchus	1,138	94.0	1.28	67.5	0.91	951	68.9	1.02	51.3	0.78
Bones & Joints	9	1.0	0.15	0.9	0.15	10	1.0	0.16	1.0	0.16
Soft Tissue (incl. heart)	38	3.5	0.27	2.9	0.22	31	2.8	0.24	2.4	0.22
Skin (excl. basal & sq.)	314	28.4	0.74	21.1	0.56	211	18.4	0.60	15.2	0.52
Melanomas of the skin	295	26.6	0.72	19.9	0.55	198	17.4	0.58	14.4	0.51
Breast (excl. <i>in situ</i>)	12	1.0	0.13	0.7	0.09	1,481	117.5	1.43	93.0	1.17
Female Genital System	-	-	-	-	-	714	57.8	1.02	47.8	0.87
Cervix uteri	-	-	-	-	-	88	9.2	0.46	8.1	0.41
Uterus Corpus	-	-	-	-	-	391	30.1	0.72	25.0	0.61
Uterus, NOS ¹	-	-	-	-	-	15	1.2	0.14	0.9	0.12
Ovary	-	-	-	-	-	152	12.0	0.46	9.6	0.38
Male Genital System	1,246	98.9	1.29	76.3	1.00	-	-	-	-	-
Prostate	1,183	92.1	1.23	69.9	0.92	-	-	-	-	-
Testis	45	5.3	0.36	5.3	0.36	-	-	-	-	-
Penis	15	1.3	0.16	0.9	0.12	-	-	-	-	-
Urinary System	746	64.7	1.09	46.7	0.80	341	25.9	0.65	19.8	0.52
Bladder (incl. <i>in situ</i>)	437	37.7	0.83	25.6	0.56	139	10.2	0.40	7.3	0.30
Kidney & renal pelvis	293	25.6	0.70	20.1	0.56	196	15.2	0.51	12.2	0.43
Ureter	11	1.0	0.13	0.6	0.08	5	0.3	0.07	0.2	0.05
Eye & Orbit	15	1.4	0.17	1.1	0.15	11	0.9	0.13	0.8	0.14
Brain & Other CNS ¹	87	8.3	0.42	7.2	0.38	67	6.2	0.36	5.5	0.34
Brain	83	8.0	0.41	6.9	0.37	62	5.7	0.34	5.0	0.32
Endocrine System	88	8.4	0.42	7.1	0.36	261	26.7	0.78	24.2	0.72
Thyroid gland	79	7.5	0.39	6.3	0.34	257	26.3	0.77	23.8	0.72
Lymphomas	283	25.4	0.70	19.6	0.56	236	18.7	0.57	14.8	0.48
Hodgkin Lymphoma	27	2.8	0.25	2.6	0.24	21	2.3	0.23	2.3	0.24
Non-Hodgkin Lymphoma	256	22.5	0.65	17.0	0.50	215	16.4	0.52	12.4	0.42
Multiple Myeloma	88	7.5	0.37	5.4	0.27	63	4.5	0.26	3.2	0.19
Leukemias	204	18.6	0.60	14.2	0.48	147	11.9	0.46	9.3	0.40
Acute lymphocytic	11	1.3	0.18	1.5	0.21	9	1.0	0.16	1.1	0.18
Chronic lymphocytic	82	6.9	0.35	4.9	0.25	46	3.3	0.22	2.4	0.17
Acute myeloid	60	5.5	0.33	4.2	0.26	54	4.4	0.28	3.4	0.24
Chronic myeloid	26	2.5	0.23	2.0	0.18	24	2.1	0.20	1.7	0.17
Other leukemias	24	2.2	0.21	1.6	0.16	13	1.1	0.14	0.8	0.12
Mesothelioma	22	2.0	0.19	1.3	0.12	5	0.4	0.09	0.3	0.06
Kaposi Sarcoma	3	0.3	0.08	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	91	8.7	0.42	7.0	0.35	173	14.4	0.52	11.4	0.43
Breast (<i>in situ</i>)	-	-	-	-	-	270	21.7	0.62	17.9	0.51

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
West Virginia, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	5,803	511.9	3.11	383.5	2.36	5,610	459.0	2.88	360.2	2.37
Oral Cavity & Pharynx	237	20.9	0.63	16.8	0.51	91	7.4	0.36	5.7	0.29
Lip	9	0.8	0.13	0.6	0.09	4	0.3	0.06	0.2	0.04
Tongue	72	6.1	0.34	5.1	0.28	28	2.3	0.20	1.7	0.16
Major salivary gland	18	1.7	0.19	1.1	0.12	12	1.1	0.15	0.9	0.12
Floor of mouth	12	1.0	0.14	0.9	0.12	3	0.3	0.07	0.2	0.06
Gum & other mouth	31	2.7	0.23	2.1	0.18	20	1.6	0.16	1.2	0.13
Nasopharynx	6	0.6	0.11	0.4	0.09	4	0.3	0.07	0.2	0.06
Oropharynx	17	1.5	0.17	1.2	0.14	5	0.4	0.08	0.3	0.06
Hypopharynx	13	1.2	0.15	0.9	0.12	3	0.2	0.06	0.2	0.05
Digestive System	1,136	100.7	1.38	75.2	1.04	914	71.1	1.09	52.0	0.84
Esophagus	113	9.5	0.41	7.3	0.31	26	2.0	0.18	1.4	0.14
Stomach	86	7.6	0.38	5.5	0.27	51	3.9	0.25	2.8	0.19
Small intestine	26	2.3	0.21	1.8	0.17	25	2.1	0.20	1.7	0.16
Colon excl. rectum	393	35.6	0.83	25.8	0.61	393	30.5	0.71	21.8	0.54
Rectum & rectosigmoid	187	17.0	0.58	13.2	0.45	130	10.7	0.44	8.2	0.35
Anus, anal canal & anorectum	18	1.6	0.17	1.2	0.13	39	3.1	0.24	2.6	0.19
Liver	115	9.6	0.41	7.5	0.32	37	2.8	0.21	2.0	0.16
Gallbladder	5	0.5	0.09	0.3	0.06	13	0.9	0.12	0.7	0.09
Pancreas	147	12.9	0.49	9.4	0.36	147	11.1	0.42	7.9	0.31
Respiratory System	1,211	103.7	1.37	75.2	0.99	968	72.8	1.07	54.5	0.83
Larynx	96	8.1	0.38	6.4	0.30	33	2.6	0.21	2.2	0.18
Lung & bronchus	1,102	94.3	1.31	67.7	0.93	926	69.5	1.05	51.8	0.80
Bones & Joints	8	0.9	0.15	0.8	0.15	10	1.1	0.16	1.0	0.16
Soft Tissue (incl. heart)	36	3.5	0.27	2.8	0.23	29	2.8	0.24	2.4	0.22
Skin (excl. basal & sq.)	310	29.1	0.77	21.6	0.58	204	18.6	0.62	15.3	0.54
Melanomas of the skin	291	27.3	0.74	20.4	0.57	192	17.5	0.60	14.5	0.52
Breast (excl. <i>in situ</i>)	11	1.0	0.13	0.7	0.10	1,427	117.4	1.46	92.9	1.19
Female Genital System	-	-	-	-	-	694	58.4	1.05	48.3	0.90
Cervix uteri	-	-	-	-	-	85	9.3	0.47	8.2	0.43
Uterus Corpus	-	-	-	-	-	380	30.5	0.74	25.4	0.62
Uterus, NOS ¹	-	-	-	-	-	13	1.1	0.14	0.8	0.12
Ovary	-	-	-	-	-	148	12.1	0.47	9.7	0.40
Male Genital System	1,169	96.6	1.30	74.4	1.01	-	-	-	-	-
Prostate	1,108	89.5	1.23	67.7	0.92	-	-	-	-	-
Testis	45	5.6	0.38	5.6	0.39	-	-	-	-	-
Penis	15	1.4	0.16	1.0	0.12	-	-	-	-	-
Urinary System	727	65.3	1.12	47.2	0.82	334	26.3	0.67	20.1	0.54
Bladder (incl. <i>in situ</i>)	429	38.3	0.85	26.0	0.58	135	10.3	0.41	7.4	0.31
Kidney & renal pelvis	282	25.6	0.71	20.2	0.57	192	15.5	0.53	12.4	0.44
Ureter	11	1.0	0.14	0.6	0.09	5	0.3	0.07	0.2	0.05
Eye & Orbit	15	1.4	0.17	1.1	0.15	11	0.9	0.14	0.9	0.14
Brain & Other CNS ¹	85	8.5	0.43	7.4	0.40	65	6.2	0.37	5.5	0.35
Brain	81	8.1	0.42	7.0	0.39	60	5.7	0.35	5.0	0.33
Endocrine System	84	8.4	0.43	7.1	0.37	252	27.0	0.80	24.5	0.74
Thyroid gland	77	7.6	0.41	6.4	0.35	248	26.6	0.79	24.1	0.74
Lymphomas	274	25.5	0.72	19.7	0.57	228	18.8	0.59	14.7	0.49
Hodgkin Lymphoma	26	2.9	0.26	2.7	0.25	20	2.3	0.24	2.3	0.25
Non-Hodgkin Lymphoma	247	22.6	0.67	17.0	0.51	208	16.5	0.53	12.4	0.42
Multiple Myeloma	83	7.3	0.37	5.3	0.27	57	4.2	0.26	3.1	0.19
Leukemias	197	18.6	0.61	14.2	0.49	141	11.9	0.47	9.4	0.41
Acute lymphocytic	11	1.3	0.19	1.5	0.21	9	1.0	0.16	1.1	0.18
Chronic lymphocytic	80	6.9	0.36	4.9	0.25	44	3.3	0.23	2.3	0.17
Acute myeloid	58	5.6	0.34	4.3	0.27	53	4.4	0.29	3.4	0.24
Chronic myeloid	25	2.5	0.23	1.9	0.19	24	2.1	0.21	1.7	0.17
Other leukemias	24	2.3	0.21	1.6	0.16	12	1.1	0.14	0.8	0.13
Mesothelioma	22	2.0	0.19	1.3	0.13	5	0.4	0.09	0.3	0.07
Kaposi Sarcoma	2	0.2	0.07	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	86	8.6	0.43	6.9	0.36	170	14.7	0.53	11.7	0.45
Breast (<i>in situ</i>)	-	-	-	-	-	260	21.6	0.63	17.8	0.52

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
West Virginia, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	185	531.6	19.16	407.6	13.66	135	378.1	15.03	295.7	11.90
Oral Cavity & Pharynx	5	13.7	3.13	10.4	2.21	2	6.1	2.03	4.9	1.63
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	1	3.4	1.59	2.5	1.03	-	-	-	-	-
Digestive System	40	113.2	8.77	87.4	6.32	27	74.6	6.59	57.5	5.10
Esophagus	1	3.6	1.55	2.8	1.17	-	-	-	-	-
Stomach	3	9.2	2.49	7.1	1.81	2	6.9	2.07	5.3	1.62
Small intestine	2	9.0	2.88	5.5	1.69	1	3.8	1.61	2.7	1.18
Colon excl. rectum	12	35.1	4.90	27.2	3.55	11	28.0	3.96	21.4	3.04
Rectum & rectosigmoid	5	12.6	2.89	9.8	2.08	4	10.3	2.49	8.5	2.04
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	15.8	2.57	14.3	2.33	2	4.4	1.49	3.7	1.25
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	20.5	3.97	14.7	2.65	5	13.5	2.83	9.7	2.01
Respiratory System	32	100.2	8.81	71.6	5.80	21	57.8	5.78	42.9	4.28
Larynx	2	4.8	1.65	4.0	1.29	1	4.2	1.62	3.2	1.23
Lung & bronchus	29	93.7	8.59	66.0	5.59	19	52.9	5.50	39.2	4.08
Bones & Joints	1	3.6	1.60	3.1	1.30	-	-	-	-	-
Soft Tissue (incl. heart)	1	4.4	1.81	3.3	1.28	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	40	116.3	8.48	91.4	6.76
Female Genital System	-	-	-	-	-	14	38.4	4.76	31.2	3.87
Cervix uteri	-	-	-	-	-	2	4.6	1.66	4.4	1.59
Uterus Corpus	-	-	-	-	-	7	17.5	3.07	14.6	2.53
Uterus, NOS ¹	-	-	-	-	-	1	3.3	1.37	2.6	1.05
Ovary	-	-	-	-	-	3	9.6	2.45	6.7	1.77
Male Genital System	65	171.1	10.26	137.4	7.75	-	-	-	-	-
Prostate	64	168.8	10.20	135.3	7.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	41.8	5.41	31.4	3.80	6	15.1	2.92	10.9	2.19
Bladder (incl. <i>in situ</i>)	5	16.4	3.51	11.8	2.31	2	5.5	1.70	2.9	0.96
Kidney & renal pelvis	9	24.9	4.09	19.3	2.98	3	9.5	2.38	7.9	1.97
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	4	9.8	2.38	8.6	2.01	5	14.7	3.09	13.7	2.89
Thyroid gland	3	7.4	2.10	6.4	1.74	5	14.7	3.09	13.7	2.89
Lymphomas	7	19.0	3.46	15.9	2.72	5	14.0	2.87	12.1	2.51
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	4	11.2	2.55	9.3	2.16
Multiple Myeloma	4	12.5	3.08	9.1	2.09	5	12.2	2.63	9.0	1.99
Leukemias	5	20.0	4.22	13.5	2.64	4	10.9	2.61	8.4	2.02
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	9.8	3.12	5.7	1.74	1	3.7	1.45	2.6	1.07
Acute myeloid	2	5.3	2.13	3.8	1.37	1	3.7	1.56	3.0	1.24
Chronic myeloid	1	4.0	1.75	3.0	1.23	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	16.6	3.76	11.1	2.30	4	9.6	2.30	6.2	1.55
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	3	9.3	2.67	7.0	1.85	2	6.9	2.15	5.8	1.83
Breast (<i>in situ</i>)	-	-	-	-	-	8	22.2	3.72	18.2	3.05

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
West Virginia, 2013-2017, Asian/Pacific Islander (API)

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	11	187.7	28.17	134.6	18.20	20	228.1	23.66	179.0	18.28
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	66.1	17.92	44.5	10.71	3	42.0	10.74	30.0	7.34
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	23.5	9.52	16.4	6.25	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	38.4	9.98	31.6	8.18	2	24.3	7.63	17.9	5.48
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	36.0	9.69	29.3	7.85	2	22.7	7.46	16.6	5.30
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	8	92.8	14.77	73.6	11.62
Female Genital System	-	-	-	-	-	2	19.1	6.46	16.8	5.67
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	1	21.1	8.44	15.9	6.03	-	-	-	-	-
Prostate	1	15.7	6.49	13.1	5.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	1	20.4	8.70	13.6	5.59	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	15.5	5.93	14.6	5.53
Thyroid gland	-	-	-	-	-	1	15.5	5.93	14.6	5.53
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	1	13.7	5.24	12.1	4.62

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

insufficient data for the calculation of AI/AN PRCDA statistics

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
West Virginia, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	24	276.3	26.98	202.3	18.94	20	213.8	21.68	171.9	17.39
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	63.5	12.69	48.0	9.19	4	45.2	10.28	32.3	7.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	2	19.6	6.95	14.3	4.88	1	14.0	5.81	9.4	3.97
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	1	12.9	5.62	10.3	4.23	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	32.0	9.43	23.2	6.49	2	24.5	7.09	21.9	6.33
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	30.2	9.27	21.7	6.32	2	24.5	7.09	21.9	6.33
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	5	58.8	11.39	48.0	9.33
Female Genital System	-	-	-	-	-	2	17.4	5.83	15.8	5.28
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	6	80.9	15.03	57.8	10.34	-	-	-	-	-
Prostate	6	80.9	15.03	57.8	10.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	40.4	10.75	27.2	7.15	1	13.2	5.53	8.1	3.51
Bladder (incl. <i>in situ</i>)	1	18.9	7.77	12.4	5.07	-	-	-	-	-
Kidney & renal pelvis	2	21.5	7.42	14.8	5.03	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	1	10.9	4.51	10.1	4.15
Thyroid gland	-	-	-	-	-	1	10.9	4.51	10.1	4.15
Lymphomas	1	9.8	4.02	8.7	3.59	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	1	13.6	5.60	11.3	4.36	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	2	17.7	6.38	14.5	5.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WEST VIRGINIA

430 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
West Virginia, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	5,785	514.1	3.13	385.4	2.38	5,596	461.5	2.90	362.3	2.39
Oral Cavity & Pharynx	236	21.0	0.64	16.9	0.51	90	7.4	0.36	5.7	0.29
Lip	9	0.9	0.13	0.6	0.09	4	0.3	0.07	0.2	0.04
Tongue	72	6.2	0.34	5.1	0.28	28	2.3	0.20	1.7	0.16
Major salivary gland	18	1.7	0.19	1.1	0.12	12	1.1	0.15	0.9	0.13
Floor of mouth	12	1.0	0.14	0.9	0.12	3	0.3	0.07	0.2	0.06
Gum & other mouth	31	2.7	0.23	2.1	0.18	20	1.6	0.17	1.2	0.13
Nasopharynx	6	0.6	0.11	0.4	0.09	4	0.3	0.07	0.3	0.06
Oropharynx	17	1.5	0.17	1.2	0.14	5	0.4	0.08	0.3	0.07
Hypopharynx	13	1.1	0.15	0.9	0.12	3	0.2	0.06	0.2	0.05
Digestive System	1,132	101.1	1.39	75.5	1.04	911	71.4	1.10	52.2	0.85
Esophagus	113	9.6	0.42	7.3	0.32	26	2.0	0.18	1.4	0.14
Stomach	85	7.7	0.38	5.5	0.28	51	3.9	0.25	2.8	0.19
Small intestine	26	2.4	0.22	1.8	0.17	25	2.1	0.20	1.7	0.16
Colon excl. rectum	392	35.7	0.84	26.0	0.61	392	30.6	0.72	21.9	0.54
Rectum & rectosigmoid	186	17.1	0.58	13.2	0.46	130	10.7	0.44	8.3	0.35
Anus, anal canal & anorectum	18	1.6	0.17	1.2	0.13	39	3.2	0.24	2.6	0.20
Liver	114	9.5	0.41	7.5	0.32	37	2.8	0.21	2.0	0.16
Gallbladder	5	0.5	0.09	0.3	0.06	13	0.9	0.12	0.7	0.09
Pancreas	147	12.9	0.49	9.5	0.36	146	11.2	0.43	7.9	0.32
Respiratory System	1,209	104.2	1.38	75.6	0.99	966	73.2	1.08	54.8	0.83
Larynx	96	8.1	0.38	6.4	0.30	33	2.6	0.21	2.2	0.18
Lung & bronchus	1,100	94.8	1.31	68.1	0.94	925	69.8	1.05	52.0	0.80
Bones & Joints	7	0.9	0.15	0.8	0.14	10	1.1	0.16	1.0	0.17
Soft Tissue (incl. heart)	36	3.5	0.28	2.9	0.23	29	2.8	0.24	2.4	0.23
Skin (excl. basal & sq.)	309	29.3	0.77	21.8	0.59	204	18.7	0.62	15.5	0.54
Melanomas of the skin	290	27.5	0.75	20.6	0.57	192	17.7	0.61	14.6	0.53
Breast (excl. <i>in situ</i>)	11	1.0	0.14	0.7	0.10	1,423	117.9	1.47	93.3	1.20
Female Genital System	-	-	-	-	-	692	58.8	1.06	48.6	0.90
Cervix uteri	-	-	-	-	-	84	9.4	0.48	8.3	0.43
Uterus Corpus	-	-	-	-	-	380	30.7	0.74	25.5	0.63
Uterus, NOS ¹	-	-	-	-	-	13	1.1	0.14	0.9	0.12
Ovary	-	-	-	-	-	147	12.2	0.47	9.8	0.40
Male Genital System	1,164	96.8	1.31	74.6	1.01	-	-	-	-	-
Prostate	1,102	89.6	1.24	67.7	0.93	-	-	-	-	-
Testis	45	5.7	0.39	5.7	0.39	-	-	-	-	-
Penis	15	1.4	0.16	1.0	0.12	-	-	-	-	-
Urinary System	725	65.6	1.13	47.4	0.82	333	26.4	0.68	20.2	0.54
Bladder (incl. <i>in situ</i>)	428	38.5	0.85	26.2	0.58	135	10.4	0.41	7.4	0.31
Kidney & renal pelvis	281	25.7	0.72	20.3	0.58	192	15.5	0.53	12.5	0.44
Ureter	11	1.0	0.14	0.6	0.09	5	0.3	0.07	0.2	0.05
Eye & Orbit	15	1.4	0.17	1.2	0.15	11	1.0	0.14	0.9	0.15
Brain & Other CNS ¹	85	8.6	0.44	7.5	0.40	64	6.3	0.37	5.6	0.35
Brain	81	8.2	0.43	7.1	0.39	60	5.8	0.35	5.0	0.33
Endocrine System	84	8.4	0.43	7.2	0.38	252	27.3	0.81	24.8	0.76
Thyroid gland	76	7.6	0.41	6.4	0.35	248	26.9	0.81	24.4	0.75
Lymphomas	273	25.7	0.72	19.8	0.58	228	18.9	0.59	14.9	0.50
Hodgkin Lymphoma	26	3.0	0.27	2.8	0.26	20	2.4	0.25	2.4	0.26
Non-Hodgkin Lymphoma	247	22.7	0.67	17.1	0.52	208	16.6	0.54	12.5	0.43
Multiple Myeloma	83	7.4	0.37	5.3	0.27	57	4.3	0.26	3.1	0.19
Leukemias	197	18.7	0.62	14.3	0.50	140	11.9	0.48	9.4	0.41
Acute lymphocytic	11	1.4	0.19	1.5	0.22	8	1.0	0.16	1.1	0.18
Chronic lymphocytic	79	6.9	0.36	4.9	0.25	44	3.3	0.23	2.3	0.17
Acute myeloid	58	5.6	0.34	4.3	0.28	52	4.5	0.29	3.5	0.25
Chronic myeloid	25	2.5	0.24	1.9	0.19	24	2.1	0.21	1.7	0.18
Other leukemias	24	2.3	0.21	1.7	0.16	12	1.1	0.14	0.8	0.13
Mesothelioma	22	2.0	0.20	1.3	0.13	5	0.4	0.09	0.3	0.07
Kaposi Sarcoma	2	0.2	0.07	0.2	0.06	-	-	-	-	-
Ill-defined & Unknown	196	18.3	0.60	12.5	0.42	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	86	8.6	0.43	7.0	0.37	170	14.8	0.54	11.8	0.45
Breast (<i>in situ</i>)	-	-	-	-	-	258	21.7	0.63	17.9	0.53

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
West Virginia, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	184	537.0	19.40	411.6	13.82	134	379.4	15.14	297.0	12.01
Oral Cavity & Pharynx	4	13.3	3.11	10.0	2.18	2	6.2	2.06	5.0	1.65
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	1	3.5	1.62	2.5	1.05	-	-	-	-	-
Digestive System	40	114.8	8.90	88.7	6.41	27	74.5	6.61	57.4	5.12
Esophagus	1	3.7	1.56	2.9	1.19	-	-	-	-	-
Stomach	3	9.3	2.51	7.2	1.83	2	7.0	2.10	5.3	1.65
Small intestine	2	9.1	2.92	5.6	1.71	1	3.9	1.63	2.8	1.20
Colon excl. rectum	12	35.6	4.97	27.6	3.60	11	28.2	3.99	21.6	3.07
Rectum & rectosigmoid	5	12.8	2.94	10.0	2.12	4	10.5	2.52	8.6	2.07
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	16.0	2.61	14.5	2.36	2	4.4	1.51	3.8	1.26
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	6	20.8	4.03	14.9	2.69	5	13.6	2.86	9.8	2.03
Respiratory System	32	101.0	8.90	72.0	5.86	21	57.6	5.79	42.7	4.29
Larynx	2	4.9	1.67	4.1	1.31	1	4.3	1.63	3.3	1.24
Lung & bronchus	29	94.3	8.68	66.4	5.64	19	52.7	5.51	39.0	4.08
Bones & Joints	1	3.7	1.63	3.2	1.34	-	-	-	-	-
Soft Tissue (incl. heart)	1	4.5	1.84	3.4	1.31	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	40	117.6	8.59	92.6	6.86
Female Genital System	-	-	-	-	-	14	38.9	4.82	31.6	3.92
Cervix uteri	-	-	-	-	-	2	4.7	1.69	4.5	1.63
Uterus Corpus	-	-	-	-	-	7	17.7	3.10	14.8	2.56
Uterus, NOS ¹	-	-	-	-	-	1	3.3	1.38	2.6	1.06
Ovary	-	-	-	-	-	3	9.7	2.48	6.8	1.80
Male Genital System	65	172.7	10.37	138.7	7.83	-	-	-	-	-
Prostate	64	170.3	10.30	136.5	7.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	42.5	5.51	32.0	3.86	6	15.2	2.95	11.0	2.21
Bladder (incl. <i>in situ</i>)	5	16.7	3.57	12.0	2.35	2	5.6	1.71	2.9	0.96
Kidney & renal pelvis	9	25.3	4.17	19.6	3.03	3	9.6	2.41	8.0	2.00
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	4	10.0	2.42	8.8	2.05	5	15.0	3.17	14.0	2.97
Thyroid gland	3	7.5	2.14	6.5	1.78	5	15.0	3.17	14.0	2.97
Lymphomas	7	19.4	3.51	16.2	2.77	5	13.4	2.81	11.5	2.44
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	12.6	3.12	9.2	2.11	5	12.3	2.66	9.1	2.02
Leukemias	5	19.9	4.26	13.2	2.64	4	11.0	2.64	8.5	2.05
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	2	9.9	3.17	5.8	1.77	1	3.7	1.47	2.6	1.08
Acute myeloid	1	5.0	2.10	3.3	1.29	1	3.8	1.59	3.0	1.26
Chronic myeloid	1	4.1	1.79	3.1	1.26	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	5	16.9	3.83	11.3	2.34	4	9.6	2.31	6.2	1.56
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	3	9.5	2.73	7.2	1.90	2	7.0	2.19	6.0	1.87
Breast (<i>in situ</i>)	-	-	-	-	-	8	22.5	3.77	18.4	3.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wisconsin, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16,693	503.7	1.79	371.2	1.32	15,899	438.3	1.61	338.6	1.29
Oral Cavity & Pharynx	612	17.7	0.33	14.0	0.26	263	7.1	0.20	5.6	0.17
Lip	37	1.2	0.09	0.8	0.06	13	0.4	0.05	0.3	0.03
Tongue	191	5.4	0.18	4.4	0.14	80	2.1	0.11	1.7	0.09
Major salivary gland	56	1.8	0.11	1.3	0.08	38	1.1	0.08	0.9	0.07
Floor of mouth	33	0.9	0.07	0.8	0.06	16	0.4	0.05	0.3	0.04
Gum & other mouth	65	2.0	0.11	1.5	0.08	57	1.5	0.09	1.2	0.07
Nasopharynx	16	0.5	0.06	0.4	0.05	7	0.2	0.04	0.2	0.03
Oropharynx	29	0.8	0.07	0.7	0.06	8	0.2	0.03	0.2	0.03
Hypopharynx	41	1.2	0.08	0.9	0.06	11	0.3	0.04	0.2	0.03
Digestive System	3,066	93.5	0.78	67.8	0.56	2,358	62.4	0.59	44.8	0.44
Esophagus	297	8.9	0.24	6.4	0.17	82	2.1	0.11	1.5	0.08
Stomach	273	8.4	0.23	6.0	0.17	141	3.8	0.15	2.8	0.11
Small intestine	108	3.3	0.15	2.4	0.11	81	2.2	0.11	1.7	0.09
Colon excl. rectum	882	27.7	0.43	19.6	0.30	927	24.7	0.37	17.2	0.28
Rectum & rectosigmoid	446	13.4	0.29	10.4	0.23	287	7.9	0.22	6.1	0.17
Anus, anal canal & anorectum	38	1.2	0.09	0.9	0.07	78	2.1	0.11	1.7	0.09
Liver	318	9.0	0.23	6.9	0.18	103	2.7	0.12	2.0	0.09
Gallbladder	26	0.8	0.08	0.5	0.05	48	1.2	0.08	0.9	0.06
Pancreas	518	15.8	0.32	11.1	0.22	446	11.4	0.25	7.9	0.18
Respiratory System	2,420	73.2	0.68	51.2	0.47	2,118	55.3	0.55	39.7	0.40
Larynx	195	5.6	0.19	4.3	0.14	48	1.2	0.08	1.0	0.07
Lung & bronchus	2,194	66.6	0.65	46.2	0.45	2,049	53.5	0.54	38.3	0.39
Bones & Joints	29	1.0	0.08	0.9	0.08	22	0.7	0.07	0.7	0.07
Soft Tissue (incl. heart)	123	4.0	0.17	3.2	0.14	102	3.0	0.14	2.5	0.12
Skin (excl. basal & sq.)	1,012	31.5	0.46	23.1	0.34	710	21.1	0.37	17.4	0.32
Melanomas of the skin	953	29.6	0.44	21.8	0.33	666	19.9	0.36	16.5	0.31
Breast (excl. <i>in situ</i>)	51	1.6	0.10	1.1	0.07	4,677	131.5	0.89	104.0	0.72
Female Genital System	-	-	-	-	-	1,979	54.1	0.56	43.7	0.46
Cervix uteri	-	-	-	-	-	191	6.4	0.22	5.7	0.19
Uterus Corpus	-	-	-	-	-	1,169	30.8	0.42	24.9	0.34
Uterus, NOS ¹	-	-	-	-	-	40	1.1	0.08	0.8	0.06
Ovary	-	-	-	-	-	419	11.5	0.26	9.1	0.21
Male Genital System	4,158	117.2	0.84	91.3	0.65	-	-	-	-	-
Prostate	3,939	109.3	0.80	83.6	0.60	-	-	-	-	-
Testis	186	6.9	0.23	7.0	0.23	-	-	-	-	-
Penis	25	0.8	0.07	0.6	0.05	-	-	-	-	-
Urinary System	2,123	65.8	0.66	45.9	0.46	855	23.0	0.36	16.8	0.27
Bladder (incl. <i>in situ</i>)	1,237	39.0	0.51	25.7	0.33	380	9.8	0.23	6.8	0.17
Kidney & renal pelvis	845	25.5	0.40	19.4	0.31	452	12.5	0.27	9.6	0.22
Ureter	29	0.9	0.08	0.6	0.05	16	0.4	0.05	0.3	0.03
Eye & Orbit	37	1.1	0.08	0.9	0.07	32	0.9	0.07	0.7	0.06
Brain & Other CNS ¹	250	8.0	0.23	6.6	0.20	197	5.8	0.19	5.0	0.18
Brain	238	7.6	0.23	6.3	0.19	186	5.4	0.18	4.6	0.17
Endocrine System	244	7.8	0.23	6.6	0.20	637	21.1	0.39	19.1	0.36
Thyroid gland	223	7.1	0.22	6.0	0.19	618	20.5	0.38	18.5	0.35
Lymphomas	906	28.7	0.44	21.7	0.34	707	19.6	0.34	15.2	0.28
Hodgkin Lymphoma	105	3.6	0.16	3.4	0.15	73	2.5	0.13	2.4	0.14
Non-Hodgkin Lymphoma	800	25.1	0.41	18.3	0.30	634	17.1	0.31	12.8	0.24
Multiple Myeloma	282	8.6	0.24	6.1	0.17	216	5.6	0.17	4.0	0.13
Leukemias	673	21.1	0.37	15.7	0.28	446	12.3	0.27	9.5	0.22
Acute lymphocytic	44	1.6	0.11	1.7	0.12	33	1.2	0.09	1.3	0.10
Chronic lymphocytic	290	8.7	0.24	6.2	0.17	170	4.3	0.15	3.1	0.11
Acute myeloid	174	5.6	0.19	4.0	0.14	130	3.7	0.15	2.8	0.12
Chronic myeloid	99	3.2	0.15	2.3	0.11	70	2.0	0.11	1.5	0.09
Other leukemias	66	2.1	0.12	1.6	0.09	43	1.1	0.08	0.8	0.06
Mesothelioma	63	2.1	0.12	1.3	0.07	22	0.6	0.06	0.4	0.04
Kaposi Sarcoma	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Ill-defined & Unknown	639	20.6	0.37	13.5	0.25	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	316	10.2	0.26	8.0	0.21	680	19.4	0.35	15.1	0.28
Breast (<i>in situ</i>)	6	0.2	0.04	0.1	0.03	1,158	33.4	0.46	27.1	0.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wisconsin, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	15,479	496.1	1.84	364.9	1.36	14,703	434.8	1.67	335.8	1.35
Oral Cavity & Pharynx	574	17.6	0.34	13.9	0.27	243	7.0	0.21	5.5	0.17
Lip	36	1.2	0.09	0.8	0.06	13	0.4	0.05	0.3	0.03
Tongue	184	5.6	0.19	4.5	0.15	77	2.2	0.12	1.7	0.10
Major salivary gland	53	1.8	0.11	1.3	0.08	33	1.0	0.09	0.8	0.07
Floor of mouth	31	0.9	0.08	0.7	0.06	16	0.4	0.05	0.3	0.04
Gum & other mouth	60	1.9	0.11	1.4	0.08	54	1.5	0.10	1.2	0.08
Nasopharynx	13	0.4	0.05	0.3	0.04	4	0.1	0.03	0.1	0.02
Oropharynx	27	0.8	0.07	0.7	0.06	8	0.2	0.04	0.2	0.03
Hypopharynx	36	1.1	0.08	0.8	0.06	10	0.3	0.04	0.2	0.03
Digestive System	2,796	90.6	0.79	65.4	0.57	2,138	60.1	0.60	42.9	0.45
Esophagus	282	8.9	0.24	6.4	0.17	72	2.0	0.11	1.4	0.08
Stomach	246	8.0	0.23	5.7	0.17	121	3.4	0.15	2.5	0.11
Small intestine	99	3.3	0.15	2.4	0.11	71	2.1	0.11	1.6	0.09
Colon excl. rectum	809	27.0	0.44	19.0	0.31	848	23.9	0.38	16.5	0.28
Rectum & rectosigmoid	410	13.2	0.30	10.2	0.23	259	7.6	0.22	5.8	0.18
Anus, anal canal & anorectum	34	1.1	0.09	0.8	0.07	75	2.1	0.12	1.7	0.09
Liver	261	7.9	0.22	6.0	0.17	87	2.5	0.12	1.8	0.09
Gallbladder	23	0.8	0.07	0.5	0.05	42	1.2	0.08	0.8	0.06
Pancreas	485	15.6	0.33	11.0	0.23	410	11.0	0.25	7.7	0.18
Respiratory System	2,235	71.3	0.69	49.7	0.48	1,959	54.2	0.56	38.9	0.41
Larynx	179	5.5	0.19	4.1	0.14	44	1.2	0.08	1.0	0.07
Lung & bronchus	2,026	64.9	0.66	44.8	0.45	1,895	52.4	0.55	37.4	0.40
Bones & Joints	28	1.0	0.09	1.0	0.09	20	0.7	0.08	0.7	0.08
Soft Tissue (incl. heart)	111	3.9	0.17	3.1	0.14	93	3.0	0.15	2.5	0.13
Skin (excl. basal & sq.)	965	31.9	0.47	23.5	0.35	667	21.6	0.39	17.9	0.34
Melanomas of the skin	910	30.0	0.46	22.2	0.34	624	20.3	0.38	17.0	0.33
Breast (excl. <i>in situ</i>)	47	1.6	0.10	1.1	0.07	4,349	131.5	0.93	103.9	0.75
Female Genital System	-	-	-	-	-	1,832	53.8	0.59	43.3	0.48
Cervix uteri	-	-	-	-	-	158	5.9	0.22	5.2	0.20
Uterus Corpus	-	-	-	-	-	1,090	30.8	0.43	24.9	0.35
Uterus, NOS ¹	-	-	-	-	-	35	1.0	0.08	0.8	0.06
Ovary	-	-	-	-	-	393	11.6	0.27	9.2	0.22
Male Genital System	3,796	113.8	0.85	88.6	0.66	-	-	-	-	-
Prostate	3,587	105.2	0.81	80.3	0.60	-	-	-	-	-
Testis	177	7.5	0.26	7.6	0.26	-	-	-	-	-
Penis	25	0.8	0.08	0.6	0.05	-	-	-	-	-
Urinary System	2,018	66.0	0.67	46.0	0.47	794	22.7	0.37	16.5	0.29
Bladder (incl. <i>in situ</i>)	1,196	39.6	0.52	26.1	0.34	363	9.9	0.24	6.8	0.17
Kidney & renal pelvis	781	25.1	0.41	19.1	0.32	411	12.2	0.28	9.4	0.22
Ureter	29	1.0	0.08	0.6	0.05	15	0.4	0.05	0.3	0.03
Eye & Orbit	36	1.2	0.09	0.9	0.07	31	0.9	0.08	0.8	0.07
Brain & Other CNS ¹	235	8.1	0.25	6.8	0.21	186	6.0	0.21	5.2	0.19
Brain	225	7.7	0.24	6.4	0.21	176	5.6	0.20	4.8	0.18
Endocrine System	229	8.0	0.24	6.8	0.21	584	21.6	0.42	19.6	0.39
Thyroid gland	210	7.3	0.23	6.2	0.20	567	21.0	0.41	19.0	0.38
Lymphomas	854	28.8	0.45	21.7	0.35	661	19.6	0.36	15.3	0.30
Hodgkin Lymphoma	94	3.6	0.17	3.3	0.16	66	2.5	0.14	2.5	0.15
Non-Hodgkin Lymphoma	759	25.2	0.42	18.4	0.31	595	17.1	0.33	12.8	0.26
Multiple Myeloma	252	8.2	0.24	5.7	0.16	189	5.2	0.17	3.7	0.13
Leukemias	636	21.2	0.39	15.8	0.30	416	12.2	0.28	9.4	0.24
Acute lymphocytic	40	1.6	0.12	1.7	0.13	30	1.2	0.10	1.3	0.12
Chronic lymphocytic	278	8.9	0.24	6.3	0.17	162	4.4	0.16	3.1	0.12
Acute myeloid	164	5.5	0.20	4.0	0.15	122	3.6	0.15	2.8	0.13
Chronic myeloid	93	3.1	0.15	2.3	0.11	62	1.8	0.11	1.4	0.09
Other leukemias	61	2.1	0.12	1.5	0.09	40	1.1	0.08	0.8	0.07
Mesothelioma	60	2.1	0.13	1.3	0.08	21	0.6	0.06	0.4	0.04
Kaposi Sarcoma	4	0.1	0.03	0.1	0.03	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	290	10.1	0.27	7.9	0.22	610	18.7	0.36	14.6	0.29
Breast (<i>in situ</i>)	5	0.2	0.04	0.1	0.03	1,059	33.0	0.47	26.8	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wisconsin, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	824	641.0	11.03	493.7	7.85	767	478.0	8.04	373.2	6.06
Oral Cavity & Pharynx	24	17.1	1.70	13.8	1.28	11	6.3	0.89	5.2	0.71
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.0	0.64	2.6	0.54	1	0.9	0.36	0.7	0.26
Major salivary gland	2	1.0	0.34	1.0	0.33	3	1.7	0.46	1.3	0.36
Floor of mouth	2	1.1	0.39	0.9	0.33	-	-	-	-	-
Gum & other mouth	3	2.4	0.66	1.8	0.46	2	1.4	0.42	1.2	0.34
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	2	1.3	0.51	1.0	0.35	-	-	-	-	-
Hypopharynx	4	3.5	0.83	2.6	0.57	-	-	-	-	-
Digestive System	191	145.9	5.20	112.7	3.72	146	93.0	3.59	70.4	2.62
Esophagus	11	7.6	1.12	6.1	0.85	7	4.5	0.78	3.5	0.59
Stomach	19	16.8	1.91	12.0	1.25	11	7.8	1.07	5.6	0.75
Small intestine	6	5.1	1.00	3.9	0.70	8	4.4	0.74	3.7	0.60
Colon excl. rectum	53	42.7	2.93	31.8	2.00	54	35.0	2.21	26.4	1.61
Rectum & rectosigmoid	23	16.2	1.63	13.1	1.24	16	9.6	1.09	7.9	0.87
Anus, anal canal & anorectum	3	1.9	0.51	1.7	0.43	3	2.0	0.55	1.4	0.37
Liver	42	27.8	2.05	23.5	1.65	10	5.8	0.86	4.7	0.67
Gallbladder	2	2.3	0.70	1.6	0.48	3	2.2	0.57	1.6	0.39
Pancreas	25	19.6	1.92	15.0	1.37	27	18.1	1.62	13.1	1.13
Respiratory System	145	122.7	5.03	90.5	3.43	111	72.7	3.22	54.4	2.32
Larynx	13	9.4	1.25	7.5	0.96	3	1.9	0.49	1.6	0.40
Lung & bronchus	132	113.0	4.87	82.7	3.29	108	70.6	3.18	52.7	2.29
Bones & Joints	-	-	-	-	-	1	0.6	0.25	0.7	0.25
Soft Tissue (incl. heart)	8	5.3	0.94	4.4	0.72	6	3.8	0.69	3.2	0.57
Skin (excl. basal & sq.)	2	1.9	0.62	1.5	0.43	2	1.2	0.40	0.9	0.30
Melanomas of the skin	-	-	-	-	-	1	0.7	0.27	0.7	0.25
Breast (excl. <i>in situ</i>)	3	2.0	0.55	1.7	0.44	224	136.5	4.23	109.2	3.28
Female Genital System	-	-	-	-	-	90	53.5	2.61	43.8	2.07
Cervix uteri	-	-	-	-	-	20	11.5	1.19	10.0	1.00
Uterus Corpus	-	-	-	-	-	47	28.3	1.91	22.7	1.49
Uterus, NOS ¹	-	-	-	-	-	3	2.2	0.54	1.7	0.41
Ovary	-	-	-	-	-	16	9.5	1.10	7.8	0.88
Male Genital System	252	188.9	5.82	149.4	4.29	-	-	-	-	-
Prostate	249	187.0	5.80	147.8	4.27	-	-	-	-	-
Testis	2	1.2	0.37	1.1	0.34	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	74	59.4	3.39	45.0	2.38	45	28.6	1.99	21.8	1.47
Bladder (incl. <i>in situ</i>)	26	23.5	2.26	16.8	1.50	13	9.0	1.17	6.2	0.79
Kidney & renal pelvis	47	35.3	2.51	27.7	1.84	30	18.5	1.56	14.7	1.21
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	4.6	0.82	4.1	0.67	7	3.6	0.66	3.2	0.55
Brain	7	4.0	0.74	3.6	0.62	5	3.0	0.60	2.6	0.50
Endocrine System	8	5.4	0.95	4.5	0.72	30	17.1	1.44	14.8	1.21
Thyroid gland	7	4.9	0.93	4.0	0.68	28	15.6	1.36	13.6	1.16
Lymphomas	30	21.7	1.96	17.6	1.47	28	17.2	1.51	13.9	1.17
Hodgkin Lymphoma	7	4.0	0.73	3.7	0.63	5	2.7	0.54	2.6	0.51
Non-Hodgkin Lymphoma	23	17.7	1.81	13.8	1.33	23	14.5	1.42	11.3	1.06
Multiple Myeloma	24	20.6	2.07	15.0	1.40	22	15.1	1.49	11.0	1.05
Leukemias	25	20.3	2.04	15.2	1.39	20	12.9	1.35	9.8	0.98
Acute lymphocytic	2	0.9	0.31	1.0	0.31	2	0.8	0.26	0.8	0.28
Chronic lymphocytic	9	8.3	1.33	6.0	0.90	6	4.0	0.79	2.6	0.50
Acute myeloid	6	5.4	1.08	4.0	0.72	5	3.3	0.68	2.5	0.50
Chronic myeloid	4	2.9	0.76	2.2	0.52	6	3.5	0.70	2.7	0.52
Other leukemias	3	2.7	0.74	2.0	0.50	2	1.3	0.41	1.1	0.32
Mesothelioma	2	1.3	0.48	1.0	0.36	-	-	-	-	-
Kaposi Sarcoma	2	1.0	0.34	1.0	0.33	-	-	-	-	-
Ill-defined & Unknown	25	22.5	2.27	15.7	1.43	22	15.1	1.51	10.5	1.02
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	16	12.6	1.57	9.6	1.09	48	31.6	2.11	23.7	1.53
Breast (<i>in situ</i>)	-	-	-	-	-	71	44.0	2.40	35.1	1.87

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wisconsin, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	111	283.9	13.69	201.4	8.84	173	309.3	11.24	235.7	8.14
Oral Cavity & Pharynx	5	11.3	2.41	8.6	1.72	5	8.3	1.71	6.8	1.33
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	1	1.8	0.72	1.7	0.65
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	2	5.3	1.72	3.8	1.16	2	3.6	1.14	2.8	0.86
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	34	88.9	7.61	63.2	4.99	33	65.4	5.37	46.2	3.64
Esophagus	1	3.2	1.41	2.3	0.95	-	-	-	-	-
Stomach	4	13.2	3.16	8.4	1.88	5	10.9	2.24	7.1	1.42
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	20.3	3.57	14.8	2.38	11	20.9	3.02	14.9	2.07
Rectum & rectosigmoid	5	11.4	2.47	9.1	1.84	5	9.8	2.06	6.9	1.41
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	8	20.7	3.71	14.3	2.35	3	6.3	1.67	4.6	1.15
Gallbladder	-	-	-	-	-	1	2.9	1.23	1.8	0.74
Pancreas	3	10.0	2.57	7.1	1.74	4	9.1	2.03	6.4	1.38
Respiratory System	14	44.9	5.83	28.8	3.48	21	46.8	4.74	32.1	3.13
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	13	41.9	5.70	26.4	3.35	21	45.9	4.71	31.2	3.09
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	2	3.5	1.62	2.6	0.93	1	2.0	0.84	1.6	0.63
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	45	75.3	5.26	61.0	4.12
Female Genital System	-	-	-	-	-	26	42.3	3.91	34.7	3.08
Cervix uteri	-	-	-	-	-	6	10.8	2.02	8.5	1.54
Uterus Corpus	-	-	-	-	-	13	21.4	2.79	17.5	2.17
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	5	8.0	1.66	6.9	1.37
Male Genital System	20	52.5	5.89	37.4	3.85	-	-	-	-	-
Prostate	18	50.6	5.86	35.3	3.80	-	-	-	-	-
Testis	2	1.9	0.61	2.1	0.64	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	23.9	4.04	16.6	2.60	4	8.8	1.94	6.4	1.37
Bladder (incl. <i>in situ</i>)	4	12.1	3.06	7.6	1.78	1	3.1	1.20	2.1	0.79
Kidney & renal pelvis	5	11.8	2.64	8.9	1.89	3	4.9	1.40	3.8	1.06
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	3	5.2	1.69	4.3	1.18	2	1.9	0.68	1.9	0.68
Brain	3	5.2	1.69	4.3	1.18	1	1.7	0.65	1.6	0.62
Endocrine System	3	5.7	1.59	4.7	1.22	13	17.0	2.29	15.3	1.93
Thyroid gland	3	5.7	1.59	4.7	1.22	13	16.8	2.28	15.1	1.91
Lymphomas	9	19.0	3.36	14.5	2.26	9	18.5	2.95	12.7	1.92
Hodgkin Lymphoma	2	2.8	1.19	2.3	0.83	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	5.9	1.93	4.4	1.34	2	3.0	1.10	2.4	0.85
Leukemias	4	9.7	2.73	6.4	1.56	5	8.3	1.84	6.8	1.39
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	5.4	2.27	2.9	1.13	2	4.0	1.30	3.1	0.96
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	4	7.7	2.12	5.9	1.46	5	10.4	2.32	6.6	1.40
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	4	9.5	2.30	7.1	1.61	10	18.5	2.80	13.9	2.00
Breast (<i>in situ</i>)	-	-	-	-	-	13	21.0	2.68	17.4	2.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wisconsin, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	93	637.4	35.16	464.1	22.32	108	599.1	27.07	459.1	19.91
Oral Cavity & Pharynx	5	23.6	4.88	20.7	4.24	2	12.6	3.81	10.2	2.96
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	1	6.2	2.57	5.4	2.21	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	24	167.9	18.57	119.4	11.47	21	115.7	11.92	87.6	8.64
Esophagus	2	17.5	6.85	11.0	3.70	1	7.0	3.03	5.0	2.07
Stomach	3	21.4	6.87	14.0	4.09	2	11.9	4.03	8.4	2.82
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	6	42.7	9.88	30.4	5.86	7	36.2	6.49	28.6	4.85
Rectum & rectosigmoid	5	32.0	6.85	25.1	5.01	4	22.6	5.44	16.4	3.78
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	4	27.3	7.88	19.2	4.66	2	9.5	3.36	7.3	2.46
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	3	19.0	5.68	13.8	3.79	2	10.3	3.59	7.6	2.55
Respiratory System	13	94.4	13.57	66.1	8.47	18	107.2	11.83	76.8	8.13
Larynx	1	7.9	3.19	6.4	2.45	-	-	-	-	-
Lung & bronchus	11	85.0	13.10	58.7	8.04	17	102.9	11.61	73.4	7.95
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	2	7.5	2.68	6.7	2.40
Melanomas of the skin	-	-	-	-	-	1	6.6	2.51	5.9	2.26
Breast (excl. <i>in situ</i>)	-	-	-	-	-	29	153.3	13.36	121.5	10.23
Female Genital System	-	-	-	-	-	13	68.7	9.05	54.3	6.83
Cervix uteri	-	-	-	-	-	3	17.2	4.63	14.0	3.63
Uterus Corpus	-	-	-	-	-	7	37.7	6.66	29.6	4.96
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	9.1	3.39	6.6	2.33
Male Genital System	23	142.2	15.21	109.3	10.53	-	-	-	-	-
Prostate	20	131.6	14.88	98.4	10.05	-	-	-	-	-
Testis	2	10.5	3.16	10.8	3.14	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	76.8	12.39	54.9	7.70	6	35.9	6.85	26.3	4.75
Bladder (incl. <i>in situ</i>)	4	38.0	9.94	24.3	5.47	2	10.1	3.82	6.7	2.36
Kidney & renal pelvis	6	36.7	7.09	29.4	5.30	4	24.1	5.43	18.7	4.01
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	1	6.9	2.72	6.2	2.37	2	9.0	3.27	7.1	2.52
Brain	1	6.9	2.72	6.2	2.37	2	9.0	3.27	7.1	2.52
Endocrine System	-	-	-	-	-	4	19.4	4.51	17.7	3.98
Thyroid gland	-	-	-	-	-	4	17.7	4.19	16.7	3.86
Lymphomas	5	34.6	8.57	24.8	5.28	3	18.1	4.50	14.5	3.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	4	32.0	8.44	22.2	5.06	3	15.2	4.19	11.8	3.17
Multiple Myeloma	2	16.2	6.21	11.1	3.53	2	10.5	3.82	7.1	2.53
Leukemias	4	24.0	7.29	17.9	4.44	2	9.9	3.41	7.9	2.63
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	1	8.5	4.08	6.2	2.64	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	29.6	9.79	16.6	4.89	4	27.3	6.30	17.9	4.02
Selected tumors (non-invasive)										
Brain & Other CNS ² (non-malig)	2	11.2	4.02	8.4	2.85	4	21.7	5.13	17.0	3.93
Breast (<i>in situ</i>)	-	-	-	-	-	5	27.0	5.47	21.7	4.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wisconsin, 2013-2017, Hispanic/Latino, All Races

<i>SITES</i>	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	294	357.8	11.13	262.1	7.34	301	310.3	8.88	242.0	6.50
Oral Cavity & Pharynx	7	7.1	1.46	5.4	0.97	4	4.1	0.95	3.4	0.77
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	1	1.4	0.68	1.0	0.44	1	1.3	0.53	1.1	0.44
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	79	97.0	5.74	71.5	3.84	47	57.3	4.06	41.8	2.81
Esophagus	5	5.8	1.39	4.3	0.95	-	-	-	-	-
Stomach	10	12.2	2.02	9.0	1.35	7	7.7	1.49	5.6	1.01
Small intestine	3	4.1	1.27	2.9	0.80	2	2.2	0.78	1.6	0.57
Colon excl. rectum	14	17.4	2.50	12.4	1.60	15	18.6	2.34	13.2	1.57
Rectum & rectosigmoid	11	11.3	1.73	9.2	1.31	6	6.3	1.23	5.1	0.93
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	18	21.4	2.59	16.5	1.82	4	5.7	1.32	4.4	0.96
Gallbladder	-	-	-	-	-	2	1.8	0.64	1.4	0.49
Pancreas	11	15.8	2.42	11.2	1.58	7	9.4	1.72	6.7	1.18
Respiratory System	30	47.1	4.38	31.7	2.72	20	25.8	2.76	18.9	1.92
Larynx	4	5.9	1.50	4.1	0.94	-	-	-	-	-
Lung & bronchus	24	40.2	4.10	26.6	2.52	20	25.6	2.76	18.7	1.92
Bones & Joints	1	1.2	0.61	0.9	0.39	-	-	-	-	-
Soft Tissue (incl. heart)	4	3.9	1.11	2.9	0.75	4	4.0	1.01	3.2	0.74
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	4	6.6	1.63	4.3	0.97	4	3.5	0.85	3.1	0.71
Breast (excl. <i>in situ</i>)	-	-	-	-	-	81	82.7	4.48	65.6	3.38
Female Genital System	-	-	-	-	-	49	47.2	3.27	38.7	2.55
Cervix uteri	-	-	-	-	-	11	8.3	1.18	7.1	0.97
Uterus Corpus	-	-	-	-	-	25	24.9	2.37	21.0	1.92
Uterus, NOS ¹	-	-	-	-	-	2	1.9	0.71	1.4	0.48
Ovary	-	-	-	-	-	10	10.5	1.63	8.2	1.21
Male Genital System	73	86.2	5.24	66.9	3.70	-	-	-	-	-
Prostate	61	79.4	5.13	60.3	3.59	-	-	-	-	-
Testis	11	5.1	0.72	5.3	0.74	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	42.4	3.84	30.2	2.47	16	15.9	2.00	12.4	1.46
Bladder (incl. <i>in situ</i>)	10	15.5	2.57	9.7	1.48	4	4.9	1.24	3.3	0.77
Kidney & renal pelvis	24	25.0	2.69	19.5	1.91	12	11.0	1.57	9.1	1.24
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	6	5.7	1.34	4.5	0.90	4	3.6	0.91	3.1	0.72
Brain	6	5.4	1.33	4.2	0.88	4	3.4	0.89	2.9	0.70
Endocrine System	6	4.1	0.88	3.6	0.69	26	19.2	1.84	17.0	1.54
Thyroid gland	5	3.8	0.86	3.2	0.66	25	18.4	1.80	16.2	1.50
Lymphomas	18	18.8	2.52	13.8	1.62	19	21.0	2.44	15.6	1.70
Hodgkin Lymphoma	3	2.5	0.90	1.9	0.59	2	1.8	0.62	1.6	0.49
Non-Hodgkin Lymphoma	15	16.3	2.36	11.9	1.51	16	19.1	2.36	14.0	1.62
Multiple Myeloma	4	6.7	1.73	4.0	0.97	4	5.5	1.30	3.9	0.87
Leukemias	14	12.2	1.86	9.8	1.28	10	8.0	1.38	6.6	0.98
Acute lymphocytic	-	-	-	-	-	4	2.5	0.69	2.2	0.51
Chronic lymphocytic	3	4.7	1.33	3.1	0.81	-	-	-	-	-
Acute myeloid	4	3.0	0.90	2.4	0.64	2	1.7	0.56	1.5	0.48
Chronic myeloid	2	1.9	0.76	1.5	0.52	3	2.6	0.84	2.0	0.57
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	2	4.5	1.51	2.5	0.81	-	-	-	-	-
Kaposi Sarcoma	1	0.9	0.40	0.8	0.35	-	-	-	-	-
Ill-defined & Unknown	9	11.7	2.07	8.1	1.29	8	10.0	1.74	6.7	1.11
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	9	11.6	2.14	8.0	1.30	21	21.5	2.35	16.4	1.68
Breast (<i>in situ</i>)	-	-	-	-	-	27	28.1	2.64	22.2	1.99

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WISCONSIN

438 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wisconsin, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	15,210	499.9	1.87	368.1	1.39	14,429	438.8	1.71	339.2	1.39
Oral Cavity & Pharynx	568	17.9	0.35	14.2	0.27	238	7.0	0.21	5.5	0.17
Lip	36	1.2	0.09	0.8	0.06	13	0.4	0.05	0.3	0.04
Tongue	183	5.7	0.19	4.6	0.16	75	2.2	0.12	1.7	0.10
Major salivary gland	52	1.8	0.11	1.3	0.09	32	1.0	0.09	0.8	0.08
Floor of mouth	30	0.9	0.08	0.8	0.06	16	0.4	0.05	0.4	0.04
Gum & other mouth	59	1.9	0.12	1.4	0.09	54	1.6	0.10	1.2	0.08
Nasopharynx	13	0.4	0.05	0.3	0.04	4	0.1	0.03	0.1	0.02
Oropharynx	27	0.8	0.07	0.7	0.06	7	0.2	0.04	0.2	0.03
Hypopharynx	35	1.1	0.08	0.8	0.06	9	0.3	0.04	0.2	0.03
Digestive System	2,722	90.4	0.80	65.3	0.58	2,095	60.2	0.61	43.0	0.46
Esophagus	277	9.0	0.25	6.4	0.18	71	2.0	0.11	1.4	0.08
Stomach	236	7.8	0.23	5.6	0.17	115	3.3	0.14	2.4	0.11
Small intestine	97	3.2	0.15	2.4	0.11	69	2.1	0.12	1.6	0.09
Colon excl. rectum	796	27.3	0.44	19.2	0.32	834	24.0	0.39	16.7	0.29
Rectum & rectosigmoid	399	13.3	0.31	10.2	0.24	253	7.7	0.23	5.9	0.18
Anus, anal canal & anorectum	34	1.1	0.09	0.9	0.07	74	2.2	0.12	1.8	0.10
Liver	244	7.5	0.22	5.7	0.17	83	2.4	0.12	1.8	0.09
Gallbladder	22	0.8	0.07	0.5	0.05	41	1.1	0.08	0.8	0.06
Pancreas	474	15.6	0.33	11.0	0.23	404	11.1	0.25	7.7	0.18
Respiratory System	2,207	71.8	0.70	50.1	0.49	1,940	54.8	0.57	39.3	0.42
Larynx	175	5.5	0.19	4.1	0.14	44	1.2	0.09	1.0	0.07
Lung & bronchus	2,004	65.4	0.67	45.2	0.46	1,877	53.0	0.56	37.8	0.41
Bones & Joints	26	1.0	0.09	1.0	0.10	19	0.7	0.08	0.7	0.08
Soft Tissue (incl. heart)	107	3.9	0.18	3.2	0.15	88	3.0	0.15	2.5	0.14
Skin (excl. basal & sq.)	961	32.7	0.49	24.2	0.37	663	22.4	0.41	18.6	0.36
Melanomas of the skin	906	30.8	0.47	22.9	0.36	621	21.1	0.40	17.7	0.35
Breast (excl. <i>in situ</i>)	47	1.6	0.11	1.1	0.07	4,276	133.3	0.96	105.4	0.78
Female Genital System	-	-	-	-	-	1,787	53.9	0.60	43.5	0.50
Cervix uteri	-	-	-	-	-	149	5.9	0.23	5.2	0.20
Uterus Corpus	-	-	-	-	-	1,067	30.9	0.44	25.0	0.36
Uterus, NOS ¹	-	-	-	-	-	34	1.0	0.08	0.8	0.06
Ovary	-	-	-	-	-	384	11.7	0.28	9.2	0.23
Male Genital System	3,731	114.7	0.86	89.4	0.68	-	-	-	-	-
Prostate	3,534	105.9	0.82	80.8	0.61	-	-	-	-	-
Testis	167	7.7	0.27	7.8	0.28	-	-	-	-	-
Penis	24	0.8	0.08	0.6	0.05	-	-	-	-	-
Urinary System	1,985	66.4	0.69	46.3	0.48	779	22.7	0.38	16.6	0.29
Bladder (incl. <i>in situ</i>)	1,187	40.1	0.53	26.4	0.35	359	10.0	0.24	6.9	0.18
Kidney & renal pelvis	759	25.0	0.42	19.0	0.32	400	12.2	0.28	9.3	0.23
Ureter	28	1.0	0.08	0.6	0.05	15	0.4	0.05	0.3	0.03
Eye & Orbit	36	1.2	0.09	0.9	0.08	30	0.9	0.08	0.8	0.07
Brain & Other CNS ¹	230	8.3	0.26	6.9	0.22	181	6.1	0.22	5.3	0.21
Brain	220	7.9	0.25	6.6	0.22	172	5.7	0.21	4.9	0.19
Endocrine System	224	8.1	0.26	7.0	0.22	559	21.8	0.44	19.8	0.41
Thyroid gland	206	7.5	0.24	6.4	0.21	544	21.2	0.43	19.2	0.40
Lymphomas	837	29.1	0.47	22.0	0.37	644	19.7	0.36	15.4	0.30
Hodgkin Lymphoma	92	3.7	0.18	3.5	0.17	64	2.6	0.15	2.6	0.16
Non-Hodgkin Lymphoma	745	25.4	0.43	18.5	0.32	580	17.0	0.33	12.7	0.26
Multiple Myeloma	249	8.2	0.24	5.7	0.17	185	5.2	0.17	3.7	0.13
Leukemias	623	21.4	0.40	15.9	0.31	406	12.2	0.29	9.4	0.24
Acute lymphocytic	36	1.6	0.12	1.7	0.14	26	1.1	0.11	1.2	0.12
Chronic lymphocytic	275	9.0	0.25	6.4	0.18	162	4.5	0.16	3.2	0.12
Acute myeloid	161	5.6	0.20	4.0	0.15	120	3.7	0.16	2.8	0.13
Chronic myeloid	91	3.1	0.15	2.3	0.11	59	1.8	0.11	1.3	0.09
Other leukemias	60	2.1	0.13	1.5	0.10	40	1.1	0.09	0.8	0.07
Mesothelioma	58	2.1	0.13	1.3	0.08	21	0.6	0.06	0.4	0.04
Kaposi Sarcoma	3	0.1	0.03	0.1	0.02	-	-	-	-	-
Ill-defined & Unknown	595	20.7	0.39	13.5	0.26	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	281	10.1	0.28	8.0	0.23	591	18.7	0.36	14.6	0.30
Breast (<i>in situ</i>)	5	0.2	0.04	0.1	0.03	1,035	33.4	0.49	27.1	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wisconsin, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	822	654.9	11.27	504.7	8.03	763	487.7	8.21	381.2	6.21
Oral Cavity & Pharynx	24	17.5	1.74	14.1	1.31	11	6.5	0.91	5.3	0.73
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	5	3.1	0.66	2.7	0.55	1	0.9	0.37	0.7	0.26
Major salivary gland	2	1.1	0.35	1.1	0.34	3	1.7	0.47	1.4	0.37
Floor of mouth	2	1.1	0.40	0.9	0.33	-	-	-	-	-
Gum & other mouth	3	2.5	0.68	1.9	0.48	2	1.5	0.43	1.2	0.35
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	2	1.3	0.52	1.0	0.36	-	-	-	-	-
Hypopharynx	4	3.6	0.85	2.7	0.58	-	-	-	-	-
Digestive System	191	149.3	5.33	115.4	3.81	145	94.7	3.66	71.8	2.68
Esophagus	11	7.8	1.15	6.3	0.87	7	4.6	0.79	3.6	0.60
Stomach	19	17.3	1.95	12.3	1.28	11	7.8	1.07	5.7	0.76
Small intestine	6	5.2	1.02	4.0	0.72	8	4.5	0.75	3.8	0.62
Colon excl. rectum	53	43.8	3.00	32.6	2.05	54	35.8	2.26	27.1	1.65
Rectum & rectosigmoid	23	16.6	1.67	13.4	1.27	16	9.9	1.12	8.1	0.90
Anus, anal canal & anorectum	3	2.0	0.53	1.7	0.45	3	2.1	0.56	1.4	0.37
Liver	42	28.5	2.09	24.1	1.69	10	5.7	0.86	4.6	0.67
Gallbladder	2	2.3	0.72	1.7	0.49	3	2.3	0.58	1.6	0.40
Pancreas	25	19.8	1.96	15.2	1.39	27	18.5	1.66	13.4	1.15
Respiratory System	145	125.1	5.13	92.4	3.50	111	74.1	3.28	55.4	2.37
Larynx	13	9.6	1.28	7.7	0.98	3	2.0	0.50	1.6	0.41
Lung & bronchus	131	115.2	4.97	84.3	3.36	107	71.9	3.24	53.7	2.33
Bones & Joints	-	-	-	-	-	1	0.6	0.24	0.6	0.24
Soft Tissue (incl. heart)	8	5.4	0.97	4.5	0.74	6	3.9	0.72	3.3	0.59
Skin (excl. basal & sq.)	2	2.0	0.64	1.5	0.45	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	1	0.7	0.28	0.7	0.26
Breast (excl. <i>in situ</i>)	3	2.0	0.56	1.7	0.45	223	139.5	4.32	111.7	3.36
Female Genital System	-	-	-	-	-	89	54.5	2.67	44.7	2.12
Cervix uteri	-	-	-	-	-	20	11.8	1.22	10.2	1.03
Uterus Corpus	-	-	-	-	-	47	28.7	1.95	23.0	1.51
Uterus, NOS ¹	-	-	-	-	-	3	2.2	0.56	1.7	0.42
Ovary	-	-	-	-	-	16	9.7	1.13	8.0	0.90
Male Genital System	251	192.4	5.94	152.3	4.38	-	-	-	-	-
Prostate	248	190.5	5.91	150.7	4.35	-	-	-	-	-
Testis	2	1.2	0.39	1.2	0.36	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	74	60.6	3.46	46.1	2.44	44	29.1	2.03	22.1	1.50
Bladder (incl. <i>in situ</i>)	26	24.1	2.31	17.2	1.54	12	8.9	1.18	6.2	0.79
Kidney & renal pelvis	47	35.9	2.55	28.4	1.88	30	18.9	1.60	15.1	1.24
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	8	4.7	0.84	4.2	0.69	7	3.7	0.68	3.3	0.57
Brain	7	4.1	0.77	3.8	0.64	5	3.1	0.62	2.7	0.52
Endocrine System	8	5.6	0.98	4.7	0.74	30	17.3	1.47	15.0	1.24
Thyroid gland	7	5.0	0.95	4.1	0.70	27	15.7	1.39	13.7	1.18
Lymphomas	30	22.4	2.01	18.2	1.52	28	17.8	1.56	14.4	1.21
Hodgkin Lymphoma	7	4.2	0.76	3.9	0.66	5	2.8	0.56	2.7	0.53
Non-Hodgkin Lymphoma	23	18.2	1.86	14.2	1.37	23	14.9	1.45	11.6	1.09
Multiple Myeloma	24	21.1	2.12	15.4	1.44	22	15.4	1.52	11.2	1.07
Leukemias	25	20.8	2.08	15.6	1.43	20	13.2	1.38	10.1	1.01
Acute lymphocytic	2	1.0	0.33	1.0	0.32	2	0.8	0.28	0.9	0.29
Chronic lymphocytic	9	8.5	1.36	6.2	0.91	6	4.1	0.80	2.7	0.51
Acute myeloid	6	5.6	1.10	4.1	0.74	5	3.4	0.70	2.6	0.52
Chronic myeloid	4	2.9	0.78	2.2	0.53	6	3.6	0.72	2.8	0.54
Other leukemias	3	2.8	0.76	2.1	0.52	2	1.4	0.42	1.1	0.33
Mesothelioma	2	1.3	0.49	1.0	0.37	-	-	-	-	-
Kaposi Sarcoma	2	1.1	0.35	1.1	0.35	-	-	-	-	-
Ill-defined & Unknown	25	23.1	2.32	16.1	1.47	22	15.5	1.54	10.8	1.04
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	16	12.9	1.62	9.9	1.13	48	32.3	2.16	24.3	1.57
Breast (<i>in situ</i>)	-	-	-	-	-	71	45.0	2.46	36.0	1.92

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wyoming, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,446	431.5	5.28	321.7	3.89	1,262	376.6	4.92	293.8	3.93
Oral Cavity & Pharynx	51	14.8	0.97	11.8	0.76	20	5.7	0.59	4.5	0.47
Lip	3	0.9	0.24	0.6	0.17	1	0.4	0.15	0.3	0.12
Tongue	17	4.8	0.56	3.9	0.44	6	1.4	0.27	1.2	0.23
Major salivary gland	5	1.7	0.35	1.2	0.24	3	0.8	0.23	0.6	0.16
Floor of mouth	2	0.5	0.18	0.5	0.15	1	0.3	0.14	0.3	0.11
Gum & other mouth	5	1.5	0.31	1.1	0.22	5	1.5	0.31	1.2	0.25
Nasopharynx	1	0.4	0.15	0.3	0.13	-	-	-	-	-
Oropharynx	3	0.9	0.22	0.7	0.18	-	-	-	-	-
Hypopharynx	2	0.7	0.22	0.6	0.16	-	-	-	-	-
Digestive System	263	78.7	2.26	58.5	1.66	185	53.8	1.82	39.2	1.36
Esophagus	23	6.8	0.66	4.9	0.46	5	1.4	0.28	1.1	0.22
Stomach	21	6.5	0.66	4.6	0.46	9	2.6	0.41	1.9	0.31
Small intestine	10	2.9	0.43	2.2	0.33	8	2.2	0.37	1.7	0.28
Colon excl. rectum	74	22.9	1.24	16.8	0.90	73	21.6	1.16	15.5	0.86
Rectum & rectosigmoid	43	13.0	0.92	9.9	0.69	25	7.6	0.71	5.6	0.53
Anus, anal canal & anorectum	4	1.3	0.28	1.0	0.22	6	1.7	0.31	1.4	0.27
Liver	32	8.3	0.68	6.7	0.53	10	2.7	0.38	2.0	0.28
Gallbladder	2	0.5	0.19	0.4	0.13	6	1.7	0.32	1.2	0.23
Pancreas	43	12.8	0.91	9.3	0.65	32	8.8	0.71	6.2	0.50
Respiratory System	165	50.1	1.81	35.1	1.24	148	42.1	1.58	30.2	1.14
Larynx	14	3.8	0.47	3.0	0.37	5	1.5	0.30	1.2	0.24
Lung & bronchus	148	45.2	1.73	31.1	1.16	141	40.0	1.54	28.5	1.10
Bones & Joints	3	1.1	0.28	1.0	0.26	2	0.7	0.24	0.8	0.25
Soft Tissue (incl. heart)	11	3.3	0.46	2.8	0.40	11	3.3	0.47	2.9	0.43
Skin (excl. basal & sq.)	99	30.8	1.44	22.4	1.04	-	-	-	-	-
Melanomas of the skin	88	27.0	1.34	19.9	0.98	64	19.7	1.15	16.4	0.98
Breast (excl. <i>in situ</i>)	5	1.7	0.35	1.1	0.22	376	112.5	2.70	88.5	2.16
Female Genital System	-	-	-	-	-	147	43.3	1.67	35.6	1.38
Cervix uteri	-	-	-	-	-	19	6.4	0.70	5.6	0.61
Uterus Corpus	-	-	-	-	-	78	21.9	1.16	18.2	0.96
Uterus, NOS ¹	-	-	-	-	-	2	0.6	0.19	0.4	0.14
Ovary	-	-	-	-	-	36	10.9	0.84	8.8	0.69
Male Genital System	420	117.0	2.65	90.8	2.02	-	-	-	-	-
Prostate	394	108.1	2.53	81.9	1.86	-	-	-	-	-
Testis	23	8.1	0.77	8.1	0.77	-	-	-	-	-
Penis	2	0.7	0.21	0.5	0.16	-	-	-	-	-
Urinary System	173	54.2	1.92	38.0	1.32	63	18.3	1.07	13.9	0.82
Bladder (incl. <i>in situ</i>)	109	34.8	1.54	22.8	0.99	29	8.0	0.69	5.8	0.51
Kidney & renal pelvis	61	18.4	1.10	14.5	0.86	33	9.8	0.79	7.8	0.64
Ureter	3	0.9	0.26	0.6	0.17	-	-	-	-	-
Eye & Orbit	4	1.2	0.27	0.9	0.22	2	0.7	0.21	0.7	0.22
Brain & Other CNS ¹	22	7.1	0.70	6.1	0.60	20	6.1	0.64	5.1	0.55
Brain	21	6.8	0.68	5.7	0.58	19	5.7	0.62	4.8	0.54
Endocrine System	26	7.9	0.73	6.8	0.62	69	24.4	1.37	22.1	1.25
Thyroid gland	24	7.5	0.70	6.3	0.60	66	23.8	1.36	21.5	1.23
Lymphomas	74	23.3	1.26	17.5	0.95	51	15.2	0.99	11.4	0.77
Hodgkin Lymphoma	8	2.7	0.43	2.4	0.40	5	1.8	0.37	1.6	0.34
Non-Hodgkin Lymphoma	66	20.7	1.18	15.1	0.86	-	-	-	-	-
Multiple Myeloma	21	6.1	0.62	4.3	0.43	16	4.7	0.53	3.3	0.38
Leukemias	51	15.9	1.03	12.2	0.80	33	9.7	0.78	7.8	0.66
Acute lymphocytic	4	1.5	0.33	1.6	0.36	5	1.8	0.36	2.0	0.42
Chronic lymphocytic	19	5.7	0.60	4.2	0.43	10	2.7	0.39	1.9	0.27
Acute myeloid	15	4.8	0.58	3.4	0.41	10	2.9	0.42	2.3	0.33
Chronic myeloid	7	2.1	0.38	1.7	0.31	4	1.3	0.29	1.0	0.22
Other leukemias	-	-	-	-	-	4	1.0	0.24	0.7	0.18
Mesothelioma	5	1.7	0.36	1.1	0.21	3	0.8	0.23	0.6	0.18
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	51	16.2	1.05	11.2	0.72	48	14.4	0.95	9.8	0.67
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	26	8.3	0.76	6.5	0.59	45	14.4	1.00	11.5	0.82
Breast (<i>in situ</i>)	1	0.4	0.17	0.4	0.14	58	18.2	1.12	14.9	0.92

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wyoming, 2013-2017, White

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,403	432.3	5.37	322.8	3.98	1,221	378.1	5.03	295.2	4.03
Oral Cavity & Pharynx	49	14.8	0.99	11.8	0.78	20	5.7	0.60	4.5	0.49
Lip	3	0.9	0.25	0.6	0.17	1	0.4	0.15	0.3	0.12
Tongue	16	5.0	0.58	4.0	0.46	5	1.4	0.28	1.2	0.23
Major salivary gland	5	1.7	0.36	1.2	0.25	3	0.8	0.24	0.6	0.17
Floor of mouth	2	0.6	0.18	0.5	0.16	1	0.3	0.15	0.3	0.12
Gum & other mouth	5	1.4	0.31	1.0	0.22	5	1.4	0.32	1.2	0.26
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	3	0.8	0.22	0.7	0.18	-	-	-	-	-
Hypopharynx	2	0.8	0.23	0.6	0.17	-	-	-	-	-
Digestive System	252	77.6	2.28	57.7	1.67	178	53.5	1.85	39.0	1.38
Esophagus	22	6.8	0.67	4.9	0.47	5	1.3	0.27	1.0	0.21
Stomach	20	6.4	0.67	4.6	0.47	8	2.4	0.40	1.7	0.30
Small intestine	10	3.0	0.45	2.3	0.34	8	2.3	0.39	1.7	0.29
Colon excl. rectum	70	22.4	1.25	16.3	0.90	70	21.6	1.19	15.5	0.88
Rectum & rectosigmoid	41	12.8	0.93	9.7	0.70	24	7.5	0.72	5.5	0.54
Anus, anal canal & anorectum	4	1.3	0.29	1.0	0.22	6	1.7	0.33	1.5	0.28
Liver	30	8.0	0.67	6.5	0.53	10	2.6	0.38	1.9	0.28
Gallbladder	2	0.5	0.18	0.4	0.13	6	1.7	0.32	1.2	0.24
Pancreas	41	12.8	0.93	9.3	0.66	32	9.0	0.73	6.3	0.52
Respiratory System	161	50.2	1.83	35.1	1.26	143	41.8	1.60	30.1	1.16
Larynx	14	3.8	0.49	3.1	0.38	5	1.5	0.30	1.2	0.24
Lung & bronchus	144	45.2	1.75	31.2	1.17	136	39.8	1.56	28.4	1.12
Bones & Joints	3	1.0	0.28	0.9	0.26	2	0.7	0.24	0.7	0.25
Soft Tissue (incl. heart)	10	3.2	0.47	2.8	0.41	10	3.3	0.47	3.0	0.45
Skin (excl. basal & sq.)	98	31.4	1.47	22.8	1.07	-	-	-	-	-
Melanomas of the skin	87	27.7	1.38	20.3	1.01	63	20.6	1.20	17.2	1.03
Breast (excl. <i>in situ</i>)	5	1.8	0.35	1.1	0.22	363	112.7	2.76	88.6	2.21
Female Genital System	-	-	-	-	-	142	43.3	1.70	35.6	1.42
Cervix uteri	-	-	-	-	-	18	6.5	0.72	5.7	0.64
Uterus Corpus	-	-	-	-	-	75	21.9	1.18	18.2	0.98
Uterus, NOS ¹	-	-	-	-	-	2	0.5	0.16	0.3	0.12
Ovary	-	-	-	-	-	35	10.9	0.86	8.8	0.71
Male Genital System	411	118.1	2.71	91.8	2.07	-	-	-	-	-
Prostate	386	108.8	2.57	82.6	1.90	-	-	-	-	-
Testis	22	8.4	0.81	8.5	0.82	-	-	-	-	-
Penis	2	0.7	0.22	0.6	0.17	-	-	-	-	-
Urinary System	168	54.4	1.95	38.1	1.35	61	18.5	1.10	14.1	0.85
Bladder (incl. <i>in situ</i>)	107	35.2	1.57	23.1	1.01	28	8.0	0.70	5.8	0.52
Kidney & renal pelvis	58	18.2	1.11	14.3	0.87	32	10.0	0.82	8.0	0.67
Ureter	3	1.0	0.27	0.6	0.17	-	-	-	-	-
Eye & Orbit	4	1.2	0.28	1.0	0.24	2	0.7	0.22	0.7	0.24
Brain & Other CNS ¹	22	7.4	0.73	6.4	0.64	19	6.1	0.65	5.0	0.56
Brain	21	7.1	0.72	5.9	0.61	18	5.7	0.63	4.8	0.55
Endocrine System	25	8.0	0.75	6.8	0.64	67	25.1	1.43	22.8	1.30
Thyroid gland	24	7.6	0.73	6.4	0.61	65	24.4	1.41	22.1	1.29
Lymphomas	72	23.6	1.29	17.7	0.98	50	15.4	1.02	11.6	0.80
Hodgkin Lymphoma	8	2.8	0.46	2.5	0.43	5	1.9	0.39	1.7	0.36
Non-Hodgkin Lymphoma	64	20.9	1.21	15.2	0.88	-	-	-	-	-
Multiple Myeloma	20	5.9	0.62	4.3	0.44	16	4.7	0.54	3.3	0.38
Leukemias	48	15.6	1.04	12.0	0.81	32	9.6	0.79	7.7	0.67
Acute lymphocytic	4	1.5	0.34	1.6	0.37	4	1.6	0.36	1.8	0.41
Chronic lymphocytic	18	5.4	0.59	4.0	0.43	10	2.8	0.41	1.9	0.28
Acute myeloid	14	4.6	0.57	3.2	0.41	10	2.9	0.42	2.3	0.34
Chronic myeloid	7	2.2	0.40	1.8	0.32	4	1.4	0.30	1.0	0.23
Other leukemias	-	-	-	-	-	3	1.0	0.25	0.7	0.18
Mesothelioma	5	1.8	0.37	1.1	0.22	3	0.8	0.23	0.6	0.19
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	49	16.1	1.07	11.2	0.74	46	14.2	0.96	9.6	0.67
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	25	8.4	0.78	6.5	0.61	44	14.6	1.03	11.8	0.85
Breast (<i>in situ</i>)	1	0.5	0.18	0.4	0.15	56	18.3	1.15	15.1	0.95

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wyoming, 2013-2017, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	9	300.9	53.52	213.4	34.87	6	201.2	41.07	156.7	30.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	91.6	29.18	67.9	19.55	1	45.5	19.11	36.2	14.62
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	95.4	29.58	68.7	19.80	-	-	-	-	-
Prostate	3	95.4	29.58	68.7	19.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wyoming, 2013-2017, Asian/Pacific Islander (API)

SITES	MALES (API)					FEMALES (API)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	6	306.3	59.56	225.6	41.75	8	299.5	49.12	213.7	33.36
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	140.5	42.39	90.2	26.29	1	45.6	19.83	31.0	12.84
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	2	65.1	24.33	41.3	14.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	1	61.2	24.01	37.5	14.38
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	3	86.6	24.61	66.6	17.96
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wyoming, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA¹ Counties

SITES	MALES (AI/AN)					FEMALES (AI/AN)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	16	633.1	84.48	437.5	51.73	17	442.6	49.74	353.1	38.61
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	164.9	44.47	110.7	26.24	3	72.7	20.11	56.7	15.26
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	1	46.0	24.72	32.8	14.87	2	38.1	14.01	31.0	11.02
Rectum & rectosigmoid	1	57.5	25.75	37.8	14.93	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	94.5	36.65	59.4	21.24	2	70.2	21.07	49.4	14.34
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	1	83.6	35.79	50.7	20.32	2	63.7	20.03	44.8	13.60
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	6	134.0	25.91	115.1	21.91
Female Genital System	-	-	-	-	-	2	61.8	18.40	50.6	14.68
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ²	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	120.4	34.04	86.1	21.75	-	-	-	-	-
Prostate	3	117.1	33.88	82.1	21.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	81.9	27.19	61.4	18.57	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	39.4	14.07	35.0	12.42	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ²	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ² (non-malignant)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)

² Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wyoming, 2013-2017, Hispanic/Latino, All Races

SITES	MALES (HISPANIC/LATINO)					FEMALES (HISPANIC/LATINA)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	56	305.0	19.81	229.0	13.91	59	319.0	19.44	245.0	14.45
Oral Cavity & Pharynx	1	8.4	3.48	5.9	2.27	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	89.1	10.63	66.8	7.48	12	69.4	9.19	51.6	6.69
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	5	32.0	6.61	22.7	4.41	5	30.8	6.28	22.6	4.47
Rectum & rectosigmoid	3	14.5	3.93	11.8	3.08	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	3	13.8	3.91	11.4	3.06	1	6.6	2.76	5.0	2.05
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	13.2	4.10	9.9	2.88	1	6.1	2.50	4.8	1.97
Respiratory System	5	32.9	7.05	22.3	4.51	5	37.1	7.44	23.0	4.58
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	31.1	6.96	20.3	4.35	5	36.1	7.37	22.2	4.50
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	2	8.4	2.87	7.3	2.46
Breast (excl. <i>in situ</i>)	-	-	-	-	-	14	78.6	9.59	59.8	7.16
Female Genital System	-	-	-	-	-	9	45.5	6.93	38.5	5.70
Cervix uteri	-	-	-	-	-	2	10.5	3.42	8.6	2.72
Uterus Corpus	-	-	-	-	-	4	20.2	4.52	17.5	3.84
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	13.2	3.81	10.8	3.01
Male Genital System	16	83.5	10.10	65.0	7.41	-	-	-	-	-
Prostate	13	73.6	9.76	55.2	6.96	-	-	-	-	-
Testis	3	9.1	2.46	9.0	2.42	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	31.5	6.45	23.2	4.45	4	20.8	5.18	15.6	3.70
Bladder (incl. <i>in situ</i>)	2	15.5	4.75	10.8	3.14	-	-	-	-	-
Kidney & renal pelvis	3	16.0	4.37	12.4	3.15	2	13.1	4.00	10.1	2.93
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	1	5.5	2.12	5.0	1.89	3	13.6	3.56	12.4	3.11
Thyroid gland	1	5.5	2.12	5.0	1.89	3	13.6	3.56	12.4	3.11
Lymphomas	2	13.3	4.31	9.5	2.89	2	10.9	3.34	8.4	2.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	1	9.1	3.75	5.7	2.32
Leukemias	2	14.1	4.70	9.1	2.79	1	5.4	2.18	5.2	2.01
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	3	14.6	4.16	11.5	3.10	2	12.4	3.72	9.7	2.84
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	2	7.9	3.08	5.9	2.11	2	11.8	3.66	9.4	2.85
Breast (<i>in situ</i>)	-	-	-	-	-	2	10.9	3.54	8.5	2.71

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

N.B. In areas with small Latino populations, methods to indirectly identify Latinos (like NHIAv2) can overestimate the ethnicity-specific counts of cancer cases. Also, even small errors in Latino population estimates can affect the magnitude of the cancer rates.

WYOMING

446 Incidence – Hispanic/Latino, All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wyoming, 2013-2017, Non-Hispanic White

SITES	MALES (NON-HISPANIC WHITE)					FEMALES (NON-HISPANIC WHITE)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	1,351	438.7	5.56	327.6	4.14	1,165	381.7	5.23	298.5	4.21
Oral Cavity & Pharynx	48	15.3	1.04	12.2	0.82	19	5.9	0.63	4.7	0.51
Lip	3	0.9	0.26	0.7	0.18	1	0.4	0.16	0.3	0.13
Tongue	16	5.2	0.61	4.3	0.50	5	1.5	0.29	1.2	0.25
Major salivary gland	4	1.6	0.36	1.1	0.25	3	0.9	0.25	0.6	0.18
Floor of mouth	2	0.6	0.20	0.5	0.17	1	0.4	0.16	0.3	0.12
Gum & other mouth	5	1.5	0.33	1.1	0.23	5	1.5	0.34	1.2	0.28
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	3	0.9	0.23	0.7	0.19	-	-	-	-	-
Hypopharynx	2	0.7	0.23	0.6	0.18	-	-	-	-	-
Digestive System	236	77.0	2.34	57.2	1.72	166	52.7	1.89	38.4	1.42
Esophagus	21	6.8	0.69	4.9	0.48	5	1.3	0.29	1.0	0.22
Stomach	19	6.5	0.69	4.7	0.49	7	2.3	0.40	1.6	0.30
Small intestine	9	3.1	0.46	2.3	0.35	7	2.4	0.41	1.8	0.31
Colon excl. rectum	65	22.0	1.27	16.0	0.93	65	21.2	1.22	15.3	0.91
Rectum & rectosigmoid	38	12.5	0.95	9.5	0.71	23	7.7	0.76	5.7	0.57
Anus, anal canal & anorectum	4	1.3	0.30	1.0	0.23	5	1.6	0.33	1.4	0.28
Liver	28	7.7	0.68	6.2	0.54	8	2.4	0.37	1.7	0.27
Gallbladder	2	0.5	0.19	0.4	0.14	5	1.5	0.30	1.1	0.23
Pancreas	39	12.8	0.95	9.3	0.68	31	9.0	0.75	6.3	0.53
Respiratory System	157	51.1	1.90	35.8	1.30	138	42.2	1.65	30.5	1.20
Larynx	13	4.0	0.51	3.2	0.40	5	1.5	0.32	1.2	0.26
Lung & bronchus	140	46.1	1.81	31.9	1.22	131	40.2	1.61	28.9	1.16
Bones & Joints	3	1.1	0.30	1.0	0.29	2	0.8	0.27	0.8	0.28
Soft Tissue (incl. heart)	10	3.2	0.49	2.8	0.43	10	3.4	0.50	3.1	0.48
Skin (excl. basal & sq.)	97	32.9	1.55	24.0	1.13	66	22.8	1.32	19.0	1.13
Melanomas of the skin	86	29.0	1.45	21.4	1.07	62	21.5	1.28	17.9	1.10
Breast (excl. <i>in situ</i>)	5	1.8	0.37	1.2	0.24	350	114.8	2.88	90.4	2.31
Female Genital System	-	-	-	-	-	133	42.8	1.75	35.2	1.45
Cervix uteri	-	-	-	-	-	16	6.2	0.73	5.5	0.65
Uterus Corpus	-	-	-	-	-	71	21.8	1.21	18.1	1.00
Uterus, NOS ¹	-	-	-	-	-	1	0.4	0.16	0.3	0.11
Ovary	-	-	-	-	-	32	10.8	0.89	8.7	0.74
Male Genital System	396	119.6	2.80	93.0	2.15	-	-	-	-	-
Prostate	374	110.6	2.65	84.0	1.96	-	-	-	-	-
Testis	19	8.1	0.84	8.2	0.85	-	-	-	-	-
Penis	2	0.8	0.24	0.6	0.18	-	-	-	-	-
Urinary System	163	55.3	2.01	38.7	1.40	58	18.4	1.12	13.9	0.88
Bladder (incl. <i>in situ</i>)	105	36.1	1.63	23.7	1.06	27	8.1	0.72	5.9	0.53
Kidney & renal pelvis	55	18.2	1.14	14.3	0.90	30	9.8	0.84	7.8	0.69
Ureter	3	1.0	0.28	0.7	0.18	-	-	-	-	-
Eye & Orbit	4	1.3	0.30	1.1	0.26	2	0.7	0.23	0.7	0.24
Brain & Other CNS ¹	21	7.8	0.78	6.7	0.69	18	6.3	0.69	5.3	0.61
Brain	20	7.4	0.76	6.2	0.65	17	6.0	0.67	5.0	0.59
Endocrine System	24	8.1	0.78	6.9	0.66	64	25.9	1.52	23.5	1.39
Thyroid gland	22	7.6	0.75	6.4	0.64	61	25.2	1.50	22.8	1.37
Lymphomas	70	24.3	1.35	18.3	1.04	47	15.6	1.05	11.7	0.83
Hodgkin Lymphoma	8	2.9	0.49	2.7	0.46	4	1.7	0.38	1.5	0.35
Non-Hodgkin Lymphoma	62	21.4	1.26	15.6	0.93	43	13.9	0.98	10.3	0.76
Multiple Myeloma	19	6.1	0.64	4.3	0.45	15	4.4	0.53	3.1	0.38
Leukemias	46	15.7	1.08	12.2	0.86	30	9.8	0.82	7.8	0.70
Acute lymphocytic	4	1.5	0.37	1.6	0.40	4	1.6	0.38	1.8	0.45
Chronic lymphocytic	18	5.5	0.61	4.1	0.45	10	2.9	0.42	2.0	0.30
Acute myeloid	13	4.5	0.58	3.2	0.42	9	2.9	0.44	2.2	0.34
Chronic myeloid	7	2.3	0.42	1.8	0.34	4	1.3	0.31	0.9	0.22
Other leukemias	6	1.9	0.37	1.4	0.27	3	1.0	0.26	0.7	0.20
Mesothelioma	5	1.9	0.38	1.1	0.23	3	0.9	0.25	0.7	0.20
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	24	8.5	0.81	6.6	0.64	42	14.8	1.08	12.0	0.90
Breast (<i>in situ</i>)	1	0.5	0.19	0.4	0.16	55	19.0	1.22	15.6	1.00

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Wyoming, 2013-2017, Non-Hispanic Black

<i>SITES</i>	MALES (NON-HISPANIC BLACK)					FEMALES (NON-HISPANIC BLACK)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	8	313.8	56.91	222.3	36.75	5	207.2	43.36	161.4	32.93
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	88.1	29.66	65.9	19.67	1	39.5	18.07	31.3	13.75
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	-	-	-	-	-	-	-	-	-	-
Rectum & rectosigmoid	-	-	-	-	-	-	-	-	-	-
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Uterus Corpus	-	-	-	-	-	-	-	-	-	-
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	101.8	31.63	73.3	21.06	-	-	-	-	-
Prostate	3	101.8	31.63	73.3	21.06	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

WYOMING

448 Incidence – Non-Hispanic Black

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Puerto Rico, 2013-2017, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	7,556	409.4	2.15	310.2	1.67	6,957	333.7	1.86	267.1	1.56
Oral Cavity & Pharynx	297	16.2	0.43	12.6	0.34	106	4.8	0.21	3.6	0.17
Lip	18	1.0	0.11	0.7	0.08	12	0.5	0.07	0.3	0.05
Tongue	73	3.9	0.21	3.1	0.17	25	1.1	0.10	0.9	0.08
Major salivary gland	28	1.6	0.14	1.2	0.10	17	0.8	0.09	0.6	0.08
Floor of mouth	13	0.7	0.09	0.6	0.07	3	0.1	0.04	0.1	0.03
Gum & other mouth	46	2.5	0.17	1.9	0.13	28	1.3	0.11	0.9	0.08
Nasopharynx	13	0.7	0.09	0.6	0.08	5	0.2	0.05	0.2	0.04
Oropharynx	17	0.9	0.10	0.8	0.09	3	0.1	0.04	0.1	0.03
Hypopharynx	25	1.3	0.12	1.0	0.09	2	0.1	0.03	0.1	0.02
Digestive System	1,788	97.1	1.05	72.2	0.79	1,372	60.4	0.75	43.9	0.57
Esophagus	107	5.7	0.25	4.2	0.19	23	1.0	0.09	0.6	0.06
Stomach	177	9.8	0.33	6.9	0.24	141	6.2	0.24	4.4	0.18
Small intestine	38	2.1	0.16	1.6	0.12	29	1.3	0.11	1.0	0.08
Colon excl. rectum	650	35.5	0.63	26.2	0.48	575	25.4	0.49	18.6	0.38
Rectum & rectosigmoid	286	15.5	0.42	12.2	0.33	207	9.6	0.31	7.5	0.25
Anus, anal canal & anorectum	23	1.3	0.13	1.0	0.10	42	1.8	0.13	1.4	0.10
Liver	236	12.4	0.37	9.4	0.28	96	4.0	0.19	2.7	0.14
Gallbladder	13	0.7	0.09	0.5	0.07	25	1.1	0.10	0.8	0.08
Pancreas	178	9.7	0.33	7.0	0.24	161	7.0	0.25	4.8	0.18
Respiratory System	581	31.3	0.59	22.2	0.42	306	13.1	0.34	9.4	0.26
Larynx	125	6.6	0.27	5.0	0.21	12	0.5	0.07	0.4	0.05
Lung & bronchus	439	23.6	0.51	16.4	0.36	283	12.0	0.33	8.6	0.24
Bones & Joints	18	1.1	0.12	1.1	0.12	11	0.6	0.09	0.6	0.09
Soft Tissue (incl. heart)	50	3.0	0.20	2.5	0.17	42	2.1	0.15	1.8	0.14
Skin (excl. basal & sq.)	109	6.2	0.27	4.6	0.21	82	4.1	0.21	3.3	0.18
Melanomas of the skin	80	4.5	0.23	3.4	0.18	61	3.1	0.19	2.5	0.16
Breast (excl. <i>in situ</i>)	18	1.0	0.11	0.8	0.08	1,977	93.9	0.98	75.2	0.81
Female Genital System	-	-	-	-	-	1,072	53.4	0.76	44.6	0.65
Cervix uteri	-	-	-	-	-	222	13.0	0.40	11.3	0.36
Uterus Corpus	-	-	-	-	-	573	27.4	0.53	22.9	0.45
Uterus, NOS ¹	-	-	-	-	-	21	1.0	0.10	0.7	0.08
Ovary	-	-	-	-	-	174	8.4	0.30	6.9	0.25
Male Genital System	2,905	150.6	1.27	115.5	0.99	-	-	-	-	-
Prostate	2,783	142.5	1.22	108.0	0.93	-	-	-	-	-
Testis	74	5.4	0.28	5.5	0.29	-	-	-	-	-
Penis	44	2.4	0.17	1.8	0.12	-	-	-	-	-
Urinary System	536	29.5	0.58	21.2	0.43	241	10.9	0.32	8.3	0.26
Bladder (incl. <i>in situ</i>)	303	16.6	0.43	11.0	0.29	106	4.5	0.20	3.2	0.15
Kidney & renal pelvis	218	12.1	0.38	9.6	0.31	126	6.0	0.25	4.9	0.21
Ureter	8	0.4	0.07	0.3	0.04	6	0.3	0.05	0.2	0.03
Eye & Orbit	19	1.1	0.12	0.9	0.10	10	0.5	0.08	0.5	0.08
Brain & Other CNS ¹	84	5.1	0.25	4.5	0.24	70	3.7	0.21	3.2	0.20
Brain	79	4.8	0.25	4.2	0.23	65	3.4	0.20	3.0	0.19
Endocrine System	208	12.9	0.41	11.3	0.37	810	46.0	0.75	41.4	0.69
Thyroid gland	197	12.1	0.40	10.6	0.35	801	45.6	0.75	40.9	0.68
Lymphomas	343	20.2	0.50	16.0	0.41	307	14.7	0.39	12.0	0.34
Hodgkin Lymphoma	45	3.0	0.20	2.8	0.19	39	2.3	0.17	2.3	0.17
Non-Hodgkin Lymphoma	299	17.2	0.45	13.2	0.36	268	12.4	0.35	9.7	0.29
Multiple Myeloma	136	7.5	0.29	5.4	0.21	128	5.7	0.23	4.2	0.17
Leukemias	203	11.9	0.38	9.4	0.32	176	8.8	0.31	7.3	0.28
Acute lymphocytic	22	1.6	0.15	1.7	0.17	23	1.6	0.15	1.7	0.17
Chronic lymphocytic	62	3.4	0.19	2.4	0.14	45	1.9	0.13	1.4	0.10
Acute myeloid	58	3.4	0.20	2.6	0.17	55	2.8	0.18	2.3	0.16
Chronic myeloid	38	2.3	0.17	1.8	0.14	35	1.6	0.13	1.3	0.11
Other leukemias	22	1.3	0.12	0.9	0.09	19	0.8	0.09	0.6	0.08
Mesothelioma	6	0.3	0.06	0.2	0.04	2	0.1	0.03	0.1	0.02
Kaposi Sarcoma	17	1.1	0.12	1.0	0.11	4	0.2	0.04	0.1	0.03
Ill-defined & Unknown	240	13.3	0.39	9.2	0.28	241	10.8	0.32	7.7	0.25
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	69	4.2	0.23	3.5	0.20	128	6.4	0.26	5.3	0.23
Breast (<i>in situ</i>)	1	0.1	0.03	0.0	0.02	396	18.9	0.44	15.5	0.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

** Puerto Rico data have been adjusted to accommodate the impact of Hurricane Maria, see Technical Notes.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Alberta, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	9,525	482.2	2.29	350.3	1.62	9,003	415.9	1.99	317.8	1.54
Oral Cavity & Pharynx	290	13.3	0.36	10.6	0.28	128	5.9	0.24	4.6	0.19
Lip	15	0.9	0.10	0.6	0.07	3	0.2	0.04	0.1	0.03
Tongue	95	4.2	0.20	3.4	0.16	38	1.7	0.13	1.3	0.10
Major salivary gland	20	1.0	0.10	0.8	0.08	21	1.0	0.10	0.8	0.08
Floor of mouth	15	0.7	0.08	0.5	0.06	6	0.3	0.05	0.2	0.04
Gum & other mouth	28	1.4	0.12	1.0	0.09	26	1.2	0.11	0.9	0.08
Nasopharynx	19	0.9	0.09	0.7	0.08	7	0.4	0.06	0.3	0.05
Oropharynx	15	0.6	0.08	0.5	0.06	4	0.2	0.04	0.1	0.03
Hypopharynx	17	0.9	0.10	0.6	0.07	5	0.2	0.05	0.2	0.04
Digestive System	2,130	108.6	1.09	77.4	0.76	1,555	71.8	0.83	51.1	0.60
Esophagus	156	7.7	0.29	5.6	0.20	41	1.9	0.13	1.3	0.10
Stomach	179	9.5	0.33	6.5	0.22	90	4.2	0.20	2.9	0.14
Small intestine	50	2.5	0.17	1.9	0.12	45	2.1	0.14	1.5	0.10
Colon excl. rectum	720	37.7	0.65	26.3	0.44	643	29.9	0.54	20.9	0.38
Rectum & rectosigmoid	460	22.6	0.49	16.8	0.35	262	11.9	0.34	8.9	0.25
Anus, anal canal & anorectum	18	0.9	0.09	0.7	0.07	43	1.9	0.13	1.5	0.10
Liver	175	8.2	0.29	6.3	0.21	55	2.5	0.15	1.9	0.12
Gallbladder	17	0.9	0.10	0.6	0.07	31	1.5	0.12	1.0	0.08
Pancreas	249	13.1	0.38	9.0	0.26	231	10.7	0.32	7.3	0.22
Respiratory System	1,215	65.0	0.86	44.0	0.57	1,151	54.2	0.73	38.1	0.51
Larynx	67	3.3	0.19	2.4	0.13	10	0.5	0.07	0.4	0.05
Lung & bronchus	1,125	60.5	0.83	40.7	0.55	1,127	53.1	0.72	37.3	0.51
Bones & Joints	21	1.1	0.11	1.0	0.10	15	0.8	0.09	0.8	0.09
Soft Tissue (incl. heart)	76	3.9	0.21	3.1	0.16	50	2.3	0.15	1.9	0.13
Skin (excl. basal & sq.)	415	20.9	0.48	15.3	0.34	355	16.2	0.39	13.0	0.32
Melanomas of the skin	370	18.6	0.45	13.6	0.32	331	15.1	0.38	12.2	0.31
Breast (excl. <i>in situ</i>)	18	0.9	0.10	0.7	0.07	2,667	122.6	1.08	96.2	0.85
Female Genital System	-	-	-	-	-	1,125	50.7	0.69	41.0	0.56
Cervix uteri	-	-	-	-	-	174	8.2	0.28	7.2	0.25
Uterus Corpus	-	-	-	-	-	608	26.9	0.50	21.6	0.40
Uterus, NOS ¹	-	-	-	-	-	6	0.3	0.05	0.2	0.03
Ovary	-	-	-	-	-	219	9.9	0.31	7.9	0.25
Male Genital System	2,506	120.8	1.12	91.4	0.82	-	-	-	-	-
Prostate	2,324	112.3	1.08	83.4	0.78	-	-	-	-	-
Testis	149	6.7	0.25	6.8	0.25	-	-	-	-	-
Penis	27	1.5	0.13	1.0	0.08	-	-	-	-	-
Urinary System	1,114	58.2	0.81	40.5	0.55	421	19.4	0.43	14.1	0.32
Bladder (incl. <i>in situ</i>)	688	37.5	0.66	24.8	0.43	200	9.2	0.30	6.4	0.21
Kidney & renal pelvis	399	19.2	0.45	14.7	0.33	205	9.3	0.30	7.3	0.23
Ureter	16	0.9	0.10	0.6	0.07	10	0.5	0.07	0.3	0.04
Eye & Orbit	23	1.1	0.10	0.9	0.09	24	1.1	0.10	0.9	0.09
Brain & Other CNS ¹	157	7.6	0.28	6.4	0.23	113	5.3	0.23	4.6	0.20
Brain	151	7.3	0.27	6.1	0.23	108	5.0	0.22	4.4	0.20
Endocrine System	158	7.3	0.27	6.3	0.23	393	18.6	0.42	16.6	0.38
Thyroid gland	141	6.5	0.25	5.6	0.21	377	17.8	0.42	15.9	0.37
Lymphomas	512	25.9	0.53	19.7	0.40	387	18.1	0.42	14.0	0.33
Hodgkin Lymphoma	63	3.0	0.17	2.9	0.17	44	2.1	0.14	2.1	0.15
Non-Hodgkin Lymphoma	449	22.9	0.50	16.8	0.36	344	16.0	0.39	11.9	0.30
Multiple Myeloma	150	7.9	0.30	5.4	0.20	95	4.5	0.21	3.1	0.15
Leukemias	378	19.5	0.46	14.5	0.34	238	11.3	0.33	8.7	0.27
Acute lymphocytic	25	1.3	0.11	1.4	0.13	21	1.1	0.11	1.2	0.12
Chronic lymphocytic	168	8.5	0.30	6.1	0.21	94	4.3	0.20	3.1	0.15
Acute myeloid	101	5.4	0.25	3.9	0.18	72	3.4	0.18	2.6	0.15
Chronic myeloid	46	2.4	0.16	1.7	0.12	30	1.5	0.12	1.1	0.09
Other leukemias	38	2.0	0.15	1.4	0.10	21	0.9	0.09	0.7	0.07
Mesothelioma	43	2.5	0.17	1.6	0.11	9	0.4	0.06	0.3	0.05
Kaposi Sarcoma	6	0.3	0.05	0.2	0.04	2	0.1	0.03	0.1	0.02
Ill-defined & Unknown	316	17.5	0.45	11.5	0.29	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	140	7.0	0.27	5.6	0.21	224	10.4	0.32	8.3	0.26
Breast (<i>in situ</i>)	-	-	-	-	-	372	17.0	0.40	13.8	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
British Columbia, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	13,343	449.0	1.78	321.2	1.29	12,558	388.2	1.60	292.8	1.26
Oral Cavity & Pharynx	471	15.3	0.32	12.1	0.26	210	6.5	0.21	5.0	0.17
Lip	20	0.7	0.07	0.5	0.05	11	0.3	0.05	0.2	0.03
Tongue	147	4.7	0.18	3.8	0.14	56	1.7	0.11	1.4	0.09
Major salivary gland	36	1.3	0.10	0.9	0.07	33	1.1	0.09	0.9	0.08
Floor of mouth	19	0.6	0.06	0.5	0.05	12	0.3	0.05	0.3	0.03
Gum & other mouth	54	1.8	0.11	1.3	0.08	47	1.4	0.10	1.0	0.07
Nasopharynx	38	1.3	0.10	1.1	0.08	15	0.5	0.06	0.4	0.06
Oropharynx	30	0.9	0.08	0.7	0.06	5	0.2	0.03	0.1	0.02
Hypopharynx	23	0.8	0.07	0.5	0.05	7	0.2	0.03	0.2	0.03
Digestive System	3,353	111.6	0.88	79.2	0.63	2,445	72.9	0.67	51.2	0.49
Esophagus	240	7.8	0.23	5.6	0.16	80	2.4	0.12	1.6	0.08
Stomach	271	9.2	0.25	6.3	0.18	127	3.8	0.16	2.6	0.11
Small intestine	67	2.2	0.13	1.6	0.09	51	1.6	0.10	1.1	0.07
Colon excl. rectum	1,130	38.3	0.52	26.4	0.36	1,022	30.5	0.44	20.9	0.31
Rectum & rectosigmoid	674	22.1	0.39	16.4	0.29	403	12.2	0.28	9.3	0.22
Anus, anal canal & anorectum	40	1.3	0.10	1.0	0.07	74	2.2	0.12	1.7	0.09
Liver	352	10.9	0.27	8.5	0.21	112	3.3	0.15	2.5	0.11
Gallbladder	22	0.8	0.07	0.5	0.05	38	1.1	0.08	0.8	0.06
Pancreas	383	12.9	0.30	8.8	0.21	359	10.5	0.25	7.1	0.18
Respiratory System	1,760	58.9	0.64	39.7	0.43	1,752	51.7	0.56	35.7	0.40
Larynx	103	3.3	0.15	2.4	0.11	15	0.4	0.05	0.3	0.04
Lung & bronchus	1,622	54.5	0.62	36.3	0.41	1,719	50.7	0.56	35.0	0.39
Bones & Joints	28	1.1	0.10	1.0	0.09	22	0.9	0.09	0.8	0.09
Soft Tissue (incl. heart)	89	3.3	0.16	2.7	0.14	68	2.3	0.13	1.9	0.12
Skin (excl. basal & sq.)	673	23.2	0.41	16.6	0.30	533	17.1	0.34	13.4	0.28
Melanomas of the skin	614	21.0	0.39	15.2	0.29	499	16.0	0.33	12.6	0.27
Breast (excl. <i>in situ</i>)	28	0.9	0.08	0.6	0.06	3,537	110.8	0.86	86.7	0.69
Female Genital System	-	-	-	-	-	1,507	46.8	0.56	37.4	0.46
Cervix uteri	-	-	-	-	-	180	6.8	0.23	6.0	0.21
Uterus Corpus	-	-	-	-	-	767	22.8	0.38	18.2	0.30
Uterus, NOS ¹	-	-	-	-	-	16	0.5	0.06	0.4	0.04
Ovary	-	-	-	-	-	355	11.1	0.27	8.7	0.22
Male Genital System	3,051	99.2	0.82	72.5	0.60	-	-	-	-	-
Prostate	2,871	91.8	0.78	65.4	0.55	-	-	-	-	-
Testis	147	6.3	0.24	6.3	0.24	-	-	-	-	-
Penis	25	0.9	0.08	0.6	0.06	-	-	-	-	-
Urinary System	1,641	56.2	0.63	37.9	0.43	599	18.1	0.34	12.8	0.25
Bladder (incl. <i>in situ</i>)	1,112	38.4	0.52	24.8	0.34	322	9.5	0.24	6.4	0.17
Kidney & renal pelvis	489	16.4	0.34	12.3	0.26	255	7.9	0.23	6.0	0.18
Ureter	26	0.9	0.08	0.6	0.05	15	0.5	0.05	0.3	0.03
Eye & Orbit	25	0.9	0.08	0.7	0.07	20	0.7	0.07	0.5	0.06
Brain & Other CNS ¹	217	7.9	0.25	6.7	0.22	150	5.2	0.20	4.5	0.19
Brain	211	7.7	0.25	6.5	0.22	143	4.9	0.19	4.2	0.18
Endocrine System	151	5.6	0.21	4.9	0.19	348	12.7	0.32	11.3	0.29
Thyroid gland	127	4.7	0.19	4.0	0.17	328	12.0	0.31	10.7	0.28
Lymphomas	702	24.6	0.43	18.7	0.34	551	17.4	0.34	13.4	0.28
Hodgkin Lymphoma	69	2.8	0.15	2.7	0.15	48	2.0	0.13	2.0	0.14
Non-Hodgkin Lymphoma	633	21.8	0.40	16.0	0.30	503	15.4	0.32	11.4	0.24
Multiple Myeloma	213	7.2	0.23	5.0	0.16	147	4.4	0.16	3.0	0.12
Leukemias	448	15.9	0.34	11.7	0.27	300	9.8	0.27	7.8	0.24
Acute lymphocytic	28	1.4	0.12	1.5	0.14	29	1.4	0.12	1.6	0.15
Chronic lymphocytic	180	6.0	0.20	4.2	0.14	105	3.0	0.13	2.2	0.10
Acute myeloid	128	4.6	0.18	3.2	0.14	97	3.1	0.15	2.4	0.12
Chronic myeloid	61	2.2	0.13	1.6	0.10	38	1.2	0.09	0.9	0.07
Other leukemias	50	1.7	0.11	1.2	0.08	31	1.0	0.09	0.8	0.07
Mesothelioma	77	2.7	0.14	1.7	0.09	18	0.5	0.06	0.4	0.04
Kaposi Sarcoma	7	0.3	0.05	0.2	0.04	1	0.0	0.02	0.0	0.01
Ill-defined & Unknown	409	14.3	0.32	9.3	0.21	-	-	-	-	-
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	134	5.0	0.20	4.3	0.18	236	7.8	0.24	6.4	0.20
Breast (<i>in situ</i>)	2	0.1	0.02	0.0	0.01	569	17.9	0.35	14.7	0.29

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Manitoba, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,369	480.3	3.78	346.7	2.73	3,347	425.6	3.38	324.8	2.67
Oral Cavity & Pharynx	122	16.9	0.70	13.0	0.54	58	7.2	0.43	5.5	0.34
Lip	36	5.3	0.41	3.5	0.27	14	1.7	0.21	1.1	0.15
Tongue	33	4.5	0.36	3.6	0.29	13	1.7	0.21	1.3	0.17
Major salivary gland	5	0.7	0.14	0.5	0.11	6	0.8	0.14	0.7	0.13
Floor of mouth	6	0.8	0.15	0.6	0.12	3	0.4	0.10	0.3	0.08
Gum & other mouth	7	0.9	0.15	0.7	0.12	10	1.3	0.18	0.9	0.14
Nasopharynx	5	0.7	0.14	0.6	0.12	2	0.3	0.09	0.2	0.07
Oropharynx	4	0.5	0.12	0.4	0.10	2	0.2	0.07	0.2	0.06
Hypopharynx	7	0.9	0.16	0.7	0.12	2	0.2	0.08	0.2	0.06
Digestive System	804	114.4	1.84	81.6	1.31	618	75.8	1.40	54.1	1.04
Esophagus	50	7.1	0.45	5.0	0.32	16	1.9	0.22	1.4	0.16
Stomach	78	11.3	0.58	8.0	0.41	40	4.9	0.36	3.5	0.27
Small intestine	18	2.5	0.27	1.8	0.20	13	1.7	0.21	1.3	0.17
Colon excl. rectum	280	40.5	1.10	28.2	0.77	262	31.9	0.90	22.2	0.66
Rectum & rectosigmoid	184	26.0	0.87	19.0	0.64	108	13.7	0.60	10.3	0.47
Anus, anal canal & anorectum	9	1.1	0.18	0.9	0.14	13	1.7	0.21	1.3	0.16
Liver	49	6.6	0.43	5.1	0.33	20	2.5	0.25	1.8	0.19
Gallbladder	8	1.1	0.17	0.8	0.13	17	2.1	0.23	1.4	0.16
Pancreas	91	12.9	0.62	9.1	0.43	94	11.3	0.53	7.8	0.38
Respiratory System	475	68.1	1.42	46.5	0.97	481	59.1	1.23	42.0	0.89
Larynx	26	3.6	0.32	2.6	0.23	3	0.4	0.10	0.3	0.08
Lung & bronchus	442	63.5	1.38	43.1	0.93	473	58.0	1.22	41.2	0.88
Bones & Joints	6	0.9	0.17	0.8	0.15	6	0.9	0.17	0.9	0.17
Soft Tissue (incl. heart)	26	3.9	0.35	3.1	0.29	19	2.7	0.28	2.3	0.26
Skin (excl. basal & sq.)	147	21.5	0.81	15.2	0.58	126	16.3	0.67	12.8	0.55
Melanomas of the skin	133	19.3	0.76	13.8	0.55	112	14.5	0.63	11.5	0.52
Breast (excl. <i>in situ</i>)	5	0.8	0.16	0.5	0.10	859	110.9	1.74	86.9	1.39
Female Genital System	-	-	-	-	-	459	59.6	1.28	48.3	1.05
Cervix uteri	-	-	-	-	-	48	7.2	0.48	6.3	0.42
Uterus Corpus	-	-	-	-	-	278	35.1	0.96	28.4	0.79
Uterus, NOS ¹	-	-	-	-	-	4	0.6	0.12	0.4	0.10
Ovary	-	-	-	-	-	84	11.1	0.56	9.0	0.46
Male Genital System	759	105.5	1.75	77.2	1.27	-	-	-	-	-
Prostate	704	96.9	1.67	69.3	1.18	-	-	-	-	-
Testis	39	6.2	0.45	6.3	0.45	-	-	-	-	-
Penis	14	2.0	0.25	1.4	0.18	-	-	-	-	-
Urinary System	398	57.2	1.31	40.0	0.91	160	20.0	0.73	14.5	0.55
Bladder (incl. <i>in situ</i>)	229	33.7	1.01	22.0	0.66	76	9.4	0.49	6.4	0.35
Kidney & renal pelvis	157	21.8	0.79	16.9	0.62	77	9.9	0.52	7.7	0.41
Ureter	6	0.8	0.16	0.5	0.10	4	0.5	0.12	0.3	0.07
Eye & Orbit	5	0.6	0.13	0.5	0.11	5	0.7	0.14	0.6	0.12
Brain & Other CNS ¹	49	7.1	0.47	6.2	0.41	38	5.2	0.39	4.6	0.36
Brain	47	6.8	0.45	5.9	0.40	36	4.8	0.37	4.3	0.35
Endocrine System	47	6.9	0.46	6.2	0.42	115	17.0	0.73	15.1	0.65
Thyroid gland	40	5.8	0.42	5.1	0.37	110	16.2	0.71	14.4	0.64
Lymphomas	192	27.6	0.91	21.2	0.71	154	19.6	0.72	15.2	0.59
Hodgkin Lymphoma	23	3.5	0.33	3.3	0.31	15	2.2	0.27	2.2	0.27
Non-Hodgkin Lymphoma	169	24.1	0.85	18.0	0.64	140	17.4	0.67	13.0	0.52
Multiple Myeloma	56	7.9	0.48	5.6	0.34	41	4.9	0.35	3.5	0.26
Leukemias	128	18.7	0.75	14.0	0.58	81	10.4	0.53	8.3	0.46
Acute lymphocytic	11	1.7	0.24	1.9	0.26	10	1.6	0.23	1.8	0.26
Chronic lymphocytic	61	8.5	0.50	6.1	0.35	33	3.9	0.31	2.8	0.23
Acute myeloid	31	4.6	0.38	3.4	0.28	23	2.9	0.28	2.3	0.24
Chronic myeloid	15	2.3	0.27	1.7	0.20	10	1.3	0.19	1.0	0.15
Other leukemias	10	1.5	0.22	1.0	0.16	5	0.7	0.14	0.5	0.11
Mesothelioma	17	2.5	0.28	1.7	0.18	5	0.6	0.12	0.4	0.09
Kaposi Sarcoma	3	0.4	0.12	0.3	0.10	-	-	-	-	-
Ill-defined & Unknown	131	19.4	0.77	13.0	0.52	122	14.7	0.61	9.9	0.43
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	40	5.9	0.42	4.6	0.34	74	9.7	0.52	7.6	0.43
Breast (<i>in situ</i>)	-	-	-	-	-	113	14.6	0.63	11.8	0.51

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
New Brunswick, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,589	500.3	4.56	364.2	3.34	2,368	421.2	4.04	321.1	3.25
Oral Cavity & Pharynx	85	15.7	0.79	12.2	0.61	33	5.8	0.47	4.5	0.38
Lip	6	1.3	0.24	0.8	0.15	3	0.5	0.13	0.3	0.09
Tongue	25	4.6	0.42	3.6	0.33	9	1.4	0.22	1.1	0.17
Major salivary gland	4	0.9	0.20	0.6	0.15	3	0.7	0.19	0.6	0.16
Floor of mouth	4	0.7	0.16	0.6	0.12	2	0.3	0.11	0.3	0.10
Gum & other mouth	7	1.3	0.23	1.0	0.17	7	1.1	0.20	0.8	0.16
Nasopharynx	3	0.6	0.15	0.5	0.13	2	0.3	0.10	0.3	0.09
Oropharynx	5	1.0	0.20	0.8	0.15	-	-	-	-	-
Hypopharynx	3	0.5	0.15	0.3	0.09	-	-	-	-	-
Digestive System	582	113.7	2.18	80.2	1.53	422	71.1	1.59	49.3	1.15
Esophagus	36	6.8	0.53	4.9	0.38	10	1.6	0.24	1.1	0.17
Stomach	65	12.6	0.73	8.9	0.51	29	4.8	0.41	3.3	0.29
Small intestine	15	2.8	0.33	2.1	0.25	9	1.5	0.23	1.1	0.17
Colon excl. rectum	210	41.8	1.34	28.7	0.91	196	33.1	1.09	22.1	0.76
Rectum & rectosigmoid	126	24.0	0.99	18.0	0.74	63	11.2	0.66	8.4	0.52
Anus, anal canal & anorectum	5	1.0	0.20	0.7	0.14	16	2.7	0.31	2.1	0.26
Liver	24	4.6	0.43	3.2	0.29	9	1.5	0.23	1.0	0.16
Gallbladder	3	0.7	0.17	0.4	0.11	6	1.0	0.18	0.6	0.12
Pancreas	75	14.8	0.79	10.1	0.53	62	10.0	0.58	6.8	0.41
Respiratory System	474	92.1	1.95	62.6	1.30	378	62.7	1.47	45.2	1.08
Larynx	25	4.7	0.43	3.5	0.31	4	0.6	0.15	0.5	0.12
Lung & bronchus	445	86.7	1.89	58.5	1.25	372	61.8	1.46	44.4	1.07
Bones & Joints	4	0.9	0.23	0.9	0.23	3	0.8	0.23	0.8	0.25
Soft Tissue (incl. heart)	13	3.0	0.39	2.5	0.35	11	2.3	0.33	2.0	0.31
Skin (excl. basal & sq.)	113	22.7	0.99	16.7	0.74	105	20.3	0.93	16.3	0.80
Melanomas of the skin	100	19.8	0.93	14.8	0.70	95	18.5	0.90	15.1	0.77
Breast (excl. <i>in situ</i>)	5	1.1	0.22	0.7	0.15	617	111.0	2.09	87.0	1.68
Female Genital System	-	-	-	-	-	267	48.6	1.40	39.4	1.18
Cervix uteri	-	-	-	-	-	29	7.3	0.63	6.7	0.60
Uterus Corpus	-	-	-	-	-	152	25.5	0.95	20.6	0.78
Uterus, NOS ¹	-	-	-	-	-	1	0.2	0.09	0.2	0.06
Ovary	-	-	-	-	-	58	10.7	0.66	8.1	0.53
Male Genital System	552	98.4	1.94	77.3	1.53	-	-	-	-	-
Prostate	524	90.8	1.83	70.1	1.38	-	-	-	-	-
Testis	21	6.1	0.61	6.1	0.63	-	-	-	-	-
Penis	7	1.3	0.23	0.9	0.16	-	-	-	-	-
Urinary System	330	64.5	1.64	45.8	1.16	138	23.9	0.94	17.8	0.73
Bladder (incl. <i>in situ</i>)	199	39.1	1.28	26.6	0.86	61	10.3	0.60	7.2	0.44
Kidney & renal pelvis	124	23.7	0.99	18.2	0.76	72	13.0	0.71	10.1	0.57
Ureter	5	1.1	0.22	0.6	0.13	3	0.5	0.13	0.3	0.09
Eye & Orbit	2	0.3	0.11	0.3	0.10	-	-	-	-	-
Brain & Other CNS ¹	37	7.6	0.59	6.4	0.52	27	5.8	0.54	5.2	0.54
Brain	36	7.4	0.58	6.2	0.52	26	5.4	0.52	4.8	0.51
Endocrine System	36	7.7	0.60	6.6	0.53	80	17.6	0.94	15.6	0.86
Thyroid gland	34	7.1	0.57	6.0	0.50	78	17.3	0.93	15.4	0.85
Lymphomas	133	27.1	1.09	20.6	0.86	112	20.7	0.92	16.1	0.77
Hodgkin Lymphoma	13	3.3	0.43	3.2	0.44	9	2.3	0.36	2.2	0.36
Non-Hodgkin Lymphoma	120	23.8	1.01	17.3	0.74	103	18.4	0.85	13.9	0.68
Multiple Myeloma	37	7.3	0.55	5.1	0.38	28	4.8	0.41	3.3	0.29
Leukemias	100	20.1	0.94	14.9	0.73	71	12.9	0.72	10.0	0.63
Acute lymphocytic	5	1.4	0.30	1.4	0.33	3	1.0	0.26	1.1	0.31
Chronic lymphocytic	50	9.5	0.62	6.7	0.43	37	6.1	0.46	4.3	0.33
Acute myeloid	27	5.5	0.49	4.0	0.38	20	3.8	0.41	3.0	0.37
Chronic myeloid	11	2.2	0.30	1.6	0.24	7	1.3	0.22	0.9	0.17
Other leukemias	-	-	-	-	-	4	0.7	0.18	0.6	0.17
Mesothelioma	9	1.9	0.29	1.1	0.17	3	0.5	0.13	0.3	0.08
Kaposi Sarcoma	1	0.3	0.12	0.1	0.06	-	-	-	-	-
Ill-defined & Unknown	75	15.8	0.84	10.2	0.55	71	12.1	0.66	8.1	0.49
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malignant)	15	3.5	0.41	2.9	0.36	30	6.1	0.53	5.1	0.46
Breast (<i>in situ</i>)	-	-	-	-	-	71	12.8	0.71	10.5	0.58

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Newfoundland and Labrador, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	1,900	526.3	5.68	386.3	4.14	1,759	465.0	5.16	356.0	4.09
Oral Cavity & Pharynx	62	16.8	1.00	13.1	0.77	21	5.6	0.58	4.4	0.47
Lip	10	2.9	0.43	2.1	0.31	1	0.3	0.13	0.2	0.09
Tongue	14	3.9	0.49	3.1	0.38	5	1.4	0.28	1.1	0.24
Major salivary gland	3	0.8	0.22	0.6	0.17	3	1.0	0.27	0.8	0.24
Floor of mouth	4	1.1	0.25	0.9	0.21	-	-	-	-	-
Gum & other mouth	6	1.5	0.29	1.1	0.22	3	0.7	0.20	0.5	0.14
Nasopharynx	3	0.8	0.22	0.7	0.19	2	0.5	0.17	0.4	0.15
Oropharynx	3	0.7	0.21	0.5	0.15	1	0.3	0.11	0.2	0.08
Hypopharynx	3	0.9	0.25	0.7	0.16	-	-	-	-	-
Digestive System	519	145.8	3.01	103.2	2.08	388	100.7	2.35	71.4	1.71
Esophagus	31	8.4	0.71	6.1	0.50	7	1.6	0.29	1.1	0.21
Stomach	52	15.2	0.99	10.3	0.64	27	7.4	0.66	5.2	0.49
Small intestine	10	2.6	0.39	2.1	0.30	11	2.8	0.38	2.1	0.29
Colon excl. rectum	219	61.9	1.96	43.2	1.34	203	52.6	1.70	37.0	1.22
Rectum & rectosigmoid	126	34.9	1.46	25.8	1.06	66	17.1	0.97	12.7	0.73
Anus, anal canal & anorectum	4	1.2	0.27	0.8	0.19	6	1.6	0.30	1.2	0.24
Liver	17	4.7	0.54	3.3	0.36	7	1.9	0.33	1.3	0.24
Gallbladder	4	1.3	0.28	0.8	0.18	5	1.2	0.25	0.8	0.17
Pancreas	35	9.6	0.77	6.7	0.52	34	8.5	0.67	5.8	0.46
Respiratory System	301	84.3	2.28	57.7	1.50	232	57.8	1.74	41.6	1.26
Larynx	21	6.1	0.62	4.3	0.42	3	0.8	0.20	0.6	0.16
Lung & bronchus	277	77.3	2.18	52.7	1.43	227	56.6	1.72	40.7	1.24
Bones & Joints	2	0.9	0.28	0.9	0.29	1	0.4	0.18	0.4	0.18
Soft Tissue (incl. heart)	10	3.5	0.51	2.9	0.44	6	1.9	0.36	1.5	0.32
Skin (excl. basal & sq.)	68	20.3	1.16	15.2	0.88	54	15.4	0.98	12.2	0.81
Melanomas of the skin	60	17.9	1.09	13.5	0.83	48	13.7	0.93	11.0	0.78
Breast (excl. <i>in situ</i>)	4	1.2	0.27	0.8	0.19	465	121.8	2.63	95.2	2.09
Female Genital System	-	-	-	-	-	209	56.6	1.83	46.1	1.54
Cervix uteri	-	-	-	-	-	31	10.6	0.89	9.5	0.83
Uterus Corpus	-	-	-	-	-	108	27.2	1.21	22.1	0.99
Uterus, NOS ¹	-	-	-	-	-	3	0.7	0.20	0.6	0.18
Ovary	-	-	-	-	-	40	10.7	0.79	8.5	0.65
Male Genital System	447	113.1	2.50	87.9	1.91	-	-	-	-	-
Prostate	432	107.3	2.40	82.3	1.79	-	-	-	-	-
Testis	10	4.4	0.62	4.5	0.64	-	-	-	-	-
Penis	5	1.3	0.28	1.1	0.22	-	-	-	-	-
Urinary System	230	64.7	2.01	45.7	1.37	102	25.6	1.17	19.3	0.90
Bladder (incl. <i>in situ</i>)	131	38.1	1.57	25.2	1.00	46	11.4	0.78	8.2	0.56
Kidney & renal pelvis	95	25.2	1.21	19.6	0.93	55	13.8	0.87	10.9	0.69
Ureter	4	1.0	0.25	0.7	0.17	1	0.3	0.11	0.2	0.08
Eye & Orbit	3	0.9	0.23	0.7	0.17	2	0.5	0.16	0.3	0.11
Brain & Other CNS ¹	23	7.0	0.69	5.9	0.60	20	5.9	0.63	4.9	0.57
Brain	22	6.7	0.67	5.6	0.58	19	5.7	0.61	4.7	0.55
Endocrine System	32	9.7	0.81	7.9	0.68	94	28.9	1.41	25.6	1.29
Thyroid gland	30	8.9	0.77	7.2	0.63	93	28.3	1.39	24.9	1.27
Lymphomas	92	26.3	1.29	21.0	1.06	78	21.0	1.12	16.7	0.95
Hodgkin Lymphoma	7	2.2	0.41	2.3	0.44	7	2.4	0.44	2.5	0.48
Non-Hodgkin Lymphoma	86	24.1	1.22	18.8	0.97	71	18.6	1.03	14.2	0.82
Multiple Myeloma	21	5.8	0.58	4.2	0.41	18	4.4	0.47	3.2	0.34
Leukemias	37	11.5	0.91	9.5	0.82	26	7.2	0.67	5.9	0.61
Acute lymphocytic	4	2.0	0.46	2.3	0.54	2	0.8	0.28	0.9	0.32
Chronic lymphocytic	9	2.4	0.38	1.7	0.26	4	1.0	0.23	0.8	0.17
Acute myeloid	14	4.1	0.52	3.3	0.44	9	2.5	0.39	2.1	0.35
Chronic myeloid	6	1.8	0.36	1.3	0.27	6	1.6	0.32	1.4	0.29
Other leukemias	4	1.2	0.28	0.9	0.22	5	1.2	0.25	0.8	0.18
Mesothelioma	4	1.2	0.27	0.8	0.18	1	0.3	0.12	0.2	0.09
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	41	13.1	0.96	8.6	0.65	40	10.7	0.77	7.1	0.55
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	10	3.2	0.47	2.5	0.38	18	4.8	0.53	3.8	0.45
Breast (<i>in situ</i>)	-	-	-	-	-	73	18.8	1.03	15.3	0.83

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

NEWFOUNDLAND AND LABRADOR

454 Incidence – All Races

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Northwest Territories, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	82	490.8	28.21	356.1	18.43	76	453.5	26.24	338.7	18.08
Oral Cavity & Pharynx	4	21.4	5.51	16.0	3.93	-	-	-	-	-
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	163.9	16.84	115.1	10.61	18	108.6	13.08	80.8	9.00
Esophagus	1	8.0	3.81	5.5	2.39	-	-	-	-	-
Stomach	4	19.7	5.79	14.4	3.54	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	8	55.6	10.15	37.7	6.30	7	49.8	9.36	35.0	6.09
Rectum & rectosigmoid	7	45.2	8.80	31.7	5.48	6	27.7	5.82	22.5	4.40
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	2	9.3	3.93	6.7	2.50	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	2	9.8	3.37	7.9	2.60	-	-	-	-	-
Respiratory System	14	97.6	13.45	65.9	8.34	9	76.3	12.39	48.5	7.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	13	94.2	13.28	63.2	8.18	9	76.3	12.39	48.5	7.41
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	2	11.5	3.96	8.8	2.81	2	10.2	3.39	8.4	2.73
Melanomas of the skin	2	11.5	3.96	8.8	2.81	2	9.5	3.31	7.8	2.65
Breast (excl. <i>in situ</i>)	-	-	-	-	-	23	125.0	12.99	96.6	9.33
Female Genital System	-	-	-	-	-	9	44.1	7.46	35.3	5.56
Cervix uteri	-	-	-	-	-	2	7.8	2.93	6.9	2.50
Uterus Corpus	-	-	-	-	-	5	24.5	5.67	19.1	4.09
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	7.7	2.75	6.7	2.38
Male Genital System	16	83.8	10.99	64.5	7.65	-	-	-	-	-
Prostate	14	77.1	10.76	57.6	7.29	-	-	-	-	-
Testis	2	6.0	2.16	6.3	2.25	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	45.5	7.51	36.6	5.61	3	20.2	5.99	13.5	3.76
Bladder (incl. <i>in situ</i>)	3	13.2	4.15	10.3	2.96	-	-	-	-	-
Kidney & renal pelvis	6	29.8	5.76	25.1	4.59	2	12.3	4.64	8.3	2.91
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	1	5.1	2.11	4.7	1.96	1	6.4	2.44	6.2	2.40
Brain	1	5.1	2.11	4.7	1.96	1	6.4	2.44	6.2	2.40
Endocrine System	-	-	-	-	-	3	11.0	3.09	10.3	2.87
Thyroid gland	-	-	-	-	-	2	10.0	2.91	9.4	2.74
Lymphomas	4	17.9	4.45	15.1	3.50	3	18.5	5.15	14.4	3.70
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	3	15.6	4.21	12.9	3.24	3	17.8	5.10	13.5	3.60
Multiple Myeloma	-	-	-	-	-	1	9.1	4.14	5.7	2.44
Leukemias	2	15.8	5.75	9.9	3.04	1	5.3	2.20	5.1	2.13
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	1	7.6	3.74	5.2	2.08	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	2	13.3	4.61	9.3	2.95	2	11.7	4.27	8.5	2.92
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malignant)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	3	15.8	4.84	11.6	3.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nova Scotia, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	3,343	540.2	4.33	389.4	3.16	3,154	450.5	3.75	341.8	2.99
Oral Cavity & Pharynx	118	17.5	0.75	14.1	0.61	46	6.5	0.44	5.0	0.35
Lip	7	1.1	0.20	0.8	0.15	2	0.3	0.10	0.2	0.08
Tongue	39	5.8	0.43	4.8	0.36	13	1.8	0.24	1.5	0.20
Major salivary gland	8	1.3	0.22	1.0	0.17	6	0.9	0.18	0.7	0.15
Floor of mouth	4	0.6	0.13	0.5	0.10	3	0.4	0.11	0.3	0.09
Gum & other mouth	9	1.4	0.22	1.1	0.17	11	1.6	0.21	1.1	0.16
Nasopharynx	3	0.5	0.14	0.5	0.13	1	0.2	0.07	0.1	0.06
Oropharynx	5	0.7	0.14	0.6	0.11	-	-	-	-	-
Hypopharynx	9	1.3	0.20	1.0	0.15	-	-	-	-	-
Digestive System	799	129.1	2.11	90.6	1.48	598	81.3	1.53	56.5	1.12
Esophagus	70	10.8	0.60	7.9	0.43	19	2.5	0.26	1.7	0.19
Stomach	57	9.3	0.57	6.4	0.39	32	4.5	0.36	3.0	0.26
Small intestine	17	3.0	0.33	2.1	0.24	17	2.4	0.27	1.8	0.21
Colon excl. rectum	299	49.3	1.32	33.1	0.88	280	37.9	1.04	25.7	0.75
Rectum & rectosigmoid	172	27.2	0.96	20.0	0.70	99	13.6	0.63	10.0	0.48
Anus, anal canal & anorectum	9	1.5	0.23	1.1	0.17	19	2.5	0.27	2.0	0.21
Liver	48	7.3	0.48	5.6	0.38	14	2.0	0.25	1.5	0.21
Gallbladder	6	1.1	0.20	0.7	0.13	12	1.6	0.22	1.1	0.15
Pancreas	88	14.1	0.70	9.8	0.48	75	10.0	0.53	6.7	0.37
Respiratory System	547	86.4	1.70	59.0	1.14	509	67.8	1.37	48.7	1.00
Larynx	31	4.6	0.38	3.4	0.28	8	1.1	0.17	0.8	0.13
Lung & bronchus	511	81.0	1.65	55.0	1.10	497	66.0	1.35	47.4	0.99
Bones & Joints	5	1.1	0.22	1.1	0.23	3	0.6	0.17	0.6	0.16
Soft Tissue (incl. heart)	16	3.1	0.37	2.7	0.35	18	2.9	0.33	2.3	0.29
Skin (excl. basal & sq.)	210	35.3	1.14	26.0	0.85	167	25.8	0.95	20.7	0.80
Melanomas of the skin	191	31.9	1.08	23.8	0.82	158	24.5	0.93	19.9	0.79
Breast (excl. <i>in situ</i>)	8	1.1	0.18	0.9	0.15	794	115.2	1.91	90.0	1.54
Female Genital System	-	-	-	-	-	350	50.7	1.27	40.6	1.06
Cervix uteri	-	-	-	-	-	38	7.2	0.55	6.4	0.50
Uterus Corpus	-	-	-	-	-	182	25.0	0.86	20.2	0.71
Uterus, NOS ¹	-	-	-	-	-	7	0.9	0.15	0.6	0.11
Ovary	-	-	-	-	-	79	11.3	0.60	8.7	0.48
Male Genital System	679	104.4	1.85	77.5	1.38	-	-	-	-	-
Prostate	640	96.1	1.75	69.8	1.25	-	-	-	-	-
Testis	29	6.6	0.57	6.5	0.56	-	-	-	-	-
Penis	9	1.3	0.21	0.9	0.15	-	-	-	-	-
Urinary System	415	67.9	1.54	47.1	1.07	186	26.0	0.89	19.2	0.70
Bladder (incl. <i>in situ</i>)	243	40.0	1.18	26.2	0.76	82	11.1	0.56	7.7	0.41
Kidney & renal pelvis	163	26.5	0.97	20.0	0.74	100	14.3	0.67	11.2	0.56
Ureter	4	0.8	0.17	0.5	0.10	3	0.4	0.11	0.3	0.07
Eye & Orbit	3	0.5	0.14	0.4	0.11	2	0.5	0.15	0.5	0.17
Brain & Other CNS ¹	44	7.8	0.56	6.6	0.50	33	5.2	0.44	4.3	0.40
Brain	43	7.8	0.56	6.6	0.50	32	5.1	0.44	4.3	0.40
Endocrine System	41	7.9	0.58	6.7	0.51	103	18.5	0.87	16.6	0.81
Thyroid gland	36	6.9	0.54	5.7	0.46	98	17.7	0.85	15.9	0.79
Lymphomas	174	29.7	1.05	22.9	0.85	134	19.6	0.80	15.4	0.67
Hodgkin Lymphoma	14	2.9	0.36	2.8	0.36	8	1.7	0.28	1.7	0.29
Non-Hodgkin Lymphoma	160	26.8	0.99	20.1	0.77	126	17.9	0.75	13.7	0.61
Multiple Myeloma	49	7.7	0.51	5.6	0.36	34	4.6	0.37	3.2	0.26
Leukemias	100	17.4	0.82	13.1	0.66	65	10.2	0.61	8.1	0.55
Acute lymphocytic	8	1.9	0.32	2.1	0.37	7	1.5	0.29	1.6	0.33
Chronic lymphocytic	37	5.8	0.44	4.0	0.30	21	2.9	0.29	2.0	0.22
Acute myeloid	30	5.3	0.45	3.8	0.34	23	3.7	0.37	2.9	0.32
Chronic myeloid	15	2.6	0.32	2.0	0.25	7	1.1	0.20	0.8	0.16
Other leukemias	10	1.8	0.26	1.3	0.19	7	0.9	0.17	0.6	0.14
Mesothelioma	14	2.3	0.29	1.5	0.18	2	0.3	0.09	0.2	0.07
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	121	20.7	0.87	13.5	0.57	109	14.8	0.65	9.7	0.46
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	25	4.6	0.43	3.9	0.39	41	6.5	0.48	5.3	0.42
Breast (<i>in situ</i>)	-	-	-	-	-	118	17.5	0.76	14.3	0.62

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Nunavut, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	34	364.9	33.26	279.1	23.07	37	436.4	40.26	329.3	26.56
Oral Cavity & Pharynx	2	24.9	8.78	18.0	6.06	1	12.5	5.51	10.3	4.39
Lip	-	-	-	-	-	-	-	-	-	-
Tongue	-	-	-	-	-	-	-	-	-	-
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	-	-	-	-	-	-	-	-	-	-
Gum & other mouth	-	-	-	-	-	-	-	-	-	-
Nasopharynx	1	15.1	6.67	11.2	4.83	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	109.7	16.48	87.4	12.22	10	147.2	25.87	104.1	15.81
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	20.1	7.95	15.0	5.54	-	-	-	-	-
Small intestine	-	-	-	-	-	-	-	-	-	-
Colon excl. rectum	3	32.7	9.65	24.7	6.84	6	102.0	23.41	66.2	13.50
Rectum & rectosigmoid	5	36.6	7.72	32.0	6.60	2	24.9	9.16	19.8	6.20
Anus, anal canal & anorectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Gallbladder	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	10	137.8	22.74	97.9	14.78	11	144.2	22.72	108.3	15.60
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	137.8	22.74	97.9	14.78	11	142.5	22.65	106.6	15.51
Bones & Joints	-	-	-	-	-	-	-	-	-	-
Soft Tissue (incl. heart)	-	-	-	-	-	-	-	-	-	-
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast (excl. <i>in situ</i>)	-	-	-	-	-	5	48.6	11.28	39.3	8.13
Female Genital System	-	-	-	-	-	3	25.5	6.43	23.3	5.78
Cervix uteri	-	-	-	-	-	2	12.1	4.11	10.8	3.60
Uterus Corpus	-	-	-	-	-	1	9.6	4.09	9.1	3.79
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	33.6	9.72	26.3	7.03	-	-	-	-	-
Prostate	3	30.7	9.57	23.3	6.81	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	14.1	4.58	12.8	4.14	-	-	-	-	-
Bladder (incl. <i>in situ</i>)	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	1	8.2	3.45	7.5	3.14	-	-	-	-	-
Ureter	-	-	-	-	-	-	-	-	-	-
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	-	-	-	-	-	-	-	-	-	-
Brain	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	2	16.0	8.13	12.1	4.93
Thyroid gland	-	-	-	-	-	2	16.0	8.13	12.1	4.93
Lymphomas	2	11.0	4.01	9.7	3.49	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	1	8.2	3.50	7.3	3.08	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	1	7.2	2.82	7.1	2.71	-	-	-	-	-
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	-	-	-	-	-	-	-	-	-	-
Acute myeloid	-	-	-	-	-	-	-	-	-	-
Chronic myeloid	-	-	-	-	-	-	-	-	-	-
Other leukemias	-	-	-	-	-	-	-	-	-	-
Mesothelioma	-	-	-	-	-	-	-	-	-	-
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-
Selected tumors (non-invasive)	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹ (non-malig)	-	-	-	-	-	-	-	-	-	-
Breast (<i>in situ</i>)	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Ontario, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	40,168	509.5	1.16	369.1	0.85	40,450	453.1	1.03	348.7	0.83
Oral Cavity & Pharynx	1,422	17.3	0.21	13.4	0.16	643	7.1	0.13	5.4	0.10
Lip	85	1.1	0.05	0.7	0.04	32	0.3	0.03	0.2	0.02
Tongue	402	4.8	0.11	3.8	0.09	177	1.9	0.07	1.5	0.05
Major salivary gland	160	2.1	0.08	1.5	0.05	101	1.2	0.05	0.9	0.05
Floor of mouth	84	1.0	0.05	0.8	0.04	35	0.4	0.03	0.3	0.02
Gum & other mouth	178	2.2	0.08	1.7	0.06	146	1.6	0.06	1.1	0.04
Nasopharynx	92	1.2	0.06	1.0	0.05	36	0.4	0.03	0.4	0.03
Oropharynx	60	0.7	0.04	0.6	0.03	20	0.2	0.02	0.2	0.02
Hypopharynx	79	1.0	0.05	0.7	0.04	16	0.2	0.02	0.1	0.01
Digestive System	9,084	115.0	0.55	81.6	0.39	7,025	75.4	0.41	53.4	0.30
Esophagus	599	7.4	0.14	5.3	0.10	204	2.1	0.07	1.5	0.05
Stomach	986	12.6	0.18	8.8	0.13	564	6.1	0.12	4.3	0.09
Small intestine	249	3.1	0.09	2.3	0.07	225	2.5	0.08	1.9	0.06
Colon excl. rectum	3,078	39.7	0.33	27.4	0.23	2,908	31.2	0.26	21.6	0.19
Rectum & rectosigmoid	1,638	20.5	0.23	15.1	0.17	1,057	11.6	0.16	8.7	0.13
Anus, anal canal & anorectum	106	1.3	0.06	1.0	0.04	184	2.0	0.07	1.5	0.05
Liver	756	9.2	0.15	6.9	0.11	249	2.6	0.08	1.8	0.06
Gallbladder	65	0.8	0.05	0.6	0.03	127	1.4	0.05	0.9	0.04
Pancreas	1,049	13.2	0.19	9.2	0.13	968	10.2	0.15	6.9	0.11
Respiratory System	5,412	68.6	0.42	46.8	0.29	5,078	53.8	0.34	38.3	0.25
Larynx	348	4.2	0.10	3.1	0.08	66	0.7	0.04	0.5	0.03
Lung & bronchus	4,961	63.0	0.41	42.7	0.27	4,945	52.4	0.34	37.2	0.24
Bones & Joints	90	1.2	0.06	1.1	0.06	79	1.0	0.05	1.0	0.05
Soft Tissue (incl. heart)	394	5.3	0.12	4.2	0.10	308	3.7	0.10	3.2	0.09
Skin (excl. basal & sq.)	2,355	30.5	0.29	21.8	0.21	1,818	20.9	0.23	16.6	0.19
Melanomas of the skin	2,114	27.2	0.27	19.6	0.20	1,630	18.8	0.21	15.0	0.18
Breast (excl. <i>in situ</i>)	88	1.1	0.05	0.8	0.04	10,877	123.1	0.54	97.2	0.44
Female Genital System	-	-	-	-	-	4,955	55.5	0.36	44.6	0.30
Cervix uteri	-	-	-	-	-	565	7.5	0.15	6.6	0.13
Uterus Corpus	-	-	-	-	-	2,593	27.9	0.25	22.5	0.20
Uterus, NOS ¹	-	-	-	-	-	59	0.6	0.04	0.4	0.03
Ovary	-	-	-	-	-	1,226	13.9	0.18	11.1	0.15
Male Genital System	8,686	105.6	0.52	79.3	0.39	-	-	-	-	-
Prostate	8,124	97.4	0.49	71.5	0.36	-	-	-	-	-
Testis	432	6.5	0.14	6.6	0.14	-	-	-	-	-
Penis	101	1.3	0.06	0.9	0.04	-	-	-	-	-
Urinary System	4,907	63.0	0.41	43.6	0.28	1,954	21.1	0.22	15.3	0.17
Bladder (incl. <i>in situ</i>)	3,058	39.7	0.33	26.2	0.22	967	10.2	0.15	7.0	0.11
Kidney & renal pelvis	1,565	19.5	0.23	15.0	0.17	854	9.5	0.15	7.3	0.12
Ureter	37	0.5	0.04	0.3	0.02	26	0.3	0.02	0.2	0.02
Eye & Orbit	96	1.2	0.06	1.0	0.05	78	0.9	0.05	0.8	0.04
Brain & Other CNS ¹	612	8.1	0.15	6.9	0.13	478	5.8	0.12	5.0	0.11
Brain	577	7.6	0.15	6.4	0.13	448	5.4	0.12	4.6	0.11
Endocrine System	864	11.4	0.18	9.9	0.16	2,419	31.7	0.30	28.2	0.27
Thyroid gland	778	10.3	0.17	8.9	0.15	2,344	30.7	0.29	27.4	0.26
Lymphomas	2,090	27.3	0.27	21.0	0.22	1,694	19.3	0.22	15.2	0.18
Hodgkin Lymphoma	216	3.1	0.10	3.0	0.10	185	2.6	0.09	2.6	0.09
Non-Hodgkin Lymphoma	1,874	24.2	0.25	18.0	0.19	1,509	16.8	0.20	12.7	0.16
Multiple Myeloma	780	10.0	0.16	6.8	0.11	593	6.3	0.12	4.4	0.09
Leukemias	1,740	23.1	0.25	17.3	0.20	1,225	13.9	0.18	10.8	0.16
Acute lymphocytic	149	2.5	0.09	2.7	0.10	98	1.6	0.07	1.8	0.09
Chronic lymphocytic	833	10.5	0.17	7.3	0.11	554	5.8	0.11	4.1	0.08
Acute myeloid	346	4.6	0.11	3.3	0.09	268	3.1	0.09	2.4	0.07
Chronic myeloid	184	2.5	0.08	1.8	0.06	131	1.5	0.06	1.1	0.05
Other leukemias	229	3.1	0.09	2.1	0.07	173	1.9	0.07	1.4	0.05
Mesothelioma	164	2.2	0.08	1.4	0.05	51	0.6	0.04	0.4	0.03
Kaposi Sarcoma	39	0.5	0.04	0.4	0.03	8	0.1	0.01	0.1	0.01
Ill-defined & Unknown	1,346	18.1	0.22	12.0	0.15	1,169	12.7	0.17	8.9	0.13
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	956	12.8	0.19	10.4	0.16	1,395	16.3	0.20	13.3	0.17
Breast (<i>in situ</i>)	6	0.1	0.01	0.1	0.01	1,547	17.5	0.20	14.5	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Prince Edward Island, 2013-2017, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Avg. Annual Cases	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites (invasive & in situ bladder)	487	517.9	10.88	370.7	7.84	452	423.5	9.26	319.1	7.31
Oral Cavity & Pharynx	20	21.8	2.24	16.3	1.68	9	8.4	1.32	6.7	1.09
Lip	6	6.5	1.27	4.7	0.92	2	1.4	0.50	1.1	0.41
Tongue	5	5.2	1.06	4.2	0.84	3	2.7	0.75	2.0	0.56
Major salivary gland	-	-	-	-	-	-	-	-	-	-
Floor of mouth	1	1.0	0.43	0.8	0.35	-	-	-	-	-
Gum & other mouth	1	1.7	0.68	1.2	0.48	2	1.9	0.62	1.5	0.51
Nasopharynx	-	-	-	-	-	-	-	-	-	-
Oropharynx	-	-	-	-	-	-	-	-	-	-
Hypopharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	121	127.5	5.37	88.9	3.70	84	77.0	3.87	53.8	2.85
Esophagus	9	8.0	1.24	6.5	0.99	2	2.0	0.59	1.5	0.45
Stomach	11	12.0	1.63	8.6	1.16	5	4.1	0.87	2.9	0.62
Small intestine	2	2.1	0.69	1.4	0.45	1	1.2	0.47	0.7	0.29
Colon excl. rectum	46	48.7	3.33	32.9	2.22	39	36.2	2.66	24.6	1.89
Rectum & rectosigmoid	25	26.1	2.43	19.0	1.76	15	14.5	1.71	10.9	1.34
Anus, anal canal & anorectum	-	-	-	-	-	2	1.7	0.62	1.2	0.46
Liver	7	8.0	1.36	5.6	0.95	3	2.4	0.66	1.7	0.45
Gallbladder	1	1.6	0.61	1.0	0.37	1	1.2	0.47	0.8	0.31
Pancreas	13	14.8	1.87	9.8	1.21	11	9.3	1.32	6.4	0.98
Respiratory System	73	78.3	4.22	52.3	2.77	76	67.7	3.52	47.6	2.51
Larynx	4	3.9	0.95	2.6	0.62	-	-	-	-	-
Lung & bronchus	69	73.3	4.07	48.9	2.67	75	66.1	3.47	46.3	2.46
Bones & Joints	1	1.4	0.59	1.5	0.69	-	-	-	-	-
Soft Tissue (incl. heart)	4	4.4	1.06	3.4	0.88	3	3.3	0.87	2.6	0.72
Skin (excl. basal & sq.)	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	33	36.5	2.97	26.5	2.20	27	27.7	2.51	23.3	2.19
Breast (excl. <i>in situ</i>)	1	1.8	0.67	1.0	0.36	119	112.1	4.79	86.0	3.78
Female Genital System	-	-	-	-	-	48	45.7	3.10	36.8	2.57
Cervix uteri	-	-	-	-	-	7	8.4	1.47	7.5	1.34
Uterus Corpus	-	-	-	-	-	26	22.8	2.10	18.7	1.73
Uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	10.2	1.48	7.6	1.17
Male Genital System	101	99.3	4.58	74.1	3.39	-	-	-	-	-
Prostate	98	95.9	4.46	70.5	3.21	-	-	-	-	-
Testis	2	3.3	1.01	3.4	1.07	-	-	-	-	-
Penis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	57.2	3.59	39.1	2.42	27	24.6	2.20	17.6	1.63
Bladder (incl. <i>in situ</i>)	34	36.5	2.87	23.9	1.83	12	10.6	1.42	7.4	1.02
Kidney & renal pelvis	19	20.0	2.12	14.8	1.57	14	12.7	1.60	9.3	1.22
Ureter	-	-	-	-	-	1	1.3	0.48	0.9	0.34
Eye & Orbit	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS ¹	7	8.1	1.46	6.9	1.31	4	4.1	0.97	3.6	0.90
Brain	6	7.5	1.41	6.4	1.25	4	3.9	0.96	3.4	0.88
Endocrine System	4	5.5	1.22	4.6	1.07	7	7.9	1.40	7.1	1.31
Thyroid gland	4	4.4	1.07	3.7	0.93	7	7.9	1.40	7.1	1.31
Lymphomas	24	26.8	2.58	21.7	2.16	14	14.0	1.76	11.9	1.60
Hodgkin Lymphoma	3	3.5	1.02	3.5	1.05	2	2.0	0.71	1.9	0.74
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	9.2	1.45	6.7	1.05	6	5.4	0.97	3.6	0.68
Leukemias	13	14.6	1.91	11.3	1.58	9	8.9	1.40	7.1	1.27
Acute lymphocytic	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic	6	6.2	1.20	4.4	0.83	4	3.6	0.82	2.7	0.62
Acute myeloid	3	3.2	0.89	2.6	0.78	2	1.9	0.59	1.3	0.41
Chronic myeloid	2	2.7	0.86	2.0	0.70	-	-	-	-	-
Other leukemias	1	1.4	0.56	1.0	0.39	1	1.6	0.64	1.4	0.66
Mesothelioma	2	2.9	0.85	1.6	0.48	1	1.1	0.47	0.7	0.29
Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-
Ill-defined & Unknown	17	18.7	2.12	11.7	1.30	14	12.8	1.56	8.2	1.05
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	3	3.2	0.86	2.6	0.74	7	6.5	1.18	5.3	1.03
Breast (<i>in situ</i>)	-	-	-	-	-	19	18.1	1.91	14.6	1.56

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System

Average Annual Cancer Cases and Age-adjusted Incidence Rates*
Saskatchewan, 2013-2017, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Avg. Annual Cases</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites (invasive & in situ bladder)	2,932	470.8	3.97	340.6	2.89	2,769	408.6	3.58	309.8	2.83
Oral Cavity & Pharynx	84	12.9	0.65	10.1	0.50	37	5.3	0.40	4.0	0.32
Lip	8	1.2	0.21	0.8	0.14	2	0.3	0.09	0.2	0.07
Tongue	23	3.4	0.33	2.8	0.27	10	1.4	0.21	1.1	0.16
Major salivary gland	8	1.4	0.22	1.0	0.16	5	0.8	0.17	0.6	0.14
Floor of mouth	4	0.7	0.15	0.5	0.12	4	0.5	0.11	0.4	0.09
Gum & other mouth	8	1.3	0.20	0.9	0.15	9	1.2	0.19	0.8	0.14
Nasopharynx	4	0.5	0.13	0.5	0.12	-	-	-	-	-
Oropharynx	4	0.6	0.14	0.4	0.11	-	-	-	-	-
Hypopharynx	4	0.6	0.14	0.5	0.10	-	-	-	-	-
Digestive System	738	118.5	1.99	84.4	1.42	526	74.1	1.49	52.5	1.11
Esophagus	43	6.7	0.47	4.9	0.34	12	1.6	0.22	1.2	0.16
Stomach	65	10.6	0.60	7.3	0.42	30	4.2	0.35	3.0	0.26
Small intestine	13	2.1	0.27	1.5	0.19	16	2.4	0.28	1.8	0.21
Colon excl. rectum	287	47.0	1.26	32.8	0.89	247	34.8	1.03	24.2	0.75
Rectum & rectosigmoid	162	25.4	0.91	18.8	0.67	88	12.7	0.63	9.6	0.49
Anus, anal canal & anorectum	6	0.9	0.17	0.7	0.13	10	1.5	0.22	1.2	0.17
Liver	36	5.3	0.41	4.2	0.32	13	1.8	0.23	1.3	0.17
Gallbladder	6	1.0	0.18	0.6	0.12	8	1.2	0.19	0.8	0.14
Pancreas	81	13.0	0.66	9.1	0.46	69	9.3	0.52	6.4	0.37
Respiratory System	409	66.8	1.50	45.6	1.02	406	58.0	1.31	40.9	0.95
Larynx	23	3.5	0.33	2.6	0.25	4	0.6	0.13	0.4	0.10
Lung & bronchus	379	62.1	1.45	42.0	0.98	399	56.9	1.30	40.1	0.94
Bones & Joints	6	1.0	0.18	0.8	0.15	5	0.9	0.18	0.8	0.18
Soft Tissue (incl. heart)	18	2.9	0.31	2.2	0.25	13	1.9	0.25	1.6	0.22
Skin (excl. basal & sq.)	105	17.1	0.76	12.6	0.57	103	16.2	0.74	13.4	0.63
Melanomas of the skin	97	15.6	0.72	11.6	0.54	97	15.4	0.72	12.8	0.62
Breast (excl. <i>in situ</i>)	7	1.1	0.19	0.8	0.14	758	115.2	1.93	90.2	1.55
Female Genital System	-	-	-	-	-	337	50.8	1.28	40.9	1.05
Cervix uteri	-	-	-	-	-	47	8.6	0.58	7.7	0.52
Uterus Corpus	-	-	-	-	-	175	25.4	0.88	20.6	0.72
Uterus, NOS ¹	-	-	-	-	-	4	0.5	0.12	0.4	0.09
Ovary	-	-	-	-	-	76	11.4	0.60	8.7	0.48
Male Genital System	710	109.8	1.88	82.2	1.41	-	-	-	-	-
Prostate	666	102.2	1.81	75.0	1.32	-	-	-	-	-
Testis	33	5.7	0.46	5.9	0.47	-	-	-	-	-
Penis	9	1.5	0.22	1.0	0.15	-	-	-	-	-
Urinary System	358	58.9	1.42	40.5	0.98	155	22.0	0.82	15.8	0.62
Bladder (incl. <i>in situ</i>)	221	36.6	1.12	23.8	0.73	72	9.7	0.53	6.5	0.37
Kidney & renal pelvis	130	21.0	0.84	15.9	0.64	79	11.8	0.61	9.1	0.48
Ureter	4	0.6	0.15	0.4	0.10	2	0.3	0.10	0.2	0.06
Eye & Orbit	3	0.6	0.14	0.4	0.11	4	0.6	0.14	0.5	0.12
Brain & Other CNS ¹	44	7.3	0.50	6.3	0.44	31	4.9	0.41	4.3	0.37
Brain	43	7.0	0.49	6.0	0.43	30	4.8	0.40	4.1	0.36
Endocrine System	35	5.8	0.45	5.1	0.40	70	12.0	0.66	10.6	0.60
Thyroid gland	32	5.4	0.43	4.6	0.38	67	11.5	0.65	10.2	0.59
Lymphomas	147	24.0	0.91	18.6	0.72	124	18.2	0.76	13.9	0.61
Hodgkin Lymphoma	14	2.4	0.29	2.2	0.27	12	2.0	0.26	2.0	0.27
Non-Hodgkin Lymphoma	132	21.6	0.86	16.4	0.66	113	16.3	0.71	11.9	0.54
Multiple Myeloma	51	8.2	0.52	5.8	0.37	33	4.7	0.37	3.4	0.28
Leukemias	126	20.7	0.84	15.2	0.63	81	12.0	0.62	9.2	0.51
Acute lymphocytic	9	1.6	0.24	1.8	0.28	7	1.4	0.23	1.6	0.27
Chronic lymphocytic	67	10.8	0.60	7.4	0.42	38	5.3	0.40	3.7	0.29
Acute myeloid	24	3.9	0.36	2.9	0.27	18	2.8	0.30	2.1	0.24
Chronic myeloid	13	2.1	0.27	1.6	0.20	9	1.4	0.21	1.0	0.17
Other leukemias	13	2.2	0.28	1.5	0.19	8	1.1	0.19	0.8	0.14
Mesothelioma	13	2.2	0.27	1.4	0.18	3	0.5	0.13	0.4	0.11
Kaposi Sarcoma	1	0.3	0.10	0.2	0.08	-	-	-	-	-
Ill-defined & Unknown	77	12.9	0.67	8.4	0.44	83	11.3	0.57	7.4	0.41
Selected tumors (non-invasive)										
Brain & Other CNS ¹ (non-malig)	19	3.2	0.34	2.5	0.27	38	5.9	0.45	4.7	0.37
Breast (<i>in situ</i>)	-	-	-	-	-	105	16.2	0.73	13.2	0.59

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 6 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified; CNS - Central Nervous System