2013-2017: CANCER IN NORTH AMERICA

Volume Three: Registry-specific Cancer Mortality in the United States and Canada

NAACCR
North American Association of Central Cancer Registries

North American Association of Central Cancer Registries, Inc.

PARTICIPATING REGISTRIES
NOT PARTICIPATING

EXECUTIVE SUMMARY: Cancer in North America: 2013-2017

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. NAACCR issues an annual call for data, and the member registries data submissions are combined and used to create the CiNA Monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., NAACCR FastStats on-line query system, NACCCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality, with standard data quality metrics reported for all contributors.

In May of 2020, NAACCR released a five volume monograph, Cancer in North America (CiNA): 2013-2017. This release is the 30th publication of the series and the 28th release that includes statistics for both Canada and the United States (U.S.). This year's publication includes cancer incidence data for all 50 U.S. states, the District of Columbia, Puerto Rico, and for 11 Canadian provinces and territories. We also report data by 5 regions: California (excluding the Greater Bay area and Los Angeles), and 4 SEER urban registries (Detroit, Los Angeles, San Francisco/Oakland, and Seattle). CiNA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America
Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from the high quality registries in the U. S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada
Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions are presented.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada
Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada
Includes cancer survival data for the U.S. and Canada from 61 registries on more than 13 million cases diagnosed among North Americans between 2010 and 2016.

Volume Five: Cancer Prevalence in the United States and Canada
Includes cancer prevalence estimates for the U.S. and Canada from 61 registries on more than 18 million cases diagnosed among North Americans between 2007 and 2016.

All CiNA volumes are available free of charge from the NAACCR website, along with accompanying technical data including population data and supporting appendices.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality, standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance. The Editors would like to acknowledge the fine work and support of the National Cancer Institute, the National Center for Health Statistics, and Statistics Canada for their assistance in developing this publication.

We hope that Cancer in North America: 2013-2017, with the companion CiNA products and resources, facilitate studies of cancer burden, so that we are better able to identify, and understand, appropriate and important measures to control the myriad diseases known collectively as cancer.

The Editors June 2020

CANCER IN NORTH AMERICA: 2013-2017

VOLUME THREE: REGISTRY-SPECIFIC CANCER MORTALITY IN THE UNITED STATES AND CANADA

A Publication of the North American Association of Central Cancer Registries, Inc. (NAACCR)

Editors:
Recinda Sherman, NAACCR Inc.
Rick Firth, Information Management Services, Inc.
Mary Charlton, State Health Registry of Iowa
Prithwish De, Ontario Cancer Registry at Cancer Care Ontario
Don Green, Information Management Services, Inc.
Brenda Hofer, California Cancer Registry
Jim Hofferkamp, NAACCR, Inc.
Mei-Chin Hsieh, Louisiana Tumor Registry
Chris Johnson, Cancer Data Registry of Idaho
Betsy Kohler, NAACCR, Inc.
Bozena Morawski, Cancer Data Registry of Idaho
Sarah Nash, SEER Alaska Native Tumor Registry
Baozhen Qiao, New York State Cancer Registry
Hannah Weir, U.S. Centers for Disease Control and Prevention

June 2020

The Editorial Subcommittee of the NAACCR Standing Committee, Data Use and Research Committee publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401. We acknowledge partial support of NAACCR staff by cooperative agreement U75/CCU52346-05 from the Centers for Disease Control and Prevention (CDC) and by the NCI/NIH Contract No. HHSN261200444001C/ADB Contract No. PC-44401. Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC.

NAACCR
2013-2017

SUGGESTED CITATION:

Sherman R, Firth R, Charlton M, De P, Green D, Hofer B, Hofferkamp J, Hsieh M, Johnson C, Kohler B, Morawski B, Nash S, Qiao B, Wier H (eds). *Cancer In North America, 2013-2017. Volume Three: Registry-specific Cancer Mortality in the United States and Canada.* Springfield, IL: North American Association of Central Cancer Registries, Inc. June 2020.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes I-1

SECTION II: Average-annual Registry-specific Cancer Death Rates by Race and Sex, Age-adjusted to the 2000 U.S. and World Population Standards

UNITED STATES REGISTRIES

Alabama II-1
Alaska II-5
Arizona II-9
Arkansas II-13
California II-17
CA: Greater California II-21
CA: Greater Bay Area II-25
CA: Los Angeles II-29
Colorado II-33
Connecticut II-37
Delaware II-41
District of Columbia II-45
Florida II-49
Georgia II-53
Hawaii II-57
Idaho II-61
Illinois II-65
Indiana II-69
Iowa II-73
Kansas II-77
Kentucky II-81
Louisiana II-85
Maine II-89
Maryland II-93
Massachusetts II-97
Michigan II-101
MI: Metropolitan Detroit II-105
Minnesota II-109
Mississippi II-113
Missouri II-117
Montana II-121
Nebraska II-125
Nevada II-129
New Hampshire II-133
New Jersey II-137
New Mexico II-141
New York II-145
North Carolina II-149

North Dakota II-153
Ohio II-157
Oklahoma II-161
Oregon II-165
Pennsylvania II-169
Rhode Island II-173
South Carolina II-177
South Dakota II-181
Tennessee II-185
Texas II-189
Utah II-193
Vermont II-197
Virginia II-201
Washington II-205
WA: Seattle/Puget Sound II-209
West Virginia II-213
Wisconsin II-217
Wyoming II-221

U.S. TERRITORIES

Puerto Rico II-225

CANADIAN REGISTRIES

Alberta II-226
British Columbia II-227
Manitoba II-228
New Brunswick II-229
Newfoundland and Labrador II-230
Northwest Territories II-231
Nova Scotia II-232
Nunavut II-233
Ontario II-234
Prince Edward Island II-235
Quebec II-236
Saskatchewan II-237
Yukon II-238

SECTION III: Average-annual Registry-specific Cancer Death Rates by Sex, Age-adjusted to the 2011 Canadian and World Population Standards

UNITED STATES REGISTRIES

Alabama III-1
Alaska III-2
Arizona III-3
Arkansas III-4
California III-5
CA: Greater California III-6
CA: Greater Bay Area III-7
CA: Los Angeles III-8

Contents

Colorado III-9
Connecticut III-10
Delaware III-11
District of Columbia III-12
Florida III-13
Georgia III-14
Hawaii III-15
Idaho III-16
Illinois III-17
Indiana III-18
Iowa III-19
Kansas III-20
Kentucky III-21
Louisiana III-22
Maine III-23
Maryland III-24
Massachusetts III-25
Michigan III-26
MI: Metropolitan Detroit III-27
Minnesota III-28
Mississippi III-29
Missouri III-30
Montana III-31
Nebraska III-32
Nevada III-33
New Hampshire III-34
New Jersey III-35
New Mexico III-36
New York III-37
North Carolina III-38
North Dakota III-39
Ohio III-40
Oklahoma III-41
Oregon III-42
Pennsylvania III-43
Rhode Island III-44
South Carolina III-45
South Dakota III-46
Tennessee III-47
Texas III-48
Utah III-49
Vermont III-50
Virginia III-51
Washington III-52
WA: Seattle/Puget Sound III-53
West Virginia III-54

Wisconsin III-55
Wyoming III-56

U.S. TERRITORIES

Puerto Rico III-57

CANADIAN REGISTRIES

Alberta III-58
British Columbia III-59
Manitoba III-60
New Brunswick III-61
Newfoundland and Labrador III-62
Northwest Territories III-63
Nova Scotia III-64
Nunavut III-65
Ontario III-66
Prince Edward Island III-67
Quebec III-68
Saskatchewan III-69
Yukon III-70

SECTION IV: Cancer Mortality for the United States and Canada

United States

All Races (2000 U.S. and World populations) IV-1
All Races (2011 Canadian and World populations) IV-2
Comparison of Selected Site-Specific Death Rates by Registry,
- All Races, Males (2000 U.S. population) IV-3
- All Races, Males (World population) IV-5
- All Races, Females (2000 U.S. population) IV-7
- All Races, Females (World population) IV-9

White (2000 U.S. and World populations) IV-12
Comparison of Selected Site-Specific Death Rates by Registry,
- White, Males (2000 U.S. population) IV-13
- White, Males (World population) IV-15
- White, Females (2000 U.S. population) IV-17
- White, Females (World population) IV-19

Black (2000 U.S. and World populations) IV-22
Comparison of Selected Site
- Black, Males (2000 U.S. population) IV-23
- Black, Males (World population) IV-25
- Black, Females (2000 U.S. population) IV-27
- Black, Females (World population) IV-29

Asian/Pacific Islander (2000 U.S. and World populations) IV-32
Comparison of Selected Site-Specific Death Rates by Registry,
- Asian/Pacific Islander, Males (2000 U.S. population) IV-33
- Asian/Pacific Islander, Males (World population) IV-35
- Asian/Pacific Islander, Females (2000 U.S. population) IV-37
- Asian/Pacific Islander, Females (World population) IV-39

Contents

American Indian/Alaska Native (2000 U.S. and World populations) IV-42
Hispanic (2000 U.S. and World populations) IV-43
Non-Hispanic (2000 U.S. and World populations) IV-44

Canada

All Races (2000 U.S. and World populations) IV-45
All Races (2011 Canadian and World Populations) IV-46
Comparison of Selected Site-Specific Death Rates by Registry,
All Races, Males (2000 U.S. population) IV-47
All Races, Males (2011 Canadian population) IV-48
All Races, Females (2000 U.S. population) IV-49
All Races, Females (2011 Canadian population) IV-50

All Appendices are available on the NAACCR website:
https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices

Section I

Introduction and Technical Notes

Cancer in North America: 2013-2017, Volume Three: Registry–Specific Cancer Mortality in the United States and Canada

Introduction and Technical Notes

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population-based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence, mortality, and other cancer burden statistics for the U. S. (U.S.), Canada, and North America.

Annual cancer statistics for the U. S., for Canada, and for North America are presented in each of the five CiNA Volumes. This year marks the 30th annual release of the series of Cancer in North America (CiNA) monographs; and the 28th year CiNA has included data from both the U.S. and Canada. The *2020 CiNA Combined Monograph* includes data from 67 central population-based cancer registries: 57 from the U. S. (50 states, the District of Columbia, and Puerto Rico, plus 5 regions (California--excluding the Greater Bay area and Los Angeles plus 4 metropolitan areas) and 10 from Canada (9 provinces and 2 territories).

NAACCR issues an annual call for data to member registries to create the CiNA monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., NAACCR FastStats on-line query system, NACCCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). For more information on these products and the process for gaining access to them, please visit www.naaccr.org and select *Cancer in North America CiNA Data Products* under the *Research & Analytic Tools* tab.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the U. S. and Canada to collect timely, complete, and accurate data make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in production of the monograph. The objective of this work is to provide timely and useful information on cancer burden for all geographic areas and race/ethnic groups in the U. S. and Canada.

CONTENTS OF THE CiNA MONOGRAPH:

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America
Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from the high quality registries in the U. S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada
Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions are presented.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada
Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada
Includes cancer survival data for the U.S. and Canada from 61 registries on more than 13 million cases diagnosed among North Americans between 2010 and 2016.

Volume Five: Cancer Prevalence in the United States and Canada
Includes cancer prevalence estimates for the U.S. and Canada from 61 registries on more than 18 million cases diagnosed among North Americans between 2007 and 2016.

In the U. S., cancer statistics are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for PRCDA counties, Hispanic/Latino (all

races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented.

In the U. S., cancer statistics are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for
PRCDA counties, Hispanic/Latino (all races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented.

Recent volumes of the CiNA publication, including sections containing rates standardized to the World Standard and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, https://www.naaccr.org/cancer-in-north-america-cina-volumes/.

CiNA Volume Three: Registry–Specific Cancer Mortality in the United States and Canada

The mortality data presented in *CiNA Mortality* represents 100% population coverage in the U.S. and Canada. *CiNA Mortality* is comprised of four sections:

Section 1: Introduction and Technical Notes

Section 2: Average—annual Registry-specific Cancer Death Rates by Race and Sex, Age-Adjusted to the 2000 U.S. and World Population Standards.
Includes average annual death counts and age-adjusted rates by registry. The statistics are presented by sex, and in the U.S., by race.

Section 3: Average—annual Registry-specific Cancer Death Rates by Race and Sex, Age-Adjusted to the 2011 Canadian and World Population Standards.
Includes average annual death counts and age-adjusted rates by registry. The statistics are presented by sex, and in the U.S., by race.

Section 4: Cancer Mortality for the United States and Canada
Includes average annual death counts and age-adjusted rates for U.S. and Canada. The statistics are presented by sex, and in the U.S., by race and ethnicity.

Rates are presented as average annual, age-adjusted rates using three different standard million populations: the 2000 U.S. (Census P25-1130), the 2011 Canadian, and the World (WHO 2000-2025) standard populations. We believe that presenting cancer rates adjusted to all three standards enhances the meaning and utility of the rates for users in the U. S., Canada, and international settings.

TECHNICAL SECTION

SOURCES OF DATA

Mortality Data. Mortality data for 2013 to 2017 for the U. S. and Puerto Rico were obtained from the National Center for Health Statistics (NCHS) of the Centers for Disease Control and Prevention (CDC), as provided to the National Cancer Institute (NCI). The Canadian mortality data for 2013 to 2017 were provided by Statistics Canada. These data are available from Statistics Canada's Vital Statistics – Death Database (http://www23.statcan.gc.ca/imdb/p2SV.pl?Function=getSurvey&SDDS=3233).

Occasionally, the most current year of vital statistics data may be unavailable for a registry. When this is the case, the average annual counts and rates are based on the four (4) years of available mortality data.

Population Estimates. To assist the reader, population estimates by age, sex, and race/ethnicity (where relevant) used in the calculation of rates in the monograph are available for each central registry, the U. S., and Canada. These data are available online on the NAACCR website at https://www.naaccr.org/cancer-in-north-america-cina-volumes/.

Population estimates for 2013 through 2017 for the U. S., individual states, and SEER metropolitan areas were obtained from the SEER program. These estimates were based on U. S. Census Bureau population estimates for these years and represent a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the NCI. The population estimates incorporate bridged, single race estimates that are derived from the original multiple race categories in the 2010 Census. These bridged estimates are consistent with the four race groups enumerated in the 1990 Census and were produced under a collaborative arrangement between the NCHS and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990-2000 intercensal estimates and is described on the Census Bureau's website.[1]

In 2007, the U.S. Census revised their methodology for population estimation. This revision impacts all population denominators for 2013 to 2017. The main effect of this approach was on specific age groups, particularly, two of the oldest age groups, ages 65-74 and 75 and older. In many states, the new method results in a larger increase in the younger age category and fewer in the older age category than estimated in previous years.

The NCI modifies the Census data for the population estimates for the state of Hawaii. The Epidemiology Program of the Hawaii Cancer Research Center has developed its own set of population estimates, based on sample survey data collected by the Hawaii Department of Health. This effort grew out of a concern that the native Hawaiian population had been vastly undercounted in previous censuses. The "Hawaii adjustment" to the Census Bureau estimates has the net result of reducing the estimated white population and increasing the Asian and Pacific Islander population for the state. The Census Bureau estimates for the total population, black population, and American Indian and Alaskan Native populations in Hawaii are unaffected. The details of the methodology are described elsewhere.[2]

For **Canada**, Statistics Canada provided the estimates of the Canadian population for all Canadian provinces and territories, adjusted for census net under coverage.

CODING, 2013-2017

Mortality Data. Underlying cause of death was coded using the International Classification of Diseases version 10 (ICD-10). Cancer deaths were defined as those coded C00 through C97 in ICD-10. The SEER mortality recode scheme was used to classify cancer deaths into the groupings used in Volume III (see Appendix B on the NAACCR website: https://www.naaccr.org/cancer-in-north-america-cina-volumes/).

Misclassification of American Indian and Alaskan Native Populations. The collection of accurate information on the cancer in American Indian and Alaskan Native (AI/AN) populations is hampered by misclassification of this population.[3] In order to address this problem, the data on AI/AN Natives are restricted to those counties where Indian Health Service Clinics are located, namely PRCDA counties (Purchased/Referred Care Delivery Area counties previously known as the Contract Health Service Delivery Areas (CHSDA) counties). This restriction assures that the data presented are the best available data for this population.

CALCULATION OF STATISTICS

Counts. Counts are the average annual count rounded to nearest whole number. Cell suppression rules were applied based on the five-year aggregate count.

Rates. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age[4,5], the 2011 Canadian population standard[6], and to the World (WHO 2000-2025) population standard.[7] The death rates in this monograph are annual averages for the period 2013 through 2017.

The age distributions of the three population standards are as follows:

AGE GROUP	2000 U.S. (Census P25-1130)	2011 CDN.	WORLD (WHO 2000-2025)
00 years	3,794,901	376,321	17,917
01-04 years	15,191,619	1,522,743	70,625
05-09 years	19,919,840	1,810,433	86,870
10-14 years	20,056,779	1,918,164	85,970
15-19 years	19,819,518	2,238,952	84,670
20-24 years	18,257,225	2,354,354	82,171
25-29 years	17,722,067	2,369,841	79,272
30-34 years	19,511,370	2,327,955	76,073
35-39 years	22,179,956	2,273,087	71,475
40-44 years	22,479,229	2,385,918	65,877
45-49 years	19,805,793	2,719,909	60,379
50-54 years	17,224,359	2,691,260	53,681
55-59 years	13,307,234	2,353,090	45,484
60-64 years	10,654,272	2,050,443	37,187
65-69 years	9,409,940	1,532,940	29,590
70-74 years	8,725,574	1,153,822	22,092
75-79 years	7,414,559	919,338	15,195
80-84 years	4,900,234	701,140	9,097
85+ years	4,259,173	643,070	6,348
Total	**274,633,642**	**34,342,780**	**1,000,000**

Standard Errors. Standard errors (S.E.) of the rates were calculated using the formula:

$$S.E. = \sqrt{\sum \frac{w_j^2 n_j}{p_j^2}}$$

where w_j = the fraction of the standard population in age group j, n_j = number of cases or deaths in that age group, and p_j = person years denominator.[8]. For many registries, the standard errors of the rates are small, as the population covered is large. However, for registries that cover a small population, the standard error may be substantial.

Confidence Intervals. Although not reproduced in the printed monograph, bar charts of the registry-specific, age-adjusted rates with 95 percent confidence intervals[9] are available on the NAACCR website (https://www.naaccr.org/cancer-in-north-america-cina-volumes). The confidence intervals allow the user to assess the precision of the estimate and is an approximate and conservative indicator of whether a registry's rate is statistically higher or lower than the rate for the combined U. S., based on whether or not the upper or lower limit of the confidence interval overlaps the 95% confidence interval for the U. S..

Comparison of Rates. In addition to true regional variation in cancer risk, differences in cancer incidence or mortality rates between areas may be due to either differences in the demographic makeup of the population or differences in data quality. In making valid comparisons of cancer incidence rates among registries, it is important to review the data quality indicators for each registry and consider differences in the racial composition of the

populations being compared before conclusions are drawn about variations in regional rates. Interpretation without consideration of these factors may contribute to misleading or inaccurate conclusions.

The standard error of adjusted rates can be used to evaluate the statistical significance of rate differences among comparable populations. For example, if the adjusted rates in two populations are R_1 and R_2 and their standard errors are $S.E._1$ and $S.E._2$, an approximate confidence interval for the rate ratio can be calculated using the following formula:

$$(R_1/R_2)^{1 \pm z/x}$$

where $x = (R_1 \text{ B } R_2) / \sqrt{(S.E._1^2 + S.E._2^2)}$ and z = 1.96 for 95% limits[10]. If this interval does not include one, the two rates are statistically significantly different at a p value of 0.05. This test can be inaccurate for rates based on fewer than 16 cases or deaths, and it should not be used for rates based on fewer than six cases or deaths. It should be emphasized that this kind of comparison of adjusted rates must be undertaken with caution as misleading conclusions may be drawn if the ratios of the age-specific rates in the two populations are not constant in all age groups. In these circumstances, the ratios of the adjusted rates will vary according to the standard populations used.[11]

Cell Suppression. Counts and rates were suppressed (indicated by "-") in the tables if the race, gender, and site-specific number of cases for the five years was less than six or when the number of deaths was less than ten. Complementary cell suppression was employed, when necessary, to prevent the contents of a single suppressed cell from being calculated. These counts are included in the calculation of all sites combined. A dash is also used to indicate not applicable, as in the gender-specific cancers. If the rate was less than 0.05 per 100,000 then the rate is listed as 0.0.

REFERENCES

1. National Center for Health Statistics. U.S. Census Populations with Bridged Race Categories. September 2003. Available here: https://www.cdc.gov/nchs/nvss/bridged_race.htm.

2. Horner MJ, Ries LAG, Krapcho M, Neyman N, Aminou R, Howlader N, Altekruse SF, Feuer EJ, Huang L, Mariotto A, Miller BA, Lewis DR, Eisner MP, Stinchcomb DG, Edwards BK (eds). SEER Cancer Statistics Review, 1975-2006, National Cancer Institute. Bethesda, MD, based on November 2008 SEER data submission, posted to the SEER web site, 2009. Available here: https://seer.cancer.gov/archive/csr/1975_2006/.

3. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. Cancer. 2008 Sep 1 Suppl):112030.

4. SEER. 2000 U.S. Standard Population vs. Standard Million. 13 December 2004. Available here: http://seer.cancer.gov/stdpopulations/single_age.html.

5. Day, Jennifer Cheeseman, *Population Projections of the United States by Age, Sex, Race, and Hispanic Origin: 1995 to 2050*, U.S. Bureau of the Census, Current Population Reports, P25-1130, U.S. Government Printing Office, Washington, DC, 1996. Available here: https://www.census.gov/prod/1/pop/p25-1130/p251130.pdf.

6. 2011 Canadian Standard Population. Statistics Canada, Table 051-0001 – Estimates of population, by age group and sex for July 1, Canada, provinces and territories, annual (persons unless otherwise noted). CANSIM (database).Available here: http://www5.statcan.gc.ca/cansim/a26?id=510001.

7. Ahmad O, Boschi-Pinto C, Lopez A, Murray C, Lozano R, Inoue M. Age Standardization of Rates: A New WHO Standard. GPE Discussion Paper Series: No. 31. World Health Organization 2001. Available here: http://www.who.int/healthinfo/paper31.pdf.

8. Breslow NE and Day NE. Statistical Methods in Cancer Research. Vol. II. 1987. International Agency for Research on Cancer: Lyon, France. Anderson RN, Minino AM, Hoyert DL, Rosenberg HM.

Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports 2001*;49:1-32.

9. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. Stat Methods Med Res 2006;15:547-569.

10. Parkin D.M., Whelan S.L., Ferlay J., Teppo L., Thomas D., Thomas D.B. Cancer Incidence in Five Continents. Vol. VIII. 2002. International Agency for Research on Cancer: Lyon, France.

11. Esteve J, Benhamou E, and Raymond L. Statistical Methods in Cancer Research. Vol. V. 1994. International Agency for Research on Cancer: Lyon, France.

Section II

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2000 U.S. and World Population Standards

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,674	221.0	1.35	151.0	0.91	4,686	143.2	0.95	101.1	0.70
Oral Cavity & Pharynx	127	4.7	0.19	3.5	0.14	44	1.3	0.09	0.9	0.07
Digestive System	1,515	57.3	0.68	40.9	0.48	1,076	32.7	0.45	22.4	0.32
Esophagus	188	6.9	0.23	5.1	0.17	43	1.3	0.09	0.9	0.07
Stomach	116	4.6	0.20	3.2	0.13	75	2.3	0.12	1.6	0.09
Colon & Rectum	503	19.6	0.40	13.8	0.28	421	13.0	0.29	8.8	0.21
Liver	256	9.1	0.26	6.9	0.19	100	3.0	0.14	2.1	0.10
Pancreas	354	13.3	0.33	9.4	0.23	330	9.9	0.25	6.7	0.17
Respiratory System	1,880	70.9	0.75	49.3	0.51	1,249	37.3	0.48	26.5	0.35
Larynx	56	2.0	0.13	1.5	0.09	12	0.3	0.05	0.3	0.04
Lung & bronchus	1,811	68.4	0.74	47.5	0.50	1,232	36.8	0.47	26.1	0.34
Skin	136	5.6	0.22	3.7	0.15	64	2.0	0.11	1.4	0.09
Melanomas of the skin	95	3.8	0.18	2.6	0.12	48	1.5	0.10	1.1	0.08
Breast	6	0.2	0.05	0.2	0.03	686	21.4	0.38	15.7	0.29
Female Genital System	-	-	-	-	-	490	15.3	0.32	11.1	0.24
Cervix uteri	-	-	-	-	-	99	3.5	0.16	2.8	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	119	3.6	0.15	2.5	0.11
Ovary	-	-	-	-	-	240	7.3	0.21	5.1	0.16
Male Genital System	493	21.6	0.45	12.4	0.25	-	-	-	-	-
Prostate	482	21.1	0.44	12.0	0.25	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	330	13.5	0.34	8.6	0.21	146	4.4	0.16	2.8	0.11
Bladder	172	7.4	0.26	4.4	0.15	63	1.9	0.11	1.1	0.07
Kidney & renal pelvis	152	5.9	0.22	4.1	0.15	78	2.4	0.12	1.6	0.09
Brain & Other CNS[1]	164	6.2	0.22	4.8	0.17	131	4.2	0.17	3.3	0.14
Endocrine System	19	0.7	0.08	0.6	0.06	21	0.7	0.07	0.5	0.05
Thyroid gland	10	0.4	0.06	0.3	0.04	14	0.4	0.05	0.3	0.04
Lymphomas	177	7.3	0.25	4.8	0.16	142	4.3	0.16	2.8	0.11
Hodgkin Lymphoma	11	0.4	0.06	0.4	0.05	6	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	166	6.8	0.24	4.4	0.16	136	4.1	0.16	2.6	0.11
Multiple Myeloma	114	4.6	0.20	2.9	0.12	95	2.8	0.13	1.8	0.09
Leukemias	208	8.5	0.27	5.6	0.18	157	5.0	0.18	3.4	0.13
Other, Ill-defined & Unknown	503	19.8	0.41	13.7	0.28	385	11.9	0.28	8.5	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,378	215.3	1.49	146.3	1.01	3,546	141.4	1.09	99.6	0.81
Oral Cavity & Pharynx	98	4.6	0.22	3.4	0.16	34	1.4	0.11	1.0	0.08
Digestive System	1,119	53.9	0.74	38.2	0.52	765	30.3	0.50	20.7	0.36
Esophagus	147	6.9	0.26	5.0	0.19	31	1.2	0.10	0.9	0.07
Stomach	69	3.5	0.19	2.3	0.13	47	1.9	0.13	1.3	0.09
Colon & Rectum	367	18.2	0.44	12.6	0.30	296	11.9	0.32	8.1	0.23
Liver	187	8.6	0.29	6.4	0.21	77	3.0	0.16	2.1	0.12
Pancreas	274	13.1	0.36	9.2	0.25	235	9.1	0.27	6.2	0.19
Respiratory System	1,475	70.3	0.84	48.5	0.57	1,032	40.1	0.57	28.6	0.42
Larynx	38	1.8	0.13	1.3	0.10	8	0.3	0.05	0.2	0.04
Lung & bronchus	1,428	68.1	0.82	46.9	0.56	1,019	39.6	0.56	28.3	0.41
Skin	131	6.7	0.27	4.5	0.18	60	2.5	0.15	1.8	0.12
Melanomas of the skin	93	4.7	0.22	3.3	0.16	45	1.9	0.13	1.4	0.11
Breast	5	0.2	0.05	0.2	0.03	486	19.8	0.41	14.3	0.31
Female Genital System	-	-	-	-	-	345	14.2	0.35	10.2	0.27
Cervix uteri	-	-	-	-	-	62	3.1	0.18	2.5	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	70	2.8	0.15	1.9	0.11
Ovary	-	-	-	-	-	189	7.5	0.25	5.2	0.18
Male Genital System	317	17.3	0.44	9.7	0.25	-	-	-	-	-
Prostate	308	16.8	0.44	9.3	0.24	-	-	-	-	-
Testis	3	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	278	14.2	0.39	9.0	0.25	111	4.3	0.18	2.8	0.13
Bladder	149	7.9	0.30	4.7	0.17	48	1.8	0.12	1.1	0.08
Kidney & renal pelvis	123	6.0	0.25	4.1	0.17	60	2.3	0.14	1.6	0.10
Brain & Other CNS[1]	140	6.9	0.27	5.3	0.21	110	4.7	0.21	3.6	0.17
Endocrine System	16	0.8	0.09	0.6	0.07	14	0.6	0.07	0.4	0.06
Thyroid gland	9	0.5	0.07	0.3	0.05	10	0.4	0.06	0.3	0.04
Lymphomas	147	7.5	0.29	4.9	0.19	117	4.5	0.19	2.9	0.13
Hodgkin Lymphoma	9	0.5	0.07	0.4	0.06	5	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	138	7.1	0.28	4.5	0.18	112	4.3	0.18	2.7	0.13
Multiple Myeloma	81	4.1	0.21	2.6	0.13	60	2.3	0.13	1.4	0.09
Leukemias	177	9.1	0.31	6.0	0.21	127	5.3	0.22	3.6	0.16
Other, Ill-defined & Unknown	394	19.6	0.45	13.4	0.31	286	11.5	0.31	8.2	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,272	255.4	3.46	177.3	2.25	1,112	154.6	2.13	110.0	1.51
Oral Cavity & Pharynx	29	5.5	0.49	4.1	0.34	9	1.2	0.18	0.8	0.13
Digestive System	387	73.5	1.80	53.2	1.22	303	42.3	1.11	29.0	0.76
Esophagus	40	7.4	0.56	5.4	0.39	12	1.5	0.20	1.2	0.15
Stomach	47	9.4	0.67	6.5	0.43	27	3.9	0.35	2.6	0.23
Colon & Rectum	134	26.2	1.09	18.8	0.73	124	17.6	0.72	11.9	0.49
Liver	66	10.8	0.64	8.5	0.47	21	2.9	0.29	2.0	0.20
Pancreas	77	14.9	0.82	10.7	0.55	93	12.9	0.62	8.8	0.42
Respiratory System	398	75.9	1.83	54.6	1.24	210	28.8	0.92	20.5	0.64
Larynx	18	3.3	0.38	2.4	0.26	3	0.4	0.11	0.3	0.08
Lung & bronchus	377	72.1	1.78	51.7	1.20	205	28.2	0.91	20.0	0.63
Skin	5	1.0	0.22	0.7	0.14	-	-	-	-	-
Melanomas of the skin	2	0.5	0.17	0.3	0.10	3	0.4	0.10	0.3	0.07
Breast	-	-	-	-	-	196	26.7	0.87	20.2	0.66
Female Genital System	-	-	-	-	-	142	19.8	0.76	14.5	0.56
Cervix uteri	-	-	-	-	-	36	5.1	0.39	4.0	0.31
Corpus & uterus, NOS[1]	-	-	-	-	-	48	6.8	0.45	4.8	0.31
Ovary	-	-	-	-	-	49	6.7	0.44	4.8	0.31
Male Genital System	174	43.8	1.58	25.5	0.87	-	-	-	-	-
Prostate	172	43.3	1.57	25.1	0.86	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	10.6	0.71	7.2	0.45	35	4.9	0.38	3.2	0.25
Bladder	22	4.9	0.50	3.2	0.30	15	2.2	0.25	1.3	0.16
Kidney & renal pelvis	29	5.6	0.50	4.0	0.34	19	2.6	0.28	1.7	0.19
Brain & Other CNS[1]	23	3.9	0.39	3.3	0.31	21	2.9	0.29	2.3	0.24
Endocrine System	3	0.6	0.17	0.4	0.11	7	1.0	0.17	0.7	0.13
Thyroid gland	-	-	-	-	-	4	0.5	0.13	0.4	0.09
Lymphomas	30	6.1	0.54	4.3	0.35	24	3.5	0.33	2.4	0.22
Hodgkin Lymphoma	2	0.4	0.11	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	27	5.7	0.53	3.9	0.34	-	-	-	-	-
Multiple Myeloma	34	7.2	0.60	4.7	0.37	35	5.1	0.39	3.3	0.25
Leukemias	30	5.8	0.51	4.2	0.35	28	4.1	0.35	2.8	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	12	56.5	8.38	38.4	5.15	20	70.4	7.59	45.5	4.62
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	5	23.0	5.40	15.6	3.24	6	25.4	4.74	15.3	2.73
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	13.8	3.86	10.0	2.61	4	16.4	3.77	10.1	2.21
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	13.8	3.86	10.0	2.61	4	16.4	3.77	10.1	2.21
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	8.5	2.43	6.1	1.64
Female Genital System	-	-	-	-	-	3	8.1	2.45	5.6	1.57
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	532	181.8	3.96	118.8	2.36	446	140.2	3.14	96.3	2.07
Oral Cavity & Pharynx	12	3.2	0.46	2.4	0.32	4	1.1	0.28	0.8	0.19
Digestive System	171	54.4	2.10	37.1	1.30	116	36.2	1.59	24.7	1.04
Esophagus	27	8.8	0.85	5.9	0.52	7	2.3	0.40	1.6	0.27
Stomach	19	5.9	0.67	4.1	0.44	10	3.2	0.47	2.2	0.31
Colon & Rectum	50	17.1	1.22	11.1	0.72	44	14.3	1.01	9.6	0.65
Liver	26	7.0	0.68	5.3	0.47	8	2.5	0.41	1.7	0.27
Pancreas	35	11.2	0.96	7.6	0.59	33	10.1	0.84	7.0	0.55
Respiratory System	139	47.4	2.01	30.9	1.20	108	34.7	1.58	23.1	1.01
Larynx	4	1.4	0.35	0.9	0.21	-	-	-	-	-
Lung & bronchus	134	45.8	1.98	29.8	1.18	106	34.2	1.57	22.8	1.00
Skin	12	4.5	0.64	2.8	0.37	-	-	-	-	-
Melanomas of the skin	9	3.8	0.60	2.3	0.34	4	1.2	0.28	0.9	0.21
Breast	-	-	-	-	-	65	19.5	1.14	14.1	0.80
Female Genital System	-	-	-	-	-	41	12.1	0.90	8.8	0.63
Cervix uteri	-	-	-	-	-	6	1.6	0.30	1.4	0.26
Corpus & uterus, NOS[1]	-	-	-	-	-	11	3.4	0.48	2.4	0.33
Ovary	-	-	-	-	-	19	5.7	0.62	4.1	0.42
Male Genital System	43	18.3	1.38	10.3	0.72	-	-	-	-	-
Prostate	42	18.0	1.38	10.0	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	30	11.1	1.02	6.9	0.58	16	5.2	0.61	3.4	0.38
Bladder	14	5.5	0.74	3.2	0.40	7	2.4	0.42	1.5	0.26
Kidney & renal pelvis	15	5.2	0.66	3.4	0.41	8	2.6	0.43	1.7	0.27
Brain & Other CNS[1]	15	4.1	0.52	3.2	0.39	15	4.3	0.53	3.3	0.40
Endocrine System	-	-	-	-	-	2	0.7	0.21	0.4	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	6.4	0.74	4.2	0.45	13	4.4	0.58	2.8	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	3.7	0.60	2.2	0.33	7	2.0	0.38	1.4	0.24
Leukemias	17	6.3	0.74	4.1	0.45	14	4.8	0.60	3.2	0.39
Other, Ill-defined & Unknown	63	21.7	1.38	14.1	0.82	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	395	170.5	4.30	111.3	2.57	320	135.3	3.58	92.5	2.36
Oral Cavity & Pharynx	7	2.3	0.43	1.7	0.30	-	-	-	-	-
Digestive System	116	46.9	2.19	31.8	1.35	76	31.8	1.73	21.7	1.13
Esophagus	21	8.6	0.95	5.7	0.57	6	2.5	0.49	1.7	0.33
Stomach	6	2.6	0.52	1.8	0.33	5	2.0	0.43	1.3	0.27
Colon & Rectum	31	13.3	1.19	8.7	0.72	26	11.3	1.05	7.5	0.67
Liver	19	6.4	0.75	4.8	0.51	6	2.3	0.47	1.6	0.30
Pancreas	28	11.4	1.09	7.6	0.66	25	10.0	0.95	7.1	0.64
Respiratory System	104	44.8	2.19	29.1	1.31	79	34.2	1.83	22.6	1.16
Larynx	3	1.1	0.33	0.8	0.22	-	-	-	-	-
Lung & bronchus	101	43.4	2.16	28.2	1.29	78	33.7	1.81	22.3	1.15
Skin	12	5.5	0.80	3.4	0.46	-	-	-	-	-
Melanomas of the skin	9	4.6	0.75	2.8	0.42	4	1.6	0.37	1.2	0.28
Breast	-	-	-	-	-	48	19.2	1.31	13.7	0.91
Female Genital System	-	-	-	-	-	33	12.9	1.08	9.3	0.74
Cervix uteri	-	-	-	-	-	5	1.6	0.35	1.4	0.30
Corpus & uterus, NOS[1]	-	-	-	-	-	8	3.2	0.54	2.3	0.36
Ovary	-	-	-	-	-	16	6.3	0.76	4.5	0.51
Male Genital System	34	17.7	1.50	10.1	0.79	-	-	-	-	-
Prostate	33	17.4	1.50	9.8	0.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	11.4	1.15	7.1	0.66	11	4.7	0.67	3.0	0.41
Bladder	12	5.8	0.84	3.4	0.46	5	2.2	0.46	1.4	0.29
Kidney & renal pelvis	12	5.2	0.75	3.5	0.46	5	2.2	0.46	1.4	0.28
Brain & Other CNS[1]	13	4.6	0.63	3.6	0.46	13	5.0	0.67	3.8	0.50
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	15	6.3	0.81	4.2	0.50	10	4.8	0.71	3.0	0.43
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	3.7	0.66	2.2	0.37	4	2.0	0.46	1.2	0.28
Leukemias	14	6.5	0.86	4.2	0.52	12	5.7	0.76	3.7	0.49
Other, Ill-defined & Unknown	47	20.2	1.49	13.2	0.89	28	11.9	1.06	8.3	0.72

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14	200.9	29.38	122.7	15.94	11	136.6	20.05	91.2	12.56
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	47.5	13.58	31.0	7.82	2	26.4	8.43	18.8	5.57
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	55.3	14.79	35.6	8.53	2	24.8	8.38	16.8	5.40
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	55.3	14.79	35.6	8.53	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	28.1	8.47	20.9	5.90
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	58.8	17.73	29.8	8.11	-	-	-	-	-
Prostate	3	58.8	17.73	29.8	8.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21	126.4	14.02	83.1	8.33	25	91.7	8.67	64.9	5.90
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	52.8	8.76	36.3	5.42	6	22.7	4.24	16.3	2.95
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	12.8	4.72	7.9	2.58	-	-	-	-	-
Colon & Rectum	2	11.6	4.32	7.5	2.49	2	6.4	2.08	5.2	1.65
Liver	4	17.5	4.57	13.2	3.20	-	-	-	-	-
Pancreas	-	-	-	-	-	2	9.5	2.97	5.9	1.79
Respiratory System	4	25.8	6.11	17.5	3.82	6	22.5	4.36	15.5	2.85
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	25.8	6.11	17.5	3.82	6	22.5	4.36	15.5	2.85
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	11.8	3.04	9.1	2.30
Female Genital System	-	-	-	-	-	3	10.1	2.88	7.5	2.04
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	14.3	4.57	9.8	2.81	3	11.7	3.24	7.4	2.00

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,311	165.0	0.94	110.8	0.64	5,382	121.5	0.76	83.7	0.54
Oral Cavity & Pharynx	124	3.1	0.13	2.3	0.09	49	1.1	0.07	0.7	0.05
Digestive System	1,848	47.5	0.50	33.7	0.36	1,292	28.9	0.37	19.4	0.26
Esophagus	257	6.5	0.18	4.6	0.13	61	1.4	0.08	0.9	0.06
Stomach	123	3.2	0.13	2.3	0.10	86	2.0	0.10	1.4	0.08
Colon & Rectum	573	15.2	0.29	10.5	0.20	470	10.6	0.22	7.0	0.16
Liver	316	7.8	0.20	6.0	0.15	130	2.9	0.12	2.0	0.08
Pancreas	455	11.6	0.25	8.1	0.17	402	8.8	0.20	5.8	0.14
Respiratory System	1,558	39.9	0.46	26.8	0.31	1,309	28.9	0.36	19.3	0.25
Larynx	52	1.3	0.08	0.9	0.06	13	0.3	0.03	0.2	0.03
Lung & bronchus	1,491	38.2	0.45	25.6	0.30	1,287	28.4	0.36	19.0	0.25
Skin	226	6.0	0.18	4.0	0.12	96	2.2	0.10	1.5	0.08
Melanomas of the skin	140	3.7	0.14	2.5	0.10	70	1.7	0.09	1.2	0.07
Breast	8	0.2	0.03	0.1	0.02	827	19.1	0.31	14.0	0.23
Female Genital System	-	-	-	-	-	598	13.8	0.26	10.2	0.20
Cervix uteri	-	-	-	-	-	83	2.2	0.11	1.8	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	176	3.9	0.14	2.9	0.10
Ovary	-	-	-	-	-	306	7.0	0.18	5.0	0.14
Male Genital System	662	18.1	0.32	10.4	0.18	-	-	-	-	-
Prostate	640	17.5	0.31	9.8	0.18	-	-	-	-	-
Testis	12	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	468	12.4	0.26	7.9	0.17	188	4.2	0.14	2.7	0.09
Bladder	258	7.0	0.20	4.1	0.12	85	1.9	0.09	1.1	0.06
Kidney & renal pelvis	204	5.3	0.17	3.7	0.12	98	2.2	0.10	1.5	0.07
Brain & Other CNS[1]	193	5.1	0.17	3.9	0.13	149	3.5	0.13	2.7	0.11
Endocrine System	33	0.9	0.07	0.6	0.05	29	0.7	0.06	0.5	0.05
Thyroid gland	20	0.5	0.05	0.4	0.04	17	0.4	0.04	0.3	0.03
Lymphomas	245	6.6	0.19	4.2	0.12	184	4.1	0.14	2.6	0.09
Hodgkin Lymphoma	15	0.4	0.05	0.3	0.03	10	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	230	6.2	0.18	3.9	0.12	174	3.9	0.13	2.4	0.09
Multiple Myeloma	139	3.6	0.14	2.3	0.09	100	2.2	0.10	1.4	0.07
Leukemias	290	7.9	0.21	5.2	0.14	198	4.6	0.15	3.2	0.11
Other, Ill-defined & Unknown	519	13.7	0.27	9.3	0.19	363	8.2	0.20	5.6	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,894	167.2	0.99	112.4	0.68	4,964	123.0	0.80	84.8	0.58
Oral Cavity & Pharynx	117	3.2	0.14	2.4	0.10	46	1.1	0.07	0.8	0.05
Digestive System	1,694	47.5	0.52	33.7	0.38	1,165	28.4	0.38	19.1	0.27
Esophagus	244	6.7	0.19	4.8	0.14	57	1.4	0.08	0.9	0.06
Stomach	106	3.1	0.14	2.2	0.10	74	1.9	0.10	1.4	0.08
Colon & Rectum	531	15.3	0.30	10.6	0.22	432	10.7	0.24	7.1	0.17
Liver	274	7.4	0.20	5.7	0.16	110	2.7	0.12	1.8	0.08
Pancreas	427	11.8	0.26	8.2	0.18	366	8.7	0.21	5.8	0.14
Respiratory System	1,474	40.8	0.48	27.4	0.33	1,240	29.8	0.38	20.0	0.27
Larynx	48	1.3	0.09	1.0	0.06	12	0.3	0.04	0.2	0.03
Lung & bronchus	1,411	39.0	0.47	26.2	0.32	1,219	29.3	0.38	19.7	0.26
Skin	222	6.4	0.19	4.3	0.14	93	2.4	0.11	1.6	0.08
Melanomas of the skin	139	4.0	0.16	2.8	0.11	69	1.8	0.10	1.3	0.08
Breast	7	0.2	0.03	0.1	0.02	761	19.5	0.33	14.2	0.25
Female Genital System	-	-	-	-	-	542	13.9	0.28	10.2	0.21
Cervix uteri	-	-	-	-	-	75	2.3	0.12	1.9	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	154	3.8	0.14	2.7	0.11
Ovary	-	-	-	-	-	280	7.0	0.19	5.0	0.14
Male Genital System	611	17.9	0.33	10.2	0.19	-	-	-	-	-
Prostate	591	17.3	0.32	9.7	0.18	-	-	-	-	-
Testis	11	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	442	12.6	0.27	8.0	0.18	174	4.2	0.15	2.7	0.10
Bladder	252	7.3	0.21	4.3	0.12	81	1.9	0.10	1.2	0.06
Kidney & renal pelvis	185	5.2	0.17	3.7	0.12	88	2.2	0.11	1.4	0.07
Brain & Other CNS[1]	183	5.4	0.18	4.2	0.15	140	3.7	0.15	2.9	0.12
Endocrine System	30	0.9	0.07	0.7	0.06	26	0.7	0.06	0.5	0.05
Thyroid gland	19	0.5	0.06	0.4	0.04	16	0.4	0.04	0.3	0.03
Lymphomas	232	6.8	0.20	4.3	0.13	172	4.2	0.14	2.6	0.10
Hodgkin Lymphoma	14	0.4	0.05	0.3	0.04	9	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	218	6.3	0.19	4.0	0.13	163	3.9	0.14	2.5	0.09
Multiple Myeloma	124	3.5	0.14	2.3	0.09	89	2.1	0.10	1.4	0.07
Leukemias	272	8.0	0.22	5.3	0.15	186	4.8	0.16	3.3	0.12
Other, Ill-defined & Unknown	486	14.0	0.29	9.5	0.20	330	8.2	0.21	5.6	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	192	178.1	6.39	121.2	3.98	178	138.0	4.82	97.3	3.28
Oral Cavity & Pharynx	2	1.6	0.52	1.3	0.38	-	-	-	-	-
Digestive System	65	57.1	3.51	40.3	2.27	49	38.6	2.58	26.5	1.71
Esophagus	5	4.9	1.09	3.2	0.66	2	1.5	0.48	1.2	0.35
Stomach	7	7.1	1.28	4.7	0.80	3	2.3	0.65	1.6	0.42
Colon & Rectum	19	17.7	2.07	11.8	1.24	19	15.2	1.64	10.0	1.04
Liver	15	11.0	1.37	8.8	1.02	5	4.0	0.83	2.8	0.55
Pancreas	15	12.4	1.59	9.0	1.06	17	13.0	1.48	9.2	1.00
Respiratory System	49	46.2	3.27	31.2	2.03	31	24.3	2.02	17.4	1.40
Larynx	3	2.3	0.68	1.7	0.47	-	-	-	-	-
Lung & bronchus	46	43.8	3.20	29.5	1.97	31	23.8	2.00	17.0	1.38
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	34	24.6	1.96	18.5	1.43
Female Genital System	-	-	-	-	-	25	18.7	1.75	13.6	1.23
Cervix uteri	-	-	-	-	-	4	2.7	0.61	2.2	0.49
Corpus & uterus, NOS[1]	-	-	-	-	-	13	10.0	1.30	7.1	0.89
Ovary	-	-	-	-	-	7	5.1	0.93	3.7	0.65
Male Genital System	25	28.7	2.81	17.2	1.56	-	-	-	-	-
Prostate	24	28.0	2.78	16.8	1.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	8.2	1.37	5.6	0.85	5	3.6	0.79	2.4	0.51
Bladder	4	3.6	0.97	2.3	0.56	2	1.8	0.56	1.3	0.37
Kidney & renal pelvis	5	4.2	0.92	3.1	0.62	2	1.8	0.55	1.2	0.36
Brain & Other CNS[1]	4	3.3	0.80	2.5	0.55	3	2.6	0.67	1.8	0.45
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	4.7	1.02	3.3	0.64	5	3.9	0.86	2.6	0.54
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	7.4	1.22	5.3	0.83	6	5.1	0.95	3.3	0.59
Leukemias	7	7.1	1.29	4.8	0.79	6	4.9	0.96	3.1	0.58
Other, Ill-defined & Unknown	14	12.5	1.67	8.6	1.06	11	9.1	1.25	6.2	0.82

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	88	106.7	5.43	70.2	3.36	102	84.3	3.89	56.6	2.52
Oral Cavity & Pharynx	2	2.3	0.75	1.7	0.51	-	-	-	-	-
Digestive System	32	37.4	3.15	25.2	2.00	30	25.4	2.17	16.3	1.34
Esophagus	3	3.0	0.84	2.2	0.60	-	-	-	-	-
Stomach	2	3.0	0.98	1.8	0.54	4	2.9	0.72	2.0	0.48
Colon & Rectum	9	11.4	1.79	7.4	1.08	8	6.9	1.16	4.2	0.68
Liver	11	12.3	1.75	8.7	1.17	6	4.9	0.96	3.1	0.59
Pancreas	4	5.0	1.16	3.3	0.73	8	7.1	1.14	4.6	0.71
Respiratory System	22	28.2	2.82	18.0	1.71	25	22.5	2.08	13.9	1.24
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	27.7	2.80	17.5	1.69	25	22.5	2.08	13.9	1.24
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	16	11.8	1.36	9.1	1.02
Female Genital System	-	-	-	-	-	11	7.8	1.10	6.1	0.83
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	3	2.0	0.58	1.5	0.41
Ovary	-	-	-	-	-	7	4.8	0.85	3.9	0.66
Male Genital System	7	9.7	1.71	6.0	0.99	-	-	-	-	-
Prostate	7	9.3	1.70	5.6	0.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	4.7	1.27	2.5	0.64	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	2	2.6	0.78	1.8	0.53	3	2.2	0.59	1.7	0.43
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	4.0	1.08	2.4	0.63	3	2.8	0.72	1.8	0.45
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	3.4	1.01	2.1	0.59	-	-	-	-	-
Leukemias	6	6.0	1.21	4.5	0.85	2	1.7	0.54	1.1	0.36
Other, Ill-defined & Unknown	6	7.0	1.38	4.9	0.89	6	5.7	1.05	3.5	0.64

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,636	223.9	1.70	153.0	1.16	2,981	150.3	1.26	106.1	0.93
Oral Cavity & Pharynx	85	5.0	0.25	3.7	0.18	30	1.6	0.13	1.1	0.10
Digestive System	928	56.0	0.84	40.1	0.60	656	32.8	0.58	22.5	0.42
Esophagus	126	7.5	0.31	5.5	0.22	27	1.4	0.12	1.0	0.09
Stomach	60	3.7	0.22	2.6	0.15	41	2.1	0.15	1.5	0.11
Colon & Rectum	320	19.7	0.50	13.9	0.35	270	13.6	0.38	9.4	0.28
Liver	149	8.6	0.32	6.4	0.24	62	3.1	0.18	2.2	0.13
Pancreas	209	12.7	0.40	8.9	0.28	194	9.5	0.31	6.3	0.21
Respiratory System	1,239	74.1	0.96	51.7	0.66	876	43.2	0.66	30.7	0.48
Larynx	33	1.9	0.15	1.4	0.11	10	0.5	0.07	0.4	0.05
Lung & bronchus	1,200	71.9	0.95	50.0	0.65	861	42.5	0.66	30.2	0.48
Skin	85	5.4	0.27	3.6	0.18	37	1.9	0.14	1.3	0.11
Melanomas of the skin	54	3.4	0.21	2.4	0.15	26	1.4	0.12	1.0	0.10
Breast	7	0.4	0.07	0.3	0.05	406	21.1	0.48	15.4	0.37
Female Genital System	-	-	-	-	-	300	15.7	0.42	11.6	0.32
Cervix uteri	-	-	-	-	-	57	3.5	0.21	2.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	84	4.2	0.21	3.1	0.16
Ovary	-	-	-	-	-	139	7.0	0.27	5.0	0.20
Male Genital System	283	19.0	0.51	10.9	0.29	-	-	-	-	-
Prostate	275	18.5	0.51	10.5	0.29	-	-	-	-	-
Testis	3	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	244	15.5	0.45	9.9	0.29	102	5.0	0.23	3.3	0.15
Bladder	121	8.0	0.33	4.7	0.19	44	2.2	0.15	1.3	0.09
Kidney & renal pelvis	116	7.1	0.30	5.0	0.21	55	2.8	0.17	1.9	0.12
Brain & Other CNS[1]	98	6.1	0.28	4.6	0.21	76	4.0	0.21	3.1	0.17
Endocrine System	15	1.0	0.11	0.7	0.09	13	0.7	0.08	0.5	0.06
Thyroid gland	10	0.6	0.09	0.4	0.06	8	0.4	0.07	0.3	0.05
Lymphomas	117	7.5	0.32	4.9	0.21	89	4.4	0.21	2.9	0.15
Hodgkin Lymphoma	7	0.5	0.08	0.3	0.06	4	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	110	7.0	0.31	4.5	0.20	84	4.2	0.21	2.7	0.14
Multiple Myeloma	68	4.3	0.24	2.7	0.15	52	2.5	0.16	1.7	0.11
Leukemias	150	9.8	0.36	6.3	0.24	100	5.1	0.23	3.4	0.17
Other, Ill-defined & Unknown	316	19.7	0.51	13.6	0.35	244	12.3	0.36	8.6	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,150	220.5	1.79	150.0	1.23	2,563	149.1	1.35	105.0	1.00
Oral Cavity & Pharynx	70	4.8	0.26	3.5	0.19	27	1.6	0.14	1.1	0.11
Digestive System	791	54.6	0.89	38.8	0.63	545	31.4	0.62	21.6	0.45
Esophagus	115	7.8	0.33	5.7	0.24	23	1.3	0.13	0.9	0.09
Stomach	44	3.1	0.21	2.1	0.15	32	1.8	0.15	1.3	0.11
Colon & Rectum	270	19.1	0.53	13.3	0.37	221	12.9	0.40	8.8	0.29
Liver	127	8.4	0.34	6.2	0.25	53	3.1	0.19	2.1	0.14
Pancreas	181	12.5	0.42	8.7	0.30	161	9.1	0.32	6.1	0.23
Respiratory System	1,075	73.0	1.01	50.7	0.70	784	44.6	0.72	31.8	0.53
Larynx	26	1.7	0.15	1.3	0.11	8	0.4	0.07	0.3	0.05
Lung & bronchus	1,043	70.9	1.00	49.1	0.69	772	43.9	0.72	31.3	0.53
Skin	83	6.0	0.30	4.0	0.21	36	2.1	0.16	1.5	0.12
Melanomas of the skin	54	3.9	0.24	2.7	0.17	25	1.5	0.14	1.1	0.11
Breast	6	0.4	0.08	0.3	0.05	333	19.9	0.50	14.4	0.38
Female Genital System	-	-	-	-	-	247	15.2	0.45	11.3	0.35
Cervix uteri	-	-	-	-	-	44	3.3	0.23	2.7	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	64	3.8	0.22	2.8	0.17
Ovary	-	-	-	-	-	121	7.1	0.30	5.0	0.22
Male Genital System	228	17.3	0.52	9.8	0.29	-	-	-	-	-
Prostate	221	16.7	0.51	9.4	0.28	-	-	-	-	-
Testis	3	0.2	0.06	0.2	0.06	-	-	-	-	-
Urinary System	219	15.7	0.48	10.0	0.31	90	5.1	0.25	3.3	0.17
Bladder	113	8.3	0.36	4.9	0.21	39	2.2	0.16	1.3	0.10
Kidney & renal pelvis	101	7.0	0.32	4.9	0.22	49	2.8	0.19	2.0	0.14
Brain & Other CNS[1]	90	6.4	0.31	4.9	0.24	70	4.3	0.24	3.3	0.19
Endocrine System	14	1.0	0.13	0.8	0.10	11	0.7	0.09	0.5	0.07
Thyroid gland	9	0.6	0.10	0.4	0.07	7	0.4	0.07	0.3	0.05
Lymphomas	108	7.8	0.34	5.0	0.22	80	4.6	0.23	2.9	0.16
Hodgkin Lymphoma	6	0.5	0.08	0.3	0.06	4	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	101	7.4	0.33	4.7	0.21	76	4.3	0.22	2.7	0.15
Multiple Myeloma	52	3.8	0.24	2.3	0.15	41	2.3	0.16	1.5	0.11
Leukemias	137	10.1	0.39	6.5	0.26	90	5.3	0.26	3.6	0.19
Other, Ill-defined & Unknown	277	19.6	0.54	13.4	0.37	208	12.1	0.38	8.4	0.29

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	460	269.0	6.08	188.3	3.99	392	167.1	3.89	119.3	2.76
Oral Cavity & Pharynx	15	7.3	0.93	5.7	0.67	4	1.6	0.40	1.2	0.28
Digestive System	125	68.0	2.94	50.3	2.04	103	44.4	2.02	30.4	1.38
Esophagus	10	5.0	0.78	3.9	0.57	4	1.4	0.32	1.1	0.26
Stomach	16	8.8	1.07	6.5	0.74	8	3.8	0.60	2.6	0.41
Colon & Rectum	47	26.1	1.82	19.1	1.26	45	19.3	1.33	13.3	0.92
Liver	17	7.9	0.93	6.3	0.71	8	3.5	0.57	2.4	0.39
Pancreas	26	15.0	1.42	10.7	0.95	32	13.9	1.14	9.2	0.75
Respiratory System	158	89.4	3.45	64.1	2.31	87	36.7	1.82	26.1	1.28
Larynx	7	3.6	0.68	2.7	0.47	-	-	-	-	-
Lung & bronchus	151	85.4	3.38	61.1	2.26	84	35.7	1.80	25.5	1.26
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	71	29.5	1.61	22.6	1.23
Female Genital System	-	-	-	-	-	47	20.1	1.35	14.8	0.98
Cervix uteri	-	-	-	-	-	11	4.6	0.65	3.6	0.50
Corpus & uterus, NOS[1]	-	-	-	-	-	19	7.7	0.83	5.7	0.60
Ovary	-	-	-	-	-	16	7.1	0.81	4.9	0.56
Male Genital System	53	39.5	2.56	22.9	1.42	-	-	-	-	-
Prostate	53	39.2	2.55	22.7	1.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	24	14.0	1.39	9.5	0.89	11	4.8	0.66	3.0	0.42
Bladder	8	5.2	0.88	3.3	0.52	5	2.1	0.43	1.3	0.28
Kidney & renal pelvis	15	8.2	1.04	5.9	0.69	6	2.6	0.48	1.6	0.30
Brain & Other CNS[1]	8	4.9	0.82	3.4	0.54	6	2.3	0.45	2.0	0.37
Endocrine System	-	-	-	-	-	2	0.8	0.26	0.6	0.19
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	4.8	0.79	3.7	0.57	8	3.4	0.57	2.4	0.40
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	9.5	1.19	6.3	0.74	10	4.3	0.62	2.9	0.41
Leukemias	12	7.1	1.01	5.0	0.66	9	4.0	0.61	2.7	0.41
Other, Ill-defined & Unknown	37	21.7	1.71	15.5	1.15	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	19	126.2	15.02	91.0	9.76	19	99.0	10.86	67.6	6.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	9	59.0	10.34	42.7	6.62	6	31.4	6.36	20.4	3.90
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	2	12.8	4.10	8.3	2.54
Liver	5	32.6	7.53	24.1	4.95	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	27.7	6.43	21.4	4.68	4	20.2	5.04	13.0	3.08
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	27.7	6.43	21.4	4.68	4	20.2	5.04	13.0	3.08
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	4	18.8	4.36	14.5	3.12
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	30,524	168.0	0.44	110.1	0.29	28,432	124.6	0.34	85.2	0.24
Oral Cavity & Pharynx	734	3.8	0.06	2.7	0.05	302	1.3	0.03	0.9	0.02
Digestive System	9,530	50.8	0.24	35.0	0.16	7,312	31.7	0.17	21.1	0.12
Esophagus	1,036	5.5	0.08	3.8	0.05	279	1.2	0.03	0.8	0.02
Stomach	939	5.1	0.08	3.5	0.05	680	3.0	0.05	2.1	0.04
Colon & Rectum	2,732	14.8	0.13	10.0	0.09	2,538	11.0	0.10	7.2	0.07
Liver	1,824	9.1	0.10	6.8	0.07	747	3.2	0.05	2.2	0.04
Pancreas	2,180	11.8	0.12	7.9	0.08	2,107	9.1	0.09	6.0	0.06
Respiratory System	6,595	36.5	0.21	23.7	0.13	5,876	25.8	0.15	16.9	0.10
Larynx	211	1.1	0.04	0.8	0.02	54	0.2	0.01	0.2	0.01
Lung & bronchus	6,311	35.0	0.20	22.7	0.13	5,774	25.4	0.15	16.6	0.10
Skin	910	5.0	0.08	3.2	0.05	410	1.8	0.04	1.2	0.03
Melanomas of the skin	608	3.3	0.06	2.2	0.04	288	1.3	0.03	0.9	0.02
Breast	41	0.2	0.02	0.1	0.01	4,438	19.6	0.13	14.2	0.10
Female Genital System	-	-	-	-	-	3,420	15.1	0.12	11.1	0.09
Cervix uteri	-	-	-	-	-	486	2.3	0.05	1.9	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	1,119	4.9	0.07	3.5	0.05
Ovary	-	-	-	-	-	1,604	7.0	0.08	5.1	0.06
Male Genital System	3,457	20.3	0.16	11.5	0.09	-	-	-	-	-
Prostate	3,349	19.8	0.15	11.0	0.09	-	-	-	-	-
Testis	67	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	2,152	12.1	0.12	7.5	0.07	947	4.1	0.06	2.5	0.04
Bladder	1,160	6.8	0.09	3.9	0.05	443	1.9	0.04	1.1	0.02
Kidney & renal pelvis	945	5.1	0.08	3.5	0.05	470	2.0	0.04	1.4	0.03
Brain & Other CNS[1]	1,017	5.3	0.08	4.1	0.06	778	3.5	0.06	2.7	0.05
Endocrine System	176	0.9	0.03	0.7	0.02	209	0.9	0.03	0.7	0.02
Thyroid gland	113	0.6	0.03	0.4	0.02	151	0.7	0.02	0.4	0.02
Lymphomas	1,275	7.1	0.09	4.6	0.06	1,001	4.4	0.06	2.8	0.04
Hodgkin Lymphoma	75	0.4	0.02	0.3	0.02	58	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	1,199	6.7	0.09	4.3	0.06	943	4.1	0.06	2.6	0.04
Multiple Myeloma	690	3.9	0.07	2.5	0.04	520	2.3	0.05	1.5	0.03
Leukemias	1,397	7.9	0.10	5.2	0.06	1,029	4.6	0.06	3.1	0.05
Other, Ill-defined & Unknown	2,550	14.0	0.13	9.3	0.08	2,191	9.5	0.09	6.5	0.07

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	24,616	174.4	0.51	113.9	0.33	22,712	130.4	0.40	88.8	0.28
Oral Cavity & Pharynx	591	4.0	0.07	2.8	0.05	237	1.3	0.04	0.9	0.03
Digestive System	7,408	50.8	0.27	35.0	0.18	5,625	31.9	0.19	21.3	0.14
Esophagus	909	6.2	0.09	4.3	0.06	234	1.3	0.04	0.9	0.03
Stomach	671	4.7	0.08	3.2	0.06	467	2.8	0.06	1.9	0.04
Colon & Rectum	2,130	14.9	0.15	10.0	0.10	1,980	11.1	0.11	7.3	0.08
Liver	1,305	8.4	0.11	6.3	0.08	533	3.0	0.06	2.1	0.04
Pancreas	1,762	12.3	0.13	8.2	0.09	1,660	9.4	0.10	6.1	0.07
Respiratory System	5,119	36.5	0.23	23.5	0.15	4,753	27.3	0.18	17.8	0.12
Larynx	172	1.2	0.04	0.8	0.03	43	0.2	0.02	0.2	0.01
Lung & bronchus	4,882	34.9	0.23	22.4	0.15	4,671	26.9	0.18	17.5	0.12
Skin	877	6.2	0.10	4.0	0.06	388	2.2	0.05	1.5	0.04
Melanomas of the skin	593	4.2	0.08	2.8	0.05	276	1.6	0.04	1.1	0.03
Breast	30	0.2	0.02	0.1	0.01	3,519	20.4	0.16	14.7	0.12
Female Genital System	-	-	-	-	-	2,721	15.9	0.14	11.5	0.10
Cervix uteri	-	-	-	-	-	362	2.3	0.06	1.9	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	853	4.9	0.08	3.5	0.06
Ovary	-	-	-	-	-	1,325	7.7	0.10	5.5	0.07
Male Genital System	2,809	21.1	0.18	11.9	0.10	-	-	-	-	-
Prostate	2,716	20.4	0.18	11.3	0.10	-	-	-	-	-
Testis	59	0.4	0.02	0.4	0.02	-	-	-	-	-
Urinary System	1,844	13.3	0.14	8.2	0.09	792	4.4	0.07	2.8	0.05
Bladder	1,021	7.6	0.11	4.3	0.06	376	2.1	0.05	1.2	0.03
Kidney & renal pelvis	784	5.4	0.09	3.7	0.06	389	2.2	0.05	1.5	0.04
Brain & Other CNS[1]	882	6.0	0.09	4.6	0.07	670	4.0	0.07	3.1	0.06
Endocrine System	136	1.0	0.04	0.7	0.03	153	0.9	0.03	0.6	0.03
Thyroid gland	90	0.6	0.03	0.4	0.02	112	0.6	0.03	0.4	0.02
Lymphomas	1,058	7.6	0.11	4.9	0.07	819	4.7	0.07	3.0	0.05
Hodgkin Lymphoma	63	0.4	0.03	0.3	0.02	49	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	995	7.2	0.10	4.5	0.07	770	4.4	0.07	2.8	0.05
Multiple Myeloma	557	4.0	0.08	2.6	0.05	402	2.3	0.05	1.5	0.03
Leukemias	1,182	8.7	0.11	5.7	0.08	858	5.0	0.08	3.3	0.06
Other, Ill-defined & Unknown	2,123	15.0	0.15	10.0	0.10	1,773	10.1	0.11	6.8	0.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,216	211.0	2.12	141.8	1.35	2,175	154.6	1.51	110.1	1.08
Oral Cavity & Pharynx	42	3.5	0.26	2.6	0.18	21	1.5	0.14	1.1	0.11
Digestive System	694	62.3	1.12	44.0	0.75	550	39.5	0.77	27.1	0.53
Esophagus	40	3.6	0.27	2.6	0.18	20	1.4	0.15	1.0	0.10
Stomach	79	7.6	0.40	5.0	0.25	46	3.4	0.23	2.2	0.15
Colon & Rectum	223	20.7	0.65	14.3	0.43	209	15.1	0.48	10.3	0.33
Liver	140	11.2	0.44	8.7	0.33	56	3.8	0.23	2.8	0.17
Pancreas	159	14.4	0.54	10.1	0.36	156	11.2	0.41	7.6	0.28
Respiratory System	529	49.5	1.01	33.8	0.66	445	31.7	0.68	22.1	0.48
Larynx	21	1.9	0.19	1.3	0.13	8	0.5	0.09	0.4	0.06
Lung & bronchus	505	47.3	0.99	32.3	0.65	435	31.0	0.68	21.6	0.47
Skin	11	1.0	0.14	0.7	0.10	6	0.5	0.08	0.3	0.06
Melanomas of the skin	4	0.4	0.09	0.3	0.06	3	0.2	0.06	0.1	0.04
Breast	7	0.7	0.12	0.4	0.08	414	29.0	0.65	21.8	0.49
Female Genital System	-	-	-	-	-	274	19.0	0.52	14.3	0.39
Cervix uteri	-	-	-	-	-	44	3.0	0.21	2.5	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	125	8.6	0.35	6.4	0.26
Ovary	-	-	-	-	-	93	6.5	0.31	4.8	0.23
Male Genital System	379	41.8	1.00	24.5	0.57	-	-	-	-	-
Prostate	373	41.3	1.00	24.1	0.56	-	-	-	-	-
Testis	3	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	115	11.3	0.50	7.4	0.31	64	4.7	0.27	3.0	0.17
Bladder	54	5.7	0.37	3.5	0.21	32	2.4	0.19	1.5	0.12
Kidney & renal pelvis	60	5.4	0.33	3.9	0.22	30	2.1	0.18	1.4	0.12
Brain & Other CNS[1]	44	3.7	0.26	2.9	0.19	29	2.1	0.17	1.6	0.14
Endocrine System	11	1.0	0.14	0.7	0.10	15	1.0	0.12	0.8	0.09
Thyroid gland	5	0.4	0.10	0.3	0.06	8	0.6	0.09	0.4	0.06
Lymphomas	59	5.3	0.33	3.8	0.22	52	3.8	0.24	2.6	0.17
Hodgkin Lymphoma	5	0.4	0.09	0.3	0.06	3	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	54	4.9	0.31	3.5	0.21	49	3.6	0.23	2.4	0.16
Multiple Myeloma	76	7.5	0.41	4.9	0.25	72	5.3	0.28	3.5	0.19
Leukemias	71	6.9	0.38	4.7	0.25	59	4.3	0.26	3.1	0.19
Other, Ill-defined & Unknown	177	16.6	0.59	11.4	0.38	174	12.3	0.43	8.7	0.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,476	124.8	0.96	82.5	0.64	3,382	90.6	0.71	62.2	0.50
Oral Cavity & Pharynx	96	3.3	0.15	2.4	0.11	43	1.1	0.08	0.8	0.06
Digestive System	1,353	47.5	0.59	32.5	0.40	1,090	29.2	0.40	19.0	0.27
Esophagus	78	2.6	0.14	1.9	0.10	23	0.6	0.06	0.4	0.04
Stomach	184	6.6	0.22	4.3	0.14	163	4.4	0.16	2.9	0.11
Colon & Rectum	360	12.6	0.30	8.7	0.21	333	8.8	0.22	5.9	0.15
Liver	354	12.1	0.29	8.6	0.21	149	4.0	0.15	2.6	0.10
Pancreas	246	8.8	0.26	5.8	0.17	279	7.6	0.21	4.8	0.13
Respiratory System	900	32.6	0.50	21.1	0.32	643	17.3	0.31	11.3	0.21
Larynx	15	0.6	0.07	0.3	0.04	3	0.1	0.02	0.0	0.01
Lung & bronchus	879	31.9	0.49	20.6	0.31	635	17.1	0.31	11.2	0.20
Skin	20	0.7	0.07	0.5	0.05	15	0.4	0.05	0.3	0.03
Melanomas of the skin	9	0.3	0.05	0.2	0.04	9	0.2	0.04	0.2	0.03
Breast	3	0.1	0.03	0.1	0.02	483	12.7	0.26	9.6	0.20
Female Genital System	-	-	-	-	-	408	10.8	0.24	8.2	0.19
Cervix uteri	-	-	-	-	-	76	2.1	0.11	1.6	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	136	3.5	0.14	2.7	0.10
Ovary	-	-	-	-	-	179	4.7	0.16	3.6	0.12
Male Genital System	249	9.7	0.28	5.3	0.15	-	-	-	-	-
Prostate	240	9.4	0.27	5.1	0.15	-	-	-	-	-
Testis	4	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	175	6.5	0.22	4.0	0.14	84	2.2	0.11	1.4	0.07
Bladder	77	3.0	0.15	1.7	0.09	33	0.9	0.07	0.5	0.04
Kidney & renal pelvis	91	3.2	0.15	2.2	0.10	46	1.2	0.08	0.8	0.06
Brain & Other CNS[1]	85	2.9	0.15	2.3	0.11	74	2.1	0.11	1.6	0.09
Endocrine System	27	0.9	0.08	0.7	0.06	40	1.1	0.08	0.8	0.06
Thyroid gland	17	0.6	0.07	0.4	0.04	30	0.8	0.07	0.5	0.04
Lymphomas	150	5.5	0.20	3.5	0.13	123	3.4	0.14	2.1	0.09
Hodgkin Lymphoma	7	0.3	0.04	0.2	0.03	5	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	143	5.2	0.20	3.4	0.13	118	3.2	0.13	2.0	0.09
Multiple Myeloma	54	1.9	0.12	1.3	0.08	44	1.2	0.08	0.8	0.05
Leukemias	135	5.0	0.19	3.4	0.14	107	3.0	0.13	2.1	0.10
Other, Ill-defined & Unknown	229	8.2	0.25	5.5	0.17	229	6.1	0.18	4.2	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17,824	175.5	0.60	115.3	0.39	16,205	129.6	0.46	88.7	0.33
Oral Cavity & Pharynx	445	4.1	0.09	3.0	0.06	175	1.4	0.05	0.9	0.03
Digestive System	5,361	51.0	0.32	35.4	0.22	3,976	31.5	0.23	21.0	0.16
Esophagus	650	6.2	0.11	4.3	0.08	161	1.3	0.05	0.8	0.03
Stomach	446	4.4	0.09	3.0	0.06	324	2.7	0.07	1.8	0.05
Colon & Rectum	1,542	15.1	0.18	10.1	0.12	1,424	11.2	0.14	7.4	0.09
Liver	1,023	9.1	0.13	6.9	0.10	403	3.2	0.07	2.2	0.05
Pancreas	1,252	12.1	0.16	8.2	0.10	1,153	9.1	0.12	6.0	0.08
Respiratory System	3,924	38.7	0.28	25.2	0.18	3,556	28.4	0.22	18.7	0.15
Larynx	126	1.2	0.05	0.8	0.03	34	0.3	0.02	0.2	0.01
Lung & bronchus	3,756	37.1	0.28	24.1	0.18	3,494	27.9	0.21	18.4	0.14
Skin	594	5.9	0.11	3.8	0.07	260	2.1	0.06	1.4	0.04
Melanomas of the skin	398	3.9	0.09	2.6	0.06	189	1.5	0.05	1.1	0.04
Breast	22	0.2	0.02	0.1	0.01	2,511	20.2	0.18	14.7	0.14
Female Genital System	-	-	-	-	-	1,888	15.2	0.16	11.1	0.12
Cervix uteri	-	-	-	-	-	278	2.4	0.07	2.0	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	594	4.7	0.09	3.4	0.06
Ovary	-	-	-	-	-	899	7.2	0.11	5.1	0.08
Male Genital System	2,038	21.5	0.22	12.2	0.12	-	-	-	-	-
Prostate	1,969	20.8	0.21	11.6	0.12	-	-	-	-	-
Testis	44	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	1,306	13.2	0.17	8.2	0.10	565	4.5	0.09	2.8	0.06
Bladder	715	7.5	0.13	4.3	0.07	260	2.0	0.06	1.2	0.03
Kidney & renal pelvis	565	5.4	0.10	3.7	0.07	286	2.3	0.06	1.5	0.04
Brain & Other CNS[1]	590	5.5	0.10	4.2	0.08	447	3.7	0.08	2.8	0.06
Endocrine System	100	0.9	0.04	0.7	0.03	115	0.9	0.04	0.7	0.03
Thyroid gland	65	0.6	0.04	0.4	0.02	82	0.7	0.03	0.4	0.02
Lymphomas	726	7.3	0.12	4.7	0.08	553	4.4	0.09	2.8	0.06
Hodgkin Lymphoma	48	0.5	0.03	0.3	0.02	34	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	677	6.8	0.12	4.3	0.08	519	4.2	0.08	2.6	0.05
Multiple Myeloma	395	3.9	0.09	2.5	0.06	288	2.3	0.06	1.5	0.04
Leukemias	801	8.2	0.13	5.3	0.09	586	4.7	0.09	3.2	0.06
Other, Ill-defined & Unknown	1,523	15.0	0.18	10.0	0.12	1,286	10.2	0.13	6.9	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	15,487	181.2	0.66	118.8	0.44	14,002	134.4	0.52	91.9	0.37
Oral Cavity & Pharynx	387	4.3	0.10	3.1	0.07	150	1.4	0.05	1.0	0.04
Digestive System	4,539	51.5	0.35	35.7	0.24	3,332	31.6	0.25	21.1	0.17
Esophagus	600	6.8	0.13	4.7	0.09	143	1.3	0.05	0.9	0.03
Stomach	353	4.1	0.10	2.9	0.07	243	2.4	0.07	1.7	0.05
Colon & Rectum	1,309	15.2	0.19	10.2	0.13	1,211	11.4	0.15	7.5	0.10
Liver	808	8.5	0.14	6.5	0.10	316	3.0	0.08	2.1	0.05
Pancreas	1,090	12.5	0.17	8.5	0.12	987	9.3	0.13	6.1	0.09
Respiratory System	3,346	39.2	0.31	25.4	0.20	3,130	29.9	0.24	19.7	0.16
Larynx	110	1.2	0.05	0.8	0.04	29	0.3	0.02	0.2	0.02
Lung & bronchus	3,198	37.5	0.30	24.3	0.19	3,077	29.4	0.24	19.3	0.16
Skin	582	6.8	0.13	4.4	0.08	252	2.4	0.07	1.6	0.05
Melanomas of the skin	392	4.6	0.11	3.1	0.07	183	1.8	0.06	1.3	0.05
Breast	18	0.2	0.02	0.1	0.01	2,153	21.0	0.21	15.1	0.16
Female Genital System	-	-	-	-	-	1,615	15.8	0.18	11.5	0.13
Cervix uteri	-	-	-	-	-	222	2.4	0.07	2.0	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	498	4.7	0.10	3.4	0.07
Ovary	-	-	-	-	-	791	7.7	0.12	5.4	0.09
Male Genital System	1,780	22.0	0.24	12.4	0.13	-	-	-	-	-
Prostate	1,720	21.3	0.23	11.8	0.13	-	-	-	-	-
Testis	39	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	1,183	14.1	0.19	8.7	0.12	503	4.7	0.10	3.0	0.06
Bladder	661	8.1	0.14	4.6	0.08	235	2.2	0.06	1.3	0.04
Kidney & renal pelvis	500	5.7	0.12	3.9	0.08	253	2.4	0.07	1.6	0.05
Brain & Other CNS[1]	535	6.0	0.12	4.6	0.09	404	4.0	0.09	3.1	0.07
Endocrine System	82	0.9	0.05	0.7	0.04	92	0.9	0.04	0.7	0.03
Thyroid gland	55	0.6	0.04	0.4	0.03	66	0.6	0.04	0.4	0.03
Lymphomas	639	7.6	0.14	4.9	0.09	481	4.6	0.10	3.0	0.06
Hodgkin Lymphoma	41	0.5	0.03	0.4	0.03	30	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	597	7.1	0.13	4.5	0.08	451	4.3	0.09	2.7	0.06
Multiple Myeloma	340	4.0	0.10	2.6	0.06	245	2.3	0.07	1.5	0.04
Leukemias	713	8.7	0.15	5.7	0.10	520	5.0	0.10	3.4	0.07
Other, Ill-defined & Unknown	1,342	15.7	0.20	10.5	0.13	1,124	10.7	0.15	7.3	0.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	882	203.3	3.32	136.7	2.08	793	146.8	2.41	104.4	1.68
Oral Cavity & Pharynx	16	3.1	0.38	2.4	0.27	7	1.4	0.23	1.0	0.16
Digestive System	283	61.2	1.77	43.0	1.15	191	36.4	1.21	24.8	0.81
Esophagus	15	3.4	0.41	2.4	0.27	7	1.3	0.24	0.9	0.15
Stomach	30	7.2	0.64	4.7	0.39	17	3.2	0.36	2.1	0.23
Colon & Rectum	94	20.7	1.04	14.3	0.67	74	14.3	0.76	9.7	0.51
Liver	60	11.3	0.71	8.7	0.51	20	3.6	0.38	2.5	0.26
Pancreas	64	14.0	0.85	9.8	0.55	54	10.2	0.64	7.0	0.43
Respiratory System	209	48.0	1.60	32.6	1.02	157	29.5	1.09	20.5	0.74
Larynx	9	2.0	0.33	1.4	0.21	4	0.7	0.17	0.5	0.11
Lung & bronchus	198	45.4	1.56	30.8	0.99	152	28.6	1.07	19.9	0.73
Skin	4	0.7	0.18	0.5	0.13	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	2	0.4	0.12	0.3	0.08
Breast	3	0.7	0.19	0.4	0.12	166	29.5	1.05	22.2	0.78
Female Genital System	-	-	-	-	-	100	17.4	0.80	13.4	0.60
Cervix uteri	-	-	-	-	-	19	3.2	0.34	2.7	0.28
Corpus & uterus, NOS[1]	-	-	-	-	-	42	7.3	0.52	5.6	0.39
Ovary	-	-	-	-	-	34	6.0	0.47	4.5	0.35
Male Genital System	139	39.0	1.58	22.7	0.87	-	-	-	-	-
Prostate	136	38.4	1.57	22.3	0.86	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	10.3	0.76	6.9	0.47	25	5.0	0.46	3.2	0.29
Bladder	18	4.8	0.55	2.9	0.31	12	2.6	0.34	1.6	0.20
Kidney & renal pelvis	26	5.3	0.51	3.8	0.34	12	2.3	0.31	1.5	0.20
Brain & Other CNS[1]	21	4.1	0.44	3.1	0.31	10	1.7	0.25	1.3	0.19
Endocrine System	5	1.0	0.22	0.7	0.15	7	1.2	0.21	0.9	0.15
Thyroid gland	-	-	-	-	-	4	0.7	0.16	0.5	0.11
Lymphomas	25	5.0	0.49	3.7	0.34	21	4.1	0.41	2.8	0.28
Hodgkin Lymphoma	3	0.6	0.16	0.5	0.12	2	0.4	0.12	0.3	0.09
Non-Hodgkin Lymphoma	22	4.4	0.46	3.3	0.31	19	3.7	0.40	2.5	0.26
Multiple Myeloma	30	7.3	0.63	4.8	0.39	24	4.8	0.45	3.1	0.29
Leukemias	30	6.8	0.60	4.7	0.39	23	4.3	0.41	3.1	0.30
Other, Ill-defined & Unknown	72	16.0	0.92	11.1	0.59	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,290	124.2	1.59	82.6	1.04	1,288	92.8	1.17	63.9	0.82
Oral Cavity & Pharynx	38	3.4	0.25	2.5	0.18	17	1.2	0.13	0.8	0.09
Digestive System	482	45.1	0.94	31.1	0.64	418	30.4	0.67	19.9	0.45
Esophagus	28	2.5	0.22	1.8	0.15	8	0.6	0.10	0.4	0.06
Stomach	58	5.7	0.34	3.7	0.22	61	4.5	0.26	3.0	0.18
Colon & Rectum	127	11.9	0.49	8.2	0.33	128	9.3	0.37	6.2	0.25
Liver	137	12.3	0.48	8.9	0.34	61	4.4	0.26	2.9	0.17
Pancreas	87	8.4	0.41	5.5	0.27	104	7.6	0.34	4.8	0.22
Respiratory System	333	32.3	0.81	21.1	0.52	242	17.7	0.52	11.5	0.34
Larynx	6	0.6	0.11	0.4	0.07	-	-	-	-	-
Lung & bronchus	326	31.6	0.80	20.6	0.51	238	17.4	0.51	11.4	0.34
Skin	7	0.7	0.11	0.5	0.08	-	-	-	-	-
Melanomas of the skin	4	0.3	0.08	0.3	0.06	3	0.2	0.06	0.2	0.04
Breast	-	-	-	-	-	176	12.2	0.42	9.3	0.32
Female Genital System	-	-	-	-	-	162	11.2	0.40	8.6	0.31
Cervix uteri	-	-	-	-	-	33	2.3	0.18	1.9	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	51	3.5	0.22	2.7	0.17
Ovary	-	-	-	-	-	69	4.8	0.26	3.6	0.20
Male Genital System	103	11.2	0.50	6.2	0.28	-	-	-	-	-
Prostate	98	10.7	0.49	5.8	0.27	-	-	-	-	-
Testis	3	0.2	0.06	0.2	0.06	-	-	-	-	-
Urinary System	63	6.3	0.36	4.0	0.22	30	2.3	0.18	1.4	0.12
Bladder	30	3.2	0.27	1.8	0.15	11	0.8	0.11	0.5	0.06
Kidney & renal pelvis	32	2.9	0.24	2.1	0.16	18	1.3	0.14	0.8	0.09
Brain & Other CNS[1]	31	2.7	0.22	2.2	0.18	30	2.2	0.18	1.7	0.15
Endocrine System	11	1.0	0.14	0.7	0.10	16	1.2	0.13	0.9	0.10
Thyroid gland	8	0.7	0.12	0.5	0.08	11	0.8	0.11	0.5	0.07
Lymphomas	55	5.5	0.34	3.5	0.21	47	3.5	0.23	2.2	0.15
Hodgkin Lymphoma	3	0.3	0.09	0.2	0.05	2	0.1	0.04	0.1	0.04
Non-Hodgkin Lymphoma	52	5.1	0.33	3.3	0.21	45	3.4	0.23	2.1	0.14
Multiple Myeloma	22	2.1	0.20	1.4	0.13	18	1.3	0.14	0.8	0.09
Leukemias	51	5.0	0.32	3.4	0.21	40	2.9	0.21	2.1	0.15
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,406	152.1	0.94	98.6	0.61	5,143	114.1	0.73	76.9	0.51
Oral Cavity & Pharynx	123	3.3	0.14	2.3	0.09	52	1.1	0.07	0.8	0.05
Digestive System	1,735	47.1	0.52	32.1	0.35	1,352	29.6	0.37	19.4	0.25
Esophagus	179	4.8	0.16	3.4	0.11	59	1.3	0.08	0.8	0.05
Stomach	177	4.9	0.17	3.3	0.11	129	2.9	0.12	1.9	0.08
Colon & Rectum	467	12.8	0.27	8.6	0.18	444	9.6	0.21	6.3	0.14
Liver	346	8.9	0.22	6.5	0.16	122	2.7	0.11	1.8	0.08
Pancreas	398	11.0	0.25	7.3	0.17	401	8.8	0.20	5.7	0.13
Respiratory System	1,154	32.7	0.44	21.0	0.28	1,056	23.7	0.33	15.3	0.22
Larynx	33	0.9	0.07	0.6	0.05	8	0.2	0.03	0.1	0.02
Lung & bronchus	1,107	31.4	0.43	20.1	0.27	1,039	23.3	0.33	15.0	0.22
Skin	151	4.2	0.16	2.7	0.10	69	1.5	0.08	1.0	0.06
Melanomas of the skin	104	2.9	0.13	1.9	0.08	47	1.0	0.07	0.7	0.05
Breast	7	0.2	0.03	0.1	0.02	779	17.4	0.29	12.6	0.21
Female Genital System	-	-	-	-	-	613	13.8	0.25	9.9	0.19
Cervix uteri	-	-	-	-	-	62	1.5	0.09	1.2	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	217	4.8	0.15	3.4	0.11
Ovary	-	-	-	-	-	292	6.5	0.17	4.7	0.13
Male Genital System	578	17.2	0.33	9.6	0.18	-	-	-	-	-
Prostate	565	16.9	0.32	9.3	0.18	-	-	-	-	-
Testis	9	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	368	10.6	0.25	6.4	0.15	161	3.4	0.12	2.1	0.08
Bladder	196	5.8	0.19	3.3	0.11	75	1.6	0.08	0.9	0.05
Kidney & renal pelvis	159	4.4	0.16	3.0	0.11	78	1.7	0.09	1.1	0.06
Brain & Other CNS[1]	188	5.0	0.17	3.8	0.13	141	3.3	0.13	2.5	0.10
Endocrine System	27	0.7	0.07	0.5	0.05	40	0.9	0.07	0.6	0.05
Thyroid gland	17	0.5	0.05	0.3	0.03	30	0.7	0.05	0.4	0.04
Lymphomas	237	6.8	0.20	4.3	0.13	182	3.9	0.13	2.4	0.09
Hodgkin Lymphoma	10	0.3	0.04	0.2	0.03	9	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	227	6.5	0.20	4.1	0.12	173	3.7	0.13	2.3	0.08
Multiple Myeloma	126	3.6	0.15	2.3	0.09	99	2.2	0.10	1.4	0.07
Leukemias	253	7.4	0.21	4.8	0.14	178	4.1	0.14	2.7	0.10
Other, Ill-defined & Unknown	459	13.0	0.28	8.6	0.18	422	9.3	0.21	6.2	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,822	159.7	1.18	102.7	0.76	3,620	121.9	0.93	81.6	0.65
Oral Cavity & Pharynx	85	3.4	0.17	2.3	0.12	33	1.1	0.09	0.7	0.06
Digestive System	1,148	46.3	0.63	31.4	0.42	903	29.8	0.46	19.6	0.32
Esophagus	143	5.7	0.22	3.9	0.15	46	1.5	0.10	1.0	0.07
Stomach	98	4.0	0.19	2.7	0.13	70	2.4	0.13	1.7	0.10
Colon & Rectum	320	13.1	0.34	8.7	0.22	301	9.9	0.26	6.4	0.18
Liver	195	7.4	0.24	5.4	0.18	66	2.2	0.12	1.5	0.09
Pancreas	282	11.6	0.32	7.6	0.21	282	9.3	0.25	6.0	0.17
Respiratory System	746	31.5	0.53	19.9	0.33	747	25.4	0.43	16.2	0.28
Larynx	25	1.0	0.09	0.6	0.06	6	0.2	0.04	0.2	0.03
Lung & bronchus	711	30.1	0.51	19.0	0.32	734	25.0	0.42	15.9	0.28
Skin	142	5.9	0.23	3.8	0.14	62	2.0	0.12	1.3	0.08
Melanomas of the skin	100	4.1	0.19	2.7	0.12	44	1.5	0.10	1.0	0.08
Breast	3	0.1	0.03	0.1	0.02	560	19.1	0.37	13.7	0.28
Female Genital System	-	-	-	-	-	435	15.0	0.33	10.7	0.24
Cervix uteri	-	-	-	-	-	38	1.4	0.11	1.2	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	143	4.9	0.19	3.4	0.13
Ovary	-	-	-	-	-	221	7.6	0.23	5.4	0.17
Male Genital System	431	18.9	0.41	10.5	0.23	-	-	-	-	-
Prostate	420	18.4	0.41	10.1	0.23	-	-	-	-	-
Testis	8	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	285	12.1	0.33	7.3	0.20	117	3.7	0.16	2.2	0.10
Bladder	161	7.0	0.25	3.9	0.14	56	1.7	0.11	1.0	0.06
Kidney & renal pelvis	115	4.7	0.20	3.2	0.13	55	1.8	0.11	1.1	0.07
Brain & Other CNS[1]	149	5.9	0.22	4.5	0.17	108	3.8	0.17	2.9	0.14
Endocrine System	17	0.7	0.08	0.5	0.06	24	0.8	0.08	0.6	0.06
Thyroid gland	11	0.5	0.06	0.3	0.04	18	0.6	0.07	0.4	0.04
Lymphomas	178	7.6	0.26	4.8	0.16	133	4.3	0.17	2.6	0.11
Hodgkin Lymphoma	7	0.3	0.05	0.2	0.04	8	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	170	7.3	0.25	4.5	0.16	125	4.1	0.17	2.4	0.11
Multiple Myeloma	94	4.0	0.19	2.5	0.12	68	2.3	0.13	1.5	0.08
Leukemias	195	8.5	0.28	5.4	0.18	133	4.6	0.18	3.0	0.13
Other, Ill-defined & Unknown	349	14.7	0.36	9.7	0.24	297	9.9	0.27	6.5	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	457	214.9	4.73	145.4	3.07	443	158.1	3.44	112.6	2.47
Oral Cavity & Pharynx	10	4.4	0.66	3.1	0.45	3	1.1	0.29	0.8	0.20
Digestive System	147	64.8	2.52	46.5	1.73	116	41.3	1.76	28.4	1.22
Esophagus	9	4.1	0.64	3.0	0.44	4	1.5	0.35	1.0	0.24
Stomach	16	7.7	0.90	5.1	0.57	11	4.1	0.57	2.6	0.37
Colon & Rectum	38	17.4	1.32	12.2	0.89	44	15.8	1.09	10.6	0.74
Liver	36	14.4	1.12	11.3	0.85	11	3.6	0.49	2.9	0.39
Pancreas	35	15.5	1.24	10.9	0.84	31	11.4	0.93	7.8	0.64
Respiratory System	107	49.4	2.25	34.0	1.48	90	32.1	1.54	22.8	1.10
Larynx	3	1.3	0.34	1.0	0.24	-	-	-	-	-
Lung & bronchus	104	47.9	2.22	32.9	1.46	89	31.6	1.53	22.3	1.09
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	72	25.7	1.39	19.7	1.07
Female Genital System	-	-	-	-	-	54	19.3	1.20	14.4	0.89
Cervix uteri	-	-	-	-	-	4	1.5	0.34	1.3	0.29
Corpus & uterus, NOS[1]	-	-	-	-	-	28	9.9	0.86	7.1	0.61
Ovary	-	-	-	-	-	19	6.8	0.71	5.2	0.54
Male Genital System	75	40.2	2.16	23.8	1.24	-	-	-	-	-
Prostate	74	39.7	2.15	23.5	1.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	11.8	1.14	7.5	0.70	15	5.4	0.62	3.5	0.41
Bladder	11	6.1	0.83	3.7	0.49	8	2.7	0.45	1.7	0.29
Kidney & renal pelvis	12	5.7	0.78	3.8	0.50	7	2.4	0.42	1.6	0.28
Brain & Other CNS[1]	8	3.3	0.55	2.7	0.43	6	2.2	0.41	1.7	0.32
Endocrine System	-	-	-	-	-	3	1.0	0.26	0.8	0.21
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	5.1	0.70	3.9	0.52	9	3.4	0.51	2.2	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	8.0	0.94	5.0	0.57	16	5.7	0.65	3.7	0.43
Leukemias	14	7.1	0.87	4.7	0.56	11	4.0	0.56	2.8	0.40
Other, Ill-defined & Unknown	39	18.4	1.39	12.5	0.90	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,107	120.0	1.64	78.7	1.08	1,064	86.9	1.21	58.8	0.84
Oral Cavity & Pharynx	28	2.9	0.25	2.1	0.18	15	1.2	0.14	0.9	0.10
Digestive System	431	45.5	1.00	31.1	0.68	329	27.0	0.68	17.3	0.45
Esophagus	26	2.6	0.24	1.9	0.17	8	0.7	0.11	0.4	0.07
Stomach	62	6.7	0.39	4.3	0.25	48	3.9	0.25	2.6	0.17
Colon & Rectum	107	11.2	0.49	7.7	0.34	97	7.8	0.36	5.1	0.25
Liver	112	11.6	0.50	8.3	0.35	44	3.7	0.25	2.3	0.16
Pancreas	80	8.6	0.44	5.6	0.29	86	7.2	0.35	4.5	0.22
Respiratory System	296	32.4	0.86	20.8	0.55	216	17.7	0.55	11.4	0.36
Larynx	4	0.5	0.10	0.3	0.07	-	-	-	-	-
Lung & bronchus	289	31.6	0.85	20.3	0.54	213	17.5	0.54	11.3	0.36
Skin	7	0.7	0.12	0.5	0.09	-	-	-	-	-
Melanomas of the skin	3	0.3	0.08	0.3	0.07	3	0.2	0.06	0.2	0.05
Breast	-	-	-	-	-	145	11.7	0.44	8.8	0.34
Female Genital System	-	-	-	-	-	121	9.8	0.40	7.3	0.30
Cervix uteri	-	-	-	-	-	19	1.6	0.16	1.2	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	46	3.7	0.25	2.7	0.18
Ovary	-	-	-	-	-	51	4.1	0.26	3.1	0.20
Male Genital System	71	8.3	0.44	4.5	0.24	-	-	-	-	-
Prostate	69	8.1	0.44	4.3	0.24	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	6.3	0.38	3.9	0.23	28	2.3	0.19	1.4	0.13
Bladder	23	2.7	0.25	1.4	0.14	11	0.9	0.12	0.5	0.07
Kidney & renal pelvis	32	3.4	0.27	2.2	0.18	15	1.2	0.14	0.8	0.10
Brain & Other CNS[1]	31	3.2	0.27	2.4	0.20	26	2.3	0.20	1.8	0.17
Endocrine System	8	0.8	0.13	0.6	0.10	14	1.1	0.14	0.8	0.10
Thyroid gland	4	0.5	0.10	0.3	0.07	11	0.9	0.12	0.5	0.08
Lymphomas	47	5.3	0.35	3.4	0.22	39	3.2	0.23	2.0	0.15
Hodgkin Lymphoma	2	0.3	0.08	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	45	5.0	0.34	3.2	0.22	-	-	-	-	-
Multiple Myeloma	16	1.7	0.20	1.1	0.13	15	1.2	0.14	0.8	0.09
Leukemias	43	5.0	0.34	3.3	0.23	34	2.9	0.22	2.1	0.17
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,293	163.6	0.88	107.5	0.57	7,084	121.8	0.66	83.9	0.47
Oral Cavity & Pharynx	165	3.5	0.12	2.5	0.09	75	1.3	0.07	0.9	0.05
Digestive System	2,435	53.0	0.49	36.4	0.33	1,985	33.9	0.35	22.7	0.24
Esophagus	207	4.5	0.14	3.1	0.10	60	1.0	0.06	0.7	0.04
Stomach	317	6.9	0.18	4.8	0.12	227	3.9	0.12	2.7	0.09
Colon & Rectum	722	15.8	0.27	10.7	0.18	669	11.3	0.20	7.5	0.14
Liver	455	9.4	0.20	6.9	0.15	222	3.8	0.12	2.6	0.08
Pancreas	530	11.7	0.23	7.9	0.15	553	9.4	0.18	6.2	0.12
Respiratory System	1,517	34.5	0.40	22.3	0.26	1,264	21.9	0.28	14.4	0.19
Larynx	53	1.2	0.07	0.8	0.05	12	0.2	0.03	0.1	0.02
Lung & bronchus	1,448	32.9	0.40	21.3	0.25	1,241	21.5	0.28	14.1	0.19
Skin	165	3.7	0.13	2.4	0.09	81	1.4	0.07	0.9	0.05
Melanomas of the skin	105	2.3	0.10	1.6	0.07	52	0.9	0.06	0.6	0.04
Breast	12	0.3	0.04	0.2	0.02	1,147	19.8	0.27	14.4	0.20
Female Genital System	-	-	-	-	-	919	15.9	0.24	11.7	0.18
Cervix uteri	-	-	-	-	-	147	2.6	0.10	2.1	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	308	5.3	0.14	3.9	0.10
Ovary	-	-	-	-	-	412	7.1	0.16	5.2	0.12
Male Genital System	841	20.2	0.32	11.5	0.18	-	-	-	-	-
Prostate	815	19.6	0.31	11.0	0.18	-	-	-	-	-
Testis	14	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	479	10.9	0.23	6.9	0.14	221	3.7	0.11	2.4	0.08
Bladder	249	5.9	0.17	3.4	0.10	108	1.8	0.08	1.1	0.05
Kidney & renal pelvis	220	4.8	0.15	3.3	0.10	106	1.8	0.08	1.2	0.06
Brain & Other CNS[1]	239	5.1	0.15	3.8	0.11	190	3.3	0.11	2.5	0.09
Endocrine System	49	1.1	0.07	0.8	0.05	54	1.0	0.06	0.7	0.04
Thyroid gland	31	0.7	0.06	0.5	0.04	39	0.7	0.05	0.5	0.03
Lymphomas	312	7.1	0.18	4.6	0.12	266	4.6	0.13	3.0	0.09
Hodgkin Lymphoma	17	0.4	0.04	0.3	0.03	15	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	295	6.7	0.18	4.3	0.11	251	4.3	0.12	2.8	0.08
Multiple Myeloma	169	3.9	0.14	2.5	0.09	133	2.3	0.09	1.5	0.06
Leukemias	343	7.8	0.19	5.2	0.13	264	4.6	0.13	3.2	0.10
Other, Ill-defined & Unknown	568	12.7	0.24	8.5	0.16	484	8.2	0.17	5.7	0.12

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,307	167.3	1.05	109.3	0.68	5,089	125.8	0.80	86.0	0.57
Oral Cavity & Pharynx	119	3.5	0.15	2.5	0.10	53	1.3	0.08	0.9	0.06
Digestive System	1,721	52.5	0.58	35.9	0.39	1,390	34.1	0.42	22.9	0.29
Esophagus	166	5.1	0.18	3.5	0.12	44	1.1	0.08	0.7	0.05
Stomach	219	6.7	0.21	4.6	0.14	154	3.9	0.14	2.7	0.10
Colon & Rectum	501	15.3	0.31	10.3	0.21	469	11.4	0.24	7.5	0.16
Liver	303	8.8	0.23	6.4	0.17	151	3.7	0.14	2.5	0.10
Pancreas	389	12.2	0.28	8.1	0.19	390	9.5	0.22	6.3	0.15
Respiratory System	1,026	32.9	0.47	21.1	0.30	876	21.9	0.34	14.2	0.22
Larynx	38	1.2	0.09	0.8	0.06	8	0.2	0.03	0.1	0.02
Lung & bronchus	973	31.3	0.46	20.0	0.29	859	21.5	0.33	13.9	0.22
Skin	153	4.8	0.18	3.1	0.11	73	1.8	0.09	1.1	0.06
Melanomas of the skin	101	3.1	0.14	2.1	0.10	49	1.2	0.08	0.8	0.06
Breast	9	0.3	0.05	0.2	0.03	806	19.9	0.32	14.3	0.24
Female Genital System	-	-	-	-	-	670	16.7	0.29	12.2	0.22
Cervix uteri	-	-	-	-	-	102	2.6	0.12	2.1	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	212	5.2	0.16	3.8	0.12
Ovary	-	-	-	-	-	312	7.7	0.20	5.6	0.15
Male Genital System	598	20.2	0.37	11.4	0.21	-	-	-	-	-
Prostate	576	19.6	0.37	10.9	0.21	-	-	-	-	-
Testis	13	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	376	12.0	0.28	7.5	0.18	171	4.1	0.14	2.6	0.10
Bladder	200	6.6	0.21	3.8	0.12	85	2.0	0.10	1.2	0.06
Kidney & renal pelvis	170	5.2	0.18	3.6	0.12	81	2.0	0.10	1.3	0.07
Brain & Other CNS[1]	198	5.9	0.19	4.4	0.14	159	3.9	0.14	3.0	0.11
Endocrine System	37	1.2	0.09	0.8	0.06	38	1.0	0.07	0.7	0.05
Thyroid gland	24	0.7	0.07	0.5	0.05	28	0.7	0.06	0.5	0.04
Lymphomas	242	7.7	0.23	4.9	0.14	205	5.1	0.16	3.3	0.11
Hodgkin Lymphoma	14	0.4	0.05	0.3	0.04	12	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	228	7.3	0.22	4.6	0.14	193	4.8	0.16	3.0	0.10
Multiple Myeloma	123	4.0	0.16	2.5	0.10	90	2.2	0.11	1.4	0.07
Leukemias	274	8.7	0.24	5.8	0.16	205	5.1	0.16	3.5	0.12
Other, Ill-defined & Unknown	432	13.5	0.30	9.1	0.20	352	8.6	0.21	5.9	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	878	216.9	3.39	145.3	2.21	940	160.1	2.37	114.2	1.72
Oral Cavity & Pharynx	16	3.5	0.40	2.6	0.29	11	1.7	0.24	1.3	0.19
Digestive System	263	62.1	1.78	43.7	1.21	244	41.5	1.21	28.7	0.85
Esophagus	16	3.6	0.42	2.6	0.29	9	1.6	0.24	1.2	0.17
Stomach	32	7.9	0.65	5.3	0.42	18	3.2	0.34	2.1	0.23
Colon & Rectum	92	22.5	1.09	15.3	0.72	90	15.5	0.74	10.7	0.52
Liver	44	9.3	0.65	7.3	0.49	25	4.2	0.38	3.0	0.27
Pancreas	60	14.2	0.86	9.8	0.57	71	12.0	0.64	8.1	0.45
Respiratory System	212	51.2	1.63	35.1	1.08	198	33.5	1.08	23.5	0.76
Larynx	9	2.0	0.31	1.4	0.22	3	0.5	0.13	0.4	0.10
Lung & bronchus	203	49.2	1.60	33.7	1.06	194	32.8	1.07	23.0	0.75
Skin	6	1.3	0.26	1.0	0.19	-	-	-	-	-
Melanomas of the skin	2	0.5	0.16	0.3	0.11	-	-	-	-	-
Breast	2	0.6	0.18	0.4	0.11	176	30.2	1.03	22.5	0.78
Female Genital System	-	-	-	-	-	120	20.2	0.84	15.2	0.63
Cervix uteri	-	-	-	-	-	20	3.5	0.36	3.0	0.30
Corpus & uterus, NOS[1]	-	-	-	-	-	55	9.1	0.56	6.7	0.41
Ovary	-	-	-	-	-	40	6.7	0.48	4.9	0.36
Male Genital System	165	45.5	1.62	26.7	0.93	-	-	-	-	-
Prostate	164	45.0	1.62	26.4	0.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	48	12.0	0.81	8.0	0.52	24	4.1	0.38	2.6	0.25
Bladder	24	6.5	0.60	4.0	0.36	12	2.1	0.27	1.3	0.17
Kidney & renal pelvis	23	5.4	0.52	3.9	0.38	11	1.8	0.25	1.3	0.18
Brain & Other CNS[1]	16	3.5	0.41	2.6	0.30	13	2.3	0.29	1.8	0.23
Endocrine System	4	1.1	0.23	0.8	0.18	6	1.0	0.19	0.7	0.15
Thyroid gland	2	0.5	0.17	0.4	0.11	3	0.6	0.14	0.4	0.10
Lymphomas	22	5.6	0.55	3.7	0.36	22	3.8	0.36	2.7	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	30	7.6	0.64	5.0	0.41	32	5.5	0.44	3.6	0.29
Leukemias	27	6.7	0.60	4.6	0.40	25	4.5	0.40	3.2	0.30
Other, Ill-defined & Unknown	66	16.2	0.92	11.0	0.61	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,079	130.7	1.81	86.7	1.22	1,030	91.9	1.31	63.9	0.95
Oral Cavity & Pharynx	30	3.6	0.30	2.6	0.22	11	1.0	0.14	0.7	0.10
Digestive System	440	52.4	1.14	35.8	0.78	343	30.2	0.74	19.7	0.51
Esophagus	24	2.8	0.26	2.0	0.18	6	0.5	0.09	0.3	0.07
Stomach	64	7.7	0.44	5.1	0.29	54	4.8	0.30	3.1	0.21
Colon & Rectum	127	15.2	0.61	10.4	0.42	108	9.4	0.41	6.2	0.29
Liver	105	12.3	0.55	8.7	0.39	45	4.0	0.27	2.5	0.18
Pancreas	80	9.5	0.48	6.4	0.33	90	7.9	0.38	5.0	0.25
Respiratory System	271	33.2	0.91	21.4	0.59	186	16.4	0.55	10.9	0.38
Larynx	5	0.6	0.13	0.4	0.08	-	-	-	-	-
Lung & bronchus	265	32.4	0.90	20.9	0.59	183	16.2	0.54	10.8	0.37
Skin	6	0.8	0.14	0.5	0.09	6	0.6	0.10	0.3	0.06
Melanomas of the skin	2	0.3	0.08	0.2	0.06	3	0.3	0.07	0.2	0.05
Breast	-	-	-	-	-	162	14.6	0.52	11.1	0.41
Female Genital System	-	-	-	-	-	126	11.4	0.47	8.7	0.36
Cervix uteri	-	-	-	-	-	24	2.3	0.22	1.8	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	39	3.4	0.25	2.6	0.19
Ovary	-	-	-	-	-	59	5.4	0.32	4.0	0.25
Male Genital System	75	9.4	0.49	5.1	0.27	-	-	-	-	-
Prostate	73	9.2	0.48	4.9	0.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	6.8	0.42	4.3	0.27	25	2.2	0.20	1.4	0.13
Bladder	25	3.1	0.28	1.8	0.17	11	0.9	0.12	0.5	0.08
Kidney & renal pelvis	27	3.4	0.29	2.3	0.21	13	1.2	0.14	0.8	0.10
Brain & Other CNS[1]	23	2.8	0.27	2.2	0.21	18	1.6	0.18	1.3	0.15
Endocrine System	8	1.0	0.16	0.7	0.11	10	0.9	0.13	0.6	0.09
Thyroid gland	5	0.6	0.13	0.4	0.08	8	0.7	0.11	0.4	0.08
Lymphomas	47	5.7	0.38	3.8	0.25	37	3.4	0.26	2.2	0.17
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	1.9	0.22	1.2	0.14	11	1.0	0.13	0.6	0.09
Leukemias	41	5.0	0.36	3.6	0.27	32	3.1	0.25	2.3	0.21
Other, Ill-defined & Unknown	-	-	-	-	-	63	5.7	0.33	4.0	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,000	160.6	1.18	103.8	0.74	3,625	118.7	0.90	80.0	0.62
Oral Cavity & Pharynx	82	3.0	0.15	2.1	0.11	35	1.1	0.09	0.8	0.06
Digestive System	1,179	44.6	0.61	30.7	0.40	831	27.1	0.43	18.0	0.29
Esophagus	191	7.2	0.24	5.0	0.16	35	1.1	0.09	0.8	0.06
Stomach	88	3.4	0.17	2.3	0.11	51	1.7	0.11	1.2	0.08
Colon & Rectum	349	13.9	0.34	9.2	0.22	320	10.5	0.27	6.9	0.18
Liver	176	5.9	0.21	4.5	0.15	61	2.0	0.12	1.3	0.08
Pancreas	283	10.7	0.30	7.3	0.20	245	7.9	0.23	5.3	0.16
Respiratory System	817	32.4	0.53	21.1	0.33	788	26.0	0.42	17.1	0.28
Larynx	28	1.0	0.09	0.7	0.06	7	0.2	0.04	0.2	0.03
Lung & bronchus	779	30.9	0.52	20.1	0.32	776	25.6	0.42	16.8	0.28
Skin	149	6.0	0.23	3.9	0.14	78	2.6	0.13	1.7	0.09
Melanomas of the skin	103	4.1	0.19	2.7	0.12	60	2.0	0.12	1.4	0.09
Breast	7	0.3	0.05	0.2	0.03	582	18.9	0.36	13.3	0.26
Female Genital System	-	-	-	-	-	415	13.5	0.30	9.7	0.22
Cervix uteri	-	-	-	-	-	50	1.7	0.11	1.4	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	124	3.9	0.16	2.8	0.12
Ovary	-	-	-	-	-	209	6.8	0.22	4.8	0.15
Male Genital System	480	21.9	0.46	12.0	0.25	-	-	-	-	-
Prostate	470	21.5	0.45	11.7	0.24	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	277	11.5	0.32	7.1	0.19	132	4.3	0.17	2.7	0.11
Bladder	156	6.7	0.25	3.9	0.14	61	2.0	0.12	1.2	0.07
Kidney & renal pelvis	114	4.4	0.19	2.9	0.12	68	2.2	0.12	1.4	0.08
Brain & Other CNS[1]	138	5.0	0.20	3.8	0.15	118	3.8	0.16	3.0	0.13
Endocrine System	24	1.0	0.09	0.7	0.06	24	0.8	0.07	0.6	0.06
Thyroid gland	15	0.6	0.07	0.4	0.05	17	0.5	0.06	0.4	0.04
Lymphomas	159	6.7	0.25	4.2	0.15	109	3.6	0.16	2.2	0.10
Hodgkin Lymphoma	9	0.3	0.05	0.2	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	150	6.4	0.24	3.9	0.15	102	3.4	0.15	2.0	0.09
Multiple Myeloma	100	4.2	0.19	2.6	0.12	71	2.4	0.13	1.5	0.08
Leukemias	194	8.2	0.27	5.1	0.17	124	4.2	0.17	2.7	0.12
Other, Ill-defined & Unknown	395	16.0	0.37	10.4	0.24	317	10.4	0.27	6.8	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,758	161.5	1.22	104.4	0.77	3,408	120.0	0.94	81.0	0.65
Oral Cavity & Pharynx	76	3.0	0.16	2.1	0.11	33	1.1	0.09	0.8	0.06
Digestive System	1,098	44.6	0.63	30.7	0.42	770	27.0	0.45	18.0	0.30
Esophagus	184	7.4	0.25	5.1	0.17	34	1.2	0.09	0.8	0.06
Stomach	78	3.3	0.17	2.2	0.11	45	1.6	0.11	1.1	0.08
Colon & Rectum	325	13.9	0.36	9.1	0.23	298	10.6	0.28	6.9	0.19
Liver	158	5.7	0.21	4.4	0.16	53	1.8	0.11	1.2	0.08
Pancreas	268	10.9	0.31	7.4	0.20	230	8.0	0.24	5.3	0.16
Respiratory System	763	32.3	0.54	21.0	0.34	746	26.4	0.44	17.3	0.29
Larynx	27	1.1	0.10	0.7	0.06	7	0.2	0.04	0.2	0.03
Lung & bronchus	727	30.9	0.53	20.0	0.33	735	26.0	0.44	17.0	0.29
Skin	149	6.5	0.24	4.2	0.16	77	2.7	0.14	1.8	0.10
Melanomas of the skin	103	4.4	0.20	2.9	0.13	59	2.1	0.13	1.5	0.09
Breast	6	0.3	0.05	0.2	0.03	544	19.0	0.37	13.4	0.27
Female Genital System	-	-	-	-	-	388	13.6	0.32	9.8	0.23
Cervix uteri	-	-	-	-	-	47	1.8	0.12	1.5	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	111	3.8	0.17	2.7	0.12
Ovary	-	-	-	-	-	201	7.0	0.23	5.0	0.16
Male Genital System	446	21.6	0.47	11.9	0.25	-	-	-	-	-
Prostate	437	21.2	0.47	11.5	0.25	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	263	11.6	0.33	7.2	0.20	126	4.4	0.18	2.7	0.11
Bladder	149	6.8	0.26	4.0	0.15	58	2.0	0.12	1.2	0.07
Kidney & renal pelvis	108	4.5	0.20	3.0	0.13	64	2.2	0.13	1.4	0.08
Brain & Other CNS[1]	133	5.2	0.21	4.0	0.16	113	4.0	0.17	3.1	0.14
Endocrine System	22	1.0	0.10	0.7	0.07	22	0.8	0.08	0.6	0.06
Thyroid gland	14	0.6	0.08	0.4	0.05	16	0.5	0.06	0.4	0.04
Lymphomas	151	6.8	0.26	4.2	0.16	104	3.7	0.16	2.3	0.10
Hodgkin Lymphoma	8	0.4	0.06	0.2	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	142	6.4	0.25	4.0	0.15	98	3.4	0.16	2.1	0.10
Multiple Myeloma	93	4.1	0.20	2.6	0.12	66	2.4	0.13	1.5	0.09
Leukemias	183	8.3	0.28	5.2	0.17	118	4.2	0.18	2.8	0.12
Other, Ill-defined & Unknown	374	16.3	0.39	10.5	0.25	301	10.6	0.28	6.9	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	157	199.4	7.95	128.5	4.68	130	134.9	5.45	92.4	3.66
Oral Cavity & Pharynx	4	3.9	0.94	3.0	0.69	-	-	-	-	-
Digestive System	48	55.2	4.01	37.7	2.48	31	32.0	2.64	21.9	1.77
Esophagus	4	4.9	1.22	3.3	0.75	-	-	-	-	-
Stomach	5	8.4	1.77	4.8	0.93	2	2.2	0.68	1.6	0.48
Colon & Rectum	16	18.5	2.31	12.7	1.44	11	11.1	1.57	7.2	0.99
Liver	9	8.7	1.43	6.8	1.03	4	3.6	0.88	2.5	0.61
Pancreas	11	10.7	1.67	7.6	1.07	9	9.1	1.42	6.3	0.95
Respiratory System	35	44.6	3.72	29.1	2.24	23	24.3	2.33	17.1	1.60
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	34	43.0	3.67	27.9	2.19	23	24.0	2.32	16.8	1.59
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	27	27.0	2.39	19.2	1.67
Female Genital System	-	-	-	-	-	19	19.8	2.10	13.4	1.40
Cervix uteri	-	-	-	-	-	2	2.7	0.79	1.7	0.51
Corpus & uterus, NOS[1]	-	-	-	-	-	9	9.3	1.41	6.6	0.99
Ovary	-	-	-	-	-	6	6.2	1.20	4.1	0.77
Male Genital System	28	43.7	4.02	24.6	2.12	-	-	-	-	-
Prostate	28	43.7	4.02	24.6	2.12	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	12.2	1.95	7.9	1.16	3	3.7	0.95	2.2	0.56
Bladder	5	6.0	1.35	3.9	0.82	-	-	-	-	-
Kidney & renal pelvis	4	5.3	1.30	3.5	0.77	-	-	-	-	-
Brain & Other CNS[1]	3	2.5	0.66	2.1	0.54	3	2.5	0.70	2.0	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	4.0	1.11	2.6	0.67	2	2.7	0.80	1.7	0.49
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	7.6	1.65	4.5	0.90	5	4.6	1.00	3.2	0.67
Leukemias	7	9.0	1.77	5.5	0.99	4	4.4	0.98	2.7	0.60
Other, Ill-defined & Unknown	13	15.1	2.10	10.2	1.31	10	11.0	1.60	6.8	0.98

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	63	106.7	6.42	69.7	3.96	64	75.9	4.35	49.2	2.78
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	24	37.2	3.63	26.2	2.40	23	27.8	2.68	17.7	1.67
Esophagus	3	4.1	1.19	2.9	0.80	-	-	-	-	-
Stomach	4	5.7	1.40	4.1	0.95	3	3.6	0.90	2.6	0.65
Colon & Rectum	5	7.9	1.72	5.2	1.08	8	9.8	1.60	6.3	1.00
Liver	7	10.3	1.84	7.7	1.30	4	4.9	1.18	2.9	0.68
Pancreas	3	4.9	1.34	3.4	0.87	4	5.5	1.21	3.2	0.69
Respiratory System	13	23.5	3.08	14.7	1.83	14	17.8	2.15	10.8	1.31
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	13	22.6	3.00	14.2	1.80	14	17.8	2.15	10.8	1.31
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	7.7	1.31	5.5	0.93
Female Genital System	-	-	-	-	-	7	7.5	1.33	5.2	0.90
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	3	3.7	0.92	2.6	0.64
Ovary	-	-	-	-	-	2	2.8	0.84	1.8	0.53
Male Genital System	4	7.9	1.93	4.1	0.97	-	-	-	-	-
Prostate	4	7.9	1.93	4.1	0.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	5.7	1.59	3.2	0.86	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	2	3.1	1.04	2.3	0.72	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	9.2	2.00	5.4	1.14	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	4.8	1.29	3.6	0.91	2	2.0	0.66	1.6	0.51
Other, Ill-defined & Unknown	6	9.6	1.88	6.5	1.20	5	5.4	1.16	3.3	0.70

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,359	170.4	1.34	111.3	0.88	3,283	125.5	1.01	84.9	0.72
Oral Cavity & Pharynx	62	3.0	0.17	2.1	0.12	25	1.0	0.09	0.6	0.06
Digestive System	948	46.8	0.70	32.0	0.48	753	28.3	0.48	18.7	0.33
Esophagus	141	6.7	0.26	4.8	0.18	39	1.5	0.11	1.0	0.07
Stomach	86	4.4	0.22	3.0	0.15	58	2.2	0.14	1.5	0.10
Colon & Rectum	257	13.0	0.37	8.6	0.25	257	9.4	0.27	6.1	0.19
Liver	129	5.9	0.24	4.4	0.18	39	1.5	0.11	1.0	0.08
Pancreas	246	12.2	0.36	8.2	0.24	252	9.4	0.27	6.2	0.19
Respiratory System	824	41.4	0.66	27.5	0.43	816	31.5	0.51	21.1	0.35
Larynx	29	1.4	0.12	1.0	0.08	8	0.3	0.05	0.2	0.04
Lung & bronchus	789	39.7	0.65	26.3	0.42	804	31.0	0.50	20.8	0.35
Skin	83	4.2	0.21	2.8	0.14	44	1.6	0.12	1.1	0.08
Melanomas of the skin	60	3.1	0.18	2.0	0.12	34	1.3	0.10	0.9	0.08
Breast	4	0.2	0.05	0.2	0.03	451	17.8	0.39	12.9	0.30
Female Genital System	-	-	-	-	-	347	13.5	0.33	9.6	0.25
Cervix uteri	-	-	-	-	-	31	1.4	0.11	1.1	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	112	4.3	0.19	3.1	0.13
Ovary	-	-	-	-	-	168	6.5	0.23	4.6	0.17
Male Genital System	346	18.3	0.45	10.2	0.25	-	-	-	-	-
Prostate	338	17.9	0.44	9.8	0.25	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	247	12.8	0.37	7.8	0.23	120	4.3	0.18	2.7	0.12
Bladder	156	8.1	0.30	4.7	0.17	68	2.4	0.13	1.4	0.08
Kidney & renal pelvis	86	4.4	0.22	3.0	0.15	47	1.8	0.12	1.2	0.08
Brain & Other CNS[1]	108	5.4	0.24	4.2	0.19	81	3.4	0.18	2.6	0.15
Endocrine System	15	0.7	0.09	0.6	0.07	16	0.6	0.08	0.5	0.06
Thyroid gland	10	0.5	0.07	0.4	0.05	11	0.4	0.06	0.3	0.04
Lymphomas	141	7.4	0.28	4.6	0.18	115	4.2	0.18	2.5	0.12
Hodgkin Lymphoma	7	0.4	0.06	0.3	0.05	3	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	133	7.0	0.28	4.3	0.17	112	4.1	0.18	2.5	0.12
Multiple Myeloma	72	3.7	0.20	2.3	0.12	66	2.5	0.14	1.6	0.09
Leukemias	150	7.9	0.29	5.1	0.20	123	4.7	0.19	3.1	0.14
Other, Ill-defined & Unknown	360	18.5	0.45	12.0	0.30	325	12.1	0.31	8.0	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,050	171.6	1.42	111.9	0.94	2,973	127.2	1.09	85.9	0.78
Oral Cavity & Pharynx	55	3.0	0.18	2.1	0.13	23	1.0	0.09	0.6	0.07
Digestive System	848	46.6	0.73	31.8	0.50	666	27.8	0.50	18.3	0.35
Esophagus	133	7.1	0.28	5.0	0.20	35	1.5	0.11	0.9	0.08
Stomach	70	4.0	0.22	2.7	0.15	49	2.1	0.14	1.5	0.11
Colon & Rectum	232	13.1	0.39	8.6	0.26	231	9.4	0.29	6.1	0.21
Liver	108	5.5	0.24	4.1	0.18	32	1.3	0.11	0.9	0.08
Pancreas	225	12.4	0.38	8.3	0.25	226	9.4	0.29	6.2	0.20
Respiratory System	748	41.6	0.69	27.6	0.46	761	32.9	0.55	22.0	0.38
Larynx	25	1.3	0.12	0.9	0.09	7	0.3	0.05	0.2	0.04
Lung & bronchus	717	39.9	0.68	26.4	0.45	750	32.4	0.54	21.6	0.38
Skin	81	4.6	0.24	3.0	0.16	44	1.8	0.13	1.3	0.10
Melanomas of the skin	59	3.4	0.20	2.3	0.14	34	1.5	0.12	1.0	0.09
Breast	4	0.2	0.05	0.1	0.03	399	17.8	0.42	12.8	0.32
Female Genital System	-	-	-	-	-	307	13.4	0.36	9.6	0.26
Cervix uteri	-	-	-	-	-	26	1.3	0.12	1.0	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	94	4.1	0.19	2.8	0.14
Ovary	-	-	-	-	-	154	6.7	0.25	4.8	0.19
Male Genital System	306	17.6	0.46	9.7	0.26	-	-	-	-	-
Prostate	299	17.2	0.45	9.4	0.25	-	-	-	-	-
Testis	4	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	230	13.2	0.40	8.0	0.25	110	4.4	0.19	2.7	0.13
Bladder	149	8.5	0.32	4.9	0.19	61	2.3	0.14	1.4	0.09
Kidney & renal pelvis	77	4.4	0.23	2.9	0.15	44	1.8	0.13	1.2	0.09
Brain & Other CNS[1]	101	5.8	0.27	4.5	0.21	74	3.6	0.20	2.8	0.17
Endocrine System	14	0.8	0.10	0.6	0.08	14	0.6	0.08	0.4	0.06
Thyroid gland	10	0.5	0.08	0.4	0.06	11	0.5	0.07	0.3	0.05
Lymphomas	130	7.5	0.30	4.7	0.20	109	4.4	0.20	2.6	0.13
Hodgkin Lymphoma	7	0.4	0.07	0.3	0.06	3	0.1	0.04	0.1	0.03
Non-Hodgkin Lymphoma	123	7.1	0.29	4.4	0.19	106	4.2	0.19	2.6	0.13
Multiple Myeloma	64	3.6	0.21	2.2	0.13	57	2.3	0.14	1.5	0.10
Leukemias	138	8.1	0.31	5.2	0.21	114	4.8	0.21	3.2	0.16
Other, Ill-defined & Unknown	332	18.9	0.47	12.3	0.32	296	12.3	0.34	8.2	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	258	185.6	5.53	125.1	3.51	268	127.1	3.54	90.1	2.49
Oral Cavity & Pharynx	4	2.7	0.61	2.0	0.44	-	-	-	-	-
Digestive System	81	55.1	2.93	38.7	1.93	73	35.1	1.86	24.5	1.29
Esophagus	7	4.3	0.79	3.2	0.56	4	2.0	0.44	1.4	0.32
Stomach	13	9.4	1.26	6.2	0.79	8	3.9	0.63	2.6	0.42
Colon & Rectum	22	15.6	1.60	10.5	1.01	21	10.1	0.99	7.1	0.70
Liver	16	8.6	1.03	7.1	0.81	6	2.7	0.48	2.1	0.38
Pancreas	18	12.2	1.38	8.6	0.92	23	10.9	1.05	7.4	0.71
Respiratory System	64	47.4	2.81	31.7	1.78	49	23.4	1.52	16.5	1.06
Larynx	3	2.1	0.55	1.6	0.38	-	-	-	-	-
Lung & bronchus	61	45.1	2.74	30.0	1.73	49	23.2	1.51	16.2	1.05
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	45	20.3	1.37	15.8	1.06
Female Genital System	-	-	-	-	-	34	16.0	1.24	11.7	0.90
Cervix uteri	-	-	-	-	-	5	2.1	0.44	1.6	0.34
Corpus & uterus, NOS[1]	-	-	-	-	-	17	7.8	0.86	5.8	0.63
Ovary	-	-	-	-	-	11	5.2	0.73	3.6	0.50
Male Genital System	37	31.7	2.46	18.6	1.38	-	-	-	-	-
Prostate	36	30.8	2.42	18.0	1.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	9.6	1.22	6.8	0.81	9	4.3	0.65	3.0	0.45
Bladder	6	4.4	0.87	2.8	0.53	6	3.0	0.55	2.0	0.36
Kidney & renal pelvis	8	4.8	0.82	3.6	0.59	3	1.2	0.34	0.9	0.25
Brain & Other CNS[1]	5	3.0	0.62	2.4	0.48	6	2.8	0.53	2.1	0.39
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	5.3	0.93	3.7	0.60	5	2.6	0.52	1.8	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	5.3	0.94	3.5	0.59	8	4.2	0.67	2.6	0.42
Leukemias	10	6.8	1.07	4.7	0.68	8	4.1	0.66	2.6	0.42
Other, Ill-defined & Unknown	25	17.3	1.66	12.0	1.08	26	12.5	1.12	8.4	0.75

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	48	95.3	6.75	62.4	4.09	39	62.8	4.81	41.4	3.00
Oral Cavity & Pharynx	2	3.2	1.15	2.4	0.78	-	-	-	-	-
Digestive System	18	34.2	3.88	23.4	2.47	13	21.6	2.87	14.0	1.76
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	7.0	1.79	4.6	1.09	-	-	-	-	-
Colon & Rectum	3	4.9	1.31	3.8	0.97	4	6.1	1.50	4.1	0.95
Liver	5	8.4	1.72	6.6	1.30	-	-	-	-	-
Pancreas	3	6.2	1.78	3.7	1.00	3	6.7	1.68	3.9	0.96
Respiratory System	11	22.1	3.26	14.3	1.97	5	9.1	1.89	5.6	1.10
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	20.2	3.14	13.0	1.88	5	9.1	1.89	5.6	1.10
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	6	8.1	1.53	6.3	1.13
Female Genital System	-	-	-	-	-	4	6.8	1.53	4.6	0.99
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	3.9	1.22	2.5	0.73
Male Genital System	3	7.4	2.00	4.2	1.10	-	-	-	-	-
Prostate	3	7.4	2.00	4.2	1.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	5.2	1.73	3.0	0.92	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	8.3	2.27	4.4	1.14	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	6.3	1.68	4.3	1.05	4	6.5	1.61	4.0	0.95

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,064	199.0	2.79	132.3	1.85	955	142.5	2.11	98.8	1.52
Oral Cavity & Pharynx	22	3.9	0.38	3.0	0.29	9	1.4	0.21	1.0	0.16
Digestive System	304	55.8	1.46	38.4	1.00	213	31.8	0.99	21.2	0.69
Esophagus	40	7.3	0.53	5.1	0.37	9	1.4	0.21	0.9	0.15
Stomach	22	4.1	0.40	2.7	0.26	15	2.2	0.26	1.5	0.19
Colon & Rectum	88	16.9	0.82	11.3	0.55	71	10.7	0.58	7.1	0.41
Liver	49	8.4	0.55	6.4	0.41	18	2.7	0.29	1.8	0.20
Pancreas	78	14.1	0.73	9.5	0.49	70	10.3	0.56	6.8	0.38
Respiratory System	315	57.9	1.49	38.9	1.00	258	37.9	1.07	26.5	0.77
Larynx	11	2.0	0.27	1.5	0.20	3	0.5	0.11	0.4	0.09
Lung & bronchus	299	55.1	1.46	37.0	0.97	254	37.3	1.06	26.1	0.76
Skin	38	7.3	0.54	4.7	0.35	17	2.6	0.30	1.7	0.21
Melanomas of the skin	22	4.0	0.39	2.8	0.27	10	1.7	0.25	1.2	0.19
Breast	-	-	-	-	-	140	21.3	0.83	15.5	0.63
Female Genital System	-	-	-	-	-	111	16.4	0.71	12.1	0.54
Cervix uteri	-	-	-	-	-	16	2.5	0.30	2.0	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	41	5.9	0.42	4.3	0.31
Ovary	-	-	-	-	-	46	6.8	0.45	4.9	0.34
Male Genital System	86	17.1	0.84	9.9	0.49	-	-	-	-	-
Prostate	84	16.6	0.83	9.5	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	76	14.8	0.77	9.0	0.47	36	5.2	0.40	3.2	0.26
Bladder	44	8.8	0.60	5.1	0.35	16	2.3	0.27	1.3	0.16
Kidney & renal pelvis	30	5.5	0.46	3.7	0.31	18	2.6	0.28	1.7	0.20
Brain & Other CNS[1]	27	5.1	0.45	4.0	0.36	23	3.6	0.35	2.9	0.29
Endocrine System	4	0.7	0.16	0.5	0.12	6	0.9	0.18	0.7	0.15
Thyroid gland	-	-	-	-	-	3	0.5	0.12	0.3	0.07
Lymphomas	47	9.1	0.60	5.9	0.40	30	4.6	0.38	2.9	0.25
Hodgkin Lymphoma	3	0.5	0.15	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	44	8.5	0.59	5.4	0.38	-	-	-	-	-
Multiple Myeloma	24	4.4	0.40	3.0	0.27	22	3.2	0.31	2.1	0.21
Leukemias	47	9.3	0.61	5.9	0.39	29	4.5	0.38	2.9	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	61	9.2	0.54	6.1	0.38

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	886	201.7	3.10	133.8	2.09	763	141.8	2.37	98.0	1.74
Oral Cavity & Pharynx	16	3.7	0.42	2.8	0.32	8	1.6	0.25	1.1	0.19
Digestive System	248	55.8	1.62	38.1	1.12	163	30.1	1.09	19.9	0.76
Esophagus	36	8.0	0.61	5.5	0.43	7	1.4	0.25	0.9	0.17
Stomach	16	3.7	0.42	2.4	0.27	12	2.3	0.31	1.6	0.23
Colon & Rectum	74	17.4	0.92	11.6	0.63	53	10.1	0.64	6.7	0.45
Liver	35	7.5	0.58	5.6	0.44	12	2.3	0.30	1.5	0.21
Pancreas	66	14.6	0.82	9.8	0.55	54	9.7	0.61	6.3	0.41
Respiratory System	266	59.2	1.66	39.9	1.12	213	38.5	1.20	27.1	0.87
Larynx	8	1.8	0.29	1.3	0.22	3	0.4	0.12	0.4	0.10
Lung & bronchus	254	56.6	1.62	38.0	1.09	210	38.0	1.20	26.6	0.87
Skin	37	8.5	0.64	5.5	0.42	16	3.1	0.37	2.0	0.27
Melanomas of the skin	22	4.9	0.48	3.4	0.34	10	2.0	0.31	1.4	0.24
Breast	-	-	-	-	-	110	21.1	0.94	15.2	0.71
Female Genital System	-	-	-	-	-	84	15.9	0.81	11.8	0.63
Cervix uteri	-	-	-	-	-	12	2.6	0.37	2.2	0.32
Corpus & uterus, NOS[1]	-	-	-	-	-	27	4.9	0.44	3.6	0.33
Ovary	-	-	-	-	-	38	7.1	0.52	5.1	0.40
Male Genital System	62	14.8	0.85	8.6	0.50	-	-	-	-	-
Prostate	60	14.3	0.84	8.1	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	68	15.8	0.88	9.7	0.55	30	5.3	0.45	3.3	0.31
Bladder	40	9.5	0.68	5.5	0.40	13	2.4	0.30	1.3	0.18
Kidney & renal pelvis	26	5.9	0.53	4.0	0.37	15	2.7	0.32	1.8	0.24
Brain & Other CNS[1]	25	5.9	0.55	4.6	0.45	19	3.9	0.42	3.1	0.36
Endocrine System	3	0.7	0.19	0.5	0.14	4	0.9	0.20	0.7	0.16
Thyroid gland	-	-	-	-	-	3	0.5	0.13	0.3	0.09
Lymphomas	39	9.3	0.67	6.0	0.45	25	4.7	0.43	2.8	0.28
Hodgkin Lymphoma	3	0.7	0.19	0.5	0.16	-	-	-	-	-
Non-Hodgkin Lymphoma	37	8.6	0.65	5.5	0.43	-	-	-	-	-
Multiple Myeloma	18	4.0	0.43	2.7	0.29	15	2.8	0.32	1.8	0.22
Leukemias	41	9.7	0.69	6.1	0.45	24	4.5	0.42	2.9	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	51	9.5	0.62	6.3	0.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	164	205.8	7.70	139.5	4.89	180	159.1	5.47	111.8	3.78
Oral Cavity & Pharynx	5	5.3	1.16	3.9	0.81	-	-	-	-	-
Digestive System	52	60.0	3.99	43.3	2.70	48	42.7	2.85	29.1	1.90
Esophagus	4	4.1	1.00	3.1	0.72	-	-	-	-	-
Stomach	5	6.3	1.35	4.2	0.84	2	1.8	0.55	1.2	0.38
Colon & Rectum	14	17.0	2.22	11.6	1.41	17	15.6	1.74	10.3	1.13
Liver	14	14.2	1.81	11.2	1.35	6	5.5	1.04	3.5	0.65
Pancreas	11	12.6	1.85	9.0	1.24	16	14.1	1.64	9.6	1.10
Respiratory System	46	57.9	4.09	38.9	2.59	42	37.8	2.70	26.2	1.83
Larynx	3	4.2	1.13	2.8	0.69	-	-	-	-	-
Lung & bronchus	42	53.3	3.91	36.0	2.49	41	37.5	2.68	25.9	1.82
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	29	24.6	2.11	18.3	1.54
Female Genital System	-	-	-	-	-	25	21.9	2.01	15.7	1.41
Cervix uteri	-	-	-	-	-	4	3.3	0.77	2.3	0.53
Corpus & uterus, NOS[1]	-	-	-	-	-	13	11.8	1.49	8.3	1.02
Ovary	-	-	-	-	-	7	5.8	1.01	4.3	0.73
Male Genital System	23	34.3	3.39	20.1	1.89	-	-	-	-	-
Prostate	22	33.5	3.35	19.6	1.87	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	10.7	1.86	6.6	1.07	6	5.3	1.02	3.4	0.64
Bladder	4	5.7	1.36	3.4	0.77	3	2.4	0.68	1.5	0.41
Kidney & renal pelvis	3	4.1	1.14	2.6	0.67	3	2.5	0.71	1.7	0.46
Brain & Other CNS[1]	-	-	-	-	-	3	2.7	0.69	2.1	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	8.0	1.52	5.4	0.95	4	3.6	0.79	2.8	0.61
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	6.7	1.29	5.0	0.91	6	5.2	1.01	3.4	0.65
Leukemias	5	6.9	1.41	4.7	0.91	5	4.5	0.94	3.0	0.63
Other, Ill-defined & Unknown	10	12.1	1.80	8.7	1.22	9	8.3	1.24	5.9	0.87

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	12	87.1	12.10	57.4	7.57	10	59.8	8.87	40.3	5.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	25.6	6.18	18.8	4.33	3	16.6	4.73	10.8	2.99
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	19.3	6.54	10.4	3.30	2	16.7	5.00	9.7	2.79
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	2	14.8	4.64	8.9	2.69
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	509	185.9	3.80	128.3	2.57	563	150.8	2.91	107.3	2.13
Oral Cavity & Pharynx	12	4.2	0.56	3.0	0.40	5	1.3	0.27	1.1	0.22
Digestive System	174	61.3	2.15	44.6	1.52	153	40.4	1.50	28.4	1.08
Esophagus	14	5.3	0.64	3.6	0.43	9	2.3	0.35	1.6	0.25
Stomach	17	6.4	0.71	4.4	0.48	14	3.7	0.46	2.5	0.32
Colon & Rectum	51	18.3	1.19	13.0	0.82	51	13.2	0.86	9.3	0.62
Liver	35	11.0	0.86	9.0	0.68	15	3.9	0.46	2.8	0.34
Pancreas	41	14.8	1.07	10.6	0.74	43	11.4	0.79	8.1	0.57
Respiratory System	119	42.6	1.81	30.3	1.25	111	29.8	1.30	20.8	0.92
Larynx	6	2.0	0.38	1.5	0.28	2	0.6	0.19	0.5	0.13
Lung & bronchus	111	40.2	1.76	28.5	1.22	108	29.0	1.28	20.2	0.91
Skin	6	2.4	0.44	1.5	0.28	-	-	-	-	-
Melanomas of the skin	3	1.3	0.32	0.8	0.20	2	0.6	0.19	0.4	0.12
Breast	-	-	-	-	-	99	26.6	1.23	19.6	0.93
Female Genital System	-	-	-	-	-	77	21.1	1.10	16.0	0.84
Cervix uteri	-	-	-	-	-	10	2.8	0.41	2.2	0.32
Corpus & uterus, NOS[1]	-	-	-	-	-	35	9.3	0.71	7.1	0.55
Ovary	-	-	-	-	-	27	7.4	0.65	5.6	0.50
Male Genital System	70	28.6	1.56	16.5	0.90	-	-	-	-	-
Prostate	69	28.1	1.54	16.1	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	9.5	0.86	6.3	0.56	19	4.8	0.51	2.9	0.32
Bladder	15	5.7	0.67	3.4	0.40	11	2.9	0.41	1.7	0.25
Kidney & renal pelvis	11	3.7	0.53	2.8	0.38	7	1.7	0.30	1.0	0.19
Brain & Other CNS[1]	10	3.1	0.46	2.5	0.37	6	1.6	0.30	1.3	0.26
Endocrine System	2	0.7	0.23	0.5	0.17	3	0.8	0.22	0.6	0.15
Thyroid gland	-	-	-	-	-	3	0.7	0.20	0.5	0.14
Lymphomas	16	6.1	0.70	4.3	0.49	14	3.8	0.48	2.7	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	5.3	0.66	3.4	0.42	11	2.9	0.41	1.9	0.27
Leukemias	17	6.8	0.75	4.5	0.49	14	3.6	0.44	2.5	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	123	111.0	4.62	71.1	2.94	121	97.1	4.10	64.5	2.78
Oral Cavity & Pharynx	3	2.8	0.71	2.0	0.48	-	-	-	-	-
Digestive System	35	30.9	2.39	21.2	1.62	30	25.0	2.12	16.2	1.40
Esophagus	4	3.6	0.84	2.3	0.51	2	2.1	0.63	1.3	0.40
Stomach	4	3.5	0.81	2.4	0.53	3	2.2	0.65	1.6	0.45
Colon & Rectum	10	8.5	1.21	6.1	0.86	9	7.1	1.10	4.6	0.73
Liver	3	2.4	0.66	1.8	0.49	2	1.4	0.46	0.9	0.31
Pancreas	11	10.0	1.41	6.5	0.90	9	7.4	1.15	4.7	0.74
Respiratory System	23	21.3	2.03	13.4	1.27	23	19.0	1.83	11.9	1.16
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	20.8	2.01	12.9	1.24	23	18.7	1.83	11.8	1.15
Skin	-	-	-	-	-	2	1.8	0.56	1.2	0.36
Melanomas of the skin	3	2.3	0.66	1.4	0.41	-	-	-	-	-
Breast	-	-	-	-	-	21	16.7	1.66	12.4	1.26
Female Genital System	-	-	-	-	-	16	12.5	1.45	8.8	1.02
Cervix uteri	-	-	-	-	-	2	1.6	0.54	1.1	0.36
Corpus & uterus, NOS[1]	-	-	-	-	-	5	4.2	0.84	2.8	0.57
Ovary	-	-	-	-	-	7	5.5	0.94	4.0	0.69
Male Genital System	16	16.0	1.81	8.5	0.97	-	-	-	-	-
Prostate	16	15.4	1.77	8.2	0.95	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	6.9	1.15	4.2	0.70	5	3.8	0.82	2.1	0.47
Bladder	5	4.9	0.98	2.6	0.54	3	2.1	0.60	1.1	0.34
Kidney & renal pelvis	2	1.8	0.56	1.3	0.41	2	1.7	0.55	0.9	0.33
Brain & Other CNS[1]	5	3.8	0.79	2.9	0.59	3	2.0	0.56	1.6	0.50
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	6.3	1.15	4.2	0.81	4	3.1	0.73	2.0	0.49
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	3.2	0.82	1.9	0.49	-	-	-	-	-
Leukemias	7	6.1	1.11	3.9	0.71	4	2.7	0.67	1.8	0.46
Other, Ill-defined & Unknown	11	9.0	1.29	6.0	0.84	10	7.7	1.14	4.8	0.76

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	376	248.7	5.93	176.5	4.14	434	185.8	4.12	135.6	3.11
Oral Cavity & Pharynx	9	5.5	0.87	4.1	0.64	4	1.5	0.37	1.2	0.30
Digestive System	133	85.7	3.43	63.5	2.50	120	50.0	2.10	36.2	1.58
Esophagus	10	6.6	0.96	4.7	0.67	6	2.5	0.45	1.9	0.34
Stomach	12	8.6	1.13	5.9	0.77	11	4.5	0.64	3.0	0.46
Colon & Rectum	39	26.7	1.97	19.0	1.39	41	17.5	1.27	12.6	0.96
Liver	31	17.6	1.47	14.4	1.17	12	5.0	0.66	3.7	0.49
Pancreas	29	18.6	1.59	13.8	1.15	34	13.8	1.08	10.1	0.82
Respiratory System	93	60.0	2.88	43.9	2.05	86	36.4	1.80	26.1	1.32
Larynx	5	3.4	0.68	2.4	0.48	2	0.9	0.28	0.6	0.20
Lung & bronchus	87	56.0	2.78	41.0	1.98	83	35.2	1.77	25.2	1.30
Skin	2	1.7	0.50	1.2	0.36	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	76	33.2	1.77	24.7	1.37
Female Genital System	-	-	-	-	-	61	27.2	1.61	21.1	1.27
Cervix uteri	-	-	-	-	-	8	3.8	0.64	3.1	0.53
Corpus & uterus, NOS[1]	-	-	-	-	-	30	12.7	1.07	9.9	0.84
Ovary	-	-	-	-	-	19	8.7	0.92	6.6	0.72
Male Genital System	53	39.1	2.44	23.2	1.44	-	-	-	-	-
Prostate	52	38.5	2.43	22.7	1.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	18	12.3	1.32	8.4	0.90	14	5.4	0.67	3.3	0.43
Bladder	10	6.6	0.97	4.2	0.60	8	3.4	0.54	2.0	0.35
Kidney & renal pelvis	9	5.7	0.90	4.2	0.66	5	1.8	0.38	1.2	0.25
Brain & Other CNS[1]	5	2.7	0.58	2.3	0.50	3	1.5	0.37	1.2	0.31
Endocrine System	-	-	-	-	-	2	1.0	0.28	0.7	0.21
Thyroid gland	-	-	-	-	-	2	0.9	0.27	0.6	0.20
Lymphomas	9	6.3	0.95	4.7	0.70	10	4.5	0.66	3.4	0.54
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	7.0	1.03	4.6	0.66	9	4.0	0.60	2.7	0.41
Leukemias	10	7.1	1.05	4.8	0.71	11	4.3	0.61	3.0	0.46
Other, Ill-defined & Unknown	32	20.3	1.66	15.0	1.21	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9	148.0	22.77	95.6	14.38	8	75.0	12.38	49.4	8.05
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	5	75.3	16.32	50.1	10.50	3	26.7	7.60	16.2	4.62
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	32.9	10.42	23.8	7.32	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	32.9	10.42	23.8	7.32	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	23,730	179.0	0.53	122.2	0.37	20,143	127.3	0.41	89.0	0.31
Oral Cavity & Pharynx	565	4.2	0.08	3.2	0.06	215	1.4	0.04	1.0	0.03
Digestive System	6,508	49.0	0.27	34.7	0.20	4,671	29.0	0.20	19.6	0.14
Esophagus	858	6.4	0.10	4.6	0.07	227	1.4	0.04	1.0	0.03
Stomach	460	3.6	0.08	2.5	0.06	310	2.0	0.05	1.4	0.04
Colon & Rectum	2,041	15.6	0.16	10.9	0.11	1,749	10.9	0.12	7.4	0.09
Liver	1,053	7.7	0.11	5.9	0.08	406	2.5	0.06	1.7	0.04
Pancreas	1,626	12.1	0.14	8.4	0.10	1,471	9.0	0.11	5.9	0.07
Respiratory System	6,732	49.9	0.27	34.5	0.20	5,316	32.8	0.20	22.7	0.15
Larynx	282	2.1	0.06	1.5	0.04	52	0.3	0.02	0.2	0.02
Lung & bronchus	6,405	47.5	0.27	32.8	0.19	5,240	32.3	0.20	22.3	0.15
Skin	741	5.7	0.09	3.8	0.07	302	1.9	0.05	1.4	0.04
Melanomas of the skin	492	3.8	0.08	2.6	0.06	224	1.5	0.05	1.1	0.04
Breast	34	0.3	0.02	0.2	0.01	2,880	19.1	0.17	14.1	0.13
Female Genital System	-	-	-	-	-	2,165	14.3	0.14	10.6	0.11
Cervix uteri	-	-	-	-	-	332	2.6	0.07	2.2	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	705	4.4	0.08	3.2	0.06
Ovary	-	-	-	-	-	995	6.4	0.09	4.6	0.07
Male Genital System	2,280	17.2	0.16	10.0	0.10	-	-	-	-	-
Prostate	2,225	16.7	0.16	9.6	0.09	-	-	-	-	-
Testis	29	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,666	12.6	0.14	7.9	0.09	687	4.1	0.07	2.6	0.05
Bladder	966	7.3	0.11	4.3	0.06	355	2.1	0.05	1.3	0.03
Kidney & renal pelvis	661	5.0	0.09	3.5	0.06	312	1.9	0.05	1.3	0.04
Brain & Other CNS[1]	631	5.1	0.09	4.0	0.08	496	3.4	0.07	2.6	0.06
Endocrine System	92	0.7	0.03	0.5	0.03	99	0.7	0.03	0.5	0.03
Thyroid gland	60	0.5	0.03	0.3	0.02	71	0.4	0.02	0.3	0.02
Lymphomas	909	7.0	0.10	4.7	0.07	695	4.3	0.07	2.8	0.05
Hodgkin Lymphoma	42	0.3	0.02	0.3	0.02	33	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	867	6.6	0.10	4.4	0.07	662	4.0	0.07	2.6	0.05
Multiple Myeloma	480	3.6	0.07	2.4	0.05	382	2.3	0.05	1.5	0.04
Leukemias	1,076	8.4	0.12	5.6	0.08	722	4.6	0.08	3.1	0.06
Other, Ill-defined & Unknown	2,015	15.4	0.16	10.6	0.11	1,514	9.5	0.11	6.6	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21,089	179.9	0.56	122.8	0.41	17,598	127.7	0.45	89.1	0.34
Oral Cavity & Pharynx	506	4.4	0.09	3.3	0.07	190	1.4	0.05	1.0	0.04
Digestive System	5,668	48.4	0.29	34.3	0.22	3,986	28.3	0.21	19.1	0.15
Esophagus	793	6.7	0.11	4.9	0.08	202	1.4	0.05	1.0	0.03
Stomach	357	3.2	0.08	2.2	0.06	239	1.8	0.06	1.2	0.04
Colon & Rectum	1,755	15.2	0.17	10.5	0.12	1,496	10.7	0.13	7.2	0.10
Liver	897	7.5	0.11	5.8	0.09	339	2.4	0.06	1.6	0.05
Pancreas	1,454	12.3	0.15	8.4	0.10	1,275	8.8	0.11	5.8	0.08
Respiratory System	6,063	50.9	0.30	35.2	0.21	4,887	34.6	0.23	24.0	0.17
Larynx	242	2.1	0.06	1.5	0.05	48	0.4	0.02	0.3	0.02
Lung & bronchus	5,783	48.5	0.29	33.5	0.21	4,818	34.1	0.23	23.7	0.17
Skin	727	6.3	0.11	4.3	0.08	294	2.2	0.06	1.6	0.05
Melanomas of the skin	486	4.3	0.09	3.0	0.07	218	1.7	0.05	1.2	0.04
Breast	28	0.2	0.02	0.2	0.01	2,410	18.4	0.18	13.5	0.14
Female Genital System	-	-	-	-	-	1,813	14.0	0.16	10.4	0.12
Cervix uteri	-	-	-	-	-	260	2.6	0.08	2.2	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	546	4.0	0.08	2.9	0.06
Ovary	-	-	-	-	-	887	6.6	0.10	4.7	0.08
Male Genital System	1,892	15.8	0.16	9.1	0.10	-	-	-	-	-
Prostate	1,843	15.3	0.16	8.7	0.09	-	-	-	-	-
Testis	27	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	1,555	13.1	0.15	8.3	0.10	617	4.2	0.08	2.6	0.05
Bladder	915	7.7	0.11	4.5	0.07	318	2.1	0.05	1.3	0.04
Kidney & renal pelvis	603	5.2	0.10	3.6	0.07	281	2.0	0.05	1.3	0.04
Brain & Other CNS[1]	583	5.5	0.11	4.3	0.09	453	3.6	0.08	2.8	0.07
Endocrine System	79	0.7	0.04	0.5	0.03	81	0.6	0.03	0.5	0.03
Thyroid gland	53	0.5	0.03	0.3	0.02	59	0.4	0.03	0.3	0.02
Lymphomas	823	7.1	0.11	4.7	0.08	614	4.2	0.08	2.7	0.06
Hodgkin Lymphoma	36	0.3	0.03	0.2	0.02	29	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	787	6.7	0.11	4.5	0.08	586	4.0	0.08	2.5	0.05
Multiple Myeloma	392	3.3	0.08	2.1	0.05	296	2.0	0.05	1.3	0.04
Leukemias	979	8.6	0.13	5.7	0.09	639	4.6	0.09	3.1	0.07
Other, Ill-defined & Unknown	1,795	15.5	0.17	10.7	0.12	1,318	9.5	0.12	6.5	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,375	191.7	1.87	131.1	1.21	2,268	133.4	1.28	95.5	0.91
Oral Cavity & Pharynx	51	3.5	0.23	2.7	0.17	21	1.2	0.12	0.9	0.09
Digestive System	745	57.1	0.99	40.7	0.67	606	36.3	0.67	24.9	0.46
Esophagus	59	4.3	0.26	3.2	0.19	22	1.3	0.13	0.9	0.09
Stomach	93	7.9	0.39	5.2	0.24	62	3.8	0.22	2.6	0.15
Colon & Rectum	259	20.0	0.59	14.2	0.40	226	13.4	0.41	9.3	0.28
Liver	131	9.0	0.38	7.0	0.27	57	3.3	0.20	2.4	0.14
Pancreas	153	11.9	0.46	8.4	0.30	177	10.7	0.37	7.2	0.24
Respiratory System	601	46.9	0.91	32.9	0.60	371	21.8	0.52	15.2	0.36
Larynx	37	2.9	0.22	2.0	0.15	4	0.2	0.05	0.2	0.04
Lung & bronchus	558	43.6	0.87	30.5	0.58	364	21.4	0.51	15.0	0.35
Skin	12	0.9	0.12	0.7	0.09	7	0.4	0.07	0.3	0.05
Melanomas of the skin	5	0.4	0.08	0.3	0.06	5	0.3	0.06	0.2	0.04
Breast	6	0.5	0.10	0.3	0.06	428	24.6	0.54	18.7	0.41
Female Genital System	-	-	-	-	-	316	18.1	0.47	13.6	0.35
Cervix uteri	-	-	-	-	-	68	3.9	0.21	3.1	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	146	8.3	0.31	6.2	0.23
Ovary	-	-	-	-	-	91	5.3	0.25	3.8	0.18
Male Genital System	372	36.0	0.88	21.1	0.49	-	-	-	-	-
Prostate	367	35.7	0.87	20.8	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	99	8.4	0.41	5.5	0.25	64	3.9	0.22	2.6	0.15
Bladder	48	4.6	0.31	2.7	0.17	34	2.1	0.17	1.3	0.10
Kidney & renal pelvis	50	3.8	0.26	2.8	0.18	28	1.7	0.14	1.2	0.10
Brain & Other CNS[1]	41	2.9	0.22	2.3	0.16	37	2.1	0.16	1.7	0.12
Endocrine System	11	0.8	0.11	0.6	0.08	16	0.9	0.11	0.7	0.08
Thyroid gland	5	0.4	0.08	0.3	0.05	10	0.6	0.09	0.4	0.06
Lymphomas	73	5.7	0.31	4.1	0.22	70	4.2	0.23	3.0	0.16
Hodgkin Lymphoma	5	0.4	0.08	0.3	0.06	3	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	68	5.3	0.30	3.8	0.21	67	4.0	0.22	2.8	0.16
Multiple Myeloma	83	6.9	0.36	4.6	0.23	80	4.9	0.25	3.2	0.16
Leukemias	86	6.7	0.35	4.8	0.23	72	4.4	0.24	3.2	0.17
Other, Ill-defined & Unknown	196	15.3	0.52	10.8	0.35	179	10.5	0.36	7.6	0.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	228	92.0	2.89	61.8	1.84	254	75.4	2.20	52.3	1.48
Oral Cavity & Pharynx	7	2.9	0.51	2.0	0.33	3	0.7	0.21	0.6	0.15
Digestive System	84	32.6	1.68	22.5	1.10	74	22.4	1.21	15.0	0.79
Esophagus	5	1.9	0.39	1.3	0.27	3	0.9	0.25	0.6	0.15
Stomach	9	3.4	0.53	2.5	0.37	8	2.4	0.39	1.7	0.27
Colon & Rectum	24	9.6	0.93	6.6	0.60	25	7.6	0.70	5.1	0.46
Liver	22	8.0	0.81	5.8	0.56	10	3.2	0.47	2.0	0.29
Pancreas	17	7.2	0.83	4.6	0.50	18	5.5	0.60	3.6	0.39
Respiratory System	56	22.9	1.45	15.2	0.91	51	16.0	1.04	10.3	0.65
Larynx	2	1.1	0.32	0.7	0.19	-	-	-	-	-
Lung & bronchus	54	21.8	1.41	14.5	0.88	51	16.0	1.04	10.3	0.65
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	36	9.7	0.74	7.4	0.56
Female Genital System	-	-	-	-	-	34	9.6	0.76	7.0	0.54
Cervix uteri	-	-	-	-	-	4	1.3	0.28	0.9	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	12	3.1	0.42	2.3	0.31
Ovary	-	-	-	-	-	16	4.6	0.53	3.4	0.38
Male Genital System	13	6.9	0.89	3.7	0.45	-	-	-	-	-
Prostate	12	6.7	0.89	3.4	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	3.8	0.59	2.6	0.38	6	1.9	0.36	1.3	0.25
Bladder	3	1.5	0.40	0.9	0.22	3	0.9	0.25	0.6	0.16
Kidney & renal pelvis	6	2.3	0.43	1.7	0.30	3	0.8	0.23	0.6	0.18
Brain & Other CNS[1]	7	2.5	0.45	1.9	0.33	6	1.7	0.34	1.3	0.26
Endocrine System	2	0.9	0.28	0.7	0.19	3	0.9	0.25	0.6	0.15
Thyroid gland	-	-	-	-	-	2	0.7	0.22	0.4	0.13
Lymphomas	13	5.1	0.68	3.4	0.43	10	3.0	0.44	2.2	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	2.1	0.45	1.3	0.26	6	1.7	0.32	1.2	0.22
Leukemias	9	3.6	0.55	2.6	0.38	9	2.7	0.41	1.9	0.29
Other, Ill-defined & Unknown	20	7.9	0.84	5.5	0.55	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9,001	201.4	1.00	135.4	0.64	7,872	135.7	0.70	94.5	0.49
Oral Cavity & Pharynx	205	4.1	0.14	3.1	0.10	92	1.6	0.07	1.1	0.05
Digestive System	2,521	53.7	0.50	37.8	0.34	1,812	31.2	0.33	21.3	0.23
Esophagus	313	6.4	0.17	4.7	0.12	78	1.3	0.07	0.9	0.05
Stomach	199	4.3	0.14	3.0	0.10	128	2.2	0.09	1.5	0.06
Colon & Rectum	856	18.9	0.30	13.0	0.20	701	12.1	0.21	8.2	0.14
Liver	404	7.9	0.18	6.0	0.13	164	2.8	0.10	1.9	0.07
Pancreas	572	12.3	0.24	8.5	0.16	540	9.3	0.18	6.3	0.12
Respiratory System	2,712	58.9	0.53	40.2	0.35	1,913	32.6	0.34	22.5	0.23
Larynx	88	1.8	0.09	1.3	0.06	20	0.3	0.03	0.2	0.02
Lung & bronchus	2,607	56.7	0.52	38.7	0.34	1,883	32.1	0.34	22.2	0.23
Skin	233	5.4	0.17	3.6	0.11	100	1.8	0.08	1.2	0.06
Melanomas of the skin	160	3.6	0.13	2.5	0.09	77	1.4	0.07	1.0	0.05
Breast	15	0.4	0.04	0.2	0.03	1,276	22.0	0.28	16.0	0.21
Female Genital System	-	-	-	-	-	882	15.0	0.23	11.0	0.17
Cervix uteri	-	-	-	-	-	130	2.3	0.09	1.9	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	297	4.9	0.13	3.6	0.10
Ovary	-	-	-	-	-	399	6.8	0.16	4.8	0.11
Male Genital System	857	22.4	0.36	12.8	0.20	-	-	-	-	-
Prostate	838	22.0	0.35	12.5	0.19	-	-	-	-	-
Testis	10	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	583	14.1	0.27	8.8	0.16	279	4.9	0.13	3.1	0.09
Bladder	317	8.1	0.21	4.7	0.12	133	2.3	0.09	1.4	0.06
Kidney & renal pelvis	252	5.6	0.17	3.8	0.11	136	2.4	0.09	1.6	0.06
Brain & Other CNS[1]	254	5.2	0.15	4.0	0.12	201	3.5	0.11	2.7	0.09
Endocrine System	36	0.8	0.06	0.6	0.04	39	0.7	0.05	0.5	0.04
Thyroid gland	20	0.5	0.05	0.3	0.03	24	0.4	0.04	0.3	0.03
Lymphomas	308	7.1	0.19	4.7	0.12	236	4.2	0.12	2.7	0.08
Hodgkin Lymphoma	18	0.4	0.04	0.3	0.03	10	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	291	6.8	0.19	4.5	0.12	225	4.0	0.12	2.5	0.08
Multiple Myeloma	200	4.7	0.16	3.0	0.09	175	3.1	0.11	2.0	0.07
Leukemias	338	8.0	0.20	5.3	0.13	265	4.7	0.13	3.2	0.09
Other, Ill-defined & Unknown	739	16.4	0.28	11.3	0.19	604	10.4	0.19	7.3	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,524	197.6	1.13	132.4	0.74	5,484	134.2	0.82	92.7	0.59
Oral Cavity & Pharynx	147	4.1	0.16	3.0	0.11	65	1.5	0.09	1.0	0.06
Digestive System	1,725	50.5	0.56	35.3	0.38	1,198	29.1	0.38	19.7	0.27
Esophagus	240	6.8	0.20	4.9	0.14	54	1.3	0.08	0.9	0.06
Stomach	107	3.2	0.14	2.2	0.10	74	1.8	0.10	1.3	0.07
Colon & Rectum	570	17.2	0.33	11.8	0.22	459	11.2	0.24	7.5	0.17
Liver	266	7.3	0.21	5.4	0.15	109	2.6	0.11	1.8	0.08
Pancreas	416	12.2	0.28	8.4	0.18	364	8.7	0.21	5.9	0.14
Respiratory System	2,028	59.6	0.61	40.5	0.40	1,487	35.7	0.42	24.7	0.30
Larynx	55	1.6	0.10	1.1	0.07	15	0.3	0.04	0.2	0.03
Lung & bronchus	1,959	57.6	0.60	39.1	0.40	1,465	35.2	0.42	24.4	0.29
Skin	220	6.9	0.21	4.6	0.14	92	2.3	0.11	1.6	0.08
Melanomas of the skin	156	4.8	0.18	3.3	0.12	72	1.9	0.10	1.3	0.08
Breast	8	0.3	0.04	0.2	0.03	794	19.7	0.32	14.1	0.24
Female Genital System	-	-	-	-	-	566	14.0	0.27	10.2	0.20
Cervix uteri	-	-	-	-	-	74	2.1	0.11	1.7	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	160	3.8	0.14	2.8	0.10
Ovary	-	-	-	-	-	291	7.1	0.19	5.0	0.14
Male Genital System	517	17.9	0.36	10.0	0.20	-	-	-	-	-
Prostate	503	17.4	0.36	9.7	0.19	-	-	-	-	-
Testis	9	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	473	15.1	0.32	9.4	0.19	204	5.0	0.16	3.2	0.11
Bladder	266	8.9	0.25	5.2	0.14	92	2.3	0.11	1.4	0.07
Kidney & renal pelvis	196	5.9	0.19	4.0	0.13	105	2.5	0.11	1.7	0.08
Brain & Other CNS[1]	212	6.1	0.19	4.8	0.15	162	4.0	0.15	3.1	0.12
Endocrine System	28	0.8	0.07	0.6	0.06	26	0.6	0.06	0.5	0.05
Thyroid gland	15	0.5	0.06	0.3	0.04	16	0.4	0.04	0.3	0.03
Lymphomas	243	7.6	0.23	5.0	0.15	188	4.7	0.15	2.9	0.10
Hodgkin Lymphoma	13	0.4	0.05	0.3	0.04	7	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	230	7.2	0.22	4.7	0.14	181	4.5	0.15	2.8	0.10
Multiple Myeloma	123	3.9	0.16	2.4	0.10	93	2.3	0.11	1.4	0.07
Leukemias	262	8.4	0.24	5.5	0.16	193	4.8	0.16	3.2	0.11
Other, Ill-defined & Unknown	538	16.3	0.33	11.1	0.22	416	10.3	0.23	7.1	0.16

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,341	230.2	2.40	156.0	1.47	2,258	144.8	1.42	102.9	0.98
Oral Cavity & Pharynx	53	4.3	0.29	3.3	0.21	26	1.6	0.15	1.2	0.10
Digestive System	735	66.5	1.24	47.3	0.80	572	37.4	0.73	25.8	0.49
Esophagus	70	6.0	0.36	4.4	0.24	23	1.3	0.13	1.0	0.10
Stomach	83	7.7	0.43	5.4	0.27	47	3.2	0.22	2.1	0.14
Colon & Rectum	266	25.4	0.79	17.5	0.49	230	14.9	0.46	10.4	0.31
Liver	122	9.4	0.42	7.4	0.30	46	2.9	0.20	2.1	0.14
Pancreas	148	13.5	0.56	9.5	0.36	167	11.2	0.40	7.6	0.26
Respiratory System	655	61.3	1.20	42.8	0.76	403	26.2	0.61	18.3	0.41
Larynx	32	2.7	0.24	2.0	0.16	6	0.4	0.07	0.3	0.05
Lung & bronchus	620	58.2	1.17	40.6	0.74	395	25.7	0.60	18.0	0.41
Skin	12	1.0	0.14	0.7	0.10	8	0.5	0.09	0.3	0.06
Melanomas of the skin	4	0.4	0.09	0.2	0.06	5	0.4	0.07	0.2	0.05
Breast	7	0.7	0.14	0.5	0.08	461	28.3	0.61	21.1	0.44
Female Genital System	-	-	-	-	-	298	18.4	0.50	13.6	0.36
Cervix uteri	-	-	-	-	-	51	3.1	0.20	2.4	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	133	8.3	0.33	6.1	0.24
Ovary	-	-	-	-	-	100	6.2	0.29	4.5	0.20
Male Genital System	333	43.3	1.17	24.9	0.62	-	-	-	-	-
Prostate	329	42.9	1.16	24.6	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	104	11.2	0.55	7.2	0.32	71	4.9	0.27	3.1	0.17
Bladder	47	5.6	0.40	3.4	0.23	40	2.8	0.21	1.7	0.12
Kidney & renal pelvis	55	5.4	0.36	3.7	0.23	30	2.0	0.17	1.3	0.11
Brain & Other CNS[1]	37	3.0	0.24	2.4	0.18	36	2.3	0.17	1.8	0.13
Endocrine System	7	0.7	0.13	0.5	0.08	11	0.7	0.10	0.5	0.07
Thyroid gland	4	0.4	0.10	0.3	0.06	7	0.5	0.08	0.3	0.05
Lymphomas	60	5.2	0.34	3.9	0.23	44	3.0	0.21	2.1	0.14
Hodgkin Lymphoma	4	0.4	0.09	0.3	0.06	3	0.2	0.06	0.2	0.04
Non-Hodgkin Lymphoma	56	4.9	0.33	3.6	0.22	41	2.7	0.20	1.9	0.13
Multiple Myeloma	75	8.1	0.47	5.2	0.27	79	5.5	0.29	3.6	0.18
Leukemias	70	6.9	0.41	4.7	0.26	68	4.5	0.25	3.2	0.18
Other, Ill-defined & Unknown	192	18.0	0.66	12.6	0.42	180	11.4	0.40	8.2	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	130	97.2	4.32	66.1	2.64	125	75.5	3.28	52.7	2.13
Oral Cavity & Pharynx	4	3.2	0.75	2.2	0.48	-	-	-	-	-
Digestive System	59	43.1	2.83	29.8	1.76	42	27.0	2.02	17.8	1.25
Esophagus	3	2.7	0.79	1.7	0.44	-	-	-	-	-
Stomach	9	6.3	1.01	4.7	0.69	7	4.4	0.81	3.0	0.50
Colon & Rectum	19	15.4	1.81	9.9	1.04	11	6.6	0.95	4.6	0.63
Liver	16	9.9	1.25	7.5	0.86	8	5.8	0.95	3.7	0.58
Pancreas	7	5.6	1.03	3.7	0.63	9	6.3	1.01	3.9	0.59
Respiratory System	27	21.0	2.03	14.0	1.22	21	12.9	1.37	8.8	0.87
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	26	20.4	2.01	13.6	1.21	21	12.9	1.37	8.8	0.87
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	20	10.3	1.11	7.9	0.79
Female Genital System	-	-	-	-	-	16	8.8	1.06	6.6	0.75
Cervix uteri	-	-	-	-	-	4	1.8	0.44	1.5	0.34
Corpus & uterus, NOS[1]	-	-	-	-	-	3	1.9	0.50	1.4	0.34
Ovary	-	-	-	-	-	8	4.3	0.76	3.2	0.53
Male Genital System	6	7.0	1.38	3.7	0.68	-	-	-	-	-
Prostate	6	6.5	1.32	3.5	0.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	4.5	0.99	2.8	0.56	3	2.1	0.61	1.3	0.34
Bladder	3	3.6	0.93	2.0	0.49	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	4	2.2	0.54	1.7	0.40	3	1.6	0.42	1.4	0.34
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	4.0	0.94	2.5	0.53	4	2.8	0.68	1.7	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	1.8	0.57	1.2	0.36	2	1.4	0.46	1.0	0.29
Leukemias	6	3.8	0.74	2.9	0.54	4	2.5	0.60	1.8	0.41
Other, Ill-defined & Unknown	10	5.7	0.91	4.5	0.66	7	4.0	0.76	2.9	0.51

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,325	159.8	2.01	107.8	1.38	1,104	111.1	1.56	78.0	1.16
Oral Cavity & Pharynx	34	4.0	0.32	2.9	0.23	18	1.8	0.20	1.3	0.15
Digestive System	440	52.5	1.15	36.5	0.81	317	31.1	0.81	21.1	0.59
Esophagus	39	4.6	0.34	3.3	0.25	13	1.2	0.16	0.9	0.12
Stomach	46	5.7	0.38	3.5	0.24	34	3.2	0.26	2.2	0.19
Colon & Rectum	124	14.8	0.61	10.5	0.44	103	10.3	0.48	7.1	0.35
Liver	83	9.7	0.49	7.2	0.36	31	3.0	0.25	2.0	0.18
Pancreas	104	12.4	0.56	8.4	0.38	100	9.8	0.45	6.5	0.32
Respiratory System	339	40.8	1.01	27.4	0.68	240	23.9	0.71	16.1	0.50
Larynx	11	1.2	0.16	0.8	0.12	-	-	-	-	-
Lung & bronchus	323	39.0	0.99	26.1	0.67	236	23.5	0.71	15.8	0.49
Skin	30	3.5	0.30	2.4	0.21	12	1.2	0.16	0.9	0.13
Melanomas of the skin	19	2.3	0.24	1.6	0.17	8	0.8	0.13	0.6	0.11
Breast	-	-	-	-	-	154	16.1	0.60	12.0	0.47
Female Genital System	-	-	-	-	-	109	11.8	0.52	8.9	0.41
Cervix uteri	-	-	-	-	-	14	1.8	0.22	1.5	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	41	4.5	0.33	3.4	0.25
Ovary	-	-	-	-	-	45	4.7	0.33	3.5	0.25
Male Genital System	118	14.4	0.60	8.3	0.36	-	-	-	-	-
Prostate	116	14.0	0.59	8.0	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	76	9.3	0.48	5.8	0.31	32	3.1	0.25	2.0	0.18
Bladder	41	5.1	0.36	3.0	0.21	15	1.4	0.17	0.8	0.11
Kidney & renal pelvis	33	3.9	0.31	2.7	0.22	16	1.5	0.18	1.0	0.13
Brain & Other CNS[1]	28	3.4	0.30	2.8	0.25	23	2.4	0.24	1.9	0.20
Endocrine System	8	0.9	0.15	0.7	0.12	10	1.1	0.16	0.9	0.14
Thyroid gland	5	0.6	0.12	0.4	0.08	7	0.7	0.12	0.5	0.09
Lymphomas	48	6.0	0.40	4.0	0.27	37	3.5	0.27	2.3	0.19
Hodgkin Lymphoma	3	0.3	0.10	0.2	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	46	5.7	0.38	3.8	0.26	-	-	-	-	-
Multiple Myeloma	27	3.3	0.29	2.2	0.20	18	1.8	0.19	1.2	0.13
Leukemias	48	6.1	0.40	4.0	0.27	35	3.6	0.29	2.6	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	98	9.7	0.46	6.8	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	446	176.5	3.98	116.3	2.58	327	138.5	3.70	94.0	2.56
Oral Cavity & Pharynx	16	5.7	0.69	3.9	0.46	5	2.2	0.49	1.5	0.34
Digestive System	125	46.6	2.00	32.5	1.36	81	33.9	1.80	22.4	1.20
Esophagus	15	5.8	0.72	4.0	0.48	6	2.5	0.49	1.6	0.32
Stomach	7	2.7	0.49	1.7	0.30	5	2.3	0.47	1.4	0.29
Colon & Rectum	34	13.1	1.08	9.0	0.72	29	12.9	1.15	8.5	0.78
Liver	23	7.9	0.80	5.8	0.56	6	2.2	0.43	1.4	0.28
Pancreas	35	13.0	1.05	9.2	0.73	28	11.5	1.03	7.5	0.67
Respiratory System	98	37.4	1.80	25.1	1.17	72	30.5	1.73	20.0	1.12
Larynx	6	2.0	0.39	1.4	0.27	-	-	-	-	-
Lung & bronchus	90	34.7	1.74	23.2	1.12	70	29.9	1.71	19.6	1.11
Skin	23	9.5	0.93	6.0	0.59	7	2.7	0.51	2.0	0.38
Melanomas of the skin	15	6.2	0.76	4.0	0.48	4	1.8	0.42	1.4	0.33
Breast	-	-	-	-	-	48	20.2	1.41	14.3	1.02
Female Genital System	-	-	-	-	-	36	15.2	1.23	10.7	0.88
Cervix uteri	-	-	-	-	-	3	1.1	0.32	0.9	0.27
Corpus & uterus, NOS[1]	-	-	-	-	-	11	5.0	0.73	3.4	0.50
Ovary	-	-	-	-	-	18	7.5	0.86	5.3	0.61
Male Genital System	47	20.1	1.37	11.5	0.76	-	-	-	-	-
Prostate	46	19.8	1.36	11.2	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	32	13.5	1.13	8.4	0.69	10	4.2	0.65	2.5	0.39
Bladder	19	8.3	0.89	4.9	0.52	5	2.1	0.48	1.3	0.29
Kidney & renal pelvis	12	4.8	0.66	3.2	0.44	4	1.8	0.42	1.1	0.25
Brain & Other CNS[1]	14	5.5	0.71	4.2	0.56	10	4.3	0.70	3.6	0.61
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	16	6.6	0.78	4.5	0.52	11	4.2	0.61	2.6	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	4.2	0.61	2.7	0.39	5	2.2	0.45	1.4	0.28
Leukemias	16	6.9	0.83	4.3	0.52	11	4.9	0.77	3.6	0.65
Other, Ill-defined & Unknown	47	19.5	1.35	12.4	0.86	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	16	168.1	20.95	109.1	12.60	8	106.0	18.27	76.4	12.34
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	53.0	10.44	39.5	7.15	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	2	17.4	6.10	13.0	4.25	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	35.9	10.39	20.6	5.70	2	33.4	11.19	22.2	7.11
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	32.7	9.88	19.3	5.54	2	33.4	11.19	22.2	7.11
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	2	26.8	8.01	21.0	6.14
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	42.1	11.12	24.4	6.24	-	-	-	-	-
Prostate	3	42.1	11.12	24.4	6.24	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	860	153.7	2.38	104.7	1.68	768	103.7	1.75	73.6	1.33
Oral Cavity & Pharynx	18	3.3	0.35	2.4	0.26	13	1.7	0.22	1.3	0.18
Digestive System	308	55.1	1.43	38.4	1.02	234	30.5	0.93	21.0	0.69
Esophagus	22	4.0	0.39	3.0	0.29	6	0.8	0.15	0.6	0.12
Stomach	39	6.8	0.50	4.2	0.32	28	3.5	0.31	2.4	0.24
Colon & Rectum	88	15.8	0.76	11.4	0.57	74	9.8	0.54	6.9	0.41
Liver	59	10.5	0.62	7.8	0.47	25	3.3	0.30	2.2	0.22
Pancreas	68	12.1	0.67	8.0	0.45	72	9.3	0.51	6.2	0.37
Respiratory System	238	42.6	1.26	28.8	0.87	165	21.9	0.79	14.8	0.57
Larynx	4	0.7	0.16	0.5	0.11	-	-	-	-	-
Lung & bronchus	230	41.3	1.24	27.9	0.85	163	21.6	0.78	14.6	0.56
Skin	6	1.1	0.21	0.8	0.16	-	-	-	-	-
Melanomas of the skin	4	0.7	0.17	0.5	0.13	3	0.4	0.11	0.3	0.09
Breast	-	-	-	-	-	104	14.9	0.68	11.3	0.54
Female Genital System	-	-	-	-	-	72	10.9	0.59	8.5	0.48
Cervix uteri	-	-	-	-	-	11	2.0	0.27	1.7	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	30	4.5	0.38	3.5	0.30
Ovary	-	-	-	-	-	27	3.9	0.35	2.9	0.27
Male Genital System	67	11.7	0.65	6.7	0.39	-	-	-	-	-
Prostate	66	11.3	0.63	6.3	0.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	7.6	0.52	4.8	0.34	22	2.8	0.28	1.9	0.20
Bladder	22	3.9	0.37	2.2	0.22	10	1.2	0.18	0.7	0.12
Kidney & renal pelvis	21	3.6	0.36	2.5	0.26	11	1.5	0.21	1.1	0.16
Brain & Other CNS[1]	13	2.5	0.31	2.2	0.28	13	1.8	0.24	1.4	0.19
Endocrine System	6	1.1	0.20	0.8	0.15	9	1.3	0.20	1.0	0.18
Thyroid gland	4	0.7	0.16	0.5	0.11	6	0.8	0.15	0.6	0.12
Lymphomas	32	5.7	0.46	3.8	0.32	27	3.3	0.30	2.2	0.22
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	3.0	0.34	2.0	0.23	13	1.7	0.22	1.1	0.15
Leukemias	32	5.9	0.47	4.0	0.34	24	3.3	0.32	2.4	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,541	181.6	2.12	117.8	1.37	1,310	133.8	1.69	90.7	1.18
Oral Cavity & Pharynx	29	3.3	0.28	2.3	0.20	14	1.4	0.17	0.9	0.12
Digestive System	436	49.6	1.09	34.1	0.74	301	30.6	0.80	20.4	0.55
Esophagus	69	7.9	0.43	5.4	0.30	17	1.7	0.19	1.1	0.13
Stomach	26	3.0	0.27	2.0	0.18	16	1.7	0.19	1.1	0.13
Colon & Rectum	130	15.2	0.61	10.2	0.41	108	11.1	0.49	7.4	0.34
Liver	58	6.0	0.36	4.5	0.27	19	1.9	0.20	1.4	0.14
Pancreas	117	13.2	0.56	9.0	0.38	99	10.0	0.46	6.6	0.31
Respiratory System	353	40.8	1.00	26.5	0.64	291	29.5	0.79	19.8	0.54
Larynx	10	1.1	0.16	0.8	0.11	2	0.2	0.07	0.2	0.04
Lung & bronchus	337	39.0	0.97	25.3	0.62	287	29.0	0.78	19.5	0.53
Skin	57	6.7	0.41	4.5	0.27	26	2.7	0.24	1.8	0.17
Melanomas of the skin	38	4.4	0.32	3.1	0.23	21	2.1	0.22	1.5	0.16
Breast	2	0.2	0.07	0.2	0.05	208	21.6	0.69	15.3	0.50
Female Genital System	-	-	-	-	-	152	15.3	0.57	11.0	0.42
Cervix uteri	-	-	-	-	-	16	1.8	0.21	1.4	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	50	4.9	0.32	3.5	0.23
Ovary	-	-	-	-	-	77	7.6	0.40	5.4	0.28
Male Genital System	180	23.2	0.79	12.7	0.43	-	-	-	-	-
Prostate	178	22.9	0.78	12.5	0.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	112	13.6	0.59	8.3	0.36	50	5.0	0.32	3.1	0.21
Bladder	62	7.8	0.45	4.4	0.25	20	2.0	0.20	1.2	0.13
Kidney & renal pelvis	47	5.3	0.36	3.6	0.24	26	2.6	0.23	1.7	0.15
Brain & Other CNS[1]	61	6.9	0.41	5.3	0.31	35	3.5	0.27	2.9	0.23
Endocrine System	9	1.0	0.16	0.8	0.12	7	0.7	0.13	0.5	0.10
Thyroid gland	6	0.7	0.13	0.5	0.09	5	0.5	0.10	0.4	0.07
Lymphomas	66	7.9	0.45	5.0	0.28	54	5.5	0.34	3.3	0.21
Hodgkin Lymphoma	-	-	-	-	-	3	0.3	0.09	0.3	0.07
Non-Hodgkin Lymphoma	-	-	-	-	-	51	5.2	0.33	3.1	0.20
Multiple Myeloma	37	4.6	0.34	2.8	0.21	27	2.8	0.25	1.7	0.15
Leukemias	72	8.7	0.47	5.6	0.30	48	5.1	0.33	3.2	0.23
Other, Ill-defined & Unknown	126	15.0	0.61	9.8	0.40	97	10.0	0.46	6.8	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,515	183.2	2.16	118.8	1.39	1,284	134.8	1.72	91.4	1.20
Oral Cavity & Pharynx	29	3.3	0.28	2.3	0.20	13	1.4	0.17	0.9	0.11
Digestive System	427	49.9	1.11	34.3	0.76	294	30.7	0.82	20.5	0.56
Esophagus	68	8.0	0.44	5.5	0.30	17	1.7	0.19	1.1	0.13
Stomach	24	3.0	0.28	2.0	0.19	16	1.7	0.19	1.1	0.13
Colon & Rectum	127	15.3	0.62	10.3	0.42	106	11.2	0.50	7.5	0.34
Liver	54	5.8	0.36	4.4	0.27	17	1.8	0.19	1.2	0.14
Pancreas	116	13.5	0.57	9.2	0.39	96	10.0	0.46	6.6	0.31
Respiratory System	347	41.1	1.01	26.7	0.65	285	29.6	0.80	19.9	0.55
Larynx	10	1.1	0.16	0.7	0.11	2	0.2	0.07	0.2	0.05
Lung & bronchus	332	39.4	0.99	25.6	0.63	281	29.2	0.79	19.6	0.54
Skin	56	6.8	0.42	4.6	0.28	26	2.8	0.25	1.9	0.17
Melanomas of the skin	38	4.4	0.33	3.2	0.24	21	2.2	0.22	1.6	0.16
Breast	2	0.2	0.07	0.2	0.05	205	21.9	0.70	15.5	0.51
Female Genital System	-	-	-	-	-	148	15.4	0.58	11.1	0.43
Cervix uteri	-	-	-	-	-	15	1.8	0.21	1.4	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	49	5.0	0.33	3.5	0.24
Ovary	-	-	-	-	-	75	7.6	0.40	5.4	0.29
Male Genital System	178	23.4	0.80	12.8	0.43	-	-	-	-	-
Prostate	175	23.1	0.79	12.5	0.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	111	13.8	0.60	8.4	0.36	49	5.0	0.32	3.1	0.21
Bladder	61	7.9	0.46	4.5	0.26	20	2.0	0.20	1.2	0.13
Kidney & renal pelvis	46	5.4	0.37	3.6	0.24	26	2.7	0.24	1.7	0.16
Brain & Other CNS[1]	61	7.1	0.42	5.4	0.32	34	3.6	0.28	2.9	0.24
Endocrine System	9	1.0	0.16	0.8	0.12	7	0.7	0.13	0.6	0.10
Thyroid gland	6	0.7	0.13	0.5	0.10	5	0.5	0.11	0.4	0.08
Lymphomas	65	8.1	0.46	5.1	0.29	53	5.6	0.35	3.4	0.22
Hodgkin Lymphoma	-	-	-	-	-	3	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	-	-	-	-	-	50	5.2	0.34	3.1	0.21
Multiple Myeloma	37	4.6	0.35	2.8	0.21	27	2.8	0.25	1.7	0.15
Leukemias	71	8.8	0.48	5.7	0.31	47	5.1	0.34	3.2	0.23
Other, Ill-defined & Unknown	124	15.1	0.62	9.9	0.41	95	10.1	0.47	6.9	0.34

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5	115.7	28.17	81.6	17.80	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10	119.1	18.59	79.8	11.67	12	96.2	12.81	64.1	8.33
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	43.8	10.48	32.4	7.20	4	27.7	6.88	18.7	4.52
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	3	18.6	5.42	14.0	3.91
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	3	18.6	5.42	14.0	3.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	12,542	197.1	0.81	130.5	0.53	11,907	143.2	0.60	98.5	0.43
Oral Cavity & Pharynx	269	4.0	0.11	2.9	0.08	127	1.5	0.06	1.0	0.04
Digestive System	3,560	54.5	0.42	37.5	0.28	2,792	33.1	0.29	22.1	0.20
Esophagus	504	7.5	0.15	5.4	0.11	131	1.5	0.06	1.1	0.04
Stomach	287	4.5	0.12	3.1	0.08	197	2.4	0.08	1.6	0.06
Colon & Rectum	1,154	18.1	0.24	12.1	0.16	1,079	12.7	0.18	8.3	0.12
Liver	478	6.9	0.15	5.1	0.10	205	2.4	0.08	1.7	0.05
Pancreas	848	13.1	0.21	8.9	0.14	807	9.5	0.15	6.4	0.11
Respiratory System	3,534	54.7	0.42	36.8	0.28	3,033	36.6	0.30	25.1	0.21
Larynx	131	2.0	0.08	1.4	0.05	35	0.4	0.03	0.3	0.02
Lung & bronchus	3,382	52.4	0.41	35.2	0.27	2,985	36.1	0.30	24.7	0.21
Skin	295	4.7	0.13	3.1	0.08	161	1.9	0.07	1.3	0.05
Melanomas of the skin	211	3.4	0.11	2.3	0.07	118	1.5	0.06	1.0	0.05
Breast	19	0.3	0.03	0.2	0.02	1,741	21.3	0.23	15.4	0.18
Female Genital System	-	-	-	-	-	1,321	16.1	0.20	11.7	0.15
Cervix uteri	-	-	-	-	-	174	2.3	0.08	1.8	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	464	5.5	0.12	4.0	0.09
Ovary	-	-	-	-	-	588	7.2	0.13	5.1	0.10
Male Genital System	1,222	20.6	0.27	11.8	0.15	-	-	-	-	-
Prostate	1,191	20.1	0.27	11.4	0.15	-	-	-	-	-
Testis	16	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	864	13.9	0.22	8.7	0.13	431	5.0	0.11	3.2	0.07
Bladder	460	7.7	0.16	4.5	0.09	200	2.3	0.07	1.3	0.05
Kidney & renal pelvis	381	5.8	0.14	4.0	0.09	214	2.5	0.08	1.7	0.06
Brain & Other CNS[1]	338	5.1	0.13	4.0	0.10	269	3.4	0.10	2.7	0.08
Endocrine System	58	0.9	0.05	0.7	0.04	56	0.7	0.04	0.5	0.03
Thyroid gland	34	0.5	0.04	0.4	0.03	37	0.4	0.03	0.3	0.02
Lymphomas	470	7.6	0.16	4.9	0.10	380	4.5	0.11	2.8	0.07
Hodgkin Lymphoma	25	0.4	0.04	0.3	0.03	15	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	445	7.2	0.16	4.6	0.10	365	4.3	0.10	2.7	0.07
Multiple Myeloma	250	4.1	0.12	2.5	0.07	222	2.6	0.08	1.7	0.05
Leukemias	544	9.0	0.18	5.7	0.11	409	4.9	0.11	3.2	0.08
Other, Ill-defined & Unknown	1,118	17.6	0.24	11.8	0.16	965	11.6	0.17	7.8	0.12

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,383	194.2	0.87	127.9	0.57	9,733	141.9	0.66	97.0	0.47
Oral Cavity & Pharynx	213	3.7	0.12	2.7	0.08	104	1.5	0.07	1.0	0.05
Digestive System	2,884	52.8	0.45	36.0	0.31	2,227	31.8	0.31	21.2	0.22
Esophagus	449	8.0	0.17	5.7	0.12	105	1.5	0.07	1.0	0.05
Stomach	207	3.9	0.12	2.6	0.08	140	2.1	0.08	1.4	0.06
Colon & Rectum	915	17.1	0.26	11.4	0.17	854	12.0	0.19	7.9	0.13
Liver	357	6.2	0.15	4.5	0.11	155	2.2	0.08	1.5	0.06
Pancreas	713	13.1	0.22	8.9	0.15	658	9.4	0.17	6.3	0.12
Respiratory System	2,916	53.7	0.45	36.0	0.30	2,521	37.0	0.34	25.3	0.24
Larynx	101	1.8	0.08	1.3	0.06	24	0.4	0.03	0.3	0.02
Lung & bronchus	2,796	51.6	0.45	34.5	0.29	2,485	36.5	0.33	24.9	0.23
Skin	284	5.4	0.15	3.6	0.10	152	2.2	0.08	1.5	0.06
Melanomas of the skin	206	3.9	0.12	2.7	0.09	113	1.7	0.07	1.2	0.06
Breast	15	0.3	0.03	0.2	0.02	1,374	20.5	0.25	14.7	0.19
Female Genital System	-	-	-	-	-	1,050	15.6	0.22	11.2	0.17
Cervix uteri	-	-	-	-	-	126	2.1	0.09	1.7	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	339	4.9	0.12	3.5	0.09
Ovary	-	-	-	-	-	500	7.4	0.15	5.3	0.11
Male Genital System	931	18.5	0.27	10.4	0.16	-	-	-	-	-
Prostate	904	18.0	0.27	10.0	0.15	-	-	-	-	-
Testis	15	0.3	0.04	0.3	0.03	-	-	-	-	-
Urinary System	757	14.4	0.24	9.0	0.15	364	5.1	0.12	3.2	0.08
Bladder	414	8.1	0.18	4.7	0.11	167	2.3	0.08	1.3	0.05
Kidney & renal pelvis	322	5.9	0.15	4.0	0.10	182	2.6	0.09	1.7	0.06
Brain & Other CNS[1]	305	5.6	0.15	4.3	0.12	239	3.7	0.11	2.9	0.09
Endocrine System	47	0.9	0.06	0.7	0.05	42	0.6	0.05	0.5	0.04
Thyroid gland	29	0.5	0.04	0.4	0.03	27	0.4	0.03	0.3	0.02
Lymphomas	417	8.0	0.18	5.1	0.11	336	4.7	0.12	2.9	0.08
Hodgkin Lymphoma	23	0.4	0.04	0.3	0.03	11	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	393	7.6	0.17	4.7	0.11	324	4.5	0.12	2.8	0.08
Multiple Myeloma	201	3.9	0.12	2.4	0.08	164	2.3	0.08	1.5	0.06
Leukemias	480	9.4	0.20	6.0	0.13	354	5.1	0.13	3.3	0.09
Other, Ill-defined & Unknown	935	17.6	0.26	11.7	0.18	807	11.7	0.19	7.9	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,872	259.1	2.81	177.4	1.84	1,911	176.0	1.83	124.8	1.31
Oral Cavity & Pharynx	46	5.6	0.39	4.3	0.29	17	1.5	0.17	1.1	0.13
Digestive System	568	75.2	1.48	53.5	1.01	488	44.9	0.92	30.8	0.64
Esophagus	47	6.0	0.41	4.4	0.29	22	2.0	0.19	1.5	0.14
Stomach	64	9.0	0.53	6.1	0.34	45	4.2	0.29	2.8	0.20
Colon & Rectum	208	28.6	0.93	19.7	0.61	201	18.7	0.60	12.7	0.41
Liver	94	11.0	0.53	8.7	0.40	40	3.4	0.25	2.6	0.18
Pancreas	120	16.1	0.69	11.3	0.46	131	12.1	0.48	8.1	0.32
Respiratory System	546	73.9	1.48	51.6	0.99	466	42.7	0.90	29.8	0.63
Larynx	28	3.8	0.34	2.7	0.22	11	0.9	0.13	0.7	0.10
Lung & bronchus	515	69.7	1.44	48.7	0.96	454	41.6	0.89	29.1	0.62
Skin	9	1.2	0.18	0.9	0.13	7	0.6	0.11	0.5	0.08
Melanomas of the skin	4	0.5	0.13	0.4	0.09	4	0.4	0.08	0.3	0.06
Breast	4	0.6	0.13	0.4	0.09	323	29.8	0.75	22.2	0.57
Female Genital System	-	-	-	-	-	239	21.8	0.64	16.3	0.48
Cervix uteri	-	-	-	-	-	43	3.9	0.27	3.2	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	114	10.2	0.43	7.5	0.32
Ovary	-	-	-	-	-	73	6.8	0.36	5.0	0.26
Male Genital System	273	43.8	1.23	25.8	0.70	-	-	-	-	-
Prostate	270	43.3	1.22	25.5	0.70	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	94	13.7	0.66	9.0	0.42	59	5.7	0.33	3.7	0.22
Bladder	40	6.2	0.46	3.8	0.27	30	2.8	0.23	1.8	0.15
Kidney & renal pelvis	52	7.2	0.47	5.0	0.31	28	2.7	0.23	1.8	0.16
Brain & Other CNS[1]	26	3.2	0.29	2.5	0.22	23	2.1	0.20	1.7	0.17
Endocrine System	8	1.1	0.17	0.8	0.13	11	1.0	0.14	0.7	0.10
Thyroid gland	3	0.4	0.10	0.3	0.08	7	0.7	0.12	0.5	0.08
Lymphomas	40	5.3	0.39	3.9	0.28	33	3.1	0.25	2.3	0.18
Hodgkin Lymphoma	-	-	-	-	-	3	0.3	0.08	0.3	0.08
Non-Hodgkin Lymphoma	-	-	-	-	-	30	2.8	0.23	1.9	0.17
Multiple Myeloma	46	6.8	0.47	4.4	0.29	56	5.3	0.32	3.3	0.21
Leukemias	54	7.7	0.49	5.3	0.32	49	4.6	0.30	3.2	0.21
Other, Ill-defined & Unknown	157	21.1	0.79	15.0	0.54	140	12.9	0.50	9.2	0.36

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	278	104.7	2.98	67.8	1.83	258	74.2	2.12	50.4	1.42
Oral Cavity & Pharynx	10	3.5	0.51	2.5	0.35	6	1.7	0.32	1.1	0.20
Digestive System	104	37.6	1.75	25.2	1.11	76	22.5	1.19	14.7	0.76
Esophagus	7	2.4	0.43	1.7	0.29	3	1.1	0.28	0.6	0.15
Stomach	15	5.6	0.68	3.7	0.42	11	3.5	0.47	2.2	0.30
Colon & Rectum	30	11.0	0.95	7.3	0.60	24	6.8	0.64	4.5	0.42
Liver	25	9.0	0.85	6.2	0.55	9	2.8	0.42	1.8	0.26
Pancreas	14	5.2	0.66	3.3	0.40	17	5.1	0.57	3.3	0.35
Respiratory System	71	27.6	1.55	17.2	0.91	45	13.4	0.92	8.6	0.58
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	70	27.1	1.54	16.9	0.91	45	13.3	0.92	8.5	0.57
Skin	2	0.7	0.23	0.5	0.16	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	43	11.4	0.80	8.7	0.60
Female Genital System	-	-	-	-	-	32	8.7	0.71	6.4	0.51
Cervix uteri	-	-	-	-	-	5	1.3	0.27	1.0	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	11	3.0	0.41	2.2	0.29
Ovary	-	-	-	-	-	15	4.1	0.49	3.0	0.35
Male Genital System	16	7.3	0.85	4.0	0.44	-	-	-	-	-
Prostate	16	7.3	0.85	4.0	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	5.1	0.68	3.1	0.40	7	2.0	0.36	1.2	0.22
Bladder	6	2.3	0.46	1.4	0.26	4	1.1	0.27	0.6	0.15
Kidney & renal pelvis	6	2.6	0.48	1.6	0.29	3	0.9	0.24	0.6	0.16
Brain & Other CNS[1]	8	2.5	0.43	2.0	0.33	7	2.0	0.35	1.5	0.27
Endocrine System	2	0.9	0.30	0.5	0.16	3	0.9	0.24	0.6	0.16
Thyroid gland	2	0.9	0.28	0.5	0.16	2	0.7	0.21	0.4	0.12
Lymphomas	13	5.4	0.70	3.3	0.40	11	3.3	0.45	2.1	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	1.1	0.30	0.8	0.19	2	0.6	0.20	0.4	0.12
Leukemias	10	3.9	0.56	2.6	0.37	7	1.9	0.34	1.4	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,144	213.9	1.16	143.5	0.77	6,291	148.1	0.85	103.1	0.62
Oral Cavity & Pharynx	138	3.9	0.15	2.8	0.11	55	1.3	0.08	0.9	0.06
Digestive System	1,918	55.7	0.59	38.9	0.40	1,412	32.7	0.40	22.2	0.28
Esophagus	315	8.9	0.23	6.4	0.16	69	1.6	0.09	1.1	0.06
Stomach	118	3.5	0.15	2.4	0.10	73	1.7	0.09	1.2	0.07
Colon & Rectum	607	18.1	0.34	12.3	0.23	564	13.0	0.25	8.7	0.18
Liver	258	6.9	0.20	5.2	0.15	94	2.1	0.10	1.5	0.07
Pancreas	466	13.6	0.29	9.4	0.20	429	9.9	0.22	6.7	0.15
Respiratory System	2,273	66.6	0.64	45.6	0.43	1,760	41.4	0.45	29.1	0.32
Larynx	67	1.9	0.11	1.4	0.08	15	0.4	0.04	0.3	0.03
Lung & bronchus	2,184	64.1	0.63	43.8	0.42	1,733	40.8	0.45	28.6	0.32
Skin	204	6.1	0.20	4.1	0.13	94	2.3	0.11	1.6	0.08
Melanomas of the skin	133	3.9	0.16	2.8	0.11	69	1.7	0.10	1.3	0.07
Breast	11	0.3	0.04	0.2	0.03	876	21.0	0.33	15.1	0.24
Female Genital System	-	-	-	-	-	668	16.0	0.28	11.6	0.21
Cervix uteri	-	-	-	-	-	89	2.5	0.12	2.0	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	221	5.1	0.16	3.7	0.12
Ovary	-	-	-	-	-	301	7.1	0.19	5.0	0.14
Male Genital System	602	20.0	0.37	11.2	0.21	-	-	-	-	-
Prostate	586	19.5	0.37	10.8	0.20	-	-	-	-	-
Testis	8	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	474	14.7	0.31	9.2	0.19	237	5.4	0.16	3.5	0.11
Bladder	257	8.3	0.24	4.9	0.14	106	2.4	0.11	1.4	0.07
Kidney & renal pelvis	206	6.1	0.20	4.2	0.13	123	2.8	0.12	1.9	0.08
Brain & Other CNS[1]	197	5.7	0.19	4.5	0.15	144	3.6	0.14	2.8	0.11
Endocrine System	23	0.7	0.06	0.5	0.05	30	0.7	0.06	0.5	0.05
Thyroid gland	16	0.5	0.05	0.3	0.04	20	0.4	0.05	0.3	0.03
Lymphomas	284	8.8	0.24	5.7	0.15	210	4.9	0.16	3.2	0.11
Hodgkin Lymphoma	13	0.4	0.05	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	271	8.4	0.23	5.4	0.15	201	4.7	0.15	3.0	0.10
Multiple Myeloma	147	4.6	0.17	2.8	0.11	113	2.6	0.11	1.7	0.07
Leukemias	295	9.3	0.25	6.0	0.16	220	5.2	0.16	3.4	0.11
Other, Ill-defined & Unknown	579	17.6	0.34	11.8	0.22	473	11.0	0.23	7.6	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,599	214.1	1.21	143.5	0.80	5,738	147.9	0.89	102.9	0.65
Oral Cavity & Pharynx	127	3.9	0.16	2.8	0.11	51	1.3	0.08	0.9	0.06
Digestive System	1,736	54.8	0.60	38.2	0.42	1,262	31.9	0.41	21.6	0.29
Esophagus	300	9.2	0.24	6.7	0.17	63	1.6	0.09	1.1	0.07
Stomach	100	3.2	0.15	2.2	0.10	60	1.6	0.09	1.1	0.07
Colon & Rectum	550	17.8	0.35	12.1	0.23	509	12.8	0.26	8.6	0.18
Liver	218	6.5	0.20	4.8	0.15	80	2.0	0.10	1.4	0.07
Pancreas	428	13.6	0.30	9.4	0.21	383	9.7	0.23	6.6	0.16
Respiratory System	2,118	67.2	0.67	46.0	0.45	1,629	42.0	0.47	29.5	0.34
Larynx	60	1.8	0.11	1.3	0.08	15	0.4	0.04	0.3	0.03
Lung & bronchus	2,039	64.7	0.66	44.2	0.44	1,604	41.3	0.47	29.0	0.34
Skin	200	6.5	0.21	4.4	0.14	92	2.5	0.12	1.8	0.09
Melanomas of the skin	133	4.3	0.17	3.0	0.12	68	1.9	0.11	1.4	0.08
Breast	9	0.3	0.04	0.2	0.03	784	20.5	0.34	14.7	0.25
Female Genital System	-	-	-	-	-	607	16.0	0.30	11.6	0.23
Cervix uteri	-	-	-	-	-	79	2.4	0.13	2.0	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	195	4.9	0.16	3.5	0.12
Ovary	-	-	-	-	-	279	7.2	0.20	5.1	0.15
Male Genital System	536	19.1	0.37	10.7	0.21	-	-	-	-	-
Prostate	521	18.6	0.37	10.3	0.20	-	-	-	-	-
Testis	8	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	450	15.1	0.32	9.4	0.20	220	5.5	0.17	3.5	0.11
Bladder	247	8.5	0.25	5.0	0.14	97	2.4	0.11	1.4	0.07
Kidney & renal pelvis	192	6.2	0.20	4.2	0.14	115	2.9	0.12	1.9	0.09
Brain & Other CNS[1]	188	6.0	0.20	4.7	0.16	136	3.8	0.15	3.0	0.12
Endocrine System	22	0.7	0.07	0.5	0.05	28	0.7	0.06	0.5	0.05
Thyroid gland	16	0.5	0.06	0.3	0.04	18	0.4	0.05	0.3	0.03
Lymphomas	268	9.0	0.25	5.8	0.16	198	5.1	0.16	3.3	0.11
Hodgkin Lymphoma	12	0.4	0.05	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	256	8.6	0.25	5.5	0.16	190	4.8	0.16	3.1	0.11
Multiple Myeloma	131	4.4	0.18	2.7	0.11	95	2.4	0.11	1.6	0.08
Leukemias	277	9.5	0.26	6.1	0.17	202	5.2	0.17	3.4	0.12
Other, Ill-defined & Unknown	537	17.7	0.35	11.8	0.23	434	11.1	0.24	7.6	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	507	237.3	5.05	162.7	3.26	515	168.5	3.40	119.2	2.39
Oral Cavity & Pharynx	10	4.0	0.62	2.9	0.42	4	1.3	0.30	0.9	0.20
Digestive System	167	73.1	2.71	52.6	1.83	135	44.5	1.75	30.5	1.19
Esophagus	14	6.0	0.77	4.4	0.53	6	1.8	0.34	1.2	0.24
Stomach	15	7.2	0.89	4.9	0.57	10	3.3	0.48	2.2	0.32
Colon & Rectum	53	24.2	1.59	17.0	1.05	50	16.8	1.09	11.0	0.72
Liver	37	13.1	1.02	10.9	0.81	12	3.9	0.51	2.9	0.37
Pancreas	36	16.7	1.33	11.7	0.87	42	13.7	0.97	9.5	0.67
Respiratory System	145	67.3	2.67	46.8	1.75	124	40.6	1.67	28.8	1.17
Larynx	7	2.8	0.51	2.2	0.37	-	-	-	-	-
Lung & bronchus	137	63.7	2.60	44.1	1.70	123	40.2	1.67	28.5	1.16
Skin	3	1.2	0.34	0.9	0.25	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	2	0.9	0.29	0.7	0.21	87	28.2	1.38	21.0	1.02
Female Genital System	-	-	-	-	-	57	18.3	1.11	13.4	0.80
Cervix uteri	-	-	-	-	-	10	2.9	0.43	2.4	0.35
Corpus & uterus, NOS[1]	-	-	-	-	-	26	8.4	0.76	6.0	0.53
Ovary	-	-	-	-	-	19	6.1	0.64	4.5	0.46
Male Genital System	64	37.0	2.17	21.4	1.20	-	-	-	-	-
Prostate	63	36.6	2.16	21.2	1.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	23	11.5	1.14	7.5	0.70	16	5.3	0.61	3.4	0.40
Bladder	10	5.1	0.78	3.2	0.46	9	3.0	0.47	1.8	0.28
Kidney & renal pelvis	13	6.2	0.82	4.3	0.52	7	2.2	0.38	1.6	0.28
Brain & Other CNS[1]	8	2.8	0.47	2.5	0.39	7	2.0	0.35	1.7	0.29
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	6.3	0.82	4.3	0.53	11	3.7	0.51	2.5	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	7.5	0.92	4.9	0.57	18	6.2	0.67	3.9	0.42
Leukemias	16	7.4	0.89	5.1	0.58	16	5.3	0.61	3.6	0.42
Other, Ill-defined & Unknown	-	-	-	-	-	37	12.1	0.91	8.7	0.65

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	33	104.4	9.64	64.7	5.28	32	68.1	5.81	45.8	3.68
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	43.0	6.13	26.8	3.39	13	28.1	3.75	18.6	2.35
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	3	8.1	2.55	5.3	1.47	3	5.7	1.64	3.9	1.07
Colon & Rectum	3	9.2	2.66	6.0	1.55	4	10.0	2.29	6.5	1.40
Liver	3	7.3	2.00	5.6	1.43	-	-	-	-	-
Pancreas	-	-	-	-	-	2	5.7	1.73	3.6	1.04
Respiratory System	6	16.4	3.38	11.6	2.12	4	10.0	2.33	6.0	1.35
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	16.1	3.36	11.3	2.09	4	10.0	2.33	6.0	1.35
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	7.9	1.78	6.1	1.31
Female Genital System	-	-	-	-	-	4	7.8	1.88	5.6	1.27
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	8.7	2.94	4.8	1.54	-	-	-	-	-
Prostate	2	8.7	2.94	4.8	1.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	6.1	2.21	4.1	1.27	-	-	-	-	-
Other, Ill-defined & Unknown	3	10.5	3.08	6.3	1.68	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,453	198.4	1.54	131.4	1.03	3,028	138.2	1.17	95.1	0.85
Oral Cavity & Pharynx	74	4.0	0.21	3.0	0.16	31	1.3	0.11	0.9	0.08
Digestive System	903	51.4	0.78	35.3	0.54	707	31.3	0.55	20.8	0.39
Esophagus	148	8.3	0.31	5.9	0.22	34	1.5	0.12	1.1	0.09
Stomach	49	2.8	0.18	1.9	0.13	29	1.3	0.11	0.9	0.08
Colon & Rectum	292	17.1	0.45	11.3	0.31	290	12.5	0.34	8.1	0.24
Liver	106	5.7	0.25	4.3	0.19	35	1.6	0.12	1.1	0.09
Pancreas	228	13.0	0.39	8.9	0.27	216	9.6	0.30	6.5	0.21
Respiratory System	1,003	56.5	0.81	38.3	0.55	766	35.5	0.59	24.6	0.42
Larynx	34	1.8	0.14	1.3	0.10	9	0.5	0.07	0.3	0.05
Lung & bronchus	958	54.0	0.80	36.5	0.54	753	34.9	0.58	24.2	0.42
Skin	93	5.4	0.26	3.6	0.17	49	2.3	0.15	1.6	0.12
Melanomas of the skin	65	3.8	0.21	2.6	0.15	39	1.9	0.14	1.4	0.11
Breast	4	0.2	0.05	0.2	0.04	395	18.7	0.44	13.6	0.34
Female Genital System	-	-	-	-	-	338	15.9	0.40	11.4	0.30
Cervix uteri	-	-	-	-	-	34	1.9	0.16	1.6	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	114	5.2	0.22	3.6	0.16
Ovary	-	-	-	-	-	154	7.2	0.27	5.0	0.20
Male Genital System	339	20.2	0.50	11.3	0.28	-	-	-	-	-
Prostate	328	19.5	0.49	10.7	0.27	-	-	-	-	-
Testis	6	0.4	0.07	0.3	0.07	-	-	-	-	-
Urinary System	252	14.6	0.42	9.2	0.27	116	4.9	0.21	3.1	0.14
Bladder	126	7.5	0.30	4.3	0.18	50	2.0	0.13	1.2	0.08
Kidney & renal pelvis	119	6.7	0.28	4.6	0.20	63	2.7	0.16	1.8	0.11
Brain & Other CNS[1]	106	6.1	0.27	4.8	0.22	82	4.1	0.21	3.2	0.17
Endocrine System	15	0.9	0.10	0.7	0.08	16	0.7	0.09	0.6	0.07
Thyroid gland	9	0.5	0.08	0.4	0.06	10	0.5	0.07	0.3	0.05
Lymphomas	147	8.6	0.32	5.5	0.21	112	4.9	0.21	3.1	0.15
Hodgkin Lymphoma	6	0.4	0.07	0.3	0.05	4	0.2	0.04	0.1	0.04
Non-Hodgkin Lymphoma	141	8.3	0.32	5.2	0.20	108	4.7	0.21	2.9	0.14
Multiple Myeloma	73	4.3	0.23	2.7	0.14	67	3.0	0.17	2.0	0.12
Leukemias	162	9.7	0.34	6.1	0.22	108	4.8	0.22	3.1	0.16
Other, Ill-defined & Unknown	283	16.5	0.45	10.9	0.30	241	10.7	0.32	7.2	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,364	198.6	1.56	131.4	1.05	2,944	137.9	1.18	94.9	0.87
Oral Cavity & Pharynx	72	4.1	0.22	3.0	0.16	29	1.3	0.11	0.8	0.08
Digestive System	870	51.0	0.79	34.9	0.55	682	31.0	0.55	20.6	0.40
Esophagus	145	8.4	0.32	6.0	0.23	34	1.5	0.12	1.1	0.09
Stomach	46	2.7	0.18	1.9	0.13	26	1.2	0.11	0.9	0.08
Colon & Rectum	285	17.2	0.46	11.3	0.31	283	12.5	0.35	8.1	0.25
Liver	96	5.3	0.25	4.0	0.19	31	1.5	0.12	1.0	0.09
Pancreas	222	13.0	0.40	8.9	0.27	210	9.6	0.31	6.4	0.22
Respiratory System	976	56.5	0.82	38.2	0.56	746	35.5	0.60	24.6	0.43
Larynx	34	1.8	0.14	1.3	0.10	9	0.5	0.07	0.3	0.05
Lung & bronchus	932	54.0	0.81	36.5	0.54	733	34.8	0.59	24.2	0.43
Skin	92	5.5	0.26	3.7	0.18	49	2.3	0.16	1.7	0.12
Melanomas of the skin	64	3.9	0.22	2.7	0.16	38	1.9	0.15	1.4	0.11
Breast	4	0.2	0.05	0.1	0.03	384	18.7	0.45	13.6	0.34
Female Genital System	-	-	-	-	-	328	15.9	0.41	11.3	0.31
Cervix uteri	-	-	-	-	-	32	1.9	0.16	1.5	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	110	5.1	0.23	3.6	0.17
Ovary	-	-	-	-	-	151	7.2	0.27	5.1	0.20
Male Genital System	333	20.3	0.50	11.3	0.29	-	-	-	-	-
Prostate	321	19.5	0.49	10.7	0.27	-	-	-	-	-
Testis	6	0.4	0.08	0.4	0.07	-	-	-	-	-
Urinary System	249	14.8	0.43	9.3	0.27	114	4.9	0.21	3.1	0.14
Bladder	125	7.6	0.31	4.4	0.18	48	2.0	0.13	1.2	0.09
Kidney & renal pelvis	117	6.8	0.29	4.7	0.20	62	2.8	0.16	1.8	0.11
Brain & Other CNS[1]	104	6.2	0.28	4.9	0.23	80	4.2	0.22	3.3	0.18
Endocrine System	14	0.8	0.10	0.6	0.08	15	0.7	0.09	0.5	0.07
Thyroid gland	9	0.5	0.08	0.4	0.06	10	0.4	0.07	0.3	0.05
Lymphomas	144	8.7	0.33	5.5	0.21	111	4.9	0.22	3.1	0.15
Hodgkin Lymphoma	6	0.4	0.07	0.3	0.05	4	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	138	8.3	0.32	5.3	0.21	106	4.7	0.21	2.9	0.15
Multiple Myeloma	72	4.4	0.23	2.7	0.15	64	3.0	0.17	1.9	0.12
Leukemias	159	9.7	0.35	6.1	0.23	107	4.9	0.22	3.2	0.16
Other, Ill-defined & Unknown	275	16.5	0.45	10.9	0.31	234	10.7	0.33	7.1	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	62	223.2	14.60	154.5	9.18	55	175.6	11.11	127.2	7.78
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	21	71.5	8.11	50.5	5.20	16	50.7	5.86	36.5	4.10
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	9.4	3.18	6.0	1.87	-	-	-	-	-
Colon & Rectum	5	17.7	4.12	12.2	2.57	5	15.8	3.25	11.9	2.37
Liver	5	18.2	4.01	13.3	2.69	-	-	-	-	-
Pancreas	5	15.8	3.62	11.6	2.41	5	14.5	3.17	10.4	2.21
Respiratory System	20	69.9	7.81	51.3	5.27	15	48.2	5.90	35.0	4.15
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	68.6	7.74	50.3	5.21	14	47.3	5.83	34.6	4.13
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	19.8	3.66	14.8	2.60
Female Genital System	-	-	-	-	-	6	20.9	3.91	14.8	2.71
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	3	11.6	2.95	8.2	2.02
Ovary	-	-	-	-	-	2	7.2	2.35	4.8	1.57
Male Genital System	5	26.6	5.63	15.8	3.16	-	-	-	-	-
Prostate	5	26.6	5.63	15.8	3.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	9.0	2.97	6.1	1.84	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	2	8.6	2.61	6.2	1.82
Leukemias	2	7.5	2.77	4.9	1.60	-	-	-	-	-
Other, Ill-defined & Unknown	6	20.7	4.52	14.0	2.71	4	13.6	3.09	9.1	2.04

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21	126.5	14.34	86.5	8.73	23	109.2	11.08	72.5	6.86
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	54.4	8.78	39.4	5.82	7	40.2	7.23	23.6	4.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	4	20.4	5.19	15.2	3.55	2	12.7	4.17	7.2	2.30
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	28.7	7.18	18.7	4.20	4	20.3	4.82	13.2	2.90
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	28.7	7.18	18.7	4.20	4	20.3	4.82	13.2	2.90
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	11.9	3.32	8.8	2.30
Female Genital System	-	-	-	-	-	3	10.0	2.62	8.8	2.27
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,915	193.8	1.64	129.2	1.10	2,595	138.7	1.25	95.7	0.91
Oral Cavity & Pharynx	56	3.5	0.21	2.5	0.15	25	1.3	0.12	0.9	0.08
Digestive System	792	51.6	0.84	35.9	0.58	588	31.0	0.59	20.8	0.42
Esophagus	120	7.7	0.32	5.5	0.23	27	1.4	0.12	0.9	0.09
Stomach	45	3.0	0.21	2.1	0.14	29	1.6	0.14	1.1	0.10
Colon & Rectum	268	18.0	0.50	12.1	0.34	233	12.2	0.37	8.1	0.26
Liver	108	6.5	0.29	4.9	0.21	41	2.2	0.16	1.5	0.11
Pancreas	192	12.6	0.42	8.6	0.28	190	10.0	0.33	6.6	0.23
Respiratory System	819	53.8	0.86	36.4	0.58	674	36.3	0.64	25.1	0.45
Larynx	24	1.6	0.14	1.1	0.10	3	0.2	0.04	0.1	0.03
Lung & bronchus	790	51.9	0.84	35.1	0.57	668	35.9	0.64	24.8	0.45
Skin	93	6.2	0.29	4.1	0.20	44	2.4	0.17	1.6	0.12
Melanomas of the skin	62	4.1	0.24	2.8	0.17	33	1.8	0.15	1.3	0.11
Breast	6	0.4	0.07	0.3	0.05	361	19.4	0.47	13.9	0.35
Female Genital System	-	-	-	-	-	264	14.5	0.41	10.6	0.31
Cervix uteri	-	-	-	-	-	33	2.1	0.17	1.7	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	82	4.3	0.22	3.1	0.16
Ovary	-	-	-	-	-	125	6.8	0.28	4.9	0.21
Male Genital System	271	19.1	0.52	10.8	0.30	-	-	-	-	-
Prostate	265	18.6	0.52	10.4	0.29	-	-	-	-	-
Testis	4	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	203	13.8	0.44	8.8	0.28	93	4.8	0.23	3.1	0.16
Bladder	101	7.1	0.32	4.1	0.19	37	1.8	0.14	1.1	0.09
Kidney & renal pelvis	99	6.5	0.30	4.5	0.21	52	2.8	0.18	1.9	0.13
Brain & Other CNS[1]	92	5.9	0.28	4.7	0.22	71	4.1	0.23	3.3	0.19
Endocrine System	11	0.8	0.11	0.5	0.08	13	0.7	0.09	0.5	0.07
Thyroid gland	7	0.5	0.08	0.3	0.05	10	0.5	0.08	0.3	0.05
Lymphomas	109	7.3	0.32	4.8	0.21	94	4.9	0.23	3.2	0.16
Hodgkin Lymphoma	6	0.4	0.07	0.3	0.05	4	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	103	7.0	0.31	4.5	0.20	91	4.7	0.23	3.0	0.16
Multiple Myeloma	66	4.6	0.26	2.8	0.16	53	2.8	0.18	1.7	0.11
Leukemias	143	10.0	0.38	6.3	0.25	100	5.2	0.24	3.4	0.17
Other, Ill-defined & Unknown	255	16.9	0.48	11.4	0.33	214	11.2	0.35	7.6	0.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,707	192.5	1.69	128.2	1.13	2,406	137.8	1.30	94.8	0.94
Oral Cavity & Pharynx	53	3.6	0.22	2.6	0.16	24	1.4	0.13	0.9	0.09
Digestive System	722	50.5	0.86	35.1	0.60	537	30.3	0.60	20.3	0.43
Esophagus	111	7.7	0.33	5.5	0.24	25	1.4	0.13	0.9	0.09
Stomach	39	2.8	0.21	1.9	0.14	25	1.5	0.14	1.0	0.10
Colon & Rectum	247	17.7	0.51	11.9	0.35	215	12.0	0.38	8.0	0.27
Liver	95	6.2	0.29	4.6	0.22	35	2.0	0.15	1.4	0.11
Pancreas	177	12.4	0.43	8.6	0.29	175	9.8	0.34	6.5	0.24
Respiratory System	758	53.2	0.88	35.9	0.59	630	36.3	0.66	25.1	0.47
Larynx	22	1.5	0.15	1.1	0.10	3	0.2	0.04	0.1	0.03
Lung & bronchus	731	51.3	0.87	34.6	0.58	625	36.0	0.66	24.9	0.47
Skin	92	6.6	0.31	4.4	0.21	43	2.5	0.18	1.7	0.13
Melanomas of the skin	62	4.4	0.26	3.0	0.18	33	2.0	0.16	1.4	0.12
Breast	5	0.4	0.08	0.3	0.05	330	19.0	0.49	13.5	0.36
Female Genital System	-	-	-	-	-	242	14.3	0.43	10.4	0.33
Cervix uteri	-	-	-	-	-	28	2.0	0.18	1.6	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	73	4.1	0.22	3.0	0.17
Ovary	-	-	-	-	-	119	7.0	0.29	5.0	0.22
Male Genital System	245	18.2	0.53	10.3	0.30	-	-	-	-	-
Prostate	239	17.8	0.52	9.9	0.29	-	-	-	-	-
Testis	4	0.3	0.07	0.3	0.07	-	-	-	-	-
Urinary System	195	14.1	0.46	8.9	0.29	87	4.9	0.24	3.1	0.17
Bladder	98	7.3	0.33	4.3	0.20	35	1.8	0.14	1.1	0.10
Kidney & renal pelvis	93	6.6	0.31	4.5	0.22	49	2.8	0.19	1.9	0.13
Brain & Other CNS[1]	88	6.2	0.30	4.8	0.24	68	4.3	0.24	3.4	0.20
Endocrine System	11	0.8	0.11	0.6	0.08	12	0.7	0.09	0.5	0.07
Thyroid gland	7	0.5	0.09	0.3	0.06	9	0.5	0.08	0.3	0.05
Lymphomas	104	7.5	0.33	4.9	0.22	90	5.0	0.24	3.2	0.17
Hodgkin Lymphoma	6	0.4	0.08	0.3	0.06	4	0.2	0.05	0.2	0.05
Non-Hodgkin Lymphoma	98	7.1	0.33	4.6	0.21	87	4.8	0.24	3.0	0.16
Multiple Myeloma	60	4.4	0.26	2.7	0.16	47	2.6	0.18	1.6	0.11
Leukemias	136	10.2	0.40	6.4	0.26	93	5.2	0.25	3.4	0.18
Other, Ill-defined & Unknown	237	16.9	0.50	11.4	0.34	201	11.3	0.37	7.7	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	149	238.2	9.48	162.5	6.03	134	166.4	6.58	118.3	4.67
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	49	72.3	5.06	51.5	3.34	35	43.5	3.34	30.3	2.34
Esophagus	6	8.6	1.71	6.3	1.16	-	-	-	-	-
Stomach	3	5.0	1.33	3.5	0.87	-	-	-	-	-
Colon & Rectum	16	25.0	3.04	17.2	1.96	13	16.0	2.03	10.9	1.40
Liver	10	12.4	1.92	9.9	1.43	4	4.7	1.01	3.9	0.84
Pancreas	10	17.5	2.64	11.3	1.59	11	14.4	1.96	9.3	1.28
Respiratory System	44	69.9	5.09	48.4	3.30	28	35.6	3.08	25.1	2.16
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	43	67.5	5.01	46.5	3.23	27	35.0	3.06	24.6	2.13
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	28.4	2.71	21.0	1.99
Female Genital System	-	-	-	-	-	16	20.5	2.35	14.8	1.68
Cervix uteri	-	-	-	-	-	4	5.0	1.17	3.6	0.84
Corpus & uterus, NOS[1]	-	-	-	-	-	7	9.2	1.55	6.8	1.13
Ovary	-	-	-	-	-	4	5.1	1.19	3.6	0.83
Male Genital System	20	40.1	4.21	23.6	2.36	-	-	-	-	-
Prostate	20	39.9	4.21	23.5	2.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	9.6	1.85	6.8	1.23	3	4.2	1.05	2.9	0.72
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	5	6.9	1.54	5.0	1.05	-	-	-	-	-
Brain & Other CNS[1]	3	3.8	1.14	2.9	0.78	3	3.3	0.91	2.3	0.65
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	4.3	1.19	3.3	0.85	3	3.2	0.91	2.4	0.68
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	6.5	1.61	4.3	0.99	5	6.1	1.30	3.8	0.81
Leukemias	5	8.4	1.84	5.4	1.12	6	7.1	1.36	5.2	0.99
Other, Ill-defined & Unknown	12	19.2	2.69	13.2	1.74	11	12.1	1.70	8.6	1.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	29	132.0	12.09	85.0	7.11	31	97.4	8.35	65.5	5.33
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	54.0	7.38	36.3	4.57	9	29.3	4.66	18.6	2.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	8.6	3.09	5.6	1.81	-	-	-	-	-
Colon & Rectum	3	13.0	3.69	8.3	2.19	3	7.7	2.20	5.6	1.51
Liver	3	12.7	3.50	9.0	2.28	-	-	-	-	-
Pancreas	2	11.7	3.65	7.2	2.09	-	-	-	-	-
Respiratory System	7	30.8	5.77	20.4	3.49	9	29.7	4.71	19.3	2.93
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	30.8	5.77	20.4	3.49	9	29.7	4.71	19.3	2.93
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	8.3	2.00	7.2	1.70
Female Genital System	-	-	-	-	-	4	12.4	2.87	8.9	1.95
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	14.9	4.58	7.8	2.27	-	-	-	-	-
Prostate	2	14.9	4.58	7.8	2.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	12.5	3.81	8.1	2.20	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,524	239.6	1.49	162.6	0.99	4,709	162.3	1.08	114.3	0.79
Oral Cavity & Pharynx	119	4.9	0.21	3.6	0.15	47	1.6	0.11	1.1	0.08
Digestive System	1,358	57.2	0.72	40.4	0.50	992	34.0	0.49	23.4	0.35
Esophagus	198	8.0	0.26	5.9	0.19	43	1.5	0.10	1.0	0.07
Stomach	93	4.1	0.20	2.8	0.13	59	2.0	0.12	1.4	0.09
Colon & Rectum	462	20.1	0.43	13.8	0.29	404	13.9	0.32	9.5	0.23
Liver	193	7.7	0.26	5.7	0.19	73	2.5	0.14	1.8	0.10
Pancreas	309	13.0	0.34	9.1	0.23	287	9.8	0.26	6.7	0.18
Respiratory System	1,990	83.7	0.87	58.0	0.59	1,518	51.6	0.60	36.8	0.44
Larynx	63	2.5	0.15	1.8	0.10	22	0.7	0.07	0.6	0.06
Lung & bronchus	1,916	80.8	0.85	55.8	0.57	1,490	50.6	0.60	36.0	0.43
Skin	151	6.7	0.25	4.5	0.17	72	2.5	0.14	1.8	0.10
Melanomas of the skin	104	4.6	0.21	3.2	0.14	52	1.9	0.12	1.4	0.09
Breast	7	0.3	0.05	0.2	0.04	603	21.2	0.40	15.5	0.30
Female Genital System	-	-	-	-	-	423	15.0	0.33	10.9	0.25
Cervix uteri	-	-	-	-	-	67	2.7	0.15	2.2	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	121	4.2	0.17	3.0	0.13
Ovary	-	-	-	-	-	191	6.6	0.22	4.6	0.16
Male Genital System	405	20.1	0.46	11.3	0.25	-	-	-	-	-
Prostate	391	19.5	0.45	10.8	0.24	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	342	15.5	0.39	9.9	0.24	165	5.6	0.20	3.6	0.13
Bladder	172	8.2	0.29	4.9	0.17	74	2.5	0.13	1.5	0.08
Kidney & renal pelvis	162	6.9	0.25	4.8	0.17	85	2.9	0.14	2.0	0.10
Brain & Other CNS[1]	139	5.8	0.23	4.6	0.18	112	4.0	0.17	3.2	0.14
Endocrine System	19	0.8	0.09	0.6	0.06	21	0.7	0.07	0.5	0.06
Thyroid gland	12	0.5	0.07	0.3	0.04	14	0.5	0.06	0.3	0.04
Lymphomas	197	9.0	0.30	5.8	0.19	138	4.7	0.18	3.0	0.12
Hodgkin Lymphoma	10	0.5	0.07	0.3	0.05	6	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	187	8.6	0.29	5.5	0.18	132	4.5	0.18	2.8	0.12
Multiple Myeloma	100	4.5	0.21	2.9	0.13	72	2.4	0.13	1.6	0.09
Leukemias	200	9.1	0.30	6.1	0.20	165	5.8	0.21	3.9	0.15
Other, Ill-defined & Unknown	495	21.9	0.45	14.8	0.30	382	13.2	0.31	9.1	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,186	240.7	1.54	163.5	1.03	4,391	163.2	1.12	115.0	0.82
Oral Cavity & Pharynx	114	5.0	0.22	3.7	0.16	45	1.6	0.11	1.1	0.08
Digestive System	1,257	56.9	0.74	40.1	0.51	910	33.6	0.51	23.1	0.36
Esophagus	190	8.2	0.28	6.1	0.20	39	1.4	0.10	1.0	0.07
Stomach	84	4.0	0.20	2.7	0.13	53	2.0	0.12	1.4	0.09
Colon & Rectum	428	20.0	0.45	13.7	0.30	372	13.9	0.33	9.4	0.24
Liver	173	7.4	0.26	5.5	0.19	67	2.5	0.14	1.7	0.10
Pancreas	286	12.9	0.35	9.0	0.24	264	9.6	0.27	6.6	0.19
Respiratory System	1,881	84.6	0.90	58.7	0.61	1,427	52.2	0.63	37.3	0.46
Larynx	58	2.4	0.15	1.8	0.11	20	0.7	0.07	0.6	0.06
Lung & bronchus	1,813	81.7	0.88	56.5	0.60	1,401	51.3	0.62	36.6	0.45
Skin	150	7.1	0.27	4.8	0.18	71	2.7	0.15	1.9	0.11
Melanomas of the skin	104	4.9	0.22	3.4	0.15	52	2.0	0.13	1.5	0.10
Breast	6	0.3	0.05	0.2	0.04	554	21.0	0.41	15.4	0.31
Female Genital System	-	-	-	-	-	390	15.0	0.35	10.9	0.26
Cervix uteri	-	-	-	-	-	63	2.8	0.16	2.3	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	106	3.9	0.17	2.9	0.13
Ovary	-	-	-	-	-	180	6.7	0.23	4.7	0.17
Male Genital System	368	19.5	0.46	10.9	0.26	-	-	-	-	-
Prostate	354	18.8	0.46	10.4	0.25	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	324	15.6	0.40	10.1	0.25	156	5.7	0.21	3.6	0.14
Bladder	165	8.3	0.30	5.0	0.17	71	2.5	0.14	1.5	0.09
Kidney & renal pelvis	150	6.8	0.26	4.8	0.18	80	2.9	0.15	2.0	0.10
Brain & Other CNS[1]	133	6.0	0.24	4.7	0.19	105	4.1	0.18	3.2	0.15
Endocrine System	18	0.8	0.09	0.6	0.07	20	0.8	0.08	0.5	0.06
Thyroid gland	12	0.5	0.07	0.4	0.05	13	0.5	0.06	0.3	0.05
Lymphomas	188	9.2	0.31	5.9	0.19	132	4.8	0.19	3.1	0.13
Hodgkin Lymphoma	10	0.5	0.07	0.4	0.05	6	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	178	8.7	0.30	5.5	0.19	126	4.6	0.18	2.9	0.12
Multiple Myeloma	92	4.4	0.21	2.8	0.13	64	2.3	0.13	1.5	0.09
Leukemias	188	9.2	0.31	6.1	0.20	157	6.0	0.22	4.0	0.16
Other, Ill-defined & Unknown	466	22.1	0.47	14.9	0.32	359	13.4	0.32	9.2	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	318	247.2	6.80	166.9	4.25	293	163.3	4.39	115.3	3.08
Oral Cavity & Pharynx	5	3.3	0.69	2.6	0.52	-	-	-	-	-
Digestive System	93	65.0	3.30	47.2	2.22	76	42.3	2.23	29.5	1.55
Esophagus	7	4.8	0.90	3.4	0.60	4	2.1	0.49	1.5	0.35
Stomach	8	6.0	1.02	4.2	0.67	5	2.7	0.56	1.9	0.38
Colon & Rectum	33	24.3	2.09	16.9	1.34	30	16.6	1.39	11.8	0.98
Liver	17	10.8	1.27	8.5	0.92	5	2.7	0.55	2.0	0.40
Pancreas	22	14.7	1.53	11.0	1.07	21	12.1	1.21	8.3	0.82
Respiratory System	103	80.1	3.85	54.5	2.44	84	47.2	2.37	32.9	1.63
Larynx	5	4.1	0.87	2.8	0.54	2	1.1	0.37	0.8	0.26
Lung & bronchus	97	75.6	3.74	51.4	2.37	82	46.1	2.34	32.1	1.61
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	46	25.1	1.70	18.7	1.27
Female Genital System	-	-	-	-	-	30	16.2	1.37	11.8	0.99
Cervix uteri	-	-	-	-	-	4	2.1	0.49	1.8	0.41
Corpus & uterus, NOS[1]	-	-	-	-	-	14	7.6	0.94	5.5	0.68
Ovary	-	-	-	-	-	10	5.6	0.81	3.7	0.54
Male Genital System	36	35.7	2.85	19.9	1.51	-	-	-	-	-
Prostate	35	35.2	2.83	19.6	1.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	18	15.7	1.81	9.6	1.02	7	4.2	0.72	2.6	0.45
Bladder	7	7.2	1.27	4.1	0.68	3	1.6	0.44	1.0	0.28
Kidney & renal pelvis	11	8.5	1.29	5.5	0.76	4	2.5	0.56	1.5	0.34
Brain & Other CNS[1]	5	3.5	0.74	2.8	0.55	6	3.2	0.61	2.5	0.49
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	5.9	1.01	4.3	0.68	5	2.8	0.57	2.0	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	6.4	1.12	4.2	0.69	8	4.4	0.74	2.9	0.49
Leukemias	11	7.8	1.18	5.7	0.79	7	4.2	0.71	2.9	0.50
Other, Ill-defined & Unknown	28	21.5	2.01	14.5	1.25	21	11.5	1.16	7.9	0.80

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	16	96.7	12.70	61.9	7.20	23	97.5	9.81	65.6	6.21
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	35.9	7.05	24.9	4.45	6	25.8	5.06	17.3	3.22
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	2	11.0	3.58	8.0	2.46	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	21.0	5.71	13.8	3.34	6	29.0	5.69	17.5	3.26
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	21.0	5.71	13.8	3.34	6	29.0	5.69	17.5	3.26
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	2	7.6	2.44	6.1	1.84
Female Genital System	-	-	-	-	-	3	12.8	3.38	9.4	2.29
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,082	221.5	1.44	151.8	0.96	4,305	149.6	1.04	105.3	0.75
Oral Cavity & Pharynx	127	5.2	0.21	3.9	0.16	44	1.5	0.10	1.1	0.08
Digestive System	1,515	63.5	0.76	45.6	0.53	1,048	36.2	0.51	25.1	0.36
Esophagus	179	7.3	0.25	5.4	0.18	42	1.4	0.10	1.0	0.07
Stomach	111	4.8	0.21	3.4	0.14	69	2.4	0.13	1.6	0.09
Colon & Rectum	477	20.6	0.44	14.4	0.30	407	14.2	0.32	9.9	0.23
Liver	317	12.3	0.32	9.5	0.24	116	4.0	0.17	2.8	0.12
Pancreas	343	14.8	0.37	10.3	0.25	322	11.0	0.28	7.5	0.19
Respiratory System	1,580	67.4	0.78	46.8	0.53	1,130	38.7	0.52	27.0	0.37
Larynx	60	2.5	0.15	1.8	0.10	13	0.4	0.05	0.3	0.04
Lung & bronchus	1,509	64.5	0.77	44.7	0.52	1,113	38.1	0.52	26.6	0.37
Skin	105	4.9	0.22	3.1	0.14	41	1.4	0.10	1.0	0.07
Melanomas of the skin	63	2.9	0.17	1.9	0.11	31	1.1	0.09	0.8	0.07
Breast	8	0.3	0.06	0.2	0.04	653	23.1	0.41	16.9	0.31
Female Genital System	-	-	-	-	-	419	14.8	0.33	10.9	0.25
Cervix uteri	-	-	-	-	-	80	3.1	0.16	2.6	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	131	4.5	0.18	3.2	0.13
Ovary	-	-	-	-	-	178	6.2	0.21	4.4	0.15
Male Genital System	432	21.3	0.47	12.3	0.27	-	-	-	-	-
Prostate	421	20.8	0.46	11.9	0.26	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	300	13.5	0.36	8.9	0.23	157	5.3	0.19	3.5	0.13
Bladder	139	6.6	0.26	4.0	0.15	64	2.2	0.12	1.3	0.08
Kidney & renal pelvis	154	6.5	0.24	4.6	0.17	89	3.0	0.14	2.0	0.10
Brain & Other CNS[1]	123	5.2	0.22	4.0	0.16	104	3.7	0.17	2.9	0.13
Endocrine System	20	0.9	0.09	0.7	0.07	23	0.8	0.08	0.6	0.06
Thyroid gland	10	0.5	0.07	0.3	0.04	15	0.5	0.06	0.3	0.04
Lymphomas	180	8.3	0.29	5.5	0.19	131	4.6	0.18	3.0	0.13
Hodgkin Lymphoma	8	0.4	0.06	0.3	0.05	9	0.3	0.05	0.3	0.04
Non-Hodgkin Lymphoma	172	7.9	0.28	5.2	0.18	122	4.3	0.18	2.7	0.12
Multiple Myeloma	103	4.8	0.22	3.1	0.14	89	3.1	0.15	2.0	0.10
Leukemias	185	8.6	0.29	5.6	0.19	140	5.0	0.19	3.4	0.14
Other, Ill-defined & Unknown	403	17.7	0.41	12.2	0.28	326	11.4	0.29	8.1	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,491	207.9	1.61	140.4	1.08	2,936	142.8	1.21	99.7	0.88
Oral Cavity & Pharynx	84	4.8	0.24	3.5	0.17	30	1.5	0.12	1.0	0.09
Digestive System	984	56.9	0.83	40.2	0.58	670	32.3	0.57	22.1	0.41
Esophagus	133	7.5	0.30	5.5	0.22	28	1.3	0.12	0.9	0.09
Stomach	54	3.3	0.20	2.2	0.14	33	1.6	0.13	1.1	0.09
Colon & Rectum	306	18.1	0.48	12.5	0.33	263	12.8	0.36	8.8	0.26
Liver	186	10.1	0.34	7.6	0.25	72	3.4	0.18	2.4	0.13
Pancreas	243	14.4	0.42	9.8	0.28	214	10.2	0.32	6.9	0.22
Respiratory System	1,074	62.5	0.87	42.9	0.59	844	40.5	0.63	28.3	0.45
Larynx	34	1.9	0.15	1.4	0.11	8	0.4	0.06	0.3	0.04
Lung & bronchus	1,031	60.0	0.86	41.2	0.58	833	40.0	0.63	27.9	0.45
Skin	95	5.9	0.28	3.8	0.18	37	1.8	0.14	1.3	0.10
Melanomas of the skin	60	3.7	0.22	2.5	0.15	28	1.4	0.12	1.0	0.09
Breast	5	0.3	0.06	0.2	0.04	394	19.6	0.45	14.0	0.34
Female Genital System	-	-	-	-	-	266	13.3	0.38	9.6	0.28
Cervix uteri	-	-	-	-	-	44	2.6	0.18	2.1	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	69	3.4	0.18	2.4	0.14
Ovary	-	-	-	-	-	130	6.4	0.26	4.5	0.19
Male Genital System	267	17.5	0.49	9.9	0.27	-	-	-	-	-
Prostate	259	17.0	0.48	9.5	0.27	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	234	14.3	0.43	9.2	0.27	112	5.2	0.22	3.4	0.15
Bladder	114	7.3	0.31	4.3	0.18	41	1.9	0.13	1.2	0.09
Kidney & renal pelvis	114	6.6	0.28	4.6	0.20	67	3.1	0.17	2.2	0.12
Brain & Other CNS[1]	100	5.9	0.27	4.5	0.21	85	4.3	0.22	3.4	0.18
Endocrine System	16	0.9	0.11	0.7	0.08	16	0.8	0.09	0.5	0.07
Thyroid gland	8	0.5	0.08	0.3	0.05	10	0.5	0.07	0.3	0.04
Lymphomas	141	8.8	0.34	5.7	0.22	105	5.1	0.23	3.2	0.15
Hodgkin Lymphoma	6	0.4	0.07	0.3	0.05	7	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	135	8.4	0.33	5.4	0.21	98	4.7	0.22	2.9	0.14
Multiple Myeloma	62	3.9	0.22	2.4	0.14	51	2.5	0.16	1.6	0.10
Leukemias	144	9.1	0.35	5.9	0.23	102	5.1	0.23	3.4	0.17
Other, Ill-defined & Unknown	285	17.1	0.46	11.6	0.31	225	11.0	0.34	7.8	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,539	268.9	3.31	189.3	2.18	1,329	170.4	2.15	121.9	1.53
Oral Cavity & Pharynx	42	6.3	0.47	5.0	0.35	13	1.7	0.21	1.2	0.15
Digestive System	509	83.4	1.78	61.5	1.23	364	46.8	1.12	32.8	0.78
Esophagus	45	7.1	0.51	5.4	0.36	14	1.8	0.21	1.3	0.15
Stomach	55	9.7	0.63	6.8	0.42	35	4.5	0.35	3.0	0.23
Colon & Rectum	165	28.4	1.07	20.2	0.71	141	18.1	0.70	13.0	0.50
Liver	122	17.6	0.76	14.1	0.58	41	5.2	0.38	3.7	0.26
Pancreas	98	16.6	0.81	12.0	0.55	104	13.5	0.61	9.2	0.41
Respiratory System	492	85.4	1.85	60.3	1.23	278	35.5	0.98	24.9	0.68
Larynx	26	4.3	0.41	3.1	0.28	5	0.6	0.13	0.4	0.09
Lung & bronchus	464	80.9	1.81	56.9	1.19	271	34.7	0.97	24.3	0.67
Skin	9	1.4	0.23	1.1	0.17	-	-	-	-	-
Melanomas of the skin	3	0.5	0.14	0.4	0.10	3	0.4	0.10	0.2	0.06
Breast	3	0.5	0.14	0.3	0.09	253	32.1	0.93	24.0	0.69
Female Genital System	-	-	-	-	-	149	18.8	0.71	14.1	0.53
Cervix uteri	-	-	-	-	-	35	4.7	0.36	3.7	0.28
Corpus & uterus, NOS[1]	-	-	-	-	-	61	7.5	0.44	5.5	0.32
Ovary	-	-	-	-	-	46	5.8	0.39	4.2	0.28
Male Genital System	162	35.3	1.32	20.9	0.74	-	-	-	-	-
Prostate	159	34.8	1.31	20.5	0.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	63	11.2	0.68	7.8	0.45	45	6.0	0.41	3.8	0.26
Bladder	24	4.5	0.44	3.0	0.28	23	3.1	0.30	1.9	0.18
Kidney & renal pelvis	39	6.7	0.51	4.8	0.35	21	2.7	0.27	1.8	0.19
Brain & Other CNS[1]	21	3.5	0.36	2.6	0.26	18	2.2	0.24	1.8	0.19
Endocrine System	4	0.7	0.16	0.6	0.12	7	0.9	0.15	0.6	0.11
Thyroid gland	-	-	-	-	-	4	0.6	0.13	0.4	0.08
Lymphomas	37	6.5	0.51	4.7	0.35	25	3.4	0.31	2.4	0.22
Hodgkin Lymphoma	2	0.4	0.11	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	35	6.1	0.49	4.4	0.34	-	-	-	-	-
Multiple Myeloma	41	8.0	0.59	5.3	0.37	38	5.1	0.38	3.3	0.24
Leukemias	38	7.1	0.55	4.9	0.36	38	4.9	0.37	3.5	0.26
Other, Ill-defined & Unknown	115	19.6	0.88	14.2	0.60	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	38	117.7	9.38	81.9	6.04	29	76.8	6.78	52.9	4.47
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	51.3	5.97	37.4	4.03	10	29.9	4.40	19.0	2.68
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	5.6	1.77	4.6	1.38	-	-	-	-	-
Colon & Rectum	4	13.0	3.29	8.3	1.98	-	-	-	-	-
Liver	8	23.5	4.05	17.1	2.70	2	6.5	1.97	4.6	1.34
Pancreas	2	5.9	1.97	4.4	1.39	4	10.1	2.51	6.8	1.62
Respiratory System	10	31.1	4.92	21.1	3.09	5	15.0	3.09	9.8	1.94
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	30.7	4.91	20.8	3.07	5	14.6	3.06	9.5	1.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	5	10.7	2.33	8.3	1.73
Female Genital System	-	-	-	-	-	3	5.9	1.53	5.5	1.43
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	8.3	2.51	5.8	1.63	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,752	206.2	2.26	135.8	1.50	1,548	146.7	1.72	99.8	1.23
Oral Cavity & Pharynx	38	4.2	0.31	3.1	0.23	16	1.4	0.16	0.9	0.11
Digestive System	424	49.0	1.10	33.4	0.75	333	31.1	0.78	20.5	0.54
Esophagus	89	9.9	0.48	6.9	0.34	21	2.0	0.20	1.3	0.14
Stomach	22	2.6	0.26	1.8	0.17	16	1.5	0.18	1.0	0.12
Colon & Rectum	121	14.7	0.61	9.7	0.41	122	11.3	0.47	7.2	0.32
Liver	51	5.6	0.36	4.1	0.26	14	1.3	0.16	0.9	0.11
Pancreas	104	11.9	0.54	8.1	0.36	113	10.4	0.45	6.9	0.31
Respiratory System	546	62.2	1.22	42.3	0.83	438	41.4	0.91	28.8	0.65
Larynx	20	2.2	0.23	1.6	0.17	5	0.5	0.09	0.3	0.07
Lung & bronchus	520	59.2	1.19	40.2	0.80	431	40.7	0.90	28.3	0.64
Skin	47	5.4	0.37	3.6	0.24	24	2.4	0.23	1.7	0.18
Melanomas of the skin	32	3.6	0.30	2.5	0.21	18	1.9	0.22	1.4	0.17
Breast	2	0.2	0.07	0.2	0.05	191	18.6	0.63	13.1	0.47
Female Genital System	-	-	-	-	-	155	14.9	0.55	10.6	0.41
Cervix uteri	-	-	-	-	-	14	1.6	0.20	1.3	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	52	4.9	0.31	3.5	0.23
Ovary	-	-	-	-	-	68	6.6	0.37	4.6	0.27
Male Genital System	165	20.9	0.74	11.6	0.41	-	-	-	-	-
Prostate	161	20.4	0.73	11.2	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	131	15.7	0.63	9.7	0.38	60	5.4	0.32	3.3	0.21
Bladder	75	9.2	0.49	5.3	0.28	30	2.7	0.23	1.5	0.14
Kidney & renal pelvis	52	6.0	0.38	4.0	0.26	29	2.6	0.22	1.7	0.16
Brain & Other CNS[1]	56	6.6	0.41	5.1	0.33	37	3.9	0.30	3.0	0.25
Endocrine System	6	0.8	0.15	0.7	0.14	6	0.6	0.12	0.5	0.11
Thyroid gland	3	0.4	0.10	0.3	0.07	4	0.4	0.08	0.2	0.06
Lymphomas	65	8.1	0.46	5.1	0.30	53	4.9	0.31	3.1	0.21
Hodgkin Lymphoma	4	0.4	0.11	0.3	0.08	-	-	-	-	-
Non-Hodgkin Lymphoma	62	7.7	0.45	4.8	0.29	-	-	-	-	-
Multiple Myeloma	33	3.9	0.31	2.4	0.19	29	2.6	0.22	1.6	0.14
Leukemias	69	8.4	0.46	5.3	0.30	50	4.7	0.31	3.1	0.22
Other, Ill-defined & Unknown	171	20.8	0.73	13.4	0.48	156	14.8	0.55	9.7	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,731	206.9	2.29	136.3	1.52	1,527	146.9	1.74	99.8	1.25
Oral Cavity & Pharynx	37	4.2	0.32	3.1	0.24	16	1.4	0.16	1.0	0.12
Digestive System	416	48.9	1.10	33.3	0.75	328	31.1	0.79	20.6	0.55
Esophagus	88	10.0	0.49	7.0	0.34	20	1.9	0.20	1.3	0.14
Stomach	22	2.6	0.26	1.8	0.18	15	1.5	0.17	1.0	0.12
Colon & Rectum	120	14.7	0.62	9.7	0.42	120	11.3	0.48	7.2	0.33
Liver	48	5.3	0.35	3.9	0.25	14	1.3	0.16	0.9	0.11
Pancreas	103	12.0	0.54	8.1	0.37	112	10.4	0.45	7.0	0.31
Respiratory System	539	62.4	1.23	42.5	0.84	433	41.7	0.92	29.0	0.66
Larynx	20	2.3	0.23	1.7	0.17	5	0.5	0.09	0.4	0.07
Lung & bronchus	514	59.5	1.20	40.3	0.81	426	41.0	0.91	28.5	0.65
Skin	46	5.5	0.37	3.7	0.25	24	2.4	0.24	1.7	0.18
Melanomas of the skin	32	3.7	0.30	2.6	0.21	18	2.0	0.22	1.4	0.18
Breast	2	0.2	0.07	0.2	0.05	187	18.5	0.63	13.0	0.47
Female Genital System	-	-	-	-	-	153	14.9	0.56	10.5	0.41
Cervix uteri	-	-	-	-	-	13	1.5	0.20	1.2	0.16
Corpus & uterus, NOS[1]	-	-	-	-	-	51	4.8	0.31	3.4	0.23
Ovary	-	-	-	-	-	68	6.6	0.37	4.7	0.27
Male Genital System	163	20.9	0.74	11.6	0.41	-	-	-	-	-
Prostate	160	20.5	0.74	11.3	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	131	15.9	0.64	9.8	0.39	59	5.5	0.33	3.3	0.21
Bladder	74	9.3	0.49	5.4	0.28	30	2.7	0.23	1.5	0.14
Kidney & renal pelvis	52	6.1	0.39	4.1	0.26	28	2.6	0.23	1.7	0.16
Brain & Other CNS[1]	55	6.7	0.42	5.2	0.34	37	3.9	0.30	3.0	0.24
Endocrine System	6	0.8	0.15	0.6	0.13	6	0.6	0.12	0.5	0.11
Thyroid gland	3	0.4	0.10	0.3	0.07	4	0.4	0.08	0.2	0.06
Lymphomas	63	8.0	0.46	5.0	0.30	53	5.0	0.32	3.1	0.21
Hodgkin Lymphoma	3	0.4	0.10	0.3	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	60	7.6	0.45	4.7	0.29	-	-	-	-	-
Multiple Myeloma	33	4.0	0.32	2.5	0.20	28	2.6	0.22	1.6	0.14
Leukemias	68	8.5	0.47	5.3	0.30	50	4.8	0.32	3.1	0.23
Other, Ill-defined & Unknown	169	20.9	0.74	13.6	0.49	153	14.7	0.55	9.6	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	8	147.1	27.71	101.7	17.18	6	133.2	25.60	90.5	16.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	37.1	11.35	29.7	8.58	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	58.6	17.50	40.2	10.85	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	56.4	17.35	38.2	10.67	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	79.8	19.79	57.4	13.09	7	87.8	15.88	62.6	10.79
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,437	186.9	1.17	123.8	0.76	5,291	137.8	0.87	95.0	0.62
Oral Cavity & Pharynx	120	3.9	0.16	2.8	0.12	53	1.4	0.09	1.0	0.06
Digestive System	1,595	52.9	0.61	36.6	0.41	1,223	31.6	0.41	21.3	0.29
Esophagus	197	6.5	0.21	4.5	0.15	59	1.5	0.09	1.0	0.06
Stomach	122	4.1	0.17	2.8	0.12	85	2.2	0.11	1.5	0.08
Colon & Rectum	480	16.5	0.35	11.1	0.23	457	11.7	0.25	7.8	0.17
Liver	266	8.0	0.23	6.1	0.17	91	2.3	0.11	1.6	0.08
Pancreas	407	13.7	0.31	9.3	0.21	375	9.8	0.23	6.5	0.16
Respiratory System	1,428	48.5	0.59	32.4	0.39	1,304	34.0	0.43	23.0	0.29
Larynx	55	1.8	0.11	1.3	0.08	17	0.4	0.05	0.3	0.03
Lung & bronchus	1,362	46.3	0.58	30.9	0.38	1,281	33.4	0.42	22.6	0.29
Skin	132	4.7	0.19	3.0	0.12	63	1.7	0.10	1.1	0.07
Melanomas of the skin	89	3.1	0.15	2.1	0.10	46	1.2	0.08	0.8	0.06
Breast	11	0.4	0.05	0.3	0.03	831	21.8	0.35	15.9	0.26
Female Genital System	-	-	-	-	-	596	15.5	0.29	11.3	0.21
Cervix uteri	-	-	-	-	-	69	1.9	0.10	1.5	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	226	5.8	0.18	4.2	0.13
Ovary	-	-	-	-	-	258	6.7	0.19	4.8	0.14
Male Genital System	543	20.4	0.40	11.6	0.23	-	-	-	-	-
Prostate	531	20.0	0.40	11.3	0.22	-	-	-	-	-
Testis	7	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	381	13.6	0.32	8.4	0.19	175	4.5	0.16	2.8	0.10
Bladder	218	8.1	0.25	4.7	0.14	92	2.4	0.11	1.4	0.07
Kidney & renal pelvis	151	5.0	0.19	3.4	0.13	75	2.0	0.10	1.3	0.07
Brain & Other CNS[1]	152	5.0	0.19	3.9	0.15	123	3.3	0.14	2.6	0.11
Endocrine System	23	0.8	0.07	0.6	0.06	32	0.9	0.07	0.6	0.05
Thyroid gland	13	0.4	0.05	0.3	0.04	22	0.6	0.06	0.4	0.04
Lymphomas	204	7.2	0.23	4.7	0.15	162	4.3	0.15	2.7	0.10
Hodgkin Lymphoma	9	0.3	0.05	0.2	0.03	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	195	6.9	0.23	4.4	0.14	154	4.0	0.15	2.6	0.10
Multiple Myeloma	137	4.8	0.19	3.1	0.12	127	3.3	0.13	2.1	0.09
Leukemias	237	8.5	0.25	5.6	0.17	174	4.6	0.16	3.1	0.12
Other, Ill-defined & Unknown	473	16.4	0.35	10.9	0.23	428	11.1	0.25	7.4	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,779	183.1	1.36	120.4	0.90	3,565	136.6	1.05	93.3	0.76
Oral Cavity & Pharynx	83	3.8	0.19	2.7	0.14	36	1.4	0.10	0.9	0.08
Digestive System	1,039	49.1	0.70	33.6	0.48	792	29.9	0.49	19.9	0.34
Esophagus	158	7.4	0.27	5.2	0.19	44	1.7	0.12	1.1	0.08
Stomach	65	3.1	0.18	2.2	0.12	45	1.7	0.12	1.2	0.09
Colon & Rectum	313	15.1	0.39	10.1	0.26	301	11.2	0.30	7.4	0.21
Liver	141	6.2	0.24	4.6	0.18	52	2.0	0.12	1.3	0.09
Pancreas	280	13.4	0.36	8.9	0.24	248	9.4	0.27	6.3	0.19
Respiratory System	1,018	48.8	0.70	32.3	0.46	942	36.2	0.54	24.5	0.38
Larynx	34	1.6	0.13	1.1	0.08	10	0.4	0.05	0.3	0.04
Lung & bronchus	976	46.8	0.68	31.0	0.45	929	35.7	0.54	24.1	0.37
Skin	123	6.1	0.25	3.9	0.16	57	2.2	0.14	1.5	0.10
Melanomas of the skin	85	4.2	0.21	2.8	0.14	43	1.7	0.12	1.2	0.09
Breast	7	0.3	0.06	0.2	0.04	513	19.9	0.41	14.2	0.30
Female Genital System	-	-	-	-	-	369	14.5	0.35	10.4	0.26
Cervix uteri	-	-	-	-	-	36	1.6	0.12	1.3	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	119	4.6	0.19	3.3	0.14
Ovary	-	-	-	-	-	180	7.0	0.24	5.0	0.18
Male Genital System	327	16.8	0.42	9.3	0.24	-	-	-	-	-
Prostate	319	16.4	0.42	9.0	0.23	-	-	-	-	-
Testis	6	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	298	14.7	0.39	9.0	0.24	124	4.6	0.19	2.8	0.12
Bladder	176	8.9	0.30	5.1	0.18	66	2.4	0.14	1.4	0.08
Kidney & renal pelvis	111	5.2	0.23	3.6	0.15	52	1.9	0.12	1.3	0.09
Brain & Other CNS[1]	120	5.8	0.24	4.6	0.20	102	4.2	0.19	3.3	0.16
Endocrine System	14	0.7	0.08	0.5	0.07	20	0.8	0.08	0.6	0.07
Thyroid gland	9	0.4	0.06	0.3	0.04	13	0.5	0.07	0.3	0.04
Lymphomas	156	7.7	0.28	4.9	0.18	122	4.6	0.19	2.9	0.13
Hodgkin Lymphoma	6	0.3	0.06	0.2	0.04	6	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	150	7.4	0.28	4.7	0.18	116	4.3	0.18	2.7	0.12
Multiple Myeloma	78	3.9	0.20	2.4	0.13	66	2.5	0.14	1.5	0.09
Leukemias	181	9.1	0.31	5.9	0.21	132	5.1	0.20	3.4	0.15
Other, Ill-defined & Unknown	335	16.4	0.41	10.8	0.27	291	10.9	0.30	7.2	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,489	219.7	2.74	147.8	1.73	1,568	151.7	1.76	107.1	1.23
Oral Cavity & Pharynx	32	4.4	0.37	3.1	0.25	15	1.4	0.17	1.0	0.12
Digestive System	491	67.4	1.47	47.7	0.97	388	37.7	0.88	25.9	0.60
Esophagus	35	5.0	0.41	3.5	0.26	15	1.3	0.16	1.0	0.12
Stomach	46	7.0	0.50	4.6	0.30	33	3.2	0.26	2.2	0.17
Colon & Rectum	152	22.4	0.87	15.1	0.55	142	13.8	0.53	9.4	0.36
Liver	108	12.2	0.56	9.9	0.43	33	3.1	0.25	2.2	0.17
Pancreas	115	15.9	0.71	11.1	0.47	115	11.5	0.49	7.7	0.33
Respiratory System	372	53.7	1.34	36.7	0.86	332	32.2	0.81	22.2	0.55
Larynx	20	2.9	0.31	2.0	0.20	7	0.7	0.12	0.4	0.08
Lung & bronchus	349	50.4	1.30	34.4	0.83	323	31.3	0.80	21.6	0.54
Skin	9	1.2	0.19	0.9	0.13	5	0.5	0.11	0.3	0.07
Melanomas of the skin	3	0.5	0.13	0.3	0.08	2	0.2	0.07	0.1	0.04
Breast	4	0.5	0.13	0.4	0.09	295	27.9	0.75	20.8	0.55
Female Genital System	-	-	-	-	-	207	19.3	0.62	14.2	0.45
Cervix uteri	-	-	-	-	-	29	2.7	0.23	2.1	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	100	9.3	0.43	6.9	0.31
Ovary	-	-	-	-	-	69	6.6	0.36	4.7	0.26
Male Genital System	205	36.5	1.21	21.2	0.67	-	-	-	-	-
Prostate	202	36.1	1.21	20.9	0.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	75	11.7	0.65	7.5	0.39	48	5.0	0.33	3.2	0.21
Bladder	37	6.2	0.49	3.8	0.28	24	2.5	0.23	1.5	0.14
Kidney & renal pelvis	38	5.5	0.43	3.7	0.27	22	2.3	0.22	1.6	0.15
Brain & Other CNS[1]	26	3.3	0.31	2.6	0.23	18	1.8	0.19	1.4	0.16
Endocrine System	7	1.0	0.18	0.7	0.12	10	0.9	0.14	0.7	0.10
Thyroid gland	4	0.6	0.14	0.4	0.08	7	0.7	0.12	0.5	0.08
Lymphomas	38	5.4	0.42	3.8	0.28	33	3.4	0.27	2.4	0.19
Hodgkin Lymphoma	3	0.3	0.09	0.3	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	35	5.0	0.41	3.5	0.27	-	-	-	-	-
Multiple Myeloma	55	8.6	0.56	5.5	0.33	57	5.7	0.35	3.7	0.22
Leukemias	48	7.6	0.52	5.0	0.32	38	3.7	0.28	2.7	0.20
Other, Ill-defined & Unknown	127	18.3	0.79	12.6	0.51	122	12.1	0.50	8.4	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	161	102.4	3.76	67.1	2.37	152	75.5	2.81	51.4	1.88
Oral Cavity & Pharynx	5	2.7	0.56	2.1	0.42	-	-	-	-	-
Digestive System	62	38.7	2.29	25.7	1.46	43	21.8	1.53	14.3	0.99
Esophagus	4	2.3	0.56	1.6	0.36	-	-	-	-	-
Stomach	11	6.9	0.98	4.4	0.60	7	3.6	0.61	2.5	0.42
Colon & Rectum	15	9.7	1.18	6.2	0.72	13	6.6	0.83	4.5	0.55
Liver	17	10.2	1.16	7.0	0.76	6	2.9	0.56	1.9	0.35
Pancreas	11	6.8	0.94	4.7	0.62	12	6.2	0.84	3.9	0.51
Respiratory System	35	22.5	1.77	14.6	1.10	28	14.3	1.24	9.3	0.79
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	35	22.0	1.75	14.3	1.09	27	14.1	1.23	9.2	0.79
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	22	9.9	0.96	7.6	0.73
Female Genital System	-	-	-	-	-	20	9.0	0.92	6.8	0.68
Cervix uteri	-	-	-	-	-	3	1.4	0.35	1.2	0.29
Corpus & uterus, NOS[1]	-	-	-	-	-	6	2.9	0.53	2.2	0.38
Ovary	-	-	-	-	-	9	4.1	0.63	3.1	0.46
Male Genital System	10	7.4	1.06	4.3	0.60	-	-	-	-	-
Prostate	10	7.3	1.05	4.2	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	5.5	0.90	3.3	0.52	3	1.7	0.44	1.0	0.25
Bladder	5	3.5	0.74	2.0	0.40	-	-	-	-	-
Kidney & renal pelvis	2	1.3	0.40	0.9	0.27	-	-	-	-	-
Brain & Other CNS[1]	6	3.4	0.63	2.8	0.50	3	1.4	0.37	1.1	0.30
Endocrine System	-	-	-	-	-	2	1.1	0.35	0.7	0.23
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	6.4	0.98	3.9	0.57	6	3.5	0.62	2.1	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	2.6	0.63	1.6	0.36	3	1.7	0.43	1.1	0.27
Leukemias	8	4.6	0.77	3.2	0.52	5	2.4	0.52	1.7	0.35
Other, Ill-defined & Unknown	11	7.2	1.01	4.7	0.64	14	7.4	0.90	4.7	0.57

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,508	183.6	1.04	119.6	0.68	6,301	132.6	0.77	89.4	0.55
Oral Cavity & Pharynx	131	3.5	0.14	2.5	0.10	65	1.3	0.08	0.9	0.05
Digestive System	1,872	51.5	0.55	35.1	0.37	1,458	30.3	0.37	19.9	0.25
Esophagus	300	8.1	0.22	5.6	0.15	84	1.7	0.09	1.2	0.06
Stomach	150	4.2	0.16	2.9	0.11	104	2.2	0.10	1.5	0.07
Colon & Rectum	491	13.9	0.29	9.1	0.19	508	10.5	0.22	6.8	0.15
Liver	290	7.5	0.20	5.5	0.15	87	1.8	0.09	1.3	0.07
Pancreas	470	13.0	0.27	8.7	0.18	479	9.9	0.21	6.5	0.14
Respiratory System	1,670	46.7	0.52	30.7	0.34	1,644	34.9	0.39	23.4	0.27
Larynx	52	1.4	0.09	1.0	0.06	16	0.3	0.04	0.2	0.03
Lung & bronchus	1,604	44.9	0.51	29.5	0.33	1,619	34.3	0.39	23.1	0.27
Skin	187	5.3	0.18	3.4	0.11	109	2.2	0.10	1.5	0.07
Melanomas of the skin	128	3.6	0.15	2.4	0.10	81	1.7	0.09	1.2	0.07
Breast	10	0.3	0.04	0.2	0.02	828	17.8	0.29	12.7	0.21
Female Genital System	-	-	-	-	-	665	14.2	0.25	10.1	0.19
Cervix uteri	-	-	-	-	-	46	1.1	0.08	0.9	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	221	4.6	0.14	3.2	0.10
Ovary	-	-	-	-	-	330	7.1	0.18	5.0	0.13
Male Genital System	633	18.8	0.34	10.5	0.19	-	-	-	-	-
Prostate	619	18.4	0.34	10.2	0.19	-	-	-	-	-
Testis	6	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	475	13.7	0.29	8.4	0.18	225	4.4	0.14	2.8	0.09
Bladder	286	8.4	0.23	4.8	0.13	121	2.4	0.10	1.4	0.06
Kidney & renal pelvis	177	4.9	0.17	3.3	0.11	98	2.0	0.09	1.3	0.06
Brain & Other CNS[1]	208	5.7	0.18	4.4	0.14	163	3.7	0.13	2.9	0.11
Endocrine System	30	0.9	0.07	0.6	0.05	33	0.7	0.06	0.5	0.04
Thyroid gland	20	0.6	0.06	0.4	0.04	23	0.5	0.05	0.3	0.03
Lymphomas	241	7.0	0.21	4.4	0.13	213	4.4	0.14	2.7	0.09
Hodgkin Lymphoma	11	0.3	0.04	0.2	0.03	8	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	230	6.7	0.20	4.2	0.13	205	4.2	0.14	2.6	0.09
Multiple Myeloma	134	3.9	0.15	2.4	0.10	121	2.4	0.10	1.5	0.07
Leukemias	280	8.2	0.22	5.2	0.15	220	4.6	0.14	2.9	0.10
Other, Ill-defined & Unknown	638	18.0	0.33	11.8	0.22	557	11.6	0.23	7.6	0.16

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,010	187.4	1.10	122.0	0.73	5,848	136.4	0.83	92.1	0.59
Oral Cavity & Pharynx	118	3.5	0.15	2.5	0.11	62	1.4	0.08	0.9	0.06
Digestive System	1,690	51.6	0.58	35.0	0.39	1,332	30.5	0.39	20.1	0.27
Esophagus	286	8.6	0.23	6.0	0.16	80	1.8	0.09	1.2	0.07
Stomach	126	4.0	0.16	2.7	0.11	87	2.0	0.10	1.4	0.07
Colon & Rectum	448	14.1	0.30	9.2	0.20	467	10.6	0.23	6.9	0.16
Liver	243	7.0	0.21	5.1	0.15	76	1.8	0.09	1.2	0.07
Pancreas	435	13.3	0.29	8.9	0.20	446	10.2	0.22	6.7	0.15
Respiratory System	1,547	47.7	0.55	31.4	0.36	1,553	36.5	0.43	24.6	0.30
Larynx	49	1.5	0.10	1.0	0.06	16	0.4	0.04	0.2	0.03
Lung & bronchus	1,486	45.9	0.54	30.2	0.36	1,530	35.9	0.42	24.2	0.29
Skin	184	5.8	0.20	3.7	0.13	107	2.5	0.11	1.6	0.08
Melanomas of the skin	127	4.0	0.16	2.6	0.11	80	1.9	0.10	1.3	0.08
Breast	9	0.3	0.04	0.2	0.03	758	18.2	0.31	13.0	0.23
Female Genital System	-	-	-	-	-	611	14.6	0.27	10.3	0.20
Cervix uteri	-	-	-	-	-	39	1.1	0.08	0.9	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	198	4.6	0.15	3.2	0.11
Ovary	-	-	-	-	-	310	7.5	0.20	5.3	0.14
Male Genital System	575	18.7	0.35	10.4	0.20	-	-	-	-	-
Prostate	561	18.2	0.35	10.1	0.19	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	458	14.5	0.31	8.9	0.19	213	4.6	0.15	2.8	0.10
Bladder	278	9.0	0.24	5.2	0.14	115	2.5	0.11	1.4	0.07
Kidney & renal pelvis	168	5.1	0.18	3.5	0.12	92	2.0	0.10	1.3	0.07
Brain & Other CNS[1]	198	6.1	0.20	4.6	0.16	154	3.9	0.15	3.0	0.12
Endocrine System	28	0.9	0.08	0.6	0.06	29	0.7	0.06	0.5	0.05
Thyroid gland	19	0.6	0.06	0.4	0.04	20	0.5	0.05	0.3	0.03
Lymphomas	225	7.3	0.22	4.6	0.14	200	4.5	0.15	2.7	0.10
Hodgkin Lymphoma	9	0.3	0.05	0.2	0.04	8	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	216	7.0	0.22	4.4	0.14	192	4.3	0.15	2.6	0.10
Multiple Myeloma	119	3.8	0.16	2.4	0.10	107	2.4	0.11	1.5	0.07
Leukemias	265	8.6	0.24	5.5	0.16	207	4.7	0.15	3.0	0.11
Other, Ill-defined & Unknown	594	18.6	0.35	12.2	0.23	517	11.8	0.24	7.8	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	320	169.1	4.55	113.0	2.85	309	113.8	2.95	78.5	2.03
Oral Cavity & Pharynx	7	3.5	0.65	2.4	0.42	-	-	-	-	-
Digestive System	111	54.0	2.48	38.1	1.64	82	30.4	1.53	20.4	1.03
Esophagus	9	4.6	0.75	3.0	0.47	3	1.1	0.29	0.7	0.19
Stomach	13	6.9	0.92	4.6	0.57	10	3.6	0.53	2.3	0.35
Colon & Rectum	29	14.8	1.33	10.0	0.84	29	10.6	0.90	7.2	0.61
Liver	26	10.4	0.97	8.5	0.75	6	2.1	0.40	1.5	0.28
Pancreas	25	12.7	1.22	8.8	0.79	22	8.0	0.79	5.3	0.52
Respiratory System	73	37.2	2.09	25.9	1.38	57	21.3	1.29	14.6	0.87
Larynx	3	1.4	0.40	1.0	0.27	-	-	-	-	-
Lung & bronchus	69	35.3	2.04	24.6	1.34	56	20.9	1.27	14.3	0.87
Skin	2	0.9	0.28	0.7	0.23	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	52	18.3	1.16	13.2	0.84
Female Genital System	-	-	-	-	-	39	14.0	1.03	10.1	0.73
Cervix uteri	-	-	-	-	-	5	1.7	0.36	1.2	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	19	6.7	0.72	4.8	0.50
Ovary	-	-	-	-	-	13	4.5	0.57	3.2	0.41
Male Genital System	49	32.7	2.18	18.1	1.17	-	-	-	-	-
Prostate	49	32.6	2.18	18.1	1.17	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	7.7	1.02	4.7	0.59	9	3.4	0.52	2.2	0.34
Bladder	6	3.7	0.72	2.2	0.40	4	1.8	0.39	1.0	0.22
Kidney & renal pelvis	7	3.7	0.70	2.4	0.42	5	1.6	0.34	1.2	0.25
Brain & Other CNS[1]	7	2.6	0.47	2.2	0.38	5	1.7	0.35	1.5	0.30
Endocrine System	-	-	-	-	-	3	1.0	0.28	0.7	0.19
Thyroid gland	-	-	-	-	-	2	0.9	0.26	0.5	0.17
Lymphomas	9	4.3	0.70	3.0	0.45	8	3.1	0.49	2.0	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	6.0	0.88	3.9	0.53	13	4.9	0.63	3.1	0.40
Leukemias	9	5.1	0.81	3.4	0.49	10	3.7	0.54	2.6	0.38
Other, Ill-defined & Unknown	29	14.3	1.29	9.9	0.84	29	10.8	0.92	7.4	0.63

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	169	119.2	4.30	77.5	2.68	138	76.5	3.01	52.1	2.01
Oral Cavity & Pharynx	6	3.9	0.74	2.7	0.49	2	1.0	0.34	0.8	0.25
Digestive System	68	45.6	2.60	30.8	1.68	44	24.7	1.72	16.6	1.13
Esophagus	5	3.5	0.74	2.2	0.45	-	-	-	-	-
Stomach	11	6.9	1.00	4.9	0.67	7	3.6	0.61	2.8	0.47
Colon & Rectum	13	8.9	1.14	6.0	0.74	12	7.1	0.95	4.4	0.57
Liver	21	14.0	1.44	9.6	0.93	5	2.9	0.59	2.1	0.41
Pancreas	10	6.8	1.01	4.6	0.65	12	6.9	0.93	4.3	0.58
Respiratory System	48	36.0	2.41	22.5	1.45	32	19.2	1.55	12.0	0.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	35.4	2.39	22.2	1.44	31	18.8	1.54	11.8	0.95
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	16	7.7	0.90	5.9	0.66
Female Genital System	-	-	-	-	-	14	7.4	0.90	5.5	0.66
Cervix uteri	-	-	-	-	-	2	1.1	0.31	0.9	0.27
Corpus & uterus, NOS[1]	-	-	-	-	-	4	2.2	0.49	1.7	0.37
Ovary	-	-	-	-	-	7	3.5	0.62	2.6	0.45
Male Genital System	8	6.9	1.12	3.6	0.57	-	-	-	-	-
Prostate	7	6.6	1.11	3.4	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	2.5	0.62	1.6	0.37	3	1.7	0.44	1.2	0.30
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	1.6	0.49	1.1	0.31	-	-	-	-	-
Brain & Other CNS[1]	3	1.7	0.43	1.6	0.39	4	2.1	0.47	1.8	0.38
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	4.7	0.85	3.1	0.53	5	2.9	0.59	1.9	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	2.3	0.57	1.6	0.40	-	-	-	-	-
Leukemias	5	3.6	0.73	2.5	0.49	4	2.0	0.50	1.3	0.32
Other, Ill-defined & Unknown	15	10.7	1.31	6.7	0.79	11	6.1	0.86	4.1	0.57

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,824	198.4	0.88	132.4	0.58	9,938	145.7	0.67	101.0	0.49
Oral Cavity & Pharynx	240	4.1	0.12	3.1	0.09	100	1.5	0.07	1.0	0.05
Digestive System	2,980	53.2	0.45	37.0	0.31	2,271	32.8	0.32	22.1	0.22
Esophagus	479	8.4	0.18	6.0	0.12	116	1.7	0.07	1.2	0.05
Stomach	197	3.7	0.12	2.5	0.08	138	2.0	0.08	1.4	0.06
Colon & Rectum	891	16.5	0.25	11.1	0.17	834	12.1	0.19	8.1	0.14
Liver	408	6.7	0.15	5.0	0.11	177	2.5	0.09	1.8	0.06
Pancreas	777	13.9	0.23	9.5	0.16	743	10.7	0.18	7.2	0.12
Respiratory System	3,171	56.8	0.46	38.6	0.31	2,710	39.6	0.35	27.5	0.25
Larynx	118	2.0	0.09	1.4	0.06	36	0.5	0.04	0.4	0.03
Lung & bronchus	3,030	54.3	0.45	36.9	0.30	2,661	38.8	0.34	27.0	0.24
Skin	261	4.9	0.14	3.3	0.09	125	1.9	0.08	1.3	0.06
Melanomas of the skin	180	3.4	0.12	2.3	0.08	92	1.4	0.07	1.0	0.05
Breast	20	0.3	0.04	0.2	0.03	1,385	20.7	0.26	15.0	0.19
Female Genital System	-	-	-	-	-	1,064	15.9	0.22	11.6	0.17
Cervix uteri	-	-	-	-	-	116	2.0	0.09	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	367	5.3	0.13	3.8	0.09
Ovary	-	-	-	-	-	495	7.3	0.15	5.3	0.11
Male Genital System	967	19.2	0.28	10.8	0.16	-	-	-	-	-
Prostate	944	18.7	0.28	10.5	0.15	-	-	-	-	-
Testis	12	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	746	14.1	0.24	8.8	0.15	359	5.1	0.12	3.2	0.08
Bladder	411	8.0	0.18	4.7	0.10	178	2.5	0.09	1.5	0.05
Kidney & renal pelvis	314	5.7	0.15	3.9	0.10	166	2.4	0.08	1.6	0.06
Brain & Other CNS[1]	315	5.7	0.15	4.4	0.12	243	3.7	0.11	2.9	0.09
Endocrine System	45	0.9	0.06	0.6	0.05	46	0.7	0.05	0.5	0.04
Thyroid gland	28	0.5	0.05	0.4	0.03	30	0.4	0.04	0.3	0.03
Lymphomas	428	8.2	0.18	5.2	0.12	344	5.0	0.12	3.2	0.08
Hodgkin Lymphoma	20	0.4	0.04	0.3	0.03	14	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	408	7.8	0.18	4.9	0.11	330	4.8	0.12	3.0	0.08
Multiple Myeloma	244	4.6	0.13	2.9	0.08	203	2.9	0.09	1.9	0.06
Leukemias	482	9.4	0.19	6.0	0.13	327	4.8	0.12	3.2	0.09
Other, Ill-defined & Unknown	925	17.1	0.26	11.4	0.17	762	11.1	0.19	7.6	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9,354	195.9	0.93	130.0	0.62	8,429	143.6	0.72	99.0	0.52
Oral Cavity & Pharynx	204	4.0	0.13	3.0	0.10	87	1.5	0.07	1.0	0.05
Digestive System	2,515	51.5	0.47	35.5	0.32	1,867	31.2	0.33	20.9	0.23
Esophagus	436	8.7	0.19	6.2	0.14	98	1.6	0.08	1.1	0.05
Stomach	149	3.2	0.12	2.1	0.08	102	1.7	0.08	1.2	0.06
Colon & Rectum	742	15.7	0.27	10.5	0.18	688	11.5	0.20	7.6	0.14
Liver	313	6.0	0.16	4.4	0.11	135	2.2	0.09	1.5	0.06
Pancreas	677	13.8	0.24	9.5	0.17	617	10.3	0.19	6.8	0.13
Respiratory System	2,730	55.8	0.49	37.8	0.33	2,345	39.8	0.38	27.7	0.27
Larynx	92	1.8	0.09	1.3	0.06	27	0.5	0.04	0.3	0.03
Lung & bronchus	2,618	53.6	0.48	36.2	0.32	2,308	39.2	0.37	27.2	0.27
Skin	254	5.5	0.16	3.7	0.11	119	2.1	0.09	1.5	0.07
Melanomas of the skin	177	3.8	0.13	2.7	0.09	90	1.6	0.08	1.2	0.06
Breast	16	0.3	0.04	0.2	0.03	1,137	19.9	0.27	14.3	0.21
Female Genital System	-	-	-	-	-	892	15.6	0.24	11.3	0.18
Cervix uteri	-	-	-	-	-	92	1.9	0.10	1.6	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	285	4.8	0.13	3.4	0.10
Ovary	-	-	-	-	-	438	7.6	0.17	5.5	0.12
Male Genital System	790	17.7	0.29	9.9	0.16	-	-	-	-	-
Prostate	769	17.3	0.28	9.5	0.16	-	-	-	-	-
Testis	11	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	675	14.5	0.25	9.0	0.16	315	5.1	0.13	3.2	0.09
Bladder	380	8.3	0.19	4.9	0.11	158	2.5	0.09	1.5	0.06
Kidney & renal pelvis	277	5.7	0.16	3.9	0.11	145	2.4	0.09	1.6	0.06
Brain & Other CNS[1]	292	6.1	0.17	4.7	0.13	222	4.0	0.13	3.1	0.10
Endocrine System	38	0.8	0.06	0.6	0.05	38	0.7	0.05	0.5	0.04
Thyroid gland	24	0.5	0.05	0.4	0.03	25	0.4	0.04	0.3	0.03
Lymphomas	388	8.4	0.20	5.3	0.13	312	5.2	0.14	3.3	0.09
Hodgkin Lymphoma	17	0.4	0.04	0.3	0.03	12	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	371	8.0	0.19	5.1	0.12	300	5.0	0.13	3.1	0.09
Multiple Myeloma	200	4.3	0.14	2.7	0.09	153	2.5	0.09	1.6	0.06
Leukemias	440	9.7	0.21	6.2	0.14	289	4.9	0.13	3.2	0.10
Other, Ill-defined & Unknown	812	17.2	0.28	11.4	0.19	652	11.0	0.20	7.5	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,323	236.4	3.06	164.5	2.04	1,361	169.8	2.11	121.8	1.52
Oral Cavity & Pharynx	31	5.0	0.42	3.9	0.31	12	1.4	0.19	1.2	0.16
Digestive System	410	69.4	1.62	50.8	1.13	366	45.3	1.08	32.0	0.77
Esophagus	36	5.9	0.46	4.5	0.33	18	2.1	0.23	1.6	0.17
Stomach	40	7.2	0.53	5.1	0.37	32	4.1	0.33	2.7	0.22
Colon & Rectum	133	23.5	0.96	16.7	0.65	136	17.0	0.67	11.8	0.47
Liver	84	12.2	0.63	10.0	0.49	35	4.0	0.32	3.0	0.24
Pancreas	90	15.9	0.79	11.4	0.54	116	14.3	0.61	10.0	0.43
Respiratory System	402	70.7	1.66	49.9	1.12	320	40.0	1.03	28.0	0.72
Larynx	25	3.9	0.38	3.0	0.27	8	1.0	0.16	0.7	0.12
Lung & bronchus	375	66.3	1.62	46.6	1.09	309	38.7	1.01	27.0	0.70
Skin	6	0.9	0.19	0.7	0.13	5	0.7	0.13	0.5	0.09
Melanomas of the skin	2	0.4	0.13	0.3	0.08	2	0.3	0.08	0.2	0.05
Breast	4	0.6	0.16	0.5	0.11	231	28.7	0.87	21.4	0.65
Female Genital System	-	-	-	-	-	156	19.4	0.71	14.4	0.53
Cervix uteri	-	-	-	-	-	22	2.8	0.27	2.2	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	77	9.4	0.49	7.0	0.36
Ovary	-	-	-	-	-	48	6.1	0.40	4.4	0.29
Male Genital System	169	34.8	1.25	20.7	0.72	-	-	-	-	-
Prostate	167	34.5	1.24	20.5	0.72	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	63	11.9	0.70	7.9	0.45	39	5.0	0.37	3.4	0.25
Bladder	29	5.8	0.50	3.6	0.30	19	2.5	0.26	1.6	0.17
Kidney & renal pelvis	33	5.7	0.47	4.1	0.32	19	2.4	0.25	1.7	0.18
Brain & Other CNS[1]	20	3.2	0.33	2.5	0.26	17	2.1	0.23	1.8	0.20
Endocrine System	5	1.1	0.22	0.7	0.14	7	0.8	0.14	0.6	0.12
Thyroid gland	3	0.6	0.16	0.4	0.10	4	0.5	0.11	0.3	0.08
Lymphomas	32	5.7	0.47	4.1	0.33	28	3.6	0.31	2.6	0.23
Hodgkin Lymphoma	3	0.4	0.12	0.4	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	29	5.3	0.46	3.7	0.31	-	-	-	-	-
Multiple Myeloma	41	7.9	0.58	5.2	0.36	47	6.1	0.40	4.0	0.27
Leukemias	37	7.3	0.56	4.9	0.36	34	4.4	0.35	3.1	0.25
Other, Ill-defined & Unknown	102	17.7	0.83	12.7	0.57	99	12.3	0.57	8.9	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	88	91.3	4.72	60.0	2.89	93	77.7	3.78	52.5	2.45
Oral Cavity & Pharynx	2	1.9	0.55	1.5	0.43	-	-	-	-	-
Digestive System	34	34.3	2.86	22.8	1.77	25	22.2	2.08	14.2	1.27
Esophagus	2	2.3	0.71	1.6	0.47	-	-	-	-	-
Stomach	6	5.9	1.12	4.1	0.75	4	3.4	0.81	2.1	0.47
Colon & Rectum	10	10.1	1.60	6.5	0.94	7	5.7	1.04	3.7	0.64
Liver	7	5.9	1.12	4.3	0.76	4	4.0	0.89	2.6	0.55
Pancreas	6	6.9	1.38	4.0	0.76	6	5.7	1.08	3.6	0.65
Respiratory System	17	17.6	2.07	11.6	1.28	21	18.0	1.83	11.8	1.16
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	17.3	2.06	11.4	1.26	20	17.2	1.79	11.4	1.14
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	12	9.2	1.24	6.8	0.87
Female Genital System	-	-	-	-	-	13	9.8	1.25	7.4	0.91
Cervix uteri	-	-	-	-	-	2	1.7	0.55	1.3	0.38
Corpus & uterus, NOS[1]	-	-	-	-	-	4	2.6	0.59	2.2	0.49
Ovary	-	-	-	-	-	6	4.9	0.93	3.5	0.63
Male Genital System	7	9.0	1.66	4.8	0.84	-	-	-	-	-
Prostate	6	8.7	1.65	4.6	0.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	5.0	1.18	3.0	0.66	3	2.6	0.75	1.5	0.42
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	3	3.3	0.95	2.0	0.54	-	-	-	-	-
Brain & Other CNS[1]	3	2.2	0.63	1.7	0.47	3	2.0	0.55	1.7	0.44
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	5.4	1.08	3.9	0.73	2	2.3	0.70	1.4	0.41
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	2.2	0.71	1.5	0.46	-	-	-	-	-
Leukemias	4	4.4	1.06	2.7	0.62	3	2.0	0.59	1.5	0.42
Other, Ill-defined & Unknown	7	6.6	1.22	4.6	0.79	7	6.2	1.10	3.9	0.67

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,966	198.3	1.45	132.7	0.96	3,949	149.3	1.09	103.7	0.79
Oral Cavity & Pharynx	85	4.0	0.20	2.9	0.15	35	1.3	0.10	1.0	0.08
Digestive System	1,121	54.2	0.75	38.0	0.52	918	34.1	0.52	23.1	0.37
Esophagus	166	7.9	0.28	5.6	0.20	47	1.7	0.11	1.2	0.08
Stomach	87	4.4	0.22	3.0	0.15	66	2.5	0.14	1.6	0.10
Colon & Rectum	332	16.6	0.42	11.3	0.28	337	12.4	0.31	8.4	0.22
Liver	168	7.4	0.26	5.6	0.20	72	2.7	0.14	1.9	0.10
Pancreas	282	13.7	0.38	9.5	0.26	301	11.2	0.30	7.6	0.21
Respiratory System	1,139	56.3	0.77	38.1	0.51	1,063	40.2	0.56	27.7	0.40
Larynx	48	2.3	0.15	1.6	0.11	14	0.6	0.07	0.4	0.05
Lung & bronchus	1,083	53.6	0.75	36.2	0.50	1,043	39.5	0.56	27.1	0.39
Skin	85	4.4	0.22	2.9	0.14	40	1.6	0.12	1.1	0.09
Melanomas of the skin	56	2.9	0.18	2.0	0.12	30	1.2	0.10	0.9	0.08
Breast	8	0.4	0.07	0.3	0.05	576	22.0	0.42	15.9	0.32
Female Genital System	-	-	-	-	-	433	16.7	0.37	12.3	0.28
Cervix uteri	-	-	-	-	-	50	2.2	0.14	1.8	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	152	5.7	0.21	4.1	0.16
Ovary	-	-	-	-	-	198	7.6	0.25	5.5	0.18
Male Genital System	371	19.9	0.47	11.5	0.27	-	-	-	-	-
Prostate	363	19.4	0.47	11.1	0.27	-	-	-	-	-
Testis	5	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	271	13.9	0.39	8.8	0.24	135	4.9	0.19	3.1	0.13
Bladder	148	7.8	0.29	4.6	0.17	69	2.5	0.14	1.5	0.09
Kidney & renal pelvis	115	5.7	0.24	3.9	0.17	60	2.2	0.13	1.5	0.09
Brain & Other CNS[1]	112	5.4	0.24	4.1	0.18	91	3.6	0.17	2.8	0.15
Endocrine System	20	1.0	0.11	0.7	0.07	20	0.7	0.08	0.6	0.06
Thyroid gland	12	0.6	0.08	0.4	0.05	13	0.5	0.06	0.3	0.04
Lymphomas	154	8.0	0.30	5.2	0.19	136	5.2	0.20	3.3	0.14
Hodgkin Lymphoma	7	0.4	0.06	0.3	0.05	6	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	147	7.7	0.29	4.9	0.18	130	4.9	0.20	3.1	0.13
Multiple Myeloma	96	4.9	0.23	3.2	0.15	87	3.2	0.16	2.1	0.11
Leukemias	166	8.9	0.32	5.7	0.20	126	4.8	0.20	3.2	0.14
Other, Ill-defined & Unknown	338	17.0	0.42	11.4	0.29	290	10.9	0.30	7.5	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,956	192.4	1.62	127.0	1.07	2,870	145.7	1.26	100.0	0.91
Oral Cavity & Pharynx	61	3.7	0.22	2.7	0.16	25	1.3	0.12	0.9	0.09
Digestive System	807	51.0	0.83	35.1	0.57	636	31.5	0.58	20.9	0.41
Esophagus	138	8.5	0.33	6.0	0.23	33	1.6	0.13	1.1	0.09
Stomach	54	3.5	0.22	2.3	0.15	41	2.1	0.15	1.4	0.11
Colon & Rectum	231	15.0	0.45	10.1	0.31	233	11.5	0.35	7.7	0.25
Liver	105	6.2	0.28	4.6	0.20	45	2.2	0.15	1.5	0.11
Pancreas	216	13.7	0.43	9.4	0.29	213	10.6	0.33	7.0	0.23
Respiratory System	839	54.0	0.86	36.0	0.56	805	41.0	0.66	28.1	0.47
Larynx	30	1.9	0.16	1.3	0.11	8	0.4	0.07	0.3	0.05
Lung & bronchus	803	51.7	0.84	34.5	0.55	794	40.3	0.65	27.6	0.46
Skin	80	5.3	0.27	3.6	0.19	36	2.0	0.16	1.4	0.12
Melanomas of the skin	54	3.6	0.23	2.5	0.16	28	1.6	0.14	1.2	0.11
Breast	6	0.4	0.08	0.3	0.05	395	20.4	0.48	14.5	0.36
Female Genital System	-	-	-	-	-	308	16.1	0.43	11.7	0.32
Cervix uteri	-	-	-	-	-	32	2.0	0.17	1.6	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	93	4.7	0.22	3.3	0.17
Ovary	-	-	-	-	-	157	8.1	0.30	5.9	0.22
Male Genital System	241	16.6	0.49	9.4	0.28	-	-	-	-	-
Prostate	234	16.0	0.48	8.9	0.27	-	-	-	-	-
Testis	4	0.3	0.07	0.3	0.07	-	-	-	-	-
Urinary System	222	14.6	0.45	9.2	0.28	103	4.9	0.22	3.1	0.15
Bladder	126	8.5	0.34	5.0	0.20	54	2.5	0.16	1.5	0.10
Kidney & renal pelvis	90	5.7	0.28	3.9	0.19	46	2.2	0.15	1.5	0.11
Brain & Other CNS[1]	95	6.1	0.29	4.7	0.22	75	4.1	0.22	3.1	0.18
Endocrine System	15	1.0	0.12	0.7	0.08	14	0.7	0.09	0.5	0.07
Thyroid gland	10	0.6	0.09	0.4	0.06	10	0.5	0.07	0.3	0.05
Lymphomas	129	8.7	0.35	5.5	0.22	112	5.6	0.25	3.6	0.17
Hodgkin Lymphoma	5	0.3	0.07	0.3	0.05	5	0.3	0.06	0.2	0.06
Non-Hodgkin Lymphoma	124	8.4	0.34	5.2	0.22	107	5.3	0.24	3.4	0.16
Multiple Myeloma	66	4.5	0.25	2.8	0.16	51	2.5	0.16	1.5	0.10
Leukemias	138	9.5	0.37	6.0	0.24	98	5.0	0.23	3.2	0.17
Other, Ill-defined & Unknown	258	16.9	0.48	11.2	0.32	211	10.7	0.34	7.2	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	940	236.2	3.61	165.2	2.44	1,012	169.6	2.45	122.0	1.77
Oral Cavity & Pharynx	22	5.0	0.50	3.9	0.38	9	1.5	0.23	1.2	0.19
Digestive System	288	69.0	1.91	50.8	1.36	264	43.7	1.23	31.1	0.88
Esophagus	26	6.1	0.56	4.6	0.41	14	2.2	0.27	1.7	0.20
Stomach	29	7.4	0.64	5.3	0.45	23	3.9	0.37	2.5	0.25
Colon & Rectum	95	24.0	1.15	17.1	0.79	98	16.3	0.75	11.4	0.54
Liver	58	11.8	0.73	9.7	0.58	25	4.0	0.37	3.0	0.27
Pancreas	62	15.0	0.89	10.9	0.63	83	13.7	0.69	9.8	0.49
Respiratory System	285	70.8	1.97	50.0	1.34	242	40.8	1.20	28.6	0.84
Larynx	18	4.2	0.46	3.2	0.33	6	1.0	0.18	0.7	0.13
Lung & bronchus	265	66.2	1.91	46.5	1.29	234	39.4	1.18	27.6	0.83
Skin	4	1.0	0.22	0.7	0.16	4	0.7	0.16	0.5	0.11
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	2	0.5	0.16	0.4	0.13	172	28.8	1.01	21.4	0.76
Female Genital System	-	-	-	-	-	116	19.4	0.83	14.6	0.62
Cervix uteri	-	-	-	-	-	17	3.0	0.33	2.4	0.27
Corpus & uterus, NOS[1]	-	-	-	-	-	57	9.3	0.57	7.0	0.42
Ovary	-	-	-	-	-	36	6.2	0.47	4.6	0.35
Male Genital System	125	35.6	1.47	21.2	0.86	-	-	-	-	-
Prostate	124	35.2	1.47	21.0	0.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	12.0	0.83	8.1	0.54	30	5.0	0.42	3.3	0.29
Bladder	21	5.6	0.58	3.6	0.35	15	2.5	0.30	1.6	0.20
Kidney & renal pelvis	23	5.9	0.57	4.2	0.39	14	2.3	0.28	1.6	0.20
Brain & Other CNS[1]	14	3.3	0.41	2.6	0.32	14	2.4	0.29	2.1	0.26
Endocrine System	4	1.1	0.26	0.7	0.16	5	0.9	0.17	0.7	0.14
Thyroid gland	2	0.6	0.20	0.4	0.12	3	0.5	0.13	0.3	0.09
Lymphomas	21	5.3	0.53	3.9	0.38	22	3.7	0.37	2.7	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	28	7.3	0.65	4.9	0.42	34	5.8	0.46	3.9	0.30
Leukemias	25	6.9	0.64	4.6	0.42	26	4.5	0.41	3.1	0.28
Other, Ill-defined & Unknown	75	18.4	1.00	13.3	0.70	74	12.4	0.66	8.9	0.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	60	95.9	5.99	64.4	3.74	57	77.0	4.78	52.6	3.13
Oral Cavity & Pharynx	2	2.5	0.80	1.9	0.61	-	-	-	-	-
Digestive System	22	33.1	3.41	22.8	2.19	16	21.9	2.61	14.2	1.62
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	5.5	1.29	4.1	0.92	3	3.7	1.06	2.2	0.60
Colon & Rectum	6	9.3	1.90	5.9	1.12	5	6.8	1.43	4.6	0.93
Liver	4	4.7	1.17	3.6	0.86	-	-	-	-	-
Pancreas	4	7.4	1.78	4.4	0.99	4	5.7	1.40	3.4	0.82
Respiratory System	12	20.6	2.86	13.4	1.73	12	16.7	2.23	11.1	1.43
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	20.1	2.84	13.0	1.70	12	16.4	2.21	10.8	1.41
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	8	9.2	1.56	6.8	1.11
Female Genital System	-	-	-	-	-	9	10.1	1.59	7.7	1.19
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	2.1	0.66	1.7	0.55
Ovary	-	-	-	-	-	5	5.9	1.24	4.4	0.90
Male Genital System	5	10.5	2.24	5.7	1.15	-	-	-	-	-
Prostate	5	10.3	2.23	5.5	1.13	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	5.1	1.53	3.0	0.84	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	2	3.2	0.96	2.4	0.71	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	4.5	1.14	3.5	0.86	2	3.2	1.08	1.9	0.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	4.6	1.31	3.1	0.84	-	-	-	-	-
Other, Ill-defined & Unknown	4	6.9	1.60	4.7	1.02	4	5.9	1.39	3.8	0.86

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,116	179.2	1.15	116.8	0.75	4,670	131.7	0.89	89.0	0.63
Oral Cavity & Pharynx	107	3.5	0.15	2.5	0.11	47	1.3	0.09	0.9	0.06
Digestive System	1,401	47.8	0.59	32.7	0.40	1,071	29.9	0.42	19.7	0.29
Esophagus	225	7.4	0.23	5.3	0.16	53	1.5	0.09	1.0	0.06
Stomach	90	3.2	0.15	2.1	0.10	60	1.7	0.10	1.2	0.07
Colon & Rectum	403	14.2	0.32	9.3	0.21	394	10.8	0.25	7.0	0.17
Liver	175	5.5	0.19	4.1	0.14	55	1.5	0.10	1.1	0.07
Pancreas	375	12.8	0.30	8.7	0.20	344	9.7	0.24	6.3	0.16
Respiratory System	1,288	44.3	0.56	29.5	0.37	1,159	33.1	0.44	22.4	0.31
Larynx	37	1.2	0.09	0.8	0.06	9	0.3	0.04	0.2	0.03
Lung & bronchus	1,239	42.6	0.55	28.3	0.36	1,144	32.6	0.44	22.1	0.31
Skin	123	4.3	0.18	2.8	0.12	71	2.0	0.11	1.4	0.08
Melanomas of the skin	88	3.1	0.15	2.1	0.10	56	1.6	0.10	1.1	0.07
Breast	8	0.3	0.04	0.2	0.03	630	17.9	0.33	12.7	0.24
Female Genital System	-	-	-	-	-	489	13.9	0.29	9.8	0.21
Cervix uteri	-	-	-	-	-	45	1.4	0.10	1.1	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	161	4.6	0.17	3.2	0.12
Ovary	-	-	-	-	-	223	6.3	0.19	4.4	0.14
Male Genital System	542	20.3	0.40	11.1	0.22	-	-	-	-	-
Prostate	531	19.9	0.39	10.8	0.21	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	364	13.0	0.31	8.0	0.19	166	4.5	0.16	2.8	0.11
Bladder	194	7.2	0.23	4.0	0.13	71	1.9	0.10	1.1	0.07
Kidney & renal pelvis	163	5.5	0.20	3.8	0.13	90	2.4	0.12	1.6	0.08
Brain & Other CNS[1]	174	5.9	0.21	4.6	0.16	120	3.7	0.15	2.9	0.13
Endocrine System	26	0.9	0.08	0.7	0.06	24	0.7	0.07	0.5	0.05
Thyroid gland	16	0.6	0.06	0.4	0.04	17	0.5	0.05	0.3	0.04
Lymphomas	226	8.2	0.25	5.1	0.16	174	4.8	0.17	2.9	0.11
Hodgkin Lymphoma	11	0.4	0.06	0.3	0.04	7	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	215	7.8	0.24	4.9	0.15	167	4.6	0.16	2.8	0.10
Multiple Myeloma	113	4.0	0.17	2.6	0.11	96	2.7	0.12	1.7	0.08
Leukemias	253	9.1	0.26	5.8	0.17	178	5.0	0.17	3.3	0.12
Other, Ill-defined & Unknown	490	17.5	0.36	11.3	0.23	445	12.3	0.27	8.1	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,825	178.5	1.17	116.1	0.77	4,410	131.3	0.91	88.6	0.65
Oral Cavity & Pharynx	97	3.4	0.16	2.4	0.11	43	1.2	0.09	0.8	0.06
Digestive System	1,295	46.8	0.60	31.9	0.41	993	29.1	0.43	19.1	0.30
Esophagus	218	7.7	0.24	5.4	0.17	50	1.5	0.09	1.0	0.07
Stomach	80	3.0	0.15	2.0	0.10	50	1.5	0.10	1.0	0.07
Colon & Rectum	379	14.2	0.33	9.3	0.22	369	10.7	0.26	6.9	0.18
Liver	139	4.7	0.18	3.4	0.13	45	1.3	0.09	0.9	0.06
Pancreas	355	12.8	0.31	8.7	0.21	326	9.6	0.25	6.3	0.17
Respiratory System	1,216	44.1	0.58	29.3	0.38	1,103	33.2	0.46	22.5	0.32
Larynx	35	1.2	0.10	0.8	0.06	8	0.3	0.04	0.2	0.03
Lung & bronchus	1,169	42.4	0.57	28.1	0.37	1,089	32.8	0.45	22.2	0.32
Skin	120	4.5	0.19	2.9	0.12	70	2.1	0.12	1.4	0.09
Melanomas of the skin	88	3.3	0.16	2.2	0.11	55	1.7	0.11	1.2	0.08
Breast	7	0.3	0.04	0.2	0.03	597	18.0	0.34	12.7	0.25
Female Genital System	-	-	-	-	-	460	13.9	0.30	9.8	0.22
Cervix uteri	-	-	-	-	-	37	1.3	0.10	1.0	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	151	4.5	0.17	3.1	0.12
Ovary	-	-	-	-	-	215	6.4	0.20	4.5	0.15
Male Genital System	517	20.2	0.40	11.1	0.22	-	-	-	-	-
Prostate	505	19.8	0.40	10.7	0.22	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	351	13.2	0.32	8.1	0.20	158	4.5	0.16	2.8	0.11
Bladder	188	7.3	0.24	4.1	0.14	67	1.9	0.11	1.1	0.07
Kidney & renal pelvis	157	5.6	0.21	3.8	0.14	86	2.5	0.12	1.6	0.08
Brain & Other CNS[1]	168	6.1	0.22	4.8	0.17	115	3.8	0.17	3.0	0.14
Endocrine System	24	0.9	0.08	0.7	0.06	22	0.7	0.07	0.5	0.05
Thyroid gland	16	0.6	0.07	0.4	0.04	15	0.5	0.06	0.3	0.04
Lymphomas	215	8.3	0.26	5.2	0.16	167	4.8	0.17	3.0	0.11
Hodgkin Lymphoma	11	0.4	0.06	0.3	0.04	7	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	204	7.8	0.25	4.9	0.16	161	4.6	0.17	2.8	0.11
Multiple Myeloma	106	4.0	0.18	2.5	0.11	90	2.6	0.13	1.6	0.08
Leukemias	244	9.3	0.27	5.9	0.18	172	5.1	0.18	3.4	0.13
Other, Ill-defined & Unknown	465	17.5	0.37	11.3	0.24	419	12.2	0.28	8.0	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	157	210.6	8.90	142.7	5.39	133	151.6	6.40	103.7	4.10
Oral Cavity & Pharynx	5	5.2	1.25	3.9	0.85	-	-	-	-	-
Digestive System	53	60.2	4.39	44.3	2.89	38	45.1	3.53	30.2	2.23
Esophagus	3	3.2	0.98	2.5	0.69	3	3.2	0.95	2.1	0.59
Stomach	4	5.3	1.34	3.8	0.88	4	3.8	0.99	2.7	0.64
Colon & Rectum	11	12.9	2.11	9.0	1.29	10	13.0	1.93	8.2	1.15
Liver	18	18.9	2.28	15.0	1.64	4	4.8	1.11	3.5	0.76
Pancreas	12	14.9	2.29	10.5	1.46	12	13.7	1.93	9.4	1.25
Respiratory System	39	55.2	4.64	36.8	2.80	25	30.0	2.91	20.1	1.84
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	38	53.5	4.55	35.8	2.75	24	29.5	2.88	19.8	1.82
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	20	20.0	2.16	14.9	1.50
Female Genital System	-	-	-	-	-	17	17.5	2.07	13.0	1.45
Cervix uteri	-	-	-	-	-	4	2.8	0.71	2.5	0.59
Corpus & uterus, NOS[1]	-	-	-	-	-	7	8.8	1.54	6.1	1.02
Ovary	-	-	-	-	-	4	4.2	0.98	3.3	0.71
Male Genital System	16	31.8	3.90	18.1	2.08	-	-	-	-	-
Prostate	16	31.8	3.90	18.1	2.08	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	11.1	2.08	7.3	1.21	5	5.5	1.25	3.5	0.75
Bladder	3	5.6	1.54	3.4	0.86	2	2.2	0.78	1.5	0.49
Kidney & renal pelvis	4	5.3	1.37	3.7	0.83	3	3.3	0.98	2.0	0.57
Brain & Other CNS[1]	4	3.6	0.96	2.8	0.68	2	1.5	0.52	1.3	0.40
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	7.0	1.58	4.8	0.95	3	4.5	1.16	2.7	0.67
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	4.0	1.20	2.8	0.73	4	4.9	1.22	3.0	0.73
Leukemias	5	7.5	1.71	5.1	1.04	2	3.0	0.98	1.7	0.55
Other, Ill-defined & Unknown	16	22.2	2.91	14.8	1.73	14	16.6	2.18	10.8	1.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	80	130.9	7.18	88.5	4.52	76	93.3	5.04	64.9	3.37
Oral Cavity & Pharynx	4	4.6	1.17	3.7	0.89	-	-	-	-	-
Digestive System	36	56.1	4.58	39.4	2.99	29	37.1	3.24	24.8	2.10
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	5	8.5	1.95	5.1	1.10	4	4.6	1.13	3.0	0.69
Colon & Rectum	8	12.5	2.17	8.8	1.44	10	11.8	1.78	8.0	1.16
Liver	13	17.8	2.37	13.9	1.73	4	6.1	1.34	3.9	0.84
Pancreas	5	8.9	1.88	5.9	1.18	4	6.0	1.35	3.8	0.84
Respiratory System	17	29.1	3.42	19.4	2.13	12	15.7	2.09	10.9	1.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	28.3	3.39	18.7	2.10	12	15.7	2.09	10.9	1.41
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	7.8	1.38	6.1	1.02
Female Genital System	-	-	-	-	-	9	9.7	1.55	7.4	1.13
Cervix uteri	-	-	-	-	-	4	4.2	0.98	3.3	0.75
Corpus & uterus, NOS[1]	-	-	-	-	-	2	2.5	0.76	2.0	0.59
Ovary	-	-	-	-	-	2	2.3	0.77	1.6	0.52
Male Genital System	4	9.9	2.21	5.4	1.16	-	-	-	-	-
Prostate	4	9.9	2.21	5.4	1.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	5.1	1.47	3.2	0.87	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	4	6.6	1.70	4.1	0.99	2	3.0	0.92	2.0	0.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	3.5	1.15	2.5	0.74	3	2.9	0.88	2.0	0.56
Other, Ill-defined & Unknown	5	9.3	1.99	5.8	1.15	7	8.1	1.46	5.5	0.95

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,583	240.5	1.86	165.0	1.25	2,945	154.2	1.29	109.8	0.95
Oral Cavity & Pharynx	92	5.6	0.27	4.3	0.20	29	1.5	0.12	1.1	0.09
Digestive System	975	63.3	0.94	45.5	0.66	712	37.0	0.63	25.7	0.45
Esophagus	109	6.8	0.30	5.1	0.22	28	1.5	0.13	1.1	0.10
Stomach	69	4.5	0.25	3.3	0.18	53	2.8	0.18	1.9	0.13
Colon & Rectum	341	22.5	0.56	15.9	0.39	287	15.0	0.40	10.5	0.29
Liver	171	10.6	0.37	8.0	0.28	75	3.9	0.20	2.7	0.15
Pancreas	231	15.4	0.47	10.7	0.32	214	11.0	0.34	7.5	0.24
Respiratory System	1,186	78.1	1.05	54.0	0.71	771	39.7	0.65	28.3	0.47
Larynx	33	2.2	0.17	1.5	0.12	7	0.4	0.06	0.3	0.05
Lung & bronchus	1,147	75.5	1.03	52.2	0.69	760	39.1	0.64	27.9	0.47
Skin	75	5.4	0.29	3.5	0.18	29	1.6	0.13	1.1	0.10
Melanomas of the skin	50	3.6	0.23	2.4	0.15	22	1.2	0.12	0.9	0.09
Breast	6	0.4	0.08	0.3	0.05	442	23.5	0.51	17.4	0.39
Female Genital System	-	-	-	-	-	286	15.2	0.41	11.3	0.32
Cervix uteri	-	-	-	-	-	60	3.5	0.21	2.8	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	80	4.1	0.21	3.0	0.15
Ovary	-	-	-	-	-	122	6.4	0.26	4.6	0.19
Male Genital System	333	25.1	0.63	14.6	0.36	-	-	-	-	-
Prostate	328	24.7	0.63	14.3	0.35	-	-	-	-	-
Testis	2	0.1	0.04	0.2	0.05	-	-	-	-	-
Urinary System	189	13.3	0.45	8.6	0.28	98	5.1	0.24	3.3	0.16
Bladder	86	6.4	0.32	3.8	0.18	38	2.0	0.15	1.2	0.09
Kidney & renal pelvis	98	6.4	0.30	4.6	0.21	55	2.9	0.18	2.0	0.13
Brain & Other CNS[1]	92	6.1	0.29	4.6	0.22	82	4.4	0.22	3.4	0.18
Endocrine System	10	0.7	0.10	0.5	0.07	14	0.8	0.09	0.6	0.08
Thyroid gland	6	0.4	0.08	0.3	0.05	10	0.5	0.07	0.3	0.05
Lymphomas	103	7.4	0.34	4.8	0.22	79	4.2	0.21	2.8	0.15
Hodgkin Lymphoma	7	0.5	0.08	0.3	0.06	5	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	96	7.0	0.33	4.5	0.21	75	3.9	0.21	2.6	0.14
Multiple Myeloma	76	5.3	0.28	3.4	0.18	61	3.2	0.18	2.1	0.12
Leukemias	132	9.4	0.37	6.3	0.25	94	5.1	0.24	3.4	0.17
Other, Ill-defined & Unknown	312	20.6	0.54	14.6	0.37	248	13.0	0.38	9.3	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,426	226.9	2.11	154.4	1.43	1,957	148.5	1.54	105.1	1.16
Oral Cavity & Pharynx	57	5.0	0.30	3.8	0.23	21	1.6	0.16	1.1	0.12
Digestive System	633	58.1	1.06	41.5	0.76	448	33.6	0.73	23.2	0.53
Esophagus	76	6.7	0.36	5.0	0.26	17	1.4	0.15	1.0	0.11
Stomach	33	3.0	0.24	2.2	0.17	25	2.0	0.18	1.3	0.13
Colon & Rectum	211	19.8	0.63	13.9	0.44	181	13.8	0.47	9.6	0.35
Liver	118	10.4	0.44	7.8	0.33	51	3.8	0.24	2.6	0.18
Pancreas	157	14.7	0.54	10.1	0.37	137	10.2	0.40	6.9	0.28
Respiratory System	813	74.3	1.19	50.8	0.81	579	43.0	0.81	30.8	0.60
Larynx	19	1.7	0.18	1.2	0.13	5	0.4	0.08	0.3	0.06
Lung & bronchus	790	72.2	1.17	49.3	0.80	571	42.4	0.81	30.4	0.60
Skin	67	6.7	0.37	4.4	0.25	25	2.0	0.19	1.5	0.15
Melanomas of the skin	47	4.6	0.31	3.1	0.21	19	1.6	0.17	1.2	0.14
Breast	4	0.4	0.09	0.3	0.06	253	19.6	0.57	14.2	0.44
Female Genital System	-	-	-	-	-	174	13.8	0.48	10.2	0.38
Cervix uteri	-	-	-	-	-	30	2.8	0.24	2.3	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	41	3.1	0.22	2.2	0.16
Ovary	-	-	-	-	-	86	6.6	0.33	4.8	0.25
Male Genital System	177	18.1	0.62	10.4	0.35	-	-	-	-	-
Prostate	173	17.6	0.61	10.0	0.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	145	13.9	0.53	9.0	0.34	66	4.9	0.28	3.1	0.19
Bladder	72	7.3	0.39	4.2	0.22	26	1.9	0.17	1.1	0.11
Kidney & renal pelvis	68	6.3	0.35	4.5	0.25	36	2.7	0.21	1.9	0.15
Brain & Other CNS[1]	75	7.1	0.38	5.3	0.28	65	5.2	0.30	4.1	0.25
Endocrine System	8	0.7	0.12	0.5	0.09	9	0.7	0.11	0.5	0.09
Thyroid gland	5	0.4	0.09	0.3	0.07	6	0.5	0.08	0.3	0.05
Lymphomas	82	8.0	0.41	5.1	0.26	59	4.4	0.26	2.9	0.19
Hodgkin Lymphoma	5	0.5	0.10	0.3	0.07	4	0.3	0.07	0.2	0.06
Non-Hodgkin Lymphoma	77	7.6	0.39	4.8	0.25	56	4.1	0.25	2.7	0.18
Multiple Myeloma	43	4.2	0.29	2.6	0.18	29	2.1	0.18	1.3	0.12
Leukemias	102	10.0	0.45	6.6	0.31	68	5.2	0.29	3.5	0.22
Other, Ill-defined & Unknown	219	20.3	0.63	14.2	0.44	161	12.2	0.44	8.6	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,134	280.1	4.06	193.9	2.61	964	167.7	2.48	120.2	1.76
Oral Cavity & Pharynx	34	7.0	0.57	5.5	0.43	8	1.2	0.20	0.9	0.15
Digestive System	332	76.7	2.06	55.7	1.39	255	44.6	1.28	31.0	0.89
Esophagus	32	6.8	0.58	5.2	0.42	10	1.7	0.25	1.3	0.18
Stomach	34	8.3	0.69	5.9	0.46	26	4.7	0.42	3.2	0.28
Colon & Rectum	128	30.3	1.31	21.6	0.86	102	17.8	0.81	12.5	0.57
Liver	50	10.6	0.73	8.2	0.52	22	3.9	0.38	2.8	0.27
Pancreas	72	17.0	0.98	12.1	0.65	74	13.2	0.70	8.9	0.47
Respiratory System	369	89.2	2.27	62.6	1.48	188	32.6	1.10	23.2	0.77
Larynx	14	3.5	0.46	2.4	0.29	2	0.4	0.11	0.3	0.08
Lung & bronchus	353	85.3	2.21	59.9	1.44	185	32.1	1.09	22.8	0.76
Skin	8	1.8	0.31	1.3	0.21	-	-	-	-	-
Melanomas of the skin	3	0.9	0.24	0.6	0.15	3	0.5	0.13	0.4	0.11
Breast	-	-	-	-	-	188	31.4	1.05	23.9	0.79
Female Genital System	-	-	-	-	-	109	18.9	0.83	13.9	0.61
Cervix uteri	-	-	-	-	-	29	5.0	0.42	4.0	0.34
Corpus & uterus, NOS[1]	-	-	-	-	-	38	6.6	0.49	4.7	0.35
Ovary	-	-	-	-	-	35	6.2	0.48	4.4	0.33
Male Genital System	155	48.5	1.87	28.0	1.02	-	-	-	-	-
Prostate	154	48.2	1.87	27.8	1.01	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	11.1	0.82	7.6	0.52	32	5.9	0.48	3.9	0.32
Bladder	13	3.5	0.48	2.3	0.29	12	2.2	0.30	1.4	0.19
Kidney & renal pelvis	29	7.2	0.64	5.1	0.43	19	3.5	0.37	2.3	0.24
Brain & Other CNS[1]	16	3.3	0.39	2.7	0.31	17	2.9	0.32	2.2	0.24
Endocrine System	2	0.5	0.18	0.4	0.12	5	0.9	0.19	0.7	0.14
Thyroid gland	-	-	-	-	-	3	0.6	0.16	0.4	0.10
Lymphomas	21	5.1	0.55	3.7	0.36	19	3.5	0.37	2.4	0.25
Hodgkin Lymphoma	2	0.4	0.13	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	19	4.7	0.53	3.3	0.35	-	-	-	-	-
Multiple Myeloma	32	8.3	0.70	5.7	0.45	32	6.0	0.49	3.9	0.31
Leukemias	29	7.2	0.65	5.2	0.43	25	4.7	0.43	3.3	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	15	133.6	17.08	95.5	11.32	16	119.5	14.23	77.6	8.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	58.5	12.07	38.1	7.31	6	43.5	8.29	29.7	5.29
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	2	12.3	4.07	9.2	2.91
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	2	15.1	4.94	10.3	3.12
Respiratory System	4	28.9	7.24	22.9	5.46	4	33.8	7.92	19.8	4.44
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	28.9	7.24	22.9	5.46	4	33.8	7.92	19.8	4.44
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	2	17.2	5.60	10.4	3.14
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,830	207.5	1.15	139.7	0.77	6,101	147.3	0.86	102.7	0.63
Oral Cavity & Pharynx	145	4.2	0.16	3.1	0.12	60	1.4	0.08	1.0	0.06
Digestive System	1,818	54.1	0.58	37.9	0.41	1,317	31.4	0.40	21.2	0.28
Esophagus	286	8.4	0.23	6.0	0.16	72	1.7	0.09	1.2	0.07
Stomach	114	3.5	0.15	2.4	0.10	62	1.5	0.09	1.0	0.06
Colon & Rectum	577	17.7	0.34	12.0	0.23	514	12.2	0.25	8.1	0.17
Liver	265	7.4	0.21	5.6	0.16	100	2.4	0.11	1.6	0.08
Pancreas	445	13.2	0.29	9.2	0.20	402	9.6	0.22	6.4	0.15
Respiratory System	2,189	65.0	0.63	44.5	0.43	1,770	42.4	0.46	29.7	0.33
Larynx	71	2.0	0.11	1.5	0.08	19	0.5	0.05	0.3	0.04
Lung & bronchus	2,107	62.6	0.62	42.8	0.42	1,743	41.8	0.46	29.3	0.33
Skin	188	5.8	0.19	3.9	0.13	85	2.1	0.11	1.4	0.08
Melanomas of the skin	134	4.1	0.16	2.9	0.11	63	1.6	0.09	1.1	0.07
Breast	9	0.3	0.04	0.2	0.03	869	21.5	0.34	15.6	0.25
Female Genital System	-	-	-	-	-	595	14.7	0.28	10.8	0.21
Cervix uteri	-	-	-	-	-	88	2.5	0.12	2.1	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	193	4.6	0.15	3.4	0.11
Ovary	-	-	-	-	-	262	6.4	0.18	4.5	0.13
Male Genital System	551	18.0	0.35	10.3	0.20	-	-	-	-	-
Prostate	535	17.5	0.34	9.9	0.19	-	-	-	-	-
Testis	9	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	452	14.2	0.30	8.9	0.19	224	5.2	0.16	3.3	0.11
Bladder	230	7.5	0.23	4.4	0.13	91	2.1	0.10	1.2	0.06
Kidney & renal pelvis	209	6.2	0.20	4.3	0.14	123	2.9	0.12	2.0	0.08
Brain & Other CNS[1]	177	5.3	0.18	4.1	0.14	142	3.6	0.14	2.8	0.11
Endocrine System	29	0.9	0.08	0.7	0.06	29	0.7	0.06	0.6	0.05
Thyroid gland	17	0.5	0.06	0.4	0.04	19	0.5	0.05	0.3	0.03
Lymphomas	246	7.7	0.22	5.0	0.15	189	4.5	0.15	2.9	0.10
Hodgkin Lymphoma	13	0.4	0.05	0.3	0.04	10	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	233	7.3	0.22	4.7	0.14	178	4.2	0.14	2.7	0.10
Multiple Myeloma	136	4.2	0.17	2.7	0.10	109	2.6	0.11	1.7	0.07
Leukemias	293	9.4	0.25	6.1	0.16	213	5.2	0.16	3.5	0.12
Other, Ill-defined & Unknown	597	18.4	0.34	12.4	0.23	499	12.0	0.25	8.3	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,112	205.0	1.20	137.8	0.81	5,385	145.7	0.91	101.3	0.67
Oral Cavity & Pharynx	129	4.1	0.17	3.1	0.12	54	1.5	0.09	1.0	0.07
Digestive System	1,586	52.4	0.60	36.5	0.42	1,139	30.3	0.41	20.3	0.29
Esophagus	270	8.7	0.24	6.2	0.17	63	1.7	0.10	1.1	0.07
Stomach	95	3.3	0.15	2.2	0.11	52	1.4	0.09	1.0	0.07
Colon & Rectum	505	17.1	0.35	11.6	0.24	450	11.9	0.26	7.8	0.18
Liver	211	6.6	0.21	5.0	0.16	81	2.1	0.11	1.4	0.08
Pancreas	390	12.8	0.30	8.9	0.20	347	9.2	0.23	6.2	0.16
Respiratory System	1,962	64.3	0.66	43.9	0.45	1,588	42.7	0.49	29.9	0.35
Larynx	60	1.9	0.11	1.4	0.08	16	0.4	0.05	0.3	0.04
Lung & bronchus	1,891	62.0	0.65	42.3	0.44	1,564	42.0	0.48	29.4	0.35
Skin	185	6.3	0.21	4.3	0.14	83	2.3	0.12	1.6	0.09
Melanomas of the skin	133	4.5	0.18	3.2	0.13	62	1.8	0.11	1.3	0.08
Breast	7	0.3	0.04	0.2	0.03	745	20.6	0.35	14.9	0.27
Female Genital System	-	-	-	-	-	517	14.4	0.29	10.5	0.22
Cervix uteri	-	-	-	-	-	71	2.3	0.13	1.9	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	160	4.3	0.16	3.1	0.12
Ovary	-	-	-	-	-	238	6.5	0.19	4.6	0.14
Male Genital System	470	16.8	0.35	9.5	0.20	-	-	-	-	-
Prostate	455	16.3	0.35	9.1	0.19	-	-	-	-	-
Testis	9	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	424	14.5	0.32	9.1	0.20	200	5.2	0.17	3.3	0.11
Bladder	220	7.8	0.24	4.6	0.14	81	2.0	0.10	1.2	0.06
Kidney & renal pelvis	192	6.3	0.21	4.4	0.14	111	2.9	0.13	2.0	0.09
Brain & Other CNS[1]	165	5.5	0.20	4.3	0.16	133	3.8	0.15	3.0	0.13
Endocrine System	26	0.9	0.08	0.7	0.06	26	0.7	0.07	0.5	0.06
Thyroid gland	16	0.6	0.06	0.4	0.04	17	0.4	0.05	0.3	0.03
Lymphomas	227	7.8	0.24	5.1	0.15	174	4.6	0.16	2.9	0.11
Hodgkin Lymphoma	12	0.5	0.06	0.3	0.05	9	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	215	7.4	0.23	4.7	0.15	164	4.3	0.15	2.7	0.10
Multiple Myeloma	117	4.0	0.17	2.5	0.11	89	2.3	0.11	1.5	0.07
Leukemias	271	9.6	0.27	6.2	0.18	195	5.3	0.18	3.6	0.13
Other, Ill-defined & Unknown	543	18.4	0.36	12.4	0.25	443	12.0	0.26	8.2	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	669	262.4	4.85	179.1	3.12	663	173.5	3.08	124.1	2.20
Oral Cavity & Pharynx	15	5.4	0.67	3.9	0.46	5	1.3	0.27	0.9	0.19
Digestive System	213	79.7	2.61	56.5	1.74	165	43.4	1.54	30.3	1.07
Esophagus	16	6.1	0.72	4.3	0.48	9	2.3	0.35	1.7	0.25
Stomach	17	6.8	0.78	4.6	0.50	8	2.1	0.34	1.4	0.23
Colon & Rectum	65	26.0	1.54	17.5	0.98	61	16.0	0.94	11.1	0.65
Liver	49	16.0	1.09	12.4	0.80	15	4.0	0.47	2.9	0.34
Pancreas	53	19.5	1.28	14.0	0.87	52	13.7	0.87	9.4	0.60
Respiratory System	215	81.8	2.66	57.3	1.76	170	44.1	1.55	31.5	1.10
Larynx	10	3.8	0.58	2.6	0.38	3	0.8	0.20	0.6	0.16
Lung & bronchus	204	77.5	2.59	54.3	1.71	166	43.4	1.54	30.9	1.09
Skin	2	0.9	0.28	0.6	0.18	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	115	30.4	1.29	22.5	0.96
Female Genital System	-	-	-	-	-	72	18.4	1.00	13.8	0.74
Cervix uteri	-	-	-	-	-	16	4.2	0.47	3.4	0.39
Corpus & uterus, NOS[1]	-	-	-	-	-	31	8.1	0.66	5.8	0.47
Ovary	-	-	-	-	-	21	5.2	0.53	3.9	0.39
Male Genital System	79	36.8	1.94	21.7	1.10	-	-	-	-	-
Prostate	78	36.5	1.94	21.5	1.09	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	10.9	1.02	7.0	0.62	23	6.0	0.58	4.0	0.39
Bladder	10	4.5	0.69	2.6	0.38	9	2.4	0.35	1.5	0.23
Kidney & renal pelvis	15	5.9	0.72	4.2	0.48	12	3.3	0.43	2.2	0.29
Brain & Other CNS[1]	11	3.7	0.54	3.0	0.40	7	1.9	0.32	1.5	0.26
Endocrine System	2	0.8	0.25	0.6	0.19	3	0.8	0.20	0.7	0.17
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	16	6.1	0.73	4.3	0.48	13	3.4	0.43	2.4	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	18	7.5	0.84	4.8	0.51	20	5.3	0.54	3.5	0.36
Leukemias	20	8.6	0.90	5.7	0.57	18	4.7	0.51	3.4	0.37
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	37	98.0	7.82	65.5	4.87	42	85.3	6.17	56.8	3.93
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	38.3	4.59	28.0	3.15	12	24.8	3.40	15.7	2.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	5	11.3	2.52	8.2	1.72	3	6.9	1.85	4.0	1.05
Liver	5	10.6	2.43	7.8	1.64	3	6.4	1.74	4.0	1.03
Pancreas	3	6.1	1.76	4.5	1.27	3	5.6	1.62	3.5	0.97
Respiratory System	9	28.0	4.46	16.9	2.53	9	20.1	3.14	12.3	1.85
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	27.1	4.38	16.5	2.49	9	20.1	3.14	12.3	1.85
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	12.6	2.26	9.2	1.59
Female Genital System	-	-	-	-	-	5	9.3	1.90	7.0	1.37
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	4.1	1.22	3.2	0.94
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	5.4	1.74	3.8	1.16	2	3.9	1.29	2.7	0.87
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	2	5.8	1.87	3.7	1.13	4	7.3	1.73	5.2	1.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,111	177.8	2.45	116.2	1.61	963	135.6	2.02	92.1	1.43
Oral Cavity & Pharynx	24	3.5	0.34	2.6	0.25	10	1.4	0.20	0.9	0.14
Digestive System	306	47.3	1.25	32.9	0.87	213	29.5	0.93	19.6	0.64
Esophagus	51	7.7	0.50	5.6	0.36	13	1.8	0.23	1.2	0.16
Stomach	17	2.7	0.31	1.9	0.21	11	1.6	0.22	1.1	0.16
Colon & Rectum	101	16.1	0.74	10.9	0.51	78	10.8	0.57	7.1	0.39
Liver	40	5.7	0.41	4.3	0.31	13	1.9	0.23	1.2	0.16
Pancreas	75	11.5	0.61	7.8	0.41	69	9.6	0.53	6.3	0.36
Respiratory System	259	41.0	1.17	26.6	0.75	260	36.3	1.03	24.3	0.70
Larynx	7	1.0	0.18	0.7	0.12	-	-	-	-	-
Lung & bronchus	249	39.4	1.15	25.5	0.74	257	35.8	1.02	24.0	0.70
Skin	33	5.3	0.42	3.6	0.29	13	1.9	0.24	1.3	0.18
Melanomas of the skin	23	3.8	0.36	2.6	0.26	10	1.5	0.22	1.1	0.16
Breast	-	-	-	-	-	137	19.5	0.77	13.7	0.57
Female Genital System	-	-	-	-	-	97	13.8	0.65	10.0	0.49
Cervix uteri	-	-	-	-	-	11	2.0	0.28	1.6	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	32	4.3	0.36	3.0	0.25
Ovary	-	-	-	-	-	48	6.8	0.45	4.8	0.33
Male Genital System	134	23.2	0.91	12.7	0.50	-	-	-	-	-
Prostate	132	22.7	0.90	12.3	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	85	13.5	0.67	8.4	0.42	30	4.1	0.34	2.7	0.24
Bladder	48	7.9	0.52	4.7	0.31	15	2.0	0.24	1.3	0.16
Kidney & renal pelvis	34	5.2	0.41	3.5	0.28	14	1.9	0.24	1.3	0.17
Brain & Other CNS[1]	36	5.6	0.44	4.3	0.35	27	3.9	0.35	3.1	0.29
Endocrine System	5	0.8	0.17	0.6	0.12	4	0.6	0.14	0.5	0.12
Thyroid gland	4	0.6	0.14	0.4	0.10	3	0.4	0.11	0.3	0.08
Lymphomas	45	7.5	0.51	4.6	0.31	30	4.3	0.36	2.7	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	4.0	0.37	2.5	0.23	18	2.4	0.26	1.5	0.16
Leukemias	47	7.7	0.52	5.0	0.34	33	4.7	0.38	3.1	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	92	13.1	0.63	8.9	0.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,057	176.1	2.49	114.9	1.64	918	135.0	2.06	91.8	1.47
Oral Cavity & Pharynx	22	3.5	0.34	2.5	0.25	9	1.3	0.19	0.9	0.14
Digestive System	284	45.9	1.25	31.8	0.87	202	29.3	0.95	19.4	0.66
Esophagus	50	7.9	0.51	5.7	0.37	12	1.8	0.24	1.2	0.16
Stomach	15	2.5	0.30	1.7	0.21	10	1.5	0.22	1.0	0.16
Colon & Rectum	93	15.6	0.74	10.5	0.51	73	10.6	0.57	6.9	0.40
Liver	35	5.2	0.41	4.0	0.31	12	1.8	0.23	1.2	0.17
Pancreas	71	11.4	0.62	7.7	0.42	67	9.7	0.55	6.4	0.37
Respiratory System	246	40.3	1.18	26.1	0.76	246	35.8	1.05	24.1	0.72
Larynx	6	0.9	0.18	0.6	0.11	-	-	-	-	-
Lung & bronchus	236	38.9	1.16	25.1	0.75	243	35.4	1.04	23.8	0.71
Skin	33	5.5	0.44	3.7	0.31	13	2.0	0.26	1.4	0.19
Melanomas of the skin	23	3.9	0.38	2.7	0.27	10	1.6	0.23	1.1	0.17
Breast	-	-	-	-	-	132	19.8	0.80	13.9	0.59
Female Genital System	-	-	-	-	-	92	13.9	0.67	10.0	0.50
Cervix uteri	-	-	-	-	-	10	1.8	0.28	1.5	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	30	4.4	0.37	3.1	0.26
Ovary	-	-	-	-	-	46	6.9	0.47	4.9	0.34
Male Genital System	130	23.2	0.92	12.7	0.51	-	-	-	-	-
Prostate	128	22.7	0.91	12.3	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	81	13.4	0.68	8.3	0.43	29	4.0	0.35	2.7	0.24
Bladder	48	8.1	0.54	4.8	0.32	14	2.0	0.24	1.3	0.16
Kidney & renal pelvis	31	4.9	0.40	3.3	0.27	13	1.9	0.24	1.3	0.17
Brain & Other CNS[1]	35	5.8	0.46	4.5	0.37	26	3.9	0.36	3.1	0.30
Endocrine System	4	0.7	0.16	0.5	0.12	4	0.7	0.16	0.5	0.13
Thyroid gland	4	0.6	0.15	0.4	0.10	3	0.4	0.12	0.3	0.08
Lymphomas	44	7.5	0.52	4.6	0.32	30	4.4	0.37	2.7	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	24	4.1	0.38	2.6	0.24	17	2.4	0.27	1.4	0.17
Leukemias	45	7.7	0.53	5.1	0.36	31	4.7	0.39	3.1	0.28
Other, Ill-defined & Unknown	-	-	-	-	-	87	12.9	0.65	8.7	0.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	162.0	50.20	112.5	32.63	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	140.4	34.69	93.3	21.76	5	100.4	21.79	63.7	13.46
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	63.4	21.74	49.2	15.95	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,829	186.8	1.99	123.0	1.32	1,653	135.6	1.54	93.0	1.11
Oral Cavity & Pharynx	33	3.2	0.25	2.4	0.19	17	1.4	0.15	1.0	0.11
Digestive System	502	50.5	1.03	34.6	0.71	374	30.3	0.72	20.1	0.51
Esophagus	82	8.1	0.41	5.7	0.28	18	1.5	0.16	1.0	0.11
Stomach	29	3.0	0.25	2.0	0.17	15	1.3	0.15	0.9	0.11
Colon & Rectum	169	17.2	0.61	11.5	0.41	157	12.6	0.47	8.0	0.32
Liver	53	5.0	0.31	3.7	0.23	19	1.6	0.17	1.2	0.13
Pancreas	129	13.2	0.53	8.9	0.36	114	9.3	0.40	6.1	0.27
Respiratory System	498	50.6	1.03	33.7	0.69	409	33.9	0.77	23.5	0.55
Larynx	20	1.9	0.20	1.4	0.14	6	0.5	0.09	0.3	0.07
Lung & bronchus	476	48.4	1.01	32.2	0.67	401	33.2	0.76	23.0	0.54
Skin	57	5.9	0.35	3.9	0.24	25	2.1	0.19	1.5	0.14
Melanomas of the skin	39	3.9	0.29	2.7	0.20	19	1.5	0.16	1.1	0.12
Breast	3	0.3	0.08	0.2	0.05	243	20.1	0.60	14.2	0.45
Female Genital System	-	-	-	-	-	178	15.0	0.52	10.8	0.39
Cervix uteri	-	-	-	-	-	24	2.1	0.20	1.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	56	4.7	0.29	3.3	0.21
Ovary	-	-	-	-	-	83	6.9	0.35	4.9	0.26
Male Genital System	176	18.9	0.64	10.4	0.36	-	-	-	-	-
Prostate	171	18.4	0.63	10.0	0.35	-	-	-	-	-
Testis	2	0.2	0.07	0.2	0.07	-	-	-	-	-
Urinary System	131	13.4	0.53	8.4	0.34	61	4.8	0.28	3.1	0.20
Bladder	64	6.7	0.38	3.9	0.22	25	1.9	0.17	1.1	0.11
Kidney & renal pelvis	64	6.3	0.36	4.4	0.25	33	2.7	0.21	1.8	0.15
Brain & Other CNS[1]	61	6.1	0.36	4.7	0.28	47	4.2	0.28	3.3	0.24
Endocrine System	8	0.8	0.13	0.6	0.10	8	0.6	0.10	0.4	0.07
Thyroid gland	6	0.5	0.11	0.4	0.08	5	0.4	0.08	0.2	0.05
Lymphomas	73	7.7	0.41	4.9	0.26	59	4.7	0.28	3.0	0.19
Hodgkin Lymphoma	3	0.3	0.08	0.2	0.06	2	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	70	7.4	0.40	4.6	0.26	57	4.5	0.28	2.8	0.18
Multiple Myeloma	43	4.4	0.31	2.8	0.19	28	2.2	0.19	1.4	0.13
Leukemias	87	9.1	0.44	5.9	0.29	65	5.1	0.30	3.3	0.21
Other, Ill-defined & Unknown	156	16.0	0.58	10.6	0.39	139	11.2	0.44	7.5	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,743	186.2	2.03	122.6	1.35	1,575	135.5	1.58	92.9	1.15
Oral Cavity & Pharynx	31	3.1	0.25	2.3	0.19	17	1.4	0.16	1.0	0.12
Digestive System	473	49.9	1.05	34.1	0.72	351	29.8	0.74	19.7	0.52
Esophagus	81	8.4	0.43	5.9	0.30	16	1.4	0.16	0.9	0.11
Stomach	25	2.7	0.25	1.9	0.17	14	1.3	0.16	0.9	0.12
Colon & Rectum	160	17.1	0.62	11.4	0.42	148	12.4	0.47	7.9	0.33
Liver	44	4.4	0.30	3.3	0.22	16	1.4	0.16	1.0	0.12
Pancreas	123	13.2	0.54	8.9	0.37	108	9.2	0.41	6.0	0.28
Respiratory System	474	50.3	1.05	33.5	0.70	390	33.9	0.79	23.4	0.56
Larynx	17	1.7	0.19	1.2	0.13	6	0.5	0.10	0.3	0.07
Lung & bronchus	455	48.3	1.03	32.1	0.69	383	33.2	0.78	22.9	0.56
Skin	57	6.1	0.37	4.0	0.25	25	2.2	0.20	1.5	0.15
Melanomas of the skin	39	4.1	0.30	2.9	0.21	19	1.6	0.17	1.1	0.13
Breast	2	0.3	0.08	0.2	0.06	232	20.2	0.62	14.2	0.46
Female Genital System	-	-	-	-	-	169	14.9	0.53	10.8	0.40
Cervix uteri	-	-	-	-	-	22	2.1	0.21	1.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	52	4.6	0.29	3.2	0.21
Ovary	-	-	-	-	-	80	7.0	0.36	4.9	0.27
Male Genital System	167	18.7	0.65	10.3	0.37	-	-	-	-	-
Prostate	162	18.1	0.64	9.8	0.36	-	-	-	-	-
Testis	2	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	127	13.5	0.55	8.6	0.35	59	4.9	0.29	3.2	0.20
Bladder	62	6.8	0.39	3.9	0.23	24	1.9	0.17	1.1	0.11
Kidney & renal pelvis	62	6.4	0.37	4.4	0.26	32	2.7	0.22	1.8	0.16
Brain & Other CNS[1]	59	6.2	0.37	4.8	0.29	45	4.3	0.30	3.4	0.25
Endocrine System	8	0.8	0.13	0.6	0.11	7	0.6	0.10	0.4	0.07
Thyroid gland	6	0.6	0.11	0.4	0.08	4	0.3	0.08	0.2	0.05
Lymphomas	71	7.8	0.42	4.9	0.27	57	4.8	0.29	3.0	0.20
Hodgkin Lymphoma	3	0.3	0.08	0.2	0.06	2	0.2	0.06	0.1	0.05
Non-Hodgkin Lymphoma	68	7.5	0.41	4.7	0.26	55	4.6	0.29	2.9	0.19
Multiple Myeloma	40	4.3	0.31	2.8	0.20	26	2.0	0.19	1.3	0.13
Leukemias	84	9.1	0.45	6.0	0.30	63	5.3	0.31	3.4	0.22
Other, Ill-defined & Unknown	149	16.0	0.60	10.6	0.41	133	11.3	0.45	7.6	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	62	239.0	14.97	155.3	9.02	57	164.7	10.05	115.7	6.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	74.9	8.23	49.8	5.05	17	50.9	5.60	35.1	3.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	3	12.1	3.61	7.0	1.97	-	-	-	-	-
Colon & Rectum	6	27.0	5.18	16.5	2.96	7	21.0	3.69	13.8	2.39
Liver	5	13.8	2.92	11.3	2.25	-	-	-	-	-
Pancreas	5	18.8	4.11	12.6	2.57	5	15.0	3.06	10.1	2.04
Respiratory System	17	67.2	7.83	44.2	4.85	15	41.2	4.99	30.1	3.54
Larynx	2	8.2	2.73	5.4	1.66	-	-	-	-	-
Lung & bronchus	15	59.0	7.34	38.8	4.56	14	40.8	4.98	29.8	3.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	9	25.1	3.88	17.4	2.65
Female Genital System	-	-	-	-	-	6	17.2	3.20	12.8	2.31
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	3	9.0	2.32	6.7	1.68
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	8	35.0	6.11	20.4	3.34	-	-	-	-	-
Prostate	8	35.0	6.11	20.4	3.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	12.3	3.52	7.5	2.00	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	6.2	2.22	4.5	1.47	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	8.3	2.86	5.1	1.65	2	8.2	2.40	5.0	1.45
Leukemias	2	7.1	2.52	4.9	1.59	-	-	-	-	-
Other, Ill-defined & Unknown	5	16.9	3.92	11.3	2.41	3	7.3	2.11	5.1	1.42

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	15	134.4	17.09	91.7	10.72	12	76.8	10.80	52.8	6.98
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	58.2	11.31	39.5	7.04	3	26.0	6.68	15.9	3.87
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	2	20.3	6.46	14.4	4.29	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	29.9	8.30	19.6	5.16	2	12.7	4.28	9.3	2.97
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	25.7	7.65	17.0	4.82	2	12.7	4.28	9.3	2.97
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	2	14.3	4.83	8.9	2.84

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,713	183.2	1.63	121.1	1.05	2,355	142.5	1.34	96.4	0.92
Oral Cavity & Pharynx	65	4.1	0.23	2.9	0.16	23	1.4	0.13	0.9	0.09
Digestive System	796	51.6	0.85	35.8	0.57	545	32.9	0.64	21.9	0.43
Esophagus	109	6.8	0.30	4.8	0.21	22	1.3	0.13	0.9	0.09
Stomach	50	3.4	0.22	2.2	0.14	35	2.2	0.17	1.5	0.12
Colon & Rectum	288	19.4	0.53	13.1	0.35	230	14.1	0.42	9.3	0.28
Liver	122	7.4	0.31	5.6	0.23	51	3.0	0.19	2.1	0.13
Pancreas	182	11.7	0.40	8.1	0.27	158	9.4	0.34	6.3	0.23
Respiratory System	714	47.4	0.82	31.0	0.52	647	38.7	0.69	25.5	0.46
Larynx	19	1.2	0.12	0.8	0.09	4	0.2	0.05	0.2	0.04
Lung & bronchus	691	46.0	0.81	30.0	0.51	641	38.4	0.69	25.2	0.45
Skin	86	5.8	0.29	3.9	0.19	31	1.9	0.15	1.3	0.11
Melanomas of the skin	60	4.0	0.24	2.8	0.16	22	1.4	0.13	0.9	0.09
Breast	6	0.5	0.09	0.3	0.05	360	21.9	0.53	15.5	0.38
Female Genital System	-	-	-	-	-	251	15.1	0.43	11.0	0.32
Cervix uteri	-	-	-	-	-	40	2.5	0.18	2.1	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	71	4.2	0.23	3.0	0.17
Ovary	-	-	-	-	-	125	7.5	0.30	5.3	0.22
Male Genital System	268	20.4	0.57	11.5	0.32	-	-	-	-	-
Prostate	259	19.8	0.57	11.0	0.31	-	-	-	-	-
Testis	5	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	188	13.4	0.45	8.3	0.27	83	5.1	0.26	3.1	0.16
Bladder	114	8.4	0.36	4.9	0.21	40	2.5	0.18	1.5	0.11
Kidney & renal pelvis	72	4.8	0.26	3.3	0.18	41	2.5	0.18	1.6	0.11
Brain & Other CNS[1]	81	5.2	0.27	4.0	0.20	66	3.9	0.22	3.0	0.18
Endocrine System	13	0.8	0.10	0.6	0.08	11	0.6	0.09	0.4	0.06
Thyroid gland	8	0.5	0.08	0.4	0.06	8	0.5	0.08	0.3	0.05
Lymphomas	101	7.1	0.32	4.6	0.21	61	3.8	0.22	2.4	0.14
Hodgkin Lymphoma	4	0.3	0.06	0.2	0.04	4	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	97	6.8	0.32	4.4	0.20	57	3.5	0.21	2.2	0.13
Multiple Myeloma	53	3.6	0.23	2.3	0.14	35	2.1	0.16	1.3	0.10
Leukemias	118	8.3	0.35	5.5	0.23	74	4.7	0.25	3.1	0.17
Other, Ill-defined & Unknown	225	15.1	0.47	10.2	0.31	170	10.4	0.36	7.0	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,355	188.9	1.80	124.8	1.17	1,988	148.2	1.51	99.9	1.04
Oral Cavity & Pharynx	57	4.3	0.26	3.1	0.18	19	1.4	0.15	0.9	0.10
Digestive System	669	51.6	0.92	35.9	0.63	446	33.2	0.71	22.1	0.48
Esophagus	99	7.4	0.34	5.2	0.24	19	1.4	0.15	1.0	0.10
Stomach	40	3.2	0.24	2.1	0.15	26	2.0	0.18	1.4	0.13
Colon & Rectum	239	19.1	0.57	13.0	0.38	189	14.2	0.47	9.3	0.32
Liver	97	7.0	0.33	5.3	0.24	40	2.8	0.21	1.9	0.14
Pancreas	158	12.1	0.45	8.4	0.30	132	9.6	0.38	6.4	0.26
Respiratory System	626	49.3	0.91	32.1	0.58	566	41.5	0.79	27.3	0.52
Larynx	16	1.2	0.14	0.9	0.10	4	0.3	0.06	0.2	0.04
Lung & bronchus	605	47.7	0.89	31.0	0.57	561	41.1	0.79	27.0	0.52
Skin	83	6.7	0.34	4.6	0.23	30	2.2	0.19	1.5	0.13
Melanomas of the skin	59	4.7	0.28	3.3	0.20	22	1.6	0.16	1.2	0.12
Breast	5	0.4	0.09	0.3	0.05	294	22.1	0.59	15.5	0.42
Female Genital System	-	-	-	-	-	206	15.5	0.49	11.2	0.37
Cervix uteri	-	-	-	-	-	31	2.6	0.21	2.1	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	56	4.1	0.25	3.0	0.18
Ovary	-	-	-	-	-	105	7.8	0.35	5.5	0.25
Male Genital System	228	20.4	0.62	11.5	0.34	-	-	-	-	-
Prostate	220	19.8	0.61	11.0	0.33	-	-	-	-	-
Testis	4	0.3	0.08	0.3	0.07	-	-	-	-	-
Urinary System	169	14.2	0.50	8.8	0.31	73	5.5	0.29	3.4	0.18
Bladder	103	8.9	0.40	5.2	0.23	36	2.8	0.21	1.7	0.13
Kidney & renal pelvis	64	5.1	0.29	3.5	0.20	35	2.7	0.20	1.7	0.13
Brain & Other CNS[1]	74	5.7	0.30	4.4	0.24	59	4.4	0.26	3.3	0.21
Endocrine System	10	0.8	0.11	0.6	0.10	9	0.6	0.10	0.4	0.07
Thyroid gland	6	0.5	0.09	0.4	0.07	6	0.4	0.08	0.3	0.05
Lymphomas	89	7.4	0.36	4.8	0.23	52	3.9	0.25	2.4	0.16
Hodgkin Lymphoma	4	0.3	0.07	0.2	0.04	3	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	85	7.1	0.35	4.6	0.23	49	3.7	0.24	2.3	0.15
Multiple Myeloma	43	3.5	0.25	2.2	0.15	28	2.0	0.18	1.3	0.11
Leukemias	104	8.7	0.39	5.7	0.26	64	4.9	0.28	3.3	0.20
Other, Ill-defined & Unknown	199	15.8	0.52	10.8	0.35	143	10.8	0.41	7.2	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	199	195.6	6.69	131.8	4.20	185	148.0	5.03	105.1	3.47
Oral Cavity & Pharynx	3	2.7	0.68	2.1	0.52	2	1.6	0.51	1.1	0.35
Digestive System	66	62.7	3.70	43.7	2.40	47	37.0	2.51	26.3	1.72
Esophagus	5	4.0	0.85	3.1	0.63	-	-	-	-	-
Stomach	4	3.7	0.94	2.4	0.57	3	2.8	0.71	1.9	0.46
Colon & Rectum	29	29.2	2.63	19.1	1.60	21	16.6	1.69	11.7	1.15
Liver	11	8.7	1.23	7.0	0.95	5	3.5	0.72	2.8	0.57
Pancreas	14	12.8	1.61	9.2	1.10	13	10.5	1.32	7.4	0.91
Respiratory System	46	43.1	3.02	30.3	2.00	40	33.5	2.46	22.3	1.58
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	44	41.5	2.98	29.0	1.96	40	33.4	2.46	22.2	1.58
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	37	28.6	2.16	21.6	1.59
Female Genital System	-	-	-	-	-	23	17.1	1.64	13.3	1.24
Cervix uteri	-	-	-	-	-	5	3.3	0.69	2.9	0.59
Corpus & uterus, NOS[1]	-	-	-	-	-	8	5.7	0.95	4.5	0.72
Ovary	-	-	-	-	-	9	7.2	1.08	5.3	0.77
Male Genital System	26	31.5	2.94	18.2	1.59	-	-	-	-	-
Prostate	26	30.9	2.91	17.8	1.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	11.5	1.71	7.2	1.00	6	5.0	0.97	3.0	0.57
Bladder	6	7.5	1.45	4.2	0.76	-	-	-	-	-
Kidney & renal pelvis	5	4.1	0.92	3.1	0.64	4	3.2	0.77	2.0	0.46
Brain & Other CNS[1]	4	4.0	0.95	2.9	0.63	3	2.7	0.67	2.0	0.48
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	8.3	1.36	5.7	0.88	3	2.9	0.73	2.0	0.48
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	6.6	1.22	4.5	0.77	4	3.2	0.74	2.2	0.50
Leukemias	7	6.3	1.13	4.6	0.78	6	5.3	0.99	3.5	0.63
Other, Ill-defined & Unknown	16	15.8	1.94	10.4	1.18	13	10.5	1.33	7.5	0.92

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	140	120.7	4.85	79.3	3.02	166	96.8	3.50	66.6	2.35
Oral Cavity & Pharynx	4	3.0	0.69	2.3	0.51	-	-	-	-	-
Digestive System	54	45.7	2.98	30.5	1.88	47	28.4	1.93	18.4	1.21
Esophagus	4	2.8	0.68	2.0	0.47	-	-	-	-	-
Stomach	6	5.7	1.10	3.5	0.63	5	3.1	0.62	2.2	0.42
Colon & Rectum	18	15.7	1.76	10.5	1.11	19	11.8	1.25	7.6	0.78
Liver	12	10.2	1.38	7.2	0.92	7	4.1	0.73	2.6	0.46
Pancreas	9	7.3	1.17	4.9	0.75	11	6.6	0.95	4.1	0.57
Respiratory System	39	33.3	2.52	21.6	1.55	38	22.1	1.67	14.8	1.09
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	39	33.0	2.51	21.4	1.54	37	21.6	1.65	14.4	1.08
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	27	14.9	1.34	11.0	0.97
Female Genital System	-	-	-	-	-	20	10.5	1.10	8.1	0.82
Cervix uteri	-	-	-	-	-	3	1.4	0.39	1.1	0.31
Corpus & uterus, NOS[1]	-	-	-	-	-	6	3.1	0.59	2.4	0.46
Ovary	-	-	-	-	-	10	5.5	0.80	4.1	0.59
Male Genital System	10	10.7	1.59	5.9	0.83	-	-	-	-	-
Prostate	10	10.6	1.59	5.8	0.81	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	6.5	1.14	4.1	0.68	4	2.2	0.53	1.4	0.33
Bladder	4	4.1	0.96	2.4	0.52	-	-	-	-	-
Kidney & renal pelvis	3	2.4	0.61	1.7	0.44	2	1.0	0.35	0.8	0.24
Brain & Other CNS[1]	2	1.5	0.47	1.3	0.40	3	2.2	0.55	1.9	0.50
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	2.4	0.62	1.9	0.47	5	2.9	0.60	1.8	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	1.9	0.51	1.5	0.40	3	1.7	0.48	1.1	0.30
Leukemias	6	5.6	1.10	3.4	0.64	4	2.3	0.56	1.4	0.34
Other, Ill-defined & Unknown	9	7.4	1.14	5.1	0.77	13	7.5	0.97	5.3	0.67

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,441	187.3	2.28	122.5	1.48	1,297	138.6	1.78	94.5	1.26
Oral Cavity & Pharynx	33	3.9	0.31	2.9	0.23	12	1.2	0.17	0.9	0.12
Digestive System	392	48.8	1.15	33.8	0.78	270	28.6	0.80	18.9	0.55
Esophagus	76	9.3	0.50	6.5	0.34	20	2.1	0.21	1.5	0.16
Stomach	23	2.9	0.28	2.0	0.20	12	1.3	0.18	0.9	0.12
Colon & Rectum	107	13.9	0.62	9.2	0.41	108	11.6	0.52	7.5	0.35
Liver	54	6.4	0.40	4.8	0.30	12	1.2	0.16	0.9	0.12
Pancreas	98	12.0	0.56	8.4	0.39	84	8.8	0.44	5.8	0.29
Respiratory System	394	50.1	1.17	33.2	0.76	362	38.6	0.93	26.4	0.64
Larynx	11	1.4	0.19	0.9	0.12	3	0.3	0.08	0.2	0.05
Lung & bronchus	380	48.3	1.15	32.1	0.74	358	38.2	0.93	26.1	0.64
Skin	41	5.7	0.40	3.7	0.27	23	2.5	0.24	1.8	0.18
Melanomas of the skin	29	4.0	0.35	2.7	0.24	17	1.8	0.21	1.3	0.16
Breast	2	0.3	0.09	0.2	0.05	176	18.9	0.66	13.6	0.49
Female Genital System	-	-	-	-	-	138	14.9	0.59	10.5	0.42
Cervix uteri	-	-	-	-	-	11	1.3	0.18	1.0	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	49	5.1	0.34	3.6	0.24
Ovary	-	-	-	-	-	66	7.2	0.41	5.1	0.29
Male Genital System	135	19.3	0.76	10.6	0.41	-	-	-	-	-
Prostate	132	18.9	0.75	10.3	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	109	14.6	0.64	8.9	0.39	47	4.9	0.33	3.1	0.21
Bladder	66	9.2	0.52	5.3	0.29	22	2.3	0.23	1.3	0.14
Kidney & renal pelvis	41	5.1	0.37	3.5	0.25	22	2.4	0.23	1.6	0.16
Brain & Other CNS[1]	46	5.8	0.40	4.5	0.31	34	4.0	0.32	3.2	0.27
Endocrine System	5	0.7	0.15	0.5	0.11	5	0.5	0.10	0.3	0.07
Thyroid gland	3	0.5	0.12	0.3	0.07	3	0.3	0.08	0.2	0.05
Lymphomas	53	7.3	0.46	4.5	0.29	44	4.8	0.33	3.0	0.21
Hodgkin Lymphoma	2	0.4	0.11	0.2	0.07	2	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	51	7.0	0.45	4.3	0.28	42	4.5	0.32	2.8	0.21
Multiple Myeloma	28	3.8	0.33	2.4	0.20	22	2.3	0.23	1.5	0.15
Leukemias	61	8.3	0.49	5.4	0.32	41	4.4	0.32	2.9	0.23
Other, Ill-defined & Unknown	141	18.6	0.72	11.9	0.46	123	13.0	0.54	8.5	0.38

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,422	188.9	2.32	123.7	1.51	1,282	140.2	1.81	95.8	1.29
Oral Cavity & Pharynx	33	3.9	0.32	2.9	0.23	12	1.3	0.17	0.9	0.12
Digestive System	385	49.1	1.16	34.0	0.80	267	28.9	0.82	19.1	0.57
Esophagus	75	9.5	0.51	6.6	0.34	20	2.1	0.22	1.5	0.16
Stomach	22	2.8	0.28	2.0	0.20	11	1.3	0.18	0.9	0.13
Colon & Rectum	106	14.1	0.63	9.3	0.42	107	11.7	0.53	7.6	0.36
Liver	52	6.2	0.40	4.6	0.30	11	1.2	0.17	0.9	0.13
Pancreas	97	12.2	0.57	8.5	0.40	83	8.9	0.45	5.8	0.30
Respiratory System	389	50.6	1.19	33.6	0.77	358	39.0	0.94	26.6	0.65
Larynx	10	1.4	0.20	0.9	0.12	3	0.3	0.08	0.2	0.05
Lung & bronchus	376	48.8	1.16	32.4	0.76	354	38.6	0.94	26.4	0.65
Skin	41	5.8	0.42	3.8	0.28	23	2.6	0.25	1.8	0.19
Melanomas of the skin	29	4.2	0.36	2.8	0.25	17	1.9	0.22	1.4	0.17
Breast	2	0.3	0.09	0.2	0.05	174	19.2	0.68	13.9	0.51
Female Genital System	-	-	-	-	-	137	15.0	0.60	10.6	0.43
Cervix uteri	-	-	-	-	-	11	1.2	0.18	1.0	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	48	5.2	0.35	3.6	0.24
Ovary	-	-	-	-	-	65	7.3	0.42	5.1	0.30
Male Genital System	133	19.4	0.76	10.7	0.42	-	-	-	-	-
Prostate	130	18.9	0.76	10.3	0.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	107	14.6	0.65	9.0	0.39	45	4.9	0.34	3.1	0.22
Bladder	65	9.3	0.52	5.3	0.30	21	2.3	0.23	1.3	0.14
Kidney & renal pelvis	40	5.1	0.37	3.5	0.25	22	2.4	0.23	1.6	0.16
Brain & Other CNS[1]	45	5.9	0.41	4.5	0.32	34	4.1	0.33	3.3	0.29
Endocrine System	5	0.7	0.15	0.5	0.11	5	0.5	0.10	0.3	0.07
Thyroid gland	3	0.5	0.12	0.3	0.07	3	0.3	0.08	0.2	0.05
Lymphomas	53	7.4	0.47	4.6	0.29	44	4.8	0.34	3.0	0.22
Hodgkin Lymphoma	2	0.4	0.11	0.2	0.08	2	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	50	7.1	0.46	4.3	0.28	42	4.6	0.33	2.8	0.21
Multiple Myeloma	28	3.8	0.33	2.3	0.20	21	2.4	0.23	1.6	0.16
Leukemias	61	8.5	0.50	5.5	0.33	41	4.5	0.33	2.9	0.24
Other, Ill-defined & Unknown	140	18.9	0.74	12.1	0.47	122	13.2	0.55	8.7	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	8	136.9	24.18	93.1	14.98	6	111.9	21.85	76.1	14.33
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	38.2	11.63	29.2	8.16	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	30.5	10.94	22.0	7.31	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	30.5	10.94	22.0	7.31	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10	116.5	18.54	68.3	10.12	8	64.3	10.93	41.6	6.56
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	41.7	10.75	25.8	6.10	3	24.3	7.29	13.5	3.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	19.9	6.96	13.8	4.44	3	19.7	5.63	14.2	3.82
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	19.9	6.96	13.8	4.44	3	19.7	5.63	14.2	3.82
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	8,067	176.5	0.90	115.3	0.59	8,297	134.9	0.68	91.8	0.49
Oral Cavity & Pharynx	154	3.2	0.12	2.3	0.08	66	1.0	0.06	0.7	0.04
Digestive System	2,426	51.8	0.48	35.2	0.33	1,985	31.7	0.33	20.9	0.23
Esophagus	306	6.4	0.17	4.5	0.12	85	1.4	0.07	0.9	0.05
Stomach	219	4.8	0.15	3.2	0.10	146	2.4	0.09	1.7	0.07
Colon & Rectum	775	16.8	0.28	11.2	0.18	757	11.9	0.20	7.7	0.14
Liver	336	6.8	0.17	4.9	0.12	128	2.0	0.08	1.4	0.06
Pancreas	599	12.8	0.24	8.6	0.16	632	10.1	0.18	6.6	0.13
Respiratory System	1,983	43.0	0.44	28.4	0.29	1,943	31.7	0.33	21.3	0.23
Larynx	80	1.7	0.09	1.2	0.06	23	0.4	0.04	0.3	0.03
Lung & bronchus	1,891	41.0	0.43	27.1	0.28	1,910	31.1	0.32	20.9	0.23
Skin	209	4.6	0.15	2.9	0.09	114	1.8	0.08	1.2	0.05
Melanomas of the skin	147	3.2	0.12	2.1	0.08	88	1.4	0.07	1.0	0.05
Breast	16	0.3	0.04	0.2	0.03	1,287	21.3	0.27	15.2	0.20
Female Genital System	-	-	-	-	-	939	15.5	0.23	11.2	0.17
Cervix uteri	-	-	-	-	-	116	2.0	0.09	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	356	5.8	0.14	4.2	0.10
Ovary	-	-	-	-	-	405	6.7	0.15	4.8	0.11
Male Genital System	784	18.2	0.29	10.2	0.17	-	-	-	-	-
Prostate	766	17.8	0.29	9.9	0.16	-	-	-	-	-
Testis	9	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	575	12.9	0.24	7.9	0.15	294	4.6	0.12	2.8	0.08
Bladder	348	8.0	0.19	4.6	0.11	160	2.5	0.09	1.4	0.06
Kidney & renal pelvis	214	4.6	0.14	3.1	0.10	125	2.0	0.08	1.3	0.06
Brain & Other CNS[1]	240	5.0	0.15	3.9	0.12	191	3.4	0.11	2.6	0.09
Endocrine System	40	0.9	0.06	0.6	0.05	43	0.7	0.05	0.5	0.04
Thyroid gland	25	0.5	0.05	0.4	0.03	30	0.5	0.04	0.3	0.03
Lymphomas	332	7.5	0.19	4.8	0.12	266	4.3	0.12	2.7	0.08
Hodgkin Lymphoma	16	0.4	0.04	0.3	0.03	10	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	316	7.1	0.18	4.5	0.12	256	4.1	0.12	2.6	0.08
Multiple Myeloma	177	3.9	0.14	2.5	0.08	156	2.5	0.09	1.6	0.06
Leukemias	359	8.2	0.20	5.2	0.13	296	4.8	0.13	3.1	0.09
Other, Ill-defined & Unknown	772	17.0	0.28	11.1	0.18	715	11.5	0.20	7.8	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,797	180.8	1.00	118.0	0.66	6,906	138.1	0.77	93.6	0.56
Oral Cavity & Pharynx	123	3.1	0.13	2.2	0.09	54	1.1	0.07	0.7	0.05
Digestive System	1,998	52.2	0.53	35.4	0.36	1,627	31.8	0.37	20.9	0.26
Esophagus	271	7.0	0.19	4.9	0.14	70	1.4	0.08	0.9	0.05
Stomach	165	4.4	0.16	2.9	0.11	109	2.2	0.10	1.5	0.08
Colon & Rectum	635	16.8	0.30	11.1	0.20	631	12.1	0.22	7.8	0.16
Liver	260	6.5	0.18	4.7	0.13	98	1.9	0.09	1.3	0.06
Pancreas	506	13.2	0.27	8.9	0.18	528	10.3	0.21	6.8	0.14
Respiratory System	1,677	44.2	0.49	29.2	0.32	1,676	33.6	0.38	22.6	0.26
Larynx	66	1.7	0.10	1.2	0.07	17	0.3	0.04	0.3	0.03
Lung & bronchus	1,602	42.3	0.48	27.8	0.32	1,651	33.1	0.37	22.2	0.26
Skin	203	5.4	0.17	3.5	0.11	111	2.2	0.10	1.4	0.07
Melanomas of the skin	146	3.9	0.15	2.6	0.10	86	1.8	0.09	1.2	0.06
Breast	13	0.3	0.04	0.2	0.03	1,021	20.9	0.30	14.8	0.23
Female Genital System	-	-	-	-	-	753	15.6	0.26	11.2	0.20
Cervix uteri	-	-	-	-	-	84	1.9	0.10	1.5	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	275	5.6	0.15	4.0	0.11
Ovary	-	-	-	-	-	340	7.0	0.17	5.0	0.13
Male Genital System	609	16.8	0.31	9.4	0.18	-	-	-	-	-
Prostate	594	16.3	0.30	9.0	0.17	-	-	-	-	-
Testis	9	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	522	14.0	0.28	8.6	0.17	254	4.8	0.14	2.9	0.09
Bladder	321	8.8	0.22	5.0	0.13	140	2.6	0.10	1.5	0.06
Kidney & renal pelvis	188	4.9	0.16	3.3	0.11	106	2.1	0.09	1.3	0.07
Brain & Other CNS[1]	214	5.6	0.18	4.3	0.14	171	3.8	0.14	3.0	0.11
Endocrine System	33	0.9	0.07	0.7	0.05	37	0.8	0.06	0.6	0.05
Thyroid gland	21	0.6	0.06	0.4	0.04	26	0.5	0.05	0.3	0.03
Lymphomas	294	8.1	0.21	5.1	0.14	231	4.5	0.14	2.8	0.09
Hodgkin Lymphoma	14	0.4	0.05	0.3	0.04	9	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	280	7.7	0.21	4.8	0.13	222	4.3	0.13	2.7	0.09
Multiple Myeloma	142	3.8	0.15	2.4	0.09	115	2.2	0.10	1.4	0.06
Leukemias	314	8.7	0.22	5.6	0.15	256	5.1	0.15	3.3	0.11
Other, Ill-defined & Unknown	654	17.6	0.31	11.4	0.21	600	11.9	0.23	8.0	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	991	206.4	3.10	138.6	1.98	1,122	150.4	2.04	106.7	1.45
Oral Cavity & Pharynx	20	3.7	0.39	2.7	0.27	9	1.2	0.18	0.8	0.12
Digestive System	317	62.1	1.65	43.8	1.10	282	37.7	1.02	25.9	0.71
Esophagus	26	5.1	0.46	3.6	0.32	12	1.6	0.21	1.1	0.15
Stomach	37	7.8	0.61	5.2	0.38	27	3.6	0.32	2.4	0.22
Colon & Rectum	110	22.3	1.01	15.3	0.65	102	13.6	0.61	9.4	0.43
Liver	55	9.3	0.59	7.4	0.45	22	2.8	0.27	2.0	0.20
Pancreas	70	14.0	0.79	9.7	0.52	84	11.5	0.57	7.7	0.38
Respiratory System	248	50.3	1.51	34.7	0.99	223	29.9	0.91	21.0	0.64
Larynx	13	2.6	0.34	1.8	0.23	5	0.7	0.13	0.5	0.10
Lung & bronchus	233	47.4	1.46	32.6	0.96	216	29.0	0.90	20.4	0.63
Skin	4	0.9	0.19	0.6	0.13	3	0.3	0.10	0.3	0.08
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	3	0.6	0.16	0.4	0.11	218	29.1	0.89	21.6	0.67
Female Genital System	-	-	-	-	-	149	19.5	0.73	14.5	0.54
Cervix uteri	-	-	-	-	-	27	3.5	0.31	2.8	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	69	9.0	0.49	6.6	0.36
Ovary	-	-	-	-	-	46	6.0	0.41	4.4	0.30
Male Genital System	158	39.3	1.46	22.6	0.81	-	-	-	-	-
Prostate	156	38.9	1.45	22.4	0.80	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	43	9.1	0.66	6.0	0.41	32	4.4	0.35	2.9	0.23
Bladder	22	5.1	0.51	3.1	0.30	17	2.4	0.27	1.5	0.16
Kidney & renal pelvis	20	3.9	0.41	2.8	0.28	14	1.9	0.23	1.3	0.16
Brain & Other CNS[1]	17	3.3	0.37	2.5	0.27	13	1.8	0.22	1.5	0.18
Endocrine System	4	0.9	0.20	0.6	0.13	4	0.6	0.13	0.4	0.10
Thyroid gland	2	0.5	0.16	0.3	0.10	2	0.3	0.09	0.2	0.07
Lymphomas	26	5.1	0.48	3.6	0.32	25	3.5	0.32	2.4	0.22
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	29	6.3	0.55	4.1	0.34	38	5.2	0.39	3.4	0.25
Leukemias	29	5.9	0.52	4.1	0.34	31	4.3	0.35	3.0	0.24
Other, Ill-defined & Unknown	92	18.9	0.94	12.8	0.60	96	12.9	0.60	9.1	0.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	274	86.2	2.49	55.9	1.52	261	66.2	1.90	45.0	1.25
Oral Cavity & Pharynx	10	2.9	0.42	2.1	0.29	3	0.6	0.17	0.4	0.12
Digestive System	110	33.4	1.53	22.2	0.95	75	19.2	1.03	12.8	0.66
Esophagus	9	2.6	0.41	1.8	0.27	2	0.5	0.17	0.3	0.11
Stomach	18	5.5	0.63	3.6	0.38	10	2.6	0.37	1.8	0.25
Colon & Rectum	29	8.1	0.72	5.7	0.48	23	5.8	0.56	3.9	0.36
Liver	21	6.0	0.63	4.2	0.41	8	2.2	0.35	1.5	0.23
Pancreas	23	7.8	0.77	4.8	0.45	19	4.9	0.52	3.3	0.34
Respiratory System	57	18.7	1.18	11.6	0.69	43	11.8	0.83	7.3	0.50
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	55	18.1	1.16	11.2	0.68	42	11.4	0.81	7.1	0.49
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	46	10.6	0.72	7.9	0.52
Female Genital System	-	-	-	-	-	37	8.7	0.67	6.3	0.47
Cervix uteri	-	-	-	-	-	4	0.9	0.22	0.6	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	12	2.8	0.38	2.0	0.26
Ovary	-	-	-	-	-	19	4.6	0.48	3.3	0.34
Male Genital System	16	6.4	0.75	3.4	0.38	-	-	-	-	-
Prostate	16	6.4	0.75	3.4	0.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	3.2	0.48	2.1	0.29	8	2.1	0.35	1.4	0.23
Bladder	4	1.7	0.38	0.9	0.20	3	0.8	0.22	0.5	0.13
Kidney & renal pelvis	5	1.5	0.30	1.1	0.21	5	1.2	0.27	0.8	0.18
Brain & Other CNS[1]	8	2.2	0.36	1.7	0.26	7	1.9	0.32	1.3	0.22
Endocrine System	3	0.7	0.21	0.6	0.16	2	0.6	0.18	0.4	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	12	3.7	0.52	2.4	0.32	10	2.5	0.37	1.8	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	1.5	0.32	1.0	0.21	3	0.9	0.23	0.6	0.14
Leukemias	15	5.0	0.60	3.2	0.37	8	2.1	0.35	1.4	0.22
Other, Ill-defined & Unknown	26	8.2	0.76	5.4	0.47	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,891	167.1	1.76	111.0	1.17	1,655	122.3	1.38	84.6	0.99
Oral Cavity & Pharynx	44	3.6	0.25	2.6	0.18	17	1.3	0.14	0.8	0.09
Digestive System	609	52.1	0.97	36.8	0.68	422	30.9	0.69	21.2	0.49
Esophagus	73	6.2	0.33	4.3	0.23	11	0.8	0.11	0.6	0.08
Stomach	49	4.4	0.29	3.0	0.20	36	2.7	0.20	1.8	0.14
Colon & Rectum	184	16.3	0.55	11.2	0.38	150	11.2	0.42	7.8	0.31
Liver	126	10.2	0.42	7.8	0.32	47	3.4	0.22	2.3	0.16
Pancreas	133	11.2	0.45	7.8	0.31	119	8.5	0.36	5.7	0.24
Respiratory System	404	35.4	0.80	23.0	0.52	345	25.1	0.62	16.7	0.42
Larynx	17	1.5	0.16	1.0	0.11	4	0.3	0.07	0.2	0.05
Lung & bronchus	382	33.4	0.78	21.6	0.50	337	24.6	0.61	16.3	0.41
Skin	56	5.0	0.31	3.4	0.21	24	1.8	0.17	1.3	0.13
Melanomas of the skin	38	3.4	0.25	2.3	0.17	19	1.4	0.15	1.0	0.12
Breast	2	0.2	0.06	0.1	0.04	259	19.3	0.55	13.8	0.41
Female Genital System	-	-	-	-	-	201	15.1	0.49	11.2	0.38
Cervix uteri	-	-	-	-	-	24	2.2	0.21	1.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	58	4.2	0.25	3.1	0.19
Ovary	-	-	-	-	-	102	7.6	0.34	5.5	0.26
Male Genital System	211	20.2	0.63	11.3	0.35	-	-	-	-	-
Prostate	204	19.6	0.62	10.7	0.34	-	-	-	-	-
Testis	4	0.4	0.09	0.4	0.09	-	-	-	-	-
Urinary System	138	12.5	0.49	7.9	0.31	64	4.7	0.27	3.1	0.18
Bladder	70	6.6	0.36	3.8	0.21	27	2.0	0.17	1.2	0.11
Kidney & renal pelvis	63	5.5	0.32	3.9	0.23	36	2.6	0.20	1.8	0.14
Brain & Other CNS[1]	52	4.4	0.28	3.4	0.22	42	3.2	0.23	2.4	0.18
Endocrine System	11	1.1	0.15	0.7	0.10	11	0.9	0.12	0.6	0.09
Thyroid gland	7	0.6	0.11	0.4	0.07	7	0.6	0.09	0.4	0.07
Lymphomas	70	6.3	0.34	4.1	0.23	56	4.0	0.24	2.6	0.16
Hodgkin Lymphoma	5	0.5	0.10	0.4	0.07	4	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	64	5.8	0.33	3.8	0.21	52	3.7	0.24	2.4	0.16
Multiple Myeloma	39	3.4	0.25	2.3	0.17	31	2.3	0.19	1.5	0.13
Leukemias	75	7.0	0.37	4.6	0.25	52	3.9	0.25	2.6	0.18
Other, Ill-defined & Unknown	180	16.0	0.54	10.6	0.36	131	9.7	0.39	6.7	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,746	170.4	1.86	113.5	1.25	1,506	124.6	1.48	86.3	1.07
Oral Cavity & Pharynx	41	3.8	0.27	2.8	0.20	16	1.3	0.15	0.9	0.10
Digestive System	549	52.2	1.02	37.0	0.73	373	30.6	0.73	21.0	0.52
Esophagus	70	6.5	0.36	4.5	0.25	10	0.8	0.12	0.6	0.09
Stomach	41	4.1	0.29	2.8	0.20	29	2.4	0.21	1.6	0.15
Colon & Rectum	166	16.3	0.58	11.3	0.41	134	11.2	0.45	7.8	0.33
Liver	114	10.3	0.44	8.0	0.34	41	3.3	0.23	2.3	0.17
Pancreas	121	11.3	0.47	7.9	0.33	110	8.8	0.38	5.9	0.26
Respiratory System	383	36.8	0.86	24.0	0.56	328	26.7	0.67	17.8	0.46
Larynx	16	1.5	0.18	1.0	0.12	4	0.4	0.08	0.3	0.06
Lung & bronchus	362	34.8	0.83	22.6	0.54	321	26.1	0.66	17.4	0.45
Skin	55	5.4	0.33	3.6	0.23	23	1.9	0.19	1.4	0.14
Melanomas of the skin	38	3.7	0.28	2.5	0.19	18	1.5	0.17	1.1	0.13
Breast	2	0.2	0.07	0.1	0.04	240	20.2	0.61	14.5	0.45
Female Genital System	-	-	-	-	-	175	14.8	0.52	11.0	0.40
Cervix uteri	-	-	-	-	-	20	2.1	0.22	1.7	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	50	4.0	0.26	3.0	0.20
Ovary	-	-	-	-	-	90	7.5	0.36	5.4	0.27
Male Genital System	193	20.2	0.66	11.3	0.37	-	-	-	-	-
Prostate	187	19.6	0.65	10.7	0.36	-	-	-	-	-
Testis	3	0.4	0.10	0.4	0.11	-	-	-	-	-
Urinary System	124	12.4	0.51	7.9	0.33	57	4.6	0.28	2.9	0.18
Bladder	67	6.9	0.38	4.0	0.22	24	1.9	0.18	1.2	0.11
Kidney & renal pelvis	53	5.2	0.33	3.7	0.24	32	2.6	0.21	1.7	0.14
Brain & Other CNS[1]	49	4.8	0.31	3.7	0.25	38	3.3	0.25	2.5	0.20
Endocrine System	11	1.2	0.16	0.8	0.12	10	0.9	0.13	0.7	0.10
Thyroid gland	7	0.7	0.12	0.5	0.08	7	0.6	0.10	0.4	0.08
Lymphomas	64	6.4	0.36	4.2	0.24	50	4.0	0.26	2.6	0.17
Hodgkin Lymphoma	5	0.5	0.10	0.4	0.08	3	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	59	5.9	0.35	3.8	0.23	47	3.8	0.25	2.4	0.17
Multiple Myeloma	36	3.5	0.27	2.3	0.18	26	2.1	0.19	1.4	0.13
Leukemias	72	7.3	0.40	4.9	0.27	48	4.1	0.27	2.8	0.20
Other, Ill-defined & Unknown	166	16.2	0.58	10.8	0.39	120	9.9	0.42	6.9	0.31

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	36	176.3	14.18	111.9	8.45	26	114.4	10.25	80.2	7.22
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	49.9	7.47	32.2	4.51	8	34.3	5.58	23.5	3.89
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	3	14.8	4.16	9.2	2.47	3	15.3	3.75	10.3	2.58
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	3	16.0	4.33	9.9	2.49	2	9.8	3.00	5.9	1.86
Respiratory System	10	48.6	7.47	30.5	4.44	5	23.3	4.74	14.7	3.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	46.3	7.29	29.1	4.33	5	23.3	4.74	14.7	3.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	17.5	4.02	13.2	3.02
Female Genital System	-	-	-	-	-	3	13.5	3.46	10.2	2.60
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	24.1	5.59	13.4	3.00	-	-	-	-	-
Prostate	4	24.1	5.59	13.4	3.00	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	14.4	4.06	9.0	2.42	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	4	14.9	3.94	10.5	2.49	2	9.7	3.02	7.1	2.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13	83.3	11.10	58.5	7.40	20	91.2	9.43	59.9	6.09
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	39.9	7.16	30.8	5.30	6	25.2	4.80	18.1	3.39
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	11.8	3.89	9.2	2.90	5	25.1	5.01	16.0	3.11
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	5	23.8	4.85	15.3	3.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	2	11.0	3.26	7.7	2.24
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17,694	174.8	0.60	115.8	0.40	17,612	130.2	0.45	89.6	0.33
Oral Cavity & Pharynx	361	3.4	0.08	2.5	0.06	157	1.1	0.04	0.8	0.03
Digestive System	5,316	51.4	0.32	35.4	0.22	4,254	30.9	0.22	20.7	0.15
Esophagus	682	6.5	0.11	4.6	0.08	199	1.5	0.05	1.0	0.03
Stomach	506	5.0	0.10	3.4	0.07	338	2.5	0.06	1.7	0.05
Colon & Rectum	1,565	15.5	0.18	10.4	0.12	1,554	11.2	0.13	7.4	0.09
Liver	790	7.2	0.12	5.4	0.09	276	2.0	0.06	1.4	0.04
Pancreas	1,317	12.8	0.16	8.7	0.11	1,348	9.8	0.12	6.4	0.08
Respiratory System	4,568	44.6	0.30	30.0	0.20	4,148	30.7	0.22	20.9	0.15
Larynx	189	1.8	0.06	1.3	0.04	48	0.4	0.02	0.3	0.02
Lung & bronchus	4,349	42.5	0.29	28.5	0.20	4,079	30.1	0.22	20.6	0.15
Skin	413	4.1	0.09	2.7	0.06	215	1.6	0.05	1.0	0.03
Melanomas of the skin	279	2.8	0.08	1.9	0.05	158	1.2	0.04	0.8	0.03
Breast	30	0.3	0.02	0.2	0.02	2,547	19.3	0.18	14.0	0.13
Female Genital System	-	-	-	-	-	2,143	16.1	0.16	11.7	0.12
Cervix uteri	-	-	-	-	-	270	2.2	0.06	1.8	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	803	5.9	0.10	4.3	0.07
Ovary	-	-	-	-	-	926	7.0	0.10	5.0	0.08
Male Genital System	1,770	18.5	0.20	10.5	0.11	-	-	-	-	-
Prostate	1,726	18.0	0.20	10.1	0.11	-	-	-	-	-
Testis	19	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	1,183	12.0	0.16	7.3	0.10	583	4.1	0.08	2.5	0.05
Bladder	705	7.3	0.12	4.2	0.07	314	2.2	0.06	1.3	0.03
Kidney & renal pelvis	449	4.4	0.09	3.0	0.06	248	1.8	0.05	1.2	0.04
Brain & Other CNS[1]	487	4.7	0.10	3.6	0.08	401	3.2	0.07	2.5	0.06
Endocrine System	77	0.8	0.04	0.6	0.03	107	0.8	0.04	0.6	0.03
Thyroid gland	51	0.5	0.03	0.3	0.02	74	0.5	0.03	0.4	0.02
Lymphomas	725	7.3	0.12	4.8	0.08	596	4.3	0.08	2.8	0.06
Hodgkin Lymphoma	34	0.3	0.03	0.3	0.02	31	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	691	7.0	0.12	4.5	0.08	565	4.1	0.08	2.6	0.05
Multiple Myeloma	380	3.8	0.09	2.4	0.06	345	2.5	0.06	1.6	0.04
Leukemias	797	8.2	0.13	5.3	0.09	629	4.7	0.09	3.2	0.06
Other, Ill-defined & Unknown	1,586	15.8	0.18	10.5	0.12	1,487	10.8	0.13	7.2	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14,441	179.9	0.68	118.7	0.46	14,188	135.5	0.53	92.8	0.38
Oral Cavity & Pharynx	282	3.4	0.09	2.4	0.07	122	1.1	0.05	0.8	0.03
Digestive System	4,185	51.3	0.36	35.2	0.25	3,311	30.9	0.25	20.5	0.18
Esophagus	598	7.2	0.13	5.1	0.10	163	1.5	0.06	1.0	0.04
Stomach	343	4.3	0.11	2.9	0.07	231	2.3	0.07	1.5	0.05
Colon & Rectum	1,251	15.7	0.20	10.4	0.14	1,224	11.2	0.15	7.4	0.11
Liver	556	6.5	0.13	4.8	0.09	198	1.8	0.06	1.2	0.04
Pancreas	1,081	13.3	0.18	9.0	0.12	1,079	10.0	0.14	6.6	0.10
Respiratory System	3,766	46.4	0.34	31.1	0.23	3,514	33.7	0.26	23.0	0.18
Larynx	148	1.8	0.07	1.2	0.05	37	0.4	0.03	0.3	0.02
Lung & bronchus	3,592	44.3	0.34	29.6	0.23	3,460	33.2	0.26	22.6	0.18
Skin	394	5.0	0.11	3.3	0.08	200	1.9	0.06	1.3	0.05
Melanomas of the skin	271	3.4	0.09	2.3	0.07	150	1.5	0.06	1.0	0.04
Breast	25	0.3	0.03	0.2	0.02	1,966	19.3	0.20	13.9	0.15
Female Genital System	-	-	-	-	-	1,636	16.1	0.18	11.6	0.14
Cervix uteri	-	-	-	-	-	185	2.1	0.07	1.6	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	560	5.4	0.10	3.8	0.08
Ovary	-	-	-	-	-	763	7.5	0.12	5.4	0.09
Male Genital System	1,347	17.4	0.21	9.7	0.12	-	-	-	-	-
Prostate	1,310	16.9	0.21	9.3	0.12	-	-	-	-	-
Testis	17	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	1,036	13.1	0.18	8.0	0.11	504	4.5	0.09	2.8	0.06
Bladder	632	8.1	0.15	4.7	0.09	271	2.4	0.07	1.4	0.04
Kidney & renal pelvis	377	4.6	0.11	3.1	0.07	216	2.0	0.06	1.3	0.04
Brain & Other CNS[1]	429	5.3	0.12	4.2	0.09	349	3.7	0.09	2.9	0.08
Endocrine System	64	0.8	0.05	0.6	0.04	82	0.8	0.04	0.6	0.04
Thyroid gland	43	0.5	0.04	0.4	0.02	57	0.5	0.03	0.3	0.02
Lymphomas	618	7.9	0.14	5.1	0.10	506	4.7	0.10	3.0	0.07
Hodgkin Lymphoma	29	0.4	0.03	0.3	0.03	27	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	589	7.5	0.14	4.8	0.09	479	4.4	0.09	2.8	0.06
Multiple Myeloma	289	3.6	0.10	2.3	0.06	249	2.3	0.07	1.5	0.05
Leukemias	681	8.8	0.15	5.7	0.10	528	5.0	0.10	3.4	0.08
Other, Ill-defined & Unknown	1,323	16.6	0.21	11.0	0.14	1,221	11.4	0.15	7.6	0.11

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,402	178.6	1.71	122.2	1.12	2,704	127.8	1.11	91.2	0.81
Oral Cavity & Pharynx	50	3.4	0.22	2.5	0.16	24	1.1	0.11	0.8	0.08
Digestive System	786	55.6	0.93	39.8	0.64	709	33.6	0.57	23.1	0.40
Esophagus	57	4.3	0.26	2.9	0.17	31	1.5	0.12	1.0	0.09
Stomach	99	7.3	0.34	5.0	0.23	71	3.4	0.19	2.3	0.13
Colon & Rectum	235	17.0	0.52	11.9	0.35	263	12.5	0.35	8.5	0.24
Liver	150	9.4	0.36	7.5	0.27	54	2.5	0.15	1.8	0.11
Pancreas	178	12.7	0.45	9.0	0.30	208	9.9	0.31	6.7	0.21
Respiratory System	577	41.8	0.82	29.2	0.55	496	23.2	0.47	16.4	0.34
Larynx	35	2.6	0.20	1.8	0.14	10	0.5	0.06	0.3	0.05
Lung & bronchus	538	39.0	0.79	27.3	0.53	482	22.6	0.47	16.0	0.33
Skin	13	0.9	0.11	0.6	0.08	10	0.5	0.07	0.3	0.05
Melanomas of the skin	5	0.3	0.06	0.2	0.05	4	0.2	0.04	0.1	0.03
Breast	5	0.3	0.07	0.2	0.05	485	23.0	0.47	17.2	0.36
Female Genital System	-	-	-	-	-	419	19.5	0.43	14.5	0.32
Cervix uteri	-	-	-	-	-	69	3.3	0.18	2.6	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	214	9.9	0.31	7.3	0.23
Ovary	-	-	-	-	-	121	5.7	0.23	4.2	0.17
Male Genital System	379	32.9	0.78	19.3	0.44	-	-	-	-	-
Prostate	374	32.6	0.78	19.0	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	112	8.8	0.39	5.7	0.24	64	3.0	0.17	1.9	0.11
Bladder	54	4.6	0.29	2.8	0.17	37	1.8	0.13	1.0	0.08
Kidney & renal pelvis	56	4.0	0.25	2.8	0.17	24	1.1	0.11	0.8	0.08
Brain & Other CNS[1]	38	2.5	0.19	2.0	0.15	33	1.6	0.12	1.3	0.10
Endocrine System	9	0.6	0.10	0.5	0.07	18	0.9	0.09	0.6	0.07
Thyroid gland	5	0.4	0.08	0.3	0.05	14	0.7	0.08	0.4	0.06
Lymphomas	75	5.4	0.29	3.9	0.20	68	3.2	0.18	2.4	0.13
Hodgkin Lymphoma	4	0.3	0.07	0.2	0.05	3	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	71	5.1	0.29	3.7	0.20	65	3.1	0.17	2.3	0.13
Multiple Myeloma	79	6.1	0.32	4.0	0.20	86	4.1	0.20	2.8	0.14
Leukemias	82	6.1	0.31	4.3	0.22	78	3.8	0.19	2.7	0.15
Other, Ill-defined & Unknown	197	14.3	0.48	10.1	0.32	214	10.1	0.31	7.1	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	826	114.7	1.86	76.6	1.20	690	78.1	1.36	53.6	0.93
Oral Cavity & Pharynx	28	3.5	0.31	2.6	0.22	11	1.2	0.16	0.8	0.11
Digestive System	337	45.5	1.16	31.2	0.76	226	26.3	0.80	17.2	0.52
Esophagus	26	3.3	0.30	2.3	0.21	5	0.6	0.12	0.4	0.08
Stomach	64	8.9	0.52	5.9	0.33	36	4.1	0.31	2.8	0.21
Colon & Rectum	77	10.8	0.57	7.2	0.37	65	7.4	0.42	4.9	0.28
Liver	83	10.4	0.53	7.7	0.38	24	3.0	0.27	1.9	0.17
Pancreas	57	7.8	0.48	5.2	0.31	59	7.1	0.42	4.5	0.26
Respiratory System	218	30.8	0.97	20.1	0.61	130	14.8	0.59	9.9	0.39
Larynx	5	0.7	0.15	0.5	0.09	-	-	-	-	-
Lung & bronchus	212	30.1	0.96	19.5	0.60	130	14.7	0.59	9.8	0.39
Skin	6	0.8	0.16	0.5	0.10	-	-	-	-	-
Melanomas of the skin	4	0.5	0.13	0.3	0.08	3	0.4	0.10	0.2	0.06
Breast	-	-	-	-	-	93	10.0	0.47	7.5	0.35
Female Genital System	-	-	-	-	-	85	9.1	0.45	6.9	0.34
Cervix uteri	-	-	-	-	-	17	1.8	0.20	1.4	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	27	2.9	0.26	2.1	0.18
Ovary	-	-	-	-	-	40	4.2	0.30	3.2	0.23
Male Genital System	40	6.5	0.47	3.6	0.25	-	-	-	-	-
Prostate	39	6.3	0.47	3.5	0.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	5.3	0.42	3.2	0.24	14	1.8	0.21	1.0	0.13
Bladder	18	3.0	0.32	1.7	0.17	5	0.7	0.14	0.4	0.08
Kidney & renal pelvis	16	2.3	0.26	1.5	0.17	8	0.9	0.15	0.6	0.10
Brain & Other CNS[1]	19	2.4	0.25	1.9	0.20	18	1.9	0.21	1.5	0.17
Endocrine System	4	0.6	0.13	0.4	0.08	6	0.7	0.14	0.6	0.11
Thyroid gland	3	0.4	0.10	0.3	0.07	3	0.4	0.10	0.2	0.06
Lymphomas	31	4.3	0.36	2.9	0.23	21	2.5	0.25	1.6	0.16
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	1.6	0.22	1.1	0.14	8	1.0	0.16	0.6	0.10
Leukemias	32	4.5	0.37	3.1	0.25	22	2.5	0.24	1.8	0.18
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,229	202.1	0.92	135.5	0.61	9,021	137.6	0.66	95.6	0.47
Oral Cavity & Pharynx	223	4.1	0.13	3.0	0.09	89	1.3	0.07	0.9	0.05
Digestive System	2,727	52.0	0.46	36.6	0.32	2,017	30.5	0.31	20.8	0.22
Esophagus	350	6.5	0.16	4.7	0.11	84	1.3	0.06	0.9	0.05
Stomach	201	3.9	0.13	2.7	0.09	139	2.1	0.08	1.4	0.06
Colon & Rectum	821	16.2	0.26	11.1	0.18	740	11.2	0.19	7.6	0.13
Liver	451	7.9	0.17	6.1	0.13	146	2.2	0.08	1.6	0.06
Pancreas	674	13.0	0.23	8.9	0.15	628	9.5	0.17	6.3	0.12
Respiratory System	3,255	62.5	0.51	42.6	0.34	2,411	36.3	0.34	25.3	0.24
Larynx	106	1.9	0.09	1.4	0.06	31	0.5	0.04	0.3	0.03
Lung & bronchus	3,123	60.0	0.50	40.8	0.33	2,366	35.6	0.33	24.8	0.24
Skin	277	5.7	0.16	3.7	0.10	133	2.0	0.08	1.4	0.06
Melanomas of the skin	183	3.7	0.13	2.5	0.08	99	1.5	0.07	1.1	0.05
Breast	15	0.3	0.03	0.2	0.02	1,346	20.9	0.26	15.2	0.20
Female Genital System	-	-	-	-	-	941	14.4	0.21	10.4	0.16
Cervix uteri	-	-	-	-	-	120	2.0	0.09	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	317	4.7	0.12	3.4	0.09
Ovary	-	-	-	-	-	420	6.4	0.14	4.5	0.10
Male Genital System	915	20.3	0.31	11.5	0.17	-	-	-	-	-
Prostate	895	19.9	0.30	11.2	0.17	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	648	13.4	0.24	8.4	0.15	301	4.5	0.12	2.9	0.08
Bladder	339	7.3	0.18	4.3	0.10	140	2.1	0.08	1.3	0.05
Kidney & renal pelvis	290	5.7	0.15	3.9	0.10	149	2.2	0.08	1.5	0.06
Brain & Other CNS[1]	270	5.2	0.15	4.0	0.11	227	3.6	0.11	2.7	0.09
Endocrine System	44	0.9	0.06	0.6	0.05	48	0.8	0.05	0.6	0.04
Thyroid gland	27	0.5	0.05	0.4	0.03	34	0.5	0.04	0.3	0.03
Lymphomas	354	7.3	0.18	4.7	0.11	275	4.2	0.12	2.7	0.08
Hodgkin Lymphoma	18	0.4	0.04	0.3	0.03	13	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	336	6.9	0.17	4.4	0.11	262	4.0	0.11	2.5	0.07
Multiple Myeloma	224	4.6	0.14	2.9	0.09	212	3.2	0.10	2.0	0.07
Leukemias	399	8.4	0.19	5.4	0.12	296	4.6	0.12	3.1	0.09
Other, Ill-defined & Unknown	878	17.5	0.27	11.8	0.18	726	11.1	0.19	7.5	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,996	195.8	1.00	130.6	0.67	6,945	135.0	0.74	93.2	0.53
Oral Cavity & Pharynx	165	3.9	0.14	2.8	0.10	69	1.3	0.07	0.9	0.05
Digestive System	2,050	48.9	0.50	34.2	0.34	1,468	28.3	0.34	19.2	0.24
Esophagus	295	6.8	0.18	4.9	0.13	62	1.2	0.07	0.8	0.05
Stomach	128	3.1	0.13	2.2	0.09	88	1.7	0.08	1.2	0.06
Colon & Rectum	611	15.1	0.28	10.3	0.19	542	10.5	0.21	7.1	0.15
Liver	326	7.4	0.19	5.5	0.14	106	2.0	0.09	1.4	0.07
Pancreas	521	12.4	0.25	8.5	0.17	464	8.9	0.19	5.9	0.13
Respiratory System	2,573	61.2	0.55	41.5	0.37	1,988	38.1	0.39	26.5	0.28
Larynx	68	1.6	0.09	1.1	0.06	23	0.4	0.04	0.3	0.03
Lung & bronchus	2,484	59.1	0.54	40.0	0.36	1,955	37.5	0.39	26.1	0.27
Skin	264	6.7	0.19	4.3	0.12	125	2.5	0.10	1.7	0.08
Melanomas of the skin	178	4.5	0.15	3.0	0.10	95	1.9	0.09	1.4	0.07
Breast	11	0.2	0.03	0.2	0.02	969	19.3	0.28	13.8	0.21
Female Genital System	-	-	-	-	-	694	13.7	0.24	9.8	0.18
Cervix uteri	-	-	-	-	-	77	1.8	0.09	1.4	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	206	3.9	0.12	2.8	0.09
Ovary	-	-	-	-	-	341	6.7	0.16	4.7	0.12
Male Genital System	638	17.2	0.31	9.6	0.17	-	-	-	-	-
Prostate	624	16.8	0.31	9.3	0.17	-	-	-	-	-
Testis	6	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	550	13.9	0.27	8.7	0.17	232	4.4	0.13	2.8	0.09
Bladder	298	7.8	0.21	4.6	0.12	107	2.0	0.09	1.2	0.06
Kidney & renal pelvis	235	5.7	0.17	3.9	0.12	114	2.2	0.09	1.4	0.06
Brain & Other CNS[1]	234	5.7	0.17	4.4	0.13	195	4.0	0.13	3.1	0.11
Endocrine System	35	0.9	0.07	0.6	0.05	34	0.7	0.06	0.5	0.04
Thyroid gland	23	0.5	0.05	0.4	0.03	25	0.5	0.05	0.3	0.03
Lymphomas	303	7.7	0.20	4.9	0.13	230	4.4	0.13	2.8	0.09
Hodgkin Lymphoma	15	0.4	0.05	0.3	0.04	10	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	288	7.3	0.20	4.6	0.12	220	4.2	0.13	2.6	0.08
Multiple Myeloma	150	3.8	0.14	2.4	0.09	137	2.6	0.10	1.6	0.07
Leukemias	333	8.6	0.22	5.6	0.14	243	4.8	0.14	3.1	0.10
Other, Ill-defined & Unknown	689	17.1	0.30	11.5	0.20	561	10.9	0.21	7.3	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,052	243.4	2.61	165.7	1.65	1,909	151.7	1.59	107.5	1.13
Oral Cavity & Pharynx	52	5.3	0.35	4.0	0.25	17	1.4	0.15	1.0	0.11
Digestive System	617	68.3	1.34	48.9	0.89	503	40.0	0.82	27.6	0.56
Esophagus	52	5.5	0.37	4.1	0.25	21	1.6	0.16	1.2	0.12
Stomach	65	7.7	0.46	5.3	0.30	45	3.7	0.25	2.4	0.17
Colon & Rectum	195	23.1	0.80	15.8	0.51	184	14.7	0.50	10.1	0.34
Liver	110	9.8	0.44	8.1	0.35	35	2.5	0.20	2.0	0.15
Pancreas	142	16.0	0.65	11.3	0.43	151	12.1	0.45	8.2	0.31
Respiratory System	626	71.5	1.38	49.8	0.90	382	30.2	0.71	21.4	0.49
Larynx	35	3.8	0.31	2.8	0.21	8	0.6	0.10	0.4	0.07
Lung & bronchus	586	67.1	1.34	46.7	0.87	372	29.3	0.70	20.8	0.49
Skin	11	1.3	0.19	0.9	0.12	8	0.6	0.10	0.4	0.07
Melanomas of the skin	4	0.6	0.13	0.4	0.08	4	0.4	0.08	0.2	0.05
Breast	4	0.5	0.12	0.3	0.07	351	27.5	0.67	20.8	0.51
Female Genital System	-	-	-	-	-	229	18.1	0.55	13.1	0.39
Cervix uteri	-	-	-	-	-	41	3.2	0.23	2.5	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	105	8.3	0.37	5.9	0.26
Ovary	-	-	-	-	-	68	5.5	0.30	3.8	0.21
Male Genital System	264	39.1	1.15	22.5	0.62	-	-	-	-	-
Prostate	259	38.5	1.14	22.1	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	90	11.3	0.58	7.4	0.35	65	5.3	0.30	3.4	0.19
Bladder	37	5.1	0.40	3.1	0.23	31	2.5	0.21	1.6	0.13
Kidney & renal pelvis	51	5.9	0.40	4.1	0.26	33	2.6	0.21	1.8	0.14
Brain & Other CNS[1]	29	3.0	0.26	2.4	0.20	27	2.2	0.20	1.7	0.15
Endocrine System	8	0.8	0.14	0.7	0.11	12	1.0	0.13	0.7	0.10
Thyroid gland	4	0.4	0.11	0.3	0.07	7	0.6	0.10	0.4	0.07
Lymphomas	47	5.5	0.39	3.8	0.25	40	3.3	0.24	2.3	0.17
Hodgkin Lymphoma	3	0.3	0.07	0.2	0.06	3	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	44	5.3	0.39	3.6	0.25	37	3.0	0.23	2.1	0.16
Multiple Myeloma	70	9.2	0.53	5.8	0.31	73	5.9	0.32	3.8	0.21
Leukemias	59	7.3	0.46	5.0	0.29	48	4.0	0.26	2.8	0.18
Other, Ill-defined & Unknown	175	20.3	0.74	14.2	0.49	153	12.1	0.45	8.6	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	78	100.4	5.74	65.8	3.42	88	88.1	4.50	58.2	2.79
Oral Cavity & Pharynx	4	3.6	0.92	2.8	0.67	-	-	-	-	-
Digestive System	29	36.0	3.39	24.1	2.04	27	27.6	2.57	17.7	1.54
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	5	8.4	1.81	4.9	0.98	4	3.3	0.85	2.2	0.53
Colon & Rectum	5	5.8	1.37	3.9	0.81	8	7.7	1.35	4.9	0.80
Liver	7	8.7	1.64	5.9	1.00	3	2.7	0.77	1.9	0.50
Pancreas	5	5.8	1.25	4.2	0.84	7	8.3	1.47	4.8	0.82
Respiratory System	19	24.7	2.78	16.4	1.72	17	18.0	2.10	11.3	1.24
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	23.8	2.75	15.6	1.69	17	17.7	2.08	11.2	1.23
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	11.1	1.48	8.0	1.01
Female Genital System	-	-	-	-	-	10	8.9	1.32	6.6	0.92
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	1.8	0.55	1.5	0.43
Ovary	-	-	-	-	-	7	5.7	1.07	4.2	0.73
Male Genital System	3	6.2	1.65	3.2	0.82	-	-	-	-	-
Prostate	3	6.1	1.64	3.1	0.81	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	5.3	1.49	3.0	0.78	2	2.5	0.81	1.5	0.46
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	4	4.6	1.20	3.0	0.70	3	3.1	0.85	2.1	0.53
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	3.9	1.06	2.6	0.68	3	3.5	0.95	2.1	0.54
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	4	5.9	1.54	3.5	0.81	3	2.2	0.66	1.8	0.49
Other, Ill-defined & Unknown	6	7.0	1.47	4.9	0.91	7	7.1	1.28	4.7	0.79

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	688	176.2	3.07	116.2	2.04	601	127.1	2.41	87.6	1.75
Oral Cavity & Pharynx	11	2.7	0.38	1.9	0.26	7	1.5	0.27	1.0	0.19
Digestive System	184	47.2	1.59	32.1	1.09	138	28.2	1.12	18.6	0.79
Esophagus	29	7.2	0.62	5.1	0.44	7	1.4	0.25	1.0	0.18
Stomach	11	3.0	0.41	2.1	0.29	8	1.7	0.29	1.1	0.21
Colon & Rectum	63	16.3	0.94	10.8	0.63	55	11.0	0.70	7.1	0.49
Liver	18	4.5	0.48	3.4	0.36	6	1.2	0.23	0.8	0.17
Pancreas	48	12.2	0.81	8.1	0.54	40	8.3	0.61	5.4	0.42
Respiratory System	184	47.1	1.59	31.5	1.06	140	30.3	1.18	21.0	0.84
Larynx	5	1.3	0.26	0.9	0.19	-	-	-	-	-
Lung & bronchus	178	45.6	1.56	30.3	1.04	137	29.7	1.17	20.6	0.84
Skin	18	4.4	0.48	3.1	0.34	-	-	-	-	-
Melanomas of the skin	14	3.5	0.43	2.5	0.31	6	1.3	0.25	0.9	0.19
Breast	-	-	-	-	-	83	18.0	0.93	13.2	0.72
Female Genital System	-	-	-	-	-	57	12.6	0.78	9.1	0.58
Cervix uteri	-	-	-	-	-	6	1.3	0.26	1.1	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	20	4.3	0.45	3.1	0.34
Ovary	-	-	-	-	-	27	5.9	0.53	4.2	0.39
Male Genital System	70	18.2	0.99	10.2	0.57	-	-	-	-	-
Prostate	68	17.8	0.98	9.8	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	11.5	0.78	7.5	0.51	20	4.2	0.44	2.8	0.31
Bladder	23	5.8	0.55	3.5	0.34	8	1.5	0.26	0.9	0.16
Kidney & renal pelvis	21	5.4	0.54	3.8	0.38	11	2.4	0.34	1.7	0.25
Brain & Other CNS[1]	22	5.6	0.55	4.4	0.43	15	3.4	0.40	2.8	0.34
Endocrine System	4	1.0	0.23	0.7	0.16	3	0.7	0.18	0.5	0.15
Thyroid gland	3	0.7	0.19	0.5	0.13	-	-	-	-	-
Lymphomas	27	6.9	0.61	4.3	0.39	25	5.0	0.46	3.0	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	4.3	0.49	2.6	0.30	13	2.7	0.35	1.8	0.24
Leukemias	36	9.5	0.72	6.1	0.47	24	4.9	0.47	3.3	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	657	174.6	3.11	114.8	2.08	574	125.9	2.45	86.8	1.79
Oral Cavity & Pharynx	9	2.4	0.37	1.7	0.25	7	1.6	0.28	1.0	0.19
Digestive System	174	46.5	1.62	31.6	1.11	131	27.6	1.13	18.0	0.79
Esophagus	27	7.1	0.63	5.1	0.45	6	1.3	0.25	0.9	0.18
Stomach	10	2.7	0.40	1.8	0.28	7	1.4	0.26	0.9	0.18
Colon & Rectum	61	16.5	0.97	11.0	0.66	53	11.0	0.71	7.1	0.50
Liver	16	3.9	0.46	2.9	0.34	6	1.2	0.23	0.8	0.17
Pancreas	46	12.3	0.82	8.2	0.55	39	8.3	0.63	5.4	0.43
Respiratory System	176	46.8	1.61	31.2	1.07	133	29.8	1.19	20.7	0.86
Larynx	5	1.2	0.26	0.9	0.19	-	-	-	-	-
Lung & bronchus	171	45.3	1.58	30.1	1.05	130	29.3	1.18	20.3	0.85
Skin	18	4.6	0.50	3.3	0.36	-	-	-	-	-
Melanomas of the skin	14	3.7	0.45	2.7	0.33	6	1.3	0.26	1.0	0.21
Breast	-	-	-	-	-	80	18.2	0.97	13.4	0.75
Female Genital System	-	-	-	-	-	55	12.8	0.80	9.2	0.60
Cervix uteri	-	-	-	-	-	5	1.3	0.27	1.1	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	19	4.4	0.47	3.1	0.35
Ovary	-	-	-	-	-	26	6.0	0.54	4.2	0.40
Male Genital System	68	18.2	1.00	10.1	0.57	-	-	-	-	-
Prostate	67	17.8	0.99	9.9	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	43	11.4	0.79	7.3	0.51	19	4.0	0.43	2.6	0.30
Bladder	22	5.9	0.56	3.5	0.34	7	1.5	0.25	0.8	0.16
Kidney & renal pelvis	20	5.2	0.54	3.6	0.37	10	2.2	0.32	1.6	0.24
Brain & Other CNS[1]	21	5.6	0.56	4.4	0.45	14	3.5	0.42	2.9	0.36
Endocrine System	4	1.1	0.24	0.7	0.17	3	0.7	0.19	0.6	0.16
Thyroid gland	3	0.7	0.20	0.5	0.14	-	-	-	-	-
Lymphomas	26	7.0	0.63	4.3	0.40	25	5.1	0.48	3.1	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	4.3	0.49	2.6	0.30	13	2.7	0.36	1.8	0.25
Leukemias	34	9.4	0.73	6.0	0.48	24	5.0	0.48	3.3	0.35
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	116.5	44.91	79.9	24.65	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	130.3	36.71	91.8	23.38	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13,269	209.7	0.83	140.9	0.56	12,124	150.1	0.63	104.4	0.46
Oral Cavity & Pharynx	287	4.3	0.12	3.2	0.09	116	1.4	0.06	1.0	0.04
Digestive System	3,565	55.2	0.42	38.4	0.29	2,758	33.6	0.29	22.6	0.21
Esophagus	589	9.0	0.17	6.4	0.12	141	1.7	0.07	1.2	0.05
Stomach	222	3.5	0.11	2.4	0.07	158	2.0	0.07	1.3	0.05
Colon & Rectum	1,149	18.4	0.25	12.4	0.17	1,079	13.1	0.18	8.8	0.13
Liver	466	6.7	0.14	5.0	0.11	179	2.2	0.07	1.5	0.05
Pancreas	855	13.3	0.21	9.1	0.14	864	10.4	0.16	7.0	0.11
Respiratory System	4,078	62.9	0.45	43.2	0.31	3,250	40.2	0.32	28.2	0.23
Larynx	138	2.1	0.08	1.5	0.06	47	0.6	0.04	0.4	0.03
Lung & bronchus	3,913	60.4	0.44	41.5	0.30	3,189	39.4	0.32	27.6	0.23
Skin	350	5.7	0.14	3.8	0.09	171	2.2	0.08	1.5	0.06
Melanomas of the skin	251	4.1	0.12	2.8	0.08	133	1.7	0.07	1.3	0.05
Breast	17	0.3	0.03	0.2	0.02	1,762	22.3	0.25	16.1	0.19
Female Genital System	-	-	-	-	-	1,258	15.8	0.21	11.5	0.16
Cervix uteri	-	-	-	-	-	161	2.3	0.09	2.0	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	425	5.2	0.11	3.7	0.08
Ovary	-	-	-	-	-	575	7.1	0.14	5.1	0.10
Male Genital System	1,162	19.7	0.26	11.3	0.15	-	-	-	-	-
Prostate	1,124	19.1	0.26	10.8	0.15	-	-	-	-	-
Testis	17	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	917	14.9	0.22	9.4	0.14	430	5.2	0.11	3.3	0.08
Bladder	526	8.8	0.17	5.2	0.10	206	2.4	0.08	1.4	0.05
Kidney & renal pelvis	368	5.7	0.14	3.9	0.09	208	2.5	0.08	1.7	0.06
Brain & Other CNS[1]	368	5.7	0.14	4.5	0.11	285	3.8	0.10	3.0	0.09
Endocrine System	51	0.8	0.05	0.6	0.04	57	0.7	0.05	0.5	0.04
Thyroid gland	29	0.5	0.04	0.3	0.03	38	0.5	0.03	0.3	0.02
Lymphomas	506	8.3	0.17	5.4	0.11	404	4.9	0.11	3.1	0.08
Hodgkin Lymphoma	26	0.4	0.04	0.3	0.03	16	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	479	7.9	0.16	5.0	0.11	388	4.7	0.11	3.0	0.07
Multiple Myeloma	285	4.6	0.12	3.0	0.08	230	2.8	0.08	1.8	0.06
Leukemias	552	9.2	0.18	5.9	0.12	420	5.2	0.12	3.4	0.08
Other, Ill-defined & Unknown	1,132	18.2	0.25	12.2	0.17	982	12.1	0.18	8.3	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	11,796	208.6	0.88	139.8	0.59	10,646	149.1	0.67	103.6	0.49
Oral Cavity & Pharynx	259	4.3	0.12	3.2	0.09	104	1.5	0.07	1.0	0.05
Digestive System	3,116	54.3	0.45	37.5	0.31	2,376	32.6	0.31	21.9	0.22
Esophagus	554	9.4	0.18	6.8	0.13	125	1.7	0.07	1.1	0.05
Stomach	177	3.2	0.11	2.1	0.07	125	1.7	0.07	1.2	0.05
Colon & Rectum	1,010	18.1	0.26	12.1	0.18	943	13.0	0.20	8.6	0.14
Liver	366	6.0	0.14	4.4	0.11	146	2.0	0.08	1.4	0.05
Pancreas	755	13.1	0.22	9.0	0.15	741	10.1	0.17	6.8	0.12
Respiratory System	3,627	62.6	0.48	42.9	0.32	2,873	40.3	0.34	28.2	0.25
Larynx	118	2.0	0.08	1.4	0.06	39	0.6	0.04	0.4	0.03
Lung & bronchus	3,485	60.2	0.47	41.2	0.32	2,821	39.5	0.34	27.7	0.25
Skin	343	6.2	0.15	4.2	0.11	166	2.4	0.09	1.7	0.07
Melanomas of the skin	249	4.5	0.13	3.2	0.09	130	1.9	0.08	1.4	0.06
Breast	15	0.3	0.03	0.2	0.02	1,508	21.6	0.26	15.5	0.20
Female Genital System	-	-	-	-	-	1,112	15.9	0.22	11.6	0.17
Cervix uteri	-	-	-	-	-	137	2.4	0.09	2.0	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	360	4.9	0.12	3.5	0.09
Ovary	-	-	-	-	-	525	7.4	0.15	5.3	0.11
Male Genital System	972	18.3	0.27	10.4	0.15	-	-	-	-	-
Prostate	939	17.7	0.26	9.9	0.15	-	-	-	-	-
Testis	15	0.3	0.04	0.3	0.03	-	-	-	-	-
Urinary System	845	15.2	0.24	9.6	0.15	386	5.2	0.12	3.3	0.08
Bladder	490	9.1	0.19	5.3	0.11	187	2.5	0.08	1.4	0.05
Kidney & renal pelvis	334	5.8	0.14	4.0	0.10	185	2.5	0.09	1.7	0.06
Brain & Other CNS[1]	342	6.0	0.15	4.7	0.12	264	4.0	0.12	3.2	0.10
Endocrine System	43	0.8	0.06	0.6	0.04	51	0.8	0.05	0.6	0.04
Thyroid gland	25	0.4	0.04	0.3	0.03	34	0.5	0.04	0.3	0.03
Lymphomas	471	8.6	0.18	5.5	0.12	375	5.1	0.12	3.2	0.08
Hodgkin Lymphoma	24	0.4	0.04	0.3	0.03	14	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	446	8.2	0.18	5.2	0.11	360	4.9	0.12	3.1	0.08
Multiple Myeloma	242	4.4	0.13	2.8	0.08	188	2.6	0.09	1.6	0.06
Leukemias	508	9.5	0.19	6.1	0.13	380	5.3	0.13	3.5	0.09
Other, Ill-defined & Unknown	1,011	18.1	0.26	12.1	0.18	864	12.0	0.19	8.2	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,386	239.8	3.03	165.4	2.00	1,391	169.9	2.07	120.3	1.49
Oral Cavity & Pharynx	26	4.1	0.38	3.1	0.28	11	1.3	0.18	0.9	0.13
Digestive System	418	68.7	1.58	49.3	1.09	357	43.4	1.05	30.1	0.74
Esophagus	32	5.0	0.42	3.7	0.30	15	1.7	0.21	1.3	0.15
Stomach	41	7.3	0.54	4.9	0.34	30	3.7	0.31	2.5	0.21
Colon & Rectum	132	23.0	0.94	15.8	0.62	129	15.7	0.63	11.0	0.45
Liver	92	13.0	0.64	10.5	0.49	31	3.6	0.29	2.7	0.22
Pancreas	95	16.1	0.78	11.3	0.52	114	14.1	0.60	9.4	0.40
Respiratory System	424	72.2	1.65	50.7	1.11	354	43.1	1.04	30.4	0.74
Larynx	19	3.2	0.34	2.2	0.23	7	0.9	0.15	0.6	0.10
Lung & bronchus	404	68.7	1.61	48.2	1.08	346	42.1	1.03	29.7	0.73
Skin	6	1.0	0.19	0.8	0.14	5	0.6	0.12	0.4	0.08
Melanomas of the skin	-	-	-	-	-	2	0.3	0.08	0.2	0.06
Breast	2	0.3	0.11	0.2	0.08	241	29.5	0.87	21.7	0.65
Female Genital System	-	-	-	-	-	138	16.8	0.65	12.3	0.48
Cervix uteri	-	-	-	-	-	23	2.7	0.26	2.2	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	63	7.6	0.44	5.5	0.32
Ovary	-	-	-	-	-	46	5.6	0.38	4.0	0.27
Male Genital System	184	36.9	1.26	21.8	0.72	-	-	-	-	-
Prostate	180	36.2	1.25	21.3	0.72	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	68	12.2	0.69	8.2	0.45	42	5.2	0.37	3.6	0.26
Bladder	33	6.3	0.51	3.9	0.31	19	2.3	0.24	1.5	0.17
Kidney & renal pelvis	33	5.5	0.45	4.0	0.32	22	2.8	0.27	2.0	0.19
Brain & Other CNS[1]	24	3.4	0.33	2.9	0.26	18	2.2	0.24	1.8	0.19
Endocrine System	6	1.1	0.21	0.8	0.14	6	0.8	0.14	0.5	0.10
Thyroid gland	4	0.7	0.18	0.5	0.11	3	0.4	0.10	0.3	0.07
Lymphomas	32	5.4	0.45	3.9	0.31	27	3.4	0.29	2.3	0.21
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	40	7.3	0.54	4.8	0.34	41	5.1	0.36	3.3	0.24
Leukemias	39	6.7	0.50	4.8	0.34	38	4.7	0.35	3.2	0.24
Other, Ill-defined & Unknown	117	20.3	0.88	14.2	0.59	113	13.8	0.59	9.8	0.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	75	96.1	5.34	63.1	3.27	80	78.6	4.13	53.0	2.66
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	28	31.1	2.80	22.8	1.93	23	23.6	2.30	15.3	1.43
Esophagus	3	3.6	1.04	2.3	0.63	-	-	-	-	-
Stomach	3	3.9	1.02	2.7	0.67	4	3.2	0.81	2.2	0.53
Colon & Rectum	7	7.4	1.36	5.5	0.94	6	5.9	1.15	3.7	0.69
Liver	7	6.6	1.19	5.2	0.92	2	2.4	0.76	1.3	0.42
Pancreas	5	6.1	1.31	4.2	0.84	8	7.7	1.31	5.1	0.83
Respiratory System	21	29.3	3.06	18.2	1.78	21	21.6	2.22	14.0	1.38
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	27.4	2.96	17.0	1.72	21	21.5	2.22	13.9	1.37
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	12	10.6	1.45	7.8	1.02
Female Genital System	-	-	-	-	-	8	6.3	1.06	5.0	0.82
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	2.2	0.66	1.6	0.47
Ovary	-	-	-	-	-	4	3.4	0.76	2.7	0.60
Male Genital System	5	7.5	1.64	4.1	0.86	-	-	-	-	-
Prostate	4	7.3	1.63	4.0	0.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	5.1	1.34	2.9	0.72	-	-	-	-	-
Bladder	2	3.8	1.15	2.1	0.62	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	3	2.2	0.62	1.7	0.46
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	3.6	1.11	2.1	0.61	2	2.5	0.82	1.2	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	3.0	0.99	1.8	0.57	-	-	-	-	-
Leukemias	5	5.8	1.26	3.9	0.81	2	2.2	0.67	1.7	0.51
Other, Ill-defined & Unknown	4	5.2	1.30	3.2	0.74	5	4.6	1.01	3.0	0.64

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,394	219.2	1.51	149.4	1.02	3,720	152.2	1.14	107.2	0.83
Oral Cavity & Pharynx	90	4.3	0.21	3.2	0.15	38	1.5	0.11	1.0	0.08
Digestive System	1,171	57.0	0.76	40.8	0.54	814	32.9	0.53	22.8	0.38
Esophagus	153	7.2	0.27	5.4	0.20	31	1.2	0.10	0.9	0.07
Stomach	74	3.8	0.20	2.6	0.14	44	1.8	0.13	1.3	0.10
Colon & Rectum	417	20.9	0.47	14.6	0.33	340	13.9	0.34	9.6	0.25
Liver	200	9.0	0.29	7.1	0.23	82	3.2	0.16	2.2	0.11
Pancreas	258	12.6	0.36	8.8	0.25	240	9.6	0.28	6.5	0.20
Respiratory System	1,379	67.3	0.83	46.4	0.56	1,052	42.5	0.59	29.9	0.43
Larynx	39	1.9	0.14	1.3	0.10	10	0.4	0.06	0.3	0.04
Lung & bronchus	1,330	64.9	0.81	44.7	0.55	1,037	41.9	0.59	29.5	0.42
Skin	132	6.8	0.27	4.6	0.18	53	2.2	0.14	1.5	0.10
Melanomas of the skin	83	4.2	0.21	3.0	0.15	38	1.6	0.12	1.1	0.09
Breast	5	0.2	0.05	0.2	0.04	538	22.4	0.44	16.2	0.33
Female Genital System	-	-	-	-	-	378	15.9	0.38	11.8	0.29
Cervix uteri	-	-	-	-	-	62	3.0	0.18	2.5	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	109	4.4	0.19	3.3	0.15
Ovary	-	-	-	-	-	185	7.6	0.25	5.5	0.19
Male Genital System	383	20.9	0.48	11.9	0.28	-	-	-	-	-
Prostate	373	20.3	0.48	11.5	0.27	-	-	-	-	-
Testis	6	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	307	15.7	0.41	10.2	0.26	132	5.2	0.21	3.5	0.14
Bladder	154	8.2	0.30	4.9	0.18	53	2.1	0.13	1.3	0.09
Kidney & renal pelvis	147	7.2	0.27	5.1	0.19	74	2.9	0.15	2.0	0.11
Brain & Other CNS[1]	117	5.8	0.24	4.5	0.19	93	4.0	0.19	3.1	0.15
Endocrine System	15	0.7	0.09	0.6	0.07	18	0.8	0.08	0.5	0.06
Thyroid gland	9	0.4	0.07	0.3	0.05	12	0.5	0.06	0.3	0.04
Lymphomas	160	8.3	0.30	5.4	0.20	123	5.0	0.21	3.3	0.14
Hodgkin Lymphoma	8	0.4	0.07	0.3	0.05	7	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	152	7.9	0.29	5.1	0.19	116	4.7	0.20	3.0	0.14
Multiple Myeloma	75	3.9	0.21	2.5	0.13	67	2.7	0.15	1.8	0.10
Leukemias	188	9.9	0.33	6.4	0.21	139	5.8	0.22	3.8	0.16
Other, Ill-defined & Unknown	370	18.5	0.44	12.8	0.30	275	11.3	0.31	7.9	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,777	217.0	1.61	147.7	1.10	3,184	151.2	1.23	106.3	0.91
Oral Cavity & Pharynx	77	4.2	0.22	3.2	0.17	34	1.6	0.12	1.1	0.09
Digestive System	973	55.0	0.81	39.2	0.58	676	31.6	0.56	21.8	0.40
Esophagus	136	7.5	0.29	5.6	0.22	27	1.3	0.11	0.9	0.08
Stomach	57	3.3	0.20	2.3	0.14	35	1.7	0.13	1.2	0.10
Colon & Rectum	345	20.0	0.49	13.9	0.34	286	13.5	0.37	9.3	0.27
Liver	155	8.2	0.30	6.4	0.24	64	2.9	0.16	2.0	0.12
Pancreas	223	12.6	0.38	8.7	0.27	203	9.4	0.30	6.4	0.21
Respiratory System	1,200	67.3	0.88	46.4	0.61	915	42.9	0.64	30.2	0.47
Larynx	32	1.7	0.14	1.2	0.10	9	0.4	0.07	0.3	0.05
Lung & bronchus	1,161	65.1	0.87	44.8	0.60	901	42.2	0.64	29.7	0.46
Skin	124	7.3	0.30	5.0	0.21	50	2.4	0.16	1.6	0.12
Melanomas of the skin	79	4.6	0.24	3.3	0.17	35	1.8	0.14	1.3	0.11
Breast	4	0.3	0.06	0.2	0.04	456	22.1	0.48	16.0	0.36
Female Genital System	-	-	-	-	-	319	15.7	0.41	11.6	0.31
Cervix uteri	-	-	-	-	-	50	2.9	0.19	2.4	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	90	4.2	0.21	3.1	0.16
Ovary	-	-	-	-	-	159	7.6	0.28	5.5	0.21
Male Genital System	320	19.6	0.50	11.2	0.28	-	-	-	-	-
Prostate	312	19.2	0.49	10.8	0.28	-	-	-	-	-
Testis	5	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	269	15.7	0.44	10.2	0.28	115	5.2	0.22	3.5	0.15
Bladder	140	8.4	0.32	5.0	0.19	46	2.1	0.14	1.3	0.09
Kidney & renal pelvis	122	6.9	0.29	4.9	0.20	65	2.9	0.16	2.0	0.12
Brain & Other CNS[1]	106	6.2	0.27	4.8	0.22	84	4.2	0.21	3.3	0.17
Endocrine System	13	0.7	0.09	0.6	0.08	15	0.8	0.09	0.5	0.07
Thyroid gland	8	0.4	0.07	0.3	0.05	10	0.5	0.07	0.3	0.04
Lymphomas	140	8.3	0.32	5.4	0.21	110	5.2	0.23	3.4	0.16
Hodgkin Lymphoma	7	0.4	0.07	0.3	0.05	7	0.3	0.06	0.3	0.05
Non-Hodgkin Lymphoma	133	7.9	0.31	5.1	0.20	104	4.8	0.22	3.1	0.15
Multiple Myeloma	62	3.7	0.21	2.3	0.13	54	2.4	0.15	1.6	0.10
Leukemias	168	10.2	0.36	6.6	0.24	123	6.0	0.25	4.0	0.18
Other, Ill-defined & Unknown	322	18.6	0.47	12.8	0.33	233	11.2	0.34	7.8	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	269	253.7	7.60	173.1	4.78	234	167.5	5.05	120.3	3.56
Oral Cavity & Pharynx	6	4.9	0.97	3.7	0.69	-	-	-	-	-
Digestive System	84	72.1	3.89	52.0	2.58	57	39.9	2.44	28.5	1.71
Esophagus	6	5.9	1.17	4.0	0.72	2	1.4	0.45	1.1	0.32
Stomach	10	8.2	1.30	6.1	0.88	3	1.9	0.55	1.4	0.39
Colon & Rectum	31	27.9	2.44	19.8	1.60	23	15.6	1.51	11.5	1.09
Liver	17	11.8	1.38	9.8	1.08	4	2.8	0.61	2.1	0.46
Pancreas	14	12.5	1.65	8.8	1.06	18	12.8	1.40	8.8	0.93
Respiratory System	77	70.6	3.91	49.5	2.55	55	39.8	2.48	28.0	1.70
Larynx	4	3.3	0.86	2.3	0.55	-	-	-	-	-
Lung & bronchus	73	66.4	3.79	46.5	2.47	55	39.5	2.47	27.8	1.69
Skin	2	1.8	0.62	1.2	0.40	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	43	30.7	2.15	23.1	1.60
Female Genital System	-	-	-	-	-	25	17.5	1.62	13.0	1.18
Cervix uteri	-	-	-	-	-	5	3.3	0.71	2.6	0.55
Corpus & uterus, NOS[1]	-	-	-	-	-	10	7.0	1.01	5.3	0.75
Ovary	-	-	-	-	-	9	6.3	0.98	4.5	0.69
Male Genital System	36	44.1	3.52	25.3	1.89	-	-	-	-	-
Prostate	35	42.8	3.47	24.5	1.86	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	14.4	1.96	8.7	1.11	6	4.5	0.84	3.1	0.57
Bladder	5	7.2	1.46	3.9	0.75	3	2.1	0.58	1.4	0.37
Kidney & renal pelvis	7	7.2	1.30	4.8	0.81	3	2.1	0.57	1.6	0.42
Brain & Other CNS[1]	4	2.9	0.70	2.5	0.55	3	2.1	0.59	1.6	0.42
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	6.0	1.06	4.6	0.76	5	3.8	0.77	2.5	0.51
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	6.3	1.16	4.5	0.76	9	6.6	1.03	4.5	0.69
Leukemias	8	8.5	1.44	5.6	0.87	8	5.9	0.96	4.1	0.66
Other, Ill-defined & Unknown	22	20.5	2.13	14.3	1.37	19	14.2	1.49	10.0	1.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	29	110.7	10.30	75.5	6.38	34	94.7	7.76	63.7	4.93
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	40.7	6.32	27.4	3.86	10	27.3	4.15	18.2	2.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	2	4.9	1.64	3.6	1.16
Colon & Rectum	4	11.7	3.05	8.9	2.07	2	5.9	1.90	4.0	1.22
Liver	4	16.2	4.15	10.4	2.44	-	-	-	-	-
Pancreas	-	-	-	-	-	2	6.8	2.07	4.5	1.31
Respiratory System	7	24.5	4.68	17.3	3.03	8	26.0	4.20	16.4	2.54
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	23.9	4.64	16.8	2.99	8	26.0	4.20	16.4	2.54
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	5	11.6	2.58	8.4	1.77
Female Genital System	-	-	-	-	-	5	12.4	2.69	8.9	1.83
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	5.9	1.87	4.1	1.25
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	11.8	3.68	6.7	1.95	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	2	4.9	1.73	3.5	1.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,184	185.9	1.32	122.4	0.87	3,799	140.3	1.05	95.7	0.74
Oral Cavity & Pharynx	99	4.1	0.19	3.0	0.14	47	1.7	0.11	1.1	0.08
Digestive System	1,222	52.5	0.69	36.5	0.48	869	31.9	0.50	21.4	0.35
Esophagus	186	8.0	0.27	5.6	0.19	44	1.6	0.11	1.1	0.08
Stomach	76	3.4	0.18	2.4	0.13	43	1.7	0.12	1.2	0.09
Colon & Rectum	338	15.2	0.38	10.1	0.25	308	11.4	0.30	7.4	0.21
Liver	202	7.7	0.25	6.1	0.19	69	2.4	0.13	1.7	0.10
Pancreas	308	13.3	0.35	9.1	0.24	274	10.1	0.28	6.7	0.19
Respiratory System	1,032	45.1	0.65	29.8	0.42	961	35.3	0.52	23.5	0.35
Larynx	29	1.2	0.10	0.9	0.07	7	0.2	0.04	0.2	0.03
Lung & bronchus	992	43.4	0.63	28.6	0.41	948	34.8	0.52	23.2	0.35
Skin	122	5.5	0.23	3.6	0.15	61	2.3	0.14	1.6	0.10
Melanomas of the skin	82	3.7	0.19	2.5	0.13	45	1.7	0.12	1.2	0.09
Breast	7	0.3	0.05	0.2	0.03	540	20.0	0.40	14.5	0.30
Female Genital System	-	-	-	-	-	450	16.8	0.37	12.2	0.27
Cervix uteri	-	-	-	-	-	49	2.1	0.14	1.7	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	135	4.9	0.20	3.6	0.14
Ovary	-	-	-	-	-	230	8.5	0.26	6.0	0.19
Male Genital System	442	21.1	0.46	11.8	0.26	-	-	-	-	-
Prostate	434	20.7	0.45	11.5	0.25	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	299	13.7	0.36	8.4	0.22	131	4.7	0.19	3.0	0.13
Bladder	164	7.7	0.28	4.4	0.16	63	2.3	0.13	1.3	0.08
Kidney & renal pelvis	125	5.5	0.23	3.7	0.15	62	2.3	0.13	1.5	0.09
Brain & Other CNS[1]	139	6.0	0.23	4.7	0.19	104	4.0	0.18	3.1	0.15
Endocrine System	24	1.0	0.10	0.8	0.07	19	0.7	0.07	0.5	0.06
Thyroid gland	16	0.7	0.08	0.5	0.06	14	0.5	0.06	0.3	0.04
Lymphomas	170	7.8	0.27	5.0	0.17	132	4.8	0.19	3.0	0.13
Hodgkin Lymphoma	8	0.3	0.05	0.3	0.04	5	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	162	7.5	0.27	4.7	0.17	126	4.6	0.19	2.8	0.12
Multiple Myeloma	96	4.4	0.21	2.7	0.13	74	2.7	0.14	1.7	0.09
Leukemias	183	8.5	0.29	5.5	0.19	123	4.7	0.19	3.1	0.14
Other, Ill-defined & Unknown	350	15.7	0.38	10.4	0.26	290	10.6	0.29	7.0	0.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,986	187.3	1.36	123.3	0.90	3,619	141.9	1.09	96.8	0.77
Oral Cavity & Pharynx	96	4.2	0.20	3.1	0.14	45	1.7	0.12	1.2	0.08
Digestive System	1,149	52.4	0.71	36.4	0.49	811	31.6	0.51	21.1	0.36
Esophagus	180	8.2	0.28	5.7	0.19	42	1.7	0.12	1.1	0.08
Stomach	67	3.2	0.18	2.2	0.13	37	1.5	0.12	1.1	0.09
Colon & Rectum	319	15.2	0.39	10.2	0.26	291	11.4	0.31	7.4	0.21
Liver	182	7.3	0.25	5.8	0.20	59	2.2	0.13	1.6	0.10
Pancreas	295	13.5	0.36	9.2	0.24	259	10.1	0.29	6.7	0.20
Respiratory System	980	45.3	0.66	29.8	0.43	922	35.9	0.54	24.0	0.37
Larynx	27	1.2	0.11	0.9	0.07	7	0.3	0.05	0.2	0.03
Lung & bronchus	942	43.6	0.65	28.6	0.42	910	35.4	0.54	23.6	0.37
Skin	120	5.7	0.24	3.8	0.16	60	2.4	0.15	1.7	0.11
Melanomas of the skin	82	3.9	0.20	2.7	0.14	44	1.8	0.13	1.3	0.10
Breast	7	0.3	0.06	0.2	0.04	514	20.3	0.42	14.7	0.31
Female Genital System	-	-	-	-	-	427	17.0	0.38	12.3	0.28
Cervix uteri	-	-	-	-	-	44	2.1	0.14	1.7	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	129	5.0	0.20	3.6	0.15
Ovary	-	-	-	-	-	218	8.6	0.27	6.1	0.20
Male Genital System	426	21.3	0.47	11.9	0.26	-	-	-	-	-
Prostate	418	20.9	0.47	11.6	0.26	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	291	14.1	0.38	8.6	0.23	128	4.9	0.20	3.1	0.13
Bladder	161	8.0	0.29	4.6	0.16	62	2.3	0.14	1.4	0.08
Kidney & renal pelvis	121	5.7	0.24	3.8	0.16	60	2.3	0.14	1.6	0.10
Brain & Other CNS[1]	134	6.2	0.25	4.9	0.20	101	4.3	0.20	3.3	0.16
Endocrine System	22	1.0	0.10	0.8	0.08	18	0.7	0.08	0.5	0.06
Thyroid gland	15	0.7	0.08	0.5	0.06	13	0.5	0.06	0.3	0.04
Lymphomas	162	7.8	0.28	5.0	0.18	127	4.9	0.20	3.1	0.13
Hodgkin Lymphoma	8	0.4	0.06	0.3	0.05	5	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	154	7.5	0.28	4.7	0.17	122	4.7	0.20	2.9	0.13
Multiple Myeloma	92	4.4	0.21	2.7	0.13	70	2.7	0.15	1.7	0.09
Leukemias	176	8.7	0.30	5.6	0.20	117	4.7	0.20	3.1	0.14
Other, Ill-defined & Unknown	330	15.7	0.40	10.4	0.27	278	10.8	0.30	7.2	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	70	218.4	13.33	152.4	8.44	47	136.1	9.24	97.6	6.44
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	24	69.4	7.19	50.8	4.80	12	35.0	4.65	25.3	3.27
Esophagus	2	5.5	2.04	4.1	1.34	-	-	-	-	-
Stomach	3	8.8	2.41	6.8	1.70	-	-	-	-	-
Colon & Rectum	7	20.2	3.92	14.5	2.56	4	11.0	2.63	7.7	1.79
Liver	7	17.9	3.50	13.8	2.48	-	-	-	-	-
Pancreas	5	16.3	3.72	11.1	2.34	4	11.4	2.65	8.3	1.88
Respiratory System	18	53.4	6.51	38.0	4.21	11	35.4	4.86	23.4	3.14
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	50.1	6.33	35.6	4.06	11	35.4	4.86	23.4	3.14
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	26.3	3.82	20.6	2.93
Female Genital System	-	-	-	-	-	5	13.5	2.90	10.2	2.14
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	5.6	1.82	4.4	1.41
Ovary	-	-	-	-	-	2	6.1	1.98	4.4	1.42
Male Genital System	10	39.2	6.17	24.4	3.55	-	-	-	-	-
Prostate	10	39.2	6.17	24.4	3.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	12.8	3.33	8.6	2.04	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	3	8.8	2.75	6.0	1.65	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	6.1	2.00	4.7	1.44	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	6.7	2.21	4.7	1.47	-	-	-	-	-
Other, Ill-defined & Unknown	5	15.9	3.74	10.5	2.18	3	8.5	2.42	5.9	1.58

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	90	136.8	6.79	89.3	4.23	95	97.8	4.64	67.7	3.15
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	36	54.4	4.25	36.1	2.69	34	35.5	2.81	24.3	1.88
Esophagus	2	2.8	0.91	2.0	0.64	-	-	-	-	-
Stomach	5	7.9	1.69	4.8	0.99	4	4.5	0.99	3.3	0.70
Colon & Rectum	9	13.8	2.20	8.6	1.33	9	9.3	1.41	6.7	0.99
Liver	10	13.8	2.02	10.1	1.41	6	6.6	1.22	4.2	0.77
Pancreas	6	8.2	1.64	5.5	1.04	8	9.3	1.49	5.8	0.92
Respiratory System	23	35.5	3.45	23.3	2.16	17	18.4	2.08	11.5	1.29
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	23	34.3	3.39	22.4	2.12	17	18.4	2.08	11.5	1.29
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	10.5	1.47	7.9	1.08
Female Genital System	-	-	-	-	-	13	12.2	1.60	9.2	1.16
Cervix uteri	-	-	-	-	-	2	2.3	0.70	1.8	0.52
Corpus & uterus, NOS[1]	-	-	-	-	-	3	2.8	0.73	2.3	0.58
Ovary	-	-	-	-	-	7	6.7	1.22	4.8	0.84
Male Genital System	4	7.2	1.63	4.1	0.91	-	-	-	-	-
Prostate	4	7.0	1.62	4.0	0.89	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	4.5	1.33	2.6	0.74	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	3	3.0	0.85	2.5	0.69	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	4	6.7	1.56	4.0	0.89	3	3.5	0.92	2.0	0.54
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	5.3	1.42	3.1	0.80	3	2.8	0.71	2.4	0.62
Other, Ill-defined & Unknown	9	13.3	2.06	9.0	1.32	6	6.5	1.21	4.3	0.78

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14,812	199.9	0.75	132.6	0.50	13,742	142.8	0.56	98.2	0.41
Oral Cavity & Pharynx	281	3.7	0.10	2.7	0.07	118	1.2	0.05	0.8	0.04
Digestive System	4,209	55.8	0.39	38.6	0.27	3,184	32.3	0.27	21.6	0.19
Esophagus	640	8.4	0.15	5.9	0.11	162	1.7	0.06	1.1	0.04
Stomach	274	3.7	0.10	2.5	0.07	170	1.8	0.06	1.2	0.05
Colon & Rectum	1,310	17.9	0.23	11.9	0.15	1,250	12.6	0.17	8.2	0.12
Liver	592	7.3	0.14	5.5	0.10	199	2.1	0.07	1.4	0.05
Pancreas	1,066	14.1	0.20	9.7	0.14	1,005	10.2	0.15	6.8	0.10
Respiratory System	4,123	54.8	0.39	36.9	0.26	3,398	35.4	0.28	24.5	0.20
Larynx	145	1.9	0.07	1.3	0.05	39	0.4	0.03	0.3	0.02
Lung & bronchus	3,948	52.5	0.38	35.3	0.26	3,343	34.8	0.28	24.1	0.20
Skin	370	5.1	0.12	3.4	0.08	206	2.2	0.07	1.5	0.05
Melanomas of the skin	265	3.7	0.10	2.5	0.07	158	1.7	0.06	1.2	0.05
Breast	23	0.3	0.03	0.2	0.02	1,987	21.2	0.22	15.2	0.17
Female Genital System	-	-	-	-	-	1,519	16.3	0.19	11.8	0.15
Cervix uteri	-	-	-	-	-	166	2.1	0.08	1.7	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	543	5.7	0.11	4.1	0.08
Ovary	-	-	-	-	-	689	7.3	0.13	5.2	0.10
Male Genital System	1,369	19.2	0.24	10.9	0.14	-	-	-	-	-
Prostate	1,335	18.8	0.23	10.5	0.13	-	-	-	-	-
Testis	15	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	1,009	13.8	0.20	8.6	0.12	495	4.8	0.10	3.0	0.07
Bladder	595	8.3	0.15	4.8	0.09	250	2.4	0.07	1.4	0.04
Kidney & renal pelvis	387	5.2	0.12	3.5	0.08	228	2.3	0.07	1.5	0.05
Brain & Other CNS[1]	405	5.5	0.13	4.3	0.10	315	3.6	0.09	2.8	0.08
Endocrine System	58	0.8	0.05	0.6	0.04	67	0.7	0.04	0.5	0.03
Thyroid gland	39	0.5	0.04	0.4	0.03	46	0.4	0.03	0.3	0.02
Lymphomas	579	8.0	0.15	5.1	0.10	479	4.8	0.10	3.0	0.07
Hodgkin Lymphoma	22	0.3	0.03	0.2	0.02	19	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	557	7.7	0.15	4.9	0.10	460	4.6	0.10	2.8	0.07
Multiple Myeloma	306	4.2	0.11	2.7	0.07	263	2.7	0.08	1.7	0.05
Leukemias	642	9.0	0.16	5.8	0.11	478	5.0	0.11	3.3	0.08
Other, Ill-defined & Unknown	1,438	19.5	0.23	13.0	0.16	1,233	12.6	0.17	8.5	0.12

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13,308	198.2	0.78	131.2	0.53	12,136	140.7	0.60	96.5	0.44
Oral Cavity & Pharynx	250	3.6	0.10	2.6	0.08	108	1.2	0.05	0.8	0.04
Digestive System	3,707	54.5	0.41	37.5	0.28	2,770	31.3	0.28	20.7	0.20
Esophagus	598	8.7	0.16	6.2	0.12	142	1.6	0.06	1.1	0.05
Stomach	223	3.4	0.10	2.3	0.07	135	1.5	0.06	1.0	0.05
Colon & Rectum	1,171	17.6	0.24	11.7	0.16	1,109	12.4	0.18	8.1	0.12
Liver	468	6.5	0.14	4.8	0.10	160	1.8	0.07	1.3	0.05
Pancreas	960	14.1	0.21	9.6	0.14	874	9.8	0.15	6.6	0.11
Respiratory System	3,709	54.3	0.41	36.6	0.27	3,020	35.2	0.29	24.3	0.21
Larynx	127	1.8	0.07	1.3	0.05	33	0.4	0.03	0.3	0.02
Lung & bronchus	3,555	52.1	0.40	35.0	0.27	2,973	34.6	0.29	23.9	0.21
Skin	361	5.5	0.13	3.6	0.09	199	2.3	0.08	1.6	0.06
Melanomas of the skin	261	4.0	0.11	2.7	0.08	154	1.9	0.07	1.4	0.06
Breast	20	0.3	0.03	0.2	0.02	1,722	20.6	0.23	14.7	0.18
Female Genital System	-	-	-	-	-	1,320	15.9	0.20	11.5	0.16
Cervix uteri	-	-	-	-	-	134	2.0	0.08	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	450	5.3	0.11	3.7	0.08
Ovary	-	-	-	-	-	627	7.5	0.14	5.3	0.10
Male Genital System	1,177	18.1	0.24	10.2	0.14	-	-	-	-	-
Prostate	1,146	17.6	0.23	9.8	0.13	-	-	-	-	-
Testis	15	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	940	14.1	0.21	8.7	0.13	446	4.8	0.11	3.0	0.07
Bladder	559	8.5	0.16	4.9	0.10	226	2.3	0.07	1.4	0.05
Kidney & renal pelvis	355	5.3	0.13	3.6	0.09	206	2.3	0.07	1.5	0.05
Brain & Other CNS[1]	377	5.8	0.14	4.5	0.11	295	3.9	0.11	3.0	0.09
Endocrine System	53	0.8	0.05	0.6	0.04	60	0.7	0.04	0.5	0.04
Thyroid gland	36	0.6	0.04	0.4	0.03	41	0.4	0.03	0.3	0.02
Lymphomas	544	8.3	0.16	5.3	0.11	446	4.9	0.11	3.1	0.07
Hodgkin Lymphoma	21	0.3	0.03	0.2	0.03	18	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	523	8.0	0.16	5.1	0.10	428	4.7	0.11	2.9	0.07
Multiple Myeloma	263	4.0	0.11	2.5	0.07	211	2.4	0.08	1.5	0.05
Leukemias	598	9.2	0.17	5.9	0.12	438	5.1	0.11	3.4	0.09
Other, Ill-defined & Unknown	1,310	19.6	0.25	13.0	0.17	1,101	12.5	0.18	8.4	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,334	247.6	3.20	168.5	2.08	1,442	177.0	2.12	125.0	1.52
Oral Cavity & Pharynx	27	5.0	0.46	3.5	0.30	8	1.0	0.15	0.7	0.12
Digestive System	434	75.8	1.72	54.3	1.17	360	44.1	1.06	30.3	0.74
Esophagus	36	6.4	0.50	4.6	0.34	19	2.3	0.24	1.6	0.17
Stomach	41	7.7	0.57	5.2	0.36	28	3.4	0.30	2.3	0.20
Colon & Rectum	124	22.7	0.96	15.7	0.64	123	15.1	0.62	10.2	0.43
Liver	104	15.7	0.73	12.5	0.55	31	3.7	0.30	2.8	0.23
Pancreas	96	17.1	0.83	12.1	0.56	118	14.5	0.61	9.8	0.42
Respiratory System	372	68.8	1.68	47.2	1.10	348	42.6	1.04	30.0	0.73
Larynx	18	3.3	0.37	2.2	0.24	6	0.7	0.14	0.6	0.10
Lung & bronchus	352	65.0	1.64	44.6	1.07	341	41.6	1.03	29.3	0.73
Skin	7	1.3	0.22	0.9	0.15	6	0.7	0.14	0.6	0.11
Melanomas of the skin	2	0.5	0.14	0.3	0.09	3	0.4	0.10	0.3	0.08
Breast	3	0.4	0.13	0.3	0.09	243	30.0	0.88	21.7	0.64
Female Genital System	-	-	-	-	-	179	21.8	0.74	16.0	0.55
Cervix uteri	-	-	-	-	-	28	3.5	0.30	2.8	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	87	10.5	0.51	7.6	0.37
Ovary	-	-	-	-	-	53	6.5	0.40	4.7	0.30
Male Genital System	182	39.3	1.36	23.2	0.77	-	-	-	-	-
Prostate	180	38.9	1.35	22.9	0.77	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	12.1	0.72	8.0	0.45	45	5.5	0.38	3.7	0.25
Bladder	34	7.2	0.57	4.3	0.33	23	2.8	0.27	1.8	0.17
Kidney & renal pelvis	28	4.8	0.42	3.5	0.30	21	2.5	0.25	1.8	0.18
Brain & Other CNS[1]	21	3.4	0.35	2.7	0.26	17	2.0	0.22	1.6	0.18
Endocrine System	5	0.8	0.17	0.6	0.12	7	0.8	0.14	0.6	0.11
Thyroid gland	3	0.5	0.14	0.3	0.09	4	0.5	0.11	0.4	0.08
Lymphomas	30	5.5	0.47	3.8	0.31	28	3.4	0.29	2.3	0.21
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	39	7.9	0.59	5.0	0.36	50	6.4	0.41	4.2	0.27
Leukemias	39	7.2	0.54	5.0	0.36	35	4.4	0.33	3.1	0.25
Other, Ill-defined & Unknown	111	20.2	0.91	14.1	0.60	117	14.4	0.60	10.2	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	157	111.6	4.29	72.8	2.61	155	89.5	3.37	59.9	2.15
Oral Cavity & Pharynx	4	2.7	0.64	1.8	0.41	-	-	-	-	-
Digestive System	64	42.3	2.55	29.0	1.63	53	32.7	2.10	20.3	1.25
Esophagus	5	4.0	0.86	2.5	0.48	-	-	-	-	-
Stomach	10	6.5	0.99	4.4	0.64	8	5.0	0.81	3.2	0.50
Colon & Rectum	14	9.5	1.23	6.3	0.77	17	10.8	1.21	6.6	0.71
Liver	19	11.4	1.27	8.4	0.87	7	4.7	0.80	2.9	0.48
Pancreas	10	6.9	1.06	4.6	0.65	12	7.5	1.02	4.6	0.61
Respiratory System	38	28.0	2.19	17.6	1.29	28	16.7	1.48	10.9	0.92
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	37	27.3	2.16	17.2	1.27	28	16.5	1.47	10.8	0.92
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	21	10.4	1.06	8.0	0.77
Female Genital System	-	-	-	-	-	19	9.5	1.03	7.1	0.74
Cervix uteri	-	-	-	-	-	4	1.7	0.42	1.4	0.32
Corpus & uterus, NOS[1]	-	-	-	-	-	6	2.9	0.56	2.2	0.41
Ovary	-	-	-	-	-	8	4.5	0.73	3.1	0.49
Male Genital System	9	8.0	1.24	4.6	0.67	-	-	-	-	-
Prostate	8	7.3	1.20	4.0	0.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	3.7	0.82	2.3	0.46	3	2.1	0.53	1.3	0.32
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	3	2.4	0.62	1.6	0.38	-	-	-	-	-
Brain & Other CNS[1]	6	3.2	0.63	2.6	0.48	3	1.3	0.36	1.2	0.30
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	3.8	0.81	2.4	0.48	5	2.9	0.60	2.0	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	2.5	0.67	1.4	0.37	2	1.4	0.44	0.9	0.26
Leukemias	5	3.5	0.77	2.3	0.47	5	2.7	0.59	1.8	0.37
Other, Ill-defined & Unknown	16	11.7	1.43	7.5	0.84	13	7.6	0.98	5.2	0.65

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,135	197.1	2.68	129.2	1.77	1,089	140.3	1.98	95.8	1.43
Oral Cavity & Pharynx	16	2.7	0.30	1.9	0.22	8	0.9	0.15	0.6	0.11
Digestive System	315	53.7	1.39	36.8	0.95	244	31.0	0.93	20.8	0.66
Esophagus	47	7.7	0.52	5.6	0.37	12	1.4	0.19	0.9	0.13
Stomach	23	3.9	0.37	2.5	0.25	20	2.6	0.28	1.7	0.19
Colon & Rectum	84	14.8	0.74	9.6	0.48	87	10.8	0.54	7.1	0.38
Liver	51	8.2	0.53	6.1	0.39	16	2.1	0.25	1.6	0.19
Pancreas	81	13.9	0.71	9.4	0.48	77	9.9	0.52	6.6	0.36
Respiratory System	321	55.3	1.41	36.6	0.93	307	40.2	1.06	27.5	0.75
Larynx	10	1.7	0.25	1.1	0.16	2	0.3	0.09	0.2	0.07
Lung & bronchus	309	53.2	1.39	35.2	0.91	304	39.9	1.05	27.3	0.74
Skin	26	4.7	0.42	3.1	0.28	19	2.3	0.24	1.5	0.17
Melanomas of the skin	18	3.2	0.35	2.1	0.23	13	1.6	0.21	1.1	0.15
Breast	3	0.6	0.15	0.4	0.09	135	18.0	0.73	13.0	0.56
Female Genital System	-	-	-	-	-	111	14.4	0.64	10.3	0.48
Cervix uteri	-	-	-	-	-	9	1.5	0.23	1.2	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	39	5.0	0.37	3.4	0.26
Ovary	-	-	-	-	-	50	6.5	0.43	4.7	0.32
Male Genital System	106	19.1	0.85	10.6	0.48	-	-	-	-	-
Prostate	103	18.7	0.84	10.3	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	83	14.6	0.73	8.9	0.45	41	5.0	0.36	3.1	0.24
Bladder	51	9.1	0.58	5.2	0.34	21	2.5	0.25	1.5	0.16
Kidney & renal pelvis	31	5.2	0.43	3.5	0.29	18	2.2	0.25	1.4	0.17
Brain & Other CNS[1]	33	5.7	0.45	4.4	0.35	28	3.9	0.35	2.9	0.27
Endocrine System	5	0.8	0.17	0.5	0.11	5	0.7	0.15	0.5	0.11
Thyroid gland	3	0.5	0.14	0.3	0.09	3	0.5	0.12	0.3	0.08
Lymphomas	38	6.7	0.50	4.4	0.33	39	4.7	0.35	2.9	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	18	3.2	0.34	2.1	0.22	20	2.5	0.26	1.5	0.17
Leukemias	51	9.3	0.59	6.0	0.40	38	4.7	0.37	3.1	0.27
Other, Ill-defined & Unknown	118	20.8	0.88	13.5	0.58	95	12.0	0.58	8.0	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,082	201.8	2.81	132.3	1.87	1,043	144.4	2.09	98.5	1.51
Oral Cavity & Pharynx	15	2.6	0.31	1.9	0.22	7	0.8	0.15	0.6	0.10
Digestive System	294	53.9	1.44	36.8	0.99	232	31.6	0.98	21.1	0.69
Esophagus	45	8.0	0.55	5.8	0.40	11	1.4	0.19	0.9	0.13
Stomach	21	3.9	0.39	2.6	0.26	18	2.6	0.28	1.7	0.20
Colon & Rectum	80	15.0	0.77	9.7	0.51	84	11.2	0.58	7.4	0.41
Liver	46	7.9	0.54	5.9	0.40	15	2.2	0.27	1.6	0.20
Pancreas	76	14.1	0.74	9.5	0.50	74	10.1	0.55	6.7	0.38
Respiratory System	307	56.7	1.48	37.5	0.98	297	41.8	1.12	28.7	0.79
Larynx	9	1.7	0.26	1.1	0.17	2	0.3	0.10	0.3	0.08
Lung & bronchus	295	54.6	1.45	36.1	0.96	294	41.4	1.11	28.4	0.79
Skin	26	5.0	0.45	3.4	0.31	19	2.4	0.26	1.6	0.18
Melanomas of the skin	18	3.5	0.38	2.3	0.26	13	1.7	0.23	1.2	0.16
Breast	3	0.6	0.16	0.4	0.10	125	17.9	0.76	12.9	0.58
Female Genital System	-	-	-	-	-	106	15.0	0.68	10.7	0.51
Cervix uteri	-	-	-	-	-	9	1.6	0.26	1.3	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	37	5.1	0.39	3.5	0.28
Ovary	-	-	-	-	-	48	6.8	0.45	4.9	0.34
Male Genital System	102	19.6	0.88	10.9	0.50	-	-	-	-	-
Prostate	100	19.2	0.87	10.6	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	81	15.1	0.76	9.2	0.47	39	5.1	0.38	3.1	0.25
Bladder	49	9.3	0.60	5.4	0.35	21	2.6	0.27	1.5	0.17
Kidney & renal pelvis	30	5.5	0.46	3.7	0.31	17	2.3	0.26	1.5	0.18
Brain & Other CNS[1]	33	6.2	0.50	4.8	0.40	27	4.2	0.38	3.2	0.30
Endocrine System	4	0.8	0.18	0.5	0.12	5	0.8	0.16	0.6	0.13
Thyroid gland	3	0.6	0.15	0.4	0.11	3	0.5	0.13	0.3	0.09
Lymphomas	37	7.0	0.53	4.5	0.35	39	5.0	0.38	3.2	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	17	3.2	0.36	2.1	0.24	18	2.5	0.27	1.5	0.17
Leukemias	50	9.7	0.63	6.3	0.43	36	4.8	0.38	3.1	0.28
Other, Ill-defined & Unknown	113	21.4	0.92	13.9	0.61	92	12.4	0.61	8.3	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	36	129.6	10.55	89.9	6.85	30	78.5	6.63	58.3	4.88
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	46.6	6.11	33.5	4.11	8	19.1	3.13	14.2	2.33
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	14.5	3.52	9.8	2.24	2	4.6	1.46	3.4	1.12
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	4	13.3	3.29	9.9	2.26	3	6.5	1.87	4.9	1.40
Respiratory System	9	32.2	5.08	23.2	3.45	6	16.7	3.18	12.1	2.29
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	30.9	5.03	22.0	3.38	6	16.7	3.18	12.1	2.29
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	8	19.6	3.27	14.7	2.43
Female Genital System	-	-	-	-	-	2	6.1	1.83	5.0	1.45
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	11.4	3.45	6.6	1.94	-	-	-	-	-
Prostate	2	11.4	3.45	6.6	1.94	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	10.6	3.31	6.1	1.88	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	4	16.3	3.94	10.9	2.48	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13	115.6	15.15	79.1	9.75	12	85.3	11.49	59.7	7.71
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	48.7	9.72	34.2	6.42	4	28.3	6.87	19.4	4.48
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	3	20.4	6.14	14.8	4.17	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	33.0	8.00	22.7	5.23	2	16.3	4.96	11.8	3.42
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	30.7	7.64	21.3	5.06	2	16.3	4.96	11.8	3.42
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,492	209.1	1.31	141.4	0.87	4,576	139.2	0.94	97.3	0.68
Oral Cavity & Pharynx	133	4.8	0.19	3.6	0.14	51	1.6	0.10	1.1	0.08
Digestive System	1,484	54.6	0.66	38.9	0.46	1,044	31.6	0.45	21.6	0.31
Esophagus	188	6.7	0.23	4.9	0.16	50	1.5	0.10	1.0	0.07
Stomach	135	5.1	0.20	3.6	0.14	75	2.4	0.13	1.6	0.09
Colon & Rectum	460	17.5	0.38	12.2	0.26	388	11.8	0.28	8.1	0.20
Liver	234	8.0	0.24	6.1	0.18	77	2.3	0.12	1.6	0.08
Pancreas	356	13.2	0.33	9.1	0.22	329	9.9	0.25	6.6	0.17
Respiratory System	1,683	61.6	0.70	42.6	0.47	1,171	34.6	0.46	24.2	0.33
Larynx	67	2.3	0.13	1.8	0.10	13	0.4	0.05	0.3	0.04
Lung & bronchus	1,604	58.9	0.68	40.5	0.46	1,153	34.0	0.46	23.8	0.32
Skin	143	5.7	0.22	3.7	0.14	65	2.0	0.12	1.4	0.08
Melanomas of the skin	86	3.4	0.17	2.3	0.11	47	1.5	0.10	1.1	0.07
Breast	8	0.3	0.05	0.2	0.03	691	21.5	0.38	15.9	0.29
Female Genital System	-	-	-	-	-	473	14.6	0.31	10.6	0.23
Cervix uteri	-	-	-	-	-	73	2.6	0.14	2.1	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	162	4.8	0.17	3.5	0.13
Ovary	-	-	-	-	-	201	6.1	0.20	4.3	0.14
Male Genital System	516	22.1	0.45	12.6	0.25	-	-	-	-	-
Prostate	507	21.8	0.45	12.3	0.24	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	322	13.0	0.34	8.2	0.21	151	4.6	0.17	2.9	0.11
Bladder	162	6.9	0.25	4.0	0.14	70	2.1	0.12	1.3	0.07
Kidney & renal pelvis	152	5.8	0.22	4.0	0.15	75	2.3	0.12	1.5	0.09
Brain & Other CNS[1]	149	5.6	0.21	4.2	0.16	120	3.8	0.16	3.0	0.13
Endocrine System	24	0.9	0.09	0.7	0.06	21	0.7	0.07	0.5	0.05
Thyroid gland	16	0.6	0.07	0.4	0.05	14	0.4	0.05	0.3	0.03
Lymphomas	172	7.0	0.25	4.5	0.16	147	4.5	0.17	2.8	0.11
Hodgkin Lymphoma	10	0.4	0.06	0.3	0.05	8	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	163	6.6	0.24	4.2	0.15	139	4.3	0.16	2.6	0.10
Multiple Myeloma	129	5.1	0.21	3.2	0.13	118	3.6	0.15	2.3	0.10
Leukemias	223	9.1	0.28	5.9	0.18	158	5.0	0.18	3.4	0.13
Other, Ill-defined & Unknown	506	19.3	0.40	13.2	0.27	365	11.1	0.27	7.7	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,099	200.1	1.44	134.3	0.96	3,351	135.6	1.08	94.3	0.78
Oral Cavity & Pharynx	95	4.5	0.22	3.3	0.16	40	1.6	0.12	1.2	0.09
Digestive System	1,056	50.2	0.71	35.4	0.50	714	28.7	0.49	19.4	0.35
Esophagus	144	6.6	0.25	4.8	0.18	36	1.4	0.11	1.0	0.08
Stomach	76	3.7	0.20	2.6	0.14	40	1.6	0.12	1.1	0.08
Colon & Rectum	318	15.7	0.41	10.8	0.28	267	11.0	0.31	7.4	0.22
Liver	173	7.8	0.27	5.9	0.20	52	2.0	0.13	1.4	0.09
Pancreas	261	12.4	0.35	8.5	0.24	231	9.1	0.27	6.1	0.19
Respiratory System	1,277	60.1	0.77	41.1	0.52	949	37.3	0.55	26.1	0.40
Larynx	40	1.8	0.13	1.4	0.10	9	0.4	0.06	0.3	0.04
Lung & bronchus	1,229	57.8	0.76	39.5	0.51	937	36.8	0.55	25.8	0.39
Skin	134	6.8	0.27	4.4	0.18	59	2.4	0.15	1.7	0.11
Melanomas of the skin	84	4.2	0.21	2.9	0.14	45	1.9	0.13	1.4	0.10
Breast	5	0.2	0.05	0.2	0.03	467	19.4	0.42	14.1	0.32
Female Genital System	-	-	-	-	-	316	13.2	0.34	9.5	0.26
Cervix uteri	-	-	-	-	-	43	2.2	0.15	1.8	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	91	3.6	0.18	2.6	0.13
Ovary	-	-	-	-	-	154	6.3	0.23	4.4	0.17
Male Genital System	319	17.3	0.44	9.6	0.24	-	-	-	-	-
Prostate	311	16.9	0.44	9.3	0.24	-	-	-	-	-
Testis	5	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	270	13.8	0.39	8.6	0.24	118	4.7	0.20	3.0	0.13
Bladder	142	7.5	0.29	4.4	0.17	53	2.1	0.13	1.3	0.08
Kidney & renal pelvis	121	5.9	0.25	4.0	0.17	61	2.5	0.14	1.7	0.10
Brain & Other CNS[1]	131	6.3	0.26	4.8	0.20	100	4.3	0.20	3.4	0.17
Endocrine System	20	1.0	0.10	0.7	0.07	14	0.6	0.08	0.5	0.06
Thyroid gland	14	0.7	0.08	0.5	0.06	10	0.4	0.06	0.3	0.04
Lymphomas	143	7.3	0.28	4.7	0.18	123	4.9	0.20	3.0	0.13
Hodgkin Lymphoma	7	0.4	0.07	0.3	0.06	6	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	136	6.9	0.27	4.3	0.17	116	4.6	0.20	2.8	0.13
Multiple Myeloma	84	4.3	0.22	2.6	0.13	68	2.7	0.15	1.7	0.09
Leukemias	185	9.6	0.32	6.1	0.21	119	4.9	0.21	3.3	0.15
Other, Ill-defined & Unknown	381	18.7	0.44	12.7	0.30	265	10.7	0.30	7.4	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,360	251.5	3.30	172.4	2.11	1,186	152.9	2.04	108.6	1.45
Oral Cavity & Pharynx	37	5.8	0.46	4.5	0.34	11	1.4	0.19	1.1	0.14
Digestive System	415	72.4	1.72	52.1	1.16	318	41.1	1.06	28.3	0.73
Esophagus	43	7.1	0.52	5.3	0.37	14	1.7	0.21	1.3	0.15
Stomach	57	10.6	0.67	7.4	0.44	33	4.5	0.36	3.1	0.25
Colon & Rectum	138	24.8	1.02	17.5	0.68	117	14.9	0.63	10.4	0.44
Liver	58	8.5	0.53	6.9	0.41	23	2.9	0.28	2.1	0.20
Pancreas	93	16.6	0.84	11.7	0.55	96	12.6	0.59	8.4	0.39
Respiratory System	398	69.5	1.68	49.4	1.12	213	26.8	0.85	18.9	0.59
Larynx	27	4.4	0.41	3.2	0.28	4	0.5	0.12	0.4	0.09
Lung & bronchus	368	64.7	1.62	45.7	1.08	207	26.1	0.83	18.4	0.58
Skin	9	1.4	0.22	1.1	0.16	7	0.9	0.16	0.6	0.11
Melanomas of the skin	-	-	-	-	-	3	0.4	0.11	0.2	0.07
Breast	3	0.6	0.16	0.4	0.10	218	27.7	0.86	21.2	0.66
Female Genital System	-	-	-	-	-	154	19.7	0.73	14.3	0.53
Cervix uteri	-	-	-	-	-	30	4.0	0.34	3.1	0.26
Corpus & uterus, NOS[1]	-	-	-	-	-	71	8.9	0.48	6.4	0.34
Ovary	-	-	-	-	-	45	5.8	0.40	4.1	0.28
Male Genital System	195	44.9	1.54	25.7	0.83	-	-	-	-	-
Prostate	193	44.6	1.53	25.4	0.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	51	10.2	0.68	6.7	0.42	32	4.2	0.34	2.7	0.22
Bladder	19	4.2	0.46	2.5	0.26	16	2.2	0.25	1.3	0.15
Kidney & renal pelvis	31	5.7	0.49	4.0	0.33	13	1.7	0.22	1.2	0.16
Brain & Other CNS[1]	17	3.0	0.35	2.2	0.25	19	2.5	0.26	1.9	0.20
Endocrine System	4	0.7	0.17	0.6	0.13	6	0.9	0.15	0.6	0.11
Thyroid gland	2	0.3	0.11	0.3	0.08	4	0.5	0.12	0.3	0.07
Lymphomas	29	5.4	0.48	3.8	0.33	23	3.1	0.29	2.1	0.20
Hodgkin Lymphoma	3	0.4	0.13	0.4	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	26	4.9	0.47	3.5	0.31	-	-	-	-	-
Multiple Myeloma	44	8.6	0.62	5.6	0.38	49	6.7	0.44	4.4	0.28
Leukemias	37	7.4	0.59	5.0	0.37	38	5.2	0.39	3.6	0.27
Other, Ill-defined & Unknown	121	21.7	0.96	15.3	0.63	97	12.7	0.59	8.8	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	24	86.4	8.65	59.9	5.50	32	90.0	7.55	59.8	4.74
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	9	29.6	4.71	21.8	3.24	11	30.9	4.52	19.7	2.73
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	2	6.4	2.37	4.8	1.53	4	11.6	2.81	7.3	1.69
Liver	-	-	-	-	-	2	5.3	1.73	3.9	1.18
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	5	18.4	4.01	12.9	2.56	6	19.1	3.54	12.3	2.18
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	17.9	3.98	12.4	2.52	6	19.1	3.54	12.3	2.18
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	5	11.6	2.55	8.5	1.78
Female Genital System	-	-	-	-	-	3	7.0	1.93	5.4	1.40
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	4.6	1.46	3.8	1.16
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	8.7	2.50	6.2	1.72	2	6.7	2.08	4.3	1.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	903	192.6	2.93	125.6	1.93	762	134.3	2.27	91.6	1.63
Oral Cavity & Pharynx	17	3.5	0.40	2.5	0.28	6	1.1	0.20	0.8	0.16
Digestive System	255	53.4	1.53	36.7	1.06	186	31.8	1.09	20.7	0.75
Esophagus	39	8.1	0.59	5.6	0.41	8	1.3	0.22	0.9	0.15
Stomach	13	2.6	0.34	1.9	0.24	11	2.0	0.28	1.3	0.20
Colon & Rectum	92	19.7	0.94	13.1	0.63	77	13.0	0.70	8.4	0.48
Liver	28	5.7	0.50	4.2	0.37	9	1.4	0.23	0.9	0.15
Pancreas	59	12.2	0.73	8.5	0.51	58	10.0	0.60	6.5	0.42
Respiratory System	243	51.3	1.50	33.4	0.98	191	34.3	1.14	23.7	0.81
Larynx	4	0.8	0.18	0.5	0.12	-	-	-	-	-
Lung & bronchus	237	49.9	1.48	32.6	0.96	189	33.9	1.13	23.5	0.80
Skin	23	5.1	0.49	3.3	0.32	11	1.9	0.28	1.3	0.20
Melanomas of the skin	16	3.5	0.41	2.4	0.28	8	1.5	0.25	1.1	0.19
Breast	-	-	-	-	-	106	19.1	0.87	13.7	0.66
Female Genital System	-	-	-	-	-	75	13.5	0.73	9.6	0.54
Cervix uteri	-	-	-	-	-	7	1.5	0.27	1.3	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	24	4.1	0.39	2.8	0.28
Ovary	-	-	-	-	-	38	6.9	0.52	4.8	0.38
Male Genital System	87	19.5	0.95	10.9	0.54	-	-	-	-	-
Prostate	84	19.0	0.93	10.5	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	13.9	0.79	8.6	0.50	27	4.5	0.40	2.8	0.27
Bladder	33	7.4	0.58	4.2	0.34	11	1.7	0.24	1.0	0.15
Kidney & renal pelvis	29	6.0	0.51	4.1	0.35	14	2.5	0.30	1.6	0.21
Brain & Other CNS[1]	31	6.4	0.53	4.8	0.40	23	4.5	0.44	3.5	0.35
Endocrine System	4	0.9	0.21	0.7	0.16	6	1.1	0.21	0.8	0.17
Thyroid gland	-	-	-	-	-	4	0.7	0.16	0.5	0.11
Lymphomas	34	7.2	0.57	4.5	0.36	26	4.3	0.39	2.6	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	23	4.9	0.47	3.0	0.29	14	2.5	0.30	1.5	0.20
Leukemias	43	9.5	0.66	6.0	0.43	31	5.2	0.44	3.4	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	61	10.7	0.64	7.2	0.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	845	189.1	2.97	122.9	1.96	714	132.8	2.33	90.4	1.69
Oral Cavity & Pharynx	15	3.3	0.40	2.4	0.28	6	1.1	0.22	0.8	0.17
Digestive System	236	51.9	1.55	35.4	1.07	172	31.0	1.11	19.9	0.77
Esophagus	38	8.2	0.61	5.7	0.43	7	1.3	0.22	0.9	0.15
Stomach	12	2.5	0.34	1.8	0.24	10	1.9	0.29	1.2	0.20
Colon & Rectum	86	19.3	0.96	12.6	0.64	71	12.6	0.71	8.0	0.49
Liver	22	4.8	0.47	3.5	0.35	8	1.4	0.23	0.9	0.15
Pancreas	56	12.2	0.75	8.5	0.52	55	9.8	0.62	6.3	0.42
Respiratory System	227	50.0	1.52	32.6	0.99	177	33.5	1.16	23.1	0.82
Larynx	3	0.7	0.18	0.5	0.11	-	-	-	-	-
Lung & bronchus	221	48.8	1.50	31.8	0.98	175	33.2	1.15	22.9	0.82
Skin	23	5.2	0.51	3.4	0.34	10	2.0	0.29	1.4	0.22
Melanomas of the skin	16	3.7	0.43	2.5	0.30	8	1.6	0.27	1.1	0.20
Breast	-	-	-	-	-	101	19.2	0.91	13.7	0.69
Female Genital System	-	-	-	-	-	70	13.4	0.75	9.5	0.56
Cervix uteri	-	-	-	-	-	6	1.2	0.24	1.0	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	23	4.3	0.42	3.0	0.30
Ovary	-	-	-	-	-	36	7.0	0.55	4.9	0.40
Male Genital System	81	19.0	0.95	10.5	0.54	-	-	-	-	-
Prostate	79	18.5	0.94	10.2	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	61	13.7	0.80	8.5	0.51	26	4.6	0.41	2.8	0.28
Bladder	32	7.5	0.60	4.3	0.35	11	1.7	0.24	1.0	0.16
Kidney & renal pelvis	27	5.8	0.51	3.9	0.35	14	2.5	0.32	1.6	0.21
Brain & Other CNS[1]	31	6.8	0.56	5.1	0.44	23	4.8	0.48	3.7	0.39
Endocrine System	4	0.9	0.21	0.7	0.17	5	1.0	0.22	0.8	0.20
Thyroid gland	-	-	-	-	-	3	0.5	0.15	0.4	0.10
Lymphomas	33	7.3	0.58	4.6	0.37	25	4.3	0.41	2.7	0.28
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	21	4.9	0.48	2.9	0.29	14	2.4	0.31	1.5	0.21
Leukemias	42	9.7	0.68	6.1	0.45	29	5.1	0.45	3.3	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	57	10.4	0.65	7.0	0.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	135.5	35.86	93.9	23.05	3	103.7	30.96	75.3	20.62
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	185.6	56.60	114.7	31.58	4	107.2	29.56	72.8	18.01
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,727	224.1	1.18	152.9	0.79	6,491	149.5	0.84	104.9	0.61
Oral Cavity & Pharynx	169	4.6	0.16	3.5	0.12	67	1.5	0.08	1.1	0.06
Digestive System	1,983	55.5	0.58	39.7	0.40	1,402	32.2	0.39	22.1	0.28
Esophagus	278	7.6	0.21	5.6	0.15	58	1.3	0.08	0.9	0.06
Stomach	129	3.8	0.15	2.7	0.11	81	1.9	0.10	1.4	0.07
Colon & Rectum	639	18.5	0.34	12.9	0.23	561	13.0	0.25	8.8	0.18
Liver	338	8.8	0.22	6.8	0.17	115	2.6	0.11	1.8	0.08
Pancreas	462	12.9	0.28	9.1	0.19	432	9.8	0.21	6.7	0.15
Respiratory System	2,580	72.7	0.66	50.4	0.45	1,841	41.8	0.44	29.6	0.32
Larynx	86	2.3	0.11	1.7	0.08	22	0.5	0.05	0.4	0.04
Lung & bronchus	2,479	70.0	0.65	48.4	0.44	1,809	41.1	0.44	29.0	0.31
Skin	234	7.0	0.21	4.7	0.14	94	2.2	0.11	1.5	0.08
Melanomas of the skin	153	4.5	0.17	3.1	0.11	71	1.7	0.09	1.2	0.07
Breast	12	0.3	0.05	0.2	0.03	934	21.8	0.33	15.8	0.24
Female Genital System	-	-	-	-	-	669	15.6	0.28	11.4	0.21
Cervix uteri	-	-	-	-	-	111	2.8	0.12	2.3	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	191	4.3	0.14	3.1	0.10
Ovary	-	-	-	-	-	316	7.3	0.19	5.2	0.14
Male Genital System	622	20.4	0.38	11.7	0.21	-	-	-	-	-
Prostate	604	19.8	0.37	11.3	0.21	-	-	-	-	-
Testis	9	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	471	14.3	0.30	9.1	0.19	215	4.9	0.15	3.1	0.10
Bladder	242	7.7	0.23	4.6	0.13	89	2.0	0.10	1.2	0.06
Kidney & renal pelvis	217	6.2	0.19	4.3	0.13	117	2.7	0.11	1.8	0.08
Brain & Other CNS[1]	214	6.1	0.19	4.7	0.15	157	3.8	0.14	2.9	0.11
Endocrine System	27	0.8	0.07	0.6	0.05	26	0.6	0.05	0.4	0.04
Thyroid gland	18	0.5	0.06	0.3	0.04	17	0.4	0.04	0.3	0.03
Lymphomas	279	8.5	0.23	5.5	0.15	213	4.9	0.15	3.1	0.10
Hodgkin Lymphoma	15	0.5	0.05	0.3	0.04	9	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	264	8.0	0.23	5.2	0.15	204	4.7	0.15	2.9	0.10
Multiple Myeloma	161	4.8	0.18	3.1	0.11	127	2.9	0.12	1.9	0.08
Leukemias	301	9.3	0.25	6.0	0.16	211	5.0	0.16	3.3	0.11
Other, Ill-defined & Unknown	675	19.8	0.35	13.6	0.24	536	12.4	0.24	8.6	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,649	220.7	1.25	150.2	0.84	5,485	147.5	0.91	103.4	0.67
Oral Cavity & Pharynx	143	4.5	0.18	3.4	0.13	58	1.6	0.09	1.1	0.07
Digestive System	1,649	53.2	0.60	38.0	0.43	1,147	30.6	0.41	21.1	0.30
Esophagus	249	7.9	0.23	5.8	0.17	47	1.3	0.08	0.9	0.06
Stomach	100	3.4	0.15	2.3	0.11	62	1.7	0.10	1.2	0.07
Colon & Rectum	527	17.6	0.35	12.2	0.24	460	12.4	0.26	8.4	0.19
Liver	266	8.1	0.23	6.2	0.17	92	2.5	0.12	1.7	0.09
Pancreas	390	12.5	0.29	8.8	0.20	360	9.5	0.23	6.5	0.16
Respiratory System	2,248	72.3	0.70	50.1	0.48	1,611	42.7	0.48	30.3	0.35
Larynx	72	2.2	0.12	1.7	0.09	18	0.5	0.05	0.4	0.04
Lung & bronchus	2,163	69.7	0.69	48.2	0.47	1,585	42.0	0.48	29.8	0.35
Skin	228	7.8	0.24	5.2	0.16	90	2.5	0.12	1.8	0.09
Melanomas of the skin	151	5.0	0.19	3.5	0.13	69	2.0	0.11	1.4	0.08
Breast	10	0.3	0.05	0.2	0.03	753	20.5	0.34	14.8	0.26
Female Genital System	-	-	-	-	-	549	15.1	0.30	11.1	0.23
Cervix uteri	-	-	-	-	-	81	2.5	0.13	2.1	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	145	3.8	0.14	2.8	0.11
Ovary	-	-	-	-	-	275	7.5	0.21	5.3	0.15
Male Genital System	480	17.8	0.37	10.1	0.21	-	-	-	-	-
Prostate	465	17.3	0.37	9.7	0.20	-	-	-	-	-
Testis	8	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	431	14.8	0.33	9.5	0.21	188	4.9	0.16	3.2	0.11
Bladder	224	8.0	0.25	4.8	0.14	78	2.0	0.10	1.2	0.07
Kidney & renal pelvis	195	6.4	0.21	4.5	0.15	102	2.7	0.12	1.8	0.09
Brain & Other CNS[1]	194	6.5	0.21	5.1	0.17	142	4.1	0.16	3.1	0.13
Endocrine System	22	0.8	0.07	0.6	0.06	21	0.6	0.06	0.4	0.05
Thyroid gland	15	0.5	0.06	0.3	0.04	14	0.4	0.04	0.2	0.03
Lymphomas	252	8.7	0.25	5.6	0.16	192	5.1	0.17	3.2	0.11
Hodgkin Lymphoma	14	0.5	0.06	0.3	0.04	6	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	238	8.3	0.25	5.3	0.16	185	4.9	0.16	3.1	0.11
Multiple Myeloma	129	4.4	0.18	2.8	0.11	93	2.4	0.11	1.5	0.07
Leukemias	272	9.6	0.27	6.2	0.17	184	5.1	0.17	3.3	0.12
Other, Ill-defined & Unknown	591	19.8	0.38	13.6	0.26	457	12.3	0.26	8.5	0.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,033	270.5	4.18	185.2	2.63	962	170.6	2.54	120.4	1.77
Oral Cavity & Pharynx	24	5.1	0.51	4.0	0.37	8	1.3	0.21	1.0	0.16
Digestive System	316	75.6	2.12	54.7	1.40	242	43.8	1.30	30.0	0.88
Esophagus	27	6.0	0.57	4.6	0.40	10	1.8	0.26	1.3	0.19
Stomach	28	7.2	0.68	5.1	0.44	16	3.0	0.34	2.1	0.23
Colon & Rectum	108	28.2	1.35	19.3	0.85	98	17.9	0.83	12.2	0.56
Liver	67	12.9	0.77	10.6	0.59	20	3.4	0.35	2.4	0.25
Pancreas	69	17.0	1.02	12.0	0.66	69	12.6	0.70	8.4	0.46
Respiratory System	321	82.4	2.28	57.3	1.46	219	39.0	1.22	27.3	0.84
Larynx	14	3.0	0.40	2.3	0.28	3	0.5	0.13	0.4	0.10
Lung & bronchus	305	78.9	2.23	54.6	1.43	213	38.1	1.21	26.6	0.83
Skin	6	1.3	0.25	1.0	0.19	-	-	-	-	-
Melanomas of the skin	2	0.5	0.16	0.4	0.12	2	0.3	0.10	0.2	0.08
Breast	2	0.5	0.16	0.4	0.11	174	29.8	1.04	22.2	0.76
Female Genital System	-	-	-	-	-	116	20.3	0.87	14.7	0.62
Cervix uteri	-	-	-	-	-	28	4.7	0.41	3.7	0.32
Corpus & uterus, NOS[1]	-	-	-	-	-	45	8.1	0.56	5.7	0.38
Ovary	-	-	-	-	-	39	6.8	0.50	4.8	0.35
Male Genital System	138	46.4	1.91	26.9	1.04	-	-	-	-	-
Prostate	135	45.6	1.90	26.4	1.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	39	10.6	0.85	7.1	0.52	27	5.0	0.44	3.2	0.29
Bladder	17	5.1	0.61	3.2	0.35	11	2.1	0.28	1.3	0.18
Kidney & renal pelvis	21	5.1	0.56	3.7	0.37	15	2.8	0.33	1.9	0.22
Brain & Other CNS[1]	18	4.0	0.47	3.1	0.33	14	2.3	0.29	1.9	0.23
Endocrine System	4	1.2	0.30	0.8	0.17	4	0.7	0.16	0.5	0.12
Thyroid gland	2	0.6	0.22	0.4	0.13	3	0.4	0.13	0.3	0.09
Lymphomas	26	6.6	0.63	4.7	0.42	20	3.6	0.37	2.5	0.25
Hodgkin Lymphoma	-	-	-	-	-	3	0.5	0.13	0.3	0.10
Non-Hodgkin Lymphoma	-	-	-	-	-	17	3.2	0.35	2.1	0.23
Multiple Myeloma	32	8.6	0.75	5.8	0.47	33	6.1	0.49	4.1	0.32
Leukemias	28	7.9	0.75	5.2	0.45	25	4.5	0.41	3.2	0.29
Other, Ill-defined & Unknown	80	20.3	1.13	14.2	0.72	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	37	101.1	8.40	70.2	5.23	38	83.0	6.44	54.8	3.99
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	40.2	5.27	28.7	3.31	12	26.6	3.68	17.3	2.24
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	2	3.8	1.17	3.0	0.90
Colon & Rectum	4	10.1	2.62	7.2	1.67	3	5.0	1.49	3.6	0.99
Liver	5	11.5	2.82	8.3	1.77	3	6.6	1.97	3.8	1.05
Pancreas	3	7.1	2.22	4.9	1.39	3	7.0	1.94	4.3	1.14
Respiratory System	8	23.0	3.95	15.4	2.47	8	18.5	3.07	12.0	1.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	22.6	3.93	15.1	2.45	8	17.5	2.97	11.4	1.81
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	13.1	2.41	9.3	1.63
Female Genital System	-	-	-	-	-	3	4.3	1.24	3.4	0.96
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	9.8	2.90	5.9	1.59	-	-	-	-	-
Prostate	3	9.8	2.90	5.9	1.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	6.0	2.16	3.9	1.25	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	9.9	2.86	6.4	1.64	3	5.5	1.64	3.6	1.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21,173	183.8	0.59	123.2	0.38	18,276	127.8	0.43	88.6	0.30
Oral Cavity & Pharynx	502	4.0	0.08	2.9	0.06	186	1.3	0.04	0.9	0.03
Digestive System	6,530	54.0	0.31	38.1	0.21	4,500	31.4	0.21	21.4	0.15
Esophagus	693	5.7	0.10	4.0	0.07	166	1.2	0.04	0.8	0.03
Stomach	553	4.7	0.09	3.3	0.06	368	2.6	0.06	1.8	0.04
Colon & Rectum	2,086	17.6	0.18	12.2	0.12	1,619	11.2	0.13	7.7	0.09
Liver	1,327	10.1	0.13	7.7	0.09	490	3.4	0.07	2.3	0.05
Pancreas	1,373	11.6	0.15	8.0	0.10	1,291	9.0	0.11	6.0	0.08
Respiratory System	5,490	47.5	0.30	31.8	0.19	4,129	28.9	0.20	19.7	0.14
Larynx	209	1.7	0.05	1.2	0.04	44	0.3	0.02	0.2	0.01
Lung & bronchus	5,230	45.3	0.29	30.3	0.19	4,061	28.5	0.20	19.3	0.14
Skin	578	5.1	0.10	3.4	0.06	245	1.7	0.05	1.2	0.03
Melanomas of the skin	348	3.0	0.08	2.0	0.05	169	1.2	0.04	0.8	0.03
Breast	30	0.3	0.02	0.2	0.01	2,858	19.9	0.17	14.4	0.12
Female Genital System	-	-	-	-	-	2,066	14.3	0.14	10.6	0.11
Cervix uteri	-	-	-	-	-	405	2.9	0.07	2.4	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	626	4.3	0.08	3.1	0.06
Ovary	-	-	-	-	-	889	6.2	0.09	4.4	0.07
Male Genital System	1,878	18.5	0.20	10.6	0.11	-	-	-	-	-
Prostate	1,809	17.9	0.19	10.1	0.11	-	-	-	-	-
Testis	36	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,437	13.1	0.16	8.3	0.10	661	4.6	0.08	3.0	0.05
Bladder	673	6.5	0.12	3.8	0.07	250	1.8	0.05	1.0	0.03
Kidney & renal pelvis	728	6.2	0.11	4.3	0.07	392	2.7	0.06	1.9	0.04
Brain & Other CNS[1]	625	5.0	0.09	3.8	0.07	510	3.6	0.07	2.8	0.06
Endocrine System	106	0.9	0.04	0.6	0.03	113	0.8	0.03	0.6	0.03
Thyroid gland	63	0.5	0.03	0.4	0.02	70	0.5	0.03	0.3	0.02
Lymphomas	807	7.3	0.12	4.7	0.07	617	4.4	0.08	2.8	0.05
Hodgkin Lymphoma	53	0.5	0.03	0.3	0.02	36	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	754	6.8	0.11	4.4	0.07	581	4.1	0.08	2.6	0.05
Multiple Myeloma	450	4.1	0.09	2.6	0.05	361	2.6	0.06	1.6	0.04
Leukemias	933	8.6	0.13	5.6	0.08	643	4.6	0.08	3.1	0.06
Other, Ill-defined & Unknown	1,807	15.7	0.17	10.6	0.11	1,387	9.7	0.12	6.7	0.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	18,171	183.7	0.63	122.8	0.41	15,440	127.5	0.47	88.2	0.33
Oral Cavity & Pharynx	431	4.0	0.09	3.0	0.06	163	1.3	0.05	0.9	0.03
Digestive System	5,483	53.2	0.33	37.4	0.23	3,729	30.6	0.23	20.8	0.16
Esophagus	626	6.0	0.11	4.3	0.08	142	1.2	0.04	0.8	0.03
Stomach	442	4.4	0.10	3.1	0.07	293	2.5	0.07	1.7	0.05
Colon & Rectum	1,742	17.3	0.19	11.9	0.13	1,323	10.8	0.14	7.4	0.09
Liver	1,073	9.7	0.14	7.3	0.10	404	3.3	0.07	2.2	0.05
Pancreas	1,181	11.7	0.16	8.0	0.10	1,087	8.9	0.12	5.9	0.08
Respiratory System	4,662	46.8	0.32	31.2	0.21	3,566	29.4	0.22	20.0	0.15
Larynx	170	1.6	0.06	1.1	0.04	36	0.3	0.02	0.2	0.02
Lung & bronchus	4,446	44.7	0.31	29.8	0.20	3,508	28.9	0.22	19.6	0.15
Skin	559	5.7	0.11	3.8	0.07	231	1.9	0.06	1.3	0.04
Melanomas of the skin	341	3.4	0.09	2.3	0.06	162	1.3	0.05	1.0	0.04
Breast	23	0.2	0.02	0.2	0.01	2,337	19.3	0.18	13.9	0.13
Female Genital System	-	-	-	-	-	1,709	14.2	0.16	10.5	0.12
Cervix uteri	-	-	-	-	-	329	2.9	0.07	2.4	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	478	3.9	0.08	2.8	0.06
Ovary	-	-	-	-	-	773	6.3	0.10	4.5	0.08
Male Genital System	1,554	17.6	0.20	10.0	0.11	-	-	-	-	-
Prostate	1,491	16.9	0.20	9.5	0.11	-	-	-	-	-
Testis	35	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,297	13.6	0.17	8.6	0.11	583	4.8	0.09	3.1	0.06
Bladder	615	6.8	0.13	4.0	0.07	219	1.8	0.05	1.0	0.03
Kidney & renal pelvis	649	6.4	0.12	4.4	0.08	349	2.8	0.07	1.9	0.05
Brain & Other CNS[1]	567	5.3	0.10	4.1	0.08	456	3.8	0.08	2.9	0.06
Endocrine System	92	0.9	0.04	0.7	0.03	95	0.8	0.04	0.6	0.03
Thyroid gland	57	0.6	0.03	0.4	0.02	61	0.5	0.03	0.3	0.02
Lymphomas	727	7.6	0.13	4.9	0.08	550	4.6	0.09	2.9	0.06
Hodgkin Lymphoma	47	0.5	0.03	0.3	0.02	31	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	680	7.1	0.13	4.6	0.08	519	4.3	0.09	2.7	0.06
Multiple Myeloma	366	3.8	0.09	2.4	0.06	278	2.3	0.06	1.4	0.04
Leukemias	834	8.9	0.14	5.8	0.09	565	4.7	0.09	3.2	0.06
Other, Ill-defined & Unknown	1,578	15.9	0.18	10.8	0.12	1,179	9.7	0.13	6.7	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,518	231.2	2.29	157.4	1.43	2,380	153.3	1.46	109.0	1.01
Oral Cavity & Pharynx	58	4.6	0.30	3.4	0.21	18	1.1	0.12	0.8	0.09
Digestive System	855	71.7	1.22	51.4	0.80	625	40.5	0.75	28.2	0.51
Esophagus	54	4.6	0.32	3.3	0.20	21	1.3	0.13	0.9	0.09
Stomach	83	7.7	0.42	5.2	0.26	52	3.5	0.22	2.3	0.15
Colon & Rectum	300	26.3	0.76	18.3	0.48	250	16.1	0.47	11.3	0.32
Liver	200	13.8	0.48	11.2	0.36	64	3.9	0.23	2.9	0.16
Pancreas	159	13.9	0.55	9.8	0.35	172	11.5	0.41	7.8	0.27
Respiratory System	713	66.1	1.22	45.0	0.77	477	31.5	0.67	21.9	0.45
Larynx	36	3.0	0.25	2.2	0.17	8	0.5	0.08	0.3	0.06
Lung & bronchus	673	62.7	1.19	42.6	0.75	467	30.9	0.66	21.4	0.45
Skin	15	1.3	0.16	0.9	0.11	10	0.7	0.10	0.5	0.07
Melanomas of the skin	5	0.4	0.10	0.3	0.06	5	0.4	0.07	0.2	0.05
Breast	6	0.5	0.10	0.4	0.07	454	27.9	0.60	21.0	0.44
Female Genital System	-	-	-	-	-	299	18.8	0.50	13.8	0.36
Cervix uteri	-	-	-	-	-	64	3.8	0.22	3.0	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	130	8.2	0.33	6.0	0.24
Ovary	-	-	-	-	-	90	5.8	0.28	4.1	0.20
Male Genital System	299	34.3	0.96	20.3	0.53	-	-	-	-	-
Prostate	294	33.9	0.96	20.0	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	118	11.7	0.54	7.5	0.32	68	4.8	0.27	3.1	0.17
Bladder	48	5.3	0.38	3.2	0.21	28	2.0	0.18	1.3	0.11
Kidney & renal pelvis	67	6.1	0.37	4.2	0.23	37	2.6	0.20	1.7	0.13
Brain & Other CNS[1]	44	3.2	0.24	2.6	0.18	41	2.5	0.18	2.0	0.14
Endocrine System	10	0.8	0.12	0.6	0.09	15	1.0	0.11	0.7	0.08
Thyroid gland	4	0.4	0.09	0.3	0.06	7	0.5	0.09	0.3	0.05
Lymphomas	60	5.2	0.33	3.7	0.22	52	3.4	0.22	2.4	0.15
Hodgkin Lymphoma	6	0.4	0.10	0.3	0.06	5	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	54	4.7	0.32	3.3	0.21	47	3.1	0.21	2.2	0.14
Multiple Myeloma	74	7.7	0.44	4.9	0.26	77	5.4	0.28	3.5	0.18
Leukemias	77	7.2	0.41	5.0	0.26	64	4.2	0.24	3.0	0.17
Other, Ill-defined & Unknown	190	17.0	0.61	11.9	0.39	178	11.6	0.40	8.2	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	453	102.3	2.38	68.7	1.46	426	78.9	1.82	53.6	1.17
Oral Cavity & Pharynx	13	2.5	0.34	1.8	0.23	4	0.8	0.18	0.6	0.12
Digestive System	182	38.7	1.41	27.0	0.90	137	26.3	1.07	17.3	0.66
Esophagus	12	2.7	0.38	1.8	0.23	4	0.8	0.19	0.5	0.11
Stomach	27	5.8	0.55	4.0	0.35	23	4.2	0.42	2.8	0.27
Colon & Rectum	42	8.9	0.68	6.2	0.43	43	8.1	0.59	5.3	0.37
Liver	52	10.2	0.69	7.5	0.47	20	4.0	0.42	2.6	0.26
Pancreas	31	7.0	0.62	4.7	0.38	30	5.9	0.51	3.8	0.31
Respiratory System	106	25.3	1.21	16.4	0.72	79	15.3	0.81	10.0	0.51
Larynx	3	0.6	0.18	0.4	0.12	-	-	-	-	-
Lung & bronchus	103	24.5	1.20	15.9	0.71	78	15.1	0.81	9.9	0.50
Skin	5	1.1	0.25	0.7	0.15	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	2	0.4	0.13	0.3	0.08
Breast	-	-	-	-	-	62	10.0	0.60	7.5	0.43
Female Genital System	-	-	-	-	-	55	9.0	0.57	6.7	0.41
Cervix uteri	-	-	-	-	-	11	1.8	0.26	1.3	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	17	2.6	0.30	2.0	0.22
Ovary	-	-	-	-	-	25	4.1	0.39	3.0	0.27
Male Genital System	22	7.0	0.72	3.7	0.36	-	-	-	-	-
Prostate	22	7.0	0.72	3.7	0.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	4.9	0.54	3.1	0.31	10	1.8	0.28	1.2	0.18
Bladder	9	2.5	0.41	1.4	0.22	4	0.8	0.19	0.5	0.11
Kidney & renal pelvis	11	2.4	0.35	1.7	0.22	5	0.9	0.19	0.7	0.14
Brain & Other CNS[1]	14	2.3	0.30	2.0	0.24	11	1.9	0.26	1.5	0.20
Endocrine System	3	0.6	0.17	0.5	0.12	4	0.7	0.18	0.5	0.12
Thyroid gland	2	0.5	0.15	0.3	0.10	2	0.4	0.13	0.3	0.08
Lymphomas	19	4.9	0.55	3.1	0.32	13	2.8	0.36	1.7	0.21
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	2.4	0.38	1.5	0.22	6	1.0	0.21	0.7	0.13
Leukemias	21	4.5	0.49	3.2	0.32	13	2.5	0.33	1.8	0.22
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,641	146.3	1.65	95.2	1.06	1,437	109.1	1.30	74.1	0.90
Oral Cavity & Pharynx	29	2.5	0.21	1.8	0.15	14	1.0	0.13	0.7	0.09
Digestive System	465	39.8	0.85	27.5	0.57	341	26.0	0.64	17.4	0.44
Esophagus	61	5.1	0.30	3.6	0.21	11	0.8	0.11	0.6	0.08
Stomach	30	2.7	0.23	1.8	0.15	25	1.9	0.17	1.3	0.12
Colon & Rectum	147	12.9	0.49	8.7	0.32	125	9.7	0.39	6.4	0.27
Liver	63	5.1	0.30	3.7	0.21	27	2.0	0.18	1.4	0.12
Pancreas	127	10.8	0.44	7.4	0.30	110	8.3	0.36	5.5	0.24
Respiratory System	267	23.4	0.66	15.6	0.43	207	15.7	0.50	10.6	0.34
Larynx	9	0.7	0.11	0.5	0.08	2	0.2	0.05	0.1	0.03
Lung & bronchus	253	22.3	0.64	14.8	0.42	203	15.4	0.49	10.4	0.33
Skin	69	6.1	0.33	4.1	0.22	25	1.9	0.18	1.3	0.12
Melanomas of the skin	55	4.7	0.29	3.3	0.20	21	1.6	0.16	1.2	0.12
Breast	2	0.2	0.06	0.1	0.04	265	20.1	0.56	14.0	0.40
Female Genital System	-	-	-	-	-	185	13.9	0.46	9.8	0.33
Cervix uteri	-	-	-	-	-	18	1.3	0.14	1.1	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	56	4.3	0.26	2.9	0.18
Ovary	-	-	-	-	-	102	7.7	0.35	5.3	0.24
Male Genital System	206	20.4	0.64	11.1	0.35	-	-	-	-	-
Prostate	202	20.0	0.64	10.9	0.34	-	-	-	-	-
Testis	3	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	119	11.0	0.46	6.8	0.28	48	3.7	0.24	2.3	0.15
Bladder	61	5.9	0.34	3.3	0.19	17	1.3	0.15	0.8	0.09
Kidney & renal pelvis	55	4.7	0.29	3.2	0.20	29	2.2	0.19	1.4	0.12
Brain & Other CNS[1]	75	6.1	0.32	4.7	0.24	47	3.5	0.23	2.7	0.18
Endocrine System	11	1.0	0.14	0.7	0.09	10	0.8	0.11	0.5	0.08
Thyroid gland	9	0.8	0.12	0.5	0.08	7	0.5	0.09	0.3	0.06
Lymphomas	78	7.1	0.37	4.5	0.23	56	4.3	0.26	2.6	0.16
Hodgkin Lymphoma	4	0.3	0.07	0.2	0.05	3	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	74	6.8	0.36	4.2	0.22	53	4.1	0.25	2.5	0.16
Multiple Myeloma	43	4.1	0.28	2.5	0.17	34	2.6	0.20	1.6	0.13
Leukemias	93	8.5	0.40	5.4	0.25	69	5.3	0.29	3.5	0.20
Other, Ill-defined & Unknown	183	16.1	0.55	10.7	0.36	135	10.1	0.40	6.8	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,577	146.8	1.69	95.4	1.08	1,377	109.4	1.34	74.3	0.93
Oral Cavity & Pharynx	28	2.5	0.21	1.8	0.15	13	1.0	0.13	0.7	0.09
Digestive System	436	39.1	0.86	26.9	0.58	321	25.6	0.65	17.1	0.44
Esophagus	60	5.2	0.31	3.7	0.22	11	0.9	0.12	0.6	0.09
Stomach	27	2.6	0.22	1.7	0.15	21	1.7	0.17	1.1	0.12
Colon & Rectum	139	12.7	0.49	8.6	0.33	119	9.6	0.40	6.4	0.27
Liver	54	4.6	0.29	3.4	0.21	24	1.9	0.17	1.3	0.12
Pancreas	121	10.8	0.45	7.4	0.30	106	8.3	0.37	5.6	0.25
Respiratory System	256	23.5	0.67	15.6	0.44	197	15.7	0.51	10.6	0.35
Larynx	9	0.7	0.12	0.5	0.08	2	0.2	0.05	0.1	0.04
Lung & bronchus	243	22.3	0.65	14.8	0.43	193	15.3	0.50	10.4	0.34
Skin	69	6.3	0.35	4.2	0.23	25	2.0	0.18	1.4	0.13
Melanomas of the skin	55	4.9	0.30	3.4	0.21	21	1.7	0.17	1.2	0.12
Breast	2	0.2	0.06	0.1	0.04	255	20.3	0.58	14.1	0.41
Female Genital System	-	-	-	-	-	178	14.0	0.48	9.8	0.34
Cervix uteri	-	-	-	-	-	17	1.3	0.14	1.0	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	53	4.2	0.26	2.9	0.18
Ovary	-	-	-	-	-	100	7.9	0.36	5.5	0.25
Male Genital System	202	20.7	0.66	11.3	0.36	-	-	-	-	-
Prostate	198	20.3	0.65	11.0	0.35	-	-	-	-	-
Testis	3	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	116	11.1	0.47	6.8	0.29	48	3.8	0.25	2.4	0.16
Bladder	60	6.0	0.35	3.4	0.20	17	1.4	0.15	0.8	0.09
Kidney & renal pelvis	53	4.8	0.30	3.3	0.20	29	2.3	0.19	1.5	0.13
Brain & Other CNS[1]	73	6.2	0.33	4.8	0.25	46	3.6	0.24	2.8	0.19
Endocrine System	11	1.1	0.14	0.7	0.09	10	0.8	0.11	0.5	0.08
Thyroid gland	9	0.8	0.13	0.5	0.08	7	0.5	0.09	0.4	0.06
Lymphomas	76	7.3	0.38	4.5	0.23	55	4.4	0.27	2.7	0.17
Hodgkin Lymphoma	3	0.3	0.08	0.2	0.05	3	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	72	7.0	0.37	4.3	0.23	52	4.2	0.26	2.5	0.16
Multiple Myeloma	41	4.0	0.28	2.4	0.17	32	2.6	0.21	1.6	0.13
Leukemias	91	8.6	0.41	5.5	0.26	68	5.4	0.30	3.6	0.20
Other, Ill-defined & Unknown	177	16.3	0.56	10.8	0.37	130	10.3	0.41	6.9	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	15	147.2	21.25	104.6	13.36	11	142.5	20.60	94.0	13.12
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	8	58.4	10.93	47.7	8.20	2	31.1	9.69	19.1	5.99
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	3	23.0	7.62	17.1	5.04	-	-	-	-	-
Liver	2	17.5	5.57	15.1	4.60	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	34.0	11.92	20.5	6.50	2	35.0	11.14	22.2	6.65
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	34.0	11.92	20.5	6.50	2	35.0	11.14	22.2	6.65
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	28.9	8.41	20.9	5.95
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	37	127.8	10.33	87.1	6.55	38	96.5	7.35	68.9	5.05
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	58.7	7.03	39.3	4.41	12	32.9	4.38	22.6	2.90
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	3	6.7	1.94	4.4	1.24
Colon & Rectum	4	19.1	4.27	11.1	2.40	3	8.5	2.15	6.1	1.50
Liver	5	17.9	3.82	12.4	2.48	2	6.2	2.04	3.7	1.18
Pancreas	3	12.3	3.24	8.4	2.07	3	7.2	2.09	4.9	1.38
Respiratory System	6	23.0	4.41	15.8	2.84	7	17.7	3.16	12.4	2.15
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	23.0	4.41	15.8	2.84	7	17.7	3.16	12.4	2.15
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	15.4	2.76	12.2	2.10
Female Genital System	-	-	-	-	-	5	10.3	2.19	8.6	1.76
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	5.5	1.66	4.2	1.24
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	8.9	2.92	5.2	1.61	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	7.8	2.34	5.9	1.63	3	9.0	2.42	5.3	1.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	734	196.7	3.36	129.2	2.20	644	140.9	2.57	95.6	1.82
Oral Cavity & Pharynx	18	4.5	0.49	3.3	0.36	8	1.7	0.28	1.2	0.19
Digestive System	194	50.3	1.68	34.3	1.14	148	32.0	1.21	21.0	0.83
Esophagus	35	8.7	0.69	6.0	0.46	8	1.7	0.27	1.2	0.21
Stomach	14	4.0	0.49	2.6	0.32	6	1.1	0.21	0.8	0.16
Colon & Rectum	61	16.3	0.97	11.0	0.66	61	13.5	0.80	8.7	0.55
Liver	21	5.0	0.51	3.7	0.37	6	1.2	0.24	0.8	0.17
Pancreas	47	12.3	0.83	8.2	0.55	44	9.5	0.65	6.2	0.43
Respiratory System	199	51.6	1.69	34.6	1.12	176	38.0	1.32	25.9	0.91
Larynx	5	1.3	0.27	1.0	0.20	-	-	-	-	-
Lung & bronchus	191	49.7	1.66	33.3	1.09	173	37.3	1.31	25.5	0.91
Skin	22	5.9	0.58	3.9	0.38	10	2.2	0.33	1.6	0.25
Melanomas of the skin	13	3.4	0.44	2.4	0.31	8	1.7	0.28	1.2	0.22
Breast	-	-	-	-	-	79	17.7	0.93	12.6	0.69
Female Genital System	-	-	-	-	-	67	14.9	0.85	10.5	0.61
Cervix uteri	-	-	-	-	-	4	1.1	0.26	0.9	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	24	5.1	0.48	3.6	0.35
Ovary	-	-	-	-	-	30	6.8	0.57	4.7	0.41
Male Genital System	67	19.8	1.10	11.0	0.61	-	-	-	-	-
Prostate	65	19.1	1.08	10.5	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	15.0	0.94	9.1	0.57	24	5.4	0.51	3.5	0.35
Bladder	32	9.1	0.74	5.2	0.42	14	3.1	0.39	1.9	0.25
Kidney & renal pelvis	21	5.4	0.55	3.7	0.37	10	2.0	0.30	1.4	0.23
Brain & Other CNS[1]	25	6.7	0.63	5.2	0.50	21	5.0	0.51	3.9	0.41
Endocrine System	5	1.3	0.27	1.0	0.22	4	0.9	0.21	0.6	0.16
Thyroid gland	3	0.7	0.18	0.5	0.13	3	0.5	0.14	0.4	0.10
Lymphomas	29	8.4	0.71	5.1	0.44	21	4.6	0.47	3.0	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	17	4.5	0.51	2.9	0.32	11	2.2	0.32	1.4	0.21
Leukemias	32	9.0	0.74	5.7	0.48	20	4.3	0.44	2.7	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	55	12.0	0.74	7.7	0.51

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	724	197.2	3.39	129.4	2.22	637	141.6	2.60	96.0	1.84
Oral Cavity & Pharynx	18	4.5	0.49	3.4	0.37	8	1.7	0.28	1.2	0.19
Digestive System	190	50.2	1.69	34.3	1.15	146	32.0	1.22	21.1	0.84
Esophagus	34	8.8	0.69	6.1	0.47	8	1.7	0.28	1.2	0.21
Stomach	14	4.0	0.49	2.6	0.33	5	1.0	0.21	0.7	0.15
Colon & Rectum	60	16.4	0.99	11.1	0.67	61	13.8	0.82	8.9	0.56
Liver	20	4.9	0.51	3.7	0.37	5	1.1	0.23	0.8	0.17
Pancreas	47	12.3	0.84	8.2	0.55	44	9.6	0.66	6.3	0.44
Respiratory System	197	51.8	1.71	34.8	1.13	174	38.1	1.33	26.0	0.93
Larynx	5	1.3	0.28	0.9	0.20	-	-	-	-	-
Lung & bronchus	190	49.9	1.67	33.5	1.11	171	37.5	1.32	25.6	0.92
Skin	22	6.0	0.59	3.9	0.39	10	2.2	0.33	1.6	0.26
Melanomas of the skin	13	3.5	0.45	2.5	0.32	7	1.7	0.28	1.2	0.23
Breast	-	-	-	-	-	79	17.8	0.94	12.7	0.70
Female Genital System	-	-	-	-	-	65	14.8	0.85	10.4	0.62
Cervix uteri	-	-	-	-	-	4	1.1	0.27	0.9	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	23	5.1	0.49	3.6	0.36
Ovary	-	-	-	-	-	29	6.7	0.58	4.6	0.41
Male Genital System	67	19.8	1.11	11.0	0.62	-	-	-	-	-
Prostate	64	19.2	1.09	10.5	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	15.2	0.95	9.2	0.58	24	5.4	0.51	3.5	0.36
Bladder	31	9.2	0.75	5.2	0.42	14	3.2	0.40	1.9	0.26
Kidney & renal pelvis	21	5.5	0.56	3.7	0.38	9	2.0	0.31	1.4	0.24
Brain & Other CNS[1]	24	6.8	0.65	5.3	0.51	21	5.1	0.53	4.0	0.42
Endocrine System	5	1.3	0.28	1.0	0.23	4	0.9	0.22	0.6	0.17
Thyroid gland	3	0.7	0.19	0.5	0.13	3	0.5	0.15	0.4	0.10
Lymphomas	29	8.4	0.71	5.1	0.44	20	4.6	0.47	3.0	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	4.4	0.51	2.8	0.32	11	2.3	0.32	1.4	0.21
Leukemias	31	8.9	0.74	5.6	0.47	20	4.4	0.45	2.8	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	55	12.1	0.76	7.8	0.52

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	170.8	41.36	126.3	28.53	3	162.3	43.99	120.8	30.70
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	81.4	28.25	59.9	19.89	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	144.7	39.83	92.2	24.42	3	68.7	20.65	49.9	13.77
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,793	190.5	1.00	126.2	0.65	7,047	135.2	0.73	92.8	0.52
Oral Cavity & Pharynx	168	3.8	0.13	2.8	0.10	72	1.4	0.07	0.9	0.05
Digestive System	2,197	51.8	0.51	36.0	0.35	1,596	30.5	0.35	20.4	0.24
Esophagus	295	6.7	0.18	4.8	0.13	81	1.5	0.08	1.0	0.05
Stomach	174	4.2	0.15	2.9	0.10	106	2.1	0.09	1.4	0.07
Colon & Rectum	685	16.6	0.29	11.3	0.20	589	11.3	0.21	7.4	0.14
Liver	325	7.1	0.18	5.3	0.13	113	2.2	0.09	1.5	0.07
Pancreas	551	13.1	0.26	8.9	0.17	494	9.4	0.19	6.2	0.13
Respiratory System	2,213	52.7	0.52	35.6	0.34	1,739	33.1	0.36	22.6	0.25
Larynx	79	1.8	0.10	1.3	0.06	17	0.3	0.04	0.2	0.03
Lung & bronchus	2,120	50.5	0.51	34.0	0.33	1,713	32.6	0.36	22.2	0.25
Skin	209	5.3	0.17	3.4	0.11	99	1.9	0.09	1.3	0.06
Melanomas of the skin	148	3.7	0.14	2.4	0.09	77	1.5	0.08	1.1	0.06
Breast	13	0.3	0.04	0.2	0.03	1,119	21.5	0.29	15.6	0.22
Female Genital System	-	-	-	-	-	750	14.4	0.24	10.4	0.18
Cervix uteri	-	-	-	-	-	90	1.9	0.09	1.6	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	248	4.7	0.13	3.4	0.10
Ovary	-	-	-	-	-	363	6.9	0.17	4.9	0.12
Male Genital System	737	20.2	0.34	11.3	0.19	-	-	-	-	-
Prostate	722	19.8	0.34	11.0	0.18	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	518	13.3	0.27	8.2	0.16	236	4.5	0.13	2.8	0.09
Bladder	294	8.0	0.21	4.6	0.12	111	2.1	0.09	1.3	0.06
Kidney & renal pelvis	209	4.9	0.16	3.4	0.11	116	2.2	0.09	1.5	0.06
Brain & Other CNS[1]	210	4.9	0.16	3.7	0.12	182	3.6	0.12	2.7	0.10
Endocrine System	34	0.8	0.07	0.6	0.05	35	0.7	0.05	0.5	0.04
Thyroid gland	17	0.4	0.05	0.3	0.03	25	0.5	0.04	0.3	0.03
Lymphomas	279	7.1	0.20	4.5	0.12	224	4.3	0.13	2.8	0.09
Hodgkin Lymphoma	12	0.3	0.04	0.2	0.03	12	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	268	6.8	0.19	4.3	0.12	212	4.1	0.13	2.6	0.08
Multiple Myeloma	172	4.3	0.15	2.8	0.09	141	2.7	0.10	1.7	0.07
Leukemias	301	7.7	0.20	5.0	0.13	235	4.6	0.14	3.1	0.10
Other, Ill-defined & Unknown	742	18.4	0.31	12.1	0.20	620	11.9	0.22	8.0	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,067	187.1	1.10	123.3	0.72	5,411	134.4	0.83	91.8	0.59
Oral Cavity & Pharynx	132	3.8	0.15	2.8	0.11	58	1.4	0.09	1.0	0.06
Digestive System	1,631	48.8	0.56	33.8	0.38	1,149	28.4	0.38	18.8	0.26
Esophagus	253	7.3	0.21	5.2	0.15	61	1.5	0.09	1.0	0.06
Stomach	110	3.4	0.15	2.3	0.10	66	1.7	0.09	1.2	0.07
Colon & Rectum	505	15.5	0.32	10.5	0.21	436	10.8	0.24	7.0	0.16
Liver	220	6.2	0.19	4.5	0.14	76	1.9	0.10	1.3	0.07
Pancreas	417	12.6	0.28	8.5	0.19	353	8.6	0.21	5.7	0.14
Respiratory System	1,746	52.3	0.57	35.2	0.38	1,403	34.5	0.42	23.5	0.29
Larynx	59	1.7	0.10	1.2	0.07	12	0.3	0.04	0.2	0.03
Lung & bronchus	1,676	50.3	0.56	33.7	0.37	1,384	34.0	0.42	23.2	0.29
Skin	201	6.4	0.21	4.1	0.13	92	2.3	0.11	1.6	0.08
Melanomas of the skin	145	4.5	0.17	3.0	0.11	72	1.9	0.10	1.3	0.08
Breast	10	0.3	0.05	0.2	0.03	821	20.6	0.33	14.7	0.25
Female Genital System	-	-	-	-	-	569	14.3	0.27	10.2	0.20
Cervix uteri	-	-	-	-	-	61	1.7	0.10	1.4	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	168	4.1	0.14	2.9	0.11
Ovary	-	-	-	-	-	300	7.5	0.20	5.2	0.14
Male Genital System	517	17.6	0.35	9.7	0.19	-	-	-	-	-
Prostate	504	17.2	0.35	9.4	0.19	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	431	13.8	0.30	8.5	0.18	181	4.4	0.15	2.7	0.10
Bladder	252	8.4	0.24	4.8	0.14	86	2.1	0.10	1.2	0.06
Kidney & renal pelvis	166	5.0	0.18	3.4	0.12	88	2.2	0.11	1.4	0.07
Brain & Other CNS[1]	183	5.5	0.19	4.1	0.14	155	4.0	0.15	3.1	0.12
Endocrine System	26	0.9	0.08	0.6	0.06	26	0.7	0.06	0.5	0.05
Thyroid gland	15	0.5	0.06	0.3	0.04	19	0.5	0.05	0.3	0.03
Lymphomas	234	7.4	0.22	4.7	0.14	186	4.6	0.15	2.9	0.10
Hodgkin Lymphoma	9	0.3	0.04	0.2	0.03	9	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	225	7.2	0.22	4.5	0.14	178	4.4	0.15	2.7	0.10
Multiple Myeloma	119	3.8	0.16	2.4	0.10	92	2.2	0.11	1.4	0.07
Leukemias	248	8.0	0.23	5.2	0.15	194	4.9	0.16	3.3	0.12
Other, Ill-defined & Unknown	590	18.5	0.35	12.1	0.23	484	12.0	0.25	8.0	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,521	236.7	2.91	159.9	1.85	1,430	155.2	1.88	108.8	1.32
Oral Cavity & Pharynx	31	4.2	0.36	3.2	0.26	12	1.2	0.16	0.9	0.12
Digestive System	485	71.4	1.56	50.3	1.03	381	41.6	0.97	28.2	0.66
Esophagus	37	5.5	0.43	3.8	0.28	19	2.0	0.21	1.4	0.15
Stomach	52	8.3	0.55	5.5	0.34	28	3.0	0.26	2.0	0.17
Colon & Rectum	161	24.5	0.92	16.9	0.60	137	15.2	0.59	10.2	0.40
Liver	84	10.3	0.54	8.2	0.40	28	2.8	0.25	2.1	0.18
Pancreas	116	17.6	0.78	12.1	0.51	125	13.7	0.56	9.2	0.37
Respiratory System	415	62.7	1.47	43.3	0.96	297	32.3	0.86	22.2	0.58
Larynx	19	2.8	0.30	2.0	0.20	5	0.6	0.12	0.4	0.08
Lung & bronchus	393	59.5	1.44	41.0	0.93	291	31.6	0.85	21.7	0.58
Skin	7	1.0	0.19	0.7	0.12	-	-	-	-	-
Melanomas of the skin	3	0.5	0.13	0.3	0.08	4	0.5	0.11	0.3	0.06
Breast	3	0.5	0.13	0.3	0.08	271	28.8	0.80	21.5	0.60
Female Genital System	-	-	-	-	-	154	16.4	0.61	12.1	0.44
Cervix uteri	-	-	-	-	-	23	2.5	0.24	2.1	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	73	7.8	0.42	5.7	0.30
Ovary	-	-	-	-	-	49	5.2	0.34	3.8	0.25
Male Genital System	207	39.1	1.28	22.6	0.71	-	-	-	-	-
Prostate	205	38.8	1.28	22.4	0.70	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	77	12.4	0.68	8.1	0.42	51	5.6	0.36	3.6	0.24
Bladder	36	6.4	0.51	3.9	0.29	23	2.6	0.25	1.6	0.15
Kidney & renal pelvis	40	5.8	0.44	4.1	0.29	26	2.8	0.26	1.9	0.17
Brain & Other CNS[1]	23	3.0	0.30	2.4	0.23	22	2.4	0.23	1.9	0.18
Endocrine System	6	0.8	0.15	0.7	0.12	8	0.9	0.14	0.6	0.10
Thyroid gland	-	-	-	-	-	6	0.6	0.12	0.4	0.08
Lymphomas	35	5.7	0.46	3.8	0.29	30	3.4	0.28	2.4	0.20
Hodgkin Lymphoma	2	0.4	0.12	0.3	0.08	3	0.3	0.08	0.2	0.07
Non-Hodgkin Lymphoma	33	5.3	0.44	3.5	0.28	28	3.1	0.27	2.1	0.19
Multiple Myeloma	50	8.0	0.54	5.3	0.34	48	5.4	0.36	3.6	0.23
Leukemias	46	7.2	0.51	4.9	0.33	35	4.0	0.31	2.7	0.21
Other, Ill-defined & Unknown	136	20.8	0.86	14.3	0.55	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	193	106.7	3.72	68.4	2.21	196	77.8	2.60	52.6	1.68
Oral Cavity & Pharynx	4	2.0	0.46	1.4	0.31	2	0.9	0.29	0.6	0.17
Digestive System	78	41.7	2.29	27.3	1.39	62	25.4	1.51	16.6	0.95
Esophagus	4	2.4	0.60	1.4	0.32	-	-	-	-	-
Stomach	11	5.9	0.85	3.9	0.52	12	4.5	0.61	3.2	0.41
Colon & Rectum	18	9.7	1.13	6.2	0.67	16	6.7	0.79	4.2	0.48
Liver	20	9.8	1.04	6.9	0.69	10	4.1	0.61	2.7	0.38
Pancreas	18	9.8	1.14	6.2	0.67	14	5.7	0.72	3.7	0.44
Respiratory System	49	26.6	1.81	17.4	1.11	36	14.6	1.14	9.6	0.72
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	47	25.5	1.78	16.7	1.09	35	14.6	1.14	9.5	0.72
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	26	9.5	0.87	6.8	0.60
Female Genital System	-	-	-	-	-	27	9.4	0.85	7.1	0.61
Cervix uteri	-	-	-	-	-	5	1.7	0.35	1.4	0.27
Corpus & uterus, NOS[1]	-	-	-	-	-	7	2.4	0.43	1.9	0.32
Ovary	-	-	-	-	-	14	5.0	0.63	3.6	0.44
Male Genital System	12	8.8	1.19	4.7	0.60	-	-	-	-	-
Prostate	12	8.6	1.19	4.5	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	5.7	0.93	3.3	0.49	4	1.8	0.42	1.1	0.24
Bladder	5	3.6	0.76	1.9	0.38	2	0.9	0.30	0.5	0.17
Kidney & renal pelvis	3	1.9	0.50	1.2	0.30	2	0.9	0.29	0.5	0.17
Brain & Other CNS[1]	4	1.9	0.44	1.4	0.32	5	1.7	0.38	1.2	0.26
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	5.3	0.83	3.3	0.49	7	2.9	0.50	2.0	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	1.6	0.46	1.0	0.27	2	1.1	0.33	0.6	0.18
Leukemias	6	3.6	0.70	2.3	0.41	6	2.2	0.43	1.6	0.29
Other, Ill-defined & Unknown	15	8.4	1.06	5.4	0.62	18	7.3	0.81	4.8	0.51

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,524	180.8	1.03	118.3	0.66	5,892	134.6	0.80	91.2	0.56
Oral Cavity & Pharynx	156	4.0	0.15	2.9	0.10	68	1.5	0.08	1.0	0.06
Digestive System	1,881	49.9	0.53	34.5	0.36	1,339	30.3	0.38	20.2	0.26
Esophagus	277	7.3	0.20	5.0	0.14	68	1.6	0.09	1.0	0.06
Stomach	135	3.7	0.15	2.5	0.10	85	2.0	0.10	1.4	0.07
Colon & Rectum	527	14.5	0.29	9.7	0.19	466	10.5	0.22	6.9	0.15
Liver	309	7.4	0.19	5.7	0.15	105	2.4	0.11	1.6	0.07
Pancreas	454	12.3	0.27	8.2	0.17	414	9.3	0.21	6.2	0.14
Respiratory System	1,641	44.9	0.51	29.5	0.33	1,453	33.2	0.40	22.1	0.27
Larynx	51	1.4	0.09	0.9	0.06	11	0.2	0.03	0.2	0.02
Lung & bronchus	1,570	43.0	0.50	28.3	0.32	1,433	32.8	0.40	21.8	0.27
Skin	194	5.4	0.18	3.6	0.12	97	2.2	0.10	1.5	0.07
Melanomas of the skin	139	3.8	0.15	2.6	0.10	76	1.7	0.09	1.2	0.07
Breast	9	0.2	0.04	0.2	0.03	870	19.9	0.31	14.1	0.23
Female Genital System	-	-	-	-	-	651	14.9	0.27	10.5	0.19
Cervix uteri	-	-	-	-	-	65	1.6	0.09	1.3	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	202	4.5	0.15	3.2	0.10
Ovary	-	-	-	-	-	335	7.7	0.19	5.4	0.14
Male Genital System	672	20.6	0.36	11.4	0.20	-	-	-	-	-
Prostate	658	20.2	0.36	11.1	0.20	-	-	-	-	-
Testis	9	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	466	13.4	0.29	8.2	0.17	219	4.9	0.15	3.1	0.10
Bladder	261	7.8	0.22	4.5	0.13	108	2.4	0.11	1.5	0.07
Kidney & renal pelvis	190	5.1	0.17	3.4	0.11	101	2.3	0.10	1.5	0.07
Brain & Other CNS[1]	231	6.0	0.18	4.7	0.14	171	4.0	0.14	3.1	0.11
Endocrine System	30	0.8	0.07	0.6	0.05	36	0.8	0.07	0.6	0.05
Thyroid gland	19	0.5	0.05	0.4	0.04	24	0.6	0.05	0.4	0.04
Lymphomas	276	8.0	0.22	5.0	0.14	201	4.6	0.15	2.9	0.10
Hodgkin Lymphoma	12	0.3	0.04	0.3	0.03	9	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	264	7.6	0.22	4.8	0.13	192	4.4	0.14	2.7	0.09
Multiple Myeloma	132	3.8	0.15	2.4	0.09	109	2.5	0.11	1.6	0.07
Leukemias	289	8.4	0.23	5.4	0.15	208	4.8	0.15	3.2	0.11
Other, Ill-defined & Unknown	545	15.4	0.30	10.0	0.20	470	10.7	0.23	7.1	0.16

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,932	183.4	1.10	119.9	0.71	5,341	137.9	0.87	93.4	0.61
Oral Cavity & Pharynx	141	4.1	0.16	2.9	0.11	60	1.5	0.09	1.0	0.06
Digestive System	1,652	49.1	0.56	33.8	0.38	1,180	30.2	0.40	20.1	0.28
Esophagus	263	7.7	0.22	5.3	0.15	64	1.6	0.09	1.1	0.06
Stomach	106	3.2	0.14	2.2	0.10	61	1.6	0.10	1.1	0.07
Colon & Rectum	468	14.4	0.31	9.7	0.20	420	10.8	0.24	7.0	0.16
Liver	246	6.6	0.19	5.0	0.15	82	2.1	0.10	1.4	0.07
Pancreas	411	12.4	0.28	8.3	0.19	374	9.5	0.23	6.3	0.15
Respiratory System	1,496	45.5	0.54	30.0	0.35	1,341	34.6	0.43	23.1	0.29
Larynx	47	1.4	0.09	0.9	0.06	10	0.2	0.04	0.2	0.02
Lung & bronchus	1,431	43.6	0.53	28.7	0.34	1,323	34.1	0.43	22.7	0.29
Skin	189	5.8	0.20	3.9	0.13	94	2.5	0.12	1.7	0.09
Melanomas of the skin	137	4.2	0.17	3.0	0.12	75	2.0	0.11	1.4	0.08
Breast	9	0.3	0.04	0.2	0.03	789	20.5	0.34	14.5	0.25
Female Genital System	-	-	-	-	-	589	15.3	0.29	10.8	0.21
Cervix uteri	-	-	-	-	-	55	1.6	0.10	1.3	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	180	4.6	0.16	3.2	0.11
Ovary	-	-	-	-	-	307	7.9	0.21	5.6	0.15
Male Genital System	623	21.0	0.38	11.7	0.21	-	-	-	-	-
Prostate	609	20.6	0.38	11.3	0.21	-	-	-	-	-
Testis	8	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	438	13.9	0.31	8.5	0.18	202	5.1	0.16	3.2	0.11
Bladder	248	8.2	0.24	4.7	0.14	99	2.5	0.11	1.5	0.07
Kidney & renal pelvis	177	5.3	0.18	3.6	0.12	94	2.4	0.11	1.6	0.08
Brain & Other CNS[1]	217	6.4	0.20	5.0	0.16	158	4.3	0.16	3.3	0.13
Endocrine System	27	0.8	0.07	0.6	0.06	30	0.8	0.07	0.6	0.05
Thyroid gland	18	0.6	0.06	0.4	0.04	20	0.5	0.05	0.4	0.04
Lymphomas	254	8.2	0.23	5.1	0.15	184	4.7	0.16	2.9	0.10
Hodgkin Lymphoma	11	0.3	0.05	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	243	7.8	0.23	4.9	0.14	176	4.5	0.16	2.8	0.10
Multiple Myeloma	121	3.9	0.16	2.4	0.10	95	2.5	0.12	1.5	0.07
Leukemias	263	8.6	0.24	5.5	0.16	192	5.1	0.17	3.4	0.12
Other, Ill-defined & Unknown	503	15.8	0.32	10.3	0.21	427	10.9	0.24	7.3	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	195	196.7	7.28	131.1	4.36	147	133.6	5.26	94.1	3.53
Oral Cavity & Pharynx	5	3.9	0.92	2.9	0.63	-	-	-	-	-
Digestive System	67	61.6	3.88	43.3	2.46	39	35.9	2.75	24.5	1.79
Esophagus	4	3.2	0.85	2.3	0.55	-	-	-	-	-
Stomach	6	6.2	1.32	4.0	0.78	2	2.1	0.67	1.3	0.40
Colon & Rectum	19	16.6	1.96	11.8	1.27	14	12.8	1.62	8.7	1.06
Liver	15	11.5	1.47	9.3	1.09	5	4.2	0.93	3.0	0.63
Pancreas	17	17.3	2.18	11.4	1.29	11	11.0	1.55	7.3	0.99
Respiratory System	47	47.8	3.52	32.5	2.19	28	26.8	2.40	18.7	1.61
Larynx	2	1.5	0.55	1.2	0.39	-	-	-	-	-
Lung & bronchus	45	46.0	3.46	31.2	2.15	28	26.5	2.40	18.5	1.60
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	26	22.0	2.05	16.4	1.46
Female Genital System	-	-	-	-	-	18	15.6	1.75	11.5	1.23
Cervix uteri	-	-	-	-	-	2	1.9	0.59	1.4	0.43
Corpus & uterus, NOS[1]	-	-	-	-	-	8	6.3	1.07	4.9	0.80
Ovary	-	-	-	-	-	7	6.7	1.20	4.7	0.80
Male Genital System	22	28.7	3.04	16.7	1.63	-	-	-	-	-
Prostate	22	28.7	3.04	16.7	1.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	13.1	2.01	7.9	1.10	5	4.9	1.02	3.2	0.64
Bladder	5	6.7	1.47	3.9	0.79	3	3.0	0.83	1.8	0.48
Kidney & renal pelvis	6	5.5	1.22	3.6	0.71	2	1.9	0.59	1.4	0.42
Brain & Other CNS[1]	5	3.7	0.87	2.9	0.62	3	2.3	0.63	1.7	0.45
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	5.1	1.03	3.8	0.70	4	3.7	0.88	2.6	0.59
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	3.5	0.96	2.3	0.58	5	5.5	1.12	3.6	0.70
Leukemias	9	11.3	1.90	6.7	1.02	5	4.7	1.02	3.2	0.64
Other, Ill-defined & Unknown	15	15.6	2.10	10.1	1.20	11	10.1	1.44	7.1	0.96

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	311	133.3	3.56	87.6	2.23	334	96.3	2.41	65.5	1.63
Oral Cavity & Pharynx	7	2.7	0.48	2.0	0.34	6	1.7	0.33	1.1	0.21
Digestive System	131	52.7	2.17	36.7	1.44	104	30.3	1.36	19.8	0.88
Esophagus	7	2.8	0.49	2.0	0.34	2	0.7	0.22	0.4	0.13
Stomach	21	8.6	0.88	6.0	0.58	21	5.9	0.59	4.0	0.40
Colon & Rectum	32	12.9	1.08	8.9	0.71	26	7.3	0.66	4.9	0.44
Liver	39	14.8	1.11	10.9	0.78	18	5.4	0.59	3.4	0.36
Pancreas	21	8.9	0.91	5.9	0.58	24	7.1	0.66	4.5	0.42
Respiratory System	75	33.8	1.82	21.4	1.10	68	20.1	1.11	13.1	0.72
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	73	32.8	1.80	20.7	1.09	67	19.8	1.11	12.8	0.71
Skin	2	1.0	0.32	0.6	0.19	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	44	11.9	0.82	9.0	0.61
Female Genital System	-	-	-	-	-	37	10.2	0.76	7.6	0.56
Cervix uteri	-	-	-	-	-	6	1.7	0.32	1.3	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	13	3.4	0.44	2.6	0.33
Ovary	-	-	-	-	-	17	4.6	0.51	3.4	0.37
Male Genital System	22	11.5	1.14	6.1	0.58	-	-	-	-	-
Prostate	21	11.3	1.13	6.0	0.58	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	6.5	0.81	4.0	0.48	9	2.6	0.41	1.6	0.25
Bladder	7	3.5	0.61	2.0	0.34	6	1.8	0.34	0.9	0.18
Kidney & renal pelvis	6	2.5	0.48	1.7	0.31	2	0.6	0.19	0.5	0.15
Brain & Other CNS[1]	8	2.7	0.47	2.1	0.34	10	2.7	0.40	2.1	0.31
Endocrine System	-	-	-	-	-	4	1.2	0.28	0.8	0.18
Thyroid gland	-	-	-	-	-	3	0.9	0.24	0.6	0.15
Lymphomas	13	5.6	0.75	3.6	0.45	11	3.2	0.44	2.1	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	2.5	0.50	1.5	0.29	6	1.9	0.35	1.2	0.22
Leukemias	14	5.7	0.73	4.0	0.48	9	2.6	0.39	1.9	0.29
Other, Ill-defined & Unknown	19	7.9	0.87	5.2	0.54	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,274	176.6	1.25	115.1	0.80	3,938	132.1	0.97	89.1	0.67
Oral Cavity & Pharynx	99	3.8	0.18	2.7	0.12	45	1.5	0.10	1.0	0.07
Digestive System	1,254	49.4	0.65	34.1	0.43	889	29.5	0.45	19.5	0.31
Esophagus	176	6.9	0.24	4.7	0.16	45	1.5	0.10	1.0	0.07
Stomach	96	3.8	0.18	2.7	0.12	60	2.0	0.12	1.4	0.09
Colon & Rectum	352	14.4	0.35	9.6	0.23	303	10.0	0.26	6.5	0.18
Liver	211	7.5	0.24	5.7	0.18	70	2.3	0.13	1.6	0.09
Pancreas	297	11.9	0.32	8.0	0.21	278	9.2	0.25	6.0	0.17
Respiratory System	1,059	43.5	0.62	28.4	0.39	948	32.0	0.48	21.1	0.32
Larynx	31	1.2	0.10	0.8	0.07	8	0.3	0.04	0.2	0.03
Lung & bronchus	1,014	41.7	0.61	27.2	0.39	933	31.5	0.47	20.8	0.31
Skin	132	5.4	0.22	3.6	0.14	64	2.2	0.12	1.5	0.09
Melanomas of the skin	96	3.8	0.18	2.7	0.12	49	1.7	0.11	1.2	0.08
Breast	6	0.2	0.04	0.2	0.03	594	19.9	0.37	14.1	0.27
Female Genital System	-	-	-	-	-	452	15.1	0.33	10.7	0.23
Cervix uteri	-	-	-	-	-	44	1.5	0.11	1.2	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	142	4.7	0.18	3.3	0.13
Ovary	-	-	-	-	-	233	7.8	0.23	5.5	0.17
Male Genital System	440	20.1	0.44	11.2	0.24	-	-	-	-	-
Prostate	430	19.7	0.43	10.9	0.24	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	310	13.3	0.35	8.1	0.21	142	4.7	0.18	2.9	0.12
Bladder	177	7.9	0.27	4.5	0.15	74	2.4	0.13	1.5	0.08
Kidney & renal pelvis	123	5.0	0.21	3.3	0.13	62	2.1	0.12	1.4	0.08
Brain & Other CNS[1]	153	5.8	0.22	4.5	0.17	119	4.1	0.17	3.2	0.14
Endocrine System	18	0.7	0.08	0.6	0.06	25	0.9	0.08	0.6	0.06
Thyroid gland	11	0.4	0.06	0.3	0.04	19	0.6	0.07	0.4	0.05
Lymphomas	179	7.7	0.26	4.8	0.16	135	4.5	0.18	2.8	0.12
Hodgkin Lymphoma	7	0.3	0.05	0.2	0.03	4	0.1	0.03	0.1	0.03
Non-Hodgkin Lymphoma	173	7.4	0.26	4.6	0.16	131	4.4	0.18	2.7	0.11
Multiple Myeloma	84	3.6	0.18	2.3	0.11	74	2.5	0.13	1.6	0.09
Leukemias	186	8.1	0.27	5.2	0.18	139	4.7	0.18	3.2	0.13
Other, Ill-defined & Unknown	353	14.9	0.36	9.6	0.23	312	10.5	0.27	6.9	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,767	179.2	1.35	116.7	0.87	3,465	136.2	1.06	91.6	0.74
Oral Cavity & Pharynx	88	3.9	0.19	2.8	0.13	39	1.5	0.11	1.0	0.08
Digestive System	1,059	48.3	0.69	33.2	0.46	748	29.0	0.49	19.1	0.33
Esophagus	164	7.4	0.27	5.1	0.18	41	1.6	0.11	1.1	0.08
Stomach	71	3.3	0.18	2.3	0.12	40	1.6	0.11	1.1	0.08
Colon & Rectum	304	14.4	0.38	9.6	0.25	261	10.1	0.29	6.6	0.20
Liver	157	6.4	0.24	4.9	0.18	49	1.9	0.12	1.3	0.08
Pancreas	260	12.0	0.34	8.1	0.23	243	9.4	0.28	6.1	0.19
Respiratory System	932	43.9	0.66	28.7	0.42	855	33.7	0.53	22.3	0.35
Larynx	28	1.3	0.11	0.9	0.07	7	0.3	0.05	0.2	0.03
Lung & bronchus	893	42.1	0.65	27.5	0.42	842	33.2	0.52	21.9	0.35
Skin	127	6.0	0.25	4.0	0.16	62	2.5	0.14	1.7	0.11
Melanomas of the skin	94	4.4	0.21	3.1	0.14	48	1.9	0.13	1.4	0.10
Breast	5	0.2	0.05	0.2	0.03	523	20.6	0.42	14.5	0.30
Female Genital System	-	-	-	-	-	399	15.7	0.36	11.1	0.26
Cervix uteri	-	-	-	-	-	36	1.5	0.12	1.3	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	124	4.8	0.20	3.3	0.14
Ovary	-	-	-	-	-	209	8.2	0.26	5.7	0.18
Male Genital System	397	20.6	0.47	11.5	0.26	-	-	-	-	-
Prostate	387	20.2	0.47	11.1	0.26	-	-	-	-	-
Testis	6	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	286	14.0	0.38	8.5	0.23	129	4.9	0.20	3.1	0.13
Bladder	164	8.3	0.30	4.8	0.17	66	2.5	0.14	1.5	0.09
Kidney & renal pelvis	113	5.3	0.23	3.5	0.15	58	2.2	0.14	1.4	0.09
Brain & Other CNS[1]	141	6.3	0.24	4.9	0.19	108	4.4	0.20	3.5	0.16
Endocrine System	16	0.8	0.09	0.6	0.07	21	0.9	0.09	0.6	0.06
Thyroid gland	10	0.5	0.07	0.3	0.05	15	0.6	0.07	0.4	0.05
Lymphomas	160	7.9	0.29	4.9	0.18	120	4.7	0.20	2.9	0.13
Hodgkin Lymphoma	6	0.3	0.05	0.2	0.04	4	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	154	7.6	0.28	4.7	0.17	117	4.6	0.19	2.8	0.12
Multiple Myeloma	75	3.7	0.20	2.3	0.12	61	2.5	0.14	1.5	0.09
Leukemias	162	8.2	0.29	5.2	0.19	125	5.0	0.21	3.3	0.15
Other, Ill-defined & Unknown	318	15.4	0.40	9.9	0.25	276	10.7	0.30	7.1	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	171	197.1	7.78	131.7	4.68	133	136.9	5.65	96.2	3.79
Oral Cavity & Pharynx	3	2.8	0.74	2.2	0.56	-	-	-	-	-
Digestive System	58	61.9	4.18	43.3	2.65	36	37.1	2.95	25.6	1.94
Esophagus	3	3.0	0.83	2.4	0.59	-	-	-	-	-
Stomach	5	6.4	1.45	4.0	0.84	-	-	-	-	-
Colon & Rectum	16	16.5	2.14	11.5	1.35	13	13.3	1.76	9.1	1.14
Liver	14	12.2	1.62	9.8	1.20	5	4.7	1.05	3.4	0.72
Pancreas	14	16.8	2.30	11.0	1.37	10	10.6	1.59	7.4	1.05
Respiratory System	43	49.5	3.82	33.8	2.40	25	27.5	2.60	19.1	1.72
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	41	47.6	3.75	32.5	2.35	25	27.2	2.59	18.8	1.71
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	21.7	2.15	16.3	1.55
Female Genital System	-	-	-	-	-	16	16.1	1.91	11.8	1.33
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	7	6.4	1.16	5.0	0.86
Ovary	-	-	-	-	-	7	7.2	1.33	4.9	0.87
Male Genital System	20	28.8	3.23	17.0	1.75	-	-	-	-	-
Prostate	20	28.8	3.23	17.0	1.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	12.5	2.06	7.7	1.14	5	4.8	1.06	3.2	0.68
Bladder	5	6.8	1.56	4.0	0.85	3	3.4	0.94	2.0	0.55
Kidney & renal pelvis	4	4.6	1.16	3.1	0.70	-	-	-	-	-
Brain & Other CNS[1]	4	3.3	0.87	2.6	0.62	2	2.3	0.68	1.6	0.48
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	5.4	1.16	4.1	0.77	4	4.0	0.97	2.6	0.64
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	3.8	1.09	2.6	0.65	5	6.1	1.26	3.9	0.78
Leukemias	8	10.7	1.97	6.5	1.08	5	4.9	1.10	3.3	0.70
Other, Ill-defined & Unknown	13	16.0	2.32	10.2	1.30	10	10.2	1.54	7.1	1.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	284	135.4	3.78	88.8	2.36	300	96.2	2.54	65.2	1.72
Oral Cavity & Pharynx	6	2.7	0.50	2.0	0.35	5	1.5	0.32	1.0	0.21
Digestive System	119	53.1	2.29	36.9	1.52	96	30.8	1.44	20.2	0.94
Esophagus	6	2.8	0.52	2.0	0.36	2	0.7	0.22	0.5	0.14
Stomach	19	8.7	0.92	6.0	0.62	19	5.9	0.62	4.0	0.42
Colon & Rectum	28	12.8	1.13	8.8	0.74	25	7.8	0.71	5.2	0.47
Liver	36	14.9	1.18	11.0	0.82	16	5.4	0.61	3.3	0.38
Pancreas	20	9.2	0.98	6.2	0.62	22	7.2	0.71	4.6	0.45
Respiratory System	70	35.0	1.95	22.1	1.18	59	19.4	1.16	12.6	0.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	68	33.9	1.93	21.3	1.16	58	19.1	1.15	12.3	0.73
Skin	2	1.1	0.35	0.7	0.21	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	41	12.3	0.88	9.3	0.66
Female Genital System	-	-	-	-	-	33	9.9	0.79	7.4	0.58
Cervix uteri	-	-	-	-	-	5	1.6	0.33	1.2	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	11	3.3	0.46	2.5	0.34
Ovary	-	-	-	-	-	15	4.7	0.54	3.5	0.40
Male Genital System	21	12.0	1.22	6.4	0.63	-	-	-	-	-
Prostate	20	11.8	1.21	6.3	0.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	6.4	0.84	3.9	0.50	7	2.5	0.42	1.4	0.25
Bladder	7	3.7	0.66	2.1	0.37	5	1.8	0.36	0.9	0.19
Kidney & renal pelvis	5	2.3	0.48	1.6	0.32	-	-	-	-	-
Brain & Other CNS[1]	7	2.7	0.49	2.1	0.36	9	2.7	0.41	2.0	0.32
Endocrine System	-	-	-	-	-	4	1.3	0.30	0.8	0.19
Thyroid gland	-	-	-	-	-	3	1.0	0.26	0.6	0.17
Lymphomas	12	5.8	0.79	3.7	0.48	10	3.2	0.46	2.1	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	2.3	0.51	1.5	0.30	5	1.8	0.36	1.1	0.22
Leukemias	13	6.1	0.79	4.2	0.52	8	2.7	0.42	1.9	0.31
Other, Ill-defined & Unknown	16	7.8	0.91	5.1	0.56	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,548	222.6	2.03	151.9	1.38	2,202	159.8	1.57	112.8	1.16
Oral Cavity & Pharynx	54	4.6	0.29	3.5	0.22	20	1.4	0.15	1.0	0.11
Digestive System	646	55.4	1.01	39.5	0.71	490	35.1	0.73	23.9	0.52
Esophagus	113	9.3	0.41	7.0	0.30	23	1.7	0.16	1.2	0.12
Stomach	36	3.2	0.25	2.2	0.17	29	2.1	0.18	1.4	0.13
Colon & Rectum	230	20.3	0.62	13.9	0.42	219	15.7	0.49	10.4	0.34
Liver	88	7.1	0.35	5.5	0.27	33	2.4	0.19	1.7	0.14
Pancreas	136	11.6	0.46	8.2	0.32	131	9.4	0.37	6.5	0.27
Respiratory System	862	72.7	1.14	50.4	0.78	621	44.5	0.82	31.9	0.60
Larynx	36	2.9	0.22	2.3	0.17	10	0.7	0.10	0.5	0.08
Lung & bronchus	822	69.4	1.11	47.9	0.76	609	43.6	0.81	31.3	0.59
Skin	74	7.0	0.37	4.7	0.25	36	2.6	0.21	1.8	0.15
Melanomas of the skin	47	4.4	0.30	3.0	0.21	26	2.0	0.18	1.5	0.14
Breast	4	0.3	0.08	0.2	0.05	289	21.8	0.60	16.0	0.46
Female Genital System	-	-	-	-	-	217	16.1	0.51	12.0	0.40
Cervix uteri	-	-	-	-	-	32	2.8	0.24	2.4	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	66	4.7	0.26	3.4	0.20
Ovary	-	-	-	-	-	99	7.1	0.33	5.2	0.25
Male Genital System	186	17.9	0.60	10.0	0.33	-	-	-	-	-
Prostate	180	17.4	0.59	9.6	0.32	-	-	-	-	-
Testis	3	0.3	0.09	0.3	0.08	-	-	-	-	-
Urinary System	163	14.6	0.53	9.5	0.34	83	5.9	0.30	3.8	0.20
Bladder	86	8.0	0.39	4.8	0.23	38	2.7	0.20	1.6	0.13
Kidney & renal pelvis	74	6.4	0.34	4.5	0.25	43	3.1	0.21	2.1	0.15
Brain & Other CNS[1]	63	5.5	0.32	4.4	0.26	50	3.9	0.26	3.1	0.21
Endocrine System	7	0.7	0.12	0.5	0.10	8	0.6	0.10	0.4	0.07
Thyroid gland	4	0.4	0.09	0.2	0.06	6	0.4	0.08	0.3	0.05
Lymphomas	91	8.1	0.39	5.4	0.26	72	5.1	0.28	3.4	0.20
Hodgkin Lymphoma	4	0.4	0.09	0.3	0.07	3	0.3	0.07	0.2	0.07
Non-Hodgkin Lymphoma	87	7.7	0.38	5.1	0.25	68	4.8	0.27	3.2	0.18
Multiple Myeloma	48	4.3	0.29	2.8	0.19	40	2.8	0.20	1.8	0.14
Leukemias	103	9.6	0.43	6.2	0.29	80	5.8	0.30	3.8	0.22
Other, Ill-defined & Unknown	246	21.8	0.64	14.7	0.43	196	14.1	0.46	9.8	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,467	223.2	2.07	152.3	1.41	2,132	160.2	1.60	113.0	1.19
Oral Cavity & Pharynx	52	4.7	0.30	3.5	0.23	20	1.5	0.15	1.0	0.11
Digestive System	618	55.0	1.02	39.1	0.73	472	35.1	0.74	23.8	0.53
Esophagus	111	9.5	0.42	7.1	0.31	22	1.7	0.17	1.2	0.13
Stomach	34	3.2	0.25	2.1	0.17	27	2.1	0.18	1.4	0.13
Colon & Rectum	221	20.3	0.63	13.9	0.43	212	15.7	0.50	10.4	0.35
Liver	81	6.9	0.35	5.3	0.27	32	2.4	0.19	1.7	0.14
Pancreas	130	11.5	0.46	8.1	0.33	126	9.4	0.38	6.4	0.27
Respiratory System	840	73.2	1.16	50.9	0.80	605	44.9	0.83	32.1	0.61
Larynx	35	2.9	0.23	2.3	0.18	9	0.7	0.11	0.5	0.08
Lung & bronchus	801	69.9	1.14	48.3	0.78	593	44.0	0.83	31.5	0.61
Skin	74	7.1	0.38	4.8	0.26	35	2.7	0.21	1.9	0.16
Melanomas of the skin	47	4.6	0.31	3.1	0.22	26	2.0	0.19	1.5	0.15
Breast	4	0.3	0.08	0.2	0.05	278	21.7	0.61	15.9	0.47
Female Genital System	-	-	-	-	-	210	16.1	0.52	12.0	0.40
Cervix uteri	-	-	-	-	-	31	2.9	0.25	2.4	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	64	4.6	0.27	3.4	0.20
Ovary	-	-	-	-	-	95	7.0	0.33	5.2	0.26
Male Genital System	177	17.6	0.60	9.8	0.34	-	-	-	-	-
Prostate	171	17.0	0.59	9.4	0.32	-	-	-	-	-
Testis	3	0.4	0.09	0.3	0.09	-	-	-	-	-
Urinary System	159	14.7	0.54	9.6	0.35	81	5.9	0.30	3.9	0.21
Bladder	84	8.1	0.40	4.8	0.24	36	2.7	0.20	1.6	0.13
Kidney & renal pelvis	72	6.4	0.35	4.6	0.25	42	3.1	0.22	2.2	0.16
Brain & Other CNS[1]	62	5.7	0.34	4.5	0.28	50	4.1	0.27	3.1	0.22
Endocrine System	6	0.7	0.13	0.5	0.10	8	0.6	0.10	0.4	0.07
Thyroid gland	4	0.4	0.09	0.3	0.06	6	0.4	0.08	0.3	0.05
Lymphomas	89	8.2	0.40	5.4	0.27	71	5.2	0.28	3.5	0.20
Hodgkin Lymphoma	4	0.4	0.09	0.3	0.08	3	0.3	0.07	0.2	0.07
Non-Hodgkin Lymphoma	85	7.8	0.39	5.1	0.26	67	4.9	0.27	3.2	0.19
Multiple Myeloma	46	4.3	0.29	2.8	0.19	38	2.7	0.20	1.8	0.14
Leukemias	101	9.7	0.44	6.3	0.29	76	5.8	0.30	3.8	0.22
Other, Ill-defined & Unknown	240	22.0	0.65	14.8	0.44	189	14.1	0.47	9.8	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	76	256.2	14.57	174.3	9.12	64	174.1	10.03	124.6	7.32
Oral Cavity & Pharynx	2	5.4	1.81	4.4	1.40	-	-	-	-	-
Digestive System	27	85.0	8.10	60.8	5.34	15	42.6	5.00	30.6	3.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	6.4	2.24	4.5	1.48	-	-	-	-	-
Colon & Rectum	9	30.1	5.11	19.6	3.05	6	16.2	3.05	11.5	2.19
Liver	7	15.4	2.81	13.2	2.32	-	-	-	-	-
Pancreas	6	18.7	3.77	13.5	2.56	4	10.6	2.44	7.8	1.77
Respiratory System	21	68.2	7.37	47.2	4.68	15	40.5	4.81	28.8	3.46
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	65.2	7.23	44.9	4.56	14	38.5	4.70	27.3	3.37
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	30.9	4.31	22.8	3.25
Female Genital System	-	-	-	-	-	7	18.9	3.33	14.0	2.54
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	3	6.9	1.94	4.9	1.39
Ovary	-	-	-	-	-	4	10.2	2.48	7.3	1.84
Male Genital System	9	39.0	6.26	22.3	3.38	-	-	-	-	-
Prostate	9	39.0	6.26	22.3	3.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	11.6	3.16	7.7	1.90	3	6.9	1.95	3.9	1.16
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	2	6.2	1.84	4.1	1.24
Leukemias	3	11.1	3.35	6.5	1.84	3	8.3	2.18	6.0	1.62
Other, Ill-defined & Unknown	6	18.7	3.90	13.1	2.52	5	14.2	2.80	10.3	2.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	76.5	19.64	48.0	11.23	5	56.1	12.35	39.4	8.32
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,059	192.0	1.13	125.2	0.74	5,353	137.1	0.86	93.5	0.62
Oral Cavity & Pharynx	127	3.8	0.15	2.8	0.11	52	1.3	0.08	0.9	0.06
Digestive System	1,652	51.2	0.58	34.7	0.39	1,232	31.0	0.41	20.5	0.28
Esophagus	278	8.4	0.23	5.9	0.16	69	1.7	0.10	1.2	0.07
Stomach	104	3.3	0.15	2.2	0.10	71	1.8	0.10	1.2	0.07
Colon & Rectum	481	15.4	0.32	10.1	0.21	450	11.2	0.24	7.2	0.17
Liver	193	5.6	0.19	4.1	0.13	68	1.7	0.10	1.2	0.07
Pancreas	444	13.6	0.30	9.3	0.20	402	10.0	0.23	6.7	0.16
Respiratory System	1,617	50.1	0.57	33.5	0.38	1,343	34.7	0.43	23.8	0.30
Larynx	55	1.7	0.10	1.1	0.07	13	0.4	0.04	0.2	0.03
Lung & bronchus	1,549	48.0	0.56	32.0	0.37	1,321	34.1	0.43	23.4	0.30
Skin	162	5.2	0.19	3.4	0.12	72	1.9	0.10	1.3	0.07
Melanomas of the skin	115	3.6	0.16	2.5	0.11	55	1.5	0.09	1.0	0.07
Breast	9	0.3	0.04	0.2	0.03	726	19.0	0.33	13.6	0.24
Female Genital System	-	-	-	-	-	570	14.8	0.29	10.5	0.21
Cervix uteri	-	-	-	-	-	54	1.6	0.10	1.3	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	201	5.1	0.17	3.6	0.12
Ovary	-	-	-	-	-	266	6.9	0.19	4.9	0.14
Male Genital System	622	21.3	0.39	11.6	0.21	-	-	-	-	-
Prostate	609	20.8	0.38	11.2	0.21	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	441	14.2	0.31	8.7	0.19	196	4.9	0.16	3.1	0.11
Bladder	236	7.9	0.23	4.4	0.13	88	2.1	0.10	1.3	0.07
Kidney & renal pelvis	190	5.8	0.19	4.0	0.13	100	2.6	0.12	1.7	0.08
Brain & Other CNS[1]	193	5.9	0.20	4.6	0.16	146	4.0	0.15	3.1	0.12
Endocrine System	29	0.9	0.08	0.7	0.06	32	0.8	0.07	0.6	0.06
Thyroid gland	19	0.6	0.06	0.4	0.04	23	0.6	0.06	0.4	0.04
Lymphomas	247	8.1	0.24	5.1	0.15	187	4.7	0.16	2.9	0.11
Hodgkin Lymphoma	14	0.5	0.06	0.3	0.04	9	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	232	7.7	0.23	4.7	0.14	178	4.4	0.15	2.7	0.10
Multiple Myeloma	125	4.0	0.16	2.5	0.10	103	2.6	0.12	1.6	0.07
Leukemias	277	9.1	0.25	5.9	0.16	217	5.5	0.17	3.6	0.12
Other, Ill-defined & Unknown	557	17.9	0.35	11.7	0.23	477	12.0	0.25	8.0	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,668	189.2	1.15	122.8	0.75	4,991	135.1	0.88	91.8	0.63
Oral Cavity & Pharynx	116	3.6	0.15	2.6	0.11	49	1.3	0.09	0.9	0.06
Digestive System	1,519	49.7	0.58	33.6	0.39	1,136	30.0	0.41	19.7	0.29
Esophagus	265	8.5	0.24	5.9	0.17	63	1.7	0.10	1.1	0.07
Stomach	89	3.0	0.14	2.0	0.10	61	1.6	0.10	1.1	0.07
Colon & Rectum	443	15.0	0.33	9.8	0.21	417	10.9	0.25	6.9	0.17
Liver	158	4.9	0.18	3.5	0.13	58	1.6	0.09	1.0	0.06
Pancreas	419	13.6	0.30	9.3	0.21	375	9.9	0.23	6.5	0.16
Respiratory System	1,500	49.0	0.58	32.5	0.38	1,246	34.0	0.44	23.3	0.31
Larynx	49	1.6	0.10	1.1	0.07	11	0.3	0.04	0.2	0.03
Lung & bronchus	1,438	47.0	0.57	31.2	0.37	1,227	33.5	0.44	22.9	0.31
Skin	160	5.4	0.19	3.6	0.13	71	2.0	0.11	1.4	0.08
Melanomas of the skin	114	3.8	0.16	2.6	0.11	55	1.6	0.10	1.1	0.07
Breast	8	0.3	0.04	0.2	0.03	677	18.7	0.34	13.4	0.25
Female Genital System	-	-	-	-	-	529	14.6	0.29	10.3	0.22
Cervix uteri	-	-	-	-	-	47	1.5	0.10	1.2	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	182	4.9	0.17	3.4	0.12
Ovary	-	-	-	-	-	253	6.9	0.20	4.9	0.15
Male Genital System	588	21.0	0.39	11.4	0.21	-	-	-	-	-
Prostate	576	20.5	0.39	11.0	0.21	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	424	14.3	0.32	8.7	0.19	185	4.9	0.17	3.1	0.11
Bladder	230	8.0	0.24	4.5	0.13	84	2.1	0.11	1.3	0.07
Kidney & renal pelvis	179	5.8	0.20	3.9	0.13	94	2.6	0.12	1.7	0.09
Brain & Other CNS[1]	186	6.1	0.21	4.8	0.17	141	4.1	0.16	3.2	0.13
Endocrine System	27	0.9	0.08	0.7	0.06	31	0.9	0.07	0.6	0.06
Thyroid gland	18	0.6	0.06	0.4	0.04	22	0.6	0.06	0.4	0.04
Lymphomas	236	8.2	0.24	5.1	0.15	178	4.7	0.16	2.9	0.11
Hodgkin Lymphoma	13	0.5	0.06	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	223	7.7	0.24	4.8	0.15	169	4.4	0.16	2.7	0.10
Multiple Myeloma	114	3.9	0.16	2.4	0.10	95	2.5	0.12	1.6	0.08
Leukemias	266	9.2	0.26	5.9	0.17	207	5.5	0.18	3.6	0.13
Other, Ill-defined & Unknown	523	17.8	0.35	11.5	0.23	447	11.9	0.26	7.9	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	311	276.0	7.81	195.7	5.07	273	186.2	5.26	132.2	3.61
Oral Cavity & Pharynx	9	7.0	1.19	5.2	0.81	-	-	-	-	-
Digestive System	100	82.2	4.11	60.7	2.76	71	48.5	2.69	34.2	1.83
Esophagus	10	8.1	1.31	5.9	0.86	4	2.7	0.61	2.2	0.47
Stomach	11	9.8	1.46	6.9	0.95	7	4.8	0.86	3.2	0.57
Colon & Rectum	28	24.2	2.32	17.0	1.47	24	16.5	1.56	11.7	1.07
Liver	26	17.4	1.64	14.6	1.31	7	4.4	0.79	3.2	0.56
Pancreas	20	16.2	1.82	12.0	1.24	22	15.3	1.52	10.8	1.03
Respiratory System	99	87.9	4.34	63.4	2.90	72	49.5	2.73	35.1	1.87
Larynx	4	4.1	0.99	2.8	0.62	-	-	-	-	-
Lung & bronchus	95	83.2	4.22	60.2	2.83	69	47.7	2.68	33.9	1.84
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	41	27.5	1.99	20.1	1.40
Female Genital System	-	-	-	-	-	32	21.3	1.75	15.7	1.24
Cervix uteri	-	-	-	-	-	5	3.5	0.69	2.7	0.52
Corpus & uterus, NOS[1]	-	-	-	-	-	15	10.5	1.25	7.4	0.85
Ovary	-	-	-	-	-	10	6.3	0.92	4.9	0.69
Male Genital System	28	33.1	3.06	19.5	1.69	-	-	-	-	-
Prostate	27	32.8	3.05	19.3	1.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	12.8	1.72	8.9	1.08	9	6.9	1.06	4.4	0.66
Bladder	5	5.5	1.23	3.4	0.69	4	3.0	0.71	1.8	0.42
Kidney & renal pelvis	9	7.1	1.20	5.4	0.82	5	3.5	0.76	2.3	0.48
Brain & Other CNS[1]	5	3.0	0.67	2.6	0.54	3	2.1	0.53	1.7	0.41
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	6.3	1.14	4.6	0.77	6	4.4	0.81	3.1	0.55
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	9.3	1.52	6.1	0.93	6	4.9	0.91	2.9	0.52
Leukemias	8	7.6	1.38	5.0	0.84	7	4.6	0.83	3.3	0.57
Other, Ill-defined & Unknown	28	23.2	2.19	17.3	1.49	22	14.8	1.48	10.5	1.01

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	38	121.6	9.77	76.2	5.62	50	107.0	7.12	72.2	4.63
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	17	51.5	6.14	33.6	3.70	16	33.4	3.98	22.3	2.54
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	7.1	2.34	4.5	1.38	3	6.6	1.75	4.5	1.15
Colon & Rectum	5	14.4	3.27	9.2	1.96	6	12.4	2.43	8.4	1.58
Liver	5	13.5	2.93	9.6	1.89	-	-	-	-	-
Pancreas	3	7.2	2.16	5.1	1.44	2	4.7	1.45	3.4	0.98
Respiratory System	7	23.2	4.30	14.4	2.46	12	27.4	3.70	17.9	2.35
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	20.0	3.99	12.5	2.29	12	27.1	3.69	17.6	2.34
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	8.4	1.91	6.3	1.35
Female Genital System	-	-	-	-	-	5	9.4	1.98	7.1	1.43
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	4.5	1.36	3.4	0.99
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	15.7	3.96	7.8	1.91	-	-	-	-	-
Prostate	3	15.4	3.95	7.5	1.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	2	5.8	1.72	3.4	1.00
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	7.4	2.54	4.3	1.34	-	-	-	-	-
Other, Ill-defined & Unknown	3	7.7	2.31	5.4	1.45	5	11.6	2.43	7.5	1.53

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	509	163.4	3.36	107.7	2.18	433	123.1	2.71	84.2	1.90
Oral Cavity & Pharynx	10	3.0	0.45	2.1	0.30	4	1.3	0.29	0.9	0.21
Digestive System	149	44.9	1.72	31.7	1.19	93	26.0	1.24	17.4	0.85
Esophagus	23	6.9	0.67	4.9	0.46	5	1.2	0.25	0.9	0.18
Stomach	5	1.9	0.38	1.2	0.24	4	1.2	0.26	0.8	0.19
Colon & Rectum	45	14.0	0.98	9.7	0.67	34	9.7	0.76	6.1	0.50
Liver	24	6.4	0.60	5.0	0.46	7	1.9	0.32	1.4	0.24
Pancreas	38	11.7	0.88	8.2	0.60	31	8.6	0.71	5.7	0.48
Respiratory System	120	38.4	1.62	24.9	1.03	104	29.7	1.33	20.3	0.92
Larynx	5	1.4	0.30	1.0	0.22	-	-	-	-	-
Lung & bronchus	114	36.4	1.58	23.5	0.99	102	29.2	1.32	19.9	0.91
Skin	18	6.1	0.66	3.9	0.42	-	-	-	-	-
Melanomas of the skin	14	4.6	0.57	3.2	0.38	6	1.7	0.32	1.2	0.24
Breast	-	-	-	-	-	64	18.3	1.05	12.8	0.75
Female Genital System	-	-	-	-	-	45	13.3	0.91	9.3	0.65
Cervix uteri	-	-	-	-	-	5	1.6	0.34	1.4	0.29
Corpus & uterus, NOS[1]	-	-	-	-	-	13	3.9	0.49	2.6	0.33
Ovary	-	-	-	-	-	23	6.7	0.64	4.6	0.45
Male Genital System	46	16.3	1.10	9.4	0.62	-	-	-	-	-
Prostate	45	15.9	1.09	9.0	0.60	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	11.8	0.92	7.3	0.56	13	3.6	0.46	2.4	0.31
Bladder	18	6.3	0.68	3.6	0.39	5	1.3	0.27	0.8	0.17
Kidney & renal pelvis	16	5.2	0.60	3.5	0.40	8	2.1	0.35	1.6	0.26
Brain & Other CNS[1]	19	6.0	0.64	4.5	0.49	17	5.2	0.58	4.2	0.48
Endocrine System	2	0.6	0.20	0.5	0.16	2	0.7	0.20	0.4	0.14
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	22	7.5	0.73	4.9	0.47	16	4.5	0.52	2.7	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	3.9	0.53	2.3	0.30	6	1.7	0.31	1.1	0.20
Leukemias	25	8.2	0.76	5.4	0.49	20	5.7	0.57	3.8	0.40
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	495	163.7	3.41	108.0	2.22	422	123.4	2.76	84.5	1.94
Oral Cavity & Pharynx	10	3.1	0.47	2.1	0.31	4	1.3	0.29	0.9	0.22
Digestive System	143	44.7	1.74	31.5	1.20	91	26.2	1.26	17.6	0.87
Esophagus	23	6.9	0.68	4.9	0.47	4	1.2	0.25	0.8	0.18
Stomach	4	1.6	0.34	0.9	0.21	4	1.0	0.24	0.7	0.18
Colon & Rectum	44	14.2	1.00	9.8	0.69	33	9.8	0.78	6.2	0.51
Liver	22	6.1	0.60	4.8	0.45	7	1.9	0.33	1.4	0.24
Pancreas	38	11.8	0.89	8.3	0.61	30	8.8	0.73	5.8	0.49
Respiratory System	117	38.4	1.64	24.9	1.04	101	29.8	1.36	20.4	0.94
Larynx	5	1.4	0.30	1.0	0.22	-	-	-	-	-
Lung & bronchus	111	36.5	1.60	23.6	1.01	99	29.3	1.34	20.0	0.93
Skin	18	6.2	0.68	4.0	0.44	-	-	-	-	-
Melanomas of the skin	14	4.8	0.58	3.3	0.40	6	1.8	0.33	1.3	0.24
Breast	-	-	-	-	-	63	18.2	1.06	12.7	0.76
Female Genital System	-	-	-	-	-	44	13.2	0.92	9.2	0.66
Cervix uteri	-	-	-	-	-	5	1.6	0.34	1.3	0.29
Corpus & uterus, NOS[1]	-	-	-	-	-	13	3.9	0.50	2.6	0.34
Ovary	-	-	-	-	-	23	6.7	0.64	4.6	0.46
Male Genital System	45	16.3	1.11	9.4	0.64	-	-	-	-	-
Prostate	44	15.9	1.10	8.9	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	11.9	0.93	7.3	0.57	13	3.6	0.46	2.4	0.32
Bladder	18	6.5	0.70	3.7	0.40	5	1.3	0.28	0.8	0.17
Kidney & renal pelvis	16	5.2	0.61	3.5	0.40	7	2.1	0.35	1.5	0.26
Brain & Other CNS[1]	18	6.2	0.67	4.7	0.51	17	5.4	0.60	4.3	0.50
Endocrine System	2	0.6	0.20	0.4	0.14	2	0.7	0.21	0.4	0.14
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	22	7.7	0.75	5.0	0.49	16	4.6	0.53	2.8	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	3.7	0.52	2.2	0.30	6	1.7	0.31	1.1	0.21
Leukemias	24	8.1	0.76	5.3	0.50	20	5.6	0.58	3.7	0.40
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	124.7	37.12	78.5	21.46	3	133.8	37.25	96.3	25.20
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2	110.2	37.47	66.0	21.27	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Puerto Rico, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,897	143.9	1.21	95.8	0.83	2,319	90.9	0.87	64.0	0.65
Oral Cavity & Pharynx	103	4.9	0.22	3.7	0.17	22	0.8	0.08	0.6	0.06
Digestive System	1,003	49.1	0.70	34.3	0.50	694	26.3	0.45	17.4	0.32
Esophagus	91	4.3	0.21	3.1	0.15	20	0.7	0.07	0.4	0.05
Stomach	117	5.9	0.25	3.9	0.17	82	3.2	0.16	2.1	0.11
Colon & Rectum	385	19.0	0.44	13.3	0.32	308	11.7	0.30	7.8	0.22
Liver	190	9.1	0.30	6.5	0.22	92	3.4	0.16	2.2	0.11
Pancreas	165	8.1	0.28	5.6	0.20	141	5.3	0.20	3.5	0.14
Respiratory System	415	20.2	0.45	13.7	0.31	222	8.4	0.26	5.6	0.18
Larynx	41	2.0	0.14	1.4	0.10	5	0.2	0.04	0.1	0.03
Lung & bronchus	369	17.9	0.42	12.1	0.29	215	8.1	0.25	5.4	0.18
Skin	41	2.1	0.15	1.2	0.09	25	0.9	0.08	0.5	0.06
Melanomas of the skin	13	0.6	0.08	0.4	0.06	9	0.4	0.06	0.3	0.05
Breast	8	0.4	0.07	0.3	0.05	436	17.9	0.40	13.5	0.31
Female Genital System	-	-	-	-	-	289	11.9	0.32	9.0	0.26
Cervix uteri	-	-	-	-	-	51	2.4	0.16	1.9	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	115	4.6	0.20	3.5	0.16
Ovary	-	-	-	-	-	101	4.1	0.19	3.1	0.15
Male Genital System	498	25.5	0.51	14.1	0.29	-	-	-	-	-
Prostate	483	24.7	0.50	13.4	0.28	-	-	-	-	-
Testis	5	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	136	6.8	0.26	4.3	0.17	70	2.6	0.14	1.7	0.10
Bladder	81	4.1	0.21	2.4	0.12	35	1.3	0.10	0.8	0.06
Kidney & renal pelvis	52	2.6	0.16	1.8	0.12	32	1.2	0.10	0.8	0.07
Brain & Other CNS[1]	56	2.9	0.18	2.2	0.14	52	2.2	0.14	1.7	0.12
Endocrine System	12	0.6	0.08	0.5	0.06	13	0.6	0.07	0.4	0.06
Thyroid gland	8	0.4	0.07	0.3	0.05	10	0.4	0.05	0.2	0.04
Lymphomas	105	5.4	0.24	3.9	0.18	74	2.9	0.16	2.1	0.12
Hodgkin Lymphoma	13	0.7	0.09	0.6	0.07	8	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	92	4.7	0.22	3.4	0.17	65	2.6	0.15	1.8	0.11
Multiple Myeloma	67	3.3	0.18	2.2	0.12	62	2.3	0.13	1.6	0.09
Leukemias	101	5.2	0.24	3.5	0.17	84	3.4	0.17	2.4	0.13
Other, Ill-defined & Unknown	351	17.5	0.42	12.0	0.30	274	10.8	0.30	7.6	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alberta, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,402	189.7	1.50	121.4	0.94	3,007	139.3	1.16	94.3	0.80
Oral Cavity & Pharynx	76	3.8	0.20	2.8	0.14	37	1.7	0.13	1.2	0.09
Digestive System	1,052	56.3	0.80	37.5	0.52	766	35.2	0.58	23.2	0.39
Esophagus	152	7.8	0.29	5.4	0.20	35	1.6	0.12	1.1	0.09
Stomach	94	5.2	0.25	3.4	0.16	59	2.7	0.16	1.8	0.11
Colon & Rectum	387	21.3	0.50	13.7	0.31	313	14.3	0.37	9.2	0.24
Liver	115	5.6	0.24	4.1	0.17	37	1.7	0.13	1.2	0.09
Pancreas	208	11.2	0.36	7.4	0.23	207	9.6	0.30	6.3	0.20
Respiratory System	836	46.1	0.74	30.0	0.47	749	35.4	0.59	23.8	0.40
Larynx	24	1.2	0.12	0.8	0.08	2	0.1	0.03	0.1	0.02
Lung & bronchus	806	44.5	0.72	28.9	0.46	743	35.1	0.59	23.5	0.40
Skin	72	3.9	0.22	2.5	0.14	41	1.9	0.13	1.3	0.10
Melanomas of the skin	51	2.7	0.18	1.8	0.12	33	1.5	0.12	1.1	0.09
Breast	4	0.2	0.06	0.1	0.03	444	20.4	0.44	14.4	0.32
Female Genital System	-	-	-	-	-	320	14.6	0.37	10.5	0.27
Cervix uteri	-	-	-	-	-	46	2.1	0.14	1.7	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	95	4.3	0.20	3.0	0.14
Ovary	-	-	-	-	-	157	7.2	0.26	5.1	0.19
Male Genital System	419	26.4	0.59	14.4	0.32	-	-	-	-	-
Prostate	411	26.0	0.58	14.1	0.31	-	-	-	-	-
Testis	3	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	227	12.9	0.39	8.0	0.24	104	4.9	0.22	3.0	0.14
Bladder	113	6.7	0.29	3.9	0.17	43	2.0	0.14	1.2	0.08
Kidney & renal pelvis	90	4.8	0.23	3.2	0.15	48	2.2	0.14	1.4	0.09
Brain & Other CNS[1]	117	5.7	0.24	4.5	0.19	78	3.6	0.19	2.9	0.15
Endocrine System	16	0.8	0.10	0.6	0.07	18	0.9	0.09	0.6	0.07
Thyroid gland	11	0.6	0.08	0.4	0.05	13	0.6	0.08	0.4	0.05
Lymphomas	136	7.8	0.31	4.9	0.19	101	4.7	0.21	3.0	0.14
Hodgkin Lymphoma	6	0.3	0.06	0.2	0.04	4	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	130	7.5	0.30	4.7	0.19	97	4.6	0.21	2.9	0.14
Multiple Myeloma	66	3.8	0.22	2.3	0.13	49	2.4	0.15	1.5	0.10
Leukemias	131	7.7	0.31	4.7	0.19	87	4.1	0.20	2.6	0.13
Other, Ill-defined & Unknown	251	14.1	0.41	9.1	0.26	212	9.8	0.31	6.5	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
British Columbia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,386	186.4	1.16	120.0	0.75	4,702	138.3	0.92	92.8	0.65
Oral Cavity & Pharynx	135	4.4	0.17	3.2	0.12	64	1.9	0.11	1.3	0.08
Digestive System	1,775	60.1	0.65	40.4	0.44	1,267	36.7	0.47	23.9	0.32
Esophagus	241	7.9	0.23	5.6	0.16	74	2.1	0.11	1.4	0.08
Stomach	140	4.8	0.19	3.2	0.12	80	2.4	0.12	1.6	0.09
Colon & Rectum	647	22.5	0.40	14.5	0.26	544	15.7	0.31	9.9	0.21
Liver	235	7.4	0.22	5.5	0.16	71	2.1	0.11	1.4	0.08
Pancreas	341	11.5	0.28	7.7	0.19	325	9.4	0.24	6.2	0.16
Respiratory System	1,247	42.4	0.55	27.4	0.35	1,204	35.3	0.46	23.5	0.31
Larynx	38	1.3	0.09	0.8	0.06	7	0.2	0.03	0.1	0.02
Lung & bronchus	1,196	40.7	0.53	26.3	0.34	1,190	34.9	0.46	23.2	0.31
Skin	146	5.1	0.19	3.2	0.12	76	2.2	0.12	1.5	0.08
Melanomas of the skin	87	3.0	0.15	2.0	0.10	49	1.5	0.10	1.0	0.07
Breast	7	0.2	0.04	0.2	0.03	659	19.6	0.35	13.9	0.26
Female Genital System	-	-	-	-	-	497	14.9	0.31	10.6	0.23
Cervix uteri	-	-	-	-	-	51	1.7	0.11	1.4	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	137	4.0	0.16	2.8	0.11
Ovary	-	-	-	-	-	270	8.1	0.22	5.7	0.16
Male Genital System	615	22.5	0.41	12.3	0.23	-	-	-	-	-
Prostate	602	22.1	0.41	12.0	0.22	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	404	14.2	0.32	8.7	0.20	160	4.6	0.17	2.8	0.11
Bladder	237	8.5	0.25	4.9	0.14	81	2.3	0.12	1.4	0.07
Kidney & renal pelvis	149	5.1	0.19	3.4	0.13	70	2.0	0.11	1.3	0.07
Brain & Other CNS[1]	182	6.3	0.21	4.9	0.17	128	4.1	0.17	3.2	0.14
Endocrine System	24	0.9	0.08	0.6	0.06	24	0.8	0.07	0.5	0.06
Thyroid gland	14	0.5	0.06	0.3	0.04	15	0.4	0.05	0.3	0.03
Lymphomas	228	8.1	0.24	5.1	0.16	154	4.5	0.16	2.7	0.11
Hodgkin Lymphoma	9	0.3	0.05	0.3	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	219	7.8	0.24	4.8	0.15	148	4.3	0.16	2.6	0.10
Multiple Myeloma	111	3.9	0.17	2.4	0.10	79	2.3	0.12	1.4	0.08
Leukemias	213	7.7	0.24	4.9	0.16	143	4.3	0.17	2.9	0.12
Other, Ill-defined & Unknown	299	10.6	0.28	6.7	0.18	245	7.1	0.21	4.6	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Manitoba, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,444	214.4	2.56	137.5	1.65	1,361	161.4	2.01	109.7	1.44
Oral Cavity & Pharynx	27	3.7	0.33	2.7	0.24	14	1.7	0.20	1.1	0.14
Digestive System	435	63.1	1.38	42.1	0.92	348	40.3	0.99	26.6	0.69
Esophagus	53	7.4	0.47	5.2	0.32	14	1.6	0.20	1.1	0.14
Stomach	36	5.4	0.40	3.5	0.27	25	2.9	0.27	1.9	0.19
Colon & Rectum	181	26.8	0.91	17.3	0.59	158	17.9	0.66	11.5	0.45
Liver	40	5.4	0.40	4.0	0.29	15	1.8	0.22	1.3	0.16
Pancreas	81	11.6	0.59	7.8	0.39	82	9.6	0.48	6.4	0.34
Respiratory System	348	51.0	1.24	33.2	0.81	333	40.1	1.00	27.2	0.70
Larynx	7	1.0	0.17	0.6	0.11	-	-	-	-	-
Lung & bronchus	338	49.5	1.22	32.2	0.79	330	39.7	1.00	27.0	0.70
Skin	26	3.9	0.35	2.6	0.23	16	1.9	0.22	1.2	0.15
Melanomas of the skin	19	2.7	0.29	1.8	0.19	11	1.3	0.19	0.9	0.14
Breast	3	0.4	0.12	0.3	0.07	192	23.0	0.77	16.3	0.57
Female Genital System	-	-	-	-	-	138	16.9	0.66	12.0	0.49
Cervix uteri	-	-	-	-	-	16	2.2	0.26	1.8	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	46	5.4	0.37	3.8	0.26
Ovary	-	-	-	-	-	63	7.6	0.44	5.4	0.32
Male Genital System	184	29.1	0.97	15.7	0.53	-	-	-	-	-
Prostate	179	28.3	0.95	15.0	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	115	17.2	0.73	10.6	0.45	54	6.1	0.39	3.8	0.25
Bladder	58	9.0	0.53	5.1	0.31	25	2.7	0.26	1.6	0.16
Kidney & renal pelvis	52	7.6	0.48	5.0	0.32	27	3.1	0.28	2.0	0.19
Brain & Other CNS[1]	34	4.9	0.38	3.9	0.31	30	3.9	0.33	3.1	0.28
Endocrine System	6	0.9	0.16	0.7	0.13	10	1.2	0.17	0.8	0.13
Thyroid gland	4	0.6	0.13	0.5	0.10	7	0.8	0.14	0.5	0.10
Lymphomas	55	8.3	0.51	5.2	0.32	46	5.3	0.36	3.5	0.25
Hodgkin Lymphoma	3	0.4	0.10	0.3	0.07	2	0.2	0.08	0.2	0.07
Non-Hodgkin Lymphoma	53	8.0	0.50	5.0	0.31	44	5.1	0.35	3.3	0.25
Multiple Myeloma	32	4.7	0.38	3.0	0.24	25	2.9	0.26	1.9	0.18
Leukemias	59	9.2	0.54	5.7	0.34	43	5.0	0.35	3.2	0.26
Other, Ill-defined & Unknown	120	17.8	0.74	11.8	0.49	111	13.0	0.57	8.9	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Brunswick, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,072	222.0	3.13	142.4	1.99	918	152.6	2.32	103.3	1.66
Oral Cavity & Pharynx	22	4.3	0.43	3.0	0.30	9	1.4	0.22	0.9	0.15
Digestive System	309	62.1	1.63	41.0	1.06	230	37.5	1.14	24.3	0.77
Esophagus	43	8.1	0.57	5.8	0.40	13	2.2	0.27	1.4	0.19
Stomach	29	5.9	0.51	3.8	0.33	18	2.9	0.33	1.9	0.23
Colon & Rectum	124	25.5	1.06	16.4	0.68	108	17.6	0.78	11.0	0.52
Liver	21	4.1	0.42	2.7	0.26	10	1.6	0.24	1.1	0.17
Pancreas	69	13.5	0.76	9.1	0.50	55	8.8	0.54	5.9	0.37
Respiratory System	335	67.6	1.70	43.6	1.08	250	41.0	1.18	28.1	0.83
Larynx	9	1.9	0.29	1.2	0.18	2	0.4	0.12	0.3	0.08
Lung & bronchus	323	65.1	1.67	42.1	1.06	247	40.6	1.18	27.8	0.82
Skin	16	3.5	0.40	2.3	0.27	15	2.5	0.30	1.6	0.21
Melanomas of the skin	12	2.6	0.34	1.8	0.24	11	1.9	0.26	1.3	0.19
Breast	2	0.5	0.15	0.3	0.09	117	20.1	0.86	14.1	0.64
Female Genital System	-	-	-	-	-	84	14.4	0.73	10.1	0.54
Cervix uteri	-	-	-	-	-	8	1.7	0.29	1.5	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	25	4.1	0.38	2.9	0.28
Ovary	-	-	-	-	-	42	7.0	0.50	4.9	0.35
Male Genital System	97	22.6	1.04	12.0	0.55	-	-	-	-	-
Prostate	96	22.3	1.04	11.8	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	78	16.6	0.86	10.3	0.53	38	6.1	0.45	4.0	0.31
Bladder	38	8.3	0.62	4.8	0.35	15	2.4	0.28	1.5	0.18
Kidney & renal pelvis	37	7.3	0.56	5.0	0.38	21	3.4	0.34	2.3	0.24
Brain & Other CNS[1]	29	5.8	0.51	4.7	0.42	20	3.4	0.35	2.7	0.30
Endocrine System	4	0.7	0.18	0.6	0.15	5	0.9	0.19	0.7	0.18
Thyroid gland	2	0.4	0.13	0.3	0.10	3	0.5	0.14	0.3	0.10
Lymphomas	40	8.5	0.62	5.4	0.39	37	6.2	0.48	4.1	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	21	4.5	0.45	2.7	0.26	19	3.0	0.32	1.9	0.21
Leukemias	41	8.8	0.63	5.7	0.43	29	5.1	0.44	3.6	0.35
Other, Ill-defined & Unknown	78	16.7	0.87	10.9	0.58	64	10.8	0.63	7.3	0.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Newfoundland and Labrador, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	781	238.8	4.03	153.2	2.50	670	174.5	3.09	117.5	2.15
Oral Cavity & Pharynx	15	4.1	0.51	2.9	0.35	5	1.3	0.26	0.8	0.17
Digestive System	266	79.7	2.30	51.9	1.44	197	51.4	1.67	33.1	1.11
Esophagus	26	7.4	0.68	5.1	0.46	6	1.6	0.30	1.1	0.20
Stomach	40	12.2	0.91	7.7	0.55	20	5.3	0.55	3.5	0.38
Colon & Rectum	128	38.8	1.61	25.0	1.00	107	27.7	1.22	17.8	0.81
Liver	17	4.7	0.55	3.2	0.36	7	1.9	0.33	1.2	0.20
Pancreas	38	10.7	0.82	7.1	0.52	34	8.6	0.67	5.5	0.43
Respiratory System	221	65.0	2.06	42.1	1.28	154	38.8	1.43	26.5	0.98
Larynx	8	2.5	0.42	1.6	0.25	-	-	-	-	-
Lung & bronchus	212	62.2	2.01	40.4	1.25	152	38.3	1.42	26.2	0.97
Skin	13	4.1	0.54	2.7	0.34	-	-	-	-	-
Melanomas of the skin	9	2.8	0.44	1.9	0.30	6	1.4	0.28	1.0	0.19
Breast	-	-	-	-	-	88	23.2	1.14	16.3	0.83
Female Genital System	-	-	-	-	-	70	18.7	1.03	13.4	0.78
Cervix uteri	-	-	-	-	-	11	3.3	0.47	2.7	0.40
Corpus & uterus, NOS[1]	-	-	-	-	-	17	4.4	0.48	3.0	0.33
Ovary	-	-	-	-	-	32	8.4	0.68	6.1	0.52
Male Genital System	77	27.2	1.45	14.9	0.77	-	-	-	-	-
Prostate	74	26.3	1.42	14.2	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	16.4	1.07	10.1	0.63	26	6.8	0.61	4.1	0.38
Bladder	23	8.1	0.79	4.4	0.41	8	2.1	0.34	1.2	0.19
Kidney & renal pelvis	26	7.5	0.68	5.2	0.46	17	4.4	0.48	2.8	0.31
Brain & Other CNS[1]	21	6.3	0.64	5.2	0.55	16	4.3	0.50	3.4	0.41
Endocrine System	3	1.0	0.26	0.8	0.22	4	1.2	0.28	1.0	0.28
Thyroid gland	2	0.6	0.19	0.4	0.13	2	0.6	0.16	0.4	0.12
Lymphomas	27	8.3	0.76	5.5	0.49	22	5.7	0.56	3.8	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	3.6	0.48	2.3	0.30	11	3.1	0.41	1.8	0.25
Leukemias	21	6.3	0.65	4.0	0.40	20	5.4	0.56	3.9	0.44
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Northwest Territories, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	33	248.4	22.41	159.5	13.02	27	222.3	21.13	140.8	12.64
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	89.7	13.47	57.9	7.78	7	58.8	10.91	37.6	6.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	5	41.0	9.91	23.7	5.21	4	39.2	9.22	23.6	5.32
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	3	15.6	4.93	11.1	3.23	-	-	-	-	-
Respiratory System	9	69.4	11.66	45.6	6.97	8	73.0	12.56	44.3	7.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	68.5	11.62	44.8	6.92	8	70.5	12.30	43.0	7.15
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	28.8	7.15	19.3	4.47
Female Genital System	-	-	-	-	-	2	15.2	4.80	11.3	3.37
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	31.9	8.96	17.2	4.57	-	-	-	-	-
Prostate	3	31.9	8.96	17.2	4.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	15.0	5.32	10.3	3.14	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	14.4	5.28	9.7	3.08	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	2	17.0	5.71	10.9	3.42	2	22.2	6.95	13.0	3.98

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nova Scotia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,429	242.2	2.95	156.8	1.91	1,259	169.1	2.19	113.7	1.55
Oral Cavity & Pharynx	30	4.5	0.38	3.3	0.28	11	1.4	0.19	0.9	0.13
Digestive System	438	73.0	1.61	48.5	1.07	323	42.9	1.09	27.6	0.75
Esophagus	65	10.3	0.59	7.3	0.41	18	2.4	0.26	1.6	0.18
Stomach	34	5.9	0.46	3.8	0.30	20	2.6	0.27	1.6	0.18
Colon & Rectum	193	33.1	1.10	21.1	0.69	162	21.4	0.77	13.3	0.51
Liver	34	5.2	0.41	3.8	0.31	12	1.6	0.23	1.2	0.19
Pancreas	78	12.7	0.66	8.7	0.45	69	9.1	0.50	6.0	0.35
Respiratory System	404	65.6	1.50	43.1	0.97	348	46.2	1.13	31.9	0.79
Larynx	11	1.8	0.25	1.2	0.16	3	0.5	0.12	0.3	0.08
Lung & bronchus	389	63.1	1.47	41.5	0.95	343	45.5	1.12	31.5	0.79
Skin	35	6.3	0.49	4.0	0.32	18	2.5	0.27	1.7	0.20
Melanomas of the skin	24	4.3	0.40	2.9	0.28	14	1.9	0.24	1.4	0.19
Breast	2	0.3	0.10	0.2	0.07	168	23.3	0.84	16.2	0.62
Female Genital System	-	-	-	-	-	121	16.3	0.69	11.6	0.51
Cervix uteri	-	-	-	-	-	13	2.0	0.27	1.7	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	40	5.2	0.37	3.6	0.27
Ovary	-	-	-	-	-	58	7.9	0.48	5.5	0.34
Male Genital System	143	26.8	1.02	14.6	0.55	-	-	-	-	-
Prostate	139	26.2	1.01	14.1	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	106	18.4	0.82	11.3	0.50	48	6.3	0.41	3.9	0.27
Bladder	53	9.5	0.60	5.4	0.33	17	2.1	0.24	1.2	0.15
Kidney & renal pelvis	46	7.6	0.52	5.1	0.34	27	3.6	0.31	2.3	0.21
Brain & Other CNS[1]	36	6.3	0.49	4.9	0.39	26	3.8	0.35	2.9	0.29
Endocrine System	6	1.2	0.22	0.9	0.20	7	1.0	0.18	0.7	0.14
Thyroid gland	3	0.6	0.14	0.4	0.10	5	0.6	0.13	0.4	0.08
Lymphomas	57	9.9	0.61	6.3	0.39	44	5.9	0.41	3.7	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	4.1	0.38	2.7	0.24	19	2.6	0.27	1.6	0.17
Leukemias	51	9.1	0.59	6.1	0.42	34	4.5	0.36	3.0	0.26
Other, Ill-defined & Unknown	96	16.8	0.79	10.9	0.53	92	12.3	0.59	8.0	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nunavut, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	22	329.4	40.36	222.1	23.33	16	295.2	40.34	192.1	22.96
Oral Cavity & Pharynx	2	41.3	18.86	22.7	8.63	-	-	-	-	-
Digestive System	8	93.8	18.60	68.8	12.01	5	76.4	18.68	52.6	11.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	5	54.7	13.50	40.9	9.07	2	45.1	15.34	28.7	9.08
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	149.9	27.64	98.0	16.07	8	158.0	30.76	99.9	16.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	149.9	27.64	98.0	16.07	8	158.0	30.76	99.9	16.96
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ontario, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14,878	195.9	0.73	125.7	0.47	13,573	142.2	0.56	95.9	0.40
Oral Cavity & Pharynx	394	4.9	0.11	3.5	0.08	169	1.7	0.06	1.2	0.04
Digestive System	4,539	58.7	0.40	38.8	0.26	3,445	35.5	0.28	22.9	0.19
Esophagus	582	7.3	0.14	5.1	0.10	179	1.9	0.06	1.2	0.04
Stomach	456	6.0	0.13	3.9	0.08	283	3.0	0.08	2.0	0.06
Colon & Rectum	1,662	22.1	0.25	14.0	0.16	1,456	14.8	0.18	9.3	0.12
Liver	478	5.9	0.12	4.2	0.09	172	1.8	0.06	1.2	0.04
Pancreas	932	11.9	0.18	8.0	0.12	866	9.0	0.14	5.9	0.09
Respiratory System	3,708	47.9	0.36	31.3	0.23	3,264	34.2	0.27	23.3	0.19
Larynx	105	1.3	0.06	0.9	0.04	23	0.3	0.02	0.2	0.02
Lung & bronchus	3,574	46.2	0.35	30.1	0.23	3,224	33.8	0.27	23.0	0.19
Skin	482	6.5	0.13	4.1	0.08	249	2.6	0.08	1.7	0.05
Melanomas of the skin	324	4.3	0.11	2.8	0.07	175	1.9	0.07	1.3	0.05
Breast	17	0.2	0.02	0.1	0.02	1,976	21.0	0.22	14.9	0.16
Female Genital System	-	-	-	-	-	1,419	15.2	0.18	10.8	0.14
Cervix uteri	-	-	-	-	-	159	1.9	0.07	1.5	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	453	4.7	0.10	3.3	0.07
Ovary	-	-	-	-	-	685	7.3	0.13	5.2	0.09
Male Genital System	1,558	21.9	0.25	11.9	0.14	-	-	-	-	-
Prostate	1,523	21.4	0.25	11.5	0.13	-	-	-	-	-
Testis	12	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	1,100	14.8	0.20	8.9	0.12	510	5.1	0.10	3.1	0.07
Bladder	598	8.3	0.15	4.7	0.09	231	2.3	0.07	1.3	0.04
Kidney & renal pelvis	398	5.2	0.12	3.4	0.08	216	2.2	0.07	1.4	0.05
Brain & Other CNS[1]	463	5.9	0.13	4.6	0.10	353	4.0	0.10	3.1	0.08
Endocrine System	67	0.9	0.05	0.7	0.04	68	0.7	0.04	0.5	0.03
Thyroid gland	39	0.5	0.04	0.3	0.03	48	0.5	0.03	0.3	0.02
Lymphomas	630	8.4	0.15	5.5	0.10	502	5.3	0.11	3.4	0.07
Hodgkin Lymphoma	29	0.4	0.03	0.3	0.03	18	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	601	8.0	0.15	5.2	0.10	484	5.1	0.10	3.2	0.07
Multiple Myeloma	309	4.1	0.11	2.6	0.07	241	2.5	0.07	1.6	0.05
Leukemias	616	8.3	0.15	5.3	0.10	443	4.7	0.10	3.2	0.08
Other, Ill-defined & Unknown	995	13.3	0.19	8.5	0.12	934	9.6	0.14	6.2	0.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Prince Edward Island, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	199	223.2	7.31	143.9	4.68	166	148.4	5.28	100.7	3.74
Oral Cavity & Pharynx	4	4.2	0.98	2.9	0.65	2	1.9	0.61	1.4	0.53
Digestive System	58	62.8	3.81	42.4	2.54	42	36.6	2.59	22.9	1.70
Esophagus	8	7.7	1.22	6.1	0.95	2	2.1	0.61	1.6	0.46
Stomach	4	4.3	1.01	3.0	0.70	3	2.5	0.66	1.6	0.42
Colon & Rectum	25	28.5	2.65	18.2	1.68	21	18.9	1.90	11.2	1.20
Liver	6	6.3	1.18	4.3	0.78	-	-	-	-	-
Pancreas	11	11.2	1.60	7.5	1.04	9	7.5	1.15	5.0	0.78
Respiratory System	57	62.7	3.82	40.6	2.43	45	39.4	2.68	27.0	1.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	55	60.5	3.75	39.1	2.38	44	39.2	2.67	26.8	1.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	4	4.4	1.03	3.1	0.75	3	3.0	0.80	2.4	0.67
Breast	-	-	-	-	-	20	17.7	1.83	12.2	1.33
Female Genital System	-	-	-	-	-	16	14.9	1.71	10.7	1.27
Cervix uteri	-	-	-	-	-	2	2.3	0.70	2.0	0.60
Corpus & uterus, NOS[1]	-	-	-	-	-	4	3.4	0.80	2.5	0.60
Ovary	-	-	-	-	-	9	8.2	1.27	5.5	0.90
Male Genital System	20	26.1	2.64	13.6	1.35	-	-	-	-	-
Prostate	20	25.7	2.62	13.4	1.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	15.2	1.91	9.4	1.16	6	5.2	1.00	3.6	0.72
Bladder	7	8.2	1.42	4.8	0.81	2	2.2	0.65	1.4	0.45
Kidney & renal pelvis	5	5.9	1.16	3.9	0.77	2	2.2	0.66	1.5	0.48
Brain & Other CNS[1]	4	4.9	1.11	4.0	0.94	4	3.9	0.91	3.1	0.76
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	7.3	1.28	5.1	0.88	5	4.7	0.95	3.3	0.72
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	5.4	1.13	3.7	0.76	3	3.0	0.73	1.8	0.45
Leukemias	5	6.8	1.34	4.1	0.85	5	4.0	0.85	2.7	0.60
Other, Ill-defined & Unknown	17	19.2	2.17	12.6	1.46	15	13.1	1.58	8.9	1.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Quebec, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,918	225.0	0.99	143.4	0.63	9,995	163.0	0.75	110.5	0.53
Oral Cavity & Pharynx	242	4.8	0.14	3.3	0.10	114	1.8	0.08	1.3	0.06
Digestive System	3,224	65.8	0.53	42.6	0.34	2,607	41.6	0.37	26.4	0.25
Esophagus	301	5.8	0.15	4.0	0.10	100	1.6	0.07	1.1	0.05
Stomach	335	6.9	0.17	4.4	0.11	217	3.5	0.11	2.2	0.07
Colon & Rectum	1,333	27.8	0.35	17.5	0.22	1,181	18.7	0.25	11.7	0.17
Liver	292	5.8	0.16	4.0	0.11	113	1.8	0.08	1.2	0.05
Pancreas	618	12.3	0.23	8.2	0.15	600	9.6	0.18	6.3	0.12
Respiratory System	3,603	71.9	0.55	46.9	0.35	2,923	47.6	0.40	33.7	0.29
Larynx	118	2.3	0.10	1.5	0.06	26	0.4	0.04	0.3	0.03
Lung & bronchus	3,416	68.1	0.53	44.4	0.34	2,862	46.6	0.40	33.1	0.29
Skin	191	4.0	0.13	2.6	0.09	115	1.9	0.08	1.3	0.06
Melanomas of the skin	137	2.8	0.11	1.9	0.08	84	1.5	0.07	1.0	0.06
Breast	12	0.3	0.03	0.2	0.02	1,347	22.6	0.28	15.9	0.21
Female Genital System	-	-	-	-	-	876	14.7	0.23	10.4	0.17
Cervix uteri	-	-	-	-	-	86	1.7	0.08	1.3	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	266	4.3	0.12	3.0	0.09
Ovary	-	-	-	-	-	434	7.2	0.16	5.2	0.12
Male Genital System	925	21.0	0.31	11.3	0.17	-	-	-	-	-
Prostate	898	20.4	0.31	10.9	0.16	-	-	-	-	-
Testis	10	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	781	16.6	0.27	9.9	0.16	381	6.0	0.14	3.7	0.09
Bladder	414	9.1	0.20	5.2	0.11	173	2.7	0.09	1.6	0.06
Kidney & renal pelvis	290	5.9	0.16	3.8	0.10	169	2.7	0.09	1.7	0.06
Brain & Other CNS[1]	341	6.9	0.17	5.3	0.14	266	4.7	0.13	3.6	0.11
Endocrine System	39	0.8	0.06	0.6	0.04	48	0.8	0.06	0.6	0.04
Thyroid gland	21	0.4	0.04	0.3	0.03	32	0.5	0.04	0.3	0.03
Lymphomas	401	8.4	0.19	5.3	0.12	322	5.2	0.13	3.3	0.09
Hodgkin Lymphoma	14	0.3	0.04	0.2	0.03	13	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	387	8.1	0.19	5.1	0.12	309	5.0	0.13	3.1	0.09
Multiple Myeloma	205	4.3	0.14	2.7	0.08	175	2.8	0.10	1.7	0.06
Leukemias	400	8.4	0.19	5.3	0.12	312	5.1	0.13	3.4	0.10
Other, Ill-defined & Unknown	554	11.8	0.23	7.4	0.15	509	8.1	0.17	5.1	0.12

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Saskatchewan, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,233	204.0	2.64	131.3	1.72	1,089	147.9	2.07	100.3	1.49
Oral Cavity & Pharynx	22	3.5	0.34	2.5	0.24	10	1.3	0.19	0.8	0.13
Digestive System	366	59.5	1.41	39.9	0.95	272	35.7	1.00	23.4	0.70
Esophagus	48	7.8	0.51	5.4	0.36	14	1.9	0.23	1.3	0.17
Stomach	28	4.6	0.39	3.0	0.26	22	2.8	0.28	1.9	0.20
Colon & Rectum	159	26.2	0.94	17.0	0.62	126	16.1	0.67	10.5	0.47
Liver	26	4.0	0.36	2.9	0.26	12	1.6	0.21	1.1	0.15
Pancreas	74	12.0	0.63	8.2	0.43	66	8.8	0.50	5.7	0.34
Respiratory System	296	48.4	1.28	32.1	0.85	289	40.6	1.09	27.7	0.77
Larynx	7	1.1	0.19	0.7	0.12	-	-	-	-	-
Lung & bronchus	286	46.9	1.26	31.1	0.84	286	40.1	1.08	27.4	0.76
Skin	22	3.6	0.35	2.4	0.23	-	-	-	-	-
Melanomas of the skin	16	2.6	0.30	1.9	0.21	8	1.2	0.20	0.9	0.15
Breast	-	-	-	-	-	161	22.1	0.81	15.4	0.60
Female Genital System	-	-	-	-	-	107	15.0	0.67	10.8	0.51
Cervix uteri	-	-	-	-	-	15	2.2	0.27	1.8	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	29	3.9	0.33	2.8	0.25
Ovary	-	-	-	-	-	54	7.7	0.48	5.4	0.36
Male Genital System	184	31.6	1.05	17.1	0.58	-	-	-	-	-
Prostate	181	31.0	1.04	16.6	0.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	89	14.9	0.72	9.2	0.45	43	5.8	0.41	3.8	0.28
Bladder	46	7.8	0.52	4.5	0.31	18	2.3	0.26	1.4	0.17
Kidney & renal pelvis	38	6.2	0.46	4.1	0.31	23	3.2	0.31	2.2	0.22
Brain & Other CNS[1]	31	5.0	0.41	3.9	0.33	22	3.2	0.31	2.5	0.26
Endocrine System	4	0.7	0.15	0.5	0.10	6	0.9	0.17	0.7	0.14
Thyroid gland	3	0.4	0.12	0.3	0.08	3	0.5	0.11	0.3	0.08
Lymphomas	47	8.0	0.53	5.3	0.36	35	4.7	0.37	2.9	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	4.3	0.39	2.7	0.25	19	2.7	0.28	1.7	0.19
Leukemias	56	9.7	0.58	6.1	0.38	35	4.6	0.36	2.9	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Yukon, 2013-2016, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	36	247.4	23.78	151.4	13.09	28	186.6	18.82	120.8	11.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	87.4	14.06	54.2	7.84	7	40.6	8.54	27.0	5.40
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	30.7	9.07	17.1	4.59	3	15.6	5.27	10.6	3.39
Liver	3	11.7	4.09	8.7	2.84	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	57.7	11.09	36.3	6.36	7	52.7	10.32	32.7	6.19
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	57.7	11.09	36.3	6.36	7	48.0	9.78	30.6	6.00
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	24.7	6.99	15.1	4.12
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	34.9	9.38	19.8	4.82	-	-	-	-	-
Prostate	5	34.9	9.38	19.8	4.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	20.2	6.93	12.3	3.77	4	27.3	7.53	16.4	4.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Section III

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2011 Canadian and World Population Standards

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,674	262.3	1.59	151.0	0.91	4,686	168.8	1.11	101.1	0.70
Oral Cavity & Pharynx	127	5.7	0.23	3.5	0.14	44	1.6	0.11	0.9	0.07
Digestive System	1,515	69.0	0.81	40.9	0.48	1,076	38.6	0.53	22.4	0.32
Esophagus	188	8.4	0.28	5.1	0.17	43	1.6	0.11	0.9	0.07
Stomach	116	5.4	0.23	3.2	0.13	75	2.7	0.14	1.6	0.09
Colon & Rectum	503	23.3	0.47	13.8	0.28	421	15.2	0.33	8.8	0.21
Liver	256	11.3	0.32	6.9	0.19	100	3.6	0.16	2.1	0.10
Pancreas	354	16.0	0.39	9.4	0.23	330	11.7	0.29	6.7	0.17
Respiratory System	1,880	84.7	0.89	49.3	0.51	1,249	44.5	0.57	26.5	0.35
Larynx	56	2.5	0.15	1.5	0.09	12	0.4	0.06	0.3	0.04
Lung & bronchus	1,811	81.6	0.87	47.5	0.50	1,232	43.8	0.56	26.1	0.34
Skin	136	6.5	0.25	3.7	0.15	64	2.4	0.13	1.4	0.09
Melanomas of the skin	95	4.4	0.21	2.6	0.12	48	1.8	0.12	1.1	0.08
Breast	6	0.3	0.05	0.2	0.03	686	25.3	0.44	15.7	0.29
Female Genital System	-	-	-	-	-	490	17.9	0.36	11.1	0.24
Cervix uteri	-	-	-	-	-	99	3.9	0.18	2.8	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	119	4.2	0.17	2.5	0.11
Ovary	-	-	-	-	-	240	8.6	0.25	5.1	0.16
Male Genital System	493	25.2	0.52	12.4	0.25	-	-	-	-	-
Prostate	482	24.6	0.51	12.0	0.25	-	-	-	-	-
Testis	5	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	330	15.8	0.40	8.6	0.21	146	5.1	0.19	2.8	0.11
Bladder	172	8.6	0.30	4.4	0.15	63	2.2	0.12	1.1	0.07
Kidney & renal pelvis	152	7.0	0.26	4.1	0.15	78	2.8	0.14	1.6	0.09
Brain & Other CNS[1]	164	7.3	0.26	4.8	0.17	131	4.8	0.19	3.3	0.14
Endocrine System	19	0.8	0.09	0.6	0.06	21	0.7	0.07	0.5	0.05
Thyroid gland	10	0.5	0.07	0.3	0.04	14	0.5	0.06	0.3	0.04
Lymphomas	177	8.5	0.29	4.8	0.16	142	5.0	0.19	2.8	0.11
Hodgkin Lymphoma	11	0.5	0.07	0.4	0.05	6	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	166	8.0	0.28	4.4	0.16	136	4.7	0.18	2.6	0.11
Multiple Myeloma	114	5.4	0.23	2.9	0.12	95	3.3	0.15	1.8	0.09
Leukemias	208	9.8	0.31	5.6	0.18	157	5.6	0.20	3.4	0.13
Other, Ill-defined & Unknown	503	23.4	0.48	13.7	0.28	385	13.9	0.32	8.5	0.21

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	532	213.3	4.56	118.8	2.36	446	165.3	3.61	96.3	2.07
Oral Cavity & Pharynx	12	3.9	0.55	2.4	0.32	4	1.4	0.33	0.8	0.19
Digestive System	171	64.6	2.43	37.1	1.30	116	43.1	1.85	24.7	1.04
Esophagus	27	10.5	0.99	5.9	0.52	7	2.7	0.46	1.6	0.27
Stomach	19	6.9	0.78	4.1	0.44	10	3.8	0.55	2.2	0.31
Colon & Rectum	50	20.1	1.41	11.1	0.72	44	16.9	1.17	9.6	0.65
Liver	26	8.6	0.81	5.3	0.47	8	3.0	0.48	1.7	0.27
Pancreas	35	13.2	1.10	7.6	0.59	33	12.1	0.97	7.0	0.55
Respiratory System	139	55.5	2.30	30.9	1.20	108	40.9	1.81	23.1	1.01
Larynx	4	1.6	0.41	0.9	0.21	-	-	-	-	-
Lung & bronchus	134	53.6	2.26	29.8	1.18	106	40.3	1.80	22.8	1.00
Skin	12	5.2	0.74	2.8	0.37	-	-	-	-	-
Melanomas of the skin	9	4.3	0.69	2.3	0.34	4	1.4	0.32	0.9	0.21
Breast	-	-	-	-	-	65	23.0	1.32	14.1	0.80
Female Genital System	-	-	-	-	-	41	14.4	1.04	8.8	0.63
Cervix uteri	-	-	-	-	-	6	2.0	0.35	1.4	0.26
Corpus & uterus, NOS[1]	-	-	-	-	-	11	4.0	0.55	2.4	0.33
Ovary	-	-	-	-	-	19	6.9	0.72	4.1	0.42
Male Genital System	43	21.5	1.61	10.3	0.72	-	-	-	-	-
Prostate	42	21.2	1.61	10.0	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	30	13.0	1.17	6.9	0.58	16	6.2	0.71	3.4	0.38
Bladder	14	6.5	0.86	3.2	0.40	7	2.9	0.49	1.5	0.26
Kidney & renal pelvis	15	5.9	0.74	3.4	0.41	8	3.1	0.50	1.7	0.27
Brain & Other CNS[1]	15	4.8	0.60	3.2	0.39	15	5.0	0.60	3.3	0.40
Endocrine System	-	-	-	-	-	2	0.8	0.26	0.4	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	7.3	0.83	4.2	0.45	13	5.2	0.67	2.8	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	4.3	0.69	2.2	0.33	7	2.5	0.44	1.4	0.24
Leukemias	17	7.1	0.83	4.1	0.45	14	5.5	0.67	3.2	0.39
Other, Ill-defined & Unknown	63	25.4	1.59	14.1	0.82	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,311	195.4	1.11	110.8	0.64	5,382	142.9	0.88	83.7	0.54
Oral Cavity & Pharynx	124	3.8	0.16	2.3	0.09	49	1.3	0.08	0.7	0.05
Digestive System	1,848	57.2	0.60	33.7	0.36	1,292	34.1	0.43	19.4	0.26
Esophagus	257	7.9	0.22	4.6	0.13	61	1.6	0.09	0.9	0.06
Stomach	123	3.8	0.16	2.3	0.10	86	2.4	0.12	1.4	0.08
Colon & Rectum	573	18.0	0.34	10.5	0.20	470	12.5	0.26	7.0	0.16
Liver	316	9.8	0.25	6.0	0.15	130	3.4	0.14	2.0	0.08
Pancreas	455	13.9	0.29	8.1	0.17	402	10.4	0.24	5.8	0.14
Respiratory System	1,558	47.3	0.54	26.8	0.31	1,309	34.0	0.42	19.3	0.25
Larynx	52	1.6	0.10	0.9	0.06	13	0.3	0.04	0.2	0.03
Lung & bronchus	1,491	45.2	0.53	25.6	0.30	1,287	33.4	0.42	19.0	0.25
Skin	226	7.1	0.21	4.0	0.12	96	2.6	0.12	1.5	0.08
Melanomas of the skin	140	4.4	0.17	2.5	0.10	70	1.9	0.10	1.2	0.07
Breast	8	0.2	0.04	0.1	0.02	827	22.7	0.36	14.0	0.23
Female Genital System	-	-	-	-	-	598	16.3	0.30	10.2	0.20
Cervix uteri	-	-	-	-	-	83	2.5	0.12	1.8	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	176	4.7	0.16	2.9	0.10
Ovary	-	-	-	-	-	306	8.2	0.21	5.0	0.14
Male Genital System	662	21.0	0.37	10.4	0.18	-	-	-	-	-
Prostate	640	20.4	0.36	9.8	0.18	-	-	-	-	-
Testis	12	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	468	14.7	0.31	7.9	0.17	188	4.9	0.16	2.7	0.09
Bladder	258	8.2	0.23	4.1	0.12	85	2.2	0.11	1.1	0.06
Kidney & renal pelvis	204	6.3	0.20	3.7	0.12	98	2.6	0.12	1.5	0.07
Brain & Other CNS[1]	193	6.0	0.19	3.9	0.13	149	4.1	0.15	2.7	0.11
Endocrine System	33	1.0	0.08	0.6	0.05	29	0.8	0.07	0.5	0.05
Thyroid gland	20	0.6	0.06	0.4	0.04	17	0.5	0.05	0.3	0.03
Lymphomas	245	7.6	0.22	4.2	0.12	184	4.8	0.16	2.6	0.09
Hodgkin Lymphoma	15	0.5	0.05	0.3	0.03	10	0.3	0.04	0.1	0.02
Non-Hodgkin Lymphoma	230	7.2	0.21	3.9	0.12	174	4.5	0.15	2.4	0.09
Multiple Myeloma	139	4.3	0.16	2.3	0.09	100	2.6	0.12	1.4	0.07
Leukemias	290	9.0	0.24	5.2	0.14	198	5.3	0.17	3.2	0.11
Other, Ill-defined & Unknown	519	16.1	0.32	9.3	0.19	363	9.6	0.23	5.6	0.14

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,636	265.7	2.00	153.0	1.16	2,981	177.2	1.47	106.1	0.93
Oral Cavity & Pharynx	85	6.2	0.30	3.7	0.18	30	1.8	0.15	1.1	0.10
Digestive System	928	67.4	1.00	40.1	0.60	656	38.8	0.68	22.5	0.42
Esophagus	126	9.1	0.36	5.5	0.22	27	1.6	0.14	1.0	0.09
Stomach	60	4.4	0.26	2.6	0.15	41	2.5	0.17	1.5	0.11
Colon & Rectum	320	23.5	0.59	13.9	0.35	270	16.0	0.44	9.4	0.28
Liver	149	10.7	0.39	6.4	0.24	62	3.7	0.21	2.2	0.13
Pancreas	209	15.1	0.47	8.9	0.28	194	11.3	0.36	6.3	0.21
Respiratory System	1,239	88.4	1.14	51.7	0.66	876	51.5	0.79	30.7	0.48
Larynx	33	2.3	0.18	1.4	0.11	10	0.6	0.08	0.4	0.05
Lung & bronchus	1,200	85.7	1.12	50.0	0.65	861	50.6	0.78	30.2	0.48
Skin	85	6.3	0.31	3.6	0.18	37	2.2	0.16	1.3	0.11
Melanomas of the skin	54	4.0	0.25	2.4	0.15	26	1.6	0.14	1.0	0.10
Breast	7	0.5	0.09	0.3	0.05	406	24.9	0.56	15.4	0.37
Female Genital System	-	-	-	-	-	300	18.4	0.48	11.6	0.32
Cervix uteri	-	-	-	-	-	57	3.9	0.23	2.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	84	5.1	0.25	3.1	0.16
Ovary	-	-	-	-	-	139	8.3	0.32	5.0	0.20
Male Genital System	283	22.2	0.60	10.9	0.29	-	-	-	-	-
Prostate	275	21.6	0.59	10.5	0.29	-	-	-	-	-
Testis	3	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	244	18.3	0.53	9.9	0.29	102	5.9	0.26	3.3	0.15
Bladder	121	9.4	0.39	4.7	0.19	44	2.5	0.17	1.3	0.09
Kidney & renal pelvis	116	8.4	0.35	5.0	0.21	55	3.2	0.20	1.9	0.12
Brain & Other CNS[1]	98	7.1	0.32	4.6	0.21	76	4.6	0.24	3.1	0.17
Endocrine System	15	1.1	0.13	0.7	0.09	13	0.8	0.10	0.5	0.06
Thyroid gland	10	0.7	0.10	0.4	0.06	8	0.5	0.08	0.3	0.05
Lymphomas	117	8.7	0.37	4.9	0.21	89	5.1	0.24	2.9	0.15
Hodgkin Lymphoma	7	0.5	0.09	0.3	0.06	4	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	110	8.2	0.36	4.5	0.20	84	4.8	0.24	2.7	0.14
Multiple Myeloma	68	5.0	0.27	2.7	0.15	52	3.0	0.19	1.7	0.11
Leukemias	150	11.2	0.42	6.3	0.24	100	5.8	0.26	3.4	0.17
Other, Ill-defined & Unknown	316	23.3	0.59	13.6	0.35	244	14.4	0.42	8.6	0.27

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	30,524	197.3	0.51	110.1	0.29	28,432	146.3	0.39	85.2	0.24
Oral Cavity & Pharynx	734	4.6	0.08	2.7	0.05	302	1.5	0.04	0.9	0.02
Digestive System	9,530	60.5	0.28	35.0	0.16	7,312	37.4	0.20	21.1	0.12
Esophagus	1,036	6.5	0.09	3.8	0.05	279	1.4	0.04	0.8	0.02
Stomach	939	6.0	0.09	3.5	0.05	680	3.5	0.06	2.1	0.04
Colon & Rectum	2,732	17.5	0.15	10.0	0.09	2,538	12.9	0.12	7.2	0.07
Liver	1,824	11.3	0.12	6.8	0.07	747	3.8	0.06	2.2	0.04
Pancreas	2,180	14.0	0.13	7.9	0.08	2,107	10.8	0.11	6.0	0.06
Respiratory System	6,595	42.8	0.24	23.7	0.13	5,876	30.2	0.18	16.9	0.10
Larynx	211	1.3	0.04	0.8	0.02	54	0.3	0.02	0.2	0.01
Lung & bronchus	6,311	41.0	0.23	22.7	0.13	5,774	29.7	0.18	16.6	0.10
Skin	910	5.9	0.09	3.2	0.05	410	2.1	0.05	1.2	0.03
Melanomas of the skin	608	3.9	0.07	2.2	0.04	288	1.5	0.04	0.9	0.02
Breast	41	0.3	0.02	0.1	0.01	4,438	23.2	0.16	14.2	0.10
Female Genital System	-	-	-	-	-	3,420	17.9	0.14	11.1	0.09
Cervix uteri	-	-	-	-	-	486	2.6	0.05	1.9	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	1,119	5.8	0.08	3.5	0.05
Ovary	-	-	-	-	-	1,604	8.4	0.09	5.1	0.06
Male Genital System	3,457	23.6	0.18	11.5	0.09	-	-	-	-	-
Prostate	3,349	23.0	0.18	11.0	0.09	-	-	-	-	-
Testis	67	0.4	0.02	0.3	0.02	-	-	-	-	-
Urinary System	2,152	14.2	0.14	7.5	0.07	947	4.8	0.07	2.5	0.04
Bladder	1,160	7.9	0.10	3.9	0.05	443	2.2	0.05	1.1	0.02
Kidney & renal pelvis	945	6.0	0.09	3.5	0.05	470	2.4	0.05	1.4	0.03
Brain & Other CNS[1]	1,017	6.2	0.09	4.1	0.06	778	4.0	0.07	2.7	0.05
Endocrine System	176	1.1	0.04	0.7	0.02	209	1.1	0.03	0.7	0.02
Thyroid gland	113	0.7	0.03	0.4	0.02	151	0.8	0.03	0.4	0.02
Lymphomas	1,275	8.3	0.11	4.6	0.06	1,001	5.1	0.07	2.8	0.04
Hodgkin Lymphoma	75	0.5	0.02	0.3	0.02	58	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	1,199	7.9	0.10	4.3	0.06	943	4.8	0.07	2.6	0.04
Multiple Myeloma	690	4.5	0.08	2.5	0.04	520	2.7	0.05	1.5	0.03
Leukemias	1,397	9.0	0.11	5.2	0.06	1,029	5.2	0.07	3.1	0.05
Other, Ill-defined & Unknown	2,550	16.4	0.15	9.3	0.08	2,191	11.2	0.11	6.5	0.07

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17,824	206.3	0.70	115.3	0.39	16,205	152.1	0.54	88.7	0.33
Oral Cavity & Pharynx	445	5.0	0.11	3.0	0.06	175	1.6	0.06	0.9	0.03
Digestive System	5,361	60.9	0.37	35.4	0.22	3,976	37.1	0.26	21.0	0.16
Esophagus	650	7.3	0.13	4.3	0.08	161	1.5	0.05	0.8	0.03
Stomach	446	5.1	0.11	3.0	0.06	324	3.1	0.08	1.8	0.05
Colon & Rectum	1,542	17.8	0.20	10.1	0.12	1,424	13.3	0.16	7.4	0.09
Liver	1,023	11.3	0.16	6.9	0.10	403	3.8	0.08	2.2	0.05
Pancreas	1,252	14.3	0.18	8.2	0.10	1,153	10.7	0.14	6.0	0.08
Respiratory System	3,924	45.4	0.33	25.2	0.18	3,556	33.3	0.25	18.7	0.15
Larynx	126	1.4	0.06	0.8	0.03	34	0.3	0.02	0.2	0.01
Lung & bronchus	3,756	43.4	0.32	24.1	0.18	3,494	32.7	0.25	18.4	0.14
Skin	594	6.9	0.13	3.8	0.07	260	2.4	0.07	1.4	0.04
Melanomas of the skin	398	4.6	0.10	2.6	0.06	189	1.8	0.06	1.1	0.04
Breast	22	0.3	0.02	0.1	0.01	2,511	23.9	0.21	14.7	0.14
Female Genital System	-	-	-	-	-	1,888	18.0	0.19	11.1	0.12
Cervix uteri	-	-	-	-	-	278	2.7	0.07	2.0	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	594	5.6	0.10	3.4	0.06
Ovary	-	-	-	-	-	899	8.6	0.13	5.1	0.08
Male Genital System	2,038	25.0	0.25	12.2	0.12	-	-	-	-	-
Prostate	1,969	24.2	0.25	11.6	0.12	-	-	-	-	-
Testis	44	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	1,306	15.5	0.19	8.2	0.10	565	5.2	0.10	2.8	0.06
Bladder	715	8.8	0.15	4.3	0.07	260	2.4	0.07	1.2	0.03
Kidney & renal pelvis	565	6.4	0.12	3.7	0.07	286	2.7	0.07	1.5	0.04
Brain & Other CNS[1]	590	6.4	0.12	4.2	0.08	447	4.2	0.09	2.8	0.06
Endocrine System	100	1.1	0.05	0.7	0.03	115	1.1	0.04	0.7	0.03
Thyroid gland	65	0.7	0.04	0.4	0.02	82	0.8	0.04	0.4	0.02
Lymphomas	726	8.5	0.14	4.7	0.08	553	5.1	0.10	2.8	0.06
Hodgkin Lymphoma	48	0.5	0.04	0.3	0.02	34	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	677	8.0	0.14	4.3	0.08	519	4.8	0.10	2.6	0.05
Multiple Myeloma	395	4.6	0.10	2.5	0.06	288	2.7	0.07	1.5	0.04
Leukemias	801	9.3	0.15	5.3	0.09	586	5.4	0.10	3.2	0.06
Other, Ill-defined & Unknown	1,523	17.5	0.20	10.0	0.12	1,286	12.0	0.15	6.9	0.09

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,406	178.6	1.09	98.6	0.61	5,143	133.9	0.84	76.9	0.51
Oral Cavity & Pharynx	123	4.0	0.16	2.3	0.09	52	1.3	0.08	0.8	0.05
Digestive System	1,735	56.2	0.61	32.1	0.35	1,352	34.9	0.43	19.4	0.25
Esophagus	179	5.8	0.19	3.4	0.11	59	1.5	0.09	0.8	0.05
Stomach	177	5.8	0.20	3.3	0.11	129	3.3	0.13	1.9	0.08
Colon & Rectum	467	15.2	0.32	8.6	0.18	444	11.3	0.24	6.3	0.14
Liver	346	10.9	0.26	6.5	0.16	122	3.2	0.13	1.8	0.08
Pancreas	398	13.0	0.29	7.3	0.17	401	10.4	0.23	5.7	0.13
Respiratory System	1,154	38.3	0.51	21.0	0.28	1,056	27.6	0.38	15.3	0.22
Larynx	33	1.1	0.08	0.6	0.05	8	0.2	0.03	0.1	0.02
Lung & bronchus	1,107	36.8	0.50	20.1	0.27	1,039	27.2	0.38	15.0	0.22
Skin	151	5.0	0.18	2.7	0.10	69	1.7	0.09	1.0	0.06
Melanomas of the skin	104	3.4	0.15	1.9	0.08	47	1.2	0.08	0.7	0.05
Breast	7	0.2	0.04	0.1	0.02	779	20.7	0.33	12.6	0.21
Female Genital System	-	-	-	-	-	613	16.3	0.30	9.9	0.19
Cervix uteri	-	-	-	-	-	62	1.7	0.10	1.2	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	217	5.7	0.18	3.4	0.11
Ovary	-	-	-	-	-	292	7.8	0.21	4.7	0.13
Male Genital System	578	20.1	0.38	9.6	0.18	-	-	-	-	-
Prostate	565	19.7	0.37	9.3	0.18	-	-	-	-	-
Testis	9	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	368	12.4	0.29	6.4	0.15	161	4.0	0.14	2.1	0.08
Bladder	196	6.8	0.22	3.3	0.11	75	1.8	0.10	0.9	0.05
Kidney & renal pelvis	159	5.2	0.19	3.0	0.11	78	2.0	0.10	1.1	0.06
Brain & Other CNS[1]	188	5.9	0.19	3.8	0.13	141	3.8	0.14	2.5	0.10
Endocrine System	27	0.9	0.07	0.5	0.05	40	1.1	0.07	0.6	0.05
Thyroid gland	17	0.5	0.06	0.3	0.03	30	0.8	0.06	0.4	0.04
Lymphomas	237	7.9	0.23	4.3	0.13	182	4.6	0.15	2.4	0.09
Hodgkin Lymphoma	10	0.3	0.04	0.2	0.03	9	0.2	0.04	0.1	0.02
Non-Hodgkin Lymphoma	227	7.6	0.23	4.1	0.12	173	4.3	0.15	2.3	0.08
Multiple Myeloma	126	4.3	0.17	2.3	0.09	99	2.6	0.12	1.4	0.07
Leukemias	253	8.5	0.24	4.8	0.14	178	4.6	0.16	2.7	0.10
Other, Ill-defined & Unknown	459	15.1	0.32	8.6	0.18	422	10.8	0.24	6.2	0.15

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,293	192.0	1.01	107.5	0.57	7,084	143.0	0.76	83.9	0.47
Oral Cavity & Pharynx	165	4.2	0.15	2.5	0.09	75	1.5	0.08	0.9	0.05
Digestive System	2,435	63.0	0.58	36.4	0.33	1,985	39.9	0.40	22.7	0.24
Esophagus	207	5.3	0.17	3.1	0.10	60	1.2	0.07	0.7	0.04
Stomach	317	8.1	0.21	4.8	0.12	227	4.6	0.14	2.7	0.09
Colon & Rectum	722	18.7	0.31	10.7	0.18	669	13.3	0.23	7.5	0.14
Liver	455	11.5	0.24	6.9	0.15	222	4.5	0.14	2.6	0.08
Pancreas	530	13.9	0.27	7.9	0.15	553	11.1	0.21	6.2	0.12
Respiratory System	1,517	40.4	0.47	22.3	0.26	1,264	25.6	0.32	14.4	0.19
Larynx	53	1.4	0.09	0.8	0.05	12	0.2	0.03	0.1	0.02
Lung & bronchus	1,448	38.6	0.46	21.3	0.25	1,241	25.2	0.32	14.1	0.19
Skin	165	4.3	0.15	2.4	0.09	81	1.6	0.08	0.9	0.05
Melanomas of the skin	105	2.7	0.12	1.6	0.07	52	1.0	0.06	0.6	0.04
Breast	12	0.3	0.04	0.2	0.02	1,147	23.4	0.31	14.4	0.20
Female Genital System	-	-	-	-	-	919	18.9	0.28	11.7	0.18
Cervix uteri	-	-	-	-	-	147	3.0	0.11	2.1	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	308	6.3	0.16	3.9	0.10
Ovary	-	-	-	-	-	412	8.5	0.19	5.2	0.12
Male Genital System	841	23.4	0.36	11.5	0.18	-	-	-	-	-
Prostate	815	22.8	0.36	11.0	0.18	-	-	-	-	-
Testis	14	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	479	12.8	0.26	6.9	0.14	221	4.4	0.13	2.4	0.08
Bladder	249	6.9	0.20	3.4	0.10	108	2.1	0.09	1.1	0.05
Kidney & renal pelvis	220	5.7	0.17	3.3	0.10	106	2.1	0.09	1.2	0.06
Brain & Other CNS[1]	239	5.9	0.17	3.8	0.11	190	3.8	0.13	2.5	0.09
Endocrine System	49	1.3	0.08	0.8	0.05	54	1.1	0.07	0.7	0.04
Thyroid gland	31	0.8	0.07	0.5	0.04	39	0.8	0.06	0.5	0.03
Lymphomas	312	8.3	0.21	4.6	0.12	266	5.3	0.15	3.0	0.09
Hodgkin Lymphoma	17	0.4	0.05	0.3	0.03	15	0.3	0.04	0.2	0.02
Non-Hodgkin Lymphoma	295	7.8	0.21	4.3	0.11	251	5.0	0.14	2.8	0.08
Multiple Myeloma	169	4.5	0.16	2.5	0.09	133	2.7	0.10	1.5	0.06
Leukemias	343	8.9	0.22	5.2	0.13	264	5.2	0.14	3.2	0.10
Other, Ill-defined & Unknown	568	14.8	0.28	8.5	0.16	484	9.7	0.20	5.7	0.12

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,000	189.0	1.37	103.8	0.74	3,625	139.1	1.04	80.0	0.62
Oral Cavity & Pharynx	82	3.6	0.18	2.1	0.11	35	1.3	0.10	0.8	0.06
Digestive System	1,179	53.2	0.71	30.7	0.40	831	31.9	0.50	18.0	0.29
Esophagus	191	8.5	0.28	5.0	0.16	35	1.3	0.10	0.8	0.06
Stomach	88	4.0	0.20	2.3	0.11	51	1.9	0.12	1.2	0.08
Colon & Rectum	349	16.3	0.40	9.2	0.22	320	12.3	0.31	6.9	0.18
Liver	176	7.4	0.25	4.5	0.15	61	2.3	0.13	1.3	0.08
Pancreas	283	12.8	0.35	7.3	0.20	245	9.4	0.27	5.3	0.16
Respiratory System	817	38.1	0.61	21.1	0.33	788	30.4	0.49	17.1	0.28
Larynx	28	1.2	0.11	0.7	0.06	7	0.3	0.05	0.2	0.03
Lung & bronchus	779	36.4	0.60	20.1	0.32	776	29.9	0.48	16.8	0.28
Skin	149	7.1	0.27	3.9	0.14	78	3.0	0.15	1.7	0.09
Melanomas of the skin	103	4.8	0.22	2.7	0.12	60	2.3	0.13	1.4	0.09
Breast	7	0.3	0.05	0.2	0.03	582	22.3	0.42	13.3	0.26
Female Genital System	-	-	-	-	-	415	15.9	0.35	9.7	0.22
Cervix uteri	-	-	-	-	-	50	1.9	0.12	1.4	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	124	4.7	0.19	2.8	0.12
Ovary	-	-	-	-	-	209	8.1	0.25	4.8	0.15
Male Genital System	480	25.5	0.53	12.0	0.25	-	-	-	-	-
Prostate	470	25.0	0.53	11.7	0.24	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	277	13.5	0.37	7.1	0.19	132	5.1	0.20	2.7	0.11
Bladder	156	7.8	0.29	3.9	0.14	61	2.4	0.14	1.2	0.07
Kidney & renal pelvis	114	5.3	0.23	2.9	0.12	68	2.6	0.14	1.4	0.08
Brain & Other CNS[1]	138	5.8	0.23	3.8	0.15	118	4.5	0.19	3.0	0.13
Endocrine System	24	1.1	0.10	0.7	0.06	24	0.9	0.08	0.6	0.06
Thyroid gland	15	0.7	0.09	0.4	0.05	17	0.6	0.07	0.4	0.04
Lymphomas	159	7.7	0.28	4.2	0.15	109	4.2	0.18	2.2	0.10
Hodgkin Lymphoma	9	0.4	0.06	0.2	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	150	7.4	0.27	3.9	0.15	102	3.9	0.17	2.0	0.09
Multiple Myeloma	100	4.8	0.22	2.6	0.12	71	2.8	0.15	1.5	0.08
Leukemias	194	9.5	0.31	5.1	0.17	124	4.8	0.19	2.7	0.12
Other, Ill-defined & Unknown	395	18.7	0.43	10.4	0.24	317	12.1	0.31	6.8	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,359	200.2	1.55	111.3	0.88	3,283	147.2	1.17	84.9	0.72
Oral Cavity & Pharynx	62	3.6	0.20	2.1	0.12	25	1.1	0.10	0.6	0.06
Digestive System	948	55.8	0.81	32.0	0.48	753	33.2	0.55	18.7	0.33
Esophagus	141	8.2	0.31	4.8	0.18	39	1.7	0.13	1.0	0.07
Stomach	86	5.1	0.25	3.0	0.15	58	2.6	0.16	1.5	0.10
Colon & Rectum	257	15.4	0.43	8.6	0.25	257	11.0	0.32	6.1	0.19
Liver	129	7.3	0.29	4.4	0.18	39	1.7	0.13	1.0	0.08
Pancreas	246	14.5	0.42	8.2	0.24	252	11.1	0.32	6.2	0.19
Respiratory System	824	48.8	0.76	27.5	0.43	816	37.0	0.59	21.1	0.35
Larynx	29	1.7	0.14	1.0	0.08	8	0.4	0.06	0.2	0.04
Lung & bronchus	789	46.7	0.75	26.3	0.42	804	36.4	0.58	20.8	0.35
Skin	83	4.9	0.24	2.8	0.14	44	1.9	0.13	1.1	0.08
Melanomas of the skin	60	3.6	0.21	2.0	0.12	34	1.5	0.12	0.9	0.08
Breast	4	0.3	0.06	0.2	0.03	451	21.0	0.45	12.9	0.30
Female Genital System	-	-	-	-	-	347	16.0	0.39	9.6	0.25
Cervix uteri	-	-	-	-	-	31	1.6	0.13	1.1	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	112	5.2	0.22	3.1	0.13
Ovary	-	-	-	-	-	168	7.7	0.27	4.6	0.17
Male Genital System	346	21.3	0.51	10.2	0.25	-	-	-	-	-
Prostate	338	20.8	0.51	9.8	0.25	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	247	14.9	0.43	7.8	0.23	120	5.1	0.21	2.7	0.12
Bladder	156	9.5	0.34	4.7	0.17	68	2.8	0.15	1.4	0.08
Kidney & renal pelvis	86	5.1	0.25	3.0	0.15	47	2.1	0.14	1.2	0.08
Brain & Other CNS[1]	108	6.3	0.27	4.2	0.19	81	3.9	0.20	2.6	0.15
Endocrine System	15	0.9	0.10	0.6	0.07	16	0.7	0.08	0.5	0.06
Thyroid gland	10	0.6	0.09	0.4	0.05	11	0.5	0.07	0.3	0.04
Lymphomas	141	8.5	0.32	4.6	0.18	115	4.9	0.21	2.5	0.12
Hodgkin Lymphoma	7	0.4	0.07	0.3	0.05	3	0.1	0.04	0.1	0.02
Non-Hodgkin Lymphoma	133	8.1	0.31	4.3	0.17	112	4.7	0.20	2.5	0.12
Multiple Myeloma	72	4.3	0.23	2.3	0.12	66	2.9	0.16	1.6	0.09
Leukemias	150	9.0	0.33	5.1	0.20	123	5.4	0.22	3.1	0.14
Other, Ill-defined & Unknown	360	21.6	0.51	12.0	0.30	325	14.2	0.36	8.0	0.22

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,064	234.9	3.27	132.3	1.85	955	169.0	2.47	98.8	1.52
Oral Cavity & Pharynx	22	4.7	0.45	3.0	0.29	9	1.6	0.25	1.0	0.16
Digestive System	304	66.9	1.74	38.4	1.00	213	37.4	1.16	21.2	0.69
Esophagus	40	8.7	0.62	5.1	0.37	9	1.6	0.24	0.9	0.15
Stomach	22	4.9	0.47	2.7	0.26	15	2.7	0.31	1.5	0.19
Colon & Rectum	88	20.0	0.97	11.3	0.55	71	12.6	0.68	7.1	0.41
Liver	49	10.6	0.68	6.4	0.41	18	3.2	0.34	1.8	0.20
Pancreas	78	16.9	0.87	9.5	0.49	70	12.2	0.65	6.8	0.38
Respiratory System	315	68.0	1.74	38.9	1.00	258	45.1	1.27	26.5	0.77
Larynx	11	2.4	0.32	1.5	0.20	3	0.6	0.15	0.4	0.09
Lung & bronchus	299	64.7	1.69	37.0	0.97	254	44.4	1.26	26.1	0.76
Skin	38	8.6	0.63	4.7	0.35	17	3.0	0.33	1.7	0.21
Melanomas of the skin	22	4.8	0.47	2.8	0.27	10	1.9	0.27	1.2	0.19
Breast	-	-	-	-	-	140	25.6	0.98	15.5	0.63
Female Genital System	-	-	-	-	-	111	19.7	0.85	12.1	0.54
Cervix uteri	-	-	-	-	-	16	3.0	0.34	2.0	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	41	7.2	0.51	4.3	0.31
Ovary	-	-	-	-	-	46	8.2	0.55	4.9	0.34
Male Genital System	86	19.9	0.97	9.9	0.49	-	-	-	-	-
Prostate	84	19.3	0.96	9.5	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	76	17.3	0.90	9.0	0.47	36	6.1	0.46	3.2	0.26
Bladder	44	10.2	0.70	5.1	0.35	16	2.7	0.31	1.3	0.16
Kidney & renal pelvis	30	6.5	0.55	3.7	0.31	18	3.1	0.33	1.7	0.20
Brain & Other CNS[1]	27	5.9	0.51	4.0	0.36	23	4.3	0.40	2.9	0.29
Endocrine System	4	0.8	0.19	0.5	0.12	6	1.1	0.20	0.7	0.15
Thyroid gland	-	-	-	-	-	3	0.5	0.14	0.3	0.07
Lymphomas	47	10.5	0.70	5.9	0.40	30	5.3	0.43	2.9	0.25
Hodgkin Lymphoma	3	0.6	0.17	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	44	9.9	0.68	5.4	0.38	-	-	-	-	-
Multiple Myeloma	24	5.2	0.48	3.0	0.27	22	3.8	0.37	2.1	0.21
Leukemias	47	10.7	0.70	5.9	0.39	29	5.2	0.43	2.9	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	61	10.8	0.62	6.1	0.38

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	509	221.6	4.45	128.3	2.57	563	179.9	3.44	107.3	2.13
Oral Cavity & Pharynx	12	5.1	0.66	3.0	0.40	5	1.7	0.34	1.1	0.22
Digestive System	174	74.0	2.54	44.6	1.52	153	48.6	1.78	28.4	1.08
Esophagus	14	6.3	0.74	3.6	0.43	9	2.9	0.43	1.6	0.25
Stomach	17	7.6	0.83	4.4	0.48	14	4.3	0.53	2.5	0.32
Colon & Rectum	51	21.6	1.38	13.0	0.82	51	15.8	1.01	9.3	0.62
Liver	35	14.1	1.08	9.0	0.68	15	4.8	0.56	2.8	0.34
Pancreas	41	17.7	1.25	10.6	0.74	43	13.9	0.95	8.1	0.57
Respiratory System	119	51.3	2.13	30.3	1.25	111	35.8	1.54	20.8	0.92
Larynx	6	2.6	0.47	1.5	0.28	2	0.8	0.23	0.5	0.13
Lung & bronchus	111	48.3	2.07	28.5	1.22	108	34.8	1.52	20.2	0.91
Skin	6	2.8	0.51	1.5	0.28	-	-	-	-	-
Melanomas of the skin	3	1.5	0.37	0.8	0.20	2	0.6	0.20	0.4	0.12
Breast	-	-	-	-	-	99	31.9	1.45	19.6	0.93
Female Genital System	-	-	-	-	-	77	25.3	1.30	16.0	0.84
Cervix uteri	-	-	-	-	-	10	3.1	0.45	2.2	0.32
Corpus & uterus, NOS[1]	-	-	-	-	-	35	11.4	0.87	7.1	0.55
Ovary	-	-	-	-	-	27	8.8	0.77	5.6	0.50
Male Genital System	70	33.4	1.80	16.5	0.90	-	-	-	-	-
Prostate	69	32.8	1.78	16.1	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	26	11.4	1.02	6.3	0.56	19	5.6	0.59	2.9	0.32
Bladder	15	6.8	0.80	3.4	0.40	11	3.4	0.46	1.7	0.25
Kidney & renal pelvis	11	4.5	0.62	2.8	0.38	7	2.1	0.36	1.0	0.19
Brain & Other CNS[1]	10	3.7	0.54	2.5	0.37	6	1.8	0.34	1.3	0.26
Endocrine System	2	0.9	0.27	0.5	0.17	3	1.0	0.26	0.6	0.15
Thyroid gland	-	-	-	-	-	3	0.8	0.24	0.5	0.14
Lymphomas	16	7.0	0.79	4.3	0.49	14	4.3	0.53	2.7	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	6.2	0.77	3.4	0.42	11	3.4	0.47	1.9	0.27
Leukemias	17	7.7	0.84	4.5	0.49	14	4.2	0.51	2.5	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	23,730	212.8	0.62	122.2	0.37	20,143	150.6	0.49	89.0	0.31
Oral Cavity & Pharynx	565	5.2	0.10	3.2	0.06	215	1.6	0.05	1.0	0.03
Digestive System	6,508	59.0	0.33	34.7	0.20	4,671	34.3	0.23	19.6	0.14
Esophagus	858	7.7	0.12	4.6	0.07	227	1.7	0.05	1.0	0.03
Stomach	460	4.2	0.09	2.5	0.06	310	2.3	0.06	1.4	0.04
Colon & Rectum	2,041	18.7	0.19	10.9	0.11	1,749	12.9	0.14	7.4	0.09
Liver	1,053	9.7	0.14	5.9	0.08	406	3.0	0.07	1.7	0.04
Pancreas	1,626	14.5	0.16	8.4	0.10	1,471	10.6	0.13	5.9	0.07
Respiratory System	6,732	59.8	0.33	34.5	0.20	5,316	39.0	0.24	22.7	0.15
Larynx	282	2.6	0.07	1.5	0.04	52	0.4	0.03	0.2	0.02
Lung & bronchus	6,405	56.8	0.32	32.8	0.19	5,240	38.4	0.24	22.3	0.15
Skin	741	6.7	0.11	3.8	0.07	302	2.3	0.06	1.4	0.04
Melanomas of the skin	492	4.5	0.09	2.6	0.06	224	1.7	0.05	1.1	0.04
Breast	34	0.3	0.02	0.2	0.01	2,880	22.7	0.19	14.1	0.13
Female Genital System	-	-	-	-	-	2,165	16.9	0.17	10.6	0.11
Cervix uteri	-	-	-	-	-	332	3.0	0.08	2.2	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	705	5.4	0.09	3.2	0.06
Ovary	-	-	-	-	-	995	7.6	0.11	4.6	0.07
Male Genital System	2,280	20.0	0.19	10.0	0.10	-	-	-	-	-
Prostate	2,225	19.5	0.19	9.6	0.09	-	-	-	-	-
Testis	29	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,666	14.8	0.16	7.9	0.09	687	4.8	0.08	2.6	0.05
Bladder	966	8.5	0.12	4.3	0.06	355	2.4	0.06	1.3	0.03
Kidney & renal pelvis	661	5.9	0.10	3.5	0.06	312	2.3	0.06	1.3	0.04
Brain & Other CNS[1]	631	5.9	0.11	4.0	0.08	496	3.9	0.08	2.6	0.06
Endocrine System	92	0.8	0.04	0.5	0.03	99	0.8	0.03	0.5	0.03
Thyroid gland	60	0.5	0.03	0.3	0.02	71	0.5	0.03	0.3	0.02
Lymphomas	909	8.2	0.12	4.7	0.07	695	5.0	0.09	2.8	0.05
Hodgkin Lymphoma	42	0.4	0.03	0.3	0.02	33	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	867	7.8	0.12	4.4	0.07	662	4.7	0.08	2.6	0.05
Multiple Myeloma	480	4.3	0.09	2.4	0.05	382	2.7	0.06	1.5	0.04
Leukemias	1,076	9.6	0.13	5.6	0.08	722	5.3	0.09	3.1	0.06
Other, Ill-defined & Unknown	2,015	18.2	0.18	10.6	0.11	1,514	11.2	0.13	6.6	0.09

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9,001	238.2	1.16	135.4	0.64	7,872	159.9	0.81	94.5	0.49
Oral Cavity & Pharynx	205	5.0	0.16	3.1	0.10	92	1.9	0.09	1.1	0.05
Digestive System	2,521	64.4	0.59	37.8	0.34	1,812	37.0	0.39	21.3	0.23
Esophagus	313	7.8	0.20	4.7	0.12	78	1.6	0.08	0.9	0.05
Stomach	199	5.1	0.17	3.0	0.10	128	2.6	0.10	1.5	0.06
Colon & Rectum	856	22.5	0.36	13.0	0.20	701	14.4	0.24	8.2	0.14
Liver	404	9.8	0.22	6.0	0.13	164	3.3	0.12	1.9	0.07
Pancreas	572	14.7	0.28	8.5	0.16	540	11.0	0.21	6.3	0.12
Respiratory System	2,712	70.1	0.62	40.2	0.35	1,913	38.7	0.40	22.5	0.23
Larynx	88	2.2	0.11	1.3	0.06	20	0.4	0.04	0.2	0.02
Lung & bronchus	2,607	67.5	0.61	38.7	0.34	1,883	38.1	0.39	22.2	0.23
Skin	233	6.3	0.19	3.6	0.11	100	2.0	0.09	1.2	0.06
Melanomas of the skin	160	4.2	0.15	2.5	0.09	77	1.6	0.08	1.0	0.05
Breast	15	0.4	0.05	0.2	0.03	1,276	25.9	0.33	16.0	0.21
Female Genital System	-	-	-	-	-	882	17.8	0.27	11.0	0.17
Cervix uteri	-	-	-	-	-	130	2.6	0.10	1.9	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	297	6.0	0.16	3.6	0.10
Ovary	-	-	-	-	-	399	8.1	0.18	4.8	0.11
Male Genital System	857	26.1	0.41	12.8	0.20	-	-	-	-	-
Prostate	838	25.6	0.41	12.5	0.19	-	-	-	-	-
Testis	10	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	583	16.5	0.32	8.8	0.16	279	5.7	0.15	3.1	0.09
Bladder	317	9.5	0.25	4.7	0.12	133	2.7	0.11	1.4	0.06
Kidney & renal pelvis	252	6.6	0.19	3.8	0.11	136	2.8	0.11	1.6	0.06
Brain & Other CNS[1]	254	6.1	0.17	4.0	0.12	201	4.0	0.13	2.7	0.09
Endocrine System	36	0.9	0.07	0.6	0.04	39	0.8	0.06	0.5	0.04
Thyroid gland	20	0.5	0.06	0.3	0.03	24	0.5	0.04	0.3	0.03
Lymphomas	308	8.3	0.22	4.7	0.12	236	4.9	0.14	2.7	0.08
Hodgkin Lymphoma	18	0.4	0.05	0.3	0.03	10	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	291	7.9	0.21	4.5	0.12	225	4.6	0.14	2.5	0.08
Multiple Myeloma	200	5.5	0.18	3.0	0.09	175	3.6	0.12	2.0	0.07
Leukemias	338	9.1	0.23	5.3	0.13	265	5.4	0.15	3.2	0.09
Other, Ill-defined & Unknown	739	19.4	0.33	11.3	0.19	604	12.3	0.22	7.3	0.14

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,325	188.3	2.33	107.8	1.38	1,104	130.8	1.81	78.0	1.16
Oral Cavity & Pharynx	34	4.8	0.37	2.9	0.23	18	2.2	0.24	1.3	0.15
Digestive System	440	62.6	1.35	36.5	0.81	317	36.6	0.95	21.1	0.59
Esophagus	39	5.5	0.40	3.3	0.25	13	1.5	0.19	0.9	0.12
Stomach	46	6.6	0.44	3.5	0.24	34	3.8	0.30	2.2	0.19
Colon & Rectum	124	17.8	0.72	10.5	0.44	103	12.1	0.55	7.1	0.35
Liver	83	11.8	0.58	7.2	0.36	31	3.5	0.29	2.0	0.18
Pancreas	104	14.7	0.65	8.4	0.38	100	11.5	0.53	6.5	0.32
Respiratory System	339	47.9	1.18	27.4	0.68	240	28.1	0.83	16.1	0.50
Larynx	11	1.4	0.20	0.8	0.12	-	-	-	-	-
Lung & bronchus	323	45.8	1.15	26.1	0.67	236	27.6	0.82	15.8	0.49
Skin	30	4.2	0.35	2.4	0.21	12	1.4	0.19	0.9	0.13
Melanomas of the skin	19	2.7	0.28	1.6	0.17	8	1.0	0.16	0.6	0.11
Breast	-	-	-	-	-	154	19.2	0.71	12.0	0.47
Female Genital System	-	-	-	-	-	109	13.9	0.61	8.9	0.41
Cervix uteri	-	-	-	-	-	14	2.0	0.24	1.5	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	41	5.3	0.38	3.4	0.25
Ovary	-	-	-	-	-	45	5.6	0.38	3.5	0.25
Male Genital System	118	16.7	0.69	8.3	0.36	-	-	-	-	-
Prostate	116	16.3	0.68	8.0	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	76	10.9	0.56	5.8	0.31	32	3.6	0.29	2.0	0.18
Bladder	41	5.9	0.41	3.0	0.21	15	1.6	0.19	0.8	0.11
Kidney & renal pelvis	33	4.7	0.37	2.7	0.22	16	1.8	0.21	1.0	0.13
Brain & Other CNS[1]	28	4.0	0.34	2.8	0.25	23	2.9	0.27	1.9	0.20
Endocrine System	8	1.1	0.18	0.7	0.12	10	1.3	0.19	0.9	0.14
Thyroid gland	5	0.7	0.15	0.4	0.08	7	0.8	0.15	0.5	0.09
Lymphomas	48	6.9	0.45	4.0	0.27	37	4.1	0.31	2.3	0.19
Hodgkin Lymphoma	3	0.4	0.11	0.2	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	46	6.6	0.44	3.8	0.26	-	-	-	-	-
Multiple Myeloma	27	3.9	0.34	2.2	0.20	18	2.1	0.23	1.2	0.13
Leukemias	48	7.0	0.45	4.0	0.27	35	4.0	0.31	2.6	0.23
Other, Ill-defined & Unknown	-	-	-	-	-	98	11.5	0.53	6.8	0.35

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,541	213.1	2.47	117.8	1.37	1,310	156.9	1.95	90.7	1.18
Oral Cavity & Pharynx	29	4.0	0.33	2.3	0.20	14	1.6	0.20	0.9	0.12
Digestive System	436	59.1	1.28	34.1	0.74	301	36.0	0.93	20.4	0.55
Esophagus	69	9.3	0.51	5.4	0.30	17	2.0	0.22	1.1	0.13
Stomach	26	3.6	0.32	2.0	0.18	16	1.9	0.22	1.1	0.13
Colon & Rectum	130	18.0	0.72	10.2	0.41	108	13.0	0.57	7.4	0.34
Liver	58	7.5	0.44	4.5	0.27	19	2.3	0.24	1.4	0.14
Pancreas	117	15.6	0.66	9.0	0.38	99	11.6	0.53	6.6	0.31
Respiratory System	353	47.7	1.15	26.5	0.64	291	34.6	0.91	19.8	0.54
Larynx	10	1.4	0.20	0.8	0.11	2	0.3	0.08	0.2	0.04
Lung & bronchus	337	45.6	1.13	25.3	0.62	287	34.1	0.91	19.5	0.53
Skin	57	8.0	0.48	4.5	0.27	26	3.2	0.28	1.8	0.17
Melanomas of the skin	38	5.2	0.38	3.1	0.23	21	2.6	0.25	1.5	0.16
Breast	2	0.3	0.09	0.2	0.05	208	25.3	0.79	15.3	0.50
Female Genital System	-	-	-	-	-	152	18.2	0.67	11.0	0.42
Cervix uteri	-	-	-	-	-	16	2.1	0.23	1.4	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	50	5.9	0.38	3.5	0.23
Ovary	-	-	-	-	-	77	9.1	0.47	5.4	0.28
Male Genital System	180	27.0	0.91	12.7	0.43	-	-	-	-	-
Prostate	178	26.6	0.91	12.5	0.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	112	16.0	0.69	8.3	0.36	50	5.8	0.37	3.1	0.21
Bladder	62	9.1	0.53	4.4	0.25	20	2.4	0.24	1.2	0.13
Kidney & renal pelvis	47	6.4	0.42	3.6	0.24	26	3.1	0.27	1.7	0.15
Brain & Other CNS[1]	61	8.1	0.47	5.3	0.31	35	4.2	0.32	2.9	0.23
Endocrine System	9	1.2	0.18	0.8	0.12	7	0.8	0.14	0.5	0.10
Thyroid gland	6	0.8	0.15	0.5	0.09	5	0.6	0.12	0.4	0.07
Lymphomas	66	9.1	0.51	5.0	0.28	54	6.4	0.39	3.3	0.21
Hodgkin Lymphoma	-	-	-	-	-	3	0.4	0.10	0.3	0.07
Non-Hodgkin Lymphoma	-	-	-	-	-	51	6.0	0.38	3.1	0.20
Multiple Myeloma	37	5.3	0.40	2.8	0.21	27	3.2	0.28	1.7	0.15
Leukemias	72	10.0	0.54	5.6	0.30	48	5.8	0.37	3.2	0.23
Other, Ill-defined & Unknown	126	17.5	0.71	9.8	0.40	97	11.6	0.53	6.8	0.33

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	12,542	232.0	0.94	130.5	0.53	11,907	168.5	0.70	98.5	0.43
Oral Cavity & Pharynx	269	4.8	0.13	2.9	0.08	127	1.8	0.07	1.0	0.04
Digestive System	3,560	64.8	0.49	37.5	0.28	2,792	39.0	0.33	22.1	0.20
Esophagus	504	9.0	0.18	5.4	0.11	131	1.8	0.07	1.1	0.04
Stomach	287	5.3	0.14	3.1	0.08	197	2.8	0.09	1.6	0.06
Colon & Rectum	1,154	21.3	0.28	12.1	0.16	1,079	14.9	0.21	8.3	0.12
Liver	478	8.4	0.17	5.1	0.10	205	2.9	0.09	1.7	0.05
Pancreas	848	15.5	0.24	8.9	0.14	807	11.3	0.18	6.4	0.11
Respiratory System	3,534	64.6	0.49	36.8	0.28	3,033	43.2	0.35	25.1	0.21
Larynx	131	2.4	0.09	1.4	0.05	35	0.5	0.04	0.3	0.02
Lung & bronchus	3,382	61.8	0.48	35.2	0.27	2,985	42.6	0.35	24.7	0.21
Skin	295	5.5	0.15	3.1	0.08	161	2.2	0.08	1.3	0.05
Melanomas of the skin	211	3.9	0.12	2.3	0.07	118	1.7	0.07	1.0	0.05
Breast	19	0.4	0.04	0.2	0.02	1,741	25.2	0.27	15.4	0.18
Female Genital System	-	-	-	-	-	1,321	19.1	0.24	11.7	0.15
Cervix uteri	-	-	-	-	-	174	2.7	0.09	1.8	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	464	6.6	0.14	4.0	0.09
Ovary	-	-	-	-	-	588	8.5	0.16	5.1	0.10
Male Genital System	1,222	24.0	0.31	11.8	0.15	-	-	-	-	-
Prostate	1,191	23.5	0.31	11.4	0.15	-	-	-	-	-
Testis	16	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	864	16.4	0.25	8.7	0.13	431	5.9	0.13	3.2	0.07
Bladder	460	9.0	0.19	4.5	0.09	200	2.7	0.09	1.3	0.05
Kidney & renal pelvis	381	6.9	0.16	4.0	0.09	214	3.0	0.09	1.7	0.06
Brain & Other CNS[1]	338	5.9	0.14	4.0	0.10	269	4.0	0.11	2.7	0.08
Endocrine System	58	1.0	0.06	0.7	0.04	56	0.8	0.05	0.5	0.03
Thyroid gland	34	0.6	0.05	0.4	0.03	37	0.5	0.04	0.3	0.02
Lymphomas	470	8.9	0.18	4.9	0.10	380	5.2	0.12	2.8	0.07
Hodgkin Lymphoma	25	0.5	0.04	0.3	0.03	15	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	445	8.4	0.18	4.6	0.10	365	4.9	0.12	2.7	0.07
Multiple Myeloma	250	4.7	0.14	2.5	0.07	222	3.1	0.09	1.7	0.05
Leukemias	544	10.3	0.20	5.7	0.11	409	5.6	0.13	3.2	0.08
Other, Ill-defined & Unknown	1,118	20.7	0.28	11.8	0.16	965	13.5	0.20	7.8	0.12

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,144	251.9	1.35	143.5	0.77	6,291	174.3	0.99	103.1	0.62
Oral Cavity & Pharynx	138	4.7	0.18	2.8	0.11	55	1.5	0.09	0.9	0.06
Digestive System	1,918	66.4	0.69	38.9	0.40	1,412	38.7	0.46	22.2	0.28
Esophagus	315	10.7	0.27	6.4	0.16	69	1.9	0.10	1.1	0.06
Stomach	118	4.1	0.17	2.4	0.10	73	2.0	0.11	1.2	0.07
Colon & Rectum	607	21.4	0.39	12.3	0.23	564	15.4	0.29	8.7	0.18
Liver	258	8.6	0.24	5.2	0.15	94	2.6	0.12	1.5	0.07
Pancreas	466	16.2	0.34	9.4	0.20	429	11.7	0.26	6.7	0.15
Respiratory System	2,273	78.6	0.75	45.6	0.43	1,760	49.1	0.53	29.1	0.32
Larynx	67	2.3	0.13	1.4	0.08	15	0.4	0.05	0.3	0.03
Lung & bronchus	2,184	75.6	0.73	43.8	0.42	1,733	48.3	0.52	28.6	0.32
Skin	204	7.2	0.23	4.1	0.13	94	2.6	0.12	1.6	0.08
Melanomas of the skin	133	4.7	0.18	2.8	0.11	69	2.0	0.11	1.3	0.07
Breast	11	0.4	0.05	0.2	0.03	876	24.7	0.38	15.1	0.24
Female Genital System	-	-	-	-	-	668	18.9	0.33	11.6	0.21
Cervix uteri	-	-	-	-	-	89	2.7	0.13	2.0	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	221	6.1	0.19	3.7	0.12
Ovary	-	-	-	-	-	301	8.4	0.22	5.0	0.14
Male Genital System	602	23.2	0.43	11.2	0.21	-	-	-	-	-
Prostate	586	22.6	0.42	10.8	0.20	-	-	-	-	-
Testis	8	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	474	17.3	0.36	9.2	0.19	237	6.3	0.19	3.5	0.11
Bladder	257	9.6	0.27	4.9	0.14	106	2.8	0.12	1.4	0.07
Kidney & renal pelvis	206	7.2	0.23	4.2	0.13	123	3.3	0.14	1.9	0.08
Brain & Other CNS[1]	197	6.6	0.21	4.5	0.15	144	4.1	0.16	2.8	0.11
Endocrine System	23	0.8	0.07	0.5	0.05	30	0.8	0.07	0.5	0.05
Thyroid gland	16	0.6	0.06	0.3	0.04	20	0.5	0.05	0.3	0.03
Lymphomas	284	10.2	0.27	5.7	0.15	210	5.7	0.18	3.2	0.11
Hodgkin Lymphoma	13	0.4	0.05	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	271	9.8	0.27	5.4	0.15	201	5.4	0.17	3.0	0.10
Multiple Myeloma	147	5.3	0.20	2.8	0.11	113	3.1	0.13	1.7	0.07
Leukemias	295	10.7	0.28	6.0	0.16	220	5.9	0.18	3.4	0.11
Other, Ill-defined & Unknown	579	20.6	0.39	11.8	0.22	473	12.9	0.27	7.6	0.17

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,453	233.2	1.78	131.4	1.03	3,028	162.4	1.35	95.1	0.85
Oral Cavity & Pharynx	74	4.9	0.26	3.0	0.16	31	1.6	0.13	0.9	0.08
Digestive System	903	60.9	0.91	35.3	0.54	707	36.8	0.64	20.8	0.39
Esophagus	148	9.9	0.37	5.9	0.22	34	1.8	0.14	1.1	0.09
Stomach	49	3.3	0.21	1.9	0.13	29	1.5	0.13	0.9	0.08
Colon & Rectum	292	20.0	0.53	11.3	0.31	290	14.7	0.40	8.1	0.24
Liver	106	7.0	0.31	4.3	0.19	35	1.9	0.14	1.1	0.09
Pancreas	228	15.3	0.46	8.9	0.27	216	11.4	0.35	6.5	0.21
Respiratory System	1,003	66.9	0.95	38.3	0.55	766	42.0	0.69	24.6	0.42
Larynx	34	2.2	0.17	1.3	0.10	9	0.5	0.08	0.3	0.05
Lung & bronchus	958	63.9	0.93	36.5	0.54	753	41.2	0.68	24.2	0.42
Skin	93	6.3	0.29	3.6	0.17	49	2.7	0.18	1.6	0.12
Melanomas of the skin	65	4.4	0.24	2.6	0.15	39	2.2	0.16	1.4	0.11
Breast	4	0.3	0.06	0.2	0.04	395	22.1	0.51	13.6	0.34
Female Genital System	-	-	-	-	-	338	18.8	0.47	11.4	0.30
Cervix uteri	-	-	-	-	-	34	2.2	0.17	1.6	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	114	6.2	0.26	3.6	0.16
Ovary	-	-	-	-	-	154	8.5	0.31	5.0	0.20
Male Genital System	339	23.5	0.57	11.3	0.28	-	-	-	-	-
Prostate	328	22.7	0.56	10.7	0.27	-	-	-	-	-
Testis	6	0.4	0.07	0.3	0.07	-	-	-	-	-
Urinary System	252	17.2	0.49	9.2	0.27	116	5.8	0.25	3.1	0.14
Bladder	126	8.7	0.35	4.3	0.18	50	2.4	0.15	1.2	0.08
Kidney & renal pelvis	119	8.0	0.33	4.6	0.20	63	3.3	0.19	1.8	0.11
Brain & Other CNS[1]	106	7.1	0.31	4.8	0.22	82	4.8	0.24	3.2	0.17
Endocrine System	15	1.0	0.12	0.7	0.08	16	0.9	0.10	0.6	0.07
Thyroid gland	9	0.6	0.09	0.4	0.06	10	0.6	0.08	0.3	0.05
Lymphomas	147	10.0	0.37	5.5	0.21	112	5.6	0.24	3.1	0.15
Hodgkin Lymphoma	6	0.4	0.08	0.3	0.05	4	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	141	9.6	0.36	5.2	0.20	108	5.4	0.24	2.9	0.14
Multiple Myeloma	73	5.0	0.26	2.7	0.14	67	3.5	0.20	2.0	0.12
Leukemias	162	11.1	0.39	6.1	0.22	108	5.5	0.24	3.1	0.16
Other, Ill-defined & Unknown	283	19.2	0.51	10.9	0.30	241	12.5	0.37	7.2	0.23

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,915	228.6	1.90	129.2	1.10	2,595	163.0	1.45	95.7	0.91
Oral Cavity & Pharynx	56	4.3	0.26	2.5	0.15	25	1.5	0.14	0.9	0.08
Digestive System	792	61.6	0.98	35.9	0.58	588	36.4	0.68	20.8	0.42
Esophagus	120	9.2	0.38	5.5	0.23	27	1.6	0.14	0.9	0.09
Stomach	45	3.5	0.24	2.1	0.14	29	1.8	0.16	1.1	0.10
Colon & Rectum	268	21.2	0.58	12.1	0.34	233	14.3	0.43	8.1	0.26
Liver	108	8.2	0.35	4.9	0.21	41	2.6	0.18	1.5	0.11
Pancreas	192	15.0	0.49	8.6	0.28	190	11.7	0.39	6.6	0.23
Respiratory System	819	63.6	1.00	36.4	0.58	674	42.8	0.75	25.1	0.45
Larynx	24	1.9	0.17	1.1	0.10	3	0.2	0.05	0.1	0.03
Lung & bronchus	790	61.4	0.98	35.1	0.57	668	42.5	0.74	24.8	0.45
Skin	93	7.3	0.34	4.1	0.20	44	2.8	0.19	1.6	0.12
Melanomas of the skin	62	4.9	0.28	2.8	0.17	33	2.1	0.17	1.3	0.11
Breast	6	0.4	0.08	0.3	0.05	361	23.1	0.55	13.9	0.35
Female Genital System	-	-	-	-	-	264	17.1	0.48	10.6	0.31
Cervix uteri	-	-	-	-	-	33	2.3	0.18	1.7	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	82	5.2	0.26	3.1	0.16
Ovary	-	-	-	-	-	125	8.1	0.33	4.9	0.21
Male Genital System	271	22.1	0.60	10.8	0.30	-	-	-	-	-
Prostate	265	21.6	0.60	10.4	0.29	-	-	-	-	-
Testis	4	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	203	16.2	0.51	8.8	0.28	93	5.6	0.27	3.1	0.16
Bladder	101	8.2	0.37	4.1	0.19	37	2.1	0.16	1.1	0.09
Kidney & renal pelvis	99	7.7	0.35	4.5	0.21	52	3.2	0.21	1.9	0.13
Brain & Other CNS[1]	92	7.0	0.33	4.7	0.22	71	4.7	0.25	3.3	0.19
Endocrine System	11	0.9	0.12	0.5	0.08	13	0.8	0.10	0.5	0.07
Thyroid gland	7	0.5	0.09	0.3	0.05	10	0.6	0.09	0.3	0.05
Lymphomas	109	8.6	0.37	4.8	0.21	94	5.7	0.27	3.2	0.16
Hodgkin Lymphoma	6	0.4	0.08	0.3	0.05	4	0.2	0.06	0.2	0.04
Non-Hodgkin Lymphoma	103	8.2	0.36	4.5	0.20	91	5.4	0.26	3.0	0.16
Multiple Myeloma	66	5.3	0.29	2.8	0.16	53	3.3	0.20	1.7	0.11
Leukemias	143	11.4	0.43	6.3	0.25	100	6.0	0.27	3.4	0.17
Other, Ill-defined & Unknown	255	19.9	0.56	11.4	0.33	214	13.2	0.41	7.6	0.26

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,524	283.2	1.74	162.6	0.99	4,709	191.4	1.25	114.3	0.79
Oral Cavity & Pharynx	119	5.9	0.25	3.6	0.15	47	1.9	0.13	1.1	0.08
Digestive System	1,358	68.5	0.85	40.4	0.50	992	40.2	0.57	23.4	0.35
Esophagus	198	9.6	0.31	5.9	0.19	43	1.8	0.12	1.0	0.07
Stomach	93	4.9	0.23	2.8	0.13	59	2.4	0.14	1.4	0.09
Colon & Rectum	462	23.8	0.51	13.8	0.29	404	16.4	0.37	9.5	0.23
Liver	193	9.5	0.31	5.7	0.19	73	3.0	0.16	1.8	0.10
Pancreas	309	15.5	0.40	9.1	0.23	287	11.6	0.31	6.7	0.18
Respiratory System	1,990	99.4	1.01	58.0	0.59	1,518	61.4	0.71	36.8	0.44
Larynx	63	3.1	0.18	1.8	0.10	22	0.9	0.09	0.6	0.06
Lung & bronchus	1,916	95.7	1.00	55.8	0.57	1,490	60.2	0.70	36.0	0.43
Skin	151	7.9	0.29	4.5	0.17	72	2.9	0.16	1.8	0.10
Melanomas of the skin	104	5.3	0.24	3.2	0.14	52	2.2	0.14	1.4	0.09
Breast	7	0.4	0.06	0.2	0.04	603	25.0	0.46	15.5	0.30
Female Genital System	-	-	-	-	-	423	17.5	0.38	10.9	0.25
Cervix uteri	-	-	-	-	-	67	3.0	0.17	2.2	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	121	5.0	0.20	3.0	0.13
Ovary	-	-	-	-	-	191	7.8	0.25	4.6	0.16
Male Genital System	405	23.4	0.53	11.3	0.25	-	-	-	-	-
Prostate	391	22.7	0.53	10.8	0.24	-	-	-	-	-
Testis	5	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	342	18.2	0.45	9.9	0.24	165	6.5	0.23	3.6	0.13
Bladder	172	9.6	0.33	4.9	0.17	74	2.9	0.15	1.5	0.08
Kidney & renal pelvis	162	8.2	0.29	4.8	0.17	85	3.4	0.17	2.0	0.10
Brain & Other CNS[1]	139	6.7	0.26	4.6	0.18	112	4.6	0.20	3.2	0.14
Endocrine System	19	0.9	0.10	0.6	0.06	21	0.9	0.09	0.5	0.06
Thyroid gland	12	0.6	0.08	0.3	0.04	14	0.6	0.07	0.3	0.04
Lymphomas	197	10.5	0.34	5.8	0.19	138	5.5	0.21	3.0	0.12
Hodgkin Lymphoma	10	0.6	0.08	0.3	0.05	6	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	187	9.9	0.33	5.5	0.18	132	5.2	0.20	2.8	0.12
Multiple Myeloma	100	5.2	0.24	2.9	0.13	72	2.8	0.15	1.6	0.09
Leukemias	200	10.5	0.34	6.1	0.20	165	6.7	0.23	3.9	0.15
Other, Ill-defined & Unknown	495	25.7	0.53	14.8	0.30	382	15.4	0.36	9.1	0.22

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,082	263.6	1.68	151.8	0.96	4,305	176.3	1.21	105.3	0.75
Oral Cavity & Pharynx	127	6.4	0.26	3.9	0.16	44	1.8	0.12	1.1	0.08
Digestive System	1,515	76.7	0.90	45.6	0.53	1,048	42.8	0.59	25.1	0.36
Esophagus	179	8.9	0.30	5.4	0.18	42	1.7	0.12	1.0	0.07
Stomach	111	5.8	0.25	3.4	0.14	69	2.8	0.15	1.6	0.09
Colon & Rectum	477	24.6	0.51	14.4	0.30	407	16.7	0.37	9.9	0.23
Liver	317	15.4	0.39	9.5	0.24	116	4.7	0.20	2.8	0.12
Pancreas	343	17.6	0.43	10.3	0.25	322	13.1	0.33	7.5	0.19
Respiratory System	1,580	80.5	0.92	46.8	0.53	1,130	45.9	0.61	27.0	0.37
Larynx	60	3.0	0.18	1.8	0.10	13	0.5	0.07	0.3	0.04
Lung & bronchus	1,509	76.9	0.90	44.7	0.52	1,113	45.2	0.61	26.6	0.37
Skin	105	5.7	0.25	3.1	0.14	41	1.7	0.12	1.0	0.07
Melanomas of the skin	63	3.4	0.20	1.9	0.11	31	1.3	0.10	0.8	0.07
Breast	8	0.4	0.06	0.2	0.04	653	27.2	0.48	16.9	0.31
Female Genital System	-	-	-	-	-	419	17.4	0.38	10.9	0.25
Cervix uteri	-	-	-	-	-	80	3.5	0.18	2.6	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	131	5.3	0.21	3.2	0.13
Ovary	-	-	-	-	-	178	7.3	0.25	4.4	0.15
Male Genital System	432	24.7	0.54	12.3	0.27	-	-	-	-	-
Prostate	421	24.2	0.54	11.9	0.26	-	-	-	-	-
Testis	5	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	300	16.0	0.42	8.9	0.23	157	6.3	0.23	3.5	0.13
Bladder	139	7.8	0.30	4.0	0.15	64	2.5	0.14	1.3	0.08
Kidney & renal pelvis	154	7.9	0.29	4.6	0.17	89	3.6	0.17	2.0	0.10
Brain & Other CNS[1]	123	6.1	0.25	4.0	0.16	104	4.3	0.19	2.9	0.13
Endocrine System	20	1.0	0.10	0.7	0.07	23	0.9	0.09	0.6	0.06
Thyroid gland	10	0.5	0.08	0.3	0.04	15	0.6	0.07	0.3	0.04
Lymphomas	180	9.6	0.33	5.5	0.19	131	5.3	0.21	3.0	0.13
Hodgkin Lymphoma	8	0.4	0.07	0.3	0.05	9	0.4	0.06	0.3	0.04
Non-Hodgkin Lymphoma	172	9.2	0.32	5.2	0.18	122	4.9	0.20	2.7	0.12
Multiple Myeloma	103	5.5	0.25	3.1	0.14	89	3.6	0.17	2.0	0.10
Leukemias	185	9.9	0.33	5.6	0.19	140	5.7	0.22	3.4	0.14
Other, Ill-defined & Unknown	403	20.9	0.48	12.2	0.28	326	13.3	0.33	8.1	0.21

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,752	243.0	2.63	135.8	1.50	1,548	172.2	1.99	99.8	1.23
Oral Cavity & Pharynx	38	5.1	0.37	3.1	0.23	16	1.7	0.19	0.9	0.11
Digestive System	424	58.2	1.28	33.4	0.75	333	36.5	0.91	20.5	0.54
Esophagus	89	12.0	0.57	6.9	0.34	21	2.3	0.23	1.3	0.14
Stomach	22	3.1	0.30	1.8	0.17	16	1.7	0.20	1.0	0.12
Colon & Rectum	121	17.3	0.71	9.7	0.41	122	13.2	0.54	7.2	0.32
Liver	51	6.8	0.43	4.1	0.26	14	1.5	0.18	0.9	0.11
Pancreas	104	14.1	0.63	8.1	0.36	113	12.3	0.52	6.9	0.31
Respiratory System	546	73.8	1.43	42.3	0.83	438	49.0	1.06	28.8	0.65
Larynx	20	2.7	0.27	1.6	0.17	5	0.6	0.11	0.3	0.07
Lung & bronchus	520	70.3	1.40	40.2	0.80	431	48.2	1.05	28.3	0.64
Skin	47	6.5	0.43	3.6	0.24	24	2.7	0.26	1.7	0.18
Melanomas of the skin	32	4.4	0.35	2.5	0.21	18	2.2	0.23	1.4	0.17
Breast	2	0.3	0.09	0.2	0.05	191	21.8	0.72	13.1	0.47
Female Genital System	-	-	-	-	-	155	17.7	0.64	10.6	0.41
Cervix uteri	-	-	-	-	-	14	1.8	0.22	1.3	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	52	5.9	0.37	3.5	0.23
Ovary	-	-	-	-	-	68	7.8	0.43	4.6	0.27
Male Genital System	165	24.3	0.85	11.6	0.41	-	-	-	-	-
Prostate	161	23.7	0.85	11.2	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	131	18.5	0.73	9.7	0.38	60	6.4	0.37	3.3	0.21
Bladder	75	10.7	0.56	5.3	0.28	30	3.1	0.26	1.5	0.14
Kidney & renal pelvis	52	7.1	0.45	4.0	0.26	29	3.1	0.26	1.7	0.16
Brain & Other CNS[1]	56	7.7	0.47	5.1	0.33	37	4.5	0.33	3.0	0.25
Endocrine System	6	0.9	0.16	0.7	0.14	6	0.7	0.13	0.5	0.11
Thyroid gland	3	0.4	0.11	0.3	0.07	4	0.4	0.10	0.2	0.06
Lymphomas	65	9.4	0.53	5.1	0.30	53	5.7	0.35	3.1	0.21
Hodgkin Lymphoma	4	0.5	0.12	0.3	0.08	-	-	-	-	-
Non-Hodgkin Lymphoma	62	8.9	0.51	4.8	0.29	-	-	-	-	-
Multiple Myeloma	33	4.6	0.36	2.4	0.19	29	3.0	0.25	1.6	0.14
Leukemias	69	9.7	0.53	5.3	0.30	50	5.4	0.35	3.1	0.22
Other, Ill-defined & Unknown	171	24.1	0.83	13.4	0.48	156	17.2	0.62	9.7	0.39

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,437	220.1	1.35	123.8	0.76	5,291	162.2	1.00	95.0	0.62
Oral Cavity & Pharynx	120	4.7	0.19	2.8	0.12	53	1.6	0.10	1.0	0.06
Digestive System	1,595	63.1	0.72	36.6	0.41	1,223	37.3	0.48	21.3	0.29
Esophagus	197	7.8	0.25	4.5	0.15	59	1.8	0.11	1.0	0.06
Stomach	122	4.9	0.20	2.8	0.12	85	2.6	0.13	1.5	0.08
Colon & Rectum	480	19.4	0.40	11.1	0.23	457	13.8	0.29	7.8	0.17
Liver	266	10.0	0.28	6.1	0.17	91	2.8	0.13	1.6	0.08
Pancreas	407	16.2	0.36	9.3	0.21	375	11.5	0.27	6.5	0.16
Respiratory System	1,428	57.2	0.69	32.4	0.39	1,304	40.1	0.50	23.0	0.29
Larynx	55	2.2	0.13	1.3	0.08	17	0.5	0.06	0.3	0.03
Lung & bronchus	1,362	54.5	0.67	30.9	0.38	1,281	39.3	0.49	22.6	0.29
Skin	132	5.5	0.22	3.0	0.12	63	1.9	0.11	1.1	0.07
Melanomas of the skin	89	3.7	0.18	2.1	0.10	46	1.4	0.09	0.8	0.06
Breast	11	0.4	0.06	0.3	0.03	831	25.7	0.40	15.9	0.26
Female Genital System	-	-	-	-	-	596	18.4	0.34	11.3	0.21
Cervix uteri	-	-	-	-	-	69	2.2	0.12	1.5	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	226	7.0	0.21	4.2	0.13
Ovary	-	-	-	-	-	258	8.0	0.22	4.8	0.14
Male Genital System	543	23.7	0.46	11.6	0.23	-	-	-	-	-
Prostate	531	23.3	0.46	11.3	0.22	-	-	-	-	-
Testis	7	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	381	15.9	0.37	8.4	0.19	175	5.3	0.18	2.8	0.10
Bladder	218	9.4	0.29	4.7	0.14	92	2.7	0.13	1.4	0.07
Kidney & renal pelvis	151	6.0	0.22	3.4	0.13	75	2.3	0.12	1.3	0.07
Brain & Other CNS[1]	152	5.7	0.21	3.9	0.15	123	3.9	0.16	2.6	0.11
Endocrine System	23	0.9	0.08	0.6	0.06	32	1.0	0.08	0.6	0.05
Thyroid gland	13	0.5	0.07	0.3	0.04	22	0.7	0.06	0.4	0.04
Lymphomas	204	8.4	0.27	4.7	0.15	162	4.9	0.17	2.7	0.10
Hodgkin Lymphoma	9	0.4	0.05	0.2	0.03	8	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	195	8.0	0.26	4.4	0.14	154	4.7	0.17	2.6	0.10
Multiple Myeloma	137	5.6	0.22	3.1	0.12	127	3.8	0.15	2.1	0.09
Leukemias	237	9.8	0.29	5.6	0.17	174	5.3	0.18	3.1	0.12
Other, Ill-defined & Unknown	473	19.2	0.40	10.9	0.23	428	13.0	0.28	7.4	0.17

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,508	215.4	1.20	119.6	0.68	6,301	155.1	0.89	89.4	0.55
Oral Cavity & Pharynx	131	4.2	0.16	2.5	0.10	65	1.6	0.09	0.9	0.05
Digestive System	1,872	61.1	0.64	35.1	0.37	1,458	35.4	0.42	19.9	0.25
Esophagus	300	9.7	0.25	5.6	0.15	84	2.1	0.10	1.2	0.06
Stomach	150	5.0	0.18	2.9	0.11	104	2.6	0.11	1.5	0.07
Colon & Rectum	491	16.3	0.33	9.1	0.19	508	12.2	0.25	6.8	0.15
Liver	290	9.2	0.24	5.5	0.15	87	2.2	0.11	1.3	0.07
Pancreas	470	15.4	0.32	8.7	0.18	479	11.6	0.24	6.5	0.14
Respiratory System	1,670	54.8	0.60	30.7	0.34	1,644	41.0	0.46	23.4	0.27
Larynx	52	1.7	0.11	1.0	0.06	16	0.4	0.05	0.2	0.03
Lung & bronchus	1,604	52.7	0.59	29.5	0.33	1,619	40.3	0.45	23.1	0.27
Skin	187	6.2	0.21	3.4	0.11	109	2.6	0.11	1.5	0.07
Melanomas of the skin	128	4.2	0.17	2.4	0.10	81	2.0	0.10	1.2	0.07
Breast	10	0.3	0.05	0.2	0.02	828	20.9	0.33	12.7	0.21
Female Genital System	-	-	-	-	-	665	16.8	0.29	10.1	0.19
Cervix uteri	-	-	-	-	-	46	1.3	0.08	0.9	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	221	5.5	0.17	3.2	0.10
Ovary	-	-	-	-	-	330	8.4	0.21	5.0	0.13
Male Genital System	633	21.9	0.39	10.5	0.19	-	-	-	-	-
Prostate	619	21.4	0.39	10.2	0.19	-	-	-	-	-
Testis	6	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	475	16.0	0.33	8.4	0.18	225	5.2	0.16	2.8	0.09
Bladder	286	9.8	0.26	4.8	0.13	121	2.8	0.11	1.4	0.06
Kidney & renal pelvis	177	5.8	0.20	3.3	0.11	98	2.3	0.11	1.3	0.06
Brain & Other CNS[1]	208	6.6	0.21	4.4	0.14	163	4.3	0.15	2.9	0.11
Endocrine System	30	1.0	0.08	0.6	0.05	33	0.8	0.07	0.5	0.04
Thyroid gland	20	0.7	0.07	0.4	0.04	23	0.6	0.05	0.3	0.03
Lymphomas	241	8.1	0.24	4.4	0.13	213	5.0	0.16	2.7	0.09
Hodgkin Lymphoma	11	0.3	0.05	0.2	0.03	8	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	230	7.8	0.23	4.2	0.13	205	4.8	0.15	2.6	0.09
Multiple Myeloma	134	4.5	0.17	2.4	0.10	121	2.9	0.12	1.5	0.07
Leukemias	280	9.4	0.25	5.2	0.15	220	5.2	0.16	2.9	0.10
Other, Ill-defined & Unknown	638	21.1	0.38	11.8	0.22	557	13.4	0.26	7.6	0.16

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,824	233.9	1.02	132.4	0.58	9,938	171.4	0.78	101.0	0.49
Oral Cavity & Pharynx	240	5.0	0.15	3.1	0.09	100	1.7	0.08	1.0	0.05
Digestive System	2,980	63.4	0.52	37.0	0.31	2,271	38.7	0.37	22.1	0.22
Esophagus	479	10.0	0.21	6.0	0.12	116	2.0	0.08	1.2	0.05
Stomach	197	4.3	0.14	2.5	0.08	138	2.4	0.09	1.4	0.06
Colon & Rectum	891	19.4	0.29	11.1	0.17	834	14.2	0.22	8.1	0.14
Liver	408	8.3	0.19	5.0	0.11	177	3.0	0.10	1.8	0.06
Pancreas	777	16.5	0.27	9.5	0.16	743	12.6	0.21	7.2	0.12
Respiratory System	3,171	67.3	0.54	38.6	0.31	2,710	46.9	0.41	27.5	0.25
Larynx	118	2.5	0.10	1.4	0.06	36	0.6	0.05	0.4	0.03
Lung & bronchus	3,030	64.3	0.53	36.9	0.30	2,661	46.0	0.40	27.0	0.24
Skin	261	5.7	0.16	3.3	0.09	125	2.2	0.09	1.3	0.06
Melanomas of the skin	180	3.9	0.13	2.3	0.08	92	1.6	0.08	1.0	0.05
Breast	20	0.4	0.04	0.2	0.03	1,385	24.4	0.30	15.0	0.19
Female Genital System	-	-	-	-	-	1,064	18.8	0.26	11.6	0.17
Cervix uteri	-	-	-	-	-	116	2.3	0.10	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	367	6.3	0.15	3.8	0.09
Ovary	-	-	-	-	-	495	8.7	0.18	5.3	0.11
Male Genital System	967	22.3	0.32	10.8	0.16	-	-	-	-	-
Prostate	944	21.8	0.32	10.5	0.15	-	-	-	-	-
Testis	12	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	746	16.6	0.27	8.8	0.15	359	5.9	0.14	3.2	0.08
Bladder	411	9.4	0.21	4.7	0.10	178	2.9	0.10	1.5	0.05
Kidney & renal pelvis	314	6.7	0.17	3.9	0.10	166	2.8	0.10	1.6	0.06
Brain & Other CNS[1]	315	6.6	0.17	4.4	0.12	243	4.4	0.13	2.9	0.09
Endocrine System	45	1.0	0.07	0.6	0.05	46	0.8	0.05	0.5	0.04
Thyroid gland	28	0.6	0.05	0.4	0.03	30	0.5	0.04	0.3	0.03
Lymphomas	428	9.5	0.21	5.2	0.12	344	5.8	0.14	3.2	0.08
Hodgkin Lymphoma	20	0.4	0.04	0.3	0.03	14	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	408	9.0	0.20	4.9	0.11	330	5.5	0.14	3.0	0.08
Multiple Myeloma	244	5.4	0.16	2.9	0.08	203	3.4	0.11	1.9	0.06
Leukemias	482	10.7	0.22	6.0	0.13	327	5.5	0.14	3.2	0.09
Other, Ill-defined & Unknown	925	20.1	0.30	11.4	0.17	762	13.0	0.21	7.6	0.13

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,966	233.7	1.68	132.7	0.96	3,949	175.7	1.26	103.7	0.79
Oral Cavity & Pharynx	85	4.8	0.23	2.9	0.15	35	1.6	0.12	1.0	0.08
Digestive System	1,121	64.6	0.87	38.0	0.52	918	40.4	0.60	23.1	0.37
Esophagus	166	9.5	0.33	5.6	0.20	47	2.1	0.14	1.2	0.08
Stomach	87	5.1	0.25	3.0	0.15	66	2.9	0.16	1.6	0.10
Colon & Rectum	332	19.5	0.48	11.3	0.28	337	14.7	0.36	8.4	0.22
Liver	168	9.3	0.32	5.6	0.20	72	3.2	0.17	1.9	0.10
Pancreas	282	16.3	0.44	9.5	0.26	301	13.3	0.35	7.6	0.21
Respiratory System	1,139	66.5	0.89	38.1	0.51	1,063	47.5	0.66	27.7	0.40
Larynx	48	2.8	0.18	1.6	0.11	14	0.7	0.08	0.4	0.05
Lung & bronchus	1,083	63.3	0.87	36.2	0.50	1,043	46.6	0.65	27.1	0.39
Skin	85	5.1	0.25	2.9	0.14	40	1.8	0.13	1.1	0.09
Melanomas of the skin	56	3.3	0.20	2.0	0.12	30	1.4	0.11	0.9	0.08
Breast	8	0.5	0.08	0.3	0.05	576	26.0	0.49	15.9	0.32
Female Genital System	-	-	-	-	-	433	19.7	0.43	12.3	0.28
Cervix uteri	-	-	-	-	-	50	2.4	0.15	1.8	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	152	6.8	0.25	4.1	0.16
Ovary	-	-	-	-	-	198	9.0	0.29	5.5	0.18
Male Genital System	371	23.2	0.54	11.5	0.27	-	-	-	-	-
Prostate	363	22.7	0.54	11.1	0.27	-	-	-	-	-
Testis	5	0.3	0.05	0.2	0.05	-	-	-	-	-
Urinary System	271	16.3	0.45	8.8	0.24	135	5.8	0.22	3.1	0.13
Bladder	148	9.2	0.34	4.6	0.17	69	2.9	0.16	1.5	0.09
Kidney & renal pelvis	115	6.7	0.28	3.9	0.17	60	2.6	0.15	1.5	0.09
Brain & Other CNS[1]	112	6.4	0.27	4.1	0.18	91	4.2	0.20	2.8	0.15
Endocrine System	20	1.2	0.12	0.7	0.07	20	0.9	0.09	0.6	0.06
Thyroid gland	12	0.7	0.09	0.4	0.05	13	0.6	0.07	0.3	0.04
Lymphomas	154	9.3	0.34	5.2	0.19	136	5.9	0.23	3.3	0.14
Hodgkin Lymphoma	7	0.4	0.07	0.3	0.05	6	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	147	8.9	0.33	4.9	0.18	130	5.6	0.22	3.1	0.13
Multiple Myeloma	96	5.8	0.27	3.2	0.15	87	3.8	0.18	2.1	0.11
Leukemias	166	10.2	0.36	5.7	0.20	126	5.5	0.22	3.2	0.14
Other, Ill-defined & Unknown	338	19.9	0.49	11.4	0.29	290	12.8	0.34	7.5	0.21

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,116	210.3	1.32	116.8	0.75	4,670	154.3	1.02	89.0	0.63
Oral Cavity & Pharynx	107	4.2	0.18	2.5	0.11	47	1.5	0.10	0.9	0.06
Digestive System	1,401	56.7	0.68	32.7	0.40	1,071	35.0	0.48	19.7	0.29
Esophagus	225	8.9	0.27	5.3	0.16	53	1.7	0.11	1.0	0.06
Stomach	90	3.7	0.18	2.1	0.10	60	2.0	0.12	1.2	0.07
Colon & Rectum	403	16.6	0.37	9.3	0.21	394	12.6	0.29	7.0	0.17
Liver	175	6.8	0.23	4.1	0.14	55	1.8	0.11	1.1	0.07
Pancreas	375	15.2	0.35	8.7	0.20	344	11.3	0.28	6.3	0.16
Respiratory System	1,288	52.2	0.66	29.5	0.37	1,159	38.9	0.52	22.4	0.31
Larynx	37	1.5	0.11	0.8	0.06	9	0.3	0.05	0.2	0.03
Lung & bronchus	1,239	50.3	0.64	28.3	0.36	1,144	38.4	0.51	22.1	0.31
Skin	123	5.1	0.21	2.8	0.12	71	2.3	0.13	1.4	0.08
Melanomas of the skin	88	3.6	0.17	2.1	0.10	56	1.9	0.11	1.1	0.07
Breast	8	0.3	0.05	0.2	0.03	630	21.1	0.38	12.7	0.24
Female Genital System	-	-	-	-	-	489	16.4	0.34	9.8	0.21
Cervix uteri	-	-	-	-	-	45	1.6	0.11	1.1	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	161	5.4	0.19	3.2	0.12
Ovary	-	-	-	-	-	223	7.5	0.23	4.4	0.14
Male Genital System	542	23.6	0.46	11.1	0.22	-	-	-	-	-
Prostate	531	23.1	0.45	10.8	0.21	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	364	15.2	0.36	8.0	0.19	166	5.2	0.18	2.8	0.11
Bladder	194	8.4	0.27	4.0	0.13	71	2.2	0.12	1.1	0.07
Kidney & renal pelvis	163	6.6	0.23	3.8	0.13	90	2.9	0.14	1.6	0.08
Brain & Other CNS[1]	174	6.8	0.23	4.6	0.16	120	4.2	0.17	2.9	0.13
Endocrine System	26	1.0	0.09	0.7	0.06	24	0.8	0.08	0.5	0.05
Thyroid gland	16	0.7	0.07	0.4	0.04	17	0.6	0.06	0.3	0.04
Lymphomas	226	9.5	0.28	5.1	0.16	174	5.5	0.19	2.9	0.11
Hodgkin Lymphoma	11	0.5	0.06	0.3	0.04	7	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	215	9.0	0.28	4.9	0.15	167	5.3	0.19	2.8	0.10
Multiple Myeloma	113	4.7	0.20	2.6	0.11	96	3.1	0.14	1.7	0.08
Leukemias	253	10.5	0.30	5.8	0.17	178	5.7	0.19	3.3	0.12
Other, Ill-defined & Unknown	490	20.3	0.41	11.3	0.23	445	14.3	0.31	8.1	0.19

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,583	286.2	2.18	165.0	1.25	2,945	182.6	1.51	109.8	0.95
Oral Cavity & Pharynx	92	7.0	0.33	4.3	0.20	29	1.8	0.15	1.1	0.09
Digestive System	975	76.4	1.11	45.5	0.66	712	44.0	0.74	25.7	0.45
Esophagus	109	8.3	0.36	5.1	0.22	28	1.8	0.15	1.1	0.10
Stomach	69	5.4	0.29	3.3	0.18	53	3.3	0.20	1.9	0.13
Colon & Rectum	341	27.0	0.67	15.9	0.39	287	17.8	0.47	10.5	0.29
Liver	171	13.1	0.46	8.0	0.28	75	4.6	0.24	2.7	0.15
Pancreas	231	18.3	0.55	10.7	0.32	214	13.1	0.40	7.5	0.24
Respiratory System	1,186	92.9	1.23	54.0	0.71	771	47.4	0.77	28.3	0.47
Larynx	33	2.6	0.21	1.5	0.12	7	0.5	0.08	0.3	0.05
Lung & bronchus	1,147	89.8	1.21	52.2	0.69	760	46.7	0.76	27.9	0.47
Skin	75	6.3	0.33	3.5	0.18	29	1.8	0.15	1.1	0.10
Melanomas of the skin	50	4.2	0.27	2.4	0.15	22	1.4	0.14	0.9	0.09
Breast	6	0.5	0.09	0.3	0.05	442	28.0	0.60	17.4	0.39
Female Genital System	-	-	-	-	-	286	17.9	0.48	11.3	0.32
Cervix uteri	-	-	-	-	-	60	4.0	0.23	2.8	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	80	4.9	0.25	3.0	0.15
Ovary	-	-	-	-	-	122	7.6	0.31	4.6	0.19
Male Genital System	333	29.4	0.74	14.6	0.36	-	-	-	-	-
Prostate	328	29.0	0.74	14.3	0.35	-	-	-	-	-
Testis	2	0.1	0.04	0.2	0.05	-	-	-	-	-
Urinary System	189	15.7	0.52	8.6	0.28	98	6.0	0.27	3.3	0.16
Bladder	86	7.5	0.37	3.8	0.18	38	2.3	0.17	1.2	0.09
Kidney & renal pelvis	98	7.7	0.36	4.6	0.21	55	3.4	0.21	2.0	0.13
Brain & Other CNS[1]	92	7.1	0.34	4.6	0.22	82	5.1	0.25	3.4	0.18
Endocrine System	10	0.8	0.11	0.5	0.07	14	0.9	0.10	0.6	0.08
Thyroid gland	6	0.5	0.09	0.3	0.05	10	0.6	0.09	0.3	0.05
Lymphomas	103	8.6	0.39	4.8	0.22	79	4.9	0.24	2.8	0.15
Hodgkin Lymphoma	7	0.5	0.09	0.3	0.06	5	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	96	8.1	0.38	4.5	0.21	75	4.6	0.24	2.6	0.14
Multiple Myeloma	76	6.1	0.32	3.4	0.18	61	3.7	0.21	2.1	0.12
Leukemias	132	10.7	0.43	6.3	0.25	94	5.8	0.27	3.4	0.17
Other, Ill-defined & Unknown	312	24.6	0.64	14.6	0.37	248	15.4	0.44	9.3	0.28

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,830	245.4	1.34	139.7	0.77	6,101	173.9	1.01	102.7	0.63
Oral Cavity & Pharynx	145	5.1	0.19	3.1	0.12	60	1.7	0.10	1.0	0.06
Digestive System	1,818	64.8	0.68	37.9	0.41	1,317	37.0	0.46	21.2	0.28
Esophagus	286	10.1	0.27	6.0	0.16	72	2.0	0.11	1.2	0.07
Stomach	114	4.1	0.17	2.4	0.10	62	1.8	0.10	1.0	0.06
Colon & Rectum	577	20.9	0.39	12.0	0.23	514	14.4	0.29	8.1	0.17
Liver	265	9.2	0.25	5.6	0.16	100	2.8	0.13	1.6	0.08
Pancreas	445	15.8	0.34	9.2	0.20	402	11.3	0.25	6.4	0.15
Respiratory System	2,189	77.1	0.74	44.5	0.43	1,770	50.5	0.54	29.7	0.33
Larynx	71	2.5	0.13	1.5	0.08	19	0.5	0.06	0.3	0.04
Lung & bronchus	2,107	74.3	0.73	42.8	0.42	1,743	49.7	0.54	29.3	0.33
Skin	188	6.9	0.23	3.9	0.13	85	2.4	0.12	1.4	0.08
Melanomas of the skin	134	4.9	0.19	2.9	0.11	63	1.8	0.11	1.1	0.07
Breast	9	0.3	0.05	0.2	0.03	869	25.4	0.39	15.6	0.25
Female Genital System	-	-	-	-	-	595	17.4	0.32	10.8	0.21
Cervix uteri	-	-	-	-	-	88	2.9	0.14	2.1	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	193	5.6	0.18	3.4	0.11
Ovary	-	-	-	-	-	262	7.5	0.21	4.5	0.13
Male Genital System	551	21.0	0.40	10.3	0.20	-	-	-	-	-
Prostate	535	20.4	0.40	9.9	0.19	-	-	-	-	-
Testis	9	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	452	16.7	0.35	8.9	0.19	224	6.1	0.19	3.3	0.11
Bladder	230	8.7	0.26	4.4	0.13	91	2.4	0.11	1.2	0.06
Kidney & renal pelvis	209	7.5	0.23	4.3	0.14	123	3.5	0.14	2.0	0.08
Brain & Other CNS[1]	177	6.2	0.21	4.1	0.14	142	4.2	0.16	2.8	0.11
Endocrine System	29	1.0	0.09	0.7	0.06	29	0.8	0.07	0.6	0.05
Thyroid gland	17	0.6	0.07	0.4	0.04	19	0.5	0.06	0.3	0.03
Lymphomas	246	9.0	0.26	5.0	0.15	189	5.2	0.17	2.9	0.10
Hodgkin Lymphoma	13	0.5	0.06	0.3	0.04	10	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	233	8.5	0.25	4.7	0.14	178	4.9	0.16	2.7	0.10
Multiple Myeloma	136	5.0	0.19	2.7	0.10	109	3.0	0.13	1.7	0.07
Leukemias	293	10.8	0.28	6.1	0.16	213	6.0	0.19	3.5	0.12
Other, Ill-defined & Unknown	597	21.6	0.40	12.4	0.23	499	14.1	0.29	8.3	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,111	208.6	2.84	116.2	1.61	963	159.1	2.32	92.1	1.43
Oral Cavity & Pharynx	24	4.3	0.40	2.6	0.25	10	1.7	0.24	0.9	0.14
Digestive System	306	56.5	1.47	32.9	0.87	213	34.8	1.08	19.6	0.64
Esophagus	51	9.3	0.59	5.6	0.36	13	2.1	0.27	1.2	0.16
Stomach	17	3.2	0.35	1.9	0.21	11	1.9	0.26	1.1	0.16
Colon & Rectum	101	19.1	0.87	10.9	0.51	78	12.7	0.65	7.1	0.39
Liver	40	7.1	0.51	4.3	0.31	13	2.2	0.27	1.2	0.16
Pancreas	75	13.6	0.71	7.8	0.41	69	11.2	0.61	6.3	0.36
Respiratory System	259	47.9	1.35	26.6	0.75	260	42.4	1.19	24.3	0.70
Larynx	7	1.2	0.21	0.7	0.12	-	-	-	-	-
Lung & bronchus	249	46.1	1.32	25.5	0.74	257	41.9	1.18	24.0	0.70
Skin	33	6.2	0.49	3.6	0.29	13	2.2	0.28	1.3	0.18
Melanomas of the skin	23	4.3	0.41	2.6	0.26	10	1.8	0.25	1.1	0.16
Breast	-	-	-	-	-	137	23.1	0.90	13.7	0.57
Female Genital System	-	-	-	-	-	97	16.3	0.76	10.0	0.49
Cervix uteri	-	-	-	-	-	11	2.2	0.30	1.6	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	32	5.2	0.41	3.0	0.25
Ovary	-	-	-	-	-	48	8.1	0.53	4.8	0.33
Male Genital System	134	26.8	1.05	12.7	0.50	-	-	-	-	-
Prostate	132	26.3	1.04	12.3	0.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	85	16.0	0.79	8.4	0.42	30	4.8	0.40	2.7	0.24
Bladder	48	9.3	0.61	4.7	0.31	15	2.4	0.28	1.3	0.16
Kidney & renal pelvis	34	6.2	0.49	3.5	0.28	14	2.3	0.27	1.3	0.17
Brain & Other CNS[1]	36	6.5	0.50	4.3	0.35	27	4.6	0.40	3.1	0.29
Endocrine System	5	0.9	0.18	0.6	0.12	4	0.7	0.16	0.5	0.12
Thyroid gland	4	0.7	0.16	0.4	0.10	3	0.5	0.12	0.3	0.08
Lymphomas	45	8.6	0.58	4.6	0.31	30	4.9	0.40	2.7	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	4.6	0.42	2.5	0.23	18	2.9	0.31	1.5	0.16
Leukemias	47	8.8	0.59	5.0	0.34	33	5.4	0.43	3.1	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	92	15.2	0.72	8.9	0.45

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,829	219.3	2.30	123.0	1.32	1,653	159.0	1.78	93.0	1.11
Oral Cavity & Pharynx	33	3.9	0.30	2.4	0.19	17	1.7	0.18	1.0	0.11
Digestive System	502	59.8	1.20	34.6	0.71	374	35.4	0.83	20.1	0.51
Esophagus	82	9.7	0.48	5.7	0.28	18	1.7	0.19	1.0	0.11
Stomach	29	3.5	0.29	2.0	0.17	15	1.5	0.17	0.9	0.11
Colon & Rectum	169	20.2	0.70	11.5	0.41	157	14.5	0.53	8.0	0.32
Liver	53	6.1	0.38	3.7	0.23	19	1.9	0.20	1.2	0.13
Pancreas	129	15.4	0.61	8.9	0.36	114	10.9	0.46	6.1	0.27
Respiratory System	498	59.4	1.19	33.7	0.69	409	40.1	0.90	23.5	0.55
Larynx	20	2.3	0.24	1.4	0.14	6	0.6	0.11	0.3	0.07
Lung & bronchus	476	56.7	1.17	32.2	0.67	401	39.3	0.89	23.0	0.54
Skin	57	6.9	0.41	3.9	0.24	25	2.4	0.22	1.5	0.14
Melanomas of the skin	39	4.7	0.33	2.7	0.20	19	1.8	0.19	1.1	0.12
Breast	3	0.3	0.09	0.2	0.05	243	23.6	0.69	14.2	0.45
Female Genital System	-	-	-	-	-	178	17.8	0.60	10.8	0.39
Cervix uteri	-	-	-	-	-	24	2.6	0.24	1.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	56	5.6	0.34	3.3	0.21
Ovary	-	-	-	-	-	83	8.2	0.41	4.9	0.26
Male Genital System	176	21.9	0.74	10.4	0.36	-	-	-	-	-
Prostate	171	21.3	0.73	10.0	0.35	-	-	-	-	-
Testis	2	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	131	15.8	0.62	8.4	0.34	61	5.7	0.33	3.1	0.20
Bladder	64	7.9	0.44	3.9	0.22	25	2.2	0.20	1.1	0.11
Kidney & renal pelvis	64	7.6	0.43	4.4	0.25	33	3.1	0.25	1.8	0.15
Brain & Other CNS[1]	61	7.1	0.41	4.7	0.28	47	4.7	0.31	3.3	0.24
Endocrine System	8	0.9	0.14	0.6	0.10	8	0.7	0.12	0.4	0.07
Thyroid gland	6	0.7	0.13	0.4	0.08	5	0.4	0.09	0.2	0.05
Lymphomas	73	8.9	0.47	4.9	0.26	59	5.5	0.32	3.0	0.19
Hodgkin Lymphoma	3	0.3	0.09	0.2	0.06	2	0.2	0.07	0.1	0.04
Non-Hodgkin Lymphoma	70	8.6	0.46	4.6	0.26	57	5.2	0.32	2.8	0.18
Multiple Myeloma	43	5.2	0.35	2.8	0.19	28	2.6	0.22	1.4	0.13
Leukemias	87	10.5	0.50	5.9	0.29	65	5.9	0.33	3.3	0.21
Other, Ill-defined & Unknown	156	18.7	0.67	10.6	0.39	139	13.0	0.50	7.5	0.32

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,713	215.8	1.91	121.1	1.05	2,355	167.5	1.56	96.4	0.92
Oral Cavity & Pharynx	65	4.9	0.28	2.9	0.16	23	1.6	0.15	0.9	0.09
Digestive System	796	61.9	1.01	35.8	0.57	545	38.9	0.75	21.9	0.43
Esophagus	109	8.3	0.36	4.8	0.21	22	1.5	0.15	0.9	0.09
Stomach	50	4.0	0.26	2.2	0.14	35	2.6	0.19	1.5	0.12
Colon & Rectum	288	23.0	0.62	13.1	0.35	230	16.6	0.49	9.3	0.28
Liver	122	9.2	0.38	5.6	0.23	51	3.7	0.23	2.1	0.13
Pancreas	182	14.0	0.48	8.1	0.27	158	11.2	0.40	6.3	0.23
Respiratory System	714	55.6	0.96	31.0	0.52	647	45.4	0.81	25.5	0.46
Larynx	19	1.4	0.15	0.8	0.09	4	0.3	0.06	0.2	0.04
Lung & bronchus	691	53.8	0.94	30.0	0.51	641	45.0	0.80	25.2	0.45
Skin	86	6.9	0.34	3.9	0.19	31	2.2	0.18	1.3	0.11
Melanomas of the skin	60	4.7	0.28	2.8	0.16	22	1.6	0.16	0.9	0.09
Breast	6	0.6	0.10	0.3	0.05	360	25.8	0.61	15.5	0.38
Female Genital System	-	-	-	-	-	251	17.8	0.51	11.0	0.32
Cervix uteri	-	-	-	-	-	40	2.9	0.21	2.1	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	71	5.0	0.27	3.0	0.17
Ovary	-	-	-	-	-	125	8.8	0.36	5.3	0.22
Male Genital System	268	23.6	0.67	11.5	0.32	-	-	-	-	-
Prostate	259	22.9	0.66	11.0	0.31	-	-	-	-	-
Testis	5	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	188	15.8	0.53	8.3	0.27	83	6.0	0.30	3.1	0.16
Bladder	114	9.8	0.43	4.9	0.21	40	2.9	0.21	1.5	0.11
Kidney & renal pelvis	72	5.7	0.31	3.3	0.18	41	3.0	0.21	1.6	0.11
Brain & Other CNS[1]	81	6.0	0.30	4.0	0.20	66	4.6	0.26	3.0	0.18
Endocrine System	13	0.9	0.12	0.6	0.08	11	0.8	0.10	0.4	0.06
Thyroid gland	8	0.6	0.10	0.4	0.06	8	0.6	0.09	0.3	0.05
Lymphomas	101	8.2	0.37	4.6	0.21	61	4.3	0.25	2.4	0.14
Hodgkin Lymphoma	4	0.3	0.07	0.2	0.04	4	0.2	0.06	0.2	0.04
Non-Hodgkin Lymphoma	97	7.8	0.37	4.4	0.20	57	4.1	0.24	2.2	0.13
Multiple Myeloma	53	4.2	0.27	2.3	0.14	35	2.5	0.19	1.3	0.10
Leukemias	118	9.5	0.41	5.5	0.23	74	5.4	0.28	3.1	0.17
Other, Ill-defined & Unknown	225	17.8	0.54	10.2	0.31	170	12.2	0.42	7.0	0.25

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,441	219.7	2.63	122.5	1.48	1,297	161.7	2.03	94.5	1.26
Oral Cavity & Pharynx	33	4.7	0.37	2.9	0.23	12	1.5	0.19	0.9	0.12
Digestive System	392	58.1	1.33	33.8	0.78	270	33.3	0.92	18.9	0.55
Esophagus	76	11.1	0.58	6.5	0.34	20	2.5	0.25	1.5	0.16
Stomach	23	3.4	0.33	2.0	0.20	12	1.5	0.20	0.9	0.12
Colon & Rectum	107	16.4	0.72	9.2	0.41	108	13.3	0.58	7.5	0.35
Liver	54	7.7	0.48	4.8	0.30	12	1.5	0.19	0.9	0.12
Pancreas	98	14.3	0.66	8.4	0.39	84	10.3	0.51	5.8	0.29
Respiratory System	394	58.8	1.34	33.2	0.76	362	45.2	1.07	26.4	0.64
Larynx	11	1.6	0.22	0.9	0.12	3	0.3	0.09	0.2	0.05
Lung & bronchus	380	56.7	1.32	32.1	0.74	358	44.7	1.07	26.1	0.64
Skin	41	6.5	0.46	3.7	0.27	23	2.9	0.27	1.8	0.18
Melanomas of the skin	29	4.6	0.38	2.7	0.24	17	2.1	0.24	1.3	0.16
Breast	2	0.3	0.10	0.2	0.05	176	22.2	0.76	13.6	0.49
Female Genital System	-	-	-	-	-	138	17.5	0.67	10.5	0.42
Cervix uteri	-	-	-	-	-	11	1.5	0.20	1.0	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	49	6.0	0.39	3.6	0.24
Ovary	-	-	-	-	-	66	8.4	0.47	5.1	0.29
Male Genital System	135	22.4	0.87	10.6	0.41	-	-	-	-	-
Prostate	132	21.9	0.86	10.3	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	109	17.2	0.75	8.9	0.39	47	5.7	0.38	3.1	0.21
Bladder	66	10.8	0.60	5.3	0.29	22	2.6	0.25	1.3	0.14
Kidney & renal pelvis	41	6.1	0.43	3.5	0.25	22	2.8	0.26	1.6	0.16
Brain & Other CNS[1]	46	6.7	0.45	4.5	0.31	34	4.5	0.35	3.2	0.27
Endocrine System	5	0.8	0.16	0.5	0.11	5	0.6	0.12	0.3	0.07
Thyroid gland	3	0.5	0.13	0.3	0.07	3	0.4	0.10	0.2	0.05
Lymphomas	53	8.4	0.52	4.5	0.29	44	5.5	0.37	3.0	0.21
Hodgkin Lymphoma	2	0.4	0.12	0.2	0.07	2	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	51	8.0	0.51	4.3	0.28	42	5.2	0.36	2.8	0.21
Multiple Myeloma	28	4.4	0.38	2.4	0.20	22	2.7	0.26	1.5	0.15
Leukemias	61	9.6	0.55	5.4	0.32	41	5.0	0.36	2.9	0.23
Other, Ill-defined & Unknown	141	21.7	0.83	11.9	0.46	123	15.1	0.62	8.5	0.38

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	8,067	207.0	1.04	115.3	0.59	8,297	158.3	0.79	91.8	0.49
Oral Cavity & Pharynx	154	3.8	0.14	2.3	0.08	66	1.2	0.07	0.7	0.04
Digestive System	2,426	61.4	0.56	35.2	0.33	1,985	37.3	0.38	20.9	0.23
Esophagus	306	7.6	0.20	4.5	0.12	85	1.6	0.08	0.9	0.05
Stomach	219	5.6	0.17	3.2	0.10	146	2.8	0.10	1.7	0.07
Colon & Rectum	775	19.8	0.32	11.2	0.18	757	14.0	0.23	7.7	0.14
Liver	336	8.3	0.20	4.9	0.12	128	2.4	0.10	1.4	0.06
Pancreas	599	15.2	0.28	8.6	0.16	632	11.9	0.21	6.6	0.13
Respiratory System	1,983	50.5	0.51	28.4	0.29	1,943	37.3	0.38	21.3	0.23
Larynx	80	2.0	0.10	1.2	0.06	23	0.5	0.04	0.3	0.03
Lung & bronchus	1,891	48.2	0.50	27.1	0.28	1,910	36.6	0.38	20.9	0.23
Skin	209	5.4	0.17	2.9	0.09	114	2.1	0.09	1.2	0.05
Melanomas of the skin	147	3.8	0.14	2.1	0.08	88	1.7	0.08	1.0	0.05
Breast	16	0.4	0.05	0.2	0.03	1,287	25.1	0.32	15.2	0.20
Female Genital System	-	-	-	-	-	939	18.5	0.27	11.2	0.17
Cervix uteri	-	-	-	-	-	116	2.4	0.10	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	356	6.9	0.17	4.2	0.10
Ovary	-	-	-	-	-	405	7.9	0.18	4.8	0.11
Male Genital System	784	21.1	0.34	10.2	0.17	-	-	-	-	-
Prostate	766	20.6	0.34	9.9	0.16	-	-	-	-	-
Testis	9	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	575	15.1	0.28	7.9	0.15	294	5.3	0.14	2.8	0.08
Bladder	348	9.3	0.22	4.6	0.11	160	2.8	0.10	1.4	0.06
Kidney & renal pelvis	214	5.4	0.17	3.1	0.10	125	2.3	0.09	1.3	0.06
Brain & Other CNS[1]	240	5.9	0.17	3.9	0.12	191	3.9	0.13	2.6	0.09
Endocrine System	40	1.0	0.07	0.6	0.05	43	0.8	0.06	0.5	0.04
Thyroid gland	25	0.6	0.06	0.4	0.03	30	0.6	0.05	0.3	0.03
Lymphomas	332	8.6	0.21	4.8	0.12	266	4.9	0.14	2.7	0.08
Hodgkin Lymphoma	16	0.4	0.04	0.3	0.03	10	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	316	8.3	0.21	4.5	0.12	256	4.7	0.13	2.6	0.08
Multiple Myeloma	177	4.6	0.16	2.5	0.08	156	2.9	0.11	1.6	0.06
Leukemias	359	9.4	0.22	5.2	0.13	296	5.5	0.14	3.1	0.09
Other, Ill-defined & Unknown	772	19.9	0.32	11.1	0.18	715	13.4	0.23	7.8	0.14

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,891	196.8	2.05	111.0	1.17	1,655	143.7	1.59	84.6	0.99
Oral Cavity & Pharynx	44	4.4	0.30	2.6	0.18	17	1.5	0.16	0.8	0.09
Digestive System	609	62.4	1.14	36.8	0.68	422	36.5	0.80	21.2	0.49
Esophagus	73	7.3	0.39	4.3	0.23	11	0.9	0.13	0.6	0.08
Stomach	49	5.2	0.33	3.0	0.20	36	3.1	0.23	1.8	0.14
Colon & Rectum	184	19.4	0.65	11.2	0.38	150	13.2	0.49	7.8	0.31
Liver	126	12.8	0.51	7.8	0.32	47	4.0	0.26	2.3	0.16
Pancreas	133	13.4	0.53	7.8	0.31	119	10.2	0.42	5.7	0.24
Respiratory System	404	41.3	0.93	23.0	0.52	345	29.4	0.71	16.7	0.42
Larynx	17	1.7	0.19	1.0	0.11	4	0.4	0.09	0.2	0.05
Lung & bronchus	382	39.0	0.90	21.6	0.50	337	28.8	0.70	16.3	0.41
Skin	56	6.0	0.36	3.4	0.21	24	2.1	0.20	1.3	0.13
Melanomas of the skin	38	4.1	0.30	2.3	0.17	19	1.7	0.17	1.0	0.12
Breast	2	0.2	0.07	0.1	0.04	259	22.9	0.64	13.8	0.41
Female Genital System	-	-	-	-	-	201	17.8	0.57	11.2	0.38
Cervix uteri	-	-	-	-	-	24	2.4	0.22	1.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	58	5.1	0.30	3.1	0.19
Ovary	-	-	-	-	-	102	9.0	0.40	5.5	0.26
Male Genital System	211	23.4	0.73	11.3	0.35	-	-	-	-	-
Prostate	204	22.7	0.72	10.7	0.34	-	-	-	-	-
Testis	4	0.4	0.09	0.4	0.09	-	-	-	-	-
Urinary System	138	14.6	0.56	7.9	0.31	64	5.6	0.31	3.1	0.18
Bladder	70	7.7	0.41	3.8	0.21	27	2.3	0.20	1.2	0.11
Kidney & renal pelvis	63	6.6	0.37	3.9	0.23	36	3.1	0.23	1.8	0.14
Brain & Other CNS[1]	52	5.2	0.33	3.4	0.22	42	3.7	0.26	2.4	0.18
Endocrine System	11	1.2	0.16	0.7	0.10	11	1.0	0.14	0.6	0.09
Thyroid gland	7	0.7	0.12	0.4	0.07	7	0.6	0.11	0.4	0.07
Lymphomas	70	7.3	0.40	4.1	0.23	56	4.7	0.28	2.6	0.16
Hodgkin Lymphoma	5	0.5	0.11	0.4	0.07	4	0.3	0.07	0.2	0.04
Non-Hodgkin Lymphoma	64	6.7	0.38	3.8	0.21	52	4.4	0.27	2.4	0.16
Multiple Myeloma	39	4.0	0.29	2.3	0.17	31	2.6	0.21	1.5	0.13
Leukemias	75	7.9	0.41	4.6	0.25	52	4.4	0.28	2.6	0.18
Other, Ill-defined & Unknown	180	18.7	0.63	10.6	0.36	131	11.4	0.45	6.7	0.28

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17,694	205.6	0.69	115.8	0.40	17,612	153.1	0.52	89.6	0.33
Oral Cavity & Pharynx	361	4.1	0.10	2.5	0.06	157	1.4	0.05	0.8	0.03
Digestive System	5,316	61.1	0.38	35.4	0.22	4,254	36.4	0.25	20.7	0.15
Esophagus	682	7.8	0.13	4.6	0.08	199	1.7	0.06	1.0	0.03
Stomach	506	5.9	0.12	3.4	0.07	338	2.9	0.07	1.7	0.05
Colon & Rectum	1,565	18.2	0.21	10.4	0.12	1,554	13.1	0.15	7.4	0.09
Liver	790	8.8	0.14	5.4	0.09	276	2.4	0.06	1.4	0.04
Pancreas	1,317	15.2	0.19	8.7	0.11	1,348	11.5	0.14	6.4	0.08
Respiratory System	4,568	52.7	0.35	30.0	0.20	4,148	36.2	0.25	20.9	0.15
Larynx	189	2.2	0.07	1.3	0.04	48	0.4	0.03	0.3	0.02
Lung & bronchus	4,349	50.2	0.34	28.5	0.20	4,079	35.6	0.25	20.6	0.15
Skin	413	4.8	0.11	2.7	0.06	215	1.8	0.06	1.0	0.03
Melanomas of the skin	279	3.2	0.09	1.9	0.05	158	1.4	0.05	0.8	0.03
Breast	30	0.3	0.03	0.2	0.02	2,547	22.8	0.20	14.0	0.13
Female Genital System	-	-	-	-	-	2,143	19.2	0.19	11.7	0.12
Cervix uteri	-	-	-	-	-	270	2.6	0.07	1.8	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	803	7.1	0.11	4.3	0.07
Ovary	-	-	-	-	-	926	8.3	0.12	5.0	0.08
Male Genital System	1,770	21.4	0.23	10.5	0.11	-	-	-	-	-
Prostate	1,726	20.9	0.23	10.1	0.11	-	-	-	-	-
Testis	19	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	1,183	14.1	0.18	7.3	0.10	583	4.8	0.09	2.5	0.05
Bladder	705	8.5	0.14	4.2	0.07	314	2.5	0.06	1.3	0.03
Kidney & renal pelvis	449	5.2	0.11	3.0	0.06	248	2.1	0.06	1.2	0.04
Brain & Other CNS[1]	487	5.4	0.11	3.6	0.08	401	3.7	0.08	2.5	0.06
Endocrine System	77	0.9	0.05	0.6	0.03	107	0.9	0.04	0.6	0.03
Thyroid gland	51	0.6	0.04	0.3	0.02	74	0.6	0.03	0.4	0.02
Lymphomas	725	8.5	0.14	4.8	0.08	596	5.0	0.09	2.8	0.06
Hodgkin Lymphoma	34	0.4	0.03	0.3	0.02	31	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	691	8.1	0.14	4.5	0.08	565	4.7	0.09	2.6	0.05
Multiple Myeloma	380	4.4	0.10	2.4	0.06	345	2.9	0.07	1.6	0.04
Leukemias	797	9.3	0.15	5.3	0.09	629	5.4	0.10	3.2	0.06
Other, Ill-defined & Unknown	1,586	18.5	0.21	10.5	0.12	1,487	12.6	0.15	7.2	0.09

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,229	238.8	1.08	135.5	0.61	9,021	162.1	0.77	95.6	0.47
Oral Cavity & Pharynx	223	5.0	0.15	3.0	0.09	89	1.6	0.08	0.9	0.05
Digestive System	2,727	62.3	0.54	36.6	0.32	2,017	36.2	0.36	20.8	0.22
Esophagus	350	7.8	0.19	4.7	0.11	84	1.5	0.07	0.9	0.05
Stomach	201	4.6	0.15	2.7	0.09	139	2.5	0.10	1.4	0.06
Colon & Rectum	821	19.2	0.31	11.1	0.18	740	13.3	0.22	7.6	0.13
Liver	451	10.0	0.21	6.1	0.13	146	2.6	0.10	1.6	0.06
Pancreas	674	15.4	0.27	8.9	0.15	628	11.2	0.20	6.3	0.12
Respiratory System	3,255	74.1	0.59	42.6	0.34	2,411	43.0	0.39	25.3	0.24
Larynx	106	2.4	0.10	1.4	0.06	31	0.6	0.05	0.3	0.03
Lung & bronchus	3,123	71.1	0.58	40.8	0.33	2,366	42.3	0.39	24.8	0.24
Skin	277	6.7	0.18	3.7	0.10	133	2.4	0.09	1.4	0.06
Melanomas of the skin	183	4.4	0.15	2.5	0.08	99	1.8	0.08	1.1	0.05
Breast	15	0.3	0.04	0.2	0.02	1,346	24.7	0.30	15.2	0.20
Female Genital System	-	-	-	-	-	941	17.0	0.25	10.4	0.16
Cervix uteri	-	-	-	-	-	120	2.3	0.09	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	317	5.7	0.14	3.4	0.09
Ovary	-	-	-	-	-	420	7.6	0.17	4.5	0.10
Male Genital System	915	23.6	0.36	11.5	0.17	-	-	-	-	-
Prostate	895	23.1	0.35	11.2	0.17	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	648	15.7	0.28	8.4	0.15	301	5.3	0.14	2.9	0.08
Bladder	339	8.5	0.21	4.3	0.10	140	2.4	0.09	1.3	0.05
Kidney & renal pelvis	290	6.7	0.18	3.9	0.10	149	2.6	0.10	1.5	0.06
Brain & Other CNS[1]	270	6.0	0.17	4.0	0.11	227	4.1	0.12	2.7	0.09
Endocrine System	44	1.0	0.07	0.6	0.05	48	0.9	0.06	0.6	0.04
Thyroid gland	27	0.6	0.05	0.4	0.03	34	0.6	0.05	0.3	0.03
Lymphomas	354	8.5	0.21	4.7	0.11	275	4.9	0.13	2.7	0.08
Hodgkin Lymphoma	18	0.4	0.04	0.3	0.03	13	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	336	8.1	0.20	4.4	0.11	262	4.6	0.13	2.5	0.07
Multiple Myeloma	224	5.3	0.16	2.9	0.09	212	3.8	0.12	2.0	0.07
Leukemias	399	9.6	0.22	5.4	0.12	296	5.2	0.14	3.1	0.09
Other, Ill-defined & Unknown	878	20.6	0.32	11.8	0.18	726	13.0	0.22	7.5	0.13

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	688	206.3	3.54	116.2	2.04	601	149.7	2.80	87.6	1.75
Oral Cavity & Pharynx	11	3.3	0.44	1.9	0.26	7	1.7	0.30	1.0	0.19
Digestive System	184	55.2	1.83	32.1	1.09	138	33.0	1.29	18.6	0.79
Esophagus	29	8.5	0.71	5.1	0.44	7	1.7	0.30	1.0	0.18
Stomach	11	3.4	0.46	2.1	0.29	8	1.9	0.31	1.1	0.21
Colon & Rectum	63	19.0	1.07	10.8	0.63	55	12.9	0.80	7.1	0.49
Liver	18	5.4	0.57	3.4	0.36	6	1.4	0.26	0.8	0.17
Pancreas	48	14.3	0.93	8.1	0.54	40	9.7	0.70	5.4	0.42
Respiratory System	184	55.4	1.83	31.5	1.06	140	35.8	1.38	21.0	0.84
Larynx	5	1.6	0.31	0.9	0.19	-	-	-	-	-
Lung & bronchus	178	53.5	1.80	30.3	1.04	137	35.2	1.37	20.6	0.84
Skin	18	5.3	0.56	3.1	0.34	-	-	-	-	-
Melanomas of the skin	14	4.1	0.50	2.5	0.31	6	1.5	0.28	0.9	0.19
Breast	-	-	-	-	-	83	21.4	1.08	13.2	0.72
Female Genital System	-	-	-	-	-	57	14.9	0.90	9.1	0.58
Cervix uteri	-	-	-	-	-	6	1.6	0.31	1.1	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	20	5.2	0.53	3.1	0.34
Ovary	-	-	-	-	-	27	6.9	0.61	4.2	0.39
Male Genital System	70	21.2	1.14	10.2	0.57	-	-	-	-	-
Prostate	68	20.7	1.12	9.8	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	13.6	0.91	7.5	0.51	20	4.9	0.50	2.8	0.31
Bladder	23	6.8	0.64	3.5	0.34	8	1.7	0.29	0.9	0.16
Kidney & renal pelvis	21	6.4	0.62	3.8	0.38	11	2.8	0.39	1.7	0.25
Brain & Other CNS[1]	22	6.5	0.62	4.4	0.43	15	4.1	0.48	2.8	0.34
Endocrine System	4	1.2	0.27	0.7	0.16	3	0.8	0.21	0.5	0.15
Thyroid gland	3	0.8	0.22	0.5	0.13	-	-	-	-	-
Lymphomas	27	8.1	0.70	4.3	0.39	25	5.8	0.53	3.0	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	5.0	0.56	2.6	0.30	13	3.2	0.41	1.8	0.24
Leukemias	36	10.8	0.81	6.1	0.47	24	5.7	0.54	3.3	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13,269	247.5	0.97	140.9	0.56	12,124	176.7	0.73	104.4	0.46
Oral Cavity & Pharynx	287	5.2	0.14	3.2	0.09	116	1.7	0.07	1.0	0.04
Digestive System	3,565	65.8	0.50	38.4	0.29	2,758	39.6	0.34	22.6	0.21
Esophagus	589	10.7	0.20	6.4	0.12	141	2.0	0.08	1.2	0.05
Stomach	222	4.2	0.13	2.4	0.07	158	2.3	0.08	1.3	0.05
Colon & Rectum	1,149	21.6	0.29	12.4	0.17	1,079	15.4	0.21	8.8	0.13
Liver	466	8.3	0.17	5.0	0.11	179	2.6	0.09	1.5	0.05
Pancreas	855	15.7	0.24	9.1	0.14	864	12.3	0.19	7.0	0.11
Respiratory System	4,078	74.8	0.53	43.2	0.31	3,250	47.6	0.38	28.2	0.23
Larynx	138	2.5	0.10	1.5	0.06	47	0.7	0.05	0.4	0.03
Lung & bronchus	3,913	71.8	0.52	41.5	0.30	3,189	46.7	0.37	27.6	0.23
Skin	350	6.6	0.16	3.8	0.09	171	2.5	0.09	1.5	0.06
Melanomas of the skin	251	4.7	0.13	2.8	0.08	133	2.0	0.08	1.3	0.05
Breast	17	0.3	0.04	0.2	0.02	1,762	26.3	0.28	16.1	0.19
Female Genital System	-	-	-	-	-	1,258	18.8	0.24	11.5	0.16
Cervix uteri	-	-	-	-	-	161	2.7	0.10	2.0	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	425	6.2	0.14	3.7	0.08
Ovary	-	-	-	-	-	575	8.5	0.16	5.1	0.10
Male Genital System	1,162	22.9	0.30	11.3	0.15	-	-	-	-	-
Prostate	1,124	22.2	0.30	10.8	0.15	-	-	-	-	-
Testis	17	0.3	0.04	0.3	0.03	-	-	-	-	-
Urinary System	917	17.5	0.26	9.4	0.14	430	6.0	0.13	3.3	0.08
Bladder	526	10.3	0.20	5.2	0.10	206	2.8	0.09	1.4	0.05
Kidney & renal pelvis	368	6.8	0.16	3.9	0.09	208	3.0	0.09	1.7	0.06
Brain & Other CNS[1]	368	6.6	0.16	4.5	0.11	285	4.4	0.12	3.0	0.09
Endocrine System	51	0.9	0.06	0.6	0.04	57	0.8	0.05	0.5	0.04
Thyroid gland	29	0.5	0.05	0.3	0.03	38	0.5	0.04	0.3	0.02
Lymphomas	506	9.6	0.19	5.4	0.11	404	5.7	0.13	3.1	0.08
Hodgkin Lymphoma	26	0.5	0.04	0.3	0.03	16	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	479	9.1	0.19	5.0	0.11	388	5.4	0.12	3.0	0.07
Multiple Myeloma	285	5.4	0.14	3.0	0.08	230	3.3	0.10	1.8	0.06
Leukemias	552	10.6	0.20	5.9	0.12	420	6.0	0.13	3.4	0.08
Other, Ill-defined & Unknown	1,132	21.3	0.29	12.2	0.17	982	14.2	0.20	8.3	0.13

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,394	259.3	1.77	149.4	1.02	3,720	179.5	1.33	107.2	0.83
Oral Cavity & Pharynx	90	5.2	0.25	3.2	0.15	38	1.8	0.13	1.0	0.08
Digestive System	1,171	68.4	0.90	40.8	0.54	814	39.1	0.62	22.8	0.38
Esophagus	153	8.8	0.32	5.4	0.20	31	1.5	0.12	0.9	0.07
Stomach	74	4.4	0.23	2.6	0.14	44	2.1	0.14	1.3	0.10
Colon & Rectum	417	24.7	0.55	14.6	0.33	340	16.5	0.40	9.6	0.25
Liver	200	11.3	0.36	7.1	0.23	82	3.9	0.19	2.2	0.11
Pancreas	258	15.1	0.42	8.8	0.25	240	11.4	0.33	6.5	0.20
Respiratory System	1,379	79.9	0.97	46.4	0.56	1,052	50.4	0.70	29.9	0.43
Larynx	39	2.3	0.16	1.3	0.10	10	0.5	0.07	0.3	0.04
Lung & bronchus	1,330	77.1	0.95	44.7	0.55	1,037	49.6	0.69	29.5	0.42
Skin	132	7.9	0.31	4.6	0.18	53	2.6	0.16	1.5	0.10
Melanomas of the skin	83	4.9	0.24	3.0	0.15	38	1.9	0.14	1.1	0.09
Breast	5	0.3	0.06	0.2	0.04	538	26.4	0.51	16.2	0.33
Female Genital System	-	-	-	-	-	378	18.8	0.44	11.8	0.29
Cervix uteri	-	-	-	-	-	62	3.3	0.19	2.5	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	109	5.4	0.23	3.3	0.15
Ovary	-	-	-	-	-	185	9.0	0.30	5.5	0.19
Male Genital System	383	24.3	0.56	11.9	0.28	-	-	-	-	-
Prostate	373	23.7	0.56	11.5	0.27	-	-	-	-	-
Testis	6	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	307	18.5	0.48	10.2	0.26	132	6.2	0.24	3.5	0.14
Bladder	154	9.6	0.35	4.9	0.18	53	2.5	0.15	1.3	0.09
Kidney & renal pelvis	147	8.6	0.32	5.1	0.19	74	3.5	0.18	2.0	0.11
Brain & Other CNS[1]	117	6.7	0.28	4.5	0.19	93	4.6	0.21	3.1	0.15
Endocrine System	15	0.9	0.10	0.6	0.07	18	0.9	0.09	0.5	0.06
Thyroid gland	9	0.5	0.08	0.3	0.05	12	0.6	0.07	0.3	0.04
Lymphomas	160	9.6	0.35	5.4	0.20	123	5.8	0.24	3.3	0.14
Hodgkin Lymphoma	8	0.5	0.07	0.3	0.05	7	0.4	0.06	0.2	0.04
Non-Hodgkin Lymphoma	152	9.2	0.34	5.1	0.19	116	5.4	0.23	3.0	0.14
Multiple Myeloma	75	4.5	0.24	2.5	0.13	67	3.1	0.17	1.8	0.10
Leukemias	188	11.4	0.38	6.4	0.21	139	6.6	0.25	3.8	0.16
Other, Ill-defined & Unknown	370	21.7	0.51	12.8	0.30	275	13.2	0.36	7.9	0.23

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,184	219.0	1.54	122.4	0.87	3,799	164.7	1.21	95.7	0.74
Oral Cavity & Pharynx	99	5.0	0.23	3.0	0.14	47	2.0	0.13	1.1	0.08
Digestive System	1,222	62.8	0.82	36.5	0.48	869	37.6	0.58	21.4	0.35
Esophagus	186	9.5	0.32	5.6	0.19	44	1.9	0.13	1.1	0.08
Stomach	76	3.9	0.21	2.4	0.13	43	1.9	0.13	1.2	0.09
Colon & Rectum	338	17.9	0.44	10.1	0.25	308	13.3	0.34	7.4	0.21
Liver	202	9.8	0.31	6.1	0.19	69	3.0	0.16	1.7	0.10
Pancreas	308	15.8	0.41	9.1	0.24	274	11.8	0.32	6.7	0.19
Respiratory System	1,032	53.1	0.75	29.8	0.42	961	41.3	0.60	23.5	0.35
Larynx	29	1.5	0.12	0.9	0.07	7	0.3	0.05	0.2	0.03
Lung & bronchus	992	51.1	0.74	28.6	0.41	948	40.8	0.60	23.2	0.35
Skin	122	6.4	0.26	3.6	0.15	61	2.7	0.15	1.6	0.10
Melanomas of the skin	82	4.3	0.21	2.5	0.13	45	2.0	0.14	1.2	0.09
Breast	7	0.4	0.06	0.2	0.03	540	23.8	0.47	14.5	0.30
Female Genital System	-	-	-	-	-	450	19.9	0.43	12.2	0.27
Cervix uteri	-	-	-	-	-	49	2.4	0.15	1.7	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	135	5.9	0.23	3.6	0.14
Ovary	-	-	-	-	-	230	10.1	0.30	6.0	0.19
Male Genital System	442	24.5	0.53	11.8	0.26	-	-	-	-	-
Prostate	434	24.1	0.52	11.5	0.25	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	299	16.2	0.42	8.4	0.22	131	5.5	0.22	3.0	0.13
Bladder	164	9.1	0.32	4.4	0.16	63	2.6	0.15	1.3	0.08
Kidney & renal pelvis	125	6.6	0.27	3.7	0.15	62	2.6	0.15	1.5	0.09
Brain & Other CNS[1]	139	7.0	0.27	4.7	0.19	104	4.7	0.21	3.1	0.15
Endocrine System	24	1.2	0.11	0.8	0.07	19	0.8	0.08	0.5	0.06
Thyroid gland	16	0.8	0.09	0.5	0.06	14	0.6	0.07	0.3	0.04
Lymphomas	170	9.0	0.31	5.0	0.17	132	5.6	0.22	3.0	0.13
Hodgkin Lymphoma	8	0.4	0.06	0.3	0.04	5	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	162	8.6	0.31	4.7	0.17	126	5.3	0.22	2.8	0.12
Multiple Myeloma	96	5.1	0.24	2.7	0.13	74	3.1	0.16	1.7	0.09
Leukemias	183	9.8	0.33	5.5	0.19	123	5.3	0.22	3.1	0.14
Other, Ill-defined & Unknown	350	18.4	0.45	10.4	0.26	290	12.4	0.33	7.0	0.20

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14,812	235.6	0.87	132.6	0.50	13,742	167.7	0.65	98.2	0.41
Oral Cavity & Pharynx	281	4.4	0.12	2.7	0.07	118	1.4	0.06	0.8	0.04
Digestive System	4,209	66.5	0.46	38.6	0.27	3,184	38.0	0.31	21.6	0.19
Esophagus	640	10.0	0.18	5.9	0.11	162	2.0	0.07	1.1	0.04
Stomach	274	4.4	0.12	2.5	0.07	170	2.0	0.07	1.2	0.05
Colon & Rectum	1,310	21.0	0.26	11.9	0.15	1,250	14.7	0.19	8.2	0.12
Liver	592	9.1	0.17	5.5	0.10	199	2.4	0.08	1.4	0.05
Pancreas	1,066	16.8	0.23	9.7	0.14	1,005	12.0	0.17	6.8	0.10
Respiratory System	4,123	64.8	0.45	36.9	0.26	3,398	41.9	0.33	24.5	0.20
Larynx	145	2.3	0.08	1.3	0.05	39	0.5	0.04	0.3	0.02
Lung & bronchus	3,948	62.1	0.44	35.3	0.26	3,343	41.2	0.32	24.1	0.20
Skin	370	6.0	0.14	3.4	0.08	206	2.5	0.08	1.5	0.05
Melanomas of the skin	265	4.3	0.12	2.5	0.07	158	2.0	0.07	1.2	0.05
Breast	23	0.4	0.03	0.2	0.02	1,987	25.0	0.26	15.2	0.17
Female Genital System	-	-	-	-	-	1,519	19.3	0.23	11.8	0.15
Cervix uteri	-	-	-	-	-	166	2.4	0.08	1.7	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	543	6.8	0.13	4.1	0.08
Ovary	-	-	-	-	-	689	8.6	0.15	5.2	0.10
Male Genital System	1,369	22.4	0.27	10.9	0.14	-	-	-	-	-
Prostate	1,335	21.8	0.27	10.5	0.13	-	-	-	-	-
Testis	15	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	1,009	16.3	0.23	8.6	0.12	495	5.7	0.12	3.0	0.07
Bladder	595	9.7	0.18	4.8	0.09	250	2.8	0.08	1.4	0.04
Kidney & renal pelvis	387	6.2	0.14	3.5	0.08	228	2.7	0.08	1.5	0.05
Brain & Other CNS[1]	405	6.4	0.14	4.3	0.10	315	4.2	0.11	2.8	0.08
Endocrine System	58	0.9	0.05	0.6	0.04	67	0.8	0.05	0.5	0.03
Thyroid gland	39	0.6	0.05	0.4	0.03	46	0.5	0.04	0.3	0.02
Lymphomas	579	9.3	0.17	5.1	0.10	479	5.5	0.12	3.0	0.07
Hodgkin Lymphoma	22	0.4	0.03	0.2	0.02	19	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	557	9.0	0.17	4.9	0.10	460	5.3	0.11	2.8	0.07
Multiple Myeloma	306	4.9	0.13	2.7	0.07	263	3.1	0.09	1.7	0.05
Leukemias	642	10.3	0.18	5.8	0.11	478	5.7	0.12	3.3	0.08
Other, Ill-defined & Unknown	1,438	22.9	0.27	13.0	0.16	1,233	14.7	0.19	8.5	0.12

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,135	232.0	3.10	129.2	1.77	1,089	164.8	2.29	95.8	1.43
Oral Cavity & Pharynx	16	3.3	0.36	1.9	0.22	8	1.1	0.18	0.6	0.11
Digestive System	315	63.8	1.62	36.8	0.95	244	36.4	1.07	20.8	0.66
Esophagus	47	9.3	0.61	5.6	0.37	12	1.7	0.22	0.9	0.13
Stomach	23	4.6	0.44	2.5	0.25	20	3.0	0.31	1.7	0.19
Colon & Rectum	84	17.4	0.85	9.6	0.48	87	12.7	0.63	7.1	0.38
Liver	51	10.0	0.63	6.1	0.39	16	2.5	0.29	1.6	0.19
Pancreas	81	16.4	0.82	9.4	0.48	77	11.6	0.60	6.6	0.36
Respiratory System	321	65.1	1.64	36.6	0.93	307	47.4	1.23	27.5	0.75
Larynx	10	2.0	0.29	1.1	0.16	2	0.4	0.11	0.2	0.07
Lung & bronchus	309	62.7	1.60	35.2	0.91	304	46.9	1.22	27.3	0.74
Skin	26	5.5	0.48	3.1	0.28	19	2.7	0.29	1.5	0.17
Melanomas of the skin	18	3.7	0.40	2.1	0.23	13	1.9	0.25	1.1	0.15
Breast	3	0.7	0.17	0.4	0.09	135	21.2	0.84	13.0	0.56
Female Genital System	-	-	-	-	-	111	17.1	0.74	10.3	0.48
Cervix uteri	-	-	-	-	-	9	1.7	0.25	1.2	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	39	5.8	0.43	3.4	0.26
Ovary	-	-	-	-	-	50	7.9	0.50	4.7	0.32
Male Genital System	106	22.4	0.98	10.6	0.48	-	-	-	-	-
Prostate	103	21.9	0.97	10.3	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	83	17.2	0.85	8.9	0.45	41	5.8	0.42	3.1	0.24
Bladder	51	10.6	0.67	5.2	0.34	21	2.9	0.29	1.5	0.16
Kidney & renal pelvis	31	6.2	0.51	3.5	0.29	18	2.6	0.28	1.4	0.17
Brain & Other CNS[1]	33	6.7	0.52	4.4	0.35	28	4.6	0.39	2.9	0.27
Endocrine System	5	1.0	0.20	0.5	0.11	5	0.8	0.16	0.5	0.11
Thyroid gland	3	0.6	0.16	0.3	0.09	3	0.5	0.13	0.3	0.08
Lymphomas	38	7.9	0.57	4.4	0.33	39	5.5	0.40	2.9	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	18	3.7	0.39	2.1	0.22	20	2.9	0.30	1.5	0.17
Leukemias	51	10.7	0.67	6.0	0.40	38	5.4	0.41	3.1	0.27
Other, Ill-defined & Unknown	118	24.3	1.01	13.5	0.58	95	14.0	0.66	8.0	0.41

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,492	248.5	1.54	141.4	0.87	4,576	163.9	1.09	97.3	0.68
Oral Cavity & Pharynx	133	5.9	0.23	3.6	0.14	51	1.9	0.12	1.1	0.08
Digestive System	1,484	65.8	0.78	38.9	0.46	1,044	37.4	0.52	21.6	0.31
Esophagus	188	8.1	0.27	4.9	0.16	50	1.8	0.11	1.0	0.07
Stomach	135	6.0	0.24	3.6	0.14	75	2.7	0.14	1.6	0.09
Colon & Rectum	460	20.8	0.45	12.2	0.26	388	14.0	0.32	8.1	0.20
Liver	234	10.1	0.30	6.1	0.18	77	2.7	0.14	1.6	0.08
Pancreas	356	15.7	0.38	9.1	0.22	329	11.7	0.29	6.6	0.17
Respiratory System	1,683	73.6	0.82	42.6	0.47	1,171	41.1	0.54	24.2	0.33
Larynx	67	2.9	0.16	1.8	0.10	13	0.5	0.06	0.3	0.04
Lung & bronchus	1,604	70.1	0.80	40.5	0.46	1,153	40.5	0.54	23.8	0.32
Skin	143	6.7	0.26	3.7	0.14	65	2.4	0.13	1.4	0.08
Melanomas of the skin	86	4.0	0.20	2.3	0.11	47	1.7	0.11	1.1	0.07
Breast	8	0.3	0.06	0.2	0.03	691	25.4	0.44	15.9	0.29
Female Genital System	-	-	-	-	-	473	17.1	0.35	10.6	0.23
Cervix uteri	-	-	-	-	-	73	2.9	0.15	2.1	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	162	5.7	0.20	3.5	0.13
Ovary	-	-	-	-	-	201	7.2	0.23	4.3	0.14
Male Genital System	516	25.9	0.53	12.6	0.25	-	-	-	-	-
Prostate	507	25.5	0.52	12.3	0.24	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	322	15.3	0.39	8.2	0.21	151	5.4	0.20	2.9	0.11
Bladder	162	8.1	0.29	4.0	0.14	70	2.5	0.13	1.3	0.07
Kidney & renal pelvis	152	6.8	0.25	4.0	0.15	75	2.7	0.14	1.5	0.09
Brain & Other CNS[1]	149	6.4	0.24	4.2	0.16	120	4.4	0.18	3.0	0.13
Endocrine System	24	1.1	0.10	0.7	0.06	21	0.8	0.07	0.5	0.05
Thyroid gland	16	0.7	0.08	0.4	0.05	14	0.5	0.06	0.3	0.03
Lymphomas	172	8.1	0.28	4.5	0.16	147	5.2	0.19	2.8	0.11
Hodgkin Lymphoma	10	0.4	0.06	0.3	0.05	8	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	163	7.6	0.28	4.2	0.15	139	4.9	0.19	2.6	0.10
Multiple Myeloma	129	6.0	0.24	3.2	0.13	118	4.2	0.17	2.3	0.10
Leukemias	223	10.5	0.33	5.9	0.18	158	5.7	0.20	3.4	0.13
Other, Ill-defined & Unknown	506	23.0	0.47	13.2	0.27	365	13.1	0.31	7.7	0.19

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	903	225.3	3.37	125.6	1.93	762	157.0	2.60	91.6	1.63
Oral Cavity & Pharynx	17	4.2	0.46	2.5	0.28	6	1.3	0.24	0.8	0.16
Digestive System	255	63.0	1.78	36.7	1.06	186	37.1	1.25	20.7	0.75
Esophagus	39	9.5	0.68	5.6	0.41	8	1.6	0.26	0.9	0.15
Stomach	13	3.1	0.39	1.9	0.24	11	2.2	0.31	1.3	0.20
Colon & Rectum	92	23.2	1.09	13.1	0.63	77	15.2	0.80	8.4	0.48
Liver	28	6.8	0.58	4.2	0.37	9	1.7	0.26	0.9	0.15
Pancreas	59	14.5	0.85	8.5	0.51	58	11.7	0.70	6.5	0.42
Respiratory System	243	60.1	1.73	33.4	0.98	191	40.5	1.33	23.7	0.81
Larynx	4	1.0	0.21	0.5	0.12	-	-	-	-	-
Lung & bronchus	237	58.5	1.71	32.6	0.96	189	40.0	1.32	23.5	0.80
Skin	23	6.0	0.56	3.3	0.32	11	2.3	0.32	1.3	0.20
Melanomas of the skin	16	4.1	0.46	2.4	0.28	8	1.8	0.29	1.1	0.19
Breast	-	-	-	-	-	106	22.4	1.00	13.7	0.66
Female Genital System	-	-	-	-	-	75	15.9	0.84	9.6	0.54
Cervix uteri	-	-	-	-	-	7	1.8	0.31	1.3	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	24	4.9	0.46	2.8	0.28
Ovary	-	-	-	-	-	38	8.1	0.60	4.8	0.38
Male Genital System	87	22.4	1.08	10.9	0.54	-	-	-	-	-
Prostate	84	21.7	1.06	10.5	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	16.3	0.91	8.6	0.50	27	5.2	0.46	2.8	0.27
Bladder	33	8.5	0.66	4.2	0.34	11	2.0	0.28	1.0	0.15
Kidney & renal pelvis	29	7.2	0.60	4.1	0.35	14	2.9	0.35	1.6	0.21
Brain & Other CNS[1]	31	7.6	0.61	4.8	0.40	23	5.2	0.49	3.5	0.35
Endocrine System	4	1.0	0.22	0.7	0.16	6	1.2	0.23	0.8	0.17
Thyroid gland	-	-	-	-	-	4	0.8	0.19	0.5	0.11
Lymphomas	34	8.5	0.66	4.5	0.36	26	5.0	0.45	2.6	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	23	5.8	0.54	3.0	0.29	14	2.8	0.34	1.5	0.20
Leukemias	43	10.8	0.74	6.0	0.43	31	5.9	0.49	3.4	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	61	12.3	0.72	7.2	0.46

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,727	266.1	1.38	152.9	0.79	6,491	176.4	0.98	104.9	0.61
Oral Cavity & Pharynx	169	5.7	0.20	3.5	0.12	67	1.8	0.10	1.1	0.06
Digestive System	1,983	66.8	0.68	39.7	0.40	1,402	38.0	0.46	22.1	0.28
Esophagus	278	9.2	0.25	5.6	0.15	58	1.6	0.09	0.9	0.06
Stomach	129	4.4	0.18	2.7	0.11	81	2.2	0.11	1.4	0.07
Colon & Rectum	639	22.1	0.40	12.9	0.23	561	15.3	0.29	8.8	0.18
Liver	338	11.0	0.27	6.8	0.17	115	3.1	0.13	1.8	0.08
Pancreas	462	15.5	0.33	9.1	0.19	432	11.6	0.25	6.7	0.15
Respiratory System	2,580	86.6	0.78	50.4	0.45	1,841	49.7	0.52	29.6	0.32
Larynx	86	2.8	0.14	1.7	0.08	22	0.6	0.06	0.4	0.04
Lung & bronchus	2,479	83.3	0.76	48.4	0.44	1,809	48.8	0.52	29.0	0.31
Skin	234	8.2	0.25	4.7	0.14	94	2.6	0.12	1.5	0.08
Melanomas of the skin	153	5.3	0.19	3.1	0.11	71	2.0	0.11	1.2	0.07
Breast	12	0.4	0.06	0.2	0.03	934	25.8	0.38	15.8	0.24
Female Genital System	-	-	-	-	-	669	18.4	0.32	11.4	0.21
Cervix uteri	-	-	-	-	-	111	3.2	0.14	2.3	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	191	5.2	0.17	3.1	0.10
Ovary	-	-	-	-	-	316	8.6	0.22	5.2	0.14
Male Genital System	622	23.8	0.44	11.7	0.21	-	-	-	-	-
Prostate	604	23.2	0.43	11.3	0.21	-	-	-	-	-
Testis	9	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	471	16.8	0.36	9.1	0.19	215	5.7	0.18	3.1	0.10
Bladder	242	9.0	0.27	4.6	0.13	89	2.4	0.11	1.2	0.06
Kidney & renal pelvis	217	7.4	0.23	4.3	0.13	117	3.1	0.13	1.8	0.08
Brain & Other CNS[1]	214	7.0	0.22	4.7	0.15	157	4.4	0.16	2.9	0.11
Endocrine System	27	0.9	0.08	0.6	0.05	26	0.7	0.06	0.4	0.04
Thyroid gland	18	0.6	0.07	0.3	0.04	17	0.5	0.05	0.3	0.03
Lymphomas	279	9.9	0.27	5.5	0.15	213	5.7	0.17	3.1	0.10
Hodgkin Lymphoma	15	0.5	0.06	0.3	0.04	9	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	264	9.3	0.26	5.2	0.15	204	5.4	0.17	2.9	0.10
Multiple Myeloma	161	5.7	0.21	3.1	0.11	127	3.4	0.13	1.9	0.08
Leukemias	301	10.8	0.29	6.0	0.16	211	5.7	0.18	3.3	0.11
Other, Ill-defined & Unknown	675	23.4	0.41	13.6	0.24	536	14.5	0.28	8.6	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21,173	216.9	0.68	123.2	0.38	18,276	150.3	0.50	88.6	0.30
Oral Cavity & Pharynx	502	4.9	0.10	2.9	0.06	186	1.5	0.05	0.9	0.03
Digestive System	6,530	64.8	0.37	38.1	0.21	4,500	37.1	0.25	21.4	0.15
Esophagus	693	6.8	0.12	4.0	0.07	166	1.4	0.05	0.8	0.03
Stomach	553	5.6	0.11	3.3	0.06	368	3.0	0.07	1.8	0.04
Colon & Rectum	2,086	21.0	0.21	12.2	0.12	1,619	13.3	0.15	7.7	0.09
Liver	1,327	12.6	0.16	7.7	0.09	490	4.0	0.08	2.3	0.05
Pancreas	1,373	13.8	0.17	8.0	0.10	1,291	10.7	0.13	6.0	0.08
Respiratory System	5,490	56.0	0.34	31.8	0.19	4,129	34.1	0.24	19.7	0.14
Larynx	209	2.1	0.07	1.2	0.04	44	0.4	0.02	0.2	0.01
Lung & bronchus	5,230	53.4	0.34	30.3	0.19	4,061	33.5	0.24	19.3	0.14
Skin	578	6.0	0.11	3.4	0.06	245	2.0	0.06	1.2	0.03
Melanomas of the skin	348	3.5	0.09	2.0	0.05	169	1.4	0.05	0.8	0.03
Breast	30	0.3	0.03	0.2	0.01	2,858	23.5	0.20	14.4	0.12
Female Genital System	-	-	-	-	-	2,066	16.9	0.17	10.6	0.11
Cervix uteri	-	-	-	-	-	405	3.3	0.07	2.4	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	626	5.1	0.09	3.1	0.06
Ovary	-	-	-	-	-	889	7.3	0.11	4.4	0.07
Male Genital System	1,878	21.5	0.23	10.6	0.11	-	-	-	-	-
Prostate	1,809	20.8	0.22	10.1	0.11	-	-	-	-	-
Testis	36	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,437	15.4	0.19	8.3	0.10	661	5.4	0.09	3.0	0.05
Bladder	673	7.6	0.13	3.8	0.07	250	2.1	0.06	1.0	0.03
Kidney & renal pelvis	728	7.3	0.12	4.3	0.07	392	3.2	0.07	1.9	0.04
Brain & Other CNS[1]	625	5.8	0.11	3.8	0.07	510	4.1	0.08	2.8	0.06
Endocrine System	106	1.0	0.04	0.6	0.03	113	0.9	0.04	0.6	0.03
Thyroid gland	63	0.6	0.04	0.4	0.02	70	0.6	0.03	0.3	0.02
Lymphomas	807	8.5	0.14	4.7	0.07	617	5.1	0.09	2.8	0.05
Hodgkin Lymphoma	53	0.5	0.03	0.3	0.02	36	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	754	7.9	0.13	4.4	0.07	581	4.8	0.09	2.6	0.05
Multiple Myeloma	450	4.7	0.10	2.6	0.05	361	3.0	0.07	1.6	0.04
Leukemias	933	9.7	0.15	5.6	0.08	643	5.2	0.09	3.1	0.06
Other, Ill-defined & Unknown	1,807	18.4	0.20	10.6	0.11	1,387	11.4	0.14	6.7	0.08

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,641	171.3	1.92	95.2	1.06	1,437	127.9	1.52	74.1	0.90
Oral Cavity & Pharynx	29	2.9	0.24	1.8	0.15	14	1.2	0.15	0.7	0.09
Digestive System	465	47.3	0.99	27.5	0.57	341	30.5	0.74	17.4	0.44
Esophagus	61	6.0	0.35	3.6	0.21	11	1.0	0.13	0.6	0.08
Stomach	30	3.1	0.26	1.8	0.15	25	2.2	0.20	1.3	0.12
Colon & Rectum	147	15.2	0.57	8.7	0.32	125	11.2	0.45	6.4	0.27
Liver	63	6.3	0.36	3.7	0.21	27	2.4	0.21	1.4	0.12
Pancreas	127	13.0	0.52	7.4	0.30	110	9.9	0.42	5.5	0.24
Respiratory System	267	27.6	0.76	15.6	0.43	207	18.5	0.58	10.6	0.34
Larynx	9	0.9	0.13	0.5	0.08	2	0.2	0.06	0.1	0.03
Lung & bronchus	253	26.2	0.75	14.8	0.42	203	18.1	0.57	10.4	0.33
Skin	69	7.2	0.39	4.1	0.22	25	2.2	0.20	1.3	0.12
Melanomas of the skin	55	5.5	0.34	3.3	0.20	21	1.9	0.19	1.2	0.12
Breast	2	0.2	0.06	0.1	0.04	265	23.7	0.65	14.0	0.40
Female Genital System	-	-	-	-	-	185	16.6	0.55	9.8	0.33
Cervix uteri	-	-	-	-	-	18	1.6	0.17	1.1	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	56	5.1	0.30	2.9	0.18
Ovary	-	-	-	-	-	102	9.1	0.41	5.3	0.24
Male Genital System	206	23.7	0.75	11.1	0.35	-	-	-	-	-
Prostate	202	23.3	0.74	10.9	0.34	-	-	-	-	-
Testis	3	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	119	12.9	0.53	6.8	0.28	48	4.3	0.28	2.3	0.15
Bladder	61	6.9	0.40	3.3	0.19	17	1.6	0.17	0.8	0.09
Kidney & renal pelvis	55	5.6	0.34	3.2	0.20	29	2.6	0.22	1.4	0.12
Brain & Other CNS[1]	75	7.0	0.37	4.7	0.24	47	4.0	0.27	2.7	0.18
Endocrine System	11	1.2	0.16	0.7	0.09	10	0.9	0.12	0.5	0.08
Thyroid gland	9	1.0	0.15	0.5	0.08	7	0.6	0.10	0.3	0.06
Lymphomas	78	8.2	0.43	4.5	0.23	56	5.0	0.30	2.6	0.16
Hodgkin Lymphoma	4	0.3	0.08	0.2	0.05	3	0.2	0.07	0.1	0.04
Non-Hodgkin Lymphoma	74	7.9	0.42	4.2	0.22	53	4.8	0.29	2.5	0.16
Multiple Myeloma	43	4.7	0.32	2.5	0.17	34	3.0	0.23	1.6	0.13
Leukemias	93	9.8	0.46	5.4	0.25	69	6.0	0.33	3.5	0.20
Other, Ill-defined & Unknown	183	18.7	0.63	10.7	0.36	135	11.9	0.46	6.8	0.27

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	734	230.4	3.87	129.2	2.20	644	164.7	2.94	95.6	1.82
Oral Cavity & Pharynx	18	5.3	0.57	3.3	0.36	8	2.1	0.33	1.2	0.19
Digestive System	194	59.5	1.95	34.3	1.14	148	37.4	1.39	21.0	0.83
Esophagus	35	10.4	0.81	6.0	0.46	8	2.1	0.33	1.2	0.21
Stomach	14	4.7	0.56	2.6	0.32	6	1.4	0.26	0.8	0.16
Colon & Rectum	61	19.2	1.12	11.0	0.66	61	15.7	0.91	8.7	0.55
Liver	21	6.1	0.60	3.7	0.37	6	1.4	0.27	0.8	0.17
Pancreas	47	14.6	0.96	8.2	0.55	44	11.1	0.75	6.2	0.43
Respiratory System	199	60.7	1.96	34.6	1.12	176	44.8	1.53	25.9	0.91
Larynx	5	1.6	0.32	1.0	0.20	-	-	-	-	-
Lung & bronchus	191	58.4	1.92	33.3	1.09	173	44.1	1.51	25.5	0.91
Skin	22	7.0	0.68	3.9	0.38	10	2.6	0.38	1.6	0.25
Melanomas of the skin	13	4.1	0.52	2.4	0.31	8	2.0	0.33	1.2	0.22
Breast	-	-	-	-	-	79	20.8	1.06	12.6	0.69
Female Genital System	-	-	-	-	-	67	17.3	0.96	10.5	0.61
Cervix uteri	-	-	-	-	-	4	1.2	0.28	0.9	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	24	6.0	0.56	3.6	0.35
Ovary	-	-	-	-	-	30	7.8	0.65	4.7	0.41
Male Genital System	67	22.9	1.26	11.0	0.61	-	-	-	-	-
Prostate	65	22.1	1.24	10.5	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	17.5	1.08	9.1	0.57	24	6.1	0.57	3.5	0.35
Bladder	32	10.6	0.86	5.2	0.42	14	3.5	0.43	1.9	0.25
Kidney & renal pelvis	21	6.4	0.64	3.7	0.37	10	2.4	0.35	1.4	0.23
Brain & Other CNS[1]	25	7.7	0.71	5.2	0.50	21	5.8	0.57	3.9	0.41
Endocrine System	5	1.4	0.30	1.0	0.22	4	1.0	0.23	0.6	0.16
Thyroid gland	3	0.8	0.22	0.5	0.13	3	0.6	0.18	0.4	0.10
Lymphomas	29	9.6	0.80	5.1	0.44	21	5.3	0.53	3.0	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	17	5.2	0.58	2.9	0.32	11	2.6	0.36	1.4	0.21
Leukemias	32	10.3	0.83	5.7	0.48	20	5.0	0.51	2.7	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	55	13.9	0.85	7.7	0.51

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,793	224.7	1.16	126.2	0.65	7,047	159.2	0.85	92.8	0.52
Oral Cavity & Pharynx	168	4.6	0.16	2.8	0.10	72	1.6	0.09	0.9	0.05
Digestive System	2,197	61.7	0.60	36.0	0.35	1,596	36.0	0.40	20.4	0.24
Esophagus	295	8.1	0.21	4.8	0.13	81	1.8	0.09	1.0	0.05
Stomach	174	4.9	0.17	2.9	0.10	106	2.4	0.11	1.4	0.07
Colon & Rectum	685	19.6	0.34	11.3	0.20	589	13.2	0.25	7.4	0.14
Liver	325	8.8	0.22	5.3	0.13	113	2.6	0.11	1.5	0.07
Pancreas	551	15.5	0.30	8.9	0.17	494	11.1	0.22	6.2	0.13
Respiratory System	2,213	62.4	0.60	35.6	0.34	1,739	39.2	0.42	22.6	0.25
Larynx	79	2.2	0.11	1.3	0.06	17	0.4	0.04	0.2	0.03
Lung & bronchus	2,120	59.8	0.59	34.0	0.33	1,713	38.6	0.42	22.2	0.25
Skin	209	6.2	0.19	3.4	0.11	99	2.2	0.10	1.3	0.06
Melanomas of the skin	148	4.3	0.16	2.4	0.09	77	1.8	0.09	1.1	0.06
Breast	13	0.4	0.05	0.2	0.03	1,119	25.5	0.34	15.6	0.22
Female Genital System	-	-	-	-	-	750	17.0	0.28	10.4	0.18
Cervix uteri	-	-	-	-	-	90	2.1	0.10	1.6	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	248	5.6	0.16	3.4	0.10
Ovary	-	-	-	-	-	363	8.2	0.19	4.9	0.12
Male Genital System	737	23.5	0.39	11.3	0.19	-	-	-	-	-
Prostate	722	23.1	0.39	11.0	0.18	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	518	15.6	0.31	8.2	0.16	236	5.3	0.15	2.8	0.09
Bladder	294	9.3	0.25	4.6	0.12	111	2.5	0.10	1.3	0.06
Kidney & renal pelvis	209	5.9	0.19	3.4	0.11	116	2.6	0.11	1.5	0.06
Brain & Other CNS[1]	210	5.7	0.18	3.7	0.12	182	4.1	0.14	2.7	0.10
Endocrine System	34	0.9	0.07	0.6	0.05	35	0.8	0.06	0.5	0.04
Thyroid gland	17	0.5	0.05	0.3	0.03	25	0.6	0.05	0.3	0.03
Lymphomas	279	8.3	0.23	4.5	0.12	224	5.0	0.15	2.8	0.09
Hodgkin Lymphoma	12	0.3	0.04	0.2	0.03	12	0.3	0.04	0.2	0.02
Non-Hodgkin Lymphoma	268	8.0	0.22	4.3	0.12	212	4.8	0.15	2.6	0.08
Multiple Myeloma	172	5.0	0.18	2.8	0.09	141	3.2	0.12	1.7	0.07
Leukemias	301	8.9	0.23	5.0	0.13	235	5.3	0.16	3.1	0.10
Other, Ill-defined & Unknown	742	21.5	0.36	12.1	0.20	620	13.9	0.25	8.0	0.15

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,524	212.8	1.20	118.3	0.66	5,892	157.8	0.93	91.2	0.56
Oral Cavity & Pharynx	156	4.9	0.18	2.9	0.10	68	1.8	0.10	1.0	0.06
Digestive System	1,881	59.7	0.63	34.5	0.36	1,339	35.7	0.44	20.2	0.26
Esophagus	277	8.7	0.24	5.0	0.14	68	1.8	0.10	1.0	0.06
Stomach	135	4.3	0.17	2.5	0.10	85	2.3	0.11	1.4	0.07
Colon & Rectum	527	17.1	0.34	9.7	0.19	466	12.4	0.26	6.9	0.15
Liver	309	9.3	0.24	5.7	0.15	105	2.8	0.12	1.6	0.07
Pancreas	454	14.5	0.31	8.2	0.17	414	11.0	0.24	6.2	0.14
Respiratory System	1,641	52.8	0.59	29.5	0.33	1,453	38.9	0.46	22.1	0.27
Larynx	51	1.6	0.10	0.9	0.06	11	0.3	0.04	0.2	0.02
Lung & bronchus	1,570	50.5	0.58	28.3	0.32	1,433	38.4	0.46	21.8	0.27
Skin	194	6.3	0.21	3.6	0.12	97	2.6	0.12	1.5	0.07
Melanomas of the skin	139	4.4	0.17	2.6	0.10	76	2.0	0.11	1.2	0.07
Breast	9	0.3	0.04	0.2	0.03	870	23.5	0.36	14.1	0.23
Female Genital System	-	-	-	-	-	651	17.6	0.31	10.5	0.19
Cervix uteri	-	-	-	-	-	65	1.9	0.10	1.3	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	202	5.4	0.17	3.2	0.10
Ovary	-	-	-	-	-	335	9.1	0.22	5.4	0.14
Male Genital System	672	23.9	0.42	11.4	0.20	-	-	-	-	-
Prostate	658	23.5	0.42	11.1	0.20	-	-	-	-	-
Testis	9	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	466	15.8	0.33	8.2	0.17	219	5.8	0.18	3.1	0.10
Bladder	261	9.1	0.26	4.5	0.13	108	2.8	0.12	1.5	0.07
Kidney & renal pelvis	190	6.1	0.20	3.4	0.11	101	2.7	0.12	1.5	0.07
Brain & Other CNS[1]	231	7.0	0.21	4.7	0.14	171	4.7	0.16	3.1	0.11
Endocrine System	30	0.9	0.08	0.6	0.05	36	1.0	0.07	0.6	0.05
Thyroid gland	19	0.6	0.06	0.4	0.04	24	0.7	0.06	0.4	0.04
Lymphomas	276	9.3	0.25	5.0	0.14	201	5.3	0.17	2.9	0.10
Hodgkin Lymphoma	12	0.4	0.05	0.3	0.03	9	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	264	8.9	0.25	4.8	0.13	192	5.1	0.16	2.7	0.09
Multiple Myeloma	132	4.4	0.17	2.4	0.09	109	2.9	0.13	1.6	0.07
Leukemias	289	9.7	0.26	5.4	0.15	208	5.5	0.17	3.2	0.11
Other, Ill-defined & Unknown	545	18.0	0.35	10.0	0.20	470	12.5	0.26	7.1	0.16

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,274	207.7	1.45	115.1	0.80	3,938	154.8	1.11	89.1	0.67
Oral Cavity & Pharynx	99	4.6	0.21	2.7	0.12	45	1.8	0.12	1.0	0.07
Digestive System	1,254	59.0	0.76	34.1	0.43	889	34.7	0.53	19.5	0.31
Esophagus	176	8.3	0.28	4.7	0.16	45	1.8	0.12	1.0	0.07
Stomach	96	4.5	0.21	2.7	0.12	60	2.4	0.14	1.4	0.09
Colon & Rectum	352	17.0	0.41	9.6	0.23	303	11.8	0.31	6.5	0.18
Liver	211	9.4	0.29	5.7	0.18	70	2.8	0.15	1.6	0.09
Pancreas	297	14.1	0.37	8.0	0.21	278	10.8	0.29	6.0	0.17
Respiratory System	1,059	51.0	0.71	28.4	0.39	948	37.4	0.55	21.1	0.32
Larynx	31	1.5	0.12	0.8	0.07	8	0.3	0.05	0.2	0.03
Lung & bronchus	1,014	48.9	0.70	27.2	0.39	933	36.8	0.54	20.8	0.31
Skin	132	6.4	0.25	3.6	0.14	64	2.5	0.14	1.5	0.09
Melanomas of the skin	96	4.5	0.21	2.7	0.12	49	1.9	0.12	1.2	0.08
Breast	6	0.3	0.05	0.2	0.03	594	23.4	0.43	14.1	0.27
Female Genital System	-	-	-	-	-	452	17.9	0.38	10.7	0.23
Cervix uteri	-	-	-	-	-	44	1.8	0.12	1.2	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	142	5.6	0.21	3.3	0.13
Ovary	-	-	-	-	-	233	9.2	0.27	5.5	0.17
Male Genital System	440	23.4	0.51	11.2	0.24	-	-	-	-	-
Prostate	430	23.0	0.50	10.9	0.24	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	310	15.6	0.40	8.1	0.21	142	5.5	0.21	2.9	0.12
Bladder	177	9.2	0.32	4.5	0.15	74	2.9	0.15	1.5	0.08
Kidney & renal pelvis	123	5.9	0.24	3.3	0.13	62	2.4	0.14	1.4	0.08
Brain & Other CNS[1]	153	6.8	0.25	4.5	0.17	119	4.7	0.20	3.2	0.14
Endocrine System	18	0.8	0.09	0.6	0.06	25	1.0	0.09	0.6	0.06
Thyroid gland	11	0.5	0.07	0.3	0.04	19	0.7	0.08	0.4	0.05
Lymphomas	179	9.0	0.31	4.8	0.16	135	5.3	0.20	2.8	0.12
Hodgkin Lymphoma	7	0.3	0.05	0.2	0.03	4	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	173	8.7	0.30	4.6	0.16	131	5.1	0.20	2.7	0.11
Multiple Myeloma	84	4.2	0.21	2.3	0.11	74	2.9	0.15	1.6	0.09
Leukemias	186	9.3	0.31	5.2	0.18	139	5.4	0.21	3.2	0.13
Other, Ill-defined & Unknown	353	17.4	0.42	9.6	0.23	312	12.2	0.31	6.9	0.19

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,548	263.8	2.38	151.9	1.38	2,202	188.9	1.83	112.8	1.16
Oral Cavity & Pharynx	54	5.6	0.35	3.5	0.22	20	1.7	0.17	1.0	0.11
Digestive System	646	66.3	1.19	39.5	0.71	490	41.5	0.85	23.9	0.52
Esophagus	113	11.3	0.48	7.0	0.30	23	2.0	0.19	1.2	0.12
Stomach	36	3.8	0.29	2.2	0.17	29	2.5	0.21	1.4	0.13
Colon & Rectum	230	24.1	0.72	13.9	0.42	219	18.4	0.56	10.4	0.34
Liver	88	8.9	0.43	5.5	0.27	33	2.8	0.22	1.7	0.14
Pancreas	136	13.9	0.54	8.2	0.32	131	11.1	0.44	6.5	0.27
Respiratory System	862	86.7	1.34	50.4	0.78	621	53.1	0.96	31.9	0.60
Larynx	36	3.6	0.27	2.3	0.17	10	0.8	0.12	0.5	0.08
Lung & bronchus	822	82.7	1.31	47.9	0.76	609	52.1	0.96	31.3	0.59
Skin	74	8.0	0.42	4.7	0.25	36	3.1	0.23	1.8	0.15
Melanomas of the skin	47	5.0	0.33	3.0	0.21	26	2.3	0.21	1.5	0.14
Breast	4	0.4	0.09	0.2	0.05	289	25.7	0.69	16.0	0.46
Female Genital System	-	-	-	-	-	217	19.1	0.59	12.0	0.40
Cervix uteri	-	-	-	-	-	32	3.2	0.26	2.4	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	66	5.6	0.31	3.4	0.20
Ovary	-	-	-	-	-	99	8.6	0.39	5.2	0.25
Male Genital System	186	20.8	0.70	10.0	0.33	-	-	-	-	-
Prostate	180	20.2	0.69	9.6	0.32	-	-	-	-	-
Testis	3	0.3	0.09	0.3	0.08	-	-	-	-	-
Urinary System	163	17.3	0.62	9.5	0.34	83	6.9	0.34	3.8	0.20
Bladder	86	9.4	0.46	4.8	0.23	38	3.1	0.23	1.6	0.13
Kidney & renal pelvis	74	7.6	0.40	4.5	0.25	43	3.6	0.25	2.1	0.15
Brain & Other CNS[1]	63	6.4	0.37	4.4	0.26	50	4.6	0.30	3.1	0.21
Endocrine System	7	0.8	0.13	0.5	0.10	8	0.7	0.11	0.4	0.07
Thyroid gland	4	0.4	0.10	0.2	0.06	6	0.5	0.09	0.3	0.05
Lymphomas	91	9.5	0.45	5.4	0.26	72	6.0	0.32	3.4	0.20
Hodgkin Lymphoma	4	0.4	0.10	0.3	0.07	3	0.3	0.08	0.2	0.07
Non-Hodgkin Lymphoma	87	9.1	0.44	5.1	0.25	68	5.7	0.31	3.2	0.18
Multiple Myeloma	48	5.1	0.33	2.8	0.19	40	3.3	0.23	1.8	0.14
Leukemias	103	11.0	0.49	6.2	0.29	80	6.7	0.34	3.8	0.22
Other, Ill-defined & Unknown	246	25.8	0.75	14.7	0.43	196	16.6	0.54	9.8	0.35

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,059	225.7	1.31	125.2	0.74	5,353	160.8	1.00	93.5	0.62
Oral Cavity & Pharynx	127	4.6	0.18	2.8	0.11	52	1.6	0.10	0.9	0.06
Digestive System	1,652	60.7	0.67	34.7	0.39	1,232	36.4	0.47	20.5	0.28
Esophagus	278	10.0	0.27	5.9	0.16	69	2.1	0.11	1.2	0.07
Stomach	104	3.9	0.17	2.2	0.10	71	2.1	0.11	1.2	0.07
Colon & Rectum	481	18.0	0.37	10.1	0.21	450	13.1	0.28	7.2	0.17
Liver	193	6.9	0.22	4.1	0.13	68	2.0	0.11	1.2	0.07
Pancreas	444	16.2	0.35	9.3	0.20	402	11.9	0.27	6.7	0.16
Respiratory System	1,617	59.2	0.66	33.5	0.38	1,343	40.8	0.50	23.8	0.30
Larynx	55	2.0	0.12	1.1	0.07	13	0.4	0.05	0.2	0.03
Lung & bronchus	1,549	56.7	0.65	32.0	0.37	1,321	40.1	0.50	23.4	0.30
Skin	162	6.1	0.21	3.4	0.12	72	2.2	0.12	1.3	0.07
Melanomas of the skin	115	4.3	0.18	2.5	0.11	55	1.7	0.10	1.0	0.07
Breast	9	0.3	0.05	0.2	0.03	726	22.4	0.38	13.6	0.24
Female Genital System	-	-	-	-	-	570	17.5	0.33	10.5	0.21
Cervix uteri	-	-	-	-	-	54	1.8	0.11	1.3	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	201	6.1	0.19	3.6	0.12
Ovary	-	-	-	-	-	266	8.2	0.23	4.9	0.14
Male Genital System	622	24.8	0.45	11.6	0.21	-	-	-	-	-
Prostate	609	24.3	0.44	11.2	0.21	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	441	16.7	0.36	8.7	0.19	196	5.7	0.18	3.1	0.11
Bladder	236	9.2	0.27	4.4	0.13	88	2.5	0.12	1.3	0.07
Kidney & renal pelvis	190	6.9	0.23	4.0	0.13	100	3.0	0.14	1.7	0.08
Brain & Other CNS[1]	193	6.9	0.22	4.6	0.16	146	4.7	0.17	3.1	0.12
Endocrine System	29	1.0	0.09	0.7	0.06	32	1.0	0.08	0.6	0.06
Thyroid gland	19	0.7	0.07	0.4	0.04	23	0.7	0.06	0.4	0.04
Lymphomas	247	9.4	0.27	5.1	0.15	187	5.4	0.18	2.9	0.11
Hodgkin Lymphoma	14	0.6	0.07	0.3	0.04	9	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	232	8.9	0.26	4.7	0.14	178	5.1	0.17	2.7	0.10
Multiple Myeloma	125	4.7	0.19	2.5	0.10	103	3.0	0.13	1.6	0.07
Leukemias	277	10.5	0.28	5.9	0.16	217	6.3	0.19	3.6	0.12
Other, Ill-defined & Unknown	557	20.8	0.40	11.7	0.23	477	14.0	0.29	8.0	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	509	191.9	3.88	107.7	2.18	433	144.8	3.13	84.2	1.90
Oral Cavity & Pharynx	10	3.6	0.53	2.1	0.30	4	1.6	0.34	0.9	0.21
Digestive System	149	53.8	2.02	31.7	1.19	93	30.9	1.44	17.4	0.85
Esophagus	23	8.3	0.79	4.9	0.46	5	1.5	0.31	0.9	0.18
Stomach	5	2.2	0.43	1.2	0.24	4	1.4	0.31	0.8	0.19
Colon & Rectum	45	16.6	1.14	9.7	0.67	34	11.3	0.88	6.1	0.50
Liver	24	8.1	0.75	5.0	0.46	7	2.3	0.39	1.4	0.24
Pancreas	38	13.9	1.02	8.2	0.60	31	10.2	0.83	5.7	0.48
Respiratory System	120	44.9	1.87	24.9	1.03	104	34.7	1.53	20.3	0.92
Larynx	5	1.7	0.35	1.0	0.22	-	-	-	-	-
Lung & bronchus	114	42.6	1.82	23.5	0.99	102	34.1	1.52	19.9	0.91
Skin	18	7.1	0.76	3.9	0.42	-	-	-	-	-
Melanomas of the skin	14	5.4	0.65	3.2	0.38	6	2.1	0.38	1.2	0.24
Breast	-	-	-	-	-	64	21.7	1.22	12.8	0.75
Female Genital System	-	-	-	-	-	45	15.3	1.03	9.3	0.65
Cervix uteri	-	-	-	-	-	5	1.8	0.37	1.4	0.29
Corpus & uterus, NOS[1]	-	-	-	-	-	13	4.5	0.55	2.6	0.33
Ovary	-	-	-	-	-	23	7.8	0.73	4.6	0.45
Male Genital System	46	18.9	1.27	9.4	0.62	-	-	-	-	-
Prostate	45	18.5	1.26	9.0	0.60	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	13.7	1.06	7.3	0.56	13	4.2	0.53	2.4	0.31
Bladder	18	7.3	0.78	3.6	0.39	5	1.5	0.31	0.8	0.17
Kidney & renal pelvis	16	6.2	0.70	3.5	0.40	8	2.6	0.41	1.6	0.26
Brain & Other CNS[1]	19	7.0	0.73	4.5	0.49	17	5.9	0.64	4.2	0.48
Endocrine System	2	0.8	0.24	0.5	0.16	2	0.7	0.22	0.4	0.14
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	22	8.7	0.84	4.9	0.47	16	5.3	0.59	2.7	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	4.5	0.61	2.3	0.30	6	2.0	0.36	1.1	0.20
Leukemias	25	9.4	0.86	5.4	0.49	20	6.7	0.66	3.8	0.40
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Puerto Rico, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,897	169.7	1.42	95.8	0.83	2,319	106.4	1.01	64.0	0.65
Oral Cavity & Pharynx	103	6.1	0.27	3.7	0.17	22	1.0	0.10	0.6	0.06
Digestive System	1,003	58.4	0.83	34.3	0.50	694	30.8	0.53	17.4	0.32
Esophagus	91	5.2	0.25	3.1	0.15	20	0.8	0.09	0.4	0.05
Stomach	117	6.9	0.29	3.9	0.17	82	3.7	0.19	2.1	0.11
Colon & Rectum	385	22.6	0.52	13.3	0.32	308	13.8	0.36	7.8	0.22
Liver	190	11.0	0.36	6.5	0.22	92	4.0	0.19	2.2	0.11
Pancreas	165	9.6	0.34	5.6	0.20	141	6.2	0.24	3.5	0.14
Respiratory System	415	23.9	0.53	13.7	0.31	222	9.9	0.30	5.6	0.18
Larynx	41	2.4	0.17	1.4	0.10	5	0.2	0.05	0.1	0.03
Lung & bronchus	369	21.2	0.50	12.1	0.29	215	9.6	0.30	5.4	0.18
Skin	41	2.5	0.17	1.2	0.09	25	1.1	0.10	0.5	0.06
Melanomas of the skin	13	0.8	0.10	0.4	0.06	9	0.4	0.06	0.3	0.05
Breast	8	0.5	0.08	0.3	0.05	436	21.1	0.46	13.5	0.31
Female Genital System	-	-	-	-	-	289	13.9	0.37	9.0	0.26
Cervix uteri	-	-	-	-	-	51	2.6	0.17	1.9	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	115	5.4	0.23	3.5	0.16
Ovary	-	-	-	-	-	101	4.8	0.22	3.1	0.15
Male Genital System	498	29.6	0.60	14.1	0.29	-	-	-	-	-
Prostate	483	28.7	0.59	13.4	0.28	-	-	-	-	-
Testis	5	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	136	8.1	0.31	4.3	0.17	70	3.1	0.17	1.7	0.10
Bladder	81	4.8	0.24	2.4	0.12	35	1.5	0.12	0.8	0.06
Kidney & renal pelvis	52	3.1	0.19	1.8	0.12	32	1.4	0.11	0.8	0.07
Brain & Other CNS[1]	56	3.3	0.20	2.2	0.14	52	2.5	0.16	1.7	0.12
Endocrine System	12	0.7	0.10	0.5	0.06	13	0.6	0.08	0.4	0.06
Thyroid gland	8	0.5	0.08	0.3	0.05	10	0.4	0.06	0.2	0.04
Lymphomas	105	6.2	0.27	3.9	0.18	74	3.3	0.18	2.1	0.12
Hodgkin Lymphoma	13	0.8	0.10	0.6	0.07	8	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	92	5.4	0.26	3.4	0.17	65	2.9	0.16	1.8	0.11
Multiple Myeloma	67	3.9	0.21	2.2	0.12	62	2.7	0.16	1.6	0.09
Leukemias	101	5.9	0.27	3.5	0.17	84	3.8	0.19	2.4	0.13
Other, Ill-defined & Unknown	351	20.7	0.50	12.0	0.30	274	12.6	0.35	7.6	0.23

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alberta, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,402	221.8	1.73	121.4	0.94	3,007	163.6	1.34	94.3	0.80
Oral Cavity & Pharynx	76	4.6	0.24	2.8	0.14	37	2.0	0.15	1.2	0.09
Digestive System	1,052	66.6	0.94	37.5	0.52	766	41.6	0.67	23.2	0.39
Esophagus	152	9.3	0.34	5.4	0.20	35	1.9	0.14	1.1	0.09
Stomach	94	6.1	0.29	3.4	0.16	59	3.2	0.19	1.8	0.11
Colon & Rectum	387	25.1	0.58	13.7	0.31	313	16.8	0.43	9.2	0.24
Liver	115	6.8	0.29	4.1	0.17	37	2.0	0.15	1.2	0.09
Pancreas	208	13.1	0.42	7.4	0.23	207	11.3	0.35	6.3	0.20
Respiratory System	836	53.9	0.85	30.0	0.47	749	41.4	0.68	23.8	0.40
Larynx	24	1.5	0.14	0.8	0.08	2	0.1	0.04	0.1	0.02
Lung & bronchus	806	52.0	0.83	28.9	0.46	743	41.1	0.68	23.5	0.40
Skin	72	4.6	0.25	2.5	0.14	41	2.2	0.15	1.3	0.10
Melanomas of the skin	51	3.2	0.20	1.8	0.12	33	1.8	0.14	1.1	0.09
Breast	4	0.3	0.06	0.1	0.03	444	24.0	0.51	14.4	0.32
Female Genital System	-	-	-	-	-	320	17.3	0.44	10.5	0.27
Cervix uteri	-	-	-	-	-	46	2.4	0.16	1.7	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	95	5.2	0.24	3.0	0.14
Ovary	-	-	-	-	-	157	8.6	0.31	5.1	0.19
Male Genital System	419	30.4	0.67	14.4	0.32	-	-	-	-	-
Prostate	411	30.0	0.67	14.1	0.31	-	-	-	-	-
Testis	3	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	227	15.1	0.46	8.0	0.24	104	5.7	0.25	3.0	0.14
Bladder	113	7.8	0.33	3.9	0.17	43	2.3	0.16	1.2	0.08
Kidney & renal pelvis	90	5.7	0.27	3.2	0.15	48	2.6	0.17	1.4	0.09
Brain & Other CNS[1]	117	6.7	0.28	4.5	0.19	78	4.1	0.21	2.9	0.15
Endocrine System	16	1.0	0.11	0.6	0.07	18	1.0	0.10	0.6	0.07
Thyroid gland	11	0.7	0.10	0.4	0.05	13	0.7	0.09	0.4	0.05
Lymphomas	136	8.9	0.35	4.9	0.19	101	5.4	0.24	3.0	0.14
Hodgkin Lymphoma	6	0.3	0.06	0.2	0.04	4	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	130	8.6	0.34	4.7	0.19	97	5.3	0.24	2.9	0.14
Multiple Myeloma	66	4.4	0.25	2.3	0.13	49	2.7	0.17	1.5	0.10
Leukemias	131	8.9	0.35	4.7	0.19	87	4.7	0.22	2.6	0.13
Other, Ill-defined & Unknown	251	16.4	0.47	9.1	0.26	212	11.4	0.35	6.5	0.21

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
British Columbia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,386	218.8	1.34	120.0	0.75	4,702	162.0	1.07	92.8	0.65
Oral Cavity & Pharynx	135	5.3	0.21	3.2	0.12	64	2.2	0.12	1.3	0.08
Digestive System	1,775	71.3	0.76	40.4	0.44	1,267	43.1	0.55	23.9	0.32
Esophagus	241	9.5	0.27	5.6	0.16	74	2.5	0.13	1.4	0.08
Stomach	140	5.7	0.22	3.2	0.12	80	2.8	0.14	1.6	0.09
Colon & Rectum	647	26.4	0.47	14.5	0.26	544	18.4	0.36	9.9	0.21
Liver	235	9.2	0.27	5.5	0.16	71	2.4	0.13	1.4	0.08
Pancreas	341	13.6	0.33	7.7	0.19	325	11.1	0.28	6.2	0.16
Respiratory System	1,247	49.8	0.63	27.4	0.35	1,204	41.4	0.54	23.5	0.31
Larynx	38	1.5	0.11	0.8	0.06	7	0.3	0.04	0.1	0.02
Lung & bronchus	1,196	47.8	0.62	26.3	0.34	1,190	40.9	0.53	23.2	0.31
Skin	146	6.0	0.22	3.2	0.12	76	2.6	0.13	1.5	0.08
Melanomas of the skin	87	3.6	0.17	2.0	0.10	49	1.7	0.11	1.0	0.07
Breast	7	0.3	0.05	0.2	0.03	659	23.1	0.41	13.9	0.26
Female Genital System	-	-	-	-	-	497	17.6	0.35	10.6	0.23
Cervix uteri	-	-	-	-	-	51	1.9	0.12	1.4	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	137	4.8	0.18	2.8	0.11
Ovary	-	-	-	-	-	270	9.5	0.26	5.7	0.16
Male Genital System	615	26.2	0.48	12.3	0.23	-	-	-	-	-
Prostate	602	25.6	0.47	12.0	0.22	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	404	16.7	0.37	8.7	0.20	160	5.4	0.19	2.8	0.11
Bladder	237	9.9	0.29	4.9	0.14	81	2.7	0.13	1.4	0.07
Kidney & renal pelvis	149	6.0	0.22	3.4	0.13	70	2.4	0.13	1.3	0.07
Brain & Other CNS[1]	182	7.3	0.24	4.9	0.17	128	4.7	0.19	3.2	0.14
Endocrine System	24	1.0	0.09	0.6	0.06	24	0.8	0.08	0.5	0.06
Thyroid gland	14	0.6	0.07	0.3	0.04	15	0.5	0.06	0.3	0.03
Lymphomas	228	9.4	0.28	5.1	0.16	154	5.2	0.19	2.7	0.11
Hodgkin Lymphoma	9	0.4	0.06	0.3	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	219	9.0	0.27	4.8	0.15	148	5.0	0.18	2.6	0.10
Multiple Myeloma	111	4.5	0.19	2.4	0.10	79	2.7	0.14	1.4	0.08
Leukemias	213	8.8	0.27	4.9	0.16	143	4.9	0.19	2.9	0.12
Other, Ill-defined & Unknown	299	12.3	0.32	6.7	0.18	245	8.3	0.24	4.6	0.15

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Manitoba, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,444	250.7	2.97	137.5	1.65	1,361	189.5	2.33	109.7	1.44
Oral Cavity & Pharynx	27	4.5	0.39	2.7	0.24	14	2.0	0.24	1.1	0.14
Digestive System	435	74.6	1.61	42.1	0.92	348	47.6	1.16	26.6	0.69
Esophagus	53	8.9	0.55	5.2	0.32	14	2.0	0.24	1.1	0.14
Stomach	36	6.3	0.47	3.5	0.27	25	3.4	0.31	1.9	0.19
Colon & Rectum	181	31.5	1.05	17.3	0.59	158	21.1	0.77	11.5	0.45
Liver	40	6.6	0.47	4.0	0.29	15	2.2	0.25	1.3	0.16
Pancreas	81	13.7	0.69	7.8	0.39	82	11.3	0.57	6.4	0.34
Respiratory System	348	59.7	1.44	33.2	0.81	333	47.1	1.17	27.2	0.70
Larynx	7	1.2	0.20	0.6	0.11	-	-	-	-	-
Lung & bronchus	338	57.9	1.42	32.2	0.79	330	46.7	1.16	27.0	0.70
Skin	26	4.7	0.41	2.6	0.23	16	2.2	0.24	1.2	0.15
Melanomas of the skin	19	3.3	0.34	1.8	0.19	11	1.5	0.21	0.9	0.14
Breast	3	0.5	0.14	0.3	0.07	192	27.2	0.89	16.3	0.57
Female Genital System	-	-	-	-	-	138	19.9	0.77	12.0	0.49
Cervix uteri	-	-	-	-	-	16	2.5	0.28	1.8	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	46	6.5	0.43	3.8	0.26
Ovary	-	-	-	-	-	63	9.1	0.52	5.4	0.32
Male Genital System	184	33.6	1.11	15.7	0.53	-	-	-	-	-
Prostate	179	32.7	1.10	15.0	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	115	20.2	0.85	10.6	0.45	54	7.1	0.44	3.8	0.25
Bladder	58	10.4	0.62	5.1	0.31	25	3.1	0.29	1.6	0.16
Kidney & renal pelvis	52	8.9	0.56	5.0	0.32	27	3.7	0.32	2.0	0.19
Brain & Other CNS[1]	34	5.5	0.43	3.9	0.31	30	4.4	0.37	3.1	0.28
Endocrine System	6	1.0	0.18	0.7	0.13	10	1.4	0.20	0.8	0.13
Thyroid gland	4	0.7	0.15	0.5	0.10	7	1.0	0.17	0.5	0.10
Lymphomas	55	9.7	0.59	5.2	0.32	46	6.2	0.42	3.5	0.25
Hodgkin Lymphoma	3	0.4	0.12	0.3	0.07	2	0.3	0.09	0.2	0.07
Non-Hodgkin Lymphoma	53	9.3	0.57	5.0	0.31	44	6.0	0.41	3.3	0.25
Multiple Myeloma	32	5.5	0.44	3.0	0.24	25	3.4	0.31	1.9	0.18
Leukemias	59	10.4	0.61	5.7	0.34	43	5.6	0.39	3.2	0.26
Other, Ill-defined & Unknown	120	20.7	0.85	11.8	0.49	111	15.3	0.66	8.9	0.41

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Brunswick, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,072	259.8	3.62	142.4	1.99	918	179.4	2.68	103.3	1.66
Oral Cavity & Pharynx	22	5.1	0.49	3.0	0.30	9	1.7	0.25	0.9	0.15
Digestive System	309	73.3	1.90	41.0	1.06	230	44.1	1.32	24.3	0.77
Esophagus	43	9.9	0.69	5.8	0.40	13	2.5	0.31	1.4	0.19
Stomach	29	6.9	0.59	3.8	0.33	18	3.4	0.37	1.9	0.23
Colon & Rectum	124	29.9	1.23	16.4	0.68	108	20.5	0.89	11.0	0.52
Liver	21	4.8	0.48	2.7	0.26	10	1.9	0.28	1.1	0.17
Pancreas	69	16.1	0.89	9.1	0.50	55	10.5	0.64	5.9	0.37
Respiratory System	335	79.3	1.98	43.6	1.08	250	48.7	1.39	28.1	0.83
Larynx	9	2.2	0.33	1.2	0.18	2	0.4	0.13	0.3	0.08
Lung & bronchus	323	76.4	1.94	42.1	1.06	247	48.1	1.38	27.8	0.82
Skin	16	4.0	0.46	2.3	0.27	15	3.0	0.34	1.6	0.21
Melanomas of the skin	12	3.0	0.39	1.8	0.24	11	2.3	0.30	1.3	0.19
Breast	2	0.6	0.18	0.3	0.09	117	23.7	1.00	14.1	0.64
Female Genital System	-	-	-	-	-	84	16.8	0.83	10.1	0.54
Cervix uteri	-	-	-	-	-	8	1.9	0.30	1.5	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	25	4.9	0.44	2.9	0.28
Ovary	-	-	-	-	-	42	8.4	0.58	4.9	0.35
Male Genital System	97	26.3	1.21	12.0	0.55	-	-	-	-	-
Prostate	96	25.9	1.21	11.8	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	78	19.4	1.00	10.3	0.53	38	7.2	0.53	4.0	0.31
Bladder	38	9.7	0.72	4.8	0.35	15	2.8	0.33	1.5	0.18
Kidney & renal pelvis	37	8.6	0.65	5.0	0.38	21	4.0	0.40	2.3	0.24
Brain & Other CNS[1]	29	6.8	0.57	4.7	0.42	20	4.1	0.42	2.7	0.30
Endocrine System	4	0.8	0.20	0.6	0.15	5	1.0	0.21	0.7	0.18
Thyroid gland	2	0.5	0.16	0.3	0.10	3	0.5	0.15	0.3	0.10
Lymphomas	40	9.9	0.71	5.4	0.39	37	7.2	0.54	4.1	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	21	5.2	0.51	2.7	0.26	19	3.6	0.37	1.9	0.21
Leukemias	41	10.0	0.71	5.7	0.43	29	5.8	0.49	3.6	0.35
Other, Ill-defined & Unknown	78	19.3	1.00	10.9	0.58	64	12.5	0.71	7.3	0.47

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Newfoundland and Labrador, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	781	280.2	4.68	153.2	2.50	670	203.9	3.55	117.5	2.15
Oral Cavity & Pharynx	15	4.9	0.60	2.9	0.35	5	1.5	0.30	0.8	0.17
Digestive System	266	93.9	2.68	51.9	1.44	197	59.9	1.92	33.1	1.11
Esophagus	26	8.8	0.80	5.1	0.46	6	1.9	0.35	1.1	0.20
Stomach	40	14.4	1.07	7.7	0.55	20	6.0	0.61	3.5	0.38
Colon & Rectum	128	45.3	1.86	25.0	1.00	107	32.4	1.41	17.8	0.81
Liver	17	5.8	0.66	3.2	0.36	7	2.2	0.37	1.2	0.20
Pancreas	38	12.7	0.96	7.1	0.52	34	10.2	0.79	5.5	0.43
Respiratory System	221	76.4	2.39	42.1	1.28	154	45.8	1.66	26.5	0.98
Larynx	8	2.9	0.49	1.6	0.25	-	-	-	-	-
Lung & bronchus	212	73.0	2.33	40.4	1.25	152	45.2	1.65	26.2	0.97
Skin	13	4.8	0.62	2.7	0.34	-	-	-	-	-
Melanomas of the skin	9	3.2	0.49	1.9	0.30	6	1.7	0.32	1.0	0.19
Breast	-	-	-	-	-	88	27.4	1.31	16.3	0.83
Female Genital System	-	-	-	-	-	70	21.7	1.17	13.4	0.78
Cervix uteri	-	-	-	-	-	11	3.7	0.50	2.7	0.40
Corpus & uterus, NOS[1]	-	-	-	-	-	17	5.2	0.56	3.0	0.33
Ovary	-	-	-	-	-	32	9.9	0.79	6.1	0.52
Male Genital System	77	31.5	1.68	14.9	0.77	-	-	-	-	-
Prostate	74	30.6	1.66	14.2	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	19.5	1.26	10.1	0.63	26	7.9	0.70	4.1	0.38
Bladder	23	9.5	0.93	4.4	0.41	8	2.4	0.38	1.2	0.19
Kidney & renal pelvis	26	9.0	0.81	5.2	0.46	17	5.1	0.56	2.8	0.31
Brain & Other CNS[1]	21	7.2	0.71	5.2	0.55	16	5.1	0.57	3.4	0.41
Endocrine System	3	1.1	0.28	0.8	0.22	4	1.3	0.29	1.0	0.28
Thyroid gland	2	0.7	0.22	0.4	0.13	2	0.7	0.20	0.4	0.12
Lymphomas	27	9.8	0.87	5.5	0.49	22	6.7	0.64	3.8	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	12	4.2	0.57	2.3	0.30	11	3.4	0.46	1.8	0.25
Leukemias	21	7.2	0.74	4.0	0.40	20	6.2	0.63	3.9	0.44
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Northwest Territories, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	33	285.7	25.26	159.5	13.02	27	251.9	23.46	140.8	12.64
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	103.4	15.18	57.9	7.78	7	65.9	11.91	37.6	6.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	5	46.9	11.22	23.7	5.21	4	43.7	10.11	23.6	5.32
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	3	18.8	5.73	11.1	3.23	-	-	-	-	-
Respiratory System	9	80.2	13.04	45.6	6.97	8	82.7	13.93	44.3	7.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	79.0	12.99	44.8	6.92	8	79.8	13.63	43.0	7.15
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	33.4	8.20	19.3	4.47
Female Genital System	-	-	-	-	-	2	17.6	5.52	11.3	3.37
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	36.6	10.25	17.2	4.57	-	-	-	-	-
Prostate	3	36.6	10.25	17.2	4.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	18.1	6.22	10.3	3.14	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	17.2	6.16	9.7	3.08	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	2	19.1	6.35	10.9	3.42	2	24.5	7.62	13.0	3.98

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nova Scotia, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,429	283.1	3.42	156.8	1.91	1,259	198.3	2.53	113.7	1.55
Oral Cavity & Pharynx	30	5.5	0.46	3.3	0.28	11	1.7	0.23	0.9	0.13
Digestive System	438	86.0	1.87	48.5	1.07	323	50.1	1.26	27.6	0.75
Esophagus	65	12.3	0.70	7.3	0.41	18	2.8	0.30	1.6	0.18
Stomach	34	6.9	0.54	3.8	0.30	20	3.0	0.31	1.6	0.18
Colon & Rectum	193	38.8	1.28	21.1	0.69	162	24.9	0.89	13.3	0.51
Liver	34	6.2	0.49	3.8	0.31	12	1.9	0.25	1.2	0.19
Pancreas	78	14.9	0.77	8.7	0.45	69	10.7	0.58	6.0	0.35
Respiratory System	404	76.8	1.74	43.1	0.97	348	54.9	1.33	31.9	0.79
Larynx	11	2.2	0.29	1.2	0.16	3	0.5	0.13	0.3	0.08
Lung & bronchus	389	73.8	1.71	41.5	0.95	343	54.1	1.32	31.5	0.79
Skin	35	7.2	0.55	4.0	0.32	18	2.9	0.31	1.7	0.20
Melanomas of the skin	24	4.9	0.45	2.9	0.28	14	2.3	0.28	1.4	0.19
Breast	2	0.4	0.12	0.2	0.07	168	27.1	0.95	16.2	0.62
Female Genital System	-	-	-	-	-	121	19.4	0.80	11.6	0.51
Cervix uteri	-	-	-	-	-	13	2.3	0.30	1.7	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	40	6.2	0.45	3.6	0.27
Ovary	-	-	-	-	-	58	9.2	0.55	5.5	0.34
Male Genital System	143	31.3	1.19	14.6	0.55	-	-	-	-	-
Prostate	139	30.5	1.18	14.1	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	106	21.5	0.95	11.3	0.50	48	7.3	0.48	3.9	0.27
Bladder	53	11.1	0.70	5.4	0.33	17	2.5	0.28	1.2	0.15
Kidney & renal pelvis	46	9.0	0.60	5.1	0.34	27	4.1	0.36	2.3	0.21
Brain & Other CNS[1]	36	7.2	0.54	4.9	0.39	26	4.4	0.39	2.9	0.29
Endocrine System	6	1.3	0.23	0.9	0.20	7	1.2	0.20	0.7	0.14
Thyroid gland	3	0.7	0.16	0.4	0.10	5	0.7	0.15	0.4	0.08
Lymphomas	57	11.6	0.70	6.3	0.39	44	6.8	0.46	3.7	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	4.8	0.44	2.7	0.24	19	3.0	0.30	1.6	0.17
Leukemias	51	10.3	0.66	6.1	0.42	34	5.2	0.41	3.0	0.26
Other, Ill-defined & Unknown	96	19.3	0.90	10.9	0.53	92	14.4	0.68	8.0	0.41

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nunavut, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	22	383.6	46.50	222.1	23.33	16	339.2	45.95	192.1	22.96
Oral Cavity & Pharynx	2	49.7	22.54	22.7	8.63	-	-	-	-	-
Digestive System	8	111.1	21.39	68.8	12.01	5	87.0	20.92	52.6	11.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	5	64.4	15.32	40.9	9.07	2	50.7	16.91	28.7	9.08
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	172.6	31.54	98.0	16.07	8	183.2	35.38	99.9	16.96
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	172.6	31.54	98.0	16.07	8	183.2	35.38	99.9	16.96
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ontario, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14,878	229.8	0.85	125.7	0.47	13,573	166.8	0.65	95.9	0.40
Oral Cavity & Pharynx	394	5.9	0.13	3.5	0.08	169	2.1	0.07	1.2	0.04
Digestive System	4,539	69.4	0.46	38.8	0.26	3,445	41.7	0.32	22.9	0.19
Esophagus	582	8.7	0.16	5.1	0.10	179	2.2	0.07	1.2	0.04
Stomach	456	7.0	0.15	3.9	0.08	283	3.5	0.09	2.0	0.06
Colon & Rectum	1,662	25.9	0.29	14.0	0.16	1,456	17.4	0.21	9.3	0.12
Liver	478	7.2	0.15	4.2	0.09	172	2.1	0.07	1.2	0.04
Pancreas	932	14.1	0.21	8.0	0.12	866	10.5	0.16	5.9	0.09
Respiratory System	3,708	56.3	0.42	31.3	0.23	3,264	40.4	0.32	23.3	0.19
Larynx	105	1.6	0.07	0.9	0.04	23	0.3	0.03	0.2	0.02
Lung & bronchus	3,574	54.3	0.41	30.1	0.23	3,224	39.9	0.32	23.0	0.19
Skin	482	7.6	0.16	4.1	0.08	249	3.0	0.09	1.7	0.05
Melanomas of the skin	324	5.0	0.12	2.8	0.07	175	2.2	0.07	1.3	0.05
Breast	17	0.3	0.03	0.1	0.02	1,976	24.8	0.25	14.9	0.16
Female Genital System	-	-	-	-	-	1,419	17.9	0.21	10.8	0.14
Cervix uteri	-	-	-	-	-	159	2.1	0.08	1.5	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	453	5.6	0.12	3.3	0.07
Ovary	-	-	-	-	-	685	8.6	0.15	5.2	0.09
Male Genital System	1,558	25.5	0.29	11.9	0.14	-	-	-	-	-
Prostate	1,523	24.9	0.29	11.5	0.13	-	-	-	-	-
Testis	12	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	1,100	17.3	0.24	8.9	0.12	510	6.0	0.12	3.1	0.07
Bladder	598	9.6	0.18	4.7	0.09	231	2.7	0.08	1.3	0.04
Kidney & renal pelvis	398	6.1	0.14	3.4	0.08	216	2.6	0.08	1.4	0.05
Brain & Other CNS[1]	463	6.9	0.14	4.6	0.10	353	4.6	0.11	3.1	0.08
Endocrine System	67	1.0	0.06	0.7	0.04	68	0.8	0.05	0.5	0.03
Thyroid gland	39	0.6	0.04	0.3	0.03	48	0.6	0.04	0.3	0.02
Lymphomas	630	9.7	0.17	5.5	0.10	502	6.1	0.12	3.4	0.07
Hodgkin Lymphoma	29	0.4	0.04	0.3	0.03	18	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	601	9.3	0.17	5.2	0.10	484	5.8	0.12	3.2	0.07
Multiple Myeloma	309	4.8	0.12	2.6	0.07	241	2.9	0.08	1.6	0.05
Leukemias	616	9.6	0.17	5.3	0.10	443	5.4	0.12	3.2	0.08
Other, Ill-defined & Unknown	995	15.5	0.22	8.5	0.12	934	11.2	0.17	6.2	0.10

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Prince Edward Island, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	199	260.6	8.46	143.9	4.68	166	174.5	6.11	100.7	3.74
Oral Cavity & Pharynx	4	5.1	1.17	2.9	0.65	2	2.3	0.73	1.4	0.53
Digestive System	58	74.5	4.47	42.4	2.54	42	42.9	2.99	22.9	1.70
Esophagus	8	9.8	1.53	6.1	0.95	2	2.5	0.72	1.6	0.46
Stomach	4	5.0	1.17	3.0	0.70	3	3.0	0.78	1.6	0.42
Colon & Rectum	25	33.0	3.03	18.2	1.68	21	21.6	2.13	11.2	1.20
Liver	6	7.4	1.37	4.3	0.78	-	-	-	-	-
Pancreas	11	13.7	1.92	7.5	1.04	9	8.9	1.35	5.0	0.78
Respiratory System	57	73.1	4.41	40.6	2.43	45	46.3	3.12	27.0	1.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	55	70.3	4.32	39.1	2.38	44	46.1	3.11	26.8	1.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	4	5.1	1.17	3.1	0.75	3	3.6	0.91	2.4	0.67
Breast	-	-	-	-	-	20	21.0	2.14	12.2	1.33
Female Genital System	-	-	-	-	-	16	17.6	1.98	10.7	1.27
Cervix uteri	-	-	-	-	-	2	2.9	0.84	2.0	0.60
Corpus & uterus, NOS[1]	-	-	-	-	-	4	4.0	0.92	2.5	0.60
Ovary	-	-	-	-	-	9	9.5	1.46	5.5	0.90
Male Genital System	20	30.2	3.06	13.6	1.35	-	-	-	-	-
Prostate	20	29.7	3.04	13.4	1.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	17.7	2.21	9.4	1.16	6	6.1	1.15	3.6	0.72
Bladder	7	9.5	1.64	4.8	0.81	2	2.5	0.74	1.4	0.45
Kidney & renal pelvis	5	6.9	1.36	3.9	0.77	2	2.5	0.74	1.5	0.48
Brain & Other CNS[1]	4	5.4	1.17	4.0	0.94	4	4.5	1.03	3.1	0.76
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	8.8	1.52	5.1	0.88	5	5.4	1.06	3.3	0.72
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	6.4	1.32	3.7	0.76	3	3.4	0.84	1.8	0.45
Leukemias	5	7.6	1.49	4.1	0.85	5	4.8	1.01	2.7	0.60
Other, Ill-defined & Unknown	17	21.9	2.45	12.6	1.46	15	15.4	1.82	8.9	1.13

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Quebec, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,918	263.5	1.15	143.4	0.63	9,995	192.5	0.87	110.5	0.53
Oral Cavity & Pharynx	242	5.7	0.17	3.3	0.10	114	2.2	0.09	1.3	0.06
Digestive System	3,224	77.4	0.62	42.6	0.34	2,607	48.8	0.43	26.4	0.25
Esophagus	301	7.0	0.18	4.0	0.10	100	1.9	0.09	1.1	0.05
Stomach	335	8.1	0.20	4.4	0.11	217	4.1	0.13	2.2	0.07
Colon & Rectum	1,333	32.5	0.40	17.5	0.22	1,181	21.9	0.29	11.7	0.17
Liver	292	6.8	0.18	4.0	0.11	113	2.1	0.09	1.2	0.05
Pancreas	618	14.6	0.27	8.2	0.15	600	11.3	0.21	6.3	0.12
Respiratory System	3,603	84.6	0.64	46.9	0.35	2,923	57.2	0.48	33.7	0.29
Larynx	118	2.8	0.12	1.5	0.06	26	0.5	0.04	0.3	0.03
Lung & bronchus	3,416	80.1	0.62	44.4	0.34	2,862	56.0	0.47	33.1	0.29
Skin	191	4.7	0.15	2.6	0.09	115	2.2	0.10	1.3	0.06
Melanomas of the skin	137	3.3	0.13	1.9	0.08	84	1.7	0.08	1.0	0.06
Breast	12	0.3	0.04	0.2	0.02	1,347	26.7	0.33	15.9	0.21
Female Genital System	-	-	-	-	-	876	17.4	0.27	10.4	0.17
Cervix uteri	-	-	-	-	-	86	1.9	0.09	1.3	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	266	5.1	0.14	3.0	0.09
Ovary	-	-	-	-	-	434	8.6	0.19	5.2	0.12
Male Genital System	925	24.4	0.36	11.3	0.17	-	-	-	-	-
Prostate	898	23.7	0.36	10.9	0.16	-	-	-	-	-
Testis	10	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	781	19.5	0.32	9.9	0.16	381	7.0	0.16	3.7	0.09
Bladder	414	10.6	0.24	5.2	0.11	173	3.1	0.11	1.6	0.06
Kidney & renal pelvis	290	7.0	0.19	3.8	0.10	169	3.2	0.11	1.7	0.06
Brain & Other CNS[1]	341	7.9	0.19	5.3	0.14	266	5.5	0.15	3.6	0.11
Endocrine System	39	0.9	0.07	0.6	0.04	48	0.9	0.06	0.6	0.04
Thyroid gland	21	0.5	0.05	0.3	0.03	32	0.6	0.05	0.3	0.03
Lymphomas	401	9.8	0.22	5.3	0.12	322	6.0	0.15	3.3	0.09
Hodgkin Lymphoma	14	0.3	0.04	0.2	0.03	13	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	387	9.4	0.22	5.1	0.12	309	5.8	0.15	3.1	0.09
Multiple Myeloma	205	5.0	0.16	2.7	0.08	175	3.3	0.11	1.7	0.06
Leukemias	400	9.7	0.22	5.3	0.12	312	5.9	0.15	3.4	0.10
Other, Ill-defined & Unknown	554	13.7	0.26	7.4	0.15	509	9.5	0.19	5.1	0.12

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Saskatchewan, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,233	238.8	3.05	131.3	1.72	1,089	173.2	2.40	100.3	1.49
Oral Cavity & Pharynx	22	4.2	0.40	2.5	0.24	10	1.6	0.22	0.8	0.13
Digestive System	366	70.5	1.65	39.9	0.95	272	42.0	1.17	23.4	0.70
Esophagus	48	9.2	0.60	5.4	0.36	14	2.3	0.28	1.3	0.17
Stomach	28	5.4	0.46	3.0	0.26	22	3.3	0.33	1.9	0.20
Colon & Rectum	159	30.8	1.09	17.0	0.62	126	19.1	0.78	10.5	0.47
Liver	26	4.9	0.43	2.9	0.26	12	1.8	0.24	1.1	0.15
Pancreas	74	14.2	0.74	8.2	0.43	66	10.4	0.58	5.7	0.34
Respiratory System	296	56.8	1.48	32.1	0.85	289	47.4	1.27	27.7	0.77
Larynx	7	1.4	0.23	0.7	0.12	-	-	-	-	-
Lung & bronchus	286	55.0	1.46	31.1	0.84	286	46.9	1.26	27.4	0.76
Skin	22	4.3	0.41	2.4	0.23	-	-	-	-	-
Melanomas of the skin	16	3.1	0.34	1.9	0.21	8	1.4	0.22	0.9	0.15
Breast	-	-	-	-	-	161	25.9	0.94	15.4	0.60
Female Genital System	-	-	-	-	-	107	17.8	0.78	10.8	0.51
Cervix uteri	-	-	-	-	-	15	2.6	0.31	1.8	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	29	4.7	0.40	2.8	0.25
Ovary	-	-	-	-	-	54	9.0	0.56	5.4	0.36
Male Genital System	184	36.7	1.21	17.1	0.58	-	-	-	-	-
Prostate	181	36.0	1.20	16.6	0.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	89	17.3	0.82	9.2	0.45	43	6.7	0.47	3.8	0.28
Bladder	46	9.0	0.60	4.5	0.31	18	2.7	0.29	1.4	0.17
Kidney & renal pelvis	38	7.2	0.53	4.1	0.31	23	3.7	0.35	2.2	0.22
Brain & Other CNS[1]	31	5.9	0.47	3.9	0.33	22	3.8	0.36	2.5	0.26
Endocrine System	4	0.8	0.18	0.5	0.10	6	1.0	0.18	0.7	0.14
Thyroid gland	3	0.5	0.14	0.3	0.08	3	0.5	0.13	0.3	0.08
Lymphomas	47	9.2	0.60	5.3	0.36	35	5.4	0.41	2.9	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	4.9	0.44	2.7	0.25	19	3.1	0.32	1.7	0.19
Leukemias	56	11.0	0.66	6.1	0.38	35	5.2	0.41	2.9	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Yukon, 2013-2016, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	36	291.0	27.63	151.4	13.09	28	215.3	21.28	120.8	11.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	103.0	16.35	54.2	7.84	7	47.2	9.78	27.0	5.40
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	35.9	10.64	17.1	4.59	3	18.3	6.05	10.6	3.39
Liver	3	13.9	4.60	8.7	2.84	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	66.9	12.62	36.3	6.36	7	59.5	11.48	32.7	6.19
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	66.9	12.62	36.3	6.36	7	54.0	10.80	30.6	6.00
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	28.4	7.95	15.1	4.12
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	5	40.8	11.00	19.8	4.82	-	-	-	-	-
Prostate	5	40.8	11.00	19.8	4.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	24.5	8.14	12.3	3.77	4	31.4	8.45	16.4	4.32

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Section IV

Cancer Mortality for the United States and Canada

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	312,472	189.5	0.15	126.3	0.10	281,450	135.7	0.12	93.7	0.08
Oral Cavity & Pharynx	6,852	3.9	0.02	2.9	0.02	2,808	1.3	0.01	0.9	0.01
Digestive System	88,789	52.4	0.08	36.5	0.06	65,885	31.4	0.06	21.1	0.04
Esophagus	12,100	7.0	0.03	5.0	0.02	3,023	1.4	0.01	1.0	0.01
Stomach	6,771	4.1	0.02	2.8	0.02	4,527	2.2	0.02	1.5	0.01
Colon & Rectum	27,462	16.6	0.05	11.3	0.03	24,676	11.8	0.03	7.8	0.02
Liver	14,097	7.7	0.03	5.9	0.02	5,257	2.5	0.02	1.7	0.01
Pancreas	21,364	12.7	0.04	8.7	0.03	20,196	9.6	0.03	6.4	0.02
Respiratory System	86,406	51.5	0.08	34.8	0.05	70,431	33.8	0.06	23.2	0.04
Larynx	3,006	1.7	0.01	1.2	0.01	758	0.4	0.01	0.3	0.00
Lung & bronchus	82,726	49.3	0.08	33.3	0.05	69,301	33.2	0.06	22.8	0.04
Skin	8,576	5.3	0.03	3.5	0.02	4,021	1.9	0.01	1.3	0.01
Melanomas of the skin	5,790	3.5	0.02	2.4	0.01	2,980	1.5	0.01	1.0	0.01
Breast	473	0.3	0.01	0.2	0.00	41,416	20.3	0.05	14.7	0.03
Female Genital System	-	-	-	-	-	30,819	15.1	0.04	11.0	0.03
Cervix uteri	-	-	-	-	-	4,180	2.3	0.02	1.9	0.01
Corpus & uterus, NOS[1]	-	-	-	-	-	10,175	4.8	0.02	3.5	0.02
Ovary	-	-	-	-	-	14,161	6.9	0.03	4.9	0.02
Male Genital System	29,929	19.6	0.05	11.1	0.03	-	-	-	-	-
Prostate	29,146	19.1	0.05	10.7	0.03	-	-	-	-	-
Testis	405	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	21,269	13.3	0.04	8.3	0.03	9,845	4.6	0.02	2.9	0.01
Bladder	11,600	7.5	0.03	4.4	0.02	4,618	2.1	0.01	1.3	0.01
Kidney & renal pelvis	9,141	5.4	0.03	3.7	0.02	4,874	2.3	0.02	1.6	0.01
Brain & Other CNS[1]	9,106	5.4	0.03	4.1	0.02	7,144	3.6	0.02	2.8	0.02
Endocrine System	1,387	0.8	0.01	0.6	0.01	1,521	0.8	0.01	0.5	0.01
Thyroid gland	867	0.5	0.01	0.4	0.01	1,035	0.5	0.01	0.3	0.00
Lymphomas	11,970	7.5	0.03	4.8	0.02	9,365	4.5	0.02	2.8	0.01
Hodgkin Lymphoma	614	0.4	0.01	0.3	0.01	445	0.2	0.00	0.2	0.00
Non-Hodgkin Lymphoma	11,356	7.1	0.03	4.6	0.02	8,920	4.2	0.02	2.7	0.01
Multiple Myeloma	6,661	4.1	0.02	2.6	0.01	5,485	2.6	0.02	1.7	0.01
Leukemias	13,499	8.6	0.03	5.6	0.02	9,856	4.8	0.02	3.2	0.02
Other, Ill-defined & Unknown	27,554	16.8	0.05	11.3	0.03	22,853	11.0	0.03	7.4	0.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	312,472	223.5	0.18	126.3	0.10	281,450	159.6	0.14	93.7	0.08
Oral Cavity & Pharynx	6,852	4.8	0.03	2.9	0.02	2,808	1.6	0.01	0.9	0.01
Digestive System	88,789	62.6	0.09	36.5	0.06	65,885	37.1	0.07	21.1	0.04
Esophagus	12,100	8.4	0.03	5.0	0.02	3,023	1.7	0.01	1.0	0.01
Stomach	6,771	4.8	0.03	2.8	0.02	4,527	2.6	0.02	1.5	0.01
Colon & Rectum	27,462	19.7	0.05	11.3	0.03	24,676	13.8	0.04	7.8	0.02
Liver	14,097	9.6	0.04	5.9	0.02	5,257	3.0	0.02	1.7	0.01
Pancreas	21,364	15.1	0.05	8.7	0.03	20,196	11.3	0.04	6.4	0.02
Respiratory System	86,406	60.9	0.09	34.8	0.05	70,431	39.9	0.07	23.2	0.04
Larynx	3,006	2.1	0.02	1.2	0.01	758	0.4	0.01	0.3	0.00
Lung & bronchus	82,726	58.3	0.09	33.3	0.05	69,301	39.3	0.07	22.8	0.04
Skin	8,576	6.2	0.03	3.5	0.02	4,021	2.3	0.02	1.3	0.01
Melanomas of the skin	5,790	4.2	0.02	2.4	0.01	2,980	1.7	0.01	1.0	0.01
Breast	473	0.3	0.01	0.2	0.00	41,416	24.0	0.05	14.7	0.03
Female Genital System	-	-	-	-	-	30,819	17.8	0.05	11.0	0.03
Cervix uteri	-	-	-	-	-	4,180	2.6	0.02	1.9	0.01
Corpus & uterus, NOS[1]	-	-	-	-	-	10,175	5.8	0.03	3.5	0.02
Ovary	-	-	-	-	-	14,161	8.1	0.03	4.9	0.02
Male Genital System	29,929	22.8	0.06	11.1	0.03	-	-	-	-	-
Prostate	29,146	22.3	0.06	10.7	0.03	-	-	-	-	-
Testis	405	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	21,269	15.6	0.05	8.3	0.03	9,845	5.4	0.02	2.9	0.01
Bladder	11,600	8.8	0.04	4.4	0.02	4,618	2.5	0.02	1.3	0.01
Kidney & renal pelvis	9,141	6.5	0.03	3.7	0.02	4,874	2.7	0.02	1.6	0.01
Brain & Other CNS[1]	9,106	6.2	0.03	4.1	0.02	7,144	4.2	0.02	2.8	0.02
Endocrine System	1,387	1.0	0.01	0.6	0.01	1,521	0.9	0.01	0.5	0.01
Thyroid gland	867	0.6	0.01	0.4	0.01	1,035	0.6	0.01	0.3	0.00
Lymphomas	11,970	8.7	0.04	4.8	0.02	9,365	5.2	0.02	2.8	0.01
Hodgkin Lymphoma	614	0.4	0.01	0.3	0.01	445	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	11,356	8.3	0.04	4.6	0.02	8,920	4.9	0.02	2.7	0.01
Multiple Myeloma	6,661	4.8	0.03	2.6	0.01	5,485	3.0	0.02	1.7	0.01
Leukemias	13,499	9.8	0.04	5.6	0.02	9,856	5.5	0.02	3.2	0.02
Other, Ill-defined & Unknown	27,554	19.8	0.05	11.3	0.03	22,853	12.8	0.04	7.4	0.02

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**312,472**	**189.5**	**27,462**	**16.6**	**82,726**	**49.3**	**29,146**	**19.1**	**11,600**	**7.5**	**11,356**	**7.1**
New England	**14,929**	**184.6**	**1,122**	**14.0**	**3,794**	**46.2**	**1,419**	**18.6**	**665**	**8.6**	**540**	**7.0**
Connecticut	3,359	170.4	257	13.0	789	39.7	338	17.9	156	8.1	133	7.0
Maine	1,752	206.2	121	14.7	520	59.2	161	20.4	75	9.2	62	7.7
Massachusetts	6,508	183.6	491	13.9	1,604	44.9	619	18.4	286	8.4	230	6.7
New Hampshire	1,441	187.3	107	13.9	380	48.3	132	18.9	66	9.2	51	7.0
Rhode Island	1,135	197.1	84	14.8	309	53.2	103	18.7	51	9.1	-	-
Vermont	734	196.7	61	16.3	191	49.7	65	19.1	32	9.1	-	-
Middle Atlantic	**40,573**	**183.5**	**3,650**	**16.5**	**10,188**	**45.6**	**3,828**	**18.2**	**1,648**	**7.8**	**1,564**	**7.3**
New Jersey	8,067	176.5	775	16.8	1,891	41.0	766	17.8	348	8.0	316	7.1
New York	17,694	174.8	1,565	15.5	4,349	42.5	1,726	18.0	705	7.3	691	7.0
Pennsylvania	14,812	199.9	1,310	17.9	3,948	52.5	1,335	18.8	595	8.3	557	7.7
South Atlantic	**65,803**	**190.6**	**5,712**	**16.6**	**18,452**	**52.3**	**6,052**	**18.8**	**2,440**	**7.5**	**-**	**-**
Delaware	1,064	199.0	88	16.9	299	55.1	84	16.6	44	8.8	44	8.5
District of Columbia	509	185.9	51	18.3	111	40.2	69	28.1	15	5.7	-	-
Florida	23,730	179.0	2,041	15.6	6,405	47.5	2,225	16.7	966	7.3	867	6.6
Georgia	9,001	201.4	856	18.9	2,607	56.7	838	22.0	317	8.1	291	6.8
Maryland	5,437	186.9	480	16.5	1,362	46.3	531	20.0	218	8.1	195	6.9
North Carolina	10,229	202.1	821	16.2	3,123	60.0	895	19.9	339	7.3	336	6.9
South Carolina	5,492	209.1	460	17.5	1,604	58.9	507	21.8	162	6.9	163	6.6
Virginia	7,793	190.5	685	16.6	2,120	50.5	722	19.8	294	8.0	268	6.8
West Virginia	2,548	222.6	230	20.3	822	69.4	180	17.4	86	8.0	87	7.7
East North Central	**49,838**	**202.2**	**4,281**	**17.5**	**14,058**	**55.9**	**4,454**	**19.6**	**1,890**	**8.1**	**1,835**	**7.7**
Illinois	12,542	197.1	1,154	18.1	3,382	52.4	1,191	20.1	460	7.7	445	7.2
Indiana	7,144	213.9	607	18.1	2,184	64.1	586	19.5	257	8.3	271	8.4
Michigan	10,824	198.4	891	16.5	3,030	54.3	944	18.7	411	8.0	408	7.8
Ohio	13,269	209.7	1,149	18.4	3,913	60.4	1,124	19.1	526	8.8	479	7.9
Wisconsin	6,059	192.0	481	15.4	1,549	48.0	609	20.8	236	7.9	232	7.7
East South Central	**22,507**	**229.4**	**1,945**	**19.8**	**7,354**	**72.9**	**1,804**	**20.8**	**673**	**7.5**	**713**	**7.7**
Alabama	5,674	221.0	503	19.6	1,811	68.4	482	21.1	172	7.4	166	6.8
Kentucky	5,524	239.6	462	20.1	1,916	80.8	391	19.5	172	8.2	187	8.6
Mississippi	3,583	240.5	341	22.5	1,147	75.5	328	24.7	86	6.4	96	7.0
Tennessee	7,727	224.1	639	18.5	2,479	70.0	604	19.8	242	7.7	264	8.0

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**21,734**	**193.5**	**1,864**	**16.7**	**5,985**	**52.4**	**1,982**	**18.7**	**770**	**7.2**	**819**	**7.5**
Iowa	3,453	198.4	292	17.1	958	54.0	328	19.5	126	7.5	141	8.3
Kansas	2,915	193.8	268	18.0	790	51.9	265	18.6	101	7.1	103	7.0
Minnesota	5,116	179.2	403	14.2	1,239	42.6	531	19.9	194	7.2	215	7.8
Missouri	6,830	207.5	577	17.7	2,107	62.6	535	17.5	230	7.5	233	7.3
Nebraska	1,829	186.8	169	17.2	476	48.4	171	18.4	64	6.7	70	7.4
North Dakota	688	176.2	63	16.3	178	45.6	68	17.8	23	5.8	-	-
South Dakota	903	192.6	92	19.7	237	49.9	84	19.0	33	7.4	-	-
West South Central	**34,285**	**196.3**	**3,300**	**18.6**	**9,269**	**52.5**	**2,879**	**18.6**	**1,087**	**6.9**	**1,187**	**7.1**
Arkansas	3,636	223.9	320	19.7	1,200	71.9	275	18.5	121	8.0	110	7.0
Louisiana	5,082	221.5	477	20.6	1,509	64.5	421	20.8	139	6.6	172	7.9
Oklahoma	4,394	219.2	417	20.9	1,330	64.9	373	20.3	154	8.2	152	7.9
Texas	21,173	183.8	2,086	17.6	5,230	45.3	1,809	17.9	673	6.5	754	6.8
Mountain	**17,003**	**163.7**	**1,529**	**14.7**	**3,605**	**34.2**	**1,871**	**19.6**	**672**	**6.9**	**647**	**6.4**
Arizona	6,311	165.0	573	15.2	1,491	38.2	640	17.5	258	7.0	230	6.2
Colorado	4,000	160.6	349	13.9	779	30.9	470	21.5	156	6.7	150	6.4
Idaho	1,541	181.6	130	15.2	337	39.0	178	22.9	62	7.8	-	-
Montana	1,111	177.8	101	16.1	249	39.4	132	22.7	48	7.9	-	-
New Mexico	1,891	167.1	184	16.3	382	33.4	204	19.6	70	6.6	64	5.8
Utah	1,641	146.3	147	12.9	253	22.3	202	20.0	61	5.9	74	6.8
Wyoming	509	163.4	45	14.0	114	36.4	45	15.9	18	6.3	-	-
Pacific	**45,801**	**171.9**	**4,059**	**15.1**	**10,020**	**37.7**	**4,857**	**19.7**	**1,754**	**7.0**	**-**	**-**
Alaska	532	181.8	50	17.1	134	45.8	42	18.0	14	5.5	-	-
California	30,524	168.0	2,732	14.8	6,311	35.0	3,349	19.8	1,160	6.8	1,199	6.7
Hawaii	1,325	159.8	124	14.8	323	39.0	116	14.0	41	5.1	46	5.7
Nevada	2,713	183.2	288	19.4	691	46.0	259	19.8	114	8.4	97	6.8
Oregon	4,184	185.9	338	15.2	992	43.4	434	20.7	164	7.7	162	7.5
Washington	6,524	180.8	527	14.5	1,570	43.0	658	20.2	261	7.8	264	7.6

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**312,472**	**126.3**	**27,462**	**11.3**	**82,726**	**33.3**	**29,146**	**10.7**	**11,600**	**4.4**	**11,356**	**4.6**
New England	**14,929**	**120.6**	**1,122**	**9.2**	**3,794**	**30.7**	**1,419**	**10.2**	**665**	**4.9**	**540**	**4.3**
Connecticut	3,359	111.3	257	8.6	789	26.3	338	9.8	156	4.7	133	4.3
Maine	1,752	135.8	121	9.7	520	40.2	161	11.2	75	5.3	62	4.8
Massachusetts	6,508	119.6	491	9.1	1,604	29.5	619	10.2	286	4.8	230	4.2
New Hampshire	1,441	122.5	107	9.2	380	32.1	132	10.3	66	5.3	51	4.3
Rhode Island	1,135	129.2	84	9.6	309	35.2	103	10.3	51	5.2	-	-
Vermont	734	129.2	61	11.0	191	33.3	65	10.5	32	5.2	-	-
Middle Atlantic	**40,573**	**121.3**	**3,650**	**11.0**	**10,188**	**30.5**	**3,828**	**10.2**	**1,648**	**4.5**	**1,564**	**4.7**
New Jersey	8,067	115.3	775	11.2	1,891	27.1	766	9.9	348	4.6	316	4.5
New York	17,694	115.8	1,565	10.4	4,349	28.5	1,726	10.1	705	4.2	691	4.5
Pennsylvania	14,812	132.6	1,310	11.9	3,948	35.3	1,335	10.5	595	4.8	557	4.9
South Atlantic	**65,803**	**128.7**	**5,712**	**11.4**	**18,452**	**35.8**	**6,052**	**10.7**	**2,440**	**4.4**	**-**	**-**
Delaware	1,064	132.3	88	11.3	299	37.0	84	9.5	44	5.1	44	5.4
District of Columbia	509	128.3	51	13.0	111	28.5	69	16.1	15	3.4	-	-
Florida	23,730	122.2	2,041	10.9	6,405	32.8	2,225	9.6	966	4.3	867	4.4
Georgia	9,001	135.4	856	13.0	2,607	38.7	838	12.5	317	4.7	291	4.5
Maryland	5,437	123.8	480	11.1	1,362	30.9	531	11.3	218	4.7	195	4.4
North Carolina	10,229	135.5	821	11.1	3,123	40.8	895	11.2	339	4.3	336	4.4
South Carolina	5,492	141.4	460	12.2	1,604	40.5	507	12.3	162	4.0	163	4.2
Virginia	7,793	126.2	685	11.3	2,120	34.0	722	11.0	294	4.6	268	4.3
West Virginia	2,548	151.9	230	13.9	822	47.9	180	9.6	86	4.8	87	5.1
East North Central	**49,838**	**134.7**	**4,281**	**11.7**	**14,058**	**37.9**	**4,454**	**10.9**	**1,890**	**4.7**	**1,835**	**4.9**
Illinois	12,542	130.5	1,154	12.1	3,382	35.2	1,191	11.4	460	4.5	445	4.6
Indiana	7,144	143.5	607	12.3	2,184	43.8	586	10.8	257	4.9	271	5.4
Michigan	10,824	132.4	891	11.1	3,030	36.9	944	10.5	411	4.7	408	4.9
Ohio	13,269	140.9	1,149	12.4	3,913	41.5	1,124	10.8	526	5.2	479	5.0
Wisconsin	6,059	125.2	481	10.1	1,549	32.0	609	11.2	236	4.4	232	4.7
East South Central	**22,507**	**156.5**	**1,945**	**13.8**	**7,354**	**50.5**	**1,804**	**11.8**	**673**	**4.5**	**713**	**5.0**
Alabama	5,674	151.0	503	13.8	1,811	47.5	482	12.0	172	4.4	166	4.4
Kentucky	5,524	162.6	462	13.8	1,916	55.8	391	10.8	172	4.9	187	5.5
Mississippi	3,583	165.0	341	15.9	1,147	52.2	328	14.3	86	3.8	96	4.5
Tennessee	7,727	152.9	639	12.9	2,479	48.4	604	11.3	242	4.6	264	5.2

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**21,734**	**128.2**	**1,864**	**11.2**	**5,985**	**35.3**	**1,982**	**10.4**	**770**	**4.2**	**819**	**4.8**
Iowa	3,453	131.4	292	11.3	958	36.5	328	10.7	126	4.3	141	5.2
Kansas	2,915	129.2	268	12.1	790	35.1	265	10.4	101	4.1	103	4.5
Minnesota	5,116	116.8	403	9.3	1,239	28.3	531	10.8	194	4.0	215	4.9
Missouri	6,830	139.7	577	12.0	2,107	42.8	535	9.9	230	4.4	233	4.7
Nebraska	1,829	123.0	169	11.5	476	32.2	171	10.0	64	3.9	70	4.6
North Dakota	688	116.2	63	10.8	178	30.3	68	9.8	23	3.5	-	-
South Dakota	903	125.6	92	13.1	237	32.6	84	10.5	33	4.2	-	-
West South Central	**34,285**	**132.5**	**3,300**	**12.9**	**9,269**	**35.5**	**2,879**	**10.6**	**1,087**	**4.0**	**1,187**	**4.6**
Arkansas	3,636	153.0	320	13.9	1,200	50.0	275	10.5	121	4.7	110	4.5
Louisiana	5,082	151.8	477	14.4	1,509	44.7	421	11.9	139	4.0	172	5.2
Oklahoma	4,394	149.4	417	14.6	1,330	44.7	373	11.5	154	4.9	152	5.1
Texas	21,173	123.2	2,086	12.2	5,230	30.3	1,809	10.1	673	3.8	754	4.4
Mountain	**17,003**	**107.8**	**1,529**	**10.0**	**3,605**	**22.5**	**1,871**	**10.8**	**672**	**4.0**	**647**	**4.1**
Arizona	6,311	110.8	573	10.5	1,491	25.6	640	9.8	258	4.1	230	3.9
Colorado	4,000	103.8	349	9.2	779	20.1	470	11.7	156	3.9	150	3.9
Idaho	1,541	117.8	130	10.2	337	25.3	178	12.5	62	4.4	-	-
Montana	1,111	116.2	101	10.9	249	25.5	132	12.3	48	4.7	-	-
New Mexico	1,891	111.0	184	11.2	382	21.6	204	10.7	70	3.8	64	3.8
Utah	1,641	95.2	147	8.7	253	14.8	202	10.9	61	3.3	74	4.2
Wyoming	509	107.7	45	9.7	114	23.5	45	9.0	18	3.6	-	-
Pacific	**45,801**	**112.9**	**4,059**	**10.1**	**10,020**	**24.5**	**4,857**	**10.9**	**1,754**	**4.0**	**-**	**-**
Alaska	532	118.8	50	11.1	134	29.8	42	10.0	14	3.2	-	-
California	30,524	110.1	2,732	10.0	6,311	22.7	3,349	11.0	1,160	3.9	1,199	4.3
Hawaii	1,325	107.8	124	10.5	323	26.1	116	8.0	41	3.0	46	3.8
Nevada	2,713	121.1	288	13.1	691	30.0	259	11.0	114	4.9	97	4.4
Oregon	4,184	122.4	338	10.1	992	28.6	434	11.5	164	4.4	162	4.7
Washington	6,524	118.3	527	9.7	1,570	28.3	658	11.1	261	4.5	264	4.8

[1] Rates are per 100,000 and are age-adjusted using the World population standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**281,450**	**135.7**	**24,676**	**11.8**	**69,301**	**33.2**	**41,416**	**20.3**	**4,180**	**2.3**	**14,161**	**6.9**
New England	**14,162**	**133.7**	**1,144**	**10.5**	**3,688**	**35.0**	**1,859**	**18.0**	**117**	**1.3**	**712**	**6.8**
Connecticut	3,283	125.5	257	9.4	804	31.0	451	17.8	31	1.4	168	6.5
Maine	1,548	146.7	122	11.3	431	40.7	191	18.6	14	1.6	68	6.6
Massachusetts	6,301	132.6	508	10.5	1,619	34.3	828	17.8	46	1.1	330	7.1
New Hampshire	1,297	138.6	108	11.6	358	38.2	176	18.9	11	1.3	66	7.2
Rhode Island	1,089	140.3	87	10.8	304	39.9	135	18.0	9	1.5	50	6.5
Vermont	644	140.9	61	13.5	173	37.3	79	17.7	4	1.1	30	6.8
Middle Atlantic	**39,650**	**135.2**	**3,561**	**11.8**	**9,333**	**31.9**	**5,822**	**20.4**	**552**	**2.1**	**2,019**	**7.0**
New Jersey	8,297	134.9	757	11.9	1,910	31.1	1,287	21.3	116	2.0	405	6.7
New York	17,612	130.2	1,554	11.2	4,079	30.1	2,547	19.3	270	2.2	926	7.0
Pennsylvania	13,742	142.8	1,250	12.6	3,343	34.8	1,987	21.2	166	2.1	689	7.3
South Atlantic	**57,670**	**134.1**	**4,963**	**11.5**	**14,607**	**33.4**	**8,671**	**20.7**	**871**	**2.3**	**2,808**	**6.5**
Delaware	955	142.5	71	10.7	254	37.3	140	21.3	16	2.5	46	6.8
District of Columbia	563	150.8	51	13.2	108	29.0	99	26.6	10	2.8	27	7.4
Florida	20,143	127.3	1,749	10.9	5,240	32.3	2,880	19.1	332	2.6	995	6.4
Georgia	7,872	135.7	701	12.1	1,883	32.1	1,276	22.0	130	2.3	399	6.8
Maryland	5,291	137.8	457	11.7	1,281	33.4	831	21.8	69	1.9	258	6.7
North Carolina	9,021	137.6	740	11.2	2,366	35.6	1,346	20.9	120	2.0	420	6.4
South Carolina	4,576	139.2	388	11.8	1,153	34.0	691	21.5	73	2.6	201	6.1
Virginia	7,047	135.2	589	11.3	1,713	32.6	1,119	21.5	90	1.9	363	6.9
West Virginia	2,202	159.8	219	15.7	609	43.6	289	21.8	32	2.8	99	7.1
East North Central	**45,613**	**145.4**	**4,006**	**12.5**	**11,889**	**37.9**	**6,490**	**21.1**	**594**	**2.2**	**2,225**	**7.2**
Illinois	11,907	143.2	1,079	12.7	2,985	36.1	1,741	21.3	174	2.3	588	7.2
Indiana	6,291	148.1	564	13.0	1,733	40.8	876	21.0	89	2.5	301	7.1
Michigan	9,938	145.7	834	12.1	2,661	38.8	1,385	20.7	116	2.0	495	7.3
Ohio	12,124	150.1	1,079	13.1	3,189	39.4	1,762	22.3	161	2.3	575	7.1
Wisconsin	5,353	137.1	450	11.2	1,321	34.1	726	19.0	54	1.6	266	6.9
East South Central	**18,831**	**151.5**	**1,674**	**13.5**	**5,291**	**41.8**	**2,664**	**21.8**	**337**	**3.1**	**869**	**7.0**
Alabama	4,686	143.2	421	13.0	1,232	36.8	686	21.4	99	3.5	240	7.3
Kentucky	4,709	162.3	404	13.9	1,490	50.6	603	21.2	67	2.7	191	6.6
Mississippi	2,945	154.2	287	15.0	760	39.1	442	23.5	60	3.5	122	6.4
Tennessee	6,491	149.5	561	13.0	1,809	41.1	934	21.8	111	2.8	316	7.3

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**19,409**	**138.5**	**1,719**	**11.9**	**5,034**	**36.1**	**2,686**	**19.5**	**238**	**2.0**	**911**	**6.6**
Iowa	3,028	138.2	290	12.5	753	34.9	395	18.7	34	1.9	154	7.2
Kansas	2,595	138.7	233	12.2	668	35.9	361	19.4	33	2.1	125	6.8
Minnesota	4,670	131.7	394	10.8	1,144	32.6	630	17.9	45	1.4	223	6.3
Missouri	6,101	147.3	514	12.2	1,743	41.8	869	21.5	88	2.5	262	6.4
Nebraska	1,653	135.6	157	12.6	401	33.2	243	20.1	24	2.1	83	6.9
North Dakota	601	127.1	55	11.0	137	29.7	83	18.0	6	1.3	27	5.9
South Dakota	762	134.3	77	13.0	189	33.9	106	19.1	7	1.5	38	6.9
West South Central	**29,282**	**135.3**	**2,636**	**12.1**	**7,071**	**32.5**	**4,455**	**20.7**	**604**	**3.0**	**1,391**	**6.4**
Arkansas	2,981	150.3	270	13.6	861	42.5	406	21.1	57	3.5	139	7.0
Louisiana	4,305	149.6	407	14.2	1,113	38.1	653	23.1	80	3.1	178	6.2
Oklahoma	3,720	152.2	340	13.9	1,037	41.9	538	22.4	62	3.0	185	7.6
Texas	18,276	127.8	1,619	11.2	4,061	28.5	2,858	19.9	405	2.9	889	6.2
Mountain	**14,804**	**121.2**	**1,284**	**10.6**	**3,249**	**26.4**	**2,342**	**19.4**	**207**	**1.9**	**868**	**7.1**
Arizona	5,382	121.5	470	10.6	1,287	28.4	827	19.1	83	2.2	306	7.0
Colorado	3,625	118.7	320	10.5	776	25.6	582	18.9	50	1.7	209	6.8
Idaho	1,310	133.8	108	11.1	287	29.0	208	21.6	16	1.8	77	7.6
Montana	963	135.6	78	10.8	257	35.8	137	19.5	11	2.0	48	6.8
New Mexico	1,655	122.3	150	11.2	337	24.6	259	19.3	24	2.2	102	7.6
Utah	1,437	109.1	125	9.7	203	15.4	265	20.1	18	1.3	102	7.7
Wyoming	433	123.1	34	9.7	102	29.2	64	18.3	5	1.6	23	6.7
Pacific	**42,029**	**127.8**	**3,690**	**11.1**	**9,138**	**27.8**	**6,427**	**19.7**	**660**	**2.2**	**2,358**	**7.2**
Alaska	446	140.2	44	14.3	106	34.2	65	19.5	6	1.6	19	5.7
California	28,432	124.6	2,538	11.0	5,774	25.4	4,438	19.6	486	2.3	1,604	7.0
Hawaii	1,104	111.1	103	10.3	236	23.5	154	16.1	14	1.8	45	4.7
Nevada	2,355	142.5	230	14.1	641	38.4	360	21.9	40	2.5	125	7.5
Oregon	3,799	140.3	308	11.4	948	34.8	540	20.0	49	2.1	230	8.5
Washington	5,892	134.6	466	10.5	1,433	32.8	870	19.9	65	1.6	335	7.7

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**281,450**	**93.7**	**24,676**	**7.8**	**69,301**	**22.8**	**41,416**	**14.7**	**4,180**	**1.9**	**14,161**	**4.9**
New England	**14,162**	**90.5**	**1,144**	**6.8**	**3,688**	**23.7**	**1,859**	**12.9**	**117**	**1.0**	**712**	**4.8**
Connecticut	3,283	84.9	257	6.1	804	20.8	451	12.9	31	1.1	168	4.6
Maine	1,548	99.8	122	7.2	431	28.3	191	13.1	14	1.3	68	4.6
Massachusetts	6,301	89.4	508	6.8	1,619	23.1	828	12.7	46	0.9	330	5.0
New Hampshire	1,297	94.5	108	7.5	358	26.1	176	13.6	11	1.0	66	5.1
Rhode Island	1,089	95.8	87	7.1	304	27.3	135	13.0	9	1.2	50	4.7
Vermont	644	95.6	61	8.7	173	25.5	79	12.6	4	0.9	30	4.7
Middle Atlantic	**39,650**	**92.8**	**3,561**	**7.7**	**9,333**	**21.8**	**5,822**	**14.6**	**552**	**1.7**	**2,019**	**5.0**
New Jersey	8,297	91.8	757	7.7	1,910	20.9	1,287	15.2	116	1.6	405	4.8
New York	17,612	89.6	1,554	7.4	4,079	20.6	2,547	14.0	270	1.8	926	5.0
Pennsylvania	13,742	98.2	1,250	8.2	3,343	24.1	1,987	15.2	166	1.7	689	5.2
South Atlantic	**57,670**	**93.3**	**4,963**	**7.7**	**14,607**	**23.1**	**8,671**	**15.1**	**871**	**1.9**	**2,808**	**4.7**
Delaware	955	98.8	71	7.1	254	26.1	140	15.5	16	2.0	46	4.9
District of Columbia	563	107.3	51	9.3	108	20.2	99	19.6	10	2.2	27	5.6
Florida	20,143	89.0	1,749	7.4	5,240	22.3	2,880	14.1	332	2.2	995	4.6
Georgia	7,872	94.5	701	8.2	1,883	22.2	1,276	16.0	130	1.9	399	4.8
Maryland	5,291	95.0	457	7.8	1,281	22.6	831	15.9	69	1.5	258	4.8
North Carolina	9,021	95.6	740	7.6	2,366	24.8	1,346	15.2	120	1.6	420	4.5
South Carolina	4,576	97.3	388	8.1	1,153	23.8	691	15.9	73	2.1	201	4.3
Virginia	7,047	92.8	589	7.4	1,713	22.2	1,119	15.6	90	1.6	363	4.9
West Virginia	2,202	112.8	219	10.4	609	31.3	289	16.0	32	2.4	99	5.2
East North Central	**45,613**	**100.5**	**4,006**	**8.3**	**11,889**	**26.3**	**6,490**	**15.2**	**594**	**1.8**	**2,225**	**5.1**
Illinois	11,907	98.5	1,079	8.3	2,985	24.7	1,741	15.4	174	1.8	588	5.1
Indiana	6,291	103.1	564	8.7	1,733	28.6	876	15.1	89	2.0	301	5.0
Michigan	9,938	101.0	834	8.1	2,661	27.0	1,385	15.0	116	1.6	495	5.3
Ohio	12,124	104.4	1,079	8.8	3,189	27.6	1,762	16.1	161	2.0	575	5.1
Wisconsin	5,353	93.5	450	7.2	1,321	23.4	726	13.6	54	1.3	266	4.9
East South Central	**18,831**	**106.8**	**1,674**	**9.2**	**5,291**	**29.7**	**2,664**	**16.0**	**337**	**2.5**	**869**	**4.9**
Alabama	4,686	101.1	421	8.8	1,232	26.1	686	15.7	99	2.8	240	5.1
Kentucky	4,709	114.3	404	9.5	1,490	36.0	603	15.5	67	2.2	191	4.6
Mississippi	2,945	109.8	287	10.5	760	27.9	442	17.4	60	2.8	122	4.6
Tennessee	6,491	104.9	561	8.8	1,809	29.0	934	15.8	111	2.3	316	5.2

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**19,409**	**95.3**	**1,719**	**7.8**	**5,034**	**25.0**	**2,686**	**14.0**	**238**	**1.6**	**911**	**4.7**
Iowa	3,028	95.1	290	8.1	753	24.2	395	13.6	34	1.6	154	5.0
Kansas	2,595	95.7	233	8.1	668	24.8	361	13.9	33	1.7	125	4.9
Minnesota	4,670	89.0	394	7.0	1,144	22.1	630	12.7	45	1.1	223	4.4
Missouri	6,101	102.7	514	8.1	1,743	29.3	869	15.6	88	2.1	262	4.5
Nebraska	1,653	93.0	157	8.0	401	23.0	243	14.2	24	1.8	83	4.9
North Dakota	601	87.6	55	7.1	137	20.6	83	13.2	6	1.1	27	4.2
South Dakota	762	91.6	77	8.4	189	23.5	106	13.7	7	1.3	38	4.8
West South Central	**29,282**	**94.4**	**2,636**	**8.3**	**7,071**	**22.4**	**4,455**	**15.0**	**604**	**2.5**	**1,391**	**4.6**
Arkansas	2,981	106.1	270	9.4	861	30.2	406	15.4	57	2.8	139	5.0
Louisiana	4,305	105.3	407	9.9	1,113	26.6	653	16.9	80	2.6	178	4.4
Oklahoma	3,720	107.2	340	9.6	1,037	29.5	538	16.2	62	2.5	185	5.5
Texas	18,276	88.6	1,619	7.7	4,061	19.3	2,858	14.4	405	2.4	889	4.4
Mountain	**14,804**	**82.7**	**1,284**	**7.0**	**3,249**	**17.6**	**2,342**	**13.8**	**207**	**1.5**	**868**	**5.0**
Arizona	5,382	83.7	470	7.0	1,287	19.0	827	14.0	83	1.8	306	5.0
Colorado	3,625	80.0	320	6.9	776	16.8	582	13.3	50	1.4	209	4.8
Idaho	1,310	90.7	108	7.4	287	19.5	208	15.3	16	1.4	77	5.4
Montana	963	92.1	78	7.1	257	24.0	137	13.7	11	1.6	48	4.8
New Mexico	1,655	84.6	150	7.8	337	16.3	259	13.8	24	1.8	102	5.5
Utah	1,437	74.1	125	6.4	203	10.4	265	14.0	18	1.1	102	5.3
Wyoming	433	84.2	34	6.1	102	19.9	64	12.8	5	1.4	23	4.6
Pacific	**42,029**	**87.3**	**3,690**	**7.3**	**9,138**	**18.4**	**6,427**	**14.2**	**660**	**1.8**	**2,358**	**5.1**
Alaska	446	96.3	44	9.6	106	22.8	65	14.1	6	1.4	19	4.1
California	28,432	85.2	2,538	7.2	5,774	16.6	4,438	14.2	486	1.9	1,604	5.1
Hawaii	1,104	78.0	103	7.1	236	15.8	154	12.0	14	1.5	45	3.5
Nevada	2,355	96.4	230	9.3	641	25.2	360	15.5	40	2.1	125	5.3
Oregon	3,799	95.7	308	7.4	948	23.2	540	14.5	49	1.7	230	6.0
Washington	5,892	91.2	466	6.9	1,433	21.8	870	14.1	65	1.3	335	5.4

[1] Rates are per 100,000 and are age-adjusted using the World population standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2013-2017, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	266,647	189.6	0.17	126.0	0.11	237,142	136.4	0.13	93.8	0.09
Oral Cavity & Pharynx	5,759	3.9	0.02	2.8	0.02	2,385	1.4	0.01	0.9	0.01
Digestive System	73,549	51.1	0.09	35.5	0.06	53,848	30.5	0.06	20.5	0.04
Esophagus	10,916	7.4	0.03	5.3	0.02	2,566	1.4	0.01	1.0	0.01
Stomach	5,008	3.6	0.02	2.5	0.02	3,306	1.9	0.02	1.3	0.01
Colon & Rectum	22,702	16.2	0.05	10.9	0.03	20,341	11.5	0.04	7.6	0.03
Liver	10,847	7.1	0.03	5.3	0.02	4,054	2.3	0.02	1.6	0.01
Pancreas	18,230	12.7	0.04	8.7	0.03	16,769	9.4	0.03	6.3	0.02
Respiratory System	73,828	51.5	0.09	34.7	0.06	61,299	35.1	0.06	24.0	0.05
Larynx	2,437	1.7	0.02	1.2	0.01	619	0.4	0.01	0.3	0.00
Lung & bronchus	70,803	49.4	0.08	33.2	0.06	60,359	34.5	0.06	23.7	0.05
Skin	8,312	6.0	0.03	4.0	0.02	3,845	2.2	0.02	1.5	0.01
Melanomas of the skin	5,687	4.1	0.02	2.8	0.02	2,880	1.7	0.01	1.2	0.01
Breast	382	0.3	0.01	0.2	0.00	33,740	19.8	0.05	14.2	0.04
Female Genital System	-	-	-	-	-	25,333	14.9	0.04	10.8	0.03
Cervix uteri	-	-	-	-	-	3,175	2.2	0.02	1.8	0.02
Corpus & uterus, NOS[1]	-	-	-	-	-	7,835	4.5	0.02	3.2	0.02
Ovary	-	-	-	-	-	12,274	7.1	0.03	5.1	0.02
Male Genital System	24,329	18.4	0.05	10.4	0.03	-	-	-	-	-
Prostate	23,642	17.9	0.05	9.9	0.03	-	-	-	-	-
Testis	365	0.3	0.01	0.3	0.01	-	-	-	-	-
Urinary System	19,135	13.9	0.05	8.7	0.03	8,552	4.7	0.02	3.0	0.02
Bladder	10,656	8.0	0.03	4.6	0.02	4,007	2.2	0.02	1.3	0.01
Kidney & renal pelvis	7,995	5.6	0.03	3.8	0.02	4,238	2.4	0.02	1.6	0.01
Brain & Other CNS[1]	8,274	5.8	0.03	4.5	0.02	6,422	3.9	0.02	3.1	0.02
Endocrine System	1,179	0.9	0.01	0.6	0.01	1,229	0.7	0.01	0.5	0.01
Thyroid gland	759	0.5	0.01	0.4	0.01	846	0.5	0.01	0.3	0.01
Lymphomas	10,660	7.8	0.03	5.0	0.02	8,284	4.7	0.02	2.9	0.02
Hodgkin Lymphoma	537	0.4	0.01	0.3	0.01	386	0.2	0.01	0.2	0.00
Non-Hodgkin Lymphoma	10,123	7.4	0.03	4.7	0.02	7,898	4.4	0.02	2.8	0.02
Multiple Myeloma	5,389	3.9	0.02	2.5	0.02	4,196	2.4	0.02	1.5	0.01
Leukemias	12,019	8.9	0.04	5.8	0.02	8,618	5.0	0.02	3.3	0.02
Other, Ill-defined & Unknown	23,832	17.1	0.05	11.4	0.03	19,391	11.1	0.04	7.5	0.03

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**266,647**	**189.6**	**22,702**	**16.2**	**70,803**	**49.4**	**23,642**	**17.9**	**10,656**	**8.0**	**10,123**	**7.4**
New England	**14,018**	**187.4**	**1,044**	**14.1**	**3,578**	**47.1**	**1,316**	**18.4**	**647**	**9.0**	**512**	**7.1**
Connecticut	3,050	171.6	232	13.1	717	39.9	299	17.2	149	8.5	123	7.1
Maine	1,731	206.9	120	14.7	514	59.5	160	20.5	74	9.3	60	7.6
Massachusetts	6,010	187.4	448	14.1	1,486	45.9	561	18.2	278	9.0	216	7.0
New Hampshire	1,422	188.9	106	14.1	376	48.8	130	18.9	65	9.3	50	7.1
Rhode Island	1,082	201.8	80	15.0	295	54.6	100	19.2	49	9.3	-	-
Vermont	724	197.2	60	16.4	190	49.9	64	19.2	31	9.2	-	-
Middle Atlantic	**34,545**	**186.7**	**3,056**	**16.6**	**8,748**	**46.7**	**3,050**	**17.0**	**1,512**	**8.4**	**1,392**	**7.7**
New Jersey	6,797	180.8	635	16.8	1,602	42.3	594	16.3	321	8.8	280	7.7
New York	14,441	179.9	1,251	15.7	3,592	44.3	1,310	16.9	632	8.1	589	7.5
Pennsylvania	13,308	198.2	1,171	17.6	3,555	52.1	1,146	17.6	559	8.5	523	8.0
South Atlantic	**53,029**	**187.7**	**4,378**	**15.7**	**15,183**	**52.5**	**4,351**	**16.1**	**2,178**	**8.0**	**-**	**-**
Delaware	886	201.7	74	17.4	254	56.6	60	14.3	40	9.5	37	8.6
District of Columbia	123	111.0	10	8.5	22	20.8	16	15.4	5	4.9	-	-
Florida	21,089	179.9	1,755	15.2	5,783	48.5	1,843	15.3	915	7.7	787	6.7
Georgia	6,524	197.6	570	17.2	1,959	57.6	503	17.4	266	8.9	230	7.2
Maryland	3,779	183.1	313	15.1	976	46.8	319	16.4	176	8.9	150	7.4
North Carolina	7,996	195.8	611	15.1	2,484	59.1	624	16.8	298	7.8	288	7.3
South Carolina	4,099	200.1	318	15.7	1,229	57.8	311	16.9	142	7.5	136	6.9
Virginia	6,067	187.1	505	15.5	1,676	50.3	504	17.2	252	8.4	225	7.2
West Virginia	2,467	223.2	221	20.3	801	69.9	171	17.0	84	8.1	85	7.8
East North Central	**43,799**	**200.4**	**3,661**	**16.9**	**12,376**	**55.4**	**3,708**	**18.2**	**1,761**	**8.5**	**1,690**	**8.0**
Illinois	10,383	194.2	915	17.1	2,796	51.6	904	18.0	414	8.1	393	7.6
Indiana	6,599	214.1	550	17.8	2,039	64.7	521	18.6	247	8.5	256	8.6
Michigan	9,354	195.9	742	15.7	2,618	53.6	769	17.3	380	8.3	371	8.0
Ohio	11,796	208.6	1,010	18.1	3,485	60.2	939	17.7	490	9.1	446	8.2
Wisconsin	5,668	189.2	443	15.0	1,438	47.0	576	20.5	230	8.0	223	7.7
East South Central	**18,638**	**225.4**	**1,533**	**18.6**	**6,194**	**72.8**	**1,301**	**17.6**	**611**	**8.0**	**631**	**8.0**
Alabama	4,378	215.3	367	18.2	1,428	68.1	308	16.8	149	7.9	138	7.1
Kentucky	5,186	240.7	428	20.0	1,813	81.7	354	18.8	165	8.3	178	8.7
Mississippi	2,426	226.9	211	19.8	790	72.2	173	17.6	72	7.3	77	7.6
Tennessee	6,649	220.7	527	17.6	2,163	69.7	465	17.3	224	8.0	238	8.3

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**20,254**	**192.0**	**1,723**	**16.5**	**5,571**	**51.9**	**1,829**	**18.2**	**748**	**7.4**	**780**	**7.6**
Iowa	3,364	198.6	285	17.2	932	54.0	321	19.5	125	7.6	138	8.3
Kansas	2,707	192.5	247	17.7	731	51.3	239	17.8	98	7.3	98	7.1
Minnesota	4,825	178.5	379	14.2	1,169	42.4	505	19.8	188	7.3	204	7.8
Missouri	6,112	205.0	505	17.1	1,891	62.0	455	16.3	220	7.8	215	7.4
Nebraska	1,743	186.2	160	17.1	455	48.3	162	18.1	62	6.8	68	7.5
North Dakota	657	174.6	61	16.5	171	45.3	67	17.8	22	5.9	-	-
South Dakota	845	189.1	86	19.3	221	48.8	79	18.5	32	7.5	-	-
West South Central	**28,589**	**193.7**	**2,663**	**17.8**	**7,681**	**51.3**	**2,283**	**17.2**	**982**	**7.2**	**1,050**	**7.4**
Arkansas	3,150	220.5	270	19.1	1,043	70.9	221	16.7	113	8.3	101	7.4
Louisiana	3,491	207.9	306	18.1	1,031	60.0	259	17.0	114	7.3	135	8.4
Oklahoma	3,777	217.0	345	20.0	1,161	65.1	312	19.2	140	8.4	133	7.9
Texas	18,171	183.7	1,742	17.3	4,446	44.7	1,491	16.9	615	6.8	680	7.1
Mountain	**16,043**	**165.1**	**1,424**	**14.7**	**3,423**	**34.6**	**1,761**	**19.5**	**654**	**7.1**	**618**	**6.6**
Arizona	5,894	167.2	531	15.3	1,411	39.0	591	17.3	252	7.3	218	6.3
Colorado	3,758	161.5	325	13.9	727	30.9	437	21.2	149	6.8	142	6.4
Idaho	1,515	183.2	127	15.3	332	39.4	175	23.1	61	7.9	-	-
Montana	1,057	176.1	93	15.6	236	38.9	128	22.7	48	8.1	-	-
New Mexico	1,746	170.4	166	16.3	362	34.8	187	19.6	67	6.9	59	5.9
Utah	1,577	146.8	139	12.7	243	22.3	198	20.3	60	6.0	72	7.0
Wyoming	495	163.7	44	14.2	111	36.5	44	15.9	18	6.5	-	-
Pacific	**37,731**	**177.9**	**3,221**	**15.1**	**8,051**	**37.9**	**4,043**	**20.4**	**1,564**	**7.8**	**1,507**	**7.3**
Alaska	395	170.5	31	13.3	101	43.4	33	17.4	12	5.8	-	-
California	24,616	174.4	2,130	14.9	4,882	34.9	2,716	20.4	1,021	7.6	995	7.2
Hawaii	446	176.5	34	13.1	90	34.7	46	19.8	19	8.3	-	-
Nevada	2,355	188.9	239	19.1	605	47.7	220	19.8	103	8.9	85	7.1
Oregon	3,986	187.3	319	15.2	942	43.6	418	20.9	161	8.0	154	7.5
Washington	5,932	183.4	468	14.4	1,431	43.6	609	20.6	248	8.2	243	7.8

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**266,647**	**126.0**	**22,702**	**10.9**	**70,803**	**33.2**	**23,642**	**9.9**	**10,656**	**4.6**	**10,123**	**4.7**
New England	**14,018**	**122.5**	**1,044**	**9.3**	**3,578**	**31.2**	**1,316**	**10.1**	**647**	**5.2**	**512**	**4.4**
Connecticut	3,050	111.9	232	8.6	717	26.4	299	9.4	149	4.9	123	4.4
Maine	1,731	136.3	120	9.7	514	40.3	160	11.3	74	5.4	60	4.7
Massachusetts	6,010	122.0	448	9.2	1,486	30.2	561	10.1	278	5.2	216	4.4
New Hampshire	1,422	123.7	106	9.3	376	32.4	130	10.3	65	5.3	50	4.3
Rhode Island	1,082	132.3	80	9.7	295	36.1	100	10.6	49	5.4	-	-
Vermont	724	129.4	60	11.1	190	33.5	64	10.5	31	5.2	-	-
Middle Atlantic	**34,545**	**123.0**	**3,056**	**11.0**	**8,748**	**31.2**	**3,050**	**9.4**	**1,512**	**4.8**	**1,392**	**4.9**
New Jersey	6,797	118.0	635	11.1	1,602	27.8	594	9.0	321	5.0	280	4.8
New York	14,441	118.7	1,251	10.4	3,592	29.6	1,310	9.3	632	4.7	589	4.8
Pennsylvania	13,308	131.2	1,171	11.7	3,555	35.0	1,146	9.8	559	4.9	523	5.1
South Atlantic	**53,029**	**126.4**	**4,378**	**10.7**	**15,183**	**35.8**	**4,351**	**9.0**	**2,178**	**4.7**	**-**	**-**
Delaware	886	133.8	74	11.6	254	38.0	60	8.1	40	5.5	37	5.5
District of Columbia	123	71.1	10	6.1	22	12.9	16	8.2	5	2.6	-	-
Florida	21,089	122.8	1,755	10.5	5,783	33.5	1,843	8.7	915	4.5	787	4.5
Georgia	6,524	132.4	570	11.8	1,959	39.1	503	9.7	266	5.2	230	4.7
Maryland	3,779	120.4	313	10.1	976	31.0	319	9.0	176	5.1	150	4.7
North Carolina	7,996	130.6	611	10.3	2,484	40.0	624	9.3	298	4.6	288	4.6
South Carolina	4,099	134.3	318	10.8	1,229	39.5	311	9.3	142	4.4	136	4.3
Virginia	6,067	123.3	505	10.5	1,676	33.7	504	9.4	252	4.8	225	4.5
West Virginia	2,467	152.3	221	13.9	801	48.3	171	9.4	84	4.8	85	5.1
East North Central	**43,799**	**132.9**	**3,661**	**11.3**	**12,376**	**37.5**	**3,708**	**10.0**	**1,761**	**4.9**	**1,690**	**5.0**
Illinois	10,383	127.9	915	11.4	2,796	34.5	904	10.0	414	4.7	393	4.7
Indiana	6,599	143.5	550	12.1	2,039	44.2	521	10.3	247	5.0	256	5.5
Michigan	9,354	130.0	742	10.5	2,618	36.2	769	9.5	380	4.9	371	5.1
Ohio	11,796	139.8	1,010	12.1	3,485	41.2	939	9.9	490	5.3	446	5.2
Wisconsin	5,668	122.8	443	9.8	1,438	31.2	576	11.0	230	4.5	223	4.8
East South Central	**18,638**	**153.3**	**1,533**	**12.9**	**6,194**	**50.2**	**1,301**	**9.8**	**611**	**4.7**	**631**	**5.1**
Alabama	4,378	146.3	367	12.6	1,428	46.9	308	9.3	149	4.7	138	4.5
Kentucky	5,186	163.5	428	13.7	1,813	56.5	354	10.4	165	5.0	178	5.5
Mississippi	2,426	154.4	211	13.9	790	49.3	173	10.0	72	4.2	77	4.8
Tennessee	6,649	150.2	527	12.2	2,163	48.2	465	9.7	224	4.8	238	5.3

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**20,254**	**127.0**	**1,723**	**11.0**	**5,571**	**34.9**	**1,829**	**10.0**	**748**	**4.3**	**780**	**4.8**
Iowa	3,364	131.4	285	11.3	932	36.5	321	10.7	125	4.4	138	5.3
Kansas	2,707	128.2	247	11.9	731	34.6	239	9.9	98	4.3	98	4.6
Minnesota	4,825	116.1	379	9.3	1,169	28.1	505	10.7	188	4.1	204	4.9
Missouri	6,112	137.8	505	11.6	1,891	42.3	455	9.1	220	4.6	215	4.7
Nebraska	1,743	122.6	160	11.4	455	32.1	162	9.8	62	3.9	68	4.7
North Dakota	657	114.8	61	11.0	171	30.1	67	9.9	22	3.5	-	-
South Dakota	845	122.9	86	12.6	221	31.8	79	10.2	32	4.3	-	-
West South Central	**28,589**	**130.2**	**2,663**	**12.3**	**7,681**	**34.6**	**2,283**	**9.6**	**982**	**4.2**	**1,050**	**4.7**
Arkansas	3,150	150.0	270	13.3	1,043	49.1	221	9.4	113	4.9	101	4.7
Louisiana	3,491	140.4	306	12.5	1,031	41.2	259	9.5	114	4.3	135	5.4
Oklahoma	3,777	147.7	345	13.9	1,161	44.8	312	10.8	140	5.0	133	5.1
Texas	18,171	122.8	1,742	11.9	4,446	29.8	1,491	9.5	615	4.0	680	4.6
Mountain	**16,043**	**108.7**	**1,424**	**10.0**	**3,423**	**22.8**	**1,761**	**10.7**	**654**	**4.1**	**618**	**4.1**
Arizona	5,894	112.4	531	10.6	1,411	26.2	591	9.7	252	4.3	218	4.0
Colorado	3,758	104.4	325	9.1	727	20.0	437	11.5	149	4.0	142	4.0
Idaho	1,515	118.8	127	10.3	332	25.6	175	12.5	61	4.5	-	-
Montana	1,057	114.9	93	10.5	236	25.1	128	12.3	48	4.8	-	-
New Mexico	1,746	113.5	166	11.3	362	22.6	187	10.7	67	4.0	59	3.8
Utah	1,577	95.4	139	8.6	243	14.8	198	11.0	60	3.4	72	4.3
Wyoming	495	108.0	44	9.8	111	23.6	44	8.9	18	3.7	-	-
Pacific	**37,731**	**116.4**	**3,221**	**10.1**	**8,051**	**24.6**	**4,043**	**11.3**	**1,564**	**4.5**	**1,507**	**4.6**
Alaska	395	111.3	31	8.7	101	28.2	33	9.8	12	3.4	-	-
California	24,616	113.9	2,130	10.0	4,882	22.4	2,716	11.3	1,021	4.3	995	4.5
Hawaii	446	116.3	34	9.0	90	23.2	46	11.2	19	4.9	-	-
Nevada	2,355	124.8	239	13.0	605	31.0	220	11.0	103	5.2	85	4.6
Oregon	3,986	123.3	319	10.2	942	28.6	418	11.6	161	4.6	154	4.7
Washington	5,932	119.9	468	9.7	1,431	28.7	609	11.3	248	4.7	243	4.9

[1] Rates are per 100,000 and are age-adjusted using the World population standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**237,142**	**136.4**	**20,341**	**11.5**	**60,359**	**34.5**	**33,740**	**19.8**	**3,175**	**2.2**	**12,274**	**7.1**
New England	**13,310**	**136.6**	**1,070**	**10.7**	**3,526**	**36.4**	**1,722**	**18.2**	**102**	**1.2**	**675**	**7.1**
Connecticut	2,973	127.2	231	9.4	750	32.4	399	17.8	26	1.3	154	6.7
Maine	1,527	146.9	120	11.3	426	41.0	187	18.5	13	1.5	68	6.6
Massachusetts	5,848	136.4	467	10.6	1,530	35.9	758	18.2	39	1.1	310	7.5
New Hampshire	1,282	140.2	107	11.7	354	38.6	174	19.2	11	1.2	65	7.3
Rhode Island	1,043	144.4	84	11.2	294	41.4	125	17.9	9	1.6	48	6.8
Vermont	637	141.6	61	13.8	171	37.5	79	17.8	4	1.1	29	6.7
Middle Atlantic	**33,230**	**137.8**	**2,964**	**11.8**	**8,084**	**33.7**	**4,709**	**20.1**	**403**	**2.0**	**1,730**	**7.4**
New Jersey	6,906	138.1	631	12.1	1,651	33.1	1,021	20.9	84	1.9	340	7.0
New York	14,188	135.5	1,224	11.2	3,460	33.2	1,966	19.3	185	2.1	763	7.5
Pennsylvania	12,136	140.7	1,109	12.4	2,973	34.6	1,722	20.6	134	2.0	627	7.5
South Atlantic	**45,369**	**132.7**	**3,775**	**11.0**	**12,313**	**35.4**	**6,383**	**19.2**	**596**	**2.2**	**2,293**	**6.8**
Delaware	763	141.8	53	10.1	210	38.0	110	21.1	12	2.6	38	7.1
District of Columbia	121	97.1	9	7.1	23	18.7	21	16.7	2	1.6	7	5.5
Florida	17,598	127.7	1,496	10.7	4,818	34.1	2,410	18.4	260	2.6	887	6.6
Georgia	5,484	134.2	459	11.2	1,465	35.2	794	19.7	74	2.1	291	7.1
Maryland	3,565	136.6	301	11.2	929	35.7	513	19.9	36	1.6	180	7.0
North Carolina	6,945	135.0	542	10.5	1,955	37.5	969	19.3	77	1.8	341	6.7
South Carolina	3,351	135.6	267	11.0	937	36.8	467	19.4	43	2.2	154	6.3
Virginia	5,411	134.4	436	10.8	1,384	34.0	821	20.6	61	1.7	300	7.5
West Virginia	2,132	160.2	212	15.7	593	44.0	278	21.7	31	2.9	95	7.0
East North Central	**39,537**	**144.1**	**3,411**	**12.1**	**10,445**	**38.1**	**5,480**	**20.4**	**481**	**2.1**	**1,996**	**7.3**
Illinois	9,733	141.9	854	12.0	2,485	36.5	1,374	20.5	126	2.1	500	7.4
Indiana	5,738	147.9	509	12.8	1,604	41.3	784	20.5	79	2.4	279	7.2
Michigan	8,429	143.6	688	11.5	2,308	39.2	1,137	19.9	92	1.9	438	7.6
Ohio	10,646	149.1	943	13.0	2,821	39.5	1,508	21.6	137	2.4	525	7.4
Wisconsin	4,991	135.1	417	10.9	1,227	33.5	677	18.7	47	1.5	253	6.9
East South Central	**15,379**	**150.2**	**1,309**	**12.8**	**4,577**	**43.9**	**2,046**	**20.4**	**236**	**2.8**	**730**	**7.2**
Alabama	3,546	141.4	296	11.9	1,019	39.6	486	19.8	62	3.1	189	7.5
Kentucky	4,391	163.2	372	13.9	1,401	51.3	554	21.0	63	2.8	180	6.7
Mississippi	1,957	148.5	181	13.8	571	42.4	253	19.6	30	2.8	86	6.6
Tennessee	5,485	147.5	460	12.4	1,585	42.0	753	20.5	81	2.5	275	7.5

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**18,008**	**137.6**	**1,589**	**11.8**	**4,698**	**36.1**	**2,469**	**19.2**	**201**	**1.8**	**865**	**6.7**
Iowa	2,944	137.9	283	12.5	733	34.8	384	18.7	32	1.9	151	7.2
Kansas	2,406	137.8	215	12.0	625	36.0	330	19.0	28	2.0	119	7.0
Minnesota	4,410	131.3	369	10.7	1,089	32.8	597	18.0	37	1.3	215	6.4
Missouri	5,385	145.7	450	11.9	1,564	42.0	745	20.6	71	2.3	238	6.5
Nebraska	1,575	135.5	148	12.4	383	33.2	232	20.2	22	2.1	80	7.0
North Dakota	574	125.9	53	11.0	130	29.3	80	18.2	5	1.3	26	6.0
South Dakota	714	132.8	71	12.6	175	33.2	101	19.2	6	1.2	36	7.0
West South Central	**24,124**	**133.9**	**2,092**	**11.5**	**6,014**	**33.1**	**3,520**	**19.7**	**467**	**2.9**	**1,184**	**6.6**
Arkansas	2,563	149.1	221	12.9	772	43.9	333	19.9	44	3.3	121	7.1
Louisiana	2,936	142.8	263	12.8	833	40.0	394	19.6	44	2.6	130	6.4
Oklahoma	3,184	151.2	286	13.5	901	42.2	456	22.1	50	2.9	159	7.6
Texas	15,440	127.5	1,323	10.8	3,508	28.9	2,337	19.3	329	2.9	773	6.3
Mountain	**13,878**	**122.4**	**1,196**	**10.6**	**3,090**	**26.9**	**2,200**	**19.7**	**189**	**1.9**	**814**	**7.2**
Arizona	4,964	123.0	432	10.7	1,219	29.3	761	19.5	75	2.3	280	7.0
Colorado	3,408	120.0	298	10.6	735	26.0	544	19.0	47	1.8	201	7.0
Idaho	1,284	134.8	106	11.2	281	29.2	205	21.9	15	1.8	75	7.6
Montana	918	135.0	73	10.6	243	35.4	132	19.8	10	1.8	46	6.9
New Mexico	1,506	124.6	134	11.2	321	26.1	240	20.2	20	2.1	90	7.5
Utah	1,377	109.4	119	9.6	193	15.3	255	20.3	17	1.3	100	7.9
Wyoming	422	123.4	33	9.8	99	29.3	63	18.2	5	1.6	23	6.7
Pacific	**34,307**	**133.7**	**2,935**	**11.3**	**7,612**	**29.7**	**5,211**	**20.5**	**500**	**2.2**	**1,988**	**7.8**
Alaska	320	135.3	26	11.3	78	33.7	48	19.2	5	1.6	16	6.3
California	22,712	130.4	1,980	11.1	4,671	26.9	3,519	20.4	362	2.3	1,325	7.7
Hawaii	327	138.5	29	12.9	70	29.9	48	20.2	3	1.1	18	7.5
Nevada	1,988	148.2	189	14.2	561	41.1	294	22.1	31	2.6	105	7.8
Oregon	3,619	141.9	291	11.4	910	35.4	514	20.3	44	2.1	218	8.6
Washington	5,341	137.9	420	10.8	1,323	34.1	789	20.5	55	1.6	307	7.9

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**237,142**	**93.8**	**20,341**	**7.6**	**60,359**	**23.7**	**33,740**	**14.2**	**3,175**	**1.8**	**12,274**	**5.1**
New England	**13,310**	**92.5**	**1,070**	**6.9**	**3,526**	**24.6**	**1,722**	**13.0**	**102**	**1.0**	**675**	**5.0**
Connecticut	2,973	85.9	231	6.1	750	21.6	399	12.8	26	1.0	154	4.8
Maine	1,527	99.8	120	7.2	426	28.5	187	13.0	13	1.2	68	4.7
Massachusetts	5,848	92.1	467	6.9	1,530	24.2	758	13.0	39	0.9	310	5.3
New Hampshire	1,282	95.8	107	7.6	354	26.4	174	13.9	11	1.0	65	5.1
Rhode Island	1,043	98.5	84	7.4	294	28.4	125	12.9	9	1.3	48	4.9
Vermont	637	96.0	61	8.9	171	25.6	79	12.7	4	0.9	29	4.6
Middle Atlantic	**33,230**	**94.3**	**2,964**	**7.7**	**8,084**	**23.0**	**4,709**	**14.4**	**403**	**1.6**	**1,730**	**5.3**
New Jersey	6,906	93.6	631	7.8	1,651	22.2	1,021	14.8	84	1.5	340	5.0
New York	14,188	92.8	1,224	7.4	3,460	22.6	1,966	13.9	185	1.6	763	5.4
Pennsylvania	12,136	96.5	1,109	8.1	2,973	23.9	1,722	14.7	134	1.6	627	5.3
South Atlantic	**45,369**	**91.9**	**3,775**	**7.3**	**12,313**	**24.5**	**6,383**	**13.9**	**596**	**1.8**	**2,293**	**4.8**
Delaware	763	98.0	53	6.7	210	26.6	110	15.2	12	2.2	38	5.1
District of Columbia	121	64.5	9	4.6	23	11.8	21	12.4	2	1.1	7	4.0
Florida	17,598	89.1	1,496	7.2	4,818	23.7	2,410	13.5	260	2.2	887	4.7
Georgia	5,484	92.7	459	7.5	1,465	24.4	794	14.1	74	1.7	291	5.0
Maryland	3,565	93.3	301	7.4	929	24.1	513	14.2	36	1.3	180	5.0
North Carolina	6,945	93.2	542	7.1	1,955	26.1	969	13.8	77	1.4	341	4.7
South Carolina	3,351	94.3	267	7.4	937	25.8	467	14.1	43	1.8	154	4.4
Virginia	5,411	91.8	436	7.0	1,384	23.2	821	14.7	61	1.4	300	5.2
West Virginia	2,132	113.0	212	10.4	593	31.5	278	15.9	31	2.4	95	5.2
East North Central	**39,537**	**99.3**	**3,411**	**8.0**	**10,445**	**26.4**	**5,480**	**14.7**	**481**	**1.7**	**1,996**	**5.2**
Illinois	9,733	97.0	854	7.9	2,485	24.9	1,374	14.7	126	1.7	500	5.3
Indiana	5,738	102.9	509	8.6	1,604	29.0	784	14.7	79	2.0	279	5.1
Michigan	8,429	99.0	688	7.6	2,308	27.2	1,137	14.3	92	1.6	438	5.5
Ohio	10,646	103.6	943	8.6	2,821	27.7	1,508	15.5	137	2.0	525	5.3
Wisconsin	4,991	91.8	417	6.9	1,227	22.9	677	13.4	47	1.2	253	4.9
East South Central	**15,379**	**105.7**	**1,309**	**8.7**	**4,577**	**31.3**	**2,046**	**14.7**	**236**	**2.3**	**730**	**5.1**
Alabama	3,546	99.6	296	8.1	1,019	28.3	486	14.3	62	2.5	189	5.2
Kentucky	4,391	115.0	372	9.4	1,401	36.6	554	15.4	63	2.3	180	4.7
Mississippi	1,957	105.1	181	9.6	571	30.4	253	14.2	30	2.3	86	4.8
Tennessee	5,485	103.4	460	8.4	1,585	29.8	753	14.8	81	2.1	275	5.3

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**18,008**	**94.4**	**1,589**	**7.6**	**4,698**	**25.0**	**2,469**	**13.8**	**201**	**1.5**	**865**	**4.8**
Iowa	2,944	94.9	283	8.1	733	24.2	384	13.6	32	1.5	151	5.1
Kansas	2,406	94.8	215	8.0	625	24.9	330	13.5	28	1.6	119	5.0
Minnesota	4,410	88.6	369	6.9	1,089	22.2	597	12.7	37	1.0	215	4.5
Missouri	5,385	101.3	450	7.8	1,564	29.4	745	14.9	71	1.9	238	4.6
Nebraska	1,575	92.9	148	7.9	383	22.9	232	14.2	22	1.8	80	4.9
North Dakota	574	86.8	53	7.1	130	20.3	80	13.4	5	1.1	26	4.2
South Dakota	714	90.4	71	8.0	175	22.9	101	13.7	6	1.0	36	4.9
West South Central	**24,124**	**93.1**	**2,092**	**7.9**	**6,014**	**22.8**	**3,520**	**14.2**	**467**	**2.4**	**1,184**	**4.7**
Arkansas	2,563	105.0	221	8.8	772	31.3	333	14.4	44	2.7	121	5.0
Louisiana	2,936	99.7	263	8.8	833	27.9	394	14.0	44	2.1	130	4.5
Oklahoma	3,184	106.3	286	9.3	901	29.7	456	16.0	50	2.4	159	5.5
Texas	15,440	88.2	1,323	7.4	3,508	19.6	2,337	13.9	329	2.4	773	4.5
Mountain	**13,878**	**83.6**	**1,196**	**7.0**	**3,090**	**18.0**	**2,200**	**14.1**	**189**	**1.6**	**814**	**5.1**
Arizona	4,964	84.8	432	7.1	1,219	19.7	761	14.2	75	1.9	280	5.0
Colorado	3,408	81.0	298	6.9	735	17.0	544	13.4	47	1.5	201	5.0
Idaho	1,284	91.4	106	7.5	281	19.6	205	15.5	15	1.4	75	5.4
Montana	918	91.8	73	6.9	243	23.8	132	13.9	10	1.5	46	4.9
New Mexico	1,506	86.3	134	7.8	321	17.4	240	14.5	20	1.7	90	5.4
Utah	1,377	74.3	119	6.4	193	10.4	255	14.1	17	1.0	100	5.5
Wyoming	422	84.5	33	6.2	99	20.0	63	12.7	5	1.3	23	4.6
Pacific	**34,307**	**91.0**	**2,935**	**7.4**	**7,612**	**19.5**	**5,211**	**14.7**	**500**	**1.8**	**1,988**	**5.5**
Alaska	320	92.5	26	7.5	78	22.3	48	13.7	5	1.4	16	4.5
California	22,712	88.8	1,980	7.3	4,671	17.5	3,519	14.7	362	1.9	1,325	5.5
Hawaii	327	94.0	29	8.5	70	19.6	48	14.3	3	0.9	18	5.3
Nevada	1,988	99.9	189	9.3	561	27.0	294	15.5	31	2.1	105	5.5
Oregon	3,619	96.8	291	7.4	910	23.6	514	14.7	44	1.7	218	6.1
Washington	5,341	93.4	420	7.0	1,323	22.7	789	14.5	55	1.3	307	5.6

[1] Rates are per 100,000 and are age-adjusted using the World population standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2013-2017, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	35,287	227.3	0.58	155.4	0.37	34,273	153.4	0.38	109.0	0.27
Oral Cavity & Pharynx	799	4.5	0.08	3.4	0.05	295	1.3	0.03	0.9	0.03
Digestive System	11,169	67.5	0.31	48.4	0.21	8,928	40.2	0.19	27.7	0.13
Esophagus	898	5.3	0.09	3.9	0.06	377	1.6	0.04	1.2	0.03
Stomach	1,207	7.8	0.11	5.3	0.07	778	3.6	0.06	2.4	0.04
Colon & Rectum	3,685	23.2	0.18	16.2	0.12	3,376	15.2	0.12	10.5	0.08
Liver	2,200	11.4	0.12	9.1	0.09	774	3.3	0.05	2.4	0.04
Pancreas	2,415	14.9	0.15	10.5	0.10	2,651	12.0	0.11	8.2	0.07
Respiratory System	9,908	62.3	0.30	43.4	0.20	7,099	31.8	0.17	22.3	0.12
Larynx	504	3.0	0.07	2.2	0.04	126	0.5	0.02	0.4	0.02
Lung & bronchus	9,339	58.8	0.29	41.0	0.19	6,934	31.1	0.17	21.8	0.12
Skin	187	1.1	0.04	0.8	0.03	121	0.5	0.02	0.4	0.02
Melanomas of the skin	65	0.4	0.02	0.3	0.02	65	0.3	0.02	0.2	0.01
Breast	81	0.5	0.03	0.4	0.02	6,277	27.6	0.16	20.7	0.12
Female Genital System	-	-	-	-	-	4,300	18.9	0.13	14.0	0.10
Cervix uteri	-	-	-	-	-	786	3.4	0.06	2.7	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	1,964	8.6	0.09	6.3	0.06
Ovary	-	-	-	-	-	1,346	6.0	0.07	4.3	0.05
Male Genital System	4,875	38.3	0.26	22.3	0.14	-	-	-	-	-
Prostate	4,807	37.9	0.26	22.0	0.14	-	-	-	-	-
Testis	24	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	1,618	11.0	0.13	7.2	0.08	1,030	4.8	0.07	3.1	0.04
Bladder	720	5.3	0.09	3.2	0.05	505	2.4	0.05	1.5	0.03
Kidney & renal pelvis	868	5.4	0.09	3.8	0.06	491	2.2	0.05	1.5	0.03
Brain & Other CNS[1]	576	3.2	0.06	2.5	0.05	494	2.2	0.04	1.7	0.04
Endocrine System	134	0.8	0.03	0.6	0.02	194	0.9	0.03	0.6	0.02
Thyroid gland	63	0.4	0.02	0.3	0.02	121	0.6	0.02	0.4	0.02
Lymphomas	887	5.5	0.09	3.9	0.06	746	3.4	0.06	2.4	0.04
Hodgkin Lymphoma	60	0.3	0.02	0.3	0.02	46	0.2	0.01	0.2	0.01
Non-Hodgkin Lymphoma	827	5.2	0.09	3.7	0.06	700	3.2	0.06	2.2	0.04
Multiple Myeloma	1,089	7.5	0.11	4.9	0.07	1,138	5.3	0.07	3.5	0.05
Leukemias	1,065	7.0	0.10	4.8	0.07	938	4.3	0.06	3.0	0.05
Other, Ill-defined & Unknown	2,900	18.2	0.16	12.8	0.11	2,714	12.2	0.11	8.6	0.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**35,287**	**227.3**	**3,685**	**23.2**	**9,339**	**58.8**	**4,807**	**37.9**	**720**	**5.3**	**827**	**5.2**
New England	**635**	**171.9**	**57**	**15.0**	**144**	**39.0**	**89**	**30.1**	**14**	**4.3**	**17**	**4.4**
Connecticut	258	185.6	22	15.6	61	45.1	36	30.8	6	4.4	-	-
Maine	8	147.1	-	-	3	56.4	-	-	-	-	-	-
Massachusetts	320	169.1	29	14.8	69	35.3	49	32.6	6	3.7	-	-
New Hampshire	8	136.9	-	-	2	30.5	-	-	-	-	-	-
Rhode Island	36	129.6	4	14.5	9	30.9	2	11.4	-	-	-	-
Vermont	4	170.8	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**4,727**	**199.8**	**470**	**19.4**	**1,123**	**46.5**	**710**	**35.3**	**111**	**5.3**	**124**	**5.1**
New Jersey	991	206.4	110	22.3	233	47.4	156	38.9	22	5.1	-	-
New York	2,402	178.6	235	17.0	538	39.0	374	32.6	54	4.6	71	5.1
Pennsylvania	1,334	247.6	124	22.7	352	65.0	180	38.9	34	7.2	-	-
South Atlantic	**11,755**	**224.6**	**1,233**	**23.0**	**3,022**	**55.8**	**1,639**	**38.8**	**240**	**5.4**	**279**	**5.2**
Delaware	164	205.8	14	17.0	42	53.3	22	33.5	4	5.7	-	-
District of Columbia	376	248.7	39	26.7	87	56.0	52	38.5	10	6.6	-	-
Florida	2,375	191.7	259	20.0	558	43.6	367	35.7	48	4.6	68	5.3
Georgia	2,341	230.2	266	25.4	620	58.2	329	42.9	47	5.6	56	4.9
Maryland	1,489	219.7	152	22.4	349	50.4	202	36.1	37	6.2	35	5.0
North Carolina	2,052	243.4	195	23.1	586	67.1	259	38.5	37	5.1	44	5.3
South Carolina	1,360	251.5	138	24.8	368	64.7	193	44.6	19	4.2	26	4.9
Virginia	1,521	236.7	161	24.5	393	59.5	205	38.8	36	6.4	33	5.3
West Virginia	76	256.2	9	30.1	20	65.2	9	39.0	-	-	-	-
East North Central	**5,400**	**246.9**	**554**	**25.2**	**1,525**	**68.7**	**708**	**38.0**	**117**	**6.0**	**118**	**5.2**
Illinois	1,872	259.1	208	28.6	515	69.7	270	43.3	40	6.2	-	-
Indiana	507	237.3	53	24.2	137	63.7	63	36.6	10	5.1	-	-
Michigan	1,323	236.4	133	23.5	375	66.3	167	34.5	29	5.8	29	5.3
Ohio	1,386	239.8	132	23.0	404	68.7	180	36.2	33	6.3	-	-
Wisconsin	311	276.0	28	24.2	95	83.2	27	32.8	5	5.5	-	-
East South Central	**3,756**	**265.7**	**402**	**27.7**	**1,132**	**77.9**	**495**	**44.6**	**60**	**4.8**	**79**	**5.6**
Alabama	1,272	255.4	134	26.2	377	72.1	172	43.3	22	4.9	27	5.7
Kentucky	318	247.2	33	24.3	97	75.6	35	35.2	7	7.2	-	-
Mississippi	1,134	280.1	128	30.3	353	85.3	154	48.2	13	3.5	19	4.7
Tennessee	1,033	270.5	108	28.2	305	78.9	135	45.6	17	5.1	-	-

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**1,107**	**245.8**	**104**	**23.2**	**321**	**70.0**	**128**	**35.5**	**17**	**4.4**	**28**	**5.9**
Iowa	62	223.2	5	17.7	20	68.6	5	26.6	-	-	-	-
Kansas	149	238.2	16	25.0	43	67.5	20	39.9	-	-	-	-
Minnesota	157	210.6	11	12.9	38	53.5	16	31.8	3	5.6	-	-
Missouri	669	262.4	65	26.0	204	77.5	78	36.5	10	4.5	-	-
Nebraska	62	239.0	6	27.0	15	59.0	8	35.0	-	-	-	-
North Dakota	4	116.5	-	-	-	-	-	-	-	-	-	-
South Dakota	4	135.5	-	-	-	-	-	-	-	-	-	-
West South Central	**4,786**	**245.9**	**544**	**26.9**	**1,360**	**69.9**	**541**	**35.1**	**86**	**5.2**	**103**	**5.1**
Arkansas	460	269.0	47	26.1	151	85.4	53	39.2	8	5.2	-	-
Louisiana	1,539	268.9	165	28.4	464	80.9	159	34.8	24	4.5	35	6.1
Oklahoma	269	253.7	31	27.9	73	66.4	35	42.8	5	7.2	-	-
Texas	2,518	231.2	300	26.3	673	62.7	294	33.9	48	5.3	54	4.7
Mountain	**410**	**183.5**	**42**	**17.8**	**94**	**43.0**	**59**	**32.8**	**10**	**4.7**	**9**	**4.0**
Arizona	192	178.1	19	17.7	46	43.8	24	28.0	4	3.6	-	-
Colorado	157	199.4	16	18.5	34	43.0	28	43.7	5	6.0	-	-
Idaho	5	115.7	-	-	-	-	-	-	-	-	-	-
Montana	3	162.0	-	-	-	-	-	-	-	-	-	-
New Mexico	36	176.3	3	14.8	9	46.3	4	24.1	-	-	-	-
Utah	15	147.2	3	23.0	2	34.0	-	-	-	-	-	-
Wyoming	3	124.7	-	-	-	-	-	-	-	-	-	-
Pacific	**2,710**	**208.5**	**280**	**21.0**	**617**	**46.7**	**438**	**39.7**	**66**	**5.8**	**71**	**5.1**
Alaska	14	200.9	-	-	4	55.3	3	58.8	-	-	-	-
California	2,216	211.0	223	20.7	505	47.3	373	41.3	54	5.7	54	4.9
Hawaii	16	168.1	-	-	3	32.7	3	42.1	-	-	-	-
Nevada	199	195.6	29	29.2	44	41.5	26	30.9	6	7.5	-	-
Oregon	70	218.4	7	20.2	17	50.1	10	39.2	-	-	-	-
Washington	195	196.7	19	16.6	45	46.0	22	28.7	5	6.7	-	-

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**35,287**	**155.4**	**3,685**	**16.2**	**9,339**	**41.0**	**4,807**	**22.0**	**720**	**3.2**	**827**	**3.7**
New England	**635**	**115.6**	**57**	**10.1**	**144**	**26.6**	**89**	**17.0**	**14**	**2.6**	**17**	**3.0**
Connecticut	258	125.1	22	10.5	61	30.0	36	18.0	6	2.8	-	-
Maine	8	101.7	-	-	3	38.2	-	-	-	-	-	-
Massachusetts	320	113.0	29	10.0	69	24.6	49	18.1	6	2.2	-	-
New Hampshire	8	93.1	-	-	2	22.0	-	-	-	-	-	-
Rhode Island	36	89.9	4	9.8	9	22.0	2	6.6	-	-	-	-
Vermont	4	126.3	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**4,727**	**136.0**	**470**	**13.5**	**1,123**	**32.3**	**710**	**20.6**	**111**	**3.2**	**124**	**3.6**
New Jersey	991	138.6	110	15.3	233	32.6	156	22.4	22	3.1	-	-
New York	2,402	122.2	235	11.9	538	27.3	374	19.0	54	2.8	71	3.7
Pennsylvania	1,334	168.5	124	15.7	352	44.6	180	22.9	34	4.3	-	-
South Atlantic	**11,755**	**152.9**	**1,233**	**16.0**	**3,022**	**38.9**	**1,639**	**22.4**	**240**	**3.2**	**279**	**3.7**
Delaware	164	139.5	14	11.6	42	36.0	22	19.6	4	3.4	-	-
District of Columbia	376	176.5	39	19.0	87	41.0	52	22.7	10	4.2	-	-
Florida	2,375	131.1	259	14.2	558	30.5	367	20.8	48	2.7	68	3.8
Georgia	2,341	156.0	266	17.5	620	40.6	329	24.6	47	3.4	56	3.6
Maryland	1,489	147.8	152	15.1	349	34.4	202	20.9	37	3.8	35	3.5
North Carolina	2,052	165.7	195	15.8	586	46.7	259	22.1	37	3.1	44	3.6
South Carolina	1,360	172.4	138	17.5	368	45.7	193	25.4	19	2.5	26	3.5
Virginia	1,521	159.9	161	16.9	393	41.0	205	22.4	36	3.9	33	3.5
West Virginia	76	174.3	9	19.6	20	44.9	9	22.3	-	-	-	-
East North Central	**5,400**	**170.4**	**554**	**17.5**	**1,525**	**48.1**	**708**	**22.4**	**117**	**3.7**	**118**	**3.8**
Illinois	1,872	177.4	208	19.7	515	48.7	270	25.5	40	3.8	-	-
Indiana	507	162.7	53	17.0	137	44.1	63	21.2	10	3.2	-	-
Michigan	1,323	164.5	133	16.7	375	46.6	167	20.5	29	3.6	29	3.7
Ohio	1,386	165.4	132	15.8	404	48.2	180	21.3	33	3.9	-	-
Wisconsin	311	195.7	28	17.0	95	60.2	27	19.3	5	3.4	-	-
East South Central	**3,756**	**183.1**	**402**	**19.5**	**1,132**	**54.7**	**495**	**25.7**	**60**	**3.0**	**79**	**3.9**
Alabama	1,272	177.3	134	18.8	377	51.7	172	25.1	22	3.2	27	3.9
Kentucky	318	166.9	33	16.9	97	51.4	35	19.6	7	4.1	-	-
Mississippi	1,134	193.9	128	21.6	353	59.9	154	27.8	13	2.3	19	3.3
Tennessee	1,033	185.2	108	19.3	305	54.6	135	26.4	17	3.2	-	-

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**1,107**	**166.9**	**104**	**15.6**	**321**	**48.6**	**128**	**20.8**	**17**	**2.6**	**28**	**4.1**
Iowa	62	154.5	5	12.2	20	50.3	5	15.8	-	-	-	-
Kansas	149	162.5	16	17.2	43	46.5	20	23.5	-	-	-	-
Minnesota	157	142.7	11	9.0	38	35.8	16	18.1	3	3.4	-	-
Missouri	669	179.1	65	17.5	204	54.3	78	21.5	10	2.6	-	-
Nebraska	62	155.3	6	16.5	15	38.8	8	20.4	-	-	-	-
North Dakota	4	79.9	-	-	-	-	-	-	-	-	-	-
South Dakota	4	93.9	-	-	-	-	-	-	-	-	-	-
West South Central	**4,786**	**169.5**	**544**	**19.0**	**1,360**	**48.4**	**541**	**20.6**	**86**	**3.2**	**103**	**3.6**
Arkansas	460	188.3	47	19.1	151	61.1	53	22.7	8	3.3	-	-
Louisiana	1,539	189.3	165	20.2	464	56.9	159	20.5	24	3.0	35	4.4
Oklahoma	269	173.1	31	19.8	73	46.5	35	24.5	5	3.9	-	-
Texas	2,518	157.4	300	18.3	673	42.6	294	20.0	48	3.2	54	3.3
Mountain	**410**	**121.5**	**42**	**12.0**	**94**	**28.3**	**59**	**19.0**	**10**	**3.0**	**9**	**2.7**
Arizona	192	121.2	19	11.8	46	29.5	24	16.8	4	2.3	-	-
Colorado	157	128.5	16	12.7	34	27.9	28	24.6	5	3.9	-	-
Idaho	5	81.6	-	-	-	-	-	-	-	-	-	-
Montana	3	112.5	-	-	-	-	-	-	-	-	-	-
New Mexico	36	111.9	3	9.2	9	29.1	4	13.4	-	-	-	-
Utah	15	104.6	3	17.1	2	20.5	-	-	-	-	-	-
Wyoming	3	78.5	-	-	-	-	-	-	-	-	-	-
Pacific	**2,710**	**140.0**	**280**	**14.4**	**617**	**31.9**	**438**	**23.2**	**66**	**3.5**	**71**	**3.6**
Alaska	14	122.7	-	-	4	35.6	3	29.8	-	-	-	-
California	2,216	141.8	223	14.3	505	32.3	373	24.1	54	3.5	54	3.5
Hawaii	16	109.1	-	-	3	19.3	3	24.4	-	-	-	-
Nevada	199	131.8	29	19.1	44	29.0	26	17.8	6	4.2	-	-
Oregon	70	152.4	7	14.5	17	35.6	10	24.4	-	-	-	-
Washington	195	131.1	19	11.8	45	31.2	22	16.7	5	3.9	-	-

[1] Rates are per 100,000 and are age-adjusted using the World population standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**34,273**	**153.4**	**3,376**	**15.2**	**6,934**	**31.1**	**6,277**	**27.6**	**786**	**3.4**	**1,346**	**6.0**
New England	**622**	**117.0**	**54**	**10.1**	**112**	**21.3**	**108**	**19.3**	**10**	**1.8**	**25**	**4.6**
Connecticut	268	127.1	21	10.1	49	23.2	45	20.3	5	2.1	11	5.2
Maine	6	133.2	-	-	-	-	-	-	-	-	-	-
Massachusetts	309	113.8	29	10.6	56	20.9	52	18.3	5	1.7	13	4.5
New Hampshire	6	111.9	-	-	-	-	-	-	-	-	-	-
Rhode Island	30	78.5	2	4.6	6	16.7	8	19.6	-	-	-	-
Vermont	3	162.3	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**5,268**	**143.2**	**488**	**13.3**	**1,039**	**28.1**	**946**	**25.8**	**124**	**3.4**	**220**	**5.9**
New Jersey	1,122	150.4	102	13.6	216	29.0	218	29.1	27	3.5	46	6.0
New York	2,704	127.8	263	12.5	482	22.6	485	23.0	69	3.3	121	5.7
Pennsylvania	1,442	177.0	123	15.1	341	41.6	243	30.0	28	3.5	53	6.5
South Atlantic	**11,295**	**147.9**	**1,101**	**14.5**	**2,091**	**27.4**	**2,140**	**27.4**	**254**	**3.3**	**451**	**5.8**
Delaware	180	159.1	17	15.6	41	37.5	29	24.6	4	3.3	7	5.8
District of Columbia	434	185.8	41	17.5	83	35.2	76	33.2	8	3.8	19	8.7
Florida	2,268	133.4	226	13.4	364	21.4	428	24.6	68	3.9	91	5.3
Georgia	2,258	144.8	230	14.9	395	25.7	461	28.3	51	3.1	100	6.2
Maryland	1,568	151.7	142	13.8	323	31.3	295	27.9	29	2.7	69	6.6
North Carolina	1,909	151.7	184	14.7	372	29.3	351	27.5	41	3.2	68	5.5
South Carolina	1,186	152.9	117	14.9	207	26.1	218	27.7	30	4.0	45	5.8
Virginia	1,430	155.2	137	15.2	291	31.6	271	28.8	23	2.5	49	5.2
West Virginia	64	174.1	6	16.2	14	38.5	11	30.9	-	-	4	10.2
East North Central	**5,451**	**172.5**	**540**	**17.2**	**1,302**	**41.2**	**924**	**29.2**	**102**	**3.2**	**197**	**6.2**
Illinois	1,911	176.0	201	18.7	454	41.6	323	29.8	43	3.9	73	6.8
Indiana	515	168.5	50	16.8	123	40.2	87	28.2	10	2.9	19	6.1
Michigan	1,361	169.8	136	17.0	309	38.7	231	28.7	22	2.8	48	6.1
Ohio	1,391	169.9	129	15.7	346	42.1	241	29.5	23	2.7	46	5.6
Wisconsin	273	186.2	24	16.5	69	47.7	41	27.5	5	3.5	10	6.3
East South Central	**3,332**	**163.4**	**355**	**17.7**	**685**	**33.6**	**603**	**28.7**	**97**	**4.7**	**133**	**6.5**
Alabama	1,112	154.6	124	17.6	205	28.2	196	26.7	36	5.1	49	6.7
Kentucky	293	163.3	30	16.6	82	46.1	46	25.1	4	2.1	10	5.6
Mississippi	964	167.7	102	17.8	185	32.1	188	31.4	29	5.0	35	6.2
Tennessee	962	170.6	98	17.9	213	38.1	174	29.8	28	4.7	39	6.8

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**1,046**	**167.5**	**96**	**15.7**	**247**	**40.0**	**175**	**27.5**	**26**	**3.8**	**32**	**5.1**
Iowa	55	175.6	5	15.8	14	47.3	7	19.8	-	-	2	7.2
Kansas	134	166.4	13	16.0	27	35.0	23	28.4	4	5.0	4	5.1
Minnesota	133	151.6	10	13.0	24	29.5	20	20.0	4	2.8	4	4.2
Missouri	663	173.5	61	16.0	166	43.4	115	30.4	16	4.2	21	5.2
Nebraska	57	164.7	7	21.0	14	40.8	9	25.1	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	3	103.7	-	-	-	-	-	-	-	-	-	-
West South Central	**4,335**	**160.0**	**459**	**16.9**	**878**	**32.8**	**821**	**29.4**	**115**	**4.1**	**161**	**5.9**
Arkansas	392	167.1	45	19.3	84	35.7	71	29.5	11	4.6	16	7.1
Louisiana	1,329	170.4	141	18.1	271	34.7	253	32.1	35	4.7	46	5.8
Oklahoma	234	167.5	23	15.6	55	39.5	43	30.7	5	3.3	9	6.3
Texas	2,380	153.3	250	16.1	467	30.9	454	27.9	64	3.8	90	5.8
Mountain	**351**	**133.2**	**34**	**13.4**	**62**	**24.1**	**68**	**24.6**	**7**	**2.7**	**14**	**5.6**
Arizona	178	138.0	19	15.2	31	23.8	34	24.6	4	2.7	7	5.1
Colorado	130	134.9	11	11.1	23	24.0	27	27.0	2	2.7	6	6.2
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	26	114.4	3	15.3	5	23.3	4	17.5	-	-	-	-
Utah	11	142.5	-	-	2	35.0	3	28.9	-	-	-	-
Wyoming	3	133.8	-	-	-	-	-	-	-	-	-	-
Pacific	**2,573**	**151.9**	**248**	**14.9**	**518**	**30.8**	**492**	**28.5**	**51**	**2.9**	**112**	**6.5**
Alaska	11	136.6	-	-	-	-	3	28.1	-	-	-	-
California	2,175	154.6	209	15.1	435	31.0	414	29.0	44	3.0	93	6.5
Hawaii	8	106.0	-	-	2	33.4	2	26.8	-	-	-	-
Nevada	185	148.0	21	16.6	40	33.4	37	28.6	5	3.3	9	7.2
Oregon	47	136.1	4	11.0	11	35.4	10	26.3	-	-	2	6.1
Washington	147	133.6	14	12.8	28	26.5	26	22.0	2	1.9	7	6.7

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**34,273**	**109.0**	**3,376**	**10.5**	**6,934**	**21.8**	**6,277**	**20.7**	**786**	**2.7**	**1,346**	**4.3**
New England	**622**	**82.0**	**54**	**7.0**	**112**	**14.8**	**108**	**14.4**	**10**	**1.3**	**25**	**3.3**
Connecticut	268	90.1	21	7.1	49	16.2	45	15.8	5	1.6	11	3.6
Maine	6	90.5	-	-	-	-	-	-	-	-	-	-
Massachusetts	309	78.5	29	7.2	56	14.3	52	13.2	5	1.2	13	3.2
New Hampshire	6	76.1	-	-	-	-	-	-	-	-	-	-
Rhode Island	30	58.3	2	3.4	6	12.1	8	14.7	-	-	-	-
Vermont	3	120.8	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**5,268**	**101.8**	**488**	**9.0**	**1,039**	**19.8**	**946**	**19.1**	**124**	**2.7**	**220**	**4.3**
New Jersey	1,122	106.7	102	9.4	216	20.4	218	21.6	27	2.8	46	4.4
New York	2,704	91.2	263	8.5	482	16.0	485	17.2	69	2.6	121	4.2
Pennsylvania	1,442	125.0	123	10.2	341	29.3	243	21.7	28	2.8	53	4.7
South Atlantic	**11,295**	**105.0**	**1,101**	**10.0**	**2,091**	**19.1**	**2,140**	**20.6**	**254**	**2.6**	**451**	**4.2**
Delaware	180	111.8	17	10.3	41	25.9	29	18.3	4	2.3	7	4.3
District of Columbia	434	135.6	41	12.6	83	25.2	76	24.7	8	3.1	19	6.6
Florida	2,268	95.5	226	9.3	364	15.0	428	18.7	68	3.1	91	3.8
Georgia	2,258	102.9	230	10.4	395	18.0	461	21.1	51	2.4	100	4.5
Maryland	1,568	107.1	142	9.4	323	21.6	295	20.8	29	2.1	69	4.7
North Carolina	1,909	107.5	184	10.1	372	20.8	351	20.8	41	2.5	68	3.8
South Carolina	1,186	108.6	117	10.4	207	18.4	218	21.2	30	3.1	45	4.1
Virginia	1,430	108.8	137	10.2	291	21.7	271	21.5	23	2.1	49	3.8
West Virginia	64	124.6	6	11.5	14	27.3	11	22.8	-	-	4	7.3
East North Central	**5,451**	**122.6**	**540**	**11.8**	**1,302**	**28.9**	**924**	**21.6**	**102**	**2.6**	**197**	**4.5**
Illinois	1,911	124.8	201	12.7	454	29.1	323	22.2	43	3.2	73	5.0
Indiana	515	119.2	50	11.0	123	28.5	87	21.0	10	2.4	19	4.5
Michigan	1,361	121.8	136	11.8	309	27.0	231	21.4	22	2.2	48	4.4
Ohio	1,391	120.3	129	11.0	346	29.7	241	21.7	23	2.2	46	4.0
Wisconsin	273	132.2	24	11.7	69	33.9	41	20.1	5	2.7	10	4.9
East South Central	**3,332**	**116.2**	**355**	**12.1**	**685**	**23.7**	**603**	**21.6**	**97**	**3.7**	**133**	**4.6**
Alabama	1,112	110.0	124	11.9	205	20.0	196	20.2	36	4.0	49	4.8
Kentucky	293	115.3	30	11.8	82	32.1	46	18.7	4	1.8	10	3.7
Mississippi	964	120.2	102	12.5	185	22.8	188	23.9	29	4.0	35	4.4
Tennessee	962	120.4	98	12.2	213	26.6	174	22.2	28	3.7	39	4.8

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**1,046**	**118.9**	**96**	**10.7**	**247**	**28.2**	**175**	**20.3**	**26**	**3.0**	**32**	**3.8**
Iowa	55	127.2	5	11.9	14	34.6	7	14.8	-	-	2	4.8
Kansas	134	118.3	13	10.9	27	24.6	23	21.0	4	3.6	4	3.6
Minnesota	133	103.7	10	8.2	24	19.8	20	14.9	4	2.5	4	3.3
Missouri	663	124.1	61	11.1	166	30.9	115	22.5	16	3.4	21	3.9
Nebraska	57	115.7	7	13.8	14	29.8	9	17.4	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	3	75.3	-	-	-	-	-	-	-	-	-	-
West South Central	**4,335**	**114.0**	**459**	**11.9**	**878**	**22.9**	**821**	**22.1**	**115**	**3.2**	**161**	**4.2**
Arkansas	392	119.3	45	13.3	84	25.5	71	22.6	11	3.6	16	4.9
Louisiana	1,329	121.9	141	13.0	271	24.3	253	24.0	35	3.7	46	4.2
Oklahoma	234	120.3	23	11.5	55	27.8	43	23.1	5	2.6	9	4.5
Texas	2,380	109.0	250	11.3	467	21.4	454	21.0	64	3.0	90	4.1
Mountain	**351**	**92.7**	**34**	**8.7**	**62**	**16.9**	**68**	**18.1**	**7**	**2.0**	**14**	**3.9**
Arizona	178	97.3	19	10.0	31	17.0	34	18.5	4	2.2	7	3.7
Colorado	130	92.4	11	7.2	23	16.8	27	19.2	2	1.7	6	4.1
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	26	80.2	3	10.3	5	14.7	4	13.2	-	-	-	-
Utah	11	94.0	-	-	2	22.2	3	20.9	-	-	-	-
Wyoming	3	96.3	-	-	-	-	-	-	-	-	-	-
Pacific	**2,573**	**108.0**	**248**	**10.2**	**518**	**21.4**	**492**	**21.4**	**51**	**2.4**	**112**	**4.8**
Alaska	11	91.2	-	-	-	-	3	20.9	-	-	-	-
California	2,175	110.1	209	10.3	435	21.6	414	21.8	44	2.5	93	4.8
Hawaii	8	76.4	-	-	2	22.2	2	21.0	-	-	-	-
Nevada	185	105.1	21	11.7	40	22.2	37	21.6	5	2.9	9	5.3
Oregon	47	97.6	4	7.7	11	23.4	10	20.6	-	-	2	4.4
Washington	147	94.1	14	8.7	28	18.5	26	16.4	2	1.4	7	4.7

[1] Rates are per 100,000 and are age-adjusted using the World population standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2013-2017, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	8,775	117.3	0.58	77.5	0.37	8,500	85.6	0.42	58.5	0.29
Oral Cavity & Pharynx	254	3.1	0.09	2.3	0.06	115	1.1	0.05	0.8	0.03
Digestive System	3,452	44.7	0.35	30.5	0.23	2,682	27.5	0.24	18.0	0.16
Esophagus	219	2.8	0.09	1.9	0.06	65	0.7	0.04	0.4	0.02
Stomach	496	6.7	0.14	4.4	0.09	403	4.1	0.09	2.7	0.06
Colon & Rectum	885	11.5	0.18	7.8	0.12	806	8.1	0.13	5.4	0.09
Liver	900	11.1	0.17	8.0	0.12	368	3.9	0.09	2.5	0.06
Pancreas	614	8.2	0.15	5.4	0.10	676	7.1	0.12	4.5	0.08
Respiratory System	2,211	30.1	0.30	19.5	0.19	1,660	17.1	0.19	11.2	0.12
Larynx	46	0.6	0.04	0.4	0.03	8	0.1	0.01	0.1	0.01
Lung & bronchus	2,150	29.3	0.29	18.9	0.18	1,641	16.9	0.19	11.0	0.12
Skin	58	0.8	0.05	0.5	0.03	45	0.5	0.03	0.3	0.02
Melanomas of the skin	29	0.4	0.03	0.3	0.02	29	0.3	0.02	0.2	0.02
Breast	9	0.1	0.02	0.1	0.01	1,199	11.4	0.15	8.6	0.11
Female Genital System	-	-	-	-	-	1,019	9.8	0.14	7.3	0.10
Cervix uteri	-	-	-	-	-	185	1.8	0.06	1.4	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	330	3.2	0.08	2.4	0.06
Ovary	-	-	-	-	-	462	4.4	0.09	3.3	0.07
Male Genital System	570	8.9	0.17	4.8	0.09	-	-	-	-	-
Prostate	552	8.6	0.17	4.7	0.09	-	-	-	-	-
Testis	9	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	399	5.7	0.13	3.5	0.08	206	2.2	0.07	1.3	0.04
Bladder	186	2.8	0.10	1.6	0.05	88	0.9	0.05	0.5	0.03
Kidney & renal pelvis	200	2.6	0.09	1.8	0.06	106	1.1	0.05	0.7	0.03
Brain & Other CNS[1]	219	2.6	0.08	2.0	0.06	196	1.9	0.06	1.5	0.05
Endocrine System	65	0.8	0.05	0.6	0.03	88	0.9	0.04	0.6	0.03
Thyroid gland	39	0.5	0.04	0.3	0.02	63	0.7	0.04	0.4	0.02
Lymphomas	370	5.1	0.12	3.3	0.08	295	3.1	0.08	2.0	0.05
Hodgkin Lymphoma	15	0.2	0.02	0.1	0.02	11	0.1	0.01	0.1	0.01
Non-Hodgkin Lymphoma	355	4.9	0.12	3.1	0.07	284	3.0	0.08	1.9	0.05
Multiple Myeloma	149	2.0	0.08	1.3	0.05	120	1.2	0.05	0.8	0.03
Leukemias	358	4.8	0.12	3.3	0.08	260	2.6	0.07	1.9	0.05
Other, Ill-defined & Unknown	660	8.7	0.16	5.9	0.10	615	6.3	0.11	4.2	0.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**8,775**	**117.3**	**885**	**11.5**	**2,150**	**29.3**	**552**	**8.6**	**186**	**2.8**	**355**	**4.9**
New England	**246**	**112.6**	**18**	**7.7**	**64**	**30.4**	**12**	**7.1**	**3**	**1.7**	**10**	**5.1**
Connecticut	48	95.3	3	4.9	10	20.2	3	7.4	-	-	-	-
Maine	4	79.8	-	-	-	-	-	-	-	-	-	-
Massachusetts	169	119.2	13	8.9	48	35.4	7	6.6	-	-	-	-
New Hampshire	10	116.5	-	-	2	19.9	-	-	-	-	-	-
Rhode Island	13	115.6	-	-	4	30.7	-	-	-	-	-	-
Vermont	3	144.7	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**1,257**	**106.3**	**120**	**9.9**	**303**	**26.4**	**63**	**6.4**	**24**	**2.5**	**46**	**3.9**
New Jersey	274	86.2	29	8.1	55	18.1	16	6.4	4	1.7	-	-
New York	826	114.7	77	10.8	212	30.1	39	6.3	18	3.0	-	-
Pennsylvania	157	111.6	14	9.5	37	27.3	8	7.3	-	-	-	-
South Atlantic	**839**	**98.8**	**85**	**10.0**	**189**	**22.4**	**46**	**7.2**	**19**	**2.8**	**40**	**5.0**
Delaware	12	87.1	-	-	-	-	-	-	-	-	-	-
District of Columbia	9	148.0	-	-	2	32.9	-	-	-	-	-	-
Florida	228	92.0	24	9.6	54	21.8	12	6.7	3	1.5	-	-
Georgia	130	97.2	19	15.4	26	20.4	6	6.5	3	3.6	-	-
Maryland	161	102.4	15	9.7	35	22.0	10	7.3	5	3.5	-	-
North Carolina	78	100.4	5	5.8	18	23.8	3	6.1	-	-	-	-
South Carolina	24	86.4	2	6.4	5	17.9	-	-	-	-	-	-
Virginia	193	106.7	18	9.7	47	25.5	12	8.6	5	3.6	-	-
West Virginia	4	76.5	-	-	-	-	-	-	-	-	-	-
East North Central	**512**	**101.9**	**55**	**10.4**	**118**	**24.4**	**32**	**8.1**	**10**	**2.2**	**23**	**4.9**
Illinois	278	104.7	30	11.0	70	27.1	16	7.3	6	2.3	-	-
Indiana	33	104.4	3	9.2	6	16.1	2	8.7	-	-	-	-
Michigan	88	91.3	10	10.1	16	17.3	6	8.7	-	-	-	-
Ohio	75	96.1	7	7.4	20	27.4	4	7.3	2	3.8	-	-
Wisconsin	38	121.6	5	14.4	6	20.0	3	15.4	-	-	-	-
East South Central	**80**	**92.9**	**7**	**7.7**	**18**	**20.8**	**6**	**10.1**	**-**	**-**	**2**	**2.4**
Alabama	12	56.5	-	-	3	13.8	-	-	-	-	-	-
Kentucky	16	96.7	-	-	4	21.0	-	-	-	-	-	-
Mississippi	15	133.6	-	-	4	28.9	-	-	-	-	-	-
Tennessee	37	101.1	4	10.1	8	22.6	3	9.8	-	-	-	-

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**189**	**123.2**	**19**	**11.8**	**41**	**28.7**	**10**	**9.0**	**3**	**2.1**	**8**	**5.6**
Iowa	21	126.5	-	-	4	28.7	-	-	-	-	-	-
Kansas	29	132.0	3	13.0	7	30.8	2	14.9	-	-	-	-
Minnesota	80	130.9	8	12.5	16	28.3	4	9.9	-	-	-	-
Missouri	37	98.0	5	11.3	9	27.1	-	-	-	-	-	-
Nebraska	15	134.4	-	-	3	25.7	-	-	-	-	-	-
North Dakota	3	130.3	-	-	-	-	-	-	-	-	-	-
South Dakota	3	185.6	-	-	-	-	-	-	-	-	-	-
West South Central	**538**	**104.2**	**51**	**9.2**	**123**	**25.0**	**25**	**7.0**	**10**	**2.4**	**23**	**5.0**
Arkansas	19	126.2	-	-	4	27.7	-	-	-	-	-	-
Louisiana	38	117.7	4	13.0	9	30.7	-	-	-	-	-	-
Oklahoma	29	110.7	4	11.7	7	23.9	-	-	-	-	-	-
Texas	453	102.3	42	8.9	103	24.5	22	7.0	9	2.5	-	-
Mountain	**216**	**109.0**	**21**	**10.9**	**45**	**24.1**	**15**	**8.9**	**4**	**2.3**	**9**	**5.5**
Arizona	88	106.7	9	11.4	22	27.7	7	9.3	-	-	-	-
Colorado	63	106.7	5	7.9	13	22.6	4	7.9	-	-	-	-
Idaho	10	119.1	-	-	-	-	-	-	-	-	-	-
Montana	4	140.4	-	-	-	-	-	-	-	-	-	-
New Mexico	13	83.3	-	-	-	-	-	-	-	-	-	-
Utah	37	127.8	4	19.1	6	23.0	-	-	-	-	-	-
Wyoming	2	110.2	-	-	-	-	-	-	-	-	-	-
Pacific	**4,898**	**129.3**	**509**	**13.1**	**1,248**	**33.2**	**343**	**9.8**	**113**	**3.2**	**193**	**5.2**
Alaska	21	126.4	2	11.6	4	25.8	-	-	-	-	-	-
California	3,476	124.8	360	12.6	879	31.9	240	9.4	77	3.0	143	5.2
Hawaii	860	153.7	88	15.8	230	41.3	66	11.3	22	3.9	-	-
Nevada	140	120.7	18	15.7	39	33.0	10	10.6	4	4.1	-	-
Oregon	90	136.8	9	13.8	23	34.3	4	7.0	-	-	-	-
Washington	311	133.3	32	12.9	73	32.8	21	11.3	7	3.5	-	-

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**8,775**	**77.5**	**885**	**7.8**	**2,150**	**18.9**	**552**	**4.7**	**186**	**1.6**	**355**	**3.1**
New England	**246**	**73.1**	**18**	**5.2**	**64**	**19.2**	**12**	**3.7**	**3**	**0.9**	**10**	**3.2**
Connecticut	48	62.4	3	3.8	10	13.0	3	4.2	-	-	-	-
Maine	4	57.4	-	-	-	-	-	-	-	-	-	-
Massachusetts	169	77.5	13	6.0	48	22.2	7	3.4	-	-	-	-
New Hampshire	10	68.3	-	-	2	13.8	-	-	-	-	-	-
Rhode Island	13	79.1	-	-	4	21.3	-	-	-	-	-	-
Vermont	3	92.2	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**1,257**	**70.2**	**120**	**6.7**	**303**	**16.9**	**63**	**3.5**	**24**	**1.4**	**46**	**2.6**
New Jersey	274	55.9	29	5.7	55	11.2	16	3.4	4	0.9	-	-
New York	826	76.6	77	7.2	212	19.5	39	3.5	18	1.7	-	-
Pennsylvania	157	72.8	14	6.3	37	17.2	8	4.0	-	-	-	-
South Atlantic	**839**	**65.2**	**85**	**6.6**	**189**	**14.8**	**46**	**3.8**	**19**	**1.5**	**40**	**3.1**
Delaware	12	57.4	-	-	-	-	-	-	-	-	-	-
District of Columbia	9	95.6	-	-	2	23.8	-	-	-	-	-	-
Florida	228	61.8	24	6.6	54	14.5	12	3.4	3	0.9	-	-
Georgia	130	66.1	19	9.9	26	13.6	6	3.5	3	2.0	-	-
Maryland	161	67.1	15	6.2	35	14.3	10	4.2	5	2.0	-	-
North Carolina	78	65.8	5	3.9	18	15.6	3	3.1	-	-	-	-
South Carolina	24	59.9	2	4.8	5	12.4	-	-	-	-	-	-
Virginia	193	68.4	18	6.2	47	16.7	12	4.5	5	1.9	-	-
West Virginia	4	48.0	-	-	-	-	-	-	-	-	-	-
East North Central	**512**	**66.0**	**55**	**7.0**	**118**	**15.4**	**32**	**4.4**	**10**	**1.3**	**23**	**3.0**
Illinois	278	67.8	30	7.3	70	16.9	16	4.0	6	1.4	-	-
Indiana	33	64.7	3	6.0	6	11.3	2	4.8	-	-	-	-
Michigan	88	60.0	10	6.5	16	11.4	6	4.6	-	-	-	-
Ohio	75	63.1	7	5.5	20	17.0	4	4.0	2	2.1	-	-
Wisconsin	38	76.2	5	9.2	6	12.5	3	7.5	-	-	-	-
East South Central	**80**	**63.5**	**7**	**5.5**	**18**	**14.5**	**6**	**5.5**	**-**	**-**	**2**	**1.8**
Alabama	12	38.4	-	-	3	10.0	-	-	-	-	-	-
Kentucky	16	61.9	-	-	4	13.8	-	-	-	-	-	-
Mississippi	15	95.5	-	-	4	22.9	-	-	-	-	-	-
Tennessee	37	70.2	4	7.2	8	15.1	3	5.9	-	-	-	-

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**189**	**82.7**	**19**	**8.3**	**41**	**18.5**	**10**	**4.9**	**3**	**1.3**	**8**	**3.5**
Iowa	21	86.5	-	-	4	18.7	-	-	-	-	-	-
Kansas	29	85.0	3	8.3	7	20.4	2	7.8	-	-	-	-
Minnesota	80	88.5	8	8.8	16	18.7	4	5.4	-	-	-	-
Missouri	37	65.5	5	8.2	9	16.5	-	-	-	-	-	-
Nebraska	15	91.7	-	-	3	17.0	-	-	-	-	-	-
North Dakota	3	91.8	-	-	-	-	-	-	-	-	-	-
South Dakota	3	114.7	-	-	-	-	-	-	-	-	-	-
West South Central	**538**	**70.4**	**51**	**6.5**	**123**	**16.3**	**25**	**3.8**	**10**	**1.4**	**23**	**3.1**
Arkansas	19	91.0	-	-	4	21.4	-	-	-	-	-	-
Louisiana	38	81.9	4	8.3	9	20.8	-	-	-	-	-	-
Oklahoma	29	75.5	4	8.9	7	16.8	-	-	-	-	-	-
Texas	453	68.7	42	6.2	103	15.9	22	3.7	9	1.4	-	-
Mountain	**216**	**72.3**	**21**	**7.1**	**45**	**15.5**	**15**	**5.1**	**4**	**1.3**	**9**	**3.3**
Arizona	88	70.2	9	7.4	22	17.5	7	5.6	-	-	-	-
Colorado	63	69.7	5	5.2	13	14.2	4	4.1	-	-	-	-
Idaho	10	79.8	-	-	-	-	-	-	-	-	-	-
Montana	4	93.3	-	-	-	-	-	-	-	-	-	-
New Mexico	13	58.5	-	-	-	-	-	-	-	-	-	-
Utah	37	87.1	4	11.1	6	15.8	-	-	-	-	-	-
Wyoming	2	66.0	-	-	-	-	-	-	-	-	-	-
Pacific	**4,898**	**85.8**	**509**	**9.1**	**1,248**	**21.6**	**343**	**5.3**	**113**	**1.8**	**193**	**3.3**
Alaska	21	83.1	2	7.5	4	17.5	-	-	-	-	-	-
California	3,476	82.5	360	8.7	879	20.6	240	5.1	77	1.7	143	3.4
Hawaii	860	104.7	88	11.4	230	27.9	66	6.3	22	2.2	-	-
Nevada	140	79.3	18	10.5	39	21.4	10	5.8	4	2.4	-	-
Oregon	90	89.3	9	8.6	23	22.4	4	4.0	-	-	-	-
Washington	311	87.6	32	8.9	73	20.7	21	6.0	7	2.0	-	-

[1] Rates are per 100,000 and are age-adjusted using the World population standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**8,500**	**85.6**	**806**	**8.1**	**1,641**	**16.9**	**1,199**	**11.4**	**185**	**1.8**	**462**	**4.4**
New England	**206**	**73.3**	**18**	**6.8**	**44**	**16.9**	**25**	**7.7**	**4**	**1.2**	**12**	**3.9**
Connecticut	39	62.8	4	6.1	5	9.1	6	8.1	-	-	2	3.9
Maine	7	87.8	-	-	-	-	-	-	-	-	-	-
Massachusetts	138	76.5	12	7.1	31	18.8	16	7.7	2	1.1	7	3.5
New Hampshire	8	64.3	-	-	3	19.7	-	-	-	-	-	-
Rhode Island	12	85.3	-	-	2	16.3	-	-	-	-	-	-
Vermont	3	68.7	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**1,106**	**76.1**	**105**	**7.3**	**199**	**14.0**	**161**	**10.2**	**24**	**1.5**	**67**	**4.3**
New Jersey	261	66.2	23	5.8	42	11.4	46	10.6	4	0.9	19	4.6
New York	690	78.1	65	7.4	130	14.7	93	10.0	17	1.8	40	4.2
Pennsylvania	155	89.5	17	10.8	28	16.5	21	10.4	4	1.7	8	4.5
South Atlantic	**870**	**77.1**	**77**	**7.0**	**163**	**15.1**	**124**	**9.8**	**19**	**1.5**	**57**	**4.6**
Delaware	10	59.8	-	-	2	14.8	-	-	-	-	-	-
District of Columbia	8	75.0	-	-	-	-	-	-	-	-	-	-
Florida	254	75.4	25	7.6	51	16.0	36	9.7	4	1.3	16	4.6
Georgia	125	75.5	11	6.6	21	12.9	20	10.3	4	1.8	8	4.3
Maryland	152	75.5	13	6.6	27	14.1	22	9.9	3	1.4	9	4.1
North Carolina	88	88.1	8	7.7	17	17.7	13	11.1	-	-	7	5.7
South Carolina	32	90.0	4	11.6	6	19.1	5	11.6	-	-	2	4.6
Virginia	196	77.8	16	6.7	35	14.6	26	9.5	5	1.7	14	5.0
West Virginia	5	56.1	-	-	-	-	-	-	-	-	-	-
East North Central	**513**	**77.2**	**46**	**7.0**	**101**	**15.9**	**76**	**10.4**	**10**	**1.4**	**29**	**4.0**
Illinois	258	74.2	24	6.8	45	13.3	43	11.4	5	1.3	15	4.1
Indiana	32	68.1	4	10.0	4	10.0	4	7.9	-	-	-	-
Michigan	93	77.7	7	5.7	20	17.2	12	9.2	2	1.7	6	4.9
Ohio	80	78.6	6	5.9	21	21.5	12	10.6	-	-	4	3.4
Wisconsin	50	107.0	6	12.4	12	27.1	4	8.4	-	-	-	-
East South Central	**97**	**87.1**	**7**	**5.7**	**22**	**21.5**	**12**	**9.4**	**3**	**2.2**	**5**	**4.3**
Alabama	20	70.4	-	-	4	16.4	3	8.5	-	-	-	-
Kentucky	23	97.5	-	-	6	29.0	2	7.6	-	-	-	-
Mississippi	16	119.5	2	12.3	4	33.8	-	-	-	-	-	-
Tennessee	38	83.0	3	5.0	8	17.5	7	13.1	-	-	-	-

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**189**	**91.9**	**18**	**8.8**	**37**	**19.2**	**22**	**9.4**	**7**	**2.9**	**8**	**3.6**
Iowa	23	109.2	-	-	4	20.3	3	11.9	-	-	-	-
Kansas	31	97.4	3	7.7	9	29.7	4	8.3	-	-	-	-
Minnesota	76	93.3	10	11.8	12	15.7	7	7.8	4	4.2	2	2.3
Missouri	42	85.3	3	6.9	9	20.1	7	12.6	-	-	2	4.1
Nebraska	12	76.8	-	-	2	12.7	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	4	107.2	-	-	-	-	-	-	-	-	-	-
West South Central	**508**	**80.3**	**49**	**7.9**	**95**	**15.9**	**73**	**10.1**	**15**	**2.0**	**30**	**4.2**
Arkansas	19	99.0	2	12.8	4	20.2	-	-	-	-	-	-
Louisiana	29	76.8	-	-	5	14.6	5	10.7	-	-	-	-
Oklahoma	34	94.7	2	5.9	8	26.0	5	11.6	-	-	2	5.9
Texas	426	78.9	43	8.1	78	15.1	62	10.0	11	1.8	25	4.1
Mountain	**242**	**84.4**	**22**	**7.9**	**56**	**20.3**	**34**	**10.5**	**4**	**1.1**	**12**	**3.9**
Arizona	102	84.3	8	6.9	25	22.5	16	11.8	-	-	7	4.8
Colorado	64	75.9	8	9.8	14	17.8	7	7.7	-	-	2	2.8
Idaho	12	96.2	-	-	3	18.6	-	-	-	-	-	-
Montana	5	100.4	-	-	-	-	-	-	-	-	-	-
New Mexico	20	91.2	-	-	5	23.8	-	-	-	-	-	-
Utah	38	96.5	3	8.5	7	17.7	7	15.4	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	**4,769**	**92.9**	**463**	**8.9**	**924**	**18.0**	**672**	**13.0**	**99**	**2.0**	**241**	**4.7**
Alaska	25	91.7	2	6.4	6	22.5	3	11.8	-	-	-	-
California	3,382	90.6	333	8.8	635	17.1	483	12.7	76	2.1	179	4.7
Hawaii	768	103.7	74	9.8	163	21.6	104	14.9	11	2.0	27	3.9
Nevada	166	96.8	19	11.8	37	21.6	27	14.9	3	1.4	10	5.5
Oregon	95	97.8	9	9.3	17	18.4	11	10.5	2	2.3	7	6.7
Washington	334	96.3	26	7.3	67	19.8	44	11.9	6	1.7	17	4.6

[1] Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**8,500**	**58.5**	**806**	**5.4**	**1,641**	**11.0**	**1,199**	**8.6**	**185**	**1.4**	**462**	**3.3**
New England	**206**	**49.7**	**18**	**4.2**	**44**	**10.8**	**25**	**5.9**	**4**	**1.0**	**12**	**2.8**
Connecticut	39	41.4	4	4.1	5	5.6	6	6.3	-	-	2	2.5
Maine	7	62.6	-	-	-	-	-	-	-	-	-	-
Massachusetts	138	52.1	12	4.4	31	11.8	16	5.9	2	0.9	7	2.6
New Hampshire	8	41.6	-	-	3	14.2	-	-	-	-	-	-
Rhode Island	12	59.7	-	-	2	11.8	-	-	-	-	-	-
Vermont	3	49.9	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**1,106**	**51.9**	**105**	**4.8**	**199**	**9.1**	**161**	**7.7**	**24**	**1.2**	**67**	**3.2**
New Jersey	261	45.0	23	3.9	42	7.1	46	7.9	4	0.6	19	3.3
New York	690	53.6	65	4.9	130	9.8	93	7.5	17	1.4	40	3.2
Pennsylvania	155	59.9	17	6.6	28	10.8	21	8.0	4	1.4	8	3.1
South Atlantic	**870**	**52.7**	**77**	**4.6**	**163**	**9.8**	**124**	**7.4**	**19**	**1.1**	**57**	**3.4**
Delaware	10	40.3	-	-	2	8.9	-	-	-	-	-	-
District of Columbia	8	49.4	-	-	-	-	-	-	-	-	-	-
Florida	254	52.3	25	5.1	51	10.3	36	7.4	4	0.9	16	3.4
Georgia	125	52.7	11	4.6	21	8.8	20	7.9	4	1.5	8	3.2
Maryland	152	51.4	13	4.5	27	9.2	22	7.6	3	1.2	9	3.1
North Carolina	88	58.2	8	4.9	17	11.2	13	8.0	-	-	7	4.2
South Carolina	32	59.8	4	7.3	6	12.3	5	8.5	-	-	2	3.8
Virginia	196	52.6	16	4.2	35	9.5	26	6.8	5	1.4	14	3.6
West Virginia	5	39.4	-	-	-	-	-	-	-	-	-	-
East North Central	**513**	**52.3**	**46**	**4.6**	**101**	**10.2**	**76**	**7.8**	**10**	**1.0**	**29**	**3.0**
Illinois	258	50.4	24	4.5	45	8.5	43	8.7	5	1.0	15	3.0
Indiana	32	45.8	4	6.5	4	6.0	4	6.1	-	-	-	-
Michigan	93	52.5	7	3.7	20	11.4	12	6.8	2	1.3	6	3.5
Ohio	80	53.0	6	3.7	21	13.9	12	7.8	-	-	4	2.7
Wisconsin	50	72.2	6	8.4	12	17.6	4	6.3	-	-	-	-
East South Central	**97**	**57.3**	**7**	**4.1**	**22**	**13.3**	**12**	**6.9**	**3**	**1.7**	**5**	**3.1**
Alabama	20	45.5	-	-	4	10.1	3	6.1	-	-	-	-
Kentucky	23	65.6	-	-	6	17.5	2	6.1	-	-	-	-
Mississippi	16	77.6	2	9.2	4	19.8	-	-	-	-	-	-
Tennessee	38	54.8	3	3.6	8	11.4	7	9.3	-	-	-	-

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2013-2017, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**189**	**62.4**	**18**	**5.9**	**37**	**12.6**	**22**	**7.2**	**7**	**2.3**	**8**	**2.8**
Iowa	23	72.5	-	-	4	13.2	3	8.8	-	-	-	-
Kansas	31	65.5	3	5.6	9	19.3	4	7.2	-	-	-	-
Minnesota	76	64.9	10	8.0	12	10.9	7	6.1	4	3.3	2	1.6
Missouri	42	56.8	3	4.0	9	12.3	7	9.2	-	-	2	3.2
Nebraska	12	52.8	-	-	2	9.3	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	4	72.8	-	-	-	-	-	-	-	-	-	-
West South Central	**508**	**54.5**	**49**	**5.2**	**95**	**10.3**	**73**	**7.6**	**15**	**1.6**	**30**	**3.1**
Arkansas	19	67.6	2	8.3	4	13.0	-	-	-	-	-	-
Louisiana	29	52.9	-	-	5	9.5	5	8.3	-	-	-	-
Oklahoma	34	63.7	2	4.0	8	16.4	5	8.4	-	-	2	4.1
Texas	426	53.6	43	5.3	78	9.9	62	7.5	11	1.3	25	3.0
Mountain	**242**	**56.5**	**22**	**5.1**	**56**	**12.9**	**34**	**7.9**	**4**	**0.9**	**12**	**2.9**
Arizona	102	56.6	8	4.2	25	13.9	16	9.1	-	-	7	3.9
Colorado	64	49.2	8	6.3	14	10.8	7	5.5	-	-	2	1.8
Idaho	12	64.1	-	-	3	14.0	-	-	-	-	-	-
Montana	5	63.7	-	-	-	-	-	-	-	-	-	-
New Mexico	20	59.9	-	-	5	15.3	-	-	-	-	-	-
Utah	38	68.9	3	6.1	7	12.4	7	12.2	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	**4,769**	**64.0**	**463**	**6.0**	**924**	**11.9**	**672**	**9.8**	**99**	**1.6**	**241**	**3.5**
Alaska	25	64.9	2	5.2	6	15.5	3	9.1	-	-	-	-
California	3,382	62.2	333	5.9	635	11.2	483	9.6	76	1.6	179	3.6
Hawaii	768	73.6	74	6.9	163	14.6	104	11.3	11	1.7	27	2.9
Nevada	166	66.6	19	7.6	37	14.4	27	11.0	3	1.1	10	4.1
Oregon	95	67.7	9	6.7	17	11.5	11	7.9	2	1.8	7	4.8
Washington	334	65.5	26	4.9	67	12.8	44	9.0	6	1.3	17	3.4

[1] Rates are per 100,000 and are age-adjusted using the World population standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2013-2017, American Indian/Alaskan Native (AI/AN) for PRCDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,243	173.1	2.41	116.7	1.50	1,115	123.0	1.72	85.0	1.14
Oral Cavity & Pharynx	30	3.5	0.31	2.6	0.22	10	1.1	0.16	0.7	0.11
Digestive System	455	59.5	1.37	41.7	0.88	319	35.8	0.93	24.2	0.61
Esophagus	48	6.2	0.44	4.4	0.28	12	1.3	0.17	0.9	0.12
Stomach	47	6.3	0.45	4.4	0.29	32	3.6	0.29	2.4	0.19
Colon & Rectum	143	19.4	0.80	13.3	0.50	116	13.0	0.56	8.8	0.37
Liver	108	12.7	0.59	9.6	0.42	48	5.4	0.36	3.7	0.24
Pancreas	75	10.3	0.58	7.0	0.37	68	7.8	0.44	5.1	0.28
Respiratory System	296	42.2	1.19	28.2	0.74	258	28.7	0.83	19.7	0.55
Larynx	13	1.7	0.23	1.2	0.15	3	0.2	0.07	0.2	0.05
Lung & bronchus	280	40.1	1.16	26.7	0.72	255	28.4	0.83	19.4	0.55
Skin	13	1.9	0.25	1.2	0.15	8	0.9	0.15	0.6	0.10
Melanomas of the skin	7	1.0	0.18	0.7	0.11	4	0.5	0.11	0.3	0.07
Breast	-	-	-	-	-	136	14.6	0.58	10.4	0.40
Female Genital System	-	-	-	-	-	126	12.7	0.53	9.7	0.39
Cervix uteri	-	-	-	-	-	27	2.5	0.22	2.1	0.19
Corpus & uterus, NOS[2]	-	-	-	-	-	33	3.4	0.28	2.6	0.20
Ovary	-	-	-	-	-	61	6.3	0.37	4.6	0.27
Male Genital System	109	19.5	0.90	11.1	0.48	-	-	-	-	-
Prostate	102	18.7	0.89	10.5	0.47	-	-	-	-	-
Testis	5	0.4	0.08	0.4	0.08	-	-	-	-	-
Urinary System	88	12.6	0.66	8.3	0.40	44	5.2	0.36	3.3	0.23
Bladder	25	4.2	0.41	2.5	0.22	14	1.7	0.21	1.1	0.13
Kidney & renal pelvis	62	8.2	0.52	5.7	0.33	29	3.4	0.29	2.3	0.19
Brain & Other Nervous System	24	2.8	0.28	2.1	0.20	24	2.4	0.22	1.9	0.17
Endocrine System	6	0.8	0.16	0.6	0.10	6	0.6	0.12	0.4	0.08
Thyroid gland	4	0.6	0.14	0.4	0.08	4	0.4	0.10	0.3	0.07
Lymphomas	40	5.8	0.45	3.8	0.27	29	3.4	0.30	2.2	0.18
Hodgkin Lymphoma	2	0.3	0.10	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	38	5.5	0.44	3.6	0.27	-	-	-	-	-
Multiple Myeloma	24	3.6	0.36	2.3	0.21	26	3.0	0.27	1.9	0.17
Leukemias	41	5.1	0.40	3.7	0.26	27	3.0	0.27	2.1	0.18
Other, Ill-defined & Unknown	-	-	-	-	-	103	11.7	0.54	7.8	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)
[2] Abbreviations: NOS - Not Otherwise Specified

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2013-2017, Hispanic Ethnicity

	MALES (HISPANIC)					FEMALES (HISPANIC)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	19,759	136.2	0.47	90.2	0.29	18,083	95.5	0.33	65.8	0.22
Oral Cavity & Pharynx	381	2.4	0.06	1.7	0.04	147	0.8	0.03	0.5	0.02
Digestive System	7,524	49.1	0.27	33.9	0.18	5,492	29.7	0.18	19.9	0.12
Esophagus	553	3.7	0.07	2.5	0.05	133	0.7	0.03	0.5	0.02
Stomach	985	6.4	0.10	4.4	0.06	775	4.0	0.07	2.8	0.05
Colon & Rectum	2,130	14.2	0.15	9.6	0.09	1,640	8.7	0.10	5.8	0.07
Liver	1,864	11.3	0.13	8.3	0.09	756	4.2	0.07	2.8	0.05
Pancreas	1,381	9.4	0.12	6.3	0.08	1,395	7.8	0.10	5.1	0.06
Respiratory System	3,504	26.0	0.21	16.7	0.13	2,307	13.0	0.12	8.4	0.08
Larynx	201	1.4	0.05	0.9	0.03	24	0.1	0.01	0.1	0.01
Lung & bronchus	3,253	24.2	0.20	15.5	0.12	2,258	12.7	0.12	8.3	0.08
Skin	257	1.7	0.05	1.1	0.03	144	0.8	0.03	0.5	0.02
Melanomas of the skin	144	0.9	0.04	0.6	0.02	98	0.5	0.02	0.4	0.02
Breast	23	0.2	0.02	0.1	0.01	2,834	14.0	0.12	10.3	0.09
Female Genital System	-	-	-	-	-	2,495	12.6	0.12	9.2	0.08
Cervix uteri	-	-	-	-	-	571	2.6	0.05	2.1	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	781	4.0	0.07	2.9	0.05
Ovary	-	-	-	-	-	1,004	5.2	0.08	3.7	0.05
Male Genital System	1,967	16.4	0.17	9.4	0.10	-	-	-	-	-
Prostate	1,830	15.8	0.17	8.8	0.09	-	-	-	-	-
Testis	81	0.3	0.01	0.3	0.01	-	-	-	-	-
Urinary System	1,255	9.1	0.12	5.8	0.07	644	3.6	0.06	2.3	0.04
Bladder	468	3.9	0.08	2.2	0.05	216	1.3	0.04	0.7	0.02
Kidney & renal pelvis	767	5.0	0.09	3.5	0.06	412	2.2	0.05	1.5	0.03
Brain & Other Nervous System	639	3.5	0.07	2.7	0.05	540	2.6	0.05	2.0	0.04
Endocrine System	140	0.8	0.04	0.6	0.02	169	0.9	0.03	0.6	0.02
Thyroid gland	87	0.6	0.03	0.4	0.02	123	0.7	0.03	0.4	0.02
Lymphomas	922	6.4	0.10	4.2	0.06	720	4.0	0.07	2.6	0.04
Hodgkin Lymphoma	74	0.5	0.03	0.3	0.02	59	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	849	5.9	0.10	3.9	0.06	661	3.7	0.07	2.4	0.04
Multiple Myeloma	467	3.4	0.07	2.2	0.05	389	2.2	0.05	1.4	0.03
Leukemias	944	5.8	0.09	4.0	0.06	750	3.8	0.06	2.7	0.04
Other, Ill-defined & Unknown	1,736	11.5	0.13	7.8	0.08	1,452	7.6	0.09	5.2	0.06

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2013-2017, Non-Hispanic Ethnicity

	MALES (NON-HISPANIC)					FEMALES (NON-HISPANIC)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	291,807	194.1	0.16	129.6	0.11	262,711	139.4	0.12	96.4	0.09
Oral Cavity & Pharynx	6,443	4.1	0.02	3.0	0.02	2,652	1.4	0.01	1.0	0.01
Digestive System	80,994	52.6	0.08	36.7	0.06	60,244	31.5	0.06	21.2	0.04
Esophagus	11,512	7.3	0.03	5.2	0.02	2,882	1.5	0.01	1.0	0.01
Stomach	5,767	3.8	0.02	2.6	0.02	3,742	2.0	0.02	1.4	0.01
Colon & Rectum	25,247	16.9	0.05	11.5	0.03	22,981	12.0	0.04	8.0	0.03
Liver	12,174	7.4	0.03	5.6	0.02	4,488	2.3	0.02	1.6	0.01
Pancreas	19,928	13.0	0.04	8.9	0.03	18,760	9.7	0.03	6.5	0.02
Respiratory System	82,645	53.8	0.09	36.5	0.06	67,956	35.8	0.06	24.6	0.04
Larynx	2,793	1.8	0.02	1.3	0.01	731	0.4	0.01	0.3	0.00
Lung & bronchus	79,230	51.6	0.08	35.0	0.06	66,879	35.2	0.06	24.2	0.04
Skin	8,296	5.6	0.03	3.7	0.02	3,869	2.1	0.02	1.4	0.01
Melanomas of the skin	5,633	3.8	0.02	2.6	0.02	2,876	1.6	0.01	1.1	0.01
Breast	448	0.3	0.01	0.2	0.00	38,477	20.9	0.05	15.2	0.04
Female Genital System	-	-	-	-	-	28,253	15.3	0.04	11.1	0.03
Cervix uteri	-	-	-	-	-	3,595	2.2	0.02	1.8	0.01
Corpus & uterus, NOS[1]	-	-	-	-	-	9,370	4.9	0.02	3.5	0.02
Ovary	-	-	-	-	-	13,128	7.0	0.03	5.0	0.02
Male Genital System	27,882	19.8	0.05	11.2	0.03	-	-	-	-	-
Prostate	27,239	19.3	0.05	10.9	0.03	-	-	-	-	-
Testis	323	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	19,958	13.6	0.04	8.5	0.03	9,178	4.7	0.02	3.0	0.02
Bladder	11,101	7.8	0.03	4.5	0.02	4,390	2.2	0.02	1.3	0.01
Kidney & renal pelvis	8,351	5.5	0.03	3.8	0.02	4,451	2.3	0.02	1.6	0.01
Brain & Other Nervous System	8,451	5.6	0.03	4.3	0.02	6,593	3.7	0.02	2.9	0.02
Endocrine System	1,245	0.8	0.01	0.6	0.01	1,349	0.7	0.01	0.5	0.01
Thyroid gland	778	0.5	0.01	0.4	0.01	911	0.5	0.01	0.3	0.00
Lymphomas	11,015	7.6	0.03	4.9	0.02	8,626	4.5	0.02	2.9	0.02
Hodgkin Lymphoma	539	0.4	0.01	0.3	0.01	386	0.2	0.01	0.2	0.00
Non-Hodgkin Lymphoma	10,476	7.2	0.03	4.6	0.02	8,240	4.3	0.02	2.7	0.01
Multiple Myeloma	6,178	4.2	0.02	2.7	0.02	5,085	2.6	0.02	1.7	0.01
Leukemias	12,520	8.7	0.04	5.6	0.02	9,081	4.9	0.02	3.2	0.02
Other, Ill-defined & Unknown	25,730	17.3	0.05	11.6	0.03	21,348	11.3	0.04	7.7	0.03

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified

Average Annual Cancer Deaths and Age-adjusted Rates*
Canada, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	40,826	204.7	0.46	131.3	0.30	36,805	149.0	0.35	100.6	0.25
Oral Cavity & Pharynx	970	4.6	0.07	3.3	0.05	437	1.7	0.04	1.2	0.03
Digestive System	12,492	61.5	0.25	40.6	0.17	9,515	37.9	0.18	24.5	0.12
Esophagus	1,523	7.2	0.08	5.0	0.06	456	1.8	0.04	1.2	0.03
Stomach	1,198	6.0	0.08	3.9	0.05	747	3.0	0.05	2.0	0.04
Colon & Rectum	4,851	24.5	0.16	15.6	0.10	4,185	16.5	0.12	10.4	0.08
Liver	1,267	5.9	0.08	4.2	0.05	450	1.8	0.04	1.2	0.03
Pancreas	2,454	11.9	0.11	8.0	0.07	2,316	9.3	0.09	6.1	0.06
Respiratory System	11,081	54.3	0.24	35.4	0.15	9,580	38.8	0.18	26.6	0.13
Larynx	328	1.6	0.04	1.1	0.03	70	0.3	0.02	0.2	0.01
Lung & bronchus	10,620	52.0	0.23	33.9	0.15	9,441	38.2	0.18	26.2	0.13
Skin	1,008	5.2	0.07	3.3	0.05	552	2.2	0.04	1.5	0.03
Melanomas of the skin	684	3.4	0.06	2.3	0.04	394	1.7	0.04	1.2	0.03
Breast	51	0.3	0.02	0.2	0.01	5,178	21.3	0.14	15.0	0.10
Female Genital System	-	-	-	-	-	3,653	15.1	0.11	10.7	0.08
Cervix uteri	-	-	-	-	-	408	1.9	0.04	1.5	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	1,112	4.5	0.06	3.1	0.04
Ovary	-	-	-	-	-	1,807	7.4	0.08	5.3	0.06
Male Genital System	4,229	23.0	0.16	12.4	0.09	-	-	-	-	-
Prostate	4,130	22.5	0.16	12.1	0.08	-	-	-	-	-
Testis	38	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	2,970	15.3	0.13	9.2	0.08	1,374	5.4	0.07	3.3	0.04
Bladder	1,588	8.4	0.10	4.8	0.05	613	2.4	0.04	1.4	0.03
Kidney & renal pelvis	1,134	5.6	0.08	3.7	0.05	623	2.5	0.04	1.6	0.03
Brain & Other CNS[1]	1,262	6.1	0.08	4.8	0.06	944	4.1	0.06	3.2	0.05
Endocrine System	170	0.9	0.03	0.6	0.02	192	0.8	0.03	0.6	0.02
Thyroid gland	101	0.5	0.02	0.3	0.02	129	0.5	0.02	0.3	0.01
Lymphomas	1,631	8.3	0.09	5.3	0.06	1,269	5.1	0.07	3.3	0.04
Hodgkin Lymphoma	67	0.3	0.02	0.3	0.01	47	0.2	0.01	0.2	0.01
Non-Hodgkin Lymphoma	1,565	8.0	0.09	5.1	0.06	1,222	4.9	0.06	3.1	0.04
Multiple Myeloma	812	4.1	0.07	2.6	0.04	643	2.6	0.05	1.6	0.03
Leukemias	1,595	8.3	0.09	5.2	0.06	1,153	4.7	0.06	3.1	0.05
Other, Ill-defined & Unknown	2,553	13.1	0.12	8.3	0.08	2,315	9.2	0.09	6.0	0.06

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Canada, 2013-2017, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	40,826	239.9	0.54	131.3	0.30	36,805	175.1	0.41	100.6	0.25
Oral Cavity & Pharynx	970	5.5	0.08	3.3	0.05	437	2.1	0.04	1.2	0.03
Digestive System	12,492	72.6	0.29	40.6	0.17	9,515	44.5	0.21	24.5	0.12
Esophagus	1,523	8.6	0.10	5.0	0.06	456	2.2	0.05	1.2	0.03
Stomach	1,198	7.0	0.09	3.9	0.05	747	3.5	0.06	2.0	0.04
Colon & Rectum	4,851	28.7	0.19	15.6	0.10	4,185	19.4	0.14	10.4	0.08
Liver	1,267	7.1	0.09	4.2	0.05	450	2.1	0.05	1.2	0.03
Pancreas	2,454	14.1	0.13	8.0	0.07	2,316	10.9	0.10	6.1	0.06
Respiratory System	11,081	63.8	0.27	35.4	0.15	9,580	45.9	0.21	26.6	0.13
Larynx	328	1.9	0.05	1.1	0.03	70	0.3	0.02	0.2	0.01
Lung & bronchus	10,620	61.1	0.27	33.9	0.15	9,441	45.3	0.21	26.2	0.13
Skin	1,008	6.0	0.09	3.3	0.05	552	2.6	0.05	1.5	0.03
Melanomas of the skin	684	4.0	0.07	2.3	0.04	394	1.9	0.04	1.2	0.03
Breast	51	0.3	0.02	0.2	0.01	5,178	25.1	0.16	15.0	0.10
Female Genital System	-	-	-	-	-	3,653	17.8	0.13	10.7	0.08
Cervix uteri	-	-	-	-	-	408	2.1	0.05	1.5	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	1,112	5.3	0.07	3.1	0.04
Ovary	-	-	-	-	-	1,807	8.8	0.09	5.3	0.06
Male Genital System	4,229	26.7	0.19	12.4	0.09	-	-	-	-	-
Prostate	4,130	26.1	0.18	12.1	0.08	-	-	-	-	-
Testis	38	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	2,970	17.9	0.15	9.2	0.08	1,374	6.3	0.08	3.3	0.04
Bladder	1,588	9.8	0.11	4.8	0.05	613	2.8	0.05	1.4	0.03
Kidney & renal pelvis	1,134	6.6	0.09	3.7	0.05	623	2.9	0.05	1.6	0.03
Brain & Other CNS[1]	1,262	7.1	0.09	4.8	0.06	944	4.7	0.07	3.2	0.05
Endocrine System	170	1.0	0.03	0.6	0.02	192	0.9	0.03	0.6	0.02
Thyroid gland	101	0.6	0.03	0.3	0.02	129	0.6	0.02	0.3	0.01
Lymphomas	1,631	9.6	0.11	5.3	0.06	1,269	5.9	0.07	3.3	0.04
Hodgkin Lymphoma	67	0.4	0.02	0.3	0.01	47	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	1,565	9.3	0.11	5.1	0.06	1,222	5.7	0.07	3.1	0.04
Multiple Myeloma	812	4.8	0.08	2.6	0.04	643	3.0	0.05	1.6	0.03
Leukemias	1,595	9.5	0.11	5.2	0.06	1,153	5.4	0.07	3.1	0.05
Other, Ill-defined & Unknown	2,553	15.2	0.14	8.3	0.08	2,315	10.8	0.10	6.0	0.06

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard and the World Population Standard.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
Canada, 2013-2017, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
Canada	40,826	204.7	4,851	24.5	10,620	52.0	4,130	22.5	1,588	8.4	1,565	8.0
Alberta	3,402	189.7	387	21.3	806	44.5	411	26.0	113	6.7	130	7.5
British Columbia	5,386	186.4	647	22.5	1,196	40.7	602	22.1	237	8.5	219	7.8
Manitoba	1,444	214.4	181	26.8	338	49.5	179	28.3	58	9.0	53	8.0
New Brunswick	1,072	222.0	124	25.5	323	65.1	96	22.3	38	8.3	-	-
Newfoundland and Labrador	781	238.8	128	38.8	212	62.2	74	26.3	23	8.1	-	-
Northwest Territories	33	248.4	5	41.0	9	68.5	3	31.9	-	-	-	-
Nova Scotia	1,429	242.2	193	33.1	389	63.1	139	26.2	53	9.5	-	-
Nunavut	22	329.4	5	54.7	9	149.9	-	-	-	-	-	-
Ontario	14,878	195.9	1,662	22.1	3,574	46.2	1,523	21.4	598	8.3	601	8.0
Prince Edward Island	199	223.2	25	28.5	55	60.5	20	25.7	7	8.2	-	-
Quebec	10,918	225.0	1,333	27.8	3,416	68.1	898	20.4	414	9.1	387	8.1
Saskatchewan	1,233	204.0	159	26.2	286	46.9	181	31.0	46	7.8	-	-
Yukon	36	247.4	4	30.7	9	57.7	5	34.9	-	-	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population Standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

Average Annual Cancer Deaths and Age-adjusted (2011 Canadian Standard) Rates[1] for Selected Cancer Sites
Canada, 2013-2017, All Races, Males

	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
Geographic Region	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
Canada	40,826	239.9	4,851	28.7	10,620	61.1	4,130	26.1	1,588	9.8	1,565	9.3
Alberta	3,402	221.8	387	25.1	806	52.0	411	30.0	113	7.8	130	8.6
British Columbia	5,386	218.8	647	26.4	1,196	47.8	602	25.6	237	9.9	219	9.0
Manitoba	1,444	250.7	181	31.5	338	57.9	179	32.7	58	10.4	53	9.3
New Brunswick	1,072	259.8	124	29.9	323	76.4	96	25.9	38	9.7	-	-
Newfoundland and Labrador	781	280.2	128	45.3	212	73.0	74	30.6	23	9.5	-	-
Northwest Territories	33	285.7	5	46.9	9	79.0	3	36.6	-	-	-	-
Nova Scotia	1,429	283.1	193	38.8	389	73.8	139	30.5	53	11.1	-	-
Nunavut	22	383.6	5	64.4	9	172.6	-	-	-	-	-	-
Ontario	14,878	229.8	1,662	25.9	3,574	54.3	1,523	24.9	598	9.6	601	9.3
Prince Edward Island	199	260.6	25	33.0	55	70.3	20	29.7	7	9.5	-	-
Quebec	10,918	263.5	1,333	32.5	3,416	80.1	898	23.7	414	10.6	387	9.4
Saskatchewan	1,233	238.8	159	30.8	286	55.0	181	36.0	46	9.0	-	-
Yukon	36	291.0	4	35.9	9	66.9	5	40.8	-	-	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
Canada, 2013-2017, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
Canada	36,805	149.0	4,185	16.5	9,441	38.2	5,178	21.3	408	1.9	1,807	7.4
Alberta	3,007	139.3	313	14.3	743	35.1	444	20.4	46	2.1	157	7.2
British Columbia	4,702	138.3	544	15.7	1,190	34.9	659	19.6	51	1.7	270	8.1
Manitoba	1,361	161.4	158	17.9	330	39.7	192	23.0	16	2.2	63	7.6
New Brunswick	918	152.6	108	17.6	247	40.6	117	20.1	8	1.7	42	7.0
Newfoundland and Labrador	670	174.5	107	27.7	152	38.3	88	23.2	11	3.3	32	8.4
Northwest Territories	27	222.3	4	39.2	8	70.5	4	28.8	-	-	-	-
Nova Scotia	1,259	169.1	162	21.4	343	45.5	168	23.3	13	2.0	58	7.9
Nunavut	16	295.2	2	45.1	8	158.0	-	-	-	-	-	-
Ontario	13,573	142.2	1,456	14.8	3,224	33.8	1,976	21.0	159	1.9	685	7.3
Prince Edward Island	166	148.4	21	18.9	44	39.2	20	17.7	2	2.3	9	8.2
Quebec	9,995	163.0	1,181	18.7	2,862	46.6	1,347	22.6	86	1.7	434	7.2
Saskatchewan	1,089	147.9	126	16.1	286	40.1	161	22.1	15	2.2	54	7.7
Yukon	28	186.6	3	15.6	7	48.0	4	24.7	-	-	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population Standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.

Average Annual Cancer Deaths and Age-adjusted (2011 Canadian Standard) Rates[1] for Selected Cancer Sites
Canada, 2013-2017, All Races, Females

	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
Geographic Region	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
Canada	36,805	175.1	4,185	19.4	9,441	45.3	5,178	25.1	408	2.1	1,807	8.8
Alberta	3,007	163.6	313	16.8	743	41.1	444	24.0	46	2.4	157	8.6
British Columbia	4,702	162.0	544	18.4	1,190	40.9	659	23.1	51	1.9	270	9.5
Manitoba	1,361	189.5	158	21.1	330	46.7	192	27.2	16	2.5	63	9.1
New Brunswick	918	179.4	108	20.5	247	48.1	117	23.7	8	1.9	42	8.4
Newfoundland and Labrador	670	203.9	107	32.4	152	45.2	88	27.4	11	3.7	32	9.9
Northwest Territories	27	251.9	4	43.7	8	79.8	4	33.4	-	-	-	-
Nova Scotia	1,259	198.3	162	24.9	343	54.1	168	27.1	13	2.3	58	9.2
Nunavut	16	339.2	2	50.7	8	183.2	-	-	-	-	-	-
Ontario	13,573	166.8	1,456	17.4	3,224	39.9	1,976	24.8	159	2.1	685	8.6
Prince Edward Island	166	174.5	21	21.6	44	46.1	20	21.0	2	2.9	9	9.5
Quebec	9,995	192.5	1,181	21.9	2,862	56.0	1,347	26.7	86	1.9	434	8.6
Saskatchewan	1,089	173.2	126	19.1	286	46.9	161	25.9	15	2.6	54	9.0
Yukon	28	215.3	3	18.3	7	54.0	4	28.4	-	-	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Population Standard.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the Canadian combined.