

2013-2017: CANCER IN NORTH AMERICA

Volume Five: Cancer Prevalence in the
United States and Canada 2007-2016



North American
Association of Central
Cancer Registries, Inc.

● PARTICIPATING REGISTRIES
● NOT PARTICIPATING

EXECUTIVE SUMMARY: Cancer in North America: 2013-2017

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. NAACCR issues an annual call for data, and the member registries data submissions are combined and used to create the CiNA Monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., NAACCR FastStats on-line query system, NAACCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality, with standard data quality metrics reported for all contributors.

In May of 2020, NAACCR released a five volume monograph, Cancer in North America (CiNA): 2013-2017. This release is the 30th publication of the series and the 28th release that includes statistics for both Canada and the United States (U.S.). This year's publication includes cancer incidence data for all 50 U.S. states, the District of Columbia, Puerto Rico, and for 11 Canadian provinces and territories. We also report data by 5 regions: California (excluding the Greater Bay area and Los Angeles), and 4 SEER urban registries (Detroit, Los Angeles, San Francisco/Oakland, and Seattle). CiNA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America

Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from the high quality registries in the U. S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada

Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions are presented.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada

Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada

Includes cancer survival data for the U.S. and Canada from 61 registries on more than 13 million cases diagnosed among North Americans between 2010 and 2016.

Volume Five: Cancer Prevalence in the United States and Canada

Includes cancer prevalence estimates for the U.S. and Canada from 61 registries on more than 18 million cases diagnosed among North Americans between 2007 and 2016.

All CiNA volumes are available free of charge from the NAACCR website, along with accompanying technical data including population data and supporting appendices.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality, standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance. The Editors would like to acknowledge the fine work and support of the National Cancer Institute, the National Center for Health Statistics, and Statistics Canada for their assistance in developing this publication.

We hope that Cancer in North America: 2013-2017, with the companion CiNA products and resources, facilitate studies of cancer burden, so that we are better able to identify, and understand, appropriate and important measures to control the myriad diseases known collectively as cancer.

The Editors June 2020

CANCER IN NORTH AMERICA: 2013-2017

VOLUME FIVE: CANCER PREVALENCE IN THE UNITED STATES AND CANADA 2007-2016

**A Publication of the North American Association of Central Cancer Registries, Inc.
(NAACCR)**

Editors:

**Chris Johnson, Cancer Data Registry of Idaho
Angela Mariotto, U.S. National Cancer Institute
Baozhen Qiao, New York State Cancer Registry
Bin Huang, Kentucky Cancer Registry
Bozena Morawski, Cancer Data Registry of Idaho
Donna Turner, CancerCare Manitoba
Hannah Weir, U.S. Centers for Disease Control and Prevention
Larry Ellison, Statistics Canada
Recinda Sherman, NAACCR Inc.
Reda Wilson, U.S. Centers for Disease Control and Prevention
Rick Firth, Information Management Services, Inc.**



June 2020

The Editorial Subcommittee of the NAACCR Standing Committee, Data Use and Research Committee publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401. We acknowledge partial support of NAACCR staff by cooperative agreement U75/CCU52346-05 from the Centers for Disease Control and Prevention (CDC) and by the NCI/NIH Contract No. HHSN261200444001C/ADB Contract No. PC-44401. Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC.

CINA PREVALENCE PARTICIPANTS 2007-2016



SUGGESTED CITATION:

Johnson CJ, Mariotto A, Qiao B, Huang B, Morawski B, Turner D, Weir H, Ellison L, Sherman R, Wilson R, Firth R (eds). *Cancer in North America: 2013-2017 Volume Five: Cancer Prevalence in the United States and Canada 2007-2016*. Springfield, IL: North American Association of Central Cancer Registries, Inc. June 2020.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes.....	I-1

SECTION II: Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016 by Race and Age for the United States, Canada and North America Combined

All Sites	II-1
Oral Cavity & Pharynx	II-2
Esophagus	II-3
Stomach	II-4
Colon & Rectum	II-5
Liver & Intrahepatic Bile Duct	II-6
Pancreas	II-7
Larynx.....	II-8
Lung & Bronchus.....	II-9
Melanoma of the Skin	II-10
Breast, Female	II-11
Cervix Uteri	II-12
Corpus & Uterus, NOS	II-13
Ovary	II-14
Prostate	II-15
Testis.....	II-16
Urinary Bladder	II-17
Kidney & Renal Pelvis.....	II-18
Brain & Other Nervous System	II-19
Thyroid	II-20
Hodgkin Lymphoma	II-21
Non-Hodgkin Lymphoma	II-22
Myeloma	II-23
Leukemias.....	II-24
Mesothelioma.....	II-25

SECTION III: Prevalence on January 1, 2016 by Limited-Duration, Registry, Race and Site

Two Year Limited-Duration, All Races

All Sites	III-1
Oral Cavity & Pharynx	III-2
Esophagus	III-3
Stomach	III-4
Colon & Rectum	III-5
Liver & Intrahepatic Bile Duct	III-6
Pancreas	III-7
Larynx.....	III-8
Lung & Bronchus.....	III-9
Melanoma of the Skin	III-10
Breast, Female	III-11
Cervix Uteri	III-12
Corpus & Uterus, NOS	III-13
Ovary	III-14
Prostate	III-15
Testis.....	III-16
Urinary Bladder	III-17
Kidney & Renal Pelvis.....	III-18
Brain & Other Nervous System	III-19
Thyroid	III-20
Hodgkin Lymphoma	III-21
Non-Hodgkin Lymphoma	III-22
Myeloma	III-23
Leukemias.....	III-24
Mesothelioma.....	III-25

Two Year Limited-Duration, Non-Hispanic White

All Sites.....	III-26
Oral Cavity & Pharynx.....	III-27
Esophagus	III-28
Stomach.....	III-29
Colon & Rectum	III-30
Liver & Intrahepatic Bile Duct.....	III-31
Pancreas	III-32
Larynx.....	III-33
Lung & Bronchus.....	III-34
Melanoma of the Skin	III-35
Breast, Female.....	III-36
Cervix Uteri	III-37
Corpus & Uterus, NOS	III-38
Ovary	III-39
Prostate.....	III-40
Testis	III-41
Urinary Bladder.....	III-42
Kidney & Renal Pelvis.....	III-43
Brain & Other Nervous System.....	III-44
Thyroid.....	III-45
Hodgkin Lymphoma	III-46
Non-Hodgkin Lymphoma	III-47
Myeloma	III-48
Leukemias	III-49
Mesothelioma.....	III-50

Two Year Limited-Duration, Non-Hispanic Black

All Sites.....	III-51
Oral Cavity & Pharynx.....	III-52
Esophagus	III-53
Stomach.....	III-54
Colon & Rectum	III-55
Liver & Intrahepatic Bile Duct.....	III-56
Pancreas	III-57
Larynx.....	III-58
Lung & Bronchus.....	III-59
Melanoma of the Skin	III-60
Breast, Female.....	III-61
Cervix Uteri	III-62
Corpus & Uterus, NOS	III-63
Ovary	III-64
Prostate.....	III-65
Testis	III-66
Urinary Bladder.....	III-67
Kidney & Renal Pelvis.....	III-68
Brain & Other Nervous System, Invasive	III-69
Thyroid.....	III-70
Hodgkin Lymphoma	III-71
Non-Hodgkin Lymphoma	III-72
Myeloma	III-73
Leukemias	III-74
Mesothelioma.....	III-75

Two Year Limited-Duration, Hispanic

All Sites.....	III-76
Oral Cavity & Pharynx.....	III-77
Esophagus	III-78
Stomach.....	III-79
Colon & Rectum	III-80
Liver & Intrahepatic Bile Duct.....	III-81
Pancreas	III-82
Larynx.....	III-83

Lung & Bronchus.....	III-84
Melanoma of the Skin	III-85
Breast, Female.....	III-86
Cervix Uteri	III-87
Corpus & Uterus, NOS	III-88
Ovary	III-89
Prostate	III-90
Testis.....	III-91
Urinary Bladder	III-92
Kidney & Renal Pelvis.....	III-93
Brain & Other Nervous System	III-94
Thyroid.....	III-95
Hodgkin Lymphoma	III-96
Non-Hodgkin Lymphoma	III-97
Myeloma	III-98
Leukemias.....	III-99
Mesothelioma.....	III-100
<i>Five Year Limited-Duration, All Races</i>	
All Sites	III-101
Oral Cavity & Pharynx	III-102
Esophagus	III-103
Stomach	III-104
Colon & Rectum	III-105
Liver & Intrahepatic Bile Duct	III-106
Pancreas	III-107
Larynx.....	III-108
Lung & Bronchus.....	III-109
Melanoma of the Skin	III-110
Breast, Female.....	III-111
Cervix Uteri	III-112
Corpus & Uterus, NOS	III-113
Ovary	III-114
Prostate	III-115
Testis.....	III-116
Urinary Bladder	III-117
Kidney & Renal Pelvis.....	III-118
Brain & Other Nervous System	III-119
Thyroid.....	III-120
Hodgkin Lymphoma	III-121
Non-Hodgkin Lymphoma	III-122
Myeloma	III-123
Leukemias.....	III-124
Mesothelioma.....	III-125
<i>Five Year Limited-Duration, Non-Hispanic White</i>	
All Sites	III-126
Oral Cavity & Pharynx	III-127
Esophagus	III-128
Stomach	III-129
Colon & Rectum	III-130
Liver & Intrahepatic Bile Duct	III-131
Pancreas	III-132
Larynx.....	III-133
Lung & Bronchus.....	III-134
Melanoma of the Skin	III-135
Breast, Female.....	III-136
Cervix Uteri	III-137
Corpus & Uterus, NOS	III-138
Ovary	III-139
Prostate	III-140
Testis.....	III-141
Urinary Bladder	III-142

Contents

Kidney & Renal Pelvis.....	III-143
Brain & Other Nervous System.....	III-144
Thyroid.....	III-145
Hodgkin Lymphoma	III-146
Non-Hodgkin Lymphoma	III-147
Myeloma	III-148
Leukemias	III-149
Mesothelioma.....	III-150
<i>Five Year Limited-Duration, Non-Hispanic Black</i>	
All Sites.....	III-151
Oral Cavity & Pharynx.....	III-152
Esophagus	III-153
Stomach.....	III-154
Colon & Rectum	III-155
Liver & Intrahepatic Bile Duct.....	III-156
Pancreas	III-157
Larynx.....	III-158
Lung & Bronchus.....	III-159
Melanoma of the Skin	III-160
Breast, Female.....	III-161
Cervix Uteri	III-162
Corpus & Uterus, NOS	III-163
Ovary	III-164
Prostate.....	III-165
Testis	III-166
Urinary Bladder.....	III-167
Kidney & Renal Pelvis.....	III-168
Brain & Other Nervous System, Invasive	III-169
Thyroid.....	III-170
Hodgkin Lymphoma	III-171
Non-Hodgkin Lymphoma	III-172
Myeloma	III-173
Leukemias	III-174
Mesothelioma.....	III-175
<i>Five Year Limited-Duration, Hispanic</i>	
All Sites.....	III-176
Oral Cavity & Pharynx.....	III-177
Esophagus	III-178
Stomach.....	III-179
Colon & Rectum	III-180
Liver & Intrahepatic Bile Duct.....	III-181
Pancreas	III-182
Larynx.....	III-183
Lung & Bronchus.....	III-184
Melanoma of the Skin	III-185
Breast, Female.....	III-186
Cervix Uteri	III-187
Corpus & Uterus, NOS	III-188
Ovary	III-189
Prostate.....	III-190
Testis	III-191
Urinary Bladder.....	III-192
Kidney & Renal Pelvis.....	III-193
Brain & Other Nervous System, Invasive	III-194
Thyroid.....	III-195
Hodgkin Lymphoma	III-196
Non-Hodgkin Lymphoma	III-197
Myeloma	III-198
Leukemias	III-199
Mesothelioma.....	III-200

Ten Year Limited-Duration, All Races

All Sites	III-201
Oral Cavity & Pharynx	III-202
Esophagus	III-203
Stomach	III-204
Colon & Rectum	III-205
Liver & Intrahepatic Bile Duct	III-206
Pancreas	III-207
Larynx	III-208
Lung & Bronchus	III-209
Melanoma of the Skin	III-210
Breast, Female	III-211
Cervix Uteri	III-212
Corpus & Uterus, NOS	III-213
Ovary	III-214
Prostate	III-215
Testis	III-216
Urinary Bladder	III-217
Kidney & Renal Pelvis	III-218
Brain & Other Nervous System	III-219
Thyroid	III-220
Hodgkin Lymphoma	III-221
Non-Hodgkin Lymphoma	III-222
Myeloma	III-223
Leukemias	III-224
Mesothelioma	III-225

Ten Year Limited-Duration, Non-Hispanic White

All Sites	III-226
Oral Cavity & Pharynx	III-227
Esophagus	III-228
Stomach	III-229
Colon & Rectum	III-230
Liver & Intrahepatic Bile Duct	III-231
Pancreas	III-232
Larynx	III-233
Lung & Bronchus	III-234
Melanoma of the Skin	III-235
Breast, Female	III-236
Cervix Uteri	III-237
Corpus & Uterus, NOS	III-238
Ovary	III-239
Prostate	III-240
Testis	III-241
Urinary Bladder	III-242
Kidney & Renal Pelvis	III-243
Brain & Other Nervous System	III-244
Thyroid	III-245
Hodgkin Lymphoma	III-246
Non-Hodgkin Lymphoma	III-247
Myeloma	III-248
Leukemias	III-249
Mesothelioma	III-250

Ten Year Limited-Duration, Non-Hispanic Black

All Sites	III-251
Oral Cavity & Pharynx	III-252
Esophagus	III-253
Stomach	III-254
Colon & Rectum	III-255
Liver & Intrahepatic Bile Duct	III-256

Contents

Pancreas	III-257
Larynx	III-258
Lung & Bronchus	III-259
Melanoma of the Skin	III-260
Breast, Female	III-261
Cervix Uteri	III-262
Corpus & Uterus, NOS	III-263
Ovary	III-264
Prostate	III-265
Testis	III-266
Urinary Bladder	III-267
Kidney & Renal Pelvis	III-268
Brain & Other Nervous System, Invasive	III-269
Thyroid	III-270
Hodgkin Lymphoma	III-271
Non-Hodgkin Lymphoma	III-272
Myeloma	III-273
Leukemias	III-274
Mesothelioma	III-275
<i>Ten Year Limited-Duration, Hispanic</i>	
All Sites	III-276
Oral Cavity & Pharynx	III-277
Esophagus	III-278
Stomach	III-279
Colon & Rectum	III-280
Liver & Intrahepatic Bile Duct	III-281
Pancreas	III-282
Larynx	III-283
Lung & Bronchus	III-284
Melanoma of the Skin	III-285
Breast, Female	III-286
Cervix Uteri	III-287
Corpus & Uterus, NOS	III-288
Ovary	III-289
Prostate	III-290
Testis	III-291
Urinary Bladder	III-292
Kidney & Renal Pelvis	III-293
Brain & Other Nervous System, Invasive	III-294
Thyroid	III-295
Hodgkin Lymphoma	III-296
Non-Hodgkin Lymphoma	III-297
Myeloma	III-298
Leukemias	III-299
Mesothelioma	III-300

All Appendices are available on the NAACCR website:

<https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices>



Section I

Introduction and Technical Notes



Cancer in North America: 2013-2017, Volume Five: Cancer Prevalence in the United States and Canada

Introduction and Technical Notes

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population-based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence, mortality, and other burden statistics for the United States (U.S.), Canada, and North America.

Annual cancer statistics for the U. S., for Canada, and for North America are presented in each of the five CiNA Volumes. This year marks the 30th annual release of the series of Cancer in North America (CiNA) monographs; and the 28th year CiNA has included data from both the U.S. and Canada. The *2020 CiNA Survival Monograph* includes data from 9 of 13 Canadian provinces/territories and 47 of 51 states/District of Columbia. The data in *CiNA Survival* reflect about 94% population coverage for the U. S. and 77% for Canada.

NAACCR issues an annual call for data to member registries to create the CiNA monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., NAACCR FastStats on-line query system, NAACCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). For more information on these products and the process for gaining access to them, please visit www.naaccr.org and select *Cancer in North America CiNA Data Products* under the *Research & Analytic Tools* tab.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the U. S. and Canada to collect timely, complete, and accurate data make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in production of the monograph. The objective of this work is to provide timely and useful information on cancer burden all geographic areas and race/ethnic groups in the U. S. and Canada.

CONTENTS OF THE CiNA MONOGRAPH:

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America

Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from the high quality registries in the U. S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada

Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions are presented.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada

Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada

Includes cancer survival data for the U.S. and Canada from 61 registries on more than 13 million cases diagnosed among North Americans between 2010 and 2016.

Volume Five: Cancer Prevalence in the United States and Canada

Includes cancer prevalence estimates for the U.S. and Canada from 61 registries on more than 18 million cases diagnosed among North Americans between 2007 and 2016.

In the U. S., prevalence statistics are calculated for the following race populations: all races combined, white, and black. Race information is not collected in Canada, and thus is not presented.

Recent volumes of the CiNA publication, including sections containing rates standardized to the World Standard

and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/>.

CiNA Volume Five: Cancer Survival in the United States and Canada

The North American Association of Central Cancer Registries (NAACCR) has been producing Cancer in North America (CiNA) incidence and mortality publications for 30 years and survival statistics since March 2016. This is the second edition of *CiNA Prevalence*; the inaugural *CiNA Prevalence* was released in January 2020.

Cancer prevalence is the number of persons alive on a certain date who have a history of cancer, and is a function of incidence and survival. Prevalence estimates can be used for health planning, resource allocation, and as an estimate of cancer survivorship.¹ Limited-duration prevalence (or partial prevalence) represents the number, or proportion, of people alive on a certain day who had a cancer diagnosis within the past x years (e.g. x = 2, 5 or 10 years).² This is in contrast to complete prevalence, which represents the proportion of people alive on a certain day who were ever diagnosed with the disease, regardless of how long ago the diagnosis was made. Complete prevalence can be estimated from self-reported population-based surveys, although these estimates may be biased by under- and over-reporting due to, for example, misclassification of disease. Complete prevalence can also be estimated via direct computation (or the counting method), which requires population-based registry data to have been collected over a sufficiently long period of time to capture all prevalent cases of the disease. Historically, U.S. national complete prevalence has been estimated by using the National Cancer Institute's Surveillance, Epidemiology, and End Results Program (SEER) data; these estimates have generally been based on data from SEER-9 registries, which cover about 9.4% of the U.S. population.³ Because of the variable duration of time that CiNA registries have been collecting cancer data, we are unable to estimate complete prevalence using CiNA data. The CiNA Prevalence Volume presents two-, five-, and ten-year limited-duration prevalence counts and prevalence percentages and confidence intervals for individual registries and the United States, Canada, and North America combined.

The prevalence data presented in *CiNA Prevalence* includes data from 61 registries (which represent 9 Canadian provinces/territories, 47 U.S. states and D.C., and 5 regional SEER registries) on more than 18 million cases diagnosed among North Americans between 2010 and 2016 and represents 94% population coverage in the U.S. and 77% in Canada. *CiNA Prevalence* is comprised of three sections:

Section 1: Introduction and Technical Notes

Section 2: Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2016 by Race and Age for the United States, Canada and North America Combined

Includes two-, five-, and ten-year limited-duration prevalence counts, prevalence percentages, and confidence intervals for the U. S., Canada, and North America combined. These statistics are presented for all races by sex and for select cancer sites. The tables for each cancer site present statistics by a total and by specific age groups for each region. Prevalence statistics for non-Hispanic whites, non-Hispanic Blacks, and Hispanics are also presented for the United States combined.

Section 3: Prevalence on January 1, 2016 by Limited-Duration, Registry, Race and Site Two Year Limited-Duration, All Races

Includes two-, five-, and ten-year limited-duration prevalence counts, prevalence percentages, and confidence intervals by registry, sex, and select cancer sites. Prevalence statistics by all races combined are available for the United States and Canadian registries and for non-Hispanic whites, non-Hispanic Blacks, and Hispanics for United States registries.

Special thanks go to Steve Scoppa and Rick Firth, Information Management Services, Inc., who prepared the analytic dataset used for this report; members of the NAACCR Prevalence Volume Task Force; and all of the registry staff who contributed data.

TECHNICAL NOTES

For coding and other general technical information, please see the technical section of *CiNA: 2013–2017, Volume One: Combined Cancer Incidence for the United States, Canada and North America*.⁴

I-2 INTRODUCTION AND TECHNICAL NOTES

Registry Inclusion. The publication of prevalence estimates in CiNA was included as a Primary Use of Data in the November 2019 NAACCR Call for Data. For registries to be included in *CiNA Prevalence* volume, they needed to: (1) provide consent, (2) meet CiNA incidence criteria for all relevant years, and (3) either meet the SEER standards for follow-up⁵ or ascertain deaths through the study cutoff date (December 31, 2016).

To meet the SEER standard for follow-up, a minimum of 90% of patients needed to have follow-up dates on or after January 1, 2017 or be deceased. These follow-up dates could have been the result of either passive or active patient follow-up mechanisms.⁶ We used the November 2019 Call for Data file to measure the follow-up rate and the NAACCR Call for Data Follow-Up Activities Form (submitted with the annual call for data file) that is part of the annual call for data to determine how registries ascertained deaths. For U.S. registries that did not meet the SEER standard for follow-up, it was necessary to conduct state death linkages and linkage with the National Death Index. For Canadian registries, it was necessary to conduct death linkages within the province or territory. National death clearance in Canada is on hold pending legal agreements among the provinces and Statistics Canada, which impacts follow-up for 2009 and later. However, because the number of deaths that occur out of province is a small proportion of total deaths, we believe that Canadian follow-up data are negligibly influenced by the lack of national death linkage.

The *CiNA Prevalence* publication includes diagnosis years 2007–2016 with follow-up through the end of 2016. Using information from the NAACCR Call for Data Follow-Up Activities Forms, follow-up through 2016 was deemed to be the best balance between including the most current data and including the most registries. In terms of national coverage, *CiNA Prevalence* includes data from 9 of 13 Canadian provinces/territories and 47 of 51 U.S. jurisdictions (46 of 50 U.S. states and the District of Columbia). National population coverage by *CiNA Prevalence* is about 94% for the U. S. and 77% for Canada.

The NAACCR U.S. combined and NAACCR Canadian combined statistics may not be representative of total national populations. NAACCR North American prevalence statistics are a combination of U.S. and Canadian data. Data from 61 state, sub-state, and provincial or territorial registries are included in the registry-specific tables. To avoid double counting, data from sub-state registries in California, Michigan and Washington were not included in the NAACCR U.S. combined or NAACCR North American statistics. The sub-state registries in California, Michigan and Washington are included in the registry-specific statistics. Note: due to issues related to timeliness of reporting between the Seattle-Puget Sound SEER Registry and the Washington State Cancer Registry, two data sources are used for the Washington state data and in the U.S. Combined and NAACCR North American statistics to ensure the most accurate prevalence estimates. The Seattle-Puget Sound SEER Registry provides data for the 13 counties in the Seattle-Puget Sound SEER area, and the Washington State Cancer Registry provides the data for remaining 26 counties outside the Seattle SEER area.

Statistical Methods. We estimated two-, five-, and ten-year limited-duration prevalence on January 1, 2017 using 2007–2016 incident cases and survival from CiNA data based on the November 2019 NAACCR submission. We used the counting method to estimate prevalence from incidence and follow-up data. The counting method estimates prevalence by counting the number of persons who are known to be alive at a specific calendar date and adjusting for those lost to follow-up.¹ For registries meeting SEER follow-up standards (SEER-18 registries,³ Idaho, Montana, New York, and Wyoming), survival estimates were used to adjust for loss to follow-up. For other registries, it was assumed that all deaths were ascertained through the study cutoff date and remaining persons were presumed to be alive, which may slightly overestimate prevalence. For cases lost to follow-up in registries meeting SEER follow-up standards, prevalence was estimated using observed survival on the remaining cases, by year of diagnosis (2007–2011 and 2012–2016), registry, sex, age group (<60, 60–69, 70+), race/ethnicity (non-Hispanic white, non-Hispanic Black, non-Hispanic American Indian and Alaska Native, non-Hispanic Asian and Pacific Islander, Hispanic, and non-Hispanic unknown race), and grouped SEER Site Recode.⁶

For *CiNA Prevalence*, we included cases categorized as “Malignant,” “Only malignant in ICD-O-3,” and “Only malignant 2010” per SEER behavior recode for analysis⁷ and diagnosed during 2007–2016 with follow-up/death ascertainment through the study cutoff date of December 31, 2016. Cases reported solely via death certificates or autopsy were excluded. For registries meeting SEER follow-up standards, alive cases with no survival time were excluded from analysis. Using SEER 2007 Multiple Primary and Histology Coding Rules,⁸ we allowed for multiple primary cancers to be included for each patient, but only one record per patient was included in each prevalence estimate. For example, if a person was diagnosed with three primary tumors during 2007–2016, in

the order of breast → colon → breast, then the first breast cancer case was used for breast cancer prevalence, the colon case was used for colon cancer prevalence, and the first breast cancer case was used for “All Sites.” Thus, the “All Sites” totals are less than the sum of the individual cancer types because each person is counted only once for each statistic, and some persons have more than one cancer type.

SEER*Stat (version 8.3.6) was used to perform the prevalence calculations.⁹ Staff at Information Management Services, Inc. (Calverton, MD) prepared a SEER*Stat database for the purpose of calculating *CiNA Prevalence* statistics.¹⁰ Prevalence statistics are suppressed when prevalence estimate counts are less than 10. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age (19 age groups), sex (male, female), and race/ethnicity (non-Hispanic white, non-Hispanic Black, non-Hispanic American Indian/Alaska Native or non-Hispanic Asian or Pacific Islander, and unknown ethnicity/non-Hispanic white/non-Hispanic unknown race).

Incidence and prevalence statistics calculated using registry data do not include information on persons with a history of cancer who move to a new state (net-migration). For states with high population growth, the prevalence would be underestimated; for states with a high rate of population loss, the prevalence would be overestimated. For some cancers (e.g., hematopoietic, melanoma of the skin) there are known issues with reporting delay and potentially missed incident cases when the person is diagnosed and treated in a physician’s office, but not seen in a hospital, which may contribute to an underestimation of prevalence.

Variation in prevalence by registry catchment area can be due to several factors, including but not limited to: (1) differences in demographic characteristics related to race, ethnicity, and SES; (2) cancer screening rates; (3) access to and quality of care; and (4) cancer registration practices that impact case ascertainment, date of diagnosis and follow-up.

REFERENCES

1. Understanding cancer prevalence statistics <https://seer.cancer.gov/statistics/types/prevalence.html>.
2. Limited-duration prevalence <https://surveillance.cancer.gov/prevalence/limited.html>.
3. Registry Groupings in SEER Data and Statistics <https://seer.cancer.gov/registries/terms.html>.
4. For coding and other general technical information, Cancer in North America: 2013-2017, Volume One: Combined Cancer Incidence for the United States, Canada, and North America, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Vol1>
5. November 2019 SEER follow-up standards <https://seer.cancer.gov/tools/seer.nov19instructions.pdf>, page B-1.
6. Weir HK, Johnson CJ, Mariotto AB, Turner D, Wilson RJ, Nishri D, Ward KC. Evaluation of NAACCR Cancer in North America data for use in population-based cancer survival studies. J Natl Cancer Inst Monogr. 2014 Nov;2014(49):198-209. doi: 10.1093/jncimonographs/lgu018.
7. SEER Behavior Code for Analysis <http://seer.cancer.gov/behavrecode/>.
8. SEER 2007 Multiple Primary and Histology Coding Rules <http://seer.cancer.gov/tools/mphrules/>.
9. SEER*Stat version 8.3.6; produced by the Surveillance Research Program of the Division of Cancer Control and Population Sciences, National Cancer Institute, and Information Management Services, Inc., Calverton, MD.
10. SEER*Stat Database: NAACCR Incidence Data - CiNA Production File, 1995-2017, for U.S. and CDN Survival & Prevalence (which includes data from CDC’s National Program of Cancer Registries (NPCR), CCCR’s Provincial and Territorial Registries, and the NCI’s Surveillance, Epidemiology and End Results (SEER) Registries), certified by the North American Association of Central Cancer Registries (NAACCR) as meeting high-quality incidence data standards for the specified time periods, submitted December 2019. (SEER*Stat Database ID 41462).



Section II

Two-, Five- and Ten-Year Limited-Duration Prevalence for Cancers Diagnosed 2007-2016, by Race and Age for the United States, Canada and North America



**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, All Sites**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,567,557	0.790	0.789 - 0.791	1,259,088	0.787	0.786 - 0.789	1,308,284	0.793	0.792 - 0.795
	5-yr	5,349,179	1.647	1.645 - 1.648	2,581,162	1.614	1.612 - 1.616	2,767,669	1.678	1.676 - 1.680
	10-yr	8,851,034	2.724	2.723 - 2.726	4,312,657	2.697	2.695 - 2.700	4,537,610	2.751	2.748 - 2.753
Race										
Non-Hispanic White	2-yr	1,939,674	0.968	0.966 - 0.969	961,160	0.973	0.971 - 0.975	978,333	0.962	0.960 - 0.964
	5-yr	4,060,014	2.025	2.023 - 2.027	1,974,972	2.000	1.997 - 2.002	2,084,709	2.050	2.047 - 2.053
	10-yr	6,764,448	3.374	3.372 - 3.377	3,313,495	3.355	3.352 - 3.359	3,450,220	3.393	3.389 - 3.397
Non-Hispanic Black	2-yr	271,045	0.642	0.640 - 0.645	133,972	0.663	0.660 - 0.667	137,081	0.623	0.620 - 0.627
	5-yr	556,110	1.318	1.314 - 1.322	274,565	1.359	1.354 - 1.364	281,558	1.280	1.275 - 1.285
	10-yr	899,785	2.133	2.128 - 2.137	454,711	2.251	2.245 - 2.258	445,096	2.024	2.018 - 2.030
Hispanic	2-yr	214,001	0.370	0.368 - 0.371	95,720	0.328	0.326 - 0.330	118,284	0.413	0.411 - 0.415
	5-yr	441,407	0.763	0.761 - 0.765	195,467	0.669	0.666 - 0.672	245,945	0.859	0.855 - 0.862
	10-yr	712,895	1.232	1.229 - 1.235	320,390	1.097	1.093 - 1.101	392,514	1.371	1.366 - 1.375
Current Age										
< 50	2-yr	354,618	0.168	0.167 - 0.168	127,375	0.119	0.118 - 0.120	227,272	0.218	0.217 - 0.219
	5-yr	729,992	0.345	0.345 - 0.346	260,750	0.244	0.243 - 0.245	469,302	0.450	0.448 - 0.451
	10-yr	1,130,860	0.535	0.534 - 0.536	410,975	0.384	0.383 - 0.385	719,977	0.690	0.688 - 0.691
50-64	2-yr	843,162	1.331	1.328 - 1.334	408,265	1.328	1.324 - 1.332	434,915	1.334	1.330 - 1.338
	5-yr	1,721,341	2.717	2.713 - 2.721	804,230	2.615	2.610 - 2.621	917,152	2.813	2.807 - 2.819
	10-yr	2,716,778	4.288	4.283 - 4.293	1,226,296	3.987	3.980 - 3.995	1,490,557	4.571	4.564 - 4.579
65+	2-yr	1,369,777	2.735	2.730 - 2.740	723,448	3.260	3.253 - 3.268	646,098	2.316	2.310 - 2.322
	5-yr	2,897,846	5.786	5.779 - 5.793	1,516,182	6.834	6.823 - 6.845	1,381,214	4.951	4.942 - 4.959
	10-yr	5,003,396	9.989	9.980 - 9.998	2,675,386	12.060	12.045 - 12.075	2,327,076	8.339	8.328 - 8.350
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	307,473	0.831	0.828 - 0.834	152,256	0.828	0.824 - 0.833	155,089	0.834	0.829 - 0.838
	5-yr	639,551	1.728	1.723 - 1.733	311,811	1.696	1.689 - 1.703	327,457	1.760	1.753 - 1.767
	10-yr	1,045,849	2.825	2.819 - 2.832	512,394	2.787	2.778 - 2.796	532,928	2.863	2.854 - 2.872
Current Age										
< 50	2-yr	38,248	0.169	0.167 - 0.171	13,723	0.119	0.117 - 0.122	24,467	0.220	0.217 - 0.223
	5-yr	78,989	0.349	0.346 - 0.352	28,476	0.248	0.245 - 0.251	50,395	0.453	0.448 - 0.457
	10-yr	121,559	0.537	0.534 - 0.541	44,388	0.387	0.382 - 0.391	76,993	0.691	0.686 - 0.697
50-64	2-yr	95,154	1.228	1.219 - 1.237	44,891	1.167	1.154 - 1.179	50,255	1.289	1.276 - 1.302
	5-yr	195,378	2.522	2.509 - 2.535	88,655	2.304	2.287 - 2.322	106,686	2.736	2.717 - 2.754
	10-yr	306,091	3.951	3.935 - 3.967	133,581	3.471	3.450 - 3.493	172,420	4.421	4.397 - 4.445
65+	2-yr	174,072	2.887	2.871 - 2.903	93,642	3.401	3.376 - 3.427	80,367	2.454	2.434 - 2.474
	5-yr	365,184	6.056	6.034 - 6.079	194,680	7.071	7.035 - 7.108	170,376	5.202	5.174 - 5.231
	10-yr	618,200	10.253	10.224 - 10.283	334,425	12.151	12.103 - 12.199	283,515	8.656	8.619 - 8.693
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,875,030	0.794	0.793 - 0.795	1,411,344	0.791	0.789 - 0.792	1,463,373	0.797	0.795 - 0.798
	5-yr	5,988,730	1.654	1.652 - 1.655	2,892,973	1.621	1.619 - 1.623	3,095,125	1.685	1.683 - 1.687
	10-yr	9,896,883	2.733	2.731 - 2.735	4,825,051	2.705	2.702 - 2.707	5,070,539	2.760	2.758 - 2.763
Current Age										
< 50	2-yr	392,866	0.168	0.167 - 0.168	141,098	0.119	0.118 - 0.120	251,738	0.218	0.217 - 0.219
	5-yr	808,982	0.346	0.345 - 0.346	289,226	0.244	0.243 - 0.245	519,697	0.450	0.449 - 0.451
	10-yr	1,252,419	0.535	0.534 - 0.536	455,363	0.384	0.383 - 0.385	796,970	0.690	0.688 - 0.692
50-64	2-yr	938,316	1.322	1.319 - 1.325	453,156	1.313	1.309 - 1.317	485,170	1.330	1.326 - 1.334
	5-yr	1,916,718	2.700	2.696 - 2.704	892,885	2.587	2.582 - 2.593	1,023,838	2.806	2.801 - 2.812
	10-yr	3,022,868	4.258	4.253 - 4.263	1,359,877	3.940	3.933 - 3.947	1,662,978	4.558	4.551 - 4.565
65+	2-yr	1,543,849	2.748	2.744 - 2.753	817,090	3.273	3.266 - 3.281	726,465	2.328	2.322 - 2.334
	5-yr	3,263,030	5.809	5.803 - 5.816	1,710,862	6.855	6.845 - 6.866	1,551,590	4.972	4.964 - 4.980
	10-yr	5,621,596	10.012	10.004 - 10.021	3,009,812	12.068	12.054 - 12.082	2,610,591	8.366	8.356 - 8.377

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Oral Cavity and Pharynx**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	74,852	0.023	0.023 - 0.023	53,587	0.033	0.033 - 0.034	21,249	0.013	0.013 - 0.013
	5-yr	152,622	0.047	0.047 - 0.047	108,460	0.068	0.067 - 0.068	44,130	0.027	0.026 - 0.027
	10-yr	237,801	0.073	0.073 - 0.073	167,572	0.104	0.104 - 0.105	70,178	0.042	0.042 - 0.043
Race										
Non-Hispanic White	2-yr	60,803	0.030	0.030 - 0.031	44,185	0.045	0.044 - 0.045	16,599	0.016	0.016 - 0.017
	5-yr	124,753	0.062	0.062 - 0.063	90,086	0.091	0.091 - 0.092	34,632	0.034	0.034 - 0.034
	10-yr	194,819	0.097	0.097 - 0.098	139,729	0.141	0.141 - 0.142	55,034	0.054	0.054 - 0.055
Non-Hispanic Black	2-yr	5,606	0.013	0.013 - 0.014	3,790	0.019	0.018 - 0.019	1,817	0.008	0.008 - 0.009
	5-yr	10,881	0.026	0.025 - 0.026	7,224	0.036	0.035 - 0.037	3,660	0.017	0.016 - 0.017
	10-yr	16,559	0.039	0.039 - 0.040	10,706	0.053	0.052 - 0.054	5,857	0.027	0.026 - 0.027
Hispanic	2-yr	4,449	0.008	0.007 - 0.008	3,017	0.010	0.010 - 0.011	1,432	0.005	0.005 - 0.005
	5-yr	8,937	0.015	0.015 - 0.016	5,920	0.020	0.020 - 0.021	3,017	0.011	0.010 - 0.011
	10-yr	13,933	0.024	0.024 - 0.024	9,091	0.031	0.030 - 0.032	4,842	0.017	0.016 - 0.017
Current Age										
< 50	2-yr	8,568	0.004	0.004 - 0.004	5,593	0.005	0.005 - 0.005	2,974	0.003	0.003 - 0.003
	5-yr	16,615	0.008	0.008 - 0.008	10,547	0.010	0.010 - 0.010	6,066	0.006	0.006 - 0.006
	10-yr	24,649	0.012	0.012 - 0.012	15,129	0.014	0.014 - 0.014	9,518	0.009	0.009 - 0.009
50-64	2-yr	31,841	0.050	0.050 - 0.051	24,116	0.078	0.077 - 0.079	7,723	0.024	0.023 - 0.024
	5-yr	63,975	0.101	0.100 - 0.101	48,259	0.156	0.155 - 0.158	15,713	0.048	0.047 - 0.049
	10-yr	96,821	0.152	0.151 - 0.153	72,435	0.235	0.233 - 0.236	24,381	0.075	0.074 - 0.076
65+	2-yr	34,443	0.069	0.068 - 0.069	23,878	0.107	0.106 - 0.109	10,552	0.038	0.037 - 0.039
	5-yr	72,033	0.144	0.142 - 0.145	49,654	0.223	0.221 - 0.225	22,352	0.080	0.079 - 0.081
	10-yr	116,331	0.232	0.230 - 0.233	80,007	0.360	0.357 - 0.362	36,279	0.130	0.128 - 0.131
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	8,031	0.022	0.021 - 0.022	5,581	0.030	0.029 - 0.031	2,458	0.013	0.013 - 0.014
	5-yr	16,719	0.045	0.044 - 0.046	11,640	0.063	0.062 - 0.065	5,094	0.027	0.027 - 0.028
	10-yr	26,434	0.071	0.070 - 0.072	18,169	0.099	0.097 - 0.101	8,287	0.045	0.043 - 0.046
Current Age										
< 50	2-yr	908	0.004	0.004 - 0.004	582	0.005	0.005 - 0.006	328	0.003	0.003 - 0.003
	5-yr	1,840	0.008	0.008 - 0.009	1,145	0.010	0.009 - 0.011	698	0.006	0.006 - 0.007
	10-yr	2,722	0.012	0.012 - 0.013	1,646	0.014	0.014 - 0.015	1,079	0.010	0.009 - 0.010
50-64	2-yr	3,311	0.043	0.041 - 0.044	2,465	0.064	0.061 - 0.067	852	0.022	0.020 - 0.024
	5-yr	6,831	0.088	0.086 - 0.091	5,073	0.132	0.128 - 0.136	1,769	0.045	0.043 - 0.048
	10-yr	10,497	0.135	0.133 - 0.138	7,695	0.200	0.195 - 0.205	2,818	0.072	0.069 - 0.075
65+	2-yr	3,811	0.063	0.061 - 0.066	2,534	0.092	0.088 - 0.096	1,278	0.039	0.037 - 0.042
	5-yr	8,048	0.133	0.130 - 0.137	5,423	0.197	0.191 - 0.203	2,628	0.080	0.077 - 0.084
	10-yr	13,215	0.219	0.215 - 0.224	8,828	0.320	0.313 - 0.328	4,390	0.134	0.130 - 0.139
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	82,882	0.023	0.023 - 0.023	59,168	0.033	0.033 - 0.033	23,706	0.013	0.013 - 0.013
	5-yr	169,342	0.047	0.047 - 0.047	120,100	0.067	0.067 - 0.068	49,224	0.027	0.027 - 0.027
	10-yr	264,235	0.073	0.073 - 0.073	185,740	0.104	0.104 - 0.105	78,465	0.043	0.042 - 0.043
Current Age										
< 50	2-yr	9,476	0.004	0.004 - 0.004	6,175	0.005	0.005 - 0.005	3,302	0.003	0.003 - 0.003
	5-yr	18,455	0.008	0.008 - 0.008	11,692	0.010	0.010 - 0.010	6,764	0.006	0.006 - 0.006
	10-yr	27,371	0.012	0.012 - 0.012	16,775	0.014	0.014 - 0.014	10,597	0.009	0.009 - 0.009
50-64	2-yr	35,152	0.049	0.049 - 0.050	26,581	0.077	0.076 - 0.078	8,575	0.023	0.023 - 0.024
	5-yr	70,806	0.100	0.099 - 0.100	53,332	0.154	0.153 - 0.156	17,481	0.048	0.047 - 0.049
	10-yr	107,318	0.151	0.150 - 0.152	80,130	0.232	0.230 - 0.233	27,200	0.074	0.074 - 0.075
65+	2-yr	38,254	0.068	0.067 - 0.069	26,413	0.106	0.105 - 0.107	11,829	0.038	0.037 - 0.039
	5-yr	80,081	0.143	0.142 - 0.144	55,076	0.221	0.219 - 0.223	24,979	0.080	0.079 - 0.081
	10-yr	129,546	0.231	0.229 - 0.232	88,835	0.356	0.354 - 0.359	40,669	0.130	0.129 - 0.132

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Esophagus**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	18,605	0.006	0.006 - 0.006	14,732	0.009	0.009 - 0.009	3,866	0.002	0.002 - 0.002
	5-yr	29,520	0.009	0.009 - 0.009	23,131	0.014	0.014 - 0.015	6,377	0.004	0.004 - 0.004
	10-yr	39,653	0.012	0.012 - 0.012	31,105	0.019	0.019 - 0.020	8,531	0.005	0.005 - 0.005
Race										
Non-Hispanic White	2-yr	15,390	0.008	0.008 - 0.008	12,417	0.013	0.012 - 0.013	2,965	0.003	0.003 - 0.003
	5-yr	24,588	0.012	0.012 - 0.012	19,628	0.020	0.020 - 0.020	4,948	0.005	0.005 - 0.005
	10-yr	33,225	0.017	0.016 - 0.017	26,557	0.027	0.027 - 0.027	6,650	0.007	0.006 - 0.007
Non-Hispanic Black	2-yr	1,421	0.003	0.003 - 0.004	926	0.005	0.004 - 0.005	495	0.002	0.002 - 0.002
	5-yr	2,151	0.005	0.005 - 0.005	1,389	0.007	0.007 - 0.007	762	0.003	0.003 - 0.004
	10-yr	2,765	0.007	0.006 - 0.007	1,769	0.009	0.008 - 0.009	996	0.005	0.004 - 0.005
Hispanic	2-yr	1,085	0.002	0.002 - 0.002	841	0.003	0.003 - 0.003	244	0.001	0.001 - 0.001
	5-yr	1,675	0.003	0.003 - 0.003	1,298	0.004	0.004 - 0.005	377	0.001	0.001 - 0.001
	10-yr	2,192	0.004	0.004 - 0.004	1,700	0.006	0.006 - 0.006	491	0.002	0.002 - 0.002
Current Age										
< 50	2-yr	914	0.000	0.000 - 0.000	718	0.001	0.001 - 0.001	195	0.000	0.000 - 0.000
	5-yr	1,323	0.001	0.001 - 0.001	1,022	0.001	0.001 - 0.001	301	0.000	0.000 - 0.000
	10-yr	1,590	0.001	0.001 - 0.001	1,226	0.001	0.001 - 0.001	363	0.000	0.000 - 0.000
50-64	2-yr	6,401	0.010	0.010 - 0.010	5,183	0.017	0.016 - 0.017	1,217	0.004	0.004 - 0.004
	5-yr	9,704	0.015	0.015 - 0.016	7,747	0.025	0.025 - 0.026	1,957	0.006	0.006 - 0.006
	10-yr	12,248	0.019	0.019 - 0.020	9,764	0.032	0.031 - 0.032	2,483	0.008	0.007 - 0.008
65+	2-yr	11,291	0.023	0.022 - 0.023	8,831	0.040	0.039 - 0.041	2,453	0.009	0.008 - 0.009
	5-yr	18,492	0.037	0.036 - 0.037	14,362	0.065	0.064 - 0.066	4,119	0.015	0.014 - 0.015
	10-yr	25,816	0.051	0.051 - 0.052	20,115	0.090	0.089 - 0.092	5,685	0.020	0.020 - 0.021
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,102	0.006	0.005 - 0.006	1,627	0.009	0.008 - 0.009	476	0.003	0.002 - 0.003
	5-yr	3,234	0.009	0.008 - 0.009	2,493	0.014	0.013 - 0.014	743	0.004	0.004 - 0.004
	10-yr	4,223	0.011	0.011 - 0.012	3,225	0.018	0.017 - 0.018	1,001	0.005	0.005 - 0.006
Current Age										
< 50	2-yr	91	0.000	0.000 - 0.001	74	0.001	0.000 - 0.001	18	0.000	0.000 - 0.000
	5-yr	127	0.001	0.000 - 0.001	101	0.001	0.001 - 0.001	27	0.000	0.000 - 0.000
	10-yr	161	0.001	0.001 - 0.001	119	0.001	0.001 - 0.001	42	0.000	0.000 - 0.001
50-64	2-yr	694	0.009	0.008 - 0.010	560	0.015	0.013 - 0.016	135	0.003	0.003 - 0.004
	5-yr	1,086	0.014	0.013 - 0.015	870	0.023	0.021 - 0.024	218	0.006	0.005 - 0.007
	10-yr	1,353	0.017	0.016 - 0.019	1,084	0.028	0.026 - 0.030	272	0.007	0.006 - 0.008
65+	2-yr	1,316	0.022	0.020 - 0.023	993	0.036	0.034 - 0.039	323	0.010	0.009 - 0.011
	5-yr	2,020	0.033	0.032 - 0.035	1,522	0.055	0.052 - 0.059	498	0.015	0.014 - 0.017
	10-yr	2,709	0.045	0.043 - 0.047	2,022	0.073	0.070 - 0.077	686	0.021	0.019 - 0.023
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	20,707	0.006	0.006 - 0.006	16,360	0.009	0.009 - 0.009	4,342	0.002	0.002 - 0.002
	5-yr	32,753	0.009	0.009 - 0.009	25,624	0.014	0.014 - 0.015	7,120	0.004	0.004 - 0.004
	10-yr	43,876	0.012	0.012 - 0.012	34,330	0.019	0.019 - 0.019	9,532	0.005	0.005 - 0.005
Current Age										
< 50	2-yr	1,005	0.000	0.000 - 0.000	792	0.001	0.001 - 0.001	213	0.000	0.000 - 0.000
	5-yr	1,451	0.001	0.001 - 0.001	1,123	0.001	0.001 - 0.001	328	0.000	0.000 - 0.000
	10-yr	1,750	0.001	0.001 - 0.001	1,345	0.001	0.001 - 0.001	405	0.000	0.000 - 0.000
50-64	2-yr	7,095	0.010	0.010 - 0.010	5,744	0.017	0.016 - 0.017	1,353	0.004	0.004 - 0.004
	5-yr	10,791	0.015	0.015 - 0.015	8,617	0.025	0.024 - 0.025	2,175	0.006	0.006 - 0.006
	10-yr	13,601	0.019	0.019 - 0.019	10,847	0.031	0.031 - 0.032	2,756	0.008	0.007 - 0.008
65+	2-yr	12,607	0.022	0.022 - 0.023	9,824	0.039	0.039 - 0.040	2,776	0.009	0.009 - 0.009
	5-yr	20,512	0.037	0.036 - 0.037	15,884	0.064	0.063 - 0.065	4,617	0.015	0.014 - 0.015
	10-yr	28,525	0.051	0.050 - 0.052	22,137	0.089	0.088 - 0.090	6,371	0.020	0.020 - 0.021

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Stomach**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	28,972	0.009	0.009 - 0.009	17,425	0.011	0.011 - 0.011	11,542	0.007	0.007 - 0.007
	5-yr	52,342	0.016	0.016 - 0.016	30,671	0.019	0.019 - 0.020	21,662	0.013	0.013 - 0.013
	10-yr	75,610	0.023	0.023 - 0.024	43,627	0.027	0.027 - 0.028	31,970	0.020	0.019 - 0.020
Race										
Non-Hispanic White	2-yr	17,538	0.009	0.009 - 0.009	11,123	0.011	0.011 - 0.011	6,409	0.006	0.006 - 0.006
	5-yr	31,410	0.016	0.015 - 0.016	19,400	0.020	0.019 - 0.020	12,000	0.012	0.012 - 0.012
	10-yr	44,991	0.022	0.022 - 0.023	27,282	0.028	0.027 - 0.028	17,696	0.017	0.017 - 0.018
Non-Hispanic Black	2-yr	4,404	0.010	0.010 - 0.011	2,381	0.012	0.011 - 0.012	2,023	0.009	0.009 - 0.010
	5-yr	8,080	0.019	0.019 - 0.020	4,226	0.021	0.020 - 0.022	3,854	0.018	0.017 - 0.018
	10-yr	11,662	0.028	0.027 - 0.028	5,989	0.030	0.029 - 0.030	5,673	0.026	0.025 - 0.026
Hispanic	2-yr	4,222	0.007	0.007 - 0.008	2,314	0.008	0.008 - 0.008	1,908	0.007	0.006 - 0.007
	5-yr	7,537	0.013	0.013 - 0.013	4,013	0.014	0.013 - 0.014	3,523	0.012	0.012 - 0.013
	10-yr	11,022	0.019	0.019 - 0.019	5,856	0.020	0.020 - 0.021	5,167	0.018	0.018 - 0.019
Current Age										
< 50	2-yr	3,021	0.001	0.001 - 0.001	1,537	0.001	0.001 - 0.002	1,484	0.001	0.001 - 0.002
	5-yr	5,114	0.002	0.002 - 0.003	2,543	0.002	0.002 - 0.002	2,571	0.002	0.002 - 0.003
	10-yr	6,742	0.003	0.003 - 0.003	3,260	0.003	0.003 - 0.003	3,482	0.003	0.003 - 0.003
50-64	2-yr	9,147	0.015	0.014 - 0.015	5,595	0.018	0.018 - 0.019	3,552	0.011	0.011 - 0.011
	5-yr	15,888	0.025	0.025 - 0.026	9,438	0.031	0.030 - 0.032	6,450	0.020	0.019 - 0.020
	10-yr	21,918	0.035	0.034 - 0.035	12,825	0.042	0.041 - 0.043	9,093	0.028	0.028 - 0.029
65+	2-yr	16,804	0.034	0.033 - 0.034	10,293	0.047	0.046 - 0.048	6,506	0.024	0.023 - 0.024
	5-yr	31,340	0.063	0.062 - 0.064	18,690	0.085	0.083 - 0.086	12,642	0.046	0.045 - 0.047
	10-yr	46,950	0.094	0.093 - 0.095	27,542	0.125	0.123 - 0.126	19,395	0.070	0.069 - 0.071
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	4,041	0.011	0.011 - 0.011	2,637	0.014	0.014 - 0.015	1,404	0.008	0.007 - 0.008
	5-yr	7,011	0.019	0.018 - 0.019	4,505	0.024	0.024 - 0.025	2,505	0.013	0.013 - 0.014
	10-yr	10,071	0.027	0.027 - 0.028	6,381	0.035	0.034 - 0.036	3,688	0.020	0.019 - 0.020
Current Age										
< 50	2-yr	310	0.001	0.001 - 0.002	166	0.001	0.001 - 0.002	144	0.001	0.001 - 0.002
	5-yr	530	0.002	0.002 - 0.003	280	0.002	0.002 - 0.003	250	0.002	0.002 - 0.003
	10-yr	731	0.003	0.003 - 0.004	383	0.003	0.003 - 0.004	348	0.003	0.003 - 0.004
50-64	2-yr	1,197	0.015	0.014 - 0.016	804	0.021	0.019 - 0.023	394	0.010	0.009 - 0.011
	5-yr	1,935	0.025	0.024 - 0.026	1,287	0.033	0.031 - 0.036	651	0.017	0.015 - 0.018
	10-yr	2,639	0.034	0.033 - 0.036	1,696	0.044	0.042 - 0.047	946	0.024	0.023 - 0.026
65+	2-yr	2,535	0.042	0.040 - 0.044	1,668	0.061	0.057 - 0.064	866	0.026	0.024 - 0.029
	5-yr	4,545	0.075	0.073 - 0.078	2,938	0.107	0.102 - 0.111	1,604	0.049	0.046 - 0.052
	10-yr	6,701	0.111	0.108 - 0.114	4,302	0.156	0.151 - 0.162	2,394	0.073	0.070 - 0.077
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	33,013	0.009	0.009 - 0.009	20,063	0.011	0.011 - 0.011	12,946	0.007	0.007 - 0.007
	5-yr	59,352	0.016	0.016 - 0.017	35,176	0.020	0.020 - 0.020	24,168	0.013	0.013 - 0.013
	10-yr	85,681	0.024	0.024 - 0.024	50,008	0.028	0.028 - 0.028	35,658	0.020	0.019 - 0.020
Current Age										
< 50	2-yr	3,331	0.001	0.001 - 0.001	1,703	0.001	0.001 - 0.002	1,628	0.001	0.001 - 0.001
	5-yr	5,644	0.002	0.002 - 0.002	2,823	0.002	0.002 - 0.002	2,821	0.002	0.002 - 0.003
	10-yr	7,473	0.003	0.003 - 0.003	3,644	0.003	0.003 - 0.003	3,830	0.003	0.003 - 0.003
50-64	2-yr	10,344	0.015	0.014 - 0.015	6,399	0.019	0.018 - 0.019	3,946	0.011	0.011 - 0.011
	5-yr	17,823	0.025	0.025 - 0.026	10,725	0.031	0.031 - 0.032	7,100	0.020	0.019 - 0.020
	10-yr	24,557	0.035	0.034 - 0.035	14,521	0.042	0.041 - 0.043	10,040	0.028	0.027 - 0.028
65+	2-yr	19,339	0.034	0.034 - 0.035	11,960	0.048	0.047 - 0.049	7,372	0.024	0.023 - 0.024
	5-yr	35,885	0.064	0.063 - 0.065	21,628	0.087	0.085 - 0.088	14,246	0.046	0.045 - 0.047
	10-yr	53,650	0.096	0.095 - 0.097	31,844	0.128	0.126 - 0.129	21,789	0.070	0.069 - 0.071

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Colon and Rectum**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	224,429	0.069	0.069 - 0.069	117,929	0.074	0.073 - 0.074	106,487	0.065	0.064 - 0.065
	5-yr	468,261	0.144	0.144 - 0.145	244,306	0.153	0.152 - 0.154	223,926	0.136	0.135 - 0.137
	10-yr	773,871	0.238	0.238 - 0.239	398,675	0.250	0.249 - 0.250	375,142	0.228	0.227 - 0.228
Race										
Non-Hispanic White	2-yr	162,953	0.081	0.081 - 0.082	86,055	0.087	0.086 - 0.088	76,883	0.076	0.075 - 0.076
	5-yr	343,160	0.171	0.171 - 0.172	180,102	0.182	0.181 - 0.183	163,025	0.160	0.160 - 0.161
	10-yr	572,729	0.286	0.285 - 0.286	296,923	0.301	0.300 - 0.302	275,747	0.271	0.270 - 0.272
Non-Hispanic Black	2-yr	26,739	0.063	0.063 - 0.064	13,295	0.066	0.065 - 0.067	13,446	0.061	0.060 - 0.062
	5-yr	54,924	0.130	0.129 - 0.131	26,847	0.133	0.131 - 0.135	28,079	0.128	0.126 - 0.129
	10-yr	89,366	0.212	0.210 - 0.213	42,742	0.212	0.210 - 0.214	46,627	0.212	0.210 - 0.214
Hispanic	2-yr	21,222	0.037	0.036 - 0.037	11,336	0.039	0.038 - 0.040	9,886	0.035	0.034 - 0.035
	5-yr	42,601	0.074	0.073 - 0.074	22,723	0.078	0.077 - 0.079	19,879	0.069	0.069 - 0.070
	10-yr	66,946	0.116	0.115 - 0.117	35,485	0.122	0.120 - 0.123	31,462	0.110	0.109 - 0.111
Current Age										
< 50	2-yr	26,624	0.013	0.012 - 0.013	13,512	0.013	0.012 - 0.013	13,112	0.013	0.012 - 0.013
	5-yr	47,658	0.023	0.022 - 0.023	24,035	0.022	0.022 - 0.023	23,623	0.023	0.022 - 0.023
	10-yr	64,263	0.030	0.030 - 0.031	32,264	0.030	0.030 - 0.031	31,999	0.031	0.030 - 0.031
50-64	2-yr	76,585	0.121	0.120 - 0.122	43,120	0.140	0.139 - 0.142	33,465	0.103	0.102 - 0.104
	5-yr	155,390	0.246	0.245 - 0.247	86,398	0.281	0.279 - 0.283	68,991	0.212	0.211 - 0.214
	10-yr	239,887	0.379	0.378 - 0.381	130,922	0.426	0.424 - 0.429	108,965	0.335	0.333 - 0.337
65+	2-yr	121,220	0.242	0.241 - 0.244	61,297	0.277	0.274 - 0.279	59,911	0.215	0.213 - 0.217
	5-yr	265,213	0.530	0.528 - 0.532	133,873	0.604	0.601 - 0.607	131,312	0.471	0.468 - 0.474
	10-yr	469,720	0.939	0.936 - 0.941	235,490	1.063	1.058 - 1.067	234,179	0.840	0.836 - 0.843
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	36,884	0.100	0.098 - 0.101	20,676	0.112	0.111 - 0.114	16,213	0.087	0.085 - 0.088
	5-yr	78,633	0.212	0.210 - 0.214	43,600	0.237	0.235 - 0.240	35,038	0.187	0.185 - 0.190
	10-yr	128,254	0.346	0.343 - 0.348	70,470	0.383	0.380 - 0.386	57,780	0.309	0.306 - 0.312
Current Age										
< 50	2-yr	2,872	0.013	0.012 - 0.013	1,432	0.012	0.012 - 0.013	1,440	0.013	0.012 - 0.014
	5-yr	5,462	0.024	0.023 - 0.025	2,717	0.024	0.023 - 0.025	2,746	0.025	0.024 - 0.026
	10-yr	7,268	0.032	0.031 - 0.033	3,632	0.032	0.030 - 0.033	3,637	0.033	0.031 - 0.034
50-64	2-yr	10,567	0.136	0.133 - 0.139	6,239	0.162	0.158 - 0.167	4,334	0.111	0.107 - 0.115
	5-yr	21,245	0.274	0.270 - 0.278	12,271	0.319	0.313 - 0.326	8,987	0.230	0.225 - 0.236
	10-yr	31,662	0.409	0.403 - 0.414	17,908	0.465	0.458 - 0.473	13,770	0.353	0.346 - 0.360
65+	2-yr	23,445	0.389	0.383 - 0.395	13,004	0.473	0.463 - 0.482	10,439	0.319	0.312 - 0.326
	5-yr	51,926	0.862	0.853 - 0.870	28,612	1.040	1.026 - 1.054	23,306	0.711	0.701 - 0.722
	10-yr	89,324	1.482	1.471 - 1.494	48,929	1.780	1.762 - 1.798	40,374	1.232	1.218 - 1.246
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	261,312	0.072	0.071 - 0.072	138,604	0.077	0.077 - 0.078	122,700	0.066	0.066 - 0.067
	5-yr	546,894	0.150	0.150 - 0.150	287,906	0.160	0.159 - 0.161	258,964	0.140	0.140 - 0.141
	10-yr	902,125	0.247	0.247 - 0.248	469,145	0.261	0.260 - 0.262	432,922	0.234	0.234 - 0.235
Current Age										
< 50	2-yr	29,496	0.013	0.012 - 0.013	14,944	0.013	0.012 - 0.013	14,551	0.013	0.012 - 0.013
	5-yr	53,121	0.023	0.022 - 0.023	26,751	0.023	0.022 - 0.023	26,369	0.023	0.023 - 0.023
	10-yr	71,531	0.031	0.030 - 0.031	35,896	0.030	0.030 - 0.031	35,636	0.031	0.031 - 0.031
50-64	2-yr	87,152	0.123	0.122 - 0.123	49,359	0.142	0.141 - 0.144	37,799	0.104	0.103 - 0.105
	5-yr	176,635	0.248	0.247 - 0.250	98,669	0.285	0.283 - 0.287	77,978	0.214	0.212 - 0.215
	10-yr	271,549	0.382	0.380 - 0.383	148,830	0.430	0.428 - 0.432	122,734	0.337	0.335 - 0.339
65+	2-yr	144,665	0.255	0.254 - 0.256	74,301	0.294	0.292 - 0.296	70,350	0.224	0.222 - 0.225
	5-yr	317,139	0.559	0.557 - 0.561	162,486	0.643	0.640 - 0.646	154,617	0.491	0.489 - 0.494
	10-yr	559,044	0.986	0.983 - 0.989	284,419	1.127	1.123 - 1.131	274,552	0.873	0.870 - 0.877

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Liver and Intrahepatic Bile Duct

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	34,047	0.011	0.010 - 0.011	24,233	0.015	0.015 - 0.015	9,810	0.006	0.006 - 0.006
	5-yr	53,875	0.017	0.017 - 0.017	38,111	0.024	0.024 - 0.024	15,760	0.010	0.009 - 0.010
	10-yr	68,151	0.021	0.021 - 0.021	47,964	0.030	0.030 - 0.030	20,181	0.012	0.012 - 0.013
Race										
Non-Hispanic White	2-yr	20,542	0.010	0.010 - 0.010	14,737	0.015	0.015 - 0.015	5,799	0.006	0.006 - 0.006
	5-yr	32,141	0.016	0.016 - 0.016	22,919	0.023	0.023 - 0.024	9,214	0.009	0.009 - 0.009
	10-yr	40,295	0.020	0.020 - 0.020	28,600	0.029	0.029 - 0.029	11,685	0.011	0.011 - 0.012
Non-Hispanic Black	2-yr	4,761	0.011	0.011 - 0.012	3,408	0.017	0.016 - 0.017	1,354	0.006	0.006 - 0.007
	5-yr	7,495	0.018	0.017 - 0.018	5,319	0.026	0.026 - 0.027	2,179	0.010	0.009 - 0.010
	10-yr	9,158	0.022	0.021 - 0.022	6,424	0.032	0.031 - 0.033	2,736	0.012	0.012 - 0.013
Hispanic	2-yr	5,466	0.009	0.009 - 0.010	3,818	0.013	0.013 - 0.013	1,648	0.006	0.005 - 0.006
	5-yr	8,611	0.015	0.015 - 0.015	5,970	0.020	0.020 - 0.021	2,642	0.009	0.009 - 0.010
	10-yr	10,926	0.019	0.019 - 0.019	7,541	0.026	0.025 - 0.026	3,386	0.012	0.011 - 0.012
Current Age										
< 50	2-yr	2,128	0.001	0.001 - 0.001	1,273	0.001	0.001 - 0.001	855	0.001	0.001 - 0.001
	5-yr	3,561	0.002	0.002 - 0.002	2,106	0.002	0.002 - 0.002	1,456	0.001	0.001 - 0.001
	10-yr	4,991	0.002	0.002 - 0.002	2,944	0.003	0.003 - 0.003	2,048	0.002	0.002 - 0.002
50-64	2-yr	14,511	0.023	0.023 - 0.023	11,110	0.036	0.036 - 0.037	3,401	0.011	0.010 - 0.011
	5-yr	22,887	0.036	0.036 - 0.037	17,379	0.057	0.056 - 0.058	5,509	0.017	0.017 - 0.017
	10-yr	28,212	0.045	0.044 - 0.045	21,337	0.070	0.069 - 0.071	6,876	0.021	0.021 - 0.022
65+	2-yr	17,408	0.035	0.034 - 0.036	11,850	0.054	0.053 - 0.055	5,554	0.020	0.020 - 0.021
	5-yr	27,427	0.055	0.054 - 0.056	18,626	0.084	0.083 - 0.086	8,795	0.032	0.031 - 0.032
	10-yr	34,948	0.070	0.070 - 0.071	23,684	0.107	0.106 - 0.109	11,257	0.041	0.040 - 0.041
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	3,242	0.009	0.008 - 0.009	2,345	0.013	0.012 - 0.013	900	0.005	0.004 - 0.005
	5-yr	5,206	0.014	0.014 - 0.014	3,712	0.020	0.019 - 0.021	1,499	0.008	0.008 - 0.009
	10-yr	6,651	0.018	0.017 - 0.018	4,759	0.026	0.025 - 0.027	1,897	0.010	0.010 - 0.011
Current Age										
< 50	2-yr	209	0.001	0.001 - 0.001	121	0.001	0.001 - 0.001	89	0.001	0.001 - 0.001
	5-yr	359	0.002	0.001 - 0.002	213	0.002	0.002 - 0.002	146	0.001	0.001 - 0.002
	10-yr	485	0.002	0.002 - 0.002	294	0.003	0.002 - 0.003	191	0.002	0.001 - 0.002
50-64	2-yr	1,214	0.016	0.015 - 0.017	922	0.024	0.022 - 0.026	293	0.008	0.007 - 0.009
	5-yr	1,917	0.025	0.023 - 0.026	1,448	0.038	0.035 - 0.040	472	0.012	0.011 - 0.013
	10-yr	2,404	0.031	0.030 - 0.032	1,821	0.047	0.045 - 0.050	588	0.015	0.014 - 0.017
65+	2-yr	1,820	0.030	0.029 - 0.032	1,302	0.047	0.044 - 0.050	518	0.016	0.014 - 0.017
	5-yr	2,931	0.049	0.047 - 0.051	2,051	0.074	0.071 - 0.078	880	0.027	0.025 - 0.029
	10-yr	3,762	0.062	0.060 - 0.065	2,645	0.096	0.092 - 0.100	1,118	0.034	0.032 - 0.037
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	37,289	0.010	0.010 - 0.011	26,578	0.015	0.015 - 0.015	10,711	0.006	0.006 - 0.006
	5-yr	59,081	0.016	0.016 - 0.017	41,823	0.024	0.023 - 0.024	17,259	0.009	0.009 - 0.010
	10-yr	74,802	0.021	0.021 - 0.021	52,723	0.030	0.030 - 0.030	22,079	0.012	0.012 - 0.012
Current Age										
< 50	2-yr	2,337	0.001	0.001 - 0.001	1,394	0.001	0.001 - 0.001	944	0.001	0.001 - 0.001
	5-yr	3,920	0.002	0.002 - 0.002	2,318	0.002	0.002 - 0.002	1,602	0.001	0.001 - 0.001
	10-yr	5,476	0.002	0.002 - 0.002	3,237	0.003	0.003 - 0.003	2,239	0.002	0.002 - 0.002
50-64	2-yr	15,724	0.022	0.022 - 0.023	12,032	0.035	0.035 - 0.036	3,695	0.010	0.010 - 0.011
	5-yr	24,804	0.035	0.035 - 0.036	18,827	0.055	0.054 - 0.056	5,982	0.017	0.016 - 0.017
	10-yr	30,616	0.044	0.043 - 0.044	23,158	0.068	0.067 - 0.069	7,464	0.021	0.020 - 0.021
65+	2-yr	19,227	0.035	0.034 - 0.035	13,152	0.053	0.052 - 0.054	6,072	0.020	0.019 - 0.020
	5-yr	30,357	0.055	0.054 - 0.055	20,677	0.084	0.082 - 0.085	9,675	0.031	0.031 - 0.032
	10-yr	38,710	0.070	0.069 - 0.070	26,328	0.106	0.105 - 0.108	12,375	0.040	0.039 - 0.041

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Pancreas**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	39,817	0.012	0.012 - 0.012	20,575	0.013	0.013 - 0.013	19,239	0.012	0.012 - 0.012
	5-yr	56,941	0.018	0.017 - 0.018	29,349	0.018	0.018 - 0.019	27,588	0.017	0.017 - 0.017
	10-yr	68,596	0.021	0.021 - 0.021	35,127	0.022	0.022 - 0.022	33,463	0.020	0.020 - 0.021
Race										
Non-Hispanic White	2-yr	29,837	0.015	0.015 - 0.015	15,907	0.016	0.016 - 0.016	13,927	0.014	0.013 - 0.014
	5-yr	42,494	0.021	0.021 - 0.021	22,644	0.023	0.023 - 0.023	19,845	0.020	0.019 - 0.020
	10-yr	50,834	0.025	0.025 - 0.026	26,991	0.027	0.027 - 0.028	23,838	0.023	0.023 - 0.024
Non-Hispanic Black	2-yr	4,622	0.011	0.011 - 0.011	2,099	0.010	0.010 - 0.011	2,523	0.011	0.011 - 0.012
	5-yr	6,652	0.016	0.015 - 0.016	2,958	0.015	0.014 - 0.015	3,694	0.017	0.016 - 0.017
	10-yr	8,039	0.019	0.019 - 0.019	3,518	0.017	0.017 - 0.018	4,521	0.021	0.020 - 0.021
Hispanic	2-yr	3,459	0.006	0.006 - 0.006	1,633	0.006	0.005 - 0.006	1,826	0.006	0.006 - 0.007
	5-yr	5,024	0.009	0.008 - 0.009	2,369	0.008	0.008 - 0.008	2,655	0.009	0.009 - 0.010
	10-yr	6,291	0.011	0.011 - 0.011	2,926	0.010	0.010 - 0.010	3,366	0.012	0.011 - 0.012
Current Age										
< 50	2-yr	3,063	0.001	0.001 - 0.002	1,490	0.001	0.001 - 0.001	1,573	0.002	0.001 - 0.002
	5-yr	4,826	0.002	0.002 - 0.002	2,250	0.002	0.002 - 0.002	2,575	0.002	0.002 - 0.003
	10-yr	6,086	0.003	0.003 - 0.003	2,767	0.003	0.002 - 0.003	3,318	0.003	0.003 - 0.003
50-64	2-yr	12,750	0.020	0.020 - 0.021	6,840	0.022	0.022 - 0.023	5,910	0.018	0.018 - 0.019
	5-yr	18,340	0.029	0.029 - 0.029	9,780	0.032	0.031 - 0.032	8,561	0.026	0.026 - 0.027
	10-yr	21,723	0.034	0.034 - 0.035	11,476	0.037	0.037 - 0.038	10,248	0.031	0.031 - 0.032
65+	2-yr	24,004	0.048	0.047 - 0.049	12,245	0.055	0.054 - 0.056	11,755	0.042	0.041 - 0.043
	5-yr	33,775	0.068	0.067 - 0.068	17,319	0.078	0.077 - 0.079	16,452	0.059	0.058 - 0.060
	10-yr	40,787	0.082	0.081 - 0.082	20,884	0.094	0.093 - 0.095	19,897	0.071	0.070 - 0.073
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	3,623	0.010	0.009 - 0.010	1,968	0.011	0.010 - 0.011	1,655	0.009	0.008 - 0.009
	5-yr	5,237	0.014	0.014 - 0.015	2,792	0.015	0.015 - 0.016	2,446	0.013	0.013 - 0.014
	10-yr	6,439	0.017	0.017 - 0.018	3,369	0.018	0.018 - 0.019	3,071	0.016	0.016 - 0.017
Current Age										
< 50	2-yr	257	0.001	0.001 - 0.001	135	0.001	0.001 - 0.001	122	0.001	0.001 - 0.001
	5-yr	432	0.002	0.002 - 0.002	210	0.002	0.002 - 0.002	222	0.002	0.002 - 0.002
	10-yr	553	0.002	0.002 - 0.003	259	0.002	0.002 - 0.003	294	0.003	0.002 - 0.003
50-64	2-yr	1,181	0.015	0.014 - 0.016	665	0.017	0.016 - 0.019	517	0.013	0.012 - 0.015
	5-yr	1,727	0.022	0.021 - 0.024	946	0.025	0.023 - 0.026	781	0.020	0.018 - 0.022
	10-yr	2,057	0.027	0.025 - 0.028	1,109	0.029	0.027 - 0.031	948	0.024	0.023 - 0.026
65+	2-yr	2,186	0.036	0.035 - 0.038	1,169	0.042	0.040 - 0.045	1,017	0.031	0.029 - 0.033
	5-yr	3,078	0.051	0.049 - 0.053	1,635	0.059	0.056 - 0.063	1,442	0.044	0.041 - 0.047
	10-yr	3,829	0.063	0.061 - 0.066	2,000	0.073	0.069 - 0.076	1,829	0.056	0.053 - 0.059
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	43,440	0.012	0.012 - 0.012	22,543	0.013	0.013 - 0.013	20,895	0.011	0.011 - 0.012
	5-yr	62,178	0.017	0.017 - 0.017	32,140	0.018	0.018 - 0.018	30,034	0.016	0.016 - 0.017
	10-yr	75,036	0.021	0.021 - 0.021	38,496	0.022	0.021 - 0.022	36,534	0.020	0.020 - 0.020
Current Age										
< 50	2-yr	3,320	0.001	0.001 - 0.001	1,624	0.001	0.001 - 0.001	1,695	0.001	0.001 - 0.002
	5-yr	5,258	0.002	0.002 - 0.002	2,460	0.002	0.002 - 0.002	2,797	0.002	0.002 - 0.003
	10-yr	6,639	0.003	0.003 - 0.003	3,027	0.003	0.002 - 0.003	3,612	0.003	0.003 - 0.003
50-64	2-yr	13,931	0.020	0.019 - 0.020	7,504	0.022	0.021 - 0.022	6,427	0.018	0.017 - 0.018
	5-yr	20,067	0.028	0.028 - 0.029	10,726	0.031	0.031 - 0.032	9,342	0.026	0.025 - 0.026
	10-yr	23,780	0.034	0.033 - 0.034	12,585	0.037	0.036 - 0.037	11,196	0.031	0.030 - 0.031
65+	2-yr	26,189	0.047	0.046 - 0.048	13,414	0.054	0.053 - 0.055	12,772	0.041	0.041 - 0.042
	5-yr	36,853	0.066	0.065 - 0.067	18,954	0.076	0.075 - 0.078	17,894	0.058	0.057 - 0.059
	10-yr	44,616	0.080	0.079 - 0.081	22,884	0.092	0.091 - 0.093	21,725	0.070	0.069 - 0.071

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Larynx**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	20,290	0.006	0.006 - 0.006	16,145	0.010	0.010 - 0.010	4,138	0.003	0.002 - 0.003
	5-yr	42,313	0.013	0.013 - 0.013	33,583	0.021	0.021 - 0.021	8,714	0.005	0.005 - 0.005
	10-yr	67,913	0.021	0.021 - 0.021	53,948	0.034	0.033 - 0.034	13,937	0.008	0.008 - 0.009
Race										
Non-Hispanic White	2-yr	15,636	0.008	0.008 - 0.008	12,369	0.013	0.012 - 0.013	3,259	0.003	0.003 - 0.003
	5-yr	32,920	0.016	0.016 - 0.017	25,941	0.026	0.026 - 0.027	6,961	0.007	0.007 - 0.007
	10-yr	53,051	0.026	0.026 - 0.027	41,900	0.042	0.042 - 0.043	11,120	0.011	0.011 - 0.011
Non-Hispanic Black	2-yr	2,769	0.007	0.006 - 0.007	2,203	0.011	0.010 - 0.011	567	0.003	0.002 - 0.003
	5-yr	5,487	0.013	0.013 - 0.013	4,347	0.022	0.021 - 0.022	1,142	0.005	0.005 - 0.006
	10-yr	8,527	0.020	0.020 - 0.021	6,713	0.033	0.032 - 0.034	1,817	0.008	0.008 - 0.009
Hispanic	2-yr	1,303	0.002	0.002 - 0.002	1,092	0.004	0.004 - 0.004	211	0.001	0.001 - 0.001
	5-yr	2,736	0.005	0.005 - 0.005	2,311	0.008	0.008 - 0.008	425	0.001	0.001 - 0.002
	10-yr	4,480	0.008	0.008 - 0.008	3,787	0.013	0.013 - 0.013	693	0.002	0.002 - 0.003
Current Age										
< 50	2-yr	1,111	0.001	0.000 - 0.001	789	0.001	0.001 - 0.001	323	0.000	0.000 - 0.000
	5-yr	2,023	0.001	0.001 - 0.001	1,425	0.001	0.001 - 0.001	598	0.001	0.001 - 0.001
	10-yr	2,791	0.001	0.001 - 0.001	1,912	0.002	0.002 - 0.002	879	0.001	0.001 - 0.001
50-64	2-yr	8,381	0.013	0.013 - 0.014	6,490	0.021	0.021 - 0.022	1,891	0.006	0.006 - 0.006
	5-yr	16,578	0.026	0.026 - 0.027	12,787	0.042	0.041 - 0.042	3,791	0.012	0.011 - 0.012
	10-yr	24,509	0.039	0.038 - 0.039	18,890	0.061	0.060 - 0.062	5,619	0.017	0.017 - 0.018
65+	2-yr	10,798	0.022	0.021 - 0.022	8,867	0.040	0.039 - 0.041	1,924	0.007	0.007 - 0.007
	5-yr	23,712	0.047	0.047 - 0.048	19,372	0.087	0.086 - 0.089	4,325	0.016	0.015 - 0.016
	10-yr	40,613	0.081	0.080 - 0.082	33,147	0.150	0.148 - 0.151	7,438	0.027	0.026 - 0.027
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	1,650	0.004	0.004 - 0.005	1,415	0.008	0.007 - 0.008	236	0.001	0.001 - 0.001
	5-yr	3,526	0.009	0.009 - 0.010	3,028	0.016	0.016 - 0.017	500	0.003	0.002 - 0.003
	10-yr	5,843	0.016	0.015 - 0.016	4,953	0.027	0.026 - 0.028	891	0.005	0.004 - 0.005
Current Age										
< 50	2-yr	48	0.000	0.000 - 0.000	37	0.000	0.000 - 0.000	10	0.000	0.000 - 0.000
	5-yr	102	0.000	0.000 - 0.001	71	0.001	0.000 - 0.001	31	0.000	0.000 - 0.000
	10-yr	147	0.001	0.001 - 0.001	97	0.001	0.001 - 0.001	50	0.000	0.000 - 0.001
50-64	2-yr	593	0.008	0.007 - 0.008	508	0.013	0.012 - 0.015	87	0.002	0.002 - 0.003
	5-yr	1,148	0.015	0.014 - 0.016	987	0.026	0.024 - 0.028	163	0.004	0.003 - 0.005
	10-yr	1,784	0.023	0.022 - 0.024	1,516	0.039	0.037 - 0.042	272	0.007	0.006 - 0.008
65+	2-yr	1,010	0.017	0.016 - 0.018	870	0.032	0.029 - 0.034	139	0.004	0.003 - 0.005
	5-yr	2,277	0.038	0.036 - 0.040	1,969	0.072	0.068 - 0.075	306	0.009	0.008 - 0.011
	10-yr	3,912	0.065	0.063 - 0.067	3,340	0.121	0.117 - 0.126	569	0.017	0.016 - 0.019
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	21,940	0.006	0.006 - 0.006	17,561	0.010	0.010 - 0.010	4,374	0.002	0.002 - 0.002
	5-yr	45,839	0.013	0.013 - 0.013	36,611	0.021	0.020 - 0.021	9,214	0.005	0.005 - 0.005
	10-yr	73,756	0.020	0.020 - 0.021	58,901	0.033	0.033 - 0.033	14,828	0.008	0.008 - 0.008
Current Age										
< 50	2-yr	1,159	0.000	0.000 - 0.001	826	0.001	0.001 - 0.001	333	0.000	0.000 - 0.000
	5-yr	2,125	0.001	0.001 - 0.001	1,496	0.001	0.001 - 0.001	629	0.001	0.001 - 0.001
	10-yr	2,938	0.001	0.001 - 0.001	2,009	0.002	0.002 - 0.002	929	0.001	0.001 - 0.001
50-64	2-yr	8,974	0.013	0.012 - 0.013	6,997	0.020	0.020 - 0.021	1,978	0.005	0.005 - 0.006
	5-yr	17,726	0.025	0.025 - 0.026	13,774	0.040	0.039 - 0.041	3,954	0.011	0.011 - 0.011
	10-yr	26,293	0.037	0.037 - 0.038	20,406	0.059	0.059 - 0.060	5,891	0.016	0.016 - 0.017
65+	2-yr	11,808	0.021	0.021 - 0.022	9,737	0.039	0.038 - 0.040	2,063	0.007	0.006 - 0.007
	5-yr	25,989	0.047	0.046 - 0.047	21,341	0.086	0.085 - 0.087	4,631	0.015	0.015 - 0.015
	10-yr	44,525	0.080	0.079 - 0.080	36,486	0.147	0.145 - 0.149	8,007	0.026	0.025 - 0.026

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Lung and Bronchus**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	230,682	0.071	0.071 - 0.071	111,632	0.070	0.069 - 0.070	119,036	0.072	0.072 - 0.073
	5-yr	378,172	0.116	0.116 - 0.117	176,881	0.111	0.110 - 0.111	201,276	0.122	0.121 - 0.122
	10-yr	497,371	0.153	0.153 - 0.153	227,664	0.142	0.142 - 0.143	269,692	0.163	0.163 - 0.164
Race										
Non-Hispanic White	2-yr	186,663	0.093	0.093 - 0.094	89,608	0.091	0.090 - 0.091	97,039	0.096	0.095 - 0.096
	5-yr	306,801	0.153	0.153 - 0.154	142,486	0.144	0.144 - 0.145	164,297	0.162	0.161 - 0.163
	10-yr	404,563	0.202	0.201 - 0.203	183,712	0.186	0.185 - 0.187	220,834	0.217	0.216 - 0.218
Non-Hispanic Black	2-yr	23,940	0.057	0.056 - 0.058	12,085	0.060	0.059 - 0.061	11,857	0.054	0.053 - 0.055
	5-yr	38,266	0.091	0.090 - 0.092	18,622	0.092	0.091 - 0.094	19,646	0.089	0.088 - 0.091
	10-yr	49,188	0.117	0.116 - 0.118	23,505	0.116	0.115 - 0.118	25,684	0.117	0.115 - 0.118
Hispanic	2-yr	10,556	0.018	0.018 - 0.019	5,186	0.018	0.017 - 0.018	5,370	0.019	0.018 - 0.019
	5-yr	17,273	0.030	0.029 - 0.030	8,141	0.028	0.027 - 0.029	9,132	0.032	0.031 - 0.033
	10-yr	23,051	0.040	0.039 - 0.040	10,654	0.037	0.036 - 0.037	12,397	0.043	0.043 - 0.044
Current Age										
< 50	2-yr	6,945	0.003	0.003 - 0.003	3,036	0.003	0.003 - 0.003	3,909	0.004	0.004 - 0.004
	5-yr	11,064	0.005	0.005 - 0.005	4,697	0.004	0.004 - 0.005	6,368	0.006	0.006 - 0.006
	10-yr	14,280	0.007	0.007 - 0.007	6,048	0.006	0.006 - 0.006	8,233	0.008	0.008 - 0.008
50-64	2-yr	64,882	0.102	0.101 - 0.103	30,789	0.100	0.099 - 0.101	34,094	0.104	0.103 - 0.106
	5-yr	101,012	0.159	0.158 - 0.160	46,229	0.150	0.149 - 0.152	54,785	0.168	0.166 - 0.169
	10-yr	126,393	0.199	0.198 - 0.200	56,648	0.184	0.183 - 0.186	69,748	0.214	0.212 - 0.215
65+	2-yr	158,855	0.317	0.315 - 0.319	77,807	0.351	0.348 - 0.353	81,033	0.290	0.288 - 0.292
	5-yr	266,096	0.531	0.529 - 0.533	125,955	0.568	0.564 - 0.571	140,122	0.502	0.499 - 0.505
	10-yr	356,698	0.712	0.709 - 0.714	164,968	0.743	0.740 - 0.747	191,711	0.686	0.683 - 0.690
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	26,017	0.070	0.069 - 0.071	12,086	0.066	0.064 - 0.067	13,919	0.074	0.073 - 0.076
	5-yr	42,551	0.114	0.113 - 0.116	19,067	0.103	0.102 - 0.105	23,464	0.125	0.123 - 0.127
	10-yr	55,478	0.149	0.148 - 0.151	24,519	0.133	0.131 - 0.135	30,932	0.165	0.163 - 0.167
Current Age										
< 50	2-yr	634	0.003	0.003 - 0.003	268	0.002	0.002 - 0.003	365	0.003	0.003 - 0.004
	5-yr	994	0.004	0.004 - 0.005	427	0.004	0.003 - 0.004	567	0.005	0.005 - 0.006
	10-yr	1,292	0.006	0.005 - 0.006	567	0.005	0.004 - 0.005	725	0.007	0.006 - 0.007
50-64	2-yr	6,619	0.085	0.083 - 0.088	2,895	0.075	0.072 - 0.078	3,722	0.095	0.092 - 0.099
	5-yr	10,374	0.134	0.131 - 0.137	4,382	0.114	0.110 - 0.118	5,988	0.153	0.149 - 0.158
	10-yr	12,842	0.165	0.162 - 0.169	5,294	0.137	0.133 - 0.142	7,542	0.193	0.188 - 0.198
65+	2-yr	18,764	0.311	0.306 - 0.316	8,923	0.324	0.316 - 0.332	9,831	0.300	0.293 - 0.307
	5-yr	31,182	0.517	0.510 - 0.524	14,258	0.518	0.508 - 0.528	16,910	0.516	0.507 - 0.525
	10-yr	41,344	0.685	0.678 - 0.693	18,659	0.678	0.667 - 0.689	22,666	0.692	0.681 - 0.702
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	256,699	0.071	0.071 - 0.071	123,718	0.069	0.069 - 0.070	132,955	0.072	0.072 - 0.073
	5-yr	420,723	0.116	0.116 - 0.117	195,948	0.110	0.109 - 0.110	224,740	0.122	0.122 - 0.123
	10-yr	552,849	0.153	0.152 - 0.153	252,183	0.142	0.141 - 0.142	300,624	0.163	0.163 - 0.164
Current Age										
< 50	2-yr	7,579	0.003	0.003 - 0.003	3,304	0.003	0.003 - 0.003	4,274	0.004	0.004 - 0.004
	5-yr	12,059	0.005	0.005 - 0.005	5,124	0.004	0.004 - 0.004	6,935	0.006	0.006 - 0.006
	10-yr	15,572	0.007	0.007 - 0.007	6,615	0.006	0.005 - 0.006	8,958	0.008	0.008 - 0.008
50-64	2-yr	71,501	0.101	0.100 - 0.102	33,684	0.098	0.097 - 0.099	37,817	0.104	0.103 - 0.105
	5-yr	111,386	0.157	0.156 - 0.158	50,610	0.147	0.146 - 0.148	60,773	0.167	0.165 - 0.168
	10-yr	139,235	0.196	0.195 - 0.197	61,942	0.180	0.178 - 0.181	77,289	0.212	0.210 - 0.213
65+	2-yr	177,619	0.316	0.315 - 0.318	86,730	0.348	0.346 - 0.351	90,864	0.291	0.289 - 0.293
	5-yr	297,278	0.530	0.528 - 0.532	140,213	0.563	0.560 - 0.566	157,032	0.503	0.500 - 0.506
	10-yr	398,042	0.709	0.707 - 0.712	183,627	0.737	0.734 - 0.741	214,377	0.687	0.684 - 0.690

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Melanoma of the Skin**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	153,686	0.047	0.047 - 0.047	89,173	0.055	0.055 - 0.056	64,466	0.039	0.038 - 0.039
	5-yr	332,358	0.102	0.101 - 0.102	189,926	0.118	0.117 - 0.118	142,334	0.086	0.085 - 0.086
	10-yr	551,833	0.169	0.168 - 0.169	306,140	0.190	0.189 - 0.191	245,543	0.148	0.147 - 0.148
Race										
Non-Hispanic White	2-yr	141,737	0.071	0.070 - 0.071	83,061	0.084	0.083 - 0.085	58,631	0.058	0.057 - 0.058
	5-yr	307,891	0.154	0.153 - 0.154	177,662	0.180	0.179 - 0.181	130,132	0.128	0.127 - 0.129
	10-yr	512,499	0.256	0.255 - 0.256	287,032	0.291	0.289 - 0.292	225,321	0.221	0.221 - 0.222
Non-Hispanic Black	2-yr	623	0.001	0.001 - 0.002	301	0.001	0.001 - 0.002	322	0.001	0.001 - 0.002
	5-yr	1,292	0.003	0.003 - 0.003	592	0.003	0.003 - 0.003	700	0.003	0.003 - 0.003
	10-yr	2,061	0.005	0.005 - 0.005	869	0.004	0.004 - 0.005	1,192	0.005	0.005 - 0.006
Hispanic	2-yr	3,378	0.006	0.006 - 0.006	1,515	0.005	0.005 - 0.005	1,863	0.007	0.006 - 0.007
	5-yr	7,115	0.012	0.012 - 0.013	3,123	0.011	0.010 - 0.011	3,992	0.014	0.013 - 0.014
	10-yr	11,539	0.020	0.020 - 0.020	4,908	0.017	0.016 - 0.017	6,631	0.023	0.023 - 0.024
Current Age										
< 50	2-yr	27,476	0.013	0.013 - 0.013	10,709	0.010	0.010 - 0.010	16,770	0.016	0.016 - 0.016
	5-yr	58,897	0.028	0.027 - 0.028	22,603	0.021	0.021 - 0.021	36,302	0.034	0.034 - 0.035
	10-yr	98,221	0.046	0.046 - 0.046	36,642	0.034	0.034 - 0.034	61,595	0.058	0.058 - 0.059
50-64	2-yr	46,341	0.073	0.072 - 0.073	25,730	0.083	0.082 - 0.084	20,611	0.063	0.062 - 0.064
	5-yr	100,192	0.157	0.156 - 0.158	54,501	0.176	0.174 - 0.177	45,691	0.139	0.138 - 0.140
	10-yr	168,319	0.263	0.262 - 0.265	87,928	0.283	0.282 - 0.285	80,392	0.244	0.243 - 0.246
65+	2-yr	79,869	0.158	0.157 - 0.160	52,734	0.236	0.234 - 0.238	27,085	0.096	0.095 - 0.098
	5-yr	173,269	0.344	0.342 - 0.345	112,822	0.506	0.503 - 0.509	60,340	0.215	0.213 - 0.217
	10-yr	285,292	0.566	0.564 - 0.568	181,570	0.814	0.810 - 0.817	103,557	0.369	0.366 - 0.371
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	16,184	0.044	0.043 - 0.045	8,919	0.049	0.047 - 0.050	7,256	0.039	0.038 - 0.040
	5-yr	34,758	0.094	0.093 - 0.095	18,521	0.101	0.099 - 0.103	16,216	0.087	0.086 - 0.089
	10-yr	57,061	0.154	0.153 - 0.156	29,472	0.161	0.159 - 0.163	27,553	0.148	0.146 - 0.150
Current Age										
< 50	2-yr	2,573	0.011	0.011 - 0.012	988	0.009	0.008 - 0.009	1,583	0.014	0.013 - 0.015
	5-yr	5,631	0.025	0.024 - 0.026	2,138	0.019	0.018 - 0.019	3,487	0.031	0.030 - 0.033
	10-yr	9,144	0.040	0.039 - 0.041	3,397	0.029	0.028 - 0.031	5,736	0.052	0.050 - 0.053
50-64	2-yr	4,829	0.062	0.060 - 0.064	2,525	0.066	0.063 - 0.069	2,305	0.059	0.056 - 0.062
	5-yr	10,593	0.137	0.134 - 0.140	5,326	0.139	0.134 - 0.143	5,269	0.135	0.131 - 0.139
	10-yr	17,725	0.229	0.225 - 0.233	8,599	0.224	0.218 - 0.229	9,126	0.234	0.229 - 0.240
65+	2-yr	8,782	0.146	0.142 - 0.149	5,407	0.197	0.191 - 0.203	3,368	0.103	0.099 - 0.107
	5-yr	18,533	0.308	0.302 - 0.313	11,057	0.402	0.394 - 0.411	7,460	0.228	0.222 - 0.234
	10-yr	30,192	0.501	0.494 - 0.508	17,477	0.636	0.625 - 0.647	12,690	0.387	0.380 - 0.395
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	169,870	0.047	0.046 - 0.047	98,092	0.055	0.054 - 0.055	71,722	0.039	0.039 - 0.039
	5-yr	367,116	0.101	0.101 - 0.101	208,447	0.117	0.116 - 0.117	158,549	0.086	0.085 - 0.086
	10-yr	608,894	0.167	0.167 - 0.168	335,612	0.188	0.187 - 0.188	273,096	0.148	0.147 - 0.148
Current Age										
< 50	2-yr	30,049	0.013	0.013 - 0.013	11,698	0.010	0.010 - 0.010	18,353	0.016	0.016 - 0.016
	5-yr	64,528	0.027	0.027 - 0.028	24,742	0.021	0.020 - 0.021	39,789	0.034	0.034 - 0.035
	10-yr	107,365	0.046	0.045 - 0.046	40,039	0.034	0.033 - 0.034	67,331	0.058	0.057 - 0.058
50-64	2-yr	51,170	0.072	0.071 - 0.072	28,254	0.081	0.080 - 0.082	22,916	0.062	0.062 - 0.063
	5-yr	110,786	0.155	0.154 - 0.156	59,826	0.172	0.171 - 0.174	50,960	0.139	0.137 - 0.140
	10-yr	186,044	0.260	0.259 - 0.262	96,527	0.278	0.276 - 0.280	89,518	0.243	0.242 - 0.245
65+	2-yr	88,651	0.157	0.156 - 0.158	58,140	0.233	0.231 - 0.235	30,453	0.097	0.096 - 0.098
	5-yr	191,802	0.341	0.339 - 0.342	123,879	0.496	0.493 - 0.499	67,800	0.216	0.214 - 0.218
	10-yr	315,485	0.560	0.558 - 0.562	199,046	0.798	0.794 - 0.801	116,247	0.370	0.368 - 0.373

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Breast**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		458,386	0.278	0.277 - 0.279
	5-yr	-	-		-	-		1,044,571	0.634	0.632 - 0.635
	10-yr	-	-		-	-		1,802,960	1.093	1.092 - 1.095
Race										
Non-Hispanic White	2-yr	-	-		-	-		341,606	0.336	0.335 - 0.337
	5-yr	-	-		-	-		786,924	0.774	0.772 - 0.776
	10-yr	-	-		-	-		1,376,357	1.354	1.351 - 1.356
Non-Hispanic Black	2-yr	-	-		-	-		51,776	0.235	0.233 - 0.237
	5-yr	-	-		-	-		114,330	0.520	0.517 - 0.523
	10-yr	-	-		-	-		189,144	0.860	0.856 - 0.864
Hispanic	2-yr	-	-		-	-		39,330	0.137	0.136 - 0.139
	5-yr	-	-		-	-		86,600	0.302	0.300 - 0.305
	10-yr	-	-		-	-		143,026	0.500	0.497 - 0.502
Current Age										
< 50	2-yr	-	-		-	-		75,702	0.073	0.072 - 0.073
	5-yr	-	-		-	-		153,058	0.147	0.146 - 0.148
	10-yr	-	-		-	-		216,787	0.208	0.207 - 0.209
50-64	2-yr	-	-		-	-		165,033	0.506	0.504 - 0.509
	5-yr	-	-		-	-		374,292	1.148	1.145 - 1.152
	10-yr	-	-		-	-		642,414	1.971	1.966 - 1.976
65+	2-yr	-	-		-	-		217,650	0.780	0.777 - 0.784
	5-yr	-	-		-	-		517,221	1.854	1.849 - 1.859
	10-yr	-	-		-	-		943,759	3.382	3.375 - 3.389
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		51,164	0.275	0.272 - 0.278
	5-yr	-	-		-	-		115,914	0.623	0.619 - 0.627
	10-yr	-	-		-	-		199,006	1.068	1.063 - 1.074
Current Age										
< 50	2-yr	-	-		-	-		7,942	0.071	0.070 - 0.073
	5-yr	-	-		-	-		15,576	0.140	0.137 - 0.142
	10-yr	-	-		-	-		22,024	0.198	0.195 - 0.201
50-64	2-yr	-	-		-	-		18,353	0.471	0.463 - 0.479
	5-yr	-	-		-	-		41,567	1.066	1.055 - 1.078
	10-yr	-	-		-	-		71,315	1.829	1.814 - 1.845
65+	2-yr	-	-		-	-		24,869	0.759	0.749 - 0.770
	5-yr	-	-		-	-		58,771	1.795	1.778 - 1.811
	10-yr	-	-		-	-		105,668	3.227	3.204 - 3.249
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		509,550	0.278	0.277 - 0.279
	5-yr	-	-		-	-		1,160,485	0.633	0.632 - 0.634
	10-yr	-	-		-	-		2,001,966	1.091	1.090 - 1.093
Current Age										
< 50	2-yr	-	-		-	-		83,645	0.073	0.072 - 0.073
	5-yr	-	-		-	-		168,634	0.146	0.146 - 0.147
	10-yr	-	-		-	-		238,810	0.207	0.206 - 0.208
50-64	2-yr	-	-		-	-		183,386	0.503	0.501 - 0.506
	5-yr	-	-		-	-		415,859	1.141	1.138 - 1.145
	10-yr	-	-		-	-		713,729	1.958	1.953 - 1.963
65+	2-yr	-	-		-	-		242,519	0.779	0.775 - 0.782
	5-yr	-	-		-	-		575,991	1.849	1.844 - 1.854
	10-yr	-	-		-	-		1,049,427	3.369	3.362 - 3.375

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Cervix Uteri**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		22,276	0.014	0.013 - 0.014
	5-yr	-	-		-	-		47,311	0.029	0.029 - 0.029
	10-yr	-	-		-	-		84,619	0.052	0.051 - 0.052
Race										
Non-Hispanic White	2-yr	-	-		-	-		13,414	0.013	0.013 - 0.013
	5-yr	-	-		-	-		28,819	0.028	0.028 - 0.029
	10-yr	-	-		-	-		51,950	0.051	0.051 - 0.051
Non-Hispanic Black	2-yr	-	-		-	-		3,114	0.014	0.014 - 0.015
	5-yr	-	-		-	-		6,439	0.029	0.029 - 0.030
	10-yr	-	-		-	-		11,266	0.051	0.050 - 0.052
Hispanic	2-yr	-	-		-	-		4,123	0.014	0.014 - 0.015
	5-yr	-	-		-	-		8,640	0.030	0.029 - 0.031
	10-yr	-	-		-	-		15,398	0.054	0.053 - 0.055
Current Age										
< 50	2-yr	-	-		-	-		11,432	0.011	0.011 - 0.011
	5-yr	-	-		-	-		23,590	0.023	0.022 - 0.023
	10-yr	-	-		-	-		39,176	0.038	0.037 - 0.038
50-64	2-yr	-	-		-	-		6,947	0.021	0.021 - 0.022
	5-yr	-	-		-	-		15,227	0.047	0.046 - 0.048
	10-yr	-	-		-	-		29,154	0.090	0.089 - 0.091
65+	2-yr	-	-		-	-		3,896	0.014	0.014 - 0.015
	5-yr	-	-		-	-		8,493	0.031	0.030 - 0.031
	10-yr	-	-		-	-		16,289	0.059	0.058 - 0.060
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		2,635	0.014	0.014 - 0.015
	5-yr	-	-		-	-		5,684	0.031	0.030 - 0.032
	10-yr	-	-		-	-		10,597	0.058	0.056 - 0.059
Current Age										
< 50	2-yr	-	-		-	-		1,454	0.013	0.012 - 0.014
	5-yr	-	-		-	-		3,016	0.027	0.026 - 0.028
	10-yr	-	-		-	-		5,255	0.047	0.046 - 0.049
50-64	2-yr	-	-		-	-		745	0.019	0.018 - 0.021
	5-yr	-	-		-	-		1,728	0.044	0.042 - 0.047
	10-yr	-	-		-	-		3,455	0.089	0.085 - 0.092
65+	2-yr	-	-		-	-		436	0.013	0.012 - 0.015
	5-yr	-	-		-	-		939	0.029	0.027 - 0.031
	10-yr	-	-		-	-		1,888	0.058	0.055 - 0.061
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		24,911	0.014	0.013 - 0.014
	5-yr	-	-		-	-		52,994	0.029	0.029 - 0.029
	10-yr	-	-		-	-		95,217	0.052	0.052 - 0.052
Current Age										
< 50	2-yr	-	-		-	-		12,886	0.011	0.011 - 0.011
	5-yr	-	-		-	-		26,607	0.023	0.023 - 0.023
	10-yr	-	-		-	-		44,431	0.038	0.038 - 0.039
50-64	2-yr	-	-		-	-		7,692	0.021	0.021 - 0.022
	5-yr	-	-		-	-		16,955	0.047	0.046 - 0.047
	10-yr	-	-		-	-		32,608	0.090	0.089 - 0.091
65+	2-yr	-	-		-	-		4,333	0.014	0.014 - 0.014
	5-yr	-	-		-	-		9,432	0.031	0.030 - 0.031
	10-yr	-	-		-	-		18,177	0.059	0.058 - 0.060

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Corpus and Uterus, NOS**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		101,412	0.062	0.061 - 0.062
	5-yr	-	-		-	-		221,964	0.135	0.134 - 0.135
	10-yr	-	-		-	-		375,413	0.228	0.227 - 0.228
Race										
Non-Hispanic White	2-yr	-	-		-	-		75,171	0.074	0.073 - 0.074
	5-yr	-	-		-	-		167,943	0.165	0.164 - 0.166
	10-yr	-	-		-	-		290,166	0.285	0.284 - 0.287
Non-Hispanic Black	2-yr	-	-		-	-		10,685	0.049	0.048 - 0.050
	5-yr	-	-		-	-		21,212	0.096	0.095 - 0.098
	10-yr	-	-		-	-		32,429	0.148	0.146 - 0.149
Hispanic	2-yr	-	-		-	-		10,005	0.035	0.034 - 0.036
	5-yr	-	-		-	-		20,943	0.073	0.072 - 0.074
	10-yr	-	-		-	-		33,153	0.116	0.115 - 0.117
Current Age										
< 50	2-yr	-	-		-	-		11,239	0.011	0.011 - 0.011
	5-yr	-	-		-	-		22,364	0.022	0.021 - 0.022
	10-yr	-	-		-	-		32,531	0.031	0.031 - 0.032
50-64	2-yr	-	-		-	-		43,468	0.133	0.132 - 0.135
	5-yr	-	-		-	-		91,531	0.281	0.279 - 0.283
	10-yr	-	-		-	-		142,541	0.437	0.435 - 0.439
65+	2-yr	-	-		-	-		46,705	0.168	0.166 - 0.169
	5-yr	-	-		-	-		108,068	0.388	0.385 - 0.390
	10-yr	-	-		-	-		200,341	0.718	0.715 - 0.721
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		12,452	0.067	0.066 - 0.068
	5-yr	-	-		-	-		27,166	0.146	0.144 - 0.148
	10-yr	-	-		-	-		45,756	0.245	0.243 - 0.248
Current Age										
< 50	2-yr	-	-		-	-		1,126	0.010	0.009 - 0.011
	5-yr	-	-		-	-		2,127	0.019	0.018 - 0.020
	10-yr	-	-		-	-		2,913	0.026	0.025 - 0.027
50-64	2-yr	-	-		-	-		5,370	0.138	0.133 - 0.142
	5-yr	-	-		-	-		11,347	0.291	0.284 - 0.297
	10-yr	-	-		-	-		17,405	0.446	0.438 - 0.453
65+	2-yr	-	-		-	-		5,956	0.182	0.177 - 0.187
	5-yr	-	-		-	-		13,692	0.418	0.410 - 0.427
	10-yr	-	-		-	-		25,438	0.777	0.766 - 0.788
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		113,863	0.062	0.062 - 0.062
	5-yr	-	-		-	-		249,130	0.136	0.135 - 0.136
	10-yr	-	-		-	-		421,169	0.229	0.228 - 0.230
Current Age										
< 50	2-yr	-	-		-	-		12,365	0.011	0.011 - 0.011
	5-yr	-	-		-	-		24,491	0.021	0.021 - 0.022
	10-yr	-	-		-	-		35,444	0.031	0.031 - 0.031
50-64	2-yr	-	-		-	-		48,837	0.134	0.132 - 0.135
	5-yr	-	-		-	-		102,878	0.282	0.280 - 0.283
	10-yr	-	-		-	-		159,945	0.438	0.435 - 0.440
65+	2-yr	-	-		-	-		52,661	0.169	0.167 - 0.170
	5-yr	-	-		-	-		121,760	0.390	0.388 - 0.393
	10-yr	-	-		-	-		225,779	0.723	0.720 - 0.726

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Ovary**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		32,480	0.020	0.019 - 0.020
	5-yr	-	-		-	-		66,449	0.040	0.040 - 0.041
	10-yr	-	-		-	-		104,575	0.063	0.063 - 0.064
Race										
Non-Hispanic White	2-yr	-	-		-	-		23,950	0.024	0.023 - 0.024
	5-yr	-	-		-	-		49,327	0.049	0.048 - 0.049
	10-yr	-	-		-	-		78,460	0.077	0.077 - 0.078
Non-Hispanic Black	2-yr	-	-		-	-		2,838	0.013	0.012 - 0.013
	5-yr	-	-		-	-		5,552	0.025	0.025 - 0.026
	10-yr	-	-		-	-		8,264	0.038	0.037 - 0.038
Hispanic	2-yr	-	-		-	-		3,600	0.013	0.012 - 0.013
	5-yr	-	-		-	-		7,241	0.025	0.025 - 0.026
	10-yr	-	-		-	-		11,206	0.039	0.038 - 0.040
Current Age										
< 50	2-yr	-	-		-	-		6,581	0.006	0.006 - 0.006
	5-yr	-	-		-	-		13,418	0.013	0.013 - 0.013
	10-yr	-	-		-	-		20,480	0.020	0.019 - 0.020
50-64	2-yr	-	-		-	-		12,196	0.037	0.037 - 0.038
	5-yr	-	-		-	-		25,461	0.078	0.077 - 0.079
	10-yr	-	-		-	-		40,003	0.123	0.121 - 0.124
65+	2-yr	-	-		-	-		13,702	0.049	0.048 - 0.050
	5-yr	-	-		-	-		27,571	0.099	0.098 - 0.100
	10-yr	-	-		-	-		44,093	0.158	0.157 - 0.160
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		4,125	0.022	0.021 - 0.023
	5-yr	-	-		-	-		8,253	0.045	0.043 - 0.046
	10-yr	-	-		-	-		12,740	0.069	0.067 - 0.070
Current Age										
< 50	2-yr	-	-		-	-		843	0.008	0.007 - 0.008
	5-yr	-	-		-	-		1,650	0.015	0.014 - 0.016
	10-yr	-	-		-	-		2,472	0.022	0.021 - 0.023
50-64	2-yr	-	-		-	-		1,569	0.040	0.038 - 0.043
	5-yr	-	-		-	-		3,282	0.084	0.081 - 0.088
	10-yr	-	-		-	-		5,090	0.131	0.126 - 0.135
65+	2-yr	-	-		-	-		1,712	0.052	0.049 - 0.055
	5-yr	-	-		-	-		3,321	0.101	0.097 - 0.106
	10-yr	-	-		-	-		5,178	0.158	0.153 - 0.163
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		36,604	0.020	0.020 - 0.020
	5-yr	-	-		-	-		74,702	0.041	0.040 - 0.041
	10-yr	-	-		-	-		117,315	0.064	0.063 - 0.064
Current Age										
< 50	2-yr	-	-		-	-		7,424	0.006	0.006 - 0.007
	5-yr	-	-		-	-		15,067	0.013	0.013 - 0.013
	10-yr	-	-		-	-		22,952	0.020	0.020 - 0.020
50-64	2-yr	-	-		-	-		13,766	0.038	0.037 - 0.038
	5-yr	-	-		-	-		28,742	0.079	0.078 - 0.080
	10-yr	-	-		-	-		45,092	0.123	0.122 - 0.125
65+	2-yr	-	-		-	-		15,414	0.049	0.049 - 0.050
	5-yr	-	-		-	-		30,892	0.099	0.098 - 0.100
	10-yr	-	-		-	-		49,270	0.158	0.157 - 0.159

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Prostate**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		371,225	0.233	0.232 - 0.233	-	-	
	5-yr	-	-		853,774	0.535	0.534 - 0.536	-	-	
	10-yr	-	-		1,708,739	1.071	1.069 - 1.072	-	-	
Race										
Non-Hispanic White	2-yr	-	-		264,100	0.267	0.266 - 0.269	-	-	
	5-yr	-	-		611,494	0.619	0.618 - 0.621	-	-	
	10-yr	-	-		1,250,972	1.268	1.265 - 1.270	-	-	
Non-Hispanic Black	2-yr	-	-		59,116	0.293	0.290 - 0.295	-	-	
	5-yr	-	-		135,114	0.669	0.666 - 0.673	-	-	
	10-yr	-	-		254,066	1.259	1.254 - 1.264	-	-	
Hispanic	2-yr	-	-		26,315	0.090	0.089 - 0.091	-	-	
	5-yr	-	-		60,716	0.208	0.206 - 0.210	-	-	
	10-yr	-	-		115,465	0.396	0.394 - 0.398	-	-	
Current Age										
< 50	2-yr	-	-		5,704	0.005	0.005 - 0.006	-	-	
	5-yr	-	-		10,281	0.010	0.009 - 0.010	-	-	
	10-yr	-	-		12,902	0.012	0.012 - 0.012	-	-	
50-64	2-yr	-	-		132,027	0.430	0.428 - 0.433	-	-	
	5-yr	-	-		276,247	0.900	0.897 - 0.904	-	-	
	10-yr	-	-		442,178	1.441	1.436 - 1.445	-	-	
65+	2-yr	-	-		233,493	1.054	1.050 - 1.058	-	-	
	5-yr	-	-		567,246	2.561	2.554 - 2.568	-	-	
	10-yr	-	-		1,253,659	5.659	5.649 - 5.669	-	-	
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		41,122	0.223	0.220 - 0.225	-	-	
	5-yr	-	-		96,146	0.521	0.517 - 0.525	-	-	
	10-yr	-	-		189,351	1.026	1.020 - 1.031	-	-	
Current Age										
< 50	2-yr	-	-		459	0.004	0.004 - 0.004	-	-	
	5-yr	-	-		838	0.007	0.007 - 0.008	-	-	
	10-yr	-	-		1,011	0.009	0.008 - 0.009	-	-	
50-64	2-yr	-	-		12,568	0.326	0.320 - 0.333	-	-	
	5-yr	-	-		26,850	0.697	0.687 - 0.706	-	-	
	10-yr	-	-		42,607	1.105	1.093 - 1.117	-	-	
65+	2-yr	-	-		28,095	1.019	1.005 - 1.033	-	-	
	5-yr	-	-		68,458	2.483	2.462 - 2.505	-	-	
	10-yr	-	-		145,732	5.289	5.258 - 5.321	-	-	
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		412,346	0.232	0.231 - 0.232	-	-	
	5-yr	-	-		949,920	0.534	0.533 - 0.535	-	-	
	10-yr	-	-		1,898,090	1.067	1.065 - 1.068	-	-	
Current Age										
< 50	2-yr	-	-		6,163	0.005	0.005 - 0.005	-	-	
	5-yr	-	-		11,119	0.009	0.009 - 0.010	-	-	
	10-yr	-	-		13,913	0.012	0.012 - 0.012	-	-	
50-64	2-yr	-	-		144,595	0.421	0.419 - 0.423	-	-	
	5-yr	-	-		303,097	0.882	0.879 - 0.885	-	-	
	10-yr	-	-		484,785	1.410	1.406 - 1.414	-	-	
65+	2-yr	-	-		261,588	1.051	1.047 - 1.055	-	-	
	5-yr	-	-		635,704	2.554	2.548 - 2.561	-	-	
	10-yr	-	-		1,399,391	5.626	5.616 - 5.636	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Testis**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		17,159	0.011	0.011 - 0.011	-	-	
	5-yr	-	-		41,064	0.026	0.025 - 0.026	-	-	
	10-yr	-	-		78,297	0.049	0.048 - 0.049	-	-	
Race										
Non-Hispanic White	2-yr	-	-		12,590	0.013	0.012 - 0.013	-	-	
	5-yr	-	-		30,611	0.031	0.031 - 0.031	-	-	
	10-yr	-	-		59,621	0.060	0.060 - 0.061	-	-	
Non-Hispanic Black	2-yr	-	-		541	0.003	0.002 - 0.003	-	-	
	5-yr	-	-		1,324	0.007	0.006 - 0.007	-	-	
	10-yr	-	-		2,393	0.012	0.011 - 0.012	-	-	
Hispanic	2-yr	-	-		3,122	0.011	0.010 - 0.011	-	-	
	5-yr	-	-		7,138	0.024	0.024 - 0.025	-	-	
	10-yr	-	-		12,757	0.043	0.043 - 0.044	-	-	
Current Age										
< 50	2-yr	-	-		14,639	0.014	0.013 - 0.014	-	-	
	5-yr	-	-		34,225	0.032	0.032 - 0.032	-	-	
	10-yr	-	-		62,054	0.058	0.057 - 0.058	-	-	
50-64	2-yr	-	-		2,070	0.007	0.006 - 0.007	-	-	
	5-yr	-	-		5,634	0.018	0.018 - 0.019	-	-	
	10-yr	-	-		13,519	0.044	0.043 - 0.044	-	-	
65+	2-yr	-	-		451	0.002	0.002 - 0.002	-	-	
	5-yr	-	-		1,205	0.005	0.005 - 0.006	-	-	
	10-yr	-	-		2,724	0.012	0.012 - 0.013	-	-	
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		2,184	0.012	0.012 - 0.013	-	-	
	5-yr	-	-		5,163	0.029	0.028 - 0.030	-	-	
	10-yr	-	-		9,611	0.053	0.052 - 0.055	-	-	
Current Age										
< 50	2-yr	-	-		1,835	0.016	0.015 - 0.017	-	-	
	5-yr	-	-		4,317	0.038	0.036 - 0.039	-	-	
	10-yr	-	-		7,635	0.066	0.065 - 0.068	-	-	
50-64	2-yr	-	-		274	0.007	0.006 - 0.008	-	-	
	5-yr	-	-		674	0.018	0.016 - 0.019	-	-	
	10-yr	-	-		1,624	0.042	0.040 - 0.045	-	-	
65+	2-yr	-	-		76	0.003	0.002 - 0.004	-	-	
	5-yr	-	-		172	0.006	0.005 - 0.007	-	-	
	10-yr	-	-		353	0.013	0.011 - 0.014	-	-	
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		19,344	0.011	0.011 - 0.011	-	-	
	5-yr	-	-		46,227	0.026	0.026 - 0.026	-	-	
	10-yr	-	-		87,908	0.049	0.049 - 0.050	-	-	
Current Age										
< 50	2-yr	-	-		16,474	0.014	0.014 - 0.014	-	-	
	5-yr	-	-		38,541	0.032	0.032 - 0.033	-	-	
	10-yr	-	-		69,689	0.059	0.058 - 0.059	-	-	
50-64	2-yr	-	-		2,344	0.007	0.006 - 0.007	-	-	
	5-yr	-	-		6,308	0.018	0.018 - 0.019	-	-	
	10-yr	-	-		15,142	0.044	0.043 - 0.044	-	-	
65+	2-yr	-	-		527	0.002	0.002 - 0.002	-	-	
	5-yr	-	-		1,377	0.005	0.005 - 0.006	-	-	
	10-yr	-	-		3,076	0.012	0.012 - 0.013	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Urinary Bladder**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	125,774	0.039	0.038 - 0.039	96,913	0.060	0.060 - 0.061	28,774	0.017	0.017 - 0.018
	5-yr	268,434	0.082	0.082 - 0.083	206,048	0.129	0.128 - 0.129	62,194	0.038	0.037 - 0.038
	10-yr	433,978	0.133	0.133 - 0.134	330,740	0.206	0.206 - 0.207	102,918	0.062	0.062 - 0.063
Race										
Non-Hispanic White	2-yr	108,001	0.054	0.054 - 0.054	83,888	0.085	0.084 - 0.086	24,024	0.024	0.023 - 0.024
	5-yr	232,341	0.116	0.115 - 0.116	179,531	0.182	0.181 - 0.183	52,615	0.052	0.051 - 0.052
	10-yr	377,588	0.188	0.188 - 0.189	289,354	0.293	0.292 - 0.294	87,909	0.086	0.086 - 0.087
Non-Hispanic Black	2-yr	6,716	0.016	0.016 - 0.016	4,626	0.023	0.022 - 0.024	2,091	0.010	0.009 - 0.010
	5-yr	13,495	0.032	0.031 - 0.033	9,420	0.047	0.046 - 0.048	4,079	0.019	0.018 - 0.019
	10-yr	20,770	0.049	0.049 - 0.050	14,582	0.072	0.071 - 0.073	6,193	0.028	0.027 - 0.029
Hispanic	2-yr	5,905	0.010	0.010 - 0.010	4,474	0.015	0.015 - 0.016	1,430	0.005	0.005 - 0.005
	5-yr	12,356	0.021	0.021 - 0.022	9,349	0.032	0.031 - 0.033	3,008	0.011	0.010 - 0.011
	10-yr	19,386	0.034	0.033 - 0.034	14,569	0.050	0.049 - 0.051	4,818	0.017	0.016 - 0.017
Current Age										
< 50	2-yr	4,133	0.002	0.002 - 0.002	2,984	0.003	0.003 - 0.003	1,148	0.001	0.001 - 0.001
	5-yr	8,217	0.004	0.004 - 0.004	5,927	0.006	0.005 - 0.006	2,288	0.002	0.002 - 0.002
	10-yr	12,207	0.006	0.006 - 0.006	8,760	0.008	0.008 - 0.008	3,445	0.003	0.003 - 0.003
50-64	2-yr	27,611	0.043	0.043 - 0.044	21,068	0.068	0.067 - 0.069	6,542	0.020	0.019 - 0.021
	5-yr	55,787	0.088	0.087 - 0.088	42,262	0.137	0.136 - 0.138	13,523	0.041	0.041 - 0.042
	10-yr	84,245	0.132	0.131 - 0.133	63,559	0.206	0.204 - 0.208	20,684	0.063	0.062 - 0.064
65+	2-yr	94,031	0.187	0.186 - 0.188	72,861	0.328	0.325 - 0.330	21,084	0.075	0.074 - 0.076
	5-yr	204,429	0.407	0.405 - 0.409	157,859	0.710	0.706 - 0.713	46,382	0.166	0.164 - 0.167
	10-yr	337,526	0.672	0.669 - 0.674	258,421	1.161	1.157 - 1.166	78,789	0.282	0.280 - 0.284
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	17,827	0.048	0.047 - 0.049	13,732	0.075	0.073 - 0.076	4,080	0.022	0.021 - 0.023
	5-yr	37,019	0.100	0.098 - 0.101	28,256	0.154	0.152 - 0.156	8,730	0.047	0.045 - 0.048
	10-yr	60,096	0.162	0.160 - 0.163	45,359	0.247	0.244 - 0.249	14,670	0.078	0.077 - 0.080
Current Age										
< 50	2-yr	590	0.003	0.002 - 0.003	446	0.004	0.003 - 0.004	146	0.001	0.001 - 0.002
	5-yr	1,177	0.005	0.005 - 0.006	877	0.008	0.007 - 0.008	303	0.003	0.002 - 0.003
	10-yr	1,736	0.008	0.007 - 0.008	1,266	0.011	0.010 - 0.012	474	0.004	0.004 - 0.005
50-64	2-yr	3,660	0.047	0.045 - 0.049	2,760	0.072	0.069 - 0.075	906	0.023	0.022 - 0.025
	5-yr	7,512	0.097	0.094 - 0.099	5,612	0.146	0.141 - 0.150	1,913	0.049	0.046 - 0.052
	10-yr	11,354	0.146	0.143 - 0.150	8,394	0.218	0.213 - 0.223	2,979	0.076	0.073 - 0.079
65+	2-yr	13,576	0.225	0.221 - 0.230	10,526	0.383	0.375 - 0.392	3,027	0.092	0.089 - 0.096
	5-yr	28,330	0.470	0.464 - 0.476	21,767	0.792	0.780 - 0.805	6,514	0.199	0.193 - 0.204
	10-yr	47,007	0.780	0.772 - 0.788	35,699	1.300	1.285 - 1.316	11,217	0.342	0.335 - 0.350
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	143,601	0.039	0.039 - 0.040	110,646	0.062	0.061 - 0.062	32,854	0.018	0.018 - 0.018
	5-yr	305,453	0.084	0.084 - 0.084	234,304	0.131	0.130 - 0.131	70,925	0.038	0.038 - 0.039
	10-yr	494,075	0.136	0.135 - 0.136	376,099	0.210	0.209 - 0.210	117,588	0.064	0.063 - 0.064
Current Age										
< 50	2-yr	4,723	0.002	0.002 - 0.002	3,430	0.003	0.003 - 0.003	1,294	0.001	0.001 - 0.001
	5-yr	9,394	0.004	0.004 - 0.004	6,805	0.006	0.006 - 0.006	2,591	0.002	0.002 - 0.002
	10-yr	13,943	0.006	0.006 - 0.006	10,026	0.008	0.008 - 0.009	3,919	0.003	0.003 - 0.003
50-64	2-yr	31,271	0.044	0.043 - 0.044	23,829	0.069	0.068 - 0.069	7,448	0.020	0.020 - 0.021
	5-yr	63,299	0.089	0.088 - 0.089	47,874	0.138	0.136 - 0.139	15,437	0.042	0.041 - 0.043
	10-yr	95,599	0.134	0.133 - 0.135	71,953	0.207	0.205 - 0.209	23,663	0.064	0.063 - 0.065
65+	2-yr	107,607	0.191	0.189 - 0.192	83,387	0.333	0.330 - 0.335	24,112	0.077	0.076 - 0.078
	5-yr	232,759	0.412	0.411 - 0.414	179,625	0.717	0.714 - 0.720	52,897	0.169	0.167 - 0.170
	10-yr	384,533	0.681	0.679 - 0.683	294,121	1.174	1.169 - 1.178	90,006	0.287	0.285 - 0.289

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Kidney and Renal Pelvis

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	107,063	0.033	0.033 - 0.033	67,501	0.042	0.042 - 0.043	39,546	0.024	0.024 - 0.024
	5-yr	229,121	0.071	0.070 - 0.071	143,167	0.090	0.089 - 0.090	85,917	0.052	0.052 - 0.053
	10-yr	374,092	0.115	0.115 - 0.116	230,781	0.144	0.144 - 0.145	143,247	0.087	0.087 - 0.087
Race										
Non-Hispanic White	2-yr	78,318	0.039	0.039 - 0.039	50,229	0.051	0.050 - 0.051	28,070	0.028	0.027 - 0.028
	5-yr	168,825	0.084	0.084 - 0.085	107,237	0.109	0.108 - 0.109	61,546	0.061	0.060 - 0.061
	10-yr	278,299	0.139	0.138 - 0.139	174,286	0.176	0.176 - 0.177	103,940	0.102	0.102 - 0.103
Non-Hispanic Black	2-yr	12,661	0.030	0.029 - 0.031	7,580	0.038	0.037 - 0.038	5,083	0.023	0.022 - 0.024
	5-yr	26,821	0.064	0.063 - 0.064	15,977	0.079	0.078 - 0.080	10,849	0.049	0.048 - 0.050
	10-yr	42,836	0.102	0.101 - 0.103	25,112	0.124	0.123 - 0.126	17,731	0.081	0.079 - 0.082
Hispanic	2-yr	11,784	0.020	0.020 - 0.021	6,994	0.024	0.023 - 0.025	4,790	0.017	0.016 - 0.017
	5-yr	24,644	0.043	0.042 - 0.043	14,415	0.049	0.049 - 0.050	10,229	0.036	0.035 - 0.036
	10-yr	38,803	0.067	0.066 - 0.068	22,556	0.077	0.076 - 0.078	16,247	0.057	0.056 - 0.058
Current Age										
< 50	2-yr	15,572	0.007	0.007 - 0.008	9,359	0.009	0.009 - 0.009	6,213	0.006	0.006 - 0.006
	5-yr	31,174	0.015	0.015 - 0.015	18,460	0.017	0.017 - 0.018	12,712	0.012	0.012 - 0.012
	10-yr	46,075	0.022	0.022 - 0.022	26,622	0.025	0.025 - 0.025	19,450	0.019	0.018 - 0.019
50-64	2-yr	38,428	0.061	0.060 - 0.061	25,208	0.082	0.081 - 0.083	13,220	0.041	0.040 - 0.041
	5-yr	80,195	0.127	0.126 - 0.128	51,885	0.169	0.167 - 0.170	28,310	0.087	0.086 - 0.088
	10-yr	125,687	0.199	0.197 - 0.200	80,268	0.261	0.259 - 0.263	45,418	0.140	0.138 - 0.141
65+	2-yr	53,063	0.106	0.105 - 0.107	32,934	0.149	0.147 - 0.150	20,114	0.072	0.071 - 0.073
	5-yr	117,751	0.235	0.234 - 0.237	72,822	0.329	0.326 - 0.331	44,895	0.161	0.160 - 0.163
	10-yr	202,330	0.404	0.403 - 0.406	123,891	0.559	0.556 - 0.562	78,378	0.281	0.279 - 0.283
Canadian Combined¹										
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	10,890	0.029	0.029 - 0.030	7,063	0.038	0.037 - 0.040	3,834	0.021	0.020 - 0.021
	5-yr	22,953	0.062	0.061 - 0.063	14,743	0.080	0.079 - 0.082	8,222	0.044	0.043 - 0.045
	10-yr	36,817	0.099	0.098 - 0.101	23,139	0.126	0.124 - 0.128	13,693	0.073	0.072 - 0.075
Current Age										
< 50	2-yr	1,433	0.006	0.006 - 0.007	928	0.008	0.007 - 0.009	508	0.005	0.004 - 0.005
	5-yr	2,762	0.012	0.012 - 0.013	1,724	0.015	0.014 - 0.016	1,041	0.009	0.009 - 0.010
	10-yr	3,947	0.017	0.017 - 0.018	2,407	0.021	0.020 - 0.022	1,546	0.014	0.013 - 0.015
50-64	2-yr	3,975	0.051	0.050 - 0.053	2,650	0.069	0.066 - 0.072	1,330	0.034	0.032 - 0.036
	5-yr	8,279	0.107	0.104 - 0.110	5,436	0.141	0.137 - 0.146	2,852	0.073	0.070 - 0.076
	10-yr	12,739	0.164	0.161 - 0.168	8,212	0.214	0.208 - 0.219	4,539	0.116	0.112 - 0.120
65+	2-yr	5,481	0.091	0.088 - 0.094	3,485	0.126	0.122 - 0.131	1,996	0.061	0.058 - 0.064
	5-yr	11,913	0.197	0.193 - 0.202	7,583	0.275	0.268 - 0.282	4,328	0.132	0.128 - 0.137
	10-yr	20,131	0.334	0.328 - 0.339	12,519	0.454	0.445 - 0.464	7,609	0.232	0.226 - 0.238
North America Combined¹										
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	117,953	0.033	0.033 - 0.033	74,564	0.042	0.042 - 0.042	43,379	0.024	0.024 - 0.024
	5-yr	252,074	0.070	0.070 - 0.070	157,911	0.089	0.088 - 0.089	94,138	0.052	0.051 - 0.052
	10-yr	410,909	0.114	0.114 - 0.114	253,920	0.143	0.142 - 0.143	156,940	0.086	0.085 - 0.086
Current Age										
< 50	2-yr	17,005	0.007	0.007 - 0.007	10,286	0.009	0.009 - 0.009	6,720	0.006	0.006 - 0.006
	5-yr	33,936	0.015	0.014 - 0.015	20,185	0.017	0.017 - 0.017	13,754	0.012	0.012 - 0.012
	10-yr	50,022	0.021	0.021 - 0.022	29,029	0.025	0.024 - 0.025	20,996	0.018	0.018 - 0.019
50-64	2-yr	42,404	0.060	0.059 - 0.061	27,858	0.081	0.080 - 0.082	14,550	0.040	0.039 - 0.041
	5-yr	88,474	0.125	0.124 - 0.126	57,321	0.166	0.165 - 0.168	31,162	0.086	0.085 - 0.087
	10-yr	138,426	0.196	0.195 - 0.197	88,480	0.257	0.255 - 0.259	49,957	0.138	0.136 - 0.139
65+	2-yr	58,544	0.105	0.104 - 0.106	36,419	0.147	0.145 - 0.148	22,110	0.071	0.070 - 0.072
	5-yr	129,664	0.232	0.231 - 0.233	80,405	0.324	0.321 - 0.326	49,223	0.159	0.157 - 0.160
	10-yr	222,461	0.398	0.397 - 0.400	136,410	0.549	0.546 - 0.553	85,987	0.277	0.275 - 0.279

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Brain and Other Nervous System

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	26,948	0.008	0.008 - 0.008	14,948	0.009	0.009 - 0.009	11,998	0.007	0.007 - 0.007
	5-yr	48,847	0.015	0.015 - 0.015	26,658	0.017	0.016 - 0.017	22,186	0.013	0.013 - 0.014
	10-yr	77,828	0.024	0.024 - 0.024	41,891	0.026	0.026 - 0.026	35,934	0.022	0.022 - 0.022
Race										
Non-Hispanic White	2-yr	20,260	0.010	0.010 - 0.010	11,352	0.011	0.011 - 0.012	8,906	0.009	0.009 - 0.009
	5-yr	36,104	0.018	0.018 - 0.018	19,917	0.020	0.020 - 0.020	16,185	0.016	0.016 - 0.016
	10-yr	57,005	0.028	0.028 - 0.029	30,920	0.031	0.031 - 0.032	26,083	0.026	0.025 - 0.026
Non-Hispanic Black	2-yr	2,114	0.005	0.005 - 0.005	1,145	0.006	0.005 - 0.006	969	0.004	0.004 - 0.005
	5-yr	3,974	0.009	0.009 - 0.010	2,074	0.010	0.010 - 0.011	1,901	0.009	0.008 - 0.009
	10-yr	6,425	0.015	0.015 - 0.016	3,266	0.016	0.016 - 0.017	3,159	0.014	0.014 - 0.015
Hispanic	2-yr	3,195	0.006	0.005 - 0.006	1,690	0.006	0.005 - 0.006	1,505	0.005	0.005 - 0.006
	5-yr	6,124	0.011	0.010 - 0.011	3,235	0.011	0.011 - 0.011	2,889	0.010	0.010 - 0.010
	10-yr	10,137	0.017	0.017 - 0.018	5,394	0.018	0.018 - 0.019	4,743	0.017	0.016 - 0.017
Current Age										
< 50	2-yr	12,283	0.006	0.006 - 0.006	6,798	0.006	0.006 - 0.006	5,486	0.005	0.005 - 0.005
	5-yr	26,615	0.013	0.012 - 0.013	14,535	0.014	0.013 - 0.014	12,079	0.012	0.011 - 0.012
	10-yr	45,787	0.022	0.021 - 0.022	24,795	0.023	0.023 - 0.023	20,991	0.020	0.020 - 0.020
50-64	2-yr	7,765	0.012	0.012 - 0.013	4,423	0.014	0.014 - 0.015	3,342	0.010	0.010 - 0.011
	5-yr	12,345	0.019	0.019 - 0.020	6,858	0.022	0.022 - 0.023	5,486	0.017	0.016 - 0.017
	10-yr	18,517	0.029	0.029 - 0.030	10,062	0.033	0.032 - 0.033	8,455	0.026	0.025 - 0.026
65+	2-yr	6,899	0.014	0.013 - 0.014	3,728	0.017	0.016 - 0.017	3,170	0.011	0.011 - 0.012
	5-yr	9,886	0.020	0.019 - 0.020	5,264	0.024	0.023 - 0.024	4,621	0.017	0.016 - 0.017
	10-yr	13,524	0.027	0.027 - 0.027	7,034	0.032	0.031 - 0.032	6,488	0.023	0.023 - 0.024
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,958	0.008	0.008 - 0.008	1,699	0.009	0.009 - 0.010	1,261	0.007	0.006 - 0.007
	5-yr	5,268	0.014	0.014 - 0.015	2,978	0.016	0.016 - 0.017	2,291	0.012	0.012 - 0.013
	10-yr	8,315	0.023	0.022 - 0.023	4,622	0.026	0.025 - 0.026	3,696	0.020	0.019 - 0.021
Current Age										
< 50	2-yr	1,286	0.006	0.005 - 0.006	750	0.007	0.006 - 0.007	536	0.005	0.004 - 0.005
	5-yr	2,725	0.012	0.012 - 0.013	1,549	0.014	0.013 - 0.014	1,177	0.011	0.010 - 0.011
	10-yr	4,600	0.020	0.020 - 0.021	2,576	0.023	0.022 - 0.024	2,026	0.018	0.017 - 0.019
50-64	2-yr	933	0.012	0.011 - 0.013	551	0.014	0.013 - 0.016	382	0.010	0.009 - 0.011
	5-yr	1,489	0.019	0.018 - 0.020	863	0.022	0.021 - 0.024	627	0.016	0.015 - 0.018
	10-yr	2,182	0.028	0.027 - 0.030	1,243	0.032	0.030 - 0.035	940	0.024	0.022 - 0.026
65+	2-yr	740	0.012	0.011 - 0.013	397	0.014	0.013 - 0.016	343	0.010	0.009 - 0.012
	5-yr	1,054	0.017	0.016 - 0.019	567	0.021	0.019 - 0.023	487	0.015	0.013 - 0.016
	10-yr	1,533	0.025	0.024 - 0.027	804	0.029	0.027 - 0.032	730	0.022	0.020 - 0.024
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	29,906	0.008	0.008 - 0.008	16,647	0.009	0.009 - 0.009	13,259	0.007	0.007 - 0.007
	5-yr	54,114	0.015	0.015 - 0.015	29,637	0.017	0.016 - 0.017	24,478	0.013	0.013 - 0.014
	10-yr	86,142	0.024	0.024 - 0.024	46,512	0.026	0.026 - 0.026	39,630	0.022	0.021 - 0.022
Current Age										
< 50	2-yr	13,569	0.006	0.006 - 0.006	7,548	0.006	0.006 - 0.007	6,022	0.005	0.005 - 0.005
	5-yr	29,340	0.013	0.012 - 0.013	16,084	0.014	0.013 - 0.014	13,256	0.011	0.011 - 0.012
	10-yr	50,387	0.022	0.021 - 0.022	27,370	0.023	0.023 - 0.023	23,017	0.020	0.020 - 0.020
50-64	2-yr	8,698	0.012	0.012 - 0.012	4,974	0.014	0.014 - 0.015	3,724	0.010	0.010 - 0.011
	5-yr	13,834	0.019	0.019 - 0.020	7,721	0.022	0.022 - 0.023	6,114	0.017	0.016 - 0.017
	10-yr	20,699	0.029	0.029 - 0.030	11,304	0.033	0.032 - 0.033	9,395	0.026	0.025 - 0.026
65+	2-yr	7,639	0.014	0.013 - 0.014	4,125	0.017	0.016 - 0.017	3,513	0.011	0.011 - 0.012
	5-yr	10,940	0.020	0.019 - 0.020	5,831	0.023	0.023 - 0.024	5,107	0.016	0.016 - 0.017
	10-yr	15,057	0.027	0.026 - 0.027	7,838	0.031	0.031 - 0.032	7,218	0.023	0.023 - 0.024

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Thyroid**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	94,617	0.029	0.029 - 0.029	23,513	0.015	0.014 - 0.015	71,115	0.043	0.043 - 0.043
	5-yr	229,902	0.071	0.070 - 0.071	55,517	0.035	0.034 - 0.035	174,414	0.106	0.105 - 0.106
	10-yr	414,063	0.127	0.127 - 0.128	96,645	0.060	0.060 - 0.061	317,475	0.193	0.192 - 0.193
Race										
Non-Hispanic White	2-yr	66,766	0.033	0.033 - 0.034	18,085	0.018	0.018 - 0.019	48,697	0.048	0.047 - 0.048
	5-yr	164,489	0.082	0.082 - 0.082	43,108	0.044	0.043 - 0.044	121,420	0.119	0.119 - 0.120
	10-yr	302,276	0.151	0.150 - 0.151	76,128	0.077	0.076 - 0.078	226,222	0.222	0.221 - 0.223
Non-Hispanic Black	2-yr	7,137	0.017	0.016 - 0.017	1,316	0.007	0.006 - 0.007	5,818	0.026	0.026 - 0.027
	5-yr	17,256	0.041	0.040 - 0.041	3,078	0.015	0.015 - 0.016	14,170	0.064	0.063 - 0.065
	10-yr	29,999	0.071	0.070 - 0.072	5,148	0.025	0.025 - 0.026	24,838	0.113	0.111 - 0.114
Hispanic	2-yr	12,919	0.022	0.022 - 0.023	2,417	0.008	0.008 - 0.009	10,501	0.037	0.036 - 0.037
	5-yr	29,716	0.051	0.051 - 0.052	5,433	0.019	0.018 - 0.019	24,283	0.085	0.084 - 0.086
	10-yr	50,248	0.087	0.086 - 0.087	8,914	0.030	0.030 - 0.031	41,334	0.144	0.143 - 0.145
Current Age										
< 50	2-yr	42,578	0.020	0.020 - 0.020	8,292	0.008	0.008 - 0.008	34,294	0.033	0.032 - 0.033
	5-yr	97,098	0.046	0.046 - 0.046	18,513	0.017	0.017 - 0.018	78,605	0.075	0.075 - 0.076
	10-yr	159,333	0.075	0.075 - 0.076	29,308	0.027	0.027 - 0.028	130,059	0.125	0.124 - 0.125
50-64	2-yr	31,166	0.049	0.049 - 0.050	8,207	0.027	0.026 - 0.027	22,960	0.071	0.070 - 0.071
	5-yr	78,083	0.123	0.122 - 0.124	19,553	0.063	0.063 - 0.064	58,533	0.180	0.178 - 0.181
	10-yr	145,871	0.230	0.229 - 0.231	34,359	0.112	0.110 - 0.113	111,518	0.342	0.340 - 0.344
65+	2-yr	20,873	0.042	0.041 - 0.042	7,014	0.032	0.031 - 0.032	13,861	0.050	0.049 - 0.051
	5-yr	54,722	0.109	0.108 - 0.110	17,451	0.079	0.077 - 0.080	37,276	0.134	0.133 - 0.135
	10-yr	108,860	0.218	0.216 - 0.219	32,978	0.149	0.147 - 0.150	75,898	0.273	0.271 - 0.275
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	11,804	0.032	0.032 - 0.033	3,075	0.017	0.016 - 0.018	8,710	0.047	0.046 - 0.049
	5-yr	29,903	0.082	0.081 - 0.083	7,352	0.040	0.039 - 0.041	22,499	0.122	0.121 - 0.124
	10-yr	52,331	0.143	0.141 - 0.144	12,168	0.067	0.065 - 0.068	40,069	0.218	0.215 - 0.220
Current Age										
< 50	2-yr	5,162	0.023	0.022 - 0.024	1,094	0.010	0.009 - 0.010	4,056	0.036	0.035 - 0.038
	5-yr	12,274	0.054	0.053 - 0.055	2,536	0.022	0.021 - 0.023	9,705	0.087	0.085 - 0.089
	10-yr	19,748	0.087	0.086 - 0.089	3,895	0.034	0.033 - 0.035	15,796	0.142	0.139 - 0.144
50-64	2-yr	4,106	0.053	0.051 - 0.055	1,154	0.030	0.028 - 0.032	2,946	0.076	0.073 - 0.079
	5-yr	10,771	0.139	0.136 - 0.142	2,691	0.070	0.067 - 0.073	8,065	0.207	0.202 - 0.212
	10-yr	19,474	0.252	0.248 - 0.256	4,469	0.116	0.113 - 0.120	14,973	0.384	0.377 - 0.392
65+	2-yr	2,536	0.042	0.040 - 0.044	827	0.030	0.028 - 0.032	1,708	0.052	0.049 - 0.055
	5-yr	6,857	0.114	0.111 - 0.117	2,125	0.077	0.073 - 0.081	4,729	0.145	0.140 - 0.149
	10-yr	13,110	0.217	0.213 - 0.222	3,803	0.138	0.133 - 0.143	9,300	0.284	0.278 - 0.291
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	106,421	0.029	0.029 - 0.030	26,588	0.015	0.015 - 0.015	79,825	0.044	0.043 - 0.044
	5-yr	259,805	0.072	0.071 - 0.072	62,869	0.035	0.035 - 0.035	196,913	0.107	0.107 - 0.108
	10-yr	466,395	0.129	0.128 - 0.129	108,813	0.061	0.060 - 0.061	357,544	0.195	0.194 - 0.195
Current Age										
< 50	2-yr	47,740	0.020	0.020 - 0.021	9,386	0.008	0.008 - 0.008	38,350	0.033	0.033 - 0.033
	5-yr	109,372	0.047	0.046 - 0.047	21,049	0.018	0.017 - 0.018	88,310	0.076	0.076 - 0.077
	10-yr	179,081	0.076	0.076 - 0.077	33,204	0.028	0.028 - 0.028	145,855	0.126	0.125 - 0.127
50-64	2-yr	35,271	0.050	0.049 - 0.050	9,362	0.027	0.026 - 0.028	25,906	0.071	0.070 - 0.072
	5-yr	88,854	0.125	0.124 - 0.126	22,244	0.064	0.063 - 0.065	66,598	0.182	0.181 - 0.184
	10-yr	165,344	0.232	0.231 - 0.233	38,829	0.112	0.111 - 0.113	126,491	0.346	0.344 - 0.348
65+	2-yr	23,410	0.042	0.041 - 0.042	7,841	0.031	0.031 - 0.032	15,569	0.050	0.049 - 0.051
	5-yr	61,579	0.110	0.109 - 0.111	19,576	0.078	0.077 - 0.080	42,005	0.135	0.134 - 0.136
	10-yr	121,970	0.218	0.216 - 0.219	36,781	0.148	0.146 - 0.149	85,197	0.274	0.272 - 0.276

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Hodgkin Lymphoma**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	15,792	0.005	0.005 - 0.005	8,651	0.005	0.005 - 0.006	7,141	0.004	0.004 - 0.004
	5-yr	37,609	0.012	0.011 - 0.012	20,524	0.013	0.013 - 0.013	17,084	0.010	0.010 - 0.011
	10-yr	71,062	0.022	0.022 - 0.022	38,560	0.024	0.024 - 0.024	32,500	0.020	0.019 - 0.020
Race										
Non-Hispanic White	2-yr	10,802	0.005	0.005 - 0.005	5,951	0.006	0.006 - 0.006	4,849	0.005	0.005 - 0.005
	5-yr	25,956	0.013	0.013 - 0.013	14,244	0.014	0.014 - 0.015	11,710	0.011	0.011 - 0.012
	10-yr	49,976	0.025	0.025 - 0.025	27,212	0.027	0.027 - 0.028	22,761	0.022	0.022 - 0.023
Non-Hispanic Black	2-yr	2,057	0.005	0.005 - 0.005	1,096	0.005	0.005 - 0.006	961	0.004	0.004 - 0.005
	5-yr	4,890	0.012	0.011 - 0.012	2,589	0.013	0.012 - 0.013	2,302	0.010	0.010 - 0.011
	10-yr	8,917	0.021	0.021 - 0.022	4,669	0.023	0.022 - 0.024	4,248	0.019	0.019 - 0.020
Hispanic	2-yr	2,123	0.004	0.003 - 0.004	1,150	0.004	0.004 - 0.004	972	0.003	0.003 - 0.004
	5-yr	4,982	0.009	0.008 - 0.009	2,702	0.009	0.009 - 0.010	2,280	0.008	0.008 - 0.008
	10-yr	8,988	0.015	0.015 - 0.016	4,929	0.017	0.016 - 0.017	4,059	0.014	0.014 - 0.015
Current Age										
< 50	2-yr	10,320	0.005	0.005 - 0.005	5,512	0.005	0.005 - 0.005	4,808	0.005	0.004 - 0.005
	5-yr	24,698	0.012	0.012 - 0.012	13,096	0.012	0.012 - 0.012	11,602	0.011	0.011 - 0.011
	10-yr	46,306	0.022	0.022 - 0.022	24,327	0.023	0.022 - 0.023	21,978	0.021	0.021 - 0.021
50-64	2-yr	2,878	0.005	0.004 - 0.005	1,737	0.006	0.005 - 0.006	1,141	0.004	0.003 - 0.004
	5-yr	6,957	0.011	0.011 - 0.011	4,234	0.014	0.013 - 0.014	2,723	0.008	0.008 - 0.009
	10-yr	13,712	0.022	0.021 - 0.022	8,285	0.027	0.026 - 0.028	5,428	0.017	0.016 - 0.017
65+	2-yr	2,594	0.005	0.005 - 0.005	1,402	0.006	0.006 - 0.007	1,192	0.004	0.004 - 0.005
	5-yr	5,954	0.012	0.012 - 0.012	3,195	0.014	0.014 - 0.015	2,759	0.010	0.010 - 0.010
	10-yr	11,044	0.022	0.022 - 0.022	5,948	0.027	0.026 - 0.028	5,095	0.018	0.018 - 0.019
Canadian Combined¹										
	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	1,816	0.005	0.005 - 0.005	981	0.005	0.005 - 0.006	836	0.005	0.004 - 0.005
	5-yr	4,166	0.011	0.011 - 0.012	2,302	0.013	0.012 - 0.013	1,865	0.010	0.010 - 0.011
	10-yr	7,740	0.021	0.021 - 0.022	4,231	0.023	0.023 - 0.024	3,512	0.019	0.019 - 0.020
Current Age										
< 50	2-yr	1,201	0.005	0.005 - 0.006	637	0.006	0.005 - 0.006	564	0.005	0.005 - 0.006
	5-yr	2,780	0.012	0.012 - 0.013	1,512	0.013	0.012 - 0.014	1,269	0.011	0.011 - 0.012
	10-yr	5,169	0.023	0.022 - 0.024	2,754	0.024	0.023 - 0.025	2,417	0.022	0.021 - 0.023
50-64	2-yr	313	0.004	0.004 - 0.005	189	0.005	0.004 - 0.006	125	0.003	0.003 - 0.004
	5-yr	725	0.009	0.009 - 0.010	437	0.011	0.010 - 0.013	289	0.007	0.006 - 0.008
	10-yr	1,404	0.018	0.017 - 0.019	855	0.022	0.021 - 0.024	550	0.014	0.013 - 0.016
65+	2-yr	302	0.005	0.004 - 0.006	155	0.006	0.005 - 0.007	147	0.004	0.004 - 0.005
	5-yr	661	0.011	0.010 - 0.012	354	0.013	0.011 - 0.014	307	0.009	0.008 - 0.011
	10-yr	1,167	0.019	0.018 - 0.021	623	0.023	0.021 - 0.025	545	0.017	0.015 - 0.018
North America Combined¹										
	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	17,608	0.005	0.005 - 0.005	9,631	0.005	0.005 - 0.006	7,977	0.004	0.004 - 0.004
	5-yr	41,775	0.012	0.011 - 0.012	22,826	0.013	0.013 - 0.013	18,950	0.010	0.010 - 0.011
	10-yr	78,802	0.022	0.022 - 0.022	42,791	0.024	0.024 - 0.024	36,012	0.020	0.019 - 0.020
Current Age										
< 50	2-yr	11,520	0.005	0.005 - 0.005	6,149	0.005	0.005 - 0.005	5,372	0.005	0.005 - 0.005
	5-yr	27,478	0.012	0.012 - 0.012	14,607	0.012	0.012 - 0.013	12,872	0.011	0.011 - 0.011
	10-yr	51,475	0.022	0.022 - 0.022	27,081	0.023	0.023 - 0.023	24,395	0.021	0.021 - 0.021
50-64	2-yr	3,191	0.005	0.004 - 0.005	1,926	0.006	0.005 - 0.006	1,266	0.003	0.003 - 0.004
	5-yr	7,682	0.011	0.011 - 0.011	4,671	0.014	0.013 - 0.014	3,012	0.008	0.008 - 0.009
	10-yr	15,116	0.021	0.021 - 0.022	9,140	0.027	0.026 - 0.027	5,977	0.016	0.016 - 0.017
65+	2-yr	2,896	0.005	0.005 - 0.005	1,557	0.006	0.006 - 0.007	1,339	0.004	0.004 - 0.005
	5-yr	6,615	0.012	0.012 - 0.012	3,549	0.014	0.014 - 0.015	3,066	0.010	0.009 - 0.010
	10-yr	12,211	0.022	0.021 - 0.022	6,570	0.026	0.026 - 0.027	5,640	0.018	0.018 - 0.019

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Non-Hodgkin Lymphoma**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	114,114	0.035	0.035 - 0.035	61,750	0.039	0.038 - 0.039	52,349	0.032	0.031 - 0.032
	5-yr	247,639	0.076	0.076 - 0.077	132,903	0.083	0.083 - 0.084	114,706	0.070	0.069 - 0.070
	10-yr	411,192	0.126	0.126 - 0.127	217,929	0.136	0.136 - 0.137	193,217	0.117	0.117 - 0.118
Race										
Non-Hispanic White	2-yr	88,259	0.044	0.044 - 0.044	48,328	0.049	0.048 - 0.049	39,915	0.039	0.039 - 0.040
	5-yr	192,292	0.096	0.095 - 0.096	104,482	0.106	0.105 - 0.106	87,778	0.086	0.086 - 0.087
	10-yr	321,541	0.160	0.160 - 0.161	172,065	0.174	0.173 - 0.175	149,427	0.147	0.146 - 0.148
Non-Hispanic Black	2-yr	8,916	0.021	0.021 - 0.022	4,612	0.023	0.022 - 0.023	4,305	0.020	0.019 - 0.020
	5-yr	19,241	0.046	0.045 - 0.046	9,774	0.048	0.047 - 0.049	9,468	0.043	0.042 - 0.044
	10-yr	31,452	0.075	0.074 - 0.075	15,893	0.079	0.077 - 0.080	15,562	0.071	0.070 - 0.072
Hispanic	2-yr	10,651	0.018	0.018 - 0.019	5,479	0.019	0.018 - 0.019	5,172	0.018	0.018 - 0.019
	5-yr	22,928	0.040	0.039 - 0.040	11,715	0.040	0.039 - 0.041	11,214	0.039	0.038 - 0.040
	10-yr	37,035	0.064	0.063 - 0.065	18,927	0.065	0.064 - 0.066	18,108	0.063	0.062 - 0.064
Current Age										
< 50	2-yr	16,300	0.008	0.008 - 0.008	9,425	0.009	0.009 - 0.009	6,875	0.007	0.006 - 0.007
	5-yr	35,080	0.017	0.016 - 0.017	20,338	0.019	0.019 - 0.019	14,741	0.014	0.014 - 0.014
	10-yr	57,029	0.027	0.027 - 0.027	33,228	0.031	0.031 - 0.031	23,799	0.023	0.023 - 0.023
50-64	2-yr	32,792	0.052	0.051 - 0.052	17,952	0.058	0.057 - 0.059	14,840	0.046	0.045 - 0.046
	5-yr	70,025	0.110	0.110 - 0.111	38,284	0.124	0.123 - 0.126	31,740	0.097	0.096 - 0.098
	10-yr	113,769	0.179	0.178 - 0.181	62,071	0.202	0.200 - 0.203	51,696	0.159	0.157 - 0.160
65+	2-yr	65,022	0.130	0.129 - 0.131	34,374	0.155	0.153 - 0.156	30,634	0.110	0.108 - 0.111
	5-yr	142,534	0.284	0.283 - 0.286	74,280	0.334	0.332 - 0.337	68,225	0.244	0.242 - 0.246
	10-yr	240,394	0.479	0.477 - 0.481	122,630	0.552	0.549 - 0.555	117,721	0.421	0.419 - 0.424
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	14,140	0.038	0.038 - 0.039	7,810	0.043	0.041 - 0.044	6,331	0.034	0.033 - 0.035
	5-yr	30,435	0.082	0.081 - 0.083	16,720	0.091	0.090 - 0.093	13,716	0.074	0.072 - 0.075
	10-yr	49,149	0.133	0.132 - 0.134	26,553	0.145	0.143 - 0.147	22,597	0.121	0.119 - 0.123
Current Age										
< 50	2-yr	1,907	0.008	0.008 - 0.009	1,119	0.010	0.009 - 0.010	789	0.007	0.007 - 0.008
	5-yr	4,044	0.018	0.017 - 0.019	2,388	0.021	0.020 - 0.022	1,659	0.015	0.014 - 0.016
	10-yr	6,411	0.028	0.028 - 0.029	3,800	0.033	0.032 - 0.034	2,615	0.023	0.022 - 0.025
50-64	2-yr	4,297	0.055	0.054 - 0.057	2,409	0.063	0.060 - 0.066	1,889	0.048	0.046 - 0.051
	5-yr	8,974	0.116	0.113 - 0.119	5,028	0.131	0.127 - 0.135	3,950	0.101	0.098 - 0.105
	10-yr	14,246	0.184	0.180 - 0.187	7,918	0.206	0.201 - 0.211	6,334	0.162	0.158 - 0.167
65+	2-yr	7,936	0.132	0.128 - 0.135	4,281	0.156	0.150 - 0.161	3,653	0.112	0.107 - 0.116
	5-yr	17,417	0.289	0.284 - 0.294	9,304	0.338	0.330 - 0.346	8,107	0.247	0.241 - 0.254
	10-yr	28,491	0.473	0.466 - 0.479	14,834	0.539	0.529 - 0.549	13,648	0.417	0.409 - 0.425
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	128,254	0.035	0.035 - 0.036	69,560	0.039	0.039 - 0.039	58,680	0.032	0.032 - 0.032
	5-yr	278,075	0.077	0.076 - 0.077	149,623	0.084	0.083 - 0.084	128,422	0.070	0.069 - 0.070
	10-yr	460,341	0.127	0.127 - 0.127	244,481	0.137	0.136 - 0.137	215,813	0.117	0.117 - 0.118
Current Age										
< 50	2-yr	18,207	0.008	0.008 - 0.008	10,544	0.009	0.009 - 0.009	7,664	0.007	0.006 - 0.007
	5-yr	39,124	0.017	0.017 - 0.017	22,726	0.019	0.019 - 0.019	16,400	0.014	0.014 - 0.014
	10-yr	63,440	0.027	0.027 - 0.027	37,028	0.031	0.031 - 0.032	26,414	0.023	0.023 - 0.023
50-64	2-yr	37,088	0.052	0.052 - 0.053	20,361	0.059	0.058 - 0.060	16,729	0.046	0.045 - 0.047
	5-yr	78,999	0.111	0.110 - 0.112	43,313	0.125	0.124 - 0.126	35,689	0.098	0.097 - 0.099
	10-yr	128,015	0.180	0.179 - 0.181	69,990	0.202	0.201 - 0.204	58,030	0.159	0.158 - 0.160
65+	2-yr	72,958	0.130	0.129 - 0.131	38,655	0.155	0.153 - 0.156	34,287	0.110	0.109 - 0.111
	5-yr	159,951	0.285	0.283 - 0.286	83,585	0.335	0.332 - 0.337	76,332	0.245	0.243 - 0.246
	10-yr	268,885	0.479	0.477 - 0.481	137,464	0.551	0.548 - 0.554	131,370	0.421	0.419 - 0.423

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Myeloma**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	41,136	0.013	0.013 - 0.013	22,875	0.014	0.014 - 0.015	18,255	0.011	0.011 - 0.011
	5-yr	81,213	0.025	0.025 - 0.025	45,043	0.028	0.028 - 0.029	36,158	0.022	0.022 - 0.022
	10-yr	113,552	0.035	0.035 - 0.035	62,266	0.039	0.039 - 0.039	51,269	0.031	0.031 - 0.032
Race										
Non-Hispanic White	2-yr	26,903	0.013	0.013 - 0.014	15,680	0.016	0.016 - 0.016	11,216	0.011	0.011 - 0.011
	5-yr	53,294	0.027	0.026 - 0.027	30,872	0.031	0.031 - 0.032	22,408	0.022	0.022 - 0.022
	10-yr	74,589	0.037	0.037 - 0.038	42,723	0.043	0.043 - 0.044	31,848	0.031	0.031 - 0.032
Non-Hispanic Black	2-yr	8,479	0.020	0.020 - 0.021	4,151	0.021	0.020 - 0.021	4,329	0.020	0.019 - 0.020
	5-yr	16,729	0.040	0.039 - 0.040	8,161	0.040	0.040 - 0.041	8,569	0.039	0.038 - 0.040
	10-yr	23,460	0.056	0.055 - 0.056	11,295	0.056	0.055 - 0.057	12,165	0.055	0.054 - 0.056
Hispanic	2-yr	3,863	0.007	0.006 - 0.007	2,025	0.007	0.007 - 0.007	1,838	0.006	0.006 - 0.007
	5-yr	7,481	0.013	0.013 - 0.013	3,993	0.014	0.013 - 0.014	3,488	0.012	0.012 - 0.013
	10-yr	10,420	0.018	0.018 - 0.018	5,524	0.019	0.018 - 0.019	4,896	0.017	0.017 - 0.018
Current Age										
< 50	2-yr	2,628	0.001	0.001 - 0.001	1,428	0.001	0.001 - 0.001	1,200	0.001	0.001 - 0.001
	5-yr	4,921	0.002	0.002 - 0.002	2,725	0.003	0.002 - 0.003	2,196	0.002	0.002 - 0.002
	10-yr	6,515	0.003	0.003 - 0.003	3,623	0.003	0.003 - 0.004	2,892	0.003	0.003 - 0.003
50-64	2-yr	12,613	0.020	0.020 - 0.020	7,172	0.023	0.023 - 0.024	5,441	0.017	0.016 - 0.017
	5-yr	24,572	0.039	0.038 - 0.039	13,881	0.045	0.045 - 0.046	10,691	0.033	0.032 - 0.034
	10-yr	34,042	0.054	0.053 - 0.055	18,902	0.062	0.061 - 0.063	15,140	0.047	0.046 - 0.048
65+	2-yr	25,896	0.052	0.051 - 0.053	14,275	0.065	0.063 - 0.066	11,614	0.042	0.041 - 0.043
	5-yr	51,719	0.104	0.103 - 0.105	28,437	0.129	0.127 - 0.130	23,270	0.084	0.083 - 0.085
	10-yr	72,995	0.146	0.145 - 0.147	39,742	0.180	0.178 - 0.181	33,237	0.120	0.118 - 0.121
Canadian Combined¹										
	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	4,911	0.013	0.013 - 0.014	2,832	0.015	0.015 - 0.016	2,078	0.011	0.011 - 0.012
	5-yr	9,281	0.025	0.024 - 0.026	5,318	0.029	0.028 - 0.030	3,962	0.021	0.020 - 0.022
	10-yr	12,461	0.034	0.033 - 0.034	7,057	0.038	0.037 - 0.039	5,403	0.029	0.028 - 0.030
Current Age										
< 50	2-yr	228	0.001	0.001 - 0.001	136	0.001	0.001 - 0.001	92	0.001	0.001 - 0.001
	5-yr	437	0.002	0.002 - 0.002	258	0.002	0.002 - 0.003	180	0.002	0.001 - 0.002
	10-yr	571	0.003	0.002 - 0.003	349	0.003	0.003 - 0.003	223	0.002	0.002 - 0.002
50-64	2-yr	1,350	0.017	0.016 - 0.019	794	0.021	0.019 - 0.022	556	0.014	0.013 - 0.016
	5-yr	2,528	0.033	0.031 - 0.034	1,488	0.039	0.036 - 0.041	1,042	0.027	0.025 - 0.029
	10-yr	3,338	0.043	0.041 - 0.045	1,940	0.050	0.048 - 0.053	1,400	0.036	0.034 - 0.038
65+	2-yr	3,333	0.055	0.053 - 0.057	1,902	0.069	0.066 - 0.073	1,429	0.044	0.041 - 0.046
	5-yr	6,315	0.105	0.102 - 0.108	3,572	0.130	0.125 - 0.135	2,741	0.084	0.080 - 0.087
	10-yr	8,552	0.142	0.138 - 0.145	4,769	0.173	0.168 - 0.179	3,780	0.115	0.111 - 0.120
North America Combined¹										
	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	46,047	0.013	0.013 - 0.013	25,707	0.014	0.014 - 0.015	20,333	0.011	0.011 - 0.011
	5-yr	90,494	0.025	0.025 - 0.025	50,360	0.028	0.028 - 0.029	40,120	0.022	0.022 - 0.022
	10-yr	126,013	0.035	0.035 - 0.035	69,323	0.039	0.039 - 0.039	56,672	0.031	0.031 - 0.031
Current Age										
< 50	2-yr	2,856	0.001	0.001 - 0.001	1,564	0.001	0.001 - 0.001	1,292	0.001	0.001 - 0.001
	5-yr	5,359	0.002	0.002 - 0.002	2,983	0.003	0.002 - 0.003	2,376	0.002	0.002 - 0.002
	10-yr	7,086	0.003	0.003 - 0.003	3,971	0.003	0.003 - 0.003	3,115	0.003	0.003 - 0.003
50-64	2-yr	13,962	0.020	0.019 - 0.020	7,966	0.023	0.023 - 0.024	5,998	0.017	0.016 - 0.017
	5-yr	27,101	0.038	0.038 - 0.039	15,370	0.045	0.044 - 0.045	11,733	0.032	0.032 - 0.033
	10-yr	37,380	0.053	0.052 - 0.054	20,842	0.061	0.060 - 0.062	16,540	0.046	0.045 - 0.047
65+	2-yr	29,229	0.052	0.052 - 0.053	16,177	0.065	0.064 - 0.066	13,043	0.042	0.041 - 0.043
	5-yr	58,034	0.104	0.103 - 0.105	32,008	0.129	0.127 - 0.130	26,011	0.084	0.083 - 0.085
	10-yr	81,547	0.146	0.145 - 0.147	44,510	0.179	0.177 - 0.181	37,017	0.119	0.118 - 0.121

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Leukemias**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	74,086	0.023	0.023 - 0.023	43,510	0.027	0.027 - 0.027	30,562	0.019	0.018 - 0.019
	5-yr	156,812	0.048	0.048 - 0.048	91,414	0.057	0.057 - 0.057	65,369	0.040	0.039 - 0.040
	10-yr	250,691	0.077	0.077 - 0.077	144,934	0.091	0.090 - 0.091	105,712	0.064	0.064 - 0.064
Race										
Non-Hispanic White	2-yr	56,343	0.028	0.028 - 0.028	33,637	0.034	0.034 - 0.034	22,692	0.022	0.022 - 0.023
	5-yr	119,874	0.060	0.059 - 0.060	70,919	0.072	0.071 - 0.072	48,925	0.048	0.048 - 0.049
	10-yr	191,944	0.096	0.095 - 0.096	112,400	0.114	0.113 - 0.114	79,499	0.078	0.078 - 0.079
Non-Hispanic Black	2-yr	5,842	0.014	0.013 - 0.014	3,159	0.016	0.015 - 0.016	2,683	0.012	0.012 - 0.013
	5-yr	12,307	0.029	0.029 - 0.030	6,645	0.033	0.032 - 0.034	5,664	0.026	0.025 - 0.026
	10-yr	19,025	0.045	0.044 - 0.046	10,217	0.051	0.050 - 0.052	8,810	0.040	0.039 - 0.041
Hispanic	2-yr	7,669	0.013	0.013 - 0.014	4,307	0.015	0.014 - 0.015	3,362	0.012	0.011 - 0.012
	5-yr	16,021	0.028	0.027 - 0.028	8,913	0.030	0.030 - 0.031	7,108	0.025	0.024 - 0.025
	10-yr	26,126	0.045	0.044 - 0.046	14,558	0.050	0.049 - 0.050	11,569	0.040	0.040 - 0.041
Current Age										
< 50	2-yr	16,943	0.008	0.008 - 0.008	9,565	0.009	0.009 - 0.009	7,378	0.007	0.007 - 0.007
	5-yr	36,627	0.017	0.017 - 0.018	20,490	0.019	0.019 - 0.019	16,136	0.015	0.015 - 0.016
	10-yr	62,055	0.029	0.029 - 0.030	34,780	0.033	0.032 - 0.033	27,273	0.026	0.026 - 0.026
50-64	2-yr	19,190	0.030	0.030 - 0.031	11,585	0.038	0.037 - 0.038	7,604	0.023	0.023 - 0.024
	5-yr	39,691	0.063	0.062 - 0.063	23,937	0.078	0.077 - 0.079	15,753	0.048	0.047 - 0.049
	10-yr	60,743	0.096	0.095 - 0.096	36,325	0.118	0.117 - 0.119	24,417	0.075	0.074 - 0.076
65+	2-yr	37,954	0.076	0.075 - 0.076	22,360	0.101	0.099 - 0.102	15,580	0.056	0.055 - 0.057
	5-yr	80,495	0.160	0.159 - 0.162	46,988	0.211	0.209 - 0.213	33,480	0.120	0.118 - 0.121
	10-yr	127,893	0.255	0.253 - 0.256	73,829	0.332	0.330 - 0.334	54,022	0.193	0.192 - 0.195
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	10,417	0.028	0.028 - 0.029	6,283	0.034	0.033 - 0.035	4,133	0.022	0.021 - 0.023
	5-yr	21,727	0.059	0.058 - 0.060	12,964	0.071	0.069 - 0.072	8,763	0.047	0.046 - 0.048
	10-yr	35,082	0.095	0.094 - 0.096	20,758	0.113	0.112 - 0.115	14,323	0.077	0.076 - 0.078
Current Age										
< 50	2-yr	1,767	0.008	0.007 - 0.008	996	0.009	0.008 - 0.009	772	0.007	0.006 - 0.007
	5-yr	3,868	0.017	0.017 - 0.018	2,192	0.019	0.018 - 0.020	1,678	0.015	0.014 - 0.016
	10-yr	6,530	0.029	0.028 - 0.030	3,679	0.032	0.031 - 0.033	2,853	0.026	0.025 - 0.027
50-64	2-yr	2,707	0.035	0.033 - 0.036	1,663	0.043	0.041 - 0.046	1,046	0.027	0.025 - 0.029
	5-yr	5,530	0.071	0.069 - 0.074	3,379	0.088	0.084 - 0.091	2,155	0.055	0.053 - 0.058
	10-yr	8,642	0.112	0.109 - 0.114	5,273	0.137	0.133 - 0.141	3,376	0.087	0.083 - 0.090
65+	2-yr	5,943	0.099	0.096 - 0.102	3,625	0.132	0.127 - 0.137	2,315	0.071	0.067 - 0.074
	5-yr	12,329	0.205	0.200 - 0.209	7,393	0.269	0.262 - 0.276	4,930	0.150	0.146 - 0.155
	10-yr	19,909	0.330	0.325 - 0.336	11,807	0.429	0.420 - 0.438	8,094	0.247	0.241 - 0.253
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	84,503	0.023	0.023 - 0.023	49,793	0.028	0.028 - 0.028	34,695	0.019	0.019 - 0.019
	5-yr	178,539	0.049	0.049 - 0.049	104,378	0.058	0.058 - 0.059	74,132	0.040	0.040 - 0.041
	10-yr	285,772	0.079	0.078 - 0.079	165,693	0.092	0.092 - 0.093	120,034	0.065	0.065 - 0.065
Current Age										
< 50	2-yr	18,710	0.008	0.008 - 0.008	10,560	0.009	0.009 - 0.009	8,150	0.007	0.007 - 0.007
	5-yr	40,495	0.017	0.017 - 0.018	22,681	0.019	0.019 - 0.019	17,814	0.015	0.015 - 0.016
	10-yr	68,585	0.029	0.029 - 0.030	38,459	0.033	0.032 - 0.033	30,125	0.026	0.026 - 0.026
50-64	2-yr	21,896	0.031	0.030 - 0.031	13,247	0.038	0.037 - 0.039	8,651	0.024	0.023 - 0.024
	5-yr	45,220	0.063	0.063 - 0.064	27,316	0.079	0.078 - 0.080	17,908	0.049	0.048 - 0.050
	10-yr	69,385	0.097	0.096 - 0.098	41,597	0.120	0.118 - 0.121	27,794	0.076	0.075 - 0.077
65+	2-yr	43,897	0.078	0.077 - 0.078	25,985	0.103	0.102 - 0.105	17,895	0.057	0.056 - 0.058
	5-yr	92,824	0.164	0.163 - 0.165	54,381	0.216	0.215 - 0.218	38,410	0.122	0.121 - 0.124
	10-yr	147,802	0.261	0.260 - 0.263	85,636	0.341	0.338 - 0.343	62,116	0.198	0.196 - 0.199

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2017
by Race and Age for the United States, Canada and North America Combined, Mesothelioma**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	3,064	0.001	0.001 - 0.001	2,160	0.001	0.001 - 0.001	902	0.001	0.001 - 0.001
	5-yr	4,435	0.001	0.001 - 0.001	3,018	0.002	0.002 - 0.002	1,414	0.001	0.001 - 0.001
	10-yr	5,374	0.002	0.002 - 0.002	3,529	0.002	0.002 - 0.002	1,843	0.001	0.001 - 0.001
Race										
Non-Hispanic White	2-yr	2,592	0.001	0.001 - 0.001	1,842	0.002	0.002 - 0.002	748	0.001	0.001 - 0.001
	5-yr	3,738	0.002	0.002 - 0.002	2,569	0.003	0.003 - 0.003	1,166	0.001	0.001 - 0.001
	10-yr	4,475	0.002	0.002 - 0.002	2,979	0.003	0.003 - 0.003	1,493	0.001	0.001 - 0.002
Non-Hispanic Black	2-yr	147	0.000	0.000 - 0.000	108	0.001	0.000 - 0.001	39	0.000	0.000 - 0.000
	5-yr	223	0.001	0.000 - 0.001	147	0.001	0.001 - 0.001	75	0.000	0.000 - 0.000
	10-yr	297	0.001	0.001 - 0.001	185	0.001	0.001 - 0.001	112	0.001	0.000 - 0.001
Hispanic	2-yr	233	0.000	0.000 - 0.000	151	0.001	0.000 - 0.001	82	0.000	0.000 - 0.000
	5-yr	352	0.001	0.001 - 0.001	220	0.001	0.001 - 0.001	132	0.000	0.000 - 0.001
	10-yr	450	0.001	0.001 - 0.001	269	0.001	0.001 - 0.001	182	0.001	0.001 - 0.001
Current Age										
< 50	2-yr	190	0.000	0.000 - 0.000	77	0.000	0.000 - 0.000	113	0.000	0.000 - 0.000
	5-yr	352	0.000	0.000 - 0.000	143	0.000	0.000 - 0.000	210	0.000	0.000 - 0.000
	10-yr	495	0.000	0.000 - 0.000	200	0.000	0.000 - 0.000	295	0.000	0.000 - 0.000
50-64	2-yr	568	0.001	0.001 - 0.001	359	0.001	0.001 - 0.001	209	0.001	0.001 - 0.001
	5-yr	914	0.001	0.001 - 0.002	555	0.002	0.002 - 0.002	359	0.001	0.001 - 0.001
	10-yr	1,174	0.002	0.002 - 0.002	684	0.002	0.002 - 0.002	490	0.002	0.001 - 0.002
65+	2-yr	2,305	0.005	0.004 - 0.005	1,723	0.008	0.007 - 0.008	580	0.002	0.002 - 0.002
	5-yr	3,168	0.006	0.006 - 0.007	2,321	0.010	0.010 - 0.011	845	0.003	0.003 - 0.003
	10-yr	3,705	0.007	0.007 - 0.008	2,645	0.012	0.011 - 0.012	1,058	0.004	0.004 - 0.004
Canadian Combined¹										
	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	536	0.001	0.001 - 0.002	415	0.002	0.002 - 0.003	121	0.001	0.001 - 0.001
	5-yr	743	0.002	0.002 - 0.002	539	0.003	0.003 - 0.003	204	0.001	0.001 - 0.001
	10-yr	832	0.002	0.002 - 0.002	590	0.003	0.003 - 0.004	241	0.001	0.001 - 0.001
Current Age										
< 50	2-yr	26	0.000	0.000 - 0.000	-	-	-	-	-	-
	5-yr	46	0.000	0.000 - 0.000	25	0.000	0.000 - 0.000	22	0.000	0.000 - 0.000
	10-yr	61	0.000	0.000 - 0.000	31	0.000	0.000 - 0.000	30	0.000	0.000 - 0.000
50-64	2-yr	102	0.001	0.001 - 0.002	74	0.002	0.001 - 0.003	28	0.001	0.000 - 0.001
	5-yr	161	0.002	0.002 - 0.002	106	0.003	0.002 - 0.003	55	0.001	0.001 - 0.002
	10-yr	178	0.002	0.002 - 0.003	111	0.003	0.002 - 0.004	67	0.002	0.001 - 0.002
65+	2-yr	409	0.007	0.006 - 0.008	324	0.012	0.010 - 0.013	84	0.003	0.002 - 0.003
	5-yr	535	0.009	0.008 - 0.010	408	0.015	0.013 - 0.017	127	0.004	0.003 - 0.005
	10-yr	593	0.010	0.009 - 0.011	448	0.016	0.015 - 0.018	144	0.004	0.004 - 0.005
North America Combined¹										
	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	3,600	0.001	0.001 - 0.001	2,575	0.001	0.001 - 0.001	1,022	0.001	0.001 - 0.001
	5-yr	5,178	0.001	0.001 - 0.001	3,557	0.002	0.002 - 0.002	1,618	0.001	0.001 - 0.001
	10-yr	6,206	0.002	0.002 - 0.002	4,119	0.002	0.002 - 0.002	2,084	0.001	0.001 - 0.001
Current Age										
< 50	2-yr	216	0.000	0.000 - 0.000	94	0.000	0.000 - 0.000	122	0.000	0.000 - 0.000
	5-yr	399	0.000	0.000 - 0.000	167	0.000	0.000 - 0.000	231	0.000	0.000 - 0.000
	10-yr	556	0.000	0.000 - 0.000	231	0.000	0.000 - 0.000	325	0.000	0.000 - 0.000
50-64	2-yr	670	0.001	0.001 - 0.001	434	0.001	0.001 - 0.001	236	0.001	0.001 - 0.001
	5-yr	1,076	0.001	0.001 - 0.002	661	0.002	0.002 - 0.002	415	0.001	0.001 - 0.001
	10-yr	1,352	0.002	0.002 - 0.002	796	0.002	0.002 - 0.002	557	0.002	0.001 - 0.002
65+	2-yr	2,714	0.005	0.005 - 0.005	2,048	0.008	0.008 - 0.008	664	0.002	0.002 - 0.002
	5-yr	3,704	0.007	0.006 - 0.007	2,729	0.011	0.010 - 0.011	972	0.003	0.003 - 0.003
	10-yr	4,298	0.008	0.007 - 0.008	3,092	0.012	0.012 - 0.013	1,202	0.004	0.004 - 0.004

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.



Section III

Two-, Five- and Ten-Year Limited-Duration Prevalence for Cancers Diagnosed 2007-2016, by Registry and Race



**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,567,557	0.790	0.789 - 0.791	1,259,088	0.787	0.786 - 0.789	1,308,284	0.793	0.792 - 0.795
Alabama	39,961	0.821	0.813 - 0.829	20,394	0.865	0.853 - 0.877	19,567	0.779	0.768 - 0.790
Alaska	4,462	0.602	0.585 - 0.620	2,255	0.582	0.559 - 0.607	2,207	0.625	0.599 - 0.651
Arizona	47,116	0.673	0.667 - 0.679	22,882	0.658	0.649 - 0.666	24,234	0.689	0.680 - 0.697
Arkansas	25,185	0.840	0.830 - 0.851	13,010	0.884	0.869 - 0.899	12,175	0.799	0.785 - 0.813
California	261,705	0.666	0.663 - 0.668	124,758	0.639	0.635 - 0.642	136,947	0.693	0.689 - 0.696
CA - Greater California	147,533	0.677	0.674 - 0.681	71,172	0.656	0.651 - 0.660	76,361	0.699	0.694 - 0.704
CA - Greater Bay Area	52,574	0.710	0.704 - 0.716	25,300	0.686	0.678 - 0.695	27,275	0.734	0.726 - 0.743
CA - Los Angeles	61,636	0.609	0.604 - 0.614	28,313	0.568	0.561 - 0.574	33,323	0.649	0.642 - 0.656
Colorado	36,492	0.654	0.647 - 0.661	17,451	0.622	0.613 - 0.631	19,041	0.687	0.677 - 0.697
Connecticut	33,301	0.931	0.921 - 0.941	16,222	0.930	0.916 - 0.944	17,080	0.932	0.918 - 0.947
Delaware	9,169	0.962	0.942 - 0.982	4,594	0.997	0.968 - 1.026	4,575	0.930	0.903 - 0.957
District of Columbia	4,143	0.599	0.581 - 0.618	1,895	0.578	0.552 - 0.604	2,248	0.619	0.594 - 0.645
Florida	192,173	0.924	0.920 - 0.928	96,536	0.949	0.943 - 0.955	95,637	0.900	0.894 - 0.905
Georgia	78,022	0.753	0.748 - 0.758	39,041	0.774	0.767 - 0.782	38,981	0.733	0.726 - 0.740
Hawaii	11,267	0.790	0.775 - 0.805	5,504	0.769	0.749 - 0.789	5,762	0.811	0.790 - 0.833
Idaho	12,884	0.757	0.744 - 0.771	6,476	0.760	0.742 - 0.779	6,408	0.755	0.736 - 0.774
Illinois	105,145	0.821	0.816 - 0.826	50,483	0.802	0.795 - 0.809	54,662	0.839	0.832 - 0.846
Iowa	27,761	0.885	0.874 - 0.895	13,824	0.886	0.871 - 0.901	13,937	0.884	0.869 - 0.898
Kentucky	39,976	0.899	0.890 - 0.908	19,643	0.897	0.884 - 0.909	20,332	0.901	0.889 - 0.914
Louisiana	38,051	0.814	0.806 - 0.822	19,565	0.856	0.844 - 0.868	18,486	0.774	0.763 - 0.785
Maine	13,347	1.001	0.984 - 1.018	6,460	0.990	0.966 - 1.014	6,887	1.012	0.988 - 1.036
Maryland	48,423	0.805	0.798 - 0.812	23,433	0.804	0.793 - 0.814	24,990	0.806	0.796 - 0.816
Michigan	85,883	0.862	0.856 - 0.868	42,606	0.869	0.861 - 0.877	43,277	0.855	0.847 - 0.863
MI - Detroit	34,557	0.890	0.881 - 0.900	16,972	0.901	0.888 - 0.915	17,585	0.880	0.867 - 0.893
Minnesota	46,945	0.846	0.839 - 0.854	23,358	0.846	0.835 - 0.857	23,587	0.847	0.836 - 0.858
Mississippi	24,145	0.808	0.798 - 0.818	12,402	0.855	0.840 - 0.871	11,743	0.763	0.749 - 0.777
Missouri	49,663	0.814	0.807 - 0.822	23,819	0.796	0.786 - 0.806	25,844	0.832	0.822 - 0.843
Montana	9,585	0.916	0.897 - 0.934	4,997	0.948	0.922 - 0.975	4,589	0.883	0.857 - 0.909
Nebraska	15,456	0.808	0.796 - 0.821	7,696	0.807	0.789 - 0.825	7,760	0.810	0.792 - 0.828
Nevada	18,764	0.637	0.628 - 0.646	9,080	0.614	0.602 - 0.627	9,684	0.660	0.647 - 0.673
New Hampshire	13,111	0.974	0.957 - 0.991	6,389	0.959	0.935 - 0.982	6,722	0.989	0.966 - 1.013
New Jersey	80,889	0.911	0.904 - 0.917	39,469	0.910	0.901 - 0.919	41,419	0.911	0.902 - 0.920
New Mexico	13,898	0.664	0.653 - 0.675	6,583	0.635	0.620 - 0.651	7,315	0.692	0.676 - 0.708
New York	176,098	0.898	0.894 - 0.902	85,859	0.902	0.896 - 0.908	90,238	0.894	0.888 - 0.900
North Carolina	85,702	0.839	0.833 - 0.845	42,243	0.850	0.842 - 0.858	43,459	0.829	0.821 - 0.837
North Dakota	6,041	0.800	0.780 - 0.821	3,116	0.805	0.777 - 0.834	2,925	0.795	0.767 - 0.825
Ohio	99,516	0.854	0.849 - 0.860	47,964	0.840	0.833 - 0.848	51,552	0.868	0.860 - 0.875
Oklahoma	29,933	0.762	0.753 - 0.770	14,774	0.759	0.747 - 0.771	15,159	0.765	0.752 - 0.777
Oregon	33,229	0.807	0.798 - 0.815	16,253	0.796	0.784 - 0.809	16,976	0.817	0.805 - 0.829
Pennsylvania	120,836	0.945	0.940 - 0.950	59,052	0.943	0.936 - 0.951	61,784	0.947	0.939 - 0.954
Rhode Island	9,456	0.895	0.877 - 0.913	4,386	0.854	0.829 - 0.880	5,070	0.934	0.908 - 0.960
South Carolina	41,719	0.836	0.828 - 0.844	21,173	0.874	0.863 - 0.886	20,546	0.800	0.789 - 0.811
Tennessee	54,814	0.821	0.814 - 0.828	27,581	0.847	0.837 - 0.857	27,233	0.796	0.787 - 0.806
Texas	167,861	0.597	0.594 - 0.600	81,919	0.586	0.582 - 0.590	85,942	0.607	0.603 - 0.611
Utah	17,174	0.559	0.551 - 0.567	8,653	0.559	0.548 - 0.571	8,521	0.559	0.547 - 0.571
Vermont	5,798	0.929	0.905 - 0.953	2,753	0.893	0.860 - 0.927	3,045	0.964	0.930 - 0.999
Virginia	60,171	0.713	0.707 - 0.719	29,049	0.700	0.692 - 0.708	31,122	0.726	0.718 - 0.734
Washington ³	57,633	0.783	0.777 - 0.789	27,917	0.759	0.750 - 0.768	29,716	0.807	0.798 - 0.817
WA - Seattle	41,825	0.824	0.816 - 0.832	20,442	0.805	0.794 - 0.816	21,383	0.843	0.832 - 0.854
West Virginia	17,434	0.956	0.942 - 0.970	8,568	0.949	0.929 - 0.970	8,866	0.962	0.942 - 0.982
Wisconsin	50,868	0.880	0.872 - 0.887	25,569	0.889	0.878 - 0.900	25,299	0.870	0.860 - 0.881
Wyoming	4,233	0.728	0.706 - 0.750	2,215	0.746	0.715 - 0.778	2,019	0.709	0.678 - 0.741
NAACCR CDN Combined¹	307,473	0.831	0.828 - 0.834	152,256	0.828	0.824 - 0.833	155,089	0.834	0.829 - 0.838
Alberta	29,405	0.697	0.689 - 0.705	14,816	0.696	0.685 - 0.708	14,589	0.697	0.686 - 0.709
British Columbia	39,127	0.800	0.792 - 0.808	19,647	0.812	0.800 - 0.823	19,480	0.788	0.777 - 0.800
Manitoba	10,054	0.759	0.744 - 0.774	5,002	0.757	0.736 - 0.778	5,052	0.761	0.740 - 0.783
New Brunswick	7,329	0.958	0.936 - 0.980	3,728	0.985	0.954 - 1.017	3,601	0.931	0.901 - 0.962
Newfoundland and Labrador	5,672	1.072	1.045 - 1.101	2,823	1.077	1.037 - 1.117	2,849	1.068	1.029 - 1.108
Nova Scotia	9,371	0.990	0.970 - 1.010	4,649	1.005	0.976 - 1.034	4,722	0.976	0.948 - 1.004
Ontario	121,578	0.870	0.865 - 0.875	59,103	0.858	0.851 - 0.865	62,475	0.882	0.875 - 0.888
Prince Edward Island	1,365	0.918	0.870 - 0.968	680	0.936	0.867 - 1.009	685	0.900	0.834 - 0.970
Saskatchewan	8,306	0.726	0.711 - 0.742	4,271	0.742	0.719 - 0.764	4,035	0.711	0.689 - 0.733
NAACCR N.A. Combined¹	2,875,030	0.794	0.793 - 0.795	1,411,344	0.791	0.789 - 0.792	1,463,373	0.797	0.795 - 0.798

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	74,852	0.023	0.023 - 0.023	53,587	0.033	0.033 - 0.034	21,249	0.013	0.013 - 0.013
Alabama	1,283	0.026	0.025 - 0.028	896	0.038	0.036 - 0.041	387	0.015	0.014 - 0.017
Alaska	136	0.018	0.015 - 0.022	108	0.028	0.023 - 0.034	28	0.008	0.005 - 0.011
Arizona	1,213	0.017	0.016 - 0.018	920	0.026	0.025 - 0.028	293	0.008	0.007 - 0.009
Arkansas	825	0.028	0.026 - 0.029	593	0.040	0.037 - 0.044	232	0.015	0.013 - 0.017
California	7,400	0.019	0.018 - 0.019	5,275	0.027	0.026 - 0.028	2,125	0.011	0.010 - 0.011
CA - Greater California	4,399	0.020	0.020 - 0.021	3,198	0.029	0.028 - 0.030	1,201	0.011	0.010 - 0.012
CA - Greater Bay Area	1,475	0.020	0.019 - 0.021	1,016	0.028	0.026 - 0.029	459	0.012	0.011 - 0.014
CA - Los Angeles	1,526	0.015	0.014 - 0.016	1,061	0.021	0.020 - 0.023	465	0.009	0.008 - 0.010
Colorado	1,148	0.021	0.019 - 0.022	822	0.029	0.027 - 0.031	326	0.012	0.011 - 0.013
Connecticut	945	0.026	0.025 - 0.028	635	0.036	0.034 - 0.039	310	0.017	0.015 - 0.019
Delaware	258	0.027	0.024 - 0.031	189	0.041	0.035 - 0.047	69	0.014	0.011 - 0.018
District of Columbia	108	0.016	0.013 - 0.019	71	0.022	0.017 - 0.027	37	0.010	0.007 - 0.014
Florida	5,861	0.028	0.027 - 0.029	4,324	0.043	0.041 - 0.044	1,537	0.014	0.014 - 0.015
Georgia	2,303	0.022	0.021 - 0.023	1,653	0.033	0.031 - 0.034	650	0.012	0.011 - 0.013
Hawaii	393	0.028	0.025 - 0.030	262	0.037	0.032 - 0.041	131	0.018	0.015 - 0.022
Idaho	446	0.026	0.024 - 0.029	331	0.039	0.035 - 0.043	116	0.014	0.011 - 0.016
Illinois	3,031	0.024	0.023 - 0.025	2,147	0.034	0.033 - 0.036	884	0.014	0.013 - 0.014
Iowa	884	0.028	0.026 - 0.030	618	0.040	0.037 - 0.043	267	0.017	0.015 - 0.019
Kentucky	1,224	0.028	0.026 - 0.029	890	0.041	0.038 - 0.043	334	0.015	0.013 - 0.016
Louisiana	1,104	0.024	0.022 - 0.025	792	0.035	0.032 - 0.037	312	0.013	0.012 - 0.015
Maine	430	0.032	0.029 - 0.035	319	0.049	0.044 - 0.055	111	0.016	0.013 - 0.020
Maryland	1,278	0.021	0.020 - 0.022	918	0.031	0.029 - 0.034	360	0.012	0.010 - 0.013
Michigan	2,458	0.025	0.024 - 0.026	1,733	0.035	0.034 - 0.037	725	0.014	0.013 - 0.015
MI - Detroit	963	0.025	0.023 - 0.026	690	0.037	0.034 - 0.040	272	0.014	0.012 - 0.015
Minnesota	1,398	0.025	0.024 - 0.027	964	0.035	0.033 - 0.037	434	0.016	0.014 - 0.017
Mississippi	718	0.024	0.022 - 0.026	509	0.035	0.032 - 0.038	209	0.014	0.012 - 0.016
Missouri	1,530	0.025	0.024 - 0.026	1,104	0.037	0.035 - 0.039	426	0.014	0.012 - 0.015
Montana	253	0.024	0.021 - 0.027	177	0.034	0.029 - 0.039	76	0.015	0.011 - 0.018
Nebraska	456	0.024	0.022 - 0.026	329	0.034	0.031 - 0.038	127	0.013	0.011 - 0.016
Nevada	574	0.019	0.018 - 0.021	418	0.028	0.026 - 0.031	156	0.011	0.009 - 0.012
New Hampshire	363	0.027	0.024 - 0.030	273	0.041	0.036 - 0.046	90	0.013	0.011 - 0.016
New Jersey	1,954	0.022	0.021 - 0.023	1,399	0.032	0.031 - 0.034	555	0.012	0.011 - 0.013
New Mexico	338	0.016	0.014 - 0.018	256	0.025	0.022 - 0.028	81	0.008	0.006 - 0.010
New York	4,512	0.023	0.022 - 0.024	3,128	0.033	0.032 - 0.034	1,384	0.014	0.013 - 0.014
North Carolina	2,516	0.025	0.024 - 0.026	1,799	0.036	0.035 - 0.038	717	0.014	0.013 - 0.015
North Dakota	191	0.025	0.022 - 0.029	131	0.034	0.028 - 0.040	60	0.016	0.012 - 0.021
Ohio	2,909	0.025	0.024 - 0.026	2,083	0.036	0.035 - 0.038	826	0.014	0.013 - 0.015
Oklahoma	970	0.025	0.023 - 0.026	704	0.036	0.034 - 0.039	266	0.013	0.012 - 0.015
Oregon	1,060	0.026	0.024 - 0.027	768	0.038	0.035 - 0.040	292	0.014	0.012 - 0.016
Pennsylvania	3,270	0.026	0.025 - 0.026	2,277	0.036	0.035 - 0.038	993	0.015	0.014 - 0.016
Rhode Island	255	0.024	0.021 - 0.027	167	0.033	0.028 - 0.038	88	0.016	0.013 - 0.020
South Carolina	1,220	0.024	0.023 - 0.026	916	0.038	0.035 - 0.040	304	0.012	0.011 - 0.013
Tennessee	1,695	0.025	0.024 - 0.027	1,232	0.038	0.036 - 0.040	463	0.014	0.012 - 0.015
Texas	5,205	0.019	0.018 - 0.019	3,809	0.027	0.026 - 0.028	1,396	0.010	0.009 - 0.010
Utah	501	0.016	0.015 - 0.018	341	0.022	0.020 - 0.024	160	0.010	0.009 - 0.012
Vermont	163	0.026	0.022 - 0.030	117	0.038	0.031 - 0.045	46	0.015	0.011 - 0.019
Virginia	1,858	0.022	0.021 - 0.023	1,347	0.032	0.031 - 0.034	511	0.012	0.011 - 0.013
Washington ³	1,773	0.024	0.023 - 0.025	1,257	0.034	0.032 - 0.036	516	0.014	0.013 - 0.015
WA - Seattle	1,320	0.026	0.025 - 0.027	933	0.037	0.034 - 0.039	387	0.015	0.014 - 0.017
West Virginia	552	0.030	0.028 - 0.033	394	0.044	0.039 - 0.048	158	0.017	0.015 - 0.020
Wisconsin	1,456	0.025	0.024 - 0.027	1,019	0.035	0.033 - 0.038	437	0.015	0.014 - 0.017
Wyoming	124	0.021	0.018 - 0.025	90	0.030	0.024 - 0.037	34	0.012	0.008 - 0.017
NAACCR CDN Combined¹	8,031	0.022	0.021 - 0.022	5,581	0.030	0.029 - 0.031	2,458	0.013	0.013 - 0.014
Alberta	697	0.017	0.015 - 0.018	487	0.023	0.021 - 0.025	210	0.010	0.009 - 0.011
British Columbia	1,119	0.023	0.022 - 0.024	804	0.033	0.031 - 0.036	315	0.013	0.011 - 0.014
Manitoba	295	0.022	0.020 - 0.025	195	0.030	0.026 - 0.034	100	0.015	0.012 - 0.018
New Brunswick	224	0.029	0.026 - 0.033	158	0.042	0.035 - 0.049	66	0.017	0.013 - 0.022
Newfoundland and Labrador	144	0.027	0.023 - 0.032	99	0.038	0.031 - 0.046	45	0.017	0.012 - 0.023
Nova Scotia	254	0.027	0.024 - 0.030	181	0.039	0.034 - 0.045	73	0.015	0.012 - 0.019
Ontario	3,100	0.022	0.021 - 0.023	2,117	0.031	0.029 - 0.032	983	0.014	0.013 - 0.015
Prince Edward Island	60	0.040	0.031 - 0.052	44	0.061	0.044 - 0.081	16	0.021	0.012 - 0.034
Saskatchewan	178	0.016	0.013 - 0.018	125	0.022	0.018 - 0.026	53	0.009	0.007 - 0.012
NAACCR N.A. Combined¹	82,882	0.023	0.023 - 0.023	59,168	0.033	0.033 - 0.033	23,706	0.013	0.013 - 0.013

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-2 Prevalence – Oral Cavity and Pharynx

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	18,605	0.006	0.006 - 0.006	14,732	0.009	0.009 - 0.009	3,866	0.002	0.002 - 0.002
Alabama	266	0.005	0.005 - 0.006	217	0.009	0.008 - 0.011	49	0.002	0.001 - 0.003
Alaska	35	0.005	0.003 - 0.007	-	-	-	-	-	-
Arizona	371	0.005	0.005 - 0.006	295	0.008	0.008 - 0.010	76	0.002	0.002 - 0.003
Arkansas	140	0.005	0.004 - 0.006	114	0.008	0.006 - 0.009	26	0.002	0.001 - 0.002
California	1,571	0.004	0.004 - 0.004	1,200	0.006	0.006 - 0.006	371	0.002	0.002 - 0.002
CA - Greater California	950	0.004	0.004 - 0.005	728	0.007	0.006 - 0.007	223	0.002	0.002 - 0.002
CA - Greater Bay Area	318	0.004	0.004 - 0.005	240	0.007	0.006 - 0.007	78	0.002	0.002 - 0.003
CA - Los Angeles	303	0.003	0.003 - 0.003	232	0.005	0.004 - 0.005	70	0.001	0.001 - 0.002
Colorado	270	0.005	0.004 - 0.005	224	0.008	0.007 - 0.009	46	0.002	0.001 - 0.002
Connecticut	239	0.007	0.006 - 0.008	185	0.011	0.009 - 0.012	55	0.003	0.002 - 0.004
Delaware	70	0.007	0.006 - 0.009	55	0.012	0.009 - 0.016	15	0.003	0.002 - 0.005
District of Columbia	18	0.003	0.002 - 0.004	-	-	-	-	-	-
Florida	1,472	0.007	0.007 - 0.007	1,179	0.012	0.011 - 0.012	293	0.003	0.002 - 0.003
Georgia	496	0.005	0.004 - 0.005	379	0.008	0.007 - 0.008	117	0.002	0.002 - 0.003
Hawaii	72	0.005	0.004 - 0.006	61	0.009	0.007 - 0.011	10	0.001	0.001 - 0.003
Idaho	104	0.006	0.005 - 0.007	89	0.010	0.008 - 0.013	15	0.002	0.001 - 0.003
Illinois	789	0.006	0.006 - 0.007	625	0.010	0.009 - 0.011	164	0.003	0.002 - 0.003
Iowa	248	0.008	0.007 - 0.009	208	0.013	0.012 - 0.015	40	0.003	0.002 - 0.003
Kentucky	277	0.006	0.006 - 0.007	229	0.010	0.009 - 0.012	48	0.002	0.002 - 0.003
Louisiana	250	0.005	0.005 - 0.006	193	0.008	0.007 - 0.010	57	0.002	0.002 - 0.003
Maine	170	0.013	0.011 - 0.015	137	0.021	0.018 - 0.025	33	0.005	0.003 - 0.007
Maryland	308	0.005	0.005 - 0.006	240	0.008	0.007 - 0.009	68	0.002	0.002 - 0.003
Michigan	785	0.008	0.007 - 0.008	614	0.013	0.012 - 0.014	171	0.003	0.003 - 0.004
MI - Detroit	282	0.007	0.006 - 0.008	221	0.012	0.010 - 0.013	61	0.003	0.002 - 0.004
Minnesota	383	0.007	0.006 - 0.008	309	0.011	0.010 - 0.013	74	0.003	0.002 - 0.003
Mississippi	172	0.006	0.005 - 0.007	141	0.010	0.008 - 0.011	31	0.002	0.001 - 0.003
Missouri	405	0.007	0.006 - 0.007	331	0.011	0.010 - 0.012	74	0.002	0.002 - 0.003
Montana	77	0.007	0.006 - 0.009	-	-	-	-	-	-
Nebraska	95	0.005	0.004 - 0.006	85	0.009	0.007 - 0.011	10	0.001	0.001 - 0.002
Nevada	136	0.005	0.004 - 0.005	111	0.008	0.006 - 0.009	25	0.002	0.001 - 0.003
New Hampshire	144	0.011	0.009 - 0.013	113	0.017	0.014 - 0.020	31	0.005	0.003 - 0.006
New Jersey	517	0.006	0.005 - 0.006	405	0.009	0.008 - 0.010	112	0.002	0.002 - 0.003
New Mexico	97	0.005	0.004 - 0.006	81	0.008	0.006 - 0.010	16	0.002	0.001 - 0.002
New York	1,229	0.006	0.006 - 0.007	924	0.010	0.009 - 0.010	305	0.003	0.003 - 0.003
North Carolina	536	0.005	0.005 - 0.006	425	0.009	0.008 - 0.009	111	0.002	0.002 - 0.003
North Dakota	43	0.006	0.004 - 0.008	31	0.008	0.005 - 0.011	12	0.003	0.002 - 0.006
Ohio	812	0.007	0.006 - 0.007	643	0.011	0.010 - 0.012	169	0.003	0.002 - 0.003
Oklahoma	203	0.005	0.004 - 0.006	160	0.008	0.007 - 0.010	43	0.002	0.002 - 0.003
Oregon	270	0.007	0.006 - 0.007	219	0.011	0.009 - 0.012	51	0.002	0.002 - 0.003
Pennsylvania	972	0.008	0.007 - 0.008	766	0.012	0.011 - 0.013	206	0.003	0.003 - 0.004
Rhode Island	80	0.008	0.006 - 0.009	63	0.012	0.009 - 0.016	17	0.003	0.002 - 0.005
South Carolina	303	0.006	0.005 - 0.007	241	0.010	0.009 - 0.011	62	0.002	0.002 - 0.003
Tennessee	410	0.006	0.006 - 0.007	342	0.011	0.009 - 0.012	68	0.002	0.002 - 0.003
Texas	1,125	0.004	0.004 - 0.004	896	0.006	0.006 - 0.007	229	0.002	0.001 - 0.002
Utah	91	0.003	0.002 - 0.004	77	0.005	0.004 - 0.006	14	0.001	0.001 - 0.002
Vermont	62	0.010	0.008 - 0.013	47	0.015	0.011 - 0.020	15	0.005	0.003 - 0.008
Virginia	398	0.005	0.004 - 0.005	319	0.008	0.007 - 0.009	79	0.002	0.001 - 0.002
Washington ³	438	0.006	0.005 - 0.007	345	0.009	0.008 - 0.010	93	0.003	0.002 - 0.003
WA - Seattle	294	0.006	0.005 - 0.006	227	0.009	0.008 - 0.010	67	0.003	0.002 - 0.003
West Virginia	145	0.008	0.007 - 0.009	116	0.013	0.011 - 0.015	29	0.003	0.002 - 0.005
Wisconsin	418	0.007	0.007 - 0.008	323	0.011	0.010 - 0.013	95	0.003	0.003 - 0.004
Wyoming	33	0.006	0.004 - 0.008	-	-	-	-	-	-
NAACCR CDN Combined¹	2,102	0.006	0.005 - 0.006	1,627	0.009	0.008 - 0.009	476	0.003	0.002 - 0.003
Alberta	199	0.005	0.004 - 0.005	156	0.007	0.006 - 0.009	43	0.002	0.001 - 0.003
British Columbia	330	0.007	0.006 - 0.008	260	0.011	0.009 - 0.012	70	0.003	0.002 - 0.004
Manitoba	61	0.005	0.004 - 0.006	48	0.007	0.005 - 0.010	13	0.002	0.001 - 0.003
New Brunswick	39	0.005	0.004 - 0.007	-	-	-	-	-	-
Newfoundland and Labrador	28	0.005	0.004 - 0.008	-	-	-	-	-	-
Nova Scotia	84	0.009	0.007 - 0.011	64	0.014	0.011 - 0.018	20	0.004	0.003 - 0.006
Ontario	787	0.006	0.005 - 0.006	596	0.009	0.008 - 0.009	191	0.003	0.002 - 0.003
Prince Edward Island	12	0.008	0.004 - 0.014	-	-	-	-	-	-
Saskatchewan	43	0.004	0.003 - 0.005	-	-	-	-	-	-
NAACCR N.A. Combined¹	20,707	0.006	0.006 - 0.006	16,360	0.009	0.009 - 0.009	4,342	0.002	0.002 - 0.002

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	28,972	0.009	0.009 - 0.009	17,425	0.011	0.011 - 0.011	11,542	0.007	0.007 - 0.007
Alabama	469	0.010	0.009 - 0.011	282	0.012	0.011 - 0.013	187	0.007	0.006 - 0.009
Alaska	58	0.008	0.006 - 0.010	37	0.010	0.007 - 0.013	21	0.006	0.004 - 0.009
Arizona	508	0.007	0.007 - 0.008	315	0.009	0.008 - 0.010	193	0.005	0.005 - 0.006
Arkansas	280	0.009	0.008 - 0.011	169	0.011	0.010 - 0.013	111	0.007	0.006 - 0.009
California	3,497	0.009	0.009 - 0.009	2,056	0.011	0.010 - 0.011	1,441	0.007	0.007 - 0.008
CA - Greater California	1,694	0.008	0.007 - 0.008	1,025	0.009	0.009 - 0.010	669	0.006	0.006 - 0.007
CA - Greater Bay Area	722	0.010	0.009 - 0.010	410	0.011	0.010 - 0.012	311	0.008	0.007 - 0.009
CA - Los Angeles	1,082	0.011	0.010 - 0.011	621	0.012	0.011 - 0.013	461	0.009	0.008 - 0.010
Colorado	359	0.006	0.006 - 0.007	226	0.008	0.007 - 0.009	133	0.005	0.004 - 0.006
Connecticut	463	0.013	0.012 - 0.014	281	0.016	0.014 - 0.018	181	0.010	0.009 - 0.011
Delaware	97	0.010	0.008 - 0.012	58	0.013	0.010 - 0.016	39	0.008	0.006 - 0.011
District of Columbia	73	0.011	0.008 - 0.013	45	0.014	0.010 - 0.018	28	0.008	0.005 - 0.011
Florida	1,974	0.009	0.009 - 0.010	1,236	0.012	0.011 - 0.013	738	0.007	0.006 - 0.007
Georgia	791	0.008	0.007 - 0.008	461	0.009	0.008 - 0.010	330	0.006	0.006 - 0.007
Hawaii	170	0.012	0.010 - 0.014	105	0.015	0.012 - 0.018	65	0.009	0.007 - 0.012
Idaho	113	0.007	0.005 - 0.008	73	0.009	0.007 - 0.011	40	0.005	0.003 - 0.006
Illinois	1,296	0.010	0.010 - 0.011	772	0.012	0.011 - 0.013	524	0.008	0.007 - 0.009
Iowa	224	0.007	0.006 - 0.008	138	0.009	0.007 - 0.010	86	0.005	0.004 - 0.007
Kentucky	402	0.009	0.008 - 0.010	230	0.011	0.009 - 0.012	171	0.008	0.007 - 0.009
Louisiana	421	0.009	0.008 - 0.010	253	0.011	0.010 - 0.013	168	0.007	0.006 - 0.008
Maine	126	0.009	0.008 - 0.011	74	0.011	0.009 - 0.014	52	0.008	0.006 - 0.010
Maryland	574	0.010	0.009 - 0.010	336	0.012	0.010 - 0.013	238	0.008	0.007 - 0.009
Michigan	917	0.009	0.009 - 0.010	569	0.012	0.011 - 0.013	348	0.007	0.006 - 0.008
MI - Detroit	369	0.010	0.009 - 0.011	212	0.011	0.010 - 0.013	157	0.008	0.007 - 0.009
Minnesota	427	0.008	0.007 - 0.008	267	0.010	0.009 - 0.011	160	0.006	0.005 - 0.007
Mississippi	265	0.009	0.008 - 0.010	150	0.010	0.009 - 0.012	115	0.007	0.006 - 0.009
Missouri	457	0.007	0.007 - 0.008	291	0.010	0.009 - 0.011	166	0.005	0.005 - 0.006
Montana	83	0.008	0.006 - 0.010	59	0.011	0.009 - 0.014	24	0.005	0.003 - 0.007
Nebraska	138	0.007	0.006 - 0.009	89	0.009	0.007 - 0.011	49	0.005	0.004 - 0.007
Nevada	192	0.007	0.006 - 0.008	123	0.008	0.007 - 0.010	69	0.005	0.004 - 0.006
New Hampshire	128	0.010	0.008 - 0.011	84	0.013	0.010 - 0.016	44	0.006	0.005 - 0.009
New Jersey	1,036	0.012	0.011 - 0.012	601	0.014	0.013 - 0.015	436	0.010	0.009 - 0.011
New Mexico	151	0.007	0.006 - 0.008	91	0.009	0.007 - 0.011	59	0.006	0.004 - 0.007
New York	2,701	0.014	0.013 - 0.014	1,554	0.016	0.016 - 0.017	1,147	0.011	0.011 - 0.012
North Carolina	950	0.009	0.009 - 0.010	552	0.011	0.010 - 0.012	398	0.008	0.007 - 0.008
North Dakota	53	0.007	0.005 - 0.009	36	0.009	0.007 - 0.013	17	0.005	0.003 - 0.007
Ohio	1,017	0.009	0.008 - 0.009	632	0.011	0.010 - 0.012	385	0.006	0.006 - 0.007
Oklahoma	294	0.007	0.007 - 0.008	163	0.008	0.007 - 0.010	131	0.007	0.006 - 0.008
Oregon	313	0.008	0.007 - 0.008	209	0.010	0.009 - 0.012	104	0.005	0.004 - 0.006
Pennsylvania	1,237	0.010	0.009 - 0.010	780	0.012	0.012 - 0.013	457	0.007	0.006 - 0.008
Rhode Island	115	0.011	0.009 - 0.013	67	0.013	0.010 - 0.017	48	0.009	0.007 - 0.012
South Carolina	476	0.010	0.009 - 0.010	290	0.012	0.011 - 0.013	186	0.007	0.006 - 0.008
Tennessee	545	0.008	0.007 - 0.009	339	0.010	0.009 - 0.012	206	0.006	0.005 - 0.007
Texas	1,998	0.007	0.007 - 0.007	1,126	0.008	0.008 - 0.009	872	0.006	0.006 - 0.007
Utah	146	0.005	0.004 - 0.006	80	0.005	0.004 - 0.006	66	0.004	0.003 - 0.006
Vermont	53	0.008	0.006 - 0.011	29	0.009	0.006 - 0.014	24	0.008	0.005 - 0.011
Virginia	722	0.009	0.008 - 0.009	444	0.011	0.010 - 0.012	278	0.006	0.006 - 0.007
Washington ³	525	0.007	0.007 - 0.008	320	0.009	0.008 - 0.010	205	0.006	0.005 - 0.006
WA - Seattle	380	0.007	0.007 - 0.008	227	0.009	0.008 - 0.010	153	0.006	0.005 - 0.007
West Virginia	173	0.009	0.008 - 0.011	102	0.011	0.009 - 0.014	71	0.008	0.006 - 0.010
Wisconsin	507	0.009	0.008 - 0.010	337	0.012	0.011 - 0.013	170	0.006	0.005 - 0.007
Wyoming	31	0.005	0.004 - 0.008	-	-	-	-	-	-
NAACCR CDN Combined¹	4,041	0.011	0.011 - 0.011	2,637	0.014	0.014 - 0.015	1,404	0.008	0.007 - 0.008
Alberta	297	0.007	0.006 - 0.008	200	0.009	0.008 - 0.011	97	0.005	0.004 - 0.006
British Columbia	453	0.009	0.008 - 0.010	308	0.013	0.011 - 0.014	145	0.006	0.005 - 0.007
Manitoba	136	0.010	0.009 - 0.012	91	0.014	0.011 - 0.017	45	0.007	0.005 - 0.009
New Brunswick	118	0.015	0.013 - 0.018	87	0.023	0.018 - 0.028	31	0.008	0.005 - 0.011
Newfoundland and Labrador	77	0.015	0.011 - 0.018	53	0.020	0.015 - 0.026	24	0.009	0.006 - 0.013
Nova Scotia	79	0.008	0.007 - 0.010	54	0.012	0.009 - 0.015	25	0.005	0.003 - 0.008
Ontario	1,771	0.013	0.012 - 0.013	1,116	0.016	0.015 - 0.017	655	0.009	0.009 - 0.010
Prince Edward Island	10	0.007	0.003 - 0.012	-	-	-	-	-	-
Saskatchewan	105	0.009	0.008 - 0.011	69	0.012	0.009 - 0.015	36	0.006	0.004 - 0.009
NAACCR N.A. Combined¹	33,013	0.009	0.009 - 0.009	20,063	0.011	0.011 - 0.011	12,946	0.007	0.007 - 0.007

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-4 Prevalence – Stomach

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	224,429	0.069	0.069 - 0.069	117,929	0.074	0.073 - 0.074	106,487	0.065	0.064 - 0.065
Alabama	3,985	0.082	0.079 - 0.084	2,000	0.085	0.081 - 0.089	1,985	0.079	0.076 - 0.083
Alaska	467	0.063	0.057 - 0.069	249	0.064	0.057 - 0.073	218	0.062	0.054 - 0.070
Arizona	3,936	0.056	0.055 - 0.058	2,110	0.061	0.058 - 0.063	1,826	0.052	0.050 - 0.054
Arkansas	2,378	0.079	0.076 - 0.083	1,230	0.084	0.079 - 0.088	1,148	0.075	0.071 - 0.080
California	23,416	0.060	0.059 - 0.060	12,263	0.063	0.062 - 0.064	11,153	0.056	0.055 - 0.057
CA - Greater California	12,887	0.059	0.058 - 0.060	6,792	0.063	0.061 - 0.064	6,095	0.056	0.054 - 0.057
CA - Greater Bay Area	4,553	0.062	0.060 - 0.063	2,417	0.066	0.063 - 0.068	2,137	0.058	0.055 - 0.060
CA - Los Angeles	5,978	0.059	0.058 - 0.061	3,056	0.061	0.059 - 0.063	2,922	0.057	0.055 - 0.059
Colorado	3,011	0.054	0.052 - 0.056	1,582	0.056	0.054 - 0.059	1,429	0.052	0.049 - 0.054
Connecticut	2,562	0.072	0.069 - 0.074	1,342	0.077	0.073 - 0.081	1,220	0.067	0.063 - 0.070
Delaware	753	0.079	0.073 - 0.085	400	0.087	0.078 - 0.096	353	0.072	0.064 - 0.080
District of Columbia	359	0.052	0.047 - 0.058	165	0.050	0.043 - 0.059	194	0.053	0.046 - 0.061
Florida	15,550	0.075	0.074 - 0.076	8,163	0.080	0.079 - 0.082	7,387	0.069	0.068 - 0.071
Georgia	7,169	0.069	0.068 - 0.071	3,761	0.075	0.072 - 0.077	3,409	0.064	0.062 - 0.066
Hawaii	1,201	0.084	0.080 - 0.089	659	0.092	0.085 - 0.099	542	0.076	0.070 - 0.083
Idaho	1,036	0.061	0.057 - 0.065	553	0.065	0.060 - 0.071	482	0.057	0.052 - 0.062
Illinois	9,995	0.078	0.077 - 0.080	5,241	0.083	0.081 - 0.086	4,754	0.073	0.071 - 0.075
Iowa	2,590	0.083	0.079 - 0.086	1,368	0.088	0.083 - 0.092	1,222	0.077	0.073 - 0.082
Kentucky	3,967	0.089	0.086 - 0.092	2,130	0.097	0.093 - 0.101	1,837	0.081	0.078 - 0.085
Louisiana	3,710	0.079	0.077 - 0.082	1,994	0.087	0.083 - 0.091	1,717	0.072	0.068 - 0.075
Maine	1,064	0.080	0.075 - 0.085	554	0.085	0.078 - 0.092	510	0.075	0.069 - 0.082
Maryland	3,856	0.064	0.062 - 0.066	1,921	0.066	0.063 - 0.069	1,935	0.062	0.060 - 0.065
Michigan	7,197	0.072	0.071 - 0.074	3,738	0.076	0.074 - 0.079	3,459	0.068	0.066 - 0.071
MI - Detroit	3,058	0.079	0.076 - 0.082	1,554	0.083	0.078 - 0.087	1,504	0.075	0.071 - 0.079
Minnesota	3,880	0.070	0.068 - 0.072	2,057	0.075	0.071 - 0.078	1,823	0.065	0.062 - 0.069
Mississippi	2,602	0.087	0.084 - 0.090	1,364	0.094	0.089 - 0.099	1,238	0.080	0.076 - 0.085
Missouri	4,608	0.076	0.073 - 0.078	2,463	0.082	0.079 - 0.086	2,145	0.069	0.066 - 0.072
Montana	773	0.074	0.069 - 0.079	421	0.080	0.072 - 0.088	353	0.068	0.061 - 0.075
Nebraska	1,526	0.080	0.076 - 0.084	775	0.081	0.076 - 0.087	751	0.078	0.073 - 0.084
Nevada	1,733	0.059	0.056 - 0.062	946	0.064	0.060 - 0.068	787	0.054	0.050 - 0.058
New Hampshire	1,023	0.076	0.071 - 0.081	549	0.082	0.076 - 0.090	474	0.070	0.064 - 0.076
New Jersey	6,874	0.077	0.076 - 0.079	3,559	0.082	0.079 - 0.085	3,316	0.073	0.070 - 0.075
New Mexico	1,292	0.062	0.058 - 0.065	662	0.064	0.059 - 0.069	630	0.060	0.055 - 0.064
New York	14,169	0.072	0.071 - 0.073	7,325	0.077	0.075 - 0.079	6,845	0.068	0.066 - 0.069
North Carolina	6,956	0.068	0.067 - 0.070	3,610	0.073	0.070 - 0.075	3,346	0.064	0.062 - 0.066
North Dakota	542	0.072	0.066 - 0.078	306	0.079	0.070 - 0.088	236	0.064	0.056 - 0.073
Ohio	9,143	0.078	0.077 - 0.080	4,741	0.083	0.081 - 0.085	4,402	0.074	0.072 - 0.076
Oklahoma	2,911	0.074	0.071 - 0.077	1,528	0.078	0.075 - 0.083	1,383	0.070	0.066 - 0.074
Oregon	2,671	0.065	0.062 - 0.067	1,393	0.068	0.065 - 0.072	1,278	0.062	0.058 - 0.065
Pennsylvania	10,580	0.083	0.081 - 0.084	5,581	0.089	0.087 - 0.092	4,999	0.077	0.074 - 0.079
Rhode Island	654	0.062	0.057 - 0.067	328	0.064	0.057 - 0.071	326	0.060	0.054 - 0.067
South Carolina	3,677	0.074	0.071 - 0.076	1,957	0.081	0.077 - 0.084	1,720	0.067	0.064 - 0.070
Tennessee	4,951	0.074	0.072 - 0.076	2,607	0.080	0.077 - 0.083	2,344	0.069	0.066 - 0.071
Texas	16,103	0.057	0.056 - 0.058	8,838	0.063	0.062 - 0.065	7,265	0.051	0.050 - 0.053
Utah	1,155	0.038	0.035 - 0.040	588	0.038	0.035 - 0.041	567	0.037	0.034 - 0.040
Vermont	431	0.069	0.063 - 0.076	223	0.072	0.063 - 0.082	208	0.066	0.057 - 0.075
Virginia	5,110	0.061	0.059 - 0.062	2,667	0.064	0.062 - 0.067	2,443	0.057	0.055 - 0.059
Washington ³	4,586	0.062	0.061 - 0.064	2,420	0.066	0.063 - 0.068	2,166	0.059	0.056 - 0.061
WA - Seattle	3,283	0.065	0.062 - 0.067	1,761	0.069	0.066 - 0.073	1,522	0.060	0.057 - 0.063
West Virginia	1,743	0.096	0.091 - 0.100	934	0.103	0.097 - 0.110	809	0.088	0.082 - 0.094
Wisconsin	4,042	0.070	0.068 - 0.072	2,145	0.075	0.071 - 0.078	1,897	0.065	0.062 - 0.068
Wyoming	335	0.058	0.052 - 0.064	185	0.062	0.054 - 0.072	151	0.053	0.045 - 0.062
NAACCR CDN Combined¹	36,884	0.100	0.098 - 0.101	20,676	0.112	0.111 - 0.114	16,213	0.087	0.085 - 0.088
Alberta	3,415	0.081	0.078 - 0.084	1,954	0.092	0.088 - 0.096	1,461	0.070	0.066 - 0.074
British Columbia	5,225	0.107	0.104 - 0.110	2,934	0.121	0.117 - 0.126	2,291	0.093	0.089 - 0.097
Manitoba	1,333	0.101	0.095 - 0.106	765	0.116	0.108 - 0.124	568	0.086	0.079 - 0.093
New Brunswick	901	0.118	0.110 - 0.126	516	0.136	0.125 - 0.149	385	0.100	0.090 - 0.110
Newfoundland and Labrador	1,023	0.193	0.182 - 0.206	582	0.222	0.204 - 0.241	441	0.165	0.150 - 0.182
Nova Scotia	1,268	0.134	0.127 - 0.142	697	0.151	0.140 - 0.162	571	0.118	0.109 - 0.128
Ontario	13,311	0.095	0.094 - 0.097	7,373	0.107	0.105 - 0.110	5,938	0.084	0.082 - 0.086
Prince Edward Island	183	0.123	0.106 - 0.142	100	0.138	0.112 - 0.167	83	0.109	0.087 - 0.135
Saskatchewan	1,150	0.101	0.095 - 0.107	654	0.114	0.105 - 0.123	496	0.087	0.080 - 0.095
NAACCR N.A. Combined¹	261,312	0.072	0.071 - 0.072	138,604	0.077	0.077 - 0.078	122,700	0.066	0.066 - 0.067

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	34,047	0.011	0.010 - 0.011	24,233	0.015	0.015 - 0.015	9,810	0.006	0.006 - 0.006
Alabama	378	0.008	0.007 - 0.009	262	0.011	0.010 - 0.013	116	0.005	0.004 - 0.006
Alaska	73	0.010	0.008 - 0.012	52	0.013	0.010 - 0.018	21	0.006	0.004 - 0.009
Arizona	653	0.009	0.009 - 0.010	454	0.013	0.012 - 0.014	199	0.006	0.005 - 0.006
Arkansas	309	0.010	0.009 - 0.012	237	0.016	0.014 - 0.018	72	0.005	0.004 - 0.006
California	4,608	0.012	0.011 - 0.012	3,272	0.017	0.016 - 0.017	1,337	0.007	0.006 - 0.007
CA - Greater California	2,493	0.011	0.011 - 0.012	1,761	0.016	0.015 - 0.017	732	0.007	0.006 - 0.007
CA - Greater Bay Area	1,076	0.015	0.014 - 0.015	798	0.022	0.020 - 0.023	277	0.007	0.007 - 0.008
CA - Los Angeles	1,040	0.010	0.010 - 0.011	712	0.014	0.013 - 0.015	328	0.006	0.006 - 0.007
Colorado	501	0.009	0.008 - 0.010	370	0.013	0.012 - 0.015	131	0.005	0.004 - 0.006
Connecticut	412	0.012	0.010 - 0.013	315	0.018	0.016 - 0.020	97	0.005	0.004 - 0.006
Delaware	122	0.013	0.011 - 0.015	87	0.019	0.015 - 0.023	35	0.007	0.005 - 0.010
District of Columbia	93	0.013	0.011 - 0.016	68	0.021	0.016 - 0.026	25	0.007	0.004 - 0.010
Florida	2,312	0.011	0.011 - 0.012	1,601	0.016	0.015 - 0.017	711	0.007	0.006 - 0.007
Georgia	988	0.010	0.009 - 0.010	691	0.014	0.013 - 0.015	297	0.006	0.005 - 0.006
Hawaii	207	0.015	0.013 - 0.017	145	0.020	0.017 - 0.024	62	0.009	0.007 - 0.011
Idaho	131	0.008	0.006 - 0.009	99	0.012	0.009 - 0.014	32	0.004	0.003 - 0.005
Illinois	1,177	0.009	0.009 - 0.010	802	0.013	0.012 - 0.014	375	0.006	0.005 - 0.006
Iowa	266	0.008	0.007 - 0.010	175	0.011	0.010 - 0.013	91	0.006	0.005 - 0.007
Kentucky	406	0.009	0.008 - 0.010	291	0.013	0.012 - 0.015	115	0.005	0.004 - 0.006
Louisiana	584	0.012	0.012 - 0.014	427	0.019	0.017 - 0.021	157	0.007	0.006 - 0.008
Maine	99	0.007	0.006 - 0.009	75	0.011	0.009 - 0.014	24	0.004	0.002 - 0.005
Maryland	650	0.011	0.010 - 0.012	449	0.015	0.014 - 0.017	201	0.006	0.006 - 0.007
Michigan	1,050	0.011	0.010 - 0.011	749	0.015	0.014 - 0.016	301	0.006	0.005 - 0.007
MI - Detroit	414	0.011	0.010 - 0.012	297	0.016	0.014 - 0.018	117	0.006	0.005 - 0.007
Minnesota	522	0.009	0.009 - 0.010	352	0.013	0.011 - 0.014	170	0.006	0.005 - 0.007
Mississippi	311	0.010	0.009 - 0.012	225	0.016	0.014 - 0.018	86	0.006	0.004 - 0.007
Missouri	589	0.010	0.009 - 0.010	423	0.014	0.013 - 0.016	166	0.005	0.005 - 0.006
Montana	85	0.008	0.006 - 0.010	67	0.013	0.010 - 0.016	18	0.003	0.002 - 0.005
Nebraska	128	0.007	0.006 - 0.008	100	0.010	0.009 - 0.013	28	0.003	0.002 - 0.004
Nevada	210	0.007	0.006 - 0.008	156	0.011	0.009 - 0.012	54	0.004	0.003 - 0.005
New Hampshire	125	0.009	0.008 - 0.011	98	0.015	0.012 - 0.018	27	0.004	0.003 - 0.006
New Jersey	890	0.010	0.009 - 0.011	629	0.015	0.013 - 0.016	261	0.006	0.005 - 0.006
New Mexico	264	0.013	0.011 - 0.014	193	0.019	0.016 - 0.021	71	0.007	0.005 - 0.008
New York	2,415	0.012	0.012 - 0.013	1,743	0.018	0.017 - 0.019	672	0.007	0.006 - 0.007
North Carolina	1,027	0.010	0.009 - 0.011	723	0.015	0.014 - 0.016	304	0.006	0.005 - 0.006
North Dakota	35	0.005	0.003 - 0.006	21	0.005	0.003 - 0.008	14	0.004	0.002 - 0.006
Ohio	1,014	0.009	0.008 - 0.009	692	0.012	0.011 - 0.013	322	0.005	0.005 - 0.006
Oklahoma	342	0.009	0.008 - 0.010	249	0.013	0.011 - 0.014	93	0.005	0.004 - 0.006
Oregon	562	0.014	0.013 - 0.015	419	0.021	0.019 - 0.023	143	0.007	0.006 - 0.008
Pennsylvania	1,510	0.012	0.011 - 0.012	1,119	0.018	0.017 - 0.019	391	0.006	0.005 - 0.007
Rhode Island	123	0.012	0.010 - 0.014	92	0.018	0.014 - 0.022	31	0.006	0.004 - 0.008
South Carolina	491	0.010	0.009 - 0.011	358	0.015	0.013 - 0.016	133	0.005	0.004 - 0.006
Tennessee	647	0.010	0.009 - 0.010	447	0.014	0.012 - 0.015	200	0.006	0.005 - 0.007
Texas	3,351	0.012	0.012 - 0.012	2,372	0.017	0.016 - 0.018	979	0.007	0.006 - 0.007
Utah	187	0.006	0.005 - 0.007	121	0.008	0.006 - 0.009	66	0.004	0.003 - 0.006
Vermont	47	0.008	0.006 - 0.010	33	0.011	0.007 - 0.015	14	0.004	0.002 - 0.007
Virginia	735	0.009	0.008 - 0.009	548	0.013	0.012 - 0.014	187	0.004	0.004 - 0.005
Washington ³	955	0.013	0.012 - 0.014	696	0.019	0.018 - 0.020	258	0.007	0.006 - 0.008
WA - Seattle	732	0.014	0.013 - 0.015	534	0.021	0.019 - 0.023	197	0.008	0.007 - 0.009
West Virginia	165	0.009	0.008 - 0.011	117	0.013	0.011 - 0.016	48	0.005	0.004 - 0.007
Wisconsin	581	0.010	0.009 - 0.011	394	0.014	0.012 - 0.015	187	0.006	0.006 - 0.007
Wyoming	43	0.007	0.005 - 0.010	-	-	-	-	-	-
NAACCR CDN Combined¹	3,242	0.009	0.008 - 0.009	2,345	0.013	0.012 - 0.013	900	0.005	0.004 - 0.005
Alberta	349	0.008	0.007 - 0.009	248	0.012	0.010 - 0.013	101	0.005	0.004 - 0.006
British Columbia	588	0.012	0.011 - 0.013	433	0.018	0.016 - 0.020	155	0.006	0.005 - 0.007
Manitoba	92	0.007	0.006 - 0.009	67	0.010	0.008 - 0.013	25	0.004	0.002 - 0.006
New Brunswick	44	0.006	0.004 - 0.008	27	0.007	0.005 - 0.010	17	0.004	0.003 - 0.007
Newfoundland and Labrador	28	0.005	0.004 - 0.008	15	0.006	0.003 - 0.009	13	0.005	0.003 - 0.008
Nova Scotia	90	0.010	0.008 - 0.012	65	0.014	0.011 - 0.018	25	0.005	0.003 - 0.008
Ontario	1,200	0.009	0.008 - 0.009	870	0.013	0.012 - 0.014	330	0.005	0.004 - 0.005
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	46	0.004	0.003 - 0.005	33	0.006	0.004 - 0.008	13	0.002	0.001 - 0.004
NAACCR N.A. Combined¹	37,289	0.010	0.010 - 0.011	26,578	0.015	0.015 - 0.015	10,711	0.006	0.006 - 0.006

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-6 Prevalence – Liver and Intrahepatic Bile Duct

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	39,817	0.012	0.012 - 0.012	20,575	0.013	0.013 - 0.013	19,239	0.012	0.012 - 0.012
Alabama	606	0.012	0.011 - 0.013	299	0.013	0.011 - 0.014	307	0.012	0.011 - 0.014
Alaska	67	0.009	0.007 - 0.011	43	0.011	0.008 - 0.015	24	0.007	0.004 - 0.010
Arizona	771	0.011	0.010 - 0.012	393	0.011	0.010 - 0.012	378	0.011	0.010 - 0.012
Arkansas	288	0.010	0.009 - 0.011	149	0.010	0.009 - 0.012	139	0.009	0.008 - 0.011
California	4,011	0.010	0.010 - 0.011	2,071	0.011	0.010 - 0.011	1,939	0.010	0.009 - 0.010
CA - Greater California	2,247	0.010	0.010 - 0.011	1,199	0.011	0.010 - 0.012	1,048	0.010	0.009 - 0.010
CA - Greater Bay Area	801	0.011	0.010 - 0.012	409	0.011	0.010 - 0.012	392	0.011	0.010 - 0.012
CA - Los Angeles	964	0.010	0.009 - 0.010	464	0.009	0.008 - 0.010	499	0.010	0.009 - 0.011
Colorado	546	0.010	0.009 - 0.011	300	0.011	0.010 - 0.012	246	0.009	0.008 - 0.010
Connecticut	615	0.017	0.016 - 0.019	337	0.019	0.017 - 0.021	278	0.015	0.013 - 0.017
Delaware	139	0.015	0.012 - 0.017	68	0.015	0.011 - 0.019	71	0.014	0.011 - 0.018
District of Columbia	74	0.011	0.008 - 0.013	34	0.010	0.007 - 0.014	40	0.011	0.008 - 0.015
Florida	3,061	0.015	0.014 - 0.015	1,592	0.016	0.015 - 0.016	1,469	0.014	0.013 - 0.015
Georgia	1,076	0.010	0.010 - 0.011	571	0.011	0.010 - 0.012	505	0.009	0.009 - 0.010
Hawaii	200	0.014	0.012 - 0.016	103	0.014	0.012 - 0.017	97	0.014	0.011 - 0.017
Idaho	206	0.012	0.011 - 0.014	105	0.012	0.010 - 0.015	101	0.012	0.010 - 0.014
Illinois	1,658	0.013	0.012 - 0.014	849	0.013	0.013 - 0.014	809	0.012	0.012 - 0.013
Iowa	396	0.013	0.011 - 0.014	197	0.013	0.011 - 0.015	199	0.013	0.011 - 0.014
Kentucky	520	0.012	0.011 - 0.013	267	0.012	0.011 - 0.014	253	0.011	0.010 - 0.013
Louisiana	556	0.012	0.011 - 0.013	281	0.012	0.011 - 0.014	274	0.011	0.010 - 0.013
Maine	208	0.016	0.014 - 0.018	107	0.016	0.013 - 0.020	101	0.015	0.012 - 0.018
Maryland	791	0.013	0.012 - 0.014	404	0.014	0.013 - 0.015	387	0.012	0.011 - 0.014
Michigan	1,614	0.016	0.015 - 0.017	823	0.017	0.016 - 0.018	791	0.016	0.015 - 0.017
MI - Detroit	606	0.016	0.014 - 0.017	289	0.015	0.014 - 0.017	317	0.016	0.014 - 0.018
Minnesota	775	0.014	0.013 - 0.015	409	0.015	0.013 - 0.016	366	0.013	0.012 - 0.015
Mississippi	347	0.012	0.010 - 0.013	182	0.013	0.011 - 0.015	165	0.011	0.009 - 0.012
Missouri	717	0.012	0.011 - 0.013	389	0.013	0.012 - 0.014	328	0.011	0.009 - 0.012
Montana	157	0.015	0.013 - 0.018	87	0.017	0.013 - 0.020	70	0.013	0.010 - 0.017
Nebraska	274	0.014	0.013 - 0.016	154	0.016	0.014 - 0.019	120	0.013	0.010 - 0.015
Nevada	279	0.009	0.008 - 0.011	137	0.009	0.008 - 0.011	142	0.010	0.008 - 0.011
New Hampshire	202	0.015	0.013 - 0.017	108	0.016	0.013 - 0.020	94	0.014	0.011 - 0.017
New Jersey	1,311	0.015	0.014 - 0.016	657	0.015	0.014 - 0.016	654	0.014	0.013 - 0.016
New Mexico	199	0.010	0.008 - 0.011	100	0.010	0.008 - 0.012	100	0.009	0.008 - 0.011
New York	2,933	0.015	0.014 - 0.016	1,473	0.015	0.015 - 0.016	1,460	0.014	0.014 - 0.015
North Carolina	1,211	0.012	0.011 - 0.013	622	0.013	0.012 - 0.014	589	0.011	0.010 - 0.012
North Dakota	98	0.013	0.011 - 0.016	47	0.012	0.009 - 0.016	51	0.014	0.010 - 0.018
Ohio	1,410	0.012	0.011 - 0.013	694	0.012	0.011 - 0.013	716	0.012	0.011 - 0.013
Oklahoma	364	0.009	0.008 - 0.010	185	0.010	0.008 - 0.011	179	0.009	0.008 - 0.010
Oregon	515	0.013	0.011 - 0.014	271	0.013	0.012 - 0.015	244	0.012	0.010 - 0.013
Pennsylvania	2,068	0.016	0.015 - 0.017	1,113	0.018	0.017 - 0.019	955	0.015	0.014 - 0.016
Rhode Island	161	0.015	0.013 - 0.018	86	0.017	0.013 - 0.021	75	0.014	0.011 - 0.017
South Carolina	639	0.013	0.012 - 0.014	326	0.013	0.012 - 0.015	313	0.012	0.011 - 0.014
Tennessee	742	0.011	0.010 - 0.012	396	0.012	0.011 - 0.013	346	0.010	0.009 - 0.011
Texas	2,633	0.009	0.009 - 0.010	1,331	0.010	0.009 - 0.010	1,302	0.009	0.009 - 0.010
Utah	185	0.006	0.005 - 0.007	102	0.007	0.005 - 0.008	83	0.005	0.004 - 0.007
Vermont	96	0.015	0.012 - 0.019	55	0.018	0.013 - 0.023	41	0.013	0.009 - 0.018
Virginia	936	0.011	0.010 - 0.012	493	0.012	0.011 - 0.013	443	0.010	0.009 - 0.011
Washington ³	932	0.013	0.012 - 0.014	474	0.013	0.012 - 0.014	458	0.012	0.011 - 0.014
WA - Seattle	639	0.013	0.012 - 0.014	306	0.012	0.011 - 0.013	333	0.013	0.012 - 0.015
West Virginia	214	0.012	0.010 - 0.013	101	0.011	0.009 - 0.014	113	0.012	0.010 - 0.015
Wisconsin	797	0.014	0.013 - 0.015	434	0.015	0.014 - 0.017	363	0.012	0.011 - 0.014
Wyoming	57	0.010	0.007 - 0.013	33	0.011	0.008 - 0.016	24	0.009	0.005 - 0.013
NAACCR CDN Combined¹	3,623	0.010	0.009 - 0.010	1,968	0.011	0.010 - 0.011	1,655	0.009	0.008 - 0.009
Alberta	352	0.008	0.007 - 0.009	188	0.009	0.008 - 0.010	164	0.008	0.007 - 0.009
British Columbia	473	0.010	0.009 - 0.011	258	0.011	0.009 - 0.012	215	0.009	0.008 - 0.010
Manitoba	140	0.011	0.009 - 0.012	71	0.011	0.008 - 0.014	69	0.010	0.008 - 0.013
New Brunswick	78	0.010	0.008 - 0.013	29	0.008	0.005 - 0.011	49	0.013	0.009 - 0.017
Newfoundland and Labrador	35	0.007	0.005 - 0.009	20	0.008	0.005 - 0.012	15	0.006	0.003 - 0.009
Nova Scotia	102	0.011	0.009 - 0.013	58	0.013	0.010 - 0.016	44	0.009	0.007 - 0.012
Ontario	1,427	0.010	0.010 - 0.011	786	0.011	0.011 - 0.012	641	0.009	0.008 - 0.010
Prince Edward Island	25	0.017	0.011 - 0.025	14	0.019	0.011 - 0.032	11	0.014	0.007 - 0.026
Saskatchewan	99	0.009	0.007 - 0.011	58	0.010	0.008 - 0.013	41	0.007	0.005 - 0.010
NAACCR N.A. Combined¹	43,440	0.012	0.012 - 0.012	22,543	0.013	0.013 - 0.013	20,895	0.011	0.011 - 0.012

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	20,290	0.006	0.006 - 0.006	16,145	0.010	0.010 - 0.010	4,138	0.003	0.002 - 0.003
Alabama	413	0.008	0.008 - 0.009	331	0.014	0.013 - 0.016	82	0.003	0.003 - 0.004
Alaska	44	0.006	0.004 - 0.008	-	-		-	-	
Arizona	260	0.004	0.003 - 0.004	208	0.006	0.005 - 0.007	52	0.001	0.001 - 0.002
Arkansas	223	0.007	0.006 - 0.008	181	0.012	0.011 - 0.014	42	0.003	0.002 - 0.004
California	1,324	0.003	0.003 - 0.004	1,107	0.006	0.005 - 0.006	216	0.001	0.001 - 0.001
CA - Greater California	789	0.004	0.003 - 0.004	658	0.006	0.006 - 0.007	131	0.001	0.001 - 0.001
CA - Greater Bay Area	227	0.003	0.003 - 0.003	186	0.005	0.004 - 0.006	42	0.001	0.001 - 0.002
CA - Los Angeles	308	0.003	0.003 - 0.003	264	0.005	0.005 - 0.006	44	0.001	0.001 - 0.001
Colorado	237	0.004	0.004 - 0.005	183	0.007	0.006 - 0.008	54	0.002	0.001 - 0.003
Connecticut	267	0.007	0.007 - 0.008	209	0.012	0.010 - 0.014	59	0.003	0.002 - 0.004
Delaware	71	0.007	0.006 - 0.009	47	0.010	0.007 - 0.014	24	0.005	0.003 - 0.007
District of Columbia	26	0.004	0.002 - 0.006	-	-		-	-	
Florida	1,700	0.008	0.008 - 0.009	1,397	0.014	0.013 - 0.014	303	0.003	0.003 - 0.003
Georgia	699	0.007	0.006 - 0.007	553	0.011	0.010 - 0.012	146	0.003	0.002 - 0.003
Hawaii	65	0.005	0.004 - 0.006	54	0.008	0.006 - 0.010	11	0.002	0.001 - 0.003
Idaho	72	0.004	0.003 - 0.005	53	0.006	0.005 - 0.008	19	0.002	0.001 - 0.003
Illinois	900	0.007	0.007 - 0.008	718	0.011	0.011 - 0.012	182	0.003	0.002 - 0.003
Iowa	218	0.007	0.006 - 0.008	173	0.011	0.009 - 0.013	45	0.003	0.002 - 0.004
Kentucky	445	0.010	0.009 - 0.011	329	0.015	0.013 - 0.017	116	0.005	0.004 - 0.006
Louisiana	437	0.009	0.008 - 0.010	325	0.014	0.013 - 0.016	112	0.005	0.004 - 0.006
Maine	124	0.009	0.008 - 0.011	89	0.014	0.011 - 0.017	35	0.005	0.004 - 0.007
Maryland	313	0.005	0.005 - 0.006	248	0.009	0.007 - 0.010	65	0.002	0.002 - 0.003
Michigan	793	0.008	0.007 - 0.009	626	0.013	0.012 - 0.014	167	0.003	0.003 - 0.004
MI - Detroit	322	0.008	0.007 - 0.009	257	0.014	0.012 - 0.015	66	0.003	0.003 - 0.004
Minnesota	322	0.006	0.005 - 0.006	256	0.009	0.008 - 0.010	66	0.002	0.002 - 0.003
Mississippi	238	0.008	0.007 - 0.009	190	0.013	0.011 - 0.015	48	0.003	0.002 - 0.004
Missouri	494	0.008	0.007 - 0.009	380	0.013	0.011 - 0.014	114	0.004	0.003 - 0.004
Montana	52	0.005	0.004 - 0.006	39	0.007	0.005 - 0.010	13	0.003	0.001 - 0.004
Nebraska	115	0.006	0.005 - 0.007	94	0.010	0.008 - 0.012	21	0.002	0.001 - 0.003
Nevada	135	0.005	0.004 - 0.005	108	0.007	0.006 - 0.009	27	0.002	0.001 - 0.003
New Hampshire	71	0.005	0.004 - 0.007	56	0.008	0.006 - 0.011	15	0.002	0.001 - 0.004
New Jersey	526	0.006	0.005 - 0.006	425	0.010	0.009 - 0.011	101	0.002	0.002 - 0.003
New Mexico	85	0.004	0.003 - 0.005	65	0.006	0.005 - 0.008	20	0.002	0.001 - 0.003
New York	1,259	0.006	0.006 - 0.007	999	0.010	0.010 - 0.011	260	0.003	0.002 - 0.003
North Carolina	782	0.008	0.007 - 0.008	615	0.012	0.011 - 0.013	167	0.003	0.003 - 0.004
North Dakota	38	0.005	0.004 - 0.007	-	-		-	-	
Ohio	1,007	0.009	0.008 - 0.009	780	0.014	0.013 - 0.015	227	0.004	0.003 - 0.004
Oklahoma	258	0.007	0.006 - 0.007	190	0.010	0.008 - 0.011	68	0.003	0.003 - 0.004
Oregon	184	0.004	0.004 - 0.005	146	0.007	0.006 - 0.008	38	0.002	0.001 - 0.003
Pennsylvania	996	0.008	0.007 - 0.008	777	0.012	0.012 - 0.013	219	0.003	0.003 - 0.004
Rhode Island	81	0.008	0.006 - 0.010	59	0.011	0.009 - 0.015	22	0.004	0.003 - 0.006
South Carolina	444	0.009	0.008 - 0.010	372	0.015	0.014 - 0.017	72	0.003	0.002 - 0.004
Tennessee	540	0.008	0.007 - 0.009	417	0.013	0.012 - 0.014	123	0.004	0.003 - 0.004
Texas	1,323	0.005	0.004 - 0.005	1,092	0.008	0.007 - 0.008	231	0.002	0.001 - 0.002
Utah	60	0.002	0.001 - 0.003	-	-		-	-	
Vermont	42	0.007	0.005 - 0.009	29	0.009	0.006 - 0.014	13	0.004	0.002 - 0.007
Virginia	534	0.006	0.006 - 0.007	438	0.011	0.010 - 0.012	96	0.002	0.002 - 0.003
Washington ³	320	0.004	0.004 - 0.005	262	0.007	0.006 - 0.008	58	0.002	0.001 - 0.002
WA - Seattle	235	0.005	0.004 - 0.005	195	0.008	0.007 - 0.009	40	0.002	0.001 - 0.002
West Virginia	207	0.011	0.010 - 0.013	156	0.017	0.015 - 0.020	51	0.006	0.004 - 0.007
Wisconsin	394	0.007	0.006 - 0.008	315	0.011	0.010 - 0.012	79	0.003	0.002 - 0.003
Wyoming	28	0.005	0.003 - 0.007	-	-		-	-	
NAACCR CDN Combined¹	1,650	0.004	0.004 - 0.005	1,415	0.008	0.007 - 0.008	236	0.001	0.001 - 0.001
Alberta	125	0.003	0.002 - 0.004	111	0.005	0.004 - 0.006	14	0.001	0.000 - 0.001
British Columbia	178	0.004	0.003 - 0.004	158	0.007	0.006 - 0.008	20	0.001	0.000 - 0.001
Manitoba	46	0.003	0.003 - 0.005	-	-		-	-	
New Brunswick	49	0.006	0.005 - 0.008	-	-		-	-	
Newfoundland and Labrador	37	0.007	0.005 - 0.010	-	-		-	-	
Nova Scotia	66	0.007	0.005 - 0.009	55	0.012	0.009 - 0.015	11	0.002	0.001 - 0.004
Ontario	681	0.005	0.005 - 0.005	578	0.008	0.008 - 0.009	103	0.001	0.001 - 0.002
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	54	0.005	0.004 - 0.006	-	-		-	-	
NAACCR N.A. Combined¹	21,940	0.006	0.006 - 0.006	17,561	0.010	0.010 - 0.010	4,374	0.002	0.002 - 0.002

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-8 Prevalence – Larynx

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	230,682	0.071	0.071 - 0.071	111,632	0.070	0.069 - 0.070	119,036	0.072	0.072 - 0.073
Alabama	3,767	0.077	0.075 - 0.080	2,055	0.087	0.083 - 0.091	1,712	0.068	0.065 - 0.071
Alaska	372	0.050	0.045 - 0.056	190	0.049	0.042 - 0.057	182	0.052	0.044 - 0.060
Arizona	3,960	0.057	0.055 - 0.058	1,846	0.053	0.051 - 0.056	2,114	0.060	0.058 - 0.063
Arkansas	2,886	0.096	0.093 - 0.100	1,547	0.105	0.100 - 0.110	1,339	0.088	0.083 - 0.093
California	17,767	0.045	0.045 - 0.046	8,282	0.042	0.041 - 0.043	9,485	0.048	0.047 - 0.049
CA - Greater California	10,314	0.047	0.046 - 0.048	4,715	0.043	0.042 - 0.045	5,599	0.051	0.050 - 0.053
CA - Greater Bay Area	3,603	0.049	0.047 - 0.050	1,748	0.047	0.045 - 0.050	1,855	0.050	0.048 - 0.052
CA - Los Angeles	3,851	0.038	0.037 - 0.039	1,819	0.036	0.035 - 0.038	2,032	0.040	0.038 - 0.041
Colorado	2,411	0.043	0.042 - 0.045	1,110	0.040	0.037 - 0.042	1,301	0.047	0.044 - 0.050
Connecticut	3,202	0.090	0.086 - 0.093	1,468	0.084	0.080 - 0.089	1,734	0.095	0.090 - 0.099
Delaware	941	0.099	0.093 - 0.105	445	0.097	0.088 - 0.106	496	0.101	0.092 - 0.110
District of Columbia	310	0.045	0.040 - 0.050	130	0.040	0.033 - 0.047	180	0.050	0.043 - 0.057
Florida	18,062	0.087	0.086 - 0.088	8,916	0.088	0.086 - 0.089	9,146	0.086	0.084 - 0.088
Georgia	6,767	0.065	0.064 - 0.067	3,467	0.069	0.067 - 0.071	3,299	0.062	0.060 - 0.064
Hawaii	826	0.058	0.054 - 0.062	452	0.063	0.057 - 0.069	374	0.053	0.047 - 0.058
Idaho	945	0.056	0.052 - 0.059	459	0.054	0.049 - 0.059	486	0.057	0.052 - 0.063
Illinois	9,953	0.078	0.076 - 0.079	4,706	0.075	0.073 - 0.077	5,247	0.081	0.078 - 0.083
Iowa	2,484	0.079	0.076 - 0.082	1,245	0.080	0.075 - 0.084	1,239	0.079	0.074 - 0.083
Kentucky	4,707	0.106	0.103 - 0.109	2,350	0.107	0.103 - 0.112	2,357	0.105	0.100 - 0.109
Louisiana	3,456	0.074	0.071 - 0.076	1,769	0.077	0.074 - 0.081	1,688	0.071	0.067 - 0.074
Maine	1,494	0.112	0.106 - 0.118	693	0.106	0.098 - 0.114	801	0.118	0.110 - 0.126
Maryland	4,079	0.068	0.066 - 0.070	1,817	0.062	0.059 - 0.065	2,262	0.073	0.070 - 0.076
Michigan	9,261	0.093	0.091 - 0.095	4,480	0.091	0.089 - 0.094	4,781	0.094	0.092 - 0.097
MI - Detroit	3,358	0.086	0.084 - 0.089	1,565	0.083	0.079 - 0.087	1,793	0.090	0.086 - 0.094
Minnesota	4,098	0.074	0.072 - 0.076	1,920	0.070	0.066 - 0.073	2,178	0.078	0.075 - 0.082
Mississippi	2,705	0.090	0.087 - 0.094	1,446	0.100	0.095 - 0.105	1,259	0.082	0.077 - 0.086
Missouri	5,412	0.089	0.086 - 0.091	2,581	0.086	0.083 - 0.090	2,831	0.091	0.088 - 0.095
Montana	784	0.075	0.070 - 0.080	335	0.064	0.057 - 0.071	450	0.086	0.079 - 0.095
Nebraska	1,283	0.067	0.063 - 0.071	616	0.065	0.060 - 0.070	667	0.070	0.064 - 0.075
Nevada	1,668	0.057	0.054 - 0.059	748	0.051	0.047 - 0.054	920	0.063	0.059 - 0.067
New Hampshire	1,251	0.093	0.088 - 0.098	547	0.082	0.075 - 0.089	704	0.104	0.096 - 0.112
New Jersey	6,578	0.074	0.072 - 0.076	2,921	0.067	0.065 - 0.070	3,658	0.080	0.078 - 0.083
New Mexico	913	0.044	0.041 - 0.047	463	0.045	0.041 - 0.049	449	0.043	0.039 - 0.047
New York	15,878	0.081	0.080 - 0.082	7,270	0.076	0.075 - 0.078	8,608	0.085	0.083 - 0.087
North Carolina	8,658	0.085	0.083 - 0.087	4,382	0.088	0.086 - 0.091	4,276	0.082	0.079 - 0.084
North Dakota	540	0.072	0.066 - 0.078	270	0.070	0.062 - 0.079	270	0.073	0.065 - 0.083
Ohio	9,959	0.085	0.084 - 0.087	4,874	0.085	0.083 - 0.088	5,085	0.086	0.083 - 0.088
Oklahoma	2,915	0.074	0.072 - 0.077	1,477	0.076	0.072 - 0.080	1,438	0.073	0.069 - 0.076
Oregon	2,856	0.069	0.067 - 0.072	1,374	0.067	0.064 - 0.071	1,482	0.071	0.068 - 0.075
Pennsylvania	11,479	0.090	0.088 - 0.091	5,446	0.087	0.085 - 0.089	6,033	0.092	0.090 - 0.095
Rhode Island	1,085	0.103	0.097 - 0.109	488	0.095	0.087 - 0.104	597	0.110	0.101 - 0.119
South Carolina	4,080	0.082	0.079 - 0.084	2,079	0.086	0.082 - 0.090	2,001	0.078	0.075 - 0.081
Tennessee	5,995	0.090	0.088 - 0.092	3,027	0.093	0.090 - 0.096	2,968	0.087	0.084 - 0.090
Texas	13,096	0.047	0.046 - 0.047	6,619	0.047	0.046 - 0.049	6,477	0.046	0.045 - 0.047
Utah	671	0.022	0.020 - 0.024	328	0.021	0.019 - 0.024	343	0.022	0.020 - 0.025
Vermont	594	0.095	0.088 - 0.103	288	0.093	0.083 - 0.105	306	0.097	0.086 - 0.108
Virginia	5,774	0.068	0.067 - 0.070	2,832	0.068	0.066 - 0.071	2,942	0.069	0.066 - 0.071
Washington ³	4,746	0.064	0.063 - 0.066	2,228	0.061	0.058 - 0.063	2,518	0.068	0.066 - 0.071
WA - Seattle	3,304	0.065	0.063 - 0.067	1,547	0.061	0.058 - 0.064	1,757	0.069	0.066 - 0.073
West Virginia	2,072	0.114	0.109 - 0.119	1,056	0.117	0.110 - 0.124	1,016	0.110	0.104 - 0.117
Wisconsin	4,688	0.081	0.079 - 0.083	2,276	0.079	0.076 - 0.082	2,412	0.083	0.080 - 0.086
Wyoming	316	0.054	0.049 - 0.061	161	0.054	0.046 - 0.063	156	0.055	0.046 - 0.064
NAACCR CDN Combined¹	26,017	0.070	0.069 - 0.071	12,086	0.066	0.064 - 0.067	13,919	0.074	0.073 - 0.076
Alberta	2,335	0.055	0.053 - 0.058	1,110	0.052	0.049 - 0.055	1,225	0.059	0.055 - 0.062
British Columbia	3,292	0.067	0.065 - 0.070	1,488	0.061	0.058 - 0.065	1,804	0.073	0.070 - 0.076
Manitoba	893	0.067	0.063 - 0.072	388	0.059	0.053 - 0.065	505	0.076	0.070 - 0.083
New Brunswick	828	0.108	0.101 - 0.116	407	0.108	0.097 - 0.119	421	0.109	0.099 - 0.120
Newfoundland and Labrador	527	0.100	0.091 - 0.109	279	0.106	0.094 - 0.120	248	0.093	0.082 - 0.105
Nova Scotia	969	0.102	0.096 - 0.109	463	0.100	0.091 - 0.110	506	0.105	0.096 - 0.114
Ontario	9,851	0.070	0.069 - 0.072	4,532	0.066	0.064 - 0.068	5,319	0.075	0.073 - 0.077
Prince Edward Island	137	0.092	0.077 - 0.109	55	0.076	0.057 - 0.099	82	0.108	0.086 - 0.134
Saskatchewan	721	0.063	0.059 - 0.068	359	0.062	0.056 - 0.069	362	0.064	0.057 - 0.071
NAACCR N.A. Combined¹	256,699	0.071	0.071 - 0.071	123,718	0.069	0.069 - 0.070	132,955	0.072	0.072 - 0.073

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	153,686	0.047	0.047 - 0.047	89,173	0.055	0.055 - 0.056	64,466	0.039	0.038 - 0.039
Alabama	2,429	0.050	0.048 - 0.052	1,458	0.062	0.059 - 0.065	971	0.039	0.036 - 0.041
Alaska	170	0.023	0.020 - 0.027	92	0.024	0.019 - 0.029	78	0.022	0.017 - 0.028
Arizona	3,743	0.053	0.052 - 0.055	2,311	0.066	0.064 - 0.069	1,432	0.041	0.039 - 0.043
Arkansas	1,391	0.046	0.044 - 0.049	847	0.058	0.054 - 0.062	544	0.036	0.033 - 0.039
California	17,704	0.045	0.044 - 0.046	10,507	0.054	0.053 - 0.055	7,196	0.036	0.036 - 0.037
CA - Greater California	10,969	0.050	0.049 - 0.051	6,500	0.060	0.058 - 0.061	4,469	0.041	0.040 - 0.042
CA - Greater Bay Area	4,089	0.055	0.054 - 0.057	2,409	0.065	0.063 - 0.068	1,680	0.045	0.043 - 0.047
CA - Los Angeles	2,647	0.026	0.025 - 0.027	1,599	0.032	0.031 - 0.034	1,047	0.020	0.019 - 0.022
Colorado	2,430	0.044	0.042 - 0.045	1,392	0.050	0.047 - 0.052	1,038	0.037	0.035 - 0.040
Connecticut	1,675	0.047	0.045 - 0.049	981	0.056	0.053 - 0.060	694	0.038	0.035 - 0.041
Delaware	655	0.069	0.064 - 0.074	403	0.087	0.079 - 0.096	252	0.051	0.045 - 0.058
District of Columbia	131	0.019	0.016 - 0.022	81	0.025	0.020 - 0.031	50	0.014	0.010 - 0.018
Florida	12,197	0.059	0.058 - 0.060	7,678	0.075	0.074 - 0.077	4,519	0.043	0.041 - 0.044
Georgia	5,302	0.051	0.050 - 0.053	3,061	0.061	0.059 - 0.063	2,241	0.042	0.040 - 0.044
Hawaii	791	0.055	0.052 - 0.059	498	0.070	0.064 - 0.076	293	0.041	0.037 - 0.046
Idaho	986	0.058	0.054 - 0.062	556	0.065	0.060 - 0.071	430	0.051	0.046 - 0.056
Illinois	5,648	0.044	0.043 - 0.045	3,062	0.049	0.047 - 0.050	2,586	0.040	0.038 - 0.041
Iowa	1,876	0.060	0.057 - 0.063	1,011	0.065	0.061 - 0.069	866	0.055	0.051 - 0.059
Kentucky	2,629	0.059	0.057 - 0.061	1,486	0.068	0.064 - 0.071	1,144	0.051	0.048 - 0.054
Louisiana	1,663	0.036	0.034 - 0.037	1,008	0.044	0.041 - 0.047	656	0.027	0.025 - 0.030
Maine	919	0.069	0.065 - 0.074	475	0.073	0.066 - 0.080	444	0.065	0.059 - 0.072
Maryland	3,125	0.052	0.050 - 0.054	1,823	0.063	0.060 - 0.065	1,302	0.042	0.040 - 0.044
Michigan	4,439	0.045	0.043 - 0.046	2,463	0.050	0.048 - 0.052	1,976	0.039	0.037 - 0.041
MI - Detroit	1,538	0.040	0.038 - 0.042	855	0.045	0.042 - 0.049	682	0.034	0.032 - 0.037
Minnesota	3,700	0.067	0.065 - 0.069	2,009	0.073	0.070 - 0.076	1,691	0.061	0.058 - 0.064
Mississippi	1,042	0.035	0.033 - 0.037	619	0.043	0.039 - 0.046	423	0.027	0.025 - 0.030
Missouri	2,495	0.041	0.039 - 0.043	1,401	0.047	0.044 - 0.049	1,094	0.035	0.033 - 0.037
Montana	624	0.060	0.055 - 0.064	358	0.068	0.061 - 0.075	266	0.051	0.045 - 0.058
Nebraska	1,048	0.055	0.052 - 0.058	539	0.056	0.052 - 0.061	509	0.053	0.049 - 0.058
Nevada	919	0.031	0.029 - 0.033	550	0.037	0.034 - 0.040	369	0.025	0.023 - 0.028
New Hampshire	978	0.073	0.068 - 0.077	539	0.081	0.074 - 0.088	439	0.065	0.059 - 0.071
New Jersey	4,241	0.048	0.046 - 0.049	2,404	0.055	0.053 - 0.058	1,837	0.040	0.039 - 0.042
New Mexico	729	0.035	0.032 - 0.037	413	0.040	0.036 - 0.044	316	0.030	0.027 - 0.033
New York	7,595	0.039	0.038 - 0.040	4,355	0.046	0.044 - 0.047	3,240	0.032	0.031 - 0.033
North Carolina	5,786	0.057	0.055 - 0.058	3,391	0.068	0.066 - 0.071	2,395	0.046	0.044 - 0.048
North Dakota	361	0.048	0.043 - 0.053	186	0.048	0.041 - 0.055	175	0.048	0.041 - 0.055
Ohio	6,495	0.056	0.054 - 0.057	3,546	0.062	0.060 - 0.064	2,949	0.050	0.048 - 0.051
Oklahoma	1,854	0.047	0.045 - 0.049	1,121	0.058	0.054 - 0.061	733	0.037	0.034 - 0.040
Oregon	2,413	0.059	0.056 - 0.061	1,335	0.065	0.062 - 0.069	1,078	0.052	0.049 - 0.055
Pennsylvania	7,148	0.056	0.055 - 0.057	4,118	0.066	0.064 - 0.068	3,030	0.046	0.045 - 0.048
Rhode Island	538	0.051	0.047 - 0.055	303	0.059	0.053 - 0.066	235	0.043	0.038 - 0.049
South Carolina	2,609	0.052	0.050 - 0.054	1,540	0.064	0.060 - 0.067	1,069	0.042	0.039 - 0.044
Tennessee	2,962	0.044	0.043 - 0.046	1,725	0.053	0.050 - 0.056	1,237	0.036	0.034 - 0.038
Texas	6,493	0.023	0.023 - 0.024	3,917	0.028	0.027 - 0.029	2,576	0.018	0.018 - 0.019
Utah	2,044	0.067	0.064 - 0.069	1,141	0.074	0.070 - 0.078	904	0.059	0.055 - 0.063
Vermont	589	0.094	0.087 - 0.102	335	0.109	0.097 - 0.121	254	0.080	0.071 - 0.091
Virginia	3,259	0.039	0.037 - 0.040	1,925	0.046	0.044 - 0.048	1,334	0.031	0.029 - 0.033
Washington ³	3,970	0.054	0.052 - 0.056	2,220	0.060	0.058 - 0.063	1,751	0.048	0.045 - 0.050
WA - Seattle	3,049	0.060	0.058 - 0.062	1,695	0.067	0.064 - 0.070	1,355	0.053	0.051 - 0.056
West Virginia	913	0.050	0.047 - 0.053	555	0.061	0.056 - 0.067	358	0.039	0.035 - 0.043
Wisconsin	3,085	0.053	0.051 - 0.055	1,799	0.063	0.060 - 0.066	1,286	0.044	0.042 - 0.047
Wyoming	266	0.046	0.040 - 0.052	148	0.050	0.042 - 0.058	118	0.042	0.034 - 0.050
NAACCR CDN Combined¹	16,184	0.044	0.043 - 0.045	8,919	0.049	0.047 - 0.050	7,256	0.039	0.038 - 0.040
Alberta	1,355	0.032	0.030 - 0.034	731	0.034	0.032 - 0.037	624	0.030	0.028 - 0.032
British Columbia	2,020	0.041	0.040 - 0.043	1,101	0.045	0.043 - 0.048	919	0.037	0.035 - 0.040
Manitoba	447	0.034	0.031 - 0.037	248	0.038	0.033 - 0.042	199	0.030	0.026 - 0.034
New Brunswick	373	0.049	0.044 - 0.054	192	0.051	0.044 - 0.058	181	0.047	0.040 - 0.054
Newfoundland and Labrador	193	0.036	0.032 - 0.042	103	0.039	0.032 - 0.048	90	0.034	0.027 - 0.041
Nova Scotia	648	0.068	0.063 - 0.074	352	0.076	0.068 - 0.084	296	0.061	0.054 - 0.069
Ontario	6,735	0.048	0.047 - 0.049	3,783	0.055	0.053 - 0.057	2,952	0.042	0.040 - 0.043
Prince Edward Island	120	0.081	0.067 - 0.096	62	0.085	0.065 - 0.109	58	0.076	0.058 - 0.099
Saskatchewan	349	0.031	0.027 - 0.034	158	0.027	0.023 - 0.032	191	0.034	0.029 - 0.039
NAACCR N.A. Combined¹	169,870	0.047	0.046 - 0.047	98,092	0.055	0.054 - 0.055	71,722	0.039	0.039 - 0.039

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-10 Prevalence – Melanoma of the Skin

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		458,386	0.278	0.277 - 0.279
Alabama	-	-		-	-		7,039	0.280	0.274 - 0.287
Alaska	-	-		-	-		793	0.224	0.209 - 0.241
Arizona	-	-		-	-		8,840	0.251	0.246 - 0.257
Arkansas	-	-		-	-		4,106	0.269	0.261 - 0.278
California	-	-		-	-		50,304	0.254	0.252 - 0.257
CA - Greater California	-	-		-	-		27,524	0.252	0.249 - 0.255
CA - Greater Bay Area	-	-		-	-		10,252	0.276	0.271 - 0.281
CA - Los Angeles	-	-		-	-		12,529	0.244	0.240 - 0.248
Colorado	-	-		-	-		7,312	0.264	0.258 - 0.270
Connecticut	-	-		-	-		6,158	0.336	0.328 - 0.345
Delaware	-	-		-	-		1,565	0.318	0.302 - 0.334
District of Columbia	-	-		-	-		860	0.237	0.221 - 0.253
Florida	-	-		-	-		31,223	0.294	0.290 - 0.297
Georgia	-	-		-	-		13,924	0.262	0.258 - 0.266
Hawaii	-	-		-	-		2,250	0.317	0.304 - 0.330
Idaho	-	-		-	-		2,224	0.262	0.251 - 0.273
Illinois	-	-		-	-		19,267	0.296	0.292 - 0.300
Iowa	-	-		-	-		4,679	0.297	0.288 - 0.305
Kentucky	-	-		-	-		6,492	0.288	0.281 - 0.295
Louisiana	-	-		-	-		6,518	0.273	0.266 - 0.279
Maine	-	-		-	-		2,240	0.329	0.316 - 0.343
Maryland	-	-		-	-		9,073	0.293	0.287 - 0.299
Michigan	-	-		-	-		14,529	0.287	0.282 - 0.292
MI - Detroit	-	-		-	-		6,088	0.305	0.297 - 0.312
Minnesota	-	-		-	-		8,143	0.292	0.286 - 0.299
Mississippi	-	-		-	-		3,993	0.259	0.251 - 0.268
Missouri	-	-		-	-		9,253	0.298	0.292 - 0.304
Montana	-	-		-	-		1,597	0.307	0.292 - 0.323
Nebraska	-	-		-	-		2,673	0.279	0.269 - 0.290
Nevada	-	-		-	-		3,492	0.238	0.230 - 0.246
New Hampshire	-	-		-	-		2,453	0.361	0.347 - 0.376
New Jersey	-	-		-	-		14,209	0.313	0.307 - 0.318
New Mexico	-	-		-	-		2,635	0.249	0.240 - 0.259
New York	-	-		-	-		30,201	0.299	0.296 - 0.303
North Carolina	-	-		-	-		15,927	0.304	0.299 - 0.309
North Dakota	-	-		-	-		1,065	0.290	0.272 - 0.308
Ohio	-	-		-	-		17,856	0.301	0.296 - 0.305
Oklahoma	-	-		-	-		5,276	0.266	0.259 - 0.273
Oregon	-	-		-	-		6,043	0.291	0.284 - 0.298
Pennsylvania	-	-		-	-		20,645	0.316	0.312 - 0.321
Rhode Island	-	-		-	-		1,771	0.326	0.311 - 0.342
South Carolina	-	-		-	-		7,630	0.297	0.290 - 0.304
Tennessee	-	-		-	-		9,460	0.277	0.271 - 0.282
Texas	-	-		-	-		30,549	0.216	0.213 - 0.218
Utah	-	-		-	-		2,888	0.189	0.182 - 0.196
Vermont	-	-		-	-		1,052	0.333	0.313 - 0.354
Virginia	-	-		-	-		11,806	0.275	0.270 - 0.280
Washington ³	-	-		-	-		10,801	0.294	0.288 - 0.299
WA - Seattle	-	-		-	-		7,744	0.305	0.298 - 0.312
West Virginia	-	-		-	-		2,781	0.302	0.291 - 0.313
Wisconsin	-	-		-	-		8,743	0.301	0.294 - 0.307
Wyoming	-	-		-	-		703	0.247	0.229 - 0.266
NAACCR CDN Combined¹	-	-		-	-		51,164	0.275	0.272 - 0.278
Alberta	-	-		-	-		5,075	0.243	0.236 - 0.249
British Columbia	-	-		-	-		6,663	0.270	0.263 - 0.276
Manitoba	-	-		-	-		1,586	0.239	0.227 - 0.251
New Brunswick	-	-		-	-		1,155	0.299	0.282 - 0.316
Newfoundland and Labrador	-	-		-	-		930	0.349	0.327 - 0.372
Nova Scotia	-	-		-	-		1,559	0.322	0.306 - 0.339
Ontario	-	-		-	-		20,262	0.286	0.282 - 0.290
Prince Edward Island	-	-		-	-		219	0.288	0.251 - 0.329
Saskatchewan	-	-		-	-		1,338	0.236	0.223 - 0.249
NAACCR N.A. Combined¹	-	-		-	-		509,550	0.278	0.277 - 0.279

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		22,276	0.014	0.013 - 0.014
Alabama	-	-		-	-		396	0.016	0.014 - 0.017
Alaska	-	-		-	-		45	0.013	0.009 - 0.017
Arizona	-	-		-	-		390	0.011	0.010 - 0.012
Arkansas	-	-		-	-		245	0.016	0.014 - 0.018
California	-	-		-	-		2,519	0.013	0.012 - 0.013
CA - Greater California	-	-		-	-		1,412	0.013	0.012 - 0.014
CA - Greater Bay Area	-	-		-	-		420	0.011	0.010 - 0.012
CA - Los Angeles	-	-		-	-		686	0.013	0.012 - 0.014
Colorado	-	-		-	-		318	0.011	0.010 - 0.013
Connecticut	-	-		-	-		196	0.011	0.009 - 0.012
Delaware	-	-		-	-		70	0.014	0.011 - 0.018
District of Columbia	-	-		-	-		52	0.014	0.011 - 0.019
Florida	-	-		-	-		1,754	0.016	0.016 - 0.017
Georgia	-	-		-	-		697	0.013	0.012 - 0.014
Hawaii	-	-		-	-		80	0.011	0.009 - 0.014
Idaho	-	-		-	-		98	0.012	0.009 - 0.014
Illinois	-	-		-	-		906	0.014	0.013 - 0.015
Iowa	-	-		-	-		192	0.012	0.011 - 0.014
Kentucky	-	-		-	-		377	0.017	0.015 - 0.018
Louisiana	-	-		-	-		372	0.016	0.014 - 0.017
Maine	-	-		-	-		70	0.010	0.008 - 0.013
Maryland	-	-		-	-		382	0.012	0.011 - 0.014
Michigan	-	-		-	-		631	0.012	0.012 - 0.013
MI - Detroit	-	-		-	-		239	0.012	0.010 - 0.014
Minnesota	-	-		-	-		295	0.011	0.009 - 0.012
Mississippi	-	-		-	-		236	0.015	0.013 - 0.017
Missouri	-	-		-	-		443	0.014	0.013 - 0.016
Montana	-	-		-	-		81	0.016	0.012 - 0.019
Nebraska	-	-		-	-		108	0.011	0.009 - 0.014
Nevada	-	-		-	-		236	0.016	0.014 - 0.018
New Hampshire	-	-		-	-		65	0.010	0.007 - 0.012
New Jersey	-	-		-	-		651	0.014	0.013 - 0.015
New Mexico	-	-		-	-		168	0.016	0.014 - 0.018
New York	-	-		-	-		1,413	0.014	0.013 - 0.015
North Carolina	-	-		-	-		653	0.012	0.012 - 0.013
North Dakota	-	-		-	-		35	0.010	0.007 - 0.013
Ohio	-	-		-	-		835	0.014	0.013 - 0.015
Oklahoma	-	-		-	-		297	0.015	0.013 - 0.017
Oregon	-	-		-	-		248	0.012	0.010 - 0.014
Pennsylvania	-	-		-	-		895	0.014	0.013 - 0.015
Rhode Island	-	-		-	-		71	0.013	0.010 - 0.016
South Carolina	-	-		-	-		346	0.013	0.012 - 0.015
Tennessee	-	-		-	-		482	0.014	0.013 - 0.015
Texas	-	-		-	-		2,202	0.016	0.015 - 0.016
Utah	-	-		-	-		131	0.009	0.007 - 0.010
Vermont	-	-		-	-		22	0.007	0.004 - 0.011
Virginia	-	-		-	-		454	0.011	0.010 - 0.012
Washington ³	-	-		-	-		445	0.012	0.011 - 0.013
WA - Seattle	-	-		-	-		335	0.013	0.012 - 0.015
West Virginia	-	-		-	-		140	0.015	0.013 - 0.018
Wisconsin	-	-		-	-		362	0.012	0.011 - 0.014
Wyoming	-	-		-	-		27	0.010	0.006 - 0.014
NAACCR CDN Combined¹	-	-		-	-		2,635	0.014	0.014 - 0.015
Alberta	-	-		-	-		323	0.015	0.014 - 0.017
British Columbia	-	-		-	-		312	0.013	0.011 - 0.014
Manitoba	-	-		-	-		74	0.011	0.009 - 0.014
New Brunswick	-	-		-	-		54	0.014	0.010 - 0.018
Newfoundland and Labrador	-	-		-	-		57	0.021	0.016 - 0.028
Nova Scotia	-	-		-	-		63	0.013	0.010 - 0.017
Ontario	-	-		-	-		1,044	0.015	0.014 - 0.016
Prince Edward Island	-	-		-	-		15	0.020	0.011 - 0.033
Saskatchewan	-	-		-	-		84	0.015	0.012 - 0.018
NAACCR N.A. Combined¹	-	-		-	-		24,911	0.014	0.013 - 0.014

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-12 Prevalence – Cervix Uteri

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		101,412	0.062	0.061 - 0.062
Alabama	-	-		-	-		1,150	0.046	0.043 - 0.048
Alaska	-	-		-	-		179	0.051	0.044 - 0.059
Arizona	-	-		-	-		1,849	0.053	0.050 - 0.055
Arkansas	-	-		-	-		845	0.055	0.052 - 0.059
California	-	-		-	-		10,998	0.056	0.055 - 0.057
CA - Greater California	-	-		-	-		6,046	0.055	0.054 - 0.057
CA - Greater Bay Area	-	-		-	-		2,164	0.058	0.056 - 0.061
CA - Los Angeles	-	-		-	-		2,787	0.054	0.052 - 0.056
Colorado	-	-		-	-		1,337	0.048	0.046 - 0.051
Connecticut	-	-		-	-		1,363	0.074	0.071 - 0.078
Delaware	-	-		-	-		372	0.076	0.068 - 0.084
District of Columbia	-	-		-	-		182	0.050	0.043 - 0.058
Florida	-	-		-	-		6,491	0.061	0.060 - 0.063
Georgia	-	-		-	-		2,596	0.049	0.047 - 0.051
Hawaii	-	-		-	-		516	0.073	0.066 - 0.079
Idaho	-	-		-	-		477	0.056	0.051 - 0.061
Illinois	-	-		-	-		4,466	0.069	0.067 - 0.071
Iowa	-	-		-	-		1,194	0.076	0.071 - 0.080
Kentucky	-	-		-	-		1,450	0.064	0.061 - 0.068
Louisiana	-	-		-	-		1,077	0.045	0.042 - 0.048
Maine	-	-		-	-		583	0.086	0.079 - 0.093
Maryland	-	-		-	-		1,980	0.064	0.061 - 0.067
Michigan	-	-		-	-		3,605	0.071	0.069 - 0.074
MI - Detroit	-	-		-	-		1,401	0.070	0.066 - 0.074
Minnesota	-	-		-	-		2,037	0.073	0.070 - 0.076
Mississippi	-	-		-	-		833	0.054	0.051 - 0.058
Missouri	-	-		-	-		1,973	0.064	0.061 - 0.066
Montana	-	-		-	-		331	0.064	0.057 - 0.071
Nebraska	-	-		-	-		605	0.063	0.058 - 0.068
Nevada	-	-		-	-		691	0.047	0.044 - 0.051
New Hampshire	-	-		-	-		565	0.083	0.076 - 0.090
New Jersey	-	-		-	-		3,436	0.076	0.073 - 0.078
New Mexico	-	-		-	-		583	0.055	0.051 - 0.060
New York	-	-		-	-		7,566	0.075	0.073 - 0.077
North Carolina	-	-		-	-		3,087	0.059	0.057 - 0.061
North Dakota	-	-		-	-		214	0.058	0.051 - 0.067
Ohio	-	-		-	-		4,430	0.075	0.072 - 0.077
Oklahoma	-	-		-	-		992	0.050	0.047 - 0.053
Oregon	-	-		-	-		1,458	0.070	0.067 - 0.074
Pennsylvania	-	-		-	-		5,389	0.083	0.080 - 0.085
Rhode Island	-	-		-	-		371	0.068	0.062 - 0.076
South Carolina	-	-		-	-		1,427	0.056	0.053 - 0.059
Tennessee	-	-		-	-		1,955	0.057	0.055 - 0.060
Texas	-	-		-	-		6,181	0.044	0.043 - 0.045
Utah	-	-		-	-		686	0.045	0.042 - 0.048
Vermont	-	-		-	-		307	0.097	0.087 - 0.109
Virginia	-	-		-	-		2,480	0.058	0.056 - 0.060
Washington ³	-	-		-	-		2,286	0.062	0.060 - 0.065
WA - Seattle	-	-		-	-		1,596	0.063	0.060 - 0.066
West Virginia	-	-		-	-		766	0.083	0.077 - 0.089
Wisconsin	-	-		-	-		2,316	0.080	0.076 - 0.083
Wyoming	-	-		-	-		163	0.057	0.049 - 0.067
NAACCR CDN Combined¹	-	-		-	-		12,452	0.067	0.066 - 0.068
Alberta	-	-		-	-		1,193	0.057	0.054 - 0.060
British Columbia	-	-		-	-		1,511	0.061	0.058 - 0.064
Manitoba	-	-		-	-		529	0.080	0.073 - 0.087
New Brunswick	-	-		-	-		255	0.066	0.058 - 0.075
Newfoundland and Labrador	-	-		-	-		222	0.083	0.073 - 0.095
Nova Scotia	-	-		-	-		333	0.069	0.062 - 0.077
Ontario	-	-		-	-		5,005	0.071	0.069 - 0.073
Prince Edward Island	-	-		-	-		39	0.051	0.036 - 0.070
Saskatchewan	-	-		-	-		337	0.059	0.053 - 0.066
NAACCR N.A. Combined¹	-	-		-	-		113,863	0.062	0.062 - 0.062

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		32,480	0.020	0.019 - 0.020
Alabama	-	-		-	-		503	0.020	0.018 - 0.022
Alaska	-	-		-	-		59	0.017	0.013 - 0.022
Arizona	-	-		-	-		662	0.019	0.017 - 0.020
Arkansas	-	-		-	-		294	0.019	0.017 - 0.022
California	-	-		-	-		3,864	0.020	0.019 - 0.020
CA - Greater California	-	-		-	-		2,040	0.019	0.018 - 0.019
CA - Greater Bay Area	-	-		-	-		751	0.020	0.019 - 0.022
CA - Los Angeles	-	-		-	-		1,073	0.021	0.020 - 0.022
Colorado	-	-		-	-		487	0.018	0.016 - 0.019
Connecticut	-	-		-	-		391	0.021	0.019 - 0.024
Delaware	-	-		-	-		102	0.021	0.017 - 0.025
District of Columbia	-	-		-	-		66	0.018	0.014 - 0.023
Florida	-	-		-	-		2,416	0.023	0.022 - 0.024
Georgia	-	-		-	-		937	0.018	0.017 - 0.019
Hawaii	-	-		-	-		122	0.017	0.014 - 0.020
Idaho	-	-		-	-		154	0.018	0.015 - 0.021
Illinois	-	-		-	-		1,280	0.020	0.019 - 0.021
Iowa	-	-		-	-		297	0.019	0.017 - 0.021
Kentucky	-	-		-	-		424	0.019	0.017 - 0.021
Louisiana	-	-		-	-		359	0.015	0.014 - 0.017
Maine	-	-		-	-		115	0.017	0.014 - 0.020
Maryland	-	-		-	-		644	0.021	0.019 - 0.022
Michigan	-	-		-	-		1,047	0.021	0.019 - 0.022
MI - Detroit	-	-		-	-		442	0.022	0.020 - 0.024
Minnesota	-	-		-	-		545	0.020	0.018 - 0.021
Mississippi	-	-		-	-		229	0.015	0.013 - 0.017
Missouri	-	-		-	-		554	0.018	0.016 - 0.019
Montana	-	-		-	-		127	0.024	0.020 - 0.029
Nebraska	-	-		-	-		166	0.017	0.015 - 0.020
Nevada	-	-		-	-		241	0.016	0.014 - 0.019
New Hampshire	-	-		-	-		135	0.020	0.017 - 0.024
New Jersey	-	-		-	-		1,060	0.023	0.022 - 0.025
New Mexico	-	-		-	-		209	0.020	0.017 - 0.023
New York	-	-		-	-		2,303	0.023	0.022 - 0.024
North Carolina	-	-		-	-		1,060	0.020	0.019 - 0.021
North Dakota	-	-		-	-		61	0.017	0.013 - 0.021
Ohio	-	-		-	-		1,174	0.020	0.019 - 0.021
Oklahoma	-	-		-	-		388	0.020	0.018 - 0.022
Oregon	-	-		-	-		440	0.021	0.019 - 0.023
Pennsylvania	-	-		-	-		1,554	0.024	0.023 - 0.025
Rhode Island	-	-		-	-		101	0.019	0.015 - 0.023
South Carolina	-	-		-	-		431	0.017	0.015 - 0.018
Tennessee	-	-		-	-		637	0.019	0.017 - 0.020
Texas	-	-		-	-		2,360	0.017	0.016 - 0.017
Utah	-	-		-	-		230	0.015	0.013 - 0.017
Vermont	-	-		-	-		63	0.020	0.015 - 0.026
Virginia	-	-		-	-		778	0.018	0.017 - 0.019
Washington ³	-	-		-	-		715	0.019	0.018 - 0.021
WA - Seattle	-	-		-	-		530	0.021	0.019 - 0.023
West Virginia	-	-		-	-		220	0.024	0.021 - 0.027
Wisconsin	-	-		-	-		624	0.021	0.020 - 0.023
Wyoming	-	-		-	-		58	0.020	0.016 - 0.026
NAACCR CDN Combined¹	-	-		-	-		4,125	0.022	0.021 - 0.023
Alberta	-	-		-	-		330	0.016	0.014 - 0.018
British Columbia	-	-		-	-		501	0.020	0.019 - 0.022
Manitoba	-	-		-	-		129	0.019	0.016 - 0.023
New Brunswick	-	-		-	-		75	0.019	0.015 - 0.024
Newfoundland and Labrador	-	-		-	-		52	0.019	0.015 - 0.026
Nova Scotia	-	-		-	-		105	0.022	0.018 - 0.026
Ontario	-	-		-	-		1,826	0.026	0.025 - 0.027
Prince Edward Island	-	-		-	-		11	0.014	0.007 - 0.026
Saskatchewan	-	-		-	-		106	0.019	0.015 - 0.023
NAACCR N.A. Combined¹	-	-		-	-		36,604	0.020	0.020 - 0.020

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-14 Prevalence – Ovary

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		371,225	0.233	0.232 - 0.233	-	-	
Alabama	-	-		6,697	0.284	0.277 - 0.291	-	-	
Alaska	-	-		595	0.154	0.142 - 0.167	-	-	
Arizona	-	-		6,005	0.173	0.168 - 0.177	-	-	
Arkansas	-	-		3,944	0.268	0.260 - 0.276	-	-	
California	-	-		34,967	0.179	0.177 - 0.181	-	-	
CA - Greater California	-	-		19,923	0.184	0.181 - 0.186	-	-	
CA - Greater Bay Area	-	-		6,867	0.186	0.182 - 0.191	-	-	
CA - Los Angeles	-	-		8,178	0.164	0.160 - 0.168	-	-	
Colorado	-	-		4,947	0.176	0.171 - 0.181	-	-	
Connecticut	-	-		4,795	0.275	0.267 - 0.283	-	-	
Delaware	-	-		1,438	0.312	0.296 - 0.328	-	-	
District of Columbia	-	-		683	0.208	0.193 - 0.224	-	-	
Florida	-	-		26,124	0.257	0.254 - 0.260	-	-	
Georgia	-	-		12,859	0.255	0.251 - 0.260	-	-	
Hawaii	-	-		1,527	0.213	0.203 - 0.224	-	-	
Idaho	-	-		1,901	0.223	0.213 - 0.233	-	-	
Illinois	-	-		14,926	0.237	0.233 - 0.241	-	-	
Iowa	-	-		3,989	0.256	0.248 - 0.264	-	-	
Kentucky	-	-		5,094	0.233	0.226 - 0.239	-	-	
Louisiana	-	-		6,538	0.286	0.279 - 0.293	-	-	
Maine	-	-		1,601	0.245	0.233 - 0.258	-	-	
Maryland	-	-		8,072	0.277	0.271 - 0.283	-	-	
Michigan	-	-		12,714	0.259	0.255 - 0.264	-	-	
MI - Detroit	-	-		5,460	0.290	0.282 - 0.298	-	-	
Minnesota	-	-		6,770	0.245	0.239 - 0.251	-	-	
Mississippi	-	-		4,194	0.289	0.281 - 0.298	-	-	
Missouri	-	-		6,540	0.218	0.213 - 0.224	-	-	
Montana	-	-		1,675	0.318	0.303 - 0.333	-	-	
Nebraska	-	-		2,424	0.254	0.244 - 0.264	-	-	
Nevada	-	-		2,542	0.172	0.165 - 0.179	-	-	
New Hampshire	-	-		1,854	0.278	0.266 - 0.291	-	-	
New Jersey	-	-		13,287	0.306	0.301 - 0.312	-	-	
New Mexico	-	-		1,953	0.188	0.180 - 0.197	-	-	
New York	-	-		26,857	0.282	0.279 - 0.285	-	-	
North Carolina	-	-		13,022	0.262	0.257 - 0.266	-	-	
North Dakota	-	-		1,032	0.267	0.251 - 0.283	-	-	
Ohio	-	-		13,982	0.245	0.241 - 0.249	-	-	
Oklahoma	-	-		4,030	0.207	0.201 - 0.213	-	-	
Oregon	-	-		4,649	0.228	0.221 - 0.234	-	-	
Pennsylvania	-	-		16,764	0.268	0.264 - 0.272	-	-	
Rhode Island	-	-		1,185	0.231	0.218 - 0.244	-	-	
South Carolina	-	-		6,991	0.289	0.282 - 0.296	-	-	
Tennessee	-	-		8,461	0.260	0.254 - 0.265	-	-	
Texas	-	-		22,820	0.163	0.161 - 0.165	-	-	
Utah	-	-		2,818	0.182	0.175 - 0.189	-	-	
Vermont	-	-		713	0.231	0.215 - 0.249	-	-	
Virginia	-	-		8,949	0.216	0.211 - 0.220	-	-	
Washington ³	-	-		7,774	0.211	0.207 - 0.216	-	-	
WA - Seattle	-	-		5,826	0.230	0.224 - 0.235	-	-	
West Virginia	-	-		2,298	0.255	0.244 - 0.265	-	-	
Wisconsin	-	-		7,730	0.269	0.263 - 0.275	-	-	
Wyoming	-	-		744	0.251	0.233 - 0.269	-	-	
NAACCR CDN Combined¹	-	-		41,122	0.223	0.220 - 0.225	-	-	
Alberta	-	-		4,552	0.214	0.208 - 0.220	-	-	
British Columbia	-	-		5,238	0.216	0.211 - 0.222	-	-	
Manitoba	-	-		1,372	0.208	0.197 - 0.219	-	-	
New Brunswick	-	-		974	0.257	0.241 - 0.274	-	-	
Newfoundland and Labrador	-	-		840	0.320	0.299 - 0.343	-	-	
Nova Scotia	-	-		1,091	0.236	0.222 - 0.250	-	-	
Ontario	-	-		15,344	0.223	0.219 - 0.226	-	-	
Prince Edward Island	-	-		176	0.242	0.208 - 0.281	-	-	
Saskatchewan	-	-		1,278	0.222	0.210 - 0.234	-	-	
NAACCR N.A. Combined¹	-	-		412,346	0.232	0.231 - 0.232	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		17,159	0.011	0.011 - 0.011	-	-	
Alabama	-	-		169	0.007	0.006 - 0.008	-	-	
Alaska	-	-		52	0.013	0.010 - 0.018	-	-	
Arizona	-	-		350	0.010	0.009 - 0.011	-	-	
Arkansas	-	-		134	0.009	0.008 - 0.011	-	-	
California	-	-		2,344	0.012	0.012 - 0.012	-	-	
CA - Greater California	-	-		1,314	0.012	0.011 - 0.013	-	-	
CA - Greater Bay Area	-	-		437	0.012	0.011 - 0.013	-	-	
CA - Los Angeles	-	-		594	0.012	0.011 - 0.013	-	-	
Colorado	-	-		316	0.011	0.010 - 0.013	-	-	
Connecticut	-	-		191	0.011	0.009 - 0.013	-	-	
Delaware	-	-		44	0.010	0.007 - 0.013	-	-	
District of Columbia	-	-		40	0.012	0.009 - 0.017	-	-	
Florida	-	-		856	0.008	0.008 - 0.009	-	-	
Georgia	-	-		407	0.008	0.007 - 0.009	-	-	
Hawaii	-	-		86	0.012	0.010 - 0.015	-	-	
Idaho	-	-		118	0.014	0.011 - 0.017	-	-	
Illinois	-	-		774	0.012	0.011 - 0.013	-	-	
Iowa	-	-		202	0.013	0.011 - 0.015	-	-	
Kentucky	-	-		225	0.010	0.009 - 0.012	-	-	
Louisiana	-	-		192	0.008	0.007 - 0.010	-	-	
Maine	-	-		75	0.011	0.009 - 0.014	-	-	
Maryland	-	-		256	0.009	0.008 - 0.010	-	-	
Michigan	-	-		509	0.010	0.009 - 0.011	-	-	
MI - Detroit	-	-		186	0.010	0.009 - 0.011	-	-	
Minnesota	-	-		359	0.013	0.012 - 0.014	-	-	
Mississippi	-	-		103	0.007	0.006 - 0.009	-	-	
Missouri	-	-		318	0.011	0.009 - 0.012	-	-	
Montana	-	-		71	0.013	0.011 - 0.017	-	-	
Nebraska	-	-		117	0.012	0.010 - 0.015	-	-	
Nevada	-	-		146	0.010	0.008 - 0.012	-	-	
New Hampshire	-	-		93	0.014	0.011 - 0.017	-	-	
New Jersey	-	-		491	0.011	0.010 - 0.012	-	-	
New Mexico	-	-		118	0.011	0.009 - 0.014	-	-	
New York	-	-		1,095	0.012	0.011 - 0.012	-	-	
North Carolina	-	-		506	0.010	0.009 - 0.011	-	-	
North Dakota	-	-		57	0.015	0.011 - 0.019	-	-	
Ohio	-	-		602	0.011	0.010 - 0.011	-	-	
Oklahoma	-	-		209	0.011	0.009 - 0.012	-	-	
Oregon	-	-		253	0.012	0.011 - 0.014	-	-	
Pennsylvania	-	-		789	0.013	0.012 - 0.014	-	-	
Rhode Island	-	-		65	0.013	0.010 - 0.016	-	-	
South Carolina	-	-		179	0.007	0.006 - 0.009	-	-	
Tennessee	-	-		302	0.009	0.008 - 0.010	-	-	
Texas	-	-		1,394	0.010	0.009 - 0.011	-	-	
Utah	-	-		219	0.014	0.012 - 0.016	-	-	
Vermont	-	-		35	0.011	0.008 - 0.016	-	-	
Virginia	-	-		338	0.008	0.007 - 0.009	-	-	
Washington ³	-	-		461	0.013	0.011 - 0.014	-	-	
WA - Seattle	-	-		340	0.013	0.012 - 0.015	-	-	
West Virginia	-	-		90	0.010	0.008 - 0.012	-	-	
Wisconsin	-	-		385	0.013	0.012 - 0.015	-	-	
Wyoming	-	-		40	0.013	0.010 - 0.018	-	-	
NAACCR CDN Combined¹	-	-		2,184	0.012	0.012 - 0.013	-	-	
Alberta	-	-		297	0.014	0.012 - 0.016	-	-	
British Columbia	-	-		297	0.012	0.011 - 0.014	-	-	
Manitoba	-	-		80	0.012	0.010 - 0.015	-	-	
New Brunswick	-	-		39	0.010	0.007 - 0.014	-	-	
Newfoundland and Labrador	-	-		13	0.005	0.003 - 0.008	-	-	
Nova Scotia	-	-		48	0.010	0.008 - 0.014	-	-	
Ontario	-	-		840	0.012	0.011 - 0.013	-	-	
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	-	-		66	0.011	0.009 - 0.015	-	-	
NAACCR N.A. Combined¹	-	-		19,344	0.011	0.011 - 0.011	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-16 Prevalence – Testis

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	125,774	0.039	0.038 - 0.039	96,913	0.060	0.060 - 0.061	28,774	0.017	0.017 - 0.018
Alabama	1,780	0.037	0.035 - 0.038	1,389	0.059	0.056 - 0.062	391	0.016	0.014 - 0.017
Alaska	245	0.033	0.029 - 0.037	190	0.049	0.042 - 0.057	55	0.016	0.012 - 0.020
Arizona	2,694	0.039	0.037 - 0.040	2,121	0.061	0.058 - 0.064	573	0.016	0.015 - 0.018
Arkansas	1,163	0.039	0.037 - 0.041	915	0.062	0.058 - 0.066	248	0.016	0.014 - 0.018
California	11,500	0.029	0.029 - 0.030	8,931	0.046	0.045 - 0.047	2,569	0.013	0.012 - 0.014
CA - Greater California	6,649	0.031	0.030 - 0.031	5,192	0.048	0.047 - 0.049	1,457	0.013	0.013 - 0.014
CA - Greater Bay Area	2,262	0.031	0.029 - 0.032	1,747	0.047	0.045 - 0.050	516	0.014	0.013 - 0.015
CA - Los Angeles	2,589	0.026	0.025 - 0.027	1,993	0.040	0.038 - 0.042	596	0.012	0.011 - 0.013
Colorado	1,799	0.032	0.031 - 0.034	1,398	0.050	0.047 - 0.052	401	0.014	0.013 - 0.016
Connecticut	1,982	0.055	0.053 - 0.058	1,502	0.086	0.082 - 0.091	480	0.026	0.024 - 0.029
Delaware	513	0.054	0.049 - 0.059	407	0.088	0.080 - 0.097	106	0.022	0.018 - 0.026
District of Columbia	132	0.019	0.016 - 0.023	88	0.027	0.022 - 0.033	44	0.012	0.009 - 0.016
Florida	9,873	0.047	0.047 - 0.048	7,636	0.075	0.073 - 0.077	2,237	0.021	0.020 - 0.022
Georgia	3,089	0.030	0.029 - 0.031	2,401	0.048	0.046 - 0.050	688	0.013	0.012 - 0.014
Hawaii	430	0.030	0.027 - 0.033	345	0.048	0.043 - 0.054	85	0.012	0.010 - 0.015
Idaho	685	0.040	0.037 - 0.043	533	0.063	0.057 - 0.068	153	0.018	0.015 - 0.021
Illinois	5,244	0.041	0.040 - 0.042	3,970	0.063	0.061 - 0.065	1,274	0.020	0.018 - 0.021
Iowa	1,402	0.045	0.042 - 0.047	1,114	0.071	0.067 - 0.076	288	0.018	0.016 - 0.020
Kentucky	1,860	0.042	0.040 - 0.044	1,436	0.066	0.062 - 0.069	425	0.019	0.017 - 0.021
Louisiana	1,577	0.034	0.032 - 0.035	1,214	0.053	0.050 - 0.056	363	0.015	0.014 - 0.017
Maine	862	0.065	0.060 - 0.069	671	0.103	0.095 - 0.111	191	0.028	0.024 - 0.032
Maryland	2,288	0.038	0.036 - 0.040	1,724	0.059	0.056 - 0.062	564	0.018	0.017 - 0.020
Michigan	4,623	0.046	0.045 - 0.048	3,573	0.073	0.070 - 0.075	1,050	0.021	0.020 - 0.022
MI - Detroit	1,755	0.045	0.043 - 0.047	1,354	0.072	0.068 - 0.076	402	0.020	0.018 - 0.022
Minnesota	2,339	0.042	0.040 - 0.044	1,816	0.066	0.063 - 0.069	523	0.019	0.017 - 0.020
Mississippi	1,006	0.034	0.032 - 0.036	791	0.055	0.051 - 0.058	215	0.014	0.012 - 0.016
Missouri	2,469	0.040	0.039 - 0.042	1,914	0.064	0.061 - 0.067	555	0.018	0.016 - 0.019
Montana	564	0.054	0.050 - 0.059	437	0.083	0.075 - 0.091	127	0.024	0.020 - 0.029
Nebraska	756	0.040	0.037 - 0.042	568	0.060	0.055 - 0.065	188	0.020	0.017 - 0.023
Nevada	1,047	0.036	0.033 - 0.038	803	0.054	0.051 - 0.058	244	0.017	0.015 - 0.019
New Hampshire	825	0.061	0.057 - 0.066	627	0.094	0.087 - 0.102	198	0.029	0.025 - 0.033
New Jersey	4,197	0.047	0.046 - 0.049	3,130	0.072	0.070 - 0.075	1,067	0.023	0.022 - 0.025
New Mexico	602	0.029	0.027 - 0.031	473	0.046	0.042 - 0.050	130	0.012	0.010 - 0.015
New York	9,210	0.047	0.046 - 0.048	6,982	0.073	0.072 - 0.075	2,228	0.022	0.021 - 0.023
North Carolina	3,908	0.038	0.037 - 0.039	3,004	0.060	0.058 - 0.063	904	0.017	0.016 - 0.018
North Dakota	286	0.038	0.034 - 0.043	234	0.060	0.053 - 0.069	52	0.014	0.011 - 0.019
Ohio	5,258	0.045	0.044 - 0.046	4,010	0.070	0.068 - 0.072	1,248	0.021	0.020 - 0.022
Oklahoma	1,440	0.037	0.035 - 0.039	1,149	0.059	0.056 - 0.063	291	0.015	0.013 - 0.016
Oregon	1,848	0.045	0.043 - 0.047	1,425	0.070	0.066 - 0.074	423	0.020	0.018 - 0.022
Pennsylvania	6,836	0.053	0.052 - 0.055	5,231	0.084	0.081 - 0.086	1,605	0.025	0.023 - 0.026
Rhode Island	563	0.053	0.049 - 0.058	418	0.081	0.074 - 0.090	145	0.027	0.023 - 0.031
South Carolina	1,844	0.037	0.035 - 0.039	1,403	0.058	0.055 - 0.061	441	0.017	0.016 - 0.019
Tennessee	2,699	0.040	0.039 - 0.042	2,059	0.063	0.061 - 0.066	640	0.019	0.017 - 0.020
Texas	6,400	0.023	0.022 - 0.023	5,052	0.036	0.035 - 0.037	1,348	0.010	0.009 - 0.010
Utah	694	0.023	0.021 - 0.024	567	0.037	0.034 - 0.040	127	0.008	0.007 - 0.010
Vermont	321	0.051	0.046 - 0.057	247	0.080	0.070 - 0.091	74	0.023	0.018 - 0.029
Virginia	2,703	0.032	0.031 - 0.033	2,081	0.050	0.048 - 0.052	622	0.015	0.013 - 0.016
Washington ³	3,012	0.041	0.039 - 0.042	2,366	0.064	0.062 - 0.067	646	0.018	0.016 - 0.019
WA - Seattle	2,115	0.042	0.040 - 0.043	1,660	0.065	0.062 - 0.069	455	0.018	0.016 - 0.020
West Virginia	927	0.051	0.048 - 0.054	708	0.078	0.073 - 0.084	219	0.024	0.021 - 0.027
Wisconsin	2,717	0.047	0.045 - 0.049	2,117	0.074	0.071 - 0.077	600	0.021	0.019 - 0.022
Wyoming	231	0.040	0.035 - 0.045	180	0.061	0.052 - 0.070	51	0.018	0.013 - 0.024
NAACCR CDN Combined¹	17,827	0.048	0.047 - 0.049	13,732	0.075	0.073 - 0.076	4,080	0.022	0.021 - 0.023
Alberta	1,574	0.037	0.035 - 0.039	1,226	0.058	0.054 - 0.061	348	0.017	0.015 - 0.018
British Columbia	2,558	0.052	0.050 - 0.054	2,007	0.083	0.079 - 0.087	551	0.022	0.020 - 0.024
Manitoba	525	0.040	0.036 - 0.043	402	0.061	0.055 - 0.067	123	0.019	0.015 - 0.022
New Brunswick	459	0.060	0.055 - 0.066	348	0.092	0.083 - 0.102	111	0.029	0.024 - 0.035
Newfoundland and Labrador	320	0.061	0.054 - 0.068	231	0.088	0.077 - 0.100	89	0.033	0.027 - 0.041
Nova Scotia	581	0.061	0.056 - 0.067	445	0.096	0.087 - 0.106	136	0.028	0.024 - 0.033
Ontario	6,814	0.049	0.048 - 0.050	5,235	0.076	0.074 - 0.078	1,579	0.022	0.021 - 0.023
Prince Edward Island	77	0.052	0.041 - 0.065	56	0.077	0.058 - 0.100	21	0.028	0.017 - 0.042
Saskatchewan	497	0.043	0.040 - 0.047	386	0.067	0.060 - 0.074	111	0.020	0.016 - 0.024
NAACCR N.A. Combined¹	143,601	0.039	0.039 - 0.040	110,646	0.062	0.061 - 0.062	32,854	0.018	0.018 - 0.018

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	107,063	0.033	0.033 - 0.033	67,501	0.042	0.042 - 0.043	39,546	0.024	0.024 - 0.024
Alabama	1,810	0.037	0.035 - 0.039	1,105	0.047	0.044 - 0.050	705	0.028	0.026 - 0.030
Alaska	215	0.029	0.025 - 0.033	134	0.035	0.029 - 0.041	81	0.023	0.018 - 0.028
Arizona	2,168	0.031	0.030 - 0.032	1,397	0.040	0.038 - 0.042	771	0.022	0.020 - 0.024
Arkansas	1,210	0.040	0.038 - 0.043	761	0.052	0.048 - 0.055	449	0.029	0.027 - 0.032
California	10,501	0.027	0.026 - 0.027	6,676	0.034	0.033 - 0.035	3,824	0.019	0.019 - 0.020
CA - Greater California	6,125	0.028	0.027 - 0.029	3,863	0.036	0.034 - 0.037	2,262	0.021	0.020 - 0.022
CA - Greater Bay Area	1,843	0.025	0.024 - 0.026	1,206	0.033	0.031 - 0.035	637	0.017	0.016 - 0.019
CA - Los Angeles	2,532	0.025	0.024 - 0.026	1,607	0.032	0.031 - 0.034	925	0.018	0.017 - 0.019
Colorado	1,387	0.025	0.024 - 0.026	874	0.031	0.029 - 0.033	513	0.019	0.017 - 0.020
Connecticut	1,246	0.035	0.033 - 0.037	825	0.047	0.044 - 0.051	421	0.023	0.021 - 0.025
Delaware	329	0.035	0.031 - 0.038	207	0.045	0.039 - 0.051	122	0.025	0.021 - 0.030
District of Columbia	121	0.018	0.015 - 0.021	77	0.023	0.019 - 0.029	44	0.012	0.009 - 0.016
Florida	6,849	0.033	0.032 - 0.034	4,360	0.043	0.042 - 0.044	2,489	0.023	0.023 - 0.024
Georgia	3,141	0.030	0.029 - 0.031	1,910	0.038	0.036 - 0.040	1,230	0.023	0.022 - 0.024
Hawaii	405	0.028	0.026 - 0.031	277	0.039	0.034 - 0.044	128	0.018	0.015 - 0.021
Idaho	520	0.031	0.028 - 0.033	335	0.039	0.035 - 0.044	185	0.022	0.019 - 0.025
Illinois	4,528	0.035	0.034 - 0.036	2,894	0.046	0.044 - 0.048	1,634	0.025	0.024 - 0.026
Iowa	1,228	0.039	0.037 - 0.041	784	0.050	0.047 - 0.054	444	0.028	0.026 - 0.031
Kentucky	1,874	0.042	0.040 - 0.044	1,170	0.053	0.050 - 0.057	704	0.031	0.029 - 0.034
Louisiana	1,872	0.040	0.038 - 0.042	1,142	0.050	0.047 - 0.053	730	0.031	0.028 - 0.033
Maine	521	0.039	0.036 - 0.043	306	0.047	0.042 - 0.052	215	0.032	0.028 - 0.036
Maryland	1,864	0.031	0.030 - 0.032	1,145	0.039	0.037 - 0.042	719	0.023	0.022 - 0.025
Michigan	3,349	0.034	0.032 - 0.035	2,124	0.043	0.041 - 0.045	1,225	0.024	0.023 - 0.026
MI - Detroit	1,324	0.034	0.032 - 0.036	861	0.046	0.043 - 0.049	463	0.023	0.021 - 0.025
Minnesota	1,890	0.034	0.033 - 0.036	1,264	0.046	0.043 - 0.048	626	0.022	0.021 - 0.024
Mississippi	1,249	0.042	0.040 - 0.044	752	0.052	0.048 - 0.056	497	0.032	0.030 - 0.035
Missouri	2,364	0.039	0.037 - 0.040	1,433	0.048	0.045 - 0.050	931	0.030	0.028 - 0.032
Montana	369	0.035	0.032 - 0.039	244	0.046	0.041 - 0.053	125	0.024	0.020 - 0.029
Nebraska	692	0.036	0.034 - 0.039	452	0.047	0.043 - 0.052	240	0.025	0.022 - 0.028
Nevada	839	0.028	0.027 - 0.030	535	0.036	0.033 - 0.039	304	0.021	0.018 - 0.023
New Hampshire	431	0.032	0.029 - 0.035	282	0.042	0.038 - 0.048	149	0.022	0.019 - 0.026
New Jersey	2,967	0.033	0.032 - 0.035	1,874	0.043	0.041 - 0.045	1,092	0.024	0.023 - 0.026
New Mexico	613	0.029	0.027 - 0.032	361	0.035	0.031 - 0.039	252	0.024	0.021 - 0.027
New York	6,666	0.034	0.033 - 0.035	4,279	0.045	0.044 - 0.046	2,387	0.024	0.023 - 0.025
North Carolina	3,497	0.034	0.033 - 0.035	2,196	0.044	0.042 - 0.046	1,301	0.025	0.023 - 0.026
North Dakota	237	0.031	0.028 - 0.036	158	0.041	0.035 - 0.048	79	0.021	0.017 - 0.027
Ohio	4,227	0.036	0.035 - 0.037	2,575	0.045	0.043 - 0.047	1,652	0.028	0.026 - 0.029
Oklahoma	1,539	0.039	0.037 - 0.041	926	0.048	0.045 - 0.051	613	0.031	0.029 - 0.033
Oregon	1,313	0.032	0.030 - 0.034	861	0.042	0.039 - 0.045	452	0.022	0.020 - 0.024
Pennsylvania	4,867	0.038	0.037 - 0.039	3,100	0.050	0.048 - 0.051	1,767	0.027	0.026 - 0.028
Rhode Island	368	0.035	0.031 - 0.039	224	0.044	0.038 - 0.050	144	0.027	0.022 - 0.031
South Carolina	1,853	0.037	0.035 - 0.039	1,176	0.049	0.046 - 0.051	677	0.026	0.024 - 0.028
Tennessee	2,519	0.038	0.036 - 0.039	1,597	0.049	0.047 - 0.051	922	0.027	0.025 - 0.029
Texas	8,859	0.031	0.031 - 0.032	5,476	0.039	0.038 - 0.040	3,383	0.024	0.023 - 0.025
Utah	590	0.019	0.018 - 0.021	373	0.024	0.022 - 0.027	217	0.014	0.012 - 0.016
Vermont	200	0.032	0.028 - 0.037	126	0.041	0.034 - 0.049	74	0.023	0.018 - 0.029
Virginia	2,502	0.030	0.029 - 0.031	1,610	0.039	0.037 - 0.041	892	0.021	0.019 - 0.022
Washington ³	2,260	0.031	0.029 - 0.032	1,390	0.038	0.036 - 0.040	869	0.024	0.022 - 0.025
WA - Seattle	1,558	0.031	0.029 - 0.032	963	0.038	0.036 - 0.040	594	0.023	0.022 - 0.025
West Virginia	842	0.046	0.043 - 0.049	503	0.056	0.051 - 0.061	339	0.037	0.033 - 0.041
Wisconsin	2,220	0.038	0.037 - 0.040	1,473	0.051	0.049 - 0.054	747	0.026	0.024 - 0.028
Wyoming	165	0.028	0.024 - 0.033	105	0.035	0.029 - 0.043	60	0.021	0.016 - 0.027
NAACCR CDN Combined¹	10,890	0.029	0.029 - 0.030	7,063	0.038	0.037 - 0.040	3,834	0.021	0.020 - 0.021
Alberta	1,104	0.026	0.025 - 0.028	727	0.034	0.032 - 0.037	377	0.018	0.016 - 0.020
British Columbia	1,273	0.026	0.025 - 0.027	822	0.034	0.032 - 0.036	451	0.018	0.017 - 0.020
Manitoba	357	0.027	0.024 - 0.030	232	0.035	0.031 - 0.040	125	0.019	0.016 - 0.022
New Brunswick	331	0.043	0.039 - 0.048	217	0.057	0.050 - 0.066	114	0.029	0.024 - 0.035
Newfoundland and Labrador	245	0.046	0.041 - 0.053	151	0.058	0.049 - 0.068	94	0.035	0.028 - 0.043
Nova Scotia	400	0.042	0.038 - 0.047	250	0.054	0.048 - 0.061	150	0.031	0.026 - 0.036
Ontario	4,156	0.030	0.029 - 0.031	2,701	0.039	0.038 - 0.041	1,455	0.021	0.019 - 0.022
Prince Edward Island	52	0.035	0.026 - 0.046	32	0.044	0.030 - 0.062	20	0.026	0.016 - 0.041
Saskatchewan	311	0.027	0.024 - 0.030	195	0.034	0.029 - 0.039	116	0.020	0.017 - 0.025
NAACCR N.A. Combined¹	117,953	0.033	0.033 - 0.033	74,564	0.042	0.042 - 0.042	43,379	0.024	0.024 - 0.024

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-18 Prevalence – Kidney and Renal Pelvis

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	26,948	0.008	0.008 - 0.008	14,948	0.009	0.009 - 0.009	11,998	0.007	0.007 - 0.007
Alabama	355	0.007	0.007 - 0.008	192	0.008	0.007 - 0.009	163	0.006	0.006 - 0.008
Alaska	68	0.009	0.007 - 0.012	43	0.011	0.008 - 0.015	25	0.007	0.005 - 0.010
Arizona	506	0.007	0.007 - 0.008	282	0.008	0.007 - 0.009	224	0.006	0.006 - 0.007
Arkansas	259	0.009	0.008 - 0.010	159	0.011	0.009 - 0.013	100	0.007	0.005 - 0.008
California	2,858	0.007	0.007 - 0.008	1,584	0.008	0.008 - 0.009	1,274	0.006	0.006 - 0.007
CA - Greater California	1,592	0.007	0.007 - 0.008	868	0.008	0.007 - 0.009	725	0.007	0.006 - 0.007
CA - Greater Bay Area	606	0.008	0.008 - 0.009	354	0.010	0.009 - 0.011	252	0.007	0.006 - 0.008
CA - Los Angeles	659	0.007	0.006 - 0.007	362	0.007	0.007 - 0.008	297	0.006	0.005 - 0.006
Colorado	453	0.008	0.007 - 0.009	263	0.009	0.008 - 0.011	190	0.007	0.006 - 0.008
Connecticut	352	0.010	0.009 - 0.011	186	0.011	0.009 - 0.012	166	0.009	0.008 - 0.011
Delaware	72	0.008	0.006 - 0.010	43	0.009	0.007 - 0.013	29	0.006	0.004 - 0.008
District of Columbia	43	0.006	0.005 - 0.008	27	0.008	0.005 - 0.012	16	0.004	0.003 - 0.007
Florida	1,797	0.009	0.008 - 0.009	990	0.010	0.009 - 0.010	807	0.008	0.007 - 0.008
Georgia	725	0.007	0.006 - 0.008	388	0.008	0.007 - 0.009	337	0.006	0.006 - 0.007
Hawaii	69	0.005	0.004 - 0.006	36	0.005	0.004 - 0.007	33	0.005	0.003 - 0.007
Idaho	155	0.009	0.008 - 0.011	89	0.010	0.008 - 0.013	66	0.008	0.006 - 0.010
Illinois	1,062	0.008	0.008 - 0.009	590	0.009	0.009 - 0.010	472	0.007	0.007 - 0.008
Iowa	283	0.009	0.008 - 0.010	151	0.010	0.008 - 0.011	132	0.008	0.007 - 0.010
Kentucky	410	0.009	0.008 - 0.010	229	0.010	0.009 - 0.012	181	0.008	0.007 - 0.009
Louisiana	330	0.007	0.006 - 0.008	181	0.008	0.007 - 0.009	149	0.006	0.005 - 0.007
Maine	154	0.012	0.010 - 0.014	79	0.012	0.010 - 0.015	75	0.011	0.009 - 0.014
Maryland	471	0.008	0.007 - 0.009	266	0.009	0.008 - 0.010	205	0.007	0.006 - 0.008
Michigan	940	0.009	0.009 - 0.010	518	0.011	0.010 - 0.012	422	0.008	0.008 - 0.009
MI - Detroit	288	0.007	0.007 - 0.008	161	0.009	0.007 - 0.010	127	0.006	0.005 - 0.008
Minnesota	535	0.010	0.009 - 0.011	304	0.011	0.010 - 0.012	231	0.008	0.007 - 0.009
Mississippi	223	0.007	0.007 - 0.009	108	0.007	0.006 - 0.009	115	0.007	0.006 - 0.009
Missouri	540	0.009	0.008 - 0.010	305	0.010	0.009 - 0.011	235	0.008	0.007 - 0.009
Montana	98	0.009	0.008 - 0.011	56	0.011	0.008 - 0.014	42	0.008	0.006 - 0.011
Nebraska	161	0.008	0.007 - 0.010	89	0.009	0.007 - 0.011	72	0.008	0.006 - 0.009
Nevada	206	0.007	0.006 - 0.008	114	0.008	0.006 - 0.009	92	0.006	0.005 - 0.008
New Hampshire	140	0.010	0.009 - 0.012	72	0.011	0.008 - 0.014	68	0.010	0.008 - 0.013
New Jersey	832	0.009	0.009 - 0.010	480	0.011	0.010 - 0.012	352	0.008	0.007 - 0.009
New Mexico	143	0.007	0.006 - 0.008	78	0.008	0.006 - 0.009	64	0.006	0.005 - 0.008
New York	1,795	0.009	0.009 - 0.010	1,033	0.011	0.010 - 0.012	762	0.008	0.007 - 0.008
North Carolina	850	0.008	0.008 - 0.009	447	0.009	0.008 - 0.010	403	0.008	0.007 - 0.008
North Dakota	65	0.009	0.007 - 0.011	34	0.009	0.006 - 0.012	31	0.008	0.006 - 0.012
Ohio	1,072	0.009	0.009 - 0.010	600	0.011	0.010 - 0.011	472	0.008	0.007 - 0.009
Oklahoma	318	0.008	0.007 - 0.009	175	0.009	0.008 - 0.010	143	0.007	0.006 - 0.008
Oregon	385	0.009	0.008 - 0.010	234	0.011	0.010 - 0.013	151	0.007	0.006 - 0.009
Pennsylvania	1,206	0.009	0.009 - 0.010	705	0.011	0.010 - 0.012	501	0.008	0.007 - 0.008
Rhode Island	99	0.009	0.008 - 0.011	49	0.010	0.007 - 0.013	50	0.009	0.007 - 0.012
South Carolina	368	0.007	0.007 - 0.008	195	0.008	0.007 - 0.009	173	0.007	0.006 - 0.008
Tennessee	504	0.008	0.007 - 0.008	262	0.008	0.007 - 0.009	242	0.007	0.006 - 0.008
Texas	2,189	0.008	0.007 - 0.008	1,152	0.008	0.008 - 0.009	1,037	0.007	0.007 - 0.008
Utah	236	0.008	0.007 - 0.009	135	0.009	0.007 - 0.010	102	0.007	0.005 - 0.008
Vermont	50	0.008	0.006 - 0.011	28	0.009	0.006 - 0.013	22	0.007	0.004 - 0.011
Virginia	606	0.007	0.007 - 0.008	337	0.008	0.007 - 0.009	269	0.006	0.006 - 0.007
Washington ³	692	0.009	0.009 - 0.010	387	0.011	0.010 - 0.012	305	0.008	0.007 - 0.009
WA - Seattle	511	0.010	0.009 - 0.011	287	0.011	0.010 - 0.013	224	0.009	0.008 - 0.010
West Virginia	201	0.011	0.010 - 0.013	118	0.013	0.011 - 0.016	83	0.009	0.007 - 0.011
Wisconsin	484	0.008	0.008 - 0.009	277	0.010	0.009 - 0.011	207	0.007	0.006 - 0.008
Wyoming	51	0.009	0.007 - 0.012	27	0.009	0.006 - 0.013	24	0.008	0.005 - 0.013
NAACCR CDN Combined¹	2,958	0.008	0.008 - 0.008	1,699	0.009	0.009 - 0.010	1,261	0.007	0.006 - 0.007
Alberta	329	0.008	0.007 - 0.009	190	0.009	0.008 - 0.010	139	0.007	0.006 - 0.008
British Columbia	386	0.008	0.007 - 0.009	230	0.010	0.008 - 0.011	156	0.006	0.005 - 0.007
Manitoba	103	0.008	0.006 - 0.009	63	0.010	0.007 - 0.012	40	0.006	0.004 - 0.008
New Brunswick	61	0.008	0.006 - 0.010	31	0.008	0.006 - 0.012	30	0.008	0.005 - 0.011
Newfoundland and Labrador	48	0.009	0.007 - 0.012	25	0.010	0.006 - 0.014	23	0.009	0.005 - 0.013
Nova Scotia	72	0.008	0.006 - 0.010	40	0.009	0.006 - 0.012	32	0.007	0.005 - 0.009
Ontario	1,163	0.008	0.008 - 0.009	652	0.009	0.009 - 0.010	511	0.007	0.007 - 0.008
Prince Edward Island	11	0.007	0.004 - 0.013	-	-	-	-	-	-
Saskatchewan	87	0.008	0.006 - 0.009	59	0.010	0.008 - 0.013	28	0.005	0.003 - 0.007
NAACCR N.A. Combined¹	29,906	0.008	0.008 - 0.008	16,647	0.009	0.009 - 0.009	13,259	0.007	0.007 - 0.007

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	94,617	0.029	0.029 - 0.029	23,513	0.015	0.014 - 0.015	71,115	0.043	0.043 - 0.043
Alabama	1,024	0.021	0.020 - 0.022	248	0.011	0.009 - 0.012	776	0.031	0.029 - 0.033
Alaska	169	0.023	0.020 - 0.027	42	0.011	0.008 - 0.015	127	0.036	0.030 - 0.043
Arizona	1,878	0.027	0.026 - 0.028	443	0.013	0.012 - 0.014	1,435	0.041	0.039 - 0.043
Arkansas	792	0.026	0.025 - 0.028	201	0.014	0.012 - 0.016	591	0.039	0.036 - 0.042
California	10,353	0.026	0.026 - 0.027	2,597	0.013	0.013 - 0.014	7,755	0.039	0.038 - 0.040
CA - Greater California	5,713	0.026	0.026 - 0.027	1,383	0.013	0.012 - 0.013	4,330	0.040	0.038 - 0.041
CA - Greater Bay Area	1,893	0.026	0.024 - 0.027	527	0.014	0.013 - 0.016	1,366	0.037	0.035 - 0.039
CA - Los Angeles	2,746	0.027	0.026 - 0.028	687	0.014	0.013 - 0.015	2,059	0.040	0.038 - 0.042
Colorado	1,651	0.030	0.028 - 0.031	425	0.015	0.014 - 0.017	1,226	0.044	0.042 - 0.047
Connecticut	1,347	0.038	0.036 - 0.040	354	0.020	0.018 - 0.023	993	0.054	0.051 - 0.058
Delaware	335	0.035	0.031 - 0.039	75	0.016	0.013 - 0.020	260	0.053	0.047 - 0.060
District of Columbia	172	0.025	0.021 - 0.029	37	0.011	0.008 - 0.016	135	0.037	0.031 - 0.044
Florida	5,554	0.027	0.026 - 0.027	1,353	0.013	0.013 - 0.014	4,201	0.040	0.038 - 0.041
Georgia	2,555	0.025	0.024 - 0.026	573	0.011	0.010 - 0.012	1,983	0.037	0.036 - 0.039
Hawaii	418	0.029	0.027 - 0.032	97	0.014	0.011 - 0.017	321	0.045	0.040 - 0.050
Idaho	518	0.030	0.028 - 0.033	124	0.015	0.012 - 0.017	394	0.046	0.042 - 0.051
Illinois	4,054	0.032	0.031 - 0.033	1,016	0.016	0.015 - 0.017	3,038	0.047	0.045 - 0.048
Iowa	948	0.030	0.028 - 0.032	248	0.016	0.014 - 0.018	700	0.044	0.041 - 0.048
Kentucky	1,504	0.034	0.032 - 0.036	373	0.017	0.015 - 0.019	1,131	0.050	0.047 - 0.053
Louisiana	1,380	0.030	0.028 - 0.031	325	0.014	0.013 - 0.016	1,055	0.044	0.042 - 0.047
Maine	463	0.035	0.032 - 0.038	135	0.021	0.017 - 0.024	328	0.048	0.043 - 0.054
Maryland	1,775	0.030	0.028 - 0.031	413	0.014	0.013 - 0.016	1,362	0.044	0.042 - 0.046
Michigan	2,635	0.026	0.025 - 0.027	644	0.013	0.012 - 0.014	1,991	0.039	0.038 - 0.041
MI - Detroit	1,307	0.034	0.032 - 0.036	317	0.017	0.015 - 0.019	990	0.050	0.046 - 0.053
Minnesota	1,430	0.026	0.024 - 0.027	401	0.015	0.013 - 0.016	1,029	0.037	0.035 - 0.039
Mississippi	653	0.022	0.020 - 0.024	146	0.010	0.009 - 0.012	507	0.033	0.030 - 0.036
Missouri	1,504	0.025	0.023 - 0.026	370	0.012	0.011 - 0.014	1,134	0.037	0.034 - 0.039
Montana	300	0.029	0.025 - 0.032	78	0.015	0.012 - 0.018	222	0.043	0.037 - 0.049
Nebraska	561	0.029	0.027 - 0.032	143	0.015	0.013 - 0.018	418	0.044	0.040 - 0.048
Nevada	866	0.029	0.027 - 0.031	209	0.014	0.012 - 0.016	657	0.045	0.041 - 0.048
New Hampshire	434	0.032	0.029 - 0.035	106	0.016	0.013 - 0.019	328	0.048	0.043 - 0.054
New Jersey	3,636	0.041	0.040 - 0.042	895	0.021	0.019 - 0.022	2,741	0.060	0.058 - 0.063
New Mexico	668	0.032	0.030 - 0.034	157	0.015	0.013 - 0.018	511	0.048	0.044 - 0.053
New York	8,123	0.041	0.041 - 0.042	2,014	0.021	0.020 - 0.022	6,109	0.061	0.059 - 0.062
North Carolina	2,561	0.025	0.024 - 0.026	642	0.013	0.012 - 0.014	1,919	0.037	0.035 - 0.038
North Dakota	243	0.032	0.028 - 0.037	62	0.016	0.012 - 0.021	181	0.049	0.042 - 0.057
Ohio	3,651	0.031	0.030 - 0.032	874	0.015	0.014 - 0.016	2,777	0.047	0.045 - 0.049
Oklahoma	1,022	0.026	0.024 - 0.028	252	0.013	0.011 - 0.015	770	0.039	0.036 - 0.042
Oregon	1,186	0.029	0.027 - 0.030	317	0.016	0.014 - 0.017	869	0.042	0.039 - 0.045
Pennsylvania	5,246	0.041	0.040 - 0.042	1,335	0.021	0.020 - 0.022	3,911	0.060	0.058 - 0.062
Rhode Island	405	0.038	0.035 - 0.042	96	0.019	0.015 - 0.023	309	0.057	0.051 - 0.064
South Carolina	1,157	0.023	0.022 - 0.025	296	0.012	0.011 - 0.014	861	0.034	0.031 - 0.036
Tennessee	1,828	0.027	0.026 - 0.029	473	0.015	0.013 - 0.016	1,355	0.040	0.038 - 0.042
Texas	6,377	0.023	0.022 - 0.023	1,563	0.011	0.011 - 0.012	4,814	0.034	0.033 - 0.035
Utah	982	0.032	0.030 - 0.034	238	0.015	0.014 - 0.017	744	0.049	0.045 - 0.052
Vermont	208	0.033	0.029 - 0.038	66	0.021	0.017 - 0.027	142	0.045	0.038 - 0.053
Virginia	2,287	0.027	0.026 - 0.028	579	0.014	0.013 - 0.015	1,708	0.040	0.038 - 0.042
Washington ³	2,051	0.028	0.027 - 0.029	517	0.014	0.013 - 0.015	1,534	0.042	0.040 - 0.044
WA - Seattle	1,487	0.029	0.028 - 0.031	387	0.015	0.014 - 0.017	1,100	0.043	0.041 - 0.046
West Virginia	638	0.035	0.032 - 0.038	140	0.016	0.013 - 0.018	498	0.054	0.049 - 0.059
Wisconsin	1,675	0.029	0.028 - 0.030	445	0.015	0.014 - 0.017	1,230	0.042	0.040 - 0.045
Wyoming	190	0.033	0.028 - 0.038	48	0.016	0.012 - 0.021	142	0.050	0.042 - 0.059
NAACCR CDN Combined¹	11,804	0.032	0.032 - 0.033	3,075	0.017	0.016 - 0.018	8,710	0.047	0.046 - 0.049
Alberta	1,015	0.024	0.023 - 0.026	252	0.012	0.010 - 0.013	763	0.036	0.034 - 0.039
British Columbia	870	0.018	0.017 - 0.019	238	0.010	0.009 - 0.011	632	0.026	0.024 - 0.028
Manitoba	263	0.020	0.018 - 0.022	74	0.011	0.009 - 0.014	189	0.028	0.025 - 0.033
New Brunswick	199	0.026	0.023 - 0.030	61	0.016	0.012 - 0.021	138	0.036	0.030 - 0.042
Newfoundland and Labrador	231	0.044	0.038 - 0.050	46	0.018	0.013 - 0.023	185	0.069	0.060 - 0.080
Nova Scotia	246	0.026	0.023 - 0.029	70	0.015	0.012 - 0.019	176	0.036	0.031 - 0.042
Ontario	5,986	0.043	0.042 - 0.044	1,526	0.022	0.021 - 0.023	4,460	0.063	0.061 - 0.065
Prince Edward Island	20	0.013	0.008 - 0.021	-	-	-	-	-	-
Saskatchewan	192	0.017	0.014 - 0.019	63	0.011	0.008 - 0.014	129	0.023	0.019 - 0.027
NAACCR N.A. Combined¹	106,421	0.029	0.029 - 0.030	26,588	0.015	0.015 - 0.015	79,825	0.044	0.043 - 0.044

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-20 Prevalence – Thyroid

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	15,792	0.005	0.005 - 0.005	8,651	0.005	0.005 - 0.006	7,141	0.004	0.004 - 0.004
Alabama	216	0.004	0.004 - 0.005	107	0.005	0.004 - 0.005	109	0.004	0.004 - 0.005
Alaska	27	0.004	0.002 - 0.005	16	0.004	0.002 - 0.007	11	0.003	0.002 - 0.006
Arizona	265	0.004	0.003 - 0.004	148	0.004	0.004 - 0.005	117	0.003	0.003 - 0.004
Arkansas	149	0.005	0.004 - 0.006	81	0.006	0.004 - 0.007	68	0.004	0.003 - 0.006
California	1,575	0.004	0.004 - 0.004	867	0.004	0.004 - 0.005	708	0.004	0.003 - 0.004
CA - Greater California	905	0.004	0.004 - 0.004	501	0.005	0.004 - 0.005	404	0.004	0.003 - 0.004
CA - Greater Bay Area	300	0.004	0.004 - 0.005	177	0.005	0.004 - 0.006	123	0.003	0.003 - 0.004
CA - Los Angeles	370	0.004	0.003 - 0.004	189	0.004	0.003 - 0.004	181	0.004	0.003 - 0.004
Colorado	245	0.004	0.004 - 0.005	145	0.005	0.004 - 0.006	100	0.004	0.003 - 0.004
Connecticut	211	0.006	0.005 - 0.007	123	0.007	0.006 - 0.008	88	0.005	0.004 - 0.006
Delaware	55	0.006	0.004 - 0.008	30	0.007	0.004 - 0.009	25	0.005	0.003 - 0.007
District of Columbia	34	0.005	0.003 - 0.007	16	0.005	0.003 - 0.008	18	0.005	0.003 - 0.008
Florida	1,215	0.006	0.006 - 0.006	638	0.006	0.006 - 0.007	577	0.005	0.005 - 0.006
Georgia	476	0.005	0.004 - 0.005	259	0.005	0.005 - 0.006	217	0.004	0.004 - 0.005
Hawaii	37	0.003	0.002 - 0.004	21	0.003	0.002 - 0.004	16	0.002	0.001 - 0.004
Idaho	68	0.004	0.003 - 0.005	38	0.004	0.003 - 0.006	30	0.004	0.002 - 0.005
Illinois	627	0.005	0.005 - 0.005	377	0.006	0.005 - 0.007	250	0.004	0.003 - 0.004
Iowa	188	0.006	0.005 - 0.007	99	0.006	0.005 - 0.008	89	0.006	0.005 - 0.007
Kentucky	217	0.005	0.004 - 0.006	126	0.006	0.005 - 0.007	91	0.004	0.003 - 0.005
Louisiana	233	0.005	0.004 - 0.006	131	0.006	0.005 - 0.007	102	0.004	0.003 - 0.005
Maine	79	0.006	0.005 - 0.007	42	0.006	0.005 - 0.009	37	0.005	0.004 - 0.007
Maryland	316	0.005	0.005 - 0.006	169	0.006	0.005 - 0.007	147	0.005	0.004 - 0.006
Michigan	474	0.005	0.004 - 0.005	263	0.005	0.005 - 0.006	211	0.004	0.004 - 0.005
MI - Detroit	206	0.005	0.005 - 0.006	123	0.007	0.005 - 0.008	83	0.004	0.003 - 0.005
Minnesota	313	0.006	0.005 - 0.006	183	0.007	0.006 - 0.008	130	0.005	0.004 - 0.006
Mississippi	132	0.004	0.004 - 0.005	69	0.005	0.004 - 0.006	63	0.004	0.003 - 0.005
Missouri	326	0.005	0.005 - 0.006	176	0.006	0.005 - 0.007	150	0.005	0.004 - 0.006
Montana	49	0.005	0.003 - 0.006	25	0.005	0.003 - 0.007	24	0.005	0.003 - 0.007
Nebraska	103	0.005	0.004 - 0.007	66	0.007	0.005 - 0.009	37	0.004	0.003 - 0.005
Nevada	90	0.003	0.002 - 0.004	40	0.003	0.002 - 0.004	50	0.003	0.003 - 0.004
New Hampshire	82	0.006	0.005 - 0.008	45	0.007	0.005 - 0.009	37	0.005	0.004 - 0.008
New Jersey	552	0.006	0.006 - 0.007	292	0.007	0.006 - 0.008	260	0.006	0.005 - 0.006
New Mexico	87	0.004	0.003 - 0.005	56	0.005	0.004 - 0.007	31	0.003	0.002 - 0.004
New York	1,188	0.006	0.006 - 0.006	620	0.007	0.006 - 0.007	568	0.006	0.005 - 0.006
North Carolina	467	0.005	0.004 - 0.005	268	0.005	0.005 - 0.006	199	0.004	0.003 - 0.004
North Dakota	38	0.005	0.004 - 0.007	19	0.005	0.003 - 0.008	19	0.005	0.003 - 0.008
Ohio	610	0.005	0.005 - 0.006	347	0.006	0.005 - 0.007	263	0.004	0.004 - 0.005
Oklahoma	162	0.004	0.004 - 0.005	87	0.004	0.004 - 0.006	75	0.004	0.003 - 0.005
Oregon	168	0.004	0.003 - 0.005	83	0.004	0.003 - 0.005	85	0.004	0.003 - 0.005
Pennsylvania	775	0.006	0.006 - 0.007	448	0.007	0.007 - 0.008	327	0.005	0.004 - 0.006
Rhode Island	61	0.006	0.004 - 0.007	29	0.006	0.004 - 0.008	32	0.006	0.004 - 0.008
South Carolina	230	0.005	0.004 - 0.005	122	0.005	0.004 - 0.006	108	0.004	0.003 - 0.005
Tennessee	340	0.005	0.005 - 0.006	179	0.005	0.005 - 0.006	161	0.005	0.004 - 0.005
Texas	1,137	0.004	0.004 - 0.004	600	0.004	0.004 - 0.005	537	0.004	0.003 - 0.004
Utah	141	0.005	0.004 - 0.005	71	0.005	0.004 - 0.006	70	0.005	0.004 - 0.006
Vermont	29	0.005	0.003 - 0.007	14	0.005	0.002 - 0.008	15	0.005	0.003 - 0.008
Virginia	340	0.004	0.004 - 0.004	183	0.004	0.004 - 0.005	157	0.004	0.003 - 0.004
Washington ³	369	0.005	0.005 - 0.006	206	0.006	0.005 - 0.006	163	0.004	0.004 - 0.005
WA - Seattle	265	0.005	0.005 - 0.006	150	0.006	0.005 - 0.007	115	0.005	0.004 - 0.005
West Virginia	75	0.004	0.003 - 0.005	44	0.005	0.004 - 0.007	31	0.003	0.002 - 0.005
Wisconsin	321	0.006	0.005 - 0.006	192	0.007	0.006 - 0.008	129	0.004	0.004 - 0.005
Wyoming	21	0.004	0.002 - 0.006	11	0.004	0.002 - 0.007	10	0.004	0.002 - 0.006
NAACCR CDN Combined¹	1,816	0.005	0.005 - 0.005	981	0.005	0.005 - 0.006	836	0.005	0.004 - 0.005
Alberta	217	0.005	0.004 - 0.006	125	0.006	0.005 - 0.007	92	0.004	0.004 - 0.005
British Columbia	227	0.005	0.004 - 0.005	115	0.005	0.004 - 0.006	112	0.005	0.004 - 0.005
Manitoba	69	0.005	0.004 - 0.007	40	0.006	0.004 - 0.008	29	0.004	0.003 - 0.006
New Brunswick	41	0.005	0.004 - 0.007	21	0.006	0.003 - 0.008	20	0.005	0.003 - 0.008
Newfoundland and Labrador	26	0.005	0.003 - 0.007	10	0.004	0.002 - 0.007	16	0.006	0.003 - 0.010
Nova Scotia	44	0.005	0.003 - 0.006	28	0.006	0.004 - 0.009	16	0.003	0.002 - 0.005
Ontario	720	0.005	0.005 - 0.006	385	0.006	0.005 - 0.006	335	0.005	0.004 - 0.005
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	47	0.004	0.003 - 0.005	23	0.004	0.003 - 0.006	24	0.004	0.003 - 0.006
NAACCR N.A. Combined¹	17,608	0.005	0.005 - 0.005	9,631	0.005	0.005 - 0.006	7,977	0.004	0.004 - 0.004

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	114,114	0.035	0.035 - 0.035	61,750	0.039	0.038 - 0.039	52,349	0.032	0.031 - 0.032
Alabama	1,461	0.030	0.028 - 0.032	798	0.034	0.032 - 0.036	663	0.026	0.024 - 0.028
Alaska	198	0.027	0.023 - 0.031	126	0.033	0.027 - 0.039	72	0.020	0.016 - 0.026
Arizona	1,949	0.028	0.027 - 0.029	1,087	0.031	0.029 - 0.033	862	0.024	0.023 - 0.026
Arkansas	1,039	0.035	0.033 - 0.037	569	0.039	0.036 - 0.042	470	0.031	0.028 - 0.034
California	12,181	0.031	0.030 - 0.032	6,712	0.034	0.034 - 0.035	5,470	0.028	0.027 - 0.028
CA - Greater California	6,610	0.030	0.030 - 0.031	3,659	0.034	0.033 - 0.035	2,951	0.027	0.026 - 0.028
CA - Greater Bay Area	2,631	0.036	0.034 - 0.037	1,485	0.040	0.038 - 0.042	1,146	0.031	0.029 - 0.033
CA - Los Angeles	2,940	0.029	0.028 - 0.030	1,568	0.031	0.030 - 0.033	1,372	0.027	0.025 - 0.028
Colorado	1,657	0.030	0.028 - 0.031	932	0.033	0.031 - 0.035	725	0.026	0.024 - 0.028
Connecticut	1,604	0.045	0.043 - 0.047	860	0.049	0.046 - 0.053	744	0.041	0.038 - 0.044
Delaware	384	0.040	0.036 - 0.045	197	0.043	0.037 - 0.049	187	0.038	0.033 - 0.044
District of Columbia	151	0.022	0.019 - 0.026	75	0.023	0.018 - 0.029	76	0.021	0.016 - 0.026
Florida	10,139	0.049	0.048 - 0.050	5,386	0.053	0.052 - 0.054	4,753	0.045	0.043 - 0.046
Georgia	3,172	0.031	0.030 - 0.032	1,753	0.035	0.033 - 0.036	1,418	0.027	0.025 - 0.028
Hawaii	412	0.029	0.026 - 0.032	228	0.032	0.028 - 0.036	184	0.026	0.022 - 0.030
Idaho	606	0.036	0.033 - 0.039	323	0.038	0.034 - 0.042	283	0.033	0.030 - 0.037
Illinois	4,602	0.036	0.035 - 0.037	2,473	0.039	0.038 - 0.041	2,129	0.033	0.031 - 0.034
Iowa	1,258	0.040	0.038 - 0.042	671	0.043	0.040 - 0.046	587	0.037	0.034 - 0.040
Kentucky	1,601	0.036	0.034 - 0.038	847	0.039	0.036 - 0.041	754	0.033	0.031 - 0.036
Louisiana	1,525	0.033	0.031 - 0.034	828	0.036	0.034 - 0.039	697	0.029	0.027 - 0.031
Maine	631	0.047	0.044 - 0.051	368	0.056	0.051 - 0.062	263	0.039	0.034 - 0.044
Maryland	1,931	0.032	0.031 - 0.034	1,024	0.035	0.033 - 0.037	907	0.029	0.027 - 0.031
Michigan	3,968	0.040	0.039 - 0.041	2,161	0.044	0.042 - 0.046	1,807	0.036	0.034 - 0.037
MI - Detroit	1,591	0.041	0.039 - 0.043	837	0.044	0.041 - 0.048	754	0.038	0.035 - 0.041
Minnesota	2,254	0.041	0.039 - 0.042	1,285	0.047	0.044 - 0.049	969	0.035	0.033 - 0.037
Mississippi	858	0.029	0.027 - 0.031	442	0.030	0.028 - 0.033	416	0.027	0.024 - 0.030
Missouri	2,242	0.037	0.035 - 0.038	1,205	0.040	0.038 - 0.043	1,037	0.033	0.031 - 0.035
Montana	394	0.038	0.034 - 0.042	222	0.042	0.037 - 0.048	172	0.033	0.028 - 0.038
Nebraska	685	0.036	0.033 - 0.039	364	0.038	0.034 - 0.042	321	0.034	0.030 - 0.037
Nevada	737	0.025	0.023 - 0.027	419	0.028	0.026 - 0.031	318	0.022	0.019 - 0.024
New Hampshire	611	0.045	0.042 - 0.049	327	0.049	0.044 - 0.055	284	0.042	0.037 - 0.047
New Jersey	3,751	0.042	0.041 - 0.044	1,985	0.046	0.044 - 0.048	1,766	0.039	0.037 - 0.041
New Mexico	553	0.026	0.024 - 0.029	282	0.027	0.024 - 0.031	271	0.026	0.023 - 0.029
New York	8,131	0.041	0.041 - 0.042	4,293	0.045	0.044 - 0.046	3,838	0.038	0.037 - 0.039
North Carolina	3,359	0.033	0.032 - 0.034	1,799	0.036	0.035 - 0.038	1,560	0.030	0.028 - 0.031
North Dakota	235	0.031	0.027 - 0.035	126	0.033	0.027 - 0.039	109	0.030	0.024 - 0.036
Ohio	4,290	0.037	0.036 - 0.038	2,331	0.041	0.039 - 0.043	1,959	0.033	0.032 - 0.034
Oklahoma	1,201	0.031	0.029 - 0.032	628	0.032	0.030 - 0.035	573	0.029	0.027 - 0.031
Oregon	1,518	0.037	0.035 - 0.039	848	0.042	0.039 - 0.044	670	0.032	0.030 - 0.035
Pennsylvania	5,519	0.043	0.042 - 0.044	2,930	0.047	0.045 - 0.049	2,589	0.040	0.038 - 0.041
Rhode Island	432	0.041	0.037 - 0.045	227	0.044	0.039 - 0.050	205	0.038	0.033 - 0.043
South Carolina	1,528	0.031	0.029 - 0.032	853	0.035	0.033 - 0.038	675	0.026	0.024 - 0.028
Tennessee	2,127	0.032	0.031 - 0.033	1,171	0.036	0.034 - 0.038	956	0.028	0.026 - 0.030
Texas	7,320	0.026	0.025 - 0.027	3,938	0.028	0.027 - 0.029	3,382	0.024	0.023 - 0.025
Utah	764	0.025	0.023 - 0.027	431	0.028	0.025 - 0.031	333	0.022	0.020 - 0.024
Vermont	247	0.040	0.035 - 0.045	143	0.046	0.039 - 0.055	104	0.033	0.027 - 0.040
Virginia	2,555	0.030	0.029 - 0.031	1,398	0.034	0.032 - 0.035	1,157	0.027	0.025 - 0.029
Washington ³	2,594	0.035	0.034 - 0.037	1,442	0.039	0.037 - 0.041	1,153	0.031	0.030 - 0.033
WA - Seattle	1,898	0.037	0.036 - 0.039	1,072	0.042	0.040 - 0.045	827	0.033	0.030 - 0.035
West Virginia	769	0.042	0.039 - 0.045	392	0.043	0.039 - 0.048	377	0.041	0.037 - 0.045
Wisconsin	2,422	0.042	0.040 - 0.044	1,317	0.046	0.043 - 0.048	1,105	0.038	0.036 - 0.040
Wyoming	174	0.030	0.026 - 0.035	104	0.035	0.029 - 0.042	70	0.025	0.019 - 0.031
NAACCR CDN Combined¹	14,140	0.038	0.038 - 0.039	7,810	0.043	0.041 - 0.044	6,331	0.034	0.033 - 0.035
Alberta	1,324	0.031	0.030 - 0.033	742	0.035	0.032 - 0.037	582	0.028	0.026 - 0.030
British Columbia	1,834	0.037	0.036 - 0.039	993	0.041	0.039 - 0.044	841	0.034	0.032 - 0.036
Manitoba	507	0.038	0.035 - 0.042	283	0.043	0.038 - 0.048	224	0.034	0.029 - 0.038
New Brunswick	367	0.048	0.043 - 0.053	213	0.056	0.049 - 0.064	154	0.040	0.034 - 0.047
Newfoundland and Labrador	281	0.053	0.047 - 0.060	154	0.059	0.050 - 0.069	127	0.048	0.040 - 0.057
Nova Scotia	481	0.051	0.046 - 0.056	273	0.059	0.052 - 0.066	208	0.043	0.037 - 0.049
Ontario	5,441	0.039	0.038 - 0.040	3,003	0.044	0.042 - 0.045	2,438	0.034	0.033 - 0.036
Prince Edward Island	64	0.043	0.033 - 0.055	38	0.052	0.037 - 0.072	26	0.034	0.022 - 0.050
Saskatchewan	384	0.034	0.030 - 0.037	197	0.034	0.030 - 0.039	187	0.033	0.028 - 0.038
NAACCR N.A. Combined¹	128,254	0.035	0.035 - 0.036	69,560	0.039	0.039 - 0.039	58,680	0.032	0.032 - 0.032

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-22 Prevalence – Non-Hodgkin Lymphoma

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	41,136	0.013	0.013 - 0.013	22,875	0.014	0.014 - 0.015	18,255	0.011	0.011 - 0.011
Alabama	640	0.013	0.012 - 0.014	331	0.014	0.013 - 0.016	309	0.012	0.011 - 0.014
Alaska	48	0.006	0.005 - 0.009	28	0.007	0.005 - 0.010	20	0.006	0.003 - 0.009
Arizona	638	0.009	0.008 - 0.010	380	0.011	0.010 - 0.012	258	0.007	0.006 - 0.008
Arkansas	375	0.013	0.011 - 0.014	209	0.014	0.012 - 0.016	166	0.011	0.009 - 0.013
California	3,952	0.010	0.010 - 0.010	2,250	0.012	0.011 - 0.012	1,702	0.009	0.008 - 0.009
CA - Greater California	2,192	0.010	0.010 - 0.010	1,245	0.011	0.011 - 0.012	947	0.009	0.008 - 0.009
CA - Greater Bay Area	834	0.011	0.011 - 0.012	503	0.014	0.012 - 0.015	331	0.009	0.008 - 0.010
CA - Los Angeles	926	0.009	0.009 - 0.010	503	0.010	0.009 - 0.011	423	0.008	0.007 - 0.009
Colorado	558	0.010	0.009 - 0.011	342	0.012	0.011 - 0.014	216	0.008	0.007 - 0.009
Connecticut	557	0.016	0.014 - 0.017	307	0.018	0.016 - 0.020	250	0.014	0.012 - 0.015
Delaware	154	0.016	0.014 - 0.019	81	0.018	0.014 - 0.022	73	0.015	0.012 - 0.019
District of Columbia	99	0.014	0.012 - 0.017	52	0.016	0.012 - 0.021	47	0.013	0.010 - 0.017
Florida	3,777	0.018	0.018 - 0.019	2,083	0.020	0.020 - 0.021	1,694	0.016	0.015 - 0.017
Georgia	1,459	0.014	0.013 - 0.015	753	0.015	0.014 - 0.016	706	0.013	0.012 - 0.014
Hawaii	143	0.010	0.008 - 0.012	76	0.011	0.008 - 0.013	68	0.010	0.007 - 0.012
Idaho	195	0.011	0.010 - 0.013	128	0.015	0.013 - 0.018	67	0.008	0.006 - 0.010
Illinois	1,555	0.012	0.012 - 0.013	855	0.014	0.013 - 0.015	700	0.011	0.010 - 0.012
Iowa	410	0.013	0.012 - 0.014	240	0.015	0.013 - 0.017	170	0.011	0.009 - 0.013
Kentucky	559	0.013	0.012 - 0.014	333	0.015	0.014 - 0.017	226	0.010	0.009 - 0.011
Louisiana	696	0.015	0.014 - 0.016	362	0.016	0.014 - 0.018	335	0.014	0.013 - 0.016
Maine	160	0.012	0.010 - 0.014	96	0.015	0.012 - 0.018	64	0.009	0.007 - 0.012
Maryland	833	0.014	0.013 - 0.015	423	0.015	0.013 - 0.016	410	0.013	0.012 - 0.015
Michigan	1,419	0.014	0.014 - 0.015	818	0.017	0.016 - 0.018	601	0.012	0.011 - 0.013
MI - Detroit	617	0.016	0.015 - 0.017	349	0.019	0.017 - 0.021	268	0.013	0.012 - 0.015
Minnesota	701	0.013	0.012 - 0.014	420	0.015	0.014 - 0.017	281	0.010	0.009 - 0.011
Mississippi	405	0.014	0.012 - 0.015	196	0.014	0.012 - 0.016	209	0.014	0.012 - 0.016
Missouri	756	0.012	0.012 - 0.013	429	0.014	0.013 - 0.016	327	0.011	0.009 - 0.012
Montana	157	0.015	0.013 - 0.017	93	0.018	0.014 - 0.022	64	0.012	0.009 - 0.016
Nebraska	222	0.012	0.010 - 0.013	128	0.013	0.011 - 0.016	94	0.010	0.008 - 0.012
Nevada	201	0.007	0.006 - 0.008	103	0.007	0.006 - 0.008	98	0.007	0.005 - 0.008
New Hampshire	165	0.012	0.010 - 0.014	97	0.015	0.012 - 0.018	68	0.010	0.008 - 0.013
New Jersey	1,298	0.015	0.014 - 0.015	698	0.016	0.015 - 0.017	600	0.013	0.012 - 0.014
New Mexico	224	0.011	0.009 - 0.012	132	0.013	0.011 - 0.015	92	0.009	0.007 - 0.011
New York	3,149	0.016	0.015 - 0.017	1,722	0.018	0.017 - 0.019	1,427	0.014	0.013 - 0.015
North Carolina	1,463	0.014	0.014 - 0.015	791	0.016	0.015 - 0.017	672	0.013	0.012 - 0.014
North Dakota	85	0.011	0.009 - 0.014	49	0.013	0.009 - 0.017	36	0.010	0.007 - 0.014
Ohio	1,344	0.012	0.011 - 0.012	768	0.013	0.013 - 0.014	576	0.010	0.009 - 0.011
Oklahoma	466	0.012	0.011 - 0.013	276	0.014	0.013 - 0.016	190	0.010	0.008 - 0.011
Oregon	405	0.010	0.009 - 0.011	229	0.011	0.010 - 0.013	176	0.008	0.007 - 0.010
Pennsylvania	1,777	0.014	0.013 - 0.015	994	0.016	0.015 - 0.017	783	0.012	0.011 - 0.013
Rhode Island	120	0.011	0.009 - 0.014	74	0.014	0.011 - 0.018	46	0.008	0.006 - 0.011
South Carolina	769	0.015	0.014 - 0.017	408	0.017	0.015 - 0.019	361	0.014	0.013 - 0.016
Tennessee	812	0.012	0.011 - 0.013	439	0.013	0.012 - 0.015	373	0.011	0.010 - 0.012
Texas	3,090	0.011	0.011 - 0.011	1,685	0.012	0.011 - 0.013	1,405	0.010	0.009 - 0.010
Utah	250	0.008	0.007 - 0.009	136	0.009	0.007 - 0.010	114	0.007	0.006 - 0.009
Vermont	77	0.012	0.010 - 0.015	43	0.014	0.010 - 0.019	34	0.011	0.007 - 0.015
Virginia	957	0.011	0.011 - 0.012	526	0.013	0.012 - 0.014	431	0.010	0.009 - 0.011
Washington ³	829	0.011	0.011 - 0.012	481	0.013	0.012 - 0.014	348	0.009	0.008 - 0.011
WA - Seattle	607	0.012	0.011 - 0.013	344	0.014	0.012 - 0.015	263	0.010	0.009 - 0.012
West Virginia	223	0.012	0.011 - 0.014	136	0.015	0.013 - 0.018	87	0.009	0.008 - 0.012
Wisconsin	806	0.014	0.013 - 0.015	461	0.016	0.015 - 0.018	345	0.012	0.011 - 0.013
Wyoming	56	0.010	0.007 - 0.013	33	0.011	0.008 - 0.016	24	0.008	0.005 - 0.012
NAACCR CDN Combined¹	4,911	0.013	0.013 - 0.014	2,832	0.015	0.015 - 0.016	2,078	0.011	0.011 - 0.012
Alberta	408	0.010	0.009 - 0.011	248	0.012	0.010 - 0.013	160	0.008	0.007 - 0.009
British Columbia	571	0.012	0.011 - 0.013	332	0.014	0.012 - 0.015	239	0.010	0.008 - 0.011
Manitoba	151	0.011	0.010 - 0.013	90	0.014	0.011 - 0.017	61	0.009	0.007 - 0.012
New Brunswick	83	0.011	0.009 - 0.013	51	0.013	0.010 - 0.018	32	0.008	0.006 - 0.012
Newfoundland and Labrador	75	0.014	0.011 - 0.018	38	0.014	0.010 - 0.020	37	0.014	0.010 - 0.019
Nova Scotia	152	0.016	0.014 - 0.019	103	0.022	0.018 - 0.027	49	0.010	0.007 - 0.013
Ontario	2,108	0.015	0.014 - 0.016	1,170	0.017	0.016 - 0.018	938	0.013	0.012 - 0.014
Prince Edward Island	21	0.014	0.009 - 0.022	-	-	-	-	-	-
Saskatchewan	128	0.011	0.009 - 0.013	85	0.015	0.012 - 0.018	43	0.008	0.005 - 0.010
NAACCR N.A. Combined¹	46,047	0.013	0.013 - 0.013	25,707	0.014	0.014 - 0.015	20,333	0.011	0.011 - 0.011

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	74,086	0.023	0.023 - 0.023	43,510	0.027	0.027 - 0.027	30,562	0.019	0.018 - 0.019
Alabama	935	0.019	0.018 - 0.020	540	0.023	0.021 - 0.025	395	0.016	0.014 - 0.017
Alaska	115	0.016	0.013 - 0.019	78	0.020	0.016 - 0.025	37	0.010	0.007 - 0.014
Arizona	1,083	0.015	0.015 - 0.016	630	0.018	0.017 - 0.020	453	0.013	0.012 - 0.014
Arkansas	744	0.025	0.023 - 0.027	435	0.030	0.027 - 0.032	309	0.020	0.018 - 0.023
California	7,172	0.018	0.018 - 0.019	4,208	0.022	0.021 - 0.022	2,964	0.015	0.014 - 0.016
CA - Greater California	4,069	0.019	0.018 - 0.019	2,392	0.022	0.021 - 0.023	1,678	0.015	0.015 - 0.016
CA - Greater Bay Area	1,408	0.019	0.018 - 0.020	859	0.023	0.022 - 0.025	550	0.015	0.014 - 0.016
CA - Los Angeles	1,696	0.017	0.016 - 0.018	958	0.019	0.018 - 0.020	738	0.014	0.013 - 0.015
Colorado	1,071	0.019	0.018 - 0.020	651	0.023	0.021 - 0.025	420	0.015	0.014 - 0.017
Connecticut	866	0.024	0.023 - 0.026	504	0.029	0.026 - 0.032	362	0.020	0.018 - 0.022
Delaware	216	0.023	0.020 - 0.026	125	0.027	0.023 - 0.032	91	0.018	0.015 - 0.023
District of Columbia	75	0.011	0.009 - 0.014	42	0.013	0.009 - 0.017	33	0.009	0.006 - 0.013
Florida	7,313	0.035	0.034 - 0.036	4,184	0.041	0.040 - 0.042	3,129	0.029	0.028 - 0.030
Georgia	2,129	0.021	0.020 - 0.021	1,200	0.024	0.022 - 0.025	928	0.017	0.016 - 0.019
Hawaii	237	0.017	0.015 - 0.019	151	0.021	0.018 - 0.025	86	0.012	0.010 - 0.015
Idaho	420	0.025	0.022 - 0.027	251	0.029	0.026 - 0.033	169	0.020	0.017 - 0.023
Illinois	2,592	0.020	0.019 - 0.021	1,506	0.024	0.023 - 0.025	1,086	0.017	0.016 - 0.018
Iowa	919	0.029	0.027 - 0.031	562	0.036	0.033 - 0.039	357	0.023	0.020 - 0.025
Kentucky	1,140	0.026	0.024 - 0.027	708	0.032	0.030 - 0.035	432	0.019	0.017 - 0.021
Louisiana	1,106	0.024	0.022 - 0.025	626	0.027	0.025 - 0.030	480	0.020	0.018 - 0.022
Maine	396	0.030	0.027 - 0.033	243	0.037	0.033 - 0.042	153	0.022	0.019 - 0.026
Maryland	1,180	0.020	0.019 - 0.021	668	0.023	0.021 - 0.025	512	0.017	0.015 - 0.018
Michigan	2,442	0.025	0.024 - 0.025	1,429	0.029	0.028 - 0.031	1,013	0.020	0.019 - 0.021
MI - Detroit	1,066	0.027	0.026 - 0.029	638	0.034	0.031 - 0.037	428	0.021	0.019 - 0.024
Minnesota	1,510	0.027	0.026 - 0.029	947	0.034	0.032 - 0.037	563	0.020	0.019 - 0.022
Mississippi	507	0.017	0.016 - 0.019	291	0.020	0.018 - 0.023	216	0.014	0.012 - 0.016
Missouri	1,341	0.022	0.021 - 0.023	793	0.026	0.025 - 0.028	548	0.018	0.016 - 0.019
Montana	291	0.028	0.025 - 0.031	184	0.035	0.030 - 0.040	106	0.020	0.017 - 0.025
Nebraska	427	0.022	0.020 - 0.025	256	0.027	0.024 - 0.030	171	0.018	0.015 - 0.021
Nevada	501	0.017	0.016 - 0.019	300	0.020	0.018 - 0.023	201	0.014	0.012 - 0.016
New Hampshire	319	0.024	0.021 - 0.026	200	0.030	0.026 - 0.034	119	0.018	0.015 - 0.021
New Jersey	2,382	0.027	0.026 - 0.028	1,412	0.033	0.031 - 0.034	970	0.021	0.020 - 0.023
New Mexico	497	0.024	0.022 - 0.026	264	0.025	0.022 - 0.029	233	0.022	0.019 - 0.025
New York	5,745	0.029	0.029 - 0.030	3,374	0.035	0.034 - 0.037	2,371	0.023	0.023 - 0.024
North Carolina	2,489	0.024	0.023 - 0.025	1,464	0.029	0.028 - 0.031	1,025	0.020	0.018 - 0.021
North Dakota	206	0.027	0.024 - 0.031	125	0.032	0.027 - 0.038	81	0.022	0.017 - 0.027
Ohio	2,206	0.019	0.018 - 0.020	1,312	0.023	0.022 - 0.024	894	0.015	0.014 - 0.016
Oklahoma	869	0.022	0.021 - 0.024	502	0.026	0.024 - 0.028	367	0.019	0.017 - 0.021
Oregon	908	0.022	0.021 - 0.024	530	0.026	0.024 - 0.028	378	0.018	0.016 - 0.020
Pennsylvania	3,397	0.027	0.026 - 0.027	2,006	0.032	0.031 - 0.033	1,391	0.021	0.020 - 0.022
Rhode Island	275	0.026	0.023 - 0.029	170	0.033	0.028 - 0.038	105	0.019	0.016 - 0.023
South Carolina	988	0.020	0.019 - 0.021	579	0.024	0.022 - 0.026	409	0.016	0.014 - 0.018
Tennessee	1,345	0.020	0.019 - 0.021	801	0.025	0.023 - 0.026	544	0.016	0.015 - 0.017
Texas	5,465	0.019	0.019 - 0.020	3,196	0.023	0.022 - 0.024	2,269	0.016	0.015 - 0.017
Utah	560	0.018	0.017 - 0.020	351	0.023	0.020 - 0.025	209	0.014	0.012 - 0.016
Vermont	114	0.018	0.015 - 0.022	69	0.022	0.017 - 0.028	45	0.014	0.010 - 0.019
Virginia	1,323	0.016	0.015 - 0.017	744	0.018	0.017 - 0.019	579	0.014	0.012 - 0.015
Washington ³	1,755	0.024	0.023 - 0.025	1,060	0.029	0.027 - 0.031	695	0.019	0.017 - 0.020
WA - Seattle	1,318	0.026	0.025 - 0.027	799	0.031	0.029 - 0.034	519	0.020	0.019 - 0.022
West Virginia	509	0.028	0.026 - 0.030	285	0.032	0.028 - 0.035	224	0.024	0.021 - 0.028
Wisconsin	1,696	0.029	0.028 - 0.031	1,032	0.036	0.034 - 0.038	664	0.023	0.021 - 0.025
Wyoming	137	0.024	0.020 - 0.028	82	0.028	0.022 - 0.034	55	0.019	0.015 - 0.025
NAACCR CDN Combined¹	10,417	0.028	0.028 - 0.029	6,283	0.034	0.033 - 0.035	4,133	0.022	0.021 - 0.023
Alberta	993	0.024	0.022 - 0.025	597	0.028	0.026 - 0.030	396	0.019	0.017 - 0.021
British Columbia	1,109	0.023	0.021 - 0.024	679	0.028	0.026 - 0.030	430	0.017	0.016 - 0.019
Manitoba	322	0.024	0.022 - 0.027	203	0.031	0.027 - 0.035	119	0.018	0.015 - 0.021
New Brunswick	282	0.037	0.033 - 0.041	158	0.042	0.035 - 0.049	124	0.032	0.027 - 0.038
Newfoundland and Labrador	77	0.015	0.011 - 0.018	46	0.018	0.013 - 0.023	31	0.012	0.008 - 0.016
Nova Scotia	233	0.025	0.022 - 0.028	146	0.032	0.027 - 0.037	87	0.018	0.014 - 0.022
Ontario	4,501	0.032	0.031 - 0.033	2,706	0.039	0.038 - 0.041	1,795	0.025	0.024 - 0.027
Prince Edward Island	25	0.017	0.011 - 0.025	15	0.021	0.012 - 0.034	10	0.013	0.006 - 0.024
Saskatchewan	334	0.029	0.026 - 0.033	197	0.034	0.030 - 0.039	137	0.024	0.020 - 0.029
NAACCR N.A. Combined¹	84,503	0.023	0.023 - 0.023	49,793	0.028	0.028 - 0.028	34,695	0.019	0.019 - 0.019

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-24 Prevalence – Leukemias

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,064	0.001	0.001 - 0.001	2,160	0.001	0.001 - 0.001	902	0.001	0.001 - 0.001
Alabama	33	0.001	0.000 - 0.001	-	-	-	-	-	-
Alaska	10	0.001	0.001 - 0.002	-	-	-	-	-	-
Arizona	52	0.001	0.001 - 0.001	34	0.001	0.001 - 0.001	18	0.001	0.000 - 0.001
Arkansas	16	0.001	0.000 - 0.001	-	-	-	-	-	-
California	317	0.001	0.001 - 0.001	216	0.001	0.001 - 0.001	101	0.001	0.000 - 0.001
CA - Greater California	186	0.001	0.001 - 0.001	125	0.001	0.001 - 0.001	61	0.001	0.000 - 0.001
CA - Greater Bay Area	70	0.001	0.001 - 0.001	47	0.001	0.001 - 0.002	23	0.001	0.000 - 0.001
CA - Los Angeles	60	0.001	0.000 - 0.001	44	0.001	0.001 - 0.001	17	0.000	0.000 - 0.001
Colorado	53	0.001	0.001 - 0.001	35	0.001	0.001 - 0.002	18	0.001	0.000 - 0.001
Connecticut	39	0.001	0.001 - 0.001	-	-	-	-	-	-
Delaware	15	0.002	0.001 - 0.003	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	228	0.001	0.001 - 0.001	158	0.002	0.001 - 0.002	70	0.001	0.001 - 0.001
Georgia	55	0.001	0.000 - 0.001	38	0.001	0.001 - 0.001	17	0.000	0.000 - 0.001
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	24	0.001	0.001 - 0.002	-	-	-	-	-	-
Illinois	134	0.001	0.001 - 0.001	89	0.001	0.001 - 0.002	45	0.001	0.001 - 0.001
Iowa	37	0.001	0.001 - 0.002	-	-	-	-	-	-
Kentucky	27	0.001	0.000 - 0.001	-	-	-	-	-	-
Louisiana	68	0.001	0.001 - 0.002	38	0.002	0.001 - 0.002	30	0.001	0.001 - 0.002
Maine	27	0.002	0.001 - 0.003	-	-	-	-	-	-
Maryland	46	0.001	0.001 - 0.001	31	0.001	0.001 - 0.002	15	0.000	0.000 - 0.001
Michigan	116	0.001	0.001 - 0.001	81	0.002	0.001 - 0.002	35	0.001	0.000 - 0.001
MI - Detroit	34	0.001	0.001 - 0.001	20	0.001	0.001 - 0.002	14	0.001	0.000 - 0.001
Minnesota	75	0.001	0.001 - 0.002	49	0.002	0.001 - 0.002	26	0.001	0.001 - 0.001
Mississippi	24	0.001	0.001 - 0.001	-	-	-	-	-	-
Missouri	45	0.001	0.001 - 0.001	30	0.001	0.001 - 0.001	15	0.000	0.000 - 0.001
Montana	13	0.001	0.001 - 0.002	-	-	-	-	-	-
Nebraska	10	0.001	0.000 - 0.001	-	-	-	-	-	-
Nevada	17	0.001	0.000 - 0.001	-	-	-	-	-	-
New Hampshire	13	0.001	0.001 - 0.002	-	-	-	-	-	-
New Jersey	133	0.001	0.001 - 0.002	85	0.002	0.002 - 0.002	48	0.001	0.001 - 0.001
New Mexico	12	0.001	0.000 - 0.001	-	-	-	-	-	-
New York	205	0.001	0.001 - 0.001	135	0.001	0.001 - 0.002	69	0.001	0.001 - 0.001
North Carolina	76	0.001	0.001 - 0.001	52	0.001	0.001 - 0.001	24	0.000	0.000 - 0.001
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	140	0.001	0.001 - 0.001	106	0.002	0.002 - 0.002	34	0.001	0.000 - 0.001
Oklahoma	32	0.001	0.001 - 0.001	22	0.001	0.001 - 0.002	10	0.001	0.000 - 0.001
Oregon	41	0.001	0.001 - 0.001	27	0.001	0.001 - 0.002	14	0.001	0.000 - 0.001
Pennsylvania	172	0.001	0.001 - 0.002	125	0.002	0.002 - 0.002	47	0.001	0.001 - 0.001
Rhode Island	16	0.002	0.001 - 0.002	-	-	-	-	-	-
South Carolina	53	0.001	0.001 - 0.001	38	0.002	0.001 - 0.002	15	0.001	0.000 - 0.001
Tennessee	50	0.001	0.001 - 0.001	37	0.001	0.001 - 0.002	13	0.000	0.000 - 0.001
Texas	164	0.001	0.000 - 0.001	117	0.001	0.001 - 0.001	47	0.000	0.000 - 0.000
Utah	12	0.000	0.000 - 0.001	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	71	0.001	0.001 - 0.001	56	0.001	0.001 - 0.002	15	0.000	0.000 - 0.001
Washington ³	84	0.001	0.001 - 0.001	70	0.002	0.001 - 0.002	14	0.000	0.000 - 0.001
WA - Seattle	60	0.001	0.001 - 0.002	49	0.002	0.001 - 0.003	11	0.000	0.000 - 0.001
West Virginia	26	0.001	0.001 - 0.002	-	-	-	-	-	-
Wisconsin	77	0.001	0.001 - 0.002	61	0.002	0.002 - 0.003	16	0.001	0.000 - 0.001
Wyoming	-	-	-	-	-	-	-	-	-
NAACCR CDN Combined¹	536	0.001	0.001 - 0.002	415	0.002	0.002 - 0.003	121	0.001	0.001 - 0.001
Alberta	51	0.001	0.001 - 0.002	40	0.002	0.001 - 0.003	11	0.001	0.000 - 0.001
British Columbia	80	0.002	0.001 - 0.002	69	0.003	0.002 - 0.004	11	0.000	0.000 - 0.001
Manitoba	20	0.002	0.001 - 0.002	-	-	-	-	-	-
New Brunswick	-	-	-	-	-	-	-	-	-
Newfoundland and Labrador	-	-	-	-	-	-	-	-	-
Nova Scotia	11	0.001	0.001 - 0.002	-	-	-	-	-	-
Ontario	210	0.002	0.001 - 0.002	154	0.002	0.002 - 0.003	56	0.001	0.001 - 0.001
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	15	0.001	0.001 - 0.002	-	-	-	-	-	-
NAACCR N.A. Combined¹	3,600	0.001	0.001 - 0.001	2,575	0.001	0.001 - 0.001	1,022	0.001	0.001 - 0.001

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,939,674	0.968	0.966 - 0.969	961,160	0.973	0.971 - 0.975	978,333	0.962	0.960 - 0.964
Alabama	29,644	0.915	0.904 - 0.925	15,088	0.953	0.937 - 0.968	14,556	0.879	0.865 - 0.893
Alaska	3,326	0.700	0.676 - 0.724	1,771	0.703	0.671 - 0.737	1,555	0.696	0.661 - 0.731
Arizona	36,502	0.932	0.922 - 0.941	18,218	0.941	0.927 - 0.955	18,284	0.923	0.910 - 0.936
Arkansas	20,668	0.935	0.922 - 0.948	10,713	0.987	0.968 - 1.006	9,955	0.885	0.868 - 0.903
California	152,730	1.000	0.995 - 1.005	75,718	0.992	0.985 - 0.999	77,012	1.008	1.000 - 1.015
CA - Greater California	95,118	0.994	0.988 - 1.001	47,183	0.992	0.983 - 1.001	47,935	0.996	0.987 - 1.005
CA - Greater Bay Area	30,111	1.027	1.016 - 1.039	15,184	1.025	1.009 - 1.042	14,927	1.030	1.013 - 1.046
CA - Los Angeles	27,515	0.990	0.979 - 1.002	13,362	0.957	0.941 - 0.973	14,153	1.024	1.008 - 1.041
Colorado	29,615	0.764	0.755 - 0.772	14,237	0.732	0.720 - 0.744	15,378	0.795	0.783 - 0.808
Connecticut	26,952	1.102	1.089 - 1.116	13,245	1.112	1.093 - 1.131	13,708	1.093	1.075 - 1.112
Delaware	7,041	1.160	1.133 - 1.187	3,536	1.204	1.165 - 1.244	3,505	1.119	1.082 - 1.156
District of Columbia	1,247	0.485	0.458 - 0.512	597	0.466	0.429 - 0.505	650	0.504	0.466 - 0.544
Florida	133,858	1.166	1.159 - 1.172	68,295	1.213	1.204 - 1.222	65,563	1.120	1.112 - 1.129
Georgia	52,533	0.940	0.932 - 0.948	26,546	0.966	0.954 - 0.978	25,987	0.915	0.904 - 0.926
Hawaii	3,520	1.138	1.100 - 1.176	1,997	1.190	1.139 - 1.244	1,523	1.075	1.022 - 1.131
Idaho	11,917	0.840	0.825 - 0.855	6,041	0.853	0.832 - 0.875	5,876	0.827	0.806 - 0.849
Illinois	79,426	0.995	0.988 - 1.002	38,433	0.980	0.970 - 0.990	40,993	1.010	1.000 - 1.020
Iowa	26,304	0.966	0.955 - 0.978	13,099	0.974	0.958 - 0.991	13,205	0.959	0.942 - 0.975
Kentucky	36,117	0.947	0.937 - 0.957	17,517	0.937	0.923 - 0.951	18,600	0.957	0.943 - 0.971
Louisiana	26,349	0.946	0.935 - 0.958	13,641	0.995	0.978 - 1.012	12,709	0.899	0.884 - 0.915
Maine	13,002	1.032	1.015 - 1.050	6,301	1.023	0.998 - 1.049	6,701	1.041	1.017 - 1.067
Maryland	32,107	1.021	1.009 - 1.032	15,772	1.023	1.007 - 1.039	16,335	1.018	1.002 - 1.034
Michigan	71,600	0.943	0.936 - 0.950	35,504	0.946	0.936 - 0.956	36,096	0.940	0.930 - 0.949
MI - Detroit	25,472	1.016	1.003 - 1.028	12,632	1.022	1.005 - 1.040	12,841	1.009	0.991 - 1.026
Minnesota	42,716	0.948	0.939 - 0.957	21,320	0.954	0.941 - 0.966	21,396	0.942	0.929 - 0.955
Mississippi	16,124	0.942	0.927 - 0.956	8,301	0.987	0.966 - 1.009	7,823	0.898	0.878 - 0.918
Missouri	43,439	0.883	0.874 - 0.891	20,925	0.864	0.853 - 0.876	22,514	0.901	0.889 - 0.912
Montana	8,924	0.972	0.952 - 0.993	4,705	1.018	0.989 - 1.048	4,219	0.926	0.898 - 0.954
Nebraska	14,060	0.917	0.902 - 0.933	7,000	0.922	0.900 - 0.944	7,060	0.913	0.892 - 0.934
Nevada	13,615	0.901	0.886 - 0.917	6,914	0.900	0.878 - 0.921	6,701	0.903	0.882 - 0.925
New Hampshire	12,555	1.021	1.003 - 1.039	6,102	1.005	0.980 - 1.030	6,453	1.037	1.012 - 1.062
New Jersey	57,699	1.149	1.140 - 1.159	28,362	1.158	1.145 - 1.172	29,337	1.141	1.128 - 1.154
New Mexico	7,867	0.980	0.958 - 1.002	3,841	0.966	0.936 - 0.997	4,026	0.993	0.962 - 1.024
New York	122,797	1.105	1.099 - 1.111	60,702	1.116	1.107 - 1.125	62,095	1.094	1.086 - 1.103
North Carolina	64,885	0.988	0.981 - 0.996	31,957	0.996	0.985 - 1.007	32,928	0.981	0.971 - 0.992
North Dakota	5,654	0.873	0.851 - 0.896	2,936	0.888	0.856 - 0.921	2,718	0.857	0.825 - 0.890
Ohio	85,773	0.919	0.913 - 0.925	41,146	0.898	0.889 - 0.907	44,627	0.939	0.930 - 0.948
Oklahoma	23,694	0.875	0.864 - 0.886	11,784	0.885	0.869 - 0.901	11,910	0.866	0.850 - 0.881
Oregon	29,648	0.925	0.914 - 0.935	14,576	0.923	0.908 - 0.938	15,072	0.927	0.912 - 0.942
Pennsylvania	103,227	1.041	1.034 - 1.047	50,261	1.035	1.026 - 1.044	52,966	1.046	1.037 - 1.055
Rhode Island	8,314	1.065	1.042 - 1.088	3,871	1.029	0.997 - 1.062	4,443	1.098	1.066 - 1.131
South Carolina	30,948	0.960	0.949 - 0.971	15,713	0.997	0.982 - 1.013	15,235	0.924	0.910 - 0.939
Tennessee	46,172	0.922	0.913 - 0.930	23,374	0.955	0.943 - 0.967	22,798	0.890	0.878 - 0.902
Texas	104,064	0.860	0.854 - 0.865	52,315	0.872	0.865 - 0.879	51,749	0.847	0.840 - 0.855
Utah	15,282	0.623	0.613 - 0.633	7,830	0.636	0.622 - 0.651	7,452	0.610	0.596 - 0.624
Vermont	5,648	0.961	0.936 - 0.987	2,672	0.922	0.888 - 0.958	2,976	0.999	0.964 - 1.036
Virginia	43,560	0.814	0.807 - 0.822	20,958	0.793	0.782 - 0.804	22,602	0.835	0.825 - 0.846
Washington ³	48,585	0.930	0.921 - 0.938	23,820	0.914	0.902 - 0.926	24,765	0.945	0.933 - 0.957
WA - Seattle	34,636	0.980	0.970 - 0.991	17,168	0.972	0.958 - 0.987	17,468	0.989	0.974 - 1.003
West Virginia	16,712	0.982	0.967 - 0.997	8,183	0.977	0.956 - 0.998	8,529	0.988	0.967 - 1.009
Wisconsin	46,160	0.970	0.961 - 0.979	23,249	0.984	0.971 - 0.997	22,911	0.956	0.944 - 0.969
Wyoming	3,916	0.791	0.766 - 0.816	2,059	0.818	0.783 - 0.854	1,858	0.762	0.728 - 0.798

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	60,803	0.030	0.030 - 0.031	44,185	0.045	0.044 - 0.045	16,599	0.016	0.016 - 0.017
Alabama	1,042	0.032	0.030 - 0.034	743	0.047	0.044 - 0.050	299	0.018	0.016 - 0.020
Alaska	101	0.021	0.017 - 0.026	83	0.033	0.026 - 0.041	18	0.008	0.005 - 0.013
Arizona	1,030	0.026	0.025 - 0.028	791	0.041	0.038 - 0.044	239	0.012	0.011 - 0.014
Arkansas	719	0.033	0.030 - 0.035	521	0.048	0.044 - 0.052	198	0.018	0.015 - 0.020
California	4,978	0.033	0.032 - 0.034	3,694	0.048	0.047 - 0.050	1,285	0.017	0.016 - 0.018
CA - Greater California	3,286	0.034	0.033 - 0.036	2,452	0.052	0.050 - 0.054	834	0.017	0.016 - 0.019
CA - Greater Bay Area	884	0.030	0.028 - 0.032	652	0.044	0.041 - 0.048	232	0.016	0.014 - 0.018
CA - Los Angeles	808	0.029	0.027 - 0.031	589	0.042	0.039 - 0.046	219	0.016	0.014 - 0.018
Colorado	968	0.025	0.023 - 0.027	702	0.036	0.033 - 0.039	266	0.014	0.012 - 0.016
Connecticut	788	0.032	0.030 - 0.035	534	0.045	0.041 - 0.049	254	0.020	0.018 - 0.023
Delaware	223	0.037	0.032 - 0.042	163	0.055	0.047 - 0.065	60	0.019	0.015 - 0.025
District of Columbia	46	0.018	0.013 - 0.024	34	0.027	0.018 - 0.037	12	0.009	0.005 - 0.016
Florida	4,526	0.039	0.038 - 0.041	3,389	0.060	0.058 - 0.062	1,137	0.019	0.018 - 0.021
Georgia	1,754	0.031	0.030 - 0.033	1,297	0.047	0.045 - 0.050	457	0.016	0.015 - 0.018
Hawaii	145	0.047	0.040 - 0.055	112	0.067	0.055 - 0.081	33	0.023	0.016 - 0.033
Idaho	418	0.030	0.027 - 0.032	318	0.045	0.040 - 0.050	101	0.014	0.012 - 0.017
Illinois	2,420	0.030	0.029 - 0.032	1,743	0.044	0.042 - 0.047	677	0.017	0.015 - 0.018
Iowa	844	0.031	0.029 - 0.033	593	0.044	0.041 - 0.048	252	0.018	0.016 - 0.021
Kentucky	1,136	0.030	0.028 - 0.032	831	0.044	0.041 - 0.048	305	0.016	0.014 - 0.018
Louisiana	860	0.031	0.029 - 0.033	616	0.045	0.041 - 0.049	244	0.017	0.015 - 0.020
Maine	421	0.033	0.030 - 0.037	310	0.050	0.045 - 0.056	111	0.017	0.014 - 0.021
Maryland	972	0.031	0.029 - 0.033	723	0.047	0.044 - 0.050	249	0.016	0.014 - 0.018
Michigan	2,108	0.028	0.027 - 0.029	1,504	0.040	0.038 - 0.042	604	0.016	0.014 - 0.017
MI - Detroit	747	0.030	0.028 - 0.032	542	0.044	0.040 - 0.048	206	0.016	0.014 - 0.019
Minnesota	1,279	0.028	0.027 - 0.030	885	0.040	0.037 - 0.042	394	0.017	0.016 - 0.019
Mississippi	537	0.031	0.029 - 0.034	386	0.046	0.041 - 0.051	151	0.017	0.015 - 0.020
Missouri	1,392	0.028	0.027 - 0.030	1,014	0.042	0.039 - 0.045	378	0.015	0.014 - 0.017
Montana	235	0.026	0.022 - 0.029	165	0.036	0.031 - 0.042	70	0.015	0.012 - 0.019
Nebraska	427	0.028	0.025 - 0.031	309	0.041	0.036 - 0.045	118	0.015	0.013 - 0.018
Nevada	457	0.030	0.028 - 0.033	336	0.044	0.039 - 0.049	121	0.016	0.014 - 0.019
New Hampshire	351	0.029	0.026 - 0.032	267	0.044	0.039 - 0.050	84	0.013	0.011 - 0.017
New Jersey	1,465	0.029	0.028 - 0.031	1,061	0.043	0.041 - 0.046	404	0.016	0.014 - 0.017
New Mexico	229	0.029	0.025 - 0.032	185	0.046	0.040 - 0.054	44	0.011	0.008 - 0.015
New York	3,291	0.030	0.029 - 0.031	2,332	0.043	0.041 - 0.045	960	0.017	0.016 - 0.018
North Carolina	2,059	0.031	0.030 - 0.033	1,466	0.046	0.043 - 0.048	593	0.018	0.016 - 0.019
North Dakota	177	0.027	0.023 - 0.032	121	0.037	0.030 - 0.044	56	0.018	0.013 - 0.023
Ohio	2,645	0.028	0.027 - 0.029	1,901	0.041	0.040 - 0.043	744	0.016	0.015 - 0.017
Oklahoma	824	0.030	0.028 - 0.033	603	0.045	0.042 - 0.049	221	0.016	0.014 - 0.018
Oregon	984	0.031	0.029 - 0.033	721	0.046	0.042 - 0.049	263	0.016	0.014 - 0.018
Pennsylvania	2,857	0.029	0.028 - 0.030	2,001	0.041	0.039 - 0.043	856	0.017	0.016 - 0.018
Rhode Island	226	0.029	0.025 - 0.033	149	0.040	0.034 - 0.047	77	0.019	0.015 - 0.024
South Carolina	1,005	0.031	0.029 - 0.033	757	0.048	0.045 - 0.052	248	0.015	0.013 - 0.017
Tennessee	1,512	0.030	0.029 - 0.032	1,107	0.045	0.043 - 0.048	405	0.016	0.014 - 0.017
Texas	3,826	0.032	0.031 - 0.033	2,883	0.048	0.046 - 0.050	943	0.015	0.014 - 0.016
Utah	459	0.019	0.017 - 0.020	311	0.025	0.023 - 0.028	148	0.012	0.010 - 0.014
Vermont	159	0.027	0.023 - 0.032	114	0.039	0.032 - 0.047	45	0.015	0.011 - 0.020
Virginia	1,482	0.028	0.026 - 0.029	1,088	0.041	0.039 - 0.044	394	0.015	0.013 - 0.016
Washington ³	1,541	0.029	0.028 - 0.031	1,096	0.042	0.040 - 0.045	445	0.017	0.015 - 0.019
WA - Seattle	1,132	0.032	0.030 - 0.034	806	0.046	0.043 - 0.049	326	0.018	0.016 - 0.021
West Virginia	535	0.031	0.029 - 0.034	386	0.046	0.042 - 0.051	149	0.017	0.015 - 0.020
Wisconsin	1,351	0.028	0.027 - 0.030	963	0.041	0.038 - 0.043	388	0.016	0.015 - 0.018
Wyoming	116	0.023	0.019 - 0.028	84	0.034	0.027 - 0.041	32	0.013	0.009 - 0.018

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	15,390	0.008	0.008 - 0.008	12,417	0.013	0.012 - 0.013	2,965	0.003	0.003 - 0.003
Alabama	206	0.006	0.006 - 0.007	176	0.011	0.010 - 0.013	30	0.002	0.001 - 0.003
Alaska	23	0.005	0.003 - 0.007	-	-	-	-	-	-
Arizona	312	0.008	0.007 - 0.009	243	0.013	0.011 - 0.014	69	0.003	0.003 - 0.004
Arkansas	124	0.006	0.005 - 0.007	101	0.009	0.008 - 0.011	23	0.002	0.001 - 0.003
California	1,083	0.007	0.007 - 0.008	844	0.011	0.010 - 0.012	238	0.003	0.003 - 0.004
CA - Greater California	724	0.008	0.007 - 0.008	575	0.012	0.011 - 0.013	149	0.003	0.003 - 0.004
CA - Greater Bay Area	205	0.007	0.006 - 0.008	154	0.010	0.009 - 0.012	51	0.004	0.003 - 0.005
CA - Los Angeles	154	0.006	0.005 - 0.006	116	0.008	0.007 - 0.010	38	0.003	0.002 - 0.004
Colorado	229	0.006	0.005 - 0.007	193	0.010	0.009 - 0.011	36	0.002	0.001 - 0.003
Connecticut	210	0.009	0.007 - 0.010	165	0.014	0.012 - 0.016	45	0.004	0.003 - 0.005
Delaware	68	0.011	0.009 - 0.014	53	0.018	0.014 - 0.024	15	0.005	0.003 - 0.008
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	1,146	0.010	0.009 - 0.011	937	0.017	0.016 - 0.018	209	0.004	0.003 - 0.004
Georgia	361	0.006	0.006 - 0.007	283	0.010	0.009 - 0.012	78	0.003	0.002 - 0.003
Hawaii	20	0.006	0.004 - 0.010	-	-	-	-	-	-
Idaho	96	0.007	0.005 - 0.008	81	0.011	0.009 - 0.014	15	0.002	0.001 - 0.003
Illinois	639	0.008	0.007 - 0.009	517	0.013	0.012 - 0.014	122	0.003	0.002 - 0.004
Iowa	242	0.009	0.008 - 0.010	204	0.015	0.013 - 0.017	38	0.003	0.002 - 0.004
Kentucky	254	0.007	0.006 - 0.008	213	0.011	0.010 - 0.013	41	0.002	0.002 - 0.003
Louisiana	182	0.007	0.006 - 0.008	143	0.010	0.009 - 0.012	39	0.003	0.002 - 0.004
Maine	167	0.013	0.011 - 0.015	134	0.022	0.018 - 0.026	33	0.005	0.004 - 0.007
Maryland	239	0.008	0.007 - 0.009	192	0.012	0.011 - 0.014	47	0.003	0.002 - 0.004
Michigan	688	0.009	0.008 - 0.010	548	0.015	0.013 - 0.016	140	0.004	0.003 - 0.004
MI - Detroit	232	0.009	0.008 - 0.011	186	0.015	0.013 - 0.017	46	0.004	0.003 - 0.005
Minnesota	359	0.008	0.007 - 0.009	292	0.013	0.012 - 0.015	67	0.003	0.002 - 0.004
Mississippi	125	0.007	0.006 - 0.009	104	0.012	0.010 - 0.015	21	0.002	0.001 - 0.004
Missouri	367	0.007	0.007 - 0.008	307	0.013	0.011 - 0.014	60	0.002	0.002 - 0.003
Montana	73	0.008	0.006 - 0.010	-	-	-	-	-	-
Nebraska	93	0.006	0.005 - 0.007	83	0.011	0.009 - 0.014	10	0.001	0.001 - 0.002
Nevada	116	0.008	0.006 - 0.009	98	0.013	0.010 - 0.016	18	0.002	0.001 - 0.004
New Hampshire	142	0.012	0.010 - 0.014	111	0.018	0.015 - 0.022	31	0.005	0.003 - 0.007
New Jersey	425	0.008	0.008 - 0.009	344	0.014	0.013 - 0.016	81	0.003	0.003 - 0.004
New Mexico	60	0.007	0.006 - 0.010	49	0.012	0.009 - 0.016	11	0.003	0.001 - 0.005
New York	942	0.008	0.008 - 0.009	731	0.013	0.012 - 0.014	211	0.004	0.003 - 0.004
North Carolina	419	0.006	0.006 - 0.007	344	0.011	0.010 - 0.012	75	0.002	0.002 - 0.003
North Dakota	39	0.006	0.004 - 0.008	29	0.009	0.006 - 0.013	10	0.003	0.002 - 0.006
Ohio	745	0.008	0.007 - 0.009	600	0.013	0.012 - 0.014	145	0.003	0.003 - 0.004
Oklahoma	174	0.006	0.006 - 0.007	137	0.010	0.009 - 0.012	37	0.003	0.002 - 0.004
Oregon	253	0.008	0.007 - 0.009	207	0.013	0.011 - 0.015	46	0.003	0.002 - 0.004
Pennsylvania	872	0.009	0.008 - 0.009	698	0.014	0.013 - 0.015	174	0.003	0.003 - 0.004
Rhode Island	73	0.009	0.007 - 0.012	58	0.015	0.012 - 0.020	15	0.004	0.002 - 0.006
South Carolina	239	0.007	0.007 - 0.008	192	0.012	0.011 - 0.014	47	0.003	0.002 - 0.004
Tennessee	368	0.007	0.007 - 0.008	318	0.013	0.012 - 0.015	50	0.002	0.001 - 0.003
Texas	826	0.007	0.006 - 0.007	668	0.011	0.010 - 0.012	158	0.003	0.002 - 0.003
Utah	81	0.003	0.003 - 0.004	68	0.006	0.004 - 0.007	13	0.001	0.001 - 0.002
Vermont	60	0.010	0.008 - 0.013	45	0.016	0.011 - 0.021	15	0.005	0.003 - 0.008
Virginia	324	0.006	0.005 - 0.007	270	0.010	0.009 - 0.012	54	0.002	0.001 - 0.003
Washington ³	386	0.007	0.007 - 0.008	310	0.012	0.011 - 0.013	76	0.003	0.002 - 0.004
WA - Seattle	254	0.007	0.006 - 0.008	200	0.011	0.010 - 0.013	54	0.003	0.002 - 0.004
West Virginia	141	0.008	0.007 - 0.010	115	0.014	0.011 - 0.016	26	0.003	0.002 - 0.004
Wisconsin	394	0.008	0.007 - 0.009	309	0.013	0.012 - 0.015	85	0.004	0.003 - 0.004
Wyoming	29	0.006	0.004 - 0.008	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	17,538	0.009	0.009 - 0.009	11,123	0.011	0.011 - 0.011	6,409	0.006	0.006 - 0.006
Alabama	299	0.009	0.008 - 0.010	184	0.012	0.010 - 0.013	115	0.007	0.006 - 0.008
Alaska	34	0.007	0.005 - 0.010	21	0.008	0.005 - 0.013	13	0.006	0.003 - 0.010
Arizona	285	0.007	0.006 - 0.008	191	0.010	0.009 - 0.011	94	0.005	0.004 - 0.006
Arkansas	206	0.009	0.008 - 0.011	121	0.011	0.009 - 0.013	85	0.008	0.006 - 0.009
California	1,329	0.009	0.008 - 0.009	871	0.011	0.011 - 0.012	457	0.006	0.005 - 0.007
CA - Greater California	781	0.008	0.008 - 0.009	526	0.011	0.010 - 0.012	254	0.005	0.005 - 0.006
CA - Greater Bay Area	255	0.009	0.008 - 0.010	161	0.011	0.009 - 0.013	93	0.006	0.005 - 0.008
CA - Los Angeles	293	0.011	0.009 - 0.012	183	0.013	0.011 - 0.015	110	0.008	0.007 - 0.010
Colorado	236	0.006	0.005 - 0.007	158	0.008	0.007 - 0.009	78	0.004	0.003 - 0.005
Connecticut	321	0.013	0.012 - 0.015	205	0.017	0.015 - 0.020	116	0.009	0.008 - 0.011
Delaware	63	0.010	0.008 - 0.013	40	0.014	0.010 - 0.019	23	0.007	0.005 - 0.011
District of Columbia	16	0.006	0.004 - 0.010	-	-	-	-	-	-
Florida	1,086	0.009	0.009 - 0.010	721	0.013	0.012 - 0.014	365	0.006	0.006 - 0.007
Georgia	435	0.008	0.007 - 0.009	265	0.010	0.009 - 0.011	171	0.006	0.005 - 0.007
Hawaii	24	0.008	0.005 - 0.011	-	-	-	-	-	-
Idaho	105	0.007	0.006 - 0.009	71	0.010	0.008 - 0.013	34	0.005	0.003 - 0.007
Illinois	790	0.010	0.009 - 0.011	507	0.013	0.012 - 0.014	283	0.007	0.006 - 0.008
Iowa	196	0.007	0.006 - 0.008	123	0.009	0.008 - 0.011	73	0.005	0.004 - 0.007
Kentucky	352	0.009	0.008 - 0.010	204	0.011	0.009 - 0.013	147	0.008	0.006 - 0.009
Louisiana	236	0.008	0.007 - 0.010	157	0.011	0.010 - 0.013	79	0.006	0.004 - 0.007
Maine	121	0.010	0.008 - 0.011	72	0.012	0.009 - 0.015	49	0.008	0.006 - 0.010
Maryland	271	0.009	0.008 - 0.010	172	0.011	0.010 - 0.013	99	0.006	0.005 - 0.008
Michigan	699	0.009	0.009 - 0.010	446	0.012	0.011 - 0.013	253	0.007	0.006 - 0.007
MI - Detroit	239	0.010	0.008 - 0.011	138	0.011	0.009 - 0.013	101	0.008	0.006 - 0.010
Minnesota	343	0.008	0.007 - 0.008	222	0.010	0.009 - 0.011	121	0.005	0.004 - 0.006
Mississippi	134	0.008	0.007 - 0.009	84	0.010	0.008 - 0.012	50	0.006	0.004 - 0.008
Missouri	350	0.007	0.006 - 0.008	229	0.009	0.008 - 0.011	121	0.005	0.004 - 0.006
Montana	75	0.008	0.006 - 0.010	55	0.012	0.009 - 0.015	20	0.004	0.003 - 0.007
Nebraska	116	0.008	0.006 - 0.009	76	0.010	0.008 - 0.013	40	0.005	0.004 - 0.007
Nevada	108	0.007	0.006 - 0.009	76	0.010	0.008 - 0.012	32	0.004	0.003 - 0.006
New Hampshire	121	0.010	0.008 - 0.012	77	0.013	0.010 - 0.016	44	0.007	0.005 - 0.009
New Jersey	570	0.011	0.010 - 0.012	350	0.014	0.013 - 0.016	220	0.009	0.007 - 0.010
New Mexico	53	0.007	0.005 - 0.009	29	0.007	0.005 - 0.011	24	0.006	0.004 - 0.009
New York	1,367	0.012	0.012 - 0.013	836	0.015	0.014 - 0.016	531	0.009	0.009 - 0.010
North Carolina	588	0.009	0.008 - 0.010	353	0.011	0.010 - 0.012	235	0.007	0.006 - 0.008
North Dakota	47	0.007	0.005 - 0.010	31	0.009	0.006 - 0.013	16	0.005	0.003 - 0.008
Ohio	808	0.009	0.008 - 0.009	513	0.011	0.010 - 0.012	295	0.006	0.006 - 0.007
Oklahoma	203	0.007	0.007 - 0.009	122	0.009	0.008 - 0.011	81	0.006	0.005 - 0.007
Oregon	251	0.008	0.007 - 0.009	180	0.011	0.010 - 0.013	71	0.004	0.003 - 0.006
Pennsylvania	965	0.010	0.009 - 0.010	619	0.013	0.012 - 0.014	346	0.007	0.006 - 0.008
Rhode Island	87	0.011	0.009 - 0.014	51	0.014	0.010 - 0.018	36	0.009	0.006 - 0.012
South Carolina	300	0.009	0.008 - 0.010	185	0.012	0.010 - 0.014	115	0.007	0.006 - 0.008
Tennessee	428	0.009	0.008 - 0.009	272	0.011	0.010 - 0.013	156	0.006	0.005 - 0.007
Texas	843	0.007	0.007 - 0.007	506	0.008	0.008 - 0.009	337	0.006	0.005 - 0.006
Utah	99	0.004	0.003 - 0.005	57	0.005	0.004 - 0.006	42	0.003	0.002 - 0.005
Vermont	51	0.009	0.006 - 0.011	28	0.010	0.006 - 0.014	23	0.008	0.005 - 0.012
Virginia	449	0.008	0.008 - 0.009	289	0.011	0.010 - 0.012	160	0.006	0.005 - 0.007
Washington ³	358	0.007	0.006 - 0.008	230	0.009	0.008 - 0.010	128	0.005	0.004 - 0.006
WA - Seattle	250	0.007	0.006 - 0.008	163	0.009	0.008 - 0.011	87	0.005	0.004 - 0.006
West Virginia	163	0.010	0.008 - 0.011	96	0.011	0.009 - 0.014	67	0.008	0.006 - 0.010
Wisconsin	420	0.009	0.008 - 0.010	287	0.012	0.011 - 0.014	133	0.006	0.005 - 0.007
Wyoming	30	0.006	0.004 - 0.009	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	162,953	0.081	0.081 - 0.082	86,055	0.087	0.086 - 0.088	76,883	0.076	0.075 - 0.076
Alabama	2,878	0.089	0.086 - 0.092	1,503	0.095	0.090 - 0.100	1,375	0.083	0.079 - 0.088
Alaska	306	0.064	0.057 - 0.072	179	0.071	0.061 - 0.082	127	0.057	0.047 - 0.068
Arizona	2,968	0.076	0.073 - 0.079	1,592	0.082	0.078 - 0.086	1,376	0.069	0.066 - 0.073
Arkansas	1,933	0.087	0.084 - 0.091	1,006	0.093	0.087 - 0.099	927	0.082	0.077 - 0.088
California	12,320	0.081	0.079 - 0.082	6,446	0.084	0.082 - 0.087	5,874	0.077	0.075 - 0.079
CA - Greater California	7,678	0.080	0.078 - 0.082	4,012	0.084	0.082 - 0.087	3,666	0.076	0.074 - 0.079
CA - Greater Bay Area	2,308	0.079	0.076 - 0.082	1,242	0.084	0.079 - 0.089	1,065	0.073	0.069 - 0.078
CA - Los Angeles	2,335	0.084	0.081 - 0.088	1,193	0.085	0.081 - 0.090	1,142	0.083	0.078 - 0.088
Colorado	2,292	0.059	0.057 - 0.062	1,198	0.062	0.058 - 0.065	1,094	0.057	0.053 - 0.060
Connecticut	1,997	0.082	0.078 - 0.085	1,048	0.088	0.083 - 0.093	949	0.076	0.071 - 0.081
Delaware	550	0.091	0.083 - 0.098	306	0.104	0.093 - 0.117	244	0.078	0.068 - 0.088
District of Columbia	71	0.028	0.022 - 0.035	32	0.025	0.017 - 0.035	39	0.030	0.021 - 0.041
Florida	10,308	0.090	0.088 - 0.092	5,463	0.097	0.094 - 0.100	4,845	0.083	0.080 - 0.085
Georgia	4,573	0.082	0.079 - 0.084	2,453	0.089	0.086 - 0.093	2,120	0.075	0.071 - 0.078
Hawaii	298	0.096	0.086 - 0.108	179	0.107	0.092 - 0.124	119	0.084	0.069 - 0.100
Idaho	962	0.068	0.064 - 0.072	515	0.073	0.067 - 0.079	447	0.063	0.057 - 0.069
Illinois	7,336	0.092	0.090 - 0.094	3,895	0.099	0.096 - 0.102	3,441	0.085	0.082 - 0.088
Iowa	2,452	0.090	0.087 - 0.094	1,287	0.096	0.091 - 0.101	1,164	0.085	0.080 - 0.090
Kentucky	3,596	0.094	0.091 - 0.097	1,921	0.103	0.098 - 0.107	1,675	0.086	0.082 - 0.090
Louisiana	2,420	0.087	0.083 - 0.090	1,328	0.097	0.092 - 0.102	1,092	0.077	0.073 - 0.082
Maine	1,034	0.082	0.077 - 0.087	536	0.087	0.080 - 0.095	498	0.077	0.071 - 0.084
Maryland	2,455	0.078	0.075 - 0.081	1,234	0.080	0.076 - 0.085	1,221	0.076	0.072 - 0.080
Michigan	5,854	0.077	0.075 - 0.079	3,054	0.081	0.078 - 0.084	2,800	0.073	0.070 - 0.076
MI - Detroit	2,140	0.085	0.082 - 0.089	1,092	0.088	0.083 - 0.094	1,048	0.082	0.077 - 0.087
Minnesota	3,496	0.078	0.075 - 0.080	1,864	0.083	0.080 - 0.087	1,632	0.072	0.068 - 0.075
Mississippi	1,620	0.095	0.090 - 0.099	868	0.103	0.096 - 0.110	752	0.086	0.080 - 0.093
Missouri	3,960	0.080	0.078 - 0.083	2,154	0.089	0.085 - 0.093	1,806	0.072	0.069 - 0.076
Montana	708	0.077	0.072 - 0.083	388	0.084	0.076 - 0.093	320	0.070	0.063 - 0.078
Nebraska	1,386	0.090	0.086 - 0.095	695	0.092	0.085 - 0.099	691	0.089	0.083 - 0.096
Nevada	1,197	0.079	0.075 - 0.084	650	0.085	0.078 - 0.091	547	0.074	0.068 - 0.080
New Hampshire	976	0.079	0.074 - 0.085	521	0.086	0.079 - 0.093	455	0.073	0.067 - 0.080
New Jersey	4,734	0.094	0.092 - 0.097	2,451	0.100	0.096 - 0.104	2,283	0.089	0.085 - 0.093
New Mexico	639	0.080	0.074 - 0.086	319	0.080	0.072 - 0.090	320	0.079	0.071 - 0.088
New York	9,428	0.085	0.083 - 0.087	4,886	0.090	0.087 - 0.092	4,541	0.080	0.078 - 0.082
North Carolina	5,064	0.077	0.075 - 0.079	2,647	0.083	0.079 - 0.086	2,417	0.072	0.069 - 0.075
North Dakota	500	0.077	0.071 - 0.084	281	0.085	0.075 - 0.096	219	0.069	0.060 - 0.079
Ohio	7,761	0.083	0.081 - 0.085	4,023	0.088	0.085 - 0.091	3,738	0.079	0.076 - 0.081
Oklahoma	2,253	0.083	0.080 - 0.087	1,188	0.089	0.084 - 0.094	1,065	0.077	0.073 - 0.082
Oregon	2,339	0.073	0.070 - 0.076	1,213	0.077	0.073 - 0.081	1,126	0.069	0.065 - 0.073
Pennsylvania	9,111	0.092	0.090 - 0.094	4,847	0.100	0.097 - 0.103	4,264	0.084	0.082 - 0.087
Rhode Island	570	0.073	0.067 - 0.079	289	0.077	0.068 - 0.086	281	0.069	0.062 - 0.078
South Carolina	2,605	0.081	0.078 - 0.084	1,399	0.089	0.084 - 0.094	1,206	0.073	0.069 - 0.077
Tennessee	4,060	0.081	0.079 - 0.084	2,154	0.088	0.084 - 0.092	1,906	0.074	0.071 - 0.078
Texas	9,265	0.077	0.075 - 0.078	5,091	0.085	0.083 - 0.087	4,174	0.068	0.066 - 0.070
Utah	978	0.040	0.037 - 0.042	508	0.041	0.038 - 0.045	470	0.038	0.035 - 0.042
Vermont	414	0.070	0.064 - 0.078	216	0.075	0.065 - 0.085	198	0.066	0.058 - 0.076
Virginia	3,635	0.068	0.066 - 0.070	1,908	0.072	0.069 - 0.075	1,727	0.064	0.061 - 0.067
Washington ³	3,700	0.071	0.069 - 0.073	1,934	0.074	0.071 - 0.078	1,766	0.067	0.064 - 0.071
WA - Seattle	2,573	0.073	0.070 - 0.076	1,366	0.077	0.073 - 0.082	1,207	0.068	0.065 - 0.072
West Virginia	1,680	0.099	0.094 - 0.104	905	0.108	0.101 - 0.115	775	0.090	0.084 - 0.096
Wisconsin	3,602	0.076	0.073 - 0.078	1,920	0.081	0.078 - 0.085	1,682	0.070	0.067 - 0.074
Wyoming	299	0.060	0.054 - 0.068	163	0.065	0.055 - 0.075	136	0.056	0.047 - 0.066

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	20,542	0.010	0.010 - 0.010	14,737	0.015	0.015 - 0.015	5,799	0.006	0.006 - 0.006
Alabama	276	0.009	0.008 - 0.010	190	0.012	0.010 - 0.014	86	0.005	0.004 - 0.006
Alaska	45	0.009	0.007 - 0.013	33	0.013	0.009 - 0.018	12	0.005	0.003 - 0.009
Arizona	382	0.010	0.009 - 0.011	265	0.014	0.012 - 0.015	117	0.006	0.005 - 0.007
Arkansas	248	0.011	0.010 - 0.013	193	0.018	0.015 - 0.020	55	0.005	0.004 - 0.006
California	1,727	0.011	0.011 - 0.012	1,246	0.016	0.015 - 0.017	480	0.006	0.006 - 0.007
CA - Greater California	1,099	0.011	0.011 - 0.012	781	0.016	0.015 - 0.018	318	0.007	0.006 - 0.007
CA - Greater Bay Area	360	0.012	0.011 - 0.014	274	0.018	0.016 - 0.021	86	0.006	0.005 - 0.007
CA - Los Angeles	267	0.010	0.009 - 0.011	191	0.014	0.012 - 0.016	76	0.006	0.004 - 0.007
Colorado	308	0.008	0.007 - 0.009	225	0.012	0.010 - 0.013	83	0.004	0.003 - 0.005
Connecticut	278	0.011	0.010 - 0.013	214	0.018	0.016 - 0.021	64	0.005	0.004 - 0.007
Delaware	75	0.012	0.010 - 0.015	49	0.017	0.012 - 0.022	26	0.008	0.005 - 0.012
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	1,459	0.013	0.012 - 0.013	1,025	0.018	0.017 - 0.019	434	0.007	0.007 - 0.008
Georgia	575	0.010	0.009 - 0.011	423	0.015	0.014 - 0.017	152	0.005	0.005 - 0.006
Hawaii	41	0.013	0.010 - 0.018	-	-	-	-	-	-
Idaho	111	0.008	0.006 - 0.009	84	0.012	0.009 - 0.015	27	0.004	0.002 - 0.005
Illinois	722	0.009	0.008 - 0.010	485	0.012	0.011 - 0.014	237	0.006	0.005 - 0.007
Iowa	232	0.009	0.007 - 0.010	147	0.011	0.009 - 0.013	85	0.006	0.005 - 0.008
Kentucky	362	0.009	0.009 - 0.011	258	0.014	0.012 - 0.016	104	0.005	0.004 - 0.006
Louisiana	341	0.012	0.011 - 0.014	237	0.017	0.015 - 0.020	104	0.007	0.006 - 0.009
Maine	94	0.007	0.006 - 0.009	70	0.011	0.009 - 0.014	24	0.004	0.002 - 0.006
Maryland	326	0.010	0.009 - 0.012	229	0.015	0.013 - 0.017	97	0.006	0.005 - 0.007
Michigan	759	0.010	0.009 - 0.011	553	0.015	0.014 - 0.016	206	0.005	0.005 - 0.006
MI - Detroit	260	0.010	0.009 - 0.012	192	0.016	0.013 - 0.018	68	0.005	0.004 - 0.007
Minnesota	402	0.009	0.008 - 0.010	267	0.012	0.011 - 0.013	135	0.006	0.005 - 0.007
Mississippi	204	0.012	0.010 - 0.014	149	0.018	0.015 - 0.021	55	0.006	0.005 - 0.008
Missouri	440	0.009	0.008 - 0.010	315	0.013	0.012 - 0.015	125	0.005	0.004 - 0.006
Montana	70	0.008	0.006 - 0.010	58	0.013	0.010 - 0.016	12	0.003	0.001 - 0.005
Nebraska	94	0.006	0.005 - 0.008	79	0.010	0.008 - 0.013	15	0.002	0.001 - 0.003
Nevada	121	0.008	0.007 - 0.010	93	0.012	0.010 - 0.015	28	0.004	0.003 - 0.005
New Hampshire	118	0.010	0.008 - 0.011	92	0.015	0.012 - 0.019	26	0.004	0.003 - 0.006
New Jersey	554	0.011	0.010 - 0.012	399	0.016	0.015 - 0.018	156	0.006	0.005 - 0.007
New Mexico	89	0.011	0.009 - 0.014	69	0.017	0.013 - 0.022	20	0.005	0.003 - 0.008
New York	1,183	0.011	0.010 - 0.011	876	0.016	0.015 - 0.017	307	0.005	0.005 - 0.006
North Carolina	688	0.010	0.010 - 0.011	496	0.015	0.014 - 0.017	192	0.006	0.005 - 0.007
North Dakota	31	0.005	0.003 - 0.007	18	0.005	0.003 - 0.009	13	0.004	0.002 - 0.007
Ohio	783	0.008	0.008 - 0.009	530	0.012	0.011 - 0.013	253	0.005	0.005 - 0.006
Oklahoma	229	0.008	0.007 - 0.010	169	0.013	0.011 - 0.015	60	0.004	0.003 - 0.006
Oregon	463	0.014	0.013 - 0.016	352	0.022	0.020 - 0.025	111	0.007	0.006 - 0.008
Pennsylvania	1,094	0.011	0.010 - 0.012	806	0.017	0.015 - 0.018	288	0.006	0.005 - 0.006
Rhode Island	101	0.013	0.011 - 0.016	74	0.020	0.015 - 0.025	27	0.007	0.004 - 0.010
South Carolina	362	0.011	0.010 - 0.012	259	0.016	0.014 - 0.019	103	0.006	0.005 - 0.008
Tennessee	506	0.010	0.009 - 0.011	362	0.015	0.013 - 0.016	144	0.006	0.005 - 0.007
Texas	1,375	0.011	0.011 - 0.012	978	0.016	0.015 - 0.017	397	0.007	0.006 - 0.007
Utah	135	0.005	0.005 - 0.007	84	0.007	0.005 - 0.008	51	0.004	0.003 - 0.005
Vermont	42	0.007	0.005 - 0.010	28	0.010	0.006 - 0.014	14	0.005	0.003 - 0.008
Virginia	455	0.009	0.008 - 0.009	341	0.013	0.012 - 0.014	114	0.004	0.003 - 0.005
Washington ³	678	0.013	0.012 - 0.014	501	0.019	0.018 - 0.021	177	0.007	0.006 - 0.008
WA - Seattle	490	0.014	0.013 - 0.015	362	0.021	0.018 - 0.023	128	0.007	0.006 - 0.009
West Virginia	154	0.009	0.008 - 0.011	111	0.013	0.011 - 0.016	43	0.005	0.004 - 0.007
Wisconsin	460	0.010	0.009 - 0.011	307	0.013	0.012 - 0.015	153	0.006	0.005 - 0.007
Wyoming	36	0.007	0.005 - 0.010	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	29,837	0.015	0.015 - 0.015	15,907	0.016	0.016 - 0.016	13,927	0.014	0.013 - 0.014
Alabama	435	0.013	0.012 - 0.015	232	0.015	0.013 - 0.017	203	0.012	0.011 - 0.014
Alaska	50	0.011	0.008 - 0.014	31	0.012	0.008 - 0.017	19	0.008	0.005 - 0.013
Arizona	604	0.015	0.014 - 0.017	328	0.017	0.015 - 0.019	276	0.014	0.012 - 0.016
Arkansas	227	0.010	0.009 - 0.012	117	0.011	0.009 - 0.013	110	0.010	0.008 - 0.012
California	2,344	0.015	0.015 - 0.016	1,287	0.017	0.016 - 0.018	1,056	0.014	0.013 - 0.015
CA - Greater California	1,468	0.015	0.015 - 0.016	823	0.017	0.016 - 0.019	645	0.013	0.012 - 0.014
CA - Greater Bay Area	447	0.015	0.014 - 0.017	239	0.016	0.014 - 0.018	208	0.014	0.012 - 0.016
CA - Los Angeles	428	0.015	0.014 - 0.017	225	0.016	0.014 - 0.018	203	0.015	0.013 - 0.017
Colorado	447	0.012	0.010 - 0.013	250	0.013	0.011 - 0.015	197	0.010	0.009 - 0.012
Connecticut	510	0.021	0.019 - 0.023	287	0.024	0.021 - 0.027	222	0.018	0.015 - 0.020
Delaware	95	0.016	0.013 - 0.019	47	0.016	0.012 - 0.021	48	0.015	0.011 - 0.020
District of Columbia	24	0.009	0.006 - 0.014	12	0.009	0.005 - 0.016	12	0.009	0.005 - 0.016
Florida	2,088	0.018	0.017 - 0.019	1,111	0.020	0.019 - 0.021	977	0.017	0.016 - 0.018
Georgia	706	0.013	0.012 - 0.014	396	0.014	0.013 - 0.016	310	0.011	0.010 - 0.012
Hawaii	39	0.013	0.009 - 0.017	24	0.014	0.009 - 0.021	15	0.011	0.006 - 0.018
Idaho	193	0.014	0.012 - 0.016	99	0.014	0.011 - 0.017	94	0.013	0.011 - 0.016
Illinois	1,239	0.016	0.015 - 0.016	653	0.017	0.015 - 0.018	586	0.014	0.013 - 0.016
Iowa	378	0.014	0.013 - 0.015	190	0.014	0.012 - 0.016	188	0.014	0.012 - 0.016
Kentucky	473	0.012	0.011 - 0.014	248	0.013	0.012 - 0.015	225	0.012	0.010 - 0.013
Louisiana	397	0.014	0.013 - 0.016	219	0.016	0.014 - 0.018	178	0.013	0.011 - 0.015
Maine	201	0.016	0.014 - 0.018	106	0.017	0.014 - 0.021	95	0.015	0.012 - 0.018
Maryland	501	0.016	0.015 - 0.017	266	0.017	0.015 - 0.019	235	0.015	0.013 - 0.017
Michigan	1,306	0.017	0.016 - 0.018	671	0.018	0.017 - 0.019	635	0.017	0.015 - 0.018
MI - Detroit	425	0.017	0.015 - 0.019	207	0.017	0.015 - 0.019	218	0.017	0.015 - 0.020
Minnesota	705	0.016	0.015 - 0.017	379	0.017	0.015 - 0.019	326	0.014	0.013 - 0.016
Mississippi	225	0.013	0.011 - 0.015	123	0.015	0.012 - 0.017	102	0.012	0.010 - 0.014
Missouri	613	0.012	0.011 - 0.013	334	0.014	0.012 - 0.015	279	0.011	0.010 - 0.013
Montana	146	0.016	0.013 - 0.019	80	0.017	0.014 - 0.022	66	0.014	0.011 - 0.018
Nebraska	244	0.016	0.014 - 0.018	137	0.018	0.015 - 0.021	107	0.014	0.011 - 0.017
Nevada	190	0.013	0.011 - 0.015	102	0.013	0.011 - 0.016	88	0.012	0.010 - 0.015
New Hampshire	196	0.016	0.014 - 0.018	104	0.017	0.014 - 0.021	92	0.015	0.012 - 0.018
New Jersey	961	0.019	0.018 - 0.020	493	0.020	0.018 - 0.022	468	0.018	0.017 - 0.020
New Mexico	112	0.014	0.011 - 0.017	64	0.016	0.012 - 0.021	48	0.012	0.009 - 0.016
New York	2,082	0.019	0.018 - 0.020	1,081	0.020	0.019 - 0.021	1,001	0.018	0.017 - 0.019
North Carolina	890	0.014	0.013 - 0.014	483	0.015	0.014 - 0.016	407	0.012	0.011 - 0.013
North Dakota	92	0.014	0.011 - 0.017	46	0.014	0.010 - 0.019	46	0.015	0.011 - 0.019
Ohio	1,237	0.013	0.013 - 0.014	616	0.013	0.012 - 0.015	621	0.013	0.012 - 0.014
Oklahoma	292	0.011	0.010 - 0.012	151	0.011	0.010 - 0.013	141	0.010	0.009 - 0.012
Oregon	449	0.014	0.013 - 0.015	235	0.015	0.013 - 0.017	214	0.013	0.011 - 0.015
Pennsylvania	1,805	0.018	0.017 - 0.019	997	0.021	0.019 - 0.022	808	0.016	0.015 - 0.017
Rhode Island	143	0.018	0.015 - 0.022	79	0.021	0.017 - 0.026	64	0.016	0.012 - 0.020
South Carolina	452	0.014	0.013 - 0.015	250	0.016	0.014 - 0.018	202	0.012	0.011 - 0.014
Tennessee	598	0.012	0.011 - 0.013	324	0.013	0.012 - 0.015	274	0.011	0.009 - 0.012
Texas	1,602	0.013	0.013 - 0.014	851	0.014	0.013 - 0.015	751	0.012	0.011 - 0.013
Utah	164	0.007	0.006 - 0.008	96	0.008	0.006 - 0.010	68	0.006	0.004 - 0.007
Vermont	94	0.016	0.013 - 0.020	55	0.019	0.014 - 0.025	39	0.013	0.009 - 0.018
Virginia	652	0.012	0.011 - 0.013	349	0.013	0.012 - 0.015	303	0.011	0.010 - 0.013
Washington ³	762	0.015	0.014 - 0.016	383	0.015	0.013 - 0.016	378	0.014	0.013 - 0.016
WA - Seattle	513	0.015	0.013 - 0.016	243	0.014	0.012 - 0.016	269	0.015	0.013 - 0.017
West Virginia	206	0.012	0.011 - 0.014	99	0.012	0.010 - 0.014	107	0.012	0.010 - 0.015
Wisconsin	734	0.015	0.014 - 0.017	401	0.017	0.015 - 0.019	333	0.014	0.012 - 0.015
Wyoming	53	0.011	0.008 - 0.014	30	0.012	0.008 - 0.017	23	0.010	0.006 - 0.014

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	15,636	0.008	0.008 - 0.008	12,369	0.013	0.012 - 0.013	3,259	0.003	0.003 - 0.003
Alabama	286	0.009	0.008 - 0.010	221	0.014	0.012 - 0.016	65	0.004	0.003 - 0.005
Alaska	31	0.007	0.004 - 0.009	-	-	-	-	-	-
Arizona	210	0.005	0.005 - 0.006	168	0.009	0.007 - 0.010	42	0.002	0.002 - 0.003
Arkansas	181	0.008	0.007 - 0.009	145	0.013	0.011 - 0.016	36	0.003	0.002 - 0.004
California	845	0.006	0.005 - 0.006	704	0.009	0.009 - 0.010	141	0.002	0.002 - 0.002
CA - Greater California	564	0.006	0.005 - 0.006	470	0.010	0.009 - 0.011	94	0.002	0.002 - 0.002
CA - Greater Bay Area	146	0.005	0.004 - 0.006	118	0.008	0.007 - 0.010	28	0.002	0.001 - 0.003
CA - Los Angeles	136	0.005	0.004 - 0.006	116	0.008	0.007 - 0.010	20	0.001	0.001 - 0.002
Colorado	197	0.005	0.004 - 0.006	150	0.008	0.007 - 0.009	47	0.002	0.002 - 0.003
Connecticut	210	0.009	0.007 - 0.010	159	0.013	0.011 - 0.016	51	0.004	0.003 - 0.005
Delaware	60	0.010	0.008 - 0.013	40	0.014	0.010 - 0.019	20	0.006	0.004 - 0.010
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	1,233	0.011	0.010 - 0.011	1,002	0.018	0.017 - 0.019	231	0.004	0.003 - 0.004
Georgia	481	0.009	0.008 - 0.009	374	0.014	0.012 - 0.015	107	0.004	0.003 - 0.005
Hawaii	30	0.010	0.007 - 0.014	-	-	-	-	-	-
Idaho	65	0.005	0.004 - 0.006	47	0.007	0.005 - 0.009	18	0.003	0.002 - 0.004
Illinois	672	0.008	0.008 - 0.009	538	0.014	0.013 - 0.015	134	0.003	0.003 - 0.004
Iowa	211	0.008	0.007 - 0.009	168	0.012	0.011 - 0.015	43	0.003	0.002 - 0.004
Kentucky	412	0.011	0.010 - 0.012	306	0.016	0.015 - 0.018	106	0.005	0.004 - 0.007
Louisiana	284	0.010	0.009 - 0.011	208	0.015	0.013 - 0.017	76	0.005	0.004 - 0.007
Maine	122	0.010	0.008 - 0.012	87	0.014	0.011 - 0.017	35	0.005	0.004 - 0.008
Maryland	214	0.007	0.006 - 0.008	170	0.011	0.009 - 0.013	44	0.003	0.002 - 0.004
Michigan	637	0.008	0.008 - 0.009	510	0.014	0.012 - 0.015	127	0.003	0.003 - 0.004
MI - Detroit	217	0.009	0.008 - 0.010	177	0.014	0.012 - 0.017	40	0.003	0.002 - 0.004
Minnesota	289	0.006	0.006 - 0.007	229	0.010	0.009 - 0.012	60	0.003	0.002 - 0.003
Mississippi	141	0.008	0.007 - 0.010	109	0.013	0.011 - 0.016	32	0.004	0.003 - 0.005
Missouri	424	0.009	0.008 - 0.009	327	0.014	0.012 - 0.015	97	0.004	0.003 - 0.005
Montana	46	0.005	0.004 - 0.007	35	0.008	0.005 - 0.011	11	0.002	0.001 - 0.004
Nebraska	99	0.006	0.005 - 0.008	81	0.011	0.008 - 0.013	18	0.002	0.001 - 0.004
Nevada	113	0.007	0.006 - 0.009	90	0.012	0.009 - 0.014	23	0.003	0.002 - 0.005
New Hampshire	69	0.006	0.004 - 0.007	54	0.009	0.007 - 0.012	15	0.002	0.001 - 0.004
New Jersey	377	0.008	0.007 - 0.008	311	0.013	0.011 - 0.014	66	0.003	0.002 - 0.003
New Mexico	61	0.008	0.006 - 0.010	46	0.011	0.008 - 0.015	15	0.004	0.002 - 0.006
New York	870	0.008	0.007 - 0.008	706	0.013	0.012 - 0.014	165	0.003	0.002 - 0.003
North Carolina	581	0.009	0.008 - 0.010	453	0.014	0.013 - 0.015	128	0.004	0.003 - 0.005
North Dakota	35	0.005	0.004 - 0.008	-	-	-	-	-	-
Ohio	861	0.009	0.009 - 0.010	665	0.015	0.013 - 0.016	196	0.004	0.004 - 0.005
Oklahoma	204	0.008	0.007 - 0.009	153	0.011	0.010 - 0.013	51	0.004	0.003 - 0.005
Oregon	174	0.005	0.005 - 0.006	139	0.009	0.007 - 0.010	35	0.002	0.001 - 0.003
Pennsylvania	867	0.009	0.008 - 0.009	680	0.014	0.013 - 0.015	187	0.004	0.003 - 0.004
Rhode Island	71	0.009	0.007 - 0.011	51	0.014	0.010 - 0.018	20	0.005	0.003 - 0.008
South Carolina	305	0.009	0.008 - 0.011	253	0.016	0.014 - 0.018	52	0.003	0.002 - 0.004
Tennessee	459	0.009	0.008 - 0.010	353	0.014	0.013 - 0.016	106	0.004	0.003 - 0.005
Texas	866	0.007	0.007 - 0.008	698	0.012	0.011 - 0.013	168	0.003	0.002 - 0.003
Utah	51	0.002	0.002 - 0.003	-	-	-	-	-	-
Vermont	42	0.007	0.005 - 0.010	29	0.010	0.007 - 0.014	13	0.004	0.002 - 0.007
Virginia	402	0.008	0.007 - 0.008	330	0.012	0.011 - 0.014	72	0.003	0.002 - 0.003
Washington ³	272	0.005	0.005 - 0.006	222	0.009	0.007 - 0.010	50	0.002	0.001 - 0.003
WA - Seattle	196	0.006	0.005 - 0.006	162	0.009	0.008 - 0.011	34	0.002	0.001 - 0.003
West Virginia	203	0.012	0.010 - 0.014	154	0.018	0.016 - 0.022	49	0.006	0.004 - 0.008
Wisconsin	351	0.007	0.007 - 0.008	278	0.012	0.010 - 0.013	73	0.003	0.002 - 0.004
Wyoming	27	0.005	0.004 - 0.008	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	186,663	0.093	0.093 - 0.094	89,608	0.091	0.090 - 0.091	97,039	0.096	0.095 - 0.096
Alabama	2,986	0.092	0.089 - 0.096	1,583	0.100	0.095 - 0.105	1,403	0.085	0.080 - 0.089
Alaska	264	0.056	0.049 - 0.063	139	0.055	0.046 - 0.065	125	0.056	0.047 - 0.067
Arizona	3,401	0.087	0.084 - 0.090	1,581	0.082	0.078 - 0.086	1,820	0.092	0.088 - 0.096
Arkansas	2,475	0.112	0.108 - 0.116	1,323	0.122	0.115 - 0.129	1,152	0.102	0.097 - 0.109
California	11,525	0.075	0.074 - 0.077	5,303	0.069	0.068 - 0.071	6,222	0.081	0.079 - 0.083
CA - Greater California	7,592	0.079	0.078 - 0.081	3,434	0.072	0.070 - 0.075	4,158	0.086	0.084 - 0.089
CA - Greater Bay Area	1,977	0.067	0.065 - 0.070	932	0.063	0.059 - 0.067	1,045	0.072	0.068 - 0.077
CA - Los Angeles	1,957	0.070	0.067 - 0.074	937	0.067	0.063 - 0.072	1,020	0.074	0.069 - 0.079
Colorado	2,027	0.052	0.050 - 0.055	933	0.048	0.045 - 0.051	1,094	0.057	0.053 - 0.060
Connecticut	2,742	0.112	0.108 - 0.116	1,250	0.105	0.099 - 0.111	1,491	0.119	0.113 - 0.125
Delaware	775	0.128	0.119 - 0.137	372	0.127	0.114 - 0.140	403	0.129	0.116 - 0.142
District of Columbia	69	0.027	0.021 - 0.034	21	0.016	0.010 - 0.025	48	0.037	0.027 - 0.049
Florida	14,098	0.123	0.121 - 0.125	6,780	0.120	0.118 - 0.123	7,318	0.125	0.122 - 0.128
Georgia	4,925	0.088	0.086 - 0.091	2,487	0.090	0.087 - 0.094	2,438	0.086	0.082 - 0.089
Hawaii	200	0.065	0.056 - 0.074	111	0.066	0.054 - 0.080	89	0.063	0.050 - 0.077
Idaho	885	0.062	0.058 - 0.067	437	0.062	0.056 - 0.068	448	0.063	0.057 - 0.069
Illinois	7,934	0.099	0.097 - 0.102	3,762	0.096	0.093 - 0.099	4,172	0.103	0.100 - 0.106
Iowa	2,406	0.088	0.085 - 0.092	1,203	0.089	0.085 - 0.095	1,202	0.087	0.082 - 0.092
Kentucky	4,397	0.115	0.112 - 0.119	2,190	0.117	0.112 - 0.122	2,207	0.114	0.109 - 0.118
Louisiana	2,444	0.088	0.084 - 0.091	1,201	0.088	0.083 - 0.093	1,243	0.088	0.083 - 0.093
Maine	1,463	0.116	0.110 - 0.122	678	0.110	0.102 - 0.119	785	0.122	0.114 - 0.131
Maryland	2,931	0.093	0.090 - 0.097	1,306	0.085	0.080 - 0.089	1,625	0.101	0.096 - 0.106
Michigan	7,891	0.104	0.102 - 0.106	3,813	0.102	0.098 - 0.105	4,078	0.106	0.103 - 0.109
MI - Detroit	2,541	0.101	0.097 - 0.105	1,167	0.094	0.089 - 0.100	1,374	0.108	0.102 - 0.114
Minnesota	3,747	0.083	0.080 - 0.086	1,753	0.078	0.075 - 0.082	1,994	0.088	0.084 - 0.092
Mississippi	1,937	0.113	0.108 - 0.118	995	0.118	0.111 - 0.126	942	0.108	0.101 - 0.115
Missouri	4,840	0.098	0.096 - 0.101	2,319	0.096	0.092 - 0.100	2,521	0.101	0.097 - 0.105
Montana	739	0.081	0.075 - 0.087	318	0.069	0.061 - 0.077	422	0.093	0.084 - 0.102
Nebraska	1,193	0.078	0.073 - 0.082	578	0.076	0.070 - 0.083	615	0.080	0.073 - 0.086
Nevada	1,292	0.086	0.081 - 0.090	588	0.076	0.070 - 0.083	704	0.095	0.088 - 0.102
New Hampshire	1,218	0.099	0.094 - 0.105	532	0.088	0.080 - 0.095	686	0.110	0.102 - 0.119
New Jersey	5,212	0.104	0.101 - 0.107	2,266	0.093	0.089 - 0.096	2,946	0.115	0.110 - 0.119
New Mexico	615	0.077	0.071 - 0.083	309	0.078	0.069 - 0.087	306	0.076	0.067 - 0.084
New York	11,983	0.108	0.106 - 0.110	5,377	0.099	0.096 - 0.102	6,606	0.116	0.114 - 0.119
North Carolina	6,857	0.104	0.102 - 0.107	3,417	0.107	0.103 - 0.110	3,440	0.102	0.099 - 0.106
North Dakota	506	0.078	0.071 - 0.085	253	0.077	0.067 - 0.087	253	0.080	0.070 - 0.090
Ohio	8,746	0.094	0.092 - 0.096	4,305	0.094	0.091 - 0.097	4,441	0.093	0.091 - 0.096
Oklahoma	2,414	0.089	0.086 - 0.093	1,232	0.092	0.087 - 0.098	1,182	0.086	0.081 - 0.091
Oregon	2,577	0.080	0.077 - 0.084	1,232	0.078	0.074 - 0.082	1,345	0.083	0.078 - 0.087
Pennsylvania	10,000	0.101	0.099 - 0.103	4,803	0.099	0.096 - 0.102	5,197	0.103	0.100 - 0.105
Rhode Island	995	0.127	0.120 - 0.136	442	0.118	0.107 - 0.129	553	0.137	0.126 - 0.149
South Carolina	3,170	0.098	0.095 - 0.102	1,575	0.100	0.095 - 0.105	1,595	0.097	0.092 - 0.102
Tennessee	5,292	0.106	0.103 - 0.109	2,669	0.109	0.105 - 0.113	2,623	0.102	0.099 - 0.106
Texas	9,500	0.078	0.077 - 0.080	4,744	0.079	0.077 - 0.081	4,756	0.078	0.076 - 0.080
Utah	599	0.024	0.023 - 0.026	301	0.024	0.022 - 0.027	298	0.024	0.022 - 0.027
Vermont	587	0.100	0.092 - 0.108	284	0.098	0.087 - 0.110	303	0.102	0.091 - 0.114
Virginia	4,422	0.083	0.080 - 0.085	2,144	0.081	0.078 - 0.085	2,278	0.084	0.081 - 0.088
Washington ³	4,106	0.079	0.076 - 0.081	1,929	0.074	0.071 - 0.077	2,177	0.083	0.080 - 0.087
WA - Seattle	2,769	0.078	0.075 - 0.081	1,295	0.073	0.069 - 0.077	1,474	0.083	0.079 - 0.088
West Virginia	1,997	0.117	0.112 - 0.123	1,014	0.121	0.114 - 0.129	983	0.114	0.107 - 0.121
Wisconsin	4,280	0.090	0.087 - 0.093	2,077	0.088	0.084 - 0.092	2,203	0.092	0.088 - 0.096
Wyoming	301	0.061	0.054 - 0.068	153	0.061	0.051 - 0.071	148	0.061	0.051 - 0.071

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	141,737	0.071	0.070 - 0.071	83,061	0.084	0.083 - 0.085	58,631	0.058	0.057 - 0.058
Alabama	2,385	0.074	0.071 - 0.077	1,430	0.090	0.086 - 0.095	955	0.058	0.054 - 0.061
Alaska	155	0.033	0.028 - 0.038	85	0.034	0.027 - 0.042	70	0.031	0.024 - 0.040
Arizona	3,425	0.087	0.085 - 0.090	2,146	0.111	0.106 - 0.116	1,279	0.065	0.061 - 0.068
Arkansas	1,274	0.058	0.055 - 0.061	787	0.072	0.068 - 0.078	487	0.043	0.040 - 0.047
California	14,725	0.096	0.095 - 0.098	9,000	0.118	0.115 - 0.120	5,726	0.075	0.073 - 0.077
CA - Greater California	9,126	0.095	0.093 - 0.097	5,551	0.117	0.114 - 0.120	3,575	0.074	0.072 - 0.077
CA - Greater Bay Area	3,493	0.119	0.115 - 0.123	2,106	0.142	0.136 - 0.148	1,387	0.096	0.091 - 0.101
CA - Los Angeles	2,106	0.076	0.073 - 0.079	1,342	0.096	0.091 - 0.101	764	0.055	0.051 - 0.059
Colorado	2,328	0.060	0.058 - 0.063	1,363	0.070	0.066 - 0.074	965	0.050	0.047 - 0.053
Connecticut	1,545	0.063	0.060 - 0.066	913	0.077	0.072 - 0.082	632	0.050	0.047 - 0.055
Delaware	635	0.105	0.097 - 0.113	396	0.135	0.122 - 0.149	239	0.076	0.067 - 0.087
District of Columbia	87	0.034	0.027 - 0.042	53	0.041	0.031 - 0.054	34	0.026	0.018 - 0.037
Florida	10,967	0.095	0.094 - 0.097	7,002	0.124	0.121 - 0.127	3,965	0.068	0.066 - 0.070
Georgia	5,146	0.092	0.090 - 0.095	2,979	0.108	0.105 - 0.112	2,167	0.076	0.073 - 0.080
Hawaii	656	0.212	0.196 - 0.229	429	0.256	0.232 - 0.281	227	0.160	0.140 - 0.182
Idaho	963	0.068	0.064 - 0.072	548	0.077	0.071 - 0.084	415	0.058	0.053 - 0.064
Illinois	5,268	0.066	0.064 - 0.068	2,891	0.074	0.071 - 0.076	2,377	0.059	0.056 - 0.061
Iowa	1,790	0.066	0.063 - 0.069	963	0.072	0.067 - 0.076	828	0.060	0.056 - 0.064
Kentucky	2,529	0.066	0.064 - 0.069	1,430	0.076	0.073 - 0.081	1,099	0.057	0.053 - 0.060
Louisiana	1,614	0.058	0.055 - 0.061	986	0.072	0.067 - 0.077	628	0.044	0.041 - 0.048
Maine	871	0.069	0.065 - 0.074	453	0.074	0.067 - 0.081	418	0.065	0.059 - 0.071
Maryland	3,015	0.096	0.092 - 0.099	1,771	0.115	0.110 - 0.120	1,244	0.078	0.073 - 0.082
Michigan	4,165	0.055	0.053 - 0.057	2,320	0.062	0.059 - 0.064	1,845	0.048	0.046 - 0.050
MI - Detroit	1,478	0.059	0.056 - 0.062	827	0.067	0.062 - 0.072	650	0.051	0.047 - 0.055
Minnesota	3,554	0.079	0.076 - 0.081	1,937	0.087	0.083 - 0.091	1,617	0.071	0.068 - 0.075
Mississippi	1,011	0.059	0.055 - 0.063	601	0.071	0.066 - 0.077	410	0.047	0.043 - 0.052
Missouri	2,435	0.049	0.048 - 0.051	1,363	0.056	0.053 - 0.059	1,072	0.043	0.040 - 0.046
Montana	576	0.063	0.058 - 0.068	335	0.072	0.065 - 0.081	242	0.053	0.047 - 0.060
Nebraska	986	0.064	0.060 - 0.068	509	0.067	0.061 - 0.073	477	0.062	0.056 - 0.067
Nevada	876	0.058	0.054 - 0.062	535	0.070	0.064 - 0.076	341	0.046	0.041 - 0.051
New Hampshire	915	0.074	0.070 - 0.079	508	0.084	0.077 - 0.091	407	0.065	0.059 - 0.072
New Jersey	3,945	0.079	0.076 - 0.081	2,245	0.092	0.088 - 0.096	1,700	0.066	0.063 - 0.069
New Mexico	608	0.076	0.070 - 0.082	355	0.089	0.080 - 0.099	253	0.062	0.055 - 0.071
New York	7,124	0.064	0.063 - 0.066	4,129	0.076	0.074 - 0.078	2,995	0.053	0.051 - 0.055
North Carolina	5,448	0.083	0.081 - 0.085	3,196	0.100	0.096 - 0.103	2,252	0.067	0.064 - 0.070
North Dakota	353	0.055	0.049 - 0.061	185	0.056	0.048 - 0.065	168	0.053	0.045 - 0.062
Ohio	5,703	0.061	0.060 - 0.063	3,158	0.069	0.067 - 0.071	2,545	0.054	0.051 - 0.056
Oklahoma	1,598	0.059	0.056 - 0.062	976	0.073	0.069 - 0.078	622	0.045	0.042 - 0.049
Oregon	2,344	0.073	0.070 - 0.076	1,306	0.083	0.078 - 0.087	1,038	0.064	0.060 - 0.068
Pennsylvania	6,353	0.064	0.062 - 0.066	3,700	0.076	0.074 - 0.079	2,653	0.052	0.050 - 0.054
Rhode Island	495	0.063	0.058 - 0.069	282	0.075	0.066 - 0.084	213	0.053	0.046 - 0.060
South Carolina	2,564	0.080	0.076 - 0.083	1,521	0.097	0.092 - 0.102	1,043	0.063	0.059 - 0.067
Tennessee	2,889	0.058	0.056 - 0.060	1,693	0.069	0.066 - 0.073	1,196	0.047	0.044 - 0.049
Texas	5,782	0.048	0.047 - 0.049	3,538	0.059	0.057 - 0.061	2,244	0.037	0.035 - 0.038
Utah	1,995	0.081	0.078 - 0.085	1,121	0.091	0.086 - 0.097	875	0.072	0.067 - 0.076
Vermont	578	0.098	0.091 - 0.107	328	0.113	0.101 - 0.126	250	0.084	0.074 - 0.095
Virginia	3,190	0.060	0.058 - 0.062	1,888	0.071	0.068 - 0.075	1,302	0.048	0.046 - 0.051
Washington ³	3,782	0.072	0.070 - 0.075	2,133	0.082	0.078 - 0.085	1,650	0.063	0.060 - 0.066
WA - Seattle	2,950	0.084	0.081 - 0.087	1,656	0.094	0.089 - 0.098	1,295	0.073	0.069 - 0.077
West Virginia	884	0.052	0.049 - 0.055	541	0.065	0.059 - 0.070	343	0.040	0.036 - 0.044
Wisconsin	2,899	0.061	0.059 - 0.063	1,701	0.072	0.069 - 0.075	1,198	0.050	0.047 - 0.053
Wyoming	262	0.053	0.047 - 0.060	146	0.058	0.049 - 0.068	116	0.048	0.039 - 0.057

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		341,606	0.336	0.335 - 0.337
Alabama	-	-		-	-		5,108	0.308	0.300 - 0.317
Alaska	-	-		-	-		576	0.258	0.237 - 0.280
Arizona	-	-		-	-		6,781	0.342	0.334 - 0.351
Arkansas	-	-		-	-		3,328	0.296	0.286 - 0.306
California	-	-		-	-		28,678	0.375	0.371 - 0.380
CA - Greater California	-	-		-	-		17,506	0.364	0.358 - 0.369
CA - Greater Bay Area	-	-		-	-		5,654	0.390	0.380 - 0.400
CA - Los Angeles	-	-		-	-		5,520	0.400	0.389 - 0.410
Colorado	-	-		-	-		6,016	0.311	0.303 - 0.319
Connecticut	-	-		-	-		4,965	0.396	0.385 - 0.407
Delaware	-	-		-	-		1,175	0.375	0.354 - 0.397
District of Columbia	-	-		-	-		271	0.210	0.186 - 0.236
Florida	-	-		-	-		21,246	0.363	0.358 - 0.368
Georgia	-	-		-	-		8,966	0.316	0.309 - 0.322
Hawaii	-	-		-	-		527	0.372	0.341 - 0.405
Idaho	-	-		-	-		2,042	0.288	0.275 - 0.300
Illinois	-	-		-	-		14,358	0.354	0.348 - 0.360
Iowa	-	-		-	-		4,455	0.323	0.314 - 0.333
Kentucky	-	-		-	-		5,939	0.306	0.298 - 0.313
Louisiana	-	-		-	-		4,335	0.307	0.298 - 0.316
Maine	-	-		-	-		2,173	0.338	0.324 - 0.352
Maryland	-	-		-	-		5,684	0.354	0.345 - 0.364
Michigan	-	-		-	-		12,115	0.315	0.310 - 0.321
MI - Detroit	-	-		-	-		4,330	0.340	0.330 - 0.351
Minnesota	-	-		-	-		7,494	0.330	0.322 - 0.337
Mississippi	-	-		-	-		2,573	0.295	0.284 - 0.307
Missouri	-	-		-	-		8,038	0.322	0.315 - 0.329
Montana	-	-		-	-		1,475	0.324	0.307 - 0.341
Nebraska	-	-		-	-		2,450	0.317	0.304 - 0.330
Nevada	-	-		-	-		2,401	0.324	0.311 - 0.337
New Hampshire	-	-		-	-		2,364	0.380	0.365 - 0.395
New Jersey	-	-		-	-		9,819	0.382	0.374 - 0.389
New Mexico	-	-		-	-		1,515	0.374	0.355 - 0.393
New York	-	-		-	-		20,685	0.365	0.360 - 0.370
North Carolina	-	-		-	-		11,969	0.357	0.350 - 0.363
North Dakota	-	-		-	-		998	0.315	0.296 - 0.335
Ohio	-	-		-	-		15,546	0.327	0.322 - 0.332
Oklahoma	-	-		-	-		4,201	0.305	0.296 - 0.315
Oregon	-	-		-	-		5,387	0.331	0.322 - 0.340
Pennsylvania	-	-		-	-		17,860	0.353	0.347 - 0.358
Rhode Island	-	-		-	-		1,571	0.388	0.369 - 0.408
South Carolina	-	-		-	-		5,560	0.337	0.328 - 0.346
Tennessee	-	-		-	-		7,831	0.306	0.299 - 0.313
Texas	-	-		-	-		18,747	0.307	0.303 - 0.311
Utah	-	-		-	-		2,537	0.208	0.200 - 0.216
Vermont	-	-		-	-		1,031	0.346	0.325 - 0.368
Virginia	-	-		-	-		8,518	0.315	0.308 - 0.322
Washington ³	-	-		-	-		9,040	0.345	0.338 - 0.352
WA - Seattle	-	-		-	-		6,337	0.359	0.350 - 0.368
West Virginia	-	-		-	-		2,664	0.308	0.297 - 0.320
Wisconsin	-	-		-	-		7,976	0.333	0.326 - 0.340
Wyoming	-	-		-	-		650	0.267	0.247 - 0.288

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		13,414	0.013	0.013 - 0.013
Alabama	-	-		-	-		247	0.015	0.013 - 0.017
Alaska	-	-		-	-		30	0.013	0.009 - 0.019
Arizona	-	-		-	-		207	0.010	0.009 - 0.012
Arkansas	-	-		-	-		182	0.016	0.014 - 0.019
California	-	-		-	-		906	0.012	0.011 - 0.013
CA - Greater California	-	-		-	-		616	0.013	0.012 - 0.014
CA - Greater Bay Area	-	-		-	-		144	0.010	0.008 - 0.012
CA - Los Angeles	-	-		-	-		145	0.010	0.009 - 0.012
Colorado	-	-		-	-		214	0.011	0.010 - 0.013
Connecticut	-	-		-	-		128	0.010	0.009 - 0.012
Delaware	-	-		-	-		47	0.015	0.011 - 0.020
District of Columbia	-	-		-	-		10	0.008	0.004 - 0.014
Florida	-	-		-	-		918	0.016	0.015 - 0.017
Georgia	-	-		-	-		399	0.014	0.013 - 0.015
Hawaii	-	-		-	-		20	0.014	0.009 - 0.022
Idaho	-	-		-	-		86	0.012	0.010 - 0.015
Illinois	-	-		-	-		541	0.013	0.012 - 0.015
Iowa	-	-		-	-		170	0.012	0.011 - 0.014
Kentucky	-	-		-	-		344	0.018	0.016 - 0.020
Louisiana	-	-		-	-		225	0.016	0.014 - 0.018
Maine	-	-		-	-		67	0.010	0.008 - 0.013
Maryland	-	-		-	-		202	0.013	0.011 - 0.014
Michigan	-	-		-	-		483	0.013	0.011 - 0.014
MI - Detroit	-	-		-	-		156	0.012	0.010 - 0.014
Minnesota	-	-		-	-		235	0.010	0.009 - 0.012
Mississippi	-	-		-	-		143	0.016	0.014 - 0.019
Missouri	-	-		-	-		375	0.015	0.014 - 0.017
Montana	-	-		-	-		74	0.016	0.013 - 0.020
Nebraska	-	-		-	-		94	0.012	0.010 - 0.015
Nevada	-	-		-	-		132	0.018	0.015 - 0.021
New Hampshire	-	-		-	-		61	0.010	0.007 - 0.013
New Jersey	-	-		-	-		335	0.013	0.012 - 0.015
New Mexico	-	-		-	-		61	0.015	0.011 - 0.019
New York	-	-		-	-		677	0.012	0.011 - 0.013
North Carolina	-	-		-	-		415	0.012	0.011 - 0.014
North Dakota	-	-		-	-		27	0.009	0.006 - 0.012
Ohio	-	-		-	-		685	0.014	0.013 - 0.016
Oklahoma	-	-		-	-		196	0.014	0.012 - 0.016
Oregon	-	-		-	-		207	0.013	0.011 - 0.015
Pennsylvania	-	-		-	-		684	0.014	0.013 - 0.015
Rhode Island	-	-		-	-		50	0.012	0.009 - 0.016
South Carolina	-	-		-	-		215	0.013	0.011 - 0.015
Tennessee	-	-		-	-		370	0.014	0.013 - 0.016
Texas	-	-		-	-		920	0.015	0.014 - 0.016
Utah	-	-		-	-		107	0.009	0.007 - 0.011
Vermont	-	-		-	-		20	0.007	0.004 - 0.010
Virginia	-	-		-	-		261	0.010	0.009 - 0.011
Washington ³	-	-		-	-		314	0.012	0.011 - 0.013
WA - Seattle	-	-		-	-		232	0.013	0.011 - 0.015
West Virginia	-	-		-	-		131	0.015	0.013 - 0.018
Wisconsin	-	-		-	-		292	0.012	0.011 - 0.014
Wyoming	-	-		-	-		26	0.011	0.007 - 0.016

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		75,171	0.074	0.073 - 0.074
Alabama	-	-		-	-		829	0.050	0.047 - 0.054
Alaska	-	-		-	-		126	0.056	0.047 - 0.067
Arizona	-	-		-	-		1,336	0.067	0.064 - 0.071
Arkansas	-	-		-	-		683	0.061	0.056 - 0.065
California	-	-		-	-		5,943	0.078	0.076 - 0.080
CA - Greater California	-	-		-	-		3,713	0.077	0.075 - 0.080
CA - Greater Bay Area	-	-		-	-		1,142	0.079	0.074 - 0.084
CA - Los Angeles	-	-		-	-		1,088	0.079	0.074 - 0.084
Colorado	-	-		-	-		1,066	0.055	0.052 - 0.059
Connecticut	-	-		-	-		1,093	0.087	0.082 - 0.093
Delaware	-	-		-	-		290	0.093	0.082 - 0.104
District of Columbia	-	-		-	-		39	0.030	0.021 - 0.041
Florida	-	-		-	-		4,195	0.072	0.070 - 0.074
Georgia	-	-		-	-		1,682	0.059	0.056 - 0.062
Hawaii	-	-		-	-		101	0.071	0.058 - 0.087
Idaho	-	-		-	-		439	0.062	0.056 - 0.068
Illinois	-	-		-	-		3,319	0.082	0.079 - 0.085
Iowa	-	-		-	-		1,134	0.082	0.078 - 0.087
Kentucky	-	-		-	-		1,335	0.069	0.065 - 0.072
Louisiana	-	-		-	-		716	0.051	0.047 - 0.054
Maine	-	-		-	-		574	0.089	0.082 - 0.097
Maryland	-	-		-	-		1,269	0.079	0.075 - 0.084
Michigan	-	-		-	-		3,060	0.080	0.077 - 0.083
MI - Detroit	-	-		-	-		1,035	0.081	0.076 - 0.086
Minnesota	-	-		-	-		1,850	0.081	0.078 - 0.085
Mississippi	-	-		-	-		521	0.060	0.055 - 0.065
Missouri	-	-		-	-		1,744	0.070	0.067 - 0.073
Montana	-	-		-	-		304	0.067	0.059 - 0.075
Nebraska	-	-		-	-		560	0.072	0.067 - 0.079
Nevada	-	-		-	-		477	0.064	0.059 - 0.070
New Hampshire	-	-		-	-		548	0.088	0.081 - 0.096
New Jersey	-	-		-	-		2,500	0.097	0.093 - 0.101
New Mexico	-	-		-	-		305	0.075	0.067 - 0.084
New York	-	-		-	-		5,132	0.090	0.088 - 0.093
North Carolina	-	-		-	-		2,314	0.069	0.066 - 0.072
North Dakota	-	-		-	-		198	0.062	0.054 - 0.072
Ohio	-	-		-	-		3,919	0.082	0.080 - 0.085
Oklahoma	-	-		-	-		767	0.056	0.052 - 0.060
Oregon	-	-		-	-		1,303	0.080	0.076 - 0.085
Pennsylvania	-	-		-	-		4,718	0.093	0.091 - 0.096
Rhode Island	-	-		-	-		326	0.081	0.072 - 0.090
South Carolina	-	-		-	-		995	0.060	0.057 - 0.064
Tennessee	-	-		-	-		1,619	0.063	0.060 - 0.066
Texas	-	-		-	-		3,422	0.056	0.054 - 0.058
Utah	-	-		-	-		592	0.048	0.045 - 0.052
Vermont	-	-		-	-		304	0.102	0.091 - 0.114
Virginia	-	-		-	-		1,777	0.066	0.063 - 0.069
Washington ³	-	-		-	-		1,903	0.073	0.069 - 0.076
WA - Seattle	-	-		-	-		1,304	0.074	0.070 - 0.078
West Virginia	-	-		-	-		748	0.087	0.081 - 0.093
Wisconsin	-	-		-	-		2,125	0.089	0.085 - 0.093
Wyoming	-	-		-	-		149	0.061	0.052 - 0.072

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		23,950	0.024	0.023 - 0.024
Alabama	-	-		-	-		390	0.024	0.021 - 0.026
Alaska	-	-		-	-		44	0.020	0.014 - 0.026
Arizona	-	-		-	-		470	0.024	0.022 - 0.026
Arkansas	-	-		-	-		256	0.023	0.020 - 0.026
California	-	-		-	-		2,058	0.027	0.026 - 0.028
CA - Greater California	-	-		-	-		1,250	0.026	0.025 - 0.027
CA - Greater Bay Area	-	-		-	-		397	0.027	0.025 - 0.030
CA - Los Angeles	-	-		-	-		411	0.030	0.027 - 0.033
Colorado	-	-		-	-		404	0.021	0.019 - 0.023
Connecticut	-	-		-	-		319	0.025	0.023 - 0.028
Delaware	-	-		-	-		77	0.025	0.019 - 0.031
District of Columbia	-	-		-	-		18	0.014	0.008 - 0.022
Florida	-	-		-	-		1,614	0.028	0.026 - 0.029
Georgia	-	-		-	-		628	0.022	0.020 - 0.024
Hawaii	-	-		-	-		45	0.032	0.023 - 0.042
Idaho	-	-		-	-		142	0.020	0.017 - 0.024
Illinois	-	-		-	-		941	0.023	0.022 - 0.025
Iowa	-	-		-	-		283	0.021	0.018 - 0.023
Kentucky	-	-		-	-		396	0.020	0.018 - 0.022
Louisiana	-	-		-	-		254	0.018	0.016 - 0.020
Maine	-	-		-	-		114	0.018	0.015 - 0.021
Maryland	-	-		-	-		438	0.027	0.025 - 0.030
Michigan	-	-		-	-		878	0.023	0.021 - 0.024
MI - Detroit	-	-		-	-		317	0.025	0.022 - 0.028
Minnesota	-	-		-	-		493	0.022	0.020 - 0.024
Mississippi	-	-		-	-		161	0.018	0.016 - 0.022
Missouri	-	-		-	-		498	0.020	0.018 - 0.022
Montana	-	-		-	-		118	0.026	0.021 - 0.031
Nebraska	-	-		-	-		153	0.020	0.017 - 0.023
Nevada	-	-		-	-		149	0.020	0.017 - 0.024
New Hampshire	-	-		-	-		131	0.021	0.018 - 0.025
New Jersey	-	-		-	-		719	0.028	0.026 - 0.030
New Mexico	-	-		-	-		108	0.027	0.022 - 0.032
New York	-	-		-	-		1,585	0.028	0.027 - 0.029
North Carolina	-	-		-	-		825	0.025	0.023 - 0.026
North Dakota	-	-		-	-		57	0.018	0.014 - 0.023
Ohio	-	-		-	-		1,034	0.022	0.020 - 0.023
Oklahoma	-	-		-	-		297	0.022	0.019 - 0.024
Oregon	-	-		-	-		397	0.024	0.022 - 0.027
Pennsylvania	-	-		-	-		1,358	0.027	0.025 - 0.028
Rhode Island	-	-		-	-		90	0.022	0.018 - 0.027
South Carolina	-	-		-	-		327	0.020	0.018 - 0.022
Tennessee	-	-		-	-		535	0.021	0.019 - 0.023
Texas	-	-		-	-		1,337	0.022	0.021 - 0.023
Utah	-	-		-	-		203	0.017	0.014 - 0.019
Vermont	-	-		-	-		62	0.021	0.016 - 0.027
Virginia	-	-		-	-		580	0.021	0.020 - 0.023
Washington ³	-	-		-	-		596	0.023	0.021 - 0.025
WA - Seattle	-	-		-	-		433	0.025	0.022 - 0.027
West Virginia	-	-		-	-		218	0.025	0.022 - 0.029
Wisconsin	-	-		-	-		553	0.023	0.021 - 0.025
Wyoming	-	-		-	-		52	0.021	0.016 - 0.028

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		264,100	0.267	0.266 - 0.269	-	-	
Alabama	-	-		4,164	0.263	0.255 - 0.271	-	-	
Alaska	-	-		500	0.199	0.181 - 0.217	-	-	
Arizona	-	-		4,690	0.242	0.235 - 0.249	-	-	
Arkansas	-	-		2,980	0.274	0.265 - 0.284	-	-	
California	-	-		20,222	0.265	0.261 - 0.269	-	-	
CA - Greater California	-	-		12,620	0.265	0.261 - 0.270	-	-	
CA - Greater Bay Area	-	-		3,969	0.268	0.260 - 0.276	-	-	
CA - Los Angeles	-	-		3,632	0.260	0.252 - 0.269	-	-	
Colorado	-	-		3,987	0.205	0.199 - 0.211	-	-	
Connecticut	-	-		3,764	0.316	0.306 - 0.326	-	-	
Delaware	-	-		961	0.327	0.307 - 0.349	-	-	
District of Columbia	-	-		176	0.137	0.118 - 0.159	-	-	
Florida	-	-		16,324	0.290	0.285 - 0.294	-	-	
Georgia	-	-		7,357	0.268	0.262 - 0.274	-	-	
Hawaii	-	-		464	0.277	0.252 - 0.303	-	-	
Idaho	-	-		1,755	0.248	0.236 - 0.260	-	-	
Illinois	-	-		10,606	0.270	0.265 - 0.276	-	-	
Iowa	-	-		3,779	0.281	0.272 - 0.290	-	-	
Kentucky	-	-		4,064	0.217	0.211 - 0.224	-	-	
Louisiana	-	-		4,034	0.294	0.285 - 0.303	-	-	
Maine	-	-		1,561	0.253	0.241 - 0.266	-	-	
Maryland	-	-		4,560	0.296	0.287 - 0.305	-	-	
Michigan	-	-		10,000	0.266	0.261 - 0.272	-	-	
MI - Detroit	-	-		3,718	0.301	0.291 - 0.311	-	-	
Minnesota	-	-		6,178	0.276	0.269 - 0.283	-	-	
Mississippi	-	-		2,372	0.282	0.271 - 0.294	-	-	
Missouri	-	-		5,495	0.227	0.221 - 0.233	-	-	
Montana	-	-		1,591	0.344	0.328 - 0.362	-	-	
Nebraska	-	-		2,212	0.291	0.279 - 0.304	-	-	
Nevada	-	-		1,939	0.252	0.241 - 0.264	-	-	
New Hampshire	-	-		1,755	0.289	0.276 - 0.303	-	-	
New Jersey	-	-		8,776	0.358	0.351 - 0.366	-	-	
New Mexico	-	-		1,156	0.291	0.274 - 0.308	-	-	
New York	-	-		17,282	0.318	0.313 - 0.323	-	-	
North Carolina	-	-		8,765	0.273	0.268 - 0.279	-	-	
North Dakota	-	-		977	0.296	0.277 - 0.315	-	-	
Ohio	-	-		11,363	0.248	0.243 - 0.253	-	-	
Oklahoma	-	-		3,077	0.231	0.223 - 0.239	-	-	
Oregon	-	-		4,128	0.261	0.253 - 0.269	-	-	
Pennsylvania	-	-		13,330	0.275	0.270 - 0.279	-	-	
Rhode Island	-	-		1,015	0.270	0.253 - 0.287	-	-	
South Carolina	-	-		4,559	0.289	0.281 - 0.298	-	-	
Tennessee	-	-		6,668	0.272	0.266 - 0.279	-	-	
Texas	-	-		13,969	0.233	0.229 - 0.237	-	-	
Utah	-	-		2,595	0.211	0.203 - 0.219	-	-	
Vermont	-	-		690	0.238	0.221 - 0.257	-	-	
Virginia	-	-		5,497	0.208	0.202 - 0.214	-	-	
Washington ³	-	-		6,638	0.255	0.249 - 0.261	-	-	
WA - Seattle	-	-		4,884	0.277	0.269 - 0.284	-	-	
West Virginia	-	-		2,135	0.255	0.244 - 0.266	-	-	
Wisconsin	-	-		6,891	0.292	0.285 - 0.299	-	-	
Wyoming	-	-		697	0.277	0.257 - 0.298	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		12,590	0.013	0.012 - 0.013	-	-	
Alabama	-	-		140	0.009	0.007 - 0.010	-	-	
Alaska	-	-		40	0.016	0.011 - 0.022	-	-	
Arizona	-	-		207	0.011	0.009 - 0.012	-	-	
Arkansas	-	-		117	0.011	0.009 - 0.013	-	-	
California	-	-		1,100	0.014	0.014 - 0.015	-	-	
CA - Greater California	-	-		632	0.013	0.012 - 0.014	-	-	
CA - Greater Bay Area	-	-		262	0.018	0.016 - 0.020	-	-	
CA - Los Angeles	-	-		205	0.015	0.013 - 0.017	-	-	
Colorado	-	-		231	0.012	0.010 - 0.014	-	-	
Connecticut	-	-		156	0.013	0.011 - 0.015	-	-	
Delaware	-	-		33	0.011	0.008 - 0.016	-	-	
District of Columbia	-	-		26	0.020	0.013 - 0.030	-	-	
Florida	-	-		563	0.010	0.009 - 0.011	-	-	
Georgia	-	-		296	0.011	0.010 - 0.012	-	-	
Hawaii	-	-		29	0.017	0.012 - 0.025	-	-	
Idaho	-	-		97	0.014	0.011 - 0.017	-	-	
Illinois	-	-		575	0.015	0.013 - 0.016	-	-	
Iowa	-	-		180	0.013	0.012 - 0.015	-	-	
Kentucky	-	-		209	0.011	0.010 - 0.013	-	-	
Louisiana	-	-		159	0.012	0.010 - 0.014	-	-	
Maine	-	-		74	0.012	0.009 - 0.015	-	-	
Maryland	-	-		215	0.014	0.012 - 0.016	-	-	
Michigan	-	-		459	0.012	0.011 - 0.013	-	-	
MI - Detroit	-	-		168	0.014	0.012 - 0.016	-	-	
Minnesota	-	-		316	0.014	0.013 - 0.016	-	-	
Mississippi	-	-		83	0.010	0.008 - 0.012	-	-	
Missouri	-	-		284	0.012	0.010 - 0.013	-	-	
Montana	-	-		66	0.014	0.011 - 0.018	-	-	
Nebraska	-	-		109	0.014	0.012 - 0.017	-	-	
Nevada	-	-		93	0.012	0.010 - 0.015	-	-	
New Hampshire	-	-		89	0.015	0.012 - 0.018	-	-	
New Jersey	-	-		355	0.014	0.013 - 0.016	-	-	
New Mexico	-	-		38	0.010	0.007 - 0.013	-	-	
New York	-	-		826	0.015	0.014 - 0.016	-	-	
North Carolina	-	-		418	0.013	0.012 - 0.014	-	-	
North Dakota	-	-		52	0.016	0.012 - 0.021	-	-	
Ohio	-	-		561	0.012	0.011 - 0.013	-	-	
Oklahoma	-	-		153	0.011	0.010 - 0.013	-	-	
Oregon	-	-		217	0.014	0.012 - 0.016	-	-	
Pennsylvania	-	-		693	0.014	0.013 - 0.015	-	-	
Rhode Island	-	-		56	0.015	0.011 - 0.019	-	-	
South Carolina	-	-		151	0.010	0.008 - 0.011	-	-	
Tennessee	-	-		269	0.011	0.010 - 0.012	-	-	
Texas	-	-		719	0.012	0.011 - 0.013	-	-	
Utah	-	-		180	0.015	0.013 - 0.017	-	-	
Vermont	-	-		33	0.011	0.008 - 0.016	-	-	
Virginia	-	-		268	0.010	0.009 - 0.011	-	-	
Washington ³	-	-		363	0.014	0.013 - 0.015	-	-	
WA - Seattle	-	-		269	0.015	0.013 - 0.017	-	-	
West Virginia	-	-		89	0.011	0.009 - 0.013	-	-	
Wisconsin	-	-		338	0.014	0.013 - 0.016	-	-	
Wyoming	-	-		35	0.014	0.010 - 0.019	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	108,001	0.054	0.054 - 0.054	83,888	0.085	0.084 - 0.086	24,024	0.024	0.023 - 0.024
Alabama	1,512	0.047	0.044 - 0.049	1,205	0.076	0.072 - 0.080	307	0.019	0.017 - 0.021
Alaska	209	0.044	0.038 - 0.050	166	0.066	0.056 - 0.077	43	0.019	0.014 - 0.026
Arizona	2,406	0.061	0.059 - 0.064	1,902	0.098	0.094 - 0.103	504	0.025	0.023 - 0.028
Arkansas	1,068	0.048	0.045 - 0.051	851	0.078	0.073 - 0.084	217	0.019	0.017 - 0.022
California	8,344	0.055	0.053 - 0.056	6,537	0.086	0.084 - 0.088	1,807	0.024	0.023 - 0.025
CA - Greater California	5,180	0.054	0.051 - 0.056	4,055	0.085	0.083 - 0.088	1,125	0.023	0.022 - 0.025
CA - Greater Bay Area	1,564	0.053	0.051 - 0.056	1,228	0.083	0.078 - 0.088	336	0.023	0.021 - 0.026
CA - Los Angeles	1,600	0.058	0.055 - 0.060	1,254	0.090	0.085 - 0.095	346	0.025	0.022 - 0.028
Colorado	1,565	0.040	0.038 - 0.042	1,222	0.063	0.059 - 0.066	343	0.018	0.016 - 0.020
Connecticut	1,799	0.074	0.070 - 0.077	1,364	0.114	0.108 - 0.121	435	0.035	0.032 - 0.038
Delaware	437	0.072	0.065 - 0.079	345	0.117	0.105 - 0.131	92	0.029	0.024 - 0.036
District of Columbia	54	0.021	0.016 - 0.027	44	0.034	0.025 - 0.046	10	0.008	0.004 - 0.014
Florida	7,613	0.066	0.065 - 0.068	5,941	0.105	0.103 - 0.108	1,672	0.029	0.027 - 0.030
Georgia	2,517	0.045	0.043 - 0.047	2,027	0.074	0.071 - 0.077	491	0.017	0.016 - 0.019
Hawaii	184	0.059	0.051 - 0.069	157	0.093	0.079 - 0.109	27	0.019	0.013 - 0.028
Idaho	655	0.046	0.043 - 0.050	512	0.072	0.066 - 0.079	144	0.020	0.017 - 0.024
Illinois	4,563	0.057	0.056 - 0.059	3,461	0.088	0.085 - 0.091	1,102	0.027	0.026 - 0.029
Iowa	1,356	0.050	0.047 - 0.053	1,077	0.080	0.075 - 0.085	279	0.020	0.018 - 0.023
Kentucky	1,774	0.047	0.044 - 0.049	1,367	0.073	0.069 - 0.077	407	0.021	0.019 - 0.023
Louisiana	1,302	0.047	0.044 - 0.049	1,023	0.075	0.070 - 0.079	279	0.020	0.017 - 0.022
Maine	848	0.067	0.063 - 0.072	659	0.107	0.099 - 0.116	189	0.029	0.025 - 0.034
Maryland	1,827	0.058	0.055 - 0.061	1,421	0.092	0.087 - 0.097	406	0.025	0.023 - 0.028
Michigan	4,234	0.056	0.054 - 0.057	3,283	0.087	0.084 - 0.090	951	0.025	0.023 - 0.026
MI - Detroit	1,534	0.061	0.058 - 0.064	1,193	0.097	0.091 - 0.102	342	0.027	0.024 - 0.030
Minnesota	2,213	0.049	0.047 - 0.051	1,726	0.077	0.074 - 0.081	487	0.021	0.020 - 0.023
Mississippi	826	0.048	0.045 - 0.052	658	0.078	0.072 - 0.084	168	0.019	0.016 - 0.022
Missouri	2,279	0.046	0.044 - 0.048	1,791	0.074	0.071 - 0.077	488	0.020	0.018 - 0.021
Montana	545	0.059	0.055 - 0.065	422	0.091	0.083 - 0.101	123	0.027	0.022 - 0.032
Nebraska	723	0.047	0.044 - 0.051	541	0.071	0.065 - 0.078	182	0.024	0.020 - 0.027
Nevada	899	0.060	0.056 - 0.064	701	0.091	0.085 - 0.098	198	0.027	0.023 - 0.031
New Hampshire	806	0.066	0.061 - 0.070	612	0.101	0.093 - 0.109	194	0.031	0.027 - 0.036
New Jersey	3,423	0.068	0.066 - 0.071	2,568	0.105	0.101 - 0.109	854	0.033	0.031 - 0.036
New Mexico	430	0.054	0.049 - 0.059	337	0.085	0.076 - 0.094	93	0.023	0.019 - 0.028
New York	7,778	0.070	0.068 - 0.072	5,939	0.109	0.106 - 0.112	1,839	0.032	0.031 - 0.034
North Carolina	3,398	0.052	0.050 - 0.054	2,655	0.083	0.080 - 0.086	743	0.022	0.021 - 0.024
North Dakota	277	0.043	0.038 - 0.048	229	0.069	0.061 - 0.079	48	0.015	0.011 - 0.020
Ohio	4,883	0.052	0.051 - 0.054	3,759	0.082	0.079 - 0.085	1,124	0.024	0.022 - 0.025
Oklahoma	1,244	0.046	0.043 - 0.049	1,002	0.075	0.071 - 0.080	242	0.018	0.015 - 0.020
Oregon	1,688	0.053	0.050 - 0.055	1,307	0.083	0.078 - 0.087	381	0.023	0.021 - 0.026
Pennsylvania	6,342	0.064	0.062 - 0.066	4,864	0.100	0.097 - 0.103	1,478	0.029	0.028 - 0.031
Rhode Island	536	0.069	0.063 - 0.075	397	0.106	0.095 - 0.116	139	0.034	0.029 - 0.041
South Carolina	1,604	0.050	0.047 - 0.052	1,236	0.078	0.074 - 0.083	368	0.022	0.020 - 0.025
Tennessee	2,483	0.050	0.048 - 0.052	1,910	0.078	0.075 - 0.082	573	0.022	0.021 - 0.024
Texas	4,940	0.041	0.040 - 0.042	3,944	0.066	0.064 - 0.068	996	0.016	0.015 - 0.017
Utah	643	0.026	0.024 - 0.028	529	0.043	0.039 - 0.047	114	0.009	0.008 - 0.011
Vermont	313	0.053	0.048 - 0.060	240	0.083	0.073 - 0.094	73	0.025	0.019 - 0.031
Virginia	2,226	0.042	0.040 - 0.043	1,736	0.066	0.063 - 0.069	490	0.018	0.017 - 0.020
Washington ³	2,726	0.052	0.050 - 0.054	2,156	0.083	0.079 - 0.086	570	0.022	0.020 - 0.024
WA - Seattle	1,895	0.054	0.051 - 0.056	1,499	0.085	0.081 - 0.089	396	0.022	0.020 - 0.025
West Virginia	912	0.054	0.050 - 0.057	696	0.083	0.077 - 0.089	216	0.025	0.022 - 0.029
Wisconsin	2,591	0.054	0.052 - 0.057	2,034	0.086	0.082 - 0.090	557	0.023	0.021 - 0.025
Wyoming	220	0.044	0.039 - 0.051	173	0.069	0.059 - 0.080	47	0.019	0.014 - 0.026

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	78,318	0.039	0.039 - 0.039	50,229	0.051	0.050 - 0.051	28,070	0.028	0.027 - 0.028
Alabama	1,364	0.042	0.040 - 0.044	849	0.054	0.050 - 0.057	515	0.031	0.028 - 0.034
Alaska	148	0.031	0.026 - 0.037	95	0.038	0.031 - 0.046	53	0.024	0.018 - 0.031
Arizona	1,452	0.037	0.035 - 0.039	964	0.050	0.047 - 0.053	488	0.025	0.022 - 0.027
Arkansas	1,001	0.045	0.043 - 0.048	641	0.059	0.055 - 0.064	360	0.032	0.029 - 0.035
California	5,430	0.036	0.035 - 0.037	3,605	0.047	0.046 - 0.049	1,826	0.024	0.023 - 0.025
CA - Greater California	3,487	0.036	0.035 - 0.038	2,276	0.048	0.046 - 0.050	1,212	0.025	0.024 - 0.027
CA - Greater Bay Area	971	0.033	0.031 - 0.035	669	0.045	0.042 - 0.049	302	0.021	0.019 - 0.023
CA - Los Angeles	972	0.035	0.033 - 0.037	660	0.047	0.044 - 0.051	312	0.023	0.020 - 0.025
Colorado	1,000	0.026	0.024 - 0.027	638	0.033	0.030 - 0.035	362	0.019	0.017 - 0.021
Connecticut	988	0.040	0.038 - 0.043	669	0.056	0.052 - 0.061	319	0.025	0.023 - 0.028
Delaware	247	0.041	0.036 - 0.046	159	0.054	0.046 - 0.063	88	0.028	0.023 - 0.035
District of Columbia	29	0.011	0.008 - 0.016	19	0.015	0.009 - 0.023	10	0.008	0.004 - 0.014
Florida	4,776	0.042	0.040 - 0.043	3,064	0.054	0.052 - 0.056	1,712	0.029	0.028 - 0.031
Georgia	2,042	0.037	0.035 - 0.038	1,278	0.047	0.044 - 0.049	763	0.027	0.025 - 0.029
Hawaii	117	0.038	0.031 - 0.045	86	0.051	0.041 - 0.063	31	0.022	0.015 - 0.031
Idaho	455	0.032	0.029 - 0.035	295	0.042	0.037 - 0.047	160	0.023	0.019 - 0.026
Illinois	3,343	0.042	0.040 - 0.043	2,142	0.055	0.052 - 0.057	1,201	0.030	0.028 - 0.031
Iowa	1,149	0.042	0.040 - 0.045	741	0.055	0.051 - 0.059	408	0.030	0.027 - 0.033
Kentucky	1,700	0.045	0.042 - 0.047	1,074	0.057	0.054 - 0.061	626	0.032	0.030 - 0.035
Louisiana	1,311	0.047	0.045 - 0.050	813	0.059	0.055 - 0.064	498	0.035	0.032 - 0.038
Maine	511	0.041	0.037 - 0.044	301	0.049	0.044 - 0.055	210	0.033	0.028 - 0.037
Maryland	1,220	0.039	0.037 - 0.041	770	0.050	0.046 - 0.054	450	0.028	0.026 - 0.031
Michigan	2,765	0.036	0.035 - 0.038	1,762	0.047	0.045 - 0.049	1,003	0.026	0.025 - 0.028
MI - Detroit	941	0.038	0.035 - 0.040	622	0.050	0.046 - 0.054	319	0.025	0.022 - 0.028
Minnesota	1,683	0.037	0.036 - 0.039	1,132	0.051	0.048 - 0.054	551	0.024	0.022 - 0.026
Mississippi	836	0.049	0.046 - 0.052	529	0.063	0.058 - 0.069	307	0.035	0.031 - 0.039
Missouri	2,048	0.042	0.040 - 0.043	1,257	0.052	0.049 - 0.055	791	0.032	0.029 - 0.034
Montana	322	0.035	0.031 - 0.039	219	0.047	0.041 - 0.054	103	0.023	0.018 - 0.027
Nebraska	600	0.039	0.036 - 0.042	393	0.052	0.047 - 0.057	207	0.027	0.023 - 0.031
Nevada	545	0.036	0.033 - 0.039	367	0.048	0.043 - 0.053	178	0.024	0.021 - 0.028
New Hampshire	412	0.034	0.030 - 0.037	271	0.045	0.039 - 0.050	141	0.023	0.019 - 0.027
New Jersey	2,123	0.042	0.041 - 0.044	1,351	0.055	0.052 - 0.058	772	0.030	0.028 - 0.032
New Mexico	246	0.031	0.027 - 0.035	159	0.040	0.034 - 0.047	87	0.022	0.017 - 0.027
New York	4,674	0.042	0.041 - 0.043	3,056	0.056	0.054 - 0.058	1,618	0.029	0.027 - 0.030
North Carolina	2,572	0.039	0.038 - 0.041	1,651	0.051	0.049 - 0.054	921	0.027	0.026 - 0.029
North Dakota	220	0.034	0.030 - 0.039	149	0.045	0.038 - 0.053	71	0.022	0.017 - 0.028
Ohio	3,628	0.039	0.038 - 0.040	2,205	0.048	0.046 - 0.050	1,423	0.030	0.028 - 0.032
Oklahoma	1,168	0.043	0.041 - 0.046	697	0.052	0.049 - 0.056	471	0.034	0.031 - 0.037
Oregon	1,170	0.036	0.034 - 0.039	778	0.049	0.046 - 0.053	392	0.024	0.022 - 0.027
Pennsylvania	4,094	0.041	0.040 - 0.043	2,622	0.054	0.052 - 0.056	1,472	0.029	0.028 - 0.031
Rhode Island	319	0.041	0.037 - 0.046	192	0.051	0.044 - 0.059	127	0.031	0.026 - 0.037
South Carolina	1,373	0.043	0.040 - 0.045	874	0.055	0.052 - 0.059	499	0.030	0.028 - 0.033
Tennessee	2,072	0.041	0.040 - 0.043	1,348	0.055	0.052 - 0.058	724	0.028	0.026 - 0.030
Texas	4,964	0.041	0.040 - 0.042	3,213	0.054	0.052 - 0.055	1,751	0.029	0.027 - 0.030
Utah	508	0.021	0.019 - 0.023	323	0.026	0.023 - 0.029	186	0.015	0.013 - 0.018
Vermont	190	0.032	0.028 - 0.037	120	0.041	0.034 - 0.050	70	0.024	0.018 - 0.030
Virginia	1,710	0.032	0.030 - 0.034	1,128	0.043	0.040 - 0.045	582	0.022	0.020 - 0.023
Washington ³	1,866	0.036	0.034 - 0.037	1,162	0.045	0.042 - 0.047	704	0.027	0.025 - 0.029
WA - Seattle	1,261	0.036	0.034 - 0.038	793	0.045	0.042 - 0.048	468	0.026	0.024 - 0.029
West Virginia	817	0.048	0.045 - 0.051	487	0.058	0.053 - 0.064	330	0.038	0.034 - 0.043
Wisconsin	1,986	0.042	0.040 - 0.044	1,329	0.056	0.053 - 0.059	657	0.027	0.025 - 0.030
Wyoming	147	0.030	0.025 - 0.035	96	0.038	0.031 - 0.046	51	0.021	0.016 - 0.028

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Brain and Other Nervous System

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	20,260	0.010	0.010 - 0.010	11,352	0.011	0.011 - 0.012	8,906	0.009	0.009 - 0.009
Alabama	264	0.008	0.007 - 0.009	145	0.009	0.008 - 0.011	119	0.007	0.006 - 0.009
Alaska	48	0.010	0.007 - 0.013	30	0.012	0.008 - 0.017	18	0.008	0.005 - 0.013
Arizona	360	0.009	0.008 - 0.010	203	0.010	0.009 - 0.012	157	0.008	0.007 - 0.009
Arkansas	213	0.010	0.008 - 0.011	129	0.012	0.010 - 0.014	84	0.007	0.006 - 0.009
California	1,630	0.011	0.010 - 0.011	931	0.012	0.011 - 0.013	699	0.009	0.008 - 0.010
CA - Greater California	981	0.010	0.010 - 0.011	542	0.011	0.010 - 0.012	439	0.009	0.008 - 0.010
CA - Greater Bay Area	347	0.012	0.011 - 0.013	213	0.014	0.013 - 0.016	134	0.009	0.008 - 0.011
CA - Los Angeles	302	0.011	0.010 - 0.012	176	0.013	0.011 - 0.015	126	0.009	0.008 - 0.011
Colorado	367	0.009	0.009 - 0.010	210	0.011	0.009 - 0.012	157	0.008	0.007 - 0.009
Connecticut	269	0.011	0.010 - 0.012	141	0.012	0.010 - 0.014	129	0.010	0.009 - 0.012
Delaware	48	0.008	0.006 - 0.010	31	0.011	0.007 - 0.015	17	0.005	0.003 - 0.009
District of Columbia	21	0.008	0.005 - 0.012	-	-	-	-	-	-
Florida	1,199	0.010	0.010 - 0.011	674	0.012	0.011 - 0.013	525	0.009	0.008 - 0.010
Georgia	499	0.009	0.008 - 0.010	274	0.010	0.009 - 0.011	224	0.008	0.007 - 0.009
Hawaii	31	0.010	0.007 - 0.014	16	0.010	0.005 - 0.015	15	0.011	0.006 - 0.017
Idaho	138	0.010	0.008 - 0.011	81	0.011	0.009 - 0.014	57	0.008	0.006 - 0.010
Illinois	803	0.010	0.009 - 0.011	451	0.012	0.010 - 0.013	352	0.009	0.008 - 0.010
Iowa	266	0.010	0.009 - 0.011	142	0.011	0.009 - 0.012	124	0.009	0.007 - 0.011
Kentucky	376	0.010	0.009 - 0.011	208	0.011	0.010 - 0.013	167	0.009	0.007 - 0.010
Louisiana	250	0.009	0.008 - 0.010	137	0.010	0.008 - 0.012	114	0.008	0.007 - 0.010
Maine	153	0.012	0.010 - 0.014	78	0.013	0.010 - 0.016	75	0.012	0.009 - 0.015
Maryland	325	0.010	0.009 - 0.012	176	0.011	0.010 - 0.013	149	0.009	0.008 - 0.011
Michigan	814	0.011	0.010 - 0.011	457	0.012	0.011 - 0.013	357	0.009	0.008 - 0.010
MI - Detroit	219	0.009	0.008 - 0.010	129	0.010	0.009 - 0.012	90	0.007	0.006 - 0.009
Minnesota	477	0.011	0.010 - 0.012	276	0.012	0.011 - 0.014	201	0.009	0.008 - 0.010
Mississippi	160	0.009	0.008 - 0.011	79	0.009	0.007 - 0.012	81	0.009	0.007 - 0.012
Missouri	481	0.010	0.009 - 0.011	277	0.011	0.010 - 0.013	204	0.008	0.007 - 0.009
Montana	90	0.010	0.008 - 0.012	53	0.011	0.009 - 0.015	37	0.008	0.006 - 0.011
Nebraska	136	0.009	0.007 - 0.010	74	0.010	0.008 - 0.012	62	0.008	0.006 - 0.010
Nevada	142	0.009	0.008 - 0.011	82	0.011	0.008 - 0.013	60	0.008	0.006 - 0.010
New Hampshire	134	0.011	0.009 - 0.013	67	0.011	0.009 - 0.014	67	0.011	0.008 - 0.014
New Jersey	572	0.011	0.010 - 0.012	323	0.013	0.012 - 0.015	250	0.010	0.009 - 0.011
New Mexico	87	0.011	0.009 - 0.013	48	0.012	0.009 - 0.016	39	0.010	0.007 - 0.013
New York	1,279	0.012	0.011 - 0.012	727	0.013	0.012 - 0.014	552	0.010	0.009 - 0.011
North Carolina	649	0.010	0.009 - 0.011	335	0.010	0.009 - 0.012	314	0.009	0.008 - 0.010
North Dakota	61	0.009	0.007 - 0.012	32	0.010	0.007 - 0.014	29	0.009	0.006 - 0.013
Ohio	926	0.010	0.009 - 0.011	522	0.011	0.010 - 0.012	404	0.008	0.008 - 0.009
Oklahoma	249	0.009	0.008 - 0.010	139	0.010	0.009 - 0.012	110	0.008	0.007 - 0.010
Oregon	332	0.010	0.009 - 0.012	197	0.012	0.011 - 0.014	135	0.008	0.007 - 0.010
Pennsylvania	1,033	0.010	0.010 - 0.011	600	0.012	0.011 - 0.013	433	0.009	0.008 - 0.009
Rhode Island	82	0.011	0.008 - 0.013	42	0.011	0.008 - 0.015	40	0.010	0.007 - 0.013
South Carolina	295	0.009	0.008 - 0.010	155	0.010	0.008 - 0.012	140	0.008	0.007 - 0.010
Tennessee	420	0.008	0.008 - 0.009	217	0.009	0.008 - 0.010	203	0.008	0.007 - 0.009
Texas	1,321	0.011	0.010 - 0.012	734	0.012	0.011 - 0.013	587	0.010	0.009 - 0.010
Utah	208	0.008	0.007 - 0.010	119	0.010	0.008 - 0.012	89	0.007	0.006 - 0.009
Vermont	48	0.008	0.006 - 0.011	28	0.010	0.006 - 0.014	20	0.007	0.004 - 0.010
Virginia	449	0.008	0.008 - 0.009	255	0.010	0.008 - 0.011	194	0.007	0.006 - 0.008
Washington ³	566	0.011	0.010 - 0.012	327	0.013	0.011 - 0.014	239	0.009	0.008 - 0.010
WA - Seattle	419	0.012	0.011 - 0.013	238	0.014	0.012 - 0.015	181	0.010	0.009 - 0.012
West Virginia	191	0.011	0.010 - 0.013	112	0.013	0.011 - 0.016	79	0.009	0.007 - 0.011
Wisconsin	428	0.009	0.008 - 0.010	244	0.010	0.009 - 0.012	184	0.008	0.007 - 0.009
Wyoming	47	0.009	0.007 - 0.013	25	0.010	0.006 - 0.015	22	0.009	0.006 - 0.014

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	66,766	0.033	0.033 - 0.034	18,085	0.018	0.018 - 0.019	48,697	0.048	0.047 - 0.048
Alabama	811	0.025	0.023 - 0.027	206	0.013	0.011 - 0.015	605	0.037	0.034 - 0.040
Alaska	113	0.024	0.020 - 0.029	33	0.013	0.009 - 0.018	80	0.036	0.028 - 0.045
Arizona	1,251	0.032	0.030 - 0.034	357	0.018	0.017 - 0.020	894	0.045	0.042 - 0.048
Arkansas	645	0.029	0.027 - 0.032	179	0.016	0.014 - 0.019	466	0.041	0.038 - 0.045
California	4,830	0.032	0.031 - 0.033	1,430	0.019	0.018 - 0.020	3,400	0.044	0.043 - 0.046
CA - Greater California	2,924	0.031	0.029 - 0.032	829	0.017	0.016 - 0.019	2,096	0.044	0.042 - 0.045
CA - Greater Bay Area	890	0.030	0.028 - 0.032	294	0.020	0.018 - 0.022	596	0.041	0.038 - 0.045
CA - Los Angeles	1,016	0.037	0.034 - 0.039	308	0.022	0.020 - 0.025	709	0.051	0.048 - 0.055
Colorado	1,256	0.032	0.031 - 0.034	341	0.018	0.016 - 0.019	915	0.047	0.044 - 0.050
Connecticut	993	0.041	0.038 - 0.043	293	0.025	0.022 - 0.028	700	0.056	0.052 - 0.060
Delaware	242	0.040	0.035 - 0.045	58	0.020	0.015 - 0.026	184	0.059	0.051 - 0.068
District of Columbia	81	0.031	0.025 - 0.039	23	0.018	0.011 - 0.027	58	0.045	0.034 - 0.058
Florida	3,177	0.028	0.027 - 0.029	884	0.016	0.015 - 0.017	2,293	0.039	0.038 - 0.041
Georgia	1,707	0.031	0.029 - 0.032	426	0.015	0.014 - 0.017	1,281	0.045	0.043 - 0.048
Hawaii	85	0.027	0.022 - 0.034	30	0.018	0.012 - 0.025	55	0.039	0.029 - 0.051
Idaho	457	0.032	0.029 - 0.035	112	0.016	0.013 - 0.019	345	0.049	0.044 - 0.054
Illinois	2,943	0.037	0.036 - 0.038	771	0.020	0.018 - 0.021	2,172	0.054	0.051 - 0.056
Iowa	880	0.032	0.030 - 0.035	240	0.018	0.016 - 0.020	640	0.046	0.043 - 0.050
Kentucky	1,363	0.036	0.034 - 0.038	354	0.019	0.017 - 0.021	1,009	0.052	0.049 - 0.055
Louisiana	1,025	0.037	0.035 - 0.039	260	0.019	0.017 - 0.021	765	0.054	0.050 - 0.058
Maine	452	0.036	0.033 - 0.039	133	0.022	0.018 - 0.026	319	0.050	0.044 - 0.055
Maryland	1,133	0.036	0.034 - 0.038	294	0.019	0.017 - 0.021	839	0.052	0.049 - 0.056
Michigan	2,208	0.029	0.028 - 0.030	565	0.015	0.014 - 0.016	1,643	0.043	0.041 - 0.045
MI - Detroit	986	0.039	0.037 - 0.042	249	0.020	0.018 - 0.023	737	0.058	0.054 - 0.062
Minnesota	1,241	0.028	0.026 - 0.029	363	0.016	0.015 - 0.018	878	0.039	0.036 - 0.041
Mississippi	460	0.027	0.024 - 0.029	113	0.013	0.011 - 0.016	347	0.040	0.036 - 0.044
Missouri	1,316	0.027	0.025 - 0.028	337	0.014	0.012 - 0.015	979	0.039	0.037 - 0.042
Montana	276	0.030	0.027 - 0.034	72	0.016	0.012 - 0.020	204	0.045	0.039 - 0.051
Nebraska	488	0.032	0.029 - 0.035	122	0.016	0.013 - 0.019	366	0.047	0.043 - 0.052
Nevada	523	0.035	0.032 - 0.038	150	0.020	0.017 - 0.023	373	0.050	0.045 - 0.056
New Hampshire	406	0.033	0.030 - 0.036	98	0.016	0.013 - 0.020	308	0.049	0.044 - 0.055
New Jersey	2,427	0.048	0.046 - 0.050	657	0.027	0.025 - 0.029	1,770	0.069	0.066 - 0.072
New Mexico	309	0.038	0.034 - 0.043	87	0.022	0.018 - 0.027	222	0.055	0.048 - 0.062
New York	5,131	0.046	0.045 - 0.047	1,423	0.026	0.025 - 0.028	3,708	0.065	0.063 - 0.067
North Carolina	1,909	0.029	0.028 - 0.030	524	0.016	0.015 - 0.018	1,385	0.041	0.039 - 0.044
North Dakota	220	0.034	0.030 - 0.039	56	0.017	0.013 - 0.022	164	0.052	0.044 - 0.060
Ohio	3,189	0.034	0.033 - 0.035	796	0.017	0.016 - 0.019	2,393	0.050	0.048 - 0.052
Oklahoma	785	0.029	0.027 - 0.031	210	0.016	0.014 - 0.018	575	0.042	0.038 - 0.045
Oregon	965	0.030	0.028 - 0.032	270	0.017	0.015 - 0.019	695	0.043	0.040 - 0.046
Pennsylvania	4,474	0.045	0.044 - 0.046	1,194	0.025	0.023 - 0.026	3,280	0.065	0.063 - 0.067
Rhode Island	330	0.042	0.038 - 0.047	83	0.022	0.018 - 0.027	247	0.061	0.054 - 0.069
South Carolina	864	0.027	0.025 - 0.029	234	0.015	0.013 - 0.017	630	0.038	0.035 - 0.041
Tennessee	1,569	0.031	0.030 - 0.033	434	0.018	0.016 - 0.019	1,135	0.044	0.042 - 0.047
Texas	3,438	0.028	0.027 - 0.029	983	0.016	0.015 - 0.017	2,455	0.040	0.039 - 0.042
Utah	833	0.034	0.032 - 0.036	215	0.017	0.015 - 0.020	618	0.051	0.047 - 0.055
Vermont	200	0.034	0.029 - 0.039	63	0.022	0.017 - 0.028	137	0.046	0.039 - 0.054
Virginia	1,508	0.028	0.027 - 0.030	425	0.016	0.015 - 0.018	1,083	0.040	0.038 - 0.042
Washington ³	1,607	0.031	0.029 - 0.032	442	0.017	0.015 - 0.019	1,165	0.044	0.042 - 0.047
WA - Seattle	1,133	0.032	0.030 - 0.034	323	0.018	0.016 - 0.020	810	0.046	0.043 - 0.049
West Virginia	612	0.036	0.033 - 0.039	132	0.016	0.013 - 0.019	480	0.056	0.051 - 0.061
Wisconsin	1,519	0.032	0.030 - 0.034	414	0.018	0.016 - 0.019	1,105	0.046	0.043 - 0.049
Wyoming	174	0.035	0.030 - 0.041	42	0.017	0.012 - 0.023	132	0.054	0.045 - 0.064

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,802	0.005	0.005 - 0.005	5,951	0.006	0.006 - 0.006	4,849	0.005	0.005 - 0.005
Alabama	138	0.004	0.004 - 0.005	69	0.004	0.003 - 0.006	69	0.004	0.003 - 0.005
Alaska	24	0.005	0.003 - 0.008	14	0.006	0.003 - 0.009	10	0.004	0.002 - 0.008
Arizona	169	0.004	0.004 - 0.005	98	0.005	0.004 - 0.006	71	0.004	0.003 - 0.005
Arkansas	114	0.005	0.004 - 0.006	60	0.006	0.004 - 0.007	54	0.005	0.004 - 0.006
California	800	0.005	0.005 - 0.006	459	0.006	0.005 - 0.007	341	0.004	0.004 - 0.005
CA - Greater California	500	0.005	0.005 - 0.006	291	0.006	0.005 - 0.007	209	0.004	0.004 - 0.005
CA - Greater Bay Area	150	0.005	0.004 - 0.006	86	0.006	0.005 - 0.007	64	0.004	0.003 - 0.006
CA - Los Angeles	150	0.005	0.005 - 0.006	82	0.006	0.005 - 0.007	68	0.005	0.004 - 0.006
Colorado	169	0.004	0.004 - 0.005	102	0.005	0.004 - 0.006	67	0.003	0.003 - 0.004
Connecticut	144	0.006	0.005 - 0.007	84	0.007	0.006 - 0.009	60	0.005	0.004 - 0.006
Delaware	40	0.007	0.005 - 0.009	17	0.006	0.003 - 0.009	23	0.007	0.005 - 0.011
District of Columbia	13	0.005	0.003 - 0.009	-	-	-	-	-	-
Florida	666	0.006	0.005 - 0.006	342	0.006	0.005 - 0.007	324	0.006	0.005 - 0.006
Georgia	276	0.005	0.004 - 0.006	155	0.006	0.005 - 0.007	121	0.004	0.004 - 0.005
Hawaii	17	0.005	0.003 - 0.009	-	-	-	-	-	-
Idaho	57	0.004	0.003 - 0.005	31	0.004	0.003 - 0.006	26	0.004	0.002 - 0.005
Illinois	425	0.005	0.005 - 0.006	250	0.006	0.006 - 0.007	175	0.004	0.004 - 0.005
Iowa	161	0.006	0.005 - 0.007	83	0.006	0.005 - 0.008	78	0.006	0.004 - 0.007
Kentucky	195	0.005	0.004 - 0.006	113	0.006	0.005 - 0.007	82	0.004	0.003 - 0.005
Louisiana	163	0.006	0.005 - 0.007	90	0.007	0.005 - 0.008	73	0.005	0.004 - 0.006
Maine	78	0.006	0.005 - 0.008	41	0.007	0.005 - 0.009	37	0.006	0.004 - 0.008
Maryland	180	0.006	0.005 - 0.007	101	0.007	0.005 - 0.008	79	0.005	0.004 - 0.006
Michigan	378	0.005	0.004 - 0.006	205	0.005	0.005 - 0.006	173	0.005	0.004 - 0.005
MI - Detroit	143	0.006	0.005 - 0.007	84	0.007	0.005 - 0.008	59	0.005	0.004 - 0.006
Minnesota	283	0.006	0.006 - 0.007	167	0.007	0.006 - 0.009	116	0.005	0.004 - 0.006
Mississippi	70	0.004	0.003 - 0.005	39	0.005	0.003 - 0.006	31	0.004	0.002 - 0.005
Missouri	272	0.006	0.005 - 0.006	148	0.006	0.005 - 0.007	124	0.005	0.004 - 0.006
Montana	44	0.005	0.003 - 0.006	24	0.005	0.003 - 0.008	20	0.004	0.003 - 0.007
Nebraska	79	0.005	0.004 - 0.006	54	0.007	0.005 - 0.009	25	0.003	0.002 - 0.005
Nevada	55	0.004	0.003 - 0.005	21	0.003	0.002 - 0.004	34	0.005	0.003 - 0.006
New Hampshire	77	0.006	0.005 - 0.008	44	0.007	0.005 - 0.010	33	0.005	0.004 - 0.007
New Jersey	356	0.007	0.006 - 0.008	201	0.008	0.007 - 0.009	155	0.006	0.005 - 0.007
New Mexico	41	0.005	0.004 - 0.007	26	0.007	0.004 - 0.010	15	0.004	0.002 - 0.006
New York	774	0.007	0.006 - 0.007	416	0.008	0.007 - 0.008	358	0.006	0.006 - 0.007
North Carolina	315	0.005	0.004 - 0.005	185	0.006	0.005 - 0.007	130	0.004	0.003 - 0.005
North Dakota	35	0.005	0.004 - 0.008	18	0.005	0.003 - 0.009	17	0.005	0.003 - 0.009
Ohio	503	0.005	0.005 - 0.006	292	0.006	0.006 - 0.007	211	0.004	0.004 - 0.005
Oklahoma	119	0.004	0.004 - 0.005	65	0.005	0.004 - 0.006	54	0.004	0.003 - 0.005
Oregon	140	0.004	0.004 - 0.005	70	0.004	0.003 - 0.006	70	0.004	0.003 - 0.005
Pennsylvania	627	0.006	0.006 - 0.007	362	0.007	0.007 - 0.008	265	0.005	0.005 - 0.006
Rhode Island	48	0.006	0.005 - 0.008	25	0.007	0.004 - 0.010	23	0.006	0.004 - 0.009
South Carolina	157	0.005	0.004 - 0.006	81	0.005	0.004 - 0.006	76	0.005	0.004 - 0.006
Tennessee	261	0.005	0.005 - 0.006	134	0.005	0.005 - 0.006	127	0.005	0.004 - 0.006
Texas	576	0.005	0.004 - 0.005	277	0.005	0.004 - 0.005	299	0.005	0.004 - 0.005
Utah	125	0.005	0.004 - 0.006	61	0.005	0.004 - 0.006	64	0.005	0.004 - 0.007
Vermont	28	0.005	0.003 - 0.007	14	0.005	0.003 - 0.008	14	0.005	0.003 - 0.008
Virginia	232	0.004	0.004 - 0.005	117	0.004	0.004 - 0.005	115	0.004	0.004 - 0.005
Washington ³	291	0.006	0.005 - 0.006	165	0.006	0.005 - 0.007	126	0.005	0.004 - 0.006
WA - Seattle	201	0.006	0.005 - 0.007	117	0.007	0.005 - 0.008	84	0.005	0.004 - 0.006
West Virginia	70	0.004	0.003 - 0.005	41	0.005	0.004 - 0.007	29	0.003	0.002 - 0.005
Wisconsin	285	0.006	0.005 - 0.007	173	0.007	0.006 - 0.008	112	0.005	0.004 - 0.006
Wyoming	17	0.003	0.002 - 0.005	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	88,259	0.044	0.044 - 0.044	48,328	0.049	0.048 - 0.049	39,915	0.039	0.039 - 0.040
Alabama	1,132	0.035	0.033 - 0.037	629	0.040	0.037 - 0.043	503	0.030	0.028 - 0.033
Alaska	154	0.032	0.027 - 0.038	100	0.040	0.032 - 0.048	54	0.024	0.018 - 0.032
Arizona	1,515	0.039	0.037 - 0.041	855	0.044	0.041 - 0.047	660	0.033	0.031 - 0.036
Arkansas	878	0.040	0.037 - 0.042	485	0.045	0.041 - 0.049	393	0.035	0.032 - 0.039
California	7,103	0.046	0.045 - 0.048	4,074	0.053	0.052 - 0.055	3,029	0.040	0.038 - 0.041
CA - Greater California	4,222	0.044	0.043 - 0.045	2,414	0.051	0.049 - 0.053	1,809	0.038	0.036 - 0.039
CA - Greater Bay Area	1,544	0.053	0.050 - 0.055	908	0.061	0.057 - 0.065	636	0.044	0.041 - 0.047
CA - Los Angeles	1,333	0.048	0.045 - 0.051	751	0.054	0.050 - 0.058	582	0.042	0.039 - 0.046
Colorado	1,370	0.035	0.033 - 0.037	769	0.040	0.037 - 0.042	601	0.031	0.029 - 0.034
Connecticut	1,328	0.054	0.051 - 0.057	719	0.060	0.056 - 0.065	609	0.049	0.045 - 0.053
Delaware	309	0.051	0.045 - 0.057	161	0.055	0.047 - 0.064	148	0.047	0.040 - 0.055
District of Columbia	51	0.020	0.015 - 0.026	30	0.023	0.016 - 0.033	21	0.016	0.010 - 0.025
Florida	7,041	0.061	0.060 - 0.063	3,842	0.068	0.066 - 0.070	3,199	0.055	0.053 - 0.057
Georgia	2,236	0.040	0.038 - 0.042	1,242	0.045	0.043 - 0.048	994	0.035	0.033 - 0.037
Hawaii	133	0.043	0.036 - 0.051	78	0.046	0.037 - 0.058	55	0.039	0.029 - 0.050
Idaho	561	0.040	0.036 - 0.043	304	0.043	0.038 - 0.048	257	0.036	0.032 - 0.041
Illinois	3,643	0.046	0.044 - 0.047	1,969	0.050	0.048 - 0.052	1,674	0.041	0.039 - 0.043
Iowa	1,199	0.044	0.042 - 0.047	638	0.047	0.044 - 0.051	561	0.041	0.037 - 0.044
Kentucky	1,487	0.039	0.037 - 0.041	791	0.042	0.039 - 0.045	696	0.036	0.033 - 0.039
Louisiana	1,144	0.041	0.039 - 0.044	643	0.047	0.043 - 0.051	501	0.035	0.032 - 0.039
Maine	616	0.049	0.045 - 0.053	358	0.058	0.052 - 0.064	258	0.040	0.035 - 0.045
Maryland	1,349	0.043	0.041 - 0.045	738	0.048	0.044 - 0.051	611	0.038	0.035 - 0.041
Michigan	3,401	0.045	0.043 - 0.046	1,867	0.050	0.047 - 0.052	1,534	0.040	0.038 - 0.042
MI - Detroit	1,240	0.049	0.047 - 0.052	667	0.054	0.050 - 0.058	574	0.045	0.041 - 0.049
Minnesota	2,046	0.045	0.043 - 0.047	1,169	0.052	0.049 - 0.055	877	0.039	0.036 - 0.041
Mississippi	624	0.036	0.034 - 0.039	329	0.039	0.035 - 0.044	295	0.034	0.030 - 0.038
Missouri	2,004	0.041	0.039 - 0.043	1,085	0.045	0.042 - 0.048	919	0.037	0.034 - 0.039
Montana	375	0.041	0.037 - 0.045	211	0.046	0.040 - 0.052	165	0.036	0.031 - 0.042
Nebraska	630	0.041	0.038 - 0.044	338	0.045	0.040 - 0.050	292	0.038	0.034 - 0.042
Nevada	540	0.036	0.033 - 0.039	304	0.040	0.035 - 0.044	236	0.032	0.028 - 0.036
New Hampshire	587	0.048	0.044 - 0.052	313	0.052	0.046 - 0.058	274	0.044	0.039 - 0.050
New Jersey	2,792	0.056	0.054 - 0.058	1,484	0.061	0.058 - 0.064	1,308	0.051	0.048 - 0.054
New Mexico	324	0.040	0.036 - 0.045	171	0.043	0.037 - 0.050	153	0.038	0.032 - 0.044
New York	5,923	0.053	0.052 - 0.055	3,169	0.058	0.056 - 0.060	2,753	0.049	0.047 - 0.050
North Carolina	2,621	0.040	0.038 - 0.041	1,414	0.044	0.042 - 0.046	1,207	0.036	0.034 - 0.038
North Dakota	223	0.034	0.030 - 0.039	122	0.037	0.031 - 0.044	101	0.032	0.026 - 0.039
Ohio	3,807	0.041	0.039 - 0.042	2,071	0.045	0.043 - 0.047	1,736	0.037	0.035 - 0.038
Oklahoma	967	0.036	0.033 - 0.038	506	0.038	0.035 - 0.041	461	0.034	0.031 - 0.037
Oregon	1,348	0.042	0.040 - 0.044	752	0.048	0.044 - 0.051	596	0.037	0.034 - 0.040
Pennsylvania	4,841	0.049	0.047 - 0.050	2,572	0.053	0.051 - 0.055	2,269	0.045	0.043 - 0.047
Rhode Island	395	0.051	0.046 - 0.056	210	0.056	0.049 - 0.064	185	0.046	0.039 - 0.053
South Carolina	1,229	0.038	0.036 - 0.040	681	0.043	0.040 - 0.047	548	0.033	0.031 - 0.036
Tennessee	1,855	0.037	0.035 - 0.039	1,043	0.043	0.040 - 0.045	812	0.032	0.030 - 0.034
Texas	4,668	0.039	0.037 - 0.040	2,550	0.043	0.041 - 0.044	2,118	0.035	0.033 - 0.036
Utah	658	0.027	0.025 - 0.029	371	0.030	0.027 - 0.033	287	0.024	0.021 - 0.026
Vermont	243	0.041	0.036 - 0.047	141	0.049	0.041 - 0.057	102	0.034	0.028 - 0.042
Virginia	1,984	0.037	0.035 - 0.039	1,091	0.041	0.039 - 0.044	893	0.033	0.031 - 0.035
Washington ³	2,171	0.042	0.040 - 0.043	1,208	0.046	0.044 - 0.049	963	0.037	0.034 - 0.039
WA - Seattle	1,556	0.044	0.042 - 0.046	874	0.049	0.046 - 0.053	682	0.039	0.036 - 0.042
West Virginia	748	0.044	0.041 - 0.047	379	0.045	0.041 - 0.050	369	0.043	0.038 - 0.047
Wisconsin	2,250	0.047	0.045 - 0.049	1,235	0.052	0.049 - 0.055	1,015	0.042	0.040 - 0.045
Wyoming	163	0.033	0.028 - 0.038	99	0.039	0.032 - 0.048	64	0.026	0.020 - 0.034

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	26,903	0.013	0.013 - 0.014	15,680	0.016	0.016 - 0.016	11,216	0.011	0.011 - 0.011
Alabama	374	0.012	0.010 - 0.013	203	0.013	0.011 - 0.015	171	0.010	0.009 - 0.012
Alaska	38	0.008	0.006 - 0.011	22	0.009	0.005 - 0.013	16	0.007	0.004 - 0.012
Arizona	436	0.011	0.010 - 0.012	266	0.014	0.012 - 0.015	170	0.009	0.007 - 0.010
Arkansas	259	0.012	0.010 - 0.013	149	0.014	0.012 - 0.016	110	0.010	0.008 - 0.012
California	2,075	0.014	0.013 - 0.014	1,240	0.016	0.015 - 0.017	835	0.011	0.010 - 0.012
CA - Greater California	1,277	0.013	0.013 - 0.014	757	0.016	0.015 - 0.017	520	0.011	0.010 - 0.012
CA - Greater Bay Area	441	0.015	0.014 - 0.017	275	0.019	0.016 - 0.021	166	0.011	0.010 - 0.013
CA - Los Angeles	357	0.013	0.012 - 0.014	208	0.015	0.013 - 0.017	149	0.011	0.009 - 0.013
Colorado	441	0.011	0.010 - 0.012	273	0.014	0.012 - 0.016	168	0.009	0.007 - 0.010
Connecticut	406	0.017	0.015 - 0.018	226	0.019	0.017 - 0.022	179	0.014	0.012 - 0.017
Delaware	91	0.015	0.012 - 0.018	50	0.017	0.013 - 0.022	41	0.013	0.009 - 0.018
District of Columbia	23	0.009	0.006 - 0.013	12	0.009	0.005 - 0.016	11	0.009	0.004 - 0.015
Florida	2,291	0.020	0.019 - 0.021	1,349	0.024	0.023 - 0.025	942	0.016	0.015 - 0.017
Georgia	701	0.013	0.012 - 0.014	399	0.015	0.013 - 0.016	302	0.011	0.009 - 0.012
Hawaii	50	0.016	0.012 - 0.021	32	0.019	0.013 - 0.027	18	0.013	0.008 - 0.020
Idaho	180	0.013	0.011 - 0.015	118	0.017	0.014 - 0.020	62	0.009	0.007 - 0.011
Illinois	970	0.012	0.011 - 0.013	543	0.014	0.013 - 0.015	427	0.011	0.010 - 0.012
Iowa	383	0.014	0.013 - 0.016	226	0.017	0.015 - 0.019	157	0.011	0.010 - 0.013
Kentucky	474	0.012	0.011 - 0.014	292	0.016	0.014 - 0.018	182	0.009	0.008 - 0.011
Louisiana	365	0.013	0.012 - 0.015	196	0.014	0.012 - 0.016	169	0.012	0.010 - 0.014
Maine	156	0.012	0.011 - 0.014	94	0.015	0.012 - 0.019	62	0.010	0.007 - 0.012
Maryland	398	0.013	0.011 - 0.014	219	0.014	0.012 - 0.016	179	0.011	0.010 - 0.013
Michigan	1,032	0.014	0.013 - 0.014	613	0.016	0.015 - 0.018	419	0.011	0.010 - 0.012
MI - Detroit	361	0.014	0.013 - 0.016	221	0.018	0.016 - 0.020	140	0.011	0.009 - 0.013
Minnesota	614	0.014	0.013 - 0.015	370	0.017	0.015 - 0.018	244	0.011	0.009 - 0.012
Mississippi	190	0.011	0.010 - 0.013	108	0.013	0.011 - 0.016	82	0.009	0.007 - 0.012
Missouri	597	0.012	0.011 - 0.013	356	0.015	0.013 - 0.016	241	0.010	0.008 - 0.011
Montana	148	0.016	0.014 - 0.019	90	0.019	0.016 - 0.024	58	0.013	0.010 - 0.016
Nebraska	188	0.012	0.011 - 0.014	108	0.014	0.012 - 0.017	80	0.010	0.008 - 0.013
Nevada	129	0.009	0.007 - 0.010	70	0.009	0.007 - 0.012	59	0.008	0.006 - 0.010
New Hampshire	160	0.013	0.011 - 0.015	94	0.015	0.013 - 0.019	66	0.011	0.008 - 0.013
New Jersey	795	0.016	0.015 - 0.017	461	0.019	0.017 - 0.021	334	0.013	0.012 - 0.014
New Mexico	111	0.014	0.011 - 0.017	69	0.017	0.014 - 0.022	42	0.010	0.007 - 0.014
New York	1,805	0.016	0.016 - 0.017	1,062	0.020	0.018 - 0.021	744	0.013	0.012 - 0.014
North Carolina	858	0.013	0.012 - 0.014	497	0.015	0.014 - 0.017	361	0.011	0.010 - 0.012
North Dakota	80	0.012	0.010 - 0.015	46	0.014	0.010 - 0.019	34	0.011	0.007 - 0.015
Ohio	1,034	0.011	0.010 - 0.012	601	0.013	0.012 - 0.014	433	0.009	0.008 - 0.010
Oklahoma	338	0.012	0.011 - 0.014	210	0.016	0.014 - 0.018	128	0.009	0.008 - 0.011
Oregon	364	0.011	0.010 - 0.013	208	0.013	0.011 - 0.015	156	0.010	0.008 - 0.011
Pennsylvania	1,403	0.014	0.013 - 0.015	828	0.017	0.016 - 0.018	575	0.011	0.010 - 0.012
Rhode Island	88	0.011	0.009 - 0.014	57	0.015	0.011 - 0.020	31	0.008	0.005 - 0.011
South Carolina	409	0.013	0.011 - 0.014	231	0.015	0.013 - 0.017	178	0.011	0.009 - 0.013
Tennessee	591	0.012	0.011 - 0.013	333	0.014	0.012 - 0.015	258	0.010	0.009 - 0.011
Texas	1,672	0.014	0.013 - 0.014	946	0.016	0.015 - 0.017	726	0.012	0.011 - 0.013
Utah	212	0.009	0.008 - 0.010	115	0.009	0.008 - 0.011	97	0.008	0.006 - 0.010
Vermont	74	0.013	0.010 - 0.016	40	0.014	0.010 - 0.019	34	0.011	0.008 - 0.016
Virginia	591	0.011	0.010 - 0.012	333	0.013	0.011 - 0.014	258	0.010	0.008 - 0.011
Washington ³	668	0.013	0.012 - 0.014	392	0.015	0.014 - 0.017	276	0.011	0.009 - 0.012
WA - Seattle	493	0.014	0.013 - 0.015	285	0.016	0.014 - 0.018	208	0.012	0.010 - 0.013
West Virginia	199	0.012	0.010 - 0.013	123	0.015	0.012 - 0.018	76	0.009	0.007 - 0.011
Wisconsin	699	0.015	0.014 - 0.016	408	0.017	0.016 - 0.019	291	0.012	0.011 - 0.014
Wyoming	50	0.010	0.008 - 0.013	31	0.012	0.008 - 0.017	20	0.008	0.005 - 0.012

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	56,343	0.028	0.028 - 0.028	33,637	0.034	0.034 - 0.034	22,692	0.022	0.022 - 0.023
Alabama	725	0.022	0.021 - 0.024	423	0.027	0.024 - 0.029	302	0.018	0.016 - 0.020
Alaska	80	0.017	0.013 - 0.021	54	0.021	0.016 - 0.028	26	0.012	0.008 - 0.017
Arizona	773	0.020	0.018 - 0.021	469	0.024	0.022 - 0.027	304	0.015	0.014 - 0.017
Arkansas	604	0.027	0.025 - 0.030	354	0.033	0.029 - 0.036	250	0.022	0.020 - 0.025
California	4,101	0.027	0.026 - 0.028	2,484	0.033	0.031 - 0.034	1,617	0.021	0.020 - 0.022
CA - Greater California	2,484	0.026	0.025 - 0.027	1,503	0.032	0.030 - 0.033	981	0.020	0.019 - 0.022
CA - Greater Bay Area	861	0.029	0.027 - 0.031	543	0.037	0.034 - 0.040	318	0.022	0.020 - 0.025
CA - Los Angeles	755	0.027	0.025 - 0.029	437	0.031	0.028 - 0.034	318	0.023	0.021 - 0.026
Colorado	867	0.022	0.021 - 0.024	537	0.028	0.025 - 0.030	330	0.017	0.015 - 0.019
Connecticut	711	0.029	0.027 - 0.031	421	0.035	0.032 - 0.039	290	0.023	0.021 - 0.026
Delaware	168	0.028	0.024 - 0.032	102	0.035	0.028 - 0.042	66	0.021	0.016 - 0.027
District of Columbia	30	0.012	0.008 - 0.017	19	0.015	0.009 - 0.023	11	0.009	0.004 - 0.015
Florida	5,261	0.046	0.045 - 0.047	3,098	0.055	0.053 - 0.057	2,163	0.037	0.035 - 0.039
Georgia	1,486	0.027	0.025 - 0.028	865	0.031	0.029 - 0.034	622	0.022	0.020 - 0.024
Hawaii	77	0.025	0.020 - 0.031	54	0.032	0.024 - 0.042	23	0.016	0.010 - 0.024
Idaho	391	0.028	0.025 - 0.030	236	0.033	0.029 - 0.038	155	0.022	0.018 - 0.025
Illinois	1,914	0.024	0.023 - 0.025	1,125	0.029	0.027 - 0.030	789	0.019	0.018 - 0.021
Iowa	862	0.032	0.030 - 0.034	530	0.039	0.036 - 0.043	332	0.024	0.022 - 0.027
Kentucky	1,022	0.027	0.025 - 0.029	646	0.035	0.032 - 0.037	376	0.019	0.017 - 0.021
Louisiana	827	0.030	0.028 - 0.032	470	0.034	0.031 - 0.037	357	0.025	0.023 - 0.028
Maine	387	0.031	0.028 - 0.034	237	0.038	0.034 - 0.044	150	0.023	0.020 - 0.027
Maryland	798	0.025	0.024 - 0.027	475	0.031	0.028 - 0.034	323	0.020	0.018 - 0.022
Michigan	2,058	0.027	0.026 - 0.028	1,219	0.032	0.031 - 0.034	839	0.022	0.020 - 0.023
MI - Detroit	858	0.034	0.032 - 0.037	519	0.042	0.038 - 0.046	339	0.027	0.024 - 0.030
Minnesota	1,357	0.030	0.029 - 0.032	856	0.038	0.036 - 0.041	501	0.022	0.020 - 0.024
Mississippi	363	0.021	0.019 - 0.023	208	0.025	0.021 - 0.028	155	0.018	0.015 - 0.021
Missouri	1,190	0.024	0.023 - 0.026	712	0.029	0.027 - 0.032	478	0.019	0.017 - 0.021
Montana	278	0.030	0.027 - 0.034	174	0.038	0.032 - 0.044	103	0.023	0.019 - 0.028
Nebraska	376	0.025	0.022 - 0.027	225	0.030	0.026 - 0.034	151	0.020	0.017 - 0.023
Nevada	357	0.024	0.021 - 0.026	221	0.029	0.025 - 0.033	136	0.018	0.015 - 0.022
New Hampshire	308	0.025	0.022 - 0.028	192	0.032	0.027 - 0.036	116	0.019	0.015 - 0.022
New Jersey	1,621	0.032	0.031 - 0.034	971	0.040	0.037 - 0.042	651	0.025	0.023 - 0.027
New Mexico	275	0.034	0.030 - 0.039	144	0.036	0.031 - 0.043	131	0.032	0.027 - 0.038
New York	4,278	0.038	0.037 - 0.040	2,555	0.047	0.045 - 0.049	1,723	0.030	0.029 - 0.032
North Carolina	1,924	0.029	0.028 - 0.031	1,151	0.036	0.034 - 0.038	773	0.023	0.021 - 0.025
North Dakota	192	0.030	0.026 - 0.034	115	0.035	0.029 - 0.042	77	0.024	0.019 - 0.030
Ohio	1,882	0.020	0.019 - 0.021	1,118	0.024	0.023 - 0.026	764	0.016	0.015 - 0.017
Oklahoma	682	0.025	0.023 - 0.027	395	0.030	0.027 - 0.033	287	0.021	0.019 - 0.023
Oregon	789	0.025	0.023 - 0.026	458	0.029	0.026 - 0.032	331	0.020	0.018 - 0.023
Pennsylvania	2,965	0.030	0.029 - 0.031	1,765	0.036	0.035 - 0.038	1,200	0.024	0.022 - 0.025
Rhode Island	238	0.030	0.027 - 0.035	150	0.040	0.034 - 0.047	88	0.022	0.017 - 0.027
South Carolina	761	0.024	0.022 - 0.025	460	0.029	0.027 - 0.032	301	0.018	0.016 - 0.020
Tennessee	1,152	0.023	0.022 - 0.024	692	0.028	0.026 - 0.030	460	0.018	0.016 - 0.020
Texas	3,390	0.028	0.027 - 0.029	2,003	0.033	0.032 - 0.035	1,387	0.023	0.022 - 0.024
Utah	489	0.020	0.018 - 0.022	311	0.025	0.023 - 0.028	178	0.015	0.012 - 0.017
Vermont	113	0.019	0.016 - 0.023	68	0.023	0.018 - 0.030	45	0.015	0.011 - 0.020
Virginia	990	0.019	0.017 - 0.020	569	0.022	0.020 - 0.023	421	0.016	0.014 - 0.017
Washington ³	1,480	0.028	0.027 - 0.030	898	0.034	0.032 - 0.037	583	0.022	0.020 - 0.024
WA - Seattle	1,103	0.031	0.029 - 0.033	671	0.038	0.035 - 0.041	433	0.024	0.022 - 0.027
West Virginia	478	0.028	0.026 - 0.031	268	0.032	0.028 - 0.036	210	0.024	0.021 - 0.028
Wisconsin	1,552	0.033	0.031 - 0.034	953	0.040	0.038 - 0.043	599	0.025	0.023 - 0.027
Wyoming	126	0.025	0.021 - 0.030	75	0.030	0.023 - 0.037	51	0.021	0.016 - 0.028

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,592	0.001	0.001 - 0.001	1,842	0.002	0.002 - 0.002	748	0.001	0.001 - 0.001
Alabama	32	0.001	0.001 - 0.001	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	41	0.001	0.001 - 0.001	25	0.001	0.001 - 0.002	16	0.001	0.000 - 0.001
Arkansas	15	0.001	0.000 - 0.001	-	-	-	-	-	-
California	208	0.001	0.001 - 0.002	137	0.002	0.002 - 0.002	71	0.001	0.001 - 0.001
CA - Greater California	129	0.001	0.001 - 0.002	85	0.002	0.001 - 0.002	44	0.001	0.001 - 0.001
CA - Greater Bay Area	53	0.002	0.001 - 0.002	32	0.002	0.001 - 0.003	21	0.001	0.001 - 0.002
CA - Los Angeles	27	0.001	0.001 - 0.001	-	-	-	-	-	-
Colorado	48	0.001	0.001 - 0.002	31	0.002	0.001 - 0.002	17	0.001	0.001 - 0.001
Connecticut	35	0.001	0.001 - 0.002	-	-	-	-	-	-
Delaware	15	0.002	0.001 - 0.004	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	195	0.002	0.001 - 0.002	139	0.002	0.002 - 0.003	56	0.001	0.001 - 0.001
Georgia	41	0.001	0.001 - 0.001	31	0.001	0.001 - 0.002	10	0.000	0.000 - 0.001
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	23	0.002	0.001 - 0.002	-	-	-	-	-	-
Illinois	117	0.001	0.001 - 0.002	78	0.002	0.002 - 0.002	39	0.001	0.001 - 0.001
Iowa	37	0.001	0.001 - 0.002	-	-	-	-	-	-
Kentucky	27	0.001	0.000 - 0.001	-	-	-	-	-	-
Louisiana	51	0.002	0.001 - 0.002	26	0.002	0.001 - 0.003	25	0.002	0.001 - 0.003
Maine	26	0.002	0.001 - 0.003	-	-	-	-	-	-
Maryland	35	0.001	0.001 - 0.002	25	0.002	0.001 - 0.002	10	0.001	0.000 - 0.001
Michigan	108	0.001	0.001 - 0.002	75	0.002	0.002 - 0.003	33	0.001	0.001 - 0.001
MI - Detroit	29	0.001	0.001 - 0.002	17	0.001	0.001 - 0.002	12	0.001	0.000 - 0.002
Minnesota	70	0.002	0.001 - 0.002	45	0.002	0.001 - 0.003	25	0.001	0.001 - 0.002
Mississippi	21	0.001	0.001 - 0.002	-	-	-	-	-	-
Missouri	44	0.001	0.001 - 0.001	29	0.001	0.001 - 0.002	15	0.001	0.000 - 0.001
Montana	12	0.001	0.001 - 0.002	12	0.002	0.001 - 0.004	-	-	-
Nebraska	10	0.001	0.000 - 0.001	-	-	-	-	-	-
Nevada	12	0.001	0.000 - 0.001	-	-	-	-	-	-
New Hampshire	13	0.001	0.001 - 0.002	-	-	-	-	-	-
New Jersey	113	0.002	0.002 - 0.003	75	0.003	0.002 - 0.004	38	0.001	0.001 - 0.002
New Mexico	-	-	-	-	-	-	-	-	-
New York	159	0.001	0.001 - 0.002	108	0.002	0.002 - 0.002	51	0.001	0.001 - 0.001
North Carolina	67	0.001	0.001 - 0.001	46	0.001	0.001 - 0.002	21	0.001	0.000 - 0.001
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	135	0.001	0.001 - 0.002	102	0.002	0.002 - 0.003	33	0.001	0.000 - 0.001
Oklahoma	25	0.001	0.001 - 0.001	-	-	-	-	-	-
Oregon	37	0.001	0.001 - 0.002	24	0.002	0.001 - 0.002	13	0.001	0.000 - 0.001
Pennsylvania	156	0.002	0.001 - 0.002	112	0.002	0.002 - 0.003	44	0.001	0.001 - 0.001
Rhode Island	15	0.002	0.001 - 0.003	-	-	-	-	-	-
South Carolina	46	0.001	0.001 - 0.002	34	0.002	0.001 - 0.003	12	0.001	0.000 - 0.001
Tennessee	46	0.001	0.001 - 0.001	35	0.001	0.001 - 0.002	11	0.000	0.000 - 0.001
Texas	115	0.001	0.001 - 0.001	80	0.001	0.001 - 0.002	35	0.001	0.000 - 0.001
Utah	10	0.000	0.000 - 0.001	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	57	0.001	0.001 - 0.001	43	0.002	0.001 - 0.002	14	0.001	0.000 - 0.001
Washington ³	75	0.001	0.001 - 0.002	65	0.002	0.002 - 0.003	10	0.000	0.000 - 0.001
WA - Seattle	52	0.001	0.001 - 0.002	-	-	-	-	-	-
West Virginia	26	0.002	0.001 - 0.002	-	-	-	-	-	-
Wisconsin	72	0.002	0.001 - 0.002	56	0.002	0.002 - 0.003	16	0.001	0.000 - 0.001
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	271,045	0.642	0.640 - 0.645	133,972	0.663	0.660 - 0.667	137,081	0.623	0.620 - 0.627
Alabama	8,779	0.668	0.654 - 0.682	4,422	0.722	0.701 - 0.744	4,357	0.620	0.602 - 0.639
Alaska	110	0.342	0.281 - 0.412	60	0.333	0.254 - 0.428	50	0.353	0.262 - 0.465
Arizona	1,385	0.413	0.392 - 0.435	708	0.407	0.378 - 0.438	677	0.419	0.388 - 0.452
Arkansas	3,108	0.650	0.627 - 0.673	1,641	0.720	0.686 - 0.756	1,467	0.586	0.556 - 0.617
California	15,368	0.632	0.622 - 0.642	7,564	0.627	0.612 - 0.641	7,804	0.637	0.623 - 0.651
CA - Greater California	6,363	0.562	0.549 - 0.576	3,282	0.563	0.544 - 0.583	3,080	0.562	0.542 - 0.582
CA - Greater Bay Area	3,272	0.733	0.708 - 0.758	1,623	0.735	0.700 - 0.772	1,649	0.730	0.696 - 0.767
CA - Los Angeles	5,738	0.671	0.654 - 0.689	2,661	0.659	0.635 - 0.685	3,077	0.682	0.658 - 0.707
Colorado	1,256	0.490	0.463 - 0.518	689	0.505	0.468 - 0.544	567	0.473	0.435 - 0.514
Connecticut	2,537	0.665	0.639 - 0.691	1,244	0.681	0.644 - 0.720	1,294	0.649	0.614 - 0.686
Delaware	1,601	0.742	0.706 - 0.779	795	0.780	0.727 - 0.837	806	0.707	0.659 - 0.758
District of Columbia	2,357	0.726	0.697 - 0.756	1,035	0.704	0.662 - 0.748	1,322	0.744	0.704 - 0.785
Florida	18,755	0.562	0.554 - 0.570	9,240	0.575	0.563 - 0.587	9,515	0.549	0.538 - 0.560
Georgia	20,559	0.621	0.613 - 0.630	10,312	0.666	0.654 - 0.679	10,246	0.581	0.570 - 0.593
Hawaii	155	0.414	0.351 - 0.485	105	0.468	0.382 - 0.566	50	0.334	0.248 - 0.440
Idaho	43	0.251	0.182 - 0.338	30	0.313	0.211 - 0.446	13	0.173	0.092 - 0.295
Illinois	13,503	0.721	0.709 - 0.734	6,365	0.723	0.706 - 0.741	7,138	0.719	0.703 - 0.736
Iowa	547	0.412	0.378 - 0.448	297	0.422	0.375 - 0.472	250	0.401	0.353 - 0.454
Kentucky	2,331	0.603	0.579 - 0.628	1,098	0.571	0.538 - 0.606	1,233	0.634	0.599 - 0.670
Louisiana	10,387	0.678	0.665 - 0.692	5,264	0.724	0.705 - 0.744	5,123	0.637	0.620 - 0.655
Maine	65	0.269	0.208 - 0.343	32	0.245	0.168 - 0.346	33	0.297	0.205 - 0.418
Maryland	12,747	0.693	0.681 - 0.705	6,117	0.712	0.694 - 0.730	6,630	0.676	0.660 - 0.692
Michigan	10,055	0.692	0.678 - 0.706	4,936	0.713	0.694 - 0.734	5,119	0.672	0.654 - 0.691
MI - Detroit	7,490	0.764	0.746 - 0.781	3,627	0.804	0.778 - 0.831	3,863	0.729	0.706 - 0.752
Minnesota	1,497	0.389	0.370 - 0.409	798	0.407	0.379 - 0.436	699	0.371	0.344 - 0.400
Mississippi	7,635	0.674	0.659 - 0.690	3,930	0.738	0.715 - 0.762	3,705	0.618	0.598 - 0.638
Missouri	4,864	0.648	0.630 - 0.667	2,304	0.644	0.618 - 0.671	2,560	0.652	0.627 - 0.678
Montana	13	0.147	0.078 - 0.251	-	-	-	-	-	-
Nebraska	535	0.517	0.474 - 0.563	274	0.516	0.457 - 0.581	261	0.519	0.458 - 0.586
Nevada	1,262	0.440	0.416 - 0.465	593	0.415	0.382 - 0.450	669	0.464	0.429 - 0.501
New Hampshire	69	0.314	0.244 - 0.397	37	0.303	0.213 - 0.417	32	0.327	0.224 - 0.462
New Jersey	8,873	0.745	0.730 - 0.761	4,282	0.762	0.739 - 0.785	4,591	0.730	0.709 - 0.752
New Mexico	229	0.505	0.442 - 0.575	129	0.507	0.423 - 0.603	100	0.503	0.409 - 0.612
New York	21,986	0.742	0.732 - 0.752	10,826	0.784	0.769 - 0.799	11,160	0.705	0.692 - 0.718
North Carolina	16,024	0.710	0.699 - 0.721	7,938	0.751	0.735 - 0.768	8,086	0.673	0.659 - 0.688
North Dakota	44	0.176	0.128 - 0.236	26	0.178	0.117 - 0.261	18	0.173	0.102 - 0.273
Ohio	9,855	0.632	0.620 - 0.645	4,802	0.642	0.624 - 0.660	5,053	0.624	0.607 - 0.641
Oklahoma	1,799	0.542	0.517 - 0.568	902	0.543	0.508 - 0.580	897	0.541	0.506 - 0.578
Oregon	468	0.463	0.422 - 0.507	274	0.507	0.449 - 0.571	194	0.412	0.356 - 0.474
Pennsylvania	10,103	0.692	0.678 - 0.706	4,792	0.681	0.662 - 0.701	5,311	0.702	0.683 - 0.721
Rhode Island	322	0.457	0.409 - 0.510	155	0.442	0.375 - 0.518	167	0.472	0.403 - 0.549
South Carolina	9,594	0.698	0.684 - 0.712	4,850	0.754	0.733 - 0.775	4,744	0.649	0.631 - 0.668
Tennessee	7,070	0.611	0.596 - 0.625	3,490	0.637	0.616 - 0.659	3,580	0.587	0.568 - 0.606
Texas	19,088	0.555	0.547 - 0.563	9,348	0.562	0.550 - 0.573	9,740	0.549	0.538 - 0.560
Utah	127	0.292	0.244 - 0.348	81	0.329	0.261 - 0.409	46	0.244	0.179 - 0.326
Vermont	34	0.343	0.237 - 0.479	22	0.401	0.251 - 0.607	12	0.271	0.140 - 0.473
Virginia	11,234	0.669	0.656 - 0.681	5,680	0.704	0.686 - 0.723	5,554	0.636	0.619 - 0.653
Washington ³	1,714	0.493	0.470 - 0.517	951	0.513	0.481 - 0.546	762	0.471	0.438 - 0.505
WA - Seattle	1,581	0.523	0.497 - 0.549	867	0.541	0.506 - 0.579	713	0.502	0.465 - 0.540
West Virginia	489	0.672	0.614 - 0.734	277	0.707	0.626 - 0.795	212	0.631	0.549 - 0.722
Wisconsin	2,411	0.602	0.578 - 0.627	1,204	0.611	0.577 - 0.647	1,207	0.593	0.560 - 0.628
Wyoming	17	0.201	0.118 - 0.320	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,606	0.013	0.013 - 0.014	3,790	0.019	0.018 - 0.019	1,817	0.008	0.008 - 0.009
Alabama	189	0.014	0.012 - 0.017	115	0.019	0.016 - 0.023	74	0.011	0.008 - 0.013
Alaska	-	-	-	-	-	-	-	-	-
Arizona	18	0.005	0.003 - 0.008	-	-	-	-	-	-
Arkansas	74	0.015	0.012 - 0.019	48	0.021	0.016 - 0.028	26	0.010	0.007 - 0.015
California	326	0.013	0.012 - 0.015	236	0.020	0.017 - 0.022	89	0.007	0.006 - 0.009
CA - Greater California	138	0.012	0.010 - 0.014	106	0.018	0.015 - 0.022	32	0.006	0.004 - 0.008
CA - Greater Bay Area	64	0.014	0.011 - 0.018	42	0.019	0.014 - 0.026	22	0.010	0.006 - 0.015
CA - Los Angeles	124	0.015	0.012 - 0.017	88	0.022	0.018 - 0.027	36	0.008	0.006 - 0.011
Colorado	37	0.014	0.010 - 0.020	-	-	-	-	-	-
Connecticut	53	0.014	0.010 - 0.018	32	0.018	0.012 - 0.025	21	0.010	0.006 - 0.016
Delaware	22	0.010	0.006 - 0.015	-	-	-	-	-	-
District of Columbia	48	0.015	0.011 - 0.020	27	0.018	0.012 - 0.027	21	0.012	0.007 - 0.018
Florida	392	0.012	0.011 - 0.013	269	0.017	0.015 - 0.019	123	0.007	0.006 - 0.008
Georgia	431	0.013	0.012 - 0.014	276	0.018	0.016 - 0.020	155	0.009	0.007 - 0.010
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	310	0.017	0.015 - 0.019	204	0.023	0.020 - 0.027	106	0.011	0.009 - 0.013
Iowa	11	0.008	0.004 - 0.015	-	-	-	-	-	-
Kentucky	53	0.014	0.010 - 0.018	34	0.018	0.012 - 0.025	19	0.010	0.006 - 0.015
Louisiana	202	0.013	0.011 - 0.015	147	0.020	0.017 - 0.024	55	0.007	0.005 - 0.009
Maine	-	-	-	-	-	-	-	-	-
Maryland	229	0.012	0.011 - 0.014	148	0.017	0.015 - 0.020	81	0.008	0.007 - 0.010
Michigan	224	0.015	0.013 - 0.018	147	0.021	0.018 - 0.025	77	0.010	0.008 - 0.013
MI - Detroit	160	0.016	0.014 - 0.019	107	0.024	0.019 - 0.029	53	0.010	0.007 - 0.013
Minnesota	43	0.011	0.008 - 0.015	27	0.014	0.009 - 0.020	16	0.008	0.005 - 0.014
Mississippi	169	0.015	0.013 - 0.017	116	0.022	0.018 - 0.026	53	0.009	0.007 - 0.012
Missouri	108	0.014	0.012 - 0.017	70	0.020	0.015 - 0.025	38	0.010	0.007 - 0.013
Montana	-	-	-	-	-	-	-	-	-
Nebraska	16	0.015	0.009 - 0.025	-	-	-	-	-	-
Nevada	39	0.014	0.010 - 0.019	28	0.020	0.013 - 0.028	11	0.008	0.004 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	169	0.014	0.012 - 0.016	120	0.021	0.018 - 0.026	49	0.008	0.006 - 0.010
New Mexico	-	-	-	-	-	-	-	-	-
New York	387	0.013	0.012 - 0.014	243	0.018	0.015 - 0.020	144	0.009	0.008 - 0.011
North Carolina	355	0.016	0.014 - 0.017	258	0.024	0.022 - 0.028	97	0.008	0.007 - 0.010
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	192	0.012	0.011 - 0.014	135	0.018	0.015 - 0.021	57	0.007	0.005 - 0.009
Oklahoma	26	0.008	0.005 - 0.011	16	0.010	0.006 - 0.016	10	0.006	0.003 - 0.011
Oregon	10	0.010	0.005 - 0.018	-	-	-	-	-	-
Pennsylvania	239	0.016	0.014 - 0.019	162	0.023	0.020 - 0.027	77	0.010	0.008 - 0.013
Rhode Island	10	0.014	0.007 - 0.026	-	-	-	-	-	-
South Carolina	191	0.014	0.012 - 0.016	141	0.022	0.018 - 0.026	50	0.007	0.005 - 0.009
Tennessee	139	0.012	0.010 - 0.014	95	0.017	0.014 - 0.021	44	0.007	0.005 - 0.010
Texas	380	0.011	0.010 - 0.012	242	0.015	0.013 - 0.016	138	0.008	0.007 - 0.009
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	237	0.014	0.012 - 0.016	169	0.021	0.018 - 0.024	68	0.008	0.006 - 0.010
Washington ³	33	0.009	0.007 - 0.013	-	-	-	-	-	-
WA - Seattle	30	0.010	0.007 - 0.014	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	44	0.011	0.008 - 0.015	28	0.014	0.009 - 0.021	16	0.008	0.004 - 0.013
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,421	0.003	0.003 - 0.004	926	0.005	0.004 - 0.005	495	0.002	0.002 - 0.002
Alabama	50	0.004	0.003 - 0.005	33	0.005	0.004 - 0.008	17	0.002	0.001 - 0.004
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	11	0.002	0.001 - 0.004	-	-	-	-	-	-
California	60	0.002	0.002 - 0.003	38	0.003	0.002 - 0.004	22	0.002	0.001 - 0.003
CA - Greater California	22	0.002	0.001 - 0.003	11	0.002	0.001 - 0.003	11	0.002	0.001 - 0.004
CA - Greater Bay Area	17	0.004	0.002 - 0.006	-	-	-	-	-	-
CA - Los Angeles	21	0.002	0.002 - 0.004	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	11	0.003	0.002 - 0.006	-	-	-	-	-	-
Florida	101	0.003	0.002 - 0.004	63	0.004	0.003 - 0.005	38	0.002	0.002 - 0.003
Georgia	108	0.003	0.003 - 0.004	76	0.005	0.004 - 0.006	32	0.002	0.001 - 0.003
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	89	0.005	0.004 - 0.006	56	0.006	0.005 - 0.008	33	0.003	0.002 - 0.005
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	19	0.005	0.003 - 0.008	-	-	-	-	-	-
Louisiana	59	0.004	0.003 - 0.005	44	0.006	0.004 - 0.008	15	0.002	0.001 - 0.003
Maine	-	-	-	-	-	-	-	-	-
Maryland	55	0.003	0.002 - 0.004	35	0.004	0.003 - 0.006	20	0.002	0.001 - 0.003
Michigan	68	0.005	0.004 - 0.006	43	0.006	0.004 - 0.008	25	0.003	0.002 - 0.005
MI - Detroit	44	0.004	0.003 - 0.006	32	0.007	0.005 - 0.010	12	0.002	0.001 - 0.004
Minnesota	10	0.003	0.001 - 0.005	-	-	-	-	-	-
Mississippi	41	0.004	0.003 - 0.005	-	-	-	-	-	-
Missouri	28	0.004	0.002 - 0.005	16	0.004	0.003 - 0.007	12	0.003	0.002 - 0.005
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	36	0.003	0.002 - 0.004	20	0.004	0.002 - 0.006	16	0.003	0.001 - 0.004
New Mexico	-	-	-	-	-	-	-	-	-
New York	115	0.004	0.003 - 0.005	70	0.005	0.004 - 0.006	45	0.003	0.002 - 0.004
North Carolina	96	0.004	0.003 - 0.005	64	0.006	0.005 - 0.008	32	0.003	0.002 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	55	0.004	0.003 - 0.005	32	0.004	0.003 - 0.006	23	0.003	0.002 - 0.004
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	65	0.004	0.003 - 0.006	40	0.006	0.004 - 0.008	25	0.003	0.002 - 0.005
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	59	0.004	0.003 - 0.006	45	0.007	0.005 - 0.009	14	0.002	0.001 - 0.003
Tennessee	35	0.003	0.002 - 0.004	20	0.004	0.002 - 0.006	15	0.002	0.001 - 0.004
Texas	83	0.002	0.002 - 0.003	58	0.003	0.003 - 0.005	25	0.001	0.001 - 0.002
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	48	0.003	0.002 - 0.004	30	0.004	0.003 - 0.005	18	0.002	0.001 - 0.003
Washington ³	10	0.003	0.001 - 0.005	-	-	-	-	-	-
WA - Seattle	10	0.003	0.002 - 0.006	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	16	0.004	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,404	0.010	0.010 - 0.011	2,381	0.012	0.011 - 0.012	2,023	0.009	0.009 - 0.010
Alabama	146	0.011	0.009 - 0.013	85	0.014	0.011 - 0.017	61	0.009	0.007 - 0.011
Alaska	-	-	-	-	-	-	-	-	-
Arizona	29	0.009	0.006 - 0.012	15	0.009	0.005 - 0.014	14	0.009	0.005 - 0.015
Arkansas	53	0.011	0.008 - 0.014	35	0.015	0.011 - 0.021	18	0.007	0.004 - 0.011
California	226	0.009	0.008 - 0.011	125	0.010	0.009 - 0.012	101	0.008	0.007 - 0.010
CA - Greater California	94	0.008	0.007 - 0.010	52	0.009	0.007 - 0.012	42	0.008	0.005 - 0.010
CA - Greater Bay Area	44	0.010	0.007 - 0.013	24	0.011	0.007 - 0.016	20	0.009	0.005 - 0.014
CA - Los Angeles	88	0.010	0.008 - 0.013	49	0.012	0.009 - 0.016	39	0.009	0.006 - 0.012
Colorado	21	0.008	0.005 - 0.013	-	-	-	-	-	-
Connecticut	60	0.016	0.012 - 0.020	31	0.017	0.012 - 0.024	29	0.015	0.010 - 0.021
Delaware	24	0.011	0.007 - 0.017	13	0.013	0.007 - 0.022	11	0.010	0.005 - 0.017
District of Columbia	44	0.014	0.010 - 0.018	26	0.018	0.012 - 0.026	18	0.010	0.006 - 0.016
Florida	347	0.010	0.009 - 0.012	189	0.012	0.010 - 0.014	158	0.009	0.008 - 0.011
Georgia	277	0.008	0.007 - 0.009	153	0.010	0.008 - 0.012	124	0.007	0.006 - 0.008
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	237	0.013	0.011 - 0.014	111	0.013	0.010 - 0.015	126	0.013	0.011 - 0.015
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	37	0.010	0.007 - 0.013	17	0.009	0.005 - 0.014	20	0.010	0.006 - 0.016
Louisiana	155	0.010	0.009 - 0.012	77	0.011	0.008 - 0.013	78	0.010	0.008 - 0.012
Maine	-	-	-	-	-	-	-	-	-
Maryland	186	0.010	0.009 - 0.012	91	0.011	0.009 - 0.013	95	0.010	0.008 - 0.012
Michigan	157	0.011	0.009 - 0.013	87	0.013	0.010 - 0.016	70	0.009	0.007 - 0.012
MI - Detroit	110	0.011	0.009 - 0.013	59	0.013	0.010 - 0.017	51	0.010	0.007 - 0.013
Minnesota	25	0.006	0.004 - 0.010	-	-	-	-	-	-
Mississippi	123	0.011	0.009 - 0.013	61	0.011	0.009 - 0.015	62	0.010	0.008 - 0.013
Missouri	81	0.011	0.009 - 0.013	47	0.013	0.010 - 0.017	34	0.009	0.006 - 0.012
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	20	0.007	0.004 - 0.011	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	144	0.012	0.010 - 0.014	70	0.012	0.010 - 0.016	74	0.012	0.009 - 0.015
New Mexico	-	-	-	-	-	-	-	-	-
New York	431	0.015	0.013 - 0.016	216	0.016	0.014 - 0.018	215	0.014	0.012 - 0.016
North Carolina	272	0.012	0.011 - 0.014	148	0.014	0.012 - 0.016	124	0.010	0.009 - 0.012
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	157	0.010	0.009 - 0.012	90	0.012	0.010 - 0.015	67	0.008	0.006 - 0.011
Oklahoma	35	0.011	0.007 - 0.015	18	0.011	0.006 - 0.017	17	0.010	0.006 - 0.016
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	145	0.010	0.008 - 0.012	84	0.012	0.010 - 0.015	61	0.008	0.006 - 0.010
Rhode Island	10	0.014	0.007 - 0.026	-	-	-	-	-	-
South Carolina	157	0.011	0.010 - 0.013	94	0.015	0.012 - 0.018	63	0.009	0.007 - 0.011
Tennessee	91	0.008	0.006 - 0.010	49	0.009	0.007 - 0.012	42	0.007	0.005 - 0.009
Texas	305	0.009	0.008 - 0.010	164	0.010	0.008 - 0.011	141	0.008	0.007 - 0.009
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	157	0.009	0.008 - 0.011	93	0.012	0.009 - 0.014	64	0.007	0.006 - 0.009
Washington ³	28	0.008	0.005 - 0.011	18	0.010	0.006 - 0.015	10	0.006	0.003 - 0.011
WA - Seattle	26	0.008	0.006 - 0.012	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	48	0.012	0.009 - 0.016	30	0.015	0.010 - 0.022	18	0.009	0.005 - 0.014
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	26,739	0.063	0.063 - 0.064	13,295	0.066	0.065 - 0.067	13,446	0.061	0.060 - 0.062
Alabama	941	0.072	0.067 - 0.076	426	0.070	0.063 - 0.077	515	0.073	0.067 - 0.080
Alaska	-	-	-	-	-	-	-	-	-
Arizona	114	0.034	0.028 - 0.041	57	0.033	0.025 - 0.042	57	0.035	0.027 - 0.046
Arkansas	311	0.065	0.058 - 0.073	158	0.069	0.059 - 0.081	153	0.061	0.052 - 0.072
California	1,505	0.062	0.059 - 0.065	756	0.063	0.058 - 0.067	749	0.061	0.057 - 0.066
CA - Greater California	600	0.053	0.049 - 0.057	338	0.058	0.052 - 0.064	263	0.048	0.042 - 0.054
CA - Greater Bay Area	313	0.070	0.063 - 0.078	153	0.069	0.059 - 0.081	161	0.071	0.061 - 0.083
CA - Los Angeles	591	0.069	0.064 - 0.075	265	0.066	0.058 - 0.074	326	0.072	0.065 - 0.080
Colorado	110	0.043	0.035 - 0.052	52	0.038	0.028 - 0.050	58	0.048	0.037 - 0.063
Connecticut	230	0.060	0.053 - 0.069	108	0.059	0.049 - 0.072	121	0.061	0.051 - 0.073
Delaware	154	0.071	0.061 - 0.084	71	0.070	0.054 - 0.088	83	0.073	0.058 - 0.090
District of Columbia	232	0.071	0.063 - 0.081	99	0.067	0.055 - 0.082	133	0.075	0.063 - 0.089
Florida	1,808	0.054	0.052 - 0.057	925	0.058	0.054 - 0.061	883	0.051	0.048 - 0.054
Georgia	2,101	0.063	0.061 - 0.066	1,042	0.067	0.063 - 0.072	1,058	0.060	0.056 - 0.064
Hawaii	11	0.029	0.014 - 0.052	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,471	0.079	0.075 - 0.083	691	0.079	0.073 - 0.085	780	0.079	0.073 - 0.084
Iowa	54	0.041	0.031 - 0.054	34	0.048	0.033 - 0.067	21	0.033	0.020 - 0.051
Kentucky	260	0.067	0.059 - 0.076	140	0.073	0.061 - 0.086	120	0.062	0.051 - 0.074
Louisiana	1,171	0.077	0.072 - 0.081	593	0.082	0.075 - 0.088	578	0.072	0.066 - 0.078
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,074	0.058	0.055 - 0.062	511	0.059	0.054 - 0.065	563	0.057	0.053 - 0.062
Michigan	1,016	0.070	0.066 - 0.074	508	0.073	0.067 - 0.080	508	0.067	0.061 - 0.073
MI - Detroit	785	0.080	0.075 - 0.086	387	0.086	0.077 - 0.095	398	0.075	0.068 - 0.083
Minnesota	141	0.037	0.031 - 0.043	81	0.041	0.033 - 0.051	60	0.032	0.024 - 0.041
Mississippi	943	0.083	0.078 - 0.089	478	0.090	0.082 - 0.098	465	0.078	0.071 - 0.085
Missouri	507	0.068	0.062 - 0.074	242	0.068	0.059 - 0.077	265	0.067	0.060 - 0.076
Montana	-	-	-	-	-	-	-	-	-
Nebraska	45	0.044	0.032 - 0.058	25	0.047	0.030 - 0.069	20	0.040	0.024 - 0.061
Nevada	133	0.046	0.039 - 0.055	63	0.044	0.034 - 0.056	70	0.049	0.038 - 0.061
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	855	0.072	0.067 - 0.077	418	0.074	0.067 - 0.082	437	0.070	0.063 - 0.076
New Mexico	17	0.038	0.022 - 0.060	-	-	-	-	-	-
New York	1,963	0.066	0.063 - 0.069	965	0.070	0.066 - 0.074	998	0.063	0.059 - 0.067
North Carolina	1,471	0.065	0.062 - 0.069	735	0.070	0.065 - 0.075	736	0.061	0.057 - 0.066
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	877	0.056	0.053 - 0.060	419	0.056	0.051 - 0.062	458	0.057	0.051 - 0.062
Oklahoma	180	0.054	0.047 - 0.063	84	0.051	0.040 - 0.063	96	0.058	0.047 - 0.071
Oregon	34	0.034	0.023 - 0.047	19	0.035	0.021 - 0.055	15	0.032	0.018 - 0.053
Pennsylvania	888	0.061	0.057 - 0.065	439	0.062	0.057 - 0.069	449	0.059	0.054 - 0.065
Rhode Island	18	0.026	0.015 - 0.040	-	-	-	-	-	-
South Carolina	943	0.069	0.064 - 0.073	486	0.076	0.069 - 0.083	457	0.063	0.057 - 0.069
Tennessee	769	0.066	0.062 - 0.071	384	0.070	0.063 - 0.077	385	0.063	0.057 - 0.070
Texas	2,090	0.061	0.058 - 0.063	1,068	0.064	0.060 - 0.068	1,022	0.058	0.054 - 0.061
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	1,015	0.060	0.057 - 0.064	527	0.065	0.060 - 0.071	488	0.056	0.051 - 0.061
Washington ³	168	0.048	0.041 - 0.056	95	0.051	0.041 - 0.062	73	0.045	0.035 - 0.057
WA - Seattle	157	0.052	0.044 - 0.061	89	0.055	0.044 - 0.068	68	0.048	0.037 - 0.060
West Virginia	46	0.063	0.046 - 0.084	22	0.056	0.035 - 0.085	24	0.071	0.046 - 0.106
Wisconsin	245	0.061	0.054 - 0.069	125	0.063	0.053 - 0.076	120	0.059	0.049 - 0.071
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,761	0.011	0.011 - 0.012	3,408	0.017	0.016 - 0.017	1,354	0.006	0.006 - 0.007
Alabama	87	0.007	0.005 - 0.008	59	0.010	0.007 - 0.012	28	0.004	0.003 - 0.006
Alaska	-	-	-	-	-	-	-	-	-
Arizona	14	0.004	0.002 - 0.007	-	-	-	-	-	-
Arkansas	37	0.008	0.005 - 0.011	-	-	-	-	-	-
California	340	0.014	0.013 - 0.016	253	0.021	0.018 - 0.024	87	0.007	0.006 - 0.009
CA - Greater California	149	0.013	0.011 - 0.015	109	0.019	0.015 - 0.023	40	0.007	0.005 - 0.010
CA - Greater Bay Area	95	0.021	0.017 - 0.026	77	0.035	0.027 - 0.043	18	0.008	0.005 - 0.013
CA - Los Angeles	96	0.011	0.009 - 0.014	67	0.017	0.013 - 0.021	29	0.006	0.004 - 0.009
Colorado	30	0.012	0.008 - 0.017	-	-	-	-	-	-
Connecticut	46	0.012	0.009 - 0.016	30	0.017	0.011 - 0.024	16	0.008	0.004 - 0.013
Delaware	35	0.016	0.011 - 0.023	-	-	-	-	-	-
District of Columbia	76	0.023	0.018 - 0.029	56	0.038	0.029 - 0.049	20	0.011	0.007 - 0.017
Florida	276	0.008	0.007 - 0.009	175	0.011	0.009 - 0.013	101	0.006	0.005 - 0.007
Georgia	293	0.009	0.008 - 0.010	196	0.013	0.011 - 0.015	97	0.006	0.004 - 0.007
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	177	0.009	0.008 - 0.011	123	0.014	0.012 - 0.017	54	0.005	0.004 - 0.007
Iowa	19	0.014	0.009 - 0.022	-	-	-	-	-	-
Kentucky	32	0.008	0.006 - 0.012	-	-	-	-	-	-
Louisiana	200	0.013	0.011 - 0.015	159	0.022	0.019 - 0.026	41	0.005	0.004 - 0.007
Maine	-	-	-	-	-	-	-	-	-
Maryland	249	0.014	0.012 - 0.015	180	0.021	0.018 - 0.024	69	0.007	0.005 - 0.009
Michigan	206	0.014	0.012 - 0.016	143	0.021	0.017 - 0.024	63	0.008	0.006 - 0.011
MI - Detroit	125	0.013	0.011 - 0.015	90	0.020	0.016 - 0.024	35	0.007	0.005 - 0.009
Minnesota	55	0.014	0.011 - 0.019	39	0.020	0.014 - 0.027	16	0.008	0.005 - 0.014
Mississippi	91	0.008	0.006 - 0.010	66	0.012	0.010 - 0.016	25	0.004	0.003 - 0.006
Missouri	112	0.015	0.012 - 0.018	85	0.024	0.019 - 0.029	27	0.007	0.005 - 0.010
Montana	-	-	-	-	-	-	-	-	-
Nebraska	13	0.013	0.007 - 0.021	-	-	-	-	-	-
Nevada	21	0.007	0.005 - 0.011	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	110	0.009	0.008 - 0.011	75	0.013	0.011 - 0.017	34	0.005	0.004 - 0.008
New Mexico	-	-	-	-	-	-	-	-	-
New York	382	0.013	0.012 - 0.014	278	0.020	0.018 - 0.023	105	0.007	0.005 - 0.008
North Carolina	244	0.011	0.009 - 0.012	159	0.015	0.013 - 0.018	85	0.007	0.006 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	184	0.012	0.010 - 0.014	128	0.017	0.014 - 0.020	56	0.007	0.005 - 0.009
Oklahoma	27	0.008	0.005 - 0.012	14	0.008	0.005 - 0.014	13	0.008	0.004 - 0.013
Oregon	15	0.015	0.008 - 0.024	-	-	-	-	-	-
Pennsylvania	263	0.018	0.016 - 0.020	199	0.028	0.025 - 0.033	64	0.008	0.007 - 0.011
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	116	0.008	0.007 - 0.010	92	0.014	0.012 - 0.018	24	0.003	0.002 - 0.005
Tennessee	111	0.010	0.008 - 0.012	67	0.012	0.009 - 0.016	44	0.007	0.005 - 0.010
Texas	436	0.013	0.012 - 0.014	316	0.019	0.017 - 0.021	120	0.007	0.006 - 0.008
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	165	0.010	0.008 - 0.011	128	0.016	0.013 - 0.019	37	0.004	0.003 - 0.006
Washington ³	61	0.018	0.014 - 0.023	44	0.024	0.017 - 0.032	17	0.011	0.006 - 0.017
WA - Seattle	58	0.019	0.015 - 0.025	41	0.026	0.018 - 0.035	17	0.012	0.007 - 0.020
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	61	0.015	0.012 - 0.020	47	0.024	0.018 - 0.032	14	0.007	0.004 - 0.012
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,622	0.011	0.011 - 0.011	2,099	0.010	0.010 - 0.011	2,523	0.011	0.011 - 0.012
Alabama	156	0.012	0.010 - 0.014	61	0.010	0.008 - 0.013	95	0.014	0.011 - 0.017
Alaska	-	-	-	-	-	-	-	-	-
Arizona	32	0.010	0.007 - 0.013	17	0.010	0.006 - 0.016	15	0.009	0.005 - 0.015
Arkansas	45	0.009	0.007 - 0.013	21	0.009	0.006 - 0.014	24	0.010	0.006 - 0.014
California	272	0.011	0.010 - 0.013	127	0.011	0.009 - 0.013	145	0.012	0.010 - 0.014
CA - Greater California	104	0.009	0.008 - 0.011	53	0.009	0.007 - 0.012	51	0.009	0.007 - 0.012
CA - Greater Bay Area	74	0.017	0.013 - 0.021	32	0.015	0.010 - 0.021	42	0.018	0.013 - 0.025
CA - Los Angeles	94	0.011	0.009 - 0.013	42	0.010	0.007 - 0.014	52	0.012	0.009 - 0.015
Colorado	22	0.009	0.005 - 0.013	-	-	-	-	-	-
Connecticut	45	0.012	0.009 - 0.016	19	0.010	0.006 - 0.016	26	0.013	0.009 - 0.019
Delaware	34	0.016	0.011 - 0.022	17	0.017	0.010 - 0.027	17	0.015	0.009 - 0.024
District of Columbia	44	0.014	0.010 - 0.018	19	0.013	0.008 - 0.020	25	0.014	0.009 - 0.021
Florida	317	0.009	0.008 - 0.011	146	0.009	0.008 - 0.011	171	0.010	0.008 - 0.011
Georgia	310	0.009	0.008 - 0.010	141	0.009	0.008 - 0.011	169	0.010	0.008 - 0.011
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	241	0.013	0.011 - 0.015	112	0.013	0.010 - 0.015	129	0.013	0.011 - 0.015
Iowa	10	0.008	0.004 - 0.014	-	-	-	-	-	-
Kentucky	37	0.010	0.007 - 0.013	12	0.006	0.003 - 0.011	25	0.013	0.008 - 0.019
Louisiana	135	0.009	0.007 - 0.010	52	0.007	0.005 - 0.009	83	0.010	0.008 - 0.013
Maine	-	-	-	-	-	-	-	-	-
Maryland	231	0.013	0.011 - 0.014	108	0.013	0.010 - 0.015	123	0.013	0.010 - 0.015
Michigan	233	0.016	0.014 - 0.018	120	0.017	0.014 - 0.021	113	0.015	0.012 - 0.018
MI - Detroit	148	0.015	0.013 - 0.018	74	0.016	0.013 - 0.021	74	0.014	0.011 - 0.018
Minnesota	29	0.008	0.005 - 0.011	15	0.008	0.004 - 0.013	14	0.007	0.004 - 0.012
Mississippi	118	0.010	0.009 - 0.012	56	0.011	0.008 - 0.014	62	0.010	0.008 - 0.013
Missouri	94	0.013	0.010 - 0.015	50	0.014	0.010 - 0.018	44	0.011	0.008 - 0.015
Montana	-	-	-	-	-	-	-	-	-
Nebraska	18	0.017	0.010 - 0.028	-	-	-	-	-	-
Nevada	22	0.008	0.005 - 0.012	11	0.008	0.004 - 0.014	11	0.008	0.004 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	135	0.011	0.009 - 0.013	65	0.011	0.009 - 0.015	70	0.011	0.009 - 0.014
New Mexico	-	-	-	-	-	-	-	-	-
New York	365	0.012	0.011 - 0.014	154	0.011	0.009 - 0.013	211	0.013	0.012 - 0.015
North Carolina	245	0.011	0.010 - 0.012	107	0.010	0.008 - 0.012	138	0.011	0.010 - 0.014
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	149	0.010	0.008 - 0.011	67	0.009	0.007 - 0.011	82	0.010	0.008 - 0.013
Oklahoma	23	0.007	0.004 - 0.010	11	0.007	0.003 - 0.012	12	0.007	0.004 - 0.013
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	182	0.012	0.011 - 0.014	74	0.011	0.008 - 0.013	108	0.014	0.012 - 0.017
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	168	0.012	0.010 - 0.014	67	0.010	0.008 - 0.013	101	0.014	0.011 - 0.017
Tennessee	119	0.010	0.009 - 0.012	57	0.010	0.008 - 0.013	62	0.010	0.008 - 0.013
Texas	336	0.010	0.009 - 0.011	142	0.009	0.007 - 0.010	194	0.011	0.009 - 0.013
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	205	0.012	0.011 - 0.014	101	0.013	0.010 - 0.015	104	0.012	0.010 - 0.014
Washington ³	36	0.010	0.007 - 0.014	23	0.012	0.008 - 0.019	13	0.008	0.004 - 0.014
WA - Seattle	29	0.010	0.006 - 0.014	16	0.010	0.006 - 0.016	13	0.009	0.005 - 0.016
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	37	0.009	0.007 - 0.013	17	0.009	0.005 - 0.014	20	0.010	0.006 - 0.015
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,769	0.007	0.006 - 0.007	2,203	0.011	0.010 - 0.011	567	0.003	0.002 - 0.003
Alabama	116	0.009	0.007 - 0.011	103	0.017	0.014 - 0.020	13	0.002	0.001 - 0.003
Alaska	-	-	-	-	-	-	-	-	-
Arizona	10	0.003	0.001 - 0.005	10	0.006	0.003 - 0.011	-	-	-
Arkansas	35	0.007	0.005 - 0.010	-	-	-	-	-	-
California	117	0.005	0.004 - 0.006	94	0.008	0.006 - 0.010	23	0.002	0.001 - 0.003
CA - Greater California	41	0.004	0.003 - 0.005	-	-	-	-	-	-
CA - Greater Bay Area	28	0.006	0.004 - 0.009	-	-	-	-	-	-
CA - Los Angeles	47	0.006	0.004 - 0.007	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	33	0.009	0.006 - 0.012	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	22	0.007	0.004 - 0.010	-	-	-	-	-	-
Florida	170	0.005	0.004 - 0.006	143	0.009	0.007 - 0.010	27	0.002	0.001 - 0.002
Georgia	198	0.006	0.005 - 0.007	162	0.010	0.009 - 0.012	37	0.002	0.001 - 0.003
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	160	0.009	0.007 - 0.010	121	0.014	0.011 - 0.016	39	0.004	0.003 - 0.005
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	27	0.007	0.005 - 0.010	-	-	-	-	-	-
Louisiana	143	0.009	0.008 - 0.011	109	0.015	0.012 - 0.018	34	0.004	0.003 - 0.006
Maine	-	-	-	-	-	-	-	-	-
Maryland	91	0.005	0.004 - 0.006	71	0.008	0.006 - 0.010	20	0.002	0.001 - 0.003
Michigan	128	0.009	0.007 - 0.010	94	0.014	0.011 - 0.017	34	0.004	0.003 - 0.006
MI - Detroit	94	0.010	0.008 - 0.012	71	0.016	0.012 - 0.020	24	0.004	0.003 - 0.007
Minnesota	14	0.004	0.002 - 0.006	-	-	-	-	-	-
Mississippi	97	0.009	0.007 - 0.010	81	0.015	0.012 - 0.019	16	0.003	0.002 - 0.004
Missouri	64	0.009	0.007 - 0.011	47	0.013	0.010 - 0.017	17	0.004	0.003 - 0.007
Montana	-	-	-	-	-	-	-	-	-
Nebraska	10	0.010	0.005 - 0.018	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	75	0.006	0.005 - 0.008	51	0.009	0.007 - 0.012	24	0.004	0.002 - 0.006
New Mexico	-	-	-	-	-	-	-	-	-
New York	187	0.006	0.005 - 0.007	143	0.010	0.009 - 0.012	44	0.003	0.002 - 0.004
North Carolina	169	0.007	0.006 - 0.009	137	0.013	0.011 - 0.015	32	0.003	0.002 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	131	0.008	0.007 - 0.010	102	0.014	0.011 - 0.017	29	0.004	0.002 - 0.005
Oklahoma	14	0.004	0.002 - 0.007	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	91	0.006	0.005 - 0.008	67	0.010	0.007 - 0.012	24	0.003	0.002 - 0.005
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	137	0.010	0.008 - 0.012	117	0.018	0.015 - 0.022	20	0.003	0.002 - 0.004
Tennessee	72	0.006	0.005 - 0.008	58	0.011	0.008 - 0.014	14	0.002	0.001 - 0.004
Texas	180	0.005	0.004 - 0.006	151	0.009	0.008 - 0.011	29	0.002	0.001 - 0.002
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	123	0.007	0.006 - 0.009	100	0.012	0.010 - 0.015	23	0.003	0.002 - 0.004
Washington ³	13	0.004	0.002 - 0.006	-	-	-	-	-	-
WA - Seattle	12	0.004	0.002 - 0.007	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	25	0.006	0.004 - 0.009	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	23,940	0.057	0.056 - 0.058	12,085	0.060	0.059 - 0.061	11,857	0.054	0.053 - 0.055
Alabama	719	0.055	0.051 - 0.059	436	0.071	0.065 - 0.078	283	0.040	0.036 - 0.045
Alaska	-	-	-	-	-	-	-	-	-
Arizona	114	0.034	0.028 - 0.041	61	0.035	0.027 - 0.045	53	0.033	0.025 - 0.043
Arkansas	324	0.068	0.061 - 0.076	181	0.079	0.068 - 0.092	143	0.057	0.048 - 0.067
California	1,251	0.051	0.049 - 0.054	599	0.050	0.046 - 0.054	652	0.053	0.049 - 0.057
CA - Greater California	480	0.042	0.039 - 0.046	238	0.041	0.036 - 0.046	243	0.044	0.039 - 0.050
CA - Greater Bay Area	305	0.068	0.061 - 0.076	159	0.072	0.061 - 0.084	146	0.065	0.054 - 0.076
CA - Los Angeles	465	0.054	0.050 - 0.060	202	0.050	0.043 - 0.057	263	0.058	0.052 - 0.066
Colorado	92	0.036	0.029 - 0.044	53	0.039	0.029 - 0.051	39	0.033	0.023 - 0.045
Connecticut	230	0.060	0.053 - 0.068	105	0.058	0.047 - 0.070	124	0.062	0.052 - 0.074
Delaware	147	0.068	0.058 - 0.080	63	0.062	0.048 - 0.079	84	0.074	0.059 - 0.091
District of Columbia	224	0.069	0.060 - 0.079	100	0.068	0.055 - 0.083	124	0.070	0.058 - 0.083
Florida	1,336	0.040	0.038 - 0.042	694	0.043	0.040 - 0.047	642	0.037	0.034 - 0.040
Georgia	1,585	0.048	0.046 - 0.050	870	0.056	0.053 - 0.060	715	0.041	0.038 - 0.044
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,423	0.076	0.072 - 0.080	638	0.073	0.067 - 0.078	785	0.079	0.074 - 0.085
Iowa	39	0.029	0.021 - 0.040	21	0.030	0.018 - 0.046	18	0.028	0.017 - 0.045
Kentucky	271	0.070	0.062 - 0.079	141	0.073	0.062 - 0.086	130	0.067	0.056 - 0.079
Louisiana	940	0.061	0.058 - 0.065	530	0.073	0.067 - 0.079	410	0.051	0.046 - 0.056
Maine	-	-	-	-	-	-	-	-	-
Maryland	972	0.053	0.050 - 0.056	420	0.049	0.044 - 0.054	552	0.056	0.052 - 0.061
Michigan	1,102	0.076	0.071 - 0.080	546	0.079	0.072 - 0.086	556	0.073	0.067 - 0.079
MI - Detroit	716	0.073	0.068 - 0.079	354	0.078	0.070 - 0.087	363	0.068	0.062 - 0.076
Minnesota	146	0.038	0.032 - 0.045	74	0.038	0.030 - 0.047	72	0.038	0.030 - 0.048
Mississippi	747	0.066	0.061 - 0.071	442	0.083	0.075 - 0.091	305	0.051	0.045 - 0.057
Missouri	493	0.066	0.060 - 0.072	224	0.063	0.055 - 0.071	269	0.069	0.061 - 0.077
Montana	-	-	-	-	-	-	-	-	-
Nebraska	49	0.047	0.035 - 0.063	18	0.034	0.020 - 0.054	31	0.062	0.042 - 0.087
Nevada	110	0.038	0.031 - 0.046	51	0.036	0.027 - 0.047	59	0.041	0.031 - 0.053
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	659	0.055	0.051 - 0.060	304	0.054	0.048 - 0.061	355	0.057	0.051 - 0.063
New Mexico	18	0.040	0.024 - 0.063	-	-	-	-	-	-
New York	1,695	0.057	0.055 - 0.060	780	0.056	0.053 - 0.061	916	0.058	0.054 - 0.062
North Carolina	1,526	0.068	0.064 - 0.071	833	0.079	0.074 - 0.084	693	0.058	0.053 - 0.062
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,059	0.068	0.064 - 0.072	502	0.067	0.061 - 0.073	557	0.069	0.063 - 0.075
Oklahoma	166	0.050	0.043 - 0.058	86	0.052	0.041 - 0.064	80	0.048	0.038 - 0.060
Oregon	56	0.055	0.042 - 0.072	35	0.065	0.045 - 0.090	21	0.045	0.028 - 0.068
Pennsylvania	1,111	0.076	0.072 - 0.081	455	0.065	0.059 - 0.071	656	0.087	0.080 - 0.094
Rhode Island	39	0.055	0.039 - 0.076	22	0.063	0.039 - 0.095	17	0.048	0.028 - 0.077
South Carolina	860	0.063	0.058 - 0.067	479	0.074	0.068 - 0.081	381	0.052	0.047 - 0.058
Tennessee	603	0.052	0.048 - 0.056	308	0.056	0.050 - 0.063	295	0.048	0.043 - 0.054
Texas	1,585	0.046	0.044 - 0.048	814	0.049	0.046 - 0.052	771	0.043	0.040 - 0.047
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	1,056	0.063	0.059 - 0.067	554	0.069	0.063 - 0.075	502	0.057	0.053 - 0.063
Washington ³	132	0.038	0.032 - 0.045	80	0.043	0.034 - 0.054	52	0.032	0.024 - 0.042
WA - Seattle	124	0.041	0.034 - 0.049	74	0.046	0.036 - 0.058	50	0.035	0.026 - 0.046
West Virginia	58	0.080	0.061 - 0.103	33	0.084	0.058 - 0.118	25	0.074	0.048 - 0.110
Wisconsin	267	0.067	0.059 - 0.075	142	0.072	0.061 - 0.085	125	0.061	0.051 - 0.073
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	623	0.001	0.001 - 0.002	301	0.001	0.001 - 0.002	322	0.001	0.001 - 0.002
Alabama	16	0.001	0.001 - 0.002	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	-	-	-	-	-	-	-	-	-
California	45	0.002	0.001 - 0.002	28	0.002	0.002 - 0.003	17	0.001	0.001 - 0.002
CA - Greater California	15	0.001	0.001 - 0.002	-	-	-	-	-	-
CA - Greater Bay Area	12	0.003	0.001 - 0.005	-	-	-	-	-	-
CA - Los Angeles	18	0.002	0.001 - 0.003	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	-	-	-	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	58	0.002	0.001 - 0.002	33	0.002	0.001 - 0.003	25	0.001	0.001 - 0.002
Georgia	41	0.001	0.001 - 0.002	20	0.001	0.001 - 0.002	21	0.001	0.001 - 0.002
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	24	0.001	0.001 - 0.002	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	21	0.001	0.001 - 0.002	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	30	0.002	0.001 - 0.002	19	0.002	0.001 - 0.003	11	0.001	0.001 - 0.002
Michigan	18	0.001	0.001 - 0.002	-	-	-	-	-	-
MI - Detroit	11	0.001	0.001 - 0.002	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	23	0.002	0.001 - 0.003	12	0.002	0.001 - 0.004	11	0.002	0.001 - 0.003
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	25	0.002	0.001 - 0.003	13	0.002	0.001 - 0.004	12	0.002	0.001 - 0.003
New Mexico	-	-	-	-	-	-	-	-	-
New York	46	0.002	0.001 - 0.002	22	0.002	0.001 - 0.002	25	0.002	0.001 - 0.002
North Carolina	38	0.002	0.001 - 0.002	16	0.002	0.001 - 0.002	22	0.002	0.001 - 0.003
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	20	0.001	0.001 - 0.002	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	22	0.002	0.001 - 0.002	11	0.002	0.001 - 0.003	11	0.001	0.001 - 0.003
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	13	0.001	0.001 - 0.002	-	-	-	-	-	-
Tennessee	11	0.001	0.000 - 0.002	-	-	-	-	-	-
Texas	49	0.001	0.001 - 0.002	23	0.001	0.001 - 0.002	26	0.001	0.001 - 0.002
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	26	0.002	0.001 - 0.002	14	0.002	0.001 - 0.003	12	0.001	0.001 - 0.002
Washington ³	-	-	-	-	-	-	-	-	-
WA - Seattle	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		51,776	0.235	0.233 - 0.237
Alabama	-	-		-	-		1,728	0.246	0.235 - 0.258
Alaska	-	-		-	-		18	0.127	0.075 - 0.201
Arizona	-	-		-	-		278	0.172	0.153 - 0.194
Arkansas	-	-		-	-		542	0.216	0.199 - 0.235
California	-	-		-	-		3,052	0.249	0.240 - 0.258
CA - Greater California	-	-		-	-		1,228	0.224	0.212 - 0.237
CA - Greater Bay Area	-	-		-	-		608	0.269	0.248 - 0.291
CA - Los Angeles	-	-		-	-		1,215	0.269	0.255 - 0.285
Colorado	-	-		-	-		224	0.187	0.163 - 0.213
Connecticut	-	-		-	-		491	0.246	0.225 - 0.269
Delaware	-	-		-	-		304	0.267	0.238 - 0.298
District of Columbia	-	-		-	-		501	0.282	0.258 - 0.308
Florida	-	-		-	-		3,414	0.197	0.191 - 0.204
Georgia	-	-		-	-		4,021	0.228	0.221 - 0.235
Hawaii	-	-		-	-		22	0.147	0.092 - 0.222
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		2,655	0.268	0.258 - 0.278
Iowa	-	-		-	-		82	0.132	0.105 - 0.163
Kentucky	-	-		-	-		424	0.218	0.198 - 0.240
Louisiana	-	-		-	-		1,955	0.243	0.232 - 0.254
Maine	-	-		-	-		13	0.117	0.062 - 0.200
Maryland	-	-		-	-		2,672	0.272	0.262 - 0.283
Michigan	-	-		-	-		1,816	0.239	0.228 - 0.250
MI - Detroit	-	-		-	-		1,435	0.271	0.257 - 0.285
Minnesota	-	-		-	-		217	0.115	0.100 - 0.132
Mississippi	-	-		-	-		1,359	0.227	0.215 - 0.239
Missouri	-	-		-	-		952	0.242	0.227 - 0.258
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		79	0.157	0.124 - 0.196
Nevada	-	-		-	-		271	0.188	0.166 - 0.212
New Hampshire	-	-		-	-		12	0.123	0.063 - 0.214
New Jersey	-	-		-	-		1,753	0.279	0.266 - 0.292
New Mexico	-	-		-	-		39	0.196	0.139 - 0.268
New York	-	-		-	-		3,989	0.252	0.244 - 0.260
North Carolina	-	-		-	-		3,199	0.266	0.257 - 0.276
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		1,876	0.232	0.221 - 0.242
Oklahoma	-	-		-	-		336	0.203	0.182 - 0.226
Oregon	-	-		-	-		63	0.134	0.103 - 0.171
Pennsylvania	-	-		-	-		1,879	0.248	0.237 - 0.260
Rhode Island	-	-		-	-		64	0.181	0.139 - 0.231
South Carolina	-	-		-	-		1,874	0.256	0.245 - 0.268
Tennessee	-	-		-	-		1,344	0.220	0.209 - 0.232
Texas	-	-		-	-		3,647	0.206	0.199 - 0.212
Utah	-	-		-	-		17	0.090	0.052 - 0.144
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		2,284	0.261	0.251 - 0.272
Washington ³	-	-		-	-		276	0.170	0.151 - 0.192
WA - Seattle	-	-		-	-		254	0.179	0.157 - 0.202
West Virginia	-	-		-	-		82	0.244	0.194 - 0.303
Wisconsin	-	-		-	-		427	0.210	0.190 - 0.231
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		3,114	0.014	0.014 - 0.015
Alabama	-	-		-	-		119	0.017	0.014 - 0.020
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		12	0.007	0.004 - 0.013
Arkansas	-	-		-	-		31	0.012	0.008 - 0.018
California	-	-		-	-		162	0.013	0.011 - 0.015
CA - Greater California	-	-		-	-		66	0.012	0.009 - 0.015
CA - Greater Bay Area	-	-		-	-		32	0.014	0.010 - 0.020
CA - Los Angeles	-	-		-	-		64	0.014	0.011 - 0.018
Colorado	-	-		-	-		11	0.009	0.005 - 0.016
Connecticut	-	-		-	-		16	0.008	0.005 - 0.013
Delaware	-	-		-	-		19	0.017	0.010 - 0.026
District of Columbia	-	-		-	-		25	0.014	0.009 - 0.021
Florida	-	-		-	-		324	0.019	0.017 - 0.021
Georgia	-	-		-	-		193	0.011	0.009 - 0.013
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		183	0.018	0.016 - 0.021
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		17	0.009	0.005 - 0.014
Louisiana	-	-		-	-		125	0.016	0.013 - 0.019
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		119	0.012	0.010 - 0.015
Michigan	-	-		-	-		83	0.011	0.009 - 0.014
MI - Detroit	-	-		-	-		63	0.012	0.009 - 0.015
Minnesota	-	-		-	-		18	0.010	0.006 - 0.015
Mississippi	-	-		-	-		86	0.014	0.011 - 0.018
Missouri	-	-		-	-		45	0.011	0.008 - 0.015
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		18	0.012	0.007 - 0.020
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		97	0.015	0.012 - 0.019
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		272	0.017	0.015 - 0.019
North Carolina	-	-		-	-		159	0.013	0.011 - 0.015
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		108	0.013	0.011 - 0.016
Oklahoma	-	-		-	-		19	0.011	0.007 - 0.018
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		123	0.016	0.014 - 0.019
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		106	0.015	0.012 - 0.018
Tennessee	-	-		-	-		88	0.014	0.012 - 0.018
Texas	-	-		-	-		252	0.014	0.013 - 0.016
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		105	0.012	0.010 - 0.015
Washington ³	-	-		-	-		23	0.014	0.009 - 0.021
WA - Seattle	-	-		-	-		22	0.015	0.010 - 0.023
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		33	0.016	0.011 - 0.023
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		10,685	0.049	0.048 - 0.050
Alabama	-	-		-	-		285	0.041	0.036 - 0.046
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		44	0.027	0.020 - 0.037
Arkansas	-	-		-	-		105	0.042	0.034 - 0.051
California	-	-		-	-		649	0.053	0.049 - 0.057
CA - Greater California	-	-		-	-		235	0.043	0.038 - 0.049
CA - Greater Bay Area	-	-		-	-		150	0.066	0.056 - 0.078
CA - Los Angeles	-	-		-	-		264	0.058	0.052 - 0.066
Colorado	-	-		-	-		41	0.034	0.025 - 0.046
Connecticut	-	-		-	-		107	0.054	0.044 - 0.065
Delaware	-	-		-	-		58	0.051	0.039 - 0.066
District of Columbia	-	-		-	-		118	0.066	0.055 - 0.080
Florida	-	-		-	-		826	0.048	0.044 - 0.051
Georgia	-	-		-	-		750	0.043	0.040 - 0.046
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		585	0.059	0.054 - 0.064
Iowa	-	-		-	-		20	0.032	0.020 - 0.050
Kentucky	-	-		-	-		83	0.043	0.034 - 0.053
Louisiana	-	-		-	-		326	0.040	0.036 - 0.045
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		548	0.056	0.051 - 0.061
Michigan	-	-		-	-		388	0.051	0.046 - 0.056
MI - Detroit	-	-		-	-		295	0.056	0.049 - 0.062
Minnesota	-	-		-	-		66	0.035	0.027 - 0.045
Mississippi	-	-		-	-		293	0.049	0.043 - 0.055
Missouri	-	-		-	-		173	0.044	0.038 - 0.051
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		13	0.026	0.014 - 0.044
Nevada	-	-		-	-		38	0.026	0.019 - 0.036
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		378	0.060	0.054 - 0.067
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		1,093	0.069	0.065 - 0.073
North Carolina	-	-		-	-		589	0.049	0.045 - 0.053
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		380	0.047	0.042 - 0.052
Oklahoma	-	-		-	-		61	0.037	0.028 - 0.047
Oregon	-	-		-	-		14	0.030	0.016 - 0.050
Pennsylvania	-	-		-	-		407	0.054	0.049 - 0.059
Rhode Island	-	-		-	-		10	0.028	0.014 - 0.052
South Carolina	-	-		-	-		393	0.054	0.049 - 0.059
Tennessee	-	-		-	-		270	0.044	0.039 - 0.050
Texas	-	-		-	-		632	0.036	0.033 - 0.039
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		449	0.051	0.047 - 0.056
Washington ³	-	-		-	-		63	0.039	0.030 - 0.050
WA - Seattle	-	-		-	-		57	0.040	0.030 - 0.052
West Virginia	-	-		-	-		11	0.033	0.016 - 0.059
Wisconsin	-	-		-	-		84	0.041	0.033 - 0.051
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		2,838	0.013	0.012 - 0.013
Alabama	-	-		-	-		98	0.014	0.011 - 0.017
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		12	0.007	0.004 - 0.013
Arkansas	-	-		-	-		23	0.009	0.006 - 0.014
California	-	-		-	-		180	0.015	0.013 - 0.017
CA - Greater California	-	-		-	-		82	0.015	0.012 - 0.019
CA - Greater Bay Area	-	-		-	-		43	0.019	0.014 - 0.026
CA - Los Angeles	-	-		-	-		55	0.012	0.009 - 0.016
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		25	0.013	0.008 - 0.018
Delaware	-	-		-	-		18	0.016	0.009 - 0.025
District of Columbia	-	-		-	-		39	0.022	0.016 - 0.030
Florida	-	-		-	-		218	0.013	0.011 - 0.014
Georgia	-	-		-	-		217	0.012	0.011 - 0.014
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		146	0.015	0.012 - 0.017
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		18	0.009	0.005 - 0.015
Louisiana	-	-		-	-		95	0.012	0.010 - 0.014
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		133	0.014	0.011 - 0.016
Michigan	-	-		-	-		113	0.015	0.012 - 0.018
MI - Detroit	-	-		-	-		92	0.017	0.014 - 0.021
Minnesota	-	-		-	-		15	0.008	0.004 - 0.013
Mississippi	-	-		-	-		62	0.010	0.008 - 0.013
Missouri	-	-		-	-		37	0.009	0.007 - 0.013
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		17	0.012	0.007 - 0.019
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		111	0.018	0.015 - 0.021
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		219	0.014	0.012 - 0.016
North Carolina	-	-		-	-		161	0.013	0.011 - 0.016
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		97	0.012	0.010 - 0.015
Oklahoma	-	-		-	-		18	0.011	0.006 - 0.017
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		104	0.014	0.011 - 0.017
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		91	0.012	0.010 - 0.015
Tennessee	-	-		-	-		73	0.012	0.009 - 0.015
Texas	-	-		-	-		235	0.013	0.012 - 0.015
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		107	0.012	0.010 - 0.015
Washington ³	-	-		-	-		15	0.009	0.005 - 0.015
WA - Seattle	-	-		-	-		15	0.011	0.006 - 0.017
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		32	0.016	0.011 - 0.022
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		59,116	0.293	0.290 - 0.295	-	-	
Alabama	-	-		2,106	0.344	0.329 - 0.359	-	-	
Alaska	-	-		25	0.139	0.090 - 0.205	-	-	
Arizona	-	-		284	0.163	0.145 - 0.183	-	-	
Arkansas	-	-		767	0.337	0.313 - 0.361	-	-	
California	-	-		3,124	0.259	0.250 - 0.268	-	-	
CA - Greater California	-	-		1,383	0.237	0.225 - 0.250	-	-	
CA - Greater Bay Area	-	-		650	0.294	0.272 - 0.318	-	-	
CA - Los Angeles	-	-		1,092	0.271	0.255 - 0.287	-	-	
Colorado	-	-		279	0.204	0.181 - 0.230	-	-	
Connecticut	-	-		529	0.290	0.266 - 0.316	-	-	
Delaware	-	-		394	0.387	0.350 - 0.427	-	-	
District of Columbia	-	-		414	0.282	0.255 - 0.310	-	-	
Florida	-	-		4,084	0.254	0.246 - 0.262	-	-	
Georgia	-	-		4,891	0.316	0.307 - 0.325	-	-	
Hawaii	-	-		53	0.236	0.177 - 0.309	-	-	
Idaho	-	-		12	0.125	0.065 - 0.218	-	-	
Illinois	-	-		2,727	0.310	0.298 - 0.322	-	-	
Iowa	-	-		111	0.158	0.130 - 0.190	-	-	
Kentucky	-	-		380	0.198	0.178 - 0.219	-	-	
Louisiana	-	-		2,285	0.314	0.302 - 0.328	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		3,022	0.352	0.339 - 0.365	-	-	
Michigan	-	-		1,967	0.284	0.272 - 0.297	-	-	
MI - Detroit	-	-		1,538	0.341	0.324 - 0.358	-	-	
Minnesota	-	-		283	0.144	0.128 - 0.162	-	-	
Mississippi	-	-		1,768	0.332	0.317 - 0.348	-	-	
Missouri	-	-		908	0.254	0.238 - 0.271	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		108	0.203	0.167 - 0.246	-	-	
Nevada	-	-		213	0.149	0.130 - 0.171	-	-	
New Hampshire	-	-		19	0.155	0.094 - 0.243	-	-	
New Jersey	-	-		2,061	0.367	0.351 - 0.383	-	-	
New Mexico	-	-		63	0.248	0.190 - 0.317	-	-	
New York	-	-		5,242	0.379	0.369 - 0.390	-	-	
North Carolina	-	-		3,519	0.333	0.322 - 0.344	-	-	
North Dakota	-	-		13	0.089	0.047 - 0.152	-	-	
Ohio	-	-		2,077	0.278	0.266 - 0.290	-	-	
Oklahoma	-	-		401	0.242	0.218 - 0.266	-	-	
Oregon	-	-		115	0.213	0.176 - 0.255	-	-	
Pennsylvania	-	-		1,919	0.273	0.261 - 0.285	-	-	
Rhode Island	-	-		57	0.163	0.123 - 0.211	-	-	
South Carolina	-	-		2,200	0.342	0.328 - 0.356	-	-	
Tennessee	-	-		1,605	0.293	0.279 - 0.308	-	-	
Texas	-	-		3,772	0.227	0.219 - 0.234	-	-	
Utah	-	-		36	0.146	0.102 - 0.202	-	-	
Vermont	-	-		10	0.182	0.087 - 0.335	-	-	
Virginia	-	-		2,533	0.314	0.302 - 0.327	-	-	
Washington ³	-	-		362	0.195	0.175 - 0.216	-	-	
WA - Seattle	-	-		337	0.210	0.188 - 0.234	-	-	
West Virginia	-	-		124	0.317	0.263 - 0.377	-	-	
Wisconsin	-	-		485	0.246	0.225 - 0.269	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		541	0.003	0.002 - 0.003	-	-	
Alabama	-	-		13	0.002	0.001 - 0.004	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	-	-		35	0.003	0.002 - 0.004	-	-	
CA - Greater California	-	-		16	0.003	0.002 - 0.004	-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		12	0.003	0.002 - 0.005	-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	-	-		18	0.001	0.001 - 0.002	-	-	
Georgia	-	-		50	0.003	0.002 - 0.004	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		17	0.002	0.001 - 0.003	-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		22	0.003	0.002 - 0.005	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		19	0.002	0.001 - 0.003	-	-	
Michigan	-	-		13	0.002	0.001 - 0.003	-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		14	0.003	0.001 - 0.004	-	-	
Missouri	-	-		16	0.004	0.003 - 0.007	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		17	0.003	0.002 - 0.005	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		49	0.004	0.003 - 0.005	-	-	
North Carolina	-	-		36	0.003	0.002 - 0.005	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		20	0.003	0.002 - 0.004	-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		26	0.004	0.002 - 0.005	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		16	0.002	0.001 - 0.004	-	-	
Tennessee	-	-		12	0.002	0.001 - 0.004	-	-	
Texas	-	-		42	0.003	0.002 - 0.003	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		22	0.003	0.002 - 0.004	-	-	
Washington ³	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,716	0.016	0.016 - 0.016	4,626	0.023	0.022 - 0.024	2,091	0.010	0.009 - 0.010
Alabama	209	0.016	0.014 - 0.018	136	0.022	0.019 - 0.026	73	0.010	0.008 - 0.013
Alaska	-	-	-	-	-	-	-	-	-
Arizona	36	0.011	0.008 - 0.015	23	0.013	0.008 - 0.020	13	0.008	0.004 - 0.014
Arkansas	61	0.013	0.010 - 0.016	42	0.018	0.013 - 0.025	19	0.008	0.005 - 0.012
California	472	0.019	0.018 - 0.021	336	0.028	0.025 - 0.031	136	0.011	0.009 - 0.013
CA - Greater California	179	0.016	0.014 - 0.018	128	0.022	0.018 - 0.026	51	0.009	0.007 - 0.012
CA - Greater Bay Area	102	0.023	0.019 - 0.028	70	0.032	0.025 - 0.040	32	0.014	0.010 - 0.020
CA - Los Angeles	191	0.022	0.019 - 0.026	138	0.034	0.029 - 0.040	54	0.012	0.009 - 0.016
Colorado	34	0.013	0.009 - 0.019	-	-	-	-	-	-
Connecticut	58	0.015	0.011 - 0.020	45	0.025	0.018 - 0.033	13	0.007	0.003 - 0.011
Delaware	54	0.025	0.019 - 0.033	43	0.042	0.031 - 0.057	11	0.010	0.005 - 0.017
District of Columbia	71	0.022	0.017 - 0.028	40	0.027	0.019 - 0.037	31	0.017	0.012 - 0.025
Florida	385	0.012	0.010 - 0.013	273	0.017	0.015 - 0.019	112	0.006	0.005 - 0.008
Georgia	419	0.013	0.011 - 0.014	267	0.017	0.015 - 0.019	152	0.009	0.007 - 0.010
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	333	0.018	0.016 - 0.020	247	0.028	0.025 - 0.032	86	0.009	0.007 - 0.011
Iowa	11	0.008	0.004 - 0.015	-	-	-	-	-	-
Kentucky	56	0.014	0.011 - 0.019	46	0.024	0.018 - 0.032	10	0.005	0.002 - 0.009
Louisiana	236	0.015	0.013 - 0.017	163	0.022	0.019 - 0.026	73	0.009	0.007 - 0.011
Maine	-	-	-	-	-	-	-	-	-
Maryland	354	0.019	0.017 - 0.021	228	0.027	0.023 - 0.030	126	0.013	0.011 - 0.015
Michigan	264	0.018	0.016 - 0.020	189	0.027	0.024 - 0.032	75	0.010	0.008 - 0.012
MI - Detroit	183	0.019	0.016 - 0.022	129	0.029	0.024 - 0.034	54	0.010	0.008 - 0.013
Minnesota	40	0.010	0.007 - 0.014	30	0.015	0.010 - 0.022	10	0.005	0.003 - 0.010
Mississippi	171	0.015	0.013 - 0.018	125	0.023	0.020 - 0.028	46	0.008	0.006 - 0.010
Missouri	133	0.018	0.015 - 0.021	82	0.023	0.018 - 0.028	51	0.013	0.010 - 0.017
Montana	-	-	-	-	-	-	-	-	-
Nebraska	13	0.013	0.007 - 0.021	-	-	-	-	-	-
Nevada	38	0.013	0.009 - 0.018	27	0.019	0.012 - 0.027	11	0.008	0.004 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	249	0.021	0.018 - 0.024	161	0.029	0.024 - 0.033	88	0.014	0.011 - 0.017
New Mexico	-	-	-	-	-	-	-	-	-
New York	519	0.017	0.016 - 0.019	356	0.026	0.023 - 0.029	163	0.010	0.009 - 0.012
North Carolina	397	0.018	0.016 - 0.019	262	0.025	0.022 - 0.028	135	0.011	0.009 - 0.013
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	270	0.017	0.015 - 0.020	172	0.023	0.020 - 0.027	98	0.012	0.010 - 0.015
Oklahoma	57	0.017	0.013 - 0.022	41	0.025	0.018 - 0.034	16	0.010	0.006 - 0.016
Oregon	12	0.012	0.006 - 0.021	-	-	-	-	-	-
Pennsylvania	305	0.021	0.019 - 0.023	223	0.032	0.028 - 0.036	82	0.011	0.009 - 0.013
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	206	0.015	0.013 - 0.017	140	0.022	0.018 - 0.026	66	0.009	0.007 - 0.011
Tennessee	176	0.015	0.013 - 0.018	117	0.021	0.018 - 0.026	59	0.010	0.007 - 0.012
Texas	403	0.012	0.011 - 0.013	289	0.017	0.015 - 0.019	114	0.006	0.005 - 0.008
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	321	0.019	0.017 - 0.021	228	0.028	0.025 - 0.032	93	0.011	0.009 - 0.013
Washington ³	50	0.014	0.011 - 0.019	37	0.020	0.014 - 0.027	13	0.008	0.004 - 0.014
WA - Seattle	45	0.015	0.011 - 0.020	33	0.021	0.014 - 0.029	12	0.008	0.004 - 0.015
West Virginia	10	0.014	0.007 - 0.025	-	-	-	-	-	-
Wisconsin	60	0.015	0.011 - 0.019	37	0.019	0.013 - 0.026	23	0.011	0.007 - 0.017
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,661	0.030	0.029 - 0.031	7,580	0.038	0.037 - 0.038	5,083	0.023	0.022 - 0.024
Alabama	407	0.031	0.028 - 0.034	235	0.038	0.034 - 0.044	172	0.024	0.021 - 0.028
Alaska	-	-	-	-	-	-	-	-	-
Arizona	79	0.024	0.019 - 0.029	62	0.036	0.027 - 0.046	17	0.011	0.006 - 0.017
Arkansas	149	0.031	0.026 - 0.037	80	0.035	0.028 - 0.044	69	0.028	0.021 - 0.035
California	743	0.031	0.028 - 0.033	470	0.039	0.035 - 0.043	274	0.022	0.020 - 0.025
CA - Greater California	349	0.031	0.028 - 0.034	211	0.036	0.031 - 0.041	138	0.025	0.021 - 0.030
CA - Greater Bay Area	147	0.033	0.028 - 0.039	96	0.043	0.035 - 0.053	51	0.023	0.017 - 0.030
CA - Los Angeles	247	0.029	0.025 - 0.033	163	0.040	0.034 - 0.047	85	0.019	0.015 - 0.023
Colorado	73	0.028	0.022 - 0.036	51	0.037	0.028 - 0.049	22	0.018	0.012 - 0.028
Connecticut	104	0.027	0.022 - 0.033	68	0.037	0.029 - 0.047	36	0.018	0.013 - 0.025
Delaware	61	0.028	0.022 - 0.036	37	0.036	0.026 - 0.050	24	0.021	0.013 - 0.031
District of Columbia	79	0.024	0.019 - 0.030	52	0.035	0.026 - 0.046	27	0.015	0.010 - 0.022
Florida	701	0.021	0.019 - 0.023	430	0.027	0.024 - 0.029	271	0.016	0.014 - 0.018
Georgia	910	0.027	0.026 - 0.029	516	0.033	0.031 - 0.036	394	0.022	0.020 - 0.025
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	634	0.034	0.031 - 0.037	374	0.043	0.038 - 0.047	260	0.026	0.023 - 0.030
Iowa	38	0.029	0.020 - 0.039	20	0.028	0.017 - 0.044	18	0.029	0.017 - 0.046
Kentucky	143	0.037	0.031 - 0.044	74	0.039	0.030 - 0.048	69	0.035	0.028 - 0.045
Louisiana	506	0.033	0.030 - 0.036	290	0.040	0.035 - 0.045	217	0.027	0.023 - 0.031
Maine	-	-	-	-	-	-	-	-	-
Maryland	532	0.029	0.027 - 0.031	307	0.036	0.032 - 0.040	225	0.023	0.020 - 0.026
Michigan	430	0.030	0.027 - 0.033	261	0.038	0.033 - 0.043	169	0.022	0.019 - 0.026
MI - Detroit	314	0.032	0.029 - 0.036	189	0.042	0.036 - 0.048	125	0.024	0.020 - 0.028
Minnesota	81	0.021	0.017 - 0.026	55	0.028	0.021 - 0.036	26	0.014	0.009 - 0.020
Mississippi	393	0.035	0.031 - 0.038	217	0.041	0.036 - 0.047	176	0.029	0.025 - 0.034
Missouri	254	0.034	0.030 - 0.038	142	0.040	0.033 - 0.047	112	0.029	0.023 - 0.034
Montana	-	-	-	-	-	-	-	-	-
Nebraska	46	0.044	0.033 - 0.059	30	0.056	0.038 - 0.081	16	0.032	0.018 - 0.052
Nevada	77	0.027	0.021 - 0.034	49	0.034	0.025 - 0.045	28	0.019	0.013 - 0.028
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	375	0.031	0.028 - 0.035	227	0.040	0.035 - 0.046	148	0.024	0.020 - 0.028
New Mexico	17	0.038	0.022 - 0.060	-	-	-	-	-	-
New York	876	0.030	0.028 - 0.032	544	0.039	0.036 - 0.043	332	0.021	0.019 - 0.023
North Carolina	758	0.034	0.031 - 0.036	440	0.042	0.038 - 0.046	318	0.026	0.024 - 0.030
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	492	0.032	0.029 - 0.034	303	0.040	0.036 - 0.045	189	0.023	0.020 - 0.027
Oklahoma	88	0.027	0.021 - 0.033	54	0.033	0.024 - 0.042	34	0.021	0.014 - 0.029
Oregon	24	0.024	0.015 - 0.035	-	-	-	-	-	-
Pennsylvania	535	0.037	0.034 - 0.040	317	0.045	0.040 - 0.050	218	0.029	0.025 - 0.033
Rhode Island	14	0.020	0.011 - 0.033	-	-	-	-	-	-
South Carolina	444	0.032	0.029 - 0.035	278	0.043	0.038 - 0.049	166	0.023	0.019 - 0.026
Tennessee	381	0.033	0.030 - 0.036	215	0.039	0.034 - 0.045	166	0.027	0.023 - 0.032
Texas	973	0.028	0.027 - 0.030	581	0.035	0.032 - 0.038	392	0.022	0.020 - 0.024
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	607	0.036	0.033 - 0.039	378	0.047	0.042 - 0.052	229	0.026	0.023 - 0.030
Washington ³	89	0.026	0.021 - 0.031	50	0.027	0.020 - 0.036	39	0.024	0.017 - 0.033
WA - Seattle	83	0.027	0.022 - 0.034	46	0.029	0.021 - 0.038	37	0.026	0.018 - 0.036
West Virginia	14	0.019	0.011 - 0.032	-	-	-	-	-	-
Wisconsin	133	0.033	0.028 - 0.039	76	0.039	0.030 - 0.048	57	0.028	0.021 - 0.036
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Brain and Other Nervous System

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,114	0.005	0.005 - 0.005	1,145	0.006	0.005 - 0.006	969	0.004	0.004 - 0.005
Alabama	73	0.006	0.004 - 0.007	38	0.006	0.004 - 0.009	35	0.005	0.003 - 0.007
Alaska	-	-	-	-	-	-	-	-	-
Arizona	17	0.005	0.003 - 0.008	-	-	-	-	-	-
Arkansas	28	0.006	0.004 - 0.008	17	0.007	0.004 - 0.012	11	0.004	0.002 - 0.008
California	102	0.004	0.003 - 0.005	54	0.004	0.003 - 0.006	48	0.004	0.003 - 0.005
CA - Greater California	51	0.005	0.003 - 0.006	25	0.004	0.003 - 0.006	26	0.005	0.003 - 0.007
CA - Greater Bay Area	18	0.004	0.002 - 0.006	-	-	-	-	-	-
CA - Los Angeles	32	0.004	0.003 - 0.005	17	0.004	0.003 - 0.007	15	0.003	0.002 - 0.005
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	18	0.005	0.003 - 0.007	-	-	-	-	-	-
Delaware	11	0.005	0.003 - 0.009	-	-	-	-	-	-
District of Columbia	19	0.006	0.004 - 0.009	-	-	-	-	-	-
Florida	169	0.005	0.004 - 0.006	99	0.006	0.005 - 0.007	70	0.004	0.003 - 0.005
Georgia	152	0.005	0.004 - 0.005	73	0.005	0.004 - 0.006	79	0.004	0.004 - 0.006
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	100	0.005	0.004 - 0.006	52	0.006	0.004 - 0.008	48	0.005	0.004 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	21	0.005	0.003 - 0.008	-	-	-	-	-	-
Louisiana	58	0.004	0.003 - 0.005	33	0.005	0.003 - 0.006	25	0.003	0.002 - 0.005
Maine	-	-	-	-	-	-	-	-	-
Maryland	81	0.004	0.003 - 0.005	43	0.005	0.004 - 0.007	38	0.004	0.003 - 0.005
Michigan	81	0.006	0.004 - 0.007	37	0.005	0.004 - 0.007	44	0.006	0.004 - 0.008
MI - Detroit	49	0.005	0.004 - 0.007	18	0.004	0.002 - 0.006	31	0.006	0.004 - 0.008
Minnesota	19	0.005	0.003 - 0.008	-	-	-	-	-	-
Mississippi	54	0.005	0.004 - 0.006	25	0.005	0.003 - 0.007	29	0.005	0.003 - 0.007
Missouri	33	0.004	0.003 - 0.006	16	0.004	0.003 - 0.007	17	0.004	0.003 - 0.007
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	15	0.005	0.003 - 0.009	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	84	0.007	0.006 - 0.009	46	0.008	0.006 - 0.011	38	0.006	0.004 - 0.008
New Mexico	-	-	-	-	-	-	-	-	-
New York	153	0.005	0.004 - 0.006	94	0.007	0.006 - 0.008	59	0.004	0.003 - 0.005
North Carolina	131	0.006	0.005 - 0.007	68	0.006	0.005 - 0.008	63	0.005	0.004 - 0.007
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	95	0.006	0.005 - 0.007	46	0.006	0.005 - 0.008	49	0.006	0.004 - 0.008
Oklahoma	18	0.005	0.003 - 0.009	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	68	0.005	0.004 - 0.006	48	0.007	0.005 - 0.009	20	0.003	0.002 - 0.004
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	56	0.004	0.003 - 0.005	30	0.005	0.003 - 0.007	26	0.004	0.002 - 0.005
Tennessee	58	0.005	0.004 - 0.006	34	0.006	0.004 - 0.009	24	0.004	0.003 - 0.006
Texas	172	0.005	0.004 - 0.006	88	0.005	0.004 - 0.007	84	0.005	0.004 - 0.006
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	82	0.005	0.004 - 0.006	45	0.006	0.004 - 0.007	37	0.004	0.003 - 0.006
Washington ³	15	0.004	0.002 - 0.007	-	-	-	-	-	-
WA - Seattle	15	0.005	0.003 - 0.008	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	21	0.005	0.003 - 0.008	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,137	0.017	0.016 - 0.017	1,316	0.007	0.006 - 0.007	5,818	0.026	0.026 - 0.027
Alabama	169	0.013	0.011 - 0.015	30	0.005	0.003 - 0.007	139	0.020	0.017 - 0.023
Alaska	-	-	-	-	-	-	-	-	-
Arizona	53	0.016	0.012 - 0.021	-	-	-	-	-	-
Arkansas	85	0.018	0.014 - 0.022	16	0.007	0.004 - 0.011	69	0.028	0.021 - 0.035
California	318	0.013	0.012 - 0.015	75	0.006	0.005 - 0.008	243	0.020	0.017 - 0.022
CA - Greater California	137	0.012	0.010 - 0.014	35	0.006	0.004 - 0.008	102	0.019	0.015 - 0.023
CA - Greater Bay Area	41	0.009	0.007 - 0.012	-	-	-	-	-	-
CA - Los Angeles	140	0.016	0.014 - 0.019	33	0.008	0.006 - 0.011	107	0.024	0.019 - 0.029
Colorado	35	0.014	0.010 - 0.019	11	0.008	0.004 - 0.014	24	0.020	0.013 - 0.030
Connecticut	83	0.022	0.017 - 0.027	14	0.008	0.004 - 0.013	69	0.035	0.027 - 0.044
Delaware	49	0.023	0.017 - 0.030	-	-	-	-	-	-
District of Columbia	62	0.019	0.015 - 0.024	-	-	-	-	-	-
Florida	470	0.014	0.013 - 0.015	84	0.005	0.004 - 0.006	386	0.022	0.020 - 0.025
Georgia	513	0.015	0.014 - 0.017	83	0.005	0.004 - 0.007	430	0.024	0.022 - 0.027
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	316	0.017	0.015 - 0.019	70	0.008	0.006 - 0.010	246	0.025	0.022 - 0.028
Iowa	16	0.012	0.007 - 0.020	-	-	-	-	-	-
Kentucky	90	0.023	0.019 - 0.029	12	0.006	0.003 - 0.011	78	0.040	0.032 - 0.050
Louisiana	276	0.018	0.016 - 0.020	48	0.007	0.005 - 0.009	228	0.028	0.025 - 0.032
Maine	-	-	-	-	-	-	-	-	-
Maryland	375	0.020	0.018 - 0.023	76	0.009	0.007 - 0.011	299	0.030	0.027 - 0.034
Michigan	255	0.018	0.015 - 0.020	44	0.006	0.005 - 0.009	211	0.028	0.024 - 0.032
MI - Detroit	220	0.022	0.020 - 0.026	45	0.010	0.007 - 0.013	175	0.033	0.028 - 0.038
Minnesota	53	0.014	0.010 - 0.018	16	0.008	0.005 - 0.013	37	0.020	0.014 - 0.027
Mississippi	171	0.015	0.013 - 0.018	27	0.005	0.003 - 0.007	144	0.024	0.020 - 0.028
Missouri	109	0.015	0.012 - 0.018	20	0.006	0.003 - 0.009	89	0.023	0.018 - 0.028
Montana	-	-	-	-	-	-	-	-	-
Nebraska	15	0.015	0.008 - 0.024	-	-	-	-	-	-
Nevada	26	0.009	0.006 - 0.013	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	281	0.024	0.021 - 0.027	44	0.008	0.006 - 0.011	237	0.038	0.033 - 0.043
New Mexico	-	-	-	-	-	-	-	-	-
New York	650	0.022	0.020 - 0.024	124	0.009	0.007 - 0.011	527	0.033	0.030 - 0.036
North Carolina	395	0.017	0.016 - 0.019	73	0.007	0.005 - 0.009	322	0.027	0.024 - 0.030
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	310	0.020	0.018 - 0.022	49	0.007	0.005 - 0.009	261	0.032	0.028 - 0.036
Oklahoma	44	0.013	0.010 - 0.018	-	-	-	-	-	-
Oregon	21	0.021	0.013 - 0.032	-	-	-	-	-	-
Pennsylvania	333	0.023	0.020 - 0.025	57	0.008	0.006 - 0.011	276	0.036	0.032 - 0.041
Rhode Island	15	0.021	0.012 - 0.035	-	-	-	-	-	-
South Carolina	239	0.017	0.015 - 0.020	46	0.007	0.005 - 0.010	193	0.026	0.023 - 0.030
Tennessee	161	0.014	0.012 - 0.016	14	0.003	0.001 - 0.004	147	0.024	0.020 - 0.028
Texas	493	0.014	0.013 - 0.016	106	0.006	0.005 - 0.008	387	0.022	0.020 - 0.024
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	292	0.017	0.015 - 0.019	54	0.007	0.005 - 0.009	238	0.027	0.024 - 0.031
Washington ³	38	0.011	0.008 - 0.015	10	0.005	0.003 - 0.010	28	0.017	0.011 - 0.025
WA - Seattle	38	0.013	0.009 - 0.017	10	0.006	0.003 - 0.011	28	0.020	0.013 - 0.028
West Virginia	16	0.022	0.013 - 0.036	-	-	-	-	-	-
Wisconsin	61	0.015	0.012 - 0.020	11	0.006	0.003 - 0.010	50	0.025	0.018 - 0.032
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,057	0.005	0.005 - 0.005	1,096	0.005	0.005 - 0.006	961	0.004	0.004 - 0.005
Alabama	67	0.005	0.004 - 0.006	33	0.005	0.004 - 0.008	34	0.005	0.003 - 0.007
Alaska	-	-	-	-	-	-	-	-	-
Arizona	21	0.006	0.004 - 0.010	-	-	-	-	-	-
Arkansas	24	0.005	0.003 - 0.007	14	0.006	0.003 - 0.010	10	0.004	0.002 - 0.007
California	91	0.004	0.003 - 0.005	46	0.004	0.003 - 0.005	45	0.004	0.003 - 0.005
CA - Greater California	39	0.003	0.002 - 0.005	21	0.004	0.002 - 0.005	18	0.003	0.002 - 0.005
CA - Greater Bay Area	21	0.005	0.003 - 0.007	-	-	-	-	-	-
CA - Los Angeles	31	0.004	0.002 - 0.005	12	0.003	0.002 - 0.005	19	0.004	0.003 - 0.007
Colorado	13	0.005	0.003 - 0.009	-	-	-	-	-	-
Connecticut	20	0.005	0.003 - 0.008	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	14	0.004	0.002 - 0.007	-	-	-	-	-	-
Florida	166	0.005	0.004 - 0.006	86	0.005	0.004 - 0.007	80	0.005	0.004 - 0.006
Georgia	165	0.005	0.004 - 0.006	88	0.006	0.005 - 0.007	77	0.004	0.003 - 0.005
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	89	0.005	0.004 - 0.006	60	0.007	0.005 - 0.009	29	0.003	0.002 - 0.004
Iowa	13	0.010	0.005 - 0.017	-	-	-	-	-	-
Kentucky	19	0.005	0.003 - 0.008	-	-	-	-	-	-
Louisiana	62	0.004	0.003 - 0.005	35	0.005	0.003 - 0.007	27	0.003	0.002 - 0.005
Maine	-	-	-	-	-	-	-	-	-
Maryland	105	0.006	0.005 - 0.007	54	0.006	0.005 - 0.008	51	0.005	0.004 - 0.007
Michigan	68	0.005	0.004 - 0.006	43	0.006	0.004 - 0.008	25	0.003	0.002 - 0.005
MI - Detroit	53	0.005	0.004 - 0.007	34	0.008	0.005 - 0.011	19	0.004	0.002 - 0.006
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	58	0.005	0.004 - 0.007	30	0.006	0.004 - 0.008	28	0.005	0.003 - 0.007
Missouri	42	0.006	0.004 - 0.008	19	0.005	0.003 - 0.008	23	0.006	0.004 - 0.009
Montana	-	-	-	-	-	-	-	-	-
Nebraska	12	0.012	0.006 - 0.020	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	71	0.006	0.005 - 0.008	29	0.005	0.003 - 0.007	42	0.007	0.005 - 0.009
New Mexico	-	-	-	-	-	-	-	-	-
New York	159	0.005	0.005 - 0.006	68	0.005	0.004 - 0.006	91	0.006	0.005 - 0.007
North Carolina	108	0.005	0.004 - 0.006	55	0.005	0.004 - 0.007	53	0.004	0.003 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	79	0.005	0.004 - 0.006	36	0.005	0.003 - 0.007	43	0.005	0.004 - 0.007
Oklahoma	17	0.005	0.003 - 0.008	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	80	0.005	0.004 - 0.007	48	0.007	0.005 - 0.009	32	0.004	0.003 - 0.006
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	67	0.005	0.004 - 0.006	38	0.006	0.004 - 0.008	29	0.004	0.003 - 0.006
Tennessee	53	0.005	0.003 - 0.006	29	0.005	0.004 - 0.008	24	0.004	0.003 - 0.006
Texas	162	0.005	0.004 - 0.005	98	0.006	0.005 - 0.007	64	0.004	0.003 - 0.005
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	64	0.004	0.003 - 0.005	37	0.005	0.003 - 0.006	27	0.003	0.002 - 0.004
Washington ³	18	0.005	0.003 - 0.008	-	-	-	-	-	-
WA - Seattle	15	0.005	0.003 - 0.008	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	17	0.004	0.002 - 0.007	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,916	0.021	0.021 - 0.022	4,612	0.023	0.022 - 0.023	4,305	0.020	0.019 - 0.020
Alabama	264	0.020	0.018 - 0.023	133	0.022	0.018 - 0.026	131	0.019	0.016 - 0.022
Alaska	-	-	-	-	-	-	-	-	-
Arizona	55	0.016	0.012 - 0.021	33	0.019	0.013 - 0.027	22	0.014	0.009 - 0.021
Arkansas	93	0.019	0.016 - 0.024	48	0.021	0.016 - 0.028	45	0.018	0.013 - 0.024
California	534	0.022	0.020 - 0.024	290	0.024	0.021 - 0.027	244	0.020	0.018 - 0.023
CA - Greater California	221	0.020	0.017 - 0.022	125	0.021	0.018 - 0.026	96	0.017	0.014 - 0.021
CA - Greater Bay Area	120	0.027	0.022 - 0.032	58	0.026	0.020 - 0.034	62	0.027	0.021 - 0.035
CA - Los Angeles	193	0.023	0.020 - 0.026	106	0.026	0.022 - 0.032	87	0.019	0.015 - 0.024
Colorado	58	0.023	0.017 - 0.029	34	0.025	0.017 - 0.035	24	0.020	0.013 - 0.030
Connecticut	80	0.021	0.017 - 0.026	47	0.026	0.019 - 0.034	34	0.017	0.012 - 0.024
Delaware	52	0.024	0.018 - 0.032	22	0.022	0.014 - 0.033	30	0.026	0.018 - 0.038
District of Columbia	73	0.022	0.018 - 0.028	34	0.023	0.016 - 0.032	39	0.022	0.016 - 0.030
Florida	741	0.022	0.021 - 0.024	390	0.024	0.022 - 0.027	351	0.020	0.018 - 0.022
Georgia	683	0.021	0.019 - 0.022	374	0.024	0.022 - 0.027	309	0.018	0.016 - 0.020
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	379	0.020	0.018 - 0.022	195	0.022	0.019 - 0.025	184	0.019	0.016 - 0.021
Iowa	23	0.017	0.011 - 0.026	-	-	-	-	-	-
Kentucky	68	0.018	0.014 - 0.022	32	0.017	0.011 - 0.024	36	0.019	0.013 - 0.026
Louisiana	310	0.020	0.018 - 0.023	151	0.021	0.018 - 0.024	159	0.020	0.017 - 0.023
Maine	-	-	-	-	-	-	-	-	-
Maryland	422	0.023	0.021 - 0.025	199	0.023	0.020 - 0.027	223	0.023	0.020 - 0.026
Michigan	357	0.025	0.022 - 0.027	173	0.025	0.021 - 0.029	184	0.024	0.021 - 0.028
MI - Detroit	266	0.027	0.024 - 0.031	124	0.027	0.023 - 0.033	143	0.027	0.023 - 0.032
Minnesota	60	0.016	0.012 - 0.020	37	0.019	0.013 - 0.026	23	0.012	0.008 - 0.018
Mississippi	216	0.019	0.017 - 0.022	104	0.020	0.016 - 0.024	112	0.019	0.015 - 0.022
Missouri	176	0.023	0.020 - 0.027	84	0.023	0.019 - 0.029	92	0.023	0.019 - 0.029
Montana	-	-	-	-	-	-	-	-	-
Nebraska	22	0.021	0.013 - 0.032	11	0.021	0.010 - 0.037	11	0.022	0.011 - 0.039
Nevada	41	0.014	0.010 - 0.019	23	0.016	0.010 - 0.024	18	0.012	0.007 - 0.020
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	267	0.022	0.020 - 0.025	140	0.025	0.021 - 0.029	127	0.020	0.017 - 0.024
New Mexico	-	-	-	-	-	-	-	-	-
New York	781	0.026	0.025 - 0.028	376	0.027	0.025 - 0.030	405	0.026	0.023 - 0.028
North Carolina	531	0.024	0.022 - 0.026	279	0.026	0.023 - 0.030	252	0.021	0.018 - 0.024
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	312	0.020	0.018 - 0.022	167	0.022	0.019 - 0.026	145	0.018	0.015 - 0.021
Oklahoma	60	0.018	0.014 - 0.023	35	0.021	0.015 - 0.029	25	0.015	0.010 - 0.022
Oregon	21	0.021	0.013 - 0.032	-	-	-	-	-	-
Pennsylvania	323	0.022	0.020 - 0.025	177	0.025	0.022 - 0.029	146	0.019	0.016 - 0.023
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	252	0.018	0.016 - 0.021	142	0.022	0.019 - 0.026	110	0.015	0.012 - 0.018
Tennessee	202	0.017	0.015 - 0.020	89	0.016	0.013 - 0.020	113	0.019	0.015 - 0.022
Texas	637	0.019	0.017 - 0.020	320	0.019	0.017 - 0.021	317	0.018	0.016 - 0.020
Utah	12	0.028	0.014 - 0.048	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	351	0.021	0.019 - 0.023	190	0.024	0.020 - 0.027	161	0.018	0.016 - 0.022
Washington ³	58	0.017	0.013 - 0.022	36	0.019	0.014 - 0.027	22	0.014	0.009 - 0.021
WA - Seattle	57	0.019	0.014 - 0.024	36	0.022	0.016 - 0.031	21	0.015	0.009 - 0.023
West Virginia	17	0.023	0.014 - 0.037	-	-	-	-	-	-
Wisconsin	78	0.019	0.015 - 0.024	33	0.017	0.012 - 0.024	45	0.022	0.016 - 0.030
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,479	0.020	0.020 - 0.021	4,151	0.021	0.020 - 0.021	4,329	0.020	0.019 - 0.020
Alabama	248	0.019	0.017 - 0.021	119	0.019	0.016 - 0.023	129	0.018	0.015 - 0.022
Alaska	-	-	-	-	-	-	-	-	-
Arizona	48	0.014	0.011 - 0.019	25	0.014	0.009 - 0.021	23	0.014	0.009 - 0.021
Arkansas	96	0.020	0.016 - 0.025	47	0.021	0.015 - 0.027	49	0.020	0.014 - 0.026
California	491	0.020	0.018 - 0.022	268	0.022	0.020 - 0.025	223	0.018	0.016 - 0.021
CA - Greater California	217	0.019	0.017 - 0.022	118	0.020	0.017 - 0.024	100	0.018	0.015 - 0.022
CA - Greater Bay Area	107	0.024	0.020 - 0.029	65	0.029	0.023 - 0.038	42	0.019	0.013 - 0.025
CA - Los Angeles	167	0.020	0.017 - 0.023	86	0.021	0.017 - 0.026	82	0.018	0.014 - 0.023
Colorado	43	0.017	0.012 - 0.023	27	0.020	0.013 - 0.029	16	0.013	0.008 - 0.022
Connecticut	91	0.024	0.019 - 0.029	52	0.028	0.021 - 0.037	39	0.020	0.014 - 0.027
Delaware	61	0.028	0.022 - 0.036	30	0.029	0.020 - 0.042	31	0.027	0.018 - 0.039
District of Columbia	66	0.020	0.016 - 0.026	32	0.022	0.015 - 0.031	34	0.019	0.013 - 0.027
Florida	679	0.020	0.019 - 0.022	328	0.020	0.018 - 0.023	351	0.020	0.018 - 0.022
Georgia	671	0.020	0.019 - 0.022	311	0.020	0.018 - 0.022	360	0.020	0.018 - 0.023
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	390	0.021	0.019 - 0.023	203	0.023	0.020 - 0.026	187	0.019	0.016 - 0.022
Iowa	20	0.015	0.009 - 0.023	10	0.014	0.007 - 0.026	10	0.016	0.008 - 0.029
Kentucky	71	0.018	0.014 - 0.023	31	0.016	0.011 - 0.023	40	0.020	0.015 - 0.028
Louisiana	319	0.021	0.019 - 0.023	161	0.022	0.019 - 0.026	158	0.020	0.017 - 0.023
Maine	-	-	-	-	-	-	-	-	-
Maryland	388	0.021	0.019 - 0.023	185	0.022	0.019 - 0.025	203	0.021	0.018 - 0.024
Michigan	307	0.021	0.019 - 0.024	154	0.022	0.019 - 0.026	153	0.020	0.017 - 0.024
MI - Detroit	229	0.023	0.020 - 0.027	110	0.024	0.020 - 0.029	119	0.022	0.019 - 0.027
Minnesota	35	0.009	0.006 - 0.013	20	0.010	0.006 - 0.016	15	0.008	0.004 - 0.013
Mississippi	213	0.019	0.016 - 0.022	86	0.016	0.013 - 0.020	127	0.021	0.018 - 0.025
Missouri	144	0.019	0.016 - 0.023	64	0.018	0.014 - 0.023	80	0.020	0.016 - 0.025
Montana	-	-	-	-	-	-	-	-	-
Nebraska	17	0.016	0.010 - 0.026	-	-	-	-	-	-
Nevada	29	0.010	0.007 - 0.015	15	0.010	0.006 - 0.017	14	0.010	0.005 - 0.016
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	267	0.022	0.020 - 0.025	113	0.020	0.017 - 0.024	154	0.024	0.021 - 0.029
New Mexico	-	-	-	-	-	-	-	-	-
New York	721	0.024	0.023 - 0.026	334	0.024	0.022 - 0.027	387	0.024	0.022 - 0.027
North Carolina	523	0.023	0.021 - 0.025	253	0.024	0.021 - 0.027	270	0.022	0.020 - 0.025
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	261	0.017	0.015 - 0.019	136	0.018	0.015 - 0.021	125	0.015	0.013 - 0.018
Oklahoma	59	0.018	0.014 - 0.023	31	0.019	0.013 - 0.027	28	0.017	0.011 - 0.024
Oregon	11	0.011	0.005 - 0.019	-	-	-	-	-	-
Pennsylvania	283	0.019	0.017 - 0.022	118	0.017	0.014 - 0.020	165	0.022	0.019 - 0.025
Rhode Island	19	0.027	0.016 - 0.042	-	-	-	-	-	-
South Carolina	339	0.025	0.022 - 0.027	168	0.026	0.022 - 0.030	171	0.023	0.020 - 0.027
Tennessee	194	0.017	0.014 - 0.019	93	0.017	0.014 - 0.021	101	0.017	0.013 - 0.020
Texas	649	0.019	0.017 - 0.020	321	0.019	0.017 - 0.022	328	0.018	0.017 - 0.021
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	304	0.018	0.016 - 0.020	162	0.020	0.017 - 0.023	142	0.016	0.014 - 0.019
Washington ³	47	0.014	0.010 - 0.018	32	0.017	0.012 - 0.024	15	0.009	0.005 - 0.015
WA - Seattle	37	0.012	0.009 - 0.017	24	0.015	0.010 - 0.022	13	0.009	0.005 - 0.016
West Virginia	22	0.030	0.019 - 0.046	12	0.031	0.016 - 0.054	10	0.030	0.014 - 0.055
Wisconsin	77	0.019	0.015 - 0.024	38	0.019	0.014 - 0.026	39	0.019	0.014 - 0.026
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,842	0.014	0.013 - 0.014	3,159	0.016	0.015 - 0.016	2,683	0.012	0.012 - 0.013
Alabama	144	0.011	0.009 - 0.013	79	0.013	0.010 - 0.016	65	0.009	0.007 - 0.012
Alaska	-	-	-	-	-	-	-	-	-
Arizona	29	0.009	0.006 - 0.012	14	0.008	0.004 - 0.014	15	0.009	0.005 - 0.015
Arkansas	64	0.013	0.010 - 0.017	37	0.016	0.011 - 0.022	27	0.011	0.007 - 0.016
California	350	0.014	0.013 - 0.016	191	0.016	0.014 - 0.018	159	0.013	0.011 - 0.015
CA - Greater California	143	0.013	0.011 - 0.015	89	0.015	0.012 - 0.019	54	0.010	0.007 - 0.013
CA - Greater Bay Area	68	0.015	0.012 - 0.019	35	0.016	0.011 - 0.022	33	0.015	0.010 - 0.021
CA - Los Angeles	139	0.016	0.014 - 0.019	67	0.017	0.013 - 0.021	72	0.016	0.013 - 0.020
Colorado	28	0.011	0.007 - 0.016	-	-	-	-	-	-
Connecticut	53	0.014	0.010 - 0.018	30	0.016	0.011 - 0.023	24	0.012	0.008 - 0.018
Delaware	28	0.013	0.009 - 0.019	12	0.012	0.006 - 0.021	16	0.014	0.008 - 0.023
District of Columbia	30	0.009	0.006 - 0.013	13	0.009	0.005 - 0.015	17	0.010	0.006 - 0.015
Florida	543	0.016	0.015 - 0.018	287	0.018	0.016 - 0.020	256	0.015	0.013 - 0.017
Georgia	436	0.013	0.012 - 0.014	223	0.014	0.013 - 0.016	213	0.012	0.011 - 0.014
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	265	0.014	0.013 - 0.016	143	0.016	0.014 - 0.019	122	0.012	0.010 - 0.015
Iowa	17	0.013	0.007 - 0.021	-	-	-	-	-	-
Kentucky	56	0.014	0.011 - 0.019	34	0.018	0.012 - 0.025	22	0.011	0.007 - 0.017
Louisiana	242	0.016	0.014 - 0.018	134	0.018	0.015 - 0.022	108	0.013	0.011 - 0.016
Maine	-	-	-	-	-	-	-	-	-
Maryland	264	0.014	0.013 - 0.016	132	0.015	0.013 - 0.018	132	0.013	0.011 - 0.016
Michigan	204	0.014	0.012 - 0.016	116	0.017	0.014 - 0.020	88	0.012	0.009 - 0.014
MI - Detroit	161	0.016	0.014 - 0.019	92	0.020	0.016 - 0.025	69	0.013	0.010 - 0.016
Minnesota	38	0.010	0.007 - 0.014	22	0.011	0.007 - 0.017	16	0.008	0.005 - 0.014
Mississippi	133	0.012	0.010 - 0.014	76	0.014	0.011 - 0.018	57	0.010	0.007 - 0.012
Missouri	103	0.014	0.011 - 0.017	55	0.015	0.012 - 0.020	48	0.012	0.009 - 0.016
Montana	-	-	-	-	-	-	-	-	-
Nebraska	12	0.012	0.006 - 0.020	-	-	-	-	-	-
Nevada	33	0.011	0.008 - 0.016	22	0.015	0.010 - 0.023	11	0.008	0.004 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	203	0.017	0.015 - 0.020	116	0.021	0.017 - 0.025	87	0.014	0.011 - 0.017
New Mexico	-	-	-	-	-	-	-	-	-
New York	460	0.016	0.014 - 0.017	236	0.017	0.015 - 0.019	224	0.014	0.012 - 0.016
North Carolina	371	0.016	0.015 - 0.018	199	0.019	0.016 - 0.022	172	0.014	0.012 - 0.017
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	176	0.011	0.010 - 0.013	95	0.013	0.010 - 0.016	81	0.010	0.008 - 0.012
Oklahoma	54	0.016	0.012 - 0.021	34	0.020	0.014 - 0.029	20	0.012	0.007 - 0.019
Oregon	13	0.013	0.007 - 0.022	-	-	-	-	-	-
Pennsylvania	210	0.014	0.013 - 0.016	115	0.016	0.014 - 0.020	95	0.013	0.010 - 0.015
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	180	0.013	0.011 - 0.015	88	0.014	0.011 - 0.017	92	0.013	0.010 - 0.015
Tennessee	124	0.011	0.009 - 0.013	72	0.013	0.010 - 0.017	52	0.009	0.006 - 0.011
Texas	451	0.013	0.012 - 0.014	241	0.014	0.013 - 0.016	210	0.012	0.010 - 0.014
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	189	0.011	0.010 - 0.013	102	0.013	0.010 - 0.015	87	0.010	0.008 - 0.012
Washington ³	53	0.015	0.011 - 0.020	34	0.018	0.013 - 0.026	19	0.012	0.007 - 0.018
WA - Seattle	49	0.016	0.012 - 0.021	31	0.019	0.013 - 0.027	18	0.013	0.007 - 0.020
West Virginia	18	0.025	0.015 - 0.039	-	-	-	-	-	-
Wisconsin	66	0.016	0.013 - 0.021	40	0.020	0.015 - 0.028	26	0.013	0.008 - 0.019
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Non-Hispanic Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	147	0.000	0.000 - 0.000	108	0.001	0.000 - 0.001	39	0.000	0.000 - 0.000
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	11	0.000	0.000 - 0.001	11	0.001	0.000 - 0.002	-	-	
CA - Greater California	-	-		-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	10	0.000	0.000 - 0.001	-	-		-	-	
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	15	0.001	0.001 - 0.002	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	13	0.000	0.000 - 0.001	-	-		-	-	
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	14	0.000	0.000 - 0.001	-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	10	0.001	0.000 - 0.001	10	0.001	0.001 - 0.002	-	-	
Washington ³	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	214,001	0.370	0.368 - 0.371	95,720	0.328	0.326 - 0.330	118,284	0.413	0.411 - 0.415
Alabama	371	0.178	0.160 - 0.197	170	0.153	0.131 - 0.178	201	0.206	0.179 - 0.237
Alaska	124	0.236	0.196 - 0.281	45	0.163	0.119 - 0.218	79	0.317	0.251 - 0.395
Arizona	6,936	0.317	0.310 - 0.325	2,947	0.268	0.258 - 0.278	3,989	0.367	0.356 - 0.378
Arkansas	555	0.248	0.228 - 0.270	260	0.222	0.196 - 0.250	295	0.277	0.247 - 0.311
California	54,663	0.357	0.354 - 0.360	23,884	0.310	0.306 - 0.314	30,780	0.404	0.400 - 0.409
CA - Greater California	29,435	0.346	0.342 - 0.350	12,934	0.301	0.296 - 0.307	16,501	0.391	0.386 - 0.397
CA - Greater Bay Area	7,221	0.379	0.371 - 0.388	3,200	0.331	0.320 - 0.343	4,021	0.429	0.416 - 0.442
CA - Los Angeles	18,016	0.367	0.362 - 0.372	7,754	0.317	0.310 - 0.324	10,262	0.417	0.409 - 0.425
Colorado	4,213	0.352	0.341 - 0.363	1,807	0.296	0.283 - 0.310	2,406	0.410	0.394 - 0.426
Connecticut	2,554	0.451	0.433 - 0.468	1,118	0.396	0.373 - 0.420	1,436	0.505	0.479 - 0.531
Delaware	308	0.353	0.315 - 0.395	149	0.335	0.283 - 0.393	159	0.372	0.316 - 0.435
District of Columbia	206	0.271	0.235 - 0.310	98	0.253	0.206 - 0.309	108	0.289	0.237 - 0.349
Florida	29,995	0.568	0.562 - 0.574	13,857	0.531	0.523 - 0.540	16,138	0.604	0.594 - 0.613
Georgia	2,907	0.295	0.285 - 0.306	1,238	0.240	0.227 - 0.254	1,669	0.356	0.339 - 0.373
Hawaii	632	0.440	0.407 - 0.476	293	0.397	0.353 - 0.445	340	0.487	0.436 - 0.541
Idaho	586	0.276	0.254 - 0.299	249	0.227	0.200 - 0.258	336	0.327	0.293 - 0.364
Illinois	7,747	0.355	0.347 - 0.363	3,549	0.317	0.307 - 0.328	4,198	0.394	0.382 - 0.406
Iowa	426	0.228	0.207 - 0.251	196	0.201	0.174 - 0.231	230	0.257	0.225 - 0.293
Kentucky	291	0.180	0.160 - 0.202	146	0.167	0.141 - 0.197	144	0.194	0.164 - 0.229
Louisiana	789	0.331	0.308 - 0.355	386	0.303	0.273 - 0.334	403	0.364	0.329 - 0.401
Maine	58	0.267	0.203 - 0.345	21	0.191	0.118 - 0.292	37	0.345	0.243 - 0.475
Maryland	1,202	0.201	0.190 - 0.213	521	0.168	0.154 - 0.183	681	0.237	0.219 - 0.255
Michigan	1,392	0.277	0.262 - 0.292	668	0.261	0.242 - 0.282	724	0.293	0.272 - 0.315
MI - Detroit	733	0.413	0.384 - 0.444	320	0.357	0.319 - 0.398	413	0.471	0.427 - 0.519
Minnesota	904	0.305	0.285 - 0.325	405	0.263	0.238 - 0.290	499	0.350	0.320 - 0.382
Mississippi	170	0.179	0.153 - 0.208	76	0.143	0.113 - 0.179	94	0.225	0.182 - 0.275
Missouri	550	0.218	0.200 - 0.236	239	0.183	0.160 - 0.207	311	0.255	0.227 - 0.285
Montana	131	0.329	0.276 - 0.391	50	0.246	0.183 - 0.324	81	0.418	0.332 - 0.520
Nebraska	527	0.255	0.234 - 0.278	253	0.235	0.207 - 0.265	274	0.278	0.246 - 0.313
Nevada	2,288	0.271	0.260 - 0.283	967	0.226	0.212 - 0.241	1,321	0.318	0.301 - 0.336
New Hampshire	152	0.310	0.262 - 0.363	77	0.307	0.242 - 0.384	75	0.313	0.246 - 0.392
New Jersey	8,551	0.480	0.470 - 0.490	3,890	0.436	0.422 - 0.449	4,660	0.524	0.509 - 0.539
New Mexico	4,691	0.460	0.447 - 0.474	2,091	0.413	0.396 - 0.431	2,600	0.507	0.487 - 0.526
New York	19,227	0.516	0.509 - 0.524	8,677	0.473	0.463 - 0.483	10,549	0.559	0.548 - 0.570
North Carolina	1,719	0.181	0.173 - 0.190	775	0.157	0.146 - 0.169	944	0.207	0.194 - 0.220
North Dakota	39	0.139	0.099 - 0.190	19	0.126	0.076 - 0.197	20	0.154	0.094 - 0.238
Ohio	1,026	0.235	0.220 - 0.249	497	0.221	0.202 - 0.242	529	0.249	0.228 - 0.271
Oklahoma	979	0.236	0.222 - 0.252	426	0.197	0.179 - 0.216	553	0.279	0.257 - 0.304
Oregon	1,465	0.276	0.262 - 0.290	629	0.229	0.211 - 0.247	836	0.326	0.304 - 0.349
Pennsylvania	3,088	0.336	0.324 - 0.348	1,416	0.302	0.287 - 0.318	1,672	0.371	0.353 - 0.389
Rhode Island	477	0.296	0.270 - 0.324	195	0.240	0.208 - 0.277	282	0.352	0.312 - 0.396
South Carolina	505	0.180	0.165 - 0.197	266	0.179	0.158 - 0.201	239	0.182	0.160 - 0.207
Tennessee	822	0.229	0.214 - 0.245	375	0.198	0.178 - 0.219	447	0.264	0.240 - 0.290
Texas	38,844	0.352	0.348 - 0.355	17,594	0.316	0.312 - 0.321	21,250	0.387	0.382 - 0.393
Utah	1,272	0.297	0.281 - 0.313	545	0.248	0.228 - 0.270	727	0.348	0.323 - 0.374
Vermont	27	0.227	0.150 - 0.331	13	0.213	0.113 - 0.364	14	0.243	0.133 - 0.407
Virginia	1,743	0.222	0.212 - 0.233	706	0.175	0.162 - 0.188	1,037	0.274	0.257 - 0.291
Washington ³	2,552	0.275	0.264 - 0.286	1,088	0.227	0.213 - 0.240	1,464	0.327	0.310 - 0.344
WA - Seattle	1,591	0.319	0.303 - 0.335	677	0.261	0.242 - 0.281	914	0.381	0.357 - 0.407
West Virginia	76	0.262	0.206 - 0.328	41	0.264	0.189 - 0.357	35	0.260	0.181 - 0.362
Wisconsin	991	0.254	0.239 - 0.271	485	0.241	0.220 - 0.264	506	0.268	0.245 - 0.293
Wyoming	192	0.332	0.286 - 0.382	92	0.303	0.245 - 0.372	99	0.363	0.295 - 0.441

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,449	0.008	0.007 - 0.008	3,017	0.010	0.010 - 0.011	1,432	0.005	0.005 - 0.005
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	122	0.006	0.005 - 0.007	85	0.008	0.006 - 0.010	37	0.003	0.002 - 0.005
Arkansas	10	0.004	0.002 - 0.008	-	-	-	-	-	-
California	1,003	0.007	0.006 - 0.007	651	0.008	0.008 - 0.009	352	0.005	0.004 - 0.005
CA - Greater California	533	0.006	0.006 - 0.007	339	0.008	0.007 - 0.009	195	0.005	0.004 - 0.005
CA - Greater Bay Area	147	0.008	0.007 - 0.009	103	0.011	0.009 - 0.013	44	0.005	0.003 - 0.006
CA - Los Angeles	322	0.007	0.006 - 0.007	209	0.009	0.007 - 0.010	113	0.005	0.004 - 0.006
Colorado	93	0.008	0.006 - 0.010	57	0.009	0.007 - 0.012	36	0.006	0.004 - 0.008
Connecticut	71	0.013	0.010 - 0.016	49	0.017	0.013 - 0.023	23	0.008	0.005 - 0.012
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	742	0.014	0.013 - 0.015	517	0.020	0.018 - 0.022	225	0.008	0.007 - 0.010
Georgia	57	0.006	0.004 - 0.007	35	0.007	0.005 - 0.009	22	0.005	0.003 - 0.007
Hawaii	14	0.010	0.005 - 0.016	-	-	-	-	-	-
Idaho	14	0.007	0.004 - 0.011	-	-	-	-	-	-
Illinois	148	0.007	0.006 - 0.008	97	0.009	0.007 - 0.011	51	0.005	0.004 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	22	0.009	0.006 - 0.014	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	21	0.004	0.002 - 0.005	-	-	-	-	-	-
Michigan	36	0.007	0.005 - 0.010	26	0.010	0.007 - 0.015	10	0.004	0.002 - 0.007
MI - Detroit	18	0.010	0.006 - 0.016	-	-	-	-	-	-
Minnesota	20	0.007	0.004 - 0.010	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	13	0.005	0.003 - 0.009	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	39	0.005	0.003 - 0.006	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	179	0.010	0.009 - 0.012	122	0.014	0.011 - 0.016	57	0.006	0.005 - 0.008
New Mexico	91	0.009	0.007 - 0.011	58	0.011	0.009 - 0.015	33	0.006	0.004 - 0.009
New York	444	0.012	0.011 - 0.013	304	0.017	0.015 - 0.019	140	0.007	0.006 - 0.009
North Carolina	39	0.004	0.003 - 0.006	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	22	0.005	0.003 - 0.008	11	0.005	0.002 - 0.009	11	0.005	0.003 - 0.009
Oklahoma	19	0.005	0.003 - 0.007	-	-	-	-	-	-
Oregon	25	0.005	0.003 - 0.007	-	-	-	-	-	-
Pennsylvania	67	0.007	0.006 - 0.009	48	0.010	0.008 - 0.014	19	0.004	0.003 - 0.007
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	18	0.005	0.003 - 0.008	-	-	-	-	-	-
Texas	813	0.007	0.007 - 0.008	570	0.010	0.009 - 0.011	243	0.004	0.004 - 0.005
Utah	19	0.004	0.003 - 0.007	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	35	0.004	0.003 - 0.006	22	0.005	0.003 - 0.008	13	0.003	0.002 - 0.006
Washington ³	50	0.005	0.004 - 0.007	37	0.008	0.005 - 0.011	13	0.003	0.002 - 0.005
WA - Seattle	31	0.006	0.004 - 0.009	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	23	0.006	0.004 - 0.009	12	0.006	0.003 - 0.010	11	0.006	0.003 - 0.010
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,085	0.002	0.002 - 0.002	841	0.003	0.003 - 0.003	244	0.001	0.001 - 0.001
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	43	0.002	0.001 - 0.003	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	264	0.002	0.002 - 0.002	193	0.003	0.002 - 0.003	70	0.001	0.001 - 0.001
CA - Greater California	142	0.002	0.001 - 0.002	95	0.002	0.002 - 0.003	46	0.001	0.001 - 0.001
CA - Greater Bay Area	38	0.002	0.001 - 0.003	27	0.003	0.002 - 0.004	11	0.001	0.001 - 0.002
CA - Los Angeles	84	0.002	0.001 - 0.002	71	0.003	0.002 - 0.004	13	0.001	0.000 - 0.001
Colorado	28	0.002	0.002 - 0.003	-	-		-	-	
Connecticut	11	0.002	0.001 - 0.003	-	-		-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	165	0.003	0.003 - 0.004	132	0.005	0.004 - 0.006	33	0.001	0.001 - 0.002
Georgia	14	0.001	0.001 - 0.002	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	38	0.002	0.001 - 0.002	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	11	0.002	0.001 - 0.004	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	31	0.002	0.001 - 0.002	-	-		-	-	
New Mexico	27	0.003	0.002 - 0.004	-	-		-	-	
New York	94	0.003	0.002 - 0.003	66	0.004	0.003 - 0.005	28	0.002	0.001 - 0.002
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	18	0.002	0.001 - 0.003	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	188	0.002	0.001 - 0.002	148	0.003	0.002 - 0.003	40	0.001	0.001 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	11	0.001	0.001 - 0.003	-	-		-	-	
Washington ³	18	0.002	0.001 - 0.003	-	-		-	-	
WA - Seattle	11	0.002	0.001 - 0.004	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,222	0.007	0.007 - 0.008	2,314	0.008	0.008 - 0.008	1,908	0.007	0.006 - 0.007
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	142	0.006	0.005 - 0.008	81	0.007	0.006 - 0.009	61	0.006	0.004 - 0.007
Arkansas	11	0.005	0.002 - 0.009	-	-	-	-	-	-
California	1,115	0.007	0.007 - 0.008	596	0.008	0.007 - 0.008	519	0.007	0.006 - 0.007
CA - Greater California	520	0.006	0.006 - 0.007	288	0.007	0.006 - 0.008	232	0.006	0.005 - 0.006
CA - Greater Bay Area	170	0.009	0.008 - 0.010	90	0.009	0.007 - 0.011	81	0.009	0.007 - 0.011
CA - Los Angeles	424	0.009	0.008 - 0.009	218	0.009	0.008 - 0.010	206	0.008	0.007 - 0.010
Colorado	75	0.006	0.005 - 0.008	44	0.007	0.005 - 0.010	31	0.005	0.004 - 0.007
Connecticut	53	0.009	0.007 - 0.012	31	0.011	0.008 - 0.016	22	0.008	0.005 - 0.012
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	456	0.009	0.008 - 0.009	275	0.011	0.009 - 0.012	181	0.007	0.006 - 0.008
Georgia	38	0.004	0.003 - 0.005	18	0.003	0.002 - 0.005	20	0.004	0.003 - 0.007
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	192	0.009	0.008 - 0.010	100	0.009	0.007 - 0.011	92	0.009	0.007 - 0.011
Iowa	13	0.007	0.004 - 0.012	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	17	0.007	0.004 - 0.012	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	45	0.008	0.005 - 0.010	32	0.010	0.007 - 0.015	13	0.005	0.002 - 0.008
Michigan	21	0.004	0.003 - 0.006	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	21	0.007	0.004 - 0.011	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	10	0.004	0.002 - 0.007	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	34	0.004	0.003 - 0.006	16	0.004	0.002 - 0.006	18	0.004	0.003 - 0.007
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	195	0.011	0.009 - 0.013	108	0.012	0.010 - 0.015	86	0.010	0.008 - 0.012
New Mexico	85	0.008	0.007 - 0.010	53	0.011	0.008 - 0.014	31	0.006	0.004 - 0.009
New York	470	0.013	0.012 - 0.014	231	0.013	0.011 - 0.014	240	0.013	0.011 - 0.014
North Carolina	39	0.004	0.003 - 0.006	23	0.005	0.003 - 0.007	16	0.004	0.002 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	16	0.004	0.002 - 0.006	-	-	-	-	-	-
Oklahoma	16	0.004	0.002 - 0.006	-	-	-	-	-	-
Oregon	31	0.006	0.004 - 0.008	15	0.005	0.003 - 0.009	16	0.006	0.004 - 0.010
Pennsylvania	71	0.008	0.006 - 0.010	42	0.009	0.006 - 0.012	29	0.006	0.004 - 0.009
Rhode Island	13	0.008	0.004 - 0.014	-	-	-	-	-	-
South Carolina	12	0.004	0.002 - 0.007	-	-	-	-	-	-
Tennessee	14	0.004	0.002 - 0.007	-	-	-	-	-	-
Texas	728	0.007	0.006 - 0.007	388	0.007	0.006 - 0.008	340	0.006	0.006 - 0.007
Utah	31	0.007	0.005 - 0.010	15	0.007	0.004 - 0.011	16	0.008	0.004 - 0.012
Vermont	-	-	-	-	-	-	-	-	-
Virginia	41	0.005	0.004 - 0.007	18	0.004	0.003 - 0.007	23	0.006	0.004 - 0.009
Washington ³	47	0.005	0.004 - 0.007	29	0.006	0.004 - 0.009	18	0.004	0.002 - 0.006
WA - Seattle	31	0.006	0.004 - 0.009	15	0.006	0.003 - 0.010	16	0.007	0.004 - 0.011
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	22	0.006	0.004 - 0.009	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	21,222	0.037	0.036 - 0.037	11,336	0.039	0.038 - 0.040	9,886	0.035	0.034 - 0.035
Alabama	42	0.020	0.015 - 0.027	20	0.018	0.011 - 0.028	22	0.023	0.014 - 0.034
Alaska	-	-	-	-	-	-	-	-	-
Arizona	654	0.030	0.028 - 0.032	368	0.033	0.030 - 0.037	286	0.026	0.023 - 0.030
Arkansas	59	0.026	0.020 - 0.034	29	0.025	0.017 - 0.036	30	0.028	0.019 - 0.040
California	5,604	0.037	0.036 - 0.038	2,925	0.038	0.037 - 0.039	2,679	0.035	0.034 - 0.037
CA - Greater California	3,009	0.035	0.034 - 0.037	1,589	0.037	0.035 - 0.039	1,420	0.034	0.032 - 0.035
CA - Greater Bay Area	732	0.038	0.036 - 0.041	374	0.039	0.035 - 0.043	359	0.038	0.034 - 0.042
CA - Los Angeles	1,865	0.038	0.036 - 0.040	963	0.039	0.037 - 0.042	902	0.037	0.034 - 0.039
Colorado	454	0.038	0.035 - 0.042	250	0.041	0.036 - 0.046	204	0.035	0.030 - 0.040
Connecticut	243	0.043	0.038 - 0.049	138	0.049	0.041 - 0.058	105	0.037	0.030 - 0.045
Delaware	40	0.046	0.033 - 0.062	16	0.036	0.021 - 0.058	24	0.056	0.036 - 0.084
District of Columbia	16	0.021	0.012 - 0.034	-	-	-	-	-	-
Florida	2,839	0.054	0.052 - 0.056	1,458	0.056	0.053 - 0.059	1,381	0.052	0.049 - 0.054
Georgia	276	0.028	0.025 - 0.031	134	0.026	0.022 - 0.031	141	0.030	0.025 - 0.035
Hawaii	63	0.044	0.033 - 0.056	30	0.040	0.027 - 0.057	33	0.047	0.033 - 0.066
Idaho	48	0.022	0.017 - 0.030	25	0.023	0.015 - 0.033	23	0.022	0.014 - 0.034
Illinois	754	0.035	0.032 - 0.037	404	0.036	0.033 - 0.040	350	0.033	0.029 - 0.036
Iowa	40	0.021	0.015 - 0.029	24	0.025	0.016 - 0.037	16	0.018	0.010 - 0.029
Kentucky	31	0.019	0.013 - 0.027	19	0.021	0.013 - 0.034	12	0.016	0.008 - 0.028
Louisiana	70	0.030	0.023 - 0.037	43	0.034	0.025 - 0.046	27	0.024	0.016 - 0.035
Maine	-	-	-	-	-	-	-	-	-
Maryland	100	0.017	0.014 - 0.020	55	0.018	0.013 - 0.023	45	0.016	0.011 - 0.021
Michigan	130	0.026	0.022 - 0.031	69	0.027	0.021 - 0.034	61	0.025	0.019 - 0.032
MI - Detroit	62	0.035	0.027 - 0.045	34	0.038	0.026 - 0.053	28	0.032	0.021 - 0.046
Minnesota	77	0.026	0.020 - 0.032	32	0.021	0.014 - 0.029	45	0.032	0.023 - 0.042
Mississippi	15	0.016	0.009 - 0.026	-	-	-	-	-	-
Missouri	57	0.023	0.017 - 0.029	27	0.021	0.014 - 0.030	30	0.025	0.017 - 0.035
Montana	12	0.030	0.016 - 0.053	-	-	-	-	-	-
Nebraska	62	0.030	0.023 - 0.038	36	0.033	0.023 - 0.046	26	0.026	0.017 - 0.039
Nevada	222	0.026	0.023 - 0.030	123	0.029	0.024 - 0.034	99	0.024	0.019 - 0.029
New Hampshire	10	0.020	0.010 - 0.037	-	-	-	-	-	-
New Jersey	800	0.045	0.042 - 0.048	428	0.048	0.043 - 0.053	373	0.042	0.038 - 0.046
New Mexico	520	0.051	0.047 - 0.056	273	0.054	0.048 - 0.061	246	0.048	0.042 - 0.054
New York	1,721	0.046	0.044 - 0.048	897	0.049	0.046 - 0.052	824	0.044	0.041 - 0.047
North Carolina	137	0.014	0.012 - 0.017	74	0.015	0.012 - 0.019	63	0.014	0.011 - 0.018
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	108	0.025	0.020 - 0.030	56	0.025	0.019 - 0.032	52	0.024	0.018 - 0.032
Oklahoma	113	0.027	0.022 - 0.033	63	0.029	0.022 - 0.037	50	0.025	0.019 - 0.033
Oregon	145	0.027	0.023 - 0.032	75	0.027	0.021 - 0.034	70	0.027	0.021 - 0.034
Pennsylvania	274	0.030	0.026 - 0.034	151	0.032	0.027 - 0.038	123	0.027	0.023 - 0.033
Rhode Island	35	0.022	0.015 - 0.030	18	0.022	0.013 - 0.035	17	0.021	0.012 - 0.034
South Carolina	55	0.020	0.015 - 0.026	31	0.021	0.014 - 0.030	24	0.018	0.012 - 0.027
Tennessee	53	0.015	0.011 - 0.019	34	0.018	0.012 - 0.025	19	0.011	0.007 - 0.018
Texas	4,220	0.038	0.037 - 0.039	2,399	0.043	0.041 - 0.045	1,821	0.033	0.032 - 0.035
Utah	117	0.027	0.022 - 0.033	53	0.024	0.018 - 0.031	64	0.031	0.024 - 0.039
Vermont	-	-	-	-	-	-	-	-	-
Virginia	158	0.020	0.017 - 0.024	75	0.019	0.015 - 0.023	83	0.022	0.017 - 0.027
Washington ³	236	0.025	0.022 - 0.029	127	0.026	0.022 - 0.031	109	0.024	0.020 - 0.029
WA - Seattle	150	0.030	0.025 - 0.035	85	0.033	0.026 - 0.040	65	0.027	0.021 - 0.035
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	77	0.020	0.016 - 0.025	40	0.020	0.014 - 0.027	37	0.020	0.014 - 0.027
Wyoming	24	0.041	0.026 - 0.061	13	0.042	0.022 - 0.072	11	0.039	0.020 - 0.071

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,466	0.009	0.009 - 0.010	3,818	0.013	0.013 - 0.013	1,648	0.006	0.005 - 0.006
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	196	0.009	0.008 - 0.010	137	0.012	0.010 - 0.015	59	0.005	0.004 - 0.007
Arkansas	14	0.006	0.003 - 0.011	-	-	-	-	-	-
California	1,470	0.010	0.009 - 0.010	1,033	0.013	0.013 - 0.014	438	0.006	0.005 - 0.006
CA - Greater California	824	0.010	0.009 - 0.010	581	0.014	0.012 - 0.015	243	0.006	0.005 - 0.007
CA - Greater Bay Area	228	0.012	0.010 - 0.014	166	0.017	0.015 - 0.020	62	0.007	0.005 - 0.008
CA - Los Angeles	418	0.009	0.008 - 0.009	285	0.012	0.010 - 0.013	133	0.005	0.005 - 0.006
Colorado	127	0.011	0.009 - 0.013	98	0.016	0.013 - 0.020	29	0.005	0.003 - 0.007
Connecticut	71	0.012	0.010 - 0.016	59	0.021	0.016 - 0.027	12	0.004	0.002 - 0.007
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	490	0.009	0.008 - 0.010	336	0.013	0.012 - 0.014	154	0.006	0.005 - 0.007
Georgia	56	0.006	0.004 - 0.007	32	0.006	0.004 - 0.009	24	0.005	0.003 - 0.008
Hawaii	14	0.010	0.005 - 0.016	-	-	-	-	-	-
Idaho	12	0.006	0.003 - 0.010	-	-	-	-	-	-
Illinois	186	0.009	0.007 - 0.010	129	0.012	0.010 - 0.014	57	0.005	0.004 - 0.007
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	21	0.009	0.006 - 0.014	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	29	0.005	0.003 - 0.007	17	0.005	0.003 - 0.009	12	0.004	0.002 - 0.007
Michigan	38	0.008	0.005 - 0.010	25	0.010	0.006 - 0.014	13	0.005	0.003 - 0.009
MI - Detroit	11	0.006	0.003 - 0.011	-	-	-	-	-	-
Minnesota	19	0.006	0.004 - 0.010	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	13	0.005	0.003 - 0.009	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	10	0.005	0.002 - 0.009	-	-	-	-	-	-
Nevada	42	0.005	0.004 - 0.007	30	0.007	0.005 - 0.010	12	0.003	0.001 - 0.005
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	134	0.007	0.006 - 0.009	86	0.010	0.008 - 0.012	47	0.005	0.004 - 0.007
New Mexico	134	0.013	0.011 - 0.016	100	0.020	0.016 - 0.024	35	0.007	0.005 - 0.009
New York	471	0.013	0.012 - 0.014	321	0.017	0.016 - 0.020	150	0.008	0.007 - 0.009
North Carolina	50	0.005	0.004 - 0.007	37	0.008	0.005 - 0.010	13	0.003	0.002 - 0.005
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	26	0.006	0.004 - 0.009	-	-	-	-	-	-
Oklahoma	17	0.004	0.002 - 0.007	-	-	-	-	-	-
Oregon	33	0.006	0.004 - 0.009	23	0.008	0.005 - 0.013	10	0.004	0.002 - 0.007
Pennsylvania	85	0.009	0.007 - 0.011	63	0.013	0.010 - 0.017	22	0.005	0.003 - 0.007
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	19	0.005	0.003 - 0.008	-	-	-	-	-	-
Texas	1,341	0.012	0.011 - 0.013	938	0.017	0.016 - 0.018	403	0.007	0.007 - 0.008
Utah	34	0.008	0.005 - 0.011	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	30	0.004	0.003 - 0.005	17	0.004	0.002 - 0.007	13	0.003	0.002 - 0.006
Washington ³	64	0.007	0.005 - 0.009	46	0.010	0.007 - 0.013	18	0.004	0.002 - 0.006
WA - Seattle	42	0.008	0.006 - 0.011	32	0.012	0.008 - 0.017	10	0.004	0.002 - 0.008
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	32	0.008	0.006 - 0.012	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,459	0.006	0.006 - 0.006	1,633	0.006	0.005 - 0.006	1,826	0.006	0.006 - 0.007
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	110	0.005	0.004 - 0.006	39	0.004	0.003 - 0.005	71	0.007	0.005 - 0.008
Arkansas	-	-	-	-	-	-	-	-	-
California	859	0.006	0.005 - 0.006	403	0.005	0.005 - 0.006	456	0.006	0.005 - 0.007
CA - Greater California	457	0.005	0.005 - 0.006	223	0.005	0.005 - 0.006	233	0.006	0.005 - 0.006
CA - Greater Bay Area	107	0.006	0.005 - 0.007	46	0.005	0.003 - 0.006	61	0.006	0.005 - 0.008
CA - Los Angeles	296	0.006	0.005 - 0.007	134	0.005	0.005 - 0.006	162	0.007	0.006 - 0.008
Colorado	64	0.005	0.004 - 0.007	28	0.005	0.003 - 0.007	36	0.006	0.004 - 0.008
Connecticut	43	0.008	0.005 - 0.010	20	0.007	0.004 - 0.011	23	0.008	0.005 - 0.012
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	534	0.010	0.009 - 0.011	276	0.011	0.009 - 0.012	258	0.010	0.009 - 0.011
Georgia	36	0.004	0.003 - 0.005	19	0.004	0.002 - 0.006	18	0.004	0.002 - 0.006
Hawaii	18	0.013	0.007 - 0.020	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	129	0.006	0.005 - 0.007	58	0.005	0.004 - 0.007	71	0.007	0.005 - 0.008
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	17	0.007	0.004 - 0.011	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	23	0.004	0.002 - 0.006	-	-	-	-	-	-
Michigan	43	0.009	0.006 - 0.012	21	0.008	0.005 - 0.013	22	0.009	0.006 - 0.013
MI - Detroit	23	0.013	0.008 - 0.019	-	-	-	-	-	-
Minnesota	20	0.007	0.004 - 0.010	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	40	0.005	0.003 - 0.006	14	0.003	0.002 - 0.005	26	0.006	0.004 - 0.009
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	140	0.008	0.007 - 0.009	60	0.007	0.005 - 0.009	81	0.009	0.007 - 0.011
New Mexico	69	0.007	0.005 - 0.009	25	0.005	0.003 - 0.007	44	0.009	0.006 - 0.012
New York	310	0.008	0.007 - 0.009	151	0.008	0.007 - 0.010	159	0.008	0.007 - 0.010
North Carolina	37	0.004	0.003 - 0.005	12	0.002	0.001 - 0.004	25	0.005	0.004 - 0.008
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	-	-	-	-	-	-	-	-	-
Oklahoma	11	0.003	0.001 - 0.005	-	-	-	-	-	-
Oregon	20	0.004	0.002 - 0.006	10	0.004	0.002 - 0.007	10	0.004	0.002 - 0.007
Pennsylvania	49	0.005	0.004 - 0.007	28	0.006	0.004 - 0.009	21	0.005	0.003 - 0.007
Rhode Island	12	0.007	0.004 - 0.013	-	-	-	-	-	-
South Carolina	11	0.004	0.002 - 0.007	-	-	-	-	-	-
Tennessee	12	0.003	0.002 - 0.006	-	-	-	-	-	-
Texas	615	0.006	0.005 - 0.006	302	0.005	0.005 - 0.006	313	0.006	0.005 - 0.006
Utah	13	0.003	0.002 - 0.005	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	19	0.002	0.001 - 0.004	-	-	-	-	-	-
Washington ³	39	0.004	0.003 - 0.006	18	0.004	0.002 - 0.006	21	0.005	0.003 - 0.007
WA - Seattle	22	0.004	0.003 - 0.007	10	0.004	0.002 - 0.007	12	0.005	0.003 - 0.009
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	13	0.003	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,303	0.002	0.002 - 0.002	1,092	0.004	0.004 - 0.004	211	0.001	0.001 - 0.001
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	38	0.002	0.001 - 0.002	28	0.003	0.002 - 0.004	10	0.001	0.000 - 0.002
Arkansas	-	-	-	-	-	-	-	-	-
California	244	0.002	0.001 - 0.002	210	0.003	0.002 - 0.003	33	0.000	0.000 - 0.001
CA - Greater California	126	0.001	0.001 - 0.002	105	0.002	0.002 - 0.003	21	0.000	0.000 - 0.001
CA - Greater Bay Area	28	0.001	0.001 - 0.002	-	-	-	-	-	-
CA - Los Angeles	91	0.002	0.001 - 0.002	81	0.003	0.003 - 0.004	10	0.000	0.000 - 0.001
Colorado	31	0.003	0.002 - 0.004	-	-	-	-	-	-
Connecticut	22	0.004	0.002 - 0.006	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	241	0.005	0.004 - 0.005	207	0.008	0.007 - 0.009	34	0.001	0.001 - 0.002
Georgia	13	0.001	0.001 - 0.002	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	44	0.002	0.001 - 0.003	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-
Michigan	-	-	-	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	12	0.001	0.001 - 0.002	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	55	0.003	0.002 - 0.004	45	0.005	0.004 - 0.007	10	0.001	0.001 - 0.002
New Mexico	23	0.002	0.001 - 0.003	-	-	-	-	-	-
New York	147	0.004	0.003 - 0.005	106	0.006	0.005 - 0.007	41	0.002	0.002 - 0.003
North Carolina	12	0.001	0.001 - 0.002	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	-	-	-	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	21	0.002	0.001 - 0.003	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	260	0.002	0.002 - 0.003	229	0.004	0.004 - 0.005	31	0.001	0.000 - 0.001
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	-	-	-	-	-	-	-	-	-
Washington ³	15	0.002	0.001 - 0.003	-	-	-	-	-	-
WA - Seattle	11	0.002	0.001 - 0.004	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,556	0.018	0.018 - 0.019	5,186	0.018	0.017 - 0.018	5,370	0.019	0.018 - 0.019
Alabama	21	0.010	0.006 - 0.015	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	317	0.014	0.013 - 0.016	150	0.014	0.012 - 0.016	167	0.015	0.013 - 0.018
Arkansas	43	0.019	0.014 - 0.026	21	0.018	0.011 - 0.027	22	0.021	0.013 - 0.031
California	2,155	0.014	0.013 - 0.015	956	0.012	0.012 - 0.013	1,199	0.016	0.015 - 0.017
CA - Greater California	1,181	0.014	0.013 - 0.015	524	0.012	0.011 - 0.013	657	0.016	0.014 - 0.017
CA - Greater Bay Area	328	0.017	0.015 - 0.019	149	0.015	0.013 - 0.018	179	0.019	0.016 - 0.022
CA - Los Angeles	646	0.013	0.012 - 0.014	282	0.012	0.010 - 0.013	363	0.015	0.013 - 0.016
Colorado	214	0.018	0.016 - 0.020	90	0.015	0.012 - 0.018	124	0.021	0.018 - 0.025
Connecticut	168	0.030	0.025 - 0.034	85	0.030	0.024 - 0.037	83	0.029	0.023 - 0.036
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	2,109	0.040	0.038 - 0.042	1,146	0.044	0.041 - 0.047	963	0.036	0.034 - 0.038
Georgia	159	0.016	0.014 - 0.019	70	0.014	0.011 - 0.017	89	0.019	0.015 - 0.023
Hawaii	53	0.037	0.028 - 0.048	28	0.038	0.025 - 0.055	25	0.036	0.023 - 0.053
Idaho	31	0.014	0.010 - 0.020	12	0.011	0.006 - 0.019	19	0.018	0.011 - 0.028
Illinois	329	0.015	0.013 - 0.017	160	0.014	0.012 - 0.017	169	0.016	0.014 - 0.018
Iowa	12	0.006	0.003 - 0.011	-	-	-	-	-	-
Kentucky	13	0.008	0.004 - 0.014	-	-	-	-	-	-
Louisiana	33	0.014	0.010 - 0.019	15	0.012	0.007 - 0.019	18	0.016	0.010 - 0.026
Maine	-	-	-	-	-	-	-	-	-
Maryland	43	0.007	0.005 - 0.010	19	0.006	0.004 - 0.010	24	0.008	0.005 - 0.012
Michigan	73	0.015	0.011 - 0.018	29	0.011	0.008 - 0.016	44	0.018	0.013 - 0.024
MI - Detroit	41	0.023	0.016 - 0.031	17	0.019	0.011 - 0.030	24	0.027	0.017 - 0.040
Minnesota	48	0.016	0.012 - 0.021	24	0.016	0.010 - 0.023	24	0.017	0.011 - 0.025
Mississippi	14	0.015	0.008 - 0.025	-	-	-	-	-	-
Missouri	27	0.011	0.007 - 0.016	14	0.011	0.006 - 0.018	13	0.011	0.006 - 0.018
Montana	-	-	-	-	-	-	-	-	-
Nebraska	25	0.012	0.008 - 0.018	13	0.012	0.006 - 0.021	12	0.012	0.006 - 0.021
Nevada	108	0.013	0.011 - 0.015	44	0.010	0.007 - 0.014	64	0.015	0.012 - 0.020
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	436	0.024	0.022 - 0.027	198	0.022	0.019 - 0.025	238	0.027	0.024 - 0.030
New Mexico	242	0.024	0.021 - 0.027	129	0.026	0.021 - 0.030	112	0.022	0.018 - 0.026
New York	1,128	0.030	0.029 - 0.032	534	0.029	0.027 - 0.032	594	0.031	0.029 - 0.034
North Carolina	80	0.008	0.007 - 0.010	39	0.008	0.006 - 0.011	41	0.009	0.006 - 0.012
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	55	0.013	0.009 - 0.016	31	0.014	0.009 - 0.020	24	0.011	0.007 - 0.017
Oklahoma	51	0.012	0.009 - 0.016	26	0.012	0.008 - 0.018	25	0.013	0.008 - 0.019
Oregon	64	0.012	0.009 - 0.015	33	0.012	0.008 - 0.017	31	0.012	0.008 - 0.017
Pennsylvania	192	0.021	0.018 - 0.024	103	0.022	0.018 - 0.027	89	0.020	0.016 - 0.024
Rhode Island	32	0.020	0.014 - 0.028	17	0.021	0.012 - 0.034	15	0.019	0.010 - 0.031
South Carolina	21	0.008	0.005 - 0.011	10	0.007	0.003 - 0.012	11	0.008	0.004 - 0.015
Tennessee	51	0.014	0.011 - 0.019	24	0.013	0.008 - 0.019	27	0.016	0.011 - 0.023
Texas	1,605	0.015	0.014 - 0.015	852	0.015	0.014 - 0.016	753	0.014	0.013 - 0.015
Utah	45	0.010	0.008 - 0.014	17	0.008	0.005 - 0.012	28	0.013	0.009 - 0.019
Vermont	-	-	-	-	-	-	-	-	-
Virginia	92	0.012	0.009 - 0.014	42	0.010	0.007 - 0.014	50	0.013	0.010 - 0.017
Washington ³	126	0.014	0.011 - 0.016	59	0.012	0.009 - 0.016	67	0.015	0.012 - 0.019
WA - Seattle	82	0.016	0.013 - 0.020	40	0.015	0.011 - 0.021	42	0.018	0.013 - 0.024
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	51	0.013	0.010 - 0.017	26	0.013	0.008 - 0.019	25	0.013	0.009 - 0.020
Wyoming	10	0.016	0.008 - 0.031	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,378	0.006	0.006 - 0.006	1,515	0.005	0.005 - 0.005	1,863	0.007	0.006 - 0.007
Alabama	13	0.006	0.003 - 0.011	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	144	0.007	0.006 - 0.008	59	0.005	0.004 - 0.007	85	0.008	0.006 - 0.010
Arkansas	11	0.005	0.002 - 0.009	-	-	-	-	-	-
California	960	0.006	0.006 - 0.007	385	0.005	0.005 - 0.006	575	0.008	0.007 - 0.008
CA - Greater California	519	0.006	0.006 - 0.007	199	0.005	0.004 - 0.005	320	0.008	0.007 - 0.008
CA - Greater Bay Area	206	0.011	0.009 - 0.012	91	0.009	0.008 - 0.012	116	0.012	0.010 - 0.015
CA - Los Angeles	234	0.005	0.004 - 0.005	95	0.004	0.003 - 0.005	139	0.006	0.005 - 0.007
Colorado	89	0.007	0.006 - 0.009	26	0.004	0.003 - 0.006	63	0.011	0.008 - 0.014
Connecticut	27	0.005	0.003 - 0.007	12	0.004	0.002 - 0.007	15	0.005	0.003 - 0.009
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	512	0.010	0.009 - 0.011	257	0.010	0.009 - 0.011	255	0.010	0.008 - 0.011
Georgia	64	0.006	0.005 - 0.008	33	0.006	0.004 - 0.009	31	0.007	0.004 - 0.009
Hawaii	20	0.014	0.009 - 0.022	10	0.014	0.007 - 0.025	10	0.014	0.007 - 0.026
Idaho	20	0.009	0.006 - 0.015	-	-	-	-	-	-
Illinois	103	0.005	0.004 - 0.006	37	0.003	0.002 - 0.005	66	0.006	0.005 - 0.008
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	20	0.008	0.005 - 0.013	10	0.008	0.004 - 0.014	10	0.009	0.004 - 0.017
Maine	-	-	-	-	-	-	-	-	-
Maryland	16	0.003	0.002 - 0.004	-	-	-	-	-	-
Michigan	24	0.005	0.003 - 0.007	13	0.005	0.003 - 0.009	11	0.004	0.002 - 0.008
MI - Detroit	17	0.010	0.006 - 0.015	-	-	-	-	-	-
Minnesota	32	0.011	0.007 - 0.015	13	0.008	0.004 - 0.014	19	0.013	0.008 - 0.021
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	10	0.005	0.002 - 0.009	-	-	-	-	-	-
Nevada	25	0.003	0.002 - 0.004	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	88	0.005	0.004 - 0.006	45	0.005	0.004 - 0.007	43	0.005	0.003 - 0.006
New Mexico	75	0.007	0.006 - 0.009	36	0.007	0.005 - 0.010	39	0.008	0.005 - 0.010
New York	193	0.005	0.004 - 0.006	100	0.005	0.004 - 0.007	92	0.005	0.004 - 0.006
North Carolina	26	0.003	0.002 - 0.004	16	0.003	0.002 - 0.005	10	0.002	0.001 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	22	0.005	0.003 - 0.008	10	0.004	0.002 - 0.008	12	0.006	0.003 - 0.010
Oklahoma	26	0.006	0.004 - 0.009	13	0.006	0.003 - 0.010	13	0.007	0.003 - 0.011
Oregon	27	0.005	0.003 - 0.007	11	0.004	0.002 - 0.007	16	0.006	0.004 - 0.010
Pennsylvania	53	0.006	0.004 - 0.008	23	0.005	0.003 - 0.007	30	0.007	0.004 - 0.009
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	32	0.009	0.006 - 0.013	16	0.008	0.005 - 0.014	16	0.009	0.005 - 0.015
Texas	454	0.004	0.004 - 0.005	211	0.004	0.003 - 0.004	243	0.004	0.004 - 0.005
Utah	38	0.009	0.006 - 0.012	15	0.007	0.004 - 0.011	23	0.011	0.007 - 0.017
Vermont	-	-	-	-	-	-	-	-	-
Virginia	32	0.004	0.003 - 0.006	15	0.004	0.002 - 0.006	17	0.004	0.003 - 0.007
Washington ³	69	0.007	0.006 - 0.009	27	0.006	0.004 - 0.008	42	0.009	0.007 - 0.013
WA - Seattle	57	0.011	0.009 - 0.015	22	0.008	0.005 - 0.013	35	0.015	0.010 - 0.020
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		39,330	0.137	0.136 - 0.139
Alabama	-	-		-	-		59	0.061	0.046 - 0.078
Alaska	-	-		-	-		36	0.144	0.101 - 0.200
Arizona	-	-		-	-		1,355	0.125	0.118 - 0.131
Arkansas	-	-		-	-		89	0.084	0.067 - 0.103
California	-	-		-	-		10,523	0.138	0.136 - 0.141
CA - Greater California	-	-		-	-		5,608	0.133	0.130 - 0.137
CA - Greater Bay Area	-	-		-	-		1,385	0.148	0.140 - 0.156
CA - Los Angeles	-	-		-	-		3,531	0.144	0.139 - 0.148
Colorado	-	-		-	-		840	0.143	0.134 - 0.153
Connecticut	-	-		-	-		493	0.173	0.158 - 0.189
Delaware	-	-		-	-		44	0.103	0.075 - 0.138
District of Columbia	-	-		-	-		35	0.094	0.065 - 0.130
Florida	-	-		-	-		5,286	0.198	0.192 - 0.203
Georgia	-	-		-	-		530	0.113	0.104 - 0.123
Hawaii	-	-		-	-		119	0.170	0.141 - 0.204
Idaho	-	-		-	-		109	0.106	0.087 - 0.128
Illinois	-	-		-	-		1,417	0.133	0.126 - 0.140
Iowa	-	-		-	-		68	0.076	0.059 - 0.096
Kentucky	-	-		-	-		56	0.075	0.057 - 0.098
Louisiana	-	-		-	-		147	0.133	0.112 - 0.156
Maine	-	-		-	-		16	0.149	0.085 - 0.242
Maryland	-	-		-	-		230	0.080	0.070 - 0.091
Michigan	-	-		-	-		215	0.087	0.076 - 0.099
MI - Detroit	-	-		-	-		155	0.177	0.150 - 0.207
Minnesota	-	-		-	-		144	0.101	0.085 - 0.119
Mississippi	-	-		-	-		26	0.062	0.041 - 0.091
Missouri	-	-		-	-		95	0.078	0.063 - 0.095
Montana	-	-		-	-		30	0.155	0.104 - 0.221
Nebraska	-	-		-	-		95	0.096	0.078 - 0.118
Nevada	-	-		-	-		452	0.109	0.099 - 0.119
New Hampshire	-	-		-	-		35	0.146	0.102 - 0.203
New Jersey	-	-		-	-		1,578	0.177	0.169 - 0.186
New Mexico	-	-		-	-		903	0.176	0.165 - 0.188
New York	-	-		-	-		3,461	0.183	0.177 - 0.190
North Carolina	-	-		-	-		279	0.061	0.054 - 0.069
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		158	0.074	0.063 - 0.087
Oklahoma	-	-		-	-		154	0.078	0.066 - 0.091
Oregon	-	-		-	-		280	0.109	0.097 - 0.123
Pennsylvania	-	-		-	-		505	0.112	0.102 - 0.122
Rhode Island	-	-		-	-		95	0.119	0.096 - 0.145
South Carolina	-	-		-	-		84	0.064	0.051 - 0.079
Tennessee	-	-		-	-		129	0.076	0.064 - 0.090
Texas	-	-		-	-		6,945	0.127	0.124 - 0.130
Utah	-	-		-	-		241	0.115	0.101 - 0.131
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		354	0.093	0.084 - 0.104
Washington ³	-	-		-	-		491	0.110	0.100 - 0.120
WA - Seattle	-	-		-	-		316	0.132	0.118 - 0.147
West Virginia	-	-		-	-		11	0.082	0.041 - 0.146
Wisconsin	-	-		-	-		153	0.081	0.069 - 0.095
Wyoming	-	-		-	-		29	0.106	0.071 - 0.152

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		4,123	0.014	0.014 - 0.015
Alabama	-	-		-	-		21	0.022	0.013 - 0.033
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		142	0.013	0.011 - 0.015
Arkansas	-	-		-	-		15	0.014	0.008 - 0.023
California	-	-		-	-		993	0.013	0.012 - 0.014
CA - Greater California	-	-		-	-		538	0.013	0.012 - 0.014
CA - Greater Bay Area	-	-		-	-		117	0.012	0.010 - 0.015
CA - Los Angeles	-	-		-	-		338	0.014	0.012 - 0.015
Colorado	-	-		-	-		71	0.012	0.009 - 0.015
Connecticut	-	-		-	-		45	0.016	0.011 - 0.021
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	-	-		-	-		450	0.017	0.015 - 0.018
Georgia	-	-		-	-		74	0.016	0.012 - 0.020
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		10	0.010	0.005 - 0.018
Illinois	-	-		-	-		146	0.014	0.012 - 0.016
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		17	0.015	0.009 - 0.025
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		33	0.011	0.008 - 0.016
Michigan	-	-		-	-		34	0.014	0.010 - 0.019
MI - Detroit	-	-		-	-		13	0.014	0.008 - 0.025
Minnesota	-	-		-	-		17	0.012	0.007 - 0.019
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		54	0.013	0.010 - 0.017
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		169	0.019	0.016 - 0.022
New Mexico	-	-		-	-		93	0.018	0.015 - 0.022
New York	-	-		-	-		299	0.016	0.014 - 0.018
North Carolina	-	-		-	-		48	0.011	0.008 - 0.014
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		21	0.010	0.006 - 0.015
Oklahoma	-	-		-	-		29	0.015	0.010 - 0.021
Oregon	-	-		-	-		24	0.009	0.006 - 0.014
Pennsylvania	-	-		-	-		53	0.012	0.009 - 0.015
Rhode Island	-	-		-	-		12	0.015	0.008 - 0.026
South Carolina	-	-		-	-		15	0.011	0.006 - 0.019
Tennessee	-	-		-	-		16	0.009	0.005 - 0.015
Texas	-	-		-	-		940	0.017	0.016 - 0.018
Utah	-	-		-	-		18	0.009	0.005 - 0.014
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		43	0.011	0.008 - 0.015
Washington ³	-	-		-	-		43	0.010	0.007 - 0.013
WA - Seattle	-	-		-	-		24	0.010	0.006 - 0.015
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		18	0.010	0.006 - 0.015
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		10,005	0.035	0.034 - 0.036
Alabama	-	-		-	-		17	0.017	0.010 - 0.028
Alaska	-	-		-	-		10	0.040	0.019 - 0.074
Arizona	-	-		-	-		347	0.032	0.029 - 0.035
Arkansas	-	-		-	-		29	0.027	0.018 - 0.039
California	-	-		-	-		2,719	0.036	0.034 - 0.037
CA - Greater California	-	-		-	-		1,409	0.033	0.032 - 0.035
CA - Greater Bay Area	-	-		-	-		334	0.036	0.032 - 0.040
CA - Los Angeles	-	-		-	-		975	0.040	0.037 - 0.042
Colorado	-	-		-	-		182	0.031	0.027 - 0.036
Connecticut	-	-		-	-		115	0.040	0.033 - 0.048
Delaware	-	-		-	-		16	0.037	0.021 - 0.061
District of Columbia	-	-		-	-		-	-	
Florida	-	-		-	-		1,266	0.047	0.045 - 0.050
Georgia	-	-		-	-		108	0.023	0.019 - 0.028
Hawaii	-	-		-	-		29	0.042	0.028 - 0.060
Idaho	-	-		-	-		25	0.024	0.016 - 0.036
Illinois	-	-		-	-		370	0.035	0.031 - 0.038
Iowa	-	-		-	-		26	0.029	0.019 - 0.043
Kentucky	-	-		-	-		13	0.017	0.009 - 0.030
Louisiana	-	-		-	-		21	0.019	0.012 - 0.029
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		55	0.019	0.014 - 0.025
Michigan	-	-		-	-		66	0.027	0.021 - 0.034
MI - Detroit	-	-		-	-		29	0.033	0.022 - 0.047
Minnesota	-	-		-	-		50	0.035	0.026 - 0.046
Mississippi	-	-		-	-		12	0.029	0.015 - 0.050
Missouri	-	-		-	-		29	0.024	0.016 - 0.034
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		25	0.025	0.016 - 0.037
Nevada	-	-		-	-		104	0.025	0.020 - 0.030
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		362	0.041	0.037 - 0.045
New Mexico	-	-		-	-		204	0.040	0.034 - 0.046
New York	-	-		-	-		867	0.046	0.043 - 0.049
North Carolina	-	-		-	-		74	0.016	0.013 - 0.020
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		47	0.022	0.016 - 0.029
Oklahoma	-	-		-	-		51	0.026	0.019 - 0.034
Oregon	-	-		-	-		74	0.029	0.023 - 0.036
Pennsylvania	-	-		-	-		150	0.033	0.028 - 0.039
Rhode Island	-	-		-	-		22	0.027	0.017 - 0.042
South Carolina	-	-		-	-		16	0.012	0.007 - 0.020
Tennessee	-	-		-	-		33	0.019	0.013 - 0.027
Texas	-	-		-	-		1,927	0.035	0.034 - 0.037
Utah	-	-		-	-		48	0.023	0.017 - 0.030
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		67	0.018	0.014 - 0.022
Washington ³	-	-		-	-		116	0.026	0.021 - 0.031
WA - Seattle	-	-		-	-		66	0.027	0.021 - 0.035
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		55	0.029	0.022 - 0.038
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		3,600	0.013	0.012 - 0.013
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		137	0.013	0.011 - 0.015
Arkansas	-	-		-	-		10	0.009	0.005 - 0.017
California	-	-		-	-		1,022	0.013	0.013 - 0.014
CA - Greater California	-	-		-	-		487	0.012	0.011 - 0.013
CA - Greater Bay Area	-	-		-	-		123	0.013	0.011 - 0.016
CA - Los Angeles	-	-		-	-		412	0.017	0.015 - 0.018
Colorado	-	-		-	-		60	0.010	0.008 - 0.013
Connecticut	-	-		-	-		32	0.011	0.008 - 0.016
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	-	-		-	-		486	0.018	0.017 - 0.020
Georgia	-	-		-	-		54	0.011	0.009 - 0.015
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		125	0.012	0.010 - 0.014
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		22	0.008	0.005 - 0.012
Michigan	-	-		-	-		23	0.009	0.006 - 0.014
MI - Detroit	-	-		-	-		12	0.014	0.007 - 0.024
Minnesota	-	-		-	-		12	0.008	0.004 - 0.015
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		37	0.009	0.006 - 0.012
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		128	0.014	0.012 - 0.017
New Mexico	-	-		-	-		84	0.016	0.013 - 0.020
New York	-	-		-	-		302	0.016	0.014 - 0.018
North Carolina	-	-		-	-		31	0.007	0.005 - 0.010
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		20	0.009	0.006 - 0.015
Oklahoma	-	-		-	-		16	0.008	0.005 - 0.013
Oregon	-	-		-	-		23	0.009	0.006 - 0.013
Pennsylvania	-	-		-	-		43	0.010	0.007 - 0.013
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		15	0.009	0.005 - 0.015
Texas	-	-		-	-		664	0.012	0.011 - 0.013
Utah	-	-		-	-		16	0.008	0.004 - 0.012
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		27	0.007	0.005 - 0.010
Washington ³	-	-		-	-		37	0.008	0.006 - 0.011
WA - Seattle	-	-		-	-		26	0.011	0.007 - 0.016
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		21	0.011	0.007 - 0.017
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		26,315	0.090	0.089 - 0.091	-	-	
Alabama	-	-		43	0.039	0.028 - 0.052	-	-	
Alaska	-	-		10	0.036	0.017 - 0.066	-	-	
Arizona	-	-		778	0.071	0.066 - 0.076	-	-	
Arkansas	-	-		63	0.054	0.041 - 0.069	-	-	
California	-	-		6,521	0.085	0.083 - 0.087	-	-	
CA - Greater California	-	-		3,532	0.082	0.080 - 0.085	-	-	
CA - Greater Bay Area	-	-		837	0.087	0.081 - 0.093	-	-	
CA - Los Angeles	-	-		2,151	0.088	0.084 - 0.092	-	-	
Colorado	-	-		396	0.065	0.059 - 0.072	-	-	
Connecticut	-	-		288	0.102	0.090 - 0.114	-	-	
Delaware	-	-		48	0.108	0.080 - 0.143	-	-	
District of Columbia	-	-		23	0.059	0.038 - 0.089	-	-	
Florida	-	-		4,065	0.156	0.151 - 0.161	-	-	
Georgia	-	-		335	0.065	0.058 - 0.072	-	-	
Hawaii	-	-		79	0.107	0.085 - 0.134	-	-	
Idaho	-	-		68	0.062	0.048 - 0.079	-	-	
Illinois	-	-		951	0.085	0.080 - 0.091	-	-	
Iowa	-	-		51	0.052	0.039 - 0.069	-	-	
Kentucky	-	-		27	0.031	0.020 - 0.045	-	-	
Louisiana	-	-		136	0.107	0.089 - 0.126	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		132	0.043	0.036 - 0.050	-	-	
Michigan	-	-		176	0.069	0.059 - 0.080	-	-	
MI - Detroit	-	-		94	0.105	0.085 - 0.128	-	-	
Minnesota	-	-		96	0.062	0.050 - 0.076	-	-	
Mississippi	-	-		19	0.036	0.022 - 0.056	-	-	
Missouri	-	-		53	0.041	0.030 - 0.053	-	-	
Montana	-	-		13	0.063	0.033 - 0.108	-	-	
Nebraska	-	-		58	0.054	0.041 - 0.070	-	-	
Nevada	-	-		246	0.058	0.051 - 0.065	-	-	
New Hampshire	-	-		19	0.076	0.046 - 0.118	-	-	
New Jersey	-	-		1,363	0.153	0.145 - 0.161	-	-	
New Mexico	-	-		567	0.112	0.103 - 0.122	-	-	
New York	-	-		2,825	0.154	0.148 - 0.160	-	-	
North Carolina	-	-		182	0.037	0.032 - 0.043	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		137	0.061	0.051 - 0.072	-	-	
Oklahoma	-	-		92	0.042	0.034 - 0.052	-	-	
Oregon	-	-		158	0.057	0.049 - 0.067	-	-	
Pennsylvania	-	-		365	0.078	0.070 - 0.086	-	-	
Rhode Island	-	-		54	0.067	0.050 - 0.087	-	-	
South Carolina	-	-		93	0.062	0.050 - 0.077	-	-	
Tennessee	-	-		84	0.044	0.035 - 0.055	-	-	
Texas	-	-		4,358	0.078	0.076 - 0.081	-	-	
Utah	-	-		143	0.065	0.055 - 0.076	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		190	0.047	0.041 - 0.054	-	-	
Washington ³	-	-		249	0.052	0.046 - 0.059	-	-	
WA - Seattle	-	-		144	0.055	0.047 - 0.065	-	-	
West Virginia	-	-		17	0.109	0.064 - 0.175	-	-	
Wisconsin	-	-		124	0.062	0.051 - 0.073	-	-	
Wyoming	-	-		30	0.099	0.066 - 0.141	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		3,122	0.011	0.010 - 0.011	-	-	
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		112	0.010	0.008 - 0.012	-	-	
Arkansas	-	-		-	-		-	-	
California	-	-		991	0.013	0.012 - 0.014	-	-	
CA - Greater California	-	-		564	0.013	0.012 - 0.014	-	-	
CA - Greater Bay Area	-	-		103	0.011	0.009 - 0.013	-	-	
CA - Los Angeles	-	-		325	0.013	0.012 - 0.015	-	-	
Colorado	-	-		59	0.010	0.007 - 0.012	-	-	
Connecticut	-	-		27	0.010	0.006 - 0.014	-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	-	-		226	0.009	0.008 - 0.010	-	-	
Georgia	-	-		52	0.010	0.008 - 0.013	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		16	0.015	0.008 - 0.024	-	-	
Illinois	-	-		158	0.014	0.012 - 0.017	-	-	
Iowa	-	-		10	0.010	0.005 - 0.019	-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		13	0.004	0.002 - 0.007	-	-	
Michigan	-	-		19	0.007	0.004 - 0.012	-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		20	0.013	0.008 - 0.020	-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		15	0.011	0.006 - 0.019	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		44	0.010	0.007 - 0.014	-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		82	0.009	0.007 - 0.011	-	-	
New Mexico	-	-		62	0.012	0.009 - 0.016	-	-	
New York	-	-		169	0.009	0.008 - 0.011	-	-	
North Carolina	-	-		28	0.006	0.004 - 0.008	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		16	0.007	0.004 - 0.012	-	-	
Oregon	-	-		27	0.010	0.006 - 0.014	-	-	
Pennsylvania	-	-		42	0.009	0.006 - 0.012	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		16	0.008	0.005 - 0.014	-	-	
Texas	-	-		602	0.011	0.010 - 0.012	-	-	
Utah	-	-		32	0.015	0.010 - 0.021	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		21	0.005	0.003 - 0.008	-	-	
Washington ³	-	-		50	0.010	0.008 - 0.014	-	-	
WA - Seattle	-	-		27	0.010	0.007 - 0.015	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		30	0.015	0.010 - 0.021	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,905	0.010	0.010 - 0.010	4,474	0.015	0.015 - 0.016	1,430	0.005	0.005 - 0.005
Alabama	13	0.006	0.003 - 0.011	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	186	0.009	0.007 - 0.010	146	0.013	0.011 - 0.016	40	0.004	0.003 - 0.005
Arkansas	13	0.006	0.003 - 0.010	-	-	-	-	-	-
California	1,390	0.009	0.009 - 0.010	1,058	0.014	0.013 - 0.015	332	0.004	0.004 - 0.005
CA - Greater California	740	0.009	0.008 - 0.009	567	0.013	0.012 - 0.014	173	0.004	0.004 - 0.005
CA - Greater Bay Area	216	0.011	0.010 - 0.013	163	0.017	0.014 - 0.020	53	0.006	0.004 - 0.007
CA - Los Angeles	434	0.009	0.008 - 0.010	328	0.013	0.012 - 0.015	106	0.004	0.004 - 0.005
Colorado	117	0.010	0.008 - 0.012	88	0.014	0.012 - 0.018	29	0.005	0.003 - 0.007
Connecticut	73	0.013	0.010 - 0.016	53	0.019	0.014 - 0.024	20	0.007	0.004 - 0.011
Delaware	13	0.015	0.008 - 0.025	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	1,075	0.020	0.019 - 0.022	809	0.031	0.029 - 0.033	266	0.010	0.009 - 0.011
Georgia	81	0.008	0.006 - 0.010	56	0.011	0.008 - 0.014	25	0.005	0.003 - 0.008
Hawaii	26	0.018	0.012 - 0.027	-	-	-	-	-	-
Idaho	15	0.007	0.004 - 0.012	-	-	-	-	-	-
Illinois	188	0.009	0.007 - 0.010	143	0.013	0.011 - 0.015	45	0.004	0.003 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	21	0.009	0.005 - 0.013	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	36	0.006	0.004 - 0.008	26	0.008	0.005 - 0.012	10	0.003	0.002 - 0.006
Michigan	49	0.010	0.007 - 0.013	-	-	-	-	-	-
MI - Detroit	27	0.015	0.010 - 0.022	-	-	-	-	-	-
Minnesota	22	0.007	0.005 - 0.011	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	19	0.008	0.005 - 0.012	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	15	0.007	0.004 - 0.012	-	-	-	-	-	-
Nevada	72	0.009	0.007 - 0.011	47	0.011	0.008 - 0.015	25	0.006	0.004 - 0.009
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	281	0.016	0.014 - 0.018	211	0.024	0.020 - 0.027	71	0.008	0.006 - 0.010
New Mexico	147	0.014	0.012 - 0.017	117	0.023	0.019 - 0.028	30	0.006	0.004 - 0.008
New York	544	0.015	0.013 - 0.016	398	0.022	0.020 - 0.024	146	0.008	0.007 - 0.009
North Carolina	31	0.003	0.002 - 0.005	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	33	0.008	0.005 - 0.011	-	-	-	-	-	-
Oklahoma	26	0.006	0.004 - 0.009	-	-	-	-	-	-
Oregon	45	0.008	0.006 - 0.011	35	0.013	0.009 - 0.018	10	0.004	0.002 - 0.007
Pennsylvania	81	0.009	0.007 - 0.011	64	0.014	0.011 - 0.017	17	0.004	0.002 - 0.006
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	11	0.004	0.002 - 0.007	-	-	-	-	-	-
Tennessee	19	0.005	0.003 - 0.008	-	-	-	-	-	-
Texas	906	0.008	0.008 - 0.009	698	0.013	0.012 - 0.014	208	0.004	0.003 - 0.004
Utah	33	0.008	0.005 - 0.011	23	0.010	0.007 - 0.016	10	0.005	0.002 - 0.009
Vermont	-	-	-	-	-	-	-	-	-
Virginia	44	0.006	0.004 - 0.008	31	0.008	0.005 - 0.011	13	0.003	0.002 - 0.006
Washington ³	73	0.008	0.006 - 0.010	53	0.011	0.008 - 0.014	20	0.004	0.003 - 0.007
WA - Seattle	42	0.008	0.006 - 0.011	32	0.012	0.008 - 0.017	10	0.004	0.002 - 0.008
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	24	0.006	0.004 - 0.009	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,784	0.020	0.020 - 0.021	6,994	0.024	0.023 - 0.025	4,790	0.017	0.016 - 0.017
Alabama	22	0.011	0.007 - 0.016	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	475	0.022	0.020 - 0.024	270	0.025	0.022 - 0.028	205	0.019	0.016 - 0.022
Arkansas	29	0.013	0.009 - 0.019	19	0.016	0.010 - 0.025	10	0.009	0.005 - 0.017
California	3,259	0.021	0.021 - 0.022	1,922	0.025	0.024 - 0.026	1,338	0.018	0.017 - 0.019
CA - Greater California	1,857	0.022	0.021 - 0.023	1,101	0.026	0.024 - 0.027	756	0.018	0.017 - 0.019
CA - Greater Bay Area	394	0.021	0.019 - 0.023	232	0.024	0.021 - 0.027	161	0.017	0.015 - 0.020
CA - Los Angeles	1,009	0.021	0.019 - 0.022	588	0.024	0.022 - 0.026	421	0.017	0.016 - 0.019
Colorado	272	0.023	0.020 - 0.026	163	0.027	0.023 - 0.031	109	0.019	0.015 - 0.022
Connecticut	108	0.019	0.016 - 0.023	65	0.023	0.018 - 0.030	43	0.015	0.011 - 0.020
Delaware	11	0.013	0.006 - 0.023	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	1,171	0.022	0.021 - 0.023	733	0.028	0.026 - 0.030	438	0.016	0.015 - 0.018
Georgia	134	0.014	0.011 - 0.016	79	0.015	0.012 - 0.019	55	0.012	0.009 - 0.015
Hawaii	33	0.023	0.016 - 0.032	-	-	-	-	-	-
Idaho	42	0.020	0.014 - 0.027	24	0.022	0.014 - 0.033	18	0.017	0.010 - 0.028
Illinois	426	0.019	0.018 - 0.021	284	0.025	0.023 - 0.029	142	0.013	0.011 - 0.016
Iowa	25	0.013	0.009 - 0.020	-	-	-	-	-	-
Kentucky	16	0.010	0.005 - 0.016	-	-	-	-	-	-
Louisiana	37	0.015	0.011 - 0.021	27	0.021	0.014 - 0.031	10	0.009	0.004 - 0.016
Maine	-	-	-	-	-	-	-	-	-
Maryland	50	0.008	0.006 - 0.011	29	0.009	0.006 - 0.013	21	0.007	0.005 - 0.011
Michigan	82	0.016	0.013 - 0.020	54	0.021	0.016 - 0.028	28	0.011	0.008 - 0.016
MI - Detroit	40	0.022	0.016 - 0.031	27	0.030	0.020 - 0.044	13	0.015	0.008 - 0.025
Minnesota	50	0.017	0.013 - 0.022	32	0.021	0.014 - 0.029	18	0.013	0.007 - 0.020
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	35	0.014	0.010 - 0.019	21	0.016	0.010 - 0.025	14	0.011	0.006 - 0.019
Montana	-	-	-	-	-	-	-	-	-
Nebraska	32	0.015	0.011 - 0.022	21	0.019	0.012 - 0.030	11	0.011	0.006 - 0.020
Nevada	138	0.016	0.014 - 0.019	77	0.018	0.014 - 0.023	61	0.015	0.011 - 0.019
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	326	0.018	0.016 - 0.020	199	0.022	0.019 - 0.026	127	0.014	0.012 - 0.017
New Mexico	280	0.027	0.024 - 0.031	148	0.029	0.025 - 0.034	132	0.026	0.022 - 0.031
New York	752	0.020	0.019 - 0.022	441	0.024	0.022 - 0.026	311	0.016	0.015 - 0.018
North Carolina	77	0.008	0.006 - 0.010	45	0.009	0.007 - 0.012	32	0.007	0.005 - 0.010
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	58	0.013	0.010 - 0.017	38	0.017	0.012 - 0.023	20	0.009	0.006 - 0.015
Oklahoma	58	0.014	0.011 - 0.018	39	0.018	0.013 - 0.025	19	0.010	0.006 - 0.015
Oregon	78	0.015	0.012 - 0.018	41	0.015	0.011 - 0.020	37	0.014	0.010 - 0.020
Pennsylvania	170	0.018	0.016 - 0.021	110	0.023	0.019 - 0.028	60	0.013	0.010 - 0.017
Rhode Island	23	0.014	0.009 - 0.021	11	0.014	0.007 - 0.024	12	0.015	0.008 - 0.026
South Carolina	25	0.009	0.006 - 0.013	-	-	-	-	-	-
Tennessee	45	0.013	0.009 - 0.017	24	0.013	0.008 - 0.019	21	0.012	0.008 - 0.019
Texas	2,763	0.025	0.024 - 0.026	1,584	0.028	0.027 - 0.030	1,179	0.021	0.020 - 0.023
Utah	64	0.015	0.011 - 0.019	39	0.018	0.013 - 0.024	25	0.012	0.008 - 0.018
Vermont	-	-	-	-	-	-	-	-	-
Virginia	81	0.010	0.008 - 0.013	45	0.011	0.008 - 0.015	36	0.009	0.007 - 0.013
Washington ³	134	0.014	0.012 - 0.017	73	0.015	0.012 - 0.019	61	0.014	0.010 - 0.017
WA - Seattle	80	0.016	0.013 - 0.020	41	0.016	0.011 - 0.021	39	0.016	0.012 - 0.022
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	61	0.016	0.012 - 0.020	43	0.021	0.015 - 0.029	18	0.010	0.006 - 0.015
Wyoming	15	0.026	0.015 - 0.043	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,195	0.006	0.005 - 0.006	1,690	0.006	0.005 - 0.006	1,505	0.005	0.005 - 0.006
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	104	0.005	0.004 - 0.006	52	0.005	0.004 - 0.006	52	0.005	0.004 - 0.006
Arkansas	10	0.004	0.002 - 0.008	-	-	-	-	-	-
California	786	0.005	0.005 - 0.006	421	0.005	0.005 - 0.006	365	0.005	0.004 - 0.005
CA - Greater California	441	0.005	0.005 - 0.006	237	0.006	0.005 - 0.006	204	0.005	0.004 - 0.006
CA - Greater Bay Area	96	0.005	0.004 - 0.006	56	0.006	0.004 - 0.007	40	0.004	0.003 - 0.006
CA - Los Angeles	248	0.005	0.004 - 0.006	128	0.005	0.004 - 0.006	120	0.005	0.004 - 0.006
Colorado	64	0.005	0.004 - 0.007	39	0.006	0.005 - 0.009	25	0.004	0.003 - 0.006
Connecticut	45	0.008	0.006 - 0.011	24	0.009	0.005 - 0.013	21	0.007	0.005 - 0.011
Delaware	11	0.013	0.006 - 0.023	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	371	0.007	0.006 - 0.008	190	0.007	0.006 - 0.008	181	0.007	0.006 - 0.008
Georgia	50	0.005	0.004 - 0.007	28	0.005	0.004 - 0.008	22	0.005	0.003 - 0.007
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	10	0.005	0.002 - 0.009	-	-	-	-	-	-
Illinois	116	0.005	0.004 - 0.006	66	0.006	0.005 - 0.008	50	0.005	0.003 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	16	0.007	0.004 - 0.011	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	26	0.004	0.003 - 0.006	-	-	-	-	-	-
Michigan	20	0.004	0.002 - 0.006	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	13	0.004	0.002 - 0.007	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	18	0.007	0.004 - 0.011	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	14	0.007	0.004 - 0.011	-	-	-	-	-	-
Nevada	34	0.004	0.003 - 0.006	18	0.004	0.002 - 0.007	16	0.004	0.002 - 0.006
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	108	0.006	0.005 - 0.007	66	0.007	0.006 - 0.009	42	0.005	0.003 - 0.006
New Mexico	44	0.004	0.003 - 0.006	23	0.005	0.003 - 0.007	22	0.004	0.003 - 0.006
New York	249	0.007	0.006 - 0.008	143	0.008	0.007 - 0.009	106	0.006	0.005 - 0.007
North Carolina	35	0.004	0.003 - 0.005	24	0.005	0.003 - 0.007	11	0.002	0.001 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	20	0.005	0.003 - 0.007	-	-	-	-	-	-
Oklahoma	21	0.005	0.003 - 0.008	-	-	-	-	-	-
Oregon	31	0.006	0.004 - 0.008	20	0.007	0.004 - 0.011	11	0.004	0.002 - 0.008
Pennsylvania	52	0.006	0.004 - 0.007	26	0.006	0.004 - 0.008	26	0.006	0.004 - 0.008
Rhode Island	11	0.007	0.003 - 0.012	-	-	-	-	-	-
South Carolina	10	0.004	0.002 - 0.007	-	-	-	-	-	-
Tennessee	18	0.005	0.003 - 0.008	-	-	-	-	-	-
Texas	614	0.006	0.005 - 0.006	288	0.005	0.005 - 0.006	326	0.006	0.005 - 0.007
Utah	20	0.005	0.003 - 0.007	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	38	0.005	0.003 - 0.007	22	0.005	0.003 - 0.008	16	0.004	0.002 - 0.007
Washington ³	62	0.007	0.005 - 0.009	27	0.006	0.004 - 0.008	35	0.008	0.005 - 0.011
WA - Seattle	33	0.007	0.005 - 0.009	17	0.007	0.004 - 0.010	16	0.007	0.004 - 0.011
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	18	0.005	0.003 - 0.007	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,919	0.022	0.022 - 0.023	2,417	0.008	0.008 - 0.009	10,501	0.037	0.036 - 0.037
Alabama	11	0.005	0.003 - 0.009	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	458	0.021	0.019 - 0.023	66	0.006	0.005 - 0.008	392	0.036	0.033 - 0.040
Arkansas	33	0.015	0.010 - 0.021	-	-	-	-	-	-
California	3,198	0.021	0.020 - 0.022	640	0.008	0.008 - 0.009	2,558	0.034	0.032 - 0.035
CA - Greater California	1,829	0.022	0.021 - 0.023	366	0.009	0.008 - 0.009	1,463	0.035	0.033 - 0.037
CA - Greater Bay Area	329	0.017	0.015 - 0.019	66	0.007	0.005 - 0.009	263	0.028	0.025 - 0.032
CA - Los Angeles	1,040	0.021	0.020 - 0.023	209	0.009	0.007 - 0.010	832	0.034	0.032 - 0.036
Colorado	285	0.024	0.021 - 0.027	60	0.010	0.008 - 0.013	225	0.038	0.033 - 0.044
Connecticut	186	0.033	0.028 - 0.038	30	0.011	0.007 - 0.015	156	0.055	0.046 - 0.064
Delaware	20	0.023	0.014 - 0.035	-	-	-	-	-	-
District of Columbia	21	0.028	0.017 - 0.042	-	-	-	-	-	-
Florida	1,665	0.032	0.030 - 0.033	336	0.013	0.012 - 0.014	1,329	0.050	0.047 - 0.052
Georgia	200	0.020	0.018 - 0.023	24	0.005	0.003 - 0.007	176	0.037	0.032 - 0.043
Hawaii	29	0.020	0.014 - 0.029	-	-	-	-	-	-
Idaho	42	0.020	0.014 - 0.027	-	-	-	-	-	-
Illinois	525	0.024	0.022 - 0.026	105	0.009	0.008 - 0.011	420	0.039	0.036 - 0.043
Iowa	33	0.018	0.012 - 0.025	-	-	-	-	-	-
Kentucky	12	0.007	0.004 - 0.013	-	-	-	-	-	-
Louisiana	38	0.016	0.011 - 0.022	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	82	0.014	0.011 - 0.017	-	-	-	-	-	-
Michigan	67	0.013	0.010 - 0.017	11	0.004	0.002 - 0.008	56	0.023	0.017 - 0.029
MI - Detroit	46	0.026	0.019 - 0.035	-	-	-	-	-	-
Minnesota	50	0.017	0.013 - 0.022	10	0.006	0.003 - 0.012	40	0.028	0.020 - 0.038
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	36	0.014	0.010 - 0.020	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	40	0.019	0.014 - 0.026	10	0.009	0.004 - 0.017	30	0.030	0.021 - 0.043
Nevada	195	0.023	0.020 - 0.027	32	0.007	0.005 - 0.011	163	0.039	0.033 - 0.046
New Hampshire	15	0.031	0.017 - 0.050	-	-	-	-	-	-
New Jersey	572	0.032	0.030 - 0.035	100	0.011	0.009 - 0.014	472	0.053	0.048 - 0.058
New Mexico	289	0.028	0.025 - 0.032	55	0.011	0.008 - 0.014	234	0.046	0.040 - 0.052
New York	1,223	0.033	0.031 - 0.035	214	0.012	0.010 - 0.013	1,010	0.053	0.050 - 0.057
North Carolina	124	0.013	0.011 - 0.016	22	0.004	0.003 - 0.007	102	0.022	0.018 - 0.027
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	61	0.014	0.011 - 0.018	10	0.004	0.002 - 0.008	51	0.024	0.018 - 0.032
Oklahoma	63	0.015	0.012 - 0.019	-	-	-	-	-	-
Oregon	110	0.021	0.017 - 0.025	23	0.008	0.005 - 0.013	87	0.034	0.027 - 0.042
Pennsylvania	208	0.023	0.020 - 0.026	28	0.006	0.004 - 0.009	180	0.040	0.034 - 0.046
Rhode Island	39	0.024	0.017 - 0.033	-	-	-	-	-	-
South Carolina	21	0.008	0.005 - 0.011	-	-	-	-	-	-
Tennessee	53	0.015	0.011 - 0.019	12	0.006	0.003 - 0.011	41	0.024	0.017 - 0.033
Texas	2,061	0.019	0.018 - 0.019	386	0.007	0.006 - 0.008	1,675	0.031	0.029 - 0.032
Utah	111	0.026	0.021 - 0.031	17	0.008	0.004 - 0.012	94	0.045	0.036 - 0.055
Vermont	-	-	-	-	-	-	-	-	-
Virginia	165	0.021	0.018 - 0.025	38	0.009	0.007 - 0.013	127	0.033	0.028 - 0.040
Washington ³	153	0.016	0.014 - 0.019	25	0.005	0.003 - 0.008	128	0.029	0.024 - 0.034
WA - Seattle	90	0.018	0.014 - 0.022	16	0.006	0.004 - 0.010	74	0.031	0.024 - 0.039
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	46	0.012	0.009 - 0.016	-	-	-	-	-	-
Wyoming	11	0.019	0.009 - 0.034	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,123	0.004	0.003 - 0.004	1,150	0.004	0.004 - 0.004	972	0.003	0.003 - 0.004
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	68	0.003	0.002 - 0.004	32	0.003	0.002 - 0.004	36	0.003	0.002 - 0.005
Arkansas	-	-	-	-	-	-	-	-	-
California	500	0.003	0.003 - 0.004	255	0.003	0.003 - 0.004	245	0.003	0.003 - 0.004
CA - Greater California	274	0.003	0.003 - 0.004	135	0.003	0.003 - 0.004	140	0.003	0.003 - 0.004
CA - Greater Bay Area	74	0.004	0.003 - 0.005	42	0.004	0.003 - 0.006	32	0.003	0.002 - 0.005
CA - Los Angeles	152	0.003	0.003 - 0.004	79	0.003	0.003 - 0.004	73	0.003	0.002 - 0.004
Colorado	46	0.004	0.003 - 0.005	28	0.005	0.003 - 0.007	18	0.003	0.002 - 0.005
Connecticut	32	0.006	0.004 - 0.008	15	0.005	0.003 - 0.009	17	0.006	0.003 - 0.010
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	296	0.006	0.005 - 0.006	164	0.006	0.005 - 0.007	132	0.005	0.004 - 0.006
Georgia	25	0.003	0.002 - 0.004	14	0.003	0.001 - 0.005	11	0.002	0.001 - 0.004
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	81	0.004	0.003 - 0.005	49	0.004	0.003 - 0.006	32	0.003	0.002 - 0.004
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-
Michigan	17	0.003	0.002 - 0.005	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	21	0.002	0.002 - 0.004	11	0.003	0.001 - 0.005	10	0.002	0.001 - 0.004
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	91	0.005	0.004 - 0.006	46	0.005	0.004 - 0.007	45	0.005	0.004 - 0.007
New Mexico	38	0.004	0.003 - 0.005	24	0.005	0.003 - 0.007	14	0.003	0.001 - 0.005
New York	190	0.005	0.004 - 0.006	97	0.005	0.004 - 0.006	93	0.005	0.004 - 0.006
North Carolina	20	0.002	0.001 - 0.003	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	12	0.003	0.001 - 0.005	-	-	-	-	-	-
Oklahoma	10	0.002	0.001 - 0.004	-	-	-	-	-	-
Oregon	13	0.002	0.001 - 0.004	-	-	-	-	-	-
Pennsylvania	43	0.005	0.003 - 0.006	24	0.005	0.003 - 0.008	19	0.004	0.003 - 0.007
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	17	0.005	0.003 - 0.008	-	-	-	-	-	-
Texas	364	0.003	0.003 - 0.004	202	0.004	0.003 - 0.004	162	0.003	0.003 - 0.003
Utah	14	0.003	0.002 - 0.005	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	19	0.002	0.001 - 0.004	-	-	-	-	-	-
Washington ³	35	0.004	0.003 - 0.005	18	0.004	0.002 - 0.006	17	0.004	0.002 - 0.006
WA - Seattle	24	0.005	0.003 - 0.007	11	0.004	0.002 - 0.008	13	0.005	0.003 - 0.009
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	12	0.003	0.002 - 0.005	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,651	0.018	0.018 - 0.019	5,479	0.019	0.018 - 0.019	5,172	0.018	0.018 - 0.019
Alabama	14	0.007	0.004 - 0.011	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	283	0.013	0.011 - 0.015	139	0.013	0.011 - 0.015	144	0.013	0.011 - 0.016
Arkansas	13	0.006	0.003 - 0.010	-	-	-	-	-	-
California	2,773	0.018	0.017 - 0.019	1,418	0.018	0.017 - 0.019	1,355	0.018	0.017 - 0.019
CA - Greater California	1,431	0.017	0.016 - 0.018	749	0.017	0.016 - 0.019	682	0.016	0.015 - 0.017
CA - Greater Bay Area	376	0.020	0.018 - 0.022	194	0.020	0.017 - 0.023	182	0.019	0.017 - 0.022
CA - Los Angeles	967	0.020	0.018 - 0.021	476	0.019	0.018 - 0.021	491	0.020	0.018 - 0.022
Colorado	184	0.015	0.013 - 0.018	105	0.017	0.014 - 0.021	79	0.013	0.011 - 0.017
Connecticut	139	0.025	0.021 - 0.029	70	0.025	0.019 - 0.031	70	0.024	0.019 - 0.031
Delaware	12	0.014	0.007 - 0.024	-	-	-	-	-	-
District of Columbia	14	0.018	0.010 - 0.031	-	-	-	-	-	-
Florida	1,746	0.033	0.032 - 0.035	864	0.033	0.031 - 0.035	882	0.033	0.031 - 0.035
Georgia	157	0.016	0.014 - 0.019	83	0.016	0.013 - 0.020	74	0.016	0.012 - 0.020
Hawaii	26	0.018	0.012 - 0.027	13	0.018	0.009 - 0.030	13	0.019	0.010 - 0.032
Idaho	30	0.014	0.010 - 0.020	10	0.009	0.004 - 0.017	20	0.019	0.012 - 0.030
Illinois	385	0.018	0.016 - 0.019	210	0.019	0.016 - 0.021	175	0.016	0.014 - 0.019
Iowa	21	0.011	0.007 - 0.017	-	-	-	-	-	-
Kentucky	13	0.008	0.004 - 0.013	-	-	-	-	-	-
Louisiana	50	0.021	0.016 - 0.028	22	0.017	0.011 - 0.026	28	0.025	0.017 - 0.036
Maine	-	-	-	-	-	-	-	-	-
Maryland	67	0.011	0.009 - 0.014	44	0.014	0.010 - 0.019	23	0.008	0.005 - 0.012
Michigan	62	0.012	0.009 - 0.016	41	0.016	0.011 - 0.022	21	0.008	0.005 - 0.013
MI - Detroit	40	0.023	0.016 - 0.031	25	0.028	0.018 - 0.041	15	0.017	0.010 - 0.028
Minnesota	61	0.021	0.016 - 0.026	32	0.021	0.014 - 0.029	29	0.020	0.014 - 0.029
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	29	0.011	0.008 - 0.016	15	0.011	0.006 - 0.019	14	0.011	0.006 - 0.019
Montana	-	-	-	-	-	-	-	-	-
Nebraska	24	0.012	0.007 - 0.017	11	0.010	0.005 - 0.018	13	0.013	0.007 - 0.023
Nevada	99	0.012	0.010 - 0.014	60	0.014	0.011 - 0.018	39	0.009	0.007 - 0.013
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	433	0.024	0.022 - 0.027	223	0.025	0.022 - 0.028	210	0.024	0.020 - 0.027
New Mexico	181	0.018	0.015 - 0.021	92	0.018	0.015 - 0.022	89	0.017	0.014 - 0.021
New York	932	0.025	0.023 - 0.027	472	0.026	0.023 - 0.028	459	0.024	0.022 - 0.027
North Carolina	102	0.011	0.009 - 0.013	55	0.011	0.008 - 0.015	47	0.010	0.008 - 0.014
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	64	0.015	0.011 - 0.019	35	0.016	0.011 - 0.022	29	0.014	0.009 - 0.020
Oklahoma	49	0.012	0.009 - 0.016	21	0.010	0.006 - 0.015	28	0.014	0.009 - 0.020
Oregon	83	0.016	0.012 - 0.019	46	0.017	0.012 - 0.022	37	0.014	0.010 - 0.020
Pennsylvania	162	0.018	0.015 - 0.021	79	0.017	0.013 - 0.021	83	0.018	0.015 - 0.023
Rhode Island	21	0.013	0.008 - 0.020	10	0.012	0.006 - 0.023	11	0.014	0.007 - 0.025
South Carolina	19	0.007	0.004 - 0.011	-	-	-	-	-	-
Tennessee	38	0.011	0.007 - 0.015	18	0.009	0.006 - 0.015	20	0.012	0.007 - 0.018
Texas	1,756	0.016	0.015 - 0.017	920	0.017	0.015 - 0.018	836	0.015	0.014 - 0.016
Utah	73	0.017	0.013 - 0.021	42	0.019	0.014 - 0.026	31	0.015	0.010 - 0.021
Vermont	-	-	-	-	-	-	-	-	-
Virginia	88	0.011	0.009 - 0.014	46	0.011	0.008 - 0.015	42	0.011	0.008 - 0.015
Washington ³	123	0.013	0.011 - 0.016	59	0.012	0.009 - 0.016	64	0.014	0.011 - 0.018
WA - Seattle	78	0.016	0.012 - 0.019	41	0.016	0.011 - 0.021	37	0.015	0.011 - 0.021
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	44	0.011	0.008 - 0.015	24	0.012	0.008 - 0.018	20	0.011	0.006 - 0.016
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,863	0.007	0.006 - 0.007	2,025	0.007	0.007 - 0.007	1,838	0.006	0.006 - 0.007
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	117	0.005	0.004 - 0.006	72	0.007	0.005 - 0.008	45	0.004	0.003 - 0.006
Arkansas	-	-	-	-	-	-	-	-	-
California	925	0.006	0.006 - 0.006	479	0.006	0.006 - 0.007	446	0.006	0.005 - 0.006
CA - Greater California	520	0.006	0.006 - 0.007	270	0.006	0.006 - 0.007	249	0.006	0.005 - 0.007
CA - Greater Bay Area	110	0.006	0.005 - 0.007	61	0.006	0.005 - 0.008	49	0.005	0.004 - 0.007
CA - Los Angeles	296	0.006	0.005 - 0.007	149	0.006	0.005 - 0.007	147	0.006	0.005 - 0.007
Colorado	58	0.005	0.004 - 0.006	35	0.006	0.004 - 0.008	23	0.004	0.002 - 0.006
Connecticut	45	0.008	0.006 - 0.011	20	0.007	0.004 - 0.011	25	0.009	0.006 - 0.013
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	603	0.011	0.011 - 0.012	301	0.012	0.010 - 0.013	302	0.011	0.010 - 0.013
Georgia	55	0.006	0.004 - 0.007	26	0.005	0.003 - 0.007	29	0.006	0.004 - 0.009
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	137	0.006	0.005 - 0.007	76	0.007	0.005 - 0.009	61	0.006	0.004 - 0.007
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	20	0.003	0.002 - 0.005	-	-	-	-	-	-
Michigan	30	0.006	0.004 - 0.009	-	-	-	-	-	-
MI - Detroit	10	0.006	0.003 - 0.010	-	-	-	-	-	-
Minnesota	21	0.007	0.004 - 0.011	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	12	0.006	0.003 - 0.010	-	-	-	-	-	-
Nevada	28	0.003	0.002 - 0.005	14	0.003	0.002 - 0.005	14	0.003	0.002 - 0.006
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	154	0.009	0.007 - 0.010	83	0.009	0.007 - 0.011	71	0.008	0.006 - 0.010
New Mexico	87	0.009	0.007 - 0.011	50	0.010	0.007 - 0.013	38	0.007	0.005 - 0.010
New York	457	0.012	0.011 - 0.013	232	0.013	0.011 - 0.014	225	0.012	0.010 - 0.014
North Carolina	36	0.004	0.003 - 0.005	22	0.004	0.003 - 0.007	14	0.003	0.002 - 0.005
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	19	0.004	0.003 - 0.007	-	-	-	-	-	-
Oklahoma	13	0.003	0.002 - 0.005	-	-	-	-	-	-
Oregon	20	0.004	0.002 - 0.006	-	-	-	-	-	-
Pennsylvania	61	0.007	0.005 - 0.009	30	0.006	0.004 - 0.009	31	0.007	0.005 - 0.010
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	15	0.004	0.002 - 0.007	-	-	-	-	-	-
Texas	679	0.006	0.006 - 0.007	365	0.007	0.006 - 0.007	314	0.006	0.005 - 0.006
Utah	23	0.005	0.003 - 0.008	10	0.005	0.002 - 0.008	13	0.006	0.003 - 0.011
Vermont	-	-	-	-	-	-	-	-	-
Virginia	19	0.002	0.001 - 0.004	-	-	-	-	-	-
Washington ³	49	0.005	0.004 - 0.007	24	0.005	0.003 - 0.007	25	0.006	0.004 - 0.008
WA - Seattle	21	0.004	0.003 - 0.006	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	17	0.004	0.003 - 0.007	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,669	0.013	0.013 - 0.014	4,307	0.015	0.014 - 0.015	3,362	0.012	0.011 - 0.012
Alabama	16	0.008	0.004 - 0.012	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	220	0.010	0.009 - 0.011	119	0.011	0.009 - 0.013	101	0.009	0.008 - 0.011
Arkansas	38	0.017	0.012 - 0.023	25	0.021	0.014 - 0.031	13	0.012	0.007 - 0.021
California	1,863	0.012	0.012 - 0.013	1,038	0.013	0.013 - 0.014	825	0.011	0.010 - 0.012
CA - Greater California	1,015	0.012	0.011 - 0.013	550	0.013	0.012 - 0.014	465	0.011	0.010 - 0.012
CA - Greater Bay Area	239	0.013	0.011 - 0.014	132	0.014	0.011 - 0.016	106	0.011	0.009 - 0.014
CA - Los Angeles	610	0.012	0.011 - 0.013	355	0.015	0.013 - 0.016	255	0.010	0.009 - 0.012
Colorado	141	0.012	0.010 - 0.014	71	0.012	0.009 - 0.015	70	0.012	0.009 - 0.015
Connecticut	68	0.012	0.009 - 0.015	30	0.011	0.007 - 0.015	38	0.013	0.009 - 0.018
Delaware	14	0.016	0.009 - 0.027	-	-	-	-	-	-
District of Columbia	12	0.016	0.008 - 0.028	-	-	-	-	-	-
Florida	1,091	0.021	0.019 - 0.022	586	0.022	0.021 - 0.024	505	0.019	0.017 - 0.021
Georgia	139	0.014	0.012 - 0.017	81	0.016	0.012 - 0.019	58	0.012	0.009 - 0.016
Hawaii	15	0.010	0.006 - 0.017	-	-	-	-	-	-
Idaho	25	0.012	0.008 - 0.017	12	0.011	0.006 - 0.019	13	0.013	0.007 - 0.022
Illinois	277	0.013	0.011 - 0.014	161	0.014	0.012 - 0.017	116	0.011	0.009 - 0.013
Iowa	26	0.014	0.009 - 0.020	14	0.014	0.008 - 0.024	12	0.013	0.007 - 0.023
Kentucky	21	0.013	0.008 - 0.020	10	0.011	0.005 - 0.021	11	0.015	0.007 - 0.026
Louisiana	22	0.009	0.006 - 0.014	11	0.009	0.004 - 0.015	11	0.010	0.005 - 0.018
Maine	-	-	-	-	-	-	-	-	-
Maryland	51	0.009	0.006 - 0.011	27	0.009	0.006 - 0.013	24	0.008	0.005 - 0.012
Michigan	52	0.010	0.008 - 0.014	30	0.012	0.008 - 0.017	22	0.009	0.006 - 0.013
MI - Detroit	24	0.013	0.009 - 0.020	13	0.015	0.008 - 0.025	11	0.012	0.006 - 0.022
Minnesota	44	0.015	0.011 - 0.020	30	0.019	0.013 - 0.028	14	0.010	0.005 - 0.016
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	17	0.007	0.004 - 0.011	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	24	0.012	0.007 - 0.017	-	-	-	-	-	-
Nevada	77	0.009	0.007 - 0.011	44	0.010	0.007 - 0.014	33	0.008	0.005 - 0.011
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	282	0.016	0.014 - 0.018	166	0.019	0.016 - 0.022	116	0.013	0.011 - 0.016
New Mexico	163	0.016	0.014 - 0.019	86	0.017	0.014 - 0.021	77	0.015	0.012 - 0.019
New York	605	0.016	0.015 - 0.018	340	0.019	0.017 - 0.021	265	0.014	0.012 - 0.016
North Carolina	81	0.009	0.007 - 0.011	46	0.009	0.007 - 0.012	35	0.008	0.005 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	39	0.009	0.006 - 0.012	26	0.012	0.008 - 0.017	13	0.006	0.003 - 0.010
Oklahoma	38	0.009	0.006 - 0.013	23	0.011	0.007 - 0.016	15	0.008	0.004 - 0.013
Oregon	71	0.013	0.010 - 0.017	42	0.015	0.011 - 0.021	29	0.011	0.008 - 0.016
Pennsylvania	113	0.012	0.010 - 0.015	59	0.013	0.010 - 0.016	54	0.012	0.009 - 0.016
Rhode Island	20	0.012	0.008 - 0.019	-	-	-	-	-	-
South Carolina	24	0.009	0.005 - 0.013	-	-	-	-	-	-
Tennessee	48	0.013	0.010 - 0.018	26	0.014	0.009 - 0.020	22	0.013	0.008 - 0.020
Texas	1,442	0.013	0.012 - 0.014	839	0.015	0.014 - 0.016	603	0.011	0.010 - 0.012
Utah	54	0.013	0.009 - 0.016	34	0.015	0.011 - 0.022	20	0.009	0.006 - 0.015
Vermont	-	-	-	-	-	-	-	-	-
Virginia	56	0.007	0.005 - 0.009	33	0.008	0.006 - 0.011	23	0.006	0.004 - 0.009
Washington ³	101	0.011	0.009 - 0.013	58	0.012	0.009 - 0.016	43	0.010	0.007 - 0.013
WA - Seattle	59	0.012	0.009 - 0.015	36	0.014	0.010 - 0.019	23	0.010	0.006 - 0.014
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	47	0.012	0.009 - 0.016	23	0.011	0.007 - 0.017	24	0.013	0.008 - 0.019
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2015-2016 by Registry, Hispanic, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	233	0.000	0.000 - 0.000	151	0.001	0.000 - 0.001	82	0.000	0.000 - 0.000
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	77	0.001	0.000 - 0.001	53	0.001	0.001 - 0.001	24	0.000	0.000 - 0.000
CA - Greater California	42	0.000	0.000 - 0.001	27	0.001	0.000 - 0.001	15	0.000	0.000 - 0.001
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	25	0.001	0.000 - 0.001	-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	19	0.000	0.000 - 0.001	-	-		-	-	
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	10	0.000	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	11	0.001	0.000 - 0.001	-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	24	0.001	0.000 - 0.001	11	0.001	0.000 - 0.001	13	0.001	0.000 - 0.001
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	30	0.000	0.000 - 0.000	-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington ³	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,349,179	1.647	1.645 - 1.648	2,581,162	1.614	1.612 - 1.616	2,767,669	1.678	1.676 - 1.680
Alabama	81,633	1.676	1.665 - 1.688	41,116	1.744	1.727 - 1.761	40,517	1.613	1.597 - 1.629
Alaska	9,412	1.271	1.245 - 1.297	4,555	1.176	1.142 - 1.211	4,857	1.374	1.336 - 1.414
Arizona	97,201	1.389	1.380 - 1.398	45,962	1.321	1.309 - 1.333	51,239	1.456	1.444 - 1.469
Arkansas	50,890	1.698	1.683 - 1.713	25,852	1.756	1.735 - 1.777	25,038	1.643	1.622 - 1.663
California	553,961	1.409	1.406 - 1.413	261,787	1.340	1.335 - 1.345	292,174	1.478	1.472 - 1.483
CA - Greater California	311,096	1.428	1.423 - 1.433	148,315	1.366	1.359 - 1.373	162,781	1.490	1.482 - 1.497
CA - Greater Bay Area	112,109	1.515	1.506 - 1.524	53,451	1.450	1.437 - 1.462	58,658	1.580	1.567 - 1.592
CA - Los Angeles	130,984	1.294	1.287 - 1.301	60,165	1.206	1.197 - 1.216	70,819	1.380	1.370 - 1.390
Colorado	78,238	1.403	1.393 - 1.412	37,250	1.327	1.314 - 1.341	40,988	1.479	1.465 - 1.493
Connecticut	70,463	1.970	1.956 - 1.985	33,342	1.911	1.891 - 1.932	37,121	2.027	2.006 - 2.047
Delaware	19,134	2.007	1.979 - 2.036	9,472	2.055	2.014 - 2.097	9,662	1.963	1.924 - 2.003
District of Columbia	9,149	1.324	1.297 - 1.351	4,196	1.279	1.241 - 1.319	4,953	1.364	1.326 - 1.402
Florida	391,971	1.884	1.878 - 1.890	194,142	1.908	1.900 - 1.917	197,829	1.861	1.853 - 1.869
Georgia	159,112	1.536	1.528 - 1.544	78,323	1.554	1.543 - 1.565	80,789	1.519	1.509 - 1.530
Hawaii	23,527	1.650	1.629 - 1.671	10,942	1.529	1.500 - 1.557	12,584	1.772	1.741 - 1.803
Idaho	26,281	1.545	1.526 - 1.564	12,951	1.520	1.494 - 1.546	13,330	1.570	1.544 - 1.597
Illinois	221,153	1.727	1.720 - 1.734	104,930	1.668	1.658 - 1.678	116,223	1.784	1.774 - 1.794
Iowa	57,057	1.818	1.804 - 1.833	28,023	1.796	1.775 - 1.817	29,034	1.841	1.820 - 1.862
Kentucky	82,122	1.847	1.834 - 1.860	39,888	1.821	1.803 - 1.839	42,235	1.872	1.854 - 1.890
Louisiana	78,677	1.683	1.671 - 1.695	40,417	1.769	1.752 - 1.786	38,260	1.601	1.585 - 1.617
Maine	27,812	2.086	2.062 - 2.111	13,165	2.017	1.982 - 2.051	14,647	2.153	2.118 - 2.188
Maryland	102,274	1.700	1.690 - 1.711	48,836	1.675	1.660 - 1.690	53,438	1.724	1.710 - 1.739
Michigan	176,474	1.771	1.763 - 1.779	85,787	1.749	1.738 - 1.761	90,687	1.792	1.781 - 1.804
MI - Detroit	72,892	1.878	1.864 - 1.891	35,352	1.877	1.858 - 1.897	37,540	1.878	1.859 - 1.897
Minnesota	98,587	1.778	1.767 - 1.789	48,130	1.743	1.728 - 1.759	50,457	1.812	1.796 - 1.828
Mississippi	49,265	1.648	1.634 - 1.663	25,119	1.733	1.711 - 1.754	24,146	1.569	1.549 - 1.589
Missouri	103,188	1.692	1.682 - 1.703	48,933	1.635	1.620 - 1.649	54,255	1.748	1.733 - 1.762
Montana	19,434	1.856	1.830 - 1.883	9,930	1.884	1.847 - 1.921	9,505	1.828	1.792 - 1.865
Nebraska	31,940	1.671	1.652 - 1.689	15,795	1.656	1.630 - 1.682	16,145	1.686	1.660 - 1.712
Nevada	38,719	1.314	1.301 - 1.327	18,628	1.260	1.242 - 1.278	20,091	1.369	1.350 - 1.388
New Hampshire	27,709	2.059	2.034 - 2.083	13,292	1.994	1.961 - 2.029	14,417	2.121	2.087 - 2.156
New Jersey	170,797	1.923	1.914 - 1.932	81,781	1.886	1.873 - 1.899	89,017	1.958	1.946 - 1.971
New Mexico	29,047	1.388	1.372 - 1.404	13,504	1.303	1.281 - 1.325	15,543	1.471	1.448 - 1.494
New York	371,319	1.893	1.887 - 1.899	178,311	1.873	1.864 - 1.881	193,008	1.912	1.904 - 1.921
North Carolina	175,996	1.723	1.715 - 1.731	85,456	1.719	1.707 - 1.730	90,540	1.727	1.716 - 1.738
North Dakota	12,572	1.666	1.637 - 1.695	6,419	1.658	1.618 - 1.699	6,153	1.673	1.632 - 1.716
Ohio	205,237	1.762	1.754 - 1.769	97,709	1.712	1.701 - 1.722	107,528	1.810	1.799 - 1.821
Oklahoma	60,604	1.542	1.530 - 1.555	29,541	1.517	1.500 - 1.535	31,063	1.567	1.549 - 1.584
Oregon	69,798	1.695	1.682 - 1.707	33,338	1.633	1.616 - 1.651	36,460	1.755	1.737 - 1.773
Pennsylvania	254,174	1.988	1.980 - 1.995	121,314	1.938	1.927 - 1.948	132,860	2.036	2.025 - 2.047
Rhode Island	20,440	1.934	1.908 - 1.961	9,230	1.797	1.760 - 1.834	11,210	2.064	2.026 - 2.103
South Carolina	85,361	1.711	1.699 - 1.722	42,300	1.747	1.730 - 1.764	43,061	1.676	1.661 - 1.692
Tennessee	112,699	1.688	1.678 - 1.698	55,594	1.707	1.693 - 1.721	57,105	1.670	1.656 - 1.684
Texas	351,016	1.248	1.244 - 1.252	168,195	1.204	1.198 - 1.209	182,821	1.292	1.286 - 1.298
Utah	36,463	1.187	1.174 - 1.199	18,209	1.177	1.160 - 1.194	18,254	1.196	1.179 - 1.214
Vermont	12,300	1.971	1.936 - 2.006	5,780	1.875	1.827 - 1.924	6,520	2.064	2.014 - 2.115
Virginia	126,438	1.498	1.490 - 1.507	59,507	1.433	1.422 - 1.445	66,931	1.562	1.550 - 1.573
Washington ³	121,763	1.654	1.645 - 1.664	58,201	1.582	1.569 - 1.594	63,562	1.727	1.714 - 1.741
WA - Seattle	87,338	1.721	1.709 - 1.732	41,986	1.654	1.638 - 1.670	45,352	1.788	1.771 - 1.804
West Virginia	35,770	1.961	1.941 - 1.982	17,217	1.908	1.879 - 1.936	18,553	2.013	1.985 - 2.043
Wisconsin	106,659	1.845	1.833 - 1.856	52,408	1.823	1.807 - 1.838	54,251	1.866	1.850 - 1.882
Wyoming	8,850	1.522	1.490 - 1.554	4,562	1.537	1.492 - 1.582	4,288	1.506	1.461 - 1.552
NAACCR CDN Combined¹	639,551	1.728	1.723 - 1.733	311,811	1.696	1.689 - 1.703	327,457	1.760	1.753 - 1.767
Alberta	60,782	1.440	1.429 - 1.452	30,460	1.431	1.415 - 1.448	30,322	1.450	1.433 - 1.466
British Columbia	81,446	1.665	1.654 - 1.676	40,443	1.670	1.654 - 1.687	41,003	1.660	1.644 - 1.676
Manitoba	20,810	1.571	1.550 - 1.593	10,044	1.520	1.490 - 1.550	10,766	1.622	1.592 - 1.653
New Brunswick	15,460	2.021	1.989 - 2.053	7,849	2.074	2.029 - 2.121	7,611	1.968	1.924 - 2.013
Newfoundland and Labrador	11,681	2.209	2.169 - 2.249	5,790	2.208	2.152 - 2.266	5,891	2.209	2.153 - 2.266
Nova Scotia	19,472	2.057	2.028 - 2.086	9,604	2.076	2.035 - 2.118	9,868	2.039	1.999 - 2.080
Ontario	252,992	1.810	1.803 - 1.818	120,591	1.751	1.741 - 1.761	132,401	1.868	1.858 - 1.878
Prince Edward Island	2,870	1.930	1.860 - 2.002	1,396	1.922	1.822 - 2.025	1,474	1.937	1.840 - 2.039
Saskatchewan	17,443	1.525	1.503 - 1.548	8,743	1.518	1.486 - 1.550	8,700	1.533	1.501 - 1.566
NAACCR N.A. Combined¹	5,988,730	1.654	1.652 - 1.655	2,892,973	1.621	1.619 - 1.623	3,095,125	1.685	1.683 - 1.687

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	152,622	0.047	0.047 - 0.047	108,460	0.068	0.067 - 0.068	44,130	0.027	0.026 - 0.027
Alabama	2,593	0.053	0.051 - 0.055	1,830	0.078	0.074 - 0.081	763	0.030	0.028 - 0.033
Alaska	312	0.042	0.038 - 0.047	238	0.061	0.054 - 0.070	74	0.021	0.016 - 0.026
Arizona	2,544	0.036	0.035 - 0.038	1,868	0.054	0.051 - 0.056	676	0.019	0.018 - 0.021
Arkansas	1,624	0.054	0.052 - 0.057	1,152	0.078	0.074 - 0.083	472	0.031	0.028 - 0.034
California	15,438	0.039	0.039 - 0.040	10,969	0.056	0.055 - 0.057	4,469	0.023	0.022 - 0.023
CA - Greater California	9,083	0.042	0.041 - 0.043	6,567	0.060	0.059 - 0.062	2,516	0.023	0.022 - 0.024
CA - Greater Bay Area	3,139	0.042	0.041 - 0.044	2,168	0.059	0.056 - 0.061	971	0.026	0.025 - 0.028
CA - Los Angeles	3,216	0.032	0.031 - 0.033	2,235	0.045	0.043 - 0.047	981	0.019	0.018 - 0.020
Colorado	2,344	0.042	0.040 - 0.044	1,678	0.060	0.057 - 0.063	666	0.024	0.022 - 0.026
Connecticut	1,899	0.053	0.051 - 0.056	1,279	0.073	0.069 - 0.077	620	0.034	0.031 - 0.037
Delaware	535	0.056	0.051 - 0.061	388	0.084	0.076 - 0.093	147	0.030	0.025 - 0.035
District of Columbia	223	0.032	0.028 - 0.037	143	0.044	0.037 - 0.051	80	0.022	0.017 - 0.027
Florida	11,825	0.057	0.056 - 0.058	8,657	0.085	0.083 - 0.087	3,168	0.030	0.029 - 0.031
Georgia	4,579	0.044	0.043 - 0.046	3,255	0.065	0.062 - 0.067	1,324	0.025	0.024 - 0.026
Hawaii	806	0.057	0.053 - 0.061	550	0.077	0.071 - 0.084	256	0.036	0.032 - 0.041
Idaho	844	0.050	0.046 - 0.053	587	0.069	0.063 - 0.075	257	0.030	0.027 - 0.034
Illinois	6,281	0.049	0.048 - 0.050	4,432	0.070	0.068 - 0.073	1,849	0.028	0.027 - 0.030
Iowa	1,828	0.058	0.056 - 0.061	1,289	0.083	0.078 - 0.087	539	0.034	0.031 - 0.037
Kentucky	2,526	0.057	0.055 - 0.059	1,834	0.084	0.080 - 0.088	692	0.031	0.028 - 0.033
Louisiana	2,230	0.048	0.046 - 0.050	1,610	0.070	0.067 - 0.074	620	0.026	0.024 - 0.028
Maine	865	0.065	0.061 - 0.069	635	0.097	0.090 - 0.105	230	0.034	0.030 - 0.038
Maryland	2,654	0.044	0.042 - 0.046	1,865	0.064	0.061 - 0.067	789	0.025	0.024 - 0.027
Michigan	4,819	0.048	0.047 - 0.050	3,394	0.069	0.067 - 0.072	1,425	0.028	0.027 - 0.030
MI - Detroit	1,885	0.049	0.046 - 0.051	1,341	0.071	0.067 - 0.075	544	0.027	0.025 - 0.030
Minnesota	2,865	0.052	0.050 - 0.054	1,976	0.072	0.068 - 0.075	889	0.032	0.030 - 0.034
Mississippi	1,419	0.047	0.045 - 0.050	1,007	0.069	0.065 - 0.074	412	0.027	0.024 - 0.029
Missouri	3,147	0.052	0.050 - 0.053	2,287	0.076	0.073 - 0.080	860	0.028	0.026 - 0.030
Montana	528	0.050	0.046 - 0.055	375	0.071	0.064 - 0.079	153	0.029	0.025 - 0.034
Nebraska	900	0.047	0.044 - 0.050	645	0.068	0.062 - 0.073	255	0.027	0.023 - 0.030
Nevada	1,146	0.039	0.037 - 0.041	823	0.056	0.052 - 0.060	323	0.022	0.020 - 0.025
New Hampshire	765	0.057	0.053 - 0.061	558	0.084	0.077 - 0.091	207	0.030	0.026 - 0.035
New Jersey	3,974	0.045	0.043 - 0.046	2,757	0.064	0.061 - 0.066	1,218	0.027	0.025 - 0.028
New Mexico	727	0.035	0.032 - 0.037	539	0.052	0.048 - 0.057	188	0.018	0.015 - 0.021
New York	9,041	0.046	0.045 - 0.047	6,168	0.065	0.063 - 0.066	2,873	0.028	0.027 - 0.030
North Carolina	5,121	0.050	0.049 - 0.052	3,665	0.074	0.071 - 0.076	1,456	0.028	0.026 - 0.029
North Dakota	381	0.050	0.046 - 0.056	270	0.070	0.062 - 0.079	111	0.030	0.025 - 0.036
Ohio	5,915	0.051	0.049 - 0.052	4,184	0.073	0.071 - 0.076	1,731	0.029	0.028 - 0.031
Oklahoma	2,000	0.051	0.049 - 0.053	1,436	0.074	0.070 - 0.078	564	0.028	0.026 - 0.031
Oregon	2,218	0.054	0.052 - 0.056	1,583	0.078	0.074 - 0.081	635	0.031	0.028 - 0.033
Pennsylvania	6,834	0.053	0.052 - 0.055	4,734	0.076	0.073 - 0.078	2,100	0.032	0.031 - 0.034
Rhode Island	529	0.050	0.046 - 0.055	357	0.069	0.062 - 0.077	172	0.032	0.027 - 0.037
South Carolina	2,497	0.050	0.048 - 0.052	1,813	0.075	0.071 - 0.078	684	0.027	0.025 - 0.029
Tennessee	3,429	0.051	0.050 - 0.053	2,502	0.077	0.074 - 0.080	927	0.027	0.025 - 0.029
Texas	10,504	0.037	0.037 - 0.038	7,564	0.054	0.053 - 0.055	2,940	0.021	0.020 - 0.022
Utah	938	0.031	0.029 - 0.033	655	0.042	0.039 - 0.046	284	0.019	0.016 - 0.021
Vermont	349	0.056	0.050 - 0.062	257	0.083	0.073 - 0.094	92	0.029	0.023 - 0.036
Virginia	3,754	0.044	0.043 - 0.046	2,689	0.065	0.062 - 0.067	1,065	0.025	0.023 - 0.026
Washington ³	3,667	0.050	0.048 - 0.051	2,593	0.070	0.068 - 0.073	1,074	0.029	0.027 - 0.031
WA - Seattle	2,665	0.053	0.051 - 0.055	1,886	0.074	0.071 - 0.078	779	0.031	0.029 - 0.033
West Virginia	1,084	0.059	0.056 - 0.063	783	0.087	0.081 - 0.093	301	0.033	0.029 - 0.037
Wisconsin	3,070	0.053	0.051 - 0.055	2,157	0.075	0.072 - 0.078	913	0.031	0.029 - 0.034
Wyoming	249	0.043	0.038 - 0.048	179	0.060	0.052 - 0.070	70	0.025	0.019 - 0.031
NAACCR CDN Combined¹	16,719	0.045	0.044 - 0.046	11,640	0.063	0.062 - 0.065	5,094	0.027	0.027 - 0.028
Alberta	1,442	0.034	0.032 - 0.036	1,009	0.047	0.045 - 0.050	433	0.021	0.019 - 0.023
British Columbia	2,268	0.046	0.044 - 0.048	1,587	0.066	0.062 - 0.069	681	0.028	0.026 - 0.030
Manitoba	651	0.049	0.045 - 0.053	431	0.065	0.059 - 0.072	220	0.033	0.029 - 0.038
New Brunswick	404	0.053	0.048 - 0.058	290	0.077	0.068 - 0.086	114	0.029	0.024 - 0.035
Newfoundland and Labrador	281	0.053	0.047 - 0.060	201	0.077	0.066 - 0.088	80	0.030	0.024 - 0.037
Nova Scotia	544	0.057	0.053 - 0.063	393	0.085	0.077 - 0.094	151	0.031	0.026 - 0.037
Ontario	6,554	0.047	0.046 - 0.048	4,519	0.066	0.064 - 0.068	2,035	0.029	0.027 - 0.030
Prince Edward Island	111	0.075	0.061 - 0.090	78	0.107	0.085 - 0.134	33	0.043	0.030 - 0.061
Saskatchewan	382	0.033	0.030 - 0.037	271	0.047	0.042 - 0.053	111	0.020	0.016 - 0.024
NAACCR N.A. Combined¹	169,342	0.047	0.047 - 0.047	120,100	0.067	0.067 - 0.068	49,224	0.027	0.027 - 0.027

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-102 Prevalence – Oral Cavity and Pharynx

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	29,520	0.009	0.009 - 0.009	23,131	0.014	0.014 - 0.015	6,377	0.004	0.004 - 0.004
Alabama	404	0.008	0.008 - 0.009	324	0.014	0.012 - 0.015	80	0.003	0.003 - 0.004
Alaska	66	0.009	0.007 - 0.011	50	0.013	0.010 - 0.017	16	0.005	0.003 - 0.007
Arizona	596	0.009	0.008 - 0.009	474	0.014	0.012 - 0.015	122	0.003	0.003 - 0.004
Arkansas	222	0.007	0.006 - 0.008	181	0.012	0.011 - 0.014	41	0.003	0.002 - 0.004
California	2,462	0.006	0.006 - 0.007	1,878	0.010	0.009 - 0.010	584	0.003	0.003 - 0.003
CA - Greater California	1,493	0.007	0.007 - 0.007	1,143	0.011	0.010 - 0.011	350	0.003	0.003 - 0.004
CA - Greater Bay Area	499	0.007	0.006 - 0.007	376	0.010	0.009 - 0.011	123	0.003	0.003 - 0.004
CA - Los Angeles	470	0.005	0.004 - 0.005	359	0.007	0.006 - 0.008	110	0.002	0.002 - 0.003
Colorado	431	0.008	0.007 - 0.008	349	0.012	0.011 - 0.014	82	0.003	0.002 - 0.004
Connecticut	407	0.011	0.010 - 0.013	310	0.018	0.016 - 0.020	97	0.005	0.004 - 0.006
Delaware	109	0.011	0.009 - 0.014	90	0.020	0.016 - 0.024	19	0.004	0.002 - 0.006
District of Columbia	33	0.005	0.003 - 0.007	23	0.007	0.004 - 0.011	10	0.003	0.001 - 0.005
Florida	2,293	0.011	0.011 - 0.011	1,790	0.018	0.017 - 0.018	503	0.005	0.004 - 0.005
Georgia	763	0.007	0.007 - 0.008	600	0.012	0.011 - 0.013	162	0.003	0.003 - 0.004
Hawaii	98	0.007	0.006 - 0.008	82	0.011	0.009 - 0.014	16	0.002	0.001 - 0.004
Idaho	153	0.009	0.008 - 0.011	128	0.015	0.013 - 0.018	25	0.003	0.002 - 0.004
Illinois	1,297	0.010	0.010 - 0.011	1,022	0.016	0.015 - 0.017	275	0.004	0.004 - 0.005
Iowa	406	0.013	0.012 - 0.014	346	0.022	0.020 - 0.025	60	0.004	0.003 - 0.005
Kentucky	425	0.010	0.009 - 0.011	345	0.016	0.014 - 0.018	80	0.004	0.003 - 0.004
Louisiana	399	0.009	0.008 - 0.009	296	0.013	0.012 - 0.015	103	0.004	0.004 - 0.005
Maine	256	0.019	0.017 - 0.022	203	0.031	0.027 - 0.036	53	0.008	0.006 - 0.010
Maryland	486	0.008	0.007 - 0.009	375	0.013	0.012 - 0.014	111	0.004	0.003 - 0.004
Michigan	1,244	0.012	0.012 - 0.013	963	0.020	0.018 - 0.021	281	0.006	0.005 - 0.006
MI - Detroit	433	0.011	0.010 - 0.012	328	0.017	0.016 - 0.019	105	0.005	0.004 - 0.006
Minnesota	598	0.011	0.010 - 0.012	476	0.017	0.016 - 0.019	122	0.004	0.004 - 0.005
Mississippi	272	0.009	0.008 - 0.010	216	0.015	0.013 - 0.017	56	0.004	0.003 - 0.005
Missouri	624	0.010	0.009 - 0.011	507	0.017	0.015 - 0.018	117	0.004	0.003 - 0.005
Montana	122	0.012	0.010 - 0.014	105	0.020	0.016 - 0.024	17	0.003	0.002 - 0.005
Nebraska	160	0.008	0.007 - 0.010	135	0.014	0.012 - 0.017	25	0.003	0.002 - 0.004
Nevada	207	0.007	0.006 - 0.008	160	0.011	0.009 - 0.013	47	0.003	0.002 - 0.004
New Hampshire	231	0.017	0.015 - 0.020	188	0.028	0.024 - 0.033	43	0.006	0.005 - 0.009
New Jersey	871	0.010	0.009 - 0.010	663	0.015	0.014 - 0.016	208	0.005	0.004 - 0.005
New Mexico	152	0.007	0.006 - 0.009	128	0.012	0.010 - 0.015	24	0.002	0.001 - 0.003
New York	1,939	0.010	0.009 - 0.010	1,450	0.015	0.014 - 0.016	489	0.005	0.004 - 0.005
North Carolina	835	0.008	0.008 - 0.009	650	0.013	0.012 - 0.014	185	0.004	0.003 - 0.004
North Dakota	74	0.010	0.008 - 0.012	52	0.013	0.010 - 0.018	22	0.006	0.004 - 0.009
Ohio	1,241	0.011	0.010 - 0.011	986	0.017	0.016 - 0.018	255	0.004	0.004 - 0.005
Oklahoma	340	0.009	0.008 - 0.010	266	0.014	0.012 - 0.015	74	0.004	0.003 - 0.005
Oregon	460	0.011	0.010 - 0.012	359	0.018	0.016 - 0.020	101	0.005	0.004 - 0.006
Pennsylvania	1,496	0.012	0.011 - 0.012	1,170	0.019	0.018 - 0.020	326	0.005	0.004 - 0.006
Rhode Island	123	0.012	0.010 - 0.014	90	0.018	0.014 - 0.022	33	0.006	0.004 - 0.009
South Carolina	460	0.009	0.008 - 0.010	361	0.015	0.013 - 0.017	99	0.004	0.003 - 0.005
Tennessee	638	0.010	0.009 - 0.010	529	0.016	0.015 - 0.018	109	0.003	0.003 - 0.004
Texas	1,843	0.007	0.006 - 0.007	1,447	0.010	0.010 - 0.011	396	0.003	0.003 - 0.003
Utah	149	0.005	0.004 - 0.006	126	0.008	0.007 - 0.010	23	0.002	0.001 - 0.002
Vermont	113	0.018	0.015 - 0.022	91	0.030	0.024 - 0.036	22	0.007	0.004 - 0.011
Virginia	668	0.008	0.007 - 0.009	520	0.013	0.011 - 0.014	148	0.003	0.003 - 0.004
Washington ³	714	0.010	0.009 - 0.010	555	0.015	0.014 - 0.016	159	0.004	0.004 - 0.005
WA - Seattle	481	0.009	0.009 - 0.010	359	0.014	0.013 - 0.016	122	0.005	0.004 - 0.006
West Virginia	231	0.013	0.011 - 0.014	190	0.021	0.018 - 0.024	41	0.004	0.003 - 0.006
Wisconsin	673	0.012	0.011 - 0.013	521	0.018	0.017 - 0.020	152	0.005	0.004 - 0.006
Wyoming	49	0.008	0.006 - 0.011	-	-	-	-	-	-
NAACCR CDN Combined¹	3,234	0.009	0.008 - 0.009	2,493	0.014	0.013 - 0.014	743	0.004	0.004 - 0.004
Alberta	319	0.008	0.007 - 0.008	249	0.012	0.010 - 0.013	70	0.003	0.003 - 0.004
British Columbia	482	0.010	0.009 - 0.011	375	0.015	0.014 - 0.017	107	0.004	0.004 - 0.005
Manitoba	95	0.007	0.006 - 0.009	72	0.011	0.009 - 0.014	23	0.003	0.002 - 0.005
New Brunswick	60	0.008	0.006 - 0.010	-	-	-	-	-	-
Newfoundland and Labrador	46	0.009	0.006 - 0.012	-	-	-	-	-	-
Nova Scotia	116	0.012	0.010 - 0.015	90	0.019	0.016 - 0.024	26	0.005	0.004 - 0.008
Ontario	1,234	0.009	0.008 - 0.009	938	0.014	0.013 - 0.015	296	0.004	0.004 - 0.005
Prince Edward Island	20	0.013	0.008 - 0.021	-	-	-	-	-	-
Saskatchewan	63	0.006	0.004 - 0.007	49	0.009	0.006 - 0.011	14	0.002	0.001 - 0.004
NAACCR N.A. Combined¹	32,753	0.009	0.009 - 0.009	25,624	0.014	0.014 - 0.015	7,120	0.004	0.004 - 0.004

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	52,342	0.016	0.016 - 0.016	30,671	0.019	0.019 - 0.020	21,662	0.013	0.013 - 0.013
Alabama	817	0.017	0.016 - 0.018	453	0.019	0.017 - 0.021	364	0.014	0.013 - 0.016
Alaska	98	0.013	0.011 - 0.016	61	0.016	0.012 - 0.020	37	0.010	0.007 - 0.014
Arizona	887	0.013	0.012 - 0.014	558	0.016	0.015 - 0.017	329	0.009	0.008 - 0.010
Arkansas	448	0.015	0.014 - 0.016	266	0.018	0.016 - 0.020	182	0.012	0.010 - 0.014
California	6,357	0.016	0.016 - 0.017	3,663	0.019	0.018 - 0.019	2,695	0.014	0.013 - 0.014
CA - Greater California	3,032	0.014	0.013 - 0.014	1,775	0.016	0.016 - 0.017	1,257	0.012	0.011 - 0.012
CA - Greater Bay Area	1,298	0.018	0.017 - 0.019	744	0.020	0.019 - 0.022	554	0.015	0.014 - 0.016
CA - Los Angeles	2,028	0.020	0.019 - 0.021	1,143	0.023	0.022 - 0.024	885	0.017	0.016 - 0.018
Colorado	643	0.012	0.011 - 0.012	385	0.014	0.012 - 0.015	258	0.009	0.008 - 0.011
Connecticut	853	0.024	0.022 - 0.026	503	0.029	0.026 - 0.031	350	0.019	0.017 - 0.021
Delaware	172	0.018	0.015 - 0.021	105	0.023	0.019 - 0.028	67	0.014	0.011 - 0.017
District of Columbia	135	0.020	0.016 - 0.023	74	0.023	0.018 - 0.028	61	0.017	0.013 - 0.022
Florida	3,544	0.017	0.016 - 0.018	2,140	0.021	0.020 - 0.022	1,404	0.013	0.013 - 0.014
Georgia	1,418	0.014	0.013 - 0.014	782	0.016	0.014 - 0.017	636	0.012	0.011 - 0.013
Hawaii	333	0.023	0.021 - 0.026	197	0.028	0.024 - 0.032	136	0.019	0.016 - 0.023
Idaho	184	0.011	0.009 - 0.013	117	0.014	0.011 - 0.016	67	0.008	0.006 - 0.010
Illinois	2,341	0.018	0.018 - 0.019	1,379	0.022	0.021 - 0.023	962	0.015	0.014 - 0.016
Iowa	382	0.012	0.011 - 0.013	235	0.015	0.013 - 0.017	147	0.009	0.008 - 0.011
Kentucky	720	0.016	0.015 - 0.017	392	0.018	0.016 - 0.020	328	0.015	0.013 - 0.016
Louisiana	743	0.016	0.015 - 0.017	444	0.019	0.018 - 0.021	299	0.013	0.011 - 0.014
Maine	231	0.017	0.015 - 0.020	124	0.019	0.016 - 0.023	107	0.016	0.013 - 0.019
Maryland	1,095	0.018	0.017 - 0.019	588	0.020	0.019 - 0.022	507	0.016	0.015 - 0.018
Michigan	1,622	0.016	0.015 - 0.017	991	0.020	0.019 - 0.022	631	0.012	0.012 - 0.013
MI - Detroit	658	0.017	0.016 - 0.018	384	0.020	0.018 - 0.023	274	0.014	0.012 - 0.015
Minnesota	787	0.014	0.013 - 0.015	484	0.018	0.016 - 0.019	303	0.011	0.010 - 0.012
Mississippi	462	0.015	0.014 - 0.017	249	0.017	0.015 - 0.019	213	0.014	0.012 - 0.016
Missouri	793	0.013	0.012 - 0.014	491	0.016	0.015 - 0.018	302	0.010	0.009 - 0.011
Montana	136	0.013	0.011 - 0.015	84	0.016	0.013 - 0.020	51	0.010	0.007 - 0.013
Nebraska	246	0.013	0.011 - 0.015	161	0.017	0.014 - 0.020	85	0.009	0.007 - 0.011
Nevada	348	0.012	0.011 - 0.013	206	0.014	0.012 - 0.016	142	0.010	0.008 - 0.011
New Hampshire	227	0.017	0.015 - 0.019	134	0.020	0.017 - 0.024	93	0.014	0.011 - 0.017
New Jersey	1,928	0.022	0.021 - 0.023	1,070	0.025	0.023 - 0.026	858	0.019	0.018 - 0.020
New Mexico	302	0.014	0.013 - 0.016	173	0.017	0.014 - 0.019	128	0.012	0.010 - 0.014
New York	4,917	0.025	0.024 - 0.026	2,849	0.030	0.029 - 0.031	2,069	0.020	0.020 - 0.021
North Carolina	1,715	0.017	0.016 - 0.018	955	0.019	0.018 - 0.020	760	0.014	0.013 - 0.016
North Dakota	94	0.012	0.010 - 0.015	61	0.016	0.012 - 0.020	33	0.009	0.006 - 0.013
Ohio	1,877	0.016	0.015 - 0.017	1,120	0.020	0.018 - 0.021	757	0.013	0.012 - 0.014
Oklahoma	480	0.012	0.011 - 0.013	267	0.014	0.012 - 0.015	213	0.011	0.009 - 0.012
Oregon	561	0.014	0.013 - 0.015	353	0.017	0.016 - 0.019	208	0.010	0.009 - 0.011
Pennsylvania	2,212	0.017	0.017 - 0.018	1,366	0.022	0.021 - 0.023	846	0.013	0.012 - 0.014
Rhode Island	230	0.022	0.019 - 0.025	140	0.027	0.023 - 0.032	90	0.017	0.013 - 0.020
South Carolina	844	0.017	0.016 - 0.018	488	0.020	0.018 - 0.022	356	0.014	0.012 - 0.015
Tennessee	985	0.015	0.014 - 0.016	591	0.018	0.017 - 0.020	394	0.012	0.010 - 0.013
Texas	3,727	0.013	0.013 - 0.014	2,088	0.015	0.014 - 0.016	1,639	0.012	0.011 - 0.012
Utah	241	0.008	0.007 - 0.009	132	0.009	0.007 - 0.010	109	0.007	0.006 - 0.009
Vermont	78	0.012	0.010 - 0.016	45	0.015	0.011 - 0.020	33	0.010	0.007 - 0.015
Virginia	1,296	0.015	0.015 - 0.016	773	0.019	0.017 - 0.020	523	0.012	0.011 - 0.013
Washington ³	973	0.013	0.012 - 0.014	605	0.016	0.015 - 0.018	368	0.010	0.009 - 0.011
WA - Seattle	705	0.014	0.013 - 0.015	430	0.017	0.015 - 0.019	275	0.011	0.010 - 0.012
West Virginia	306	0.017	0.015 - 0.019	178	0.020	0.017 - 0.023	128	0.014	0.012 - 0.017
Wisconsin	928	0.016	0.015 - 0.017	587	0.020	0.019 - 0.022	341	0.012	0.011 - 0.013
Wyoming	56	0.010	0.007 - 0.013	40	0.013	0.010 - 0.018	16	0.006	0.003 - 0.009
NAACCR CDN Combined¹	7,011	0.019	0.018 - 0.019	4,505	0.024	0.024 - 0.025	2,505	0.013	0.013 - 0.014
Alberta	497	0.012	0.011 - 0.013	331	0.016	0.014 - 0.017	166	0.008	0.007 - 0.009
British Columbia	749	0.015	0.014 - 0.016	497	0.021	0.019 - 0.022	252	0.010	0.009 - 0.012
Manitoba	224	0.017	0.015 - 0.019	150	0.023	0.019 - 0.027	74	0.011	0.009 - 0.014
New Brunswick	195	0.025	0.022 - 0.029	136	0.036	0.030 - 0.043	59	0.015	0.012 - 0.020
Newfoundland and Labrador	146	0.028	0.023 - 0.032	99	0.038	0.031 - 0.046	47	0.018	0.013 - 0.023
Nova Scotia	148	0.016	0.013 - 0.018	97	0.021	0.017 - 0.026	51	0.011	0.008 - 0.014
Ontario	3,125	0.022	0.022 - 0.023	1,945	0.028	0.027 - 0.030	1,180	0.017	0.016 - 0.018
Prince Edward Island	26	0.017	0.011 - 0.026	-	-	-	-	-	-
Saskatchewan	173	0.015	0.013 - 0.018	118	0.020	0.017 - 0.025	55	0.010	0.007 - 0.013
NAACCR N.A. Combined¹	59,352	0.016	0.016 - 0.017	35,176	0.020	0.020 - 0.020	24,168	0.013	0.013 - 0.013

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-104 Prevalence – Stomach

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	468,261	0.144	0.144 - 0.145	244,306	0.153	0.152 - 0.154	223,926	0.136	0.135 - 0.137
Alabama	8,291	0.170	0.167 - 0.174	4,221	0.179	0.174 - 0.185	4,070	0.162	0.157 - 0.167
Alaska	960	0.130	0.122 - 0.138	504	0.130	0.119 - 0.142	456	0.129	0.117 - 0.141
Arizona	8,386	0.120	0.117 - 0.122	4,492	0.129	0.125 - 0.133	3,894	0.111	0.107 - 0.114
Arkansas	4,972	0.166	0.161 - 0.171	2,608	0.177	0.170 - 0.184	2,364	0.155	0.149 - 0.161
California	49,255	0.125	0.124 - 0.126	25,699	0.132	0.130 - 0.133	23,556	0.119	0.118 - 0.121
CA - Greater California	27,149	0.125	0.123 - 0.126	14,250	0.131	0.129 - 0.133	12,899	0.118	0.116 - 0.120
CA - Greater Bay Area	9,632	0.130	0.128 - 0.133	5,050	0.137	0.133 - 0.141	4,582	0.123	0.120 - 0.127
CA - Los Angeles	12,480	0.123	0.121 - 0.126	6,403	0.128	0.125 - 0.132	6,078	0.118	0.115 - 0.121
Colorado	6,277	0.113	0.110 - 0.115	3,265	0.116	0.112 - 0.120	3,012	0.109	0.105 - 0.113
Connecticut	5,579	0.156	0.152 - 0.160	2,879	0.165	0.159 - 0.171	2,701	0.147	0.142 - 0.153
Delaware	1,469	0.154	0.146 - 0.162	772	0.167	0.156 - 0.180	697	0.142	0.131 - 0.153
District of Columbia	781	0.113	0.105 - 0.121	360	0.110	0.099 - 0.122	421	0.116	0.105 - 0.128
Florida	32,150	0.155	0.153 - 0.156	16,776	0.165	0.162 - 0.167	15,374	0.145	0.142 - 0.147
Georgia	14,507	0.140	0.138 - 0.142	7,603	0.151	0.147 - 0.154	6,905	0.130	0.127 - 0.133
Hawaii	2,554	0.179	0.172 - 0.186	1,394	0.195	0.185 - 0.205	1,160	0.163	0.154 - 0.173
Idaho	2,112	0.124	0.119 - 0.130	1,089	0.128	0.120 - 0.136	1,024	0.121	0.113 - 0.128
Illinois	20,876	0.163	0.161 - 0.165	10,881	0.173	0.170 - 0.176	9,995	0.153	0.150 - 0.156
Iowa	5,490	0.175	0.170 - 0.180	2,873	0.184	0.177 - 0.191	2,616	0.166	0.160 - 0.172
Kentucky	8,304	0.187	0.183 - 0.191	4,459	0.204	0.198 - 0.210	3,845	0.170	0.165 - 0.176
Louisiana	7,886	0.169	0.165 - 0.172	4,190	0.183	0.178 - 0.189	3,696	0.155	0.150 - 0.160
Maine	2,268	0.170	0.163 - 0.177	1,169	0.179	0.169 - 0.190	1,099	0.162	0.152 - 0.171
Maryland	8,142	0.135	0.132 - 0.138	4,019	0.138	0.134 - 0.142	4,123	0.133	0.129 - 0.137
Michigan	14,847	0.149	0.147 - 0.151	7,642	0.156	0.152 - 0.159	7,205	0.142	0.139 - 0.146
MI - Detroit	6,238	0.161	0.157 - 0.165	3,143	0.167	0.161 - 0.173	3,095	0.155	0.149 - 0.160
Minnesota	8,132	0.147	0.143 - 0.150	4,246	0.154	0.149 - 0.158	3,886	0.140	0.135 - 0.144
Mississippi	5,281	0.177	0.172 - 0.182	2,786	0.192	0.185 - 0.199	2,495	0.162	0.156 - 0.169
Missouri	9,724	0.159	0.156 - 0.163	5,114	0.171	0.166 - 0.176	4,610	0.148	0.144 - 0.153
Montana	1,628	0.155	0.148 - 0.163	892	0.169	0.158 - 0.181	736	0.142	0.132 - 0.152
Nebraska	3,165	0.166	0.160 - 0.171	1,660	0.174	0.166 - 0.183	1,505	0.157	0.149 - 0.165
Nevada	3,582	0.122	0.118 - 0.126	1,930	0.131	0.125 - 0.136	1,652	0.113	0.107 - 0.118
New Hampshire	2,143	0.159	0.153 - 0.166	1,146	0.172	0.162 - 0.182	997	0.147	0.138 - 0.156
New Jersey	14,523	0.164	0.161 - 0.166	7,346	0.169	0.166 - 0.173	7,176	0.158	0.154 - 0.162
New Mexico	2,567	0.123	0.118 - 0.127	1,338	0.129	0.122 - 0.136	1,229	0.116	0.110 - 0.123
New York	29,555	0.151	0.149 - 0.152	15,141	0.159	0.156 - 0.162	14,414	0.143	0.140 - 0.145
North Carolina	14,270	0.140	0.137 - 0.142	7,388	0.149	0.145 - 0.152	6,882	0.131	0.128 - 0.134
North Dakota	1,242	0.165	0.156 - 0.174	682	0.176	0.163 - 0.190	560	0.152	0.140 - 0.165
Ohio	18,903	0.162	0.160 - 0.165	9,774	0.171	0.168 - 0.175	9,129	0.154	0.151 - 0.157
Oklahoma	5,933	0.151	0.147 - 0.155	3,136	0.161	0.155 - 0.167	2,797	0.141	0.136 - 0.146
Oregon	5,661	0.137	0.134 - 0.141	2,974	0.146	0.141 - 0.151	2,687	0.129	0.124 - 0.134
Pennsylvania	22,256	0.174	0.172 - 0.176	11,605	0.185	0.182 - 0.189	10,651	0.163	0.160 - 0.166
Rhode Island	1,480	0.140	0.133 - 0.147	710	0.138	0.128 - 0.149	770	0.142	0.132 - 0.152
South Carolina	7,352	0.147	0.144 - 0.151	3,826	0.158	0.153 - 0.163	3,526	0.137	0.133 - 0.142
Tennessee	10,180	0.152	0.150 - 0.155	5,265	0.162	0.157 - 0.166	4,915	0.144	0.140 - 0.148
Texas	33,377	0.119	0.117 - 0.120	18,127	0.130	0.128 - 0.132	15,250	0.108	0.106 - 0.109
Utah	2,488	0.081	0.078 - 0.084	1,297	0.084	0.079 - 0.088	1,191	0.078	0.074 - 0.083
Vermont	917	0.147	0.138 - 0.157	461	0.150	0.136 - 0.164	456	0.144	0.131 - 0.158
Virginia	10,850	0.129	0.126 - 0.131	5,574	0.134	0.131 - 0.138	5,276	0.123	0.120 - 0.126
Washington ³	9,695	0.132	0.129 - 0.134	5,074	0.138	0.134 - 0.142	4,621	0.126	0.122 - 0.129
WA - Seattle	6,875	0.135	0.132 - 0.139	3,621	0.143	0.138 - 0.147	3,254	0.128	0.124 - 0.133
West Virginia	3,599	0.197	0.191 - 0.204	1,881	0.208	0.199 - 0.218	1,718	0.186	0.178 - 0.195
Wisconsin	8,529	0.147	0.144 - 0.151	4,501	0.157	0.152 - 0.161	4,028	0.139	0.134 - 0.143
Wyoming	708	0.122	0.113 - 0.131	395	0.133	0.120 - 0.147	313	0.110	0.098 - 0.123
NAACCR CDN Combined¹	78,633	0.212	0.210 - 0.214	43,600	0.237	0.235 - 0.240	35,038	0.187	0.185 - 0.190
Alberta	7,213	0.171	0.167 - 0.175	4,108	0.193	0.187 - 0.199	3,105	0.148	0.143 - 0.154
British Columbia	11,259	0.230	0.226 - 0.234	6,293	0.260	0.254 - 0.266	4,966	0.201	0.195 - 0.207
Manitoba	2,773	0.209	0.202 - 0.217	1,562	0.236	0.225 - 0.248	1,211	0.182	0.172 - 0.193
New Brunswick	1,976	0.258	0.247 - 0.270	1,129	0.298	0.281 - 0.316	847	0.219	0.205 - 0.234
Newfoundland and Labrador	2,078	0.393	0.376 - 0.410	1,178	0.449	0.424 - 0.476	900	0.337	0.316 - 0.360
Nova Scotia	2,657	0.281	0.270 - 0.292	1,452	0.314	0.298 - 0.330	1,205	0.249	0.235 - 0.263
Ontario	28,244	0.202	0.200 - 0.204	15,393	0.224	0.220 - 0.227	12,851	0.181	0.178 - 0.184
Prince Edward Island	424	0.285	0.259 - 0.314	233	0.321	0.281 - 0.365	191	0.251	0.217 - 0.289
Saskatchewan	2,634	0.230	0.222 - 0.239	1,489	0.259	0.246 - 0.272	1,145	0.202	0.190 - 0.214
NAACCR N.A. Combined¹	546,894	0.150	0.150 - 0.150	287,906	0.160	0.159 - 0.161	258,964	0.140	0.140 - 0.141

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	53,875	0.017	0.017 - 0.017	38,111	0.024	0.024 - 0.024	15,760	0.010	0.009 - 0.010
Alabama	567	0.012	0.011 - 0.013	392	0.017	0.015 - 0.018	175	0.007	0.006 - 0.008
Alaska	119	0.016	0.013 - 0.019	86	0.022	0.018 - 0.027	33	0.009	0.006 - 0.013
Arizona	1,052	0.015	0.014 - 0.016	735	0.021	0.020 - 0.023	317	0.009	0.008 - 0.010
Arkansas	463	0.015	0.014 - 0.017	336	0.023	0.020 - 0.025	127	0.008	0.007 - 0.010
California	7,586	0.019	0.019 - 0.020	5,347	0.027	0.027 - 0.028	2,238	0.011	0.011 - 0.012
CA - Greater California	4,006	0.018	0.018 - 0.019	2,836	0.026	0.025 - 0.027	1,169	0.011	0.010 - 0.011
CA - Greater Bay Area	1,814	0.025	0.023 - 0.026	1,309	0.036	0.034 - 0.037	504	0.014	0.012 - 0.015
CA - Los Angeles	1,765	0.017	0.017 - 0.018	1,200	0.024	0.023 - 0.025	565	0.011	0.010 - 0.012
Colorado	789	0.014	0.013 - 0.015	573	0.020	0.019 - 0.022	216	0.008	0.007 - 0.009
Connecticut	683	0.019	0.018 - 0.021	496	0.028	0.026 - 0.031	187	0.010	0.009 - 0.012
Delaware	207	0.022	0.019 - 0.025	145	0.031	0.027 - 0.037	62	0.013	0.010 - 0.016
District of Columbia	148	0.021	0.018 - 0.025	109	0.033	0.027 - 0.040	39	0.011	0.008 - 0.015
Florida	3,572	0.017	0.017 - 0.018	2,480	0.024	0.023 - 0.025	1,092	0.010	0.010 - 0.011
Georgia	1,473	0.014	0.014 - 0.015	1,035	0.021	0.019 - 0.022	438	0.008	0.007 - 0.009
Hawaii	339	0.024	0.021 - 0.026	239	0.033	0.029 - 0.038	100	0.014	0.011 - 0.017
Idaho	189	0.011	0.010 - 0.013	140	0.016	0.014 - 0.019	49	0.006	0.004 - 0.008
Illinois	1,932	0.015	0.014 - 0.016	1,328	0.021	0.020 - 0.022	604	0.009	0.009 - 0.010
Iowa	402	0.013	0.012 - 0.014	269	0.017	0.015 - 0.019	133	0.008	0.007 - 0.010
Kentucky	645	0.015	0.013 - 0.016	449	0.021	0.019 - 0.022	196	0.009	0.008 - 0.010
Louisiana	845	0.018	0.017 - 0.019	628	0.027	0.025 - 0.030	217	0.009	0.008 - 0.010
Maine	156	0.012	0.010 - 0.014	121	0.019	0.015 - 0.022	35	0.005	0.004 - 0.007
Maryland	1,094	0.018	0.017 - 0.019	761	0.026	0.024 - 0.028	333	0.011	0.010 - 0.012
Michigan	1,645	0.017	0.016 - 0.017	1,167	0.024	0.022 - 0.025	478	0.009	0.009 - 0.010
MI - Detroit	658	0.017	0.016 - 0.018	477	0.025	0.023 - 0.028	181	0.009	0.008 - 0.010
Minnesota	832	0.015	0.014 - 0.016	575	0.021	0.019 - 0.023	257	0.009	0.008 - 0.010
Mississippi	468	0.016	0.014 - 0.017	340	0.023	0.021 - 0.026	128	0.008	0.007 - 0.010
Missouri	927	0.015	0.014 - 0.016	677	0.023	0.021 - 0.024	250	0.008	0.007 - 0.009
Montana	122	0.012	0.010 - 0.014	96	0.018	0.015 - 0.022	26	0.005	0.003 - 0.007
Nebraska	199	0.010	0.009 - 0.012	151	0.016	0.013 - 0.019	48	0.005	0.004 - 0.007
Nevada	328	0.011	0.010 - 0.012	240	0.016	0.014 - 0.018	88	0.006	0.005 - 0.007
New Hampshire	197	0.015	0.013 - 0.017	146	0.022	0.018 - 0.026	51	0.008	0.006 - 0.010
New Jersey	1,456	0.016	0.016 - 0.017	1,017	0.023	0.022 - 0.025	438	0.010	0.009 - 0.011
New Mexico	406	0.019	0.018 - 0.021	296	0.029	0.025 - 0.032	109	0.010	0.009 - 0.012
New York	3,961	0.020	0.020 - 0.021	2,833	0.030	0.029 - 0.031	1,127	0.011	0.011 - 0.012
North Carolina	1,557	0.015	0.014 - 0.016	1,095	0.022	0.021 - 0.023	462	0.009	0.008 - 0.010
North Dakota	50	0.007	0.005 - 0.009	31	0.008	0.005 - 0.011	19	0.005	0.003 - 0.008
Ohio	1,577	0.014	0.013 - 0.014	1,084	0.019	0.018 - 0.020	493	0.008	0.008 - 0.009
Oklahoma	528	0.013	0.012 - 0.015	380	0.020	0.018 - 0.022	148	0.007	0.006 - 0.009
Oregon	869	0.021	0.020 - 0.023	636	0.031	0.029 - 0.034	233	0.011	0.010 - 0.013
Pennsylvania	2,406	0.019	0.018 - 0.020	1,771	0.028	0.027 - 0.030	635	0.010	0.009 - 0.011
Rhode Island	195	0.018	0.016 - 0.021	148	0.029	0.024 - 0.034	47	0.009	0.006 - 0.012
South Carolina	730	0.015	0.014 - 0.016	524	0.022	0.020 - 0.024	206	0.008	0.007 - 0.009
Tennessee	998	0.015	0.014 - 0.016	671	0.021	0.019 - 0.022	327	0.010	0.009 - 0.011
Texas	5,352	0.019	0.019 - 0.020	3,736	0.027	0.026 - 0.028	1,616	0.011	0.011 - 0.012
Utah	298	0.010	0.009 - 0.011	200	0.013	0.011 - 0.015	98	0.006	0.005 - 0.008
Vermont	82	0.013	0.010 - 0.016	59	0.019	0.015 - 0.025	23	0.007	0.005 - 0.011
Virginia	1,122	0.013	0.013 - 0.014	805	0.019	0.018 - 0.021	317	0.007	0.007 - 0.008
Washington ³	1,489	0.020	0.019 - 0.021	1,062	0.029	0.027 - 0.031	426	0.012	0.011 - 0.013
WA - Seattle	1,121	0.022	0.021 - 0.023	802	0.032	0.029 - 0.034	318	0.013	0.011 - 0.014
West Virginia	230	0.013	0.011 - 0.014	173	0.019	0.016 - 0.022	57	0.006	0.005 - 0.008
Wisconsin	894	0.015	0.014 - 0.017	615	0.021	0.020 - 0.023	279	0.010	0.009 - 0.011
Wyoming	59	0.010	0.008 - 0.013	45	0.015	0.011 - 0.020	14	0.005	0.003 - 0.008
NAACCR CDN Combined¹	5,206	0.014	0.014 - 0.014	3,712	0.020	0.019 - 0.021	1,499	0.008	0.008 - 0.009
Alberta	546	0.013	0.012 - 0.014	392	0.018	0.017 - 0.020	154	0.007	0.006 - 0.009
British Columbia	825	0.017	0.016 - 0.018	596	0.025	0.023 - 0.027	229	0.009	0.008 - 0.011
Manitoba	137	0.010	0.009 - 0.012	97	0.015	0.012 - 0.018	40	0.006	0.004 - 0.008
New Brunswick	63	0.008	0.006 - 0.011	36	0.010	0.007 - 0.013	27	0.007	0.005 - 0.010
Newfoundland and Labrador	48	0.009	0.007 - 0.012	28	0.011	0.007 - 0.015	20	0.007	0.005 - 0.012
Nova Scotia	130	0.014	0.011 - 0.016	95	0.021	0.017 - 0.025	35	0.007	0.005 - 0.010
Ontario	2,093	0.015	0.014 - 0.016	1,494	0.022	0.021 - 0.023	599	0.008	0.008 - 0.009
Prince Edward Island	13	0.009	0.005 - 0.015	-	-	-	-	-	-
Saskatchewan	69	0.006	0.005 - 0.008	46	0.008	0.006 - 0.011	23	0.004	0.003 - 0.006
NAACCR N.A. Combined¹	59,081	0.016	0.016 - 0.017	41,823	0.024	0.023 - 0.024	17,259	0.009	0.009 - 0.010

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-106 Prevalence – Liver and Intrahepatic Bile Duct

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	56,941	0.018	0.017 - 0.018	29,349	0.018	0.018 - 0.019	27,588	0.017	0.017 - 0.017
Alabama	841	0.017	0.016 - 0.018	426	0.018	0.016 - 0.020	415	0.017	0.015 - 0.018
Alaska	93	0.013	0.010 - 0.015	61	0.016	0.012 - 0.020	32	0.009	0.006 - 0.013
Arizona	1,082	0.015	0.015 - 0.016	559	0.016	0.015 - 0.017	523	0.015	0.014 - 0.016
Arkansas	405	0.014	0.012 - 0.015	220	0.015	0.013 - 0.017	185	0.012	0.010 - 0.014
California	5,666	0.014	0.014 - 0.015	2,926	0.015	0.014 - 0.016	2,741	0.014	0.013 - 0.014
CA - Greater California	3,106	0.014	0.014 - 0.015	1,643	0.015	0.014 - 0.016	1,463	0.013	0.013 - 0.014
CA - Greater Bay Area	1,191	0.016	0.015 - 0.017	609	0.017	0.015 - 0.018	582	0.016	0.014 - 0.017
CA - Los Angeles	1,371	0.014	0.013 - 0.014	675	0.014	0.013 - 0.015	696	0.014	0.013 - 0.015
Colorado	780	0.014	0.013 - 0.015	416	0.015	0.013 - 0.016	364	0.013	0.012 - 0.015
Connecticut	873	0.024	0.023 - 0.026	471	0.027	0.025 - 0.030	402	0.022	0.020 - 0.024
Delaware	206	0.022	0.019 - 0.025	99	0.021	0.017 - 0.026	107	0.022	0.018 - 0.026
District of Columbia	109	0.016	0.013 - 0.019	50	0.015	0.011 - 0.020	59	0.016	0.012 - 0.021
Florida	4,427	0.021	0.021 - 0.022	2,307	0.023	0.022 - 0.024	2,120	0.020	0.019 - 0.021
Georgia	1,526	0.015	0.014 - 0.015	787	0.016	0.015 - 0.017	739	0.014	0.013 - 0.015
Hawaii	284	0.020	0.018 - 0.022	149	0.021	0.018 - 0.024	135	0.019	0.016 - 0.023
Idaho	274	0.016	0.014 - 0.018	138	0.016	0.014 - 0.019	136	0.016	0.013 - 0.019
Illinois	2,465	0.019	0.018 - 0.020	1,269	0.020	0.019 - 0.021	1,196	0.018	0.017 - 0.019
Iowa	600	0.019	0.018 - 0.021	301	0.019	0.017 - 0.022	299	0.019	0.017 - 0.021
Kentucky	745	0.017	0.016 - 0.018	371	0.017	0.015 - 0.019	375	0.017	0.015 - 0.018
Louisiana	752	0.016	0.015 - 0.017	381	0.017	0.015 - 0.018	372	0.016	0.014 - 0.017
Maine	292	0.022	0.019 - 0.025	144	0.022	0.019 - 0.026	148	0.022	0.018 - 0.026
Maryland	1,160	0.019	0.018 - 0.020	579	0.020	0.018 - 0.022	581	0.019	0.017 - 0.020
Michigan	2,296	0.023	0.022 - 0.024	1,154	0.024	0.022 - 0.025	1,142	0.023	0.021 - 0.024
MI - Detroit	839	0.022	0.020 - 0.023	401	0.021	0.019 - 0.024	437	0.022	0.020 - 0.024
Minnesota	1,080	0.019	0.018 - 0.021	580	0.021	0.019 - 0.023	500	0.018	0.016 - 0.020
Mississippi	506	0.017	0.015 - 0.018	265	0.018	0.016 - 0.021	241	0.016	0.014 - 0.018
Missouri	1,016	0.017	0.016 - 0.018	538	0.018	0.016 - 0.020	478	0.015	0.014 - 0.017
Montana	204	0.020	0.017 - 0.022	113	0.021	0.018 - 0.026	91	0.018	0.014 - 0.022
Nebraska	391	0.020	0.018 - 0.023	208	0.022	0.019 - 0.025	183	0.019	0.016 - 0.022
Nevada	388	0.013	0.012 - 0.015	192	0.013	0.011 - 0.015	196	0.013	0.012 - 0.015
New Hampshire	285	0.021	0.019 - 0.024	146	0.022	0.018 - 0.026	139	0.020	0.017 - 0.024
New Jersey	1,916	0.022	0.021 - 0.023	967	0.022	0.021 - 0.024	949	0.021	0.020 - 0.022
New Mexico	268	0.013	0.011 - 0.014	136	0.013	0.011 - 0.016	132	0.013	0.010 - 0.015
New York	4,228	0.022	0.021 - 0.022	2,132	0.022	0.021 - 0.023	2,096	0.021	0.020 - 0.022
North Carolina	1,720	0.017	0.016 - 0.018	863	0.017	0.016 - 0.019	857	0.016	0.015 - 0.017
North Dakota	138	0.018	0.015 - 0.022	71	0.018	0.014 - 0.023	67	0.018	0.014 - 0.023
Ohio	1,992	0.017	0.016 - 0.018	995	0.017	0.016 - 0.019	997	0.017	0.016 - 0.018
Oklahoma	526	0.013	0.012 - 0.015	265	0.014	0.012 - 0.015	261	0.013	0.012 - 0.015
Oregon	757	0.018	0.017 - 0.020	391	0.019	0.017 - 0.021	366	0.018	0.016 - 0.020
Pennsylvania	2,955	0.023	0.022 - 0.024	1,571	0.025	0.024 - 0.026	1,384	0.021	0.020 - 0.022
Rhode Island	237	0.022	0.020 - 0.025	128	0.025	0.021 - 0.030	109	0.020	0.016 - 0.024
South Carolina	882	0.018	0.017 - 0.019	451	0.019	0.017 - 0.020	431	0.017	0.015 - 0.018
Tennessee	1,023	0.015	0.014 - 0.016	522	0.016	0.015 - 0.017	501	0.015	0.013 - 0.016
Texas	3,900	0.014	0.013 - 0.014	1,998	0.014	0.014 - 0.015	1,902	0.013	0.013 - 0.014
Utah	275	0.009	0.008 - 0.010	149	0.010	0.008 - 0.011	126	0.008	0.007 - 0.010
Vermont	140	0.022	0.019 - 0.026	83	0.027	0.021 - 0.033	57	0.018	0.014 - 0.023
Virginia	1,300	0.015	0.015 - 0.016	675	0.016	0.015 - 0.018	625	0.015	0.013 - 0.016
Washington ³	1,323	0.018	0.017 - 0.019	679	0.018	0.017 - 0.020	643	0.017	0.016 - 0.019
WA - Seattle	906	0.018	0.017 - 0.019	438	0.017	0.016 - 0.019	467	0.018	0.017 - 0.020
West Virginia	288	0.016	0.014 - 0.018	144	0.016	0.013 - 0.019	144	0.016	0.013 - 0.018
Wisconsin	1,155	0.020	0.019 - 0.021	624	0.022	0.020 - 0.023	531	0.018	0.017 - 0.020
Wyoming	84	0.014	0.011 - 0.018	54	0.018	0.014 - 0.024	30	0.010	0.007 - 0.015
NAACCR CDN Combined¹	5,237	0.014	0.014 - 0.015	2,792	0.015	0.015 - 0.016	2,446	0.013	0.013 - 0.014
Alberta	510	0.012	0.011 - 0.013	270	0.013	0.011 - 0.014	240	0.011	0.010 - 0.013
British Columbia	674	0.014	0.013 - 0.015	362	0.015	0.013 - 0.017	312	0.013	0.011 - 0.014
Manitoba	207	0.016	0.014 - 0.018	107	0.016	0.013 - 0.020	100	0.015	0.012 - 0.018
New Brunswick	111	0.015	0.012 - 0.017	50	0.013	0.010 - 0.017	61	0.016	0.012 - 0.020
Newfoundland and Labrador	49	0.009	0.007 - 0.012	25	0.010	0.006 - 0.014	24	0.009	0.006 - 0.013
Nova Scotia	142	0.015	0.013 - 0.018	79	0.017	0.014 - 0.021	63	0.013	0.010 - 0.017
Ontario	2,090	0.015	0.014 - 0.016	1,110	0.016	0.015 - 0.017	980	0.014	0.013 - 0.015
Prince Edward Island	31	0.021	0.014 - 0.030	19	0.026	0.016 - 0.041	12	0.016	0.008 - 0.028
Saskatchewan	135	0.012	0.010 - 0.014	80	0.014	0.011 - 0.017	55	0.010	0.007 - 0.013
NAACCR N.A. Combined¹	62,178	0.017	0.017 - 0.017	32,140	0.018	0.018 - 0.018	30,034	0.016	0.016 - 0.017

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	42,313	0.013	0.013 - 0.013	33,583	0.021	0.021 - 0.021	8,714	0.005	0.005 - 0.005
Alabama	850	0.017	0.016 - 0.019	678	0.029	0.027 - 0.031	172	0.007	0.006 - 0.008
Alaska	77	0.010	0.008 - 0.013	-	-		-	-	
Arizona	539	0.008	0.007 - 0.008	435	0.013	0.011 - 0.014	104	0.003	0.002 - 0.004
Arkansas	477	0.016	0.015 - 0.017	367	0.025	0.022 - 0.028	110	0.007	0.006 - 0.009
California	2,807	0.007	0.007 - 0.007	2,349	0.012	0.012 - 0.013	458	0.002	0.002 - 0.003
CA - Greater California	1,636	0.008	0.007 - 0.008	1,355	0.012	0.012 - 0.013	281	0.003	0.002 - 0.003
CA - Greater Bay Area	505	0.007	0.006 - 0.007	423	0.011	0.010 - 0.013	82	0.002	0.002 - 0.003
CA - Los Angeles	669	0.007	0.006 - 0.007	572	0.011	0.011 - 0.012	97	0.002	0.002 - 0.002
Colorado	471	0.008	0.008 - 0.009	373	0.013	0.012 - 0.015	98	0.004	0.003 - 0.004
Connecticut	553	0.015	0.014 - 0.017	443	0.025	0.023 - 0.028	110	0.006	0.005 - 0.007
Delaware	143	0.015	0.013 - 0.018	109	0.024	0.019 - 0.029	34	0.007	0.005 - 0.010
District of Columbia	61	0.009	0.007 - 0.011	51	0.016	0.012 - 0.020	10	0.003	0.001 - 0.005
Florida	3,499	0.017	0.016 - 0.017	2,838	0.028	0.027 - 0.029	661	0.006	0.006 - 0.007
Georgia	1,368	0.013	0.013 - 0.014	1,094	0.022	0.020 - 0.023	274	0.005	0.005 - 0.006
Hawaii	139	0.010	0.008 - 0.012	120	0.017	0.014 - 0.020	19	0.003	0.002 - 0.004
Idaho	135	0.008	0.007 - 0.009	103	0.012	0.010 - 0.015	32	0.004	0.003 - 0.005
Illinois	1,907	0.015	0.014 - 0.016	1,506	0.024	0.023 - 0.025	401	0.006	0.006 - 0.007
Iowa	493	0.016	0.014 - 0.017	395	0.025	0.023 - 0.028	98	0.006	0.005 - 0.008
Kentucky	955	0.021	0.020 - 0.023	708	0.032	0.030 - 0.035	247	0.011	0.010 - 0.012
Louisiana	891	0.019	0.018 - 0.020	674	0.030	0.027 - 0.032	217	0.009	0.008 - 0.010
Maine	258	0.019	0.017 - 0.022	194	0.030	0.026 - 0.034	64	0.009	0.007 - 0.012
Maryland	693	0.012	0.011 - 0.012	549	0.019	0.017 - 0.020	144	0.005	0.004 - 0.005
Michigan	1,600	0.016	0.015 - 0.017	1,249	0.025	0.024 - 0.027	351	0.007	0.006 - 0.008
MI - Detroit	667	0.017	0.016 - 0.019	521	0.028	0.025 - 0.030	147	0.007	0.006 - 0.009
Minnesota	689	0.012	0.012 - 0.013	558	0.020	0.019 - 0.022	131	0.005	0.004 - 0.006
Mississippi	533	0.018	0.016 - 0.019	420	0.029	0.026 - 0.032	113	0.007	0.006 - 0.009
Missouri	1,028	0.017	0.016 - 0.018	794	0.027	0.025 - 0.028	234	0.008	0.007 - 0.009
Montana	129	0.012	0.010 - 0.015	106	0.020	0.016 - 0.024	23	0.004	0.003 - 0.007
Nebraska	234	0.012	0.011 - 0.014	177	0.019	0.016 - 0.021	57	0.006	0.005 - 0.008
Nevada	260	0.009	0.008 - 0.010	209	0.014	0.012 - 0.016	51	0.003	0.003 - 0.005
New Hampshire	174	0.013	0.011 - 0.015	134	0.020	0.017 - 0.024	40	0.006	0.004 - 0.008
New Jersey	1,132	0.013	0.012 - 0.014	912	0.021	0.020 - 0.022	221	0.005	0.004 - 0.006
New Mexico	181	0.009	0.007 - 0.010	148	0.014	0.012 - 0.017	33	0.003	0.002 - 0.004
New York	2,641	0.013	0.013 - 0.014	2,084	0.022	0.021 - 0.023	557	0.006	0.005 - 0.006
North Carolina	1,609	0.016	0.015 - 0.017	1,245	0.025	0.024 - 0.026	364	0.007	0.006 - 0.008
North Dakota	99	0.013	0.011 - 0.016	89	0.023	0.018 - 0.028	10	0.003	0.001 - 0.005
Ohio	2,029	0.017	0.017 - 0.018	1,564	0.027	0.026 - 0.029	465	0.008	0.007 - 0.009
Oklahoma	536	0.014	0.013 - 0.015	407	0.021	0.019 - 0.023	129	0.007	0.005 - 0.008
Oregon	412	0.010	0.009 - 0.011	333	0.016	0.015 - 0.018	79	0.004	0.003 - 0.005
Pennsylvania	2,130	0.017	0.016 - 0.017	1,660	0.027	0.025 - 0.028	470	0.007	0.007 - 0.008
Rhode Island	166	0.016	0.013 - 0.018	124	0.024	0.020 - 0.029	42	0.008	0.006 - 0.010
South Carolina	856	0.017	0.016 - 0.018	704	0.029	0.027 - 0.031	152	0.006	0.005 - 0.007
Tennessee	1,149	0.017	0.016 - 0.018	872	0.027	0.025 - 0.029	277	0.008	0.007 - 0.009
Texas	2,708	0.010	0.009 - 0.010	2,231	0.016	0.015 - 0.017	477	0.003	0.003 - 0.004
Utah	141	0.005	0.004 - 0.005	122	0.008	0.007 - 0.009	19	0.001	0.001 - 0.002
Vermont	96	0.015	0.012 - 0.019	70	0.023	0.018 - 0.029	26	0.008	0.005 - 0.012
Virginia	1,081	0.013	0.012 - 0.014	867	0.021	0.020 - 0.022	214	0.005	0.004 - 0.006
Washington ³	700	0.010	0.009 - 0.010	571	0.016	0.014 - 0.017	129	0.004	0.003 - 0.004
WA - Seattle	475	0.009	0.009 - 0.010	396	0.016	0.014 - 0.017	79	0.003	0.002 - 0.004
West Virginia	422	0.023	0.021 - 0.025	311	0.034	0.031 - 0.039	111	0.012	0.010 - 0.015
Wisconsin	846	0.015	0.014 - 0.016	680	0.024	0.022 - 0.025	166	0.006	0.005 - 0.007
Wyoming	65	0.011	0.009 - 0.014	51	0.017	0.013 - 0.022	15	0.005	0.003 - 0.009
NAACCR CDN Combined¹	3,526	0.009	0.009 - 0.010	3,028	0.016	0.016 - 0.017	500	0.003	0.002 - 0.003
Alberta	295	0.007	0.006 - 0.008	259	0.012	0.011 - 0.014	36	0.002	0.001 - 0.002
British Columbia	390	0.008	0.007 - 0.009	345	0.014	0.013 - 0.016	45	0.002	0.001 - 0.002
Manitoba	108	0.008	0.007 - 0.010	95	0.014	0.012 - 0.018	13	0.002	0.001 - 0.003
New Brunswick	100	0.013	0.011 - 0.016	88	0.023	0.019 - 0.029	12	0.003	0.002 - 0.005
Newfoundland and Labrador	92	0.017	0.014 - 0.021	77	0.029	0.023 - 0.037	15	0.006	0.003 - 0.009
Nova Scotia	143	0.015	0.013 - 0.018	117	0.025	0.021 - 0.030	26	0.005	0.004 - 0.008
Ontario	1,414	0.010	0.010 - 0.011	1,204	0.017	0.017 - 0.018	210	0.003	0.003 - 0.003
Prince Edward Island	14	0.009	0.005 - 0.016	-	-		-	-	
Saskatchewan	97	0.008	0.007 - 0.010	80	0.014	0.011 - 0.017	17	0.003	0.002 - 0.005
NAACCR N.A. Combined¹	45,839	0.013	0.013 - 0.013	36,611	0.021	0.020 - 0.021	9,214	0.005	0.005 - 0.005

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-108 Prevalence – Larynx

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	378,172	0.116	0.116 - 0.117	176,881	0.111	0.110 - 0.111	201,276	0.122	0.121 - 0.122
Alabama	5,982	0.123	0.120 - 0.126	3,161	0.134	0.129 - 0.139	2,821	0.112	0.108 - 0.117
Alaska	559	0.075	0.069 - 0.082	286	0.074	0.066 - 0.083	273	0.077	0.068 - 0.087
Arizona	6,594	0.094	0.092 - 0.097	2,956	0.085	0.082 - 0.088	3,638	0.103	0.100 - 0.107
Arkansas	4,560	0.152	0.148 - 0.157	2,341	0.159	0.153 - 0.166	2,219	0.146	0.140 - 0.152
California	29,346	0.075	0.074 - 0.076	13,051	0.067	0.066 - 0.068	16,295	0.082	0.081 - 0.084
CA - Greater California	17,005	0.078	0.077 - 0.079	7,437	0.069	0.067 - 0.070	9,568	0.088	0.086 - 0.089
CA - Greater Bay Area	5,991	0.081	0.079 - 0.083	2,738	0.074	0.071 - 0.077	3,253	0.088	0.085 - 0.091
CA - Los Angeles	6,355	0.063	0.061 - 0.064	2,879	0.058	0.056 - 0.060	3,476	0.068	0.065 - 0.070
Colorado	4,112	0.074	0.071 - 0.076	1,850	0.066	0.063 - 0.069	2,262	0.082	0.078 - 0.085
Connecticut	5,380	0.150	0.146 - 0.155	2,371	0.136	0.130 - 0.141	3,009	0.164	0.158 - 0.170
Delaware	1,523	0.160	0.152 - 0.168	700	0.152	0.141 - 0.164	823	0.167	0.156 - 0.179
District of Columbia	552	0.080	0.073 - 0.087	226	0.069	0.060 - 0.079	326	0.090	0.080 - 0.100
Florida	30,458	0.146	0.145 - 0.148	14,488	0.142	0.140 - 0.145	15,970	0.150	0.148 - 0.153
Georgia	10,929	0.106	0.104 - 0.108	5,426	0.108	0.105 - 0.111	5,504	0.103	0.101 - 0.106
Hawaii	1,369	0.096	0.091 - 0.101	703	0.098	0.091 - 0.106	666	0.094	0.087 - 0.101
Idaho	1,506	0.089	0.084 - 0.093	693	0.081	0.075 - 0.088	813	0.096	0.089 - 0.103
Illinois	16,774	0.131	0.129 - 0.133	7,772	0.124	0.121 - 0.126	9,002	0.138	0.135 - 0.141
Iowa	3,911	0.125	0.121 - 0.129	1,870	0.120	0.114 - 0.125	2,041	0.129	0.124 - 0.135
Kentucky	7,515	0.169	0.165 - 0.173	3,662	0.167	0.162 - 0.173	3,853	0.171	0.165 - 0.176
Louisiana	5,529	0.118	0.115 - 0.121	2,756	0.121	0.116 - 0.125	2,772	0.116	0.112 - 0.120
Maine	2,386	0.179	0.172 - 0.186	1,079	0.165	0.156 - 0.175	1,307	0.192	0.182 - 0.203
Maryland	6,918	0.115	0.112 - 0.118	3,021	0.104	0.100 - 0.107	3,897	0.126	0.122 - 0.130
Michigan	14,959	0.150	0.148 - 0.153	6,994	0.143	0.139 - 0.146	7,965	0.157	0.154 - 0.161
MI - Detroit	5,514	0.142	0.138 - 0.146	2,462	0.131	0.126 - 0.136	3,052	0.153	0.147 - 0.158
Minnesota	6,793	0.122	0.120 - 0.125	3,101	0.112	0.108 - 0.116	3,692	0.133	0.128 - 0.137
Mississippi	4,150	0.139	0.135 - 0.143	2,201	0.152	0.146 - 0.158	1,949	0.127	0.121 - 0.132
Missouri	8,838	0.145	0.142 - 0.148	4,112	0.137	0.133 - 0.142	4,726	0.152	0.148 - 0.157
Montana	1,215	0.116	0.110 - 0.123	516	0.098	0.090 - 0.107	698	0.134	0.125 - 0.145
Nebraska	2,071	0.108	0.104 - 0.113	995	0.104	0.098 - 0.111	1,076	0.112	0.106 - 0.119
Nevada	2,662	0.090	0.087 - 0.094	1,143	0.077	0.073 - 0.082	1,519	0.104	0.098 - 0.109
New Hampshire	2,042	0.152	0.145 - 0.158	852	0.128	0.119 - 0.137	1,190	0.175	0.165 - 0.185
New Jersey	11,110	0.125	0.123 - 0.127	4,726	0.109	0.106 - 0.112	6,385	0.140	0.137 - 0.144
New Mexico	1,460	0.070	0.066 - 0.073	696	0.067	0.062 - 0.072	764	0.072	0.067 - 0.078
New York	26,540	0.135	0.134 - 0.137	11,712	0.123	0.121 - 0.125	14,828	0.147	0.145 - 0.149
North Carolina	13,936	0.136	0.134 - 0.139	6,754	0.136	0.133 - 0.139	7,182	0.137	0.134 - 0.140
North Dakota	867	0.115	0.107 - 0.123	425	0.110	0.100 - 0.121	442	0.120	0.109 - 0.132
Ohio	16,093	0.138	0.136 - 0.140	7,700	0.135	0.132 - 0.138	8,393	0.141	0.138 - 0.144
Oklahoma	4,557	0.116	0.113 - 0.119	2,312	0.119	0.114 - 0.124	2,245	0.113	0.109 - 0.118
Oregon	4,681	0.114	0.110 - 0.117	2,167	0.106	0.102 - 0.111	2,514	0.121	0.116 - 0.126
Pennsylvania	19,048	0.149	0.147 - 0.151	8,756	0.140	0.137 - 0.143	10,292	0.158	0.155 - 0.161
Rhode Island	1,784	0.169	0.161 - 0.177	762	0.148	0.138 - 0.159	1,022	0.188	0.177 - 0.200
South Carolina	6,558	0.131	0.128 - 0.135	3,251	0.134	0.130 - 0.139	3,307	0.129	0.124 - 0.133
Tennessee	9,540	0.143	0.140 - 0.146	4,713	0.145	0.141 - 0.149	4,827	0.141	0.137 - 0.145
Texas	21,579	0.077	0.076 - 0.078	10,568	0.076	0.074 - 0.077	11,011	0.078	0.076 - 0.079
Utah	1,116	0.036	0.034 - 0.039	525	0.034	0.031 - 0.037	591	0.039	0.036 - 0.042
Vermont	995	0.159	0.150 - 0.170	458	0.149	0.135 - 0.163	537	0.170	0.156 - 0.185
Virginia	9,323	0.110	0.108 - 0.113	4,416	0.106	0.103 - 0.110	4,907	0.114	0.111 - 0.118
Washington ³	7,822	0.106	0.104 - 0.109	3,521	0.096	0.093 - 0.099	4,301	0.117	0.113 - 0.120
WA - Seattle	5,427	0.107	0.104 - 0.110	2,428	0.096	0.092 - 0.100	2,999	0.118	0.114 - 0.123
West Virginia	3,239	0.178	0.172 - 0.184	1,599	0.177	0.169 - 0.186	1,640	0.178	0.169 - 0.187
Wisconsin	7,577	0.131	0.128 - 0.134	3,502	0.122	0.118 - 0.126	4,075	0.140	0.136 - 0.145
Wyoming	495	0.085	0.078 - 0.093	239	0.081	0.071 - 0.091	256	0.090	0.079 - 0.102
NAACCR CDN Combined¹	42,551	0.114	0.113 - 0.116	19,067	0.103	0.102 - 0.105	23,464	0.125	0.123 - 0.127
Alberta	3,773	0.089	0.087 - 0.092	1,679	0.079	0.075 - 0.083	2,094	0.100	0.096 - 0.104
British Columbia	5,304	0.108	0.106 - 0.111	2,336	0.096	0.093 - 0.100	2,968	0.120	0.116 - 0.125
Manitoba	1,492	0.113	0.107 - 0.119	635	0.096	0.089 - 0.104	857	0.129	0.121 - 0.138
New Brunswick	1,368	0.179	0.169 - 0.189	663	0.175	0.162 - 0.189	705	0.182	0.169 - 0.196
Newfoundland and Labrador	869	0.164	0.154 - 0.176	437	0.167	0.151 - 0.183	432	0.162	0.147 - 0.178
Nova Scotia	1,575	0.166	0.158 - 0.175	729	0.158	0.146 - 0.169	846	0.175	0.163 - 0.187
Ontario	16,230	0.116	0.114 - 0.118	7,224	0.105	0.102 - 0.107	9,006	0.127	0.124 - 0.130
Prince Edward Island	216	0.145	0.127 - 0.166	81	0.112	0.089 - 0.139	135	0.177	0.149 - 0.210
Saskatchewan	1,147	0.100	0.095 - 0.106	541	0.094	0.086 - 0.102	606	0.107	0.098 - 0.116
NAACCR N.A. Combined¹	420,723	0.116	0.116 - 0.117	195,948	0.110	0.109 - 0.110	224,740	0.122	0.122 - 0.123

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	332,358	0.102	0.101 - 0.102	189,926	0.118	0.117 - 0.118	142,334	0.086	0.085 - 0.086
Alabama	4,989	0.102	0.100 - 0.105	2,921	0.124	0.119 - 0.128	2,068	0.082	0.079 - 0.086
Alaska	429	0.058	0.053 - 0.064	229	0.059	0.052 - 0.067	200	0.057	0.049 - 0.065
Arizona	7,297	0.104	0.102 - 0.107	4,495	0.129	0.125 - 0.133	2,802	0.080	0.077 - 0.083
Arkansas	2,979	0.099	0.096 - 0.103	1,785	0.121	0.116 - 0.127	1,194	0.078	0.074 - 0.083
California	38,594	0.098	0.097 - 0.099	22,550	0.115	0.114 - 0.117	16,045	0.081	0.080 - 0.082
CA - Greater California	23,965	0.110	0.109 - 0.111	13,985	0.129	0.127 - 0.131	9,979	0.091	0.090 - 0.093
CA - Greater Bay Area	8,833	0.119	0.117 - 0.122	5,124	0.139	0.135 - 0.143	3,709	0.100	0.097 - 0.103
CA - Los Angeles	5,813	0.057	0.056 - 0.059	3,454	0.069	0.067 - 0.072	2,359	0.046	0.044 - 0.048
Colorado	5,378	0.096	0.094 - 0.099	3,031	0.108	0.104 - 0.112	2,347	0.085	0.081 - 0.088
Connecticut	3,813	0.107	0.103 - 0.110	2,156	0.124	0.118 - 0.129	1,656	0.090	0.086 - 0.095
Delaware	1,454	0.153	0.145 - 0.161	858	0.186	0.174 - 0.199	596	0.121	0.112 - 0.131
District of Columbia	284	0.041	0.036 - 0.046	170	0.052	0.044 - 0.060	114	0.031	0.026 - 0.038
Florida	25,676	0.123	0.122 - 0.125	15,824	0.156	0.153 - 0.158	9,852	0.093	0.091 - 0.095
Georgia	11,831	0.114	0.112 - 0.116	6,824	0.135	0.132 - 0.139	5,007	0.094	0.092 - 0.097
Hawaii	1,564	0.110	0.104 - 0.115	944	0.132	0.124 - 0.140	620	0.087	0.081 - 0.094
Idaho	2,098	0.123	0.118 - 0.129	1,164	0.137	0.129 - 0.145	934	0.110	0.103 - 0.117
Illinois	11,891	0.093	0.091 - 0.095	6,427	0.102	0.100 - 0.105	5,464	0.084	0.082 - 0.086
Iowa	4,007	0.128	0.124 - 0.132	2,125	0.136	0.130 - 0.142	1,882	0.119	0.114 - 0.125
Kentucky	5,576	0.125	0.122 - 0.129	3,068	0.140	0.135 - 0.145	2,508	0.111	0.107 - 0.116
Louisiana	3,626	0.078	0.075 - 0.080	2,201	0.096	0.092 - 0.100	1,425	0.060	0.057 - 0.063
Maine	1,949	0.146	0.140 - 0.153	1,022	0.157	0.147 - 0.166	927	0.136	0.128 - 0.145
Maryland	6,569	0.109	0.107 - 0.112	3,790	0.130	0.126 - 0.134	2,779	0.090	0.086 - 0.093
Michigan	9,409	0.094	0.093 - 0.096	5,113	0.104	0.101 - 0.107	4,296	0.085	0.082 - 0.087
MI - Detroit	3,371	0.087	0.084 - 0.090	1,833	0.097	0.093 - 0.102	1,538	0.077	0.073 - 0.081
Minnesota	8,121	0.146	0.143 - 0.150	4,415	0.160	0.155 - 0.165	3,706	0.133	0.129 - 0.137
Mississippi	2,350	0.079	0.075 - 0.082	1,351	0.093	0.088 - 0.098	999	0.065	0.061 - 0.069
Missouri	5,563	0.091	0.089 - 0.094	3,216	0.107	0.104 - 0.111	2,347	0.076	0.073 - 0.079
Montana	1,389	0.133	0.126 - 0.140	777	0.147	0.137 - 0.158	612	0.118	0.109 - 0.128
Nebraska	2,111	0.110	0.106 - 0.115	1,093	0.115	0.108 - 0.122	1,018	0.106	0.100 - 0.113
Nevada	1,936	0.066	0.063 - 0.069	1,145	0.077	0.073 - 0.082	791	0.054	0.050 - 0.058
New Hampshire	2,137	0.159	0.152 - 0.166	1,160	0.174	0.164 - 0.184	977	0.144	0.135 - 0.153
New Jersey	9,598	0.108	0.106 - 0.110	5,391	0.124	0.121 - 0.128	4,207	0.093	0.090 - 0.095
New Mexico	1,506	0.072	0.068 - 0.076	882	0.085	0.080 - 0.091	624	0.059	0.055 - 0.064
New York	17,397	0.089	0.087 - 0.090	9,683	0.102	0.100 - 0.104	7,714	0.076	0.075 - 0.078
North Carolina	12,254	0.120	0.118 - 0.122	7,106	0.143	0.140 - 0.146	5,148	0.098	0.096 - 0.101
North Dakota	789	0.105	0.097 - 0.112	403	0.104	0.094 - 0.115	386	0.105	0.095 - 0.116
Ohio	13,037	0.112	0.110 - 0.114	7,092	0.124	0.121 - 0.127	5,945	0.100	0.098 - 0.103
Oklahoma	3,695	0.094	0.091 - 0.097	2,221	0.114	0.109 - 0.119	1,474	0.074	0.071 - 0.078
Oregon	5,623	0.137	0.133 - 0.140	3,035	0.149	0.143 - 0.154	2,588	0.125	0.120 - 0.129
Pennsylvania	16,026	0.125	0.123 - 0.127	9,021	0.144	0.141 - 0.147	7,005	0.107	0.105 - 0.110
Rhode Island	1,269	0.120	0.114 - 0.127	690	0.134	0.124 - 0.145	579	0.107	0.098 - 0.116
South Carolina	5,643	0.113	0.110 - 0.116	3,265	0.135	0.130 - 0.140	2,378	0.093	0.089 - 0.096
Tennessee	6,397	0.096	0.093 - 0.098	3,637	0.112	0.108 - 0.115	2,760	0.081	0.078 - 0.084
Texas	13,923	0.049	0.049 - 0.050	8,244	0.059	0.058 - 0.060	5,679	0.040	0.039 - 0.041
Utah	4,435	0.144	0.140 - 0.149	2,538	0.164	0.158 - 0.171	1,897	0.124	0.119 - 0.130
Vermont	1,234	0.198	0.187 - 0.209	701	0.227	0.211 - 0.245	533	0.169	0.155 - 0.184
Virginia	7,385	0.088	0.086 - 0.090	4,241	0.102	0.099 - 0.105	3,144	0.073	0.071 - 0.076
Washington ³	8,881	0.121	0.118 - 0.123	4,895	0.133	0.129 - 0.137	3,986	0.108	0.105 - 0.112
WA - Seattle	6,730	0.133	0.129 - 0.136	3,690	0.145	0.141 - 0.150	3,040	0.120	0.116 - 0.124
West Virginia	1,965	0.108	0.103 - 0.113	1,119	0.124	0.117 - 0.131	846	0.092	0.086 - 0.098
Wisconsin	6,847	0.118	0.116 - 0.121	3,876	0.135	0.131 - 0.139	2,971	0.102	0.099 - 0.106
Wyoming	611	0.105	0.097 - 0.114	336	0.113	0.102 - 0.126	274	0.096	0.085 - 0.108
NAACCR CDN Combined¹	34,758	0.094	0.093 - 0.095	18,521	0.101	0.099 - 0.103	16,216	0.087	0.086 - 0.089
Alberta	2,868	0.068	0.066 - 0.070	1,469	0.069	0.066 - 0.073	1,399	0.067	0.063 - 0.070
British Columbia	4,616	0.094	0.092 - 0.097	2,478	0.102	0.098 - 0.106	2,138	0.087	0.083 - 0.090
Manitoba	944	0.071	0.067 - 0.076	489	0.074	0.068 - 0.081	455	0.069	0.062 - 0.075
New Brunswick	810	0.106	0.099 - 0.113	412	0.109	0.099 - 0.120	398	0.103	0.093 - 0.114
Newfoundland and Labrador	442	0.084	0.076 - 0.092	225	0.086	0.075 - 0.098	217	0.081	0.071 - 0.093
Nova Scotia	1,422	0.150	0.143 - 0.158	739	0.160	0.148 - 0.172	683	0.141	0.131 - 0.152
Ontario	14,219	0.102	0.100 - 0.103	7,701	0.112	0.109 - 0.114	6,518	0.092	0.090 - 0.094
Prince Edward Island	240	0.161	0.142 - 0.183	115	0.158	0.131 - 0.190	125	0.164	0.137 - 0.196
Saskatchewan	730	0.064	0.059 - 0.069	349	0.061	0.054 - 0.067	381	0.067	0.061 - 0.074
NAACCR N.A. Combined¹	367,116	0.101	0.101 - 0.101	208,447	0.117	0.116 - 0.117	158,549	0.086	0.085 - 0.086

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-110 Prevalence – Melanoma of the Skin

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		1,044,571	0.634	0.632 - 0.635
Alabama	-	-		-	-		15,965	0.635	0.626 - 0.645
Alaska	-	-		-	-		1,880	0.532	0.508 - 0.557
Arizona	-	-		-	-		20,044	0.570	0.562 - 0.578
Arkansas	-	-		-	-		9,208	0.604	0.592 - 0.617
California	-	-		-	-		115,297	0.583	0.580 - 0.586
CA - Greater California	-	-		-	-		63,570	0.582	0.577 - 0.586
CA - Greater Bay Area	-	-		-	-		23,613	0.636	0.628 - 0.644
CA - Los Angeles	-	-		-	-		28,129	0.548	0.542 - 0.555
Colorado	-	-		-	-		16,580	0.598	0.589 - 0.607
Connecticut	-	-		-	-		14,249	0.778	0.765 - 0.791
Delaware	-	-		-	-		3,584	0.728	0.705 - 0.752
District of Columbia	-	-		-	-		2,008	0.553	0.529 - 0.578
Florida	-	-		-	-		70,083	0.659	0.654 - 0.664
Georgia	-	-		-	-		31,011	0.583	0.577 - 0.590
Hawaii	-	-		-	-		5,314	0.748	0.728 - 0.769
Idaho	-	-		-	-		4,971	0.586	0.569 - 0.602
Illinois	-	-		-	-		44,060	0.676	0.670 - 0.683
Iowa	-	-		-	-		10,316	0.654	0.641 - 0.667
Kentucky	-	-		-	-		14,748	0.654	0.643 - 0.664
Louisiana	-	-		-	-		14,478	0.606	0.596 - 0.616
Maine	-	-		-	-		5,210	0.766	0.745 - 0.787
Maryland	-	-		-	-		20,958	0.676	0.667 - 0.686
Michigan	-	-		-	-		33,372	0.660	0.652 - 0.667
MI - Detroit	-	-		-	-		14,142	0.707	0.696 - 0.719
Minnesota	-	-		-	-		18,682	0.671	0.661 - 0.681
Mississippi	-	-		-	-		8,936	0.581	0.569 - 0.593
Missouri	-	-		-	-		21,040	0.678	0.669 - 0.687
Montana	-	-		-	-		3,505	0.674	0.652 - 0.697
Nebraska	-	-		-	-		5,999	0.626	0.611 - 0.642
Nevada	-	-		-	-		7,672	0.523	0.511 - 0.535
New Hampshire	-	-		-	-		5,597	0.824	0.802 - 0.845
New Jersey	-	-		-	-		32,722	0.720	0.712 - 0.728
New Mexico	-	-		-	-		6,113	0.578	0.564 - 0.593
New York	-	-		-	-		69,452	0.688	0.683 - 0.693
North Carolina	-	-		-	-		35,582	0.679	0.672 - 0.686
North Dakota	-	-		-	-		2,303	0.626	0.601 - 0.652
Ohio	-	-		-	-		40,395	0.680	0.673 - 0.687
Oklahoma	-	-		-	-		11,605	0.585	0.575 - 0.596
Oregon	-	-		-	-		13,914	0.670	0.659 - 0.681
Pennsylvania	-	-		-	-		47,810	0.733	0.726 - 0.739
Rhode Island	-	-		-	-		4,146	0.763	0.740 - 0.787
South Carolina	-	-		-	-		17,058	0.664	0.654 - 0.674
Tennessee	-	-		-	-		21,625	0.632	0.624 - 0.641
Texas	-	-		-	-		69,471	0.491	0.487 - 0.494
Utah	-	-		-	-		6,522	0.428	0.417 - 0.438
Vermont	-	-		-	-		2,448	0.775	0.745 - 0.806
Virginia	-	-		-	-		27,484	0.641	0.634 - 0.649
Washington ³	-	-		-	-		24,985	0.679	0.671 - 0.687
WA - Seattle	-	-		-	-		17,763	0.700	0.690 - 0.711
West Virginia	-	-		-	-		6,376	0.692	0.675 - 0.709
Wisconsin	-	-		-	-		20,193	0.695	0.685 - 0.704
Wyoming	-	-		-	-		1,628	0.572	0.544 - 0.600
NAACCR CDN Combined¹	-	-		-	-		115,914	0.623	0.619 - 0.627
Alberta	-	-		-	-		11,261	0.538	0.528 - 0.548
British Columbia	-	-		-	-		15,112	0.612	0.602 - 0.621
Manitoba	-	-		-	-		3,676	0.554	0.536 - 0.572
New Brunswick	-	-		-	-		2,587	0.669	0.644 - 0.695
Newfoundland and Labrador	-	-		-	-		1,998	0.749	0.717 - 0.783
Nova Scotia	-	-		-	-		3,417	0.706	0.683 - 0.730
Ontario	-	-		-	-		46,038	0.650	0.644 - 0.656
Prince Edward Island	-	-		-	-		520	0.683	0.626 - 0.745
Saskatchewan	-	-		-	-		3,192	0.562	0.543 - 0.582
NAACCR N.A. Combined¹	-	-		-	-		1,160,485	0.633	0.632 - 0.634

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		47,311	0.029	0.029 - 0.029
Alabama	-	-		-	-		804	0.032	0.030 - 0.034
Alaska	-	-		-	-		96	0.027	0.022 - 0.033
Arizona	-	-		-	-		827	0.024	0.022 - 0.025
Arkansas	-	-		-	-		527	0.035	0.032 - 0.038
California	-	-		-	-		5,382	0.027	0.026 - 0.028
CA - Greater California	-	-		-	-		2,990	0.027	0.026 - 0.028
CA - Greater Bay Area	-	-		-	-		923	0.025	0.023 - 0.027
CA - Los Angeles	-	-		-	-		1,469	0.029	0.027 - 0.030
Colorado	-	-		-	-		671	0.024	0.022 - 0.026
Connecticut	-	-		-	-		484	0.026	0.024 - 0.029
Delaware	-	-		-	-		156	0.032	0.027 - 0.037
District of Columbia	-	-		-	-		103	0.028	0.023 - 0.034
Florida	-	-		-	-		3,595	0.034	0.033 - 0.035
Georgia	-	-		-	-		1,480	0.028	0.026 - 0.029
Hawaii	-	-		-	-		202	0.028	0.025 - 0.033
Idaho	-	-		-	-		200	0.024	0.020 - 0.027
Illinois	-	-		-	-		1,957	0.030	0.029 - 0.031
Iowa	-	-		-	-		420	0.027	0.024 - 0.029
Kentucky	-	-		-	-		773	0.034	0.032 - 0.037
Louisiana	-	-		-	-		752	0.031	0.029 - 0.034
Maine	-	-		-	-		153	0.022	0.019 - 0.026
Maryland	-	-		-	-		807	0.026	0.024 - 0.028
Michigan	-	-		-	-		1,293	0.026	0.024 - 0.027
MI - Detroit	-	-		-	-		527	0.026	0.024 - 0.029
Minnesota	-	-		-	-		617	0.022	0.020 - 0.024
Mississippi	-	-		-	-		498	0.032	0.030 - 0.035
Missouri	-	-		-	-		953	0.031	0.029 - 0.033
Montana	-	-		-	-		146	0.028	0.024 - 0.033
Nebraska	-	-		-	-		252	0.026	0.023 - 0.030
Nevada	-	-		-	-		469	0.032	0.029 - 0.035
New Hampshire	-	-		-	-		131	0.019	0.016 - 0.023
New Jersey	-	-		-	-		1,351	0.030	0.028 - 0.031
New Mexico	-	-		-	-		321	0.030	0.027 - 0.034
New York	-	-		-	-		3,048	0.030	0.029 - 0.031
North Carolina	-	-		-	-		1,439	0.027	0.026 - 0.029
North Dakota	-	-		-	-		72	0.020	0.015 - 0.025
Ohio	-	-		-	-		1,740	0.029	0.028 - 0.031
Oklahoma	-	-		-	-		652	0.033	0.030 - 0.036
Oregon	-	-		-	-		550	0.026	0.024 - 0.029
Pennsylvania	-	-		-	-		1,884	0.029	0.028 - 0.030
Rhode Island	-	-		-	-		171	0.031	0.027 - 0.037
South Carolina	-	-		-	-		705	0.027	0.025 - 0.030
Tennessee	-	-		-	-		1,061	0.031	0.029 - 0.033
Texas	-	-		-	-		4,648	0.033	0.032 - 0.034
Utah	-	-		-	-		268	0.018	0.016 - 0.020
Vermont	-	-		-	-		56	0.018	0.013 - 0.023
Virginia	-	-		-	-		1,021	0.024	0.022 - 0.025
Washington ³	-	-		-	-		990	0.027	0.025 - 0.029
WA - Seattle	-	-		-	-		710	0.028	0.026 - 0.030
West Virginia	-	-		-	-		317	0.034	0.031 - 0.038
Wisconsin	-	-		-	-		763	0.026	0.024 - 0.028
Wyoming	-	-		-	-		64	0.023	0.017 - 0.029
NAACCR CDN Combined¹	-	-		-	-		5,684	0.031	0.030 - 0.032
Alberta	-	-		-	-		680	0.033	0.030 - 0.035
British Columbia	-	-		-	-		718	0.029	0.027 - 0.031
Manitoba	-	-		-	-		193	0.029	0.025 - 0.033
New Brunswick	-	-		-	-		120	0.031	0.026 - 0.037
Newfoundland and Labrador	-	-		-	-		116	0.043	0.036 - 0.052
Nova Scotia	-	-		-	-		154	0.032	0.027 - 0.037
Ontario	-	-		-	-		2,193	0.031	0.030 - 0.032
Prince Edward Island	-	-		-	-		28	0.037	0.024 - 0.053
Saskatchewan	-	-		-	-		167	0.029	0.025 - 0.034
NAACCR N.A. Combined¹	-	-		-	-		52,994	0.029	0.029 - 0.029

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-112 Prevalence – Cervix Uteri

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		221,964	0.135	0.134 - 0.135
Alabama	-	-		-	-		2,498	0.099	0.096 - 0.103
Alaska	-	-		-	-		403	0.114	0.103 - 0.126
Arizona	-	-		-	-		3,975	0.113	0.109 - 0.117
Arkansas	-	-		-	-		1,775	0.116	0.111 - 0.122
California	-	-		-	-		23,873	0.121	0.119 - 0.122
CA - Greater California	-	-		-	-		12,919	0.118	0.116 - 0.120
CA - Greater Bay Area	-	-		-	-		4,785	0.129	0.125 - 0.133
CA - Los Angeles	-	-		-	-		6,169	0.120	0.117 - 0.123
Colorado	-	-		-	-		2,995	0.108	0.104 - 0.112
Connecticut	-	-		-	-		3,064	0.167	0.161 - 0.173
Delaware	-	-		-	-		803	0.163	0.152 - 0.175
District of Columbia	-	-		-	-		392	0.108	0.098 - 0.119
Florida	-	-		-	-		13,898	0.131	0.129 - 0.133
Georgia	-	-		-	-		5,509	0.104	0.101 - 0.106
Hawaii	-	-		-	-		1,127	0.159	0.150 - 0.168
Idaho	-	-		-	-		1,002	0.118	0.111 - 0.126
Illinois	-	-		-	-		9,932	0.152	0.149 - 0.155
Iowa	-	-		-	-		2,665	0.169	0.163 - 0.176
Kentucky	-	-		-	-		3,226	0.143	0.138 - 0.148
Louisiana	-	-		-	-		2,272	0.095	0.091 - 0.099
Maine	-	-		-	-		1,351	0.199	0.188 - 0.209
Maryland	-	-		-	-		4,294	0.139	0.134 - 0.143
Michigan	-	-		-	-		7,933	0.157	0.153 - 0.160
MI - Detroit	-	-		-	-		3,150	0.158	0.152 - 0.163
Minnesota	-	-		-	-		4,546	0.163	0.159 - 0.168
Mississippi	-	-		-	-		1,614	0.105	0.100 - 0.110
Missouri	-	-		-	-		4,340	0.140	0.136 - 0.144
Montana	-	-		-	-		749	0.144	0.134 - 0.155
Nebraska	-	-		-	-		1,339	0.140	0.132 - 0.147
Nevada	-	-		-	-		1,436	0.098	0.093 - 0.103
New Hampshire	-	-		-	-		1,309	0.193	0.182 - 0.203
New Jersey	-	-		-	-		7,781	0.171	0.167 - 0.175
New Mexico	-	-		-	-		1,309	0.124	0.117 - 0.131
New York	-	-		-	-		16,723	0.166	0.163 - 0.168
North Carolina	-	-		-	-		6,674	0.127	0.124 - 0.130
North Dakota	-	-		-	-		457	0.124	0.113 - 0.136
Ohio	-	-		-	-		9,691	0.163	0.160 - 0.166
Oklahoma	-	-		-	-		2,167	0.109	0.105 - 0.114
Oregon	-	-		-	-		3,186	0.153	0.148 - 0.159
Pennsylvania	-	-		-	-		12,076	0.185	0.182 - 0.188
Rhode Island	-	-		-	-		935	0.172	0.161 - 0.184
South Carolina	-	-		-	-		3,098	0.121	0.116 - 0.125
Tennessee	-	-		-	-		4,217	0.123	0.120 - 0.127
Texas	-	-		-	-		13,329	0.094	0.093 - 0.096
Utah	-	-		-	-		1,535	0.101	0.096 - 0.106
Vermont	-	-		-	-		673	0.213	0.197 - 0.230
Virginia	-	-		-	-		5,353	0.125	0.122 - 0.128
Washington ³	-	-		-	-		5,034	0.137	0.133 - 0.141
WA - Seattle	-	-		-	-		3,526	0.139	0.134 - 0.144
West Virginia	-	-		-	-		1,704	0.185	0.176 - 0.194
Wisconsin	-	-		-	-		5,059	0.174	0.169 - 0.179
Wyoming	-	-		-	-		344	0.121	0.108 - 0.134
NAACCR CDN Combined¹	-	-		-	-		27,166	0.146	0.144 - 0.148
Alberta	-	-		-	-		2,545	0.122	0.117 - 0.126
British Columbia	-	-		-	-		3,336	0.135	0.130 - 0.140
Manitoba	-	-		-	-		1,136	0.171	0.161 - 0.181
New Brunswick	-	-		-	-		604	0.156	0.144 - 0.169
Newfoundland and Labrador	-	-		-	-		487	0.183	0.167 - 0.200
Nova Scotia	-	-		-	-		755	0.156	0.145 - 0.168
Ontario	-	-		-	-		10,855	0.153	0.150 - 0.156
Prince Edward Island	-	-		-	-		92	0.121	0.097 - 0.148
Saskatchewan	-	-		-	-		734	0.129	0.120 - 0.139
NAACCR N.A. Combined¹	-	-		-	-		249,130	0.136	0.135 - 0.136

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		66,449	0.040	0.040 - 0.041
Alabama	-	-		-	-		1,022	0.041	0.038 - 0.043
Alaska	-	-		-	-		128	0.036	0.030 - 0.043
Arizona	-	-		-	-		1,304	0.037	0.035 - 0.039
Arkansas	-	-		-	-		562	0.037	0.034 - 0.040
California	-	-		-	-		7,949	0.040	0.039 - 0.041
CA - Greater California	-	-		-	-		4,178	0.038	0.037 - 0.039
CA - Greater Bay Area	-	-		-	-		1,556	0.042	0.040 - 0.044
CA - Los Angeles	-	-		-	-		2,215	0.043	0.041 - 0.045
Colorado	-	-		-	-		1,008	0.036	0.034 - 0.039
Connecticut	-	-		-	-		863	0.047	0.044 - 0.050
Delaware	-	-		-	-		216	0.044	0.038 - 0.050
District of Columbia	-	-		-	-		136	0.037	0.031 - 0.044
Florida	-	-		-	-		4,716	0.044	0.043 - 0.046
Georgia	-	-		-	-		1,886	0.035	0.034 - 0.037
Hawaii	-	-		-	-		279	0.039	0.035 - 0.044
Idaho	-	-		-	-		302	0.036	0.032 - 0.040
Illinois	-	-		-	-		2,711	0.042	0.040 - 0.043
Iowa	-	-		-	-		652	0.041	0.038 - 0.045
Kentucky	-	-		-	-		815	0.036	0.034 - 0.039
Louisiana	-	-		-	-		755	0.032	0.029 - 0.034
Maine	-	-		-	-		277	0.041	0.036 - 0.046
Maryland	-	-		-	-		1,230	0.040	0.038 - 0.042
Michigan	-	-		-	-		2,177	0.043	0.041 - 0.045
MI - Detroit	-	-		-	-		902	0.045	0.042 - 0.048
Minnesota	-	-		-	-		1,137	0.041	0.038 - 0.043
Mississippi	-	-		-	-		491	0.032	0.029 - 0.035
Missouri	-	-		-	-		1,140	0.037	0.035 - 0.039
Montana	-	-		-	-		240	0.046	0.040 - 0.052
Nebraska	-	-		-	-		376	0.039	0.035 - 0.043
Nevada	-	-		-	-		473	0.032	0.029 - 0.035
New Hampshire	-	-		-	-		304	0.045	0.040 - 0.050
New Jersey	-	-		-	-		2,165	0.048	0.046 - 0.050
New Mexico	-	-		-	-		415	0.039	0.036 - 0.043
New York	-	-		-	-		4,700	0.047	0.045 - 0.048
North Carolina	-	-		-	-		2,092	0.040	0.038 - 0.042
North Dakota	-	-		-	-		124	0.034	0.028 - 0.040
Ohio	-	-		-	-		2,446	0.041	0.040 - 0.043
Oklahoma	-	-		-	-		779	0.039	0.037 - 0.042
Oregon	-	-		-	-		884	0.043	0.040 - 0.045
Pennsylvania	-	-		-	-		3,148	0.048	0.047 - 0.050
Rhode Island	-	-		-	-		248	0.046	0.040 - 0.052
South Carolina	-	-		-	-		895	0.035	0.033 - 0.037
Tennessee	-	-		-	-		1,285	0.038	0.036 - 0.040
Texas	-	-		-	-		4,864	0.034	0.033 - 0.035
Utah	-	-		-	-		446	0.029	0.027 - 0.032
Vermont	-	-		-	-		145	0.046	0.039 - 0.054
Virginia	-	-		-	-		1,563	0.036	0.035 - 0.038
Washington ³	-	-		-	-		1,511	0.041	0.039 - 0.043
WA - Seattle	-	-		-	-		1,096	0.043	0.041 - 0.046
West Virginia	-	-		-	-		435	0.047	0.043 - 0.052
Wisconsin	-	-		-	-		1,354	0.047	0.044 - 0.049
Wyoming	-	-		-	-		120	0.042	0.035 - 0.051
NAACCR CDN Combined¹	-	-		-	-		8,253	0.045	0.043 - 0.046
Alberta	-	-		-	-		675	0.032	0.030 - 0.035
British Columbia	-	-		-	-		1,075	0.044	0.041 - 0.046
Manitoba	-	-		-	-		279	0.042	0.037 - 0.047
New Brunswick	-	-		-	-		149	0.039	0.033 - 0.045
Newfoundland and Labrador	-	-		-	-		119	0.045	0.037 - 0.053
Nova Scotia	-	-		-	-		210	0.043	0.038 - 0.050
Ontario	-	-		-	-		3,542	0.050	0.048 - 0.052
Prince Edward Island	-	-		-	-		24	0.032	0.020 - 0.047
Saskatchewan	-	-		-	-		200	0.035	0.031 - 0.040
NAACCR N.A. Combined¹	-	-		-	-		74,702	0.041	0.040 - 0.041

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-114 Prevalence – Ovary

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		853,774	0.535	0.534 - 0.536	-	-	
Alabama	-	-		14,990	0.636	0.626 - 0.646	-	-	
Alaska	-	-		1,339	0.346	0.327 - 0.365	-	-	
Arizona	-	-		13,472	0.387	0.381 - 0.394	-	-	
Arkansas	-	-		8,822	0.599	0.587 - 0.612	-	-	
California	-	-		84,118	0.431	0.428 - 0.434	-	-	
CA - Greater California	-	-		47,221	0.435	0.431 - 0.439	-	-	
CA - Greater Bay Area	-	-		16,907	0.458	0.452 - 0.465	-	-	
CA - Los Angeles	-	-		19,990	0.401	0.395 - 0.406	-	-	
Colorado	-	-		12,282	0.438	0.430 - 0.445	-	-	
Connecticut	-	-		10,760	0.617	0.605 - 0.629	-	-	
Delaware	-	-		3,382	0.734	0.709 - 0.759	-	-	
District of Columbia	-	-		1,683	0.513	0.489 - 0.538	-	-	
Florida	-	-		59,951	0.589	0.585 - 0.594	-	-	
Georgia	-	-		28,017	0.556	0.549 - 0.562	-	-	
Hawaii	-	-		3,278	0.458	0.442 - 0.474	-	-	
Idaho	-	-		4,294	0.504	0.489 - 0.519	-	-	
Illinois	-	-		34,990	0.556	0.550 - 0.562	-	-	
Iowa	-	-		8,873	0.569	0.557 - 0.581	-	-	
Kentucky	-	-		11,949	0.546	0.536 - 0.555	-	-	
Louisiana	-	-		15,142	0.663	0.652 - 0.673	-	-	
Maine	-	-		3,744	0.574	0.555 - 0.592	-	-	
Maryland	-	-		18,640	0.639	0.630 - 0.649	-	-	
Michigan	-	-		29,204	0.595	0.589 - 0.602	-	-	
MI - Detroit	-	-		13,173	0.700	0.688 - 0.712	-	-	
Minnesota	-	-		15,386	0.557	0.549 - 0.566	-	-	
Mississippi	-	-		9,512	0.656	0.643 - 0.669	-	-	
Missouri	-	-		15,178	0.507	0.499 - 0.515	-	-	
Montana	-	-		3,555	0.675	0.653 - 0.697	-	-	
Nebraska	-	-		5,442	0.570	0.555 - 0.586	-	-	
Nevada	-	-		6,163	0.417	0.406 - 0.427	-	-	
New Hampshire	-	-		4,389	0.659	0.639 - 0.678	-	-	
New Jersey	-	-		30,004	0.692	0.684 - 0.700	-	-	
New Mexico	-	-		4,413	0.426	0.413 - 0.439	-	-	
New York	-	-		62,847	0.660	0.655 - 0.665	-	-	
North Carolina	-	-		29,702	0.597	0.591 - 0.604	-	-	
North Dakota	-	-		2,262	0.584	0.561 - 0.609	-	-	
Ohio	-	-		32,399	0.568	0.561 - 0.574	-	-	
Oklahoma	-	-		9,106	0.468	0.458 - 0.477	-	-	
Oregon	-	-		10,402	0.510	0.500 - 0.519	-	-	
Pennsylvania	-	-		38,196	0.610	0.604 - 0.616	-	-	
Rhode Island	-	-		2,803	0.546	0.526 - 0.566	-	-	
South Carolina	-	-		15,347	0.634	0.624 - 0.644	-	-	
Tennessee	-	-		19,119	0.587	0.579 - 0.595	-	-	
Texas	-	-		52,068	0.373	0.369 - 0.376	-	-	
Utah	-	-		6,310	0.408	0.398 - 0.418	-	-	
Vermont	-	-		1,634	0.530	0.505 - 0.556	-	-	
Virginia	-	-		20,683	0.498	0.491 - 0.505	-	-	
Washington ³	-	-		18,499	0.503	0.495 - 0.510	-	-	
WA - Seattle	-	-		13,407	0.528	0.519 - 0.537	-	-	
West Virginia	-	-		5,229	0.579	0.564 - 0.595	-	-	
Wisconsin	-	-		17,283	0.601	0.592 - 0.610	-	-	
Wyoming	-	-		1,629	0.549	0.522 - 0.576	-	-	
NAACCR CDN Combined¹	-	-		96,146	0.521	0.517 - 0.525	-	-	
Alberta	-	-		10,417	0.490	0.480 - 0.499	-	-	
British Columbia	-	-		12,673	0.523	0.514 - 0.533	-	-	
Manitoba	-	-		3,003	0.454	0.438 - 0.471	-	-	
New Brunswick	-	-		2,392	0.632	0.607 - 0.658	-	-	
Newfoundland and Labrador	-	-		1,938	0.739	0.707 - 0.773	-	-	
Nova Scotia	-	-		2,824	0.610	0.588 - 0.633	-	-	
Ontario	-	-		35,574	0.517	0.511 - 0.522	-	-	
Prince Edward Island	-	-		418	0.575	0.522 - 0.633	-	-	
Saskatchewan	-	-		2,904	0.504	0.486 - 0.523	-	-	
NAACCR N.A. Combined¹	-	-		949,920	0.534	0.533 - 0.535	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		41,064	0.026	0.025 - 0.026	-	-	
Alabama	-	-		450	0.019	0.017 - 0.021	-	-	
Alaska	-	-		116	0.030	0.025 - 0.036	-	-	
Arizona	-	-		799	0.023	0.021 - 0.025	-	-	
Arkansas	-	-		337	0.023	0.021 - 0.025	-	-	
California	-	-		5,570	0.029	0.028 - 0.029	-	-	
CA - Greater California	-	-		3,070	0.028	0.027 - 0.029	-	-	
CA - Greater Bay Area	-	-		1,083	0.029	0.028 - 0.031	-	-	
CA - Los Angeles	-	-		1,417	0.028	0.027 - 0.030	-	-	
Colorado	-	-		738	0.026	0.024 - 0.028	-	-	
Connecticut	-	-		516	0.030	0.027 - 0.032	-	-	
Delaware	-	-		114	0.025	0.020 - 0.030	-	-	
District of Columbia	-	-		87	0.027	0.021 - 0.033	-	-	
Florida	-	-		2,021	0.020	0.019 - 0.021	-	-	
Georgia	-	-		959	0.019	0.018 - 0.020	-	-	
Hawaii	-	-		197	0.027	0.024 - 0.032	-	-	
Idaho	-	-		253	0.030	0.026 - 0.034	-	-	
Illinois	-	-		1,824	0.029	0.028 - 0.030	-	-	
Iowa	-	-		458	0.029	0.027 - 0.032	-	-	
Kentucky	-	-		533	0.024	0.022 - 0.027	-	-	
Louisiana	-	-		501	0.022	0.020 - 0.024	-	-	
Maine	-	-		180	0.028	0.024 - 0.032	-	-	
Maryland	-	-		637	0.022	0.020 - 0.024	-	-	
Michigan	-	-		1,262	0.026	0.024 - 0.027	-	-	
MI - Detroit	-	-		476	0.025	0.023 - 0.028	-	-	
Minnesota	-	-		882	0.032	0.030 - 0.034	-	-	
Mississippi	-	-		248	0.017	0.015 - 0.019	-	-	
Missouri	-	-		728	0.024	0.023 - 0.026	-	-	
Montana	-	-		164	0.031	0.027 - 0.036	-	-	
Nebraska	-	-		304	0.032	0.028 - 0.036	-	-	
Nevada	-	-		334	0.023	0.020 - 0.025	-	-	
New Hampshire	-	-		217	0.033	0.028 - 0.037	-	-	
New Jersey	-	-		1,198	0.028	0.026 - 0.029	-	-	
New Mexico	-	-		299	0.029	0.026 - 0.032	-	-	
New York	-	-		2,699	0.028	0.027 - 0.029	-	-	
North Carolina	-	-		1,132	0.023	0.021 - 0.024	-	-	
North Dakota	-	-		120	0.031	0.026 - 0.037	-	-	
Ohio	-	-		1,458	0.026	0.024 - 0.027	-	-	
Oklahoma	-	-		472	0.024	0.022 - 0.027	-	-	
Oregon	-	-		635	0.031	0.029 - 0.034	-	-	
Pennsylvania	-	-		1,849	0.030	0.028 - 0.031	-	-	
Rhode Island	-	-		156	0.030	0.026 - 0.036	-	-	
South Carolina	-	-		446	0.018	0.017 - 0.020	-	-	
Tennessee	-	-		754	0.023	0.022 - 0.025	-	-	
Texas	-	-		3,258	0.023	0.023 - 0.024	-	-	
Utah	-	-		501	0.032	0.030 - 0.035	-	-	
Vermont	-	-		91	0.030	0.024 - 0.036	-	-	
Virginia	-	-		808	0.019	0.018 - 0.021	-	-	
Washington ³	-	-		1,159	0.031	0.030 - 0.033	-	-	
WA - Seattle	-	-		851	0.034	0.031 - 0.036	-	-	
West Virginia	-	-		218	0.024	0.021 - 0.028	-	-	
Wisconsin	-	-		915	0.032	0.030 - 0.034	-	-	
Wyoming	-	-		103	0.035	0.028 - 0.042	-	-	
NAACCR CDN Combined¹	-	-		5,163	0.029	0.028 - 0.030	-	-	
Alberta	-	-		690	0.032	0.030 - 0.035	-	-	
British Columbia	-	-		697	0.029	0.027 - 0.031	-	-	
Manitoba	-	-		187	0.028	0.024 - 0.033	-	-	
New Brunswick	-	-		90	0.024	0.019 - 0.029	-	-	
Newfoundland and Labrador	-	-		37	0.014	0.010 - 0.019	-	-	
Nova Scotia	-	-		121	0.026	0.022 - 0.031	-	-	
Ontario	-	-		1,987	0.029	0.028 - 0.030	-	-	
Prince Edward Island	-	-		14	0.019	0.011 - 0.032	-	-	
Saskatchewan	-	-		159	0.028	0.023 - 0.032	-	-	
NAACCR N.A. Combined¹	-	-		46,227	0.026	0.026 - 0.026	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-116 Prevalence – Testis

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	268,434	0.082	0.082 - 0.083	206,048	0.129	0.128 - 0.129	62,194	0.038	0.037 - 0.038
Alabama	3,739	0.077	0.074 - 0.079	2,926	0.124	0.120 - 0.129	813	0.032	0.030 - 0.035
Alaska	475	0.064	0.058 - 0.070	368	0.095	0.086 - 0.105	107	0.030	0.025 - 0.037
Arizona	5,606	0.080	0.078 - 0.082	4,365	0.125	0.122 - 0.129	1,241	0.035	0.033 - 0.037
Arkansas	2,418	0.081	0.078 - 0.084	1,899	0.129	0.123 - 0.135	519	0.034	0.031 - 0.037
California	24,792	0.063	0.062 - 0.064	19,242	0.099	0.097 - 0.100	5,550	0.028	0.027 - 0.029
CA - Greater California	14,380	0.066	0.065 - 0.067	11,180	0.103	0.101 - 0.105	3,200	0.029	0.028 - 0.030
CA - Greater Bay Area	4,871	0.066	0.064 - 0.068	3,747	0.102	0.098 - 0.105	1,124	0.030	0.029 - 0.032
CA - Los Angeles	5,545	0.055	0.053 - 0.056	4,320	0.087	0.084 - 0.089	1,226	0.024	0.023 - 0.025
Colorado	3,884	0.070	0.067 - 0.072	3,015	0.107	0.104 - 0.111	869	0.031	0.029 - 0.034
Connecticut	4,317	0.121	0.117 - 0.124	3,253	0.186	0.180 - 0.193	1,063	0.058	0.055 - 0.062
Delaware	1,053	0.110	0.104 - 0.117	818	0.177	0.165 - 0.190	235	0.048	0.042 - 0.054
District of Columbia	303	0.044	0.039 - 0.049	208	0.063	0.055 - 0.073	95	0.026	0.021 - 0.032
Florida	20,588	0.099	0.098 - 0.100	15,900	0.156	0.154 - 0.159	4,688	0.044	0.043 - 0.045
Georgia	6,404	0.062	0.060 - 0.063	4,967	0.099	0.096 - 0.101	1,436	0.027	0.026 - 0.028
Hawaii	883	0.062	0.058 - 0.066	695	0.097	0.090 - 0.105	189	0.027	0.023 - 0.031
Idaho	1,459	0.086	0.081 - 0.090	1,156	0.136	0.128 - 0.144	303	0.036	0.032 - 0.040
Illinois	11,201	0.087	0.086 - 0.089	8,498	0.135	0.132 - 0.138	2,703	0.041	0.040 - 0.043
Iowa	2,976	0.095	0.091 - 0.098	2,317	0.148	0.142 - 0.155	659	0.042	0.039 - 0.045
Kentucky	4,030	0.091	0.088 - 0.093	3,066	0.140	0.135 - 0.145	964	0.043	0.040 - 0.046
Louisiana	3,388	0.072	0.070 - 0.075	2,637	0.115	0.111 - 0.120	751	0.031	0.029 - 0.034
Maine	1,873	0.140	0.134 - 0.147	1,439	0.220	0.209 - 0.232	434	0.064	0.058 - 0.070
Maryland	5,055	0.084	0.082 - 0.086	3,845	0.132	0.128 - 0.136	1,210	0.039	0.037 - 0.041
Michigan	9,856	0.099	0.097 - 0.101	7,514	0.153	0.150 - 0.157	2,342	0.046	0.044 - 0.048
MI - Detroit	3,876	0.100	0.097 - 0.103	2,914	0.155	0.149 - 0.160	962	0.048	0.045 - 0.051
Minnesota	5,114	0.092	0.090 - 0.095	3,934	0.142	0.138 - 0.147	1,180	0.042	0.040 - 0.045
Mississippi	2,115	0.071	0.068 - 0.074	1,653	0.114	0.109 - 0.120	462	0.030	0.027 - 0.033
Missouri	5,220	0.086	0.083 - 0.088	4,027	0.135	0.130 - 0.139	1,193	0.038	0.036 - 0.041
Montana	1,122	0.107	0.101 - 0.114	854	0.162	0.151 - 0.173	268	0.052	0.046 - 0.058
Nebraska	1,599	0.084	0.080 - 0.088	1,211	0.127	0.120 - 0.134	388	0.041	0.037 - 0.045
Nevada	2,191	0.074	0.071 - 0.078	1,676	0.113	0.108 - 0.119	515	0.035	0.032 - 0.038
New Hampshire	1,746	0.130	0.124 - 0.136	1,330	0.200	0.189 - 0.211	416	0.061	0.055 - 0.067
New Jersey	8,984	0.101	0.099 - 0.103	6,708	0.155	0.151 - 0.158	2,275	0.050	0.048 - 0.052
New Mexico	1,303	0.062	0.059 - 0.066	1,025	0.099	0.093 - 0.105	278	0.026	0.023 - 0.030
New York	19,828	0.101	0.100 - 0.102	14,877	0.156	0.154 - 0.159	4,951	0.049	0.048 - 0.050
North Carolina	8,337	0.082	0.080 - 0.083	6,384	0.128	0.125 - 0.132	1,953	0.037	0.036 - 0.039
North Dakota	651	0.086	0.080 - 0.093	520	0.134	0.123 - 0.146	131	0.036	0.030 - 0.042
Ohio	11,193	0.096	0.094 - 0.098	8,584	0.150	0.147 - 0.154	2,609	0.044	0.042 - 0.046
Oklahoma	3,009	0.077	0.074 - 0.079	2,358	0.121	0.116 - 0.126	651	0.033	0.030 - 0.035
Oregon	4,032	0.098	0.095 - 0.101	3,121	0.153	0.148 - 0.158	911	0.044	0.041 - 0.047
Pennsylvania	14,835	0.116	0.114 - 0.118	11,286	0.180	0.177 - 0.184	3,549	0.054	0.053 - 0.056
Rhode Island	1,289	0.122	0.115 - 0.129	950	0.185	0.173 - 0.197	339	0.062	0.056 - 0.069
South Carolina	4,044	0.081	0.079 - 0.084	3,117	0.129	0.124 - 0.133	927	0.036	0.034 - 0.038
Tennessee	5,501	0.082	0.080 - 0.085	4,220	0.130	0.126 - 0.134	1,281	0.037	0.035 - 0.040
Texas	13,539	0.048	0.047 - 0.049	10,609	0.076	0.074 - 0.077	2,930	0.021	0.020 - 0.021
Utah	1,461	0.048	0.045 - 0.050	1,194	0.077	0.073 - 0.082	268	0.018	0.016 - 0.020
Vermont	696	0.112	0.103 - 0.120	539	0.175	0.160 - 0.190	157	0.050	0.042 - 0.058
Virginia	5,830	0.069	0.067 - 0.071	4,445	0.107	0.104 - 0.110	1,385	0.032	0.031 - 0.034
Washington ³	6,279	0.085	0.083 - 0.087	4,891	0.133	0.129 - 0.137	1,388	0.038	0.036 - 0.040
WA - Seattle	4,349	0.086	0.083 - 0.088	3,387	0.133	0.129 - 0.138	962	0.038	0.036 - 0.040
West Virginia	2,060	0.113	0.108 - 0.118	1,569	0.174	0.165 - 0.183	491	0.053	0.049 - 0.058
Wisconsin	5,966	0.103	0.101 - 0.106	4,605	0.160	0.156 - 0.165	1,361	0.047	0.044 - 0.049
Wyoming	506	0.087	0.080 - 0.095	393	0.132	0.120 - 0.146	113	0.040	0.033 - 0.048
NAACCR CDN Combined¹	37,019	0.100	0.098 - 0.101	28,256	0.154	0.152 - 0.156	8,730	0.047	0.045 - 0.048
Alberta	3,277	0.078	0.075 - 0.080	2,543	0.119	0.115 - 0.124	734	0.035	0.033 - 0.038
British Columbia	5,098	0.104	0.101 - 0.107	3,937	0.163	0.158 - 0.168	1,161	0.047	0.044 - 0.050
Manitoba	1,040	0.079	0.074 - 0.083	786	0.119	0.111 - 0.128	254	0.038	0.034 - 0.043
New Brunswick	995	0.130	0.122 - 0.138	767	0.203	0.189 - 0.218	228	0.059	0.052 - 0.067
Newfoundland and Labrador	636	0.120	0.111 - 0.130	467	0.178	0.162 - 0.195	169	0.063	0.054 - 0.074
Nova Scotia	1,186	0.125	0.118 - 0.133	876	0.189	0.177 - 0.202	310	0.064	0.057 - 0.072
Ontario	14,383	0.103	0.101 - 0.105	10,978	0.159	0.156 - 0.162	3,405	0.048	0.046 - 0.050
Prince Edward Island	154	0.104	0.088 - 0.121	110	0.151	0.124 - 0.183	44	0.058	0.042 - 0.078
Saskatchewan	1,065	0.093	0.088 - 0.099	804	0.140	0.130 - 0.150	261	0.046	0.041 - 0.052
NAACCR N.A. Combined¹	305,453	0.084	0.084 - 0.084	234,304	0.131	0.130 - 0.131	70,925	0.038	0.038 - 0.039

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	229,121	0.071	0.070 - 0.071	143,167	0.090	0.089 - 0.090	85,917	0.052	0.052 - 0.053
Alabama	3,851	0.079	0.077 - 0.082	2,348	0.100	0.096 - 0.104	1,503	0.060	0.057 - 0.063
Alaska	487	0.066	0.060 - 0.072	303	0.078	0.070 - 0.088	184	0.052	0.045 - 0.060
Arizona	4,652	0.066	0.065 - 0.068	2,930	0.084	0.081 - 0.087	1,722	0.049	0.047 - 0.051
Arkansas	2,482	0.083	0.080 - 0.086	1,564	0.106	0.101 - 0.112	918	0.060	0.056 - 0.064
California	22,378	0.057	0.056 - 0.058	14,208	0.073	0.072 - 0.074	8,170	0.041	0.040 - 0.042
CA - Greater California	12,981	0.060	0.059 - 0.061	8,218	0.076	0.074 - 0.077	4,763	0.044	0.042 - 0.045
CA - Greater Bay Area	3,992	0.054	0.052 - 0.056	2,605	0.071	0.068 - 0.073	1,387	0.037	0.035 - 0.039
CA - Los Angeles	5,410	0.053	0.052 - 0.055	3,388	0.068	0.066 - 0.070	2,022	0.039	0.038 - 0.041
Colorado	3,015	0.054	0.052 - 0.056	1,892	0.067	0.064 - 0.071	1,123	0.041	0.038 - 0.043
Connecticut	2,699	0.075	0.073 - 0.078	1,763	0.101	0.096 - 0.106	936	0.051	0.048 - 0.054
Delaware	736	0.077	0.072 - 0.083	475	0.103	0.094 - 0.113	261	0.053	0.047 - 0.060
District of Columbia	321	0.046	0.042 - 0.052	203	0.062	0.054 - 0.071	118	0.032	0.027 - 0.039
Florida	14,230	0.068	0.067 - 0.070	9,038	0.089	0.087 - 0.091	5,192	0.049	0.048 - 0.050
Georgia	6,600	0.064	0.062 - 0.065	4,046	0.080	0.078 - 0.083	2,554	0.048	0.046 - 0.050
Hawaii	859	0.060	0.056 - 0.064	573	0.080	0.074 - 0.087	286	0.040	0.036 - 0.045
Idaho	1,098	0.065	0.061 - 0.069	698	0.082	0.076 - 0.088	401	0.047	0.043 - 0.052
Illinois	9,791	0.076	0.075 - 0.078	6,176	0.098	0.096 - 0.101	3,615	0.055	0.054 - 0.057
Iowa	2,538	0.081	0.078 - 0.084	1,594	0.102	0.097 - 0.107	944	0.060	0.056 - 0.064
Kentucky	3,899	0.088	0.085 - 0.090	2,378	0.109	0.104 - 0.113	1,521	0.067	0.064 - 0.071
Louisiana	4,154	0.089	0.086 - 0.092	2,540	0.111	0.107 - 0.116	1,614	0.068	0.064 - 0.071
Maine	1,114	0.084	0.079 - 0.089	667	0.102	0.095 - 0.110	447	0.066	0.060 - 0.072
Maryland	3,917	0.065	0.063 - 0.067	2,382	0.082	0.078 - 0.085	1,535	0.050	0.047 - 0.052
Michigan	7,356	0.074	0.072 - 0.076	4,600	0.094	0.091 - 0.097	2,756	0.054	0.052 - 0.057
MI - Detroit	3,054	0.079	0.076 - 0.082	1,937	0.103	0.098 - 0.108	1,117	0.056	0.053 - 0.059
Minnesota	4,080	0.074	0.071 - 0.076	2,689	0.097	0.094 - 0.101	1,391	0.050	0.047 - 0.053
Mississippi	2,723	0.091	0.088 - 0.095	1,609	0.111	0.106 - 0.117	1,114	0.072	0.068 - 0.077
Missouri	4,963	0.081	0.079 - 0.084	2,987	0.100	0.096 - 0.103	1,976	0.064	0.061 - 0.067
Montana	792	0.076	0.070 - 0.081	494	0.094	0.086 - 0.102	298	0.057	0.051 - 0.064
Nebraska	1,411	0.074	0.070 - 0.078	898	0.094	0.088 - 0.100	513	0.054	0.049 - 0.058
Nevada	1,650	0.056	0.053 - 0.059	1,018	0.069	0.065 - 0.073	632	0.043	0.040 - 0.047
New Hampshire	968	0.072	0.067 - 0.077	618	0.093	0.086 - 0.100	350	0.052	0.046 - 0.057
New Jersey	6,589	0.074	0.072 - 0.076	4,141	0.095	0.093 - 0.098	2,448	0.054	0.052 - 0.056
New Mexico	1,319	0.063	0.060 - 0.066	783	0.076	0.070 - 0.081	536	0.051	0.046 - 0.055
New York	14,686	0.075	0.074 - 0.076	9,388	0.099	0.097 - 0.101	5,298	0.052	0.051 - 0.054
North Carolina	7,468	0.073	0.071 - 0.075	4,595	0.092	0.090 - 0.095	2,873	0.055	0.053 - 0.057
North Dakota	516	0.068	0.063 - 0.075	337	0.087	0.078 - 0.097	179	0.049	0.042 - 0.056
Ohio	9,009	0.077	0.076 - 0.079	5,474	0.096	0.093 - 0.098	3,535	0.059	0.058 - 0.061
Oklahoma	3,113	0.079	0.076 - 0.082	1,860	0.096	0.091 - 0.100	1,253	0.063	0.060 - 0.067
Oregon	2,893	0.070	0.068 - 0.073	1,888	0.092	0.088 - 0.097	1,005	0.048	0.045 - 0.051
Pennsylvania	10,627	0.083	0.082 - 0.085	6,655	0.106	0.104 - 0.109	3,972	0.061	0.059 - 0.063
Rhode Island	831	0.079	0.073 - 0.084	494	0.096	0.088 - 0.105	337	0.062	0.056 - 0.069
South Carolina	3,852	0.077	0.075 - 0.080	2,402	0.099	0.095 - 0.103	1,450	0.056	0.054 - 0.059
Tennessee	5,357	0.080	0.078 - 0.082	3,325	0.102	0.099 - 0.106	2,032	0.059	0.057 - 0.062
Texas	18,980	0.067	0.067 - 0.068	11,556	0.083	0.081 - 0.084	7,424	0.052	0.051 - 0.054
Utah	1,295	0.042	0.040 - 0.045	819	0.053	0.049 - 0.057	476	0.031	0.028 - 0.034
Vermont	433	0.069	0.063 - 0.076	280	0.091	0.081 - 0.102	153	0.048	0.041 - 0.057
Virginia	5,332	0.063	0.062 - 0.065	3,375	0.081	0.079 - 0.084	1,957	0.046	0.044 - 0.048
Washington ³	4,782	0.065	0.063 - 0.067	2,998	0.081	0.079 - 0.084	1,784	0.048	0.046 - 0.051
WA - Seattle	3,296	0.065	0.063 - 0.067	2,068	0.081	0.078 - 0.085	1,228	0.048	0.046 - 0.051
West Virginia	1,765	0.097	0.092 - 0.101	1,059	0.117	0.110 - 0.125	706	0.077	0.071 - 0.082
Wisconsin	4,737	0.082	0.080 - 0.084	3,064	0.107	0.103 - 0.110	1,673	0.058	0.055 - 0.060
Wyoming	361	0.062	0.056 - 0.069	234	0.079	0.069 - 0.090	127	0.045	0.037 - 0.053
NAACCR CDN Combined¹	22,953	0.062	0.061 - 0.063	14,743	0.080	0.079 - 0.082	8,222	0.044	0.043 - 0.045
Alberta	2,315	0.055	0.053 - 0.057	1,517	0.071	0.068 - 0.075	798	0.038	0.036 - 0.041
British Columbia	2,538	0.052	0.050 - 0.054	1,668	0.069	0.066 - 0.072	870	0.035	0.033 - 0.038
Manitoba	838	0.063	0.059 - 0.068	547	0.083	0.076 - 0.090	291	0.044	0.039 - 0.049
New Brunswick	732	0.096	0.089 - 0.103	452	0.119	0.109 - 0.131	280	0.072	0.064 - 0.081
Newfoundland and Labrador	522	0.099	0.090 - 0.108	316	0.121	0.108 - 0.135	206	0.077	0.067 - 0.089
Nova Scotia	939	0.099	0.093 - 0.106	573	0.124	0.114 - 0.134	366	0.076	0.068 - 0.084
Ontario	8,696	0.062	0.061 - 0.064	5,582	0.081	0.079 - 0.083	3,114	0.044	0.042 - 0.046
Prince Edward Island	96	0.065	0.052 - 0.079	58	0.080	0.061 - 0.103	38	0.050	0.035 - 0.069
Saskatchewan	662	0.058	0.054 - 0.062	403	0.070	0.063 - 0.077	259	0.046	0.040 - 0.052
NAACCR N.A. Combined¹	252,074	0.070	0.070 - 0.070	157,911	0.089	0.088 - 0.089	94,138	0.052	0.051 - 0.052

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-118 Prevalence – Kidney and Renal Pelvis

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	48,847	0.015	0.015 - 0.015	26,658	0.017	0.016 - 0.017	22,186	0.013	0.013 - 0.014
Alabama	654	0.013	0.012 - 0.014	336	0.014	0.013 - 0.016	318	0.013	0.011 - 0.014
Alaska	110	0.015	0.012 - 0.018	66	0.017	0.013 - 0.022	44	0.012	0.009 - 0.017
Arizona	911	0.013	0.012 - 0.014	504	0.014	0.013 - 0.016	407	0.012	0.010 - 0.013
Arkansas	471	0.016	0.014 - 0.017	278	0.019	0.017 - 0.021	193	0.013	0.011 - 0.015
California	5,200	0.013	0.013 - 0.014	2,862	0.015	0.014 - 0.015	2,338	0.012	0.011 - 0.012
CA - Greater California	2,897	0.013	0.013 - 0.014	1,579	0.015	0.014 - 0.015	1,318	0.012	0.011 - 0.013
CA - Greater Bay Area	1,094	0.015	0.014 - 0.016	621	0.017	0.016 - 0.018	473	0.013	0.012 - 0.014
CA - Los Angeles	1,210	0.012	0.011 - 0.013	662	0.013	0.012 - 0.014	548	0.011	0.010 - 0.012
Colorado	821	0.015	0.014 - 0.016	470	0.017	0.015 - 0.018	351	0.013	0.011 - 0.014
Connecticut	590	0.017	0.015 - 0.018	317	0.018	0.016 - 0.020	274	0.015	0.013 - 0.017
Delaware	131	0.014	0.011 - 0.016	64	0.014	0.011 - 0.018	67	0.014	0.011 - 0.017
District of Columbia	95	0.014	0.011 - 0.017	55	0.017	0.013 - 0.022	40	0.011	0.008 - 0.015
Florida	3,180	0.015	0.015 - 0.016	1,726	0.017	0.016 - 0.018	1,454	0.014	0.013 - 0.014
Georgia	1,360	0.013	0.012 - 0.014	728	0.014	0.013 - 0.016	632	0.012	0.011 - 0.013
Hawaii	129	0.009	0.008 - 0.011	66	0.009	0.007 - 0.012	63	0.009	0.007 - 0.011
Idaho	273	0.016	0.014 - 0.018	154	0.018	0.015 - 0.021	119	0.014	0.012 - 0.017
Illinois	1,960	0.015	0.015 - 0.016	1,064	0.017	0.016 - 0.018	896	0.014	0.013 - 0.015
Iowa	499	0.016	0.015 - 0.017	269	0.017	0.015 - 0.019	230	0.015	0.013 - 0.017
Kentucky	747	0.017	0.016 - 0.018	419	0.019	0.017 - 0.021	328	0.015	0.013 - 0.016
Louisiana	619	0.013	0.012 - 0.014	329	0.014	0.013 - 0.016	290	0.012	0.011 - 0.014
Maine	253	0.019	0.017 - 0.021	129	0.020	0.016 - 0.023	124	0.018	0.015 - 0.022
Maryland	855	0.014	0.013 - 0.015	461	0.016	0.014 - 0.017	394	0.013	0.011 - 0.014
Michigan	1,659	0.017	0.016 - 0.017	896	0.018	0.017 - 0.020	763	0.015	0.014 - 0.016
MI - Detroit	550	0.014	0.013 - 0.015	290	0.015	0.014 - 0.017	260	0.013	0.011 - 0.015
Minnesota	979	0.018	0.017 - 0.019	525	0.019	0.017 - 0.021	454	0.016	0.015 - 0.018
Mississippi	390	0.013	0.012 - 0.014	197	0.014	0.012 - 0.016	193	0.013	0.011 - 0.014
Missouri	988	0.016	0.015 - 0.017	544	0.018	0.017 - 0.020	444	0.014	0.013 - 0.016
Montana	186	0.018	0.015 - 0.020	99	0.019	0.015 - 0.023	87	0.017	0.013 - 0.021
Nebraska	282	0.015	0.013 - 0.017	160	0.017	0.014 - 0.020	122	0.013	0.011 - 0.015
Nevada	343	0.012	0.010 - 0.013	187	0.013	0.011 - 0.015	156	0.011	0.009 - 0.012
New Hampshire	240	0.018	0.016 - 0.020	129	0.019	0.016 - 0.023	111	0.016	0.013 - 0.020
New Jersey	1,520	0.017	0.016 - 0.018	864	0.020	0.019 - 0.021	656	0.014	0.013 - 0.016
New Mexico	260	0.012	0.011 - 0.014	140	0.014	0.011 - 0.016	120	0.011	0.009 - 0.014
New York	3,267	0.017	0.016 - 0.017	1,815	0.019	0.018 - 0.020	1,452	0.014	0.014 - 0.015
North Carolina	1,492	0.015	0.014 - 0.015	773	0.016	0.014 - 0.017	719	0.014	0.013 - 0.015
North Dakota	107	0.014	0.012 - 0.017	57	0.015	0.011 - 0.019	50	0.014	0.010 - 0.018
Ohio	1,893	0.016	0.016 - 0.017	1,030	0.018	0.017 - 0.019	863	0.015	0.014 - 0.016
Oklahoma	567	0.014	0.013 - 0.016	303	0.016	0.014 - 0.017	264	0.013	0.012 - 0.015
Oregon	677	0.016	0.015 - 0.018	376	0.018	0.017 - 0.020	301	0.014	0.013 - 0.016
Pennsylvania	2,207	0.017	0.017 - 0.018	1,274	0.020	0.019 - 0.021	933	0.014	0.013 - 0.015
Rhode Island	168	0.016	0.014 - 0.018	77	0.015	0.012 - 0.019	91	0.017	0.013 - 0.021
South Carolina	654	0.013	0.012 - 0.014	349	0.014	0.013 - 0.016	305	0.012	0.011 - 0.013
Tennessee	909	0.014	0.013 - 0.015	473	0.015	0.013 - 0.016	436	0.013	0.012 - 0.014
Texas	4,114	0.015	0.014 - 0.015	2,193	0.016	0.015 - 0.016	1,921	0.014	0.013 - 0.014
Utah	445	0.014	0.013 - 0.016	251	0.016	0.014 - 0.018	194	0.013	0.011 - 0.015
Vermont	93	0.015	0.012 - 0.018	51	0.017	0.012 - 0.022	42	0.013	0.010 - 0.018
Virginia	1,123	0.013	0.013 - 0.014	613	0.015	0.014 - 0.016	510	0.012	0.011 - 0.013
Washington ³	1,269	0.017	0.016 - 0.018	715	0.019	0.018 - 0.021	554	0.015	0.014 - 0.016
WA - Seattle	947	0.019	0.017 - 0.020	533	0.021	0.019 - 0.023	414	0.016	0.015 - 0.018
West Virginia	352	0.019	0.017 - 0.021	190	0.021	0.018 - 0.024	162	0.018	0.015 - 0.021
Wisconsin	924	0.016	0.015 - 0.017	514	0.018	0.016 - 0.019	410	0.014	0.013 - 0.016
Wyoming	90	0.016	0.012 - 0.019	46	0.015	0.011 - 0.021	44	0.016	0.011 - 0.021
NAACCR CDN Combined¹	5,268	0.014	0.014 - 0.015	2,978	0.016	0.016 - 0.017	2,291	0.012	0.012 - 0.013
Alberta	591	0.014	0.013 - 0.015	332	0.016	0.014 - 0.017	259	0.012	0.011 - 0.014
British Columbia	670	0.014	0.013 - 0.015	395	0.016	0.015 - 0.018	275	0.011	0.010 - 0.013
Manitoba	173	0.013	0.011 - 0.015	101	0.015	0.012 - 0.019	72	0.011	0.008 - 0.014
New Brunswick	103	0.013	0.011 - 0.016	55	0.015	0.011 - 0.019	48	0.012	0.009 - 0.016
Newfoundland and Labrador	75	0.014	0.011 - 0.018	36	0.014	0.010 - 0.019	39	0.015	0.010 - 0.020
Nova Scotia	126	0.013	0.011 - 0.016	76	0.016	0.013 - 0.021	50	0.010	0.008 - 0.014
Ontario	2,131	0.015	0.015 - 0.016	1,176	0.017	0.016 - 0.018	955	0.013	0.013 - 0.014
Prince Edward Island	21	0.014	0.009 - 0.022	-	-	-	-	-	-
Saskatchewan	146	0.013	0.011 - 0.015	92	0.016	0.013 - 0.020	54	0.010	0.007 - 0.012
NAACCR N.A. Combined¹	54,114	0.015	0.015 - 0.015	29,637	0.017	0.016 - 0.017	24,478	0.013	0.013 - 0.014

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	229,902	0.071	0.070 - 0.071	55,517	0.035	0.034 - 0.035	174,414	0.106	0.105 - 0.106
Alabama	2,301	0.047	0.045 - 0.049	589	0.025	0.023 - 0.027	1,712	0.068	0.065 - 0.071
Alaska	423	0.057	0.052 - 0.063	109	0.028	0.023 - 0.034	314	0.089	0.079 - 0.099
Arizona	4,818	0.069	0.067 - 0.071	1,089	0.031	0.029 - 0.033	3,729	0.106	0.103 - 0.109
Arkansas	1,706	0.057	0.054 - 0.060	414	0.028	0.025 - 0.031	1,292	0.085	0.080 - 0.090
California	24,726	0.063	0.062 - 0.064	5,822	0.030	0.029 - 0.031	18,903	0.096	0.094 - 0.097
CA - Greater California	13,672	0.063	0.062 - 0.064	3,141	0.029	0.028 - 0.030	10,532	0.096	0.095 - 0.098
CA - Greater Bay Area	4,359	0.059	0.057 - 0.061	1,132	0.031	0.029 - 0.033	3,227	0.087	0.084 - 0.090
CA - Los Angeles	6,695	0.066	0.065 - 0.068	1,550	0.031	0.030 - 0.033	5,145	0.100	0.098 - 0.103
Colorado	4,089	0.073	0.071 - 0.076	1,046	0.037	0.035 - 0.040	3,043	0.110	0.106 - 0.114
Connecticut	3,538	0.099	0.096 - 0.102	892	0.051	0.048 - 0.055	2,646	0.144	0.139 - 0.150
Delaware	785	0.082	0.077 - 0.088	158	0.034	0.029 - 0.040	627	0.127	0.118 - 0.138
District of Columbia	476	0.069	0.063 - 0.075	110	0.034	0.028 - 0.040	366	0.101	0.091 - 0.112
Florida	13,006	0.063	0.061 - 0.064	3,165	0.031	0.030 - 0.032	9,841	0.093	0.091 - 0.094
Georgia	6,005	0.058	0.057 - 0.059	1,339	0.027	0.025 - 0.028	4,667	0.088	0.085 - 0.090
Hawaii	1,036	0.073	0.068 - 0.077	259	0.036	0.032 - 0.041	778	0.109	0.102 - 0.117
Idaho	1,244	0.073	0.069 - 0.077	294	0.034	0.031 - 0.039	951	0.112	0.105 - 0.119
Illinois	9,959	0.078	0.076 - 0.079	2,456	0.039	0.038 - 0.041	7,503	0.115	0.113 - 0.118
Iowa	2,164	0.069	0.066 - 0.072	556	0.036	0.033 - 0.039	1,608	0.102	0.097 - 0.107
Kentucky	3,448	0.078	0.075 - 0.080	854	0.039	0.036 - 0.042	2,594	0.115	0.111 - 0.120
Louisiana	3,223	0.069	0.067 - 0.071	753	0.033	0.031 - 0.035	2,470	0.103	0.099 - 0.108
Maine	1,142	0.086	0.081 - 0.091	311	0.048	0.042 - 0.053	831	0.122	0.114 - 0.131
Maryland	4,589	0.076	0.074 - 0.079	1,051	0.036	0.034 - 0.038	3,538	0.114	0.110 - 0.118
Michigan	6,530	0.066	0.064 - 0.067	1,581	0.032	0.031 - 0.034	4,949	0.098	0.095 - 0.101
MI - Detroit	3,233	0.083	0.080 - 0.086	764	0.041	0.038 - 0.044	2,469	0.124	0.119 - 0.128
Minnesota	3,544	0.064	0.062 - 0.066	907	0.033	0.031 - 0.035	2,637	0.095	0.091 - 0.098
Mississippi	1,575	0.053	0.050 - 0.055	354	0.024	0.022 - 0.027	1,221	0.079	0.075 - 0.084
Missouri	3,658	0.060	0.058 - 0.062	924	0.031	0.029 - 0.033	2,734	0.088	0.085 - 0.091
Montana	717	0.069	0.064 - 0.074	196	0.037	0.032 - 0.043	521	0.100	0.092 - 0.109
Nebraska	1,295	0.068	0.064 - 0.072	317	0.033	0.030 - 0.037	978	0.102	0.096 - 0.109
Nevada	2,217	0.075	0.072 - 0.078	511	0.035	0.032 - 0.038	1,706	0.116	0.111 - 0.122
New Hampshire	1,156	0.086	0.081 - 0.091	283	0.042	0.038 - 0.048	873	0.128	0.120 - 0.137
New Jersey	8,957	0.101	0.099 - 0.103	2,223	0.051	0.049 - 0.053	6,735	0.148	0.145 - 0.152
New Mexico	1,623	0.078	0.074 - 0.081	367	0.035	0.032 - 0.039	1,256	0.119	0.112 - 0.126
New York	20,046	0.102	0.101 - 0.104	4,878	0.051	0.050 - 0.053	15,168	0.150	0.148 - 0.153
North Carolina	6,258	0.061	0.060 - 0.063	1,518	0.031	0.029 - 0.032	4,740	0.090	0.088 - 0.093
North Dakota	622	0.082	0.076 - 0.089	157	0.041	0.034 - 0.047	465	0.126	0.115 - 0.138
Ohio	8,761	0.075	0.074 - 0.077	2,001	0.035	0.034 - 0.037	6,760	0.114	0.111 - 0.117
Oklahoma	2,430	0.062	0.059 - 0.064	569	0.029	0.027 - 0.032	1,861	0.094	0.090 - 0.098
Oregon	2,785	0.068	0.065 - 0.070	705	0.035	0.032 - 0.037	2,080	0.100	0.096 - 0.105
Pennsylvania	13,198	0.103	0.101 - 0.105	3,238	0.052	0.050 - 0.054	9,960	0.153	0.150 - 0.156
Rhode Island	1,023	0.097	0.091 - 0.103	259	0.050	0.044 - 0.057	764	0.141	0.131 - 0.151
South Carolina	2,867	0.057	0.055 - 0.060	696	0.029	0.027 - 0.031	2,171	0.085	0.081 - 0.088
Tennessee	4,238	0.063	0.062 - 0.065	1,055	0.032	0.030 - 0.034	3,183	0.093	0.090 - 0.096
Texas	15,714	0.056	0.055 - 0.057	3,745	0.027	0.026 - 0.028	11,969	0.085	0.083 - 0.086
Utah	2,410	0.078	0.075 - 0.082	548	0.035	0.033 - 0.039	1,861	0.122	0.117 - 0.128
Vermont	457	0.073	0.067 - 0.080	134	0.043	0.036 - 0.051	323	0.102	0.091 - 0.114
Virginia	5,542	0.066	0.064 - 0.067	1,277	0.031	0.029 - 0.032	4,265	0.100	0.097 - 0.103
Washington ³	4,920	0.067	0.065 - 0.069	1,210	0.033	0.031 - 0.035	3,710	0.101	0.098 - 0.104
WA - Seattle	3,475	0.068	0.066 - 0.071	873	0.034	0.032 - 0.037	2,602	0.103	0.099 - 0.107
West Virginia	1,568	0.086	0.082 - 0.090	355	0.039	0.035 - 0.044	1,213	0.132	0.124 - 0.139
Wisconsin	4,002	0.069	0.067 - 0.071	999	0.035	0.033 - 0.037	3,003	0.103	0.100 - 0.107
Wyoming	404	0.069	0.063 - 0.077	101	0.034	0.028 - 0.041	302	0.106	0.095 - 0.119
NAACCR CDN Combined¹	29,903	0.082	0.081 - 0.083	7,352	0.040	0.039 - 0.041	22,499	0.122	0.121 - 0.124
Alberta	2,427	0.058	0.055 - 0.060	621	0.029	0.027 - 0.032	1,806	0.086	0.082 - 0.090
British Columbia	2,127	0.043	0.042 - 0.045	557	0.023	0.021 - 0.025	1,570	0.064	0.060 - 0.067
Manitoba	704	0.053	0.049 - 0.057	175	0.026	0.023 - 0.031	529	0.080	0.073 - 0.087
New Brunswick	572	0.075	0.069 - 0.081	163	0.043	0.037 - 0.050	409	0.106	0.096 - 0.117
Newfoundland and Labrador	591	0.112	0.103 - 0.121	129	0.049	0.041 - 0.058	462	0.173	0.158 - 0.190
Nova Scotia	621	0.066	0.061 - 0.071	165	0.036	0.030 - 0.042	456	0.094	0.086 - 0.103
Ontario	15,267	0.109	0.108 - 0.111	3,620	0.053	0.051 - 0.054	11,647	0.164	0.161 - 0.167
Prince Edward Island	47	0.032	0.023 - 0.042	12	0.017	0.009 - 0.029	35	0.046	0.032 - 0.064
Saskatchewan	476	0.042	0.038 - 0.046	141	0.024	0.021 - 0.029	335	0.059	0.053 - 0.066
NAACCR N.A. Combined¹	259,805	0.072	0.071 - 0.072	62,869	0.035	0.035 - 0.035	196,913	0.107	0.107 - 0.108

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-120 Prevalence – Thyroid

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	37,609	0.012	0.011 - 0.012	20,524	0.013	0.013 - 0.013	17,084	0.010	0.010 - 0.011
Alabama	479	0.010	0.009 - 0.011	257	0.011	0.010 - 0.012	222	0.009	0.008 - 0.010
Alaska	55	0.007	0.006 - 0.010	30	0.008	0.005 - 0.011	25	0.007	0.005 - 0.010
Arizona	628	0.009	0.008 - 0.010	348	0.010	0.009 - 0.011	280	0.008	0.007 - 0.009
Arkansas	353	0.012	0.011 - 0.013	198	0.013	0.012 - 0.015	155	0.010	0.009 - 0.012
California	3,788	0.010	0.009 - 0.010	2,076	0.011	0.010 - 0.011	1,712	0.009	0.008 - 0.009
CA - Greater California	2,108	0.010	0.009 - 0.010	1,153	0.011	0.010 - 0.011	955	0.009	0.008 - 0.009
CA - Greater Bay Area	750	0.010	0.009 - 0.011	429	0.012	0.011 - 0.013	321	0.009	0.008 - 0.010
CA - Los Angeles	929	0.009	0.009 - 0.010	494	0.010	0.009 - 0.011	435	0.008	0.008 - 0.009
Colorado	584	0.010	0.010 - 0.011	325	0.012	0.010 - 0.013	259	0.009	0.008 - 0.011
Connecticut	539	0.015	0.014 - 0.016	291	0.017	0.015 - 0.019	248	0.014	0.012 - 0.015
Delaware	126	0.013	0.011 - 0.016	72	0.016	0.012 - 0.020	54	0.011	0.008 - 0.014
District of Columbia	89	0.013	0.010 - 0.016	43	0.013	0.009 - 0.018	46	0.013	0.009 - 0.017
Florida	2,775	0.013	0.013 - 0.014	1,480	0.015	0.014 - 0.015	1,295	0.012	0.012 - 0.013
Georgia	1,087	0.010	0.010 - 0.011	578	0.011	0.011 - 0.012	510	0.010	0.009 - 0.010
Hawaii	97	0.007	0.006 - 0.008	57	0.008	0.006 - 0.010	40	0.006	0.004 - 0.008
Idaho	180	0.011	0.009 - 0.012	102	0.012	0.010 - 0.015	78	0.009	0.007 - 0.011
Illinois	1,527	0.012	0.011 - 0.013	860	0.014	0.013 - 0.015	667	0.010	0.009 - 0.011
Iowa	436	0.014	0.013 - 0.015	254	0.016	0.014 - 0.018	182	0.012	0.010 - 0.013
Kentucky	504	0.011	0.010 - 0.012	290	0.013	0.012 - 0.015	214	0.009	0.008 - 0.011
Louisiana	533	0.011	0.010 - 0.012	285	0.012	0.011 - 0.014	248	0.010	0.009 - 0.012
Maine	197	0.015	0.013 - 0.017	99	0.015	0.012 - 0.018	98	0.014	0.012 - 0.018
Maryland	710	0.012	0.011 - 0.013	374	0.013	0.012 - 0.014	336	0.011	0.010 - 0.012
Michigan	1,200	0.012	0.011 - 0.013	669	0.014	0.013 - 0.015	531	0.010	0.010 - 0.011
MI - Detroit	537	0.014	0.013 - 0.015	313	0.017	0.015 - 0.019	224	0.011	0.010 - 0.013
Minnesota	718	0.013	0.012 - 0.014	418	0.015	0.014 - 0.017	300	0.011	0.010 - 0.012
Mississippi	306	0.010	0.009 - 0.011	164	0.011	0.010 - 0.013	142	0.009	0.008 - 0.011
Missouri	745	0.012	0.011 - 0.013	404	0.013	0.012 - 0.015	341	0.011	0.010 - 0.012
Montana	125	0.012	0.010 - 0.014	74	0.014	0.011 - 0.018	51	0.010	0.007 - 0.013
Nebraska	244	0.013	0.011 - 0.014	139	0.015	0.012 - 0.017	105	0.011	0.009 - 0.013
Nevada	216	0.007	0.006 - 0.008	112	0.008	0.006 - 0.009	104	0.007	0.006 - 0.009
New Hampshire	181	0.013	0.012 - 0.016	102	0.015	0.012 - 0.019	79	0.012	0.009 - 0.014
New Jersey	1,286	0.014	0.014 - 0.015	696	0.016	0.015 - 0.017	590	0.013	0.012 - 0.014
New Mexico	215	0.010	0.009 - 0.012	124	0.012	0.010 - 0.014	92	0.009	0.007 - 0.011
New York	2,906	0.015	0.014 - 0.015	1,528	0.016	0.015 - 0.017	1,378	0.014	0.013 - 0.014
North Carolina	1,108	0.011	0.010 - 0.012	620	0.012	0.012 - 0.013	488	0.009	0.009 - 0.010
North Dakota	101	0.013	0.011 - 0.016	65	0.017	0.013 - 0.021	36	0.010	0.007 - 0.014
Ohio	1,402	0.012	0.011 - 0.013	793	0.014	0.013 - 0.015	609	0.010	0.009 - 0.011
Oklahoma	417	0.011	0.010 - 0.012	224	0.012	0.010 - 0.013	193	0.010	0.008 - 0.011
Oregon	416	0.010	0.009 - 0.011	214	0.010	0.009 - 0.012	202	0.010	0.008 - 0.011
Pennsylvania	1,896	0.015	0.014 - 0.016	1,063	0.017	0.016 - 0.018	833	0.013	0.012 - 0.014
Rhode Island	157	0.015	0.013 - 0.017	74	0.014	0.011 - 0.018	83	0.015	0.012 - 0.019
South Carolina	547	0.011	0.010 - 0.012	292	0.012	0.011 - 0.014	255	0.010	0.009 - 0.011
Tennessee	762	0.011	0.011 - 0.012	408	0.013	0.011 - 0.014	354	0.010	0.009 - 0.011
Texas	2,718	0.010	0.009 - 0.010	1,448	0.010	0.010 - 0.011	1,270	0.009	0.008 - 0.009
Utah	327	0.011	0.010 - 0.012	175	0.011	0.010 - 0.013	152	0.010	0.008 - 0.012
Vermont	85	0.014	0.011 - 0.017	44	0.014	0.010 - 0.019	41	0.013	0.009 - 0.018
Virginia	887	0.011	0.010 - 0.011	458	0.011	0.010 - 0.012	429	0.010	0.009 - 0.011
Washington ³	839	0.011	0.011 - 0.012	481	0.013	0.012 - 0.014	358	0.010	0.009 - 0.011
WA - Seattle	604	0.012	0.011 - 0.013	348	0.014	0.012 - 0.015	256	0.010	0.009 - 0.011
West Virginia	189	0.010	0.009 - 0.012	105	0.012	0.010 - 0.014	84	0.009	0.007 - 0.011
Wisconsin	779	0.013	0.013 - 0.014	442	0.015	0.014 - 0.017	337	0.012	0.010 - 0.013
Wyoming	53	0.009	0.007 - 0.012	30	0.010	0.007 - 0.014	23	0.008	0.005 - 0.012
NAACCR CDN Combined¹	4,166	0.011	0.011 - 0.012	2,302	0.013	0.012 - 0.013	1,865	0.010	0.010 - 0.011
Alberta	475	0.011	0.010 - 0.012	290	0.014	0.012 - 0.015	185	0.009	0.008 - 0.010
British Columbia	509	0.010	0.010 - 0.011	274	0.011	0.010 - 0.013	235	0.010	0.008 - 0.011
Manitoba	158	0.012	0.010 - 0.014	95	0.014	0.012 - 0.018	63	0.009	0.007 - 0.012
New Brunswick	92	0.012	0.010 - 0.015	46	0.012	0.009 - 0.016	46	0.012	0.009 - 0.016
Newfoundland and Labrador	57	0.011	0.008 - 0.014	27	0.010	0.007 - 0.015	30	0.011	0.008 - 0.016
Nova Scotia	90	0.010	0.008 - 0.012	56	0.012	0.009 - 0.016	34	0.007	0.005 - 0.010
Ontario	1,695	0.012	0.012 - 0.013	912	0.013	0.012 - 0.014	783	0.011	0.010 - 0.012
Prince Edward Island	22	0.015	0.009 - 0.022	12	0.017	0.009 - 0.029	10	0.013	0.006 - 0.024
Saskatchewan	115	0.010	0.008 - 0.012	59	0.010	0.008 - 0.013	56	0.010	0.007 - 0.013
NAACCR N.A. Combined¹	41,775	0.012	0.011 - 0.012	22,826	0.013	0.013 - 0.013	18,950	0.010	0.010 - 0.011

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	247,639	0.076	0.076 - 0.077	132,903	0.083	0.083 - 0.084	114,706	0.070	0.069 - 0.070
Alabama	3,124	0.064	0.062 - 0.066	1,659	0.070	0.067 - 0.074	1,465	0.058	0.055 - 0.061
Alaska	429	0.058	0.053 - 0.064	259	0.067	0.059 - 0.076	170	0.048	0.041 - 0.056
Arizona	4,114	0.059	0.057 - 0.061	2,221	0.064	0.061 - 0.067	1,893	0.054	0.051 - 0.056
Arkansas	2,195	0.073	0.070 - 0.076	1,183	0.080	0.076 - 0.085	1,012	0.066	0.062 - 0.071
California	26,661	0.068	0.067 - 0.069	14,592	0.075	0.074 - 0.076	12,069	0.061	0.060 - 0.062
CA - Greater California	14,497	0.067	0.065 - 0.068	7,998	0.074	0.072 - 0.075	6,499	0.059	0.058 - 0.061
CA - Greater Bay Area	5,815	0.079	0.077 - 0.081	3,230	0.088	0.085 - 0.091	2,585	0.070	0.067 - 0.072
CA - Los Angeles	6,351	0.063	0.061 - 0.064	3,365	0.067	0.065 - 0.070	2,986	0.058	0.056 - 0.060
Colorado	3,556	0.064	0.062 - 0.066	1,995	0.071	0.068 - 0.074	1,561	0.056	0.054 - 0.059
Connecticut	3,460	0.097	0.094 - 0.100	1,851	0.106	0.101 - 0.111	1,610	0.088	0.084 - 0.092
Delaware	864	0.091	0.085 - 0.097	445	0.097	0.088 - 0.106	419	0.085	0.077 - 0.094
District of Columbia	360	0.052	0.047 - 0.058	193	0.059	0.051 - 0.068	167	0.046	0.039 - 0.054
Florida	21,583	0.104	0.102 - 0.105	11,318	0.111	0.109 - 0.113	10,265	0.097	0.095 - 0.098
Georgia	6,616	0.064	0.062 - 0.065	3,587	0.071	0.069 - 0.074	3,029	0.057	0.055 - 0.059
Hawaii	963	0.068	0.063 - 0.072	540	0.075	0.069 - 0.082	422	0.059	0.054 - 0.065
Idaho	1,214	0.071	0.067 - 0.076	657	0.077	0.071 - 0.083	557	0.066	0.060 - 0.071
Illinois	10,032	0.078	0.077 - 0.080	5,357	0.085	0.083 - 0.087	4,675	0.072	0.070 - 0.074
Iowa	2,795	0.089	0.086 - 0.092	1,510	0.097	0.092 - 0.102	1,285	0.081	0.077 - 0.086
Kentucky	3,565	0.080	0.078 - 0.083	1,924	0.088	0.084 - 0.092	1,642	0.073	0.069 - 0.076
Louisiana	3,411	0.073	0.071 - 0.075	1,814	0.079	0.076 - 0.083	1,596	0.067	0.064 - 0.070
Maine	1,357	0.102	0.096 - 0.107	740	0.113	0.105 - 0.122	617	0.091	0.084 - 0.098
Maryland	4,254	0.071	0.069 - 0.073	2,212	0.076	0.073 - 0.079	2,042	0.066	0.063 - 0.069
Michigan	8,271	0.083	0.081 - 0.085	4,423	0.090	0.088 - 0.093	3,848	0.076	0.074 - 0.078
MI - Detroit	3,347	0.086	0.083 - 0.089	1,768	0.094	0.090 - 0.098	1,579	0.079	0.075 - 0.083
Minnesota	4,879	0.088	0.086 - 0.090	2,696	0.098	0.094 - 0.101	2,183	0.078	0.075 - 0.082
Mississippi	1,913	0.064	0.061 - 0.067	981	0.068	0.063 - 0.072	932	0.061	0.057 - 0.065
Missouri	4,792	0.079	0.076 - 0.081	2,552	0.085	0.082 - 0.089	2,240	0.072	0.069 - 0.075
Montana	893	0.085	0.080 - 0.091	493	0.094	0.085 - 0.102	400	0.077	0.070 - 0.085
Nebraska	1,530	0.080	0.076 - 0.084	846	0.089	0.083 - 0.095	684	0.071	0.066 - 0.077
Nevada	1,597	0.054	0.052 - 0.057	877	0.059	0.055 - 0.063	720	0.049	0.046 - 0.053
New Hampshire	1,329	0.099	0.093 - 0.104	721	0.108	0.100 - 0.116	608	0.089	0.082 - 0.097
New Jersey	8,134	0.092	0.090 - 0.094	4,261	0.098	0.095 - 0.101	3,873	0.085	0.083 - 0.088
New Mexico	1,277	0.061	0.058 - 0.064	640	0.062	0.057 - 0.067	638	0.060	0.056 - 0.065
New York	17,891	0.091	0.090 - 0.093	9,409	0.099	0.097 - 0.101	8,483	0.084	0.082 - 0.086
North Carolina	7,087	0.069	0.068 - 0.071	3,814	0.077	0.074 - 0.079	3,273	0.062	0.060 - 0.065
North Dakota	548	0.073	0.067 - 0.079	289	0.075	0.066 - 0.084	259	0.070	0.062 - 0.080
Ohio	9,196	0.079	0.077 - 0.081	4,972	0.087	0.085 - 0.090	4,224	0.071	0.069 - 0.073
Oklahoma	2,607	0.066	0.064 - 0.069	1,385	0.071	0.067 - 0.075	1,222	0.062	0.058 - 0.065
Oregon	3,282	0.080	0.077 - 0.082	1,782	0.087	0.083 - 0.091	1,500	0.072	0.069 - 0.076
Pennsylvania	12,201	0.095	0.094 - 0.097	6,436	0.103	0.100 - 0.105	5,765	0.088	0.086 - 0.091
Rhode Island	992	0.094	0.088 - 0.100	525	0.102	0.094 - 0.111	467	0.086	0.078 - 0.094
South Carolina	3,327	0.067	0.064 - 0.069	1,789	0.074	0.071 - 0.077	1,538	0.060	0.057 - 0.063
Tennessee	4,619	0.069	0.067 - 0.071	2,512	0.077	0.074 - 0.080	2,107	0.062	0.059 - 0.064
Texas	16,142	0.057	0.057 - 0.058	8,673	0.062	0.061 - 0.063	7,469	0.053	0.052 - 0.054
Utah	1,704	0.055	0.053 - 0.058	969	0.063	0.059 - 0.067	735	0.048	0.045 - 0.052
Vermont	620	0.099	0.092 - 0.107	343	0.111	0.100 - 0.124	277	0.088	0.078 - 0.099
Virginia	5,486	0.065	0.063 - 0.067	3,005	0.072	0.070 - 0.075	2,481	0.058	0.056 - 0.060
Washington ³	5,673	0.077	0.075 - 0.079	3,152	0.086	0.083 - 0.089	2,521	0.069	0.066 - 0.071
WA - Seattle	4,110	0.081	0.079 - 0.084	2,331	0.092	0.088 - 0.096	1,779	0.070	0.067 - 0.073
West Virginia	1,605	0.088	0.084 - 0.092	841	0.093	0.087 - 0.100	764	0.083	0.077 - 0.089
Wisconsin	5,251	0.091	0.088 - 0.093	2,842	0.099	0.095 - 0.103	2,409	0.083	0.080 - 0.086
Wyoming	383	0.066	0.059 - 0.073	218	0.074	0.064 - 0.084	165	0.058	0.049 - 0.068
NAACCR CDN Combined¹	30,435	0.082	0.081 - 0.083	16,720	0.091	0.090 - 0.093	13,716	0.074	0.072 - 0.075
Alberta	2,788	0.066	0.064 - 0.069	1,560	0.073	0.070 - 0.077	1,228	0.059	0.055 - 0.062
British Columbia	3,946	0.081	0.078 - 0.083	2,135	0.088	0.084 - 0.092	1,811	0.073	0.070 - 0.077
Manitoba	1,052	0.079	0.075 - 0.084	589	0.089	0.082 - 0.097	463	0.070	0.064 - 0.076
New Brunswick	809	0.106	0.099 - 0.113	441	0.117	0.106 - 0.128	368	0.095	0.086 - 0.105
Newfoundland and Labrador	572	0.108	0.099 - 0.117	313	0.119	0.107 - 0.133	259	0.097	0.086 - 0.110
Nova Scotia	979	0.103	0.097 - 0.110	550	0.119	0.109 - 0.129	429	0.089	0.080 - 0.097
Ontario	11,898	0.085	0.084 - 0.087	6,528	0.095	0.093 - 0.097	5,370	0.076	0.074 - 0.078
Prince Edward Island	141	0.095	0.080 - 0.112	81	0.112	0.089 - 0.139	60	0.079	0.060 - 0.102
Saskatchewan	807	0.071	0.066 - 0.076	428	0.074	0.067 - 0.082	379	0.067	0.060 - 0.074
NAACCR N.A. Combined¹	278,075	0.077	0.076 - 0.077	149,623	0.084	0.083 - 0.084	128,422	0.070	0.069 - 0.070

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-122 Prevalence – Non-Hodgkin Lymphoma

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	81,213	0.025	0.025 - 0.025	45,043	0.028	0.028 - 0.029	36,158	0.022	0.022 - 0.022
Alabama	1,246	0.026	0.024 - 0.027	632	0.027	0.025 - 0.029	614	0.024	0.023 - 0.026
Alaska	101	0.014	0.011 - 0.017	55	0.014	0.011 - 0.018	46	0.013	0.010 - 0.017
Arizona	1,216	0.017	0.016 - 0.018	699	0.020	0.019 - 0.022	517	0.015	0.013 - 0.016
Arkansas	776	0.026	0.024 - 0.028	411	0.028	0.025 - 0.031	365	0.024	0.022 - 0.027
California	7,822	0.020	0.019 - 0.020	4,487	0.023	0.022 - 0.024	3,335	0.017	0.016 - 0.017
CA - Greater California	4,291	0.020	0.019 - 0.020	2,458	0.023	0.022 - 0.024	1,833	0.017	0.016 - 0.018
CA - Greater Bay Area	1,623	0.022	0.021 - 0.023	949	0.026	0.024 - 0.027	674	0.018	0.017 - 0.020
CA - Los Angeles	1,910	0.019	0.018 - 0.020	1,082	0.022	0.020 - 0.023	828	0.016	0.015 - 0.017
Colorado	1,149	0.021	0.019 - 0.022	713	0.025	0.024 - 0.027	436	0.016	0.014 - 0.017
Connecticut	1,114	0.031	0.029 - 0.033	631	0.036	0.033 - 0.039	484	0.026	0.024 - 0.029
Delaware	299	0.031	0.028 - 0.035	165	0.036	0.031 - 0.042	134	0.027	0.023 - 0.032
District of Columbia	193	0.028	0.024 - 0.032	97	0.030	0.024 - 0.036	96	0.026	0.021 - 0.032
Florida	7,400	0.036	0.035 - 0.036	4,042	0.040	0.039 - 0.041	3,358	0.032	0.031 - 0.033
Georgia	2,892	0.028	0.027 - 0.029	1,507	0.030	0.028 - 0.031	1,385	0.026	0.025 - 0.027
Hawaii	298	0.021	0.019 - 0.023	162	0.023	0.019 - 0.026	135	0.019	0.016 - 0.023
Idaho	356	0.021	0.019 - 0.023	228	0.027	0.023 - 0.030	128	0.015	0.013 - 0.018
Illinois	3,148	0.025	0.024 - 0.025	1,706	0.027	0.026 - 0.028	1,442	0.022	0.021 - 0.023
Iowa	812	0.026	0.024 - 0.028	472	0.030	0.028 - 0.033	339	0.022	0.019 - 0.024
Kentucky	1,107	0.025	0.023 - 0.026	658	0.030	0.028 - 0.032	448	0.020	0.018 - 0.022
Louisiana	1,321	0.028	0.027 - 0.030	694	0.030	0.028 - 0.033	627	0.026	0.024 - 0.028
Maine	359	0.027	0.024 - 0.030	202	0.031	0.027 - 0.036	157	0.023	0.020 - 0.027
Maryland	1,599	0.027	0.025 - 0.028	827	0.028	0.026 - 0.030	772	0.025	0.023 - 0.027
Michigan	2,631	0.026	0.025 - 0.027	1,499	0.031	0.029 - 0.032	1,132	0.022	0.021 - 0.024
MI - Detroit	1,191	0.031	0.029 - 0.032	655	0.035	0.032 - 0.038	536	0.027	0.025 - 0.029
Minnesota	1,436	0.026	0.025 - 0.027	834	0.030	0.028 - 0.032	602	0.022	0.020 - 0.023
Mississippi	756	0.025	0.024 - 0.027	397	0.027	0.025 - 0.030	359	0.023	0.021 - 0.026
Missouri	1,515	0.025	0.024 - 0.026	857	0.029	0.027 - 0.031	658	0.021	0.020 - 0.023
Montana	289	0.028	0.024 - 0.031	177	0.034	0.029 - 0.039	111	0.021	0.018 - 0.026
Nebraska	430	0.022	0.020 - 0.025	244	0.026	0.022 - 0.029	186	0.019	0.017 - 0.022
Nevada	417	0.014	0.013 - 0.016	226	0.015	0.013 - 0.017	191	0.013	0.011 - 0.015
New Hampshire	356	0.026	0.024 - 0.029	204	0.031	0.027 - 0.035	152	0.022	0.019 - 0.026
New Jersey	2,601	0.029	0.028 - 0.030	1,385	0.032	0.030 - 0.034	1,216	0.027	0.025 - 0.028
New Mexico	423	0.020	0.018 - 0.022	252	0.024	0.021 - 0.028	171	0.016	0.014 - 0.019
New York	6,424	0.033	0.032 - 0.034	3,497	0.037	0.036 - 0.038	2,926	0.029	0.028 - 0.030
North Carolina	2,903	0.028	0.027 - 0.029	1,577	0.032	0.030 - 0.033	1,326	0.025	0.024 - 0.027
North Dakota	162	0.021	0.018 - 0.025	94	0.024	0.020 - 0.030	68	0.018	0.014 - 0.023
Ohio	2,605	0.022	0.022 - 0.023	1,471	0.026	0.024 - 0.027	1,134	0.019	0.018 - 0.020
Oklahoma	861	0.022	0.020 - 0.023	485	0.025	0.023 - 0.027	376	0.019	0.017 - 0.021
Oregon	812	0.020	0.018 - 0.021	462	0.023	0.021 - 0.025	350	0.017	0.015 - 0.019
Pennsylvania	3,534	0.028	0.027 - 0.029	1,955	0.031	0.030 - 0.033	1,579	0.024	0.023 - 0.025
Rhode Island	255	0.024	0.021 - 0.027	156	0.030	0.026 - 0.036	99	0.018	0.015 - 0.022
South Carolina	1,502	0.030	0.029 - 0.032	794	0.033	0.031 - 0.035	708	0.028	0.026 - 0.030
Tennessee	1,593	0.024	0.023 - 0.025	879	0.027	0.025 - 0.029	714	0.021	0.019 - 0.022
Texas	6,057	0.022	0.021 - 0.022	3,307	0.024	0.023 - 0.024	2,750	0.019	0.019 - 0.020
Utah	492	0.016	0.015 - 0.017	283	0.018	0.016 - 0.021	209	0.014	0.012 - 0.016
Vermont	150	0.024	0.020 - 0.028	89	0.029	0.023 - 0.036	61	0.019	0.015 - 0.025
Virginia	1,817	0.022	0.021 - 0.023	1,003	0.024	0.023 - 0.026	814	0.019	0.018 - 0.020
Washington ³	1,644	0.022	0.021 - 0.023	945	0.026	0.024 - 0.027	699	0.019	0.018 - 0.020
WA - Seattle	1,204	0.024	0.022 - 0.025	690	0.027	0.025 - 0.029	514	0.020	0.019 - 0.022
West Virginia	452	0.025	0.023 - 0.027	267	0.030	0.026 - 0.033	185	0.020	0.017 - 0.023
Wisconsin	1,622	0.028	0.027 - 0.029	927	0.032	0.030 - 0.034	695	0.024	0.022 - 0.026
Wyoming	114	0.020	0.016 - 0.023	64	0.021	0.016 - 0.027	50	0.018	0.013 - 0.023
NAACCR CDN Combined¹	9,281	0.025	0.024 - 0.026	5,318	0.029	0.028 - 0.030	3,962	0.021	0.020 - 0.022
Alberta	805	0.019	0.018 - 0.020	487	0.023	0.021 - 0.025	318	0.015	0.014 - 0.017
British Columbia	1,068	0.022	0.021 - 0.023	609	0.025	0.023 - 0.027	459	0.019	0.017 - 0.020
Manitoba	295	0.022	0.020 - 0.025	174	0.026	0.023 - 0.031	121	0.018	0.015 - 0.022
New Brunswick	195	0.025	0.022 - 0.029	123	0.033	0.027 - 0.039	72	0.019	0.015 - 0.023
Newfoundland and Labrador	141	0.027	0.022 - 0.031	76	0.029	0.023 - 0.036	65	0.024	0.019 - 0.031
Nova Scotia	266	0.028	0.025 - 0.032	162	0.035	0.030 - 0.041	104	0.021	0.018 - 0.026
Ontario	3,928	0.028	0.027 - 0.029	2,196	0.032	0.031 - 0.033	1,732	0.024	0.023 - 0.026
Prince Edward Island	49	0.033	0.024 - 0.044	32	0.044	0.030 - 0.062	17	0.022	0.013 - 0.036
Saskatchewan	239	0.021	0.018 - 0.024	143	0.025	0.021 - 0.029	96	0.017	0.014 - 0.021
NAACCR N.A. Combined¹	90,494	0.025	0.025 - 0.025	50,360	0.028	0.028 - 0.029	40,120	0.022	0.022 - 0.022

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	156,812	0.048	0.048 - 0.048	91,414	0.057	0.057 - 0.057	65,369	0.040	0.039 - 0.040
Alabama	1,906	0.039	0.037 - 0.041	1,105	0.047	0.044 - 0.050	801	0.032	0.030 - 0.034
Alaska	251	0.034	0.030 - 0.038	155	0.040	0.034 - 0.047	96	0.027	0.022 - 0.033
Arizona	2,239	0.032	0.031 - 0.033	1,277	0.037	0.035 - 0.039	962	0.027	0.026 - 0.029
Arkansas	1,498	0.050	0.047 - 0.053	882	0.060	0.056 - 0.064	616	0.040	0.037 - 0.044
California	15,414	0.039	0.039 - 0.040	9,156	0.047	0.046 - 0.048	6,257	0.032	0.031 - 0.032
CA - Greater California	8,723	0.040	0.039 - 0.041	5,196	0.048	0.047 - 0.049	3,528	0.032	0.031 - 0.033
CA - Greater Bay Area	3,042	0.041	0.040 - 0.043	1,856	0.050	0.048 - 0.053	1,186	0.032	0.030 - 0.034
CA - Los Angeles	3,646	0.036	0.035 - 0.037	2,104	0.042	0.040 - 0.044	1,543	0.030	0.029 - 0.032
Colorado	2,376	0.043	0.041 - 0.044	1,418	0.051	0.048 - 0.053	958	0.035	0.032 - 0.037
Connecticut	1,939	0.054	0.052 - 0.057	1,098	0.063	0.059 - 0.067	841	0.046	0.043 - 0.049
Delaware	478	0.050	0.046 - 0.055	287	0.062	0.055 - 0.070	191	0.039	0.033 - 0.045
District of Columbia	168	0.024	0.021 - 0.028	89	0.027	0.022 - 0.033	79	0.022	0.017 - 0.027
Florida	15,241	0.073	0.072 - 0.074	8,579	0.084	0.083 - 0.086	6,662	0.063	0.061 - 0.064
Georgia	4,496	0.043	0.042 - 0.045	2,562	0.051	0.049 - 0.053	1,934	0.036	0.035 - 0.038
Hawaii	513	0.036	0.033 - 0.039	321	0.045	0.040 - 0.050	193	0.027	0.023 - 0.031
Idaho	915	0.054	0.050 - 0.057	545	0.064	0.059 - 0.070	370	0.044	0.039 - 0.048
Illinois	5,566	0.043	0.042 - 0.045	3,232	0.051	0.050 - 0.053	2,334	0.036	0.034 - 0.037
Iowa	1,895	0.060	0.058 - 0.063	1,149	0.074	0.069 - 0.078	746	0.047	0.044 - 0.051
Kentucky	2,350	0.053	0.051 - 0.055	1,391	0.064	0.060 - 0.067	959	0.043	0.040 - 0.045
Louisiana	2,220	0.047	0.046 - 0.050	1,253	0.055	0.052 - 0.058	967	0.040	0.038 - 0.043
Maine	821	0.062	0.057 - 0.066	484	0.074	0.068 - 0.081	337	0.050	0.044 - 0.055
Maryland	2,510	0.042	0.040 - 0.043	1,400	0.048	0.046 - 0.051	1,110	0.036	0.034 - 0.038
Michigan	4,922	0.049	0.048 - 0.051	2,828	0.058	0.056 - 0.060	2,094	0.041	0.040 - 0.043
MI - Detroit	2,192	0.056	0.054 - 0.059	1,259	0.067	0.063 - 0.071	932	0.047	0.044 - 0.050
Minnesota	3,279	0.059	0.057 - 0.061	2,037	0.074	0.071 - 0.077	1,242	0.045	0.042 - 0.047
Mississippi	1,158	0.039	0.037 - 0.041	663	0.046	0.042 - 0.049	495	0.032	0.029 - 0.035
Missouri	2,905	0.048	0.046 - 0.049	1,667	0.056	0.053 - 0.058	1,238	0.040	0.038 - 0.042
Montana	639	0.061	0.056 - 0.066	418	0.079	0.072 - 0.087	221	0.043	0.037 - 0.048
Nebraska	921	0.048	0.045 - 0.051	555	0.058	0.053 - 0.063	366	0.038	0.034 - 0.042
Nevada	1,057	0.036	0.034 - 0.038	630	0.043	0.039 - 0.046	427	0.029	0.026 - 0.032
New Hampshire	726	0.054	0.050 - 0.058	446	0.067	0.061 - 0.073	280	0.041	0.037 - 0.046
New Jersey	5,052	0.057	0.055 - 0.058	2,933	0.068	0.065 - 0.070	2,119	0.047	0.045 - 0.049
New Mexico	980	0.047	0.044 - 0.050	538	0.052	0.048 - 0.056	443	0.042	0.038 - 0.046
New York	12,047	0.061	0.060 - 0.063	6,982	0.073	0.072 - 0.075	5,064	0.050	0.049 - 0.052
North Carolina	5,094	0.050	0.049 - 0.051	2,960	0.060	0.057 - 0.062	2,134	0.041	0.039 - 0.042
North Dakota	419	0.056	0.050 - 0.061	259	0.067	0.059 - 0.076	160	0.044	0.037 - 0.051
Ohio	4,612	0.040	0.038 - 0.041	2,736	0.048	0.046 - 0.050	1,876	0.032	0.030 - 0.033
Oklahoma	1,785	0.045	0.043 - 0.048	1,033	0.053	0.050 - 0.056	752	0.038	0.035 - 0.041
Oregon	1,868	0.045	0.043 - 0.047	1,088	0.053	0.050 - 0.057	780	0.038	0.035 - 0.040
Pennsylvania	7,130	0.056	0.054 - 0.057	4,208	0.067	0.065 - 0.069	2,922	0.045	0.043 - 0.046
Rhode Island	595	0.056	0.052 - 0.061	349	0.068	0.061 - 0.075	246	0.045	0.040 - 0.051
South Carolina	2,181	0.044	0.042 - 0.046	1,254	0.052	0.049 - 0.055	927	0.036	0.034 - 0.038
Tennessee	3,072	0.046	0.044 - 0.048	1,789	0.055	0.052 - 0.058	1,283	0.038	0.035 - 0.040
Texas	11,641	0.041	0.041 - 0.042	6,775	0.048	0.047 - 0.050	4,866	0.034	0.033 - 0.035
Utah	1,210	0.039	0.037 - 0.042	744	0.048	0.045 - 0.052	466	0.031	0.028 - 0.033
Vermont	291	0.047	0.041 - 0.052	168	0.055	0.047 - 0.063	123	0.039	0.032 - 0.046
Virginia	2,739	0.032	0.031 - 0.034	1,527	0.037	0.035 - 0.039	1,212	0.028	0.027 - 0.030
Washington ³	3,788	0.051	0.050 - 0.053	2,284	0.062	0.060 - 0.065	1,504	0.041	0.039 - 0.043
WA - Seattle	2,791	0.055	0.053 - 0.057	1,697	0.067	0.064 - 0.070	1,094	0.043	0.041 - 0.046
West Virginia	1,035	0.057	0.053 - 0.060	609	0.067	0.062 - 0.073	426	0.046	0.042 - 0.051
Wisconsin	3,736	0.065	0.063 - 0.067	2,255	0.078	0.075 - 0.082	1,481	0.051	0.048 - 0.054
Wyoming	276	0.047	0.042 - 0.053	164	0.055	0.047 - 0.064	112	0.039	0.032 - 0.047
NAACCR CDN Combined¹	21,727	0.059	0.058 - 0.060	12,964	0.071	0.069 - 0.072	8,763	0.047	0.046 - 0.048
Alberta	2,156	0.051	0.049 - 0.053	1,323	0.062	0.059 - 0.066	833	0.040	0.037 - 0.043
British Columbia	2,332	0.048	0.046 - 0.050	1,395	0.058	0.055 - 0.061	937	0.038	0.036 - 0.040
Manitoba	694	0.052	0.049 - 0.056	424	0.064	0.058 - 0.071	270	0.041	0.036 - 0.046
New Brunswick	563	0.074	0.068 - 0.080	336	0.089	0.080 - 0.099	227	0.059	0.051 - 0.067
Newfoundland and Labrador	187	0.035	0.030 - 0.041	114	0.043	0.036 - 0.052	73	0.027	0.021 - 0.034
Nova Scotia	468	0.049	0.045 - 0.054	285	0.062	0.055 - 0.069	183	0.038	0.033 - 0.044
Ontario	9,267	0.066	0.065 - 0.068	5,462	0.079	0.077 - 0.081	3,805	0.054	0.052 - 0.055
Prince Edward Island	71	0.048	0.037 - 0.060	40	0.055	0.039 - 0.075	31	0.041	0.028 - 0.058
Saskatchewan	695	0.061	0.056 - 0.065	419	0.073	0.066 - 0.080	276	0.049	0.043 - 0.055
NAACCR N.A. Combined¹	178,539	0.049	0.049 - 0.049	104,378	0.058	0.058 - 0.059	74,132	0.040	0.040 - 0.041

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-124 Prevalence – Leukemias

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,435	0.001	0.001 - 0.001	3,018	0.002	0.002 - 0.002	1,414	0.001	0.001 - 0.001
Alabama	46	0.001	0.001 - 0.001	33	0.001	0.001 - 0.002	13	0.001	0.000 - 0.001
Alaska	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Arizona	80	0.001	0.001 - 0.001	56	0.002	0.001 - 0.002	24	0.001	0.000 - 0.001
Arkansas	23	0.001	0.000 - 0.001	-	-	-	-	-	-
California	441	0.001	0.001 - 0.001	289	0.001	0.001 - 0.002	152	0.001	0.001 - 0.001
CA - Greater California	266	0.001	0.001 - 0.001	170	0.002	0.001 - 0.002	96	0.001	0.001 - 0.001
CA - Greater Bay Area	92	0.001	0.001 - 0.002	63	0.002	0.001 - 0.002	29	0.001	0.001 - 0.001
CA - Los Angeles	83	0.001	0.001 - 0.001	57	0.001	0.001 - 0.001	26	0.001	0.000 - 0.001
Colorado	72	0.001	0.001 - 0.002	47	0.002	0.001 - 0.002	25	0.001	0.001 - 0.001
Connecticut	56	0.002	0.001 - 0.002	45	0.003	0.002 - 0.003	11	0.001	0.000 - 0.001
Delaware	24	0.003	0.002 - 0.004	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	329	0.002	0.001 - 0.002	224	0.002	0.002 - 0.003	105	0.001	0.001 - 0.001
Georgia	86	0.001	0.001 - 0.001	61	0.001	0.001 - 0.002	25	0.000	0.000 - 0.001
Hawaii	10	0.001	0.000 - 0.001	-	-	-	-	-	-
Idaho	33	0.002	0.001 - 0.003	-	-	-	-	-	-
Illinois	206	0.002	0.001 - 0.002	135	0.002	0.002 - 0.003	71	0.001	0.001 - 0.001
Iowa	51	0.002	0.001 - 0.002	36	0.002	0.002 - 0.003	15	0.001	0.001 - 0.002
Kentucky	42	0.001	0.001 - 0.001	29	0.001	0.001 - 0.002	13	0.001	0.000 - 0.001
Louisiana	91	0.002	0.002 - 0.002	54	0.002	0.002 - 0.003	37	0.002	0.001 - 0.002
Maine	39	0.003	0.002 - 0.004	-	-	-	-	-	-
Maryland	70	0.001	0.001 - 0.001	42	0.001	0.001 - 0.002	28	0.001	0.001 - 0.001
Michigan	159	0.002	0.001 - 0.002	103	0.002	0.002 - 0.003	56	0.001	0.001 - 0.001
MI - Detroit	48	0.001	0.001 - 0.002	30	0.002	0.001 - 0.002	18	0.001	0.001 - 0.001
Minnesota	108	0.002	0.002 - 0.002	69	0.002	0.002 - 0.003	39	0.001	0.001 - 0.002
Mississippi	35	0.001	0.001 - 0.002	23	0.002	0.001 - 0.002	12	0.001	0.000 - 0.001
Missouri	65	0.001	0.001 - 0.001	39	0.001	0.001 - 0.002	26	0.001	0.001 - 0.001
Montana	21	0.002	0.001 - 0.003	-	-	-	-	-	-
Nebraska	20	0.001	0.001 - 0.002	-	-	-	-	-	-
Nevada	26	0.001	0.001 - 0.001	-	-	-	-	-	-
New Hampshire	19	0.001	0.001 - 0.002	-	-	-	-	-	-
New Jersey	178	0.002	0.002 - 0.002	116	0.003	0.002 - 0.003	62	0.001	0.001 - 0.002
New Mexico	22	0.001	0.001 - 0.002	-	-	-	-	-	-
New York	308	0.002	0.001 - 0.002	198	0.002	0.002 - 0.002	110	0.001	0.001 - 0.001
North Carolina	117	0.001	0.001 - 0.001	79	0.002	0.001 - 0.002	38	0.001	0.001 - 0.001
North Dakota	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Ohio	189	0.002	0.001 - 0.002	137	0.002	0.002 - 0.003	52	0.001	0.001 - 0.001
Oklahoma	44	0.001	0.001 - 0.002	30	0.002	0.001 - 0.002	14	0.001	0.000 - 0.001
Oregon	63	0.002	0.001 - 0.002	45	0.002	0.002 - 0.003	18	0.001	0.001 - 0.001
Pennsylvania	252	0.002	0.002 - 0.002	179	0.003	0.002 - 0.003	73	0.001	0.001 - 0.001
Rhode Island	24	0.002	0.001 - 0.003	-	-	-	-	-	-
South Carolina	82	0.002	0.001 - 0.002	56	0.002	0.002 - 0.003	26	0.001	0.001 - 0.001
Tennessee	68	0.001	0.001 - 0.001	44	0.001	0.001 - 0.002	24	0.001	0.000 - 0.001
Texas	256	0.001	0.001 - 0.001	173	0.001	0.001 - 0.001	83	0.001	0.000 - 0.001
Utah	22	0.001	0.000 - 0.001	12	0.001	0.000 - 0.001	10	0.001	0.000 - 0.001
Vermont	11	0.002	0.001 - 0.003	-	-	-	-	-	-
Virginia	103	0.001	0.001 - 0.001	79	0.002	0.002 - 0.002	24	0.001	0.000 - 0.001
Washington ³	114	0.002	0.001 - 0.002	86	0.002	0.002 - 0.003	28	0.001	0.001 - 0.001
WA - Seattle	84	0.002	0.001 - 0.002	62	0.002	0.002 - 0.003	22	0.001	0.001 - 0.001
West Virginia	32	0.002	0.001 - 0.002	-	-	-	-	-	-
Wisconsin	106	0.002	0.002 - 0.002	79	0.003	0.002 - 0.003	27	0.001	0.001 - 0.001
Wyoming	12	0.002	0.001 - 0.004	-	-	-	-	-	-
NAACCR CDN Combined¹	743	0.002	0.002 - 0.002	539	0.003	0.003 - 0.003	204	0.001	0.001 - 0.001
Alberta	64	0.002	0.001 - 0.002	50	0.002	0.002 - 0.003	14	0.001	0.000 - 0.001
British Columbia	107	0.002	0.002 - 0.003	89	0.004	0.003 - 0.005	18	0.001	0.000 - 0.001
Manitoba	31	0.002	0.002 - 0.003	-	-	-	-	-	-
New Brunswick	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Newfoundland and Labrador	-	-	-	-	-	-	-	-	-
Nova Scotia	14	0.001	0.001 - 0.002	-	-	-	-	-	-
Ontario	297	0.002	0.002 - 0.002	197	0.003	0.002 - 0.003	100	0.001	0.001 - 0.002
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	22	0.002	0.001 - 0.003	-	-	-	-	-	-
NAACCR N.A. Combined¹	5,178	0.001	0.001 - 0.001	3,557	0.002	0.002 - 0.002	1,618	0.001	0.001 - 0.001

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,060,014	2.025	2.023 - 2.027	1,974,972	2.000	1.997 - 2.002	2,084,709	2.050	2.047 - 2.053
Alabama	60,962	1.881	1.866 - 1.896	30,503	1.926	1.904 - 1.947	30,459	1.839	1.818 - 1.860
Alaska	7,034	1.479	1.445 - 1.514	3,573	1.419	1.372 - 1.466	3,461	1.548	1.497 - 1.601
Arizona	75,381	1.924	1.911 - 1.938	36,674	1.894	1.875 - 1.914	38,707	1.954	1.934 - 1.973
Arkansas	42,229	1.910	1.892 - 1.929	21,461	1.977	1.950 - 2.003	20,768	1.847	1.822 - 1.872
California	327,243	2.142	2.135 - 2.150	159,996	2.096	2.086 - 2.107	167,247	2.188	2.178 - 2.199
CA - Greater California	203,539	2.127	2.118 - 2.137	99,472	2.092	2.079 - 2.105	104,066	2.162	2.149 - 2.175
CA - Greater Bay Area	64,972	2.217	2.200 - 2.234	32,266	2.179	2.155 - 2.202	32,705	2.256	2.232 - 2.281
CA - Los Angeles	58,871	2.119	2.102 - 2.136	28,346	2.030	2.006 - 2.053	30,524	2.209	2.185 - 2.234
Colorado	63,393	1.635	1.622 - 1.647	30,100	1.548	1.530 - 1.565	33,293	1.722	1.704 - 1.741
Connecticut	57,288	2.343	2.324 - 2.363	27,311	2.293	2.266 - 2.320	29,977	2.391	2.364 - 2.418
Delaware	14,786	2.436	2.397 - 2.475	7,345	2.501	2.444 - 2.559	7,441	2.375	2.321 - 2.429
District of Columbia	2,891	1.124	1.083 - 1.166	1,342	1.047	0.992 - 1.105	1,549	1.200	1.141 - 1.261
Florida	275,306	2.397	2.388 - 2.406	138,194	2.454	2.441 - 2.467	137,112	2.343	2.330 - 2.355
Georgia	108,433	1.940	1.929 - 1.952	53,901	1.961	1.945 - 1.978	54,533	1.920	1.904 - 1.936
Hawaii	7,237	2.339	2.285 - 2.394	3,924	2.339	2.267 - 2.414	3,313	2.339	2.260 - 2.420
Idaho	24,199	1.706	1.685 - 1.728	11,961	1.689	1.659 - 1.720	12,238	1.723	1.692 - 1.754
Illinois	167,330	2.097	2.087 - 2.107	79,875	2.037	2.023 - 2.051	87,455	2.155	2.141 - 2.169
Iowa	54,125	1.988	1.972 - 2.005	26,541	1.974	1.950 - 1.998	27,583	2.002	1.979 - 2.026
Kentucky	74,508	1.954	1.940 - 1.968	35,667	1.908	1.888 - 1.928	38,840	1.999	1.979 - 2.019
Louisiana	54,899	1.972	1.955 - 1.988	28,400	2.071	2.047 - 2.096	26,499	1.875	1.852 - 1.897
Maine	27,066	2.149	2.124 - 2.175	12,801	2.079	2.043 - 2.115	14,265	2.217	2.180 - 2.253
Maryland	68,397	2.174	2.158 - 2.191	33,083	2.147	2.124 - 2.170	35,314	2.201	2.178 - 2.224
Michigan	147,167	1.937	1.927 - 1.947	71,307	1.899	1.885 - 1.913	75,860	1.975	1.961 - 1.989
MI - Detroit	53,623	2.138	2.120 - 2.156	26,051	2.109	2.083 - 2.134	27,572	2.166	2.141 - 2.192
Minnesota	90,048	1.998	1.985 - 2.011	44,083	1.972	1.953 - 1.990	45,965	2.023	2.005 - 2.042
Mississippi	33,288	1.944	1.923 - 1.965	16,926	2.013	1.983 - 2.043	16,362	1.878	1.849 - 1.907
Missouri	90,380	1.837	1.825 - 1.849	42,991	1.776	1.759 - 1.793	47,389	1.896	1.879 - 1.913
Montana	18,064	1.968	1.939 - 1.997	9,291	2.010	1.970 - 2.052	8,773	1.925	1.885 - 1.966
Nebraska	28,947	1.889	1.867 - 1.911	14,252	1.877	1.846 - 1.908	14,695	1.900	1.870 - 1.931
Nevada	28,153	1.864	1.842 - 1.886	14,195	1.847	1.817 - 1.877	13,958	1.882	1.851 - 1.913
New Hampshire	26,513	2.156	2.130 - 2.182	12,680	2.088	2.052 - 2.125	13,833	2.222	2.186 - 2.260
New Jersey	123,167	2.454	2.440 - 2.467	59,233	2.419	2.400 - 2.439	63,934	2.486	2.467 - 2.506
New Mexico	16,624	2.070	2.039 - 2.102	8,043	2.023	1.979 - 2.068	8,582	2.117	2.072 - 2.162
New York	260,574	2.345	2.336 - 2.354	126,202	2.321	2.308 - 2.334	134,372	2.368	2.355 - 2.381
North Carolina	134,348	2.047	2.036 - 2.058	65,104	2.029	2.014 - 2.045	69,244	2.063	2.048 - 2.079
North Dakota	11,786	1.820	1.787 - 1.853	6,045	1.829	1.783 - 1.876	5,741	1.811	1.764 - 1.858
Ohio	176,518	1.891	1.882 - 1.900	83,148	1.815	1.803 - 1.827	93,370	1.964	1.952 - 1.977
Oklahoma	48,115	1.777	1.761 - 1.793	23,662	1.776	1.754 - 1.799	24,453	1.777	1.755 - 1.800
Oregon	62,374	1.946	1.931 - 1.961	29,907	1.894	1.872 - 1.915	32,467	1.996	1.975 - 2.018
Pennsylvania	217,349	2.191	2.182 - 2.200	103,123	2.124	2.111 - 2.137	114,226	2.255	2.242 - 2.268
Rhode Island	17,899	2.293	2.259 - 2.327	8,046	2.139	2.092 - 2.186	9,853	2.436	2.388 - 2.485
South Carolina	63,534	1.971	1.955 - 1.986	31,426	1.994	1.972 - 2.017	32,108	1.948	1.927 - 1.969
Tennessee	95,387	1.904	1.892 - 1.916	47,263	1.931	1.914 - 1.948	48,124	1.879	1.862 - 1.895
Texas	219,948	1.817	1.809 - 1.824	108,594	1.810	1.799 - 1.821	111,354	1.823	1.813 - 1.834
Utah	32,550	1.327	1.313 - 1.341	16,529	1.343	1.323 - 1.364	16,021	1.311	1.290 - 1.331
Vermont	12,027	2.047	2.011 - 2.084	5,641	1.947	1.897 - 1.998	6,386	2.145	2.092 - 2.198
Virginia	92,385	1.727	1.716 - 1.738	43,263	1.637	1.621 - 1.652	49,122	1.816	1.800 - 1.832
Washington ³	103,184	1.974	1.962 - 1.986	49,883	1.914	1.897 - 1.931	53,301	2.034	2.016 - 2.051
WA - Seattle	72,916	2.064	2.049 - 2.079	35,599	2.016	1.995 - 2.037	37,317	2.112	2.091 - 2.134
West Virginia	34,354	2.019	1.998 - 2.041	16,463	1.965	1.935 - 1.995	17,891	2.072	2.041 - 2.102
Wisconsin	96,637	2.031	2.018 - 2.044	47,564	2.013	1.995 - 2.031	49,073	2.048	2.030 - 2.067
Wyoming	8,236	1.663	1.627 - 1.699	4,267	1.695	1.644 - 1.747	3,969	1.629	1.579 - 1.681

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	124,753	0.062	0.062 - 0.063	90,086	0.091	0.091 - 0.092	34,632	0.034	0.034 - 0.034
Alabama	2,151	0.066	0.064 - 0.069	1,528	0.096	0.092 - 0.101	623	0.038	0.035 - 0.041
Alaska	234	0.049	0.043 - 0.056	186	0.074	0.064 - 0.085	48	0.021	0.016 - 0.028
Arizona	2,147	0.055	0.053 - 0.057	1,606	0.083	0.079 - 0.087	541	0.027	0.025 - 0.030
Arkansas	1,425	0.064	0.061 - 0.068	1,028	0.095	0.089 - 0.101	397	0.035	0.032 - 0.039
California	10,464	0.068	0.067 - 0.070	7,736	0.101	0.099 - 0.104	2,728	0.036	0.034 - 0.037
CA - Greater California	6,810	0.071	0.070 - 0.073	5,068	0.107	0.104 - 0.110	1,742	0.036	0.035 - 0.038
CA - Greater Bay Area	1,933	0.066	0.063 - 0.069	1,420	0.096	0.091 - 0.101	513	0.035	0.032 - 0.039
CA - Los Angeles	1,722	0.062	0.059 - 0.065	1,249	0.089	0.085 - 0.095	473	0.034	0.031 - 0.037
Colorado	2,007	0.052	0.050 - 0.054	1,446	0.074	0.071 - 0.078	561	0.029	0.027 - 0.032
Connecticut	1,624	0.066	0.063 - 0.070	1,103	0.093	0.087 - 0.098	521	0.042	0.038 - 0.045
Delaware	462	0.076	0.069 - 0.083	336	0.114	0.102 - 0.127	126	0.040	0.033 - 0.048
District of Columbia	87	0.034	0.027 - 0.042	59	0.046	0.035 - 0.059	28	0.022	0.014 - 0.031
Florida	9,273	0.081	0.079 - 0.082	6,905	0.123	0.120 - 0.126	2,368	0.040	0.039 - 0.042
Georgia	3,550	0.064	0.061 - 0.066	2,600	0.095	0.091 - 0.098	950	0.033	0.031 - 0.036
Hawaii	304	0.098	0.087 - 0.110	241	0.144	0.126 - 0.163	62	0.044	0.034 - 0.056
Idaho	794	0.056	0.052 - 0.060	564	0.080	0.073 - 0.086	230	0.032	0.028 - 0.037
Illinois	5,042	0.063	0.061 - 0.065	3,600	0.092	0.089 - 0.095	1,442	0.036	0.034 - 0.037
Iowa	1,738	0.064	0.061 - 0.067	1,228	0.091	0.086 - 0.097	510	0.037	0.034 - 0.040
Kentucky	2,362	0.062	0.059 - 0.065	1,717	0.092	0.088 - 0.096	645	0.033	0.031 - 0.036
Louisiana	1,792	0.064	0.061 - 0.067	1,302	0.095	0.090 - 0.100	490	0.035	0.032 - 0.038
Maine	845	0.067	0.063 - 0.072	619	0.101	0.093 - 0.109	226	0.035	0.031 - 0.040
Maryland	2,047	0.065	0.062 - 0.068	1,489	0.097	0.092 - 0.102	558	0.035	0.032 - 0.038
Michigan	4,174	0.055	0.053 - 0.057	2,967	0.079	0.076 - 0.082	1,207	0.031	0.030 - 0.033
MI - Detroit	1,482	0.059	0.056 - 0.062	1,066	0.086	0.081 - 0.092	415	0.033	0.030 - 0.036
Minnesota	2,637	0.059	0.056 - 0.061	1,823	0.082	0.078 - 0.085	814	0.036	0.033 - 0.038
Mississippi	1,100	0.064	0.060 - 0.068	794	0.094	0.088 - 0.101	306	0.035	0.031 - 0.039
Missouri	2,853	0.058	0.056 - 0.060	2,093	0.086	0.083 - 0.090	760	0.030	0.028 - 0.033
Montana	493	0.054	0.049 - 0.059	352	0.076	0.068 - 0.085	141	0.031	0.026 - 0.037
Nebraska	832	0.054	0.051 - 0.058	594	0.078	0.072 - 0.085	238	0.031	0.027 - 0.035
Nevada	925	0.061	0.057 - 0.065	672	0.087	0.081 - 0.094	253	0.034	0.030 - 0.039
New Hampshire	742	0.060	0.056 - 0.065	545	0.090	0.082 - 0.098	197	0.032	0.027 - 0.036
New Jersey	3,007	0.060	0.058 - 0.062	2,108	0.086	0.082 - 0.090	900	0.035	0.033 - 0.037
New Mexico	501	0.062	0.057 - 0.068	392	0.099	0.089 - 0.109	109	0.027	0.022 - 0.033
New York	6,601	0.059	0.058 - 0.061	4,609	0.085	0.082 - 0.087	1,992	0.035	0.034 - 0.037
North Carolina	4,211	0.064	0.062 - 0.066	3,035	0.095	0.091 - 0.098	1,176	0.035	0.033 - 0.037
North Dakota	358	0.055	0.050 - 0.061	253	0.077	0.067 - 0.087	105	0.033	0.027 - 0.040
Ohio	5,372	0.058	0.056 - 0.059	3,822	0.083	0.081 - 0.086	1,550	0.033	0.031 - 0.034
Oklahoma	1,682	0.062	0.059 - 0.065	1,205	0.090	0.085 - 0.096	477	0.035	0.032 - 0.038
Oregon	2,031	0.063	0.061 - 0.066	1,459	0.092	0.088 - 0.097	572	0.035	0.032 - 0.038
Pennsylvania	6,017	0.061	0.059 - 0.062	4,203	0.087	0.084 - 0.089	1,814	0.036	0.034 - 0.038
Rhode Island	472	0.060	0.055 - 0.066	317	0.084	0.075 - 0.094	155	0.038	0.033 - 0.045
South Carolina	2,065	0.064	0.061 - 0.067	1,512	0.096	0.091 - 0.101	553	0.034	0.031 - 0.036
Tennessee	3,073	0.061	0.059 - 0.064	2,272	0.093	0.089 - 0.097	801	0.031	0.029 - 0.034
Texas	7,767	0.064	0.063 - 0.066	5,796	0.097	0.094 - 0.099	1,971	0.032	0.031 - 0.034
Utah	863	0.035	0.033 - 0.038	609	0.049	0.046 - 0.054	255	0.021	0.018 - 0.024
Vermont	340	0.058	0.052 - 0.064	250	0.086	0.076 - 0.098	90	0.030	0.024 - 0.037
Virginia	3,001	0.056	0.054 - 0.058	2,193	0.083	0.080 - 0.087	808	0.030	0.028 - 0.032
Washington ³	3,205	0.061	0.059 - 0.063	2,280	0.087	0.084 - 0.091	925	0.035	0.033 - 0.038
WA - Seattle	2,293	0.065	0.062 - 0.068	1,636	0.093	0.088 - 0.097	657	0.037	0.034 - 0.040
West Virginia	1,054	0.062	0.058 - 0.066	765	0.091	0.085 - 0.098	289	0.033	0.030 - 0.038
Wisconsin	2,847	0.060	0.058 - 0.062	2,022	0.086	0.082 - 0.089	825	0.034	0.032 - 0.037
Wyoming	226	0.046	0.040 - 0.052	162	0.064	0.055 - 0.075	64	0.026	0.020 - 0.033

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	24,588	0.012	0.012 - 0.012	19,628	0.020	0.020 - 0.020	4,948	0.005	0.005 - 0.005
Alabama	312	0.010	0.009 - 0.011	261	0.016	0.015 - 0.019	51	0.003	0.002 - 0.004
Alaska	47	0.010	0.007 - 0.013	-	-	-	-	-	-
Arizona	510	0.013	0.012 - 0.014	401	0.021	0.019 - 0.023	109	0.006	0.005 - 0.007
Arkansas	201	0.009	0.008 - 0.010	165	0.015	0.013 - 0.018	36	0.003	0.002 - 0.004
California	1,735	0.011	0.011 - 0.012	1,351	0.018	0.017 - 0.019	384	0.005	0.005 - 0.006
CA - Greater California	1,145	0.012	0.011 - 0.013	900	0.019	0.018 - 0.020	246	0.005	0.004 - 0.006
CA - Greater Bay Area	336	0.011	0.010 - 0.013	256	0.017	0.015 - 0.020	80	0.005	0.004 - 0.007
CA - Los Angeles	254	0.009	0.008 - 0.010	195	0.014	0.012 - 0.016	59	0.004	0.003 - 0.005
Colorado	371	0.010	0.009 - 0.011	307	0.016	0.014 - 0.018	64	0.003	0.003 - 0.004
Connecticut	365	0.015	0.013 - 0.017	285	0.024	0.021 - 0.027	79	0.006	0.005 - 0.008
Delaware	104	0.017	0.014 - 0.021	85	0.029	0.023 - 0.036	19	0.006	0.004 - 0.009
District of Columbia	11	0.004	0.002 - 0.008	-	-	-	-	-	-
Florida	1,825	0.016	0.015 - 0.017	1,456	0.026	0.025 - 0.027	369	0.006	0.006 - 0.007
Georgia	558	0.010	0.009 - 0.011	450	0.016	0.015 - 0.018	108	0.004	0.003 - 0.005
Hawaii	27	0.009	0.006 - 0.013	-	-	-	-	-	-
Idaho	142	0.010	0.008 - 0.012	117	0.017	0.014 - 0.020	25	0.004	0.002 - 0.005
Illinois	1,074	0.013	0.013 - 0.014	868	0.022	0.021 - 0.024	206	0.005	0.004 - 0.006
Iowa	393	0.014	0.013 - 0.016	337	0.025	0.022 - 0.028	56	0.004	0.003 - 0.005
Kentucky	394	0.010	0.009 - 0.011	325	0.017	0.016 - 0.019	69	0.004	0.003 - 0.004
Louisiana	298	0.011	0.010 - 0.012	227	0.017	0.014 - 0.019	71	0.005	0.004 - 0.006
Maine	252	0.020	0.018 - 0.023	200	0.032	0.028 - 0.037	52	0.008	0.006 - 0.011
Maryland	377	0.012	0.011 - 0.013	302	0.020	0.017 - 0.022	75	0.005	0.004 - 0.006
Michigan	1,103	0.015	0.014 - 0.015	866	0.023	0.022 - 0.025	237	0.006	0.005 - 0.007
MI - Detroit	360	0.014	0.013 - 0.016	277	0.022	0.020 - 0.025	83	0.007	0.005 - 0.008
Minnesota	557	0.012	0.011 - 0.013	447	0.020	0.018 - 0.022	110	0.005	0.004 - 0.006
Mississippi	201	0.012	0.010 - 0.013	162	0.019	0.016 - 0.022	39	0.004	0.003 - 0.006
Missouri	568	0.012	0.011 - 0.013	466	0.019	0.018 - 0.021	102	0.004	0.003 - 0.005
Montana	115	0.013	0.010 - 0.015	100	0.022	0.018 - 0.026	15	0.003	0.002 - 0.005
Nebraska	151	0.010	0.008 - 0.012	129	0.017	0.014 - 0.020	22	0.003	0.002 - 0.004
Nevada	174	0.012	0.010 - 0.013	139	0.018	0.015 - 0.021	35	0.005	0.003 - 0.007
New Hampshire	225	0.018	0.016 - 0.021	182	0.030	0.026 - 0.035	43	0.007	0.005 - 0.009
New Jersey	721	0.014	0.013 - 0.015	563	0.023	0.021 - 0.025	157	0.006	0.005 - 0.007
New Mexico	99	0.012	0.010 - 0.015	84	0.021	0.017 - 0.026	15	0.004	0.002 - 0.006
New York	1,495	0.013	0.013 - 0.014	1,149	0.021	0.020 - 0.022	346	0.006	0.005 - 0.007
North Carolina	668	0.010	0.009 - 0.011	536	0.017	0.015 - 0.018	132	0.004	0.003 - 0.005
North Dakota	65	0.010	0.008 - 0.013	45	0.014	0.010 - 0.018	20	0.006	0.004 - 0.010
Ohio	1,137	0.012	0.011 - 0.013	921	0.020	0.019 - 0.021	216	0.005	0.004 - 0.005
Oklahoma	277	0.010	0.009 - 0.012	220	0.017	0.014 - 0.019	57	0.004	0.003 - 0.005
Oregon	427	0.013	0.012 - 0.015	338	0.021	0.019 - 0.024	89	0.005	0.004 - 0.007
Pennsylvania	1,332	0.013	0.013 - 0.014	1,061	0.022	0.021 - 0.023	271	0.005	0.005 - 0.006
Rhode Island	111	0.014	0.012 - 0.017	82	0.022	0.017 - 0.027	29	0.007	0.005 - 0.010
South Carolina	370	0.011	0.010 - 0.013	292	0.019	0.016 - 0.021	78	0.005	0.004 - 0.006
Tennessee	576	0.011	0.011 - 0.012	492	0.020	0.018 - 0.022	84	0.003	0.003 - 0.004
Texas	1,349	0.011	0.011 - 0.012	1,068	0.018	0.017 - 0.019	281	0.005	0.004 - 0.005
Utah	136	0.006	0.005 - 0.007	114	0.009	0.008 - 0.011	22	0.002	0.001 - 0.003
Vermont	111	0.019	0.016 - 0.023	89	0.031	0.025 - 0.038	22	0.007	0.005 - 0.011
Virginia	543	0.010	0.009 - 0.011	433	0.016	0.015 - 0.018	110	0.004	0.003 - 0.005
Washington ³	639	0.012	0.011 - 0.013	505	0.019	0.018 - 0.021	134	0.005	0.004 - 0.006
WA - Seattle	425	0.012	0.011 - 0.013	324	0.018	0.016 - 0.020	101	0.006	0.005 - 0.007
West Virginia	225	0.013	0.012 - 0.015	187	0.022	0.019 - 0.026	38	0.004	0.003 - 0.006
Wisconsin	624	0.013	0.012 - 0.014	493	0.021	0.019 - 0.023	131	0.005	0.005 - 0.006
Wyoming	45	0.009	0.007 - 0.012	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	31,410	0.016	0.015 - 0.016	19,400	0.020	0.019 - 0.020	12,000	0.012	0.012 - 0.012
Alabama	499	0.015	0.014 - 0.017	286	0.018	0.016 - 0.020	213	0.013	0.011 - 0.015
Alaska	56	0.012	0.009 - 0.015	37	0.015	0.010 - 0.020	19	0.008	0.005 - 0.013
Arizona	522	0.013	0.012 - 0.015	355	0.018	0.016 - 0.020	167	0.008	0.007 - 0.010
Arkansas	337	0.015	0.014 - 0.017	200	0.018	0.016 - 0.021	137	0.012	0.010 - 0.014
California	2,449	0.016	0.015 - 0.017	1,548	0.020	0.019 - 0.021	901	0.012	0.011 - 0.013
CA - Greater California	1,425	0.015	0.014 - 0.016	909	0.019	0.018 - 0.020	516	0.011	0.010 - 0.012
CA - Greater Bay Area	461	0.016	0.014 - 0.017	294	0.020	0.018 - 0.022	167	0.012	0.010 - 0.013
CA - Los Angeles	563	0.020	0.019 - 0.022	345	0.025	0.022 - 0.027	218	0.016	0.014 - 0.018
Colorado	423	0.011	0.010 - 0.012	269	0.014	0.012 - 0.016	154	0.008	0.007 - 0.009
Connecticut	588	0.024	0.022 - 0.026	357	0.030	0.027 - 0.033	231	0.018	0.016 - 0.021
Delaware	117	0.019	0.016 - 0.023	76	0.026	0.020 - 0.032	41	0.013	0.009 - 0.018
District of Columbia	27	0.010	0.007 - 0.015	16	0.012	0.007 - 0.020	11	0.009	0.004 - 0.015
Florida	1,919	0.017	0.016 - 0.017	1,230	0.022	0.021 - 0.023	689	0.012	0.011 - 0.013
Georgia	741	0.013	0.012 - 0.014	434	0.016	0.014 - 0.017	307	0.011	0.010 - 0.012
Hawaii	38	0.012	0.009 - 0.017	27	0.016	0.011 - 0.023	11	0.008	0.004 - 0.014
Idaho	169	0.012	0.010 - 0.014	112	0.016	0.013 - 0.019	57	0.008	0.006 - 0.010
Illinois	1,407	0.018	0.017 - 0.019	895	0.023	0.021 - 0.024	512	0.013	0.012 - 0.014
Iowa	338	0.012	0.011 - 0.014	212	0.016	0.014 - 0.018	126	0.009	0.008 - 0.011
Kentucky	618	0.016	0.015 - 0.018	338	0.018	0.016 - 0.020	280	0.014	0.013 - 0.016
Louisiana	410	0.015	0.013 - 0.016	266	0.019	0.017 - 0.022	145	0.010	0.009 - 0.012
Maine	221	0.018	0.015 - 0.020	119	0.019	0.016 - 0.023	102	0.016	0.013 - 0.019
Maryland	534	0.017	0.016 - 0.018	309	0.020	0.018 - 0.022	225	0.014	0.012 - 0.016
Michigan	1,227	0.016	0.015 - 0.017	778	0.021	0.019 - 0.022	449	0.012	0.011 - 0.013
MI - Detroit	424	0.017	0.015 - 0.019	257	0.021	0.018 - 0.023	167	0.013	0.011 - 0.015
Minnesota	637	0.014	0.013 - 0.015	400	0.018	0.016 - 0.020	237	0.010	0.009 - 0.012
Mississippi	239	0.014	0.012 - 0.016	138	0.016	0.014 - 0.019	101	0.012	0.009 - 0.014
Missouri	612	0.012	0.011 - 0.013	391	0.016	0.015 - 0.018	221	0.009	0.008 - 0.010
Montana	124	0.013	0.011 - 0.016	80	0.017	0.014 - 0.022	43	0.009	0.007 - 0.013
Nebraska	204	0.013	0.012 - 0.015	134	0.018	0.015 - 0.021	70	0.009	0.007 - 0.011
Nevada	182	0.012	0.010 - 0.014	118	0.015	0.013 - 0.018	64	0.009	0.007 - 0.011
New Hampshire	213	0.017	0.015 - 0.020	123	0.020	0.017 - 0.024	90	0.014	0.012 - 0.018
New Jersey	1,054	0.021	0.020 - 0.022	631	0.026	0.024 - 0.028	423	0.016	0.015 - 0.018
New Mexico	111	0.014	0.011 - 0.017	64	0.016	0.012 - 0.021	47	0.012	0.009 - 0.015
New York	2,468	0.022	0.021 - 0.023	1,498	0.028	0.026 - 0.029	970	0.017	0.016 - 0.018
North Carolina	1,052	0.016	0.015 - 0.017	607	0.019	0.017 - 0.020	445	0.013	0.012 - 0.015
North Dakota	85	0.013	0.010 - 0.016	54	0.016	0.012 - 0.021	31	0.010	0.007 - 0.014
Ohio	1,485	0.016	0.015 - 0.017	913	0.020	0.019 - 0.021	572	0.012	0.011 - 0.013
Oklahoma	335	0.012	0.011 - 0.014	199	0.015	0.013 - 0.017	136	0.010	0.008 - 0.012
Oregon	442	0.014	0.013 - 0.015	292	0.018	0.016 - 0.021	150	0.009	0.008 - 0.011
Pennsylvania	1,715	0.017	0.016 - 0.018	1,091	0.022	0.021 - 0.024	624	0.012	0.011 - 0.013
Rhode Island	171	0.022	0.019 - 0.025	105	0.028	0.023 - 0.034	66	0.016	0.013 - 0.021
South Carolina	498	0.015	0.014 - 0.017	300	0.019	0.017 - 0.021	198	0.012	0.010 - 0.014
Tennessee	756	0.015	0.014 - 0.016	465	0.019	0.017 - 0.021	291	0.011	0.010 - 0.013
Texas	1,601	0.013	0.013 - 0.014	960	0.016	0.015 - 0.017	641	0.010	0.010 - 0.011
Utah	172	0.007	0.006 - 0.008	97	0.008	0.006 - 0.010	75	0.006	0.005 - 0.008
Vermont	75	0.013	0.010 - 0.016	44	0.015	0.011 - 0.020	31	0.010	0.007 - 0.015
Virginia	765	0.014	0.013 - 0.015	475	0.018	0.016 - 0.020	290	0.011	0.010 - 0.012
Washington ³	682	0.013	0.012 - 0.014	443	0.017	0.015 - 0.019	239	0.009	0.008 - 0.010
WA - Seattle	480	0.014	0.012 - 0.015	312	0.018	0.016 - 0.020	168	0.009	0.008 - 0.011
West Virginia	285	0.017	0.015 - 0.019	169	0.020	0.017 - 0.023	116	0.013	0.011 - 0.016
Wisconsin	771	0.016	0.015 - 0.017	501	0.021	0.019 - 0.023	270	0.011	0.010 - 0.013
Wyoming	53	0.011	0.008 - 0.014	38	0.015	0.011 - 0.021	15	0.006	0.004 - 0.010

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	343,160	0.171	0.171 - 0.172	180,102	0.182	0.181 - 0.183	163,025	0.160	0.160 - 0.161
Alabama	6,027	0.186	0.181 - 0.191	3,164	0.200	0.193 - 0.207	2,863	0.173	0.167 - 0.179
Alaska	612	0.129	0.119 - 0.139	341	0.135	0.121 - 0.151	271	0.121	0.107 - 0.137
Arizona	6,322	0.161	0.157 - 0.165	3,388	0.175	0.169 - 0.181	2,934	0.148	0.143 - 0.154
Arkansas	4,103	0.186	0.180 - 0.191	2,166	0.199	0.191 - 0.208	1,937	0.172	0.165 - 0.180
California	26,452	0.173	0.171 - 0.175	13,792	0.181	0.178 - 0.184	12,659	0.166	0.163 - 0.169
CA - Greater California	16,545	0.173	0.170 - 0.176	8,629	0.182	0.178 - 0.185	7,915	0.164	0.161 - 0.168
CA - Greater Bay Area	4,956	0.169	0.164 - 0.174	2,596	0.175	0.169 - 0.182	2,359	0.163	0.156 - 0.169
CA - Los Angeles	4,953	0.178	0.173 - 0.183	2,569	0.184	0.177 - 0.191	2,384	0.173	0.166 - 0.180
Colorado	4,832	0.125	0.121 - 0.128	2,490	0.128	0.123 - 0.133	2,342	0.121	0.116 - 0.126
Connecticut	4,408	0.180	0.175 - 0.186	2,273	0.191	0.183 - 0.199	2,136	0.170	0.163 - 0.178
Delaware	1,088	0.179	0.169 - 0.190	590	0.201	0.185 - 0.218	498	0.159	0.145 - 0.174
District of Columbia	187	0.073	0.063 - 0.084	89	0.069	0.056 - 0.085	98	0.076	0.062 - 0.093
Florida	21,514	0.187	0.185 - 0.190	11,353	0.202	0.198 - 0.205	10,161	0.174	0.170 - 0.177
Georgia	9,401	0.168	0.165 - 0.172	5,066	0.184	0.179 - 0.189	4,335	0.153	0.148 - 0.157
Hawaii	612	0.198	0.182 - 0.214	354	0.211	0.189 - 0.234	258	0.182	0.161 - 0.206
Idaho	1,946	0.137	0.131 - 0.143	1,003	0.142	0.133 - 0.151	943	0.133	0.124 - 0.141
Illinois	15,415	0.193	0.190 - 0.196	8,113	0.207	0.202 - 0.211	7,302	0.180	0.176 - 0.184
Iowa	5,236	0.192	0.187 - 0.198	2,728	0.203	0.195 - 0.211	2,508	0.182	0.175 - 0.189
Kentucky	7,581	0.199	0.194 - 0.203	4,056	0.217	0.210 - 0.224	3,525	0.181	0.175 - 0.187
Louisiana	5,161	0.185	0.180 - 0.190	2,817	0.205	0.198 - 0.213	2,344	0.166	0.159 - 0.173
Maine	2,215	0.176	0.169 - 0.183	1,141	0.185	0.175 - 0.196	1,074	0.167	0.157 - 0.177
Maryland	5,188	0.165	0.160 - 0.169	2,622	0.170	0.164 - 0.177	2,566	0.160	0.154 - 0.166
Michigan	12,135	0.160	0.157 - 0.163	6,292	0.168	0.163 - 0.172	5,843	0.152	0.148 - 0.156
MI - Detroit	4,368	0.174	0.169 - 0.179	2,232	0.181	0.173 - 0.188	2,136	0.168	0.161 - 0.175
Minnesota	7,371	0.164	0.160 - 0.167	3,859	0.173	0.167 - 0.178	3,512	0.155	0.150 - 0.160
Mississippi	3,322	0.194	0.187 - 0.201	1,789	0.213	0.203 - 0.223	1,533	0.176	0.167 - 0.185
Missouri	8,432	0.171	0.168 - 0.175	4,487	0.185	0.180 - 0.191	3,945	0.158	0.153 - 0.163
Montana	1,483	0.162	0.153 - 0.170	812	0.176	0.164 - 0.188	671	0.147	0.136 - 0.159
Nebraska	2,873	0.187	0.181 - 0.194	1,497	0.197	0.187 - 0.207	1,376	0.178	0.169 - 0.188
Nevada	2,459	0.163	0.156 - 0.169	1,340	0.174	0.165 - 0.184	1,119	0.151	0.142 - 0.160
New Hampshire	2,052	0.167	0.160 - 0.174	1,093	0.180	0.169 - 0.191	959	0.154	0.144 - 0.164
New Jersey	10,186	0.203	0.199 - 0.207	5,189	0.212	0.206 - 0.218	4,997	0.194	0.189 - 0.200
New Mexico	1,274	0.159	0.150 - 0.168	652	0.164	0.152 - 0.177	622	0.153	0.142 - 0.166
New York	19,865	0.179	0.176 - 0.181	10,234	0.188	0.185 - 0.192	9,631	0.170	0.166 - 0.173
North Carolina	10,539	0.161	0.158 - 0.164	5,493	0.171	0.167 - 0.176	5,046	0.150	0.146 - 0.155
North Dakota	1,150	0.178	0.167 - 0.188	632	0.191	0.177 - 0.207	518	0.163	0.150 - 0.178
Ohio	16,184	0.173	0.171 - 0.176	8,381	0.183	0.179 - 0.187	7,803	0.164	0.161 - 0.168
Oklahoma	4,642	0.171	0.167 - 0.176	2,459	0.185	0.177 - 0.192	2,183	0.159	0.152 - 0.165
Oregon	5,008	0.156	0.152 - 0.161	2,633	0.167	0.160 - 0.173	2,375	0.146	0.140 - 0.152
Pennsylvania	19,161	0.193	0.190 - 0.196	10,081	0.208	0.204 - 0.212	9,080	0.179	0.176 - 0.183
Rhode Island	1,271	0.163	0.154 - 0.172	614	0.163	0.151 - 0.177	657	0.162	0.150 - 0.175
South Carolina	5,217	0.162	0.157 - 0.166	2,749	0.174	0.168 - 0.181	2,468	0.150	0.144 - 0.156
Tennessee	8,448	0.169	0.165 - 0.172	4,404	0.180	0.175 - 0.185	4,044	0.158	0.153 - 0.163
Texas	19,546	0.161	0.159 - 0.164	10,635	0.177	0.174 - 0.181	8,911	0.146	0.143 - 0.149
Utah	2,137	0.087	0.083 - 0.091	1,128	0.092	0.086 - 0.097	1,009	0.083	0.077 - 0.088
Vermont	892	0.152	0.142 - 0.162	448	0.155	0.141 - 0.170	444	0.149	0.136 - 0.164
Virginia	7,758	0.145	0.142 - 0.148	4,055	0.153	0.149 - 0.158	3,703	0.137	0.132 - 0.141
Washington ³	7,927	0.152	0.148 - 0.155	4,131	0.159	0.154 - 0.163	3,796	0.145	0.140 - 0.150
WA - Seattle	5,470	0.155	0.151 - 0.159	2,875	0.163	0.157 - 0.169	2,595	0.147	0.141 - 0.153
West Virginia	3,465	0.204	0.197 - 0.211	1,811	0.216	0.206 - 0.226	1,654	0.192	0.182 - 0.201
Wisconsin	7,609	0.160	0.156 - 0.164	4,030	0.171	0.165 - 0.176	3,579	0.149	0.145 - 0.154
Wyoming	641	0.129	0.119 - 0.140	356	0.141	0.127 - 0.157	285	0.117	0.104 - 0.131

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	32,141	0.016	0.016 - 0.016	22,919	0.023	0.023 - 0.024	9,214	0.009	0.009 - 0.009
Alabama	413	0.013	0.012 - 0.014	284	0.018	0.016 - 0.020	129	0.008	0.007 - 0.009
Alaska	75	0.016	0.012 - 0.020	58	0.023	0.017 - 0.030	17	0.008	0.004 - 0.012
Arizona	625	0.016	0.015 - 0.017	438	0.023	0.021 - 0.025	187	0.009	0.008 - 0.011
Arkansas	362	0.016	0.015 - 0.018	263	0.024	0.021 - 0.027	99	0.009	0.007 - 0.011
California	2,866	0.019	0.018 - 0.019	2,055	0.027	0.026 - 0.028	810	0.011	0.010 - 0.011
CA - Greater California	1,803	0.019	0.018 - 0.020	1,287	0.027	0.026 - 0.029	516	0.011	0.010 - 0.012
CA - Greater Bay Area	599	0.020	0.019 - 0.022	442	0.030	0.027 - 0.033	158	0.011	0.009 - 0.013
CA - Los Angeles	463	0.017	0.015 - 0.018	327	0.023	0.021 - 0.026	136	0.010	0.008 - 0.012
Colorado	469	0.012	0.011 - 0.013	338	0.017	0.016 - 0.019	131	0.007	0.006 - 0.008
Connecticut	465	0.019	0.017 - 0.021	342	0.029	0.026 - 0.032	124	0.010	0.008 - 0.012
Delaware	134	0.022	0.018 - 0.026	90	0.031	0.025 - 0.038	44	0.014	0.010 - 0.019
District of Columbia	21	0.008	0.005 - 0.012	-	-	-	-	-	-
Florida	2,251	0.020	0.019 - 0.020	1,588	0.028	0.027 - 0.030	663	0.011	0.010 - 0.012
Georgia	862	0.015	0.014 - 0.016	631	0.023	0.021 - 0.025	231	0.008	0.007 - 0.009
Hawaii	74	0.024	0.019 - 0.030	62	0.037	0.028 - 0.047	12	0.008	0.004 - 0.015
Idaho	159	0.011	0.010 - 0.013	120	0.017	0.014 - 0.020	40	0.006	0.004 - 0.008
Illinois	1,178	0.015	0.014 - 0.016	804	0.021	0.019 - 0.022	374	0.009	0.008 - 0.010
Iowa	342	0.013	0.011 - 0.014	223	0.017	0.014 - 0.019	119	0.009	0.007 - 0.010
Kentucky	573	0.015	0.014 - 0.016	400	0.021	0.019 - 0.024	173	0.009	0.008 - 0.010
Louisiana	490	0.018	0.016 - 0.019	357	0.026	0.023 - 0.029	134	0.009	0.008 - 0.011
Maine	146	0.012	0.010 - 0.014	111	0.018	0.015 - 0.022	35	0.005	0.004 - 0.008
Maryland	552	0.018	0.016 - 0.019	386	0.025	0.023 - 0.028	166	0.010	0.009 - 0.012
Michigan	1,182	0.016	0.015 - 0.016	842	0.022	0.021 - 0.024	340	0.009	0.008 - 0.010
MI - Detroit	413	0.016	0.015 - 0.018	304	0.025	0.022 - 0.028	109	0.009	0.007 - 0.010
Minnesota	619	0.014	0.013 - 0.015	423	0.019	0.017 - 0.021	196	0.009	0.007 - 0.010
Mississippi	316	0.018	0.016 - 0.021	236	0.028	0.025 - 0.032	80	0.009	0.007 - 0.011
Missouri	691	0.014	0.013 - 0.015	506	0.021	0.019 - 0.023	185	0.007	0.006 - 0.009
Montana	104	0.011	0.009 - 0.014	85	0.018	0.015 - 0.023	19	0.004	0.003 - 0.007
Nebraska	144	0.009	0.008 - 0.011	113	0.015	0.012 - 0.018	31	0.004	0.003 - 0.006
Nevada	179	0.012	0.010 - 0.014	134	0.017	0.015 - 0.021	45	0.006	0.004 - 0.008
New Hampshire	178	0.014	0.012 - 0.017	132	0.022	0.018 - 0.026	46	0.007	0.005 - 0.010
New Jersey	906	0.018	0.017 - 0.019	657	0.027	0.025 - 0.029	249	0.010	0.009 - 0.011
New Mexico	131	0.016	0.014 - 0.019	99	0.025	0.020 - 0.030	32	0.008	0.005 - 0.011
New York	1,881	0.017	0.016 - 0.018	1,373	0.025	0.024 - 0.027	509	0.009	0.008 - 0.010
North Carolina	1,051	0.016	0.015 - 0.017	764	0.024	0.022 - 0.026	287	0.009	0.008 - 0.010
North Dakota	46	0.007	0.005 - 0.009	28	0.008	0.006 - 0.012	18	0.006	0.003 - 0.009
Ohio	1,185	0.013	0.012 - 0.013	797	0.017	0.016 - 0.019	388	0.008	0.007 - 0.009
Oklahoma	358	0.013	0.012 - 0.015	261	0.020	0.017 - 0.022	97	0.007	0.006 - 0.009
Oregon	694	0.022	0.020 - 0.023	519	0.033	0.030 - 0.036	175	0.011	0.009 - 0.012
Pennsylvania	1,684	0.017	0.016 - 0.018	1,239	0.026	0.024 - 0.027	445	0.009	0.008 - 0.010
Rhode Island	158	0.020	0.017 - 0.024	119	0.032	0.026 - 0.038	39	0.010	0.007 - 0.013
South Carolina	544	0.017	0.015 - 0.018	384	0.024	0.022 - 0.027	160	0.010	0.008 - 0.011
Tennessee	770	0.015	0.014 - 0.016	531	0.022	0.020 - 0.024	239	0.009	0.008 - 0.011
Texas	2,247	0.019	0.018 - 0.019	1,557	0.026	0.025 - 0.027	690	0.011	0.010 - 0.012
Utah	211	0.009	0.007 - 0.010	138	0.011	0.009 - 0.013	73	0.006	0.005 - 0.008
Vermont	74	0.013	0.010 - 0.016	52	0.018	0.013 - 0.024	22	0.007	0.005 - 0.011
Virginia	698	0.013	0.012 - 0.014	502	0.019	0.017 - 0.021	196	0.007	0.006 - 0.008
Washington ³	1,029	0.020	0.019 - 0.021	750	0.029	0.027 - 0.031	279	0.011	0.009 - 0.012
WA - Seattle	735	0.021	0.019 - 0.022	536	0.030	0.028 - 0.033	199	0.011	0.010 - 0.013
West Virginia	214	0.013	0.011 - 0.014	163	0.019	0.017 - 0.023	51	0.006	0.004 - 0.008
Wisconsin	697	0.015	0.014 - 0.016	469	0.020	0.018 - 0.022	228	0.010	0.008 - 0.011
Wyoming	50	0.010	0.007 - 0.013	39	0.015	0.011 - 0.021	11	0.005	0.002 - 0.008

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	42,494	0.021	0.021 - 0.021	22,644	0.023	0.023 - 0.023	19,845	0.020	0.019 - 0.020
Alabama	606	0.019	0.017 - 0.020	328	0.021	0.019 - 0.023	278	0.017	0.015 - 0.019
Alaska	68	0.014	0.011 - 0.018	43	0.017	0.012 - 0.023	25	0.011	0.007 - 0.017
Arizona	829	0.021	0.020 - 0.023	456	0.024	0.021 - 0.026	373	0.019	0.017 - 0.021
Arkansas	320	0.014	0.013 - 0.016	176	0.016	0.014 - 0.019	144	0.013	0.011 - 0.015
California	3,300	0.022	0.021 - 0.022	1,806	0.024	0.023 - 0.025	1,494	0.020	0.019 - 0.021
CA - Greater California	2,027	0.021	0.020 - 0.022	1,125	0.024	0.022 - 0.025	902	0.019	0.018 - 0.020
CA - Greater Bay Area	662	0.023	0.021 - 0.024	356	0.024	0.022 - 0.027	306	0.021	0.019 - 0.024
CA - Los Angeles	611	0.022	0.020 - 0.024	324	0.023	0.021 - 0.026	287	0.021	0.018 - 0.023
Colorado	637	0.016	0.015 - 0.018	347	0.018	0.016 - 0.020	290	0.015	0.013 - 0.017
Connecticut	718	0.029	0.027 - 0.032	401	0.034	0.030 - 0.037	318	0.025	0.023 - 0.028
Delaware	143	0.024	0.020 - 0.028	69	0.023	0.018 - 0.030	74	0.024	0.019 - 0.030
District of Columbia	36	0.014	0.010 - 0.019	18	0.014	0.008 - 0.022	18	0.014	0.008 - 0.022
Florida	2,990	0.026	0.025 - 0.027	1,615	0.029	0.027 - 0.030	1,375	0.023	0.022 - 0.025
Georgia	979	0.018	0.016 - 0.019	534	0.019	0.018 - 0.021	446	0.016	0.014 - 0.017
Hawaii	60	0.019	0.015 - 0.025	38	0.023	0.016 - 0.031	21	0.015	0.009 - 0.023
Idaho	258	0.018	0.016 - 0.021	130	0.018	0.015 - 0.022	128	0.018	0.015 - 0.021
Illinois	1,815	0.023	0.022 - 0.024	967	0.025	0.023 - 0.026	848	0.021	0.020 - 0.022
Iowa	573	0.021	0.019 - 0.023	291	0.022	0.019 - 0.024	282	0.020	0.018 - 0.023
Kentucky	675	0.018	0.016 - 0.019	340	0.018	0.016 - 0.020	334	0.017	0.015 - 0.019
Louisiana	539	0.019	0.018 - 0.021	292	0.021	0.019 - 0.024	246	0.017	0.015 - 0.020
Maine	283	0.022	0.020 - 0.025	142	0.023	0.019 - 0.027	141	0.022	0.018 - 0.026
Maryland	737	0.023	0.022 - 0.025	395	0.026	0.023 - 0.028	342	0.021	0.019 - 0.024
Michigan	1,865	0.025	0.023 - 0.026	951	0.025	0.024 - 0.027	914	0.024	0.022 - 0.025
MI - Detroit	598	0.024	0.022 - 0.026	296	0.024	0.021 - 0.027	302	0.024	0.021 - 0.027
Minnesota	985	0.022	0.021 - 0.023	537	0.024	0.022 - 0.026	448	0.020	0.018 - 0.022
Mississippi	330	0.019	0.017 - 0.021	181	0.022	0.019 - 0.025	149	0.017	0.014 - 0.020
Missouri	865	0.018	0.016 - 0.019	463	0.019	0.017 - 0.021	402	0.016	0.015 - 0.018
Montana	188	0.021	0.018 - 0.024	103	0.022	0.018 - 0.027	85	0.019	0.015 - 0.023
Nebraska	347	0.023	0.020 - 0.025	184	0.024	0.021 - 0.028	163	0.021	0.018 - 0.025
Nevada	266	0.018	0.016 - 0.020	143	0.019	0.016 - 0.022	123	0.017	0.014 - 0.020
New Hampshire	276	0.022	0.020 - 0.025	140	0.023	0.019 - 0.027	136	0.022	0.018 - 0.026
New Jersey	1,405	0.028	0.027 - 0.029	727	0.030	0.028 - 0.032	677	0.026	0.024 - 0.028
New Mexico	150	0.019	0.016 - 0.022	87	0.022	0.018 - 0.027	63	0.016	0.012 - 0.020
New York	3,022	0.027	0.026 - 0.028	1,591	0.029	0.028 - 0.031	1,431	0.025	0.024 - 0.027
North Carolina	1,257	0.019	0.018 - 0.020	667	0.021	0.019 - 0.022	590	0.018	0.016 - 0.019
North Dakota	130	0.020	0.017 - 0.024	69	0.021	0.016 - 0.026	61	0.019	0.015 - 0.025
Ohio	1,741	0.019	0.018 - 0.020	880	0.019	0.018 - 0.021	861	0.018	0.017 - 0.019
Oklahoma	419	0.015	0.014 - 0.017	215	0.016	0.014 - 0.018	204	0.015	0.013 - 0.017
Oregon	656	0.020	0.019 - 0.022	345	0.022	0.020 - 0.024	311	0.019	0.017 - 0.021
Pennsylvania	2,576	0.026	0.025 - 0.027	1,399	0.029	0.027 - 0.030	1,177	0.023	0.022 - 0.025
Rhode Island	207	0.027	0.023 - 0.030	113	0.030	0.025 - 0.036	94	0.023	0.019 - 0.028
South Carolina	629	0.020	0.018 - 0.021	349	0.022	0.020 - 0.025	280	0.017	0.015 - 0.019
Tennessee	827	0.017	0.015 - 0.018	429	0.018	0.016 - 0.019	398	0.016	0.014 - 0.017
Texas	2,334	0.019	0.019 - 0.020	1,264	0.021	0.020 - 0.022	1,070	0.018	0.016 - 0.019
Utah	243	0.010	0.009 - 0.011	137	0.011	0.009 - 0.013	106	0.009	0.007 - 0.011
Vermont	136	0.023	0.019 - 0.027	82	0.028	0.023 - 0.035	54	0.018	0.014 - 0.024
Virginia	893	0.017	0.016 - 0.018	467	0.018	0.016 - 0.019	426	0.016	0.014 - 0.017
Washington ³	1,094	0.021	0.020 - 0.022	560	0.022	0.020 - 0.023	534	0.020	0.019 - 0.022
WA - Seattle	735	0.021	0.019 - 0.022	356	0.020	0.018 - 0.022	379	0.021	0.019 - 0.024
West Virginia	278	0.016	0.014 - 0.018	141	0.017	0.014 - 0.020	137	0.016	0.013 - 0.019
Wisconsin	1,051	0.022	0.021 - 0.023	574	0.024	0.022 - 0.026	477	0.020	0.018 - 0.022
Wyoming	75	0.015	0.012 - 0.019	48	0.019	0.014 - 0.025	28	0.011	0.008 - 0.017

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	32,920	0.016	0.016 - 0.017	25,941	0.026	0.026 - 0.027	6,961	0.007	0.007 - 0.007
Alabama	617	0.019	0.018 - 0.021	481	0.030	0.028 - 0.033	136	0.008	0.007 - 0.010
Alaska	55	0.012	0.009 - 0.015	-	-	-	-	-	-
Arizona	435	0.011	0.010 - 0.012	348	0.018	0.016 - 0.020	87	0.004	0.004 - 0.005
Arkansas	395	0.018	0.016 - 0.020	304	0.028	0.025 - 0.031	91	0.008	0.007 - 0.010
California	1,801	0.012	0.011 - 0.012	1,496	0.020	0.019 - 0.021	305	0.004	0.004 - 0.004
CA - Greater California	1,180	0.012	0.012 - 0.013	972	0.020	0.019 - 0.022	207	0.004	0.004 - 0.005
CA - Greater Bay Area	314	0.011	0.010 - 0.012	260	0.018	0.015 - 0.020	54	0.004	0.003 - 0.005
CA - Los Angeles	308	0.011	0.010 - 0.012	264	0.019	0.017 - 0.021	44	0.003	0.002 - 0.004
Colorado	380	0.010	0.009 - 0.011	297	0.015	0.014 - 0.017	83	0.004	0.003 - 0.005
Connecticut	440	0.018	0.016 - 0.020	349	0.029	0.026 - 0.033	91	0.007	0.006 - 0.009
Delaware	119	0.020	0.016 - 0.023	94	0.032	0.026 - 0.039	25	0.008	0.005 - 0.012
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	2,583	0.022	0.022 - 0.023	2,047	0.036	0.035 - 0.038	536	0.009	0.008 - 0.010
Georgia	951	0.017	0.016 - 0.018	749	0.027	0.025 - 0.029	202	0.007	0.006 - 0.008
Hawaii	65	0.021	0.016 - 0.027	54	0.032	0.024 - 0.042	11	0.008	0.004 - 0.014
Idaho	123	0.009	0.007 - 0.010	93	0.013	0.011 - 0.016	30	0.004	0.003 - 0.006
Illinois	1,452	0.018	0.017 - 0.019	1,151	0.029	0.028 - 0.031	301	0.007	0.007 - 0.008
Iowa	475	0.017	0.016 - 0.019	380	0.028	0.025 - 0.031	95	0.007	0.006 - 0.008
Kentucky	883	0.023	0.022 - 0.025	655	0.035	0.032 - 0.038	228	0.012	0.010 - 0.013
Louisiana	576	0.021	0.019 - 0.022	429	0.031	0.028 - 0.034	147	0.010	0.009 - 0.012
Maine	253	0.020	0.018 - 0.023	189	0.031	0.026 - 0.035	64	0.010	0.008 - 0.013
Maryland	470	0.015	0.014 - 0.016	368	0.024	0.021 - 0.026	102	0.006	0.005 - 0.008
Michigan	1,290	0.017	0.016 - 0.018	1,018	0.027	0.025 - 0.029	272	0.007	0.006 - 0.008
MI - Detroit	461	0.018	0.017 - 0.020	365	0.030	0.027 - 0.033	96	0.008	0.006 - 0.009
Minnesota	620	0.014	0.013 - 0.015	504	0.023	0.021 - 0.025	116	0.005	0.004 - 0.006
Mississippi	325	0.019	0.017 - 0.021	250	0.030	0.026 - 0.034	75	0.009	0.007 - 0.011
Missouri	888	0.018	0.017 - 0.019	689	0.028	0.026 - 0.031	199	0.008	0.007 - 0.009
Montana	120	0.013	0.011 - 0.016	99	0.022	0.017 - 0.026	21	0.005	0.003 - 0.007
Nebraska	208	0.014	0.012 - 0.016	157	0.021	0.018 - 0.024	51	0.007	0.005 - 0.009
Nevada	207	0.014	0.012 - 0.016	166	0.022	0.018 - 0.025	41	0.006	0.004 - 0.007
New Hampshire	171	0.014	0.012 - 0.016	131	0.022	0.018 - 0.026	40	0.006	0.005 - 0.009
New Jersey	837	0.017	0.016 - 0.018	680	0.028	0.026 - 0.030	157	0.006	0.005 - 0.007
New Mexico	124	0.015	0.013 - 0.018	100	0.025	0.021 - 0.031	24	0.006	0.004 - 0.009
New York	1,892	0.017	0.016 - 0.018	1,505	0.028	0.026 - 0.029	388	0.007	0.006 - 0.008
North Carolina	1,183	0.018	0.017 - 0.019	912	0.028	0.027 - 0.030	271	0.008	0.007 - 0.009
North Dakota	91	0.014	0.011 - 0.017	81	0.025	0.019 - 0.030	10	0.003	0.002 - 0.006
Ohio	1,759	0.019	0.018 - 0.020	1,356	0.030	0.028 - 0.031	403	0.008	0.008 - 0.009
Oklahoma	443	0.016	0.015 - 0.018	337	0.025	0.023 - 0.028	106	0.008	0.006 - 0.009
Oregon	381	0.012	0.011 - 0.013	306	0.019	0.017 - 0.022	75	0.005	0.004 - 0.006
Pennsylvania	1,836	0.019	0.018 - 0.019	1,435	0.030	0.028 - 0.031	401	0.008	0.007 - 0.009
Rhode Island	145	0.019	0.016 - 0.022	106	0.028	0.023 - 0.034	39	0.010	0.007 - 0.013
South Carolina	602	0.019	0.017 - 0.020	491	0.031	0.028 - 0.034	111	0.007	0.006 - 0.008
Tennessee	979	0.020	0.018 - 0.021	738	0.030	0.028 - 0.032	241	0.009	0.008 - 0.011
Texas	1,776	0.015	0.014 - 0.015	1,438	0.024	0.023 - 0.025	338	0.006	0.005 - 0.006
Utah	126	0.005	0.004 - 0.006	109	0.009	0.007 - 0.011	17	0.001	0.001 - 0.002
Vermont	96	0.016	0.013 - 0.020	70	0.024	0.019 - 0.031	26	0.009	0.006 - 0.013
Virginia	801	0.015	0.014 - 0.016	640	0.024	0.022 - 0.026	161	0.006	0.005 - 0.007
Washington ³	611	0.012	0.011 - 0.013	494	0.019	0.017 - 0.021	117	0.004	0.004 - 0.005
WA - Seattle	404	0.011	0.010 - 0.013	335	0.019	0.017 - 0.021	69	0.004	0.003 - 0.005
West Virginia	412	0.024	0.022 - 0.027	304	0.036	0.032 - 0.041	108	0.013	0.010 - 0.015
Wisconsin	765	0.016	0.015 - 0.017	614	0.026	0.024 - 0.028	151	0.006	0.005 - 0.007
Wyoming	62	0.013	0.010 - 0.016	49	0.019	0.014 - 0.026	14	0.006	0.003 - 0.009

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	306,801	0.153	0.153 - 0.154	142,486	0.144	0.144 - 0.145	164,297	0.162	0.161 - 0.163
Alabama	4,828	0.149	0.145 - 0.153	2,493	0.157	0.151 - 0.164	2,335	0.141	0.135 - 0.147
Alaska	412	0.087	0.078 - 0.095	219	0.087	0.076 - 0.099	193	0.086	0.075 - 0.099
Arizona	5,664	0.145	0.141 - 0.148	2,538	0.131	0.126 - 0.136	3,126	0.158	0.152 - 0.163
Arkansas	3,956	0.179	0.173 - 0.185	2,012	0.185	0.177 - 0.194	1,944	0.173	0.165 - 0.181
California	19,219	0.126	0.124 - 0.128	8,419	0.110	0.108 - 0.113	10,800	0.141	0.139 - 0.144
CA - Greater California	12,567	0.131	0.129 - 0.134	5,453	0.115	0.112 - 0.118	7,114	0.148	0.144 - 0.151
CA - Greater Bay Area	3,325	0.113	0.110 - 0.117	1,458	0.098	0.093 - 0.104	1,867	0.129	0.123 - 0.135
CA - Los Angeles	3,331	0.120	0.116 - 0.124	1,509	0.108	0.103 - 0.114	1,821	0.132	0.126 - 0.138
Colorado	3,444	0.089	0.086 - 0.092	1,554	0.080	0.076 - 0.084	1,890	0.098	0.093 - 0.102
Connecticut	4,643	0.190	0.184 - 0.195	2,030	0.170	0.163 - 0.178	2,613	0.208	0.201 - 0.217
Delaware	1,242	0.205	0.193 - 0.216	571	0.194	0.179 - 0.211	671	0.214	0.198 - 0.231
District of Columbia	129	0.050	0.042 - 0.060	45	0.035	0.026 - 0.047	84	0.065	0.052 - 0.081
Florida	23,912	0.208	0.206 - 0.211	11,121	0.197	0.194 - 0.201	12,791	0.219	0.215 - 0.222
Georgia	8,077	0.145	0.141 - 0.148	3,954	0.144	0.139 - 0.148	4,123	0.145	0.141 - 0.150
Hawaii	340	0.110	0.099 - 0.122	173	0.103	0.088 - 0.120	168	0.118	0.101 - 0.138
Idaho	1,412	0.100	0.094 - 0.105	651	0.092	0.085 - 0.099	761	0.107	0.100 - 0.115
Illinois	13,404	0.168	0.165 - 0.171	6,223	0.159	0.155 - 0.163	7,181	0.177	0.173 - 0.181
Iowa	3,778	0.139	0.134 - 0.143	1,802	0.134	0.128 - 0.140	1,976	0.143	0.137 - 0.150
Kentucky	7,009	0.184	0.180 - 0.188	3,414	0.183	0.177 - 0.189	3,595	0.185	0.179 - 0.191
Louisiana	3,933	0.141	0.137 - 0.146	1,890	0.138	0.132 - 0.144	2,042	0.145	0.138 - 0.151
Maine	2,339	0.186	0.178 - 0.193	1,059	0.172	0.162 - 0.183	1,280	0.199	0.188 - 0.210
Maryland	4,944	0.157	0.153 - 0.162	2,184	0.142	0.136 - 0.148	2,760	0.172	0.166 - 0.179
Michigan	12,686	0.167	0.164 - 0.170	5,940	0.158	0.154 - 0.162	6,746	0.176	0.171 - 0.180
MI - Detroit	4,131	0.165	0.160 - 0.170	1,823	0.148	0.141 - 0.155	2,308	0.181	0.174 - 0.189
Minnesota	6,237	0.138	0.135 - 0.142	2,841	0.127	0.122 - 0.132	3,396	0.149	0.145 - 0.155
Mississippi	2,995	0.175	0.169 - 0.181	1,546	0.184	0.175 - 0.193	1,449	0.166	0.158 - 0.175
Missouri	7,863	0.160	0.156 - 0.163	3,672	0.152	0.147 - 0.157	4,191	0.168	0.163 - 0.173
Montana	1,134	0.124	0.116 - 0.131	485	0.105	0.096 - 0.115	649	0.142	0.132 - 0.154
Nebraska	1,926	0.126	0.120 - 0.131	928	0.122	0.114 - 0.130	998	0.129	0.121 - 0.137
Nevada	2,049	0.136	0.130 - 0.142	891	0.116	0.108 - 0.124	1,158	0.156	0.147 - 0.165
New Hampshire	1,992	0.162	0.155 - 0.169	828	0.136	0.127 - 0.146	1,164	0.187	0.176 - 0.198
New Jersey	8,817	0.176	0.172 - 0.179	3,686	0.151	0.146 - 0.155	5,131	0.200	0.194 - 0.205
New Mexico	991	0.123	0.116 - 0.131	468	0.118	0.107 - 0.129	523	0.129	0.118 - 0.140
New York	20,251	0.182	0.180 - 0.185	8,806	0.162	0.159 - 0.165	11,445	0.202	0.198 - 0.205
North Carolina	11,040	0.168	0.165 - 0.171	5,264	0.164	0.160 - 0.169	5,776	0.172	0.168 - 0.177
North Dakota	814	0.126	0.117 - 0.135	400	0.121	0.109 - 0.133	414	0.131	0.118 - 0.144
Ohio	14,103	0.151	0.149 - 0.154	6,785	0.148	0.145 - 0.152	7,318	0.154	0.150 - 0.158
Oklahoma	3,817	0.141	0.137 - 0.145	1,946	0.146	0.140 - 0.153	1,871	0.136	0.130 - 0.142
Oregon	4,214	0.131	0.128 - 0.135	1,927	0.122	0.117 - 0.128	2,287	0.141	0.135 - 0.147
Pennsylvania	16,583	0.167	0.165 - 0.170	7,709	0.159	0.155 - 0.162	8,874	0.175	0.172 - 0.179
Rhode Island	1,645	0.211	0.201 - 0.221	694	0.184	0.171 - 0.199	951	0.235	0.220 - 0.251
South Carolina	5,122	0.159	0.155 - 0.163	2,480	0.157	0.151 - 0.164	2,642	0.160	0.154 - 0.167
Tennessee	8,418	0.168	0.164 - 0.172	4,144	0.169	0.164 - 0.175	4,274	0.167	0.162 - 0.172
Texas	15,727	0.130	0.128 - 0.132	7,610	0.127	0.124 - 0.130	8,117	0.133	0.130 - 0.136
Utah	995	0.041	0.038 - 0.043	478	0.039	0.035 - 0.042	517	0.042	0.039 - 0.046
Vermont	982	0.167	0.157 - 0.178	451	0.156	0.142 - 0.171	531	0.178	0.163 - 0.194
Virginia	7,218	0.135	0.132 - 0.138	3,375	0.128	0.123 - 0.132	3,843	0.142	0.138 - 0.147
Washington ³	6,754	0.129	0.126 - 0.132	3,040	0.117	0.113 - 0.121	3,714	0.142	0.137 - 0.146
WA - Seattle	4,536	0.128	0.125 - 0.132	2,031	0.115	0.110 - 0.120	2,505	0.142	0.136 - 0.147
West Virginia	3,129	0.184	0.178 - 0.190	1,535	0.183	0.174 - 0.193	1,594	0.185	0.176 - 0.194
Wisconsin	6,918	0.145	0.142 - 0.149	3,203	0.136	0.131 - 0.140	3,715	0.155	0.150 - 0.160
Wyoming	476	0.096	0.088 - 0.105	228	0.091	0.079 - 0.103	248	0.102	0.090 - 0.115

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	307,891	0.154	0.153 - 0.154	177,662	0.180	0.179 - 0.181	130,132	0.128	0.127 - 0.129
Alabama	4,905	0.151	0.147 - 0.156	2,878	0.182	0.175 - 0.188	2,027	0.122	0.117 - 0.128
Alaska	396	0.083	0.075 - 0.092	216	0.086	0.075 - 0.098	180	0.081	0.069 - 0.093
Arizona	6,731	0.172	0.168 - 0.176	4,208	0.217	0.211 - 0.224	2,523	0.127	0.122 - 0.132
Arkansas	2,788	0.126	0.121 - 0.131	1,688	0.155	0.148 - 0.163	1,100	0.098	0.092 - 0.104
California	32,483	0.213	0.210 - 0.215	19,488	0.255	0.252 - 0.259	12,994	0.170	0.167 - 0.173
CA - Greater California	20,152	0.211	0.208 - 0.214	12,079	0.254	0.250 - 0.259	8,073	0.168	0.164 - 0.171
CA - Greater Bay Area	7,703	0.263	0.257 - 0.269	4,550	0.307	0.298 - 0.316	3,153	0.218	0.210 - 0.225
CA - Los Angeles	4,642	0.167	0.162 - 0.172	2,871	0.206	0.198 - 0.213	1,771	0.128	0.122 - 0.134
Colorado	5,171	0.133	0.130 - 0.137	2,956	0.152	0.147 - 0.158	2,215	0.115	0.110 - 0.119
Connecticut	3,527	0.144	0.140 - 0.149	2,014	0.169	0.162 - 0.177	1,513	0.121	0.115 - 0.127
Delaware	1,415	0.233	0.221 - 0.246	846	0.288	0.269 - 0.308	569	0.182	0.167 - 0.197
District of Columbia	185	0.072	0.062 - 0.083	109	0.085	0.070 - 0.103	76	0.059	0.046 - 0.074
Florida	23,299	0.203	0.200 - 0.205	14,526	0.258	0.254 - 0.262	8,773	0.150	0.147 - 0.153
Georgia	11,429	0.204	0.201 - 0.208	6,636	0.241	0.236 - 0.247	4,792	0.169	0.164 - 0.174
Hawaii	1,294	0.418	0.396 - 0.442	806	0.480	0.448 - 0.515	488	0.345	0.315 - 0.377
Idaho	2,060	0.145	0.139 - 0.152	1,153	0.163	0.154 - 0.173	907	0.128	0.119 - 0.136
Illinois	11,033	0.138	0.136 - 0.141	6,025	0.154	0.150 - 0.158	5,008	0.123	0.120 - 0.127
Iowa	3,842	0.141	0.137 - 0.146	2,035	0.151	0.145 - 0.158	1,807	0.131	0.125 - 0.137
Kentucky	5,415	0.142	0.138 - 0.146	2,981	0.159	0.154 - 0.165	2,434	0.125	0.120 - 0.130
Louisiana	3,521	0.126	0.122 - 0.131	2,154	0.157	0.151 - 0.164	1,366	0.097	0.092 - 0.102
Maine	1,860	0.148	0.141 - 0.155	986	0.160	0.150 - 0.170	874	0.136	0.127 - 0.145
Maryland	6,378	0.203	0.198 - 0.208	3,701	0.240	0.232 - 0.248	2,677	0.167	0.161 - 0.173
Michigan	8,832	0.116	0.114 - 0.119	4,814	0.128	0.125 - 0.132	4,018	0.105	0.101 - 0.108
MI - Detroit	3,216	0.128	0.124 - 0.133	1,754	0.142	0.135 - 0.149	1,462	0.115	0.109 - 0.121
Minnesota	7,776	0.173	0.169 - 0.176	4,245	0.190	0.184 - 0.196	3,531	0.155	0.150 - 0.161
Mississippi	2,294	0.134	0.129 - 0.140	1,320	0.157	0.149 - 0.166	974	0.112	0.105 - 0.119
Missouri	5,428	0.110	0.107 - 0.113	3,141	0.130	0.125 - 0.134	2,287	0.091	0.088 - 0.095
Montana	1,282	0.140	0.132 - 0.148	722	0.156	0.145 - 0.168	560	0.123	0.113 - 0.134
Nebraska	1,968	0.128	0.123 - 0.134	1,033	0.136	0.128 - 0.145	935	0.121	0.113 - 0.129
Nevada	1,819	0.120	0.115 - 0.126	1,097	0.143	0.134 - 0.151	722	0.097	0.090 - 0.105
New Hampshire	1,973	0.160	0.153 - 0.168	1,079	0.178	0.167 - 0.189	894	0.144	0.134 - 0.153
New Jersey	8,858	0.176	0.173 - 0.180	5,016	0.205	0.199 - 0.211	3,841	0.149	0.145 - 0.154
New Mexico	1,266	0.158	0.149 - 0.167	763	0.192	0.179 - 0.206	503	0.124	0.113 - 0.135
New York	16,376	0.147	0.145 - 0.150	9,203	0.169	0.166 - 0.173	7,173	0.126	0.123 - 0.129
North Carolina	11,787	0.180	0.176 - 0.183	6,846	0.213	0.208 - 0.219	4,941	0.147	0.143 - 0.151
North Dakota	773	0.119	0.111 - 0.128	397	0.120	0.109 - 0.133	376	0.119	0.107 - 0.131
Ohio	11,711	0.125	0.123 - 0.128	6,440	0.141	0.137 - 0.144	5,271	0.111	0.108 - 0.114
Oklahoma	3,234	0.119	0.115 - 0.124	1,977	0.148	0.142 - 0.155	1,257	0.091	0.086 - 0.097
Oregon	5,414	0.169	0.164 - 0.173	2,948	0.187	0.180 - 0.194	2,466	0.152	0.146 - 0.158
Pennsylvania	14,132	0.142	0.140 - 0.145	8,045	0.166	0.162 - 0.169	6,087	0.120	0.117 - 0.123
Rhode Island	1,180	0.151	0.143 - 0.160	642	0.171	0.158 - 0.184	538	0.133	0.122 - 0.145
South Carolina	5,515	0.171	0.167 - 0.176	3,204	0.203	0.196 - 0.210	2,311	0.140	0.135 - 0.146
Tennessee	6,270	0.125	0.122 - 0.128	3,583	0.146	0.142 - 0.151	2,687	0.105	0.101 - 0.109
Texas	12,536	0.104	0.102 - 0.105	7,537	0.126	0.123 - 0.128	4,999	0.082	0.080 - 0.084
Utah	4,300	0.175	0.170 - 0.181	2,481	0.202	0.194 - 0.210	1,819	0.149	0.142 - 0.156
Vermont	1,210	0.206	0.195 - 0.218	687	0.237	0.220 - 0.256	523	0.176	0.161 - 0.191
Virginia	7,234	0.135	0.132 - 0.138	4,172	0.158	0.153 - 0.163	3,062	0.113	0.109 - 0.117
Washington ³	8,452	0.162	0.158 - 0.165	4,691	0.180	0.175 - 0.185	3,761	0.143	0.139 - 0.148
WA - Seattle	6,478	0.183	0.179 - 0.188	3,584	0.203	0.196 - 0.210	2,894	0.164	0.158 - 0.170
West Virginia	1,929	0.113	0.108 - 0.119	1,103	0.132	0.124 - 0.140	826	0.096	0.089 - 0.102
Wisconsin	6,368	0.134	0.131 - 0.137	3,640	0.154	0.149 - 0.159	2,728	0.114	0.110 - 0.118
Wyoming	601	0.121	0.112 - 0.131	333	0.132	0.119 - 0.147	267	0.110	0.097 - 0.124

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		786,924	0.774	0.772 - 0.776
Alabama	-	-		-	-		11,724	0.708	0.695 - 0.721
Alaska	-	-		-	-		1,354	0.606	0.574 - 0.639
Arizona	-	-		-	-		15,497	0.782	0.770 - 0.795
Arkansas	-	-		-	-		7,568	0.673	0.658 - 0.688
California	-	-		-	-		67,280	0.880	0.874 - 0.887
CA - Greater California	-	-		-	-		41,530	0.863	0.855 - 0.871
CA - Greater Bay Area	-	-		-	-		13,209	0.911	0.896 - 0.927
CA - Los Angeles	-	-		-	-		12,547	0.908	0.892 - 0.924
Colorado	-	-		-	-		13,701	0.709	0.697 - 0.721
Connecticut	-	-		-	-		11,586	0.924	0.907 - 0.941
Delaware	-	-		-	-		2,738	0.874	0.841 - 0.907
District of Columbia	-	-		-	-		678	0.525	0.486 - 0.566
Florida	-	-		-	-		48,744	0.833	0.825 - 0.840
Georgia	-	-		-	-		20,305	0.715	0.705 - 0.725
Hawaii	-	-		-	-		1,273	0.899	0.850 - 0.949
Idaho	-	-		-	-		4,586	0.646	0.627 - 0.665
Illinois	-	-		-	-		33,146	0.817	0.808 - 0.826
Iowa	-	-		-	-		9,879	0.717	0.703 - 0.731
Kentucky	-	-		-	-		13,560	0.698	0.686 - 0.710
Louisiana	-	-		-	-		9,698	0.686	0.673 - 0.700
Maine	-	-		-	-		5,078	0.789	0.768 - 0.811
Maryland	-	-		-	-		13,402	0.835	0.821 - 0.849
Michigan	-	-		-	-		27,824	0.724	0.716 - 0.733
MI - Detroit	-	-		-	-		10,141	0.797	0.781 - 0.812
Minnesota	-	-		-	-		17,269	0.760	0.749 - 0.772
Mississippi	-	-		-	-		5,885	0.675	0.658 - 0.693
Missouri	-	-		-	-		18,341	0.734	0.723 - 0.744
Montana	-	-		-	-		3,261	0.716	0.691 - 0.741
Nebraska	-	-		-	-		5,544	0.717	0.698 - 0.736
Nevada	-	-		-	-		5,380	0.725	0.706 - 0.745
New Hampshire	-	-		-	-		5,419	0.871	0.848 - 0.894
New Jersey	-	-		-	-		23,220	0.903	0.891 - 0.915
New Mexico	-	-		-	-		3,526	0.870	0.841 - 0.899
New York	-	-		-	-		48,261	0.850	0.843 - 0.858
North Carolina	-	-		-	-		26,941	0.803	0.793 - 0.812
North Dakota	-	-		-	-		2,169	0.684	0.656 - 0.714
Ohio	-	-		-	-		35,185	0.740	0.733 - 0.748
Oklahoma	-	-		-	-		9,181	0.667	0.654 - 0.681
Oregon	-	-		-	-		12,513	0.769	0.756 - 0.783
Pennsylvania	-	-		-	-		41,645	0.822	0.814 - 0.830
Rhode Island	-	-		-	-		3,684	0.911	0.882 - 0.941
South Carolina	-	-		-	-		12,523	0.760	0.746 - 0.773
Tennessee	-	-		-	-		18,037	0.704	0.694 - 0.714
Texas	-	-		-	-		43,341	0.710	0.703 - 0.716
Utah	-	-		-	-		5,757	0.471	0.459 - 0.483
Vermont	-	-		-	-		2,399	0.806	0.774 - 0.839
Virginia	-	-		-	-		20,064	0.742	0.731 - 0.752
Washington ³	-	-		-	-		21,085	0.804	0.794 - 0.815
WA - Seattle	-	-		-	-		14,660	0.830	0.816 - 0.843
West Virginia	-	-		-	-		6,115	0.708	0.690 - 0.726
Wisconsin	-	-		-	-		18,464	0.771	0.760 - 0.782
Wyoming	-	-		-	-		1,516	0.622	0.591 - 0.654

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		28,819	0.028	0.028 - 0.029
Alabama	-	-		-	-		541	0.033	0.030 - 0.036
Alaska	-	-		-	-		68	0.030	0.024 - 0.039
Arizona	-	-		-	-		454	0.023	0.021 - 0.025
Arkansas	-	-		-	-		397	0.035	0.032 - 0.039
California	-	-		-	-		2,032	0.027	0.025 - 0.028
CA - Greater California	-	-		-	-		1,327	0.028	0.026 - 0.029
CA - Greater Bay Area	-	-		-	-		354	0.024	0.022 - 0.027
CA - Los Angeles	-	-		-	-		351	0.025	0.023 - 0.028
Colorado	-	-		-	-		468	0.024	0.022 - 0.027
Connecticut	-	-		-	-		316	0.025	0.023 - 0.028
Delaware	-	-		-	-		106	0.034	0.028 - 0.041
District of Columbia	-	-		-	-		17	0.013	0.008 - 0.021
Florida	-	-		-	-		1,933	0.033	0.032 - 0.035
Georgia	-	-		-	-		851	0.030	0.028 - 0.032
Hawaii	-	-		-	-		43	0.030	0.022 - 0.041
Idaho	-	-		-	-		162	0.023	0.019 - 0.027
Illinois	-	-		-	-		1,191	0.029	0.028 - 0.031
Iowa	-	-		-	-		367	0.027	0.024 - 0.029
Kentucky	-	-		-	-		695	0.036	0.033 - 0.039
Louisiana	-	-		-	-		428	0.030	0.028 - 0.033
Maine	-	-		-	-		150	0.023	0.020 - 0.027
Maryland	-	-		-	-		426	0.027	0.024 - 0.029
Michigan	-	-		-	-		979	0.025	0.024 - 0.027
MI - Detroit	-	-		-	-		335	0.026	0.024 - 0.029
Minnesota	-	-		-	-		485	0.021	0.019 - 0.023
Mississippi	-	-		-	-		296	0.034	0.030 - 0.038
Missouri	-	-		-	-		791	0.032	0.029 - 0.034
Montana	-	-		-	-		133	0.029	0.025 - 0.035
Nebraska	-	-		-	-		211	0.027	0.024 - 0.031
Nevada	-	-		-	-		266	0.036	0.032 - 0.040
New Hampshire	-	-		-	-		122	0.020	0.016 - 0.023
New Jersey	-	-		-	-		723	0.028	0.026 - 0.030
New Mexico	-	-		-	-		116	0.029	0.024 - 0.034
New York	-	-		-	-		1,491	0.026	0.025 - 0.028
North Carolina	-	-		-	-		926	0.028	0.026 - 0.029
North Dakota	-	-		-	-		55	0.017	0.013 - 0.023
Ohio	-	-		-	-		1,458	0.031	0.029 - 0.032
Oklahoma	-	-		-	-		438	0.032	0.029 - 0.035
Oregon	-	-		-	-		455	0.028	0.025 - 0.031
Pennsylvania	-	-		-	-		1,420	0.028	0.027 - 0.030
Rhode Island	-	-		-	-		126	0.031	0.026 - 0.037
South Carolina	-	-		-	-		454	0.028	0.025 - 0.030
Tennessee	-	-		-	-		812	0.032	0.030 - 0.034
Texas	-	-		-	-		1,991	0.033	0.031 - 0.034
Utah	-	-		-	-		199	0.016	0.014 - 0.019
Vermont	-	-		-	-		53	0.018	0.013 - 0.023
Virginia	-	-		-	-		595	0.022	0.020 - 0.024
Washington ³	-	-		-	-		717	0.027	0.025 - 0.029
WA - Seattle	-	-		-	-		510	0.029	0.026 - 0.032
West Virginia	-	-		-	-		305	0.035	0.031 - 0.040
Wisconsin	-	-		-	-		604	0.025	0.023 - 0.027
Wyoming	-	-		-	-		59	0.024	0.018 - 0.031

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		167,943	0.165	0.164 - 0.166
Alabama	-	-		-	-		1,872	0.113	0.108 - 0.118
Alaska	-	-		-	-		304	0.136	0.121 - 0.152
Arizona	-	-		-	-		2,891	0.146	0.141 - 0.151
Arkansas	-	-		-	-		1,463	0.130	0.124 - 0.137
California	-	-		-	-		13,213	0.173	0.170 - 0.176
CA - Greater California	-	-		-	-		8,170	0.170	0.166 - 0.173
CA - Greater Bay Area	-	-		-	-		2,586	0.178	0.172 - 0.185
CA - Los Angeles	-	-		-	-		2,456	0.178	0.171 - 0.185
Colorado	-	-		-	-		2,445	0.126	0.122 - 0.132
Connecticut	-	-		-	-		2,516	0.201	0.193 - 0.209
Delaware	-	-		-	-		632	0.202	0.186 - 0.218
District of Columbia	-	-		-	-		99	0.077	0.062 - 0.093
Florida	-	-		-	-		9,246	0.158	0.155 - 0.161
Georgia	-	-		-	-		3,695	0.130	0.126 - 0.134
Hawaii	-	-		-	-		222	0.157	0.137 - 0.179
Idaho	-	-		-	-		913	0.128	0.120 - 0.137
Illinois	-	-		-	-		7,494	0.185	0.181 - 0.189
Iowa	-	-		-	-		2,541	0.184	0.177 - 0.192
Kentucky	-	-		-	-		2,991	0.154	0.148 - 0.160
Louisiana	-	-		-	-		1,519	0.107	0.102 - 0.113
Maine	-	-		-	-		1,329	0.207	0.196 - 0.218
Maryland	-	-		-	-		2,862	0.178	0.172 - 0.185
Michigan	-	-		-	-		6,806	0.177	0.173 - 0.181
MI - Detroit	-	-		-	-		2,383	0.187	0.180 - 0.195
Minnesota	-	-		-	-		4,189	0.184	0.179 - 0.190
Mississippi	-	-		-	-		1,055	0.121	0.114 - 0.129
Missouri	-	-		-	-		3,866	0.155	0.150 - 0.160
Montana	-	-		-	-		693	0.152	0.141 - 0.164
Nebraska	-	-		-	-		1,242	0.161	0.152 - 0.170
Nevada	-	-		-	-		1,006	0.136	0.127 - 0.144
New Hampshire	-	-		-	-		1,272	0.204	0.193 - 0.216
New Jersey	-	-		-	-		5,817	0.226	0.220 - 0.232
New Mexico	-	-		-	-		709	0.175	0.162 - 0.188
New York	-	-		-	-		11,699	0.206	0.202 - 0.210
North Carolina	-	-		-	-		5,105	0.152	0.148 - 0.156
North Dakota	-	-		-	-		426	0.134	0.122 - 0.148
Ohio	-	-		-	-		8,692	0.183	0.179 - 0.187
Oklahoma	-	-		-	-		1,686	0.123	0.117 - 0.129
Oregon	-	-		-	-		2,850	0.175	0.169 - 0.182
Pennsylvania	-	-		-	-		10,709	0.211	0.207 - 0.215
Rhode Island	-	-		-	-		830	0.205	0.191 - 0.220
South Carolina	-	-		-	-		2,219	0.135	0.129 - 0.140
Tennessee	-	-		-	-		3,586	0.140	0.135 - 0.145
Texas	-	-		-	-		7,582	0.124	0.121 - 0.127
Utah	-	-		-	-		1,336	0.109	0.104 - 0.115
Vermont	-	-		-	-		665	0.223	0.207 - 0.241
Virginia	-	-		-	-		4,010	0.148	0.144 - 0.153
Washington ³	-	-		-	-		4,260	0.163	0.158 - 0.168
WA - Seattle	-	-		-	-		2,935	0.166	0.160 - 0.172
West Virginia	-	-		-	-		1,664	0.193	0.184 - 0.202
Wisconsin	-	-		-	-		4,651	0.194	0.189 - 0.200
Wyoming	-	-		-	-		312	0.128	0.114 - 0.143

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		49,327	0.049	0.048 - 0.049
Alabama	-	-		-	-		788	0.048	0.044 - 0.051
Alaska	-	-		-	-		97	0.043	0.035 - 0.053
Arizona	-	-		-	-		940	0.047	0.044 - 0.051
Arkansas	-	-		-	-		484	0.043	0.039 - 0.047
California	-	-		-	-		4,201	0.055	0.053 - 0.057
CA - Greater California	-	-		-	-		2,511	0.052	0.050 - 0.054
CA - Greater Bay Area	-	-		-	-		835	0.058	0.054 - 0.062
CA - Los Angeles	-	-		-	-		855	0.062	0.058 - 0.066
Colorado	-	-		-	-		815	0.042	0.039 - 0.045
Connecticut	-	-		-	-		714	0.057	0.053 - 0.061
Delaware	-	-		-	-		166	0.053	0.045 - 0.062
District of Columbia	-	-		-	-		49	0.038	0.028 - 0.050
Florida	-	-		-	-		3,167	0.054	0.052 - 0.056
Georgia	-	-		-	-		1,276	0.045	0.042 - 0.047
Hawaii	-	-		-	-		81	0.057	0.045 - 0.071
Idaho	-	-		-	-		279	0.039	0.035 - 0.044
Illinois	-	-		-	-		2,020	0.050	0.048 - 0.052
Iowa	-	-		-	-		616	0.045	0.041 - 0.048
Kentucky	-	-		-	-		762	0.039	0.036 - 0.042
Louisiana	-	-		-	-		554	0.039	0.036 - 0.043
Maine	-	-		-	-		270	0.042	0.037 - 0.047
Maryland	-	-		-	-		834	0.052	0.049 - 0.056
Michigan	-	-		-	-		1,850	0.048	0.046 - 0.050
MI - Detroit	-	-		-	-		685	0.054	0.050 - 0.058
Minnesota	-	-		-	-		1,035	0.046	0.043 - 0.048
Mississippi	-	-		-	-		359	0.041	0.037 - 0.046
Missouri	-	-		-	-		1,010	0.040	0.038 - 0.043
Montana	-	-		-	-		224	0.049	0.043 - 0.056
Nebraska	-	-		-	-		349	0.045	0.041 - 0.050
Nevada	-	-		-	-		308	0.042	0.037 - 0.046
New Hampshire	-	-		-	-		295	0.047	0.042 - 0.053
New Jersey	-	-		-	-		1,545	0.060	0.057 - 0.063
New Mexico	-	-		-	-		220	0.054	0.047 - 0.062
New York	-	-		-	-		3,262	0.057	0.056 - 0.059
North Carolina	-	-		-	-		1,656	0.049	0.047 - 0.052
North Dakota	-	-		-	-		117	0.037	0.031 - 0.044
Ohio	-	-		-	-		2,159	0.045	0.044 - 0.047
Oklahoma	-	-		-	-		615	0.045	0.041 - 0.048
Oregon	-	-		-	-		782	0.048	0.045 - 0.052
Pennsylvania	-	-		-	-		2,771	0.055	0.053 - 0.057
Rhode Island	-	-		-	-		220	0.054	0.047 - 0.062
South Carolina	-	-		-	-		687	0.042	0.039 - 0.045
Tennessee	-	-		-	-		1,089	0.043	0.040 - 0.045
Texas	-	-		-	-		2,775	0.045	0.044 - 0.047
Utah	-	-		-	-		386	0.032	0.028 - 0.035
Vermont	-	-		-	-		142	0.048	0.040 - 0.056
Virginia	-	-		-	-		1,165	0.043	0.041 - 0.046
Washington ³	-	-		-	-		1,249	0.048	0.045 - 0.050
WA - Seattle	-	-		-	-		886	0.050	0.047 - 0.054
West Virginia	-	-		-	-		429	0.050	0.045 - 0.055
Wisconsin	-	-		-	-		1,228	0.051	0.048 - 0.054
Wyoming	-	-		-	-		107	0.044	0.036 - 0.053

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		611,494	0.619	0.618 - 0.621	-	-	
Alabama	-	-		9,584	0.605	0.593 - 0.617	-	-	
Alaska	-	-		1,114	0.442	0.417 - 0.469	-	-	
Arizona	-	-		10,674	0.551	0.541 - 0.562	-	-	
Arkansas	-	-		6,784	0.625	0.610 - 0.640	-	-	
California	-	-		49,000	0.642	0.636 - 0.648	-	-	
CA - Greater California	-	-		30,628	0.644	0.637 - 0.651	-	-	
CA - Greater Bay Area	-	-		9,816	0.663	0.650 - 0.676	-	-	
CA - Los Angeles	-	-		8,553	0.612	0.599 - 0.626	-	-	
Colorado	-	-		9,605	0.494	0.484 - 0.504	-	-	
Connecticut	-	-		8,490	0.713	0.698 - 0.728	-	-	
Delaware	-	-		2,335	0.795	0.763 - 0.828	-	-	
District of Columbia	-	-		434	0.339	0.308 - 0.372	-	-	
Florida	-	-		38,185	0.678	0.671 - 0.685	-	-	
Georgia	-	-		16,456	0.599	0.590 - 0.608	-	-	
Hawaii	-	-		977	0.582	0.546 - 0.620	-	-	
Idaho	-	-		3,908	0.552	0.535 - 0.570	-	-	
Illinois	-	-		24,961	0.637	0.629 - 0.644	-	-	
Iowa	-	-		8,397	0.625	0.611 - 0.638	-	-	
Kentucky	-	-		9,801	0.524	0.514 - 0.535	-	-	
Louisiana	-	-		9,489	0.692	0.678 - 0.706	-	-	
Maine	-	-		3,620	0.588	0.569 - 0.607	-	-	
Maryland	-	-		10,852	0.704	0.691 - 0.718	-	-	
Michigan	-	-		22,925	0.611	0.603 - 0.619	-	-	
MI - Detroit	-	-		8,825	0.714	0.700 - 0.729	-	-	
Minnesota	-	-		14,125	0.632	0.621 - 0.642	-	-	
Mississippi	-	-		5,432	0.646	0.629 - 0.663	-	-	
Missouri	-	-		12,798	0.529	0.519 - 0.538	-	-	
Montana	-	-		3,347	0.724	0.700 - 0.749	-	-	
Nebraska	-	-		4,886	0.644	0.626 - 0.662	-	-	
Nevada	-	-		4,684	0.609	0.592 - 0.627	-	-	
New Hampshire	-	-		4,169	0.686	0.666 - 0.708	-	-	
New Jersey	-	-		20,141	0.823	0.811 - 0.834	-	-	
New Mexico	-	-		2,692	0.677	0.652 - 0.703	-	-	
New York	-	-		40,263	0.740	0.733 - 0.748	-	-	
North Carolina	-	-		20,264	0.632	0.623 - 0.640	-	-	
North Dakota	-	-		2,133	0.645	0.618 - 0.673	-	-	
Ohio	-	-		25,806	0.563	0.556 - 0.570	-	-	
Oklahoma	-	-		7,052	0.529	0.517 - 0.542	-	-	
Oregon	-	-		9,276	0.587	0.575 - 0.599	-	-	
Pennsylvania	-	-		30,617	0.631	0.624 - 0.638	-	-	
Rhode Island	-	-		2,349	0.624	0.599 - 0.650	-	-	
South Carolina	-	-		9,980	0.633	0.621 - 0.646	-	-	
Tennessee	-	-		15,282	0.624	0.614 - 0.634	-	-	
Texas	-	-		32,569	0.543	0.537 - 0.549	-	-	
Utah	-	-		5,782	0.470	0.458 - 0.482	-	-	
Vermont	-	-		1,597	0.551	0.524 - 0.579	-	-	
Virginia	-	-		13,097	0.495	0.487 - 0.504	-	-	
Washington ³	-	-		15,875	0.609	0.600 - 0.619	-	-	
WA - Seattle	-	-		11,410	0.646	0.634 - 0.658	-	-	
West Virginia	-	-		4,872	0.582	0.565 - 0.598	-	-	
Wisconsin	-	-		15,438	0.653	0.643 - 0.664	-	-	
Wyoming	-	-		1,542	0.612	0.582 - 0.644	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		30,611	0.031	0.031 - 0.031	-	-	
Alabama	-	-		382	0.024	0.022 - 0.027	-	-	
Alaska	-	-		85	0.034	0.027 - 0.042	-	-	
Arizona	-	-		496	0.026	0.023 - 0.028	-	-	
Arkansas	-	-		296	0.027	0.024 - 0.031	-	-	
California	-	-		2,729	0.036	0.034 - 0.037	-	-	
CA - Greater California	-	-		1,577	0.033	0.032 - 0.035	-	-	
CA - Greater Bay Area	-	-		625	0.042	0.039 - 0.046	-	-	
CA - Los Angeles	-	-		526	0.038	0.035 - 0.041	-	-	
Colorado	-	-		553	0.028	0.026 - 0.031	-	-	
Connecticut	-	-		427	0.036	0.032 - 0.039	-	-	
Delaware	-	-		91	0.031	0.025 - 0.038	-	-	
District of Columbia	-	-		53	0.041	0.031 - 0.054	-	-	
Florida	-	-		1,350	0.024	0.023 - 0.025	-	-	
Georgia	-	-		727	0.026	0.025 - 0.028	-	-	
Hawaii	-	-		76	0.045	0.036 - 0.057	-	-	
Idaho	-	-		210	0.030	0.026 - 0.034	-	-	
Illinois	-	-		1,379	0.035	0.033 - 0.037	-	-	
Iowa	-	-		402	0.030	0.027 - 0.033	-	-	
Kentucky	-	-		498	0.027	0.024 - 0.029	-	-	
Louisiana	-	-		413	0.030	0.027 - 0.033	-	-	
Maine	-	-		174	0.028	0.024 - 0.033	-	-	
Maryland	-	-		506	0.033	0.030 - 0.036	-	-	
Michigan	-	-		1,134	0.030	0.028 - 0.032	-	-	
MI - Detroit	-	-		412	0.033	0.030 - 0.037	-	-	
Minnesota	-	-		796	0.036	0.033 - 0.038	-	-	
Mississippi	-	-		200	0.024	0.021 - 0.027	-	-	
Missouri	-	-		652	0.027	0.025 - 0.029	-	-	
Montana	-	-		152	0.033	0.028 - 0.039	-	-	
Nebraska	-	-		278	0.037	0.032 - 0.041	-	-	
Nevada	-	-		209	0.027	0.024 - 0.031	-	-	
New Hampshire	-	-		199	0.033	0.028 - 0.038	-	-	
New Jersey	-	-		883	0.036	0.034 - 0.039	-	-	
New Mexico	-	-		112	0.028	0.023 - 0.034	-	-	
New York	-	-		2,073	0.038	0.036 - 0.040	-	-	
North Carolina	-	-		935	0.029	0.027 - 0.031	-	-	
North Dakota	-	-		112	0.034	0.028 - 0.041	-	-	
Ohio	-	-		1,358	0.030	0.028 - 0.031	-	-	
Oklahoma	-	-		343	0.026	0.023 - 0.029	-	-	
Oregon	-	-		544	0.034	0.032 - 0.037	-	-	
Pennsylvania	-	-		1,658	0.034	0.033 - 0.036	-	-	
Rhode Island	-	-		136	0.036	0.030 - 0.043	-	-	
South Carolina	-	-		384	0.024	0.022 - 0.027	-	-	
Tennessee	-	-		667	0.027	0.025 - 0.029	-	-	
Texas	-	-		1,714	0.029	0.027 - 0.030	-	-	
Utah	-	-		422	0.034	0.031 - 0.038	-	-	
Vermont	-	-		89	0.031	0.025 - 0.038	-	-	
Virginia	-	-		646	0.024	0.023 - 0.026	-	-	
Washington ³	-	-		924	0.035	0.033 - 0.038	-	-	
WA - Seattle	-	-		687	0.039	0.036 - 0.042	-	-	
West Virginia	-	-		217	0.026	0.023 - 0.030	-	-	
Wisconsin	-	-		822	0.035	0.032 - 0.037	-	-	
Wyoming	-	-		91	0.036	0.029 - 0.044	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	232,341	0.116	0.115 - 0.116	179,531	0.182	0.181 - 0.183	52,615	0.052	0.051 - 0.052
Alabama	3,225	0.100	0.096 - 0.103	2,553	0.161	0.155 - 0.168	672	0.041	0.038 - 0.044
Alaska	408	0.086	0.078 - 0.095	320	0.127	0.114 - 0.142	88	0.039	0.032 - 0.048
Arizona	4,998	0.128	0.124 - 0.131	3,918	0.202	0.196 - 0.209	1,080	0.055	0.051 - 0.058
Arkansas	2,215	0.100	0.096 - 0.104	1,753	0.161	0.154 - 0.169	462	0.041	0.037 - 0.045
California	18,230	0.119	0.118 - 0.121	14,243	0.187	0.184 - 0.190	3,987	0.052	0.051 - 0.054
CA - Greater California	11,309	0.118	0.116 - 0.120	8,820	0.186	0.182 - 0.189	2,489	0.052	0.050 - 0.054
CA - Greater Bay Area	3,414	0.116	0.113 - 0.120	2,649	0.179	0.172 - 0.186	765	0.053	0.049 - 0.057
CA - Los Angeles	3,511	0.126	0.122 - 0.131	2,777	0.199	0.192 - 0.206	734	0.053	0.049 - 0.057
Colorado	3,374	0.087	0.084 - 0.090	2,627	0.135	0.130 - 0.140	747	0.039	0.036 - 0.042
Connecticut	3,910	0.160	0.155 - 0.165	2,957	0.248	0.239 - 0.257	954	0.076	0.071 - 0.081
Delaware	915	0.151	0.141 - 0.161	717	0.244	0.227 - 0.263	198	0.063	0.055 - 0.073
District of Columbia	124	0.048	0.040 - 0.057	95	0.074	0.060 - 0.091	29	0.022	0.015 - 0.032
Florida	16,493	0.144	0.141 - 0.146	12,846	0.228	0.224 - 0.232	3,647	0.062	0.060 - 0.064
Georgia	5,332	0.095	0.093 - 0.098	4,239	0.154	0.150 - 0.159	1,093	0.038	0.036 - 0.041
Hawaii	371	0.120	0.108 - 0.133	312	0.186	0.166 - 0.208	59	0.042	0.032 - 0.054
Idaho	1,390	0.098	0.093 - 0.103	1,107	0.156	0.147 - 0.166	283	0.040	0.035 - 0.045
Illinois	9,766	0.122	0.120 - 0.125	7,438	0.190	0.185 - 0.194	2,328	0.057	0.055 - 0.060
Iowa	2,879	0.106	0.102 - 0.110	2,242	0.167	0.160 - 0.174	637	0.046	0.043 - 0.050
Kentucky	3,848	0.101	0.098 - 0.104	2,930	0.157	0.151 - 0.163	918	0.047	0.044 - 0.050
Louisiana	2,828	0.102	0.098 - 0.105	2,239	0.163	0.157 - 0.170	589	0.042	0.038 - 0.045
Maine	1,847	0.147	0.140 - 0.154	1,415	0.230	0.218 - 0.242	432	0.067	0.061 - 0.074
Maryland	4,089	0.130	0.126 - 0.134	3,187	0.207	0.200 - 0.214	902	0.056	0.053 - 0.060
Michigan	8,979	0.118	0.116 - 0.121	6,861	0.183	0.178 - 0.187	2,118	0.055	0.053 - 0.058
MI - Detroit	3,327	0.133	0.128 - 0.137	2,520	0.204	0.196 - 0.212	807	0.063	0.059 - 0.068
Minnesota	4,859	0.108	0.105 - 0.111	3,753	0.168	0.163 - 0.173	1,106	0.049	0.046 - 0.052
Mississippi	1,778	0.104	0.099 - 0.109	1,402	0.167	0.158 - 0.176	376	0.043	0.039 - 0.048
Missouri	4,844	0.098	0.096 - 0.101	3,778	0.156	0.151 - 0.161	1,066	0.043	0.040 - 0.045
Montana	1,082	0.118	0.111 - 0.125	826	0.179	0.167 - 0.191	256	0.056	0.050 - 0.064
Nebraska	1,528	0.100	0.095 - 0.105	1,161	0.153	0.144 - 0.162	367	0.047	0.043 - 0.053
Nevada	1,890	0.125	0.120 - 0.131	1,462	0.190	0.181 - 0.200	428	0.058	0.052 - 0.063
New Hampshire	1,702	0.138	0.132 - 0.145	1,294	0.213	0.202 - 0.225	408	0.066	0.059 - 0.072
New Jersey	7,445	0.148	0.145 - 0.152	5,584	0.228	0.222 - 0.234	1,861	0.072	0.069 - 0.076
New Mexico	957	0.119	0.112 - 0.127	759	0.191	0.178 - 0.205	198	0.049	0.042 - 0.056
New York	16,866	0.152	0.149 - 0.154	12,732	0.234	0.230 - 0.238	4,134	0.073	0.071 - 0.075
North Carolina	7,308	0.111	0.109 - 0.114	5,670	0.177	0.172 - 0.181	1,638	0.049	0.046 - 0.051
North Dakota	632	0.098	0.090 - 0.106	507	0.153	0.140 - 0.167	125	0.039	0.033 - 0.047
Ohio	10,256	0.110	0.108 - 0.112	7,920	0.173	0.169 - 0.177	2,336	0.049	0.047 - 0.051
Oklahoma	2,620	0.097	0.093 - 0.101	2,070	0.155	0.149 - 0.162	550	0.040	0.037 - 0.043
Oregon	3,731	0.116	0.113 - 0.120	2,895	0.183	0.177 - 0.190	836	0.051	0.048 - 0.055
Pennsylvania	13,778	0.139	0.137 - 0.141	10,511	0.217	0.212 - 0.221	3,267	0.065	0.062 - 0.067
Rhode Island	1,208	0.155	0.146 - 0.164	899	0.239	0.224 - 0.255	309	0.076	0.068 - 0.085
South Carolina	3,555	0.110	0.107 - 0.114	2,792	0.177	0.171 - 0.184	763	0.046	0.043 - 0.050
Tennessee	5,118	0.102	0.099 - 0.105	3,953	0.161	0.156 - 0.167	1,165	0.045	0.043 - 0.048
Texas	10,554	0.087	0.086 - 0.089	8,351	0.139	0.136 - 0.142	2,203	0.036	0.035 - 0.038
Utah	1,370	0.056	0.053 - 0.059	1,122	0.091	0.086 - 0.097	249	0.020	0.018 - 0.023
Vermont	685	0.117	0.108 - 0.126	530	0.183	0.168 - 0.199	155	0.052	0.044 - 0.061
Virginia	4,855	0.091	0.088 - 0.093	3,728	0.141	0.137 - 0.146	1,127	0.042	0.039 - 0.044
Washington ³	5,698	0.109	0.106 - 0.112	4,460	0.171	0.166 - 0.176	1,238	0.047	0.045 - 0.050
WA - Seattle	3,912	0.111	0.107 - 0.114	3,065	0.174	0.167 - 0.180	847	0.048	0.045 - 0.051
West Virginia	2,025	0.119	0.114 - 0.124	1,544	0.184	0.175 - 0.194	481	0.056	0.051 - 0.061
Wisconsin	5,703	0.120	0.117 - 0.123	4,418	0.187	0.181 - 0.193	1,285	0.054	0.051 - 0.057
Wyoming	478	0.097	0.088 - 0.106	377	0.150	0.135 - 0.166	101	0.042	0.034 - 0.051

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	168,825	0.084	0.084 - 0.085	107,237	0.109	0.108 - 0.109	61,546	0.061	0.060 - 0.061
Alabama	2,916	0.090	0.087 - 0.093	1,781	0.112	0.107 - 0.118	1,135	0.069	0.065 - 0.073
Alaska	358	0.075	0.068 - 0.084	233	0.093	0.081 - 0.105	125	0.056	0.047 - 0.067
Arizona	3,158	0.081	0.078 - 0.083	2,064	0.107	0.102 - 0.111	1,094	0.055	0.052 - 0.059
Arkansas	2,087	0.094	0.090 - 0.099	1,336	0.123	0.117 - 0.130	751	0.067	0.062 - 0.072
California	11,864	0.078	0.076 - 0.079	7,893	0.103	0.101 - 0.106	3,971	0.052	0.050 - 0.054
CA - Greater California	7,604	0.079	0.078 - 0.081	4,987	0.105	0.102 - 0.108	2,617	0.054	0.052 - 0.056
CA - Greater Bay Area	2,134	0.073	0.070 - 0.076	1,464	0.099	0.094 - 0.104	670	0.046	0.043 - 0.050
CA - Los Angeles	2,128	0.077	0.073 - 0.080	1,443	0.103	0.098 - 0.109	685	0.050	0.046 - 0.053
Colorado	2,206	0.057	0.055 - 0.059	1,411	0.073	0.069 - 0.076	795	0.041	0.038 - 0.044
Connecticut	2,170	0.089	0.085 - 0.093	1,439	0.121	0.115 - 0.127	731	0.058	0.054 - 0.063
Delaware	553	0.091	0.084 - 0.099	365	0.124	0.112 - 0.138	188	0.060	0.052 - 0.069
District of Columbia	88	0.034	0.027 - 0.042	59	0.046	0.035 - 0.059	29	0.022	0.015 - 0.032
Florida	9,953	0.087	0.085 - 0.088	6,425	0.114	0.111 - 0.117	3,528	0.060	0.058 - 0.062
Georgia	4,348	0.078	0.076 - 0.080	2,743	0.100	0.096 - 0.104	1,605	0.057	0.054 - 0.059
Hawaii	231	0.075	0.065 - 0.085	165	0.098	0.084 - 0.115	66	0.047	0.036 - 0.059
Idaho	975	0.069	0.065 - 0.073	624	0.088	0.081 - 0.095	351	0.049	0.044 - 0.055
Illinois	7,241	0.091	0.089 - 0.093	4,595	0.117	0.114 - 0.121	2,646	0.065	0.063 - 0.068
Iowa	2,382	0.088	0.084 - 0.091	1,512	0.112	0.107 - 0.118	870	0.063	0.059 - 0.067
Kentucky	3,530	0.093	0.090 - 0.096	2,160	0.116	0.111 - 0.121	1,370	0.070	0.067 - 0.074
Louisiana	2,983	0.107	0.103 - 0.111	1,860	0.136	0.130 - 0.142	1,123	0.079	0.075 - 0.084
Maine	1,089	0.086	0.081 - 0.092	650	0.106	0.098 - 0.114	439	0.068	0.062 - 0.075
Maryland	2,554	0.081	0.078 - 0.084	1,600	0.104	0.099 - 0.109	954	0.059	0.056 - 0.063
Michigan	6,005	0.079	0.077 - 0.081	3,756	0.100	0.097 - 0.103	2,249	0.059	0.056 - 0.061
MI - Detroit	2,150	0.086	0.082 - 0.089	1,381	0.112	0.106 - 0.118	769	0.060	0.056 - 0.065
Minnesota	3,656	0.081	0.079 - 0.084	2,426	0.109	0.104 - 0.113	1,230	0.054	0.051 - 0.057
Mississippi	1,839	0.107	0.103 - 0.112	1,116	0.133	0.125 - 0.141	723	0.083	0.077 - 0.089
Missouri	4,306	0.088	0.085 - 0.090	2,627	0.109	0.104 - 0.113	1,679	0.067	0.064 - 0.070
Montana	696	0.076	0.070 - 0.082	442	0.096	0.087 - 0.105	254	0.056	0.049 - 0.063
Nebraska	1,241	0.081	0.077 - 0.086	782	0.103	0.096 - 0.110	459	0.059	0.054 - 0.065
Nevada	1,108	0.073	0.069 - 0.078	709	0.092	0.086 - 0.099	399	0.054	0.049 - 0.059
New Hampshire	935	0.076	0.071 - 0.081	600	0.099	0.091 - 0.107	335	0.054	0.048 - 0.060
New Jersey	4,733	0.094	0.092 - 0.097	3,022	0.123	0.119 - 0.128	1,712	0.067	0.063 - 0.070
New Mexico	569	0.071	0.065 - 0.077	355	0.089	0.080 - 0.099	214	0.053	0.046 - 0.060
New York	10,458	0.094	0.092 - 0.096	6,797	0.125	0.122 - 0.128	3,661	0.065	0.062 - 0.067
North Carolina	5,586	0.085	0.083 - 0.087	3,520	0.110	0.106 - 0.113	2,066	0.062	0.059 - 0.064
North Dakota	467	0.072	0.066 - 0.079	309	0.093	0.083 - 0.105	158	0.050	0.042 - 0.058
Ohio	7,768	0.083	0.081 - 0.085	4,704	0.103	0.100 - 0.106	3,064	0.064	0.062 - 0.067
Oklahoma	2,337	0.086	0.083 - 0.090	1,397	0.105	0.099 - 0.111	940	0.068	0.064 - 0.073
Oregon	2,592	0.081	0.078 - 0.084	1,705	0.108	0.103 - 0.113	887	0.055	0.051 - 0.058
Pennsylvania	8,937	0.090	0.088 - 0.092	5,616	0.116	0.113 - 0.119	3,321	0.066	0.063 - 0.068
Rhode Island	731	0.094	0.087 - 0.101	433	0.115	0.105 - 0.126	298	0.074	0.066 - 0.083
South Carolina	2,838	0.088	0.085 - 0.091	1,801	0.114	0.109 - 0.120	1,037	0.063	0.059 - 0.067
Tennessee	4,444	0.089	0.086 - 0.091	2,815	0.115	0.111 - 0.119	1,629	0.064	0.061 - 0.067
Texas	10,682	0.088	0.087 - 0.090	6,780	0.113	0.110 - 0.116	3,902	0.064	0.062 - 0.066
Utah	1,117	0.046	0.043 - 0.048	712	0.058	0.054 - 0.062	405	0.033	0.030 - 0.036
Vermont	418	0.071	0.064 - 0.078	269	0.093	0.082 - 0.105	149	0.050	0.042 - 0.059
Virginia	3,708	0.069	0.067 - 0.072	2,396	0.091	0.087 - 0.094	1,312	0.048	0.046 - 0.051
Washington ³	3,985	0.076	0.074 - 0.079	2,516	0.097	0.093 - 0.100	1,468	0.056	0.053 - 0.059
WA - Seattle	2,695	0.076	0.073 - 0.079	1,704	0.097	0.092 - 0.101	990	0.056	0.053 - 0.060
West Virginia	1,706	0.100	0.096 - 0.105	1,020	0.122	0.114 - 0.129	686	0.079	0.074 - 0.086
Wisconsin	4,236	0.089	0.086 - 0.092	2,758	0.117	0.112 - 0.121	1,478	0.062	0.059 - 0.065
Wyoming	323	0.065	0.058 - 0.073	210	0.083	0.072 - 0.095	113	0.046	0.038 - 0.056

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	36,104	0.018	0.018 - 0.018	19,917	0.020	0.020 - 0.020	16,185	0.016	0.016 - 0.016
Alabama	496	0.015	0.014 - 0.017	259	0.016	0.014 - 0.018	237	0.014	0.013 - 0.016
Alaska	77	0.016	0.013 - 0.020	45	0.018	0.013 - 0.024	32	0.014	0.010 - 0.020
Arizona	633	0.016	0.015 - 0.017	352	0.018	0.016 - 0.020	281	0.014	0.013 - 0.016
Arkansas	396	0.018	0.016 - 0.020	232	0.021	0.019 - 0.024	164	0.015	0.012 - 0.017
California	2,869	0.019	0.018 - 0.019	1,626	0.021	0.020 - 0.022	1,243	0.016	0.015 - 0.017
CA - Greater California	1,730	0.018	0.017 - 0.019	954	0.020	0.019 - 0.021	776	0.016	0.015 - 0.017
CA - Greater Bay Area	614	0.021	0.019 - 0.023	367	0.025	0.022 - 0.027	247	0.017	0.015 - 0.019
CA - Los Angeles	526	0.019	0.017 - 0.021	305	0.022	0.019 - 0.024	221	0.016	0.014 - 0.018
Colorado	630	0.016	0.015 - 0.018	365	0.019	0.017 - 0.021	265	0.014	0.012 - 0.015
Connecticut	457	0.019	0.017 - 0.021	249	0.021	0.018 - 0.024	208	0.017	0.014 - 0.019
Delaware	97	0.016	0.013 - 0.019	50	0.017	0.013 - 0.022	47	0.015	0.011 - 0.020
District of Columbia	41	0.016	0.011 - 0.022	28	0.022	0.015 - 0.032	13	0.010	0.005 - 0.017
Florida	2,055	0.018	0.017 - 0.019	1,144	0.020	0.019 - 0.022	911	0.016	0.015 - 0.017
Georgia	922	0.017	0.015 - 0.018	504	0.018	0.017 - 0.020	418	0.015	0.013 - 0.016
Hawaii	46	0.015	0.011 - 0.020	28	0.017	0.011 - 0.024	18	0.013	0.008 - 0.020
Idaho	248	0.017	0.015 - 0.020	140	0.020	0.017 - 0.023	107	0.015	0.012 - 0.018
Illinois	1,461	0.018	0.017 - 0.019	806	0.021	0.019 - 0.022	655	0.016	0.015 - 0.017
Iowa	462	0.017	0.015 - 0.019	251	0.019	0.016 - 0.021	211	0.015	0.013 - 0.018
Kentucky	688	0.018	0.017 - 0.019	386	0.021	0.019 - 0.023	302	0.016	0.014 - 0.017
Louisiana	462	0.017	0.015 - 0.018	242	0.018	0.015 - 0.020	221	0.016	0.014 - 0.018
Maine	247	0.020	0.017 - 0.022	126	0.020	0.017 - 0.024	121	0.019	0.016 - 0.022
Maryland	571	0.018	0.017 - 0.020	306	0.020	0.018 - 0.022	265	0.017	0.015 - 0.019
Michigan	1,412	0.019	0.018 - 0.020	779	0.021	0.019 - 0.022	633	0.016	0.015 - 0.018
MI - Detroit	403	0.016	0.015 - 0.018	225	0.018	0.016 - 0.021	178	0.014	0.012 - 0.016
Minnesota	854	0.019	0.018 - 0.020	463	0.021	0.019 - 0.023	391	0.017	0.016 - 0.019
Mississippi	280	0.016	0.014 - 0.018	142	0.017	0.014 - 0.020	138	0.016	0.013 - 0.019
Missouri	865	0.018	0.016 - 0.019	482	0.020	0.018 - 0.022	383	0.015	0.014 - 0.017
Montana	167	0.018	0.015 - 0.021	89	0.019	0.015 - 0.024	78	0.017	0.014 - 0.021
Nebraska	234	0.015	0.013 - 0.017	134	0.018	0.015 - 0.021	100	0.013	0.011 - 0.016
Nevada	236	0.016	0.014 - 0.018	136	0.018	0.015 - 0.021	100	0.013	0.011 - 0.016
New Hampshire	228	0.019	0.016 - 0.021	123	0.020	0.017 - 0.024	105	0.017	0.014 - 0.020
New Jersey	1,015	0.020	0.019 - 0.022	565	0.023	0.021 - 0.025	451	0.018	0.016 - 0.019
New Mexico	143	0.018	0.015 - 0.021	76	0.019	0.015 - 0.024	67	0.017	0.013 - 0.021
New York	2,288	0.021	0.020 - 0.021	1,259	0.023	0.022 - 0.024	1,030	0.018	0.017 - 0.019
North Carolina	1,128	0.017	0.016 - 0.018	582	0.018	0.017 - 0.020	546	0.016	0.015 - 0.018
North Dakota	100	0.015	0.013 - 0.019	53	0.016	0.012 - 0.021	47	0.015	0.011 - 0.020
Ohio	1,630	0.017	0.017 - 0.018	892	0.019	0.018 - 0.021	738	0.016	0.014 - 0.017
Oklahoma	441	0.016	0.015 - 0.018	239	0.018	0.016 - 0.020	202	0.015	0.013 - 0.017
Oregon	578	0.018	0.017 - 0.020	320	0.020	0.018 - 0.023	258	0.016	0.014 - 0.018
Pennsylvania	1,861	0.019	0.018 - 0.020	1,063	0.022	0.021 - 0.023	798	0.016	0.015 - 0.017
Rhode Island	143	0.018	0.015 - 0.022	67	0.018	0.014 - 0.023	76	0.019	0.015 - 0.024
South Carolina	511	0.016	0.015 - 0.017	276	0.018	0.016 - 0.020	235	0.014	0.012 - 0.016
Tennessee	762	0.015	0.014 - 0.016	398	0.016	0.015 - 0.018	364	0.014	0.013 - 0.016
Texas	2,413	0.020	0.019 - 0.021	1,348	0.022	0.021 - 0.024	1,065	0.017	0.016 - 0.019
Utah	395	0.016	0.015 - 0.018	224	0.018	0.016 - 0.021	172	0.014	0.012 - 0.016
Vermont	91	0.015	0.012 - 0.019	51	0.018	0.013 - 0.023	40	0.013	0.010 - 0.018
Virginia	839	0.016	0.015 - 0.017	463	0.018	0.016 - 0.019	376	0.014	0.013 - 0.015
Washington ³	1,030	0.020	0.019 - 0.021	586	0.022	0.021 - 0.024	444	0.017	0.015 - 0.019
WA - Seattle	772	0.022	0.020 - 0.023	437	0.025	0.022 - 0.027	335	0.019	0.017 - 0.021
West Virginia	336	0.020	0.018 - 0.022	181	0.022	0.019 - 0.025	155	0.018	0.015 - 0.021
Wisconsin	805	0.017	0.016 - 0.018	446	0.019	0.017 - 0.021	359	0.015	0.013 - 0.017
Wyoming	85	0.017	0.014 - 0.021	43	0.017	0.012 - 0.023	42	0.017	0.013 - 0.023

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	164,489	0.082	0.082 - 0.082	43,108	0.044	0.043 - 0.044	121,420	0.119	0.119 - 0.120
Alabama	1,815	0.056	0.053 - 0.059	492	0.031	0.028 - 0.034	1,323	0.080	0.076 - 0.084
Alaska	290	0.061	0.054 - 0.068	83	0.033	0.026 - 0.041	207	0.093	0.080 - 0.106
Arizona	3,232	0.083	0.080 - 0.085	834	0.043	0.040 - 0.046	2,398	0.121	0.116 - 0.126
Arkansas	1,391	0.063	0.060 - 0.066	369	0.034	0.031 - 0.038	1,022	0.091	0.085 - 0.097
California	11,980	0.078	0.077 - 0.080	3,293	0.043	0.042 - 0.045	8,687	0.114	0.111 - 0.116
CA - Greater California	7,351	0.077	0.075 - 0.079	1,935	0.041	0.039 - 0.043	5,417	0.113	0.110 - 0.116
CA - Greater Bay Area	2,061	0.070	0.067 - 0.073	627	0.042	0.039 - 0.046	1,433	0.099	0.094 - 0.104
CA - Los Angeles	2,567	0.092	0.089 - 0.096	731	0.052	0.049 - 0.056	1,836	0.133	0.127 - 0.139
Colorado	3,133	0.081	0.078 - 0.084	850	0.044	0.041 - 0.047	2,283	0.118	0.113 - 0.123
Connecticut	2,640	0.108	0.104 - 0.112	719	0.060	0.056 - 0.065	1,922	0.153	0.147 - 0.160
Delaware	561	0.092	0.085 - 0.100	122	0.042	0.034 - 0.050	439	0.140	0.127 - 0.154
District of Columbia	219	0.085	0.074 - 0.097	64	0.050	0.038 - 0.064	155	0.120	0.102 - 0.141
Florida	7,621	0.066	0.065 - 0.068	2,134	0.038	0.036 - 0.040	5,487	0.094	0.091 - 0.096
Georgia	4,110	0.074	0.071 - 0.076	1,023	0.037	0.035 - 0.040	3,087	0.109	0.105 - 0.113
Hawaii	232	0.075	0.066 - 0.085	89	0.053	0.043 - 0.065	143	0.101	0.085 - 0.119
Idaho	1,100	0.078	0.073 - 0.082	262	0.037	0.033 - 0.042	839	0.118	0.110 - 0.126
Illinois	7,343	0.092	0.090 - 0.094	1,937	0.049	0.047 - 0.052	5,406	0.133	0.130 - 0.137
Iowa	2,016	0.074	0.071 - 0.077	528	0.039	0.036 - 0.043	1,488	0.108	0.103 - 0.114
Kentucky	3,145	0.082	0.080 - 0.085	799	0.043	0.040 - 0.046	2,346	0.121	0.116 - 0.126
Louisiana	2,410	0.087	0.083 - 0.090	598	0.044	0.040 - 0.047	1,812	0.128	0.122 - 0.134
Maine	1,098	0.087	0.082 - 0.093	306	0.050	0.044 - 0.056	792	0.123	0.115 - 0.132
Maryland	3,018	0.096	0.093 - 0.099	743	0.048	0.045 - 0.052	2,275	0.142	0.136 - 0.148
Michigan	5,526	0.073	0.071 - 0.075	1,388	0.037	0.035 - 0.039	4,138	0.108	0.104 - 0.111
MI - Detroit	2,486	0.099	0.095 - 0.103	617	0.050	0.046 - 0.054	1,869	0.147	0.140 - 0.154
Minnesota	3,082	0.068	0.066 - 0.071	821	0.037	0.034 - 0.039	2,261	0.100	0.095 - 0.104
Mississippi	1,143	0.067	0.063 - 0.071	292	0.035	0.031 - 0.039	851	0.098	0.091 - 0.104
Missouri	3,219	0.065	0.063 - 0.068	842	0.035	0.032 - 0.037	2,377	0.095	0.091 - 0.099
Montana	659	0.072	0.066 - 0.078	181	0.039	0.034 - 0.045	478	0.105	0.096 - 0.115
Nebraska	1,122	0.073	0.069 - 0.078	277	0.036	0.032 - 0.041	845	0.109	0.102 - 0.117
Nevada	1,362	0.090	0.085 - 0.095	367	0.048	0.043 - 0.053	995	0.134	0.126 - 0.143
New Hampshire	1,072	0.087	0.082 - 0.093	269	0.044	0.039 - 0.050	803	0.129	0.120 - 0.138
New Jersey	6,211	0.124	0.121 - 0.127	1,676	0.068	0.065 - 0.072	4,535	0.176	0.171 - 0.182
New Mexico	764	0.095	0.089 - 0.102	197	0.050	0.043 - 0.057	567	0.140	0.129 - 0.152
New York	12,987	0.117	0.115 - 0.119	3,584	0.066	0.064 - 0.068	9,403	0.166	0.162 - 0.169
North Carolina	4,752	0.072	0.070 - 0.074	1,259	0.039	0.037 - 0.041	3,493	0.104	0.101 - 0.108
North Dakota	571	0.088	0.081 - 0.096	146	0.044	0.037 - 0.052	425	0.134	0.122 - 0.147
Ohio	7,623	0.082	0.080 - 0.084	1,804	0.039	0.038 - 0.041	5,819	0.122	0.119 - 0.126
Oklahoma	1,891	0.070	0.067 - 0.073	469	0.035	0.032 - 0.039	1,422	0.103	0.098 - 0.109
Oregon	2,291	0.071	0.069 - 0.074	608	0.038	0.035 - 0.042	1,683	0.103	0.099 - 0.109
Pennsylvania	11,274	0.114	0.112 - 0.116	2,887	0.059	0.057 - 0.062	8,387	0.166	0.162 - 0.169
Rhode Island	850	0.109	0.102 - 0.116	218	0.058	0.051 - 0.066	632	0.156	0.144 - 0.169
South Carolina	2,169	0.067	0.064 - 0.070	557	0.035	0.032 - 0.038	1,612	0.098	0.093 - 0.103
Tennessee	3,666	0.073	0.071 - 0.076	956	0.039	0.037 - 0.042	2,710	0.106	0.102 - 0.110
Texas	8,696	0.072	0.070 - 0.073	2,379	0.040	0.038 - 0.041	6,317	0.103	0.101 - 0.106
Utah	2,052	0.084	0.080 - 0.087	493	0.040	0.037 - 0.044	1,560	0.128	0.121 - 0.134
Vermont	439	0.075	0.068 - 0.082	129	0.045	0.037 - 0.053	310	0.104	0.093 - 0.116
Virginia	3,767	0.070	0.068 - 0.073	953	0.036	0.034 - 0.038	2,814	0.104	0.100 - 0.108
Washington ³	3,819	0.073	0.071 - 0.075	1,003	0.038	0.036 - 0.041	2,817	0.107	0.104 - 0.112
WA - Seattle	2,615	0.074	0.071 - 0.077	708	0.040	0.037 - 0.043	1,908	0.108	0.103 - 0.113
West Virginia	1,510	0.089	0.084 - 0.093	340	0.041	0.036 - 0.045	1,170	0.135	0.128 - 0.143
Wisconsin	3,564	0.075	0.072 - 0.077	922	0.039	0.037 - 0.042	2,642	0.110	0.106 - 0.115
Wyoming	375	0.076	0.068 - 0.084	93	0.037	0.030 - 0.045	281	0.115	0.102 - 0.130

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	25,956	0.013	0.013 - 0.013	14,244	0.014	0.014 - 0.015	11,710	0.011	0.011 - 0.012
Alabama	315	0.010	0.009 - 0.011	166	0.010	0.009 - 0.012	149	0.009	0.008 - 0.011
Alaska	42	0.009	0.006 - 0.012	25	0.010	0.006 - 0.015	17	0.008	0.004 - 0.012
Arizona	390	0.010	0.009 - 0.011	220	0.011	0.010 - 0.013	170	0.009	0.007 - 0.010
Arkansas	269	0.012	0.011 - 0.014	147	0.014	0.011 - 0.016	122	0.011	0.009 - 0.013
California	1,978	0.013	0.012 - 0.014	1,092	0.014	0.013 - 0.015	886	0.012	0.011 - 0.012
CA - Greater California	1,205	0.013	0.012 - 0.013	661	0.014	0.013 - 0.015	545	0.011	0.010 - 0.012
CA - Greater Bay Area	389	0.013	0.012 - 0.015	223	0.015	0.013 - 0.017	166	0.011	0.010 - 0.013
CA - Los Angeles	383	0.014	0.012 - 0.015	209	0.015	0.013 - 0.017	174	0.013	0.011 - 0.015
Colorado	433	0.011	0.010 - 0.012	241	0.012	0.011 - 0.014	192	0.010	0.009 - 0.011
Connecticut	392	0.016	0.014 - 0.018	211	0.018	0.015 - 0.020	182	0.014	0.012 - 0.017
Delaware	82	0.014	0.011 - 0.017	42	0.014	0.010 - 0.019	40	0.013	0.009 - 0.017
District of Columbia	33	0.013	0.009 - 0.018	17	0.013	0.008 - 0.021	16	0.012	0.007 - 0.020
Florida	1,561	0.014	0.013 - 0.014	852	0.015	0.014 - 0.016	709	0.012	0.011 - 0.013
Georgia	634	0.011	0.010 - 0.012	331	0.012	0.011 - 0.013	303	0.011	0.009 - 0.012
Hawaii	34	0.011	0.008 - 0.015	19	0.011	0.007 - 0.018	15	0.011	0.006 - 0.017
Idaho	157	0.011	0.009 - 0.013	88	0.012	0.010 - 0.015	69	0.010	0.008 - 0.012
Illinois	1,036	0.013	0.012 - 0.014	584	0.015	0.014 - 0.016	452	0.011	0.010 - 0.012
Iowa	382	0.014	0.013 - 0.016	222	0.017	0.014 - 0.019	160	0.012	0.010 - 0.014
Kentucky	452	0.012	0.011 - 0.013	260	0.014	0.012 - 0.016	192	0.010	0.009 - 0.011
Louisiana	354	0.013	0.011 - 0.014	183	0.013	0.011 - 0.015	171	0.012	0.010 - 0.014
Maine	190	0.015	0.013 - 0.017	95	0.015	0.012 - 0.019	95	0.015	0.012 - 0.018
Maryland	417	0.013	0.012 - 0.015	227	0.015	0.013 - 0.017	190	0.012	0.010 - 0.014
Michigan	974	0.013	0.012 - 0.014	544	0.014	0.013 - 0.016	430	0.011	0.010 - 0.012
MI - Detroit	389	0.016	0.014 - 0.017	232	0.019	0.016 - 0.021	157	0.012	0.011 - 0.014
Minnesota	642	0.014	0.013 - 0.015	371	0.017	0.015 - 0.018	271	0.012	0.011 - 0.013
Mississippi	181	0.011	0.009 - 0.012	104	0.012	0.010 - 0.015	77	0.009	0.007 - 0.011
Missouri	627	0.013	0.012 - 0.014	340	0.014	0.013 - 0.016	287	0.011	0.010 - 0.013
Montana	117	0.013	0.011 - 0.015	71	0.015	0.012 - 0.019	46	0.010	0.007 - 0.013
Nebraska	200	0.013	0.011 - 0.015	117	0.015	0.013 - 0.018	83	0.011	0.009 - 0.013
Nevada	134	0.009	0.007 - 0.011	65	0.008	0.007 - 0.011	69	0.009	0.007 - 0.012
New Hampshire	171	0.014	0.012 - 0.016	99	0.016	0.013 - 0.020	72	0.012	0.009 - 0.015
New Jersey	827	0.016	0.015 - 0.018	464	0.019	0.017 - 0.021	363	0.014	0.013 - 0.016
New Mexico	97	0.012	0.010 - 0.015	54	0.013	0.010 - 0.018	43	0.011	0.008 - 0.014
New York	1,863	0.017	0.016 - 0.018	1,004	0.018	0.017 - 0.020	859	0.015	0.014 - 0.016
North Carolina	772	0.012	0.011 - 0.013	438	0.014	0.012 - 0.015	334	0.010	0.009 - 0.011
North Dakota	96	0.015	0.012 - 0.018	62	0.019	0.014 - 0.024	34	0.011	0.007 - 0.015
Ohio	1,161	0.012	0.012 - 0.013	661	0.014	0.013 - 0.016	500	0.011	0.010 - 0.011
Oklahoma	321	0.012	0.011 - 0.013	177	0.013	0.011 - 0.015	144	0.010	0.009 - 0.012
Oregon	342	0.011	0.010 - 0.012	175	0.011	0.010 - 0.013	167	0.010	0.009 - 0.012
Pennsylvania	1,554	0.016	0.015 - 0.016	879	0.018	0.017 - 0.019	675	0.013	0.012 - 0.014
Rhode Island	133	0.017	0.014 - 0.020	64	0.017	0.013 - 0.022	69	0.017	0.013 - 0.022
South Carolina	372	0.012	0.010 - 0.013	199	0.013	0.011 - 0.015	173	0.010	0.009 - 0.012
Tennessee	583	0.012	0.011 - 0.013	305	0.012	0.011 - 0.014	278	0.011	0.010 - 0.012
Texas	1,410	0.012	0.011 - 0.012	718	0.012	0.011 - 0.013	692	0.011	0.011 - 0.012
Utah	275	0.011	0.010 - 0.013	144	0.012	0.010 - 0.014	131	0.011	0.009 - 0.013
Vermont	82	0.014	0.011 - 0.017	42	0.014	0.010 - 0.020	40	0.013	0.010 - 0.018
Virginia	599	0.011	0.010 - 0.012	301	0.011	0.010 - 0.013	298	0.011	0.010 - 0.012
Washington ³	646	0.012	0.011 - 0.013	368	0.014	0.013 - 0.016	278	0.011	0.009 - 0.012
WA - Seattle	452	0.013	0.012 - 0.014	259	0.015	0.013 - 0.017	193	0.011	0.009 - 0.013
West Virginia	179	0.011	0.009 - 0.012	100	0.012	0.010 - 0.015	79	0.009	0.007 - 0.011
Wisconsin	686	0.014	0.013 - 0.016	396	0.017	0.015 - 0.018	290	0.012	0.011 - 0.014
Wyoming	45	0.009	0.007 - 0.012	28	0.011	0.007 - 0.016	17	0.007	0.004 - 0.011

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	192,292	0.096	0.095 - 0.096	104,482	0.106	0.105 - 0.106	87,778	0.086	0.086 - 0.087
Alabama	2,453	0.076	0.073 - 0.079	1,330	0.084	0.080 - 0.089	1,123	0.068	0.064 - 0.072
Alaska	333	0.070	0.063 - 0.078	200	0.079	0.069 - 0.091	133	0.059	0.050 - 0.071
Arizona	3,201	0.082	0.079 - 0.085	1,754	0.091	0.086 - 0.095	1,447	0.073	0.069 - 0.077
Arkansas	1,883	0.085	0.081 - 0.089	1,014	0.093	0.088 - 0.099	869	0.077	0.072 - 0.083
California	15,723	0.103	0.101 - 0.105	8,922	0.117	0.114 - 0.119	6,801	0.089	0.087 - 0.091
CA - Greater California	9,345	0.098	0.096 - 0.100	5,307	0.112	0.109 - 0.115	4,038	0.084	0.081 - 0.087
CA - Greater Bay Area	3,449	0.118	0.114 - 0.122	1,975	0.133	0.128 - 0.139	1,474	0.102	0.097 - 0.107
CA - Los Angeles	2,926	0.105	0.102 - 0.109	1,637	0.117	0.112 - 0.123	1,289	0.093	0.088 - 0.099
Colorado	2,944	0.076	0.073 - 0.079	1,652	0.085	0.081 - 0.089	1,292	0.067	0.063 - 0.071
Connecticut	2,840	0.116	0.112 - 0.121	1,535	0.129	0.122 - 0.135	1,305	0.104	0.099 - 0.110
Delaware	710	0.117	0.109 - 0.126	371	0.126	0.114 - 0.140	339	0.108	0.097 - 0.120
District of Columbia	127	0.049	0.041 - 0.059	76	0.059	0.047 - 0.074	51	0.040	0.029 - 0.052
Florida	15,225	0.133	0.130 - 0.135	8,172	0.145	0.142 - 0.148	7,053	0.121	0.118 - 0.123
Georgia	4,687	0.084	0.081 - 0.086	2,555	0.093	0.089 - 0.097	2,132	0.075	0.072 - 0.078
Hawaii	309	0.100	0.089 - 0.112	183	0.109	0.094 - 0.126	126	0.089	0.074 - 0.106
Idaho	1,114	0.079	0.074 - 0.083	604	0.085	0.079 - 0.092	510	0.072	0.066 - 0.078
Illinois	7,880	0.099	0.097 - 0.101	4,256	0.109	0.105 - 0.112	3,624	0.089	0.086 - 0.092
Iowa	2,677	0.098	0.095 - 0.102	1,440	0.107	0.102 - 0.113	1,238	0.090	0.085 - 0.095
Kentucky	3,319	0.087	0.084 - 0.090	1,788	0.096	0.091 - 0.100	1,531	0.079	0.075 - 0.083
Louisiana	2,586	0.093	0.089 - 0.097	1,402	0.102	0.097 - 0.108	1,184	0.084	0.079 - 0.089
Maine	1,327	0.105	0.100 - 0.111	721	0.117	0.109 - 0.126	606	0.094	0.087 - 0.102
Maryland	3,046	0.097	0.093 - 0.100	1,633	0.106	0.101 - 0.111	1,413	0.088	0.084 - 0.093
Michigan	7,120	0.094	0.092 - 0.096	3,832	0.102	0.099 - 0.105	3,288	0.086	0.083 - 0.089
MI - Detroit	2,616	0.104	0.100 - 0.108	1,418	0.115	0.109 - 0.121	1,198	0.094	0.089 - 0.100
Minnesota	4,444	0.099	0.096 - 0.102	2,468	0.110	0.106 - 0.115	1,976	0.087	0.083 - 0.091
Mississippi	1,421	0.083	0.079 - 0.087	747	0.089	0.083 - 0.095	674	0.077	0.072 - 0.083
Missouri	4,278	0.087	0.084 - 0.090	2,299	0.095	0.091 - 0.099	1,979	0.079	0.076 - 0.083
Montana	846	0.092	0.086 - 0.099	468	0.101	0.092 - 0.111	378	0.083	0.075 - 0.092
Nebraska	1,399	0.091	0.087 - 0.096	780	0.103	0.096 - 0.110	619	0.080	0.074 - 0.087
Nevada	1,187	0.079	0.074 - 0.083	662	0.086	0.080 - 0.093	525	0.071	0.065 - 0.077
New Hampshire	1,280	0.104	0.098 - 0.110	694	0.114	0.106 - 0.123	586	0.094	0.087 - 0.102
New Jersey	6,073	0.121	0.118 - 0.124	3,193	0.130	0.126 - 0.135	2,880	0.112	0.108 - 0.116
New Mexico	742	0.092	0.086 - 0.099	386	0.097	0.088 - 0.107	356	0.088	0.079 - 0.097
New York	13,149	0.118	0.116 - 0.120	7,010	0.129	0.126 - 0.132	6,139	0.108	0.105 - 0.111
North Carolina	5,561	0.085	0.083 - 0.087	3,029	0.094	0.091 - 0.098	2,532	0.075	0.073 - 0.078
North Dakota	520	0.080	0.074 - 0.088	278	0.084	0.075 - 0.095	242	0.076	0.067 - 0.087
Ohio	8,185	0.088	0.086 - 0.090	4,440	0.097	0.094 - 0.100	3,745	0.079	0.076 - 0.081
Oklahoma	2,144	0.079	0.076 - 0.083	1,157	0.087	0.082 - 0.092	987	0.072	0.067 - 0.076
Oregon	2,933	0.091	0.088 - 0.095	1,588	0.101	0.096 - 0.106	1,345	0.083	0.078 - 0.087
Pennsylvania	10,628	0.107	0.105 - 0.109	5,633	0.116	0.113 - 0.119	4,995	0.099	0.096 - 0.101
Rhode Island	888	0.114	0.106 - 0.121	472	0.125	0.114 - 0.137	416	0.103	0.093 - 0.113
South Carolina	2,676	0.083	0.080 - 0.086	1,439	0.091	0.087 - 0.096	1,237	0.075	0.071 - 0.079
Tennessee	4,013	0.080	0.078 - 0.083	2,207	0.090	0.086 - 0.094	1,806	0.070	0.067 - 0.074
Texas	10,315	0.085	0.084 - 0.087	5,688	0.095	0.092 - 0.097	4,627	0.076	0.074 - 0.078
Utah	1,497	0.061	0.058 - 0.064	852	0.069	0.065 - 0.074	646	0.053	0.049 - 0.057
Vermont	613	0.104	0.096 - 0.113	338	0.117	0.105 - 0.130	275	0.092	0.082 - 0.104
Virginia	4,247	0.079	0.077 - 0.082	2,359	0.089	0.086 - 0.093	1,888	0.070	0.067 - 0.073
Washington ³	4,806	0.092	0.089 - 0.095	2,678	0.103	0.099 - 0.107	2,129	0.081	0.078 - 0.085
WA - Seattle	3,438	0.097	0.094 - 0.101	1,948	0.110	0.105 - 0.115	1,491	0.084	0.080 - 0.089
West Virginia	1,555	0.091	0.087 - 0.096	812	0.097	0.090 - 0.104	743	0.086	0.080 - 0.092
Wisconsin	4,839	0.102	0.099 - 0.105	2,631	0.111	0.107 - 0.116	2,208	0.092	0.088 - 0.096
Wyoming	360	0.073	0.065 - 0.081	206	0.082	0.071 - 0.094	154	0.063	0.054 - 0.074

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	53,294	0.027	0.026 - 0.027	30,872	0.031	0.031 - 0.032	22,408	0.022	0.022 - 0.022
Alabama	703	0.022	0.020 - 0.023	387	0.024	0.022 - 0.027	316	0.019	0.017 - 0.021
Alaska	76	0.016	0.013 - 0.020	41	0.016	0.012 - 0.022	35	0.016	0.011 - 0.022
Arizona	839	0.021	0.020 - 0.023	488	0.025	0.023 - 0.028	351	0.018	0.016 - 0.020
Arkansas	560	0.025	0.023 - 0.028	309	0.028	0.025 - 0.032	251	0.022	0.020 - 0.025
California	4,154	0.027	0.026 - 0.028	2,494	0.033	0.031 - 0.034	1,660	0.022	0.021 - 0.023
CA - Greater California	2,554	0.027	0.026 - 0.028	1,520	0.032	0.030 - 0.034	1,035	0.021	0.020 - 0.023
CA - Greater Bay Area	844	0.029	0.027 - 0.031	522	0.035	0.032 - 0.038	322	0.022	0.020 - 0.025
CA - Los Angeles	755	0.027	0.025 - 0.029	452	0.032	0.029 - 0.035	303	0.022	0.020 - 0.025
Colorado	900	0.023	0.022 - 0.025	561	0.029	0.027 - 0.031	339	0.018	0.016 - 0.020
Connecticut	796	0.033	0.030 - 0.035	463	0.039	0.035 - 0.043	334	0.027	0.024 - 0.030
Delaware	174	0.029	0.025 - 0.033	99	0.034	0.027 - 0.041	75	0.024	0.019 - 0.030
District of Columbia	39	0.015	0.011 - 0.021	19	0.015	0.009 - 0.023	20	0.015	0.009 - 0.024
Florida	4,461	0.039	0.038 - 0.040	2,590	0.046	0.044 - 0.048	1,871	0.032	0.031 - 0.033
Georgia	1,387	0.025	0.024 - 0.026	809	0.029	0.027 - 0.032	579	0.020	0.019 - 0.022
Hawaii	91	0.030	0.024 - 0.036	59	0.035	0.027 - 0.045	33	0.023	0.016 - 0.032
Idaho	329	0.023	0.021 - 0.026	210	0.030	0.026 - 0.034	119	0.017	0.014 - 0.020
Illinois	1,978	0.025	0.024 - 0.026	1,111	0.028	0.027 - 0.030	867	0.021	0.020 - 0.023
Iowa	758	0.028	0.026 - 0.030	444	0.033	0.030 - 0.036	314	0.023	0.020 - 0.025
Kentucky	935	0.025	0.023 - 0.026	560	0.030	0.028 - 0.033	374	0.019	0.017 - 0.021
Louisiana	693	0.025	0.023 - 0.027	387	0.028	0.025 - 0.031	306	0.022	0.019 - 0.024
Maine	347	0.028	0.025 - 0.031	193	0.031	0.027 - 0.036	154	0.024	0.020 - 0.028
Maryland	782	0.025	0.023 - 0.027	432	0.028	0.025 - 0.031	350	0.022	0.020 - 0.024
Michigan	1,927	0.025	0.024 - 0.027	1,123	0.030	0.028 - 0.032	804	0.021	0.020 - 0.022
MI - Detroit	695	0.028	0.026 - 0.030	398	0.032	0.029 - 0.036	297	0.023	0.021 - 0.026
Minnesota	1,275	0.028	0.027 - 0.030	747	0.033	0.031 - 0.036	528	0.023	0.021 - 0.025
Mississippi	364	0.021	0.019 - 0.024	220	0.026	0.023 - 0.030	144	0.017	0.014 - 0.019
Missouri	1,197	0.024	0.023 - 0.026	699	0.029	0.027 - 0.031	498	0.020	0.018 - 0.022
Montana	270	0.029	0.026 - 0.033	165	0.036	0.031 - 0.042	104	0.023	0.019 - 0.028
Nebraska	364	0.024	0.021 - 0.026	209	0.028	0.024 - 0.032	155	0.020	0.017 - 0.023
Nevada	280	0.019	0.016 - 0.021	163	0.021	0.018 - 0.025	117	0.016	0.013 - 0.019
New Hampshire	342	0.028	0.025 - 0.031	197	0.032	0.028 - 0.037	145	0.023	0.020 - 0.027
New Jersey	1,594	0.032	0.030 - 0.033	896	0.037	0.034 - 0.039	698	0.027	0.025 - 0.029
New Mexico	207	0.026	0.022 - 0.029	131	0.033	0.028 - 0.039	75	0.019	0.015 - 0.023
New York	3,765	0.034	0.033 - 0.035	2,178	0.040	0.038 - 0.042	1,587	0.028	0.027 - 0.029
North Carolina	1,754	0.027	0.025 - 0.028	1,011	0.032	0.030 - 0.034	743	0.022	0.021 - 0.024
North Dakota	155	0.024	0.020 - 0.028	90	0.027	0.022 - 0.033	65	0.021	0.016 - 0.026
Ohio	1,970	0.021	0.020 - 0.022	1,142	0.025	0.024 - 0.026	828	0.017	0.016 - 0.019
Oklahoma	626	0.023	0.021 - 0.025	363	0.027	0.025 - 0.030	263	0.019	0.017 - 0.022
Oregon	724	0.023	0.021 - 0.024	416	0.026	0.024 - 0.029	308	0.019	0.017 - 0.021
Pennsylvania	2,741	0.028	0.027 - 0.029	1,584	0.033	0.031 - 0.034	1,157	0.023	0.022 - 0.024
Rhode Island	198	0.025	0.022 - 0.029	127	0.034	0.028 - 0.040	71	0.018	0.014 - 0.022
South Carolina	819	0.025	0.024 - 0.027	465	0.030	0.027 - 0.032	354	0.021	0.019 - 0.024
Tennessee	1,144	0.023	0.022 - 0.024	661	0.027	0.025 - 0.029	483	0.019	0.017 - 0.021
Texas	3,306	0.027	0.026 - 0.028	1,871	0.031	0.030 - 0.033	1,435	0.023	0.022 - 0.025
Utah	430	0.018	0.016 - 0.019	246	0.020	0.018 - 0.023	184	0.015	0.013 - 0.017
Vermont	145	0.025	0.021 - 0.029	84	0.029	0.023 - 0.036	61	0.020	0.016 - 0.026
Virginia	1,089	0.020	0.019 - 0.022	619	0.023	0.022 - 0.025	470	0.017	0.016 - 0.019
Washington ³	1,330	0.025	0.024 - 0.027	773	0.030	0.028 - 0.032	557	0.021	0.020 - 0.023
WA - Seattle	964	0.027	0.026 - 0.029	564	0.032	0.029 - 0.035	400	0.023	0.020 - 0.025
West Virginia	412	0.024	0.022 - 0.027	247	0.029	0.026 - 0.033	165	0.019	0.016 - 0.022
Wisconsin	1,405	0.030	0.028 - 0.031	816	0.035	0.032 - 0.037	589	0.025	0.023 - 0.027
Wyoming	106	0.021	0.017 - 0.026	61	0.024	0.018 - 0.031	45	0.018	0.013 - 0.025

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	119,874	0.060	0.059 - 0.060	70,919	0.072	0.071 - 0.072	48,925	0.048	0.048 - 0.049
Alabama	1,437	0.044	0.042 - 0.047	837	0.053	0.049 - 0.057	600	0.036	0.033 - 0.039
Alaska	172	0.036	0.031 - 0.042	107	0.042	0.035 - 0.051	65	0.029	0.022 - 0.037
Arizona	1,586	0.040	0.039 - 0.043	926	0.048	0.045 - 0.051	660	0.033	0.031 - 0.036
Arkansas	1,240	0.056	0.053 - 0.059	727	0.067	0.062 - 0.072	513	0.046	0.042 - 0.050
California	8,917	0.058	0.057 - 0.060	5,449	0.071	0.070 - 0.073	3,469	0.045	0.044 - 0.047
CA - Greater California	5,458	0.057	0.056 - 0.059	3,318	0.070	0.067 - 0.072	2,140	0.044	0.043 - 0.046
CA - Greater Bay Area	1,830	0.062	0.060 - 0.065	1,145	0.077	0.073 - 0.082	684	0.047	0.044 - 0.051
CA - Los Angeles	1,630	0.059	0.056 - 0.062	985	0.071	0.066 - 0.075	645	0.047	0.043 - 0.050
Colorado	1,913	0.049	0.047 - 0.052	1,153	0.059	0.056 - 0.063	760	0.039	0.037 - 0.042
Connecticut	1,600	0.065	0.062 - 0.069	916	0.077	0.072 - 0.082	684	0.055	0.051 - 0.059
Delaware	372	0.061	0.055 - 0.068	230	0.078	0.069 - 0.089	142	0.045	0.038 - 0.053
District of Columbia	64	0.025	0.019 - 0.032	40	0.031	0.022 - 0.043	24	0.019	0.012 - 0.028
Florida	11,013	0.096	0.094 - 0.098	6,381	0.113	0.111 - 0.116	4,632	0.079	0.077 - 0.081
Georgia	3,175	0.057	0.055 - 0.059	1,847	0.067	0.064 - 0.070	1,328	0.047	0.044 - 0.049
Hawaii	179	0.058	0.050 - 0.067	119	0.071	0.059 - 0.085	61	0.043	0.033 - 0.055
Idaho	840	0.059	0.055 - 0.063	501	0.071	0.065 - 0.077	339	0.048	0.043 - 0.053
Illinois	4,116	0.052	0.050 - 0.053	2,420	0.062	0.059 - 0.064	1,696	0.042	0.040 - 0.044
Iowa	1,777	0.065	0.062 - 0.068	1,087	0.081	0.076 - 0.086	691	0.050	0.046 - 0.054
Kentucky	2,126	0.056	0.053 - 0.058	1,270	0.068	0.064 - 0.072	856	0.044	0.041 - 0.047
Louisiana	1,667	0.060	0.057 - 0.063	937	0.068	0.064 - 0.073	730	0.052	0.048 - 0.056
Maine	807	0.064	0.060 - 0.069	473	0.077	0.070 - 0.084	334	0.052	0.046 - 0.058
Maryland	1,706	0.054	0.052 - 0.057	978	0.063	0.060 - 0.068	728	0.045	0.042 - 0.049
Michigan	4,148	0.055	0.053 - 0.056	2,419	0.064	0.062 - 0.067	1,729	0.045	0.043 - 0.047
MI - Detroit	1,727	0.069	0.066 - 0.072	1,008	0.082	0.077 - 0.087	719	0.056	0.052 - 0.061
Minnesota	2,948	0.065	0.063 - 0.068	1,852	0.083	0.079 - 0.087	1,096	0.048	0.045 - 0.051
Mississippi	844	0.049	0.046 - 0.053	482	0.057	0.052 - 0.063	362	0.042	0.037 - 0.046
Missouri	2,583	0.052	0.050 - 0.055	1,511	0.062	0.059 - 0.066	1,072	0.043	0.040 - 0.046
Montana	607	0.066	0.061 - 0.072	399	0.086	0.078 - 0.095	208	0.046	0.040 - 0.052
Nebraska	800	0.052	0.049 - 0.056	477	0.063	0.057 - 0.069	323	0.042	0.037 - 0.047
Nevada	762	0.050	0.047 - 0.054	480	0.062	0.057 - 0.068	282	0.038	0.034 - 0.043
New Hampshire	696	0.057	0.052 - 0.061	425	0.070	0.063 - 0.077	271	0.044	0.039 - 0.049
New Jersey	3,500	0.070	0.067 - 0.072	2,040	0.083	0.080 - 0.087	1,460	0.057	0.054 - 0.060
New Mexico	537	0.067	0.061 - 0.073	297	0.075	0.066 - 0.084	240	0.059	0.052 - 0.067
New York	9,130	0.082	0.080 - 0.084	5,418	0.100	0.097 - 0.102	3,713	0.065	0.063 - 0.068
North Carolina	3,976	0.061	0.059 - 0.062	2,334	0.073	0.070 - 0.076	1,642	0.049	0.047 - 0.051
North Dakota	393	0.061	0.055 - 0.067	244	0.074	0.065 - 0.084	149	0.047	0.040 - 0.055
Ohio	3,928	0.042	0.041 - 0.043	2,337	0.051	0.049 - 0.053	1,591	0.033	0.032 - 0.035
Oklahoma	1,402	0.052	0.049 - 0.055	815	0.061	0.057 - 0.066	587	0.043	0.039 - 0.046
Oregon	1,619	0.051	0.048 - 0.053	936	0.059	0.056 - 0.063	683	0.042	0.039 - 0.045
Pennsylvania	6,214	0.063	0.061 - 0.064	3,692	0.076	0.074 - 0.079	2,522	0.050	0.048 - 0.052
Rhode Island	515	0.066	0.060 - 0.072	303	0.081	0.072 - 0.090	212	0.052	0.046 - 0.060
South Carolina	1,667	0.052	0.049 - 0.054	982	0.062	0.058 - 0.066	685	0.042	0.039 - 0.045
Tennessee	2,630	0.052	0.051 - 0.055	1,549	0.063	0.060 - 0.067	1,081	0.042	0.040 - 0.045
Texas	7,335	0.061	0.059 - 0.062	4,329	0.072	0.070 - 0.074	3,006	0.049	0.047 - 0.051
Utah	1,065	0.043	0.041 - 0.046	658	0.054	0.050 - 0.058	407	0.033	0.030 - 0.037
Vermont	290	0.049	0.044 - 0.055	167	0.058	0.049 - 0.067	123	0.041	0.034 - 0.049
Virginia	2,049	0.038	0.037 - 0.040	1,162	0.044	0.041 - 0.047	887	0.033	0.031 - 0.035
Washington ³	3,225	0.062	0.060 - 0.064	1,955	0.075	0.072 - 0.078	1,270	0.048	0.046 - 0.051
WA - Seattle	2,377	0.067	0.065 - 0.070	1,447	0.082	0.078 - 0.086	930	0.053	0.049 - 0.056
West Virginia	988	0.058	0.055 - 0.062	585	0.070	0.064 - 0.076	403	0.047	0.042 - 0.051
Wisconsin	3,405	0.072	0.069 - 0.074	2,066	0.087	0.084 - 0.091	1,339	0.056	0.053 - 0.059
Wyoming	253	0.051	0.045 - 0.058	149	0.059	0.050 - 0.070	104	0.043	0.035 - 0.052

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,738	0.002	0.002 - 0.002	2,569	0.003	0.003 - 0.003	1,166	0.001	0.001 - 0.001
Alabama	45	0.001	0.001 - 0.002	33	0.002	0.001 - 0.003	12	0.001	0.000 - 0.001
Alaska	11	0.002	0.001 - 0.004	-	-	-	-	-	-
Arizona	63	0.002	0.001 - 0.002	41	0.002	0.002 - 0.003	22	0.001	0.001 - 0.002
Arkansas	21	0.001	0.001 - 0.001	-	-	-	-	-	-
California	290	0.002	0.002 - 0.002	191	0.002	0.002 - 0.003	100	0.001	0.001 - 0.002
CA - Greater California	180	0.002	0.002 - 0.002	118	0.002	0.002 - 0.003	62	0.001	0.001 - 0.002
CA - Greater Bay Area	70	0.002	0.002 - 0.003	45	0.003	0.002 - 0.004	25	0.002	0.001 - 0.003
CA - Los Angeles	41	0.001	0.001 - 0.002	28	0.002	0.001 - 0.003	13	0.001	0.001 - 0.002
Colorado	63	0.002	0.001 - 0.002	40	0.002	0.001 - 0.003	23	0.001	0.001 - 0.002
Connecticut	51	0.002	0.002 - 0.003	-	-	-	-	-	-
Delaware	23	0.004	0.002 - 0.006	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	275	0.002	0.002 - 0.003	190	0.003	0.003 - 0.004	85	0.001	0.001 - 0.002
Georgia	64	0.001	0.001 - 0.001	52	0.002	0.001 - 0.002	12	0.000	0.000 - 0.001
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	31	0.002	0.001 - 0.003	-	-	-	-	-	-
Illinois	181	0.002	0.002 - 0.003	119	0.003	0.003 - 0.004	62	0.002	0.001 - 0.002
Iowa	50	0.002	0.001 - 0.002	36	0.003	0.002 - 0.004	14	0.001	0.001 - 0.002
Kentucky	41	0.001	0.001 - 0.001	28	0.002	0.001 - 0.002	13	0.001	0.000 - 0.001
Louisiana	70	0.003	0.002 - 0.003	39	0.003	0.002 - 0.004	31	0.002	0.001 - 0.003
Maine	38	0.003	0.002 - 0.004	-	-	-	-	-	-
Maryland	55	0.002	0.001 - 0.002	36	0.002	0.002 - 0.003	19	0.001	0.001 - 0.002
Michigan	148	0.002	0.002 - 0.002	95	0.003	0.002 - 0.003	53	0.001	0.001 - 0.002
MI - Detroit	40	0.002	0.001 - 0.002	25	0.002	0.001 - 0.003	15	0.001	0.001 - 0.002
Minnesota	102	0.002	0.002 - 0.003	65	0.003	0.002 - 0.004	37	0.002	0.001 - 0.002
Mississippi	32	0.002	0.001 - 0.003	22	0.003	0.002 - 0.004	10	0.001	0.001 - 0.002
Missouri	60	0.001	0.001 - 0.002	37	0.002	0.001 - 0.002	23	0.001	0.001 - 0.001
Montana	20	0.002	0.001 - 0.003	-	-	-	-	-	-
Nebraska	20	0.001	0.001 - 0.002	-	-	-	-	-	-
Nevada	17	0.001	0.001 - 0.002	-	-	-	-	-	-
New Hampshire	19	0.002	0.001 - 0.002	-	-	-	-	-	-
New Jersey	150	0.003	0.003 - 0.004	100	0.004	0.003 - 0.005	50	0.002	0.001 - 0.003
New Mexico	11	0.001	0.001 - 0.002	-	-	-	-	-	-
New York	250	0.002	0.002 - 0.003	164	0.003	0.003 - 0.004	86	0.002	0.001 - 0.002
North Carolina	99	0.002	0.001 - 0.002	70	0.002	0.002 - 0.003	29	0.001	0.001 - 0.001
North Dakota	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Ohio	178	0.002	0.002 - 0.002	130	0.003	0.002 - 0.003	48	0.001	0.001 - 0.001
Oklahoma	35	0.001	0.001 - 0.002	24	0.002	0.001 - 0.003	11	0.001	0.000 - 0.001
Oregon	57	0.002	0.001 - 0.002	40	0.003	0.002 - 0.003	17	0.001	0.001 - 0.002
Pennsylvania	229	0.002	0.002 - 0.003	161	0.003	0.003 - 0.004	68	0.001	0.001 - 0.002
Rhode Island	23	0.003	0.002 - 0.004	-	-	-	-	-	-
South Carolina	72	0.002	0.002 - 0.003	50	0.003	0.002 - 0.004	22	0.001	0.001 - 0.002
Tennessee	61	0.001	0.001 - 0.002	42	0.002	0.001 - 0.002	19	0.001	0.000 - 0.001
Texas	177	0.001	0.001 - 0.002	120	0.002	0.002 - 0.002	57	0.001	0.001 - 0.001
Utah	18	0.001	0.000 - 0.001	-	-	-	-	-	-
Vermont	11	0.002	0.001 - 0.003	-	-	-	-	-	-
Virginia	83	0.002	0.001 - 0.002	60	0.002	0.002 - 0.003	23	0.001	0.001 - 0.001
Washington ³	103	0.002	0.002 - 0.002	80	0.003	0.002 - 0.004	23	0.001	0.001 - 0.001
WA - Seattle	75	0.002	0.002 - 0.003	56	0.003	0.002 - 0.004	19	0.001	0.001 - 0.002
West Virginia	31	0.002	0.001 - 0.003	-	-	-	-	-	-
Wisconsin	98	0.002	0.002 - 0.003	71	0.003	0.002 - 0.004	27	0.001	0.001 - 0.002
Wyoming	12	0.002	0.001 - 0.004	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	556,110	1.318	1.314 - 1.322	274,565	1.359	1.354 - 1.364	281,558	1.280	1.275 - 1.285
Alabama	17,750	1.350	1.330 - 1.370	8,969	1.465	1.435 - 1.496	8,781	1.250	1.224 - 1.277
Alaska	256	0.795	0.700 - 0.898	138	0.766	0.643 - 0.905	118	0.832	0.689 - 0.996
Arizona	2,810	0.838	0.807 - 0.869	1,398	0.804	0.762 - 0.847	1,412	0.875	0.830 - 0.922
Arkansas	6,050	1.265	1.233 - 1.297	3,145	1.380	1.332 - 1.429	2,905	1.160	1.118 - 1.203
California	32,816	1.349	1.334 - 1.364	16,455	1.363	1.342 - 1.384	16,361	1.335	1.315 - 1.356
CA - Greater California	13,375	1.182	1.162 - 1.202	6,927	1.188	1.160 - 1.216	6,448	1.176	1.147 - 1.205
CA - Greater Bay Area	7,033	1.575	1.539 - 1.612	3,589	1.626	1.573 - 1.680	3,445	1.525	1.475 - 1.577
CA - Los Angeles	12,430	1.455	1.429 - 1.480	5,952	1.475	1.438 - 1.513	6,478	1.436	1.401 - 1.472
Colorado	2,619	1.022	0.983 - 1.062	1,437	1.053	0.999 - 1.108	1,182	0.987	0.931 - 1.045
Connecticut	5,222	1.368	1.331 - 1.405	2,524	1.383	1.329 - 1.438	2,698	1.354	1.303 - 1.406
Delaware	3,294	1.526	1.474 - 1.579	1,641	1.611	1.534 - 1.691	1,653	1.450	1.381 - 1.522
District of Columbia	5,070	1.561	1.518 - 1.605	2,275	1.547	1.484 - 1.612	2,795	1.573	1.515 - 1.632
Florida	38,665	1.158	1.146 - 1.169	19,338	1.203	1.186 - 1.220	19,327	1.116	1.100 - 1.132
Georgia	41,295	1.247	1.235 - 1.259	20,348	1.315	1.297 - 1.333	20,947	1.188	1.172 - 1.204
Hawaii	311	0.831	0.741 - 0.928	216	0.962	0.837 - 1.099	95	0.634	0.513 - 0.775
Idaho	91	0.532	0.428 - 0.653	60	0.627	0.478 - 0.806	31	0.411	0.280 - 0.584
Illinois	27,766	1.483	1.466 - 1.501	13,096	1.488	1.463 - 1.514	14,670	1.479	1.455 - 1.503
Iowa	1,043	0.786	0.739 - 0.836	559	0.795	0.730 - 0.864	484	0.777	0.709 - 0.849
Kentucky	4,854	1.256	1.220 - 1.291	2,375	1.236	1.187 - 1.287	2,479	1.275	1.225 - 1.326
Louisiana	21,067	1.376	1.358 - 1.395	10,658	1.467	1.439 - 1.495	10,410	1.294	1.270 - 1.319
Maine	144	0.596	0.503 - 0.702	83	0.636	0.507 - 0.789	61	0.550	0.420 - 0.706
Maryland	26,635	1.448	1.430 - 1.465	12,724	1.481	1.456 - 1.507	13,911	1.418	1.395 - 1.442
Michigan	20,445	1.407	1.388 - 1.426	9,948	1.438	1.410 - 1.466	10,497	1.379	1.352 - 1.405
MI - Detroit	15,562	1.587	1.562 - 1.612	7,580	1.681	1.643 - 1.719	7,982	1.506	1.474 - 1.540
Minnesota	3,011	0.783	0.755 - 0.811	1,601	0.816	0.776 - 0.857	1,410	0.748	0.710 - 0.789
Mississippi	15,228	1.345	1.324 - 1.366	7,847	1.474	1.442 - 1.507	7,381	1.230	1.202 - 1.259
Missouri	9,832	1.310	1.284 - 1.336	4,642	1.297	1.260 - 1.335	5,190	1.322	1.286 - 1.358
Montana	39	0.441	0.313 - 0.603	-	-	-	-	-	-
Nebraska	1,119	1.082	1.020 - 1.147	623	1.173	1.083 - 1.269	496	0.986	0.901 - 1.077
Nevada	2,436	0.849	0.815 - 0.883	1,137	0.796	0.750 - 0.843	1,299	0.901	0.853 - 0.951
New Hampshire	145	0.659	0.556 - 0.775	92	0.752	0.607 - 0.923	53	0.542	0.406 - 0.709
New Jersey	18,062	1.517	1.495 - 1.539	8,765	1.559	1.527 - 1.592	9,297	1.479	1.449 - 1.509
New Mexico	454	1.002	0.912 - 1.098	252	0.991	0.873 - 1.122	202	1.015	0.880 - 1.165
New York	45,947	1.550	1.536 - 1.564	22,789	1.650	1.628 - 1.671	23,158	1.463	1.444 - 1.482
North Carolina	32,687	1.448	1.432 - 1.464	16,120	1.525	1.502 - 1.549	16,567	1.379	1.359 - 1.401
North Dakota	77	0.308	0.243 - 0.385	50	0.343	0.255 - 0.452	27	0.259	0.171 - 0.377
Ohio	20,146	1.293	1.275 - 1.311	9,808	1.311	1.285 - 1.337	10,338	1.276	1.252 - 1.301
Oklahoma	3,714	1.119	1.084 - 1.156	1,902	1.146	1.095 - 1.198	1,812	1.093	1.044 - 1.145
Oregon	985	0.974	0.914 - 1.037	551	1.020	0.936 - 1.109	434	0.922	0.837 - 1.012
Pennsylvania	21,096	1.445	1.425 - 1.464	9,972	1.418	1.390 - 1.446	11,124	1.470	1.442 - 1.497
Rhode Island	717	1.018	0.945 - 1.095	335	0.956	0.856 - 1.064	382	1.080	0.974 - 1.193
South Carolina	19,374	1.410	1.390 - 1.430	9,675	1.503	1.474 - 1.534	9,699	1.327	1.301 - 1.354
Tennessee	14,314	1.236	1.216 - 1.257	6,973	1.273	1.243 - 1.303	7,341	1.203	1.176 - 1.231
Texas	38,975	1.134	1.122 - 1.145	18,858	1.133	1.117 - 1.149	20,117	1.134	1.119 - 1.150
Utah	250	0.578	0.508 - 0.654	163	0.665	0.567 - 0.775	87	0.464	0.371 - 0.572
Vermont	57	0.575	0.435 - 0.744	35	0.638	0.444 - 0.887	22	0.496	0.311 - 0.751
Virginia	23,129	1.376	1.359 - 1.394	11,618	1.441	1.414 - 1.467	11,511	1.317	1.293 - 1.342
Washington ³	3,519	1.013	0.979 - 1.047	1,949	1.050	1.004 - 1.098	1,570	0.969	0.922 - 1.018
WA - Seattle	3,233	1.069	1.032 - 1.106	1,773	1.107	1.056 - 1.159	1,460	1.027	0.975 - 1.081
West Virginia	986	1.355	1.272 - 1.442	553	1.412	1.296 - 1.534	433	1.289	1.171 - 1.417
Wisconsin	5,086	1.270	1.236 - 1.306	2,571	1.305	1.255 - 1.357	2,515	1.236	1.188 - 1.285
Wyoming	41	0.480	0.345 - 0.650	25	0.502	0.326 - 0.739	16	0.448	0.256 - 0.728

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,881	0.026	0.025 - 0.026	7,224	0.036	0.035 - 0.037	3,660	0.017	0.016 - 0.017
Alabama	344	0.026	0.023 - 0.029	229	0.037	0.033 - 0.043	115	0.016	0.014 - 0.020
Alaska	-	-	-	-	-	-	-	-	-
Arizona	38	0.011	0.008 - 0.016	27	0.016	0.010 - 0.023	11	0.007	0.003 - 0.012
Arkansas	137	0.029	0.024 - 0.034	82	0.036	0.029 - 0.045	55	0.022	0.017 - 0.029
California	666	0.027	0.025 - 0.030	468	0.039	0.035 - 0.042	197	0.016	0.014 - 0.018
CA - Greater California	281	0.025	0.022 - 0.028	201	0.035	0.030 - 0.040	80	0.015	0.012 - 0.018
CA - Greater Bay Area	137	0.031	0.026 - 0.036	97	0.044	0.036 - 0.054	40	0.018	0.013 - 0.024
CA - Los Angeles	247	0.029	0.025 - 0.033	170	0.042	0.036 - 0.049	77	0.017	0.014 - 0.021
Colorado	58	0.023	0.017 - 0.029	47	0.034	0.025 - 0.046	11	0.009	0.005 - 0.016
Connecticut	88	0.023	0.018 - 0.028	59	0.032	0.025 - 0.042	28	0.014	0.010 - 0.021
Delaware	45	0.021	0.015 - 0.028	31	0.030	0.021 - 0.043	14	0.012	0.007 - 0.021
District of Columbia	105	0.032	0.026 - 0.039	62	0.042	0.032 - 0.054	43	0.024	0.018 - 0.033
Florida	730	0.022	0.020 - 0.024	488	0.030	0.028 - 0.033	242	0.014	0.012 - 0.016
Georgia	799	0.024	0.023 - 0.026	513	0.033	0.030 - 0.036	287	0.016	0.014 - 0.018
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	628	0.034	0.031 - 0.036	410	0.047	0.042 - 0.051	218	0.022	0.019 - 0.025
Iowa	27	0.020	0.013 - 0.029	-	-	-	-	-	-
Kentucky	103	0.027	0.022 - 0.032	74	0.039	0.030 - 0.049	29	0.015	0.010 - 0.021
Louisiana	366	0.024	0.022 - 0.026	261	0.036	0.032 - 0.041	105	0.013	0.011 - 0.016
Maine	-	-	-	-	-	-	-	-	-
Maryland	448	0.024	0.022 - 0.027	282	0.033	0.029 - 0.037	166	0.017	0.014 - 0.020
Michigan	432	0.030	0.027 - 0.033	287	0.041	0.037 - 0.047	145	0.019	0.016 - 0.022
MI - Detroit	307	0.031	0.028 - 0.035	207	0.046	0.040 - 0.053	100	0.019	0.015 - 0.023
Minnesota	67	0.017	0.013 - 0.022	43	0.022	0.016 - 0.030	24	0.013	0.008 - 0.019
Mississippi	297	0.026	0.023 - 0.029	196	0.037	0.032 - 0.042	101	0.017	0.014 - 0.020
Missouri	216	0.029	0.025 - 0.033	143	0.040	0.034 - 0.047	73	0.019	0.015 - 0.023
Montana	-	-	-	-	-	-	-	-	-
Nebraska	23	0.022	0.014 - 0.033	-	-	-	-	-	-
Nevada	67	0.023	0.018 - 0.030	46	0.032	0.024 - 0.043	21	0.015	0.009 - 0.022
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	326	0.027	0.024 - 0.031	216	0.038	0.033 - 0.044	110	0.018	0.014 - 0.021
New Mexico	-	-	-	-	-	-	-	-	-
New York	781	0.026	0.025 - 0.028	473	0.034	0.031 - 0.037	308	0.019	0.017 - 0.022
North Carolina	709	0.031	0.029 - 0.034	487	0.046	0.042 - 0.050	222	0.018	0.016 - 0.021
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	394	0.025	0.023 - 0.028	268	0.036	0.032 - 0.040	126	0.016	0.013 - 0.019
Oklahoma	67	0.020	0.016 - 0.026	50	0.030	0.022 - 0.040	17	0.010	0.006 - 0.016
Oregon	21	0.021	0.013 - 0.032	-	-	-	-	-	-
Pennsylvania	470	0.032	0.029 - 0.035	301	0.043	0.038 - 0.048	169	0.022	0.019 - 0.026
Rhode Island	19	0.027	0.016 - 0.042	-	-	-	-	-	-
South Carolina	382	0.028	0.025 - 0.031	263	0.041	0.036 - 0.046	119	0.016	0.013 - 0.019
Tennessee	266	0.023	0.020 - 0.026	170	0.031	0.027 - 0.036	96	0.016	0.013 - 0.019
Texas	745	0.022	0.020 - 0.023	472	0.028	0.026 - 0.031	273	0.015	0.014 - 0.017
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	460	0.027	0.025 - 0.030	324	0.040	0.036 - 0.045	136	0.016	0.013 - 0.018
Washington ³	73	0.021	0.016 - 0.026	61	0.033	0.025 - 0.042	12	0.007	0.004 - 0.013
WA - Seattle	67	0.022	0.017 - 0.028	55	0.034	0.026 - 0.045	12	0.008	0.004 - 0.015
West Virginia	18	0.025	0.015 - 0.039	-	-	-	-	-	-
Wisconsin	102	0.025	0.021 - 0.031	67	0.034	0.026 - 0.043	35	0.017	0.012 - 0.024
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,151	0.005	0.005 - 0.005	1,389	0.007	0.007 - 0.007	762	0.003	0.003 - 0.004
Alabama	76	0.006	0.005 - 0.007	49	0.008	0.006 - 0.011	27	0.004	0.003 - 0.006
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	15	0.003	0.002 - 0.005	-	-	-	-	-	-
California	108	0.004	0.004 - 0.005	65	0.005	0.004 - 0.007	43	0.003	0.003 - 0.005
CA - Greater California	40	0.004	0.003 - 0.005	22	0.004	0.002 - 0.006	18	0.003	0.002 - 0.005
CA - Greater Bay Area	33	0.007	0.005 - 0.010	19	0.009	0.005 - 0.013	14	0.006	0.003 - 0.010
CA - Los Angeles	35	0.004	0.003 - 0.006	24	0.006	0.004 - 0.009	11	0.003	0.001 - 0.004
Colorado	10	0.004	0.002 - 0.007	-	-	-	-	-	-
Connecticut	20	0.005	0.003 - 0.008	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	18	0.006	0.003 - 0.009	-	-	-	-	-	-
Florida	144	0.004	0.004 - 0.005	82	0.005	0.004 - 0.006	62	0.004	0.003 - 0.005
Georgia	162	0.005	0.004 - 0.006	120	0.008	0.006 - 0.009	43	0.002	0.002 - 0.003
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	129	0.007	0.006 - 0.008	81	0.009	0.007 - 0.011	48	0.005	0.004 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	23	0.006	0.004 - 0.009	-	-	-	-	-	-
Louisiana	87	0.006	0.005 - 0.007	60	0.008	0.006 - 0.011	27	0.003	0.002 - 0.005
Maine	-	-	-	-	-	-	-	-	-
Maryland	88	0.005	0.004 - 0.006	54	0.006	0.005 - 0.008	34	0.003	0.002 - 0.005
Michigan	93	0.006	0.005 - 0.008	60	0.009	0.007 - 0.011	33	0.004	0.003 - 0.006
MI - Detroit	60	0.006	0.005 - 0.008	42	0.009	0.007 - 0.013	18	0.003	0.002 - 0.005
Minnesota	20	0.005	0.003 - 0.008	-	-	-	-	-	-
Mississippi	64	0.006	0.004 - 0.007	52	0.010	0.007 - 0.013	12	0.002	0.001 - 0.003
Missouri	42	0.006	0.004 - 0.008	29	0.008	0.005 - 0.012	13	0.003	0.002 - 0.006
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	10	0.003	0.002 - 0.006	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	55	0.005	0.003 - 0.006	31	0.005	0.004 - 0.008	24	0.004	0.002 - 0.006
New Mexico	-	-	-	-	-	-	-	-	-
New York	166	0.006	0.005 - 0.007	99	0.007	0.006 - 0.009	68	0.004	0.003 - 0.005
North Carolina	135	0.006	0.005 - 0.007	88	0.008	0.007 - 0.010	47	0.004	0.003 - 0.005
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	82	0.005	0.004 - 0.007	47	0.006	0.005 - 0.008	35	0.004	0.003 - 0.006
Oklahoma	13	0.004	0.002 - 0.007	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	106	0.007	0.006 - 0.009	66	0.009	0.007 - 0.012	40	0.005	0.004 - 0.007
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	82	0.006	0.005 - 0.007	62	0.010	0.007 - 0.012	20	0.003	0.002 - 0.004
Tennessee	53	0.005	0.003 - 0.006	32	0.006	0.004 - 0.008	21	0.003	0.002 - 0.005
Texas	126	0.004	0.003 - 0.004	88	0.005	0.004 - 0.007	38	0.002	0.002 - 0.003
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	86	0.005	0.004 - 0.006	60	0.007	0.006 - 0.010	26	0.003	0.002 - 0.004
Washington ³	15	0.004	0.002 - 0.007	-	-	-	-	-	-
WA - Seattle	14	0.005	0.003 - 0.008	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	28	0.007	0.005 - 0.010	14	0.007	0.004 - 0.012	14	0.007	0.004 - 0.012
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,080	0.019	0.019 - 0.020	4,226	0.021	0.020 - 0.022	3,854	0.018	0.017 - 0.018
Alabama	264	0.020	0.018 - 0.023	134	0.022	0.018 - 0.026	130	0.019	0.015 - 0.022
Alaska	-	-	-	-	-	-	-	-	-
Arizona	45	0.013	0.010 - 0.018	23	0.013	0.008 - 0.020	22	0.014	0.009 - 0.021
Arkansas	81	0.017	0.013 - 0.021	49	0.021	0.016 - 0.028	32	0.013	0.009 - 0.018
California	424	0.017	0.016 - 0.019	231	0.019	0.017 - 0.022	193	0.016	0.014 - 0.018
CA - Greater California	163	0.014	0.012 - 0.017	89	0.015	0.012 - 0.019	74	0.013	0.011 - 0.017
CA - Greater Bay Area	100	0.022	0.018 - 0.027	53	0.024	0.018 - 0.031	46	0.021	0.015 - 0.027
CA - Los Angeles	162	0.019	0.016 - 0.022	89	0.022	0.018 - 0.027	73	0.016	0.013 - 0.020
Colorado	38	0.015	0.010 - 0.020	25	0.018	0.012 - 0.027	13	0.011	0.006 - 0.019
Connecticut	107	0.028	0.023 - 0.034	57	0.031	0.024 - 0.040	50	0.025	0.019 - 0.033
Delaware	40	0.019	0.013 - 0.025	21	0.021	0.013 - 0.032	19	0.017	0.010 - 0.026
District of Columbia	85	0.026	0.021 - 0.032	46	0.031	0.023 - 0.042	39	0.022	0.016 - 0.030
Florida	633	0.019	0.018 - 0.020	343	0.021	0.019 - 0.024	290	0.017	0.015 - 0.019
Georgia	526	0.016	0.015 - 0.017	263	0.017	0.015 - 0.019	263	0.015	0.013 - 0.017
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	427	0.023	0.021 - 0.025	198	0.023	0.019 - 0.026	229	0.023	0.020 - 0.026
Iowa	10	0.008	0.004 - 0.014	-	-	-	-	-	-
Kentucky	79	0.020	0.016 - 0.025	40	0.021	0.015 - 0.028	39	0.020	0.014 - 0.027
Louisiana	281	0.018	0.016 - 0.021	148	0.020	0.017 - 0.024	133	0.016	0.014 - 0.020
Maine	-	-	-	-	-	-	-	-	-
Maryland	366	0.020	0.018 - 0.022	165	0.019	0.016 - 0.022	201	0.020	0.018 - 0.024
Michigan	290	0.020	0.018 - 0.022	151	0.022	0.018 - 0.026	139	0.018	0.015 - 0.022
MI - Detroit	193	0.020	0.017 - 0.023	102	0.023	0.018 - 0.027	91	0.017	0.014 - 0.021
Minnesota	43	0.011	0.008 - 0.015	30	0.015	0.010 - 0.022	13	0.007	0.004 - 0.012
Mississippi	208	0.018	0.016 - 0.021	102	0.019	0.016 - 0.023	106	0.018	0.014 - 0.021
Missouri	135	0.018	0.015 - 0.021	74	0.021	0.016 - 0.026	61	0.016	0.012 - 0.020
Montana	-	-	-	-	-	-	-	-	-
Nebraska	15	0.015	0.008 - 0.024	-	-	-	-	-	-
Nevada	34	0.012	0.008 - 0.017	19	0.013	0.008 - 0.021	15	0.010	0.006 - 0.017
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	259	0.022	0.019 - 0.025	122	0.022	0.018 - 0.026	137	0.022	0.018 - 0.026
New Mexico	-	-	-	-	-	-	-	-	-
New York	776	0.026	0.024 - 0.028	400	0.029	0.026 - 0.032	375	0.024	0.021 - 0.026
North Carolina	493	0.022	0.020 - 0.024	257	0.024	0.021 - 0.027	236	0.020	0.017 - 0.022
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	297	0.019	0.017 - 0.021	159	0.021	0.018 - 0.025	138	0.017	0.014 - 0.020
Oklahoma	53	0.016	0.012 - 0.021	25	0.015	0.010 - 0.022	28	0.017	0.011 - 0.024
Oregon	14	0.014	0.008 - 0.023	-	-	-	-	-	-
Pennsylvania	266	0.018	0.016 - 0.021	142	0.020	0.017 - 0.024	124	0.016	0.014 - 0.020
Rhode Island	18	0.026	0.015 - 0.040	-	-	-	-	-	-
South Carolina	305	0.022	0.020 - 0.025	165	0.026	0.022 - 0.030	140	0.019	0.016 - 0.023
Tennessee	179	0.015	0.013 - 0.018	91	0.017	0.013 - 0.020	88	0.014	0.012 - 0.018
Texas	576	0.017	0.015 - 0.018	317	0.019	0.017 - 0.021	259	0.015	0.013 - 0.016
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	296	0.018	0.016 - 0.020	171	0.021	0.018 - 0.025	125	0.014	0.012 - 0.017
Washington ³	50	0.014	0.011 - 0.019	32	0.017	0.012 - 0.024	19	0.011	0.007 - 0.018
WA - Seattle	47	0.016	0.011 - 0.021	30	0.018	0.012 - 0.026	18	0.012	0.007 - 0.020
West Virginia	15	0.021	0.012 - 0.034	-	-	-	-	-	-
Wisconsin	82	0.020	0.016 - 0.025	48	0.024	0.018 - 0.032	34	0.017	0.012 - 0.023
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	54,924	0.130	0.129 - 0.131	26,847	0.133	0.131 - 0.135	28,079	0.128	0.126 - 0.129
Alabama	1,979	0.151	0.144 - 0.157	928	0.152	0.142 - 0.162	1,051	0.150	0.141 - 0.159
Alaska	18	0.056	0.033 - 0.088	-	-	-	-	-	-
Arizona	233	0.069	0.061 - 0.079	110	0.063	0.052 - 0.076	123	0.076	0.063 - 0.091
Arkansas	623	0.130	0.120 - 0.141	317	0.139	0.124 - 0.155	306	0.122	0.109 - 0.137
California	3,240	0.133	0.129 - 0.138	1,612	0.134	0.127 - 0.140	1,628	0.133	0.126 - 0.139
CA - Greater California	1,299	0.115	0.109 - 0.121	694	0.119	0.110 - 0.128	605	0.110	0.102 - 0.119
CA - Greater Bay Area	685	0.153	0.142 - 0.165	335	0.152	0.136 - 0.169	350	0.155	0.139 - 0.172
CA - Los Angeles	1,258	0.147	0.139 - 0.156	583	0.145	0.133 - 0.157	675	0.150	0.139 - 0.161
Colorado	251	0.098	0.086 - 0.111	134	0.098	0.082 - 0.116	117	0.098	0.081 - 0.117
Connecticut	472	0.124	0.113 - 0.135	229	0.126	0.110 - 0.143	243	0.122	0.107 - 0.138
Delaware	295	0.137	0.122 - 0.153	142	0.139	0.117 - 0.164	153	0.134	0.114 - 0.157
District of Columbia	494	0.152	0.139 - 0.166	211	0.143	0.125 - 0.164	283	0.159	0.141 - 0.179
Florida	3,701	0.111	0.107 - 0.114	1,858	0.116	0.110 - 0.121	1,843	0.106	0.102 - 0.111
Georgia	4,229	0.128	0.124 - 0.132	2,060	0.133	0.127 - 0.139	2,169	0.123	0.118 - 0.128
Hawaii	24	0.063	0.040 - 0.094	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	3,010	0.161	0.155 - 0.167	1,433	0.163	0.155 - 0.172	1,577	0.159	0.151 - 0.167
Iowa	93	0.070	0.057 - 0.086	53	0.076	0.057 - 0.099	40	0.063	0.045 - 0.087
Kentucky	516	0.133	0.122 - 0.145	277	0.144	0.128 - 0.162	238	0.123	0.108 - 0.139
Louisiana	2,461	0.161	0.154 - 0.167	1,217	0.167	0.158 - 0.177	1,244	0.155	0.146 - 0.164
Maine	14	0.058	0.032 - 0.097	-	-	-	-	-	-
Maryland	2,305	0.125	0.120 - 0.131	1,068	0.124	0.117 - 0.132	1,237	0.126	0.119 - 0.133
Michigan	2,020	0.139	0.133 - 0.145	975	0.141	0.132 - 0.150	1,045	0.137	0.129 - 0.146
MI - Detroit	1,573	0.160	0.153 - 0.169	747	0.166	0.154 - 0.178	827	0.156	0.146 - 0.167
Minnesota	285	0.074	0.066 - 0.083	155	0.079	0.067 - 0.092	130	0.069	0.058 - 0.082
Mississippi	1,884	0.166	0.159 - 0.174	962	0.181	0.169 - 0.192	922	0.154	0.144 - 0.164
Missouri	998	0.133	0.125 - 0.142	474	0.132	0.121 - 0.145	524	0.133	0.122 - 0.145
Montana	-	-	-	-	-	-	-	-	-
Nebraska	108	0.104	0.086 - 0.126	63	0.119	0.091 - 0.152	45	0.089	0.065 - 0.120
Nevada	282	0.098	0.087 - 0.110	136	0.095	0.080 - 0.113	146	0.101	0.086 - 0.119
New Hampshire	17	0.077	0.045 - 0.124	-	-	-	-	-	-
New Jersey	1,756	0.148	0.141 - 0.155	801	0.142	0.133 - 0.153	956	0.152	0.143 - 0.162
New Mexico	40	0.089	0.064 - 0.121	22	0.086	0.053 - 0.130	19	0.094	0.056 - 0.147
New York	4,062	0.137	0.133 - 0.141	1,931	0.140	0.134 - 0.146	2,131	0.135	0.129 - 0.140
North Carolina	2,976	0.132	0.127 - 0.137	1,489	0.141	0.134 - 0.148	1,487	0.124	0.118 - 0.130
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,842	0.118	0.113 - 0.124	878	0.117	0.110 - 0.125	964	0.119	0.112 - 0.127
Oklahoma	372	0.112	0.101 - 0.124	188	0.113	0.098 - 0.131	184	0.111	0.096 - 0.128
Oregon	76	0.075	0.059 - 0.094	43	0.080	0.058 - 0.107	33	0.070	0.048 - 0.098
Pennsylvania	1,937	0.133	0.127 - 0.139	906	0.129	0.121 - 0.138	1,031	0.136	0.128 - 0.145
Rhode Island	46	0.065	0.048 - 0.087	20	0.057	0.035 - 0.088	26	0.073	0.048 - 0.108
South Carolina	1,879	0.137	0.131 - 0.143	945	0.147	0.138 - 0.157	934	0.128	0.120 - 0.136
Tennessee	1,488	0.129	0.122 - 0.135	723	0.132	0.123 - 0.142	765	0.125	0.117 - 0.135
Texas	4,205	0.122	0.119 - 0.126	2,081	0.125	0.120 - 0.131	2,124	0.120	0.115 - 0.125
Utah	15	0.035	0.020 - 0.057	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	2,116	0.126	0.121 - 0.131	1,040	0.129	0.121 - 0.137	1,076	0.123	0.116 - 0.131
Washington ³	318	0.092	0.082 - 0.102	175	0.094	0.081 - 0.109	143	0.089	0.075 - 0.104
WA - Seattle	287	0.095	0.084 - 0.107	161	0.100	0.085 - 0.117	126	0.089	0.074 - 0.106
West Virginia	96	0.132	0.107 - 0.161	47	0.120	0.088 - 0.160	49	0.146	0.108 - 0.193
Wisconsin	506	0.126	0.116 - 0.138	263	0.134	0.118 - 0.151	243	0.119	0.105 - 0.135
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,495	0.018	0.017 - 0.018	5,319	0.026	0.026 - 0.027	2,179	0.010	0.009 - 0.010
Alabama	127	0.010	0.008 - 0.011	86	0.014	0.011 - 0.017	41	0.006	0.004 - 0.008
Alaska	-	-	-	-	-	-	-	-	-
Arizona	30	0.009	0.006 - 0.013	-	-	-	-	-	-
Arkansas	68	0.014	0.011 - 0.018	52	0.023	0.017 - 0.030	16	0.006	0.004 - 0.010
California	524	0.022	0.020 - 0.023	388	0.032	0.029 - 0.035	136	0.011	0.009 - 0.013
CA - Greater California	226	0.020	0.017 - 0.023	166	0.028	0.024 - 0.033	60	0.011	0.008 - 0.014
CA - Greater Bay Area	140	0.031	0.026 - 0.037	111	0.050	0.041 - 0.061	29	0.013	0.009 - 0.019
CA - Los Angeles	157	0.018	0.016 - 0.021	111	0.027	0.023 - 0.033	46	0.010	0.008 - 0.014
Colorado	55	0.021	0.016 - 0.028	41	0.030	0.022 - 0.041	14	0.012	0.006 - 0.020
Connecticut	70	0.018	0.014 - 0.023	46	0.025	0.018 - 0.033	24	0.012	0.008 - 0.018
Delaware	55	0.025	0.019 - 0.033	39	0.038	0.027 - 0.052	16	0.014	0.008 - 0.023
District of Columbia	115	0.035	0.029 - 0.043	89	0.061	0.049 - 0.074	26	0.015	0.010 - 0.021
Florida	411	0.012	0.011 - 0.014	265	0.016	0.015 - 0.019	146	0.008	0.007 - 0.010
Georgia	439	0.013	0.012 - 0.015	299	0.019	0.017 - 0.022	140	0.008	0.007 - 0.009
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	293	0.016	0.014 - 0.018	207	0.024	0.020 - 0.027	86	0.009	0.007 - 0.011
Iowa	28	0.021	0.014 - 0.031	-	-	-	-	-	-
Kentucky	53	0.014	0.010 - 0.018	35	0.018	0.013 - 0.025	18	0.009	0.005 - 0.015
Louisiana	283	0.018	0.016 - 0.021	218	0.030	0.026 - 0.034	64	0.008	0.006 - 0.010
Maine	-	-	-	-	-	-	-	-	-
Maryland	407	0.022	0.020 - 0.024	292	0.034	0.030 - 0.038	115	0.012	0.010 - 0.014
Michigan	330	0.023	0.020 - 0.025	234	0.034	0.030 - 0.038	96	0.013	0.010 - 0.015
MI - Detroit	203	0.021	0.018 - 0.024	146	0.032	0.027 - 0.038	56	0.011	0.008 - 0.014
Minnesota	96	0.025	0.020 - 0.030	71	0.036	0.028 - 0.046	25	0.013	0.009 - 0.020
Mississippi	131	0.012	0.010 - 0.014	90	0.017	0.014 - 0.021	41	0.007	0.005 - 0.009
Missouri	166	0.022	0.019 - 0.026	119	0.033	0.028 - 0.040	47	0.012	0.009 - 0.016
Montana	-	-	-	-	-	-	-	-	-
Nebraska	20	0.019	0.012 - 0.030	-	-	-	-	-	-
Nevada	28	0.010	0.006 - 0.014	18	0.013	0.007 - 0.020	10	0.007	0.003 - 0.013
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	181	0.015	0.013 - 0.018	114	0.020	0.017 - 0.024	67	0.011	0.008 - 0.014
New Mexico	-	-	-	-	-	-	-	-	-
New York	638	0.022	0.020 - 0.023	449	0.032	0.030 - 0.036	190	0.012	0.010 - 0.014
North Carolina	363	0.016	0.014 - 0.018	231	0.022	0.019 - 0.025	132	0.011	0.009 - 0.013
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	305	0.020	0.017 - 0.022	220	0.029	0.026 - 0.034	85	0.010	0.008 - 0.013
Oklahoma	37	0.011	0.008 - 0.015	21	0.013	0.008 - 0.019	16	0.010	0.006 - 0.016
Oregon	23	0.023	0.014 - 0.034	-	-	-	-	-	-
Pennsylvania	463	0.032	0.029 - 0.035	344	0.049	0.044 - 0.054	119	0.016	0.013 - 0.019
Rhode Island	11	0.016	0.008 - 0.028	-	-	-	-	-	-
South Carolina	164	0.012	0.010 - 0.014	129	0.020	0.017 - 0.024	35	0.005	0.003 - 0.007
Tennessee	175	0.015	0.013 - 0.018	104	0.019	0.016 - 0.023	71	0.012	0.009 - 0.015
Texas	687	0.020	0.019 - 0.022	497	0.030	0.027 - 0.033	190	0.011	0.009 - 0.012
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	259	0.015	0.014 - 0.017	191	0.024	0.020 - 0.027	68	0.008	0.006 - 0.010
Washington ³	90	0.026	0.021 - 0.032	66	0.035	0.027 - 0.045	24	0.015	0.009 - 0.022
WA - Seattle	85	0.028	0.022 - 0.035	61	0.038	0.029 - 0.049	24	0.017	0.011 - 0.025
West Virginia	12	0.016	0.009 - 0.029	-	-	-	-	-	-
Wisconsin	102	0.025	0.021 - 0.031	82	0.042	0.033 - 0.052	20	0.010	0.006 - 0.015
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,652	0.016	0.015 - 0.016	2,958	0.015	0.014 - 0.015	3,694	0.017	0.016 - 0.017
Alabama	214	0.016	0.014 - 0.019	89	0.015	0.012 - 0.018	125	0.018	0.015 - 0.021
Alaska	-	-	-	-	-	-	-	-	-
Arizona	45	0.013	0.010 - 0.018	22	0.013	0.008 - 0.019	23	0.014	0.009 - 0.021
Arkansas	63	0.013	0.010 - 0.017	32	0.014	0.010 - 0.020	31	0.012	0.008 - 0.018
California	387	0.016	0.014 - 0.018	182	0.015	0.013 - 0.017	205	0.017	0.015 - 0.019
CA - Greater California	156	0.014	0.012 - 0.016	78	0.013	0.011 - 0.017	78	0.014	0.011 - 0.018
CA - Greater Bay Area	98	0.022	0.018 - 0.027	43	0.019	0.014 - 0.026	56	0.025	0.019 - 0.032
CA - Los Angeles	133	0.016	0.013 - 0.018	61	0.015	0.012 - 0.019	72	0.016	0.012 - 0.020
Colorado	31	0.012	0.008 - 0.017	17	0.012	0.007 - 0.020	14	0.012	0.006 - 0.020
Connecticut	66	0.017	0.013 - 0.022	32	0.018	0.012 - 0.025	34	0.017	0.012 - 0.024
Delaware	48	0.022	0.016 - 0.029	23	0.023	0.014 - 0.034	25	0.022	0.014 - 0.032
District of Columbia	64	0.020	0.015 - 0.025	29	0.020	0.013 - 0.028	35	0.020	0.014 - 0.027
Florida	479	0.014	0.013 - 0.016	216	0.013	0.012 - 0.015	263	0.015	0.013 - 0.017
Georgia	461	0.014	0.013 - 0.015	203	0.013	0.011 - 0.015	258	0.015	0.013 - 0.017
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	353	0.019	0.017 - 0.021	159	0.018	0.015 - 0.021	194	0.020	0.017 - 0.023
Iowa	12	0.009	0.005 - 0.016	-	-	-	-	-	-
Kentucky	54	0.014	0.011 - 0.018	19	0.010	0.006 - 0.016	35	0.018	0.013 - 0.025
Louisiana	187	0.012	0.011 - 0.014	76	0.010	0.008 - 0.013	111	0.014	0.011 - 0.017
Maine	-	-	-	-	-	-	-	-	-
Maryland	341	0.019	0.017 - 0.021	141	0.016	0.014 - 0.019	200	0.020	0.018 - 0.023
Michigan	328	0.023	0.020 - 0.025	159	0.023	0.020 - 0.027	169	0.022	0.019 - 0.026
MI - Detroit	196	0.020	0.017 - 0.023	94	0.021	0.017 - 0.026	102	0.019	0.016 - 0.023
Minnesota	36	0.009	0.007 - 0.013	18	0.009	0.005 - 0.014	18	0.010	0.006 - 0.015
Mississippi	169	0.015	0.013 - 0.017	79	0.015	0.012 - 0.018	90	0.015	0.012 - 0.018
Missouri	128	0.017	0.014 - 0.020	65	0.018	0.014 - 0.023	63	0.016	0.012 - 0.021
Montana	-	-	-	-	-	-	-	-	-
Nebraska	25	0.024	0.016 - 0.036	-	-	-	-	-	-
Nevada	30	0.010	0.007 - 0.015	14	0.010	0.005 - 0.016	16	0.011	0.006 - 0.018
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	195	0.016	0.014 - 0.019	87	0.016	0.012 - 0.019	108	0.017	0.014 - 0.021
New Mexico	-	-	-	-	-	-	-	-	-
New York	530	0.018	0.016 - 0.019	208	0.015	0.013 - 0.017	322	0.020	0.018 - 0.023
North Carolina	356	0.016	0.014 - 0.017	153	0.014	0.012 - 0.017	203	0.017	0.015 - 0.019
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	198	0.013	0.011 - 0.015	86	0.011	0.009 - 0.014	112	0.014	0.011 - 0.017
Oklahoma	38	0.011	0.008 - 0.016	17	0.010	0.006 - 0.016	21	0.013	0.008 - 0.019
Oregon	12	0.012	0.006 - 0.021	-	-	-	-	-	-
Pennsylvania	259	0.018	0.016 - 0.020	106	0.015	0.012 - 0.018	153	0.020	0.017 - 0.024
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	229	0.017	0.015 - 0.019	92	0.014	0.012 - 0.018	137	0.019	0.016 - 0.022
Tennessee	167	0.014	0.012 - 0.017	76	0.014	0.011 - 0.017	91	0.015	0.012 - 0.018
Texas	501	0.015	0.013 - 0.016	212	0.013	0.011 - 0.015	289	0.016	0.014 - 0.018
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	291	0.017	0.015 - 0.019	143	0.018	0.015 - 0.021	148	0.017	0.014 - 0.020
Washington ³	53	0.015	0.011 - 0.020	34	0.018	0.013 - 0.026	19	0.012	0.007 - 0.018
WA - Seattle	44	0.015	0.011 - 0.020	25	0.016	0.010 - 0.023	19	0.013	0.008 - 0.021
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	64	0.016	0.012 - 0.020	29	0.015	0.010 - 0.021	35	0.017	0.012 - 0.024
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,487	0.013	0.013 - 0.013	4,347	0.022	0.021 - 0.022	1,142	0.005	0.005 - 0.006
Alabama	211	0.016	0.014 - 0.018	182	0.030	0.026 - 0.034	29	0.004	0.003 - 0.006
Alaska	-	-	-	-	-	-	-	-	-
Arizona	21	0.006	0.004 - 0.010	-	-	-	-	-	-
Arkansas	69	0.014	0.011 - 0.018	53	0.023	0.017 - 0.030	16	0.006	0.004 - 0.010
California	229	0.009	0.008 - 0.011	184	0.015	0.013 - 0.018	44	0.004	0.003 - 0.005
CA - Greater California	92	0.008	0.007 - 0.010	79	0.014	0.011 - 0.017	13	0.002	0.001 - 0.004
CA - Greater Bay Area	52	0.012	0.009 - 0.015	40	0.018	0.013 - 0.025	12	0.005	0.003 - 0.009
CA - Los Angeles	86	0.010	0.008 - 0.012	66	0.016	0.013 - 0.021	21	0.005	0.003 - 0.007
Colorado	18	0.007	0.004 - 0.011	-	-	-	-	-	-
Connecticut	51	0.013	0.010 - 0.018	-	-	-	-	-	-
Delaware	19	0.009	0.005 - 0.014	-	-	-	-	-	-
District of Columbia	50	0.015	0.011 - 0.020	40	0.027	0.019 - 0.037	10	0.006	0.003 - 0.010
Florida	303	0.009	0.008 - 0.010	260	0.016	0.014 - 0.018	43	0.002	0.002 - 0.003
Georgia	379	0.011	0.010 - 0.013	312	0.020	0.018 - 0.022	67	0.004	0.003 - 0.005
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	325	0.017	0.016 - 0.019	247	0.028	0.025 - 0.032	78	0.008	0.006 - 0.010
Iowa	10	0.008	0.004 - 0.014	10	0.014	0.007 - 0.026	-	-	-
Kentucky	63	0.016	0.013 - 0.021	46	0.024	0.018 - 0.032	17	0.009	0.005 - 0.014
Louisiana	293	0.019	0.017 - 0.021	228	0.031	0.027 - 0.036	65	0.008	0.006 - 0.010
Maine	-	-	-	-	-	-	-	-	-
Maryland	197	0.011	0.009 - 0.012	158	0.018	0.016 - 0.021	39	0.004	0.003 - 0.005
Michigan	255	0.018	0.015 - 0.020	191	0.028	0.024 - 0.032	64	0.008	0.006 - 0.011
MI - Detroit	185	0.019	0.016 - 0.022	137	0.030	0.026 - 0.036	48	0.009	0.007 - 0.012
Minnesota	34	0.009	0.006 - 0.012	-	-	-	-	-	-
Mississippi	204	0.018	0.016 - 0.021	166	0.031	0.027 - 0.036	38	0.006	0.004 - 0.009
Missouri	126	0.017	0.014 - 0.020	93	0.026	0.021 - 0.032	33	0.008	0.006 - 0.012
Montana	-	-	-	-	-	-	-	-	-
Nebraska	13	0.013	0.007 - 0.021	-	-	-	-	-	-
Nevada	15	0.005	0.003 - 0.009	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	138	0.012	0.010 - 0.014	95	0.017	0.014 - 0.021	43	0.007	0.005 - 0.009
New Mexico	-	-	-	-	-	-	-	-	-
New York	338	0.011	0.010 - 0.013	256	0.019	0.016 - 0.021	82	0.005	0.004 - 0.006
North Carolina	368	0.016	0.015 - 0.018	286	0.027	0.024 - 0.030	82	0.007	0.005 - 0.008
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	239	0.015	0.013 - 0.017	182	0.024	0.021 - 0.028	57	0.007	0.005 - 0.009
Oklahoma	34	0.010	0.007 - 0.014	24	0.014	0.009 - 0.022	10	0.006	0.003 - 0.011
Oregon	11	0.011	0.005 - 0.019	-	-	-	-	-	-
Pennsylvania	213	0.015	0.013 - 0.017	160	0.023	0.019 - 0.027	53	0.007	0.005 - 0.009
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	244	0.018	0.016 - 0.020	205	0.032	0.028 - 0.037	39	0.005	0.004 - 0.007
Tennessee	154	0.013	0.011 - 0.016	121	0.022	0.018 - 0.026	33	0.005	0.004 - 0.008
Texas	350	0.010	0.009 - 0.011	289	0.017	0.015 - 0.019	61	0.003	0.003 - 0.004
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	249	0.015	0.013 - 0.017	202	0.025	0.022 - 0.029	47	0.005	0.004 - 0.007
Washington ³	24	0.007	0.004 - 0.010	-	-	-	-	-	-
WA - Seattle	23	0.008	0.005 - 0.011	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	52	0.013	0.010 - 0.017	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	38,266	0.091	0.090 - 0.092	18,622	0.092	0.091 - 0.094	19,646	0.089	0.088 - 0.091
Alabama	1,060	0.081	0.076 - 0.086	618	0.101	0.093 - 0.109	442	0.063	0.057 - 0.069
Alaska	13	0.040	0.021 - 0.069	-	-	-	-	-	-
Arizona	191	0.057	0.049 - 0.066	97	0.056	0.045 - 0.068	94	0.058	0.047 - 0.071
Arkansas	483	0.101	0.092 - 0.110	271	0.119	0.105 - 0.134	212	0.085	0.074 - 0.097
California	2,016	0.083	0.079 - 0.087	919	0.076	0.071 - 0.081	1,098	0.090	0.084 - 0.095
CA - Greater California	793	0.070	0.065 - 0.075	367	0.063	0.057 - 0.070	426	0.078	0.071 - 0.085
CA - Greater Bay Area	496	0.111	0.102 - 0.121	245	0.111	0.098 - 0.126	251	0.111	0.098 - 0.126
CA - Los Angeles	726	0.085	0.079 - 0.091	307	0.076	0.068 - 0.085	420	0.093	0.084 - 0.102
Colorado	151	0.059	0.050 - 0.069	82	0.060	0.048 - 0.075	69	0.058	0.045 - 0.073
Connecticut	370	0.097	0.087 - 0.107	169	0.093	0.079 - 0.108	201	0.101	0.088 - 0.116
Delaware	239	0.111	0.097 - 0.126	107	0.105	0.086 - 0.127	132	0.116	0.097 - 0.137
District of Columbia	391	0.120	0.109 - 0.133	163	0.111	0.094 - 0.129	228	0.128	0.112 - 0.146
Florida	2,168	0.065	0.062 - 0.068	1,062	0.066	0.062 - 0.070	1,106	0.064	0.060 - 0.068
Georgia	2,480	0.075	0.072 - 0.078	1,309	0.085	0.080 - 0.089	1,171	0.066	0.063 - 0.070
Hawaii	11	0.029	0.015 - 0.053	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	2,318	0.124	0.119 - 0.129	1,010	0.115	0.108 - 0.122	1,308	0.132	0.125 - 0.139
Iowa	65	0.049	0.038 - 0.062	33	0.046	0.032 - 0.065	32	0.051	0.035 - 0.072
Kentucky	444	0.115	0.104 - 0.126	219	0.114	0.099 - 0.130	225	0.116	0.101 - 0.132
Louisiana	1,467	0.096	0.091 - 0.101	801	0.110	0.103 - 0.118	666	0.083	0.077 - 0.089
Maine	12	0.050	0.026 - 0.087	-	-	-	-	-	-
Maryland	1,671	0.091	0.087 - 0.095	689	0.080	0.074 - 0.086	982	0.100	0.094 - 0.107
Michigan	1,820	0.125	0.120 - 0.131	852	0.123	0.115 - 0.132	968	0.127	0.119 - 0.135
MI - Detroit	1,207	0.123	0.116 - 0.130	563	0.125	0.115 - 0.136	644	0.121	0.112 - 0.131
Minnesota	227	0.059	0.052 - 0.067	112	0.057	0.047 - 0.069	115	0.061	0.050 - 0.073
Mississippi	1,122	0.099	0.093 - 0.105	642	0.121	0.111 - 0.130	480	0.080	0.073 - 0.087
Missouri	825	0.110	0.103 - 0.118	369	0.103	0.093 - 0.114	456	0.116	0.106 - 0.127
Montana	-	-	-	-	-	-	-	-	-
Nebraska	76	0.073	0.058 - 0.092	31	0.058	0.040 - 0.083	45	0.089	0.065 - 0.120
Nevada	174	0.061	0.052 - 0.070	81	0.057	0.045 - 0.070	93	0.065	0.052 - 0.079
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	1,049	0.088	0.083 - 0.094	456	0.081	0.074 - 0.089	592	0.094	0.087 - 0.102
New Mexico	33	0.074	0.051 - 0.103	19	0.076	0.046 - 0.119	14	0.070	0.039 - 0.118
New York	2,650	0.089	0.086 - 0.093	1,177	0.085	0.080 - 0.090	1,473	0.093	0.088 - 0.098
North Carolina	2,425	0.107	0.103 - 0.112	1,272	0.120	0.114 - 0.127	1,153	0.096	0.091 - 0.102
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,723	0.111	0.105 - 0.116	797	0.107	0.099 - 0.114	926	0.114	0.107 - 0.122
Oklahoma	253	0.076	0.067 - 0.086	135	0.081	0.068 - 0.096	118	0.071	0.059 - 0.085
Oregon	87	0.086	0.069 - 0.106	53	0.098	0.073 - 0.128	34	0.072	0.050 - 0.101
Pennsylvania	1,836	0.126	0.120 - 0.132	738	0.105	0.098 - 0.113	1,098	0.145	0.137 - 0.154
Rhode Island	63	0.089	0.069 - 0.114	35	0.100	0.070 - 0.139	28	0.079	0.053 - 0.114
South Carolina	1,344	0.098	0.093 - 0.103	726	0.113	0.105 - 0.121	618	0.085	0.078 - 0.091
Tennessee	969	0.084	0.078 - 0.089	495	0.090	0.083 - 0.099	474	0.078	0.071 - 0.085
Texas	2,528	0.074	0.071 - 0.076	1,274	0.077	0.072 - 0.081	1,254	0.071	0.067 - 0.075
Utah	11	0.026	0.013 - 0.047	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	1,628	0.097	0.092 - 0.102	832	0.103	0.096 - 0.110	796	0.091	0.085 - 0.098
Washington ³	225	0.065	0.057 - 0.074	127	0.068	0.057 - 0.081	99	0.061	0.049 - 0.074
WA - Seattle	210	0.070	0.060 - 0.080	117	0.073	0.060 - 0.087	94	0.066	0.053 - 0.081
West Virginia	85	0.117	0.093 - 0.144	50	0.128	0.095 - 0.168	35	0.104	0.073 - 0.145
Wisconsin	432	0.108	0.098 - 0.119	211	0.107	0.093 - 0.123	221	0.109	0.095 - 0.124
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,292	0.003	0.003 - 0.003	592	0.003	0.003 - 0.003	700	0.003	0.003 - 0.003
Alabama	36	0.003	0.002 - 0.004	17	0.003	0.002 - 0.004	19	0.003	0.002 - 0.004
Alaska	-	-	-	-	-	-	-	-	-
Arizona	17	0.005	0.003 - 0.008	-	-	-	-	-	-
Arkansas	21	0.004	0.003 - 0.007	-	-	-	-	-	-
California	92	0.004	0.003 - 0.005	49	0.004	0.003 - 0.005	43	0.004	0.003 - 0.005
CA - Greater California	43	0.004	0.003 - 0.005	20	0.003	0.002 - 0.005	23	0.004	0.003 - 0.006
CA - Greater Bay Area	18	0.004	0.002 - 0.006	-	-	-	-	-	-
CA - Los Angeles	31	0.004	0.002 - 0.005	17	0.004	0.002 - 0.007	14	0.003	0.002 - 0.005
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	12	0.003	0.002 - 0.005	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	11	0.003	0.002 - 0.006	-	-	-	-	-	-
Florida	124	0.004	0.003 - 0.004	68	0.004	0.003 - 0.005	56	0.003	0.002 - 0.004
Georgia	98	0.003	0.002 - 0.004	44	0.003	0.002 - 0.004	54	0.003	0.002 - 0.004
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	43	0.002	0.002 - 0.003	16	0.002	0.001 - 0.003	27	0.003	0.002 - 0.004
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	13	0.003	0.002 - 0.006	-	-	-	-	-	-
Louisiana	49	0.003	0.002 - 0.004	19	0.003	0.002 - 0.004	30	0.004	0.003 - 0.005
Maine	-	-	-	-	-	-	-	-	-
Maryland	64	0.003	0.003 - 0.004	35	0.004	0.003 - 0.006	29	0.003	0.002 - 0.004
Michigan	35	0.002	0.002 - 0.003	13	0.002	0.001 - 0.003	22	0.003	0.002 - 0.004
MI - Detroit	23	0.002	0.001 - 0.004	-	-	-	-	-	-
Minnesota	10	0.003	0.001 - 0.005	-	-	-	-	-	-
Mississippi	38	0.003	0.002 - 0.005	19	0.004	0.002 - 0.006	19	0.003	0.002 - 0.005
Missouri	10	0.001	0.001 - 0.002	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	37	0.003	0.002 - 0.004	17	0.003	0.002 - 0.005	20	0.003	0.002 - 0.005
New Mexico	-	-	-	-	-	-	-	-	-
New York	103	0.003	0.003 - 0.004	42	0.003	0.002 - 0.004	61	0.004	0.003 - 0.005
North Carolina	70	0.003	0.002 - 0.004	34	0.003	0.002 - 0.004	36	0.003	0.002 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	37	0.002	0.002 - 0.003	16	0.002	0.001 - 0.003	21	0.003	0.002 - 0.004
Oklahoma	11	0.003	0.002 - 0.006	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	43	0.003	0.002 - 0.004	19	0.003	0.002 - 0.004	24	0.003	0.002 - 0.005
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	32	0.002	0.002 - 0.003	12	0.002	0.001 - 0.003	20	0.003	0.002 - 0.004
Tennessee	30	0.003	0.002 - 0.004	13	0.002	0.001 - 0.004	17	0.003	0.002 - 0.004
Texas	98	0.003	0.002 - 0.003	47	0.003	0.002 - 0.004	51	0.003	0.002 - 0.004
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	55	0.003	0.002 - 0.004	29	0.004	0.002 - 0.005	26	0.003	0.002 - 0.004
Washington ³	13	0.004	0.002 - 0.006	-	-	-	-	-	-
WA - Seattle	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		114,330	0.520	0.517 - 0.523
Alabama	-	-		-	-		3,803	0.541	0.524 - 0.559
Alaska	-	-		-	-		49	0.346	0.256 - 0.457
Arizona	-	-		-	-		587	0.364	0.335 - 0.394
Arkansas	-	-		-	-		1,178	0.470	0.444 - 0.498
California	-	-		-	-		6,901	0.563	0.550 - 0.577
CA - Greater California	-	-		-	-		2,718	0.496	0.477 - 0.515
CA - Greater Bay Area	-	-		-	-		1,410	0.624	0.592 - 0.658
CA - Los Angeles	-	-		-	-		2,775	0.615	0.593 - 0.639
Colorado	-	-		-	-		504	0.421	0.385 - 0.459
Connecticut	-	-		-	-		1,100	0.552	0.520 - 0.586
Delaware	-	-		-	-		655	0.575	0.531 - 0.620
District of Columbia	-	-		-	-		1,123	0.632	0.596 - 0.670
Florida	-	-		-	-		7,348	0.424	0.415 - 0.434
Georgia	-	-		-	-		8,772	0.498	0.487 - 0.508
Hawaii	-	-		-	-		42	0.280	0.202 - 0.379
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		5,921	0.597	0.582 - 0.612
Iowa	-	-		-	-		158	0.253	0.215 - 0.296
Kentucky	-	-		-	-		942	0.484	0.454 - 0.516
Louisiana	-	-		-	-		4,292	0.534	0.518 - 0.550
Maine	-	-		-	-		21	0.189	0.117 - 0.289
Maryland	-	-		-	-		5,955	0.607	0.592 - 0.623
Michigan	-	-		-	-		4,119	0.541	0.525 - 0.558
MI - Detroit	-	-		-	-		3,245	0.612	0.592 - 0.634
Minnesota	-	-		-	-		487	0.259	0.236 - 0.283
Mississippi	-	-		-	-		2,921	0.487	0.469 - 0.505
Missouri	-	-		-	-		2,093	0.533	0.510 - 0.556
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		168	0.334	0.285 - 0.388
Nevada	-	-		-	-		549	0.381	0.350 - 0.414
New Hampshire	-	-		-	-		22	0.225	0.141 - 0.341
New Jersey	-	-		-	-		3,748	0.596	0.577 - 0.616
New Mexico	-	-		-	-		85	0.428	0.342 - 0.529
New York	-	-		-	-		8,905	0.563	0.551 - 0.574
North Carolina	-	-		-	-		7,038	0.586	0.572 - 0.600
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		4,179	0.516	0.500 - 0.532
Oklahoma	-	-		-	-		731	0.441	0.410 - 0.474
Oregon	-	-		-	-		166	0.352	0.301 - 0.410
Pennsylvania	-	-		-	-		4,145	0.548	0.531 - 0.565
Rhode Island	-	-		-	-		149	0.421	0.356 - 0.494
South Carolina	-	-		-	-		4,095	0.560	0.543 - 0.578
Tennessee	-	-		-	-		3,023	0.495	0.478 - 0.513
Texas	-	-		-	-		8,054	0.454	0.444 - 0.464
Utah	-	-		-	-		29	0.152	0.102 - 0.219
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		5,151	0.590	0.574 - 0.606
Washington ³	-	-		-	-		626	0.386	0.357 - 0.418
WA - Seattle	-	-		-	-		580	0.408	0.375 - 0.442
West Virginia	-	-		-	-		184	0.548	0.472 - 0.633
Wisconsin	-	-		-	-		943	0.464	0.434 - 0.494
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		6,439	0.029	0.029 - 0.030
Alabama	-	-		-	-		217	0.031	0.027 - 0.035
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		31	0.019	0.013 - 0.027
Arkansas	-	-		-	-		69	0.028	0.021 - 0.035
California	-	-		-	-		312	0.025	0.023 - 0.028
CA - Greater California	-	-		-	-		130	0.024	0.020 - 0.028
CA - Greater Bay Area	-	-		-	-		54	0.024	0.018 - 0.031
CA - Los Angeles	-	-		-	-		128	0.028	0.024 - 0.034
Colorado	-	-		-	-		22	0.018	0.012 - 0.028
Connecticut	-	-		-	-		43	0.022	0.016 - 0.029
Delaware	-	-		-	-		41	0.036	0.026 - 0.049
District of Columbia	-	-		-	-		55	0.031	0.023 - 0.040
Florida	-	-		-	-		620	0.036	0.033 - 0.039
Georgia	-	-		-	-		429	0.024	0.022 - 0.027
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		366	0.037	0.033 - 0.041
Iowa	-	-		-	-		12	0.019	0.010 - 0.034
Kentucky	-	-		-	-		45	0.023	0.017 - 0.031
Louisiana	-	-		-	-		265	0.033	0.029 - 0.037
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		252	0.026	0.023 - 0.029
Michigan	-	-		-	-		192	0.025	0.022 - 0.029
MI - Detroit	-	-		-	-		151	0.028	0.024 - 0.033
Minnesota	-	-		-	-		34	0.018	0.012 - 0.025
Mississippi	-	-		-	-		191	0.032	0.027 - 0.037
Missouri	-	-		-	-		105	0.027	0.022 - 0.032
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		15	0.030	0.017 - 0.049
Nevada	-	-		-	-		28	0.019	0.013 - 0.028
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		204	0.032	0.028 - 0.037
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		565	0.036	0.033 - 0.039
North Carolina	-	-		-	-		345	0.029	0.026 - 0.032
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		204	0.025	0.022 - 0.029
Oklahoma	-	-		-	-		36	0.022	0.015 - 0.030
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		257	0.034	0.030 - 0.038
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		208	0.028	0.025 - 0.033
Tennessee	-	-		-	-		201	0.033	0.029 - 0.038
Texas	-	-		-	-		527	0.030	0.027 - 0.032
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		215	0.025	0.021 - 0.028
Washington ³	-	-		-	-		31	0.019	0.013 - 0.027
WA - Seattle	-	-		-	-		29	0.020	0.014 - 0.029
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		68	0.033	0.026 - 0.042
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		21,212	0.096	0.095 - 0.098
Alabama	-	-		-	-		561	0.080	0.073 - 0.087
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		95	0.059	0.048 - 0.072
Arkansas	-	-		-	-		209	0.083	0.073 - 0.096
California	-	-		-	-		1,338	0.109	0.103 - 0.115
CA - Greater California	-	-		-	-		483	0.088	0.080 - 0.096
CA - Greater Bay Area	-	-		-	-		288	0.128	0.113 - 0.143
CA - Los Angeles	-	-		-	-		567	0.126	0.115 - 0.136
Colorado	-	-		-	-		74	0.062	0.049 - 0.078
Connecticut	-	-		-	-		212	0.106	0.092 - 0.122
Delaware	-	-		-	-		123	0.108	0.090 - 0.129
District of Columbia	-	-		-	-		244	0.137	0.121 - 0.156
Florida	-	-		-	-		1,565	0.090	0.086 - 0.095
Georgia	-	-		-	-		1,475	0.084	0.079 - 0.088
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		1,140	0.115	0.108 - 0.122
Iowa	-	-		-	-		42	0.067	0.048 - 0.090
Kentucky	-	-		-	-		173	0.089	0.076 - 0.103
Louisiana	-	-		-	-		665	0.083	0.076 - 0.089
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		1,094	0.112	0.105 - 0.118
Michigan	-	-		-	-		797	0.105	0.098 - 0.112
MI - Detroit	-	-		-	-		606	0.114	0.105 - 0.124
Minnesota	-	-		-	-		109	0.058	0.048 - 0.070
Mississippi	-	-		-	-		527	0.088	0.081 - 0.096
Missouri	-	-		-	-		353	0.090	0.081 - 0.100
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		29	0.058	0.039 - 0.083
Nevada	-	-		-	-		70	0.049	0.038 - 0.061
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		751	0.119	0.111 - 0.128
New Mexico	-	-		-	-		15	0.076	0.042 - 0.125
New York	-	-		-	-		2,181	0.138	0.132 - 0.144
North Carolina	-	-		-	-		1,222	0.102	0.096 - 0.108
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		738	0.091	0.085 - 0.098
Oklahoma	-	-		-	-		129	0.078	0.065 - 0.092
Oregon	-	-		-	-		33	0.070	0.048 - 0.098
Pennsylvania	-	-		-	-		832	0.110	0.103 - 0.118
Rhode Island	-	-		-	-		28	0.079	0.053 - 0.114
South Carolina	-	-		-	-		794	0.109	0.101 - 0.116
Tennessee	-	-		-	-		509	0.083	0.076 - 0.091
Texas	-	-		-	-		1,293	0.073	0.069 - 0.077
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		831	0.095	0.089 - 0.102
Washington ³	-	-		-	-		111	0.069	0.056 - 0.083
WA - Seattle	-	-		-	-		102	0.072	0.058 - 0.087
West Virginia	-	-		-	-		27	0.080	0.053 - 0.117
Wisconsin	-	-		-	-		174	0.086	0.073 - 0.099
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		5,552	0.025	0.025 - 0.026
Alabama	-	-		-	-		196	0.028	0.024 - 0.032
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		31	0.019	0.013 - 0.027
Arkansas	-	-		-	-		52	0.021	0.016 - 0.027
California	-	-		-	-		346	0.028	0.025 - 0.031
CA - Greater California	-	-		-	-		143	0.026	0.022 - 0.031
CA - Greater Bay Area	-	-		-	-		79	0.035	0.028 - 0.043
CA - Los Angeles	-	-		-	-		126	0.028	0.023 - 0.033
Colorado	-	-		-	-		13	0.011	0.006 - 0.019
Connecticut	-	-		-	-		58	0.029	0.022 - 0.037
Delaware	-	-		-	-		34	0.030	0.021 - 0.042
District of Columbia	-	-		-	-		71	0.040	0.031 - 0.050
Florida	-	-		-	-		433	0.025	0.023 - 0.027
Georgia	-	-		-	-		428	0.024	0.022 - 0.027
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		292	0.029	0.026 - 0.033
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		34	0.017	0.012 - 0.024
Louisiana	-	-		-	-		175	0.022	0.019 - 0.025
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		251	0.026	0.023 - 0.029
Michigan	-	-		-	-		209	0.027	0.024 - 0.031
MI - Detroit	-	-		-	-		164	0.031	0.026 - 0.036
Minnesota	-	-		-	-		30	0.016	0.011 - 0.023
Mississippi	-	-		-	-		123	0.021	0.017 - 0.024
Missouri	-	-		-	-		84	0.021	0.017 - 0.026
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		25	0.017	0.011 - 0.026
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		207	0.033	0.029 - 0.038
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		453	0.029	0.026 - 0.031
North Carolina	-	-		-	-		300	0.025	0.022 - 0.028
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		192	0.024	0.020 - 0.027
Oklahoma	-	-		-	-		31	0.019	0.013 - 0.027
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		191	0.025	0.022 - 0.029
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		173	0.024	0.020 - 0.027
Tennessee	-	-		-	-		148	0.024	0.021 - 0.028
Texas	-	-		-	-		463	0.026	0.024 - 0.029
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		211	0.024	0.021 - 0.028
Washington ³	-	-		-	-		27	0.017	0.011 - 0.024
WA - Seattle	-	-		-	-		27	0.019	0.013 - 0.028
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		57	0.028	0.021 - 0.036
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		135,114	0.669	0.666 - 0.673	-	-	
Alabama	-	-		4,638	0.758	0.736 - 0.780	-	-	
Alaska	-	-		69	0.383	0.298 - 0.484	-	-	
Arizona	-	-		629	0.362	0.334 - 0.391	-	-	
Arkansas	-	-		1,583	0.695	0.661 - 0.730	-	-	
California	-	-		7,821	0.648	0.633 - 0.662	-	-	
CA - Greater California	-	-		3,273	0.561	0.542 - 0.581	-	-	
CA - Greater Bay Area	-	-		1,667	0.755	0.719 - 0.792	-	-	
CA - Los Angeles	-	-		2,881	0.714	0.688 - 0.740	-	-	
Colorado	-	-		629	0.461	0.425 - 0.498	-	-	
Connecticut	-	-		1,188	0.651	0.614 - 0.689	-	-	
Delaware	-	-		884	0.868	0.812 - 0.927	-	-	
District of Columbia	-	-		1,037	0.705	0.663 - 0.749	-	-	
Florida	-	-		9,770	0.608	0.596 - 0.620	-	-	
Georgia	-	-		10,390	0.671	0.659 - 0.684	-	-	
Hawaii	-	-		112	0.499	0.411 - 0.601	-	-	
Idaho	-	-		27	0.281	0.185 - 0.409	-	-	
Illinois	-	-		6,227	0.708	0.690 - 0.725	-	-	
Iowa	-	-		237	0.337	0.295 - 0.383	-	-	
Kentucky	-	-		990	0.515	0.483 - 0.548	-	-	
Louisiana	-	-		5,190	0.714	0.695 - 0.734	-	-	
Maine	-	-		24	0.184	0.118 - 0.274	-	-	
Maryland	-	-		6,806	0.792	0.774 - 0.811	-	-	
Michigan	-	-		4,559	0.659	0.640 - 0.678	-	-	
MI - Detroit	-	-		3,696	0.819	0.793 - 0.846	-	-	
Minnesota	-	-		644	0.328	0.303 - 0.355	-	-	
Mississippi	-	-		3,957	0.743	0.720 - 0.767	-	-	
Missouri	-	-		2,042	0.571	0.546 - 0.596	-	-	
Montana	-	-		16	0.313	0.179 - 0.509	-	-	
Nebraska	-	-		303	0.571	0.508 - 0.639	-	-	
Nevada	-	-		491	0.344	0.314 - 0.375	-	-	
New Hampshire	-	-		51	0.417	0.311 - 0.548	-	-	
New Jersey	-	-		4,675	0.832	0.808 - 0.856	-	-	
New Mexico	-	-		125	0.492	0.410 - 0.587	-	-	
New York	-	-		12,445	0.901	0.885 - 0.917	-	-	
North Carolina	-	-		8,001	0.757	0.741 - 0.774	-	-	
North Dakota	-	-		24	0.165	0.105 - 0.245	-	-	
Ohio	-	-		4,683	0.626	0.608 - 0.644	-	-	
Oklahoma	-	-		924	0.557	0.521 - 0.594	-	-	
Oregon	-	-		252	0.466	0.411 - 0.528	-	-	
Pennsylvania	-	-		4,414	0.628	0.609 - 0.647	-	-	
Rhode Island	-	-		137	0.391	0.328 - 0.462	-	-	
South Carolina	-	-		4,937	0.767	0.746 - 0.789	-	-	
Tennessee	-	-		3,464	0.632	0.612 - 0.654	-	-	
Texas	-	-		8,439	0.507	0.496 - 0.518	-	-	
Utah	-	-		79	0.322	0.255 - 0.402	-	-	
Vermont	-	-		17	0.310	0.181 - 0.496	-	-	
Virginia	-	-		5,876	0.729	0.710 - 0.747	-	-	
Washington ³	-	-		856	0.462	0.431 - 0.493	-	-	
WA - Seattle	-	-		784	0.490	0.456 - 0.525	-	-	
West Virginia	-	-		285	0.727	0.645 - 0.817	-	-	
Wisconsin	-	-		1,161	0.589	0.556 - 0.624	-	-	
Wyoming	-	-		10	0.198	0.095 - 0.364	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		1,324	0.007	0.006 - 0.007	-	-	
Alabama	-	-		38	0.006	0.004 - 0.009	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		11	0.005	0.002 - 0.009	-	-	
California	-	-		87	0.007	0.006 - 0.009	-	-	
CA - Greater California	-	-		44	0.008	0.005 - 0.010	-	-	
CA - Greater Bay Area	-	-		15	0.007	0.004 - 0.011	-	-	
CA - Los Angeles	-	-		28	0.007	0.005 - 0.010	-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		13	0.007	0.004 - 0.012	-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		14	0.010	0.005 - 0.016	-	-	
Florida	-	-		75	0.005	0.004 - 0.006	-	-	
Georgia	-	-		99	0.006	0.005 - 0.008	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		54	0.006	0.005 - 0.008	-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		13	0.007	0.004 - 0.012	-	-	
Louisiana	-	-		57	0.008	0.006 - 0.010	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		66	0.008	0.006 - 0.010	-	-	
Michigan	-	-		48	0.007	0.005 - 0.009	-	-	
MI - Detroit	-	-		39	0.009	0.006 - 0.012	-	-	
Minnesota	-	-		11	0.006	0.003 - 0.010	-	-	
Mississippi	-	-		35	0.007	0.005 - 0.009	-	-	
Missouri	-	-		28	0.008	0.005 - 0.011	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		45	0.008	0.006 - 0.011	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		110	0.008	0.007 - 0.010	-	-	
North Carolina	-	-		84	0.008	0.006 - 0.010	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		41	0.005	0.004 - 0.007	-	-	
Oklahoma	-	-		13	0.008	0.004 - 0.013	-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		51	0.007	0.005 - 0.010	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		34	0.005	0.004 - 0.007	-	-	
Tennessee	-	-		41	0.007	0.005 - 0.010	-	-	
Texas	-	-		82	0.005	0.004 - 0.006	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		54	0.007	0.005 - 0.009	-	-	
Washington ³	-	-		15	0.008	0.005 - 0.013	-	-	
WA - Seattle	-	-		11	0.007	0.003 - 0.012	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		12	0.006	0.003 - 0.011	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	13,495	0.032	0.031 - 0.033	9,420	0.047	0.046 - 0.048	4,079	0.019	0.018 - 0.019
Alabama	418	0.032	0.029 - 0.035	293	0.048	0.043 - 0.054	125	0.018	0.015 - 0.021
Alaska	-	-	-	-	-	-	-	-	-
Arizona	80	0.024	0.019 - 0.030	51	0.029	0.022 - 0.039	29	0.018	0.012 - 0.026
Arkansas	128	0.027	0.022 - 0.032	93	0.041	0.033 - 0.050	35	0.014	0.010 - 0.019
California	959	0.039	0.037 - 0.042	710	0.059	0.055 - 0.063	249	0.020	0.018 - 0.023
CA - Greater California	382	0.034	0.030 - 0.037	287	0.049	0.044 - 0.055	95	0.017	0.014 - 0.021
CA - Greater Bay Area	197	0.044	0.038 - 0.051	142	0.064	0.054 - 0.076	55	0.025	0.019 - 0.032
CA - Los Angeles	380	0.044	0.040 - 0.049	281	0.070	0.062 - 0.078	99	0.022	0.018 - 0.027
Colorado	66	0.026	0.020 - 0.033	55	0.040	0.030 - 0.052	11	0.009	0.005 - 0.016
Connecticut	132	0.035	0.029 - 0.041	92	0.050	0.040 - 0.062	40	0.020	0.014 - 0.027
Delaware	98	0.045	0.037 - 0.055	71	0.070	0.054 - 0.088	27	0.024	0.016 - 0.034
District of Columbia	151	0.046	0.039 - 0.055	93	0.063	0.051 - 0.077	58	0.033	0.025 - 0.042
Florida	761	0.023	0.021 - 0.024	544	0.034	0.031 - 0.037	217	0.013	0.011 - 0.014
Georgia	803	0.024	0.023 - 0.026	532	0.034	0.032 - 0.037	271	0.015	0.014 - 0.017
Hawaii	14	0.037	0.020 - 0.063	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	700	0.037	0.035 - 0.040	502	0.057	0.052 - 0.062	198	0.020	0.017 - 0.023
Iowa	20	0.015	0.009 - 0.023	-	-	-	-	-	-
Kentucky	117	0.030	0.025 - 0.036	90	0.047	0.038 - 0.058	27	0.014	0.009 - 0.020
Louisiana	474	0.031	0.028 - 0.034	337	0.046	0.042 - 0.052	137	0.017	0.014 - 0.020
Maine	-	-	-	-	-	-	-	-	-
Maryland	731	0.040	0.037 - 0.043	484	0.056	0.051 - 0.062	247	0.025	0.022 - 0.029
Michigan	562	0.039	0.036 - 0.042	398	0.058	0.052 - 0.063	164	0.022	0.018 - 0.025
MI - Detroit	418	0.043	0.039 - 0.047	292	0.065	0.058 - 0.073	126	0.024	0.020 - 0.028
Minnesota	72	0.019	0.015 - 0.024	57	0.029	0.022 - 0.038	15	0.008	0.004 - 0.013
Mississippi	322	0.028	0.025 - 0.032	238	0.045	0.039 - 0.051	84	0.014	0.011 - 0.017
Missouri	264	0.035	0.031 - 0.040	164	0.046	0.039 - 0.053	100	0.025	0.021 - 0.031
Montana	-	-	-	-	-	-	-	-	-
Nebraska	29	0.028	0.019 - 0.040	17	0.032	0.019 - 0.051	12	0.024	0.012 - 0.042
Nevada	72	0.025	0.020 - 0.032	50	0.035	0.026 - 0.046	22	0.015	0.010 - 0.023
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	461	0.039	0.035 - 0.042	309	0.055	0.049 - 0.061	152	0.024	0.020 - 0.028
New Mexico	16	0.035	0.020 - 0.057	-	-	-	-	-	-
New York	1,036	0.035	0.033 - 0.037	698	0.051	0.047 - 0.054	337	0.021	0.019 - 0.024
North Carolina	803	0.036	0.033 - 0.038	540	0.051	0.047 - 0.056	263	0.022	0.019 - 0.025
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	575	0.037	0.034 - 0.040	390	0.052	0.047 - 0.058	185	0.023	0.020 - 0.026
Oklahoma	111	0.033	0.028 - 0.040	80	0.048	0.038 - 0.060	31	0.019	0.013 - 0.027
Oregon	24	0.024	0.015 - 0.035	-	-	-	-	-	-
Pennsylvania	624	0.043	0.039 - 0.046	448	0.064	0.058 - 0.070	176	0.023	0.020 - 0.027
Rhode Island	16	0.023	0.013 - 0.037	-	-	-	-	-	-
South Carolina	428	0.031	0.028 - 0.034	280	0.044	0.039 - 0.049	148	0.020	0.017 - 0.024
Tennessee	297	0.026	0.023 - 0.029	200	0.037	0.032 - 0.042	97	0.016	0.013 - 0.019
Texas	799	0.023	0.022 - 0.025	579	0.035	0.032 - 0.038	220	0.012	0.011 - 0.014
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	647	0.039	0.036 - 0.042	465	0.058	0.053 - 0.063	182	0.021	0.018 - 0.024
Washington ³	105	0.030	0.025 - 0.037	75	0.041	0.032 - 0.051	30	0.019	0.012 - 0.026
WA - Seattle	96	0.032	0.026 - 0.039	68	0.043	0.033 - 0.054	28	0.020	0.013 - 0.028
West Virginia	23	0.032	0.020 - 0.047	-	-	-	-	-	-
Wisconsin	135	0.034	0.028 - 0.040	95	0.048	0.039 - 0.059	40	0.020	0.014 - 0.027
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	26,821	0.064	0.063 - 0.064	15,977	0.079	0.078 - 0.080	10,849	0.049	0.048 - 0.050
Alabama	855	0.065	0.061 - 0.070	517	0.084	0.077 - 0.092	338	0.048	0.043 - 0.054
Alaska	-	-	-	-	-	-	-	-	-
Arizona	153	0.046	0.039 - 0.053	109	0.063	0.051 - 0.076	44	0.027	0.020 - 0.037
Arkansas	293	0.061	0.054 - 0.069	162	0.071	0.061 - 0.083	131	0.052	0.044 - 0.062
California	1,608	0.066	0.063 - 0.069	994	0.082	0.077 - 0.088	614	0.050	0.046 - 0.054
CA - Greater California	713	0.063	0.058 - 0.068	431	0.074	0.067 - 0.081	282	0.052	0.046 - 0.058
CA - Greater Bay Area	340	0.076	0.068 - 0.085	222	0.101	0.088 - 0.115	118	0.052	0.043 - 0.062
CA - Los Angeles	556	0.065	0.060 - 0.071	342	0.085	0.076 - 0.094	214	0.048	0.041 - 0.054
Colorado	132	0.052	0.043 - 0.061	93	0.068	0.055 - 0.083	39	0.033	0.023 - 0.045
Connecticut	220	0.058	0.050 - 0.066	144	0.079	0.067 - 0.093	76	0.038	0.030 - 0.048
Delaware	143	0.066	0.056 - 0.078	88	0.086	0.069 - 0.106	55	0.048	0.036 - 0.063
District of Columbia	210	0.065	0.056 - 0.074	131	0.089	0.074 - 0.106	79	0.044	0.035 - 0.055
Florida	1,527	0.046	0.043 - 0.048	924	0.057	0.054 - 0.061	603	0.035	0.032 - 0.038
Georgia	1,902	0.057	0.055 - 0.060	1,090	0.070	0.066 - 0.075	811	0.046	0.043 - 0.049
Hawaii	13	0.034	0.018 - 0.059	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,347	0.072	0.068 - 0.076	812	0.092	0.086 - 0.099	535	0.054	0.049 - 0.059
Iowa	73	0.055	0.043 - 0.069	37	0.053	0.037 - 0.073	36	0.058	0.040 - 0.080
Kentucky	304	0.079	0.070 - 0.088	169	0.088	0.075 - 0.102	135	0.069	0.058 - 0.082
Louisiana	1,047	0.068	0.064 - 0.073	595	0.082	0.075 - 0.089	451	0.056	0.051 - 0.062
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,136	0.062	0.058 - 0.065	654	0.076	0.070 - 0.082	482	0.049	0.045 - 0.054
Michigan	976	0.067	0.063 - 0.072	595	0.086	0.079 - 0.093	381	0.050	0.045 - 0.055
MI - Detroit	731	0.075	0.069 - 0.080	448	0.099	0.090 - 0.109	283	0.053	0.047 - 0.060
Minnesota	161	0.042	0.036 - 0.049	107	0.055	0.045 - 0.066	54	0.029	0.022 - 0.037
Mississippi	846	0.075	0.070 - 0.080	473	0.089	0.081 - 0.097	373	0.062	0.056 - 0.069
Missouri	524	0.070	0.064 - 0.076	281	0.079	0.070 - 0.088	243	0.062	0.054 - 0.070
Montana	-	-	-	-	-	-	-	-	-
Nebraska	78	0.075	0.060 - 0.094	56	0.105	0.080 - 0.137	22	0.044	0.027 - 0.066
Nevada	142	0.049	0.042 - 0.058	86	0.060	0.048 - 0.074	56	0.039	0.029 - 0.050
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	797	0.067	0.062 - 0.072	484	0.086	0.079 - 0.094	312	0.050	0.044 - 0.055
New Mexico	28	0.062	0.041 - 0.089	-	-	-	-	-	-
New York	1,842	0.062	0.059 - 0.065	1,124	0.081	0.077 - 0.086	718	0.045	0.042 - 0.049
North Carolina	1,560	0.069	0.066 - 0.073	883	0.084	0.078 - 0.089	677	0.056	0.052 - 0.061
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,031	0.066	0.062 - 0.070	630	0.084	0.078 - 0.091	401	0.049	0.045 - 0.055
Oklahoma	207	0.062	0.054 - 0.071	123	0.074	0.062 - 0.088	84	0.051	0.040 - 0.063
Oregon	51	0.050	0.038 - 0.066	35	0.065	0.045 - 0.090	16	0.034	0.019 - 0.055
Pennsylvania	1,177	0.081	0.076 - 0.085	723	0.103	0.095 - 0.111	454	0.060	0.055 - 0.066
Rhode Island	30	0.043	0.029 - 0.061	-	-	-	-	-	-
South Carolina	937	0.068	0.064 - 0.073	552	0.086	0.079 - 0.093	385	0.053	0.048 - 0.058
Tennessee	791	0.068	0.064 - 0.073	439	0.080	0.073 - 0.088	352	0.058	0.052 - 0.064
Texas	2,080	0.061	0.058 - 0.063	1,223	0.073	0.069 - 0.078	857	0.048	0.045 - 0.052
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	1,257	0.075	0.071 - 0.079	764	0.095	0.088 - 0.102	493	0.056	0.052 - 0.062
Washington ³	188	0.054	0.047 - 0.062	123	0.066	0.055 - 0.079	65	0.040	0.031 - 0.051
WA - Seattle	171	0.057	0.048 - 0.066	111	0.069	0.057 - 0.084	60	0.042	0.032 - 0.054
West Virginia	43	0.059	0.043 - 0.080	28	0.071	0.047 - 0.103	15	0.045	0.025 - 0.074
Wisconsin	276	0.069	0.061 - 0.078	162	0.082	0.070 - 0.096	114	0.056	0.046 - 0.067
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Brain and Other Nervous System

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,974	0.009	0.009 - 0.010	2,074	0.010	0.010 - 0.011	1,901	0.009	0.008 - 0.009
Alabama	125	0.010	0.008 - 0.011	59	0.010	0.007 - 0.012	66	0.009	0.007 - 0.012
Alaska	-	-	-	-	-	-	-	-	-
Arizona	24	0.007	0.005 - 0.011	-	-	-	-	-	-
Arkansas	46	0.010	0.007 - 0.013	26	0.011	0.007 - 0.017	20	0.008	0.005 - 0.012
California	223	0.009	0.008 - 0.010	126	0.010	0.009 - 0.012	98	0.008	0.006 - 0.010
CA - Greater California	104	0.009	0.008 - 0.011	56	0.010	0.007 - 0.013	48	0.009	0.006 - 0.012
CA - Greater Bay Area	46	0.010	0.008 - 0.014	26	0.012	0.008 - 0.017	20	0.009	0.005 - 0.014
CA - Los Angeles	74	0.009	0.007 - 0.011	44	0.011	0.008 - 0.015	30	0.007	0.004 - 0.009
Colorado	19	0.007	0.004 - 0.012	-	-	-	-	-	-
Connecticut	29	0.008	0.005 - 0.011	17	0.009	0.005 - 0.015	12	0.006	0.003 - 0.011
Delaware	18	0.008	0.005 - 0.013	-	-	-	-	-	-
District of Columbia	38	0.012	0.008 - 0.016	17	0.012	0.007 - 0.019	21	0.012	0.007 - 0.018
Florida	332	0.010	0.009 - 0.011	174	0.011	0.009 - 0.013	158	0.009	0.008 - 0.011
Georgia	303	0.009	0.008 - 0.010	146	0.009	0.008 - 0.011	158	0.009	0.008 - 0.010
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	179	0.010	0.008 - 0.011	93	0.011	0.009 - 0.013	86	0.009	0.007 - 0.011
Iowa	12	0.009	0.005 - 0.016	-	-	-	-	-	-
Kentucky	36	0.009	0.006 - 0.013	21	0.011	0.007 - 0.017	15	0.008	0.004 - 0.013
Louisiana	117	0.008	0.006 - 0.009	65	0.009	0.007 - 0.011	52	0.006	0.005 - 0.008
Maine	-	-	-	-	-	-	-	-	-
Maryland	155	0.008	0.007 - 0.010	82	0.010	0.008 - 0.012	73	0.007	0.006 - 0.009
Michigan	151	0.010	0.009 - 0.012	63	0.009	0.007 - 0.012	88	0.012	0.009 - 0.014
MI - Detroit	101	0.010	0.008 - 0.012	40	0.009	0.006 - 0.012	60	0.011	0.009 - 0.015
Minnesota	45	0.012	0.009 - 0.016	22	0.011	0.007 - 0.017	23	0.012	0.008 - 0.018
Mississippi	96	0.008	0.007 - 0.010	49	0.009	0.007 - 0.012	47	0.008	0.006 - 0.010
Missouri	75	0.010	0.008 - 0.013	39	0.011	0.008 - 0.015	36	0.009	0.006 - 0.013
Montana	-	-	-	-	-	-	-	-	-
Nebraska	14	0.014	0.007 - 0.023	-	-	-	-	-	-
Nevada	24	0.008	0.005 - 0.012	10	0.007	0.003 - 0.013	14	0.010	0.005 - 0.016
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	140	0.012	0.010 - 0.014	79	0.014	0.011 - 0.017	61	0.010	0.007 - 0.013
New Mexico	-	-	-	-	-	-	-	-	-
New York	283	0.010	0.008 - 0.011	165	0.012	0.010 - 0.014	118	0.007	0.006 - 0.009
North Carolina	226	0.010	0.009 - 0.011	109	0.010	0.008 - 0.012	117	0.010	0.008 - 0.012
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	161	0.010	0.009 - 0.012	85	0.011	0.009 - 0.014	76	0.009	0.007 - 0.012
Oklahoma	27	0.008	0.005 - 0.012	10	0.006	0.003 - 0.011	17	0.010	0.006 - 0.016
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	157	0.011	0.009 - 0.013	97	0.014	0.011 - 0.017	60	0.008	0.006 - 0.010
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	112	0.008	0.007 - 0.010	56	0.009	0.007 - 0.011	56	0.008	0.006 - 0.010
Tennessee	100	0.009	0.007 - 0.011	56	0.010	0.008 - 0.013	44	0.007	0.005 - 0.010
Texas	325	0.009	0.008 - 0.011	162	0.010	0.008 - 0.011	163	0.009	0.008 - 0.011
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	144	0.009	0.007 - 0.010	77	0.010	0.008 - 0.012	67	0.008	0.006 - 0.010
Washington ³	28	0.008	0.005 - 0.012	14	0.008	0.004 - 0.013	14	0.008	0.005 - 0.014
WA - Seattle	26	0.008	0.006 - 0.012	13	0.008	0.004 - 0.014	13	0.009	0.005 - 0.015
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	44	0.011	0.008 - 0.015	24	0.012	0.008 - 0.018	20	0.010	0.006 - 0.015
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	17,256	0.041	0.040 - 0.041	3,078	0.015	0.015 - 0.016	14,170	0.064	0.063 - 0.065
Alabama	379	0.029	0.026 - 0.032	68	0.011	0.009 - 0.014	311	0.044	0.039 - 0.049
Alaska	11	0.034	0.017 - 0.061	-	-	-	-	-	-
Arizona	137	0.041	0.034 - 0.048	31	0.018	0.012 - 0.025	106	0.066	0.054 - 0.079
Arkansas	164	0.034	0.029 - 0.040	31	0.014	0.009 - 0.019	133	0.053	0.044 - 0.063
California	841	0.035	0.032 - 0.037	188	0.016	0.013 - 0.018	654	0.053	0.049 - 0.058
CA - Greater California	371	0.033	0.030 - 0.036	88	0.015	0.012 - 0.019	283	0.052	0.046 - 0.058
CA - Greater Bay Area	112	0.025	0.021 - 0.030	21	0.009	0.006 - 0.015	91	0.040	0.032 - 0.049
CA - Los Angeles	359	0.042	0.038 - 0.047	79	0.020	0.015 - 0.024	280	0.062	0.055 - 0.070
Colorado	95	0.037	0.030 - 0.045	22	0.016	0.010 - 0.024	73	0.061	0.048 - 0.077
Connecticut	202	0.053	0.046 - 0.061	37	0.020	0.014 - 0.028	165	0.083	0.071 - 0.096
Delaware	125	0.058	0.048 - 0.069	21	0.021	0.013 - 0.032	104	0.091	0.075 - 0.111
District of Columbia	177	0.055	0.047 - 0.063	33	0.022	0.015 - 0.032	144	0.081	0.068 - 0.095
Florida	1,129	0.034	0.032 - 0.036	197	0.012	0.011 - 0.014	932	0.054	0.050 - 0.057
Georgia	1,196	0.036	0.034 - 0.038	183	0.012	0.010 - 0.014	1,013	0.057	0.054 - 0.061
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	767	0.041	0.038 - 0.044	144	0.016	0.014 - 0.019	623	0.063	0.058 - 0.068
Iowa	30	0.023	0.015 - 0.032	-	-	-	-	-	-
Kentucky	194	0.050	0.043 - 0.058	31	0.016	0.011 - 0.023	163	0.084	0.071 - 0.098
Louisiana	632	0.041	0.038 - 0.045	108	0.015	0.012 - 0.018	525	0.065	0.060 - 0.071
Maine	-	-	-	-	-	-	-	-	-
Maryland	941	0.051	0.048 - 0.055	188	0.022	0.019 - 0.025	753	0.077	0.071 - 0.082
Michigan	598	0.041	0.038 - 0.045	108	0.016	0.013 - 0.019	490	0.064	0.059 - 0.070
MI - Detroit	510	0.052	0.048 - 0.057	99	0.022	0.018 - 0.027	411	0.078	0.070 - 0.085
Minnesota	135	0.035	0.029 - 0.042	30	0.015	0.010 - 0.022	105	0.056	0.046 - 0.067
Mississippi	385	0.034	0.031 - 0.038	52	0.010	0.007 - 0.013	333	0.056	0.050 - 0.062
Missouri	252	0.034	0.030 - 0.038	46	0.013	0.009 - 0.017	206	0.052	0.046 - 0.060
Montana	-	-	-	-	-	-	-	-	-
Nebraska	36	0.035	0.024 - 0.048	10	0.019	0.009 - 0.035	26	0.052	0.034 - 0.076
Nevada	74	0.026	0.020 - 0.032	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	616	0.052	0.048 - 0.056	112	0.020	0.016 - 0.024	504	0.080	0.073 - 0.087
New Mexico	15	0.033	0.019 - 0.055	-	-	-	-	-	-
New York	1,591	0.054	0.051 - 0.056	255	0.018	0.016 - 0.021	1,336	0.084	0.080 - 0.089
North Carolina	979	0.043	0.041 - 0.046	172	0.016	0.014 - 0.019	807	0.067	0.063 - 0.072
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	740	0.047	0.044 - 0.051	119	0.016	0.013 - 0.019	621	0.077	0.071 - 0.083
Oklahoma	108	0.033	0.027 - 0.039	17	0.010	0.006 - 0.016	91	0.055	0.044 - 0.067
Oregon	41	0.041	0.029 - 0.055	-	-	-	-	-	-
Pennsylvania	886	0.061	0.057 - 0.065	147	0.021	0.018 - 0.025	739	0.098	0.091 - 0.105
Rhode Island	44	0.062	0.045 - 0.084	12	0.034	0.018 - 0.060	32	0.090	0.062 - 0.128
South Carolina	561	0.041	0.038 - 0.044	104	0.016	0.013 - 0.020	457	0.063	0.057 - 0.069
Tennessee	378	0.033	0.029 - 0.036	56	0.010	0.008 - 0.013	322	0.053	0.047 - 0.059
Texas	1,249	0.036	0.034 - 0.038	240	0.014	0.013 - 0.016	1,009	0.057	0.053 - 0.061
Utah	13	0.030	0.016 - 0.051	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	667	0.040	0.037 - 0.043	122	0.015	0.013 - 0.018	545	0.062	0.057 - 0.068
Washington ³	113	0.033	0.027 - 0.039	21	0.011	0.007 - 0.017	92	0.057	0.046 - 0.070
WA - Seattle	108	0.036	0.029 - 0.043	21	0.013	0.008 - 0.020	87	0.061	0.049 - 0.075
West Virginia	39	0.054	0.038 - 0.073	13	0.033	0.018 - 0.057	26	0.077	0.051 - 0.113
Wisconsin	157	0.039	0.033 - 0.046	27	0.014	0.009 - 0.020	130	0.064	0.053 - 0.076
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,890	0.012	0.011 - 0.012	2,589	0.013	0.012 - 0.013	2,302	0.010	0.010 - 0.011
Alabama	136	0.010	0.009 - 0.012	75	0.012	0.010 - 0.015	61	0.009	0.007 - 0.011
Alaska	-	-	-	-	-	-	-	-	-
Arizona	46	0.014	0.010 - 0.018	29	0.017	0.011 - 0.024	17	0.011	0.006 - 0.017
Arkansas	60	0.013	0.010 - 0.016	36	0.016	0.011 - 0.022	24	0.010	0.006 - 0.014
California	238	0.010	0.009 - 0.011	130	0.011	0.009 - 0.013	108	0.009	0.007 - 0.011
CA - Greater California	101	0.009	0.007 - 0.011	60	0.010	0.008 - 0.013	41	0.007	0.005 - 0.010
CA - Greater Bay Area	59	0.013	0.010 - 0.017	36	0.016	0.011 - 0.023	23	0.010	0.006 - 0.015
CA - Los Angeles	78	0.009	0.007 - 0.011	34	0.008	0.006 - 0.012	44	0.010	0.007 - 0.013
Colorado	34	0.013	0.009 - 0.019	21	0.015	0.010 - 0.024	13	0.011	0.006 - 0.019
Connecticut	48	0.013	0.009 - 0.017	28	0.015	0.010 - 0.022	20	0.010	0.006 - 0.015
Delaware	32	0.015	0.010 - 0.021	21	0.021	0.013 - 0.032	11	0.010	0.005 - 0.017
District of Columbia	38	0.012	0.008 - 0.016	16	0.011	0.006 - 0.018	22	0.012	0.008 - 0.019
Florida	373	0.011	0.010 - 0.012	189	0.012	0.010 - 0.014	184	0.011	0.009 - 0.012
Georgia	363	0.011	0.010 - 0.012	201	0.013	0.011 - 0.015	162	0.009	0.008 - 0.011
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	220	0.012	0.010 - 0.013	125	0.014	0.012 - 0.017	95	0.010	0.008 - 0.012
Iowa	22	0.017	0.010 - 0.025	12	0.017	0.009 - 0.030	10	0.016	0.008 - 0.029
Kentucky	42	0.011	0.008 - 0.015	21	0.011	0.007 - 0.017	21	0.011	0.007 - 0.017
Louisiana	157	0.010	0.009 - 0.012	90	0.012	0.010 - 0.015	67	0.008	0.006 - 0.011
Maine	-	-	-	-	-	-	-	-	-
Maryland	234	0.013	0.011 - 0.014	116	0.014	0.011 - 0.016	118	0.012	0.010 - 0.014
Michigan	161	0.011	0.009 - 0.013	91	0.013	0.011 - 0.016	70	0.009	0.007 - 0.012
MI - Detroit	116	0.012	0.010 - 0.014	67	0.015	0.012 - 0.019	49	0.009	0.007 - 0.012
Minnesota	32	0.008	0.006 - 0.012	21	0.011	0.007 - 0.016	11	0.006	0.003 - 0.010
Mississippi	120	0.011	0.009 - 0.013	60	0.011	0.009 - 0.015	60	0.010	0.008 - 0.013
Missouri	97	0.013	0.010 - 0.016	51	0.014	0.011 - 0.019	46	0.012	0.009 - 0.016
Montana	-	-	-	-	-	-	-	-	-
Nebraska	16	0.015	0.009 - 0.025	-	-	-	-	-	-
Nevada	18	0.006	0.004 - 0.010	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	180	0.015	0.013 - 0.017	89	0.016	0.013 - 0.019	91	0.014	0.012 - 0.018
New Mexico	-	-	-	-	-	-	-	-	-
New York	417	0.014	0.013 - 0.015	192	0.014	0.012 - 0.016	225	0.014	0.012 - 0.016
North Carolina	251	0.011	0.010 - 0.013	130	0.012	0.010 - 0.015	121	0.010	0.008 - 0.012
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	180	0.012	0.010 - 0.013	95	0.013	0.010 - 0.016	85	0.010	0.008 - 0.013
Oklahoma	37	0.011	0.008 - 0.015	18	0.011	0.006 - 0.017	19	0.011	0.007 - 0.018
Oregon	11	0.011	0.005 - 0.019	-	-	-	-	-	-
Pennsylvania	202	0.014	0.012 - 0.016	99	0.014	0.011 - 0.017	103	0.014	0.011 - 0.017
Rhode Island	13	0.018	0.010 - 0.032	-	-	-	-	-	-
South Carolina	153	0.011	0.009 - 0.013	80	0.012	0.010 - 0.015	73	0.010	0.008 - 0.013
Tennessee	128	0.011	0.009 - 0.013	72	0.013	0.010 - 0.017	56	0.009	0.007 - 0.012
Texas	362	0.011	0.009 - 0.012	208	0.012	0.011 - 0.014	154	0.009	0.007 - 0.010
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	187	0.011	0.010 - 0.013	96	0.012	0.010 - 0.015	91	0.010	0.008 - 0.013
Washington ³	43	0.012	0.009 - 0.017	25	0.013	0.009 - 0.020	18	0.011	0.007 - 0.018
WA - Seattle	40	0.013	0.009 - 0.018	24	0.015	0.010 - 0.022	16	0.011	0.006 - 0.018
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	48	0.012	0.009 - 0.016	24	0.012	0.008 - 0.018	24	0.012	0.008 - 0.018
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	19,241	0.046	0.045 - 0.046	9,774	0.048	0.047 - 0.049	9,468	0.043	0.042 - 0.044
Alabama	530	0.040	0.037 - 0.044	259	0.042	0.037 - 0.048	271	0.039	0.034 - 0.043
Alaska	14	0.043	0.024 - 0.073	-	-	-	-	-	-
Arizona	108	0.032	0.026 - 0.039	63	0.036	0.028 - 0.046	45	0.028	0.020 - 0.037
Arkansas	195	0.041	0.035 - 0.047	107	0.047	0.038 - 0.057	88	0.035	0.028 - 0.043
California	1,248	0.051	0.049 - 0.054	660	0.055	0.051 - 0.059	588	0.048	0.044 - 0.052
CA - Greater California	481	0.043	0.039 - 0.047	264	0.045	0.040 - 0.051	217	0.040	0.035 - 0.045
CA - Greater Bay Area	317	0.071	0.063 - 0.079	165	0.075	0.064 - 0.087	152	0.068	0.057 - 0.079
CA - Los Angeles	449	0.053	0.048 - 0.058	231	0.057	0.050 - 0.065	218	0.048	0.042 - 0.055
Colorado	113	0.044	0.036 - 0.053	68	0.050	0.039 - 0.063	45	0.038	0.027 - 0.050
Connecticut	191	0.050	0.043 - 0.058	108	0.059	0.049 - 0.071	83	0.042	0.033 - 0.052
Delaware	103	0.048	0.039 - 0.058	48	0.047	0.035 - 0.062	55	0.048	0.036 - 0.063
District of Columbia	180	0.055	0.048 - 0.064	92	0.063	0.050 - 0.077	88	0.050	0.040 - 0.061
Florida	1,538	0.046	0.044 - 0.048	787	0.049	0.046 - 0.053	751	0.043	0.040 - 0.047
Georgia	1,447	0.044	0.041 - 0.046	759	0.049	0.046 - 0.053	688	0.039	0.036 - 0.042
Hawaii	11	0.029	0.015 - 0.053	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	864	0.046	0.043 - 0.049	429	0.049	0.044 - 0.054	435	0.044	0.040 - 0.048
Iowa	43	0.032	0.023 - 0.044	26	0.037	0.024 - 0.054	17	0.027	0.016 - 0.044
Kentucky	160	0.041	0.035 - 0.048	92	0.048	0.038 - 0.058	69	0.035	0.027 - 0.045
Louisiana	686	0.045	0.042 - 0.048	345	0.048	0.043 - 0.053	341	0.042	0.038 - 0.047
Maine	-	-	-	-	-	-	-	-	-
Maryland	888	0.048	0.045 - 0.052	408	0.048	0.043 - 0.052	480	0.049	0.045 - 0.054
Michigan	718	0.049	0.046 - 0.053	350	0.051	0.045 - 0.056	368	0.048	0.044 - 0.054
MI - Detroit	556	0.057	0.052 - 0.062	258	0.057	0.051 - 0.065	298	0.056	0.050 - 0.063
Minnesota	132	0.034	0.029 - 0.041	79	0.040	0.032 - 0.050	53	0.028	0.021 - 0.037
Mississippi	454	0.040	0.036 - 0.044	216	0.041	0.035 - 0.046	238	0.040	0.035 - 0.045
Missouri	376	0.050	0.045 - 0.055	182	0.051	0.044 - 0.059	194	0.049	0.043 - 0.057
Montana	-	-	-	-	-	-	-	-	-
Nebraska	43	0.042	0.030 - 0.056	24	0.045	0.029 - 0.067	19	0.038	0.023 - 0.059
Nevada	83	0.029	0.023 - 0.036	44	0.031	0.022 - 0.041	39	0.027	0.019 - 0.037
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	587	0.049	0.045 - 0.053	291	0.052	0.046 - 0.058	297	0.047	0.042 - 0.053
New Mexico	15	0.033	0.019 - 0.055	-	-	-	-	-	-
New York	1,619	0.055	0.052 - 0.057	782	0.057	0.053 - 0.061	838	0.053	0.049 - 0.057
North Carolina	1,104	0.049	0.046 - 0.052	556	0.053	0.048 - 0.057	548	0.046	0.042 - 0.050
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	668	0.043	0.040 - 0.046	345	0.046	0.041 - 0.051	323	0.040	0.036 - 0.044
Oklahoma	121	0.036	0.030 - 0.044	68	0.041	0.032 - 0.052	53	0.032	0.024 - 0.042
Oregon	40	0.040	0.028 - 0.054	24	0.044	0.028 - 0.066	16	0.034	0.019 - 0.055
Pennsylvania	805	0.055	0.051 - 0.059	415	0.059	0.053 - 0.065	390	0.052	0.047 - 0.057
Rhode Island	26	0.037	0.024 - 0.054	15	0.043	0.024 - 0.071	11	0.031	0.016 - 0.056
South Carolina	533	0.039	0.036 - 0.042	280	0.044	0.039 - 0.049	253	0.035	0.030 - 0.039
Tennessee	454	0.039	0.036 - 0.043	226	0.041	0.036 - 0.047	228	0.037	0.033 - 0.043
Texas	1,414	0.041	0.039 - 0.043	698	0.042	0.039 - 0.045	716	0.040	0.037 - 0.043
Utah	15	0.035	0.019 - 0.057	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	764	0.045	0.042 - 0.049	394	0.049	0.044 - 0.054	370	0.042	0.038 - 0.047
Washington ³	139	0.040	0.034 - 0.047	82	0.044	0.035 - 0.055	58	0.036	0.027 - 0.046
WA - Seattle	126	0.042	0.035 - 0.050	75	0.047	0.037 - 0.058	52	0.036	0.027 - 0.048
West Virginia	34	0.047	0.032 - 0.065	22	0.056	0.035 - 0.085	12	0.036	0.018 - 0.062
Wisconsin	167	0.042	0.036 - 0.049	80	0.041	0.032 - 0.051	87	0.043	0.034 - 0.053
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	16,729	0.040	0.039 - 0.040	8,161	0.040	0.040 - 0.041	8,569	0.039	0.038 - 0.040
Alabama	506	0.038	0.035 - 0.042	229	0.037	0.033 - 0.043	277	0.039	0.035 - 0.044
Alaska	-	-	-	-	-	-	-	-	-
Arizona	92	0.027	0.022 - 0.034	47	0.027	0.020 - 0.036	45	0.028	0.020 - 0.037
Arkansas	185	0.039	0.033 - 0.045	84	0.037	0.029 - 0.046	101	0.040	0.033 - 0.049
California	998	0.041	0.039 - 0.044	546	0.045	0.041 - 0.049	452	0.037	0.034 - 0.040
CA - Greater California	409	0.036	0.033 - 0.040	223	0.038	0.033 - 0.044	186	0.034	0.029 - 0.039
CA - Greater Bay Area	219	0.049	0.043 - 0.056	126	0.057	0.047 - 0.068	94	0.042	0.034 - 0.051
CA - Los Angeles	369	0.043	0.039 - 0.048	198	0.049	0.042 - 0.056	172	0.038	0.033 - 0.044
Colorado	84	0.033	0.026 - 0.041	57	0.042	0.032 - 0.054	27	0.023	0.015 - 0.033
Connecticut	187	0.049	0.042 - 0.057	102	0.056	0.045 - 0.068	85	0.043	0.034 - 0.053
Delaware	108	0.050	0.041 - 0.060	56	0.055	0.042 - 0.071	52	0.046	0.034 - 0.060
District of Columbia	135	0.042	0.035 - 0.049	64	0.044	0.034 - 0.056	71	0.040	0.031 - 0.050
Florida	1,413	0.042	0.040 - 0.045	679	0.042	0.039 - 0.046	734	0.042	0.039 - 0.046
Georgia	1,358	0.041	0.039 - 0.043	618	0.040	0.037 - 0.043	739	0.042	0.039 - 0.045
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	761	0.041	0.038 - 0.044	364	0.041	0.037 - 0.046	397	0.040	0.036 - 0.044
Iowa	38	0.029	0.020 - 0.039	19	0.027	0.016 - 0.042	19	0.030	0.018 - 0.048
Kentucky	147	0.038	0.032 - 0.045	80	0.042	0.033 - 0.052	67	0.034	0.027 - 0.044
Louisiana	595	0.039	0.036 - 0.042	290	0.040	0.035 - 0.045	304	0.038	0.034 - 0.042
Maine	-	-	-	-	-	-	-	-	-
Maryland	734	0.040	0.037 - 0.043	349	0.041	0.036 - 0.045	385	0.039	0.035 - 0.043
Michigan	563	0.039	0.036 - 0.042	287	0.041	0.037 - 0.047	276	0.036	0.032 - 0.041
MI - Detroit	436	0.044	0.040 - 0.049	216	0.048	0.042 - 0.055	220	0.042	0.036 - 0.047
Minnesota	67	0.017	0.013 - 0.022	37	0.019	0.013 - 0.026	30	0.016	0.011 - 0.023
Mississippi	386	0.034	0.031 - 0.038	172	0.032	0.028 - 0.038	214	0.036	0.031 - 0.041
Missouri	279	0.037	0.033 - 0.042	132	0.037	0.031 - 0.044	147	0.037	0.032 - 0.044
Montana	-	-	-	-	-	-	-	-	-
Nebraska	34	0.033	0.023 - 0.046	17	0.032	0.019 - 0.051	17	0.034	0.020 - 0.054
Nevada	43	0.015	0.011 - 0.020	20	0.014	0.009 - 0.022	23	0.016	0.010 - 0.024
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	511	0.043	0.039 - 0.047	229	0.041	0.036 - 0.046	281	0.045	0.040 - 0.050
New Mexico	13	0.029	0.015 - 0.049	-	-	-	-	-	-
New York	1,488	0.050	0.048 - 0.053	703	0.051	0.047 - 0.055	785	0.050	0.046 - 0.053
North Carolina	1,008	0.045	0.042 - 0.047	500	0.047	0.043 - 0.052	508	0.042	0.039 - 0.046
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	548	0.035	0.032 - 0.038	279	0.037	0.033 - 0.042	269	0.033	0.029 - 0.037
Oklahoma	118	0.036	0.029 - 0.043	59	0.036	0.027 - 0.046	59	0.036	0.027 - 0.046
Oregon	22	0.022	0.014 - 0.033	-	-	-	-	-	-
Pennsylvania	604	0.041	0.038 - 0.045	274	0.039	0.034 - 0.044	330	0.044	0.039 - 0.049
Rhode Island	33	0.047	0.032 - 0.066	19	0.054	0.033 - 0.085	14	0.040	0.022 - 0.066
South Carolina	641	0.047	0.043 - 0.050	305	0.047	0.042 - 0.053	336	0.046	0.041 - 0.051
Tennessee	402	0.035	0.031 - 0.038	196	0.036	0.031 - 0.041	206	0.034	0.029 - 0.039
Texas	1,219	0.035	0.033 - 0.038	597	0.036	0.033 - 0.039	622	0.035	0.032 - 0.038
Utah	10	0.023	0.011 - 0.042	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	588	0.035	0.032 - 0.038	308	0.038	0.034 - 0.043	280	0.032	0.028 - 0.036
Washington ³	94	0.027	0.022 - 0.033	55	0.030	0.022 - 0.039	39	0.024	0.017 - 0.033
WA - Seattle	84	0.028	0.022 - 0.034	47	0.029	0.022 - 0.039	37	0.026	0.018 - 0.036
West Virginia	36	0.049	0.035 - 0.068	17	0.043	0.025 - 0.069	19	0.057	0.034 - 0.088
Wisconsin	159	0.040	0.034 - 0.046	80	0.041	0.032 - 0.051	79	0.039	0.031 - 0.048
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,307	0.029	0.029 - 0.030	6,645	0.033	0.032 - 0.034	5,664	0.026	0.025 - 0.026
Alabama	320	0.024	0.022 - 0.027	175	0.029	0.025 - 0.033	145	0.021	0.017 - 0.024
Alaska	-	-	-	-	-	-	-	-	-
Arizona	52	0.016	0.012 - 0.020	25	0.014	0.009 - 0.021	27	0.017	0.011 - 0.024
Arkansas	135	0.028	0.024 - 0.033	83	0.036	0.029 - 0.045	52	0.021	0.016 - 0.027
California	772	0.032	0.030 - 0.034	446	0.037	0.034 - 0.041	326	0.027	0.024 - 0.030
CA - Greater California	319	0.028	0.025 - 0.032	204	0.035	0.030 - 0.040	115	0.021	0.017 - 0.025
CA - Greater Bay Area	160	0.036	0.030 - 0.042	91	0.041	0.033 - 0.050	69	0.031	0.024 - 0.039
CA - Los Angeles	293	0.034	0.030 - 0.038	151	0.038	0.032 - 0.044	142	0.031	0.026 - 0.037
Colorado	68	0.027	0.021 - 0.034	43	0.031	0.023 - 0.042	25	0.021	0.014 - 0.031
Connecticut	106	0.028	0.023 - 0.034	54	0.030	0.022 - 0.039	52	0.026	0.019 - 0.034
Delaware	64	0.030	0.023 - 0.038	32	0.031	0.021 - 0.044	32	0.028	0.019 - 0.040
District of Columbia	71	0.022	0.017 - 0.028	32	0.022	0.015 - 0.031	39	0.022	0.016 - 0.030
Florida	1,124	0.034	0.032 - 0.036	599	0.037	0.034 - 0.040	525	0.030	0.028 - 0.033
Georgia	927	0.028	0.026 - 0.030	483	0.031	0.028 - 0.034	444	0.025	0.023 - 0.028
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	559	0.030	0.027 - 0.032	296	0.034	0.030 - 0.038	263	0.027	0.023 - 0.030
Iowa	39	0.029	0.021 - 0.040	22	0.031	0.020 - 0.047	17	0.027	0.016 - 0.043
Kentucky	105	0.027	0.022 - 0.033	60	0.031	0.024 - 0.040	45	0.023	0.017 - 0.031
Louisiana	469	0.031	0.028 - 0.034	263	0.036	0.032 - 0.041	206	0.026	0.022 - 0.029
Maine	-	-	-	-	-	-	-	-	-
Maryland	559	0.030	0.028 - 0.033	289	0.034	0.030 - 0.038	270	0.028	0.024 - 0.031
Michigan	414	0.028	0.026 - 0.031	215	0.031	0.027 - 0.036	199	0.026	0.023 - 0.030
MI - Detroit	339	0.035	0.031 - 0.038	181	0.040	0.034 - 0.046	158	0.030	0.025 - 0.035
Minnesota	73	0.019	0.015 - 0.024	38	0.019	0.014 - 0.027	35	0.019	0.013 - 0.026
Mississippi	293	0.026	0.023 - 0.029	171	0.032	0.027 - 0.037	122	0.020	0.017 - 0.024
Missouri	227	0.030	0.026 - 0.034	109	0.030	0.025 - 0.037	118	0.030	0.025 - 0.036
Montana	-	-	-	-	-	-	-	-	-
Nebraska	24	0.023	0.015 - 0.035	13	0.024	0.013 - 0.042	11	0.022	0.011 - 0.039
Nevada	58	0.020	0.015 - 0.026	34	0.024	0.016 - 0.033	24	0.017	0.011 - 0.025
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	432	0.036	0.033 - 0.040	239	0.043	0.037 - 0.048	193	0.031	0.026 - 0.035
New Mexico	12	0.026	0.013 - 0.046	-	-	-	-	-	-
New York	976	0.033	0.031 - 0.035	501	0.036	0.033 - 0.040	475	0.030	0.027 - 0.033
North Carolina	733	0.032	0.030 - 0.035	399	0.038	0.034 - 0.042	334	0.028	0.025 - 0.031
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	385	0.025	0.022 - 0.027	202	0.027	0.023 - 0.031	183	0.023	0.019 - 0.026
Oklahoma	106	0.032	0.026 - 0.039	62	0.037	0.029 - 0.048	44	0.027	0.019 - 0.036
Oregon	27	0.027	0.018 - 0.039	17	0.031	0.018 - 0.050	10	0.021	0.010 - 0.039
Pennsylvania	430	0.029	0.027 - 0.032	229	0.033	0.028 - 0.037	201	0.027	0.023 - 0.030
Rhode Island	15	0.021	0.012 - 0.035	-	-	-	-	-	-
South Carolina	382	0.028	0.025 - 0.031	195	0.030	0.026 - 0.035	187	0.026	0.022 - 0.030
Tennessee	290	0.025	0.022 - 0.028	157	0.029	0.024 - 0.034	133	0.022	0.018 - 0.026
Texas	972	0.028	0.027 - 0.030	531	0.032	0.029 - 0.035	441	0.025	0.023 - 0.027
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	389	0.023	0.021 - 0.026	206	0.026	0.022 - 0.029	183	0.021	0.018 - 0.024
Washington ³	103	0.030	0.024 - 0.036	70	0.038	0.029 - 0.048	33	0.020	0.014 - 0.029
WA - Seattle	95	0.031	0.025 - 0.038	64	0.040	0.031 - 0.051	31	0.022	0.015 - 0.031
West Virginia	29	0.040	0.027 - 0.057	15	0.038	0.021 - 0.063	14	0.042	0.023 - 0.070
Wisconsin	155	0.039	0.033 - 0.045	89	0.045	0.036 - 0.056	66	0.032	0.025 - 0.041
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Non-Hispanic Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	223	0.001	0.000 - 0.001	147	0.001	0.001 - 0.001	75	0.000	0.000 - 0.000
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	16	0.001	0.000 - 0.001	-	-		-	-	
CA - Greater California	-	-		-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	12	0.000	0.000 - 0.001	-	-		-	-	
Georgia	10	0.000	0.000 - 0.001	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	19	0.001	0.001 - 0.002	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	10	0.001	0.000 - 0.002	-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	18	0.001	0.000 - 0.001	-	-		-	-	
North Carolina	12	0.001	0.000 - 0.001	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	13	0.001	0.000 - 0.002	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	19	0.001	0.000 - 0.001	-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	13	0.001	0.000 - 0.001	13	0.002	0.001 - 0.003	-	-	
Washington ³	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	441,407	0.763	0.761 - 0.765	195,467	0.669	0.666 - 0.672	245,945	0.859	0.855 - 0.862
Alabama	795	0.382	0.355 - 0.409	377	0.340	0.307 - 0.376	418	0.429	0.389 - 0.472
Alaska	249	0.473	0.416 - 0.536	97	0.350	0.284 - 0.428	152	0.610	0.517 - 0.715
Arizona	14,190	0.649	0.638 - 0.659	5,868	0.533	0.520 - 0.547	8,322	0.765	0.749 - 0.782
Arkansas	1,103	0.493	0.465 - 0.523	499	0.426	0.389 - 0.465	604	0.568	0.524 - 0.615
California	112,820	0.737	0.732 - 0.741	49,256	0.639	0.634 - 0.645	63,564	0.835	0.829 - 0.842
CA - Greater California	60,098	0.707	0.701 - 0.712	26,301	0.613	0.606 - 0.620	33,797	0.802	0.793 - 0.810
CA - Greater Bay Area	15,073	0.792	0.779 - 0.804	6,738	0.697	0.680 - 0.714	8,335	0.889	0.870 - 0.909
CA - Los Angeles	37,680	0.768	0.760 - 0.775	16,243	0.663	0.653 - 0.674	21,438	0.871	0.860 - 0.883
Colorado	8,962	0.749	0.733 - 0.764	3,831	0.628	0.608 - 0.648	5,131	0.874	0.850 - 0.898
Connecticut	5,384	0.950	0.924 - 0.975	2,282	0.808	0.775 - 0.842	3,102	1.090	1.052 - 1.129
Delaware	614	0.704	0.649 - 0.762	285	0.640	0.568 - 0.719	329	0.770	0.689 - 0.858
District of Columbia	431	0.566	0.514 - 0.623	192	0.496	0.428 - 0.571	239	0.639	0.561 - 0.726
Florida	61,364	1.162	1.153 - 1.171	28,236	1.083	1.070 - 1.096	33,128	1.239	1.226 - 1.253
Georgia	5,439	0.553	0.538 - 0.567	2,309	0.448	0.430 - 0.467	3,130	0.667	0.644 - 0.691
Hawaii	1,176	0.819	0.773 - 0.867	491	0.666	0.608 - 0.727	685	0.981	0.909 - 1.057
Idaho	1,163	0.547	0.516 - 0.579	502	0.458	0.418 - 0.499	661	0.642	0.594 - 0.693
Illinois	16,270	0.745	0.733 - 0.756	7,345	0.657	0.642 - 0.672	8,925	0.837	0.820 - 0.855
Iowa	836	0.447	0.418 - 0.479	379	0.390	0.351 - 0.431	456	0.510	0.465 - 0.559
Kentucky	574	0.354	0.326 - 0.385	291	0.333	0.296 - 0.373	282	0.380	0.337 - 0.427
Louisiana	1,670	0.701	0.668 - 0.736	831	0.652	0.608 - 0.698	838	0.758	0.707 - 0.811
Maine	119	0.548	0.454 - 0.655	51	0.464	0.345 - 0.610	68	0.633	0.492 - 0.803
Maryland	2,475	0.414	0.398 - 0.430	1,034	0.333	0.313 - 0.354	1,441	0.501	0.476 - 0.528
Michigan	2,916	0.580	0.559 - 0.601	1,375	0.537	0.509 - 0.567	1,541	0.623	0.592 - 0.655
MI - Detroit	1,561	0.880	0.837 - 0.925	669	0.746	0.690 - 0.805	892	1.017	0.952 - 1.086
Minnesota	1,815	0.612	0.584 - 0.640	759	0.493	0.458 - 0.529	1,056	0.740	0.696 - 0.786
Mississippi	339	0.357	0.320 - 0.397	168	0.316	0.270 - 0.368	171	0.409	0.350 - 0.475
Missouri	1,214	0.480	0.454 - 0.508	518	0.396	0.363 - 0.432	696	0.570	0.529 - 0.614
Montana	269	0.674	0.596 - 0.759	113	0.550	0.454 - 0.662	156	0.805	0.683 - 0.942
Nebraska	1,071	0.518	0.488 - 0.550	503	0.466	0.426 - 0.509	568	0.575	0.529 - 0.625
Nevada	4,790	0.568	0.552 - 0.584	2,063	0.483	0.462 - 0.504	2,727	0.656	0.632 - 0.681
New Hampshire	322	0.656	0.586 - 0.732	154	0.614	0.521 - 0.719	168	0.700	0.598 - 0.814
New Jersey	17,661	0.991	0.976 - 1.006	7,917	0.886	0.867 - 0.906	9,744	1.096	1.074 - 1.118
New Mexico	9,732	0.955	0.936 - 0.974	4,209	0.832	0.807 - 0.857	5,523	1.076	1.048 - 1.105
New York	40,418	1.086	1.075 - 1.096	18,327	0.998	0.984 - 1.013	22,091	1.171	1.155 - 1.186
North Carolina	3,450	0.363	0.351 - 0.376	1,553	0.315	0.299 - 0.331	1,897	0.415	0.397 - 0.435
North Dakota	82	0.293	0.233 - 0.364	36	0.240	0.168 - 0.332	46	0.355	0.260 - 0.473
Ohio	2,037	0.466	0.446 - 0.486	985	0.439	0.412 - 0.467	1,052	0.494	0.465 - 0.525
Oklahoma	1,991	0.480	0.460 - 0.502	833	0.385	0.359 - 0.412	1,158	0.585	0.552 - 0.620
Oregon	2,974	0.559	0.539 - 0.580	1,270	0.461	0.436 - 0.487	1,704	0.664	0.633 - 0.697
Pennsylvania	6,209	0.675	0.658 - 0.692	2,831	0.604	0.582 - 0.627	3,378	0.749	0.724 - 0.775
Rhode Island	975	0.605	0.568 - 0.644	418	0.515	0.467 - 0.567	557	0.696	0.639 - 0.756
South Carolina	1,025	0.366	0.344 - 0.389	487	0.327	0.299 - 0.357	538	0.411	0.377 - 0.447
Tennessee	1,506	0.419	0.399 - 0.441	665	0.351	0.325 - 0.378	841	0.497	0.464 - 0.531
Texas	80,141	0.725	0.720 - 0.731	35,511	0.639	0.632 - 0.645	44,630	0.814	0.806 - 0.821
Utah	2,652	0.619	0.595 - 0.643	1,102	0.501	0.472 - 0.532	1,550	0.742	0.705 - 0.780
Vermont	60	0.505	0.386 - 0.650	25	0.410	0.265 - 0.605	35	0.607	0.423 - 0.844
Virginia	3,868	0.494	0.478 - 0.509	1,485	0.367	0.349 - 0.386	2,383	0.629	0.604 - 0.654
Washington ³	5,277	0.569	0.553 - 0.584	2,246	0.468	0.449 - 0.488	3,031	0.677	0.653 - 0.701
WA - Seattle	3,241	0.649	0.627 - 0.672	1,359	0.524	0.496 - 0.552	1,882	0.785	0.750 - 0.821
West Virginia	139	0.479	0.403 - 0.566	74	0.476	0.373 - 0.597	65	0.484	0.373 - 0.616
Wisconsin	2,103	0.539	0.517 - 0.563	969	0.482	0.452 - 0.513	1,134	0.601	0.567 - 0.637
Wyoming	371	0.641	0.578 - 0.710	175	0.576	0.494 - 0.667	196	0.714	0.618 - 0.822

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,937	0.015	0.015 - 0.016	5,920	0.020	0.020 - 0.021	3,017	0.011	0.010 - 0.011
Alabama	20	0.010	0.006 - 0.015	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	249	0.011	0.010 - 0.013	160	0.015	0.012 - 0.017	89	0.008	0.007 - 0.010
Arkansas	22	0.010	0.006 - 0.015	-	-	-	-	-	-
California	2,096	0.014	0.013 - 0.014	1,363	0.018	0.017 - 0.019	733	0.010	0.009 - 0.010
CA - Greater California	1,097	0.013	0.012 - 0.014	709	0.017	0.015 - 0.018	389	0.009	0.008 - 0.010
CA - Greater Bay Area	302	0.016	0.014 - 0.018	207	0.021	0.019 - 0.025	95	0.010	0.008 - 0.012
CA - Los Angeles	696	0.014	0.013 - 0.015	447	0.018	0.017 - 0.020	249	0.010	0.009 - 0.011
Colorado	193	0.016	0.014 - 0.019	128	0.021	0.018 - 0.025	65	0.011	0.009 - 0.014
Connecticut	127	0.022	0.019 - 0.027	80	0.028	0.022 - 0.035	47	0.016	0.012 - 0.022
Delaware	11	0.013	0.006 - 0.023	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	1,458	0.028	0.026 - 0.029	1,008	0.039	0.036 - 0.041	450	0.017	0.015 - 0.018
Georgia	108	0.011	0.009 - 0.013	66	0.013	0.010 - 0.016	43	0.009	0.007 - 0.012
Hawaii	36	0.025	0.018 - 0.035	24	0.033	0.021 - 0.048	12	0.017	0.009 - 0.030
Idaho	26	0.012	0.008 - 0.018	11	0.010	0.005 - 0.018	15	0.015	0.008 - 0.024
Illinois	298	0.014	0.012 - 0.015	200	0.018	0.015 - 0.021	98	0.009	0.007 - 0.011
Iowa	19	0.010	0.006 - 0.016	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	39	0.016	0.012 - 0.022	25	0.020	0.013 - 0.029	14	0.013	0.007 - 0.021
Maine	-	-	-	-	-	-	-	-	-
Maryland	39	0.007	0.005 - 0.009	25	0.008	0.005 - 0.012	14	0.005	0.003 - 0.008
Michigan	66	0.013	0.010 - 0.017	48	0.019	0.014 - 0.025	18	0.007	0.004 - 0.012
MI - Detroit	37	0.021	0.015 - 0.029	25	0.028	0.018 - 0.041	12	0.014	0.007 - 0.024
Minnesota	35	0.012	0.008 - 0.016	24	0.016	0.010 - 0.023	11	0.008	0.004 - 0.014
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	29	0.011	0.008 - 0.016	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	18	0.009	0.005 - 0.014	-	-	-	-	-	-
Nevada	81	0.010	0.008 - 0.012	59	0.014	0.011 - 0.018	22	0.005	0.003 - 0.008
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	336	0.019	0.017 - 0.021	222	0.025	0.022 - 0.028	114	0.013	0.011 - 0.015
New Mexico	192	0.019	0.016 - 0.022	122	0.024	0.020 - 0.029	70	0.014	0.011 - 0.017
New York	883	0.024	0.022 - 0.025	581	0.032	0.029 - 0.034	302	0.016	0.014 - 0.018
North Carolina	69	0.007	0.006 - 0.009	52	0.011	0.008 - 0.014	17	0.004	0.002 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	34	0.008	0.005 - 0.011	20	0.009	0.005 - 0.014	14	0.007	0.004 - 0.011
Oklahoma	47	0.011	0.008 - 0.015	31	0.014	0.010 - 0.020	16	0.008	0.005 - 0.013
Oregon	56	0.011	0.008 - 0.014	35	0.013	0.009 - 0.018	21	0.008	0.005 - 0.013
Pennsylvania	123	0.013	0.011 - 0.016	86	0.018	0.015 - 0.023	37	0.008	0.006 - 0.011
Rhode Island	21	0.013	0.008 - 0.020	-	-	-	-	-	-
South Carolina	16	0.006	0.003 - 0.009	-	-	-	-	-	-
Tennessee	39	0.011	0.008 - 0.015	27	0.014	0.009 - 0.021	12	0.007	0.004 - 0.012
Texas	1,613	0.015	0.014 - 0.015	1,064	0.019	0.018 - 0.020	549	0.010	0.009 - 0.011
Utah	38	0.009	0.006 - 0.012	23	0.010	0.007 - 0.016	15	0.007	0.004 - 0.012
Vermont	-	-	-	-	-	-	-	-	-
Virginia	80	0.010	0.008 - 0.013	41	0.010	0.007 - 0.014	39	0.010	0.007 - 0.014
Washington ³	114	0.012	0.010 - 0.015	81	0.017	0.013 - 0.021	33	0.007	0.005 - 0.010
WA - Seattle	76	0.015	0.012 - 0.019	56	0.022	0.016 - 0.028	20	0.008	0.005 - 0.013
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	38	0.010	0.007 - 0.013	24	0.012	0.008 - 0.018	14	0.007	0.004 - 0.012
Wyoming	11	0.019	0.009 - 0.034	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,675	0.003	0.003 - 0.003	1,298	0.004	0.004 - 0.005	377	0.001	0.001 - 0.001
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	63	0.003	0.002 - 0.004	52	0.005	0.004 - 0.006	11	0.001	0.001 - 0.002
Arkansas	-	-	-	-	-	-	-	-	-
California	388	0.003	0.002 - 0.003	294	0.004	0.003 - 0.004	94	0.001	0.001 - 0.002
CA - Greater California	218	0.003	0.002 - 0.003	158	0.004	0.003 - 0.004	60	0.001	0.001 - 0.002
CA - Greater Bay Area	50	0.003	0.002 - 0.003	36	0.004	0.003 - 0.005	15	0.002	0.001 - 0.003
CA - Los Angeles	120	0.002	0.002 - 0.003	100	0.004	0.003 - 0.005	20	0.001	0.000 - 0.001
Colorado	40	0.003	0.002 - 0.005	29	0.005	0.003 - 0.007	11	0.002	0.001 - 0.003
Connecticut	16	0.003	0.002 - 0.005	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	251	0.005	0.004 - 0.005	195	0.007	0.006 - 0.009	56	0.002	0.002 - 0.003
Georgia	24	0.002	0.002 - 0.004	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	52	0.002	0.002 - 0.003	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-
Michigan	19	0.004	0.002 - 0.006	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	14	0.002	0.001 - 0.003	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	53	0.003	0.002 - 0.004	39	0.004	0.003 - 0.006	14	0.002	0.001 - 0.003
New Mexico	41	0.004	0.003 - 0.005	-	-	-	-	-	-
New York	149	0.004	0.003 - 0.005	109	0.006	0.005 - 0.007	40	0.002	0.002 - 0.003
North Carolina	12	0.001	0.001 - 0.002	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	10	0.002	0.001 - 0.004	10	0.004	0.002 - 0.008	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	17	0.003	0.002 - 0.005	-	-	-	-	-	-
Pennsylvania	26	0.003	0.002 - 0.004	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	312	0.003	0.003 - 0.003	247	0.004	0.004 - 0.005	65	0.001	0.001 - 0.002
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	16	0.002	0.001 - 0.003	-	-	-	-	-	-
Washington ³	23	0.002	0.002 - 0.004	-	-	-	-	-	-
WA - Seattle	13	0.003	0.001 - 0.004	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,537	0.013	0.013 - 0.013	4,013	0.014	0.013 - 0.014	3,523	0.012	0.012 - 0.013
Alabama	13	0.006	0.003 - 0.011	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	238	0.011	0.010 - 0.012	133	0.012	0.010 - 0.014	105	0.010	0.008 - 0.012
Arkansas	15	0.007	0.004 - 0.011	-	-	-	-	-	-
California	1,910	0.012	0.012 - 0.013	979	0.013	0.012 - 0.014	931	0.012	0.011 - 0.013
CA - Greater California	883	0.010	0.010 - 0.011	463	0.011	0.010 - 0.012	420	0.010	0.009 - 0.011
CA - Greater Bay Area	279	0.015	0.013 - 0.016	140	0.015	0.012 - 0.017	139	0.015	0.012 - 0.018
CA - Los Angeles	749	0.015	0.014 - 0.016	376	0.015	0.014 - 0.017	372	0.015	0.014 - 0.017
Colorado	134	0.011	0.009 - 0.013	73	0.012	0.009 - 0.015	61	0.010	0.008 - 0.013
Connecticut	103	0.018	0.015 - 0.022	60	0.021	0.016 - 0.027	44	0.015	0.011 - 0.021
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	11	0.014	0.007 - 0.026	-	-	-	-	-	-
Florida	847	0.016	0.015 - 0.017	481	0.018	0.017 - 0.020	366	0.014	0.012 - 0.015
Georgia	75	0.008	0.006 - 0.010	35	0.007	0.005 - 0.009	39	0.008	0.006 - 0.011
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	10	0.005	0.002 - 0.009	-	-	-	-	-	-
Illinois	341	0.016	0.014 - 0.017	182	0.016	0.014 - 0.019	159	0.015	0.013 - 0.017
Iowa	19	0.010	0.006 - 0.016	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	31	0.013	0.009 - 0.019	20	0.016	0.009 - 0.024	11	0.010	0.005 - 0.018
Maine	-	-	-	-	-	-	-	-	-
Maryland	71	0.012	0.009 - 0.015	44	0.014	0.010 - 0.019	27	0.009	0.006 - 0.014
Michigan	38	0.008	0.005 - 0.010	27	0.011	0.007 - 0.015	11	0.004	0.002 - 0.008
MI - Detroit	13	0.007	0.004 - 0.012	-	-	-	-	-	-
Minnesota	35	0.012	0.008 - 0.016	19	0.012	0.007 - 0.019	16	0.011	0.006 - 0.018
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	18	0.007	0.004 - 0.011	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	16	0.008	0.004 - 0.013	-	-	-	-	-	-
Nevada	81	0.010	0.008 - 0.012	41	0.010	0.007 - 0.013	40	0.010	0.007 - 0.013
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	369	0.021	0.019 - 0.023	188	0.021	0.018 - 0.024	181	0.020	0.018 - 0.024
New Mexico	152	0.015	0.013 - 0.017	88	0.017	0.014 - 0.021	64	0.013	0.010 - 0.016
New York	851	0.023	0.021 - 0.024	440	0.024	0.022 - 0.026	410	0.022	0.020 - 0.024
North Carolina	79	0.008	0.007 - 0.010	43	0.009	0.006 - 0.012	36	0.008	0.006 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	31	0.007	0.005 - 0.010	16	0.007	0.004 - 0.012	15	0.007	0.004 - 0.012
Oklahoma	23	0.006	0.004 - 0.008	12	0.006	0.003 - 0.010	11	0.006	0.003 - 0.010
Oregon	48	0.009	0.007 - 0.012	28	0.010	0.007 - 0.015	20	0.008	0.005 - 0.012
Pennsylvania	118	0.013	0.011 - 0.015	68	0.015	0.011 - 0.018	50	0.011	0.008 - 0.015
Rhode Island	27	0.017	0.011 - 0.024	16	0.020	0.011 - 0.032	11	0.014	0.007 - 0.025
South Carolina	21	0.008	0.005 - 0.011	-	-	-	-	-	-
Tennessee	25	0.007	0.005 - 0.010	-	-	-	-	-	-
Texas	1,322	0.012	0.011 - 0.013	683	0.012	0.011 - 0.013	639	0.012	0.011 - 0.013
Utah	46	0.011	0.008 - 0.014	22	0.010	0.006 - 0.015	24	0.011	0.007 - 0.017
Vermont	-	-	-	-	-	-	-	-	-
Virginia	88	0.011	0.009 - 0.014	44	0.011	0.008 - 0.015	44	0.012	0.008 - 0.016
Washington ³	80	0.009	0.007 - 0.011	43	0.009	0.006 - 0.012	37	0.008	0.006 - 0.011
WA - Seattle	49	0.010	0.007 - 0.013	20	0.008	0.005 - 0.012	29	0.012	0.008 - 0.017
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	39	0.010	0.007 - 0.014	21	0.010	0.006 - 0.016	18	0.010	0.006 - 0.015
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	42,601	0.074	0.073 - 0.074	22,723	0.078	0.077 - 0.079	19,879	0.069	0.069 - 0.070
Alabama	78	0.037	0.030 - 0.047	40	0.036	0.026 - 0.049	38	0.039	0.028 - 0.053
Alaska	23	0.044	0.028 - 0.066	11	0.040	0.020 - 0.071	12	0.048	0.025 - 0.084
Arizona	1,397	0.064	0.061 - 0.067	776	0.071	0.066 - 0.076	621	0.057	0.053 - 0.062
Arkansas	111	0.050	0.041 - 0.060	60	0.051	0.039 - 0.066	51	0.048	0.036 - 0.063
California	11,135	0.073	0.071 - 0.074	5,843	0.076	0.074 - 0.078	5,293	0.070	0.068 - 0.071
CA - Greater California	5,944	0.070	0.068 - 0.072	3,157	0.074	0.071 - 0.076	2,787	0.066	0.064 - 0.069
CA - Greater Bay Area	1,409	0.074	0.070 - 0.078	731	0.076	0.070 - 0.081	678	0.072	0.067 - 0.078
CA - Los Angeles	3,785	0.077	0.075 - 0.080	1,956	0.080	0.076 - 0.084	1,829	0.074	0.071 - 0.078
Colorado	924	0.077	0.072 - 0.082	500	0.082	0.075 - 0.090	424	0.072	0.066 - 0.079
Connecticut	502	0.089	0.081 - 0.097	269	0.095	0.084 - 0.108	233	0.082	0.072 - 0.093
Delaware	63	0.072	0.055 - 0.092	27	0.061	0.040 - 0.088	36	0.084	0.059 - 0.117
District of Columbia	33	0.043	0.030 - 0.061	22	0.057	0.036 - 0.086	11	0.029	0.015 - 0.053
Florida	5,854	0.111	0.108 - 0.114	2,983	0.114	0.110 - 0.119	2,871	0.107	0.104 - 0.111
Georgia	464	0.047	0.043 - 0.052	242	0.047	0.041 - 0.053	222	0.047	0.041 - 0.054
Hawaii	111	0.078	0.064 - 0.093	51	0.069	0.051 - 0.090	61	0.087	0.066 - 0.112
Idaho	91	0.043	0.034 - 0.052	52	0.047	0.035 - 0.062	39	0.038	0.027 - 0.052
Illinois	1,485	0.068	0.065 - 0.072	783	0.070	0.065 - 0.075	702	0.066	0.061 - 0.071
Iowa	74	0.040	0.031 - 0.050	43	0.044	0.032 - 0.060	31	0.034	0.023 - 0.049
Kentucky	62	0.038	0.029 - 0.049	41	0.046	0.033 - 0.063	21	0.028	0.017 - 0.043
Louisiana	152	0.064	0.054 - 0.075	86	0.068	0.054 - 0.084	65	0.059	0.046 - 0.075
Maine	-	-	-	-	-	-	-	-	-
Maryland	207	0.035	0.030 - 0.040	111	0.036	0.029 - 0.043	96	0.033	0.027 - 0.041
Michigan	265	0.053	0.047 - 0.059	143	0.056	0.047 - 0.066	122	0.049	0.041 - 0.059
MI - Detroit	130	0.073	0.061 - 0.087	66	0.074	0.057 - 0.094	64	0.073	0.056 - 0.093
Minnesota	154	0.052	0.044 - 0.061	68	0.044	0.034 - 0.056	86	0.060	0.048 - 0.074
Mississippi	27	0.028	0.019 - 0.041	17	0.032	0.019 - 0.051	10	0.024	0.011 - 0.044
Missouri	117	0.046	0.038 - 0.055	63	0.048	0.037 - 0.062	54	0.044	0.033 - 0.058
Montana	31	0.078	0.053 - 0.110	17	0.083	0.048 - 0.133	14	0.072	0.040 - 0.121
Nebraska	115	0.056	0.046 - 0.067	64	0.059	0.046 - 0.076	51	0.052	0.038 - 0.068
Nevada	457	0.054	0.049 - 0.059	246	0.058	0.051 - 0.065	211	0.051	0.044 - 0.058
New Hampshire	25	0.051	0.033 - 0.075	15	0.060	0.033 - 0.099	10	0.042	0.020 - 0.077
New Jersey	1,616	0.091	0.086 - 0.095	834	0.093	0.087 - 0.100	782	0.088	0.082 - 0.094
New Mexico	1,005	0.099	0.093 - 0.105	533	0.105	0.097 - 0.115	472	0.092	0.084 - 0.101
New York	3,464	0.093	0.090 - 0.096	1,796	0.098	0.093 - 0.102	1,668	0.088	0.084 - 0.093
North Carolina	275	0.029	0.026 - 0.033	159	0.032	0.027 - 0.038	116	0.025	0.021 - 0.030
North Dakota	11	0.039	0.020 - 0.070	-	-	-	-	-	-
Ohio	213	0.049	0.042 - 0.056	117	0.052	0.043 - 0.062	96	0.045	0.037 - 0.055
Oklahoma	218	0.053	0.046 - 0.060	121	0.056	0.046 - 0.067	97	0.049	0.040 - 0.060
Oregon	262	0.049	0.043 - 0.056	134	0.049	0.041 - 0.058	128	0.050	0.042 - 0.059
Pennsylvania	525	0.057	0.052 - 0.062	290	0.062	0.055 - 0.069	235	0.052	0.046 - 0.059
Rhode Island	89	0.055	0.044 - 0.068	45	0.055	0.040 - 0.074	44	0.055	0.040 - 0.074
South Carolina	116	0.041	0.034 - 0.050	60	0.040	0.031 - 0.052	56	0.043	0.032 - 0.056
Tennessee	96	0.027	0.022 - 0.033	58	0.031	0.023 - 0.040	38	0.022	0.016 - 0.031
Texas	8,516	0.077	0.075 - 0.079	4,833	0.087	0.084 - 0.089	3,683	0.067	0.065 - 0.069
Utah	236	0.055	0.048 - 0.063	114	0.052	0.043 - 0.062	123	0.059	0.049 - 0.070
Vermont	-	-	-	-	-	-	-	-	-
Virginia	334	0.043	0.038 - 0.047	156	0.039	0.033 - 0.045	178	0.047	0.040 - 0.054
Washington ³	459	0.049	0.045 - 0.054	253	0.053	0.046 - 0.060	206	0.046	0.040 - 0.053
WA - Seattle	284	0.057	0.050 - 0.064	155	0.060	0.051 - 0.070	129	0.054	0.045 - 0.064
West Virginia	13	0.045	0.024 - 0.077	-	-	-	-	-	-
Wisconsin	172	0.044	0.038 - 0.051	87	0.043	0.035 - 0.053	85	0.045	0.036 - 0.056
Wyoming	44	0.077	0.056 - 0.103	25	0.084	0.054 - 0.123	19	0.069	0.041 - 0.107

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,611	0.015	0.015 - 0.015	5,970	0.020	0.020 - 0.021	2,642	0.009	0.009 - 0.010
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	304	0.014	0.012 - 0.016	211	0.019	0.017 - 0.022	93	0.009	0.007 - 0.010
Arkansas	20	0.009	0.005 - 0.014	-	-	-	-	-	-
California	2,323	0.015	0.015 - 0.016	1,609	0.021	0.020 - 0.022	715	0.009	0.009 - 0.010
CA - Greater California	1,272	0.015	0.014 - 0.016	895	0.021	0.020 - 0.022	377	0.009	0.008 - 0.010
CA - Greater Bay Area	365	0.019	0.017 - 0.021	256	0.026	0.023 - 0.030	109	0.012	0.010 - 0.014
CA - Los Angeles	687	0.014	0.013 - 0.015	458	0.019	0.017 - 0.020	229	0.009	0.008 - 0.011
Colorado	206	0.017	0.015 - 0.020	153	0.025	0.021 - 0.029	53	0.009	0.007 - 0.012
Connecticut	113	0.020	0.016 - 0.024	86	0.030	0.024 - 0.038	27	0.010	0.006 - 0.014
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	757	0.014	0.013 - 0.015	522	0.020	0.018 - 0.022	235	0.009	0.008 - 0.010
Georgia	76	0.008	0.006 - 0.010	46	0.009	0.006 - 0.012	30	0.006	0.004 - 0.009
Hawaii	20	0.014	0.009 - 0.022	-	-	-	-	-	-
Idaho	18	0.008	0.005 - 0.013	-	-	-	-	-	-
Illinois	295	0.014	0.012 - 0.015	204	0.018	0.016 - 0.021	91	0.009	0.007 - 0.010
Iowa	15	0.008	0.005 - 0.013	-	-	-	-	-	-
Kentucky	12	0.007	0.004 - 0.013	-	-	-	-	-	-
Louisiana	32	0.013	0.009 - 0.019	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	43	0.007	0.005 - 0.010	25	0.008	0.005 - 0.012	18	0.006	0.004 - 0.010
Michigan	62	0.012	0.009 - 0.016	44	0.017	0.012 - 0.023	18	0.007	0.004 - 0.012
MI - Detroit	18	0.010	0.006 - 0.016	-	-	-	-	-	-
Minnesota	37	0.012	0.009 - 0.017	25	0.016	0.011 - 0.024	12	0.008	0.004 - 0.015
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	26	0.010	0.007 - 0.015	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	13	0.006	0.003 - 0.011	-	-	-	-	-	-
Nevada	70	0.008	0.006 - 0.010	52	0.012	0.009 - 0.016	18	0.004	0.003 - 0.007
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	209	0.012	0.010 - 0.013	129	0.014	0.012 - 0.017	79	0.009	0.007 - 0.011
New Mexico	211	0.021	0.018 - 0.024	161	0.032	0.027 - 0.037	51	0.010	0.007 - 0.013
New York	782	0.021	0.020 - 0.023	531	0.029	0.027 - 0.032	250	0.013	0.012 - 0.015
North Carolina	71	0.007	0.006 - 0.009	52	0.011	0.008 - 0.014	19	0.004	0.003 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	42	0.010	0.007 - 0.013	-	-	-	-	-	-
Oklahoma	29	0.007	0.005 - 0.010	16	0.007	0.004 - 0.012	13	0.007	0.003 - 0.011
Oregon	59	0.011	0.008 - 0.014	38	0.014	0.010 - 0.019	21	0.008	0.005 - 0.013
Pennsylvania	134	0.015	0.012 - 0.017	97	0.021	0.017 - 0.025	37	0.008	0.006 - 0.011
Rhode Island	11	0.007	0.003 - 0.012	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	31	0.009	0.006 - 0.012	17	0.009	0.005 - 0.014	14	0.008	0.005 - 0.014
Texas	2,077	0.019	0.018 - 0.020	1,447	0.026	0.025 - 0.027	630	0.011	0.011 - 0.012
Utah	57	0.013	0.010 - 0.017	42	0.019	0.014 - 0.026	15	0.007	0.004 - 0.012
Vermont	-	-	-	-	-	-	-	-	-
Virginia	40	0.005	0.004 - 0.007	23	0.006	0.004 - 0.009	17	0.004	0.003 - 0.007
Washington ³	111	0.012	0.010 - 0.014	79	0.016	0.013 - 0.020	32	0.007	0.005 - 0.010
WA - Seattle	71	0.014	0.011 - 0.018	53	0.020	0.015 - 0.027	18	0.008	0.004 - 0.012
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	47	0.012	0.009 - 0.016	34	0.017	0.012 - 0.024	13	0.007	0.004 - 0.012
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,024	0.009	0.008 - 0.009	2,369	0.008	0.008 - 0.008	2,655	0.009	0.009 - 0.010
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	166	0.008	0.006 - 0.009	67	0.006	0.005 - 0.008	99	0.009	0.007 - 0.011
Arkansas	12	0.005	0.003 - 0.009	-	-	-	-	-	-
California	1,186	0.008	0.007 - 0.008	553	0.007	0.007 - 0.008	634	0.008	0.008 - 0.009
CA - Greater California	611	0.007	0.007 - 0.008	295	0.007	0.006 - 0.008	316	0.007	0.007 - 0.008
CA - Greater Bay Area	167	0.009	0.007 - 0.010	74	0.008	0.006 - 0.010	92	0.010	0.008 - 0.012
CA - Los Angeles	409	0.008	0.008 - 0.009	183	0.007	0.006 - 0.009	226	0.009	0.008 - 0.010
Colorado	95	0.008	0.006 - 0.010	42	0.007	0.005 - 0.009	53	0.009	0.007 - 0.012
Connecticut	65	0.011	0.009 - 0.015	25	0.009	0.006 - 0.013	40	0.014	0.010 - 0.019
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	793	0.015	0.014 - 0.016	395	0.015	0.014 - 0.017	398	0.015	0.013 - 0.016
Georgia	47	0.005	0.004 - 0.006	24	0.005	0.003 - 0.007	23	0.005	0.003 - 0.007
Hawaii	24	0.017	0.011 - 0.025	13	0.018	0.009 - 0.030	11	0.016	0.008 - 0.028
Idaho	-	-	-	-	-	-	-	-	-
Illinois	211	0.010	0.008 - 0.011	101	0.009	0.007 - 0.011	110	0.010	0.008 - 0.012
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	18	0.007	0.004 - 0.012	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	29	0.005	0.003 - 0.007	10	0.003	0.002 - 0.006	19	0.007	0.004 - 0.010
Michigan	53	0.011	0.008 - 0.014	24	0.009	0.006 - 0.014	29	0.012	0.008 - 0.017
MI - Detroit	27	0.015	0.010 - 0.022	-	-	-	-	-	-
Minnesota	27	0.009	0.006 - 0.013	12	0.008	0.004 - 0.014	15	0.011	0.006 - 0.017
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	14	0.007	0.004 - 0.011	-	-	-	-	-	-
Nevada	59	0.007	0.005 - 0.009	22	0.005	0.003 - 0.008	37	0.009	0.006 - 0.012
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	205	0.012	0.010 - 0.013	92	0.010	0.008 - 0.013	113	0.013	0.010 - 0.015
New Mexico	93	0.009	0.007 - 0.011	35	0.007	0.005 - 0.010	58	0.011	0.009 - 0.015
New York	429	0.012	0.010 - 0.013	209	0.011	0.010 - 0.013	220	0.012	0.010 - 0.013
North Carolina	58	0.006	0.005 - 0.008	20	0.004	0.002 - 0.006	38	0.008	0.006 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	18	0.004	0.002 - 0.007	-	-	-	-	-	-
Oklahoma	20	0.005	0.003 - 0.007	-	-	-	-	-	-
Oregon	33	0.006	0.004 - 0.009	16	0.006	0.003 - 0.009	17	0.007	0.004 - 0.011
Pennsylvania	72	0.008	0.006 - 0.010	41	0.009	0.006 - 0.012	31	0.007	0.005 - 0.010
Rhode Island	17	0.011	0.006 - 0.017	-	-	-	-	-	-
South Carolina	12	0.004	0.002 - 0.007	-	-	-	-	-	-
Tennessee	16	0.004	0.003 - 0.007	-	-	-	-	-	-
Texas	938	0.008	0.008 - 0.009	460	0.008	0.008 - 0.009	478	0.009	0.008 - 0.010
Utah	20	0.005	0.003 - 0.007	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	31	0.004	0.003 - 0.006	14	0.003	0.002 - 0.006	17	0.004	0.003 - 0.007
Washington ³	54	0.006	0.004 - 0.008	25	0.005	0.003 - 0.008	29	0.006	0.004 - 0.009
WA - Seattle	31	0.006	0.004 - 0.009	14	0.005	0.003 - 0.009	17	0.007	0.004 - 0.011
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	21	0.005	0.003 - 0.008	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,736	0.005	0.005 - 0.005	2,311	0.008	0.008 - 0.008	425	0.001	0.001 - 0.002
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	70	0.003	0.002 - 0.004	57	0.005	0.004 - 0.007	13	0.001	0.001 - 0.002
Arkansas	-	-	-	-	-	-	-	-	-
California	538	0.004	0.003 - 0.004	468	0.006	0.006 - 0.007	70	0.001	0.001 - 0.001
CA - Greater California	259	0.003	0.003 - 0.003	219	0.005	0.004 - 0.006	41	0.001	0.001 - 0.001
CA - Greater Bay Area	72	0.004	0.003 - 0.005	-	-	-	-	-	-
CA - Los Angeles	208	0.004	0.004 - 0.005	184	0.008	0.006 - 0.009	24	0.001	0.001 - 0.001
Colorado	63	0.005	0.004 - 0.007	52	0.009	0.006 - 0.011	11	0.002	0.001 - 0.003
Connecticut	50	0.009	0.007 - 0.012	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	521	0.010	0.009 - 0.011	452	0.017	0.016 - 0.019	69	0.003	0.002 - 0.003
Georgia	26	0.003	0.002 - 0.004	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	83	0.004	0.003 - 0.005	69	0.006	0.005 - 0.008	14	0.001	0.001 - 0.002
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	18	0.008	0.004 - 0.012	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	13	0.002	0.001 - 0.004	-	-	-	-	-	-
Michigan	20	0.004	0.002 - 0.006	-	-	-	-	-	-
MI - Detroit	10	0.006	0.003 - 0.010	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	26	0.003	0.002 - 0.005	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	113	0.006	0.005 - 0.008	95	0.011	0.009 - 0.013	18	0.002	0.001 - 0.003
New Mexico	47	0.005	0.003 - 0.006	-	-	-	-	-	-
New York	303	0.008	0.007 - 0.009	231	0.013	0.011 - 0.014	72	0.004	0.003 - 0.005
North Carolina	22	0.002	0.001 - 0.004	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	10	0.002	0.001 - 0.004	-	-	-	-	-	-
Oklahoma	12	0.003	0.001 - 0.005	-	-	-	-	-	-
Oregon	10	0.002	0.001 - 0.003	10	0.004	0.002 - 0.007	-	-	-
Pennsylvania	47	0.005	0.004 - 0.007	36	0.008	0.005 - 0.011	11	0.002	0.001 - 0.004
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	544	0.005	0.005 - 0.005	471	0.008	0.008 - 0.009	73	0.001	0.001 - 0.002
Utah	12	0.003	0.001 - 0.005	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	16	0.002	0.001 - 0.003	-	-	-	-	-	-
Washington ³	23	0.002	0.002 - 0.004	-	-	-	-	-	-
WA - Seattle	15	0.003	0.002 - 0.005	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	17,273	0.030	0.029 - 0.030	8,141	0.028	0.027 - 0.029	9,132	0.032	0.031 - 0.033
Alabama	38	0.018	0.013 - 0.025	16	0.014	0.008 - 0.023	22	0.023	0.014 - 0.034
Alaska	11	0.021	0.010 - 0.037	-	-	-	-	-	-
Arizona	526	0.024	0.022 - 0.026	234	0.021	0.019 - 0.024	292	0.027	0.024 - 0.030
Arkansas	57	0.025	0.019 - 0.033	27	0.023	0.015 - 0.034	30	0.028	0.019 - 0.040
California	3,413	0.022	0.022 - 0.023	1,453	0.019	0.018 - 0.020	1,960	0.026	0.025 - 0.027
CA - Greater California	1,887	0.022	0.021 - 0.023	805	0.019	0.017 - 0.020	1,081	0.026	0.024 - 0.027
CA - Greater Bay Area	517	0.027	0.025 - 0.030	216	0.022	0.020 - 0.026	300	0.032	0.029 - 0.036
CA - Los Angeles	1,010	0.021	0.019 - 0.022	432	0.018	0.016 - 0.019	577	0.023	0.022 - 0.025
Colorado	375	0.031	0.028 - 0.035	153	0.025	0.021 - 0.029	222	0.038	0.033 - 0.043
Connecticut	268	0.047	0.042 - 0.053	129	0.046	0.038 - 0.054	139	0.049	0.041 - 0.058
Delaware	17	0.019	0.011 - 0.031	-	-	-	-	-	-
District of Columbia	13	0.017	0.009 - 0.029	-	-	-	-	-	-
Florida	3,592	0.068	0.066 - 0.070	1,875	0.072	0.069 - 0.075	1,717	0.064	0.061 - 0.067
Georgia	214	0.022	0.019 - 0.025	94	0.018	0.015 - 0.022	120	0.026	0.021 - 0.031
Hawaii	81	0.056	0.045 - 0.070	37	0.050	0.035 - 0.069	44	0.063	0.046 - 0.085
Idaho	45	0.021	0.015 - 0.028	21	0.019	0.012 - 0.029	24	0.023	0.015 - 0.034
Illinois	552	0.025	0.023 - 0.027	264	0.024	0.021 - 0.027	288	0.027	0.024 - 0.030
Iowa	20	0.011	0.006 - 0.016	-	-	-	-	-	-
Kentucky	22	0.014	0.009 - 0.021	-	-	-	-	-	-
Louisiana	67	0.028	0.022 - 0.036	33	0.026	0.018 - 0.036	34	0.031	0.022 - 0.043
Maine	-	-	-	-	-	-	-	-	-
Maryland	70	0.012	0.009 - 0.015	26	0.008	0.005 - 0.012	44	0.015	0.011 - 0.021
Michigan	124	0.025	0.020 - 0.029	52	0.020	0.015 - 0.027	72	0.029	0.023 - 0.037
MI - Detroit	67	0.038	0.030 - 0.048	31	0.034	0.023 - 0.049	37	0.042	0.029 - 0.058
Minnesota	72	0.024	0.019 - 0.031	35	0.023	0.016 - 0.032	37	0.026	0.018 - 0.036
Mississippi	18	0.019	0.011 - 0.030	-	-	-	-	-	-
Missouri	53	0.021	0.016 - 0.027	27	0.021	0.014 - 0.030	26	0.021	0.014 - 0.031
Montana	12	0.030	0.016 - 0.053	-	-	-	-	-	-
Nebraska	38	0.018	0.013 - 0.025	20	0.019	0.011 - 0.029	18	0.018	0.011 - 0.029
Nevada	177	0.021	0.018 - 0.024	64	0.015	0.012 - 0.019	113	0.027	0.022 - 0.033
New Hampshire	13	0.026	0.014 - 0.045	-	-	-	-	-	-
New Jersey	743	0.042	0.039 - 0.045	332	0.037	0.033 - 0.041	411	0.046	0.042 - 0.051
New Mexico	380	0.037	0.034 - 0.041	186	0.037	0.032 - 0.042	194	0.038	0.033 - 0.043
New York	1,881	0.051	0.048 - 0.053	834	0.045	0.042 - 0.049	1,047	0.055	0.052 - 0.059
North Carolina	140	0.015	0.012 - 0.017	62	0.013	0.010 - 0.016	78	0.017	0.014 - 0.021
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	93	0.021	0.017 - 0.026	45	0.020	0.015 - 0.027	48	0.023	0.017 - 0.030
Oklahoma	66	0.016	0.012 - 0.020	35	0.016	0.011 - 0.022	31	0.016	0.011 - 0.022
Oregon	120	0.023	0.019 - 0.027	54	0.020	0.015 - 0.026	66	0.026	0.020 - 0.033
Pennsylvania	305	0.033	0.030 - 0.037	157	0.033	0.028 - 0.039	148	0.033	0.028 - 0.039
Rhode Island	46	0.029	0.021 - 0.038	23	0.028	0.018 - 0.043	23	0.029	0.018 - 0.043
South Carolina	34	0.012	0.008 - 0.017	16	0.011	0.006 - 0.017	18	0.014	0.008 - 0.022
Tennessee	68	0.019	0.015 - 0.024	31	0.016	0.011 - 0.023	37	0.022	0.015 - 0.030
Texas	2,623	0.024	0.023 - 0.025	1,344	0.024	0.023 - 0.025	1,279	0.023	0.022 - 0.025
Utah	72	0.017	0.013 - 0.021	24	0.011	0.007 - 0.016	47	0.023	0.017 - 0.030
Vermont	-	-	-	-	-	-	-	-	-
Virginia	142	0.018	0.015 - 0.021	63	0.016	0.012 - 0.020	79	0.021	0.016 - 0.026
Washington ³	189	0.020	0.018 - 0.024	87	0.018	0.015 - 0.022	102	0.023	0.019 - 0.028
WA - Seattle	126	0.025	0.021 - 0.030	57	0.022	0.017 - 0.029	69	0.029	0.022 - 0.036
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	81	0.021	0.016 - 0.026	35	0.017	0.012 - 0.024	46	0.024	0.018 - 0.033
Wyoming	11	0.019	0.009 - 0.034	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,115	0.012	0.012 - 0.013	3,123	0.011	0.010 - 0.011	3,992	0.014	0.013 - 0.014
Alabama	26	0.012	0.008 - 0.018	15	0.014	0.008 - 0.022	11	0.011	0.006 - 0.020
Alaska	-	-	-	-	-	-	-	-	-
Arizona	274	0.013	0.011 - 0.014	111	0.010	0.008 - 0.012	163	0.015	0.013 - 0.017
Arkansas	25	0.011	0.007 - 0.017	11	0.009	0.005 - 0.017	14	0.013	0.007 - 0.022
California	2,026	0.013	0.013 - 0.014	840	0.011	0.010 - 0.012	1,186	0.016	0.015 - 0.016
CA - Greater California	1,116	0.013	0.012 - 0.014	443	0.010	0.009 - 0.011	673	0.016	0.015 - 0.017
CA - Greater Bay Area	392	0.021	0.019 - 0.023	173	0.018	0.015 - 0.021	220	0.023	0.020 - 0.027
CA - Los Angeles	517	0.011	0.010 - 0.011	224	0.009	0.008 - 0.010	293	0.012	0.011 - 0.013
Colorado	178	0.015	0.013 - 0.017	62	0.010	0.008 - 0.013	116	0.020	0.016 - 0.024
Connecticut	82	0.015	0.012 - 0.018	35	0.012	0.009 - 0.017	48	0.017	0.012 - 0.022
Delaware	16	0.018	0.010 - 0.030	-	-	-	-	-	-
District of Columbia	10	0.013	0.006 - 0.024	-	-	-	-	-	-
Florida	1,012	0.019	0.018 - 0.020	507	0.019	0.018 - 0.021	505	0.019	0.017 - 0.021
Georgia	120	0.012	0.010 - 0.015	59	0.011	0.009 - 0.015	61	0.013	0.010 - 0.017
Hawaii	45	0.031	0.023 - 0.042	24	0.033	0.021 - 0.048	21	0.030	0.019 - 0.046
Idaho	33	0.016	0.011 - 0.022	-	-	-	-	-	-
Illinois	242	0.011	0.010 - 0.013	103	0.009	0.008 - 0.011	139	0.013	0.011 - 0.015
Iowa	15	0.008	0.004 - 0.013	-	-	-	-	-	-
Kentucky	10	0.006	0.003 - 0.011	-	-	-	-	-	-
Louisiana	42	0.018	0.013 - 0.024	20	0.016	0.010 - 0.024	22	0.020	0.012 - 0.030
Maine	-	-	-	-	-	-	-	-	-
Maryland	27	0.005	0.003 - 0.007	14	0.005	0.002 - 0.008	13	0.005	0.002 - 0.008
Michigan	63	0.013	0.010 - 0.016	30	0.012	0.008 - 0.017	33	0.013	0.009 - 0.019
MI - Detroit	38	0.021	0.015 - 0.029	16	0.018	0.010 - 0.029	22	0.025	0.016 - 0.038
Minnesota	63	0.021	0.016 - 0.027	25	0.016	0.011 - 0.024	38	0.027	0.019 - 0.037
Mississippi	10	0.011	0.005 - 0.019	-	-	-	-	-	-
Missouri	24	0.009	0.006 - 0.014	12	0.009	0.005 - 0.016	12	0.010	0.005 - 0.017
Montana	16	0.040	0.023 - 0.065	-	-	-	-	-	-
Nebraska	22	0.011	0.007 - 0.016	-	-	-	-	-	-
Nevada	75	0.009	0.007 - 0.011	31	0.007	0.005 - 0.010	44	0.011	0.008 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	225	0.013	0.011 - 0.014	101	0.011	0.009 - 0.014	124	0.014	0.012 - 0.017
New Mexico	156	0.015	0.013 - 0.018	72	0.014	0.011 - 0.018	85	0.016	0.013 - 0.020
New York	421	0.011	0.010 - 0.012	206	0.011	0.010 - 0.013	215	0.011	0.010 - 0.013
North Carolina	52	0.005	0.004 - 0.007	29	0.006	0.004 - 0.008	23	0.005	0.003 - 0.008
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	44	0.010	0.007 - 0.014	23	0.010	0.006 - 0.015	21	0.010	0.006 - 0.015
Oklahoma	42	0.010	0.007 - 0.014	16	0.007	0.004 - 0.012	26	0.013	0.009 - 0.019
Oregon	78	0.015	0.012 - 0.018	27	0.010	0.006 - 0.014	51	0.020	0.015 - 0.026
Pennsylvania	106	0.012	0.009 - 0.014	45	0.010	0.007 - 0.013	61	0.014	0.010 - 0.017
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	14	0.005	0.003 - 0.008	-	-	-	-	-	-
Tennessee	48	0.013	0.010 - 0.018	20	0.011	0.006 - 0.016	28	0.017	0.011 - 0.024
Texas	925	0.008	0.008 - 0.009	420	0.008	0.007 - 0.008	505	0.009	0.008 - 0.010
Utah	94	0.022	0.018 - 0.027	32	0.015	0.010 - 0.021	62	0.030	0.023 - 0.038
Vermont	-	-	-	-	-	-	-	-	-
Virginia	67	0.009	0.007 - 0.011	23	0.006	0.004 - 0.009	44	0.012	0.008 - 0.016
Washington ³	149	0.016	0.014 - 0.019	50	0.010	0.008 - 0.014	99	0.022	0.018 - 0.027
WA - Seattle	117	0.023	0.019 - 0.028	40	0.015	0.011 - 0.021	77	0.032	0.025 - 0.040
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	38	0.010	0.007 - 0.013	18	0.009	0.005 - 0.014	20	0.011	0.006 - 0.016
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		86,600	0.302	0.300 - 0.305
Alabama	-	-		-	-		136	0.139	0.117 - 0.165
Alaska	-	-		-	-		62	0.249	0.191 - 0.319
Arizona	-	-		-	-		2,977	0.274	0.264 - 0.284
Arkansas	-	-		-	-		191	0.180	0.155 - 0.207
California	-	-		-	-		23,163	0.304	0.300 - 0.308
CA - Greater California	-	-		-	-		12,365	0.293	0.288 - 0.299
CA - Greater Bay Area	-	-		-	-		3,044	0.325	0.313 - 0.337
CA - Los Angeles	-	-		-	-		7,754	0.315	0.308 - 0.322
Colorado	-	-		-	-		1,878	0.320	0.306 - 0.335
Connecticut	-	-		-	-		1,097	0.386	0.363 - 0.409
Delaware	-	-		-	-		94	0.220	0.178 - 0.269
District of Columbia	-	-		-	-		84	0.225	0.179 - 0.278
Florida	-	-		-	-		11,478	0.429	0.422 - 0.437
Georgia	-	-		-	-		1,123	0.239	0.226 - 0.254
Hawaii	-	-		-	-		276	0.395	0.349 - 0.444
Idaho	-	-		-	-		226	0.219	0.191 - 0.250
Illinois	-	-		-	-		3,048	0.286	0.276 - 0.296
Iowa	-	-		-	-		137	0.153	0.128 - 0.181
Kentucky	-	-		-	-		101	0.135	0.110 - 0.164
Louisiana	-	-		-	-		321	0.290	0.259 - 0.324
Maine	-	-		-	-		28	0.261	0.173 - 0.377
Maryland	-	-		-	-		533	0.185	0.170 - 0.202
Michigan	-	-		-	-		523	0.211	0.194 - 0.230
MI - Detroit	-	-		-	-		334	0.381	0.341 - 0.424
Minnesota	-	-		-	-		331	0.232	0.208 - 0.258
Mississippi	-	-		-	-		52	0.124	0.093 - 0.163
Missouri	-	-		-	-		226	0.185	0.162 - 0.211
Montana	-	-		-	-		60	0.309	0.235 - 0.397
Nebraska	-	-		-	-		195	0.198	0.171 - 0.227
Nevada	-	-		-	-		933	0.225	0.210 - 0.239
New Hampshire	-	-		-	-		64	0.267	0.205 - 0.341
New Jersey	-	-		-	-		3,451	0.388	0.375 - 0.401
New Mexico	-	-		-	-		2,108	0.411	0.393 - 0.429
New York	-	-		-	-		7,685	0.407	0.398 - 0.416
North Carolina	-	-		-	-		582	0.127	0.117 - 0.138
North Dakota	-	-		-	-		17	0.131	0.076 - 0.210
Ohio	-	-		-	-		352	0.165	0.149 - 0.184
Oklahoma	-	-		-	-		378	0.191	0.172 - 0.211
Oregon	-	-		-	-		559	0.218	0.200 - 0.237
Pennsylvania	-	-		-	-		1,064	0.236	0.222 - 0.251
Rhode Island	-	-		-	-		203	0.254	0.220 - 0.291
South Carolina	-	-		-	-		208	0.159	0.138 - 0.182
Tennessee	-	-		-	-		263	0.155	0.137 - 0.175
Texas	-	-		-	-		15,487	0.282	0.278 - 0.287
Utah	-	-		-	-		527	0.252	0.231 - 0.275
Vermont	-	-		-	-		11	0.191	0.095 - 0.341
Virginia	-	-		-	-		844	0.223	0.208 - 0.238
Washington ³	-	-		-	-		1,056	0.236	0.222 - 0.250
WA - Seattle	-	-		-	-		692	0.289	0.268 - 0.311
West Virginia	-	-		-	-		19	0.141	0.085 - 0.221
Wisconsin	-	-		-	-		360	0.191	0.172 - 0.212
Wyoming	-	-		-	-		64	0.235	0.181 - 0.299

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		8,640	0.030	0.029 - 0.031
Alabama	-	-		-	-		28	0.029	0.019 - 0.042
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		291	0.027	0.024 - 0.030
Arkansas	-	-		-	-		33	0.031	0.021 - 0.044
California	-	-		-	-		2,064	0.027	0.026 - 0.028
CA - Greater California	-	-		-	-		1,111	0.026	0.025 - 0.028
CA - Greater Bay Area	-	-		-	-		256	0.027	0.024 - 0.031
CA - Los Angeles	-	-		-	-		696	0.028	0.026 - 0.030
Colorado	-	-		-	-		154	0.026	0.022 - 0.031
Connecticut	-	-		-	-		109	0.038	0.031 - 0.046
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		14	0.037	0.020 - 0.063
Florida	-	-		-	-		921	0.034	0.032 - 0.037
Georgia	-	-		-	-		138	0.029	0.025 - 0.035
Hawaii	-	-		-	-		19	0.027	0.016 - 0.042
Idaho	-	-		-	-		30	0.029	0.020 - 0.042
Illinois	-	-		-	-		315	0.030	0.026 - 0.033
Iowa	-	-		-	-		23	0.026	0.017 - 0.039
Kentucky	-	-		-	-		15	0.020	0.011 - 0.033
Louisiana	-	-		-	-		39	0.035	0.025 - 0.048
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		69	0.024	0.019 - 0.030
Michigan	-	-		-	-		69	0.028	0.022 - 0.035
MI - Detroit	-	-		-	-		28	0.032	0.021 - 0.046
Minnesota	-	-		-	-		39	0.027	0.019 - 0.037
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		31	0.025	0.017 - 0.036
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		19	0.019	0.012 - 0.030
Nevada	-	-		-	-		118	0.028	0.024 - 0.034
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		330	0.037	0.033 - 0.041
New Mexico	-	-		-	-		172	0.033	0.029 - 0.039
New York	-	-		-	-		640	0.034	0.031 - 0.037
North Carolina	-	-		-	-		104	0.023	0.019 - 0.028
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		27	0.013	0.008 - 0.018
Oklahoma	-	-		-	-		71	0.036	0.028 - 0.045
Oregon	-	-		-	-		53	0.021	0.015 - 0.027
Pennsylvania	-	-		-	-		118	0.026	0.022 - 0.031
Rhode Island	-	-		-	-		21	0.026	0.016 - 0.040
South Carolina	-	-		-	-		27	0.021	0.014 - 0.030
Tennessee	-	-		-	-		33	0.019	0.013 - 0.027
Texas	-	-		-	-		1,956	0.036	0.034 - 0.037
Utah	-	-		-	-		52	0.025	0.019 - 0.033
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		115	0.030	0.025 - 0.036
Washington ³	-	-		-	-		93	0.021	0.017 - 0.025
WA - Seattle	-	-		-	-		50	0.021	0.015 - 0.027
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		45	0.024	0.017 - 0.032
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		20,943	0.073	0.072 - 0.074
Alabama	-	-		-	-		31	0.032	0.022 - 0.045
Alaska	-	-		-	-		14	0.056	0.031 - 0.094
Arizona	-	-		-	-		709	0.065	0.060 - 0.070
Arkansas	-	-		-	-		51	0.048	0.036 - 0.063
California	-	-		-	-		5,625	0.074	0.072 - 0.076
CA - Greater California	-	-		-	-		2,780	0.066	0.064 - 0.068
CA - Greater Bay Area	-	-		-	-		727	0.078	0.072 - 0.083
CA - Los Angeles	-	-		-	-		2,117	0.086	0.082 - 0.090
Colorado	-	-		-	-		380	0.065	0.058 - 0.072
Connecticut	-	-		-	-		248	0.087	0.077 - 0.099
Delaware	-	-		-	-		34	0.080	0.055 - 0.111
District of Columbia	-	-		-	-		11	0.029	0.015 - 0.053
Florida	-	-		-	-		2,646	0.099	0.095 - 0.103
Georgia	-	-		-	-		216	0.046	0.040 - 0.053
Hawaii	-	-		-	-		51	0.073	0.054 - 0.096
Idaho	-	-		-	-		57	0.055	0.042 - 0.072
Illinois	-	-		-	-		865	0.081	0.076 - 0.087
Iowa	-	-		-	-		49	0.055	0.040 - 0.072
Kentucky	-	-		-	-		28	0.038	0.025 - 0.054
Louisiana	-	-		-	-		49	0.045	0.033 - 0.059
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		116	0.040	0.033 - 0.048
Michigan	-	-		-	-		148	0.060	0.051 - 0.070
MI - Detroit	-	-		-	-		79	0.090	0.071 - 0.112
Minnesota	-	-		-	-		95	0.067	0.054 - 0.081
Mississippi	-	-		-	-		18	0.043	0.026 - 0.068
Missouri	-	-		-	-		61	0.050	0.038 - 0.064
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		47	0.048	0.035 - 0.063
Nevada	-	-		-	-		208	0.050	0.043 - 0.057
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		783	0.088	0.082 - 0.094
New Mexico	-	-		-	-		447	0.087	0.079 - 0.096
New York	-	-		-	-		1,871	0.099	0.095 - 0.104
North Carolina	-	-		-	-		147	0.032	0.027 - 0.038
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		95	0.045	0.036 - 0.055
Oklahoma	-	-		-	-		92	0.046	0.037 - 0.057
Oregon	-	-		-	-		163	0.064	0.054 - 0.074
Pennsylvania	-	-		-	-		299	0.066	0.059 - 0.074
Rhode Island	-	-		-	-		41	0.051	0.037 - 0.069
South Carolina	-	-		-	-		26	0.020	0.013 - 0.029
Tennessee	-	-		-	-		62	0.037	0.028 - 0.047
Texas	-	-		-	-		4,006	0.073	0.071 - 0.075
Utah	-	-		-	-		112	0.054	0.044 - 0.065
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		161	0.042	0.036 - 0.050
Washington ³	-	-		-	-		228	0.051	0.044 - 0.058
WA - Seattle	-	-		-	-		130	0.054	0.045 - 0.064
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		111	0.059	0.048 - 0.071
Wyoming	-	-		-	-		16	0.058	0.033 - 0.095

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		7,241	0.025	0.025 - 0.026
Alabama	-	-		-	-		11	0.011	0.006 - 0.020
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		241	0.022	0.019 - 0.025
Arkansas	-	-		-	-		17	0.016	0.009 - 0.026
California	-	-		-	-		2,091	0.027	0.026 - 0.029
CA - Greater California	-	-		-	-		1,022	0.024	0.023 - 0.026
CA - Greater Bay Area	-	-		-	-		248	0.026	0.023 - 0.030
CA - Los Angeles	-	-		-	-		821	0.033	0.031 - 0.036
Colorado	-	-		-	-		142	0.024	0.020 - 0.029
Connecticut	-	-		-	-		59	0.021	0.016 - 0.027
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	-	-		-	-		938	0.035	0.033 - 0.037
Georgia	-	-		-	-		102	0.022	0.018 - 0.026
Hawaii	-	-		-	-		10	0.014	0.007 - 0.026
Idaho	-	-		-	-		17	0.016	0.009 - 0.026
Illinois	-	-		-	-		262	0.025	0.022 - 0.028
Iowa	-	-		-	-		16	0.018	0.010 - 0.029
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		13	0.012	0.006 - 0.020
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		54	0.019	0.014 - 0.025
Michigan	-	-		-	-		45	0.018	0.013 - 0.024
MI - Detroit	-	-		-	-		22	0.025	0.016 - 0.038
Minnesota	-	-		-	-		24	0.017	0.011 - 0.025
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		17	0.014	0.008 - 0.022
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		18	0.018	0.011 - 0.029
Nevada	-	-		-	-		69	0.017	0.013 - 0.021
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		232	0.026	0.023 - 0.030
New Mexico	-	-		-	-		154	0.030	0.025 - 0.035
New York	-	-		-	-		579	0.031	0.028 - 0.033
North Carolina	-	-		-	-		66	0.014	0.011 - 0.018
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		35	0.016	0.011 - 0.023
Oklahoma	-	-		-	-		36	0.018	0.013 - 0.025
Oregon	-	-		-	-		47	0.018	0.013 - 0.024
Pennsylvania	-	-		-	-		85	0.019	0.015 - 0.023
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		15	0.011	0.006 - 0.019
Tennessee	-	-		-	-		22	0.013	0.008 - 0.020
Texas	-	-		-	-		1,366	0.025	0.024 - 0.026
Utah	-	-		-	-		41	0.020	0.014 - 0.027
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		68	0.018	0.014 - 0.023
Washington ³	-	-		-	-		81	0.018	0.014 - 0.022
WA - Seattle	-	-		-	-		52	0.022	0.016 - 0.028
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		37	0.020	0.014 - 0.027
Wyoming	-	-		-	-		10	0.036	0.017 - 0.067

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		60,716	0.208	0.206 - 0.210	-	-	
Alabama	-	-		99	0.089	0.073 - 0.109	-	-	
Alaska	-	-		20	0.072	0.044 - 0.112	-	-	
Arizona	-	-		1,602	0.146	0.139 - 0.153	-	-	
Arkansas	-	-		152	0.130	0.110 - 0.152	-	-	
California	-	-		15,505	0.201	0.198 - 0.204	-	-	
CA - Greater California	-	-		8,107	0.189	0.185 - 0.193	-	-	
CA - Greater Bay Area	-	-		2,099	0.217	0.208 - 0.227	-	-	
CA - Los Angeles	-	-		5,298	0.216	0.211 - 0.222	-	-	
Colorado	-	-		1,028	0.169	0.158 - 0.179	-	-	
Connecticut	-	-		666	0.236	0.218 - 0.255	-	-	
Delaware	-	-		99	0.222	0.181 - 0.271	-	-	
District of Columbia	-	-		47	0.121	0.089 - 0.162	-	-	
Florida	-	-		9,510	0.365	0.357 - 0.372	-	-	
Georgia	-	-		646	0.125	0.116 - 0.136	-	-	
Hawaii	-	-		139	0.188	0.158 - 0.223	-	-	
Idaho	-	-		131	0.119	0.100 - 0.142	-	-	
Illinois	-	-		2,294	0.205	0.197 - 0.214	-	-	
Iowa	-	-		100	0.103	0.083 - 0.125	-	-	
Kentucky	-	-		63	0.072	0.056 - 0.092	-	-	
Louisiana	-	-		299	0.234	0.208 - 0.262	-	-	
Maine	-	-		14	0.127	0.070 - 0.214	-	-	
Maryland	-	-		313	0.101	0.090 - 0.113	-	-	
Michigan	-	-		394	0.154	0.139 - 0.170	-	-	
MI - Detroit	-	-		223	0.249	0.217 - 0.283	-	-	
Minnesota	-	-		177	0.115	0.099 - 0.133	-	-	
Mississippi	-	-		57	0.107	0.081 - 0.139	-	-	
Missouri	-	-		122	0.093	0.077 - 0.111	-	-	
Montana	-	-		34	0.164	0.113 - 0.230	-	-	
Nebraska	-	-		125	0.116	0.096 - 0.138	-	-	
Nevada	-	-		625	0.146	0.135 - 0.158	-	-	
New Hampshire	-	-		46	0.183	0.134 - 0.245	-	-	
New Jersey	-	-		2,951	0.330	0.319 - 0.343	-	-	
New Mexico	-	-		1,295	0.256	0.242 - 0.270	-	-	
New York	-	-		7,017	0.382	0.373 - 0.391	-	-	
North Carolina	-	-		399	0.081	0.073 - 0.089	-	-	
North Dakota	-	-		12	0.080	0.041 - 0.140	-	-	
Ohio	-	-		308	0.137	0.122 - 0.153	-	-	
Oklahoma	-	-		192	0.089	0.077 - 0.102	-	-	
Oregon	-	-		344	0.125	0.112 - 0.139	-	-	
Pennsylvania	-	-		860	0.183	0.171 - 0.196	-	-	
Rhode Island	-	-		130	0.160	0.134 - 0.190	-	-	
South Carolina	-	-		153	0.103	0.087 - 0.120	-	-	
Tennessee	-	-		155	0.082	0.069 - 0.096	-	-	
Texas	-	-		9,589	0.172	0.169 - 0.176	-	-	
Utah	-	-		328	0.149	0.134 - 0.166	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		417	0.103	0.093 - 0.113	-	-	
Washington ³	-	-		578	0.120	0.111 - 0.131	-	-	
WA - Seattle	-	-		330	0.127	0.114 - 0.142	-	-	
West Virginia	-	-		29	0.186	0.125 - 0.268	-	-	
Wisconsin	-	-		270	0.134	0.119 - 0.151	-	-	
Wyoming	-	-		53	0.175	0.131 - 0.229	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		7,138	0.024	0.024 - 0.025	-	-	
Alabama	-	-		13	0.012	0.006 - 0.020	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		237	0.022	0.019 - 0.024	-	-	
Arkansas	-	-		25	0.021	0.014 - 0.031	-	-	
California	-	-		2,254	0.029	0.028 - 0.030	-	-	
CA - Greater California	-	-		1,227	0.029	0.027 - 0.030	-	-	
CA - Greater Bay Area	-	-		295	0.030	0.027 - 0.034	-	-	
CA - Los Angeles	-	-		734	0.030	0.028 - 0.032	-	-	
Colorado	-	-		139	0.023	0.019 - 0.027	-	-	
Connecticut	-	-		63	0.022	0.017 - 0.029	-	-	
Delaware	-	-		18	0.040	0.024 - 0.064	-	-	
District of Columbia	-	-		11	0.028	0.014 - 0.051	-	-	
Florida	-	-		507	0.019	0.018 - 0.021	-	-	
Georgia	-	-		111	0.022	0.018 - 0.026	-	-	
Hawaii	-	-		13	0.018	0.009 - 0.030	-	-	
Idaho	-	-		34	0.031	0.021 - 0.043	-	-	
Illinois	-	-		320	0.029	0.026 - 0.032	-	-	
Iowa	-	-		23	0.024	0.015 - 0.036	-	-	
Kentucky	-	-		14	0.016	0.009 - 0.027	-	-	
Louisiana	-	-		24	0.019	0.012 - 0.028	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		35	0.011	0.008 - 0.016	-	-	
Michigan	-	-		48	0.019	0.014 - 0.025	-	-	
MI - Detroit	-	-		16	0.018	0.010 - 0.029	-	-	
Minnesota	-	-		36	0.023	0.016 - 0.032	-	-	
Mississippi	-	-		10	0.019	0.009 - 0.035	-	-	
Missouri	-	-		37	0.028	0.020 - 0.039	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		20	0.019	0.011 - 0.029	-	-	
Nevada	-	-		101	0.024	0.019 - 0.029	-	-	
New Hampshire	-	-		14	0.056	0.031 - 0.094	-	-	
New Jersey	-	-		200	0.022	0.019 - 0.026	-	-	
New Mexico	-	-		145	0.029	0.024 - 0.034	-	-	
New York	-	-		400	0.022	0.020 - 0.024	-	-	
North Carolina	-	-		71	0.014	0.011 - 0.018	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		26	0.012	0.008 - 0.017	-	-	
Oklahoma	-	-		46	0.021	0.016 - 0.028	-	-	
Oregon	-	-		57	0.021	0.016 - 0.027	-	-	
Pennsylvania	-	-		87	0.019	0.015 - 0.023	-	-	
Rhode Island	-	-		12	0.015	0.008 - 0.026	-	-	
South Carolina	-	-		19	0.013	0.008 - 0.020	-	-	
Tennessee	-	-		33	0.017	0.012 - 0.024	-	-	
Texas	-	-		1,398	0.025	0.024 - 0.026	-	-	
Utah	-	-		67	0.030	0.024 - 0.039	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		65	0.016	0.012 - 0.020	-	-	
Washington ³	-	-		129	0.027	0.022 - 0.032	-	-	
WA - Seattle	-	-		75	0.029	0.023 - 0.036	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		54	0.027	0.020 - 0.035	-	-	
Wyoming	-	-		10	0.032	0.015 - 0.059	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,356	0.021	0.021 - 0.022	9,349	0.032	0.031 - 0.033	3,008	0.011	0.010 - 0.011
Alabama	18	0.009	0.005 - 0.014	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	403	0.018	0.017 - 0.020	304	0.028	0.025 - 0.031	99	0.009	0.007 - 0.011
Arkansas	24	0.011	0.007 - 0.016	-	-	-	-	-	-
California	2,922	0.019	0.018 - 0.020	2,232	0.029	0.028 - 0.030	691	0.009	0.008 - 0.010
CA - Greater California	1,553	0.018	0.017 - 0.019	1,185	0.028	0.026 - 0.029	369	0.009	0.008 - 0.010
CA - Greater Bay Area	463	0.024	0.022 - 0.027	357	0.037	0.033 - 0.041	107	0.011	0.009 - 0.014
CA - Los Angeles	906	0.018	0.017 - 0.020	691	0.028	0.026 - 0.030	215	0.009	0.008 - 0.010
Colorado	248	0.021	0.018 - 0.023	192	0.031	0.027 - 0.036	56	0.010	0.007 - 0.012
Connecticut	177	0.031	0.027 - 0.036	129	0.046	0.038 - 0.054	48	0.017	0.012 - 0.022
Delaware	27	0.031	0.020 - 0.045	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	2,246	0.043	0.041 - 0.044	1,689	0.065	0.062 - 0.068	557	0.021	0.019 - 0.023
Georgia	138	0.014	0.012 - 0.017	102	0.020	0.016 - 0.024	36	0.008	0.005 - 0.011
Hawaii	43	0.030	0.022 - 0.040	31	0.042	0.029 - 0.060	12	0.017	0.009 - 0.030
Idaho	29	0.013	0.009 - 0.019	-	-	-	-	-	-
Illinois	406	0.019	0.017 - 0.020	303	0.027	0.024 - 0.030	103	0.010	0.008 - 0.012
Iowa	21	0.011	0.007 - 0.017	-	-	-	-	-	-
Kentucky	19	0.011	0.007 - 0.018	-	-	-	-	-	-
Louisiana	53	0.022	0.017 - 0.029	37	0.029	0.020 - 0.040	16	0.014	0.008 - 0.023
Maine	-	-	-	-	-	-	-	-	-
Maryland	71	0.012	0.009 - 0.015	53	0.017	0.013 - 0.022	18	0.006	0.004 - 0.010
Michigan	100	0.020	0.016 - 0.024	85	0.033	0.027 - 0.041	15	0.006	0.003 - 0.010
MI - Detroit	61	0.034	0.026 - 0.044	51	0.057	0.042 - 0.074	10	0.011	0.005 - 0.021
Minnesota	57	0.019	0.015 - 0.025	39	0.025	0.018 - 0.035	18	0.013	0.007 - 0.020
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	33	0.013	0.009 - 0.018	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	28	0.014	0.009 - 0.020	-	-	-	-	-	-
Nevada	148	0.018	0.015 - 0.021	107	0.025	0.021 - 0.030	41	0.010	0.007 - 0.013
New Hampshire	10	0.020	0.010 - 0.037	-	-	-	-	-	-
New Jersey	582	0.033	0.030 - 0.035	433	0.048	0.044 - 0.053	149	0.017	0.014 - 0.020
New Mexico	293	0.029	0.026 - 0.032	226	0.045	0.039 - 0.051	66	0.013	0.010 - 0.016
New York	1,180	0.032	0.030 - 0.034	863	0.047	0.044 - 0.050	317	0.017	0.015 - 0.019
North Carolina	64	0.007	0.005 - 0.009	48	0.010	0.007 - 0.013	16	0.004	0.002 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	70	0.016	0.012 - 0.020	57	0.025	0.019 - 0.033	13	0.006	0.003 - 0.010
Oklahoma	55	0.013	0.010 - 0.017	41	0.019	0.014 - 0.026	14	0.007	0.004 - 0.012
Oregon	88	0.017	0.013 - 0.020	69	0.025	0.020 - 0.032	19	0.007	0.004 - 0.012
Pennsylvania	174	0.019	0.016 - 0.022	134	0.029	0.024 - 0.034	40	0.009	0.006 - 0.012
Rhode Island	18	0.011	0.007 - 0.018	-	-	-	-	-	-
South Carolina	22	0.008	0.005 - 0.012	-	-	-	-	-	-
Tennessee	36	0.010	0.007 - 0.014	-	-	-	-	-	-
Texas	1,869	0.017	0.016 - 0.018	1,434	0.026	0.024 - 0.027	435	0.008	0.007 - 0.009
Utah	64	0.015	0.011 - 0.019	50	0.023	0.017 - 0.030	14	0.007	0.004 - 0.011
Vermont	-	-	-	-	-	-	-	-	-
Virginia	95	0.012	0.010 - 0.015	69	0.017	0.013 - 0.022	26	0.007	0.004 - 0.010
Washington ³	152	0.016	0.014 - 0.019	111	0.023	0.019 - 0.028	41	0.009	0.007 - 0.012
WA - Seattle	101	0.020	0.016 - 0.025	74	0.028	0.022 - 0.036	27	0.011	0.007 - 0.016
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	53	0.014	0.010 - 0.018	40	0.020	0.014 - 0.027	13	0.007	0.004 - 0.012
Wyoming	18	0.031	0.018 - 0.049	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	24,644	0.043	0.042 - 0.043	14,415	0.049	0.049 - 0.050	10,229	0.036	0.035 - 0.036
Alabama	43	0.021	0.015 - 0.028	28	0.025	0.017 - 0.036	15	0.015	0.009 - 0.025
Alaska	12	0.023	0.012 - 0.040	-	-	-	-	-	-
Arizona	999	0.046	0.043 - 0.049	546	0.050	0.046 - 0.054	453	0.042	0.038 - 0.046
Arkansas	59	0.026	0.020 - 0.034	38	0.032	0.023 - 0.044	21	0.020	0.012 - 0.030
California	6,634	0.043	0.042 - 0.044	3,888	0.050	0.049 - 0.052	2,746	0.036	0.035 - 0.037
CA - Greater California	3,754	0.044	0.043 - 0.046	2,222	0.052	0.050 - 0.054	1,532	0.036	0.035 - 0.038
CA - Greater Bay Area	813	0.043	0.040 - 0.046	476	0.049	0.045 - 0.054	336	0.036	0.032 - 0.040
CA - Los Angeles	2,069	0.042	0.040 - 0.044	1,191	0.049	0.046 - 0.051	878	0.036	0.033 - 0.038
Colorado	592	0.049	0.046 - 0.054	340	0.056	0.050 - 0.062	252	0.043	0.038 - 0.049
Connecticut	218	0.038	0.033 - 0.044	128	0.045	0.038 - 0.054	90	0.032	0.025 - 0.039
Delaware	25	0.029	0.019 - 0.042	12	0.027	0.014 - 0.047	13	0.030	0.016 - 0.052
District of Columbia	10	0.013	0.006 - 0.024	-	-	-	-	-	-
Florida	2,418	0.046	0.044 - 0.048	1,470	0.056	0.054 - 0.059	948	0.035	0.033 - 0.038
Georgia	241	0.024	0.021 - 0.028	145	0.028	0.024 - 0.033	96	0.020	0.017 - 0.025
Hawaii	57	0.040	0.030 - 0.051	43	0.058	0.042 - 0.079	14	0.020	0.011 - 0.033
Idaho	83	0.039	0.031 - 0.048	46	0.042	0.031 - 0.056	37	0.036	0.025 - 0.050
Illinois	931	0.043	0.040 - 0.045	575	0.051	0.047 - 0.056	356	0.033	0.030 - 0.037
Iowa	47	0.025	0.018 - 0.033	27	0.028	0.018 - 0.040	20	0.022	0.014 - 0.035
Kentucky	34	0.021	0.015 - 0.029	23	0.027	0.017 - 0.040	10	0.014	0.007 - 0.026
Louisiana	86	0.036	0.029 - 0.044	58	0.045	0.034 - 0.059	28	0.025	0.017 - 0.036
Maine	-	-	-	-	-	-	-	-	-
Maryland	100	0.017	0.014 - 0.020	55	0.018	0.013 - 0.023	45	0.016	0.011 - 0.021
Michigan	186	0.037	0.032 - 0.043	120	0.047	0.039 - 0.056	66	0.027	0.021 - 0.034
MI - Detroit	99	0.056	0.045 - 0.068	54	0.060	0.045 - 0.079	45	0.051	0.037 - 0.068
Minnesota	114	0.038	0.032 - 0.046	63	0.041	0.031 - 0.052	51	0.036	0.027 - 0.047
Mississippi	17	0.018	0.010 - 0.029	-	-	-	-	-	-
Missouri	79	0.031	0.025 - 0.039	46	0.035	0.026 - 0.047	33	0.027	0.019 - 0.038
Montana	16	0.040	0.023 - 0.065	-	-	-	-	-	-
Nebraska	59	0.029	0.022 - 0.037	41	0.038	0.027 - 0.052	18	0.018	0.011 - 0.029
Nevada	270	0.032	0.028 - 0.036	150	0.035	0.030 - 0.041	120	0.029	0.024 - 0.035
New Hampshire	11	0.022	0.011 - 0.040	-	-	-	-	-	-
New Jersey	771	0.043	0.040 - 0.046	450	0.050	0.046 - 0.055	322	0.036	0.032 - 0.040
New Mexico	574	0.056	0.052 - 0.061	322	0.064	0.057 - 0.071	252	0.049	0.043 - 0.056
New York	1,656	0.044	0.042 - 0.047	975	0.053	0.050 - 0.057	681	0.036	0.033 - 0.039
North Carolina	162	0.017	0.015 - 0.020	100	0.020	0.016 - 0.025	62	0.014	0.010 - 0.017
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	111	0.025	0.021 - 0.031	73	0.033	0.025 - 0.041	38	0.018	0.013 - 0.025
Oklahoma	122	0.029	0.024 - 0.035	78	0.036	0.028 - 0.045	44	0.022	0.016 - 0.030
Oregon	157	0.030	0.025 - 0.035	92	0.033	0.027 - 0.041	65	0.025	0.020 - 0.032
Pennsylvania	342	0.037	0.033 - 0.041	210	0.045	0.039 - 0.051	132	0.029	0.024 - 0.035
Rhode Island	43	0.027	0.019 - 0.036	24	0.030	0.019 - 0.044	19	0.024	0.014 - 0.037
South Carolina	51	0.018	0.014 - 0.024	38	0.026	0.018 - 0.035	13	0.010	0.005 - 0.017
Tennessee	81	0.023	0.018 - 0.028	46	0.024	0.018 - 0.032	35	0.021	0.014 - 0.029
Texas	5,890	0.053	0.052 - 0.055	3,336	0.060	0.058 - 0.062	2,554	0.047	0.045 - 0.048
Utah	130	0.030	0.025 - 0.036	75	0.034	0.027 - 0.043	55	0.027	0.020 - 0.034
Vermont	-	-	-	-	-	-	-	-	-
Virginia	185	0.024	0.020 - 0.027	108	0.027	0.022 - 0.032	77	0.020	0.016 - 0.025
Washington ³	266	0.029	0.025 - 0.032	150	0.031	0.026 - 0.037	117	0.026	0.022 - 0.031
WA - Seattle	158	0.032	0.027 - 0.037	89	0.034	0.027 - 0.042	70	0.029	0.023 - 0.037
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	131	0.034	0.028 - 0.040	86	0.043	0.034 - 0.053	45	0.024	0.017 - 0.032
Wyoming	26	0.045	0.029 - 0.066	15	0.049	0.028 - 0.081	11	0.040	0.020 - 0.072

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Brain and Other Nervous System

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,124	0.011	0.010 - 0.011	3,235	0.011	0.011 - 0.011	2,889	0.010	0.010 - 0.010
Alabama	16	0.008	0.004 - 0.012	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	209	0.010	0.008 - 0.011	111	0.010	0.008 - 0.012	98	0.009	0.007 - 0.011
Arkansas	19	0.008	0.005 - 0.013	-	-	-	-	-	-
California	1,474	0.010	0.009 - 0.010	770	0.010	0.009 - 0.011	705	0.009	0.009 - 0.010
CA - Greater California	819	0.010	0.009 - 0.010	432	0.010	0.009 - 0.011	387	0.009	0.008 - 0.010
CA - Greater Bay Area	181	0.010	0.008 - 0.011	90	0.009	0.007 - 0.011	91	0.010	0.008 - 0.012
CA - Los Angeles	473	0.010	0.009 - 0.011	247	0.010	0.009 - 0.011	226	0.009	0.008 - 0.010
Colorado	138	0.012	0.010 - 0.014	74	0.012	0.010 - 0.015	64	0.011	0.008 - 0.014
Connecticut	69	0.012	0.010 - 0.015	36	0.013	0.009 - 0.017	34	0.012	0.008 - 0.017
Delaware	13	0.015	0.008 - 0.025	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	701	0.013	0.012 - 0.014	363	0.014	0.013 - 0.015	338	0.013	0.011 - 0.014
Georgia	89	0.009	0.007 - 0.011	54	0.010	0.008 - 0.014	36	0.008	0.005 - 0.011
Hawaii	13	0.009	0.005 - 0.015	-	-	-	-	-	-
Idaho	16	0.008	0.004 - 0.012	-	-	-	-	-	-
Illinois	233	0.011	0.009 - 0.012	124	0.011	0.009 - 0.013	109	0.010	0.008 - 0.012
Iowa	15	0.008	0.004 - 0.013	-	-	-	-	-	-
Kentucky	11	0.007	0.003 - 0.012	-	-	-	-	-	-
Louisiana	27	0.011	0.008 - 0.017	15	0.012	0.007 - 0.020	12	0.011	0.006 - 0.019
Maine	-	-	-	-	-	-	-	-	-
Maryland	59	0.010	0.008 - 0.013	33	0.011	0.007 - 0.015	26	0.009	0.006 - 0.013
Michigan	43	0.009	0.006 - 0.012	31	0.012	0.008 - 0.017	12	0.005	0.003 - 0.008
MI - Detroit	20	0.011	0.007 - 0.017	-	-	-	-	-	-
Minnesota	29	0.010	0.007 - 0.014	13	0.008	0.004 - 0.014	16	0.011	0.006 - 0.018
Mississippi	10	0.011	0.005 - 0.019	-	-	-	-	-	-
Missouri	32	0.013	0.009 - 0.018	15	0.011	0.006 - 0.019	17	0.014	0.008 - 0.022
Montana	-	-	-	-	-	-	-	-	-
Nebraska	24	0.012	0.007 - 0.017	-	-	-	-	-	-
Nevada	59	0.007	0.005 - 0.009	32	0.007	0.005 - 0.011	27	0.006	0.004 - 0.009
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	238	0.013	0.012 - 0.015	141	0.016	0.013 - 0.019	97	0.011	0.009 - 0.013
New Mexico	96	0.009	0.008 - 0.012	52	0.010	0.008 - 0.014	44	0.009	0.006 - 0.011
New York	464	0.012	0.011 - 0.014	259	0.014	0.012 - 0.016	205	0.011	0.009 - 0.012
North Carolina	76	0.008	0.006 - 0.010	48	0.010	0.007 - 0.013	28	0.006	0.004 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	34	0.008	0.005 - 0.011	16	0.007	0.004 - 0.012	18	0.008	0.005 - 0.013
Oklahoma	39	0.009	0.007 - 0.013	16	0.007	0.004 - 0.012	23	0.012	0.007 - 0.017
Oregon	55	0.010	0.008 - 0.013	30	0.011	0.007 - 0.016	25	0.010	0.006 - 0.014
Pennsylvania	97	0.011	0.009 - 0.013	57	0.012	0.009 - 0.016	40	0.009	0.006 - 0.012
Rhode Island	17	0.011	0.006 - 0.017	-	-	-	-	-	-
South Carolina	17	0.006	0.004 - 0.010	-	-	-	-	-	-
Tennessee	33	0.009	0.006 - 0.013	15	0.008	0.004 - 0.013	18	0.011	0.006 - 0.017
Texas	1,201	0.011	0.010 - 0.012	599	0.011	0.010 - 0.012	602	0.011	0.010 - 0.012
Utah	39	0.009	0.006 - 0.012	19	0.009	0.005 - 0.014	20	0.009	0.006 - 0.015
Vermont	-	-	-	-	-	-	-	-	-
Virginia	71	0.009	0.007 - 0.011	39	0.010	0.007 - 0.013	32	0.008	0.006 - 0.012
Washington ³	109	0.012	0.010 - 0.014	56	0.012	0.009 - 0.015	53	0.012	0.009 - 0.015
WA - Seattle	59	0.012	0.009 - 0.015	31	0.012	0.008 - 0.017	28	0.011	0.008 - 0.017
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	40	0.010	0.007 - 0.014	24	0.012	0.008 - 0.018	16	0.008	0.005 - 0.014
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	29,716	0.051	0.051 - 0.052	5,433	0.019	0.018 - 0.019	24,283	0.085	0.084 - 0.086
Alabama	49	0.024	0.017 - 0.031	15	0.014	0.008 - 0.022	34	0.035	0.024 - 0.049
Alaska	16	0.030	0.017 - 0.049	-	-	-	-	-	-
Arizona	1,099	0.050	0.047 - 0.053	177	0.016	0.014 - 0.019	922	0.085	0.079 - 0.090
Arkansas	89	0.040	0.032 - 0.049	-	-	-	-	-	-
California	7,235	0.047	0.046 - 0.048	1,334	0.017	0.016 - 0.018	5,901	0.078	0.076 - 0.080
CA - Greater California	3,987	0.047	0.045 - 0.048	723	0.017	0.016 - 0.018	3,264	0.077	0.075 - 0.080
CA - Greater Bay Area	829	0.044	0.041 - 0.047	168	0.017	0.015 - 0.020	661	0.071	0.065 - 0.076
CA - Los Angeles	2,420	0.049	0.047 - 0.051	444	0.018	0.016 - 0.020	1,976	0.080	0.077 - 0.084
Colorado	678	0.057	0.052 - 0.061	137	0.022	0.019 - 0.027	541	0.092	0.085 - 0.100
Connecticut	456	0.080	0.073 - 0.088	85	0.030	0.024 - 0.037	371	0.130	0.117 - 0.144
Delaware	46	0.053	0.039 - 0.070	-	-	-	-	-	-
District of Columbia	41	0.054	0.039 - 0.073	-	-	-	-	-	-
Florida	3,720	0.070	0.068 - 0.073	724	0.028	0.026 - 0.030	2,996	0.112	0.108 - 0.116
Georgia	396	0.040	0.036 - 0.044	55	0.011	0.008 - 0.014	342	0.073	0.065 - 0.081
Hawaii	58	0.040	0.031 - 0.052	-	-	-	-	-	-
Idaho	94	0.044	0.036 - 0.054	23	0.021	0.013 - 0.031	71	0.069	0.054 - 0.087
Illinois	1,179	0.054	0.051 - 0.057	224	0.020	0.017 - 0.023	955	0.090	0.084 - 0.095
Iowa	63	0.034	0.026 - 0.043	10	0.010	0.005 - 0.019	53	0.059	0.044 - 0.078
Kentucky	36	0.022	0.016 - 0.031	10	0.011	0.005 - 0.021	26	0.035	0.023 - 0.051
Louisiana	92	0.039	0.031 - 0.047	24	0.019	0.012 - 0.028	68	0.061	0.048 - 0.078
Maine	10	0.046	0.022 - 0.085	-	-	-	-	-	-
Maryland	195	0.033	0.028 - 0.038	28	0.009	0.006 - 0.013	167	0.058	0.050 - 0.068
Michigan	162	0.032	0.027 - 0.038	29	0.011	0.008 - 0.016	133	0.054	0.045 - 0.064
MI - Detroit	98	0.055	0.045 - 0.067	16	0.018	0.010 - 0.029	82	0.093	0.074 - 0.116
Minnesota	128	0.043	0.036 - 0.051	24	0.016	0.010 - 0.023	104	0.073	0.060 - 0.088
Mississippi	20	0.021	0.013 - 0.033	-	-	-	-	-	-
Missouri	79	0.031	0.025 - 0.039	13	0.010	0.005 - 0.017	66	0.054	0.042 - 0.069
Montana	14	0.035	0.019 - 0.059	-	-	-	-	-	-
Nebraska	84	0.041	0.032 - 0.050	22	0.020	0.013 - 0.031	62	0.063	0.048 - 0.081
Nevada	437	0.052	0.047 - 0.057	72	0.017	0.013 - 0.021	365	0.088	0.079 - 0.097
New Hampshire	39	0.079	0.057 - 0.109	-	-	-	-	-	-
New Jersey	1,296	0.073	0.069 - 0.077	229	0.026	0.022 - 0.029	1,068	0.120	0.113 - 0.127
New Mexico	700	0.069	0.064 - 0.074	135	0.027	0.022 - 0.032	565	0.110	0.101 - 0.119
New York	2,900	0.078	0.075 - 0.081	480	0.026	0.024 - 0.029	2,420	0.128	0.123 - 0.133
North Carolina	259	0.027	0.024 - 0.031	44	0.009	0.006 - 0.012	215	0.047	0.041 - 0.054
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	134	0.031	0.026 - 0.036	22	0.010	0.006 - 0.015	112	0.053	0.043 - 0.063
Oklahoma	121	0.029	0.024 - 0.035	17	0.008	0.005 - 0.013	104	0.053	0.043 - 0.064
Oregon	238	0.045	0.039 - 0.051	52	0.019	0.014 - 0.025	186	0.073	0.062 - 0.084
Pennsylvania	484	0.053	0.048 - 0.058	76	0.016	0.013 - 0.020	408	0.090	0.082 - 0.100
Rhode Island	78	0.048	0.038 - 0.060	20	0.025	0.015 - 0.038	58	0.072	0.055 - 0.094
South Carolina	60	0.021	0.016 - 0.028	17	0.011	0.007 - 0.018	43	0.033	0.024 - 0.044
Tennessee	96	0.027	0.022 - 0.033	17	0.009	0.005 - 0.014	79	0.047	0.037 - 0.058
Texas	4,847	0.044	0.043 - 0.045	926	0.017	0.016 - 0.018	3,921	0.071	0.069 - 0.074
Utah	258	0.060	0.053 - 0.068	36	0.016	0.011 - 0.022	223	0.107	0.093 - 0.122
Vermont	-	-	-	-	-	-	-	-	-
Virginia	405	0.052	0.047 - 0.057	70	0.017	0.013 - 0.022	335	0.088	0.079 - 0.098
Washington ³	391	0.042	0.038 - 0.047	76	0.016	0.012 - 0.020	315	0.070	0.063 - 0.079
WA - Seattle	237	0.047	0.042 - 0.054	48	0.019	0.014 - 0.025	189	0.079	0.068 - 0.091
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	138	0.035	0.030 - 0.042	22	0.011	0.007 - 0.017	116	0.061	0.051 - 0.074
Wyoming	20	0.035	0.021 - 0.053	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,982	0.009	0.008 - 0.009	2,702	0.009	0.009 - 0.010	2,280	0.008	0.008 - 0.008
Alabama	17	0.008	0.005 - 0.013	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	172	0.008	0.007 - 0.009	88	0.008	0.006 - 0.010	84	0.008	0.006 - 0.010
Arkansas	16	0.007	0.004 - 0.012	-	-	-	-	-	-
California	1,163	0.008	0.007 - 0.008	622	0.008	0.007 - 0.009	542	0.007	0.007 - 0.008
CA - Greater California	613	0.007	0.007 - 0.008	320	0.007	0.007 - 0.008	292	0.007	0.006 - 0.008
CA - Greater Bay Area	175	0.009	0.008 - 0.011	96	0.010	0.008 - 0.012	79	0.008	0.007 - 0.011
CA - Los Angeles	375	0.008	0.007 - 0.008	205	0.008	0.007 - 0.010	170	0.007	0.006 - 0.008
Colorado	89	0.007	0.006 - 0.009	51	0.008	0.006 - 0.011	38	0.006	0.005 - 0.009
Connecticut	74	0.013	0.010 - 0.016	40	0.014	0.010 - 0.019	34	0.012	0.008 - 0.017
Delaware	10	0.011	0.005 - 0.021	-	-	-	-	-	-
District of Columbia	10	0.013	0.006 - 0.024	-	-	-	-	-	-
Florida	675	0.013	0.012 - 0.014	363	0.014	0.013 - 0.015	312	0.012	0.010 - 0.013
Georgia	63	0.006	0.005 - 0.008	32	0.006	0.004 - 0.009	31	0.007	0.005 - 0.009
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	19	0.009	0.005 - 0.014	-	-	-	-	-	-
Illinois	198	0.009	0.008 - 0.010	111	0.010	0.008 - 0.012	87	0.008	0.007 - 0.010
Iowa	22	0.012	0.007 - 0.018	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	23	0.004	0.002 - 0.006	-	-	-	-	-	-
Michigan	32	0.006	0.004 - 0.009	18	0.007	0.004 - 0.011	14	0.006	0.003 - 0.009
MI - Detroit	16	0.009	0.005 - 0.015	-	-	-	-	-	-
Minnesota	18	0.006	0.004 - 0.010	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	12	0.005	0.002 - 0.008	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	19	0.009	0.006 - 0.014	-	-	-	-	-	-
Nevada	53	0.006	0.005 - 0.008	35	0.008	0.006 - 0.011	18	0.004	0.003 - 0.007
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	203	0.011	0.010 - 0.013	103	0.012	0.009 - 0.014	100	0.011	0.009 - 0.014
New Mexico	98	0.010	0.008 - 0.012	57	0.011	0.009 - 0.015	41	0.008	0.006 - 0.011
New York	491	0.013	0.012 - 0.014	253	0.014	0.012 - 0.016	238	0.013	0.011 - 0.014
North Carolina	40	0.004	0.003 - 0.006	25	0.005	0.003 - 0.007	15	0.003	0.002 - 0.005
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	25	0.006	0.004 - 0.008	-	-	-	-	-	-
Oklahoma	21	0.005	0.003 - 0.008	-	-	-	-	-	-
Oregon	32	0.006	0.004 - 0.008	13	0.005	0.003 - 0.008	19	0.007	0.004 - 0.012
Pennsylvania	84	0.009	0.007 - 0.011	50	0.011	0.008 - 0.014	34	0.008	0.005 - 0.011
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	14	0.005	0.003 - 0.008	-	-	-	-	-	-
Tennessee	35	0.010	0.007 - 0.014	18	0.009	0.006 - 0.015	17	0.010	0.006 - 0.016
Texas	868	0.008	0.007 - 0.008	473	0.009	0.008 - 0.009	395	0.007	0.007 - 0.008
Utah	41	0.010	0.007 - 0.013	24	0.011	0.007 - 0.016	17	0.008	0.005 - 0.013
Vermont	-	-	-	-	-	-	-	-	-
Virginia	47	0.006	0.004 - 0.008	31	0.008	0.005 - 0.011	16	0.004	0.002 - 0.007
Washington ³	81	0.009	0.007 - 0.011	48	0.010	0.007 - 0.013	33	0.007	0.005 - 0.010
WA - Seattle	50	0.010	0.007 - 0.013	29	0.011	0.007 - 0.016	21	0.009	0.005 - 0.013
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	24	0.006	0.004 - 0.009	10	0.005	0.002 - 0.009	14	0.007	0.004 - 0.012
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	22,928	0.040	0.039 - 0.040	11,715	0.040	0.039 - 0.041	11,214	0.039	0.038 - 0.040
Alabama	36	0.017	0.012 - 0.024	19	0.017	0.010 - 0.027	17	0.017	0.010 - 0.028
Alaska	19	0.036	0.022 - 0.056	-	-	-	-	-	-
Arizona	606	0.028	0.026 - 0.030	300	0.027	0.024 - 0.031	306	0.028	0.025 - 0.031
Arkansas	39	0.017	0.012 - 0.024	22	0.019	0.012 - 0.028	17	0.016	0.009 - 0.026
California	5,950	0.039	0.038 - 0.040	3,022	0.039	0.038 - 0.041	2,928	0.038	0.037 - 0.040
CA - Greater California	3,129	0.037	0.036 - 0.038	1,620	0.038	0.036 - 0.040	1,509	0.036	0.034 - 0.038
CA - Greater Bay Area	817	0.043	0.040 - 0.046	417	0.043	0.039 - 0.047	401	0.043	0.039 - 0.047
CA - Los Angeles	2,003	0.041	0.039 - 0.043	986	0.040	0.038 - 0.043	1,017	0.041	0.039 - 0.044
Colorado	392	0.033	0.030 - 0.036	210	0.034	0.030 - 0.039	182	0.031	0.027 - 0.036
Connecticut	314	0.055	0.049 - 0.062	151	0.053	0.045 - 0.063	164	0.057	0.049 - 0.067
Delaware	28	0.032	0.021 - 0.046	12	0.027	0.014 - 0.047	16	0.037	0.021 - 0.061
District of Columbia	28	0.037	0.024 - 0.053	12	0.031	0.016 - 0.054	16	0.043	0.024 - 0.069
Florida	3,601	0.068	0.066 - 0.070	1,792	0.069	0.066 - 0.072	1,809	0.068	0.065 - 0.071
Georgia	312	0.032	0.028 - 0.035	177	0.034	0.030 - 0.040	135	0.029	0.024 - 0.034
Hawaii	50	0.035	0.026 - 0.046	23	0.031	0.020 - 0.047	27	0.039	0.025 - 0.056
Idaho	60	0.028	0.022 - 0.036	31	0.029	0.019 - 0.040	29	0.028	0.019 - 0.040
Illinois	864	0.040	0.037 - 0.042	461	0.041	0.038 - 0.045	403	0.038	0.034 - 0.042
Iowa	40	0.021	0.015 - 0.029	21	0.021	0.013 - 0.033	19	0.021	0.013 - 0.033
Kentucky	31	0.019	0.013 - 0.027	18	0.021	0.012 - 0.033	13	0.017	0.009 - 0.029
Louisiana	94	0.039	0.032 - 0.048	45	0.035	0.026 - 0.047	49	0.045	0.033 - 0.059
Maine	-	-	-	-	-	-	-	-	-
Maryland	121	0.020	0.017 - 0.024	73	0.024	0.018 - 0.030	48	0.017	0.012 - 0.022
Michigan	143	0.028	0.024 - 0.033	92	0.036	0.029 - 0.044	51	0.021	0.015 - 0.027
MI - Detroit	87	0.049	0.039 - 0.060	51	0.057	0.042 - 0.075	36	0.041	0.029 - 0.057
Minnesota	114	0.038	0.032 - 0.046	55	0.036	0.027 - 0.046	59	0.041	0.031 - 0.053
Mississippi	14	0.015	0.008 - 0.025	-	-	-	-	-	-
Missouri	65	0.026	0.020 - 0.033	34	0.026	0.018 - 0.036	31	0.025	0.017 - 0.036
Montana	11	0.028	0.014 - 0.049	-	-	-	-	-	-
Nebraska	61	0.030	0.023 - 0.038	29	0.027	0.018 - 0.039	32	0.032	0.022 - 0.046
Nevada	210	0.025	0.022 - 0.029	108	0.025	0.021 - 0.030	102	0.025	0.020 - 0.030
New Hampshire	12	0.024	0.013 - 0.043	-	-	-	-	-	-
New Jersey	943	0.053	0.050 - 0.056	495	0.055	0.051 - 0.061	448	0.050	0.046 - 0.055
New Mexico	435	0.043	0.039 - 0.047	211	0.042	0.036 - 0.048	224	0.044	0.038 - 0.050
New York	2,099	0.056	0.054 - 0.059	1,056	0.058	0.054 - 0.061	1,043	0.055	0.052 - 0.059
North Carolina	203	0.021	0.019 - 0.025	118	0.024	0.020 - 0.029	85	0.019	0.015 - 0.023
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	114	0.026	0.022 - 0.031	61	0.027	0.021 - 0.035	53	0.025	0.019 - 0.033
Oklahoma	99	0.024	0.019 - 0.029	43	0.020	0.014 - 0.027	56	0.028	0.021 - 0.037
Oregon	170	0.032	0.027 - 0.037	95	0.035	0.028 - 0.042	75	0.029	0.023 - 0.037
Pennsylvania	317	0.034	0.031 - 0.038	154	0.033	0.028 - 0.038	163	0.036	0.031 - 0.042
Rhode Island	45	0.028	0.020 - 0.037	21	0.026	0.016 - 0.040	24	0.030	0.019 - 0.045
South Carolina	49	0.018	0.013 - 0.023	27	0.018	0.012 - 0.026	22	0.017	0.011 - 0.025
Tennessee	79	0.022	0.017 - 0.027	34	0.018	0.012 - 0.025	45	0.027	0.019 - 0.036
Texas	3,849	0.035	0.034 - 0.036	1,970	0.035	0.034 - 0.037	1,879	0.034	0.033 - 0.036
Utah	150	0.035	0.030 - 0.041	85	0.039	0.031 - 0.048	65	0.031	0.024 - 0.040
Vermont	-	-	-	-	-	-	-	-	-
Virginia	209	0.027	0.023 - 0.031	106	0.026	0.021 - 0.032	103	0.027	0.022 - 0.033
Washington ³	263	0.028	0.025 - 0.032	131	0.027	0.023 - 0.032	132	0.029	0.025 - 0.035
WA - Seattle	158	0.032	0.027 - 0.037	81	0.031	0.025 - 0.039	77	0.032	0.025 - 0.040
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	119	0.031	0.025 - 0.037	65	0.032	0.025 - 0.041	54	0.029	0.021 - 0.037
Wyoming	12	0.021	0.011 - 0.036	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,481	0.013	0.013 - 0.013	3,993	0.014	0.013 - 0.014	3,488	0.012	0.012 - 0.013
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	211	0.010	0.008 - 0.011	126	0.011	0.010 - 0.014	85	0.008	0.006 - 0.010
Arkansas	12	0.005	0.003 - 0.009	-	-	-	-	-	-
California	1,767	0.012	0.011 - 0.012	955	0.012	0.012 - 0.013	811	0.011	0.010 - 0.011
CA - Greater California	968	0.011	0.011 - 0.012	519	0.012	0.011 - 0.013	449	0.011	0.010 - 0.012
CA - Greater Bay Area	214	0.011	0.010 - 0.013	118	0.012	0.010 - 0.015	96	0.010	0.008 - 0.013
CA - Los Angeles	585	0.012	0.011 - 0.013	319	0.013	0.012 - 0.015	266	0.011	0.010 - 0.012
Colorado	137	0.011	0.010 - 0.014	79	0.013	0.010 - 0.016	58	0.010	0.008 - 0.013
Connecticut	100	0.018	0.014 - 0.021	50	0.018	0.013 - 0.023	50	0.017	0.013 - 0.023
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	11	0.014	0.007 - 0.026	-	-	-	-	-	-
Florida	1,148	0.022	0.021 - 0.023	576	0.022	0.020 - 0.024	572	0.021	0.020 - 0.023
Georgia	96	0.010	0.008 - 0.012	52	0.010	0.007 - 0.013	44	0.009	0.007 - 0.013
Hawaii	16	0.011	0.006 - 0.018	-	-	-	-	-	-
Idaho	11	0.005	0.003 - 0.009	-	-	-	-	-	-
Illinois	280	0.013	0.011 - 0.014	152	0.014	0.012 - 0.016	128	0.012	0.010 - 0.014
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	20	0.008	0.005 - 0.013	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	33	0.006	0.004 - 0.008	18	0.006	0.003 - 0.009	15	0.005	0.003 - 0.009
Michigan	62	0.012	0.009 - 0.016	42	0.016	0.012 - 0.022	20	0.008	0.005 - 0.012
MI - Detroit	31	0.017	0.012 - 0.025	20	0.022	0.013 - 0.034	11	0.013	0.006 - 0.022
Minnesota	38	0.013	0.009 - 0.018	22	0.014	0.009 - 0.022	16	0.011	0.006 - 0.018
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	21	0.008	0.005 - 0.013	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	23	0.011	0.007 - 0.017	13	0.012	0.006 - 0.021	10	0.010	0.005 - 0.019
Nevada	60	0.007	0.005 - 0.009	32	0.007	0.005 - 0.011	28	0.007	0.004 - 0.010
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	301	0.017	0.015 - 0.019	165	0.018	0.016 - 0.021	136	0.015	0.013 - 0.018
New Mexico	162	0.016	0.014 - 0.019	95	0.019	0.015 - 0.023	67	0.013	0.010 - 0.017
New York	857	0.023	0.022 - 0.025	436	0.024	0.022 - 0.026	421	0.022	0.020 - 0.025
North Carolina	66	0.007	0.005 - 0.009	37	0.008	0.005 - 0.010	29	0.006	0.004 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	28	0.006	0.004 - 0.009	15	0.007	0.004 - 0.011	13	0.006	0.003 - 0.010
Oklahoma	23	0.006	0.004 - 0.008	12	0.006	0.003 - 0.010	11	0.006	0.003 - 0.010
Oregon	42	0.008	0.006 - 0.011	22	0.008	0.005 - 0.012	20	0.008	0.005 - 0.012
Pennsylvania	121	0.013	0.011 - 0.016	56	0.012	0.009 - 0.016	65	0.014	0.011 - 0.018
Rhode Island	15	0.009	0.005 - 0.015	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	26	0.007	0.005 - 0.011	12	0.006	0.003 - 0.011	14	0.008	0.005 - 0.014
Texas	1,354	0.012	0.012 - 0.013	728	0.013	0.012 - 0.014	626	0.011	0.011 - 0.012
Utah	40	0.009	0.007 - 0.013	23	0.010	0.007 - 0.016	17	0.008	0.005 - 0.013
Vermont	-	-	-	-	-	-	-	-	-
Virginia	58	0.007	0.006 - 0.010	29	0.007	0.005 - 0.010	29	0.008	0.005 - 0.011
Washington ³	83	0.009	0.007 - 0.011	40	0.008	0.006 - 0.011	43	0.010	0.007 - 0.013
WA - Seattle	39	0.008	0.005 - 0.011	16	0.006	0.004 - 0.010	23	0.009	0.006 - 0.014
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	29	0.007	0.005 - 0.011	18	0.009	0.005 - 0.014	11	0.006	0.003 - 0.010
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	16,021	0.028	0.027 - 0.028	8,913	0.030	0.030 - 0.031	7,108	0.025	0.024 - 0.025
Alabama	37	0.018	0.013 - 0.024	24	0.022	0.014 - 0.032	13	0.013	0.007 - 0.023
Alaska	14	0.027	0.015 - 0.045	-	-	-	-	-	-
Arizona	474	0.022	0.020 - 0.024	265	0.024	0.021 - 0.027	209	0.019	0.017 - 0.022
Arkansas	59	0.026	0.020 - 0.034	35	0.030	0.021 - 0.042	24	0.023	0.014 - 0.034
California	3,982	0.026	0.025 - 0.027	2,251	0.029	0.028 - 0.030	1,731	0.023	0.022 - 0.024
CA - Greater California	2,144	0.025	0.024 - 0.026	1,208	0.028	0.027 - 0.030	936	0.022	0.021 - 0.024
CA - Greater Bay Area	526	0.028	0.025 - 0.030	304	0.031	0.028 - 0.035	222	0.024	0.021 - 0.027
CA - Los Angeles	1,311	0.027	0.025 - 0.028	739	0.030	0.028 - 0.032	573	0.023	0.021 - 0.025
Colorado	307	0.026	0.023 - 0.029	162	0.027	0.023 - 0.031	145	0.025	0.021 - 0.029
Connecticut	148	0.026	0.022 - 0.031	70	0.025	0.019 - 0.031	78	0.027	0.022 - 0.034
Delaware	33	0.038	0.026 - 0.053	18	0.040	0.024 - 0.064	15	0.035	0.020 - 0.058
District of Columbia	19	0.025	0.015 - 0.039	-	-	-	-	-	-
Florida	2,261	0.043	0.041 - 0.045	1,171	0.045	0.042 - 0.048	1,090	0.041	0.038 - 0.043
Georgia	261	0.026	0.023 - 0.030	159	0.031	0.026 - 0.036	102	0.022	0.018 - 0.026
Hawaii	32	0.022	0.015 - 0.031	21	0.028	0.017 - 0.043	11	0.016	0.008 - 0.028
Idaho	58	0.027	0.021 - 0.035	33	0.030	0.021 - 0.042	25	0.024	0.016 - 0.036
Illinois	612	0.028	0.026 - 0.030	351	0.031	0.028 - 0.035	261	0.024	0.022 - 0.028
Iowa	42	0.022	0.016 - 0.030	20	0.021	0.013 - 0.032	22	0.025	0.015 - 0.037
Kentucky	34	0.021	0.014 - 0.029	15	0.017	0.010 - 0.028	19	0.026	0.015 - 0.040
Louisiana	58	0.025	0.019 - 0.032	33	0.026	0.018 - 0.037	25	0.023	0.015 - 0.033
Maine	-	-	-	-	-	-	-	-	-
Maryland	106	0.018	0.015 - 0.021	60	0.019	0.015 - 0.025	46	0.016	0.012 - 0.021
Michigan	104	0.021	0.017 - 0.025	64	0.025	0.019 - 0.032	40	0.016	0.012 - 0.022
MI - Detroit	49	0.027	0.020 - 0.036	28	0.031	0.021 - 0.045	21	0.024	0.015 - 0.036
Minnesota	91	0.031	0.025 - 0.038	58	0.038	0.029 - 0.049	33	0.023	0.016 - 0.032
Mississippi	11	0.012	0.006 - 0.021	-	-	-	-	-	-
Missouri	44	0.017	0.013 - 0.023	20	0.015	0.009 - 0.024	24	0.020	0.013 - 0.029
Montana	10	0.025	0.012 - 0.046	-	-	-	-	-	-
Nebraska	54	0.026	0.020 - 0.034	37	0.034	0.024 - 0.047	17	0.017	0.010 - 0.028
Nevada	172	0.020	0.017 - 0.024	92	0.022	0.017 - 0.026	80	0.019	0.015 - 0.024
New Hampshire	11	0.022	0.011 - 0.040	-	-	-	-	-	-
New Jersey	591	0.033	0.031 - 0.036	344	0.039	0.035 - 0.043	247	0.028	0.024 - 0.031
New Mexico	324	0.032	0.028 - 0.035	173	0.034	0.029 - 0.040	151	0.029	0.025 - 0.035
New York	1,194	0.032	0.030 - 0.034	633	0.034	0.032 - 0.037	562	0.030	0.027 - 0.032
North Carolina	186	0.020	0.017 - 0.023	106	0.021	0.018 - 0.026	80	0.018	0.014 - 0.022
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	76	0.017	0.014 - 0.022	52	0.023	0.017 - 0.030	24	0.011	0.007 - 0.017
Oklahoma	88	0.021	0.017 - 0.026	50	0.023	0.017 - 0.030	38	0.019	0.014 - 0.026
Oregon	141	0.027	0.022 - 0.031	86	0.031	0.025 - 0.039	55	0.021	0.016 - 0.028
Pennsylvania	226	0.025	0.021 - 0.028	125	0.027	0.022 - 0.032	101	0.022	0.018 - 0.027
Rhode Island	41	0.025	0.018 - 0.035	25	0.031	0.020 - 0.046	16	0.020	0.011 - 0.032
South Carolina	57	0.020	0.015 - 0.026	33	0.022	0.015 - 0.031	24	0.018	0.012 - 0.027
Tennessee	94	0.026	0.021 - 0.032	46	0.024	0.018 - 0.032	48	0.028	0.021 - 0.038
Texas	2,958	0.027	0.026 - 0.028	1,682	0.030	0.029 - 0.032	1,276	0.023	0.022 - 0.025
Utah	104	0.024	0.020 - 0.029	63	0.028	0.022 - 0.036	42	0.020	0.014 - 0.027
Vermont	-	-	-	-	-	-	-	-	-
Virginia	128	0.016	0.014 - 0.019	70	0.017	0.013 - 0.022	58	0.015	0.012 - 0.020
Washington ³	239	0.026	0.023 - 0.029	126	0.026	0.022 - 0.031	112	0.025	0.021 - 0.030
WA - Seattle	132	0.026	0.022 - 0.031	72	0.028	0.022 - 0.035	59	0.025	0.019 - 0.032
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	98	0.025	0.020 - 0.031	55	0.027	0.021 - 0.036	43	0.023	0.016 - 0.031
Wyoming	10	0.017	0.008 - 0.032	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2012-2016 by Registry, Hispanic, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	352	0.001	0.001 - 0.001	220	0.001	0.001 - 0.001	132	0.000	0.000 - 0.001
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	14	0.001	0.000 - 0.001	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	110	0.001	0.001 - 0.001	68	0.001	0.001 - 0.001	42	0.001	0.000 - 0.001
CA - Greater California	64	0.001	0.001 - 0.001	37	0.001	0.001 - 0.001	27	0.001	0.000 - 0.001
CA - Greater Bay Area	13	0.001	0.000 - 0.001	-	-		-	-	
CA - Los Angeles	32	0.001	0.000 - 0.001	22	0.001	0.001 - 0.001	10	0.000	0.000 - 0.001
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	36	0.001	0.000 - 0.001	22	0.001	0.001 - 0.001	14	0.001	0.000 - 0.001
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	14	0.001	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	14	0.001	0.000 - 0.001	-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	28	0.001	0.001 - 0.001	12	0.001	0.000 - 0.001	16	0.001	0.000 - 0.001
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	54	0.000	0.000 - 0.001	36	0.001	0.000 - 0.001	18	0.000	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington ³	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,851,034	2.724	2.723 - 2.726	4,312,657	2.697	2.695 - 2.700	4,537,610	2.751	2.748 - 2.753
Alabama	134,011	2.752	2.737 - 2.767	67,956	2.882	2.861 - 2.904	66,055	2.629	2.609 - 2.649
Alaska	16,206	2.188	2.155 - 2.222	7,918	2.045	2.000 - 2.090	8,288	2.345	2.295 - 2.396
Arizona	160,057	2.287	2.276 - 2.299	75,790	2.179	2.163 - 2.194	84,267	2.395	2.379 - 2.411
Arkansas	81,478	2.719	2.700 - 2.738	41,806	2.839	2.812 - 2.867	39,672	2.603	2.577 - 2.628
California	927,771	2.360	2.356 - 2.365	444,189	2.274	2.267 - 2.281	483,582	2.446	2.439 - 2.453
CA - Greater California	516,323	2.370	2.364 - 2.377	248,822	2.292	2.283 - 2.301	267,501	2.448	2.439 - 2.457
CA - Greater Bay Area	189,724	2.563	2.552 - 2.575	91,939	2.493	2.477 - 2.509	97,785	2.633	2.617 - 2.650
CA - Los Angeles	222,748	2.201	2.192 - 2.210	103,979	2.085	2.072 - 2.097	118,769	2.314	2.301 - 2.328
Colorado	132,633	2.378	2.365 - 2.390	64,583	2.301	2.283 - 2.319	68,050	2.455	2.437 - 2.474
Connecticut	119,448	3.340	3.321 - 3.359	57,001	3.267	3.241 - 3.294	62,447	3.409	3.382 - 3.436
Delaware	31,017	3.254	3.218 - 3.291	15,693	3.404	3.351 - 3.458	15,324	3.114	3.065 - 3.163
District of Columbia	16,043	2.321	2.285 - 2.357	7,650	2.333	2.281 - 2.385	8,393	2.311	2.262 - 2.361
Florida	630,752	3.032	3.024 - 3.039	317,478	3.121	3.110 - 3.132	313,274	2.947	2.937 - 2.957
Georgia	256,985	2.481	2.471 - 2.490	127,742	2.534	2.520 - 2.548	129,244	2.430	2.417 - 2.444
Hawaii	39,002	2.735	2.708 - 2.762	18,107	2.529	2.493 - 2.566	20,895	2.942	2.902 - 2.982
Idaho	43,585	2.562	2.538 - 2.587	21,909	2.571	2.538 - 2.606	21,675	2.553	2.519 - 2.588
Illinois	372,856	2.911	2.902 - 2.921	179,083	2.846	2.833 - 2.860	193,773	2.974	2.961 - 2.987
Iowa	94,048	2.997	2.978 - 3.017	46,034	2.950	2.923 - 2.977	48,014	3.044	3.017 - 3.072
Kentucky	132,433	2.979	2.963 - 2.995	64,127	2.928	2.905 - 2.951	68,306	3.028	3.005 - 3.051
Louisiana	127,522	2.728	2.713 - 2.743	66,077	2.892	2.870 - 2.914	61,446	2.571	2.551 - 2.592
Maine	46,411	3.481	3.450 - 3.513	22,155	3.394	3.349 - 3.439	24,256	3.565	3.520 - 3.610
Maryland	169,149	2.812	2.799 - 2.826	81,531	2.796	2.777 - 2.815	87,618	2.827	2.809 - 2.846
Michigan	296,685	2.978	2.967 - 2.988	146,949	2.996	2.981 - 3.012	149,736	2.959	2.944 - 2.974
MI - Detroit	122,180	3.147	3.130 - 3.165	60,671	3.222	3.196 - 3.248	61,508	3.077	3.053 - 3.101
Minnesota	165,541	2.985	2.971 - 2.999	81,664	2.958	2.938 - 2.978	83,877	3.012	2.991 - 3.032
Mississippi	79,706	2.667	2.648 - 2.685	40,793	2.814	2.786 - 2.841	38,913	2.528	2.503 - 2.554
Missouri	169,388	2.778	2.765 - 2.791	80,800	2.699	2.681 - 2.718	88,588	2.853	2.835 - 2.872
Montana	31,832	3.040	3.007 - 3.074	16,324	3.097	3.050 - 3.145	15,508	2.983	2.936 - 3.030
Nebraska	52,710	2.757	2.734 - 2.781	25,985	2.724	2.691 - 2.757	26,725	2.790	2.757 - 2.824
Nevada	64,910	2.203	2.186 - 2.220	32,059	2.168	2.145 - 2.192	32,851	2.239	2.214 - 2.263
New Hampshire	46,402	3.447	3.416 - 3.479	22,751	3.414	3.369 - 3.458	23,651	3.480	3.436 - 3.525
New Jersey	286,495	3.226	3.214 - 3.238	138,954	3.205	3.188 - 3.221	147,541	3.246	3.229 - 3.263
New Mexico	49,660	2.373	2.352 - 2.394	23,684	2.285	2.256 - 2.315	25,976	2.458	2.428 - 2.488
New York	616,457	3.143	3.135 - 3.150	298,957	3.139	3.128 - 3.151	317,500	3.146	3.135 - 3.156
North Carolina	287,455	2.814	2.804 - 2.825	140,782	2.832	2.817 - 2.847	146,673	2.798	2.784 - 2.812
North Dakota	20,906	2.770	2.732 - 2.808	10,694	2.763	2.711 - 2.816	10,212	2.777	2.724 - 2.832
Ohio	336,354	2.887	2.878 - 2.897	160,983	2.820	2.806 - 2.834	175,371	2.952	2.938 - 2.966
Oklahoma	98,829	2.515	2.499 - 2.531	48,481	2.490	2.468 - 2.512	50,348	2.539	2.517 - 2.561
Oregon	116,330	2.824	2.808 - 2.841	55,927	2.740	2.717 - 2.763	60,403	2.907	2.884 - 2.930
Pennsylvania	424,289	3.318	3.308 - 3.328	204,034	3.259	3.245 - 3.273	220,255	3.375	3.361 - 3.389
Rhode Island	34,435	3.259	3.224 - 3.293	15,845	3.085	3.037 - 3.133	18,590	3.423	3.374 - 3.472
South Carolina	137,488	2.755	2.741 - 2.770	68,360	2.823	2.802 - 2.845	69,128	2.691	2.671 - 2.711
Tennessee	185,069	2.772	2.759 - 2.784	91,446	2.808	2.790 - 2.826	93,623	2.738	2.720 - 2.755
Texas	579,819	2.061	2.056 - 2.067	279,284	1.998	1.991 - 2.006	300,535	2.123	2.116 - 2.131
Utah	61,091	1.988	1.972 - 2.004	31,232	2.019	1.996 - 2.041	29,859	1.957	1.935 - 1.979
Vermont	20,786	3.331	3.286 - 3.376	9,930	3.222	3.159 - 3.286	10,856	3.437	3.373 - 3.502
Virginia	213,105	2.526	2.515 - 2.536	102,226	2.462	2.447 - 2.477	110,879	2.587	2.572 - 2.602
Washington ³	202,715	2.754	2.742 - 2.766	98,058	2.665	2.648 - 2.681	104,656	2.844	2.827 - 2.861
WA - Seattle	144,934	2.856	2.841 - 2.870	70,276	2.769	2.748 - 2.789	74,657	2.943	2.922 - 2.964
West Virginia	58,686	3.217	3.191 - 3.244	28,370	3.143	3.107 - 3.180	30,316	3.290	3.253 - 3.327
Wisconsin	175,984	3.043	3.029 - 3.058	86,735	3.016	2.996 - 3.037	89,249	3.070	3.050 - 3.090
Wyoming	14,877	2.558	2.517 - 2.599	7,772	2.618	2.560 - 2.677	7,105	2.496	2.438 - 2.554
NAACCR CDN Combined¹	1,045,849	2.825	2.819 - 2.832	512,394	2.787	2.778 - 2.796	532,928	2.863	2.854 - 2.872
Alberta	97,506	2.311	2.296 - 2.325	48,685	2.288	2.267 - 2.308	48,821	2.334	2.313 - 2.355
British Columbia	131,908	2.697	2.682 - 2.711	65,538	2.707	2.686 - 2.728	66,370	2.686	2.666 - 2.707
Manitoba	33,996	2.567	2.539 - 2.594	16,129	2.440	2.403 - 2.478	17,867	2.692	2.653 - 2.732
New Brunswick	26,148	3.418	3.376 - 3.459	13,522	3.574	3.514 - 3.634	12,626	3.265	3.209 - 3.323
Newfoundland and Labrador	18,889	3.571	3.521 - 3.623	9,563	3.647	3.575 - 3.721	9,326	3.497	3.426 - 3.568
Nova Scotia	31,872	3.367	3.330 - 3.404	15,729	3.400	3.347 - 3.454	16,143	3.336	3.284 - 3.387
Ontario	415,752	2.975	2.966 - 2.984	200,114	2.906	2.893 - 2.918	215,638	3.043	3.030 - 3.056
Prince Edward Island	4,702	3.162	3.072 - 3.253	2,372	3.266	3.136 - 3.400	2,330	3.062	2.939 - 3.189
Saskatchewan	28,699	2.510	2.481 - 2.539	14,322	2.487	2.446 - 2.528	14,377	2.533	2.492 - 2.575
NAACCR N.A. Combined¹	9,896,883	2.733	2.731 - 2.735	4,825,051	2.705	2.702 - 2.707	5,070,539	2.760	2.758 - 2.763

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	237,801	0.073	0.073 - 0.073	167,572	0.104	0.104 - 0.105	70,178	0.042	0.042 - 0.043
Alabama	3,989	0.082	0.079 - 0.084	2,799	0.119	0.114 - 0.123	1,190	0.047	0.045 - 0.050
Alaska	498	0.067	0.061 - 0.073	374	0.097	0.087 - 0.107	124	0.035	0.029 - 0.042
Arizona	3,973	0.057	0.055 - 0.059	2,871	0.083	0.080 - 0.086	1,102	0.031	0.029 - 0.033
Arkansas	2,441	0.081	0.078 - 0.085	1,753	0.119	0.114 - 0.125	688	0.045	0.042 - 0.049
California	24,529	0.062	0.062 - 0.063	17,208	0.088	0.087 - 0.089	7,322	0.037	0.036 - 0.038
CA - Greater California	14,344	0.066	0.065 - 0.067	10,252	0.094	0.093 - 0.096	4,092	0.037	0.036 - 0.039
CA - Greater Bay Area	5,101	0.069	0.067 - 0.071	3,496	0.095	0.092 - 0.098	1,606	0.043	0.041 - 0.045
CA - Los Angeles	5,089	0.050	0.049 - 0.052	3,464	0.069	0.067 - 0.072	1,624	0.032	0.030 - 0.033
Colorado	3,652	0.065	0.063 - 0.068	2,598	0.093	0.089 - 0.096	1,054	0.038	0.036 - 0.040
Connecticut	2,989	0.084	0.081 - 0.087	2,021	0.116	0.111 - 0.121	967	0.053	0.050 - 0.056
Delaware	783	0.082	0.076 - 0.088	557	0.121	0.111 - 0.131	226	0.046	0.040 - 0.052
District of Columbia	344	0.050	0.045 - 0.055	218	0.066	0.058 - 0.076	126	0.035	0.029 - 0.041
Florida	18,169	0.087	0.086 - 0.089	13,235	0.130	0.128 - 0.132	4,934	0.046	0.045 - 0.048
Georgia	7,015	0.068	0.066 - 0.069	4,978	0.099	0.096 - 0.102	2,036	0.038	0.037 - 0.040
Hawaii	1,207	0.085	0.080 - 0.090	812	0.113	0.106 - 0.122	395	0.056	0.050 - 0.061
Idaho	1,353	0.080	0.075 - 0.084	953	0.112	0.105 - 0.119	399	0.047	0.043 - 0.052
Illinois	10,084	0.079	0.077 - 0.080	7,066	0.112	0.110 - 0.115	3,018	0.046	0.045 - 0.048
Iowa	2,842	0.091	0.087 - 0.094	1,999	0.128	0.123 - 0.134	843	0.053	0.050 - 0.057
Kentucky	3,955	0.089	0.086 - 0.092	2,855	0.130	0.126 - 0.135	1,100	0.049	0.046 - 0.052
Louisiana	3,445	0.074	0.071 - 0.076	2,471	0.108	0.104 - 0.112	974	0.041	0.038 - 0.043
Maine	1,347	0.101	0.096 - 0.107	970	0.149	0.139 - 0.158	377	0.055	0.050 - 0.061
Maryland	4,162	0.069	0.067 - 0.071	2,907	0.100	0.096 - 0.103	1,255	0.040	0.038 - 0.043
Michigan	7,702	0.077	0.076 - 0.079	5,368	0.109	0.107 - 0.112	2,334	0.046	0.044 - 0.048
MI - Detroit	3,033	0.078	0.075 - 0.081	2,120	0.113	0.108 - 0.117	912	0.046	0.043 - 0.049
Minnesota	4,588	0.083	0.080 - 0.085	3,141	0.114	0.110 - 0.118	1,447	0.052	0.049 - 0.055
Mississippi	2,194	0.073	0.070 - 0.077	1,540	0.106	0.101 - 0.112	654	0.042	0.039 - 0.046
Missouri	4,877	0.080	0.078 - 0.082	3,501	0.117	0.113 - 0.121	1,376	0.044	0.042 - 0.047
Montana	847	0.081	0.076 - 0.087	590	0.112	0.103 - 0.121	257	0.049	0.044 - 0.056
Nebraska	1,457	0.076	0.072 - 0.080	1,028	0.108	0.101 - 0.115	429	0.045	0.041 - 0.049
Nevada	1,815	0.062	0.059 - 0.065	1,297	0.088	0.083 - 0.093	518	0.035	0.032 - 0.038
New Hampshire	1,177	0.087	0.083 - 0.093	848	0.127	0.119 - 0.136	329	0.048	0.043 - 0.054
New Jersey	6,334	0.071	0.070 - 0.073	4,336	0.100	0.097 - 0.103	1,998	0.044	0.042 - 0.046
New Mexico	1,198	0.057	0.054 - 0.061	872	0.084	0.079 - 0.090	327	0.031	0.028 - 0.034
New York	13,976	0.071	0.070 - 0.072	9,444	0.099	0.097 - 0.101	4,532	0.045	0.044 - 0.046
North Carolina	7,850	0.077	0.075 - 0.079	5,531	0.111	0.108 - 0.114	2,319	0.044	0.042 - 0.046
North Dakota	580	0.077	0.071 - 0.083	411	0.106	0.096 - 0.117	169	0.046	0.039 - 0.053
Ohio	9,045	0.078	0.076 - 0.079	6,335	0.111	0.108 - 0.114	2,710	0.046	0.044 - 0.047
Oklahoma	3,120	0.079	0.077 - 0.082	2,227	0.114	0.110 - 0.119	893	0.045	0.042 - 0.048
Oregon	3,436	0.083	0.081 - 0.086	2,458	0.120	0.116 - 0.125	978	0.047	0.044 - 0.050
Pennsylvania	10,666	0.083	0.082 - 0.085	7,321	0.117	0.114 - 0.120	3,345	0.051	0.050 - 0.053
Rhode Island	801	0.076	0.071 - 0.081	553	0.108	0.099 - 0.117	248	0.046	0.040 - 0.052
South Carolina	3,752	0.075	0.073 - 0.078	2,684	0.111	0.107 - 0.115	1,068	0.042	0.039 - 0.044
Tennessee	5,280	0.079	0.077 - 0.081	3,796	0.117	0.113 - 0.120	1,484	0.043	0.041 - 0.046
Texas	16,243	0.058	0.057 - 0.059	11,615	0.083	0.082 - 0.085	4,628	0.033	0.032 - 0.034
Utah	1,377	0.045	0.042 - 0.047	950	0.061	0.058 - 0.065	427	0.028	0.025 - 0.031
Vermont	577	0.092	0.085 - 0.100	415	0.135	0.122 - 0.148	162	0.051	0.044 - 0.060
Virginia	5,796	0.069	0.067 - 0.070	4,138	0.100	0.097 - 0.103	1,658	0.039	0.037 - 0.041
Washington ³	5,768	0.078	0.076 - 0.080	4,065	0.110	0.107 - 0.114	1,703	0.046	0.044 - 0.049
WA - Seattle	4,147	0.082	0.079 - 0.084	2,921	0.115	0.111 - 0.119	1,226	0.048	0.046 - 0.051
West Virginia	1,689	0.093	0.088 - 0.097	1,216	0.135	0.127 - 0.143	473	0.051	0.047 - 0.056
Wisconsin	4,765	0.082	0.080 - 0.085	3,294	0.115	0.111 - 0.119	1,471	0.051	0.048 - 0.053
Wyoming	401	0.069	0.062 - 0.076	291	0.098	0.087 - 0.110	110	0.039	0.032 - 0.047
NAACCR CDN Combined¹	26,434	0.071	0.070 - 0.072	18,169	0.099	0.097 - 0.101	8,287	0.045	0.043 - 0.046
Alberta	2,257	0.053	0.051 - 0.056	1,580	0.074	0.071 - 0.078	677	0.032	0.030 - 0.035
British Columbia	3,569	0.073	0.071 - 0.075	2,462	0.102	0.098 - 0.106	1,107	0.045	0.042 - 0.048
Manitoba	1,056	0.080	0.075 - 0.085	707	0.107	0.099 - 0.115	349	0.053	0.047 - 0.058
New Brunswick	632	0.083	0.076 - 0.089	443	0.117	0.106 - 0.129	189	0.049	0.042 - 0.056
Newfoundland and Labrador	467	0.088	0.080 - 0.097	332	0.127	0.113 - 0.141	135	0.051	0.042 - 0.060
Nova Scotia	842	0.089	0.083 - 0.095	600	0.130	0.120 - 0.141	242	0.050	0.044 - 0.057
Ontario	10,358	0.074	0.073 - 0.076	7,003	0.102	0.099 - 0.104	3,355	0.047	0.046 - 0.049
Prince Edward Island	163	0.110	0.093 - 0.128	115	0.158	0.131 - 0.190	48	0.063	0.047 - 0.084
Saskatchewan	626	0.055	0.051 - 0.059	455	0.079	0.072 - 0.087	171	0.030	0.026 - 0.035
NAACCR N.A. Combined¹	264,235	0.073	0.073 - 0.073	185,740	0.104	0.104 - 0.105	78,465	0.043	0.042 - 0.043

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-202 Prevalence – Oral Cavity and Pharynx

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	39,653	0.012	0.012 - 0.012	31,105	0.019	0.019 - 0.020	8,531	0.005	0.005 - 0.005
Alabama	551	0.011	0.010 - 0.012	444	0.019	0.017 - 0.021	107	0.004	0.003 - 0.005
Alaska	99	0.013	0.011 - 0.016	76	0.020	0.015 - 0.025	23	0.007	0.004 - 0.010
Arizona	767	0.011	0.010 - 0.012	605	0.017	0.016 - 0.019	162	0.005	0.004 - 0.005
Arkansas	299	0.010	0.009 - 0.011	243	0.017	0.014 - 0.019	56	0.004	0.003 - 0.005
California	3,264	0.008	0.008 - 0.009	2,487	0.013	0.012 - 0.013	777	0.004	0.004 - 0.004
CA - Greater California	1,947	0.009	0.009 - 0.009	1,511	0.014	0.013 - 0.015	437	0.004	0.004 - 0.004
CA - Greater Bay Area	688	0.009	0.009 - 0.010	497	0.013	0.012 - 0.015	191	0.005	0.004 - 0.006
CA - Los Angeles	629	0.006	0.006 - 0.007	480	0.010	0.009 - 0.011	148	0.003	0.002 - 0.003
Colorado	541	0.010	0.009 - 0.011	442	0.016	0.014 - 0.017	99	0.004	0.003 - 0.004
Connecticut	567	0.016	0.015 - 0.017	435	0.025	0.023 - 0.027	131	0.007	0.006 - 0.009
Delaware	141	0.015	0.012 - 0.017	112	0.024	0.020 - 0.029	29	0.006	0.004 - 0.008
District of Columbia	44	0.006	0.005 - 0.009	29	0.009	0.006 - 0.013	15	0.004	0.002 - 0.007
Florida	3,111	0.015	0.014 - 0.015	2,438	0.024	0.023 - 0.025	673	0.006	0.006 - 0.007
Georgia	1,004	0.010	0.009 - 0.010	791	0.016	0.015 - 0.017	214	0.004	0.003 - 0.005
Hawaii	121	0.009	0.007 - 0.010	99	0.014	0.011 - 0.017	22	0.003	0.002 - 0.005
Idaho	194	0.011	0.010 - 0.013	164	0.019	0.016 - 0.022	30	0.004	0.002 - 0.005
Illinois	1,788	0.014	0.013 - 0.015	1,412	0.022	0.021 - 0.024	376	0.006	0.005 - 0.006
Iowa	548	0.017	0.016 - 0.019	453	0.029	0.026 - 0.032	95	0.006	0.005 - 0.007
Kentucky	559	0.013	0.012 - 0.014	456	0.021	0.019 - 0.023	103	0.005	0.004 - 0.006
Louisiana	522	0.011	0.010 - 0.012	392	0.017	0.015 - 0.019	130	0.005	0.005 - 0.006
Maine	333	0.025	0.022 - 0.028	266	0.041	0.036 - 0.046	67	0.010	0.008 - 0.013
Maryland	689	0.011	0.011 - 0.012	538	0.018	0.017 - 0.020	151	0.005	0.004 - 0.006
Michigan	1,740	0.017	0.017 - 0.018	1,349	0.028	0.026 - 0.029	391	0.008	0.007 - 0.009
MI - Detroit	586	0.015	0.014 - 0.016	446	0.024	0.022 - 0.026	140	0.007	0.006 - 0.008
Minnesota	810	0.015	0.014 - 0.016	638	0.023	0.021 - 0.025	172	0.006	0.005 - 0.007
Mississippi	347	0.012	0.010 - 0.013	279	0.019	0.017 - 0.022	68	0.004	0.003 - 0.006
Missouri	834	0.014	0.013 - 0.015	684	0.023	0.021 - 0.025	150	0.005	0.004 - 0.006
Montana	157	0.015	0.013 - 0.018	130	0.025	0.021 - 0.029	28	0.005	0.004 - 0.008
Nebraska	229	0.012	0.010 - 0.014	184	0.019	0.017 - 0.022	45	0.005	0.003 - 0.006
Nevada	275	0.009	0.008 - 0.011	217	0.015	0.013 - 0.017	58	0.004	0.003 - 0.005
New Hampshire	324	0.024	0.022 - 0.027	261	0.039	0.035 - 0.044	63	0.009	0.007 - 0.012
New Jersey	1,173	0.013	0.012 - 0.014	900	0.021	0.019 - 0.022	273	0.006	0.005 - 0.007
New Mexico	199	0.010	0.008 - 0.011	168	0.016	0.014 - 0.019	31	0.003	0.002 - 0.004
New York	2,619	0.013	0.013 - 0.014	1,934	0.020	0.019 - 0.021	684	0.007	0.006 - 0.007
North Carolina	1,140	0.011	0.011 - 0.012	897	0.018	0.017 - 0.019	243	0.005	0.004 - 0.005
North Dakota	91	0.012	0.010 - 0.015	64	0.017	0.013 - 0.021	27	0.007	0.005 - 0.011
Ohio	1,639	0.014	0.013 - 0.015	1,311	0.023	0.022 - 0.024	328	0.006	0.005 - 0.006
Oklahoma	426	0.011	0.010 - 0.012	326	0.017	0.015 - 0.019	100	0.005	0.004 - 0.006
Oregon	623	0.015	0.014 - 0.016	494	0.024	0.022 - 0.026	129	0.006	0.005 - 0.007
Pennsylvania	2,040	0.016	0.015 - 0.017	1,603	0.026	0.024 - 0.027	437	0.007	0.006 - 0.007
Rhode Island	184	0.017	0.015 - 0.020	136	0.026	0.022 - 0.031	48	0.009	0.007 - 0.012
South Carolina	602	0.012	0.011 - 0.013	475	0.020	0.018 - 0.021	127	0.005	0.004 - 0.006
Tennessee	833	0.012	0.012 - 0.013	682	0.021	0.019 - 0.023	151	0.004	0.004 - 0.005
Texas	2,490	0.009	0.009 - 0.009	1,978	0.014	0.014 - 0.015	512	0.004	0.003 - 0.004
Utah	191	0.006	0.005 - 0.007	166	0.011	0.009 - 0.012	25	0.002	0.001 - 0.002
Vermont	146	0.023	0.020 - 0.028	117	0.038	0.031 - 0.045	29	0.009	0.006 - 0.013
Virginia	883	0.010	0.010 - 0.011	685	0.016	0.015 - 0.018	198	0.005	0.004 - 0.005
Washington ³	972	0.013	0.012 - 0.014	764	0.021	0.019 - 0.022	208	0.006	0.005 - 0.006
WA - Seattle	655	0.013	0.012 - 0.014	501	0.020	0.018 - 0.022	154	0.006	0.005 - 0.007
West Virginia	300	0.016	0.015 - 0.018	247	0.027	0.024 - 0.031	53	0.006	0.004 - 0.008
Wisconsin	900	0.016	0.015 - 0.017	697	0.024	0.022 - 0.026	203	0.007	0.006 - 0.008
Wyoming	73	0.012	0.010 - 0.016	60	0.020	0.015 - 0.026	13	0.005	0.002 - 0.008
NAACCR CDN Combined¹	4,223	0.011	0.011 - 0.012	3,225	0.018	0.017 - 0.018	1,001	0.005	0.005 - 0.006
Alberta	402	0.010	0.009 - 0.011	315	0.015	0.013 - 0.017	87	0.004	0.003 - 0.005
British Columbia	634	0.013	0.012 - 0.014	478	0.020	0.018 - 0.022	156	0.006	0.005 - 0.007
Manitoba	111	0.008	0.007 - 0.010	85	0.013	0.010 - 0.016	26	0.004	0.003 - 0.006
New Brunswick	82	0.011	0.009 - 0.013	70	0.018	0.014 - 0.023	12	0.003	0.002 - 0.005
Newfoundland and Labrador	54	0.010	0.008 - 0.013	-	-	-	-	-	-
Nova Scotia	146	0.015	0.013 - 0.018	112	0.024	0.020 - 0.029	34	0.007	0.005 - 0.010
Ontario	1,638	0.012	0.011 - 0.012	1,235	0.018	0.017 - 0.019	403	0.006	0.005 - 0.006
Prince Edward Island	25	0.017	0.011 - 0.025	-	-	-	-	-	-
Saskatchewan	87	0.008	0.006 - 0.009	68	0.012	0.009 - 0.015	19	0.003	0.002 - 0.005
NAACCR N.A. Combined¹	43,876	0.012	0.012 - 0.012	34,330	0.019	0.019 - 0.019	9,532	0.005	0.005 - 0.005

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	75,610	0.023	0.023 - 0.024	43,627	0.027	0.027 - 0.028	31,970	0.020	0.019 - 0.020
Alabama	1,177	0.024	0.023 - 0.026	635	0.027	0.025 - 0.029	542	0.022	0.020 - 0.023
Alaska	141	0.019	0.016 - 0.022	90	0.023	0.019 - 0.029	51	0.014	0.011 - 0.019
Arizona	1,208	0.017	0.016 - 0.018	740	0.021	0.020 - 0.023	468	0.013	0.012 - 0.015
Arkansas	608	0.020	0.019 - 0.022	356	0.024	0.022 - 0.027	252	0.017	0.015 - 0.019
California	9,337	0.024	0.023 - 0.024	5,323	0.027	0.027 - 0.028	4,014	0.020	0.020 - 0.021
CA - Greater California	4,362	0.020	0.019 - 0.021	2,523	0.023	0.022 - 0.024	1,838	0.017	0.016 - 0.018
CA - Greater Bay Area	1,916	0.026	0.025 - 0.027	1,086	0.029	0.028 - 0.031	829	0.022	0.021 - 0.024
CA - Los Angeles	3,067	0.030	0.029 - 0.031	1,715	0.034	0.033 - 0.036	1,351	0.026	0.025 - 0.028
Colorado	911	0.016	0.015 - 0.017	528	0.019	0.017 - 0.020	383	0.014	0.012 - 0.015
Connecticut	1,240	0.035	0.033 - 0.037	714	0.041	0.038 - 0.044	526	0.029	0.026 - 0.031
Delaware	228	0.024	0.021 - 0.027	137	0.030	0.025 - 0.035	91	0.018	0.015 - 0.023
District of Columbia	195	0.028	0.024 - 0.032	96	0.029	0.024 - 0.036	99	0.027	0.022 - 0.033
Florida	5,258	0.025	0.025 - 0.026	3,096	0.030	0.029 - 0.032	2,162	0.020	0.019 - 0.021
Georgia	2,051	0.020	0.019 - 0.021	1,120	0.022	0.021 - 0.024	931	0.018	0.016 - 0.019
Hawaii	504	0.035	0.032 - 0.039	284	0.040	0.035 - 0.045	220	0.031	0.027 - 0.035
Idaho	266	0.016	0.014 - 0.018	168	0.020	0.017 - 0.023	98	0.012	0.009 - 0.014
Illinois	3,349	0.026	0.025 - 0.027	1,942	0.031	0.030 - 0.032	1,407	0.022	0.020 - 0.023
Iowa	538	0.017	0.016 - 0.019	326	0.021	0.019 - 0.023	211	0.013	0.012 - 0.015
Kentucky	990	0.022	0.021 - 0.024	543	0.025	0.023 - 0.027	447	0.020	0.018 - 0.022
Louisiana	1,090	0.023	0.022 - 0.025	640	0.028	0.026 - 0.030	450	0.019	0.017 - 0.021
Maine	326	0.024	0.022 - 0.027	179	0.027	0.024 - 0.032	147	0.022	0.018 - 0.025
Maryland	1,561	0.026	0.025 - 0.027	842	0.029	0.027 - 0.031	719	0.023	0.022 - 0.025
Michigan	2,435	0.024	0.023 - 0.025	1,443	0.029	0.028 - 0.031	992	0.020	0.018 - 0.021
MI - Detroit	981	0.025	0.024 - 0.027	562	0.030	0.027 - 0.032	419	0.021	0.019 - 0.023
Minnesota	1,111	0.020	0.019 - 0.021	664	0.024	0.022 - 0.026	447	0.016	0.015 - 0.018
Mississippi	628	0.021	0.019 - 0.023	332	0.023	0.021 - 0.025	296	0.019	0.017 - 0.022
Missouri	1,133	0.019	0.018 - 0.020	685	0.023	0.021 - 0.025	448	0.014	0.013 - 0.016
Montana	175	0.017	0.014 - 0.019	109	0.021	0.017 - 0.025	66	0.013	0.010 - 0.016
Nebraska	339	0.018	0.016 - 0.020	217	0.023	0.020 - 0.026	122	0.013	0.011 - 0.015
Nevada	506	0.017	0.016 - 0.019	298	0.020	0.018 - 0.023	208	0.014	0.012 - 0.016
New Hampshire	332	0.025	0.022 - 0.027	200	0.030	0.026 - 0.034	132	0.019	0.016 - 0.023
New Jersey	2,868	0.032	0.031 - 0.033	1,573	0.036	0.035 - 0.038	1,294	0.028	0.027 - 0.030
New Mexico	433	0.021	0.019 - 0.023	250	0.024	0.021 - 0.027	183	0.017	0.015 - 0.020
New York	7,146	0.036	0.036 - 0.037	4,101	0.043	0.042 - 0.044	3,045	0.030	0.029 - 0.031
North Carolina	2,468	0.024	0.023 - 0.025	1,363	0.027	0.026 - 0.029	1,105	0.021	0.020 - 0.022
North Dakota	127	0.017	0.014 - 0.020	75	0.019	0.015 - 0.024	52	0.014	0.011 - 0.019
Ohio	2,633	0.023	0.022 - 0.023	1,542	0.027	0.026 - 0.028	1,091	0.018	0.017 - 0.019
Oklahoma	666	0.017	0.016 - 0.018	369	0.019	0.017 - 0.021	297	0.015	0.013 - 0.017
Oregon	799	0.019	0.018 - 0.021	504	0.025	0.023 - 0.027	295	0.014	0.013 - 0.016
Pennsylvania	3,316	0.026	0.025 - 0.027	2,005	0.032	0.031 - 0.033	1,311	0.020	0.019 - 0.021
Rhode Island	339	0.032	0.029 - 0.036	200	0.039	0.034 - 0.045	139	0.026	0.022 - 0.030
South Carolina	1,183	0.024	0.022 - 0.025	673	0.028	0.026 - 0.030	510	0.020	0.018 - 0.022
Tennessee	1,406	0.021	0.020 - 0.022	813	0.025	0.023 - 0.027	593	0.017	0.016 - 0.019
Texas	5,319	0.019	0.018 - 0.019	2,932	0.021	0.020 - 0.022	2,387	0.017	0.016 - 0.018
Utah	343	0.011	0.010 - 0.012	190	0.012	0.011 - 0.014	152	0.010	0.008 - 0.012
Vermont	101	0.016	0.013 - 0.020	62	0.020	0.015 - 0.026	39	0.012	0.009 - 0.017
Virginia	1,831	0.022	0.021 - 0.023	1,085	0.026	0.025 - 0.028	746	0.017	0.016 - 0.019
Washington ³	1,440	0.020	0.019 - 0.021	892	0.024	0.023 - 0.026	549	0.015	0.014 - 0.016
WA - Seattle	1,055	0.021	0.020 - 0.022	651	0.026	0.024 - 0.028	405	0.016	0.014 - 0.018
West Virginia	419	0.023	0.021 - 0.025	241	0.027	0.023 - 0.030	178	0.019	0.017 - 0.022
Wisconsin	1,355	0.023	0.022 - 0.025	839	0.029	0.027 - 0.031	516	0.018	0.016 - 0.019
Wyoming	87	0.015	0.012 - 0.019	60	0.020	0.015 - 0.026	27	0.010	0.006 - 0.014
NAACCR CDN Combined¹	10,071	0.027	0.027 - 0.028	6,381	0.035	0.034 - 0.036	3,688	0.020	0.019 - 0.020
Alberta	705	0.017	0.015 - 0.018	461	0.022	0.020 - 0.024	244	0.012	0.010 - 0.013
British Columbia	1,078	0.022	0.021 - 0.023	703	0.029	0.027 - 0.031	375	0.015	0.014 - 0.017
Manitoba	301	0.023	0.020 - 0.025	201	0.030	0.026 - 0.035	100	0.015	0.012 - 0.018
New Brunswick	263	0.034	0.030 - 0.039	182	0.048	0.041 - 0.056	81	0.021	0.017 - 0.026
Newfoundland and Labrador	253	0.048	0.042 - 0.054	163	0.062	0.053 - 0.072	90	0.034	0.027 - 0.041
Nova Scotia	228	0.024	0.021 - 0.027	149	0.032	0.027 - 0.038	79	0.016	0.013 - 0.020
Ontario	4,488	0.032	0.031 - 0.033	2,763	0.040	0.039 - 0.042	1,725	0.024	0.023 - 0.026
Prince Edward Island	31	0.021	0.014 - 0.030	-	-	-	-	-	-
Saskatchewan	242	0.021	0.019 - 0.024	162	0.028	0.024 - 0.033	80	0.014	0.011 - 0.018
NAACCR N.A. Combined¹	85,681	0.024	0.024 - 0.024	50,008	0.028	0.028 - 0.028	35,658	0.020	0.019 - 0.020

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-204 Prevalence – Stomach

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	773,871	0.238	0.238 - 0.239	398,675	0.250	0.249 - 0.250	375,142	0.228	0.227 - 0.228
Alabama	13,454	0.276	0.272 - 0.281	6,901	0.293	0.286 - 0.300	6,553	0.261	0.255 - 0.267
Alaska	1,585	0.214	0.204 - 0.225	828	0.214	0.199 - 0.229	757	0.214	0.199 - 0.230
Arizona	13,695	0.196	0.192 - 0.199	7,200	0.207	0.202 - 0.212	6,495	0.185	0.180 - 0.189
Arkansas	7,935	0.265	0.259 - 0.271	4,108	0.279	0.271 - 0.288	3,827	0.251	0.243 - 0.259
California	83,012	0.211	0.210 - 0.213	42,909	0.220	0.218 - 0.222	40,103	0.203	0.201 - 0.205
CA - Greater California	45,162	0.207	0.205 - 0.209	23,574	0.217	0.214 - 0.220	21,588	0.198	0.195 - 0.200
CA - Greater Bay Area	16,611	0.224	0.221 - 0.228	8,502	0.231	0.226 - 0.236	8,108	0.218	0.214 - 0.223
CA - Los Angeles	21,265	0.210	0.207 - 0.213	10,850	0.218	0.213 - 0.222	10,415	0.203	0.199 - 0.207
Colorado	10,195	0.183	0.179 - 0.186	5,304	0.189	0.184 - 0.194	4,891	0.176	0.172 - 0.181
Connecticut	9,538	0.267	0.261 - 0.272	4,865	0.279	0.271 - 0.287	4,673	0.255	0.248 - 0.263
Delaware	2,479	0.260	0.250 - 0.271	1,294	0.281	0.266 - 0.296	1,185	0.241	0.227 - 0.255
District of Columbia	1,345	0.195	0.184 - 0.205	606	0.185	0.170 - 0.200	739	0.203	0.189 - 0.219
Florida	52,701	0.253	0.251 - 0.256	27,242	0.268	0.265 - 0.271	25,459	0.239	0.237 - 0.242
Georgia	23,132	0.223	0.220 - 0.226	11,930	0.237	0.232 - 0.241	11,203	0.211	0.207 - 0.215
Hawaii	4,351	0.305	0.296 - 0.314	2,391	0.334	0.321 - 0.348	1,960	0.276	0.264 - 0.288
Idaho	3,460	0.203	0.197 - 0.210	1,825	0.214	0.204 - 0.224	1,636	0.193	0.183 - 0.202
Illinois	35,378	0.276	0.273 - 0.279	18,247	0.290	0.286 - 0.294	17,131	0.263	0.259 - 0.267
Iowa	9,072	0.289	0.283 - 0.295	4,707	0.302	0.293 - 0.310	4,366	0.277	0.269 - 0.285
Kentucky	13,463	0.303	0.298 - 0.308	7,091	0.324	0.316 - 0.331	6,372	0.282	0.276 - 0.290
Louisiana	12,950	0.277	0.272 - 0.282	6,724	0.294	0.287 - 0.301	6,226	0.261	0.254 - 0.267
Maine	3,821	0.287	0.278 - 0.296	1,939	0.297	0.284 - 0.311	1,882	0.277	0.264 - 0.289
Maryland	13,321	0.221	0.218 - 0.225	6,536	0.224	0.219 - 0.230	6,785	0.219	0.214 - 0.224
Michigan	24,656	0.247	0.244 - 0.251	12,533	0.256	0.251 - 0.260	12,123	0.240	0.235 - 0.244
MI - Detroit	10,240	0.264	0.259 - 0.269	5,090	0.270	0.263 - 0.278	5,150	0.258	0.251 - 0.265
Minnesota	13,668	0.246	0.242 - 0.251	7,047	0.255	0.249 - 0.261	6,621	0.238	0.232 - 0.244
Mississippi	8,541	0.286	0.280 - 0.292	4,419	0.305	0.296 - 0.314	4,122	0.268	0.260 - 0.276
Missouri	15,972	0.262	0.258 - 0.266	8,295	0.277	0.271 - 0.283	7,677	0.247	0.242 - 0.253
Montana	2,744	0.262	0.252 - 0.272	1,484	0.282	0.267 - 0.296	1,260	0.242	0.229 - 0.256
Nebraska	5,255	0.275	0.267 - 0.282	2,726	0.286	0.275 - 0.297	2,529	0.264	0.254 - 0.275
Nevada	5,754	0.195	0.190 - 0.200	3,055	0.207	0.199 - 0.214	2,699	0.184	0.177 - 0.191
New Hampshire	3,594	0.267	0.258 - 0.276	1,880	0.282	0.269 - 0.295	1,714	0.252	0.240 - 0.264
New Jersey	23,704	0.267	0.264 - 0.270	11,827	0.273	0.268 - 0.278	11,878	0.261	0.257 - 0.266
New Mexico	4,367	0.209	0.202 - 0.215	2,263	0.218	0.209 - 0.228	2,104	0.199	0.191 - 0.208
New York	49,543	0.253	0.250 - 0.255	24,923	0.262	0.258 - 0.265	24,619	0.244	0.241 - 0.247
North Carolina	23,530	0.230	0.227 - 0.233	11,995	0.241	0.237 - 0.246	11,535	0.220	0.216 - 0.224
North Dakota	2,109	0.279	0.268 - 0.292	1,139	0.294	0.277 - 0.312	970	0.264	0.247 - 0.281
Ohio	30,683	0.263	0.260 - 0.266	15,553	0.272	0.268 - 0.277	15,130	0.255	0.251 - 0.259
Oklahoma	9,573	0.244	0.239 - 0.249	4,943	0.254	0.247 - 0.261	4,630	0.234	0.227 - 0.240
Oregon	9,366	0.227	0.223 - 0.232	4,851	0.238	0.231 - 0.244	4,515	0.217	0.211 - 0.224
Pennsylvania	37,259	0.291	0.288 - 0.294	19,061	0.304	0.300 - 0.309	18,198	0.279	0.275 - 0.283
Rhode Island	2,560	0.242	0.233 - 0.252	1,223	0.238	0.225 - 0.252	1,337	0.246	0.233 - 0.260
South Carolina	12,014	0.241	0.236 - 0.245	6,128	0.253	0.247 - 0.260	5,886	0.229	0.223 - 0.235
Tennessee	16,749	0.251	0.247 - 0.255	8,551	0.263	0.257 - 0.268	8,198	0.240	0.235 - 0.245
Texas	54,089	0.192	0.191 - 0.194	29,130	0.208	0.206 - 0.211	24,959	0.176	0.174 - 0.179
Utah	4,202	0.137	0.133 - 0.141	2,193	0.142	0.136 - 0.148	2,010	0.132	0.126 - 0.138
Vermont	1,543	0.247	0.235 - 0.260	786	0.255	0.237 - 0.273	757	0.240	0.223 - 0.257
Virginia	18,058	0.214	0.211 - 0.217	9,166	0.221	0.216 - 0.225	8,892	0.207	0.203 - 0.212
Washington ³	15,960	0.217	0.213 - 0.220	8,318	0.226	0.221 - 0.231	7,642	0.208	0.203 - 0.212
WA - Seattle	11,191	0.220	0.216 - 0.225	5,840	0.230	0.224 - 0.236	5,351	0.211	0.205 - 0.217
West Virginia	5,903	0.324	0.315 - 0.332	3,052	0.338	0.326 - 0.350	2,851	0.309	0.298 - 0.321
Wisconsin	14,305	0.247	0.243 - 0.251	7,401	0.257	0.252 - 0.263	6,904	0.237	0.232 - 0.243
Wyoming	1,176	0.202	0.191 - 0.214	623	0.210	0.194 - 0.227	553	0.194	0.178 - 0.211
NAACCR CDN Combined¹	128,254	0.346	0.343 - 0.348	70,470	0.383	0.380 - 0.386	57,780	0.309	0.306 - 0.312
Alberta	11,371	0.269	0.265 - 0.274	6,412	0.301	0.294 - 0.309	4,959	0.237	0.231 - 0.244
British Columbia	17,312	0.354	0.349 - 0.359	9,630	0.398	0.390 - 0.406	7,682	0.311	0.304 - 0.318
Manitoba	4,699	0.355	0.345 - 0.365	2,607	0.394	0.379 - 0.410	2,092	0.315	0.302 - 0.329
New Brunswick	3,250	0.425	0.410 - 0.440	1,841	0.487	0.465 - 0.509	1,409	0.364	0.346 - 0.384
Newfoundland and Labrador	3,281	0.620	0.599 - 0.642	1,842	0.703	0.671 - 0.735	1,439	0.540	0.512 - 0.568
Nova Scotia	4,412	0.466	0.452 - 0.480	2,353	0.509	0.488 - 0.530	2,059	0.425	0.407 - 0.444
Ontario	47,427	0.339	0.336 - 0.342	25,693	0.373	0.369 - 0.378	21,734	0.307	0.303 - 0.311
Prince Edward Island	647	0.435	0.402 - 0.470	357	0.491	0.442 - 0.545	290	0.381	0.339 - 0.428
Saskatchewan	4,188	0.366	0.355 - 0.378	2,328	0.404	0.388 - 0.421	1,860	0.328	0.313 - 0.343
NAACCR N.A. Combined¹	902,125	0.247	0.247 - 0.248	469,145	0.261	0.260 - 0.262	432,922	0.234	0.234 - 0.235

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	68,151	0.021	0.021 - 0.021	47,964	0.030	0.030 - 0.030	20,181	0.012	0.012 - 0.013
Alabama	700	0.014	0.013 - 0.015	485	0.021	0.019 - 0.022	215	0.009	0.007 - 0.010
Alaska	162	0.022	0.019 - 0.026	114	0.029	0.024 - 0.035	48	0.014	0.010 - 0.018
Arizona	1,350	0.019	0.018 - 0.020	927	0.027	0.025 - 0.028	423	0.012	0.011 - 0.013
Arkansas	563	0.019	0.017 - 0.020	407	0.028	0.025 - 0.030	156	0.010	0.009 - 0.012
California	9,798	0.025	0.024 - 0.025	6,893	0.035	0.034 - 0.036	2,905	0.015	0.014 - 0.015
CA - Greater California	4,999	0.023	0.022 - 0.024	3,536	0.033	0.032 - 0.034	1,463	0.013	0.013 - 0.014
CA - Greater Bay Area	2,428	0.033	0.032 - 0.034	1,750	0.047	0.045 - 0.050	678	0.018	0.017 - 0.020
CA - Los Angeles	2,372	0.023	0.023 - 0.024	1,607	0.032	0.031 - 0.034	765	0.015	0.014 - 0.016
Colorado	1,015	0.018	0.017 - 0.019	722	0.026	0.024 - 0.028	293	0.011	0.009 - 0.012
Connecticut	869	0.024	0.023 - 0.026	637	0.037	0.034 - 0.039	232	0.013	0.011 - 0.014
Delaware	258	0.027	0.024 - 0.031	182	0.039	0.034 - 0.046	76	0.015	0.012 - 0.019
District of Columbia	199	0.029	0.025 - 0.033	145	0.044	0.037 - 0.052	54	0.015	0.011 - 0.019
Florida	4,562	0.022	0.021 - 0.023	3,175	0.031	0.030 - 0.032	1,387	0.013	0.012 - 0.014
Georgia	1,803	0.017	0.017 - 0.018	1,251	0.025	0.023 - 0.026	552	0.010	0.010 - 0.011
Hawaii	423	0.030	0.027 - 0.033	299	0.042	0.037 - 0.047	124	0.018	0.015 - 0.021
Idaho	224	0.013	0.012 - 0.015	164	0.019	0.016 - 0.022	60	0.007	0.005 - 0.009
Illinois	2,598	0.020	0.020 - 0.021	1,759	0.028	0.027 - 0.029	839	0.013	0.012 - 0.014
Iowa	510	0.016	0.015 - 0.018	339	0.022	0.020 - 0.024	170	0.011	0.009 - 0.013
Kentucky	803	0.018	0.017 - 0.019	550	0.025	0.023 - 0.027	252	0.011	0.010 - 0.013
Louisiana	1,034	0.022	0.021 - 0.024	765	0.033	0.031 - 0.036	269	0.011	0.010 - 0.013
Maine	192	0.014	0.012 - 0.017	142	0.022	0.018 - 0.026	50	0.007	0.005 - 0.010
Maryland	1,357	0.023	0.021 - 0.024	936	0.032	0.030 - 0.034	421	0.014	0.012 - 0.015
Michigan	2,110	0.021	0.020 - 0.022	1,485	0.030	0.029 - 0.032	625	0.012	0.011 - 0.013
MI - Detroit	863	0.022	0.021 - 0.024	618	0.033	0.030 - 0.035	246	0.012	0.011 - 0.014
Minnesota	1,034	0.019	0.018 - 0.020	700	0.025	0.024 - 0.027	334	0.012	0.011 - 0.013
Mississippi	553	0.019	0.017 - 0.020	394	0.027	0.025 - 0.030	159	0.010	0.009 - 0.012
Missouri	1,169	0.019	0.018 - 0.020	844	0.028	0.026 - 0.030	325	0.010	0.009 - 0.012
Montana	144	0.014	0.012 - 0.016	113	0.021	0.018 - 0.026	31	0.006	0.004 - 0.008
Nebraska	247	0.013	0.011 - 0.015	183	0.019	0.017 - 0.022	64	0.007	0.005 - 0.009
Nevada	410	0.014	0.013 - 0.015	293	0.020	0.018 - 0.022	117	0.008	0.007 - 0.010
New Hampshire	241	0.018	0.016 - 0.020	180	0.027	0.023 - 0.031	61	0.009	0.007 - 0.012
New Jersey	1,888	0.021	0.020 - 0.022	1,333	0.031	0.029 - 0.032	555	0.012	0.011 - 0.013
New Mexico	500	0.024	0.022 - 0.026	365	0.035	0.032 - 0.039	134	0.013	0.011 - 0.015
New York	5,184	0.026	0.026 - 0.027	3,703	0.039	0.038 - 0.040	1,481	0.015	0.014 - 0.015
North Carolina	1,915	0.019	0.018 - 0.020	1,344	0.027	0.026 - 0.029	571	0.011	0.010 - 0.012
North Dakota	61	0.008	0.006 - 0.010	40	0.010	0.007 - 0.014	21	0.006	0.004 - 0.009
Ohio	1,955	0.017	0.016 - 0.018	1,333	0.023	0.022 - 0.025	622	0.010	0.010 - 0.011
Oklahoma	683	0.017	0.016 - 0.019	482	0.025	0.023 - 0.027	201	0.010	0.009 - 0.012
Oregon	1,025	0.025	0.023 - 0.026	744	0.036	0.034 - 0.039	281	0.014	0.012 - 0.015
Pennsylvania	3,056	0.024	0.023 - 0.025	2,252	0.036	0.034 - 0.037	804	0.012	0.011 - 0.013
Rhode Island	228	0.022	0.019 - 0.025	172	0.033	0.029 - 0.039	56	0.010	0.008 - 0.013
South Carolina	882	0.018	0.017 - 0.019	633	0.026	0.024 - 0.028	249	0.010	0.009 - 0.011
Tennessee	1,220	0.018	0.017 - 0.019	825	0.025	0.024 - 0.027	395	0.012	0.010 - 0.013
Texas	6,683	0.024	0.023 - 0.024	4,628	0.033	0.032 - 0.034	2,055	0.015	0.014 - 0.015
Utah	365	0.012	0.011 - 0.013	247	0.016	0.014 - 0.018	117	0.008	0.006 - 0.009
Vermont	113	0.018	0.015 - 0.022	83	0.027	0.021 - 0.033	30	0.009	0.006 - 0.014
Virginia	1,411	0.017	0.016 - 0.018	995	0.024	0.022 - 0.026	416	0.010	0.009 - 0.011
Washington ³	1,829	0.025	0.024 - 0.026	1,309	0.036	0.034 - 0.038	519	0.014	0.013 - 0.015
WA - Seattle	1,394	0.027	0.026 - 0.029	1,001	0.039	0.037 - 0.042	392	0.015	0.014 - 0.017
West Virginia	287	0.016	0.014 - 0.018	209	0.023	0.020 - 0.027	78	0.008	0.007 - 0.011
Wisconsin	1,135	0.020	0.019 - 0.021	783	0.027	0.025 - 0.029	352	0.012	0.011 - 0.013
Wyoming	77	0.013	0.010 - 0.016	56	0.019	0.014 - 0.024	21	0.007	0.005 - 0.011
NAACCR CDN Combined¹	6,651	0.018	0.017 - 0.018	4,759	0.026	0.025 - 0.027	1,897	0.010	0.010 - 0.011
Alberta	694	0.016	0.015 - 0.018	497	0.023	0.021 - 0.026	197	0.009	0.008 - 0.011
British Columbia	975	0.020	0.019 - 0.021	702	0.029	0.027 - 0.031	273	0.011	0.010 - 0.012
Manitoba	155	0.012	0.010 - 0.014	108	0.016	0.013 - 0.020	47	0.007	0.005 - 0.009
New Brunswick	73	0.010	0.007 - 0.012	43	0.011	0.008 - 0.015	30	0.008	0.005 - 0.011
Newfoundland and Labrador	64	0.012	0.009 - 0.015	38	0.014	0.010 - 0.020	26	0.010	0.006 - 0.014
Nova Scotia	159	0.017	0.014 - 0.020	115	0.025	0.021 - 0.030	44	0.009	0.007 - 0.012
Ontario	2,793	0.020	0.019 - 0.021	2,008	0.029	0.028 - 0.030	785	0.011	0.010 - 0.012
Prince Edward Island	20	0.013	0.008 - 0.021	-	-	-	-	-	-
Saskatchewan	81	0.007	0.006 - 0.009	55	0.010	0.007 - 0.012	26	0.005	0.003 - 0.007
NAACCR N.A. Combined¹	74,802	0.021	0.021 - 0.021	52,723	0.030	0.030 - 0.030	22,079	0.012	0.012 - 0.012

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-206 Prevalence – Liver and Intrahepatic Bile Duct

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	68,596	0.021	0.021 - 0.021	35,127	0.022	0.022 - 0.022	33,463	0.020	0.020 - 0.021
Alabama	1,018	0.021	0.020 - 0.022	509	0.022	0.020 - 0.024	509	0.020	0.019 - 0.022
Alaska	111	0.015	0.012 - 0.018	71	0.018	0.014 - 0.023	40	0.011	0.008 - 0.015
Arizona	1,281	0.018	0.017 - 0.019	655	0.019	0.017 - 0.020	626	0.018	0.016 - 0.019
Arkansas	470	0.016	0.014 - 0.017	246	0.017	0.015 - 0.019	224	0.015	0.013 - 0.017
California	6,781	0.017	0.017 - 0.018	3,454	0.018	0.017 - 0.018	3,327	0.017	0.016 - 0.017
CA - Greater California	3,674	0.017	0.016 - 0.017	1,903	0.018	0.017 - 0.018	1,771	0.016	0.015 - 0.017
CA - Greater Bay Area	1,460	0.020	0.019 - 0.021	757	0.021	0.019 - 0.022	703	0.019	0.018 - 0.020
CA - Los Angeles	1,648	0.016	0.016 - 0.017	795	0.016	0.015 - 0.017	853	0.017	0.016 - 0.018
Colorado	937	0.017	0.016 - 0.018	499	0.018	0.016 - 0.019	438	0.016	0.014 - 0.017
Connecticut	1,026	0.029	0.027 - 0.030	551	0.032	0.029 - 0.034	474	0.026	0.024 - 0.028
Delaware	249	0.026	0.023 - 0.030	123	0.027	0.022 - 0.032	126	0.026	0.021 - 0.030
District of Columbia	144	0.021	0.018 - 0.025	67	0.020	0.016 - 0.026	77	0.021	0.017 - 0.026
Florida	5,459	0.026	0.026 - 0.027	2,812	0.028	0.027 - 0.029	2,647	0.025	0.024 - 0.026
Georgia	1,802	0.017	0.017 - 0.018	911	0.018	0.017 - 0.019	891	0.017	0.016 - 0.018
Hawaii	345	0.024	0.022 - 0.027	184	0.026	0.022 - 0.030	161	0.023	0.019 - 0.027
Idaho	310	0.018	0.016 - 0.020	153	0.018	0.015 - 0.021	157	0.019	0.016 - 0.022
Illinois	3,132	0.024	0.024 - 0.025	1,642	0.026	0.025 - 0.027	1,490	0.023	0.022 - 0.024
Iowa	700	0.022	0.021 - 0.024	352	0.023	0.020 - 0.025	348	0.022	0.020 - 0.025
Kentucky	887	0.020	0.019 - 0.021	449	0.020	0.019 - 0.022	438	0.019	0.018 - 0.021
Louisiana	857	0.018	0.017 - 0.020	426	0.019	0.017 - 0.021	431	0.018	0.016 - 0.020
Maine	347	0.026	0.023 - 0.029	177	0.027	0.023 - 0.031	170	0.025	0.021 - 0.029
Maryland	1,443	0.024	0.023 - 0.025	702	0.024	0.022 - 0.026	741	0.024	0.022 - 0.026
Michigan	2,777	0.028	0.027 - 0.029	1,394	0.028	0.027 - 0.030	1,383	0.027	0.026 - 0.029
MI - Detroit	1,001	0.026	0.024 - 0.027	484	0.026	0.023 - 0.028	518	0.026	0.024 - 0.028
Minnesota	1,280	0.023	0.022 - 0.024	690	0.025	0.023 - 0.027	590	0.021	0.020 - 0.023
Mississippi	596	0.020	0.018 - 0.022	306	0.021	0.019 - 0.024	290	0.019	0.017 - 0.021
Missouri	1,223	0.020	0.019 - 0.021	643	0.021	0.020 - 0.023	580	0.019	0.017 - 0.020
Montana	235	0.022	0.020 - 0.026	128	0.024	0.020 - 0.029	108	0.021	0.017 - 0.025
Nebraska	440	0.023	0.021 - 0.025	232	0.024	0.021 - 0.028	208	0.022	0.019 - 0.025
Nevada	469	0.016	0.015 - 0.017	227	0.015	0.013 - 0.017	242	0.016	0.014 - 0.019
New Hampshire	342	0.025	0.023 - 0.028	184	0.028	0.024 - 0.032	158	0.023	0.020 - 0.027
New Jersey	2,312	0.026	0.025 - 0.027	1,173	0.027	0.026 - 0.029	1,139	0.025	0.024 - 0.027
New Mexico	324	0.015	0.014 - 0.017	167	0.016	0.014 - 0.019	157	0.015	0.013 - 0.017
New York	5,112	0.026	0.025 - 0.027	2,556	0.027	0.026 - 0.028	2,556	0.025	0.024 - 0.026
North Carolina	2,064	0.020	0.019 - 0.021	1,021	0.021	0.019 - 0.022	1,043	0.020	0.019 - 0.021
North Dakota	158	0.021	0.018 - 0.024	79	0.020	0.016 - 0.025	79	0.021	0.017 - 0.027
Ohio	2,369	0.020	0.020 - 0.021	1,176	0.021	0.019 - 0.022	1,193	0.020	0.019 - 0.021
Oklahoma	618	0.016	0.015 - 0.017	313	0.016	0.014 - 0.018	305	0.015	0.014 - 0.017
Oregon	899	0.022	0.020 - 0.023	457	0.022	0.020 - 0.025	442	0.021	0.019 - 0.023
Pennsylvania	3,496	0.027	0.026 - 0.028	1,857	0.030	0.028 - 0.031	1,639	0.025	0.024 - 0.026
Rhode Island	277	0.026	0.023 - 0.029	149	0.029	0.025 - 0.034	128	0.024	0.020 - 0.028
South Carolina	1,058	0.021	0.020 - 0.023	535	0.022	0.020 - 0.024	523	0.020	0.019 - 0.022
Tennessee	1,275	0.019	0.018 - 0.020	650	0.020	0.018 - 0.022	625	0.018	0.017 - 0.020
Texas	4,840	0.017	0.017 - 0.018	2,450	0.018	0.017 - 0.018	2,390	0.017	0.016 - 0.018
Utah	331	0.011	0.010 - 0.012	185	0.012	0.010 - 0.014	146	0.010	0.008 - 0.011
Vermont	167	0.027	0.023 - 0.031	98	0.032	0.026 - 0.039	69	0.022	0.017 - 0.028
Virginia	1,532	0.018	0.017 - 0.019	789	0.019	0.018 - 0.020	743	0.017	0.016 - 0.019
Washington ³	1,542	0.021	0.020 - 0.022	800	0.022	0.020 - 0.023	741	0.020	0.019 - 0.022
WA - Seattle	1,058	0.021	0.020 - 0.022	527	0.021	0.019 - 0.023	530	0.021	0.019 - 0.023
West Virginia	339	0.019	0.017 - 0.021	166	0.018	0.016 - 0.021	173	0.019	0.016 - 0.022
Wisconsin	1,417	0.025	0.023 - 0.026	748	0.026	0.024 - 0.028	669	0.023	0.021 - 0.025
Wyoming	97	0.017	0.013 - 0.020	59	0.020	0.015 - 0.026	38	0.013	0.009 - 0.018
NAACCR CDN Combined¹	6,439	0.017	0.017 - 0.018	3,369	0.018	0.018 - 0.019	3,071	0.016	0.016 - 0.017
Alberta	602	0.014	0.013 - 0.015	316	0.015	0.013 - 0.017	286	0.014	0.012 - 0.015
British Columbia	814	0.017	0.016 - 0.018	422	0.017	0.016 - 0.019	392	0.016	0.014 - 0.018
Manitoba	240	0.018	0.016 - 0.021	123	0.019	0.015 - 0.022	117	0.018	0.015 - 0.021
New Brunswick	133	0.017	0.015 - 0.021	61	0.016	0.012 - 0.021	72	0.019	0.015 - 0.023
Newfoundland and Labrador	67	0.013	0.010 - 0.016	35	0.013	0.009 - 0.019	32	0.012	0.008 - 0.017
Nova Scotia	166	0.018	0.015 - 0.020	91	0.020	0.016 - 0.024	75	0.015	0.012 - 0.019
Ontario	2,641	0.019	0.018 - 0.020	1,379	0.020	0.019 - 0.021	1,262	0.018	0.017 - 0.019
Prince Edward Island	36	0.024	0.017 - 0.034	20	0.028	0.017 - 0.043	16	0.021	0.012 - 0.034
Saskatchewan	157	0.014	0.012 - 0.016	90	0.016	0.013 - 0.019	67	0.012	0.009 - 0.015
NAACCR N.A. Combined¹	75,036	0.021	0.021 - 0.021	38,496	0.022	0.021 - 0.022	36,534	0.020	0.020 - 0.020

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	67,913	0.021	0.021 - 0.021	53,948	0.034	0.033 - 0.034	13,937	0.008	0.008 - 0.009
Alabama	1,384	0.028	0.027 - 0.030	1,113	0.047	0.044 - 0.050	271	0.011	0.010 - 0.012
Alaska	119	0.016	0.013 - 0.019	106	0.027	0.022 - 0.033	13	0.004	0.002 - 0.006
Arizona	873	0.012	0.012 - 0.013	701	0.020	0.019 - 0.022	172	0.005	0.004 - 0.006
Arkansas	785	0.026	0.024 - 0.028	599	0.041	0.037 - 0.044	186	0.012	0.011 - 0.014
California	4,661	0.012	0.012 - 0.012	3,900	0.020	0.019 - 0.021	761	0.004	0.004 - 0.004
CA - Greater California	2,667	0.012	0.012 - 0.013	2,207	0.020	0.019 - 0.021	459	0.004	0.004 - 0.005
CA - Greater Bay Area	822	0.011	0.010 - 0.012	698	0.019	0.018 - 0.020	123	0.003	0.003 - 0.004
CA - Los Angeles	1,175	0.012	0.011 - 0.012	996	0.020	0.019 - 0.021	179	0.003	0.003 - 0.004
Colorado	738	0.013	0.012 - 0.014	587	0.021	0.019 - 0.023	151	0.005	0.005 - 0.006
Connecticut	882	0.025	0.023 - 0.026	700	0.040	0.037 - 0.043	182	0.010	0.009 - 0.012
Delaware	229	0.024	0.021 - 0.027	174	0.038	0.032 - 0.044	55	0.011	0.008 - 0.015
District of Columbia	101	0.015	0.012 - 0.018	86	0.026	0.021 - 0.032	15	0.004	0.002 - 0.007
Florida	5,628	0.027	0.026 - 0.028	4,566	0.045	0.044 - 0.046	1,062	0.010	0.009 - 0.011
Georgia	2,155	0.021	0.020 - 0.022	1,753	0.035	0.033 - 0.036	402	0.008	0.007 - 0.008
Hawaii	225	0.016	0.014 - 0.018	194	0.027	0.023 - 0.031	31	0.004	0.003 - 0.006
Idaho	230	0.013	0.012 - 0.015	176	0.021	0.018 - 0.024	54	0.006	0.005 - 0.008
Illinois	3,152	0.025	0.024 - 0.025	2,482	0.039	0.038 - 0.041	670	0.010	0.010 - 0.011
Iowa	800	0.025	0.024 - 0.027	641	0.041	0.038 - 0.044	158	0.010	0.009 - 0.012
Kentucky	1,531	0.034	0.033 - 0.036	1,142	0.052	0.049 - 0.055	389	0.017	0.016 - 0.019
Louisiana	1,386	0.030	0.028 - 0.031	1,067	0.047	0.044 - 0.050	319	0.013	0.012 - 0.015
Maine	390	0.029	0.026 - 0.032	296	0.045	0.040 - 0.051	94	0.014	0.011 - 0.017
Maryland	1,143	0.019	0.018 - 0.020	910	0.031	0.029 - 0.033	233	0.008	0.007 - 0.009
Michigan	2,560	0.026	0.025 - 0.027	1,994	0.041	0.039 - 0.042	566	0.011	0.010 - 0.012
MI - Detroit	1,056	0.027	0.026 - 0.029	820	0.044	0.041 - 0.047	236	0.012	0.010 - 0.013
Minnesota	1,081	0.019	0.018 - 0.021	875	0.032	0.030 - 0.034	206	0.007	0.006 - 0.008
Mississippi	837	0.028	0.026 - 0.030	664	0.046	0.042 - 0.049	173	0.011	0.010 - 0.013
Missouri	1,640	0.027	0.026 - 0.028	1,270	0.042	0.040 - 0.045	370	0.012	0.011 - 0.013
Montana	190	0.018	0.016 - 0.021	151	0.029	0.024 - 0.034	39	0.008	0.005 - 0.010
Nebraska	372	0.019	0.018 - 0.022	285	0.030	0.027 - 0.034	87	0.009	0.007 - 0.011
Nevada	389	0.013	0.012 - 0.015	311	0.021	0.019 - 0.024	78	0.005	0.004 - 0.007
New Hampshire	318	0.024	0.021 - 0.026	245	0.037	0.032 - 0.042	73	0.011	0.008 - 0.014
New Jersey	1,816	0.020	0.020 - 0.021	1,457	0.034	0.032 - 0.035	359	0.008	0.007 - 0.009
New Mexico	284	0.014	0.012 - 0.015	235	0.023	0.020 - 0.026	48	0.005	0.003 - 0.006
New York	4,254	0.022	0.021 - 0.022	3,366	0.035	0.034 - 0.037	888	0.009	0.008 - 0.009
North Carolina	2,556	0.025	0.024 - 0.026	1,997	0.040	0.038 - 0.042	559	0.011	0.010 - 0.012
North Dakota	154	0.020	0.017 - 0.024	133	0.034	0.029 - 0.041	21	0.006	0.004 - 0.009
Ohio	3,218	0.028	0.027 - 0.029	2,475	0.043	0.042 - 0.045	743	0.013	0.012 - 0.013
Oklahoma	850	0.022	0.020 - 0.023	647	0.033	0.031 - 0.036	203	0.010	0.009 - 0.012
Oregon	646	0.016	0.014 - 0.017	516	0.025	0.023 - 0.028	130	0.006	0.005 - 0.007
Pennsylvania	3,391	0.027	0.026 - 0.027	2,641	0.042	0.041 - 0.044	750	0.011	0.011 - 0.012
Rhode Island	288	0.027	0.024 - 0.031	217	0.042	0.037 - 0.048	71	0.013	0.010 - 0.016
South Carolina	1,398	0.028	0.027 - 0.030	1,143	0.047	0.045 - 0.050	255	0.010	0.009 - 0.011
Tennessee	1,786	0.027	0.026 - 0.028	1,373	0.042	0.040 - 0.044	413	0.012	0.011 - 0.013
Texas	4,387	0.016	0.015 - 0.016	3,579	0.026	0.025 - 0.026	808	0.006	0.005 - 0.006
Utah	235	0.008	0.007 - 0.009	194	0.013	0.011 - 0.014	41	0.003	0.002 - 0.004
Vermont	169	0.027	0.023 - 0.031	128	0.042	0.035 - 0.049	41	0.013	0.009 - 0.018
Virginia	1,669	0.020	0.019 - 0.021	1,337	0.032	0.030 - 0.034	332	0.008	0.007 - 0.009
Washington ³	1,125	0.015	0.014 - 0.016	913	0.025	0.023 - 0.026	212	0.006	0.005 - 0.007
WA - Seattle	762	0.015	0.014 - 0.016	629	0.025	0.023 - 0.027	133	0.005	0.004 - 0.006
West Virginia	674	0.037	0.034 - 0.040	496	0.055	0.050 - 0.060	178	0.019	0.017 - 0.022
Wisconsin	1,341	0.023	0.022 - 0.024	1,081	0.038	0.035 - 0.040	260	0.009	0.008 - 0.010
Wyoming	105	0.018	0.015 - 0.022	82	0.027	0.022 - 0.034	23	0.008	0.005 - 0.012
NAACCR CDN Combined¹	5,843	0.016	0.015 - 0.016	4,953	0.027	0.026 - 0.028	891	0.005	0.004 - 0.005
Alberta	469	0.011	0.010 - 0.012	396	0.019	0.017 - 0.021	73	0.003	0.003 - 0.004
British Columbia	676	0.014	0.013 - 0.015	581	0.024	0.022 - 0.026	95	0.004	0.003 - 0.005
Manitoba	197	0.015	0.013 - 0.017	169	0.026	0.022 - 0.030	28	0.004	0.003 - 0.006
New Brunswick	160	0.021	0.018 - 0.024	138	0.036	0.031 - 0.043	22	0.006	0.004 - 0.009
Newfoundland and Labrador	149	0.028	0.024 - 0.033	125	0.048	0.040 - 0.057	24	0.009	0.006 - 0.013
Nova Scotia	237	0.025	0.022 - 0.028	185	0.040	0.034 - 0.046	52	0.011	0.008 - 0.014
Ontario	2,315	0.017	0.016 - 0.017	1,973	0.029	0.027 - 0.030	342	0.005	0.004 - 0.005
Prince Edward Island	33	0.022	0.015 - 0.031	-	-	-	-	-	-
Saskatchewan	159	0.014	0.012 - 0.016	128	0.022	0.019 - 0.026	31	0.005	0.004 - 0.008
NAACCR N.A. Combined¹	73,756	0.020	0.020 - 0.021	58,901	0.033	0.033 - 0.033	14,828	0.008	0.008 - 0.008

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-208 Prevalence – Larynx

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	497,371	0.153	0.153 - 0.153	227,664	0.142	0.142 - 0.143	269,692	0.163	0.163 - 0.164
Alabama	7,775	0.160	0.156 - 0.163	4,016	0.170	0.165 - 0.176	3,759	0.150	0.145 - 0.154
Alaska	768	0.104	0.096 - 0.111	389	0.100	0.091 - 0.111	379	0.107	0.097 - 0.119
Arizona	8,677	0.124	0.121 - 0.127	3,747	0.108	0.104 - 0.111	4,930	0.140	0.136 - 0.144
Arkansas	5,771	0.193	0.188 - 0.198	2,929	0.199	0.192 - 0.206	2,842	0.186	0.180 - 0.193
California	38,855	0.099	0.098 - 0.100	16,993	0.087	0.086 - 0.088	21,862	0.111	0.109 - 0.112
CA - Greater California	22,481	0.103	0.102 - 0.105	9,665	0.089	0.087 - 0.091	12,815	0.117	0.115 - 0.119
CA - Greater Bay Area	7,915	0.107	0.105 - 0.109	3,571	0.097	0.094 - 0.100	4,344	0.117	0.114 - 0.120
CA - Los Angeles	8,490	0.084	0.082 - 0.086	3,771	0.076	0.073 - 0.078	4,719	0.092	0.089 - 0.095
Colorado	5,527	0.099	0.096 - 0.102	2,411	0.086	0.083 - 0.089	3,116	0.112	0.109 - 0.116
Connecticut	7,222	0.202	0.197 - 0.207	3,113	0.178	0.172 - 0.185	4,109	0.224	0.218 - 0.231
Delaware	1,904	0.200	0.191 - 0.209	844	0.183	0.171 - 0.196	1,060	0.215	0.203 - 0.229
District of Columbia	747	0.108	0.100 - 0.116	306	0.093	0.083 - 0.104	441	0.121	0.110 - 0.133
Florida	40,769	0.196	0.194 - 0.198	18,989	0.187	0.184 - 0.189	21,780	0.205	0.202 - 0.208
Georgia	14,138	0.136	0.134 - 0.139	6,860	0.136	0.133 - 0.139	7,278	0.137	0.134 - 0.140
Hawaii	1,768	0.124	0.118 - 0.130	869	0.121	0.113 - 0.130	900	0.127	0.119 - 0.135
Idaho	1,933	0.114	0.109 - 0.119	859	0.101	0.094 - 0.108	1,073	0.126	0.119 - 0.134
Illinois	22,819	0.178	0.176 - 0.181	10,360	0.165	0.162 - 0.168	12,459	0.191	0.188 - 0.195
Iowa	5,014	0.160	0.155 - 0.164	2,356	0.151	0.145 - 0.157	2,658	0.169	0.162 - 0.175
Kentucky	9,681	0.218	0.213 - 0.222	4,626	0.211	0.205 - 0.217	5,055	0.224	0.218 - 0.230
Louisiana	6,993	0.150	0.146 - 0.153	3,428	0.150	0.145 - 0.155	3,565	0.149	0.144 - 0.154
Maine	3,091	0.232	0.224 - 0.240	1,344	0.206	0.195 - 0.217	1,747	0.257	0.245 - 0.269
Maryland	9,238	0.154	0.150 - 0.157	3,957	0.136	0.132 - 0.140	5,281	0.170	0.166 - 0.175
Michigan	19,864	0.199	0.197 - 0.202	9,147	0.187	0.183 - 0.190	10,717	0.212	0.208 - 0.216
MI - Detroit	7,350	0.189	0.185 - 0.194	3,234	0.172	0.166 - 0.178	4,116	0.206	0.200 - 0.212
Minnesota	8,850	0.160	0.156 - 0.163	3,907	0.142	0.137 - 0.146	4,943	0.177	0.173 - 0.183
Mississippi	5,242	0.175	0.171 - 0.180	2,723	0.188	0.181 - 0.195	2,519	0.164	0.157 - 0.170
Missouri	11,353	0.186	0.183 - 0.190	5,209	0.174	0.169 - 0.179	6,144	0.198	0.193 - 0.203
Montana	1,588	0.152	0.144 - 0.159	663	0.126	0.116 - 0.136	925	0.178	0.167 - 0.190
Nebraska	2,686	0.140	0.135 - 0.146	1,244	0.130	0.123 - 0.138	1,442	0.151	0.143 - 0.159
Nevada	3,574	0.121	0.117 - 0.125	1,504	0.102	0.097 - 0.107	2,070	0.141	0.135 - 0.147
New Hampshire	2,717	0.202	0.194 - 0.210	1,130	0.170	0.160 - 0.180	1,587	0.234	0.222 - 0.245
New Jersey	14,937	0.168	0.165 - 0.171	6,169	0.142	0.139 - 0.146	8,768	0.193	0.189 - 0.197
New Mexico	1,951	0.093	0.089 - 0.097	901	0.087	0.081 - 0.093	1,050	0.099	0.093 - 0.106
New York	35,268	0.180	0.178 - 0.182	15,216	0.160	0.157 - 0.162	20,052	0.199	0.196 - 0.201
North Carolina	17,971	0.176	0.173 - 0.179	8,638	0.174	0.170 - 0.177	9,333	0.178	0.174 - 0.182
North Dakota	1,115	0.148	0.139 - 0.157	543	0.140	0.129 - 0.153	572	0.156	0.143 - 0.169
Ohio	20,803	0.179	0.176 - 0.181	9,726	0.170	0.167 - 0.174	11,077	0.186	0.183 - 0.190
Oklahoma	5,896	0.150	0.146 - 0.154	2,925	0.150	0.145 - 0.156	2,971	0.150	0.144 - 0.155
Oregon	6,174	0.150	0.146 - 0.154	2,796	0.137	0.132 - 0.142	3,378	0.163	0.157 - 0.168
Pennsylvania	25,056	0.196	0.194 - 0.198	11,251	0.180	0.176 - 0.183	13,805	0.212	0.208 - 0.215
Rhode Island	2,363	0.224	0.215 - 0.233	976	0.190	0.178 - 0.202	1,387	0.255	0.242 - 0.269
South Carolina	8,484	0.170	0.166 - 0.174	4,150	0.171	0.166 - 0.177	4,334	0.169	0.164 - 0.174
Tennessee	12,355	0.185	0.182 - 0.188	6,011	0.185	0.180 - 0.189	6,344	0.186	0.181 - 0.190
Texas	28,639	0.102	0.101 - 0.103	13,776	0.099	0.097 - 0.100	14,863	0.105	0.103 - 0.107
Utah	1,446	0.047	0.045 - 0.050	665	0.043	0.040 - 0.046	781	0.051	0.048 - 0.055
Vermont	1,313	0.210	0.199 - 0.222	560	0.182	0.167 - 0.197	753	0.238	0.222 - 0.256
Virginia	12,321	0.146	0.143 - 0.149	5,691	0.137	0.134 - 0.141	6,630	0.155	0.151 - 0.158
Washington ³	10,178	0.138	0.136 - 0.141	4,454	0.121	0.117 - 0.125	5,725	0.156	0.152 - 0.160
WA - Seattle	7,068	0.139	0.136 - 0.143	3,089	0.122	0.117 - 0.126	3,980	0.157	0.152 - 0.162
West Virginia	4,174	0.229	0.222 - 0.236	2,007	0.222	0.213 - 0.232	2,167	0.235	0.225 - 0.245
Wisconsin	9,780	0.169	0.166 - 0.173	4,425	0.154	0.149 - 0.158	5,355	0.184	0.179 - 0.189
Wyoming	642	0.110	0.102 - 0.119	307	0.103	0.092 - 0.116	335	0.118	0.106 - 0.131
NAACCR CDN Combined¹	55,478	0.149	0.148 - 0.151	24,519	0.133	0.131 - 0.135	30,932	0.165	0.163 - 0.167
Alberta	4,766	0.113	0.110 - 0.116	2,082	0.098	0.094 - 0.102	2,684	0.128	0.124 - 0.133
British Columbia	6,905	0.141	0.138 - 0.145	3,022	0.125	0.120 - 0.129	3,883	0.157	0.152 - 0.162
Manitoba	2,020	0.153	0.146 - 0.159	848	0.128	0.120 - 0.137	1,172	0.177	0.167 - 0.187
New Brunswick	1,795	0.235	0.224 - 0.246	864	0.228	0.213 - 0.244	931	0.241	0.226 - 0.257
Newfoundland and Labrador	1,088	0.206	0.194 - 0.218	556	0.212	0.195 - 0.230	532	0.199	0.183 - 0.217
Nova Scotia	2,036	0.215	0.206 - 0.225	908	0.196	0.184 - 0.209	1,128	0.233	0.220 - 0.247
Ontario	21,303	0.152	0.150 - 0.155	9,369	0.136	0.133 - 0.139	11,934	0.168	0.165 - 0.171
Prince Edward Island	267	0.180	0.159 - 0.202	104	0.143	0.117 - 0.173	163	0.214	0.183 - 0.250
Saskatchewan	1,506	0.132	0.125 - 0.139	673	0.117	0.108 - 0.126	833	0.147	0.137 - 0.157
NAACCR N.A. Combined¹	552,849	0.153	0.152 - 0.153	252,183	0.142	0.141 - 0.142	300,624	0.163	0.163 - 0.164

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	551,833	0.169	0.168 - 0.169	306,140	0.190	0.189 - 0.191	245,543	0.148	0.147 - 0.148
Alabama	8,608	0.177	0.173 - 0.181	4,920	0.209	0.203 - 0.215	3,688	0.147	0.142 - 0.152
Alaska	713	0.096	0.089 - 0.104	374	0.097	0.087 - 0.107	339	0.096	0.086 - 0.107
Arizona	10,885	0.156	0.153 - 0.159	6,505	0.187	0.182 - 0.192	4,380	0.124	0.121 - 0.128
Arkansas	4,486	0.150	0.145 - 0.154	2,610	0.177	0.171 - 0.184	1,876	0.123	0.118 - 0.129
California	63,748	0.162	0.161 - 0.163	36,273	0.186	0.184 - 0.188	27,474	0.139	0.137 - 0.141
CA - Greater California	39,636	0.182	0.180 - 0.184	22,518	0.207	0.205 - 0.210	17,118	0.157	0.154 - 0.159
CA - Greater Bay Area	14,151	0.191	0.188 - 0.194	7,978	0.216	0.212 - 0.221	6,172	0.166	0.162 - 0.170
CA - Los Angeles	9,997	0.099	0.097 - 0.101	5,803	0.116	0.113 - 0.119	4,193	0.082	0.079 - 0.084
Colorado	9,247	0.166	0.162 - 0.169	5,077	0.181	0.176 - 0.186	4,170	0.150	0.146 - 0.155
Connecticut	6,920	0.194	0.189 - 0.198	3,736	0.214	0.207 - 0.221	3,184	0.174	0.168 - 0.180
Delaware	2,395	0.251	0.241 - 0.262	1,379	0.299	0.284 - 0.315	1,016	0.206	0.194 - 0.220
District of Columbia	487	0.070	0.064 - 0.077	289	0.088	0.078 - 0.099	198	0.055	0.047 - 0.063
Florida	40,036	0.192	0.191 - 0.194	23,990	0.236	0.233 - 0.239	16,046	0.151	0.149 - 0.153
Georgia	18,974	0.183	0.181 - 0.186	10,680	0.212	0.208 - 0.216	8,294	0.156	0.153 - 0.159
Hawaii	2,612	0.183	0.176 - 0.190	1,576	0.220	0.209 - 0.231	1,036	0.146	0.137 - 0.155
Idaho	3,420	0.201	0.194 - 0.208	1,903	0.223	0.213 - 0.234	1,517	0.179	0.170 - 0.188
Illinois	20,076	0.157	0.155 - 0.159	10,620	0.169	0.166 - 0.172	9,456	0.145	0.142 - 0.148
Iowa	6,598	0.210	0.205 - 0.215	3,401	0.218	0.211 - 0.225	3,197	0.203	0.196 - 0.210
Kentucky	9,267	0.208	0.204 - 0.213	4,958	0.226	0.220 - 0.233	4,309	0.191	0.185 - 0.197
Louisiana	5,820	0.125	0.121 - 0.128	3,412	0.149	0.144 - 0.154	2,408	0.101	0.097 - 0.105
Maine	3,226	0.242	0.234 - 0.250	1,695	0.260	0.247 - 0.272	1,531	0.225	0.214 - 0.237
Maryland	10,988	0.183	0.179 - 0.186	6,141	0.211	0.205 - 0.216	4,847	0.156	0.152 - 0.161
Michigan	16,314	0.164	0.161 - 0.166	8,683	0.177	0.173 - 0.181	7,631	0.151	0.147 - 0.154
MI - Detroit	5,629	0.145	0.141 - 0.149	2,982	0.158	0.153 - 0.164	2,647	0.132	0.127 - 0.138
Minnesota	13,456	0.243	0.239 - 0.247	7,035	0.255	0.249 - 0.261	6,421	0.231	0.225 - 0.236
Mississippi	4,014	0.134	0.130 - 0.139	2,236	0.154	0.148 - 0.161	1,778	0.116	0.110 - 0.121
Missouri	9,381	0.154	0.151 - 0.157	5,253	0.175	0.171 - 0.180	4,128	0.133	0.129 - 0.137
Montana	2,191	0.209	0.201 - 0.218	1,210	0.230	0.217 - 0.243	982	0.189	0.177 - 0.201
Nebraska	3,331	0.174	0.168 - 0.180	1,689	0.177	0.169 - 0.186	1,642	0.171	0.163 - 0.180
Nevada	3,221	0.109	0.106 - 0.113	1,833	0.124	0.118 - 0.130	1,388	0.095	0.090 - 0.100
New Hampshire	3,538	0.263	0.254 - 0.272	1,878	0.282	0.269 - 0.295	1,660	0.244	0.233 - 0.256
New Jersey	16,648	0.187	0.185 - 0.190	9,108	0.210	0.206 - 0.214	7,540	0.166	0.162 - 0.170
New Mexico	2,792	0.133	0.129 - 0.138	1,578	0.152	0.145 - 0.160	1,214	0.115	0.109 - 0.122
New York	29,689	0.151	0.150 - 0.153	16,139	0.169	0.167 - 0.172	13,551	0.134	0.132 - 0.137
North Carolina	19,901	0.195	0.192 - 0.198	11,134	0.224	0.220 - 0.228	8,767	0.167	0.164 - 0.171
North Dakota	1,333	0.177	0.167 - 0.186	663	0.171	0.159 - 0.185	670	0.182	0.169 - 0.197
Ohio	21,531	0.185	0.182 - 0.187	11,342	0.199	0.195 - 0.202	10,189	0.171	0.168 - 0.175
Oklahoma	5,734	0.146	0.142 - 0.150	3,304	0.170	0.164 - 0.176	2,430	0.123	0.118 - 0.128
Oregon	9,612	0.233	0.229 - 0.238	5,041	0.247	0.240 - 0.254	4,571	0.220	0.214 - 0.226
Pennsylvania	25,705	0.201	0.199 - 0.203	14,003	0.224	0.220 - 0.227	11,702	0.179	0.176 - 0.183
Rhode Island	2,104	0.199	0.191 - 0.208	1,113	0.217	0.204 - 0.230	991	0.182	0.171 - 0.194
South Carolina	9,503	0.190	0.187 - 0.194	5,314	0.219	0.214 - 0.225	4,189	0.163	0.158 - 0.168
Tennessee	11,221	0.168	0.165 - 0.171	6,198	0.190	0.186 - 0.195	5,023	0.147	0.143 - 0.151
Texas	24,509	0.087	0.086 - 0.088	14,096	0.101	0.099 - 0.103	10,413	0.074	0.072 - 0.075
Utah	6,892	0.224	0.219 - 0.230	3,892	0.252	0.244 - 0.260	3,000	0.197	0.190 - 0.204
Vermont	1,981	0.317	0.304 - 0.332	1,093	0.355	0.334 - 0.376	888	0.281	0.263 - 0.300
Virginia	12,946	0.153	0.151 - 0.156	7,219	0.174	0.170 - 0.178	5,727	0.134	0.130 - 0.137
Washington ³	15,436	0.210	0.206 - 0.213	8,154	0.222	0.217 - 0.226	7,282	0.198	0.193 - 0.202
WA - Seattle	11,666	0.230	0.226 - 0.234	6,162	0.243	0.237 - 0.249	5,504	0.217	0.211 - 0.223
West Virginia	3,433	0.188	0.182 - 0.195	1,873	0.208	0.198 - 0.217	1,560	0.169	0.161 - 0.178
Wisconsin	11,257	0.195	0.191 - 0.198	6,093	0.212	0.207 - 0.217	5,164	0.178	0.173 - 0.183
Wyoming	1,049	0.180	0.170 - 0.192	562	0.189	0.174 - 0.205	487	0.171	0.156 - 0.187
NAACCR CDN Combined¹	57,061	0.154	0.153 - 0.156	29,472	0.161	0.159 - 0.163	27,553	0.148	0.146 - 0.150
Alberta	4,817	0.114	0.111 - 0.117	2,430	0.114	0.110 - 0.119	2,387	0.114	0.110 - 0.119
British Columbia	7,908	0.162	0.158 - 0.165	4,121	0.170	0.165 - 0.175	3,787	0.153	0.148 - 0.158
Manitoba	1,492	0.113	0.107 - 0.119	762	0.115	0.107 - 0.124	730	0.110	0.102 - 0.118
New Brunswick	1,373	0.179	0.170 - 0.189	685	0.181	0.168 - 0.195	688	0.178	0.165 - 0.192
Newfoundland and Labrador	754	0.143	0.133 - 0.153	383	0.146	0.132 - 0.161	371	0.139	0.125 - 0.154
Nova Scotia	2,306	0.244	0.234 - 0.254	1,160	0.251	0.237 - 0.266	1,146	0.237	0.223 - 0.251
Ontario	22,953	0.164	0.162 - 0.166	11,967	0.174	0.171 - 0.177	10,986	0.155	0.152 - 0.158
Prince Edward Island	379	0.255	0.230 - 0.282	180	0.248	0.213 - 0.287	199	0.262	0.226 - 0.301
Saskatchewan	1,180	0.103	0.097 - 0.109	555	0.096	0.089 - 0.105	625	0.110	0.102 - 0.119
NAACCR N.A. Combined¹	608,894	0.167	0.167 - 0.168	335,612	0.188	0.187 - 0.188	273,096	0.148	0.147 - 0.148

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-210 Prevalence – Melanoma of the Skin

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		1,802,960	1.093	1.092 - 1.095
Alabama	-	-		-	-		27,420	1.091	1.079 - 1.104
Alaska	-	-		-	-		3,351	0.948	0.916 - 0.981
Arizona	-	-		-	-		34,221	0.973	0.962 - 0.983
Arkansas	-	-		-	-		15,589	1.023	1.007 - 1.039
California	-	-		-	-		200,935	1.016	1.012 - 1.021
CA - Greater California	-	-		-	-		110,271	1.009	1.003 - 1.015
CA - Greater Bay Area	-	-		-	-		41,404	1.115	1.104 - 1.126
CA - Los Angeles	-	-		-	-		49,340	0.961	0.953 - 0.970
Colorado	-	-		-	-		28,666	1.034	1.022 - 1.046
Connecticut	-	-		-	-		25,192	1.375	1.358 - 1.392
Delaware	-	-		-	-		5,970	1.213	1.182 - 1.244
District of Columbia	-	-		-	-		3,538	0.974	0.942 - 1.007
Florida	-	-		-	-		119,140	1.121	1.114 - 1.127
Georgia	-	-		-	-		52,516	0.988	0.979 - 0.996
Hawaii	-	-		-	-		9,043	1.273	1.247 - 1.300
Idaho	-	-		-	-		8,427	0.993	0.972 - 1.014
Illinois	-	-		-	-		76,689	1.177	1.169 - 1.185
Iowa	-	-		-	-		18,269	1.158	1.142 - 1.175
Kentucky	-	-		-	-		25,243	1.119	1.105 - 1.133
Louisiana	-	-		-	-		24,582	1.029	1.016 - 1.042
Maine	-	-		-	-		9,264	1.362	1.334 - 1.390
Maryland	-	-		-	-		36,262	1.170	1.158 - 1.182
Michigan	-	-		-	-		57,701	1.140	1.131 - 1.150
MI - Detroit	-	-		-	-		24,168	1.209	1.194 - 1.224
Minnesota	-	-		-	-		33,046	1.187	1.174 - 1.199
Mississippi	-	-		-	-		15,338	0.997	0.981 - 1.012
Missouri	-	-		-	-		36,045	1.161	1.149 - 1.173
Montana	-	-		-	-		6,124	1.178	1.149 - 1.208
Nebraska	-	-		-	-		10,424	1.088	1.068 - 1.109
Nevada	-	-		-	-		12,974	0.884	0.869 - 0.899
New Hampshire	-	-		-	-		9,533	1.403	1.375 - 1.431
New Jersey	-	-		-	-		57,081	1.256	1.246 - 1.266
New Mexico	-	-		-	-		10,633	1.006	0.987 - 1.025
New York	-	-		-	-		120,827	1.197	1.190 - 1.204
North Carolina	-	-		-	-		60,113	1.147	1.138 - 1.156
North Dakota	-	-		-	-		3,994	1.086	1.053 - 1.120
Ohio	-	-		-	-		69,006	1.161	1.153 - 1.170
Oklahoma	-	-		-	-		20,016	1.009	0.996 - 1.024
Oregon	-	-		-	-		24,481	1.178	1.164 - 1.193
Pennsylvania	-	-		-	-		82,917	1.271	1.262 - 1.279
Rhode Island	-	-		-	-		7,208	1.327	1.297 - 1.358
South Carolina	-	-		-	-		28,767	1.120	1.107 - 1.133
Tennessee	-	-		-	-		37,207	1.088	1.077 - 1.099
Texas	-	-		-	-		120,022	0.848	0.843 - 0.853
Utah	-	-		-	-		11,045	0.724	0.711 - 0.738
Vermont	-	-		-	-		4,334	1.372	1.332 - 1.414
Virginia	-	-		-	-		47,370	1.105	1.095 - 1.115
Washington ³	-	-		-	-		43,138	1.172	1.161 - 1.183
WA - Seattle	-	-		-	-		30,675	1.209	1.196 - 1.223
West Virginia	-	-		-	-		10,880	1.181	1.159 - 1.203
Wisconsin	-	-		-	-		35,021	1.205	1.192 - 1.217
Wyoming	-	-		-	-		2,808	0.986	0.950 - 1.023
NAACCR CDN Combined¹	-	-		-	-		199,006	1.068	1.063 - 1.074
Alberta	-	-		-	-		19,025	0.910	0.897 - 0.923
British Columbia	-	-		-	-		26,355	1.067	1.054 - 1.080
Manitoba	-	-		-	-		6,634	1.000	0.976 - 1.024
New Brunswick	-	-		-	-		4,607	1.191	1.157 - 1.226
Newfoundland and Labrador	-	-		-	-		3,252	1.219	1.178 - 1.262
Nova Scotia	-	-		-	-		5,955	1.230	1.199 - 1.262
Ontario	-	-		-	-		78,255	1.104	1.096 - 1.112
Prince Edward Island	-	-		-	-		895	1.176	1.100 - 1.256
Saskatchewan	-	-		-	-		5,608	0.988	0.963 - 1.014
NAACCR N.A. Combined¹	-	-		-	-		2,001,966	1.091	1.090 - 1.093

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		84,619	0.052	0.051 - 0.052
Alabama	-	-		-	-		1,386	0.055	0.052 - 0.058
Alaska	-	-		-	-		180	0.051	0.044 - 0.059
Arizona	-	-		-	-		1,503	0.043	0.041 - 0.045
Arkansas	-	-		-	-		927	0.061	0.057 - 0.065
California	-	-		-	-		9,947	0.050	0.049 - 0.051
CA - Greater California	-	-		-	-		5,390	0.049	0.048 - 0.051
CA - Greater Bay Area	-	-		-	-		1,670	0.045	0.043 - 0.047
CA - Los Angeles	-	-		-	-		2,889	0.056	0.054 - 0.058
Colorado	-	-		-	-		1,166	0.042	0.040 - 0.045
Connecticut	-	-		-	-		857	0.047	0.044 - 0.050
Delaware	-	-		-	-		282	0.057	0.051 - 0.064
District of Columbia	-	-		-	-		188	0.052	0.045 - 0.060
Florida	-	-		-	-		6,256	0.059	0.057 - 0.060
Georgia	-	-		-	-		2,610	0.049	0.047 - 0.051
Hawaii	-	-		-	-		368	0.052	0.047 - 0.057
Idaho	-	-		-	-		331	0.039	0.035 - 0.043
Illinois	-	-		-	-		3,707	0.057	0.055 - 0.059
Iowa	-	-		-	-		747	0.047	0.044 - 0.051
Kentucky	-	-		-	-		1,312	0.058	0.055 - 0.061
Louisiana	-	-		-	-		1,340	0.056	0.053 - 0.059
Maine	-	-		-	-		313	0.046	0.041 - 0.051
Maryland	-	-		-	-		1,413	0.046	0.043 - 0.048
Michigan	-	-		-	-		2,382	0.047	0.045 - 0.049
MI - Detroit	-	-		-	-		965	0.048	0.045 - 0.051
Minnesota	-	-		-	-		1,161	0.042	0.039 - 0.044
Mississippi	-	-		-	-		869	0.056	0.053 - 0.060
Missouri	-	-		-	-		1,668	0.054	0.051 - 0.056
Montana	-	-		-	-		249	0.048	0.042 - 0.054
Nebraska	-	-		-	-		445	0.046	0.042 - 0.051
Nevada	-	-		-	-		759	0.052	0.048 - 0.056
New Hampshire	-	-		-	-		257	0.038	0.033 - 0.043
New Jersey	-	-		-	-		2,521	0.055	0.053 - 0.058
New Mexico	-	-		-	-		536	0.051	0.046 - 0.055
New York	-	-		-	-		5,386	0.053	0.052 - 0.055
North Carolina	-	-		-	-		2,515	0.048	0.046 - 0.050
North Dakota	-	-		-	-		133	0.036	0.030 - 0.043
Ohio	-	-		-	-		3,076	0.052	0.050 - 0.054
Oklahoma	-	-		-	-		1,164	0.059	0.055 - 0.062
Oregon	-	-		-	-		1,001	0.048	0.045 - 0.051
Pennsylvania	-	-		-	-		3,467	0.053	0.051 - 0.055
Rhode Island	-	-		-	-		286	0.053	0.047 - 0.059
South Carolina	-	-		-	-		1,268	0.049	0.047 - 0.052
Tennessee	-	-		-	-		1,855	0.054	0.052 - 0.057
Texas	-	-		-	-		8,195	0.058	0.057 - 0.059
Utah	-	-		-	-		464	0.030	0.028 - 0.033
Vermont	-	-		-	-		108	0.034	0.028 - 0.041
Virginia	-	-		-	-		1,827	0.043	0.041 - 0.045
Washington ³	-	-		-	-		1,781	0.048	0.046 - 0.051
WA - Seattle	-	-		-	-		1,279	0.050	0.048 - 0.053
West Virginia	-	-		-	-		592	0.064	0.059 - 0.070
Wisconsin	-	-		-	-		1,322	0.045	0.043 - 0.048
Wyoming	-	-		-	-		130	0.046	0.038 - 0.054
NAACCR CDN Combined¹	-	-		-	-		10,597	0.058	0.056 - 0.059
Alberta	-	-		-	-		1,215	0.058	0.055 - 0.061
British Columbia	-	-		-	-		1,355	0.055	0.052 - 0.058
Manitoba	-	-		-	-		341	0.051	0.046 - 0.057
New Brunswick	-	-		-	-		210	0.054	0.047 - 0.062
Newfoundland and Labrador	-	-		-	-		226	0.085	0.074 - 0.097
Nova Scotia	-	-		-	-		289	0.060	0.053 - 0.067
Ontario	-	-		-	-		4,143	0.058	0.057 - 0.060
Prince Edward Island	-	-		-	-		51	0.067	0.050 - 0.088
Saskatchewan	-	-		-	-		307	0.054	0.048 - 0.061
NAACCR N.A. Combined¹	-	-		-	-		95,217	0.052	0.052 - 0.052

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-212 Prevalence – Cervix Uteri

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		375,413	0.228	0.227 - 0.228
Alabama	-	-		-	-		4,184	0.167	0.162 - 0.172
Alaska	-	-		-	-		701	0.198	0.184 - 0.214
Arizona	-	-		-	-		6,656	0.189	0.185 - 0.194
Arkansas	-	-		-	-		3,001	0.197	0.190 - 0.204
California	-	-		-	-		40,163	0.203	0.201 - 0.205
CA - Greater California	-	-		-	-		21,505	0.197	0.194 - 0.199
CA - Greater Bay Area	-	-		-	-		8,149	0.219	0.215 - 0.224
CA - Los Angeles	-	-		-	-		10,510	0.205	0.201 - 0.209
Colorado	-	-		-	-		5,071	0.183	0.178 - 0.188
Connecticut	-	-		-	-		5,424	0.296	0.288 - 0.304
Delaware	-	-		-	-		1,349	0.274	0.260 - 0.289
District of Columbia	-	-		-	-		672	0.185	0.171 - 0.200
Florida	-	-		-	-		22,866	0.215	0.212 - 0.218
Georgia	-	-		-	-		8,804	0.166	0.162 - 0.169
Hawaii	-	-		-	-		1,938	0.273	0.261 - 0.285
Idaho	-	-		-	-		1,701	0.200	0.191 - 0.210
Illinois	-	-		-	-		17,219	0.264	0.260 - 0.268
Iowa	-	-		-	-		4,611	0.292	0.284 - 0.301
Kentucky	-	-		-	-		5,387	0.239	0.232 - 0.245
Louisiana	-	-		-	-		3,648	0.153	0.148 - 0.158
Maine	-	-		-	-		2,381	0.350	0.336 - 0.364
Maryland	-	-		-	-		7,131	0.230	0.225 - 0.236
Michigan	-	-		-	-		13,877	0.274	0.270 - 0.279
MI - Detroit	-	-		-	-		5,575	0.279	0.272 - 0.286
Minnesota	-	-		-	-		7,754	0.278	0.272 - 0.285
Mississippi	-	-		-	-		2,639	0.171	0.165 - 0.178
Missouri	-	-		-	-		7,449	0.240	0.235 - 0.245
Montana	-	-		-	-		1,271	0.245	0.231 - 0.258
Nebraska	-	-		-	-		2,322	0.242	0.233 - 0.253
Nevada	-	-		-	-		2,351	0.160	0.154 - 0.167
New Hampshire	-	-		-	-		2,257	0.332	0.319 - 0.346
New Jersey	-	-		-	-		13,262	0.292	0.287 - 0.297
New Mexico	-	-		-	-		2,284	0.216	0.207 - 0.225
New York	-	-		-	-		28,420	0.282	0.278 - 0.285
North Carolina	-	-		-	-		11,162	0.213	0.209 - 0.217
North Dakota	-	-		-	-		811	0.221	0.206 - 0.236
Ohio	-	-		-	-		16,599	0.279	0.275 - 0.284
Oklahoma	-	-		-	-		3,662	0.185	0.179 - 0.191
Oregon	-	-		-	-		5,450	0.262	0.255 - 0.269
Pennsylvania	-	-		-	-		21,067	0.323	0.318 - 0.327
Rhode Island	-	-		-	-		1,672	0.308	0.293 - 0.323
South Carolina	-	-		-	-		5,047	0.196	0.191 - 0.202
Tennessee	-	-		-	-		6,931	0.203	0.198 - 0.207
Texas	-	-		-	-		21,866	0.154	0.152 - 0.157
Utah	-	-		-	-		2,564	0.168	0.162 - 0.175
Vermont	-	-		-	-		1,126	0.356	0.336 - 0.378
Virginia	-	-		-	-		9,017	0.210	0.206 - 0.215
Washington ³	-	-		-	-		8,547	0.232	0.227 - 0.237
WA - Seattle	-	-		-	-		5,975	0.236	0.230 - 0.242
West Virginia	-	-		-	-		3,010	0.327	0.315 - 0.339
Wisconsin	-	-		-	-		8,553	0.294	0.288 - 0.301
Wyoming	-	-		-	-		567	0.199	0.183 - 0.216
NAACCR CDN Combined¹	-	-		-	-		45,756	0.245	0.243 - 0.248
Alberta	-	-		-	-		4,211	0.201	0.195 - 0.207
British Columbia	-	-		-	-		5,754	0.233	0.227 - 0.239
Manitoba	-	-		-	-		1,929	0.291	0.278 - 0.304
New Brunswick	-	-		-	-		1,006	0.260	0.244 - 0.277
Newfoundland and Labrador	-	-		-	-		864	0.324	0.303 - 0.346
Nova Scotia	-	-		-	-		1,225	0.253	0.239 - 0.268
Ontario	-	-		-	-		18,138	0.256	0.252 - 0.260
Prince Edward Island	-	-		-	-		157	0.206	0.175 - 0.241
Saskatchewan	-	-		-	-		1,277	0.225	0.213 - 0.238
NAACCR N.A. Combined¹	-	-		-	-		421,169	0.229	0.228 - 0.230

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		104,575	0.063	0.063 - 0.064
Alabama	-	-		-	-		1,558	0.062	0.059 - 0.065
Alaska	-	-		-	-		198	0.056	0.048 - 0.064
Arizona	-	-		-	-		2,046	0.058	0.056 - 0.061
Arkansas	-	-		-	-		852	0.056	0.052 - 0.060
California	-	-		-	-		12,519	0.063	0.062 - 0.064
CA - Greater California	-	-		-	-		6,554	0.060	0.059 - 0.061
CA - Greater Bay Area	-	-		-	-		2,494	0.067	0.065 - 0.070
CA - Los Angeles	-	-		-	-		3,473	0.068	0.065 - 0.070
Colorado	-	-		-	-		1,598	0.058	0.055 - 0.061
Connecticut	-	-		-	-		1,383	0.076	0.072 - 0.080
Delaware	-	-		-	-		313	0.064	0.057 - 0.071
District of Columbia	-	-		-	-		194	0.053	0.046 - 0.061
Florida	-	-		-	-		7,224	0.068	0.066 - 0.070
Georgia	-	-		-	-		2,927	0.055	0.053 - 0.057
Hawaii	-	-		-	-		442	0.062	0.057 - 0.068
Idaho	-	-		-	-		456	0.054	0.049 - 0.059
Illinois	-	-		-	-		4,431	0.068	0.066 - 0.070
Iowa	-	-		-	-		1,013	0.064	0.060 - 0.068
Kentucky	-	-		-	-		1,319	0.058	0.055 - 0.062
Louisiana	-	-		-	-		1,124	0.047	0.044 - 0.050
Maine	-	-		-	-		468	0.069	0.063 - 0.075
Maryland	-	-		-	-		1,938	0.063	0.060 - 0.065
Michigan	-	-		-	-		3,521	0.070	0.067 - 0.072
MI - Detroit	-	-		-	-		1,463	0.073	0.070 - 0.077
Minnesota	-	-		-	-		1,838	0.066	0.063 - 0.069
Mississippi	-	-		-	-		774	0.050	0.047 - 0.054
Missouri	-	-		-	-		1,824	0.059	0.056 - 0.062
Montana	-	-		-	-		364	0.070	0.063 - 0.078
Nebraska	-	-		-	-		564	0.059	0.054 - 0.064
Nevada	-	-		-	-		737	0.050	0.047 - 0.054
New Hampshire	-	-		-	-		488	0.072	0.066 - 0.078
New Jersey	-	-		-	-		3,486	0.077	0.074 - 0.079
New Mexico	-	-		-	-		644	0.061	0.056 - 0.066
New York	-	-		-	-		7,480	0.074	0.072 - 0.076
North Carolina	-	-		-	-		3,270	0.062	0.060 - 0.065
North Dakota	-	-		-	-		222	0.060	0.053 - 0.069
Ohio	-	-		-	-		3,940	0.066	0.064 - 0.068
Oklahoma	-	-		-	-		1,184	0.060	0.056 - 0.063
Oregon	-	-		-	-		1,350	0.065	0.062 - 0.069
Pennsylvania	-	-		-	-		5,044	0.077	0.075 - 0.079
Rhode Island	-	-		-	-		387	0.071	0.064 - 0.079
South Carolina	-	-		-	-		1,336	0.052	0.049 - 0.055
Tennessee	-	-		-	-		2,020	0.059	0.057 - 0.062
Texas	-	-		-	-		7,431	0.052	0.051 - 0.054
Utah	-	-		-	-		697	0.046	0.042 - 0.049
Vermont	-	-		-	-		235	0.074	0.065 - 0.085
Virginia	-	-		-	-		2,506	0.058	0.056 - 0.061
Washington ³	-	-		-	-		2,367	0.064	0.062 - 0.067
WA - Seattle	-	-		-	-		1,704	0.067	0.064 - 0.070
West Virginia	-	-		-	-		677	0.073	0.068 - 0.079
Wisconsin	-	-		-	-		2,184	0.075	0.072 - 0.078
Wyoming	-	-		-	-		179	0.063	0.054 - 0.073
NAACCR CDN Combined¹	-	-		-	-		12,740	0.069	0.067 - 0.070
Alberta	-	-		-	-		999	0.048	0.045 - 0.051
British Columbia	-	-		-	-		1,564	0.063	0.060 - 0.067
Manitoba	-	-		-	-		433	0.065	0.059 - 0.072
New Brunswick	-	-		-	-		230	0.059	0.052 - 0.068
Newfoundland and Labrador	-	-		-	-		183	0.069	0.059 - 0.079
Nova Scotia	-	-		-	-		310	0.064	0.057 - 0.072
Ontario	-	-		-	-		5,597	0.079	0.077 - 0.081
Prince Edward Island	-	-		-	-		41	0.054	0.039 - 0.073
Saskatchewan	-	-		-	-		324	0.057	0.051 - 0.064
NAACCR N.A. Combined¹	-	-		-	-		117,315	0.064	0.063 - 0.064

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-214 Prevalence – Ovary

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		1,708,739	1.071	1.069 - 1.072	-	-	
Alabama	-	-		28,699	1.217	1.203 - 1.231	-	-	
Alaska	-	-		2,873	0.742	0.715 - 0.770	-	-	
Arizona	-	-		27,018	0.777	0.767 - 0.786	-	-	
Arkansas	-	-		17,266	1.173	1.155 - 1.190	-	-	
California	-	-		172,007	0.881	0.876 - 0.885	-	-	
CA - Greater California	-	-		95,006	0.875	0.870 - 0.881	-	-	
CA - Greater Bay Area	-	-		36,006	0.976	0.966 - 0.987	-	-	
CA - Los Angeles	-	-		40,996	0.822	0.814 - 0.830	-	-	
Colorado	-	-		26,203	0.934	0.922 - 0.945	-	-	
Connecticut	-	-		22,387	1.283	1.267 - 1.300	-	-	
Delaware	-	-		6,733	1.461	1.426 - 1.496	-	-	
District of Columbia	-	-		3,633	1.108	1.072 - 1.144	-	-	
Florida	-	-		121,491	1.194	1.188 - 1.201	-	-	
Georgia	-	-		53,832	1.068	1.059 - 1.077	-	-	
Hawaii	-	-		6,310	0.881	0.860 - 0.903	-	-	
Idaho	-	-		8,811	1.034	1.013 - 1.056	-	-	
Illinois	-	-		71,193	1.132	1.123 - 1.140	-	-	
Iowa	-	-		17,118	1.097	1.081 - 1.113	-	-	
Kentucky	-	-		22,559	1.030	1.017 - 1.044	-	-	
Louisiana	-	-		28,990	1.269	1.254 - 1.283	-	-	
Maine	-	-		7,927	1.214	1.188 - 1.241	-	-	
Maryland	-	-		36,019	1.235	1.223 - 1.248	-	-	
Michigan	-	-		61,179	1.247	1.238 - 1.257	-	-	
MI - Detroit	-	-		27,319	1.451	1.434 - 1.468	-	-	
Minnesota	-	-		32,408	1.174	1.161 - 1.187	-	-	
Mississippi	-	-		17,869	1.232	1.214 - 1.251	-	-	
Missouri	-	-		30,394	1.015	1.004 - 1.027	-	-	
Montana	-	-		6,870	1.303	1.273 - 1.335	-	-	
Nebraska	-	-		10,333	1.083	1.062 - 1.104	-	-	
Nevada	-	-		12,802	0.866	0.851 - 0.881	-	-	
New Hampshire	-	-		8,964	1.345	1.317 - 1.373	-	-	
New Jersey	-	-		59,726	1.377	1.366 - 1.388	-	-	
New Mexico	-	-		9,451	0.912	0.894 - 0.931	-	-	
New York	-	-		124,010	1.302	1.295 - 1.310	-	-	
North Carolina	-	-		57,589	1.158	1.149 - 1.168	-	-	
North Dakota	-	-		4,433	1.145	1.112 - 1.180	-	-	
Ohio	-	-		63,610	1.114	1.106 - 1.123	-	-	
Oklahoma	-	-		18,651	0.958	0.944 - 0.972	-	-	
Oregon	-	-		21,338	1.045	1.031 - 1.059	-	-	
Pennsylvania	-	-		78,610	1.255	1.247 - 1.264	-	-	
Rhode Island	-	-		5,962	1.161	1.131 - 1.191	-	-	
South Carolina	-	-		28,945	1.196	1.182 - 1.209	-	-	
Tennessee	-	-		36,672	1.126	1.114 - 1.138	-	-	
Texas	-	-		102,036	0.730	0.726 - 0.735	-	-	
Utah	-	-		13,087	0.846	0.831 - 0.860	-	-	
Vermont	-	-		3,597	1.167	1.129 - 1.206	-	-	
Virginia	-	-		42,924	1.034	1.024 - 1.044	-	-	
Washington ³	-	-		37,880	1.029	1.019 - 1.040	-	-	
WA - Seattle	-	-		27,068	1.066	1.054 - 1.079	-	-	
West Virginia	-	-		10,309	1.142	1.120 - 1.164	-	-	
Wisconsin	-	-		33,877	1.178	1.166 - 1.191	-	-	
Wyoming	-	-		3,296	1.110	1.072 - 1.149	-	-	
NAACCR CDN Combined¹	-	-		189,351	1.026	1.020 - 1.031	-	-	
Alberta	-	-		18,608	0.874	0.862 - 0.887	-	-	
British Columbia	-	-		24,484	1.011	0.999 - 1.024	-	-	
Manitoba	-	-		5,448	0.824	0.803 - 0.846	-	-	
New Brunswick	-	-		5,337	1.410	1.373 - 1.449	-	-	
Newfoundland and Labrador	-	-		3,767	1.437	1.391 - 1.483	-	-	
Nova Scotia	-	-		5,669	1.225	1.194 - 1.258	-	-	
Ontario	-	-		72,306	1.050	1.042 - 1.058	-	-	
Prince Edward Island	-	-		959	1.320	1.238 - 1.407	-	-	
Saskatchewan	-	-		5,485	0.952	0.927 - 0.978	-	-	
NAACCR N.A. Combined¹	-	-		1,898,090	1.067	1.065 - 1.068	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		78,297	0.049	0.048 - 0.049	-	-	
Alabama	-	-		906	0.038	0.036 - 0.041	-	-	
Alaska	-	-		210	0.054	0.047 - 0.062	-	-	
Arizona	-	-		1,534	0.044	0.042 - 0.046	-	-	
Arkansas	-	-		605	0.041	0.038 - 0.045	-	-	
California	-	-		10,419	0.053	0.052 - 0.054	-	-	
CA - Greater California	-	-		5,764	0.053	0.052 - 0.054	-	-	
CA - Greater Bay Area	-	-		1,996	0.054	0.052 - 0.057	-	-	
CA - Los Angeles	-	-		2,662	0.053	0.051 - 0.055	-	-	
Colorado	-	-		1,443	0.051	0.049 - 0.054	-	-	
Connecticut	-	-		1,008	0.058	0.054 - 0.061	-	-	
Delaware	-	-		206	0.045	0.039 - 0.051	-	-	
District of Columbia	-	-		159	0.048	0.041 - 0.057	-	-	
Florida	-	-		3,891	0.038	0.037 - 0.039	-	-	
Georgia	-	-		1,831	0.036	0.035 - 0.038	-	-	
Hawaii	-	-		368	0.051	0.046 - 0.057	-	-	
Idaho	-	-		478	0.056	0.051 - 0.061	-	-	
Illinois	-	-		3,444	0.055	0.053 - 0.057	-	-	
Iowa	-	-		900	0.058	0.054 - 0.062	-	-	
Kentucky	-	-		1,051	0.048	0.045 - 0.051	-	-	
Louisiana	-	-		909	0.040	0.037 - 0.042	-	-	
Maine	-	-		363	0.056	0.050 - 0.062	-	-	
Maryland	-	-		1,189	0.041	0.038 - 0.043	-	-	
Michigan	-	-		2,451	0.050	0.048 - 0.052	-	-	
MI - Detroit	-	-		938	0.050	0.047 - 0.053	-	-	
Minnesota	-	-		1,739	0.063	0.060 - 0.066	-	-	
Mississippi	-	-		476	0.033	0.030 - 0.036	-	-	
Missouri	-	-		1,339	0.045	0.042 - 0.047	-	-	
Montana	-	-		306	0.058	0.052 - 0.065	-	-	
Nebraska	-	-		577	0.060	0.056 - 0.066	-	-	
Nevada	-	-		626	0.042	0.039 - 0.046	-	-	
New Hampshire	-	-		427	0.064	0.058 - 0.070	-	-	
New Jersey	-	-		2,318	0.053	0.051 - 0.056	-	-	
New Mexico	-	-		565	0.054	0.050 - 0.059	-	-	
New York	-	-		5,258	0.055	0.054 - 0.057	-	-	
North Carolina	-	-		2,159	0.043	0.042 - 0.045	-	-	
North Dakota	-	-		216	0.056	0.049 - 0.064	-	-	
Ohio	-	-		2,776	0.049	0.047 - 0.050	-	-	
Oklahoma	-	-		877	0.045	0.042 - 0.048	-	-	
Oregon	-	-		1,207	0.059	0.056 - 0.063	-	-	
Pennsylvania	-	-		3,607	0.058	0.056 - 0.060	-	-	
Rhode Island	-	-		316	0.062	0.055 - 0.069	-	-	
South Carolina	-	-		854	0.035	0.033 - 0.038	-	-	
Tennessee	-	-		1,412	0.043	0.041 - 0.046	-	-	
Texas	-	-		6,011	0.043	0.042 - 0.044	-	-	
Utah	-	-		959	0.062	0.058 - 0.066	-	-	
Vermont	-	-		184	0.060	0.051 - 0.069	-	-	
Virginia	-	-		1,634	0.039	0.037 - 0.041	-	-	
Washington ³	-	-		2,164	0.059	0.056 - 0.061	-	-	
WA - Seattle	-	-		1,589	0.063	0.060 - 0.066	-	-	
West Virginia	-	-		440	0.049	0.044 - 0.054	-	-	
Wisconsin	-	-		1,782	0.062	0.059 - 0.065	-	-	
Wyoming	-	-		178	0.060	0.052 - 0.070	-	-	
NAACCR CDN Combined¹	-	-		9,611	0.053	0.052 - 0.055	-	-	
Alberta	-	-		1,221	0.057	0.054 - 0.061	-	-	
British Columbia	-	-		1,302	0.054	0.051 - 0.057	-	-	
Manitoba	-	-		353	0.053	0.048 - 0.059	-	-	
New Brunswick	-	-		190	0.050	0.043 - 0.058	-	-	
Newfoundland and Labrador	-	-		81	0.031	0.025 - 0.038	-	-	
Nova Scotia	-	-		240	0.052	0.046 - 0.059	-	-	
Ontario	-	-		3,677	0.053	0.052 - 0.055	-	-	
Prince Edward Island	-	-		33	0.045	0.031 - 0.064	-	-	
Saskatchewan	-	-		300	0.052	0.046 - 0.058	-	-	
NAACCR N.A. Combined¹	-	-		87,908	0.049	0.049 - 0.050	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-216 Prevalence – Testis

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	433,978	0.133	0.133 - 0.134	330,740	0.206	0.206 - 0.207	102,918	0.062	0.062 - 0.063
Alabama	5,980	0.123	0.120 - 0.126	4,632	0.196	0.191 - 0.202	1,348	0.054	0.051 - 0.057
Alaska	810	0.109	0.102 - 0.117	618	0.160	0.147 - 0.173	192	0.054	0.047 - 0.063
Arizona	8,919	0.127	0.125 - 0.130	6,858	0.197	0.193 - 0.202	2,061	0.059	0.056 - 0.061
Arkansas	3,877	0.129	0.125 - 0.134	3,050	0.207	0.200 - 0.215	827	0.054	0.051 - 0.058
California	40,547	0.103	0.102 - 0.104	31,270	0.160	0.158 - 0.162	9,278	0.047	0.046 - 0.048
CA - Greater California	23,234	0.107	0.105 - 0.108	17,942	0.165	0.163 - 0.168	5,292	0.048	0.047 - 0.050
CA - Greater Bay Area	8,135	0.110	0.108 - 0.112	6,194	0.168	0.164 - 0.172	1,940	0.052	0.050 - 0.055
CA - Los Angeles	9,194	0.091	0.089 - 0.093	7,149	0.143	0.140 - 0.147	2,045	0.040	0.038 - 0.042
Colorado	6,226	0.112	0.109 - 0.114	4,778	0.170	0.165 - 0.175	1,448	0.052	0.050 - 0.055
Connecticut	7,037	0.197	0.192 - 0.201	5,245	0.301	0.293 - 0.309	1,791	0.098	0.093 - 0.102
Delaware	1,682	0.176	0.168 - 0.185	1,288	0.279	0.264 - 0.295	394	0.080	0.072 - 0.088
District of Columbia	505	0.073	0.067 - 0.080	351	0.107	0.096 - 0.119	154	0.042	0.036 - 0.050
Florida	33,401	0.161	0.159 - 0.162	25,724	0.253	0.250 - 0.256	7,677	0.072	0.071 - 0.074
Georgia	10,241	0.099	0.097 - 0.101	7,921	0.157	0.154 - 0.161	2,319	0.044	0.042 - 0.045
Hawaii	1,406	0.099	0.093 - 0.104	1,083	0.151	0.142 - 0.161	323	0.046	0.041 - 0.051
Idaho	2,347	0.138	0.132 - 0.144	1,848	0.217	0.207 - 0.227	499	0.059	0.054 - 0.064
Illinois	18,506	0.145	0.142 - 0.147	13,952	0.222	0.218 - 0.225	4,554	0.070	0.068 - 0.072
Iowa	4,858	0.155	0.151 - 0.159	3,778	0.242	0.234 - 0.250	1,081	0.069	0.064 - 0.073
Kentucky	6,489	0.146	0.142 - 0.150	4,930	0.225	0.219 - 0.231	1,559	0.069	0.066 - 0.073
Louisiana	5,520	0.118	0.115 - 0.121	4,268	0.187	0.181 - 0.192	1,252	0.052	0.050 - 0.055
Maine	3,030	0.227	0.219 - 0.236	2,293	0.351	0.337 - 0.366	737	0.108	0.101 - 0.116
Maryland	7,806	0.130	0.127 - 0.133	5,868	0.201	0.196 - 0.206	1,938	0.063	0.060 - 0.065
Michigan	16,064	0.161	0.159 - 0.164	12,123	0.247	0.243 - 0.252	3,941	0.078	0.075 - 0.080
MI - Detroit	6,236	0.161	0.157 - 0.165	4,662	0.248	0.241 - 0.255	1,574	0.079	0.075 - 0.083
Minnesota	8,337	0.150	0.147 - 0.154	6,361	0.230	0.225 - 0.236	1,976	0.071	0.068 - 0.074
Mississippi	3,294	0.110	0.106 - 0.114	2,559	0.177	0.170 - 0.183	735	0.048	0.044 - 0.051
Missouri	8,292	0.136	0.133 - 0.139	6,357	0.212	0.207 - 0.218	1,935	0.062	0.060 - 0.065
Montana	1,768	0.169	0.161 - 0.177	1,342	0.255	0.241 - 0.269	426	0.082	0.074 - 0.090
Nebraska	2,596	0.136	0.131 - 0.141	1,985	0.208	0.199 - 0.217	611	0.064	0.059 - 0.069
Nevada	3,613	0.123	0.119 - 0.127	2,776	0.188	0.181 - 0.195	837	0.057	0.053 - 0.061
New Hampshire	2,950	0.219	0.211 - 0.227	2,218	0.333	0.319 - 0.347	732	0.108	0.100 - 0.116
New Jersey	14,662	0.165	0.162 - 0.168	10,824	0.250	0.245 - 0.254	3,838	0.084	0.082 - 0.087
New Mexico	2,067	0.099	0.095 - 0.103	1,616	0.156	0.148 - 0.164	451	0.043	0.039 - 0.047
New York	32,451	0.165	0.164 - 0.167	24,192	0.254	0.251 - 0.257	8,258	0.082	0.080 - 0.084
North Carolina	13,414	0.131	0.129 - 0.134	10,196	0.205	0.201 - 0.209	3,218	0.061	0.059 - 0.064
North Dakota	1,072	0.142	0.134 - 0.151	838	0.217	0.202 - 0.232	234	0.064	0.056 - 0.072
Ohio	17,789	0.153	0.150 - 0.155	13,549	0.237	0.233 - 0.241	4,240	0.071	0.069 - 0.074
Oklahoma	4,712	0.120	0.117 - 0.123	3,650	0.187	0.181 - 0.194	1,062	0.054	0.050 - 0.057
Oregon	6,398	0.155	0.152 - 0.159	4,908	0.240	0.234 - 0.247	1,490	0.072	0.068 - 0.075
Pennsylvania	24,315	0.190	0.188 - 0.193	18,360	0.293	0.289 - 0.298	5,955	0.091	0.089 - 0.094
Rhode Island	2,139	0.202	0.194 - 0.211	1,551	0.302	0.287 - 0.317	588	0.108	0.100 - 0.117
South Carolina	6,181	0.124	0.121 - 0.127	4,727	0.195	0.190 - 0.201	1,454	0.057	0.054 - 0.060
Tennessee	8,638	0.129	0.127 - 0.132	6,646	0.204	0.199 - 0.209	1,992	0.058	0.056 - 0.061
Texas	21,960	0.078	0.077 - 0.079	17,089	0.122	0.120 - 0.124	4,871	0.034	0.033 - 0.035
Utah	2,247	0.073	0.070 - 0.076	1,832	0.118	0.113 - 0.124	415	0.027	0.025 - 0.030
Vermont	1,165	0.187	0.176 - 0.198	888	0.288	0.269 - 0.308	277	0.088	0.078 - 0.099
Virginia	9,550	0.113	0.111 - 0.115	7,234	0.174	0.170 - 0.178	2,316	0.054	0.052 - 0.056
Washington ³	9,956	0.135	0.133 - 0.138	7,673	0.209	0.204 - 0.213	2,283	0.062	0.060 - 0.065
WA - Seattle	6,906	0.136	0.133 - 0.139	5,323	0.210	0.204 - 0.215	1,583	0.062	0.059 - 0.066
West Virginia	3,273	0.179	0.173 - 0.186	2,471	0.274	0.263 - 0.285	802	0.087	0.081 - 0.093
Wisconsin	9,636	0.167	0.163 - 0.170	7,355	0.256	0.250 - 0.262	2,281	0.078	0.075 - 0.082
Wyoming	827	0.142	0.133 - 0.152	637	0.215	0.198 - 0.232	190	0.067	0.058 - 0.077
NAACCR CDN Combined¹	60,096	0.162	0.160 - 0.163	45,359	0.247	0.244 - 0.249	14,670	0.078	0.077 - 0.080
Alberta	5,146	0.122	0.119 - 0.125	3,957	0.186	0.180 - 0.192	1,189	0.057	0.054 - 0.060
British Columbia	7,913	0.162	0.158 - 0.165	6,042	0.250	0.243 - 0.256	1,871	0.076	0.072 - 0.079
Manitoba	1,656	0.125	0.119 - 0.131	1,257	0.190	0.180 - 0.201	399	0.060	0.054 - 0.066
New Brunswick	1,571	0.205	0.195 - 0.216	1,182	0.312	0.295 - 0.331	389	0.101	0.091 - 0.111
Newfoundland and Labrador	959	0.181	0.170 - 0.193	690	0.263	0.244 - 0.284	269	0.101	0.089 - 0.114
Nova Scotia	1,918	0.203	0.194 - 0.212	1,399	0.302	0.287 - 0.319	519	0.107	0.098 - 0.117
Ontario	24,062	0.172	0.170 - 0.174	18,180	0.264	0.260 - 0.268	5,882	0.083	0.081 - 0.085
Prince Edward Island	238	0.160	0.140 - 0.182	171	0.235	0.201 - 0.273	67	0.088	0.068 - 0.112
Saskatchewan	1,718	0.150	0.143 - 0.158	1,275	0.221	0.209 - 0.234	443	0.078	0.071 - 0.086
NAACCR N.A. Combined¹	494,075	0.136	0.135 - 0.136	376,099	0.210	0.209 - 0.210	117,588	0.064	0.063 - 0.064

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	374,092	0.115	0.115 - 0.116	230,781	0.144	0.144 - 0.145	143,247	0.087	0.087 - 0.087
Alabama	6,177	0.127	0.124 - 0.130	3,715	0.158	0.153 - 0.163	2,462	0.098	0.094 - 0.102
Alaska	757	0.102	0.095 - 0.110	471	0.122	0.111 - 0.133	286	0.081	0.072 - 0.091
Arizona	7,834	0.112	0.109 - 0.114	4,816	0.138	0.135 - 0.142	3,018	0.086	0.083 - 0.089
Arkansas	3,866	0.129	0.125 - 0.133	2,359	0.160	0.154 - 0.167	1,507	0.099	0.094 - 0.104
California	36,552	0.093	0.092 - 0.094	22,980	0.118	0.116 - 0.119	13,572	0.069	0.067 - 0.070
CA - Greater California	21,029	0.097	0.095 - 0.098	13,167	0.121	0.119 - 0.123	7,862	0.072	0.070 - 0.074
CA - Greater Bay Area	6,626	0.090	0.087 - 0.092	4,274	0.116	0.112 - 0.119	2,352	0.063	0.061 - 0.066
CA - Los Angeles	8,907	0.088	0.086 - 0.090	5,546	0.111	0.108 - 0.114	3,361	0.065	0.063 - 0.068
Colorado	4,900	0.088	0.085 - 0.090	3,040	0.108	0.104 - 0.112	1,860	0.067	0.064 - 0.070
Connecticut	4,529	0.127	0.123 - 0.130	2,906	0.167	0.161 - 0.173	1,623	0.089	0.084 - 0.093
Delaware	1,215	0.127	0.120 - 0.135	768	0.167	0.155 - 0.179	447	0.091	0.083 - 0.100
District of Columbia	552	0.080	0.073 - 0.087	332	0.101	0.091 - 0.113	220	0.061	0.053 - 0.069
Florida	23,356	0.112	0.111 - 0.114	14,680	0.144	0.142 - 0.147	8,676	0.082	0.080 - 0.083
Georgia	10,393	0.100	0.098 - 0.102	6,280	0.125	0.122 - 0.128	4,113	0.077	0.075 - 0.080
Hawaii	1,472	0.103	0.098 - 0.109	957	0.134	0.125 - 0.142	516	0.073	0.066 - 0.079
Idaho	1,733	0.102	0.097 - 0.107	1,063	0.125	0.117 - 0.133	670	0.079	0.073 - 0.085
Illinois	16,294	0.127	0.125 - 0.129	10,041	0.160	0.156 - 0.163	6,253	0.096	0.094 - 0.098
Iowa	4,065	0.130	0.126 - 0.134	2,540	0.163	0.156 - 0.169	1,525	0.097	0.092 - 0.102
Kentucky	6,484	0.146	0.142 - 0.149	3,920	0.179	0.173 - 0.185	2,564	0.114	0.109 - 0.118
Louisiana	6,773	0.145	0.141 - 0.148	4,075	0.178	0.173 - 0.184	2,698	0.113	0.109 - 0.117
Maine	1,831	0.137	0.131 - 0.144	1,100	0.169	0.159 - 0.179	731	0.107	0.100 - 0.116
Maryland	6,611	0.110	0.107 - 0.113	3,977	0.136	0.132 - 0.141	2,634	0.085	0.082 - 0.088
Michigan	12,314	0.124	0.121 - 0.126	7,585	0.155	0.151 - 0.158	4,729	0.093	0.091 - 0.096
MI - Detroit	5,170	0.133	0.130 - 0.137	3,229	0.171	0.166 - 0.178	1,940	0.097	0.093 - 0.101
Minnesota	6,653	0.120	0.117 - 0.123	4,288	0.155	0.151 - 0.160	2,365	0.085	0.082 - 0.088
Mississippi	4,286	0.143	0.139 - 0.148	2,515	0.173	0.167 - 0.180	1,771	0.115	0.110 - 0.121
Missouri	8,043	0.132	0.129 - 0.135	4,852	0.162	0.158 - 0.167	3,191	0.103	0.099 - 0.106
Montana	1,196	0.114	0.108 - 0.121	752	0.143	0.133 - 0.153	444	0.085	0.078 - 0.094
Nebraska	2,309	0.121	0.116 - 0.126	1,444	0.151	0.144 - 0.159	865	0.090	0.084 - 0.097
Nevada	2,708	0.092	0.088 - 0.095	1,674	0.113	0.108 - 0.119	1,034	0.070	0.066 - 0.075
New Hampshire	1,657	0.123	0.117 - 0.129	1,056	0.158	0.149 - 0.168	601	0.088	0.082 - 0.096
New Jersey	10,949	0.123	0.121 - 0.126	6,915	0.159	0.156 - 0.163	4,035	0.089	0.086 - 0.092
New Mexico	2,084	0.100	0.095 - 0.104	1,230	0.119	0.112 - 0.126	853	0.081	0.075 - 0.086
New York	24,381	0.124	0.123 - 0.126	15,449	0.162	0.160 - 0.165	8,932	0.088	0.087 - 0.090
North Carolina	12,209	0.120	0.117 - 0.122	7,456	0.150	0.147 - 0.153	4,753	0.091	0.088 - 0.093
North Dakota	826	0.109	0.102 - 0.117	514	0.133	0.122 - 0.145	312	0.085	0.076 - 0.095
Ohio	14,838	0.127	0.125 - 0.129	8,900	0.156	0.153 - 0.159	5,938	0.100	0.097 - 0.103
Oklahoma	4,835	0.123	0.120 - 0.127	2,840	0.146	0.141 - 0.151	1,995	0.101	0.096 - 0.105
Oregon	4,696	0.114	0.111 - 0.117	2,945	0.144	0.139 - 0.150	1,751	0.084	0.080 - 0.088
Pennsylvania	17,508	0.137	0.135 - 0.139	10,852	0.173	0.170 - 0.177	6,656	0.102	0.100 - 0.104
Rhode Island	1,419	0.134	0.127 - 0.141	861	0.168	0.157 - 0.179	558	0.103	0.094 - 0.112
South Carolina	5,847	0.117	0.114 - 0.120	3,576	0.148	0.143 - 0.153	2,271	0.088	0.085 - 0.092
Tennessee	8,580	0.129	0.126 - 0.131	5,225	0.160	0.156 - 0.165	3,355	0.098	0.095 - 0.101
Texas	30,402	0.108	0.107 - 0.109	18,296	0.131	0.129 - 0.133	12,106	0.086	0.084 - 0.087
Utah	2,066	0.067	0.064 - 0.070	1,258	0.081	0.077 - 0.086	807	0.053	0.049 - 0.057
Vermont	755	0.121	0.113 - 0.130	489	0.159	0.145 - 0.173	266	0.084	0.074 - 0.095
Virginia	8,870	0.105	0.103 - 0.107	5,499	0.132	0.129 - 0.136	3,371	0.079	0.076 - 0.081
Washington ³	7,863	0.107	0.104 - 0.109	4,919	0.134	0.130 - 0.137	2,944	0.080	0.077 - 0.083
WA - Seattle	5,469	0.108	0.105 - 0.111	3,434	0.135	0.131 - 0.140	2,035	0.080	0.077 - 0.084
West Virginia	2,834	0.155	0.150 - 0.161	1,674	0.185	0.177 - 0.195	1,160	0.126	0.119 - 0.133
Wisconsin	7,628	0.132	0.129 - 0.135	4,799	0.167	0.162 - 0.172	2,829	0.097	0.094 - 0.101
Wyoming	603	0.104	0.096 - 0.112	385	0.130	0.117 - 0.143	219	0.077	0.067 - 0.088
NAACCR CDN Combined¹	36,817	0.099	0.098 - 0.101	23,139	0.126	0.124 - 0.128	13,693	0.073	0.072 - 0.075
Alberta	3,691	0.087	0.085 - 0.090	2,338	0.110	0.105 - 0.114	1,353	0.065	0.061 - 0.068
British Columbia	3,821	0.078	0.076 - 0.081	2,490	0.103	0.099 - 0.107	1,331	0.054	0.051 - 0.057
Manitoba	1,363	0.103	0.098 - 0.109	867	0.131	0.123 - 0.140	496	0.075	0.068 - 0.082
New Brunswick	1,268	0.166	0.157 - 0.175	774	0.205	0.190 - 0.219	494	0.128	0.117 - 0.140
Newfoundland and Labrador	875	0.165	0.155 - 0.177	523	0.199	0.183 - 0.217	352	0.132	0.119 - 0.147
Nova Scotia	1,505	0.159	0.151 - 0.167	881	0.190	0.178 - 0.203	624	0.129	0.119 - 0.139
Ontario	14,017	0.100	0.099 - 0.102	8,802	0.128	0.125 - 0.131	5,215	0.074	0.072 - 0.076
Prince Edward Island	153	0.103	0.087 - 0.121	92	0.127	0.102 - 0.155	61	0.080	0.061 - 0.103
Saskatchewan	1,102	0.096	0.091 - 0.102	674	0.117	0.108 - 0.126	428	0.075	0.068 - 0.083
NAACCR N.A. Combined¹	410,909	0.114	0.114 - 0.114	253,920	0.143	0.142 - 0.143	156,940	0.086	0.085 - 0.086

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-218 Prevalence – Kidney and Renal Pelvis

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	77,828	0.024	0.024 - 0.024	41,891	0.026	0.026 - 0.026	35,934	0.022	0.022 - 0.022
Alabama	1,022	0.021	0.020 - 0.022	538	0.023	0.021 - 0.025	484	0.019	0.018 - 0.021
Alaska	197	0.027	0.023 - 0.031	112	0.029	0.024 - 0.035	85	0.024	0.019 - 0.030
Arizona	1,561	0.022	0.021 - 0.023	847	0.024	0.023 - 0.026	714	0.020	0.019 - 0.022
Arkansas	740	0.025	0.023 - 0.027	412	0.028	0.025 - 0.031	328	0.022	0.019 - 0.024
California	8,146	0.021	0.020 - 0.021	4,466	0.023	0.022 - 0.024	3,679	0.019	0.018 - 0.019
CA - Greater California	4,571	0.021	0.020 - 0.022	2,483	0.023	0.022 - 0.024	2,088	0.019	0.018 - 0.020
CA - Greater Bay Area	1,669	0.023	0.021 - 0.024	927	0.025	0.024 - 0.027	742	0.020	0.019 - 0.021
CA - Los Angeles	1,910	0.019	0.018 - 0.020	1,059	0.021	0.020 - 0.023	851	0.017	0.015 - 0.018
Colorado	1,308	0.023	0.022 - 0.025	731	0.026	0.024 - 0.028	577	0.021	0.019 - 0.023
Connecticut	926	0.026	0.024 - 0.028	494	0.028	0.026 - 0.031	432	0.024	0.021 - 0.026
Delaware	220	0.023	0.020 - 0.026	111	0.024	0.020 - 0.029	109	0.022	0.018 - 0.027
District of Columbia	167	0.024	0.021 - 0.028	93	0.028	0.023 - 0.035	74	0.020	0.016 - 0.026
Florida	4,990	0.024	0.023 - 0.025	2,662	0.026	0.025 - 0.027	2,328	0.022	0.021 - 0.023
Georgia	2,180	0.021	0.020 - 0.022	1,141	0.023	0.021 - 0.024	1,039	0.020	0.018 - 0.021
Hawaii	207	0.015	0.013 - 0.017	115	0.016	0.013 - 0.019	92	0.013	0.010 - 0.016
Idaho	407	0.024	0.022 - 0.026	236	0.028	0.024 - 0.031	171	0.020	0.017 - 0.023
Illinois	3,196	0.025	0.024 - 0.026	1,701	0.027	0.026 - 0.028	1,495	0.023	0.022 - 0.024
Iowa	802	0.026	0.024 - 0.027	419	0.027	0.024 - 0.030	383	0.024	0.022 - 0.027
Kentucky	1,201	0.027	0.026 - 0.029	650	0.030	0.027 - 0.032	551	0.024	0.022 - 0.027
Louisiana	960	0.021	0.019 - 0.022	499	0.022	0.020 - 0.024	461	0.019	0.018 - 0.021
Maine	411	0.031	0.028 - 0.034	213	0.033	0.028 - 0.037	198	0.029	0.025 - 0.033
Maryland	1,379	0.023	0.022 - 0.024	715	0.025	0.023 - 0.026	664	0.021	0.020 - 0.023
Michigan	2,659	0.027	0.026 - 0.028	1,413	0.029	0.027 - 0.030	1,246	0.025	0.023 - 0.026
MI - Detroit	877	0.023	0.021 - 0.024	459	0.024	0.022 - 0.027	418	0.021	0.019 - 0.023
Minnesota	1,514	0.027	0.026 - 0.029	810	0.029	0.027 - 0.031	704	0.025	0.023 - 0.027
Mississippi	602	0.020	0.019 - 0.022	310	0.021	0.019 - 0.024	292	0.019	0.017 - 0.021
Missouri	1,570	0.026	0.024 - 0.027	825	0.028	0.026 - 0.030	745	0.024	0.022 - 0.026
Montana	259	0.025	0.022 - 0.028	145	0.028	0.023 - 0.032	113	0.022	0.018 - 0.026
Nebraska	479	0.025	0.023 - 0.027	261	0.027	0.024 - 0.031	218	0.023	0.020 - 0.026
Nevada	537	0.018	0.017 - 0.020	291	0.020	0.017 - 0.022	246	0.017	0.015 - 0.019
New Hampshire	399	0.030	0.027 - 0.033	216	0.032	0.028 - 0.037	183	0.027	0.023 - 0.031
New Jersey	2,475	0.028	0.027 - 0.029	1,380	0.032	0.030 - 0.034	1,096	0.024	0.023 - 0.026
New Mexico	404	0.019	0.017 - 0.021	212	0.020	0.018 - 0.023	193	0.018	0.016 - 0.021
New York	5,061	0.026	0.025 - 0.027	2,749	0.029	0.028 - 0.030	2,312	0.023	0.022 - 0.024
North Carolina	2,384	0.023	0.022 - 0.024	1,270	0.026	0.024 - 0.027	1,114	0.021	0.020 - 0.023
North Dakota	153	0.020	0.017 - 0.024	83	0.021	0.017 - 0.027	70	0.019	0.015 - 0.024
Ohio	2,913	0.025	0.024 - 0.026	1,575	0.028	0.026 - 0.029	1,338	0.023	0.021 - 0.024
Oklahoma	880	0.022	0.021 - 0.024	458	0.024	0.021 - 0.026	422	0.021	0.019 - 0.023
Oregon	1,062	0.026	0.024 - 0.027	576	0.028	0.026 - 0.031	486	0.023	0.021 - 0.026
Pennsylvania	3,507	0.027	0.027 - 0.028	1,954	0.031	0.030 - 0.033	1,553	0.024	0.023 - 0.025
Rhode Island	242	0.023	0.020 - 0.026	114	0.022	0.018 - 0.027	128	0.024	0.020 - 0.028
South Carolina	1,014	0.020	0.019 - 0.022	536	0.022	0.020 - 0.024	478	0.019	0.017 - 0.020
Tennessee	1,510	0.023	0.021 - 0.024	795	0.024	0.023 - 0.026	715	0.021	0.019 - 0.022
Texas	6,786	0.024	0.024 - 0.025	3,606	0.026	0.025 - 0.027	3,180	0.022	0.022 - 0.023
Utah	781	0.025	0.024 - 0.027	440	0.028	0.026 - 0.031	341	0.022	0.020 - 0.025
Vermont	167	0.027	0.023 - 0.031	94	0.030	0.025 - 0.037	73	0.023	0.018 - 0.029
Virginia	1,828	0.022	0.021 - 0.023	986	0.024	0.022 - 0.025	842	0.020	0.018 - 0.021
Washington ³	1,986	0.027	0.026 - 0.028	1,071	0.029	0.027 - 0.031	916	0.025	0.023 - 0.027
WA - Seattle	1,495	0.029	0.028 - 0.031	817	0.032	0.030 - 0.034	679	0.027	0.025 - 0.029
West Virginia	535	0.029	0.027 - 0.032	277	0.031	0.027 - 0.035	258	0.028	0.025 - 0.032
Wisconsin	1,513	0.026	0.025 - 0.028	827	0.029	0.027 - 0.031	686	0.024	0.022 - 0.025
Wyoming	139	0.024	0.020 - 0.028	70	0.024	0.018 - 0.030	69	0.024	0.019 - 0.031
NAACCR CDN Combined¹	8,315	0.023	0.022 - 0.023	4,622	0.026	0.025 - 0.026	3,696	0.020	0.019 - 0.021
Alberta	933	0.022	0.021 - 0.024	525	0.025	0.023 - 0.027	408	0.020	0.018 - 0.021
British Columbia	1,007	0.021	0.019 - 0.022	585	0.024	0.022 - 0.026	422	0.017	0.015 - 0.019
Manitoba	263	0.020	0.018 - 0.022	150	0.023	0.019 - 0.027	113	0.017	0.014 - 0.020
New Brunswick	154	0.020	0.017 - 0.024	80	0.021	0.017 - 0.026	74	0.019	0.015 - 0.024
Newfoundland and Labrador	113	0.021	0.018 - 0.026	62	0.024	0.018 - 0.030	51	0.019	0.014 - 0.025
Nova Scotia	198	0.021	0.018 - 0.024	112	0.024	0.020 - 0.029	86	0.018	0.014 - 0.022
Ontario	3,457	0.025	0.024 - 0.026	1,871	0.027	0.026 - 0.028	1,586	0.022	0.021 - 0.024
Prince Edward Island	31	0.021	0.014 - 0.030	19	0.026	0.016 - 0.041	12	0.016	0.008 - 0.028
Saskatchewan	226	0.020	0.017 - 0.023	136	0.024	0.020 - 0.028	90	0.016	0.013 - 0.019
NAACCR N.A. Combined¹	86,142	0.024	0.024 - 0.024	46,512	0.026	0.026 - 0.026	39,630	0.022	0.021 - 0.022

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	414,063	0.127	0.127 - 0.128	96,645	0.060	0.060 - 0.061	317,475	0.193	0.192 - 0.193
Alabama	4,164	0.086	0.083 - 0.088	1,028	0.044	0.041 - 0.046	3,136	0.125	0.120 - 0.129
Alaska	790	0.107	0.099 - 0.114	194	0.050	0.043 - 0.058	596	0.169	0.155 - 0.183
Arizona	9,151	0.131	0.128 - 0.133	2,010	0.058	0.055 - 0.060	7,141	0.203	0.198 - 0.208
Arkansas	2,878	0.096	0.093 - 0.100	698	0.047	0.044 - 0.051	2,180	0.143	0.137 - 0.149
California	43,569	0.111	0.110 - 0.112	9,919	0.051	0.050 - 0.052	33,650	0.170	0.168 - 0.172
CA - Greater California	23,953	0.110	0.109 - 0.111	5,417	0.050	0.049 - 0.051	18,536	0.170	0.167 - 0.172
CA - Greater Bay Area	7,721	0.104	0.102 - 0.107	1,894	0.051	0.049 - 0.054	5,828	0.157	0.153 - 0.161
CA - Los Angeles	11,895	0.118	0.115 - 0.120	2,608	0.052	0.050 - 0.054	9,287	0.181	0.177 - 0.185
Colorado	7,393	0.133	0.130 - 0.136	1,815	0.065	0.062 - 0.068	5,578	0.201	0.196 - 0.207
Connecticut	6,688	0.187	0.183 - 0.192	1,596	0.091	0.087 - 0.096	5,092	0.278	0.270 - 0.286
Delaware	1,310	0.137	0.130 - 0.145	283	0.061	0.054 - 0.069	1,027	0.209	0.196 - 0.222
District of Columbia	889	0.129	0.120 - 0.137	208	0.063	0.055 - 0.073	681	0.188	0.174 - 0.202
Florida	23,016	0.111	0.109 - 0.112	5,447	0.054	0.052 - 0.055	17,569	0.165	0.163 - 0.168
Georgia	10,527	0.102	0.100 - 0.104	2,353	0.047	0.045 - 0.049	8,173	0.154	0.150 - 0.157
Hawaii	1,956	0.137	0.131 - 0.143	442	0.062	0.056 - 0.068	1,513	0.213	0.202 - 0.224
Idaho	2,374	0.140	0.134 - 0.145	525	0.062	0.056 - 0.067	1,849	0.218	0.208 - 0.228
Illinois	17,759	0.139	0.137 - 0.141	4,208	0.067	0.065 - 0.069	13,551	0.208	0.205 - 0.212
Iowa	3,927	0.125	0.121 - 0.129	978	0.063	0.059 - 0.067	2,948	0.187	0.180 - 0.194
Kentucky	6,104	0.137	0.134 - 0.141	1,447	0.066	0.063 - 0.070	4,657	0.206	0.201 - 0.212
Louisiana	5,397	0.115	0.112 - 0.119	1,229	0.054	0.051 - 0.057	4,168	0.174	0.169 - 0.180
Maine	1,964	0.147	0.141 - 0.154	513	0.079	0.072 - 0.086	1,451	0.213	0.202 - 0.225
Maryland	8,336	0.139	0.136 - 0.142	1,913	0.066	0.063 - 0.069	6,423	0.207	0.202 - 0.212
Michigan	12,041	0.121	0.119 - 0.123	2,840	0.058	0.056 - 0.060	9,201	0.182	0.178 - 0.186
MI - Detroit	5,742	0.148	0.144 - 0.152	1,300	0.069	0.065 - 0.073	4,442	0.222	0.216 - 0.229
Minnesota	6,355	0.115	0.112 - 0.117	1,538	0.056	0.053 - 0.059	4,817	0.173	0.168 - 0.178
Mississippi	2,804	0.094	0.090 - 0.097	624	0.043	0.040 - 0.047	2,180	0.142	0.136 - 0.148
Missouri	6,963	0.114	0.112 - 0.117	1,651	0.055	0.053 - 0.058	5,312	0.171	0.167 - 0.176
Montana	1,353	0.129	0.122 - 0.136	342	0.065	0.058 - 0.072	1,011	0.194	0.183 - 0.207
Nebraska	2,387	0.125	0.120 - 0.130	542	0.057	0.052 - 0.062	1,845	0.193	0.184 - 0.202
Nevada	4,037	0.137	0.133 - 0.141	893	0.060	0.056 - 0.064	3,144	0.214	0.207 - 0.222
New Hampshire	2,043	0.152	0.145 - 0.159	510	0.077	0.070 - 0.083	1,533	0.226	0.214 - 0.237
New Jersey	16,444	0.185	0.182 - 0.188	3,907	0.090	0.087 - 0.093	12,537	0.276	0.271 - 0.281
New Mexico	2,864	0.137	0.132 - 0.142	613	0.059	0.055 - 0.064	2,251	0.213	0.204 - 0.222
New York	35,961	0.183	0.181 - 0.185	8,468	0.089	0.087 - 0.091	27,493	0.272	0.269 - 0.276
North Carolina	11,627	0.114	0.112 - 0.116	2,727	0.055	0.053 - 0.057	8,900	0.170	0.166 - 0.173
North Dakota	1,004	0.133	0.125 - 0.142	232	0.060	0.052 - 0.068	772	0.210	0.195 - 0.225
Ohio	15,411	0.132	0.130 - 0.134	3,385	0.059	0.057 - 0.061	12,026	0.202	0.199 - 0.206
Oklahoma	4,019	0.102	0.099 - 0.105	913	0.047	0.044 - 0.050	3,106	0.157	0.151 - 0.162
Oregon	4,914	0.119	0.116 - 0.123	1,183	0.058	0.055 - 0.061	3,731	0.180	0.174 - 0.185
Pennsylvania	24,958	0.195	0.193 - 0.198	5,913	0.094	0.092 - 0.097	19,045	0.292	0.288 - 0.296
Rhode Island	1,983	0.188	0.179 - 0.196	479	0.093	0.085 - 0.102	1,504	0.277	0.263 - 0.291
South Carolina	5,045	0.101	0.098 - 0.104	1,146	0.047	0.045 - 0.050	3,899	0.152	0.147 - 0.157
Tennessee	7,984	0.120	0.117 - 0.122	1,912	0.059	0.056 - 0.061	6,072	0.178	0.173 - 0.182
Texas	28,141	0.100	0.099 - 0.101	6,533	0.047	0.046 - 0.048	21,608	0.153	0.151 - 0.155
Utah	4,292	0.140	0.136 - 0.144	938	0.061	0.057 - 0.065	3,354	0.220	0.212 - 0.227
Vermont	842	0.135	0.126 - 0.144	214	0.069	0.060 - 0.079	628	0.199	0.184 - 0.215
Virginia	9,988	0.118	0.116 - 0.121	2,213	0.053	0.051 - 0.056	7,775	0.181	0.177 - 0.185
Washington ³	8,882	0.121	0.118 - 0.123	2,097	0.057	0.055 - 0.059	6,785	0.184	0.180 - 0.189
WA - Seattle	6,356	0.125	0.122 - 0.128	1,505	0.059	0.056 - 0.062	4,851	0.191	0.186 - 0.197
West Virginia	2,767	0.152	0.146 - 0.157	620	0.069	0.063 - 0.074	2,147	0.233	0.223 - 0.243
Wisconsin	7,026	0.122	0.119 - 0.124	1,736	0.060	0.058 - 0.063	5,290	0.182	0.177 - 0.187
Wyoming	718	0.124	0.115 - 0.133	183	0.062	0.053 - 0.071	535	0.188	0.172 - 0.205
NAACCR CDN Combined¹	52,331	0.143	0.141 - 0.144	12,168	0.067	0.065 - 0.068	40,069	0.218	0.215 - 0.220
Alberta	4,291	0.102	0.099 - 0.105	1,034	0.049	0.046 - 0.052	3,257	0.156	0.150 - 0.161
British Columbia	3,608	0.074	0.071 - 0.076	925	0.038	0.036 - 0.041	2,683	0.109	0.105 - 0.113
Manitoba	1,237	0.093	0.088 - 0.099	298	0.045	0.040 - 0.051	939	0.141	0.133 - 0.151
New Brunswick	1,157	0.151	0.143 - 0.160	291	0.077	0.068 - 0.086	866	0.224	0.209 - 0.239
Newfoundland and Labrador	913	0.173	0.162 - 0.184	207	0.079	0.069 - 0.090	706	0.265	0.246 - 0.285
Nova Scotia	1,110	0.117	0.110 - 0.124	276	0.060	0.053 - 0.067	834	0.172	0.161 - 0.184
Ontario	26,703	0.191	0.189 - 0.193	5,957	0.086	0.084 - 0.089	20,746	0.293	0.289 - 0.297
Prince Edward Island	94	0.063	0.051 - 0.077	24	0.033	0.021 - 0.049	70	0.092	0.072 - 0.116
Saskatchewan	800	0.070	0.065 - 0.075	221	0.038	0.033 - 0.044	579	0.102	0.094 - 0.111
NAACCR N.A. Combined¹	466,395	0.129	0.128 - 0.129	108,813	0.061	0.060 - 0.061	357,544	0.195	0.194 - 0.195

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-220 Prevalence – Thyroid

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	71,062	0.022	0.022 - 0.022	38,560	0.024	0.024 - 0.024	32,500	0.020	0.019 - 0.020
Alabama	903	0.019	0.017 - 0.020	494	0.021	0.019 - 0.023	409	0.016	0.015 - 0.018
Alaska	120	0.016	0.013 - 0.019	60	0.015	0.012 - 0.020	60	0.017	0.013 - 0.022
Arizona	1,175	0.017	0.016 - 0.018	643	0.018	0.017 - 0.020	532	0.015	0.014 - 0.016
Arkansas	641	0.021	0.020 - 0.023	362	0.025	0.022 - 0.027	279	0.018	0.016 - 0.021
California	7,349	0.019	0.018 - 0.019	3,998	0.020	0.020 - 0.021	3,351	0.017	0.016 - 0.018
CA - Greater California	4,060	0.019	0.018 - 0.019	2,218	0.020	0.020 - 0.021	1,842	0.017	0.016 - 0.018
CA - Greater Bay Area	1,435	0.019	0.018 - 0.020	780	0.021	0.020 - 0.023	656	0.018	0.016 - 0.019
CA - Los Angeles	1,853	0.018	0.017 - 0.019	1,000	0.020	0.019 - 0.021	853	0.017	0.016 - 0.018
Colorado	1,139	0.020	0.019 - 0.022	660	0.024	0.022 - 0.025	479	0.017	0.016 - 0.019
Connecticut	1,031	0.029	0.027 - 0.031	556	0.032	0.029 - 0.035	475	0.026	0.024 - 0.028
Delaware	236	0.025	0.022 - 0.028	140	0.030	0.026 - 0.036	96	0.020	0.016 - 0.024
District of Columbia	189	0.027	0.024 - 0.032	95	0.029	0.023 - 0.035	94	0.026	0.021 - 0.032
Florida	4,784	0.023	0.022 - 0.024	2,558	0.025	0.024 - 0.026	2,226	0.021	0.020 - 0.022
Georgia	2,044	0.020	0.019 - 0.021	1,072	0.021	0.020 - 0.023	972	0.018	0.017 - 0.019
Hawaii	207	0.014	0.013 - 0.017	112	0.016	0.013 - 0.019	95	0.013	0.011 - 0.016
Idaho	349	0.020	0.018 - 0.023	188	0.022	0.019 - 0.025	161	0.019	0.016 - 0.022
Illinois	2,990	0.023	0.023 - 0.024	1,636	0.026	0.025 - 0.027	1,354	0.021	0.020 - 0.022
Iowa	796	0.025	0.024 - 0.027	437	0.028	0.025 - 0.031	360	0.023	0.021 - 0.025
Kentucky	954	0.021	0.020 - 0.023	532	0.024	0.022 - 0.026	423	0.019	0.017 - 0.021
Louisiana	1,025	0.022	0.021 - 0.023	551	0.024	0.022 - 0.026	474	0.020	0.018 - 0.022
Maine	358	0.027	0.024 - 0.030	185	0.028	0.024 - 0.033	173	0.025	0.022 - 0.030
Maryland	1,377	0.023	0.022 - 0.024	740	0.025	0.024 - 0.027	637	0.021	0.019 - 0.022
Michigan	2,310	0.023	0.022 - 0.024	1,280	0.026	0.025 - 0.028	1,030	0.020	0.019 - 0.022
MI - Detroit	1,028	0.026	0.025 - 0.028	588	0.031	0.029 - 0.034	439	0.022	0.020 - 0.024
Minnesota	1,377	0.025	0.024 - 0.026	787	0.029	0.027 - 0.031	590	0.021	0.020 - 0.023
Mississippi	573	0.019	0.018 - 0.021	314	0.022	0.019 - 0.024	259	0.017	0.015 - 0.019
Missouri	1,349	0.022	0.021 - 0.023	728	0.024	0.023 - 0.026	621	0.020	0.018 - 0.022
Montana	242	0.023	0.020 - 0.026	131	0.025	0.021 - 0.030	110	0.021	0.017 - 0.026
Nebraska	476	0.025	0.023 - 0.027	267	0.028	0.025 - 0.032	209	0.022	0.019 - 0.025
Nevada	458	0.016	0.014 - 0.017	246	0.017	0.015 - 0.019	212	0.014	0.013 - 0.017
New Hampshire	358	0.027	0.024 - 0.029	205	0.031	0.027 - 0.035	153	0.023	0.019 - 0.026
New Jersey	2,444	0.028	0.026 - 0.029	1,291	0.030	0.028 - 0.031	1,153	0.025	0.024 - 0.027
New Mexico	380	0.018	0.016 - 0.020	208	0.020	0.017 - 0.023	172	0.016	0.014 - 0.019
New York	5,414	0.028	0.027 - 0.028	2,862	0.030	0.029 - 0.031	2,551	0.025	0.024 - 0.026
North Carolina	2,102	0.021	0.020 - 0.021	1,139	0.023	0.022 - 0.024	963	0.018	0.017 - 0.020
North Dakota	187	0.025	0.021 - 0.029	118	0.030	0.025 - 0.037	69	0.019	0.015 - 0.024
Ohio	2,676	0.023	0.022 - 0.024	1,495	0.026	0.025 - 0.028	1,181	0.020	0.019 - 0.021
Oklahoma	781	0.020	0.019 - 0.021	422	0.022	0.020 - 0.024	359	0.018	0.016 - 0.020
Oregon	864	0.021	0.020 - 0.022	465	0.023	0.021 - 0.025	399	0.019	0.017 - 0.021
Pennsylvania	3,547	0.028	0.027 - 0.029	1,940	0.031	0.030 - 0.032	1,607	0.025	0.023 - 0.026
Rhode Island	311	0.029	0.026 - 0.033	164	0.032	0.027 - 0.037	147	0.027	0.023 - 0.032
South Carolina	993	0.020	0.019 - 0.021	532	0.022	0.020 - 0.024	461	0.018	0.016 - 0.020
Tennessee	1,414	0.021	0.020 - 0.022	740	0.023	0.021 - 0.024	674	0.020	0.018 - 0.021
Texas	5,035	0.018	0.017 - 0.018	2,727	0.020	0.019 - 0.020	2,308	0.016	0.016 - 0.017
Utah	624	0.020	0.019 - 0.022	338	0.022	0.020 - 0.024	286	0.019	0.017 - 0.021
Vermont	167	0.027	0.023 - 0.031	88	0.029	0.023 - 0.035	79	0.025	0.020 - 0.031
Virginia	1,684	0.020	0.019 - 0.021	859	0.021	0.019 - 0.022	825	0.019	0.018 - 0.021
Washington ³	1,647	0.022	0.021 - 0.023	939	0.026	0.024 - 0.027	708	0.019	0.018 - 0.021
WA - Seattle	1,185	0.023	0.022 - 0.025	674	0.027	0.025 - 0.029	511	0.020	0.018 - 0.022
West Virginia	387	0.021	0.019 - 0.023	215	0.024	0.021 - 0.027	172	0.019	0.016 - 0.022
Wisconsin	1,502	0.026	0.025 - 0.027	827	0.029	0.027 - 0.031	675	0.023	0.022 - 0.025
Wyoming	115	0.020	0.016 - 0.024	67	0.023	0.017 - 0.029	48	0.017	0.012 - 0.022
NAACCR CDN Combined¹	7,740	0.021	0.021 - 0.022	4,231	0.023	0.023 - 0.024	3,512	0.019	0.019 - 0.020
Alberta	864	0.020	0.019 - 0.022	505	0.024	0.022 - 0.026	359	0.017	0.015 - 0.019
British Columbia	950	0.019	0.018 - 0.021	501	0.021	0.019 - 0.023	449	0.018	0.017 - 0.020
Manitoba	279	0.021	0.019 - 0.024	157	0.024	0.020 - 0.028	122	0.018	0.015 - 0.022
New Brunswick	156	0.020	0.017 - 0.024	91	0.024	0.019 - 0.030	65	0.017	0.013 - 0.021
Newfoundland and Labrador	106	0.020	0.016 - 0.024	54	0.021	0.015 - 0.027	52	0.019	0.015 - 0.026
Nova Scotia	204	0.022	0.019 - 0.025	121	0.026	0.022 - 0.031	83	0.017	0.014 - 0.021
Ontario	3,134	0.022	0.022 - 0.023	1,670	0.024	0.023 - 0.025	1,464	0.021	0.020 - 0.022
Prince Edward Island	37	0.025	0.018 - 0.034	21	0.029	0.018 - 0.044	16	0.021	0.012 - 0.034
Saskatchewan	236	0.021	0.018 - 0.023	132	0.023	0.019 - 0.027	104	0.018	0.015 - 0.022
NAACCR N.A. Combined¹	78,802	0.022	0.022 - 0.022	42,791	0.024	0.024 - 0.024	36,012	0.020	0.019 - 0.020

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	411,192	0.126	0.126 - 0.127	217,929	0.136	0.136 - 0.137	193,217	0.117	0.117 - 0.118
Alabama	5,149	0.106	0.103 - 0.109	2,709	0.115	0.111 - 0.119	2,440	0.097	0.093 - 0.101
Alaska	745	0.101	0.093 - 0.108	428	0.111	0.100 - 0.122	317	0.090	0.080 - 0.100
Arizona	6,877	0.098	0.096 - 0.101	3,614	0.104	0.101 - 0.107	3,263	0.093	0.090 - 0.096
Arkansas	3,542	0.118	0.114 - 0.122	1,873	0.127	0.122 - 0.133	1,669	0.109	0.104 - 0.115
California	44,375	0.113	0.112 - 0.114	23,973	0.123	0.121 - 0.124	20,402	0.103	0.102 - 0.105
CA - Greater California	23,903	0.110	0.108 - 0.111	12,891	0.119	0.117 - 0.121	11,013	0.101	0.099 - 0.103
CA - Greater Bay Area	9,773	0.132	0.129 - 0.135	5,448	0.148	0.144 - 0.152	4,324	0.116	0.113 - 0.120
CA - Los Angeles	10,714	0.106	0.104 - 0.108	5,645	0.113	0.110 - 0.116	5,069	0.099	0.096 - 0.102
Colorado	6,135	0.110	0.107 - 0.113	3,381	0.120	0.116 - 0.125	2,754	0.099	0.096 - 0.103
Connecticut	5,753	0.161	0.157 - 0.165	3,052	0.175	0.169 - 0.181	2,701	0.147	0.142 - 0.153
Delaware	1,385	0.145	0.138 - 0.153	712	0.154	0.143 - 0.166	673	0.137	0.127 - 0.147
District of Columbia	641	0.093	0.086 - 0.100	341	0.104	0.093 - 0.116	300	0.083	0.074 - 0.093
Florida	32,953	0.158	0.157 - 0.160	17,158	0.169	0.166 - 0.171	15,795	0.149	0.146 - 0.151
Georgia	10,808	0.104	0.102 - 0.106	5,810	0.115	0.112 - 0.118	4,998	0.094	0.091 - 0.097
Hawaii	1,662	0.117	0.111 - 0.122	920	0.129	0.120 - 0.137	742	0.104	0.097 - 0.112
Idaho	1,974	0.116	0.111 - 0.121	1,052	0.123	0.116 - 0.131	922	0.109	0.102 - 0.116
Illinois	17,000	0.133	0.131 - 0.135	8,905	0.142	0.139 - 0.145	8,095	0.124	0.122 - 0.127
Iowa	4,720	0.150	0.146 - 0.155	2,531	0.162	0.156 - 0.169	2,188	0.139	0.133 - 0.145
Kentucky	5,918	0.133	0.130 - 0.137	3,116	0.142	0.137 - 0.147	2,803	0.124	0.120 - 0.129
Louisiana	5,562	0.119	0.116 - 0.122	2,900	0.127	0.122 - 0.132	2,662	0.111	0.107 - 0.116
Maine	2,233	0.167	0.161 - 0.175	1,182	0.181	0.171 - 0.192	1,051	0.154	0.145 - 0.164
Maryland	7,123	0.118	0.116 - 0.121	3,660	0.126	0.121 - 0.130	3,463	0.112	0.108 - 0.116
Michigan	13,919	0.140	0.137 - 0.142	7,301	0.149	0.145 - 0.152	6,618	0.131	0.128 - 0.134
MI - Detroit	5,630	0.145	0.141 - 0.149	2,929	0.156	0.150 - 0.161	2,701	0.135	0.130 - 0.140
Minnesota	8,273	0.149	0.146 - 0.152	4,531	0.164	0.159 - 0.169	3,742	0.134	0.130 - 0.139
Mississippi	3,192	0.107	0.103 - 0.111	1,618	0.112	0.106 - 0.117	1,574	0.102	0.097 - 0.107
Missouri	7,838	0.129	0.126 - 0.131	4,146	0.139	0.134 - 0.143	3,692	0.119	0.115 - 0.123
Montana	1,475	0.141	0.134 - 0.148	816	0.155	0.144 - 0.166	659	0.127	0.117 - 0.137
Nebraska	2,593	0.136	0.130 - 0.141	1,385	0.145	0.138 - 0.153	1,208	0.126	0.119 - 0.133
Nevada	2,782	0.094	0.091 - 0.098	1,507	0.102	0.097 - 0.107	1,275	0.087	0.082 - 0.092
New Hampshire	2,226	0.165	0.159 - 0.172	1,188	0.178	0.168 - 0.189	1,038	0.153	0.144 - 0.162
New Jersey	13,733	0.155	0.152 - 0.157	7,171	0.165	0.162 - 0.169	6,562	0.144	0.141 - 0.148
New Mexico	2,170	0.104	0.099 - 0.108	1,121	0.108	0.102 - 0.115	1,049	0.099	0.093 - 0.105
New York	29,864	0.152	0.151 - 0.154	15,589	0.164	0.161 - 0.166	14,274	0.141	0.139 - 0.144
North Carolina	12,017	0.118	0.116 - 0.120	6,359	0.128	0.125 - 0.131	5,658	0.108	0.105 - 0.111
North Dakota	968	0.128	0.120 - 0.137	497	0.128	0.117 - 0.140	471	0.128	0.117 - 0.140
Ohio	15,400	0.132	0.130 - 0.134	8,190	0.143	0.140 - 0.147	7,210	0.121	0.119 - 0.124
Oklahoma	4,321	0.110	0.107 - 0.113	2,258	0.116	0.111 - 0.121	2,063	0.104	0.100 - 0.109
Oregon	5,397	0.131	0.128 - 0.135	2,913	0.143	0.138 - 0.148	2,484	0.120	0.115 - 0.124
Pennsylvania	20,337	0.159	0.157 - 0.161	10,603	0.169	0.166 - 0.173	9,734	0.149	0.146 - 0.152
Rhode Island	1,631	0.154	0.147 - 0.162	852	0.166	0.155 - 0.177	779	0.143	0.134 - 0.154
South Carolina	5,435	0.109	0.106 - 0.112	2,877	0.119	0.115 - 0.123	2,558	0.100	0.096 - 0.104
Tennessee	7,852	0.118	0.115 - 0.120	4,125	0.127	0.123 - 0.131	3,727	0.109	0.106 - 0.113
Texas	27,210	0.097	0.096 - 0.098	14,412	0.103	0.101 - 0.105	12,798	0.090	0.089 - 0.092
Utah	2,943	0.096	0.092 - 0.099	1,675	0.108	0.103 - 0.114	1,268	0.083	0.079 - 0.088
Vermont	1,055	0.169	0.159 - 0.180	579	0.188	0.173 - 0.204	476	0.151	0.137 - 0.165
Virginia	9,256	0.110	0.107 - 0.112	4,950	0.119	0.116 - 0.123	4,306	0.100	0.097 - 0.104
Washington ³	9,597	0.130	0.128 - 0.133	5,318	0.145	0.141 - 0.148	4,279	0.116	0.113 - 0.120
WA - Seattle	6,933	0.137	0.133 - 0.140	3,870	0.152	0.148 - 0.157	3,063	0.121	0.116 - 0.125
West Virginia	2,742	0.150	0.145 - 0.156	1,434	0.159	0.151 - 0.167	1,308	0.142	0.134 - 0.150
Wisconsin	8,696	0.150	0.147 - 0.154	4,686	0.163	0.158 - 0.168	4,010	0.138	0.134 - 0.142
Wyoming	641	0.110	0.102 - 0.119	363	0.122	0.110 - 0.135	278	0.098	0.087 - 0.110
NAACCR CDN Combined¹	49,149	0.133	0.132 - 0.134	26,553	0.145	0.143 - 0.147	22,597	0.121	0.119 - 0.123
Alberta	4,557	0.108	0.105 - 0.111	2,533	0.119	0.114 - 0.124	2,024	0.097	0.093 - 0.101
British Columbia	6,358	0.130	0.127 - 0.133	3,432	0.142	0.137 - 0.147	2,926	0.118	0.114 - 0.123
Manitoba	1,718	0.130	0.124 - 0.136	926	0.140	0.131 - 0.149	792	0.119	0.111 - 0.128
New Brunswick	1,284	0.168	0.159 - 0.177	695	0.184	0.170 - 0.198	589	0.152	0.140 - 0.165
Newfoundland and Labrador	963	0.182	0.171 - 0.194	503	0.192	0.175 - 0.209	460	0.172	0.157 - 0.189
Nova Scotia	1,536	0.162	0.154 - 0.171	842	0.182	0.170 - 0.195	694	0.143	0.133 - 0.154
Ontario	19,142	0.137	0.135 - 0.139	10,291	0.149	0.147 - 0.152	8,851	0.125	0.122 - 0.128
Prince Edward Island	211	0.142	0.123 - 0.162	119	0.164	0.136 - 0.196	92	0.121	0.097 - 0.148
Saskatchewan	1,356	0.119	0.112 - 0.125	711	0.123	0.115 - 0.133	645	0.114	0.105 - 0.123
NAACCR N.A. Combined¹	460,341	0.127	0.127 - 0.127	244,481	0.137	0.136 - 0.137	215,813	0.117	0.117 - 0.118

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-222 Prevalence – Non-Hodgkin Lymphoma

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	113,552	0.035	0.035 - 0.035	62,266	0.039	0.039 - 0.039	51,269	0.031	0.031 - 0.032
Alabama	1,715	0.035	0.034 - 0.037	870	0.037	0.034 - 0.039	845	0.034	0.031 - 0.036
Alaska	154	0.021	0.018 - 0.024	86	0.022	0.018 - 0.027	68	0.019	0.015 - 0.024
Arizona	1,737	0.025	0.024 - 0.026	983	0.028	0.027 - 0.030	754	0.021	0.020 - 0.023
Arkansas	1,107	0.037	0.035 - 0.039	592	0.040	0.037 - 0.044	515	0.034	0.031 - 0.037
California	10,995	0.028	0.027 - 0.029	6,219	0.032	0.031 - 0.033	4,776	0.024	0.023 - 0.025
CA - Greater California	5,952	0.027	0.027 - 0.028	3,359	0.031	0.030 - 0.032	2,593	0.024	0.023 - 0.025
CA - Greater Bay Area	2,337	0.032	0.030 - 0.033	1,353	0.037	0.035 - 0.039	984	0.026	0.025 - 0.028
CA - Los Angeles	2,713	0.027	0.026 - 0.028	1,512	0.030	0.029 - 0.032	1,201	0.023	0.022 - 0.025
Colorado	1,642	0.029	0.028 - 0.031	990	0.035	0.033 - 0.038	652	0.024	0.022 - 0.025
Connecticut	1,589	0.044	0.042 - 0.047	892	0.051	0.048 - 0.055	698	0.038	0.035 - 0.041
Delaware	402	0.042	0.038 - 0.047	217	0.047	0.041 - 0.054	185	0.038	0.032 - 0.043
District of Columbia	283	0.041	0.036 - 0.046	140	0.043	0.036 - 0.050	143	0.039	0.033 - 0.046
Florida	9,923	0.048	0.047 - 0.049	5,382	0.053	0.052 - 0.054	4,541	0.043	0.041 - 0.044
Georgia	3,959	0.038	0.037 - 0.039	2,064	0.041	0.039 - 0.043	1,896	0.036	0.034 - 0.037
Hawaii	411	0.029	0.026 - 0.032	224	0.031	0.027 - 0.036	187	0.026	0.023 - 0.030
Idaho	487	0.029	0.026 - 0.031	311	0.036	0.033 - 0.041	176	0.021	0.018 - 0.024
Illinois	4,546	0.035	0.034 - 0.037	2,433	0.039	0.037 - 0.040	2,113	0.032	0.031 - 0.034
Iowa	1,120	0.036	0.034 - 0.038	631	0.040	0.037 - 0.044	489	0.031	0.028 - 0.034
Kentucky	1,477	0.033	0.032 - 0.035	864	0.039	0.037 - 0.042	613	0.027	0.025 - 0.029
Louisiana	1,769	0.038	0.036 - 0.040	927	0.041	0.038 - 0.043	842	0.035	0.033 - 0.038
Maine	508	0.038	0.035 - 0.042	287	0.044	0.039 - 0.049	221	0.032	0.028 - 0.037
Maryland	2,236	0.037	0.036 - 0.039	1,136	0.039	0.037 - 0.041	1,100	0.035	0.033 - 0.038
Michigan	3,683	0.037	0.036 - 0.038	2,052	0.042	0.040 - 0.044	1,631	0.032	0.031 - 0.034
MI - Detroit	1,663	0.043	0.041 - 0.045	889	0.047	0.044 - 0.050	774	0.039	0.036 - 0.042
Minnesota	1,988	0.036	0.034 - 0.037	1,140	0.041	0.039 - 0.044	848	0.030	0.028 - 0.033
Mississippi	1,086	0.036	0.034 - 0.039	569	0.039	0.036 - 0.043	517	0.034	0.031 - 0.037
Missouri	2,052	0.034	0.032 - 0.035	1,134	0.038	0.036 - 0.040	918	0.030	0.028 - 0.032
Montana	379	0.036	0.033 - 0.040	235	0.045	0.039 - 0.051	144	0.028	0.023 - 0.033
Nebraska	623	0.033	0.030 - 0.035	349	0.037	0.033 - 0.041	274	0.029	0.025 - 0.032
Nevada	594	0.020	0.019 - 0.022	330	0.022	0.020 - 0.025	264	0.018	0.016 - 0.020
New Hampshire	509	0.038	0.035 - 0.041	291	0.044	0.039 - 0.049	218	0.032	0.028 - 0.037
New Jersey	3,785	0.043	0.041 - 0.044	1,986	0.046	0.044 - 0.048	1,799	0.040	0.038 - 0.041
New Mexico	592	0.028	0.026 - 0.031	344	0.033	0.030 - 0.037	249	0.024	0.021 - 0.027
New York	9,225	0.047	0.046 - 0.048	4,970	0.052	0.051 - 0.054	4,255	0.042	0.041 - 0.043
North Carolina	4,155	0.041	0.039 - 0.042	2,211	0.044	0.043 - 0.046	1,944	0.037	0.035 - 0.039
North Dakota	229	0.030	0.027 - 0.035	130	0.034	0.028 - 0.040	99	0.027	0.022 - 0.033
Ohio	3,620	0.031	0.030 - 0.032	1,999	0.035	0.034 - 0.037	1,621	0.027	0.026 - 0.029
Oklahoma	1,147	0.029	0.028 - 0.031	619	0.032	0.029 - 0.034	528	0.027	0.024 - 0.029
Oregon	1,110	0.027	0.025 - 0.029	639	0.031	0.029 - 0.034	471	0.023	0.021 - 0.025
Pennsylvania	4,941	0.039	0.038 - 0.040	2,714	0.043	0.042 - 0.045	2,227	0.034	0.033 - 0.036
Rhode Island	374	0.035	0.032 - 0.039	212	0.041	0.036 - 0.047	162	0.030	0.025 - 0.035
South Carolina	2,022	0.041	0.039 - 0.042	1,074	0.044	0.042 - 0.047	948	0.037	0.035 - 0.039
Tennessee	2,227	0.033	0.032 - 0.035	1,216	0.037	0.035 - 0.039	1,011	0.030	0.028 - 0.031
Texas	8,519	0.030	0.030 - 0.031	4,592	0.033	0.032 - 0.034	3,927	0.028	0.027 - 0.029
Utah	696	0.023	0.021 - 0.024	408	0.026	0.024 - 0.029	287	0.019	0.017 - 0.021
Vermont	213	0.034	0.030 - 0.039	128	0.042	0.035 - 0.049	85	0.027	0.021 - 0.033
Virginia	2,542	0.030	0.029 - 0.031	1,377	0.033	0.031 - 0.035	1,165	0.027	0.026 - 0.029
Washington ³	2,297	0.031	0.030 - 0.033	1,322	0.036	0.034 - 0.038	975	0.026	0.025 - 0.028
WA - Seattle	1,688	0.033	0.032 - 0.035	966	0.038	0.036 - 0.041	722	0.028	0.026 - 0.031
West Virginia	629	0.034	0.032 - 0.037	366	0.041	0.037 - 0.045	263	0.029	0.025 - 0.032
Wisconsin	2,293	0.040	0.038 - 0.041	1,316	0.046	0.043 - 0.048	977	0.034	0.032 - 0.036
Wyoming	154	0.027	0.023 - 0.031	83	0.028	0.022 - 0.035	71	0.025	0.019 - 0.031
NAACCR CDN Combined¹	12,461	0.034	0.033 - 0.034	7,057	0.038	0.037 - 0.039	5,403	0.029	0.028 - 0.030
Alberta	1,114	0.026	0.025 - 0.028	672	0.032	0.029 - 0.034	442	0.021	0.019 - 0.023
British Columbia	1,438	0.029	0.028 - 0.031	823	0.034	0.032 - 0.036	615	0.025	0.023 - 0.027
Manitoba	364	0.027	0.025 - 0.030	213	0.032	0.028 - 0.037	151	0.023	0.019 - 0.027
New Brunswick	277	0.036	0.032 - 0.041	163	0.043	0.037 - 0.050	114	0.029	0.024 - 0.035
Newfoundland and Labrador	195	0.037	0.032 - 0.042	108	0.041	0.034 - 0.050	87	0.033	0.026 - 0.040
Nova Scotia	337	0.036	0.032 - 0.040	200	0.043	0.037 - 0.050	137	0.028	0.024 - 0.033
Ontario	5,261	0.038	0.037 - 0.039	2,905	0.042	0.041 - 0.044	2,356	0.033	0.032 - 0.035
Prince Edward Island	63	0.042	0.033 - 0.054	37	0.051	0.036 - 0.070	26	0.034	0.022 - 0.050
Saskatchewan	330	0.029	0.026 - 0.032	190	0.033	0.028 - 0.038	140	0.025	0.021 - 0.029
NAACCR N.A. Combined¹	126,013	0.035	0.035 - 0.035	69,323	0.039	0.039 - 0.039	56,672	0.031	0.031 - 0.031

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	250,691	0.077	0.077 - 0.077	144,934	0.091	0.090 - 0.091	105,712	0.064	0.064 - 0.064
Alabama	3,038	0.062	0.060 - 0.065	1,712	0.073	0.069 - 0.076	1,326	0.053	0.050 - 0.056
Alaska	450	0.061	0.055 - 0.067	271	0.070	0.062 - 0.079	179	0.051	0.044 - 0.059
Arizona	3,668	0.052	0.051 - 0.054	2,057	0.059	0.057 - 0.062	1,611	0.046	0.044 - 0.048
Arkansas	2,156	0.072	0.069 - 0.075	1,265	0.086	0.081 - 0.091	891	0.058	0.055 - 0.062
California	25,798	0.066	0.065 - 0.066	15,088	0.077	0.076 - 0.078	10,710	0.054	0.053 - 0.055
CA - Greater California	14,376	0.066	0.065 - 0.067	8,372	0.077	0.075 - 0.079	6,004	0.055	0.054 - 0.056
CA - Greater Bay Area	5,127	0.069	0.067 - 0.071	3,084	0.084	0.081 - 0.087	2,043	0.055	0.053 - 0.057
CA - Los Angeles	6,297	0.062	0.061 - 0.064	3,632	0.073	0.070 - 0.075	2,666	0.052	0.050 - 0.054
Colorado	4,029	0.072	0.070 - 0.074	2,406	0.086	0.082 - 0.089	1,623	0.059	0.056 - 0.061
Connecticut	3,247	0.091	0.088 - 0.094	1,879	0.108	0.103 - 0.113	1,367	0.075	0.071 - 0.079
Delaware	756	0.079	0.074 - 0.085	448	0.097	0.088 - 0.107	308	0.063	0.056 - 0.070
District of Columbia	315	0.046	0.041 - 0.051	183	0.056	0.048 - 0.064	132	0.036	0.030 - 0.043
Florida	22,341	0.107	0.106 - 0.109	12,554	0.123	0.121 - 0.126	9,787	0.092	0.090 - 0.094
Georgia	6,829	0.066	0.064 - 0.068	3,832	0.076	0.074 - 0.078	2,997	0.056	0.054 - 0.058
Hawaii	861	0.060	0.056 - 0.065	517	0.072	0.066 - 0.079	345	0.049	0.044 - 0.054
Idaho	1,494	0.088	0.083 - 0.092	881	0.103	0.097 - 0.110	613	0.072	0.067 - 0.078
Illinois	9,144	0.071	0.070 - 0.073	5,346	0.085	0.083 - 0.087	3,798	0.058	0.056 - 0.060
Iowa	3,074	0.098	0.095 - 0.101	1,828	0.117	0.112 - 0.123	1,245	0.079	0.075 - 0.083
Kentucky	3,700	0.083	0.081 - 0.086	2,143	0.098	0.094 - 0.102	1,557	0.069	0.066 - 0.073
Louisiana	3,379	0.072	0.070 - 0.075	1,884	0.082	0.079 - 0.086	1,495	0.063	0.059 - 0.066
Maine	1,409	0.106	0.100 - 0.111	815	0.125	0.116 - 0.134	594	0.087	0.080 - 0.095
Maryland	3,911	0.065	0.063 - 0.067	2,193	0.075	0.072 - 0.078	1,718	0.055	0.053 - 0.058
Michigan	8,028	0.081	0.079 - 0.082	4,602	0.094	0.091 - 0.097	3,426	0.068	0.065 - 0.070
MI - Detroit	3,537	0.091	0.088 - 0.094	2,056	0.109	0.105 - 0.114	1,481	0.074	0.070 - 0.078
Minnesota	5,323	0.096	0.093 - 0.099	3,230	0.117	0.113 - 0.121	2,093	0.075	0.072 - 0.078
Mississippi	1,758	0.059	0.056 - 0.062	1,009	0.070	0.065 - 0.074	749	0.049	0.045 - 0.052
Missouri	4,559	0.075	0.073 - 0.077	2,598	0.087	0.083 - 0.090	1,961	0.063	0.060 - 0.066
Montana	1,037	0.099	0.093 - 0.105	667	0.127	0.117 - 0.137	370	0.071	0.064 - 0.079
Nebraska	1,498	0.078	0.074 - 0.082	891	0.093	0.087 - 0.100	607	0.063	0.058 - 0.069
Nevada	1,858	0.063	0.060 - 0.066	1,105	0.075	0.070 - 0.079	753	0.051	0.048 - 0.055
New Hampshire	1,243	0.092	0.087 - 0.098	755	0.113	0.105 - 0.122	488	0.072	0.066 - 0.078
New Jersey	8,269	0.093	0.091 - 0.095	4,793	0.111	0.107 - 0.114	3,476	0.076	0.074 - 0.079
New Mexico	1,655	0.079	0.075 - 0.083	903	0.087	0.082 - 0.093	752	0.071	0.066 - 0.076
New York	19,242	0.098	0.097 - 0.099	11,106	0.117	0.114 - 0.119	8,136	0.081	0.079 - 0.082
North Carolina	8,113	0.079	0.078 - 0.081	4,644	0.093	0.091 - 0.096	3,469	0.066	0.064 - 0.068
North Dakota	712	0.094	0.088 - 0.102	440	0.114	0.103 - 0.125	272	0.074	0.065 - 0.083
Ohio	7,311	0.063	0.061 - 0.064	4,282	0.075	0.073 - 0.077	3,029	0.051	0.049 - 0.053
Oklahoma	2,818	0.072	0.069 - 0.074	1,590	0.082	0.078 - 0.086	1,228	0.062	0.059 - 0.065
Oregon	2,863	0.070	0.067 - 0.072	1,676	0.082	0.078 - 0.086	1,187	0.057	0.054 - 0.060
Pennsylvania	11,503	0.090	0.088 - 0.092	6,716	0.107	0.105 - 0.110	4,787	0.073	0.071 - 0.075
Rhode Island	951	0.090	0.084 - 0.096	542	0.106	0.097 - 0.115	409	0.075	0.068 - 0.083
South Carolina	3,364	0.067	0.065 - 0.070	1,917	0.079	0.076 - 0.083	1,447	0.056	0.053 - 0.059
Tennessee	4,811	0.072	0.070 - 0.074	2,779	0.085	0.082 - 0.089	2,032	0.059	0.057 - 0.062
Texas	18,564	0.066	0.065 - 0.067	10,659	0.076	0.075 - 0.078	7,905	0.056	0.055 - 0.057
Utah	1,986	0.065	0.062 - 0.068	1,208	0.078	0.074 - 0.083	778	0.051	0.047 - 0.055
Vermont	495	0.079	0.072 - 0.087	291	0.094	0.084 - 0.106	204	0.065	0.056 - 0.074
Virginia	4,527	0.054	0.052 - 0.055	2,538	0.061	0.059 - 0.064	1,989	0.046	0.044 - 0.048
Washington ³	6,138	0.083	0.081 - 0.086	3,663	0.100	0.096 - 0.103	2,475	0.067	0.065 - 0.070
WA - Seattle	4,526	0.089	0.087 - 0.092	2,719	0.107	0.103 - 0.111	1,807	0.071	0.068 - 0.075
West Virginia	1,689	0.093	0.088 - 0.097	993	0.110	0.103 - 0.117	696	0.076	0.070 - 0.081
Wisconsin	6,136	0.106	0.103 - 0.109	3,615	0.126	0.122 - 0.130	2,521	0.087	0.083 - 0.090
Wyoming	451	0.078	0.071 - 0.085	271	0.091	0.081 - 0.103	180	0.063	0.054 - 0.073
NAACCR CDN Combined¹	35,082	0.095	0.094 - 0.096	20,758	0.113	0.112 - 0.115	14,323	0.077	0.076 - 0.078
Alberta	3,657	0.087	0.084 - 0.090	2,220	0.104	0.100 - 0.109	1,437	0.069	0.065 - 0.072
British Columbia	3,929	0.080	0.078 - 0.083	2,364	0.098	0.094 - 0.102	1,565	0.063	0.060 - 0.067
Manitoba	1,200	0.091	0.086 - 0.096	724	0.110	0.102 - 0.118	476	0.072	0.065 - 0.078
New Brunswick	897	0.117	0.110 - 0.125	526	0.139	0.127 - 0.151	371	0.096	0.086 - 0.106
Newfoundland and Labrador	360	0.068	0.061 - 0.075	226	0.086	0.075 - 0.098	134	0.050	0.042 - 0.060
Nova Scotia	789	0.083	0.078 - 0.089	472	0.102	0.093 - 0.112	317	0.065	0.058 - 0.073
Ontario	14,454	0.103	0.102 - 0.105	8,419	0.122	0.120 - 0.125	6,035	0.085	0.083 - 0.087
Prince Edward Island	125	0.084	0.070 - 0.100	72	0.099	0.078 - 0.125	53	0.070	0.052 - 0.091
Saskatchewan	1,137	0.099	0.094 - 0.105	676	0.117	0.109 - 0.127	461	0.081	0.074 - 0.089
NAACCR N.A. Combined¹	285,772	0.079	0.078 - 0.079	165,693	0.092	0.092 - 0.093	120,034	0.065	0.065 - 0.065

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-224 Prevalence – Leukemias

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,374	0.002	0.002 - 0.002	3,529	0.002	0.002 - 0.002	1,843	0.001	0.001 - 0.001
Alabama	59	0.001	0.001 - 0.002	40	0.002	0.001 - 0.002	19	0.001	0.000 - 0.001
Alaska	14	0.002	0.001 - 0.003	-	-	-	-	-	-
Arizona	101	0.001	0.001 - 0.002	67	0.002	0.001 - 0.002	34	0.001	0.001 - 0.001
Arkansas	29	0.001	0.001 - 0.001	-	-	-	-	-	-
California	527	0.001	0.001 - 0.001	331	0.002	0.002 - 0.002	196	0.001	0.001 - 0.001
CA - Greater California	322	0.001	0.001 - 0.002	200	0.002	0.002 - 0.002	122	0.001	0.001 - 0.001
CA - Greater Bay Area	109	0.001	0.001 - 0.002	70	0.002	0.001 - 0.002	39	0.001	0.001 - 0.001
CA - Los Angeles	97	0.001	0.001 - 0.001	62	0.001	0.001 - 0.002	36	0.001	0.000 - 0.001
Colorado	82	0.001	0.001 - 0.002	52	0.002	0.001 - 0.002	30	0.001	0.001 - 0.002
Connecticut	62	0.002	0.001 - 0.002	48	0.003	0.002 - 0.004	14	0.001	0.000 - 0.001
Delaware	30	0.003	0.002 - 0.004	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	406	0.002	0.002 - 0.002	267	0.003	0.002 - 0.003	139	0.001	0.001 - 0.002
Georgia	109	0.001	0.001 - 0.001	75	0.001	0.001 - 0.002	34	0.001	0.000 - 0.001
Hawaii	14	0.001	0.001 - 0.002	-	-	-	-	-	-
Idaho	36	0.002	0.001 - 0.003	-	-	-	-	-	-
Illinois	261	0.002	0.002 - 0.002	166	0.003	0.002 - 0.003	95	0.001	0.001 - 0.002
Iowa	53	0.002	0.001 - 0.002	37	0.002	0.002 - 0.003	16	0.001	0.001 - 0.002
Kentucky	54	0.001	0.001 - 0.002	32	0.001	0.001 - 0.002	22	0.001	0.001 - 0.001
Louisiana	110	0.002	0.002 - 0.003	65	0.003	0.002 - 0.004	45	0.002	0.001 - 0.003
Maine	43	0.003	0.002 - 0.004	32	0.005	0.003 - 0.007	11	0.002	0.001 - 0.003
Maryland	95	0.002	0.001 - 0.002	55	0.002	0.001 - 0.002	40	0.001	0.001 - 0.002
Michigan	195	0.002	0.002 - 0.002	123	0.003	0.002 - 0.003	72	0.001	0.001 - 0.002
MI - Detroit	61	0.002	0.001 - 0.002	39	0.002	0.001 - 0.003	22	0.001	0.001 - 0.002
Minnesota	130	0.002	0.002 - 0.003	80	0.003	0.002 - 0.004	50	0.002	0.001 - 0.002
Mississippi	41	0.001	0.001 - 0.002	26	0.002	0.001 - 0.003	15	0.001	0.001 - 0.002
Missouri	83	0.001	0.001 - 0.002	47	0.002	0.001 - 0.002	36	0.001	0.001 - 0.002
Montana	26	0.002	0.002 - 0.004	-	-	-	-	-	-
Nebraska	26	0.001	0.001 - 0.002	-	-	-	-	-	-
Nevada	33	0.001	0.001 - 0.002	22	0.001	0.001 - 0.002	11	0.001	0.000 - 0.001
New Hampshire	25	0.002	0.001 - 0.003	-	-	-	-	-	-
New Jersey	219	0.002	0.002 - 0.003	135	0.003	0.003 - 0.004	84	0.002	0.001 - 0.002
New Mexico	27	0.001	0.001 - 0.002	-	-	-	-	-	-
New York	363	0.002	0.002 - 0.002	229	0.002	0.002 - 0.003	134	0.001	0.001 - 0.002
North Carolina	142	0.001	0.001 - 0.002	94	0.002	0.002 - 0.002	48	0.001	0.001 - 0.001
North Dakota	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Ohio	218	0.002	0.002 - 0.002	155	0.003	0.002 - 0.003	63	0.001	0.001 - 0.001
Oklahoma	56	0.001	0.001 - 0.002	37	0.002	0.001 - 0.003	19	0.001	0.001 - 0.001
Oregon	68	0.002	0.001 - 0.002	47	0.002	0.002 - 0.003	21	0.001	0.001 - 0.002
Pennsylvania	299	0.002	0.002 - 0.003	209	0.003	0.003 - 0.004	90	0.001	0.001 - 0.002
Rhode Island	24	0.002	0.001 - 0.003	-	-	-	-	-	-
South Carolina	90	0.002	0.001 - 0.002	60	0.002	0.002 - 0.003	30	0.001	0.001 - 0.002
Tennessee	82	0.001	0.001 - 0.002	50	0.002	0.001 - 0.002	32	0.001	0.001 - 0.001
Texas	342	0.001	0.001 - 0.001	217	0.002	0.001 - 0.002	125	0.001	0.001 - 0.001
Utah	23	0.001	0.000 - 0.001	13	0.001	0.000 - 0.001	10	0.001	0.000 - 0.001
Vermont	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Virginia	119	0.001	0.001 - 0.002	92	0.002	0.002 - 0.003	27	0.001	0.000 - 0.001
Washington ³	141	0.002	0.002 - 0.002	100	0.003	0.002 - 0.003	41	0.001	0.001 - 0.002
WA - Seattle	107	0.002	0.002 - 0.003	75	0.003	0.002 - 0.004	32	0.001	0.001 - 0.002
West Virginia	39	0.002	0.002 - 0.003	27	0.003	0.002 - 0.004	12	0.001	0.001 - 0.002
Wisconsin	127	0.002	0.002 - 0.003	92	0.003	0.003 - 0.004	35	0.001	0.001 - 0.002
Wyoming	13	0.002	0.001 - 0.004	-	-	-	-	-	-
NAACCR CDN Combined¹	832	0.002	0.002 - 0.002	590	0.003	0.003 - 0.004	241	0.001	0.001 - 0.001
Alberta	68	0.002	0.001 - 0.002	52	0.002	0.002 - 0.003	16	0.001	0.000 - 0.001
British Columbia	116	0.002	0.002 - 0.003	94	0.004	0.003 - 0.005	22	0.001	0.001 - 0.001
Manitoba	31	0.002	0.002 - 0.003	-	-	-	-	-	-
New Brunswick	14	0.002	0.001 - 0.003	-	-	-	-	-	-
Newfoundland and Labrador	10	0.002	0.001 - 0.003	-	-	-	-	-	-
Nova Scotia	16	0.002	0.001 - 0.003	-	-	-	-	-	-
Ontario	344	0.002	0.002 - 0.003	222	0.003	0.003 - 0.004	122	0.002	0.001 - 0.002
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	24	0.002	0.001 - 0.003	-	-	-	-	-	-
NAACCR N.A. Combined¹	6,206	0.002	0.002 - 0.002	4,119	0.002	0.002 - 0.002	2,084	0.001	0.001 - 0.001

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,764,448	3.374	3.372 - 3.377	3,313,495	3.355	3.352 - 3.359	3,450,220	3.393	3.389 - 3.397
Alabama	100,630	3.105	3.086 - 3.125	50,570	3.192	3.165 - 3.220	50,060	3.022	2.996 - 3.049
Alaska	12,329	2.593	2.548 - 2.639	6,299	2.501	2.440 - 2.564	6,030	2.697	2.630 - 2.766
Arizona	124,472	3.177	3.160 - 3.195	60,423	3.121	3.096 - 3.146	64,049	3.233	3.208 - 3.258
Arkansas	67,757	3.065	3.042 - 3.089	34,648	3.191	3.157 - 3.225	33,109	2.944	2.913 - 2.976
California	557,078	3.647	3.637 - 3.656	274,780	3.600	3.587 - 3.614	282,298	3.693	3.680 - 3.707
CA - Greater California	342,980	3.585	3.573 - 3.597	168,804	3.550	3.533 - 3.567	174,177	3.619	3.602 - 3.636
CA - Greater Bay Area	112,490	3.839	3.816 - 3.861	56,608	3.822	3.791 - 3.854	55,883	3.855	3.824 - 3.888
CA - Los Angeles	102,250	3.680	3.658 - 3.703	49,730	3.561	3.529 - 3.592	52,519	3.802	3.769 - 3.834
Colorado	106,936	2.758	2.741 - 2.774	51,523	2.649	2.627 - 2.672	55,413	2.866	2.842 - 2.890
Connecticut	97,794	4.000	3.975 - 4.025	46,801	3.929	3.894 - 3.965	50,992	4.068	4.032 - 4.103
Delaware	24,003	3.954	3.904 - 4.004	12,125	4.128	4.055 - 4.202	11,878	3.791	3.723 - 3.859
District of Columbia	5,088	1.978	1.924 - 2.033	2,394	1.868	1.794 - 1.944	2,694	2.087	2.009 - 2.167
Florida	446,546	3.888	3.877 - 3.900	227,029	4.031	4.014 - 4.048	219,517	3.751	3.735 - 3.766
Georgia	177,209	3.171	3.156 - 3.186	88,423	3.217	3.196 - 3.238	88,786	3.126	3.105 - 3.147
Hawaii	12,018	3.884	3.815 - 3.954	6,525	3.890	3.796 - 3.985	5,493	3.878	3.776 - 3.982
Idaho	40,218	2.836	2.808 - 2.863	20,250	2.860	2.821 - 2.900	19,968	2.811	2.772 - 2.850
Illinois	283,331	3.551	3.538 - 3.564	136,362	3.477	3.459 - 3.496	146,969	3.622	3.603 - 3.640
Iowa	89,273	3.280	3.258 - 3.301	43,562	3.240	3.210 - 3.271	45,711	3.318	3.288 - 3.349
Kentucky	120,729	3.166	3.148 - 3.184	57,791	3.091	3.066 - 3.116	62,938	3.239	3.213 - 3.264
Louisiana	89,725	3.222	3.201 - 3.243	46,690	3.405	3.374 - 3.436	43,035	3.045	3.016 - 3.074
Maine	45,129	3.584	3.551 - 3.617	21,479	3.488	3.442 - 3.535	23,650	3.675	3.628 - 3.722
Maryland	113,905	3.621	3.600 - 3.642	55,258	3.585	3.556 - 3.615	58,647	3.655	3.625 - 3.685
Michigan	247,523	3.259	3.246 - 3.271	122,088	3.252	3.234 - 3.270	125,435	3.265	3.247 - 3.283
MI - Detroit	90,290	3.600	3.576 - 3.623	44,735	3.621	3.588 - 3.655	45,556	3.579	3.546 - 3.612
Minnesota	151,838	3.369	3.352 - 3.386	75,031	3.356	3.332 - 3.380	76,807	3.381	3.357 - 3.405
Mississippi	54,436	3.179	3.152 - 3.206	27,754	3.300	3.262 - 3.340	26,682	3.062	3.025 - 3.099
Missouri	148,568	3.019	3.004 - 3.034	70,974	2.932	2.910 - 2.953	77,594	3.104	3.082 - 3.126
Montana	29,519	3.216	3.179 - 3.253	15,223	3.294	3.242 - 3.347	14,295	3.137	3.086 - 3.189
Nebraska	47,812	3.120	3.092 - 3.148	23,500	3.095	3.056 - 3.135	24,312	3.144	3.104 - 3.183
Nevada	48,094	3.184	3.156 - 3.213	24,761	3.221	3.181 - 3.262	23,333	3.146	3.106 - 3.186
New Hampshire	44,587	3.626	3.592 - 3.660	21,824	3.594	3.546 - 3.642	22,763	3.657	3.610 - 3.705
New Jersey	210,473	4.193	4.175 - 4.211	102,252	4.176	4.151 - 4.202	108,221	4.208	4.183 - 4.234
New Mexico	29,232	3.640	3.599 - 3.682	14,506	3.649	3.590 - 3.709	14,726	3.632	3.574 - 3.691
New York	437,396	3.936	3.924 - 3.948	212,980	3.916	3.900 - 3.933	224,416	3.955	3.938 - 3.971
North Carolina	220,981	3.366	3.352 - 3.380	107,809	3.360	3.340 - 3.381	113,172	3.372	3.353 - 3.392
North Dakota	19,763	3.052	3.010 - 3.095	10,152	3.072	3.012 - 3.132	9,611	3.032	2.971 - 3.093
Ohio	289,194	3.098	3.087 - 3.109	136,610	2.982	2.966 - 2.998	152,584	3.210	3.194 - 3.226
Oklahoma	78,447	2.897	2.876 - 2.917	38,650	2.901	2.872 - 2.930	39,797	2.892	2.864 - 2.921
Oregon	103,830	3.239	3.219 - 3.259	49,931	3.162	3.134 - 3.190	53,899	3.314	3.286 - 3.342
Pennsylvania	363,184	3.661	3.650 - 3.673	172,991	3.564	3.547 - 3.580	190,193	3.755	3.738 - 3.772
Rhode Island	30,143	3.861	3.818 - 3.905	13,761	3.658	3.597 - 3.720	16,382	4.050	3.988 - 4.113
South Carolina	102,471	3.178	3.159 - 3.198	50,584	3.210	3.182 - 3.238	51,887	3.148	3.121 - 3.175
Tennessee	157,247	3.139	3.123 - 3.154	77,966	3.185	3.163 - 3.208	79,281	3.095	3.073 - 3.116
Texas	369,770	3.054	3.044 - 3.064	183,488	3.058	3.044 - 3.072	186,282	3.050	3.037 - 3.064
Utah	54,915	2.239	2.220 - 2.258	28,528	2.318	2.292 - 2.345	26,387	2.159	2.133 - 2.185
Vermont	20,364	3.466	3.419 - 3.514	9,700	3.348	3.282 - 3.415	10,664	3.581	3.514 - 3.650
Virginia	157,789	2.950	2.935 - 2.964	75,199	2.845	2.824 - 2.865	82,590	3.053	3.032 - 3.074
Washington ³	173,290	3.315	3.300 - 3.331	84,809	3.254	3.233 - 3.276	88,481	3.376	3.354 - 3.398
WA - Seattle	122,193	3.459	3.440 - 3.479	60,154	3.407	3.380 - 3.434	62,039	3.511	3.484 - 3.539
West Virginia	56,425	3.316	3.289 - 3.344	27,166	3.243	3.204 - 3.282	29,259	3.388	3.349 - 3.427
Wisconsin	160,091	3.364	3.348 - 3.381	78,929	3.340	3.317 - 3.363	81,162	3.388	3.364 - 3.411
Wyoming	13,889	2.804	2.757 - 2.851	7,313	2.905	2.839 - 2.972	6,576	2.699	2.635 - 2.765

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	194,819	0.097	0.097 - 0.098	139,729	0.141	0.141 - 0.142	55,034	0.054	0.054 - 0.055
Alabama	3,312	0.102	0.099 - 0.106	2,360	0.149	0.143 - 0.155	952	0.057	0.054 - 0.061
Alaska	385	0.081	0.073 - 0.089	299	0.119	0.106 - 0.133	86	0.038	0.031 - 0.048
Arizona	3,347	0.085	0.083 - 0.088	2,466	0.127	0.122 - 0.132	881	0.044	0.042 - 0.048
Arkansas	2,169	0.098	0.094 - 0.102	1,585	0.146	0.139 - 0.153	584	0.052	0.048 - 0.056
California	16,643	0.109	0.107 - 0.111	12,167	0.159	0.157 - 0.162	4,475	0.059	0.057 - 0.060
CA - Greater California	10,777	0.113	0.111 - 0.115	7,921	0.167	0.163 - 0.170	2,857	0.059	0.057 - 0.062
CA - Greater Bay Area	3,174	0.108	0.105 - 0.112	2,305	0.156	0.149 - 0.162	869	0.060	0.056 - 0.064
CA - Los Angeles	2,694	0.097	0.093 - 0.101	1,944	0.139	0.133 - 0.146	750	0.054	0.050 - 0.058
Colorado	3,091	0.080	0.077 - 0.083	2,223	0.114	0.110 - 0.119	868	0.045	0.042 - 0.048
Connecticut	2,568	0.105	0.101 - 0.109	1,763	0.148	0.141 - 0.155	804	0.064	0.060 - 0.069
Delaware	668	0.110	0.102 - 0.119	481	0.164	0.149 - 0.179	187	0.060	0.051 - 0.069
District of Columbia	135	0.052	0.044 - 0.062	89	0.069	0.056 - 0.085	46	0.036	0.026 - 0.048
Florida	14,333	0.125	0.123 - 0.127	10,631	0.189	0.185 - 0.192	3,702	0.063	0.061 - 0.065
Georgia	5,522	0.099	0.096 - 0.101	4,035	0.147	0.142 - 0.151	1,487	0.052	0.050 - 0.055
Hawaii	459	0.148	0.135 - 0.162	354	0.211	0.190 - 0.234	105	0.074	0.060 - 0.089
Idaho	1,269	0.089	0.085 - 0.095	908	0.128	0.120 - 0.137	360	0.051	0.046 - 0.056
Illinois	8,063	0.101	0.099 - 0.103	5,746	0.147	0.143 - 0.150	2,317	0.057	0.055 - 0.059
Iowa	2,714	0.100	0.096 - 0.104	1,913	0.142	0.136 - 0.149	801	0.058	0.054 - 0.062
Kentucky	3,676	0.096	0.093 - 0.100	2,662	0.142	0.137 - 0.148	1,014	0.052	0.049 - 0.055
Louisiana	2,750	0.099	0.095 - 0.103	2,013	0.147	0.140 - 0.153	737	0.052	0.048 - 0.056
Maine	1,314	0.104	0.099 - 0.110	945	0.153	0.144 - 0.164	369	0.057	0.052 - 0.063
Maryland	3,221	0.102	0.099 - 0.106	2,317	0.150	0.144 - 0.157	904	0.056	0.053 - 0.060
Michigan	6,678	0.088	0.086 - 0.090	4,704	0.125	0.122 - 0.129	1,974	0.051	0.049 - 0.054
MI - Detroit	2,393	0.095	0.092 - 0.099	1,703	0.138	0.131 - 0.145	690	0.054	0.050 - 0.058
Minnesota	4,206	0.093	0.091 - 0.096	2,900	0.130	0.125 - 0.135	1,306	0.057	0.054 - 0.061
Mississippi	1,724	0.101	0.096 - 0.106	1,232	0.147	0.138 - 0.155	492	0.056	0.052 - 0.062
Missouri	4,432	0.090	0.087 - 0.093	3,207	0.132	0.128 - 0.137	1,225	0.049	0.046 - 0.052
Montana	789	0.086	0.080 - 0.092	555	0.120	0.110 - 0.131	234	0.051	0.045 - 0.058
Nebraska	1,329	0.087	0.082 - 0.092	937	0.123	0.116 - 0.132	392	0.051	0.046 - 0.056
Nevada	1,468	0.097	0.092 - 0.102	1,077	0.140	0.132 - 0.149	391	0.053	0.048 - 0.058
New Hampshire	1,141	0.093	0.087 - 0.098	826	0.136	0.127 - 0.146	315	0.051	0.045 - 0.057
New Jersey	4,863	0.097	0.094 - 0.100	3,361	0.137	0.133 - 0.142	1,502	0.058	0.055 - 0.061
New Mexico	831	0.103	0.097 - 0.111	630	0.158	0.146 - 0.171	201	0.050	0.043 - 0.057
New York	10,249	0.092	0.090 - 0.094	7,099	0.131	0.128 - 0.134	3,150	0.056	0.054 - 0.057
North Carolina	6,477	0.099	0.096 - 0.101	4,603	0.143	0.139 - 0.148	1,874	0.056	0.053 - 0.058
North Dakota	546	0.084	0.077 - 0.092	386	0.117	0.105 - 0.129	160	0.050	0.043 - 0.059
Ohio	8,197	0.088	0.086 - 0.090	5,785	0.126	0.123 - 0.130	2,412	0.051	0.049 - 0.053
Oklahoma	2,641	0.098	0.094 - 0.101	1,890	0.142	0.136 - 0.148	751	0.055	0.051 - 0.059
Oregon	3,133	0.098	0.094 - 0.101	2,251	0.143	0.137 - 0.149	882	0.054	0.051 - 0.058
Pennsylvania	9,413	0.095	0.093 - 0.097	6,526	0.134	0.131 - 0.138	2,887	0.057	0.055 - 0.059
Rhode Island	714	0.091	0.085 - 0.098	496	0.132	0.121 - 0.144	218	0.054	0.047 - 0.062
South Carolina	3,093	0.096	0.093 - 0.099	2,243	0.142	0.137 - 0.148	850	0.052	0.048 - 0.055
Tennessee	4,743	0.095	0.092 - 0.097	3,456	0.141	0.137 - 0.146	1,287	0.050	0.048 - 0.053
Texas	12,139	0.100	0.098 - 0.102	9,004	0.150	0.147 - 0.153	3,135	0.051	0.050 - 0.053
Utah	1,259	0.051	0.049 - 0.054	878	0.071	0.067 - 0.076	381	0.031	0.028 - 0.034
Vermont	565	0.096	0.088 - 0.104	405	0.140	0.127 - 0.154	160	0.054	0.046 - 0.063
Virginia	4,693	0.088	0.085 - 0.090	3,415	0.129	0.125 - 0.134	1,278	0.047	0.045 - 0.050
Washington ³	5,030	0.096	0.094 - 0.099	3,569	0.137	0.132 - 0.142	1,461	0.056	0.053 - 0.059
WA - Seattle	3,558	0.101	0.097 - 0.104	2,527	0.143	0.138 - 0.149	1,031	0.058	0.055 - 0.062
West Virginia	1,641	0.096	0.092 - 0.101	1,186	0.142	0.134 - 0.150	455	0.053	0.048 - 0.058
Wisconsin	4,404	0.093	0.090 - 0.095	3,071	0.130	0.125 - 0.135	1,333	0.056	0.053 - 0.059
Wyoming	374	0.076	0.068 - 0.084	271	0.108	0.095 - 0.121	103	0.042	0.035 - 0.051

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	33,225	0.017	0.016 - 0.017	26,557	0.027	0.027 - 0.027	6,650	0.007	0.006 - 0.007
Alabama	437	0.013	0.012 - 0.015	365	0.023	0.021 - 0.026	72	0.004	0.003 - 0.005
Alaska	73	0.015	0.012 - 0.019	61	0.024	0.019 - 0.031	12	0.005	0.003 - 0.009
Arizona	658	0.017	0.016 - 0.018	518	0.027	0.024 - 0.029	140	0.007	0.006 - 0.008
Arkansas	268	0.012	0.011 - 0.014	219	0.020	0.018 - 0.023	49	0.004	0.003 - 0.006
California	2,324	0.015	0.015 - 0.016	1,808	0.024	0.023 - 0.025	516	0.007	0.006 - 0.007
CA - Greater California	1,500	0.016	0.015 - 0.016	1,191	0.025	0.024 - 0.027	309	0.006	0.006 - 0.007
CA - Greater Bay Area	468	0.016	0.015 - 0.017	342	0.023	0.021 - 0.026	126	0.009	0.007 - 0.010
CA - Los Angeles	356	0.013	0.012 - 0.014	275	0.020	0.017 - 0.022	81	0.006	0.005 - 0.007
Colorado	470	0.012	0.011 - 0.013	392	0.020	0.018 - 0.022	78	0.004	0.003 - 0.005
Connecticut	505	0.021	0.019 - 0.023	400	0.034	0.030 - 0.037	105	0.008	0.007 - 0.010
Delaware	131	0.022	0.018 - 0.026	104	0.035	0.029 - 0.043	27	0.009	0.006 - 0.013
District of Columbia	17	0.007	0.004 - 0.011	-	-	-	-	-	-
Florida	2,475	0.022	0.021 - 0.022	1,977	0.035	0.034 - 0.037	498	0.009	0.008 - 0.009
Georgia	754	0.013	0.013 - 0.014	613	0.022	0.021 - 0.024	142	0.005	0.004 - 0.006
Hawaii	40	0.013	0.009 - 0.018	-	-	-	-	-	-
Idaho	179	0.013	0.011 - 0.015	149	0.021	0.018 - 0.025	30	0.004	0.003 - 0.006
Illinois	1,498	0.019	0.018 - 0.020	1,204	0.031	0.029 - 0.032	294	0.007	0.006 - 0.008
Iowa	530	0.019	0.018 - 0.021	439	0.033	0.030 - 0.036	91	0.007	0.005 - 0.008
Kentucky	524	0.014	0.013 - 0.015	433	0.023	0.021 - 0.025	91	0.005	0.004 - 0.006
Louisiana	394	0.014	0.013 - 0.016	310	0.023	0.020 - 0.025	84	0.006	0.005 - 0.007
Maine	328	0.026	0.023 - 0.029	262	0.043	0.038 - 0.048	66	0.010	0.008 - 0.013
Maryland	543	0.017	0.016 - 0.019	442	0.029	0.026 - 0.031	101	0.006	0.005 - 0.008
Michigan	1,561	0.021	0.020 - 0.022	1,228	0.033	0.031 - 0.035	333	0.009	0.008 - 0.010
MI - Detroit	488	0.019	0.018 - 0.021	378	0.031	0.028 - 0.034	109	0.009	0.007 - 0.010
Minnesota	752	0.017	0.016 - 0.018	598	0.027	0.025 - 0.029	154	0.007	0.006 - 0.008
Mississippi	258	0.015	0.013 - 0.017	208	0.025	0.021 - 0.028	50	0.006	0.004 - 0.008
Missouri	758	0.015	0.014 - 0.017	628	0.026	0.024 - 0.028	130	0.005	0.004 - 0.006
Montana	147	0.016	0.014 - 0.019	123	0.027	0.022 - 0.032	25	0.005	0.004 - 0.008
Nebraska	215	0.014	0.012 - 0.016	175	0.023	0.020 - 0.027	40	0.005	0.004 - 0.007
Nevada	233	0.015	0.014 - 0.018	189	0.025	0.021 - 0.028	44	0.006	0.004 - 0.008
New Hampshire	317	0.026	0.023 - 0.029	254	0.042	0.037 - 0.047	63	0.010	0.008 - 0.013
New Jersey	964	0.019	0.018 - 0.020	757	0.031	0.029 - 0.033	207	0.008	0.007 - 0.009
New Mexico	136	0.017	0.014 - 0.020	115	0.029	0.024 - 0.035	21	0.005	0.003 - 0.008
New York	2,053	0.018	0.018 - 0.019	1,561	0.029	0.027 - 0.030	492	0.009	0.008 - 0.009
North Carolina	911	0.014	0.013 - 0.015	737	0.023	0.021 - 0.025	174	0.005	0.004 - 0.006
North Dakota	81	0.013	0.010 - 0.016	56	0.017	0.013 - 0.022	25	0.008	0.005 - 0.012
Ohio	1,507	0.016	0.015 - 0.017	1,228	0.027	0.025 - 0.028	279	0.006	0.005 - 0.007
Oklahoma	353	0.013	0.012 - 0.014	273	0.020	0.018 - 0.023	80	0.006	0.005 - 0.007
Oregon	571	0.018	0.016 - 0.019	460	0.029	0.027 - 0.032	111	0.007	0.006 - 0.008
Pennsylvania	1,824	0.018	0.018 - 0.019	1,465	0.030	0.029 - 0.032	359	0.007	0.006 - 0.008
Rhode Island	167	0.021	0.018 - 0.025	124	0.033	0.027 - 0.039	43	0.011	0.008 - 0.014
South Carolina	480	0.015	0.014 - 0.016	381	0.024	0.022 - 0.027	99	0.006	0.005 - 0.007
Tennessee	757	0.015	0.014 - 0.016	636	0.026	0.024 - 0.028	121	0.005	0.004 - 0.006
Texas	1,851	0.015	0.015 - 0.016	1,492	0.025	0.024 - 0.026	359	0.006	0.005 - 0.007
Utah	177	0.007	0.006 - 0.008	153	0.012	0.011 - 0.015	24	0.002	0.001 - 0.003
Vermont	143	0.024	0.021 - 0.029	115	0.040	0.033 - 0.048	28	0.009	0.006 - 0.014
Virginia	706	0.013	0.012 - 0.014	561	0.021	0.020 - 0.023	145	0.005	0.005 - 0.006
Washington ³	874	0.017	0.016 - 0.018	695	0.027	0.025 - 0.029	179	0.007	0.006 - 0.008
WA - Seattle	583	0.017	0.015 - 0.018	453	0.026	0.023 - 0.028	130	0.007	0.006 - 0.009
West Virginia	289	0.017	0.015 - 0.019	240	0.029	0.025 - 0.033	49	0.006	0.004 - 0.008
Wisconsin	834	0.018	0.016 - 0.019	659	0.028	0.026 - 0.030	175	0.007	0.006 - 0.008
Wyoming	67	0.013	0.010 - 0.017	56	0.022	0.017 - 0.029	11	0.005	0.002 - 0.008

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	44,991	0.022	0.022 - 0.023	27,282	0.028	0.027 - 0.028	17,696	0.017	0.017 - 0.018
Alabama	723	0.022	0.021 - 0.024	401	0.025	0.023 - 0.028	322	0.019	0.017 - 0.022
Alaska	82	0.017	0.014 - 0.021	57	0.023	0.017 - 0.029	25	0.011	0.007 - 0.017
Arizona	697	0.018	0.016 - 0.019	460	0.024	0.022 - 0.026	237	0.012	0.010 - 0.014
Arkansas	448	0.020	0.018 - 0.022	267	0.025	0.022 - 0.028	181	0.016	0.014 - 0.019
California	3,576	0.023	0.023 - 0.024	2,229	0.029	0.028 - 0.030	1,347	0.018	0.017 - 0.019
CA - Greater California	2,061	0.022	0.021 - 0.022	1,276	0.027	0.025 - 0.028	785	0.016	0.015 - 0.017
CA - Greater Bay Area	698	0.024	0.022 - 0.026	446	0.030	0.027 - 0.033	252	0.017	0.015 - 0.020
CA - Los Angeles	818	0.029	0.027 - 0.032	507	0.036	0.033 - 0.040	311	0.022	0.020 - 0.025
Colorado	600	0.015	0.014 - 0.017	369	0.019	0.017 - 0.021	231	0.012	0.010 - 0.014
Connecticut	864	0.035	0.033 - 0.038	518	0.043	0.040 - 0.047	346	0.028	0.025 - 0.031
Delaware	152	0.025	0.021 - 0.029	95	0.032	0.026 - 0.040	57	0.018	0.014 - 0.024
District of Columbia	39	0.015	0.011 - 0.021	19	0.015	0.009 - 0.023	20	0.015	0.009 - 0.024
Florida	2,786	0.024	0.023 - 0.025	1,735	0.031	0.029 - 0.032	1,051	0.018	0.017 - 0.019
Georgia	1,050	0.019	0.018 - 0.020	610	0.022	0.020 - 0.024	440	0.015	0.014 - 0.017
Hawaii	53	0.017	0.013 - 0.022	34	0.020	0.014 - 0.028	19	0.013	0.008 - 0.021
Idaho	237	0.017	0.015 - 0.019	157	0.022	0.019 - 0.026	80	0.011	0.009 - 0.014
Illinois	1,966	0.025	0.024 - 0.026	1,206	0.031	0.029 - 0.033	760	0.019	0.017 - 0.020
Iowa	478	0.018	0.016 - 0.019	296	0.022	0.020 - 0.025	183	0.013	0.011 - 0.015
Kentucky	842	0.022	0.021 - 0.024	467	0.025	0.023 - 0.027	376	0.019	0.017 - 0.021
Louisiana	601	0.022	0.020 - 0.023	378	0.028	0.025 - 0.030	223	0.016	0.014 - 0.018
Maine	313	0.025	0.022 - 0.028	172	0.028	0.024 - 0.032	141	0.022	0.018 - 0.026
Maryland	765	0.024	0.023 - 0.026	443	0.029	0.026 - 0.032	322	0.020	0.018 - 0.022
Michigan	1,833	0.024	0.023 - 0.025	1,131	0.030	0.028 - 0.032	702	0.018	0.017 - 0.020
MI - Detroit	638	0.025	0.024 - 0.027	381	0.031	0.028 - 0.034	257	0.020	0.018 - 0.023
Minnesota	902	0.020	0.019 - 0.021	548	0.025	0.023 - 0.027	354	0.016	0.014 - 0.017
Mississippi	321	0.019	0.017 - 0.021	176	0.021	0.018 - 0.024	145	0.017	0.014 - 0.020
Missouri	876	0.018	0.017 - 0.019	541	0.022	0.021 - 0.024	335	0.013	0.012 - 0.015
Montana	157	0.017	0.014 - 0.020	99	0.021	0.017 - 0.026	58	0.013	0.010 - 0.016
Nebraska	279	0.018	0.016 - 0.020	179	0.024	0.020 - 0.027	100	0.013	0.011 - 0.016
Nevada	270	0.018	0.016 - 0.020	171	0.022	0.019 - 0.026	99	0.013	0.011 - 0.016
New Hampshire	309	0.025	0.022 - 0.028	184	0.030	0.026 - 0.035	125	0.020	0.017 - 0.024
New Jersey	1,570	0.031	0.030 - 0.033	915	0.037	0.035 - 0.040	655	0.025	0.024 - 0.027
New Mexico	163	0.020	0.017 - 0.024	96	0.024	0.020 - 0.030	67	0.016	0.013 - 0.021
New York	3,564	0.032	0.031 - 0.033	2,151	0.040	0.038 - 0.041	1,413	0.025	0.024 - 0.026
North Carolina	1,524	0.023	0.022 - 0.024	876	0.027	0.026 - 0.029	648	0.019	0.018 - 0.021
North Dakota	114	0.018	0.015 - 0.021	67	0.020	0.016 - 0.026	47	0.015	0.011 - 0.020
Ohio	2,058	0.022	0.021 - 0.023	1,252	0.027	0.026 - 0.029	806	0.017	0.016 - 0.018
Oklahoma	468	0.017	0.016 - 0.019	277	0.021	0.018 - 0.023	191	0.014	0.012 - 0.016
Oregon	638	0.020	0.018 - 0.022	417	0.026	0.024 - 0.029	221	0.014	0.012 - 0.016
Pennsylvania	2,580	0.026	0.025 - 0.027	1,611	0.033	0.032 - 0.035	969	0.019	0.018 - 0.020
Rhode Island	251	0.032	0.028 - 0.036	150	0.040	0.034 - 0.047	101	0.025	0.020 - 0.030
South Carolina	689	0.021	0.020 - 0.023	401	0.025	0.023 - 0.028	288	0.017	0.016 - 0.020
Tennessee	1,061	0.021	0.020 - 0.022	627	0.026	0.024 - 0.028	434	0.017	0.015 - 0.019
Texas	2,254	0.019	0.018 - 0.019	1,311	0.022	0.021 - 0.023	943	0.015	0.014 - 0.016
Utah	250	0.010	0.009 - 0.012	143	0.012	0.010 - 0.014	107	0.009	0.007 - 0.011
Vermont	97	0.017	0.013 - 0.020	60	0.021	0.016 - 0.027	37	0.012	0.009 - 0.017
Virginia	1,050	0.020	0.018 - 0.021	646	0.024	0.023 - 0.026	404	0.015	0.014 - 0.016
Washington ³	1,012	0.019	0.018 - 0.021	649	0.025	0.023 - 0.027	363	0.014	0.012 - 0.015
WA - Seattle	719	0.020	0.019 - 0.022	468	0.027	0.024 - 0.029	251	0.014	0.012 - 0.016
West Virginia	390	0.023	0.021 - 0.025	228	0.027	0.024 - 0.031	162	0.019	0.016 - 0.022
Wisconsin	1,120	0.024	0.022 - 0.025	716	0.030	0.028 - 0.033	404	0.017	0.015 - 0.019
Wyoming	79	0.016	0.013 - 0.020	55	0.022	0.017 - 0.029	24	0.010	0.006 - 0.015

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	572,729	0.286	0.285 - 0.286	296,923	0.301	0.300 - 0.302	275,747	0.271	0.270 - 0.272
Alabama	9,864	0.304	0.298 - 0.310	5,233	0.330	0.321 - 0.339	4,631	0.280	0.272 - 0.288
Alaska	1,039	0.219	0.205 - 0.232	561	0.223	0.205 - 0.242	478	0.214	0.195 - 0.234
Arizona	10,325	0.264	0.259 - 0.269	5,427	0.280	0.273 - 0.288	4,898	0.247	0.240 - 0.254
Arkansas	6,587	0.298	0.291 - 0.305	3,458	0.318	0.308 - 0.329	3,129	0.278	0.269 - 0.288
California	45,953	0.301	0.298 - 0.304	23,743	0.311	0.307 - 0.315	22,210	0.291	0.287 - 0.294
CA - Greater California	28,422	0.297	0.294 - 0.301	14,742	0.310	0.305 - 0.315	13,680	0.284	0.280 - 0.289
CA - Greater Bay Area	8,819	0.301	0.295 - 0.307	4,485	0.303	0.294 - 0.312	4,335	0.299	0.290 - 0.308
CA - Los Angeles	8,719	0.314	0.307 - 0.321	4,522	0.324	0.314 - 0.333	4,197	0.304	0.295 - 0.313
Colorado	7,920	0.204	0.200 - 0.209	4,092	0.210	0.204 - 0.217	3,828	0.198	0.192 - 0.204
Connecticut	7,627	0.312	0.305 - 0.319	3,874	0.325	0.315 - 0.336	3,752	0.299	0.290 - 0.309
Delaware	1,864	0.307	0.293 - 0.321	993	0.338	0.317 - 0.360	871	0.278	0.260 - 0.297
District of Columbia	306	0.119	0.106 - 0.133	146	0.114	0.096 - 0.134	160	0.124	0.105 - 0.145
Florida	35,713	0.311	0.308 - 0.314	18,625	0.331	0.326 - 0.335	17,088	0.292	0.288 - 0.296
Georgia	15,197	0.272	0.268 - 0.276	8,057	0.293	0.287 - 0.300	7,140	0.251	0.246 - 0.257
Hawaii	1,020	0.330	0.310 - 0.350	601	0.358	0.330 - 0.388	419	0.296	0.268 - 0.325
Idaho	3,182	0.224	0.217 - 0.232	1,679	0.237	0.226 - 0.249	1,502	0.211	0.201 - 0.222
Illinois	26,421	0.331	0.327 - 0.335	13,750	0.351	0.345 - 0.357	12,671	0.312	0.307 - 0.318
Iowa	8,672	0.319	0.312 - 0.325	4,475	0.333	0.323 - 0.343	4,197	0.305	0.296 - 0.314
Kentucky	12,315	0.323	0.317 - 0.329	6,484	0.347	0.338 - 0.355	5,831	0.300	0.292 - 0.308
Louisiana	8,566	0.308	0.301 - 0.314	4,601	0.336	0.326 - 0.345	3,965	0.281	0.272 - 0.289
Maine	3,725	0.296	0.286 - 0.305	1,887	0.306	0.293 - 0.321	1,838	0.286	0.273 - 0.299
Maryland	8,619	0.274	0.268 - 0.280	4,337	0.281	0.273 - 0.290	4,282	0.267	0.259 - 0.275
Michigan	20,146	0.265	0.262 - 0.269	10,324	0.275	0.270 - 0.280	9,822	0.256	0.251 - 0.261
MI - Detroit	7,211	0.287	0.281 - 0.294	3,659	0.296	0.287 - 0.306	3,552	0.279	0.270 - 0.288
Minnesota	12,424	0.276	0.271 - 0.281	6,418	0.287	0.280 - 0.294	6,006	0.264	0.258 - 0.271
Mississippi	5,450	0.318	0.310 - 0.327	2,891	0.344	0.331 - 0.357	2,559	0.294	0.282 - 0.305
Missouri	13,894	0.282	0.278 - 0.287	7,306	0.302	0.295 - 0.309	6,588	0.264	0.257 - 0.270
Montana	2,513	0.274	0.263 - 0.285	1,366	0.296	0.280 - 0.312	1,147	0.252	0.237 - 0.267
Nebraska	4,806	0.314	0.305 - 0.323	2,489	0.328	0.315 - 0.341	2,317	0.300	0.288 - 0.312
Nevada	4,037	0.267	0.259 - 0.276	2,166	0.282	0.270 - 0.294	1,871	0.252	0.241 - 0.264
New Hampshire	3,449	0.280	0.271 - 0.290	1,802	0.297	0.283 - 0.311	1,647	0.265	0.252 - 0.278
New Jersey	16,911	0.337	0.332 - 0.342	8,467	0.346	0.338 - 0.353	8,444	0.328	0.321 - 0.335
New Mexico	2,260	0.281	0.270 - 0.293	1,159	0.292	0.275 - 0.309	1,100	0.271	0.256 - 0.288
New York	33,715	0.303	0.300 - 0.307	17,033	0.313	0.309 - 0.318	16,682	0.294	0.290 - 0.298
North Carolina	17,453	0.266	0.262 - 0.270	9,030	0.281	0.276 - 0.287	8,423	0.251	0.246 - 0.256
North Dakota	1,974	0.305	0.292 - 0.319	1,065	0.322	0.303 - 0.342	909	0.287	0.268 - 0.306
Ohio	26,297	0.282	0.278 - 0.285	13,418	0.293	0.288 - 0.298	12,879	0.271	0.266 - 0.276
Oklahoma	7,524	0.278	0.272 - 0.284	3,915	0.294	0.285 - 0.303	3,609	0.262	0.254 - 0.271
Oregon	8,297	0.259	0.253 - 0.264	4,277	0.271	0.263 - 0.279	4,020	0.247	0.240 - 0.255
Pennsylvania	32,186	0.324	0.321 - 0.328	16,554	0.341	0.336 - 0.346	15,632	0.309	0.304 - 0.314
Rhode Island	2,211	0.283	0.272 - 0.295	1,069	0.284	0.267 - 0.302	1,142	0.282	0.266 - 0.299
South Carolina	8,551	0.265	0.260 - 0.271	4,444	0.282	0.274 - 0.290	4,107	0.249	0.242 - 0.257
Tennessee	13,890	0.277	0.273 - 0.282	7,184	0.293	0.287 - 0.300	6,706	0.262	0.256 - 0.268
Texas	32,457	0.268	0.265 - 0.271	17,537	0.292	0.288 - 0.297	14,920	0.244	0.240 - 0.248
Utah	3,667	0.149	0.145 - 0.154	1,936	0.157	0.150 - 0.164	1,731	0.142	0.135 - 0.148
Vermont	1,508	0.257	0.244 - 0.270	767	0.265	0.246 - 0.284	741	0.249	0.231 - 0.267
Virginia	13,032	0.244	0.239 - 0.248	6,735	0.255	0.249 - 0.261	6,297	0.233	0.227 - 0.239
Washington ³	13,182	0.252	0.248 - 0.257	6,865	0.263	0.257 - 0.270	6,317	0.241	0.235 - 0.247
WA - Seattle	8,988	0.254	0.249 - 0.260	4,695	0.266	0.258 - 0.274	4,293	0.243	0.236 - 0.250
West Virginia	5,685	0.334	0.326 - 0.343	2,939	0.351	0.338 - 0.364	2,746	0.318	0.306 - 0.330
Wisconsin	12,880	0.271	0.266 - 0.275	6,669	0.282	0.275 - 0.289	6,211	0.259	0.253 - 0.266
Wyoming	1,068	0.216	0.203 - 0.229	559	0.222	0.204 - 0.241	509	0.209	0.191 - 0.228

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	40,295	0.020	0.020 - 0.020	28,600	0.029	0.029 - 0.029	11,685	0.011	0.011 - 0.012
Alabama	521	0.016	0.015 - 0.018	360	0.023	0.020 - 0.025	161	0.010	0.008 - 0.011
Alaska	96	0.020	0.016 - 0.025	72	0.029	0.022 - 0.036	24	0.011	0.007 - 0.016
Arizona	786	0.020	0.019 - 0.022	542	0.028	0.026 - 0.030	244	0.012	0.011 - 0.014
Arkansas	440	0.020	0.018 - 0.022	318	0.029	0.026 - 0.033	122	0.011	0.009 - 0.013
California	3,651	0.024	0.023 - 0.025	2,618	0.034	0.033 - 0.036	1,033	0.014	0.013 - 0.014
CA - Greater California	2,268	0.024	0.023 - 0.025	1,620	0.034	0.032 - 0.036	648	0.013	0.012 - 0.015
CA - Greater Bay Area	774	0.026	0.025 - 0.028	568	0.038	0.035 - 0.042	206	0.014	0.012 - 0.016
CA - Los Angeles	609	0.022	0.020 - 0.024	430	0.031	0.028 - 0.034	178	0.013	0.011 - 0.015
Colorado	596	0.015	0.014 - 0.017	427	0.022	0.020 - 0.024	169	0.009	0.007 - 0.010
Connecticut	593	0.024	0.022 - 0.026	435	0.037	0.033 - 0.040	158	0.013	0.011 - 0.015
Delaware	167	0.028	0.023 - 0.032	114	0.039	0.032 - 0.047	53	0.017	0.013 - 0.022
District of Columbia	28	0.011	0.007 - 0.016	-	-	-	-	-	-
Florida	2,796	0.024	0.023 - 0.025	1,980	0.035	0.034 - 0.037	816	0.014	0.013 - 0.015
Georgia	1,077	0.019	0.018 - 0.020	774	0.028	0.026 - 0.030	303	0.011	0.009 - 0.012
Hawaii	91	0.029	0.024 - 0.036	75	0.045	0.035 - 0.056	16	0.011	0.006 - 0.018
Idaho	188	0.013	0.011 - 0.015	138	0.020	0.016 - 0.023	50	0.007	0.005 - 0.009
Illinois	1,580	0.020	0.019 - 0.021	1,064	0.027	0.026 - 0.029	516	0.013	0.012 - 0.014
Iowa	437	0.016	0.015 - 0.018	286	0.021	0.019 - 0.024	151	0.011	0.009 - 0.013
Kentucky	704	0.018	0.017 - 0.020	484	0.026	0.024 - 0.028	220	0.011	0.010 - 0.013
Louisiana	615	0.022	0.020 - 0.024	447	0.033	0.030 - 0.036	168	0.012	0.010 - 0.014
Maine	175	0.014	0.012 - 0.016	128	0.021	0.017 - 0.025	47	0.007	0.005 - 0.010
Maryland	677	0.022	0.020 - 0.023	465	0.030	0.027 - 0.033	212	0.013	0.011 - 0.015
Michigan	1,494	0.020	0.019 - 0.021	1,055	0.028	0.026 - 0.030	439	0.011	0.010 - 0.013
MI - Detroit	544	0.022	0.020 - 0.024	395	0.032	0.029 - 0.035	149	0.012	0.010 - 0.014
Minnesota	765	0.017	0.016 - 0.018	508	0.023	0.021 - 0.025	257	0.011	0.010 - 0.013
Mississippi	379	0.022	0.020 - 0.024	277	0.033	0.029 - 0.037	102	0.012	0.010 - 0.014
Missouri	873	0.018	0.017 - 0.019	630	0.026	0.024 - 0.028	243	0.010	0.009 - 0.011
Montana	126	0.014	0.011 - 0.016	102	0.022	0.018 - 0.027	24	0.005	0.003 - 0.008
Nebraska	180	0.012	0.010 - 0.014	137	0.018	0.015 - 0.021	43	0.006	0.004 - 0.007
Nevada	224	0.015	0.013 - 0.017	167	0.022	0.019 - 0.025	57	0.008	0.006 - 0.010
New Hampshire	220	0.018	0.016 - 0.020	164	0.027	0.023 - 0.031	56	0.009	0.007 - 0.012
New Jersey	1,152	0.023	0.022 - 0.024	835	0.034	0.032 - 0.036	318	0.012	0.011 - 0.014
New Mexico	167	0.021	0.018 - 0.024	125	0.031	0.026 - 0.037	42	0.010	0.007 - 0.014
New York	2,412	0.022	0.021 - 0.023	1,764	0.032	0.031 - 0.034	648	0.011	0.011 - 0.012
North Carolina	1,293	0.020	0.019 - 0.021	936	0.029	0.027 - 0.031	357	0.011	0.010 - 0.012
North Dakota	57	0.009	0.007 - 0.011	37	0.011	0.008 - 0.015	20	0.006	0.004 - 0.010
Ohio	1,479	0.016	0.015 - 0.017	996	0.022	0.020 - 0.023	483	0.010	0.009 - 0.011
Oklahoma	466	0.017	0.016 - 0.019	330	0.025	0.022 - 0.028	136	0.010	0.008 - 0.012
Oregon	814	0.025	0.024 - 0.027	601	0.038	0.035 - 0.041	213	0.013	0.011 - 0.015
Pennsylvania	2,122	0.021	0.020 - 0.022	1,558	0.032	0.031 - 0.034	564	0.011	0.010 - 0.012
Rhode Island	179	0.023	0.020 - 0.027	134	0.036	0.030 - 0.042	45	0.011	0.008 - 0.015
South Carolina	653	0.020	0.019 - 0.022	462	0.029	0.027 - 0.032	191	0.012	0.010 - 0.013
Tennessee	935	0.019	0.017 - 0.020	650	0.027	0.025 - 0.029	285	0.011	0.010 - 0.012
Texas	2,852	0.024	0.023 - 0.024	1,972	0.033	0.031 - 0.034	880	0.014	0.013 - 0.015
Utah	259	0.011	0.009 - 0.012	171	0.014	0.012 - 0.016	87	0.007	0.006 - 0.009
Vermont	104	0.018	0.014 - 0.021	76	0.026	0.021 - 0.033	28	0.009	0.006 - 0.014
Virginia	857	0.016	0.015 - 0.017	609	0.023	0.021 - 0.025	248	0.009	0.008 - 0.010
Washington ³	1,247	0.024	0.023 - 0.025	917	0.035	0.033 - 0.038	330	0.013	0.011 - 0.014
WA - Seattle	901	0.026	0.024 - 0.027	664	0.038	0.035 - 0.041	237	0.013	0.012 - 0.015
West Virginia	267	0.016	0.014 - 0.018	195	0.023	0.020 - 0.027	72	0.008	0.007 - 0.010
Wisconsin	877	0.018	0.017 - 0.020	595	0.025	0.023 - 0.027	282	0.012	0.010 - 0.013
Wyoming	65	0.013	0.010 - 0.017	48	0.019	0.014 - 0.025	17	0.007	0.004 - 0.011

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	50,834	0.025	0.025 - 0.026	26,991	0.027	0.027 - 0.028	23,838	0.023	0.023 - 0.024
Alabama	725	0.022	0.021 - 0.024	388	0.024	0.022 - 0.027	337	0.020	0.018 - 0.023
Alaska	83	0.017	0.014 - 0.022	52	0.021	0.015 - 0.027	31	0.014	0.009 - 0.020
Arizona	958	0.024	0.023 - 0.026	512	0.026	0.024 - 0.029	446	0.023	0.020 - 0.025
Arkansas	370	0.017	0.015 - 0.019	196	0.018	0.016 - 0.021	174	0.015	0.013 - 0.018
California	3,954	0.026	0.025 - 0.027	2,140	0.028	0.027 - 0.029	1,813	0.024	0.023 - 0.025
CA - Greater California	2,407	0.025	0.024 - 0.026	1,309	0.028	0.026 - 0.029	1,098	0.023	0.021 - 0.024
CA - Greater Bay Area	808	0.028	0.026 - 0.030	442	0.030	0.027 - 0.033	366	0.025	0.023 - 0.028
CA - Los Angeles	737	0.027	0.025 - 0.029	388	0.028	0.025 - 0.031	349	0.025	0.023 - 0.028
Colorado	758	0.020	0.018 - 0.021	412	0.021	0.019 - 0.023	346	0.018	0.016 - 0.020
Connecticut	848	0.035	0.032 - 0.037	470	0.039	0.036 - 0.043	378	0.030	0.027 - 0.033
Delaware	177	0.029	0.025 - 0.034	88	0.030	0.024 - 0.037	89	0.028	0.023 - 0.035
District of Columbia	48	0.019	0.014 - 0.025	27	0.021	0.014 - 0.031	21	0.016	0.010 - 0.025
Florida	3,607	0.031	0.030 - 0.032	1,939	0.034	0.033 - 0.036	1,668	0.028	0.027 - 0.030
Georgia	1,166	0.021	0.020 - 0.022	625	0.023	0.021 - 0.025	541	0.019	0.017 - 0.021
Hawaii	73	0.023	0.018 - 0.030	48	0.029	0.021 - 0.038	24	0.017	0.011 - 0.025
Idaho	293	0.021	0.018 - 0.023	145	0.020	0.017 - 0.024	148	0.021	0.018 - 0.024
Illinois	2,296	0.029	0.028 - 0.030	1,248	0.032	0.030 - 0.034	1,048	0.026	0.024 - 0.027
Iowa	668	0.025	0.023 - 0.026	340	0.025	0.023 - 0.028	328	0.024	0.021 - 0.027
Kentucky	798	0.021	0.020 - 0.022	408	0.022	0.020 - 0.024	390	0.020	0.018 - 0.022
Louisiana	610	0.022	0.020 - 0.024	325	0.024	0.021 - 0.026	285	0.020	0.018 - 0.023
Maine	334	0.027	0.024 - 0.030	173	0.028	0.024 - 0.033	161	0.025	0.021 - 0.029
Maryland	908	0.029	0.027 - 0.031	475	0.031	0.028 - 0.034	433	0.027	0.025 - 0.030
Michigan	2,231	0.029	0.028 - 0.031	1,137	0.030	0.029 - 0.032	1,094	0.028	0.027 - 0.030
MI - Detroit	708	0.028	0.026 - 0.030	354	0.029	0.026 - 0.032	353	0.028	0.025 - 0.031
Minnesota	1,167	0.026	0.024 - 0.027	637	0.028	0.026 - 0.031	530	0.023	0.021 - 0.025
Mississippi	388	0.023	0.020 - 0.025	210	0.025	0.022 - 0.029	178	0.020	0.018 - 0.024
Missouri	1,037	0.021	0.020 - 0.022	552	0.023	0.021 - 0.025	485	0.019	0.018 - 0.021
Montana	210	0.023	0.020 - 0.026	114	0.025	0.020 - 0.030	97	0.021	0.017 - 0.026
Nebraska	392	0.026	0.023 - 0.028	206	0.027	0.024 - 0.031	186	0.024	0.021 - 0.028
Nevada	322	0.021	0.019 - 0.024	168	0.022	0.019 - 0.025	154	0.021	0.018 - 0.024
New Hampshire	330	0.027	0.024 - 0.030	175	0.029	0.025 - 0.033	155	0.025	0.021 - 0.029
New Jersey	1,686	0.034	0.032 - 0.035	889	0.036	0.034 - 0.039	797	0.031	0.029 - 0.033
New Mexico	181	0.023	0.019 - 0.026	107	0.027	0.022 - 0.033	74	0.018	0.014 - 0.023
New York	3,653	0.033	0.032 - 0.034	1,917	0.035	0.034 - 0.037	1,736	0.031	0.029 - 0.032
North Carolina	1,494	0.023	0.022 - 0.024	789	0.025	0.023 - 0.026	705	0.021	0.019 - 0.023
North Dakota	148	0.023	0.019 - 0.027	76	0.023	0.018 - 0.029	72	0.023	0.018 - 0.029
Ohio	2,066	0.022	0.021 - 0.023	1,038	0.023	0.021 - 0.024	1,028	0.022	0.020 - 0.023
Oklahoma	482	0.018	0.016 - 0.019	251	0.019	0.017 - 0.021	231	0.017	0.015 - 0.019
Oregon	782	0.024	0.023 - 0.026	402	0.025	0.023 - 0.028	380	0.023	0.021 - 0.026
Pennsylvania	3,039	0.031	0.030 - 0.032	1,646	0.034	0.032 - 0.036	1,393	0.028	0.026 - 0.029
Rhode Island	238	0.030	0.027 - 0.035	132	0.035	0.029 - 0.042	106	0.026	0.021 - 0.032
South Carolina	747	0.023	0.022 - 0.025	411	0.026	0.024 - 0.029	336	0.020	0.018 - 0.023
Tennessee	1,031	0.021	0.019 - 0.022	531	0.022	0.020 - 0.024	500	0.020	0.018 - 0.021
Texas	2,855	0.024	0.023 - 0.024	1,544	0.026	0.024 - 0.027	1,311	0.021	0.020 - 0.023
Utah	288	0.012	0.010 - 0.013	168	0.014	0.012 - 0.016	120	0.010	0.008 - 0.012
Vermont	160	0.027	0.023 - 0.032	95	0.033	0.027 - 0.040	65	0.022	0.017 - 0.028
Virginia	1,047	0.020	0.018 - 0.021	546	0.021	0.019 - 0.022	501	0.019	0.017 - 0.020
Washington ³	1,281	0.025	0.023 - 0.026	658	0.025	0.023 - 0.027	622	0.024	0.022 - 0.026
WA - Seattle	867	0.025	0.023 - 0.026	429	0.024	0.022 - 0.027	437	0.025	0.022 - 0.027
West Virginia	328	0.019	0.017 - 0.021	163	0.019	0.017 - 0.023	165	0.019	0.016 - 0.022
Wisconsin	1,279	0.027	0.025 - 0.028	683	0.029	0.027 - 0.031	596	0.025	0.023 - 0.027
Wyoming	87	0.018	0.014 - 0.022	52	0.020	0.015 - 0.027	36	0.015	0.010 - 0.020

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	53,051	0.026	0.026 - 0.027	41,900	0.042	0.042 - 0.043	11,120	0.011	0.011 - 0.011
Alabama	1,017	0.031	0.029 - 0.033	805	0.051	0.047 - 0.054	212	0.013	0.011 - 0.015
Alaska	88	0.019	0.015 - 0.023	78	0.031	0.024 - 0.039	10	0.004	0.002 - 0.008
Arizona	735	0.019	0.017 - 0.020	587	0.030	0.028 - 0.033	148	0.007	0.006 - 0.009
Arkansas	646	0.029	0.027 - 0.032	490	0.045	0.041 - 0.049	156	0.014	0.012 - 0.016
California	2,971	0.019	0.019 - 0.020	2,468	0.032	0.031 - 0.034	503	0.007	0.006 - 0.007
CA - Greater California	1,904	0.020	0.019 - 0.021	1,566	0.033	0.031 - 0.035	338	0.007	0.006 - 0.008
CA - Greater Bay Area	508	0.017	0.016 - 0.019	430	0.029	0.026 - 0.032	78	0.005	0.004 - 0.007
CA - Los Angeles	560	0.020	0.019 - 0.022	473	0.034	0.031 - 0.037	87	0.006	0.005 - 0.008
Colorado	595	0.015	0.014 - 0.017	470	0.024	0.022 - 0.026	125	0.006	0.005 - 0.008
Connecticut	702	0.029	0.027 - 0.031	548	0.046	0.042 - 0.050	153	0.012	0.010 - 0.014
Delaware	193	0.032	0.027 - 0.037	149	0.051	0.043 - 0.060	44	0.014	0.010 - 0.019
District of Columbia	22	0.009	0.005 - 0.013	-	-	-	-	-	-
Florida	4,131	0.036	0.035 - 0.037	3,281	0.058	0.056 - 0.060	850	0.015	0.014 - 0.016
Georgia	1,526	0.027	0.026 - 0.029	1,233	0.045	0.042 - 0.047	293	0.010	0.009 - 0.012
Hawaii	99	0.032	0.026 - 0.039	83	0.049	0.039 - 0.061	16	0.011	0.006 - 0.018
Idaho	212	0.015	0.013 - 0.017	162	0.023	0.019 - 0.027	50	0.007	0.005 - 0.009
Illinois	2,422	0.030	0.029 - 0.032	1,918	0.049	0.047 - 0.051	504	0.012	0.011 - 0.014
Iowa	776	0.029	0.027 - 0.031	623	0.046	0.043 - 0.050	152	0.011	0.009 - 0.013
Kentucky	1,405	0.037	0.035 - 0.039	1,048	0.056	0.053 - 0.060	358	0.018	0.017 - 0.020
Louisiana	910	0.033	0.031 - 0.035	689	0.050	0.047 - 0.054	221	0.016	0.014 - 0.018
Maine	383	0.030	0.027 - 0.034	289	0.047	0.042 - 0.053	94	0.015	0.012 - 0.018
Maryland	775	0.025	0.023 - 0.026	619	0.040	0.037 - 0.043	156	0.010	0.008 - 0.011
Michigan	2,105	0.028	0.027 - 0.029	1,652	0.044	0.042 - 0.046	453	0.012	0.011 - 0.013
MI - Detroit	753	0.030	0.028 - 0.032	590	0.048	0.044 - 0.052	163	0.013	0.011 - 0.015
Minnesota	981	0.022	0.020 - 0.023	797	0.036	0.033 - 0.038	184	0.008	0.007 - 0.009
Mississippi	520	0.030	0.028 - 0.033	407	0.048	0.044 - 0.053	113	0.013	0.011 - 0.016
Missouri	1,443	0.029	0.028 - 0.031	1,121	0.046	0.044 - 0.049	322	0.013	0.012 - 0.014
Montana	176	0.019	0.016 - 0.022	140	0.030	0.025 - 0.036	36	0.008	0.006 - 0.011
Nebraska	337	0.022	0.020 - 0.024	259	0.034	0.030 - 0.039	78	0.010	0.008 - 0.013
Nevada	312	0.021	0.018 - 0.023	247	0.032	0.028 - 0.036	65	0.009	0.007 - 0.011
New Hampshire	311	0.025	0.023 - 0.028	239	0.039	0.035 - 0.045	72	0.012	0.009 - 0.015
New Jersey	1,365	0.027	0.026 - 0.029	1,094	0.045	0.042 - 0.047	271	0.011	0.009 - 0.012
New Mexico	186	0.023	0.020 - 0.027	153	0.038	0.033 - 0.045	33	0.008	0.006 - 0.011
New York	3,073	0.028	0.027 - 0.029	2,459	0.045	0.043 - 0.047	613	0.011	0.010 - 0.012
North Carolina	1,891	0.029	0.028 - 0.030	1,467	0.046	0.043 - 0.048	424	0.013	0.011 - 0.014
North Dakota	141	0.022	0.018 - 0.026	121	0.037	0.030 - 0.044	20	0.006	0.004 - 0.010
Ohio	2,803	0.030	0.029 - 0.031	2,162	0.047	0.045 - 0.049	641	0.013	0.012 - 0.015
Oklahoma	698	0.026	0.024 - 0.028	533	0.040	0.037 - 0.044	165	0.012	0.010 - 0.014
Oregon	593	0.018	0.017 - 0.020	470	0.030	0.027 - 0.033	123	0.008	0.006 - 0.009
Pennsylvania	2,892	0.029	0.028 - 0.030	2,262	0.047	0.045 - 0.049	630	0.012	0.011 - 0.013
Rhode Island	255	0.033	0.029 - 0.037	191	0.051	0.044 - 0.059	64	0.016	0.012 - 0.020
South Carolina	1,010	0.031	0.029 - 0.033	817	0.052	0.048 - 0.056	193	0.012	0.010 - 0.013
Tennessee	1,531	0.031	0.029 - 0.032	1,177	0.048	0.045 - 0.051	354	0.014	0.012 - 0.015
Texas	2,876	0.024	0.023 - 0.025	2,312	0.039	0.037 - 0.040	564	0.009	0.008 - 0.010
Utah	211	0.009	0.007 - 0.010	174	0.014	0.012 - 0.016	37	0.003	0.002 - 0.004
Vermont	167	0.028	0.024 - 0.033	127	0.044	0.037 - 0.052	40	0.013	0.010 - 0.018
Virginia	1,240	0.023	0.022 - 0.025	989	0.037	0.035 - 0.040	251	0.009	0.008 - 0.010
Washington ³	992	0.019	0.018 - 0.020	803	0.031	0.029 - 0.033	189	0.007	0.006 - 0.008
WA - Seattle	655	0.019	0.017 - 0.020	541	0.031	0.028 - 0.033	114	0.006	0.005 - 0.008
West Virginia	660	0.039	0.036 - 0.042	485	0.058	0.053 - 0.063	175	0.020	0.017 - 0.023
Wisconsin	1,223	0.026	0.024 - 0.027	992	0.042	0.039 - 0.045	231	0.010	0.008 - 0.011
Wyoming	101	0.020	0.017 - 0.025	80	0.032	0.025 - 0.039	21	0.009	0.005 - 0.013

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	404,563	0.202	0.201 - 0.203	183,712	0.186	0.185 - 0.187	220,834	0.217	0.216 - 0.218
Alabama	6,282	0.194	0.189 - 0.199	3,166	0.200	0.193 - 0.207	3,116	0.188	0.182 - 0.195
Alaska	578	0.122	0.112 - 0.132	299	0.119	0.106 - 0.133	279	0.125	0.111 - 0.140
Arizona	7,432	0.190	0.185 - 0.194	3,211	0.166	0.160 - 0.172	4,221	0.213	0.207 - 0.220
Arkansas	5,043	0.228	0.222 - 0.235	2,528	0.233	0.224 - 0.242	2,515	0.224	0.215 - 0.233
California	25,730	0.168	0.166 - 0.171	11,083	0.145	0.143 - 0.148	14,647	0.192	0.189 - 0.195
CA - Greater California	16,728	0.175	0.172 - 0.178	7,149	0.150	0.147 - 0.154	9,579	0.199	0.195 - 0.203
CA - Greater Bay Area	4,474	0.153	0.148 - 0.157	1,932	0.130	0.125 - 0.136	2,542	0.175	0.169 - 0.182
CA - Los Angeles	4,551	0.164	0.159 - 0.169	2,012	0.144	0.138 - 0.150	2,539	0.184	0.177 - 0.191
Colorado	4,652	0.120	0.117 - 0.123	2,019	0.104	0.099 - 0.108	2,633	0.136	0.131 - 0.141
Connecticut	6,252	0.256	0.249 - 0.262	2,676	0.225	0.216 - 0.233	3,576	0.285	0.276 - 0.295
Delaware	1,557	0.256	0.244 - 0.270	686	0.234	0.216 - 0.252	871	0.278	0.260 - 0.297
District of Columbia	186	0.072	0.062 - 0.083	66	0.052	0.040 - 0.066	120	0.093	0.077 - 0.111
Florida	32,135	0.280	0.277 - 0.283	14,579	0.259	0.255 - 0.263	17,556	0.300	0.296 - 0.304
Georgia	10,579	0.189	0.186 - 0.193	5,066	0.184	0.179 - 0.189	5,513	0.194	0.189 - 0.199
Hawaii	445	0.144	0.131 - 0.158	218	0.130	0.113 - 0.148	227	0.160	0.140 - 0.183
Idaho	1,822	0.128	0.123 - 0.134	809	0.114	0.106 - 0.122	1,013	0.143	0.134 - 0.152
Illinois	18,231	0.228	0.225 - 0.232	8,292	0.211	0.207 - 0.216	9,939	0.245	0.240 - 0.250
Iowa	4,845	0.178	0.173 - 0.183	2,273	0.169	0.162 - 0.176	2,571	0.187	0.179 - 0.194
Kentucky	9,021	0.237	0.232 - 0.242	4,309	0.230	0.224 - 0.237	4,711	0.242	0.236 - 0.249
Louisiana	5,040	0.181	0.176 - 0.186	2,398	0.175	0.168 - 0.182	2,641	0.187	0.180 - 0.194
Maine	3,032	0.241	0.232 - 0.249	1,321	0.215	0.203 - 0.226	1,711	0.266	0.253 - 0.279
Maryland	6,626	0.211	0.206 - 0.216	2,850	0.185	0.178 - 0.192	3,776	0.235	0.228 - 0.243
Michigan	16,811	0.221	0.218 - 0.225	7,749	0.206	0.202 - 0.211	9,062	0.236	0.231 - 0.241
MI - Detroit	5,535	0.221	0.215 - 0.227	2,418	0.196	0.188 - 0.204	3,117	0.245	0.236 - 0.254
Minnesota	8,146	0.181	0.177 - 0.185	3,594	0.161	0.156 - 0.166	4,552	0.200	0.195 - 0.206
Mississippi	3,834	0.224	0.217 - 0.231	1,940	0.231	0.221 - 0.241	1,894	0.217	0.208 - 0.227
Missouri	10,093	0.205	0.201 - 0.209	4,631	0.191	0.186 - 0.197	5,462	0.218	0.213 - 0.224
Montana	1,480	0.161	0.153 - 0.170	622	0.135	0.124 - 0.146	858	0.188	0.176 - 0.201
Nebraska	2,500	0.163	0.157 - 0.170	1,154	0.152	0.143 - 0.161	1,346	0.174	0.165 - 0.184
Nevada	2,772	0.184	0.177 - 0.190	1,166	0.152	0.143 - 0.161	1,606	0.217	0.206 - 0.227
New Hampshire	2,652	0.216	0.208 - 0.224	1,101	0.181	0.171 - 0.192	1,551	0.249	0.237 - 0.262
New Jersey	11,936	0.238	0.234 - 0.242	4,849	0.198	0.193 - 0.204	7,088	0.276	0.269 - 0.282
New Mexico	1,322	0.165	0.156 - 0.174	612	0.154	0.142 - 0.167	710	0.175	0.162 - 0.188
New York	27,170	0.244	0.242 - 0.247	11,567	0.213	0.209 - 0.217	15,603	0.275	0.271 - 0.279
North Carolina	14,343	0.219	0.215 - 0.222	6,790	0.212	0.207 - 0.217	7,553	0.225	0.220 - 0.230
North Dakota	1,048	0.162	0.152 - 0.172	513	0.155	0.142 - 0.169	535	0.169	0.155 - 0.184
Ohio	18,223	0.195	0.192 - 0.198	8,545	0.187	0.183 - 0.191	9,678	0.204	0.200 - 0.208
Oklahoma	4,899	0.181	0.176 - 0.186	2,436	0.183	0.176 - 0.190	2,463	0.179	0.172 - 0.186
Oregon	5,568	0.174	0.169 - 0.178	2,486	0.157	0.151 - 0.164	3,082	0.190	0.183 - 0.196
Pennsylvania	21,800	0.220	0.217 - 0.223	9,891	0.204	0.200 - 0.208	11,909	0.235	0.231 - 0.239
Rhode Island	2,161	0.277	0.265 - 0.289	883	0.235	0.220 - 0.251	1,278	0.316	0.299 - 0.334
South Carolina	6,684	0.207	0.202 - 0.212	3,200	0.203	0.196 - 0.210	3,484	0.211	0.204 - 0.218
Tennessee	10,905	0.218	0.214 - 0.222	5,297	0.216	0.211 - 0.222	5,608	0.219	0.213 - 0.225
Texas	20,816	0.172	0.170 - 0.174	9,903	0.165	0.162 - 0.168	10,913	0.179	0.175 - 0.182
Utah	1,295	0.053	0.050 - 0.056	607	0.049	0.045 - 0.053	688	0.056	0.052 - 0.061
Vermont	1,295	0.220	0.209 - 0.233	551	0.190	0.175 - 0.207	744	0.250	0.232 - 0.268
Virginia	9,611	0.180	0.176 - 0.183	4,362	0.165	0.160 - 0.170	5,249	0.194	0.189 - 0.199
Washington ³	8,804	0.168	0.165 - 0.172	3,860	0.148	0.143 - 0.153	4,945	0.189	0.183 - 0.194
WA - Seattle	5,947	0.168	0.164 - 0.173	2,607	0.148	0.142 - 0.153	3,341	0.189	0.183 - 0.196
West Virginia	4,037	0.237	0.230 - 0.245	1,930	0.230	0.220 - 0.241	2,107	0.244	0.234 - 0.255
Wisconsin	8,907	0.187	0.183 - 0.191	4,025	0.170	0.165 - 0.176	4,882	0.204	0.198 - 0.210
Wyoming	620	0.125	0.116 - 0.136	295	0.117	0.104 - 0.131	325	0.134	0.119 - 0.149

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	512,499	0.256	0.255 - 0.256	287,032	0.291	0.289 - 0.292	225,321	0.221	0.221 - 0.222
Alabama	8,486	0.262	0.256 - 0.268	4,860	0.307	0.298 - 0.316	3,626	0.219	0.212 - 0.226
Alaska	661	0.139	0.129 - 0.150	349	0.139	0.124 - 0.154	312	0.140	0.124 - 0.156
Arizona	10,053	0.257	0.252 - 0.262	6,111	0.316	0.308 - 0.324	3,942	0.199	0.193 - 0.205
Arkansas	4,207	0.190	0.185 - 0.196	2,463	0.227	0.218 - 0.236	1,744	0.155	0.148 - 0.163
California	53,828	0.352	0.349 - 0.355	31,415	0.412	0.407 - 0.416	22,413	0.293	0.289 - 0.297
CA - Greater California	33,038	0.345	0.342 - 0.349	19,283	0.406	0.400 - 0.411	13,754	0.286	0.281 - 0.291
CA - Greater Bay Area	12,576	0.429	0.422 - 0.437	7,215	0.487	0.476 - 0.498	5,361	0.370	0.360 - 0.380
CA - Los Angeles	8,247	0.297	0.290 - 0.303	4,940	0.354	0.344 - 0.364	3,307	0.239	0.231 - 0.248
Colorado	8,917	0.230	0.225 - 0.235	4,964	0.255	0.248 - 0.262	3,953	0.204	0.198 - 0.211
Connecticut	6,410	0.262	0.256 - 0.269	3,481	0.292	0.283 - 0.302	2,929	0.234	0.225 - 0.242
Delaware	2,318	0.382	0.366 - 0.398	1,344	0.458	0.433 - 0.483	974	0.311	0.292 - 0.331
District of Columbia	329	0.128	0.114 - 0.142	195	0.152	0.132 - 0.175	134	0.104	0.087 - 0.123
Florida	36,497	0.318	0.315 - 0.321	22,135	0.393	0.388 - 0.398	14,362	0.245	0.241 - 0.249
Georgia	18,310	0.328	0.323 - 0.332	10,387	0.378	0.371 - 0.385	7,923	0.279	0.273 - 0.285
Hawaii	2,162	0.699	0.670 - 0.729	1,355	0.808	0.765 - 0.852	808	0.570	0.531 - 0.611
Idaho	3,348	0.236	0.228 - 0.244	1,878	0.265	0.253 - 0.278	1,470	0.207	0.196 - 0.218
Illinois	18,465	0.231	0.228 - 0.235	9,873	0.252	0.247 - 0.257	8,592	0.212	0.207 - 0.216
Iowa	6,307	0.232	0.226 - 0.238	3,255	0.242	0.234 - 0.251	3,052	0.222	0.214 - 0.230
Kentucky	8,952	0.235	0.230 - 0.240	4,815	0.258	0.250 - 0.265	4,137	0.213	0.206 - 0.219
Louisiana	5,657	0.203	0.198 - 0.209	3,339	0.244	0.235 - 0.252	2,318	0.164	0.157 - 0.171
Maine	3,066	0.243	0.235 - 0.252	1,624	0.264	0.251 - 0.277	1,442	0.224	0.213 - 0.236
Maryland	10,577	0.336	0.330 - 0.343	5,933	0.385	0.375 - 0.395	4,644	0.289	0.281 - 0.298
Michigan	15,312	0.202	0.198 - 0.205	8,193	0.218	0.214 - 0.223	7,119	0.185	0.181 - 0.190
MI - Detroit	5,397	0.215	0.209 - 0.221	2,870	0.232	0.224 - 0.241	2,527	0.199	0.191 - 0.206
Minnesota	12,962	0.288	0.283 - 0.293	6,804	0.304	0.297 - 0.312	6,158	0.271	0.264 - 0.278
Mississippi	3,939	0.230	0.223 - 0.237	2,196	0.261	0.250 - 0.272	1,743	0.200	0.191 - 0.210
Missouri	9,124	0.185	0.182 - 0.189	5,124	0.212	0.206 - 0.218	4,000	0.160	0.155 - 0.165
Montana	2,036	0.222	0.212 - 0.232	1,128	0.244	0.230 - 0.259	909	0.199	0.187 - 0.213
Nebraska	3,043	0.199	0.192 - 0.206	1,567	0.206	0.196 - 0.217	1,476	0.191	0.181 - 0.201
Nevada	3,041	0.201	0.194 - 0.209	1,758	0.229	0.218 - 0.240	1,283	0.173	0.164 - 0.183
New Hampshire	3,324	0.270	0.261 - 0.280	1,773	0.292	0.279 - 0.306	1,551	0.249	0.237 - 0.262
New Jersey	15,467	0.308	0.303 - 0.313	8,526	0.348	0.341 - 0.356	6,941	0.270	0.264 - 0.276
New Mexico	2,342	0.292	0.280 - 0.304	1,368	0.344	0.326 - 0.363	975	0.240	0.226 - 0.256
New York	28,020	0.252	0.249 - 0.255	15,364	0.283	0.278 - 0.287	12,656	0.223	0.219 - 0.227
North Carolina	19,321	0.294	0.290 - 0.299	10,822	0.337	0.331 - 0.344	8,499	0.253	0.248 - 0.259
North Dakota	1,313	0.203	0.192 - 0.214	656	0.198	0.184 - 0.214	657	0.207	0.192 - 0.224
Ohio	19,410	0.208	0.205 - 0.211	10,346	0.226	0.221 - 0.230	9,064	0.191	0.187 - 0.195
Oklahoma	5,038	0.186	0.181 - 0.191	2,946	0.221	0.213 - 0.229	2,092	0.152	0.146 - 0.159
Oregon	9,200	0.287	0.281 - 0.293	4,863	0.308	0.299 - 0.317	4,337	0.267	0.259 - 0.275
Pennsylvania	22,902	0.231	0.228 - 0.234	12,577	0.259	0.255 - 0.264	10,325	0.204	0.200 - 0.208
Rhode Island	1,981	0.254	0.243 - 0.265	1,052	0.280	0.263 - 0.297	929	0.230	0.215 - 0.245
South Carolina	9,204	0.285	0.280 - 0.291	5,163	0.328	0.319 - 0.337	4,041	0.245	0.238 - 0.253
Tennessee	10,993	0.219	0.215 - 0.224	6,103	0.249	0.243 - 0.256	4,890	0.191	0.186 - 0.196
Texas	22,204	0.183	0.181 - 0.186	12,990	0.217	0.213 - 0.220	9,214	0.151	0.148 - 0.154
Utah	6,701	0.273	0.267 - 0.280	3,815	0.310	0.300 - 0.320	2,886	0.236	0.228 - 0.245
Vermont	1,951	0.332	0.318 - 0.347	1,075	0.371	0.349 - 0.394	876	0.294	0.275 - 0.314
Virginia	12,702	0.237	0.233 - 0.242	7,112	0.269	0.263 - 0.275	5,590	0.207	0.201 - 0.212
Washington ³	14,798	0.283	0.279 - 0.288	7,868	0.302	0.295 - 0.309	6,930	0.264	0.258 - 0.271
WA - Seattle	11,273	0.319	0.313 - 0.325	6,001	0.340	0.331 - 0.349	5,272	0.298	0.290 - 0.307
West Virginia	3,392	0.199	0.193 - 0.206	1,853	0.221	0.211 - 0.231	1,539	0.178	0.169 - 0.187
Wisconsin	10,491	0.220	0.216 - 0.225	5,730	0.242	0.236 - 0.249	4,761	0.199	0.193 - 0.204
Wyoming	1,031	0.208	0.196 - 0.221	557	0.221	0.203 - 0.240	474	0.195	0.177 - 0.213

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		1,376,357	1.354	1.351 - 1.356
Alabama	-	-		-	-		20,347	1.228	1.212 - 1.245
Alaska	-	-		-	-		2,442	1.092	1.049 - 1.136
Arizona	-	-		-	-		26,777	1.352	1.335 - 1.368
Arkansas	-	-		-	-		12,955	1.152	1.132 - 1.172
California	-	-		-	-		120,400	1.575	1.566 - 1.584
CA - Greater California	-	-		-	-		73,796	1.533	1.522 - 1.544
CA - Greater Bay Area	-	-		-	-		23,876	1.647	1.626 - 1.668
CA - Los Angeles	-	-		-	-		22,765	1.648	1.626 - 1.669
Colorado	-	-		-	-		23,712	1.226	1.211 - 1.242
Connecticut	-	-		-	-		20,815	1.660	1.638 - 1.683
Delaware	-	-		-	-		4,574	1.460	1.418 - 1.503
District of Columbia	-	-		-	-		1,250	0.968	0.915 - 1.024
Florida	-	-		-	-		84,381	1.442	1.432 - 1.451
Georgia	-	-		-	-		35,240	1.241	1.228 - 1.254
Hawaii	-	-		-	-		2,165	1.529	1.465 - 1.594
Idaho	-	-		-	-		7,839	1.104	1.079 - 1.128
Illinois	-	-		-	-		58,573	1.443	1.432 - 1.455
Iowa	-	-		-	-		17,560	1.275	1.256 - 1.294
Kentucky	-	-		-	-		23,268	1.197	1.182 - 1.213
Louisiana	-	-		-	-		16,819	1.190	1.172 - 1.208
Maine	-	-		-	-		9,073	1.410	1.381 - 1.439
Maryland	-	-		-	-		23,693	1.477	1.458 - 1.495
Michigan	-	-		-	-		48,318	1.258	1.246 - 1.269
MI - Detroit	-	-		-	-		17,604	1.383	1.363 - 1.404
Minnesota	-	-		-	-		30,722	1.352	1.337 - 1.368
Mississippi	-	-		-	-		10,297	1.182	1.159 - 1.205
Missouri	-	-		-	-		31,543	1.262	1.248 - 1.276
Montana	-	-		-	-		5,708	1.253	1.220 - 1.286
Nebraska	-	-		-	-		9,644	1.247	1.222 - 1.272
Nevada	-	-		-	-		9,351	1.261	1.235 - 1.287
New Hampshire	-	-		-	-		9,245	1.485	1.455 - 1.516
New Jersey	-	-		-	-		41,693	1.621	1.606 - 1.637
New Mexico	-	-		-	-		6,291	1.552	1.514 - 1.591
New York	-	-		-	-		85,617	1.509	1.499 - 1.519
North Carolina	-	-		-	-		46,072	1.373	1.360 - 1.385
North Dakota	-	-		-	-		3,784	1.194	1.156 - 1.232
Ohio	-	-		-	-		60,322	1.269	1.259 - 1.279
Oklahoma	-	-		-	-		16,007	1.163	1.145 - 1.181
Oregon	-	-		-	-		22,111	1.360	1.342 - 1.378
Pennsylvania	-	-		-	-		72,407	1.430	1.419 - 1.440
Rhode Island	-	-		-	-		6,460	1.597	1.558 - 1.637
South Carolina	-	-		-	-		21,202	1.286	1.269 - 1.304
Tennessee	-	-		-	-		31,190	1.218	1.204 - 1.231
Texas	-	-		-	-		76,585	1.254	1.245 - 1.263
Utah	-	-		-	-		9,854	0.806	0.790 - 0.822
Vermont	-	-		-	-		4,261	1.431	1.388 - 1.475
Virginia	-	-		-	-		35,178	1.300	1.287 - 1.314
Washington ³	-	-		-	-		36,857	1.406	1.392 - 1.421
WA - Seattle	-	-		-	-		25,654	1.452	1.434 - 1.470
West Virginia	-	-		-	-		10,464	1.212	1.189 - 1.235
Wisconsin	-	-		-	-		32,250	1.346	1.331 - 1.361
Wyoming	-	-		-	-		2,622	1.076	1.035 - 1.118

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		51,950	0.051	0.051 - 0.051
Alabama	-	-		-	-		932	0.056	0.053 - 0.060
Alaska	-	-		-	-		116	0.052	0.043 - 0.062
Arizona	-	-		-	-		848	0.043	0.040 - 0.046
Arkansas	-	-		-	-		696	0.062	0.057 - 0.067
California	-	-		-	-		3,847	0.050	0.049 - 0.052
CA - Greater California	-	-		-	-		2,463	0.051	0.049 - 0.053
CA - Greater Bay Area	-	-		-	-		665	0.046	0.042 - 0.050
CA - Los Angeles	-	-		-	-		717	0.052	0.048 - 0.056
Colorado	-	-		-	-		796	0.041	0.038 - 0.044
Connecticut	-	-		-	-		559	0.045	0.041 - 0.048
Delaware	-	-		-	-		192	0.061	0.053 - 0.071
District of Columbia	-	-		-	-		32	0.025	0.017 - 0.035
Florida	-	-		-	-		3,415	0.058	0.056 - 0.060
Georgia	-	-		-	-		1,528	0.054	0.051 - 0.057
Hawaii	-	-		-	-		78	0.055	0.043 - 0.069
Idaho	-	-		-	-		269	0.038	0.034 - 0.043
Illinois	-	-		-	-		2,204	0.054	0.052 - 0.057
Iowa	-	-		-	-		655	0.048	0.044 - 0.051
Kentucky	-	-		-	-		1,177	0.061	0.057 - 0.064
Louisiana	-	-		-	-		776	0.055	0.051 - 0.059
Maine	-	-		-	-		298	0.046	0.041 - 0.052
Maryland	-	-		-	-		740	0.046	0.043 - 0.050
Michigan	-	-		-	-		1,818	0.047	0.045 - 0.050
MI - Detroit	-	-		-	-		616	0.048	0.045 - 0.052
Minnesota	-	-		-	-		931	0.041	0.038 - 0.044
Mississippi	-	-		-	-		507	0.058	0.053 - 0.063
Missouri	-	-		-	-		1,381	0.055	0.052 - 0.058
Montana	-	-		-	-		219	0.048	0.042 - 0.055
Nebraska	-	-		-	-		370	0.048	0.043 - 0.053
Nevada	-	-		-	-		443	0.060	0.054 - 0.066
New Hampshire	-	-		-	-		240	0.039	0.034 - 0.044
New Jersey	-	-		-	-		1,433	0.056	0.053 - 0.059
New Mexico	-	-		-	-		218	0.054	0.047 - 0.061
New York	-	-		-	-		2,704	0.048	0.046 - 0.049
North Carolina	-	-		-	-		1,640	0.049	0.047 - 0.051
North Dakota	-	-		-	-		109	0.034	0.028 - 0.041
Ohio	-	-		-	-		2,558	0.054	0.052 - 0.056
Oklahoma	-	-		-	-		793	0.058	0.054 - 0.062
Oregon	-	-		-	-		804	0.049	0.046 - 0.053
Pennsylvania	-	-		-	-		2,619	0.052	0.050 - 0.054
Rhode Island	-	-		-	-		211	0.052	0.045 - 0.060
South Carolina	-	-		-	-		838	0.051	0.047 - 0.054
Tennessee	-	-		-	-		1,423	0.056	0.053 - 0.059
Texas	-	-		-	-		3,568	0.058	0.057 - 0.060
Utah	-	-		-	-		356	0.029	0.026 - 0.032
Vermont	-	-		-	-		104	0.035	0.029 - 0.042
Virginia	-	-		-	-		1,080	0.040	0.038 - 0.042
Washington ³	-	-		-	-		1,293	0.049	0.047 - 0.052
WA - Seattle	-	-		-	-		932	0.053	0.049 - 0.056
West Virginia	-	-		-	-		561	0.065	0.060 - 0.071
Wisconsin	-	-		-	-		1,050	0.044	0.041 - 0.047
Wyoming	-	-		-	-		111	0.046	0.037 - 0.055

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		290,166	0.285	0.284 - 0.287
Alabama	-	-		-	-		3,233	0.195	0.189 - 0.202
Alaska	-	-		-	-		537	0.240	0.220 - 0.261
Arizona	-	-		-	-		4,919	0.248	0.241 - 0.255
Arkansas	-	-		-	-		2,535	0.225	0.217 - 0.234
California	-	-		-	-		23,123	0.303	0.299 - 0.306
CA - Greater California	-	-		-	-		14,069	0.292	0.288 - 0.297
CA - Greater Bay Area	-	-		-	-		4,597	0.317	0.308 - 0.326
CA - Los Angeles	-	-		-	-		4,457	0.323	0.313 - 0.332
Colorado	-	-		-	-		4,171	0.216	0.209 - 0.222
Connecticut	-	-		-	-		4,512	0.360	0.350 - 0.371
Delaware	-	-		-	-		1,077	0.344	0.323 - 0.365
District of Columbia	-	-		-	-		180	0.139	0.120 - 0.161
Florida	-	-		-	-		15,662	0.268	0.263 - 0.272
Georgia	-	-		-	-		6,111	0.215	0.210 - 0.221
Hawaii	-	-		-	-		400	0.283	0.256 - 0.312
Idaho	-	-		-	-		1,551	0.218	0.208 - 0.229
Illinois	-	-		-	-		13,348	0.329	0.323 - 0.335
Iowa	-	-		-	-		4,418	0.321	0.311 - 0.330
Kentucky	-	-		-	-		5,039	0.259	0.252 - 0.267
Louisiana	-	-		-	-		2,505	0.177	0.170 - 0.184
Maine	-	-		-	-		2,347	0.365	0.350 - 0.380
Maryland	-	-		-	-		4,924	0.307	0.298 - 0.316
Michigan	-	-		-	-		11,950	0.311	0.305 - 0.317
MI - Detroit	-	-		-	-		4,306	0.338	0.328 - 0.349
Minnesota	-	-		-	-		7,183	0.316	0.309 - 0.324
Mississippi	-	-		-	-		1,778	0.204	0.195 - 0.214
Missouri	-	-		-	-		6,664	0.267	0.260 - 0.273
Montana	-	-		-	-		1,171	0.257	0.243 - 0.272
Nebraska	-	-		-	-		2,171	0.281	0.269 - 0.293
Nevada	-	-		-	-		1,670	0.225	0.214 - 0.236
New Hampshire	-	-		-	-		2,197	0.353	0.338 - 0.368
New Jersey	-	-		-	-		10,219	0.397	0.390 - 0.405
New Mexico	-	-		-	-		1,275	0.314	0.297 - 0.332
New York	-	-		-	-		20,391	0.359	0.354 - 0.364
North Carolina	-	-		-	-		8,770	0.261	0.256 - 0.267
North Dakota	-	-		-	-		761	0.240	0.223 - 0.258
Ohio	-	-		-	-		15,013	0.316	0.311 - 0.321
Oklahoma	-	-		-	-		2,898	0.211	0.203 - 0.218
Oregon	-	-		-	-		4,907	0.302	0.293 - 0.310
Pennsylvania	-	-		-	-		18,900	0.373	0.368 - 0.379
Rhode Island	-	-		-	-		1,511	0.374	0.355 - 0.393
South Carolina	-	-		-	-		3,734	0.227	0.219 - 0.234
Tennessee	-	-		-	-		5,976	0.233	0.227 - 0.239
Texas	-	-		-	-		12,895	0.211	0.208 - 0.215
Utah	-	-		-	-		2,249	0.184	0.176 - 0.192
Vermont	-	-		-	-		1,113	0.374	0.352 - 0.396
Virginia	-	-		-	-		6,990	0.258	0.252 - 0.264
Washington ³	-	-		-	-		7,300	0.279	0.272 - 0.285
WA - Seattle	-	-		-	-		5,040	0.285	0.277 - 0.293
West Virginia	-	-		-	-		2,902	0.336	0.324 - 0.348
Wisconsin	-	-		-	-		7,915	0.330	0.323 - 0.338
Wyoming	-	-		-	-		522	0.214	0.196 - 0.233

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		78,460	0.077	0.077 - 0.078
Alabama	-	-		-	-		1,231	0.074	0.070 - 0.079
Alaska	-	-		-	-		155	0.069	0.059 - 0.081
Arizona	-	-		-	-		1,471	0.074	0.071 - 0.078
Arkansas	-	-		-	-		734	0.065	0.061 - 0.070
California	-	-		-	-		6,727	0.088	0.086 - 0.090
CA - Greater California	-	-		-	-		4,035	0.084	0.081 - 0.086
CA - Greater Bay Area	-	-		-	-		1,329	0.092	0.087 - 0.097
CA - Los Angeles	-	-		-	-		1,362	0.099	0.093 - 0.104
Colorado	-	-		-	-		1,299	0.067	0.064 - 0.071
Connecticut	-	-		-	-		1,151	0.092	0.087 - 0.097
Delaware	-	-		-	-		242	0.077	0.068 - 0.088
District of Columbia	-	-		-	-		68	0.053	0.041 - 0.067
Florida	-	-		-	-		4,906	0.084	0.081 - 0.086
Georgia	-	-		-	-		2,056	0.072	0.069 - 0.076
Hawaii	-	-		-	-		120	0.085	0.070 - 0.101
Idaho	-	-		-	-		421	0.059	0.054 - 0.065
Illinois	-	-		-	-		3,348	0.082	0.080 - 0.085
Iowa	-	-		-	-		951	0.069	0.065 - 0.074
Kentucky	-	-		-	-		1,237	0.064	0.060 - 0.067
Louisiana	-	-		-	-		825	0.058	0.054 - 0.063
Maine	-	-		-	-		456	0.071	0.065 - 0.078
Maryland	-	-		-	-		1,331	0.083	0.079 - 0.088
Michigan	-	-		-	-		2,996	0.078	0.075 - 0.081
MI - Detroit	-	-		-	-		1,129	0.089	0.084 - 0.094
Minnesota	-	-		-	-		1,686	0.074	0.071 - 0.078
Mississippi	-	-		-	-		562	0.064	0.059 - 0.070
Missouri	-	-		-	-		1,621	0.065	0.062 - 0.068
Montana	-	-		-	-		339	0.074	0.067 - 0.083
Nebraska	-	-		-	-		522	0.067	0.062 - 0.074
Nevada	-	-		-	-		490	0.066	0.060 - 0.072
New Hampshire	-	-		-	-		469	0.075	0.069 - 0.082
New Jersey	-	-		-	-		2,539	0.099	0.095 - 0.103
New Mexico	-	-		-	-		343	0.085	0.076 - 0.094
New York	-	-		-	-		5,270	0.093	0.090 - 0.095
North Carolina	-	-		-	-		2,605	0.078	0.075 - 0.081
North Dakota	-	-		-	-		209	0.066	0.057 - 0.075
Ohio	-	-		-	-		3,500	0.074	0.071 - 0.076
Oklahoma	-	-		-	-		944	0.069	0.064 - 0.073
Oregon	-	-		-	-		1,192	0.073	0.069 - 0.078
Pennsylvania	-	-		-	-		4,462	0.088	0.086 - 0.091
Rhode Island	-	-		-	-		344	0.085	0.076 - 0.095
South Carolina	-	-		-	-		1,027	0.062	0.059 - 0.066
Tennessee	-	-		-	-		1,722	0.067	0.064 - 0.070
Texas	-	-		-	-		4,308	0.071	0.068 - 0.073
Utah	-	-		-	-		602	0.049	0.045 - 0.053
Vermont	-	-		-	-		231	0.078	0.068 - 0.088
Virginia	-	-		-	-		1,899	0.070	0.067 - 0.073
Washington ³	-	-		-	-		1,965	0.075	0.072 - 0.078
WA - Seattle	-	-		-	-		1,383	0.078	0.074 - 0.083
West Virginia	-	-		-	-		667	0.077	0.071 - 0.083
Wisconsin	-	-		-	-		1,990	0.083	0.079 - 0.087
Wyoming	-	-		-	-		164	0.067	0.057 - 0.079

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		1,250,972	1.268	1.265 - 1.270	-	-	
Alabama	-	-		18,831	1.189	1.172 - 1.206	-	-	
Alaska	-	-		2,410	0.957	0.919 - 0.996	-	-	
Arizona	-	-		21,759	1.124	1.109 - 1.139	-	-	
Arkansas	-	-		13,426	1.237	1.216 - 1.258	-	-	
California	-	-		103,821	1.360	1.352 - 1.369	-	-	
CA - Greater California	-	-		63,640	1.339	1.328 - 1.349	-	-	
CA - Greater Bay Area	-	-		21,893	1.478	1.459 - 1.498	-	-	
CA - Los Angeles	-	-		18,285	1.309	1.290 - 1.328	-	-	
Colorado	-	-		20,049	1.031	1.017 - 1.045	-	-	
Connecticut	-	-		17,878	1.501	1.479 - 1.523	-	-	
Delaware	-	-		4,778	1.627	1.581 - 1.674	-	-	
District of Columbia	-	-		892	0.696	0.651 - 0.743	-	-	
Florida	-	-		80,451	1.428	1.419 - 1.438	-	-	
Georgia	-	-		32,744	1.191	1.178 - 1.204	-	-	
Hawaii	-	-		1,896	1.131	1.080 - 1.183	-	-	
Idaho	-	-		8,104	1.145	1.120 - 1.170	-	-	
Illinois	-	-		51,525	1.314	1.303 - 1.325	-	-	
Iowa	-	-		16,188	1.204	1.186 - 1.223	-	-	
Kentucky	-	-		19,305	1.033	1.018 - 1.047	-	-	
Louisiana	-	-		18,604	1.357	1.337 - 1.377	-	-	
Maine	-	-		7,636	1.240	1.212 - 1.268	-	-	
Maryland	-	-		21,575	1.400	1.381 - 1.419	-	-	
Michigan	-	-		48,573	1.294	1.282 - 1.305	-	-	
MI - Detroit	-	-		18,533	1.500	1.479 - 1.522	-	-	
Minnesota	-	-		29,896	1.337	1.322 - 1.352	-	-	
Mississippi	-	-		10,638	1.265	1.241 - 1.289	-	-	
Missouri	-	-		25,835	1.067	1.054 - 1.080	-	-	
Montana	-	-		6,436	1.393	1.359 - 1.427	-	-	
Nebraska	-	-		9,354	1.232	1.207 - 1.257	-	-	
Nevada	-	-		9,957	1.295	1.270 - 1.321	-	-	
New Hampshire	-	-		8,599	1.416	1.386 - 1.446	-	-	
New Jersey	-	-		41,819	1.708	1.692 - 1.724	-	-	
New Mexico	-	-		5,962	1.500	1.462 - 1.538	-	-	
New York	-	-		81,774	1.504	1.493 - 1.514	-	-	
North Carolina	-	-		40,384	1.259	1.247 - 1.271	-	-	
North Dakota	-	-		4,241	1.283	1.245 - 1.322	-	-	
Ohio	-	-		50,886	1.111	1.101 - 1.120	-	-	
Oklahoma	-	-		14,477	1.087	1.069 - 1.105	-	-	
Oregon	-	-		19,011	1.204	1.187 - 1.221	-	-	
Pennsylvania	-	-		63,448	1.307	1.297 - 1.317	-	-	
Rhode Island	-	-		4,993	1.327	1.291 - 1.365	-	-	
South Carolina	-	-		19,031	1.208	1.191 - 1.225	-	-	
Tennessee	-	-		29,796	1.217	1.203 - 1.231	-	-	
Texas	-	-		66,464	1.108	1.099 - 1.116	-	-	
Utah	-	-		12,091	0.983	0.965 - 1.000	-	-	
Vermont	-	-		3,513	1.213	1.173 - 1.253	-	-	
Virginia	-	-		28,567	1.081	1.068 - 1.093	-	-	
Washington ³	-	-		33,055	1.268	1.255 - 1.282	-	-	
WA - Seattle	-	-		23,401	1.325	1.308 - 1.342	-	-	
West Virginia	-	-		9,695	1.157	1.134 - 1.181	-	-	
Wisconsin	-	-		30,571	1.294	1.279 - 1.308	-	-	
Wyoming	-	-		3,141	1.247	1.204 - 1.292	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		59,621	0.060	0.060 - 0.061	-	-	
Alabama	-	-		781	0.049	0.046 - 0.053	-	-	
Alaska	-	-		157	0.062	0.053 - 0.073	-	-	
Arizona	-	-		963	0.050	0.047 - 0.053	-	-	
Arkansas	-	-		536	0.049	0.045 - 0.054	-	-	
California	-	-		5,316	0.070	0.068 - 0.072	-	-	
CA - Greater California	-	-		3,128	0.066	0.064 - 0.068	-	-	
CA - Greater Bay Area	-	-		1,174	0.079	0.075 - 0.084	-	-	
CA - Los Angeles	-	-		1,015	0.073	0.068 - 0.077	-	-	
Colorado	-	-		1,086	0.056	0.053 - 0.059	-	-	
Connecticut	-	-		839	0.070	0.066 - 0.075	-	-	
Delaware	-	-		169	0.058	0.049 - 0.067	-	-	
District of Columbia	-	-		96	0.075	0.061 - 0.091	-	-	
Florida	-	-		2,716	0.048	0.046 - 0.050	-	-	
Georgia	-	-		1,430	0.052	0.049 - 0.055	-	-	
Hawaii	-	-		156	0.093	0.079 - 0.109	-	-	
Idaho	-	-		411	0.058	0.053 - 0.064	-	-	
Illinois	-	-		2,640	0.067	0.065 - 0.070	-	-	
Iowa	-	-		813	0.060	0.056 - 0.065	-	-	
Kentucky	-	-		972	0.052	0.049 - 0.055	-	-	
Louisiana	-	-		767	0.056	0.052 - 0.060	-	-	
Maine	-	-		353	0.057	0.051 - 0.064	-	-	
Maryland	-	-		963	0.062	0.059 - 0.067	-	-	
Michigan	-	-		2,203	0.059	0.056 - 0.061	-	-	
MI - Detroit	-	-		804	0.065	0.061 - 0.070	-	-	
Minnesota	-	-		1,580	0.071	0.067 - 0.074	-	-	
Mississippi	-	-		388	0.046	0.042 - 0.051	-	-	
Missouri	-	-		1,228	0.051	0.048 - 0.054	-	-	
Montana	-	-		278	0.060	0.053 - 0.068	-	-	
Nebraska	-	-		526	0.069	0.063 - 0.075	-	-	
Nevada	-	-		409	0.053	0.048 - 0.059	-	-	
New Hampshire	-	-		401	0.066	0.060 - 0.073	-	-	
New Jersey	-	-		1,752	0.072	0.068 - 0.075	-	-	
New Mexico	-	-		231	0.058	0.051 - 0.066	-	-	
New York	-	-		4,121	0.076	0.073 - 0.078	-	-	
North Carolina	-	-		1,801	0.056	0.054 - 0.059	-	-	
North Dakota	-	-		199	0.060	0.052 - 0.069	-	-	
Ohio	-	-		2,577	0.056	0.054 - 0.058	-	-	
Oklahoma	-	-		654	0.049	0.045 - 0.053	-	-	
Oregon	-	-		1,040	0.066	0.062 - 0.070	-	-	
Pennsylvania	-	-		3,278	0.068	0.065 - 0.070	-	-	
Rhode Island	-	-		280	0.074	0.066 - 0.084	-	-	
South Carolina	-	-		730	0.046	0.043 - 0.050	-	-	
Tennessee	-	-		1,273	0.052	0.049 - 0.055	-	-	
Texas	-	-		3,241	0.054	0.052 - 0.056	-	-	
Utah	-	-		826	0.067	0.063 - 0.072	-	-	
Vermont	-	-		182	0.063	0.054 - 0.073	-	-	
Virginia	-	-		1,351	0.051	0.048 - 0.054	-	-	
Washington ³	-	-		1,778	0.068	0.065 - 0.071	-	-	
WA - Seattle	-	-		1,311	0.074	0.070 - 0.078	-	-	
West Virginia	-	-		437	0.052	0.047 - 0.057	-	-	
Wisconsin	-	-		1,630	0.069	0.066 - 0.072	-	-	
Wyoming	-	-		156	0.062	0.052 - 0.072	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	377,588	0.188	0.188 - 0.189	289,354	0.293	0.292 - 0.294	87,909	0.086	0.086 - 0.087
Alabama	5,193	0.160	0.156 - 0.165	4,078	0.257	0.250 - 0.265	1,115	0.067	0.063 - 0.071
Alaska	707	0.149	0.138 - 0.160	544	0.216	0.198 - 0.235	163	0.073	0.062 - 0.085
Arizona	7,994	0.204	0.200 - 0.209	6,176	0.319	0.311 - 0.327	1,818	0.092	0.088 - 0.096
Arkansas	3,570	0.162	0.156 - 0.167	2,827	0.260	0.251 - 0.270	743	0.066	0.061 - 0.071
California	30,184	0.198	0.195 - 0.200	23,420	0.307	0.303 - 0.311	6,764	0.088	0.086 - 0.091
CA - Greater California	18,518	0.194	0.191 - 0.196	14,352	0.302	0.297 - 0.307	4,166	0.087	0.084 - 0.089
CA - Greater Bay Area	5,776	0.197	0.192 - 0.202	4,425	0.299	0.290 - 0.308	1,351	0.093	0.088 - 0.098
CA - Los Angeles	5,904	0.212	0.207 - 0.218	4,656	0.333	0.324 - 0.343	1,248	0.090	0.085 - 0.095
Colorado	5,397	0.139	0.135 - 0.143	4,151	0.213	0.207 - 0.220	1,246	0.064	0.061 - 0.068
Connecticut	6,400	0.262	0.255 - 0.268	4,787	0.402	0.391 - 0.413	1,613	0.129	0.122 - 0.135
Delaware	1,481	0.244	0.232 - 0.257	1,142	0.389	0.367 - 0.412	339	0.108	0.097 - 0.120
District of Columbia	208	0.081	0.070 - 0.093	164	0.128	0.109 - 0.149	44	0.034	0.025 - 0.046
Florida	27,174	0.237	0.234 - 0.239	21,027	0.373	0.368 - 0.378	6,147	0.105	0.102 - 0.108
Georgia	8,623	0.154	0.151 - 0.158	6,792	0.247	0.241 - 0.253	1,831	0.064	0.062 - 0.067
Hawaii	580	0.187	0.173 - 0.203	481	0.287	0.262 - 0.314	99	0.070	0.057 - 0.085
Idaho	2,233	0.157	0.151 - 0.164	1,763	0.249	0.238 - 0.261	470	0.066	0.060 - 0.072
Illinois	16,146	0.202	0.199 - 0.205	12,249	0.312	0.307 - 0.318	3,897	0.096	0.093 - 0.099
Iowa	4,676	0.172	0.167 - 0.177	3,644	0.271	0.262 - 0.280	1,032	0.075	0.070 - 0.080
Kentucky	6,190	0.162	0.158 - 0.166	4,710	0.252	0.245 - 0.259	1,480	0.076	0.072 - 0.080
Louisiana	4,636	0.166	0.162 - 0.171	3,628	0.265	0.256 - 0.273	1,008	0.071	0.067 - 0.076
Maine	2,985	0.237	0.229 - 0.246	2,254	0.366	0.351 - 0.381	731	0.114	0.106 - 0.122
Maryland	6,342	0.202	0.197 - 0.207	4,864	0.316	0.307 - 0.325	1,478	0.092	0.087 - 0.097
Michigan	14,643	0.193	0.190 - 0.196	11,078	0.295	0.290 - 0.301	3,565	0.093	0.090 - 0.096
MI - Detroit	5,396	0.215	0.209 - 0.221	4,075	0.330	0.320 - 0.340	1,321	0.104	0.098 - 0.110
Minnesota	7,941	0.176	0.172 - 0.180	6,075	0.272	0.265 - 0.279	1,866	0.082	0.078 - 0.086
Mississippi	2,785	0.163	0.157 - 0.169	2,180	0.259	0.248 - 0.270	605	0.069	0.064 - 0.075
Missouri	7,691	0.156	0.153 - 0.160	5,952	0.246	0.240 - 0.252	1,739	0.070	0.066 - 0.073
Montana	1,692	0.184	0.176 - 0.193	1,286	0.278	0.263 - 0.294	406	0.089	0.081 - 0.098
Nebraska	2,480	0.162	0.156 - 0.168	1,900	0.250	0.239 - 0.262	580	0.075	0.069 - 0.081
Nevada	3,150	0.209	0.201 - 0.216	2,436	0.317	0.304 - 0.330	714	0.096	0.089 - 0.104
New Hampshire	2,882	0.234	0.226 - 0.243	2,168	0.357	0.342 - 0.372	714	0.115	0.106 - 0.123
New Jersey	12,405	0.247	0.243 - 0.252	9,180	0.375	0.367 - 0.383	3,225	0.125	0.121 - 0.130
New Mexico	1,546	0.193	0.183 - 0.202	1,227	0.309	0.292 - 0.326	319	0.079	0.070 - 0.088
New York	27,800	0.250	0.247 - 0.253	20,841	0.383	0.378 - 0.388	6,959	0.123	0.120 - 0.126
North Carolina	11,822	0.180	0.177 - 0.183	9,079	0.283	0.277 - 0.289	2,743	0.082	0.079 - 0.085
North Dakota	1,043	0.161	0.151 - 0.171	819	0.248	0.231 - 0.265	224	0.071	0.062 - 0.081
Ohio	16,221	0.174	0.171 - 0.176	12,449	0.272	0.267 - 0.277	3,772	0.079	0.077 - 0.082
Oklahoma	4,111	0.152	0.147 - 0.157	3,212	0.241	0.233 - 0.250	899	0.065	0.061 - 0.070
Oregon	5,867	0.183	0.178 - 0.188	4,513	0.286	0.277 - 0.294	1,354	0.083	0.079 - 0.088
Pennsylvania	22,573	0.228	0.225 - 0.231	17,102	0.352	0.347 - 0.358	5,471	0.108	0.105 - 0.111
Rhode Island	1,995	0.256	0.244 - 0.267	1,459	0.388	0.368 - 0.408	536	0.133	0.122 - 0.144
South Carolina	5,461	0.169	0.165 - 0.174	4,248	0.270	0.262 - 0.278	1,213	0.074	0.070 - 0.078
Tennessee	8,070	0.161	0.158 - 0.165	6,238	0.255	0.249 - 0.261	1,832	0.072	0.068 - 0.075
Texas	17,352	0.143	0.141 - 0.145	13,596	0.227	0.223 - 0.230	3,756	0.062	0.060 - 0.064
Utah	2,121	0.086	0.083 - 0.090	1,733	0.141	0.134 - 0.148	388	0.032	0.029 - 0.035
Vermont	1,146	0.195	0.184 - 0.207	873	0.301	0.282 - 0.322	273	0.092	0.081 - 0.103
Virginia	8,082	0.151	0.148 - 0.154	6,154	0.233	0.227 - 0.239	1,928	0.071	0.068 - 0.075
Washington ³	9,056	0.173	0.170 - 0.177	6,990	0.268	0.262 - 0.275	2,066	0.079	0.075 - 0.082
WA - Seattle	6,242	0.177	0.172 - 0.181	4,821	0.273	0.265 - 0.281	1,421	0.080	0.076 - 0.085
West Virginia	3,217	0.189	0.183 - 0.196	2,431	0.290	0.279 - 0.302	786	0.091	0.085 - 0.098
Wisconsin	9,210	0.194	0.190 - 0.198	7,048	0.298	0.291 - 0.305	2,162	0.090	0.086 - 0.094
Wyoming	789	0.159	0.148 - 0.171	614	0.244	0.225 - 0.264	175	0.072	0.062 - 0.083

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	278,299	0.139	0.138 - 0.139	174,286	0.176	0.176 - 0.177	103,940	0.102	0.102 - 0.103
Alabama	4,732	0.146	0.142 - 0.150	2,872	0.181	0.175 - 0.188	1,860	0.112	0.107 - 0.118
Alaska	540	0.114	0.104 - 0.124	348	0.138	0.124 - 0.153	192	0.086	0.074 - 0.099
Arizona	5,369	0.137	0.133 - 0.141	3,383	0.175	0.169 - 0.181	1,986	0.100	0.096 - 0.105
Arkansas	3,272	0.148	0.143 - 0.153	2,024	0.186	0.178 - 0.195	1,248	0.111	0.105 - 0.117
California	19,881	0.130	0.128 - 0.132	13,041	0.171	0.168 - 0.174	6,841	0.089	0.087 - 0.092
CA - Greater California	12,637	0.132	0.130 - 0.134	8,149	0.171	0.168 - 0.175	4,488	0.093	0.091 - 0.096
CA - Greater Bay Area	3,619	0.123	0.119 - 0.128	2,462	0.166	0.160 - 0.173	1,157	0.080	0.075 - 0.085
CA - Los Angeles	3,629	0.131	0.126 - 0.135	2,434	0.174	0.167 - 0.181	1,195	0.087	0.082 - 0.092
Colorado	3,639	0.094	0.091 - 0.097	2,310	0.119	0.114 - 0.124	1,329	0.069	0.065 - 0.073
Connecticut	3,621	0.148	0.143 - 0.153	2,354	0.198	0.190 - 0.206	1,267	0.101	0.096 - 0.107
Delaware	928	0.153	0.143 - 0.163	592	0.202	0.186 - 0.218	336	0.107	0.096 - 0.119
District of Columbia	134	0.052	0.044 - 0.062	91	0.071	0.057 - 0.087	43	0.033	0.024 - 0.045
Florida	16,547	0.144	0.142 - 0.146	10,544	0.187	0.184 - 0.191	6,003	0.103	0.100 - 0.105
Georgia	6,998	0.125	0.122 - 0.128	4,340	0.158	0.153 - 0.163	2,658	0.094	0.090 - 0.097
Hawaii	414	0.134	0.121 - 0.147	288	0.172	0.152 - 0.193	126	0.089	0.074 - 0.106
Idaho	1,540	0.109	0.103 - 0.114	948	0.134	0.126 - 0.143	592	0.083	0.077 - 0.090
Illinois	12,109	0.152	0.149 - 0.154	7,535	0.192	0.188 - 0.197	4,574	0.113	0.109 - 0.116
Iowa	3,828	0.141	0.136 - 0.145	2,414	0.180	0.172 - 0.187	1,414	0.103	0.097 - 0.108
Kentucky	5,930	0.156	0.152 - 0.160	3,585	0.192	0.185 - 0.198	2,345	0.121	0.116 - 0.126
Louisiana	4,889	0.176	0.171 - 0.181	3,000	0.219	0.211 - 0.227	1,889	0.134	0.128 - 0.140
Maine	1,795	0.143	0.136 - 0.149	1,075	0.175	0.164 - 0.185	720	0.112	0.104 - 0.120
Maryland	4,313	0.137	0.133 - 0.141	2,679	0.174	0.167 - 0.181	1,634	0.102	0.097 - 0.107
Michigan	9,995	0.132	0.129 - 0.134	6,166	0.164	0.160 - 0.168	3,829	0.100	0.097 - 0.103
MI - Detroit	3,632	0.145	0.140 - 0.150	2,293	0.186	0.178 - 0.193	1,339	0.105	0.100 - 0.111
Minnesota	6,000	0.133	0.130 - 0.137	3,880	0.174	0.168 - 0.179	2,120	0.093	0.089 - 0.097
Mississippi	2,880	0.168	0.162 - 0.174	1,736	0.206	0.197 - 0.216	1,144	0.131	0.124 - 0.139
Missouri	6,976	0.142	0.138 - 0.145	4,253	0.176	0.170 - 0.181	2,723	0.109	0.105 - 0.113
Montana	1,045	0.114	0.107 - 0.121	672	0.145	0.135 - 0.157	373	0.082	0.074 - 0.091
Nebraska	2,037	0.133	0.127 - 0.139	1,262	0.166	0.157 - 0.176	775	0.100	0.093 - 0.108
Nevada	1,871	0.124	0.118 - 0.130	1,189	0.155	0.146 - 0.164	682	0.092	0.085 - 0.099
New Hampshire	1,608	0.131	0.124 - 0.137	1,027	0.169	0.159 - 0.180	581	0.093	0.086 - 0.101
New Jersey	8,012	0.160	0.156 - 0.163	5,130	0.210	0.204 - 0.215	2,882	0.112	0.108 - 0.116
New Mexico	909	0.113	0.106 - 0.121	561	0.141	0.130 - 0.153	349	0.086	0.077 - 0.096
New York	17,591	0.158	0.156 - 0.161	11,311	0.208	0.204 - 0.212	6,281	0.111	0.108 - 0.113
North Carolina	9,175	0.140	0.137 - 0.143	5,729	0.179	0.174 - 0.183	3,446	0.103	0.099 - 0.106
North Dakota	758	0.117	0.109 - 0.126	475	0.144	0.131 - 0.157	283	0.089	0.079 - 0.100
Ohio	12,833	0.137	0.135 - 0.140	7,689	0.168	0.164 - 0.172	5,144	0.108	0.105 - 0.111
Oklahoma	3,672	0.136	0.131 - 0.140	2,160	0.162	0.155 - 0.169	1,512	0.110	0.104 - 0.116
Oregon	4,173	0.130	0.126 - 0.134	2,639	0.167	0.161 - 0.174	1,534	0.094	0.090 - 0.099
Pennsylvania	14,849	0.150	0.147 - 0.152	9,255	0.191	0.187 - 0.195	5,594	0.110	0.108 - 0.113
Rhode Island	1,257	0.161	0.152 - 0.170	769	0.204	0.190 - 0.219	488	0.121	0.110 - 0.132
South Carolina	4,345	0.135	0.131 - 0.139	2,700	0.171	0.165 - 0.178	1,645	0.100	0.095 - 0.105
Tennessee	7,179	0.143	0.140 - 0.147	4,466	0.182	0.177 - 0.188	2,713	0.106	0.102 - 0.110
Texas	17,427	0.144	0.142 - 0.146	10,878	0.181	0.178 - 0.185	6,549	0.107	0.105 - 0.110
Utah	1,789	0.073	0.070 - 0.076	1,094	0.089	0.084 - 0.094	695	0.057	0.053 - 0.061
Vermont	736	0.125	0.116 - 0.135	475	0.164	0.150 - 0.179	261	0.088	0.077 - 0.099
Virginia	6,330	0.118	0.115 - 0.121	4,000	0.151	0.147 - 0.156	2,330	0.086	0.083 - 0.090
Washington ³	6,590	0.126	0.123 - 0.129	4,147	0.159	0.154 - 0.164	2,443	0.093	0.090 - 0.097
WA - Seattle	4,501	0.127	0.124 - 0.131	2,840	0.161	0.155 - 0.167	1,661	0.094	0.090 - 0.099
West Virginia	2,741	0.161	0.155 - 0.167	1,614	0.193	0.183 - 0.202	1,127	0.130	0.123 - 0.138
Wisconsin	6,854	0.144	0.141 - 0.147	4,334	0.183	0.178 - 0.189	2,520	0.105	0.101 - 0.109
Wyoming	535	0.108	0.099 - 0.118	345	0.137	0.123 - 0.152	190	0.078	0.067 - 0.090

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Brain and Other Nervous System

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	57,005	0.028	0.028 - 0.029	30,920	0.031	0.031 - 0.032	26,083	0.026	0.025 - 0.026
Alabama	786	0.024	0.023 - 0.026	419	0.026	0.024 - 0.029	367	0.022	0.020 - 0.025
Alaska	141	0.030	0.025 - 0.035	82	0.033	0.026 - 0.040	59	0.026	0.020 - 0.034
Arizona	1,069	0.027	0.026 - 0.029	576	0.030	0.027 - 0.032	493	0.025	0.023 - 0.027
Arkansas	614	0.028	0.026 - 0.030	342	0.031	0.028 - 0.035	272	0.024	0.021 - 0.027
California	4,419	0.029	0.028 - 0.030	2,475	0.032	0.031 - 0.034	1,944	0.025	0.024 - 0.027
CA - Greater California	2,715	0.028	0.027 - 0.029	1,490	0.031	0.030 - 0.033	1,224	0.025	0.024 - 0.027
CA - Greater Bay Area	914	0.031	0.029 - 0.033	519	0.035	0.032 - 0.038	395	0.027	0.025 - 0.030
CA - Los Angeles	791	0.028	0.027 - 0.031	466	0.033	0.030 - 0.037	325	0.024	0.021 - 0.026
Colorado	1,009	0.026	0.024 - 0.028	571	0.029	0.027 - 0.032	438	0.023	0.021 - 0.025
Connecticut	720	0.029	0.027 - 0.032	385	0.032	0.029 - 0.036	334	0.027	0.024 - 0.030
Delaware	160	0.026	0.022 - 0.031	84	0.029	0.023 - 0.035	76	0.024	0.019 - 0.030
District of Columbia	66	0.026	0.020 - 0.033	41	0.032	0.023 - 0.043	25	0.019	0.013 - 0.029
Florida	3,147	0.027	0.026 - 0.028	1,692	0.030	0.029 - 0.032	1,455	0.025	0.024 - 0.026
Georgia	1,482	0.027	0.025 - 0.028	793	0.029	0.027 - 0.031	689	0.024	0.022 - 0.026
Hawaii	76	0.025	0.019 - 0.031	48	0.029	0.021 - 0.038	28	0.019	0.013 - 0.028
Idaho	371	0.026	0.024 - 0.029	215	0.030	0.026 - 0.035	157	0.022	0.019 - 0.026
Illinois	2,338	0.029	0.028 - 0.031	1,252	0.032	0.030 - 0.034	1,086	0.027	0.025 - 0.028
Iowa	739	0.027	0.025 - 0.029	384	0.029	0.026 - 0.032	355	0.026	0.023 - 0.029
Kentucky	1,090	0.029	0.027 - 0.030	594	0.032	0.029 - 0.034	496	0.026	0.023 - 0.028
Louisiana	706	0.025	0.024 - 0.027	361	0.026	0.024 - 0.029	345	0.024	0.022 - 0.027
Maine	399	0.032	0.029 - 0.035	207	0.034	0.029 - 0.039	192	0.030	0.026 - 0.034
Maryland	909	0.029	0.027 - 0.031	477	0.031	0.028 - 0.034	432	0.027	0.024 - 0.030
Michigan	2,240	0.029	0.028 - 0.031	1,222	0.033	0.031 - 0.034	1,018	0.026	0.025 - 0.028
MI - Detroit	649	0.026	0.024 - 0.028	360	0.029	0.026 - 0.032	288	0.023	0.020 - 0.025
Minnesota	1,319	0.029	0.028 - 0.031	708	0.032	0.029 - 0.034	611	0.027	0.025 - 0.029
Mississippi	432	0.025	0.023 - 0.028	226	0.027	0.023 - 0.031	206	0.024	0.021 - 0.027
Missouri	1,387	0.028	0.027 - 0.030	735	0.030	0.028 - 0.033	652	0.026	0.024 - 0.028
Montana	232	0.025	0.022 - 0.029	133	0.029	0.024 - 0.034	99	0.022	0.018 - 0.026
Nebraska	403	0.026	0.024 - 0.029	219	0.029	0.025 - 0.033	184	0.024	0.020 - 0.027
Nevada	358	0.024	0.021 - 0.026	197	0.026	0.022 - 0.029	161	0.022	0.018 - 0.025
New Hampshire	382	0.031	0.028 - 0.034	205	0.034	0.029 - 0.039	177	0.028	0.024 - 0.033
New Jersey	1,674	0.033	0.032 - 0.035	922	0.038	0.035 - 0.040	752	0.029	0.027 - 0.031
New Mexico	218	0.027	0.024 - 0.031	110	0.028	0.023 - 0.033	107	0.026	0.022 - 0.032
New York	3,506	0.032	0.031 - 0.033	1,885	0.035	0.033 - 0.036	1,621	0.029	0.027 - 0.030
North Carolina	1,790	0.027	0.026 - 0.029	957	0.030	0.028 - 0.032	833	0.025	0.023 - 0.027
North Dakota	143	0.022	0.019 - 0.026	77	0.023	0.018 - 0.029	66	0.021	0.016 - 0.026
Ohio	2,514	0.027	0.026 - 0.028	1,370	0.030	0.028 - 0.032	1,144	0.024	0.023 - 0.026
Oklahoma	662	0.024	0.023 - 0.026	351	0.026	0.024 - 0.029	311	0.023	0.020 - 0.025
Oregon	900	0.028	0.026 - 0.030	486	0.031	0.028 - 0.034	414	0.025	0.023 - 0.028
Pennsylvania	2,939	0.030	0.029 - 0.031	1,627	0.034	0.032 - 0.035	1,312	0.026	0.025 - 0.027
Rhode Island	203	0.026	0.023 - 0.030	100	0.027	0.022 - 0.032	103	0.025	0.021 - 0.031
South Carolina	782	0.024	0.023 - 0.026	415	0.026	0.024 - 0.029	367	0.022	0.020 - 0.025
Tennessee	1,260	0.025	0.024 - 0.027	663	0.027	0.025 - 0.029	597	0.023	0.021 - 0.025
Texas	3,916	0.032	0.031 - 0.033	2,165	0.036	0.035 - 0.038	1,751	0.029	0.027 - 0.030
Utah	685	0.028	0.026 - 0.030	392	0.032	0.029 - 0.035	293	0.024	0.021 - 0.027
Vermont	163	0.028	0.024 - 0.032	93	0.032	0.026 - 0.039	70	0.024	0.018 - 0.030
Virginia	1,364	0.026	0.024 - 0.027	738	0.028	0.026 - 0.030	626	0.023	0.021 - 0.025
Washington ³	1,574	0.030	0.029 - 0.032	851	0.033	0.031 - 0.035	722	0.028	0.026 - 0.030
WA - Seattle	1,190	0.034	0.032 - 0.036	648	0.037	0.034 - 0.040	541	0.031	0.028 - 0.033
West Virginia	513	0.030	0.028 - 0.033	265	0.032	0.028 - 0.036	248	0.029	0.025 - 0.033
Wisconsin	1,312	0.028	0.026 - 0.029	717	0.030	0.028 - 0.033	595	0.025	0.023 - 0.027
Wyoming	127	0.026	0.021 - 0.030	63	0.025	0.019 - 0.032	64	0.026	0.020 - 0.033

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	302,276	0.151	0.150 - 0.151	76,128	0.077	0.076 - 0.078	226,222	0.222	0.221 - 0.223
Alabama	3,285	0.101	0.098 - 0.105	867	0.055	0.051 - 0.059	2,418	0.146	0.140 - 0.152
Alaska	556	0.117	0.107 - 0.127	146	0.058	0.049 - 0.068	410	0.183	0.166 - 0.202
Arizona	6,379	0.163	0.159 - 0.167	1,552	0.080	0.076 - 0.084	4,827	0.244	0.237 - 0.251
Arkansas	2,404	0.109	0.104 - 0.113	619	0.057	0.053 - 0.062	1,785	0.159	0.151 - 0.166
California	21,896	0.143	0.141 - 0.145	5,791	0.076	0.074 - 0.078	16,105	0.211	0.207 - 0.214
CA - Greater California	13,386	0.140	0.138 - 0.142	3,444	0.072	0.070 - 0.075	9,943	0.207	0.203 - 0.211
CA - Greater Bay Area	3,777	0.129	0.125 - 0.133	1,081	0.073	0.069 - 0.077	2,697	0.186	0.179 - 0.193
CA - Los Angeles	4,730	0.170	0.165 - 0.175	1,266	0.091	0.086 - 0.096	3,464	0.251	0.242 - 0.259
Colorado	5,731	0.148	0.144 - 0.152	1,481	0.076	0.072 - 0.080	4,250	0.220	0.213 - 0.227
Connecticut	5,147	0.211	0.205 - 0.216	1,309	0.110	0.104 - 0.116	3,838	0.306	0.297 - 0.316
Delaware	960	0.158	0.148 - 0.168	225	0.077	0.067 - 0.087	735	0.235	0.218 - 0.252
District of Columbia	405	0.157	0.142 - 0.174	111	0.087	0.071 - 0.104	294	0.228	0.202 - 0.255
Florida	13,815	0.120	0.118 - 0.122	3,762	0.067	0.065 - 0.069	10,053	0.172	0.168 - 0.175
Georgia	7,419	0.133	0.130 - 0.136	1,849	0.067	0.064 - 0.070	5,570	0.196	0.191 - 0.201
Hawaii	446	0.144	0.131 - 0.158	140	0.083	0.070 - 0.098	306	0.216	0.193 - 0.242
Idaho	2,132	0.150	0.144 - 0.157	484	0.068	0.062 - 0.075	1,648	0.232	0.221 - 0.244
Illinois	13,292	0.167	0.164 - 0.169	3,372	0.086	0.083 - 0.089	9,920	0.244	0.240 - 0.249
Iowa	3,685	0.135	0.131 - 0.140	931	0.069	0.065 - 0.074	2,753	0.200	0.192 - 0.207
Kentucky	5,620	0.147	0.144 - 0.151	1,360	0.073	0.069 - 0.077	4,260	0.219	0.213 - 0.226
Louisiana	4,067	0.146	0.142 - 0.151	984	0.072	0.067 - 0.076	3,082	0.218	0.210 - 0.226
Maine	1,901	0.151	0.144 - 0.158	502	0.082	0.075 - 0.089	1,399	0.217	0.206 - 0.229
Maryland	5,595	0.178	0.173 - 0.183	1,418	0.092	0.087 - 0.097	4,177	0.260	0.252 - 0.268
Michigan	10,180	0.134	0.131 - 0.137	2,493	0.066	0.064 - 0.069	7,687	0.200	0.196 - 0.205
MI - Detroit	4,446	0.177	0.172 - 0.183	1,069	0.087	0.081 - 0.092	3,377	0.265	0.256 - 0.274
Minnesota	5,591	0.124	0.121 - 0.127	1,403	0.063	0.060 - 0.066	4,188	0.184	0.179 - 0.190
Mississippi	2,032	0.119	0.114 - 0.124	517	0.061	0.056 - 0.067	1,515	0.174	0.165 - 0.183
Missouri	6,142	0.125	0.122 - 0.128	1,507	0.062	0.059 - 0.065	4,635	0.185	0.180 - 0.191
Montana	1,229	0.134	0.127 - 0.142	311	0.067	0.060 - 0.075	918	0.201	0.189 - 0.215
Nebraska	2,100	0.137	0.131 - 0.143	484	0.064	0.058 - 0.070	1,616	0.209	0.199 - 0.219
Nevada	2,583	0.171	0.164 - 0.178	651	0.085	0.078 - 0.091	1,932	0.260	0.249 - 0.272
New Hampshire	1,924	0.156	0.150 - 0.164	486	0.080	0.073 - 0.087	1,438	0.231	0.219 - 0.243
New Jersey	11,697	0.233	0.229 - 0.237	3,009	0.123	0.119 - 0.127	8,689	0.338	0.331 - 0.345
New Mexico	1,402	0.175	0.166 - 0.184	327	0.082	0.074 - 0.092	1,075	0.265	0.249 - 0.281
New York	24,196	0.218	0.215 - 0.220	6,368	0.117	0.114 - 0.120	17,828	0.314	0.310 - 0.319
North Carolina	8,975	0.137	0.134 - 0.140	2,270	0.071	0.068 - 0.074	6,705	0.200	0.195 - 0.205
North Dakota	935	0.144	0.135 - 0.154	218	0.066	0.057 - 0.075	717	0.226	0.210 - 0.243
Ohio	13,441	0.144	0.142 - 0.146	3,046	0.066	0.064 - 0.069	10,395	0.219	0.215 - 0.223
Oklahoma	3,159	0.117	0.113 - 0.121	754	0.057	0.053 - 0.061	2,405	0.175	0.168 - 0.182
Oregon	4,094	0.128	0.124 - 0.132	1,016	0.064	0.060 - 0.068	3,078	0.189	0.183 - 0.196
Pennsylvania	21,459	0.216	0.213 - 0.219	5,281	0.109	0.106 - 0.112	16,178	0.319	0.315 - 0.324
Rhode Island	1,666	0.213	0.203 - 0.224	410	0.109	0.099 - 0.120	1,256	0.311	0.294 - 0.328
South Carolina	3,894	0.121	0.117 - 0.125	939	0.060	0.056 - 0.064	2,955	0.179	0.173 - 0.186
Tennessee	6,976	0.139	0.136 - 0.143	1,732	0.071	0.067 - 0.074	5,244	0.205	0.199 - 0.210
Texas	16,164	0.134	0.131 - 0.136	4,286	0.071	0.069 - 0.074	11,878	0.195	0.191 - 0.198
Utah	3,692	0.151	0.146 - 0.155	837	0.068	0.063 - 0.073	2,855	0.234	0.225 - 0.242
Vermont	817	0.139	0.130 - 0.149	208	0.072	0.062 - 0.082	609	0.205	0.189 - 0.221
Virginia	6,990	0.131	0.128 - 0.134	1,700	0.064	0.061 - 0.067	5,290	0.196	0.190 - 0.201
Washington ³	6,979	0.134	0.130 - 0.137	1,765	0.068	0.065 - 0.071	5,214	0.199	0.194 - 0.204
WA - Seattle	4,866	0.138	0.134 - 0.142	1,242	0.070	0.066 - 0.074	3,624	0.205	0.198 - 0.212
West Virginia	2,670	0.157	0.151 - 0.163	592	0.071	0.065 - 0.077	2,078	0.241	0.230 - 0.251
Wisconsin	6,310	0.133	0.129 - 0.136	1,596	0.068	0.064 - 0.071	4,714	0.197	0.191 - 0.202
Wyoming	666	0.135	0.124 - 0.145	170	0.068	0.058 - 0.079	496	0.204	0.186 - 0.222

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	49,976	0.025	0.025 - 0.025	27,212	0.027	0.027 - 0.028	22,761	0.022	0.022 - 0.023
Alabama	621	0.019	0.018 - 0.021	340	0.021	0.019 - 0.024	281	0.017	0.015 - 0.019
Alaska	94	0.020	0.016 - 0.024	48	0.019	0.014 - 0.025	46	0.021	0.015 - 0.027
Arizona	768	0.020	0.018 - 0.021	414	0.021	0.019 - 0.024	354	0.018	0.016 - 0.020
Arkansas	495	0.022	0.020 - 0.024	279	0.026	0.023 - 0.029	216	0.019	0.017 - 0.022
California	3,917	0.026	0.025 - 0.026	2,137	0.028	0.027 - 0.029	1,780	0.023	0.022 - 0.024
CA - Greater California	2,382	0.025	0.024 - 0.026	1,301	0.027	0.026 - 0.029	1,081	0.022	0.021 - 0.024
CA - Greater Bay Area	756	0.026	0.024 - 0.028	411	0.028	0.025 - 0.031	345	0.024	0.021 - 0.026
CA - Los Angeles	779	0.028	0.026 - 0.030	425	0.030	0.028 - 0.033	353	0.026	0.023 - 0.028
Colorado	865	0.022	0.021 - 0.024	500	0.026	0.024 - 0.028	365	0.019	0.017 - 0.021
Connecticut	771	0.032	0.029 - 0.034	411	0.035	0.031 - 0.038	360	0.029	0.026 - 0.032
Delaware	165	0.027	0.023 - 0.032	98	0.033	0.027 - 0.041	67	0.021	0.017 - 0.027
District of Columbia	76	0.030	0.023 - 0.037	40	0.031	0.022 - 0.043	36	0.028	0.020 - 0.039
Florida	2,823	0.025	0.024 - 0.026	1,520	0.027	0.026 - 0.028	1,303	0.022	0.021 - 0.024
Georgia	1,216	0.022	0.021 - 0.023	644	0.023	0.022 - 0.025	572	0.020	0.019 - 0.022
Hawaii	84	0.027	0.022 - 0.034	49	0.029	0.021 - 0.038	35	0.025	0.017 - 0.034
Idaho	308	0.022	0.019 - 0.024	166	0.023	0.020 - 0.027	142	0.020	0.017 - 0.024
Illinois	2,055	0.026	0.025 - 0.027	1,108	0.028	0.027 - 0.030	947	0.023	0.022 - 0.025
Iowa	721	0.027	0.025 - 0.029	394	0.029	0.026 - 0.032	328	0.024	0.021 - 0.027
Kentucky	854	0.022	0.021 - 0.024	475	0.025	0.023 - 0.028	380	0.020	0.018 - 0.022
Louisiana	673	0.024	0.022 - 0.026	365	0.027	0.024 - 0.029	308	0.022	0.019 - 0.024
Maine	347	0.028	0.025 - 0.031	179	0.029	0.025 - 0.034	168	0.026	0.022 - 0.030
Maryland	842	0.027	0.025 - 0.029	455	0.030	0.027 - 0.032	387	0.024	0.022 - 0.027
Michigan	1,883	0.025	0.024 - 0.026	1,049	0.028	0.026 - 0.030	834	0.022	0.020 - 0.023
MI - Detroit	748	0.030	0.028 - 0.032	433	0.035	0.032 - 0.039	315	0.025	0.022 - 0.028
Minnesota	1,221	0.027	0.026 - 0.029	694	0.031	0.029 - 0.033	527	0.023	0.021 - 0.025
Mississippi	346	0.020	0.018 - 0.022	194	0.023	0.020 - 0.027	152	0.017	0.015 - 0.020
Missouri	1,138	0.023	0.022 - 0.025	607	0.025	0.023 - 0.027	531	0.021	0.019 - 0.023
Montana	226	0.025	0.021 - 0.028	124	0.027	0.022 - 0.032	101	0.022	0.018 - 0.027
Nebraska	397	0.026	0.023 - 0.029	228	0.030	0.026 - 0.034	169	0.022	0.019 - 0.025
Nevada	295	0.020	0.017 - 0.022	143	0.019	0.016 - 0.022	152	0.020	0.017 - 0.024
New Hampshire	338	0.027	0.025 - 0.031	197	0.032	0.028 - 0.037	141	0.023	0.019 - 0.027
New Jersey	1,637	0.033	0.031 - 0.034	879	0.036	0.034 - 0.038	758	0.029	0.027 - 0.032
New Mexico	179	0.022	0.019 - 0.026	107	0.027	0.022 - 0.033	72	0.018	0.014 - 0.022
New York	3,541	0.032	0.031 - 0.033	1,888	0.035	0.033 - 0.036	1,653	0.029	0.028 - 0.031
North Carolina	1,457	0.022	0.021 - 0.023	797	0.025	0.023 - 0.027	660	0.020	0.018 - 0.021
North Dakota	180	0.028	0.024 - 0.032	114	0.034	0.028 - 0.041	66	0.021	0.016 - 0.026
Ohio	2,235	0.024	0.023 - 0.025	1,269	0.028	0.026 - 0.029	966	0.020	0.019 - 0.022
Oklahoma	582	0.021	0.020 - 0.023	318	0.024	0.021 - 0.027	264	0.019	0.017 - 0.022
Oregon	735	0.023	0.021 - 0.025	397	0.025	0.023 - 0.028	338	0.021	0.019 - 0.023
Pennsylvania	2,939	0.030	0.029 - 0.031	1,621	0.033	0.032 - 0.035	1,318	0.026	0.025 - 0.027
Rhode Island	264	0.034	0.030 - 0.038	135	0.036	0.030 - 0.042	129	0.032	0.027 - 0.038
South Carolina	686	0.021	0.020 - 0.023	365	0.023	0.021 - 0.026	321	0.019	0.017 - 0.022
Tennessee	1,085	0.022	0.020 - 0.023	564	0.023	0.021 - 0.025	521	0.020	0.019 - 0.022
Texas	2,687	0.022	0.021 - 0.023	1,434	0.024	0.023 - 0.025	1,253	0.021	0.019 - 0.022
Utah	533	0.022	0.020 - 0.024	289	0.023	0.021 - 0.026	244	0.020	0.018 - 0.023
Vermont	161	0.027	0.023 - 0.032	83	0.029	0.023 - 0.036	78	0.026	0.021 - 0.033
Virginia	1,153	0.022	0.020 - 0.023	582	0.022	0.020 - 0.024	571	0.021	0.019 - 0.023
Washington ³	1,300	0.025	0.024 - 0.026	749	0.029	0.027 - 0.031	551	0.021	0.019 - 0.023
WA - Seattle	916	0.026	0.024 - 0.028	527	0.030	0.027 - 0.032	389	0.022	0.020 - 0.024
West Virginia	366	0.022	0.019 - 0.024	202	0.024	0.021 - 0.028	164	0.019	0.016 - 0.022
Wisconsin	1,319	0.028	0.026 - 0.029	723	0.031	0.028 - 0.033	596	0.025	0.023 - 0.027
Wyoming	104	0.021	0.017 - 0.025	64	0.025	0.020 - 0.032	40	0.016	0.012 - 0.022

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	321,541	0.160	0.160 - 0.161	172,065	0.174	0.173 - 0.175	149,427	0.147	0.146 - 0.148
Alabama	4,078	0.126	0.122 - 0.130	2,181	0.138	0.132 - 0.144	1,897	0.115	0.109 - 0.120
Alaska	588	0.124	0.114 - 0.134	340	0.135	0.121 - 0.150	248	0.111	0.098 - 0.126
Arizona	5,364	0.137	0.133 - 0.141	2,867	0.148	0.143 - 0.154	2,497	0.126	0.121 - 0.131
Arkansas	3,039	0.137	0.133 - 0.142	1,614	0.149	0.141 - 0.156	1,425	0.127	0.120 - 0.133
California	26,575	0.174	0.172 - 0.176	14,763	0.193	0.190 - 0.197	11,812	0.155	0.152 - 0.157
CA - Greater California	15,687	0.164	0.161 - 0.167	8,620	0.181	0.177 - 0.185	7,067	0.147	0.143 - 0.150
CA - Greater Bay Area	5,852	0.200	0.195 - 0.205	3,347	0.226	0.218 - 0.234	2,504	0.173	0.166 - 0.180
CA - Los Angeles	5,040	0.181	0.176 - 0.187	2,800	0.200	0.193 - 0.208	2,240	0.162	0.155 - 0.169
Colorado	5,039	0.130	0.126 - 0.134	2,774	0.143	0.137 - 0.148	2,265	0.117	0.112 - 0.122
Connecticut	4,739	0.194	0.188 - 0.199	2,528	0.212	0.204 - 0.221	2,211	0.176	0.169 - 0.184
Delaware	1,110	0.183	0.172 - 0.194	574	0.195	0.180 - 0.212	536	0.171	0.157 - 0.186
District of Columbia	221	0.086	0.075 - 0.098	137	0.107	0.090 - 0.126	84	0.065	0.052 - 0.081
Florida	23,482	0.204	0.202 - 0.207	12,463	0.221	0.217 - 0.225	11,019	0.188	0.185 - 0.192
Georgia	7,720	0.138	0.135 - 0.141	4,164	0.152	0.147 - 0.156	3,556	0.125	0.121 - 0.129
Hawaii	536	0.173	0.159 - 0.189	321	0.192	0.171 - 0.214	215	0.151	0.132 - 0.173
Idaho	1,820	0.128	0.123 - 0.134	970	0.137	0.128 - 0.146	851	0.120	0.112 - 0.128
Illinois	13,412	0.168	0.165 - 0.171	7,083	0.181	0.176 - 0.185	6,329	0.156	0.152 - 0.160
Iowa	4,515	0.166	0.161 - 0.171	2,407	0.179	0.172 - 0.186	2,108	0.153	0.147 - 0.160
Kentucky	5,507	0.144	0.141 - 0.148	2,893	0.155	0.149 - 0.160	2,614	0.134	0.129 - 0.140
Louisiana	4,257	0.153	0.148 - 0.158	2,257	0.165	0.158 - 0.172	2,000	0.141	0.135 - 0.148
Maine	2,179	0.173	0.166 - 0.180	1,154	0.187	0.177 - 0.199	1,025	0.159	0.150 - 0.169
Maryland	5,128	0.163	0.159 - 0.168	2,699	0.175	0.169 - 0.182	2,429	0.151	0.145 - 0.158
Michigan	12,013	0.158	0.155 - 0.161	6,344	0.169	0.165 - 0.173	5,669	0.148	0.144 - 0.151
MI - Detroit	4,447	0.177	0.172 - 0.183	2,368	0.192	0.184 - 0.200	2,079	0.163	0.156 - 0.171
Minnesota	7,586	0.168	0.165 - 0.172	4,177	0.187	0.181 - 0.193	3,409	0.150	0.145 - 0.155
Mississippi	2,423	0.142	0.136 - 0.147	1,243	0.148	0.140 - 0.156	1,180	0.135	0.128 - 0.143
Missouri	7,014	0.143	0.139 - 0.146	3,742	0.155	0.150 - 0.160	3,272	0.131	0.126 - 0.135
Montana	1,398	0.152	0.144 - 0.161	777	0.168	0.157 - 0.180	621	0.136	0.126 - 0.147
Nebraska	2,368	0.155	0.148 - 0.161	1,272	0.168	0.158 - 0.177	1,096	0.142	0.133 - 0.150
Nevada	2,114	0.140	0.134 - 0.146	1,159	0.151	0.142 - 0.160	955	0.129	0.121 - 0.137
New Hampshire	2,151	0.175	0.168 - 0.182	1,145	0.189	0.178 - 0.200	1,006	0.162	0.152 - 0.172
New Jersey	10,392	0.207	0.203 - 0.211	5,430	0.222	0.216 - 0.228	4,961	0.193	0.188 - 0.198
New Mexico	1,269	0.158	0.149 - 0.167	678	0.171	0.158 - 0.184	591	0.146	0.134 - 0.158
New York	22,136	0.199	0.197 - 0.202	11,672	0.215	0.211 - 0.219	10,464	0.184	0.181 - 0.188
North Carolina	9,538	0.145	0.142 - 0.148	5,121	0.160	0.155 - 0.164	4,417	0.132	0.128 - 0.136
North Dakota	923	0.143	0.133 - 0.152	476	0.144	0.131 - 0.158	447	0.141	0.128 - 0.155
Ohio	13,677	0.147	0.144 - 0.149	7,290	0.159	0.155 - 0.163	6,387	0.134	0.131 - 0.138
Oklahoma	3,540	0.131	0.126 - 0.135	1,868	0.140	0.134 - 0.147	1,672	0.122	0.116 - 0.127
Oregon	4,813	0.150	0.146 - 0.154	2,592	0.164	0.158 - 0.171	2,221	0.137	0.131 - 0.142
Pennsylvania	17,801	0.179	0.177 - 0.182	9,290	0.191	0.187 - 0.195	8,511	0.168	0.164 - 0.172
Rhode Island	1,468	0.188	0.179 - 0.198	770	0.205	0.190 - 0.220	698	0.173	0.160 - 0.186
South Carolina	4,373	0.136	0.132 - 0.140	2,311	0.147	0.141 - 0.153	2,062	0.125	0.120 - 0.131
Tennessee	6,867	0.137	0.134 - 0.140	3,623	0.148	0.143 - 0.153	3,244	0.127	0.122 - 0.131
Texas	17,648	0.146	0.144 - 0.148	9,556	0.159	0.156 - 0.163	8,092	0.133	0.130 - 0.135
Utah	2,612	0.106	0.102 - 0.111	1,487	0.121	0.115 - 0.127	1,125	0.092	0.087 - 0.098
Vermont	1,039	0.177	0.166 - 0.188	570	0.197	0.181 - 0.214	469	0.158	0.144 - 0.172
Virginia	7,188	0.134	0.131 - 0.138	3,888	0.147	0.142 - 0.152	3,300	0.122	0.118 - 0.126
Washington ³	8,188	0.157	0.153 - 0.160	4,557	0.175	0.170 - 0.180	3,631	0.139	0.134 - 0.143
WA - Seattle	5,841	0.165	0.161 - 0.170	3,263	0.185	0.179 - 0.191	2,578	0.146	0.140 - 0.152
West Virginia	2,658	0.156	0.150 - 0.162	1,388	0.166	0.157 - 0.175	1,270	0.147	0.139 - 0.155
Wisconsin	8,049	0.169	0.165 - 0.173	4,357	0.184	0.179 - 0.190	3,692	0.154	0.149 - 0.159
Wyoming	601	0.121	0.112 - 0.131	344	0.136	0.122 - 0.152	257	0.106	0.093 - 0.119

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	74,589	0.037	0.037 - 0.038	42,723	0.043	0.043 - 0.044	31,848	0.031	0.031 - 0.032
Alabama	955	0.029	0.028 - 0.031	521	0.033	0.030 - 0.036	434	0.026	0.024 - 0.029
Alaska	122	0.026	0.021 - 0.031	67	0.027	0.021 - 0.034	55	0.025	0.019 - 0.032
Arizona	1,210	0.031	0.029 - 0.033	692	0.036	0.033 - 0.039	518	0.026	0.024 - 0.028
Arkansas	777	0.035	0.033 - 0.038	440	0.041	0.037 - 0.044	337	0.030	0.027 - 0.033
California	5,893	0.039	0.038 - 0.040	3,476	0.046	0.044 - 0.047	2,417	0.032	0.030 - 0.033
CA - Greater California	3,562	0.037	0.036 - 0.038	2,088	0.044	0.042 - 0.046	1,474	0.031	0.029 - 0.032
CA - Greater Bay Area	1,233	0.042	0.040 - 0.044	740	0.050	0.046 - 0.054	493	0.034	0.031 - 0.037
CA - Los Angeles	1,099	0.040	0.037 - 0.042	648	0.046	0.043 - 0.050	451	0.033	0.030 - 0.036
Colorado	1,265	0.033	0.031 - 0.034	764	0.039	0.037 - 0.042	501	0.026	0.024 - 0.028
Connecticut	1,145	0.047	0.044 - 0.050	658	0.055	0.051 - 0.060	487	0.039	0.035 - 0.042
Delaware	235	0.039	0.034 - 0.044	128	0.044	0.036 - 0.052	107	0.034	0.028 - 0.041
District of Columbia	60	0.023	0.018 - 0.030	33	0.026	0.018 - 0.036	27	0.021	0.014 - 0.030
Florida	6,023	0.052	0.051 - 0.054	3,467	0.062	0.060 - 0.064	2,556	0.044	0.042 - 0.045
Georgia	1,918	0.034	0.033 - 0.036	1,106	0.040	0.038 - 0.043	812	0.029	0.027 - 0.031
Hawaii	129	0.042	0.035 - 0.049	83	0.049	0.039 - 0.061	46	0.032	0.024 - 0.043
Idaho	444	0.031	0.028 - 0.034	282	0.040	0.035 - 0.045	162	0.023	0.019 - 0.027
Illinois	2,878	0.036	0.035 - 0.037	1,595	0.041	0.039 - 0.043	1,283	0.032	0.030 - 0.033
Iowa	1,041	0.038	0.036 - 0.041	591	0.044	0.040 - 0.048	450	0.033	0.030 - 0.036
Kentucky	1,256	0.033	0.031 - 0.035	745	0.040	0.037 - 0.043	511	0.026	0.024 - 0.029
Louisiana	931	0.033	0.031 - 0.036	519	0.038	0.035 - 0.041	412	0.029	0.026 - 0.032
Maine	491	0.039	0.036 - 0.043	276	0.045	0.040 - 0.050	215	0.033	0.029 - 0.038
Maryland	1,084	0.034	0.032 - 0.037	608	0.039	0.036 - 0.043	476	0.030	0.027 - 0.032
Michigan	2,707	0.036	0.034 - 0.037	1,558	0.041	0.039 - 0.044	1,149	0.030	0.028 - 0.032
MI - Detroit	967	0.039	0.036 - 0.041	542	0.044	0.040 - 0.048	425	0.033	0.030 - 0.037
Minnesota	1,769	0.039	0.037 - 0.041	1,029	0.046	0.043 - 0.049	740	0.033	0.030 - 0.035
Mississippi	520	0.030	0.028 - 0.033	316	0.038	0.034 - 0.042	204	0.023	0.020 - 0.027
Missouri	1,601	0.033	0.031 - 0.034	909	0.038	0.035 - 0.040	692	0.028	0.026 - 0.030
Montana	355	0.039	0.035 - 0.043	220	0.048	0.042 - 0.054	135	0.030	0.025 - 0.035
Nebraska	530	0.035	0.032 - 0.038	301	0.040	0.035 - 0.044	229	0.030	0.026 - 0.034
Nevada	408	0.027	0.024 - 0.030	241	0.031	0.028 - 0.036	167	0.023	0.019 - 0.026
New Hampshire	493	0.040	0.037 - 0.044	282	0.046	0.041 - 0.052	211	0.034	0.029 - 0.039
New Jersey	2,343	0.047	0.045 - 0.049	1,290	0.053	0.050 - 0.056	1,053	0.041	0.038 - 0.043
New Mexico	297	0.037	0.033 - 0.041	180	0.045	0.039 - 0.052	117	0.029	0.024 - 0.035
New York	5,397	0.049	0.047 - 0.050	3,100	0.057	0.055 - 0.059	2,297	0.040	0.039 - 0.042
North Carolina	2,495	0.038	0.037 - 0.040	1,403	0.044	0.041 - 0.046	1,092	0.033	0.031 - 0.035
North Dakota	219	0.034	0.029 - 0.039	124	0.038	0.031 - 0.045	95	0.030	0.024 - 0.037
Ohio	2,736	0.029	0.028 - 0.030	1,549	0.034	0.032 - 0.036	1,187	0.025	0.024 - 0.026
Oklahoma	833	0.031	0.029 - 0.033	462	0.035	0.032 - 0.038	371	0.027	0.024 - 0.030
Oregon	975	0.030	0.029 - 0.032	567	0.036	0.033 - 0.039	408	0.025	0.023 - 0.028
Pennsylvania	3,802	0.038	0.037 - 0.040	2,177	0.045	0.043 - 0.047	1,625	0.032	0.031 - 0.034
Rhode Island	295	0.038	0.034 - 0.042	174	0.046	0.040 - 0.054	121	0.030	0.025 - 0.036
South Carolina	1,111	0.034	0.032 - 0.037	637	0.040	0.037 - 0.044	474	0.029	0.026 - 0.031
Tennessee	1,607	0.032	0.031 - 0.034	914	0.037	0.035 - 0.040	693	0.027	0.025 - 0.029
Texas	4,665	0.039	0.037 - 0.040	2,607	0.043	0.042 - 0.045	2,058	0.034	0.032 - 0.035
Utah	608	0.025	0.023 - 0.027	357	0.029	0.026 - 0.032	251	0.021	0.018 - 0.023
Vermont	205	0.035	0.030 - 0.040	121	0.042	0.035 - 0.050	84	0.028	0.023 - 0.035
Virginia	1,523	0.028	0.027 - 0.030	862	0.033	0.030 - 0.035	661	0.024	0.023 - 0.026
Washington ³	1,845	0.035	0.034 - 0.037	1,073	0.041	0.039 - 0.044	772	0.029	0.027 - 0.032
WA - Seattle	1,347	0.038	0.036 - 0.040	785	0.044	0.041 - 0.048	562	0.032	0.029 - 0.035
West Virginia	577	0.034	0.031 - 0.037	339	0.040	0.036 - 0.045	238	0.028	0.024 - 0.031
Wisconsin	1,978	0.042	0.040 - 0.043	1,153	0.049	0.046 - 0.052	825	0.034	0.032 - 0.037
Wyoming	143	0.029	0.024 - 0.034	79	0.032	0.025 - 0.039	64	0.026	0.020 - 0.034

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	191,944	0.096	0.095 - 0.096	112,400	0.114	0.113 - 0.114	79,499	0.078	0.078 - 0.079
Alabama	2,295	0.071	0.068 - 0.074	1,293	0.082	0.077 - 0.086	1,002	0.060	0.057 - 0.064
Alaska	332	0.070	0.063 - 0.078	199	0.079	0.068 - 0.091	133	0.059	0.050 - 0.071
Arizona	2,523	0.064	0.062 - 0.067	1,438	0.074	0.070 - 0.078	1,085	0.055	0.052 - 0.058
Arkansas	1,779	0.080	0.077 - 0.084	1,047	0.096	0.091 - 0.102	732	0.065	0.060 - 0.070
California	15,027	0.098	0.097 - 0.100	9,002	0.118	0.116 - 0.120	6,026	0.079	0.077 - 0.081
CA - Greater California	8,985	0.094	0.092 - 0.096	5,323	0.112	0.109 - 0.115	3,662	0.076	0.074 - 0.079
CA - Greater Bay Area	3,158	0.108	0.104 - 0.112	1,930	0.130	0.125 - 0.136	1,228	0.085	0.080 - 0.090
CA - Los Angeles	2,886	0.104	0.100 - 0.108	1,751	0.125	0.120 - 0.131	1,135	0.082	0.077 - 0.087
Colorado	3,239	0.084	0.081 - 0.086	1,940	0.100	0.095 - 0.104	1,299	0.067	0.064 - 0.071
Connecticut	2,672	0.109	0.105 - 0.114	1,561	0.131	0.125 - 0.138	1,111	0.089	0.084 - 0.094
Delaware	581	0.096	0.088 - 0.104	353	0.120	0.108 - 0.133	228	0.073	0.064 - 0.083
District of Columbia	119	0.046	0.038 - 0.055	76	0.059	0.047 - 0.074	43	0.033	0.024 - 0.045
Florida	16,199	0.141	0.139 - 0.143	9,331	0.166	0.162 - 0.169	6,868	0.117	0.115 - 0.120
Georgia	4,823	0.086	0.084 - 0.089	2,761	0.100	0.097 - 0.104	2,062	0.073	0.069 - 0.076
Hawaii	312	0.101	0.090 - 0.113	199	0.119	0.103 - 0.136	113	0.080	0.066 - 0.096
Idaho	1,360	0.096	0.091 - 0.101	800	0.113	0.105 - 0.121	560	0.079	0.072 - 0.086
Illinois	6,762	0.085	0.083 - 0.087	3,989	0.102	0.099 - 0.105	2,773	0.068	0.066 - 0.071
Iowa	2,898	0.106	0.103 - 0.110	1,727	0.128	0.122 - 0.135	1,170	0.085	0.080 - 0.090
Kentucky	3,352	0.088	0.085 - 0.091	1,947	0.104	0.100 - 0.109	1,406	0.072	0.069 - 0.076
Louisiana	2,552	0.092	0.088 - 0.095	1,419	0.103	0.098 - 0.109	1,133	0.080	0.076 - 0.085
Maine	1,377	0.109	0.104 - 0.115	797	0.129	0.121 - 0.139	580	0.090	0.083 - 0.098
Maryland	2,679	0.085	0.082 - 0.088	1,554	0.101	0.096 - 0.106	1,125	0.070	0.066 - 0.074
Michigan	6,784	0.089	0.087 - 0.091	3,915	0.104	0.101 - 0.108	2,869	0.075	0.072 - 0.077
MI - Detroit	2,779	0.111	0.107 - 0.115	1,633	0.132	0.126 - 0.139	1,146	0.090	0.085 - 0.095
Minnesota	4,777	0.106	0.103 - 0.109	2,918	0.131	0.126 - 0.135	1,859	0.082	0.078 - 0.086
Mississippi	1,269	0.074	0.070 - 0.078	739	0.088	0.082 - 0.094	530	0.061	0.056 - 0.066
Missouri	4,005	0.081	0.079 - 0.084	2,330	0.096	0.092 - 0.100	1,675	0.067	0.064 - 0.070
Montana	984	0.107	0.101 - 0.114	637	0.138	0.127 - 0.149	347	0.076	0.068 - 0.085
Nebraska	1,303	0.085	0.080 - 0.090	774	0.102	0.095 - 0.109	529	0.068	0.063 - 0.074
Nevada	1,344	0.089	0.084 - 0.094	839	0.109	0.102 - 0.117	505	0.068	0.062 - 0.074
New Hampshire	1,191	0.097	0.091 - 0.103	720	0.119	0.110 - 0.128	471	0.076	0.069 - 0.083
New Jersey	5,917	0.118	0.115 - 0.121	3,465	0.142	0.137 - 0.146	2,452	0.095	0.092 - 0.099
New Mexico	966	0.120	0.113 - 0.128	536	0.135	0.124 - 0.147	430	0.106	0.096 - 0.117
New York	14,707	0.132	0.130 - 0.135	8,644	0.159	0.156 - 0.162	6,063	0.107	0.104 - 0.110
North Carolina	6,351	0.097	0.094 - 0.099	3,666	0.114	0.111 - 0.118	2,685	0.080	0.077 - 0.083
North Dakota	673	0.104	0.096 - 0.112	414	0.125	0.113 - 0.138	259	0.082	0.072 - 0.092
Ohio	6,305	0.068	0.066 - 0.069	3,707	0.081	0.078 - 0.084	2,598	0.055	0.053 - 0.057
Oklahoma	2,173	0.080	0.077 - 0.084	1,238	0.093	0.088 - 0.098	935	0.068	0.064 - 0.072
Oregon	2,455	0.077	0.074 - 0.080	1,431	0.091	0.086 - 0.095	1,024	0.063	0.059 - 0.067
Pennsylvania	9,984	0.101	0.099 - 0.103	5,859	0.121	0.118 - 0.124	4,125	0.081	0.079 - 0.084
Rhode Island	827	0.106	0.099 - 0.113	468	0.124	0.113 - 0.136	359	0.089	0.080 - 0.098
South Carolina	2,574	0.080	0.077 - 0.083	1,488	0.094	0.090 - 0.099	1,086	0.066	0.062 - 0.070
Tennessee	4,101	0.082	0.079 - 0.084	2,386	0.097	0.094 - 0.101	1,715	0.067	0.064 - 0.070
Texas	11,622	0.096	0.094 - 0.098	6,775	0.113	0.110 - 0.116	4,847	0.079	0.077 - 0.082
Utah	1,751	0.071	0.068 - 0.075	1,075	0.087	0.082 - 0.093	676	0.055	0.051 - 0.060
Vermont	489	0.083	0.076 - 0.091	285	0.098	0.087 - 0.110	204	0.069	0.059 - 0.079
Virginia	3,390	0.063	0.061 - 0.066	1,931	0.073	0.070 - 0.076	1,459	0.054	0.051 - 0.057
Washington ³	5,236	0.100	0.097 - 0.103	3,146	0.121	0.117 - 0.125	2,090	0.080	0.076 - 0.083
WA - Seattle	3,878	0.110	0.106 - 0.113	2,341	0.133	0.127 - 0.138	1,537	0.087	0.083 - 0.091
West Virginia	1,619	0.095	0.091 - 0.100	954	0.114	0.107 - 0.121	665	0.077	0.071 - 0.083
Wisconsin	5,581	0.117	0.114 - 0.120	3,305	0.140	0.135 - 0.145	2,276	0.095	0.091 - 0.099
Wyoming	412	0.083	0.075 - 0.092	247	0.098	0.086 - 0.111	165	0.068	0.058 - 0.079

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,475	0.002	0.002 - 0.002	2,979	0.003	0.003 - 0.003	1,493	0.001	0.001 - 0.002
Alabama	56	0.002	0.001 - 0.002	39	0.002	0.002 - 0.003	17	0.001	0.001 - 0.002
Alaska	12	0.003	0.001 - 0.004	-	-	-	-	-	-
Arizona	76	0.002	0.002 - 0.002	50	0.003	0.002 - 0.003	26	0.001	0.001 - 0.002
Arkansas	27	0.001	0.001 - 0.002	-	-	-	-	-	-
California	353	0.002	0.002 - 0.003	222	0.003	0.003 - 0.003	131	0.002	0.001 - 0.002
CA - Greater California	224	0.002	0.002 - 0.003	140	0.003	0.002 - 0.003	84	0.002	0.001 - 0.002
CA - Greater Bay Area	83	0.003	0.002 - 0.004	52	0.004	0.003 - 0.005	31	0.002	0.001 - 0.003
CA - Los Angeles	46	0.002	0.001 - 0.002	30	0.002	0.001 - 0.003	16	0.001	0.001 - 0.002
Colorado	69	0.002	0.001 - 0.002	44	0.002	0.002 - 0.003	25	0.001	0.001 - 0.002
Connecticut	55	0.002	0.002 - 0.003	44	0.004	0.003 - 0.005	11	0.001	0.000 - 0.002
Delaware	28	0.005	0.003 - 0.007	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	325	0.003	0.003 - 0.003	221	0.004	0.003 - 0.004	104	0.002	0.001 - 0.002
Georgia	85	0.002	0.001 - 0.002	65	0.002	0.002 - 0.003	20	0.001	0.000 - 0.001
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	33	0.002	0.002 - 0.003	-	-	-	-	-	-
Illinois	222	0.003	0.002 - 0.003	145	0.004	0.003 - 0.004	77	0.002	0.001 - 0.002
Iowa	52	0.002	0.001 - 0.003	37	0.003	0.002 - 0.004	15	0.001	0.001 - 0.002
Kentucky	52	0.001	0.001 - 0.002	31	0.002	0.001 - 0.002	21	0.001	0.001 - 0.002
Louisiana	82	0.003	0.002 - 0.004	48	0.004	0.003 - 0.005	34	0.002	0.002 - 0.003
Maine	42	0.003	0.002 - 0.005	31	0.005	0.003 - 0.007	11	0.002	0.001 - 0.003
Maryland	76	0.002	0.002 - 0.003	48	0.003	0.002 - 0.004	28	0.002	0.001 - 0.003
Michigan	177	0.002	0.002 - 0.003	112	0.003	0.002 - 0.004	65	0.002	0.001 - 0.002
MI - Detroit	51	0.002	0.002 - 0.003	34	0.003	0.002 - 0.004	17	0.001	0.001 - 0.002
Minnesota	121	0.003	0.002 - 0.003	75	0.003	0.003 - 0.004	46	0.002	0.001 - 0.003
Mississippi	37	0.002	0.002 - 0.003	24	0.003	0.002 - 0.004	13	0.001	0.001 - 0.003
Missouri	76	0.002	0.001 - 0.002	45	0.002	0.001 - 0.002	31	0.001	0.001 - 0.002
Montana	25	0.003	0.002 - 0.004	-	-	-	-	-	-
Nebraska	26	0.002	0.001 - 0.002	-	-	-	-	-	-
Nevada	23	0.002	0.001 - 0.002	-	-	-	-	-	-
New Hampshire	25	0.002	0.001 - 0.003	-	-	-	-	-	-
New Jersey	180	0.004	0.003 - 0.004	112	0.005	0.004 - 0.006	68	0.003	0.002 - 0.003
New Mexico	14	0.002	0.001 - 0.003	-	-	-	-	-	-
New York	296	0.003	0.002 - 0.003	190	0.003	0.003 - 0.004	106	0.002	0.002 - 0.002
North Carolina	121	0.002	0.002 - 0.002	83	0.003	0.002 - 0.003	38	0.001	0.001 - 0.002
North Dakota	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Ohio	202	0.002	0.002 - 0.002	144	0.003	0.003 - 0.004	58	0.001	0.001 - 0.002
Oklahoma	45	0.002	0.001 - 0.002	30	0.002	0.002 - 0.003	15	0.001	0.001 - 0.002
Oregon	61	0.002	0.001 - 0.002	41	0.003	0.002 - 0.004	20	0.001	0.001 - 0.002
Pennsylvania	272	0.003	0.002 - 0.003	187	0.004	0.003 - 0.004	85	0.002	0.001 - 0.002
Rhode Island	23	0.003	0.002 - 0.004	-	-	-	-	-	-
South Carolina	78	0.002	0.002 - 0.003	54	0.003	0.003 - 0.004	24	0.001	0.001 - 0.002
Tennessee	73	0.001	0.001 - 0.002	48	0.002	0.001 - 0.003	25	0.001	0.001 - 0.001
Texas	235	0.002	0.002 - 0.002	146	0.002	0.002 - 0.003	89	0.001	0.001 - 0.002
Utah	19	0.001	0.000 - 0.001	-	-	-	-	-	-
Vermont	12	0.002	0.001 - 0.004	-	-	-	-	-	-
Virginia	96	0.002	0.001 - 0.002	70	0.003	0.002 - 0.003	26	0.001	0.001 - 0.001
Washington ³	128	0.002	0.002 - 0.003	93	0.004	0.003 - 0.004	35	0.001	0.001 - 0.002
WA - Seattle	96	0.003	0.002 - 0.003	68	0.004	0.003 - 0.005	28	0.002	0.001 - 0.002
West Virginia	37	0.002	0.002 - 0.003	26	0.003	0.002 - 0.005	11	0.001	0.001 - 0.002
Wisconsin	116	0.002	0.002 - 0.003	81	0.003	0.003 - 0.004	35	0.001	0.001 - 0.002
Wyoming	12	0.002	0.001 - 0.004	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	899,785	2.133	2.128 - 2.137	454,711	2.251	2.245 - 2.258	445,096	2.024	2.018 - 2.030
Alabama	28,747	2.187	2.162 - 2.212	14,712	2.403	2.364 - 2.442	14,035	1.998	1.965 - 2.032
Alaska	443	1.376	1.250 - 1.510	254	1.409	1.241 - 1.594	189	1.333	1.149 - 1.537
Arizona	4,503	1.343	1.304 - 1.382	2,328	1.338	1.284 - 1.394	2,175	1.348	1.292 - 1.405
Arkansas	9,500	1.986	1.946 - 2.027	4,973	2.182	2.122 - 2.243	4,527	1.808	1.756 - 1.862
California	55,184	2.269	2.250 - 2.288	28,716	2.378	2.351 - 2.406	26,469	2.160	2.134 - 2.187
CA - Greater California	21,972	1.942	1.916 - 1.968	11,780	2.020	1.984 - 2.057	10,191	1.859	1.823 - 1.895
CA - Greater Bay Area	11,766	2.635	2.587 - 2.683	6,261	2.837	2.767 - 2.908	5,505	2.438	2.374 - 2.503
CA - Los Angeles	21,538	2.520	2.487 - 2.554	10,725	2.658	2.608 - 2.708	10,813	2.397	2.352 - 2.443
Colorado	4,315	1.684	1.634 - 1.735	2,402	1.760	1.690 - 1.831	1,913	1.597	1.527 - 1.671
Connecticut	8,577	2.247	2.199 - 2.295	4,277	2.343	2.274 - 2.415	4,301	2.158	2.094 - 2.223
Delaware	5,301	2.456	2.390 - 2.523	2,758	2.707	2.607 - 2.810	2,543	2.231	2.145 - 2.319
District of Columbia	8,784	2.705	2.649 - 2.762	4,134	2.811	2.726 - 2.898	4,650	2.617	2.542 - 2.693
Florida	62,754	1.879	1.865 - 1.894	32,634	2.030	2.008 - 2.053	30,120	1.739	1.719 - 1.759
Georgia	65,364	1.974	1.959 - 1.990	32,998	2.132	2.109 - 2.156	32,366	1.836	1.816 - 1.856
Hawaii	496	1.327	1.213 - 1.450	339	1.509	1.353 - 1.679	158	1.055	0.897 - 1.233
Idaho	134	0.783	0.656 - 0.927	89	0.929	0.746 - 1.143	45	0.597	0.436 - 0.799
Illinois	45,741	2.443	2.421 - 2.466	22,221	2.525	2.492 - 2.559	23,520	2.371	2.340 - 2.401
Iowa	1,556	1.173	1.115 - 1.233	830	1.180	1.101 - 1.263	726	1.165	1.082 - 1.253
Kentucky	7,722	1.997	1.953 - 2.042	3,822	1.989	1.927 - 2.053	3,900	2.005	1.943 - 2.069
Louisiana	33,610	2.195	2.172 - 2.219	17,281	2.378	2.343 - 2.414	16,329	2.030	1.999 - 2.062
Maine	224	0.928	0.810 - 1.058	141	1.081	0.910 - 1.275	83	0.748	0.596 - 0.927
Maryland	42,794	2.326	2.304 - 2.348	20,854	2.428	2.395 - 2.461	21,940	2.237	2.207 - 2.267
Michigan	33,513	2.306	2.281 - 2.331	16,812	2.430	2.393 - 2.467	16,701	2.193	2.160 - 2.227
MI - Detroit	25,616	2.612	2.580 - 2.644	12,947	2.870	2.821 - 2.920	12,669	2.391	2.350 - 2.433
Minnesota	4,693	1.220	1.185 - 1.256	2,539	1.294	1.244 - 1.345	2,154	1.143	1.096 - 1.193
Mississippi	24,040	2.123	2.096 - 2.150	12,442	2.337	2.296 - 2.379	11,598	1.933	1.898 - 1.969
Missouri	15,754	2.099	2.067 - 2.132	7,528	2.104	2.057 - 2.152	8,226	2.095	2.050 - 2.141
Montana	68	0.765	0.594 - 0.970	51	0.992	0.738 - 1.305	17	0.455	0.265 - 0.728
Nebraska	1,733	1.676	1.598 - 1.757	939	1.768	1.657 - 1.885	794	1.578	1.470 - 1.692
Nevada	3,899	1.358	1.316 - 1.402	1,880	1.316	1.257 - 1.377	2,019	1.400	1.340 - 1.463
New Hampshire	244	1.109	0.974 - 1.257	152	1.243	1.053 - 1.457	92	0.941	0.758 - 1.153
New Jersey	29,461	2.474	2.446 - 2.503	14,881	2.647	2.605 - 2.690	14,579	2.319	2.282 - 2.357
New Mexico	731	1.613	1.498 - 1.735	418	1.644	1.490 - 1.809	313	1.574	1.404 - 1.759
New York	75,413	2.544	2.526 - 2.562	38,598	2.794	2.766 - 2.822	36,816	2.326	2.302 - 2.350
North Carolina	52,910	2.343	2.324 - 2.364	26,541	2.511	2.481 - 2.542	26,369	2.196	2.169 - 2.222
North Dakota	104	0.416	0.340 - 0.504	66	0.453	0.350 - 0.576	38	0.364	0.258 - 0.500
Ohio	32,348	2.076	2.053 - 2.098	16,010	2.139	2.106 - 2.173	16,338	2.017	1.986 - 2.048
Oklahoma	5,944	1.792	1.746 - 1.838	3,076	1.853	1.788 - 1.919	2,868	1.730	1.668 - 1.795
Oregon	1,506	1.489	1.415 - 1.566	855	1.582	1.478 - 1.692	651	1.382	1.278 - 1.493
Pennsylvania	34,368	2.354	2.329 - 2.379	16,618	2.363	2.327 - 2.399	17,750	2.345	2.310 - 2.380
Rhode Island	1,184	1.681	1.586 - 1.779	560	1.598	1.468 - 1.735	624	1.763	1.628 - 1.907
South Carolina	30,825	2.243	2.218 - 2.268	15,581	2.421	2.383 - 2.459	15,244	2.086	2.053 - 2.119
Tennessee	22,979	1.984	1.959 - 2.010	11,233	2.051	2.013 - 2.089	11,746	1.925	1.890 - 1.960
Texas	62,119	1.807	1.793 - 1.821	30,502	1.832	1.812 - 1.853	31,617	1.783	1.763 - 1.803
Utah	431	0.994	0.902 - 1.092	283	1.152	1.021 - 1.294	148	0.787	0.665 - 0.925
Vermont	85	0.857	0.684 - 1.059	57	1.039	0.787 - 1.346	28	0.631	0.419 - 0.912
Virginia	37,830	2.251	2.229 - 2.274	19,468	2.414	2.380 - 2.448	18,362	2.101	2.071 - 2.132
Washington ³	5,709	1.642	1.600 - 1.686	3,261	1.758	1.698 - 1.819	2,447	1.511	1.451 - 1.572
WA - Seattle	5,215	1.724	1.678 - 1.771	2,943	1.837	1.771 - 1.905	2,271	1.597	1.532 - 1.664
West Virginia	1,552	2.133	2.028 - 2.242	888	2.267	2.120 - 2.421	664	1.977	1.830 - 2.133
Wisconsin	7,924	1.979	1.936 - 2.023	4,078	2.071	2.007 - 2.135	3,846	1.890	1.831 - 1.951
Wyoming	71	0.825	0.644 - 1.041	40	0.794	0.567 - 1.081	31	0.869	0.590 - 1.233

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	16,559	0.039	0.039 - 0.040	10,706	0.053	0.052 - 0.054	5,857	0.027	0.026 - 0.027
Alabama	541	0.041	0.038 - 0.045	344	0.056	0.050 - 0.062	197	0.028	0.024 - 0.032
Alaska	-	-	-	-	-	-	-	-	-
Arizona	76	0.023	0.018 - 0.028	54	0.031	0.023 - 0.040	22	0.014	0.009 - 0.021
Arkansas	191	0.040	0.034 - 0.046	114	0.050	0.041 - 0.060	77	0.031	0.024 - 0.038
California	1,087	0.045	0.042 - 0.047	740	0.061	0.057 - 0.066	346	0.028	0.025 - 0.031
CA - Greater California	460	0.041	0.037 - 0.045	324	0.056	0.050 - 0.062	137	0.025	0.021 - 0.029
CA - Greater Bay Area	234	0.052	0.046 - 0.060	155	0.070	0.060 - 0.082	79	0.035	0.028 - 0.044
CA - Los Angeles	392	0.046	0.041 - 0.051	261	0.065	0.057 - 0.073	131	0.029	0.024 - 0.034
Colorado	86	0.034	0.027 - 0.041	64	0.047	0.036 - 0.060	22	0.018	0.012 - 0.028
Connecticut	138	0.036	0.030 - 0.043	92	0.050	0.041 - 0.062	46	0.023	0.017 - 0.031
Delaware	77	0.036	0.028 - 0.045	50	0.049	0.036 - 0.065	27	0.024	0.016 - 0.034
District of Columbia	165	0.051	0.043 - 0.059	99	0.067	0.055 - 0.082	66	0.037	0.029 - 0.047
Florida	1,082	0.032	0.030 - 0.034	706	0.044	0.041 - 0.047	376	0.022	0.020 - 0.024
Georgia	1,145	0.035	0.033 - 0.037	729	0.047	0.044 - 0.051	416	0.024	0.021 - 0.026
Hawaii	13	0.035	0.019 - 0.059	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	991	0.053	0.050 - 0.056	624	0.071	0.065 - 0.077	367	0.037	0.033 - 0.041
Iowa	35	0.026	0.018 - 0.036	-	-	-	-	-	-
Kentucky	165	0.043	0.036 - 0.050	114	0.060	0.049 - 0.071	51	0.026	0.020 - 0.034
Louisiana	570	0.037	0.034 - 0.040	376	0.052	0.047 - 0.057	194	0.024	0.021 - 0.028
Maine	-	-	-	-	-	-	-	-	-
Maryland	670	0.036	0.034 - 0.039	428	0.050	0.045 - 0.055	242	0.025	0.022 - 0.028
Michigan	680	0.047	0.043 - 0.050	437	0.063	0.057 - 0.069	243	0.032	0.028 - 0.036
MI - Detroit	494	0.050	0.046 - 0.055	320	0.071	0.063 - 0.079	174	0.033	0.028 - 0.038
Minnesota	109	0.028	0.023 - 0.034	66	0.034	0.026 - 0.043	43	0.023	0.017 - 0.031
Mississippi	430	0.038	0.034 - 0.042	277	0.052	0.046 - 0.059	153	0.026	0.022 - 0.030
Missouri	318	0.042	0.038 - 0.047	209	0.058	0.051 - 0.067	109	0.028	0.023 - 0.033
Montana	-	-	-	-	-	-	-	-	-
Nebraska	42	0.041	0.029 - 0.055	-	-	-	-	-	-
Nevada	92	0.032	0.026 - 0.039	57	0.040	0.030 - 0.052	35	0.024	0.017 - 0.034
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	484	0.041	0.037 - 0.044	316	0.056	0.050 - 0.063	168	0.027	0.023 - 0.031
New Mexico	-	-	-	-	-	-	-	-	-
New York	1,197	0.040	0.038 - 0.043	717	0.052	0.048 - 0.056	480	0.030	0.028 - 0.033
North Carolina	1,057	0.047	0.044 - 0.050	711	0.067	0.062 - 0.072	346	0.029	0.026 - 0.032
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	614	0.039	0.036 - 0.043	401	0.054	0.048 - 0.059	213	0.026	0.023 - 0.030
Oklahoma	109	0.033	0.027 - 0.040	79	0.048	0.038 - 0.059	30	0.018	0.012 - 0.026
Oregon	24	0.024	0.015 - 0.035	-	-	-	-	-	-
Pennsylvania	695	0.048	0.044 - 0.051	434	0.062	0.056 - 0.068	261	0.034	0.030 - 0.039
Rhode Island	26	0.037	0.024 - 0.054	15	0.043	0.024 - 0.071	11	0.031	0.016 - 0.056
South Carolina	578	0.042	0.039 - 0.046	381	0.059	0.053 - 0.065	197	0.027	0.023 - 0.031
Tennessee	404	0.035	0.032 - 0.038	244	0.045	0.039 - 0.051	160	0.026	0.022 - 0.031
Texas	1,124	0.033	0.031 - 0.035	688	0.041	0.038 - 0.045	436	0.025	0.022 - 0.027
Utah	15	0.035	0.019 - 0.057	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	686	0.041	0.038 - 0.044	475	0.059	0.054 - 0.064	211	0.024	0.021 - 0.028
Washington ³	121	0.035	0.029 - 0.042	94	0.051	0.041 - 0.062	27	0.017	0.011 - 0.024
WA - Seattle	108	0.036	0.029 - 0.043	81	0.050	0.040 - 0.063	27	0.019	0.013 - 0.028
West Virginia	32	0.044	0.030 - 0.062	20	0.051	0.031 - 0.079	12	0.036	0.018 - 0.062
Wisconsin	162	0.040	0.034 - 0.047	104	0.053	0.043 - 0.064	58	0.029	0.022 - 0.037
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,765	0.007	0.006 - 0.007	1,769	0.009	0.008 - 0.009	996	0.005	0.004 - 0.005
Alabama	95	0.007	0.006 - 0.009	64	0.010	0.008 - 0.013	31	0.004	0.003 - 0.006
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	22	0.005	0.003 - 0.007	-	-	-	-	-	-
California	139	0.006	0.005 - 0.007	80	0.007	0.005 - 0.008	59	0.005	0.004 - 0.006
CA - Greater California	56	0.005	0.004 - 0.006	30	0.005	0.003 - 0.007	26	0.005	0.003 - 0.007
CA - Greater Bay Area	39	0.009	0.006 - 0.012	22	0.010	0.006 - 0.015	17	0.007	0.004 - 0.012
CA - Los Angeles	44	0.005	0.004 - 0.007	28	0.007	0.005 - 0.010	16	0.004	0.002 - 0.006
Colorado	11	0.004	0.002 - 0.008	-	-	-	-	-	-
Connecticut	25	0.006	0.004 - 0.010	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	22	0.007	0.004 - 0.010	11	0.007	0.004 - 0.013	11	0.006	0.003 - 0.011
Florida	188	0.006	0.005 - 0.006	112	0.007	0.006 - 0.008	76	0.004	0.003 - 0.005
Georgia	201	0.006	0.005 - 0.007	141	0.009	0.008 - 0.011	60	0.003	0.003 - 0.004
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	154	0.008	0.007 - 0.010	95	0.011	0.009 - 0.013	59	0.006	0.005 - 0.008
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	26	0.007	0.004 - 0.010	16	0.009	0.005 - 0.014	10	0.005	0.002 - 0.009
Louisiana	110	0.007	0.006 - 0.009	69	0.009	0.007 - 0.012	41	0.005	0.004 - 0.007
Maine	-	-	-	-	-	-	-	-	-
Maryland	119	0.006	0.005 - 0.008	72	0.008	0.007 - 0.011	47	0.005	0.004 - 0.006
Michigan	116	0.008	0.007 - 0.010	72	0.010	0.008 - 0.013	44	0.006	0.004 - 0.008
MI - Detroit	79	0.008	0.006 - 0.010	52	0.012	0.009 - 0.015	26	0.005	0.003 - 0.007
Minnesota	27	0.007	0.005 - 0.010	16	0.008	0.005 - 0.013	11	0.006	0.003 - 0.010
Mississippi	81	0.007	0.006 - 0.009	68	0.013	0.010 - 0.016	13	0.002	0.001 - 0.004
Missouri	59	0.008	0.006 - 0.010	42	0.012	0.008 - 0.016	17	0.004	0.003 - 0.007
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	11	0.004	0.002 - 0.007	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	78	0.007	0.005 - 0.008	46	0.008	0.006 - 0.011	32	0.005	0.004 - 0.007
New Mexico	-	-	-	-	-	-	-	-	-
New York	210	0.007	0.006 - 0.008	122	0.009	0.007 - 0.011	88	0.006	0.004 - 0.007
North Carolina	184	0.008	0.007 - 0.009	122	0.012	0.010 - 0.014	62	0.005	0.004 - 0.007
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	94	0.006	0.005 - 0.007	54	0.007	0.005 - 0.009	40	0.005	0.004 - 0.007
Oklahoma	17	0.005	0.003 - 0.008	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	136	0.009	0.008 - 0.011	80	0.011	0.009 - 0.014	56	0.007	0.006 - 0.010
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	109	0.008	0.007 - 0.010	82	0.013	0.010 - 0.016	27	0.004	0.002 - 0.005
Tennessee	66	0.006	0.004 - 0.007	41	0.007	0.005 - 0.010	25	0.004	0.003 - 0.006
Texas	161	0.005	0.004 - 0.005	109	0.007	0.005 - 0.008	52	0.003	0.002 - 0.004
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	125	0.007	0.006 - 0.009	86	0.011	0.009 - 0.013	39	0.004	0.003 - 0.006
Washington ³	18	0.005	0.003 - 0.008	-	-	-	-	-	-
WA - Seattle	17	0.006	0.003 - 0.009	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	35	0.009	0.006 - 0.012	17	0.009	0.005 - 0.014	18	0.009	0.005 - 0.014
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,662	0.028	0.027 - 0.028	5,989	0.030	0.029 - 0.030	5,673	0.026	0.025 - 0.026
Alabama	373	0.028	0.026 - 0.031	185	0.030	0.026 - 0.035	188	0.027	0.023 - 0.031
Alaska	-	-	-	-	-	-	-	-	-
Arizona	64	0.019	0.015 - 0.024	35	0.020	0.014 - 0.028	29	0.018	0.012 - 0.026
Arkansas	115	0.024	0.020 - 0.029	66	0.029	0.022 - 0.037	49	0.020	0.014 - 0.026
California	625	0.026	0.024 - 0.028	324	0.027	0.024 - 0.030	301	0.025	0.022 - 0.028
CA - Greater California	226	0.020	0.017 - 0.023	123	0.021	0.018 - 0.025	103	0.019	0.015 - 0.023
CA - Greater Bay Area	150	0.034	0.029 - 0.040	72	0.033	0.025 - 0.041	79	0.035	0.028 - 0.043
CA - Los Angeles	249	0.029	0.026 - 0.033	130	0.032	0.027 - 0.038	120	0.027	0.022 - 0.032
Colorado	59	0.023	0.018 - 0.030	35	0.026	0.018 - 0.036	24	0.020	0.013 - 0.030
Connecticut	147	0.039	0.033 - 0.045	69	0.038	0.029 - 0.048	79	0.040	0.031 - 0.049
Delaware	51	0.024	0.018 - 0.031	27	0.027	0.017 - 0.039	24	0.021	0.013 - 0.031
District of Columbia	120	0.037	0.031 - 0.044	55	0.037	0.028 - 0.049	65	0.037	0.028 - 0.047
Florida	931	0.028	0.026 - 0.030	501	0.031	0.029 - 0.034	430	0.025	0.023 - 0.027
Georgia	774	0.023	0.022 - 0.025	384	0.025	0.022 - 0.027	391	0.022	0.020 - 0.024
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	600	0.032	0.030 - 0.035	290	0.033	0.029 - 0.037	310	0.031	0.028 - 0.035
Iowa	16	0.012	0.007 - 0.020	-	-	-	-	-	-
Kentucky	109	0.028	0.023 - 0.034	55	0.029	0.022 - 0.037	54	0.028	0.021 - 0.036
Louisiana	422	0.028	0.025 - 0.030	223	0.031	0.027 - 0.035	199	0.025	0.021 - 0.028
Maine	-	-	-	-	-	-	-	-	-
Maryland	511	0.028	0.025 - 0.030	235	0.027	0.024 - 0.031	276	0.028	0.025 - 0.032
Michigan	433	0.030	0.027 - 0.033	218	0.032	0.027 - 0.036	215	0.028	0.025 - 0.032
MI - Detroit	278	0.028	0.025 - 0.032	145	0.032	0.027 - 0.038	133	0.025	0.021 - 0.030
Minnesota	61	0.016	0.012 - 0.020	41	0.021	0.015 - 0.028	20	0.011	0.006 - 0.016
Mississippi	288	0.025	0.023 - 0.029	143	0.027	0.023 - 0.032	145	0.024	0.020 - 0.028
Missouri	189	0.025	0.022 - 0.029	107	0.030	0.025 - 0.036	82	0.021	0.017 - 0.026
Montana	-	-	-	-	-	-	-	-	-
Nebraska	18	0.017	0.010 - 0.028	-	-	-	-	-	-
Nevada	48	0.017	0.012 - 0.022	28	0.020	0.013 - 0.028	20	0.014	0.008 - 0.021
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	395	0.033	0.030 - 0.037	182	0.032	0.028 - 0.037	214	0.034	0.030 - 0.039
New Mexico	-	-	-	-	-	-	-	-	-
New York	1,144	0.039	0.036 - 0.041	573	0.041	0.038 - 0.045	571	0.036	0.033 - 0.039
North Carolina	702	0.031	0.029 - 0.033	355	0.034	0.030 - 0.037	347	0.029	0.026 - 0.032
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	425	0.027	0.025 - 0.030	217	0.029	0.025 - 0.033	208	0.026	0.022 - 0.029
Oklahoma	78	0.024	0.019 - 0.029	36	0.022	0.015 - 0.030	42	0.025	0.018 - 0.034
Oregon	20	0.020	0.012 - 0.031	-	-	-	-	-	-
Pennsylvania	394	0.027	0.024 - 0.030	202	0.029	0.025 - 0.033	192	0.025	0.022 - 0.029
Rhode Island	26	0.037	0.024 - 0.054	14	0.040	0.022 - 0.067	12	0.034	0.018 - 0.059
South Carolina	440	0.032	0.029 - 0.035	239	0.037	0.033 - 0.042	201	0.027	0.024 - 0.032
Tennessee	260	0.022	0.020 - 0.025	129	0.024	0.020 - 0.028	131	0.021	0.018 - 0.025
Texas	806	0.023	0.022 - 0.025	436	0.026	0.024 - 0.029	370	0.021	0.019 - 0.023
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	419	0.025	0.023 - 0.027	240	0.030	0.026 - 0.034	179	0.020	0.018 - 0.024
Washington ³	74	0.021	0.017 - 0.027	48	0.026	0.019 - 0.034	26	0.016	0.011 - 0.024
WA - Seattle	68	0.022	0.017 - 0.028	43	0.027	0.019 - 0.036	25	0.018	0.012 - 0.026
West Virginia	22	0.030	0.019 - 0.046	10	0.026	0.012 - 0.047	12	0.036	0.018 - 0.062
Wisconsin	119	0.030	0.025 - 0.036	62	0.031	0.024 - 0.040	57	0.028	0.021 - 0.036
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	89,366	0.212	0.210 - 0.213	42,742	0.212	0.210 - 0.214	46,627	0.212	0.210 - 0.214
Alabama	3,200	0.243	0.235 - 0.252	1,482	0.242	0.230 - 0.255	1,718	0.245	0.233 - 0.256
Alaska	36	0.112	0.078 - 0.155	18	0.100	0.059 - 0.158	18	0.127	0.075 - 0.201
Arizona	399	0.119	0.108 - 0.131	198	0.114	0.099 - 0.131	201	0.125	0.108 - 0.143
Arkansas	1,025	0.214	0.201 - 0.228	488	0.214	0.196 - 0.234	537	0.214	0.197 - 0.233
California	5,480	0.225	0.219 - 0.231	2,719	0.225	0.217 - 0.234	2,760	0.225	0.217 - 0.234
CA - Greater California	2,135	0.189	0.181 - 0.197	1,129	0.194	0.183 - 0.205	1,006	0.183	0.172 - 0.195
CA - Greater Bay Area	1,109	0.248	0.234 - 0.264	554	0.251	0.231 - 0.273	555	0.246	0.226 - 0.267
CA - Los Angeles	2,240	0.262	0.251 - 0.273	1,038	0.257	0.242 - 0.273	1,202	0.266	0.252 - 0.282
Colorado	395	0.154	0.139 - 0.170	203	0.149	0.129 - 0.171	192	0.160	0.138 - 0.185
Connecticut	814	0.213	0.199 - 0.228	397	0.217	0.196 - 0.240	417	0.209	0.190 - 0.230
Delaware	476	0.220	0.201 - 0.241	230	0.226	0.198 - 0.257	246	0.216	0.190 - 0.244
District of Columbia	872	0.269	0.251 - 0.287	363	0.247	0.222 - 0.274	509	0.286	0.262 - 0.312
Florida	5,912	0.177	0.173 - 0.182	2,931	0.182	0.176 - 0.189	2,981	0.172	0.166 - 0.178
Georgia	6,647	0.201	0.196 - 0.206	3,164	0.204	0.197 - 0.212	3,483	0.198	0.191 - 0.204
Hawaii	36	0.095	0.066 - 0.132	26	0.114	0.074 - 0.167	10	0.067	0.032 - 0.123
Idaho	13	0.076	0.040 - 0.130	-	-	-	-	-	-
Illinois	5,020	0.268	0.261 - 0.276	2,350	0.267	0.256 - 0.278	2,670	0.269	0.259 - 0.280
Iowa	150	0.113	0.096 - 0.133	84	0.120	0.096 - 0.148	66	0.105	0.081 - 0.134
Kentucky	825	0.213	0.199 - 0.229	418	0.217	0.197 - 0.239	407	0.209	0.190 - 0.231
Louisiana	3,977	0.260	0.252 - 0.268	1,899	0.261	0.250 - 0.273	2,078	0.258	0.247 - 0.270
Maine	18	0.075	0.044 - 0.118	-	-	-	-	-	-
Maryland	3,650	0.198	0.192 - 0.205	1,658	0.193	0.184 - 0.203	1,992	0.203	0.194 - 0.212
Michigan	3,298	0.227	0.219 - 0.235	1,539	0.222	0.211 - 0.234	1,759	0.231	0.220 - 0.242
MI - Detroit	2,529	0.258	0.248 - 0.268	1,157	0.256	0.242 - 0.272	1,373	0.259	0.246 - 0.273
Minnesota	445	0.116	0.105 - 0.127	237	0.121	0.106 - 0.137	208	0.110	0.096 - 0.126
Mississippi	2,971	0.262	0.253 - 0.272	1,469	0.276	0.262 - 0.290	1,502	0.250	0.238 - 0.263
Missouri	1,621	0.216	0.206 - 0.227	751	0.210	0.195 - 0.225	870	0.222	0.207 - 0.237
Montana	-	-	-	-	-	-	-	-	-
Nebraska	166	0.161	0.137 - 0.187	89	0.168	0.135 - 0.206	77	0.153	0.121 - 0.191
Nevada	462	0.161	0.147 - 0.176	224	0.157	0.137 - 0.179	238	0.165	0.145 - 0.187
New Hampshire	27	0.123	0.081 - 0.178	17	0.139	0.081 - 0.223	10	0.102	0.049 - 0.188
New Jersey	2,818	0.237	0.228 - 0.246	1,266	0.225	0.213 - 0.238	1,552	0.247	0.235 - 0.259
New Mexico	58	0.129	0.098 - 0.167	30	0.117	0.079 - 0.167	29	0.144	0.096 - 0.208
New York	6,733	0.227	0.222 - 0.233	3,142	0.227	0.220 - 0.236	3,591	0.227	0.219 - 0.234
North Carolina	4,975	0.220	0.214 - 0.227	2,390	0.226	0.217 - 0.235	2,585	0.215	0.207 - 0.224
North Dakota	10	0.040	0.019 - 0.074	-	-	-	-	-	-
Ohio	3,010	0.193	0.186 - 0.200	1,382	0.185	0.175 - 0.195	1,628	0.201	0.191 - 0.211
Oklahoma	581	0.175	0.161 - 0.190	274	0.165	0.146 - 0.186	307	0.185	0.165 - 0.207
Oregon	134	0.133	0.111 - 0.157	75	0.139	0.109 - 0.174	59	0.125	0.095 - 0.162
Pennsylvania	3,165	0.217	0.209 - 0.224	1,482	0.211	0.200 - 0.222	1,683	0.222	0.212 - 0.233
Rhode Island	88	0.125	0.100 - 0.154	31	0.088	0.060 - 0.126	57	0.161	0.122 - 0.209
South Carolina	3,076	0.224	0.216 - 0.232	1,491	0.232	0.220 - 0.244	1,585	0.217	0.206 - 0.228
Tennessee	2,443	0.211	0.203 - 0.220	1,143	0.209	0.197 - 0.221	1,300	0.213	0.202 - 0.225
Texas	6,763	0.197	0.192 - 0.201	3,338	0.201	0.194 - 0.207	3,425	0.193	0.187 - 0.200
Utah	25	0.058	0.038 - 0.085	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	3,466	0.206	0.199 - 0.213	1,656	0.205	0.196 - 0.215	1,810	0.207	0.198 - 0.217
Washington ³	501	0.144	0.132 - 0.157	278	0.150	0.132 - 0.168	224	0.138	0.121 - 0.157
WA - Seattle	453	0.150	0.136 - 0.164	255	0.159	0.140 - 0.180	199	0.140	0.121 - 0.161
West Virginia	161	0.221	0.188 - 0.258	82	0.209	0.166 - 0.260	79	0.235	0.186 - 0.293
Wisconsin	778	0.194	0.181 - 0.208	394	0.200	0.181 - 0.221	384	0.189	0.170 - 0.209
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	9,158	0.022	0.021 - 0.022	6,424	0.032	0.031 - 0.033	2,736	0.012	0.012 - 0.013
Alabama	148	0.011	0.010 - 0.013	101	0.016	0.013 - 0.020	47	0.007	0.005 - 0.009
Alaska	-	-	-	-	-	-	-	-	-
Arizona	43	0.013	0.009 - 0.017	-	-	-	-	-	-
Arkansas	80	0.017	0.013 - 0.021	63	0.028	0.021 - 0.035	17	0.007	0.004 - 0.011
California	641	0.026	0.024 - 0.028	469	0.039	0.035 - 0.043	171	0.014	0.012 - 0.016
CA - Greater California	273	0.024	0.021 - 0.027	196	0.034	0.029 - 0.039	77	0.014	0.011 - 0.018
CA - Greater Bay Area	173	0.039	0.033 - 0.045	137	0.062	0.052 - 0.073	36	0.016	0.011 - 0.022
CA - Los Angeles	195	0.023	0.020 - 0.026	136	0.034	0.028 - 0.040	59	0.013	0.010 - 0.017
Colorado	74	0.029	0.023 - 0.036	52	0.038	0.028 - 0.050	22	0.018	0.012 - 0.028
Connecticut	86	0.023	0.018 - 0.028	59	0.032	0.025 - 0.042	27	0.014	0.009 - 0.020
Delaware	67	0.031	0.024 - 0.039	47	0.046	0.034 - 0.061	20	0.018	0.011 - 0.027
District of Columbia	149	0.046	0.039 - 0.054	112	0.076	0.063 - 0.092	37	0.021	0.015 - 0.029
Florida	533	0.016	0.015 - 0.017	346	0.022	0.019 - 0.024	187	0.011	0.009 - 0.012
Georgia	506	0.015	0.014 - 0.017	339	0.022	0.020 - 0.024	167	0.009	0.008 - 0.011
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	376	0.020	0.018 - 0.022	260	0.030	0.026 - 0.033	116	0.012	0.010 - 0.014
Iowa	29	0.022	0.015 - 0.031	-	-	-	-	-	-
Kentucky	69	0.018	0.014 - 0.023	45	0.023	0.017 - 0.031	24	0.012	0.008 - 0.018
Louisiana	332	0.022	0.019 - 0.024	255	0.035	0.031 - 0.040	76	0.010	0.007 - 0.012
Maine	-	-	-	-	-	-	-	-	-
Maryland	499	0.027	0.025 - 0.030	353	0.041	0.037 - 0.046	146	0.015	0.013 - 0.018
Michigan	417	0.029	0.026 - 0.032	286	0.041	0.037 - 0.046	131	0.017	0.014 - 0.020
MI - Detroit	261	0.027	0.024 - 0.030	183	0.041	0.035 - 0.047	78	0.015	0.012 - 0.018
Minnesota	122	0.032	0.026 - 0.038	86	0.044	0.035 - 0.054	36	0.019	0.013 - 0.026
Mississippi	148	0.013	0.011 - 0.015	99	0.019	0.015 - 0.023	49	0.008	0.006 - 0.011
Missouri	204	0.027	0.024 - 0.031	145	0.041	0.034 - 0.048	59	0.015	0.011 - 0.019
Montana	-	-	-	-	-	-	-	-	-
Nebraska	23	0.022	0.014 - 0.033	-	-	-	-	-	-
Nevada	31	0.011	0.007 - 0.015	20	0.014	0.009 - 0.022	11	0.008	0.004 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	230	0.019	0.017 - 0.022	148	0.026	0.022 - 0.031	82	0.013	0.010 - 0.016
New Mexico	-	-	-	-	-	-	-	-	-
New York	801	0.027	0.025 - 0.029	551	0.040	0.037 - 0.043	251	0.016	0.014 - 0.018
North Carolina	436	0.019	0.018 - 0.021	281	0.027	0.024 - 0.030	155	0.013	0.011 - 0.015
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	359	0.023	0.021 - 0.026	252	0.034	0.030 - 0.038	107	0.013	0.011 - 0.016
Oklahoma	46	0.014	0.010 - 0.018	26	0.016	0.010 - 0.023	20	0.012	0.007 - 0.019
Oregon	24	0.024	0.015 - 0.035	-	-	-	-	-	-
Pennsylvania	575	0.039	0.036 - 0.043	424	0.060	0.055 - 0.066	151	0.020	0.017 - 0.023
Rhode Island	14	0.020	0.011 - 0.033	-	-	-	-	-	-
South Carolina	197	0.014	0.012 - 0.016	152	0.024	0.020 - 0.028	45	0.006	0.004 - 0.008
Tennessee	210	0.018	0.016 - 0.021	126	0.023	0.019 - 0.027	84	0.014	0.011 - 0.017
Texas	818	0.024	0.022 - 0.025	583	0.035	0.032 - 0.038	235	0.013	0.012 - 0.015
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	306	0.018	0.016 - 0.020	223	0.028	0.024 - 0.032	83	0.009	0.008 - 0.012
Washington ³	108	0.031	0.026 - 0.038	80	0.043	0.034 - 0.054	28	0.017	0.012 - 0.025
WA - Seattle	103	0.034	0.028 - 0.041	75	0.047	0.037 - 0.059	28	0.020	0.013 - 0.028
West Virginia	15	0.021	0.012 - 0.034	-	-	-	-	-	-
Wisconsin	126	0.031	0.026 - 0.037	98	0.050	0.040 - 0.061	28	0.014	0.009 - 0.020
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,039	0.019	0.019 - 0.019	3,518	0.017	0.017 - 0.018	4,521	0.021	0.020 - 0.021
Alabama	264	0.020	0.018 - 0.023	106	0.017	0.014 - 0.021	158	0.022	0.019 - 0.026
Alaska	-	-	-	-	-	-	-	-	-
Arizona	49	0.015	0.011 - 0.019	25	0.014	0.009 - 0.021	24	0.015	0.010 - 0.022
Arkansas	75	0.016	0.012 - 0.020	37	0.016	0.011 - 0.022	38	0.015	0.011 - 0.021
California	476	0.020	0.018 - 0.021	211	0.017	0.015 - 0.020	265	0.022	0.019 - 0.024
CA - Greater California	184	0.016	0.014 - 0.019	86	0.015	0.012 - 0.018	99	0.018	0.015 - 0.022
CA - Greater Bay Area	120	0.027	0.022 - 0.032	51	0.023	0.017 - 0.030	69	0.031	0.024 - 0.039
CA - Los Angeles	172	0.020	0.017 - 0.023	74	0.018	0.014 - 0.023	98	0.022	0.018 - 0.026
Colorado	37	0.014	0.010 - 0.020	21	0.015	0.010 - 0.024	16	0.013	0.008 - 0.022
Connecticut	75	0.020	0.015 - 0.025	39	0.021	0.015 - 0.029	36	0.018	0.013 - 0.025
Delaware	51	0.024	0.018 - 0.031	25	0.025	0.016 - 0.036	26	0.023	0.015 - 0.033
District of Columbia	79	0.024	0.019 - 0.030	32	0.022	0.015 - 0.031	47	0.026	0.019 - 0.035
Florida	596	0.018	0.016 - 0.019	265	0.016	0.015 - 0.019	331	0.019	0.017 - 0.021
Georgia	533	0.016	0.015 - 0.018	229	0.015	0.013 - 0.017	305	0.017	0.015 - 0.019
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	434	0.023	0.021 - 0.025	195	0.022	0.019 - 0.025	239	0.024	0.021 - 0.027
Iowa	14	0.011	0.006 - 0.018	-	-	-	-	-	-
Kentucky	70	0.018	0.014 - 0.023	29	0.015	0.010 - 0.022	41	0.021	0.015 - 0.029
Louisiana	215	0.014	0.012 - 0.016	85	0.012	0.009 - 0.014	130	0.016	0.014 - 0.019
Maine	-	-	-	-	-	-	-	-	-
Maryland	423	0.023	0.021 - 0.025	172	0.020	0.017 - 0.023	251	0.026	0.023 - 0.029
Michigan	411	0.028	0.026 - 0.031	199	0.029	0.025 - 0.033	212	0.028	0.024 - 0.032
MI - Detroit	241	0.025	0.022 - 0.028	114	0.025	0.021 - 0.030	127	0.024	0.020 - 0.028
Minnesota	43	0.011	0.008 - 0.015	22	0.011	0.007 - 0.017	21	0.011	0.007 - 0.017
Mississippi	201	0.018	0.015 - 0.020	91	0.017	0.014 - 0.021	110	0.018	0.015 - 0.022
Missouri	153	0.020	0.017 - 0.024	77	0.022	0.017 - 0.027	76	0.019	0.015 - 0.024
Montana	-	-	-	-	-	-	-	-	-
Nebraska	28	0.027	0.018 - 0.039	17	0.032	0.019 - 0.051	11	0.022	0.011 - 0.039
Nevada	35	0.012	0.008 - 0.017	15	0.010	0.006 - 0.017	20	0.014	0.008 - 0.021
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	235	0.020	0.017 - 0.022	99	0.018	0.014 - 0.021	136	0.022	0.018 - 0.026
New Mexico	-	-	-	-	-	-	-	-	-
New York	644	0.022	0.020 - 0.023	249	0.018	0.016 - 0.020	394	0.025	0.023 - 0.027
North Carolina	433	0.019	0.017 - 0.021	178	0.017	0.014 - 0.020	255	0.021	0.019 - 0.024
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	239	0.015	0.013 - 0.017	102	0.014	0.011 - 0.017	137	0.017	0.014 - 0.020
Oklahoma	47	0.014	0.010 - 0.019	21	0.013	0.008 - 0.019	26	0.016	0.010 - 0.023
Oregon	13	0.013	0.007 - 0.022	-	-	-	-	-	-
Pennsylvania	306	0.021	0.019 - 0.023	130	0.018	0.015 - 0.022	176	0.023	0.020 - 0.027
Rhode Island	10	0.014	0.007 - 0.026	-	-	-	-	-	-
South Carolina	281	0.020	0.018 - 0.023	110	0.017	0.014 - 0.021	171	0.023	0.020 - 0.027
Tennessee	203	0.018	0.015 - 0.020	94	0.017	0.014 - 0.021	109	0.018	0.015 - 0.022
Texas	613	0.018	0.016 - 0.019	257	0.015	0.014 - 0.017	356	0.020	0.018 - 0.022
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	336	0.020	0.018 - 0.022	163	0.020	0.017 - 0.024	173	0.020	0.017 - 0.023
Washington ³	61	0.018	0.014 - 0.023	42	0.023	0.016 - 0.031	19	0.012	0.007 - 0.018
WA - Seattle	52	0.017	0.013 - 0.023	33	0.021	0.014 - 0.029	19	0.013	0.008 - 0.021
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	80	0.020	0.016 - 0.025	34	0.017	0.012 - 0.024	46	0.023	0.017 - 0.030
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,527	0.020	0.020 - 0.021	6,713	0.033	0.032 - 0.034	1,817	0.008	0.008 - 0.009
Alabama	331	0.025	0.023 - 0.028	281	0.046	0.041 - 0.052	50	0.007	0.005 - 0.009
Alaska	-	-	-	-	-	-	-	-	-
Arizona	25	0.007	0.005 - 0.011	-	-	-	-	-	-
Arkansas	114	0.024	0.020 - 0.029	90	0.039	0.032 - 0.049	24	0.010	0.006 - 0.014
California	378	0.016	0.014 - 0.017	300	0.025	0.022 - 0.028	77	0.006	0.005 - 0.008
CA - Greater California	141	0.012	0.010 - 0.015	116	0.020	0.016 - 0.024	25	0.005	0.003 - 0.007
CA - Greater Bay Area	80	0.018	0.014 - 0.022	65	0.029	0.023 - 0.038	15	0.007	0.004 - 0.011
CA - Los Angeles	158	0.019	0.016 - 0.022	120	0.030	0.025 - 0.036	38	0.008	0.006 - 0.012
Colorado	33	0.013	0.009 - 0.018	21	0.015	0.010 - 0.024	12	0.010	0.005 - 0.018
Connecticut	81	0.021	0.017 - 0.027	67	0.037	0.029 - 0.047	14	0.007	0.004 - 0.012
Delaware	29	0.013	0.009 - 0.019	18	0.018	0.010 - 0.028	11	0.010	0.005 - 0.017
District of Columbia	74	0.023	0.018 - 0.029	61	0.041	0.032 - 0.053	13	0.007	0.004 - 0.013
Florida	493	0.015	0.013 - 0.016	420	0.026	0.024 - 0.029	73	0.004	0.003 - 0.005
Georgia	571	0.017	0.016 - 0.019	470	0.030	0.028 - 0.033	101	0.006	0.005 - 0.007
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	523	0.028	0.026 - 0.030	396	0.045	0.041 - 0.050	127	0.013	0.011 - 0.015
Iowa	12	0.009	0.005 - 0.016	-	-	-	-	-	-
Kentucky	108	0.028	0.023 - 0.034	80	0.042	0.033 - 0.052	28	0.014	0.010 - 0.021
Louisiana	444	0.029	0.026 - 0.032	351	0.048	0.043 - 0.054	93	0.012	0.009 - 0.014
Maine	-	-	-	-	-	-	-	-	-
Maryland	331	0.018	0.016 - 0.020	260	0.030	0.027 - 0.034	71	0.007	0.006 - 0.009
Michigan	374	0.026	0.023 - 0.028	283	0.041	0.036 - 0.046	91	0.012	0.010 - 0.015
MI - Detroit	268	0.027	0.024 - 0.031	202	0.045	0.039 - 0.051	66	0.012	0.010 - 0.016
Minnesota	49	0.013	0.009 - 0.017	39	0.020	0.014 - 0.027	10	0.005	0.003 - 0.010
Mississippi	308	0.027	0.024 - 0.030	248	0.047	0.041 - 0.053	60	0.010	0.008 - 0.013
Missouri	176	0.023	0.020 - 0.027	132	0.037	0.031 - 0.044	44	0.011	0.008 - 0.015
Montana	-	-	-	-	-	-	-	-	-
Nebraska	20	0.019	0.012 - 0.030	-	-	-	-	-	-
Nevada	26	0.009	0.006 - 0.013	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	203	0.017	0.015 - 0.020	146	0.026	0.022 - 0.031	57	0.009	0.007 - 0.012
New Mexico	-	-	-	-	-	-	-	-	-
New York	518	0.017	0.016 - 0.019	384	0.028	0.025 - 0.031	133	0.008	0.007 - 0.010
North Carolina	581	0.026	0.024 - 0.028	461	0.044	0.040 - 0.048	120	0.010	0.008 - 0.012
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	360	0.023	0.021 - 0.026	265	0.035	0.031 - 0.040	95	0.012	0.009 - 0.014
Oklahoma	57	0.017	0.013 - 0.022	42	0.025	0.018 - 0.034	15	0.009	0.005 - 0.015
Oregon	13	0.013	0.007 - 0.022	-	-	-	-	-	-
Pennsylvania	344	0.024	0.021 - 0.026	253	0.036	0.032 - 0.041	91	0.012	0.010 - 0.015
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	372	0.027	0.024 - 0.030	312	0.048	0.043 - 0.054	60	0.008	0.006 - 0.011
Tennessee	231	0.020	0.017 - 0.023	176	0.032	0.028 - 0.037	55	0.009	0.007 - 0.012
Texas	569	0.017	0.015 - 0.018	454	0.027	0.025 - 0.030	115	0.006	0.005 - 0.008
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	377	0.022	0.020 - 0.025	306	0.038	0.034 - 0.042	71	0.008	0.006 - 0.010
Washington ³	41	0.012	0.009 - 0.016	-	-	-	-	-	-
WA - Seattle	39	0.013	0.009 - 0.018	-	-	-	-	-	-
West Virginia	10	0.014	0.007 - 0.025	-	-	-	-	-	-
Wisconsin	74	0.018	0.015 - 0.023	55	0.028	0.021 - 0.036	19	0.009	0.006 - 0.015
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	49,188	0.117	0.116 - 0.118	23,505	0.116	0.115 - 0.118	25,684	0.117	0.115 - 0.118
Alabama	1,367	0.104	0.099 - 0.110	786	0.128	0.120 - 0.138	581	0.083	0.076 - 0.090
Alaska	14	0.043	0.024 - 0.073	-	-	-	-	-	-
Arizona	247	0.074	0.065 - 0.083	123	0.071	0.059 - 0.084	124	0.077	0.064 - 0.092
Arkansas	575	0.120	0.111 - 0.130	321	0.141	0.126 - 0.157	254	0.101	0.089 - 0.115
California	2,648	0.109	0.105 - 0.113	1,200	0.099	0.094 - 0.105	1,448	0.118	0.112 - 0.124
CA - Greater California	1,032	0.091	0.086 - 0.097	469	0.080	0.073 - 0.088	563	0.103	0.094 - 0.112
CA - Greater Bay Area	651	0.146	0.135 - 0.157	318	0.144	0.129 - 0.161	333	0.147	0.132 - 0.164
CA - Los Angeles	968	0.113	0.106 - 0.121	415	0.103	0.093 - 0.113	553	0.123	0.113 - 0.133
Colorado	193	0.075	0.065 - 0.087	106	0.078	0.064 - 0.094	87	0.073	0.058 - 0.090
Connecticut	479	0.125	0.114 - 0.137	213	0.117	0.102 - 0.134	265	0.133	0.118 - 0.150
Delaware	289	0.134	0.119 - 0.150	127	0.125	0.104 - 0.148	162	0.142	0.121 - 0.166
District of Columbia	515	0.159	0.145 - 0.173	216	0.147	0.128 - 0.168	299	0.168	0.150 - 0.188
Florida	2,857	0.086	0.082 - 0.089	1,404	0.087	0.083 - 0.092	1,453	0.084	0.080 - 0.088
Georgia	3,089	0.093	0.090 - 0.097	1,595	0.103	0.098 - 0.108	1,494	0.085	0.081 - 0.089
Hawaii	15	0.040	0.022 - 0.066	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	3,094	0.165	0.160 - 0.171	1,322	0.150	0.142 - 0.159	1,772	0.179	0.170 - 0.187
Iowa	83	0.062	0.050 - 0.077	41	0.058	0.041 - 0.078	42	0.067	0.049 - 0.091
Kentucky	583	0.151	0.139 - 0.164	281	0.146	0.130 - 0.164	302	0.155	0.138 - 0.174
Louisiana	1,802	0.118	0.112 - 0.123	956	0.132	0.123 - 0.140	847	0.105	0.098 - 0.113
Maine	16	0.066	0.038 - 0.108	-	-	-	-	-	-
Maryland	2,157	0.117	0.112 - 0.122	887	0.103	0.097 - 0.110	1,270	0.129	0.122 - 0.137
Michigan	2,387	0.164	0.158 - 0.171	1,093	0.158	0.149 - 0.168	1,294	0.170	0.161 - 0.179
MI - Detroit	1,577	0.161	0.153 - 0.169	719	0.159	0.148 - 0.171	858	0.162	0.151 - 0.173
Minnesota	284	0.074	0.065 - 0.083	130	0.066	0.055 - 0.079	154	0.082	0.069 - 0.096
Mississippi	1,364	0.120	0.114 - 0.127	764	0.144	0.134 - 0.154	600	0.100	0.092 - 0.108
Missouri	1,055	0.141	0.132 - 0.149	479	0.134	0.122 - 0.146	576	0.147	0.135 - 0.159
Montana	-	-	-	-	-	-	-	-	-
Nebraska	96	0.093	0.075 - 0.113	44	0.083	0.060 - 0.111	52	0.103	0.077 - 0.136
Nevada	225	0.078	0.068 - 0.089	107	0.075	0.061 - 0.091	118	0.082	0.068 - 0.098
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	1,364	0.115	0.109 - 0.121	577	0.103	0.095 - 0.111	787	0.125	0.117 - 0.134
New Mexico	45	0.099	0.072 - 0.133	26	0.102	0.067 - 0.150	19	0.096	0.058 - 0.149
New York	3,416	0.115	0.111 - 0.119	1,463	0.106	0.101 - 0.111	1,953	0.123	0.118 - 0.129
North Carolina	3,063	0.136	0.131 - 0.141	1,585	0.150	0.143 - 0.158	1,478	0.123	0.117 - 0.130
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	2,224	0.143	0.137 - 0.149	1,018	0.136	0.128 - 0.145	1,206	0.149	0.141 - 0.158
Oklahoma	349	0.105	0.094 - 0.117	178	0.107	0.092 - 0.124	171	0.103	0.088 - 0.120
Oregon	109	0.108	0.089 - 0.130	67	0.124	0.096 - 0.157	42	0.089	0.064 - 0.121
Pennsylvania	2,398	0.164	0.158 - 0.171	942	0.134	0.126 - 0.143	1,456	0.192	0.183 - 0.202
Rhode Island	82	0.116	0.093 - 0.144	38	0.108	0.077 - 0.149	44	0.124	0.090 - 0.167
South Carolina	1,670	0.121	0.116 - 0.127	886	0.138	0.129 - 0.147	784	0.107	0.100 - 0.115
Tennessee	1,255	0.108	0.102 - 0.115	622	0.114	0.105 - 0.123	633	0.104	0.096 - 0.112
Texas	3,293	0.096	0.093 - 0.099	1,630	0.098	0.093 - 0.103	1,663	0.094	0.089 - 0.098
Utah	13	0.031	0.017 - 0.052	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	2,066	0.123	0.118 - 0.128	1,051	0.130	0.123 - 0.138	1,015	0.116	0.109 - 0.124
Washington ³	291	0.084	0.074 - 0.094	153	0.082	0.070 - 0.096	138	0.085	0.072 - 0.101
WA - Seattle	271	0.090	0.079 - 0.101	140	0.087	0.073 - 0.103	131	0.092	0.077 - 0.109
West Virginia	105	0.144	0.118 - 0.175	58	0.148	0.112 - 0.191	47	0.140	0.103 - 0.186
Wisconsin	558	0.139	0.128 - 0.151	274	0.139	0.123 - 0.157	284	0.140	0.124 - 0.157
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,061	0.005	0.005 - 0.005	869	0.004	0.004 - 0.005	1,192	0.005	0.005 - 0.006
Alabama	59	0.004	0.003 - 0.006	25	0.004	0.003 - 0.006	34	0.005	0.003 - 0.007
Alaska	-	-	-	-	-	-	-	-	-
Arizona	22	0.007	0.004 - 0.010	11	0.006	0.003 - 0.011	11	0.007	0.003 - 0.012
Arkansas	32	0.007	0.005 - 0.009	13	0.006	0.003 - 0.010	19	0.008	0.005 - 0.012
California	141	0.006	0.005 - 0.007	66	0.005	0.004 - 0.007	75	0.006	0.005 - 0.008
CA - Greater California	66	0.006	0.005 - 0.007	28	0.005	0.003 - 0.007	38	0.007	0.005 - 0.010
CA - Greater Bay Area	29	0.006	0.004 - 0.009	15	0.007	0.004 - 0.011	14	0.006	0.003 - 0.010
CA - Los Angeles	46	0.005	0.004 - 0.007	23	0.006	0.004 - 0.008	23	0.005	0.003 - 0.008
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	26	0.007	0.005 - 0.010	11	0.006	0.003 - 0.011	15	0.008	0.004 - 0.013
Delaware	16	0.007	0.004 - 0.012	-	-	-	-	-	-
District of Columbia	19	0.006	0.004 - 0.009	-	-	-	-	-	-
Florida	185	0.006	0.005 - 0.006	86	0.005	0.004 - 0.007	99	0.006	0.005 - 0.007
Georgia	144	0.004	0.004 - 0.005	58	0.004	0.003 - 0.005	86	0.005	0.004 - 0.006
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	76	0.004	0.003 - 0.005	24	0.003	0.002 - 0.004	52	0.005	0.004 - 0.007
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	22	0.006	0.004 - 0.009	-	-	-	-	-	-
Louisiana	71	0.005	0.004 - 0.006	28	0.004	0.003 - 0.006	43	0.005	0.004 - 0.007
Maine	-	-	-	-	-	-	-	-	-
Maryland	99	0.005	0.004 - 0.007	51	0.006	0.004 - 0.008	48	0.005	0.004 - 0.006
Michigan	61	0.004	0.003 - 0.005	23	0.003	0.002 - 0.005	38	0.005	0.004 - 0.007
MI - Detroit	41	0.004	0.003 - 0.006	13	0.003	0.002 - 0.005	28	0.005	0.004 - 0.008
Minnesota	12	0.003	0.002 - 0.005	-	-	-	-	-	-
Mississippi	51	0.005	0.003 - 0.006	24	0.005	0.003 - 0.007	27	0.005	0.003 - 0.007
Missouri	19	0.003	0.002 - 0.004	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	11	0.004	0.002 - 0.007	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	69	0.006	0.005 - 0.007	27	0.005	0.003 - 0.007	42	0.007	0.005 - 0.009
New Mexico	-	-	-	-	-	-	-	-	-
New York	174	0.006	0.005 - 0.007	65	0.005	0.004 - 0.006	109	0.007	0.006 - 0.008
North Carolina	104	0.005	0.004 - 0.006	45	0.004	0.003 - 0.006	59	0.005	0.004 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	67	0.004	0.003 - 0.005	29	0.004	0.003 - 0.006	38	0.005	0.003 - 0.006
Oklahoma	19	0.006	0.003 - 0.009	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	69	0.005	0.004 - 0.006	31	0.004	0.003 - 0.006	38	0.005	0.004 - 0.007
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	55	0.004	0.003 - 0.005	16	0.002	0.001 - 0.004	39	0.005	0.004 - 0.007
Tennessee	47	0.004	0.003 - 0.005	17	0.003	0.002 - 0.005	30	0.005	0.003 - 0.007
Texas	172	0.005	0.004 - 0.006	78	0.005	0.004 - 0.006	94	0.005	0.004 - 0.006
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	84	0.005	0.004 - 0.006	38	0.005	0.003 - 0.006	46	0.005	0.004 - 0.007
Washington ³	22	0.006	0.004 - 0.010	-	-	-	-	-	-
WA - Seattle	15	0.005	0.003 - 0.008	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		189,144	0.860	0.856 - 0.864
Alabama	-	-		-	-		6,385	0.909	0.887 - 0.932
Alaska	-	-		-	-		87	0.613	0.491 - 0.757
Arizona	-	-		-	-		918	0.569	0.533 - 0.607
Arkansas	-	-		-	-		1,893	0.756	0.722 - 0.791
California	-	-		-	-		11,758	0.960	0.942 - 0.977
CA - Greater California	-	-		-	-		4,514	0.823	0.799 - 0.848
CA - Greater Bay Area	-	-		-	-		2,413	1.069	1.026 - 1.112
CA - Los Angeles	-	-		-	-		4,837	1.072	1.042 - 1.103
Colorado	-	-		-	-		844	0.705	0.658 - 0.754
Connecticut	-	-		-	-		1,796	0.901	0.860 - 0.944
Delaware	-	-		-	-		1,071	0.939	0.884 - 0.997
District of Columbia	-	-		-	-		1,940	1.092	1.044 - 1.141
Florida	-	-		-	-		12,116	0.700	0.687 - 0.712
Georgia	-	-		-	-		14,236	0.807	0.794 - 0.821
Hawaii	-	-		-	-		69	0.460	0.358 - 0.583
Idaho	-	-		-	-		13	0.173	0.092 - 0.295
Illinois	-	-		-	-		9,798	0.988	0.968 - 1.007
Iowa	-	-		-	-		253	0.405	0.357 - 0.458
Kentucky	-	-		-	-		1,585	0.815	0.775 - 0.856
Louisiana	-	-		-	-		6,984	0.868	0.848 - 0.889
Maine	-	-		-	-		29	0.261	0.175 - 0.375
Maryland	-	-		-	-		9,852	1.004	0.985 - 1.025
Michigan	-	-		-	-		6,726	0.883	0.862 - 0.905
MI - Detroit	-	-		-	-		5,318	1.004	0.977 - 1.031
Minnesota	-	-		-	-		778	0.413	0.384 - 0.443
Mississippi	-	-		-	-		4,834	0.806	0.783 - 0.829
Missouri	-	-		-	-		3,501	0.892	0.862 - 0.922
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		297	0.590	0.525 - 0.662
Nevada	-	-		-	-		876	0.608	0.568 - 0.649
New Hampshire	-	-		-	-		41	0.419	0.301 - 0.569
New Jersey	-	-		-	-		6,141	0.977	0.953 - 1.002
New Mexico	-	-		-	-		133	0.670	0.561 - 0.794
New York	-	-		-	-		14,899	0.941	0.926 - 0.956
North Carolina	-	-		-	-		11,562	0.963	0.945 - 0.980
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		6,865	0.847	0.827 - 0.868
Oklahoma	-	-		-	-		1,236	0.746	0.705 - 0.789
Oregon	-	-		-	-		271	0.575	0.509 - 0.648
Pennsylvania	-	-		-	-		7,023	0.928	0.906 - 0.950
Rhode Island	-	-		-	-		246	0.695	0.611 - 0.788
South Carolina	-	-		-	-		6,837	0.935	0.913 - 0.958
Tennessee	-	-		-	-		5,109	0.837	0.814 - 0.861
Texas	-	-		-	-		13,259	0.748	0.735 - 0.760
Utah	-	-		-	-		58	0.307	0.232 - 0.397
Vermont	-	-		-	-		11	0.248	0.124 - 0.444
Virginia	-	-		-	-		8,507	0.974	0.953 - 0.994
Washington ³	-	-		-	-		1,009	0.623	0.585 - 0.662
WA - Seattle	-	-		-	-		934	0.657	0.615 - 0.700
West Virginia	-	-		-	-		288	0.858	0.761 - 0.963
Wisconsin	-	-		-	-		1,475	0.725	0.688 - 0.763
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		11,266	0.051	0.050 - 0.052
Alabama	-	-		-	-		371	0.053	0.048 - 0.058
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		51	0.032	0.024 - 0.042
Arkansas	-	-		-	-		129	0.052	0.043 - 0.061
California	-	-		-	-		527	0.043	0.039 - 0.047
CA - Greater California	-	-		-	-		216	0.039	0.034 - 0.045
CA - Greater Bay Area	-	-		-	-		88	0.039	0.031 - 0.048
CA - Los Angeles	-	-		-	-		223	0.049	0.043 - 0.056
Colorado	-	-		-	-		39	0.033	0.023 - 0.045
Connecticut	-	-		-	-		77	0.038	0.030 - 0.048
Delaware	-	-		-	-		71	0.062	0.049 - 0.079
District of Columbia	-	-		-	-		105	0.059	0.048 - 0.072
Florida	-	-		-	-		1,034	0.060	0.056 - 0.063
Georgia	-	-		-	-		758	0.043	0.040 - 0.046
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		710	0.072	0.066 - 0.077
Iowa	-	-		-	-		24	0.038	0.025 - 0.057
Kentucky	-	-		-	-		79	0.041	0.032 - 0.051
Louisiana	-	-		-	-		479	0.060	0.054 - 0.065
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		437	0.045	0.040 - 0.049
Michigan	-	-		-	-		350	0.046	0.041 - 0.051
MI - Detroit	-	-		-	-		272	0.051	0.045 - 0.058
Minnesota	-	-		-	-		56	0.030	0.022 - 0.039
Mississippi	-	-		-	-		334	0.056	0.050 - 0.062
Missouri	-	-		-	-		190	0.048	0.042 - 0.056
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		22	0.044	0.027 - 0.066
Nevada	-	-		-	-		51	0.035	0.026 - 0.047
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		360	0.057	0.052 - 0.064
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		981	0.062	0.058 - 0.066
North Carolina	-	-		-	-		586	0.049	0.045 - 0.053
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		360	0.044	0.040 - 0.049
Oklahoma	-	-		-	-		61	0.037	0.028 - 0.047
Oregon	-	-		-	-		16	0.034	0.019 - 0.055
Pennsylvania	-	-		-	-		464	0.061	0.056 - 0.067
Rhode Island	-	-		-	-		15	0.042	0.024 - 0.070
South Carolina	-	-		-	-		352	0.048	0.043 - 0.053
Tennessee	-	-		-	-		331	0.054	0.049 - 0.060
Texas	-	-		-	-		909	0.051	0.048 - 0.055
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		382	0.044	0.039 - 0.048
Washington ³	-	-		-	-		55	0.034	0.025 - 0.044
WA - Seattle	-	-		-	-		51	0.036	0.026 - 0.047
West Virginia	-	-		-	-		10	0.030	0.014 - 0.055
Wisconsin	-	-		-	-		121	0.059	0.049 - 0.071
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		32,429	0.148	0.146 - 0.149
Alabama	-	-		-	-		847	0.121	0.113 - 0.129
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		143	0.089	0.075 - 0.104
Arkansas	-	-		-	-		317	0.127	0.113 - 0.141
California	-	-		-	-		2,071	0.169	0.162 - 0.177
CA - Greater California	-	-		-	-		710	0.129	0.120 - 0.139
CA - Greater Bay Area	-	-		-	-		461	0.204	0.186 - 0.224
CA - Los Angeles	-	-		-	-		901	0.200	0.187 - 0.213
Colorado	-	-		-	-		113	0.094	0.078 - 0.113
Connecticut	-	-		-	-		363	0.182	0.164 - 0.202
Delaware	-	-		-	-		198	0.174	0.150 - 0.200
District of Columbia	-	-		-	-		408	0.230	0.208 - 0.253
Florida	-	-		-	-		2,364	0.136	0.131 - 0.142
Georgia	-	-		-	-		2,179	0.124	0.118 - 0.129
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		1,757	0.177	0.169 - 0.186
Iowa	-	-		-	-		56	0.089	0.067 - 0.116
Kentucky	-	-		-	-		255	0.131	0.115 - 0.148
Louisiana	-	-		-	-		1,008	0.125	0.118 - 0.133
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		1,646	0.168	0.160 - 0.176
Michigan	-	-		-	-		1,305	0.171	0.162 - 0.181
MI - Detroit	-	-		-	-		981	0.185	0.174 - 0.197
Minnesota	-	-		-	-		154	0.082	0.069 - 0.096
Mississippi	-	-		-	-		812	0.135	0.126 - 0.145
Missouri	-	-		-	-		569	0.145	0.133 - 0.157
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		39	0.078	0.055 - 0.106
Nevada	-	-		-	-		115	0.080	0.066 - 0.096
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		1,118	0.178	0.168 - 0.189
New Mexico	-	-		-	-		26	0.131	0.085 - 0.192
New York	-	-		-	-		3,367	0.213	0.206 - 0.220
North Carolina	-	-		-	-		1,877	0.156	0.149 - 0.164
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		1,157	0.143	0.135 - 0.151
Oklahoma	-	-		-	-		184	0.111	0.096 - 0.128
Oregon	-	-		-	-		45	0.096	0.070 - 0.128
Pennsylvania	-	-		-	-		1,281	0.169	0.160 - 0.179
Rhode Island	-	-		-	-		43	0.122	0.088 - 0.164
South Carolina	-	-		-	-		1,187	0.162	0.153 - 0.172
Tennessee	-	-		-	-		774	0.127	0.118 - 0.136
Texas	-	-		-	-		1,933	0.109	0.104 - 0.114
Utah	-	-		-	-		10	0.053	0.026 - 0.098
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		1,261	0.144	0.136 - 0.153
Washington ³	-	-		-	-		164	0.101	0.086 - 0.118
WA - Seattle	-	-		-	-		153	0.108	0.091 - 0.126
West Virginia	-	-		-	-		45	0.134	0.098 - 0.179
Wisconsin	-	-		-	-		260	0.128	0.113 - 0.144
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		8,264	0.038	0.037 - 0.038
Alabama	-	-		-	-		269	0.038	0.034 - 0.043
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		42	0.026	0.019 - 0.035
Arkansas	-	-		-	-		75	0.030	0.024 - 0.038
California	-	-		-	-		510	0.042	0.038 - 0.045
CA - Greater California	-	-		-	-		202	0.037	0.032 - 0.042
CA - Greater Bay Area	-	-		-	-		119	0.053	0.044 - 0.063
CA - Los Angeles	-	-		-	-		189	0.042	0.036 - 0.048
Colorado	-	-		-	-		21	0.018	0.011 - 0.027
Connecticut	-	-		-	-		82	0.041	0.033 - 0.051
Delaware	-	-		-	-		45	0.039	0.029 - 0.053
District of Columbia	-	-		-	-		104	0.059	0.048 - 0.071
Florida	-	-		-	-		643	0.037	0.034 - 0.040
Georgia	-	-		-	-		613	0.035	0.032 - 0.038
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		444	0.045	0.041 - 0.049
Iowa	-	-		-	-		13	0.021	0.011 - 0.036
Kentucky	-	-		-	-		57	0.029	0.022 - 0.038
Louisiana	-	-		-	-		257	0.032	0.028 - 0.036
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		388	0.040	0.036 - 0.044
Michigan	-	-		-	-		327	0.043	0.038 - 0.048
MI - Detroit	-	-		-	-		242	0.046	0.040 - 0.052
Minnesota	-	-		-	-		43	0.023	0.017 - 0.031
Mississippi	-	-		-	-		197	0.033	0.028 - 0.038
Missouri	-	-		-	-		132	0.034	0.028 - 0.040
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		10	0.020	0.010 - 0.037
Nevada	-	-		-	-		33	0.023	0.016 - 0.032
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		302	0.048	0.043 - 0.054
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		707	0.045	0.041 - 0.048
North Carolina	-	-		-	-		466	0.039	0.035 - 0.042
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		296	0.037	0.032 - 0.041
Oklahoma	-	-		-	-		52	0.031	0.023 - 0.041
Oregon	-	-		-	-		11	0.023	0.012 - 0.042
Pennsylvania	-	-		-	-		300	0.040	0.035 - 0.044
Rhode Island	-	-		-	-		10	0.028	0.014 - 0.052
South Carolina	-	-		-	-		258	0.035	0.031 - 0.040
Tennessee	-	-		-	-		221	0.036	0.032 - 0.041
Texas	-	-		-	-		634	0.036	0.033 - 0.039
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		315	0.036	0.032 - 0.040
Washington ³	-	-		-	-		34	0.021	0.015 - 0.029
WA - Seattle	-	-		-	-		34	0.024	0.017 - 0.033
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		81	0.040	0.032 - 0.049
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		254,066	1.259	1.254 - 1.264	-	-	
Alabama	-	-		8,459	1.382	1.352 - 1.411	-	-	
Alaska	-	-		147	0.816	0.689 - 0.959	-	-	
Arizona	-	-		1,174	0.675	0.637 - 0.715	-	-	
Arkansas	-	-		2,791	1.225	1.180 - 1.271	-	-	
California	-	-		15,857	1.313	1.293 - 1.334	-	-	
CA - Greater California	-	-		6,438	1.104	1.077 - 1.131	-	-	
CA - Greater Bay Area	-	-		3,401	1.541	1.490 - 1.594	-	-	
CA - Los Angeles	-	-		6,016	1.491	1.453 - 1.529	-	-	
Colorado	-	-		1,239	0.908	0.858 - 0.960	-	-	
Connecticut	-	-		2,335	1.279	1.228 - 1.332	-	-	
Delaware	-	-		1,655	1.625	1.547 - 1.705	-	-	
District of Columbia	-	-		2,260	1.537	1.474 - 1.602	-	-	
Florida	-	-		18,812	1.170	1.154 - 1.187	-	-	
Georgia	-	-		19,043	1.231	1.213 - 1.248	-	-	
Hawaii	-	-		198	0.882	0.764 - 1.014	-	-	
Idaho	-	-		44	0.459	0.333 - 0.616	-	-	
Illinois	-	-		12,142	1.380	1.355 - 1.405	-	-	
Iowa	-	-		395	0.562	0.508 - 0.620	-	-	
Kentucky	-	-		1,814	0.944	0.901 - 0.989	-	-	
Louisiana	-	-		9,592	1.320	1.294 - 1.347	-	-	
Maine	-	-		60	0.460	0.351 - 0.592	-	-	
Maryland	-	-		12,292	1.431	1.406 - 1.457	-	-	
Michigan	-	-		9,133	1.320	1.293 - 1.347	-	-	
MI - Detroit	-	-		7,432	1.648	1.610 - 1.686	-	-	
Minnesota	-	-		1,177	0.600	0.566 - 0.635	-	-	
Mississippi	-	-		7,022	1.319	1.288 - 1.350	-	-	
Missouri	-	-		3,793	1.060	1.027 - 1.094	-	-	
Montana	-	-		25	0.483	0.311 - 0.715	-	-	
Nebraska	-	-		492	0.927	0.846 - 1.012	-	-	
Nevada	-	-		926	0.648	0.607 - 0.691	-	-	
New Hampshire	-	-		85	0.695	0.555 - 0.860	-	-	
New Jersey	-	-		8,885	1.581	1.548 - 1.614	-	-	
New Mexico	-	-		229	0.901	0.788 - 1.026	-	-	
New York	-	-		23,547	1.705	1.683 - 1.726	-	-	
North Carolina	-	-		14,853	1.405	1.383 - 1.428	-	-	
North Dakota	-	-		33	0.226	0.156 - 0.318	-	-	
Ohio	-	-		8,771	1.172	1.148 - 1.197	-	-	
Oklahoma	-	-		1,723	1.038	0.989 - 1.088	-	-	
Oregon	-	-		446	0.825	0.751 - 0.906	-	-	
Pennsylvania	-	-		8,652	1.230	1.205 - 1.257	-	-	
Rhode Island	-	-		277	0.790	0.700 - 0.889	-	-	
South Carolina	-	-		9,011	1.400	1.371 - 1.429	-	-	
Tennessee	-	-		6,188	1.130	1.102 - 1.158	-	-	
Texas	-	-		15,306	0.920	0.905 - 0.934	-	-	
Utah	-	-		153	0.624	0.529 - 0.730	-	-	
Vermont	-	-		30	0.547	0.369 - 0.781	-	-	
Virginia	-	-		11,264	1.397	1.371 - 1.423	-	-	
Washington ³	-	-		1,663	0.896	0.854 - 0.940	-	-	
WA - Seattle	-	-		1,501	0.937	0.890 - 0.985	-	-	
West Virginia	-	-		491	1.253	1.145 - 1.369	-	-	
Wisconsin	-	-		2,090	1.061	1.016 - 1.108	-	-	
Wyoming	-	-		17	0.332	0.193 - 0.533	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		2,393	0.012	0.011 - 0.012	-	-	
Alabama	-	-		78	0.013	0.010 - 0.016	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		14	0.008	0.004 - 0.014	-	-	
Arkansas	-	-		20	0.009	0.005 - 0.014	-	-	
California	-	-		177	0.015	0.013 - 0.017	-	-	
CA - Greater California	-	-		79	0.014	0.011 - 0.017	-	-	
CA - Greater Bay Area	-	-		35	0.016	0.011 - 0.022	-	-	
CA - Los Angeles	-	-		63	0.016	0.012 - 0.020	-	-	
Colorado	-	-		22	0.016	0.010 - 0.024	-	-	
Connecticut	-	-		22	0.012	0.008 - 0.018	-	-	
Delaware	-	-		10	0.010	0.005 - 0.018	-	-	
District of Columbia	-	-		25	0.017	0.011 - 0.025	-	-	
Florida	-	-		141	0.009	0.007 - 0.010	-	-	
Georgia	-	-		164	0.011	0.009 - 0.012	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		97	0.011	0.009 - 0.013	-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		25	0.013	0.008 - 0.019	-	-	
Louisiana	-	-		96	0.013	0.011 - 0.016	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		116	0.014	0.011 - 0.016	-	-	
Michigan	-	-		89	0.013	0.010 - 0.016	-	-	
MI - Detroit	-	-		72	0.016	0.012 - 0.020	-	-	
Minnesota	-	-		30	0.015	0.010 - 0.022	-	-	
Mississippi	-	-		56	0.011	0.008 - 0.014	-	-	
Missouri	-	-		38	0.011	0.008 - 0.015	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		73	0.013	0.010 - 0.016	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		185	0.013	0.012 - 0.015	-	-	
North Carolina	-	-		161	0.015	0.013 - 0.018	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		76	0.010	0.008 - 0.013	-	-	
Oklahoma	-	-		22	0.013	0.008 - 0.020	-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		90	0.013	0.010 - 0.016	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		67	0.010	0.008 - 0.013	-	-	
Tennessee	-	-		64	0.012	0.009 - 0.015	-	-	
Texas	-	-		162	0.010	0.008 - 0.011	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		98	0.012	0.010 - 0.015	-	-	
Washington ³	-	-		21	0.011	0.007 - 0.017	-	-	
WA - Seattle	-	-		16	0.010	0.006 - 0.016	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		22	0.011	0.007 - 0.017	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	20,770	0.049	0.049 - 0.050	14,582	0.072	0.071 - 0.073	6,193	0.028	0.027 - 0.029
Alabama	643	0.049	0.045 - 0.053	445	0.073	0.066 - 0.080	198	0.028	0.024 - 0.032
Alaska	13	0.040	0.021 - 0.069	-	-	-	-	-	-
Arizona	116	0.035	0.029 - 0.041	76	0.044	0.034 - 0.055	40	0.025	0.018 - 0.034
Arkansas	187	0.039	0.034 - 0.045	136	0.060	0.050 - 0.071	51	0.020	0.015 - 0.027
California	1,534	0.063	0.060 - 0.066	1,150	0.095	0.090 - 0.101	385	0.031	0.028 - 0.035
CA - Greater California	560	0.049	0.045 - 0.054	425	0.073	0.066 - 0.080	135	0.025	0.021 - 0.029
CA - Greater Bay Area	341	0.076	0.069 - 0.085	253	0.115	0.101 - 0.130	89	0.039	0.032 - 0.048
CA - Los Angeles	633	0.074	0.068 - 0.080	472	0.117	0.107 - 0.128	161	0.036	0.030 - 0.042
Colorado	98	0.038	0.031 - 0.047	81	0.059	0.047 - 0.074	17	0.014	0.008 - 0.023
Connecticut	207	0.054	0.047 - 0.062	140	0.077	0.065 - 0.091	67	0.033	0.026 - 0.043
Delaware	142	0.066	0.055 - 0.078	102	0.100	0.082 - 0.122	40	0.035	0.025 - 0.048
District of Columbia	240	0.074	0.065 - 0.084	146	0.099	0.084 - 0.117	94	0.053	0.043 - 0.065
Florida	1,226	0.037	0.035 - 0.039	897	0.056	0.052 - 0.060	329	0.019	0.017 - 0.021
Georgia	1,225	0.037	0.035 - 0.039	833	0.054	0.050 - 0.058	392	0.022	0.020 - 0.025
Hawaii	21	0.056	0.035 - 0.086	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,139	0.061	0.057 - 0.064	793	0.090	0.084 - 0.097	346	0.035	0.031 - 0.039
Iowa	29	0.022	0.015 - 0.031	-	-	-	-	-	-
Kentucky	201	0.052	0.045 - 0.060	149	0.078	0.066 - 0.091	52	0.027	0.020 - 0.035
Louisiana	745	0.049	0.045 - 0.052	537	0.074	0.068 - 0.080	209	0.026	0.023 - 0.030
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,068	0.058	0.055 - 0.062	713	0.083	0.077 - 0.089	355	0.036	0.033 - 0.040
Michigan	851	0.059	0.055 - 0.063	596	0.086	0.079 - 0.093	255	0.033	0.030 - 0.038
MI - Detroit	636	0.065	0.060 - 0.070	435	0.096	0.088 - 0.106	201	0.038	0.033 - 0.044
Minnesota	113	0.029	0.024 - 0.035	85	0.043	0.035 - 0.054	28	0.015	0.010 - 0.021
Mississippi	473	0.042	0.038 - 0.046	354	0.066	0.060 - 0.074	119	0.020	0.016 - 0.024
Missouri	414	0.055	0.050 - 0.061	268	0.075	0.066 - 0.084	146	0.037	0.031 - 0.044
Montana	-	-	-	-	-	-	-	-	-
Nebraska	41	0.040	0.028 - 0.054	27	0.051	0.034 - 0.074	14	0.028	0.015 - 0.047
Nevada	122	0.043	0.035 - 0.051	87	0.061	0.049 - 0.075	35	0.024	0.017 - 0.034
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	699	0.059	0.054 - 0.063	484	0.086	0.079 - 0.094	215	0.034	0.030 - 0.039
New Mexico	26	0.057	0.037 - 0.083	-	-	-	-	-	-
New York	1,614	0.054	0.052 - 0.057	1,112	0.080	0.076 - 0.085	502	0.032	0.029 - 0.035
North Carolina	1,239	0.055	0.052 - 0.058	848	0.080	0.075 - 0.086	391	0.033	0.029 - 0.036
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	893	0.057	0.054 - 0.061	601	0.080	0.074 - 0.087	292	0.036	0.032 - 0.040
Oklahoma	161	0.049	0.041 - 0.057	111	0.067	0.055 - 0.081	50	0.030	0.022 - 0.040
Oregon	34	0.034	0.023 - 0.047	-	-	-	-	-	-
Pennsylvania	984	0.067	0.063 - 0.072	699	0.099	0.092 - 0.107	285	0.038	0.033 - 0.042
Rhode Island	28	0.040	0.026 - 0.057	-	-	-	-	-	-
South Carolina	613	0.045	0.041 - 0.048	394	0.061	0.055 - 0.068	219	0.030	0.026 - 0.034
Tennessee	442	0.038	0.035 - 0.042	307	0.056	0.050 - 0.063	135	0.022	0.019 - 0.026
Texas	1,210	0.035	0.033 - 0.037	871	0.052	0.049 - 0.056	339	0.019	0.017 - 0.021
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	957	0.057	0.053 - 0.061	694	0.086	0.080 - 0.093	263	0.030	0.027 - 0.034
Washington ³	150	0.043	0.037 - 0.051	113	0.061	0.050 - 0.073	37	0.023	0.016 - 0.031
WA - Seattle	135	0.045	0.038 - 0.053	102	0.064	0.052 - 0.078	33	0.023	0.016 - 0.033
West Virginia	37	0.051	0.036 - 0.070	-	-	-	-	-	-
Wisconsin	196	0.049	0.042 - 0.056	134	0.068	0.057 - 0.081	62	0.030	0.023 - 0.039
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	42,836	0.102	0.101 - 0.103	25,112	0.124	0.123 - 0.126	17,731	0.081	0.079 - 0.082
Alabama	1,328	0.101	0.096 - 0.107	768	0.125	0.117 - 0.135	560	0.080	0.073 - 0.087
Alaska	15	0.047	0.026 - 0.077	-	-	-	-	-	-
Arizona	254	0.076	0.067 - 0.086	175	0.101	0.086 - 0.117	79	0.049	0.039 - 0.061
Arkansas	456	0.095	0.087 - 0.105	243	0.107	0.094 - 0.121	213	0.085	0.074 - 0.097
California	2,680	0.110	0.106 - 0.114	1,646	0.136	0.130 - 0.143	1,034	0.084	0.079 - 0.090
CA - Greater California	1,173	0.104	0.098 - 0.110	721	0.124	0.115 - 0.133	452	0.082	0.075 - 0.090
CA - Greater Bay Area	555	0.124	0.114 - 0.135	352	0.160	0.143 - 0.177	203	0.090	0.078 - 0.103
CA - Los Angeles	955	0.112	0.105 - 0.119	574	0.142	0.131 - 0.154	381	0.084	0.076 - 0.093
Colorado	212	0.083	0.072 - 0.095	143	0.105	0.088 - 0.123	69	0.058	0.045 - 0.073
Connecticut	383	0.100	0.091 - 0.111	242	0.132	0.116 - 0.150	141	0.071	0.060 - 0.084
Delaware	227	0.105	0.092 - 0.120	142	0.139	0.117 - 0.164	85	0.075	0.060 - 0.092
District of Columbia	367	0.113	0.102 - 0.125	209	0.142	0.124 - 0.163	158	0.089	0.076 - 0.104
Florida	2,444	0.073	0.070 - 0.076	1,467	0.091	0.087 - 0.096	977	0.056	0.053 - 0.060
Georgia	2,882	0.087	0.084 - 0.090	1,631	0.105	0.100 - 0.111	1,251	0.071	0.067 - 0.075
Hawaii	22	0.058	0.037 - 0.089	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	2,201	0.118	0.113 - 0.123	1,280	0.145	0.138 - 0.154	921	0.093	0.087 - 0.099
Iowa	105	0.079	0.065 - 0.096	54	0.077	0.058 - 0.100	51	0.082	0.061 - 0.108
Kentucky	468	0.121	0.110 - 0.132	271	0.141	0.125 - 0.159	197	0.101	0.088 - 0.116
Louisiana	1,687	0.110	0.105 - 0.116	951	0.131	0.123 - 0.139	736	0.092	0.085 - 0.098
Maine	10	0.041	0.020 - 0.076	-	-	-	-	-	-
Maryland	1,941	0.106	0.101 - 0.110	1,101	0.128	0.121 - 0.136	840	0.086	0.080 - 0.092
Michigan	1,649	0.113	0.108 - 0.119	994	0.144	0.135 - 0.153	655	0.086	0.080 - 0.093
MI - Detroit	1,250	0.127	0.120 - 0.135	757	0.168	0.156 - 0.180	493	0.093	0.085 - 0.102
Minnesota	248	0.064	0.057 - 0.073	165	0.084	0.072 - 0.098	83	0.044	0.035 - 0.055
Mississippi	1,343	0.119	0.112 - 0.125	747	0.140	0.130 - 0.151	596	0.099	0.092 - 0.108
Missouri	853	0.114	0.106 - 0.122	469	0.131	0.119 - 0.144	384	0.098	0.088 - 0.108
Montana	-	-	-	-	-	-	-	-	-
Nebraska	124	0.120	0.100 - 0.143	81	0.153	0.121 - 0.190	43	0.085	0.062 - 0.115
Nevada	201	0.070	0.061 - 0.080	117	0.082	0.068 - 0.098	84	0.058	0.046 - 0.072
New Hampshire	10	0.045	0.022 - 0.084	-	-	-	-	-	-
New Jersey	1,286	0.108	0.102 - 0.114	775	0.138	0.128 - 0.148	510	0.081	0.074 - 0.089
New Mexico	41	0.091	0.065 - 0.123	29	0.114	0.076 - 0.164	12	0.060	0.031 - 0.106
New York	2,959	0.100	0.096 - 0.103	1,780	0.129	0.123 - 0.135	1,178	0.074	0.070 - 0.079
North Carolina	2,519	0.112	0.107 - 0.116	1,413	0.134	0.127 - 0.141	1,106	0.092	0.087 - 0.098
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,660	0.107	0.101 - 0.112	986	0.132	0.124 - 0.140	674	0.083	0.077 - 0.090
Oklahoma	294	0.089	0.079 - 0.099	175	0.105	0.090 - 0.122	119	0.072	0.059 - 0.086
Oregon	86	0.085	0.068 - 0.105	57	0.105	0.080 - 0.137	29	0.062	0.041 - 0.088
Pennsylvania	1,862	0.128	0.122 - 0.133	1,115	0.159	0.149 - 0.168	747	0.099	0.092 - 0.106
Rhode Island	51	0.072	0.054 - 0.095	34	0.097	0.067 - 0.136	17	0.048	0.028 - 0.077
South Carolina	1,377	0.100	0.095 - 0.106	798	0.124	0.116 - 0.133	579	0.079	0.073 - 0.086
Tennessee	1,210	0.104	0.099 - 0.111	643	0.117	0.108 - 0.127	567	0.093	0.085 - 0.101
Texas	3,278	0.095	0.092 - 0.099	1,894	0.114	0.109 - 0.119	1,384	0.078	0.074 - 0.082
Utah	19	0.044	0.026 - 0.068	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	1,981	0.118	0.113 - 0.123	1,171	0.145	0.137 - 0.154	810	0.093	0.086 - 0.099
Washington ³	320	0.092	0.082 - 0.103	219	0.118	0.103 - 0.135	101	0.062	0.051 - 0.076
WA - Seattle	294	0.097	0.086 - 0.109	200	0.125	0.108 - 0.143	94	0.066	0.053 - 0.081
West Virginia	68	0.093	0.073 - 0.118	45	0.115	0.084 - 0.154	23	0.068	0.043 - 0.103
Wisconsin	427	0.107	0.097 - 0.117	254	0.129	0.114 - 0.146	173	0.085	0.073 - 0.099
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Brain and Other Nervous System

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,425	0.015	0.015 - 0.016	3,266	0.016	0.016 - 0.017	3,159	0.014	0.014 - 0.015
Alabama	182	0.014	0.012 - 0.016	88	0.014	0.012 - 0.018	94	0.013	0.011 - 0.016
Alaska	-	-	-	-	-	-	-	-	-
Arizona	37	0.011	0.008 - 0.015	23	0.013	0.008 - 0.020	14	0.009	0.005 - 0.015
Arkansas	81	0.017	0.013 - 0.021	44	0.019	0.014 - 0.026	37	0.015	0.010 - 0.020
California	359	0.015	0.013 - 0.016	196	0.016	0.014 - 0.019	163	0.013	0.011 - 0.016
CA - Greater California	160	0.014	0.012 - 0.017	82	0.014	0.011 - 0.018	77	0.014	0.011 - 0.018
CA - Greater Bay Area	76	0.017	0.014 - 0.021	46	0.021	0.015 - 0.028	31	0.014	0.009 - 0.019
CA - Los Angeles	123	0.014	0.012 - 0.017	68	0.017	0.013 - 0.021	55	0.012	0.009 - 0.016
Colorado	32	0.012	0.009 - 0.018	17	0.012	0.007 - 0.020	15	0.013	0.007 - 0.021
Connecticut	54	0.014	0.011 - 0.019	31	0.017	0.012 - 0.024	23	0.012	0.007 - 0.018
Delaware	33	0.015	0.011 - 0.021	13	0.013	0.007 - 0.022	20	0.018	0.011 - 0.027
District of Columbia	66	0.020	0.016 - 0.026	33	0.022	0.015 - 0.032	33	0.019	0.013 - 0.026
Florida	522	0.016	0.014 - 0.017	267	0.017	0.015 - 0.019	255	0.015	0.013 - 0.017
Georgia	475	0.014	0.013 - 0.016	217	0.014	0.012 - 0.016	258	0.015	0.013 - 0.017
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	294	0.016	0.014 - 0.018	149	0.017	0.014 - 0.020	145	0.015	0.012 - 0.017
Iowa	22	0.017	0.010 - 0.025	10	0.014	0.007 - 0.026	12	0.019	0.010 - 0.034
Kentucky	65	0.017	0.013 - 0.021	33	0.017	0.012 - 0.024	32	0.016	0.011 - 0.023
Louisiana	190	0.012	0.011 - 0.014	101	0.014	0.011 - 0.017	89	0.011	0.009 - 0.014
Maine	-	-	-	-	-	-	-	-	-
Maryland	267	0.015	0.013 - 0.016	129	0.015	0.013 - 0.018	138	0.014	0.012 - 0.017
Michigan	250	0.017	0.015 - 0.019	100	0.014	0.012 - 0.018	150	0.020	0.017 - 0.023
MI - Detroit	154	0.016	0.013 - 0.018	59	0.013	0.010 - 0.017	94	0.018	0.014 - 0.022
Minnesota	62	0.016	0.012 - 0.021	31	0.016	0.011 - 0.022	31	0.016	0.011 - 0.023
Mississippi	143	0.013	0.011 - 0.015	72	0.014	0.011 - 0.017	71	0.012	0.009 - 0.015
Missouri	111	0.015	0.012 - 0.018	54	0.015	0.011 - 0.020	57	0.015	0.011 - 0.019
Montana	-	-	-	-	-	-	-	-	-
Nebraska	22	0.021	0.013 - 0.032	-	-	-	-	-	-
Nevada	39	0.014	0.010 - 0.019	21	0.015	0.009 - 0.022	18	0.012	0.007 - 0.020
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	215	0.018	0.016 - 0.021	113	0.020	0.017 - 0.024	102	0.016	0.013 - 0.020
New Mexico	-	-	-	-	-	-	-	-	-
New York	465	0.016	0.014 - 0.017	264	0.019	0.017 - 0.022	201	0.013	0.011 - 0.015
North Carolina	361	0.016	0.014 - 0.018	177	0.017	0.014 - 0.019	184	0.015	0.013 - 0.018
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	245	0.016	0.014 - 0.018	121	0.016	0.013 - 0.019	124	0.015	0.013 - 0.018
Oklahoma	47	0.014	0.010 - 0.019	17	0.010	0.006 - 0.016	30	0.018	0.012 - 0.026
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	263	0.018	0.016 - 0.020	154	0.022	0.019 - 0.026	109	0.014	0.012 - 0.017
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	178	0.013	0.011 - 0.015	91	0.014	0.011 - 0.017	87	0.012	0.010 - 0.015
Tennessee	164	0.014	0.012 - 0.017	89	0.016	0.013 - 0.020	75	0.012	0.010 - 0.015
Texas	574	0.017	0.015 - 0.018	282	0.017	0.015 - 0.019	292	0.016	0.015 - 0.018
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	230	0.014	0.012 - 0.016	121	0.015	0.012 - 0.018	109	0.012	0.010 - 0.015
Washington ³	49	0.014	0.010 - 0.019	25	0.014	0.009 - 0.020	23	0.014	0.009 - 0.021
WA - Seattle	46	0.015	0.011 - 0.020	24	0.015	0.010 - 0.023	21	0.015	0.009 - 0.023
West Virginia	10	0.014	0.007 - 0.025	-	-	-	-	-	-
Wisconsin	67	0.017	0.013 - 0.021	36	0.018	0.013 - 0.025	31	0.015	0.010 - 0.022
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	29,999	0.071	0.070 - 0.072	5,148	0.025	0.025 - 0.026	24,838	0.113	0.111 - 0.114
Alabama	713	0.054	0.050 - 0.058	125	0.020	0.017 - 0.024	588	0.084	0.077 - 0.091
Alaska	16	0.050	0.028 - 0.081	-	-	-	-	-	-
Arizona	232	0.069	0.061 - 0.079	45	0.026	0.019 - 0.035	187	0.116	0.100 - 0.134
Arkansas	267	0.056	0.049 - 0.063	52	0.023	0.017 - 0.030	215	0.086	0.075 - 0.098
California	1,593	0.065	0.062 - 0.069	323	0.027	0.024 - 0.030	1,270	0.104	0.098 - 0.109
CA - Greater California	686	0.061	0.056 - 0.065	148	0.025	0.022 - 0.030	538	0.098	0.090 - 0.107
CA - Greater Bay Area	205	0.046	0.040 - 0.053	41	0.018	0.013 - 0.025	164	0.073	0.062 - 0.085
CA - Los Angeles	701	0.082	0.076 - 0.088	134	0.033	0.028 - 0.039	567	0.126	0.116 - 0.137
Colorado	167	0.065	0.056 - 0.076	35	0.026	0.018 - 0.036	132	0.110	0.092 - 0.131
Connecticut	360	0.094	0.085 - 0.104	62	0.034	0.026 - 0.043	298	0.149	0.133 - 0.167
Delaware	200	0.093	0.080 - 0.106	33	0.032	0.022 - 0.045	167	0.146	0.125 - 0.170
District of Columbia	331	0.102	0.091 - 0.114	67	0.046	0.035 - 0.058	264	0.149	0.131 - 0.168
Florida	1,950	0.058	0.056 - 0.061	326	0.020	0.018 - 0.023	1,624	0.094	0.089 - 0.098
Georgia	1,998	0.060	0.058 - 0.063	308	0.020	0.018 - 0.022	1,689	0.096	0.091 - 0.100
Hawaii	21	0.056	0.035 - 0.086	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,348	0.072	0.068 - 0.076	237	0.027	0.024 - 0.031	1,111	0.112	0.105 - 0.119
Iowa	49	0.037	0.027 - 0.049	12	0.017	0.009 - 0.030	37	0.059	0.042 - 0.082
Kentucky	307	0.079	0.071 - 0.089	55	0.029	0.022 - 0.037	252	0.130	0.114 - 0.147
Louisiana	1,058	0.069	0.065 - 0.073	173	0.024	0.020 - 0.028	885	0.110	0.103 - 0.118
Maine	12	0.050	0.026 - 0.087	-	-	-	-	-	-
Maryland	1,646	0.089	0.085 - 0.094	295	0.034	0.031 - 0.038	1,351	0.138	0.130 - 0.145
Michigan	1,057	0.073	0.068 - 0.077	182	0.026	0.023 - 0.030	875	0.115	0.107 - 0.123
MI - Detroit	862	0.088	0.082 - 0.094	152	0.034	0.029 - 0.039	711	0.134	0.124 - 0.144
Minnesota	194	0.050	0.044 - 0.058	42	0.021	0.015 - 0.029	152	0.081	0.068 - 0.095
Mississippi	691	0.061	0.057 - 0.066	87	0.016	0.013 - 0.020	604	0.101	0.093 - 0.109
Missouri	475	0.063	0.058 - 0.069	76	0.021	0.017 - 0.027	399	0.102	0.092 - 0.112
Montana	-	-	-	-	-	-	-	-	-
Nebraska	61	0.059	0.045 - 0.076	12	0.023	0.012 - 0.039	49	0.097	0.072 - 0.129
Nevada	150	0.052	0.044 - 0.061	26	0.018	0.012 - 0.027	124	0.086	0.072 - 0.103
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	1,052	0.088	0.083 - 0.094	180	0.032	0.027 - 0.037	872	0.139	0.130 - 0.148
New Mexico	30	0.066	0.045 - 0.095	-	-	-	-	-	-
New York	2,725	0.092	0.089 - 0.095	452	0.033	0.030 - 0.036	2,273	0.144	0.138 - 0.150
North Carolina	1,734	0.077	0.073 - 0.081	287	0.027	0.024 - 0.030	1,447	0.120	0.114 - 0.127
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,238	0.079	0.075 - 0.084	185	0.025	0.021 - 0.029	1,053	0.130	0.122 - 0.138
Oklahoma	167	0.050	0.043 - 0.059	25	0.015	0.010 - 0.022	142	0.086	0.072 - 0.101
Oregon	61	0.060	0.046 - 0.077	12	0.022	0.011 - 0.039	49	0.104	0.077 - 0.138
Pennsylvania	1,661	0.114	0.108 - 0.119	272	0.039	0.034 - 0.044	1,389	0.183	0.174 - 0.193
Rhode Island	80	0.114	0.090 - 0.141	17	0.048	0.028 - 0.078	63	0.178	0.137 - 0.228
South Carolina	942	0.069	0.064 - 0.073	150	0.023	0.020 - 0.027	792	0.108	0.101 - 0.116
Tennessee	669	0.058	0.053 - 0.062	104	0.019	0.016 - 0.023	565	0.093	0.085 - 0.101
Texas	2,070	0.060	0.058 - 0.063	390	0.023	0.021 - 0.026	1,680	0.095	0.090 - 0.099
Utah	25	0.058	0.037 - 0.085	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	1,206	0.072	0.068 - 0.076	204	0.025	0.022 - 0.029	1,002	0.115	0.108 - 0.122
Washington ³	201	0.058	0.050 - 0.066	36	0.019	0.014 - 0.027	165	0.102	0.087 - 0.119
WA - Seattle	191	0.063	0.055 - 0.073	34	0.021	0.015 - 0.030	157	0.110	0.094 - 0.129
West Virginia	54	0.074	0.056 - 0.097	19	0.048	0.029 - 0.076	35	0.104	0.073 - 0.145
Wisconsin	244	0.061	0.054 - 0.069	45	0.023	0.017 - 0.031	199	0.098	0.085 - 0.112
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,917	0.021	0.021 - 0.022	4,669	0.023	0.022 - 0.024	4,248	0.019	0.019 - 0.020
Alabama	236	0.018	0.016 - 0.020	125	0.020	0.017 - 0.024	111	0.016	0.013 - 0.019
Alaska	-	-	-	-	-	-	-	-	-
Arizona	78	0.023	0.018 - 0.029	52	0.030	0.022 - 0.039	26	0.016	0.011 - 0.024
Arkansas	102	0.021	0.017 - 0.026	58	0.025	0.019 - 0.033	44	0.018	0.013 - 0.024
California	506	0.021	0.019 - 0.023	269	0.022	0.020 - 0.025	237	0.019	0.017 - 0.022
CA - Greater California	213	0.019	0.016 - 0.021	121	0.021	0.017 - 0.025	92	0.017	0.014 - 0.021
CA - Greater Bay Area	121	0.027	0.022 - 0.032	67	0.030	0.023 - 0.038	54	0.024	0.018 - 0.031
CA - Los Angeles	172	0.020	0.017 - 0.023	81	0.020	0.016 - 0.025	91	0.020	0.016 - 0.025
Colorado	60	0.023	0.018 - 0.030	38	0.028	0.020 - 0.038	22	0.018	0.012 - 0.028
Connecticut	83	0.022	0.017 - 0.027	45	0.025	0.018 - 0.033	38	0.019	0.013 - 0.026
Delaware	53	0.025	0.018 - 0.032	30	0.029	0.020 - 0.042	23	0.020	0.013 - 0.030
District of Columbia	79	0.024	0.019 - 0.030	38	0.026	0.018 - 0.035	41	0.023	0.017 - 0.031
Florida	603	0.018	0.017 - 0.020	309	0.019	0.017 - 0.021	294	0.017	0.015 - 0.019
Georgia	653	0.020	0.018 - 0.021	341	0.022	0.020 - 0.025	312	0.018	0.016 - 0.020
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	422	0.023	0.020 - 0.025	236	0.027	0.024 - 0.030	186	0.019	0.016 - 0.022
Iowa	31	0.023	0.016 - 0.033	17	0.024	0.014 - 0.039	14	0.022	0.012 - 0.038
Kentucky	76	0.020	0.015 - 0.025	39	0.020	0.014 - 0.028	37	0.019	0.013 - 0.026
Louisiana	309	0.020	0.018 - 0.023	165	0.023	0.019 - 0.026	145	0.018	0.015 - 0.021
Maine	-	-	-	-	-	-	-	-	-
Maryland	422	0.023	0.021 - 0.025	220	0.026	0.022 - 0.029	202	0.021	0.018 - 0.024
Michigan	302	0.021	0.019 - 0.023	163	0.024	0.020 - 0.027	139	0.018	0.015 - 0.022
MI - Detroit	226	0.023	0.020 - 0.026	131	0.029	0.024 - 0.034	95	0.018	0.014 - 0.022
Minnesota	62	0.016	0.012 - 0.021	38	0.019	0.014 - 0.027	24	0.013	0.008 - 0.019
Mississippi	219	0.019	0.017 - 0.022	118	0.022	0.018 - 0.027	101	0.017	0.014 - 0.020
Missouri	172	0.023	0.020 - 0.027	96	0.027	0.022 - 0.033	76	0.019	0.015 - 0.024
Montana	-	-	-	-	-	-	-	-	-
Nebraska	27	0.026	0.017 - 0.038	-	-	-	-	-	-
Nevada	37	0.013	0.009 - 0.018	22	0.015	0.010 - 0.023	15	0.010	0.006 - 0.017
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	292	0.025	0.022 - 0.028	143	0.025	0.021 - 0.030	150	0.024	0.020 - 0.028
New Mexico	11	0.024	0.012 - 0.043	-	-	-	-	-	-
New York	772	0.026	0.024 - 0.028	370	0.027	0.024 - 0.030	401	0.025	0.023 - 0.028
North Carolina	498	0.022	0.020 - 0.024	244	0.023	0.020 - 0.026	254	0.021	0.019 - 0.024
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	315	0.020	0.018 - 0.023	155	0.021	0.018 - 0.024	160	0.020	0.017 - 0.023
Oklahoma	69	0.021	0.016 - 0.026	38	0.023	0.016 - 0.031	31	0.019	0.013 - 0.027
Oregon	17	0.017	0.010 - 0.027	-	-	-	-	-	-
Pennsylvania	356	0.024	0.022 - 0.027	173	0.025	0.021 - 0.029	183	0.024	0.021 - 0.028
Rhode Island	20	0.028	0.017 - 0.044	-	-	-	-	-	-
South Carolina	268	0.019	0.017 - 0.022	140	0.022	0.018 - 0.026	128	0.018	0.015 - 0.021
Tennessee	240	0.021	0.018 - 0.024	124	0.023	0.019 - 0.027	116	0.019	0.016 - 0.023
Texas	663	0.019	0.018 - 0.021	367	0.022	0.020 - 0.024	296	0.017	0.015 - 0.019
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	347	0.021	0.019 - 0.023	171	0.021	0.018 - 0.025	176	0.020	0.017 - 0.023
Washington ³	84	0.024	0.019 - 0.030	45	0.024	0.018 - 0.032	39	0.024	0.017 - 0.033
WA - Seattle	73	0.024	0.019 - 0.030	40	0.025	0.018 - 0.034	33	0.023	0.016 - 0.033
West Virginia	16	0.022	0.013 - 0.036	-	-	-	-	-	-
Wisconsin	95	0.024	0.019 - 0.029	56	0.028	0.021 - 0.037	39	0.019	0.014 - 0.026
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	31,452	0.075	0.074 - 0.075	15,893	0.079	0.077 - 0.080	15,562	0.071	0.070 - 0.072
Alabama	855	0.065	0.061 - 0.070	416	0.068	0.062 - 0.075	439	0.063	0.057 - 0.069
Alaska	18	0.056	0.033 - 0.088	-	-	-	-	-	-
Arizona	165	0.049	0.042 - 0.057	98	0.056	0.046 - 0.069	67	0.042	0.032 - 0.053
Arkansas	314	0.066	0.059 - 0.073	159	0.070	0.059 - 0.081	155	0.062	0.053 - 0.072
California	2,054	0.084	0.081 - 0.088	1,097	0.091	0.086 - 0.096	957	0.078	0.073 - 0.083
CA - Greater California	786	0.069	0.065 - 0.075	436	0.075	0.068 - 0.082	350	0.064	0.057 - 0.071
CA - Greater Bay Area	509	0.114	0.104 - 0.124	271	0.123	0.108 - 0.138	238	0.106	0.093 - 0.120
CA - Los Angeles	759	0.089	0.083 - 0.095	390	0.097	0.087 - 0.107	369	0.082	0.074 - 0.090
Colorado	189	0.074	0.064 - 0.085	111	0.081	0.067 - 0.098	78	0.065	0.051 - 0.081
Connecticut	309	0.081	0.072 - 0.090	163	0.089	0.076 - 0.104	145	0.073	0.062 - 0.086
Delaware	193	0.089	0.077 - 0.103	93	0.091	0.074 - 0.112	100	0.088	0.071 - 0.107
District of Columbia	319	0.098	0.088 - 0.110	158	0.107	0.091 - 0.126	161	0.091	0.077 - 0.106
Florida	2,384	0.071	0.069 - 0.074	1,214	0.076	0.071 - 0.080	1,170	0.068	0.064 - 0.072
Georgia	2,350	0.071	0.068 - 0.074	1,217	0.079	0.074 - 0.083	1,132	0.064	0.061 - 0.068
Hawaii	15	0.040	0.022 - 0.066	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,453	0.078	0.074 - 0.082	720	0.082	0.076 - 0.088	733	0.074	0.069 - 0.079
Iowa	66	0.050	0.038 - 0.063	40	0.057	0.041 - 0.077	26	0.042	0.027 - 0.061
Kentucky	264	0.068	0.060 - 0.077	142	0.074	0.062 - 0.087	122	0.063	0.052 - 0.075
Louisiana	1,085	0.071	0.067 - 0.075	528	0.073	0.067 - 0.079	557	0.069	0.064 - 0.075
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,458	0.079	0.075 - 0.083	683	0.080	0.074 - 0.086	775	0.079	0.074 - 0.085
Michigan	1,176	0.081	0.076 - 0.086	568	0.082	0.075 - 0.089	608	0.080	0.074 - 0.086
MI - Detroit	882	0.090	0.084 - 0.096	415	0.092	0.083 - 0.101	467	0.088	0.080 - 0.097
Minnesota	215	0.056	0.049 - 0.064	125	0.064	0.053 - 0.076	90	0.048	0.038 - 0.059
Mississippi	710	0.063	0.058 - 0.067	345	0.065	0.058 - 0.072	365	0.061	0.055 - 0.067
Missouri	584	0.078	0.072 - 0.084	283	0.079	0.070 - 0.089	301	0.077	0.068 - 0.086
Montana	-	-	-	-	-	-	-	-	-
Nebraska	71	0.069	0.054 - 0.087	34	0.064	0.044 - 0.089	37	0.074	0.052 - 0.101
Nevada	143	0.050	0.042 - 0.059	72	0.050	0.039 - 0.063	71	0.049	0.038 - 0.062
New Hampshire	10	0.045	0.022 - 0.084	-	-	-	-	-	-
New Jersey	986	0.083	0.078 - 0.088	501	0.089	0.082 - 0.097	485	0.077	0.070 - 0.084
New Mexico	32	0.071	0.048 - 0.100	20	0.079	0.048 - 0.121	12	0.060	0.031 - 0.106
New York	2,705	0.091	0.088 - 0.095	1,320	0.096	0.090 - 0.101	1,385	0.088	0.083 - 0.092
North Carolina	1,827	0.081	0.077 - 0.085	897	0.085	0.079 - 0.091	930	0.077	0.073 - 0.083
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,139	0.073	0.069 - 0.077	585	0.078	0.072 - 0.085	554	0.068	0.063 - 0.074
Oklahoma	202	0.061	0.053 - 0.070	107	0.064	0.053 - 0.078	95	0.057	0.046 - 0.070
Oregon	53	0.052	0.039 - 0.069	33	0.061	0.042 - 0.086	20	0.042	0.026 - 0.066
Pennsylvania	1,272	0.087	0.082 - 0.092	654	0.093	0.086 - 0.100	618	0.082	0.075 - 0.088
Rhode Island	35	0.050	0.035 - 0.069	20	0.057	0.035 - 0.088	15	0.042	0.024 - 0.070
South Carolina	862	0.063	0.059 - 0.067	452	0.070	0.064 - 0.077	410	0.056	0.051 - 0.062
Tennessee	754	0.065	0.061 - 0.070	377	0.069	0.062 - 0.076	377	0.062	0.056 - 0.068
Texas	2,342	0.068	0.065 - 0.071	1,165	0.070	0.066 - 0.074	1,177	0.066	0.063 - 0.070
Utah	23	0.053	0.034 - 0.080	13	0.053	0.028 - 0.090	10	0.053	0.026 - 0.098
Vermont	-	-	-	-	-	-	-	-	-
Virginia	1,281	0.076	0.072 - 0.081	645	0.080	0.074 - 0.086	636	0.073	0.067 - 0.079
Washington ³	236	0.068	0.060 - 0.077	140	0.075	0.063 - 0.089	97	0.060	0.048 - 0.073
WA - Seattle	216	0.072	0.062 - 0.082	130	0.081	0.068 - 0.096	87	0.061	0.049 - 0.075
West Virginia	54	0.074	0.056 - 0.097	33	0.084	0.058 - 0.118	21	0.063	0.039 - 0.096
Wisconsin	267	0.067	0.059 - 0.075	123	0.062	0.052 - 0.075	144	0.071	0.060 - 0.083
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	23,460	0.056	0.055 - 0.056	11,295	0.056	0.055 - 0.057	12,165	0.055	0.054 - 0.056
Alabama	703	0.053	0.050 - 0.058	322	0.053	0.047 - 0.059	381	0.054	0.049 - 0.060
Alaska	-	-	-	-	-	-	-	-	-
Arizona	126	0.038	0.031 - 0.045	67	0.039	0.030 - 0.049	59	0.037	0.028 - 0.047
Arkansas	286	0.060	0.053 - 0.067	128	0.056	0.047 - 0.067	158	0.063	0.054 - 0.074
California	1,399	0.058	0.055 - 0.061	754	0.062	0.058 - 0.067	645	0.053	0.049 - 0.057
CA - Greater California	556	0.049	0.045 - 0.053	300	0.051	0.046 - 0.058	256	0.047	0.041 - 0.053
CA - Greater Bay Area	320	0.072	0.064 - 0.080	182	0.082	0.071 - 0.095	138	0.061	0.051 - 0.072
CA - Los Angeles	525	0.061	0.056 - 0.067	274	0.068	0.060 - 0.077	251	0.056	0.049 - 0.063
Colorado	122	0.048	0.040 - 0.057	78	0.057	0.045 - 0.071	44	0.037	0.027 - 0.049
Connecticut	261	0.068	0.060 - 0.077	136	0.075	0.063 - 0.088	125	0.063	0.052 - 0.075
Delaware	146	0.068	0.057 - 0.080	77	0.076	0.060 - 0.094	69	0.061	0.047 - 0.077
District of Columbia	187	0.058	0.050 - 0.066	85	0.058	0.046 - 0.071	102	0.057	0.047 - 0.070
Florida	1,922	0.058	0.055 - 0.060	928	0.058	0.054 - 0.062	994	0.057	0.054 - 0.061
Georgia	1,851	0.056	0.053 - 0.059	855	0.055	0.052 - 0.059	996	0.057	0.053 - 0.060
Hawaii	11	0.029	0.015 - 0.053	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,078	0.058	0.054 - 0.061	511	0.058	0.053 - 0.063	567	0.057	0.053 - 0.062
Iowa	56	0.042	0.032 - 0.055	26	0.037	0.024 - 0.054	30	0.048	0.032 - 0.069
Kentucky	192	0.050	0.043 - 0.057	99	0.051	0.042 - 0.063	93	0.048	0.038 - 0.058
Louisiana	792	0.052	0.048 - 0.055	383	0.053	0.048 - 0.058	408	0.051	0.046 - 0.056
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,019	0.055	0.052 - 0.059	464	0.054	0.049 - 0.059	555	0.057	0.052 - 0.061
Michigan	789	0.054	0.051 - 0.058	383	0.055	0.050 - 0.061	406	0.053	0.048 - 0.059
MI - Detroit	616	0.063	0.058 - 0.068	297	0.066	0.059 - 0.074	319	0.060	0.054 - 0.067
Minnesota	104	0.027	0.022 - 0.033	50	0.025	0.019 - 0.034	54	0.029	0.022 - 0.037
Mississippi	552	0.049	0.045 - 0.053	243	0.046	0.040 - 0.052	309	0.052	0.046 - 0.058
Missouri	393	0.052	0.047 - 0.058	185	0.052	0.045 - 0.060	208	0.053	0.046 - 0.061
Montana	-	-	-	-	-	-	-	-	-
Nebraska	48	0.046	0.034 - 0.062	24	0.045	0.029 - 0.067	24	0.048	0.031 - 0.071
Nevada	60	0.021	0.016 - 0.027	30	0.021	0.014 - 0.030	30	0.021	0.014 - 0.030
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	757	0.064	0.059 - 0.068	342	0.061	0.054 - 0.068	415	0.066	0.060 - 0.073
New Mexico	15	0.033	0.019 - 0.055	-	-	-	-	-	-
New York	2,159	0.073	0.070 - 0.076	1,001	0.072	0.068 - 0.077	1,159	0.073	0.069 - 0.078
North Carolina	1,471	0.065	0.062 - 0.069	715	0.068	0.063 - 0.073	756	0.063	0.059 - 0.068
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	772	0.050	0.046 - 0.053	388	0.052	0.047 - 0.057	384	0.047	0.043 - 0.052
Oklahoma	149	0.045	0.038 - 0.053	74	0.045	0.035 - 0.056	75	0.045	0.036 - 0.057
Oregon	33	0.033	0.022 - 0.046	22	0.041	0.026 - 0.062	11	0.023	0.012 - 0.042
Pennsylvania	845	0.058	0.054 - 0.062	380	0.054	0.049 - 0.060	465	0.061	0.056 - 0.067
Rhode Island	41	0.058	0.042 - 0.079	23	0.066	0.042 - 0.098	18	0.051	0.030 - 0.080
South Carolina	852	0.062	0.058 - 0.066	403	0.063	0.057 - 0.069	449	0.061	0.056 - 0.067
Tennessee	555	0.048	0.044 - 0.052	266	0.049	0.043 - 0.055	289	0.047	0.042 - 0.053
Texas	1,736	0.050	0.048 - 0.053	837	0.050	0.047 - 0.054	899	0.051	0.047 - 0.054
Utah	13	0.030	0.016 - 0.051	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	832	0.050	0.046 - 0.053	415	0.051	0.047 - 0.057	417	0.048	0.043 - 0.053
Washington ³	142	0.041	0.034 - 0.048	82	0.044	0.035 - 0.055	60	0.037	0.028 - 0.048
WA - Seattle	128	0.042	0.035 - 0.050	71	0.044	0.035 - 0.056	57	0.040	0.030 - 0.052
West Virginia	46	0.063	0.046 - 0.084	24	0.061	0.039 - 0.091	22	0.066	0.041 - 0.099
Wisconsin	228	0.057	0.050 - 0.065	115	0.058	0.048 - 0.070	113	0.056	0.046 - 0.067
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	19,025	0.045	0.044 - 0.046	10,217	0.051	0.050 - 0.052	8,810	0.040	0.039 - 0.041
Alabama	517	0.039	0.036 - 0.043	283	0.046	0.041 - 0.052	234	0.033	0.029 - 0.038
Alaska	15	0.047	0.026 - 0.077	-	-	-	-	-	-
Arizona	86	0.026	0.021 - 0.032	42	0.024	0.017 - 0.033	44	0.027	0.020 - 0.037
Arkansas	199	0.042	0.036 - 0.048	116	0.051	0.042 - 0.061	83	0.033	0.026 - 0.041
California	1,222	0.050	0.047 - 0.053	710	0.059	0.055 - 0.063	512	0.042	0.038 - 0.046
CA - Greater California	506	0.045	0.041 - 0.049	317	0.054	0.049 - 0.061	190	0.035	0.030 - 0.040
CA - Greater Bay Area	254	0.057	0.050 - 0.064	152	0.069	0.058 - 0.081	102	0.045	0.037 - 0.055
CA - Los Angeles	461	0.054	0.049 - 0.059	241	0.060	0.052 - 0.068	221	0.049	0.043 - 0.056
Colorado	110	0.043	0.035 - 0.052	62	0.045	0.035 - 0.058	48	0.040	0.030 - 0.053
Connecticut	162	0.042	0.036 - 0.049	88	0.048	0.039 - 0.060	73	0.037	0.029 - 0.046
Delaware	104	0.048	0.039 - 0.058	56	0.055	0.042 - 0.071	48	0.042	0.031 - 0.056
District of Columbia	131	0.040	0.034 - 0.048	70	0.048	0.037 - 0.060	61	0.034	0.026 - 0.044
Florida	1,660	0.050	0.047 - 0.052	881	0.055	0.051 - 0.059	779	0.045	0.042 - 0.048
Georgia	1,395	0.042	0.040 - 0.044	715	0.046	0.043 - 0.050	679	0.039	0.036 - 0.042
Hawaii	15	0.040	0.022 - 0.066	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	881	0.047	0.044 - 0.050	471	0.054	0.049 - 0.059	410	0.041	0.037 - 0.046
Iowa	48	0.036	0.027 - 0.048	25	0.036	0.023 - 0.052	23	0.037	0.023 - 0.055
Kentucky	168	0.043	0.037 - 0.050	94	0.049	0.040 - 0.060	74	0.038	0.030 - 0.048
Louisiana	699	0.046	0.042 - 0.049	386	0.053	0.048 - 0.059	313	0.039	0.035 - 0.044
Maine	-	-	-	-	-	-	-	-	-
Maryland	842	0.046	0.043 - 0.049	426	0.050	0.045 - 0.055	416	0.042	0.038 - 0.047
Michigan	669	0.046	0.043 - 0.050	358	0.052	0.047 - 0.057	311	0.041	0.036 - 0.046
MI - Detroit	544	0.055	0.051 - 0.060	299	0.066	0.059 - 0.074	246	0.046	0.041 - 0.053
Minnesota	124	0.032	0.027 - 0.038	69	0.035	0.027 - 0.044	55	0.029	0.022 - 0.038
Mississippi	457	0.040	0.037 - 0.044	254	0.048	0.042 - 0.054	203	0.034	0.029 - 0.039
Missouri	369	0.049	0.044 - 0.054	177	0.049	0.042 - 0.057	192	0.049	0.042 - 0.056
Montana	-	-	-	-	-	-	-	-	-
Nebraska	42	0.041	0.029 - 0.055	21	0.040	0.024 - 0.060	21	0.042	0.026 - 0.064
Nevada	83	0.029	0.023 - 0.036	46	0.032	0.024 - 0.043	37	0.026	0.018 - 0.035
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	652	0.055	0.051 - 0.059	363	0.064	0.058 - 0.071	289	0.046	0.041 - 0.052
New Mexico	19	0.041	0.025 - 0.065	-	-	-	-	-	-
New York	1,492	0.050	0.048 - 0.053	764	0.055	0.051 - 0.059	728	0.046	0.043 - 0.049
North Carolina	1,132	0.050	0.047 - 0.053	603	0.057	0.053 - 0.062	529	0.044	0.040 - 0.048
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	571	0.037	0.034 - 0.040	303	0.040	0.036 - 0.045	268	0.033	0.029 - 0.037
Oklahoma	142	0.043	0.036 - 0.050	79	0.048	0.038 - 0.059	63	0.038	0.029 - 0.049
Oregon	41	0.041	0.029 - 0.055	26	0.048	0.031 - 0.071	15	0.032	0.018 - 0.053
Pennsylvania	676	0.046	0.043 - 0.050	356	0.051	0.046 - 0.056	320	0.042	0.038 - 0.047
Rhode Island	28	0.040	0.026 - 0.057	17	0.048	0.028 - 0.078	11	0.031	0.016 - 0.056
South Carolina	585	0.043	0.039 - 0.046	300	0.047	0.041 - 0.052	285	0.039	0.035 - 0.044
Tennessee	471	0.041	0.037 - 0.045	256	0.047	0.041 - 0.053	215	0.035	0.031 - 0.040
Texas	1,526	0.044	0.042 - 0.047	828	0.050	0.046 - 0.053	698	0.039	0.036 - 0.042
Utah	16	0.037	0.021 - 0.060	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	627	0.037	0.034 - 0.040	331	0.041	0.037 - 0.046	296	0.034	0.030 - 0.038
Washington ³	151	0.043	0.037 - 0.051	95	0.051	0.041 - 0.063	56	0.034	0.026 - 0.045
WA - Seattle	135	0.045	0.037 - 0.053	84	0.052	0.042 - 0.065	51	0.036	0.027 - 0.047
West Virginia	42	0.058	0.042 - 0.078	23	0.059	0.037 - 0.088	19	0.057	0.034 - 0.088
Wisconsin	252	0.063	0.055 - 0.071	140	0.071	0.060 - 0.084	112	0.055	0.045 - 0.066
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Non-Hispanic Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	297	0.001	0.001 - 0.001	185	0.001	0.001 - 0.001	112	0.001	0.000 - 0.001
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	22	0.001	0.001 - 0.001	-	-		-	-	
CA - Greater California	13	0.001	0.001 - 0.002	-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	19	0.001	0.000 - 0.001	-	-		-	-	
Georgia	11	0.000	0.000 - 0.001	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	11	0.001	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	26	0.002	0.001 - 0.002	15	0.002	0.001 - 0.003	11	0.001	0.001 - 0.002
Maine	-	-		-	-		-	-	
Maryland	13	0.001	0.000 - 0.001	-	-		-	-	
Michigan	15	0.001	0.001 - 0.002	-	-		-	-	
MI - Detroit	10	0.001	0.000 - 0.002	-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	13	0.001	0.001 - 0.002	-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	23	0.001	0.000 - 0.001	-	-		-	-	
North Carolina	14	0.001	0.000 - 0.001	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	10	0.001	0.000 - 0.001	-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	15	0.001	0.001 - 0.002	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	10	0.001	0.000 - 0.001	-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	24	0.001	0.000 - 0.001	14	0.001	0.000 - 0.001	10	0.001	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	15	0.001	0.000 - 0.001	15	0.002	0.001 - 0.003	-	-	
Washington ³	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	712,895	1.232	1.229 - 1.235	320,390	1.097	1.093 - 1.101	392,514	1.371	1.366 - 1.375
Alabama	1,291	0.620	0.586 - 0.654	612	0.552	0.509 - 0.598	679	0.696	0.645 - 0.751
Alaska	425	0.808	0.733 - 0.888	173	0.625	0.535 - 0.726	252	1.011	0.890 - 1.144
Arizona	23,204	1.061	1.047 - 1.074	9,693	0.881	0.863 - 0.898	13,511	1.243	1.222 - 1.264
Arkansas	1,659	0.742	0.707 - 0.779	747	0.637	0.592 - 0.685	912	0.858	0.803 - 0.915
California	183,029	1.195	1.189 - 1.200	81,249	1.054	1.047 - 1.062	101,780	1.337	1.329 - 1.345
CA - Greater California	95,930	1.128	1.121 - 1.135	42,551	0.992	0.982 - 1.001	53,379	1.266	1.256 - 1.277
CA - Greater Bay Area	24,968	1.312	1.295 - 1.328	11,463	1.186	1.164 - 1.208	13,505	1.441	1.417 - 1.466
CA - Los Angeles	62,289	1.269	1.259 - 1.279	27,312	1.115	1.102 - 1.129	34,977	1.422	1.407 - 1.437
Colorado	14,662	1.225	1.205 - 1.245	6,433	1.055	1.029 - 1.081	8,229	1.401	1.371 - 1.432
Connecticut	8,621	1.521	1.489 - 1.553	3,699	1.310	1.268 - 1.353	4,922	1.730	1.682 - 1.779
Delaware	992	1.137	1.067 - 1.210	468	1.052	0.958 - 1.151	524	1.226	1.123 - 1.336
District of Columbia	790	1.038	0.967 - 1.113	383	0.990	0.893 - 1.094	407	1.088	0.985 - 1.200
Florida	98,277	1.861	1.850 - 1.873	46,176	1.771	1.755 - 1.787	52,101	1.949	1.933 - 1.966
Georgia	8,363	0.850	0.831 - 0.868	3,638	0.706	0.683 - 0.729	4,725	1.007	0.978 - 1.036
Hawaii	1,774	1.236	1.179 - 1.295	755	1.023	0.952 - 1.099	1,019	1.460	1.372 - 1.552
Idaho	1,818	0.855	0.816 - 0.895	797	0.727	0.678 - 0.779	1,020	0.991	0.931 - 1.053
Illinois	26,700	1.222	1.207 - 1.237	12,230	1.093	1.074 - 1.113	14,470	1.357	1.335 - 1.379
Iowa	1,310	0.702	0.664 - 0.741	578	0.594	0.547 - 0.645	732	0.818	0.760 - 0.880
Kentucky	911	0.563	0.527 - 0.600	472	0.539	0.492 - 0.590	439	0.590	0.536 - 0.648
Louisiana	2,658	1.116	1.074 - 1.160	1,344	1.054	0.999 - 1.112	1,314	1.188	1.124 - 1.254
Maine	168	0.773	0.661 - 0.899	72	0.655	0.512 - 0.825	96	0.894	0.724 - 1.092
Maryland	3,822	0.639	0.619 - 0.660	1,626	0.524	0.498 - 0.550	2,196	0.764	0.732 - 0.796
Michigan	4,927	0.979	0.952 - 1.007	2,346	0.917	0.880 - 0.955	2,581	1.044	1.004 - 1.085
MI - Detroit	2,530	1.426	1.371 - 1.483	1,091	1.218	1.146 - 1.292	1,438	1.640	1.556 - 1.727
Minnesota	2,859	0.963	0.928 - 0.999	1,231	0.799	0.755 - 0.845	1,628	1.141	1.086 - 1.198
Mississippi	566	0.596	0.548 - 0.647	293	0.551	0.490 - 0.618	273	0.653	0.577 - 0.735
Missouri	2,013	0.796	0.762 - 0.832	875	0.669	0.625 - 0.715	1,138	0.932	0.879 - 0.988
Montana	428	1.072	0.973 - 1.179	185	0.900	0.775 - 1.040	243	1.255	1.102 - 1.424
Nebraska	1,707	0.826	0.788 - 0.866	795	0.737	0.687 - 0.790	912	0.924	0.865 - 0.986
Nevada	7,880	0.935	0.914 - 0.956	3,510	0.821	0.794 - 0.849	4,370	1.052	1.021 - 1.083
New Hampshire	538	1.096	1.006 - 1.193	252	1.005	0.885 - 1.137	286	1.192	1.058 - 1.338
New Jersey	28,257	1.585	1.567 - 1.604	12,984	1.454	1.429 - 1.479	15,272	1.718	1.691 - 1.745
New Mexico	16,064	1.576	1.552 - 1.600	7,152	1.413	1.381 - 1.446	8,912	1.736	1.701 - 1.773
New York	65,704	1.765	1.751 - 1.778	30,362	1.654	1.636 - 1.673	35,342	1.873	1.853 - 1.892
North Carolina	5,442	0.573	0.558 - 0.588	2,516	0.510	0.490 - 0.530	2,926	0.641	0.618 - 0.664
North Dakota	110	0.393	0.323 - 0.474	51	0.339	0.253 - 0.446	59	0.455	0.346 - 0.587
Ohio	3,332	0.762	0.736 - 0.788	1,622	0.722	0.688 - 0.758	1,710	0.804	0.766 - 0.843
Oklahoma	3,142	0.758	0.732 - 0.785	1,355	0.626	0.593 - 0.660	1,787	0.903	0.862 - 0.946
Oregon	4,660	0.876	0.851 - 0.902	2,020	0.734	0.702 - 0.767	2,640	1.029	0.990 - 1.069
Pennsylvania	10,053	1.093	1.072 - 1.115	4,652	0.992	0.964 - 1.021	5,401	1.198	1.166 - 1.230
Rhode Island	1,640	1.017	0.969 - 1.068	724	0.893	0.829 - 0.960	916	1.144	1.071 - 1.220
South Carolina	1,656	0.592	0.563 - 0.621	804	0.540	0.503 - 0.579	852	0.650	0.607 - 0.696
Tennessee	2,360	0.657	0.631 - 0.684	1,087	0.573	0.540 - 0.608	1,273	0.752	0.711 - 0.794
Texas	129,259	1.170	1.164 - 1.177	57,191	1.029	1.020 - 1.037	72,068	1.314	1.304 - 1.323
Utah	4,195	0.979	0.949 - 1.009	1,794	0.816	0.779 - 0.855	2,401	1.149	1.104 - 1.196
Vermont	95	0.800	0.647 - 0.978	45	0.737	0.538 - 0.986	50	0.867	0.643 - 1.143
Virginia	6,429	0.820	0.800 - 0.841	2,550	0.630	0.606 - 0.655	3,879	1.023	0.991 - 1.056
Washington ³	8,318	0.896	0.877 - 0.916	3,532	0.736	0.712 - 0.760	4,787	1.069	1.039 - 1.099
WA - Seattle	5,081	1.018	0.990 - 1.046	2,115	0.815	0.781 - 0.851	2,967	1.237	1.193 - 1.283
West Virginia	186	0.641	0.553 - 0.741	100	0.643	0.523 - 0.782	86	0.640	0.512 - 0.790
Wisconsin	3,366	0.863	0.834 - 0.893	1,555	0.773	0.735 - 0.812	1,811	0.960	0.916 - 1.005
Wyoming	610	1.056	0.974 - 1.143	284	0.932	0.827 - 1.047	327	1.193	1.067 - 1.330

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	13,933	0.024	0.024 - 0.024	9,091	0.031	0.030 - 0.032	4,842	0.017	0.016 - 0.017
Alabama	26	0.012	0.008 - 0.018	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	388	0.018	0.016 - 0.020	244	0.022	0.019 - 0.025	144	0.013	0.011 - 0.016
Arkansas	33	0.015	0.010 - 0.021	23	0.020	0.012 - 0.029	10	0.009	0.005 - 0.017
California	3,290	0.021	0.021 - 0.022	2,099	0.027	0.026 - 0.028	1,190	0.016	0.015 - 0.017
CA - Greater California	1,714	0.020	0.019 - 0.021	1,108	0.026	0.024 - 0.027	606	0.014	0.013 - 0.016
CA - Greater Bay Area	475	0.025	0.023 - 0.027	311	0.032	0.029 - 0.036	164	0.017	0.015 - 0.020
CA - Los Angeles	1,101	0.022	0.021 - 0.024	682	0.028	0.026 - 0.030	419	0.017	0.015 - 0.019
Colorado	320	0.027	0.024 - 0.030	207	0.034	0.029 - 0.039	113	0.019	0.016 - 0.023
Connecticut	186	0.033	0.028 - 0.038	112	0.040	0.033 - 0.048	74	0.026	0.021 - 0.033
Delaware	17	0.019	0.011 - 0.031	-	-	-	-	-	-
District of Columbia	16	0.021	0.012 - 0.034	-	-	-	-	-	-
Florida	2,245	0.043	0.041 - 0.044	1,545	0.059	0.056 - 0.062	700	0.026	0.024 - 0.028
Georgia	160	0.016	0.014 - 0.019	100	0.019	0.016 - 0.024	60	0.013	0.010 - 0.016
Hawaii	52	0.036	0.027 - 0.048	34	0.046	0.032 - 0.064	18	0.026	0.015 - 0.041
Idaho	36	0.017	0.012 - 0.023	18	0.016	0.010 - 0.026	18	0.017	0.010 - 0.028
Illinois	520	0.024	0.022 - 0.026	340	0.030	0.027 - 0.034	180	0.017	0.015 - 0.020
Iowa	25	0.014	0.009 - 0.020	-	-	-	-	-	-
Kentucky	15	0.009	0.005 - 0.015	-	-	-	-	-	-
Louisiana	74	0.031	0.025 - 0.039	52	0.041	0.031 - 0.054	22	0.020	0.012 - 0.030
Maine	-	-	-	-	-	-	-	-	-
Maryland	69	0.012	0.009 - 0.015	44	0.014	0.010 - 0.019	25	0.009	0.006 - 0.013
Michigan	101	0.020	0.016 - 0.024	68	0.027	0.021 - 0.034	33	0.013	0.009 - 0.019
MI - Detroit	54	0.030	0.023 - 0.040	35	0.039	0.027 - 0.054	19	0.022	0.013 - 0.034
Minnesota	66	0.022	0.017 - 0.028	39	0.025	0.018 - 0.035	27	0.019	0.012 - 0.028
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	44	0.017	0.013 - 0.023	33	0.025	0.017 - 0.035	11	0.009	0.004 - 0.016
Montana	-	-	-	-	-	-	-	-	-
Nebraska	39	0.019	0.013 - 0.026	26	0.024	0.016 - 0.035	13	0.013	0.007 - 0.023
Nevada	136	0.016	0.014 - 0.019	94	0.022	0.018 - 0.027	42	0.010	0.007 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	532	0.030	0.027 - 0.033	340	0.038	0.034 - 0.042	193	0.022	0.019 - 0.025
New Mexico	310	0.030	0.027 - 0.034	202	0.040	0.035 - 0.046	107	0.021	0.017 - 0.025
New York	1,342	0.036	0.034 - 0.038	867	0.047	0.044 - 0.050	474	0.025	0.023 - 0.028
North Carolina	118	0.012	0.010 - 0.015	84	0.017	0.014 - 0.021	34	0.007	0.005 - 0.010
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	64	0.015	0.011 - 0.019	40	0.018	0.013 - 0.024	24	0.011	0.007 - 0.017
Oklahoma	73	0.018	0.014 - 0.022	47	0.022	0.016 - 0.029	26	0.013	0.009 - 0.019
Oregon	91	0.017	0.014 - 0.021	58	0.021	0.016 - 0.027	33	0.013	0.009 - 0.018
Pennsylvania	201	0.022	0.019 - 0.025	132	0.028	0.024 - 0.033	69	0.015	0.012 - 0.019
Rhode Island	36	0.022	0.016 - 0.031	25	0.031	0.020 - 0.046	11	0.014	0.007 - 0.025
South Carolina	29	0.010	0.007 - 0.015	-	-	-	-	-	-
Tennessee	56	0.016	0.012 - 0.020	43	0.023	0.016 - 0.031	13	0.008	0.004 - 0.013
Texas	2,414	0.022	0.021 - 0.023	1,559	0.028	0.027 - 0.029	855	0.016	0.015 - 0.017
Utah	59	0.014	0.010 - 0.018	37	0.017	0.012 - 0.023	22	0.011	0.007 - 0.016
Vermont	-	-	-	-	-	-	-	-	-
Virginia	123	0.016	0.013 - 0.019	68	0.017	0.013 - 0.021	55	0.015	0.011 - 0.019
Washington ³	181	0.019	0.017 - 0.023	126	0.026	0.022 - 0.031	55	0.012	0.009 - 0.016
WA - Seattle	123	0.025	0.020 - 0.029	88	0.034	0.027 - 0.042	35	0.015	0.010 - 0.020
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	59	0.015	0.012 - 0.020	38	0.019	0.013 - 0.026	21	0.011	0.007 - 0.017
Wyoming	14	0.024	0.013 - 0.041	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,192	0.004	0.004 - 0.004	1,700	0.006	0.006 - 0.006	491	0.002	0.002 - 0.002
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	77	0.004	0.003 - 0.004	61	0.006	0.004 - 0.007	16	0.001	0.001 - 0.002
Arkansas	-	-	-	-	-	-	-	-	-
California	495	0.003	0.003 - 0.004	380	0.005	0.004 - 0.005	115	0.002	0.001 - 0.002
CA - Greater California	272	0.003	0.003 - 0.004	203	0.005	0.004 - 0.005	69	0.002	0.001 - 0.002
CA - Greater Bay Area	71	0.004	0.003 - 0.005	51	0.005	0.004 - 0.007	20	0.002	0.001 - 0.003
CA - Los Angeles	150	0.003	0.003 - 0.004	126	0.005	0.004 - 0.006	24	0.001	0.001 - 0.001
Colorado	44	0.004	0.003 - 0.005	32	0.005	0.004 - 0.007	12	0.002	0.001 - 0.004
Connecticut	26	0.005	0.003 - 0.007	13	0.004	0.002 - 0.008	13	0.005	0.002 - 0.008
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	355	0.007	0.006 - 0.007	275	0.011	0.009 - 0.012	80	0.003	0.002 - 0.004
Georgia	28	0.003	0.002 - 0.004	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	76	0.003	0.003 - 0.004	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	10	0.004	0.002 - 0.008	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-
Michigan	24	0.005	0.003 - 0.007	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	10	0.004	0.002 - 0.007	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
Nevada	21	0.002	0.002 - 0.004	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	70	0.004	0.003 - 0.005	53	0.006	0.004 - 0.008	17	0.002	0.001 - 0.003
New Mexico	50	0.005	0.004 - 0.006	-	-	-	-	-	-
New York	199	0.005	0.005 - 0.006	142	0.008	0.007 - 0.009	57	0.003	0.002 - 0.004
North Carolina	17	0.002	0.001 - 0.003	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	13	0.003	0.002 - 0.005	13	0.006	0.003 - 0.010	-	-	-
Oklahoma	11	0.003	0.001 - 0.005	-	-	-	-	-	-
Oregon	23	0.004	0.003 - 0.006	-	-	-	-	-	-
Pennsylvania	32	0.003	0.002 - 0.005	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	403	0.004	0.003 - 0.004	315	0.006	0.005 - 0.006	88	0.002	0.001 - 0.002
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Virginia	22	0.003	0.002 - 0.004	-	-	-	-	-	-
Washington ³	30	0.003	0.002 - 0.005	-	-	-	-	-	-
WA - Seattle	16	0.003	0.002 - 0.005	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	12	0.003	0.002 - 0.005	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,022	0.019	0.019 - 0.019	5,856	0.020	0.020 - 0.021	5,167	0.018	0.018 - 0.019
Alabama	26	0.012	0.008 - 0.018	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	337	0.015	0.014 - 0.017	185	0.017	0.014 - 0.019	152	0.014	0.012 - 0.016
Arkansas	23	0.010	0.007 - 0.015	12	0.010	0.005 - 0.018	11	0.010	0.005 - 0.019
California	2,751	0.018	0.017 - 0.019	1,431	0.019	0.018 - 0.020	1,320	0.017	0.016 - 0.018
CA - Greater California	1,239	0.015	0.014 - 0.015	663	0.015	0.014 - 0.017	576	0.014	0.013 - 0.015
CA - Greater Bay Area	386	0.020	0.018 - 0.022	197	0.020	0.018 - 0.023	189	0.020	0.017 - 0.023
CA - Los Angeles	1,129	0.023	0.022 - 0.024	572	0.023	0.021 - 0.025	557	0.023	0.021 - 0.025
Colorado	184	0.015	0.013 - 0.018	95	0.016	0.013 - 0.019	89	0.015	0.012 - 0.019
Connecticut	161	0.028	0.024 - 0.033	89	0.032	0.025 - 0.039	72	0.025	0.020 - 0.032
Delaware	15	0.017	0.010 - 0.028	-	-	-	-	-	-
District of Columbia	21	0.028	0.017 - 0.042	-	-	-	-	-	-
Florida	1,319	0.025	0.024 - 0.026	740	0.028	0.026 - 0.030	579	0.022	0.020 - 0.024
Georgia	101	0.010	0.008 - 0.012	50	0.010	0.007 - 0.013	51	0.011	0.008 - 0.014
Hawaii	15	0.011	0.006 - 0.017	-	-	-	-	-	-
Idaho	13	0.006	0.003 - 0.011	-	-	-	-	-	-
Illinois	503	0.023	0.021 - 0.025	266	0.024	0.021 - 0.027	237	0.022	0.019 - 0.025
Iowa	26	0.014	0.009 - 0.021	14	0.014	0.008 - 0.024	13	0.014	0.007 - 0.024
Kentucky	13	0.008	0.004 - 0.013	-	-	-	-	-	-
Louisiana	41	0.017	0.012 - 0.023	26	0.020	0.013 - 0.030	15	0.014	0.008 - 0.023
Maine	-	-	-	-	-	-	-	-	-
Maryland	96	0.016	0.013 - 0.020	56	0.018	0.014 - 0.023	40	0.014	0.010 - 0.019
Michigan	60	0.012	0.009 - 0.015	40	0.016	0.011 - 0.021	20	0.008	0.005 - 0.012
MI - Detroit	19	0.011	0.006 - 0.017	-	-	-	-	-	-
Minnesota	52	0.018	0.013 - 0.023	28	0.018	0.012 - 0.026	24	0.017	0.011 - 0.025
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	27	0.011	0.007 - 0.016	17	0.013	0.008 - 0.021	10	0.008	0.004 - 0.015
Montana	-	-	-	-	-	-	-	-	-
Nebraska	24	0.012	0.007 - 0.017	14	0.013	0.007 - 0.022	10	0.010	0.005 - 0.019
Nevada	123	0.015	0.012 - 0.017	63	0.015	0.011 - 0.019	60	0.014	0.011 - 0.019
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	539	0.030	0.028 - 0.033	275	0.031	0.027 - 0.035	263	0.030	0.026 - 0.033
New Mexico	221	0.022	0.019 - 0.025	125	0.025	0.021 - 0.029	96	0.019	0.015 - 0.023
New York	1,237	0.033	0.031 - 0.035	621	0.034	0.031 - 0.037	615	0.033	0.030 - 0.035
North Carolina	117	0.012	0.010 - 0.015	68	0.014	0.011 - 0.017	49	0.011	0.008 - 0.014
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	44	0.010	0.007 - 0.014	22	0.010	0.006 - 0.015	22	0.010	0.006 - 0.016
Oklahoma	32	0.008	0.005 - 0.011	17	0.008	0.005 - 0.013	15	0.008	0.004 - 0.013
Oregon	69	0.013	0.010 - 0.016	40	0.015	0.010 - 0.020	29	0.011	0.008 - 0.016
Pennsylvania	164	0.018	0.015 - 0.021	91	0.019	0.016 - 0.024	73	0.016	0.013 - 0.020
Rhode Island	38	0.024	0.017 - 0.032	21	0.026	0.016 - 0.040	17	0.021	0.012 - 0.034
South Carolina	27	0.010	0.006 - 0.014	-	-	-	-	-	-
Tennessee	43	0.012	0.009 - 0.016	28	0.015	0.010 - 0.021	15	0.009	0.005 - 0.015
Texas	1,917	0.017	0.017 - 0.018	993	0.018	0.017 - 0.019	924	0.017	0.016 - 0.018
Utah	59	0.014	0.010 - 0.018	28	0.013	0.008 - 0.018	31	0.015	0.010 - 0.021
Vermont	-	-	-	-	-	-	-	-	-
Virginia	143	0.018	0.015 - 0.021	72	0.018	0.014 - 0.022	71	0.019	0.015 - 0.024
Washington ³	106	0.011	0.009 - 0.014	62	0.013	0.010 - 0.016	44	0.010	0.007 - 0.013
WA - Seattle	63	0.013	0.010 - 0.016	30	0.011	0.008 - 0.016	33	0.014	0.010 - 0.020
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	57	0.015	0.011 - 0.019	30	0.015	0.010 - 0.021	27	0.014	0.009 - 0.021
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	66,946	0.116	0.115 - 0.117	35,485	0.122	0.120 - 0.123	31,462	0.110	0.109 - 0.111
Alabama	111	0.053	0.044 - 0.064	58	0.052	0.040 - 0.068	53	0.054	0.041 - 0.071
Alaska	38	0.072	0.051 - 0.099	18	0.065	0.039 - 0.103	20	0.080	0.049 - 0.124
Arizona	2,252	0.103	0.099 - 0.107	1,206	0.110	0.103 - 0.116	1,046	0.096	0.090 - 0.102
Arkansas	138	0.062	0.052 - 0.073	73	0.062	0.049 - 0.078	65	0.061	0.047 - 0.078
California	17,499	0.114	0.113 - 0.116	9,157	0.119	0.116 - 0.121	8,342	0.110	0.107 - 0.112
CA - Greater California	9,148	0.108	0.105 - 0.110	4,853	0.113	0.110 - 0.116	4,295	0.102	0.099 - 0.105
CA - Greater Bay Area	2,319	0.122	0.117 - 0.127	1,204	0.125	0.118 - 0.132	1,115	0.119	0.112 - 0.126
CA - Los Angeles	6,042	0.123	0.120 - 0.126	3,107	0.127	0.122 - 0.131	2,935	0.119	0.115 - 0.124
Colorado	1,466	0.122	0.116 - 0.129	798	0.131	0.122 - 0.140	668	0.114	0.105 - 0.123
Connecticut	774	0.137	0.127 - 0.147	412	0.146	0.132 - 0.161	362	0.127	0.114 - 0.141
Delaware	90	0.103	0.083 - 0.127	44	0.099	0.072 - 0.133	46	0.108	0.079 - 0.144
District of Columbia	65	0.085	0.066 - 0.109	43	0.111	0.080 - 0.150	22	0.059	0.037 - 0.089
Florida	9,459	0.179	0.176 - 0.183	4,816	0.185	0.180 - 0.190	4,643	0.174	0.169 - 0.179
Georgia	654	0.066	0.061 - 0.072	338	0.066	0.059 - 0.073	315	0.067	0.060 - 0.075
Hawaii	181	0.126	0.108 - 0.146	90	0.122	0.098 - 0.150	90	0.129	0.104 - 0.159
Idaho	138	0.065	0.055 - 0.077	73	0.066	0.052 - 0.083	65	0.063	0.049 - 0.081
Illinois	2,351	0.108	0.103 - 0.112	1,249	0.112	0.106 - 0.118	1,102	0.103	0.097 - 0.110
Iowa	111	0.059	0.049 - 0.071	67	0.069	0.054 - 0.088	43	0.048	0.035 - 0.065
Kentucky	92	0.057	0.046 - 0.070	59	0.067	0.051 - 0.087	34	0.045	0.031 - 0.063
Louisiana	245	0.103	0.090 - 0.117	130	0.102	0.085 - 0.121	115	0.104	0.086 - 0.125
Maine	-	-	-	-	-	-	-	-	-
Maryland	308	0.051	0.046 - 0.058	170	0.055	0.047 - 0.064	138	0.048	0.040 - 0.057
Michigan	429	0.085	0.077 - 0.094	253	0.099	0.087 - 0.112	176	0.071	0.061 - 0.082
MI - Detroit	212	0.120	0.104 - 0.137	115	0.129	0.106 - 0.155	97	0.111	0.090 - 0.135
Minnesota	234	0.079	0.069 - 0.090	107	0.069	0.057 - 0.084	127	0.089	0.074 - 0.106
Mississippi	44	0.046	0.034 - 0.062	25	0.047	0.030 - 0.069	19	0.045	0.027 - 0.071
Missouri	180	0.071	0.061 - 0.082	99	0.076	0.062 - 0.092	81	0.066	0.053 - 0.082
Montana	41	0.103	0.074 - 0.140	22	0.105	0.065 - 0.159	20	0.101	0.062 - 0.157
Nebraska	159	0.077	0.065 - 0.090	87	0.081	0.065 - 0.099	72	0.073	0.057 - 0.092
Nevada	682	0.081	0.075 - 0.087	363	0.085	0.076 - 0.094	319	0.077	0.069 - 0.086
New Hampshire	46	0.094	0.069 - 0.125	23	0.092	0.058 - 0.138	23	0.096	0.061 - 0.144
New Jersey	2,504	0.140	0.135 - 0.146	1,286	0.144	0.136 - 0.152	1,217	0.137	0.129 - 0.145
New Mexico	1,647	0.162	0.154 - 0.170	863	0.171	0.159 - 0.182	784	0.153	0.142 - 0.164
New York	5,623	0.151	0.147 - 0.155	2,886	0.157	0.152 - 0.163	2,736	0.145	0.140 - 0.151
North Carolina	408	0.043	0.039 - 0.047	230	0.047	0.041 - 0.053	178	0.039	0.033 - 0.045
North Dakota	13	0.046	0.025 - 0.079	-	-	-	-	-	-
Ohio	337	0.077	0.069 - 0.086	183	0.081	0.070 - 0.094	154	0.072	0.061 - 0.085
Oklahoma	324	0.078	0.070 - 0.087	176	0.081	0.070 - 0.094	148	0.075	0.063 - 0.088
Oregon	393	0.074	0.067 - 0.082	214	0.078	0.068 - 0.089	179	0.070	0.060 - 0.081
Pennsylvania	869	0.094	0.088 - 0.101	479	0.102	0.093 - 0.112	390	0.086	0.078 - 0.096
Rhode Island	136	0.084	0.071 - 0.100	71	0.088	0.068 - 0.110	65	0.081	0.063 - 0.103
South Carolina	159	0.057	0.048 - 0.066	82	0.055	0.044 - 0.068	77	0.059	0.046 - 0.073
Tennessee	171	0.048	0.041 - 0.055	94	0.050	0.040 - 0.061	77	0.045	0.036 - 0.057
Texas	13,128	0.119	0.117 - 0.121	7,324	0.132	0.129 - 0.135	5,804	0.106	0.103 - 0.109
Utah	368	0.086	0.077 - 0.095	181	0.083	0.071 - 0.095	187	0.089	0.077 - 0.103
Vermont	-	-	-	-	-	-	-	-	-
Virginia	536	0.068	0.063 - 0.074	264	0.065	0.058 - 0.074	272	0.072	0.063 - 0.081
Washington ³	664	0.072	0.066 - 0.077	357	0.074	0.067 - 0.083	306	0.068	0.061 - 0.076
WA - Seattle	394	0.079	0.071 - 0.087	210	0.081	0.071 - 0.093	183	0.076	0.066 - 0.088
West Virginia	19	0.066	0.039 - 0.102	-	-	-	-	-	-
Wisconsin	274	0.070	0.062 - 0.079	144	0.072	0.060 - 0.084	130	0.069	0.058 - 0.082
Wyoming	67	0.117	0.090 - 0.148	43	0.140	0.101 - 0.189	25	0.091	0.059 - 0.134

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,926	0.019	0.019 - 0.019	7,541	0.026	0.025 - 0.026	3,386	0.012	0.011 - 0.012
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	397	0.018	0.016 - 0.020	269	0.024	0.022 - 0.028	128	0.012	0.010 - 0.014
Arkansas	29	0.013	0.009 - 0.019	17	0.014	0.008 - 0.023	12	0.011	0.006 - 0.020
California	2,918	0.019	0.018 - 0.020	2,006	0.026	0.025 - 0.027	912	0.012	0.011 - 0.013
CA - Greater California	1,540	0.018	0.017 - 0.019	1,085	0.025	0.024 - 0.027	456	0.011	0.010 - 0.012
CA - Greater Bay Area	475	0.025	0.023 - 0.027	327	0.034	0.030 - 0.038	148	0.016	0.013 - 0.019
CA - Los Angeles	904	0.018	0.017 - 0.020	594	0.024	0.022 - 0.026	310	0.013	0.011 - 0.014
Colorado	261	0.022	0.019 - 0.025	189	0.031	0.027 - 0.036	72	0.012	0.010 - 0.015
Connecticut	139	0.024	0.021 - 0.029	110	0.039	0.032 - 0.047	29	0.010	0.007 - 0.015
Delaware	11	0.013	0.006 - 0.023	-	-	-	-	-	-
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	1,010	0.019	0.018 - 0.020	695	0.027	0.025 - 0.029	315	0.012	0.011 - 0.013
Georgia	93	0.009	0.008 - 0.012	58	0.011	0.009 - 0.015	35	0.007	0.005 - 0.010
Hawaii	21	0.015	0.009 - 0.022	-	-	-	-	-	-
Idaho	19	0.009	0.005 - 0.014	-	-	-	-	-	-
Illinois	395	0.018	0.016 - 0.020	268	0.024	0.021 - 0.027	127	0.012	0.010 - 0.014
Iowa	21	0.011	0.007 - 0.017	-	-	-	-	-	-
Kentucky	17	0.011	0.006 - 0.017	-	-	-	-	-	-
Louisiana	36	0.015	0.011 - 0.021	26	0.020	0.013 - 0.030	10	0.009	0.004 - 0.017
Maine	-	-	-	-	-	-	-	-	-
Maryland	50	0.008	0.006 - 0.011	31	0.010	0.007 - 0.014	19	0.007	0.004 - 0.010
Michigan	91	0.018	0.015 - 0.022	68	0.027	0.021 - 0.034	23	0.009	0.006 - 0.014
MI - Detroit	21	0.012	0.008 - 0.018	-	-	-	-	-	-
Minnesota	41	0.014	0.010 - 0.019	29	0.019	0.013 - 0.027	12	0.008	0.004 - 0.015
Mississippi	12	0.013	0.007 - 0.022	-	-	-	-	-	-
Missouri	32	0.013	0.009 - 0.018	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	17	0.008	0.005 - 0.013	-	-	-	-	-	-
Nevada	91	0.011	0.009 - 0.013	64	0.015	0.012 - 0.019	27	0.006	0.004 - 0.009
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	275	0.015	0.014 - 0.017	178	0.020	0.017 - 0.023	97	0.011	0.009 - 0.013
New Mexico	257	0.025	0.022 - 0.029	195	0.039	0.033 - 0.044	62	0.012	0.009 - 0.015
New York	1,010	0.027	0.025 - 0.029	686	0.037	0.035 - 0.040	324	0.017	0.015 - 0.019
North Carolina	98	0.010	0.008 - 0.013	70	0.014	0.011 - 0.018	28	0.006	0.004 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	51	0.012	0.009 - 0.015	41	0.018	0.013 - 0.025	10	0.005	0.002 - 0.009
Oklahoma	37	0.009	0.006 - 0.012	22	0.010	0.006 - 0.015	15	0.008	0.004 - 0.013
Oregon	71	0.013	0.010 - 0.017	47	0.017	0.013 - 0.023	24	0.009	0.006 - 0.014
Pennsylvania	173	0.019	0.016 - 0.022	129	0.028	0.023 - 0.033	44	0.010	0.007 - 0.013
Rhode Island	17	0.011	0.006 - 0.017	-	-	-	-	-	-
South Carolina	12	0.004	0.002 - 0.007	-	-	-	-	-	-
Tennessee	38	0.011	0.007 - 0.015	21	0.011	0.007 - 0.017	17	0.010	0.006 - 0.016
Texas	2,557	0.023	0.022 - 0.024	1,759	0.032	0.030 - 0.033	798	0.015	0.014 - 0.016
Utah	69	0.016	0.012 - 0.020	50	0.023	0.017 - 0.030	19	0.009	0.005 - 0.014
Vermont	-	-	-	-	-	-	-	-	-
Virginia	67	0.009	0.007 - 0.011	38	0.009	0.007 - 0.013	29	0.008	0.005 - 0.011
Washington ³	129	0.014	0.012 - 0.017	92	0.019	0.015 - 0.024	37	0.008	0.006 - 0.011
WA - Seattle	80	0.016	0.013 - 0.020	61	0.024	0.018 - 0.030	19	0.008	0.005 - 0.012
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	66	0.017	0.013 - 0.022	49	0.024	0.018 - 0.032	17	0.009	0.005 - 0.014
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,291	0.011	0.011 - 0.011	2,926	0.010	0.010 - 0.010	3,366	0.012	0.011 - 0.012
Alabama	11	0.005	0.003 - 0.009	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	219	0.010	0.009 - 0.011	94	0.009	0.007 - 0.010	125	0.011	0.010 - 0.014
Arkansas	14	0.006	0.003 - 0.011	-	-	-	-	-	-
California	1,388	0.009	0.009 - 0.010	639	0.008	0.008 - 0.009	749	0.010	0.009 - 0.011
CA - Greater California	719	0.008	0.008 - 0.009	339	0.008	0.007 - 0.009	380	0.009	0.008 - 0.010
CA - Greater Bay Area	201	0.011	0.009 - 0.012	94	0.010	0.008 - 0.012	107	0.011	0.009 - 0.014
CA - Los Angeles	469	0.010	0.009 - 0.010	207	0.008	0.007 - 0.010	262	0.011	0.009 - 0.012
Colorado	119	0.010	0.008 - 0.012	52	0.009	0.006 - 0.011	67	0.011	0.009 - 0.014
Connecticut	76	0.013	0.011 - 0.017	29	0.010	0.007 - 0.015	47	0.017	0.012 - 0.022
Delaware	-	-	-	-	-	-	-	-	-
District of Columbia	11	0.014	0.007 - 0.026	-	-	-	-	-	-
Florida	1,063	0.020	0.019 - 0.021	513	0.020	0.018 - 0.021	550	0.021	0.019 - 0.022
Georgia	56	0.006	0.004 - 0.007	27	0.005	0.003 - 0.008	28	0.006	0.004 - 0.009
Hawaii	27	0.019	0.012 - 0.027	14	0.019	0.010 - 0.032	13	0.019	0.010 - 0.032
Idaho	-	-	-	-	-	-	-	-	-
Illinois	269	0.012	0.011 - 0.014	133	0.012	0.010 - 0.014	136	0.013	0.011 - 0.015
Iowa	-	-	-	-	-	-	-	-	-
Kentucky	11	0.007	0.003 - 0.012	-	-	-	-	-	-
Louisiana	19	0.008	0.005 - 0.012	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	42	0.007	0.005 - 0.009	15	0.005	0.003 - 0.008	27	0.009	0.006 - 0.014
Michigan	71	0.014	0.011 - 0.018	32	0.013	0.009 - 0.018	39	0.016	0.011 - 0.022
MI - Detroit	33	0.018	0.013 - 0.026	11	0.012	0.006 - 0.022	22	0.025	0.015 - 0.037
Minnesota	36	0.012	0.008 - 0.017	18	0.012	0.007 - 0.018	18	0.013	0.007 - 0.020
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	13	0.005	0.003 - 0.009	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	14	0.007	0.004 - 0.011	-	-	-	-	-	-
Nevada	71	0.008	0.007 - 0.011	26	0.006	0.004 - 0.009	45	0.011	0.008 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	255	0.014	0.013 - 0.016	113	0.013	0.010 - 0.015	141	0.016	0.013 - 0.019
New Mexico	112	0.011	0.009 - 0.013	44	0.009	0.006 - 0.012	68	0.013	0.010 - 0.017
New York	520	0.014	0.013 - 0.015	246	0.013	0.012 - 0.015	274	0.015	0.013 - 0.016
North Carolina	76	0.008	0.006 - 0.010	25	0.005	0.003 - 0.007	51	0.011	0.008 - 0.015
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	22	0.005	0.003 - 0.008	10	0.004	0.002 - 0.008	12	0.006	0.003 - 0.010
Oklahoma	26	0.006	0.004 - 0.009	13	0.006	0.003 - 0.010	13	0.007	0.003 - 0.011
Oregon	39	0.007	0.005 - 0.010	19	0.007	0.004 - 0.011	20	0.008	0.005 - 0.012
Pennsylvania	86	0.009	0.007 - 0.012	46	0.010	0.007 - 0.013	40	0.009	0.006 - 0.012
Rhode Island	20	0.012	0.008 - 0.019	-	-	-	-	-	-
South Carolina	16	0.006	0.003 - 0.009	-	-	-	-	-	-
Tennessee	25	0.007	0.005 - 0.010	-	-	-	-	-	-
Texas	1,194	0.011	0.010 - 0.011	567	0.010	0.009 - 0.011	627	0.011	0.011 - 0.012
Utah	31	0.007	0.005 - 0.010	13	0.006	0.003 - 0.010	18	0.008	0.005 - 0.013
Vermont	-	-	-	-	-	-	-	-	-
Virginia	50	0.006	0.005 - 0.008	22	0.005	0.003 - 0.008	28	0.007	0.005 - 0.011
Washington ³	61	0.007	0.005 - 0.008	28	0.006	0.004 - 0.008	33	0.007	0.005 - 0.010
WA - Seattle	32	0.006	0.004 - 0.009	14	0.005	0.003 - 0.009	18	0.008	0.005 - 0.012
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	32	0.008	0.006 - 0.012	20	0.010	0.006 - 0.015	12	0.006	0.003 - 0.011
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,480	0.008	0.008 - 0.008	3,787	0.013	0.013 - 0.013	693	0.002	0.002 - 0.003
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	92	0.004	0.003 - 0.005	74	0.007	0.005 - 0.008	18	0.002	0.001 - 0.003
Arkansas	10	0.004	0.002 - 0.008	-	-		-	-	
California	915	0.006	0.006 - 0.006	797	0.010	0.010 - 0.011	118	0.002	0.001 - 0.002
CA - Greater California	454	0.005	0.005 - 0.006	388	0.009	0.008 - 0.010	67	0.002	0.001 - 0.002
CA - Greater Bay Area	118	0.006	0.005 - 0.007	105	0.011	0.009 - 0.013	13	0.001	0.001 - 0.002
CA - Los Angeles	343	0.007	0.006 - 0.008	306	0.012	0.011 - 0.014	37	0.002	0.001 - 0.002
Colorado	91	0.008	0.006 - 0.009	77	0.013	0.010 - 0.016	14	0.002	0.001 - 0.004
Connecticut	76	0.013	0.011 - 0.017	63	0.022	0.017 - 0.029	13	0.005	0.002 - 0.008
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	883	0.017	0.016 - 0.018	760	0.029	0.027 - 0.031	123	0.005	0.004 - 0.005
Georgia	37	0.004	0.003 - 0.005	-	-		-	-	
Hawaii	11	0.008	0.004 - 0.014	11	0.015	0.007 - 0.027	-	-	
Idaho	11	0.005	0.003 - 0.009	-	-		-	-	
Illinois	142	0.006	0.005 - 0.008	117	0.010	0.009 - 0.013	25	0.002	0.002 - 0.003
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	25	0.010	0.007 - 0.015	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	15	0.003	0.001 - 0.004	-	-		-	-	
Michigan	32	0.006	0.004 - 0.009	-	-		-	-	
MI - Detroit	21	0.012	0.007 - 0.018	-	-		-	-	
Minnesota	12	0.004	0.002 - 0.007	-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	34	0.004	0.003 - 0.006	-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	173	0.010	0.008 - 0.011	150	0.017	0.014 - 0.020	23	0.003	0.002 - 0.004
New Mexico	84	0.008	0.007 - 0.010	73	0.014	0.011 - 0.018	11	0.002	0.001 - 0.004
New York	499	0.013	0.012 - 0.015	383	0.021	0.019 - 0.023	116	0.006	0.005 - 0.007
North Carolina	36	0.004	0.003 - 0.005	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	23	0.005	0.003 - 0.008	-	-		-	-	
Oklahoma	16	0.004	0.002 - 0.006	-	-		-	-	
Oregon	16	0.003	0.002 - 0.005	-	-		-	-	
Pennsylvania	81	0.009	0.007 - 0.011	61	0.013	0.010 - 0.017	20	0.004	0.003 - 0.007
Rhode Island	14	0.009	0.005 - 0.015	-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	15	0.004	0.002 - 0.007	-	-		-	-	
Texas	886	0.008	0.008 - 0.009	765	0.014	0.013 - 0.015	121	0.002	0.002 - 0.003
Utah	18	0.004	0.002 - 0.007	-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	25	0.003	0.002 - 0.005	-	-		-	-	
Washington ³	30	0.003	0.002 - 0.005	-	-		-	-	
WA - Seattle	18	0.004	0.002 - 0.006	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	24	0.006	0.004 - 0.009	-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	23,051	0.040	0.039 - 0.040	10,654	0.037	0.036 - 0.037	12,397	0.043	0.043 - 0.044
Alabama	49	0.024	0.017 - 0.031	20	0.018	0.011 - 0.028	29	0.030	0.020 - 0.043
Alaska	13	0.025	0.013 - 0.042	-	-	-	-	-	-
Arizona	712	0.033	0.030 - 0.035	306	0.028	0.025 - 0.031	406	0.037	0.034 - 0.041
Arkansas	80	0.036	0.028 - 0.045	44	0.038	0.027 - 0.050	36	0.034	0.024 - 0.047
California	4,471	0.029	0.028 - 0.030	1,858	0.024	0.023 - 0.025	2,613	0.034	0.033 - 0.036
CA - Greater California	2,463	0.029	0.028 - 0.030	1,019	0.024	0.022 - 0.025	1,444	0.034	0.033 - 0.036
CA - Greater Bay Area	678	0.036	0.033 - 0.038	287	0.030	0.026 - 0.033	391	0.042	0.038 - 0.046
CA - Los Angeles	1,332	0.027	0.026 - 0.029	553	0.023	0.021 - 0.025	779	0.032	0.029 - 0.034
Colorado	493	0.041	0.038 - 0.045	204	0.033	0.029 - 0.038	289	0.049	0.044 - 0.055
Connecticut	351	0.062	0.056 - 0.069	162	0.057	0.049 - 0.067	188	0.066	0.057 - 0.076
Delaware	24	0.028	0.018 - 0.041	11	0.025	0.012 - 0.044	13	0.030	0.016 - 0.052
District of Columbia	17	0.022	0.013 - 0.036	-	-	-	-	-	-
Florida	4,813	0.091	0.089 - 0.094	2,491	0.096	0.092 - 0.099	2,322	0.087	0.083 - 0.090
Georgia	264	0.027	0.024 - 0.030	112	0.022	0.018 - 0.026	152	0.032	0.027 - 0.038
Hawaii	94	0.066	0.053 - 0.080	42	0.057	0.041 - 0.078	52	0.074	0.056 - 0.098
Idaho	51	0.024	0.018 - 0.031	24	0.022	0.014 - 0.033	27	0.026	0.017 - 0.038
Illinois	783	0.036	0.033 - 0.038	365	0.033	0.029 - 0.036	418	0.039	0.036 - 0.043
Iowa	26	0.014	0.009 - 0.020	-	-	-	-	-	-
Kentucky	29	0.018	0.012 - 0.026	15	0.017	0.010 - 0.028	14	0.019	0.011 - 0.032
Louisiana	77	0.032	0.025 - 0.040	36	0.028	0.020 - 0.039	41	0.037	0.026 - 0.050
Maine	-	-	-	-	-	-	-	-	-
Maryland	97	0.016	0.013 - 0.020	36	0.012	0.008 - 0.016	61	0.021	0.016 - 0.027
Michigan	192	0.038	0.033 - 0.044	85	0.033	0.027 - 0.041	107	0.043	0.035 - 0.052
MI - Detroit	98	0.055	0.045 - 0.067	42	0.047	0.034 - 0.064	56	0.064	0.048 - 0.083
Minnesota	91	0.031	0.025 - 0.038	46	0.030	0.022 - 0.040	45	0.032	0.023 - 0.042
Mississippi	23	0.024	0.015 - 0.036	-	-	-	-	-	-
Missouri	77	0.030	0.024 - 0.038	36	0.028	0.019 - 0.038	41	0.034	0.024 - 0.046
Montana	16	0.040	0.023 - 0.065	-	-	-	-	-	-
Nebraska	47	0.023	0.017 - 0.030	24	0.022	0.014 - 0.033	23	0.023	0.015 - 0.035
Nevada	250	0.030	0.026 - 0.034	97	0.023	0.018 - 0.028	153	0.037	0.031 - 0.043
New Hampshire	18	0.037	0.022 - 0.058	-	-	-	-	-	-
New Jersey	978	0.055	0.052 - 0.058	420	0.047	0.043 - 0.052	559	0.063	0.058 - 0.068
New Mexico	505	0.050	0.045 - 0.054	230	0.046	0.040 - 0.052	274	0.053	0.047 - 0.060
New York	2,467	0.066	0.064 - 0.069	1,070	0.058	0.055 - 0.062	1,397	0.074	0.070 - 0.078
North Carolina	172	0.018	0.016 - 0.021	79	0.016	0.013 - 0.020	93	0.020	0.016 - 0.025
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	120	0.027	0.023 - 0.033	60	0.027	0.020 - 0.034	60	0.028	0.022 - 0.036
Oklahoma	93	0.022	0.018 - 0.027	51	0.024	0.018 - 0.031	42	0.021	0.015 - 0.029
Oregon	155	0.029	0.025 - 0.034	66	0.024	0.019 - 0.031	89	0.035	0.028 - 0.043
Pennsylvania	406	0.044	0.040 - 0.049	203	0.043	0.038 - 0.050	203	0.045	0.039 - 0.052
Rhode Island	72	0.045	0.035 - 0.056	39	0.048	0.034 - 0.066	33	0.041	0.028 - 0.058
South Carolina	52	0.019	0.014 - 0.024	25	0.017	0.011 - 0.025	27	0.021	0.014 - 0.030
Tennessee	88	0.025	0.020 - 0.030	39	0.021	0.015 - 0.028	49	0.029	0.021 - 0.038
Texas	3,599	0.033	0.032 - 0.034	1,783	0.032	0.031 - 0.034	1,816	0.033	0.032 - 0.035
Utah	86	0.020	0.016 - 0.025	34	0.015	0.011 - 0.021	53	0.025	0.019 - 0.033
Vermont	-	-	-	-	-	-	-	-	-
Virginia	199	0.025	0.022 - 0.029	87	0.022	0.017 - 0.027	112	0.030	0.024 - 0.036
Washington ³	247	0.027	0.023 - 0.030	107	0.022	0.018 - 0.027	140	0.031	0.026 - 0.037
WA - Seattle	156	0.031	0.027 - 0.037	69	0.027	0.021 - 0.034	87	0.036	0.029 - 0.045
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	119	0.031	0.025 - 0.037	48	0.024	0.018 - 0.032	71	0.038	0.029 - 0.047
Wyoming	13	0.022	0.012 - 0.038	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,539	0.020	0.020 - 0.020	4,908	0.017	0.016 - 0.017	6,631	0.023	0.023 - 0.024
Alabama	39	0.019	0.013 - 0.026	23	0.021	0.013 - 0.031	16	0.016	0.009 - 0.027
Alaska	-	-	-	-	-	-	-	-	-
Arizona	395	0.018	0.016 - 0.020	156	0.014	0.012 - 0.017	239	0.022	0.019 - 0.025
Arkansas	31	0.014	0.009 - 0.020	13	0.011	0.006 - 0.019	18	0.017	0.010 - 0.027
California	3,240	0.021	0.020 - 0.022	1,307	0.017	0.016 - 0.018	1,933	0.025	0.024 - 0.027
CA - Greater California	1,794	0.021	0.020 - 0.022	687	0.016	0.015 - 0.017	1,107	0.026	0.025 - 0.028
CA - Greater Bay Area	601	0.032	0.029 - 0.034	255	0.026	0.023 - 0.030	346	0.037	0.033 - 0.041
CA - Los Angeles	843	0.017	0.016 - 0.018	363	0.015	0.013 - 0.016	480	0.019	0.018 - 0.021
Colorado	289	0.024	0.021 - 0.027	97	0.016	0.013 - 0.019	192	0.033	0.028 - 0.038
Connecticut	131	0.023	0.019 - 0.027	54	0.019	0.014 - 0.025	77	0.027	0.021 - 0.034
Delaware	27	0.031	0.020 - 0.045	14	0.031	0.017 - 0.053	13	0.030	0.016 - 0.052
District of Columbia	13	0.017	0.009 - 0.029	-	-	-	-	-	-
Florida	1,622	0.031	0.029 - 0.032	784	0.030	0.028 - 0.032	838	0.031	0.029 - 0.034
Georgia	187	0.019	0.016 - 0.022	87	0.017	0.013 - 0.021	100	0.021	0.017 - 0.026
Hawaii	71	0.050	0.039 - 0.062	36	0.049	0.034 - 0.068	35	0.050	0.035 - 0.070
Idaho	60	0.028	0.022 - 0.036	21	0.019	0.012 - 0.029	39	0.038	0.027 - 0.052
Illinois	396	0.018	0.016 - 0.020	160	0.014	0.012 - 0.017	236	0.022	0.019 - 0.025
Iowa	29	0.015	0.010 - 0.022	10	0.010	0.005 - 0.019	19	0.021	0.013 - 0.033
Kentucky	19	0.012	0.007 - 0.018	-	-	-	-	-	-
Louisiana	65	0.027	0.021 - 0.035	29	0.023	0.015 - 0.032	37	0.033	0.023 - 0.046
Maine	-	-	-	-	-	-	-	-	-
Maryland	50	0.008	0.006 - 0.011	30	0.010	0.007 - 0.014	20	0.007	0.004 - 0.011
Michigan	110	0.022	0.018 - 0.026	47	0.018	0.013 - 0.024	63	0.025	0.020 - 0.033
MI - Detroit	62	0.035	0.027 - 0.045	25	0.028	0.018 - 0.041	37	0.042	0.030 - 0.058
Minnesota	86	0.029	0.023 - 0.036	35	0.023	0.016 - 0.032	51	0.036	0.027 - 0.047
Mississippi	15	0.016	0.009 - 0.026	-	-	-	-	-	-
Missouri	46	0.018	0.013 - 0.024	23	0.018	0.011 - 0.026	23	0.019	0.012 - 0.028
Montana	20	0.050	0.031 - 0.077	-	-	-	-	-	-
Nebraska	35	0.017	0.012 - 0.024	-	-	-	-	-	-
Nevada	119	0.014	0.012 - 0.017	48	0.011	0.008 - 0.015	71	0.017	0.013 - 0.022
New Hampshire	12	0.024	0.013 - 0.043	-	-	-	-	-	-
New Jersey	397	0.022	0.020 - 0.025	174	0.019	0.017 - 0.023	223	0.025	0.022 - 0.029
New Mexico	278	0.027	0.024 - 0.031	126	0.025	0.021 - 0.030	152	0.030	0.025 - 0.035
New York	699	0.019	0.017 - 0.020	320	0.017	0.016 - 0.019	379	0.020	0.018 - 0.022
North Carolina	72	0.008	0.006 - 0.010	44	0.009	0.006 - 0.012	28	0.006	0.004 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	79	0.018	0.014 - 0.023	33	0.015	0.010 - 0.021	46	0.022	0.016 - 0.029
Oklahoma	64	0.015	0.012 - 0.020	24	0.011	0.007 - 0.016	40	0.020	0.014 - 0.028
Oregon	129	0.024	0.020 - 0.029	42	0.015	0.011 - 0.021	87	0.034	0.027 - 0.042
Pennsylvania	151	0.016	0.014 - 0.019	64	0.014	0.011 - 0.017	87	0.019	0.015 - 0.024
Rhode Island	15	0.009	0.005 - 0.015	-	-	-	-	-	-
South Carolina	29	0.010	0.007 - 0.015	17	0.011	0.007 - 0.018	12	0.009	0.005 - 0.016
Tennessee	71	0.020	0.015 - 0.025	29	0.015	0.010 - 0.022	42	0.025	0.018 - 0.034
Texas	1,603	0.015	0.014 - 0.015	689	0.012	0.011 - 0.013	914	0.017	0.016 - 0.018
Utah	138	0.032	0.027 - 0.038	46	0.021	0.015 - 0.028	93	0.044	0.036 - 0.054
Vermont	-	-	-	-	-	-	-	-	-
Virginia	103	0.013	0.011 - 0.016	42	0.010	0.007 - 0.014	61	0.016	0.012 - 0.021
Washington ³	238	0.026	0.022 - 0.029	78	0.016	0.013 - 0.020	160	0.036	0.030 - 0.042
WA - Seattle	180	0.036	0.031 - 0.042	59	0.023	0.017 - 0.029	121	0.050	0.042 - 0.060
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	64	0.016	0.013 - 0.021	25	0.012	0.008 - 0.018	39	0.021	0.015 - 0.028
Wyoming	13	0.022	0.012 - 0.038	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		143,026	0.500	0.497 - 0.502
Alabama	-	-		-	-		216	0.222	0.193 - 0.253
Alaska	-	-		-	-		101	0.405	0.330 - 0.492
Arizona	-	-		-	-		4,898	0.450	0.438 - 0.463
Arkansas	-	-		-	-		306	0.288	0.256 - 0.322
California	-	-		-	-		38,438	0.505	0.500 - 0.510
CA - Greater California	-	-		-	-		20,333	0.482	0.476 - 0.489
CA - Greater Bay Area	-	-		-	-		5,125	0.547	0.532 - 0.562
CA - Los Angeles	-	-		-	-		12,998	0.528	0.519 - 0.538
Colorado	-	-		-	-		3,117	0.531	0.512 - 0.550
Connecticut	-	-		-	-		1,802	0.633	0.604 - 0.663
Delaware	-	-		-	-		172	0.402	0.345 - 0.467
District of Columbia	-	-		-	-		137	0.366	0.308 - 0.433
Florida	-	-		-	-		18,901	0.707	0.697 - 0.717
Georgia	-	-		-	-		1,745	0.372	0.355 - 0.390
Hawaii	-	-		-	-		451	0.646	0.588 - 0.709
Idaho	-	-		-	-		338	0.328	0.294 - 0.365
Illinois	-	-		-	-		5,008	0.470	0.457 - 0.483
Iowa	-	-		-	-		233	0.260	0.228 - 0.296
Kentucky	-	-		-	-		150	0.202	0.171 - 0.237
Louisiana	-	-		-	-		515	0.465	0.426 - 0.507
Maine	-	-		-	-		39	0.363	0.258 - 0.497
Maryland	-	-		-	-		798	0.278	0.259 - 0.297
Michigan	-	-		-	-		877	0.355	0.332 - 0.379
MI - Detroit	-	-		-	-		518	0.591	0.541 - 0.644
Minnesota	-	-		-	-		530	0.371	0.340 - 0.404
Mississippi	-	-		-	-		89	0.213	0.171 - 0.262
Missouri	-	-		-	-		381	0.312	0.282 - 0.345
Montana	-	-		-	-		93	0.482	0.389 - 0.590
Nebraska	-	-		-	-		311	0.315	0.281 - 0.352
Nevada	-	-		-	-		1,529	0.368	0.350 - 0.387
New Hampshire	-	-		-	-		109	0.454	0.373 - 0.548
New Jersey	-	-		-	-		5,517	0.621	0.604 - 0.637
New Mexico	-	-		-	-		3,559	0.693	0.671 - 0.717
New York	-	-		-	-		12,836	0.680	0.668 - 0.692
North Carolina	-	-		-	-		929	0.203	0.191 - 0.217
North Dakota	-	-		-	-		22	0.170	0.106 - 0.257
Ohio	-	-		-	-		584	0.274	0.253 - 0.298
Oklahoma	-	-		-	-		622	0.314	0.290 - 0.340
Oregon	-	-		-	-		905	0.353	0.330 - 0.377
Pennsylvania	-	-		-	-		1,765	0.391	0.373 - 0.410
Rhode Island	-	-		-	-		331	0.413	0.370 - 0.460
South Carolina	-	-		-	-		338	0.258	0.231 - 0.287
Tennessee	-	-		-	-		410	0.242	0.219 - 0.267
Texas	-	-		-	-		25,969	0.473	0.468 - 0.479
Utah	-	-		-	-		807	0.386	0.360 - 0.414
Vermont	-	-		-	-		18	0.312	0.185 - 0.493
Virginia	-	-		-	-		1,395	0.368	0.349 - 0.388
Washington ³	-	-		-	-		1,694	0.378	0.360 - 0.397
WA - Seattle	-	-		-	-		1,115	0.465	0.438 - 0.493
West Virginia	-	-		-	-		29	0.216	0.145 - 0.310
Wisconsin	-	-		-	-		590	0.313	0.288 - 0.339
Wyoming	-	-		-	-		114	0.415	0.342 - 0.498

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		15,398	0.054	0.053 - 0.055
Alabama	-	-		-	-		48	0.049	0.036 - 0.065
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		501	0.046	0.042 - 0.050
Arkansas	-	-		-	-		65	0.061	0.047 - 0.078
California	-	-		-	-		3,869	0.051	0.049 - 0.052
CA - Greater California	-	-		-	-		1,984	0.047	0.045 - 0.049
CA - Greater Bay Area	-	-		-	-		473	0.050	0.046 - 0.055
CA - Los Angeles	-	-		-	-		1,414	0.057	0.055 - 0.061
Colorado	-	-		-	-		271	0.046	0.041 - 0.052
Connecticut	-	-		-	-		179	0.063	0.054 - 0.073
Delaware	-	-		-	-		15	0.035	0.020 - 0.058
District of Columbia	-	-		-	-		26	0.070	0.045 - 0.102
Florida	-	-		-	-		1,600	0.060	0.057 - 0.063
Georgia	-	-		-	-		232	0.050	0.043 - 0.056
Hawaii	-	-		-	-		30	0.043	0.029 - 0.061
Idaho	-	-		-	-		46	0.044	0.033 - 0.059
Illinois	-	-		-	-		616	0.058	0.053 - 0.063
Iowa	-	-		-	-		39	0.044	0.031 - 0.060
Kentucky	-	-		-	-		27	0.036	0.024 - 0.052
Louisiana	-	-		-	-		58	0.053	0.040 - 0.068
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		117	0.041	0.034 - 0.049
Michigan	-	-		-	-		117	0.047	0.039 - 0.057
MI - Detroit	-	-		-	-		51	0.059	0.044 - 0.077
Minnesota	-	-		-	-		68	0.048	0.037 - 0.060
Mississippi	-	-		-	-		11	0.026	0.013 - 0.047
Missouri	-	-		-	-		49	0.040	0.030 - 0.053
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		38	0.039	0.027 - 0.053
Nevada	-	-		-	-		178	0.043	0.037 - 0.050
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		564	0.063	0.058 - 0.069
New Mexico	-	-		-	-		268	0.052	0.046 - 0.059
New York	-	-		-	-		1,118	0.059	0.056 - 0.063
North Carolina	-	-		-	-		184	0.040	0.035 - 0.047
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		61	0.029	0.022 - 0.037
Oklahoma	-	-		-	-		111	0.056	0.046 - 0.068
Oregon	-	-		-	-		97	0.038	0.031 - 0.046
Pennsylvania	-	-		-	-		227	0.050	0.044 - 0.057
Rhode Island	-	-		-	-		38	0.047	0.034 - 0.065
South Carolina	-	-		-	-		52	0.040	0.030 - 0.052
Tennessee	-	-		-	-		59	0.035	0.027 - 0.045
Texas	-	-		-	-		3,432	0.063	0.060 - 0.065
Utah	-	-		-	-		90	0.043	0.035 - 0.053
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		206	0.054	0.047 - 0.062
Washington ³	-	-		-	-		193	0.043	0.037 - 0.050
WA - Seattle	-	-		-	-		104	0.044	0.036 - 0.053
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		72	0.038	0.030 - 0.048
Wyoming	-	-		-	-		12	0.043	0.022 - 0.076

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		33,153	0.116	0.115 - 0.117
Alabama	-	-		-	-		53	0.054	0.041 - 0.071
Alaska	-	-		-	-		22	0.088	0.055 - 0.134
Arizona	-	-		-	-		1,116	0.103	0.097 - 0.109
Arkansas	-	-		-	-		75	0.071	0.055 - 0.088
California	-	-		-	-		8,873	0.117	0.114 - 0.119
CA - Greater California	-	-		-	-		4,339	0.103	0.100 - 0.106
CA - Greater Bay Area	-	-		-	-		1,136	0.121	0.114 - 0.129
CA - Los Angeles	-	-		-	-		3,397	0.138	0.133 - 0.143
Colorado	-	-		-	-		626	0.107	0.098 - 0.115
Connecticut	-	-		-	-		397	0.140	0.126 - 0.154
Delaware	-	-		-	-		49	0.115	0.085 - 0.152
District of Columbia	-	-		-	-		22	0.059	0.037 - 0.089
Florida	-	-		-	-		4,198	0.157	0.152 - 0.162
Georgia	-	-		-	-		325	0.069	0.062 - 0.077
Hawaii	-	-		-	-		71	0.102	0.079 - 0.128
Idaho	-	-		-	-		91	0.088	0.071 - 0.108
Illinois	-	-		-	-		1,358	0.127	0.121 - 0.134
Iowa	-	-		-	-		72	0.081	0.063 - 0.102
Kentucky	-	-		-	-		38	0.051	0.036 - 0.070
Louisiana	-	-		-	-		75	0.067	0.053 - 0.085
Maine	-	-		-	-		10	0.093	0.045 - 0.171
Maryland	-	-		-	-		168	0.058	0.050 - 0.068
Michigan	-	-		-	-		277	0.112	0.099 - 0.126
MI - Detroit	-	-		-	-		152	0.174	0.147 - 0.203
Minnesota	-	-		-	-		147	0.103	0.087 - 0.121
Mississippi	-	-		-	-		23	0.055	0.035 - 0.083
Missouri	-	-		-	-		104	0.085	0.070 - 0.103
Montana	-	-		-	-		15	0.078	0.043 - 0.128
Nebraska	-	-		-	-		76	0.077	0.061 - 0.096
Nevada	-	-		-	-		331	0.080	0.071 - 0.089
New Hampshire	-	-		-	-		14	0.058	0.032 - 0.098
New Jersey	-	-		-	-		1,232	0.139	0.131 - 0.147
New Mexico	-	-		-	-		729	0.142	0.132 - 0.153
New York	-	-		-	-		3,041	0.161	0.155 - 0.167
North Carolina	-	-		-	-		216	0.047	0.041 - 0.054
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		152	0.071	0.061 - 0.084
Oklahoma	-	-		-	-		134	0.068	0.057 - 0.080
Oregon	-	-		-	-		237	0.092	0.081 - 0.105
Pennsylvania	-	-		-	-		482	0.107	0.098 - 0.117
Rhode Island	-	-		-	-		69	0.086	0.067 - 0.109
South Carolina	-	-		-	-		46	0.035	0.026 - 0.047
Tennessee	-	-		-	-		96	0.057	0.046 - 0.069
Texas	-	-		-	-		6,313	0.115	0.112 - 0.118
Utah	-	-		-	-		171	0.082	0.070 - 0.095
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		254	0.067	0.059 - 0.076
Washington ³	-	-		-	-		367	0.082	0.074 - 0.091
WA - Seattle	-	-		-	-		204	0.085	0.074 - 0.098
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		172	0.091	0.078 - 0.106
Wyoming	-	-		-	-		26	0.095	0.062 - 0.139

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		11,206	0.039	0.038 - 0.040
Alabama	-	-		-	-		20	0.021	0.013 - 0.032
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		386	0.036	0.032 - 0.039
Arkansas	-	-		-	-		29	0.027	0.018 - 0.039
California	-	-		-	-		3,248	0.043	0.041 - 0.044
CA - Greater California	-	-		-	-		1,582	0.038	0.036 - 0.039
CA - Greater Bay Area	-	-		-	-		396	0.042	0.038 - 0.047
CA - Los Angeles	-	-		-	-		1,270	0.052	0.049 - 0.055
Colorado	-	-		-	-		221	0.038	0.033 - 0.043
Connecticut	-	-		-	-		95	0.033	0.027 - 0.041
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		10	0.027	0.013 - 0.049
Florida	-	-		-	-		1,426	0.053	0.051 - 0.056
Georgia	-	-		-	-		136	0.029	0.024 - 0.034
Hawaii	-	-		-	-		17	0.024	0.014 - 0.039
Idaho	-	-		-	-		26	0.025	0.017 - 0.037
Illinois	-	-		-	-		404	0.038	0.034 - 0.042
Iowa	-	-		-	-		29	0.033	0.022 - 0.047
Kentucky	-	-		-	-		12	0.016	0.008 - 0.028
Louisiana	-	-		-	-		25	0.023	0.015 - 0.034
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		80	0.028	0.022 - 0.035
Michigan	-	-		-	-		71	0.029	0.022 - 0.036
MI - Detroit	-	-		-	-		37	0.042	0.029 - 0.058
Minnesota	-	-		-	-		40	0.028	0.020 - 0.038
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		28	0.023	0.015 - 0.033
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		27	0.027	0.018 - 0.040
Nevada	-	-		-	-		116	0.028	0.023 - 0.033
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		364	0.041	0.037 - 0.045
New Mexico	-	-		-	-		232	0.045	0.040 - 0.051
New York	-	-		-	-		882	0.047	0.044 - 0.050
North Carolina	-	-		-	-		99	0.022	0.018 - 0.026
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		51	0.024	0.018 - 0.032
Oklahoma	-	-		-	-		57	0.029	0.022 - 0.037
Oregon	-	-		-	-		75	0.029	0.023 - 0.037
Pennsylvania	-	-		-	-		129	0.029	0.024 - 0.034
Rhode Island	-	-		-	-		12	0.015	0.008 - 0.026
South Carolina	-	-		-	-		24	0.018	0.012 - 0.027
Tennessee	-	-		-	-		35	0.021	0.014 - 0.029
Texas	-	-		-	-		2,108	0.038	0.037 - 0.040
Utah	-	-		-	-		65	0.031	0.024 - 0.040
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		114	0.030	0.025 - 0.036
Washington ³	-	-		-	-		126	0.028	0.023 - 0.033
WA - Seattle	-	-		-	-		82	0.034	0.027 - 0.042
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		60	0.032	0.024 - 0.041
Wyoming	-	-		-	-		11	0.040	0.020 - 0.071

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		115,465	0.396	0.394 - 0.398	-	-	
Alabama	-	-		179	0.161	0.139 - 0.187	-	-	
Alaska	-	-		51	0.184	0.137 - 0.242	-	-	
Arizona	-	-		3,005	0.273	0.263 - 0.283	-	-	
Arkansas	-	-		245	0.209	0.184 - 0.237	-	-	
California	-	-		29,777	0.386	0.382 - 0.391	-	-	
CA - Greater California	-	-		15,231	0.355	0.349 - 0.361	-	-	
CA - Greater Bay Area	-	-		4,322	0.447	0.434 - 0.461	-	-	
CA - Los Angeles	-	-		10,224	0.418	0.409 - 0.426	-	-	
Colorado	-	-		2,115	0.347	0.332 - 0.362	-	-	
Connecticut	-	-		1,255	0.445	0.420 - 0.470	-	-	
Delaware	-	-		180	0.404	0.348 - 0.468	-	-	
District of Columbia	-	-		122	0.315	0.262 - 0.376	-	-	
Florida	-	-		18,275	0.701	0.691 - 0.711	-	-	
Georgia	-	-		1,180	0.229	0.216 - 0.243	-	-	
Hawaii	-	-		224	0.304	0.265 - 0.346	-	-	
Idaho	-	-		253	0.231	0.203 - 0.261	-	-	
Illinois	-	-		4,374	0.391	0.379 - 0.403	-	-	
Iowa	-	-		162	0.167	0.142 - 0.194	-	-	
Kentucky	-	-		117	0.134	0.111 - 0.161	-	-	
Louisiana	-	-		539	0.423	0.388 - 0.460	-	-	
Maine	-	-		19	0.173	0.104 - 0.270	-	-	
Maryland	-	-		552	0.178	0.163 - 0.193	-	-	
Michigan	-	-		800	0.313	0.291 - 0.335	-	-	
MI - Detroit	-	-		421	0.470	0.426 - 0.517	-	-	
Minnesota	-	-		352	0.229	0.205 - 0.254	-	-	
Mississippi	-	-		89	0.167	0.134 - 0.206	-	-	
Missouri	-	-		239	0.183	0.160 - 0.207	-	-	
Montana	-	-		63	0.309	0.238 - 0.395	-	-	
Nebraska	-	-		230	0.213	0.187 - 0.243	-	-	
Nevada	-	-		1,261	0.295	0.279 - 0.312	-	-	
New Hampshire	-	-		85	0.339	0.271 - 0.419	-	-	
New Jersey	-	-		5,457	0.611	0.595 - 0.627	-	-	
New Mexico	-	-		2,743	0.542	0.522 - 0.563	-	-	
New York	-	-		13,326	0.726	0.714 - 0.738	-	-	
North Carolina	-	-		688	0.139	0.129 - 0.150	-	-	
North Dakota	-	-		17	0.113	0.066 - 0.181	-	-	
Ohio	-	-		573	0.255	0.235 - 0.277	-	-	
Oklahoma	-	-		363	0.168	0.151 - 0.186	-	-	
Oregon	-	-		620	0.225	0.208 - 0.244	-	-	
Pennsylvania	-	-		1,681	0.359	0.342 - 0.376	-	-	
Rhode Island	-	-		274	0.338	0.299 - 0.380	-	-	
South Carolina	-	-		238	0.160	0.140 - 0.181	-	-	
Tennessee	-	-		282	0.149	0.132 - 0.167	-	-	
Texas	-	-		17,832	0.321	0.316 - 0.325	-	-	
Utah	-	-		618	0.281	0.259 - 0.304	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		838	0.207	0.193 - 0.222	-	-	
Washington ³	-	-		1,060	0.221	0.208 - 0.235	-	-	
WA - Seattle	-	-		615	0.237	0.219 - 0.257	-	-	
West Virginia	-	-		39	0.251	0.178 - 0.343	-	-	
Wisconsin	-	-		483	0.240	0.219 - 0.262	-	-	
Wyoming	-	-		103	0.337	0.275 - 0.409	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		12,757	0.043	0.043 - 0.044	-	-	
Alabama	-	-		26	0.023	0.015 - 0.034	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		449	0.041	0.037 - 0.045	-	-	
Arkansas	-	-		36	0.031	0.022 - 0.043	-	-	
California	-	-		4,050	0.053	0.051 - 0.054	-	-	
CA - Greater California	-	-		2,172	0.051	0.049 - 0.053	-	-	
CA - Greater Bay Area	-	-		528	0.055	0.050 - 0.059	-	-	
CA - Los Angeles	-	-		1,351	0.055	0.052 - 0.058	-	-	
Colorado	-	-		257	0.042	0.037 - 0.048	-	-	
Connecticut	-	-		117	0.041	0.034 - 0.050	-	-	
Delaware	-	-		22	0.049	0.031 - 0.075	-	-	
District of Columbia	-	-		22	0.057	0.036 - 0.086	-	-	
Florida	-	-		890	0.034	0.032 - 0.036	-	-	
Georgia	-	-		199	0.039	0.034 - 0.044	-	-	
Hawaii	-	-		25	0.034	0.022 - 0.050	-	-	
Idaho	-	-		52	0.047	0.035 - 0.062	-	-	
Illinois	-	-		578	0.052	0.048 - 0.056	-	-	
Iowa	-	-		37	0.038	0.027 - 0.053	-	-	
Kentucky	-	-		27	0.031	0.020 - 0.045	-	-	
Louisiana	-	-		37	0.029	0.020 - 0.040	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		59	0.019	0.014 - 0.025	-	-	
Michigan	-	-		88	0.034	0.028 - 0.042	-	-	
MI - Detroit	-	-		35	0.039	0.027 - 0.054	-	-	
Minnesota	-	-		61	0.040	0.030 - 0.051	-	-	
Mississippi	-	-		23	0.043	0.027 - 0.065	-	-	
Missouri	-	-		53	0.041	0.030 - 0.053	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		39	0.036	0.026 - 0.049	-	-	
Nevada	-	-		180	0.042	0.036 - 0.049	-	-	
New Hampshire	-	-		19	0.076	0.046 - 0.118	-	-	
New Jersey	-	-		380	0.043	0.038 - 0.047	-	-	
New Mexico	-	-		265	0.052	0.046 - 0.059	-	-	
New York	-	-		737	0.040	0.037 - 0.043	-	-	
North Carolina	-	-		139	0.028	0.024 - 0.033	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		48	0.021	0.016 - 0.028	-	-	
Oklahoma	-	-		80	0.037	0.029 - 0.046	-	-	
Oregon	-	-		91	0.033	0.027 - 0.041	-	-	
Pennsylvania	-	-		151	0.032	0.027 - 0.038	-	-	
Rhode Island	-	-		19	0.023	0.014 - 0.037	-	-	
South Carolina	-	-		43	0.029	0.021 - 0.039	-	-	
Tennessee	-	-		57	0.030	0.023 - 0.039	-	-	
Texas	-	-		2,491	0.045	0.043 - 0.047	-	-	
Utah	-	-		110	0.050	0.041 - 0.060	-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		119	0.029	0.024 - 0.035	-	-	
Washington ³	-	-		207	0.043	0.037 - 0.049	-	-	
WA - Seattle	-	-		128	0.049	0.041 - 0.059	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		83	0.041	0.033 - 0.051	-	-	
Wyoming	-	-		15	0.048	0.027 - 0.080	-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	19,386	0.034	0.033 - 0.034	14,569	0.050	0.049 - 0.051	4,818	0.017	0.016 - 0.017
Alabama	31	0.015	0.010 - 0.021	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	607	0.028	0.026 - 0.030	458	0.042	0.038 - 0.046	149	0.014	0.012 - 0.016
Arkansas	33	0.015	0.010 - 0.021	-	-	-	-	-	-
California	4,603	0.030	0.029 - 0.031	3,485	0.045	0.044 - 0.047	1,118	0.015	0.014 - 0.016
CA - Greater California	2,400	0.028	0.027 - 0.029	1,817	0.042	0.040 - 0.044	582	0.014	0.013 - 0.015
CA - Greater Bay Area	728	0.038	0.036 - 0.041	548	0.057	0.052 - 0.062	181	0.019	0.017 - 0.022
CA - Los Angeles	1,476	0.030	0.029 - 0.032	1,121	0.046	0.043 - 0.049	354	0.014	0.013 - 0.016
Colorado	377	0.031	0.028 - 0.035	292	0.048	0.043 - 0.054	85	0.014	0.012 - 0.018
Connecticut	286	0.051	0.045 - 0.057	209	0.074	0.064 - 0.085	78	0.027	0.022 - 0.034
Delaware	35	0.040	0.028 - 0.056	24	0.054	0.035 - 0.080	11	0.026	0.013 - 0.046
District of Columbia	17	0.022	0.013 - 0.036	-	-	-	-	-	-
Florida	3,623	0.069	0.066 - 0.071	2,743	0.105	0.101 - 0.109	880	0.033	0.031 - 0.035
Georgia	195	0.020	0.017 - 0.023	145	0.028	0.024 - 0.033	50	0.011	0.008 - 0.014
Hawaii	66	0.046	0.036 - 0.058	46	0.062	0.046 - 0.083	20	0.029	0.017 - 0.044
Idaho	44	0.021	0.015 - 0.028	-	-	-	-	-	-
Illinois	649	0.030	0.027 - 0.032	470	0.042	0.038 - 0.046	179	0.017	0.014 - 0.019
Iowa	32	0.017	0.012 - 0.024	-	-	-	-	-	-
Kentucky	27	0.016	0.011 - 0.024	-	-	-	-	-	-
Louisiana	87	0.036	0.029 - 0.045	64	0.050	0.039 - 0.064	23	0.021	0.013 - 0.031
Maine	-	-	-	-	-	-	-	-	-
Maryland	102	0.017	0.014 - 0.021	73	0.024	0.018 - 0.030	29	0.010	0.007 - 0.014
Michigan	163	0.032	0.028 - 0.038	128	0.050	0.042 - 0.059	35	0.014	0.010 - 0.020
MI - Detroit	93	0.053	0.042 - 0.064	74	0.083	0.065 - 0.104	19	0.022	0.013 - 0.034
Minnesota	86	0.029	0.023 - 0.036	65	0.042	0.033 - 0.054	21	0.015	0.009 - 0.022
Mississippi	14	0.015	0.008 - 0.025	-	-	-	-	-	-
Missouri	67	0.026	0.021 - 0.034	48	0.037	0.027 - 0.049	19	0.016	0.009 - 0.024
Montana	14	0.034	0.018 - 0.057	-	-	-	-	-	-
Nebraska	47	0.023	0.017 - 0.030	37	0.034	0.024 - 0.047	10	0.010	0.005 - 0.019
Nevada	220	0.026	0.023 - 0.030	163	0.038	0.032 - 0.044	57	0.014	0.010 - 0.018
New Hampshire	18	0.037	0.022 - 0.058	-	-	-	-	-	-
New Jersey	887	0.050	0.047 - 0.053	649	0.073	0.067 - 0.078	239	0.027	0.024 - 0.030
New Mexico	435	0.043	0.039 - 0.047	324	0.064	0.057 - 0.071	111	0.022	0.018 - 0.026
New York	1,854	0.050	0.048 - 0.052	1,325	0.072	0.068 - 0.076	529	0.028	0.026 - 0.031
North Carolina	103	0.011	0.009 - 0.013	75	0.015	0.012 - 0.019	28	0.006	0.004 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	110	0.025	0.021 - 0.030	87	0.039	0.031 - 0.048	23	0.011	0.007 - 0.016
Oklahoma	78	0.019	0.015 - 0.023	56	0.026	0.020 - 0.034	22	0.011	0.007 - 0.017
Oregon	138	0.026	0.022 - 0.031	110	0.040	0.033 - 0.048	28	0.011	0.007 - 0.016
Pennsylvania	284	0.031	0.027 - 0.035	207	0.044	0.038 - 0.051	77	0.017	0.013 - 0.021
Rhode Island	35	0.022	0.015 - 0.030	24	0.030	0.019 - 0.044	11	0.014	0.007 - 0.025
South Carolina	35	0.013	0.009 - 0.017	-	-	-	-	-	-
Tennessee	52	0.014	0.011 - 0.019	-	-	-	-	-	-
Texas	2,917	0.026	0.025 - 0.027	2,245	0.040	0.039 - 0.042	672	0.012	0.011 - 0.013
Utah	88	0.021	0.016 - 0.025	70	0.032	0.025 - 0.040	18	0.009	0.005 - 0.014
Vermont	-	-	-	-	-	-	-	-	-
Virginia	146	0.019	0.016 - 0.022	108	0.027	0.022 - 0.032	38	0.010	0.007 - 0.014
Washington ³	231	0.025	0.022 - 0.028	174	0.036	0.031 - 0.042	57	0.013	0.010 - 0.016
WA - Seattle	155	0.031	0.026 - 0.036	115	0.045	0.037 - 0.053	40	0.017	0.012 - 0.023
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	87	0.022	0.018 - 0.028	70	0.035	0.027 - 0.044	17	0.009	0.005 - 0.014
Wyoming	23	0.040	0.025 - 0.060	13	0.043	0.023 - 0.073	10	0.037	0.018 - 0.067

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	38,803	0.067	0.066 - 0.068	22,556	0.077	0.076 - 0.078	16,247	0.057	0.056 - 0.058
Alabama	60	0.029	0.022 - 0.037	39	0.035	0.025 - 0.048	21	0.022	0.013 - 0.033
Alaska	27	0.051	0.034 - 0.075	17	0.061	0.036 - 0.098	10	0.040	0.019 - 0.074
Arizona	1,669	0.076	0.073 - 0.080	924	0.084	0.079 - 0.090	745	0.069	0.064 - 0.074
Arkansas	80	0.036	0.028 - 0.045	52	0.044	0.033 - 0.058	28	0.026	0.017 - 0.038
California	10,361	0.068	0.066 - 0.069	5,995	0.078	0.076 - 0.080	4,365	0.057	0.056 - 0.059
CA - Greater California	5,753	0.068	0.066 - 0.069	3,375	0.079	0.076 - 0.081	2,378	0.056	0.054 - 0.059
CA - Greater Bay Area	1,322	0.069	0.066 - 0.073	745	0.077	0.072 - 0.083	576	0.061	0.057 - 0.067
CA - Los Angeles	3,289	0.067	0.065 - 0.069	1,876	0.077	0.073 - 0.080	1,412	0.057	0.054 - 0.060
Colorado	934	0.078	0.073 - 0.083	522	0.086	0.078 - 0.093	412	0.070	0.064 - 0.077
Connecticut	366	0.065	0.058 - 0.072	212	0.075	0.065 - 0.086	154	0.054	0.046 - 0.063
Delaware	41	0.047	0.034 - 0.064	23	0.052	0.033 - 0.078	18	0.042	0.025 - 0.067
District of Columbia	23	0.030	0.019 - 0.045	-	-	-	-	-	-
Florida	3,892	0.074	0.071 - 0.076	2,364	0.091	0.087 - 0.094	1,528	0.057	0.054 - 0.060
Georgia	353	0.036	0.032 - 0.040	207	0.040	0.035 - 0.046	146	0.031	0.026 - 0.037
Hawaii	89	0.062	0.050 - 0.076	69	0.093	0.073 - 0.118	20	0.029	0.018 - 0.045
Idaho	126	0.059	0.049 - 0.071	70	0.064	0.050 - 0.081	56	0.054	0.041 - 0.071
Illinois	1,524	0.070	0.066 - 0.073	920	0.082	0.077 - 0.088	604	0.057	0.052 - 0.061
Iowa	66	0.035	0.027 - 0.045	36	0.037	0.026 - 0.051	30	0.033	0.022 - 0.048
Kentucky	45	0.028	0.021 - 0.038	32	0.037	0.025 - 0.052	13	0.018	0.010 - 0.031
Louisiana	147	0.062	0.052 - 0.072	91	0.072	0.058 - 0.088	56	0.050	0.038 - 0.065
Maine	10	0.046	0.022 - 0.085	-	-	-	-	-	-
Maryland	149	0.025	0.021 - 0.029	80	0.026	0.020 - 0.032	69	0.024	0.019 - 0.030
Michigan	315	0.063	0.056 - 0.070	192	0.075	0.065 - 0.086	123	0.050	0.041 - 0.059
MI - Detroit	162	0.091	0.078 - 0.107	89	0.099	0.080 - 0.122	73	0.083	0.065 - 0.105
Minnesota	167	0.056	0.048 - 0.065	87	0.056	0.045 - 0.070	80	0.056	0.044 - 0.070
Mississippi	35	0.037	0.026 - 0.051	22	0.041	0.026 - 0.063	13	0.031	0.017 - 0.053
Missouri	117	0.046	0.038 - 0.055	70	0.054	0.042 - 0.068	47	0.039	0.028 - 0.051
Montana	25	0.063	0.041 - 0.093	14	0.068	0.037 - 0.114	11	0.057	0.028 - 0.102
Nebraska	100	0.048	0.039 - 0.059	72	0.067	0.052 - 0.084	28	0.028	0.019 - 0.041
Nevada	445	0.053	0.048 - 0.058	254	0.059	0.052 - 0.067	191	0.046	0.040 - 0.053
New Hampshire	21	0.043	0.026 - 0.065	-	-	-	-	-	-
New Jersey	1,198	0.067	0.063 - 0.071	717	0.080	0.075 - 0.086	481	0.054	0.049 - 0.059
New Mexico	891	0.087	0.082 - 0.093	503	0.099	0.091 - 0.108	388	0.076	0.068 - 0.083
New York	2,664	0.072	0.069 - 0.074	1,569	0.085	0.081 - 0.090	1,096	0.058	0.055 - 0.062
North Carolina	262	0.028	0.024 - 0.031	163	0.033	0.028 - 0.039	99	0.022	0.018 - 0.026
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	180	0.041	0.035 - 0.048	113	0.050	0.041 - 0.061	67	0.031	0.024 - 0.040
Oklahoma	188	0.045	0.039 - 0.052	120	0.055	0.046 - 0.066	68	0.034	0.027 - 0.044
Oregon	257	0.048	0.043 - 0.055	148	0.054	0.045 - 0.063	109	0.043	0.035 - 0.051
Pennsylvania	492	0.053	0.049 - 0.058	298	0.064	0.057 - 0.071	194	0.043	0.037 - 0.050
Rhode Island	67	0.042	0.032 - 0.053	33	0.041	0.028 - 0.057	34	0.042	0.029 - 0.059
South Carolina	80	0.029	0.023 - 0.036	53	0.036	0.027 - 0.047	27	0.021	0.014 - 0.030
Tennessee	119	0.033	0.027 - 0.040	70	0.037	0.029 - 0.047	49	0.029	0.021 - 0.038
Texas	9,178	0.083	0.081 - 0.085	5,189	0.093	0.091 - 0.096	3,989	0.073	0.070 - 0.075
Utah	202	0.047	0.041 - 0.054	115	0.053	0.043 - 0.063	87	0.042	0.033 - 0.051
Vermont	-	-	-	-	-	-	-	-	-
Virginia	275	0.035	0.031 - 0.039	158	0.039	0.033 - 0.046	117	0.031	0.026 - 0.037
Washington ³	407	0.044	0.040 - 0.048	228	0.047	0.041 - 0.054	180	0.040	0.034 - 0.046
WA - Seattle	246	0.049	0.043 - 0.056	143	0.055	0.046 - 0.065	104	0.043	0.035 - 0.052
West Virginia	12	0.041	0.021 - 0.072	-	-	-	-	-	-
Wisconsin	181	0.046	0.040 - 0.054	114	0.057	0.047 - 0.068	67	0.036	0.028 - 0.045
Wyoming	49	0.084	0.062 - 0.111	26	0.084	0.055 - 0.123	23	0.084	0.053 - 0.126

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,137	0.017	0.017 - 0.018	5,394	0.018	0.018 - 0.019	4,743	0.017	0.016 - 0.017
Alabama	30	0.014	0.010 - 0.021	15	0.014	0.008 - 0.022	15	0.015	0.009 - 0.025
Alaska	-	-	-	-	-	-	-	-	-
Arizona	374	0.017	0.015 - 0.019	201	0.018	0.016 - 0.021	173	0.016	0.014 - 0.018
Arkansas	31	0.014	0.009 - 0.020	19	0.016	0.010 - 0.025	12	0.011	0.006 - 0.020
California	2,403	0.016	0.015 - 0.016	1,265	0.016	0.016 - 0.017	1,138	0.015	0.014 - 0.016
CA - Greater California	1,312	0.015	0.015 - 0.016	696	0.016	0.015 - 0.017	616	0.015	0.013 - 0.016
CA - Greater Bay Area	313	0.016	0.015 - 0.018	153	0.016	0.013 - 0.019	161	0.017	0.015 - 0.020
CA - Los Angeles	779	0.016	0.015 - 0.017	417	0.017	0.015 - 0.019	362	0.015	0.013 - 0.016
Colorado	218	0.018	0.016 - 0.021	116	0.019	0.016 - 0.023	102	0.017	0.014 - 0.021
Connecticut	106	0.019	0.015 - 0.023	56	0.020	0.015 - 0.026	50	0.018	0.013 - 0.023
Delaware	21	0.024	0.015 - 0.037	11	0.025	0.012 - 0.044	10	0.023	0.011 - 0.043
District of Columbia	-	-	-	-	-	-	-	-	-
Florida	1,171	0.022	0.021 - 0.023	619	0.024	0.022 - 0.026	552	0.021	0.019 - 0.022
Georgia	148	0.015	0.013 - 0.018	93	0.018	0.014 - 0.022	56	0.012	0.009 - 0.015
Hawaii	23	0.016	0.010 - 0.024	11	0.015	0.007 - 0.027	12	0.016	0.008 - 0.029
Idaho	24	0.011	0.007 - 0.017	-	-	-	-	-	-
Illinois	409	0.019	0.017 - 0.021	222	0.020	0.017 - 0.023	187	0.018	0.015 - 0.020
Iowa	24	0.013	0.008 - 0.019	-	-	-	-	-	-
Kentucky	25	0.015	0.010 - 0.023	12	0.014	0.007 - 0.024	13	0.017	0.009 - 0.029
Louisiana	43	0.018	0.013 - 0.024	26	0.020	0.013 - 0.030	17	0.015	0.009 - 0.024
Maine	-	-	-	-	-	-	-	-	-
Maryland	83	0.014	0.011 - 0.017	45	0.014	0.011 - 0.019	38	0.013	0.009 - 0.018
Michigan	79	0.016	0.012 - 0.020	50	0.020	0.015 - 0.026	29	0.012	0.008 - 0.017
MI - Detroit	32	0.018	0.013 - 0.026	19	0.021	0.013 - 0.033	13	0.015	0.008 - 0.026
Minnesota	52	0.018	0.013 - 0.023	30	0.019	0.013 - 0.028	22	0.015	0.010 - 0.023
Mississippi	17	0.018	0.010 - 0.029	-	-	-	-	-	-
Missouri	47	0.019	0.014 - 0.025	24	0.018	0.012 - 0.027	23	0.019	0.012 - 0.028
Montana	-	-	-	-	-	-	-	-	-
Nebraska	38	0.018	0.013 - 0.025	25	0.023	0.015 - 0.034	13	0.013	0.007 - 0.023
Nevada	97	0.012	0.009 - 0.014	52	0.012	0.009 - 0.016	45	0.011	0.008 - 0.014
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	379	0.021	0.019 - 0.023	214	0.024	0.021 - 0.027	165	0.019	0.016 - 0.022
New Mexico	152	0.015	0.013 - 0.017	80	0.016	0.012 - 0.020	72	0.014	0.011 - 0.018
New York	732	0.020	0.018 - 0.021	407	0.022	0.020 - 0.024	325	0.017	0.015 - 0.019
North Carolina	127	0.013	0.011 - 0.016	76	0.015	0.012 - 0.019	51	0.011	0.008 - 0.015
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	51	0.012	0.009 - 0.015	25	0.011	0.007 - 0.016	26	0.012	0.008 - 0.018
Oklahoma	73	0.018	0.014 - 0.022	37	0.017	0.012 - 0.024	36	0.018	0.013 - 0.025
Oregon	90	0.017	0.014 - 0.021	47	0.017	0.013 - 0.023	43	0.017	0.012 - 0.023
Pennsylvania	159	0.017	0.015 - 0.020	89	0.019	0.015 - 0.023	70	0.016	0.012 - 0.020
Rhode Island	26	0.016	0.011 - 0.024	11	0.014	0.007 - 0.024	15	0.019	0.010 - 0.031
South Carolina	34	0.012	0.008 - 0.017	17	0.011	0.007 - 0.018	17	0.013	0.008 - 0.021
Tennessee	58	0.016	0.012 - 0.021	33	0.017	0.012 - 0.024	25	0.015	0.010 - 0.022
Texas	2,010	0.018	0.017 - 0.019	1,013	0.018	0.017 - 0.019	997	0.018	0.017 - 0.019
Utah	78	0.018	0.014 - 0.023	38	0.017	0.012 - 0.024	40	0.019	0.014 - 0.026
Vermont	-	-	-	-	-	-	-	-	-
Virginia	117	0.015	0.012 - 0.018	67	0.017	0.013 - 0.021	50	0.013	0.010 - 0.017
Washington ³	185	0.020	0.017 - 0.023	95	0.020	0.016 - 0.024	91	0.020	0.016 - 0.025
WA - Seattle	106	0.021	0.017 - 0.026	56	0.021	0.016 - 0.028	51	0.021	0.016 - 0.028
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	72	0.018	0.014 - 0.023	40	0.020	0.014 - 0.027	32	0.017	0.012 - 0.024
Wyoming	10	0.017	0.008 - 0.032	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	50,248	0.087	0.086 - 0.087	8,914	0.030	0.030 - 0.031	41,334	0.144	0.143 - 0.145
Alabama	79	0.038	0.030 - 0.047	18	0.016	0.010 - 0.026	61	0.063	0.048 - 0.080
Alaska	34	0.065	0.045 - 0.090	-	-	-	-	-	-
Arizona	1,933	0.088	0.084 - 0.092	312	0.028	0.025 - 0.032	1,621	0.149	0.142 - 0.157
Arkansas	121	0.054	0.045 - 0.065	15	0.013	0.007 - 0.021	106	0.100	0.082 - 0.121
California	12,098	0.079	0.078 - 0.080	2,141	0.028	0.027 - 0.029	9,958	0.131	0.128 - 0.133
CA - Greater California	6,565	0.077	0.075 - 0.079	1,156	0.027	0.025 - 0.029	5,409	0.128	0.125 - 0.132
CA - Greater Bay Area	1,399	0.073	0.070 - 0.077	270	0.028	0.025 - 0.032	1,128	0.120	0.113 - 0.128
CA - Los Angeles	4,135	0.084	0.082 - 0.087	715	0.029	0.027 - 0.031	3,420	0.139	0.134 - 0.144
Colorado	1,147	0.096	0.090 - 0.102	234	0.038	0.034 - 0.044	913	0.155	0.146 - 0.166
Connecticut	778	0.137	0.128 - 0.147	141	0.050	0.042 - 0.059	637	0.224	0.207 - 0.242
Delaware	76	0.087	0.069 - 0.109	-	-	-	-	-	-
District of Columbia	71	0.093	0.073 - 0.118	12	0.031	0.016 - 0.054	59	0.158	0.120 - 0.204
Florida	6,309	0.119	0.117 - 0.122	1,182	0.045	0.043 - 0.048	5,127	0.192	0.187 - 0.197
Georgia	640	0.065	0.060 - 0.070	91	0.018	0.014 - 0.022	548	0.117	0.107 - 0.127
Hawaii	90	0.063	0.050 - 0.077	14	0.019	0.010 - 0.032	76	0.109	0.086 - 0.136
Idaho	159	0.075	0.064 - 0.087	28	0.026	0.017 - 0.037	131	0.127	0.106 - 0.151
Illinois	1,986	0.091	0.087 - 0.095	350	0.031	0.028 - 0.035	1,636	0.153	0.146 - 0.161
Iowa	104	0.056	0.046 - 0.067	15	0.015	0.009 - 0.025	89	0.100	0.080 - 0.122
Kentucky	62	0.038	0.029 - 0.049	14	0.016	0.009 - 0.027	48	0.064	0.047 - 0.085
Louisiana	151	0.063	0.054 - 0.074	41	0.032	0.023 - 0.043	110	0.100	0.082 - 0.120
Maine	12	0.055	0.029 - 0.096	-	-	-	-	-	-
Maryland	330	0.055	0.049 - 0.061	49	0.016	0.012 - 0.021	281	0.098	0.087 - 0.110
Michigan	281	0.056	0.050 - 0.063	48	0.019	0.014 - 0.025	233	0.094	0.082 - 0.107
MI - Detroit	163	0.092	0.078 - 0.107	21	0.023	0.015 - 0.036	142	0.162	0.136 - 0.191
Minnesota	218	0.073	0.064 - 0.084	43	0.028	0.020 - 0.038	175	0.123	0.105 - 0.142
Mississippi	37	0.039	0.027 - 0.054	-	-	-	-	-	-
Missouri	148	0.059	0.049 - 0.069	23	0.018	0.011 - 0.026	125	0.102	0.085 - 0.122
Montana	29	0.073	0.049 - 0.104	-	-	-	-	-	-
Nebraska	139	0.067	0.057 - 0.079	32	0.030	0.020 - 0.042	107	0.108	0.089 - 0.131
Nevada	746	0.088	0.082 - 0.095	119	0.028	0.023 - 0.033	627	0.151	0.139 - 0.163
New Hampshire	51	0.104	0.077 - 0.137	-	-	-	-	-	-
New Jersey	2,219	0.124	0.119 - 0.130	386	0.043	0.039 - 0.048	1,832	0.206	0.197 - 0.216
New Mexico	1,197	0.117	0.111 - 0.124	228	0.045	0.039 - 0.051	969	0.189	0.177 - 0.201
New York	4,880	0.131	0.127 - 0.135	780	0.042	0.040 - 0.046	4,100	0.217	0.211 - 0.224
North Carolina	427	0.045	0.041 - 0.049	89	0.018	0.014 - 0.022	338	0.074	0.066 - 0.082
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	219	0.050	0.044 - 0.057	44	0.020	0.014 - 0.026	175	0.082	0.071 - 0.095
Oklahoma	193	0.047	0.040 - 0.054	29	0.013	0.009 - 0.019	164	0.083	0.071 - 0.097
Oregon	379	0.071	0.064 - 0.079	76	0.028	0.022 - 0.035	303	0.118	0.105 - 0.132
Pennsylvania	813	0.088	0.082 - 0.095	133	0.028	0.024 - 0.034	680	0.151	0.140 - 0.163
Rhode Island	142	0.088	0.074 - 0.104	33	0.041	0.028 - 0.057	109	0.136	0.112 - 0.164
South Carolina	99	0.035	0.029 - 0.043	30	0.020	0.014 - 0.029	69	0.053	0.041 - 0.067
Tennessee	157	0.044	0.037 - 0.051	29	0.015	0.010 - 0.022	128	0.076	0.063 - 0.090
Texas	8,377	0.076	0.074 - 0.077	1,536	0.028	0.026 - 0.029	6,841	0.125	0.122 - 0.128
Utah	436	0.102	0.092 - 0.112	67	0.030	0.023 - 0.038	370	0.177	0.159 - 0.196
Vermont	-	-	-	-	-	-	-	-	-
Virginia	677	0.086	0.080 - 0.093	106	0.026	0.021 - 0.032	571	0.151	0.139 - 0.163
Washington ³	647	0.070	0.064 - 0.075	112	0.023	0.019 - 0.028	535	0.119	0.109 - 0.130
WA - Seattle	402	0.080	0.073 - 0.089	70	0.027	0.021 - 0.034	332	0.138	0.124 - 0.154
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	235	0.060	0.053 - 0.068	38	0.019	0.013 - 0.026	197	0.104	0.090 - 0.120
Wyoming	32	0.055	0.038 - 0.078	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,988	0.015	0.015 - 0.016	4,929	0.017	0.016 - 0.017	4,059	0.014	0.014 - 0.015
Alabama	25	0.012	0.008 - 0.018	14	0.013	0.007 - 0.021	11	0.011	0.006 - 0.020
Alaska	-	-	-	-	-	-	-	-	-
Arizona	287	0.013	0.012 - 0.015	154	0.014	0.012 - 0.016	133	0.012	0.010 - 0.014
Arkansas	26	0.012	0.008 - 0.017	15	0.013	0.007 - 0.021	11	0.010	0.005 - 0.019
California	2,177	0.014	0.014 - 0.015	1,181	0.015	0.014 - 0.016	996	0.013	0.012 - 0.014
CA - Greater California	1,137	0.013	0.013 - 0.014	610	0.014	0.013 - 0.015	526	0.012	0.011 - 0.014
CA - Greater Bay Area	317	0.017	0.015 - 0.019	167	0.017	0.015 - 0.020	149	0.016	0.013 - 0.019
CA - Los Angeles	724	0.015	0.014 - 0.016	404	0.016	0.015 - 0.018	321	0.013	0.012 - 0.015
Colorado	169	0.014	0.012 - 0.016	98	0.016	0.013 - 0.020	71	0.012	0.009 - 0.015
Connecticut	139	0.025	0.021 - 0.029	79	0.028	0.022 - 0.035	60	0.021	0.016 - 0.027
Delaware	15	0.017	0.010 - 0.028	-	-	-	-	-	-
District of Columbia	22	0.029	0.018 - 0.044	11	0.028	0.014 - 0.051	11	0.029	0.015 - 0.053
Florida	1,147	0.022	0.020 - 0.023	640	0.025	0.023 - 0.027	507	0.019	0.017 - 0.021
Georgia	126	0.013	0.011 - 0.015	64	0.012	0.010 - 0.016	62	0.013	0.010 - 0.017
Hawaii	18	0.013	0.007 - 0.020	-	-	-	-	-	-
Idaho	29	0.014	0.009 - 0.019	16	0.014	0.008 - 0.023	13	0.013	0.007 - 0.022
Illinois	372	0.017	0.015 - 0.019	213	0.019	0.017 - 0.022	159	0.015	0.013 - 0.017
Iowa	27	0.014	0.010 - 0.021	16	0.016	0.009 - 0.027	11	0.012	0.006 - 0.022
Kentucky	14	0.009	0.005 - 0.015	-	-	-	-	-	-
Louisiana	17	0.007	0.004 - 0.011	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	48	0.008	0.006 - 0.011	31	0.010	0.007 - 0.014	17	0.006	0.003 - 0.009
Michigan	57	0.011	0.009 - 0.015	35	0.014	0.010 - 0.019	22	0.009	0.006 - 0.013
MI - Detroit	23	0.013	0.008 - 0.019	10	0.011	0.005 - 0.021	13	0.015	0.008 - 0.025
Minnesota	41	0.014	0.010 - 0.019	27	0.018	0.012 - 0.026	14	0.010	0.005 - 0.016
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	20	0.008	0.005 - 0.012	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	36	0.017	0.012 - 0.024	23	0.021	0.014 - 0.032	13	0.013	0.007 - 0.023
Nevada	100	0.012	0.010 - 0.014	69	0.016	0.013 - 0.020	31	0.007	0.005 - 0.011
New Hampshire	11	0.022	0.011 - 0.040	-	-	-	-	-	-
New Jersey	378	0.021	0.019 - 0.023	190	0.021	0.018 - 0.025	187	0.021	0.018 - 0.024
New Mexico	162	0.016	0.014 - 0.019	79	0.016	0.012 - 0.019	84	0.016	0.013 - 0.020
New York	867	0.023	0.022 - 0.025	463	0.025	0.023 - 0.028	404	0.021	0.019 - 0.024
North Carolina	76	0.008	0.006 - 0.010	50	0.010	0.008 - 0.013	26	0.006	0.004 - 0.008
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	49	0.011	0.008 - 0.015	28	0.012	0.008 - 0.018	21	0.010	0.006 - 0.015
Oklahoma	48	0.012	0.009 - 0.015	21	0.010	0.006 - 0.015	27	0.014	0.009 - 0.020
Oregon	59	0.011	0.008 - 0.014	26	0.009	0.006 - 0.014	33	0.013	0.009 - 0.018
Pennsylvania	154	0.017	0.014 - 0.020	86	0.018	0.015 - 0.023	68	0.015	0.012 - 0.019
Rhode Island	22	0.014	0.009 - 0.021	-	-	-	-	-	-
South Carolina	28	0.010	0.007 - 0.014	-	-	-	-	-	-
Tennessee	60	0.017	0.013 - 0.022	32	0.017	0.012 - 0.024	28	0.017	0.011 - 0.024
Texas	1,537	0.014	0.013 - 0.015	846	0.015	0.014 - 0.016	691	0.013	0.012 - 0.014
Utah	73	0.017	0.013 - 0.022	37	0.017	0.012 - 0.023	36	0.017	0.012 - 0.024
Vermont	-	-	-	-	-	-	-	-	-
Virginia	90	0.011	0.009 - 0.014	51	0.013	0.009 - 0.017	39	0.010	0.007 - 0.014
Washington ³	143	0.015	0.013 - 0.018	77	0.016	0.013 - 0.020	66	0.015	0.011 - 0.019
WA - Seattle	93	0.019	0.015 - 0.023	48	0.018	0.014 - 0.024	45	0.019	0.014 - 0.025
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	45	0.012	0.008 - 0.015	25	0.012	0.008 - 0.018	20	0.011	0.006 - 0.016
Wyoming	10	0.017	0.008 - 0.032	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	37,035	0.064	0.063 - 0.065	18,927	0.065	0.064 - 0.066	18,108	0.063	0.062 - 0.064
Alabama	60	0.029	0.022 - 0.037	35	0.032	0.022 - 0.044	25	0.026	0.017 - 0.038
Alaska	30	0.057	0.038 - 0.081	20	0.072	0.044 - 0.112	10	0.040	0.019 - 0.074
Arizona	1,031	0.047	0.044 - 0.050	493	0.045	0.041 - 0.049	538	0.049	0.045 - 0.054
Arkansas	69	0.031	0.024 - 0.039	37	0.032	0.022 - 0.043	32	0.030	0.021 - 0.042
California	9,639	0.063	0.062 - 0.064	4,898	0.064	0.062 - 0.065	4,741	0.062	0.061 - 0.064
CA - Greater California	4,944	0.058	0.057 - 0.060	2,522	0.059	0.057 - 0.061	2,422	0.057	0.055 - 0.060
CA - Greater Bay Area	1,376	0.072	0.069 - 0.076	736	0.076	0.071 - 0.082	641	0.068	0.063 - 0.074
CA - Los Angeles	3,322	0.068	0.065 - 0.070	1,643	0.067	0.064 - 0.070	1,679	0.068	0.065 - 0.072
Colorado	677	0.057	0.052 - 0.061	364	0.060	0.054 - 0.066	313	0.053	0.048 - 0.060
Connecticut	495	0.087	0.080 - 0.095	250	0.088	0.078 - 0.100	245	0.086	0.076 - 0.098
Delaware	47	0.054	0.040 - 0.072	24	0.054	0.035 - 0.080	23	0.054	0.034 - 0.081
District of Columbia	51	0.067	0.050 - 0.088	20	0.052	0.032 - 0.080	31	0.083	0.056 - 0.118
Florida	5,517	0.104	0.102 - 0.107	2,743	0.105	0.101 - 0.109	2,774	0.104	0.100 - 0.108
Georgia	495	0.050	0.046 - 0.055	286	0.056	0.049 - 0.062	208	0.044	0.039 - 0.051
Hawaii	79	0.055	0.044 - 0.069	37	0.050	0.035 - 0.069	42	0.060	0.044 - 0.082
Idaho	93	0.044	0.035 - 0.054	46	0.042	0.031 - 0.056	47	0.046	0.034 - 0.061
Illinois	1,388	0.064	0.060 - 0.067	725	0.065	0.060 - 0.070	663	0.062	0.058 - 0.067
Iowa	66	0.035	0.027 - 0.045	36	0.037	0.026 - 0.051	30	0.034	0.023 - 0.048
Kentucky	53	0.033	0.024 - 0.043	30	0.035	0.023 - 0.049	22	0.030	0.019 - 0.045
Louisiana	157	0.066	0.056 - 0.077	86	0.068	0.054 - 0.083	71	0.064	0.050 - 0.081
Maine	11	0.051	0.025 - 0.091	-	-	-	-	-	-
Maryland	199	0.033	0.029 - 0.038	111	0.036	0.029 - 0.043	88	0.031	0.025 - 0.038
Michigan	249	0.049	0.044 - 0.056	142	0.055	0.047 - 0.065	107	0.043	0.035 - 0.052
MI - Detroit	147	0.083	0.070 - 0.097	74	0.083	0.065 - 0.104	73	0.083	0.065 - 0.105
Minnesota	171	0.058	0.049 - 0.067	85	0.055	0.044 - 0.068	86	0.060	0.048 - 0.074
Mississippi	27	0.028	0.019 - 0.041	15	0.028	0.016 - 0.047	12	0.029	0.015 - 0.050
Missouri	111	0.044	0.036 - 0.053	58	0.044	0.034 - 0.057	53	0.043	0.033 - 0.057
Montana	21	0.053	0.033 - 0.081	11	0.054	0.027 - 0.096	10	0.052	0.025 - 0.095
Nebraska	95	0.046	0.037 - 0.056	48	0.044	0.033 - 0.059	47	0.048	0.035 - 0.063
Nevada	346	0.041	0.037 - 0.046	184	0.043	0.037 - 0.050	162	0.039	0.033 - 0.045
New Hampshire	21	0.043	0.026 - 0.065	-	-	-	-	-	-
New Jersey	1,526	0.086	0.081 - 0.090	802	0.090	0.084 - 0.096	723	0.081	0.076 - 0.088
New Mexico	717	0.070	0.065 - 0.076	354	0.070	0.063 - 0.078	363	0.071	0.064 - 0.078
New York	3,420	0.092	0.089 - 0.095	1,729	0.094	0.090 - 0.099	1,691	0.090	0.085 - 0.094
North Carolina	313	0.033	0.029 - 0.037	171	0.035	0.030 - 0.040	142	0.031	0.026 - 0.037
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	187	0.043	0.037 - 0.049	101	0.045	0.037 - 0.055	86	0.040	0.032 - 0.050
Oklahoma	150	0.036	0.031 - 0.042	68	0.031	0.024 - 0.040	82	0.041	0.033 - 0.051
Oregon	263	0.049	0.044 - 0.056	148	0.054	0.045 - 0.063	115	0.045	0.037 - 0.054
Pennsylvania	525	0.057	0.052 - 0.062	272	0.058	0.051 - 0.065	253	0.056	0.049 - 0.063
Rhode Island	70	0.043	0.034 - 0.055	32	0.039	0.027 - 0.056	38	0.047	0.034 - 0.065
South Carolina	86	0.031	0.025 - 0.038	48	0.032	0.024 - 0.043	38	0.029	0.021 - 0.040
Tennessee	121	0.034	0.028 - 0.040	59	0.031	0.024 - 0.040	62	0.037	0.028 - 0.047
Texas	6,315	0.057	0.056 - 0.059	3,211	0.058	0.056 - 0.060	3,104	0.057	0.055 - 0.059
Utah	236	0.055	0.048 - 0.063	136	0.062	0.052 - 0.073	101	0.048	0.039 - 0.059
Vermont	-	-	-	-	-	-	-	-	-
Virginia	367	0.047	0.042 - 0.052	193	0.048	0.041 - 0.055	174	0.046	0.039 - 0.053
Washington ³	446	0.048	0.044 - 0.053	223	0.046	0.041 - 0.053	223	0.050	0.043 - 0.057
WA - Seattle	266	0.053	0.047 - 0.060	130	0.050	0.042 - 0.059	136	0.057	0.048 - 0.067
West Virginia	10	0.034	0.017 - 0.063	-	-	-	-	-	-
Wisconsin	187	0.048	0.041 - 0.055	105	0.052	0.043 - 0.063	82	0.043	0.035 - 0.054
Wyoming	24	0.042	0.027 - 0.062	10	0.033	0.016 - 0.060	14	0.051	0.028 - 0.086

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,420	0.018	0.018 - 0.018	5,524	0.019	0.018 - 0.019	4,896	0.017	0.017 - 0.018
Alabama	14	0.007	0.004 - 0.011	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	295	0.013	0.012 - 0.015	166	0.015	0.013 - 0.018	129	0.012	0.010 - 0.014
Arkansas	20	0.009	0.005 - 0.014	-	-	-	-	-	-
California	2,453	0.016	0.015 - 0.017	1,315	0.017	0.016 - 0.018	1,138	0.015	0.014 - 0.016
CA - Greater California	1,339	0.016	0.015 - 0.017	705	0.016	0.015 - 0.018	634	0.015	0.014 - 0.016
CA - Greater Bay Area	312	0.016	0.015 - 0.018	175	0.018	0.016 - 0.021	137	0.015	0.012 - 0.017
CA - Los Angeles	803	0.016	0.015 - 0.018	436	0.018	0.016 - 0.020	367	0.015	0.013 - 0.017
Colorado	210	0.018	0.015 - 0.020	126	0.021	0.017 - 0.025	84	0.014	0.011 - 0.018
Connecticut	132	0.023	0.020 - 0.028	68	0.024	0.019 - 0.030	64	0.023	0.017 - 0.029
Delaware	11	0.013	0.006 - 0.023	-	-	-	-	-	-
District of Columbia	18	0.024	0.014 - 0.037	-	-	-	-	-	-
Florida	1,533	0.029	0.028 - 0.031	763	0.029	0.027 - 0.031	770	0.029	0.027 - 0.031
Georgia	121	0.012	0.010 - 0.015	64	0.012	0.010 - 0.016	57	0.012	0.009 - 0.016
Hawaii	21	0.014	0.009 - 0.022	10	0.013	0.006 - 0.024	11	0.016	0.008 - 0.028
Idaho	19	0.009	0.005 - 0.014	-	-	-	-	-	-
Illinois	399	0.018	0.017 - 0.020	221	0.020	0.017 - 0.023	178	0.017	0.014 - 0.019
Iowa	11	0.006	0.003 - 0.010	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	29	0.012	0.008 - 0.017	15	0.012	0.007 - 0.019	14	0.013	0.007 - 0.021
Maine	-	-	-	-	-	-	-	-	-
Maryland	47	0.008	0.006 - 0.010	22	0.007	0.004 - 0.011	25	0.009	0.006 - 0.013
Michigan	84	0.017	0.013 - 0.021	54	0.021	0.016 - 0.028	30	0.012	0.008 - 0.017
MI - Detroit	42	0.023	0.017 - 0.032	25	0.027	0.018 - 0.041	17	0.019	0.011 - 0.031
Minnesota	46	0.016	0.011 - 0.021	26	0.017	0.011 - 0.025	20	0.014	0.009 - 0.022
Mississippi	10	0.011	0.005 - 0.019	-	-	-	-	-	-
Missouri	28	0.011	0.007 - 0.016	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	32	0.015	0.011 - 0.022	17	0.016	0.009 - 0.025	15	0.015	0.009 - 0.025
Nevada	82	0.010	0.008 - 0.012	41	0.010	0.007 - 0.013	41	0.010	0.007 - 0.013
New Hampshire	10	0.020	0.010 - 0.037	-	-	-	-	-	-
New Jersey	430	0.024	0.022 - 0.027	231	0.026	0.023 - 0.029	200	0.022	0.019 - 0.026
New Mexico	226	0.022	0.019 - 0.025	129	0.025	0.021 - 0.030	98	0.019	0.015 - 0.023
New York	1,228	0.033	0.031 - 0.035	620	0.034	0.031 - 0.037	609	0.032	0.030 - 0.035
North Carolina	90	0.009	0.008 - 0.012	53	0.011	0.008 - 0.014	37	0.008	0.006 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	37	0.008	0.006 - 0.012	20	0.009	0.005 - 0.014	17	0.008	0.005 - 0.013
Oklahoma	36	0.009	0.006 - 0.012	19	0.009	0.005 - 0.014	17	0.009	0.005 - 0.014
Oregon	59	0.011	0.008 - 0.014	32	0.012	0.008 - 0.016	27	0.011	0.007 - 0.015
Pennsylvania	180	0.020	0.017 - 0.023	89	0.019	0.015 - 0.023	91	0.020	0.016 - 0.025
Rhode Island	24	0.015	0.010 - 0.022	11	0.014	0.007 - 0.024	13	0.016	0.009 - 0.028
South Carolina	16	0.006	0.003 - 0.009	-	-	-	-	-	-
Tennessee	33	0.009	0.006 - 0.013	18	0.009	0.006 - 0.015	15	0.009	0.005 - 0.015
Texas	1,875	0.017	0.016 - 0.018	1,001	0.018	0.017 - 0.019	874	0.016	0.015 - 0.017
Utah	58	0.014	0.010 - 0.018	35	0.016	0.011 - 0.022	23	0.011	0.007 - 0.017
Vermont	-	-	-	-	-	-	-	-	-
Virginia	81	0.010	0.008 - 0.013	40	0.010	0.007 - 0.013	41	0.011	0.008 - 0.015
Washington ³	112	0.012	0.010 - 0.015	59	0.012	0.009 - 0.016	54	0.012	0.009 - 0.016
WA - Seattle	50	0.010	0.008 - 0.013	24	0.009	0.006 - 0.014	27	0.011	0.007 - 0.016
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	47	0.012	0.009 - 0.016	28	0.014	0.009 - 0.020	19	0.010	0.006 - 0.016
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	26,126	0.045	0.044 - 0.046	14,558	0.050	0.049 - 0.050	11,569	0.040	0.040 - 0.041
Alabama	68	0.033	0.025 - 0.041	43	0.039	0.028 - 0.052	25	0.026	0.017 - 0.038
Alaska	17	0.032	0.019 - 0.052	-	-	-	-	-	-
Arizona	840	0.038	0.036 - 0.041	469	0.043	0.039 - 0.047	371	0.034	0.031 - 0.038
Arkansas	90	0.040	0.032 - 0.049	54	0.046	0.035 - 0.060	36	0.034	0.024 - 0.047
California	6,665	0.044	0.042 - 0.045	3,708	0.048	0.047 - 0.050	2,957	0.039	0.037 - 0.040
CA - Greater California	3,580	0.042	0.041 - 0.043	1,975	0.046	0.044 - 0.048	1,605	0.038	0.036 - 0.040
CA - Greater Bay Area	880	0.046	0.043 - 0.049	511	0.053	0.048 - 0.058	369	0.039	0.035 - 0.044
CA - Los Angeles	2,208	0.045	0.043 - 0.047	1,222	0.050	0.047 - 0.053	986	0.040	0.038 - 0.043
Colorado	511	0.043	0.039 - 0.047	286	0.047	0.042 - 0.053	225	0.038	0.033 - 0.044
Connecticut	277	0.049	0.043 - 0.055	142	0.050	0.042 - 0.059	134	0.047	0.040 - 0.056
Delaware	51	0.058	0.044 - 0.077	26	0.058	0.038 - 0.086	25	0.058	0.038 - 0.086
District of Columbia	29	0.038	0.026 - 0.055	-	-	-	-	-	-
Florida	3,411	0.065	0.062 - 0.067	1,791	0.069	0.066 - 0.072	1,620	0.061	0.058 - 0.064
Georgia	421	0.043	0.039 - 0.047	252	0.049	0.043 - 0.055	169	0.036	0.031 - 0.042
Hawaii	46	0.032	0.024 - 0.043	31	0.043	0.029 - 0.060	15	0.021	0.012 - 0.035
Idaho	99	0.046	0.038 - 0.057	59	0.054	0.041 - 0.069	40	0.039	0.028 - 0.053
Illinois	1,017	0.047	0.044 - 0.049	591	0.053	0.049 - 0.057	426	0.040	0.036 - 0.044
Iowa	63	0.034	0.026 - 0.043	36	0.037	0.026 - 0.051	27	0.030	0.020 - 0.043
Kentucky	59	0.036	0.028 - 0.047	37	0.042	0.029 - 0.058	22	0.030	0.019 - 0.045
Louisiana	92	0.039	0.031 - 0.047	55	0.043	0.033 - 0.056	37	0.033	0.023 - 0.046
Maine	-	-	-	-	-	-	-	-	-
Maryland	164	0.027	0.023 - 0.032	95	0.031	0.025 - 0.037	69	0.024	0.019 - 0.030
Michigan	177	0.035	0.030 - 0.041	108	0.042	0.035 - 0.051	69	0.028	0.022 - 0.035
MI - Detroit	83	0.047	0.037 - 0.058	47	0.053	0.039 - 0.070	36	0.041	0.028 - 0.056
Minnesota	154	0.052	0.044 - 0.061	94	0.061	0.049 - 0.075	60	0.042	0.032 - 0.054
Mississippi	19	0.020	0.012 - 0.031	-	-	-	-	-	-
Missouri	85	0.034	0.027 - 0.042	41	0.031	0.022 - 0.043	44	0.036	0.026 - 0.048
Montana	17	0.043	0.025 - 0.068	-	-	-	-	-	-
Nebraska	83	0.040	0.032 - 0.050	53	0.049	0.037 - 0.064	30	0.030	0.021 - 0.043
Nevada	320	0.038	0.034 - 0.042	173	0.040	0.035 - 0.047	147	0.035	0.030 - 0.042
New Hampshire	20	0.041	0.025 - 0.063	-	-	-	-	-	-
New Jersey	929	0.052	0.049 - 0.056	526	0.059	0.054 - 0.064	403	0.045	0.041 - 0.050
New Mexico	489	0.048	0.044 - 0.052	262	0.052	0.046 - 0.059	227	0.044	0.039 - 0.050
New York	1,930	0.052	0.050 - 0.054	1,041	0.057	0.053 - 0.060	889	0.047	0.044 - 0.050
North Carolina	328	0.035	0.031 - 0.038	200	0.041	0.035 - 0.047	128	0.028	0.023 - 0.033
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	129	0.029	0.025 - 0.035	89	0.040	0.032 - 0.049	40	0.019	0.013 - 0.026
Oklahoma	150	0.036	0.031 - 0.042	89	0.041	0.033 - 0.051	61	0.031	0.024 - 0.040
Oregon	221	0.042	0.036 - 0.047	131	0.048	0.040 - 0.056	90	0.035	0.028 - 0.043
Pennsylvania	351	0.038	0.034 - 0.042	202	0.043	0.037 - 0.049	149	0.033	0.028 - 0.039
Rhode Island	63	0.039	0.030 - 0.050	39	0.048	0.034 - 0.066	24	0.030	0.019 - 0.045
South Carolina	96	0.034	0.028 - 0.042	65	0.044	0.034 - 0.056	31	0.024	0.016 - 0.034
Tennessee	138	0.038	0.032 - 0.045	76	0.040	0.032 - 0.050	62	0.037	0.028 - 0.047
Texas	4,839	0.044	0.043 - 0.045	2,706	0.049	0.047 - 0.051	2,133	0.039	0.037 - 0.041
Utah	170	0.040	0.034 - 0.046	97	0.044	0.036 - 0.054	73	0.035	0.027 - 0.044
Vermont	-	-	-	-	-	-	-	-	-
Virginia	219	0.028	0.024 - 0.032	119	0.029	0.024 - 0.035	100	0.026	0.021 - 0.032
Washington ³	387	0.042	0.038 - 0.046	209	0.044	0.038 - 0.050	177	0.040	0.034 - 0.046
WA - Seattle	210	0.042	0.036 - 0.048	113	0.044	0.036 - 0.052	96	0.040	0.033 - 0.049
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	164	0.042	0.036 - 0.049	90	0.045	0.036 - 0.055	74	0.039	0.031 - 0.049
Wyoming	21	0.036	0.022 - 0.056	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2017
for Cancers Diagnosed 2007-2016 by Registry, Hispanic, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	450	0.001	0.001 - 0.001	269	0.001	0.001 - 0.001	182	0.001	0.001 - 0.001
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	20	0.001	0.001 - 0.001	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	122	0.001	0.001 - 0.001	70	0.001	0.001 - 0.001	52	0.001	0.001 - 0.001
CA - Greater California	69	0.001	0.001 - 0.001	38	0.001	0.001 - 0.001	31	0.001	0.001 - 0.001
CA - Greater Bay Area	16	0.001	0.000 - 0.001	-	-		-	-	
CA - Los Angeles	36	0.001	0.001 - 0.001	23	0.001	0.001 - 0.001	14	0.001	0.000 - 0.001
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
District of Columbia	-	-		-	-		-	-	
Florida	54	0.001	0.001 - 0.001	29	0.001	0.001 - 0.002	25	0.001	0.001 - 0.001
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	22	0.001	0.001 - 0.002	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
Michigan	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
Nevada	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	22	0.001	0.001 - 0.002	11	0.001	0.001 - 0.002	11	0.001	0.001 - 0.002
New Mexico	-	-		-	-		-	-	
New York	31	0.001	0.001 - 0.001	15	0.001	0.000 - 0.001	16	0.001	0.000 - 0.001
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	73	0.001	0.001 - 0.001	50	0.001	0.001 - 0.001	23	0.000	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Virginia	-	-		-	-		-	-	
Washington ³	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 94% for the United States and 77% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

³ For this volume, two data sources are used for Washington state data. The Seattle SEER Registry provides data for the counties in the Seattle SEER area, and the Washington State Cancer Registry provides the data for counties outside the Seattle SEER area. Please see Technical Section for additional information.

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.