2014 - 2018: Cancer in North America



PARTICIPATING REGISTRIES

NOT PARTICIPATING

NAACCR
North American Association of Central Cancer Registries

North American Association of Central Cancer Registries, Inc.

EXECUTIVE SUMMARY: Cancer in North America: 2014-2018

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. In this call for data, member registries data submissions are combined and used to create the CiNA Monograph and other CiNA products for data analyses and cancer incidence information (e.g., CiNA Explorer on-line query system, NACCCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality. Standard data quality metrics are reported for all contributors.

In May of 2021, NAACCR released a five volume monograph, Cancer in North America (CiNA): 2014-2018. This release is the 31st publication of the series and the 29th release that includes statistics for both Canada and the United States (U.S.). This year's publication updates the five volume monograph, and presents cancer incidence data for all 50 U.S. states, the District of Columbia, Puerto Rico, and for 11 Canadian provinces and territories. We also report data by 5 regions: California (excluding the Greater Bay area and Los Angeles), and 4 SEER urban registries (Detroit, Los Angeles, San Francisco/Oakland, and Seattle). CiNA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay-adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America
Includes aggregated cancer incidence data by cancer site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from high quality registries in the U.S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada
Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada
Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada
Includes cancer survival data for the U.S. and Canada from 58 registries on more than 12.8 million cases diagnosed among North Americans between 2011 and 2017.

Volume Five: Cancer Prevalence in the United States and Canada
Includes cancer prevalence estimates for the U.S. and Canada from 58 registries on more than 18 million cases diagnosed among North Americans between 2008 and 2017.

All CiNA volumes are available free of charge from the NAACCR website, along with accompanying technical data, including population data and supporting appendices.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality, standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance. The Editors would like to acknowledge the work and support of the National Cancer Institute, the National Center for Health Statistics, and Statistics Canada for their assistance in developing this publication.

We hope that Cancer in North America: 2014-2018, with the companion CiNA products and resources, facilitate studies of cancer burden, so that we are better able to identify, and understand, appropriate and important measures to control the myriad diseases known collectively as cancer.

The Editors May 2021

CANCER IN NORTH AMERICA: 2014-2018

VOLUME THREE: REGISTRY-SPECIFIC CANCER MORTALITY IN THE UNITED STATES AND CANADA

A Publication of the North American Association of Central Cancer Registries, Inc. (NAACCR)

Editors:
Recinda Sherman, NAACCR Inc.
Rick Firth, Information Management Services, Inc.
Mary Charlton, State Health Registry of Iowa
Prithwish De, Ontario Cancer Registry at Cancer Care Ontario
Don Green, Information Management Services, Inc.
Brenda Hofer, California Cancer Registry
Lihua Liu, Los Angeles Cancer Surveillance Program
Mei-Chin Hsieh, Louisiana Tumor Registry
Chris Johnson, Cancer Data Registry of Idaho
Betsy Kohler, NAACCR, Inc.
Bozena Morawski, Cancer Data Registry of Idaho
Sarah Nash, SEER Alaska Native Tumor Registry
Baozhen Qiao, New York State Cancer Registry
Hannah Weir, U.S. Centers for Disease Control and Prevention

May 2021

The CiNA Editorial Workgroup of the NAACCR Steering Committee, Research and Data Use, publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401 and by cooperative agreement NU58DP006458 from the Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC or NCI.

NAACCR
2014-2018

SUGGESTED CITATION:
Sherman R, Firth R, Charlton M, De P, Green D, Hofer B, Liu L, Hsieh M, Johnson C, Kohler B, Morawski B, Nash S, Qiao B, Weir H (eds). *Cancer In North America, 2014-2018. Volume Three: Registry-specific Cancer Mortality in the United States and Canada.* Springfield, IL: North American Association of Central Cancer Registries, Inc. May 2021.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes I-1

SECTION II: Average-annual Registry-specific Cancer Death Rates by Race and Sex, Age-adjusted to the 2000 U.S. and World Population Standards

UNITED STATES REGISTRIES

Alabama II-1
Alaska II-5
Arizona II-9
Arkansas II-13
California II-17
CA: Greater California II-21
CA: Greater Bay Area II-25
CA: Los Angeles II-29
Colorado II-33
Connecticut II-37
Delaware II-41
District of Columbia II-45
Florida II-49
Georgia II-53
Hawaii II-57
Idaho II-61
Illinois II-65
Indiana II-69
Iowa II-73
Kansas II-77
Kentucky II-81
Louisiana II-85
Maine II-89
Maryland II-93
Massachusetts II-97
Michigan II-101
MI: Metropolitan Detroit II-105
Minnesota II-109
Mississippi II-113
Missouri II-117
Montana II-121
Nebraska II-125
Nevada II-129
New Hampshire II-133
New Jersey II-137
New Mexico II-141
New York II-145
North Carolina II-149

North Dakota II-153
Ohio II-157
Oklahoma II-161
Oregon II-165
Pennsylvania II-169
Rhode Island II-173
South Carolina II-177
South Dakota II-181
Tennessee II-185
Texas II-189
Utah II-193
Vermont II-197
Virginia II-201
Washington II-205
WA: Seattle/Puget Sound II-209
West Virginia II-213
Wisconsin II-217
Wyoming II-221

U.S. TERRITORIES

Puerto Rico II-225

CANADIAN REGISTRIES

Alberta II-226
British Columbia II-227
Manitoba II-228
New Brunswick II-229
Newfoundland and Labrador II-230
Northwest Territories II-231
Nova Scotia II-232
Nunavut II-233
Ontario II-234
Prince Edward Island II-235
Quebec II-236
Saskatchewan II-237
Yukon II-238

SECTION III: Average-annual Registry-specific Cancer Death Rates by Sex, Age-adjusted to the 2011 Canadian and World Population Standards

UNITED STATES REGISTRIES

Alabama III-1
Alaska III-2
Arizona III-3
Arkansas III-4
California III-5
CA: Greater California III-6
CA: Greater Bay Area III-7
CA: Los Angeles III-8

Contents

Colorado III-9
Connecticut III-10
Delaware III-11
District of Columbia III-12
Florida III-13
Georgia III-14
Hawaii III-15
Idaho III-16
Illinois III-17
Indiana III-18
Iowa III-19
Kansas III-20
Kentucky III-21
Louisiana III-22
Maine III-23
Maryland III-24
Massachusetts III-25
Michigan III-26
MI: Metropolitan Detroit III-27
Minnesota III-28
Mississippi III-29
Missouri III-30
Montana III-31
Nebraska III-32
Nevada III-33
New Hampshire III-34
New Jersey III-35
New Mexico III-36
New York III-37
North Carolina III-38
North Dakota III-39
Ohio III-40
Oklahoma III-41
Oregon III-42
Pennsylvania III-43
Rhode Island III-44
South Carolina III-45
South Dakota III-46
Tennessee III-47
Texas III-48
Utah III-49
Vermont III-50
Virginia III-51
Washington III-52
WA: Seattle/Puget Sound III-53
West Virginia III-54

Wisconsin III-55
Wyoming III-56
U.S. TERRITORIES
Puerto Rico III-57

CANADIAN REGISTRIES
Alberta III-58
British Columbia III-59
Manitoba III-60
New Brunswick III-61
Newfoundland and Labrador III-62
Northwest Territories III-63
Nova Scotia III-64
Nunavut III-65
Ontario III-66
Prince Edward Island III-67
Quebec III-68
Saskatchewan III-69
Yukon III-70

SECTION IV: Cancer Mortality for the United States and Canada

United States
All Races (2000 U.S. and World populations) IV-1
All Races (2011 Canadian and World populations) IV-2
Comparison of Selected Site-Specific Death Rates by Registry,
All Races, Males (2000 U.S. population) IV-3
All Races, Males (World population) IV-5
All Races, Females (2000 U.S. population) IV-7
All Races, Females (World population) IV-9
White (2000 U.S. and World populations) IV-12
Comparison of Selected Site-Specific Death Rates by Registry,
White, Males (2000 U.S. population) IV-13
White, Males (World population) IV-15
White, Females (2000 U.S. population) IV-17
White, Females (World population) IV-19
Black (2000 U.S. and World populations) IV-22
Comparison of Selected Site
Black, Males (2000 U.S. population) IV-23
Black, Males (World population) IV-25
Black, Females (2000 U.S. population) IV-27
Black, Females (World population) IV-29
Asian/Pacific Islander (2000 U.S. and World populations) IV-32
Comparison of Selected Site-Specific Death Rates by Registry,
Asian/Pacific Islander, Males (2000 U.S. population) IV-33
Asian/Pacific Islander, Males (World population) IV-35
Asian/Pacific Islander, Females (2000 U.S. population) IV-37
Asian/Pacific Islander, Females (World population) IV-39

Contents

American Indian/Alaska Native (2000 U.S. and World populations)..... IV-42
Hispanic (2000 U.S. and World populations)..... IV-43
Non-Hispanic (2000 U.S. and World populations)..... IV-44

Canada

All Races (2000 U.S. and World populations)..... IV-45
All Races (2011 Canadian and World Populations)..... IV-46
Comparison of Selected Site-Specific Death Rates by Registry,
All Races, Males (2000 U.S. population)..... IV-47
All Races, Males (2011 Canadian population)..... IV-48
All Races, Females (2000 U.S. population)..... IV-49
All Races, Females (2011 Canadian population)..... IV-50

All Appendices are available on the NAACCR website:
https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices

Section I

Introduction and Technical Notes

Cancer in North America: 2014-2018, Volume Three: Registry–Specific Cancer Mortality in the United States and Canada

Introduction and Technical Notes

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population-based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence, mortality, and other cancer burden statistics for the United States (U.S.), Canada, and North America.

Annual cancer statistics for the U.S., for Canada, and for North America are presented in each of the five Cancer in North American (CiNA) Volumes. This year marks the 31st annual release of the series of Cancer in North America (CiNA) monographs; and the 29th year CiNA has included data from both the U.S. and Canada. The *2021 CiNA Volume III Mortality Monograph* includes data from all 50 U.S. states plus District of Columbia and Puerto Rico and all 13 Canadian provinces and territories

NAACCR issues an annual call for data to member registries to create the CiNA monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., CiNA Explorer on-line query system, NACCCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). For more information on these products and the process for gaining access to them, please visit www.naaccr.org and select *Cancer in North America (CiNA) Data Products* under the *Research & Analytic Tools* tab.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the U.S. and Canada to collect the timely, complete, and accurate data that make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in the production of the monograph. The objective of this work is to provide timely and useful information on the cancer burden in all geographic areas and race/ethnic groups in the U.S. and Canada.

CONTENTS OF THE CiNA MONOGRAPH:

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America
Includes aggregated cancer incidence data by cancer site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from high quality registries in the U.S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada
Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada
Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada
Includes cancer survival data for the U.S. and Canada from 58 registries on more than 12.8 million cases diagnosed among North Americans between 2011 and 2017.

Volume Five: Cancer Prevalence in the United States and Canada
Includes cancer prevalence estimates for the U.S. and Canada from 58 registries on more than 18 million cases diagnosed among North Americans between 2008 and 2017.

In the U.S., cancer statistics are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for PRCDA counties, Hispanic/Latino (all races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented.

In the U.S., cancer statistics are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for
PRCDA counties, Hispanic/Latino (all races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented.

Recent volumes of the CiNA publication, including sections containing rates standardized to the World Standard and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, https://www.naaccr.org/cancer-in-north-america-cina-volumes/.

CiNA Volume Three: Registry–Specific Cancer Mortality in the United States and Canada

The mortality data presented in *CiNA Mortality* represents 100% population coverage in the U.S. and Canada.

CiNA Mortality is comprised of four sections:

Section 1: Introduction and Technical Notes

Section 2: Average—annual Registry-specific Cancer Death Rates by Race and Sex, Age-Adjusted to the 2000 U.S. and World Population Standards.
Includes average annual death counts and age-adjusted rates by registry. The statistics are presented by sex, and for the U.S., also by race.

Section 3: Average—annual Registry-specific Cancer Death Rates by Race and Sex, Age-Adjusted to the 2011 Canadian and World Population Standards.
Includes average annual death counts and age-adjusted rates by registry. The statistics are presented by sex, and for the U.S., also by race.

Section 4: Cancer Mortality for the United States and Canada

Includes average annual death counts and age-adjusted rates for U.S. and Canada. The statistics are presented by sex, and for the U.S., also by race and ethnicity.

Rates are presented as average annual, age-adjusted rates using three different standard million populations: the 2000 U.S. (Census P25-1130), the 2011 Canadian, and the World (WHO 2000-2025) Standard Populations. We believe that presenting cancer rates adjusted to all three standards enhances the meaning and utility of the rates for users in the U.S., Canada, and international settings.

TECHNICAL SECTION

SOURCES OF DATA

Mortality Data. Mortality data for 2014 to 2018 for the U.S. and Puerto Rico were obtained from the National Center for Health Statistics (NCHS) of the Centers for Disease Control and Prevention (CDC), as provided to the National Cancer Institute (NCI). The Canadian mortality data for 2014 to 2018 were provided by Statistics Canada. These data are available from Statistics Canada's Vital Statistics – Death Database (http://www23.statcan.gc.ca/imdb/p2SV.pl?Function=getSurvey&SDDS=3233).

Occasionally, the most current year of vital statistics data may be unavailable for a registry. When this is the case, the average annual counts and rates are based on the four (4) years of available mortality data.

Population Estimates. To assist the reader, population estimates by age, sex, and race/ethnicity (where relevant) used in the calculation of rates in the monograph are available for each central registry, the U.S., and Canada. These data are available online on the NAACCR website at https://www.naaccr.org/cancer-in-north-america-cina-volumes/.

Population estimates for 2014 through 2018 for the U.S., individual states, and SEER metropolitan areas were obtained from the SEER program. These estimates were based on U.S. Census Bureau population estimates for

these years and represent a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the NCI. The population estimates incorporate bridged, single race estimates that are derived from the original multiple race categories in the 2010 Census. These bridged estimates are consistent with the four race groups enumerated in the 1990 Census and were produced under a collaborative arrangement between the NCHS and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990-2000 intercensal estimates and is described on the Census Bureau's website.[1]
In 2007, the U.S. Census revised their methodology for population estimation. This revision impacts all population denominators for 2014 to 2018. The main effect of this approach was on specific age groups, particularly, two of the oldest age groups, ages 65-74 and 75 and older. In many states, the new method results in a larger increase in the younger age category and fewer in the older age category than estimated in previous years.

The NCI modifies the Census data for the population estimates for the state of Hawaii. The Epidemiology Program of the Hawaii Cancer Research Center has developed its own set of population estimates, based on sample survey data collected by the Hawaii Department of Health. This effort grew out of a concern that the native Hawaiian population had been vastly undercounted in previous censuses. The "Hawaii adjustment" to the Census Bureau estimates has the net result of reducing the estimated white population and increasing the Asian and Pacific Islander population for the state. The Census Bureau estimates for the total population, black population, and American Indian and Alaskan Native populations in Hawaii are unaffected. The details of the methodology are described elsewhere.[2]

For **Canada**, Statistics Canada provided the estimates of the Canadian population for all Canadian provinces and territories, adjusted for census net under coverage.

CODING, 2014-2018

Mortality Data. Underlying cause of death was coded using the International Classification of Diseases version 10 (ICD-10). Cancer deaths were defined as those coded C00 through C97 in ICD-10. The SEER mortality recode scheme was used to classify cancer deaths into the groupings used in Volume III (see Appendix B on the NAACCR website: https://www.naaccr.org/cancer-in-north-america-cina-volumes/).

Misclassification of American Indian and Alaskan Native Populations. The collection of accurate information on the cancer in American Indian and Alaskan Native (AI/AN) populations is hampered by misclassification of this population.[3] In order to address this problem, the data on AI/AN Natives are restricted to those counties where Indian Health Service Clinics are located, namely PRCDA counties (Purchased/Referred Care Delivery Area counties previously known as the Contract Health Service Delivery Areas (CHSDA) counties). This restriction assures that the data presented are the best available data for this population.

CALCULATION OF STATISTICS

Counts. Counts are the average annual count rounded to nearest whole number. Cell suppression rules were applied based on the five-year aggregate count.

Rates. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. based on single years of age,[4,5] the 2011 Canadian Standard Population,[6] and to the World (WHO 2000-2025) population standard.[7] The death rates in this monograph are annual averages for the period 2014 through 2018.

The age distributions of the three population standards are as follows:

AGE GROUP	2000 U.S. (Census P25-1130)	2011 CDN.	WORLD (WHO 2000-2025)
00 years	3,794,901	376,321	17,917
01-04 years	15,191,619	1,522,743	70,625
05-09 years	19,919,840	1,810,433	86,870
10-14 years	20,056,779	1,918,164	85,970
15-19 years	19,819,518	2,238,952	84,670
20-24 years	18,257,225	2,354,354	82,171
25-29 years	17,722,067	2,369,841	79,272
30-34 years	19,511,370	2,327,955	76,073
35-39 years	22,179,956	2,273,087	71,475
40-44 years	22,479,229	2,385,918	65,877
45-49 years	19,805,793	2,719,909	60,379
50-54 years	17,224,359	2,691,260	53,681
55-59 years	13,307,234	2,353,090	45,484
60-64 years	10,654,272	2,050,443	37,187
65-69 years	9,409,940	1,532,940	29,590
70-74 years	8,725,574	1,153,822	22,092
75-79 years	7,414,559	919,338	15,195
80-84 years	4,900,234	701,140	9,097
85+ years	4,259,173	643,070	6,348
Total	**274,633,642**	**34,342,780**	**1,000,000**

Standard Errors. Standard errors (S.E.) of the rates were calculated using the formula:

$$S.E. = \sqrt{\sum \frac{w_j^2 n_j}{p_j^2}}$$

where w_j = the fraction of the standard population in age group j, n_j = number of cases or deaths in that age group, and p_j = person years denominator.[8]. For many registries, the standard errors of the rates are small, as the population covered is large. However, for registries that cover a small population, the standard error may be substantial.

Confidence Intervals. Although not reproduced in the printed monograph, bar charts of the registry-specific, age-adjusted rates with 95 percent confidence intervals[9] are available on the NAACCR website (https://www.naaccr.org/cancer-in-north-america-cina-volumes). The confidence intervals allow the user to assess the precision of the estimate and is an approximate and conservative indicator of whether a registry's rate is statistically higher or lower than the rate for the combined U.S., based on whether or not the upper or lower limit of the confidence interval overlaps the 95% confidence interval for the U.S.

Comparison of Rates. In addition to true regional variation in cancer risk, differences in cancer incidence or mortality rates between areas may be due to either differences in the demographic makeup of the population or differences in data quality. In making valid comparisons of cancer incidence rates among registries, it is important to review the data quality indicators for each registry and consider differences in the racial composition of the

populations being compared before conclusions are drawn about variations in regional rates. Interpretation without consideration of these factors may contribute to misleading or inaccurate conclusions.

The standard error of adjusted rates can be used to evaluate the statistical significance of rate differences among comparable populations. For example, if the adjusted rates in two populations are R_1 and R_2 and their standard errors are $S.E._1$ and $S.E._2$, an approximate confidence interval for the rate ratio can be calculated using the following formula:

$(R_1/R_2)^{1 \pm z/x}$

where $x = (R_1 \text{ B } R_2) / \sqrt{(S.E._1^2 + S.E._2^2)}$ and z = 1.96 for 95% limits[10]. If this interval does not include one, the two rates are statistically significantly different at a p value of 0.05. This test can be inaccurate for rates based on fewer than 16 cases or deaths, and it should not be used for rates based on fewer than six cases or deaths. It should be emphasized that this kind of comparison of adjusted rates must be undertaken with caution as misleading conclusions may be drawn if the ratios of the age-specific rates in the two populations are not constant in all age groups. In these circumstances, the ratios of the adjusted rates will vary according to the standard populations used.[11]

Cell Suppression. Counts and rates were suppressed (indicated by "-") in the tables if the race, gender, and site-specific number of cases for the five years was less than six or when the number of deaths was less than ten. Complementary cell suppression was employed, when necessary, to prevent the contents of a single suppressed cell from being calculated. These counts are included in the calculation of all sites combined. A dash is also used to indicate not applicable, as in the gender-specific cancers. If the rate was less than 0.05 per 100,000 then the rate is listed as 0.0.

REFERENCES

1. National Center for Health Statistics. U.S. Census Populations with Bridged Race Categories. September 2003. Available here: https://www.cdc.gov/nchs/nvss/bridged_race.htm.

2. Horner MJ, Ries LAG, Krapcho M, Neyman N, Aminou R, Howlader N, Altekruse SF, Feuer EJ, Huang L, Mariotto A, Miller BA, Lewis DR, Eisner MP, Stinchcomb DG, Edwards BK (eds). SEER Cancer Statistics Review, 1975-2006, National Cancer Institute. Bethesda, MD, based on November 2008 SEER data submission, posted to the SEER web site, 2009. Available here: https://seer.cancer.gov/archive/csr/1975_2006/.

3. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. Cancer. 2008 Sep 1 Suppl):112030.

4. SEER. 2000 U.S. Standard Population vs. Standard Million. 13 December 2004. Available here: http://seer.cancer.gov/stdpopulations/single_age.html.

5. Day, Jennifer Cheeseman, *Population Projections of the United States by Age, Sex, Race, and Hispanic Origin: 1995 to 2050*, U.S. Bureau of the Census, Current Population Reports, P25-1130, U.S. Government Printing Office, Washington, DC, 1996. Available here: https://www.census.gov/prod/1/pop/p25-1130/p251130.pdf.

6. 2011 Canadian Standard Population. Statistics Canada. Canadian Cancer Registry – Age-standardization. Available at: https://www.statcan.gc.ca/eng/statistical-programs/document/3207_D12_V3 Accessed 05/20/21.

7. Ahmad O, Boschi-Pinto C, Lopez A, Murray C, Lozano R, Inoue M. Age Standardization of Rates: A New WHO Standard. GPE Discussion Paper Series: No. 31. World Health Organization 2001. Available here: http://www.who.int/healthinfo/paper31.pdf.

8. Breslow NE and Day NE. Statistical Methods in Cancer Research. Vol. II. 1987. International Agency for Research on Cancer: Lyon, France. Anderson RN, Minino AM, Hoyert DL, Rosenberg HM.

Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports 2001*;49:1-32.

9. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. Stat Methods Med Res 2006;15:547-569.

10. Parkin D.M., Whelan S.L., Ferlay J., Teppo L., Thomas D., Thomas D.B. Cancer Incidence in Five Continents. Vol. VIII. 2002. International Agency for Research on Cancer: Lyon, France.

11. Esteve J, Benhamou E, and Raymond L. Statistical Methods in Cancer Research. Vol. V. 1994. International Agency for Research on Cancer: Lyon, France.

Section II

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2000 U.S. and World Population Standards

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,680	216.6	1.33	147.9	0.89	4,740	142.3	0.94	100.6	0.70
Oral Cavity & Pharynx	131	4.8	0.20	3.5	0.14	44	1.3	0.09	1.0	0.07
Digestive System	1,524	56.5	0.67	40.3	0.47	1,114	33.3	0.45	23.0	0.33
Esophagus	189	6.8	0.23	5.0	0.16	47	1.4	0.09	1.0	0.07
Stomach	112	4.3	0.19	3.0	0.13	77	2.4	0.12	1.6	0.09
Colon & Rectum	496	19.0	0.39	13.4	0.27	418	12.6	0.28	8.7	0.21
Liver	257	8.9	0.26	6.7	0.19	106	3.1	0.14	2.2	0.10
Pancreas	368	13.6	0.33	9.6	0.23	347	10.2	0.25	6.9	0.17
Respiratory System	1,847	68.1	0.73	47.3	0.50	1,242	36.3	0.47	25.7	0.34
Larynx	59	2.1	0.13	1.6	0.09	12	0.4	0.05	0.3	0.04
Lung & bronchus	1,775	65.5	0.72	45.4	0.49	1,223	35.7	0.46	25.3	0.33
Skin	132	5.3	0.21	3.5	0.14	66	2.0	0.11	1.4	0.09
Melanomas of the skin	90	3.6	0.17	2.5	0.12	47	1.5	0.10	1.1	0.08
Breast	6	0.2	0.04	0.2	0.03	700	21.5	0.37	15.8	0.28
Female Genital System	-	-	-	-	-	493	15.1	0.31	11.0	0.24
Cervix uteri	-	-	-	-	-	99	3.5	0.16	2.8	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	122	3.6	0.15	2.5	0.11
Ovary	-	-	-	-	-	240	7.2	0.21	5.1	0.15
Male Genital System	506	21.5	0.44	12.4	0.25	-	-	-	-	-
Prostate	493	21.0	0.43	12.0	0.24	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	343	13.7	0.34	8.7	0.21	156	4.6	0.17	3.0	0.11
Bladder	184	7.7	0.26	4.6	0.15	69	2.0	0.11	1.3	0.07
Kidney & renal pelvis	152	5.8	0.22	4.0	0.15	80	2.4	0.12	1.6	0.09
Brain & Other CNS[1]	162	6.1	0.22	4.7	0.17	134	4.2	0.17	3.3	0.14
Endocrine System	20	0.8	0.08	0.6	0.06	20	0.6	0.06	0.5	0.05
Thyroid gland	13	0.5	0.06	0.3	0.04	13	0.4	0.05	0.2	0.03
Lymphomas	178	7.1	0.25	4.7	0.16	134	4.0	0.16	2.6	0.11
Hodgkin Lymphoma	11	0.4	0.06	0.4	0.05	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	167	6.7	0.24	4.3	0.15	128	3.8	0.15	2.4	0.10
Multiple Myeloma	111	4.4	0.19	2.8	0.12	94	2.8	0.13	1.8	0.08
Leukemias	211	8.5	0.27	5.6	0.18	158	4.9	0.18	3.3	0.13
Other, Ill-defined & Unknown	507	19.5	0.40	13.5	0.27	385	11.7	0.27	8.4	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,392	211.9	1.47	144.0	1.00	3,588	140.9	1.08	99.4	0.81
Oral Cavity & Pharynx	101	4.7	0.22	3.5	0.16	33	1.3	0.11	1.0	0.08
Digestive System	1,132	53.5	0.73	38.0	0.52	797	31.2	0.51	21.5	0.37
Esophagus	151	6.9	0.26	5.1	0.19	33	1.3	0.10	0.9	0.07
Stomach	66	3.2	0.18	2.2	0.13	48	1.9	0.13	1.3	0.09
Colon & Rectum	362	17.7	0.43	12.3	0.30	294	11.7	0.32	8.2	0.23
Liver	194	8.7	0.29	6.5	0.21	80	3.1	0.16	2.1	0.11
Pancreas	281	13.2	0.36	9.3	0.25	252	9.7	0.28	6.6	0.20
Respiratory System	1,454	67.9	0.82	46.8	0.56	1,029	39.2	0.56	28.0	0.41
Larynx	41	1.9	0.14	1.4	0.10	10	0.4	0.06	0.3	0.04
Lung & bronchus	1,403	65.6	0.80	45.1	0.55	1,014	38.7	0.55	27.5	0.41
Skin	126	6.4	0.26	4.3	0.18	60	2.5	0.15	1.8	0.11
Melanomas of the skin	87	4.4	0.22	3.1	0.15	44	1.9	0.13	1.4	0.11
Breast	5	0.2	0.05	0.2	0.03	494	19.9	0.41	14.3	0.31
Female Genital System	-	-	-	-	-	351	14.3	0.35	10.3	0.27
Cervix uteri	-	-	-	-	-	63	3.1	0.18	2.5	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	73	2.8	0.15	2.0	0.11
Ovary	-	-	-	-	-	190	7.4	0.25	5.2	0.18
Male Genital System	327	17.3	0.44	9.8	0.25	-	-	-	-	-
Prostate	317	16.8	0.43	9.4	0.24	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	286	14.3	0.39	9.0	0.24	121	4.6	0.19	3.0	0.13
Bladder	157	8.1	0.30	4.8	0.17	54	2.0	0.13	1.3	0.08
Kidney & renal pelvis	123	5.9	0.24	4.1	0.17	63	2.4	0.14	1.6	0.10
Brain & Other CNS[1]	139	6.8	0.27	5.2	0.21	109	4.6	0.20	3.6	0.17
Endocrine System	17	0.8	0.09	0.6	0.07	14	0.5	0.07	0.4	0.05
Thyroid gland	11	0.6	0.08	0.4	0.05	9	0.4	0.05	0.2	0.04
Lymphomas	148	7.4	0.28	4.8	0.18	108	4.1	0.18	2.6	0.12
Hodgkin Lymphoma	8	0.4	0.07	0.3	0.06	5	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	140	7.0	0.27	4.5	0.17	103	3.9	0.17	2.5	0.12
Multiple Myeloma	77	3.8	0.20	2.4	0.12	57	2.1	0.13	1.3	0.08
Leukemias	178	9.0	0.31	5.9	0.21	128	5.2	0.21	3.5	0.16
Other, Ill-defined & Unknown	402	19.6	0.45	13.5	0.31	286	11.4	0.31	8.1	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,259	246.6	3.35	170.6	2.17	1,121	151.9	2.08	108.4	1.49
Oral Cavity & Pharynx	30	5.6	0.49	4.1	0.34	10	1.3	0.19	1.0	0.14
Digestive System	380	71.2	1.76	51.0	1.18	306	41.7	1.09	28.7	0.75
Esophagus	37	6.7	0.53	4.9	0.36	13	1.7	0.22	1.3	0.16
Stomach	45	8.9	0.64	6.1	0.41	27	3.9	0.34	2.5	0.22
Colon & Rectum	131	25.3	1.06	18.0	0.71	121	16.6	0.69	11.4	0.48
Liver	60	9.7	0.60	7.5	0.44	24	3.1	0.30	2.2	0.21
Pancreas	83	16.0	0.84	11.2	0.56	92	12.5	0.60	8.5	0.41
Respiratory System	386	71.2	1.74	51.2	1.18	206	27.5	0.88	19.5	0.62
Larynx	18	3.2	0.36	2.4	0.25	3	0.3	0.10	0.3	0.07
Lung & bronchus	365	67.5	1.70	48.4	1.15	202	27.0	0.87	19.1	0.61
Skin	6	1.2	0.22	0.8	0.15	-	-	-	-	-
Melanomas of the skin	3	0.6	0.18	0.4	0.11	3	0.4	0.11	0.3	0.08
Breast	-	-	-	-	-	202	27.1	0.87	20.4	0.66
Female Genital System	-	-	-	-	-	138	18.5	0.73	13.7	0.53
Cervix uteri	-	-	-	-	-	35	4.7	0.37	3.8	0.30
Corpus & uterus, NOS[1]	-	-	-	-	-	48	6.4	0.43	4.5	0.30
Ovary	-	-	-	-	-	48	6.4	0.42	4.7	0.31
Male Genital System	178	42.7	1.53	25.0	0.84	-	-	-	-	-
Prostate	174	42.0	1.52	24.4	0.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	11.4	0.73	7.7	0.46	35	4.7	0.37	3.1	0.24
Bladder	27	5.8	0.54	3.7	0.32	15	2.1	0.25	1.3	0.15
Kidney & renal pelvis	28	5.5	0.49	3.9	0.33	18	2.4	0.26	1.6	0.18
Brain & Other CNS[1]	23	3.8	0.38	3.1	0.30	24	3.3	0.30	2.6	0.25
Endocrine System	3	0.5	0.15	0.4	0.10	6	0.8	0.15	0.6	0.12
Thyroid gland	-	-	-	-	-	3	0.4	0.11	0.3	0.07
Lymphomas	29	5.6	0.50	4.1	0.34	25	3.6	0.33	2.4	0.22
Hodgkin Lymphoma	3	0.4	0.12	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	26	5.2	0.49	3.6	0.32	-	-	-	-	-
Multiple Myeloma	35	7.2	0.59	4.7	0.36	37	5.2	0.39	3.3	0.25
Leukemias	31	6.0	0.52	4.3	0.35	30	4.2	0.35	2.9	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	16	68.9	8.65	47.9	5.50	22	73.4	7.42	47.3	4.53
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	28.0	5.28	20.4	3.49	8	27.2	4.50	17.8	2.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	2	9.5	3.24	6.5	2.00	-	-	-	-	-
Pancreas	-	-	-	-	-	2	7.2	2.38	4.3	1.36
Respiratory System	3	14.4	3.72	10.5	2.58	4	15.7	3.53	9.5	2.04
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	14.4	3.72	10.5	2.58	4	15.7	3.53	9.5	2.04
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	8.6	2.46	5.9	1.57
Female Genital System	-	-	-	-	-	3	8.2	2.44	5.4	1.49
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	530	175.8	3.80	115.0	2.28	435	133.6	3.01	91.4	1.99
Oral Cavity & Pharynx	14	3.6	0.48	2.7	0.33	4	1.1	0.27	0.8	0.18
Digestive System	168	52.4	2.02	35.6	1.26	114	34.8	1.53	23.9	1.01
Esophagus	28	8.7	0.83	5.8	0.51	8	2.3	0.39	1.6	0.26
Stomach	17	5.2	0.64	3.6	0.40	10	2.9	0.43	2.1	0.31
Colon & Rectum	48	16.4	1.17	10.6	0.70	44	14.0	0.99	9.4	0.64
Liver	24	6.4	0.64	4.8	0.44	8	2.5	0.41	1.7	0.27
Pancreas	37	11.7	0.95	7.9	0.59	31	9.1	0.78	6.2	0.51
Respiratory System	132	43.0	1.86	28.2	1.12	102	32.5	1.51	21.3	0.95
Larynx	3	1.3	0.33	0.8	0.20	-	-	-	-	-
Lung & bronchus	128	41.5	1.82	27.2	1.10	101	32.0	1.50	21.0	0.95
Skin	12	4.1	0.60	2.6	0.35	6	1.9	0.36	1.4	0.24
Melanomas of the skin	9	3.4	0.56	2.1	0.32	4	1.2	0.27	0.9	0.20
Breast	-	-	-	-	-	64	18.8	1.10	13.6	0.78
Female Genital System	-	-	-	-	-	40	11.4	0.86	8.3	0.60
Cervix uteri	-	-	-	-	-	6	1.7	0.31	1.4	0.26
Corpus & uterus, NOS[1]	-	-	-	-	-	11	3.0	0.44	2.2	0.30
Ovary	-	-	-	-	-	19	5.7	0.61	4.0	0.41
Male Genital System	45	19.0	1.39	10.5	0.71	-	-	-	-	-
Prostate	44	18.6	1.38	10.1	0.70	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	11.5	1.02	7.1	0.58	14	4.4	0.55	2.9	0.35
Bladder	16	6.2	0.78	3.6	0.41	7	2.3	0.40	1.4	0.24
Kidney & renal pelvis	15	4.9	0.62	3.4	0.40	7	2.0	0.36	1.4	0.24
Brain & Other CNS[1]	16	4.3	0.52	3.5	0.40	14	4.1	0.51	3.1	0.38
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	6.8	0.73	4.5	0.45	14	4.7	0.59	2.9	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	3.4	0.55	2.0	0.31	6	1.9	0.37	1.3	0.23
Leukemias	19	6.6	0.74	4.4	0.46	14	4.5	0.55	2.9	0.36
Other, Ill-defined & Unknown	61	20.4	1.30	13.3	0.78	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	401	168.3	4.18	109.6	2.51	313	129.5	3.46	87.9	2.27
Oral Cavity & Pharynx	9	2.8	0.47	2.1	0.33	-	-	-	-	-
Digestive System	118	47.1	2.16	31.6	1.33	74	30.3	1.67	20.8	1.10
Esophagus	22	8.9	0.95	5.8	0.57	6	2.3	0.47	1.6	0.31
Stomach	6	2.7	0.54	1.8	0.32	5	1.9	0.42	1.3	0.27
Colon & Rectum	32	13.8	1.21	8.9	0.72	26	11.0	1.02	7.4	0.67
Liver	18	5.9	0.70	4.4	0.48	5	2.1	0.43	1.5	0.29
Pancreas	29	11.8	1.08	7.8	0.66	23	9.1	0.90	6.3	0.59
Respiratory System	100	41.0	2.04	26.8	1.23	74	32.2	1.76	20.8	1.09
Larynx	2	0.8	0.28	0.6	0.19	-	-	-	-	-
Lung & bronchus	97	40.1	2.02	26.1	1.21	73	31.6	1.75	20.5	1.09
Skin	11	5.1	0.74	3.2	0.43	-	-	-	-	-
Melanomas of the skin	9	4.2	0.69	2.5	0.39	4	1.6	0.36	1.2	0.28
Breast	-	-	-	-	-	47	18.6	1.28	13.5	0.90
Female Genital System	-	-	-	-	-	30	11.9	1.03	8.6	0.71
Cervix uteri	-	-	-	-	-	4	1.6	0.36	1.4	0.31
Corpus & uterus, NOS[1]	-	-	-	-	-	8	3.0	0.51	2.0	0.34
Ovary	-	-	-	-	-	15	6.1	0.74	4.3	0.49
Male Genital System	36	18.4	1.51	10.3	0.79	-	-	-	-	-
Prostate	35	18.1	1.50	10.0	0.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	11.9	1.16	7.2	0.66	10	4.3	0.63	2.8	0.39
Bladder	14	6.7	0.91	3.9	0.48	6	2.3	0.47	1.5	0.29
Kidney & renal pelvis	11	4.8	0.69	3.2	0.44	4	1.7	0.39	1.1	0.25
Brain & Other CNS[1]	14	4.6	0.60	3.8	0.47	12	4.6	0.63	3.5	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	7.1	0.82	4.8	0.52	11	5.4	0.75	3.2	0.44
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	3.5	0.61	2.1	0.35	4	1.8	0.44	1.2	0.26
Leukemias	15	6.8	0.86	4.4	0.52	12	5.2	0.69	3.3	0.44
Other, Ill-defined & Unknown	46	19.4	1.42	12.6	0.85	29	11.8	1.04	8.1	0.69

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14	184.0	26.84	114.3	14.74	10	108.6	16.93	76.4	11.13
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	5	45.4	11.46	33.3	7.49	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	46.6	13.10	30.1	7.56	2	24.6	7.96	17.8	5.45
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	46.6	13.10	30.1	7.56	2	22.7	7.72	16.2	5.21
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	2	23.6	7.34	18.2	5.35
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	58.8	17.37	28.7	7.78	-	-	-	-	-
Prostate	3	58.8	17.37	28.7	7.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21	127.9	13.90	81.7	8.11	24	85.5	8.12	61.0	5.60
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	8	45.0	7.90	30.1	4.83	6	21.5	3.92	15.8	2.82
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	3	14.6	3.93	11.0	2.81	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	24.3	5.96	15.7	3.59	5	19.0	4.00	12.4	2.51
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	24.3	5.96	15.7	3.59	5	19.0	4.00	12.4	2.51
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	11.3	2.94	8.5	2.15
Female Genital System	-	-	-	-	-	3	10.0	2.82	7.4	1.99
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	4	19.4	5.16	13.3	3.22	3	9.7	2.82	6.5	1.83

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,440	162.1	0.92	108.7	0.63	5,406	118.1	0.73	81.4	0.53
Oral Cavity & Pharynx	128	3.1	0.13	2.3	0.09	46	1.0	0.07	0.7	0.05
Digestive System	1,913	47.5	0.49	33.6	0.35	1,316	28.4	0.36	19.1	0.25
Esophagus	258	6.3	0.18	4.5	0.13	60	1.3	0.08	0.9	0.05
Stomach	125	3.2	0.13	2.3	0.09	91	2.1	0.10	1.5	0.08
Colon & Rectum	601	15.3	0.28	10.6	0.20	469	10.2	0.22	6.8	0.15
Liver	320	7.6	0.19	5.9	0.15	128	2.7	0.11	1.9	0.08
Pancreas	478	11.7	0.24	8.1	0.17	415	8.8	0.20	5.8	0.13
Respiratory System	1,548	38.1	0.44	25.6	0.30	1,292	27.5	0.35	18.4	0.24
Larynx	53	1.3	0.08	0.9	0.06	13	0.3	0.03	0.2	0.03
Lung & bronchus	1,479	36.4	0.43	24.4	0.29	1,271	27.1	0.34	18.1	0.24
Skin	227	5.8	0.17	3.9	0.12	91	2.1	0.10	1.4	0.07
Melanomas of the skin	142	3.6	0.14	2.5	0.10	65	1.5	0.09	1.1	0.06
Breast	8	0.2	0.03	0.1	0.02	820	18.5	0.30	13.4	0.23
Female Genital System	-	-	-	-	-	607	13.6	0.25	10.0	0.19
Cervix uteri	-	-	-	-	-	81	2.1	0.11	1.7	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	183	4.0	0.13	2.9	0.10
Ovary	-	-	-	-	-	306	6.7	0.18	4.8	0.13
Male Genital System	686	18.0	0.31	10.3	0.18	-	-	-	-	-
Prostate	664	17.3	0.30	9.8	0.17	-	-	-	-	-
Testis	13	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	493	12.6	0.26	8.0	0.17	191	4.1	0.14	2.6	0.09
Bladder	269	7.0	0.19	4.1	0.11	86	1.8	0.09	1.1	0.06
Kidney & renal pelvis	218	5.5	0.17	3.8	0.12	98	2.1	0.10	1.5	0.07
Brain & Other CNS[1]	199	5.1	0.16	3.9	0.13	150	3.4	0.13	2.6	0.11
Endocrine System	36	0.9	0.07	0.7	0.06	34	0.8	0.06	0.6	0.05
Thyroid gland	22	0.5	0.05	0.4	0.04	21	0.5	0.05	0.3	0.03
Lymphomas	241	6.2	0.18	4.0	0.12	183	3.9	0.13	2.5	0.09
Hodgkin Lymphoma	14	0.4	0.04	0.3	0.03	10	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	227	5.8	0.18	3.7	0.11	173	3.7	0.13	2.3	0.08
Multiple Myeloma	149	3.8	0.14	2.4	0.09	99	2.1	0.10	1.4	0.06
Leukemias	290	7.6	0.20	5.0	0.14	195	4.4	0.14	3.0	0.11
Other, Ill-defined & Unknown	522	13.3	0.26	9.0	0.18	382	8.4	0.20	5.8	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,002	164.2	0.96	110.2	0.67	4,977	119.6	0.78	82.5	0.57
Oral Cavity & Pharynx	121	3.3	0.13	2.4	0.10	44	1.0	0.07	0.7	0.05
Digestive System	1,754	47.5	0.52	33.7	0.37	1,185	28.0	0.37	18.8	0.26
Esophagus	246	6.5	0.19	4.7	0.14	57	1.4	0.08	0.9	0.06
Stomach	108	3.1	0.14	2.2	0.10	78	2.0	0.10	1.4	0.08
Colon & Rectum	554	15.4	0.30	10.7	0.21	432	10.3	0.23	6.9	0.16
Liver	278	7.2	0.20	5.6	0.15	106	2.5	0.11	1.7	0.08
Pancreas	450	12.0	0.26	8.3	0.18	379	8.8	0.20	5.8	0.14
Respiratory System	1,457	38.8	0.46	26.1	0.31	1,221	28.4	0.37	19.0	0.26
Larynx	50	1.3	0.08	0.9	0.06	12	0.3	0.04	0.2	0.03
Lung & bronchus	1,392	37.1	0.45	24.9	0.31	1,201	28.0	0.37	18.7	0.25
Skin	223	6.2	0.19	4.2	0.13	88	2.2	0.11	1.5	0.08
Melanomas of the skin	141	4.0	0.15	2.7	0.11	63	1.6	0.10	1.2	0.07
Breast	7	0.2	0.03	0.1	0.02	751	18.8	0.32	13.6	0.24
Female Genital System	-	-	-	-	-	552	13.7	0.27	10.0	0.21
Cervix uteri	-	-	-	-	-	73	2.2	0.12	1.8	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	162	3.9	0.14	2.8	0.10
Ovary	-	-	-	-	-	282	6.8	0.19	4.9	0.14
Male Genital System	632	17.7	0.32	10.2	0.19	-	-	-	-	-
Prostate	612	17.1	0.31	9.6	0.18	-	-	-	-	-
Testis	12	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	466	12.9	0.27	8.1	0.17	177	4.2	0.14	2.6	0.10
Bladder	262	7.3	0.20	4.3	0.12	82	1.9	0.10	1.1	0.06
Kidney & renal pelvis	198	5.4	0.17	3.8	0.13	88	2.1	0.10	1.4	0.07
Brain & Other CNS[1]	190	5.4	0.18	4.1	0.14	141	3.6	0.14	2.8	0.12
Endocrine System	33	0.9	0.08	0.7	0.06	30	0.7	0.06	0.6	0.05
Thyroid gland	20	0.6	0.06	0.4	0.04	19	0.5	0.05	0.3	0.04
Lymphomas	228	6.3	0.19	4.1	0.13	170	4.0	0.14	2.5	0.09
Hodgkin Lymphoma	13	0.4	0.05	0.3	0.03	9	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	215	6.0	0.18	3.8	0.12	161	3.7	0.13	2.3	0.09
Multiple Myeloma	135	3.7	0.14	2.3	0.09	87	2.0	0.10	1.3	0.07
Leukemias	271	7.7	0.21	5.1	0.15	183	4.6	0.16	3.2	0.12
Other, Ill-defined & Unknown	487	13.6	0.28	9.2	0.20	348	8.4	0.21	5.8	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	200	176.4	6.19	119.0	3.82	180	130.4	4.52	92.5	3.10
Oral Cavity & Pharynx	3	1.9	0.55	1.5	0.41	-	-	-	-	-
Digestive System	66	54.3	3.31	38.3	2.14	50	36.2	2.40	25.2	1.61
Esophagus	4	3.6	0.85	2.5	0.55	2	1.3	0.43	1.0	0.31
Stomach	6	5.7	1.11	3.8	0.70	3	2.1	0.59	1.3	0.38
Colon & Rectum	21	18.9	2.08	12.4	1.23	18	13.3	1.47	8.9	0.95
Liver	14	9.4	1.20	7.6	0.92	7	5.0	0.90	3.3	0.58
Pancreas	15	12.5	1.56	8.9	1.03	16	11.6	1.33	8.4	0.93
Respiratory System	51	45.2	3.12	30.5	1.94	34	24.1	1.93	17.3	1.34
Larynx	3	2.1	0.62	1.5	0.43	-	-	-	-	-
Lung & bronchus	48	43.0	3.05	29.0	1.89	33	23.6	1.92	16.9	1.32
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	36	24.5	1.90	18.4	1.39
Female Genital System	-	-	-	-	-	22	15.4	1.53	11.3	1.09
Cervix uteri	-	-	-	-	-	4	2.6	0.59	2.1	0.47
Corpus & uterus, NOS[1]	-	-	-	-	-	10	7.3	1.07	5.3	0.74
Ovary	-	-	-	-	-	6	4.7	0.86	3.3	0.59
Male Genital System	27	30.0	2.81	17.6	1.53	-	-	-	-	-
Prostate	26	29.3	2.78	17.1	1.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	8.9	1.41	6.0	0.86	5	3.8	0.78	2.5	0.51
Bladder	4	3.6	0.94	2.3	0.54	2	1.8	0.54	1.2	0.35
Kidney & renal pelvis	6	5.0	1.01	3.5	0.65	3	2.0	0.57	1.3	0.37
Brain & Other CNS[1]	4	2.6	0.61	2.2	0.49	3	2.3	0.61	1.6	0.42
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	4.4	0.95	3.1	0.60	4	3.6	0.81	2.2	0.48
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	7.3	1.24	4.9	0.78	7	5.6	0.98	3.6	0.61
Leukemias	8	6.9	1.24	4.6	0.76	6	4.3	0.85	2.9	0.56
Other, Ill-defined & Unknown	15	13.2	1.68	8.9	1.05	11	7.8	1.12	5.4	0.75

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	95	105.2	5.12	70.0	3.23	114	86.4	3.76	58.4	2.47
Oral Cavity & Pharynx	2	2.1	0.69	1.6	0.48	-	-	-	-	-
Digestive System	36	39.4	3.12	26.3	1.97	32	25.1	2.06	16.2	1.29
Esophagus	3	3.2	0.85	2.2	0.58	-	-	-	-	-
Stomach	3	3.2	0.93	2.1	0.55	4	3.1	0.72	2.0	0.46
Colon & Rectum	11	12.7	1.83	8.0	1.08	8	6.4	1.04	4.1	0.65
Liver	13	12.9	1.70	9.2	1.17	7	5.2	0.95	3.3	0.58
Pancreas	4	4.5	1.10	2.8	0.65	9	7.3	1.10	4.7	0.69
Respiratory System	25	27.9	2.64	18.4	1.66	27	22.0	1.95	13.7	1.18
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	27.1	2.60	17.8	1.63	27	22.0	1.95	13.7	1.18
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	18	12.9	1.39	9.7	1.01
Female Genital System	-	-	-	-	-	12	8.1	1.07	6.4	0.83
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	4	2.5	0.61	1.9	0.45
Ovary	-	-	-	-	-	7	4.4	0.76	3.6	0.62
Male Genital System	8	9.4	1.59	5.8	0.93	-	-	-	-	-
Prostate	7	8.9	1.57	5.3	0.90	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	4.6	1.15	2.6	0.63	2	1.7	0.54	1.2	0.35
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	2	2.1	0.66	1.5	0.47	3	2.0	0.53	1.6	0.42
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	3.1	0.85	2.1	0.56	4	3.1	0.71	2.1	0.46
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	3.1	0.93	2.0	0.54	-	-	-	-	-
Leukemias	6	5.6	1.13	4.1	0.79	3	2.5	0.64	1.7	0.42
Other, Ill-defined & Unknown	6	6.6	1.28	4.6	0.83	7	5.5	0.98	3.6	0.62

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,592	216.8	1.65	148.1	1.13	2,987	148.0	1.24	104.5	0.91
Oral Cavity & Pharynx	86	5.0	0.25	3.7	0.18	31	1.5	0.13	1.1	0.09
Digestive System	931	55.1	0.83	39.4	0.59	653	32.2	0.58	22.2	0.42
Esophagus	123	7.1	0.29	5.2	0.21	28	1.4	0.12	1.0	0.09
Stomach	61	3.6	0.21	2.6	0.15	40	2.0	0.14	1.4	0.11
Colon & Rectum	313	19.0	0.49	13.3	0.35	256	12.8	0.37	8.8	0.27
Liver	153	8.6	0.32	6.5	0.24	62	3.0	0.18	2.1	0.13
Pancreas	217	12.9	0.40	9.1	0.28	195	9.4	0.31	6.4	0.22
Respiratory System	1,198	70.1	0.92	48.9	0.64	861	41.7	0.64	29.6	0.47
Larynx	35	2.0	0.15	1.5	0.11	9	0.4	0.06	0.3	0.05
Lung & bronchus	1,156	67.6	0.91	47.1	0.63	846	41.0	0.64	29.1	0.47
Skin	84	5.3	0.26	3.5	0.18	38	1.9	0.14	1.3	0.11
Melanomas of the skin	51	3.2	0.20	2.2	0.14	25	1.3	0.12	1.0	0.09
Breast	6	0.3	0.06	0.2	0.04	400	20.3	0.47	14.9	0.36
Female Genital System	-	-	-	-	-	303	15.7	0.41	11.7	0.32
Cervix uteri	-	-	-	-	-	58	3.4	0.21	2.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	89	4.4	0.21	3.3	0.16
Ovary	-	-	-	-	-	134	6.7	0.27	4.8	0.20
Male Genital System	289	19.0	0.51	10.9	0.29	-	-	-	-	-
Prostate	280	18.4	0.50	10.5	0.28	-	-	-	-	-
Testis	4	0.3	0.06	0.2	0.06	-	-	-	-	-
Urinary System	239	14.9	0.44	9.5	0.28	102	4.9	0.22	3.1	0.15
Bladder	116	7.5	0.32	4.4	0.18	46	2.2	0.14	1.3	0.09
Kidney & renal pelvis	117	7.0	0.30	4.9	0.21	54	2.6	0.16	1.8	0.12
Brain & Other CNS[1]	94	5.7	0.27	4.4	0.21	79	4.1	0.21	3.1	0.17
Endocrine System	14	0.8	0.10	0.6	0.08	13	0.6	0.08	0.4	0.06
Thyroid gland	9	0.5	0.08	0.4	0.06	9	0.5	0.07	0.3	0.05
Lymphomas	116	7.3	0.31	4.7	0.20	87	4.3	0.21	2.7	0.14
Hodgkin Lymphoma	6	0.4	0.08	0.3	0.06	4	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	110	6.9	0.30	4.4	0.19	84	4.1	0.20	2.6	0.14
Multiple Myeloma	67	4.2	0.23	2.6	0.14	52	2.5	0.16	1.6	0.10
Leukemias	141	9.0	0.34	5.9	0.23	102	5.2	0.23	3.5	0.17
Other, Ill-defined & Unknown	327	20.1	0.51	13.7	0.35	266	13.2	0.37	9.2	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,108	213.7	1.75	145.3	1.20	2,561	146.6	1.33	103.3	0.99
Oral Cavity & Pharynx	71	4.8	0.26	3.5	0.19	26	1.5	0.13	1.1	0.10
Digestive System	792	53.8	0.87	38.3	0.63	543	30.9	0.61	21.2	0.44
Esophagus	114	7.5	0.32	5.5	0.24	23	1.3	0.12	0.9	0.09
Stomach	43	3.0	0.21	2.1	0.15	32	1.8	0.15	1.3	0.11
Colon & Rectum	261	18.2	0.52	12.7	0.36	210	12.0	0.38	8.2	0.28
Liver	131	8.5	0.34	6.3	0.25	53	3.0	0.19	2.1	0.14
Pancreas	188	12.8	0.43	8.9	0.30	162	9.1	0.33	6.1	0.23
Respiratory System	1,039	69.1	0.98	48.0	0.68	768	43.0	0.71	30.5	0.52
Larynx	27	1.8	0.16	1.3	0.11	7	0.4	0.06	0.3	0.05
Lung & bronchus	1,005	66.9	0.96	46.4	0.67	756	42.3	0.70	30.1	0.52
Skin	81	5.8	0.30	3.9	0.20	36	2.1	0.17	1.5	0.13
Melanomas of the skin	50	3.6	0.23	2.5	0.17	24	1.5	0.14	1.1	0.11
Breast	5	0.3	0.06	0.2	0.04	325	19.0	0.49	13.8	0.37
Female Genital System	-	-	-	-	-	247	15.0	0.44	11.2	0.35
Cervix uteri	-	-	-	-	-	46	3.3	0.23	2.7	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	67	3.9	0.22	2.9	0.17
Ovary	-	-	-	-	-	114	6.6	0.28	4.7	0.21
Male Genital System	233	17.3	0.51	9.8	0.29	-	-	-	-	-
Prostate	225	16.6	0.50	9.3	0.28	-	-	-	-	-
Testis	4	0.3	0.08	0.3	0.07	-	-	-	-	-
Urinary System	218	15.3	0.47	9.8	0.31	89	4.9	0.24	3.2	0.16
Bladder	109	7.9	0.34	4.6	0.20	40	2.1	0.15	1.3	0.10
Kidney & renal pelvis	103	7.0	0.32	5.0	0.23	47	2.7	0.18	1.8	0.13
Brain & Other CNS[1]	85	6.0	0.30	4.6	0.24	72	4.3	0.24	3.3	0.19
Endocrine System	12	0.9	0.11	0.7	0.09	10	0.6	0.08	0.4	0.06
Thyroid gland	8	0.6	0.09	0.4	0.07	8	0.4	0.07	0.3	0.05
Lymphomas	107	7.6	0.34	4.8	0.21	80	4.4	0.23	2.8	0.15
Hodgkin Lymphoma	6	0.4	0.08	0.3	0.05	3	0.2	0.06	0.2	0.04
Non-Hodgkin Lymphoma	101	7.2	0.33	4.5	0.21	76	4.2	0.22	2.7	0.15
Multiple Myeloma	51	3.6	0.23	2.2	0.14	42	2.3	0.16	1.4	0.10
Leukemias	127	9.1	0.37	6.0	0.25	92	5.4	0.26	3.7	0.20
Other, Ill-defined & Unknown	287	20.0	0.54	13.6	0.37	229	13.1	0.40	9.2	0.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	457	259.0	5.87	181.6	3.85	399	165.9	3.84	118.8	2.73
Oral Cavity & Pharynx	15	7.2	0.91	5.6	0.66	4	1.8	0.41	1.3	0.29
Digestive System	128	67.4	2.88	49.8	2.00	102	42.8	1.96	29.7	1.35
Esophagus	8	3.9	0.65	3.1	0.50	4	1.6	0.35	1.3	0.28
Stomach	17	9.0	1.06	6.6	0.73	8	3.5	0.57	2.4	0.38
Colon & Rectum	50	26.1	1.79	19.3	1.24	43	17.9	1.27	12.5	0.89
Liver	18	8.4	0.97	6.7	0.72	8	3.6	0.58	2.5	0.40
Pancreas	27	15.3	1.43	10.7	0.94	30	13.0	1.09	8.7	0.72
Respiratory System	152	83.6	3.29	59.9	2.20	88	36.2	1.79	25.7	1.25
Larynx	8	4.0	0.69	3.0	0.49	-	-	-	-	-
Lung & bronchus	143	79.2	3.21	56.6	2.15	85	35.0	1.76	25.0	1.23
Skin	2	1.0	0.33	0.8	0.25	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	72	29.9	1.62	22.4	1.22
Female Genital System	-	-	-	-	-	51	20.9	1.35	15.4	0.99
Cervix uteri	-	-	-	-	-	10	4.1	0.60	3.3	0.48
Corpus & uterus, NOS[1]	-	-	-	-	-	21	8.3	0.84	6.2	0.62
Ovary	-	-	-	-	-	18	7.5	0.82	5.3	0.57
Male Genital System	54	38.3	2.47	22.6	1.39	-	-	-	-	-
Prostate	54	37.9	2.46	22.3	1.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	11.6	1.24	7.9	0.80	12	5.2	0.68	3.2	0.43
Bladder	7	4.1	0.77	2.6	0.46	5	2.3	0.45	1.4	0.28
Kidney & renal pelvis	13	6.9	0.92	5.0	0.63	6	2.7	0.50	1.7	0.31
Brain & Other CNS[1]	9	4.7	0.77	3.5	0.54	6	2.5	0.45	2.1	0.38
Endocrine System	-	-	-	-	-	2	0.7	0.24	0.6	0.18
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	4.7	0.76	3.6	0.55	7	3.0	0.51	2.2	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	9.6	1.19	6.1	0.72	10	4.1	0.59	2.8	0.40
Leukemias	12	7.3	1.01	5.1	0.66	10	4.1	0.61	2.7	0.41
Other, Ill-defined & Unknown	38	22.4	1.74	15.8	1.15	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	18	119.4	14.37	84.0	9.07	20	96.2	10.30	65.1	6.58
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	8	45.8	8.50	34.0	5.64	6	29.6	5.86	19.4	3.64
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	2	12.3	3.82	8.3	2.42
Liver	4	21.8	5.70	16.8	3.94	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	5	31.9	6.95	23.6	4.84	4	21.7	5.12	13.5	3.06
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	31.9	6.95	23.6	4.84	4	21.7	5.12	13.5	3.06
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	4	16.9	3.85	13.4	2.88
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	2	12.6	3.99	7.5	2.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	30,791	164.9	0.43	107.9	0.28	28,614	122.5	0.33	83.7	0.23
Oral Cavity & Pharynx	753	3.8	0.06	2.7	0.04	309	1.3	0.03	0.9	0.02
Digestive System	9,691	50.3	0.23	34.6	0.16	7,438	31.6	0.17	21.0	0.12
Esophagus	1,051	5.4	0.08	3.8	0.05	286	1.2	0.03	0.8	0.02
Stomach	951	5.0	0.07	3.4	0.05	687	3.0	0.05	2.1	0.04
Colon & Rectum	2,776	14.6	0.13	9.9	0.09	2,535	10.7	0.10	7.1	0.07
Liver	1,834	9.0	0.10	6.6	0.07	767	3.2	0.05	2.2	0.04
Pancreas	2,230	11.7	0.11	7.9	0.08	2,146	9.1	0.09	6.0	0.06
Respiratory System	6,461	34.8	0.20	22.5	0.13	5,738	24.6	0.15	16.1	0.10
Larynx	211	1.1	0.03	0.7	0.02	54	0.2	0.01	0.2	0.01
Lung & bronchus	6,170	33.2	0.19	21.5	0.12	5,637	24.1	0.15	15.8	0.10
Skin	913	4.9	0.07	3.1	0.05	419	1.8	0.04	1.2	0.03
Melanomas of the skin	592	3.2	0.06	2.1	0.04	283	1.2	0.03	0.8	0.02
Breast	38	0.2	0.02	0.1	0.01	4,478	19.3	0.13	14.0	0.10
Female Genital System	-	-	-	-	-	3,483	15.1	0.12	11.0	0.09
Cervix uteri	-	-	-	-	-	481	2.2	0.05	1.8	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	1,178	5.0	0.07	3.6	0.05
Ovary	-	-	-	-	-	1,608	6.9	0.08	5.0	0.06
Male Genital System	3,587	20.5	0.15	11.6	0.09	-	-	-	-	-
Prostate	3,469	19.9	0.15	11.1	0.09	-	-	-	-	-
Testis	71	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	2,172	11.9	0.12	7.3	0.07	964	4.0	0.06	2.5	0.04
Bladder	1,176	6.7	0.09	3.8	0.05	444	1.8	0.04	1.1	0.02
Kidney & renal pelvis	949	4.9	0.07	3.4	0.05	483	2.0	0.04	1.4	0.03
Brain & Other CNS[1]	1,055	5.4	0.08	4.1	0.06	790	3.5	0.06	2.7	0.05
Endocrine System	180	0.9	0.03	0.7	0.02	216	0.9	0.03	0.7	0.02
Thyroid gland	115	0.6	0.03	0.4	0.02	154	0.7	0.02	0.4	0.02
Lymphomas	1,274	7.0	0.09	4.4	0.06	1,009	4.3	0.06	2.7	0.04
Hodgkin Lymphoma	69	0.4	0.02	0.3	0.01	59	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	1,205	6.6	0.09	4.2	0.05	949	4.1	0.06	2.5	0.04
Multiple Myeloma	699	3.8	0.07	2.4	0.04	522	2.2	0.04	1.4	0.03
Leukemias	1,399	7.7	0.09	5.1	0.06	1,018	4.4	0.06	3.0	0.05
Other, Ill-defined & Unknown	2,570	13.7	0.12	9.2	0.08	2,232	9.5	0.09	6.4	0.07

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	24,750	171.3	0.50	111.7	0.32	22,737	128.2	0.39	87.2	0.28
Oral Cavity & Pharynx	600	4.0	0.07	2.8	0.05	245	1.4	0.04	0.9	0.03
Digestive System	7,517	50.4	0.27	34.7	0.18	5,702	31.8	0.19	21.3	0.13
Esophagus	919	6.1	0.09	4.3	0.06	239	1.3	0.04	0.9	0.03
Stomach	677	4.6	0.08	3.2	0.06	472	2.7	0.06	1.9	0.04
Colon & Rectum	2,157	14.8	0.14	9.9	0.10	1,963	10.9	0.11	7.2	0.08
Liver	1,317	8.3	0.10	6.2	0.08	553	3.1	0.06	2.1	0.04
Pancreas	1,795	12.2	0.13	8.2	0.09	1,678	9.3	0.10	6.1	0.07
Respiratory System	4,984	34.7	0.22	22.3	0.14	4,607	25.9	0.17	16.8	0.12
Larynx	171	1.1	0.04	0.8	0.03	44	0.2	0.02	0.2	0.01
Lung & bronchus	4,745	33.1	0.22	21.2	0.14	4,524	25.4	0.17	16.5	0.11
Skin	876	6.1	0.09	3.9	0.06	393	2.2	0.05	1.4	0.04
Melanomas of the skin	576	4.0	0.08	2.6	0.05	269	1.5	0.04	1.1	0.03
Breast	31	0.2	0.02	0.1	0.01	3,526	20.1	0.16	14.4	0.12
Female Genital System	-	-	-	-	-	2,753	15.8	0.14	11.5	0.10
Cervix uteri	-	-	-	-	-	358	2.3	0.05	1.8	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	893	5.0	0.08	3.6	0.06
Ovary	-	-	-	-	-	1,318	7.5	0.09	5.4	0.07
Male Genital System	2,907	21.3	0.18	12.0	0.10	-	-	-	-	-
Prostate	2,806	20.6	0.18	11.4	0.10	-	-	-	-	-
Testis	63	0.4	0.02	0.4	0.02	-	-	-	-	-
Urinary System	1,858	13.1	0.14	8.0	0.09	800	4.4	0.07	2.7	0.05
Bladder	1,030	7.5	0.11	4.2	0.06	375	2.0	0.05	1.2	0.03
Kidney & renal pelvis	789	5.3	0.09	3.6	0.06	397	2.2	0.05	1.5	0.04
Brain & Other CNS[1]	916	6.1	0.09	4.6	0.07	678	4.0	0.07	3.0	0.06
Endocrine System	139	1.0	0.04	0.7	0.03	158	0.9	0.03	0.7	0.03
Thyroid gland	92	0.6	0.03	0.4	0.02	114	0.6	0.03	0.4	0.02
Lymphomas	1,047	7.4	0.10	4.7	0.07	821	4.6	0.07	2.9	0.05
Hodgkin Lymphoma	57	0.4	0.02	0.3	0.02	50	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	991	7.0	0.10	4.4	0.06	771	4.3	0.07	2.7	0.05
Multiple Myeloma	558	3.9	0.08	2.5	0.05	405	2.3	0.05	1.4	0.03
Leukemias	1,184	8.5	0.11	5.6	0.07	846	4.8	0.08	3.3	0.06
Other, Ill-defined & Unknown	2,131	14.7	0.15	9.8	0.10	1,802	10.1	0.11	6.8	0.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,246	207.9	2.07	139.3	1.32	2,191	151.7	1.48	107.9	1.06
Oral Cavity & Pharynx	44	3.5	0.25	2.6	0.18	20	1.3	0.13	1.0	0.10
Digestive System	705	61.7	1.10	43.4	0.74	561	39.1	0.75	26.8	0.52
Esophagus	41	3.6	0.26	2.5	0.18	19	1.3	0.14	0.9	0.10
Stomach	79	7.4	0.39	4.9	0.25	48	3.5	0.23	2.3	0.15
Colon & Rectum	227	20.4	0.64	14.1	0.42	209	14.7	0.46	10.0	0.32
Liver	140	11.1	0.44	8.5	0.32	58	3.8	0.23	2.8	0.17
Pancreas	162	14.3	0.53	9.9	0.35	161	11.1	0.40	7.6	0.27
Respiratory System	525	47.8	0.98	32.5	0.64	439	30.4	0.66	21.2	0.46
Larynx	22	1.9	0.19	1.3	0.13	7	0.5	0.08	0.4	0.06
Lung & bronchus	500	45.7	0.96	31.0	0.62	429	29.7	0.65	20.7	0.45
Skin	13	1.1	0.15	0.8	0.10	7	0.5	0.09	0.4	0.06
Melanomas of the skin	5	0.4	0.09	0.3	0.06	3	0.2	0.05	0.1	0.04
Breast	5	0.4	0.09	0.3	0.06	419	28.8	0.64	21.6	0.48
Female Genital System	-	-	-	-	-	284	19.2	0.52	14.5	0.39
Cervix uteri	-	-	-	-	-	42	2.9	0.21	2.4	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	133	9.0	0.35	6.6	0.26
Ovary	-	-	-	-	-	96	6.5	0.30	4.9	0.23
Male Genital System	391	41.4	0.98	24.4	0.55	-	-	-	-	-
Prostate	385	40.9	0.97	24.0	0.55	-	-	-	-	-
Testis	3	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	121	11.4	0.49	7.5	0.31	66	4.7	0.26	3.0	0.17
Bladder	58	5.9	0.36	3.6	0.21	30	2.2	0.18	1.4	0.11
Kidney & renal pelvis	61	5.3	0.32	3.8	0.22	33	2.3	0.18	1.6	0.12
Brain & Other CNS[1]	43	3.5	0.25	2.7	0.19	34	2.3	0.18	1.7	0.14
Endocrine System	12	1.0	0.14	0.8	0.10	16	1.1	0.12	0.8	0.09
Thyroid gland	5	0.5	0.10	0.3	0.06	9	0.6	0.09	0.4	0.07
Lymphomas	61	5.3	0.32	3.8	0.22	51	3.6	0.23	2.5	0.16
Hodgkin Lymphoma	5	0.4	0.08	0.3	0.06	4	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	56	4.9	0.31	3.5	0.21	47	3.4	0.22	2.3	0.15
Multiple Myeloma	79	7.6	0.40	4.9	0.25	65	4.6	0.26	3.0	0.17
Leukemias	70	6.7	0.38	4.4	0.24	56	4.0	0.24	2.9	0.18
Other, Ill-defined & Unknown	179	16.4	0.58	11.1	0.38	174	12.1	0.42	8.5	0.30

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,571	122.2	0.93	80.8	0.61	3,519	89.9	0.69	61.8	0.49
Oral Cavity & Pharynx	105	3.4	0.15	2.5	0.11	43	1.1	0.07	0.8	0.05
Digestive System	1,389	46.6	0.57	31.8	0.39	1,127	28.8	0.39	18.7	0.26
Esophagus	82	2.6	0.13	1.9	0.09	25	0.6	0.06	0.4	0.04
Stomach	188	6.5	0.21	4.2	0.14	163	4.2	0.15	2.7	0.10
Colon & Rectum	373	12.5	0.29	8.6	0.20	346	8.8	0.21	5.8	0.15
Liver	352	11.5	0.28	8.2	0.20	147	3.8	0.14	2.4	0.09
Pancreas	258	8.8	0.25	5.8	0.16	295	7.6	0.20	4.9	0.13
Respiratory System	903	31.1	0.47	20.2	0.30	657	16.8	0.30	11.0	0.20
Larynx	15	0.5	0.06	0.3	0.04	2	0.1	0.02	0.0	0.01
Lung & bronchus	880	30.3	0.47	19.6	0.30	649	16.6	0.30	10.9	0.20
Skin	21	0.7	0.07	0.5	0.05	17	0.4	0.05	0.3	0.03
Melanomas of the skin	10	0.3	0.05	0.2	0.04	11	0.3	0.04	0.2	0.03
Breast	2	0.1	0.02	0.0	0.01	511	12.9	0.26	9.8	0.20
Female Genital System	-	-	-	-	-	428	10.9	0.24	8.2	0.18
Cervix uteri	-	-	-	-	-	77	2.0	0.10	1.6	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	146	3.6	0.14	2.8	0.10
Ovary	-	-	-	-	-	187	4.8	0.16	3.6	0.12
Male Genital System	267	9.8	0.27	5.4	0.15	-	-	-	-	-
Prostate	258	9.6	0.27	5.1	0.15	-	-	-	-	-
Testis	4	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	173	6.1	0.21	3.8	0.13	89	2.2	0.11	1.4	0.07
Bladder	80	3.0	0.15	1.7	0.08	37	0.9	0.07	0.5	0.04
Kidney & renal pelvis	88	2.9	0.14	2.0	0.10	47	1.2	0.08	0.8	0.05
Brain & Other CNS[1]	90	3.0	0.14	2.3	0.11	74	2.0	0.10	1.6	0.09
Endocrine System	28	0.9	0.08	0.6	0.06	41	1.1	0.08	0.8	0.06
Thyroid gland	17	0.6	0.06	0.4	0.04	30	0.8	0.06	0.5	0.04
Lymphomas	158	5.5	0.20	3.5	0.13	130	3.4	0.13	2.1	0.09
Hodgkin Lymphoma	7	0.2	0.04	0.2	0.03	5	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	152	5.3	0.20	3.4	0.12	126	3.2	0.13	2.0	0.08
Multiple Myeloma	57	2.0	0.12	1.3	0.08	49	1.3	0.08	0.8	0.05
Leukemias	137	4.8	0.19	3.3	0.13	111	3.0	0.13	2.2	0.10
Other, Ill-defined & Unknown	239	8.2	0.24	5.5	0.16	240	6.2	0.18	4.2	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17,982	172.0	0.59	112.8	0.38	16,307	127.2	0.45	87.0	0.32
Oral Cavity & Pharynx	455	4.1	0.09	2.9	0.06	181	1.4	0.05	0.9	0.03
Digestive System	5,473	50.7	0.31	35.1	0.22	4,042	31.2	0.22	20.9	0.16
Esophagus	660	6.1	0.11	4.2	0.07	167	1.3	0.04	0.8	0.03
Stomach	459	4.4	0.09	3.0	0.06	330	2.6	0.07	1.8	0.05
Colon & Rectum	1,568	14.9	0.17	10.0	0.12	1,414	10.9	0.13	7.2	0.09
Liver	1,034	9.0	0.13	6.7	0.09	413	3.2	0.07	2.2	0.05
Pancreas	1,278	12.0	0.15	8.1	0.10	1,183	9.1	0.12	6.0	0.08
Respiratory System	3,827	36.6	0.27	23.8	0.17	3,469	26.9	0.21	17.7	0.14
Larynx	127	1.2	0.05	0.8	0.03	33	0.2	0.02	0.2	0.01
Lung & bronchus	3,653	35.0	0.26	22.7	0.17	3,407	26.4	0.21	17.3	0.14
Skin	603	5.8	0.11	3.7	0.07	262	2.0	0.06	1.3	0.04
Melanomas of the skin	395	3.8	0.09	2.5	0.06	180	1.4	0.05	1.0	0.04
Breast	23	0.2	0.02	0.1	0.01	2,553	20.1	0.18	14.5	0.14
Female Genital System	-	-	-	-	-	1,919	15.1	0.16	11.1	0.12
Cervix uteri	-	-	-	-	-	274	2.3	0.06	1.9	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	623	4.8	0.09	3.5	0.06
Ovary	-	-	-	-	-	898	7.0	0.11	5.0	0.08
Male Genital System	2,097	21.4	0.21	12.1	0.12	-	-	-	-	-
Prostate	2,022	20.7	0.21	11.5	0.12	-	-	-	-	-
Testis	46	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	1,316	12.9	0.16	8.0	0.10	567	4.3	0.08	2.7	0.05
Bladder	718	7.3	0.12	4.2	0.07	257	1.9	0.06	1.1	0.03
Kidney & renal pelvis	572	5.3	0.10	3.7	0.07	290	2.2	0.06	1.5	0.04
Brain & Other CNS[1]	617	5.6	0.10	4.3	0.08	457	3.7	0.08	2.8	0.06
Endocrine System	101	0.9	0.04	0.7	0.03	117	0.9	0.04	0.7	0.03
Thyroid gland	65	0.6	0.03	0.4	0.02	82	0.6	0.03	0.4	0.02
Lymphomas	733	7.2	0.12	4.6	0.08	562	4.4	0.08	2.8	0.06
Hodgkin Lymphoma	43	0.4	0.03	0.3	0.02	36	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	690	6.8	0.12	4.3	0.07	526	4.1	0.08	2.6	0.05
Multiple Myeloma	405	3.9	0.09	2.5	0.06	293	2.3	0.06	1.5	0.04
Leukemias	803	8.0	0.13	5.2	0.08	580	4.6	0.09	3.1	0.06
Other, Ill-defined & Unknown	1,529	14.6	0.17	9.7	0.11	1,306	10.2	0.13	6.9	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	15,575	177.7	0.65	116.4	0.43	14,035	132.0	0.51	90.2	0.36
Oral Cavity & Pharynx	395	4.3	0.10	3.0	0.07	157	1.5	0.05	1.0	0.04
Digestive System	4,620	51.2	0.34	35.4	0.24	3,381	31.4	0.25	21.1	0.17
Esophagus	607	6.7	0.12	4.7	0.09	148	1.4	0.05	0.9	0.03
Stomach	364	4.2	0.10	2.9	0.07	249	2.4	0.07	1.7	0.05
Colon & Rectum	1,326	15.1	0.19	10.1	0.13	1,202	11.1	0.15	7.4	0.10
Liver	818	8.5	0.14	6.4	0.10	326	3.0	0.08	2.1	0.05
Pancreas	1,106	12.4	0.17	8.4	0.11	1,002	9.2	0.13	6.1	0.09
Respiratory System	3,247	37.0	0.30	23.9	0.19	3,039	28.3	0.23	18.6	0.16
Larynx	110	1.2	0.05	0.8	0.04	29	0.3	0.02	0.2	0.02
Lung & bronchus	3,096	35.3	0.29	22.8	0.19	2,985	27.8	0.23	18.2	0.16
Skin	589	6.8	0.13	4.3	0.08	253	2.3	0.07	1.6	0.05
Melanomas of the skin	389	4.4	0.10	3.0	0.07	174	1.6	0.06	1.2	0.04
Breast	20	0.2	0.02	0.1	0.02	2,173	20.8	0.20	14.9	0.15
Female Genital System	-	-	-	-	-	1,636	15.7	0.18	11.5	0.13
Cervix uteri	-	-	-	-	-	219	2.4	0.07	1.9	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	517	4.8	0.10	3.5	0.07
Ovary	-	-	-	-	-	789	7.5	0.12	5.4	0.09
Male Genital System	1,824	22.0	0.23	12.4	0.13	-	-	-	-	-
Prostate	1,758	21.2	0.23	11.8	0.13	-	-	-	-	-
Testis	41	0.5	0.03	0.5	0.03	-	-	-	-	-
Urinary System	1,188	13.8	0.18	8.5	0.11	504	4.6	0.09	2.9	0.06
Bladder	660	7.9	0.14	4.5	0.08	232	2.1	0.06	1.2	0.04
Kidney & renal pelvis	505	5.6	0.11	3.9	0.08	255	2.4	0.07	1.6	0.05
Brain & Other CNS[1]	562	6.2	0.12	4.8	0.09	413	4.1	0.09	3.1	0.07
Endocrine System	83	0.9	0.05	0.7	0.03	94	0.9	0.04	0.7	0.03
Thyroid gland	55	0.6	0.04	0.4	0.03	67	0.6	0.03	0.4	0.02
Lymphomas	640	7.5	0.13	4.8	0.09	489	4.6	0.09	2.9	0.06
Hodgkin Lymphoma	36	0.4	0.03	0.3	0.02	30	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	604	7.0	0.13	4.4	0.08	459	4.3	0.09	2.7	0.06
Multiple Myeloma	345	4.0	0.10	2.6	0.06	247	2.3	0.07	1.5	0.04
Leukemias	719	8.5	0.14	5.6	0.10	513	4.9	0.10	3.3	0.07
Other, Ill-defined & Unknown	1,343	15.3	0.19	10.2	0.13	1,136	10.6	0.14	7.2	0.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	901	200.2	3.23	133.9	2.01	805	143.2	2.33	101.8	1.62
Oral Cavity & Pharynx	18	3.6	0.40	2.6	0.28	7	1.2	0.21	0.8	0.15
Digestive System	288	60.1	1.71	42.1	1.12	197	35.6	1.17	24.3	0.79
Esophagus	15	3.3	0.41	2.3	0.26	6	1.0	0.20	0.7	0.13
Stomach	31	6.9	0.60	4.6	0.37	17	3.2	0.35	2.1	0.23
Colon & Rectum	93	19.8	1.00	13.6	0.64	73	13.4	0.72	9.1	0.48
Liver	58	10.6	0.67	8.1	0.48	21	3.8	0.38	2.6	0.25
Pancreas	69	14.5	0.84	10.1	0.55	59	10.4	0.63	7.2	0.42
Respiratory System	207	45.3	1.51	30.8	0.97	156	28.3	1.05	19.5	0.70
Larynx	9	2.0	0.31	1.3	0.20	3	0.6	0.15	0.4	0.10
Lung & bronchus	195	42.8	1.47	29.1	0.94	152	27.6	1.03	19.0	0.69
Skin	5	1.0	0.22	0.7	0.14	-	-	-	-	-
Melanomas of the skin	2	0.5	0.16	0.3	0.10	2	0.4	0.12	0.3	0.08
Breast	-	-	-	-	-	169	29.2	1.03	21.8	0.76
Female Genital System	-	-	-	-	-	103	17.5	0.79	13.2	0.59
Cervix uteri	-	-	-	-	-	18	3.0	0.32	2.5	0.26
Corpus & uterus, NOS[1]	-	-	-	-	-	47	7.9	0.53	5.9	0.39
Ovary	-	-	-	-	-	34	5.8	0.46	4.3	0.33
Male Genital System	147	38.9	1.53	22.7	0.85	-	-	-	-	-
Prostate	144	38.3	1.52	22.3	0.84	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	10.3	0.73	6.9	0.46	26	4.9	0.45	3.2	0.28
Bladder	20	5.0	0.54	3.1	0.31	11	2.2	0.30	1.4	0.18
Kidney & renal pelvis	25	5.0	0.49	3.6	0.33	14	2.6	0.32	1.7	0.21
Brain & Other CNS[1]	20	3.8	0.42	2.9	0.29	11	1.8	0.26	1.4	0.19
Endocrine System	6	1.2	0.25	0.9	0.16	7	1.1	0.20	0.9	0.15
Thyroid gland	2	0.5	0.18	0.3	0.10	3	0.6	0.14	0.4	0.10
Lymphomas	26	5.1	0.49	3.7	0.33	20	3.7	0.38	2.6	0.26
Hodgkin Lymphoma	3	0.5	0.13	0.4	0.11	2	0.3	0.11	0.3	0.09
Non-Hodgkin Lymphoma	23	4.6	0.47	3.3	0.31	18	3.4	0.37	2.3	0.25
Multiple Myeloma	33	7.9	0.65	5.1	0.39	23	4.4	0.42	2.9	0.27
Leukemias	28	6.5	0.59	4.2	0.36	22	3.9	0.39	2.9	0.28
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,333	121.7	1.53	80.8	1.00	1,341	91.7	1.14	63.3	0.80
Oral Cavity & Pharynx	38	3.2	0.23	2.4	0.18	16	1.1	0.12	0.8	0.09
Digestive System	505	44.9	0.92	30.9	0.62	429	29.6	0.65	19.4	0.43
Esophagus	30	2.5	0.21	1.8	0.15	10	0.7	0.10	0.5	0.07
Stomach	60	5.6	0.33	3.6	0.21	61	4.3	0.25	2.8	0.16
Colon & Rectum	135	12.0	0.47	8.4	0.32	127	8.8	0.35	5.9	0.24
Liver	140	12.0	0.47	8.7	0.33	59	4.1	0.24	2.6	0.16
Pancreas	91	8.3	0.40	5.5	0.26	115	8.0	0.34	5.1	0.22
Respiratory System	336	30.7	0.77	20.1	0.49	245	17.0	0.49	11.1	0.32
Larynx	7	0.6	0.11	0.4	0.07	-	-	-	-	-
Lung & bronchus	327	29.9	0.76	19.6	0.49	242	16.7	0.49	11.0	0.32
Skin	7	0.7	0.11	0.5	0.08	-	-	-	-	-
Melanomas of the skin	3	0.3	0.07	0.2	0.05	4	0.2	0.06	0.2	0.04
Breast	-	-	-	-	-	194	12.9	0.42	9.8	0.32
Female Genital System	-	-	-	-	-	168	11.1	0.39	8.5	0.30
Cervix uteri	-	-	-	-	-	34	2.3	0.18	1.8	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	55	3.6	0.22	2.7	0.17
Ovary	-	-	-	-	-	71	4.7	0.25	3.6	0.19
Male Genital System	110	11.2	0.49	6.2	0.27	-	-	-	-	-
Prostate	105	10.8	0.48	5.8	0.26	-	-	-	-	-
Testis	2	0.2	0.05	0.2	0.06	-	-	-	-	-
Urinary System	65	6.2	0.35	3.9	0.22	31	2.1	0.17	1.3	0.11
Bladder	31	3.2	0.26	1.8	0.14	12	0.8	0.11	0.5	0.06
Kidney & renal pelvis	33	2.9	0.23	2.0	0.16	17	1.2	0.13	0.8	0.09
Brain & Other CNS[1]	33	2.7	0.22	2.2	0.18	30	2.1	0.17	1.6	0.14
Endocrine System	10	0.9	0.12	0.6	0.09	16	1.1	0.13	0.8	0.10
Thyroid gland	7	0.6	0.11	0.4	0.07	12	0.8	0.11	0.5	0.07
Lymphomas	61	5.7	0.34	3.6	0.21	48	3.4	0.22	2.1	0.14
Hodgkin Lymphoma	3	0.3	0.08	0.2	0.05	3	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	58	5.4	0.33	3.4	0.20	46	3.2	0.21	2.0	0.14
Multiple Myeloma	23	2.1	0.20	1.4	0.13	21	1.4	0.14	0.9	0.09
Leukemias	49	4.5	0.29	3.1	0.20	42	2.9	0.21	2.1	0.15
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,429	148.6	0.92	96.3	0.60	5,156	111.9	0.71	75.2	0.50
Oral Cavity & Pharynx	130	3.4	0.14	2.4	0.10	54	1.1	0.07	0.8	0.05
Digestive System	1,765	46.7	0.51	31.9	0.34	1,375	29.5	0.36	19.4	0.25
Esophagus	187	4.9	0.16	3.4	0.11	60	1.3	0.08	0.8	0.05
Stomach	175	4.7	0.16	3.1	0.11	131	2.9	0.11	2.0	0.08
Colon & Rectum	484	12.9	0.27	8.7	0.18	444	9.5	0.21	6.1	0.14
Liver	340	8.5	0.21	6.2	0.15	127	2.7	0.11	1.8	0.08
Pancreas	410	11.0	0.25	7.3	0.16	406	8.7	0.20	5.6	0.13
Respiratory System	1,122	30.9	0.42	19.8	0.27	1,028	22.4	0.32	14.5	0.21
Larynx	31	0.8	0.07	0.5	0.04	9	0.2	0.03	0.1	0.02
Lung & bronchus	1,077	29.7	0.41	19.0	0.26	1,011	22.1	0.32	14.2	0.21
Skin	142	3.9	0.15	2.5	0.10	72	1.5	0.08	1.0	0.06
Melanomas of the skin	97	2.6	0.12	1.7	0.08	50	1.1	0.07	0.7	0.05
Breast	6	0.2	0.03	0.1	0.02	770	16.9	0.28	12.2	0.21
Female Genital System	-	-	-	-	-	616	13.6	0.25	9.8	0.18
Cervix uteri	-	-	-	-	-	61	1.4	0.08	1.1	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	231	5.0	0.15	3.6	0.11
Ovary	-	-	-	-	-	283	6.2	0.17	4.5	0.12
Male Genital System	601	17.4	0.32	9.7	0.18	-	-	-	-	-
Prostate	587	17.0	0.32	9.4	0.18	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	372	10.4	0.24	6.3	0.15	167	3.5	0.12	2.1	0.08
Bladder	201	5.8	0.18	3.2	0.10	79	1.6	0.08	0.9	0.05
Kidney & renal pelvis	160	4.3	0.15	2.9	0.10	80	1.7	0.09	1.1	0.06
Brain & Other CNS[1]	189	4.9	0.16	3.7	0.12	140	3.2	0.12	2.4	0.10
Endocrine System	28	0.7	0.06	0.5	0.05	41	0.9	0.06	0.6	0.05
Thyroid gland	17	0.5	0.05	0.3	0.03	30	0.7	0.05	0.4	0.04
Lymphomas	232	6.5	0.20	4.1	0.12	186	3.9	0.13	2.4	0.08
Hodgkin Lymphoma	9	0.2	0.04	0.2	0.03	8	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	223	6.3	0.19	3.9	0.12	178	3.8	0.13	2.3	0.08
Multiple Myeloma	125	3.5	0.14	2.2	0.09	101	2.1	0.10	1.4	0.06
Leukemias	251	7.2	0.21	4.6	0.14	170	3.8	0.13	2.5	0.10
Other, Ill-defined & Unknown	467	12.9	0.27	8.5	0.18	436	9.4	0.21	6.2	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,814	156.2	1.15	100.5	0.75	3,591	119.4	0.92	79.6	0.64
Oral Cavity & Pharynx	84	3.3	0.17	2.3	0.11	35	1.1	0.09	0.7	0.06
Digestive System	1,169	46.2	0.62	31.4	0.42	911	29.9	0.46	19.6	0.31
Esophagus	147	5.8	0.22	4.0	0.15	47	1.5	0.10	1.0	0.07
Stomach	98	3.9	0.18	2.7	0.12	70	2.4	0.13	1.7	0.10
Colon & Rectum	329	13.2	0.33	8.7	0.22	297	9.7	0.26	6.2	0.18
Liver	193	7.1	0.24	5.3	0.17	68	2.2	0.12	1.5	0.09
Pancreas	292	11.7	0.31	7.7	0.21	285	9.3	0.25	6.0	0.17
Respiratory System	719	29.7	0.51	18.7	0.32	716	23.9	0.41	15.2	0.27
Larynx	23	0.9	0.09	0.6	0.06	7	0.2	0.04	0.2	0.03
Lung & bronchus	685	28.3	0.49	17.9	0.31	703	23.5	0.41	14.9	0.27
Skin	133	5.5	0.22	3.5	0.14	64	2.1	0.12	1.3	0.08
Melanomas of the skin	93	3.8	0.18	2.5	0.12	46	1.5	0.10	1.0	0.08
Breast	4	0.2	0.04	0.1	0.02	546	18.4	0.36	13.1	0.27
Female Genital System	-	-	-	-	-	430	14.7	0.32	10.4	0.24
Cervix uteri	-	-	-	-	-	38	1.4	0.11	1.1	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	152	5.1	0.19	3.6	0.14
Ovary	-	-	-	-	-	209	7.1	0.22	5.0	0.16
Male Genital System	448	19.3	0.41	10.7	0.23	-	-	-	-	-
Prostate	437	18.8	0.41	10.3	0.23	-	-	-	-	-
Testis	7	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	290	12.0	0.32	7.2	0.19	121	3.8	0.16	2.3	0.10
Bladder	164	6.9	0.25	3.9	0.14	58	1.8	0.11	1.0	0.06
Kidney & renal pelvis	118	4.7	0.20	3.1	0.13	56	1.8	0.11	1.2	0.07
Brain & Other CNS[1]	149	5.9	0.22	4.4	0.17	106	3.7	0.16	2.8	0.13
Endocrine System	18	0.7	0.08	0.5	0.06	24	0.8	0.08	0.6	0.06
Thyroid gland	12	0.5	0.07	0.3	0.04	18	0.6	0.07	0.4	0.04
Lymphomas	168	7.1	0.25	4.4	0.16	133	4.3	0.17	2.6	0.11
Hodgkin Lymphoma	6	0.3	0.05	0.2	0.03	7	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	162	6.8	0.24	4.2	0.15	126	4.0	0.17	2.4	0.10
Multiple Myeloma	90	3.8	0.18	2.3	0.11	70	2.3	0.12	1.4	0.08
Leukemias	191	8.1	0.27	5.2	0.18	125	4.2	0.17	2.8	0.13
Other, Ill-defined & Unknown	350	14.5	0.35	9.6	0.24	309	10.2	0.27	6.7	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	460	214.2	4.69	143.6	3.02	442	155.3	3.38	110.5	2.44
Oral Cavity & Pharynx	11	4.4	0.63	3.2	0.44	3	0.9	0.25	0.7	0.18
Digestive System	152	66.5	2.54	47.2	1.72	119	42.1	1.76	28.8	1.22
Esophagus	11	4.9	0.69	3.4	0.47	4	1.6	0.36	1.1	0.25
Stomach	16	7.5	0.88	5.0	0.56	13	4.6	0.60	3.0	0.39
Colon & Rectum	44	19.8	1.40	13.8	0.94	44	15.5	1.07	10.2	0.72
Liver	35	14.2	1.13	10.7	0.82	12	3.7	0.50	2.9	0.39
Pancreas	33	14.4	1.17	10.3	0.80	33	11.9	0.94	8.2	0.65
Respiratory System	104	47.6	2.19	32.4	1.43	86	29.7	1.47	21.2	1.05
Larynx	4	1.5	0.38	1.1	0.26	-	-	-	-	-
Lung & bronchus	101	46.0	2.15	31.3	1.40	84	29.1	1.45	20.7	1.04
Skin	-	-	-	-	-	2	0.7	0.22	0.5	0.16
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	71	25.3	1.38	19.3	1.06
Female Genital System	-	-	-	-	-	56	19.5	1.19	14.5	0.89
Cervix uteri	-	-	-	-	-	4	1.7	0.36	1.4	0.30
Corpus & uterus, NOS[1]	-	-	-	-	-	30	10.3	0.86	7.4	0.62
Ovary	-	-	-	-	-	19	6.5	0.69	5.0	0.53
Male Genital System	74	39.3	2.12	23.1	1.21	-	-	-	-	-
Prostate	73	38.7	2.10	22.7	1.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	12.5	1.17	7.7	0.70	16	5.3	0.61	3.4	0.40
Bladder	13	6.8	0.87	4.0	0.50	7	2.3	0.40	1.4	0.25
Kidney & renal pelvis	12	5.6	0.77	3.6	0.48	8	2.7	0.44	1.8	0.29
Brain & Other CNS[1]	8	3.0	0.50	2.5	0.41	7	2.7	0.45	2.0	0.35
Endocrine System	-	-	-	-	-	3	0.9	0.25	0.7	0.21
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	5.1	0.70	3.8	0.51	9	3.4	0.50	2.2	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	7.7	0.92	4.8	0.55	14	4.9	0.59	3.2	0.40
Leukemias	14	6.6	0.83	4.4	0.54	10	3.6	0.52	2.5	0.37
Other, Ill-defined & Unknown	42	19.9	1.44	13.2	0.92	46	16.4	1.11	11.5	0.80

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,133	117.0	1.58	76.6	1.04	1,106	86.0	1.18	58.3	0.82
Oral Cavity & Pharynx	35	3.5	0.27	2.5	0.19	16	1.2	0.13	0.8	0.10
Digestive System	436	44.0	0.96	29.9	0.65	339	26.4	0.65	17.0	0.43
Esophagus	28	2.7	0.24	1.9	0.17	8	0.7	0.10	0.4	0.07
Stomach	60	6.2	0.36	4.0	0.24	48	3.7	0.24	2.4	0.17
Colon & Rectum	110	11.0	0.48	7.6	0.33	102	7.8	0.35	5.1	0.24
Liver	109	10.7	0.47	7.6	0.33	46	3.6	0.24	2.3	0.16
Pancreas	83	8.6	0.43	5.6	0.28	86	6.7	0.33	4.3	0.22
Respiratory System	294	30.6	0.81	19.6	0.52	223	17.4	0.53	11.3	0.35
Larynx	4	0.4	0.09	0.3	0.06	-	-	-	-	-
Lung & bronchus	287	29.9	0.80	19.1	0.51	221	17.2	0.53	11.2	0.35
Skin	7	0.7	0.12	0.5	0.09	6	0.4	0.08	0.3	0.06
Melanomas of the skin	4	0.4	0.08	0.3	0.07	4	0.3	0.07	0.2	0.05
Breast	-	-	-	-	-	151	11.7	0.43	8.7	0.33
Female Genital System	-	-	-	-	-	128	9.9	0.40	7.3	0.30
Cervix uteri	-	-	-	-	-	19	1.5	0.15	1.1	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	49	3.8	0.24	2.8	0.18
Ovary	-	-	-	-	-	54	4.2	0.26	3.1	0.19
Male Genital System	76	8.4	0.43	4.5	0.24	-	-	-	-	-
Prostate	75	8.3	0.43	4.4	0.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	56	5.8	0.35	3.6	0.22	30	2.3	0.19	1.4	0.12
Bladder	24	2.6	0.24	1.5	0.14	13	1.0	0.13	0.5	0.07
Kidney & renal pelvis	30	3.0	0.25	2.0	0.17	15	1.2	0.14	0.8	0.09
Brain & Other CNS[1]	32	3.2	0.26	2.3	0.19	26	2.1	0.19	1.7	0.16
Endocrine System	8	0.8	0.12	0.6	0.09	14	1.1	0.14	0.8	0.10
Thyroid gland	4	0.4	0.09	0.3	0.06	10	0.8	0.12	0.5	0.07
Lymphomas	51	5.5	0.35	3.5	0.22	43	3.3	0.23	2.1	0.15
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	19	1.9	0.20	1.2	0.13	16	1.3	0.14	0.8	0.09
Leukemias	45	5.0	0.33	3.3	0.23	35	2.9	0.22	2.1	0.17
Other, Ill-defined & Unknown	-	-	-	-	-	80	6.2	0.31	4.1	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,380	161.7	0.86	105.9	0.56	7,152	120.5	0.65	82.9	0.46
Oral Cavity & Pharynx	168	3.5	0.12	2.5	0.09	74	1.2	0.07	0.9	0.05
Digestive System	2,453	52.2	0.48	35.8	0.33	2,021	33.8	0.34	22.6	0.24
Esophagus	205	4.3	0.14	3.0	0.09	59	1.0	0.06	0.7	0.04
Stomach	317	6.8	0.17	4.6	0.12	226	3.8	0.12	2.7	0.08
Colon & Rectum	724	15.5	0.26	10.5	0.18	676	11.2	0.20	7.4	0.14
Liver	460	9.3	0.20	6.8	0.14	227	3.8	0.11	2.5	0.08
Pancreas	542	11.7	0.23	7.8	0.15	557	9.3	0.18	6.1	0.12
Respiratory System	1,512	33.5	0.39	21.6	0.25	1,242	21.0	0.27	13.7	0.18
Larynx	53	1.1	0.07	0.8	0.05	13	0.2	0.03	0.1	0.02
Lung & bronchus	1,441	31.9	0.38	20.6	0.25	1,219	20.6	0.27	13.4	0.18
Skin	167	3.6	0.13	2.4	0.08	85	1.4	0.07	0.9	0.05
Melanomas of the skin	100	2.1	0.10	1.4	0.07	53	0.9	0.06	0.6	0.04
Breast	9	0.2	0.03	0.1	0.02	1,155	19.5	0.26	14.2	0.20
Female Genital System	-	-	-	-	-	948	16.1	0.24	11.9	0.18
Cervix uteri	-	-	-	-	-	145	2.6	0.10	2.1	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	324	5.4	0.14	4.0	0.10
Ovary	-	-	-	-	-	427	7.2	0.16	5.3	0.12
Male Genital System	889	20.8	0.32	11.8	0.18	-	-	-	-	-
Prostate	860	20.2	0.31	11.3	0.18	-	-	-	-	-
Testis	17	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	483	10.8	0.22	6.7	0.14	230	3.8	0.11	2.4	0.07
Bladder	257	5.9	0.17	3.4	0.10	108	1.8	0.08	1.0	0.05
Kidney & renal pelvis	216	4.6	0.14	3.2	0.10	114	1.9	0.08	1.3	0.06
Brain & Other CNS[1]	248	5.2	0.15	3.9	0.11	193	3.3	0.11	2.5	0.09
Endocrine System	51	1.1	0.07	0.8	0.05	57	1.0	0.06	0.7	0.04
Thyroid gland	33	0.7	0.06	0.5	0.04	41	0.7	0.05	0.5	0.04
Lymphomas	310	6.9	0.18	4.4	0.11	262	4.4	0.12	2.8	0.08
Hodgkin Lymphoma	17	0.4	0.04	0.3	0.03	16	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	293	6.5	0.17	4.2	0.11	246	4.1	0.12	2.6	0.08
Multiple Myeloma	169	3.8	0.13	2.4	0.08	129	2.1	0.09	1.4	0.06
Leukemias	345	7.7	0.19	5.1	0.13	267	4.6	0.13	3.2	0.09
Other, Ill-defined & Unknown	574	12.5	0.24	8.4	0.16	490	8.2	0.17	5.7	0.12

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,361	165.7	1.04	107.7	0.67	5,111	124.3	0.79	84.8	0.56
Oral Cavity & Pharynx	121	3.6	0.15	2.5	0.10	53	1.3	0.08	0.8	0.06
Digestive System	1,728	51.6	0.57	35.3	0.38	1,409	34.1	0.41	22.8	0.29
Esophagus	165	4.9	0.18	3.4	0.12	44	1.1	0.07	0.7	0.05
Stomach	215	6.4	0.20	4.4	0.14	153	3.8	0.14	2.7	0.10
Colon & Rectum	502	15.1	0.31	10.2	0.21	464	11.1	0.24	7.3	0.16
Liver	306	8.7	0.23	6.3	0.16	159	3.9	0.14	2.6	0.10
Pancreas	397	12.1	0.28	8.1	0.18	392	9.4	0.22	6.2	0.15
Respiratory System	1,019	32.0	0.46	20.4	0.29	852	21.0	0.33	13.4	0.22
Larynx	38	1.2	0.09	0.8	0.06	8	0.2	0.03	0.1	0.02
Lung & bronchus	964	30.4	0.45	19.3	0.28	835	20.6	0.32	13.1	0.21
Skin	154	4.7	0.17	3.1	0.11	76	1.8	0.09	1.2	0.06
Melanomas of the skin	95	2.9	0.14	1.9	0.09	49	1.2	0.08	0.8	0.06
Breast	7	0.2	0.04	0.1	0.02	807	19.7	0.32	14.1	0.23
Female Genital System	-	-	-	-	-	687	16.9	0.29	12.4	0.22
Cervix uteri	-	-	-	-	-	101	2.6	0.12	2.1	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	224	5.5	0.17	4.0	0.12
Ovary	-	-	-	-	-	320	7.8	0.20	5.6	0.15
Male Genital System	635	21.0	0.38	11.8	0.21	-	-	-	-	-
Prostate	610	20.3	0.37	11.2	0.21	-	-	-	-	-
Testis	15	0.4	0.04	0.4	0.04	-	-	-	-	-
Urinary System	380	12.0	0.28	7.3	0.17	176	4.2	0.14	2.6	0.09
Bladder	206	6.7	0.21	3.8	0.12	85	2.0	0.10	1.2	0.06
Kidney & renal pelvis	166	5.0	0.18	3.4	0.12	86	2.1	0.10	1.4	0.07
Brain & Other CNS[1]	205	6.0	0.19	4.5	0.14	159	3.9	0.14	3.0	0.11
Endocrine System	38	1.2	0.09	0.8	0.06	40	1.0	0.07	0.7	0.05
Thyroid gland	25	0.8	0.07	0.5	0.05	29	0.7	0.06	0.5	0.04
Lymphomas	239	7.5	0.22	4.8	0.14	200	4.8	0.16	3.1	0.10
Hodgkin Lymphoma	14	0.4	0.05	0.3	0.04	13	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	225	7.1	0.22	4.5	0.14	186	4.5	0.15	2.8	0.10
Multiple Myeloma	123	3.9	0.16	2.5	0.10	89	2.1	0.10	1.4	0.07
Leukemias	274	8.6	0.24	5.7	0.16	208	5.0	0.16	3.5	0.12
Other, Ill-defined & Unknown	439	13.4	0.29	9.0	0.20	357	8.6	0.21	5.9	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	885	213.3	3.32	143.2	2.17	945	158.0	2.33	112.8	1.70
Oral Cavity & Pharynx	15	2.9	0.35	2.4	0.28	10	1.6	0.23	1.3	0.18
Digestive System	264	61.2	1.75	43.1	1.19	245	41.0	1.19	28.2	0.84
Esophagus	14	3.3	0.40	2.4	0.29	9	1.5	0.23	1.1	0.16
Stomach	32	7.9	0.64	5.3	0.42	19	3.3	0.34	2.1	0.23
Colon & Rectum	90	21.5	1.05	14.8	0.70	93	15.7	0.74	10.7	0.52
Liver	48	10.1	0.67	7.8	0.50	25	4.0	0.37	2.9	0.27
Pancreas	59	13.8	0.84	9.5	0.56	69	11.3	0.62	7.7	0.43
Respiratory System	214	50.6	1.60	34.5	1.06	197	32.6	1.05	22.8	0.74
Larynx	9	2.0	0.31	1.5	0.22	3	0.4	0.12	0.3	0.09
Lung & bronchus	204	48.4	1.57	33.0	1.04	193	32.0	1.04	22.3	0.73
Skin	6	1.5	0.27	1.0	0.19	2	0.4	0.13	0.3	0.10
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	180	30.2	1.03	22.5	0.78
Female Genital System	-	-	-	-	-	125	20.7	0.84	15.7	0.64
Cervix uteri	-	-	-	-	-	20	3.5	0.36	2.9	0.30
Corpus & uterus, NOS[1]	-	-	-	-	-	56	9.2	0.56	6.7	0.41
Ovary	-	-	-	-	-	44	7.1	0.49	5.4	0.38
Male Genital System	170	45.3	1.59	26.8	0.93	-	-	-	-	-
Prostate	168	44.8	1.59	26.5	0.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	50	12.1	0.79	8.1	0.52	25	4.2	0.38	2.7	0.26
Bladder	25	6.3	0.58	3.9	0.35	12	2.1	0.27	1.3	0.17
Kidney & renal pelvis	24	5.6	0.52	4.1	0.37	11	1.9	0.26	1.4	0.19
Brain & Other CNS[1]	16	3.5	0.41	2.7	0.30	15	2.6	0.30	2.0	0.24
Endocrine System	4	1.1	0.24	0.8	0.18	6	1.1	0.20	0.8	0.15
Thyroid gland	2	0.5	0.16	0.3	0.11	4	0.7	0.16	0.5	0.11
Lymphomas	24	5.7	0.54	3.9	0.36	21	3.7	0.36	2.6	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	30	7.3	0.62	4.9	0.40	27	4.6	0.40	3.0	0.27
Leukemias	28	6.9	0.60	4.7	0.40	24	4.2	0.39	3.0	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	67	11.2	0.62	7.9	0.45

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,104	128.9	1.76	85.5	1.19	1,071	92.1	1.29	64.0	0.94
Oral Cavity & Pharynx	32	3.8	0.30	2.7	0.23	11	1.0	0.13	0.7	0.10
Digestive System	449	51.5	1.11	35.2	0.76	359	30.4	0.73	19.8	0.50
Esophagus	24	2.6	0.25	1.9	0.18	6	0.5	0.09	0.3	0.07
Stomach	68	7.8	0.43	5.2	0.29	53	4.6	0.29	3.0	0.20
Colon & Rectum	128	14.7	0.59	10.1	0.41	117	9.7	0.41	6.4	0.28
Liver	103	11.6	0.52	8.2	0.37	42	3.6	0.25	2.2	0.16
Pancreas	84	9.7	0.48	6.5	0.32	94	8.0	0.38	5.2	0.25
Respiratory System	274	32.0	0.88	20.8	0.57	188	16.0	0.53	10.5	0.36
Larynx	5	0.6	0.11	0.4	0.08	-	-	-	-	-
Lung & bronchus	267	31.3	0.87	20.3	0.57	186	15.8	0.53	10.4	0.36
Skin	7	0.8	0.14	0.5	0.09	6	0.5	0.10	0.3	0.06
Melanomas of the skin	3	0.3	0.08	0.2	0.06	3	0.3	0.07	0.2	0.05
Breast	-	-	-	-	-	165	14.4	0.51	11.1	0.40
Female Genital System	-	-	-	-	-	133	11.8	0.47	9.0	0.36
Cervix uteri	-	-	-	-	-	25	2.3	0.22	1.8	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	42	3.6	0.25	2.8	0.20
Ovary	-	-	-	-	-	63	5.5	0.32	4.2	0.25
Male Genital System	81	9.8	0.49	5.4	0.28	-	-	-	-	-
Prostate	79	9.5	0.48	5.2	0.27	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	52	6.2	0.39	3.9	0.25	28	2.3	0.19	1.4	0.13
Bladder	25	3.1	0.28	1.7	0.16	11	0.9	0.12	0.5	0.08
Kidney & renal pelvis	25	2.9	0.27	2.0	0.19	15	1.2	0.15	0.8	0.10
Brain & Other CNS[1]	26	3.1	0.28	2.3	0.22	18	1.6	0.18	1.3	0.16
Endocrine System	9	1.0	0.16	0.8	0.12	11	0.9	0.13	0.7	0.09
Thyroid gland	6	0.7	0.13	0.4	0.09	8	0.7	0.11	0.4	0.08
Lymphomas	46	5.4	0.36	3.6	0.24	40	3.4	0.25	2.2	0.17
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	1.9	0.21	1.2	0.14	13	1.0	0.13	0.7	0.09
Leukemias	42	5.0	0.35	3.5	0.26	34	3.2	0.25	2.3	0.21
Other, Ill-defined & Unknown	-	-	-	-	-	65	5.6	0.32	3.9	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,065	157.9	1.15	101.9	0.72	3,651	116.3	0.88	78.2	0.60
Oral Cavity & Pharynx	88	3.1	0.15	2.2	0.11	35	1.1	0.08	0.7	0.06
Digestive System	1,224	44.8	0.60	30.9	0.40	847	26.9	0.42	17.8	0.28
Esophagus	193	7.0	0.24	4.9	0.16	35	1.1	0.09	0.7	0.06
Stomach	90	3.4	0.17	2.3	0.11	50	1.6	0.11	1.1	0.08
Colon & Rectum	355	13.6	0.34	9.1	0.22	320	10.2	0.26	6.6	0.17
Liver	182	6.0	0.21	4.5	0.15	62	1.9	0.11	1.3	0.08
Pancreas	300	11.0	0.30	7.5	0.19	256	8.1	0.23	5.4	0.15
Respiratory System	800	30.6	0.50	19.8	0.32	777	24.9	0.41	16.2	0.27
Larynx	29	1.0	0.09	0.7	0.06	8	0.3	0.04	0.2	0.03
Lung & bronchus	760	29.2	0.49	18.8	0.31	764	24.5	0.40	15.9	0.26
Skin	144	5.6	0.22	3.6	0.14	75	2.4	0.12	1.6	0.09
Melanomas of the skin	97	3.7	0.18	2.5	0.11	56	1.8	0.11	1.3	0.08
Breast	6	0.2	0.04	0.2	0.03	595	18.9	0.35	13.3	0.25
Female Genital System	-	-	-	-	-	417	13.2	0.30	9.5	0.21
Cervix uteri	-	-	-	-	-	46	1.5	0.10	1.3	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	134	4.1	0.16	2.9	0.12
Ovary	-	-	-	-	-	203	6.5	0.21	4.5	0.15
Male Genital System	494	21.7	0.45	11.9	0.24	-	-	-	-	-
Prostate	485	21.4	0.45	11.6	0.24	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	287	11.6	0.32	7.1	0.19	127	4.1	0.17	2.5	0.10
Bladder	160	6.6	0.24	3.9	0.14	61	2.0	0.12	1.1	0.07
Kidney & renal pelvis	119	4.6	0.20	3.0	0.12	62	2.0	0.11	1.2	0.07
Brain & Other CNS[1]	142	5.0	0.19	3.8	0.15	114	3.6	0.16	2.8	0.12
Endocrine System	24	0.9	0.09	0.6	0.06	24	0.8	0.07	0.5	0.05
Thyroid gland	15	0.6	0.07	0.4	0.04	17	0.5	0.06	0.3	0.04
Lymphomas	157	6.4	0.24	4.0	0.14	113	3.6	0.15	2.2	0.10
Hodgkin Lymphoma	10	0.4	0.06	0.3	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	148	6.1	0.23	3.7	0.14	107	3.4	0.15	2.0	0.09
Multiple Myeloma	103	4.2	0.19	2.6	0.11	75	2.4	0.13	1.5	0.08
Leukemias	191	7.8	0.26	4.9	0.16	128	4.2	0.17	2.7	0.12
Other, Ill-defined & Unknown	404	15.9	0.37	10.2	0.23	323	10.3	0.26	6.7	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,819	159.0	1.19	102.6	0.75	3,430	117.7	0.92	79.1	0.63
Oral Cavity & Pharynx	82	3.1	0.16	2.2	0.11	33	1.1	0.09	0.7	0.06
Digestive System	1,141	44.9	0.62	31.0	0.41	786	26.8	0.44	17.8	0.30
Esophagus	186	7.3	0.25	5.0	0.17	34	1.1	0.09	0.8	0.06
Stomach	80	3.2	0.17	2.2	0.11	44	1.6	0.11	1.1	0.08
Colon & Rectum	330	13.6	0.35	9.0	0.23	298	10.3	0.27	6.7	0.18
Liver	164	5.8	0.21	4.4	0.15	53	1.8	0.11	1.2	0.08
Pancreas	284	11.1	0.31	7.6	0.20	242	8.2	0.24	5.5	0.16
Respiratory System	746	30.5	0.52	19.8	0.33	733	25.2	0.43	16.4	0.28
Larynx	27	1.0	0.09	0.7	0.06	8	0.3	0.04	0.2	0.03
Lung & bronchus	708	29.1	0.51	18.8	0.32	720	24.8	0.42	16.1	0.28
Skin	143	6.0	0.23	3.9	0.15	74	2.5	0.13	1.7	0.09
Melanomas of the skin	97	4.0	0.19	2.7	0.12	55	1.9	0.12	1.3	0.09
Breast	5	0.2	0.04	0.1	0.03	560	19.2	0.37	13.5	0.27
Female Genital System	-	-	-	-	-	387	13.3	0.31	9.5	0.22
Cervix uteri	-	-	-	-	-	42	1.6	0.11	1.3	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	119	4.0	0.17	2.8	0.12
Ovary	-	-	-	-	-	194	6.6	0.22	4.7	0.16
Male Genital System	458	21.4	0.46	11.7	0.25	-	-	-	-	-
Prostate	450	21.1	0.46	11.4	0.24	-	-	-	-	-
Testis	4	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	274	11.8	0.33	7.2	0.20	121	4.2	0.17	2.5	0.11
Bladder	154	6.8	0.25	4.0	0.15	57	2.0	0.12	1.2	0.07
Kidney & renal pelvis	112	4.6	0.20	3.0	0.13	60	2.0	0.12	1.3	0.08
Brain & Other CNS[1]	137	5.2	0.21	4.1	0.16	109	3.8	0.17	2.9	0.13
Endocrine System	22	0.9	0.09	0.7	0.07	22	0.8	0.08	0.6	0.06
Thyroid gland	15	0.6	0.07	0.4	0.05	16	0.5	0.06	0.4	0.04
Lymphomas	148	6.5	0.25	4.0	0.15	108	3.7	0.16	2.3	0.10
Hodgkin Lymphoma	9	0.4	0.06	0.3	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	139	6.1	0.24	3.7	0.14	102	3.5	0.16	2.1	0.10
Multiple Myeloma	96	4.1	0.19	2.6	0.12	71	2.5	0.13	1.5	0.09
Leukemias	182	8.0	0.27	5.0	0.17	122	4.3	0.18	2.8	0.12
Other, Ill-defined & Unknown	383	16.2	0.38	10.4	0.24	305	10.5	0.27	6.9	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	156	193.1	7.69	122.2	4.46	128	127.5	5.19	87.9	3.51
Oral Cavity & Pharynx	3	2.6	0.74	2.0	0.54	-	-	-	-	-
Digestive System	47	52.2	3.81	35.4	2.35	32	31.5	2.58	21.3	1.72
Esophagus	3	3.7	0.98	2.6	0.65	-	-	-	-	-
Stomach	5	7.4	1.59	4.3	0.86	-	-	-	-	-
Colon & Rectum	16	17.9	2.23	12.1	1.37	11	11.3	1.57	7.0	0.97
Liver	8	7.3	1.26	5.7	0.91	4	4.1	0.90	3.1	0.66
Pancreas	11	11.3	1.74	7.8	1.09	8	8.4	1.33	5.7	0.89
Respiratory System	35	42.8	3.57	27.7	2.13	24	23.2	2.20	16.7	1.55
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	33	40.8	3.51	26.2	2.08	23	22.5	2.17	16.1	1.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	25	24.5	2.24	17.4	1.56
Female Genital System	-	-	-	-	-	19	19.3	2.05	13.2	1.38
Cervix uteri	-	-	-	-	-	2	2.1	0.70	1.4	0.44
Corpus & uterus, NOS[1]	-	-	-	-	-	10	9.3	1.39	6.8	0.98
Ovary	-	-	-	-	-	6	6.3	1.19	4.2	0.78
Male Genital System	29	44.3	3.97	24.4	2.06	-	-	-	-	-
Prostate	29	44.2	3.97	24.3	2.06	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	11.8	1.93	7.3	1.11	3	3.0	0.82	1.9	0.51
Bladder	4	4.8	1.18	3.1	0.71	-	-	-	-	-
Kidney & renal pelvis	4	6.2	1.44	3.7	0.79	-	-	-	-	-
Brain & Other CNS[1]	3	2.4	0.67	2.0	0.53	3	2.3	0.64	2.0	0.54
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	4.3	1.13	2.7	0.67	3	2.9	0.82	1.7	0.48
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	8.1	1.71	4.5	0.88	3	3.4	0.85	2.3	0.56
Leukemias	6	7.7	1.60	4.7	0.89	4	4.2	0.95	2.7	0.60
Other, Ill-defined & Unknown	13	15.1	2.07	10.1	1.26	11	11.0	1.53	7.2	0.98

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	64	102.1	6.03	67.6	3.78	70	77.9	4.29	50.3	2.73
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	37.7	3.47	27.1	2.37	23	26.6	2.53	17.1	1.59
Esophagus	3	4.3	1.20	2.9	0.78	-	-	-	-	-
Stomach	4	6.3	1.47	4.3	0.95	4	4.1	0.97	2.6	0.62
Colon & Rectum	5	7.3	1.53	5.1	1.03	8	9.7	1.54	6.3	0.98
Liver	7	9.7	1.69	7.5	1.23	3	3.9	0.99	2.3	0.58
Pancreas	4	5.5	1.32	4.0	0.92	4	4.9	1.08	3.1	0.67
Respiratory System	13	21.9	2.89	13.4	1.70	16	19.3	2.20	11.5	1.30
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	21.0	2.82	13.0	1.67	16	19.3	2.20	11.5	1.30
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	7.1	1.25	4.9	0.86
Female Genital System	-	-	-	-	-	9	9.7	1.46	6.8	1.00
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	5	4.7	1.00	3.3	0.70
Ovary	-	-	-	-	-	3	3.4	0.90	2.2	0.57
Male Genital System	5	9.2	1.93	5.3	1.06	-	-	-	-	-
Prostate	5	8.8	1.91	4.9	1.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	5.6	1.54	3.0	0.80	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	8.3	1.77	5.2	1.06	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	4.0	1.14	3.0	0.82	-	-	-	-	-
Other, Ill-defined & Unknown	5	8.8	1.80	5.7	1.10	6	6.4	1.20	4.1	0.77

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,359	167.5	1.32	109.3	0.87	3,254	122.9	1.00	83.0	0.71
Oral Cavity & Pharynx	61	2.9	0.17	2.1	0.12	25	0.9	0.09	0.6	0.06
Digestive System	955	46.4	0.69	31.8	0.47	756	28.1	0.47	18.5	0.33
Esophagus	140	6.7	0.26	4.7	0.18	40	1.5	0.11	1.0	0.08
Stomach	82	4.1	0.21	2.7	0.14	56	2.1	0.13	1.5	0.10
Colon & Rectum	253	12.6	0.36	8.4	0.24	250	9.1	0.27	5.9	0.19
Liver	130	5.9	0.24	4.4	0.17	35	1.3	0.10	0.8	0.07
Pancreas	255	12.4	0.36	8.4	0.24	266	9.8	0.28	6.4	0.19
Respiratory System	806	39.7	0.64	26.3	0.42	795	30.1	0.49	20.1	0.34
Larynx	29	1.4	0.12	1.0	0.08	9	0.3	0.05	0.2	0.04
Lung & bronchus	771	38.0	0.63	25.1	0.41	782	29.6	0.49	19.8	0.33
Skin	86	4.4	0.22	2.8	0.14	43	1.6	0.11	1.1	0.08
Melanomas of the skin	62	3.2	0.18	2.1	0.12	33	1.3	0.10	0.9	0.07
Breast	5	0.2	0.05	0.2	0.04	446	17.4	0.38	12.5	0.29
Female Genital System	-	-	-	-	-	344	13.2	0.33	9.3	0.24
Cervix uteri	-	-	-	-	-	31	1.4	0.11	1.1	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	113	4.3	0.19	3.0	0.13
Ovary	-	-	-	-	-	167	6.4	0.23	4.5	0.17
Male Genital System	349	18.2	0.44	10.1	0.25	-	-	-	-	-
Prostate	342	17.8	0.44	9.8	0.24	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	241	12.2	0.36	7.5	0.22	116	4.1	0.18	2.6	0.12
Bladder	151	7.7	0.29	4.5	0.17	64	2.2	0.13	1.3	0.08
Kidney & renal pelvis	85	4.2	0.21	2.9	0.14	48	1.8	0.12	1.2	0.08
Brain & Other CNS[1]	114	5.7	0.25	4.3	0.19	83	3.5	0.18	2.8	0.15
Endocrine System	15	0.7	0.09	0.6	0.07	16	0.6	0.08	0.5	0.06
Thyroid gland	11	0.5	0.07	0.4	0.05	10	0.4	0.06	0.3	0.04
Lymphomas	143	7.4	0.28	4.6	0.18	110	4.0	0.18	2.4	0.11
Hodgkin Lymphoma	8	0.4	0.07	0.3	0.05	3	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	135	7.0	0.27	4.3	0.17	108	3.9	0.17	2.3	0.11
Multiple Myeloma	72	3.7	0.20	2.3	0.12	62	2.3	0.13	1.5	0.09
Leukemias	147	7.7	0.29	4.9	0.19	127	4.7	0.20	3.1	0.14
Other, Ill-defined & Unknown	364	18.4	0.44	12.0	0.29	330	12.2	0.31	8.0	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,047	169.0	1.40	110.3	0.93	2,937	124.4	1.07	83.8	0.77
Oral Cavity & Pharynx	55	2.9	0.18	2.1	0.13	22	0.9	0.09	0.6	0.06
Digestive System	854	46.3	0.73	31.6	0.50	669	27.8	0.50	18.2	0.35
Esophagus	131	6.9	0.28	4.9	0.20	35	1.5	0.12	1.0	0.08
Stomach	66	3.7	0.21	2.4	0.14	47	2.0	0.14	1.4	0.10
Colon & Rectum	226	12.7	0.39	8.4	0.26	225	9.1	0.29	5.9	0.20
Liver	112	5.7	0.25	4.2	0.18	29	1.2	0.10	0.8	0.07
Pancreas	232	12.6	0.38	8.5	0.26	239	9.8	0.29	6.4	0.20
Respiratory System	734	40.0	0.68	26.5	0.45	738	31.3	0.53	21.0	0.37
Larynx	25	1.3	0.12	0.9	0.08	8	0.4	0.06	0.2	0.04
Lung & bronchus	704	38.4	0.66	25.4	0.44	725	30.8	0.53	20.6	0.37
Skin	84	4.8	0.24	3.0	0.16	43	1.8	0.13	1.2	0.09
Melanomas of the skin	62	3.5	0.21	2.3	0.14	33	1.4	0.12	1.0	0.09
Breast	4	0.2	0.05	0.1	0.03	392	17.3	0.41	12.3	0.31
Female Genital System	-	-	-	-	-	304	13.2	0.35	9.3	0.26
Cervix uteri	-	-	-	-	-	24	1.3	0.12	1.0	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	96	4.1	0.19	2.8	0.14
Ovary	-	-	-	-	-	153	6.6	0.25	4.7	0.19
Male Genital System	306	17.4	0.45	9.6	0.26	-	-	-	-	-
Prostate	300	17.0	0.45	9.3	0.25	-	-	-	-	-
Testis	4	0.2	0.06	0.2	0.06	-	-	-	-	-
Urinary System	224	12.6	0.38	7.7	0.24	107	4.2	0.19	2.6	0.12
Bladder	144	8.1	0.31	4.7	0.18	58	2.2	0.13	1.3	0.08
Kidney & renal pelvis	76	4.2	0.22	2.8	0.15	45	1.8	0.13	1.2	0.09
Brain & Other CNS[1]	105	6.0	0.27	4.6	0.21	75	3.7	0.20	2.9	0.17
Endocrine System	14	0.8	0.10	0.6	0.08	13	0.6	0.08	0.4	0.07
Thyroid gland	10	0.5	0.08	0.4	0.05	10	0.4	0.06	0.3	0.05
Lymphomas	134	7.7	0.30	4.9	0.20	103	4.1	0.19	2.5	0.12
Hodgkin Lymphoma	7	0.4	0.08	0.3	0.06	2	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	127	7.2	0.29	4.5	0.19	101	4.0	0.19	2.4	0.12
Multiple Myeloma	62	3.5	0.20	2.2	0.13	53	2.2	0.14	1.4	0.09
Leukemias	135	7.9	0.31	5.0	0.21	118	4.9	0.21	3.2	0.16
Other, Ill-defined & Unknown	336	18.8	0.47	12.3	0.32	299	12.4	0.34	8.2	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	262	183.6	5.41	122.7	3.41	274	126.4	3.48	89.0	2.44
Oral Cavity & Pharynx	5	2.7	0.61	2.0	0.43	-	-	-	-	-
Digestive System	82	53.6	2.82	37.8	1.88	73	33.8	1.80	23.5	1.25
Esophagus	9	5.0	0.81	3.9	0.60	4	2.0	0.44	1.4	0.31
Stomach	12	8.8	1.20	5.6	0.74	8	3.7	0.60	2.5	0.40
Colon & Rectum	22	14.9	1.51	10.2	0.97	21	9.4	0.95	6.7	0.67
Liver	15	7.9	0.97	6.4	0.75	5	2.2	0.43	1.7	0.33
Pancreas	19	12.6	1.38	8.7	0.90	24	11.1	1.04	7.5	0.70
Respiratory System	62	44.7	2.68	29.5	1.69	51	23.3	1.49	16.3	1.03
Larynx	4	2.2	0.56	1.6	0.38	-	-	-	-	-
Lung & bronchus	58	42.3	2.62	27.8	1.64	50	23.1	1.49	16.1	1.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	48	20.9	1.38	16.0	1.05
Female Genital System	-	-	-	-	-	34	15.8	1.23	11.4	0.87
Cervix uteri	-	-	-	-	-	6	2.6	0.49	2.0	0.37
Corpus & uterus, NOS[1]	-	-	-	-	-	17	7.8	0.86	5.6	0.61
Ovary	-	-	-	-	-	10	4.8	0.68	3.3	0.47
Male Genital System	39	32.6	2.46	18.8	1.36	-	-	-	-	-
Prostate	38	31.8	2.42	18.3	1.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	9.9	1.24	6.7	0.79	9	4.2	0.64	2.8	0.43
Bladder	6	4.8	0.90	3.0	0.54	6	2.9	0.54	1.9	0.35
Kidney & renal pelvis	8	4.9	0.85	3.5	0.57	3	1.2	0.34	0.8	0.24
Brain & Other CNS[1]	6	3.9	0.73	2.9	0.52	7	3.2	0.55	2.4	0.42
Endocrine System	-	-	-	-	-	2	1.1	0.32	0.8	0.24
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	3.9	0.77	2.8	0.51	6	2.9	0.54	1.9	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	6.7	1.05	4.3	0.64	7	3.7	0.62	2.3	0.38
Leukemias	10	7.0	1.06	4.7	0.67	8	3.7	0.61	2.5	0.41
Other, Ill-defined & Unknown	25	17.0	1.63	11.6	1.05	27	12.9	1.13	8.5	0.75

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	46	87.5	6.24	57.1	3.77	41	61.5	4.55	41.0	2.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	31.9	3.57	22.2	2.33	13	21.1	2.74	13.6	1.69
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	7.1	1.72	4.7	1.06	-	-	-	-	-
Colon & Rectum	3	5.9	1.57	4.0	0.99	4	6.6	1.50	4.4	0.95
Liver	4	5.5	1.26	4.7	1.06	-	-	-	-	-
Pancreas	4	7.7	1.87	4.7	1.09	3	6.1	1.53	3.6	0.88
Respiratory System	9	17.3	2.74	11.4	1.69	6	10.7	1.98	6.5	1.16
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	15.6	2.62	10.2	1.60	6	10.5	1.97	6.3	1.14
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	7.9	1.42	6.4	1.12
Female Genital System	-	-	-	-	-	5	7.0	1.48	4.9	0.98
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	4.8	1.26	3.3	0.82
Male Genital System	4	9.3	2.20	5.2	1.17	-	-	-	-	-
Prostate	4	9.3	2.20	5.2	1.17	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	5.0	1.66	2.8	0.85	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	2	3.3	1.16	2.3	0.73	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	6.5	1.89	3.5	0.97	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	6.2	1.66	4.1	1.01	4	5.9	1.46	3.7	0.88

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,083	195.8	2.72	129.9	1.81	976	141.6	2.08	97.5	1.49
Oral Cavity & Pharynx	23	4.0	0.38	3.0	0.28	9	1.4	0.22	1.0	0.16
Digestive System	314	55.5	1.44	38.4	0.99	220	32.0	0.99	21.4	0.69
Esophagus	44	7.7	0.54	5.4	0.37	8	1.2	0.20	0.8	0.14
Stomach	22	4.1	0.40	2.8	0.27	16	2.3	0.26	1.5	0.19
Colon & Rectum	86	15.7	0.78	10.7	0.53	77	11.3	0.59	7.5	0.41
Liver	51	8.4	0.54	6.4	0.41	15	2.1	0.25	1.4	0.17
Pancreas	82	14.3	0.72	9.7	0.49	73	10.5	0.56	7.0	0.38
Respiratory System	305	54.2	1.42	36.2	0.94	266	37.7	1.05	26.1	0.74
Larynx	12	2.1	0.27	1.5	0.20	4	0.6	0.13	0.5	0.10
Lung & bronchus	288	51.2	1.38	34.1	0.92	261	37.0	1.04	25.5	0.74
Skin	39	7.3	0.53	4.6	0.34	18	2.7	0.30	1.8	0.21
Melanomas of the skin	23	4.0	0.39	2.7	0.27	11	1.8	0.25	1.2	0.18
Breast	-	-	-	-	-	144	21.4	0.83	15.6	0.62
Female Genital System	-	-	-	-	-	111	15.9	0.70	11.6	0.53
Cervix uteri	-	-	-	-	-	16	2.5	0.30	2.1	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	41	5.6	0.40	4.1	0.30
Ovary	-	-	-	-	-	46	6.6	0.44	4.7	0.33
Male Genital System	92	17.6	0.83	10.2	0.48	-	-	-	-	-
Prostate	90	17.2	0.82	9.9	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	80	15.0	0.77	9.2	0.47	36	5.0	0.38	3.1	0.25
Bladder	48	9.2	0.61	5.3	0.35	16	2.3	0.26	1.4	0.16
Kidney & renal pelvis	29	5.1	0.44	3.5	0.30	19	2.6	0.27	1.7	0.18
Brain & Other CNS[1]	29	5.3	0.45	4.2	0.37	20	3.1	0.32	2.4	0.26
Endocrine System	3	0.5	0.14	0.3	0.09	6	0.9	0.18	0.7	0.14
Thyroid gland	-	-	-	-	-	3	0.5	0.12	0.3	0.07
Lymphomas	42	7.8	0.55	5.1	0.36	30	4.4	0.37	2.8	0.25
Hodgkin Lymphoma	2	0.5	0.14	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	40	7.4	0.53	4.7	0.34	-	-	-	-	-
Multiple Myeloma	26	4.6	0.41	3.0	0.27	23	3.4	0.32	2.2	0.21
Leukemias	52	9.7	0.61	6.2	0.40	30	4.5	0.37	2.9	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	62	9.0	0.53	5.9	0.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	898	198.4	3.03	131.4	2.05	781	141.5	2.34	97.2	1.71
Oral Cavity & Pharynx	17	3.8	0.42	2.8	0.32	8	1.6	0.26	1.1	0.19
Digestive System	255	55.5	1.59	38.1	1.11	167	30.4	1.09	20.3	0.77
Esophagus	40	8.6	0.63	6.0	0.44	7	1.3	0.23	0.9	0.16
Stomach	16	3.6	0.42	2.4	0.29	12	2.2	0.29	1.5	0.22
Colon & Rectum	71	15.9	0.87	10.7	0.60	59	10.9	0.66	7.3	0.47
Liver	37	7.7	0.58	5.8	0.44	10	1.8	0.26	1.2	0.18
Pancreas	68	14.3	0.79	9.7	0.54	54	9.7	0.61	6.3	0.41
Respiratory System	257	55.4	1.58	37.1	1.07	220	38.5	1.19	26.7	0.85
Larynx	9	1.9	0.29	1.4	0.21	3	0.5	0.14	0.4	0.11
Lung & bronchus	244	52.6	1.54	35.1	1.03	215	37.8	1.18	26.2	0.84
Skin	38	8.6	0.64	5.5	0.42	17	3.2	0.36	2.1	0.27
Melanomas of the skin	22	4.9	0.48	3.3	0.34	11	2.2	0.31	1.5	0.24
Breast	-	-	-	-	-	112	21.0	0.93	15.2	0.70
Female Genital System	-	-	-	-	-	86	15.9	0.80	11.7	0.62
Cervix uteri	-	-	-	-	-	13	2.8	0.38	2.4	0.34
Corpus & uterus, NOS[1]	-	-	-	-	-	28	4.9	0.42	3.5	0.31
Ovary	-	-	-	-	-	39	6.9	0.51	4.9	0.39
Male Genital System	68	15.6	0.86	9.0	0.50	-	-	-	-	-
Prostate	66	15.2	0.84	8.6	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	71	16.1	0.87	9.9	0.55	30	5.1	0.43	3.1	0.28
Bladder	43	10.0	0.69	5.8	0.40	14	2.4	0.30	1.4	0.19
Kidney & renal pelvis	25	5.6	0.51	3.9	0.37	15	2.6	0.30	1.7	0.21
Brain & Other CNS[1]	26	6.0	0.56	4.8	0.47	17	3.4	0.38	2.6	0.31
Endocrine System	2	0.5	0.15	0.3	0.10	4	0.9	0.20	0.6	0.15
Thyroid gland	-	-	-	-	-	3	0.5	0.13	0.3	0.08
Lymphomas	35	7.8	0.61	5.0	0.40	25	4.7	0.43	2.8	0.28
Hodgkin Lymphoma	2	0.5	0.18	0.4	0.14	-	-	-	-	-
Non-Hodgkin Lymphoma	32	7.3	0.58	4.6	0.38	-	-	-	-	-
Multiple Myeloma	19	4.2	0.44	2.7	0.28	16	2.9	0.33	1.8	0.22
Leukemias	45	10.1	0.69	6.5	0.47	25	4.6	0.42	3.0	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	52	9.4	0.61	6.1	0.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	169	204.8	7.52	137.8	4.76	183	155.5	5.30	108.5	3.64
Oral Cavity & Pharynx	5	5.2	1.11	3.8	0.78	-	-	-	-	-
Digestive System	54	60.4	3.94	43.1	2.64	50	42.5	2.79	28.8	1.85
Esophagus	3	3.7	0.98	2.6	0.65	-	-	-	-	-
Stomach	5	6.4	1.32	4.4	0.85	3	2.2	0.62	1.4	0.40
Colon & Rectum	14	16.4	2.10	11.4	1.37	17	15.3	1.69	10.1	1.09
Liver	13	13.2	1.72	10.2	1.26	4	3.7	0.81	2.5	0.53
Pancreas	13	15.3	2.02	10.6	1.31	18	15.4	1.69	10.4	1.11
Respiratory System	45	54.9	3.89	36.6	2.45	43	37.0	2.60	25.6	1.76
Larynx	3	3.9	1.00	2.7	0.67	-	-	-	-	-
Lung & bronchus	41	50.5	3.74	33.7	2.36	43	36.6	2.58	25.2	1.75
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	31	25.8	2.14	18.7	1.54
Female Genital System	-	-	-	-	-	24	19.2	1.82	13.8	1.28
Cervix uteri	-	-	-	-	-	3	2.7	0.70	1.9	0.48
Corpus & uterus, NOS[1]	-	-	-	-	-	12	10.2	1.35	7.3	0.93
Ovary	-	-	-	-	-	7	5.4	0.95	4.1	0.69
Male Genital System	23	32.9	3.24	19.3	1.80	-	-	-	-	-
Prostate	23	32.4	3.21	19.0	1.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	11.2	1.85	6.9	1.07	6	5.0	0.96	3.3	0.62
Bladder	5	6.2	1.38	3.8	0.79	2	2.0	0.63	1.3	0.38
Kidney & renal pelvis	3	3.7	1.03	2.4	0.63	3	2.7	0.69	1.9	0.47
Brain & Other CNS[1]	2	2.6	0.78	2.1	0.60	3	2.0	0.58	1.7	0.50
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	8.0	1.49	5.3	0.93	4	3.0	0.70	2.3	0.55
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	6.7	1.27	5.0	0.90	6	5.7	1.04	3.8	0.67
Leukemias	6	7.3	1.43	4.9	0.91	5	4.2	0.89	2.9	0.59
Other, Ill-defined & Unknown	12	13.6	1.90	9.5	1.25	10	8.6	1.26	5.9	0.85

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13	90.0	11.77	59.1	7.41	10	57.1	8.25	39.1	5.49
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	5	30.4	6.61	21.7	4.53	3	19.1	4.90	12.2	3.06
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	20.1	6.15	11.4	3.29	3	15.4	4.42	9.9	2.75
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	18.9	6.02	10.5	3.17	2	13.7	4.09	9.2	2.66
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	512	183.5	3.73	125.9	2.52	555	146.3	2.85	104.2	2.09
Oral Cavity & Pharynx	13	4.7	0.59	3.2	0.40	5	1.3	0.27	1.0	0.21
Digestive System	175	60.8	2.12	43.9	1.50	152	39.4	1.46	27.8	1.07
Esophagus	14	5.2	0.63	3.5	0.42	8	2.0	0.32	1.4	0.24
Stomach	17	6.0	0.68	4.2	0.46	13	3.4	0.43	2.4	0.32
Colon & Rectum	50	17.9	1.16	12.6	0.80	51	13.1	0.84	9.2	0.62
Liver	35	10.9	0.85	8.8	0.67	11	2.9	0.40	2.2	0.30
Pancreas	44	15.6	1.09	11.0	0.75	47	12.2	0.81	8.5	0.59
Respiratory System	111	38.7	1.69	27.6	1.18	101	26.7	1.21	18.4	0.86
Larynx	6	2.0	0.37	1.5	0.27	2	0.6	0.17	0.4	0.13
Lung & bronchus	104	36.4	1.64	25.9	1.15	97	25.8	1.20	17.7	0.84
Skin	7	2.7	0.47	1.7	0.29	-	-	-	-	-
Melanomas of the skin	4	1.5	0.35	0.9	0.21	3	0.7	0.20	0.5	0.13
Breast	-	-	-	-	-	98	26.2	1.21	19.3	0.92
Female Genital System	-	-	-	-	-	79	21.2	1.09	15.9	0.83
Cervix uteri	-	-	-	-	-	9	2.7	0.40	2.1	0.32
Corpus & uterus, NOS[1]	-	-	-	-	-	38	9.6	0.72	7.3	0.55
Ovary	-	-	-	-	-	27	7.3	0.65	5.5	0.49
Male Genital System	73	28.7	1.54	16.6	0.89	-	-	-	-	-
Prostate	71	28.2	1.52	16.3	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	10.2	0.89	6.6	0.57	19	4.8	0.52	3.0	0.33
Bladder	17	6.5	0.72	3.9	0.43	10	2.8	0.39	1.7	0.26
Kidney & renal pelvis	11	3.6	0.51	2.6	0.37	8	1.9	0.32	1.2	0.20
Brain & Other CNS[1]	9	2.8	0.43	2.2	0.34	9	2.4	0.36	2.0	0.30
Endocrine System	-	-	-	-	-	3	0.9	0.23	0.7	0.17
Thyroid gland	-	-	-	-	-	2	0.6	0.19	0.5	0.14
Lymphomas	17	6.3	0.70	4.3	0.48	13	3.6	0.46	2.6	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	5.6	0.67	3.6	0.43	12	3.2	0.42	2.1	0.28
Leukemias	18	6.8	0.74	4.5	0.49	14	3.4	0.42	2.3	0.30
Other, Ill-defined & Unknown	44	15.3	1.06	10.9	0.74	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	125	109.6	4.52	69.8	2.87	121	94.4	3.98	62.5	2.69
Oral Cavity & Pharynx	3	2.6	0.70	1.7	0.44	-	-	-	-	-
Digestive System	37	32.1	2.41	21.6	1.60	30	23.6	2.01	15.3	1.33
Esophagus	4	3.7	0.84	2.3	0.51	2	1.9	0.60	1.2	0.37
Stomach	3	2.7	0.67	1.9	0.47	2	1.9	0.58	1.4	0.43
Colon & Rectum	10	8.1	1.16	5.7	0.81	8	6.1	1.00	4.0	0.67
Liver	3	2.6	0.67	1.9	0.49	-	-	-	-	-
Pancreas	13	12.3	1.55	7.7	0.96	10	7.8	1.14	4.9	0.73
Respiratory System	21	18.6	1.86	11.9	1.18	22	17.4	1.73	10.7	1.08
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	18.0	1.84	11.4	1.16	21	17.2	1.72	10.6	1.07
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	3	2.6	0.71	1.6	0.41	2	1.6	0.52	1.0	0.31
Breast	-	-	-	-	-	19	14.7	1.55	10.9	1.16
Female Genital System	-	-	-	-	-	18	14.4	1.54	9.9	1.07
Cervix uteri	-	-	-	-	-	2	1.7	0.55	1.1	0.38
Corpus & uterus, NOS[1]	-	-	-	-	-	7	5.2	0.91	3.4	0.62
Ovary	-	-	-	-	-	8	5.9	0.98	4.2	0.71
Male Genital System	16	15.2	1.71	8.1	0.92	-	-	-	-	-
Prostate	16	14.6	1.68	7.7	0.90	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	6.8	1.12	4.0	0.66	4	3.5	0.78	2.0	0.45
Bladder	5	4.9	0.97	2.6	0.53	2	1.7	0.52	0.9	0.30
Kidney & renal pelvis	2	1.6	0.53	1.1	0.35	2	1.9	0.59	1.0	0.33
Brain & Other CNS[1]	4	3.1	0.67	2.4	0.53	4	2.7	0.65	2.2	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	6.7	1.17	4.3	0.80	5	3.8	0.81	2.4	0.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	4.0	0.89	2.5	0.55	-	-	-	-	-
Leukemias	7	6.4	1.10	4.1	0.72	4	2.6	0.65	1.8	0.44
Other, Ill-defined & Unknown	11	9.2	1.28	6.2	0.85	9	6.7	1.04	4.1	0.67

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	377	246.9	5.88	174.4	4.09	425	180.6	4.05	132.1	3.07
Oral Cavity & Pharynx	10	6.4	0.93	4.6	0.66	3	1.4	0.36	1.1	0.29
Digestive System	133	84.7	3.41	62.6	2.47	119	49.2	2.08	35.8	1.57
Esophagus	10	6.4	0.95	4.5	0.66	6	2.2	0.42	1.7	0.33
Stomach	12	8.5	1.12	5.9	0.77	10	4.1	0.61	2.8	0.45
Colon & Rectum	39	26.4	1.95	18.8	1.37	42	17.6	1.26	12.8	0.96
Liver	31	17.7	1.48	14.4	1.17	9	3.7	0.56	2.8	0.43
Pancreas	29	18.3	1.56	13.5	1.13	37	15.0	1.14	10.9	0.85
Respiratory System	87	55.2	2.73	40.5	1.96	77	32.5	1.69	23.0	1.23
Larynx	5	3.3	0.67	2.5	0.48	2	0.8	0.26	0.6	0.20
Lung & bronchus	81	51.4	2.64	37.7	1.89	74	31.3	1.66	22.1	1.21
Skin	3	1.9	0.53	1.4	0.38	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	77	33.8	1.79	25.2	1.39
Female Genital System	-	-	-	-	-	59	26.1	1.57	20.2	1.23
Cervix uteri	-	-	-	-	-	7	3.6	0.63	2.9	0.52
Corpus & uterus, NOS[1]	-	-	-	-	-	30	12.5	1.04	9.7	0.81
Ovary	-	-	-	-	-	19	8.4	0.90	6.4	0.70
Male Genital System	56	40.3	2.47	24.0	1.46	-	-	-	-	-
Prostate	55	39.9	2.46	23.7	1.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	13.5	1.39	9.2	0.94	14	5.7	0.70	3.6	0.47
Bladder	12	8.0	1.07	5.1	0.67	8	3.5	0.56	2.2	0.38
Kidney & renal pelvis	8	5.5	0.88	4.1	0.65	6	2.1	0.41	1.3	0.27
Brain & Other CNS[1]	4	2.6	0.58	2.2	0.49	5	2.3	0.44	1.9	0.37
Endocrine System	-	-	-	-	-	3	1.1	0.32	0.9	0.26
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	6.2	0.93	4.6	0.68	8	3.9	0.63	3.0	0.52
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	7.2	1.03	4.7	0.67	10	4.3	0.61	2.8	0.41
Leukemias	11	7.5	1.06	5.2	0.74	10	4.1	0.60	2.8	0.45
Other, Ill-defined & Unknown	32	20.5	1.67	15.0	1.20	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9	144.9	22.09	89.7	13.46	9	80.4	12.17	54.7	8.22
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	61.7	14.18	41.0	9.15	3	27.8	7.32	16.3	4.35
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	36.0	10.78	24.4	7.14	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	36.0	10.78	24.4	7.14	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	23,979	174.9	0.51	119.4	0.36	20,404	125.3	0.41	87.6	0.30
Oral Cavity & Pharynx	575	4.2	0.08	3.1	0.06	220	1.4	0.04	1.0	0.03
Digestive System	6,663	48.5	0.27	34.5	0.20	4,786	28.9	0.19	19.6	0.14
Esophagus	858	6.2	0.10	4.5	0.07	236	1.4	0.04	1.0	0.03
Stomach	455	3.4	0.07	2.4	0.05	312	2.0	0.05	1.4	0.04
Colon & Rectum	2,068	15.3	0.15	10.7	0.11	1,777	10.8	0.12	7.3	0.09
Liver	1,091	7.7	0.11	5.9	0.08	407	2.4	0.06	1.7	0.04
Pancreas	1,692	12.2	0.13	8.4	0.10	1,523	9.0	0.11	6.0	0.07
Respiratory System	6,655	47.7	0.26	33.0	0.19	5,278	31.5	0.20	21.7	0.14
Larynx	283	2.0	0.05	1.5	0.04	55	0.3	0.02	0.3	0.02
Lung & bronchus	6,322	45.3	0.26	31.2	0.18	5,197	31.0	0.20	21.4	0.14
Skin	735	5.5	0.09	3.7	0.06	301	1.9	0.05	1.3	0.04
Melanomas of the skin	477	3.6	0.08	2.4	0.05	215	1.4	0.04	1.0	0.03
Breast	34	0.2	0.02	0.2	0.01	2,916	18.8	0.16	13.9	0.13
Female Genital System	-	-	-	-	-	2,218	14.2	0.14	10.6	0.11
Cervix uteri	-	-	-	-	-	332	2.6	0.07	2.2	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	735	4.5	0.08	3.3	0.06
Ovary	-	-	-	-	-	1,007	6.3	0.09	4.5	0.07
Male Genital System	2,344	17.0	0.16	9.9	0.10	-	-	-	-	-
Prostate	2,289	16.6	0.16	9.5	0.09	-	-	-	-	-
Testis	30	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,691	12.3	0.14	7.8	0.09	705	4.1	0.07	2.6	0.05
Bladder	981	7.1	0.10	4.2	0.06	372	2.1	0.05	1.3	0.03
Kidney & renal pelvis	670	4.9	0.09	3.4	0.06	312	1.9	0.05	1.3	0.04
Brain & Other CNS[1]	655	5.1	0.09	4.0	0.08	508	3.4	0.07	2.6	0.06
Endocrine System	100	0.8	0.04	0.6	0.03	104	0.7	0.03	0.5	0.03
Thyroid gland	63	0.5	0.03	0.3	0.02	74	0.4	0.02	0.3	0.02
Lymphomas	913	6.8	0.10	4.5	0.07	684	4.1	0.07	2.6	0.05
Hodgkin Lymphoma	42	0.3	0.02	0.2	0.02	32	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	871	6.4	0.10	4.3	0.07	652	3.9	0.07	2.5	0.05
Multiple Myeloma	483	3.5	0.07	2.3	0.05	392	2.3	0.05	1.5	0.04
Leukemias	1,089	8.2	0.11	5.5	0.08	737	4.6	0.08	3.1	0.06
Other, Ill-defined & Unknown	2,041	15.1	0.15	10.4	0.11	1,553	9.5	0.11	6.6	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21,275	175.9	0.55	120.2	0.40	17,759	125.6	0.44	87.6	0.33
Oral Cavity & Pharynx	512	4.3	0.09	3.2	0.07	197	1.4	0.05	1.0	0.04
Digestive System	5,790	48.0	0.29	34.1	0.21	4,065	28.1	0.21	19.0	0.15
Esophagus	796	6.6	0.11	4.8	0.08	207	1.4	0.05	1.0	0.03
Stomach	350	3.0	0.07	2.1	0.06	238	1.7	0.05	1.2	0.04
Colon & Rectum	1,777	15.0	0.16	10.4	0.12	1,515	10.6	0.13	7.1	0.09
Liver	927	7.5	0.11	5.7	0.09	337	2.3	0.06	1.6	0.04
Pancreas	1,506	12.3	0.14	8.5	0.10	1,315	8.9	0.11	5.9	0.08
Respiratory System	5,993	48.7	0.28	33.7	0.20	4,839	33.3	0.22	23.1	0.16
Larynx	242	2.0	0.06	1.5	0.04	50	0.4	0.02	0.3	0.02
Lung & bronchus	5,706	46.3	0.28	32.0	0.20	4,766	32.7	0.22	22.7	0.16
Skin	718	6.1	0.10	4.1	0.08	292	2.1	0.06	1.5	0.05
Melanomas of the skin	470	4.1	0.09	2.8	0.06	209	1.6	0.05	1.2	0.04
Breast	27	0.2	0.02	0.2	0.01	2,435	18.1	0.17	13.2	0.14
Female Genital System	-	-	-	-	-	1,840	13.9	0.15	10.3	0.12
Cervix uteri	-	-	-	-	-	258	2.5	0.08	2.1	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	561	4.0	0.08	2.9	0.06
Ovary	-	-	-	-	-	891	6.4	0.10	4.6	0.08
Male Genital System	1,940	15.7	0.16	9.1	0.10	-	-	-	-	-
Prostate	1,891	15.2	0.16	8.6	0.09	-	-	-	-	-
Testis	27	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	1,578	12.9	0.15	8.2	0.10	632	4.2	0.08	2.6	0.05
Bladder	931	7.5	0.11	4.5	0.07	333	2.2	0.05	1.3	0.04
Kidney & renal pelvis	609	5.0	0.09	3.5	0.07	281	1.9	0.05	1.3	0.04
Brain & Other CNS[1]	607	5.5	0.10	4.4	0.09	464	3.6	0.08	2.8	0.07
Endocrine System	85	0.7	0.04	0.6	0.03	84	0.6	0.03	0.5	0.03
Thyroid gland	56	0.5	0.03	0.3	0.02	61	0.4	0.02	0.3	0.02
Lymphomas	827	6.9	0.11	4.6	0.08	603	4.0	0.08	2.6	0.05
Hodgkin Lymphoma	36	0.3	0.02	0.2	0.02	29	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	791	6.6	0.11	4.3	0.07	574	3.8	0.07	2.4	0.05
Multiple Myeloma	390	3.2	0.07	2.1	0.05	305	2.1	0.05	1.3	0.04
Leukemias	985	8.4	0.12	5.6	0.09	650	4.6	0.09	3.1	0.07
Other, Ill-defined & Unknown	1,821	15.3	0.16	10.5	0.12	1,354	9.5	0.12	6.6	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,423	187.1	1.80	127.7	1.16	2,344	132.1	1.24	94.7	0.89
Oral Cavity & Pharynx	54	3.6	0.23	2.8	0.17	20	1.1	0.11	0.8	0.08
Digestive System	771	56.4	0.96	40.3	0.65	637	36.4	0.66	25.1	0.45
Esophagus	56	3.9	0.25	2.9	0.17	26	1.4	0.13	1.1	0.09
Stomach	94	7.5	0.36	5.0	0.23	66	3.9	0.22	2.6	0.15
Colon & Rectum	264	19.6	0.57	13.9	0.38	234	13.3	0.40	9.3	0.28
Liver	137	9.1	0.37	7.0	0.27	59	3.3	0.20	2.3	0.14
Pancreas	164	12.1	0.45	8.6	0.30	186	10.7	0.36	7.2	0.24
Respiratory System	593	44.5	0.86	31.0	0.57	378	21.3	0.50	14.8	0.34
Larynx	38	2.8	0.22	2.0	0.14	5	0.2	0.05	0.2	0.04
Lung & bronchus	548	41.2	0.83	28.7	0.55	370	20.8	0.49	14.5	0.34
Skin	14	1.0	0.12	0.7	0.09	8	0.4	0.07	0.3	0.05
Melanomas of the skin	5	0.4	0.08	0.3	0.05	5	0.3	0.06	0.2	0.04
Breast	7	0.5	0.10	0.4	0.06	435	24.0	0.52	18.3	0.40
Female Genital System	-	-	-	-	-	340	18.8	0.46	14.0	0.34
Cervix uteri	-	-	-	-	-	69	3.8	0.21	3.1	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	160	8.7	0.32	6.5	0.23
Ovary	-	-	-	-	-	97	5.4	0.25	3.9	0.18
Male Genital System	386	35.4	0.84	20.7	0.47	-	-	-	-	-
Prostate	382	35.1	0.84	20.5	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	99	8.1	0.39	5.3	0.24	66	3.8	0.21	2.6	0.14
Bladder	46	4.1	0.29	2.4	0.16	35	2.1	0.16	1.3	0.10
Kidney & renal pelvis	52	3.9	0.25	2.8	0.17	29	1.6	0.14	1.2	0.10
Brain & Other CNS[1]	40	2.8	0.21	2.2	0.15	38	2.1	0.15	1.6	0.12
Endocrine System	12	0.8	0.11	0.7	0.08	16	1.0	0.11	0.7	0.07
Thyroid gland	6	0.4	0.08	0.3	0.06	10	0.6	0.08	0.4	0.06
Lymphomas	73	5.5	0.30	3.9	0.21	69	3.9	0.22	2.8	0.15
Hodgkin Lymphoma	5	0.4	0.08	0.3	0.05	3	0.1	0.04	0.1	0.03
Non-Hodgkin Lymphoma	68	5.1	0.29	3.6	0.20	66	3.8	0.21	2.7	0.15
Multiple Myeloma	87	7.0	0.35	4.6	0.22	81	4.8	0.24	3.2	0.16
Leukemias	91	6.8	0.34	4.9	0.23	77	4.5	0.23	3.2	0.17
Other, Ill-defined & Unknown	196	14.6	0.50	10.3	0.33	179	10.1	0.34	7.3	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	242	90.9	2.74	61.1	1.76	275	75.2	2.10	52.6	1.44
Oral Cavity & Pharynx	8	2.8	0.48	2.0	0.31	3	0.8	0.20	0.6	0.15
Digestive System	90	32.6	1.61	22.6	1.07	78	21.9	1.15	14.8	0.75
Esophagus	5	1.6	0.34	1.1	0.24	3	0.8	0.23	0.5	0.14
Stomach	10	3.6	0.55	2.4	0.35	8	2.2	0.35	1.5	0.24
Colon & Rectum	24	8.7	0.83	6.1	0.55	26	7.3	0.66	5.0	0.44
Liver	23	7.9	0.76	5.8	0.54	11	3.2	0.45	2.2	0.29
Pancreas	20	7.7	0.81	4.9	0.50	20	5.6	0.59	3.6	0.37
Respiratory System	58	21.9	1.35	14.5	0.85	54	15.6	0.98	10.2	0.62
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	56	21.1	1.32	14.0	0.84	54	15.6	0.98	10.2	0.62
Skin	2	0.8	0.26	0.5	0.16	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	40	10.0	0.73	7.8	0.55
Female Genital System	-	-	-	-	-	36	9.2	0.71	7.0	0.52
Cervix uteri	-	-	-	-	-	5	1.3	0.27	0.9	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	12	2.9	0.39	2.2	0.29
Ovary	-	-	-	-	-	17	4.5	0.50	3.4	0.37
Male Genital System	15	7.1	0.86	3.7	0.43	-	-	-	-	-
Prostate	14	6.8	0.85	3.5	0.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	3.8	0.56	2.6	0.37	7	2.1	0.36	1.4	0.25
Bladder	3	1.5	0.37	0.8	0.21	3	1.0	0.25	0.7	0.16
Kidney & renal pelvis	7	2.2	0.41	1.7	0.31	3	0.8	0.22	0.6	0.18
Brain & Other CNS[1]	7	2.3	0.42	1.8	0.31	7	1.9	0.34	1.4	0.26
Endocrine System	3	1.1	0.29	0.8	0.20	3	0.9	0.24	0.6	0.15
Thyroid gland	2	0.8	0.26	0.5	0.16	2	0.7	0.21	0.4	0.13
Lymphomas	12	4.7	0.62	3.1	0.40	12	3.3	0.44	2.3	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	2.0	0.43	1.2	0.24	6	1.5	0.29	1.1	0.20
Leukemias	12	4.3	0.59	3.1	0.41	9	2.7	0.41	1.9	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9,080	196.4	0.97	131.9	0.62	7,989	133.7	0.68	93.1	0.48
Oral Cavity & Pharynx	209	4.1	0.13	3.0	0.09	92	1.5	0.07	1.0	0.05
Digestive System	2,575	53.2	0.49	37.4	0.33	1,890	31.6	0.33	21.6	0.23
Esophagus	305	6.1	0.16	4.4	0.11	82	1.3	0.07	0.9	0.05
Stomach	199	4.1	0.14	2.9	0.09	133	2.2	0.09	1.5	0.06
Colon & Rectum	863	18.4	0.29	12.7	0.19	722	12.2	0.21	8.3	0.14
Liver	420	8.0	0.18	6.0	0.13	170	2.8	0.10	1.9	0.07
Pancreas	602	12.6	0.24	8.7	0.16	569	9.5	0.18	6.4	0.12
Respiratory System	2,677	56.2	0.51	38.3	0.33	1,919	31.7	0.33	21.8	0.23
Larynx	92	1.9	0.09	1.3	0.06	21	0.3	0.03	0.2	0.02
Lung & bronchus	2,566	53.9	0.50	36.7	0.33	1,886	31.1	0.33	21.4	0.22
Skin	227	5.1	0.16	3.4	0.10	99	1.7	0.08	1.2	0.05
Melanomas of the skin	153	3.3	0.13	2.3	0.08	76	1.3	0.07	0.9	0.05
Breast	17	0.4	0.04	0.3	0.03	1,285	21.6	0.27	15.7	0.20
Female Genital System	-	-	-	-	-	902	14.9	0.23	10.9	0.17
Cervix uteri	-	-	-	-	-	133	2.3	0.09	1.9	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	308	4.9	0.13	3.6	0.09
Ovary	-	-	-	-	-	402	6.7	0.15	4.7	0.11
Male Genital System	882	22.1	0.35	12.7	0.19	-	-	-	-	-
Prostate	863	21.7	0.34	12.3	0.19	-	-	-	-	-
Testis	9	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	592	13.8	0.27	8.6	0.16	271	4.6	0.13	2.9	0.08
Bladder	320	7.9	0.21	4.6	0.12	126	2.2	0.09	1.3	0.06
Kidney & renal pelvis	258	5.6	0.16	3.8	0.11	136	2.3	0.09	1.5	0.06
Brain & Other CNS[1]	263	5.3	0.15	4.1	0.11	208	3.5	0.11	2.7	0.09
Endocrine System	37	0.8	0.06	0.6	0.04	41	0.7	0.05	0.5	0.04
Thyroid gland	20	0.4	0.05	0.3	0.03	24	0.4	0.04	0.3	0.03
Lymphomas	313	7.0	0.19	4.6	0.12	237	4.1	0.12	2.6	0.08
Hodgkin Lymphoma	18	0.4	0.04	0.3	0.03	11	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	295	6.6	0.18	4.4	0.11	226	3.9	0.12	2.5	0.08
Multiple Myeloma	195	4.5	0.15	2.8	0.09	174	3.0	0.10	1.9	0.07
Leukemias	343	7.8	0.20	5.2	0.13	262	4.6	0.13	3.1	0.09
Other, Ill-defined & Unknown	750	16.1	0.28	11.0	0.18	609	10.2	0.19	7.2	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,566	193.3	1.10	129.4	0.72	5,523	132.0	0.81	91.1	0.58
Oral Cavity & Pharynx	152	4.1	0.15	3.1	0.11	66	1.5	0.09	1.0	0.06
Digestive System	1,760	50.2	0.55	35.1	0.38	1,240	29.5	0.38	19.9	0.27
Esophagus	238	6.6	0.20	4.8	0.14	58	1.4	0.08	0.9	0.06
Stomach	105	3.1	0.14	2.1	0.09	74	1.8	0.09	1.2	0.07
Colon & Rectum	575	17.0	0.33	11.6	0.22	472	11.3	0.24	7.6	0.17
Liver	273	7.3	0.20	5.4	0.15	112	2.6	0.11	1.8	0.08
Pancreas	434	12.3	0.27	8.5	0.18	376	8.8	0.21	5.9	0.14
Respiratory System	1,996	56.9	0.59	38.6	0.39	1,483	34.7	0.41	24.0	0.29
Larynx	58	1.6	0.10	1.1	0.07	14	0.3	0.04	0.2	0.03
Lung & bronchus	1,923	54.8	0.58	37.2	0.38	1,461	34.1	0.40	23.6	0.28
Skin	213	6.5	0.20	4.3	0.14	91	2.2	0.11	1.6	0.08
Melanomas of the skin	148	4.4	0.17	3.1	0.12	71	1.8	0.10	1.3	0.07
Breast	9	0.3	0.04	0.2	0.03	797	19.4	0.31	13.8	0.23
Female Genital System	-	-	-	-	-	571	13.8	0.26	10.0	0.20
Cervix uteri	-	-	-	-	-	73	2.0	0.11	1.7	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	162	3.8	0.14	2.8	0.10
Ovary	-	-	-	-	-	292	7.0	0.19	4.9	0.13
Male Genital System	529	17.7	0.35	9.9	0.19	-	-	-	-	-
Prostate	515	17.2	0.35	9.6	0.19	-	-	-	-	-
Testis	8	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	479	14.8	0.31	9.2	0.19	200	4.8	0.15	3.1	0.10
Bladder	268	8.7	0.24	5.0	0.14	89	2.1	0.10	1.3	0.07
Kidney & renal pelvis	200	5.8	0.19	3.9	0.13	104	2.5	0.11	1.6	0.08
Brain & Other CNS[1]	218	6.2	0.19	4.8	0.15	168	4.2	0.15	3.2	0.12
Endocrine System	28	0.8	0.07	0.6	0.06	28	0.7	0.06	0.5	0.05
Thyroid gland	15	0.4	0.05	0.3	0.03	17	0.4	0.04	0.3	0.03
Lymphomas	246	7.5	0.22	4.9	0.14	184	4.4	0.15	2.8	0.10
Hodgkin Lymphoma	14	0.4	0.05	0.3	0.04	7	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	232	7.1	0.22	4.6	0.14	177	4.3	0.15	2.7	0.09
Multiple Myeloma	122	3.8	0.16	2.3	0.09	93	2.2	0.10	1.4	0.07
Leukemias	267	8.3	0.23	5.4	0.15	187	4.6	0.15	3.0	0.11
Other, Ill-defined & Unknown	548	16.1	0.32	11.0	0.21	415	10.0	0.22	6.9	0.16

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,370	222.5	2.30	150.7	1.41	2,323	143.2	1.38	101.7	0.95
Oral Cavity & Pharynx	52	4.1	0.28	3.1	0.20	24	1.5	0.14	1.1	0.10
Digestive System	749	64.7	1.19	46.1	0.77	604	37.8	0.72	26.2	0.48
Esophagus	64	5.3	0.33	3.9	0.22	23	1.3	0.12	1.0	0.09
Stomach	85	7.4	0.40	5.2	0.26	50	3.2	0.21	2.1	0.14
Colon & Rectum	266	24.0	0.74	16.7	0.47	238	14.8	0.44	10.3	0.30
Liver	129	9.6	0.42	7.5	0.30	48	2.9	0.20	2.1	0.14
Pancreas	158	14.0	0.56	9.8	0.36	183	11.7	0.40	7.9	0.26
Respiratory System	652	58.6	1.15	40.7	0.73	411	25.7	0.59	17.9	0.40
Larynx	33	2.8	0.24	2.0	0.16	7	0.5	0.08	0.3	0.05
Lung & bronchus	615	55.5	1.12	38.5	0.71	401	25.1	0.58	17.4	0.39
Skin	12	0.9	0.13	0.7	0.09	8	0.5	0.08	0.3	0.06
Melanomas of the skin	4	0.3	0.08	0.2	0.06	5	0.3	0.07	0.2	0.04
Breast	8	0.7	0.13	0.5	0.08	466	27.5	0.59	20.6	0.43
Female Genital System	-	-	-	-	-	313	18.7	0.49	13.7	0.35
Cervix uteri	-	-	-	-	-	55	3.2	0.20	2.5	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	141	8.3	0.33	6.1	0.23
Ovary	-	-	-	-	-	102	6.2	0.29	4.5	0.20
Male Genital System	346	42.2	1.12	24.3	0.60	-	-	-	-	-
Prostate	341	41.8	1.11	24.0	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	109	11.2	0.54	7.2	0.31	68	4.5	0.25	2.9	0.16
Bladder	50	5.7	0.40	3.4	0.22	37	2.5	0.19	1.5	0.12
Kidney & renal pelvis	56	5.3	0.35	3.6	0.22	30	1.9	0.16	1.3	0.11
Brain & Other CNS[1]	41	3.1	0.24	2.5	0.18	37	2.2	0.17	1.7	0.13
Endocrine System	8	0.7	0.13	0.5	0.08	12	0.7	0.10	0.5	0.07
Thyroid gland	4	0.4	0.09	0.3	0.06	7	0.5	0.08	0.3	0.05
Lymphomas	61	5.1	0.33	3.8	0.22	47	3.0	0.21	2.1	0.14
Hodgkin Lymphoma	4	0.4	0.09	0.3	0.06	3	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	57	4.7	0.31	3.5	0.21	44	2.8	0.20	2.0	0.13
Multiple Myeloma	71	7.3	0.43	4.7	0.25	79	5.2	0.27	3.4	0.17
Leukemias	70	6.5	0.39	4.5	0.25	71	4.6	0.25	3.2	0.17
Other, Ill-defined & Unknown	192	17.2	0.63	12.1	0.40	184	11.2	0.38	8.0	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	138	97.2	4.11	65.4	2.52	137	77.7	3.20	53.7	2.07
Oral Cavity & Pharynx	4	2.7	0.64	2.0	0.43	-	-	-	-	-
Digestive System	64	44.3	2.74	30.2	1.71	46	27.8	1.97	18.3	1.21
Esophagus	3	2.3	0.67	1.5	0.38	-	-	-	-	-
Stomach	9	5.5	0.89	4.1	0.62	9	5.1	0.83	3.4	0.52
Colon & Rectum	21	14.8	1.62	9.8	0.98	12	6.9	0.94	4.8	0.62
Liver	18	11.9	1.41	8.5	0.90	10	6.3	0.96	4.0	0.57
Pancreas	9	7.2	1.15	4.6	0.68	9	6.4	0.99	3.8	0.56
Respiratory System	28	21.0	1.97	13.6	1.16	22	12.9	1.32	8.7	0.83
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	27	20.2	1.93	13.0	1.14	22	12.9	1.32	8.7	0.83
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	21	10.4	1.08	7.9	0.77
Female Genital System	-	-	-	-	-	18	9.1	1.05	6.8	0.73
Cervix uteri	-	-	-	-	-	4	1.9	0.44	1.6	0.34
Corpus & uterus, NOS[1]	-	-	-	-	-	4	2.3	0.52	1.7	0.36
Ovary	-	-	-	-	-	7	4.1	0.72	2.9	0.48
Male Genital System	7	6.7	1.22	3.8	0.64	-	-	-	-	-
Prostate	7	6.3	1.18	3.6	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	3.4	0.82	2.0	0.46	3	2.0	0.55	1.2	0.32
Bladder	2	2.5	0.74	1.3	0.38	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	2	1.3	0.43	0.8	0.27
Brain & Other CNS[1]	4	2.2	0.52	1.8	0.41	3	1.4	0.39	1.2	0.30
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	4.0	0.85	2.7	0.51	5	3.3	0.70	2.1	0.41
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	2	1.4	0.41	0.9	0.27
Leukemias	6	3.9	0.78	2.8	0.52	4	2.1	0.54	1.6	0.38
Other, Ill-defined & Unknown	10	5.8	0.90	4.4	0.63	9	5.2	0.86	3.5	0.54

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,329	156.7	1.97	105.6	1.35	1,115	109.6	1.53	77.0	1.14
Oral Cavity & Pharynx	35	4.1	0.32	3.0	0.23	18	1.8	0.20	1.3	0.16
Digestive System	434	50.7	1.12	35.3	0.78	322	30.7	0.80	20.8	0.58
Esophagus	40	4.6	0.34	3.4	0.25	14	1.3	0.16	0.9	0.12
Stomach	43	5.2	0.36	3.2	0.23	32	3.0	0.25	2.0	0.18
Colon & Rectum	120	14.2	0.59	10.0	0.43	100	9.7	0.46	6.7	0.34
Liver	82	9.3	0.47	6.9	0.35	33	3.0	0.25	2.0	0.18
Pancreas	103	12.1	0.54	8.2	0.37	104	10.0	0.45	6.6	0.32
Respiratory System	332	39.0	0.98	26.1	0.66	237	23.0	0.69	15.4	0.48
Larynx	9	1.0	0.15	0.7	0.11	3	0.3	0.07	0.2	0.05
Lung & bronchus	318	37.4	0.96	25.0	0.65	234	22.6	0.68	15.1	0.48
Skin	29	3.3	0.29	2.3	0.20	11	1.1	0.15	0.8	0.13
Melanomas of the skin	19	2.2	0.24	1.6	0.17	7	0.7	0.13	0.6	0.11
Breast	2	0.2	0.08	0.2	0.06	157	16.1	0.60	11.9	0.47
Female Genital System	-	-	-	-	-	111	11.7	0.52	8.9	0.41
Cervix uteri	-	-	-	-	-	14	1.6	0.20	1.3	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	44	4.7	0.33	3.5	0.25
Ovary	-	-	-	-	-	45	4.6	0.32	3.4	0.25
Male Genital System	130	15.4	0.62	8.9	0.37	-	-	-	-	-
Prostate	127	15.0	0.61	8.6	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	77	9.2	0.48	5.7	0.31	32	3.1	0.25	2.0	0.18
Bladder	42	5.0	0.36	2.9	0.21	14	1.3	0.16	0.8	0.11
Kidney & renal pelvis	33	3.8	0.31	2.7	0.22	16	1.6	0.19	1.1	0.13
Brain & Other CNS[1]	29	3.5	0.30	2.8	0.25	22	2.4	0.24	1.9	0.20
Endocrine System	8	1.0	0.15	0.7	0.12	10	1.1	0.16	0.9	0.14
Thyroid gland	5	0.6	0.12	0.4	0.08	7	0.7	0.12	0.5	0.09
Lymphomas	49	5.9	0.39	4.0	0.27	39	3.6	0.27	2.4	0.19
Hodgkin Lymphoma	2	0.3	0.08	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	47	5.7	0.38	3.8	0.26	-	-	-	-	-
Multiple Myeloma	27	3.1	0.28	2.1	0.19	20	2.0	0.20	1.3	0.14
Leukemias	51	6.3	0.41	4.2	0.28	33	3.2	0.27	2.3	0.21
Other, Ill-defined & Unknown	126	14.8	0.60	10.2	0.43	102	9.9	0.46	7.1	0.36

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	450	173.7	3.91	114.2	2.55	336	138.8	3.68	94.0	2.54
Oral Cavity & Pharynx	16	5.6	0.67	3.8	0.45	5	2.3	0.49	1.6	0.35
Digestive System	124	46.0	1.99	31.9	1.34	84	34.4	1.80	22.7	1.20
Esophagus	17	6.2	0.74	4.3	0.50	6	2.3	0.46	1.5	0.30
Stomach	6	2.4	0.46	1.6	0.28	5	1.8	0.39	1.1	0.26
Colon & Rectum	34	13.3	1.09	9.2	0.74	29	12.2	1.11	8.1	0.76
Liver	22	7.1	0.73	5.1	0.51	7	2.6	0.48	1.8	0.32
Pancreas	36	13.2	1.06	9.2	0.73	30	12.2	1.06	7.9	0.69
Respiratory System	94	35.1	1.72	23.5	1.12	74	30.4	1.71	19.9	1.10
Larynx	6	2.1	0.40	1.5	0.27	-	-	-	-	-
Lung & bronchus	87	32.5	1.66	21.7	1.08	72	29.8	1.69	19.4	1.09
Skin	23	8.9	0.89	5.8	0.57	6	2.5	0.48	1.8	0.36
Melanomas of the skin	15	6.2	0.76	4.1	0.50	4	1.6	0.40	1.3	0.32
Breast	-	-	-	-	-	50	20.6	1.43	14.6	1.02
Female Genital System	-	-	-	-	-	38	15.9	1.26	11.1	0.87
Cervix uteri	-	-	-	-	-	3	1.0	0.29	0.9	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	13	5.5	0.75	3.8	0.51
Ovary	-	-	-	-	-	18	7.8	0.88	5.4	0.62
Male Genital System	52	21.6	1.40	12.4	0.79	-	-	-	-	-
Prostate	51	21.2	1.38	12.0	0.77	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	12.8	1.09	7.7	0.64	10	4.2	0.66	2.6	0.43
Bladder	18	7.8	0.86	4.5	0.48	4	1.9	0.44	1.2	0.27
Kidney & renal pelvis	11	4.5	0.63	2.9	0.41	4	2.0	0.47	1.3	0.32
Brain & Other CNS[1]	14	5.5	0.74	4.3	0.63	9	4.2	0.70	3.5	0.64
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	15	6.2	0.75	4.2	0.51	10	4.1	0.62	2.5	0.40
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	3.9	0.58	2.5	0.35	6	2.6	0.48	1.7	0.31
Leukemias	17	7.0	0.81	4.4	0.51	10	4.3	0.68	2.9	0.52
Other, Ill-defined & Unknown	50	19.9	1.34	12.8	0.87	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	16	161.8	20.07	103.4	11.94	9	109.5	18.23	76.7	12.02
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	46.5	9.46	34.7	6.48	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	31.7	8.89	20.0	5.28	2	38.0	11.48	24.8	7.22
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	31.7	8.89	20.0	5.28	2	38.0	11.48	24.8	7.22
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	43.6	11.12	25.1	6.21	-	-	-	-	-
Prostate	3	43.6	11.12	25.1	6.21	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	861	151.2	2.34	103.2	1.66	769	101.8	1.72	72.2	1.32
Oral Cavity & Pharynx	20	3.5	0.36	2.6	0.27	12	1.6	0.22	1.2	0.18
Digestive System	303	53.3	1.39	37.2	1.00	236	30.0	0.92	20.5	0.68
Esophagus	23	4.0	0.38	3.0	0.29	8	1.0	0.17	0.8	0.13
Stomach	36	6.3	0.47	3.9	0.31	27	3.3	0.30	2.3	0.23
Colon & Rectum	84	14.9	0.74	10.7	0.55	71	9.2	0.51	6.4	0.39
Liver	59	10.3	0.61	7.6	0.46	25	3.1	0.29	2.1	0.21
Pancreas	66	11.6	0.65	7.8	0.45	73	9.3	0.51	6.2	0.37
Respiratory System	235	41.3	1.22	27.9	0.85	160	20.7	0.76	13.9	0.54
Larynx	3	0.5	0.13	0.4	0.09	-	-	-	-	-
Lung & bronchus	228	40.1	1.21	27.0	0.83	158	20.4	0.75	13.7	0.54
Skin	6	1.1	0.20	0.8	0.16	-	-	-	-	-
Melanomas of the skin	3	0.6	0.15	0.5	0.12	3	0.4	0.12	0.3	0.10
Breast	-	-	-	-	-	106	14.8	0.67	11.2	0.54
Female Genital System	-	-	-	-	-	72	10.7	0.58	8.3	0.47
Cervix uteri	-	-	-	-	-	11	1.8	0.25	1.5	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	31	4.6	0.38	3.5	0.30
Ovary	-	-	-	-	-	26	3.7	0.34	2.9	0.27
Male Genital System	73	12.5	0.66	7.1	0.40	-	-	-	-	-
Prostate	71	12.1	0.65	6.8	0.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	7.8	0.53	5.0	0.35	22	2.8	0.28	1.9	0.20
Bladder	24	4.0	0.38	2.3	0.23	10	1.1	0.17	0.7	0.12
Kidney & renal pelvis	21	3.6	0.36	2.5	0.26	12	1.6	0.21	1.1	0.16
Brain & Other CNS[1]	15	2.7	0.32	2.3	0.28	13	1.8	0.24	1.4	0.20
Endocrine System	6	1.1	0.20	0.8	0.15	9	1.3	0.20	1.0	0.17
Thyroid gland	4	0.7	0.15	0.5	0.11	6	0.8	0.16	0.6	0.12
Lymphomas	34	5.9	0.46	4.0	0.33	29	3.5	0.31	2.4	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	2.8	0.32	2.0	0.23	14	1.8	0.22	1.2	0.16
Leukemias	33	6.1	0.48	4.3	0.35	23	3.0	0.30	2.2	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,580	179.2	2.07	116.1	1.33	1,339	132.5	1.65	89.5	1.15
Oral Cavity & Pharynx	30	3.3	0.27	2.3	0.19	14	1.4	0.17	0.9	0.12
Digestive System	454	49.7	1.07	34.2	0.73	309	30.6	0.79	20.3	0.54
Esophagus	76	8.4	0.44	5.7	0.30	18	1.7	0.19	1.2	0.13
Stomach	24	2.7	0.26	1.9	0.17	18	1.8	0.20	1.2	0.14
Colon & Rectum	133	15.0	0.60	10.1	0.40	113	11.2	0.48	7.4	0.33
Liver	61	6.1	0.36	4.6	0.26	19	1.8	0.19	1.2	0.13
Pancreas	118	12.8	0.54	8.8	0.37	97	9.5	0.44	6.2	0.30
Respiratory System	350	38.7	0.95	25.2	0.61	297	29.0	0.77	19.3	0.52
Larynx	11	1.1	0.16	0.8	0.11	2	0.2	0.06	0.1	0.04
Lung & bronchus	333	36.9	0.93	24.0	0.59	292	28.6	0.76	19.0	0.52
Skin	57	6.5	0.39	4.3	0.26	24	2.4	0.23	1.6	0.16
Melanomas of the skin	37	4.1	0.31	2.9	0.22	18	1.9	0.20	1.3	0.15
Breast	2	0.2	0.07	0.1	0.04	215	21.5	0.67	15.2	0.49
Female Genital System	-	-	-	-	-	152	14.9	0.55	10.7	0.41
Cervix uteri	-	-	-	-	-	16	1.8	0.21	1.5	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	53	5.0	0.32	3.5	0.23
Ovary	-	-	-	-	-	73	7.0	0.38	5.0	0.27
Male Genital System	190	23.4	0.77	12.8	0.42	-	-	-	-	-
Prostate	187	23.1	0.77	12.6	0.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	116	13.6	0.58	8.2	0.35	49	4.8	0.31	2.9	0.20
Bladder	64	7.8	0.45	4.4	0.25	22	2.1	0.21	1.2	0.13
Kidney & renal pelvis	49	5.4	0.35	3.6	0.24	25	2.4	0.22	1.6	0.15
Brain & Other CNS[1]	63	6.9	0.40	5.3	0.31	37	3.6	0.27	2.9	0.23
Endocrine System	9	1.0	0.16	0.7	0.11	8	0.8	0.13	0.6	0.10
Thyroid gland	6	0.7	0.13	0.5	0.09	5	0.5	0.10	0.4	0.07
Lymphomas	66	7.6	0.43	4.8	0.27	53	5.2	0.32	3.1	0.20
Hodgkin Lymphoma	-	-	-	-	-	3	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	-	-	-	-	-	50	4.9	0.31	2.9	0.19
Multiple Myeloma	39	4.6	0.34	2.8	0.20	28	2.8	0.24	1.7	0.15
Leukemias	72	8.4	0.45	5.3	0.29	51	5.3	0.34	3.4	0.23
Other, Ill-defined & Unknown	133	15.2	0.60	9.9	0.39	102	10.2	0.46	6.8	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,553	180.8	2.10	117.1	1.36	1,312	133.6	1.68	90.4	1.18
Oral Cavity & Pharynx	29	3.2	0.27	2.2	0.19	14	1.4	0.17	0.9	0.12
Digestive System	444	50.0	1.09	34.4	0.75	302	30.7	0.81	20.5	0.56
Esophagus	75	8.5	0.45	5.8	0.30	18	1.8	0.19	1.2	0.13
Stomach	23	2.7	0.26	1.9	0.18	17	1.8	0.20	1.2	0.14
Colon & Rectum	130	15.1	0.61	10.2	0.41	110	11.3	0.49	7.5	0.34
Liver	57	5.9	0.36	4.4	0.26	18	1.8	0.19	1.2	0.13
Pancreas	118	13.1	0.55	9.0	0.38	95	9.6	0.45	6.3	0.30
Respiratory System	344	39.0	0.96	25.4	0.62	290	29.2	0.78	19.4	0.53
Larynx	10	1.1	0.16	0.8	0.11	2	0.2	0.06	0.1	0.04
Lung & bronchus	328	37.2	0.94	24.2	0.60	286	28.8	0.77	19.2	0.53
Skin	56	6.5	0.40	4.4	0.27	24	2.5	0.23	1.7	0.16
Melanomas of the skin	36	4.1	0.31	2.9	0.22	18	1.9	0.21	1.4	0.15
Breast	2	0.2	0.08	0.1	0.05	211	21.8	0.69	15.4	0.50
Female Genital System	-	-	-	-	-	149	15.1	0.57	10.9	0.42
Cervix uteri	-	-	-	-	-	15	1.8	0.21	1.5	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	52	5.1	0.32	3.6	0.23
Ovary	-	-	-	-	-	71	7.0	0.38	5.0	0.28
Male Genital System	187	23.6	0.79	12.9	0.43	-	-	-	-	-
Prostate	184	23.2	0.78	12.6	0.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	114	13.7	0.59	8.3	0.35	48	4.7	0.31	2.9	0.20
Bladder	63	7.9	0.45	4.4	0.25	21	2.0	0.20	1.2	0.13
Kidney & renal pelvis	47	5.4	0.36	3.6	0.24	25	2.5	0.22	1.6	0.15
Brain & Other CNS[1]	62	7.1	0.41	5.4	0.32	36	3.7	0.28	2.9	0.23
Endocrine System	9	1.1	0.16	0.8	0.12	7	0.8	0.13	0.6	0.10
Thyroid gland	6	0.7	0.13	0.5	0.09	5	0.5	0.10	0.4	0.08
Lymphomas	65	7.8	0.44	4.9	0.28	52	5.2	0.33	3.1	0.20
Hodgkin Lymphoma	-	-	-	-	-	3	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	-	-	-	-	-	50	5.0	0.32	2.9	0.19
Multiple Myeloma	38	4.6	0.34	2.8	0.21	27	2.8	0.24	1.7	0.15
Leukemias	70	8.5	0.46	5.4	0.30	50	5.4	0.35	3.4	0.24
Other, Ill-defined & Unknown	131	15.4	0.62	10.0	0.40	100	10.3	0.47	7.0	0.34

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5	114.8	26.93	80.8	17.06	2	79.6	26.31	54.0	16.88
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9	106.8	16.85	72.6	10.78	14	103.8	13.03	67.5	8.27
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	35.8	9.08	26.2	6.26	3	25.9	6.56	16.4	4.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	25.0	8.51	16.5	5.30	3	20.7	5.89	14.0	3.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	25.0	8.51	16.5	5.30	3	20.7	5.89	14.0	3.81
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	2	15.4	4.84	11.2	3.41
Female Genital System	-	-	-	-	-	2	15.1	4.70	9.7	3.03
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	12,475	192.1	0.79	127.1	0.52	11,853	140.6	0.59	96.6	0.42
Oral Cavity & Pharynx	280	4.0	0.11	2.9	0.08	132	1.5	0.06	1.1	0.04
Digestive System	3,582	53.7	0.41	37.1	0.28	2,829	33.1	0.28	22.2	0.20
Esophagus	496	7.2	0.15	5.2	0.10	131	1.5	0.06	1.0	0.04
Stomach	276	4.2	0.12	2.9	0.08	194	2.3	0.08	1.6	0.06
Colon & Rectum	1,153	17.7	0.24	11.9	0.16	1,062	12.4	0.17	8.2	0.12
Liver	473	6.7	0.14	4.9	0.10	210	2.5	0.08	1.7	0.05
Pancreas	881	13.3	0.21	9.0	0.14	837	9.7	0.15	6.5	0.11
Respiratory System	3,442	52.1	0.41	35.0	0.27	2,963	35.1	0.29	23.9	0.21
Larynx	124	1.8	0.07	1.3	0.05	37	0.4	0.03	0.3	0.02
Lung & bronchus	3,297	50.0	0.40	33.5	0.26	2,912	34.5	0.29	23.5	0.20
Skin	280	4.4	0.12	2.9	0.08	157	1.9	0.07	1.3	0.05
Melanomas of the skin	191	3.0	0.10	2.0	0.07	115	1.4	0.06	1.0	0.04
Breast	19	0.3	0.03	0.2	0.02	1,740	21.0	0.23	15.2	0.17
Female Genital System	-	-	-	-	-	1,320	15.9	0.20	11.5	0.15
Cervix uteri	-	-	-	-	-	173	2.3	0.08	1.8	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	479	5.6	0.12	4.0	0.09
Ovary	-	-	-	-	-	571	6.8	0.13	4.9	0.10
Male Genital System	1,240	20.5	0.26	11.7	0.15	-	-	-	-	-
Prostate	1,208	20.0	0.26	11.3	0.15	-	-	-	-	-
Testis	16	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	859	13.6	0.21	8.5	0.13	424	4.9	0.11	3.1	0.07
Bladder	466	7.7	0.16	4.4	0.09	195	2.2	0.07	1.3	0.04
Kidney & renal pelvis	369	5.6	0.13	3.8	0.09	211	2.5	0.08	1.7	0.05
Brain & Other CNS[1]	341	5.1	0.13	3.9	0.10	272	3.4	0.09	2.7	0.08
Endocrine System	59	0.9	0.05	0.7	0.04	56	0.7	0.04	0.5	0.03
Thyroid gland	35	0.5	0.04	0.4	0.03	38	0.5	0.03	0.3	0.02
Lymphomas	476	7.6	0.16	4.8	0.10	369	4.3	0.10	2.7	0.07
Hodgkin Lymphoma	27	0.4	0.04	0.3	0.03	14	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	449	7.2	0.15	4.5	0.10	355	4.1	0.10	2.6	0.07
Multiple Myeloma	247	3.9	0.11	2.5	0.07	222	2.6	0.08	1.6	0.05
Leukemias	531	8.6	0.17	5.5	0.11	397	4.7	0.11	3.1	0.08
Other, Ill-defined & Unknown	1,119	17.3	0.24	11.6	0.16	972	11.5	0.17	7.8	0.12

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,325	189.7	0.85	124.9	0.56	9,661	139.3	0.65	95.1	0.47
Oral Cavity & Pharynx	225	3.9	0.12	2.8	0.09	108	1.6	0.07	1.1	0.05
Digestive System	2,904	52.1	0.44	35.7	0.30	2,252	31.9	0.31	21.2	0.22
Esophagus	440	7.7	0.17	5.5	0.12	107	1.5	0.07	1.0	0.05
Stomach	199	3.6	0.12	2.5	0.08	138	2.0	0.08	1.4	0.06
Colon & Rectum	909	16.7	0.25	11.2	0.17	844	11.8	0.19	7.7	0.13
Liver	360	6.1	0.15	4.4	0.11	158	2.3	0.08	1.5	0.06
Pancreas	744	13.4	0.22	9.1	0.15	676	9.5	0.17	6.3	0.12
Respiratory System	2,848	51.5	0.44	34.4	0.29	2,465	35.7	0.33	24.2	0.23
Larynx	95	1.7	0.08	1.2	0.05	25	0.4	0.03	0.3	0.02
Lung & bronchus	2,735	49.5	0.43	33.0	0.29	2,427	35.1	0.32	23.9	0.23
Skin	269	5.0	0.14	3.3	0.09	149	2.2	0.08	1.5	0.06
Melanomas of the skin	187	3.5	0.12	2.4	0.08	110	1.7	0.07	1.2	0.06
Breast	14	0.3	0.03	0.2	0.02	1,361	20.1	0.25	14.4	0.19
Female Genital System	-	-	-	-	-	1,043	15.4	0.22	11.0	0.16
Cervix uteri	-	-	-	-	-	128	2.1	0.09	1.7	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	346	5.0	0.12	3.5	0.09
Ovary	-	-	-	-	-	483	7.1	0.15	5.0	0.11
Male Genital System	935	18.3	0.27	10.2	0.15	-	-	-	-	-
Prostate	907	17.7	0.27	9.8	0.15	-	-	-	-	-
Testis	14	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	750	14.1	0.23	8.7	0.15	360	4.9	0.12	3.1	0.08
Bladder	417	8.1	0.18	4.6	0.10	163	2.2	0.08	1.3	0.05
Kidney & renal pelvis	312	5.6	0.14	3.8	0.10	180	2.5	0.09	1.7	0.06
Brain & Other CNS[1]	305	5.5	0.14	4.3	0.11	241	3.7	0.11	3.0	0.09
Endocrine System	49	0.9	0.06	0.7	0.05	43	0.7	0.05	0.5	0.04
Thyroid gland	30	0.5	0.04	0.4	0.03	29	0.4	0.04	0.3	0.02
Lymphomas	421	8.0	0.18	5.0	0.11	323	4.5	0.12	2.8	0.08
Hodgkin Lymphoma	25	0.5	0.04	0.3	0.03	10	0.1	0.02	0.1	0.02
Non-Hodgkin Lymphoma	397	7.5	0.17	4.7	0.11	314	4.4	0.11	2.7	0.07
Multiple Myeloma	198	3.7	0.12	2.3	0.07	162	2.3	0.08	1.4	0.05
Leukemias	471	9.1	0.19	5.8	0.12	344	4.9	0.12	3.2	0.09
Other, Ill-defined & Unknown	934	17.4	0.26	11.4	0.17	809	11.6	0.19	7.8	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,856	251.4	2.73	171.8	1.79	1,925	173.8	1.80	123.3	1.29
Oral Cavity & Pharynx	44	5.3	0.37	4.1	0.28	18	1.6	0.17	1.2	0.12
Digestive System	567	73.6	1.45	52.4	0.99	495	44.6	0.91	30.8	0.64
Esophagus	46	5.8	0.40	4.3	0.28	21	1.8	0.18	1.4	0.13
Stomach	62	8.5	0.51	5.8	0.33	43	3.9	0.27	2.7	0.19
Colon & Rectum	214	28.7	0.92	19.8	0.61	194	17.7	0.58	12.2	0.40
Liver	87	10.0	0.50	7.9	0.38	42	3.5	0.25	2.6	0.18
Pancreas	120	15.7	0.67	11.1	0.45	141	12.6	0.48	8.5	0.33
Respiratory System	522	69.5	1.42	48.2	0.95	455	40.7	0.87	28.4	0.61
Larynx	28	3.5	0.32	2.5	0.22	12	1.0	0.13	0.8	0.10
Lung & bronchus	492	65.6	1.38	45.4	0.92	441	39.6	0.86	27.5	0.60
Skin	9	1.1	0.18	0.8	0.12	7	0.6	0.10	0.4	0.08
Melanomas of the skin	3	0.5	0.12	0.3	0.08	4	0.3	0.08	0.3	0.06
Breast	5	0.7	0.14	0.4	0.09	334	30.3	0.76	22.5	0.57
Female Genital System	-	-	-	-	-	246	21.9	0.64	16.4	0.48
Cervix uteri	-	-	-	-	-	41	3.7	0.27	3.0	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	121	10.5	0.44	7.8	0.32
Ovary	-	-	-	-	-	74	6.7	0.36	4.9	0.26
Male Genital System	286	44.4	1.22	26.3	0.70	-	-	-	-	-
Prostate	283	43.9	1.21	25.9	0.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	94	13.4	0.64	8.8	0.41	57	5.3	0.32	3.5	0.21
Bladder	42	6.3	0.45	3.9	0.27	29	2.7	0.23	1.7	0.14
Kidney & renal pelvis	50	6.8	0.45	4.7	0.30	27	2.5	0.22	1.7	0.16
Brain & Other CNS[1]	28	3.3	0.30	2.7	0.23	23	2.1	0.20	1.7	0.16
Endocrine System	8	1.0	0.17	0.7	0.12	10	1.0	0.14	0.7	0.10
Thyroid gland	3	0.4	0.10	0.3	0.07	7	0.7	0.12	0.5	0.08
Lymphomas	41	5.2	0.38	3.9	0.27	34	3.2	0.25	2.3	0.18
Hodgkin Lymphoma	-	-	-	-	-	3	0.3	0.09	0.3	0.08
Non-Hodgkin Lymphoma	-	-	-	-	-	31	2.9	0.23	2.0	0.17
Multiple Myeloma	46	6.5	0.45	4.2	0.28	56	5.2	0.31	3.4	0.20
Leukemias	50	6.9	0.45	4.8	0.30	46	4.3	0.29	3.0	0.20
Other, Ill-defined & Unknown	157	20.5	0.77	14.6	0.52	143	13.0	0.49	9.1	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	285	100.0	2.79	65.6	1.74	263	71.1	2.01	48.7	1.36
Oral Cavity & Pharynx	11	3.4	0.50	2.5	0.34	5	1.5	0.29	0.9	0.19
Digestive System	107	36.6	1.66	24.6	1.07	82	22.5	1.14	14.9	0.74
Esophagus	8	2.7	0.44	1.9	0.29	3	0.8	0.22	0.5	0.13
Stomach	15	5.1	0.62	3.5	0.40	13	3.6	0.46	2.3	0.29
Colon & Rectum	30	10.5	0.90	7.0	0.57	25	6.6	0.61	4.5	0.41
Liver	25	8.5	0.79	5.9	0.52	10	2.9	0.41	1.9	0.27
Pancreas	16	5.4	0.64	3.5	0.40	20	5.7	0.58	3.6	0.36
Respiratory System	70	24.8	1.40	15.8	0.85	42	11.6	0.83	7.5	0.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	68	24.2	1.38	15.4	0.84	41	11.5	0.82	7.4	0.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	44	11.1	0.76	8.6	0.58
Female Genital System	-	-	-	-	-	30	7.8	0.65	5.8	0.47
Cervix uteri	-	-	-	-	-	5	1.2	0.25	0.9	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	12	3.0	0.40	2.1	0.28
Ovary	-	-	-	-	-	13	3.3	0.42	2.5	0.31
Male Genital System	18	7.3	0.81	4.1	0.43	-	-	-	-	-
Prostate	17	7.2	0.81	4.0	0.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	5.2	0.65	3.3	0.39	7	1.9	0.34	1.2	0.21
Bladder	7	2.8	0.49	1.6	0.27	3	0.8	0.22	0.5	0.12
Kidney & renal pelvis	7	2.2	0.41	1.6	0.27	4	1.1	0.25	0.7	0.17
Brain & Other CNS[1]	8	2.5	0.42	1.9	0.32	7	1.9	0.33	1.4	0.25
Endocrine System	2	0.9	0.28	0.5	0.16	3	0.8	0.22	0.5	0.14
Thyroid gland	2	0.8	0.27	0.5	0.15	2	0.7	0.20	0.4	0.12
Lymphomas	14	5.1	0.65	3.1	0.38	11	3.1	0.42	2.0	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	1.2	0.29	0.8	0.19	3	0.9	0.23	0.6	0.14
Leukemias	10	3.3	0.49	2.3	0.33	7	2.0	0.34	1.5	0.25
Other, Ill-defined & Unknown	27	8.9	0.81	6.2	0.54	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,163	209.7	1.14	140.5	0.75	6,316	146.4	0.84	101.7	0.61
Oral Cavity & Pharynx	144	3.9	0.15	2.9	0.11	59	1.4	0.08	1.0	0.06
Digestive System	1,954	55.5	0.58	38.8	0.40	1,425	32.5	0.39	22.0	0.28
Esophagus	327	9.0	0.23	6.5	0.16	68	1.5	0.08	1.0	0.06
Stomach	116	3.4	0.14	2.4	0.10	75	1.8	0.09	1.2	0.07
Colon & Rectum	604	17.7	0.33	12.0	0.22	566	12.9	0.25	8.6	0.17
Liver	271	7.1	0.20	5.3	0.15	94	2.1	0.10	1.5	0.07
Pancreas	479	13.7	0.29	9.5	0.20	436	9.9	0.22	6.7	0.15
Respiratory System	2,209	63.1	0.62	43.2	0.41	1,755	40.5	0.44	28.4	0.31
Larynx	71	1.9	0.11	1.4	0.08	17	0.4	0.04	0.3	0.03
Lung & bronchus	2,116	60.5	0.60	41.3	0.40	1,727	39.9	0.44	27.9	0.31
Skin	199	5.9	0.19	3.9	0.13	93	2.2	0.10	1.5	0.08
Melanomas of the skin	125	3.6	0.15	2.6	0.10	66	1.6	0.09	1.2	0.07
Breast	11	0.3	0.04	0.2	0.03	882	20.8	0.32	14.9	0.24
Female Genital System	-	-	-	-	-	674	16.0	0.28	11.6	0.21
Cervix uteri	-	-	-	-	-	91	2.5	0.12	2.1	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	225	5.1	0.16	3.7	0.11
Ovary	-	-	-	-	-	298	6.9	0.18	4.9	0.13
Male Genital System	622	20.1	0.37	11.4	0.21	-	-	-	-	-
Prostate	606	19.5	0.36	10.9	0.20	-	-	-	-	-
Testis	8	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	477	14.5	0.30	9.1	0.19	231	5.2	0.16	3.3	0.10
Bladder	255	8.0	0.23	4.7	0.13	101	2.3	0.10	1.4	0.07
Kidney & renal pelvis	211	6.2	0.19	4.2	0.13	122	2.8	0.11	1.9	0.08
Brain & Other CNS[1]	202	5.7	0.18	4.5	0.15	146	3.6	0.14	2.8	0.11
Endocrine System	26	0.7	0.07	0.5	0.05	33	0.8	0.06	0.5	0.05
Thyroid gland	18	0.5	0.06	0.3	0.04	24	0.5	0.05	0.3	0.03
Lymphomas	277	8.4	0.23	5.4	0.15	209	4.8	0.15	3.1	0.10
Hodgkin Lymphoma	12	0.4	0.05	0.3	0.04	8	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	265	8.0	0.23	5.2	0.14	201	4.6	0.15	3.0	0.10
Multiple Myeloma	149	4.5	0.17	2.8	0.10	110	2.5	0.11	1.6	0.07
Leukemias	300	9.3	0.24	6.0	0.16	219	5.1	0.16	3.4	0.11
Other, Ill-defined & Unknown	593	17.8	0.34	11.8	0.22	481	11.1	0.23	7.6	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,609	210.0	1.18	140.5	0.79	5,768	146.4	0.88	101.7	0.64
Oral Cavity & Pharynx	133	3.9	0.16	2.9	0.11	54	1.4	0.09	1.0	0.06
Digestive System	1,766	54.6	0.60	38.1	0.41	1,282	32.0	0.41	21.6	0.29
Esophagus	312	9.4	0.24	6.8	0.17	63	1.5	0.09	1.1	0.06
Stomach	98	3.1	0.14	2.2	0.10	64	1.6	0.09	1.1	0.07
Colon & Rectum	545	17.3	0.34	11.7	0.23	514	12.8	0.26	8.5	0.18
Liver	230	6.6	0.20	4.9	0.15	81	2.0	0.10	1.4	0.07
Pancreas	439	13.6	0.30	9.4	0.20	394	9.8	0.22	6.6	0.16
Respiratory System	2,057	63.7	0.64	43.5	0.43	1,628	41.2	0.46	28.9	0.33
Larynx	63	1.9	0.11	1.4	0.08	16	0.4	0.05	0.3	0.03
Lung & bronchus	1,973	61.1	0.63	41.7	0.42	1,601	40.5	0.46	28.4	0.33
Skin	195	6.3	0.21	4.2	0.14	91	2.4	0.12	1.7	0.09
Melanomas of the skin	125	3.9	0.16	2.8	0.12	65	1.8	0.10	1.3	0.08
Breast	9	0.3	0.04	0.2	0.03	788	20.3	0.33	14.6	0.25
Female Genital System	-	-	-	-	-	608	15.9	0.30	11.5	0.22
Cervix uteri	-	-	-	-	-	80	2.5	0.13	2.1	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	197	4.9	0.16	3.5	0.12
Ovary	-	-	-	-	-	274	7.0	0.19	5.0	0.14
Male Genital System	553	19.2	0.37	10.8	0.21	-	-	-	-	-
Prostate	537	18.7	0.37	10.4	0.20	-	-	-	-	-
Testis	8	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	453	14.9	0.32	9.3	0.20	214	5.3	0.16	3.4	0.11
Bladder	245	8.3	0.24	4.9	0.14	92	2.2	0.11	1.3	0.07
Kidney & renal pelvis	198	6.2	0.20	4.2	0.14	115	2.9	0.12	1.9	0.09
Brain & Other CNS[1]	194	6.1	0.20	4.8	0.16	138	3.8	0.15	2.9	0.12
Endocrine System	24	0.8	0.07	0.6	0.05	31	0.8	0.06	0.6	0.05
Thyroid gland	17	0.5	0.06	0.4	0.04	22	0.5	0.05	0.3	0.04
Lymphomas	261	8.6	0.24	5.5	0.16	197	5.0	0.16	3.2	0.11
Hodgkin Lymphoma	11	0.4	0.05	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	250	8.2	0.24	5.3	0.15	189	4.7	0.16	3.0	0.11
Multiple Myeloma	132	4.4	0.17	2.7	0.11	95	2.4	0.11	1.5	0.07
Leukemias	280	9.4	0.26	6.1	0.17	202	5.2	0.17	3.4	0.12
Other, Ill-defined & Unknown	551	17.9	0.35	11.9	0.23	439	11.0	0.24	7.6	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	515	233.7	4.93	160.4	3.18	508	162.2	3.30	114.6	2.31
Oral Cavity & Pharynx	10	3.7	0.57	2.8	0.41	4	1.3	0.29	0.8	0.19
Digestive System	173	74.8	2.73	53.2	1.82	127	41.0	1.66	28.2	1.14
Esophagus	14	5.9	0.75	4.3	0.51	5	1.6	0.33	1.1	0.22
Stomach	15	7.1	0.87	4.8	0.56	9	3.0	0.45	2.1	0.31
Colon & Rectum	56	25.5	1.63	17.4	1.05	47	15.7	1.05	10.4	0.69
Liver	36	13.1	1.03	10.5	0.79	12	3.7	0.49	2.7	0.35
Pancreas	39	17.4	1.33	12.2	0.88	39	12.2	0.90	8.6	0.63
Respiratory System	143	63.2	2.53	44.4	1.67	120	38.5	1.61	27.1	1.12
Larynx	8	2.9	0.48	2.3	0.37	-	-	-	-	-
Lung & bronchus	134	59.5	2.46	41.6	1.62	119	38.0	1.60	26.7	1.11
Skin	3	1.3	0.35	1.0	0.25	2	0.6	0.20	0.5	0.15
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	2	0.8	0.26	0.6	0.19	88	27.8	1.36	20.5	1.00
Female Genital System	-	-	-	-	-	60	18.6	1.11	13.8	0.81
Cervix uteri	-	-	-	-	-	10	3.0	0.43	2.5	0.36
Corpus & uterus, NOS[1]	-	-	-	-	-	28	8.7	0.76	6.3	0.54
Ovary	-	-	-	-	-	20	6.2	0.64	4.5	0.45
Male Genital System	68	37.0	2.12	21.8	1.19	-	-	-	-	-
Prostate	67	36.7	2.11	21.5	1.18	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	22	10.8	1.10	7.0	0.67	16	5.4	0.61	3.6	0.40
Bladder	9	4.7	0.74	2.9	0.43	9	3.2	0.48	2.0	0.30
Kidney & renal pelvis	13	5.9	0.78	4.0	0.50	7	2.1	0.37	1.5	0.26
Brain & Other CNS[1]	7	2.4	0.42	2.2	0.36	6	1.8	0.33	1.5	0.27
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	6.4	0.81	4.5	0.53	11	3.4	0.48	2.4	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	7.8	0.92	5.1	0.58	15	5.1	0.60	3.2	0.37
Leukemias	17	7.9	0.91	5.4	0.59	16	5.2	0.60	3.5	0.41
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	33	97.9	8.84	61.0	4.91	35	71.6	5.80	47.5	3.64
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	40.6	5.61	25.7	3.16	13	27.9	3.66	18.1	2.25
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	3	6.5	2.02	4.5	1.28	3	5.2	1.55	3.5	0.98
Colon & Rectum	3	9.3	2.61	5.9	1.49	4	9.8	2.21	6.2	1.34
Liver	4	9.1	2.17	6.9	1.53	-	-	-	-	-
Pancreas	2	7.5	2.67	4.2	1.35	2	5.8	1.73	3.4	1.00
Respiratory System	7	18.1	3.72	11.8	2.13	6	12.8	2.53	7.8	1.49
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	17.8	3.71	11.5	2.11	6	12.8	2.53	7.8	1.49
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	5	8.2	1.78	6.3	1.29
Female Genital System	-	-	-	-	-	5	9.5	2.05	6.6	1.35
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	3	5.8	1.61	4.0	1.05
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	6.0	2.08	3.9	1.19	-	-	-	-	-
Other, Ill-defined & Unknown	3	11.0	3.00	6.5	1.64	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,434	193.7	1.51	128.4	1.01	3,031	136.6	1.15	94.0	0.84
Oral Cavity & Pharynx	77	4.2	0.22	3.1	0.16	29	1.2	0.10	0.8	0.08
Digestive System	913	51.0	0.77	35.2	0.54	724	31.8	0.55	21.2	0.39
Esophagus	153	8.3	0.31	6.0	0.22	36	1.6	0.12	1.1	0.09
Stomach	50	2.9	0.18	2.0	0.13	31	1.4	0.12	1.0	0.09
Colon & Rectum	291	16.7	0.45	11.1	0.30	289	12.4	0.34	8.0	0.24
Liver	106	5.6	0.25	4.2	0.18	37	1.7	0.13	1.1	0.09
Pancreas	228	12.7	0.38	8.7	0.27	226	10.0	0.31	6.7	0.22
Respiratory System	963	53.2	0.78	36.0	0.53	758	34.6	0.58	24.1	0.42
Larynx	35	1.8	0.14	1.3	0.10	9	0.4	0.07	0.3	0.05
Lung & bronchus	919	50.9	0.76	34.3	0.51	746	34.1	0.57	23.7	0.41
Skin	95	5.4	0.25	3.6	0.17	50	2.3	0.15	1.6	0.12
Melanomas of the skin	63	3.6	0.21	2.5	0.15	38	1.8	0.14	1.3	0.11
Breast	5	0.3	0.06	0.2	0.04	397	18.6	0.44	13.5	0.34
Female Genital System	-	-	-	-	-	338	15.7	0.40	11.3	0.30
Cervix uteri	-	-	-	-	-	34	1.9	0.15	1.6	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	112	5.0	0.22	3.5	0.16
Ovary	-	-	-	-	-	155	7.1	0.26	5.0	0.19
Male Genital System	354	20.8	0.50	11.7	0.29	-	-	-	-	-
Prostate	341	20.0	0.49	11.1	0.27	-	-	-	-	-
Testis	6	0.4	0.07	0.4	0.07	-	-	-	-	-
Urinary System	242	13.8	0.40	8.7	0.26	115	4.8	0.21	3.0	0.14
Bladder	122	7.1	0.29	4.1	0.17	50	2.0	0.13	1.2	0.08
Kidney & renal pelvis	115	6.3	0.27	4.4	0.19	61	2.6	0.15	1.8	0.11
Brain & Other CNS[1]	105	5.9	0.27	4.6	0.21	82	4.1	0.21	3.3	0.18
Endocrine System	15	0.9	0.10	0.6	0.08	17	0.8	0.09	0.6	0.08
Thyroid gland	10	0.6	0.08	0.4	0.06	12	0.5	0.07	0.4	0.05
Lymphomas	145	8.4	0.32	5.3	0.20	108	4.6	0.21	2.9	0.14
Hodgkin Lymphoma	5	0.3	0.06	0.2	0.05	4	0.2	0.04	0.1	0.04
Non-Hodgkin Lymphoma	140	8.1	0.31	5.1	0.20	104	4.4	0.20	2.7	0.14
Multiple Myeloma	74	4.3	0.23	2.6	0.14	68	3.0	0.17	1.9	0.11
Leukemias	159	9.3	0.33	5.9	0.22	107	4.7	0.21	3.0	0.15
Other, Ill-defined & Unknown	285	16.3	0.44	10.9	0.30	237	10.4	0.32	6.9	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,338	193.7	1.53	128.3	1.03	2,947	136.6	1.17	93.9	0.86
Oral Cavity & Pharynx	75	4.2	0.22	3.1	0.17	28	1.2	0.10	0.8	0.08
Digestive System	876	50.4	0.78	34.7	0.54	699	31.5	0.56	20.9	0.40
Esophagus	150	8.5	0.32	6.1	0.23	35	1.6	0.12	1.1	0.09
Stomach	46	2.7	0.18	1.9	0.13	29	1.3	0.11	0.9	0.09
Colon & Rectum	283	16.7	0.45	11.1	0.31	281	12.4	0.35	8.0	0.24
Liver	94	5.2	0.24	3.8	0.18	33	1.6	0.13	1.1	0.09
Pancreas	222	12.7	0.39	8.7	0.27	219	9.9	0.31	6.7	0.22
Respiratory System	939	53.3	0.79	36.0	0.54	739	34.7	0.59	24.1	0.42
Larynx	34	1.9	0.14	1.3	0.10	9	0.4	0.07	0.3	0.05
Lung & bronchus	896	50.9	0.78	34.3	0.52	726	34.1	0.58	23.7	0.42
Skin	95	5.6	0.26	3.7	0.18	50	2.4	0.16	1.7	0.12
Melanomas of the skin	63	3.7	0.22	2.6	0.16	38	1.9	0.14	1.3	0.11
Breast	5	0.3	0.06	0.2	0.04	385	18.6	0.45	13.4	0.34
Female Genital System	-	-	-	-	-	328	15.8	0.41	11.3	0.31
Cervix uteri	-	-	-	-	-	31	1.8	0.16	1.5	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	108	5.0	0.22	3.5	0.16
Ovary	-	-	-	-	-	152	7.1	0.27	5.1	0.20
Male Genital System	345	20.7	0.50	11.6	0.29	-	-	-	-	-
Prostate	332	19.9	0.49	11.0	0.28	-	-	-	-	-
Testis	6	0.4	0.08	0.4	0.08	-	-	-	-	-
Urinary System	239	13.9	0.41	8.8	0.26	112	4.8	0.21	3.0	0.14
Bladder	121	7.2	0.30	4.2	0.17	49	2.0	0.13	1.2	0.08
Kidney & renal pelvis	112	6.4	0.27	4.4	0.19	60	2.6	0.16	1.8	0.11
Brain & Other CNS[1]	103	6.0	0.28	4.7	0.22	80	4.2	0.22	3.3	0.18
Endocrine System	14	0.8	0.10	0.6	0.08	17	0.8	0.09	0.6	0.08
Thyroid gland	10	0.6	0.08	0.4	0.06	11	0.5	0.07	0.4	0.05
Lymphomas	142	8.4	0.32	5.4	0.21	107	4.7	0.21	2.9	0.15
Hodgkin Lymphoma	5	0.3	0.06	0.2	0.05	4	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	137	8.1	0.32	5.1	0.20	103	4.5	0.21	2.8	0.14
Multiple Myeloma	73	4.3	0.23	2.7	0.14	65	2.9	0.17	1.8	0.11
Leukemias	155	9.3	0.34	5.8	0.22	106	4.7	0.22	3.1	0.16
Other, Ill-defined & Unknown	277	16.3	0.45	10.9	0.31	232	10.4	0.32	6.9	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	66	232.3	14.56	159.7	9.13	55	165.9	10.56	119.1	7.31
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	23	81.0	8.54	56.4	5.42	17	50.5	5.80	35.2	3.92
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	9.4	3.00	6.4	1.90	-	-	-	-	-
Colon & Rectum	6	21.2	4.57	14.0	2.72	6	17.4	3.35	12.3	2.31
Liver	7	23.2	4.39	16.9	2.95	-	-	-	-	-
Pancreas	5	14.7	3.36	10.9	2.30	4	12.8	2.89	9.4	2.03
Respiratory System	18	61.2	7.16	44.4	4.82	13	42.6	5.44	30.5	3.77
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	59.9	7.09	43.4	4.76	13	41.7	5.38	30.0	3.74
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	19.9	3.56	15.2	2.58
Female Genital System	-	-	-	-	-	7	20.0	3.63	14.6	2.58
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	3	10.0	2.64	7.2	1.83
Ovary	-	-	-	-	-	2	6.6	2.14	4.4	1.43
Male Genital System	8	36.1	6.35	21.6	3.58	-	-	-	-	-
Prostate	8	36.1	6.35	21.6	3.58	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	7.5	2.64	4.9	1.54	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	7.6	2.60	5.2	1.57	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	3	9.2	2.60	6.8	1.84
Leukemias	2	7.1	2.62	4.7	1.52	-	-	-	-	-
Other, Ill-defined & Unknown	6	18.8	3.96	13.5	2.49	4	10.7	2.64	7.2	1.72

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	24	128.6	13.69	89.2	8.50	23	100.5	10.17	67.0	6.38
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	57.9	8.69	41.8	5.77	7	37.2	6.58	22.1	3.73
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	2	9.0	3.07	7.2	2.27	-	-	-	-	-
Liver	4	23.1	5.42	16.8	3.64	2	11.7	3.82	6.7	2.12
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	24.3	6.17	16.3	3.72	4	19.9	4.64	12.6	2.77
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	24.3	6.17	16.3	3.72	4	19.9	4.64	12.6	2.77
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	13.7	3.34	10.5	2.44
Female Genital System	-	-	-	-	-	3	9.7	2.72	7.9	2.11
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,929	190.7	1.61	127.2	1.08	2,626	138.7	1.25	95.8	0.90
Oral Cavity & Pharynx	60	3.7	0.22	2.7	0.16	24	1.3	0.12	0.8	0.08
Digestive System	803	51.2	0.83	35.7	0.58	595	31.1	0.59	21.0	0.42
Esophagus	120	7.5	0.31	5.4	0.22	27	1.4	0.12	0.9	0.09
Stomach	45	3.0	0.20	2.0	0.14	30	1.6	0.14	1.2	0.11
Colon & Rectum	268	17.6	0.49	11.9	0.33	235	12.2	0.37	8.1	0.26
Liver	112	6.6	0.29	5.0	0.21	37	2.0	0.15	1.4	0.11
Pancreas	199	12.8	0.41	8.8	0.28	189	9.8	0.33	6.6	0.23
Respiratory System	810	51.8	0.83	35.1	0.56	673	35.5	0.63	24.5	0.44
Larynx	25	1.6	0.14	1.1	0.10	3	0.2	0.04	0.1	0.03
Lung & bronchus	779	49.9	0.82	33.7	0.55	667	35.3	0.62	24.3	0.44
Skin	89	5.9	0.29	3.9	0.19	45	2.3	0.16	1.6	0.12
Melanomas of the skin	59	3.8	0.23	2.6	0.16	32	1.8	0.14	1.3	0.11
Breast	7	0.4	0.08	0.3	0.05	370	19.8	0.48	14.1	0.36
Female Genital System	-	-	-	-	-	275	14.9	0.42	10.9	0.32
Cervix uteri	-	-	-	-	-	36	2.4	0.18	1.9	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	89	4.6	0.22	3.4	0.17
Ovary	-	-	-	-	-	126	6.8	0.28	4.9	0.21
Male Genital System	278	19.1	0.52	10.9	0.30	-	-	-	-	-
Prostate	272	18.7	0.51	10.5	0.29	-	-	-	-	-
Testis	4	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	207	13.8	0.44	8.7	0.28	96	4.9	0.23	3.1	0.16
Bladder	104	7.1	0.32	4.2	0.19	40	2.0	0.14	1.2	0.09
Kidney & renal pelvis	98	6.3	0.29	4.3	0.20	52	2.8	0.18	1.9	0.13
Brain & Other CNS[1]	93	5.9	0.28	4.6	0.22	72	4.1	0.22	3.3	0.19
Endocrine System	13	0.9	0.11	0.6	0.08	12	0.7	0.09	0.5	0.07
Thyroid gland	8	0.5	0.08	0.3	0.06	9	0.5	0.07	0.3	0.05
Lymphomas	110	7.4	0.32	4.8	0.21	92	4.7	0.23	3.0	0.16
Hodgkin Lymphoma	6	0.4	0.07	0.3	0.06	3	0.2	0.04	0.1	0.04
Non-Hodgkin Lymphoma	104	7.0	0.31	4.5	0.20	89	4.6	0.22	2.9	0.15
Multiple Myeloma	63	4.3	0.24	2.6	0.15	54	2.8	0.18	1.7	0.11
Leukemias	143	9.7	0.37	6.2	0.24	102	5.3	0.24	3.5	0.17
Other, Ill-defined & Unknown	253	16.6	0.48	11.2	0.32	215	11.2	0.35	7.7	0.26

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,718	189.6	1.66	126.3	1.12	2,434	138.0	1.29	95.1	0.94
Oral Cavity & Pharynx	57	3.8	0.23	2.7	0.17	23	1.3	0.12	0.8	0.09
Digestive System	733	50.2	0.85	35.0	0.59	545	30.5	0.60	20.6	0.43
Esophagus	111	7.5	0.32	5.4	0.23	26	1.4	0.13	0.9	0.09
Stomach	39	2.8	0.21	1.9	0.14	26	1.5	0.14	1.1	0.10
Colon & Rectum	247	17.4	0.51	11.8	0.35	217	12.1	0.38	8.0	0.27
Liver	98	6.2	0.29	4.7	0.22	32	1.8	0.15	1.3	0.11
Pancreas	184	12.7	0.43	8.7	0.29	174	9.7	0.34	6.5	0.24
Respiratory System	749	51.4	0.86	34.7	0.58	630	35.7	0.65	24.6	0.46
Larynx	23	1.5	0.15	1.1	0.10	3	0.1	0.04	0.1	0.02
Lung & bronchus	721	49.5	0.84	33.3	0.57	625	35.4	0.65	24.4	0.46
Skin	88	6.2	0.30	4.1	0.20	44	2.4	0.17	1.7	0.13
Melanomas of the skin	58	4.1	0.24	2.8	0.17	32	1.9	0.15	1.4	0.12
Breast	6	0.4	0.08	0.3	0.05	340	19.5	0.49	13.9	0.37
Female Genital System	-	-	-	-	-	251	14.7	0.43	10.7	0.33
Cervix uteri	-	-	-	-	-	31	2.3	0.19	1.8	0.16
Corpus & uterus, NOS[1]	-	-	-	-	-	79	4.4	0.23	3.2	0.17
Ovary	-	-	-	-	-	118	6.8	0.29	4.9	0.22
Male Genital System	253	18.5	0.53	10.5	0.30	-	-	-	-	-
Prostate	248	18.1	0.52	10.1	0.29	-	-	-	-	-
Testis	3	0.3	0.07	0.3	0.07	-	-	-	-	-
Urinary System	197	14.0	0.45	8.8	0.29	90	4.9	0.24	3.2	0.17
Bladder	101	7.3	0.33	4.3	0.20	38	2.0	0.15	1.2	0.10
Kidney & renal pelvis	91	6.3	0.30	4.3	0.21	49	2.8	0.18	1.9	0.13
Brain & Other CNS[1]	90	6.2	0.30	4.8	0.24	69	4.3	0.24	3.4	0.20
Endocrine System	12	0.9	0.12	0.6	0.08	12	0.7	0.09	0.5	0.07
Thyroid gland	8	0.5	0.09	0.4	0.06	8	0.5	0.07	0.3	0.05
Lymphomas	105	7.5	0.34	4.9	0.22	88	4.8	0.24	3.1	0.16
Hodgkin Lymphoma	6	0.4	0.08	0.3	0.06	3	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	99	7.1	0.33	4.5	0.21	85	4.7	0.23	2.9	0.16
Multiple Myeloma	58	4.2	0.25	2.6	0.16	47	2.6	0.18	1.6	0.11
Leukemias	135	9.8	0.38	6.3	0.25	94	5.2	0.25	3.4	0.18
Other, Ill-defined & Unknown	235	16.5	0.49	11.1	0.34	201	11.3	0.37	7.7	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	150	230.2	9.12	158.4	5.85	138	167.4	6.54	120.0	4.66
Oral Cavity & Pharynx	2	2.6	0.84	2.1	0.65	-	-	-	-	-
Digestive System	48	69.7	4.91	49.5	3.23	33	40.5	3.21	28.4	2.25
Esophagus	6	8.1	1.63	6.0	1.12	-	-	-	-	-
Stomach	3	4.3	1.13	3.3	0.82	3	3.1	0.86	2.5	0.68
Colon & Rectum	15	22.9	2.87	15.8	1.85	12	14.1	1.89	9.5	1.29
Liver	10	12.7	1.99	9.6	1.40	3	2.9	0.78	2.6	0.70
Pancreas	10	16.7	2.54	10.8	1.53	11	14.1	1.92	9.5	1.29
Respiratory System	44	63.1	4.63	45.3	3.10	29	35.1	3.01	25.3	2.14
Larynx	2	3.0	0.91	2.4	0.71	-	-	-	-	-
Lung & bronchus	41	59.9	4.54	42.7	3.01	28	34.3	2.99	24.6	2.11
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	23	27.8	2.65	20.7	1.98
Female Genital System	-	-	-	-	-	17	21.2	2.35	15.7	1.71
Cervix uteri	-	-	-	-	-	4	5.1	1.16	3.8	0.87
Corpus & uterus, NOS[1]	-	-	-	-	-	8	9.3	1.53	7.0	1.13
Ovary	-	-	-	-	-	5	6.0	1.25	4.5	0.92
Male Genital System	19	36.3	3.92	21.6	2.21	-	-	-	-	-
Prostate	19	36.1	3.92	21.4	2.20	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	11.1	1.94	8.0	1.31	4	4.7	1.08	3.4	0.77
Bladder	3	4.1	1.19	3.0	0.81	2	2.5	0.81	1.6	0.52
Kidney & renal pelvis	5	6.9	1.53	5.0	1.03	-	-	-	-	-
Brain & Other CNS[1]	2	2.4	0.86	2.0	0.63	2	3.0	0.89	2.0	0.61
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	3	4.9	1.28	3.5	0.88	3	3.4	0.93	2.6	0.70
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	6.4	1.59	4.1	0.97	5	6.7	1.33	4.2	0.83
Leukemias	6	9.5	1.90	6.2	1.17	6	8.0	1.45	5.6	1.01
Other, Ill-defined & Unknown	13	21.1	2.81	14.3	1.79	12	13.5	1.81	9.6	1.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	30	124.6	11.15	80.3	6.67	30	91.4	7.89	59.8	4.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	14	57.2	7.40	37.7	4.52	10	31.6	4.74	19.6	2.82
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	8.3	2.96	5.3	1.71	-	-	-	-	-
Colon & Rectum	4	14.1	3.53	9.6	2.23	4	10.5	2.61	7.0	1.66
Liver	4	14.1	3.59	9.7	2.30	-	-	-	-	-
Pancreas	3	15.1	4.12	8.7	2.26	-	-	-	-	-
Respiratory System	6	25.2	4.91	17.0	3.08	7	24.2	4.14	15.2	2.52
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	25.2	4.91	17.0	3.08	7	24.2	4.14	15.2	2.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	6.8	1.79	5.8	1.50
Female Genital System	-	-	-	-	-	4	12.3	2.77	8.8	1.90
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	11.5	3.52	7.2	2.01	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,503	233.4	1.45	158.5	0.97	4,740	160.5	1.06	113.1	0.78
Oral Cavity & Pharynx	123	5.0	0.21	3.6	0.15	47	1.6	0.11	1.1	0.08
Digestive System	1,390	57.4	0.71	40.6	0.49	1,016	34.1	0.49	23.7	0.35
Esophagus	205	8.1	0.26	6.0	0.19	43	1.4	0.10	1.0	0.07
Stomach	89	3.9	0.19	2.6	0.13	55	1.8	0.11	1.3	0.08
Colon & Rectum	465	19.9	0.43	13.7	0.29	410	13.9	0.31	9.5	0.22
Liver	198	7.7	0.25	5.8	0.18	75	2.5	0.13	1.8	0.10
Pancreas	325	13.3	0.34	9.3	0.23	305	10.2	0.26	7.0	0.19
Respiratory System	1,910	78.3	0.83	54.4	0.56	1,502	50.0	0.59	35.7	0.42
Larynx	64	2.5	0.14	1.8	0.10	22	0.7	0.07	0.6	0.06
Lung & bronchus	1,834	75.3	0.81	52.2	0.55	1,473	49.0	0.58	34.9	0.42
Skin	147	6.4	0.24	4.3	0.16	72	2.5	0.14	1.7	0.10
Melanomas of the skin	101	4.3	0.20	3.0	0.14	50	1.8	0.12	1.3	0.09
Breast	7	0.3	0.05	0.2	0.04	604	21.0	0.39	15.2	0.30
Female Genital System	-	-	-	-	-	428	14.9	0.33	10.9	0.25
Cervix uteri	-	-	-	-	-	67	2.6	0.15	2.2	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	126	4.2	0.17	3.1	0.13
Ovary	-	-	-	-	-	189	6.4	0.21	4.6	0.16
Male Genital System	407	19.8	0.45	11.1	0.25	-	-	-	-	-
Prostate	395	19.3	0.44	10.6	0.24	-	-	-	-	-
Testis	4	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	349	15.5	0.38	9.9	0.24	170	5.7	0.20	3.6	0.13
Bladder	179	8.4	0.29	4.9	0.17	78	2.6	0.13	1.6	0.08
Kidney & renal pelvis	160	6.7	0.24	4.7	0.17	85	2.9	0.14	1.9	0.10
Brain & Other CNS[1]	144	5.9	0.23	4.7	0.18	113	4.0	0.17	3.2	0.14
Endocrine System	18	0.8	0.08	0.5	0.06	21	0.7	0.07	0.5	0.06
Thyroid gland	12	0.5	0.06	0.3	0.04	15	0.5	0.06	0.4	0.04
Lymphomas	194	8.6	0.29	5.6	0.18	142	4.7	0.18	3.0	0.12
Hodgkin Lymphoma	10	0.5	0.07	0.3	0.05	7	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	183	8.2	0.28	5.3	0.18	135	4.5	0.17	2.8	0.11
Multiple Myeloma	104	4.6	0.21	2.9	0.13	76	2.5	0.13	1.6	0.09
Leukemias	202	9.0	0.29	6.0	0.19	159	5.6	0.20	3.7	0.14
Other, Ill-defined & Unknown	508	22.0	0.45	14.8	0.30	390	13.3	0.31	9.1	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,166	234.8	1.51	159.5	1.01	4,420	161.6	1.11	113.8	0.81
Oral Cavity & Pharynx	118	5.1	0.22	3.7	0.16	44	1.6	0.11	1.1	0.08
Digestive System	1,287	57.1	0.74	40.3	0.51	930	33.7	0.51	23.4	0.36
Esophagus	196	8.4	0.28	6.2	0.20	39	1.4	0.10	1.0	0.07
Stomach	80	3.8	0.19	2.5	0.13	50	1.8	0.12	1.2	0.08
Colon & Rectum	431	19.8	0.44	13.6	0.30	377	13.8	0.32	9.4	0.23
Liver	177	7.4	0.26	5.5	0.19	68	2.5	0.14	1.7	0.10
Pancreas	303	13.4	0.36	9.3	0.24	281	10.1	0.27	6.9	0.19
Respiratory System	1,805	79.2	0.86	55.1	0.59	1,416	50.8	0.61	36.4	0.45
Larynx	59	2.4	0.15	1.8	0.11	20	0.7	0.07	0.6	0.06
Lung & bronchus	1,735	76.3	0.84	52.9	0.57	1,389	49.9	0.61	35.6	0.44
Skin	146	6.8	0.26	4.6	0.17	71	2.7	0.15	1.8	0.11
Melanomas of the skin	101	4.6	0.21	3.3	0.15	49	1.9	0.13	1.4	0.09
Breast	6	0.2	0.05	0.2	0.04	553	20.7	0.41	15.0	0.31
Female Genital System	-	-	-	-	-	394	14.9	0.35	10.9	0.26
Cervix uteri	-	-	-	-	-	62	2.7	0.16	2.2	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	109	4.0	0.17	2.9	0.13
Ovary	-	-	-	-	-	177	6.5	0.22	4.6	0.17
Male Genital System	371	19.2	0.46	10.7	0.25	-	-	-	-	-
Prostate	359	18.6	0.45	10.3	0.24	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	330	15.7	0.40	10.0	0.25	162	5.8	0.21	3.7	0.14
Bladder	172	8.6	0.30	5.0	0.17	75	2.7	0.14	1.6	0.09
Kidney & renal pelvis	149	6.7	0.25	4.7	0.17	81	2.9	0.15	2.0	0.10
Brain & Other CNS[1]	139	6.2	0.24	4.9	0.19	107	4.1	0.18	3.3	0.15
Endocrine System	17	0.8	0.09	0.6	0.06	20	0.7	0.08	0.5	0.06
Thyroid gland	11	0.5	0.07	0.3	0.05	14	0.5	0.06	0.4	0.05
Lymphomas	184	8.8	0.30	5.6	0.19	137	4.9	0.19	3.1	0.13
Hodgkin Lymphoma	10	0.5	0.07	0.3	0.05	7	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	174	8.3	0.29	5.3	0.18	130	4.6	0.18	2.8	0.12
Multiple Myeloma	95	4.5	0.21	2.9	0.13	68	2.4	0.13	1.6	0.09
Leukemias	190	9.1	0.30	6.0	0.20	151	5.7	0.21	3.8	0.15
Other, Ill-defined & Unknown	477	22.1	0.47	14.9	0.31	368	13.5	0.32	9.3	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	315	236.0	6.51	160.2	4.09	296	160.6	4.30	114.0	3.03
Oral Cavity & Pharynx	5	3.5	0.74	2.6	0.52	2	1.1	0.35	0.7	0.24
Digestive System	95	64.6	3.24	46.8	2.18	80	43.0	2.22	30.5	1.56
Esophagus	7	5.2	0.95	3.6	0.61	4	1.9	0.46	1.4	0.33
Stomach	8	6.0	1.04	4.0	0.65	5	2.6	0.54	1.8	0.37
Colon & Rectum	33	23.7	2.02	16.6	1.31	32	17.1	1.39	12.1	0.98
Liver	18	11.2	1.27	8.8	0.93	6	3.1	0.57	2.4	0.43
Pancreas	21	13.6	1.43	10.2	1.02	23	12.7	1.21	8.8	0.84
Respiratory System	99	73.0	3.58	50.2	2.29	80	43.6	2.25	30.5	1.54
Larynx	6	3.8	0.81	2.7	0.51	2	1.1	0.36	0.8	0.26
Lung & bronchus	93	68.9	3.48	47.4	2.23	78	42.5	2.22	29.7	1.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	48	25.9	1.72	19.3	1.28
Female Genital System	-	-	-	-	-	30	16.0	1.33	11.7	0.97
Cervix uteri	-	-	-	-	-	4	1.9	0.46	1.7	0.39
Corpus & uterus, NOS[1]	-	-	-	-	-	15	7.9	0.94	5.8	0.68
Ovary	-	-	-	-	-	9	4.9	0.74	3.3	0.50
Male Genital System	35	34.2	2.74	19.2	1.46	-	-	-	-	-
Prostate	35	34.0	2.73	19.1	1.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	17	14.2	1.68	8.9	0.97	7	4.0	0.70	2.5	0.43
Bladder	7	6.3	1.17	3.6	0.63	3	1.8	0.48	1.1	0.28
Kidney & renal pelvis	10	7.6	1.17	5.1	0.72	4	2.0	0.50	1.3	0.31
Brain & Other CNS[1]	5	2.8	0.60	2.4	0.50	5	3.1	0.60	2.4	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	9	6.5	1.05	4.7	0.71	5	2.6	0.54	2.0	0.41
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	6.7	1.11	4.5	0.70	7	4.2	0.72	2.8	0.47
Leukemias	10	6.8	1.05	5.1	0.73	8	4.4	0.73	3.0	0.50
Other, Ill-defined & Unknown	28	22.3	2.04	14.6	1.24	21	11.3	1.14	7.8	0.79

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17	98.4	12.30	62.3	6.97	22	84.1	8.62	58.3	5.64
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	36.8	6.89	25.3	4.33	5	19.6	4.13	13.6	2.73
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	2	10.5	3.29	7.8	2.31	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	17.0	4.61	11.8	2.93	6	24.6	4.92	15.7	2.98
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	17.0	4.61	11.8	2.93	6	24.6	4.92	15.7	2.98
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	3	8.6	2.52	6.9	1.92
Female Genital System	-	-	-	-	-	4	12.5	3.19	9.2	2.19
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	7.1	2.41	5.2	1.66
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,061	215.6	1.40	147.8	0.94	4,318	147.0	1.02	103.5	0.74
Oral Cavity & Pharynx	128	5.1	0.21	3.8	0.15	46	1.6	0.11	1.1	0.08
Digestive System	1,520	62.1	0.74	44.7	0.52	1,052	35.5	0.50	24.7	0.36
Esophagus	171	6.9	0.24	5.1	0.18	43	1.4	0.10	1.0	0.07
Stomach	113	4.8	0.21	3.3	0.14	70	2.4	0.13	1.6	0.09
Colon & Rectum	473	19.8	0.42	14.0	0.29	400	13.6	0.31	9.5	0.23
Liver	326	12.3	0.31	9.5	0.24	116	3.8	0.16	2.8	0.12
Pancreas	344	14.4	0.36	10.0	0.24	328	11.0	0.28	7.5	0.19
Respiratory System	1,551	64.6	0.76	44.9	0.51	1,111	37.2	0.51	26.0	0.36
Larynx	63	2.5	0.15	1.8	0.10	12	0.4	0.05	0.3	0.04
Lung & bronchus	1,476	61.6	0.74	42.7	0.50	1,093	36.6	0.50	25.6	0.36
Skin	99	4.5	0.21	2.9	0.13	41	1.4	0.10	0.9	0.07
Melanomas of the skin	58	2.6	0.16	1.7	0.10	30	1.0	0.09	0.7	0.06
Breast	7	0.3	0.05	0.2	0.03	658	22.8	0.41	16.7	0.31
Female Genital System	-	-	-	-	-	433	15.0	0.33	11.0	0.25
Cervix uteri	-	-	-	-	-	79	3.1	0.16	2.5	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	141	4.7	0.18	3.4	0.13
Ovary	-	-	-	-	-	182	6.2	0.21	4.4	0.15
Male Genital System	438	20.9	0.46	12.1	0.26	-	-	-	-	-
Prostate	428	20.5	0.45	11.8	0.26	-	-	-	-	-
Testis	4	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	303	13.4	0.36	8.8	0.23	155	5.2	0.19	3.3	0.13
Bladder	139	6.4	0.25	3.9	0.15	62	2.1	0.12	1.3	0.08
Kidney & renal pelvis	158	6.7	0.24	4.7	0.17	89	2.9	0.14	2.0	0.10
Brain & Other CNS[1]	119	5.0	0.21	3.8	0.16	106	3.7	0.16	2.8	0.13
Endocrine System	21	0.9	0.09	0.7	0.07	25	0.9	0.08	0.6	0.06
Thyroid gland	10	0.5	0.07	0.3	0.04	17	0.6	0.06	0.4	0.04
Lymphomas	176	8.0	0.28	5.3	0.18	135	4.7	0.18	3.1	0.13
Hodgkin Lymphoma	9	0.4	0.06	0.3	0.05	9	0.3	0.05	0.3	0.04
Non-Hodgkin Lymphoma	167	7.6	0.27	5.0	0.17	127	4.3	0.18	2.8	0.12
Multiple Myeloma	102	4.6	0.21	2.9	0.13	89	3.0	0.15	2.0	0.10
Leukemias	184	8.5	0.29	5.5	0.19	141	5.0	0.19	3.3	0.14
Other, Ill-defined & Unknown	413	17.7	0.40	12.2	0.27	325	11.1	0.28	7.9	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,475	202.8	1.58	137.0	1.06	2,952	141.2	1.19	98.6	0.87
Oral Cavity & Pharynx	84	4.7	0.23	3.4	0.17	32	1.5	0.12	1.0	0.09
Digestive System	989	56.0	0.82	39.6	0.57	676	32.0	0.56	22.0	0.40
Esophagus	127	7.1	0.29	5.2	0.21	27	1.3	0.12	0.9	0.08
Stomach	56	3.3	0.20	2.2	0.14	34	1.6	0.13	1.1	0.09
Colon & Rectum	307	17.8	0.47	12.4	0.32	257	12.2	0.35	8.4	0.25
Liver	194	10.3	0.34	7.8	0.25	71	3.3	0.18	2.4	0.13
Pancreas	240	13.8	0.41	9.5	0.28	222	10.4	0.32	7.0	0.22
Respiratory System	1,058	60.2	0.85	41.4	0.58	834	39.3	0.62	27.5	0.44
Larynx	35	1.9	0.15	1.4	0.11	8	0.4	0.06	0.3	0.05
Lung & bronchus	1,013	57.8	0.83	39.6	0.56	822	38.7	0.61	27.1	0.44
Skin	90	5.5	0.27	3.5	0.17	38	1.8	0.14	1.3	0.10
Melanomas of the skin	55	3.4	0.21	2.2	0.14	28	1.4	0.12	1.0	0.09
Breast	4	0.2	0.05	0.2	0.04	404	19.7	0.45	14.1	0.34
Female Genital System	-	-	-	-	-	271	13.4	0.38	9.7	0.28
Cervix uteri	-	-	-	-	-	43	2.6	0.18	2.1	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	74	3.5	0.19	2.5	0.14
Ovary	-	-	-	-	-	130	6.3	0.25	4.4	0.18
Male Genital System	268	17.2	0.48	9.7	0.27	-	-	-	-	-
Prostate	261	16.7	0.47	9.3	0.26	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	237	14.2	0.42	9.1	0.27	110	5.1	0.22	3.3	0.15
Bladder	115	7.1	0.30	4.3	0.18	41	1.9	0.13	1.1	0.08
Kidney & renal pelvis	116	6.6	0.28	4.6	0.20	66	3.1	0.17	2.1	0.12
Brain & Other CNS[1]	99	5.7	0.27	4.4	0.21	86	4.3	0.22	3.4	0.18
Endocrine System	16	1.0	0.11	0.7	0.08	16	0.8	0.09	0.5	0.06
Thyroid gland	8	0.5	0.08	0.3	0.05	11	0.5	0.07	0.3	0.05
Lymphomas	137	8.5	0.33	5.5	0.21	107	5.0	0.22	3.2	0.15
Hodgkin Lymphoma	6	0.4	0.08	0.3	0.06	7	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	131	8.1	0.32	5.2	0.21	100	4.7	0.21	3.0	0.14
Multiple Myeloma	62	3.8	0.22	2.3	0.13	51	2.4	0.15	1.6	0.10
Leukemias	144	8.9	0.34	5.7	0.22	104	5.1	0.23	3.3	0.16
Other, Ill-defined & Unknown	289	17.0	0.46	11.5	0.31	224	10.8	0.33	7.7	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,533	260.4	3.20	183.3	2.12	1,326	165.5	2.09	118.4	1.49
Oral Cavity & Pharynx	43	6.3	0.45	5.0	0.34	14	1.8	0.22	1.3	0.16
Digestive System	509	80.8	1.72	59.8	1.20	362	45.3	1.09	31.8	0.76
Esophagus	43	6.6	0.48	5.0	0.35	15	1.8	0.21	1.3	0.15
Stomach	54	9.3	0.60	6.6	0.40	35	4.5	0.35	2.9	0.23
Colon & Rectum	160	26.4	1.00	19.1	0.68	138	17.2	0.67	12.4	0.48
Liver	123	17.2	0.74	13.8	0.56	41	5.0	0.36	3.6	0.26
Pancreas	102	17.0	0.81	12.2	0.55	103	13.1	0.59	8.9	0.40
Respiratory System	479	80.5	1.76	57.0	1.18	270	33.2	0.93	23.4	0.65
Larynx	28	4.5	0.41	3.3	0.28	4	0.5	0.11	0.4	0.08
Lung & bronchus	450	75.6	1.71	53.5	1.14	264	32.5	0.92	22.9	0.64
Skin	9	1.4	0.23	1.1	0.16	-	-	-	-	-
Melanomas of the skin	3	0.5	0.13	0.3	0.09	2	0.3	0.09	0.2	0.05
Breast	3	0.5	0.13	0.3	0.09	247	30.8	0.90	22.9	0.67
Female Genital System	-	-	-	-	-	159	19.4	0.71	14.6	0.53
Cervix uteri	-	-	-	-	-	35	4.4	0.34	3.5	0.28
Corpus & uterus, NOS[1]	-	-	-	-	-	66	7.9	0.45	5.8	0.33
Ovary	-	-	-	-	-	51	6.2	0.40	4.6	0.29
Male Genital System	167	35.0	1.29	20.7	0.72	-	-	-	-	-
Prostate	164	34.5	1.28	20.3	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	63	11.0	0.67	7.6	0.43	44	5.6	0.39	3.7	0.25
Bladder	23	4.2	0.42	2.8	0.26	21	2.7	0.27	1.7	0.17
Kidney & renal pelvis	40	6.8	0.52	4.9	0.35	22	2.7	0.27	1.8	0.18
Brain & Other CNS[1]	20	3.2	0.35	2.4	0.25	19	2.3	0.24	1.8	0.19
Endocrine System	4	0.7	0.16	0.5	0.12	8	1.1	0.17	0.8	0.12
Thyroid gland	2	0.3	0.10	0.2	0.08	6	0.8	0.15	0.5	0.09
Lymphomas	37	6.2	0.49	4.5	0.34	27	3.5	0.31	2.5	0.22
Hodgkin Lymphoma	3	0.4	0.11	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	34	5.8	0.48	4.2	0.33	-	-	-	-	-
Multiple Myeloma	40	7.4	0.56	4.9	0.35	38	5.1	0.37	3.2	0.23
Leukemias	38	7.0	0.54	4.8	0.35	36	4.7	0.36	3.3	0.25
Other, Ill-defined & Unknown	121	20.4	0.89	14.5	0.60	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	39	113.1	8.79	80.1	5.80	29	74.0	6.48	51.0	4.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	47.4	5.47	35.5	3.81	9	26.4	4.02	16.6	2.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	5.7	1.72	4.7	1.37	-	-	-	-	-
Colon & Rectum	4	11.5	2.93	7.6	1.80	2	6.2	2.00	3.4	1.09
Liver	8	21.0	3.61	16.0	2.55	2	5.4	1.69	4.0	1.21
Pancreas	-	-	-	-	-	3	8.2	2.16	5.7	1.43
Respiratory System	10	30.0	4.50	21.4	2.99	5	13.2	2.83	8.6	1.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	29.6	4.48	21.0	2.97	5	12.8	2.80	8.2	1.73
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	5	11.1	2.27	9.0	1.77
Female Genital System	-	-	-	-	-	3	6.3	1.60	5.7	1.43
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	2	6.0	2.09	4.2	1.33	-	-	-	-	-
Other, Ill-defined & Unknown	3	9.3	2.56	6.4	1.67	2	5.9	1.94	3.4	1.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,749	201.1	2.21	132.9	1.48	1,561	145.4	1.70	98.9	1.22
Oral Cavity & Pharynx	38	4.0	0.30	2.9	0.22	17	1.5	0.17	1.0	0.11
Digestive System	435	49.2	1.09	33.8	0.75	343	31.5	0.79	21.0	0.55
Esophagus	86	9.4	0.47	6.6	0.33	24	2.2	0.21	1.5	0.15
Stomach	23	2.6	0.26	1.8	0.18	17	1.6	0.17	1.0	0.12
Colon & Rectum	123	14.6	0.61	9.7	0.41	124	11.4	0.47	7.3	0.32
Liver	54	5.7	0.36	4.2	0.26	15	1.3	0.15	0.8	0.10
Pancreas	110	12.4	0.55	8.4	0.37	113	10.3	0.44	6.9	0.31
Respiratory System	522	58.0	1.17	39.7	0.80	439	40.6	0.89	28.2	0.63
Larynx	18	2.0	0.21	1.5	0.16	4	0.4	0.09	0.3	0.07
Lung & bronchus	499	55.3	1.14	37.7	0.77	433	40.0	0.88	27.8	0.63
Skin	46	5.3	0.36	3.6	0.24	23	2.3	0.23	1.6	0.17
Melanomas of the skin	30	3.4	0.29	2.4	0.21	17	1.8	0.21	1.3	0.16
Breast	2	0.3	0.08	0.2	0.05	189	18.0	0.61	12.7	0.46
Female Genital System	-	-	-	-	-	157	15.0	0.55	10.7	0.42
Cervix uteri	-	-	-	-	-	14	1.6	0.20	1.3	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	54	5.0	0.31	3.6	0.23
Ovary	-	-	-	-	-	68	6.5	0.36	4.6	0.27
Male Genital System	161	19.7	0.71	11.0	0.40	-	-	-	-	-
Prostate	157	19.2	0.70	10.6	0.38	-	-	-	-	-
Testis	2	0.3	0.09	0.2	0.09	-	-	-	-	-
Urinary System	132	15.5	0.62	9.5	0.38	61	5.5	0.32	3.4	0.21
Bladder	76	9.2	0.48	5.3	0.27	29	2.6	0.22	1.5	0.13
Kidney & renal pelvis	53	6.0	0.38	4.0	0.25	31	2.8	0.23	1.8	0.16
Brain & Other CNS[1]	60	7.0	0.42	5.5	0.34	39	4.0	0.30	3.0	0.24
Endocrine System	6	0.8	0.15	0.6	0.13	6	0.5	0.10	0.4	0.08
Thyroid gland	3	0.4	0.11	0.3	0.07	4	0.4	0.08	0.2	0.05
Lymphomas	66	8.0	0.45	5.0	0.29	52	4.8	0.30	3.0	0.21
Hodgkin Lymphoma	3	0.4	0.10	0.3	0.08	2	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	63	7.6	0.44	4.7	0.28	50	4.6	0.30	2.8	0.20
Multiple Myeloma	34	4.0	0.31	2.5	0.19	30	2.7	0.22	1.6	0.14
Leukemias	69	8.3	0.46	5.3	0.30	49	4.6	0.31	3.0	0.23
Other, Ill-defined & Unknown	176	20.9	0.72	13.4	0.48	156	14.5	0.54	9.4	0.38

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,727	201.9	2.24	133.4	1.49	1,537	145.5	1.72	98.9	1.23
Oral Cavity & Pharynx	37	4.0	0.31	2.9	0.22	17	1.5	0.17	1.0	0.12
Digestive System	427	49.2	1.10	33.7	0.76	337	31.5	0.79	20.9	0.55
Esophagus	85	9.4	0.47	6.7	0.33	23	2.1	0.20	1.4	0.14
Stomach	22	2.6	0.26	1.8	0.18	16	1.5	0.17	1.0	0.12
Colon & Rectum	121	14.6	0.61	9.7	0.41	123	11.4	0.48	7.3	0.33
Liver	52	5.5	0.35	4.1	0.26	15	1.3	0.16	0.9	0.10
Pancreas	108	12.5	0.55	8.5	0.38	112	10.3	0.45	7.0	0.32
Respiratory System	515	58.2	1.18	39.8	0.81	433	40.7	0.90	28.4	0.64
Larynx	18	2.0	0.22	1.5	0.16	4	0.4	0.09	0.3	0.07
Lung & bronchus	492	55.5	1.15	37.9	0.78	427	40.2	0.89	27.9	0.64
Skin	46	5.4	0.37	3.6	0.25	23	2.4	0.24	1.6	0.18
Melanomas of the skin	30	3.5	0.29	2.5	0.21	17	1.9	0.22	1.3	0.17
Breast	2	0.3	0.08	0.2	0.05	185	17.9	0.62	12.6	0.46
Female Genital System	-	-	-	-	-	155	15.0	0.56	10.6	0.42
Cervix uteri	-	-	-	-	-	13	1.5	0.20	1.2	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	53	5.0	0.31	3.5	0.23
Ovary	-	-	-	-	-	68	6.6	0.37	4.6	0.27
Male Genital System	160	19.9	0.71	11.1	0.40	-	-	-	-	-
Prostate	156	19.4	0.70	10.7	0.39	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	132	15.7	0.63	9.6	0.38	60	5.5	0.33	3.4	0.21
Bladder	76	9.3	0.49	5.3	0.28	29	2.6	0.22	1.5	0.13
Kidney & renal pelvis	53	6.1	0.39	4.1	0.26	30	2.8	0.23	1.8	0.16
Brain & Other CNS[1]	60	7.1	0.43	5.6	0.35	39	4.0	0.31	3.1	0.24
Endocrine System	6	0.7	0.15	0.6	0.12	5	0.5	0.10	0.3	0.08
Thyroid gland	3	0.4	0.11	0.3	0.08	4	0.4	0.08	0.2	0.05
Lymphomas	65	7.9	0.45	4.9	0.29	52	4.8	0.31	3.0	0.21
Hodgkin Lymphoma	3	0.3	0.09	0.3	0.07	2	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	62	7.6	0.44	4.7	0.28	50	4.6	0.30	2.9	0.21
Multiple Myeloma	34	4.1	0.32	2.5	0.20	29	2.7	0.22	1.6	0.14
Leukemias	69	8.4	0.46	5.3	0.30	48	4.6	0.31	3.0	0.23
Other, Ill-defined & Unknown	174	21.0	0.73	13.6	0.49	153	14.4	0.54	9.3	0.38

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7	110.8	22.14	80.6	14.55	7	139.6	25.32	93.3	16.54
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	36.4	11.65	28.5	8.59	2	43.2	14.12	29.1	9.39
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	46.6	15.06	31.9	9.25	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	44.4	14.89	30.0	9.06	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6	107.1	21.80	73.1	14.00	7	81.3	14.25	59.5	10.11
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	49.1	14.48	33.2	9.31	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,475	183.5	1.14	121.6	0.75	5,317	135.5	0.85	93.5	0.61
Oral Cavity & Pharynx	125	4.0	0.16	2.9	0.12	52	1.3	0.08	0.9	0.06
Digestive System	1,622	52.4	0.60	36.4	0.41	1,239	31.3	0.41	21.2	0.28
Esophagus	198	6.4	0.21	4.4	0.14	59	1.5	0.09	1.0	0.06
Stomach	124	4.1	0.17	2.8	0.11	87	2.2	0.11	1.6	0.08
Colon & Rectum	492	16.4	0.34	11.1	0.23	457	11.6	0.25	7.8	0.17
Liver	265	7.8	0.22	6.0	0.17	90	2.2	0.11	1.5	0.08
Pancreas	412	13.4	0.30	9.1	0.20	387	9.8	0.23	6.6	0.16
Respiratory System	1,403	46.3	0.57	31.0	0.37	1,289	32.7	0.41	22.1	0.29
Larynx	56	1.8	0.11	1.2	0.07	16	0.4	0.04	0.3	0.03
Lung & bronchus	1,336	44.1	0.56	29.5	0.36	1,267	32.1	0.41	21.7	0.28
Skin	124	4.3	0.18	2.7	0.11	63	1.6	0.09	1.1	0.06
Melanomas of the skin	82	2.8	0.14	1.8	0.09	46	1.2	0.08	0.8	0.06
Breast	10	0.4	0.05	0.2	0.03	842	21.7	0.34	15.9	0.26
Female Genital System	-	-	-	-	-	602	15.4	0.29	11.2	0.21
Cervix uteri	-	-	-	-	-	71	1.9	0.10	1.5	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	239	6.0	0.18	4.4	0.13
Ovary	-	-	-	-	-	252	6.4	0.18	4.6	0.13
Male Genital System	558	20.4	0.39	11.6	0.22	-	-	-	-	-
Prostate	546	20.0	0.39	11.3	0.22	-	-	-	-	-
Testis	7	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	372	12.9	0.31	8.0	0.19	177	4.5	0.15	2.8	0.10
Bladder	214	7.7	0.24	4.5	0.14	91	2.3	0.11	1.3	0.07
Kidney & renal pelvis	147	4.8	0.18	3.3	0.12	79	2.0	0.10	1.3	0.07
Brain & Other CNS[1]	154	5.0	0.18	3.9	0.14	123	3.3	0.14	2.6	0.11
Endocrine System	23	0.7	0.07	0.6	0.06	34	0.9	0.07	0.6	0.05
Thyroid gland	13	0.4	0.05	0.3	0.04	22	0.5	0.05	0.3	0.03
Lymphomas	208	7.2	0.23	4.7	0.15	159	4.1	0.15	2.6	0.10
Hodgkin Lymphoma	8	0.3	0.05	0.2	0.03	7	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	200	6.9	0.23	4.4	0.14	151	3.9	0.14	2.5	0.10
Multiple Myeloma	145	5.0	0.19	3.2	0.12	127	3.2	0.13	2.1	0.09
Leukemias	236	8.3	0.25	5.4	0.16	171	4.4	0.15	3.0	0.11
Other, Ill-defined & Unknown	495	16.7	0.35	11.1	0.23	439	11.1	0.24	7.5	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,782	179.8	1.34	118.3	0.88	3,536	133.6	1.04	91.2	0.75
Oral Cavity & Pharynx	89	4.0	0.20	2.9	0.14	36	1.3	0.10	0.9	0.08
Digestive System	1,053	48.8	0.69	33.6	0.47	788	29.5	0.48	19.7	0.34
Esophagus	157	7.2	0.26	5.0	0.18	42	1.6	0.11	1.0	0.08
Stomach	67	3.2	0.18	2.2	0.13	44	1.7	0.12	1.2	0.09
Colon & Rectum	319	15.2	0.39	10.2	0.26	299	11.1	0.30	7.4	0.21
Liver	140	6.1	0.23	4.5	0.17	52	1.9	0.12	1.3	0.08
Pancreas	282	13.1	0.36	8.8	0.24	250	9.4	0.27	6.2	0.19
Respiratory System	993	46.5	0.67	31.0	0.45	922	34.8	0.52	23.5	0.37
Larynx	35	1.6	0.12	1.1	0.08	10	0.4	0.05	0.3	0.04
Lung & bronchus	950	44.5	0.66	29.6	0.44	908	34.2	0.52	23.1	0.36
Skin	116	5.6	0.24	3.6	0.16	57	2.2	0.13	1.5	0.10
Melanomas of the skin	79	3.8	0.20	2.6	0.13	43	1.7	0.12	1.2	0.09
Breast	6	0.3	0.05	0.2	0.03	515	19.7	0.40	14.1	0.30
Female Genital System	-	-	-	-	-	368	14.3	0.34	10.3	0.26
Cervix uteri	-	-	-	-	-	36	1.6	0.12	1.2	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	126	4.8	0.20	3.4	0.14
Ovary	-	-	-	-	-	174	6.7	0.24	4.8	0.17
Male Genital System	333	16.8	0.42	9.3	0.24	-	-	-	-	-
Prostate	325	16.4	0.41	9.0	0.23	-	-	-	-	-
Testis	6	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	288	13.9	0.37	8.6	0.23	123	4.5	0.19	2.7	0.12
Bladder	173	8.5	0.29	5.0	0.17	64	2.3	0.13	1.3	0.08
Kidney & renal pelvis	107	5.0	0.22	3.4	0.15	54	2.0	0.13	1.3	0.09
Brain & Other CNS[1]	120	5.7	0.24	4.5	0.19	100	4.1	0.19	3.3	0.16
Endocrine System	15	0.7	0.08	0.6	0.07	21	0.8	0.08	0.5	0.06
Thyroid gland	9	0.4	0.06	0.3	0.05	13	0.5	0.06	0.3	0.04
Lymphomas	158	7.7	0.28	4.9	0.18	120	4.4	0.19	2.8	0.13
Hodgkin Lymphoma	5	0.3	0.05	0.2	0.04	6	0.3	0.05	0.2	0.05
Non-Hodgkin Lymphoma	153	7.4	0.27	4.7	0.18	114	4.2	0.18	2.6	0.12
Multiple Myeloma	83	4.0	0.20	2.5	0.13	65	2.4	0.14	1.5	0.09
Leukemias	179	8.9	0.30	5.7	0.20	125	4.7	0.19	3.1	0.14
Other, Ill-defined & Unknown	348	16.7	0.41	11.0	0.27	298	11.0	0.29	7.3	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,516	215.3	2.66	145.0	1.68	1,613	150.8	1.73	106.5	1.21
Oral Cavity & Pharynx	32	4.2	0.35	3.0	0.24	14	1.3	0.15	0.9	0.11
Digestive System	503	66.5	1.42	47.2	0.95	405	38.0	0.87	26.2	0.59
Esophagus	38	5.2	0.40	3.6	0.26	16	1.4	0.17	1.1	0.12
Stomach	45	6.7	0.48	4.4	0.29	36	3.4	0.26	2.4	0.18
Colon & Rectum	156	22.1	0.85	15.0	0.54	145	13.7	0.52	9.4	0.35
Liver	109	11.8	0.53	9.7	0.42	33	3.0	0.24	2.1	0.17
Pancreas	117	15.5	0.69	10.9	0.46	125	11.9	0.49	8.0	0.33
Respiratory System	368	51.2	1.28	34.9	0.82	337	31.4	0.79	21.6	0.53
Larynx	20	2.8	0.30	1.9	0.19	6	0.5	0.10	0.4	0.07
Lung & bronchus	345	48.2	1.24	32.7	0.79	329	30.7	0.78	21.1	0.53
Skin	8	1.0	0.17	0.7	0.12	5	0.5	0.11	0.4	0.07
Melanomas of the skin	3	0.4	0.11	0.3	0.08	3	0.3	0.07	0.2	0.05
Breast	4	0.5	0.13	0.4	0.08	302	27.9	0.74	20.8	0.55
Female Genital System	-	-	-	-	-	212	19.1	0.60	14.0	0.44
Cervix uteri	-	-	-	-	-	31	2.8	0.23	2.1	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	105	9.4	0.42	6.9	0.30
Ovary	-	-	-	-	-	68	6.2	0.35	4.5	0.25
Male Genital System	212	36.2	1.18	21.0	0.65	-	-	-	-	-
Prostate	209	35.9	1.17	20.7	0.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	75	11.4	0.63	7.3	0.38	51	5.1	0.33	3.2	0.21
Bladder	36	6.0	0.48	3.6	0.27	25	2.5	0.23	1.5	0.14
Kidney & renal pelvis	38	5.2	0.41	3.6	0.26	24	2.4	0.22	1.6	0.15
Brain & Other CNS[1]	27	3.3	0.30	2.7	0.23	19	1.8	0.19	1.5	0.16
Endocrine System	6	0.9	0.16	0.6	0.11	11	1.0	0.14	0.7	0.10
Thyroid gland	3	0.4	0.12	0.3	0.07	7	0.6	0.11	0.4	0.08
Lymphomas	42	5.6	0.42	4.1	0.28	32	3.1	0.25	2.2	0.18
Hodgkin Lymphoma	3	0.3	0.08	0.3	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	39	5.3	0.41	3.8	0.27	-	-	-	-	-
Multiple Myeloma	58	8.7	0.55	5.6	0.33	58	5.5	0.33	3.7	0.22
Leukemias	48	7.0	0.49	4.8	0.31	41	3.9	0.28	2.8	0.20
Other, Ill-defined & Unknown	134	18.7	0.78	12.8	0.50	126	12.1	0.49	8.4	0.34

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	169	101.3	3.61	66.2	2.28	161	75.4	2.72	51.7	1.85
Oral Cavity & Pharynx	5	2.4	0.53	1.8	0.38	-	-	-	-	-
Digestive System	64	37.1	2.15	25.0	1.40	45	21.2	1.45	14.1	0.96
Esophagus	4	2.2	0.52	1.5	0.34	-	-	-	-	-
Stomach	11	6.8	0.94	4.3	0.58	7	3.2	0.56	2.2	0.39
Colon & Rectum	16	9.4	1.07	6.4	0.71	13	6.2	0.79	4.1	0.51
Liver	16	9.3	1.07	6.4	0.71	6	2.7	0.51	1.8	0.34
Pancreas	12	7.0	0.93	4.8	0.61	12	5.9	0.77	3.9	0.50
Respiratory System	39	23.6	1.76	15.0	1.08	29	13.9	1.19	9.0	0.75
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	38	23.2	1.75	14.8	1.07	28	13.7	1.18	8.8	0.75
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	24	10.4	0.97	7.9	0.72
Female Genital System	-	-	-	-	-	21	9.0	0.89	7.0	0.68
Cervix uteri	-	-	-	-	-	4	1.6	0.37	1.4	0.31
Corpus & uterus, NOS[1]	-	-	-	-	-	7	3.2	0.55	2.3	0.39
Ovary	-	-	-	-	-	9	3.8	0.57	3.0	0.45
Male Genital System	11	7.2	1.01	4.2	0.57	-	-	-	-	-
Prostate	11	7.1	1.01	4.1	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	5.0	0.82	3.1	0.49	3	1.8	0.44	1.0	0.25
Bladder	5	3.1	0.66	1.8	0.37	2	1.1	0.36	0.6	0.18
Kidney & renal pelvis	2	1.2	0.36	0.9	0.26	-	-	-	-	-
Brain & Other CNS[1]	7	3.5	0.61	2.8	0.48	4	1.9	0.42	1.6	0.38
Endocrine System	-	-	-	-	-	2	1.1	0.34	0.7	0.23
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	5.2	0.85	3.1	0.48	7	3.4	0.60	2.0	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	2.8	0.63	1.7	0.36	4	2.1	0.47	1.2	0.28
Leukemias	9	5.2	0.81	3.6	0.54	5	2.6	0.51	1.8	0.37
Other, Ill-defined & Unknown	13	7.9	1.01	5.2	0.65	14	7.0	0.84	4.5	0.55

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,524	180.1	1.02	117.0	0.66	6,241	129.2	0.75	87.1	0.53
Oral Cavity & Pharynx	132	3.4	0.14	2.5	0.10	66	1.3	0.08	0.9	0.05
Digestive System	1,907	51.4	0.54	34.9	0.36	1,445	29.6	0.36	19.5	0.25
Esophagus	308	8.2	0.21	5.7	0.15	85	1.7	0.09	1.2	0.06
Stomach	154	4.2	0.16	2.9	0.11	100	2.1	0.10	1.4	0.07
Colon & Rectum	497	13.8	0.28	9.0	0.19	492	9.9	0.21	6.4	0.14
Liver	284	7.2	0.20	5.3	0.14	82	1.7	0.09	1.2	0.06
Pancreas	482	13.0	0.27	8.7	0.18	488	10.0	0.21	6.5	0.14
Respiratory System	1,628	44.5	0.50	29.2	0.33	1,617	33.7	0.38	22.6	0.26
Larynx	54	1.4	0.09	1.0	0.06	17	0.3	0.04	0.2	0.03
Lung & bronchus	1,561	42.7	0.49	28.0	0.32	1,592	33.2	0.38	22.2	0.26
Skin	184	5.2	0.17	3.2	0.11	106	2.1	0.10	1.4	0.07
Melanomas of the skin	122	3.4	0.14	2.2	0.09	75	1.6	0.08	1.0	0.06
Breast	9	0.3	0.04	0.2	0.02	816	17.3	0.28	12.3	0.21
Female Genital System	-	-	-	-	-	660	13.9	0.25	9.8	0.18
Cervix uteri	-	-	-	-	-	46	1.1	0.07	0.9	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	226	4.7	0.14	3.2	0.10
Ovary	-	-	-	-	-	318	6.7	0.17	4.8	0.13
Male Genital System	641	18.7	0.34	10.3	0.19	-	-	-	-	-
Prostate	628	18.3	0.33	10.1	0.18	-	-	-	-	-
Testis	6	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	474	13.4	0.28	8.2	0.17	217	4.2	0.13	2.6	0.09
Bladder	292	8.4	0.22	4.8	0.13	116	2.2	0.09	1.3	0.06
Kidney & renal pelvis	170	4.6	0.16	3.1	0.11	95	1.8	0.09	1.2	0.06
Brain & Other CNS[1]	210	5.6	0.18	4.3	0.14	170	3.8	0.14	2.9	0.11
Endocrine System	28	0.8	0.07	0.6	0.05	35	0.8	0.06	0.5	0.05
Thyroid gland	18	0.5	0.06	0.3	0.03	23	0.5	0.05	0.3	0.03
Lymphomas	246	7.1	0.20	4.4	0.13	214	4.4	0.14	2.7	0.09
Hodgkin Lymphoma	10	0.3	0.04	0.2	0.03	8	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	236	6.8	0.20	4.2	0.13	206	4.2	0.14	2.5	0.09
Multiple Myeloma	140	4.0	0.15	2.5	0.10	117	2.3	0.10	1.5	0.06
Leukemias	274	7.9	0.22	5.0	0.14	217	4.4	0.14	2.8	0.10
Other, Ill-defined & Unknown	650	17.9	0.32	11.8	0.21	561	11.5	0.22	7.6	0.16

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,014	184.1	1.09	119.5	0.71	5,772	132.9	0.81	89.6	0.58
Oral Cavity & Pharynx	118	3.4	0.14	2.5	0.10	62	1.4	0.08	0.9	0.06
Digestive System	1,722	51.7	0.57	35.0	0.39	1,316	29.8	0.38	19.7	0.27
Esophagus	292	8.6	0.23	6.0	0.16	81	1.8	0.09	1.2	0.07
Stomach	130	4.0	0.16	2.7	0.11	83	1.9	0.10	1.3	0.07
Colon & Rectum	453	14.0	0.30	9.2	0.20	453	10.1	0.22	6.6	0.16
Liver	240	6.8	0.20	4.9	0.14	72	1.6	0.09	1.1	0.06
Pancreas	444	13.3	0.29	8.9	0.19	449	10.1	0.22	6.6	0.15
Respiratory System	1,508	45.6	0.54	30.0	0.35	1,528	35.4	0.42	23.7	0.29
Larynx	50	1.5	0.10	1.0	0.06	16	0.4	0.04	0.3	0.03
Lung & bronchus	1,446	43.8	0.53	28.7	0.34	1,504	34.8	0.41	23.4	0.29
Skin	181	5.6	0.19	3.5	0.12	104	2.3	0.11	1.5	0.08
Melanomas of the skin	121	3.8	0.16	2.4	0.10	74	1.7	0.10	1.2	0.07
Breast	9	0.3	0.04	0.2	0.03	742	17.6	0.30	12.5	0.23
Female Genital System	-	-	-	-	-	602	14.2	0.27	10.0	0.20
Cervix uteri	-	-	-	-	-	37	1.0	0.08	0.8	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	202	4.7	0.15	3.2	0.11
Ovary	-	-	-	-	-	298	7.0	0.19	5.0	0.14
Male Genital System	577	18.5	0.35	10.2	0.19	-	-	-	-	-
Prostate	565	18.1	0.34	9.9	0.19	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	455	14.1	0.30	8.6	0.19	204	4.3	0.14	2.6	0.09
Bladder	284	9.0	0.24	5.2	0.14	109	2.3	0.10	1.3	0.06
Kidney & renal pelvis	160	4.8	0.17	3.3	0.12	88	1.9	0.09	1.2	0.06
Brain & Other CNS[1]	198	6.0	0.20	4.6	0.15	160	4.1	0.15	3.1	0.12
Endocrine System	27	0.9	0.08	0.6	0.06	30	0.7	0.06	0.5	0.05
Thyroid gland	18	0.6	0.06	0.3	0.04	20	0.5	0.05	0.3	0.03
Lymphomas	232	7.4	0.22	4.6	0.14	199	4.5	0.15	2.7	0.10
Hodgkin Lymphoma	9	0.3	0.04	0.2	0.03	8	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	223	7.1	0.22	4.4	0.14	191	4.3	0.14	2.6	0.10
Multiple Myeloma	126	4.0	0.16	2.5	0.10	104	2.3	0.10	1.4	0.07
Leukemias	259	8.3	0.23	5.3	0.15	203	4.6	0.15	2.9	0.11
Other, Ill-defined & Unknown	604	18.5	0.34	12.1	0.23	518	11.8	0.24	7.8	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	325	164.1	4.38	109.9	2.75	311	109.6	2.84	76.3	1.97
Oral Cavity & Pharynx	7	3.2	0.61	2.2	0.39	-	-	-	-	-
Digestive System	114	52.6	2.38	37.5	1.58	84	29.9	1.49	20.3	1.01
Esophagus	10	4.7	0.71	3.4	0.48	3	1.1	0.28	0.8	0.19
Stomach	13	6.7	0.89	4.4	0.55	9	3.3	0.50	2.2	0.33
Colon & Rectum	29	14.3	1.28	9.6	0.81	27	9.5	0.83	6.5	0.57
Liver	25	9.4	0.90	7.7	0.70	6	1.9	0.36	1.3	0.25
Pancreas	27	13.0	1.20	9.1	0.79	24	8.9	0.82	5.9	0.54
Respiratory System	70	33.7	1.95	23.6	1.28	53	18.8	1.18	13.0	0.81
Larynx	3	1.5	0.40	1.0	0.27	-	-	-	-	-
Lung & bronchus	66	31.8	1.89	22.2	1.24	52	18.5	1.17	12.8	0.80
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	53	17.7	1.11	13.2	0.83
Female Genital System	-	-	-	-	-	41	14.2	1.01	10.3	0.72
Cervix uteri	-	-	-	-	-	5	1.9	0.37	1.3	0.26
Corpus & uterus, NOS[1]	-	-	-	-	-	20	6.8	0.71	4.9	0.50
Ovary	-	-	-	-	-	14	4.5	0.56	3.4	0.42
Male Genital System	54	34.5	2.18	19.4	1.19	-	-	-	-	-
Prostate	53	34.0	2.17	19.1	1.18	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	7.3	0.97	4.5	0.57	10	3.4	0.51	2.3	0.33
Bladder	6	3.5	0.69	2.1	0.39	4	1.7	0.37	1.0	0.22
Kidney & renal pelvis	7	3.6	0.67	2.4	0.40	5	1.7	0.34	1.2	0.24
Brain & Other CNS[1]	8	2.9	0.49	2.4	0.39	6	2.1	0.38	1.7	0.31
Endocrine System	-	-	-	-	-	3	0.9	0.26	0.6	0.18
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	3.5	0.63	2.4	0.40	9	3.4	0.50	2.2	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	5.4	0.83	3.3	0.49	11	4.2	0.57	2.6	0.35
Leukemias	9	4.9	0.77	3.2	0.47	10	3.6	0.52	2.4	0.35
Other, Ill-defined & Unknown	31	14.9	1.29	10.3	0.84	30	10.5	0.88	7.3	0.61

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	176	117.8	4.14	76.2	2.58	151	78.2	2.93	53.6	1.97
Oral Cavity & Pharynx	7	4.2	0.75	2.9	0.50	3	1.3	0.37	0.9	0.26
Digestive System	69	44.8	2.52	29.7	1.60	46	24.4	1.65	16.3	1.08
Esophagus	6	4.0	0.76	2.6	0.48	-	-	-	-	-
Stomach	11	6.6	0.94	4.7	0.63	8	3.8	0.61	2.9	0.45
Colon & Rectum	14	9.0	1.13	5.9	0.71	12	6.3	0.86	4.0	0.53
Liver	19	12.4	1.32	8.2	0.84	5	2.7	0.55	1.8	0.36
Pancreas	10	6.9	0.99	4.5	0.62	14	7.8	0.95	5.0	0.60
Respiratory System	49	33.7	2.24	21.3	1.37	35	18.9	1.47	12.2	0.93
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	48	33.2	2.23	21.0	1.36	34	18.7	1.47	12.0	0.93
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	19	8.8	0.93	6.6	0.68
Female Genital System	-	-	-	-	-	15	7.3	0.87	5.5	0.63
Cervix uteri	-	-	-	-	-	3	1.3	0.36	1.1	0.28
Corpus & uterus, NOS[1]	-	-	-	-	-	4	2.1	0.46	1.6	0.34
Ovary	-	-	-	-	-	7	3.3	0.58	2.4	0.42
Male Genital System	9	7.2	1.10	3.7	0.56	-	-	-	-	-
Prostate	9	7.0	1.09	3.6	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	6	3.6	0.71	2.4	0.45	4	2.0	0.48	1.2	0.29
Bladder	2	1.4	0.45	0.9	0.27	2	1.1	0.36	0.7	0.22
Kidney & renal pelvis	3	2.1	0.53	1.4	0.35	-	-	-	-	-
Brain & Other CNS[1]	4	1.9	0.45	1.8	0.40	4	1.7	0.41	1.5	0.34
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	4.7	0.85	2.9	0.51	6	3.0	0.58	2.1	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	2.7	0.62	1.9	0.41	-	-	-	-	-
Leukemias	6	3.9	0.75	2.6	0.48	4	2.1	0.49	1.5	0.33
Other, Ill-defined & Unknown	14	9.6	1.19	6.1	0.73	12	6.5	0.85	4.4	0.57

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,909	196.1	0.86	130.7	0.57	9,983	144.1	0.66	99.8	0.48
Oral Cavity & Pharynx	247	4.2	0.12	3.1	0.09	103	1.5	0.07	1.0	0.05
Digestive System	3,018	52.9	0.44	36.7	0.31	2,284	32.5	0.31	22.0	0.22
Esophagus	484	8.3	0.17	5.9	0.12	115	1.6	0.07	1.1	0.05
Stomach	197	3.6	0.12	2.4	0.08	139	2.0	0.08	1.3	0.06
Colon & Rectum	884	16.1	0.25	10.8	0.17	829	11.8	0.19	7.9	0.13
Liver	409	6.6	0.15	4.9	0.11	176	2.5	0.09	1.7	0.06
Pancreas	799	14.0	0.23	9.6	0.15	752	10.6	0.18	7.1	0.12
Respiratory System	3,130	54.8	0.45	37.3	0.30	2,692	38.5	0.34	26.8	0.24
Larynx	118	2.0	0.08	1.4	0.06	38	0.5	0.04	0.4	0.03
Lung & bronchus	2,989	52.4	0.44	35.6	0.29	2,642	37.8	0.34	26.2	0.24
Skin	261	4.8	0.14	3.2	0.09	125	1.8	0.08	1.3	0.06
Melanomas of the skin	177	3.2	0.11	2.2	0.08	92	1.4	0.07	1.0	0.05
Breast	21	0.4	0.04	0.3	0.03	1,406	20.8	0.26	15.0	0.19
Female Genital System	-	-	-	-	-	1,069	15.7	0.22	11.4	0.17
Cervix uteri	-	-	-	-	-	114	2.0	0.09	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	389	5.5	0.13	4.0	0.09
Ovary	-	-	-	-	-	472	6.9	0.15	5.0	0.11
Male Genital System	988	19.1	0.28	10.8	0.16	-	-	-	-	-
Prostate	965	18.7	0.27	10.5	0.15	-	-	-	-	-
Testis	11	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	737	13.7	0.23	8.5	0.14	340	4.7	0.12	3.0	0.08
Bladder	408	7.8	0.18	4.5	0.10	171	2.3	0.08	1.4	0.05
Kidney & renal pelvis	309	5.5	0.14	3.8	0.10	156	2.2	0.08	1.5	0.06
Brain & Other CNS[1]	324	5.8	0.15	4.5	0.12	243	3.7	0.11	2.9	0.09
Endocrine System	47	0.9	0.06	0.6	0.05	46	0.7	0.05	0.5	0.04
Thyroid gland	27	0.5	0.04	0.3	0.03	30	0.4	0.03	0.3	0.03
Lymphomas	438	8.2	0.18	5.3	0.12	350	5.0	0.12	3.2	0.08
Hodgkin Lymphoma	21	0.4	0.04	0.3	0.03	14	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	418	7.8	0.18	5.0	0.11	336	4.8	0.12	3.0	0.08
Multiple Myeloma	247	4.6	0.13	2.9	0.08	207	2.9	0.09	1.8	0.06
Leukemias	484	9.2	0.19	5.9	0.12	333	4.8	0.12	3.1	0.09
Other, Ill-defined & Unknown	965	17.6	0.26	11.7	0.17	786	11.3	0.19	7.7	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9,442	194.1	0.92	128.6	0.61	8,485	142.5	0.71	98.1	0.52
Oral Cavity & Pharynx	211	4.1	0.13	3.0	0.10	89	1.5	0.07	1.0	0.05
Digestive System	2,549	51.3	0.47	35.3	0.32	1,888	31.2	0.33	20.9	0.23
Esophagus	443	8.7	0.19	6.1	0.13	98	1.6	0.07	1.1	0.05
Stomach	146	3.0	0.12	2.0	0.08	101	1.7	0.08	1.1	0.05
Colon & Rectum	737	15.4	0.26	10.3	0.18	687	11.4	0.20	7.6	0.14
Liver	318	6.0	0.15	4.4	0.11	137	2.3	0.09	1.5	0.06
Pancreas	696	13.9	0.24	9.5	0.16	633	10.4	0.19	6.9	0.13
Respiratory System	2,710	54.2	0.48	36.6	0.32	2,333	38.9	0.37	27.0	0.26
Larynx	95	1.8	0.09	1.3	0.06	29	0.5	0.04	0.4	0.03
Lung & bronchus	2,594	51.9	0.47	35.1	0.31	2,294	38.3	0.37	26.5	0.26
Skin	253	5.4	0.15	3.6	0.10	119	2.0	0.09	1.4	0.07
Melanomas of the skin	174	3.7	0.13	2.5	0.09	90	1.6	0.08	1.2	0.06
Breast	17	0.3	0.04	0.2	0.03	1,155	20.0	0.27	14.3	0.21
Female Genital System	-	-	-	-	-	900	15.6	0.24	11.3	0.18
Cervix uteri	-	-	-	-	-	93	2.0	0.10	1.6	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	302	5.0	0.13	3.6	0.10
Ovary	-	-	-	-	-	421	7.2	0.16	5.2	0.12
Male Genital System	808	17.8	0.28	9.9	0.16	-	-	-	-	-
Prostate	787	17.3	0.28	9.5	0.15	-	-	-	-	-
Testis	11	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	669	14.1	0.25	8.7	0.15	300	4.8	0.13	3.0	0.08
Bladder	378	8.2	0.19	4.7	0.11	152	2.4	0.09	1.4	0.06
Kidney & renal pelvis	272	5.5	0.15	3.8	0.11	137	2.2	0.09	1.5	0.06
Brain & Other CNS[1]	297	6.1	0.17	4.7	0.13	221	3.9	0.12	3.1	0.10
Endocrine System	40	0.9	0.06	0.7	0.05	38	0.7	0.05	0.5	0.04
Thyroid gland	23	0.5	0.05	0.3	0.03	25	0.4	0.04	0.3	0.03
Lymphomas	394	8.4	0.19	5.3	0.12	317	5.2	0.13	3.3	0.09
Hodgkin Lymphoma	18	0.4	0.04	0.3	0.03	12	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	376	8.0	0.19	5.0	0.12	305	5.0	0.13	3.1	0.09
Multiple Myeloma	201	4.2	0.14	2.6	0.09	160	2.6	0.09	1.6	0.06
Leukemias	442	9.6	0.21	6.1	0.14	294	4.9	0.13	3.2	0.10
Other, Ill-defined & Unknown	850	17.8	0.28	11.7	0.19	672	11.2	0.20	7.6	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,316	230.0	2.98	160.3	1.99	1,352	165.2	2.06	118.8	1.49
Oral Cavity & Pharynx	32	4.9	0.41	3.8	0.31	12	1.5	0.19	1.2	0.15
Digestive System	414	68.8	1.59	50.3	1.12	359	43.2	1.05	30.8	0.75
Esophagus	36	5.8	0.45	4.4	0.33	16	1.9	0.21	1.4	0.16
Stomach	42	7.5	0.54	5.3	0.37	33	4.0	0.32	2.7	0.22
Colon & Rectum	132	22.6	0.92	16.2	0.64	131	15.9	0.64	11.3	0.46
Liver	79	11.4	0.60	9.2	0.47	32	3.7	0.30	2.8	0.22
Pancreas	94	16.1	0.78	11.5	0.54	110	13.4	0.58	9.3	0.41
Respiratory System	380	65.3	1.58	46.2	1.07	316	38.6	1.00	27.1	0.70
Larynx	22	3.4	0.34	2.7	0.25	8	1.0	0.16	0.7	0.12
Lung & bronchus	356	61.5	1.53	43.2	1.03	305	37.3	0.98	26.2	0.69
Skin	6	1.0	0.19	0.8	0.14	5	0.7	0.14	0.5	0.09
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	4	0.8	0.17	0.5	0.12	235	28.9	0.87	21.5	0.65
Female Genital System	-	-	-	-	-	154	18.7	0.69	13.9	0.51
Cervix uteri	-	-	-	-	-	19	2.4	0.25	1.9	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	82	9.7	0.49	7.2	0.36
Ovary	-	-	-	-	-	44	5.6	0.38	4.0	0.28
Male Genital System	172	34.6	1.23	20.7	0.71	-	-	-	-	-
Prostate	171	34.3	1.22	20.5	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	62	11.4	0.68	7.5	0.43	37	4.6	0.35	3.1	0.24
Bladder	28	5.5	0.48	3.3	0.28	18	2.4	0.25	1.5	0.16
Kidney & renal pelvis	32	5.5	0.46	4.0	0.32	18	2.1	0.23	1.5	0.17
Brain & Other CNS[1]	22	3.6	0.35	2.9	0.27	19	2.2	0.24	1.9	0.21
Endocrine System	6	1.1	0.22	0.7	0.14	6	0.8	0.14	0.6	0.11
Thyroid gland	3	0.6	0.16	0.4	0.10	3	0.4	0.10	0.3	0.07
Lymphomas	35	6.1	0.48	4.5	0.34	28	3.5	0.30	2.6	0.22
Hodgkin Lymphoma	2	0.3	0.10	0.3	0.08	-	-	-	-	-
Non-Hodgkin Lymphoma	33	5.7	0.47	4.2	0.33	-	-	-	-	-
Multiple Myeloma	42	7.9	0.57	5.2	0.36	44	5.5	0.38	3.6	0.25
Leukemias	36	6.7	0.53	4.5	0.34	35	4.5	0.35	3.1	0.25
Other, Ill-defined & Unknown	104	17.9	0.83	12.7	0.56	102	12.5	0.57	8.9	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	91	87.5	4.40	58.0	2.73	92	72.3	3.52	49.1	2.29
Oral Cavity & Pharynx	3	2.2	0.61	1.7	0.45	-	-	-	-	-
Digestive System	35	32.1	2.62	21.7	1.66	26	21.0	1.93	13.6	1.21
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	7	7.0	1.23	4.6	0.77	5	4.6	0.93	2.8	0.54
Colon & Rectum	10	9.2	1.45	6.0	0.87	8	6.0	1.02	4.0	0.65
Liver	7	6.2	1.11	4.4	0.74	4	3.3	0.77	2.2	0.49
Pancreas	5	4.8	1.01	3.2	0.65	5	4.0	0.86	2.6	0.54
Respiratory System	17	17.8	2.04	11.3	1.22	19	15.4	1.63	10.1	1.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	17.5	2.02	11.1	1.21	18	14.7	1.60	9.6	1.01
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	12	8.5	1.12	6.6	0.84
Female Genital System	-	-	-	-	-	12	7.9	1.08	6.1	0.80
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	5	3.0	0.63	2.4	0.50
Ovary	-	-	-	-	-	5	3.5	0.73	2.7	0.53
Male Genital System	6	8.0	1.48	4.3	0.76	-	-	-	-	-
Prostate	6	7.7	1.47	4.1	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	4.2	1.02	2.5	0.58	2	2.4	0.70	1.3	0.38
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	3	2.8	0.82	1.7	0.48	-	-	-	-	-
Brain & Other CNS[1]	4	3.0	0.70	2.3	0.53	3	1.9	0.52	1.6	0.42
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	5.6	1.05	4.1	0.72	3	2.8	0.74	1.6	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	1.8	0.59	1.3	0.40	-	-	-	-	-
Leukemias	4	4.0	0.95	2.6	0.58	2	1.8	0.54	1.3	0.39
Other, Ill-defined & Unknown	7	6.8	1.21	4.6	0.76	8	6.7	1.09	4.4	0.68

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,975	195.4	1.43	130.6	0.95	3,955	147.3	1.08	102.3	0.78
Oral Cavity & Pharynx	86	4.0	0.20	2.9	0.14	37	1.4	0.10	1.0	0.08
Digestive System	1,136	54.2	0.74	37.8	0.51	933	34.1	0.51	23.2	0.36
Esophagus	165	7.7	0.28	5.5	0.19	48	1.7	0.11	1.2	0.08
Stomach	88	4.4	0.22	3.0	0.15	68	2.5	0.14	1.7	0.10
Colon & Rectum	334	16.5	0.41	11.2	0.28	341	12.4	0.31	8.5	0.23
Liver	161	7.0	0.26	5.3	0.19	73	2.6	0.14	1.8	0.10
Pancreas	294	14.0	0.38	9.7	0.26	302	11.1	0.29	7.5	0.20
Respiratory System	1,111	53.8	0.74	36.4	0.49	1,039	38.6	0.55	26.6	0.38
Larynx	46	2.1	0.14	1.5	0.10	15	0.6	0.07	0.4	0.05
Lung & bronchus	1,057	51.3	0.73	34.6	0.48	1,019	37.8	0.54	26.1	0.38
Skin	83	4.2	0.21	2.8	0.14	39	1.5	0.11	1.1	0.08
Melanomas of the skin	54	2.7	0.17	1.8	0.12	28	1.1	0.10	0.8	0.07
Breast	9	0.4	0.07	0.3	0.05	581	22.0	0.42	15.9	0.32
Female Genital System	-	-	-	-	-	435	16.6	0.37	12.1	0.28
Cervix uteri	-	-	-	-	-	48	2.1	0.14	1.7	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	163	6.0	0.22	4.3	0.16
Ovary	-	-	-	-	-	190	7.2	0.24	5.2	0.18
Male Genital System	378	19.9	0.47	11.4	0.27	-	-	-	-	-
Prostate	370	19.5	0.46	11.1	0.26	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	264	13.3	0.38	8.4	0.24	127	4.6	0.19	2.9	0.12
Bladder	145	7.5	0.28	4.4	0.17	68	2.5	0.14	1.5	0.09
Kidney & renal pelvis	111	5.4	0.24	3.7	0.16	54	1.9	0.12	1.3	0.09
Brain & Other CNS[1]	117	5.6	0.24	4.3	0.18	89	3.5	0.17	2.8	0.14
Endocrine System	20	1.0	0.11	0.7	0.07	20	0.7	0.08	0.5	0.06
Thyroid gland	11	0.6	0.08	0.4	0.05	13	0.5	0.06	0.3	0.04
Lymphomas	158	8.1	0.30	5.2	0.19	140	5.2	0.20	3.3	0.14
Hodgkin Lymphoma	7	0.4	0.06	0.3	0.05	6	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	151	7.7	0.29	5.0	0.19	134	4.9	0.20	3.1	0.13
Multiple Myeloma	99	5.0	0.23	3.2	0.15	89	3.2	0.16	2.1	0.10
Leukemias	165	8.7	0.31	5.6	0.20	129	4.8	0.19	3.1	0.14
Other, Ill-defined & Unknown	348	17.3	0.43	11.6	0.29	298	11.1	0.30	7.6	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,974	190.7	1.61	125.5	1.06	2,884	144.5	1.24	99.1	0.90
Oral Cavity & Pharynx	62	3.7	0.22	2.7	0.16	28	1.4	0.12	1.0	0.09
Digestive System	825	51.5	0.83	35.2	0.56	653	31.9	0.58	21.3	0.41
Esophagus	138	8.4	0.33	5.9	0.23	34	1.6	0.13	1.1	0.09
Stomach	54	3.5	0.22	2.3	0.14	41	2.0	0.15	1.3	0.10
Colon & Rectum	232	15.0	0.45	9.9	0.30	239	11.7	0.35	7.8	0.25
Liver	103	6.0	0.27	4.4	0.20	47	2.3	0.15	1.5	0.11
Pancreas	226	14.1	0.43	9.6	0.29	217	10.7	0.33	7.1	0.23
Respiratory System	829	52.3	0.83	35.0	0.55	786	39.3	0.64	27.0	0.45
Larynx	30	1.8	0.15	1.3	0.10	9	0.4	0.07	0.3	0.05
Lung & bronchus	793	50.2	0.82	33.4	0.54	775	38.7	0.64	26.5	0.45
Skin	78	5.1	0.27	3.4	0.18	35	1.9	0.15	1.3	0.12
Melanomas of the skin	53	3.5	0.22	2.3	0.15	26	1.5	0.13	1.1	0.11
Breast	6	0.4	0.08	0.3	0.05	397	20.3	0.48	14.4	0.36
Female Genital System	-	-	-	-	-	314	16.4	0.43	11.9	0.33
Cervix uteri	-	-	-	-	-	33	2.1	0.17	1.8	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	100	5.0	0.23	3.6	0.17
Ovary	-	-	-	-	-	152	7.8	0.29	5.6	0.22
Male Genital System	244	16.6	0.48	9.3	0.27	-	-	-	-	-
Prostate	238	16.1	0.48	8.9	0.26	-	-	-	-	-
Testis	4	0.3	0.07	0.3	0.07	-	-	-	-	-
Urinary System	217	14.1	0.44	8.8	0.27	97	4.6	0.21	2.8	0.14
Bladder	124	8.2	0.33	4.8	0.20	54	2.5	0.16	1.5	0.10
Kidney & renal pelvis	87	5.5	0.27	3.8	0.19	40	1.9	0.14	1.3	0.10
Brain & Other CNS[1]	98	6.2	0.29	4.7	0.22	73	3.9	0.21	3.0	0.18
Endocrine System	14	1.0	0.12	0.7	0.08	14	0.7	0.09	0.5	0.07
Thyroid gland	9	0.6	0.09	0.4	0.05	10	0.5	0.07	0.3	0.05
Lymphomas	129	8.6	0.35	5.4	0.22	116	5.7	0.24	3.6	0.17
Hodgkin Lymphoma	6	0.4	0.07	0.3	0.05	5	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	124	8.3	0.34	5.1	0.21	111	5.4	0.24	3.4	0.16
Multiple Myeloma	67	4.4	0.25	2.8	0.16	55	2.7	0.16	1.7	0.11
Leukemias	138	9.4	0.36	5.9	0.24	101	4.9	0.23	3.2	0.16
Other, Ill-defined & Unknown	267	17.4	0.49	11.4	0.33	216	10.8	0.34	7.4	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	931	229.5	3.52	160.9	2.39	1,004	165.4	2.40	119.2	1.74
Oral Cavity & Pharynx	22	4.9	0.48	3.8	0.36	8	1.3	0.21	1.1	0.17
Digestive System	287	67.5	1.87	49.7	1.33	263	42.5	1.20	30.5	0.87
Esophagus	25	5.7	0.54	4.3	0.39	13	2.0	0.25	1.5	0.19
Stomach	30	7.6	0.65	5.3	0.45	23	3.8	0.36	2.5	0.25
Colon & Rectum	96	23.5	1.12	16.8	0.78	96	15.6	0.73	11.2	0.54
Liver	53	10.7	0.69	8.8	0.55	24	3.7	0.35	2.8	0.26
Pancreas	64	15.0	0.88	11.0	0.62	80	13.1	0.67	9.3	0.48
Respiratory System	266	64.7	1.86	45.8	1.27	238	39.1	1.17	27.5	0.82
Larynx	16	3.6	0.42	2.7	0.31	6	1.0	0.18	0.7	0.13
Lung & bronchus	248	60.8	1.81	42.8	1.23	230	37.7	1.14	26.6	0.80
Skin	5	1.1	0.23	0.9	0.18	4	0.7	0.16	0.5	0.11
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	3	0.6	0.18	0.5	0.14	175	29.2	1.01	21.6	0.76
Female Genital System	-	-	-	-	-	113	18.6	0.80	13.9	0.60
Cervix uteri	-	-	-	-	-	14	2.5	0.30	2.0	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	60	9.7	0.57	7.2	0.42
Ovary	-	-	-	-	-	33	5.6	0.44	4.1	0.33
Male Genital System	129	35.6	1.46	21.5	0.86	-	-	-	-	-
Prostate	128	35.2	1.45	21.3	0.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	11.4	0.80	7.6	0.52	28	4.7	0.41	3.2	0.28
Bladder	20	5.3	0.55	3.3	0.34	14	2.4	0.30	1.5	0.20
Kidney & renal pelvis	22	5.6	0.55	4.0	0.38	13	2.2	0.27	1.5	0.19
Brain & Other CNS[1]	16	3.7	0.43	2.9	0.34	14	2.4	0.29	2.1	0.27
Endocrine System	4	1.1	0.26	0.7	0.16	5	0.8	0.17	0.7	0.14
Thyroid gland	2	0.6	0.20	0.4	0.12	3	0.4	0.12	0.3	0.08
Lymphomas	25	5.9	0.55	4.5	0.41	22	3.7	0.36	2.6	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	30	7.9	0.67	5.2	0.43	32	5.3	0.43	3.5	0.29
Leukemias	25	6.7	0.62	4.4	0.41	27	4.6	0.40	3.1	0.29
Other, Ill-defined & Unknown	76	18.5	0.99	13.3	0.69	77	12.6	0.66	9.0	0.48

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	60	88.3	5.47	59.7	3.47	57	72.9	4.52	49.8	2.96
Oral Cavity & Pharynx	2	3.0	0.91	2.3	0.66	-	-	-	-	-
Digestive System	21	28.9	3.00	20.2	1.99	16	20.7	2.46	13.5	1.54
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	5.6	1.30	3.9	0.87	4	5.2	1.28	3.0	0.71
Colon & Rectum	6	8.5	1.72	5.5	1.04	5	6.5	1.34	4.6	0.90
Liver	4	5.3	1.27	3.9	0.87	-	-	-	-	-
Pancreas	3	4.4	1.16	3.1	0.78	3	3.9	1.11	2.5	0.67
Respiratory System	12	19.9	2.74	12.5	1.61	12	15.6	2.09	10.2	1.32
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	19.4	2.71	12.1	1.59	12	15.2	2.07	9.8	1.30
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	8	9.2	1.50	7.2	1.12
Female Genital System	-	-	-	-	-	7	7.9	1.33	6.3	1.05
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	2.4	0.69	2.0	0.59
Ovary	-	-	-	-	-	4	4.2	0.97	3.3	0.76
Male Genital System	5	8.7	1.93	4.8	1.00	-	-	-	-	-
Prostate	4	8.5	1.92	4.6	0.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	4.0	1.28	2.4	0.71	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	3	4.2	1.06	3.2	0.79	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	4	4.6	1.11	3.7	0.86	2	3.6	1.09	2.1	0.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	3.8	1.14	2.7	0.75	-	-	-	-	-
Other, Ill-defined & Unknown	4	6.7	1.55	4.4	0.95	5	6.5	1.38	4.2	0.87

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,168	176.2	1.12	114.7	0.73	4,680	129.4	0.87	87.4	0.61
Oral Cavity & Pharynx	109	3.4	0.15	2.5	0.11	48	1.3	0.08	0.9	0.06
Digestive System	1,432	47.6	0.58	32.5	0.39	1,079	29.6	0.41	19.7	0.29
Esophagus	236	7.6	0.23	5.4	0.16	52	1.4	0.09	0.9	0.06
Stomach	87	3.0	0.15	2.0	0.10	59	1.6	0.10	1.1	0.07
Colon & Rectum	413	14.2	0.32	9.3	0.21	388	10.6	0.25	6.8	0.17
Liver	179	5.5	0.19	4.1	0.14	63	1.7	0.10	1.2	0.07
Pancreas	374	12.5	0.30	8.4	0.20	348	9.6	0.24	6.3	0.16
Respiratory System	1,259	42.0	0.54	28.0	0.36	1,144	31.8	0.43	21.5	0.30
Larynx	40	1.3	0.10	0.9	0.06	11	0.3	0.04	0.2	0.03
Lung & bronchus	1,205	40.2	0.53	26.8	0.35	1,127	31.3	0.43	21.2	0.29
Skin	123	4.2	0.17	2.7	0.11	73	2.0	0.11	1.4	0.08
Melanomas of the skin	85	2.9	0.14	1.9	0.10	56	1.6	0.10	1.1	0.07
Breast	7	0.2	0.04	0.2	0.03	631	17.7	0.33	12.5	0.24
Female Genital System	-	-	-	-	-	494	13.8	0.29	9.7	0.21
Cervix uteri	-	-	-	-	-	42	1.3	0.09	1.1	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	169	4.7	0.17	3.2	0.12
Ovary	-	-	-	-	-	221	6.2	0.19	4.3	0.14
Male Genital System	557	20.3	0.39	11.1	0.22	-	-	-	-	-
Prostate	545	19.9	0.39	10.8	0.21	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	367	12.8	0.30	7.8	0.19	163	4.3	0.15	2.7	0.10
Bladder	198	7.1	0.23	4.0	0.13	67	1.7	0.10	1.0	0.06
Kidney & renal pelvis	161	5.4	0.19	3.6	0.13	91	2.4	0.12	1.6	0.08
Brain & Other CNS[1]	180	6.0	0.20	4.7	0.16	127	3.8	0.16	3.0	0.13
Endocrine System	24	0.8	0.08	0.6	0.06	26	0.8	0.07	0.6	0.05
Thyroid gland	15	0.5	0.06	0.3	0.04	19	0.5	0.06	0.3	0.04
Lymphomas	231	8.2	0.25	5.1	0.15	164	4.4	0.16	2.7	0.10
Hodgkin Lymphoma	11	0.4	0.06	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	220	7.8	0.24	4.8	0.15	157	4.2	0.15	2.5	0.10
Multiple Myeloma	119	4.1	0.17	2.6	0.11	101	2.7	0.13	1.7	0.08
Leukemias	262	9.2	0.26	5.9	0.17	181	5.0	0.17	3.2	0.12
Other, Ill-defined & Unknown	496	17.2	0.35	11.1	0.23	449	12.1	0.26	7.9	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,861	175.4	1.15	113.9	0.75	4,408	128.9	0.90	86.9	0.64
Oral Cavity & Pharynx	99	3.3	0.15	2.4	0.11	43	1.2	0.09	0.8	0.06
Digestive System	1,319	46.6	0.59	31.6	0.40	1,002	29.0	0.42	19.1	0.29
Esophagus	228	7.8	0.24	5.5	0.17	50	1.4	0.09	1.0	0.06
Stomach	77	2.8	0.14	1.8	0.10	50	1.4	0.09	1.0	0.07
Colon & Rectum	388	14.2	0.33	9.3	0.22	366	10.5	0.26	6.8	0.18
Liver	141	4.6	0.18	3.4	0.13	51	1.5	0.09	1.0	0.07
Pancreas	355	12.5	0.30	8.4	0.20	329	9.6	0.24	6.3	0.17
Respiratory System	1,182	41.6	0.55	27.7	0.37	1,085	31.9	0.44	21.5	0.31
Larynx	38	1.3	0.10	0.9	0.07	10	0.3	0.04	0.2	0.03
Lung & bronchus	1,130	39.8	0.54	26.4	0.36	1,070	31.4	0.44	21.2	0.30
Skin	121	4.4	0.18	2.8	0.12	72	2.1	0.12	1.4	0.09
Melanomas of the skin	85	3.1	0.15	2.1	0.10	56	1.7	0.11	1.2	0.08
Breast	7	0.2	0.04	0.2	0.03	595	17.7	0.34	12.4	0.25
Female Genital System	-	-	-	-	-	462	13.7	0.29	9.6	0.22
Cervix uteri	-	-	-	-	-	34	1.1	0.09	0.9	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	157	4.6	0.17	3.2	0.12
Ovary	-	-	-	-	-	211	6.2	0.20	4.4	0.14
Male Genital System	529	20.2	0.40	11.0	0.22	-	-	-	-	-
Prostate	517	19.7	0.39	10.7	0.21	-	-	-	-	-
Testis	6	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	354	13.0	0.31	7.9	0.19	156	4.3	0.16	2.6	0.10
Bladder	192	7.2	0.24	4.1	0.13	64	1.7	0.10	1.0	0.06
Kidney & renal pelvis	154	5.5	0.20	3.7	0.14	86	2.4	0.12	1.6	0.08
Brain & Other CNS[1]	175	6.3	0.22	4.9	0.18	120	4.0	0.17	3.1	0.14
Endocrine System	23	0.8	0.08	0.6	0.06	24	0.8	0.07	0.5	0.06
Thyroid gland	14	0.5	0.06	0.3	0.04	17	0.5	0.06	0.3	0.04
Lymphomas	221	8.3	0.25	5.1	0.16	159	4.5	0.16	2.8	0.11
Hodgkin Lymphoma	11	0.4	0.06	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	209	7.8	0.25	4.8	0.15	151	4.3	0.16	2.6	0.10
Multiple Myeloma	112	4.1	0.18	2.6	0.11	94	2.7	0.13	1.7	0.08
Leukemias	251	9.3	0.27	5.9	0.17	175	5.1	0.18	3.4	0.13
Other, Ill-defined & Unknown	469	17.3	0.36	11.1	0.24	420	12.0	0.27	7.7	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	167	208.4	8.53	141.8	5.19	145	153.4	6.18	106.1	4.01
Oral Cavity & Pharynx	4	4.7	1.16	3.5	0.79	-	-	-	-	-
Digestive System	56	63.6	4.50	45.4	2.86	38	41.1	3.23	28.1	2.07
Esophagus	4	3.0	0.82	2.6	0.63	-	-	-	-	-
Stomach	4	6.1	1.49	4.0	0.90	3	2.7	0.79	2.0	0.53
Colon & Rectum	12	14.1	2.25	9.4	1.31	11	12.0	1.74	7.9	1.10
Liver	20	19.4	2.28	15.1	1.59	6	5.9	1.21	4.3	0.82
Pancreas	11	14.3	2.21	9.9	1.39	11	12.1	1.76	8.3	1.13
Respiratory System	41	51.7	4.24	35.5	2.62	27	31.3	2.89	20.7	1.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	40	50.0	4.15	34.4	2.57	26	30.2	2.83	20.1	1.78
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	24	21.7	2.14	16.5	1.53
Female Genital System	-	-	-	-	-	20	20.6	2.21	15.0	1.52
Cervix uteri	-	-	-	-	-	4	3.1	0.73	2.6	0.59
Corpus & uterus, NOS[1]	-	-	-	-	-	9	10.5	1.64	7.2	1.08
Ovary	-	-	-	-	-	6	5.5	1.14	4.1	0.78
Male Genital System	19	32.6	3.74	19.1	2.04	-	-	-	-	-
Prostate	19	32.5	3.74	19.0	2.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	8	11.4	2.07	7.4	1.20	4	4.6	1.06	3.1	0.66
Bladder	4	5.9	1.55	3.6	0.86	-	-	-	-	-
Kidney & renal pelvis	4	5.3	1.36	3.6	0.81	3	2.6	0.78	1.8	0.50
Brain & Other CNS[1]	4	2.8	0.73	2.3	0.58	3	1.9	0.56	1.6	0.44
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	5.3	1.25	3.9	0.80	3	3.7	1.00	2.3	0.59
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	4.9	1.35	3.2	0.78	4	4.4	1.07	2.9	0.67
Leukemias	6	7.9	1.67	5.5	1.05	2	3.4	1.03	2.0	0.57
Other, Ill-defined & Unknown	17	20.9	2.71	14.1	1.63	16	18.1	2.19	11.9	1.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	86	133.1	7.00	89.4	4.39	78	89.5	4.78	62.3	3.20
Oral Cavity & Pharynx	4	4.5	1.10	3.6	0.85	-	-	-	-	-
Digestive System	39	57.1	4.48	39.7	2.90	29	34.4	3.02	23.1	1.96
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	4	6.8	1.63	4.3	0.96	4	4.6	1.09	3.1	0.69
Colon & Rectum	8	12.0	2.06	8.4	1.35	9	9.9	1.58	6.6	1.02
Liver	15	18.8	2.39	14.6	1.74	4	5.6	1.25	3.7	0.79
Pancreas	6	10.8	2.10	6.6	1.20	5	6.6	1.38	4.3	0.87
Respiratory System	18	29.2	3.31	19.4	2.07	13	15.5	2.02	10.7	1.35
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	28.4	3.28	18.8	2.04	13	15.5	2.02	10.7	1.35
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	6.6	1.19	5.4	0.92
Female Genital System	-	-	-	-	-	9	9.6	1.47	7.3	1.08
Cervix uteri	-	-	-	-	-	4	3.9	0.92	3.0	0.69
Corpus & uterus, NOS[1]	-	-	-	-	-	2	2.4	0.72	1.8	0.54
Ovary	-	-	-	-	-	3	3.1	0.83	2.3	0.61
Male Genital System	5	10.8	2.21	5.9	1.16	-	-	-	-	-
Prostate	5	10.8	2.21	5.9	1.16	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	5.5	1.49	3.4	0.86	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	2	1.8	0.64	1.5	0.48
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	8.1	1.80	5.1	1.09	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	3	5.4	1.44	3.5	0.86	2	2.3	0.75	1.6	0.49
Other, Ill-defined & Unknown	5	7.9	1.71	5.2	1.03	8	8.8	1.50	5.7	0.93

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,579	235.4	1.82	161.3	1.22	2,946	151.5	1.27	107.6	0.94
Oral Cavity & Pharynx	94	5.6	0.27	4.4	0.20	27	1.4	0.12	1.0	0.09
Digestive System	986	62.7	0.92	45.1	0.65	718	36.6	0.62	25.5	0.45
Esophagus	100	6.1	0.28	4.6	0.21	27	1.4	0.12	1.0	0.09
Stomach	69	4.4	0.25	3.2	0.18	50	2.6	0.17	1.8	0.12
Colon & Rectum	344	22.3	0.56	15.8	0.39	285	14.6	0.39	10.2	0.29
Liver	178	10.8	0.37	8.1	0.28	81	4.1	0.21	2.8	0.15
Pancreas	238	15.5	0.46	10.8	0.32	215	10.8	0.34	7.4	0.23
Respiratory System	1,162	74.8	1.01	51.6	0.68	769	38.7	0.63	27.4	0.46
Larynx	33	2.1	0.17	1.5	0.12	8	0.4	0.06	0.3	0.05
Lung & bronchus	1,122	72.3	1.00	49.8	0.67	758	38.1	0.63	27.0	0.46
Skin	77	5.4	0.28	3.5	0.18	31	1.6	0.14	1.1	0.10
Melanomas of the skin	49	3.4	0.23	2.3	0.15	24	1.3	0.12	0.9	0.09
Breast	7	0.4	0.08	0.3	0.05	441	23.2	0.51	17.1	0.39
Female Genital System	-	-	-	-	-	287	15.0	0.41	11.1	0.31
Cervix uteri	-	-	-	-	-	58	3.3	0.20	2.6	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	86	4.3	0.21	3.2	0.16
Ovary	-	-	-	-	-	120	6.2	0.26	4.5	0.19
Male Genital System	340	24.9	0.62	14.5	0.35	-	-	-	-	-
Prostate	334	24.4	0.62	14.2	0.35	-	-	-	-	-
Testis	2	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	190	13.1	0.44	8.4	0.28	100	5.1	0.23	3.3	0.16
Bladder	85	6.3	0.31	3.7	0.18	39	2.0	0.15	1.2	0.09
Kidney & renal pelvis	99	6.4	0.30	4.5	0.21	56	2.9	0.18	1.9	0.12
Brain & Other CNS[1]	94	6.1	0.29	4.6	0.22	81	4.3	0.22	3.3	0.18
Endocrine System	9	0.6	0.09	0.4	0.07	15	0.8	0.09	0.6	0.07
Thyroid gland	5	0.4	0.07	0.3	0.05	10	0.5	0.07	0.3	0.05
Lymphomas	104	7.2	0.33	4.7	0.21	76	3.9	0.20	2.6	0.14
Hodgkin Lymphoma	7	0.5	0.08	0.3	0.06	3	0.2	0.04	0.1	0.04
Non-Hodgkin Lymphoma	97	6.8	0.32	4.4	0.20	73	3.8	0.20	2.5	0.14
Multiple Myeloma	72	4.9	0.26	3.2	0.17	61	3.1	0.18	2.0	0.12
Leukemias	127	8.8	0.36	5.9	0.24	96	5.1	0.24	3.5	0.17
Other, Ill-defined & Unknown	319	20.9	0.54	14.6	0.37	244	12.7	0.37	9.0	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,417	222.3	2.07	151.0	1.41	1,952	146.0	1.52	103.3	1.14
Oral Cavity & Pharynx	57	5.0	0.30	3.8	0.23	19	1.4	0.15	1.0	0.11
Digestive System	638	57.6	1.05	41.0	0.74	447	33.0	0.72	22.9	0.53
Esophagus	69	6.0	0.33	4.5	0.25	16	1.2	0.14	0.9	0.10
Stomach	32	2.9	0.24	2.0	0.17	24	1.8	0.17	1.2	0.13
Colon & Rectum	215	20.0	0.62	14.0	0.44	179	13.4	0.46	9.4	0.35
Liver	123	10.6	0.44	8.0	0.33	54	4.0	0.25	2.8	0.18
Pancreas	161	14.7	0.53	10.1	0.36	135	9.8	0.38	6.6	0.27
Respiratory System	793	71.2	1.15	48.6	0.78	575	42.1	0.80	30.0	0.59
Larynx	20	1.8	0.18	1.3	0.13	5	0.4	0.08	0.3	0.07
Lung & bronchus	768	68.9	1.14	47.0	0.77	567	41.4	0.79	29.5	0.59
Skin	70	6.8	0.37	4.5	0.25	28	2.2	0.19	1.5	0.15
Melanomas of the skin	46	4.5	0.30	3.1	0.21	21	1.8	0.18	1.3	0.14
Breast	5	0.4	0.09	0.3	0.06	255	19.6	0.57	14.1	0.44
Female Genital System	-	-	-	-	-	175	13.7	0.48	10.2	0.38
Cervix uteri	-	-	-	-	-	30	2.7	0.24	2.2	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	44	3.2	0.22	2.3	0.17
Ovary	-	-	-	-	-	84	6.5	0.33	4.8	0.25
Male Genital System	181	18.1	0.61	10.3	0.35	-	-	-	-	-
Prostate	176	17.7	0.61	9.9	0.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	144	13.6	0.52	8.7	0.33	67	4.9	0.28	3.1	0.19
Bladder	70	6.9	0.38	4.0	0.22	27	1.9	0.17	1.2	0.11
Kidney & renal pelvis	69	6.3	0.34	4.5	0.25	36	2.7	0.21	1.8	0.15
Brain & Other CNS[1]	75	7.0	0.37	5.2	0.28	62	4.9	0.29	3.9	0.24
Endocrine System	7	0.7	0.12	0.5	0.08	9	0.7	0.11	0.5	0.09
Thyroid gland	4	0.4	0.09	0.3	0.06	7	0.5	0.09	0.3	0.06
Lymphomas	80	7.7	0.39	5.0	0.26	57	4.2	0.25	2.8	0.18
Hodgkin Lymphoma	5	0.5	0.10	0.3	0.07	3	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	76	7.2	0.38	4.7	0.25	54	4.0	0.25	2.6	0.18
Multiple Myeloma	41	3.9	0.28	2.4	0.17	29	2.1	0.18	1.4	0.12
Leukemias	98	9.4	0.43	6.2	0.30	68	5.1	0.29	3.4	0.22
Other, Ill-defined & Unknown	227	21.0	0.64	14.5	0.45	160	12.0	0.44	8.4	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,139	273.2	3.95	189.3	2.54	972	164.8	2.43	117.5	1.72
Oral Cavity & Pharynx	35	6.8	0.55	5.5	0.42	8	1.2	0.19	0.9	0.15
Digestive System	337	75.4	2.00	54.9	1.36	262	44.6	1.27	31.0	0.87
Esophagus	30	6.2	0.54	4.8	0.40	11	1.7	0.24	1.3	0.18
Stomach	35	8.2	0.67	5.9	0.45	25	4.3	0.40	2.9	0.27
Colon & Rectum	127	29.0	1.26	20.8	0.84	103	17.4	0.79	12.1	0.55
Liver	52	10.9	0.74	8.3	0.52	25	4.3	0.40	3.0	0.27
Pancreas	75	17.3	0.97	12.4	0.65	78	13.5	0.70	9.1	0.47
Respiratory System	364	85.5	2.18	60.0	1.42	190	32.2	1.08	22.6	0.74
Larynx	13	3.0	0.41	2.1	0.27	2	0.4	0.12	0.3	0.08
Lung & bronchus	350	82.1	2.14	57.6	1.40	187	31.7	1.07	22.2	0.74
Skin	7	1.4	0.27	1.1	0.19	-	-	-	-	-
Melanomas of the skin	3	0.7	0.21	0.5	0.13	2	0.4	0.11	0.3	0.09
Breast	-	-	-	-	-	185	30.5	1.03	22.9	0.77
Female Genital System	-	-	-	-	-	109	18.4	0.81	13.5	0.59
Cervix uteri	-	-	-	-	-	27	4.5	0.40	3.5	0.31
Corpus & uterus, NOS[1]	-	-	-	-	-	42	7.0	0.50	5.0	0.35
Ovary	-	-	-	-	-	35	5.9	0.46	4.2	0.32
Male Genital System	158	47.1	1.81	27.5	0.99	-	-	-	-	-
Prostate	156	46.7	1.80	27.3	0.99	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	11.4	0.83	7.6	0.52	32	5.7	0.46	3.7	0.30
Bladder	15	4.1	0.51	2.5	0.30	12	2.1	0.28	1.3	0.18
Kidney & renal pelvis	29	6.9	0.62	4.8	0.41	19	3.4	0.36	2.2	0.23
Brain & Other CNS[1]	17	3.5	0.41	2.9	0.31	18	3.0	0.33	2.3	0.25
Endocrine System	2	0.5	0.16	0.4	0.12	5	0.9	0.18	0.7	0.13
Thyroid gland	-	-	-	-	-	3	0.6	0.15	0.4	0.10
Lymphomas	23	5.6	0.57	3.9	0.37	18	3.3	0.35	2.2	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	31	7.8	0.67	5.3	0.43	32	5.8	0.47	3.7	0.30
Leukemias	28	7.0	0.63	4.9	0.42	28	5.1	0.44	3.5	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	15	126.9	15.90	91.9	10.82	15	97.4	12.18	64.2	7.56
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	51.6	10.50	35.7	6.83	5	29.6	6.39	21.2	4.26
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	2	11.3	3.76	8.5	2.71
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	28.6	7.52	21.0	5.16	3	24.0	6.24	14.6	3.67
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	28.6	7.52	21.0	5.16	3	24.0	6.24	14.6	3.67
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,874	204.6	1.13	137.7	0.76	6,074	144.4	0.85	100.6	0.62
Oral Cavity & Pharynx	153	4.3	0.16	3.2	0.12	66	1.5	0.09	1.1	0.06
Digestive System	1,864	54.5	0.58	38.1	0.40	1,317	30.9	0.39	21.0	0.28
Esophagus	287	8.2	0.22	5.9	0.16	70	1.6	0.09	1.1	0.06
Stomach	113	3.4	0.15	2.3	0.10	63	1.5	0.09	1.1	0.07
Colon & Rectum	588	17.7	0.33	12.0	0.23	506	11.9	0.24	7.9	0.17
Liver	276	7.5	0.21	5.7	0.16	103	2.4	0.11	1.6	0.08
Pancreas	466	13.6	0.29	9.4	0.20	408	9.6	0.22	6.4	0.15
Respiratory System	2,130	61.8	0.61	42.3	0.42	1,742	41.0	0.45	28.7	0.32
Larynx	73	2.0	0.11	1.5	0.08	17	0.4	0.04	0.3	0.03
Lung & bronchus	2,045	59.4	0.60	40.6	0.41	1,717	40.4	0.44	28.3	0.32
Skin	184	5.6	0.19	3.8	0.13	85	2.1	0.10	1.4	0.08
Melanomas of the skin	131	3.9	0.16	2.7	0.11	61	1.5	0.09	1.1	0.07
Breast	9	0.3	0.04	0.2	0.03	860	20.9	0.33	15.1	0.25
Female Genital System	-	-	-	-	-	600	14.6	0.27	10.7	0.21
Cervix uteri	-	-	-	-	-	85	2.4	0.12	2.0	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	206	4.8	0.15	3.5	0.12
Ovary	-	-	-	-	-	257	6.2	0.18	4.4	0.13
Male Genital System	570	18.2	0.35	10.4	0.20	-	-	-	-	-
Prostate	554	17.6	0.34	10.0	0.19	-	-	-	-	-
Testis	8	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	465	14.3	0.30	9.0	0.19	218	5.0	0.16	3.2	0.10
Bladder	238	7.6	0.22	4.4	0.13	90	2.0	0.10	1.2	0.06
Kidney & renal pelvis	215	6.3	0.20	4.3	0.14	118	2.8	0.12	1.9	0.08
Brain & Other CNS[1]	183	5.4	0.18	4.2	0.15	140	3.5	0.14	2.8	0.11
Endocrine System	30	0.9	0.08	0.7	0.06	29	0.7	0.06	0.5	0.05
Thyroid gland	18	0.6	0.06	0.4	0.04	20	0.5	0.05	0.3	0.03
Lymphomas	247	7.6	0.22	4.9	0.14	186	4.3	0.14	2.7	0.10
Hodgkin Lymphoma	12	0.4	0.05	0.3	0.04	9	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	235	7.2	0.21	4.6	0.14	177	4.1	0.14	2.6	0.09
Multiple Myeloma	140	4.3	0.17	2.7	0.10	108	2.5	0.11	1.6	0.07
Leukemias	293	9.3	0.25	5.9	0.16	214	5.2	0.16	3.5	0.12
Other, Ill-defined & Unknown	603	18.2	0.34	12.2	0.23	509	12.1	0.25	8.3	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,144	202.1	1.18	135.8	0.80	5,354	142.8	0.90	99.2	0.66
Oral Cavity & Pharynx	136	4.2	0.17	3.2	0.13	60	1.6	0.09	1.1	0.07
Digestive System	1,629	52.9	0.60	36.9	0.42	1,139	30.0	0.41	20.2	0.29
Esophagus	270	8.6	0.24	6.1	0.17	61	1.6	0.09	1.1	0.07
Stomach	93	3.1	0.15	2.2	0.10	52	1.4	0.09	1.0	0.07
Colon & Rectum	518	17.3	0.35	11.7	0.24	442	11.6	0.26	7.7	0.18
Liver	222	6.8	0.21	5.1	0.16	85	2.2	0.11	1.5	0.08
Pancreas	407	13.2	0.30	9.1	0.21	354	9.3	0.23	6.2	0.16
Respiratory System	1,909	61.2	0.64	41.8	0.43	1,561	41.3	0.48	28.9	0.34
Larynx	61	1.9	0.11	1.4	0.08	15	0.4	0.04	0.3	0.03
Lung & bronchus	1,836	58.9	0.63	40.2	0.43	1,538	40.7	0.47	28.5	0.34
Skin	182	6.1	0.21	4.1	0.14	83	2.3	0.12	1.6	0.09
Melanomas of the skin	129	4.3	0.17	3.0	0.12	60	1.7	0.11	1.3	0.08
Breast	7	0.2	0.04	0.2	0.03	733	19.9	0.34	14.3	0.26
Female Genital System	-	-	-	-	-	521	14.3	0.29	10.5	0.22
Cervix uteri	-	-	-	-	-	68	2.2	0.13	1.9	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	171	4.5	0.16	3.3	0.12
Ovary	-	-	-	-	-	234	6.3	0.19	4.5	0.14
Male Genital System	481	16.8	0.35	9.6	0.20	-	-	-	-	-
Prostate	466	16.3	0.34	9.1	0.19	-	-	-	-	-
Testis	8	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	435	14.6	0.32	9.2	0.20	194	5.0	0.16	3.1	0.11
Bladder	228	7.9	0.24	4.6	0.14	80	2.0	0.10	1.2	0.06
Kidney & renal pelvis	195	6.3	0.21	4.3	0.14	105	2.8	0.12	1.8	0.09
Brain & Other CNS[1]	169	5.6	0.20	4.3	0.16	131	3.7	0.15	2.9	0.13
Endocrine System	26	0.9	0.08	0.6	0.06	25	0.7	0.07	0.5	0.05
Thyroid gland	16	0.6	0.06	0.4	0.04	17	0.4	0.05	0.3	0.03
Lymphomas	228	7.7	0.23	5.0	0.15	171	4.4	0.15	2.8	0.10
Hodgkin Lymphoma	12	0.4	0.06	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	216	7.3	0.22	4.7	0.15	163	4.2	0.15	2.6	0.10
Multiple Myeloma	120	4.1	0.17	2.5	0.11	88	2.3	0.11	1.5	0.07
Leukemias	274	9.5	0.26	6.1	0.17	194	5.3	0.18	3.6	0.13
Other, Ill-defined & Unknown	547	18.2	0.36	12.2	0.24	453	12.1	0.26	8.2	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	678	258.8	4.74	176.7	3.06	665	170.1	3.01	121.7	2.16
Oral Cavity & Pharynx	16	5.6	0.66	4.2	0.47	5	1.2	0.25	0.9	0.18
Digestive System	215	78.3	2.55	55.3	1.70	165	42.1	1.50	29.4	1.05
Esophagus	16	5.6	0.67	4.0	0.46	9	2.2	0.34	1.6	0.25
Stomach	18	7.0	0.80	4.6	0.50	8	2.1	0.33	1.4	0.22
Colon & Rectum	65	25.1	1.49	16.9	0.95	61	15.7	0.91	10.9	0.64
Liver	48	15.2	1.05	11.9	0.78	16	4.0	0.46	3.0	0.34
Pancreas	55	19.8	1.28	14.1	0.86	51	13.3	0.85	9.2	0.59
Respiratory System	208	77.2	2.55	54.0	1.69	168	42.9	1.51	30.3	1.06
Larynx	11	4.1	0.58	2.8	0.38	3	0.6	0.17	0.5	0.14
Lung & bronchus	196	72.7	2.47	50.8	1.64	166	42.3	1.50	29.8	1.05
Skin	2	0.8	0.26	0.6	0.18	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	117	30.2	1.27	22.5	0.96
Female Genital System	-	-	-	-	-	72	18.2	0.98	13.6	0.73
Cervix uteri	-	-	-	-	-	15	4.0	0.46	3.2	0.38
Corpus & uterus, NOS[1]	-	-	-	-	-	33	8.2	0.66	6.0	0.47
Ovary	-	-	-	-	-	21	5.2	0.52	3.9	0.39
Male Genital System	86	38.6	1.95	23.0	1.11	-	-	-	-	-
Prostate	85	38.1	1.94	22.6	1.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	11.2	1.01	7.4	0.63	22	5.9	0.56	3.8	0.37
Bladder	9	4.2	0.65	2.4	0.36	9	2.3	0.35	1.4	0.22
Kidney & renal pelvis	18	6.8	0.76	4.8	0.51	12	3.2	0.42	2.1	0.28
Brain & Other CNS[1]	12	4.0	0.55	3.2	0.42	8	2.0	0.33	1.6	0.26
Endocrine System	3	1.2	0.31	0.9	0.22	4	0.9	0.20	0.7	0.17
Thyroid gland	-	-	-	-	-	2	0.6	0.16	0.5	0.14
Lymphomas	17	6.5	0.74	4.6	0.49	13	3.4	0.43	2.4	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	20	8.2	0.87	5.1	0.52	20	5.2	0.53	3.4	0.34
Leukemias	17	6.9	0.78	4.7	0.50	19	4.9	0.51	3.5	0.37
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	38	97.2	7.51	64.3	4.69	44	82.8	5.85	55.9	3.78
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	37.3	4.43	26.7	3.01	11	22.2	3.09	14.3	1.90
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	3	4.3	1.23	3.2	0.90
Colon & Rectum	3	8.1	2.06	5.8	1.42	3	5.3	1.53	3.3	0.92
Liver	5	11.5	2.47	8.3	1.66	2	3.9	1.30	2.5	0.78
Pancreas	4	8.9	2.12	6.5	1.49	3	5.7	1.64	3.2	0.91
Respiratory System	10	27.7	4.21	16.8	2.43	9	18.9	2.87	12.1	1.77
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	27.0	4.15	16.4	2.40	9	18.9	2.87	12.1	1.77
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	12.3	2.11	9.3	1.53
Female Genital System	-	-	-	-	-	5	9.6	1.92	6.9	1.34
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	3.5	1.16	2.5	0.80
Ovary	-	-	-	-	-	2	3.6	1.12	2.8	0.86
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	4.7	1.57	3.3	1.04	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	8.0	2.17	5.1	1.29	5	8.3	1.84	5.7	1.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,123	174.7	2.40	114.7	1.59	959	132.2	1.97	89.8	1.40
Oral Cavity & Pharynx	24	3.6	0.34	2.6	0.25	11	1.5	0.21	1.0	0.15
Digestive System	311	46.9	1.23	32.8	0.86	212	28.8	0.91	19.1	0.63
Esophagus	53	7.8	0.49	5.7	0.36	12	1.6	0.22	1.1	0.15
Stomach	17	2.7	0.30	1.8	0.21	10	1.4	0.21	1.0	0.16
Colon & Rectum	101	15.9	0.73	10.8	0.50	78	10.6	0.56	7.0	0.39
Liver	42	5.7	0.41	4.4	0.31	13	1.8	0.23	1.2	0.16
Pancreas	74	11.2	0.60	7.6	0.40	70	9.4	0.52	6.2	0.35
Respiratory System	258	39.5	1.13	25.7	0.73	257	34.9	1.00	23.4	0.68
Larynx	7	1.1	0.18	0.7	0.12	-	-	-	-	-
Lung & bronchus	247	37.9	1.11	24.6	0.72	255	34.6	0.99	23.1	0.68
Skin	35	5.4	0.42	3.7	0.30	14	2.0	0.25	1.5	0.19
Melanomas of the skin	24	3.8	0.36	2.7	0.26	11	1.6	0.22	1.2	0.17
Breast	-	-	-	-	-	135	18.9	0.76	13.2	0.55
Female Genital System	-	-	-	-	-	91	12.7	0.62	9.1	0.46
Cervix uteri	-	-	-	-	-	9	1.6	0.25	1.3	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	29	3.9	0.33	2.7	0.24
Ovary	-	-	-	-	-	47	6.5	0.44	4.6	0.32
Male Genital System	137	22.9	0.89	12.7	0.49	-	-	-	-	-
Prostate	134	22.3	0.88	12.2	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	82	12.8	0.65	7.9	0.40	33	4.4	0.35	2.9	0.24
Bladder	46	7.4	0.50	4.3	0.29	14	1.9	0.23	1.2	0.15
Kidney & renal pelvis	34	5.0	0.40	3.4	0.27	17	2.3	0.26	1.6	0.19
Brain & Other CNS[1]	38	5.9	0.45	4.6	0.36	27	4.0	0.36	3.2	0.31
Endocrine System	5	0.8	0.16	0.6	0.12	4	0.6	0.14	0.4	0.12
Thyroid gland	4	0.6	0.14	0.4	0.10	2	0.3	0.10	0.2	0.07
Lymphomas	46	7.3	0.50	4.6	0.32	31	4.3	0.35	2.6	0.22
Hodgkin Lymphoma	2	0.4	0.12	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	44	7.0	0.48	4.4	0.30	-	-	-	-	-
Multiple Myeloma	25	4.0	0.36	2.5	0.23	17	2.3	0.25	1.4	0.16
Leukemias	46	7.3	0.49	4.7	0.32	33	4.6	0.37	2.9	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	93	13.1	0.63	9.0	0.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,068	173.0	2.43	113.4	1.62	907	130.5	2.01	88.7	1.43
Oral Cavity & Pharynx	23	3.5	0.34	2.6	0.25	10	1.4	0.20	0.9	0.14
Digestive System	288	45.4	1.23	31.5	0.86	200	28.3	0.92	18.8	0.64
Esophagus	52	7.9	0.51	5.8	0.37	11	1.6	0.22	1.0	0.14
Stomach	15	2.5	0.29	1.7	0.20	9	1.3	0.20	0.9	0.15
Colon & Rectum	92	15.2	0.73	10.2	0.50	73	10.3	0.56	6.8	0.39
Liver	37	5.3	0.40	4.0	0.31	12	1.7	0.22	1.1	0.16
Pancreas	70	11.0	0.60	7.5	0.41	68	9.6	0.53	6.3	0.36
Respiratory System	244	38.8	1.14	25.2	0.74	242	34.3	1.01	23.1	0.70
Larynx	6	1.0	0.18	0.6	0.11	-	-	-	-	-
Lung & bronchus	234	37.4	1.12	24.2	0.73	240	34.0	1.00	22.8	0.69
Skin	34	5.5	0.44	3.8	0.31	14	2.1	0.27	1.5	0.20
Melanomas of the skin	24	4.0	0.38	2.8	0.28	11	1.6	0.24	1.2	0.19
Breast	-	-	-	-	-	128	18.8	0.78	13.1	0.57
Female Genital System	-	-	-	-	-	87	12.8	0.64	9.2	0.48
Cervix uteri	-	-	-	-	-	8	1.5	0.25	1.2	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	28	4.0	0.34	2.8	0.24
Ovary	-	-	-	-	-	45	6.6	0.45	4.6	0.33
Male Genital System	132	22.9	0.90	12.6	0.50	-	-	-	-	-
Prostate	130	22.3	0.89	12.2	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	78	12.6	0.65	7.8	0.41	31	4.3	0.35	2.8	0.24
Bladder	46	7.5	0.51	4.5	0.30	14	1.9	0.23	1.1	0.15
Kidney & renal pelvis	30	4.7	0.39	3.1	0.26	16	2.3	0.26	1.6	0.19
Brain & Other CNS[1]	38	6.1	0.47	4.8	0.38	25	3.9	0.36	3.1	0.31
Endocrine System	5	0.8	0.17	0.6	0.13	4	0.6	0.15	0.5	0.14
Thyroid gland	4	0.6	0.14	0.4	0.10	2	0.3	0.11	0.2	0.07
Lymphomas	45	7.4	0.51	4.7	0.32	30	4.3	0.36	2.5	0.22
Hodgkin Lymphoma	2	0.4	0.12	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	43	7.1	0.49	4.4	0.31	-	-	-	-	-
Multiple Myeloma	24	4.0	0.37	2.5	0.24	16	2.2	0.26	1.4	0.16
Leukemias	44	7.3	0.51	4.8	0.34	32	4.6	0.38	2.9	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	88	12.9	0.64	8.8	0.47

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	176.6	50.19	121.2	32.56	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	142.5	33.24	97.0	21.50	5	100.6	21.76	62.6	13.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,840	183.9	1.96	121.5	1.30	1,653	133.6	1.52	91.6	1.10
Oral Cavity & Pharynx	37	3.5	0.27	2.6	0.20	20	1.6	0.16	1.1	0.11
Digestive System	511	50.4	1.02	34.6	0.70	381	30.4	0.72	20.1	0.50
Esophagus	84	8.2	0.41	5.7	0.28	18	1.4	0.16	1.0	0.11
Stomach	32	3.3	0.26	2.3	0.18	16	1.4	0.16	1.0	0.12
Colon & Rectum	173	17.3	0.60	11.6	0.41	159	12.5	0.46	8.0	0.31
Liver	51	4.7	0.30	3.5	0.22	19	1.5	0.16	1.1	0.12
Pancreas	132	13.2	0.52	8.9	0.36	118	9.4	0.40	6.3	0.28
Respiratory System	477	47.2	0.99	31.5	0.66	403	33.0	0.75	22.9	0.54
Larynx	17	1.6	0.18	1.1	0.12	5	0.5	0.09	0.3	0.07
Lung & bronchus	457	45.3	0.97	30.2	0.64	395	32.3	0.74	22.3	0.53
Skin	58	5.8	0.35	3.8	0.23	25	2.0	0.18	1.4	0.14
Melanomas of the skin	38	3.8	0.28	2.6	0.19	18	1.4	0.16	1.0	0.12
Breast	2	0.2	0.07	0.1	0.05	239	19.6	0.59	13.7	0.44
Female Genital System	-	-	-	-	-	182	15.0	0.51	10.9	0.39
Cervix uteri	-	-	-	-	-	25	2.2	0.21	1.9	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	59	4.8	0.28	3.4	0.21
Ovary	-	-	-	-	-	81	6.7	0.34	4.7	0.25
Male Genital System	178	18.7	0.63	10.4	0.36	-	-	-	-	-
Prostate	173	18.1	0.62	10.0	0.35	-	-	-	-	-
Testis	2	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	136	13.7	0.54	8.5	0.34	62	4.7	0.27	3.0	0.18
Bladder	65	6.8	0.38	3.8	0.22	28	2.0	0.17	1.2	0.11
Kidney & renal pelvis	68	6.6	0.36	4.5	0.25	32	2.5	0.20	1.6	0.14
Brain & Other CNS[1]	64	6.2	0.35	4.8	0.28	44	3.9	0.27	3.1	0.23
Endocrine System	9	0.9	0.13	0.7	0.11	8	0.6	0.11	0.5	0.08
Thyroid gland	5	0.5	0.10	0.3	0.07	4	0.3	0.07	0.2	0.05
Lymphomas	75	7.7	0.40	4.9	0.26	55	4.2	0.26	2.7	0.18
Hodgkin Lymphoma	4	0.4	0.09	0.3	0.07	2	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	71	7.3	0.39	4.6	0.25	53	4.1	0.26	2.5	0.17
Multiple Myeloma	42	4.2	0.30	2.6	0.19	28	2.2	0.19	1.4	0.13
Leukemias	92	9.3	0.44	6.1	0.29	65	5.1	0.29	3.3	0.21
Other, Ill-defined & Unknown	160	16.0	0.58	10.7	0.39	141	11.2	0.44	7.6	0.32

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,752	183.4	2.00	121.1	1.34	1,576	133.8	1.56	91.7	1.14
Oral Cavity & Pharynx	34	3.4	0.27	2.5	0.20	20	1.6	0.17	1.1	0.12
Digestive System	482	49.9	1.04	34.2	0.72	360	30.1	0.74	19.9	0.52
Esophagus	82	8.4	0.42	5.8	0.29	16	1.4	0.16	0.9	0.11
Stomach	29	3.0	0.26	2.1	0.18	15	1.4	0.16	1.0	0.12
Colon & Rectum	164	17.3	0.62	11.6	0.42	151	12.4	0.47	7.9	0.32
Liver	43	4.2	0.29	3.1	0.22	16	1.4	0.16	1.0	0.12
Pancreas	126	13.2	0.54	9.0	0.37	113	9.5	0.41	6.3	0.29
Respiratory System	455	47.1	1.01	31.4	0.67	384	33.0	0.77	22.8	0.55
Larynx	15	1.5	0.17	1.0	0.12	5	0.5	0.10	0.3	0.07
Lung & bronchus	438	45.3	0.99	30.2	0.66	377	32.3	0.76	22.3	0.55
Skin	57	6.1	0.36	4.0	0.24	25	2.1	0.19	1.5	0.15
Melanomas of the skin	38	4.0	0.30	2.7	0.21	18	1.5	0.17	1.1	0.13
Breast	2	0.2	0.07	0.1	0.05	227	19.6	0.61	13.7	0.45
Female Genital System	-	-	-	-	-	172	15.0	0.53	10.9	0.40
Cervix uteri	-	-	-	-	-	23	2.2	0.22	1.9	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	54	4.6	0.29	3.3	0.21
Ovary	-	-	-	-	-	78	6.7	0.35	4.8	0.26
Male Genital System	165	18.1	0.63	10.0	0.36	-	-	-	-	-
Prostate	160	17.4	0.62	9.6	0.35	-	-	-	-	-
Testis	2	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	132	13.9	0.55	8.7	0.35	60	4.8	0.28	3.0	0.19
Bladder	63	6.8	0.39	3.9	0.23	27	2.0	0.18	1.2	0.11
Kidney & renal pelvis	66	6.7	0.38	4.6	0.26	31	2.5	0.21	1.7	0.15
Brain & Other CNS[1]	62	6.3	0.37	5.0	0.29	43	4.1	0.29	3.3	0.25
Endocrine System	8	0.9	0.14	0.7	0.11	7	0.6	0.11	0.4	0.08
Thyroid gland	5	0.5	0.10	0.4	0.07	4	0.3	0.08	0.2	0.05
Lymphomas	73	7.9	0.42	5.0	0.27	53	4.3	0.27	2.7	0.18
Hodgkin Lymphoma	4	0.5	0.10	0.3	0.08	2	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	69	7.4	0.41	4.7	0.26	51	4.1	0.27	2.6	0.18
Multiple Myeloma	39	4.2	0.30	2.6	0.19	26	2.1	0.19	1.3	0.13
Leukemias	89	9.4	0.46	6.2	0.31	63	5.2	0.30	3.4	0.22
Other, Ill-defined & Unknown	153	16.1	0.59	10.7	0.41	135	11.3	0.45	7.6	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	63	233.5	14.40	153.1	8.76	58	159.5	9.68	113.0	6.70
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	19	68.6	7.64	46.1	4.77	16	44.8	5.14	31.2	3.52
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	10.2	3.18	6.2	1.83	-	-	-	-	-
Colon & Rectum	6	23.8	4.66	15.0	2.74	7	20.3	3.52	13.8	2.35
Liver	5	12.2	2.74	9.8	2.08	-	-	-	-	-
Pancreas	5	18.8	4.09	12.3	2.50	4	11.3	2.57	7.8	1.77
Respiratory System	16	57.0	6.83	39.5	4.46	16	42.0	4.91	30.9	3.51
Larynx	2	7.0	2.48	4.6	1.49	-	-	-	-	-
Lung & bronchus	14	49.1	6.31	34.3	4.16	15	41.2	4.88	30.1	3.47
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	9	25.6	3.86	17.8	2.65
Female Genital System	-	-	-	-	-	6	16.8	3.06	12.8	2.28
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	3	8.5	2.12	6.9	1.66
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	11	49.8	7.15	28.6	3.87	-	-	-	-	-
Prostate	11	49.3	7.14	28.2	3.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	11.5	3.34	7.1	1.94	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	3	8.1	2.29	5.2	1.45
Leukemias	2	8.3	2.72	5.5	1.69	-	-	-	-	-
Other, Ill-defined & Unknown	5	16.2	3.65	11.4	2.33	3	7.1	2.03	4.9	1.36

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	16	134.9	16.49	91.7	10.43	11	68.4	9.91	46.8	6.41
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	55.6	10.54	37.9	6.67	3	21.7	5.76	13.7	3.44
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	2	17.3	5.77	12.1	3.79	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	31.1	8.42	19.6	5.12	2	10.9	3.61	8.7	2.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	28.4	7.95	18.2	4.92	2	10.9	3.61	8.7	2.76
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,756	178.6	1.57	118.2	1.02	2,388	139.0	1.30	94.4	0.89
Oral Cavity & Pharynx	68	4.2	0.23	3.0	0.16	22	1.2	0.12	0.9	0.08
Digestive System	818	51.0	0.82	35.5	0.56	557	32.3	0.62	21.6	0.42
Esophagus	114	6.8	0.29	4.9	0.21	25	1.4	0.13	1.0	0.09
Stomach	51	3.3	0.21	2.2	0.14	34	2.0	0.16	1.4	0.11
Colon & Rectum	288	18.7	0.51	12.6	0.34	226	13.3	0.40	8.8	0.27
Liver	129	7.6	0.31	5.7	0.23	56	3.2	0.19	2.2	0.13
Pancreas	191	11.8	0.40	8.2	0.27	162	9.2	0.33	6.1	0.22
Respiratory System	695	44.2	0.77	29.0	0.49	641	36.8	0.66	24.2	0.44
Larynx	21	1.3	0.13	0.9	0.09	6	0.3	0.06	0.2	0.04
Lung & bronchus	669	42.6	0.76	27.8	0.48	634	36.4	0.66	23.9	0.43
Skin	88	5.8	0.29	3.9	0.19	32	1.9	0.15	1.3	0.10
Melanomas of the skin	61	4.0	0.24	2.7	0.16	22	1.3	0.13	0.9	0.09
Breast	6	0.4	0.08	0.3	0.05	365	21.6	0.52	15.4	0.37
Female Genital System	-	-	-	-	-	257	14.9	0.43	11.0	0.32
Cervix uteri	-	-	-	-	-	42	2.6	0.19	2.1	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	72	4.1	0.22	3.0	0.16
Ovary	-	-	-	-	-	126	7.3	0.30	5.2	0.21
Male Genital System	273	19.7	0.55	11.2	0.31	-	-	-	-	-
Prostate	264	19.0	0.54	10.7	0.30	-	-	-	-	-
Testis	5	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	197	13.3	0.44	8.3	0.27	87	5.1	0.25	3.2	0.16
Bladder	120	8.4	0.35	4.9	0.20	43	2.5	0.18	1.5	0.11
Kidney & renal pelvis	74	4.7	0.25	3.3	0.17	42	2.5	0.17	1.6	0.11
Brain & Other CNS[1]	87	5.4	0.26	4.1	0.20	68	3.9	0.22	3.0	0.17
Endocrine System	13	0.8	0.11	0.7	0.08	12	0.7	0.09	0.5	0.06
Thyroid gland	9	0.5	0.08	0.4	0.06	9	0.5	0.07	0.3	0.05
Lymphomas	102	6.8	0.31	4.5	0.20	62	3.7	0.21	2.3	0.14
Hodgkin Lymphoma	5	0.3	0.06	0.2	0.04	4	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	97	6.5	0.30	4.3	0.20	59	3.5	0.21	2.2	0.13
Multiple Myeloma	54	3.5	0.22	2.2	0.14	34	2.0	0.16	1.3	0.10
Leukemias	115	7.7	0.33	5.2	0.22	74	4.5	0.24	3.0	0.16
Other, Ill-defined & Unknown	239	15.6	0.47	10.4	0.31	176	10.3	0.35	6.9	0.24

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,378	184.0	1.74	121.6	1.14	1,998	144.2	1.47	97.6	1.02
Oral Cavity & Pharynx	61	4.5	0.26	3.2	0.18	19	1.3	0.14	0.9	0.10
Digestive System	682	50.7	0.90	35.3	0.61	452	32.5	0.70	21.7	0.47
Esophagus	104	7.4	0.33	5.3	0.24	22	1.6	0.15	1.1	0.10
Stomach	39	3.1	0.22	2.0	0.15	25	1.8	0.17	1.3	0.12
Colon & Rectum	234	18.1	0.55	12.2	0.36	184	13.3	0.45	8.8	0.30
Liver	104	7.3	0.33	5.4	0.24	42	3.0	0.21	2.0	0.14
Pancreas	164	12.1	0.44	8.4	0.30	134	9.5	0.37	6.3	0.25
Respiratory System	605	46.0	0.86	30.0	0.55	560	39.6	0.76	26.1	0.51
Larynx	18	1.3	0.14	0.9	0.10	5	0.3	0.07	0.2	0.05
Lung & bronchus	582	44.3	0.84	28.8	0.54	553	39.2	0.76	25.7	0.50
Skin	85	6.7	0.33	4.5	0.22	31	2.3	0.18	1.6	0.13
Melanomas of the skin	60	4.7	0.28	3.2	0.19	22	1.6	0.15	1.1	0.11
Breast	4	0.4	0.08	0.2	0.05	290	21.3	0.57	15.0	0.41
Female Genital System	-	-	-	-	-	210	15.4	0.49	11.2	0.36
Cervix uteri	-	-	-	-	-	32	2.6	0.21	2.2	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	58	4.1	0.25	3.0	0.18
Ovary	-	-	-	-	-	105	7.6	0.34	5.4	0.25
Male Genital System	228	19.5	0.59	11.1	0.33	-	-	-	-	-
Prostate	220	18.8	0.58	10.5	0.32	-	-	-	-	-
Testis	4	0.3	0.07	0.3	0.07	-	-	-	-	-
Urinary System	178	14.3	0.49	8.9	0.30	78	5.6	0.29	3.5	0.18
Bladder	109	9.0	0.40	5.3	0.23	39	2.8	0.21	1.7	0.13
Kidney & renal pelvis	65	5.0	0.29	3.4	0.19	37	2.7	0.20	1.7	0.13
Brain & Other CNS[1]	79	5.8	0.30	4.5	0.24	60	4.3	0.26	3.3	0.20
Endocrine System	11	0.8	0.12	0.7	0.10	10	0.7	0.10	0.5	0.07
Thyroid gland	7	0.5	0.09	0.4	0.07	7	0.5	0.08	0.3	0.05
Lymphomas	88	7.1	0.34	4.6	0.22	54	3.9	0.24	2.4	0.15
Hodgkin Lymphoma	4	0.3	0.07	0.2	0.04	3	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	84	6.7	0.34	4.4	0.22	50	3.6	0.23	2.3	0.15
Multiple Myeloma	43	3.4	0.24	2.2	0.15	26	1.9	0.17	1.2	0.10
Leukemias	103	8.3	0.38	5.5	0.25	63	4.8	0.27	3.2	0.19
Other, Ill-defined & Unknown	211	16.4	0.52	11.0	0.35	146	10.6	0.40	7.1	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	212	195.3	6.43	133.0	4.10	195	148.0	4.90	104.5	3.36
Oral Cavity & Pharynx	3	2.5	0.63	2.0	0.50	-	-	-	-	-
Digestive System	71	63.3	3.58	44.5	2.36	47	35.6	2.39	25.1	1.64
Esophagus	5	4.0	0.80	3.3	0.63	-	-	-	-	-
Stomach	3	2.9	0.78	2.0	0.50	4	2.9	0.70	2.0	0.46
Colon & Rectum	31	28.3	2.45	19.3	1.56	21	16.1	1.64	11.1	1.09
Liver	10	7.8	1.15	6.2	0.87	5	3.7	0.74	2.9	0.56
Pancreas	18	16.3	1.83	11.2	1.19	12	9.2	1.20	6.5	0.83
Respiratory System	47	40.5	2.81	28.9	1.90	41	32.1	2.32	21.6	1.51
Larynx	2	1.5	0.48	1.2	0.38	-	-	-	-	-
Lung & bronchus	45	38.8	2.76	27.6	1.85	41	32.0	2.31	21.5	1.51
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	41	30.2	2.17	22.7	1.60
Female Genital System	-	-	-	-	-	24	17.2	1.63	12.9	1.19
Cervix uteri	-	-	-	-	-	5	3.7	0.72	3.0	0.59
Corpus & uterus, NOS[1]	-	-	-	-	-	8	6.0	0.96	4.5	0.70
Ovary	-	-	-	-	-	9	6.5	1.01	4.7	0.71
Male Genital System	33	35.5	2.95	21.0	1.65	-	-	-	-	-
Prostate	32	34.7	2.92	20.5	1.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	11.2	1.64	7.0	0.95	6	4.3	0.84	2.9	0.55
Bladder	6	7.2	1.39	3.9	0.72	2	1.7	0.54	1.1	0.34
Kidney & renal pelvis	5	4.0	0.88	3.0	0.62	3	2.4	0.60	1.7	0.42
Brain & Other CNS[1]	4	3.4	0.83	2.5	0.57	4	3.1	0.71	2.3	0.50
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	8.5	1.32	6.1	0.88	3	2.7	0.69	1.9	0.46
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	7.0	1.24	4.6	0.77	5	3.7	0.78	2.5	0.52
Leukemias	6	5.2	1.01	3.8	0.69	6	5.2	0.97	3.2	0.58
Other, Ill-defined & Unknown	16	14.9	1.81	9.9	1.12	15	11.7	1.39	8.1	0.93

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	147	117.7	4.58	77.1	2.87	181	98.5	3.39	67.6	2.29
Oral Cavity & Pharynx	4	2.8	0.64	2.1	0.47	-	-	-	-	-
Digestive System	58	46.5	2.88	31.0	1.83	52	29.1	1.87	18.8	1.18
Esophagus	4	2.9	0.67	2.0	0.46	-	-	-	-	-
Stomach	8	6.4	1.11	4.0	0.66	5	2.7	0.55	2.0	0.39
Colon & Rectum	21	17.2	1.78	11.3	1.11	20	11.5	1.18	7.5	0.75
Liver	14	10.1	1.30	7.3	0.89	8	4.5	0.73	2.9	0.46
Pancreas	9	6.6	1.04	4.6	0.70	13	7.4	0.96	4.5	0.57
Respiratory System	40	31.2	2.33	20.3	1.45	38	20.3	1.53	13.7	1.01
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	39	31.0	2.33	20.0	1.44	37	20.1	1.52	13.5	1.00
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	33	17.5	1.41	12.8	1.02
Female Genital System	-	-	-	-	-	21	10.3	1.04	8.0	0.81
Cervix uteri	-	-	-	-	-	4	1.8	0.43	1.5	0.35
Corpus & uterus, NOS[1]	-	-	-	-	-	5	2.3	0.49	1.9	0.39
Ovary	-	-	-	-	-	11	5.5	0.77	4.2	0.58
Male Genital System	10	9.8	1.45	5.3	0.74	-	-	-	-	-
Prostate	10	9.5	1.42	5.2	0.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	7	5.6	1.02	3.5	0.60	4	2.3	0.53	1.4	0.31
Bladder	4	3.3	0.82	1.9	0.44	-	-	-	-	-
Kidney & renal pelvis	3	2.3	0.60	1.6	0.41	2	1.0	0.33	0.7	0.23
Brain & Other CNS[1]	4	2.4	0.59	2.1	0.50	3	2.1	0.52	1.7	0.45
Endocrine System	-	-	-	-	-	2	1.2	0.39	0.7	0.21
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	4	2.7	0.65	2.1	0.50	5	2.8	0.59	1.8	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	1.7	0.47	1.4	0.37	3	1.9	0.48	1.1	0.28
Leukemias	5	3.9	0.85	2.4	0.50	4	2.6	0.58	1.7	0.36
Other, Ill-defined & Unknown	11	8.5	1.21	5.5	0.77	14	7.3	0.91	5.0	0.62

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,447	182.1	2.21	119.3	1.44	1,317	137.0	1.74	93.2	1.23
Oral Cavity & Pharynx	33	3.8	0.31	2.8	0.22	12	1.2	0.16	0.8	0.11
Digestive System	403	48.8	1.13	33.9	0.77	273	28.2	0.79	18.6	0.54
Esophagus	80	9.5	0.49	6.6	0.34	19	1.9	0.20	1.4	0.15
Stomach	22	2.8	0.27	2.0	0.19	12	1.3	0.17	0.8	0.12
Colon & Rectum	113	14.3	0.62	9.6	0.42	106	11.0	0.50	7.2	0.34
Liver	52	5.9	0.38	4.4	0.28	13	1.3	0.17	0.9	0.13
Pancreas	100	11.8	0.55	8.2	0.38	88	9.0	0.44	5.8	0.29
Respiratory System	388	47.6	1.12	31.8	0.73	366	37.9	0.91	25.9	0.63
Larynx	11	1.4	0.19	0.9	0.12	2	0.2	0.07	0.2	0.05
Lung & bronchus	374	45.9	1.10	30.6	0.72	363	37.5	0.90	25.7	0.63
Skin	42	5.5	0.39	3.6	0.26	25	2.5	0.23	1.7	0.17
Melanomas of the skin	29	3.9	0.33	2.6	0.23	18	1.8	0.20	1.3	0.15
Breast	-	-	-	-	-	175	18.3	0.64	13.2	0.48
Female Genital System	-	-	-	-	-	146	15.3	0.58	10.7	0.42
Cervix uteri	-	-	-	-	-	12	1.3	0.18	1.0	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	52	5.3	0.34	3.7	0.24
Ovary	-	-	-	-	-	69	7.2	0.40	5.1	0.29
Male Genital System	139	19.0	0.74	10.5	0.40	-	-	-	-	-
Prostate	136	18.6	0.73	10.3	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	104	13.7	0.62	8.2	0.37	46	4.8	0.32	3.0	0.21
Bladder	66	8.9	0.50	5.0	0.28	23	2.3	0.22	1.4	0.14
Kidney & renal pelvis	37	4.5	0.34	3.1	0.23	21	2.2	0.22	1.4	0.15
Brain & Other CNS[1]	47	5.9	0.40	4.4	0.30	36	4.1	0.32	3.3	0.27
Endocrine System	6	0.8	0.15	0.5	0.11	5	0.5	0.10	0.3	0.07
Thyroid gland	4	0.5	0.13	0.3	0.08	3	0.3	0.08	0.2	0.06
Lymphomas	51	6.7	0.43	4.1	0.26	44	4.6	0.32	2.8	0.20
Hodgkin Lymphoma	2	0.3	0.10	0.2	0.06	2	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	49	6.4	0.42	3.9	0.26	41	4.3	0.31	2.6	0.19
Multiple Myeloma	29	3.9	0.33	2.3	0.20	20	2.1	0.22	1.4	0.14
Leukemias	59	7.8	0.47	5.1	0.31	41	4.2	0.30	2.7	0.21
Other, Ill-defined & Unknown	-	-	-	-	-	129	13.4	0.54	8.8	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,427	184.0	2.25	120.6	1.47	1,301	138.6	1.78	94.4	1.26
Oral Cavity & Pharynx	33	3.9	0.32	2.9	0.23	12	1.2	0.16	0.8	0.12
Digestive System	396	49.2	1.15	34.2	0.79	269	28.5	0.80	18.8	0.56
Esophagus	79	9.7	0.50	6.8	0.35	19	1.9	0.21	1.4	0.16
Stomach	21	2.7	0.27	1.9	0.19	11	1.2	0.17	0.8	0.12
Colon & Rectum	112	14.5	0.64	9.8	0.43	105	11.1	0.51	7.2	0.35
Liver	50	5.8	0.38	4.3	0.28	12	1.3	0.17	0.9	0.13
Pancreas	98	12.0	0.56	8.3	0.38	87	9.1	0.45	5.9	0.30
Respiratory System	384	48.2	1.14	32.1	0.74	363	38.4	0.92	26.3	0.64
Larynx	11	1.4	0.19	0.9	0.13	2	0.3	0.07	0.2	0.05
Lung & bronchus	369	46.4	1.12	30.9	0.73	360	38.0	0.92	26.0	0.64
Skin	42	5.6	0.40	3.7	0.27	25	2.6	0.24	1.8	0.18
Melanomas of the skin	29	4.1	0.35	2.7	0.24	18	1.9	0.21	1.3	0.16
Breast	-	-	-	-	-	173	18.6	0.66	13.4	0.50
Female Genital System	-	-	-	-	-	143	15.4	0.59	10.8	0.43
Cervix uteri	-	-	-	-	-	11	1.3	0.18	1.0	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	51	5.4	0.35	3.7	0.25
Ovary	-	-	-	-	-	68	7.3	0.41	5.2	0.30
Male Genital System	137	19.1	0.74	10.6	0.41	-	-	-	-	-
Prostate	134	18.7	0.74	10.4	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	103	13.7	0.62	8.3	0.37	45	4.8	0.33	3.0	0.21
Bladder	65	9.0	0.51	5.1	0.29	22	2.3	0.22	1.4	0.14
Kidney & renal pelvis	36	4.5	0.35	3.1	0.23	21	2.2	0.22	1.4	0.15
Brain & Other CNS[1]	47	6.0	0.41	4.5	0.31	36	4.2	0.33	3.4	0.29
Endocrine System	5	0.8	0.16	0.6	0.12	5	0.5	0.10	0.3	0.07
Thyroid gland	4	0.5	0.13	0.3	0.08	3	0.3	0.08	0.2	0.05
Lymphomas	51	6.8	0.44	4.2	0.27	44	4.7	0.33	2.8	0.20
Hodgkin Lymphoma	2	0.3	0.10	0.2	0.06	2	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	49	6.5	0.43	4.0	0.26	41	4.4	0.31	2.6	0.19
Multiple Myeloma	28	3.8	0.33	2.3	0.20	20	2.2	0.22	1.4	0.15
Leukemias	59	7.9	0.48	5.2	0.32	40	4.2	0.31	2.7	0.22
Other, Ill-defined & Unknown	-	-	-	-	-	127	13.5	0.55	8.9	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9	133.5	23.02	91.8	14.43	6	91.9	18.72	63.6	12.38
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	3	37.5	10.95	29.1	7.81	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	28.0	9.96	20.2	6.68	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	28.0	9.96	20.2	6.68	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10	103.7	16.36	62.1	9.14	9	67.0	10.55	44.5	6.55
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	4	35.0	9.06	22.3	5.40	3	22.5	6.70	12.6	3.50
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	23.0	7.34	15.2	4.44	3	16.8	4.98	12.2	3.41
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	23.0	7.34	15.2	4.44	3	16.8	4.98	12.2	3.41
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	8,038	172.3	0.88	112.7	0.57	8,264	132.6	0.67	90.2	0.48
Oral Cavity & Pharynx	159	3.2	0.12	2.3	0.08	67	1.1	0.06	0.7	0.04
Digestive System	2,438	50.9	0.47	34.7	0.32	1,996	31.5	0.32	20.8	0.22
Esophagus	305	6.3	0.16	4.4	0.11	85	1.3	0.07	0.9	0.05
Stomach	216	4.6	0.14	3.1	0.10	144	2.4	0.09	1.6	0.07
Colon & Rectum	773	16.4	0.27	11.0	0.18	744	11.6	0.20	7.5	0.14
Liver	348	6.9	0.17	5.0	0.12	127	2.0	0.08	1.3	0.06
Pancreas	601	12.6	0.23	8.5	0.16	646	10.2	0.18	6.7	0.13
Respiratory System	1,919	40.8	0.43	26.9	0.28	1,896	30.4	0.32	20.4	0.22
Larynx	73	1.5	0.08	1.0	0.06	22	0.3	0.03	0.3	0.03
Lung & bronchus	1,833	39.0	0.42	25.7	0.27	1,865	29.9	0.32	20.0	0.22
Skin	202	4.4	0.14	2.8	0.09	114	1.8	0.08	1.2	0.05
Melanomas of the skin	143	3.1	0.12	2.0	0.08	84	1.4	0.07	0.9	0.05
Breast	18	0.4	0.04	0.3	0.03	1,274	20.9	0.27	14.9	0.20
Female Genital System	-	-	-	-	-	953	15.5	0.23	11.2	0.17
Cervix uteri	-	-	-	-	-	117	2.1	0.09	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	366	5.9	0.14	4.2	0.10
Ovary	-	-	-	-	-	402	6.5	0.15	4.7	0.11
Male Genital System	794	18.0	0.29	10.1	0.16	-	-	-	-	-
Prostate	776	17.6	0.29	9.8	0.16	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	579	12.7	0.24	7.8	0.15	290	4.5	0.12	2.8	0.08
Bladder	348	7.9	0.19	4.5	0.11	159	2.4	0.09	1.4	0.05
Kidney & renal pelvis	218	4.6	0.14	3.1	0.10	122	1.9	0.08	1.3	0.06
Brain & Other CNS[1]	249	5.1	0.15	4.0	0.12	201	3.5	0.11	2.7	0.09
Endocrine System	41	0.9	0.06	0.7	0.05	43	0.7	0.05	0.5	0.04
Thyroid gland	25	0.5	0.05	0.4	0.03	29	0.5	0.04	0.3	0.03
Lymphomas	336	7.4	0.18	4.8	0.12	264	4.2	0.12	2.7	0.08
Hodgkin Lymphoma	16	0.4	0.04	0.3	0.03	11	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	320	7.1	0.18	4.5	0.12	253	4.0	0.12	2.5	0.08
Multiple Myeloma	172	3.8	0.13	2.4	0.08	159	2.5	0.09	1.6	0.06
Leukemias	361	8.1	0.19	5.2	0.13	285	4.6	0.12	3.0	0.09
Other, Ill-defined & Unknown	772	16.7	0.27	11.0	0.18	721	11.5	0.20	7.8	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,741	176.6	0.98	115.3	0.65	6,846	135.7	0.76	91.9	0.55
Oral Cavity & Pharynx	127	3.2	0.13	2.3	0.09	57	1.1	0.07	0.7	0.05
Digestive System	2,002	51.5	0.53	35.0	0.36	1,622	31.4	0.36	20.6	0.25
Esophagus	269	6.8	0.19	4.8	0.13	71	1.4	0.08	0.9	0.05
Stomach	163	4.3	0.15	2.9	0.10	106	2.2	0.10	1.5	0.08
Colon & Rectum	630	16.5	0.30	11.0	0.20	615	11.7	0.22	7.5	0.15
Liver	268	6.6	0.19	4.7	0.13	96	1.8	0.09	1.2	0.06
Pancreas	508	13.0	0.26	8.8	0.18	533	10.3	0.21	6.8	0.14
Respiratory System	1,621	42.0	0.48	27.7	0.31	1,632	32.3	0.37	21.7	0.26
Larynx	62	1.6	0.09	1.1	0.06	16	0.3	0.04	0.2	0.03
Lung & bronchus	1,549	40.2	0.47	26.4	0.31	1,608	31.9	0.36	21.3	0.25
Skin	196	5.1	0.17	3.3	0.11	111	2.2	0.10	1.4	0.07
Melanomas of the skin	140	3.7	0.14	2.4	0.10	83	1.7	0.09	1.2	0.06
Breast	14	0.4	0.04	0.2	0.03	1,010	20.5	0.30	14.5	0.23
Female Genital System	-	-	-	-	-	760	15.5	0.26	11.2	0.20
Cervix uteri	-	-	-	-	-	87	2.0	0.10	1.6	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	282	5.7	0.15	4.0	0.11
Ovary	-	-	-	-	-	334	6.8	0.17	4.8	0.13
Male Genital System	609	16.5	0.30	9.2	0.17	-	-	-	-	-
Prostate	593	16.0	0.30	8.8	0.17	-	-	-	-	-
Testis	8	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	522	13.9	0.28	8.4	0.17	250	4.7	0.14	2.9	0.09
Bladder	321	8.7	0.22	4.9	0.13	139	2.5	0.10	1.5	0.06
Kidney & renal pelvis	190	4.9	0.16	3.3	0.11	103	2.0	0.09	1.3	0.06
Brain & Other CNS[1]	220	5.7	0.18	4.4	0.14	175	3.9	0.14	3.0	0.11
Endocrine System	33	0.9	0.07	0.7	0.06	36	0.8	0.06	0.6	0.05
Thyroid gland	21	0.6	0.06	0.4	0.04	26	0.5	0.05	0.3	0.03
Lymphomas	296	8.0	0.21	5.1	0.14	227	4.4	0.13	2.7	0.09
Hodgkin Lymphoma	14	0.4	0.05	0.3	0.04	9	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	282	7.6	0.21	4.8	0.13	218	4.2	0.13	2.6	0.09
Multiple Myeloma	136	3.7	0.14	2.3	0.09	116	2.2	0.10	1.4	0.06
Leukemias	312	8.5	0.22	5.4	0.15	244	4.8	0.14	3.1	0.10
Other, Ill-defined & Unknown	652	17.3	0.31	11.3	0.21	605	12.0	0.23	8.0	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	999	202.0	3.02	135.6	1.93	1,134	148.3	2.00	105.3	1.43
Oral Cavity & Pharynx	20	3.7	0.39	2.7	0.27	8	1.0	0.17	0.7	0.12
Digestive System	321	60.5	1.60	42.9	1.08	293	38.4	1.02	26.4	0.71
Esophagus	27	5.1	0.46	3.6	0.31	12	1.5	0.20	1.1	0.14
Stomach	35	7.3	0.58	4.8	0.36	28	3.7	0.32	2.5	0.22
Colon & Rectum	111	21.4	0.96	14.9	0.63	106	13.8	0.61	9.5	0.42
Liver	59	9.7	0.59	7.8	0.45	22	2.7	0.27	2.0	0.20
Pancreas	69	13.3	0.76	9.2	0.50	91	12.1	0.57	8.1	0.39
Respiratory System	234	46.5	1.43	31.7	0.93	218	28.4	0.87	19.9	0.61
Larynx	10	2.1	0.30	1.4	0.20	5	0.6	0.12	0.4	0.09
Lung & bronchus	222	44.2	1.40	30.1	0.91	212	27.6	0.86	19.3	0.60
Skin	6	1.0	0.19	0.7	0.14	2	0.3	0.08	0.2	0.06
Melanomas of the skin	2	0.4	0.12	0.3	0.09	-	-	-	-	-
Breast	3	0.6	0.16	0.4	0.11	216	28.2	0.87	20.9	0.65
Female Genital System	-	-	-	-	-	152	19.4	0.72	14.4	0.53
Cervix uteri	-	-	-	-	-	26	3.2	0.29	2.6	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	71	9.1	0.49	6.6	0.36
Ovary	-	-	-	-	-	47	6.1	0.40	4.5	0.29
Male Genital System	165	39.8	1.44	22.8	0.80	-	-	-	-	-
Prostate	163	39.5	1.43	22.6	0.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	9.0	0.64	6.0	0.41	32	4.3	0.34	2.8	0.23
Bladder	22	4.8	0.48	3.1	0.29	17	2.4	0.26	1.4	0.16
Kidney & renal pelvis	22	4.1	0.41	2.9	0.28	14	1.8	0.22	1.3	0.16
Brain & Other CNS[1]	19	3.6	0.39	2.7	0.28	16	2.1	0.24	1.7	0.20
Endocrine System	5	0.9	0.20	0.6	0.13	5	0.6	0.13	0.5	0.11
Thyroid gland	2	0.5	0.15	0.3	0.10	2	0.3	0.09	0.2	0.06
Lymphomas	28	5.3	0.48	3.8	0.32	27	3.6	0.32	2.5	0.22
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	30	6.3	0.54	4.1	0.33	39	5.2	0.38	3.4	0.25
Leukemias	31	6.3	0.53	4.3	0.35	32	4.3	0.34	3.1	0.25
Other, Ill-defined & Unknown	94	18.6	0.91	12.7	0.59	94	12.4	0.58	8.8	0.42

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	293	86.3	2.39	56.4	1.48	277	66.1	1.83	45.3	1.23
Oral Cavity & Pharynx	11	3.0	0.43	2.1	0.29	2	0.5	0.16	0.4	0.11
Digestive System	115	32.9	1.46	21.9	0.91	79	19.2	1.00	12.8	0.65
Esophagus	9	2.4	0.38	1.7	0.25	2	0.6	0.17	0.4	0.11
Stomach	18	5.4	0.60	3.5	0.37	10	2.5	0.36	1.7	0.24
Colon & Rectum	31	8.6	0.73	5.9	0.48	22	5.3	0.52	3.6	0.34
Liver	21	5.6	0.58	3.9	0.39	9	2.2	0.34	1.5	0.22
Pancreas	24	7.3	0.70	4.6	0.42	22	5.3	0.52	3.6	0.34
Respiratory System	62	19.2	1.15	11.9	0.68	44	10.8	0.75	7.0	0.48
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	60	18.6	1.13	11.6	0.67	42	10.4	0.74	6.8	0.47
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	47	10.4	0.70	7.7	0.50
Female Genital System	-	-	-	-	-	39	8.9	0.65	6.5	0.46
Cervix uteri	-	-	-	-	-	4	1.0	0.22	0.7	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	13	2.8	0.36	2.0	0.26
Ovary	-	-	-	-	-	21	4.6	0.47	3.5	0.34
Male Genital System	19	6.7	0.72	3.7	0.38	-	-	-	-	-
Prostate	19	6.7	0.72	3.7	0.38	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	3.6	0.49	2.4	0.30	8	2.1	0.33	1.3	0.22
Bladder	5	1.7	0.35	1.0	0.19	2	0.7	0.20	0.4	0.11
Kidney & renal pelvis	7	1.8	0.32	1.3	0.22	5	1.3	0.26	0.9	0.18
Brain & Other CNS[1]	9	2.4	0.36	1.8	0.27	10	2.5	0.36	1.7	0.25
Endocrine System	3	0.9	0.24	0.6	0.17	2	0.5	0.15	0.4	0.11
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	12	3.5	0.47	2.4	0.30	11	2.6	0.36	1.8	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	1.6	0.33	1.0	0.20	4	1.0	0.23	0.6	0.14
Leukemias	16	4.9	0.58	3.2	0.36	9	2.3	0.35	1.5	0.23
Other, Ill-defined & Unknown	26	7.4	0.69	5.0	0.45	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,918	165.1	1.72	109.8	1.15	1,666	120.5	1.36	83.2	0.98
Oral Cavity & Pharynx	45	3.7	0.25	2.7	0.18	16	1.2	0.13	0.8	0.09
Digestive System	627	52.4	0.96	37.2	0.68	417	29.8	0.67	20.4	0.48
Esophagus	76	6.3	0.33	4.4	0.23	11	0.7	0.11	0.5	0.08
Stomach	52	4.6	0.29	3.1	0.20	36	2.7	0.20	1.8	0.15
Colon & Rectum	187	16.2	0.55	11.2	0.38	147	10.8	0.41	7.5	0.30
Liver	130	10.3	0.42	7.9	0.31	51	3.5	0.23	2.5	0.16
Pancreas	135	11.1	0.44	7.7	0.30	115	8.0	0.34	5.3	0.23
Respiratory System	398	33.7	0.77	22.0	0.50	330	23.4	0.59	15.5	0.40
Larynx	18	1.5	0.16	1.0	0.11	4	0.3	0.07	0.2	0.05
Lung & bronchus	375	31.7	0.75	20.7	0.48	323	22.9	0.58	15.2	0.39
Skin	58	5.1	0.31	3.4	0.20	24	1.8	0.17	1.2	0.12
Melanomas of the skin	39	3.4	0.25	2.3	0.17	17	1.3	0.14	0.9	0.11
Breast	4	0.3	0.08	0.2	0.05	269	19.7	0.56	14.1	0.41
Female Genital System	-	-	-	-	-	208	15.4	0.49	11.4	0.38
Cervix uteri	-	-	-	-	-	25	2.3	0.21	1.9	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	60	4.2	0.25	3.1	0.19
Ovary	-	-	-	-	-	106	7.7	0.34	5.6	0.25
Male Genital System	217	20.0	0.62	11.3	0.35	-	-	-	-	-
Prostate	209	19.3	0.61	10.6	0.33	-	-	-	-	-
Testis	5	0.5	0.10	0.5	0.10	-	-	-	-	-
Urinary System	136	12.1	0.47	7.6	0.30	62	4.5	0.26	2.9	0.18
Bladder	67	6.1	0.34	3.5	0.19	28	2.0	0.18	1.3	0.12
Kidney & renal pelvis	65	5.6	0.32	3.9	0.23	33	2.4	0.19	1.6	0.13
Brain & Other CNS[1]	53	4.5	0.28	3.4	0.22	43	3.3	0.23	2.5	0.18
Endocrine System	12	1.1	0.14	0.8	0.11	12	0.9	0.12	0.6	0.09
Thyroid gland	8	0.6	0.11	0.4	0.07	8	0.6	0.10	0.4	0.07
Lymphomas	72	6.4	0.34	4.1	0.22	60	4.2	0.25	2.7	0.16
Hodgkin Lymphoma	5	0.4	0.09	0.3	0.07	4	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	67	5.9	0.33	3.8	0.21	56	3.9	0.24	2.5	0.16
Multiple Myeloma	43	3.7	0.26	2.4	0.17	32	2.3	0.18	1.5	0.13
Leukemias	74	6.6	0.35	4.4	0.24	51	3.8	0.24	2.6	0.18
Other, Ill-defined & Unknown	180	15.5	0.53	10.4	0.36	142	10.3	0.40	7.0	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,766	168.1	1.83	112.0	1.24	1,519	123.4	1.46	85.3	1.06
Oral Cavity & Pharynx	42	3.8	0.27	2.8	0.20	15	1.2	0.14	0.8	0.09
Digestive System	565	52.4	1.01	37.3	0.73	370	29.6	0.71	20.3	0.51
Esophagus	74	6.7	0.36	4.7	0.25	9	0.7	0.11	0.6	0.09
Stomach	43	4.2	0.29	2.8	0.20	30	2.5	0.21	1.6	0.15
Colon & Rectum	167	16.2	0.58	11.2	0.41	132	10.9	0.44	7.6	0.33
Liver	117	10.4	0.44	8.0	0.34	44	3.4	0.23	2.4	0.17
Pancreas	123	11.1	0.46	7.9	0.33	108	8.4	0.37	5.6	0.25
Respiratory System	377	35.2	0.83	23.1	0.54	313	24.9	0.64	16.6	0.44
Larynx	17	1.6	0.18	1.1	0.12	4	0.3	0.07	0.2	0.06
Lung & bronchus	356	33.1	0.80	21.7	0.52	307	24.4	0.64	16.3	0.44
Skin	57	5.5	0.33	3.7	0.23	23	1.9	0.18	1.3	0.14
Melanomas of the skin	39	3.7	0.27	2.6	0.19	16	1.4	0.16	1.0	0.12
Breast	3	0.3	0.08	0.2	0.05	250	20.8	0.61	14.9	0.46
Female Genital System	-	-	-	-	-	182	15.2	0.53	11.3	0.40
Cervix uteri	-	-	-	-	-	21	2.3	0.23	1.9	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	51	4.0	0.26	3.0	0.20
Ovary	-	-	-	-	-	93	7.6	0.36	5.5	0.27
Male Genital System	196	19.9	0.64	11.1	0.37	-	-	-	-	-
Prostate	190	19.2	0.63	10.5	0.35	-	-	-	-	-
Testis	4	0.5	0.11	0.5	0.11	-	-	-	-	-
Urinary System	123	12.0	0.50	7.6	0.32	55	4.4	0.27	2.8	0.18
Bladder	65	6.4	0.36	3.7	0.21	26	2.1	0.19	1.3	0.12
Kidney & renal pelvis	54	5.2	0.33	3.7	0.24	28	2.3	0.19	1.5	0.14
Brain & Other CNS[1]	50	4.8	0.31	3.6	0.24	40	3.5	0.26	2.6	0.20
Endocrine System	12	1.2	0.16	0.8	0.12	11	0.9	0.13	0.7	0.10
Thyroid gland	7	0.7	0.12	0.5	0.08	8	0.6	0.11	0.4	0.08
Lymphomas	67	6.6	0.36	4.2	0.24	54	4.2	0.26	2.7	0.17
Hodgkin Lymphoma	5	0.4	0.10	0.3	0.07	4	0.3	0.07	0.2	0.04
Non-Hodgkin Lymphoma	63	6.1	0.35	3.9	0.23	50	3.9	0.25	2.5	0.17
Multiple Myeloma	39	3.8	0.28	2.5	0.18	27	2.1	0.19	1.4	0.13
Leukemias	69	6.9	0.38	4.6	0.26	48	4.0	0.27	2.7	0.20
Other, Ill-defined & Unknown	165	15.7	0.56	10.5	0.38	130	10.6	0.43	7.2	0.31

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	36	170.5	13.69	107.3	8.10	26	109.1	9.81	77.5	7.02
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	49.4	7.41	30.9	4.36	7	32.0	5.35	22.4	3.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	3	16.1	4.28	9.9	2.50	3	14.7	3.63	10.3	2.57
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	3	17.4	4.52	10.3	2.51	-	-	-	-	-
Respiratory System	10	45.5	6.99	29.0	4.22	5	21.6	4.49	13.6	2.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	42.9	6.81	27.2	4.09	5	21.6	4.49	13.6	2.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	5	19.5	4.15	14.6	3.12
Female Genital System	-	-	-	-	-	3	10.5	2.97	7.9	2.26
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	23.7	5.37	13.5	2.89	-	-	-	-	-
Prostate	4	23.7	5.37	13.5	2.89	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	10.8	3.45	6.8	2.04	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	4	17.4	4.37	11.2	2.58	2	8.9	2.76	6.8	2.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	12	72.3	9.84	52.3	6.83	20	84.6	8.81	55.7	5.69
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	5	29.5	5.86	23.5	4.54	6	25.1	4.71	17.5	3.22
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	2	13.3	4.22	9.8	2.96	6	25.6	4.93	15.9	2.98
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	2	12.4	4.12	8.9	2.84	6	24.5	4.79	15.2	2.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	3	11.2	3.19	8.0	2.24
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17,542	170.0	0.59	112.5	0.39	17,514	127.7	0.44	87.9	0.32
Oral Cavity & Pharynx	363	3.4	0.08	2.4	0.06	161	1.2	0.04	0.8	0.03
Digestive System	5,270	50.0	0.31	34.5	0.22	4,237	30.5	0.21	20.4	0.15
Esophagus	674	6.3	0.11	4.4	0.08	196	1.4	0.05	1.0	0.03
Stomach	491	4.8	0.10	3.3	0.07	335	2.5	0.06	1.7	0.05
Colon & Rectum	1,529	14.9	0.17	10.0	0.12	1,524	10.9	0.13	7.2	0.09
Liver	771	6.9	0.11	5.1	0.08	269	1.9	0.05	1.3	0.04
Pancreas	1,333	12.7	0.16	8.6	0.11	1,364	9.7	0.12	6.4	0.08
Respiratory System	4,412	42.2	0.29	28.3	0.19	4,026	29.2	0.21	19.9	0.15
Larynx	177	1.6	0.06	1.1	0.04	48	0.3	0.02	0.3	0.02
Lung & bronchus	4,204	40.3	0.28	26.9	0.19	3,956	28.7	0.21	19.6	0.15
Skin	399	3.9	0.09	2.5	0.06	214	1.5	0.05	1.0	0.03
Melanomas of the skin	263	2.5	0.07	1.7	0.05	154	1.1	0.04	0.8	0.03
Breast	29	0.3	0.02	0.2	0.02	2,548	19.1	0.17	13.8	0.13
Female Genital System	-	-	-	-	-	2,136	15.8	0.16	11.5	0.12
Cervix uteri	-	-	-	-	-	259	2.1	0.06	1.7	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	822	6.0	0.10	4.3	0.07
Ovary	-	-	-	-	-	906	6.7	0.10	4.9	0.08
Male Genital System	1,790	18.2	0.20	10.4	0.11	-	-	-	-	-
Prostate	1,748	17.8	0.19	10.1	0.11	-	-	-	-	-
Testis	19	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	1,189	11.8	0.16	7.2	0.10	586	4.1	0.08	2.5	0.05
Bladder	708	7.2	0.12	4.1	0.07	319	2.2	0.06	1.3	0.03
Kidney & renal pelvis	454	4.3	0.09	2.9	0.06	249	1.8	0.05	1.2	0.04
Brain & Other CNS[1]	502	4.8	0.10	3.7	0.08	408	3.2	0.07	2.5	0.06
Endocrine System	77	0.8	0.04	0.5	0.03	106	0.8	0.04	0.6	0.03
Thyroid gland	51	0.5	0.03	0.3	0.02	72	0.5	0.03	0.3	0.02
Lymphomas	727	7.2	0.12	4.7	0.08	582	4.2	0.08	2.7	0.05
Hodgkin Lymphoma	37	0.4	0.03	0.3	0.02	30	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	690	6.9	0.12	4.4	0.08	552	3.9	0.08	2.5	0.05
Multiple Myeloma	376	3.7	0.09	2.4	0.06	349	2.5	0.06	1.6	0.04
Leukemias	791	8.0	0.13	5.2	0.09	630	4.6	0.08	3.1	0.06
Other, Ill-defined & Unknown	1,616	15.8	0.18	10.5	0.12	1,532	11.0	0.13	7.4	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14,281	175.3	0.67	115.5	0.45	14,040	133.0	0.52	91.1	0.38
Oral Cavity & Pharynx	287	3.4	0.09	2.4	0.07	127	1.2	0.05	0.8	0.04
Digestive System	4,143	50.1	0.35	34.3	0.25	3,279	30.4	0.25	20.3	0.18
Esophagus	591	7.0	0.13	5.0	0.09	163	1.5	0.05	1.0	0.04
Stomach	333	4.1	0.10	2.8	0.07	228	2.2	0.07	1.5	0.05
Colon & Rectum	1,215	15.0	0.20	10.0	0.13	1,192	11.0	0.15	7.2	0.11
Liver	542	6.2	0.12	4.6	0.09	192	1.8	0.06	1.2	0.04
Pancreas	1,097	13.3	0.18	8.9	0.12	1,083	10.0	0.14	6.6	0.10
Respiratory System	3,621	44.0	0.33	29.4	0.22	3,407	32.2	0.25	22.0	0.18
Larynx	139	1.6	0.06	1.2	0.04	37	0.4	0.03	0.3	0.02
Lung & bronchus	3,457	42.0	0.33	28.0	0.22	3,352	31.7	0.25	21.6	0.18
Skin	381	4.7	0.11	3.1	0.07	198	1.9	0.06	1.2	0.04
Melanomas of the skin	255	3.1	0.09	2.1	0.06	147	1.4	0.05	1.0	0.04
Breast	24	0.3	0.03	0.2	0.02	1,951	19.0	0.20	13.7	0.15
Female Genital System	-	-	-	-	-	1,612	15.7	0.18	11.4	0.14
Cervix uteri	-	-	-	-	-	178	2.0	0.07	1.6	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	564	5.4	0.10	3.8	0.08
Ovary	-	-	-	-	-	738	7.2	0.12	5.2	0.09
Male Genital System	1,362	17.2	0.21	9.7	0.12	-	-	-	-	-
Prostate	1,326	16.8	0.21	9.3	0.12	-	-	-	-	-
Testis	16	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	1,037	12.9	0.18	7.8	0.11	505	4.5	0.09	2.8	0.06
Bladder	633	8.0	0.14	4.6	0.08	275	2.4	0.07	1.4	0.04
Kidney & renal pelvis	380	4.6	0.11	3.1	0.07	215	2.0	0.06	1.3	0.04
Brain & Other CNS[1]	442	5.4	0.12	4.3	0.10	354	3.8	0.09	2.9	0.08
Endocrine System	63	0.8	0.05	0.6	0.03	83	0.8	0.04	0.6	0.03
Thyroid gland	42	0.5	0.04	0.3	0.02	57	0.5	0.03	0.3	0.02
Lymphomas	621	7.8	0.14	5.0	0.09	494	4.5	0.09	2.9	0.06
Hodgkin Lymphoma	31	0.4	0.03	0.3	0.03	26	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	590	7.4	0.14	4.7	0.09	469	4.3	0.09	2.7	0.06
Multiple Myeloma	286	3.5	0.09	2.3	0.06	250	2.3	0.07	1.5	0.04
Leukemias	673	8.6	0.15	5.5	0.10	524	4.9	0.10	3.3	0.08
Other, Ill-defined & Unknown	1,343	16.7	0.21	11.0	0.14	1,257	11.7	0.15	7.8	0.11

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,379	172.0	1.65	117.7	1.09	2,728	126.1	1.10	90.3	0.80
Oral Cavity & Pharynx	47	3.1	0.21	2.3	0.15	23	1.1	0.10	0.8	0.07
Digestive System	781	54.0	0.90	38.5	0.62	714	33.1	0.56	22.9	0.40
Esophagus	57	4.1	0.25	2.8	0.17	28	1.3	0.11	0.9	0.08
Stomach	97	7.0	0.33	4.8	0.22	67	3.2	0.18	2.1	0.12
Colon & Rectum	236	16.8	0.51	11.7	0.34	263	12.2	0.34	8.4	0.24
Liver	146	9.0	0.35	7.1	0.26	52	2.3	0.15	1.7	0.11
Pancreas	176	12.1	0.43	8.6	0.29	216	10.1	0.31	6.8	0.21
Respiratory System	558	39.3	0.78	27.4	0.52	481	22.0	0.45	15.5	0.32
Larynx	33	2.4	0.19	1.6	0.13	10	0.4	0.06	0.3	0.05
Lung & bronchus	520	36.7	0.75	25.6	0.50	467	21.4	0.45	15.1	0.32
Skin	12	0.8	0.11	0.6	0.08	11	0.5	0.07	0.3	0.05
Melanomas of the skin	4	0.3	0.06	0.2	0.04	4	0.2	0.04	0.1	0.02
Breast	5	0.3	0.06	0.2	0.05	495	23.1	0.47	17.2	0.36
Female Genital System	-	-	-	-	-	434	19.8	0.43	14.7	0.32
Cervix uteri	-	-	-	-	-	65	3.1	0.17	2.4	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	229	10.3	0.31	7.6	0.23
Ovary	-	-	-	-	-	126	5.7	0.23	4.2	0.17
Male Genital System	378	31.4	0.75	18.6	0.43	-	-	-	-	-
Prostate	374	31.1	0.74	18.4	0.43	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	112	8.4	0.37	5.5	0.24	68	3.1	0.17	2.0	0.11
Bladder	54	4.4	0.28	2.7	0.16	39	1.8	0.13	1.1	0.08
Kidney & renal pelvis	56	3.9	0.24	2.8	0.17	27	1.2	0.11	0.8	0.08
Brain & Other CNS[1]	38	2.5	0.19	2.0	0.15	35	1.7	0.13	1.4	0.11
Endocrine System	10	0.7	0.10	0.5	0.07	16	0.7	0.09	0.5	0.06
Thyroid gland	6	0.4	0.08	0.3	0.06	12	0.6	0.07	0.4	0.05
Lymphomas	74	5.3	0.28	3.8	0.20	66	3.1	0.17	2.3	0.13
Hodgkin Lymphoma	5	0.3	0.07	0.3	0.05	3	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	69	4.9	0.28	3.5	0.19	62	2.9	0.17	2.2	0.13
Multiple Myeloma	79	5.9	0.31	3.9	0.20	87	4.1	0.20	2.7	0.13
Leukemias	82	5.9	0.30	4.2	0.21	81	3.9	0.20	2.9	0.15
Other, Ill-defined & Unknown	203	14.3	0.47	10.1	0.32	217	10.0	0.31	7.1	0.23

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	855	112.8	1.79	75.5	1.16	716	77.3	1.32	53.1	0.90
Oral Cavity & Pharynx	28	3.4	0.30	2.5	0.21	10	1.1	0.16	0.8	0.11
Digestive System	337	43.2	1.09	29.8	0.73	238	26.3	0.78	17.2	0.51
Esophagus	25	3.1	0.29	2.2	0.20	6	0.6	0.12	0.4	0.08
Stomach	61	8.2	0.49	5.4	0.31	40	4.3	0.31	2.9	0.21
Colon & Rectum	76	10.0	0.53	6.7	0.35	66	7.2	0.40	4.7	0.27
Liver	81	9.8	0.50	7.2	0.36	25	2.9	0.26	1.8	0.16
Pancreas	59	7.6	0.46	5.2	0.30	62	7.0	0.40	4.5	0.26
Respiratory System	224	30.1	0.93	19.6	0.59	131	14.1	0.56	9.4	0.37
Larynx	4	0.5	0.12	0.4	0.08	-	-	-	-	-
Lung & bronchus	219	29.5	0.92	19.2	0.58	130	14.0	0.56	9.4	0.37
Skin	6	0.8	0.16	0.5	0.10	6	0.7	0.13	0.4	0.07
Melanomas of the skin	4	0.6	0.13	0.4	0.08	3	0.4	0.10	0.2	0.06
Breast	-	-	-	-	-	98	10.1	0.47	7.7	0.35
Female Genital System	-	-	-	-	-	87	8.9	0.44	6.7	0.33
Cervix uteri	-	-	-	-	-	16	1.6	0.19	1.3	0.14
Corpus & uterus, NOS[1]	-	-	-	-	-	28	2.9	0.25	2.1	0.18
Ovary	-	-	-	-	-	40	4.1	0.29	3.1	0.22
Male Genital System	47	7.1	0.48	4.0	0.26	-	-	-	-	-
Prostate	45	6.9	0.47	3.8	0.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	39	5.6	0.41	3.4	0.24	13	1.5	0.19	0.9	0.11
Bladder	21	3.1	0.32	1.8	0.17	5	0.6	0.12	0.4	0.07
Kidney & renal pelvis	18	2.3	0.26	1.5	0.16	7	0.8	0.14	0.5	0.09
Brain & Other CNS[1]	22	2.6	0.26	2.1	0.20	17	1.9	0.20	1.4	0.16
Endocrine System	5	0.6	0.13	0.4	0.08	7	0.7	0.13	0.6	0.10
Thyroid gland	3	0.4	0.11	0.3	0.07	3	0.4	0.10	0.3	0.06
Lymphomas	32	4.1	0.34	2.8	0.22	21	2.4	0.23	1.5	0.15
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	11	1.5	0.21	1.0	0.13	10	1.1	0.16	0.7	0.10
Leukemias	36	4.8	0.37	3.3	0.25	23	2.5	0.23	1.8	0.17
Other, Ill-defined & Unknown	-	-	-	-	-	55	6.1	0.37	4.0	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,327	197.7	0.90	132.6	0.59	9,139	135.7	0.65	94.2	0.47
Oral Cavity & Pharynx	232	4.1	0.13	3.0	0.09	95	1.4	0.07	1.0	0.05
Digestive System	2,785	51.4	0.45	36.4	0.31	2,061	30.5	0.31	20.8	0.22
Esophagus	347	6.2	0.15	4.5	0.11	83	1.2	0.06	0.9	0.04
Stomach	207	3.9	0.13	2.7	0.09	135	2.0	0.08	1.4	0.06
Colon & Rectum	834	16.0	0.26	11.0	0.17	754	11.2	0.19	7.6	0.13
Liver	458	7.8	0.17	6.0	0.13	153	2.2	0.08	1.6	0.06
Pancreas	694	12.9	0.23	8.9	0.15	643	9.4	0.17	6.3	0.12
Respiratory System	3,185	59.1	0.48	40.3	0.32	2,412	35.2	0.33	24.5	0.23
Larynx	102	1.8	0.08	1.3	0.06	33	0.5	0.04	0.4	0.03
Lung & bronchus	3,057	56.8	0.47	38.6	0.31	2,368	34.6	0.32	24.0	0.23
Skin	266	5.4	0.15	3.4	0.10	138	2.1	0.08	1.4	0.06
Melanomas of the skin	170	3.4	0.12	2.2	0.08	102	1.5	0.07	1.1	0.05
Breast	16	0.3	0.03	0.2	0.02	1,376	20.9	0.26	15.2	0.19
Female Genital System	-	-	-	-	-	949	14.2	0.21	10.2	0.16
Cervix uteri	-	-	-	-	-	121	2.0	0.08	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	329	4.8	0.12	3.4	0.09
Ovary	-	-	-	-	-	410	6.1	0.14	4.3	0.10
Male Genital System	953	20.3	0.30	11.5	0.17	-	-	-	-	-
Prostate	931	19.9	0.30	11.2	0.16	-	-	-	-	-
Testis	9	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	666	13.3	0.24	8.4	0.15	308	4.5	0.12	2.9	0.08
Bladder	354	7.3	0.18	4.3	0.10	143	2.1	0.08	1.3	0.05
Kidney & renal pelvis	293	5.6	0.15	3.8	0.10	154	2.2	0.08	1.5	0.06
Brain & Other CNS[1]	275	5.2	0.14	4.0	0.11	222	3.4	0.11	2.6	0.08
Endocrine System	43	0.8	0.06	0.6	0.04	48	0.7	0.05	0.5	0.04
Thyroid gland	27	0.5	0.04	0.3	0.03	34	0.5	0.04	0.3	0.03
Lymphomas	362	7.3	0.18	4.7	0.11	272	4.1	0.11	2.6	0.07
Hodgkin Lymphoma	19	0.4	0.04	0.3	0.03	14	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	343	6.9	0.17	4.4	0.11	258	3.9	0.11	2.4	0.07
Multiple Myeloma	230	4.6	0.14	2.9	0.09	209	3.1	0.10	2.0	0.06
Leukemias	409	8.3	0.19	5.4	0.12	301	4.6	0.12	3.0	0.08
Other, Ill-defined & Unknown	905	17.6	0.27	11.8	0.18	747	11.1	0.18	7.5	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	8,065	191.7	0.98	127.9	0.65	7,021	133.3	0.73	91.9	0.53
Oral Cavity & Pharynx	176	4.0	0.14	2.9	0.10	73	1.4	0.07	0.9	0.05
Digestive System	2,091	48.4	0.49	34.0	0.34	1,500	28.3	0.33	19.2	0.24
Esophagus	293	6.6	0.18	4.8	0.13	60	1.1	0.07	0.8	0.05
Stomach	129	3.1	0.12	2.1	0.09	85	1.6	0.08	1.1	0.06
Colon & Rectum	625	15.0	0.28	10.3	0.19	553	10.5	0.21	7.1	0.15
Liver	331	7.2	0.18	5.4	0.14	110	2.0	0.09	1.4	0.07
Pancreas	534	12.4	0.25	8.5	0.17	479	8.9	0.18	5.9	0.13
Respiratory System	2,515	57.9	0.53	39.3	0.35	1,983	37.0	0.38	25.7	0.27
Larynx	65	1.5	0.08	1.1	0.06	23	0.4	0.04	0.3	0.03
Lung & bronchus	2,430	56.0	0.52	37.9	0.35	1,951	36.4	0.37	25.2	0.27
Skin	256	6.3	0.18	4.1	0.12	128	2.5	0.10	1.7	0.07
Melanomas of the skin	166	4.1	0.14	2.7	0.10	96	1.9	0.09	1.4	0.07
Breast	11	0.2	0.03	0.2	0.02	996	19.4	0.28	13.9	0.21
Female Genital System	-	-	-	-	-	697	13.4	0.23	9.7	0.18
Cervix uteri	-	-	-	-	-	79	1.8	0.10	1.5	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	214	4.0	0.12	2.8	0.09
Ovary	-	-	-	-	-	332	6.3	0.16	4.5	0.12
Male Genital System	658	17.1	0.30	9.6	0.17	-	-	-	-	-
Prostate	642	16.7	0.30	9.2	0.16	-	-	-	-	-
Testis	7	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	567	13.9	0.27	8.7	0.17	235	4.3	0.13	2.8	0.09
Bladder	310	7.8	0.20	4.6	0.12	108	2.0	0.09	1.2	0.06
Kidney & renal pelvis	240	5.7	0.17	3.9	0.11	118	2.2	0.09	1.4	0.06
Brain & Other CNS[1]	239	5.7	0.17	4.4	0.13	191	3.8	0.13	2.9	0.10
Endocrine System	35	0.8	0.07	0.6	0.05	32	0.6	0.05	0.4	0.04
Thyroid gland	23	0.5	0.05	0.4	0.03	24	0.5	0.04	0.3	0.03
Lymphomas	307	7.6	0.20	4.8	0.13	226	4.3	0.13	2.6	0.08
Hodgkin Lymphoma	16	0.4	0.05	0.3	0.04	11	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	291	7.2	0.19	4.5	0.12	216	4.0	0.13	2.5	0.08
Multiple Myeloma	155	3.8	0.14	2.4	0.09	135	2.5	0.10	1.6	0.06
Leukemias	343	8.6	0.21	5.6	0.14	248	4.8	0.14	3.1	0.10
Other, Ill-defined & Unknown	712	17.2	0.30	11.5	0.20	575	10.9	0.21	7.3	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,077	237.4	2.52	161.7	1.60	1,939	148.8	1.55	105.8	1.10
Oral Cavity & Pharynx	51	5.0	0.33	3.8	0.24	19	1.5	0.15	1.0	0.11
Digestive System	630	67.0	1.29	48.2	0.87	511	39.2	0.79	27.3	0.55
Esophagus	52	5.3	0.35	3.9	0.25	22	1.6	0.16	1.2	0.12
Stomach	69	8.1	0.47	5.4	0.29	44	3.5	0.24	2.3	0.16
Colon & Rectum	193	21.8	0.76	15.1	0.49	187	14.4	0.48	10.0	0.34
Liver	110	9.6	0.44	7.9	0.34	39	2.7	0.20	2.1	0.15
Pancreas	149	16.0	0.63	11.4	0.42	150	11.6	0.43	8.0	0.30
Respiratory System	610	67.1	1.31	46.7	0.85	385	29.3	0.68	20.7	0.48
Larynx	33	3.6	0.30	2.5	0.20	9	0.7	0.10	0.5	0.07
Lung & bronchus	573	63.1	1.27	43.9	0.83	373	28.4	0.67	20.0	0.47
Skin	10	1.0	0.16	0.7	0.11	9	0.7	0.11	0.5	0.07
Melanomas of the skin	4	0.4	0.11	0.3	0.07	6	0.5	0.09	0.3	0.06
Breast	4	0.5	0.12	0.3	0.07	352	26.7	0.65	20.2	0.50
Female Genital System	-	-	-	-	-	233	17.8	0.54	12.9	0.39
Cervix uteri	-	-	-	-	-	38	2.9	0.22	2.3	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	110	8.3	0.36	6.0	0.26
Ovary	-	-	-	-	-	68	5.2	0.29	3.7	0.20
Male Genital System	282	40.0	1.14	23.0	0.62	-	-	-	-	-
Prostate	277	39.3	1.13	22.5	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	91	10.8	0.55	7.2	0.34	69	5.4	0.30	3.5	0.19
Bladder	40	5.1	0.39	3.2	0.23	33	2.6	0.21	1.6	0.13
Kidney & renal pelvis	49	5.4	0.38	3.8	0.24	34	2.7	0.21	1.7	0.14
Brain & Other CNS[1]	30	3.0	0.26	2.4	0.20	27	2.2	0.19	1.7	0.15
Endocrine System	8	0.8	0.13	0.7	0.11	13	1.1	0.13	0.8	0.10
Thyroid gland	4	0.4	0.09	0.3	0.06	8	0.6	0.10	0.4	0.07
Lymphomas	49	5.6	0.39	3.9	0.25	42	3.3	0.23	2.3	0.17
Hodgkin Lymphoma	3	0.3	0.07	0.2	0.06	4	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	46	5.3	0.38	3.7	0.24	38	3.0	0.22	2.1	0.16
Multiple Myeloma	71	9.1	0.52	5.7	0.30	72	5.7	0.31	3.7	0.20
Leukemias	59	7.0	0.44	4.7	0.28	48	3.9	0.25	2.7	0.18
Other, Ill-defined & Unknown	181	20.5	0.74	14.2	0.48	158	12.1	0.44	8.5	0.31

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	82	95.5	5.28	63.5	3.20	96	88.7	4.32	58.6	2.69
Oral Cavity & Pharynx	4	3.6	0.88	2.7	0.64	-	-	-	-	-
Digestive System	32	34.8	3.12	23.8	1.93	28	27.2	2.43	17.5	1.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	6	7.7	1.57	4.9	0.91	4	3.7	0.85	2.5	0.54
Colon & Rectum	6	6.5	1.33	4.6	0.83	8	7.2	1.24	4.7	0.76
Liver	8	8.9	1.60	6.0	0.97	3	3.2	0.82	2.1	0.52
Pancreas	5	4.7	1.07	3.5	0.73	7	8.0	1.37	4.7	0.78
Respiratory System	19	22.9	2.52	15.6	1.60	18	18.6	2.07	11.2	1.19
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	18	21.9	2.49	14.7	1.56	18	18.3	2.05	11.1	1.18
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	10.8	1.36	8.2	0.98
Female Genital System	-	-	-	-	-	12	9.6	1.33	7.0	0.92
Cervix uteri	-	-	-	-	-	2	1.8	0.60	1.2	0.39
Corpus & uterus, NOS[1]	-	-	-	-	-	3	2.0	0.57	1.6	0.43
Ovary	-	-	-	-	-	7	5.7	1.03	4.1	0.70
Male Genital System	4	6.2	1.50	3.6	0.80	-	-	-	-	-
Prostate	4	6.1	1.50	3.4	0.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	5.0	1.36	2.9	0.72	3	2.9	0.83	1.7	0.46
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	3	3.8	1.05	2.6	0.63	3	2.5	0.74	1.7	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	5	5.7	1.30	3.7	0.78	3	2.9	0.80	1.9	0.49
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	4	5.5	1.39	3.3	0.74	3	2.4	0.70	1.7	0.47
Other, Ill-defined & Unknown	5	5.7	1.33	3.8	0.77	9	7.3	1.21	5.1	0.78

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	693	174.6	3.03	114.6	2.01	602	126.6	2.41	86.9	1.74
Oral Cavity & Pharynx	12	2.7	0.37	2.0	0.27	5	1.1	0.23	0.7	0.16
Digestive System	192	48.2	1.59	32.9	1.10	138	28.1	1.12	18.5	0.79
Esophagus	31	7.6	0.62	5.4	0.44	6	1.4	0.26	0.9	0.18
Stomach	13	3.3	0.42	2.3	0.30	8	1.6	0.28	1.1	0.21
Colon & Rectum	63	16.4	0.94	10.8	0.63	51	10.1	0.67	6.6	0.47
Liver	19	4.5	0.48	3.5	0.36	7	1.5	0.26	1.0	0.19
Pancreas	51	12.7	0.81	8.6	0.55	43	8.8	0.62	5.7	0.42
Respiratory System	173	43.5	1.51	29.0	1.00	139	30.0	1.17	20.7	0.83
Larynx	5	1.1	0.23	0.9	0.18	-	-	-	-	-
Lung & bronchus	168	42.3	1.49	28.0	0.99	137	29.4	1.16	20.3	0.82
Skin	17	4.1	0.46	2.8	0.32	-	-	-	-	-
Melanomas of the skin	12	3.1	0.40	2.2	0.29	5	1.2	0.24	0.8	0.18
Breast	-	-	-	-	-	82	18.0	0.93	13.1	0.72
Female Genital System	-	-	-	-	-	57	12.6	0.78	9.0	0.57
Cervix uteri	-	-	-	-	-	5	1.2	0.25	1.0	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	20	4.4	0.45	3.1	0.33
Ovary	-	-	-	-	-	26	5.7	0.52	4.0	0.38
Male Genital System	77	19.7	1.02	10.9	0.58	-	-	-	-	-
Prostate	75	19.3	1.01	10.6	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	47	11.9	0.79	7.5	0.50	21	4.2	0.43	2.8	0.30
Bladder	24	6.2	0.58	3.6	0.34	7	1.5	0.25	0.8	0.15
Kidney & renal pelvis	21	5.3	0.52	3.7	0.37	12	2.6	0.34	1.8	0.25
Brain & Other CNS[1]	20	5.0	0.51	3.9	0.40	16	3.6	0.41	2.9	0.35
Endocrine System	5	1.3	0.26	0.9	0.19	4	0.8	0.20	0.6	0.16
Thyroid gland	3	0.9	0.22	0.5	0.14	2	0.4	0.14	0.3	0.10
Lymphomas	29	7.6	0.64	4.6	0.40	25	4.8	0.45	3.0	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	4.3	0.48	2.6	0.29	14	3.0	0.36	1.9	0.24
Leukemias	35	9.2	0.70	5.9	0.46	26	5.1	0.47	3.3	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	659	172.3	3.07	112.8	2.04	571	124.7	2.45	85.6	1.78
Oral Cavity & Pharynx	10	2.5	0.36	1.8	0.26	5	1.1	0.24	0.7	0.17
Digestive System	180	47.0	1.61	32.0	1.11	130	27.2	1.12	17.8	0.79
Esophagus	29	7.4	0.63	5.3	0.45	6	1.3	0.26	0.9	0.18
Stomach	11	2.9	0.41	2.0	0.28	6	1.4	0.26	0.9	0.18
Colon & Rectum	60	16.3	0.96	10.8	0.65	49	10.0	0.68	6.5	0.48
Liver	17	4.1	0.46	3.1	0.34	7	1.4	0.25	1.0	0.19
Pancreas	49	12.6	0.83	8.5	0.56	41	8.8	0.64	5.7	0.44
Respiratory System	166	43.3	1.54	28.9	1.02	130	29.0	1.17	20.0	0.84
Larynx	5	1.1	0.24	0.9	0.19	-	-	-	-	-
Lung & bronchus	161	42.1	1.52	27.9	1.00	127	28.4	1.16	19.5	0.83
Skin	17	4.3	0.48	3.0	0.34	-	-	-	-	-
Melanomas of the skin	12	3.2	0.42	2.3	0.31	5	1.3	0.26	0.9	0.19
Breast	-	-	-	-	-	80	18.3	0.98	13.4	0.76
Female Genital System	-	-	-	-	-	56	12.9	0.81	9.2	0.60
Cervix uteri	-	-	-	-	-	5	1.2	0.26	1.0	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	20	4.5	0.47	3.2	0.34
Ovary	-	-	-	-	-	25	5.8	0.54	4.1	0.40
Male Genital System	74	19.5	1.03	10.7	0.58	-	-	-	-	-
Prostate	73	19.2	1.02	10.5	0.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	11.8	0.80	7.4	0.51	20	4.1	0.43	2.7	0.30
Bladder	24	6.4	0.59	3.7	0.35	7	1.4	0.25	0.8	0.15
Kidney & renal pelvis	20	5.1	0.53	3.5	0.36	11	2.4	0.34	1.7	0.25
Brain & Other CNS[1]	19	4.9	0.52	3.8	0.41	16	3.7	0.44	3.1	0.38
Endocrine System	5	1.3	0.28	0.9	0.20	4	0.9	0.21	0.7	0.17
Thyroid gland	3	0.9	0.22	0.6	0.14	2	0.5	0.14	0.3	0.10
Lymphomas	28	7.4	0.64	4.5	0.40	24	4.9	0.47	3.0	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	4.3	0.49	2.6	0.30	14	2.9	0.37	1.9	0.25
Leukemias	34	9.1	0.71	5.8	0.47	25	5.2	0.48	3.3	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6	223.3	64.42	140.6	35.46	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	88.9	41.25	58.6	24.24	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	159.4	47.52	102.8	27.36	2	99.8	35.16	55.5	18.53
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13,367	207.2	0.82	139.2	0.55	12,062	147.3	0.62	102.4	0.45
Oral Cavity & Pharynx	298	4.4	0.12	3.2	0.09	119	1.5	0.06	1.0	0.05
Digestive System	3,637	55.3	0.42	38.4	0.29	2,789	33.6	0.29	22.7	0.21
Esophagus	595	8.9	0.17	6.3	0.12	145	1.7	0.07	1.2	0.05
Stomach	221	3.5	0.11	2.3	0.07	153	1.9	0.07	1.3	0.05
Colon & Rectum	1,143	17.9	0.24	12.1	0.16	1,070	12.9	0.18	8.7	0.13
Liver	476	6.7	0.14	5.0	0.10	179	2.1	0.07	1.5	0.05
Pancreas	902	13.7	0.21	9.4	0.14	887	10.6	0.16	7.1	0.11
Respiratory System	4,032	60.8	0.44	41.9	0.30	3,183	38.7	0.31	27.1	0.23
Larynx	140	2.0	0.08	1.5	0.06	44	0.5	0.04	0.4	0.03
Lung & bronchus	3,861	58.3	0.43	40.1	0.29	3,122	37.9	0.31	26.6	0.22
Skin	350	5.6	0.14	3.8	0.09	171	2.1	0.08	1.5	0.06
Melanomas of the skin	247	3.9	0.11	2.7	0.08	131	1.7	0.07	1.2	0.05
Breast	19	0.3	0.03	0.2	0.02	1,746	21.9	0.24	15.8	0.18
Female Genital System	-	-	-	-	-	1,250	15.5	0.20	11.3	0.15
Cervix uteri	-	-	-	-	-	157	2.3	0.08	1.9	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	439	5.3	0.11	3.8	0.08
Ovary	-	-	-	-	-	552	6.8	0.13	4.8	0.10
Male Genital System	1,200	19.9	0.26	11.4	0.15	-	-	-	-	-
Prostate	1,164	19.3	0.26	11.0	0.15	-	-	-	-	-
Testis	16	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	913	14.6	0.22	9.1	0.14	438	5.2	0.11	3.3	0.08
Bladder	528	8.7	0.17	5.1	0.10	213	2.5	0.08	1.5	0.05
Kidney & renal pelvis	363	5.5	0.13	3.8	0.09	208	2.5	0.08	1.7	0.06
Brain & Other CNS[1]	373	5.7	0.14	4.5	0.11	288	3.7	0.10	2.9	0.08
Endocrine System	53	0.8	0.05	0.6	0.04	56	0.7	0.04	0.5	0.03
Thyroid gland	29	0.5	0.04	0.3	0.03	38	0.4	0.03	0.3	0.02
Lymphomas	515	8.3	0.17	5.4	0.11	405	4.8	0.11	3.1	0.07
Hodgkin Lymphoma	25	0.4	0.04	0.3	0.03	16	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	490	7.9	0.16	5.1	0.10	389	4.6	0.11	2.9	0.07
Multiple Myeloma	288	4.6	0.12	2.9	0.08	229	2.7	0.08	1.7	0.05
Leukemias	553	9.0	0.17	5.8	0.12	407	5.0	0.11	3.3	0.08
Other, Ill-defined & Unknown	1,137	17.9	0.24	12.0	0.16	982	11.9	0.17	8.2	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	11,875	206.3	0.87	138.3	0.58	10,579	146.4	0.66	101.6	0.48
Oral Cavity & Pharynx	266	4.4	0.12	3.2	0.09	107	1.5	0.07	1.0	0.05
Digestive System	3,180	54.4	0.44	37.6	0.31	2,402	32.7	0.31	21.9	0.22
Esophagus	560	9.4	0.18	6.7	0.13	130	1.8	0.07	1.2	0.05
Stomach	176	3.1	0.11	2.1	0.07	118	1.6	0.07	1.1	0.05
Colon & Rectum	1,006	17.7	0.26	11.9	0.17	932	12.7	0.19	8.5	0.14
Liver	371	6.0	0.14	4.4	0.10	145	2.0	0.07	1.3	0.05
Pancreas	800	13.6	0.22	9.4	0.15	766	10.3	0.17	6.9	0.12
Respiratory System	3,585	60.6	0.46	41.7	0.32	2,819	38.8	0.33	27.3	0.24
Larynx	121	2.0	0.08	1.4	0.06	38	0.5	0.04	0.4	0.03
Lung & bronchus	3,436	58.1	0.45	39.9	0.31	2,765	38.1	0.33	26.7	0.24
Skin	342	6.1	0.15	4.1	0.10	166	2.4	0.09	1.7	0.07
Melanomas of the skin	244	4.4	0.13	3.0	0.09	129	1.9	0.08	1.4	0.06
Breast	17	0.3	0.03	0.2	0.02	1,495	21.3	0.26	15.3	0.19
Female Genital System	-	-	-	-	-	1,098	15.5	0.22	11.3	0.17
Cervix uteri	-	-	-	-	-	131	2.2	0.09	1.8	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	371	5.0	0.12	3.6	0.09
Ovary	-	-	-	-	-	502	7.0	0.14	5.0	0.11
Male Genital System	1,010	18.7	0.27	10.6	0.15	-	-	-	-	-
Prostate	978	18.0	0.26	10.1	0.15	-	-	-	-	-
Testis	14	0.3	0.04	0.3	0.03	-	-	-	-	-
Urinary System	843	15.0	0.24	9.3	0.15	392	5.2	0.12	3.3	0.08
Bladder	493	9.0	0.18	5.3	0.11	192	2.5	0.08	1.5	0.05
Kidney & renal pelvis	330	5.6	0.14	3.9	0.10	186	2.5	0.09	1.7	0.06
Brain & Other CNS[1]	346	6.0	0.15	4.7	0.12	265	3.9	0.11	3.1	0.09
Endocrine System	45	0.8	0.06	0.6	0.04	50	0.7	0.05	0.5	0.04
Thyroid gland	25	0.4	0.04	0.3	0.03	34	0.5	0.04	0.3	0.02
Lymphomas	478	8.6	0.18	5.5	0.12	373	5.0	0.12	3.2	0.08
Hodgkin Lymphoma	23	0.4	0.04	0.3	0.03	15	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	455	8.2	0.18	5.2	0.11	359	4.8	0.12	3.0	0.08
Multiple Myeloma	241	4.3	0.13	2.7	0.08	184	2.5	0.08	1.6	0.06
Leukemias	505	9.2	0.19	5.9	0.12	367	5.1	0.12	3.3	0.09
Other, Ill-defined & Unknown	1,017	17.9	0.26	12.0	0.17	862	11.8	0.19	8.1	0.14

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,399	235.2	2.95	162.4	1.96	1,388	165.8	2.03	117.6	1.46
Oral Cavity & Pharynx	30	4.5	0.38	3.5	0.29	9	1.1	0.17	0.8	0.12
Digestive System	424	67.9	1.55	48.9	1.07	359	42.8	1.03	29.8	0.73
Esophagus	31	5.0	0.42	3.6	0.29	14	1.6	0.20	1.2	0.14
Stomach	41	7.1	0.52	4.8	0.34	30	3.6	0.30	2.5	0.21
Colon & Rectum	130	21.8	0.90	15.2	0.60	132	15.7	0.62	11.0	0.44
Liver	96	13.4	0.64	10.7	0.49	31	3.5	0.29	2.6	0.21
Pancreas	97	16.1	0.77	11.2	0.52	112	13.4	0.58	9.1	0.40
Respiratory System	422	69.8	1.60	48.8	1.07	341	40.5	1.00	28.5	0.70
Larynx	18	3.1	0.34	2.1	0.22	6	0.7	0.13	0.5	0.09
Lung & bronchus	401	66.3	1.56	46.5	1.04	333	39.6	0.99	27.8	0.70
Skin	7	1.1	0.20	0.9	0.15	4	0.5	0.11	0.4	0.08
Melanomas of the skin	2	0.4	0.12	0.3	0.08	-	-	-	-	-
Breast	-	-	-	-	-	236	28.4	0.84	20.9	0.63
Female Genital System	-	-	-	-	-	143	17.0	0.65	12.5	0.48
Cervix uteri	-	-	-	-	-	25	3.0	0.28	2.5	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	65	7.7	0.44	5.5	0.31
Ovary	-	-	-	-	-	45	5.3	0.36	3.8	0.26
Male Genital System	184	35.5	1.22	21.1	0.70	-	-	-	-	-
Prostate	180	34.9	1.21	20.6	0.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	65	11.6	0.67	7.7	0.43	43	5.3	0.37	3.6	0.25
Bladder	32	6.0	0.49	3.8	0.30	20	2.5	0.25	1.6	0.17
Kidney & renal pelvis	31	5.1	0.43	3.7	0.30	21	2.6	0.25	1.9	0.19
Brain & Other CNS[1]	24	3.5	0.33	2.9	0.26	21	2.5	0.25	1.9	0.20
Endocrine System	7	1.1	0.20	0.8	0.14	6	0.7	0.13	0.5	0.10
Thyroid gland	4	0.7	0.17	0.4	0.10	3	0.4	0.10	0.2	0.06
Lymphomas	34	5.8	0.46	4.1	0.32	30	3.6	0.30	2.5	0.21
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	44	7.6	0.54	5.1	0.34	45	5.4	0.37	3.5	0.24
Leukemias	42	7.0	0.51	5.0	0.35	37	4.5	0.34	3.1	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	114	13.5	0.58	9.6	0.42

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	79	94.2	5.06	61.9	3.13	86	79.6	4.01	53.8	2.60
Oral Cavity & Pharynx	2	2.8	0.84	1.9	0.54	-	-	-	-	-
Digestive System	30	33.0	2.87	23.2	1.89	26	24.1	2.23	15.8	1.41
Esophagus	3	4.1	1.10	2.5	0.64	-	-	-	-	-
Stomach	4	4.5	1.05	3.1	0.69	5	4.3	0.90	3.0	0.60
Colon & Rectum	7	8.3	1.50	5.6	0.93	5	4.7	0.98	2.9	0.59
Liver	7	7.0	1.22	5.3	0.90	3	2.8	0.80	1.6	0.46
Pancreas	4	5.1	1.15	3.5	0.74	8	7.6	1.26	5.0	0.80
Respiratory System	20	24.4	2.59	15.8	1.58	22	21.6	2.16	13.6	1.32
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	19	22.9	2.52	14.8	1.53	21	21.5	2.16	13.5	1.31
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	11.5	1.46	8.6	1.04
Female Genital System	-	-	-	-	-	8	5.8	0.96	4.8	0.77
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	1.8	0.53	1.5	0.43
Ovary	-	-	-	-	-	4	3.3	0.73	2.7	0.58
Male Genital System	5	7.2	1.54	4.0	0.81	-	-	-	-	-
Prostate	5	7.0	1.53	3.8	0.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	4	5.1	1.22	3.1	0.71	-	-	-	-	-
Bladder	2	3.0	0.94	1.8	0.54	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	2	2.2	0.67	1.8	0.52	2	1.9	0.55	1.4	0.42
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	3.3	1.03	1.8	0.55	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	4.6	1.20	2.6	0.66	-	-	-	-	-
Leukemias	4	4.8	1.10	3.3	0.71	2	2.2	0.66	1.6	0.46
Other, Ill-defined & Unknown	4	4.7	1.19	2.9	0.68	5	5.0	1.02	3.3	0.64

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,431	216.6	1.49	147.5	1.01	3,761	151.4	1.13	106.7	0.83
Oral Cavity & Pharynx	99	4.7	0.22	3.4	0.16	38	1.5	0.11	1.0	0.08
Digestive System	1,199	57.2	0.76	40.9	0.54	827	33.0	0.52	22.9	0.38
Esophagus	159	7.4	0.27	5.5	0.20	32	1.3	0.10	0.9	0.07
Stomach	77	3.8	0.20	2.7	0.14	47	1.9	0.13	1.4	0.10
Colon & Rectum	417	20.5	0.46	14.3	0.32	337	13.7	0.34	9.5	0.25
Liver	204	9.1	0.29	7.1	0.22	87	3.3	0.16	2.4	0.12
Pancreas	267	12.7	0.36	8.9	0.25	242	9.5	0.28	6.5	0.20
Respiratory System	1,353	64.5	0.80	44.5	0.55	1,038	41.1	0.58	28.9	0.42
Larynx	41	1.8	0.13	1.4	0.10	11	0.4	0.06	0.3	0.05
Lung & bronchus	1,301	62.2	0.79	42.7	0.54	1,022	40.4	0.57	28.5	0.41
Skin	137	6.8	0.27	4.6	0.18	55	2.2	0.14	1.5	0.10
Melanomas of the skin	84	4.2	0.21	2.9	0.15	39	1.6	0.12	1.1	0.09
Breast	6	0.3	0.06	0.2	0.04	551	22.7	0.44	16.3	0.33
Female Genital System	-	-	-	-	-	387	16.0	0.37	12.0	0.29
Cervix uteri	-	-	-	-	-	68	3.2	0.18	2.7	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	117	4.7	0.20	3.4	0.15
Ovary	-	-	-	-	-	179	7.2	0.25	5.2	0.18
Male Genital System	390	20.7	0.48	11.9	0.27	-	-	-	-	-
Prostate	379	20.1	0.47	11.4	0.26	-	-	-	-	-
Testis	6	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	302	15.2	0.40	9.7	0.25	141	5.5	0.21	3.6	0.15
Bladder	153	8.0	0.29	4.8	0.17	59	2.3	0.14	1.5	0.09
Kidney & renal pelvis	142	6.8	0.26	4.7	0.18	76	3.0	0.15	2.0	0.11
Brain & Other CNS[1]	122	5.9	0.25	4.6	0.20	100	4.1	0.19	3.2	0.15
Endocrine System	16	0.8	0.09	0.6	0.07	18	0.8	0.08	0.5	0.06
Thyroid gland	10	0.5	0.07	0.3	0.05	12	0.5	0.06	0.3	0.04
Lymphomas	164	8.3	0.30	5.4	0.19	125	5.0	0.20	3.3	0.14
Hodgkin Lymphoma	8	0.4	0.06	0.3	0.05	8	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	156	7.9	0.29	5.1	0.19	118	4.7	0.20	3.0	0.13
Multiple Myeloma	78	3.9	0.20	2.5	0.13	70	2.7	0.15	1.8	0.10
Leukemias	196	10.0	0.33	6.5	0.21	136	5.6	0.22	3.8	0.16
Other, Ill-defined & Unknown	370	18.1	0.43	12.5	0.30	274	11.1	0.31	7.7	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,803	214.4	1.58	145.8	1.09	3,211	150.5	1.22	105.8	0.90
Oral Cavity & Pharynx	85	4.7	0.23	3.4	0.17	34	1.6	0.12	1.1	0.09
Digestive System	996	55.3	0.80	39.4	0.57	679	31.5	0.55	21.7	0.40
Esophagus	141	7.6	0.29	5.7	0.22	27	1.3	0.11	0.9	0.08
Stomach	59	3.4	0.20	2.3	0.14	36	1.7	0.13	1.2	0.10
Colon & Rectum	346	19.7	0.48	13.6	0.34	281	13.2	0.36	9.2	0.27
Liver	156	8.2	0.30	6.3	0.23	67	3.0	0.16	2.1	0.12
Pancreas	231	12.8	0.38	8.9	0.27	204	9.3	0.30	6.3	0.21
Respiratory System	1,173	64.4	0.86	44.4	0.59	904	41.6	0.63	29.3	0.46
Larynx	32	1.7	0.14	1.2	0.10	10	0.5	0.07	0.4	0.05
Lung & bronchus	1,132	62.2	0.84	42.8	0.58	889	40.9	0.62	28.8	0.45
Skin	129	7.4	0.30	5.1	0.21	50	2.4	0.16	1.6	0.12
Melanomas of the skin	81	4.6	0.24	3.3	0.17	36	1.8	0.14	1.3	0.10
Breast	5	0.3	0.06	0.2	0.04	468	22.4	0.48	16.1	0.36
Female Genital System	-	-	-	-	-	325	15.8	0.40	11.8	0.32
Cervix uteri	-	-	-	-	-	55	3.2	0.20	2.7	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	95	4.4	0.20	3.2	0.15
Ovary	-	-	-	-	-	153	7.2	0.27	5.2	0.20
Male Genital System	322	19.3	0.49	11.0	0.28	-	-	-	-	-
Prostate	314	18.8	0.48	10.6	0.27	-	-	-	-	-
Testis	4	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	265	15.3	0.43	9.8	0.27	123	5.5	0.23	3.6	0.16
Bladder	140	8.3	0.32	5.0	0.19	51	2.3	0.15	1.4	0.10
Kidney & renal pelvis	119	6.6	0.28	4.6	0.19	66	3.0	0.17	2.0	0.12
Brain & Other CNS[1]	110	6.4	0.28	5.0	0.22	88	4.3	0.21	3.4	0.18
Endocrine System	13	0.7	0.09	0.6	0.07	16	0.8	0.09	0.6	0.07
Thyroid gland	8	0.5	0.07	0.3	0.05	11	0.5	0.07	0.3	0.04
Lymphomas	144	8.4	0.32	5.4	0.21	112	5.2	0.23	3.4	0.16
Hodgkin Lymphoma	6	0.4	0.07	0.3	0.05	7	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	138	8.0	0.31	5.2	0.20	105	4.9	0.22	3.1	0.15
Multiple Myeloma	64	3.7	0.21	2.3	0.13	54	2.4	0.15	1.5	0.10
Leukemias	173	10.2	0.35	6.6	0.24	122	5.8	0.24	3.9	0.18
Other, Ill-defined & Unknown	324	18.3	0.46	12.7	0.33	233	11.0	0.33	7.7	0.25

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	267	241.9	7.26	165.6	4.59	240	166.3	4.95	119.8	3.50
Oral Cavity & Pharynx	6	4.6	0.92	3.5	0.66	-	-	-	-	-
Digestive System	84	69.3	3.71	50.4	2.49	63	43.0	2.50	30.7	1.75
Esophagus	6	5.0	1.03	3.5	0.66	2	1.5	0.45	1.1	0.33
Stomach	10	8.5	1.31	6.2	0.88	4	2.7	0.64	1.9	0.45
Colon & Rectum	31	27.1	2.38	19.1	1.55	24	16.7	1.56	12.0	1.10
Liver	16	11.0	1.28	9.2	1.03	4	2.7	0.58	2.1	0.44
Pancreas	15	12.8	1.62	9.1	1.06	20	13.4	1.40	9.3	0.95
Respiratory System	74	64.9	3.68	45.5	2.40	52	36.0	2.31	25.6	1.60
Larynx	4	3.1	0.78	2.3	0.52	-	-	-	-	-
Lung & bronchus	69	61.1	3.57	42.7	2.33	51	35.5	2.29	25.2	1.59
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	44	30.3	2.11	22.7	1.56
Female Genital System	-	-	-	-	-	27	18.4	1.62	13.9	1.20
Cervix uteri	-	-	-	-	-	4	3.1	0.67	2.3	0.51
Corpus & uterus, NOS[1]	-	-	-	-	-	12	8.1	1.07	6.2	0.80
Ovary	-	-	-	-	-	10	6.6	0.97	4.9	0.71
Male Genital System	38	44.2	3.46	25.3	1.85	-	-	-	-	-
Prostate	37	43.3	3.43	24.5	1.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	14.5	1.95	8.5	1.07	7	5.1	0.88	3.5	0.60
Bladder	6	7.9	1.51	4.2	0.77	3	2.4	0.60	1.6	0.39
Kidney & renal pelvis	7	6.3	1.18	4.2	0.73	4	2.5	0.62	1.8	0.44
Brain & Other CNS[1]	6	4.1	0.82	3.4	0.65	4	2.8	0.65	2.1	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	7	5.5	0.95	4.4	0.74	5	3.7	0.74	2.5	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	7	6.0	1.12	4.3	0.73	9	6.8	1.02	4.6	0.68
Leukemias	10	9.5	1.47	6.3	0.91	7	4.8	0.86	3.3	0.59
Other, Ill-defined & Unknown	19	16.1	1.80	11.6	1.21	18	12.8	1.39	9.0	0.96

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	33	118.0	10.17	80.7	6.38	37	101.8	7.87	66.9	4.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	45.5	6.26	31.9	4.02	12	33.3	4.48	21.9	2.79
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	12.2	2.97	9.3	2.06	4	9.8	2.43	6.5	1.53
Liver	5	17.7	4.13	11.7	2.50	3	8.0	2.26	4.9	1.30
Pancreas	-	-	-	-	-	2	6.3	1.92	4.2	1.23
Respiratory System	7	25.6	4.77	17.3	2.96	10	28.6	4.31	17.5	2.53
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	25.1	4.74	16.8	2.92	10	28.6	4.31	17.5	2.53
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	11.0	2.49	7.8	1.66
Female Genital System	-	-	-	-	-	5	11.6	2.54	8.3	1.73
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	2	5.2	1.72	3.6	1.15
Male Genital System	2	8.6	2.95	5.3	1.69	-	-	-	-	-
Prostate	2	8.6	2.95	5.3	1.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	8.9	3.07	5.1	1.63	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	2	5.8	1.76	4.8	1.46	2	6.1	1.91	4.1	1.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,230	182.3	1.29	120.1	0.85	3,825	137.9	1.03	93.8	0.73
Oral Cavity & Pharynx	104	4.2	0.19	3.0	0.14	48	1.7	0.11	1.1	0.08
Digestive System	1,261	52.6	0.68	36.6	0.47	889	31.9	0.49	21.4	0.34
Esophagus	192	7.9	0.26	5.6	0.18	45	1.6	0.11	1.1	0.08
Stomach	75	3.2	0.17	2.3	0.12	44	1.7	0.12	1.2	0.09
Colon & Rectum	339	14.8	0.37	9.9	0.25	305	11.0	0.29	7.1	0.20
Liver	211	7.8	0.25	6.1	0.19	69	2.4	0.13	1.7	0.10
Pancreas	326	13.7	0.35	9.3	0.24	287	10.3	0.28	6.8	0.19
Respiratory System	1,008	42.6	0.62	28.2	0.40	947	33.8	0.50	22.5	0.34
Larynx	30	1.2	0.10	0.8	0.07	6	0.2	0.04	0.2	0.03
Lung & bronchus	966	40.9	0.60	27.0	0.39	935	33.3	0.50	22.2	0.34
Skin	120	5.2	0.22	3.5	0.15	62	2.3	0.14	1.6	0.10
Melanomas of the skin	79	3.4	0.18	2.3	0.12	45	1.7	0.12	1.2	0.09
Breast	7	0.3	0.05	0.2	0.03	541	19.7	0.39	14.2	0.29
Female Genital System	-	-	-	-	-	453	16.5	0.36	11.9	0.27
Cervix uteri	-	-	-	-	-	50	2.1	0.14	1.7	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	137	4.9	0.19	3.5	0.14
Ovary	-	-	-	-	-	229	8.2	0.25	5.9	0.18
Male Genital System	461	21.3	0.45	12.0	0.25	-	-	-	-	-
Prostate	450	20.9	0.45	11.6	0.25	-	-	-	-	-
Testis	6	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	310	13.8	0.36	8.5	0.22	141	5.0	0.19	3.1	0.13
Bladder	171	7.9	0.27	4.5	0.16	66	2.3	0.13	1.4	0.08
Kidney & renal pelvis	125	5.4	0.22	3.6	0.15	68	2.5	0.14	1.6	0.10
Brain & Other CNS[1]	145	6.1	0.23	4.8	0.19	100	3.8	0.18	3.0	0.14
Endocrine System	24	1.0	0.10	0.7	0.07	21	0.8	0.08	0.5	0.06
Thyroid gland	17	0.8	0.08	0.5	0.06	15	0.5	0.06	0.4	0.04
Lymphomas	175	7.8	0.27	4.9	0.17	139	4.9	0.19	3.0	0.12
Hodgkin Lymphoma	9	0.3	0.05	0.3	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	166	7.5	0.27	4.7	0.17	133	4.7	0.19	2.9	0.12
Multiple Myeloma	96	4.3	0.20	2.6	0.12	75	2.6	0.14	1.7	0.09
Leukemias	180	8.2	0.28	5.2	0.18	124	4.6	0.19	3.0	0.14
Other, Ill-defined & Unknown	341	14.9	0.37	9.9	0.25	286	10.2	0.28	6.7	0.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,029	184.0	1.33	121.2	0.88	3,634	139.4	1.07	94.8	0.76
Oral Cavity & Pharynx	100	4.2	0.20	3.1	0.14	46	1.7	0.12	1.2	0.08
Digestive System	1,186	52.5	0.70	36.6	0.49	831	31.8	0.51	21.2	0.35
Esophagus	187	8.2	0.28	5.7	0.19	43	1.7	0.12	1.1	0.08
Stomach	67	3.1	0.17	2.2	0.12	37	1.5	0.11	1.1	0.08
Colon & Rectum	320	14.9	0.38	10.0	0.26	290	11.1	0.30	7.2	0.21
Liver	191	7.5	0.25	5.9	0.19	59	2.2	0.13	1.5	0.09
Pancreas	310	13.8	0.36	9.4	0.24	271	10.3	0.29	6.9	0.20
Respiratory System	960	42.9	0.64	28.4	0.42	907	34.3	0.52	23.0	0.36
Larynx	28	1.2	0.10	0.8	0.07	6	0.2	0.04	0.2	0.03
Lung & bronchus	920	41.2	0.62	27.2	0.41	895	33.9	0.52	22.6	0.35
Skin	119	5.5	0.23	3.7	0.16	61	2.5	0.15	1.7	0.11
Melanomas of the skin	79	3.6	0.19	2.5	0.13	44	1.8	0.13	1.3	0.10
Breast	7	0.3	0.06	0.2	0.04	512	20.0	0.41	14.3	0.31
Female Genital System	-	-	-	-	-	428	16.7	0.37	12.0	0.28
Cervix uteri	-	-	-	-	-	46	2.1	0.14	1.7	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	129	4.9	0.20	3.5	0.15
Ovary	-	-	-	-	-	216	8.3	0.26	5.9	0.19
Male Genital System	444	21.7	0.47	12.1	0.26	-	-	-	-	-
Prostate	434	21.2	0.46	11.7	0.26	-	-	-	-	-
Testis	6	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	301	14.2	0.37	8.7	0.23	136	5.1	0.20	3.2	0.13
Bladder	168	8.1	0.29	4.7	0.16	65	2.4	0.14	1.4	0.08
Kidney & renal pelvis	121	5.5	0.23	3.7	0.15	64	2.5	0.14	1.6	0.10
Brain & Other CNS[1]	138	6.2	0.24	4.9	0.20	97	4.0	0.19	3.1	0.16
Endocrine System	23	1.0	0.10	0.8	0.08	20	0.8	0.08	0.5	0.06
Thyroid gland	16	0.7	0.08	0.5	0.06	15	0.6	0.07	0.4	0.05
Lymphomas	166	7.9	0.28	4.9	0.18	133	5.0	0.20	3.1	0.13
Hodgkin Lymphoma	8	0.4	0.06	0.3	0.04	6	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	158	7.5	0.27	4.6	0.17	127	4.8	0.19	2.9	0.13
Multiple Myeloma	91	4.3	0.21	2.7	0.13	70	2.6	0.14	1.6	0.09
Leukemias	174	8.4	0.29	5.3	0.19	118	4.6	0.20	3.0	0.14
Other, Ill-defined & Unknown	322	14.9	0.38	9.9	0.26	275	10.4	0.29	6.9	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	70	211.6	12.81	146.2	8.07	47	132.9	8.95	95.7	6.27
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	25	68.9	6.92	50.1	4.63	13	35.0	4.54	26.0	3.27
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	5.8	1.78	4.6	1.35	-	-	-	-	-
Colon & Rectum	6	20.0	3.91	13.6	2.47	3	8.4	2.22	6.6	1.65
Liver	8	17.6	2.99	14.6	2.38	-	-	-	-	-
Pancreas	5	17.7	3.84	11.8	2.34	4	11.8	2.64	8.5	1.87
Respiratory System	14	45.2	6.00	30.9	3.76	10	30.5	4.46	20.1	2.88
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	42.6	5.85	29.0	3.64	10	30.5	4.46	20.1	2.88
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	25.0	3.63	19.5	2.79
Female Genital System	-	-	-	-	-	5	13.8	2.91	10.2	2.09
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	5.4	1.79	4.2	1.34
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	36.2	5.69	22.8	3.35	-	-	-	-	-
Prostate	9	34.0	5.47	21.7	3.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	13.0	2.97	9.7	2.04	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	3	7.9	2.30	6.1	1.57	-	-	-	-	-
Brain & Other CNS[1]	2	4.6	1.67	3.6	1.18	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	2	6.1	1.91	4.7	1.39	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	7.7	2.73	4.6	1.48	-	-	-	-	-
Leukemias	2	6.4	2.20	4.5	1.41	2	5.8	1.89	4.1	1.29
Other, Ill-defined & Unknown	5	18.2	4.10	11.3	2.25	3	7.3	2.12	5.2	1.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	92	130.2	6.39	85.3	4.00	102	98.2	4.49	67.9	3.05
Oral Cavity & Pharynx	2	2.6	0.85	1.8	0.57	-	-	-	-	-
Digestive System	38	52.2	4.00	35.1	2.57	35	33.6	2.62	23.1	1.77
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	5	8.0	1.67	4.7	0.94	5	5.2	1.02	3.6	0.70
Colon & Rectum	8	11.6	1.92	7.5	1.20	9	8.0	1.24	5.9	0.90
Liver	10	13.2	1.94	9.4	1.32	5	5.5	1.11	3.5	0.69
Pancreas	7	9.5	1.68	6.5	1.10	9	9.2	1.39	6.1	0.90
Respiratory System	23	33.0	3.23	21.4	2.00	19	19.9	2.10	12.2	1.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	22	31.7	3.16	20.6	1.96	19	19.9	2.10	12.2	1.27
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	13	11.2	1.45	8.8	1.11
Female Genital System	-	-	-	-	-	14	13.0	1.61	9.6	1.15
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	4	3.8	0.83	3.0	0.63
Ovary	-	-	-	-	-	8	7.1	1.20	5.3	0.86
Male Genital System	5	8.5	1.73	4.8	0.94	-	-	-	-	-
Prostate	5	8.3	1.72	4.6	0.93	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	4.2	1.22	2.4	0.70	2	2.1	0.67	1.5	0.46
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	4	4.6	1.11	3.5	0.82	2	1.8	0.57	1.5	0.48
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	4	5.7	1.37	3.5	0.80	3	3.4	0.87	2.1	0.53
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	3	2.4	0.69	1.7	0.48
Leukemias	3	4.0	1.16	2.4	0.68	3	3.0	0.74	2.5	0.62
Other, Ill-defined & Unknown	9	11.5	1.83	8.0	1.21	5	5.3	1.04	3.5	0.69

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14,786	196.3	0.74	130.0	0.49	13,671	140.5	0.56	96.6	0.41
Oral Cavity & Pharynx	291	3.8	0.10	2.7	0.07	124	1.2	0.05	0.8	0.04
Digestive System	4,238	55.3	0.39	38.2	0.27	3,211	32.3	0.26	21.6	0.19
Esophagus	638	8.2	0.15	5.8	0.10	162	1.6	0.06	1.1	0.04
Stomach	270	3.6	0.10	2.5	0.07	173	1.8	0.06	1.2	0.05
Colon & Rectum	1,296	17.4	0.22	11.7	0.15	1,226	12.3	0.16	8.1	0.12
Liver	598	7.3	0.14	5.5	0.10	204	2.1	0.07	1.4	0.05
Pancreas	1,097	14.3	0.20	9.8	0.14	1,035	10.4	0.15	6.9	0.10
Respiratory System	4,019	52.5	0.38	35.2	0.25	3,349	34.3	0.27	23.7	0.19
Larynx	141	1.8	0.07	1.2	0.05	38	0.4	0.03	0.3	0.02
Lung & bronchus	3,845	50.2	0.37	33.7	0.25	3,294	33.8	0.27	23.3	0.19
Skin	368	5.0	0.12	3.3	0.08	199	2.1	0.07	1.4	0.05
Melanomas of the skin	260	3.5	0.10	2.4	0.07	151	1.6	0.06	1.2	0.05
Breast	24	0.3	0.03	0.2	0.02	1,980	21.0	0.22	15.0	0.17
Female Genital System	-	-	-	-	-	1,513	16.0	0.19	11.6	0.15
Cervix uteri	-	-	-	-	-	165	2.1	0.08	1.7	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	553	5.7	0.11	4.1	0.08
Ovary	-	-	-	-	-	669	7.0	0.13	5.0	0.09
Male Genital System	1,378	19.0	0.23	10.8	0.13	-	-	-	-	-
Prostate	1,345	18.6	0.23	10.4	0.13	-	-	-	-	-
Testis	15	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	1,014	13.7	0.20	8.5	0.12	487	4.7	0.10	3.0	0.07
Bladder	596	8.2	0.15	4.7	0.09	250	2.3	0.07	1.4	0.04
Kidney & renal pelvis	390	5.1	0.12	3.5	0.08	222	2.2	0.07	1.5	0.05
Brain & Other CNS[1]	423	5.7	0.13	4.4	0.10	313	3.5	0.09	2.8	0.08
Endocrine System	58	0.8	0.05	0.6	0.04	66	0.7	0.04	0.5	0.03
Thyroid gland	41	0.6	0.04	0.4	0.03	46	0.4	0.03	0.3	0.02
Lymphomas	586	8.0	0.15	5.1	0.10	475	4.7	0.10	3.0	0.07
Hodgkin Lymphoma	25	0.3	0.03	0.3	0.02	17	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	561	7.7	0.15	4.9	0.10	458	4.5	0.10	2.8	0.07
Multiple Myeloma	305	4.1	0.11	2.6	0.07	259	2.6	0.07	1.7	0.05
Leukemias	651	9.0	0.16	5.7	0.11	470	4.8	0.10	3.2	0.08
Other, Ill-defined & Unknown	1,430	19.2	0.23	12.6	0.16	1,224	12.4	0.17	8.4	0.12

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13,290	195.1	0.77	128.9	0.52	12,071	138.8	0.59	95.2	0.43
Oral Cavity & Pharynx	259	3.7	0.11	2.7	0.08	113	1.3	0.05	0.8	0.04
Digestive System	3,737	54.1	0.41	37.3	0.28	2,787	31.2	0.28	20.8	0.20
Esophagus	596	8.5	0.16	6.0	0.11	140	1.6	0.06	1.1	0.04
Stomach	220	3.3	0.10	2.2	0.07	135	1.5	0.06	1.0	0.04
Colon & Rectum	1,161	17.3	0.23	11.5	0.16	1,083	12.1	0.17	7.9	0.12
Liver	474	6.5	0.14	4.8	0.10	165	1.9	0.07	1.3	0.05
Pancreas	987	14.2	0.21	9.8	0.14	904	10.1	0.16	6.8	0.11
Respiratory System	3,623	52.3	0.40	35.1	0.27	2,983	34.3	0.29	23.7	0.21
Larynx	123	1.7	0.07	1.2	0.05	32	0.4	0.03	0.3	0.02
Lung & bronchus	3,471	50.1	0.39	33.6	0.26	2,935	33.8	0.29	23.3	0.21
Skin	359	5.4	0.13	3.5	0.09	191	2.2	0.08	1.6	0.06
Melanomas of the skin	257	3.9	0.11	2.6	0.08	147	1.8	0.07	1.3	0.06
Breast	21	0.3	0.03	0.2	0.02	1,715	20.4	0.23	14.5	0.18
Female Genital System	-	-	-	-	-	1,319	15.8	0.20	11.4	0.15
Cervix uteri	-	-	-	-	-	135	2.0	0.08	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	459	5.3	0.12	3.8	0.09
Ovary	-	-	-	-	-	609	7.2	0.14	5.2	0.10
Male Genital System	1,185	17.9	0.24	10.1	0.14	-	-	-	-	-
Prostate	1,155	17.4	0.23	9.7	0.13	-	-	-	-	-
Testis	14	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	942	14.0	0.21	8.6	0.13	442	4.7	0.10	3.0	0.07
Bladder	556	8.3	0.16	4.8	0.09	226	2.3	0.07	1.4	0.05
Kidney & renal pelvis	359	5.2	0.13	3.6	0.09	202	2.2	0.07	1.5	0.05
Brain & Other CNS[1]	396	6.0	0.14	4.6	0.11	293	3.8	0.10	3.0	0.09
Endocrine System	52	0.8	0.05	0.6	0.04	59	0.7	0.04	0.5	0.03
Thyroid gland	38	0.6	0.04	0.4	0.03	41	0.4	0.03	0.3	0.02
Lymphomas	549	8.3	0.16	5.3	0.11	443	4.9	0.11	3.1	0.07
Hodgkin Lymphoma	23	0.4	0.03	0.3	0.03	15	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	527	8.0	0.16	5.0	0.10	428	4.7	0.10	2.9	0.07
Multiple Myeloma	263	3.9	0.11	2.5	0.07	206	2.3	0.07	1.5	0.05
Leukemias	602	9.2	0.17	5.8	0.11	432	4.9	0.11	3.2	0.08
Other, Ill-defined & Unknown	1,300	19.3	0.24	12.7	0.17	1,089	12.3	0.18	8.3	0.13

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,323	239.7	3.12	162.7	2.01	1,433	171.9	2.07	121.1	1.48
Oral Cavity & Pharynx	27	4.8	0.44	3.4	0.29	9	1.0	0.15	0.8	0.12
Digestive System	431	73.3	1.67	52.5	1.14	368	44.0	1.05	30.3	0.73
Esophagus	35	6.0	0.48	4.3	0.33	20	2.3	0.24	1.6	0.17
Stomach	42	7.8	0.57	5.1	0.36	29	3.4	0.29	2.3	0.20
Colon & Rectum	120	21.1	0.91	14.7	0.61	125	15.0	0.61	10.2	0.43
Liver	104	15.4	0.71	12.3	0.54	32	3.7	0.30	2.8	0.22
Pancreas	99	17.3	0.82	12.2	0.55	118	14.2	0.59	9.6	0.41
Respiratory System	356	64.0	1.60	43.8	1.04	335	40.0	1.00	28.0	0.70
Larynx	17	3.2	0.36	2.1	0.23	6	0.8	0.14	0.6	0.10
Lung & bronchus	335	60.3	1.56	41.3	1.01	327	39.0	0.98	27.3	0.69
Skin	7	1.3	0.23	0.9	0.15	7	0.8	0.15	0.6	0.11
Melanomas of the skin	2	0.4	0.13	0.3	0.08	3	0.5	0.11	0.4	0.09
Breast	2	0.3	0.11	0.2	0.07	242	29.5	0.86	21.4	0.64
Female Genital System	-	-	-	-	-	175	20.7	0.71	15.3	0.53
Cervix uteri	-	-	-	-	-	26	3.2	0.28	2.6	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	88	10.3	0.50	7.5	0.37
Ovary	-	-	-	-	-	50	6.0	0.38	4.3	0.28
Male Genital System	183	38.5	1.33	22.6	0.75	-	-	-	-	-
Prostate	181	38.1	1.32	22.4	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	66	12.5	0.72	8.1	0.45	42	5.1	0.36	3.4	0.24
Bladder	38	7.7	0.59	4.6	0.34	22	2.7	0.26	1.7	0.17
Kidney & renal pelvis	28	4.6	0.42	3.4	0.29	19	2.3	0.24	1.6	0.17
Brain & Other CNS[1]	20	3.1	0.33	2.4	0.25	16	1.9	0.22	1.5	0.17
Endocrine System	5	0.9	0.18	0.7	0.13	7	0.8	0.13	0.6	0.11
Thyroid gland	3	0.5	0.15	0.4	0.10	5	0.5	0.11	0.4	0.08
Lymphomas	30	5.4	0.47	3.7	0.31	26	3.2	0.28	2.1	0.20
Hodgkin Lymphoma	2	0.3	0.10	0.2	0.08	-	-	-	-	-
Non-Hodgkin Lymphoma	28	5.1	0.46	3.5	0.30	-	-	-	-	-
Multiple Myeloma	39	7.6	0.57	4.9	0.35	51	6.4	0.41	4.2	0.27
Leukemias	44	7.9	0.56	5.4	0.37	34	4.0	0.31	2.8	0.23
Other, Ill-defined & Unknown	112	20.2	0.90	13.9	0.59	120	14.4	0.60	10.1	0.43

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	163	107.8	4.03	71.1	2.50	158	84.7	3.15	57.2	2.05
Oral Cavity & Pharynx	4	2.6	0.57	1.9	0.40	-	-	-	-	-
Digestive System	67	42.0	2.44	28.9	1.58	54	31.0	1.96	19.6	1.19
Esophagus	6	4.1	0.82	2.6	0.48	-	-	-	-	-
Stomach	9	5.7	0.91	3.9	0.58	9	5.0	0.78	3.2	0.49
Colon & Rectum	14	9.0	1.13	6.2	0.73	17	9.8	1.09	6.2	0.67
Liver	20	11.4	1.21	8.4	0.85	7	4.1	0.72	2.6	0.44
Pancreas	11	7.2	1.03	4.8	0.65	12	6.9	0.92	4.4	0.57
Respiratory System	36	24.8	1.96	15.8	1.18	29	16.4	1.41	10.7	0.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	35	24.0	1.93	15.3	1.16	29	16.2	1.40	10.6	0.88
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	21	9.9	1.01	7.5	0.74
Female Genital System	-	-	-	-	-	17	8.6	0.95	6.4	0.68
Cervix uteri	-	-	-	-	-	3	1.3	0.36	1.0	0.27
Corpus & uterus, NOS[1]	-	-	-	-	-	5	2.4	0.49	1.9	0.37
Ovary	-	-	-	-	-	9	4.5	0.71	3.2	0.48
Male Genital System	10	7.8	1.17	4.4	0.63	-	-	-	-	-
Prostate	9	7.4	1.15	4.1	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	5	3.8	0.79	2.3	0.45	3	1.5	0.42	0.9	0.26
Bladder	2	1.8	0.58	1.0	0.30	-	-	-	-	-
Kidney & renal pelvis	3	2.0	0.55	1.3	0.34	-	-	-	-	-
Brain & Other CNS[1]	7	3.8	0.67	3.2	0.53	3	1.5	0.38	1.3	0.31
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	3.9	0.78	2.5	0.47	5	2.7	0.54	2.0	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	2.0	0.58	1.2	0.33	2	1.2	0.38	0.7	0.23
Leukemias	5	3.8	0.80	2.4	0.47	5	2.6	0.56	1.7	0.36
Other, Ill-defined & Unknown	17	11.5	1.34	7.5	0.81	14	7.4	0.92	5.3	0.63

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,124	192.2	2.62	125.5	1.73	1,070	136.4	1.94	93.1	1.40
Oral Cavity & Pharynx	16	2.6	0.30	1.9	0.22	9	0.9	0.15	0.6	0.11
Digestive System	315	52.7	1.36	36.1	0.93	244	30.9	0.92	20.7	0.65
Esophagus	45	7.3	0.50	5.3	0.36	14	1.7	0.21	1.1	0.15
Stomach	22	3.6	0.36	2.4	0.24	18	2.3	0.26	1.5	0.18
Colon & Rectum	86	14.8	0.73	9.7	0.48	85	10.5	0.53	6.9	0.38
Liver	52	8.2	0.52	6.1	0.39	17	2.2	0.25	1.6	0.19
Pancreas	82	13.9	0.71	9.3	0.47	77	9.8	0.51	6.5	0.35
Respiratory System	308	51.8	1.35	34.4	0.90	292	37.5	1.01	25.6	0.71
Larynx	10	1.6	0.24	1.1	0.16	3	0.4	0.10	0.3	0.08
Lung & bronchus	296	49.8	1.33	33.0	0.88	288	37.1	1.00	25.3	0.70
Skin	28	5.0	0.43	3.2	0.28	19	2.3	0.24	1.5	0.17
Melanomas of the skin	19	3.4	0.35	2.1	0.23	13	1.7	0.21	1.1	0.15
Breast	4	0.7	0.15	0.4	0.10	133	17.6	0.72	12.8	0.55
Female Genital System	-	-	-	-	-	112	14.7	0.64	10.5	0.48
Cervix uteri	-	-	-	-	-	10	1.5	0.23	1.2	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	40	5.0	0.37	3.5	0.26
Ovary	-	-	-	-	-	50	6.5	0.43	4.7	0.32
Male Genital System	104	18.8	0.83	10.3	0.47	-	-	-	-	-
Prostate	101	18.2	0.82	9.9	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	80	13.9	0.71	8.3	0.43	40	4.9	0.36	3.0	0.24
Bladder	50	8.8	0.57	4.9	0.32	21	2.5	0.25	1.4	0.16
Kidney & renal pelvis	29	4.9	0.42	3.2	0.28	18	2.2	0.24	1.4	0.17
Brain & Other CNS[1]	36	6.1	0.47	4.6	0.36	28	3.9	0.34	2.9	0.27
Endocrine System	4	0.7	0.16	0.5	0.11	4	0.6	0.14	0.4	0.11
Thyroid gland	2	0.4	0.12	0.3	0.09	3	0.4	0.11	0.3	0.08
Lymphomas	41	7.1	0.51	4.6	0.34	35	4.2	0.33	2.6	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	19	3.2	0.34	2.1	0.22	20	2.4	0.25	1.5	0.16
Leukemias	55	9.9	0.61	6.2	0.40	34	4.3	0.35	2.8	0.26
Other, Ill-defined & Unknown	114	19.7	0.85	12.9	0.56	100	12.2	0.57	8.1	0.41

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,070	196.9	2.76	128.6	1.82	1,020	140.0	2.05	95.6	1.49
Oral Cavity & Pharynx	15	2.6	0.31	1.9	0.22	7	0.8	0.14	0.6	0.10
Digestive System	296	53.4	1.42	36.5	0.98	230	31.2	0.96	20.8	0.68
Esophagus	43	7.6	0.53	5.5	0.39	13	1.7	0.21	1.1	0.14
Stomach	21	3.7	0.38	2.5	0.26	16	2.2	0.26	1.4	0.18
Colon & Rectum	81	15.0	0.76	9.9	0.51	81	10.8	0.57	7.1	0.40
Liver	47	7.9	0.53	5.9	0.39	16	2.3	0.27	1.6	0.20
Pancreas	78	14.3	0.74	9.4	0.49	74	10.0	0.54	6.6	0.37
Respiratory System	292	53.0	1.42	35.2	0.94	283	39.1	1.07	26.7	0.76
Larynx	9	1.6	0.24	1.1	0.16	3	0.4	0.11	0.3	0.09
Lung & bronchus	281	51.0	1.39	33.8	0.92	279	38.6	1.06	26.4	0.75
Skin	28	5.3	0.46	3.4	0.30	19	2.4	0.26	1.6	0.18
Melanomas of the skin	19	3.7	0.38	2.3	0.25	13	1.8	0.23	1.2	0.17
Breast	4	0.7	0.16	0.4	0.10	122	17.4	0.75	12.6	0.57
Female Genital System	-	-	-	-	-	107	15.2	0.69	10.9	0.52
Cervix uteri	-	-	-	-	-	9	1.7	0.26	1.4	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	37	5.0	0.38	3.4	0.27
Ovary	-	-	-	-	-	48	6.8	0.46	4.9	0.35
Male Genital System	100	19.1	0.87	10.5	0.49	-	-	-	-	-
Prostate	97	18.5	0.85	10.1	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	77	14.3	0.74	8.6	0.45	39	5.2	0.39	3.2	0.26
Bladder	48	9.0	0.59	5.1	0.34	20	2.6	0.27	1.5	0.17
Kidney & renal pelvis	28	5.0	0.44	3.4	0.29	17	2.3	0.26	1.5	0.18
Brain & Other CNS[1]	35	6.6	0.51	5.0	0.40	27	4.2	0.37	3.1	0.29
Endocrine System	3	0.6	0.16	0.4	0.11	4	0.7	0.16	0.5	0.13
Thyroid gland	2	0.4	0.13	0.3	0.09	3	0.5	0.12	0.3	0.09
Lymphomas	39	7.3	0.54	4.8	0.36	35	4.4	0.36	2.8	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	17	3.2	0.35	2.1	0.23	18	2.3	0.26	1.4	0.17
Leukemias	53	10.4	0.65	6.6	0.43	32	4.3	0.36	2.8	0.27
Other, Ill-defined & Unknown	109	20.3	0.89	13.3	0.60	97	12.7	0.61	8.5	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	39	136.9	10.73	93.1	6.84	33	86.3	6.93	62.2	4.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	41.9	5.71	30.3	3.86	9	22.1	3.44	15.9	2.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	14.4	3.41	9.9	2.19	2	4.7	1.52	3.3	1.08
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	3	11.4	3.05	8.2	2.03	2	5.5	1.63	4.3	1.27
Respiratory System	10	34.1	5.17	24.3	3.44	6	17.0	3.18	12.1	2.25
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	10	32.8	5.11	23.2	3.38	6	17.0	3.18	12.1	2.25
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	8	20.1	3.27	15.2	2.44
Female Genital System	-	-	-	-	-	3	6.9	1.97	5.1	1.43
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	5.2	1.70	4.1	1.30
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	17.8	4.24	9.9	2.30	-	-	-	-	-
Prostate	4	17.8	4.24	9.9	2.30	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	11.5	3.34	6.6	1.88	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	4	16.5	3.89	10.8	2.40	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13	102.7	13.55	72.0	8.99	13	82.6	10.88	58.0	7.39
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	6	41.1	8.26	30.9	5.87	5	33.0	7.25	21.9	4.61
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	3	20.3	5.83	15.3	4.12	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	4	31.7	7.61	21.4	4.92	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	4	29.5	7.29	20.2	4.76	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	2	11.7	3.81	8.7	2.79
Female Genital System	-	-	-	-	-	2	14.2	4.44	10.1	3.08
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,545	203.6	1.27	137.8	0.84	4,646	136.9	0.92	95.7	0.67
Oral Cavity & Pharynx	138	4.8	0.19	3.6	0.14	51	1.5	0.10	1.1	0.07
Digestive System	1,532	54.5	0.65	38.8	0.45	1,069	31.4	0.44	21.5	0.31
Esophagus	197	6.8	0.22	5.0	0.16	50	1.4	0.09	1.0	0.07
Stomach	130	4.7	0.19	3.4	0.14	70	2.2	0.12	1.5	0.08
Colon & Rectum	462	17.0	0.37	11.9	0.25	387	11.5	0.27	7.9	0.19
Liver	249	8.2	0.24	6.3	0.18	83	2.4	0.12	1.7	0.09
Pancreas	374	13.3	0.32	9.3	0.22	342	9.9	0.24	6.7	0.17
Respiratory System	1,660	58.6	0.67	40.4	0.45	1,163	33.2	0.44	23.2	0.32
Larynx	69	2.3	0.13	1.7	0.09	13	0.4	0.05	0.3	0.04
Lung & bronchus	1,578	55.8	0.65	38.3	0.44	1,144	32.7	0.44	22.9	0.31
Skin	140	5.4	0.21	3.5	0.14	66	2.0	0.11	1.4	0.08
Melanomas of the skin	83	3.1	0.16	2.1	0.11	47	1.4	0.10	1.0	0.07
Breast	7	0.3	0.04	0.2	0.03	715	21.6	0.37	15.8	0.28
Female Genital System	-	-	-	-	-	479	14.3	0.30	10.4	0.23
Cervix uteri	-	-	-	-	-	72	2.5	0.14	2.0	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	170	4.9	0.17	3.5	0.13
Ovary	-	-	-	-	-	199	5.9	0.19	4.1	0.14
Male Genital System	531	21.8	0.44	12.4	0.24	-	-	-	-	-
Prostate	521	21.5	0.44	12.1	0.24	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	331	12.9	0.33	8.1	0.20	158	4.6	0.17	2.9	0.11
Bladder	165	6.7	0.24	3.9	0.14	74	2.2	0.12	1.3	0.07
Kidney & renal pelvis	157	5.8	0.21	4.0	0.15	77	2.2	0.12	1.5	0.08
Brain & Other CNS[1]	156	5.7	0.21	4.3	0.16	128	3.9	0.16	3.0	0.13
Endocrine System	23	0.9	0.09	0.6	0.06	20	0.6	0.07	0.5	0.05
Thyroid gland	15	0.5	0.07	0.4	0.04	13	0.4	0.05	0.2	0.03
Lymphomas	173	6.7	0.24	4.4	0.15	148	4.4	0.16	2.7	0.11
Hodgkin Lymphoma	9	0.3	0.05	0.3	0.04	7	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	164	6.3	0.23	4.1	0.15	141	4.2	0.16	2.6	0.10
Multiple Myeloma	125	4.8	0.20	3.0	0.12	116	3.4	0.14	2.2	0.09
Leukemias	220	8.6	0.27	5.6	0.17	157	4.8	0.18	3.2	0.13
Other, Ill-defined & Unknown	510	18.8	0.39	12.9	0.26	376	11.1	0.26	7.7	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,149	195.3	1.40	131.3	0.94	3,416	134.0	1.06	93.2	0.77
Oral Cavity & Pharynx	99	4.6	0.21	3.4	0.16	39	1.5	0.11	1.1	0.09
Digestive System	1,091	50.2	0.70	35.4	0.49	732	28.5	0.48	19.4	0.34
Esophagus	152	6.8	0.25	4.9	0.18	35	1.4	0.11	0.9	0.07
Stomach	73	3.4	0.19	2.4	0.13	38	1.5	0.11	1.0	0.08
Colon & Rectum	318	15.2	0.40	10.6	0.28	266	10.6	0.30	7.3	0.22
Liver	182	7.9	0.27	6.0	0.20	58	2.2	0.13	1.5	0.09
Pancreas	275	12.6	0.35	8.7	0.24	238	9.1	0.27	6.1	0.19
Respiratory System	1,262	57.2	0.74	39.1	0.50	942	35.8	0.53	25.1	0.38
Larynx	42	1.9	0.13	1.4	0.10	9	0.4	0.06	0.3	0.04
Lung & bronchus	1,209	54.8	0.73	37.4	0.49	930	35.3	0.53	24.8	0.38
Skin	132	6.5	0.26	4.2	0.17	60	2.4	0.14	1.6	0.10
Melanomas of the skin	80	3.9	0.20	2.6	0.14	44	1.8	0.13	1.3	0.10
Breast	5	0.2	0.04	0.2	0.03	488	19.7	0.41	14.1	0.31
Female Genital System	-	-	-	-	-	324	13.1	0.34	9.5	0.26
Cervix uteri	-	-	-	-	-	45	2.2	0.16	1.9	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	97	3.8	0.18	2.7	0.13
Ovary	-	-	-	-	-	154	6.1	0.23	4.2	0.16
Male Genital System	334	17.4	0.44	9.7	0.24	-	-	-	-	-
Prostate	326	17.0	0.43	9.4	0.23	-	-	-	-	-
Testis	5	0.3	0.05	0.2	0.05	-	-	-	-	-
Urinary System	274	13.4	0.37	8.5	0.24	124	4.8	0.20	3.0	0.13
Bladder	144	7.3	0.28	4.3	0.16	56	2.2	0.13	1.3	0.08
Kidney & renal pelvis	122	5.8	0.24	4.0	0.17	63	2.4	0.14	1.6	0.10
Brain & Other CNS[1]	138	6.5	0.26	5.0	0.20	106	4.5	0.20	3.5	0.17
Endocrine System	19	0.9	0.10	0.7	0.07	14	0.6	0.08	0.5	0.07
Thyroid gland	13	0.6	0.08	0.4	0.05	9	0.4	0.06	0.2	0.04
Lymphomas	142	6.9	0.27	4.4	0.17	123	4.8	0.20	3.0	0.13
Hodgkin Lymphoma	6	0.3	0.06	0.3	0.05	6	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	136	6.6	0.26	4.2	0.17	117	4.5	0.19	2.8	0.12
Multiple Myeloma	82	4.1	0.21	2.5	0.12	67	2.6	0.14	1.6	0.09
Leukemias	182	9.0	0.31	5.8	0.20	120	4.8	0.20	3.2	0.15
Other, Ill-defined & Unknown	388	18.4	0.43	12.5	0.30	275	10.8	0.30	7.5	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,361	243.8	3.19	167.1	2.05	1,189	148.8	1.98	105.7	1.41
Oral Cavity & Pharynx	37	5.5	0.43	4.4	0.33	12	1.5	0.20	1.1	0.15
Digestive System	426	72.0	1.68	51.9	1.14	326	40.9	1.04	28.3	0.72
Esophagus	44	7.0	0.50	5.2	0.36	14	1.7	0.21	1.2	0.15
Stomach	56	10.0	0.64	6.9	0.42	30	4.0	0.33	2.7	0.23
Colon & Rectum	140	24.5	1.00	17.3	0.66	117	14.6	0.62	10.1	0.43
Liver	64	9.1	0.54	7.4	0.42	23	2.9	0.27	2.0	0.20
Pancreas	97	16.5	0.81	11.7	0.54	102	12.8	0.59	8.8	0.40
Respiratory System	391	66.7	1.62	46.9	1.07	211	25.9	0.82	18.2	0.57
Larynx	27	4.2	0.39	3.2	0.28	4	0.5	0.11	0.3	0.08
Lung & bronchus	361	62.0	1.57	43.4	1.03	205	25.2	0.81	17.7	0.56
Skin	7	1.1	0.19	0.9	0.15	6	0.8	0.14	0.5	0.10
Melanomas of the skin	2	0.3	0.09	0.2	0.08	3	0.4	0.10	0.3	0.07
Breast	3	0.5	0.15	0.3	0.09	219	27.3	0.85	20.8	0.65
Female Genital System	-	-	-	-	-	152	18.7	0.70	13.7	0.51
Cervix uteri	-	-	-	-	-	27	3.5	0.31	2.8	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	73	8.8	0.47	6.4	0.34
Ovary	-	-	-	-	-	43	5.3	0.37	3.8	0.26
Male Genital System	194	42.8	1.47	24.6	0.80	-	-	-	-	-
Prostate	192	42.5	1.47	24.3	0.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	11.0	0.70	7.2	0.43	33	4.2	0.33	2.7	0.22
Bladder	21	4.6	0.48	2.7	0.27	18	2.3	0.24	1.4	0.15
Kidney & renal pelvis	34	6.2	0.50	4.3	0.33	13	1.6	0.20	1.1	0.15
Brain & Other CNS[1]	16	2.8	0.33	2.1	0.24	21	2.6	0.26	2.0	0.20
Endocrine System	4	0.6	0.14	0.5	0.12	5	0.7	0.14	0.5	0.10
Thyroid gland	2	0.3	0.09	0.2	0.08	3	0.5	0.12	0.3	0.07
Lymphomas	29	5.5	0.49	3.9	0.32	24	3.0	0.28	2.0	0.19
Hodgkin Lymphoma	2	0.4	0.13	0.3	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	27	5.1	0.47	3.5	0.31	-	-	-	-	-
Multiple Myeloma	42	7.8	0.58	5.1	0.36	47	6.3	0.42	4.0	0.27
Leukemias	37	7.1	0.56	4.8	0.36	35	4.7	0.36	3.2	0.26
Other, Ill-defined & Unknown	118	20.4	0.91	14.5	0.60	98	12.4	0.57	8.6	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	24	80.7	7.98	55.6	5.09	33	87.1	7.13	57.5	4.48
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	32.5	4.80	23.4	3.23	10	27.9	4.12	17.5	2.47
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	3	8.3	2.47	6.2	1.67	3	9.6	2.43	6.0	1.47
Liver	2	5.7	1.75	4.7	1.41	-	-	-	-	-
Pancreas	-	-	-	-	-	2	6.4	2.07	3.6	1.13
Respiratory System	5	15.6	3.49	11.0	2.27	6	16.4	3.09	11.0	1.97
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	5	15.2	3.47	10.6	2.23	6	16.4	3.09	11.0	1.97
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	6	13.2	2.59	9.8	1.85
Female Genital System	-	-	-	-	-	3	6.7	1.89	4.8	1.30
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	2	8.2	2.46	5.4	1.57	3	6.4	1.88	4.4	1.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	912	190.0	2.88	123.4	1.89	763	132.7	2.24	90.7	1.61
Oral Cavity & Pharynx	17	3.5	0.39	2.5	0.28	6	1.0	0.20	0.8	0.16
Digestive System	262	53.2	1.51	36.5	1.04	186	31.4	1.07	20.5	0.75
Esophagus	40	7.9	0.58	5.6	0.40	8	1.4	0.22	1.0	0.16
Stomach	13	2.6	0.33	1.8	0.23	10	1.8	0.27	1.2	0.20
Colon & Rectum	92	19.2	0.92	12.7	0.62	77	12.8	0.68	8.2	0.47
Liver	31	6.1	0.50	4.5	0.37	9	1.4	0.22	0.9	0.15
Pancreas	62	12.4	0.72	8.6	0.50	58	9.7	0.59	6.3	0.41
Respiratory System	239	49.0	1.45	31.8	0.94	192	33.8	1.12	23.5	0.80
Larynx	5	1.0	0.20	0.7	0.13	-	-	-	-	-
Lung & bronchus	232	47.5	1.43	30.8	0.92	190	33.5	1.12	23.3	0.79
Skin	26	5.7	0.51	3.6	0.33	11	2.1	0.29	1.4	0.21
Melanomas of the skin	18	4.1	0.44	2.7	0.30	8	1.6	0.26	1.1	0.19
Breast	-	-	-	-	-	106	18.9	0.87	13.5	0.65
Female Genital System	-	-	-	-	-	79	14.3	0.75	10.4	0.57
Cervix uteri	-	-	-	-	-	8	1.7	0.28	1.4	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	24	4.3	0.40	3.0	0.30
Ovary	-	-	-	-	-	40	7.4	0.54	5.3	0.40
Male Genital System	89	19.7	0.94	10.9	0.53	-	-	-	-	-
Prostate	87	19.2	0.93	10.5	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	62	13.1	0.76	8.2	0.48	27	4.5	0.40	2.8	0.27
Bladder	30	6.5	0.54	3.7	0.32	12	1.8	0.25	1.1	0.16
Kidney & renal pelvis	30	6.0	0.51	4.1	0.35	14	2.4	0.30	1.6	0.21
Brain & Other CNS[1]	32	6.6	0.54	5.1	0.42	21	4.1	0.41	3.1	0.33
Endocrine System	4	0.9	0.20	0.7	0.16	5	1.0	0.20	0.8	0.16
Thyroid gland	2	0.5	0.14	0.3	0.09	4	0.6	0.15	0.4	0.11
Lymphomas	35	7.5	0.58	4.6	0.36	24	4.0	0.38	2.5	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	23	4.9	0.47	2.9	0.28	15	2.6	0.30	1.6	0.20
Leukemias	40	8.6	0.62	5.3	0.39	27	4.5	0.41	3.0	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	62	10.5	0.62	7.0	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	854	186.6	2.93	120.7	1.93	713	130.9	2.30	89.4	1.67
Oral Cavity & Pharynx	15	3.3	0.39	2.4	0.28	5	1.0	0.21	0.7	0.17
Digestive System	242	51.8	1.53	35.4	1.06	172	30.4	1.09	19.6	0.76
Esophagus	38	8.0	0.60	5.6	0.42	8	1.4	0.23	1.0	0.16
Stomach	11	2.4	0.33	1.7	0.23	8	1.5	0.26	1.0	0.19
Colon & Rectum	86	18.9	0.94	12.3	0.63	71	12.4	0.70	7.9	0.48
Liver	25	5.2	0.48	3.9	0.35	8	1.3	0.21	0.8	0.14
Pancreas	59	12.4	0.75	8.6	0.52	55	9.6	0.61	6.3	0.42
Respiratory System	223	47.6	1.46	31.0	0.95	177	32.9	1.14	22.8	0.82
Larynx	4	0.9	0.19	0.6	0.12	-	-	-	-	-
Lung & bronchus	216	46.3	1.44	30.1	0.94	175	32.7	1.14	22.7	0.81
Skin	25	5.9	0.54	3.7	0.35	11	2.1	0.31	1.4	0.22
Melanomas of the skin	18	4.3	0.46	2.9	0.32	8	1.7	0.28	1.2	0.21
Breast	-	-	-	-	-	101	19.0	0.90	13.5	0.68
Female Genital System	-	-	-	-	-	75	14.5	0.78	10.4	0.59
Cervix uteri	-	-	-	-	-	6	1.4	0.26	1.1	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	24	4.5	0.43	3.2	0.32
Ovary	-	-	-	-	-	39	7.6	0.57	5.4	0.42
Male Genital System	83	19.0	0.95	10.4	0.52	-	-	-	-	-
Prostate	81	18.6	0.93	10.0	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	59	13.0	0.78	8.1	0.49	26	4.5	0.41	2.9	0.28
Bladder	29	6.7	0.56	3.8	0.33	11	1.8	0.25	1.1	0.17
Kidney & renal pelvis	27	5.8	0.51	3.9	0.35	13	2.4	0.31	1.6	0.22
Brain & Other CNS[1]	31	6.9	0.57	5.3	0.46	21	4.3	0.45	3.4	0.36
Endocrine System	4	0.9	0.21	0.7	0.17	4	0.9	0.20	0.7	0.18
Thyroid gland	2	0.5	0.15	0.3	0.10	3	0.5	0.13	0.3	0.10
Lymphomas	34	7.5	0.59	4.6	0.37	23	4.0	0.39	2.5	0.26
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	22	4.9	0.48	2.9	0.28	15	2.6	0.31	1.6	0.21
Leukemias	39	8.8	0.64	5.4	0.41	25	4.5	0.42	2.9	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	58	10.3	0.64	6.9	0.46

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	164.6	44.45	104.5	25.79	3	95.5	28.35	70.4	19.15
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	136.6	43.35	85.7	25.09	4	115.9	29.61	77.6	17.61
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,694	217.4	1.14	148.2	0.77	6,562	148.1	0.83	104.2	0.61
Oral Cavity & Pharynx	168	4.5	0.16	3.4	0.12	70	1.6	0.09	1.1	0.06
Digestive System	2,012	54.8	0.56	39.3	0.40	1,415	31.8	0.39	21.9	0.27
Esophagus	277	7.4	0.20	5.4	0.15	58	1.3	0.08	0.9	0.06
Stomach	130	3.7	0.15	2.6	0.10	81	1.9	0.09	1.3	0.07
Colon & Rectum	638	18.0	0.33	12.6	0.23	557	12.6	0.24	8.6	0.17
Liver	343	8.7	0.22	6.7	0.16	117	2.6	0.11	1.8	0.08
Pancreas	477	12.9	0.27	9.1	0.19	439	9.8	0.21	6.7	0.15
Respiratory System	2,511	68.8	0.63	47.7	0.43	1,835	40.7	0.43	28.9	0.31
Larynx	88	2.3	0.11	1.7	0.08	20	0.4	0.05	0.3	0.03
Lung & bronchus	2,408	66.1	0.62	45.7	0.42	1,805	40.0	0.43	28.4	0.31
Skin	230	6.8	0.21	4.4	0.13	94	2.2	0.10	1.5	0.08
Melanomas of the skin	144	4.1	0.16	2.8	0.11	70	1.7	0.09	1.2	0.07
Breast	14	0.4	0.05	0.3	0.03	955	22.0	0.33	16.0	0.25
Female Genital System	-	-	-	-	-	685	15.7	0.27	11.5	0.21
Cervix uteri	-	-	-	-	-	108	2.7	0.12	2.3	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	199	4.4	0.14	3.2	0.11
Ovary	-	-	-	-	-	322	7.3	0.19	5.2	0.14
Male Genital System	634	20.2	0.37	11.6	0.21	-	-	-	-	-
Prostate	616	19.7	0.36	11.1	0.20	-	-	-	-	-
Testis	9	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	468	13.8	0.29	8.8	0.18	222	4.9	0.15	3.2	0.10
Bladder	248	7.7	0.23	4.6	0.13	91	2.0	0.10	1.2	0.06
Kidney & renal pelvis	209	5.7	0.18	4.1	0.13	122	2.7	0.11	1.8	0.08
Brain & Other CNS[1]	210	5.9	0.19	4.6	0.15	160	3.8	0.14	3.0	0.11
Endocrine System	28	0.8	0.07	0.6	0.05	27	0.6	0.05	0.5	0.04
Thyroid gland	16	0.5	0.05	0.3	0.04	17	0.4	0.04	0.3	0.03
Lymphomas	277	8.2	0.23	5.3	0.15	215	4.8	0.15	3.1	0.10
Hodgkin Lymphoma	14	0.4	0.05	0.3	0.04	9	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	263	7.8	0.22	5.0	0.14	206	4.6	0.15	2.9	0.10
Multiple Myeloma	165	4.8	0.17	3.1	0.11	124	2.7	0.11	1.8	0.07
Leukemias	297	8.9	0.24	5.8	0.15	215	4.9	0.15	3.3	0.11
Other, Ill-defined & Unknown	679	19.4	0.34	13.3	0.23	545	12.4	0.24	8.6	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,620	214.4	1.21	146.0	0.82	5,542	146.5	0.90	103.0	0.66
Oral Cavity & Pharynx	141	4.4	0.17	3.3	0.12	61	1.6	0.09	1.1	0.07
Digestive System	1,673	52.7	0.59	37.6	0.42	1,159	30.4	0.41	20.9	0.29
Esophagus	249	7.7	0.22	5.6	0.16	48	1.2	0.08	0.9	0.06
Stomach	102	3.3	0.15	2.3	0.11	62	1.7	0.10	1.2	0.07
Colon & Rectum	523	17.0	0.34	11.9	0.24	457	12.1	0.26	8.2	0.19
Liver	273	8.1	0.22	6.2	0.17	94	2.4	0.11	1.7	0.08
Pancreas	401	12.5	0.29	8.8	0.20	366	9.5	0.23	6.5	0.16
Respiratory System	2,189	68.6	0.67	47.6	0.46	1,610	41.8	0.47	29.8	0.35
Larynx	72	2.2	0.12	1.6	0.09	17	0.5	0.05	0.3	0.04
Lung & bronchus	2,103	66.0	0.66	45.6	0.45	1,585	41.1	0.47	29.3	0.34
Skin	224	7.5	0.23	5.0	0.15	90	2.5	0.12	1.7	0.09
Melanomas of the skin	142	4.7	0.18	3.2	0.12	68	1.9	0.11	1.4	0.08
Breast	11	0.4	0.05	0.2	0.03	766	20.7	0.34	15.0	0.26
Female Genital System	-	-	-	-	-	563	15.3	0.30	11.2	0.23
Cervix uteri	-	-	-	-	-	80	2.5	0.13	2.1	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	151	3.9	0.15	2.9	0.11
Ovary	-	-	-	-	-	280	7.5	0.20	5.3	0.15
Male Genital System	497	18.0	0.37	10.2	0.21	-	-	-	-	-
Prostate	482	17.4	0.36	9.7	0.20	-	-	-	-	-
Testis	8	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	423	14.2	0.32	9.0	0.20	193	5.0	0.16	3.2	0.11
Bladder	228	8.0	0.24	4.7	0.14	79	2.0	0.10	1.2	0.06
Kidney & renal pelvis	184	5.8	0.20	4.1	0.14	106	2.7	0.12	1.8	0.08
Brain & Other CNS[1]	192	6.3	0.21	4.9	0.17	145	4.1	0.16	3.2	0.13
Endocrine System	22	0.7	0.07	0.6	0.06	21	0.6	0.06	0.4	0.05
Thyroid gland	14	0.5	0.06	0.3	0.04	14	0.4	0.04	0.2	0.03
Lymphomas	251	8.5	0.25	5.5	0.16	193	5.0	0.16	3.2	0.11
Hodgkin Lymphoma	13	0.4	0.05	0.3	0.04	7	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	239	8.1	0.24	5.2	0.15	186	4.8	0.16	3.0	0.11
Multiple Myeloma	131	4.4	0.18	2.7	0.11	90	2.3	0.11	1.5	0.07
Leukemias	268	9.1	0.26	6.0	0.17	188	5.0	0.17	3.3	0.12
Other, Ill-defined & Unknown	597	19.5	0.37	13.4	0.25	463	12.3	0.26	8.6	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,028	260.5	4.03	178.1	2.53	972	167.4	2.48	118.0	1.72
Oral Cavity & Pharynx	25	5.2	0.50	4.1	0.37	9	1.4	0.22	1.1	0.16
Digestive System	321	74.5	2.07	53.8	1.37	243	42.5	1.26	29.2	0.85
Esophagus	26	5.7	0.55	4.3	0.38	10	1.7	0.25	1.3	0.18
Stomach	27	6.7	0.63	4.7	0.41	16	2.9	0.33	2.0	0.23
Colon & Rectum	110	27.7	1.31	19.0	0.82	97	17.2	0.81	11.7	0.54
Liver	65	12.4	0.75	10.1	0.57	20	3.2	0.33	2.4	0.24
Pancreas	73	17.3	1.01	12.2	0.65	70	12.3	0.68	8.3	0.45
Respiratory System	311	76.8	2.15	53.4	1.38	213	36.8	1.17	25.6	0.80
Larynx	16	3.3	0.41	2.5	0.29	3	0.4	0.11	0.3	0.08
Lung & bronchus	294	73.1	2.11	50.6	1.34	208	36.0	1.16	25.1	0.79
Skin	6	1.2	0.25	0.9	0.18	4	0.7	0.15	0.5	0.11
Melanomas of the skin	2	0.5	0.17	0.4	0.11	2	0.4	0.11	0.3	0.08
Breast	3	0.6	0.17	0.4	0.12	181	30.3	1.04	22.5	0.76
Female Genital System	-	-	-	-	-	118	20.1	0.85	14.5	0.61
Cervix uteri	-	-	-	-	-	26	4.2	0.38	3.4	0.30
Corpus & uterus, NOS[1]	-	-	-	-	-	47	8.0	0.55	5.7	0.38
Ovary	-	-	-	-	-	40	6.8	0.50	4.8	0.34
Male Genital System	133	43.6	1.83	25.2	0.99	-	-	-	-	-
Prostate	130	42.9	1.81	24.7	0.98	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	43	11.6	0.87	7.6	0.53	28	5.0	0.44	3.3	0.29
Bladder	18	5.6	0.63	3.4	0.36	12	2.2	0.28	1.4	0.18
Kidney & renal pelvis	24	5.6	0.58	4.1	0.38	15	2.7	0.32	1.8	0.22
Brain & Other CNS[1]	17	3.7	0.44	2.8	0.32	14	2.4	0.29	1.9	0.23
Endocrine System	5	1.2	0.28	0.9	0.18	5	0.8	0.17	0.6	0.13
Thyroid gland	2	0.6	0.21	0.4	0.12	3	0.4	0.13	0.3	0.09
Lymphomas	25	6.1	0.61	4.4	0.40	20	3.6	0.37	2.4	0.25
Hodgkin Lymphoma	-	-	-	-	-	2	0.3	0.11	0.2	0.08
Non-Hodgkin Lymphoma	-	-	-	-	-	18	3.3	0.35	2.2	0.23
Multiple Myeloma	33	8.9	0.76	5.9	0.47	33	5.9	0.48	3.9	0.31
Leukemias	27	7.7	0.73	4.9	0.43	25	4.3	0.40	3.1	0.28
Other, Ill-defined & Unknown	79	19.3	1.08	13.6	0.70	78	13.6	0.71	9.4	0.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	38	96.5	7.75	67.4	4.93	42	85.0	6.22	56.2	3.89
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	16	37.3	4.73	26.9	3.09	12	24.9	3.40	16.2	2.10
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	2	3.5	1.17	2.6	0.82
Colon & Rectum	4	10.2	2.53	7.1	1.61	3	5.5	1.51	3.9	1.01
Liver	5	11.2	2.59	8.2	1.69	2	4.7	1.59	2.6	0.84
Pancreas	3	6.5	2.01	4.6	1.29	3	6.9	1.83	4.3	1.11
Respiratory System	8	20.8	3.55	14.4	2.29	10	20.4	3.08	13.2	1.88
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	20.4	3.53	14.0	2.26	10	19.5	3.00	12.7	1.85
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	7	12.9	2.30	9.3	1.57
Female Genital System	-	-	-	-	-	3	5.2	1.29	4.3	1.04
Cervix uteri	-	-	-	-	-	2	2.9	0.92	2.5	0.79
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	9.2	2.66	5.4	1.46	-	-	-	-	-
Prostate	3	9.2	2.66	5.4	1.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	6.2	2.21	3.7	1.20	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	8.8	2.46	6.0	1.49	3	5.7	1.63	3.7	0.98

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21,400	179.5	0.57	120.4	0.37	18,539	125.9	0.42	87.4	0.30
Oral Cavity & Pharynx	506	3.9	0.08	2.9	0.06	186	1.2	0.04	0.9	0.03
Digestive System	6,712	53.7	0.30	37.9	0.21	4,612	31.2	0.21	21.3	0.14
Esophagus	718	5.7	0.10	4.0	0.07	165	1.1	0.04	0.8	0.03
Stomach	549	4.5	0.09	3.1	0.06	369	2.5	0.06	1.8	0.04
Colon & Rectum	2,125	17.3	0.17	12.1	0.12	1,644	11.1	0.12	7.6	0.09
Liver	1,367	10.1	0.13	7.7	0.09	503	3.4	0.07	2.3	0.05
Pancreas	1,425	11.7	0.14	8.0	0.10	1,328	9.0	0.11	6.0	0.08
Respiratory System	5,393	45.0	0.28	30.1	0.18	4,085	27.7	0.20	18.8	0.13
Larynx	207	1.6	0.05	1.2	0.04	44	0.3	0.02	0.2	0.01
Lung & bronchus	5,134	43.0	0.28	28.7	0.18	4,014	27.3	0.20	18.5	0.13
Skin	581	5.0	0.10	3.3	0.06	252	1.7	0.05	1.2	0.03
Melanomas of the skin	341	2.9	0.07	1.9	0.05	171	1.2	0.04	0.8	0.03
Breast	29	0.2	0.02	0.2	0.01	2,932	19.8	0.17	14.4	0.12
Female Genital System	-	-	-	-	-	2,123	14.4	0.14	10.6	0.11
Cervix uteri	-	-	-	-	-	411	2.9	0.06	2.4	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	650	4.3	0.08	3.2	0.06
Ovary	-	-	-	-	-	912	6.1	0.09	4.4	0.07
Male Genital System	1,920	18.2	0.19	10.4	0.11	-	-	-	-	-
Prostate	1,852	17.6	0.19	10.0	0.10	-	-	-	-	-
Testis	37	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,456	12.8	0.15	8.1	0.10	674	4.6	0.08	2.9	0.05
Bladder	684	6.4	0.11	3.7	0.06	259	1.8	0.05	1.1	0.03
Kidney & renal pelvis	735	6.0	0.10	4.2	0.07	392	2.6	0.06	1.8	0.04
Brain & Other CNS[1]	638	4.9	0.09	3.8	0.07	523	3.6	0.07	2.7	0.06
Endocrine System	103	0.8	0.04	0.6	0.03	115	0.8	0.03	0.6	0.02
Thyroid gland	62	0.5	0.03	0.3	0.02	74	0.5	0.03	0.3	0.02
Lymphomas	819	7.1	0.12	4.6	0.07	606	4.2	0.08	2.7	0.05
Hodgkin Lymphoma	53	0.4	0.03	0.3	0.02	33	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	766	6.7	0.11	4.3	0.07	573	4.0	0.08	2.5	0.05
Multiple Myeloma	459	4.0	0.09	2.6	0.05	370	2.5	0.06	1.6	0.04
Leukemias	938	8.3	0.12	5.4	0.08	646	4.5	0.08	3.0	0.06
Other, Ill-defined & Unknown	1,847	15.5	0.17	10.5	0.11	1,416	9.6	0.12	6.6	0.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	18,344	179.8	0.61	120.2	0.40	15,622	125.7	0.46	87.0	0.32
Oral Cavity & Pharynx	433	3.9	0.09	2.9	0.06	162	1.3	0.05	0.9	0.03
Digestive System	5,635	53.0	0.32	37.4	0.22	3,800	30.4	0.22	20.7	0.16
Esophagus	651	6.0	0.11	4.3	0.08	138	1.1	0.04	0.8	0.03
Stomach	439	4.3	0.09	3.0	0.06	294	2.4	0.06	1.7	0.05
Colon & Rectum	1,767	17.0	0.19	11.8	0.13	1,341	10.7	0.13	7.3	0.09
Liver	1,111	9.8	0.13	7.4	0.10	413	3.3	0.07	2.2	0.05
Pancreas	1,223	11.7	0.15	8.0	0.10	1,108	8.8	0.12	5.9	0.08
Respiratory System	4,575	44.5	0.30	29.7	0.20	3,530	28.3	0.22	19.2	0.15
Larynx	170	1.6	0.06	1.1	0.04	36	0.3	0.02	0.2	0.02
Lung & bronchus	4,359	42.5	0.30	28.2	0.19	3,470	27.8	0.21	18.8	0.15
Skin	559	5.6	0.11	3.7	0.07	238	1.9	0.06	1.3	0.04
Melanomas of the skin	333	3.3	0.08	2.2	0.05	164	1.3	0.05	0.9	0.03
Breast	23	0.2	0.02	0.1	0.01	2,385	19.2	0.18	13.9	0.13
Female Genital System	-	-	-	-	-	1,756	14.3	0.15	10.6	0.12
Cervix uteri	-	-	-	-	-	336	2.9	0.07	2.4	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	500	4.0	0.08	2.9	0.06
Ovary	-	-	-	-	-	790	6.3	0.10	4.6	0.07
Male Genital System	1,588	17.3	0.20	9.9	0.11	-	-	-	-	-
Prostate	1,525	16.7	0.20	9.4	0.11	-	-	-	-	-
Testis	35	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,312	13.3	0.17	8.4	0.10	591	4.7	0.09	3.0	0.06
Bladder	625	6.7	0.12	3.9	0.07	225	1.8	0.05	1.1	0.03
Kidney & renal pelvis	654	6.3	0.11	4.3	0.08	347	2.8	0.07	1.9	0.05
Brain & Other CNS[1]	577	5.3	0.10	4.1	0.08	467	3.8	0.08	2.9	0.06
Endocrine System	90	0.9	0.04	0.6	0.03	97	0.8	0.04	0.6	0.03
Thyroid gland	56	0.6	0.03	0.4	0.02	65	0.5	0.03	0.3	0.02
Lymphomas	737	7.5	0.13	4.8	0.08	542	4.4	0.09	2.8	0.06
Hodgkin Lymphoma	46	0.5	0.03	0.3	0.02	28	0.2	0.02	0.2	0.02
Non-Hodgkin Lymphoma	691	7.0	0.12	4.5	0.08	514	4.2	0.08	2.6	0.05
Multiple Myeloma	375	3.8	0.09	2.4	0.06	291	2.3	0.06	1.5	0.04
Leukemias	836	8.6	0.14	5.6	0.09	563	4.6	0.09	3.1	0.06
Other, Ill-defined & Unknown	1,603	15.7	0.18	10.6	0.12	1,199	9.7	0.13	6.6	0.09

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,550	223.3	2.20	152.2	1.37	2,437	150.9	1.42	107.5	0.98
Oral Cavity & Pharynx	58	4.4	0.29	3.3	0.20	18	1.0	0.11	0.8	0.08
Digestive System	877	70.2	1.18	50.5	0.78	657	40.9	0.74	28.6	0.50
Esophagus	54	4.4	0.30	3.1	0.19	23	1.4	0.14	1.0	0.09
Stomach	83	7.3	0.40	5.0	0.25	55	3.6	0.22	2.4	0.15
Colon & Rectum	307	25.7	0.73	17.9	0.47	255	15.8	0.46	11.1	0.31
Liver	202	13.5	0.46	10.9	0.35	65	3.8	0.22	2.8	0.16
Pancreas	167	14.0	0.54	9.8	0.35	186	11.9	0.40	8.1	0.27
Respiratory System	701	62.0	1.16	42.2	0.73	470	29.7	0.64	20.6	0.43
Larynx	34	2.9	0.25	2.0	0.16	8	0.5	0.08	0.3	0.05
Lung & bronchus	661	58.7	1.13	39.9	0.71	460	29.2	0.63	20.2	0.43
Skin	16	1.3	0.17	0.9	0.11	9	0.6	0.09	0.4	0.06
Melanomas of the skin	5	0.5	0.11	0.3	0.06	4	0.3	0.06	0.2	0.04
Breast	6	0.5	0.10	0.4	0.07	473	28.1	0.60	21.2	0.44
Female Genital System	-	-	-	-	-	306	18.4	0.49	13.6	0.35
Cervix uteri	-	-	-	-	-	64	3.7	0.21	3.0	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	130	7.8	0.32	5.7	0.23
Ovary	-	-	-	-	-	95	5.9	0.28	4.2	0.19
Male Genital System	304	33.1	0.92	19.6	0.51	-	-	-	-	-
Prostate	300	32.9	0.92	19.4	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	120	11.6	0.52	7.4	0.31	72	4.8	0.26	3.1	0.17
Bladder	49	5.3	0.37	3.2	0.20	30	2.1	0.17	1.3	0.11
Kidney & renal pelvis	68	6.0	0.36	4.0	0.22	38	2.6	0.19	1.7	0.12
Brain & Other CNS[1]	44	3.1	0.23	2.5	0.17	43	2.6	0.18	2.0	0.14
Endocrine System	9	0.7	0.11	0.5	0.08	13	0.8	0.10	0.6	0.07
Thyroid gland	3	0.3	0.09	0.2	0.05	6	0.4	0.08	0.3	0.05
Lymphomas	65	5.2	0.32	3.7	0.21	52	3.3	0.21	2.3	0.14
Hodgkin Lymphoma	6	0.5	0.10	0.3	0.06	4	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	59	4.7	0.31	3.4	0.20	47	3.0	0.20	2.1	0.14
Multiple Myeloma	74	7.3	0.42	4.7	0.25	73	4.9	0.27	3.1	0.17
Leukemias	77	6.8	0.39	4.7	0.24	68	4.3	0.24	3.1	0.17
Other, Ill-defined & Unknown	199	17.1	0.60	11.9	0.38	184	11.4	0.39	8.1	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	475	98.5	2.21	66.7	1.38	448	76.2	1.70	52.3	1.11
Oral Cavity & Pharynx	14	2.5	0.32	1.9	0.23	5	0.9	0.18	0.6	0.12
Digestive System	190	36.9	1.30	26.0	0.85	145	25.9	1.02	16.9	0.63
Esophagus	12	2.3	0.33	1.6	0.21	3	0.6	0.16	0.4	0.10
Stomach	26	5.2	0.50	3.6	0.32	20	3.4	0.36	2.3	0.23
Colon & Rectum	48	9.0	0.63	6.5	0.42	45	8.0	0.57	5.2	0.35
Liver	51	9.5	0.64	7.0	0.44	23	4.2	0.41	2.7	0.25
Pancreas	34	6.9	0.58	4.7	0.37	32	5.7	0.47	3.8	0.30
Respiratory System	110	23.9	1.12	15.6	0.67	77	13.6	0.73	9.0	0.46
Larynx	3	0.6	0.17	0.4	0.11	-	-	-	-	-
Lung & bronchus	105	23.0	1.10	15.0	0.66	76	13.4	0.72	8.9	0.46
Skin	5	1.1	0.24	0.7	0.15	-	-	-	-	-
Melanomas of the skin	3	0.6	0.17	0.4	0.10	3	0.5	0.14	0.3	0.09
Breast	-	-	-	-	-	69	10.5	0.60	7.8	0.42
Female Genital System	-	-	-	-	-	57	8.6	0.54	6.5	0.39
Cervix uteri	-	-	-	-	-	10	1.5	0.23	1.1	0.16
Corpus & uterus, NOS[1]	-	-	-	-	-	18	2.6	0.28	2.1	0.21
Ovary	-	-	-	-	-	26	4.0	0.37	3.0	0.26
Male Genital System	25	6.8	0.66	3.8	0.34	-	-	-	-	-
Prostate	24	6.7	0.65	3.7	0.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	21	4.9	0.52	3.1	0.30	10	1.7	0.26	1.1	0.17
Bladder	9	2.5	0.40	1.4	0.21	3	0.6	0.16	0.4	0.10
Kidney & renal pelvis	12	2.3	0.33	1.6	0.21	6	1.0	0.19	0.7	0.13
Brain & Other CNS[1]	16	2.5	0.31	2.1	0.24	12	1.8	0.25	1.5	0.19
Endocrine System	4	0.7	0.17	0.5	0.13	5	0.8	0.17	0.6	0.12
Thyroid gland	2	0.5	0.14	0.3	0.10	3	0.4	0.13	0.3	0.09
Lymphomas	17	3.8	0.46	2.4	0.27	12	2.2	0.31	1.4	0.18
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	2.2	0.35	1.4	0.20	6	1.0	0.20	0.6	0.12
Leukemias	23	4.6	0.48	3.3	0.31	15	2.6	0.31	1.9	0.22
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,677	144.3	1.61	93.7	1.03	1,459	107.6	1.28	72.9	0.88
Oral Cavity & Pharynx	32	2.6	0.21	1.9	0.15	14	1.1	0.13	0.7	0.09
Digestive System	478	39.5	0.83	27.2	0.56	345	25.6	0.62	17.1	0.42
Esophagus	61	4.9	0.29	3.5	0.20	11	0.8	0.11	0.5	0.07
Stomach	32	2.7	0.22	1.9	0.15	23	1.8	0.17	1.2	0.12
Colon & Rectum	147	12.4	0.47	8.4	0.31	129	9.6	0.38	6.4	0.26
Liver	68	5.3	0.30	3.9	0.21	25	1.9	0.17	1.3	0.12
Pancreas	131	10.8	0.43	7.4	0.29	109	8.0	0.35	5.3	0.23
Respiratory System	268	22.8	0.64	15.1	0.41	207	15.3	0.48	10.3	0.33
Larynx	8	0.7	0.11	0.5	0.07	3	0.2	0.05	0.1	0.04
Lung & bronchus	255	21.8	0.62	14.3	0.40	202	14.9	0.48	10.0	0.32
Skin	66	5.7	0.32	3.7	0.21	27	2.0	0.17	1.4	0.12
Melanomas of the skin	52	4.4	0.28	2.9	0.19	23	1.7	0.16	1.2	0.12
Breast	-	-	-	-	-	272	20.1	0.55	14.0	0.39
Female Genital System	-	-	-	-	-	186	13.5	0.45	9.5	0.32
Cervix uteri	-	-	-	-	-	19	1.3	0.14	1.1	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	58	4.2	0.25	2.9	0.17
Ovary	-	-	-	-	-	99	7.3	0.33	5.1	0.23
Male Genital System	219	20.7	0.64	11.3	0.35	-	-	-	-	-
Prostate	214	20.4	0.63	11.1	0.34	-	-	-	-	-
Testis	3	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	123	10.9	0.45	6.7	0.27	50	3.7	0.24	2.3	0.15
Bladder	61	5.7	0.33	3.2	0.19	18	1.3	0.14	0.8	0.09
Kidney & renal pelvis	59	4.9	0.29	3.3	0.20	30	2.2	0.18	1.4	0.12
Brain & Other CNS[1]	75	5.9	0.31	4.5	0.23	50	3.6	0.23	2.8	0.18
Endocrine System	12	1.1	0.14	0.7	0.09	9	0.6	0.10	0.4	0.07
Thyroid gland	10	0.9	0.13	0.5	0.08	7	0.5	0.09	0.3	0.06
Lymphomas	80	7.1	0.36	4.4	0.22	54	4.1	0.25	2.5	0.16
Hodgkin Lymphoma	3	0.2	0.06	0.1	0.04	3	0.2	0.06	0.2	0.04
Non-Hodgkin Lymphoma	77	6.9	0.36	4.2	0.22	52	3.9	0.25	2.4	0.15
Multiple Myeloma	42	3.7	0.26	2.3	0.16	33	2.5	0.20	1.5	0.12
Leukemias	95	8.3	0.39	5.3	0.25	69	5.1	0.28	3.4	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	144	10.5	0.40	7.0	0.27

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,611	144.9	1.65	93.9	1.06	1,395	107.8	1.31	73.0	0.90
Oral Cavity & Pharynx	30	2.6	0.21	1.8	0.15	14	1.1	0.13	0.7	0.09
Digestive System	448	38.8	0.84	26.7	0.57	324	25.2	0.63	16.8	0.43
Esophagus	60	5.1	0.30	3.6	0.21	11	0.8	0.11	0.6	0.08
Stomach	29	2.5	0.22	1.7	0.15	20	1.6	0.16	1.1	0.12
Colon & Rectum	138	12.3	0.48	8.3	0.32	123	9.6	0.39	6.4	0.27
Liver	59	4.9	0.29	3.5	0.21	22	1.7	0.16	1.1	0.11
Pancreas	125	10.8	0.44	7.4	0.30	105	8.0	0.36	5.3	0.24
Respiratory System	258	22.9	0.65	15.1	0.42	196	15.1	0.49	10.2	0.33
Larynx	8	0.7	0.11	0.5	0.08	3	0.2	0.05	0.1	0.04
Lung & bronchus	246	21.8	0.64	14.3	0.41	192	14.8	0.48	9.9	0.33
Skin	66	6.0	0.34	3.9	0.22	26	2.1	0.18	1.4	0.13
Melanomas of the skin	51	4.5	0.29	3.1	0.19	23	1.8	0.17	1.3	0.12
Breast	-	-	-	-	-	260	20.1	0.57	14.1	0.40
Female Genital System	-	-	-	-	-	178	13.6	0.46	9.5	0.33
Cervix uteri	-	-	-	-	-	18	1.3	0.14	1.1	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	55	4.2	0.25	2.8	0.18
Ovary	-	-	-	-	-	96	7.4	0.34	5.1	0.24
Male Genital System	214	21.0	0.65	11.5	0.35	-	-	-	-	-
Prostate	209	20.7	0.65	11.2	0.35	-	-	-	-	-
Testis	3	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	120	11.0	0.46	6.8	0.28	49	3.8	0.25	2.4	0.16
Bladder	60	5.8	0.34	3.3	0.19	18	1.4	0.15	0.8	0.09
Kidney & renal pelvis	57	5.0	0.30	3.4	0.20	29	2.3	0.19	1.5	0.13
Brain & Other CNS[1]	73	6.1	0.32	4.6	0.24	48	3.7	0.24	2.9	0.19
Endocrine System	11	1.1	0.14	0.7	0.09	8	0.6	0.10	0.4	0.07
Thyroid gland	9	0.9	0.13	0.5	0.08	7	0.5	0.09	0.3	0.06
Lymphomas	77	7.2	0.37	4.4	0.23	53	4.2	0.26	2.5	0.16
Hodgkin Lymphoma	2	0.2	0.06	0.1	0.04	3	0.2	0.06	0.2	0.05
Non-Hodgkin Lymphoma	75	7.0	0.37	4.3	0.22	50	3.9	0.25	2.4	0.16
Multiple Myeloma	40	3.7	0.27	2.3	0.16	32	2.5	0.20	1.5	0.12
Leukemias	92	8.4	0.40	5.4	0.25	68	5.3	0.29	3.5	0.20
Other, Ill-defined & Unknown	-	-	-	-	-	139	10.6	0.41	7.1	0.28

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	16	159.5	21.62	112.3	13.60	12	143.3	19.86	94.3	12.57
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	7	54.1	10.12	44.8	7.83	3	34.2	9.55	21.8	6.04
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	2	15.9	6.09	12.5	4.29	-	-	-	-	-
Liver	2	17.4	5.40	14.8	4.44	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	3	40.8	12.69	24.6	7.10	3	33.7	10.27	21.8	6.25
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	3	40.8	12.69	24.6	7.10	3	33.7	10.27	21.8	6.25
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	2	25.0	7.67	17.5	5.19
Female Genital System	-	-	-	-	-	2	20.9	7.01	15.3	4.96
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	38	121.8	9.58	84.4	6.19	42	101.4	7.35	71.3	4.98
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	58.5	6.65	40.2	4.28	13	32.2	4.21	21.8	2.75
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	6.0	2.07	4.4	1.41	2	4.6	1.54	3.3	1.05
Colon & Rectum	5	19.2	3.95	12.1	2.36	4	8.0	1.95	5.8	1.38
Liver	5	17.1	3.58	11.9	2.33	2	6.2	1.97	3.8	1.17
Pancreas	3	11.0	2.91	7.8	1.92	3	8.3	2.23	5.2	1.35
Respiratory System	6	19.0	3.76	13.4	2.49	7	16.9	2.96	11.9	2.03
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	6	19.0	3.76	13.4	2.49	7	16.1	2.86	11.5	2.00
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	8	17.4	2.82	13.8	2.16
Female Genital System	-	-	-	-	-	6	12.6	2.51	9.6	1.83
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	3	5.9	1.72	4.3	1.22
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	2	7.8	2.52	5.1	1.55	-	-	-	-	-
Prostate	2	7.8	2.52	5.1	1.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	8.3	2.71	4.9	1.50	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	3	7.0	2.06	5.3	1.50	3	9.3	2.48	5.2	1.37

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	738	193.2	3.29	126.4	2.15	653	140.1	2.54	94.5	1.78
Oral Cavity & Pharynx	17	3.9	0.44	2.9	0.33	8	1.8	0.28	1.2	0.19
Digestive System	196	49.7	1.65	34.0	1.12	149	31.6	1.20	20.7	0.82
Esophagus	35	8.7	0.68	6.1	0.47	8	1.6	0.26	1.2	0.19
Stomach	13	3.7	0.46	2.3	0.30	5	1.1	0.22	0.8	0.17
Colon & Rectum	59	15.7	0.95	10.6	0.65	63	13.7	0.80	8.8	0.55
Liver	24	5.5	0.53	4.2	0.39	6	1.3	0.24	0.8	0.16
Pancreas	48	12.2	0.81	8.1	0.53	45	9.6	0.65	6.2	0.43
Respiratory System	196	49.8	1.65	33.3	1.08	174	37.0	1.29	25.1	0.89
Larynx	6	1.5	0.29	1.0	0.20	-	-	-	-	-
Lung & bronchus	188	47.7	1.61	31.8	1.06	172	36.5	1.28	24.7	0.88
Skin	22	5.8	0.57	3.8	0.37	10	2.2	0.32	1.6	0.25
Melanomas of the skin	13	3.4	0.42	2.4	0.30	7	1.6	0.27	1.1	0.22
Breast	-	-	-	-	-	83	18.0	0.92	12.7	0.68
Female Genital System	-	-	-	-	-	70	15.1	0.84	10.6	0.61
Cervix uteri	-	-	-	-	-	4	1.1	0.26	0.9	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	25	5.4	0.50	3.8	0.36
Ovary	-	-	-	-	-	31	6.6	0.55	4.6	0.39
Male Genital System	71	20.2	1.09	11.2	0.61	-	-	-	-	-
Prostate	69	19.7	1.08	10.8	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	15.4	0.94	9.4	0.57	23	5.0	0.48	3.2	0.33
Bladder	32	9.0	0.72	5.2	0.42	13	2.9	0.36	1.7	0.23
Kidney & renal pelvis	23	5.9	0.57	3.9	0.37	9	1.9	0.30	1.3	0.23
Brain & Other CNS[1]	24	6.4	0.61	5.0	0.49	20	4.7	0.49	3.7	0.40
Endocrine System	5	1.2	0.26	0.9	0.20	4	0.9	0.21	0.6	0.16
Thyroid gland	3	0.7	0.19	0.5	0.13	2	0.5	0.14	0.3	0.10
Lymphomas	30	8.3	0.70	5.1	0.43	20	4.4	0.45	2.8	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	3.8	0.46	2.5	0.29	11	2.3	0.32	1.4	0.20
Leukemias	31	8.6	0.71	5.4	0.45	22	4.8	0.47	3.1	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	58	12.2	0.74	7.8	0.50

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	729	194.0	3.33	126.9	2.18	647	141.0	2.57	95.1	1.81
Oral Cavity & Pharynx	16	3.9	0.45	2.9	0.33	8	1.8	0.29	1.2	0.20
Digestive System	192	49.7	1.67	34.0	1.14	147	31.8	1.21	20.8	0.83
Esophagus	35	8.8	0.69	6.1	0.47	8	1.6	0.26	1.1	0.19
Stomach	13	3.6	0.46	2.3	0.30	5	1.0	0.22	0.8	0.17
Colon & Rectum	58	15.7	0.96	10.6	0.66	63	13.9	0.81	9.0	0.56
Liver	23	5.5	0.53	4.1	0.39	6	1.2	0.23	0.8	0.16
Pancreas	48	12.2	0.82	8.1	0.53	45	9.6	0.66	6.2	0.43
Respiratory System	194	50.1	1.67	33.5	1.10	173	37.4	1.31	25.4	0.91
Larynx	6	1.5	0.30	1.0	0.20	-	-	-	-	-
Lung & bronchus	186	48.0	1.63	32.0	1.07	171	36.8	1.30	24.9	0.90
Skin	22	5.9	0.57	3.8	0.37	10	2.2	0.33	1.6	0.26
Melanomas of the skin	13	3.4	0.43	2.4	0.30	7	1.5	0.27	1.1	0.22
Breast	-	-	-	-	-	82	18.0	0.93	12.7	0.69
Female Genital System	-	-	-	-	-	68	15.1	0.85	10.5	0.61
Cervix uteri	-	-	-	-	-	4	1.1	0.27	0.9	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	25	5.4	0.51	3.8	0.36
Ovary	-	-	-	-	-	30	6.6	0.55	4.6	0.39
Male Genital System	70	20.3	1.11	11.3	0.62	-	-	-	-	-
Prostate	68	19.7	1.09	10.8	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	15.7	0.95	9.6	0.58	23	5.0	0.49	3.2	0.34
Bladder	32	9.1	0.73	5.3	0.42	13	2.9	0.37	1.8	0.24
Kidney & renal pelvis	23	6.0	0.58	4.0	0.38	9	1.9	0.30	1.3	0.23
Brain & Other CNS[1]	24	6.6	0.63	5.1	0.50	20	4.8	0.51	3.8	0.41
Endocrine System	5	1.2	0.27	0.9	0.20	4	0.9	0.22	0.6	0.17
Thyroid gland	3	0.7	0.19	0.5	0.13	2	0.5	0.14	0.3	0.10
Lymphomas	30	8.3	0.70	5.0	0.43	20	4.3	0.44	2.7	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	14	3.8	0.46	2.4	0.29	11	2.3	0.32	1.4	0.20
Leukemias	31	8.6	0.71	5.3	0.45	22	4.9	0.48	3.2	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	58	12.4	0.76	7.9	0.51

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	139.3	35.67	102.9	24.34	3	155.7	44.54	108.4	28.98
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	2	75.2	26.22	55.2	18.39	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3	127.3	34.68	84.3	21.71	2	52.0	17.84	36.9	11.53
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,882	187.2	0.97	123.8	0.63	7,105	133.0	0.72	91.3	0.51
Oral Cavity & Pharynx	170	3.7	0.13	2.7	0.09	71	1.3	0.07	0.9	0.05
Digestive System	2,246	51.5	0.50	35.8	0.34	1,631	30.4	0.34	20.4	0.24
Esophagus	294	6.6	0.18	4.7	0.12	80	1.5	0.07	1.0	0.05
Stomach	177	4.1	0.14	2.9	0.10	102	2.0	0.09	1.4	0.06
Colon & Rectum	697	16.4	0.29	11.2	0.19	602	11.3	0.21	7.4	0.14
Liver	337	7.2	0.18	5.4	0.13	119	2.2	0.09	1.5	0.07
Pancreas	563	13.1	0.25	8.9	0.17	512	9.5	0.19	6.3	0.13
Respiratory System	2,187	50.5	0.50	34.0	0.33	1,717	31.8	0.35	21.6	0.24
Larynx	78	1.7	0.09	1.2	0.06	17	0.3	0.04	0.2	0.03
Lung & bronchus	2,094	48.5	0.49	32.6	0.32	1,691	31.4	0.35	21.3	0.24
Skin	206	5.0	0.16	3.2	0.10	100	1.9	0.09	1.3	0.06
Melanomas of the skin	143	3.5	0.13	2.3	0.09	76	1.4	0.08	1.0	0.06
Breast	12	0.3	0.04	0.2	0.03	1,136	21.5	0.29	15.5	0.22
Female Genital System	-	-	-	-	-	770	14.4	0.24	10.4	0.18
Cervix uteri	-	-	-	-	-	90	1.9	0.09	1.5	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	257	4.7	0.13	3.4	0.10
Ovary	-	-	-	-	-	369	6.9	0.16	4.9	0.12
Male Genital System	762	20.2	0.33	11.3	0.18	-	-	-	-	-
Prostate	744	19.7	0.33	11.0	0.18	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	530	13.2	0.26	8.1	0.16	239	4.4	0.13	2.8	0.09
Bladder	298	7.8	0.21	4.4	0.12	113	2.1	0.09	1.3	0.06
Kidney & renal pelvis	218	5.0	0.16	3.5	0.11	117	2.2	0.09	1.4	0.06
Brain & Other CNS[1]	220	5.0	0.16	3.8	0.12	190	3.6	0.12	2.8	0.10
Endocrine System	36	0.9	0.07	0.7	0.05	35	0.7	0.05	0.5	0.04
Thyroid gland	19	0.5	0.05	0.3	0.03	24	0.4	0.04	0.3	0.03
Lymphomas	289	7.2	0.19	4.6	0.12	218	4.1	0.13	2.6	0.08
Hodgkin Lymphoma	10	0.2	0.03	0.2	0.03	12	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	278	6.9	0.19	4.4	0.12	206	3.9	0.12	2.4	0.08
Multiple Myeloma	178	4.3	0.15	2.8	0.09	140	2.6	0.10	1.7	0.07
Leukemias	306	7.6	0.20	4.9	0.13	241	4.7	0.14	3.1	0.10
Other, Ill-defined & Unknown	740	17.8	0.30	11.7	0.20	617	11.6	0.21	7.8	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,130	184.1	1.08	121.2	0.71	5,457	132.8	0.82	90.7	0.59
Oral Cavity & Pharynx	132	3.7	0.15	2.7	0.11	58	1.4	0.08	0.9	0.06
Digestive System	1,669	48.7	0.55	33.7	0.38	1,182	28.6	0.38	19.1	0.26
Esophagus	256	7.3	0.21	5.2	0.15	60	1.4	0.08	1.0	0.06
Stomach	111	3.3	0.14	2.3	0.10	65	1.6	0.09	1.1	0.07
Colon & Rectum	513	15.4	0.31	10.5	0.21	447	10.8	0.23	7.1	0.16
Liver	233	6.4	0.19	4.7	0.14	83	2.0	0.10	1.4	0.07
Pancreas	426	12.5	0.28	8.4	0.19	369	8.8	0.21	5.8	0.14
Respiratory System	1,727	50.4	0.56	33.8	0.37	1,383	33.3	0.41	22.6	0.28
Larynx	56	1.6	0.10	1.1	0.07	13	0.3	0.04	0.2	0.03
Lung & bronchus	1,661	48.5	0.55	32.4	0.36	1,363	32.8	0.40	22.3	0.28
Skin	197	6.1	0.20	3.9	0.13	93	2.3	0.11	1.6	0.08
Melanomas of the skin	140	4.3	0.17	2.9	0.11	71	1.8	0.10	1.3	0.07
Breast	10	0.3	0.04	0.2	0.03	834	20.6	0.33	14.7	0.24
Female Genital System	-	-	-	-	-	581	14.3	0.27	10.3	0.20
Cervix uteri	-	-	-	-	-	62	1.7	0.10	1.4	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	175	4.2	0.14	3.0	0.11
Ovary	-	-	-	-	-	300	7.3	0.19	5.2	0.14
Male Genital System	529	17.5	0.35	9.6	0.19	-	-	-	-	-
Prostate	516	17.0	0.34	9.3	0.18	-	-	-	-	-
Testis	7	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	438	13.6	0.30	8.4	0.18	182	4.3	0.15	2.7	0.10
Bladder	253	8.2	0.23	4.7	0.13	86	2.0	0.10	1.2	0.06
Kidney & renal pelvis	173	5.0	0.18	3.5	0.12	88	2.1	0.10	1.4	0.07
Brain & Other CNS[1]	190	5.6	0.19	4.2	0.14	159	4.0	0.15	3.1	0.12
Endocrine System	29	0.9	0.08	0.7	0.06	26	0.7	0.06	0.5	0.05
Thyroid gland	17	0.5	0.06	0.3	0.04	18	0.4	0.05	0.3	0.03
Lymphomas	244	7.6	0.22	4.8	0.14	184	4.4	0.15	2.8	0.10
Hodgkin Lymphoma	8	0.2	0.04	0.2	0.03	9	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	236	7.4	0.22	4.6	0.14	175	4.2	0.14	2.6	0.09
Multiple Myeloma	121	3.8	0.16	2.3	0.10	91	2.2	0.10	1.3	0.07
Leukemias	253	8.0	0.23	5.1	0.15	198	5.0	0.16	3.3	0.12
Other, Ill-defined & Unknown	590	18.0	0.34	11.8	0.22	484	11.7	0.24	7.8	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,531	230.7	2.83	155.6	1.79	1,429	150.6	1.82	105.5	1.28
Oral Cavity & Pharynx	32	4.3	0.35	3.2	0.26	11	1.1	0.15	0.8	0.11
Digestive System	490	69.8	1.51	49.2	1.00	378	40.1	0.94	27.2	0.64
Esophagus	35	4.8	0.39	3.4	0.26	19	1.9	0.20	1.3	0.14
Stomach	54	8.3	0.54	5.5	0.34	26	2.8	0.25	1.8	0.17
Colon & Rectum	163	24.1	0.90	16.6	0.58	136	14.6	0.57	9.8	0.39
Liver	83	9.7	0.51	7.8	0.39	27	2.6	0.23	2.0	0.18
Pancreas	118	17.4	0.77	12.0	0.50	124	13.1	0.54	8.8	0.36
Respiratory System	403	59.2	1.41	40.7	0.91	293	30.9	0.83	21.2	0.56
Larynx	21	2.8	0.29	2.0	0.20	4	0.5	0.11	0.3	0.07
Lung & bronchus	379	55.9	1.37	38.3	0.89	288	30.3	0.82	20.8	0.56
Skin	7	1.1	0.19	0.7	0.12	-	-	-	-	-
Melanomas of the skin	3	0.4	0.13	0.3	0.07	3	0.3	0.09	0.2	0.06
Breast	2	0.3	0.10	0.2	0.07	271	28.3	0.79	20.9	0.58
Female Genital System	-	-	-	-	-	160	16.4	0.59	12.2	0.44
Cervix uteri	-	-	-	-	-	24	2.5	0.23	2.0	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	73	7.4	0.40	5.5	0.29
Ovary	-	-	-	-	-	54	5.6	0.35	4.1	0.25
Male Genital System	218	39.4	1.26	22.8	0.70	-	-	-	-	-
Prostate	214	38.9	1.25	22.5	0.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	80	12.7	0.68	8.2	0.41	53	5.6	0.35	3.7	0.23
Bladder	38	6.6	0.51	3.9	0.29	25	2.6	0.24	1.7	0.15
Kidney & renal pelvis	41	5.9	0.44	4.1	0.29	27	2.9	0.25	1.9	0.17
Brain & Other CNS[1]	25	3.4	0.32	2.6	0.24	25	2.6	0.24	2.0	0.19
Endocrine System	6	0.7	0.14	0.6	0.12	7	0.8	0.13	0.5	0.09
Thyroid gland	2	0.3	0.09	0.2	0.07	5	0.5	0.11	0.3	0.07
Lymphomas	34	5.2	0.42	3.6	0.27	27	3.0	0.26	2.1	0.19
Hodgkin Lymphoma	-	-	-	-	-	3	0.3	0.09	0.3	0.07
Non-Hodgkin Lymphoma	-	-	-	-	-	24	2.7	0.25	1.8	0.17
Multiple Myeloma	53	8.2	0.54	5.4	0.34	48	5.1	0.34	3.4	0.22
Leukemias	46	7.1	0.50	4.8	0.32	38	4.2	0.31	2.8	0.21
Other, Ill-defined & Unknown	132	19.5	0.81	13.4	0.53	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	208	106.8	3.56	68.5	2.13	208	76.9	2.49	52.3	1.63
Oral Cavity & Pharynx	5	2.3	0.49	1.6	0.32	3	1.0	0.28	0.7	0.18
Digestive System	83	41.6	2.19	27.1	1.33	67	25.8	1.47	16.9	0.92
Esophagus	4	2.1	0.52	1.3	0.29	-	-	-	-	-
Stomach	12	5.9	0.83	3.8	0.50	12	4.0	0.55	3.0	0.39
Colon & Rectum	20	10.3	1.11	6.6	0.66	19	7.3	0.78	4.7	0.48
Liver	21	9.8	1.02	6.7	0.66	9	3.7	0.56	2.4	0.35
Pancreas	18	9.2	1.03	5.9	0.62	16	6.3	0.73	4.1	0.45
Respiratory System	52	26.3	1.74	17.2	1.07	36	14.0	1.08	9.1	0.68
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	50	25.4	1.71	16.5	1.05	36	14.0	1.08	9.1	0.68
Skin	-	-	-	-	-	2	0.8	0.24	0.6	0.17
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	29	9.8	0.85	7.1	0.60
Female Genital System	-	-	-	-	-	28	9.3	0.81	7.1	0.60
Cervix uteri	-	-	-	-	-	5	1.5	0.32	1.2	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	8	2.7	0.44	2.1	0.33
Ovary	-	-	-	-	-	14	4.8	0.59	3.6	0.42
Male Genital System	14	9.0	1.15	4.9	0.58	-	-	-	-	-
Prostate	13	8.7	1.13	4.6	0.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	6.2	0.93	3.5	0.49	4	1.6	0.36	1.0	0.22
Bladder	6	4.0	0.77	2.1	0.38	-	-	-	-	-
Kidney & renal pelvis	4	2.0	0.50	1.3	0.29	2	0.8	0.27	0.5	0.16
Brain & Other CNS[1]	5	2.0	0.44	1.6	0.32	5	1.9	0.37	1.4	0.27
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	5.1	0.78	3.3	0.47	6	2.5	0.45	1.6	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	3	1.6	0.42	1.0	0.26	-	-	-	-	-
Leukemias	6	3.3	0.64	2.1	0.38	6	2.0	0.40	1.4	0.28
Other, Ill-defined & Unknown	16	8.1	0.96	5.4	0.59	18	7.1	0.77	4.6	0.49

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,615	177.6	1.01	116.1	0.65	5,973	132.6	0.79	89.7	0.55
Oral Cavity & Pharynx	169	4.2	0.15	3.0	0.11	72	1.6	0.08	1.1	0.06
Digestive System	1,949	50.1	0.52	34.6	0.36	1,387	30.5	0.38	20.3	0.26
Esophagus	293	7.5	0.20	5.2	0.14	74	1.6	0.09	1.1	0.06
Stomach	137	3.6	0.14	2.5	0.10	90	2.1	0.10	1.4	0.07
Colon & Rectum	534	14.3	0.28	9.6	0.19	465	10.2	0.22	6.6	0.15
Liver	319	7.4	0.19	5.6	0.14	108	2.3	0.10	1.6	0.07
Pancreas	471	12.3	0.26	8.3	0.17	436	9.6	0.21	6.3	0.14
Respiratory System	1,594	42.2	0.49	27.7	0.31	1,448	32.0	0.38	21.3	0.26
Larynx	51	1.3	0.08	0.9	0.06	10	0.2	0.03	0.1	0.02
Lung & bronchus	1,525	40.4	0.48	26.5	0.31	1,427	31.6	0.38	20.9	0.26
Skin	194	5.2	0.17	3.5	0.11	100	2.2	0.10	1.5	0.07
Melanomas of the skin	137	3.6	0.14	2.5	0.10	76	1.7	0.09	1.2	0.07
Breast	8	0.2	0.03	0.1	0.02	882	19.7	0.30	14.0	0.22
Female Genital System	-	-	-	-	-	664	14.8	0.26	10.5	0.19
Cervix uteri	-	-	-	-	-	67	1.6	0.09	1.3	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	204	4.4	0.14	3.1	0.10
Ovary	-	-	-	-	-	340	7.6	0.19	5.3	0.13
Male Genital System	703	20.8	0.36	11.6	0.20	-	-	-	-	-
Prostate	687	20.3	0.35	11.2	0.19	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	467	13.0	0.28	7.9	0.17	219	4.8	0.15	3.0	0.10
Bladder	258	7.5	0.21	4.3	0.12	109	2.3	0.10	1.4	0.06
Kidney & renal pelvis	195	5.1	0.17	3.4	0.11	101	2.2	0.10	1.5	0.07
Brain & Other CNS[1]	240	6.1	0.18	4.7	0.14	174	4.0	0.14	3.1	0.11
Endocrine System	32	0.9	0.07	0.6	0.05	37	0.8	0.06	0.6	0.05
Thyroid gland	22	0.6	0.06	0.4	0.04	24	0.5	0.05	0.4	0.03
Lymphomas	275	7.7	0.21	4.8	0.13	199	4.4	0.14	2.8	0.09
Hodgkin Lymphoma	13	0.3	0.04	0.3	0.03	9	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	263	7.3	0.21	4.6	0.13	190	4.2	0.14	2.6	0.09
Multiple Myeloma	141	3.9	0.15	2.4	0.09	110	2.5	0.11	1.6	0.07
Leukemias	290	8.2	0.22	5.2	0.14	207	4.7	0.15	3.1	0.11
Other, Ill-defined & Unknown	552	15.2	0.30	9.8	0.19	475	10.5	0.22	7.0	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,016	180.8	1.07	118.1	0.69	5,405	136.1	0.85	92.0	0.60
Oral Cavity & Pharynx	153	4.3	0.16	3.1	0.11	65	1.6	0.09	1.1	0.06
Digestive System	1,715	49.6	0.55	34.2	0.38	1,223	30.5	0.40	20.3	0.28
Esophagus	278	8.0	0.22	5.5	0.15	68	1.7	0.09	1.1	0.06
Stomach	108	3.2	0.14	2.2	0.10	65	1.7	0.10	1.2	0.07
Colon & Rectum	476	14.3	0.30	9.6	0.20	419	10.5	0.23	6.8	0.16
Liver	254	6.6	0.19	5.0	0.14	86	2.1	0.10	1.4	0.07
Pancreas	427	12.5	0.28	8.4	0.18	395	9.8	0.23	6.5	0.15
Respiratory System	1,453	42.9	0.52	28.2	0.33	1,332	33.3	0.42	22.1	0.28
Larynx	46	1.3	0.09	0.9	0.06	9	0.2	0.03	0.2	0.02
Lung & bronchus	1,390	41.1	0.51	26.9	0.33	1,314	32.8	0.41	21.8	0.28
Skin	190	5.7	0.19	3.8	0.13	97	2.5	0.12	1.7	0.08
Melanomas of the skin	135	4.0	0.16	2.8	0.11	75	1.9	0.10	1.4	0.08
Breast	7	0.2	0.03	0.1	0.02	797	20.3	0.33	14.3	0.24
Female Genital System	-	-	-	-	-	597	15.2	0.29	10.7	0.21
Cervix uteri	-	-	-	-	-	57	1.6	0.10	1.3	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	179	4.4	0.15	3.1	0.11
Ovary	-	-	-	-	-	311	7.9	0.21	5.5	0.15
Male Genital System	651	21.3	0.38	11.9	0.21	-	-	-	-	-
Prostate	635	20.8	0.38	11.5	0.21	-	-	-	-	-
Testis	8	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	439	13.5	0.30	8.3	0.18	203	5.0	0.16	3.1	0.10
Bladder	245	7.8	0.23	4.5	0.13	100	2.4	0.11	1.5	0.07
Kidney & renal pelvis	182	5.3	0.18	3.6	0.12	95	2.4	0.11	1.5	0.08
Brain & Other CNS[1]	224	6.5	0.20	5.0	0.16	161	4.3	0.16	3.3	0.13
Endocrine System	29	0.9	0.07	0.7	0.06	30	0.8	0.07	0.6	0.05
Thyroid gland	20	0.6	0.06	0.4	0.04	20	0.5	0.05	0.3	0.04
Lymphomas	253	7.9	0.23	4.9	0.14	184	4.6	0.16	2.9	0.10
Hodgkin Lymphoma	11	0.3	0.05	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	242	7.5	0.22	4.7	0.14	176	4.4	0.15	2.7	0.10
Multiple Myeloma	129	4.0	0.16	2.5	0.10	95	2.4	0.11	1.5	0.07
Leukemias	262	8.3	0.24	5.3	0.15	191	4.9	0.16	3.3	0.12
Other, Ill-defined & Unknown	511	15.7	0.32	10.1	0.21	431	10.8	0.24	7.1	0.17

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	196	187.6	6.91	125.0	4.14	155	134.6	5.14	95.7	3.48
Oral Cavity & Pharynx	5	4.7	1.03	3.3	0.67	-	-	-	-	-
Digestive System	68	59.2	3.68	41.8	2.34	40	35.7	2.69	24.3	1.76
Esophagus	4	2.6	0.65	2.1	0.50	-	-	-	-	-
Stomach	6	6.0	1.28	3.8	0.73	3	2.5	0.70	1.7	0.45
Colon & Rectum	17	14.4	1.76	10.4	1.16	14	12.9	1.61	8.6	1.03
Liver	18	12.9	1.52	10.2	1.12	4	3.5	0.81	2.5	0.56
Pancreas	17	16.4	2.07	10.8	1.22	10	9.7	1.44	6.4	0.92
Respiratory System	44	42.6	3.25	28.7	2.01	30	27.4	2.38	18.9	1.57
Larynx	2	1.3	0.44	1.1	0.35	-	-	-	-	-
Lung & bronchus	41	40.9	3.20	27.3	1.96	29	26.9	2.36	18.6	1.56
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	27	21.6	1.95	16.6	1.43
Female Genital System	-	-	-	-	-	20	16.1	1.70	12.4	1.24
Cervix uteri	-	-	-	-	-	3	2.1	0.60	1.7	0.45
Corpus & uterus, NOS[1]	-	-	-	-	-	10	7.5	1.15	5.9	0.86
Ovary	-	-	-	-	-	7	5.8	1.05	4.3	0.73
Male Genital System	24	29.6	3.00	17.2	1.61	-	-	-	-	-
Prostate	24	29.6	3.00	17.2	1.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	10.6	1.72	6.6	0.96	6	5.2	1.03	3.4	0.65
Bladder	4	4.9	1.21	2.9	0.66	4	3.6	0.88	2.1	0.51
Kidney & renal pelvis	6	4.9	1.07	3.4	0.65	-	-	-	-	-
Brain & Other CNS[1]	5	4.1	0.91	3.2	0.63	3	2.5	0.64	1.9	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	4.5	0.91	3.5	0.63	4	3.8	0.90	2.6	0.59
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	4.7	1.11	3.2	0.66	5	4.5	0.96	3.0	0.62
Leukemias	10	11.3	1.85	6.8	1.00	4	4.0	0.92	2.8	0.60
Other, Ill-defined & Unknown	15	14.5	1.99	9.3	1.12	14	11.9	1.54	8.4	1.03

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	318	127.1	3.35	83.8	2.11	339	92.3	2.29	62.9	1.56
Oral Cavity & Pharynx	8	2.7	0.45	2.0	0.32	5	1.3	0.28	0.9	0.18
Digestive System	134	50.4	2.04	35.2	1.36	107	29.3	1.30	19.2	0.85
Esophagus	8	2.7	0.45	2.0	0.33	3	0.8	0.22	0.5	0.14
Stomach	20	7.9	0.81	5.4	0.54	21	5.6	0.56	3.8	0.38
Colon & Rectum	32	12.1	1.01	8.4	0.66	26	6.8	0.62	4.5	0.40
Liver	39	14.0	1.04	10.3	0.74	17	4.7	0.53	3.0	0.33
Pancreas	22	8.8	0.87	5.8	0.56	26	7.2	0.65	4.7	0.42
Respiratory System	76	31.4	1.69	20.1	1.04	69	19.4	1.07	12.6	0.69
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	73	30.5	1.66	19.5	1.02	68	19.0	1.06	12.3	0.68
Skin	2	0.9	0.29	0.5	0.17	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	46	11.8	0.79	8.9	0.59
Female Genital System	-	-	-	-	-	40	10.1	0.73	7.8	0.55
Cervix uteri	-	-	-	-	-	6	1.4	0.27	1.2	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	14	3.7	0.45	2.8	0.33
Ovary	-	-	-	-	-	18	4.5	0.49	3.5	0.37
Male Genital System	22	10.7	1.06	5.7	0.55	-	-	-	-	-
Prostate	22	10.6	1.05	5.7	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	6.1	0.76	3.7	0.44	8	2.2	0.37	1.4	0.23
Bladder	8	3.6	0.60	2.0	0.32	5	1.4	0.29	0.8	0.16
Kidney & renal pelvis	6	2.1	0.42	1.5	0.28	3	0.7	0.19	0.5	0.15
Brain & Other CNS[1]	8	2.9	0.47	2.2	0.34	9	2.4	0.36	1.9	0.28
Endocrine System	-	-	-	-	-	5	1.4	0.30	0.9	0.18
Thyroid gland	-	-	-	-	-	4	1.1	0.25	0.6	0.15
Lymphomas	12	5.1	0.68	3.3	0.42	8	2.2	0.35	1.5	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	5	2.3	0.46	1.4	0.27	7	2.2	0.37	1.4	0.23
Leukemias	14	5.5	0.69	3.7	0.45	9	2.7	0.40	1.9	0.28
Other, Ill-defined & Unknown	21	8.6	0.89	5.4	0.54	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,338	173.4	1.22	113.0	0.78	3,972	129.4	0.94	87.2	0.65
Oral Cavity & Pharynx	107	4.0	0.18	2.8	0.12	47	1.5	0.10	1.0	0.07
Digestive System	1,297	49.6	0.64	34.2	0.43	918	29.6	0.45	19.6	0.30
Esophagus	186	7.1	0.24	4.9	0.16	48	1.5	0.10	1.0	0.07
Stomach	98	3.8	0.18	2.6	0.12	64	2.1	0.12	1.5	0.09
Colon & Rectum	360	14.3	0.35	9.6	0.23	296	9.5	0.25	6.2	0.17
Liver	214	7.4	0.23	5.6	0.17	71	2.3	0.12	1.5	0.08
Pancreas	306	11.9	0.31	8.0	0.21	296	9.5	0.25	6.3	0.17
Respiratory System	1,033	40.9	0.59	26.7	0.37	935	30.4	0.46	20.1	0.30
Larynx	31	1.1	0.10	0.8	0.06	8	0.2	0.04	0.2	0.03
Lung & bronchus	989	39.3	0.58	25.6	0.37	921	30.0	0.45	19.7	0.30
Skin	130	5.2	0.21	3.4	0.14	66	2.2	0.12	1.5	0.09
Melanomas of the skin	92	3.6	0.17	2.5	0.12	49	1.6	0.11	1.1	0.08
Breast	5	0.2	0.04	0.1	0.03	589	19.2	0.36	13.6	0.26
Female Genital System	-	-	-	-	-	463	15.1	0.32	10.7	0.23
Cervix uteri	-	-	-	-	-	44	1.5	0.10	1.2	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	144	4.6	0.18	3.2	0.12
Ovary	-	-	-	-	-	238	7.8	0.23	5.4	0.16
Male Genital System	462	20.4	0.43	11.4	0.24	-	-	-	-	-
Prostate	451	19.9	0.43	11.0	0.23	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	309	12.8	0.34	7.8	0.20	139	4.5	0.17	2.8	0.11
Bladder	172	7.4	0.26	4.2	0.15	73	2.3	0.12	1.4	0.08
Kidney & renal pelvis	127	5.0	0.20	3.3	0.13	60	2.0	0.12	1.3	0.08
Brain & Other CNS[1]	166	6.1	0.22	4.8	0.17	122	4.1	0.17	3.2	0.14
Endocrine System	20	0.8	0.08	0.6	0.06	27	0.9	0.08	0.6	0.06
Thyroid gland	13	0.5	0.06	0.3	0.04	18	0.6	0.07	0.4	0.04
Lymphomas	179	7.4	0.25	4.6	0.16	130	4.3	0.17	2.7	0.11
Hodgkin Lymphoma	7	0.3	0.05	0.2	0.03	4	0.2	0.03	0.1	0.03
Non-Hodgkin Lymphoma	171	7.1	0.25	4.4	0.15	126	4.2	0.17	2.6	0.11
Multiple Myeloma	92	3.8	0.18	2.4	0.11	74	2.5	0.13	1.5	0.08
Leukemias	186	7.9	0.27	5.0	0.17	140	4.7	0.18	3.1	0.13
Other, Ill-defined & Unknown	353	14.5	0.35	9.2	0.22	322	10.5	0.27	6.9	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,821	176.7	1.32	115.0	0.85	3,483	133.4	1.04	89.6	0.72
Oral Cavity & Pharynx	94	4.1	0.19	2.9	0.14	42	1.6	0.11	1.1	0.08
Digestive System	1,098	48.8	0.68	33.6	0.46	773	29.2	0.48	19.3	0.33
Esophagus	172	7.7	0.27	5.2	0.18	43	1.6	0.11	1.1	0.08
Stomach	73	3.3	0.18	2.3	0.12	43	1.7	0.12	1.2	0.08
Colon & Rectum	313	14.4	0.38	9.7	0.25	254	9.6	0.28	6.3	0.19
Liver	158	6.3	0.23	4.8	0.17	51	1.9	0.12	1.2	0.08
Pancreas	269	12.0	0.34	8.1	0.22	260	9.8	0.28	6.5	0.19
Respiratory System	907	41.4	0.63	27.0	0.40	839	32.0	0.51	21.1	0.34
Larynx	26	1.2	0.10	0.8	0.07	7	0.2	0.04	0.2	0.03
Lung & bronchus	869	39.7	0.62	25.9	0.40	827	31.5	0.50	20.8	0.34
Skin	126	5.9	0.24	3.9	0.16	63	2.4	0.14	1.7	0.10
Melanomas of the skin	91	4.2	0.20	2.9	0.14	47	1.9	0.12	1.3	0.09
Breast	4	0.2	0.04	0.1	0.03	515	19.8	0.40	14.0	0.29
Female Genital System	-	-	-	-	-	405	15.6	0.36	11.0	0.26
Cervix uteri	-	-	-	-	-	36	1.5	0.12	1.2	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	122	4.6	0.19	3.2	0.14
Ovary	-	-	-	-	-	213	8.2	0.26	5.7	0.18
Male Genital System	416	20.9	0.47	11.7	0.26	-	-	-	-	-
Prostate	405	20.4	0.46	11.3	0.25	-	-	-	-	-
Testis	5	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	285	13.6	0.37	8.3	0.22	125	4.7	0.19	2.9	0.12
Bladder	161	7.9	0.28	4.5	0.16	65	2.4	0.14	1.5	0.09
Kidney & renal pelvis	117	5.3	0.23	3.5	0.15	56	2.1	0.13	1.4	0.09
Brain & Other CNS[1]	152	6.6	0.25	5.2	0.19	111	4.5	0.20	3.4	0.16
Endocrine System	17	0.8	0.09	0.6	0.07	21	0.8	0.09	0.6	0.06
Thyroid gland	11	0.5	0.07	0.4	0.05	14	0.6	0.07	0.4	0.05
Lymphomas	159	7.6	0.28	4.7	0.17	118	4.6	0.19	2.8	0.13
Hodgkin Lymphoma	6	0.3	0.05	0.2	0.04	4	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	153	7.3	0.27	4.5	0.17	114	4.4	0.19	2.7	0.12
Multiple Myeloma	82	3.9	0.20	2.5	0.12	61	2.4	0.14	1.5	0.09
Leukemias	162	8.0	0.29	5.0	0.18	126	4.9	0.20	3.2	0.14
Other, Ill-defined & Unknown	318	15.0	0.39	9.6	0.25	284	10.8	0.30	7.1	0.21

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	172	189.1	7.42	126.2	4.46	140	137.3	5.51	97.9	3.74
Oral Cavity & Pharynx	4	3.5	0.92	2.6	0.61	-	-	-	-	-
Digestive System	60	59.8	3.97	42.1	2.53	37	37.0	2.90	25.5	1.91
Esophagus	4	3.0	0.74	2.5	0.58	-	-	-	-	-
Stomach	5	6.4	1.44	3.9	0.81	2	2.3	0.71	1.6	0.47
Colon & Rectum	14	13.9	1.88	9.9	1.22	13	13.5	1.74	9.1	1.13
Liver	16	13.3	1.65	10.6	1.21	4	4.0	0.92	2.9	0.63
Pancreas	14	16.0	2.18	10.6	1.30	9	9.4	1.49	6.6	0.98
Respiratory System	40	45.1	3.58	30.5	2.22	25	26.5	2.49	18.2	1.64
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	38	43.2	3.52	29.0	2.17	25	25.9	2.47	17.9	1.63
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	24	21.2	2.04	16.6	1.52
Female Genital System	-	-	-	-	-	18	16.8	1.87	12.8	1.35
Cervix uteri	-	-	-	-	-	3	2.3	0.67	1.8	0.49
Corpus & uterus, NOS[1]	-	-	-	-	-	9	7.8	1.25	6.2	0.94
Ovary	-	-	-	-	-	6	6.0	1.15	4.3	0.79
Male Genital System	21	29.4	3.19	17.2	1.72	-	-	-	-	-
Prostate	21	29.4	3.19	17.2	1.72	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	9	10.1	1.76	6.5	1.00	5	5.4	1.11	3.5	0.70
Bladder	4	4.8	1.26	2.9	0.70	4	4.1	1.00	2.4	0.58
Kidney & renal pelvis	5	4.3	1.04	3.1	0.66	-	-	-	-	-
Brain & Other CNS[1]	4	3.8	0.93	2.9	0.65	3	2.5	0.70	1.9	0.50
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	6	4.9	1.03	3.8	0.71	4	4.2	1.00	2.8	0.65
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	4.7	1.18	3.1	0.69	5	5.0	1.09	3.4	0.70
Leukemias	8	10.5	1.90	6.4	1.04	4	4.1	0.99	2.9	0.65
Other, Ill-defined & Unknown	13	15.1	2.22	9.4	1.22	12	12.4	1.67	8.6	1.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	290	129.1	3.56	84.9	2.24	305	92.2	2.41	62.7	1.64
Oral Cavity & Pharynx	7	2.7	0.48	2.1	0.35	3	1.1	0.27	0.7	0.17
Digestive System	121	50.6	2.16	35.3	1.44	98	29.7	1.37	19.4	0.90
Esophagus	7	2.7	0.48	2.0	0.34	3	0.8	0.23	0.6	0.16
Stomach	18	7.7	0.85	5.3	0.56	18	5.4	0.58	3.7	0.39
Colon & Rectum	29	12.2	1.07	8.3	0.70	25	7.3	0.67	4.8	0.44
Liver	36	14.1	1.10	10.4	0.78	15	4.7	0.55	3.0	0.35
Pancreas	20	9.1	0.93	6.0	0.60	24	7.3	0.69	4.7	0.44
Respiratory System	71	32.7	1.81	20.9	1.11	61	18.9	1.11	12.2	0.71
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	68	31.7	1.79	20.1	1.09	59	18.5	1.10	11.9	0.70
Skin	2	1.0	0.32	0.6	0.19	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	42	12.0	0.84	9.1	0.63
Female Genital System	-	-	-	-	-	36	10.0	0.77	7.7	0.58
Cervix uteri	-	-	-	-	-	4	1.2	0.27	0.9	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	13	3.6	0.47	2.7	0.34
Ovary	-	-	-	-	-	17	4.8	0.53	3.7	0.40
Male Genital System	21	11.3	1.14	6.0	0.59	-	-	-	-	-
Prostate	21	11.2	1.13	6.0	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	6.1	0.80	3.7	0.47	6	2.1	0.38	1.3	0.23
Bladder	7	3.6	0.63	2.0	0.34	4	1.3	0.30	0.7	0.16
Kidney & renal pelvis	5	2.0	0.43	1.4	0.29	-	-	-	-	-
Brain & Other CNS[1]	8	2.9	0.50	2.3	0.36	8	2.4	0.38	1.9	0.30
Endocrine System	-	-	-	-	-	5	1.6	0.32	0.9	0.20
Thyroid gland	-	-	-	-	-	3	1.1	0.28	0.7	0.16
Lymphomas	12	5.2	0.72	3.4	0.44	7	2.1	0.36	1.4	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	4	2.2	0.48	1.3	0.28	6	2.0	0.37	1.3	0.23
Leukemias	13	5.8	0.75	3.9	0.49	9	2.8	0.43	2.0	0.31
Other, Ill-defined & Unknown	17	7.9	0.90	5.1	0.55	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,544	218.7	2.00	149.5	1.37	2,199	158.2	1.56	111.5	1.15
Oral Cavity & Pharynx	55	4.6	0.29	3.5	0.22	21	1.5	0.15	1.0	0.11
Digestive System	652	55.1	1.00	39.5	0.71	491	34.9	0.72	23.7	0.52
Esophagus	116	9.4	0.41	7.0	0.30	24	1.8	0.16	1.3	0.13
Stomach	31	2.7	0.22	1.8	0.15	24	1.8	0.16	1.2	0.11
Colon & Rectum	229	20.0	0.61	13.9	0.43	213	15.2	0.48	10.1	0.34
Liver	93	7.4	0.35	5.6	0.27	38	2.7	0.20	1.9	0.14
Pancreas	142	11.9	0.46	8.5	0.33	135	9.6	0.38	6.6	0.27
Respiratory System	849	70.4	1.11	48.8	0.76	619	43.8	0.80	31.3	0.59
Larynx	37	2.9	0.22	2.2	0.17	9	0.7	0.10	0.5	0.08
Lung & bronchus	808	67.1	1.08	46.3	0.74	608	43.0	0.80	30.8	0.59
Skin	75	6.9	0.37	4.6	0.25	35	2.5	0.20	1.8	0.15
Melanomas of the skin	46	4.3	0.29	3.0	0.21	26	1.9	0.18	1.4	0.14
Breast	3	0.3	0.07	0.2	0.04	293	21.9	0.60	16.0	0.46
Female Genital System	-	-	-	-	-	217	16.0	0.51	11.9	0.39
Cervix uteri	-	-	-	-	-	30	2.7	0.23	2.2	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	67	4.7	0.26	3.4	0.20
Ovary	-	-	-	-	-	97	6.9	0.32	5.1	0.25
Male Genital System	187	17.6	0.59	9.9	0.33	-	-	-	-	-
Prostate	181	17.0	0.58	9.5	0.32	-	-	-	-	-
Testis	3	0.3	0.09	0.3	0.08	-	-	-	-	-
Urinary System	164	14.5	0.52	9.3	0.34	77	5.4	0.28	3.5	0.20
Bladder	89	8.1	0.39	4.9	0.23	36	2.5	0.19	1.5	0.12
Kidney & renal pelvis	71	6.1	0.33	4.3	0.23	39	2.8	0.21	2.0	0.15
Brain & Other CNS[1]	64	5.6	0.33	4.3	0.26	51	3.9	0.26	3.0	0.21
Endocrine System	7	0.7	0.12	0.6	0.11	9	0.6	0.10	0.4	0.07
Thyroid gland	4	0.4	0.08	0.2	0.06	6	0.4	0.08	0.3	0.05
Lymphomas	92	8.1	0.39	5.4	0.26	69	4.9	0.27	3.3	0.19
Hodgkin Lymphoma	4	0.4	0.09	0.3	0.07	4	0.3	0.08	0.3	0.07
Non-Hodgkin Lymphoma	87	7.7	0.38	5.1	0.25	65	4.5	0.26	3.0	0.18
Multiple Myeloma	46	4.1	0.27	2.6	0.18	39	2.7	0.19	1.8	0.13
Leukemias	100	9.1	0.42	6.0	0.28	83	6.0	0.31	4.0	0.22
Other, Ill-defined & Unknown	250	21.8	0.63	14.7	0.43	196	14.0	0.46	9.7	0.34

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,463	219.4	2.04	150.0	1.40	2,130	158.7	1.59	111.9	1.18
Oral Cavity & Pharynx	53	4.7	0.30	3.6	0.23	20	1.6	0.16	1.1	0.12
Digestive System	624	54.7	1.01	39.2	0.73	474	34.8	0.74	23.6	0.53
Esophagus	114	9.6	0.42	7.2	0.31	24	1.8	0.17	1.3	0.13
Stomach	30	2.6	0.22	1.8	0.15	24	1.8	0.17	1.2	0.12
Colon & Rectum	221	20.1	0.62	13.9	0.44	207	15.2	0.49	10.0	0.34
Liver	85	7.1	0.35	5.4	0.27	36	2.7	0.20	1.8	0.15
Pancreas	135	11.7	0.47	8.4	0.33	130	9.5	0.39	6.6	0.28
Respiratory System	827	71.0	1.13	49.2	0.78	602	44.2	0.82	31.6	0.61
Larynx	36	3.0	0.23	2.3	0.17	8	0.6	0.10	0.5	0.08
Lung & bronchus	786	67.6	1.11	46.6	0.76	592	43.4	0.82	31.0	0.60
Skin	74	7.1	0.38	4.7	0.26	34	2.6	0.21	1.8	0.15
Melanomas of the skin	46	4.4	0.30	3.1	0.22	26	2.0	0.18	1.4	0.14
Breast	3	0.3	0.07	0.2	0.05	281	21.8	0.61	15.9	0.46
Female Genital System	-	-	-	-	-	210	16.1	0.52	12.0	0.40
Cervix uteri	-	-	-	-	-	30	2.8	0.24	2.3	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	64	4.7	0.27	3.4	0.20
Ovary	-	-	-	-	-	93	6.9	0.33	5.1	0.25
Male Genital System	178	17.3	0.59	9.7	0.33	-	-	-	-	-
Prostate	171	16.6	0.58	9.2	0.32	-	-	-	-	-
Testis	3	0.4	0.09	0.3	0.08	-	-	-	-	-
Urinary System	160	14.7	0.53	9.4	0.34	75	5.5	0.29	3.6	0.20
Bladder	88	8.2	0.40	4.9	0.24	34	2.5	0.19	1.5	0.12
Kidney & renal pelvis	68	6.1	0.34	4.3	0.24	38	2.9	0.21	2.0	0.16
Brain & Other CNS[1]	63	5.8	0.34	4.5	0.27	50	4.0	0.27	3.1	0.22
Endocrine System	7	0.7	0.12	0.6	0.10	8	0.6	0.10	0.5	0.08
Thyroid gland	4	0.4	0.09	0.3	0.06	6	0.4	0.08	0.3	0.05
Lymphomas	90	8.2	0.40	5.5	0.27	68	4.9	0.28	3.3	0.20
Hodgkin Lymphoma	4	0.4	0.09	0.3	0.08	4	0.3	0.08	0.3	0.07
Non-Hodgkin Lymphoma	86	7.8	0.39	5.1	0.26	64	4.6	0.26	3.0	0.18
Multiple Myeloma	44	4.0	0.28	2.6	0.18	37	2.6	0.20	1.7	0.13
Leukemias	97	9.2	0.43	6.1	0.30	79	6.0	0.31	4.0	0.23
Other, Ill-defined & Unknown	243	21.9	0.65	14.7	0.44	191	14.1	0.47	9.8	0.35

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	75	246.9	14.15	166.8	8.79	62	167.2	9.77	119.4	7.13
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	79.1	7.64	57.0	5.10	15	41.9	4.96	30.3	3.63
Esophagus	2	5.8	1.94	4.4	1.43	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	8	26.2	4.70	17.2	2.84	6	17.2	3.19	12.4	2.36
Liver	7	15.7	2.69	13.9	2.34	-	-	-	-	-
Pancreas	6	20.1	3.98	13.9	2.59	4	11.6	2.54	8.2	1.80
Respiratory System	21	68.1	7.35	46.1	4.54	15	38.7	4.59	27.8	3.32
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	64.7	7.15	43.9	4.44	14	37.1	4.50	26.6	3.25
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	31.7	4.33	24.0	3.35
Female Genital System	-	-	-	-	-	6	17.5	3.19	12.4	2.34
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	6.3	1.85	4.2	1.24
Ovary	-	-	-	-	-	3	9.5	2.36	6.5	1.69
Male Genital System	9	37.5	6.03	21.6	3.25	-	-	-	-	-
Prostate	9	37.5	6.03	21.6	3.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	3	10.7	2.98	7.1	1.81	2	5.4	1.72	2.9	1.01
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	2	7.4	2.59	4.6	1.48	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	2	6.0	2.11	4.4	1.41	2	5.4	1.73	3.5	1.16
Leukemias	2	10.9	3.35	6.1	1.79	3	7.9	2.09	5.3	1.43
Other, Ill-defined & Unknown	6	19.6	3.94	13.6	2.53	5	13.6	2.77	9.3	1.95

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	69.6	18.23	45.8	10.69	6	68.9	13.43	47.5	8.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,065	187.9	1.11	122.4	0.72	5,353	135.0	0.85	91.8	0.61
Oral Cavity & Pharynx	131	3.8	0.15	2.8	0.11	56	1.4	0.09	1.0	0.06
Digestive System	1,674	50.8	0.57	34.4	0.38	1,227	30.5	0.40	20.2	0.28
Esophagus	277	8.2	0.23	5.8	0.16	70	1.8	0.10	1.2	0.07
Stomach	103	3.2	0.14	2.1	0.10	67	1.7	0.10	1.2	0.07
Colon & Rectum	483	15.1	0.32	9.9	0.21	439	10.9	0.24	7.0	0.17
Liver	200	5.7	0.19	4.1	0.13	68	1.7	0.09	1.2	0.07
Pancreas	447	13.5	0.29	9.1	0.20	403	9.9	0.23	6.6	0.16
Respiratory System	1,587	47.9	0.55	32.0	0.36	1,329	33.6	0.42	22.9	0.29
Larynx	59	1.7	0.10	1.2	0.07	13	0.3	0.04	0.2	0.03
Lung & bronchus	1,512	45.7	0.54	30.5	0.35	1,308	33.0	0.42	22.5	0.29
Skin	160	5.0	0.18	3.3	0.12	76	1.9	0.10	1.3	0.08
Melanomas of the skin	112	3.5	0.15	2.4	0.10	60	1.6	0.09	1.1	0.07
Breast	9	0.3	0.04	0.2	0.03	729	18.8	0.32	13.4	0.24
Female Genital System	-	-	-	-	-	577	14.8	0.28	10.5	0.21
Cervix uteri	-	-	-	-	-	55	1.6	0.10	1.3	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	205	5.1	0.16	3.6	0.12
Ovary	-	-	-	-	-	267	6.8	0.19	4.8	0.14
Male Genital System	632	21.1	0.38	11.5	0.21	-	-	-	-	-
Prostate	618	20.6	0.38	11.2	0.20	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	439	13.9	0.30	8.5	0.19	192	4.7	0.16	3.0	0.10
Bladder	234	7.7	0.23	4.3	0.13	86	2.1	0.10	1.2	0.06
Kidney & renal pelvis	191	5.8	0.19	3.9	0.13	98	2.5	0.12	1.7	0.08
Brain & Other CNS[1]	201	6.1	0.20	4.7	0.16	143	3.9	0.15	3.0	0.12
Endocrine System	28	0.9	0.08	0.6	0.06	32	0.8	0.07	0.6	0.06
Thyroid gland	19	0.6	0.06	0.4	0.04	22	0.5	0.05	0.4	0.04
Lymphomas	246	7.9	0.23	4.9	0.14	186	4.6	0.15	2.8	0.10
Hodgkin Lymphoma	15	0.5	0.06	0.3	0.04	9	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	232	7.5	0.22	4.6	0.14	178	4.4	0.15	2.7	0.10
Multiple Myeloma	123	3.9	0.16	2.4	0.10	108	2.7	0.12	1.7	0.08
Leukemias	277	8.9	0.25	5.7	0.16	208	5.2	0.17	3.4	0.12
Other, Ill-defined & Unknown	557	17.5	0.34	11.4	0.22	490	12.2	0.25	8.1	0.18

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,677	185.5	1.13	120.3	0.74	4,990	133.2	0.87	90.3	0.62
Oral Cavity & Pharynx	118	3.6	0.15	2.6	0.11	52	1.4	0.09	1.0	0.06
Digestive System	1,540	49.4	0.58	33.2	0.39	1,129	29.5	0.41	19.4	0.28
Esophagus	265	8.3	0.23	5.8	0.16	63	1.7	0.10	1.1	0.07
Stomach	90	3.0	0.14	1.9	0.09	56	1.5	0.09	1.0	0.07
Colon & Rectum	445	14.7	0.32	9.6	0.21	406	10.6	0.24	6.7	0.17
Liver	166	5.1	0.18	3.6	0.13	60	1.6	0.09	1.1	0.07
Pancreas	420	13.4	0.30	9.0	0.20	375	9.7	0.23	6.4	0.16
Respiratory System	1,475	46.9	0.56	31.2	0.37	1,238	33.1	0.43	22.5	0.30
Larynx	53	1.6	0.10	1.1	0.07	11	0.3	0.04	0.2	0.03
Lung & bronchus	1,407	44.8	0.55	29.8	0.36	1,219	32.6	0.43	22.2	0.30
Skin	158	5.2	0.19	3.4	0.13	75	2.0	0.11	1.4	0.08
Melanomas of the skin	111	3.6	0.16	2.5	0.11	59	1.7	0.10	1.2	0.08
Breast	8	0.3	0.04	0.2	0.03	678	18.6	0.33	13.3	0.25
Female Genital System	-	-	-	-	-	535	14.5	0.29	10.3	0.21
Cervix uteri	-	-	-	-	-	48	1.5	0.10	1.2	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	185	4.9	0.17	3.4	0.12
Ovary	-	-	-	-	-	254	6.8	0.20	4.8	0.14
Male Genital System	597	20.8	0.39	11.3	0.21	-	-	-	-	-
Prostate	584	20.3	0.38	10.9	0.21	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	421	13.9	0.31	8.5	0.19	180	4.7	0.16	2.9	0.11
Bladder	228	7.8	0.23	4.4	0.13	81	2.0	0.10	1.2	0.07
Kidney & renal pelvis	180	5.7	0.19	3.9	0.13	92	2.5	0.12	1.7	0.08
Brain & Other CNS[1]	194	6.3	0.21	4.9	0.17	137	4.0	0.16	3.1	0.13
Endocrine System	26	0.9	0.08	0.6	0.06	30	0.8	0.07	0.6	0.06
Thyroid gland	18	0.6	0.06	0.4	0.04	21	0.5	0.06	0.4	0.04
Lymphomas	236	8.0	0.24	4.9	0.15	178	4.6	0.16	2.8	0.11
Hodgkin Lymphoma	14	0.5	0.06	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	222	7.5	0.23	4.6	0.14	170	4.4	0.15	2.7	0.10
Multiple Myeloma	114	3.8	0.16	2.3	0.10	99	2.6	0.12	1.6	0.08
Leukemias	267	9.1	0.25	5.8	0.17	198	5.3	0.17	3.4	0.12
Other, Ill-defined & Unknown	523	17.4	0.35	11.3	0.23	460	12.1	0.26	8.0	0.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	308	267.9	7.59	188.3	4.89	271	179.3	5.07	127.6	3.49
Oral Cavity & Pharynx	9	7.4	1.20	5.5	0.81	2	1.0	0.33	0.9	0.27
Digestive System	103	83.3	4.09	60.9	2.74	71	46.2	2.55	33.1	1.77
Esophagus	9	7.1	1.17	5.4	0.80	5	3.0	0.61	2.4	0.48
Stomach	10	9.1	1.41	6.3	0.90	7	4.5	0.81	3.1	0.55
Colon & Rectum	27	24.1	2.31	16.6	1.45	24	15.5	1.47	11.1	1.03
Liver	27	18.5	1.73	15.1	1.32	6	3.6	0.69	2.7	0.51
Pancreas	22	17.9	1.88	13.2	1.27	22	14.7	1.44	10.6	1.01
Respiratory System	94	80.9	4.10	58.0	2.73	66	44.8	2.56	31.5	1.74
Larynx	5	4.7	1.01	3.3	0.65	-	-	-	-	-
Lung & bronchus	88	75.7	3.97	54.3	2.64	64	43.2	2.52	30.3	1.71
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	42	27.6	1.97	20.0	1.38
Female Genital System	-	-	-	-	-	33	21.6	1.74	15.8	1.23
Cervix uteri	-	-	-	-	-	6	3.7	0.72	2.8	0.53
Corpus & uterus, NOS[1]	-	-	-	-	-	16	10.3	1.21	7.3	0.84
Ovary	-	-	-	-	-	10	6.4	0.93	4.9	0.69
Male Genital System	30	34.9	3.10	20.2	1.68	-	-	-	-	-
Prostate	29	34.4	3.08	19.9	1.67	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	12.9	1.70	8.9	1.06	9	6.9	1.04	4.4	0.65
Bladder	5	5.0	1.13	3.1	0.64	4	3.2	0.72	1.9	0.42
Kidney & renal pelvis	9	7.6	1.26	5.5	0.82	5	3.3	0.72	2.2	0.46
Brain & Other CNS[1]	4	2.8	0.63	2.4	0.52	3	2.1	0.53	1.7	0.41
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	6.0	1.06	4.6	0.76	6	3.8	0.73	2.7	0.51
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	8	8.2	1.42	5.2	0.84	7	5.3	0.91	3.3	0.55
Leukemias	7	7.5	1.35	4.9	0.81	6	4.3	0.79	3.0	0.53
Other, Ill-defined & Unknown	26	21.4	2.06	15.8	1.40	22	14.7	1.45	10.5	1.00

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	38	109.2	8.81	70.2	5.19	52	104.2	6.80	69.9	4.40
Oral Cavity & Pharynx	2	4.9	1.67	3.6	1.10	-	-	-	-	-
Digestive System	15	42.1	5.35	27.8	3.26	17	34.0	3.89	22.6	2.49
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	2	5.8	2.02	3.7	1.20	3	6.3	1.65	4.3	1.08
Colon & Rectum	4	11.8	2.76	8.0	1.74	7	14.2	2.56	9.1	1.59
Liver	4	11.3	2.72	7.7	1.70	-	-	-	-	-
Pancreas	-	-	-	-	-	3	5.1	1.44	3.7	1.00
Respiratory System	8	25.1	4.34	15.4	2.47	12	25.9	3.49	16.5	2.18
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	7	22.3	4.03	14.0	2.35	12	25.6	3.47	16.3	2.16
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	5	8.7	1.88	6.4	1.33
Female Genital System	-	-	-	-	-	5	8.2	1.75	6.2	1.29
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	2	4.2	1.28	3.2	0.93
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	11.0	3.11	5.8	1.56	-	-	-	-	-
Prostate	3	10.7	3.10	5.5	1.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	3	5.7	1.63	3.5	0.98
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	2	3.3	1.11	2.7	0.85
Other, Ill-defined & Unknown	4	9.5	2.41	7.0	1.57	5	9.7	2.15	6.3	1.34

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	515	160.6	3.28	106.4	2.15	437	122.3	2.69	83.5	1.89
Oral Cavity & Pharynx	11	3.5	0.48	2.4	0.32	5	1.3	0.29	0.9	0.20
Digestive System	153	45.5	1.72	32.0	1.18	92	25.6	1.22	17.1	0.84
Esophagus	23	6.9	0.66	4.9	0.46	5	1.1	0.24	0.8	0.17
Stomach	5	1.9	0.37	1.1	0.23	4	1.0	0.25	0.7	0.19
Colon & Rectum	45	13.9	0.97	9.6	0.66	35	10.1	0.77	6.5	0.51
Liver	26	6.7	0.61	5.3	0.46	5	1.3	0.27	1.0	0.20
Pancreas	41	12.3	0.89	8.6	0.61	30	8.3	0.69	5.4	0.46
Respiratory System	114	35.2	1.52	23.0	0.98	108	29.9	1.32	20.2	0.90
Larynx	4	1.3	0.29	0.9	0.20	-	-	-	-	-
Lung & bronchus	108	33.1	1.48	21.6	0.94	106	29.3	1.31	19.8	0.89
Skin	19	5.9	0.64	3.8	0.41	-	-	-	-	-
Melanomas of the skin	15	4.7	0.56	3.2	0.37	7	2.0	0.35	1.4	0.26
Breast	-	-	-	-	-	64	18.2	1.05	12.6	0.75
Female Genital System	-	-	-	-	-	48	13.9	0.93	9.9	0.68
Cervix uteri	-	-	-	-	-	5	1.9	0.38	1.6	0.31
Corpus & uterus, NOS[1]	-	-	-	-	-	15	4.1	0.49	2.9	0.35
Ovary	-	-	-	-	-	24	6.9	0.64	4.8	0.46
Male Genital System	51	17.2	1.11	9.8	0.62	-	-	-	-	-
Prostate	50	16.9	1.10	9.5	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	11.6	0.89	7.4	0.56	15	4.1	0.48	2.7	0.33
Bladder	19	6.3	0.66	3.7	0.38	6	1.5	0.29	0.9	0.18
Kidney & renal pelvis	17	5.2	0.59	3.6	0.40	9	2.5	0.37	1.8	0.27
Brain & Other CNS[1]	21	6.7	0.68	5.0	0.51	17	5.0	0.56	4.0	0.46
Endocrine System	3	0.8	0.24	0.7	0.20	2	0.5	0.17	0.3	0.11
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	6.9	0.69	4.5	0.45	15	4.1	0.49	2.5	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	3.4	0.49	1.9	0.28	6	1.6	0.29	1.0	0.19
Leukemias	24	7.7	0.72	5.0	0.47	18	5.0	0.54	3.2	0.36
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	502	161.0	3.33	106.7	2.18	425	122.3	2.73	83.6	1.92
Oral Cavity & Pharynx	11	3.5	0.48	2.3	0.32	4	1.3	0.29	0.9	0.21
Digestive System	147	45.1	1.73	31.7	1.20	90	25.7	1.24	17.2	0.85
Esophagus	23	6.9	0.67	4.9	0.46	4	1.1	0.24	0.8	0.17
Stomach	4	1.6	0.34	0.9	0.20	3	0.9	0.23	0.7	0.18
Colon & Rectum	44	14.0	0.99	9.7	0.68	35	10.2	0.79	6.6	0.53
Liver	24	6.3	0.60	4.9	0.46	5	1.3	0.27	1.0	0.21
Pancreas	40	12.5	0.91	8.7	0.63	30	8.4	0.70	5.5	0.47
Respiratory System	112	35.4	1.55	23.2	0.99	105	30.0	1.34	20.3	0.92
Larynx	4	1.3	0.29	0.9	0.20	-	-	-	-	-
Lung & bronchus	106	33.4	1.50	21.8	0.96	103	29.4	1.33	19.9	0.91
Skin	19	6.1	0.65	3.9	0.42	-	-	-	-	-
Melanomas of the skin	15	4.9	0.58	3.3	0.39	7	2.1	0.36	1.5	0.27
Breast	-	-	-	-	-	62	18.2	1.06	12.6	0.76
Female Genital System	-	-	-	-	-	46	13.7	0.94	9.7	0.68
Cervix uteri	-	-	-	-	-	5	1.9	0.39	1.5	0.32
Corpus & uterus, NOS[1]	-	-	-	-	-	14	4.1	0.50	2.9	0.35
Ovary	-	-	-	-	-	23	6.7	0.64	4.6	0.46
Male Genital System	50	17.3	1.13	9.8	0.63	-	-	-	-	-
Prostate	49	16.9	1.11	9.5	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	11.6	0.90	7.4	0.56	15	4.1	0.49	2.7	0.33
Bladder	19	6.4	0.68	3.8	0.40	6	1.6	0.30	1.0	0.19
Kidney & renal pelvis	16	5.1	0.59	3.5	0.40	9	2.4	0.37	1.7	0.27
Brain & Other CNS[1]	21	6.9	0.70	5.2	0.53	17	5.0	0.57	4.0	0.48
Endocrine System	2	0.8	0.23	0.6	0.19	2	0.6	0.18	0.3	0.11
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	7.0	0.71	4.6	0.46	15	4.3	0.51	2.6	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	3.3	0.49	1.9	0.28	6	1.5	0.30	1.0	0.19
Leukemias	24	7.7	0.74	5.0	0.48	17	4.7	0.52	3.0	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4	138.3	36.75	90.4	22.07	3	116.4	33.52	87.1	23.35
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	-	-	-	-	-	2	86.5	28.51	51.5	16.54
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Puerto Rico, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,881	140.3	1.18	93.7	0.82	2,302	89.2	0.86	62.8	0.65
Oral Cavity & Pharynx	97	4.6	0.21	3.4	0.16	24	0.9	0.08	0.6	0.06
Digestive System	1,002	48.3	0.69	33.9	0.50	683	25.5	0.45	17.0	0.32
Esophagus	88	4.1	0.20	3.0	0.15	18	0.7	0.07	0.4	0.05
Stomach	110	5.4	0.23	3.6	0.16	78	3.0	0.15	2.0	0.11
Colon & Rectum	392	19.1	0.44	13.4	0.32	306	11.5	0.30	7.8	0.22
Liver	193	9.1	0.30	6.5	0.22	91	3.4	0.16	2.2	0.11
Pancreas	169	8.2	0.28	5.7	0.21	139	5.2	0.20	3.4	0.14
Respiratory System	405	19.3	0.43	13.2	0.30	219	8.1	0.25	5.4	0.18
Larynx	42	2.0	0.14	1.4	0.10	4	0.2	0.04	0.1	0.03
Lung & bronchus	355	16.9	0.41	11.5	0.28	211	7.8	0.24	5.2	0.17
Skin	45	2.2	0.15	1.3	0.09	24	0.9	0.08	0.5	0.05
Melanomas of the skin	15	0.7	0.09	0.5	0.06	8	0.3	0.05	0.2	0.04
Breast	8	0.4	0.06	0.3	0.04	435	17.6	0.39	13.3	0.31
Female Genital System	-	-	-	-	-	291	11.9	0.32	9.0	0.26
Cervix uteri	-	-	-	-	-	47	2.2	0.15	1.8	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	121	4.8	0.20	3.6	0.16
Ovary	-	-	-	-	-	104	4.1	0.19	3.1	0.15
Male Genital System	499	24.7	0.50	13.8	0.29	-	-	-	-	-
Prostate	482	23.8	0.49	13.1	0.27	-	-	-	-	-
Testis	6	0.4	0.07	0.4	0.07	-	-	-	-	-
Urinary System	136	6.7	0.26	4.2	0.17	69	2.5	0.14	1.6	0.09
Bladder	77	3.8	0.19	2.2	0.12	37	1.3	0.10	0.8	0.06
Kidney & renal pelvis	56	2.7	0.16	1.9	0.12	30	1.1	0.09	0.8	0.07
Brain & Other CNS[1]	55	2.8	0.18	2.2	0.14	56	2.3	0.14	1.7	0.12
Endocrine System	12	0.6	0.08	0.4	0.06	13	0.5	0.07	0.4	0.06
Thyroid gland	9	0.4	0.07	0.3	0.05	10	0.4	0.05	0.2	0.04
Lymphomas	102	5.2	0.23	3.7	0.17	72	2.8	0.15	2.0	0.12
Hodgkin Lymphoma	12	0.6	0.08	0.5	0.07	8	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	90	4.6	0.22	3.2	0.16	64	2.5	0.14	1.7	0.11
Multiple Myeloma	66	3.2	0.18	2.1	0.12	65	2.4	0.13	1.6	0.09
Leukemias	102	5.1	0.23	3.4	0.16	85	3.4	0.17	2.4	0.14
Other, Ill-defined & Unknown	353	17.2	0.42	11.9	0.30	269	10.5	0.30	7.4	0.22

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alberta, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,461	186.1	1.46	119.0	0.91	3,043	136.7	1.13	92.2	0.78
Oral Cavity & Pharynx	77	3.7	0.20	2.7	0.14	39	1.7	0.13	1.2	0.09
Digestive System	1,077	55.7	0.79	37.1	0.51	769	34.3	0.56	22.5	0.38
Esophagus	148	7.3	0.28	5.1	0.19	37	1.6	0.12	1.1	0.09
Stomach	95	5.0	0.24	3.3	0.15	59	2.6	0.15	1.8	0.11
Colon & Rectum	399	21.3	0.49	13.6	0.31	312	13.8	0.35	8.9	0.24
Liver	116	5.5	0.24	4.0	0.17	38	1.7	0.12	1.2	0.09
Pancreas	220	11.4	0.35	7.6	0.23	207	9.4	0.30	6.1	0.20
Respiratory System	846	44.9	0.71	29.2	0.45	762	34.8	0.57	23.3	0.39
Larynx	24	1.2	0.11	0.8	0.08	3	0.1	0.03	0.1	0.03
Lung & bronchus	814	43.3	0.70	28.1	0.44	754	34.4	0.57	23.0	0.38
Skin	74	4.0	0.21	2.5	0.13	42	1.8	0.13	1.3	0.09
Melanomas of the skin	50	2.6	0.17	1.7	0.11	33	1.4	0.11	1.0	0.08
Breast	4	0.2	0.05	0.1	0.03	453	20.2	0.43	14.2	0.31
Female Genital System	-	-	-	-	-	323	14.3	0.36	10.3	0.26
Cervix uteri	-	-	-	-	-	45	2.0	0.14	1.6	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	98	4.3	0.20	3.0	0.14
Ovary	-	-	-	-	-	155	6.9	0.25	4.9	0.18
Male Genital System	420	25.6	0.57	13.8	0.30	-	-	-	-	-
Prostate	413	25.2	0.56	13.6	0.30	-	-	-	-	-
Testis	2	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	234	12.8	0.39	7.9	0.23	107	4.8	0.21	2.9	0.13
Bladder	108	6.3	0.28	3.6	0.16	43	1.9	0.13	1.1	0.08
Kidney & renal pelvis	93	4.8	0.23	3.2	0.15	48	2.1	0.14	1.3	0.09
Brain & Other CNS[1]	120	5.6	0.24	4.4	0.18	81	3.6	0.18	2.9	0.15
Endocrine System	15	0.8	0.09	0.6	0.07	19	0.9	0.09	0.6	0.06
Thyroid gland	10	0.5	0.08	0.4	0.05	15	0.7	0.08	0.4	0.05
Lymphomas	134	7.4	0.29	4.7	0.18	101	4.6	0.21	2.9	0.13
Hodgkin Lymphoma	5	0.3	0.05	0.2	0.04	3	0.1	0.03	0.1	0.03
Non-Hodgkin Lymphoma	129	7.1	0.29	4.5	0.18	97	4.4	0.20	2.8	0.13
Multiple Myeloma	69	3.9	0.22	2.3	0.13	47	2.2	0.14	1.4	0.09
Leukemias	137	7.7	0.30	4.8	0.19	89	4.1	0.20	2.6	0.13
Other, Ill-defined & Unknown	253	13.8	0.40	8.9	0.25	211	9.4	0.30	6.2	0.20

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
British Columbia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,482	183.7	1.13	117.9	0.73	4,751	135.5	0.90	90.6	0.63
Oral Cavity & Pharynx	142	4.5	0.17	3.2	0.12	65	1.9	0.11	1.3	0.08
Digestive System	1,792	58.8	0.63	39.4	0.43	1,273	35.9	0.46	23.2	0.31
Esophagus	252	8.0	0.23	5.6	0.16	75	2.1	0.11	1.4	0.08
Stomach	142	4.7	0.18	3.1	0.12	82	2.4	0.12	1.6	0.08
Colon & Rectum	640	21.7	0.39	13.9	0.25	532	14.9	0.30	9.4	0.20
Liver	229	7.0	0.21	5.2	0.16	69	1.9	0.11	1.3	0.08
Pancreas	358	11.8	0.28	7.8	0.19	337	9.5	0.24	6.2	0.16
Respiratory System	1,263	41.5	0.53	26.8	0.34	1,198	33.9	0.45	22.5	0.30
Larynx	37	1.2	0.09	0.8	0.06	7	0.2	0.03	0.1	0.02
Lung & bronchus	1,214	39.9	0.52	25.7	0.33	1,182	33.5	0.44	22.2	0.30
Skin	147	5.0	0.19	3.2	0.12	81	2.3	0.12	1.5	0.08
Melanomas of the skin	86	2.9	0.14	1.9	0.10	51	1.5	0.09	1.0	0.07
Breast	8	0.3	0.04	0.2	0.03	662	19.2	0.34	13.5	0.25
Female Genital System	-	-	-	-	-	511	14.8	0.30	10.5	0.22
Cervix uteri	-	-	-	-	-	53	1.7	0.11	1.3	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	145	4.1	0.15	2.8	0.11
Ovary	-	-	-	-	-	271	7.8	0.22	5.6	0.16
Male Genital System	633	22.4	0.40	12.2	0.22	-	-	-	-	-
Prostate	620	21.9	0.40	11.8	0.22	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	414	14.1	0.32	8.5	0.19	166	4.7	0.17	2.8	0.10
Bladder	241	8.4	0.24	4.8	0.14	85	2.4	0.12	1.4	0.07
Kidney & renal pelvis	151	5.0	0.19	3.3	0.13	70	2.0	0.11	1.2	0.07
Brain & Other CNS[1]	186	6.2	0.21	4.9	0.17	125	3.9	0.16	3.1	0.14
Endocrine System	24	0.8	0.08	0.6	0.06	28	0.8	0.07	0.6	0.06
Thyroid gland	15	0.5	0.06	0.3	0.04	18	0.5	0.05	0.3	0.04
Lymphomas	233	8.0	0.24	5.0	0.15	154	4.3	0.16	2.7	0.10
Hodgkin Lymphoma	9	0.3	0.05	0.2	0.04	5	0.2	0.03	0.1	0.03
Non-Hodgkin Lymphoma	224	7.7	0.23	4.8	0.15	148	4.2	0.16	2.5	0.10
Multiple Myeloma	118	4.0	0.17	2.5	0.10	82	2.3	0.11	1.4	0.07
Leukemias	213	7.4	0.23	4.7	0.15	152	4.4	0.17	2.9	0.12
Other, Ill-defined & Unknown	308	10.5	0.27	6.7	0.18	255	7.2	0.21	4.7	0.15

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Manitoba, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,456	211.0	2.51	135.3	1.62	1,347	157.0	1.97	106.2	1.40
Oral Cavity & Pharynx	27	3.6	0.32	2.6	0.23	15	1.7	0.20	1.1	0.14
Digestive System	443	62.7	1.36	41.9	0.91	343	39.2	0.97	25.6	0.67
Esophagus	57	7.8	0.47	5.5	0.33	16	1.9	0.21	1.3	0.15
Stomach	37	5.4	0.40	3.5	0.26	21	2.5	0.25	1.7	0.17
Colon & Rectum	180	25.8	0.88	16.8	0.57	158	17.7	0.65	11.2	0.44
Liver	38	5.1	0.38	3.7	0.27	15	1.8	0.21	1.2	0.15
Pancreas	83	11.6	0.58	7.9	0.39	81	9.3	0.47	6.1	0.33
Respiratory System	347	49.5	1.21	32.2	0.78	329	39.0	0.98	26.4	0.68
Larynx	8	1.1	0.18	0.7	0.11	-	-	-	-	-
Lung & bronchus	336	48.0	1.19	31.2	0.77	327	38.7	0.98	26.2	0.68
Skin	27	3.8	0.34	2.6	0.23	16	1.9	0.22	1.2	0.15
Melanomas of the skin	19	2.7	0.28	1.9	0.19	11	1.4	0.19	0.9	0.14
Breast	2	0.3	0.10	0.2	0.06	188	22.4	0.75	15.8	0.56
Female Genital System	-	-	-	-	-	138	16.5	0.64	11.7	0.47
Cervix uteri	-	-	-	-	-	14	1.9	0.23	1.6	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	48	5.6	0.37	3.8	0.26
Ovary	-	-	-	-	-	65	7.6	0.43	5.4	0.32
Male Genital System	187	28.8	0.95	15.5	0.52	-	-	-	-	-
Prostate	182	28.0	0.94	14.9	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	118	17.4	0.73	10.7	0.45	51	5.7	0.37	3.5	0.24
Bladder	62	9.3	0.53	5.3	0.31	22	2.4	0.24	1.4	0.14
Kidney & renal pelvis	50	7.3	0.46	4.9	0.31	26	2.9	0.26	2.0	0.19
Brain & Other CNS[1]	33	4.7	0.37	3.8	0.31	27	3.5	0.31	2.7	0.25
Endocrine System	7	0.9	0.16	0.7	0.13	10	1.3	0.18	0.8	0.13
Thyroid gland	5	0.6	0.13	0.5	0.10	7	0.7	0.13	0.5	0.09
Lymphomas	56	8.3	0.50	5.2	0.32	51	5.9	0.38	3.9	0.26
Hodgkin Lymphoma	2	0.4	0.10	0.2	0.07	2	0.2	0.08	0.2	0.07
Non-Hodgkin Lymphoma	54	8.0	0.49	4.9	0.31	49	5.6	0.37	3.7	0.26
Multiple Myeloma	31	4.6	0.38	2.9	0.23	24	2.7	0.25	1.7	0.17
Leukemias	59	8.9	0.53	5.6	0.33	44	5.0	0.35	3.2	0.25
Other, Ill-defined & Unknown	119	17.3	0.72	11.4	0.48	109	12.6	0.56	8.5	0.40

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Brunswick, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,103	221.4	3.08	141.8	1.96	930	151.0	2.28	102.3	1.64
Oral Cavity & Pharynx	24	4.6	0.44	3.2	0.30	9	1.4	0.22	0.9	0.15
Digestive System	316	61.7	1.61	40.8	1.05	237	37.5	1.12	24.3	0.76
Esophagus	44	8.1	0.57	5.8	0.40	13	2.1	0.26	1.4	0.18
Stomach	29	5.7	0.49	3.7	0.32	20	3.1	0.32	2.0	0.22
Colon & Rectum	127	25.2	1.04	16.3	0.67	110	17.7	0.77	11.0	0.51
Liver	22	4.1	0.41	2.7	0.26	10	1.5	0.23	1.1	0.17
Pancreas	69	13.4	0.75	9.0	0.49	56	8.6	0.52	5.8	0.36
Respiratory System	341	66.5	1.66	43.0	1.05	250	40.1	1.15	27.4	0.81
Larynx	9	1.7	0.26	1.1	0.17	-	-	-	-	-
Lung & bronchus	329	64.2	1.63	41.5	1.03	248	39.7	1.15	27.1	0.80
Skin	18	3.7	0.41	2.4	0.27	15	2.4	0.29	1.7	0.21
Melanomas of the skin	13	2.7	0.35	1.8	0.24	12	1.9	0.26	1.4	0.20
Breast	2	0.5	0.14	0.3	0.08	122	20.5	0.87	14.6	0.65
Female Genital System	-	-	-	-	-	86	14.4	0.72	10.1	0.53
Cervix uteri	-	-	-	-	-	8	1.6	0.28	1.3	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	26	4.3	0.38	3.0	0.27
Ovary	-	-	-	-	-	42	7.0	0.49	4.8	0.36
Male Genital System	102	22.9	1.03	12.2	0.55	-	-	-	-	-
Prostate	100	22.4	1.02	11.8	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	85	17.4	0.87	10.7	0.53	38	5.9	0.44	3.8	0.29
Bladder	42	8.9	0.63	5.2	0.36	16	2.5	0.29	1.5	0.18
Kidney & renal pelvis	36	7.0	0.54	4.8	0.36	19	3.0	0.32	2.0	0.22
Brain & Other CNS[1]	29	5.5	0.48	4.4	0.40	21	3.7	0.38	3.0	0.34
Endocrine System	3	0.7	0.18	0.5	0.14	5	0.9	0.18	0.7	0.17
Thyroid gland	2	0.4	0.13	0.3	0.09	2	0.4	0.12	0.3	0.08
Lymphomas	42	8.7	0.62	5.5	0.39	37	6.0	0.46	3.9	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	23	4.7	0.45	2.8	0.27	17	2.8	0.30	1.7	0.19
Leukemias	43	9.0	0.63	5.9	0.42	29	4.9	0.43	3.4	0.34
Other, Ill-defined & Unknown	75	15.5	0.83	10.1	0.55	65	10.6	0.61	6.9	0.44

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Newfoundland and Labrador, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	785	233.7	3.93	149.1	2.43	665	169.5	3.02	113.5	2.09
Oral Cavity & Pharynx	15	4.1	0.51	2.8	0.33	6	1.4	0.28	0.9	0.18
Digestive System	265	78.0	2.26	50.3	1.40	187	47.6	1.59	30.6	1.05
Esophagus	27	7.5	0.68	5.2	0.46	6	1.6	0.31	1.1	0.21
Stomach	36	10.8	0.85	6.7	0.51	17	4.3	0.48	2.8	0.33
Colon & Rectum	130	38.8	1.60	24.7	0.99	100	25.3	1.15	16.2	0.76
Liver	16	4.6	0.54	3.1	0.35	6	1.7	0.31	1.0	0.19
Pancreas	37	10.3	0.80	6.7	0.50	33	8.3	0.66	5.3	0.42
Respiratory System	223	63.7	2.00	41.1	1.24	156	38.3	1.40	26.0	0.95
Larynx	8	2.6	0.42	1.6	0.25	2	0.5	0.15	0.3	0.11
Lung & bronchus	214	60.7	1.95	39.3	1.21	154	37.7	1.39	25.6	0.95
Skin	14	4.2	0.54	2.7	0.34	-	-	-	-	-
Melanomas of the skin	9	2.6	0.41	1.9	0.29	5	1.4	0.28	1.0	0.20
Breast	2	0.6	0.19	0.4	0.13	90	23.5	1.14	16.3	0.82
Female Genital System	-	-	-	-	-	70	18.4	1.01	12.9	0.75
Cervix uteri	-	-	-	-	-	12	3.5	0.48	2.8	0.41
Corpus & uterus, NOS[1]	-	-	-	-	-	17	4.4	0.47	2.9	0.31
Ovary	-	-	-	-	-	33	8.3	0.67	5.8	0.48
Male Genital System	75	25.7	1.38	14.1	0.74	-	-	-	-	-
Prostate	74	25.2	1.37	13.6	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	16.4	1.05	10.3	0.63	26	6.4	0.58	4.0	0.36
Bladder	23	7.6	0.75	4.3	0.40	9	2.3	0.35	1.3	0.21
Kidney & renal pelvis	28	7.9	0.70	5.4	0.46	15	3.8	0.44	2.4	0.29
Brain & Other CNS[1]	19	5.7	0.61	4.5	0.50	18	4.7	0.51	3.5	0.41
Endocrine System	3	1.0	0.25	0.8	0.22	5	1.5	0.33	1.3	0.32
Thyroid gland	-	-	-	-	-	2	0.6	0.16	0.4	0.12
Lymphomas	27	7.9	0.72	5.3	0.47	21	5.3	0.53	3.5	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	14	4.2	0.52	2.7	0.32	12	3.1	0.41	1.9	0.25
Leukemias	23	6.7	0.66	4.3	0.41	19	4.9	0.53	3.4	0.40
Other, Ill-defined & Unknown	50	15.6	1.04	9.9	0.66	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Northwest Territories, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	32	247.1	22.54	154.1	12.74	30	239.8	21.84	152.2	13.00
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	85.4	13.19	53.7	7.46	9	74.9	12.15	48.1	7.31
Esophagus	2	9.1	3.31	7.2	2.40	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	37.7	9.41	21.7	4.98	4	34.8	8.48	22.0	5.01
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	2	13.0	4.43	9.1	2.85	2	17.2	5.61	11.5	3.46
Respiratory System	10	76.0	12.56	47.3	7.07	8	72.8	12.68	43.1	7.18
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	72.7	12.28	45.1	6.89	7	70.2	12.41	41.8	7.05
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	26.8	6.69	18.5	4.27
Female Genital System	-	-	-	-	-	3	15.5	4.74	11.3	3.26
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	29.9	8.66	15.8	4.34	-	-	-	-	-
Prostate	3	29.9	8.66	15.8	4.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	12.1	4.51	8.6	2.84	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	2	15.6	5.42	10.3	3.36	2	22.4	7.03	13.1	4.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nova Scotia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,443	238.0	2.89	154.0	1.87	1,261	166.4	2.15	111.8	1.53
Oral Cavity & Pharynx	33	4.8	0.39	3.5	0.29	12	1.5	0.20	1.0	0.13
Digestive System	439	71.1	1.57	47.2	1.04	322	42.1	1.08	27.2	0.74
Esophagus	68	10.4	0.58	7.3	0.41	18	2.4	0.26	1.7	0.19
Stomach	34	5.8	0.45	3.7	0.29	21	2.7	0.27	1.7	0.18
Colon & Rectum	188	31.3	1.05	20.0	0.67	161	21.0	0.76	13.2	0.51
Liver	36	5.3	0.42	3.9	0.31	11	1.6	0.22	1.1	0.18
Pancreas	78	12.3	0.64	8.4	0.43	69	9.0	0.49	5.9	0.34
Respiratory System	397	62.7	1.45	41.2	0.93	345	44.7	1.10	30.8	0.77
Larynx	12	2.0	0.26	1.3	0.16	4	0.5	0.12	0.3	0.08
Lung & bronchus	381	60.1	1.42	39.5	0.92	340	44.0	1.09	30.4	0.77
Skin	39	6.7	0.49	4.2	0.32	19	2.6	0.28	1.8	0.21
Melanomas of the skin	27	4.6	0.41	3.0	0.28	14	2.0	0.25	1.4	0.20
Breast	3	0.4	0.13	0.3	0.08	167	23.0	0.83	16.0	0.61
Female Genital System	-	-	-	-	-	123	16.5	0.69	11.8	0.52
Cervix uteri	-	-	-	-	-	13	2.0	0.26	1.6	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	42	5.4	0.38	3.8	0.27
Ovary	-	-	-	-	-	58	7.8	0.48	5.4	0.35
Male Genital System	155	28.0	1.03	15.2	0.55	-	-	-	-	-
Prostate	151	27.5	1.02	14.8	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	105	17.8	0.80	10.8	0.48	48	6.2	0.41	3.8	0.26
Bladder	49	8.6	0.57	4.8	0.31	17	2.1	0.23	1.2	0.14
Kidney & renal pelvis	46	7.6	0.51	4.9	0.33	27	3.5	0.31	2.2	0.21
Brain & Other CNS[1]	37	6.2	0.48	4.9	0.39	26	3.7	0.34	2.9	0.28
Endocrine System	7	1.3	0.23	1.0	0.20	7	1.0	0.18	0.7	0.15
Thyroid gland	4	0.7	0.15	0.5	0.11	4	0.5	0.12	0.3	0.08
Lymphomas	56	9.3	0.58	5.9	0.37	43	5.7	0.39	3.5	0.26
Hodgkin Lymphoma	2	0.3	0.10	0.2	0.08	-	-	-	-	-
Non-Hodgkin Lymphoma	54	9.0	0.57	5.7	0.36	-	-	-	-	-
Multiple Myeloma	24	3.9	0.36	2.6	0.24	21	2.7	0.27	1.6	0.17
Leukemias	52	9.0	0.58	6.0	0.40	35	4.7	0.36	3.1	0.26
Other, Ill-defined & Unknown	98	16.7	0.78	11.1	0.53	92	12.1	0.58	7.6	0.39

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nunavut, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	22	275.8	33.40	195.4	20.36	18	281.3	37.49	189.2	21.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	9	89.9	17.30	67.4	11.31	5	66.8	17.52	46.4	10.69
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	5	52.0	12.50	40.0	8.52	2	36.7	13.99	23.5	8.06
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	124.4	23.41	84.9	14.04	8	144.9	27.84	95.1	15.95
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	124.4	23.41	84.9	14.04	8	144.9	27.84	95.1	15.95
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ontario, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	15,112	192.8	0.71	123.5	0.46	13,735	140.3	0.55	94.4	0.39
Oral Cavity & Pharynx	402	4.8	0.11	3.5	0.08	174	1.7	0.06	1.2	0.04
Digestive System	4,649	58.3	0.39	38.6	0.26	3,468	34.7	0.27	22.5	0.18
Esophagus	590	7.2	0.13	5.0	0.09	185	1.9	0.06	1.2	0.04
Stomach	473	6.0	0.13	3.9	0.08	281	2.9	0.08	2.0	0.06
Colon & Rectum	1,686	21.7	0.24	13.8	0.15	1,450	14.4	0.17	9.0	0.12
Liver	491	5.9	0.12	4.2	0.09	167	1.7	0.06	1.1	0.04
Pancreas	953	11.8	0.17	7.9	0.12	881	8.9	0.14	5.8	0.09
Respiratory System	3,734	46.7	0.35	30.4	0.23	3,284	33.5	0.26	22.7	0.18
Larynx	110	1.4	0.06	0.9	0.04	22	0.2	0.02	0.1	0.01
Lung & bronchus	3,595	45.0	0.34	29.2	0.22	3,244	33.1	0.26	22.4	0.18
Skin	473	6.2	0.13	3.8	0.08	251	2.5	0.07	1.7	0.05
Melanomas of the skin	317	4.1	0.10	2.7	0.07	175	1.8	0.06	1.3	0.05
Breast	17	0.2	0.02	0.1	0.02	2,002	20.9	0.21	14.8	0.16
Female Genital System	-	-	-	-	-	1,441	15.0	0.18	10.7	0.13
Cervix uteri	-	-	-	-	-	159	1.9	0.07	1.5	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	464	4.7	0.10	3.3	0.07
Ovary	-	-	-	-	-	688	7.2	0.12	5.1	0.09
Male Genital System	1,591	21.6	0.24	11.7	0.13	-	-	-	-	-
Prostate	1,553	21.0	0.24	11.3	0.13	-	-	-	-	-
Testis	14	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	1,123	14.6	0.20	8.8	0.12	522	5.1	0.10	3.1	0.07
Bladder	608	8.1	0.15	4.6	0.08	238	2.3	0.07	1.3	0.04
Kidney & renal pelvis	390	4.9	0.11	3.2	0.08	213	2.1	0.07	1.4	0.05
Brain & Other CNS[1]	468	5.8	0.12	4.5	0.10	360	3.9	0.10	3.1	0.08
Endocrine System	69	0.9	0.05	0.6	0.04	70	0.7	0.04	0.5	0.03
Thyroid gland	42	0.5	0.04	0.4	0.03	49	0.5	0.03	0.3	0.02
Lymphomas	641	8.3	0.15	5.4	0.10	508	5.2	0.11	3.3	0.07
Hodgkin Lymphoma	27	0.4	0.03	0.3	0.02	17	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	615	7.9	0.15	5.1	0.09	491	5.0	0.10	3.2	0.07
Multiple Myeloma	312	4.0	0.10	2.5	0.06	246	2.5	0.07	1.5	0.05
Leukemias	605	8.0	0.15	5.1	0.10	450	4.7	0.10	3.1	0.07
Other, Ill-defined & Unknown	1,029	13.3	0.19	8.5	0.12	959	9.7	0.14	6.2	0.10

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Prince Edward Island, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	197	214.1	7.04	136.6	4.45	170	148.2	5.21	99.7	3.67
Oral Cavity & Pharynx	4	4.3	0.99	2.7	0.62	3	2.5	0.73	1.9	0.59
Digestive System	57	60.5	3.69	40.2	2.42	40	34.4	2.47	21.4	1.61
Esophagus	7	6.9	1.17	5.3	0.88	3	2.3	0.61	1.6	0.44
Stomach	4	4.4	1.02	3.0	0.68	2	1.9	0.57	1.2	0.38
Colon & Rectum	25	27.7	2.55	17.7	1.62	20	17.1	1.77	10.0	1.11
Liver	6	6.0	1.15	4.1	0.77	-	-	-	-	-
Pancreas	10	10.1	1.50	6.6	0.97	9	7.1	1.10	4.7	0.75
Respiratory System	55	57.4	3.57	37.5	2.29	48	41.4	2.71	28.0	1.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	53	55.2	3.50	36.0	2.24	48	41.2	2.71	27.9	1.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	4	4.6	1.06	3.1	0.74	3	3.1	0.79	2.4	0.65
Breast	-	-	-	-	-	17	14.9	1.66	10.1	1.21
Female Genital System	-	-	-	-	-	19	16.7	1.80	12.1	1.35
Cervix uteri	-	-	-	-	-	3	3.0	0.82	2.5	0.69
Corpus & uterus, NOS[1]	-	-	-	-	-	5	4.2	0.88	3.0	0.64
Ovary	-	-	-	-	-	10	8.6	1.28	5.9	0.92
Male Genital System	19	23.5	2.47	12.0	1.25	-	-	-	-	-
Prostate	19	23.5	2.47	12.0	1.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	15.8	1.93	9.8	1.18	7	6.4	1.12	4.4	0.81
Bladder	7	7.9	1.39	4.5	0.77	3	2.6	0.71	1.7	0.48
Kidney & renal pelvis	6	6.8	1.23	4.7	0.84	3	3.0	0.79	2.0	0.57
Brain & Other CNS[1]	4	4.0	0.95	3.1	0.72	4	4.0	0.88	3.3	0.75
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	7.9	1.32	5.4	0.91	5	4.7	0.93	3.3	0.71
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	6.1	1.19	4.0	0.78	3	2.8	0.71	1.7	0.43
Leukemias	6	6.7	1.30	4.0	0.83	4	3.6	0.81	2.2	0.53
Other, Ill-defined & Unknown	-	-	-	-	-	15	12.7	1.51	8.3	1.05

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Quebec, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	11,020	219.7	0.96	139.7	0.61	10,087	160.8	0.73	108.5	0.52
Oral Cavity & Pharynx	243	4.6	0.14	3.2	0.09	115	1.8	0.08	1.2	0.06
Digestive System	3,285	64.9	0.52	42.0	0.33	2,633	41.1	0.37	26.1	0.25
Esophagus	314	5.9	0.15	4.1	0.10	100	1.6	0.07	1.0	0.05
Stomach	335	6.7	0.17	4.3	0.11	214	3.4	0.11	2.1	0.07
Colon & Rectum	1,327	26.9	0.34	16.8	0.21	1,166	18.0	0.24	11.2	0.16
Liver	311	5.9	0.15	4.1	0.11	120	1.9	0.08	1.2	0.05
Pancreas	640	12.3	0.22	8.2	0.15	622	9.8	0.18	6.4	0.12
Respiratory System	3,567	68.9	0.53	44.8	0.34	2,950	46.8	0.39	33.0	0.28
Larynx	113	2.2	0.09	1.4	0.06	25	0.4	0.04	0.3	0.03
Lung & bronchus	3,388	65.3	0.51	42.5	0.33	2,889	45.9	0.39	32.3	0.28
Skin	193	3.9	0.13	2.5	0.08	120	2.0	0.08	1.3	0.06
Melanomas of the skin	134	2.7	0.11	1.8	0.07	87	1.5	0.07	1.1	0.06
Breast	14	0.3	0.03	0.2	0.02	1,354	22.4	0.28	15.7	0.21
Female Genital System	-	-	-	-	-	895	14.6	0.23	10.4	0.17
Cervix uteri	-	-	-	-	-	82	1.6	0.08	1.3	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	284	4.5	0.12	3.1	0.09
Ovary	-	-	-	-	-	436	7.1	0.16	5.1	0.12
Male Genital System	936	20.4	0.30	11.0	0.16	-	-	-	-	-
Prostate	909	19.8	0.30	10.5	0.16	-	-	-	-	-
Testis	10	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	809	16.6	0.27	9.9	0.16	390	6.0	0.14	3.7	0.09
Bladder	429	9.0	0.20	5.1	0.11	177	2.7	0.09	1.6	0.06
Kidney & renal pelvis	294	5.8	0.16	3.7	0.10	167	2.6	0.09	1.7	0.06
Brain & Other CNS[1]	343	6.7	0.17	5.2	0.14	265	4.6	0.13	3.5	0.11
Endocrine System	39	0.8	0.06	0.5	0.04	47	0.8	0.05	0.5	0.04
Thyroid gland	23	0.4	0.04	0.3	0.03	30	0.5	0.04	0.3	0.03
Lymphomas	413	8.4	0.19	5.3	0.12	323	5.1	0.13	3.2	0.09
Hodgkin Lymphoma	17	0.3	0.04	0.3	0.03	14	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	395	8.0	0.18	5.1	0.12	309	4.9	0.13	3.0	0.08
Multiple Myeloma	211	4.3	0.13	2.6	0.08	177	2.7	0.09	1.7	0.06
Leukemias	407	8.3	0.19	5.3	0.12	306	5.0	0.13	3.2	0.09
Other, Ill-defined & Unknown	559	11.6	0.22	7.2	0.14	514	8.0	0.16	5.0	0.11

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Saskatchewan, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,236	200.5	2.59	128.9	1.69	1,092	146.3	2.05	98.9	1.46
Oral Cavity & Pharynx	23	3.6	0.34	2.5	0.24	11	1.3	0.19	0.9	0.13
Digestive System	367	58.3	1.39	39.2	0.94	272	35.4	1.00	23.3	0.70
Esophagus	50	7.8	0.50	5.5	0.36	15	1.9	0.23	1.3	0.17
Stomach	30	4.8	0.40	3.2	0.27	20	2.6	0.27	1.7	0.20
Colon & Rectum	157	25.3	0.92	16.4	0.60	131	16.6	0.68	10.8	0.48
Liver	26	3.9	0.35	2.9	0.26	11	1.4	0.20	1.0	0.14
Pancreas	72	11.4	0.61	7.7	0.41	65	8.5	0.48	5.5	0.33
Respiratory System	293	47.2	1.25	31.2	0.83	285	39.1	1.06	26.5	0.74
Larynx	7	1.1	0.19	0.7	0.12	2	0.3	0.08	0.2	0.05
Lung & bronchus	284	45.7	1.23	30.2	0.82	282	38.7	1.05	26.2	0.74
Skin	21	3.4	0.34	2.2	0.22	-	-	-	-	-
Melanomas of the skin	15	2.4	0.28	1.7	0.19	9	1.3	0.20	0.9	0.16
Breast	2	0.3	0.11	0.2	0.07	167	22.7	0.82	15.8	0.60
Female Genital System	-	-	-	-	-	108	15.0	0.67	10.9	0.50
Cervix uteri	-	-	-	-	-	15	2.3	0.27	1.9	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	31	4.2	0.35	3.0	0.26
Ovary	-	-	-	-	-	52	7.4	0.47	5.2	0.35
Male Genital System	181	30.5	1.02	16.4	0.56	-	-	-	-	-
Prostate	177	29.9	1.01	15.9	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	91	15.0	0.71	9.2	0.44	42	5.5	0.39	3.5	0.26
Bladder	48	8.0	0.52	4.6	0.31	17	2.1	0.24	1.2	0.15
Kidney & renal pelvis	36	5.7	0.43	3.8	0.30	23	3.1	0.30	2.0	0.21
Brain & Other CNS[1]	33	5.1	0.41	4.0	0.33	24	3.4	0.32	2.7	0.27
Endocrine System	4	0.6	0.14	0.4	0.10	7	0.9	0.16	0.6	0.12
Thyroid gland	3	0.5	0.12	0.3	0.08	4	0.5	0.11	0.3	0.07
Lymphomas	48	7.9	0.52	5.2	0.35	37	4.9	0.37	3.1	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	4.2	0.38	2.7	0.25	19	2.6	0.27	1.6	0.18
Leukemias	59	10.0	0.59	6.3	0.38	34	4.3	0.34	2.7	0.23
Other, Ill-defined & Unknown	88	14.3	0.69	9.4	0.46	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Yukon, 2014-2016, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	35	231.8	26.17	141.8	14.46	28	181.7	21.36	115.8	12.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	91.5	16.75	55.0	9.17	5	32.5	8.73	21.9	5.57
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	34.6	11.39	17.7	5.48	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	60.1	13.01	37.6	7.39	7	51.8	11.72	31.3	6.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	60.1	13.01	37.6	7.39	7	45.8	10.91	28.5	6.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	23.6	7.64	15.3	4.69
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	27.9	9.14	16.5	4.92	-	-	-	-	-
Prostate	4	27.9	9.14	16.5	4.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	4	31.0	9.40	17.6	5.19

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Section III

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2011 Canadian and World Population Standards

Average Annual Cancer Deaths and Age-adjusted Rates*
Alabama, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,680	257.0	1.56	147.9	0.89	4,740	167.8	1.10	100.6	0.70
Oral Cavity & Pharynx	131	5.8	0.23	3.5	0.14	44	1.6	0.11	1.0	0.07
Digestive System	1,524	67.9	0.79	40.3	0.47	1,114	39.3	0.53	23.0	0.33
Esophagus	189	8.2	0.27	5.0	0.16	47	1.7	0.11	1.0	0.07
Stomach	112	5.1	0.22	3.0	0.13	77	2.7	0.14	1.6	0.09
Colon & Rectum	496	22.5	0.46	13.4	0.27	418	14.9	0.33	8.7	0.21
Liver	257	11.1	0.31	6.7	0.19	106	3.7	0.16	2.2	0.10
Pancreas	368	16.3	0.39	9.6	0.23	347	12.1	0.29	6.9	0.17
Respiratory System	1,847	81.3	0.86	47.3	0.50	1,242	43.3	0.55	25.7	0.34
Larynx	59	2.6	0.15	1.6	0.09	12	0.4	0.06	0.3	0.04
Lung & bronchus	1,775	78.2	0.84	45.4	0.49	1,223	42.6	0.55	25.3	0.33
Skin	132	6.2	0.24	3.5	0.14	66	2.4	0.13	1.4	0.09
Melanomas of the skin	90	4.2	0.20	2.5	0.12	47	1.7	0.11	1.1	0.08
Breast	6	0.3	0.05	0.2	0.03	700	25.4	0.43	15.8	0.28
Female Genital System	-	-	-	-	-	493	17.8	0.36	11.0	0.24
Cervix uteri	-	-	-	-	-	99	3.9	0.18	2.8	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	122	4.3	0.17	2.5	0.11
Ovary	-	-	-	-	-	240	8.5	0.25	5.1	0.15
Male Genital System	506	25.0	0.51	12.4	0.25	-	-	-	-	-
Prostate	493	24.4	0.50	12.0	0.24	-	-	-	-	-
Testis	5	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	343	16.1	0.40	8.7	0.21	156	5.4	0.20	3.0	0.11
Bladder	184	9.0	0.30	4.6	0.15	69	2.4	0.13	1.3	0.07
Kidney & renal pelvis	152	6.8	0.25	4.0	0.15	80	2.8	0.14	1.6	0.09
Brain & Other CNS[1]	162	7.1	0.25	4.7	0.17	134	4.8	0.19	3.3	0.14
Endocrine System	20	0.9	0.09	0.6	0.06	20	0.7	0.07	0.5	0.05
Thyroid gland	13	0.6	0.07	0.3	0.04	13	0.4	0.06	0.2	0.03
Lymphomas	178	8.3	0.28	4.7	0.16	134	4.6	0.18	2.6	0.11
Hodgkin Lymphoma	11	0.5	0.07	0.4	0.05	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	167	7.8	0.28	4.3	0.15	128	4.4	0.17	2.4	0.10
Multiple Myeloma	111	5.1	0.22	2.8	0.12	94	3.2	0.15	1.8	0.08
Leukemias	211	9.8	0.31	5.6	0.18	158	5.6	0.20	3.3	0.13
Other, Ill-defined & Unknown	507	23.1	0.47	13.5	0.27	385	13.7	0.31	8.4	0.21

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alaska, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	530	205.9	4.38	115.0	2.28	435	157.5	3.47	91.4	1.99
Oral Cavity & Pharynx	14	4.4	0.56	2.7	0.33	4	1.4	0.33	0.8	0.18
Digestive System	168	62.0	2.34	35.6	1.26	114	41.4	1.78	23.9	1.01
Esophagus	28	10.4	0.97	5.8	0.51	8	2.8	0.45	1.6	0.26
Stomach	17	6.1	0.73	3.6	0.40	10	3.5	0.50	2.1	0.31
Colon & Rectum	48	19.2	1.35	10.6	0.70	44	16.4	1.14	9.4	0.64
Liver	24	7.9	0.76	4.8	0.44	8	3.0	0.48	1.7	0.27
Pancreas	37	13.8	1.10	7.9	0.59	31	10.9	0.91	6.2	0.51
Respiratory System	132	50.2	2.13	28.2	1.12	102	38.2	1.74	21.3	0.95
Larynx	3	1.4	0.38	0.8	0.20	-	-	-	-	-
Lung & bronchus	128	48.6	2.09	27.2	1.10	101	37.6	1.72	21.0	0.95
Skin	12	4.8	0.69	2.6	0.35	6	2.3	0.42	1.4	0.24
Melanomas of the skin	9	3.9	0.64	2.1	0.32	4	1.5	0.32	0.9	0.20
Breast	-	-	-	-	-	64	22.3	1.27	13.6	0.78
Female Genital System	-	-	-	-	-	40	13.6	0.99	8.3	0.60
Cervix uteri	-	-	-	-	-	6	1.9	0.35	1.4	0.26
Corpus & uterus, NOS[1]	-	-	-	-	-	11	3.6	0.51	2.2	0.30
Ovary	-	-	-	-	-	19	6.8	0.71	4.0	0.41
Male Genital System	45	22.3	1.62	10.5	0.71	-	-	-	-	-
Prostate	44	21.8	1.61	10.1	0.70	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	13.3	1.17	7.1	0.58	14	5.2	0.64	2.9	0.35
Bladder	16	7.4	0.91	3.6	0.41	7	2.7	0.47	1.4	0.24
Kidney & renal pelvis	15	5.6	0.69	3.4	0.40	7	2.3	0.41	1.4	0.24
Brain & Other CNS[1]	16	5.0	0.59	3.5	0.40	14	4.8	0.58	3.1	0.38
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	7.9	0.84	4.5	0.45	14	5.5	0.68	2.9	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	9	4.0	0.64	2.0	0.31	6	2.3	0.42	1.3	0.23
Leukemias	19	7.4	0.83	4.4	0.46	14	5.2	0.64	2.9	0.36
Other, Ill-defined & Unknown	61	23.8	1.49	13.3	0.78	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arizona, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,440	191.9	1.08	108.7	0.63	5,406	138.9	0.86	81.4	0.53
Oral Cavity & Pharynx	128	3.8	0.15	2.3	0.09	46	1.2	0.08	0.7	0.05
Digestive System	1,913	57.1	0.59	33.6	0.35	1,316	33.6	0.42	19.1	0.25
Esophagus	258	7.6	0.21	4.5	0.13	60	1.5	0.09	0.9	0.05
Stomach	125	3.8	0.15	2.3	0.09	91	2.4	0.11	1.5	0.08
Colon & Rectum	601	18.2	0.34	10.6	0.20	469	12.1	0.25	6.8	0.15
Liver	320	9.6	0.24	5.9	0.15	128	3.3	0.13	1.9	0.08
Pancreas	478	14.0	0.29	8.1	0.17	415	10.4	0.23	5.8	0.13
Respiratory System	1,548	45.1	0.52	25.6	0.30	1,292	32.3	0.41	18.4	0.24
Larynx	53	1.6	0.10	0.9	0.06	13	0.3	0.04	0.2	0.03
Lung & bronchus	1,479	43.1	0.51	24.4	0.29	1,271	31.8	0.40	18.1	0.24
Skin	227	6.9	0.21	3.9	0.12	91	2.4	0.11	1.4	0.07
Melanomas of the skin	142	4.3	0.16	2.5	0.10	65	1.7	0.10	1.1	0.06
Breast	8	0.2	0.04	0.1	0.02	820	21.8	0.35	13.4	0.23
Female Genital System	-	-	-	-	-	607	16.0	0.30	10.0	0.19
Cervix uteri	-	-	-	-	-	81	2.4	0.12	1.7	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	183	4.7	0.16	2.9	0.10
Ovary	-	-	-	-	-	306	8.0	0.21	4.8	0.13
Male Genital System	686	20.9	0.36	10.3	0.18	-	-	-	-	-
Prostate	664	20.2	0.35	9.8	0.17	-	-	-	-	-
Testis	13	0.4	0.05	0.4	0.05	-	-	-	-	-
Urinary System	493	14.9	0.30	8.0	0.17	191	4.8	0.16	2.6	0.09
Bladder	269	8.2	0.22	4.1	0.11	86	2.1	0.10	1.1	0.06
Kidney & renal pelvis	218	6.5	0.20	3.8	0.12	98	2.5	0.12	1.5	0.07
Brain & Other CNS[1]	199	6.0	0.19	3.9	0.13	150	4.0	0.15	2.6	0.11
Endocrine System	36	1.1	0.08	0.7	0.06	34	0.9	0.07	0.6	0.05
Thyroid gland	22	0.7	0.06	0.4	0.04	21	0.5	0.05	0.3	0.03
Lymphomas	241	7.2	0.21	4.0	0.12	183	4.5	0.15	2.5	0.09
Hodgkin Lymphoma	14	0.4	0.05	0.3	0.03	10	0.3	0.04	0.1	0.02
Non-Hodgkin Lymphoma	227	6.8	0.20	3.7	0.11	173	4.3	0.15	2.3	0.08
Multiple Myeloma	149	4.4	0.16	2.4	0.09	99	2.5	0.11	1.4	0.06
Leukemias	290	8.7	0.23	5.0	0.14	195	5.0	0.16	3.0	0.11
Other, Ill-defined & Unknown	522	15.6	0.31	9.0	0.18	382	9.8	0.23	5.8	0.14

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Arkansas, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,592	257.2	1.94	148.1	1.13	2,987	174.7	1.45	104.5	0.91
Oral Cavity & Pharynx	86	6.1	0.30	3.7	0.18	31	1.8	0.15	1.1	0.09
Digestive System	931	66.3	0.98	39.4	0.59	653	38.1	0.67	22.2	0.42
Esophagus	123	8.7	0.35	5.2	0.21	28	1.6	0.14	1.0	0.09
Stomach	61	4.3	0.25	2.6	0.15	40	2.4	0.17	1.4	0.11
Colon & Rectum	313	22.7	0.58	13.3	0.35	256	15.0	0.43	8.8	0.27
Liver	153	10.7	0.39	6.5	0.24	62	3.6	0.21	2.1	0.13
Pancreas	217	15.3	0.47	9.1	0.28	195	11.2	0.36	6.4	0.22
Respiratory System	1,198	83.6	1.09	48.9	0.64	861	49.8	0.77	29.6	0.47
Larynx	35	2.4	0.18	1.5	0.11	9	0.5	0.08	0.3	0.05
Lung & bronchus	1,156	80.6	1.07	47.1	0.63	846	49.0	0.76	29.1	0.47
Skin	84	6.2	0.31	3.5	0.18	38	2.2	0.16	1.3	0.11
Melanomas of the skin	51	3.7	0.24	2.2	0.14	25	1.5	0.14	1.0	0.09
Breast	6	0.4	0.07	0.2	0.04	400	24.1	0.55	14.9	0.36
Female Genital System	-	-	-	-	-	303	18.4	0.48	11.7	0.32
Cervix uteri	-	-	-	-	-	58	3.9	0.23	2.8	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	89	5.2	0.25	3.3	0.16
Ovary	-	-	-	-	-	134	7.9	0.31	4.8	0.20
Male Genital System	289	22.1	0.59	10.9	0.29	-	-	-	-	-
Prostate	280	21.5	0.58	10.5	0.28	-	-	-	-	-
Testis	4	0.3	0.07	0.2	0.06	-	-	-	-	-
Urinary System	239	17.5	0.51	9.5	0.28	102	5.8	0.26	3.1	0.15
Bladder	116	8.8	0.37	4.4	0.18	46	2.5	0.17	1.3	0.09
Kidney & renal pelvis	117	8.3	0.35	4.9	0.21	54	3.1	0.19	1.8	0.12
Brain & Other CNS[1]	94	6.7	0.31	4.4	0.21	79	4.7	0.24	3.1	0.17
Endocrine System	14	1.0	0.12	0.6	0.08	13	0.7	0.09	0.4	0.06
Thyroid gland	9	0.6	0.10	0.4	0.06	9	0.5	0.08	0.3	0.05
Lymphomas	116	8.5	0.36	4.7	0.20	87	4.9	0.24	2.7	0.14
Hodgkin Lymphoma	6	0.5	0.09	0.3	0.06	4	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	110	8.1	0.35	4.4	0.19	84	4.7	0.23	2.6	0.14
Multiple Myeloma	67	4.8	0.27	2.6	0.14	52	3.0	0.18	1.6	0.10
Leukemias	141	10.3	0.39	5.9	0.23	102	5.9	0.26	3.5	0.17
Other, Ill-defined & Unknown	327	23.6	0.59	13.7	0.35	266	15.5	0.43	9.2	0.28

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
California, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	30,791	193.7	0.50	107.9	0.28	28,614	143.8	0.38	83.7	0.23
Oral Cavity & Pharynx	753	4.6	0.08	2.7	0.04	309	1.5	0.04	0.9	0.02
Digestive System	9,691	59.9	0.27	34.6	0.16	7,438	37.2	0.19	21.0	0.12
Esophagus	1,051	6.5	0.09	3.8	0.05	286	1.4	0.04	0.8	0.02
Stomach	951	5.9	0.09	3.4	0.05	687	3.5	0.06	2.1	0.04
Colon & Rectum	2,776	17.3	0.15	9.9	0.09	2,535	12.6	0.11	7.1	0.07
Liver	1,834	11.0	0.12	6.6	0.07	767	3.8	0.06	2.2	0.04
Pancreas	2,230	13.9	0.13	7.9	0.08	2,146	10.7	0.10	6.0	0.06
Respiratory System	6,461	40.7	0.23	22.5	0.13	5,738	28.7	0.17	16.1	0.10
Larynx	211	1.3	0.04	0.7	0.02	54	0.3	0.02	0.2	0.01
Lung & bronchus	6,170	38.9	0.22	21.5	0.12	5,637	28.2	0.17	15.8	0.10
Skin	913	5.8	0.09	3.1	0.05	419	2.1	0.05	1.2	0.03
Melanomas of the skin	592	3.7	0.07	2.1	0.04	283	1.4	0.04	0.8	0.02
Breast	38	0.2	0.02	0.1	0.01	4,478	22.9	0.15	14.0	0.10
Female Genital System	-	-	-	-	-	3,483	17.9	0.14	11.0	0.09
Cervix uteri	-	-	-	-	-	481	2.5	0.05	1.8	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	1,178	6.0	0.08	3.6	0.05
Ovary	-	-	-	-	-	1,608	8.2	0.09	5.0	0.06
Male Genital System	3,587	23.8	0.18	11.6	0.09	-	-	-	-	-
Prostate	3,469	23.1	0.18	11.1	0.09	-	-	-	-	-
Testis	71	0.4	0.02	0.3	0.02	-	-	-	-	-
Urinary System	2,172	14.0	0.14	7.3	0.07	964	4.7	0.07	2.5	0.04
Bladder	1,176	7.8	0.10	3.8	0.05	444	2.1	0.05	1.1	0.02
Kidney & renal pelvis	949	5.9	0.09	3.4	0.05	483	2.4	0.05	1.4	0.03
Brain & Other CNS[1]	1,055	6.3	0.09	4.1	0.06	790	4.0	0.06	2.7	0.05
Endocrine System	180	1.1	0.04	0.7	0.02	216	1.1	0.03	0.7	0.02
Thyroid gland	115	0.7	0.03	0.4	0.02	154	0.8	0.03	0.4	0.02
Lymphomas	1,274	8.1	0.10	4.4	0.06	1,009	5.0	0.07	2.7	0.04
Hodgkin Lymphoma	69	0.4	0.02	0.3	0.01	59	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	1,205	7.7	0.10	4.2	0.05	949	4.7	0.07	2.5	0.04
Multiple Myeloma	699	4.4	0.08	2.4	0.04	522	2.6	0.05	1.4	0.03
Leukemias	1,399	8.8	0.11	5.1	0.06	1,018	5.0	0.07	3.0	0.05
Other, Ill-defined & Unknown	2,570	16.1	0.14	9.2	0.08	2,232	11.1	0.11	6.4	0.07

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater California, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17,982	202.2	0.68	112.8	0.38	16,307	149.4	0.53	87.0	0.32
Oral Cavity & Pharynx	455	5.0	0.10	2.9	0.06	181	1.7	0.06	0.9	0.03
Digestive System	5,473	60.5	0.37	35.1	0.22	4,042	36.9	0.26	20.9	0.16
Esophagus	660	7.2	0.13	4.2	0.07	167	1.5	0.05	0.8	0.03
Stomach	459	5.1	0.11	3.0	0.06	330	3.1	0.08	1.8	0.05
Colon & Rectum	1,568	17.6	0.20	10.0	0.12	1,414	12.9	0.15	7.2	0.09
Liver	1,034	11.1	0.16	6.7	0.09	413	3.8	0.08	2.2	0.05
Pancreas	1,278	14.2	0.18	8.1	0.10	1,183	10.7	0.14	6.0	0.08
Respiratory System	3,827	42.9	0.31	23.8	0.17	3,469	31.5	0.24	17.7	0.14
Larynx	127	1.4	0.06	0.8	0.03	33	0.3	0.02	0.2	0.01
Lung & bronchus	3,653	41.0	0.31	22.7	0.17	3,407	31.0	0.24	17.3	0.14
Skin	603	6.9	0.13	3.7	0.07	262	2.4	0.07	1.3	0.04
Melanomas of the skin	395	4.4	0.10	2.5	0.06	180	1.7	0.06	1.0	0.04
Breast	23	0.3	0.02	0.1	0.01	2,553	23.8	0.21	14.5	0.14
Female Genital System	-	-	-	-	-	1,919	17.9	0.18	11.1	0.12
Cervix uteri	-	-	-	-	-	274	2.7	0.07	1.9	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	623	5.7	0.10	3.5	0.06
Ovary	-	-	-	-	-	898	8.4	0.13	5.0	0.08
Male Genital System	2,097	24.9	0.25	12.1	0.12	-	-	-	-	-
Prostate	2,022	24.1	0.24	11.5	0.12	-	-	-	-	-
Testis	46	0.4	0.03	0.4	0.03	-	-	-	-	-
Urinary System	1,316	15.2	0.19	8.0	0.10	567	5.1	0.10	2.7	0.05
Bladder	718	8.5	0.14	4.2	0.07	257	2.3	0.06	1.1	0.03
Kidney & renal pelvis	572	6.3	0.12	3.7	0.07	290	2.6	0.07	1.5	0.04
Brain & Other CNS[1]	617	6.6	0.12	4.3	0.08	457	4.2	0.09	2.8	0.06
Endocrine System	101	1.1	0.05	0.7	0.03	117	1.1	0.04	0.7	0.03
Thyroid gland	65	0.7	0.04	0.4	0.02	82	0.7	0.04	0.4	0.02
Lymphomas	733	8.4	0.14	4.6	0.08	562	5.1	0.10	2.8	0.06
Hodgkin Lymphoma	43	0.5	0.03	0.3	0.02	36	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	690	7.9	0.14	4.3	0.07	526	4.7	0.09	2.6	0.05
Multiple Myeloma	405	4.6	0.10	2.5	0.06	293	2.7	0.07	1.5	0.04
Leukemias	803	9.0	0.14	5.2	0.08	580	5.2	0.10	3.1	0.06
Other, Ill-defined & Unknown	1,529	17.1	0.20	9.7	0.11	1,306	11.9	0.15	6.9	0.09

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Greater Bay Area, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,429	174.4	1.07	96.3	0.60	5,156	131.2	0.83	75.2	0.50
Oral Cavity & Pharynx	130	4.1	0.16	2.4	0.10	54	1.3	0.08	0.8	0.05
Digestive System	1,765	55.6	0.60	31.9	0.34	1,375	34.7	0.42	19.4	0.25
Esophagus	187	5.8	0.19	3.4	0.11	60	1.5	0.09	0.8	0.05
Stomach	175	5.5	0.19	3.1	0.11	131	3.3	0.13	2.0	0.08
Colon & Rectum	484	15.4	0.32	8.7	0.18	444	11.1	0.24	6.1	0.14
Liver	340	10.5	0.26	6.2	0.15	127	3.2	0.13	1.8	0.08
Pancreas	410	13.1	0.29	7.3	0.16	406	10.2	0.23	5.6	0.13
Respiratory System	1,122	36.2	0.49	19.8	0.27	1,028	26.1	0.37	14.5	0.21
Larynx	31	1.0	0.08	0.5	0.04	9	0.2	0.03	0.1	0.02
Lung & bronchus	1,077	34.8	0.48	19.0	0.26	1,011	25.7	0.37	14.2	0.21
Skin	142	4.6	0.17	2.5	0.10	72	1.8	0.10	1.0	0.06
Melanomas of the skin	97	3.1	0.14	1.7	0.08	50	1.3	0.08	0.7	0.05
Breast	6	0.2	0.04	0.1	0.02	770	20.0	0.33	12.2	0.21
Female Genital System	-	-	-	-	-	616	16.1	0.29	9.8	0.18
Cervix uteri	-	-	-	-	-	61	1.6	0.09	1.1	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	231	6.0	0.18	3.6	0.11
Ovary	-	-	-	-	-	283	7.4	0.20	4.5	0.12
Male Genital System	601	20.2	0.37	9.7	0.18	-	-	-	-	-
Prostate	587	19.8	0.37	9.4	0.18	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	372	12.2	0.28	6.3	0.15	167	4.1	0.14	2.1	0.08
Bladder	201	6.8	0.21	3.2	0.10	79	1.9	0.10	0.9	0.05
Kidney & renal pelvis	160	5.1	0.18	2.9	0.10	80	2.0	0.10	1.1	0.06
Brain & Other CNS[1]	189	5.8	0.19	3.7	0.12	140	3.7	0.14	2.4	0.10
Endocrine System	28	0.9	0.07	0.5	0.05	41	1.1	0.07	0.6	0.05
Thyroid gland	17	0.5	0.06	0.3	0.03	30	0.8	0.06	0.4	0.04
Lymphomas	232	7.6	0.22	4.1	0.12	186	4.6	0.15	2.4	0.08
Hodgkin Lymphoma	9	0.3	0.04	0.2	0.03	8	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	223	7.3	0.22	3.9	0.12	178	4.3	0.15	2.3	0.08
Multiple Myeloma	125	4.1	0.16	2.2	0.09	101	2.5	0.11	1.4	0.06
Leukemias	251	8.2	0.23	4.6	0.14	170	4.3	0.15	2.5	0.10
Other, Ill-defined & Unknown	467	14.9	0.31	8.5	0.18	436	11.0	0.24	6.2	0.15

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Los Angeles, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,380	189.7	1.00	105.9	0.56	7,152	141.4	0.75	82.9	0.46
Oral Cavity & Pharynx	168	4.2	0.15	2.5	0.09	74	1.5	0.08	0.9	0.05
Digestive System	2,453	62.0	0.56	35.8	0.33	2,021	39.7	0.40	22.6	0.24
Esophagus	205	5.2	0.16	3.0	0.09	59	1.2	0.07	0.7	0.04
Stomach	317	8.0	0.20	4.6	0.12	226	4.4	0.13	2.7	0.08
Colon & Rectum	724	18.3	0.31	10.5	0.18	676	13.2	0.23	7.4	0.14
Liver	460	11.4	0.24	6.8	0.14	227	4.5	0.13	2.5	0.08
Pancreas	542	13.9	0.27	7.8	0.15	557	11.0	0.21	6.1	0.12
Respiratory System	1,512	39.3	0.45	21.6	0.25	1,242	24.6	0.31	13.7	0.18
Larynx	53	1.4	0.08	0.8	0.05	13	0.2	0.03	0.1	0.02
Lung & bronchus	1,441	37.5	0.44	20.6	0.25	1,219	24.1	0.31	13.4	0.18
Skin	167	4.3	0.15	2.4	0.08	85	1.6	0.08	0.9	0.05
Melanomas of the skin	100	2.5	0.11	1.4	0.07	53	1.0	0.06	0.6	0.04
Breast	9	0.2	0.04	0.1	0.02	1,155	23.1	0.31	14.2	0.20
Female Genital System	-	-	-	-	-	948	19.1	0.28	11.9	0.18
Cervix uteri	-	-	-	-	-	145	3.0	0.11	2.1	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	324	6.5	0.16	4.0	0.10
Ovary	-	-	-	-	-	427	8.6	0.19	5.3	0.12
Male Genital System	889	24.1	0.36	11.8	0.18	-	-	-	-	-
Prostate	860	23.4	0.36	11.3	0.18	-	-	-	-	-
Testis	17	0.3	0.04	0.3	0.03	-	-	-	-	-
Urinary System	483	12.7	0.26	6.7	0.14	230	4.4	0.13	2.4	0.07
Bladder	257	6.9	0.19	3.4	0.10	108	2.0	0.09	1.0	0.05
Kidney & renal pelvis	216	5.5	0.17	3.2	0.10	114	2.2	0.09	1.3	0.06
Brain & Other CNS[1]	248	6.0	0.17	3.9	0.11	193	3.8	0.12	2.5	0.09
Endocrine System	51	1.3	0.08	0.8	0.05	57	1.1	0.07	0.7	0.04
Thyroid gland	33	0.8	0.07	0.5	0.04	41	0.8	0.06	0.5	0.04
Lymphomas	310	8.0	0.21	4.4	0.11	262	5.1	0.14	2.8	0.08
Hodgkin Lymphoma	17	0.4	0.05	0.3	0.03	16	0.3	0.04	0.2	0.02
Non-Hodgkin Lymphoma	293	7.6	0.20	4.2	0.11	246	4.8	0.14	2.6	0.08
Multiple Myeloma	169	4.4	0.15	2.4	0.08	129	2.5	0.10	1.4	0.06
Leukemias	345	8.7	0.21	5.1	0.13	267	5.2	0.14	3.2	0.09
Other, Ill-defined & Unknown	574	14.5	0.27	8.4	0.16	490	9.6	0.20	5.7	0.12

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Colorado, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,065	185.6	1.34	101.9	0.72	3,651	136.3	1.02	78.2	0.60
Oral Cavity & Pharynx	88	3.7	0.18	2.2	0.11	35	1.3	0.10	0.7	0.06
Digestive System	1,224	53.4	0.70	30.9	0.40	847	31.6	0.49	17.8	0.28
Esophagus	193	8.3	0.27	4.9	0.16	35	1.3	0.10	0.7	0.06
Stomach	90	4.0	0.19	2.3	0.11	50	1.9	0.12	1.1	0.08
Colon & Rectum	355	16.0	0.39	9.1	0.22	320	12.0	0.30	6.6	0.17
Liver	182	7.5	0.25	4.5	0.15	62	2.3	0.13	1.3	0.08
Pancreas	300	13.0	0.34	7.5	0.19	256	9.6	0.27	5.4	0.15
Respiratory System	800	36.0	0.58	19.8	0.32	777	29.0	0.47	16.2	0.27
Larynx	29	1.2	0.10	0.7	0.06	8	0.3	0.05	0.2	0.03
Lung & bronchus	760	34.3	0.57	18.8	0.31	764	28.5	0.47	15.9	0.26
Skin	144	6.6	0.25	3.6	0.14	75	2.8	0.15	1.6	0.09
Melanomas of the skin	97	4.4	0.20	2.5	0.11	56	2.1	0.13	1.3	0.08
Breast	6	0.3	0.05	0.2	0.03	595	22.3	0.41	13.3	0.25
Female Genital System	-	-	-	-	-	417	15.6	0.34	9.5	0.21
Cervix uteri	-	-	-	-	-	46	1.7	0.12	1.3	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	134	4.9	0.19	2.9	0.12
Ovary	-	-	-	-	-	203	7.6	0.24	4.5	0.15
Male Genital System	494	25.3	0.52	11.9	0.24	-	-	-	-	-
Prostate	485	24.9	0.52	11.6	0.24	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	287	13.6	0.37	7.1	0.19	127	4.8	0.19	2.5	0.10
Bladder	160	7.8	0.28	3.9	0.14	61	2.3	0.13	1.1	0.07
Kidney & renal pelvis	119	5.4	0.23	3.0	0.12	62	2.3	0.13	1.2	0.07
Brain & Other CNS[1]	142	5.8	0.22	3.8	0.15	114	4.2	0.18	2.8	0.12
Endocrine System	24	1.0	0.10	0.6	0.06	24	0.9	0.08	0.5	0.05
Thyroid gland	15	0.7	0.08	0.4	0.04	17	0.6	0.07	0.3	0.04
Lymphomas	157	7.4	0.27	4.0	0.14	113	4.2	0.18	2.2	0.10
Hodgkin Lymphoma	10	0.4	0.06	0.3	0.04	6	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	148	7.0	0.26	3.7	0.14	107	4.0	0.17	2.0	0.09
Multiple Myeloma	103	4.8	0.22	2.6	0.11	75	2.8	0.15	1.5	0.08
Leukemias	191	9.0	0.30	4.9	0.16	128	4.8	0.19	2.7	0.12
Other, Ill-defined & Unknown	404	18.6	0.42	10.2	0.23	323	12.0	0.30	6.7	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Connecticut, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,359	196.6	1.53	109.3	0.87	3,254	144.0	1.15	83.0	0.71
Oral Cavity & Pharynx	61	3.5	0.20	2.1	0.12	25	1.1	0.10	0.6	0.06
Digestive System	955	55.2	0.80	31.8	0.47	756	33.0	0.55	18.5	0.33
Esophagus	140	8.0	0.30	4.7	0.18	40	1.8	0.13	1.0	0.08
Stomach	82	4.8	0.24	2.7	0.14	56	2.5	0.15	1.5	0.10
Colon & Rectum	253	14.8	0.42	8.4	0.24	250	10.7	0.31	5.9	0.19
Liver	130	7.3	0.29	4.4	0.17	35	1.5	0.12	0.8	0.07
Pancreas	255	14.7	0.41	8.4	0.24	266	11.6	0.32	6.4	0.19
Respiratory System	806	46.7	0.74	26.3	0.42	795	35.4	0.57	20.1	0.34
Larynx	29	1.6	0.14	1.0	0.08	9	0.4	0.06	0.2	0.04
Lung & bronchus	771	44.7	0.73	25.1	0.41	782	34.8	0.56	19.8	0.33
Skin	86	5.1	0.25	2.8	0.14	43	1.9	0.13	1.1	0.08
Melanomas of the skin	62	3.7	0.21	2.1	0.12	33	1.5	0.12	0.9	0.07
Breast	5	0.3	0.06	0.2	0.04	446	20.5	0.44	12.5	0.29
Female Genital System	-	-	-	-	-	344	15.6	0.38	9.3	0.24
Cervix uteri	-	-	-	-	-	31	1.5	0.13	1.1	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	113	5.1	0.22	3.0	0.13
Ovary	-	-	-	-	-	167	7.6	0.27	4.5	0.17
Male Genital System	349	21.1	0.51	10.1	0.25	-	-	-	-	-
Prostate	342	20.7	0.50	9.8	0.24	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	241	14.3	0.41	7.5	0.22	116	4.8	0.21	2.6	0.12
Bladder	151	9.1	0.33	4.5	0.17	64	2.6	0.15	1.3	0.08
Kidney & renal pelvis	85	4.9	0.24	2.9	0.14	48	2.1	0.14	1.2	0.08
Brain & Other CNS[1]	114	6.6	0.28	4.3	0.19	83	4.0	0.20	2.8	0.15
Endocrine System	15	0.9	0.10	0.6	0.07	16	0.7	0.08	0.5	0.06
Thyroid gland	11	0.6	0.08	0.4	0.05	10	0.5	0.06	0.3	0.04
Lymphomas	143	8.5	0.32	4.6	0.18	110	4.6	0.20	2.4	0.11
Hodgkin Lymphoma	8	0.5	0.07	0.3	0.05	3	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	135	8.1	0.31	4.3	0.17	108	4.5	0.20	2.3	0.11
Multiple Myeloma	72	4.2	0.22	2.3	0.12	62	2.7	0.16	1.5	0.09
Leukemias	147	8.7	0.32	4.9	0.19	127	5.5	0.22	3.1	0.14
Other, Ill-defined & Unknown	364	21.4	0.51	12.0	0.29	330	14.2	0.36	8.0	0.22

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Delaware, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,083	230.8	3.19	129.9	1.81	976	167.7	2.43	97.5	1.49
Oral Cavity & Pharynx	23	4.8	0.45	3.0	0.28	9	1.7	0.25	1.0	0.16
Digestive System	314	66.6	1.71	38.4	0.99	220	37.8	1.15	21.4	0.69
Esophagus	44	9.1	0.63	5.4	0.37	8	1.4	0.22	0.8	0.14
Stomach	22	4.9	0.47	2.8	0.27	16	2.7	0.31	1.5	0.19
Colon & Rectum	86	18.7	0.92	10.7	0.53	77	13.3	0.69	7.5	0.41
Liver	51	10.6	0.67	6.4	0.41	15	2.6	0.30	1.4	0.17
Pancreas	82	17.2	0.86	9.7	0.49	73	12.4	0.65	7.0	0.38
Respiratory System	305	63.5	1.65	36.2	0.94	266	44.9	1.24	26.1	0.74
Larynx	12	2.5	0.32	1.5	0.20	4	0.7	0.16	0.5	0.10
Lung & bronchus	288	60.1	1.61	34.1	0.92	261	44.0	1.23	25.5	0.74
Skin	39	8.6	0.62	4.6	0.34	18	3.1	0.33	1.8	0.21
Melanomas of the skin	23	4.8	0.46	2.7	0.27	11	2.0	0.28	1.2	0.18
Breast	-	-	-	-	-	144	25.6	0.97	15.6	0.62
Female Genital System	-	-	-	-	-	111	19.1	0.82	11.6	0.53
Cervix uteri	-	-	-	-	-	16	2.9	0.33	2.1	0.25
Corpus & uterus, NOS[1]	-	-	-	-	-	41	6.9	0.49	4.1	0.30
Ovary	-	-	-	-	-	46	8.0	0.53	4.7	0.33
Male Genital System	92	20.5	0.97	10.2	0.48	-	-	-	-	-
Prostate	90	20.0	0.96	9.9	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	80	17.5	0.89	9.2	0.47	36	6.0	0.45	3.1	0.25
Bladder	48	10.7	0.70	5.3	0.35	16	2.7	0.30	1.4	0.16
Kidney & renal pelvis	29	6.1	0.52	3.5	0.30	19	3.1	0.32	1.7	0.18
Brain & Other CNS[1]	29	6.1	0.52	4.2	0.37	20	3.6	0.36	2.4	0.26
Endocrine System	3	0.6	0.17	0.3	0.09	6	1.1	0.20	0.7	0.14
Thyroid gland	-	-	-	-	-	3	0.5	0.13	0.3	0.07
Lymphomas	42	9.1	0.64	5.1	0.36	30	5.0	0.42	2.8	0.25
Hodgkin Lymphoma	2	0.5	0.16	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	40	8.6	0.62	4.7	0.34	-	-	-	-	-
Multiple Myeloma	26	5.4	0.48	3.0	0.27	23	4.0	0.37	2.2	0.21
Leukemias	52	11.1	0.70	6.2	0.40	30	5.2	0.43	2.9	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	62	10.6	0.61	5.9	0.37

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
District of Columbia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	512	218.5	4.38	125.9	2.52	555	174.5	3.36	104.2	2.09
Oral Cavity & Pharynx	13	5.6	0.70	3.2	0.40	5	1.6	0.33	1.0	0.21
Digestive System	175	73.1	2.50	43.9	1.50	152	47.6	1.75	27.8	1.07
Esophagus	14	6.1	0.73	3.5	0.42	8	2.5	0.40	1.4	0.24
Stomach	17	7.2	0.80	4.2	0.46	13	4.0	0.51	2.4	0.32
Colon & Rectum	50	21.0	1.35	12.6	0.80	51	15.8	1.01	9.2	0.62
Liver	35	13.9	1.06	8.8	0.67	11	3.6	0.49	2.2	0.30
Pancreas	44	18.6	1.27	11.0	0.75	47	14.8	0.97	8.5	0.59
Respiratory System	111	46.8	2.01	27.6	1.18	101	31.9	1.44	18.4	0.86
Larynx	6	2.5	0.46	1.5	0.27	2	0.7	0.22	0.4	0.13
Lung & bronchus	104	43.9	1.95	25.9	1.15	97	30.8	1.41	17.7	0.84
Skin	7	3.0	0.53	1.7	0.29	-	-	-	-	-
Melanomas of the skin	4	1.6	0.38	0.9	0.21	3	0.8	0.22	0.5	0.13
Breast	-	-	-	-	-	98	31.1	1.43	19.3	0.92
Female Genital System	-	-	-	-	-	79	25.5	1.29	15.9	0.83
Cervix uteri	-	-	-	-	-	9	3.0	0.45	2.1	0.32
Corpus & uterus, NOS[1]	-	-	-	-	-	38	12.0	0.88	7.3	0.55
Ovary	-	-	-	-	-	27	8.7	0.76	5.5	0.49
Male Genital System	73	33.6	1.78	16.6	0.89	-	-	-	-	-
Prostate	71	33.1	1.77	16.3	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	28	12.2	1.04	6.6	0.57	19	5.7	0.60	3.0	0.33
Bladder	17	7.7	0.84	3.9	0.43	10	3.2	0.45	1.7	0.26
Kidney & renal pelvis	11	4.4	0.61	2.6	0.37	8	2.3	0.38	1.2	0.20
Brain & Other CNS[1]	9	3.3	0.50	2.2	0.34	9	2.9	0.43	2.0	0.30
Endocrine System	-	-	-	-	-	3	1.1	0.27	0.7	0.17
Thyroid gland	-	-	-	-	-	2	0.8	0.23	0.5	0.14
Lymphomas	17	7.2	0.79	4.3	0.48	13	4.1	0.52	2.6	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	6.6	0.78	3.6	0.43	12	3.7	0.49	2.1	0.28
Leukemias	18	7.7	0.83	4.5	0.49	14	4.0	0.50	2.3	0.30
Other, Ill-defined & Unknown	44	18.3	1.25	10.9	0.74	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Florida, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	23,979	208.0	0.61	119.4	0.36	20,404	148.1	0.48	87.6	0.30
Oral Cavity & Pharynx	575	5.1	0.10	3.1	0.06	220	1.6	0.05	1.0	0.03
Digestive System	6,663	58.5	0.32	34.5	0.20	4,786	34.2	0.23	19.6	0.14
Esophagus	858	7.5	0.12	4.5	0.07	236	1.7	0.05	1.0	0.03
Stomach	455	4.0	0.09	2.4	0.05	312	2.3	0.06	1.4	0.04
Colon & Rectum	2,068	18.3	0.18	10.7	0.11	1,777	12.8	0.14	7.3	0.09
Liver	1,091	9.7	0.13	5.9	0.08	407	2.9	0.07	1.7	0.04
Pancreas	1,692	14.6	0.16	8.4	0.10	1,523	10.6	0.12	6.0	0.07
Respiratory System	6,655	57.1	0.32	33.0	0.19	5,278	37.5	0.24	21.7	0.14
Larynx	283	2.5	0.07	1.5	0.04	55	0.4	0.03	0.3	0.02
Lung & bronchus	6,322	54.1	0.31	31.2	0.18	5,197	36.9	0.23	21.4	0.14
Skin	735	6.5	0.11	3.7	0.06	301	2.2	0.06	1.3	0.04
Melanomas of the skin	477	4.2	0.09	2.4	0.05	215	1.6	0.05	1.0	0.03
Breast	34	0.3	0.02	0.2	0.01	2,916	22.3	0.19	13.9	0.13
Female Genital System	-	-	-	-	-	2,218	16.8	0.16	10.6	0.11
Cervix uteri	-	-	-	-	-	332	2.9	0.07	2.2	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	735	5.4	0.09	3.3	0.06
Ovary	-	-	-	-	-	1,007	7.4	0.11	4.5	0.07
Male Genital System	2,344	19.9	0.18	9.9	0.10	-	-	-	-	-
Prostate	2,289	19.3	0.18	9.5	0.09	-	-	-	-	-
Testis	30	0.3	0.03	0.3	0.02	-	-	-	-	-
Urinary System	1,691	14.5	0.16	7.8	0.09	705	4.8	0.08	2.6	0.05
Bladder	981	8.4	0.12	4.2	0.06	372	2.5	0.06	1.3	0.03
Kidney & renal pelvis	670	5.8	0.10	3.4	0.06	312	2.2	0.06	1.3	0.04
Brain & Other CNS[1]	655	5.9	0.11	4.0	0.08	508	3.9	0.08	2.6	0.06
Endocrine System	100	0.9	0.04	0.6	0.03	104	0.8	0.03	0.5	0.03
Thyroid gland	63	0.6	0.03	0.3	0.02	74	0.5	0.03	0.3	0.02
Lymphomas	913	7.9	0.12	4.5	0.07	684	4.7	0.08	2.6	0.05
Hodgkin Lymphoma	42	0.4	0.03	0.2	0.02	32	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	871	7.5	0.12	4.3	0.07	652	4.5	0.08	2.5	0.05
Multiple Myeloma	483	4.1	0.08	2.3	0.05	392	2.7	0.06	1.5	0.04
Leukemias	1,089	9.4	0.13	5.5	0.08	737	5.2	0.09	3.1	0.06
Other, Ill-defined & Unknown	2,041	17.8	0.18	10.4	0.11	1,553	11.2	0.13	6.6	0.09

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Georgia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9,080	232.3	1.13	131.9	0.62	7,989	157.6	0.79	93.1	0.48
Oral Cavity & Pharynx	209	5.0	0.16	3.0	0.09	92	1.8	0.09	1.0	0.05
Digestive System	2,575	63.7	0.58	37.4	0.33	1,890	37.4	0.39	21.6	0.23
Esophagus	305	7.3	0.19	4.4	0.11	82	1.6	0.08	0.9	0.05
Stomach	199	4.9	0.16	2.9	0.09	133	2.6	0.10	1.5	0.06
Colon & Rectum	863	21.9	0.35	12.7	0.19	722	14.4	0.24	8.3	0.14
Liver	420	10.0	0.22	6.0	0.13	170	3.3	0.11	1.9	0.07
Pancreas	602	14.9	0.28	8.7	0.16	569	11.2	0.21	6.4	0.12
Respiratory System	2,677	66.9	0.60	38.3	0.33	1,919	37.6	0.39	21.8	0.23
Larynx	92	2.3	0.11	1.3	0.06	21	0.4	0.04	0.2	0.02
Lung & bronchus	2,566	64.1	0.58	36.7	0.33	1,886	36.9	0.38	21.4	0.22
Skin	227	6.0	0.18	3.4	0.10	99	2.0	0.09	1.2	0.05
Melanomas of the skin	153	3.9	0.15	2.3	0.08	76	1.5	0.08	0.9	0.05
Breast	17	0.4	0.05	0.3	0.03	1,285	25.5	0.32	15.7	0.20
Female Genital System	-	-	-	-	-	902	17.7	0.26	10.9	0.17
Cervix uteri	-	-	-	-	-	133	2.6	0.10	1.9	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	308	6.0	0.15	3.6	0.09
Ovary	-	-	-	-	-	402	7.9	0.18	4.7	0.11
Male Genital System	882	25.7	0.40	12.7	0.19	-	-	-	-	-
Prostate	863	25.3	0.40	12.3	0.19	-	-	-	-	-
Testis	9	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	592	16.2	0.31	8.6	0.16	271	5.4	0.15	2.9	0.08
Bladder	320	9.2	0.24	4.6	0.12	126	2.5	0.10	1.3	0.06
Kidney & renal pelvis	258	6.6	0.19	3.8	0.11	136	2.7	0.10	1.5	0.06
Brain & Other CNS[1]	263	6.2	0.17	4.1	0.11	208	4.1	0.13	2.7	0.09
Endocrine System	37	0.9	0.07	0.6	0.04	41	0.8	0.06	0.5	0.04
Thyroid gland	20	0.5	0.05	0.3	0.03	24	0.5	0.04	0.3	0.03
Lymphomas	313	8.1	0.21	4.6	0.12	237	4.7	0.14	2.6	0.08
Hodgkin Lymphoma	18	0.4	0.05	0.3	0.03	11	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	295	7.7	0.21	4.4	0.11	226	4.5	0.13	2.5	0.08
Multiple Myeloma	195	5.2	0.17	2.8	0.09	174	3.5	0.12	1.9	0.07
Leukemias	343	9.0	0.22	5.2	0.13	262	5.2	0.14	3.1	0.09
Other, Ill-defined & Unknown	750	19.0	0.32	11.0	0.18	609	12.0	0.22	7.2	0.14

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Hawaii, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,329	184.6	2.29	105.6	1.35	1,115	129.2	1.78	77.0	1.14
Oral Cavity & Pharynx	35	4.9	0.37	3.0	0.23	18	2.1	0.24	1.3	0.16
Digestive System	434	60.5	1.31	35.3	0.78	322	36.2	0.93	20.8	0.58
Esophagus	40	5.6	0.40	3.4	0.25	14	1.6	0.19	0.9	0.12
Stomach	43	6.1	0.42	3.2	0.23	32	3.5	0.29	2.0	0.18
Colon & Rectum	120	17.0	0.70	10.0	0.43	100	11.4	0.53	6.7	0.34
Liver	82	11.4	0.57	6.9	0.35	33	3.6	0.29	2.0	0.18
Pancreas	103	14.3	0.64	8.2	0.37	104	11.8	0.53	6.6	0.32
Respiratory System	332	45.9	1.14	26.1	0.66	237	26.9	0.80	15.4	0.48
Larynx	9	1.2	0.18	0.7	0.11	3	0.3	0.09	0.2	0.05
Lung & bronchus	318	44.0	1.11	25.0	0.65	234	26.4	0.79	15.1	0.48
Skin	29	4.0	0.34	2.3	0.20	11	1.3	0.19	0.8	0.13
Melanomas of the skin	19	2.6	0.27	1.6	0.17	7	0.9	0.16	0.6	0.11
Breast	2	0.3	0.09	0.2	0.06	157	19.2	0.71	11.9	0.47
Female Genital System	-	-	-	-	-	111	13.9	0.61	8.9	0.41
Cervix uteri	-	-	-	-	-	14	1.9	0.23	1.3	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	44	5.6	0.38	3.5	0.25
Ovary	-	-	-	-	-	45	5.5	0.38	3.4	0.25
Male Genital System	130	17.9	0.71	8.9	0.37	-	-	-	-	-
Prostate	127	17.5	0.70	8.6	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	77	10.7	0.55	5.7	0.31	32	3.5	0.28	2.0	0.18
Bladder	42	5.8	0.41	2.9	0.21	14	1.5	0.18	0.8	0.11
Kidney & renal pelvis	33	4.6	0.36	2.7	0.22	16	1.8	0.21	1.1	0.13
Brain & Other CNS[1]	29	4.1	0.34	2.8	0.25	22	2.7	0.27	1.9	0.20
Endocrine System	8	1.1	0.18	0.7	0.12	10	1.3	0.19	0.9	0.14
Thyroid gland	5	0.7	0.14	0.4	0.08	7	0.8	0.15	0.5	0.09
Lymphomas	49	6.9	0.44	4.0	0.27	39	4.2	0.31	2.4	0.19
Hodgkin Lymphoma	2	0.3	0.09	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	47	6.6	0.43	3.8	0.26	-	-	-	-	-
Multiple Myeloma	27	3.7	0.33	2.1	0.19	20	2.3	0.24	1.3	0.14
Leukemias	51	7.1	0.45	4.2	0.28	33	3.7	0.30	2.3	0.21
Other, Ill-defined & Unknown	126	17.5	0.70	10.2	0.43	102	11.6	0.53	7.1	0.36

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Idaho, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,580	210.6	2.41	116.1	1.33	1,339	155.4	1.92	89.5	1.15
Oral Cavity & Pharynx	30	3.9	0.33	2.3	0.19	14	1.7	0.20	0.9	0.12
Digestive System	454	59.2	1.26	34.2	0.73	309	35.9	0.92	20.3	0.54
Esophagus	76	9.9	0.52	5.7	0.30	18	2.1	0.22	1.2	0.13
Stomach	24	3.3	0.30	1.9	0.17	18	2.1	0.22	1.2	0.14
Colon & Rectum	133	17.7	0.70	10.1	0.40	113	13.2	0.56	7.4	0.33
Liver	61	7.5	0.44	4.6	0.26	19	2.2	0.23	1.2	0.13
Pancreas	118	15.2	0.63	8.8	0.37	97	11.1	0.51	6.2	0.30
Respiratory System	350	45.5	1.11	25.2	0.61	297	34.1	0.89	19.3	0.52
Larynx	11	1.5	0.20	0.8	0.11	2	0.2	0.07	0.1	0.04
Lung & bronchus	333	43.3	1.08	24.0	0.59	292	33.6	0.89	19.0	0.52
Skin	57	7.7	0.46	4.3	0.26	24	2.8	0.26	1.6	0.16
Melanomas of the skin	37	4.8	0.36	2.9	0.22	18	2.2	0.23	1.3	0.15
Breast	2	0.3	0.09	0.1	0.04	215	25.4	0.78	15.2	0.49
Female Genital System	-	-	-	-	-	152	17.8	0.65	10.7	0.41
Cervix uteri	-	-	-	-	-	16	2.1	0.23	1.5	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	53	6.0	0.37	3.5	0.23
Ovary	-	-	-	-	-	73	8.4	0.45	5.0	0.27
Male Genital System	190	27.2	0.90	12.8	0.42	-	-	-	-	-
Prostate	187	26.8	0.89	12.6	0.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	116	16.0	0.68	8.2	0.35	49	5.6	0.36	2.9	0.20
Bladder	64	9.1	0.52	4.4	0.25	22	2.5	0.24	1.2	0.13
Kidney & renal pelvis	49	6.4	0.42	3.6	0.24	25	2.9	0.26	1.6	0.15
Brain & Other CNS[1]	63	8.0	0.46	5.3	0.31	37	4.3	0.32	2.9	0.23
Endocrine System	9	1.2	0.18	0.7	0.11	8	0.9	0.15	0.6	0.10
Thyroid gland	6	0.8	0.15	0.5	0.09	5	0.6	0.12	0.4	0.07
Lymphomas	66	8.8	0.49	4.8	0.27	53	6.0	0.37	3.1	0.20
Hodgkin Lymphoma	-	-	-	-	-	3	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	-	-	-	-	-	50	5.7	0.36	2.9	0.19
Multiple Myeloma	39	5.4	0.39	2.8	0.20	28	3.2	0.27	1.7	0.15
Leukemias	72	9.6	0.52	5.3	0.29	51	6.0	0.38	3.4	0.23
Other, Ill-defined & Unknown	133	17.8	0.70	9.9	0.39	102	11.8	0.53	6.8	0.33

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Illinois, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	12,475	226.3	0.91	127.1	0.52	11,853	165.4	0.69	96.6	0.42
Oral Cavity & Pharynx	280	4.9	0.13	2.9	0.08	132	1.8	0.07	1.1	0.04
Digestive System	3,582	63.9	0.48	37.1	0.28	2,829	39.0	0.33	22.2	0.20
Esophagus	496	8.7	0.18	5.2	0.10	131	1.8	0.07	1.0	0.04
Stomach	276	5.0	0.13	2.9	0.08	194	2.7	0.09	1.6	0.06
Colon & Rectum	1,153	20.9	0.28	11.9	0.16	1,062	14.5	0.20	8.2	0.12
Liver	473	8.2	0.17	4.9	0.10	210	2.9	0.09	1.7	0.05
Pancreas	881	15.8	0.24	9.0	0.14	837	11.5	0.18	6.5	0.11
Respiratory System	3,442	61.6	0.47	35.0	0.27	2,963	41.5	0.34	23.9	0.21
Larynx	124	2.2	0.09	1.3	0.05	37	0.5	0.04	0.3	0.02
Lung & bronchus	3,297	59.1	0.46	33.5	0.26	2,912	40.8	0.34	23.5	0.20
Skin	280	5.1	0.14	2.9	0.08	157	2.2	0.08	1.3	0.05
Melanomas of the skin	191	3.5	0.11	2.0	0.07	115	1.6	0.07	1.0	0.04
Breast	19	0.4	0.04	0.2	0.02	1,740	24.9	0.27	15.2	0.17
Female Genital System	-	-	-	-	-	1,320	18.8	0.23	11.5	0.15
Cervix uteri	-	-	-	-	-	173	2.6	0.09	1.8	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	479	6.7	0.14	4.0	0.09
Ovary	-	-	-	-	-	571	8.1	0.15	4.9	0.10
Male Genital System	1,240	23.9	0.31	11.7	0.15	-	-	-	-	-
Prostate	1,208	23.3	0.30	11.3	0.15	-	-	-	-	-
Testis	16	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	859	15.9	0.25	8.5	0.13	424	5.7	0.13	3.1	0.07
Bladder	466	8.9	0.19	4.4	0.09	195	2.5	0.08	1.3	0.04
Kidney & renal pelvis	369	6.6	0.15	3.8	0.09	211	2.9	0.09	1.7	0.05
Brain & Other CNS[1]	341	5.9	0.14	3.9	0.10	272	4.0	0.11	2.7	0.08
Endocrine System	59	1.0	0.06	0.7	0.04	56	0.8	0.05	0.5	0.03
Thyroid gland	35	0.6	0.05	0.4	0.03	38	0.5	0.04	0.3	0.02
Lymphomas	476	8.8	0.18	4.8	0.10	369	5.0	0.12	2.7	0.07
Hodgkin Lymphoma	27	0.5	0.04	0.3	0.03	14	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	449	8.3	0.18	4.5	0.10	355	4.8	0.11	2.6	0.07
Multiple Myeloma	247	4.6	0.13	2.5	0.07	222	3.0	0.09	1.6	0.05
Leukemias	531	9.9	0.19	5.5	0.11	397	5.4	0.12	3.1	0.08
Other, Ill-defined & Unknown	1,119	20.3	0.27	11.6	0.16	972	13.4	0.19	7.8	0.12

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Indiana, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,163	247.2	1.32	140.5	0.75	6,316	172.2	0.98	101.7	0.61
Oral Cavity & Pharynx	144	4.8	0.18	2.9	0.11	59	1.6	0.10	1.0	0.06
Digestive System	1,954	66.2	0.68	38.8	0.40	1,425	38.4	0.46	22.0	0.28
Esophagus	327	10.9	0.27	6.5	0.16	68	1.8	0.10	1.0	0.06
Stomach	116	3.9	0.17	2.4	0.10	75	2.1	0.11	1.2	0.07
Colon & Rectum	604	20.9	0.38	12.0	0.22	566	15.2	0.29	8.6	0.17
Liver	271	8.8	0.24	5.3	0.15	94	2.6	0.12	1.5	0.07
Pancreas	479	16.3	0.34	9.5	0.20	436	11.7	0.25	6.7	0.15
Respiratory System	2,209	74.7	0.72	43.2	0.41	1,755	48.0	0.52	28.4	0.31
Larynx	71	2.4	0.13	1.4	0.08	17	0.5	0.05	0.3	0.03
Lung & bronchus	2,116	71.5	0.70	41.3	0.40	1,727	47.2	0.51	27.9	0.31
Skin	199	7.0	0.22	3.9	0.13	93	2.6	0.12	1.5	0.08
Melanomas of the skin	125	4.3	0.17	2.6	0.10	66	1.9	0.10	1.2	0.07
Breast	11	0.4	0.05	0.2	0.03	882	24.5	0.37	14.9	0.24
Female Genital System	-	-	-	-	-	674	18.7	0.33	11.6	0.21
Cervix uteri	-	-	-	-	-	91	2.8	0.13	2.1	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	225	6.1	0.18	3.7	0.11
Ovary	-	-	-	-	-	298	8.2	0.21	4.9	0.13
Male Genital System	622	23.3	0.42	11.4	0.21	-	-	-	-	-
Prostate	606	22.7	0.42	10.9	0.20	-	-	-	-	-
Testis	8	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	477	17.0	0.35	9.1	0.19	231	6.1	0.18	3.3	0.10
Bladder	255	9.4	0.27	4.7	0.13	101	2.6	0.12	1.4	0.07
Kidney & renal pelvis	211	7.3	0.23	4.2	0.13	122	3.3	0.13	1.9	0.08
Brain & Other CNS[1]	202	6.6	0.21	4.5	0.15	146	4.1	0.15	2.8	0.11
Endocrine System	26	0.9	0.08	0.5	0.05	33	0.9	0.07	0.5	0.05
Thyroid gland	18	0.6	0.06	0.3	0.04	24	0.6	0.06	0.3	0.03
Lymphomas	277	9.8	0.27	5.4	0.15	209	5.5	0.17	3.1	0.10
Hodgkin Lymphoma	12	0.4	0.05	0.3	0.04	8	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	265	9.3	0.26	5.2	0.14	201	5.3	0.17	3.0	0.10
Multiple Myeloma	149	5.3	0.20	2.8	0.10	110	2.9	0.13	1.6	0.07
Leukemias	300	10.7	0.28	6.0	0.16	219	5.8	0.18	3.4	0.11
Other, Ill-defined & Unknown	593	20.7	0.39	11.8	0.22	481	13.0	0.27	7.6	0.17

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Iowa, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,434	227.8	1.75	128.4	1.01	3,031	160.7	1.34	94.0	0.84
Oral Cavity & Pharynx	77	5.1	0.26	3.1	0.16	29	1.5	0.13	0.8	0.08
Digestive System	913	60.5	0.90	35.2	0.54	724	37.4	0.64	21.2	0.39
Esophagus	153	10.1	0.37	6.0	0.22	36	1.9	0.14	1.1	0.09
Stomach	50	3.3	0.21	2.0	0.13	31	1.6	0.13	1.0	0.09
Colon & Rectum	291	19.6	0.52	11.1	0.30	289	14.5	0.39	8.0	0.24
Liver	106	6.9	0.30	4.2	0.18	37	1.9	0.15	1.1	0.09
Pancreas	228	15.1	0.45	8.7	0.27	226	11.8	0.36	6.7	0.22
Respiratory System	963	63.0	0.91	36.0	0.53	758	41.0	0.68	24.1	0.42
Larynx	35	2.2	0.17	1.3	0.10	9	0.5	0.08	0.3	0.05
Lung & bronchus	919	60.2	0.89	34.3	0.51	746	40.3	0.67	23.7	0.41
Skin	95	6.4	0.29	3.6	0.17	50	2.7	0.17	1.6	0.12
Melanomas of the skin	63	4.2	0.24	2.5	0.15	38	2.1	0.16	1.3	0.11
Breast	5	0.3	0.07	0.2	0.04	397	21.9	0.51	13.5	0.34
Female Genital System	-	-	-	-	-	338	18.6	0.46	11.3	0.30
Cervix uteri	-	-	-	-	-	34	2.1	0.17	1.6	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	112	6.0	0.26	3.5	0.16
Ovary	-	-	-	-	-	155	8.4	0.31	5.0	0.19
Male Genital System	354	24.1	0.57	11.7	0.29	-	-	-	-	-
Prostate	341	23.2	0.56	11.1	0.27	-	-	-	-	-
Testis	6	0.4	0.08	0.4	0.07	-	-	-	-	-
Urinary System	242	16.2	0.47	8.7	0.26	115	5.7	0.24	3.0	0.14
Bladder	122	8.3	0.34	4.1	0.17	50	2.4	0.15	1.2	0.08
Kidney & renal pelvis	115	7.5	0.32	4.4	0.19	61	3.1	0.18	1.8	0.11
Brain & Other CNS[1]	105	6.9	0.30	4.6	0.21	82	4.8	0.24	3.3	0.18
Endocrine System	15	1.0	0.12	0.6	0.08	17	0.9	0.10	0.6	0.08
Thyroid gland	10	0.7	0.09	0.4	0.06	12	0.6	0.09	0.4	0.05
Lymphomas	145	9.7	0.36	5.3	0.20	108	5.3	0.23	2.9	0.14
Hodgkin Lymphoma	5	0.3	0.07	0.2	0.05	4	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	140	9.4	0.36	5.1	0.20	104	5.1	0.23	2.7	0.14
Multiple Myeloma	74	5.0	0.26	2.6	0.14	68	3.5	0.19	1.9	0.11
Leukemias	159	10.7	0.38	5.9	0.22	107	5.4	0.24	3.0	0.15
Other, Ill-defined & Unknown	285	19.0	0.51	10.9	0.30	237	12.1	0.36	6.9	0.23

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kansas, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,929	225.2	1.87	127.2	1.08	2,626	163.0	1.45	95.8	0.90
Oral Cavity & Pharynx	60	4.5	0.26	2.7	0.16	24	1.5	0.14	0.8	0.08
Digestive System	803	61.3	0.97	35.7	0.58	595	36.6	0.68	21.0	0.42
Esophagus	120	9.0	0.37	5.4	0.22	27	1.7	0.14	0.9	0.09
Stomach	45	3.5	0.23	2.0	0.14	30	1.9	0.16	1.2	0.11
Colon & Rectum	268	20.8	0.57	11.9	0.33	235	14.3	0.43	8.1	0.26
Liver	112	8.3	0.35	5.0	0.21	37	2.3	0.17	1.4	0.11
Pancreas	199	15.2	0.49	8.8	0.28	189	11.6	0.38	6.6	0.23
Respiratory System	810	61.4	0.97	35.1	0.56	673	42.0	0.73	24.5	0.44
Larynx	25	1.9	0.17	1.1	0.10	3	0.2	0.05	0.1	0.03
Lung & bronchus	779	59.1	0.95	33.7	0.55	667	41.7	0.73	24.3	0.44
Skin	89	7.0	0.33	3.9	0.19	45	2.8	0.19	1.6	0.12
Melanomas of the skin	59	4.5	0.27	2.6	0.16	32	2.1	0.17	1.3	0.11
Breast	7	0.5	0.09	0.3	0.05	370	23.5	0.56	14.1	0.36
Female Genital System	-	-	-	-	-	275	17.6	0.48	10.9	0.32
Cervix uteri	-	-	-	-	-	36	2.6	0.19	1.9	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	89	5.6	0.27	3.4	0.17
Ovary	-	-	-	-	-	126	8.0	0.32	4.9	0.21
Male Genital System	278	22.2	0.60	10.9	0.30	-	-	-	-	-
Prostate	272	21.7	0.59	10.5	0.29	-	-	-	-	-
Testis	4	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	207	16.2	0.51	8.7	0.28	96	5.7	0.26	3.1	0.16
Bladder	104	8.3	0.37	4.2	0.19	40	2.3	0.16	1.2	0.09
Kidney & renal pelvis	98	7.5	0.34	4.3	0.20	52	3.2	0.20	1.9	0.13
Brain & Other CNS[1]	93	7.0	0.33	4.6	0.22	72	4.7	0.25	3.3	0.19
Endocrine System	13	1.0	0.12	0.6	0.08	12	0.8	0.10	0.5	0.07
Thyroid gland	8	0.6	0.10	0.3	0.06	9	0.6	0.08	0.3	0.05
Lymphomas	110	8.6	0.37	4.8	0.21	92	5.5	0.26	3.0	0.16
Hodgkin Lymphoma	6	0.5	0.08	0.3	0.06	3	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	104	8.2	0.36	4.5	0.20	89	5.3	0.25	2.9	0.15
Multiple Myeloma	63	4.9	0.28	2.6	0.15	54	3.3	0.20	1.7	0.11
Leukemias	143	11.2	0.42	6.2	0.24	102	6.1	0.27	3.5	0.17
Other, Ill-defined & Unknown	253	19.5	0.55	11.2	0.32	215	13.2	0.41	7.7	0.26

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Kentucky, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,503	276.1	1.70	158.5	0.97	4,740	189.4	1.24	113.1	0.78
Oral Cavity & Pharynx	123	6.1	0.25	3.6	0.15	47	1.9	0.12	1.1	0.08
Digestive System	1,390	68.6	0.84	40.6	0.49	1,016	40.5	0.57	23.7	0.35
Esophagus	205	9.8	0.31	6.0	0.19	43	1.7	0.12	1.0	0.07
Stomach	89	4.6	0.22	2.6	0.13	55	2.2	0.13	1.3	0.08
Colon & Rectum	465	23.5	0.50	13.7	0.29	410	16.4	0.36	9.5	0.22
Liver	198	9.5	0.31	5.8	0.18	75	3.0	0.16	1.8	0.10
Pancreas	325	16.0	0.40	9.3	0.23	305	12.1	0.31	7.0	0.19
Respiratory System	1,910	93.1	0.97	54.4	0.56	1,502	59.6	0.69	35.7	0.42
Larynx	64	3.1	0.18	1.8	0.10	22	0.9	0.09	0.6	0.06
Lung & bronchus	1,834	89.4	0.95	52.2	0.55	1,473	58.4	0.69	34.9	0.42
Skin	147	7.5	0.28	4.3	0.16	72	2.9	0.15	1.7	0.10
Melanomas of the skin	101	5.1	0.23	3.0	0.14	50	2.0	0.13	1.3	0.09
Breast	7	0.3	0.06	0.2	0.04	604	24.6	0.45	15.2	0.30
Female Genital System	-	-	-	-	-	428	17.5	0.38	10.9	0.25
Cervix uteri	-	-	-	-	-	67	3.0	0.16	2.2	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	126	5.0	0.20	3.1	0.13
Ovary	-	-	-	-	-	189	7.6	0.25	4.6	0.16
Male Genital System	407	22.9	0.52	11.1	0.25	-	-	-	-	-
Prostate	395	22.3	0.51	10.6	0.24	-	-	-	-	-
Testis	4	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	349	18.3	0.45	9.9	0.24	170	6.6	0.23	3.6	0.13
Bladder	179	9.8	0.34	4.9	0.17	78	3.0	0.15	1.6	0.08
Kidney & renal pelvis	160	8.0	0.29	4.7	0.17	85	3.4	0.16	1.9	0.10
Brain & Other CNS[1]	144	6.9	0.26	4.7	0.18	113	4.6	0.20	3.2	0.14
Endocrine System	18	0.9	0.10	0.5	0.06	21	0.9	0.08	0.5	0.06
Thyroid gland	12	0.6	0.08	0.3	0.04	15	0.6	0.07	0.4	0.04
Lymphomas	194	10.0	0.33	5.6	0.18	142	5.5	0.21	3.0	0.12
Hodgkin Lymphoma	10	0.5	0.08	0.3	0.05	7	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	183	9.5	0.32	5.3	0.18	135	5.2	0.20	2.8	0.11
Multiple Myeloma	104	5.3	0.24	2.9	0.13	76	2.9	0.15	1.6	0.09
Leukemias	202	10.3	0.33	6.0	0.19	159	6.3	0.23	3.7	0.14
Other, Ill-defined & Unknown	508	25.8	0.52	14.8	0.30	390	15.5	0.35	9.1	0.22

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Louisiana, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,061	256.5	1.64	147.8	0.94	4,318	173.6	1.19	103.5	0.74
Oral Cavity & Pharynx	128	6.3	0.25	3.8	0.15	46	1.9	0.13	1.1	0.08
Digestive System	1,520	75.2	0.88	44.7	0.52	1,052	42.2	0.58	24.7	0.36
Esophagus	171	8.3	0.29	5.1	0.18	43	1.7	0.12	1.0	0.07
Stomach	113	5.7	0.25	3.3	0.14	70	2.8	0.15	1.6	0.09
Colon & Rectum	473	23.8	0.50	14.0	0.29	400	16.1	0.36	9.5	0.23
Liver	326	15.5	0.39	9.5	0.24	116	4.6	0.19	2.8	0.12
Pancreas	344	17.2	0.42	10.0	0.24	328	13.1	0.32	7.5	0.19
Respiratory System	1,551	77.1	0.89	44.9	0.51	1,111	44.2	0.60	26.0	0.36
Larynx	63	3.1	0.18	1.8	0.10	12	0.5	0.06	0.3	0.04
Lung & bronchus	1,476	73.4	0.87	42.7	0.50	1,093	43.6	0.59	25.6	0.36
Skin	99	5.3	0.24	2.9	0.13	41	1.6	0.12	0.9	0.07
Melanomas of the skin	58	3.1	0.18	1.7	0.10	30	1.2	0.10	0.7	0.06
Breast	7	0.3	0.06	0.2	0.03	658	26.9	0.47	16.7	0.31
Female Genital System	-	-	-	-	-	433	17.6	0.38	11.0	0.25
Cervix uteri	-	-	-	-	-	79	3.4	0.18	2.5	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	141	5.6	0.21	3.4	0.13
Ovary	-	-	-	-	-	182	7.3	0.24	4.4	0.15
Male Genital System	438	24.4	0.53	12.1	0.26	-	-	-	-	-
Prostate	428	23.9	0.53	11.8	0.26	-	-	-	-	-
Testis	4	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	303	15.8	0.41	8.8	0.23	155	6.1	0.22	3.3	0.13
Bladder	139	7.5	0.29	3.9	0.15	62	2.4	0.14	1.3	0.08
Kidney & renal pelvis	158	8.0	0.29	4.7	0.17	89	3.5	0.17	2.0	0.10
Brain & Other CNS[1]	119	5.8	0.24	3.8	0.16	106	4.3	0.19	2.8	0.13
Endocrine System	21	1.0	0.10	0.7	0.07	25	1.0	0.09	0.6	0.06
Thyroid gland	10	0.5	0.08	0.3	0.04	17	0.7	0.07	0.4	0.04
Lymphomas	176	9.2	0.32	5.3	0.18	135	5.4	0.21	3.1	0.13
Hodgkin Lymphoma	9	0.4	0.07	0.3	0.05	9	0.4	0.05	0.3	0.04
Non-Hodgkin Lymphoma	167	8.8	0.31	5.0	0.17	127	5.0	0.20	2.8	0.12
Multiple Myeloma	102	5.3	0.24	2.9	0.13	89	3.5	0.17	2.0	0.10
Leukemias	184	9.8	0.33	5.5	0.19	141	5.6	0.21	3.3	0.14
Other, Ill-defined & Unknown	413	21.0	0.47	12.2	0.27	325	13.1	0.33	7.9	0.21

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maine, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,749	237.0	2.57	132.9	1.48	1,561	170.9	1.97	98.9	1.22
Oral Cavity & Pharynx	38	4.9	0.36	2.9	0.22	17	1.8	0.20	1.0	0.11
Digestive System	435	58.6	1.27	33.8	0.75	343	37.1	0.91	21.0	0.55
Esophagus	86	11.3	0.55	6.6	0.33	24	2.6	0.24	1.5	0.15
Stomach	23	3.1	0.29	1.8	0.18	17	1.8	0.20	1.0	0.12
Colon & Rectum	123	17.2	0.70	9.7	0.41	124	13.3	0.54	7.3	0.32
Liver	54	7.0	0.43	4.2	0.26	15	1.5	0.18	0.8	0.10
Pancreas	110	14.7	0.64	8.4	0.37	113	12.2	0.52	6.9	0.31
Respiratory System	522	69.0	1.37	39.7	0.80	439	48.1	1.04	28.2	0.63
Larynx	18	2.4	0.25	1.5	0.16	4	0.5	0.11	0.3	0.07
Lung & bronchus	499	65.8	1.34	37.7	0.77	433	47.5	1.03	27.8	0.63
Skin	46	6.3	0.42	3.6	0.24	23	2.6	0.25	1.6	0.17
Melanomas of the skin	30	4.1	0.34	2.4	0.21	17	2.0	0.22	1.3	0.16
Breast	2	0.3	0.09	0.2	0.05	189	21.2	0.70	12.7	0.46
Female Genital System	-	-	-	-	-	157	17.7	0.64	10.7	0.42
Cervix uteri	-	-	-	-	-	14	1.7	0.22	1.3	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	54	6.0	0.37	3.6	0.23
Ovary	-	-	-	-	-	68	7.6	0.42	4.6	0.27
Male Genital System	161	23.0	0.82	11.0	0.40	-	-	-	-	-
Prostate	157	22.4	0.81	10.6	0.38	-	-	-	-	-
Testis	2	0.3	0.10	0.2	0.09	-	-	-	-	-
Urinary System	132	18.2	0.72	9.5	0.38	61	6.4	0.37	3.4	0.21
Bladder	76	10.7	0.56	5.3	0.27	29	3.0	0.25	1.5	0.13
Kidney & renal pelvis	53	7.1	0.44	4.0	0.25	31	3.3	0.27	1.8	0.16
Brain & Other CNS[1]	60	8.1	0.48	5.5	0.34	39	4.6	0.34	3.0	0.24
Endocrine System	6	0.8	0.16	0.6	0.13	6	0.6	0.12	0.4	0.08
Thyroid gland	3	0.5	0.11	0.3	0.07	4	0.4	0.09	0.2	0.05
Lymphomas	66	9.2	0.51	5.0	0.29	52	5.5	0.35	3.0	0.21
Hodgkin Lymphoma	3	0.5	0.11	0.3	0.08	2	0.2	0.07	0.1	0.04
Non-Hodgkin Lymphoma	63	8.8	0.50	4.7	0.28	50	5.3	0.34	2.8	0.20
Multiple Myeloma	34	4.8	0.37	2.5	0.19	30	3.1	0.26	1.6	0.14
Leukemias	69	9.5	0.52	5.3	0.30	49	5.2	0.34	3.0	0.23
Other, Ill-defined & Unknown	176	24.3	0.83	13.4	0.48	156	16.8	0.61	9.4	0.38

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Maryland, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,475	216.0	1.32	121.6	0.75	5,317	159.5	0.99	93.5	0.61
Oral Cavity & Pharynx	125	4.8	0.19	2.9	0.12	52	1.6	0.10	0.9	0.06
Digestive System	1,622	62.6	0.70	36.4	0.41	1,239	37.0	0.47	21.2	0.28
Esophagus	198	7.6	0.25	4.4	0.14	59	1.8	0.10	1.0	0.06
Stomach	124	4.8	0.20	2.8	0.11	87	2.6	0.13	1.6	0.08
Colon & Rectum	492	19.4	0.40	11.1	0.23	457	13.6	0.29	7.8	0.17
Liver	265	9.7	0.27	6.0	0.17	90	2.7	0.13	1.5	0.08
Pancreas	412	15.9	0.36	9.1	0.20	387	11.6	0.26	6.6	0.16
Respiratory System	1,403	54.6	0.66	31.0	0.37	1,289	38.6	0.48	22.1	0.29
Larynx	56	2.2	0.13	1.2	0.07	16	0.5	0.05	0.3	0.03
Lung & bronchus	1,336	52.0	0.64	29.5	0.36	1,267	37.9	0.48	21.7	0.28
Skin	124	5.0	0.20	2.7	0.11	63	1.9	0.11	1.1	0.06
Melanomas of the skin	82	3.3	0.16	1.8	0.09	46	1.4	0.09	0.8	0.06
Breast	10	0.4	0.06	0.2	0.03	842	25.6	0.40	15.9	0.26
Female Genital System	-	-	-	-	-	602	18.2	0.33	11.2	0.21
Cervix uteri	-	-	-	-	-	71	2.2	0.12	1.5	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	239	7.2	0.21	4.4	0.13
Ovary	-	-	-	-	-	252	7.6	0.22	4.6	0.13
Male Genital System	558	23.7	0.45	11.6	0.22	-	-	-	-	-
Prostate	546	23.2	0.45	11.3	0.22	-	-	-	-	-
Testis	7	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	372	15.1	0.35	8.0	0.19	177	5.2	0.18	2.8	0.10
Bladder	214	9.0	0.28	4.5	0.14	91	2.6	0.12	1.3	0.07
Kidney & renal pelvis	147	5.7	0.21	3.3	0.12	79	2.4	0.12	1.3	0.07
Brain & Other CNS[1]	154	5.7	0.21	3.9	0.14	123	3.8	0.15	2.6	0.11
Endocrine System	23	0.9	0.08	0.6	0.06	34	1.0	0.08	0.6	0.05
Thyroid gland	13	0.5	0.06	0.3	0.04	22	0.6	0.06	0.3	0.03
Lymphomas	208	8.4	0.26	4.7	0.15	159	4.7	0.17	2.6	0.10
Hodgkin Lymphoma	8	0.3	0.05	0.2	0.03	7	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	200	8.1	0.26	4.4	0.14	151	4.5	0.16	2.5	0.10
Multiple Myeloma	145	5.8	0.22	3.2	0.12	127	3.8	0.15	2.1	0.09
Leukemias	236	9.5	0.28	5.4	0.16	171	5.1	0.18	3.0	0.11
Other, Ill-defined & Unknown	495	19.6	0.40	11.1	0.23	439	13.0	0.28	7.5	0.17

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Massachusetts, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,524	211.4	1.18	117.0	0.66	6,241	151.2	0.87	87.1	0.53
Oral Cavity & Pharynx	132	4.1	0.16	2.5	0.10	66	1.6	0.09	0.9	0.05
Digestive System	1,907	61.0	0.63	34.9	0.36	1,445	34.6	0.41	19.5	0.25
Esophagus	308	9.7	0.25	5.7	0.15	85	2.0	0.10	1.2	0.06
Stomach	154	5.0	0.18	2.9	0.11	100	2.4	0.11	1.4	0.07
Colon & Rectum	497	16.2	0.33	9.0	0.19	492	11.6	0.24	6.4	0.14
Liver	284	8.8	0.24	5.3	0.14	82	2.0	0.10	1.2	0.06
Pancreas	482	15.4	0.32	8.7	0.18	488	11.7	0.24	6.5	0.14
Respiratory System	1,628	52.2	0.58	29.2	0.33	1,617	39.5	0.44	22.6	0.26
Larynx	54	1.7	0.10	1.0	0.06	17	0.4	0.05	0.2	0.03
Lung & bronchus	1,561	50.1	0.57	28.0	0.32	1,592	38.9	0.44	22.2	0.26
Skin	184	6.0	0.20	3.2	0.11	106	2.5	0.11	1.4	0.07
Melanomas of the skin	122	4.0	0.16	2.2	0.09	75	1.8	0.09	1.0	0.06
Breast	9	0.3	0.05	0.2	0.02	816	20.3	0.32	12.3	0.21
Female Genital System	-	-	-	-	-	660	16.4	0.29	9.8	0.18
Cervix uteri	-	-	-	-	-	46	1.2	0.08	0.9	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	226	5.5	0.17	3.2	0.10
Ovary	-	-	-	-	-	318	7.9	0.20	4.8	0.13
Male Genital System	641	21.7	0.39	10.3	0.19	-	-	-	-	-
Prostate	628	21.3	0.38	10.1	0.18	-	-	-	-	-
Testis	6	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	474	15.7	0.32	8.2	0.17	217	5.0	0.15	2.6	0.09
Bladder	292	9.8	0.26	4.8	0.13	116	2.6	0.11	1.3	0.06
Kidney & renal pelvis	170	5.4	0.19	3.1	0.11	95	2.2	0.10	1.2	0.06
Brain & Other CNS[1]	210	6.5	0.20	4.3	0.14	170	4.4	0.15	2.9	0.11
Endocrine System	28	0.9	0.08	0.6	0.05	35	0.9	0.07	0.5	0.05
Thyroid gland	18	0.6	0.06	0.3	0.03	23	0.6	0.05	0.3	0.03
Lymphomas	246	8.1	0.23	4.4	0.13	214	5.0	0.16	2.7	0.09
Hodgkin Lymphoma	10	0.3	0.05	0.2	0.03	8	0.2	0.03	0.1	0.02
Non-Hodgkin Lymphoma	236	7.8	0.23	4.2	0.13	206	4.8	0.15	2.5	0.09
Multiple Myeloma	140	4.6	0.17	2.5	0.10	117	2.8	0.12	1.5	0.06
Leukemias	274	9.1	0.25	5.0	0.14	217	5.0	0.16	2.8	0.10
Other, Ill-defined & Unknown	650	21.0	0.37	11.8	0.21	561	13.4	0.26	7.6	0.16

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Michigan, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,909	231.2	1.00	130.7	0.57	9,983	169.6	0.77	99.8	0.48
Oral Cavity & Pharynx	247	5.0	0.15	3.1	0.09	103	1.8	0.08	1.0	0.05
Digestive System	3,018	63.0	0.52	36.7	0.31	2,284	38.4	0.36	22.0	0.22
Esophagus	484	9.9	0.20	5.9	0.12	115	1.9	0.08	1.1	0.05
Stomach	197	4.2	0.13	2.4	0.08	139	2.4	0.09	1.3	0.06
Colon & Rectum	884	19.0	0.29	10.8	0.17	829	13.9	0.22	7.9	0.13
Liver	409	8.2	0.18	4.9	0.11	176	3.0	0.10	1.7	0.06
Pancreas	799	16.6	0.27	9.6	0.15	752	12.6	0.21	7.1	0.12
Respiratory System	3,130	65.0	0.53	37.3	0.30	2,692	45.7	0.40	26.8	0.24
Larynx	118	2.4	0.10	1.4	0.06	38	0.7	0.05	0.4	0.03
Lung & bronchus	2,989	62.1	0.51	35.6	0.29	2,642	44.8	0.39	26.2	0.24
Skin	261	5.6	0.16	3.2	0.09	125	2.1	0.09	1.3	0.06
Melanomas of the skin	177	3.8	0.13	2.2	0.08	92	1.6	0.08	1.0	0.05
Breast	21	0.4	0.04	0.3	0.03	1,406	24.5	0.30	15.0	0.19
Female Genital System	-	-	-	-	-	1,069	18.6	0.26	11.4	0.17
Cervix uteri	-	-	-	-	-	114	2.2	0.09	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	389	6.6	0.15	4.0	0.09
Ovary	-	-	-	-	-	472	8.2	0.17	5.0	0.11
Male Genital System	988	22.3	0.32	10.8	0.16	-	-	-	-	-
Prostate	965	21.8	0.32	10.5	0.15	-	-	-	-	-
Testis	11	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	737	16.1	0.27	8.5	0.14	340	5.5	0.14	3.0	0.08
Bladder	408	9.1	0.20	4.5	0.10	171	2.7	0.10	1.4	0.05
Kidney & renal pelvis	309	6.5	0.17	3.8	0.10	156	2.6	0.09	1.5	0.06
Brain & Other CNS[1]	324	6.7	0.17	4.5	0.12	243	4.3	0.13	2.9	0.09
Endocrine System	47	1.0	0.07	0.6	0.05	46	0.8	0.05	0.5	0.04
Thyroid gland	27	0.6	0.05	0.3	0.03	30	0.5	0.04	0.3	0.03
Lymphomas	438	9.5	0.21	5.3	0.12	350	5.8	0.14	3.2	0.08
Hodgkin Lymphoma	21	0.4	0.04	0.3	0.03	14	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	418	9.1	0.20	5.0	0.11	336	5.5	0.14	3.0	0.08
Multiple Myeloma	247	5.3	0.15	2.9	0.08	207	3.4	0.11	1.8	0.06
Leukemias	484	10.6	0.22	5.9	0.12	333	5.5	0.14	3.1	0.09
Other, Ill-defined & Unknown	965	20.7	0.30	11.7	0.17	786	13.2	0.21	7.7	0.13

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Metropolitan Detroit, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,975	230.1	1.65	130.6	0.95	3,955	173.7	1.25	102.3	0.78
Oral Cavity & Pharynx	86	4.8	0.23	2.9	0.14	37	1.6	0.12	1.0	0.08
Digestive System	1,136	64.4	0.86	37.8	0.51	933	40.5	0.60	23.2	0.36
Esophagus	165	9.2	0.33	5.5	0.19	48	2.1	0.14	1.2	0.08
Stomach	88	5.1	0.25	3.0	0.15	68	3.0	0.16	1.7	0.10
Colon & Rectum	334	19.3	0.48	11.2	0.28	341	14.7	0.36	8.5	0.23
Liver	161	8.7	0.31	5.3	0.19	73	3.2	0.17	1.8	0.10
Pancreas	294	16.6	0.44	9.7	0.26	302	13.1	0.34	7.5	0.20
Respiratory System	1,111	63.5	0.86	36.4	0.49	1,039	45.7	0.64	26.6	0.38
Larynx	46	2.6	0.17	1.5	0.10	15	0.7	0.08	0.4	0.05
Lung & bronchus	1,057	60.5	0.84	34.6	0.48	1,019	44.8	0.63	26.1	0.38
Skin	83	4.9	0.24	2.8	0.14	39	1.8	0.13	1.1	0.08
Melanomas of the skin	54	3.2	0.19	1.8	0.12	28	1.3	0.11	0.8	0.07
Breast	9	0.5	0.08	0.3	0.05	581	26.0	0.49	15.9	0.32
Female Genital System	-	-	-	-	-	435	19.6	0.42	12.1	0.28
Cervix uteri	-	-	-	-	-	48	2.3	0.15	1.7	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	163	7.2	0.25	4.3	0.16
Ovary	-	-	-	-	-	190	8.6	0.28	5.2	0.18
Male Genital System	378	23.2	0.54	11.4	0.27	-	-	-	-	-
Prostate	370	22.7	0.53	11.1	0.26	-	-	-	-	-
Testis	4	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	264	15.7	0.44	8.4	0.24	127	5.4	0.22	2.9	0.12
Bladder	145	8.8	0.33	4.4	0.17	68	2.9	0.16	1.5	0.09
Kidney & renal pelvis	111	6.4	0.27	3.7	0.16	54	2.3	0.14	1.3	0.09
Brain & Other CNS[1]	117	6.5	0.27	4.3	0.18	89	4.0	0.19	2.8	0.14
Endocrine System	20	1.2	0.12	0.7	0.07	20	0.8	0.09	0.5	0.06
Thyroid gland	11	0.7	0.09	0.4	0.05	13	0.6	0.07	0.3	0.04
Lymphomas	158	9.4	0.34	5.2	0.19	140	6.0	0.23	3.3	0.14
Hodgkin Lymphoma	7	0.4	0.07	0.3	0.05	6	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	151	9.0	0.33	5.0	0.19	134	5.7	0.22	3.1	0.13
Multiple Myeloma	99	5.8	0.27	3.2	0.15	89	3.8	0.18	2.1	0.10
Leukemias	165	10.0	0.35	5.6	0.20	129	5.5	0.22	3.1	0.14
Other, Ill-defined & Unknown	348	20.3	0.49	11.6	0.29	298	13.0	0.34	7.6	0.22

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Minnesota, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,168	207.1	1.30	114.7	0.73	4,680	151.6	1.00	87.4	0.61
Oral Cavity & Pharynx	109	4.2	0.18	2.5	0.11	48	1.5	0.10	0.9	0.06
Digestive System	1,432	56.5	0.67	32.5	0.39	1,079	34.8	0.48	19.7	0.29
Esophagus	236	9.1	0.27	5.4	0.16	52	1.7	0.10	0.9	0.06
Stomach	87	3.5	0.17	2.0	0.10	59	1.9	0.11	1.1	0.07
Colon & Rectum	413	16.7	0.37	9.3	0.21	388	12.3	0.28	6.8	0.17
Liver	179	6.8	0.23	4.1	0.14	63	2.1	0.12	1.2	0.07
Pancreas	374	14.8	0.34	8.4	0.20	348	11.3	0.27	6.3	0.16
Respiratory System	1,259	49.6	0.63	28.0	0.36	1,144	37.4	0.50	21.5	0.30
Larynx	40	1.6	0.11	0.9	0.06	11	0.4	0.05	0.2	0.03
Lung & bronchus	1,205	47.5	0.62	26.8	0.35	1,127	36.9	0.50	21.2	0.29
Skin	123	5.0	0.20	2.7	0.11	73	2.4	0.13	1.4	0.08
Melanomas of the skin	85	3.4	0.17	1.9	0.10	56	1.9	0.11	1.1	0.07
Breast	7	0.3	0.05	0.2	0.03	631	20.8	0.38	12.5	0.24
Female Genital System	-	-	-	-	-	494	16.3	0.33	9.7	0.21
Cervix uteri	-	-	-	-	-	42	1.5	0.10	1.1	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	169	5.5	0.19	3.2	0.12
Ovary	-	-	-	-	-	221	7.3	0.22	4.3	0.14
Male Genital System	557	23.6	0.45	11.1	0.22	-	-	-	-	-
Prostate	545	23.1	0.45	10.8	0.21	-	-	-	-	-
Testis	6	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	367	15.0	0.35	7.8	0.19	163	5.0	0.18	2.7	0.10
Bladder	198	8.3	0.27	4.0	0.13	67	2.0	0.11	1.0	0.06
Kidney & renal pelvis	161	6.4	0.23	3.6	0.13	91	2.8	0.14	1.6	0.08
Brain & Other CNS[1]	180	6.9	0.23	4.7	0.16	127	4.4	0.18	3.0	0.13
Endocrine System	24	0.9	0.09	0.6	0.06	26	0.9	0.08	0.6	0.05
Thyroid gland	15	0.6	0.07	0.3	0.04	19	0.6	0.06	0.3	0.04
Lymphomas	231	9.5	0.28	5.1	0.15	164	5.1	0.18	2.7	0.10
Hodgkin Lymphoma	11	0.5	0.06	0.3	0.04	8	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	220	9.0	0.27	4.8	0.15	157	4.9	0.18	2.5	0.10
Multiple Myeloma	119	4.8	0.20	2.6	0.11	101	3.2	0.14	1.7	0.08
Leukemias	262	10.6	0.30	5.9	0.17	181	5.7	0.19	3.2	0.12
Other, Ill-defined & Unknown	496	20.1	0.41	11.1	0.23	449	14.1	0.30	7.9	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Mississippi, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,579	280.2	2.14	161.3	1.22	2,946	179.5	1.49	107.6	0.94
Oral Cavity & Pharynx	94	7.0	0.33	4.4	0.20	27	1.7	0.15	1.0	0.09
Digestive System	986	75.8	1.10	45.1	0.65	718	43.6	0.73	25.5	0.45
Esophagus	100	7.5	0.34	4.6	0.21	27	1.7	0.15	1.0	0.09
Stomach	69	5.3	0.29	3.2	0.18	50	3.1	0.20	1.8	0.12
Colon & Rectum	344	26.8	0.66	15.8	0.39	285	17.4	0.46	10.2	0.29
Liver	178	13.4	0.46	8.1	0.28	81	4.9	0.25	2.8	0.15
Pancreas	238	18.4	0.55	10.8	0.32	215	12.9	0.39	7.4	0.23
Respiratory System	1,162	89.1	1.19	51.6	0.68	769	46.3	0.75	27.4	0.46
Larynx	33	2.6	0.21	1.5	0.12	8	0.5	0.08	0.3	0.05
Lung & bronchus	1,122	86.0	1.17	49.8	0.67	758	45.6	0.75	27.0	0.46
Skin	77	6.3	0.33	3.5	0.18	31	1.9	0.15	1.1	0.10
Melanomas of the skin	49	4.0	0.26	2.3	0.15	24	1.5	0.14	0.9	0.09
Breast	7	0.5	0.09	0.3	0.05	441	27.5	0.59	17.1	0.39
Female Genital System	-	-	-	-	-	287	17.7	0.47	11.1	0.31
Cervix uteri	-	-	-	-	-	58	3.8	0.22	2.6	0.17
Corpus & uterus, NOS[1]	-	-	-	-	-	86	5.2	0.25	3.2	0.16
Ovary	-	-	-	-	-	120	7.3	0.30	4.5	0.19
Male Genital System	340	29.2	0.73	14.5	0.35	-	-	-	-	-
Prostate	334	28.7	0.72	14.2	0.35	-	-	-	-	-
Testis	2	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	190	15.5	0.52	8.4	0.28	100	6.0	0.27	3.3	0.16
Bladder	85	7.3	0.36	3.7	0.18	39	2.3	0.17	1.2	0.09
Kidney & renal pelvis	99	7.7	0.35	4.5	0.21	56	3.4	0.20	1.9	0.12
Brain & Other CNS[1]	94	7.1	0.33	4.6	0.22	81	5.0	0.25	3.3	0.18
Endocrine System	9	0.7	0.11	0.4	0.07	15	0.9	0.11	0.6	0.07
Thyroid gland	5	0.4	0.08	0.3	0.05	10	0.6	0.09	0.3	0.05
Lymphomas	104	8.4	0.38	4.7	0.21	76	4.6	0.23	2.6	0.14
Hodgkin Lymphoma	7	0.5	0.09	0.3	0.06	3	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	97	7.9	0.37	4.4	0.20	73	4.4	0.23	2.5	0.14
Multiple Myeloma	72	5.7	0.31	3.2	0.17	61	3.6	0.21	2.0	0.12
Leukemias	127	10.1	0.41	5.9	0.24	96	5.8	0.27	3.5	0.17
Other, Ill-defined & Unknown	319	24.9	0.64	14.6	0.37	244	14.9	0.43	9.0	0.28

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Missouri, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,874	242.0	1.32	137.7	0.76	6,074	170.5	0.99	100.6	0.62
Oral Cavity & Pharynx	153	5.3	0.19	3.2	0.12	66	1.8	0.10	1.1	0.06
Digestive System	1,864	65.2	0.68	38.1	0.40	1,317	36.5	0.46	21.0	0.28
Esophagus	287	9.9	0.26	5.9	0.16	70	1.9	0.11	1.1	0.06
Stomach	113	4.0	0.17	2.3	0.10	63	1.8	0.10	1.1	0.07
Colon & Rectum	588	21.0	0.39	12.0	0.23	506	14.0	0.28	7.9	0.17
Liver	276	9.4	0.25	5.7	0.16	103	2.8	0.13	1.6	0.08
Pancreas	466	16.2	0.34	9.4	0.20	408	11.3	0.25	6.4	0.15
Respiratory System	2,130	73.5	0.72	42.3	0.42	1,742	48.8	0.53	28.7	0.32
Larynx	73	2.5	0.13	1.5	0.08	17	0.5	0.05	0.3	0.03
Lung & bronchus	2,045	70.5	0.70	40.6	0.41	1,717	48.1	0.52	28.3	0.32
Skin	184	6.6	0.22	3.8	0.13	85	2.4	0.12	1.4	0.08
Melanomas of the skin	131	4.6	0.18	2.7	0.11	61	1.8	0.10	1.1	0.07
Breast	9	0.3	0.05	0.2	0.03	860	24.7	0.38	15.1	0.25
Female Genital System	-	-	-	-	-	600	17.3	0.32	10.7	0.21
Cervix uteri	-	-	-	-	-	85	2.7	0.13	2.0	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	206	5.8	0.18	3.5	0.12
Ovary	-	-	-	-	-	257	7.3	0.21	4.4	0.13
Male Genital System	570	21.2	0.40	10.4	0.20	-	-	-	-	-
Prostate	554	20.6	0.39	10.0	0.19	-	-	-	-	-
Testis	8	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	465	16.8	0.35	9.0	0.19	218	5.9	0.18	3.2	0.10
Bladder	238	8.8	0.26	4.4	0.13	90	2.4	0.11	1.2	0.06
Kidney & renal pelvis	215	7.5	0.23	4.3	0.14	118	3.2	0.14	1.9	0.08
Brain & Other CNS[1]	183	6.3	0.21	4.2	0.15	140	4.1	0.16	2.8	0.11
Endocrine System	30	1.0	0.09	0.7	0.06	29	0.8	0.07	0.5	0.05
Thyroid gland	18	0.6	0.07	0.4	0.04	20	0.5	0.06	0.3	0.03
Lymphomas	247	8.8	0.25	4.9	0.14	186	5.0	0.17	2.7	0.10
Hodgkin Lymphoma	12	0.4	0.06	0.3	0.04	9	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	235	8.4	0.25	4.6	0.14	177	4.7	0.16	2.6	0.09
Multiple Myeloma	140	5.1	0.19	2.7	0.10	108	2.9	0.13	1.6	0.07
Leukemias	293	10.6	0.28	5.9	0.16	214	5.9	0.18	3.5	0.12
Other, Ill-defined & Unknown	603	21.4	0.39	12.2	0.23	509	14.2	0.28	8.3	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Montana, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,123	205.3	2.79	114.7	1.59	959	154.9	2.27	89.8	1.40
Oral Cavity & Pharynx	24	4.3	0.40	2.6	0.25	11	1.8	0.25	1.0	0.15
Digestive System	311	56.1	1.45	32.8	0.86	212	34.0	1.06	19.1	0.63
Esophagus	53	9.4	0.58	5.7	0.36	12	1.9	0.25	1.1	0.15
Stomach	17	3.2	0.35	1.8	0.21	10	1.7	0.25	1.0	0.16
Colon & Rectum	101	18.9	0.86	10.8	0.50	78	12.5	0.64	7.0	0.39
Liver	42	7.1	0.50	4.4	0.31	13	2.1	0.27	1.2	0.16
Pancreas	74	13.2	0.70	7.6	0.40	70	11.1	0.60	6.2	0.35
Respiratory System	258	46.3	1.31	25.7	0.73	257	40.9	1.15	23.4	0.68
Larynx	7	1.3	0.22	0.7	0.12	-	-	-	-	-
Lung & bronchus	247	44.4	1.28	24.6	0.72	255	40.5	1.15	23.1	0.68
Skin	35	6.3	0.48	3.7	0.30	14	2.4	0.29	1.5	0.19
Melanomas of the skin	24	4.4	0.41	2.7	0.26	11	1.8	0.26	1.2	0.17
Breast	-	-	-	-	-	135	22.3	0.88	13.2	0.55
Female Genital System	-	-	-	-	-	91	15.1	0.72	9.1	0.46
Cervix uteri	-	-	-	-	-	9	1.7	0.26	1.3	0.21
Corpus & uterus, NOS[1]	-	-	-	-	-	29	4.6	0.39	2.7	0.24
Ovary	-	-	-	-	-	47	7.8	0.52	4.6	0.32
Male Genital System	137	26.3	1.02	12.7	0.49	-	-	-	-	-
Prostate	134	25.7	1.01	12.2	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	82	15.2	0.76	7.9	0.40	33	5.2	0.41	2.9	0.24
Bladder	46	8.7	0.58	4.3	0.29	14	2.2	0.27	1.2	0.15
Kidney & renal pelvis	34	6.0	0.48	3.4	0.27	17	2.8	0.30	1.6	0.19
Brain & Other CNS[1]	38	7.0	0.51	4.6	0.36	27	4.6	0.41	3.2	0.31
Endocrine System	5	0.8	0.18	0.6	0.12	4	0.6	0.15	0.4	0.12
Thyroid gland	4	0.7	0.16	0.4	0.10	2	0.3	0.11	0.2	0.07
Lymphomas	46	8.5	0.57	4.6	0.32	31	4.9	0.40	2.6	0.22
Hodgkin Lymphoma	2	0.4	0.13	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	44	8.1	0.55	4.4	0.30	-	-	-	-	-
Multiple Myeloma	25	4.6	0.42	2.5	0.23	17	2.7	0.30	1.4	0.16
Leukemias	46	8.4	0.56	4.7	0.32	33	5.2	0.41	2.9	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	93	15.2	0.72	9.0	0.46

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nebraska, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,840	216.0	2.26	121.5	1.30	1,653	156.6	1.75	91.6	1.10
Oral Cavity & Pharynx	37	4.3	0.32	2.6	0.20	20	1.9	0.19	1.1	0.11
Digestive System	511	59.6	1.19	34.6	0.70	381	35.5	0.83	20.1	0.50
Esophagus	84	9.7	0.48	5.7	0.28	18	1.7	0.18	1.0	0.11
Stomach	32	3.8	0.30	2.3	0.18	16	1.6	0.18	1.0	0.12
Colon & Rectum	173	20.4	0.70	11.6	0.41	159	14.5	0.52	8.0	0.31
Liver	51	5.8	0.37	3.5	0.22	19	1.9	0.19	1.1	0.12
Pancreas	132	15.4	0.60	8.9	0.36	118	11.1	0.47	6.3	0.28
Respiratory System	477	55.5	1.14	31.5	0.66	403	39.0	0.88	22.9	0.54
Larynx	17	2.0	0.21	1.1	0.12	5	0.5	0.11	0.3	0.07
Lung & bronchus	457	53.2	1.12	30.2	0.64	395	38.1	0.87	22.3	0.53
Skin	58	6.8	0.41	3.8	0.23	25	2.3	0.21	1.4	0.14
Melanomas of the skin	38	4.5	0.33	2.6	0.19	18	1.7	0.18	1.0	0.12
Breast	2	0.3	0.08	0.1	0.05	239	22.9	0.68	13.7	0.44
Female Genital System	-	-	-	-	-	182	17.9	0.60	10.9	0.39
Cervix uteri	-	-	-	-	-	25	2.7	0.24	1.9	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	59	5.7	0.34	3.4	0.21
Ovary	-	-	-	-	-	81	7.9	0.40	4.7	0.25
Male Genital System	178	21.7	0.73	10.4	0.36	-	-	-	-	-
Prostate	173	21.1	0.72	10.0	0.35	-	-	-	-	-
Testis	2	0.3	0.08	0.2	0.07	-	-	-	-	-
Urinary System	136	16.1	0.62	8.5	0.34	62	5.5	0.32	3.0	0.18
Bladder	65	7.9	0.44	3.8	0.22	28	2.3	0.20	1.2	0.11
Kidney & renal pelvis	68	7.8	0.43	4.5	0.25	32	2.9	0.24	1.6	0.14
Brain & Other CNS[1]	64	7.2	0.41	4.8	0.28	44	4.4	0.30	3.1	0.23
Endocrine System	9	1.0	0.15	0.7	0.11	8	0.7	0.12	0.5	0.08
Thyroid gland	5	0.6	0.12	0.3	0.07	4	0.4	0.09	0.2	0.05
Lymphomas	75	8.9	0.46	4.9	0.26	55	4.9	0.30	2.7	0.18
Hodgkin Lymphoma	4	0.5	0.11	0.3	0.07	2	0.2	0.07	0.1	0.04
Non-Hodgkin Lymphoma	71	8.4	0.45	4.6	0.25	53	4.7	0.30	2.5	0.17
Multiple Myeloma	42	5.0	0.35	2.6	0.19	28	2.6	0.22	1.4	0.13
Leukemias	92	10.8	0.50	6.1	0.29	65	5.8	0.33	3.3	0.21
Other, Ill-defined & Unknown	160	18.8	0.67	10.7	0.39	141	13.1	0.50	7.6	0.32

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nevada, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,756	210.3	1.84	118.2	1.02	2,388	163.7	1.51	94.4	0.89
Oral Cavity & Pharynx	68	5.0	0.28	3.0	0.16	22	1.5	0.14	0.9	0.08
Digestive System	818	61.1	0.98	35.5	0.56	557	38.3	0.73	21.6	0.42
Esophagus	114	8.2	0.35	4.9	0.21	25	1.7	0.15	1.0	0.09
Stomach	51	3.9	0.25	2.2	0.14	34	2.4	0.18	1.4	0.11
Colon & Rectum	288	22.2	0.60	12.6	0.34	226	15.7	0.47	8.8	0.27
Liver	129	9.4	0.38	5.7	0.23	56	3.8	0.23	2.2	0.13
Pancreas	191	14.1	0.47	8.2	0.27	162	11.0	0.39	6.1	0.22
Respiratory System	695	52.0	0.91	29.0	0.49	641	43.2	0.77	24.2	0.44
Larynx	21	1.5	0.15	0.9	0.09	6	0.4	0.07	0.2	0.04
Lung & bronchus	669	50.0	0.89	27.8	0.48	634	42.7	0.77	23.9	0.43
Skin	88	6.8	0.33	3.9	0.19	32	2.3	0.18	1.3	0.10
Melanomas of the skin	61	4.7	0.27	2.7	0.16	22	1.6	0.15	0.9	0.09
Breast	6	0.5	0.10	0.3	0.05	365	25.5	0.60	15.4	0.37
Female Genital System	-	-	-	-	-	257	17.6	0.50	11.0	0.32
Cervix uteri	-	-	-	-	-	42	3.0	0.21	2.1	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	72	4.9	0.26	3.0	0.16
Ovary	-	-	-	-	-	126	8.6	0.35	5.2	0.21
Male Genital System	273	22.8	0.64	11.2	0.31	-	-	-	-	-
Prostate	264	22.1	0.63	10.7	0.30	-	-	-	-	-
Testis	5	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	197	15.7	0.52	8.3	0.27	87	6.0	0.29	3.2	0.16
Bladder	120	9.8	0.41	4.9	0.20	43	3.0	0.21	1.5	0.11
Kidney & renal pelvis	74	5.6	0.30	3.3	0.17	42	2.9	0.20	1.6	0.11
Brain & Other CNS[1]	87	6.2	0.30	4.1	0.20	68	4.6	0.25	3.0	0.17
Endocrine System	13	1.0	0.12	0.7	0.08	12	0.8	0.11	0.5	0.06
Thyroid gland	9	0.6	0.10	0.4	0.06	9	0.6	0.09	0.3	0.05
Lymphomas	102	7.8	0.36	4.5	0.20	62	4.3	0.25	2.3	0.14
Hodgkin Lymphoma	5	0.3	0.07	0.2	0.04	4	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	97	7.5	0.35	4.3	0.20	59	4.0	0.24	2.2	0.13
Multiple Myeloma	54	4.1	0.26	2.2	0.14	34	2.4	0.19	1.3	0.10
Leukemias	115	8.9	0.38	5.2	0.22	74	5.2	0.27	3.0	0.16
Other, Ill-defined & Unknown	239	18.3	0.55	10.4	0.31	176	12.1	0.41	6.9	0.24

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Hampshire, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,447	214.0	2.56	119.3	1.44	1,317	160.0	2.00	93.2	1.23
Oral Cavity & Pharynx	33	4.7	0.37	2.8	0.22	12	1.4	0.19	0.8	0.11
Digestive System	403	58.1	1.32	33.9	0.77	273	32.9	0.90	18.6	0.54
Esophagus	80	11.4	0.58	6.6	0.34	19	2.3	0.24	1.4	0.15
Stomach	22	3.3	0.32	2.0	0.19	12	1.4	0.19	0.8	0.12
Colon & Rectum	113	16.9	0.72	9.6	0.42	106	12.8	0.56	7.2	0.34
Liver	52	7.2	0.45	4.4	0.28	13	1.6	0.20	0.9	0.13
Pancreas	100	14.1	0.64	8.2	0.38	88	10.5	0.51	5.8	0.29
Respiratory System	388	56.0	1.29	31.8	0.73	366	44.5	1.05	25.9	0.63
Larynx	11	1.6	0.22	0.9	0.12	2	0.3	0.08	0.2	0.05
Lung & bronchus	374	53.9	1.27	30.6	0.72	363	44.1	1.04	25.7	0.63
Skin	42	6.4	0.45	3.6	0.26	25	3.0	0.27	1.7	0.17
Melanomas of the skin	29	4.5	0.38	2.6	0.23	18	2.1	0.23	1.3	0.15
Breast	-	-	-	-	-	175	21.6	0.74	13.2	0.48
Female Genital System	-	-	-	-	-	146	17.9	0.67	10.7	0.42
Cervix uteri	-	-	-	-	-	12	1.6	0.20	1.0	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	52	6.3	0.39	3.7	0.24
Ovary	-	-	-	-	-	69	8.5	0.46	5.1	0.29
Male Genital System	139	22.1	0.85	10.5	0.40	-	-	-	-	-
Prostate	136	21.7	0.85	10.3	0.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	104	16.1	0.72	8.2	0.37	46	5.5	0.36	3.0	0.21
Bladder	66	10.5	0.59	5.0	0.28	23	2.7	0.25	1.4	0.14
Kidney & renal pelvis	37	5.4	0.40	3.1	0.23	21	2.5	0.25	1.4	0.15
Brain & Other CNS[1]	47	6.8	0.45	4.4	0.30	36	4.6	0.35	3.3	0.27
Endocrine System	6	0.9	0.16	0.5	0.11	5	0.6	0.12	0.3	0.07
Thyroid gland	4	0.6	0.14	0.3	0.08	3	0.4	0.10	0.2	0.06
Lymphomas	51	7.8	0.49	4.1	0.26	44	5.3	0.36	2.8	0.20
Hodgkin Lymphoma	2	0.4	0.11	0.2	0.06	2	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	49	7.4	0.48	3.9	0.26	41	5.0	0.35	2.6	0.19
Multiple Myeloma	29	4.5	0.38	2.3	0.20	20	2.5	0.25	1.4	0.14
Leukemias	59	8.9	0.53	5.1	0.31	41	4.8	0.34	2.7	0.21
Other, Ill-defined & Unknown	-	-	-	-	-	129	15.5	0.62	8.8	0.39

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Jersey, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	8,038	202.3	1.02	112.7	0.57	8,264	155.7	0.78	90.2	0.48
Oral Cavity & Pharynx	159	3.9	0.14	2.3	0.08	67	1.3	0.07	0.7	0.04
Digestive System	2,438	60.5	0.55	34.7	0.32	1,996	37.0	0.38	20.8	0.22
Esophagus	305	7.5	0.19	4.4	0.11	85	1.6	0.08	0.9	0.05
Stomach	216	5.4	0.17	3.1	0.10	144	2.7	0.10	1.6	0.07
Colon & Rectum	773	19.4	0.31	11.0	0.18	744	13.6	0.23	7.5	0.14
Liver	348	8.5	0.20	5.0	0.12	127	2.4	0.10	1.3	0.06
Pancreas	601	14.9	0.27	8.5	0.16	646	12.0	0.21	6.7	0.13
Respiratory System	1,919	47.9	0.49	26.9	0.28	1,896	35.8	0.37	20.4	0.22
Larynx	73	1.8	0.09	1.0	0.06	22	0.4	0.04	0.3	0.03
Lung & bronchus	1,833	45.8	0.48	25.7	0.27	1,865	35.2	0.37	20.0	0.22
Skin	202	5.1	0.16	2.8	0.09	114	2.1	0.09	1.2	0.05
Melanomas of the skin	143	3.6	0.14	2.0	0.08	84	1.6	0.08	0.9	0.05
Breast	18	0.4	0.05	0.3	0.03	1,274	24.6	0.31	14.9	0.20
Female Genital System	-	-	-	-	-	953	18.5	0.27	11.2	0.17
Cervix uteri	-	-	-	-	-	117	2.4	0.10	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	366	7.0	0.17	4.2	0.10
Ovary	-	-	-	-	-	402	7.8	0.18	4.7	0.11
Male Genital System	794	20.9	0.33	10.1	0.16	-	-	-	-	-
Prostate	776	20.5	0.33	9.8	0.16	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	579	14.9	0.28	7.8	0.15	290	5.2	0.14	2.8	0.08
Bladder	348	9.1	0.22	4.5	0.11	159	2.8	0.10	1.4	0.05
Kidney & renal pelvis	218	5.4	0.17	3.1	0.10	122	2.2	0.09	1.3	0.06
Brain & Other CNS[1]	249	6.0	0.17	4.0	0.12	201	4.0	0.13	2.7	0.09
Endocrine System	41	1.0	0.07	0.7	0.05	43	0.8	0.06	0.5	0.04
Thyroid gland	25	0.6	0.06	0.4	0.03	29	0.5	0.05	0.3	0.03
Lymphomas	336	8.6	0.21	4.8	0.12	264	4.8	0.13	2.7	0.08
Hodgkin Lymphoma	16	0.4	0.04	0.3	0.03	11	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	320	8.2	0.21	4.5	0.12	253	4.6	0.13	2.5	0.08
Multiple Myeloma	172	4.4	0.15	2.4	0.08	159	2.9	0.11	1.6	0.06
Leukemias	361	9.2	0.22	5.2	0.13	285	5.2	0.14	3.0	0.09
Other, Ill-defined & Unknown	772	19.5	0.32	11.0	0.18	721	13.4	0.23	7.8	0.14

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Mexico, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,918	194.6	2.01	109.8	1.15	1,666	141.6	1.57	83.2	0.98
Oral Cavity & Pharynx	45	4.5	0.30	2.7	0.18	16	1.4	0.15	0.8	0.09
Digestive System	627	62.8	1.14	37.2	0.68	417	35.3	0.78	20.4	0.48
Esophagus	76	7.4	0.39	4.4	0.23	11	0.9	0.13	0.5	0.08
Stomach	52	5.4	0.34	3.1	0.20	36	3.1	0.23	1.8	0.15
Colon & Rectum	187	19.2	0.64	11.2	0.38	147	12.7	0.48	7.5	0.30
Liver	130	12.9	0.51	7.9	0.31	51	4.3	0.27	2.5	0.16
Pancreas	135	13.2	0.52	7.7	0.30	115	9.5	0.40	5.3	0.23
Respiratory System	398	39.4	0.90	22.0	0.50	330	27.4	0.68	15.5	0.40
Larynx	18	1.8	0.19	1.0	0.11	4	0.3	0.08	0.2	0.05
Lung & bronchus	375	37.2	0.87	20.7	0.48	323	26.8	0.67	15.2	0.39
Skin	58	6.0	0.36	3.4	0.20	24	2.1	0.19	1.2	0.12
Melanomas of the skin	39	4.0	0.29	2.3	0.17	17	1.5	0.17	0.9	0.11
Breast	4	0.4	0.09	0.2	0.05	269	23.4	0.65	14.1	0.41
Female Genital System	-	-	-	-	-	208	18.1	0.57	11.4	0.38
Cervix uteri	-	-	-	-	-	25	2.5	0.23	1.9	0.18
Corpus & uterus, NOS[1]	-	-	-	-	-	60	5.0	0.30	3.1	0.19
Ovary	-	-	-	-	-	106	9.1	0.40	5.6	0.25
Male Genital System	217	23.3	0.72	11.3	0.35	-	-	-	-	-
Prostate	209	22.5	0.70	10.6	0.33	-	-	-	-	-
Testis	5	0.5	0.10	0.5	0.10	-	-	-	-	-
Urinary System	136	14.2	0.55	7.6	0.30	62	5.2	0.30	2.9	0.18
Bladder	67	7.1	0.39	3.5	0.19	28	2.4	0.20	1.3	0.12
Kidney & renal pelvis	65	6.7	0.37	3.9	0.23	33	2.8	0.22	1.6	0.13
Brain & Other CNS[1]	53	5.3	0.33	3.4	0.22	43	3.8	0.26	2.5	0.18
Endocrine System	12	1.2	0.16	0.8	0.11	12	1.0	0.14	0.6	0.09
Thyroid gland	8	0.8	0.13	0.4	0.07	8	0.7	0.11	0.4	0.07
Lymphomas	72	7.4	0.39	4.1	0.22	60	4.9	0.28	2.7	0.16
Hodgkin Lymphoma	5	0.5	0.10	0.3	0.07	4	0.3	0.07	0.2	0.04
Non-Hodgkin Lymphoma	67	6.9	0.38	3.8	0.21	56	4.5	0.27	2.5	0.16
Multiple Myeloma	43	4.4	0.30	2.4	0.17	32	2.7	0.21	1.5	0.13
Leukemias	74	7.6	0.40	4.4	0.24	51	4.3	0.27	2.6	0.18
Other, Ill-defined & Unknown	180	18.1	0.61	10.4	0.36	142	12.1	0.46	7.0	0.28

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New York, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	17,542	199.9	0.68	112.5	0.39	17,514	150.2	0.51	87.9	0.32
Oral Cavity & Pharynx	363	4.1	0.10	2.4	0.06	161	1.4	0.05	0.8	0.03
Digestive System	5,270	59.4	0.37	34.5	0.22	4,237	35.8	0.25	20.4	0.15
Esophagus	674	7.5	0.13	4.4	0.08	196	1.7	0.05	1.0	0.03
Stomach	491	5.6	0.11	3.3	0.07	335	2.9	0.07	1.7	0.05
Colon & Rectum	1,529	17.5	0.20	10.0	0.12	1,524	12.8	0.15	7.2	0.09
Liver	771	8.5	0.14	5.1	0.08	269	2.3	0.06	1.3	0.04
Pancreas	1,333	15.0	0.19	8.6	0.11	1,364	11.5	0.14	6.4	0.08
Respiratory System	4,412	49.9	0.34	28.3	0.19	4,026	34.6	0.25	19.9	0.15
Larynx	177	2.0	0.07	1.1	0.04	48	0.4	0.03	0.3	0.02
Lung & bronchus	4,204	47.5	0.33	26.9	0.19	3,956	34.0	0.24	19.6	0.15
Skin	399	4.6	0.10	2.5	0.06	214	1.8	0.06	1.0	0.03
Melanomas of the skin	263	3.0	0.08	1.7	0.05	154	1.3	0.05	0.8	0.03
Breast	29	0.3	0.03	0.2	0.02	2,548	22.5	0.20	13.8	0.13
Female Genital System	-	-	-	-	-	2,136	18.8	0.18	11.5	0.12
Cervix uteri	-	-	-	-	-	259	2.4	0.07	1.7	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	822	7.2	0.11	4.3	0.07
Ovary	-	-	-	-	-	906	8.0	0.12	4.9	0.08
Male Genital System	1,790	21.2	0.22	10.4	0.11	-	-	-	-	-
Prostate	1,748	20.7	0.22	10.1	0.11	-	-	-	-	-
Testis	19	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	1,189	13.8	0.18	7.2	0.10	586	4.7	0.09	2.5	0.05
Bladder	708	8.4	0.14	4.1	0.07	319	2.5	0.06	1.3	0.03
Kidney & renal pelvis	454	5.1	0.11	2.9	0.06	249	2.1	0.06	1.2	0.04
Brain & Other CNS[1]	502	5.5	0.11	3.7	0.08	408	3.7	0.08	2.5	0.06
Endocrine System	77	0.9	0.04	0.5	0.03	106	0.9	0.04	0.6	0.03
Thyroid gland	51	0.6	0.04	0.3	0.02	72	0.6	0.03	0.3	0.02
Lymphomas	727	8.4	0.14	4.7	0.08	582	4.8	0.09	2.7	0.05
Hodgkin Lymphoma	37	0.4	0.03	0.3	0.02	30	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	690	8.0	0.14	4.4	0.08	552	4.6	0.09	2.5	0.05
Multiple Myeloma	376	4.3	0.10	2.4	0.06	349	2.9	0.07	1.6	0.04
Leukemias	791	9.1	0.15	5.2	0.09	630	5.3	0.10	3.1	0.06
Other, Ill-defined & Unknown	1,616	18.4	0.21	10.5	0.12	1,532	12.8	0.15	7.4	0.09

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Carolina, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	10,327	233.5	1.05	132.6	0.59	9,139	159.9	0.75	94.2	0.47
Oral Cavity & Pharynx	232	5.0	0.15	3.0	0.09	95	1.7	0.08	1.0	0.05
Digestive System	2,785	61.6	0.53	36.4	0.31	2,061	36.0	0.36	20.8	0.22
Esophagus	347	7.5	0.18	4.5	0.11	83	1.5	0.07	0.9	0.04
Stomach	207	4.6	0.15	2.7	0.09	135	2.4	0.09	1.4	0.06
Colon & Rectum	834	18.9	0.30	11.0	0.17	754	13.2	0.22	7.6	0.13
Liver	458	9.8	0.21	6.0	0.13	153	2.7	0.10	1.6	0.06
Pancreas	694	15.3	0.26	8.9	0.15	643	11.1	0.20	6.3	0.12
Respiratory System	3,185	70.2	0.57	40.3	0.32	2,412	41.8	0.38	24.5	0.23
Larynx	102	2.2	0.10	1.3	0.06	33	0.6	0.05	0.4	0.03
Lung & bronchus	3,057	67.4	0.55	38.6	0.31	2,368	41.0	0.38	24.0	0.23
Skin	266	6.3	0.18	3.4	0.10	138	2.4	0.09	1.4	0.06
Melanomas of the skin	170	4.0	0.14	2.2	0.08	102	1.8	0.08	1.1	0.05
Breast	16	0.3	0.04	0.2	0.02	1,376	24.7	0.30	15.2	0.19
Female Genital System	-	-	-	-	-	949	16.7	0.24	10.2	0.16
Cervix uteri	-	-	-	-	-	121	2.3	0.09	1.6	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	329	5.7	0.14	3.4	0.09
Ovary	-	-	-	-	-	410	7.2	0.16	4.3	0.10
Male Genital System	953	23.7	0.35	11.5	0.17	-	-	-	-	-
Prostate	931	23.2	0.35	11.2	0.16	-	-	-	-	-
Testis	9	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	666	15.6	0.28	8.4	0.15	308	5.3	0.14	2.9	0.08
Bladder	354	8.6	0.21	4.3	0.10	143	2.4	0.09	1.3	0.05
Kidney & renal pelvis	293	6.6	0.18	3.8	0.10	154	2.6	0.10	1.5	0.06
Brain & Other CNS[1]	275	6.0	0.16	4.0	0.11	222	4.0	0.12	2.6	0.08
Endocrine System	43	0.9	0.07	0.6	0.04	48	0.8	0.05	0.5	0.04
Thyroid gland	27	0.6	0.05	0.3	0.03	34	0.6	0.05	0.3	0.03
Lymphomas	362	8.4	0.20	4.7	0.11	272	4.7	0.13	2.6	0.07
Hodgkin Lymphoma	19	0.4	0.04	0.3	0.03	14	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	343	8.0	0.20	4.4	0.11	258	4.4	0.12	2.4	0.07
Multiple Myeloma	230	5.3	0.16	2.9	0.09	209	3.6	0.11	2.0	0.06
Leukemias	409	9.5	0.21	5.4	0.12	301	5.2	0.13	3.0	0.08
Other, Ill-defined & Unknown	905	20.7	0.31	11.8	0.18	747	13.0	0.21	7.5	0.13

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
North Dakota, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	693	204.2	3.49	114.6	2.01	602	148.3	2.78	86.9	1.74
Oral Cavity & Pharynx	12	3.3	0.44	2.0	0.27	5	1.3	0.26	0.7	0.16
Digestive System	192	56.4	1.83	32.9	1.10	138	32.8	1.28	18.5	0.79
Esophagus	31	9.0	0.72	5.4	0.44	6	1.6	0.29	0.9	0.18
Stomach	13	3.8	0.48	2.3	0.30	8	1.8	0.31	1.1	0.21
Colon & Rectum	63	18.9	1.07	10.8	0.63	51	11.9	0.77	6.6	0.47
Liver	19	5.5	0.57	3.5	0.36	7	1.7	0.29	1.0	0.19
Pancreas	51	14.8	0.93	8.6	0.55	43	10.2	0.71	5.7	0.42
Respiratory System	173	51.0	1.74	29.0	1.00	139	35.3	1.36	20.7	0.83
Larynx	5	1.4	0.29	0.9	0.18	-	-	-	-	-
Lung & bronchus	168	49.5	1.72	28.0	0.99	137	34.6	1.35	20.3	0.82
Skin	17	4.8	0.53	2.8	0.32	-	-	-	-	-
Melanomas of the skin	12	3.6	0.46	2.2	0.29	5	1.3	0.26	0.8	0.18
Breast	-	-	-	-	-	82	21.2	1.08	13.1	0.72
Female Genital System	-	-	-	-	-	57	14.8	0.90	9.0	0.57
Cervix uteri	-	-	-	-	-	5	1.5	0.30	1.0	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	20	5.2	0.52	3.1	0.33
Ovary	-	-	-	-	-	26	6.7	0.60	4.0	0.38
Male Genital System	77	22.9	1.17	10.9	0.58	-	-	-	-	-
Prostate	75	22.5	1.16	10.6	0.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	47	13.9	0.91	7.5	0.50	21	4.9	0.50	2.8	0.30
Bladder	24	7.3	0.66	3.6	0.34	7	1.7	0.28	0.8	0.15
Kidney & renal pelvis	21	6.2	0.61	3.7	0.37	12	3.0	0.40	1.8	0.25
Brain & Other CNS[1]	20	5.8	0.59	3.9	0.40	16	4.3	0.49	2.9	0.35
Endocrine System	5	1.4	0.29	0.9	0.19	4	1.0	0.23	0.6	0.16
Thyroid gland	3	1.0	0.25	0.5	0.14	2	0.6	0.17	0.3	0.10
Lymphomas	29	8.7	0.73	4.6	0.40	25	5.6	0.52	3.0	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	4.9	0.55	2.6	0.29	14	3.5	0.42	1.9	0.24
Leukemias	35	10.5	0.79	5.9	0.46	26	5.9	0.53	3.3	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ohio, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	13,367	244.7	0.96	139.2	0.55	12,062	173.5	0.72	102.4	0.45
Oral Cavity & Pharynx	298	5.3	0.14	3.2	0.09	119	1.7	0.07	1.0	0.05
Digestive System	3,637	65.9	0.49	38.4	0.29	2,789	39.6	0.34	22.7	0.21
Esophagus	595	10.6	0.20	6.3	0.12	145	2.1	0.08	1.2	0.05
Stomach	221	4.1	0.12	2.3	0.07	153	2.2	0.08	1.3	0.05
Colon & Rectum	1,143	21.2	0.28	12.1	0.16	1,070	15.2	0.21	8.7	0.13
Liver	476	8.3	0.17	5.0	0.10	179	2.5	0.09	1.5	0.05
Pancreas	902	16.3	0.24	9.4	0.14	887	12.5	0.19	7.1	0.11
Respiratory System	4,032	72.4	0.51	41.9	0.30	3,183	46.0	0.37	27.1	0.23
Larynx	140	2.5	0.10	1.5	0.06	44	0.7	0.04	0.4	0.03
Lung & bronchus	3,861	69.4	0.50	40.1	0.29	3,122	45.1	0.36	26.6	0.22
Skin	350	6.5	0.16	3.8	0.09	171	2.5	0.09	1.5	0.06
Melanomas of the skin	247	4.6	0.13	2.7	0.08	131	2.0	0.08	1.2	0.05
Breast	19	0.4	0.04	0.2	0.02	1,746	25.8	0.28	15.8	0.18
Female Genital System	-	-	-	-	-	1,250	18.4	0.24	11.3	0.15
Cervix uteri	-	-	-	-	-	157	2.6	0.09	1.9	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	439	6.3	0.14	3.8	0.08
Ovary	-	-	-	-	-	552	8.0	0.15	4.8	0.10
Male Genital System	1,200	23.1	0.30	11.4	0.15	-	-	-	-	-
Prostate	1,164	22.5	0.30	11.0	0.15	-	-	-	-	-
Testis	16	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	913	17.1	0.26	9.1	0.14	438	6.0	0.13	3.3	0.08
Bladder	528	10.1	0.20	5.1	0.10	213	2.9	0.09	1.5	0.05
Kidney & renal pelvis	363	6.6	0.16	3.8	0.09	208	2.9	0.09	1.7	0.06
Brain & Other CNS[1]	373	6.6	0.16	4.5	0.11	288	4.4	0.12	2.9	0.08
Endocrine System	53	1.0	0.06	0.6	0.04	56	0.8	0.05	0.5	0.03
Thyroid gland	29	0.5	0.05	0.3	0.03	38	0.5	0.04	0.3	0.02
Lymphomas	515	9.7	0.19	5.4	0.11	405	5.6	0.13	3.1	0.07
Hodgkin Lymphoma	25	0.5	0.04	0.3	0.03	16	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	490	9.2	0.19	5.1	0.10	389	5.3	0.12	2.9	0.07
Multiple Myeloma	288	5.3	0.14	2.9	0.08	229	3.2	0.10	1.7	0.05
Leukemias	553	10.4	0.20	5.8	0.12	407	5.7	0.13	3.3	0.08
Other, Ill-defined & Unknown	1,137	21.0	0.28	12.0	0.16	982	14.0	0.20	8.2	0.13

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oklahoma, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,431	256.3	1.74	147.5	1.01	3,761	178.7	1.32	106.7	0.83
Oral Cavity & Pharynx	99	5.7	0.26	3.4	0.16	38	1.8	0.13	1.0	0.08
Digestive System	1,199	68.7	0.90	40.9	0.54	827	39.2	0.62	22.9	0.38
Esophagus	159	8.9	0.32	5.5	0.20	32	1.5	0.12	0.9	0.07
Stomach	77	4.5	0.23	2.7	0.14	47	2.3	0.15	1.4	0.10
Colon & Rectum	417	24.3	0.54	14.3	0.32	337	16.2	0.40	9.5	0.25
Liver	204	11.4	0.36	7.1	0.22	87	4.0	0.20	2.4	0.12
Pancreas	267	15.2	0.42	8.9	0.25	242	11.3	0.33	6.5	0.20
Respiratory System	1,353	76.7	0.94	44.5	0.55	1,038	48.8	0.68	28.9	0.42
Larynx	41	2.3	0.16	1.4	0.10	11	0.5	0.07	0.3	0.05
Lung & bronchus	1,301	73.8	0.92	42.7	0.54	1,022	48.1	0.68	28.5	0.41
Skin	137	8.0	0.31	4.6	0.18	55	2.6	0.16	1.5	0.10
Melanomas of the skin	84	4.9	0.24	2.9	0.15	39	1.9	0.14	1.1	0.09
Breast	6	0.3	0.06	0.2	0.04	551	26.7	0.51	16.3	0.33
Female Genital System	-	-	-	-	-	387	19.0	0.44	12.0	0.29
Cervix uteri	-	-	-	-	-	68	3.6	0.20	2.7	0.15
Corpus & uterus, NOS[1]	-	-	-	-	-	117	5.6	0.24	3.4	0.15
Ovary	-	-	-	-	-	179	8.6	0.29	5.2	0.18
Male Genital System	390	24.1	0.55	11.9	0.27	-	-	-	-	-
Prostate	379	23.4	0.55	11.4	0.26	-	-	-	-	-
Testis	6	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	302	18.0	0.47	9.7	0.25	141	6.6	0.25	3.6	0.15
Bladder	153	9.4	0.34	4.8	0.17	59	2.7	0.16	1.5	0.09
Kidney & renal pelvis	142	8.2	0.31	4.7	0.18	76	3.6	0.18	2.0	0.11
Brain & Other CNS[1]	122	6.9	0.28	4.6	0.20	100	4.8	0.22	3.2	0.15
Endocrine System	16	0.9	0.10	0.6	0.07	18	0.9	0.09	0.5	0.06
Thyroid gland	10	0.6	0.08	0.3	0.05	12	0.6	0.07	0.3	0.04
Lymphomas	164	9.7	0.34	5.4	0.19	125	5.8	0.23	3.3	0.14
Hodgkin Lymphoma	8	0.4	0.07	0.3	0.05	8	0.4	0.06	0.2	0.04
Non-Hodgkin Lymphoma	156	9.2	0.33	5.1	0.19	118	5.4	0.23	3.0	0.13
Multiple Myeloma	78	4.6	0.23	2.5	0.13	70	3.2	0.17	1.8	0.10
Leukemias	196	11.5	0.37	6.5	0.21	136	6.4	0.25	3.8	0.16
Other, Ill-defined & Unknown	370	21.3	0.50	12.5	0.30	274	13.0	0.35	7.7	0.22

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Oregon, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,230	215.1	1.50	120.1	0.85	3,825	161.9	1.19	93.8	0.73
Oral Cavity & Pharynx	104	5.1	0.23	3.0	0.14	48	2.0	0.13	1.1	0.08
Digestive System	1,261	63.0	0.81	36.6	0.47	889	37.6	0.57	21.4	0.34
Esophagus	192	9.5	0.31	5.6	0.18	45	1.9	0.13	1.1	0.08
Stomach	75	3.8	0.20	2.3	0.12	44	1.9	0.13	1.2	0.09
Colon & Rectum	339	17.5	0.43	9.9	0.25	305	12.9	0.33	7.1	0.20
Liver	211	10.0	0.31	6.1	0.19	69	2.9	0.16	1.7	0.10
Pancreas	326	16.2	0.41	9.3	0.24	287	12.0	0.32	6.8	0.19
Respiratory System	1,008	50.2	0.72	28.2	0.40	947	39.7	0.58	22.5	0.34
Larynx	30	1.4	0.12	0.8	0.07	6	0.3	0.05	0.2	0.03
Lung & bronchus	966	48.2	0.70	27.0	0.39	935	39.2	0.58	22.2	0.34
Skin	120	6.2	0.26	3.5	0.15	62	2.7	0.15	1.6	0.10
Melanomas of the skin	79	4.1	0.21	2.3	0.12	45	2.0	0.13	1.2	0.09
Breast	7	0.4	0.06	0.2	0.03	541	23.4	0.46	14.2	0.29
Female Genital System	-	-	-	-	-	453	19.6	0.42	11.9	0.27
Cervix uteri	-	-	-	-	-	50	2.4	0.15	1.7	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	137	5.8	0.23	3.5	0.14
Ovary	-	-	-	-	-	229	9.8	0.29	5.9	0.18
Male Genital System	461	24.8	0.52	12.0	0.25	-	-	-	-	-
Prostate	450	24.3	0.52	11.6	0.25	-	-	-	-	-
Testis	6	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	310	16.2	0.42	8.5	0.22	141	5.8	0.22	3.1	0.13
Bladder	171	9.2	0.32	4.5	0.16	66	2.7	0.15	1.4	0.08
Kidney & renal pelvis	125	6.4	0.26	3.6	0.15	68	2.9	0.16	1.6	0.10
Brain & Other CNS[1]	145	7.1	0.27	4.8	0.19	100	4.4	0.20	3.0	0.14
Endocrine System	24	1.2	0.11	0.7	0.07	21	0.9	0.09	0.5	0.06
Thyroid gland	17	0.9	0.09	0.5	0.06	15	0.6	0.07	0.4	0.04
Lymphomas	175	9.0	0.31	4.9	0.17	139	5.7	0.22	3.0	0.12
Hodgkin Lymphoma	9	0.4	0.06	0.3	0.04	6	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	166	8.6	0.30	4.7	0.17	133	5.5	0.22	2.9	0.12
Multiple Myeloma	96	5.0	0.23	2.6	0.12	75	3.1	0.16	1.7	0.09
Leukemias	180	9.4	0.32	5.2	0.18	124	5.2	0.21	3.0	0.14
Other, Ill-defined & Unknown	341	17.5	0.43	9.9	0.25	286	11.9	0.32	6.7	0.20

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Pennsylvania, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	14,786	231.4	0.86	130.0	0.49	13,671	165.1	0.65	96.6	0.41
Oral Cavity & Pharynx	291	4.5	0.12	2.7	0.07	124	1.5	0.06	0.8	0.04
Digestive System	4,238	65.9	0.46	38.2	0.27	3,211	38.0	0.31	21.6	0.19
Esophagus	638	9.8	0.17	5.8	0.10	162	1.9	0.07	1.1	0.04
Stomach	270	4.3	0.12	2.5	0.07	173	2.1	0.07	1.2	0.05
Colon & Rectum	1,296	20.5	0.26	11.7	0.15	1,226	14.3	0.19	8.1	0.12
Liver	598	9.1	0.17	5.5	0.10	204	2.4	0.08	1.4	0.05
Pancreas	1,097	17.0	0.23	9.8	0.14	1,035	12.3	0.17	6.9	0.10
Respiratory System	4,019	62.0	0.44	35.2	0.25	3,349	40.7	0.32	23.7	0.19
Larynx	141	2.2	0.08	1.2	0.05	38	0.5	0.04	0.3	0.02
Lung & bronchus	3,845	59.4	0.43	33.7	0.25	3,294	40.0	0.32	23.3	0.19
Skin	368	5.8	0.14	3.3	0.08	199	2.4	0.08	1.4	0.05
Melanomas of the skin	260	4.1	0.12	2.4	0.07	151	1.9	0.07	1.2	0.05
Breast	24	0.4	0.03	0.2	0.02	1,980	24.7	0.25	15.0	0.17
Female Genital System	-	-	-	-	-	1,513	19.0	0.22	11.6	0.15
Cervix uteri	-	-	-	-	-	165	2.4	0.08	1.7	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	553	6.8	0.13	4.1	0.08
Ovary	-	-	-	-	-	669	8.3	0.15	5.0	0.09
Male Genital System	1,378	22.2	0.27	10.8	0.13	-	-	-	-	-
Prostate	1,345	21.6	0.27	10.4	0.13	-	-	-	-	-
Testis	15	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	1,014	16.1	0.23	8.5	0.12	487	5.5	0.11	3.0	0.07
Bladder	596	9.6	0.18	4.7	0.09	250	2.7	0.08	1.4	0.04
Kidney & renal pelvis	390	6.1	0.14	3.5	0.08	222	2.6	0.08	1.5	0.05
Brain & Other CNS[1]	423	6.6	0.14	4.4	0.10	313	4.1	0.11	2.8	0.08
Endocrine System	58	0.9	0.05	0.6	0.04	66	0.8	0.05	0.5	0.03
Thyroid gland	41	0.7	0.05	0.4	0.03	46	0.5	0.04	0.3	0.02
Lymphomas	586	9.3	0.17	5.1	0.10	475	5.4	0.11	3.0	0.07
Hodgkin Lymphoma	25	0.4	0.04	0.3	0.02	17	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	561	8.9	0.17	4.9	0.10	458	5.2	0.11	2.8	0.07
Multiple Myeloma	305	4.8	0.12	2.6	0.07	259	3.0	0.09	1.7	0.05
Leukemias	651	10.3	0.18	5.7	0.11	470	5.5	0.12	3.2	0.08
Other, Ill-defined & Unknown	1,430	22.5	0.27	12.6	0.16	1,224	14.5	0.19	8.4	0.12

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Rhode Island, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,124	226.0	3.04	125.5	1.73	1,070	160.1	2.24	93.1	1.40
Oral Cavity & Pharynx	16	3.2	0.35	1.9	0.22	9	1.2	0.18	0.6	0.11
Digestive System	315	62.7	1.59	36.1	0.93	244	36.3	1.06	20.7	0.65
Esophagus	45	8.9	0.59	5.3	0.36	14	2.0	0.25	1.1	0.15
Stomach	22	4.4	0.42	2.4	0.24	18	2.7	0.29	1.5	0.18
Colon & Rectum	86	17.3	0.84	9.7	0.48	85	12.4	0.62	6.9	0.38
Liver	52	10.0	0.62	6.1	0.39	17	2.6	0.29	1.6	0.19
Pancreas	82	16.4	0.81	9.3	0.47	77	11.5	0.60	6.5	0.35
Respiratory System	308	61.1	1.57	34.4	0.90	292	44.3	1.18	25.6	0.71
Larynx	10	1.9	0.28	1.1	0.16	3	0.5	0.12	0.3	0.08
Lung & bronchus	296	58.7	1.54	33.0	0.88	288	43.7	1.17	25.3	0.70
Skin	28	5.9	0.50	3.2	0.28	19	2.7	0.28	1.5	0.17
Melanomas of the skin	19	3.9	0.41	2.1	0.23	13	1.9	0.25	1.1	0.15
Breast	4	0.8	0.18	0.4	0.10	133	20.7	0.82	12.8	0.55
Female Genital System	-	-	-	-	-	112	17.3	0.75	10.5	0.48
Cervix uteri	-	-	-	-	-	10	1.7	0.25	1.2	0.19
Corpus & uterus, NOS[1]	-	-	-	-	-	40	5.9	0.43	3.5	0.26
Ovary	-	-	-	-	-	50	7.7	0.50	4.7	0.32
Male Genital System	104	21.8	0.96	10.3	0.47	-	-	-	-	-
Prostate	101	21.2	0.95	9.9	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	80	16.3	0.82	8.3	0.43	40	5.7	0.41	3.0	0.24
Bladder	50	10.2	0.65	4.9	0.32	21	2.8	0.28	1.4	0.16
Kidney & renal pelvis	29	5.7	0.48	3.2	0.28	18	2.6	0.28	1.4	0.17
Brain & Other CNS[1]	36	7.1	0.54	4.6	0.36	28	4.5	0.39	2.9	0.27
Endocrine System	4	0.9	0.19	0.5	0.11	4	0.7	0.15	0.4	0.11
Thyroid gland	2	0.5	0.14	0.3	0.09	3	0.5	0.12	0.3	0.08
Lymphomas	41	8.3	0.58	4.6	0.34	35	4.9	0.38	2.6	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	19	3.7	0.39	2.1	0.22	20	2.8	0.29	1.5	0.16
Leukemias	55	11.3	0.69	6.2	0.40	34	4.8	0.38	2.8	0.26
Other, Ill-defined & Unknown	114	23.0	0.97	12.9	0.56	100	14.3	0.66	8.1	0.41

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Carolina, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,545	241.7	1.49	137.8	0.84	4,646	161.5	1.07	95.7	0.67
Oral Cavity & Pharynx	138	5.9	0.23	3.6	0.14	51	1.8	0.11	1.1	0.07
Digestive System	1,532	65.5	0.77	38.8	0.45	1,069	37.2	0.51	21.5	0.31
Esophagus	197	8.2	0.27	5.0	0.16	50	1.7	0.11	1.0	0.07
Stomach	130	5.6	0.22	3.4	0.14	70	2.5	0.14	1.5	0.08
Colon & Rectum	462	20.2	0.43	11.9	0.25	387	13.6	0.31	7.9	0.19
Liver	249	10.4	0.30	6.3	0.18	83	2.9	0.14	1.7	0.09
Pancreas	374	15.9	0.38	9.3	0.22	342	11.7	0.29	6.7	0.17
Respiratory System	1,660	69.9	0.79	40.4	0.45	1,163	39.5	0.52	23.2	0.32
Larynx	69	2.9	0.16	1.7	0.09	13	0.5	0.06	0.3	0.04
Lung & bronchus	1,578	66.5	0.77	38.3	0.44	1,144	38.9	0.52	22.9	0.31
Skin	140	6.3	0.25	3.5	0.14	66	2.3	0.13	1.4	0.08
Melanomas of the skin	83	3.7	0.19	2.1	0.11	47	1.7	0.11	1.0	0.07
Breast	7	0.3	0.05	0.2	0.03	715	25.6	0.43	15.8	0.28
Female Genital System	-	-	-	-	-	479	16.8	0.35	10.4	0.23
Cervix uteri	-	-	-	-	-	72	2.8	0.15	2.0	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	170	5.8	0.20	3.5	0.13
Ovary	-	-	-	-	-	199	6.9	0.22	4.1	0.14
Male Genital System	531	25.5	0.51	12.4	0.24	-	-	-	-	-
Prostate	521	25.1	0.51	12.1	0.24	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	331	15.0	0.38	8.1	0.20	158	5.5	0.20	2.9	0.11
Bladder	165	7.9	0.28	3.9	0.14	74	2.6	0.13	1.3	0.07
Kidney & renal pelvis	157	6.8	0.25	4.0	0.15	77	2.6	0.13	1.5	0.08
Brain & Other CNS[1]	156	6.6	0.24	4.3	0.16	128	4.5	0.18	3.0	0.13
Endocrine System	23	1.0	0.10	0.6	0.06	20	0.7	0.07	0.5	0.05
Thyroid gland	15	0.6	0.08	0.4	0.04	13	0.5	0.06	0.2	0.03
Lymphomas	173	7.7	0.27	4.4	0.15	148	5.1	0.19	2.7	0.11
Hodgkin Lymphoma	9	0.4	0.06	0.3	0.04	7	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	164	7.4	0.26	4.1	0.15	141	4.8	0.18	2.6	0.10
Multiple Myeloma	125	5.6	0.23	3.0	0.12	116	4.0	0.17	2.2	0.09
Leukemias	220	10.0	0.31	5.6	0.17	157	5.5	0.20	3.2	0.13
Other, Ill-defined & Unknown	510	22.3	0.46	12.9	0.26	376	13.1	0.30	7.7	0.19

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
South Dakota, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	912	222.6	3.32	123.4	1.89	763	155.3	2.57	90.7	1.61
Oral Cavity & Pharynx	17	4.1	0.45	2.5	0.28	6	1.2	0.23	0.8	0.16
Digestive System	262	63.0	1.76	36.5	1.04	186	36.6	1.23	20.5	0.75
Esophagus	40	9.4	0.67	5.6	0.40	8	1.7	0.26	1.0	0.16
Stomach	13	3.0	0.38	1.8	0.23	10	2.0	0.30	1.2	0.20
Colon & Rectum	92	22.7	1.06	12.7	0.62	77	14.9	0.78	8.2	0.47
Liver	31	7.4	0.60	4.5	0.37	9	1.6	0.25	0.9	0.15
Pancreas	62	14.7	0.85	8.6	0.50	58	11.4	0.69	6.3	0.41
Respiratory System	239	57.6	1.68	31.8	0.94	192	39.9	1.31	23.5	0.80
Larynx	5	1.1	0.23	0.7	0.13	-	-	-	-	-
Lung & bronchus	232	55.8	1.65	30.8	0.92	190	39.6	1.30	23.3	0.79
Skin	26	6.6	0.58	3.6	0.33	11	2.4	0.33	1.4	0.21
Melanomas of the skin	18	4.7	0.49	2.7	0.30	8	1.9	0.30	1.1	0.19
Breast	-	-	-	-	-	106	22.3	0.99	13.5	0.65
Female Genital System	-	-	-	-	-	79	16.9	0.87	10.4	0.57
Cervix uteri	-	-	-	-	-	8	2.0	0.32	1.4	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	24	5.0	0.47	3.0	0.30
Ovary	-	-	-	-	-	40	8.7	0.62	5.3	0.40
Male Genital System	89	22.6	1.08	10.9	0.53	-	-	-	-	-
Prostate	87	22.0	1.06	10.5	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	62	15.4	0.88	8.2	0.48	27	5.3	0.46	2.8	0.27
Bladder	30	7.5	0.62	3.7	0.32	12	2.1	0.29	1.1	0.16
Kidney & renal pelvis	30	7.3	0.60	4.1	0.35	14	2.8	0.34	1.6	0.21
Brain & Other CNS[1]	32	7.7	0.61	5.1	0.42	21	4.8	0.47	3.1	0.33
Endocrine System	4	1.0	0.22	0.7	0.16	5	1.1	0.22	0.8	0.16
Thyroid gland	2	0.6	0.16	0.3	0.09	4	0.7	0.18	0.4	0.11
Lymphomas	35	8.7	0.66	4.6	0.36	24	4.6	0.43	2.5	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	23	5.8	0.54	2.9	0.28	15	3.0	0.35	1.6	0.20
Leukemias	40	9.8	0.70	5.3	0.39	27	5.2	0.46	3.0	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	62	12.1	0.71	7.0	0.44

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Tennessee, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,694	258.1	1.35	148.2	0.77	6,562	174.9	0.97	104.2	0.61
Oral Cavity & Pharynx	168	5.5	0.19	3.4	0.12	70	1.9	0.10	1.1	0.06
Digestive System	2,012	66.1	0.67	39.3	0.40	1,415	37.7	0.45	21.9	0.27
Esophagus	277	8.9	0.24	5.4	0.15	58	1.5	0.09	0.9	0.06
Stomach	130	4.3	0.17	2.6	0.10	81	2.2	0.11	1.3	0.07
Colon & Rectum	638	21.5	0.39	12.6	0.23	557	14.9	0.28	8.6	0.17
Liver	343	10.9	0.27	6.7	0.16	117	3.1	0.13	1.8	0.08
Pancreas	477	15.5	0.32	9.1	0.19	439	11.6	0.25	6.7	0.15
Respiratory System	2,511	82.1	0.75	47.7	0.43	1,835	48.5	0.51	28.9	0.31
Larynx	88	2.8	0.14	1.7	0.08	20	0.5	0.05	0.3	0.03
Lung & bronchus	2,408	78.8	0.73	45.7	0.42	1,805	47.7	0.51	28.4	0.31
Skin	230	8.0	0.24	4.4	0.13	94	2.6	0.12	1.5	0.08
Melanomas of the skin	144	4.9	0.19	2.8	0.11	70	1.9	0.10	1.2	0.07
Breast	14	0.5	0.06	0.3	0.03	955	26.0	0.38	16.0	0.25
Female Genital System	-	-	-	-	-	685	18.5	0.32	11.5	0.21
Cervix uteri	-	-	-	-	-	108	3.1	0.14	2.3	0.10
Corpus & uterus, NOS[1]	-	-	-	-	-	199	5.3	0.17	3.2	0.11
Ovary	-	-	-	-	-	322	8.6	0.22	5.2	0.14
Male Genital System	634	23.5	0.43	11.6	0.21	-	-	-	-	-
Prostate	616	22.9	0.42	11.1	0.20	-	-	-	-	-
Testis	9	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	468	16.3	0.34	8.8	0.18	222	5.8	0.18	3.2	0.10
Bladder	248	9.0	0.26	4.6	0.13	91	2.4	0.11	1.2	0.06
Kidney & renal pelvis	209	6.9	0.22	4.1	0.13	122	3.2	0.13	1.8	0.08
Brain & Other CNS[1]	210	6.8	0.21	4.6	0.15	160	4.4	0.16	3.0	0.11
Endocrine System	28	0.9	0.08	0.6	0.05	27	0.7	0.06	0.5	0.04
Thyroid gland	16	0.6	0.06	0.3	0.04	17	0.5	0.05	0.3	0.03
Lymphomas	277	9.6	0.26	5.3	0.15	215	5.6	0.17	3.1	0.10
Hodgkin Lymphoma	14	0.5	0.06	0.3	0.04	9	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	263	9.1	0.26	5.0	0.14	206	5.4	0.17	2.9	0.10
Multiple Myeloma	165	5.7	0.20	3.1	0.11	124	3.2	0.13	1.8	0.07
Leukemias	297	10.3	0.27	5.8	0.15	215	5.6	0.17	3.3	0.11
Other, Ill-defined & Unknown	679	23.0	0.40	13.3	0.23	545	14.5	0.28	8.6	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Texas, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	21,400	212.0	0.66	120.4	0.37	18,539	148.1	0.49	87.4	0.30
Oral Cavity & Pharynx	506	4.7	0.10	2.9	0.06	186	1.5	0.05	0.9	0.03
Digestive System	6,712	64.4	0.36	37.9	0.21	4,612	36.9	0.24	21.3	0.14
Esophagus	718	6.8	0.12	4.0	0.07	165	1.3	0.05	0.8	0.03
Stomach	549	5.3	0.10	3.1	0.06	369	3.0	0.07	1.8	0.04
Colon & Rectum	2,125	20.7	0.20	12.1	0.12	1,644	13.2	0.15	7.6	0.09
Liver	1,367	12.6	0.15	7.7	0.09	503	4.0	0.08	2.3	0.05
Pancreas	1,425	13.9	0.17	8.0	0.10	1,328	10.6	0.13	6.0	0.08
Respiratory System	5,393	53.1	0.33	30.1	0.18	4,085	32.7	0.23	18.8	0.13
Larynx	207	2.0	0.06	1.2	0.04	44	0.4	0.02	0.2	0.01
Lung & bronchus	5,134	50.6	0.32	28.7	0.18	4,014	32.1	0.23	18.5	0.13
Skin	581	5.9	0.11	3.3	0.06	252	2.0	0.06	1.2	0.03
Melanomas of the skin	341	3.4	0.08	1.9	0.05	171	1.4	0.05	0.8	0.03
Breast	29	0.3	0.02	0.2	0.01	2,932	23.4	0.19	14.4	0.12
Female Genital System	-	-	-	-	-	2,123	16.9	0.16	10.6	0.11
Cervix uteri	-	-	-	-	-	411	3.3	0.07	2.4	0.05
Corpus & uterus, NOS[1]	-	-	-	-	-	650	5.2	0.09	3.2	0.06
Ovary	-	-	-	-	-	912	7.3	0.11	4.4	0.07
Male Genital System	1,920	21.1	0.22	10.4	0.11	-	-	-	-	-
Prostate	1,852	20.5	0.22	10.0	0.10	-	-	-	-	-
Testis	37	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	1,456	15.1	0.18	8.1	0.10	674	5.4	0.09	2.9	0.05
Bladder	684	7.5	0.13	3.7	0.06	259	2.1	0.06	1.1	0.03
Kidney & renal pelvis	735	7.2	0.12	4.2	0.07	392	3.1	0.07	1.8	0.04
Brain & Other CNS[1]	638	5.7	0.10	3.8	0.07	523	4.1	0.08	2.7	0.06
Endocrine System	103	1.0	0.04	0.6	0.03	115	0.9	0.04	0.6	0.02
Thyroid gland	62	0.6	0.04	0.3	0.02	74	0.6	0.03	0.3	0.02
Lymphomas	819	8.3	0.13	4.6	0.07	606	4.8	0.09	2.7	0.05
Hodgkin Lymphoma	53	0.5	0.03	0.3	0.02	33	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	766	7.8	0.13	4.3	0.07	573	4.6	0.09	2.5	0.05
Multiple Myeloma	459	4.7	0.10	2.6	0.05	370	3.0	0.07	1.6	0.04
Leukemias	938	9.5	0.14	5.4	0.08	646	5.1	0.09	3.0	0.06
Other, Ill-defined & Unknown	1,847	18.2	0.19	10.5	0.11	1,416	11.3	0.13	6.6	0.08

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Utah, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,677	169.2	1.88	93.7	1.03	1,459	126.1	1.48	72.9	0.88
Oral Cavity & Pharynx	32	3.1	0.25	1.9	0.15	14	1.3	0.15	0.7	0.09
Digestive System	478	47.0	0.97	27.2	0.56	345	30.0	0.72	17.1	0.42
Esophagus	61	5.9	0.34	3.5	0.20	11	1.0	0.13	0.5	0.07
Stomach	32	3.1	0.25	1.9	0.15	23	2.0	0.19	1.2	0.12
Colon & Rectum	147	14.7	0.55	8.4	0.31	129	11.2	0.44	6.4	0.26
Liver	68	6.5	0.36	3.9	0.21	25	2.2	0.20	1.3	0.12
Pancreas	131	12.9	0.51	7.4	0.29	109	9.5	0.41	5.3	0.23
Respiratory System	268	26.8	0.74	15.1	0.41	207	17.9	0.56	10.3	0.33
Larynx	8	0.8	0.13	0.5	0.07	3	0.2	0.06	0.1	0.04
Lung & bronchus	255	25.6	0.73	14.3	0.40	202	17.5	0.55	10.0	0.32
Skin	66	6.7	0.38	3.7	0.21	27	2.3	0.20	1.4	0.12
Melanomas of the skin	52	5.1	0.32	2.9	0.19	23	2.0	0.19	1.2	0.12
Breast	-	-	-	-	-	272	23.6	0.64	14.0	0.39
Female Genital System	-	-	-	-	-	186	16.1	0.53	9.5	0.32
Cervix uteri	-	-	-	-	-	19	1.6	0.17	1.1	0.12
Corpus & uterus, NOS[1]	-	-	-	-	-	58	5.1	0.30	2.9	0.17
Ovary	-	-	-	-	-	99	8.6	0.39	5.1	0.23
Male Genital System	219	24.1	0.74	11.3	0.35	-	-	-	-	-
Prostate	214	23.7	0.73	11.1	0.34	-	-	-	-	-
Testis	3	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	123	12.8	0.52	6.7	0.27	50	4.3	0.28	2.3	0.15
Bladder	61	6.7	0.39	3.2	0.19	18	1.5	0.16	0.8	0.09
Kidney & renal pelvis	59	5.9	0.35	3.3	0.20	30	2.6	0.21	1.4	0.12
Brain & Other CNS[1]	75	6.9	0.36	4.5	0.23	50	4.1	0.27	2.8	0.18
Endocrine System	12	1.2	0.16	0.7	0.09	9	0.7	0.11	0.4	0.07
Thyroid gland	10	1.0	0.15	0.5	0.08	7	0.6	0.10	0.3	0.06
Lymphomas	80	8.2	0.42	4.4	0.22	54	4.8	0.29	2.5	0.16
Hodgkin Lymphoma	3	0.2	0.07	0.1	0.04	3	0.2	0.07	0.2	0.04
Non-Hodgkin Lymphoma	77	7.9	0.41	4.2	0.22	52	4.5	0.28	2.4	0.15
Multiple Myeloma	42	4.3	0.30	2.3	0.16	33	2.9	0.22	1.5	0.12
Leukemias	95	9.5	0.45	5.3	0.25	69	5.8	0.32	3.4	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	144	12.3	0.46	7.0	0.27

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Vermont, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	738	226.7	3.80	126.4	2.15	653	164.0	2.91	94.5	1.78
Oral Cavity & Pharynx	17	4.7	0.53	2.9	0.33	8	2.1	0.33	1.2	0.19
Digestive System	196	58.9	1.92	34.0	1.12	149	37.0	1.38	20.7	0.82
Esophagus	35	10.4	0.80	6.1	0.47	8	2.0	0.32	1.2	0.19
Stomach	13	4.2	0.53	2.3	0.30	5	1.3	0.26	0.8	0.17
Colon & Rectum	59	18.4	1.09	10.6	0.65	63	15.9	0.91	8.8	0.55
Liver	24	6.7	0.63	4.2	0.39	6	1.5	0.27	0.8	0.16
Pancreas	48	14.5	0.95	8.1	0.53	45	11.1	0.74	6.2	0.43
Respiratory System	196	58.6	1.91	33.3	1.08	174	43.7	1.50	25.1	0.89
Larynx	6	1.8	0.34	1.0	0.20	-	-	-	-	-
Lung & bronchus	188	56.1	1.87	31.8	1.06	172	43.0	1.49	24.7	0.88
Skin	22	7.0	0.67	3.8	0.37	10	2.6	0.37	1.6	0.25
Melanomas of the skin	13	4.1	0.51	2.4	0.30	7	1.9	0.32	1.1	0.22
Breast	-	-	-	-	-	83	21.2	1.06	12.7	0.68
Female Genital System	-	-	-	-	-	70	17.6	0.96	10.6	0.61
Cervix uteri	-	-	-	-	-	4	1.1	0.27	0.9	0.22
Corpus & uterus, NOS[1]	-	-	-	-	-	25	6.2	0.57	3.8	0.36
Ovary	-	-	-	-	-	31	7.8	0.63	4.6	0.39
Male Genital System	71	23.3	1.26	11.2	0.61	-	-	-	-	-
Prostate	69	22.8	1.24	10.8	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	57	18.2	1.09	9.4	0.57	23	5.8	0.54	3.2	0.33
Bladder	32	10.5	0.84	5.2	0.42	13	3.3	0.41	1.7	0.23
Kidney & renal pelvis	23	6.9	0.66	3.9	0.37	9	2.3	0.34	1.3	0.23
Brain & Other CNS[1]	24	7.4	0.69	5.0	0.49	20	5.4	0.55	3.7	0.40
Endocrine System	5	1.4	0.30	0.9	0.20	4	1.0	0.22	0.6	0.16
Thyroid gland	3	0.9	0.22	0.5	0.13	2	0.6	0.17	0.3	0.10
Lymphomas	30	9.5	0.79	5.1	0.43	20	5.0	0.51	2.8	0.30
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	15	4.5	0.53	2.5	0.29	11	2.6	0.36	1.4	0.20
Leukemias	31	9.9	0.81	5.4	0.45	22	5.6	0.54	3.1	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	58	14.3	0.85	7.8	0.50

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Virginia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	7,882	221.0	1.13	123.8	0.63	7,105	156.8	0.84	91.3	0.51
Oral Cavity & Pharynx	170	4.5	0.16	2.7	0.09	71	1.6	0.08	0.9	0.05
Digestive System	2,246	61.4	0.59	35.8	0.34	1,631	35.9	0.40	20.4	0.24
Esophagus	294	7.9	0.21	4.7	0.12	80	1.8	0.09	1.0	0.05
Stomach	177	4.9	0.17	2.9	0.10	102	2.3	0.10	1.4	0.06
Colon & Rectum	697	19.4	0.33	11.2	0.19	602	13.2	0.24	7.4	0.14
Liver	337	8.9	0.22	5.4	0.13	119	2.6	0.11	1.5	0.07
Pancreas	563	15.5	0.30	8.9	0.17	512	11.2	0.22	6.3	0.13
Respiratory System	2,187	59.9	0.58	34.0	0.33	1,717	37.7	0.41	21.6	0.24
Larynx	78	2.1	0.11	1.2	0.06	17	0.4	0.04	0.2	0.03
Lung & bronchus	2,094	57.4	0.57	32.6	0.32	1,691	37.2	0.41	21.3	0.24
Skin	206	5.9	0.19	3.2	0.10	100	2.2	0.10	1.3	0.06
Melanomas of the skin	143	4.0	0.15	2.3	0.09	76	1.7	0.09	1.0	0.06
Breast	12	0.4	0.05	0.2	0.03	1,136	25.4	0.34	15.5	0.22
Female Genital System	-	-	-	-	-	770	17.1	0.28	10.4	0.18
Cervix uteri	-	-	-	-	-	90	2.1	0.10	1.5	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	257	5.7	0.16	3.4	0.10
Ovary	-	-	-	-	-	369	8.2	0.19	4.9	0.12
Male Genital System	762	23.5	0.39	11.3	0.18	-	-	-	-	-
Prostate	744	23.0	0.38	11.0	0.18	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	530	15.5	0.31	8.1	0.16	239	5.2	0.15	2.8	0.09
Bladder	298	9.1	0.24	4.4	0.12	113	2.4	0.10	1.3	0.06
Kidney & renal pelvis	218	6.0	0.18	3.5	0.11	117	2.5	0.11	1.4	0.06
Brain & Other CNS[1]	220	5.8	0.18	3.8	0.12	190	4.2	0.14	2.8	0.10
Endocrine System	36	1.0	0.07	0.7	0.05	35	0.8	0.06	0.5	0.04
Thyroid gland	19	0.5	0.06	0.3	0.03	24	0.5	0.05	0.3	0.03
Lymphomas	289	8.3	0.22	4.6	0.12	218	4.8	0.14	2.6	0.08
Hodgkin Lymphoma	10	0.3	0.04	0.2	0.03	12	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	278	8.0	0.22	4.4	0.12	206	4.5	0.14	2.4	0.08
Multiple Myeloma	178	5.1	0.17	2.8	0.09	140	3.1	0.12	1.7	0.07
Leukemias	306	8.8	0.23	4.9	0.13	241	5.3	0.15	3.1	0.10
Other, Ill-defined & Unknown	740	20.9	0.35	11.7	0.20	617	13.6	0.25	7.8	0.15

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Washington, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,615	209.1	1.17	116.1	0.65	5,973	155.6	0.91	89.7	0.55
Oral Cavity & Pharynx	169	5.1	0.18	3.0	0.11	72	1.9	0.10	1.1	0.06
Digestive System	1,949	59.9	0.62	34.6	0.36	1,387	36.0	0.44	20.3	0.26
Esophagus	293	9.0	0.24	5.2	0.14	74	1.9	0.10	1.1	0.06
Stomach	137	4.2	0.17	2.5	0.10	90	2.4	0.11	1.4	0.07
Colon & Rectum	534	16.8	0.33	9.6	0.19	465	12.1	0.25	6.6	0.15
Liver	319	9.3	0.24	5.6	0.14	108	2.8	0.12	1.6	0.07
Pancreas	471	14.5	0.30	8.3	0.17	436	11.3	0.24	6.3	0.14
Respiratory System	1,594	49.7	0.57	27.7	0.31	1,448	37.6	0.45	21.3	0.26
Larynx	51	1.6	0.10	0.9	0.06	10	0.3	0.04	0.1	0.02
Lung & bronchus	1,525	47.6	0.55	26.5	0.31	1,427	37.1	0.44	20.9	0.26
Skin	194	6.1	0.20	3.5	0.11	100	2.6	0.12	1.5	0.07
Melanomas of the skin	137	4.2	0.16	2.5	0.10	76	2.0	0.10	1.2	0.07
Breast	8	0.2	0.04	0.1	0.02	882	23.2	0.35	14.0	0.22
Female Genital System	-	-	-	-	-	664	17.5	0.31	10.5	0.19
Cervix uteri	-	-	-	-	-	67	1.9	0.10	1.3	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	204	5.3	0.17	3.1	0.10
Ovary	-	-	-	-	-	340	9.0	0.22	5.3	0.13
Male Genital System	703	24.1	0.41	11.6	0.20	-	-	-	-	-
Prostate	687	23.6	0.41	11.2	0.19	-	-	-	-	-
Testis	8	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	467	15.3	0.32	7.9	0.17	219	5.6	0.17	3.0	0.10
Bladder	258	8.7	0.25	4.3	0.12	109	2.8	0.12	1.4	0.06
Kidney & renal pelvis	195	6.1	0.20	3.4	0.11	101	2.6	0.12	1.5	0.07
Brain & Other CNS[1]	240	7.1	0.21	4.7	0.14	174	4.6	0.16	3.1	0.11
Endocrine System	32	1.0	0.08	0.6	0.05	37	1.0	0.07	0.6	0.05
Thyroid gland	22	0.7	0.06	0.4	0.04	24	0.6	0.06	0.4	0.03
Lymphomas	275	8.9	0.24	4.8	0.13	199	5.1	0.16	2.8	0.09
Hodgkin Lymphoma	13	0.4	0.05	0.3	0.03	9	0.2	0.04	0.2	0.02
Non-Hodgkin Lymphoma	263	8.5	0.24	4.6	0.13	190	4.9	0.16	2.6	0.09
Multiple Myeloma	141	4.5	0.17	2.4	0.09	110	2.9	0.12	1.6	0.07
Leukemias	290	9.4	0.25	5.2	0.14	207	5.3	0.17	3.1	0.11
Other, Ill-defined & Unknown	552	17.8	0.34	9.8	0.19	475	12.3	0.25	7.0	0.15

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Seattle/Puget Sound, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	4,338	204.1	1.41	113.0	0.78	3,972	151.7	1.09	87.2	0.65
Oral Cavity & Pharynx	107	4.8	0.21	2.8	0.12	47	1.8	0.12	1.0	0.07
Digestive System	1,297	59.1	0.75	34.2	0.43	918	34.9	0.52	19.6	0.30
Esophagus	186	8.5	0.28	4.9	0.16	48	1.8	0.12	1.0	0.07
Stomach	98	4.5	0.21	2.6	0.12	64	2.5	0.14	1.5	0.09
Colon & Rectum	360	16.8	0.40	9.6	0.23	296	11.2	0.30	6.2	0.17
Liver	214	9.2	0.29	5.6	0.17	71	2.7	0.14	1.5	0.08
Pancreas	306	14.1	0.37	8.0	0.21	296	11.2	0.29	6.3	0.17
Respiratory System	1,033	48.1	0.68	26.7	0.37	935	35.7	0.53	20.1	0.30
Larynx	31	1.4	0.11	0.8	0.06	8	0.3	0.05	0.2	0.03
Lung & bronchus	989	46.2	0.67	25.6	0.37	921	35.2	0.52	19.7	0.30
Skin	130	6.1	0.24	3.4	0.14	66	2.5	0.14	1.5	0.09
Melanomas of the skin	92	4.2	0.20	2.5	0.12	49	1.9	0.12	1.1	0.08
Breast	5	0.2	0.05	0.1	0.03	589	22.7	0.42	13.6	0.26
Female Genital System	-	-	-	-	-	463	17.8	0.37	10.7	0.23
Cervix uteri	-	-	-	-	-	44	1.8	0.12	1.2	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	144	5.5	0.21	3.2	0.12
Ovary	-	-	-	-	-	238	9.2	0.27	5.4	0.16
Male Genital System	462	23.6	0.50	11.4	0.24	-	-	-	-	-
Prostate	451	23.2	0.50	11.0	0.23	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	309	15.1	0.39	7.8	0.20	139	5.2	0.20	2.8	0.11
Bladder	172	8.7	0.30	4.2	0.15	73	2.7	0.14	1.4	0.08
Kidney & renal pelvis	127	5.9	0.24	3.3	0.13	60	2.3	0.13	1.3	0.08
Brain & Other CNS[1]	166	7.2	0.25	4.8	0.17	122	4.8	0.19	3.2	0.14
Endocrine System	20	0.9	0.09	0.6	0.06	27	1.0	0.09	0.6	0.06
Thyroid gland	13	0.6	0.07	0.3	0.04	18	0.7	0.08	0.4	0.04
Lymphomas	179	8.6	0.29	4.6	0.16	130	5.0	0.20	2.7	0.11
Hodgkin Lymphoma	7	0.3	0.05	0.2	0.03	4	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	171	8.3	0.29	4.4	0.15	126	4.8	0.19	2.6	0.11
Multiple Myeloma	92	4.4	0.21	2.4	0.11	74	2.8	0.15	1.5	0.08
Leukemias	186	9.0	0.30	5.0	0.17	140	5.3	0.20	3.1	0.13
Other, Ill-defined & Unknown	353	16.9	0.41	9.2	0.22	322	12.2	0.31	6.9	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
West Virginia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,544	259.5	2.34	149.5	1.37	2,199	187.2	1.82	111.5	1.15
Oral Cavity & Pharynx	55	5.7	0.35	3.5	0.22	21	1.8	0.18	1.0	0.11
Digestive System	652	66.0	1.18	39.5	0.71	491	41.3	0.85	23.7	0.52
Esophagus	116	11.5	0.48	7.0	0.30	24	2.1	0.19	1.3	0.13
Stomach	31	3.2	0.26	1.8	0.15	24	2.1	0.19	1.2	0.11
Colon & Rectum	229	23.7	0.71	13.9	0.43	213	17.8	0.55	10.1	0.34
Liver	93	9.2	0.43	5.6	0.27	38	3.2	0.23	1.9	0.14
Pancreas	142	14.2	0.54	8.5	0.33	135	11.3	0.44	6.6	0.27
Respiratory System	849	84.2	1.31	48.8	0.76	619	52.4	0.96	31.3	0.59
Larynx	37	3.7	0.27	2.2	0.17	9	0.8	0.12	0.5	0.08
Lung & bronchus	808	80.1	1.28	46.3	0.74	608	51.4	0.95	30.8	0.59
Skin	75	8.0	0.42	4.6	0.25	35	3.0	0.23	1.8	0.15
Melanomas of the skin	46	4.9	0.33	3.0	0.21	26	2.2	0.20	1.4	0.14
Breast	3	0.3	0.08	0.2	0.04	293	25.9	0.69	16.0	0.46
Female Genital System	-	-	-	-	-	217	19.0	0.59	11.9	0.39
Cervix uteri	-	-	-	-	-	30	3.1	0.25	2.2	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	67	5.7	0.31	3.4	0.20
Ovary	-	-	-	-	-	97	8.3	0.39	5.1	0.25
Male Genital System	187	20.4	0.68	9.9	0.33	-	-	-	-	-
Prostate	181	19.8	0.67	9.5	0.32	-	-	-	-	-
Testis	3	0.4	0.09	0.3	0.08	-	-	-	-	-
Urinary System	164	17.1	0.61	9.3	0.34	77	6.3	0.33	3.5	0.20
Bladder	89	9.5	0.46	4.9	0.23	36	2.9	0.21	1.5	0.12
Kidney & renal pelvis	71	7.2	0.39	4.3	0.23	39	3.3	0.24	2.0	0.15
Brain & Other CNS[1]	64	6.5	0.37	4.3	0.26	51	4.6	0.29	3.0	0.21
Endocrine System	7	0.8	0.13	0.6	0.11	9	0.7	0.11	0.4	0.07
Thyroid gland	4	0.4	0.10	0.2	0.06	6	0.5	0.09	0.3	0.05
Lymphomas	92	9.4	0.45	5.4	0.26	69	5.7	0.31	3.3	0.19
Hodgkin Lymphoma	4	0.4	0.10	0.3	0.07	4	0.4	0.08	0.3	0.07
Non-Hodgkin Lymphoma	87	9.0	0.44	5.1	0.25	65	5.3	0.30	3.0	0.18
Multiple Myeloma	46	4.8	0.32	2.6	0.18	39	3.1	0.23	1.8	0.13
Leukemias	100	10.4	0.48	6.0	0.28	83	6.9	0.35	4.0	0.22
Other, Ill-defined & Unknown	250	25.9	0.75	14.7	0.43	196	16.5	0.54	9.7	0.34

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wisconsin, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	6,065	220.8	1.28	122.4	0.72	5,353	158.3	0.98	91.8	0.61
Oral Cavity & Pharynx	131	4.6	0.18	2.8	0.11	56	1.7	0.10	1.0	0.06
Digestive System	1,674	60.2	0.66	34.4	0.38	1,227	35.8	0.46	20.2	0.28
Esophagus	277	9.8	0.27	5.8	0.16	70	2.1	0.11	1.2	0.07
Stomach	103	3.8	0.17	2.1	0.10	67	2.0	0.11	1.2	0.07
Colon & Rectum	483	17.8	0.37	9.9	0.21	439	12.7	0.28	7.0	0.17
Liver	200	7.0	0.22	4.1	0.13	68	2.0	0.11	1.2	0.07
Pancreas	447	15.9	0.34	9.1	0.20	403	11.7	0.26	6.6	0.16
Respiratory System	1,587	56.6	0.64	32.0	0.36	1,329	39.5	0.49	22.9	0.29
Larynx	59	2.1	0.12	1.2	0.07	13	0.4	0.05	0.2	0.03
Lung & bronchus	1,512	53.9	0.63	30.5	0.35	1,308	38.8	0.48	22.5	0.29
Skin	160	5.9	0.21	3.3	0.12	76	2.3	0.12	1.3	0.08
Melanomas of the skin	112	4.1	0.17	2.4	0.10	60	1.8	0.11	1.1	0.07
Breast	9	0.3	0.05	0.2	0.03	729	22.2	0.37	13.4	0.24
Female Genital System	-	-	-	-	-	577	17.4	0.33	10.5	0.21
Cervix uteri	-	-	-	-	-	55	1.8	0.11	1.3	0.08
Corpus & uterus, NOS[1]	-	-	-	-	-	205	6.1	0.19	3.6	0.12
Ovary	-	-	-	-	-	267	8.0	0.22	4.8	0.14
Male Genital System	632	24.5	0.44	11.5	0.21	-	-	-	-	-
Prostate	618	24.0	0.44	11.2	0.20	-	-	-	-	-
Testis	5	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	439	16.3	0.35	8.5	0.19	192	5.5	0.18	3.0	0.10
Bladder	234	9.0	0.26	4.3	0.13	86	2.4	0.12	1.2	0.06
Kidney & renal pelvis	191	6.8	0.22	3.9	0.13	98	2.9	0.13	1.7	0.08
Brain & Other CNS[1]	201	7.1	0.23	4.7	0.16	143	4.5	0.17	3.0	0.12
Endocrine System	28	1.0	0.09	0.6	0.06	32	0.9	0.08	0.6	0.06
Thyroid gland	19	0.7	0.07	0.4	0.04	22	0.6	0.06	0.4	0.04
Lymphomas	246	9.2	0.27	4.9	0.14	186	5.3	0.18	2.8	0.10
Hodgkin Lymphoma	15	0.6	0.07	0.3	0.04	9	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	232	8.7	0.26	4.6	0.14	178	5.0	0.17	2.7	0.10
Multiple Myeloma	123	4.5	0.18	2.4	0.10	108	3.1	0.14	1.7	0.08
Leukemias	277	10.2	0.28	5.7	0.16	208	6.0	0.19	3.4	0.12
Other, Ill-defined & Unknown	557	20.4	0.39	11.4	0.22	490	14.2	0.29	8.1	0.18

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Wyoming, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	515	189.0	3.81	106.4	2.15	437	143.6	3.10	83.5	1.89
Oral Cavity & Pharynx	11	4.1	0.56	2.4	0.32	5	1.6	0.33	0.9	0.20
Digestive System	153	54.4	2.01	32.0	1.18	92	30.2	1.42	17.1	0.84
Esophagus	23	8.2	0.77	4.9	0.46	5	1.4	0.30	0.8	0.17
Stomach	5	2.1	0.42	1.1	0.23	4	1.2	0.29	0.7	0.19
Colon & Rectum	45	16.5	1.12	9.6	0.66	35	11.7	0.89	6.5	0.51
Liver	26	8.6	0.76	5.3	0.46	5	1.7	0.33	1.0	0.20
Pancreas	41	14.5	1.04	8.6	0.61	30	9.7	0.80	5.4	0.46
Respiratory System	114	41.2	1.76	23.0	0.98	108	35.1	1.52	20.2	0.90
Larynx	4	1.5	0.33	0.9	0.20	-	-	-	-	-
Lung & bronchus	108	38.8	1.71	21.6	0.94	106	34.4	1.51	19.8	0.89
Skin	19	7.0	0.74	3.8	0.41	-	-	-	-	-
Melanomas of the skin	15	5.6	0.65	3.2	0.37	7	2.4	0.41	1.4	0.26
Breast	-	-	-	-	-	64	21.5	1.21	12.6	0.75
Female Genital System	-	-	-	-	-	48	16.0	1.05	9.9	0.68
Cervix uteri	-	-	-	-	-	5	2.1	0.40	1.6	0.31
Corpus & uterus, NOS[1]	-	-	-	-	-	15	4.8	0.57	2.9	0.35
Ovary	-	-	-	-	-	24	8.0	0.73	4.8	0.46
Male Genital System	51	20.2	1.29	9.8	0.62	-	-	-	-	-
Prostate	50	19.8	1.28	9.5	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	13.6	1.03	7.4	0.56	15	4.9	0.56	2.7	0.33
Bladder	19	7.3	0.76	3.7	0.38	6	1.8	0.34	0.9	0.18
Kidney & renal pelvis	17	6.2	0.69	3.6	0.40	9	3.0	0.44	1.8	0.27
Brain & Other CNS[1]	21	7.8	0.77	5.0	0.51	17	5.7	0.62	4.0	0.46
Endocrine System	3	1.0	0.27	0.7	0.20	2	0.6	0.20	0.3	0.11
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	8.1	0.80	4.5	0.45	15	4.8	0.56	2.5	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	10	3.9	0.56	1.9	0.28	6	1.8	0.34	1.0	0.19
Leukemias	24	8.8	0.82	5.0	0.47	18	5.9	0.62	3.2	0.36
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Puerto Rico, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	2,881	165.7	1.39	93.7	0.82	2,302	104.3	0.99	62.8	0.65
Oral Cavity & Pharynx	97	5.6	0.26	3.4	0.16	24	1.1	0.10	0.6	0.06
Digestive System	1,002	57.6	0.82	33.9	0.50	683	29.9	0.52	17.0	0.32
Esophagus	88	5.0	0.24	3.0	0.15	18	0.8	0.08	0.4	0.05
Stomach	110	6.3	0.27	3.6	0.16	78	3.5	0.18	2.0	0.11
Colon & Rectum	392	22.7	0.52	13.4	0.32	306	13.6	0.35	7.8	0.22
Liver	193	11.0	0.36	6.5	0.22	91	3.9	0.19	2.2	0.11
Pancreas	169	9.7	0.34	5.7	0.21	139	6.0	0.23	3.4	0.14
Respiratory System	405	22.8	0.51	13.2	0.30	219	9.6	0.29	5.4	0.18
Larynx	42	2.4	0.17	1.4	0.10	4	0.2	0.04	0.1	0.03
Lung & bronchus	355	20.0	0.48	11.5	0.28	211	9.2	0.29	5.2	0.17
Skin	45	2.7	0.18	1.3	0.09	24	1.0	0.09	0.5	0.05
Melanomas of the skin	15	0.9	0.10	0.5	0.06	8	0.4	0.06	0.2	0.04
Breast	8	0.4	0.07	0.3	0.04	435	20.8	0.46	13.3	0.31
Female Genital System	-	-	-	-	-	291	13.9	0.37	9.0	0.26
Cervix uteri	-	-	-	-	-	47	2.5	0.17	1.8	0.13
Corpus & uterus, NOS[1]	-	-	-	-	-	121	5.7	0.24	3.6	0.16
Ovary	-	-	-	-	-	104	4.9	0.22	3.1	0.15
Male Genital System	499	28.7	0.58	13.8	0.29	-	-	-	-	-
Prostate	482	27.7	0.57	13.1	0.27	-	-	-	-	-
Testis	6	0.4	0.07	0.4	0.07	-	-	-	-	-
Urinary System	136	7.9	0.31	4.2	0.17	69	2.9	0.16	1.6	0.09
Bladder	77	4.5	0.23	2.2	0.12	37	1.5	0.11	0.8	0.06
Kidney & renal pelvis	56	3.2	0.20	1.9	0.12	30	1.3	0.11	0.8	0.07
Brain & Other CNS[1]	55	3.2	0.20	2.2	0.14	56	2.6	0.16	1.7	0.12
Endocrine System	12	0.7	0.09	0.4	0.06	13	0.6	0.07	0.4	0.06
Thyroid gland	9	0.5	0.08	0.3	0.05	10	0.4	0.06	0.2	0.04
Lymphomas	102	5.9	0.27	3.7	0.17	72	3.2	0.17	2.0	0.12
Hodgkin Lymphoma	12	0.7	0.09	0.5	0.07	8	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	90	5.2	0.25	3.2	0.16	64	2.8	0.16	1.7	0.11
Multiple Myeloma	66	3.7	0.21	2.1	0.12	65	2.8	0.16	1.6	0.09
Leukemias	102	5.8	0.26	3.4	0.16	85	3.8	0.19	2.4	0.14
Other, Ill-defined & Unknown	353	20.4	0.49	11.9	0.30	269	12.1	0.34	7.4	0.22

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Alberta, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	3,461	217.6	1.68	119.0	0.91	3,043	160.4	1.31	92.2	0.78
Oral Cavity & Pharynx	77	4.5	0.23	2.7	0.14	39	2.0	0.15	1.2	0.09
Digestive System	1,077	65.9	0.91	37.1	0.51	769	40.4	0.65	22.5	0.38
Esophagus	148	8.8	0.33	5.1	0.19	37	1.9	0.14	1.1	0.09
Stomach	95	5.9	0.28	3.3	0.15	59	3.1	0.18	1.8	0.11
Colon & Rectum	399	25.1	0.57	13.6	0.31	312	16.3	0.41	8.9	0.24
Liver	116	6.7	0.28	4.0	0.17	38	2.0	0.15	1.2	0.09
Pancreas	220	13.4	0.41	7.6	0.23	207	11.0	0.34	6.1	0.20
Respiratory System	846	52.5	0.82	29.2	0.45	762	40.7	0.66	23.3	0.39
Larynx	24	1.4	0.13	0.8	0.08	3	0.2	0.04	0.1	0.03
Lung & bronchus	814	50.6	0.81	28.1	0.44	754	40.3	0.66	23.0	0.38
Skin	74	4.7	0.25	2.5	0.13	42	2.2	0.15	1.3	0.09
Melanomas of the skin	50	3.1	0.20	1.7	0.11	33	1.7	0.13	1.0	0.08
Breast	4	0.2	0.06	0.1	0.03	453	23.8	0.50	14.2	0.31
Female Genital System	-	-	-	-	-	323	17.0	0.42	10.3	0.26
Cervix uteri	-	-	-	-	-	45	2.3	0.15	1.6	0.11
Corpus & uterus, NOS[1]	-	-	-	-	-	98	5.1	0.23	3.0	0.14
Ovary	-	-	-	-	-	155	8.2	0.30	4.9	0.18
Male Genital System	420	29.4	0.65	13.8	0.30	-	-	-	-	-
Prostate	413	29.0	0.65	13.6	0.30	-	-	-	-	-
Testis	2	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	234	15.0	0.45	7.9	0.23	107	5.6	0.24	2.9	0.13
Bladder	108	7.3	0.32	3.6	0.16	43	2.2	0.15	1.1	0.08
Kidney & renal pelvis	93	5.7	0.27	3.2	0.15	48	2.5	0.16	1.3	0.09
Brain & Other CNS[1]	120	6.6	0.28	4.4	0.18	81	4.2	0.21	2.9	0.15
Endocrine System	15	0.9	0.10	0.6	0.07	19	1.0	0.10	0.6	0.06
Thyroid gland	10	0.6	0.09	0.4	0.05	15	0.8	0.09	0.4	0.05
Lymphomas	134	8.5	0.33	4.7	0.18	101	5.3	0.24	2.9	0.13
Hodgkin Lymphoma	5	0.3	0.06	0.2	0.04	3	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	129	8.2	0.33	4.5	0.18	97	5.1	0.23	2.8	0.13
Multiple Myeloma	69	4.5	0.25	2.3	0.13	47	2.5	0.16	1.4	0.09
Leukemias	137	8.9	0.35	4.8	0.19	89	4.6	0.22	2.6	0.13
Other, Ill-defined & Unknown	253	15.9	0.46	8.9	0.25	211	11.0	0.34	6.2	0.20

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
British Columbia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	5,482	215.5	1.31	117.9	0.73	4,751	158.8	1.04	90.6	0.63
Oral Cavity & Pharynx	142	5.4	0.21	3.2	0.12	65	2.2	0.12	1.3	0.08
Digestive System	1,792	69.7	0.74	39.4	0.43	1,273	42.1	0.53	23.2	0.31
Esophagus	252	9.6	0.27	5.6	0.16	75	2.5	0.13	1.4	0.08
Stomach	142	5.6	0.21	3.1	0.12	82	2.8	0.14	1.6	0.08
Colon & Rectum	640	25.3	0.45	13.9	0.25	532	17.5	0.34	9.4	0.20
Liver	229	8.7	0.26	5.2	0.16	69	2.3	0.12	1.3	0.08
Pancreas	358	13.9	0.33	7.8	0.19	337	11.2	0.27	6.2	0.16
Respiratory System	1,263	48.8	0.62	26.8	0.34	1,198	39.9	0.52	22.5	0.30
Larynx	37	1.4	0.11	0.8	0.06	7	0.2	0.04	0.1	0.02
Lung & bronchus	1,214	46.9	0.61	25.7	0.33	1,182	39.3	0.51	22.2	0.30
Skin	147	5.9	0.22	3.2	0.12	81	2.6	0.13	1.5	0.08
Melanomas of the skin	86	3.4	0.17	1.9	0.10	51	1.7	0.11	1.0	0.07
Breast	8	0.3	0.05	0.2	0.03	662	22.6	0.40	13.5	0.25
Female Genital System	-	-	-	-	-	511	17.4	0.35	10.5	0.22
Cervix uteri	-	-	-	-	-	53	1.9	0.12	1.3	0.09
Corpus & uterus, NOS[1]	-	-	-	-	-	145	4.8	0.18	2.8	0.11
Ovary	-	-	-	-	-	271	9.3	0.25	5.6	0.16
Male Genital System	633	26.0	0.47	12.2	0.22	-	-	-	-	-
Prostate	620	25.5	0.46	11.8	0.22	-	-	-	-	-
Testis	6	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	414	16.5	0.37	8.5	0.19	166	5.4	0.19	2.8	0.10
Bladder	241	9.8	0.28	4.8	0.14	85	2.7	0.13	1.4	0.07
Kidney & renal pelvis	151	5.9	0.22	3.3	0.13	70	2.3	0.12	1.2	0.07
Brain & Other CNS[1]	186	7.2	0.24	4.9	0.17	125	4.5	0.18	3.1	0.14
Endocrine System	24	1.0	0.09	0.6	0.06	28	0.9	0.08	0.6	0.06
Thyroid gland	15	0.6	0.07	0.3	0.04	18	0.6	0.06	0.3	0.04
Lymphomas	233	9.2	0.27	5.0	0.15	154	5.0	0.18	2.7	0.10
Hodgkin Lymphoma	9	0.3	0.05	0.2	0.04	5	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	224	8.9	0.27	4.8	0.15	148	4.8	0.18	2.5	0.10
Multiple Myeloma	118	4.6	0.19	2.5	0.10	82	2.7	0.13	1.4	0.07
Leukemias	213	8.5	0.26	4.7	0.15	152	5.0	0.18	2.9	0.12
Other, Ill-defined & Unknown	308	12.2	0.31	6.7	0.18	255	8.4	0.24	4.7	0.15

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Manitoba, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,456	246.8	2.91	135.3	1.62	1,347	184.5	2.28	106.2	1.40
Oral Cavity & Pharynx	27	4.4	0.38	2.6	0.23	15	2.0	0.24	1.1	0.14
Digestive System	443	74.3	1.59	41.9	0.91	343	46.2	1.13	25.6	0.67
Esophagus	57	9.3	0.56	5.5	0.33	16	2.2	0.25	1.3	0.15
Stomach	37	6.3	0.47	3.5	0.26	21	2.9	0.29	1.7	0.17
Colon & Rectum	180	30.5	1.02	16.8	0.57	158	20.8	0.76	11.2	0.44
Liver	38	6.2	0.45	3.7	0.27	15	2.1	0.25	1.2	0.15
Pancreas	83	13.8	0.68	7.9	0.39	81	10.9	0.55	6.1	0.33
Respiratory System	347	58.0	1.40	32.2	0.78	329	45.8	1.14	26.4	0.68
Larynx	8	1.3	0.22	0.7	0.11	-	-	-	-	-
Lung & bronchus	336	56.2	1.38	31.2	0.77	327	45.4	1.14	26.2	0.68
Skin	27	4.6	0.40	2.6	0.23	16	2.1	0.24	1.2	0.15
Melanomas of the skin	19	3.3	0.33	1.9	0.19	11	1.6	0.21	0.9	0.14
Breast	2	0.4	0.12	0.2	0.06	188	26.4	0.88	15.8	0.56
Female Genital System	-	-	-	-	-	138	19.5	0.75	11.7	0.47
Cervix uteri	-	-	-	-	-	14	2.1	0.26	1.6	0.20
Corpus & uterus, NOS[1]	-	-	-	-	-	48	6.7	0.43	3.8	0.26
Ovary	-	-	-	-	-	65	9.2	0.52	5.4	0.32
Male Genital System	187	33.3	1.10	15.5	0.52	-	-	-	-	-
Prostate	182	32.5	1.08	14.9	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	118	20.4	0.85	10.7	0.45	51	6.6	0.42	3.5	0.24
Bladder	62	10.8	0.62	5.3	0.31	22	2.8	0.27	1.4	0.14
Kidney & renal pelvis	50	8.6	0.54	4.9	0.31	26	3.5	0.31	2.0	0.19
Brain & Other CNS[1]	33	5.3	0.41	3.8	0.31	27	4.0	0.34	2.7	0.25
Endocrine System	7	1.0	0.18	0.7	0.13	10	1.4	0.20	0.8	0.13
Thyroid gland	5	0.7	0.15	0.5	0.10	7	0.9	0.16	0.5	0.09
Lymphomas	56	9.6	0.58	5.2	0.32	51	6.9	0.44	3.9	0.26
Hodgkin Lymphoma	2	0.4	0.12	0.2	0.07	2	0.3	0.09	0.2	0.07
Non-Hodgkin Lymphoma	54	9.2	0.57	4.9	0.31	49	6.6	0.43	3.7	0.26
Multiple Myeloma	31	5.3	0.43	2.9	0.23	24	3.2	0.29	1.7	0.17
Leukemias	59	10.1	0.59	5.6	0.33	44	5.7	0.39	3.2	0.25
Other, Ill-defined & Unknown	119	20.1	0.83	11.4	0.48	109	14.8	0.65	8.5	0.40

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
New Brunswick, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,103	258.8	3.56	141.8	1.96	930	177.6	2.64	102.3	1.64
Oral Cavity & Pharynx	24	5.5	0.51	3.2	0.30	9	1.7	0.25	0.9	0.15
Digestive System	316	72.8	1.87	40.8	1.05	237	44.3	1.30	24.3	0.76
Esophagus	44	9.9	0.68	5.8	0.40	13	2.5	0.31	1.4	0.18
Stomach	29	6.6	0.57	3.7	0.32	20	3.7	0.37	2.0	0.22
Colon & Rectum	127	29.6	1.20	16.3	0.67	110	20.6	0.89	11.0	0.51
Liver	22	4.8	0.47	2.7	0.26	10	1.9	0.27	1.1	0.17
Pancreas	69	15.8	0.87	9.0	0.49	56	10.5	0.63	5.8	0.36
Respiratory System	341	77.9	1.93	43.0	1.05	250	47.5	1.35	27.4	0.81
Larynx	9	2.0	0.31	1.1	0.17	-	-	-	-	-
Lung & bronchus	329	75.3	1.89	41.5	1.03	248	47.0	1.35	27.1	0.80
Skin	18	4.3	0.47	2.4	0.27	15	2.9	0.34	1.7	0.21
Melanomas of the skin	13	3.1	0.39	1.8	0.24	12	2.3	0.31	1.4	0.20
Breast	2	0.5	0.16	0.3	0.08	122	24.3	1.00	14.6	0.65
Female Genital System	-	-	-	-	-	86	16.8	0.83	10.1	0.53
Cervix uteri	-	-	-	-	-	8	1.8	0.29	1.3	0.24
Corpus & uterus, NOS[1]	-	-	-	-	-	26	5.1	0.45	3.0	0.27
Ovary	-	-	-	-	-	42	8.2	0.58	4.8	0.36
Male Genital System	102	26.6	1.20	12.2	0.55	-	-	-	-	-
Prostate	100	26.0	1.19	11.8	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	85	20.2	1.00	10.7	0.53	38	7.0	0.51	3.8	0.29
Bladder	42	10.4	0.73	5.2	0.36	16	2.9	0.33	1.5	0.18
Kidney & renal pelvis	36	8.2	0.62	4.8	0.36	19	3.6	0.37	2.0	0.22
Brain & Other CNS[1]	29	6.6	0.56	4.4	0.40	21	4.3	0.43	3.0	0.34
Endocrine System	3	0.8	0.20	0.5	0.14	5	1.0	0.20	0.7	0.17
Thyroid gland	2	0.5	0.16	0.3	0.09	2	0.5	0.13	0.3	0.08
Lymphomas	42	10.0	0.71	5.5	0.39	37	7.0	0.52	3.9	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	23	5.4	0.52	2.8	0.27	17	3.2	0.35	1.7	0.19
Leukemias	43	10.2	0.71	5.9	0.42	29	5.6	0.47	3.4	0.34
Other, Ill-defined & Unknown	75	18.0	0.95	10.1	0.55	65	12.3	0.69	6.9	0.44

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Newfoundland and Labrador, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	785	274.3	4.57	149.1	2.43	665	198.1	3.47	113.5	2.09
Oral Cavity & Pharynx	15	5.0	0.61	2.8	0.33	6	1.7	0.32	0.9	0.18
Digestive System	265	91.7	2.63	50.3	1.40	187	55.7	1.84	30.6	1.05
Esophagus	27	8.9	0.79	5.2	0.46	6	1.9	0.35	1.1	0.21
Stomach	36	12.7	0.99	6.7	0.51	17	5.1	0.56	2.8	0.33
Colon & Rectum	130	45.4	1.86	24.7	0.99	100	29.7	1.34	16.2	0.76
Liver	16	5.5	0.64	3.1	0.35	6	1.9	0.34	1.0	0.19
Pancreas	37	12.2	0.94	6.7	0.50	33	9.8	0.77	5.3	0.42
Respiratory System	223	74.8	2.33	41.1	1.24	156	45.4	1.64	26.0	0.95
Larynx	8	3.1	0.50	1.6	0.25	2	0.6	0.19	0.3	0.11
Lung & bronchus	214	71.3	2.27	39.3	1.21	154	44.6	1.62	25.6	0.95
Skin	14	4.9	0.63	2.7	0.34	-	-	-	-	-
Melanomas of the skin	9	3.0	0.47	1.9	0.29	5	1.6	0.32	1.0	0.20
Breast	2	0.7	0.21	0.4	0.13	90	27.5	1.31	16.3	0.82
Female Genital System	-	-	-	-	-	70	21.2	1.14	12.9	0.75
Cervix uteri	-	-	-	-	-	12	3.8	0.51	2.8	0.41
Corpus & uterus, NOS[1]	-	-	-	-	-	17	5.1	0.55	2.9	0.31
Ovary	-	-	-	-	-	33	9.7	0.77	5.8	0.48
Male Genital System	75	29.9	1.61	14.1	0.74	-	-	-	-	-
Prostate	74	29.3	1.59	13.6	0.71	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	19.5	1.24	10.3	0.63	26	7.5	0.67	4.0	0.36
Bladder	23	9.0	0.88	4.3	0.40	9	2.6	0.39	1.3	0.21
Kidney & renal pelvis	28	9.5	0.82	5.4	0.46	15	4.5	0.52	2.4	0.29
Brain & Other CNS[1]	19	6.5	0.68	4.5	0.50	18	5.4	0.58	3.5	0.41
Endocrine System	3	1.1	0.28	0.8	0.22	5	1.7	0.33	1.3	0.32
Thyroid gland	-	-	-	-	-	2	0.7	0.20	0.4	0.12
Lymphomas	27	9.3	0.83	5.3	0.47	21	6.3	0.61	3.5	0.35
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	14	4.9	0.60	2.7	0.32	12	3.6	0.46	1.9	0.25
Leukemias	23	7.7	0.75	4.3	0.41	19	5.6	0.59	3.4	0.40
Other, Ill-defined & Unknown	50	18.2	1.21	9.9	0.66	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Northwest Territories, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	32	283.3	25.41	154.1	12.74	30	271.0	24.19	152.2	13.00
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	98.0	14.85	53.7	7.46	9	84.5	13.37	48.1	7.31
Esophagus	2	11.0	3.76	7.2	2.40	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	42.6	10.53	21.7	4.98	4	39.6	9.39	22.0	5.01
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	2	15.5	5.13	9.1	2.85	2	19.9	6.21	11.5	3.46
Respiratory System	10	88.1	14.22	47.3	7.07	8	82.1	14.09	43.1	7.18
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	84.5	13.97	45.1	6.89	7	79.1	13.77	41.8	7.05
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	31.3	7.70	18.5	4.27
Female Genital System	-	-	-	-	-	3	17.7	5.37	11.3	3.26
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	3	34.2	9.89	15.8	4.34	-	-	-	-	-
Prostate	3	34.2	9.89	15.8	4.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	2	14.5	5.14	8.6	2.84	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	2	16.7	5.77	10.3	3.36	2	24.0	7.48	13.1	4.02

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nova Scotia, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,443	278.5	3.35	154.0	1.87	1,261	195.0	2.49	111.8	1.53
Oral Cavity & Pharynx	33	5.9	0.47	3.5	0.29	12	1.8	0.24	1.0	0.13
Digestive System	439	83.9	1.83	47.2	1.04	322	49.2	1.24	27.2	0.74
Esophagus	68	12.5	0.69	7.3	0.41	18	2.9	0.30	1.7	0.19
Stomach	34	6.9	0.54	3.7	0.29	21	3.2	0.31	1.7	0.18
Colon & Rectum	188	36.7	1.22	20.0	0.67	161	24.5	0.88	13.2	0.51
Liver	36	6.4	0.49	3.9	0.31	11	1.8	0.25	1.1	0.18
Pancreas	78	14.5	0.75	8.4	0.43	69	10.6	0.57	5.9	0.34
Respiratory System	397	73.6	1.68	41.2	0.93	345	53.1	1.29	30.8	0.77
Larynx	12	2.3	0.30	1.3	0.16	4	0.6	0.13	0.3	0.08
Lung & bronchus	381	70.5	1.65	39.5	0.92	340	52.3	1.28	30.4	0.77
Skin	39	7.6	0.56	4.2	0.32	19	3.0	0.31	1.8	0.21
Melanomas of the skin	27	5.3	0.47	3.0	0.28	14	2.3	0.28	1.4	0.20
Breast	3	0.5	0.14	0.3	0.08	167	26.7	0.94	16.0	0.61
Female Genital System	-	-	-	-	-	123	19.5	0.80	11.8	0.52
Cervix uteri	-	-	-	-	-	13	2.3	0.30	1.6	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	42	6.4	0.45	3.8	0.27
Ovary	-	-	-	-	-	58	9.1	0.54	5.4	0.35
Male Genital System	155	32.6	1.20	15.2	0.55	-	-	-	-	-
Prostate	151	31.9	1.19	14.8	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	105	20.8	0.93	10.8	0.48	48	7.2	0.47	3.8	0.26
Bladder	49	10.0	0.66	4.8	0.31	17	2.4	0.27	1.2	0.14
Kidney & renal pelvis	46	8.9	0.60	4.9	0.33	27	4.0	0.35	2.2	0.21
Brain & Other CNS[1]	37	7.2	0.54	4.9	0.39	26	4.3	0.38	2.9	0.28
Endocrine System	7	1.4	0.24	1.0	0.20	7	1.2	0.20	0.7	0.15
Thyroid gland	4	0.8	0.17	0.5	0.11	4	0.6	0.14	0.3	0.08
Lymphomas	56	10.9	0.67	5.9	0.37	43	6.5	0.45	3.5	0.26
Hodgkin Lymphoma	2	0.4	0.12	0.2	0.08	-	-	-	-	-
Non-Hodgkin Lymphoma	54	10.5	0.66	5.7	0.36	-	-	-	-	-
Multiple Myeloma	24	4.6	0.43	2.6	0.24	21	3.1	0.30	1.6	0.17
Leukemias	52	10.2	0.65	6.0	0.40	35	5.4	0.41	3.1	0.26
Other, Ill-defined & Unknown	98	19.2	0.89	11.1	0.53	92	14.0	0.66	7.6	0.39

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Nunavut, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	22	323.8	38.36	195.4	20.36	18	327.5	42.99	189.2	21.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	9	107.4	20.00	67.4	11.31	5	78.1	19.91	46.4	10.69
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	5	62.2	14.32	40.0	8.52	2	42.9	15.75	23.5	8.06
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	8	146.2	26.88	84.9	14.04	8	169.8	32.12	95.1	15.95
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	8	146.2	26.88	84.9	14.04	8	169.8	32.12	95.1	15.95
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Ontario, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	15,112	226.1	0.83	123.5	0.46	13,735	164.6	0.63	94.4	0.39
Oral Cavity & Pharynx	402	5.8	0.13	3.5	0.08	174	2.1	0.07	1.2	0.04
Digestive System	4,649	69.0	0.46	38.6	0.26	3,468	40.9	0.31	22.5	0.18
Esophagus	590	8.6	0.16	5.0	0.09	185	2.2	0.07	1.2	0.04
Stomach	473	7.1	0.15	3.9	0.08	281	3.4	0.09	2.0	0.06
Colon & Rectum	1,686	25.4	0.28	13.8	0.15	1,450	16.9	0.20	9.0	0.12
Liver	491	7.1	0.14	4.2	0.09	167	2.0	0.07	1.1	0.04
Pancreas	953	14.0	0.20	7.9	0.12	881	10.4	0.16	5.8	0.09
Respiratory System	3,734	54.9	0.40	30.4	0.23	3,284	39.5	0.31	22.7	0.18
Larynx	110	1.6	0.07	0.9	0.04	22	0.3	0.02	0.1	0.01
Lung & bronchus	3,595	52.9	0.40	29.2	0.22	3,244	39.0	0.31	22.4	0.18
Skin	473	7.2	0.15	3.8	0.08	251	3.0	0.08	1.7	0.05
Melanomas of the skin	317	4.7	0.12	2.7	0.07	175	2.1	0.07	1.3	0.05
Breast	17	0.2	0.03	0.1	0.02	2,002	24.6	0.25	14.8	0.16
Female Genital System	-	-	-	-	-	1,441	17.7	0.21	10.7	0.13
Cervix uteri	-	-	-	-	-	159	2.1	0.08	1.5	0.06
Corpus & uterus, NOS[1]	-	-	-	-	-	464	5.6	0.12	3.3	0.07
Ovary	-	-	-	-	-	688	8.5	0.15	5.1	0.09
Male Genital System	1,591	25.1	0.28	11.7	0.13	-	-	-	-	-
Prostate	1,553	24.5	0.28	11.3	0.13	-	-	-	-	-
Testis	14	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	1,123	17.1	0.23	8.8	0.12	522	6.0	0.12	3.1	0.07
Bladder	608	9.5	0.17	4.6	0.08	238	2.7	0.08	1.3	0.04
Kidney & renal pelvis	390	5.8	0.13	3.2	0.08	213	2.5	0.08	1.4	0.05
Brain & Other CNS[1]	468	6.8	0.14	4.5	0.10	360	4.6	0.11	3.1	0.08
Endocrine System	69	1.0	0.05	0.6	0.04	70	0.8	0.05	0.5	0.03
Thyroid gland	42	0.6	0.04	0.4	0.03	49	0.6	0.04	0.3	0.02
Lymphomas	641	9.6	0.17	5.4	0.10	508	6.0	0.12	3.3	0.07
Hodgkin Lymphoma	27	0.4	0.03	0.3	0.02	17	0.2	0.02	0.1	0.02
Non-Hodgkin Lymphoma	615	9.2	0.17	5.1	0.09	491	5.8	0.12	3.2	0.07
Multiple Myeloma	312	4.7	0.12	2.5	0.06	246	2.9	0.08	1.5	0.05
Leukemias	605	9.1	0.17	5.1	0.10	450	5.3	0.11	3.1	0.07
Other, Ill-defined & Unknown	1,029	15.5	0.22	8.5	0.12	959	11.2	0.16	6.2	0.10

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Prince Edward Island, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	197	251.0	8.19	136.6	4.45	170	173.8	6.02	99.7	3.67
Oral Cavity & Pharynx	4	5.1	1.17	2.7	0.62	3	2.9	0.82	1.9	0.59
Digestive System	57	72.1	4.36	40.2	2.42	40	40.4	2.87	21.4	1.61
Esophagus	7	8.7	1.46	5.3	0.88	3	2.7	0.73	1.6	0.44
Stomach	4	5.2	1.18	3.0	0.68	2	2.4	0.69	1.2	0.38
Colon & Rectum	25	32.4	2.96	17.7	1.62	20	19.7	2.01	10.0	1.11
Liver	6	6.9	1.30	4.1	0.77	-	-	-	-	-
Pancreas	10	12.3	1.81	6.6	0.97	9	8.5	1.31	4.7	0.75
Respiratory System	55	67.4	4.15	37.5	2.29	48	48.2	3.13	28.0	1.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	53	64.7	4.06	36.0	2.24	48	48.0	3.12	27.9	1.86
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	4	5.2	1.19	3.1	0.74	3	3.6	0.89	2.4	0.65
Breast	-	-	-	-	-	17	17.6	1.93	10.1	1.21
Female Genital System	-	-	-	-	-	19	19.7	2.07	12.1	1.35
Cervix uteri	-	-	-	-	-	3	3.5	0.92	2.5	0.69
Corpus & uterus, NOS[1]	-	-	-	-	-	5	4.8	0.99	3.0	0.64
Ovary	-	-	-	-	-	10	10.2	1.49	5.9	0.92
Male Genital System	19	27.2	2.87	12.0	1.25	-	-	-	-	-
Prostate	19	27.2	2.87	12.0	1.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	18.2	2.22	9.8	1.18	7	7.4	1.25	4.4	0.81
Bladder	7	9.1	1.59	4.5	0.77	3	3.0	0.79	1.7	0.48
Kidney & renal pelvis	6	7.8	1.41	4.7	0.84	3	3.4	0.86	2.0	0.57
Brain & Other CNS[1]	4	4.8	1.10	3.1	0.72	4	4.9	1.07	3.3	0.75
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	8	9.4	1.56	5.4	0.91	5	5.4	1.05	3.3	0.71
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	6	7.1	1.38	4.0	0.78	3	3.2	0.80	1.7	0.43
Leukemias	6	7.5	1.46	4.0	0.83	4	4.3	0.94	2.2	0.53
Other, Ill-defined & Unknown	-	-	-	-	-	15	15.1	1.76	8.3	1.05

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Quebec, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	11,020	257.3	1.11	139.7	0.61	10,087	189.8	0.86	108.5	0.52
Oral Cavity & Pharynx	243	5.6	0.16	3.2	0.09	115	2.2	0.09	1.2	0.06
Digestive System	3,285	76.3	0.60	42.0	0.33	2,633	48.2	0.43	26.1	0.25
Esophagus	314	7.1	0.18	4.1	0.10	100	1.9	0.08	1.0	0.05
Stomach	335	7.8	0.19	4.3	0.11	214	3.9	0.12	2.1	0.07
Colon & Rectum	1,327	31.4	0.39	16.8	0.21	1,166	21.1	0.28	11.2	0.16
Liver	311	7.0	0.18	4.1	0.11	120	2.2	0.09	1.2	0.05
Pancreas	640	14.6	0.26	8.2	0.15	622	11.5	0.21	6.4	0.12
Respiratory System	3,567	81.0	0.62	44.8	0.34	2,950	56.2	0.47	33.0	0.28
Larynx	113	2.6	0.11	1.4	0.06	25	0.5	0.04	0.3	0.03
Lung & bronchus	3,388	76.9	0.60	42.5	0.33	2,889	55.1	0.46	32.3	0.28
Skin	193	4.6	0.15	2.5	0.08	120	2.3	0.10	1.3	0.06
Melanomas of the skin	134	3.1	0.12	1.8	0.07	87	1.7	0.08	1.1	0.06
Breast	14	0.3	0.04	0.2	0.02	1,354	26.3	0.33	15.7	0.21
Female Genital System	-	-	-	-	-	895	17.3	0.26	10.4	0.17
Cervix uteri	-	-	-	-	-	82	1.8	0.09	1.3	0.07
Corpus & uterus, NOS[1]	-	-	-	-	-	284	5.4	0.14	3.1	0.09
Ovary	-	-	-	-	-	436	8.5	0.18	5.1	0.12
Male Genital System	936	23.7	0.35	11.0	0.16	-	-	-	-	-
Prostate	909	23.0	0.35	10.5	0.16	-	-	-	-	-
Testis	10	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	809	19.5	0.31	9.9	0.16	390	7.0	0.16	3.7	0.09
Bladder	429	10.5	0.23	5.1	0.11	177	3.1	0.11	1.6	0.06
Kidney & renal pelvis	294	6.9	0.18	3.7	0.10	167	3.0	0.11	1.7	0.06
Brain & Other CNS[1]	343	7.8	0.19	5.2	0.14	265	5.3	0.15	3.5	0.11
Endocrine System	39	0.9	0.07	0.5	0.04	47	0.9	0.06	0.5	0.04
Thyroid gland	23	0.5	0.05	0.3	0.03	30	0.5	0.05	0.3	0.03
Lymphomas	413	9.7	0.22	5.3	0.12	323	5.9	0.15	3.2	0.09
Hodgkin Lymphoma	17	0.4	0.04	0.3	0.03	14	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	395	9.3	0.21	5.1	0.12	309	5.7	0.15	3.0	0.08
Multiple Myeloma	211	5.0	0.16	2.6	0.08	177	3.2	0.11	1.7	0.06
Leukemias	407	9.6	0.22	5.3	0.12	306	5.7	0.15	3.2	0.09
Other, Ill-defined & Unknown	559	13.4	0.26	7.2	0.14	514	9.3	0.19	5.0	0.11

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Saskatchewan, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,236	234.9	3.00	128.9	1.69	1,092	171.4	2.37	98.9	1.46
Oral Cavity & Pharynx	23	4.4	0.40	2.5	0.24	11	1.6	0.22	0.9	0.13
Digestive System	367	69.2	1.62	39.2	0.94	272	41.6	1.16	23.3	0.70
Esophagus	50	9.3	0.59	5.5	0.36	15	2.3	0.27	1.3	0.17
Stomach	30	5.7	0.47	3.2	0.27	20	3.0	0.31	1.7	0.20
Colon & Rectum	157	29.8	1.07	16.4	0.60	131	19.6	0.79	10.8	0.48
Liver	26	4.8	0.42	2.9	0.26	11	1.7	0.23	1.0	0.14
Pancreas	72	13.5	0.71	7.7	0.41	65	10.1	0.57	5.5	0.33
Respiratory System	293	55.3	1.45	31.2	0.83	285	45.8	1.23	26.5	0.74
Larynx	7	1.4	0.23	0.7	0.12	2	0.3	0.10	0.2	0.05
Lung & bronchus	284	53.4	1.42	30.2	0.82	282	45.3	1.22	26.2	0.74
Skin	21	4.1	0.39	2.2	0.22	-	-	-	-	-
Melanomas of the skin	15	2.8	0.33	1.7	0.19	9	1.5	0.23	0.9	0.16
Breast	2	0.4	0.12	0.2	0.07	167	26.6	0.94	15.8	0.60
Female Genital System	-	-	-	-	-	108	17.8	0.78	10.9	0.50
Cervix uteri	-	-	-	-	-	15	2.7	0.32	1.9	0.23
Corpus & uterus, NOS[1]	-	-	-	-	-	31	5.1	0.41	3.0	0.26
Ovary	-	-	-	-	-	52	8.7	0.55	5.2	0.35
Male Genital System	181	35.5	1.18	16.4	0.56	-	-	-	-	-
Prostate	177	34.7	1.17	15.9	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	91	17.4	0.82	9.2	0.44	42	6.4	0.45	3.5	0.26
Bladder	48	9.3	0.60	4.6	0.31	17	2.4	0.27	1.2	0.15
Kidney & renal pelvis	36	6.7	0.50	3.8	0.30	23	3.6	0.34	2.0	0.21
Brain & Other CNS[1]	33	6.0	0.47	4.0	0.33	24	4.1	0.38	2.7	0.27
Endocrine System	4	0.7	0.17	0.4	0.10	7	1.0	0.18	0.6	0.12
Thyroid gland	3	0.6	0.15	0.3	0.08	4	0.6	0.13	0.3	0.07
Lymphomas	48	9.2	0.59	5.2	0.35	37	5.6	0.42	3.1	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	25	4.9	0.43	2.7	0.25	19	3.0	0.31	1.6	0.18
Leukemias	59	11.4	0.66	6.3	0.38	34	5.0	0.39	2.7	0.23
Other, Ill-defined & Unknown	88	16.6	0.80	9.4	0.46	-	-	-	-	-

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Yukon, 2014-2016, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	35	272.2	30.35	141.8	14.46	28	209.7	24.16	115.8	12.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	13	107.2	19.38	55.0	9.17	5	37.6	9.91	21.9	5.57
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	4	40.5	13.41	17.7	5.48	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	9	70.2	14.92	37.6	7.39	7	59.4	13.23	31.3	6.80
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	9	70.2	14.92	37.6	7.39	7	52.3	12.24	28.5	6.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	4	27.3	8.65	15.3	4.69
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS[1]	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	4	32.2	10.62	16.5	4.92	-	-	-	-	-
Prostate	4	32.2	10.62	16.5	4.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other CNS[1]	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	4	35.2	10.48	17.6	5.19

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Section IV

Cancer Mortality for the United States and Canada

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	314,070	185.5	0.15	123.6	0.10	282,730	133.5	0.11	92.1	0.08
Oral Cavity & Pharynx	7,051	3.9	0.02	2.9	0.02	2,871	1.3	0.01	0.9	0.01
Digestive System	90,319	51.9	0.08	36.2	0.05	66,819	31.2	0.06	21.1	0.04
Esophagus	12,214	6.9	0.03	4.9	0.02	3,055	1.4	0.01	1.0	0.01
Stomach	6,738	4.0	0.02	2.7	0.02	4,517	2.2	0.01	1.5	0.01
Colon & Rectum	27,609	16.3	0.04	11.1	0.03	24,600	11.5	0.03	7.7	0.02
Liver	14,371	7.7	0.03	5.8	0.02	5,349	2.5	0.02	1.7	0.01
Pancreas	22,028	12.7	0.04	8.7	0.03	20,715	9.6	0.03	6.4	0.02
Respiratory System	84,565	49.0	0.08	33.1	0.05	69,518	32.5	0.06	22.3	0.04
Larynx	3,011	1.7	0.01	1.2	0.01	763	0.4	0.01	0.3	0.00
Lung & bronchus	80,841	46.9	0.08	31.6	0.05	68,367	32.0	0.06	21.9	0.04
Skin	8,485	5.1	0.03	3.3	0.02	4,037	1.9	0.01	1.3	0.01
Melanomas of the skin	5,601	3.4	0.02	2.3	0.01	2,930	1.4	0.01	1.0	0.01
Breast	477	0.3	0.01	0.2	0.00	41,737	20.1	0.05	14.5	0.03
Female Genital System	-	-	-	-	-	31,191	14.9	0.04	10.9	0.03
Cervix uteri	-	-	-	-	-	4,165	2.2	0.02	1.8	0.01
Corpus & uterus, NOS[1]	-	-	-	-	-	10,558	4.9	0.02	3.5	0.02
Ovary	-	-	-	-	-	14,056	6.7	0.03	4.8	0.02
Male Genital System	30,711	19.5	0.05	11.1	0.03	-	-	-	-	-
Prostate	29,907	19.0	0.05	10.7	0.03	-	-	-	-	-
Testis	408	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	21,453	13.1	0.04	8.1	0.03	9,889	4.5	0.02	2.9	0.01
Bladder	11,737	7.4	0.03	4.3	0.02	4,658	2.1	0.01	1.3	0.01
Kidney & renal pelvis	9,185	5.3	0.03	3.7	0.02	4,875	2.3	0.01	1.5	0.01
Brain & Other CNS[1]	9,354	5.4	0.03	4.2	0.02	7,252	3.6	0.02	2.8	0.02
Endocrine System	1,415	0.8	0.01	0.6	0.01	1,550	0.8	0.01	0.5	0.01
Thyroid gland	883	0.5	0.01	0.4	0.01	1,054	0.5	0.01	0.3	0.00
Lymphomas	12,068	7.4	0.03	4.7	0.02	9,292	4.3	0.02	2.7	0.01
Hodgkin Lymphoma	610	0.4	0.01	0.3	0.01	439	0.2	0.00	0.2	0.00
Non-Hodgkin Lymphoma	11,458	7.0	0.03	4.5	0.02	8,853	4.1	0.02	2.6	0.01
Multiple Myeloma	6,732	4.1	0.02	2.6	0.01	5,519	2.6	0.02	1.6	0.01
Leukemias	13,520	8.4	0.03	5.4	0.02	9,825	4.7	0.02	3.1	0.02
Other, Ill-defined & Unknown	27,920	16.6	0.05	11.1	0.03	23,229	10.9	0.03	7.4	0.02

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	314,070	218.9	0.18	123.6	0.10	282,730	157.1	0.13	92.1	0.08
Oral Cavity & Pharynx	7,051	4.8	0.03	2.9	0.02	2,871	1.6	0.01	0.9	0.01
Digestive System	90,319	62.0	0.09	36.2	0.05	66,819	36.9	0.06	21.1	0.04
Esophagus	12,214	8.3	0.03	4.9	0.02	3,055	1.7	0.01	1.0	0.01
Stomach	6,738	4.7	0.03	2.7	0.02	4,517	2.5	0.02	1.5	0.01
Colon & Rectum	27,609	19.3	0.05	11.1	0.03	24,600	13.6	0.04	7.7	0.02
Liver	14,371	9.6	0.04	5.8	0.02	5,349	3.0	0.02	1.7	0.01
Pancreas	22,028	15.1	0.05	8.7	0.03	20,715	11.4	0.04	6.4	0.02
Respiratory System	84,565	58.0	0.09	33.1	0.05	69,518	38.5	0.07	22.3	0.04
Larynx	3,011	2.0	0.02	1.2	0.01	763	0.4	0.01	0.3	0.00
Lung & bronchus	80,841	55.5	0.09	31.6	0.05	68,367	37.8	0.07	21.9	0.04
Skin	8,485	6.0	0.03	3.3	0.02	4,037	2.2	0.02	1.3	0.01
Melanomas of the skin	5,601	3.9	0.02	2.3	0.01	2,930	1.7	0.01	1.0	0.01
Breast	477	0.3	0.01	0.2	0.00	41,737	23.7	0.05	14.5	0.03
Female Genital System	-	-	-	-	-	31,191	17.7	0.05	10.9	0.03
Cervix uteri	-	-	-	-	-	4,165	2.5	0.02	1.8	0.01
Corpus & uterus, NOS[1]	-	-	-	-	-	10,558	5.9	0.03	3.5	0.02
Ovary	-	-	-	-	-	14,056	7.9	0.03	4.8	0.02
Male Genital System	30,711	22.7	0.06	11.1	0.03	-	-	-	-	-
Prostate	29,907	22.2	0.06	10.7	0.03	-	-	-	-	-
Testis	408	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	21,453	15.4	0.05	8.1	0.03	9,889	5.3	0.02	2.9	0.01
Bladder	11,737	8.6	0.04	4.3	0.02	4,658	2.5	0.02	1.3	0.01
Kidney & renal pelvis	9,185	6.3	0.03	3.7	0.02	4,875	2.7	0.02	1.5	0.01
Brain & Other CNS[1]	9,354	6.3	0.03	4.2	0.02	7,252	4.2	0.02	2.8	0.02
Endocrine System	1,415	1.0	0.01	0.6	0.01	1,550	0.9	0.01	0.5	0.01
Thyroid gland	883	0.6	0.01	0.4	0.01	1,054	0.6	0.01	0.3	0.00
Lymphomas	12,068	8.6	0.04	4.7	0.02	9,292	5.0	0.02	2.7	0.01
Hodgkin Lymphoma	610	0.4	0.01	0.3	0.01	439	0.2	0.01	0.2	0.00
Non-Hodgkin Lymphoma	11,458	8.1	0.03	4.5	0.02	8,853	4.8	0.02	2.6	0.01
Multiple Myeloma	6,732	4.8	0.03	2.6	0.01	5,519	3.0	0.02	1.6	0.01
Leukemias	13,520	9.6	0.04	5.4	0.02	9,825	5.4	0.02	3.1	0.02
Other, Ill-defined & Unknown	27,920	19.5	0.05	11.1	0.03	23,229	12.8	0.04	7.4	0.02

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population and the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**314,070**	**185.5**	**27,609**	**16.3**	**80,841**	**46.9**	**29,907**	**19.0**	**11,737**	**7.4**	**11,458**	**7.0**
New England	**14,940**	**180.8**	**1,130**	**13.8**	**3,688**	**43.9**	**1,434**	**18.4**	**666**	**8.4**	**552**	**6.9**
Connecticut	3,359	167.5	253	12.6	771	38.0	342	17.8	151	7.7	135	7.0
Maine	1,749	201.1	123	14.6	499	55.3	157	19.2	76	9.2	63	7.6
Massachusetts	6,524	180.1	497	13.8	1,561	42.7	628	18.3	292	8.4	236	6.8
New Hampshire	1,447	182.1	113	14.3	374	45.9	136	18.6	66	8.9	49	6.4
Rhode Island	1,124	192.2	86	14.8	296	49.8	101	18.2	50	8.8	-	-
Vermont	738	193.2	59	15.7	188	47.7	69	19.7	32	9.0	-	-
Middle Atlantic	**40,366**	**179.2**	**3,598**	**16.0**	**9,883**	**43.3**	**3,869**	**18.0**	**1,653**	**7.7**	**1,571**	**7.2**
New Jersey	8,038	172.3	773	16.4	1,833	39.0	776	17.6	348	7.9	320	7.1
New York	17,542	170.0	1,529	14.9	4,204	40.3	1,748	17.8	708	7.2	690	6.9
Pennsylvania	14,786	196.3	1,296	17.4	3,845	50.2	1,345	18.6	596	8.2	561	7.7
South Atlantic	**66,427**	**186.5**	**5,781**	**16.3**	**18,152**	**49.8**	**6,237**	**18.7**	**2,486**	**7.4**	**-**	**-**
Delaware	1,083	195.8	86	15.7	288	51.2	90	17.2	48	9.2	40	7.4
District of Columbia	512	183.5	50	17.9	104	36.4	71	28.2	17	6.5	-	-
Florida	23,979	174.9	2,068	15.3	6,322	45.3	2,289	16.6	981	7.1	871	6.4
Georgia	9,080	196.4	863	18.4	2,566	53.9	863	21.7	320	7.9	295	6.6
Maryland	5,475	183.5	492	16.4	1,336	44.1	546	20.0	214	7.7	200	6.9
North Carolina	10,327	197.7	834	16.0	3,057	56.8	931	19.9	354	7.3	343	6.9
South Carolina	5,545	203.6	462	17.0	1,578	55.8	521	21.5	165	6.7	164	6.3
Virginia	7,882	187.2	697	16.4	2,094	48.5	744	19.7	298	7.8	278	6.9
West Virginia	2,544	218.7	229	20.0	808	67.1	181	17.0	89	8.1	87	7.7
East North Central	**49,978**	**198.7**	**4,268**	**17.1**	**13,775**	**53.5**	**4,562**	**19.6**	**1,891**	**8.0**	**1,854**	**7.7**
Illinois	12,475	192.1	1,153	17.7	3,297	50.0	1,208	20.0	466	7.7	449	7.2
Indiana	7,163	209.7	604	17.7	2,116	60.5	606	19.5	255	8.0	265	8.0
Michigan	10,909	196.1	884	16.1	2,989	52.4	965	18.7	408	7.8	418	7.8
Ohio	13,367	207.2	1,143	17.9	3,861	58.3	1,164	19.3	528	8.7	490	7.9
Wisconsin	6,065	187.9	483	15.1	1,512	45.7	618	20.6	234	7.7	232	7.5
East South Central	**22,456**	**223.7**	**1,944**	**19.4**	**7,139**	**69.0**	**1,837**	**20.6**	**697**	**7.7**	**711**	**7.5**
Alabama	5,680	216.6	496	19.0	1,775	65.5	493	21.0	184	7.7	167	6.7
Kentucky	5,503	233.4	465	19.9	1,834	75.3	395	19.3	179	8.4	183	8.2
Mississippi	3,579	235.4	344	22.3	1,122	72.3	334	24.4	85	6.3	97	6.8
Tennessee	7,694	217.4	638	18.0	2,408	66.1	616	19.7	248	7.7	263	7.8

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**21,851**	**190.3**	**1,889**	**16.6**	**5,805**	**49.6**	**2,047**	**18.9**	**782**	**7.2**	**831**	**7.5**
Iowa	3,434	193.7	291	16.7	919	50.9	341	20.0	122	7.1	140	8.1
Kansas	2,929	190.7	268	17.6	779	49.9	272	18.7	104	7.1	104	7.0
Minnesota	5,168	176.2	413	14.2	1,205	40.2	545	19.9	198	7.1	220	7.8
Missouri	6,874	204.6	588	17.7	2,045	59.4	554	17.6	238	7.6	235	7.2
Nebraska	1,840	183.9	173	17.3	457	45.3	173	18.1	65	6.8	71	7.3
North Dakota	693	174.6	63	16.4	168	42.3	75	19.3	24	6.2	-	-
South Dakota	912	190.0	92	19.2	232	47.5	87	19.2	30	6.5	-	-
West South Central	**34,483**	**191.7**	**3,327**	**18.2**	**9,067**	**49.8**	**2,939**	**18.4**	**1,092**	**6.7**	**1,199**	**7.0**
Arkansas	3,592	216.8	313	19.0	1,156	67.6	280	18.4	116	7.5	110	6.9
Louisiana	5,061	215.6	473	19.8	1,476	61.6	428	20.5	139	6.4	167	7.6
Oklahoma	4,431	216.6	417	20.5	1,301	62.2	379	20.1	153	8.0	156	7.9
Texas	21,400	179.5	2,125	17.3	5,134	43.0	1,852	17.6	684	6.4	766	6.7
Mountain	**17,318**	**161.0**	**1,567**	**14.6**	**3,557**	**32.5**	**1,943**	**19.5**	**686**	**6.7**	**647**	**6.2**
Arizona	6,440	162.1	601	15.3	1,479	36.4	664	17.3	269	7.0	227	5.8
Colorado	4,065	157.9	355	13.6	760	29.2	485	21.4	160	6.6	148	6.1
Idaho	1,580	179.2	133	15.0	333	36.9	187	23.1	64	7.8	-	-
Montana	1,123	174.7	101	15.9	247	37.9	134	22.3	46	7.4	44	7.0
New Mexico	1,918	165.1	187	16.2	375	31.7	209	19.3	67	6.1	67	5.9
Utah	1,677	144.3	147	12.4	255	21.8	214	20.4	61	5.7	77	6.9
Wyoming	515	160.6	45	13.9	108	33.1	50	16.9	19	6.3	-	-
Pacific	**46,252**	**168.7**	**4,105**	**14.8**	**9,776**	**35.6**	**5,040**	**19.8**	**1,784**	**6.9**	**-**	**-**
Alaska	530	175.8	48	16.4	128	41.5	44	18.6	16	6.2	-	-
California	30,791	164.9	2,776	14.6	6,170	33.2	3,469	19.9	1,176	6.7	1,205	6.6
Hawaii	1,329	156.7	120	14.2	318	37.4	127	15.0	42	5.0	47	5.7
Nevada	2,756	178.6	288	18.7	669	42.6	264	19.0	120	8.4	97	6.5
Oregon	4,230	182.3	339	14.8	966	40.9	450	20.9	171	7.9	166	7.5
Washington	6,615	177.6	534	14.3	1,525	40.4	687	20.3	258	7.5	263	7.3

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**314,070**	**123.6**	**27,609**	**11.1**	**80,841**	**31.6**	**29,907**	**10.7**	**11,737**	**4.3**	**11,458**	**4.5**
New England	**14,940**	**118.0**	**1,130**	**9.1**	**3,688**	**29.1**	**1,434**	**10.1**	**666**	**4.8**	**552**	**4.3**
Connecticut	3,359	109.3	253	8.4	771	25.1	342	9.8	151	4.5	135	4.3
Maine	1,749	132.9	123	9.7	499	37.7	157	10.6	76	5.3	63	4.7
Massachusetts	6,524	117.0	497	9.0	1,561	28.0	628	10.1	292	4.8	236	4.2
New Hampshire	1,447	119.3	113	9.6	374	30.6	136	10.3	66	5.0	49	3.9
Rhode Island	1,124	125.5	86	9.7	296	33.0	101	9.9	50	4.9	-	-
Vermont	738	126.4	59	10.6	188	31.8	69	10.8	32	5.2	-	-
Middle Atlantic	**40,366**	**118.3**	**3,598**	**10.7**	**9,883**	**28.9**	**3,869**	**10.1**	**1,653**	**4.4**	**1,571**	**4.6**
New Jersey	8,038	112.7	773	11.0	1,833	25.7	776	9.8	348	4.5	320	4.5
New York	17,542	112.5	1,529	10.0	4,204	26.9	1,748	10.1	708	4.1	690	4.4
Pennsylvania	14,786	130.0	1,296	11.7	3,845	33.7	1,345	10.4	596	4.7	561	4.9
South Atlantic	**66,427**	**125.9**	**5,781**	**11.3**	**18,152**	**34.0**	**6,237**	**10.6**	**2,486**	**4.3**	**-**	**-**
Delaware	1,083	129.9	86	10.7	288	34.1	90	9.9	48	5.3	40	4.7
District of Columbia	512	125.9	50	12.6	104	25.9	71	16.3	17	3.9	-	-
Florida	23,979	119.4	2,068	10.7	6,322	31.2	2,289	9.5	981	4.2	871	4.3
Georgia	9,080	131.9	863	12.7	2,566	36.7	863	12.3	320	4.6	295	4.4
Maryland	5,475	121.6	492	11.1	1,336	29.5	546	11.3	214	4.5	200	4.4
North Carolina	10,327	132.6	834	11.0	3,057	38.6	931	11.2	354	4.3	343	4.4
South Carolina	5,545	137.8	462	11.9	1,578	38.3	521	12.1	165	3.9	164	4.1
Virginia	7,882	123.8	697	11.2	2,094	32.6	744	11.0	298	4.4	278	4.4
West Virginia	2,544	149.5	229	13.9	808	46.3	181	9.5	89	4.9	87	5.1
East North Central	**49,978**	**132.2**	**4,268**	**11.5**	**13,775**	**36.3**	**4,562**	**10.9**	**1,891**	**4.6**	**1,854**	**4.9**
Illinois	12,475	127.1	1,153	11.9	3,297	33.5	1,208	11.3	466	4.4	449	4.5
Indiana	7,163	140.5	604	12.0	2,116	41.3	606	10.9	255	4.7	265	5.2
Michigan	10,909	130.7	884	10.8	2,989	35.6	965	10.5	408	4.5	418	5.0
Ohio	13,367	139.2	1,143	12.1	3,861	40.1	1,164	11.0	528	5.1	490	5.1
Wisconsin	6,065	122.4	483	9.9	1,512	30.5	618	11.2	234	4.3	232	4.6
East South Central	**22,456**	**152.5**	**1,944**	**13.5**	**7,139**	**47.8**	**1,837**	**11.7**	**697**	**4.5**	**711**	**4.8**
Alabama	5,680	147.9	496	13.4	1,775	45.4	493	12.0	184	4.6	167	4.3
Kentucky	5,503	158.5	465	13.7	1,834	52.2	395	10.6	179	4.9	183	5.3
Mississippi	3,579	161.3	344	15.8	1,122	49.8	334	14.2	85	3.7	97	4.4
Tennessee	7,694	148.2	638	12.6	2,408	45.7	616	11.1	248	4.6	263	5.0

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**21,851**	**126.1**	**1,889**	**11.1**	**5,805**	**33.4**	**2,047**	**10.5**	**782**	**4.1**	**831**	**4.7**
Iowa	3,434	128.4	291	11.1	919	34.3	341	11.1	122	4.1	140	5.1
Kansas	2,929	127.2	268	11.9	779	33.7	272	10.5	104	4.2	104	4.5
Minnesota	5,168	114.7	413	9.3	1,205	26.8	545	10.8	198	4.0	220	4.8
Missouri	6,874	137.7	588	12.0	2,045	40.6	554	10.0	238	4.4	235	4.6
Nebraska	1,840	121.5	173	11.6	457	30.2	173	10.0	65	3.8	71	4.6
North Dakota	693	114.6	63	10.8	168	28.0	75	10.6	24	3.6	-	-
South Dakota	912	123.4	92	12.7	232	30.8	87	10.5	30	3.7	-	-
West South Central	**34,483**	**129.3**	**3,327**	**12.7**	**9,067**	**33.7**	**2,939**	**10.4**	**1,092**	**3.9**	**1,199**	**4.5**
Arkansas	3,592	148.1	313	13.3	1,156	47.1	280	10.5	116	4.4	110	4.4
Louisiana	5,061	147.8	473	14.0	1,476	42.7	428	11.8	139	3.9	167	5.0
Oklahoma	4,431	147.5	417	14.3	1,301	42.7	379	11.4	153	4.8	156	5.1
Texas	21,400	120.4	2,125	12.1	5,134	28.7	1,852	10.0	684	3.7	766	4.3
Mountain	**17,318**	**106.0**	**1,567**	**9.9**	**3,557**	**21.4**	**1,943**	**10.8**	**686**	**3.9**	**647**	**3.9**
Arizona	6,440	108.7	601	10.6	1,479	24.4	664	9.8	269	4.1	227	3.7
Colorado	4,065	101.9	355	9.1	760	18.8	485	11.6	160	3.9	148	3.7
Idaho	1,580	116.1	133	10.1	333	24.0	187	12.6	64	4.4	-	-
Montana	1,123	114.7	101	10.8	247	24.6	134	12.2	46	4.3	44	4.4
New Mexico	1,918	109.8	187	11.2	375	20.7	209	10.6	67	3.5	67	3.8
Utah	1,677	93.7	147	8.4	255	14.3	214	11.1	61	3.2	77	4.2
Wyoming	515	106.4	45	9.6	108	21.6	50	9.5	19	3.7	-	-
Pacific	**46,252**	**110.6**	**4,105**	**10.0**	**9,776**	**23.1**	**5,040**	**11.0**	**1,784**	**4.0**	**-**	**-**
Alaska	530	115.0	48	10.6	128	27.2	44	10.1	16	3.6	-	-
California	30,791	107.9	2,776	9.9	6,170	21.5	3,469	11.1	1,176	3.8	1,205	4.2
Hawaii	1,329	105.6	120	10.0	318	25.0	127	8.6	42	2.9	47	3.8
Nevada	2,756	118.2	288	12.6	669	27.8	264	10.7	120	4.9	97	4.3
Oregon	4,230	120.1	339	9.9	966	27.0	450	11.6	171	4.5	166	4.7
Washington	6,615	116.1	534	9.6	1,525	26.5	687	11.2	258	4.3	263	4.6

[1] Rates are per 100,000 and were age-adjusted using 19 age groups to the World (WHO 2000-2025) Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**282,730**	**133.5**	**24,600**	**11.5**	**68,367**	**32.0**	**41,737**	**20.1**	**4,165**	**2.2**	**14,056**	**6.7**
New England	**14,095**	**131.0**	**1,121**	**10.2**	**3,629**	**33.8**	**1,842**	**17.6**	**116**	**1.2**	**702**	**6.6**
Connecticut	3,254	122.9	250	9.1	782	29.6	446	17.4	31	1.4	167	6.4
Maine	1,561	145.4	124	11.4	433	40.0	189	18.0	14	1.6	68	6.5
Massachusetts	6,241	129.2	492	9.9	1,592	33.2	816	17.3	46	1.1	318	6.7
New Hampshire	1,317	137.0	106	11.0	363	37.5	175	18.3	12	1.3	69	7.2
Rhode Island	1,070	136.4	85	10.5	288	37.1	133	17.6	10	1.5	50	6.5
Vermont	653	140.1	63	13.7	172	36.5	83	18.0	4	1.1	31	6.6
Middle Atlantic	**39,449**	**132.9**	**3,493**	**11.5**	**9,114**	**30.6**	**5,802**	**20.1**	**541**	**2.1**	**1,977**	**6.8**
New Jersey	8,264	132.6	744	11.6	1,865	29.9	1,274	20.9	117	2.1	402	6.5
New York	17,514	127.7	1,524	10.9	3,956	28.7	2,548	19.1	259	2.1	906	6.7
Pennsylvania	13,671	140.5	1,226	12.3	3,294	33.8	1,980	21.0	165	2.1	669	7.0
South Atlantic	**58,330**	**132.0**	**5,040**	**11.4**	**14,519**	**32.2**	**8,806**	**20.5**	**874**	**2.3**	**2,809**	**6.4**
Delaware	976	141.6	77	11.3	261	37.0	144	21.4	16	2.5	46	6.6
District of Columbia	555	146.3	51	13.1	97	25.8	98	26.2	9	2.7	27	7.3
Florida	20,404	125.3	1,777	10.8	5,197	31.0	2,916	18.8	332	2.6	1,007	6.3
Georgia	7,989	133.7	722	12.2	1,886	31.1	1,285	21.6	133	2.3	402	6.7
Maryland	5,317	135.5	457	11.6	1,267	32.1	842	21.7	71	1.9	252	6.4
North Carolina	9,139	135.7	754	11.2	2,368	34.6	1,376	20.9	121	2.0	410	6.1
South Carolina	4,646	136.9	387	11.5	1,144	32.7	715	21.6	72	2.5	199	5.9
Virginia	7,105	133.0	602	11.3	1,691	31.4	1,136	21.5	90	1.9	369	6.9
West Virginia	2,199	158.2	213	15.2	608	43.0	293	21.9	30	2.7	97	6.9
East North Central	**45,568**	**143.1**	**3,967**	**12.3**	**11,710**	**36.6**	**6,503**	**20.9**	**591**	**2.2**	**2,159**	**6.8**
Illinois	11,853	140.6	1,062	12.4	2,912	34.5	1,740	21.0	173	2.3	571	6.8
Indiana	6,316	146.4	566	12.9	1,727	39.9	882	20.8	91	2.5	298	6.9
Michigan	9,983	144.1	829	11.8	2,642	37.8	1,406	20.8	114	2.0	472	6.9
Ohio	12,062	147.3	1,070	12.9	3,122	37.9	1,746	21.9	157	2.3	552	6.8
Wisconsin	5,353	135.0	439	10.9	1,308	33.0	729	18.8	55	1.6	267	6.8
East South Central	**18,988**	**150.0**	**1,670**	**13.2**	**5,259**	**40.7**	**2,700**	**21.8**	**332**	**3.0**	**871**	**6.9**
Alabama	4,740	142.3	418	12.6	1,223	35.7	700	21.5	99	3.5	240	7.2
Kentucky	4,740	160.5	410	13.9	1,473	49.0	604	21.0	67	2.6	189	6.4
Mississippi	2,946	151.5	285	14.6	758	38.1	441	23.2	58	3.3	120	6.2
Tennessee	6,562	148.1	557	12.6	1,805	40.0	955	22.0	108	2.7	322	7.3

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**19,429**	**136.6**	**1,705**	**11.7**	**4,978**	**35.1**	**2,685**	**19.3**	**235**	**1.9**	**906**	**6.4**
Iowa	3,031	136.6	289	12.4	746	34.1	397	18.6	34	1.9	155	7.1
Kansas	2,626	138.7	235	12.2	667	35.3	370	19.8	36	2.4	126	6.8
Minnesota	4,680	129.4	388	10.6	1,127	31.3	631	17.7	42	1.3	221	6.2
Missouri	6,074	144.4	506	11.9	1,717	40.4	860	20.9	85	2.4	257	6.2
Nebraska	1,653	133.6	159	12.5	395	32.3	239	19.6	25	2.2	81	6.7
North Dakota	602	126.6	51	10.1	137	29.4	82	18.0	5	1.2	26	5.7
South Dakota	763	132.7	77	12.8	190	33.5	106	18.9	8	1.7	40	7.4
West South Central	**29,604**	**133.4**	**2,637**	**11.8**	**6,976**	**31.2**	**4,541**	**20.6**	**615**	**3.0**	**1,408**	**6.3**
Arkansas	2,987	148.0	256	12.8	846	41.0	400	20.3	58	3.4	134	6.7
Louisiana	4,318	147.0	400	13.6	1,093	36.6	658	22.8	79	3.1	182	6.2
Oklahoma	3,761	151.4	337	13.7	1,022	40.4	551	22.7	68	3.2	179	7.2
Texas	18,539	125.9	1,644	11.1	4,014	27.3	2,932	19.8	411	2.9	912	6.1
Mountain	**14,917**	**118.6**	**1,291**	**10.3**	**3,213**	**25.3**	**2,370**	**19.1**	**201**	**1.8**	**858**	**6.8**
Arizona	5,406	118.1	469	10.2	1,271	27.1	820	18.5	81	2.1	306	6.7
Colorado	3,651	116.3	320	10.2	764	24.5	595	18.9	46	1.5	203	6.5
Idaho	1,339	132.5	113	11.2	292	28.6	215	21.5	16	1.8	73	7.0
Montana	959	132.2	78	10.6	255	34.6	135	18.9	9	1.6	47	6.5
New Mexico	1,666	120.5	147	10.8	323	22.9	269	19.7	25	2.3	106	7.7
Utah	1,459	107.6	129	9.6	202	14.9	272	20.1	19	1.3	99	7.3
Wyoming	437	122.3	35	10.1	106	29.3	64	18.2	5	1.9	24	6.9
Pacific	**42,350**	**125.6**	**3,674**	**10.8**	**8,968**	**26.6**	**6,488**	**19.4**	**659**	**2.1**	**2,367**	**7.0**
Alaska	435	133.6	44	14.0	101	32.0	64	18.8	6	1.7	19	5.7
California	28,614	122.5	2,535	10.7	5,637	24.1	4,478	19.3	481	2.2	1,608	6.9
Hawaii	1,115	109.6	100	9.7	234	22.6	157	16.1	14	1.6	45	4.6
Nevada	2,388	139.0	226	13.3	634	36.4	365	21.6	42	2.6	126	7.3
Oregon	3,825	137.9	305	11.0	935	33.3	541	19.7	50	2.1	229	8.2
Washington	5,973	132.6	465	10.2	1,427	31.6	882	19.7	67	1.6	340	7.6

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**282,730**	**92.1**	**24,600**	**7.7**	**68,367**	**21.9**	**41,737**	**14.5**	**4,165**	**1.8**	**14,056**	**4.8**
New England	**14,095**	**88.6**	**1,121**	**6.6**	**3,629**	**22.8**	**1,842**	**12.5**	**116**	**1.0**	**702**	**4.7**
Connecticut	3,254	83.0	250	5.9	782	19.8	446	12.5	31	1.1	167	4.5
Maine	1,561	98.9	124	7.3	433	27.8	189	12.7	14	1.3	68	4.6
Massachusetts	6,241	87.1	492	6.4	1,592	22.2	816	12.3	46	0.9	318	4.8
New Hampshire	1,317	93.2	106	7.2	363	25.7	175	13.2	12	1.0	69	5.1
Rhode Island	1,070	93.1	85	6.9	288	25.3	133	12.8	10	1.2	50	4.7
Vermont	653	94.5	63	8.8	172	24.7	83	12.7	4	0.9	31	4.6
Middle Atlantic	**39,449**	**91.2**	**3,493**	**7.6**	**9,114**	**20.9**	**5,802**	**14.4**	**541**	**1.7**	**1,977**	**4.9**
New Jersey	8,264	90.2	744	7.5	1,865	20.0	1,274	14.9	117	1.6	402	4.7
New York	17,514	87.9	1,524	7.2	3,956	19.6	2,548	13.8	259	1.7	906	4.9
Pennsylvania	13,671	96.6	1,226	8.1	3,294	23.3	1,980	15.0	165	1.7	669	5.0
South Atlantic	**58,330**	**91.9**	**5,040**	**7.7**	**14,519**	**22.2**	**8,806**	**15.0**	**874**	**1.9**	**2,809**	**4.5**
Delaware	976	97.5	77	7.5	261	25.5	144	15.6	16	2.1	46	4.7
District of Columbia	555	104.2	51	9.2	97	17.7	98	19.3	9	2.1	27	5.5
Florida	20,404	87.6	1,777	7.3	5,197	21.4	2,916	13.9	332	2.2	1,007	4.5
Georgia	7,989	93.1	722	8.3	1,886	21.4	1,285	15.7	133	1.9	402	4.7
Maryland	5,317	93.5	457	7.8	1,267	21.7	842	15.9	71	1.5	252	4.6
North Carolina	9,139	94.2	754	7.6	2,368	24.0	1,376	15.2	121	1.6	410	4.3
South Carolina	4,646	95.7	387	7.9	1,144	22.9	715	15.8	72	2.0	199	4.1
Virginia	7,105	91.3	602	7.4	1,691	21.3	1,136	15.5	90	1.5	369	4.9
West Virginia	2,199	111.5	213	10.1	608	30.8	293	16.0	30	2.2	97	5.1
East North Central	**45,568**	**98.9**	**3,967**	**8.2**	**11,710**	**25.4**	**6,503**	**15.1**	**591**	**1.8**	**2,159**	**4.9**
Illinois	11,853	96.6	1,062	8.2	2,912	23.5	1,740	15.2	173	1.8	571	4.9
Indiana	6,316	101.7	566	8.6	1,727	27.9	882	14.9	91	2.1	298	4.9
Michigan	9,983	99.8	829	7.9	2,642	26.2	1,406	15.0	114	1.6	472	5.0
Ohio	12,062	102.4	1,070	8.7	3,122	26.6	1,746	15.8	157	1.9	552	4.8
Wisconsin	5,353	91.8	439	7.0	1,308	22.5	729	13.4	55	1.3	267	4.8
East South Central	**18,988**	**105.8**	**1,670**	**9.1**	**5,259**	**28.9**	**2,700**	**15.9**	**332**	**2.4**	**871**	**4.9**
Alabama	4,740	100.6	418	8.7	1,223	25.3	700	15.8	99	2.8	240	5.1
Kentucky	4,740	113.1	410	9.5	1,473	34.9	604	15.2	67	2.2	189	4.6
Mississippi	2,946	107.6	285	10.2	758	27.0	441	17.1	58	2.6	120	4.5
Tennessee	6,562	104.2	557	8.6	1,805	28.4	955	16.0	108	2.3	322	5.2

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**19,429**	**93.9**	**1,705**	**7.7**	**4,978**	**24.2**	**2,685**	**13.8**	**235**	**1.6**	**906**	**4.6**
Iowa	3,031	94.0	289	8.0	746	23.7	397	13.5	34	1.6	155	5.0
Kansas	2,626	95.8	235	8.1	667	24.3	370	14.1	36	1.9	126	4.9
Minnesota	4,680	87.4	388	6.8	1,127	21.2	631	12.5	42	1.1	221	4.3
Missouri	6,074	100.6	506	7.9	1,717	28.3	860	15.1	85	2.0	257	4.4
Nebraska	1,653	91.6	159	8.0	395	22.3	239	13.7	25	1.9	81	4.7
North Dakota	602	86.9	51	6.6	137	20.3	82	13.1	5	1.0	26	4.0
South Dakota	763	90.7	77	8.2	190	23.3	106	13.5	8	1.4	40	5.3
West South Central	**29,604**	**93.1**	**2,637**	**8.2**	**6,976**	**21.4**	**4,541**	**14.9**	**615**	**2.5**	**1,408**	**4.5**
Arkansas	2,987	104.5	256	8.8	846	29.1	400	14.9	58	2.8	134	4.8
Louisiana	4,318	103.5	400	9.5	1,093	25.6	658	16.7	79	2.5	182	4.4
Oklahoma	3,761	106.7	337	9.5	1,022	28.5	551	16.3	68	2.7	179	5.2
Texas	18,539	87.4	1,644	7.6	4,014	18.5	2,932	14.4	411	2.4	912	4.4
Mountain	**14,917**	**80.9**	**1,291**	**6.8**	**3,213**	**16.8**	**2,370**	**13.6**	**201**	**1.5**	**858**	**4.8**
Arizona	5,406	81.4	469	6.8	1,271	18.1	820	13.4	81	1.7	306	4.8
Colorado	3,651	78.2	320	6.6	764	15.9	595	13.3	46	1.3	203	4.5
Idaho	1,339	89.5	113	7.4	292	19.0	215	15.2	16	1.5	73	5.0
Montana	959	89.8	78	7.0	255	23.1	135	13.2	9	1.3	47	4.6
New Mexico	1,666	83.2	147	7.5	323	15.2	269	14.1	25	1.9	106	5.6
Utah	1,459	72.9	129	6.4	202	10.0	272	14.0	19	1.1	99	5.1
Wyoming	437	83.5	35	6.5	106	19.8	64	12.6	5	1.6	24	4.8
Pacific	**42,350**	**85.7**	**3,674**	**7.1**	**8,968**	**17.5**	**6,488**	**14.0**	**659**	**1.7**	**2,367**	**5.1**
Alaska	435	91.4	44	9.4	101	21.0	64	13.6	6	1.4	19	4.0
California	28,614	83.7	2,535	7.1	5,637	15.8	4,478	14.0	481	1.8	1,608	5.0
Hawaii	1,115	77.0	100	6.7	234	15.1	157	11.9	14	1.3	45	3.4
Nevada	2,388	94.4	226	8.8	634	23.9	365	15.4	42	2.1	126	5.2
Oregon	3,825	93.8	305	7.1	935	22.2	541	14.2	50	1.7	229	5.9
Washington	5,973	89.7	465	6.6	1,427	20.9	882	14.0	67	1.3	340	5.3

[1] Rates are per 100,000 and were age-adjusted using 19 age groups to the World (WHO 2000-2025) Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2014-2018, White

	MALES (WHITE)					FEMALES (WHITE)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	267,704	185.9	0.16	123.5	0.11	237,634	134.3	0.13	92.3	0.09
Oral Cavity & Pharynx	5,928	3.9	0.02	2.9	0.02	2,446	1.4	0.01	0.9	0.01
Digestive System	74,813	50.8	0.08	35.3	0.06	54,489	30.4	0.06	20.4	0.04
Esophagus	11,039	7.4	0.03	5.2	0.02	2,589	1.4	0.01	1.0	0.01
Stomach	4,970	3.5	0.02	2.4	0.02	3,282	1.9	0.02	1.3	0.01
Colon & Rectum	22,793	15.9	0.05	10.8	0.03	20,232	11.3	0.04	7.5	0.03
Liver	11,104	7.1	0.03	5.3	0.02	4,127	2.3	0.02	1.6	0.01
Pancreas	18,772	12.8	0.04	8.7	0.03	17,164	9.5	0.03	6.3	0.02
Respiratory System	72,201	49.1	0.08	33.0	0.06	60,442	33.8	0.06	23.2	0.04
Larynx	2,441	1.6	0.01	1.1	0.01	626	0.4	0.01	0.3	0.00
Lung & bronchus	69,136	47.1	0.08	31.6	0.05	59,484	33.3	0.06	22.8	0.04
Skin	8,219	5.8	0.03	3.8	0.02	3,853	2.2	0.02	1.5	0.01
Melanomas of the skin	5,500	3.9	0.02	2.6	0.02	2,828	1.7	0.01	1.2	0.01
Breast	385	0.3	0.01	0.2	0.00	33,883	19.6	0.05	14.0	0.04
Female Genital System	-	-	-	-	-	25,537	14.8	0.04	10.7	0.03
Cervix uteri	-	-	-	-	-	3,173	2.1	0.02	1.8	0.02
Corpus & uterus, NOS[1]	-	-	-	-	-	8,095	4.5	0.02	3.2	0.02
Ovary	-	-	-	-	-	12,125	6.9	0.03	4.9	0.02
Male Genital System	24,898	18.4	0.05	10.3	0.03	-	-	-	-	-
Prostate	24,195	17.9	0.05	9.9	0.03	-	-	-	-	-
Testis	367	0.3	0.01	0.3	0.01	-	-	-	-	-
Urinary System	19,264	13.7	0.04	8.5	0.03	8,574	4.7	0.02	2.9	0.02
Bladder	10,762	7.8	0.03	4.5	0.02	4,037	2.2	0.02	1.3	0.01
Kidney & renal pelvis	8,020	5.5	0.03	3.8	0.02	4,230	2.3	0.02	1.6	0.01
Brain & Other CNS[1]	8,488	5.9	0.03	4.5	0.02	6,492	3.9	0.02	3.1	0.02
Endocrine System	1,199	0.9	0.01	0.6	0.01	1,252	0.7	0.01	0.5	0.01
Thyroid gland	772	0.5	0.01	0.4	0.01	864	0.5	0.01	0.3	0.01
Lymphomas	10,723	7.7	0.03	4.9	0.02	8,197	4.5	0.02	2.8	0.02
Hodgkin Lymphoma	532	0.4	0.01	0.3	0.01	380	0.2	0.01	0.2	0.00
Non-Hodgkin Lymphoma	10,191	7.3	0.03	4.6	0.02	7,817	4.3	0.02	2.7	0.01
Multiple Myeloma	5,433	3.8	0.02	2.4	0.01	4,219	2.3	0.02	1.5	0.01
Leukemias	12,016	8.7	0.04	5.6	0.02	8,563	4.9	0.02	3.2	0.02
Other, Ill-defined & Unknown	24,136	16.9	0.05	11.3	0.03	19,686	11.0	0.04	7.5	0.03

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**267,704**	**185.9**	**22,793**	**15.9**	**69,136**	**47.1**	**24,195**	**17.9**	**10,762**	**7.8**	**10,191**	**7.3**
New England	**14,013**	**183.9**	**1,051**	**14.0**	**3,477**	**44.8**	**1,320**	**18.1**	**648**	**8.8**	**526**	**7.2**
Connecticut	3,047	169.0	226	12.7	704	38.4	300	17.0	144	8.1	127	7.2
Maine	1,727	201.9	121	14.6	492	55.5	156	19.4	76	9.3	62	7.6
Massachusetts	6,014	184.1	453	14.0	1,446	43.8	565	18.1	284	9.0	223	7.1
New Hampshire	1,427	184.0	112	14.5	369	46.4	134	18.7	65	9.0	49	6.5
Rhode Island	1,070	196.9	81	15.0	281	51.0	97	18.5	48	9.0	-	-
Vermont	729	194.0	58	15.7	186	48.0	68	19.7	32	9.1	-	-
Middle Atlantic	**34,312**	**182.7**	**3,006**	**16.1**	**8,478**	**44.6**	**3,073**	**16.9**	**1,510**	**8.2**	**1,398**	**7.6**
New Jersey	6,741	176.6	630	16.5	1,549	40.2	593	16.0	321	8.7	282	7.6
New York	14,281	175.3	1,215	15.0	3,457	42.0	1,326	16.8	633	8.0	590	7.4
Pennsylvania	13,290	195.1	1,161	17.3	3,471	50.1	1,155	17.4	556	8.3	527	8.0
South Atlantic	**53,453**	**183.8**	**4,428**	**15.4**	**14,929**	**50.1**	**4,467**	**16.0**	**2,215**	**7.8**	**-**	**-**
Delaware	898	198.4	71	15.9	244	52.6	66	15.2	43	10.0	32	7.3
District of Columbia	125	109.6	10	8.1	20	18.0	16	14.6	5	4.9	-	-
Florida	21,275	175.9	1,777	15.0	5,706	46.3	1,891	15.2	931	7.5	791	6.6
Georgia	6,566	193.3	575	17.0	1,923	54.8	515	17.2	268	8.7	232	7.1
Maryland	3,782	179.8	319	15.2	950	44.5	325	16.4	173	8.5	153	7.4
North Carolina	8,065	191.7	625	15.0	2,430	56.0	642	16.7	310	7.8	291	7.2
South Carolina	4,149	195.3	318	15.2	1,209	54.8	326	17.0	144	7.3	136	6.6
Virginia	6,130	184.1	513	15.4	1,661	48.5	516	17.0	253	8.2	236	7.4
West Virginia	2,463	219.4	221	20.1	786	67.6	171	16.6	88	8.2	86	7.8
East North Central	**43,928**	**197.2**	**3,642**	**16.5**	**12,145**	**53.2**	**3,793**	**18.2**	**1,761**	**8.3**	**1,700**	**7.9**
Illinois	10,325	189.7	909	16.7	2,735	49.5	907	17.7	417	8.1	397	7.5
Indiana	6,609	210.0	545	17.3	1,973	61.1	537	18.7	245	8.3	250	8.2
Michigan	9,442	194.1	737	15.4	2,594	51.9	787	17.3	378	8.2	376	8.0
Ohio	11,875	206.3	1,006	17.7	3,436	58.1	978	18.0	493	9.0	455	8.2
Wisconsin	5,677	185.5	445	14.7	1,407	44.8	584	20.3	228	7.8	222	7.5
East South Central	**18,595**	**220.1**	**1,531**	**18.3**	**6,010**	**69.0**	**1,334**	**17.6**	**628**	**8.0**	**628**	**7.8**
Alabama	4,392	211.9	362	17.7	1,403	65.6	317	16.8	157	8.1	140	7.0
Kentucky	5,166	234.8	431	19.8	1,735	76.3	359	18.6	172	8.6	174	8.3
Mississippi	2,417	222.3	215	20.0	768	68.9	176	17.7	70	6.9	76	7.2
Tennessee	6,620	214.4	523	17.0	2,103	66.0	482	17.4	228	8.0	239	8.1

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**20,326**	**188.8**	**1,746**	**16.4**	**5,399**	**49.1**	**1,877**	**18.3**	**758**	**7.3**	**790**	**7.5**
Iowa	3,338	193.7	283	16.7	896	50.9	332	19.9	121	7.2	137	8.1
Kansas	2,718	189.6	247	17.4	721	49.5	248	18.1	101	7.3	99	7.1
Minnesota	4,861	175.4	388	14.2	1,130	39.8	517	19.7	192	7.2	209	7.8
Missouri	6,144	202.1	518	17.3	1,836	58.9	466	16.3	228	7.9	216	7.3
Nebraska	1,752	183.4	164	17.3	438	45.3	160	17.4	63	6.8	69	7.4
North Dakota	659	172.3	60	16.3	161	42.1	73	19.2	24	6.4	-	-
South Dakota	854	186.6	86	18.9	216	46.3	81	18.6	29	6.7	-	-
West South Central	**28,730**	**189.5**	**2,680**	**17.5**	**7,509**	**48.8**	**2,324**	**17.0**	**989**	**7.1**	**1,061**	**7.3**
Arkansas	3,108	213.7	261	18.2	1,005	66.9	225	16.6	109	7.9	101	7.2
Louisiana	3,475	202.8	307	17.8	1,013	57.8	261	16.7	115	7.1	131	8.1
Oklahoma	3,803	214.4	346	19.7	1,132	62.2	314	18.8	140	8.3	138	8.0
Texas	18,344	179.8	1,767	17.0	4,359	42.5	1,525	16.7	625	6.7	691	7.0
Mountain	**16,322**	**162.4**	**1,454**	**14.6**	**3,370**	**32.9**	**1,824**	**19.4**	**669**	**7.0**	**618**	**6.3**
Arizona	6,002	164.2	554	15.4	1,392	37.1	612	17.1	262	7.3	215	6.0
Colorado	3,819	159.0	330	13.6	708	29.1	450	21.1	154	6.8	139	6.1
Idaho	1,553	180.8	130	15.1	328	37.2	184	23.2	63	7.9	-	-
Montana	1,068	173.0	92	15.2	234	37.4	130	22.3	46	7.5	43	7.1
New Mexico	1,766	168.1	167	16.2	356	33.1	190	19.2	65	6.4	63	6.1
Utah	1,611	144.9	138	12.3	246	21.8	209	20.7	60	5.8	75	7.0
Wyoming	502	161.0	44	14.0	106	33.4	49	16.9	19	6.4	-	-
Pacific	**38,024**	**174.8**	**3,253**	**14.9**	**7,820**	**35.9**	**4,181**	**20.6**	**1,584**	**7.7**	**1,507**	**7.1**
Alaska	401	168.3	32	13.8	97	40.1	35	18.1	14	6.7	-	-
California	24,750	171.3	2,157	14.8	4,745	33.1	2,806	20.6	1,030	7.5	991	7.0
Hawaii	450	173.7	34	13.3	87	32.5	51	21.2	18	7.8	-	-
Nevada	2,378	184.0	234	18.1	582	44.3	220	18.8	109	9.0	84	6.7
Oregon	4,029	184.0	320	14.9	920	41.2	434	21.2	168	8.1	158	7.5
Washington	6,016	180.8	476	14.3	1,390	41.1	635	20.8	245	7.8	242	7.5

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**267,704**	**123.5**	**22,793**	**10.8**	**69,136**	**31.6**	**24,195**	**9.9**	**10,762**	**4.5**	**10,191**	**4.6**
New England	**14,013**	**120.0**	**1,051**	**9.2**	**3,477**	**29.7**	**1,320**	**9.9**	**648**	**5.1**	**526**	**4.4**
Connecticut	3,047	110.3	226	8.4	704	25.4	300	9.3	144	4.7	127	4.5
Maine	1,727	133.4	121	9.7	492	37.9	156	10.7	76	5.3	62	4.7
Massachusetts	6,014	119.5	453	9.2	1,446	28.7	565	9.9	284	5.2	223	4.4
New Hampshire	1,427	120.6	112	9.8	369	30.9	134	10.4	65	5.1	49	4.0
Rhode Island	1,070	128.6	81	9.9	281	33.8	97	10.1	48	5.1	-	-
Vermont	729	126.9	58	10.6	186	32.0	68	10.8	32	5.3	-	-
Middle Atlantic	**34,312**	**120.3**	**3,006**	**10.7**	**8,478**	**29.7**	**3,073**	**9.3**	**1,510**	**4.7**	**1,398**	**4.8**
New Jersey	6,741	115.3	630	11.0	1,549	26.4	593	8.8	321	4.9	282	4.8
New York	14,281	115.5	1,215	10.0	3,457	28.0	1,326	9.3	633	4.6	590	4.7
Pennsylvania	13,290	128.9	1,161	11.5	3,471	33.6	1,155	9.7	556	4.8	527	5.0
South Atlantic	**53,453**	**123.8**	**4,428**	**10.6**	**14,929**	**34.2**	**4,467**	**8.9**	**2,215**	**4.6**	**-**	**-**
Delaware	898	131.4	71	10.7	244	35.1	66	8.6	43	5.8	32	4.6
District of Columbia	125	69.8	10	5.7	20	11.4	16	7.7	5	2.6	-	-
Florida	21,275	120.2	1,777	10.4	5,706	32.0	1,891	8.6	931	4.5	791	4.3
Georgia	6,566	129.4	575	11.6	1,923	37.2	515	9.6	268	5.0	232	4.6
Maryland	3,782	118.3	319	10.2	950	29.6	325	9.0	173	5.0	153	4.7
North Carolina	8,065	127.9	625	10.3	2,430	37.9	642	9.2	310	4.6	291	4.5
South Carolina	4,149	131.3	318	10.6	1,209	37.4	326	9.4	144	4.3	136	4.2
Virginia	6,130	121.2	513	10.5	1,661	32.4	516	9.3	253	4.7	236	4.6
West Virginia	2,463	150.0	221	13.9	786	46.6	171	9.2	88	4.9	86	5.1
East North Central	**43,928**	**130.7**	**3,642**	**11.0**	**12,145**	**36.0**	**3,793**	**10.1**	**1,761**	**4.8**	**1,700**	**5.0**
Illinois	10,325	124.9	909	11.2	2,735	33.0	907	9.8	417	4.6	397	4.7
Indiana	6,609	140.5	545	11.7	1,973	41.7	537	10.4	245	4.9	250	5.3
Michigan	9,442	128.6	737	10.3	2,594	35.1	787	9.5	378	4.7	376	5.0
Ohio	11,875	138.3	1,006	11.9	3,436	39.9	978	10.1	493	5.3	455	5.2
Wisconsin	5,677	120.3	445	9.6	1,407	29.8	584	10.9	228	4.4	222	4.6
East South Central	**18,595**	**149.7**	**1,531**	**12.7**	**6,010**	**47.6**	**1,334**	**9.8**	**628**	**4.7**	**628**	**5.0**
Alabama	4,392	144.0	362	12.3	1,403	45.1	317	9.4	157	4.8	140	4.5
Kentucky	5,166	159.5	431	13.6	1,735	52.9	359	10.3	172	5.0	174	5.3
Mississippi	2,417	151.0	215	14.0	768	47.0	176	9.9	70	4.0	76	4.7
Tennessee	6,620	146.0	523	11.9	2,103	45.6	482	9.7	228	4.7	239	5.2

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**20,326**	**124.8**	**1,746**	**11.0**	**5,399**	**33.0**	**1,877**	**10.1**	**758**	**4.2**	**790**	**4.7**
Iowa	3,338	128.3	283	11.1	896	34.3	332	11.0	121	4.2	137	5.1
Kansas	2,718	126.3	247	11.8	721	33.3	248	10.1	101	4.3	99	4.5
Minnesota	4,861	113.9	388	9.3	1,130	26.4	517	10.7	192	4.1	209	4.8
Missouri	6,144	135.8	518	11.7	1,836	40.2	466	9.1	228	4.6	216	4.7
Nebraska	1,752	121.1	164	11.6	438	30.2	160	9.6	63	3.9	69	4.7
North Dakota	659	112.8	60	10.8	161	27.9	73	10.5	24	3.7	-	-
South Dakota	854	120.7	86	12.3	216	30.1	81	10.0	29	3.8	-	-
West South Central	**28,730**	**127.3**	**2,680**	**12.1**	**7,509**	**32.8**	**2,324**	**9.5**	**989**	**4.1**	**1,061**	**4.7**
Arkansas	3,108	145.3	261	12.7	1,005	46.4	225	9.3	109	4.6	101	4.5
Louisiana	3,475	137.0	307	12.4	1,013	39.6	261	9.3	115	4.3	131	5.2
Oklahoma	3,803	145.8	346	13.6	1,132	42.8	314	10.6	140	5.0	138	5.2
Texas	18,344	120.2	1,767	11.8	4,359	28.2	1,525	9.4	625	3.9	691	4.5
Mountain	**16,322**	**106.9**	**1,454**	**9.9**	**3,370**	**21.6**	**1,824**	**10.7**	**669**	**4.0**	**618**	**4.0**
Arizona	6,002	110.2	554	10.7	1,392	24.9	612	9.6	262	4.3	215	3.8
Colorado	3,819	102.6	330	9.0	708	18.8	450	11.4	154	4.0	139	3.7
Idaho	1,553	117.1	130	10.2	328	24.2	184	12.6	63	4.4	-	-
Montana	1,068	113.4	92	10.2	234	24.2	130	12.2	46	4.5	43	4.4
New Mexico	1,766	112.0	167	11.2	356	21.7	190	10.5	65	3.7	63	3.9
Utah	1,611	93.9	138	8.3	246	14.3	209	11.2	60	3.3	75	4.3
Wyoming	502	106.7	44	9.7	106	21.8	49	9.5	19	3.8	-	-
Pacific	**38,024**	**114.3**	**3,253**	**10.0**	**7,820**	**23.2**	**4,181**	**11.4**	**1,584**	**4.4**	**1,507**	**4.5**
Alaska	401	109.6	32	8.9	97	26.1	35	10.0	14	3.9	-	-
California	24,750	111.7	2,157	9.9	4,745	21.2	2,806	11.4	1,030	4.2	991	4.4
Hawaii	450	114.2	34	9.2	87	21.7	51	12.0	18	4.5	-	-
Nevada	2,378	121.6	234	12.2	582	28.8	220	10.5	109	5.3	84	4.4
Oregon	4,029	121.2	320	10.0	920	27.2	434	11.7	168	4.7	158	4.6
Washington	6,016	118.1	476	9.6	1,390	26.9	635	11.5	245	4.5	242	4.7

[1] Rates are per 100,000 and were age-adjusted using 19 age groups to the World (WHO 2000-2025) Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**237,634**	**134.3**	**20,232**	**11.3**	**59,484**	**33.3**	**33,883**	**19.6**	**3,173**	**2.1**	**12,125**	**6.9**
New England	**13,214**	**133.7**	**1,049**	**10.4**	**3,466**	**35.1**	**1,696**	**17.7**	**99**	**1.2**	**664**	**6.9**
Connecticut	2,937	124.4	225	9.1	725	30.8	392	17.3	24	1.3	153	6.6
Maine	1,537	145.5	123	11.4	427	40.2	185	17.9	13	1.5	68	6.6
Massachusetts	5,772	132.9	453	10.1	1,504	34.8	742	17.6	37	1.0	298	7.0
New Hampshire	1,301	138.6	105	11.1	360	38.0	173	18.6	11	1.3	68	7.3
Rhode Island	1,020	140.0	81	10.8	279	38.6	122	17.4	9	1.7	48	6.8
Vermont	647	141.0	63	13.9	171	36.8	82	18.0	4	1.1	30	6.6
Middle Atlantic	**32,958**	**135.6**	**2,891**	**11.5**	**7,895**	**32.5**	**4,676**	**19.8**	**400**	**2.0**	**1,682**	**7.1**
New Jersey	6,846	135.7	615	11.7	1,608	31.9	1,010	20.5	87	2.0	334	6.8
New York	14,040	133.0	1,192	11.0	3,352	31.7	1,951	19.0	178	2.0	738	7.2
Pennsylvania	12,071	138.8	1,083	12.1	2,935	33.8	1,715	20.4	135	2.0	609	7.2
South Atlantic	**45,743**	**130.7**	**3,825**	**10.9**	**12,207**	**34.2**	**6,478**	**19.1**	**598**	**2.1**	**2,282**	**6.6**
Delaware	781	141.5	59	10.9	215	37.8	112	21.0	13	2.8	39	6.9
District of Columbia	121	94.4	8	6.1	21	17.2	19	14.7	2	1.7	8	5.9
Florida	17,759	125.6	1,515	10.6	4,766	32.7	2,435	18.1	258	2.5	891	6.4
Georgia	5,523	132.0	472	11.3	1,461	34.1	797	19.4	73	2.0	292	7.0
Maryland	3,536	133.6	299	11.1	908	34.2	515	19.7	36	1.6	174	6.7
North Carolina	7,021	133.3	553	10.5	1,951	36.4	996	19.4	79	1.8	332	6.3
South Carolina	3,416	134.0	266	10.6	930	35.3	488	19.7	45	2.2	154	6.1
Virginia	5,457	132.8	447	10.8	1,363	32.8	834	20.6	62	1.7	300	7.3
West Virginia	2,130	158.7	207	15.2	592	43.4	281	21.8	30	2.8	93	6.9
East North Central	**39,483**	**142.0**	**3,383**	**11.9**	**10,307**	**37.0**	**5,477**	**20.2**	**480**	**2.1**	**1,935**	**7.0**
Illinois	9,661	139.3	844	11.8	2,427	35.1	1,361	20.1	128	2.1	483	7.1
Indiana	5,768	146.4	514	12.8	1,601	40.5	788	20.3	80	2.5	274	7.0
Michigan	8,485	142.5	687	11.4	2,294	38.3	1,155	20.0	93	2.0	421	7.2
Ohio	10,579	146.4	932	12.7	2,765	38.1	1,495	21.3	131	2.2	502	7.0
Wisconsin	4,990	133.2	406	10.6	1,219	32.6	678	18.6	48	1.5	254	6.8
East South Central	**15,502**	**149.0**	**1,307**	**12.6**	**4,554**	**42.8**	**2,068**	**20.4**	**235**	**2.7**	**732**	**7.1**
Alabama	3,588	140.9	294	11.7	1,014	38.7	494	19.9	63	3.1	190	7.4
Kentucky	4,420	161.6	377	13.8	1,389	49.9	553	20.7	62	2.7	177	6.5
Mississippi	1,952	146.0	179	13.4	567	41.4	255	19.6	30	2.7	84	6.5
Tennessee	5,542	146.5	457	12.1	1,585	41.1	766	20.7	80	2.5	280	7.5

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**18,003**	**135.6**	**1,576**	**11.6**	**4,638**	**35.0**	**2,461**	**18.9**	**199**	**1.8**	**856**	**6.6**
Iowa	2,947	136.6	281	12.4	726	34.1	385	18.6	31	1.8	152	7.1
Kansas	2,434	138.0	217	12.1	625	35.4	340	19.5	31	2.3	118	6.8
Minnesota	4,408	128.9	366	10.5	1,070	31.4	595	17.7	34	1.1	211	6.2
Missouri	5,354	142.8	442	11.6	1,538	40.7	733	19.9	68	2.2	234	6.3
Nebraska	1,576	133.8	151	12.4	377	32.3	227	19.6	23	2.2	78	6.7
North Dakota	571	124.7	49	10.0	127	28.4	80	18.3	5	1.2	25	5.8
South Dakota	713	130.9	71	12.4	175	32.7	101	19.0	6	1.4	39	7.6
West South Central	**24,346**	**132.2**	**2,089**	**11.3**	**5,938**	**31.9**	**3,583**	**19.6**	**480**	**2.9**	**1,187**	**6.5**
Arkansas	2,561	146.6	210	12.0	756	42.3	325	19.0	46	3.3	114	6.6
Louisiana	2,952	141.2	257	12.2	822	38.7	404	19.7	43	2.6	130	6.3
Oklahoma	3,211	150.5	281	13.2	889	40.9	468	22.4	55	3.2	153	7.2
Texas	15,622	125.7	1,341	10.7	3,470	27.8	2,385	19.2	336	2.9	790	6.3
Mountain	**13,963**	**119.8**	**1,203**	**10.4**	**3,049**	**25.8**	**2,222**	**19.4**	**183**	**1.8**	**803**	**6.9**
Arizona	4,977	119.6	432	10.3	1,201	28.0	751	18.8	73	2.2	282	6.8
Colorado	3,430	117.7	298	10.3	720	24.8	560	19.2	42	1.6	194	6.6
Idaho	1,312	133.6	110	11.3	286	28.8	211	21.8	15	1.8	71	7.0
Montana	907	130.5	73	10.3	240	34.0	128	18.8	8	1.5	45	6.6
New Mexico	1,519	123.4	132	10.9	307	24.4	250	20.8	21	2.3	93	7.6
Utah	1,395	107.8	123	9.6	192	14.8	260	20.1	18	1.3	96	7.4
Wyoming	425	122.3	35	10.2	103	29.4	62	18.2	5	1.9	23	6.7
Pacific	**34,422**	**131.4**	**2,910**	**11.0**	**7,431**	**28.2**	**5,222**	**20.2**	**499**	**2.1**	**1,985**	**7.6**
Alaska	313	129.5	26	11.0	73	31.6	47	18.6	4	1.6	15	6.1
California	22,737	128.2	1,963	10.9	4,524	25.4	3,526	20.1	358	2.3	1,318	7.5
Hawaii	336	138.8	29	12.2	72	29.8	50	20.6	3	1.0	18	7.8
Nevada	1,998	144.2	184	13.3	553	39.2	290	21.3	32	2.6	105	7.6
Oregon	3,634	139.4	290	11.1	895	33.9	512	20.0	46	2.1	216	8.3
Washington	5,405	136.1	419	10.5	1,314	32.8	797	20.3	57	1.6	311	7.9

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**237,634**	**92.3**	**20,232**	**7.5**	**59,484**	**22.8**	**33,883**	**14.0**	**3,173**	**1.8**	**12,125**	**4.9**
New England	**13,214**	**90.4**	**1,049**	**6.7**	**3,466**	**23.8**	**1,696**	**12.6**	**99**	**1.0**	**664**	**4.9**
Connecticut	2,937	83.8	225	5.9	725	20.6	392	12.3	24	1.0	153	4.7
Maine	1,537	98.9	123	7.3	427	27.9	185	12.6	13	1.2	68	4.6
Massachusetts	5,772	89.6	453	6.6	1,504	23.4	742	12.5	37	0.8	298	5.0
New Hampshire	1,301	94.4	105	7.2	360	26.0	173	13.4	11	1.0	68	5.2
Rhode Island	1,020	95.6	81	7.1	279	26.4	122	12.6	9	1.4	48	4.9
Vermont	647	95.1	63	9.0	171	24.9	82	12.7	4	0.9	30	4.6
Middle Atlantic	**32,958**	**92.7**	**2,891**	**7.5**	**7,895**	**22.1**	**4,676**	**14.1**	**400**	**1.6**	**1,682**	**5.1**
New Jersey	6,846	91.9	615	7.5	1,608	21.3	1,010	14.5	87	1.6	334	4.8
New York	14,040	91.1	1,192	7.2	3,352	21.6	1,951	13.7	178	1.6	738	5.2
Pennsylvania	12,071	95.2	1,083	7.9	2,935	23.3	1,715	14.5	135	1.6	609	5.2
South Atlantic	**45,743**	**90.5**	**3,825**	**7.3**	**12,207**	**23.6**	**6,478**	**13.8**	**598**	**1.8**	**2,282**	**4.7**
Delaware	781	97.2	59	7.3	215	26.2	112	15.2	13	2.4	39	4.9
District of Columbia	121	62.5	8	4.0	21	10.6	19	10.9	2	1.1	8	4.2
Florida	17,759	87.6	1,515	7.1	4,766	22.7	2,435	13.2	258	2.1	891	4.6
Georgia	5,523	91.1	472	7.6	1,461	23.6	797	13.8	73	1.7	292	4.9
Maryland	3,536	91.2	299	7.4	908	23.1	515	14.1	36	1.2	174	4.8
North Carolina	7,021	91.9	553	7.1	1,951	25.2	996	13.9	79	1.5	332	4.5
South Carolina	3,416	93.2	266	7.3	930	24.8	488	14.1	45	1.9	154	4.2
Virginia	5,457	90.7	447	7.1	1,363	22.3	834	14.7	62	1.4	300	5.2
West Virginia	2,130	111.9	207	10.0	592	31.0	281	15.9	30	2.3	93	5.1
East North Central	**39,483**	**97.7**	**3,383**	**7.9**	**10,307**	**25.6**	**5,477**	**14.5**	**480**	**1.7**	**1,935**	**5.0**
Illinois	9,661	95.1	844	7.7	2,427	23.9	1,361	14.4	128	1.7	483	5.0
Indiana	5,768	101.7	514	8.5	1,601	28.4	788	14.6	80	2.1	274	5.0
Michigan	8,485	98.1	687	7.6	2,294	26.5	1,155	14.3	93	1.6	421	5.2
Ohio	10,579	101.6	932	8.5	2,765	26.7	1,495	15.3	131	1.8	502	5.0
Wisconsin	4,990	90.3	406	6.7	1,219	22.2	678	13.3	48	1.2	254	4.8
East South Central	**15,502**	**105.0**	**1,307**	**8.7**	**4,554**	**30.6**	**2,068**	**14.7**	**235**	**2.2**	**732**	**5.0**
Alabama	3,588	99.4	294	8.2	1,014	27.5	494	14.3	63	2.5	190	5.2
Kentucky	4,420	113.8	377	9.4	1,389	35.6	553	15.0	62	2.2	177	4.6
Mississippi	1,952	103.3	179	9.4	567	29.5	255	14.1	30	2.2	84	4.8
Tennessee	5,542	103.0	457	8.2	1,585	29.3	766	15.0	80	2.1	280	5.3

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**18,003**	**93.1**	**1,576**	**7.5**	**4,638**	**24.2**	**2,461**	**13.5**	**199**	**1.5**	**856**	**4.7**
Iowa	2,947	93.9	281	8.0	726	23.7	385	13.4	31	1.5	152	5.1
Kansas	2,434	95.1	217	8.0	625	24.4	340	13.9	31	1.8	118	4.9
Minnesota	4,408	86.9	366	6.8	1,070	21.2	595	12.4	34	0.9	211	4.4
Missouri	5,354	99.2	442	7.7	1,538	28.5	733	14.3	68	1.9	234	4.5
Nebraska	1,576	91.7	151	7.9	377	22.3	227	13.7	23	1.9	78	4.8
North Dakota	571	85.6	49	6.5	127	19.5	80	13.4	5	1.0	25	4.1
South Dakota	713	89.4	71	7.9	175	22.7	101	13.5	6	1.1	39	5.4
West South Central	**24,346**	**91.9**	**2,089**	**7.7**	**5,938**	**21.9**	**3,583**	**14.1**	**480**	**2.5**	**1,187**	**4.6**
Arkansas	2,561	103.3	210	8.2	756	30.1	325	13.8	46	2.7	114	4.7
Louisiana	2,952	98.6	257	8.4	822	27.1	404	14.1	43	2.1	130	4.4
Oklahoma	3,211	105.8	281	9.2	889	28.8	468	16.1	55	2.7	153	5.2
Texas	15,622	87.0	1,341	7.3	3,470	18.8	2,385	13.9	336	2.4	790	4.6
Mountain	**13,963**	**81.7**	**1,203**	**6.9**	**3,049**	**17.1**	**2,222**	**13.8**	**183**	**1.5**	**803**	**4.9**
Arizona	4,977	82.5	432	6.9	1,201	18.7	751	13.6	73	1.8	282	4.9
Colorado	3,430	79.1	298	6.7	720	16.1	560	13.5	42	1.3	194	4.7
Idaho	1,312	90.4	110	7.5	286	19.2	211	15.4	15	1.5	71	5.0
Montana	907	88.7	73	6.8	240	22.8	128	13.1	8	1.2	45	4.6
New Mexico	1,519	85.3	132	7.6	307	16.3	250	14.9	21	1.9	93	5.5
Utah	1,395	73.0	123	6.4	192	9.9	260	14.1	18	1.1	96	5.1
Wyoming	425	83.6	35	6.6	103	19.9	62	12.6	5	1.5	23	4.6
Pacific	**34,422**	**89.3**	**2,910**	**7.2**	**7,431**	**18.5**	**5,222**	**14.4**	**499**	**1.7**	**1,985**	**5.4**
Alaska	313	87.9	26	7.4	73	20.5	47	13.5	4	1.4	15	4.3
California	22,737	87.2	1,963	7.2	4,524	16.5	3,526	14.4	358	1.8	1,318	5.4
Hawaii	336	94.0	29	8.1	72	19.4	50	14.6	3	0.9	18	5.4
Nevada	1,998	97.6	184	8.8	553	25.7	290	15.0	32	2.2	105	5.4
Oregon	3,634	94.8	290	7.2	895	22.6	512	14.3	46	1.7	216	5.9
Washington	5,405	92.0	419	6.8	1,314	21.8	797	14.3	57	1.3	311	5.5

[1] Rates are per 100,000 and were age-adjusted using 19 age groups to the World (WHO 2000-2025) Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2014-2018, Black

	MALES (BLACK)					FEMALES (BLACK)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	35,495	221.1	0.56	151.0	0.36	34,665	150.5	0.37	107.0	0.26
Oral Cavity & Pharynx	809	4.4	0.07	3.3	0.05	295	1.2	0.03	0.9	0.02
Digestive System	11,324	66.2	0.30	47.5	0.20	9,101	39.7	0.19	27.5	0.13
Esophagus	881	5.0	0.08	3.7	0.06	379	1.6	0.04	1.2	0.03
Stomach	1,208	7.6	0.10	5.2	0.07	782	3.5	0.06	2.3	0.04
Colon & Rectum	3,709	22.5	0.18	15.7	0.12	3,386	14.8	0.12	10.3	0.08
Liver	2,210	11.2	0.11	8.9	0.09	787	3.3	0.05	2.4	0.04
Pancreas	2,502	15.0	0.14	10.5	0.09	2,730	12.0	0.10	8.2	0.07
Respiratory System	9,660	58.7	0.29	40.8	0.19	7,006	30.4	0.17	21.2	0.11
Larynx	505	2.9	0.06	2.1	0.04	125	0.5	0.02	0.4	0.02
Lung & bronchus	9,090	55.4	0.28	38.5	0.18	6,838	29.7	0.16	20.7	0.11
Skin	187	1.1	0.04	0.8	0.03	124	0.5	0.02	0.4	0.02
Melanomas of the skin	63	0.4	0.02	0.3	0.02	65	0.3	0.02	0.2	0.01
Breast	81	0.5	0.03	0.3	0.02	6,368	27.3	0.16	20.4	0.12
Female Genital System	-	-	-	-	-	4,421	18.8	0.13	13.9	0.10
Cervix uteri	-	-	-	-	-	772	3.3	0.05	2.6	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	2,060	8.7	0.09	6.4	0.06
Ovary	-	-	-	-	-	1,374	5.9	0.07	4.3	0.05
Male Genital System	5,030	37.8	0.25	22.1	0.14	-	-	-	-	-
Prostate	4,960	37.4	0.25	21.8	0.14	-	-	-	-	-
Testis	25	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	1,652	10.9	0.13	7.1	0.08	1,046	4.7	0.07	3.1	0.04
Bladder	741	5.3	0.09	3.2	0.05	513	2.3	0.05	1.4	0.03
Kidney & renal pelvis	878	5.3	0.09	3.7	0.06	497	2.2	0.04	1.5	0.03
Brain & Other CNS[1]	589	3.2	0.06	2.5	0.05	526	2.3	0.04	1.8	0.04
Endocrine System	140	0.8	0.03	0.6	0.02	194	0.8	0.03	0.6	0.02
Thyroid gland	65	0.4	0.02	0.3	0.02	119	0.5	0.02	0.4	0.01
Lymphomas	909	5.5	0.09	3.9	0.06	746	3.3	0.06	2.3	0.04
Hodgkin Lymphoma	61	0.3	0.02	0.3	0.02	44	0.2	0.01	0.2	0.01
Non-Hodgkin Lymphoma	847	5.1	0.08	3.6	0.06	702	3.1	0.05	2.2	0.04
Multiple Myeloma	1,107	7.3	0.11	4.8	0.06	1,131	5.1	0.07	3.3	0.05
Leukemias	1,074	6.8	0.10	4.7	0.06	954	4.3	0.06	3.0	0.04
Other, Ill-defined & Unknown	2,934	17.9	0.16	12.5	0.10	2,754	12.0	0.10	8.5	0.07

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**35,495**	**221.1**	**3,709**	**22.5**	**9,090**	**55.4**	**4,960**	**37.4**	**741**	**5.3**	**847**	**5.1**
New England	**646**	**168.2**	**58**	**14.4**	**139**	**36.0**	**97**	**31.5**	**14**	**4.3**	**14**	**3.4**
Connecticut	262	183.6	22	14.9	58	42.3	38	31.8	6	4.8	-	-
Maine	7	110.8	-	-	2	44.4	-	-	-	-	-	-
Massachusetts	325	164.1	29	14.3	66	31.8	53	34.0	6	3.5	-	-
New Hampshire	9	133.5	-	-	2	28.0	-	-	-	-	-	-
Rhode Island	39	136.9	4	14.4	10	32.8	4	17.8	-	-	-	-
Vermont	4	139.3	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**4,701**	**193.3**	**467**	**18.8**	**1,078**	**43.5**	**718**	**34.4**	**114**	**5.2**	**-**	**-**
New Jersey	999	202.0	111	21.4	222	44.2	163	39.5	22	4.8	-	-
New York	2,379	172.0	236	16.8	520	36.7	374	31.1	54	4.4	69	4.9
Pennsylvania	1,323	239.7	120	21.1	335	60.3	181	38.1	38	7.7	28	5.1
South Atlantic	**11,899**	**218.8**	**1,243**	**22.3**	**2,965**	**52.8**	**1,702**	**38.4**	**249**	**5.3**	**286**	**5.2**
Delaware	169	204.8	14	16.4	41	50.5	23	32.4	5	6.2	-	-
District of Columbia	377	246.9	39	26.4	81	51.4	55	39.9	12	8.0	-	-
Florida	2,423	187.1	264	19.6	548	41.2	382	35.1	46	4.1	68	5.1
Georgia	2,370	222.5	266	24.0	615	55.5	341	41.8	50	5.7	57	4.7
Maryland	1,516	215.3	156	22.1	345	48.2	209	35.9	36	6.0	39	5.3
North Carolina	2,077	237.4	193	21.8	573	63.1	277	39.3	40	5.1	46	5.3
South Carolina	1,361	243.8	140	24.5	361	62.0	192	42.5	21	4.6	27	5.1
Virginia	1,531	230.7	163	24.1	379	55.9	214	38.9	38	6.6	-	-
West Virginia	75	246.9	8	26.2	20	64.7	9	37.5	-	-	-	-
East North Central	**5,394**	**240.8**	**559**	**24.8**	**1,471**	**64.7**	**730**	**37.9**	**116**	**5.8**	**125**	**5.5**
Illinois	1,856	251.4	214	28.7	492	65.6	283	43.9	42	6.3	-	-
Indiana	515	233.7	56	25.5	134	59.5	67	36.7	9	4.7	-	-
Michigan	1,316	230.0	132	22.6	356	61.5	171	34.3	28	5.5	33	5.7
Ohio	1,399	235.2	130	21.8	401	66.3	180	34.9	32	6.0	-	-
Wisconsin	308	267.9	27	24.1	88	75.7	29	34.4	5	5.0	-	-
East South Central	**3,741**	**256.8**	**402**	**26.8**	**1,102**	**73.2**	**496**	**42.8**	**66**	**5.3**	**80**	**5.5**
Alabama	1,259	246.6	131	25.3	365	67.5	174	42.0	27	5.8	26	5.2
Kentucky	315	236.0	33	23.7	93	68.9	35	34.0	7	6.3	-	-
Mississippi	1,139	273.2	127	29.0	350	82.1	156	46.7	15	4.1	-	-
Tennessee	1,028	260.5	110	27.7	294	73.1	130	42.9	18	5.6	-	-

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**1,135**	**242.4**	**104**	**22.6**	**311**	**64.7**	**143**	**37.4**	**18**	**4.5**	**29**	**6.0**
Iowa	66	232.3	6	21.2	18	59.9	8	36.1	-	-	-	-
Kansas	150	230.2	15	22.9	41	59.9	19	36.1	3	4.1	-	-
Minnesota	167	208.4	12	14.1	40	50.0	19	32.5	4	5.9	-	-
Missouri	678	258.8	65	25.1	196	72.7	85	38.1	9	4.2	-	-
Nebraska	63	233.5	6	23.8	14	49.1	11	49.3	-	-	-	-
North Dakota	6	223.3	-	-	-	-	-	-	-	-	-	-
South Dakota	4	164.6	-	-	-	-	-	-	-	-	-	-
West South Central	**4,806**	**237.4**	**548**	**26.0**	**1,323**	**65.3**	**555**	**34.3**	**85**	**5.0**	**107**	**5.0**
Arkansas	457	259.0	50	26.1	143	79.2	54	37.9	7	4.1	-	-
Louisiana	1,533	260.4	160	26.4	450	75.6	164	34.5	23	4.2	34	5.8
Oklahoma	267	241.9	31	27.1	69	61.1	37	43.3	6	7.9	-	-
Texas	2,550	223.3	307	25.7	661	58.7	300	32.9	49	5.3	59	4.7
Mountain	**419**	**180.3**	**44**	**18.1**	**96**	**41.7**	**62**	**33.7**	**9**	**3.9**	**10**	**4.2**
Arizona	200	176.4	21	18.9	48	43.0	26	29.3	4	3.6	-	-
Colorado	156	193.1	16	17.9	33	40.8	29	44.2	4	4.8	-	-
Idaho	5	114.8	-	-	-	-	-	-	-	-	-	-
Montana	3	176.6	-	-	-	-	-	-	-	-	-	-
New Mexico	36	170.5	3	16.1	9	42.9	4	23.7	-	-	-	-
Utah	16	159.5	2	15.9	3	40.8	-	-	-	-	-	-
Wyoming	4	138.3	-	-	-	-	-	-	-	-	-	-
Pacific	**2,753**	**205.0**	**284**	**20.4**	**606**	**44.5**	**457**	**39.7**	**70**	**5.8**	**72**	**5.1**
Alaska	14	184.0	-	-	4	46.6	3	58.8	-	-	-	-
California	2,246	207.9	227	20.4	500	45.7	385	40.9	58	5.9	56	4.9
Hawaii	16	161.8	-	-	3	31.7	3	43.6	-	-	-	-
Nevada	212	195.3	31	28.3	45	38.8	32	34.7	6	7.2	-	-
Oregon	70	211.6	6	20.0	14	42.6	9	34.0	-	-	-	-
Washington	196	187.6	17	14.4	41	40.9	24	29.6	4	4.9	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**35,495**	**151.0**	**3,709**	**15.7**	**9,090**	**38.5**	**4,960**	**21.8**	**741**	**3.2**	**847**	**3.6**
New England	**646**	**112.8**	**58**	**9.9**	**139**	**24.5**	**97**	**17.8**	**14**	**2.6**	**14**	**2.4**
Connecticut	262	122.7	22	10.2	58	27.8	38	18.3	6	3.0	-	-
Maine	7	80.6	-	-	2	30.0	-	-	-	-	-	-
Massachusetts	325	109.9	29	9.6	66	22.2	53	19.1	6	2.1	-	-
New Hampshire	9	91.8	-	-	2	20.2	-	-	-	-	-	-
Rhode Island	39	93.1	4	9.9	10	23.2	4	9.9	-	-	-	-
Vermont	4	102.9	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**4,701**	**131.5**	**467**	**13.1**	**1,078**	**30.1**	**718**	**20.1**	**114**	**3.2**	**-**	**-**
New Jersey	999	135.6	111	14.9	222	30.1	163	22.6	22	3.1	-	-
New York	2,379	117.7	236	11.7	520	25.6	374	18.4	54	2.7	69	3.5
Pennsylvania	1,323	162.7	120	14.7	335	41.3	181	22.4	38	4.6	28	3.5
South Atlantic	**11,899**	**148.8**	**1,243**	**15.5**	**2,965**	**36.7**	**1,702**	**22.2**	**249**	**3.2**	**286**	**3.6**
Delaware	169	137.8	14	11.4	41	33.7	23	19.0	5	3.8	-	-
District of Columbia	377	174.4	39	18.8	81	37.7	55	23.7	12	5.1	-	-
Florida	2,423	127.7	264	13.9	548	28.7	382	20.5	46	2.4	68	3.6
Georgia	2,370	150.7	266	16.7	615	38.5	341	24.0	50	3.4	57	3.5
Maryland	1,516	145.0	156	15.0	345	32.7	209	20.7	36	3.6	39	3.8
North Carolina	2,077	161.7	193	15.1	573	43.9	277	22.5	40	3.2	46	3.7
South Carolina	1,361	167.1	140	17.3	361	43.4	192	24.3	21	2.7	27	3.5
Virginia	1,531	155.6	163	16.6	379	38.3	214	22.5	38	3.9	-	-
West Virginia	75	166.8	8	17.2	20	43.9	9	21.6	-	-	-	-
East North Central	**5,394**	**166.1**	**559**	**17.3**	**1,471**	**45.2**	**730**	**22.4**	**116**	**3.6**	**125**	**3.9**
Illinois	1,856	171.8	214	19.8	492	45.4	283	25.9	42	3.9	-	-
Indiana	515	160.4	56	17.4	134	41.6	67	21.5	9	2.9	-	-
Michigan	1,316	160.3	132	16.2	356	43.2	171	20.5	28	3.3	33	4.2
Ohio	1,399	162.4	130	15.2	401	46.5	180	20.6	32	3.8	-	-
Wisconsin	308	188.3	27	16.6	88	54.3	29	19.9	5	3.1	-	-
East South Central	**3,741**	**176.9**	**402**	**18.9**	**1,102**	**51.5**	**496**	**24.8**	**66**	**3.3**	**80**	**3.9**
Alabama	1,259	170.6	131	18.0	365	48.4	174	24.4	27	3.7	26	3.6
Kentucky	315	160.2	33	16.6	93	47.4	35	19.1	7	3.6	-	-
Mississippi	1,139	189.3	127	20.8	350	57.6	156	27.3	15	2.5	-	-
Tennessee	1,028	178.1	110	19.0	294	50.6	130	24.7	18	3.4	-	-

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**1,135**	**164.8**	**104**	**15.1**	**311**	**45.2**	**143**	**22.0**	**18**	**2.7**	**29**	**4.2**
Iowa	66	159.7	6	14.0	18	43.4	8	21.6	-	-	-	-
Kansas	150	158.4	15	15.8	41	42.7	19	21.4	3	3.0	-	-
Minnesota	167	141.8	12	9.4	40	34.4	19	19.0	4	3.6	-	-
Missouri	678	176.7	65	16.9	196	50.8	85	22.6	9	2.4	-	-
Nebraska	63	153.1	6	15.0	14	34.3	11	28.2	-	-	-	-
North Dakota	6	140.6	-	-	-	-	-	-	-	-	-	-
South Dakota	4	104.5	-	-	-	-	-	-	-	-	-	-
West South Central	**4,806**	**163.8**	**548**	**18.4**	**1,323**	**45.2**	**555**	**20.2**	**85**	**3.0**	**107**	**3.6**
Arkansas	457	181.6	50	19.3	143	56.6	54	22.3	7	2.6	-	-
Louisiana	1,533	183.3	160	19.1	450	53.5	164	20.3	23	2.8	34	4.2
Oklahoma	267	165.6	31	19.1	69	42.7	37	24.5	6	4.2	-	-
Texas	2,550	152.2	307	17.9	661	39.9	300	19.4	49	3.2	59	3.4
Mountain	**419**	**118.0**	**44**	**12.1**	**96**	**27.3**	**62**	**19.1**	**9**	**2.5**	**10**	**2.8**
Arizona	200	119.0	21	12.4	48	29.0	26	17.1	4	2.3	-	-
Colorado	156	122.2	16	12.1	33	26.2	29	24.3	4	3.1	-	-
Idaho	5	80.8	-	-	-	-	-	-	-	-	-	-
Montana	3	121.2	-	-	-	-	-	-	-	-	-	-
New Mexico	36	107.3	3	9.9	9	27.2	4	13.5	-	-	-	-
Utah	16	112.3	2	12.5	3	24.6	-	-	-	-	-	-
Wyoming	4	90.4	-	-	-	-	-	-	-	-	-	-
Pacific	**2,753**	**137.4**	**284**	**14.1**	**606**	**30.3**	**457**	**23.3**	**70**	**3.5**	**72**	**3.6**
Alaska	14	114.3	-	-	4	30.1	3	28.7	-	-	-	-
California	2,246	139.3	227	14.1	500	31.0	385	24.0	58	3.6	56	3.5
Hawaii	16	103.4	-	-	3	20.0	3	25.1	-	-	-	-
Nevada	212	133.0	31	19.3	45	27.6	32	20.5	6	3.9	-	-
Oregon	70	146.2	6	13.6	14	29.0	9	21.7	-	-	-	-
Washington	196	125.0	17	10.4	41	27.3	24	17.2	4	2.9	-	-

[1] Rates are per 100,000 and were age-adjusted using 19 age groups to the World (WHO 2000-2025) Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**34,665**	**150.5**	**3,386**	**14.8**	**6,838**	**29.7**	**6,368**	**27.3**	**772**	**3.3**	**1,374**	**5.9**
New England	**634**	**114.9**	**51**	**9.2**	**110**	**20.1**	**111**	**19.1**	**12**	**2.1**	**25**	**4.4**
Connecticut	274	126.4	21	9.4	50	23.1	48	20.9	6	2.6	10	4.8
Maine	7	139.6	-	-	-	-	-	-	-	-	-	-
Massachusetts	311	109.6	27	9.5	52	18.5	53	17.7	5	1.9	14	4.5
New Hampshire	6	91.9	-	-	-	-	-	-	-	-	-	-
Rhode Island	33	86.3	2	4.7	6	17.0	8	20.1	-	-	-	-
Vermont	3	155.7	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**5,295**	**140.7**	**493**	**13.1**	**1,006**	**26.5**	**954**	**25.5**	**117**	**3.1**	**223**	**5.9**
New Jersey	1,134	148.3	106	13.8	212	27.6	216	28.2	26	3.2	47	6.1
New York	2,728	126.1	263	12.2	467	21.4	495	23.1	65	3.1	126	5.7
Pennsylvania	1,433	171.9	125	15.0	327	39.0	242	29.5	26	3.2	50	6.0
South Atlantic	**11,507**	**145.4**	**1,122**	**14.3**	**2,097**	**26.5**	**2,164**	**26.9**	**254**	**3.2**	**461**	**5.7**
Delaware	183	155.5	17	15.3	43	36.6	31	25.8	3	2.7	7	5.4
District of Columbia	425	180.6	42	17.6	74	31.3	77	33.8	7	3.6	19	8.4
Florida	2,344	132.1	234	13.3	370	20.8	435	24.0	69	3.8	97	5.4
Georgia	2,323	143.2	238	14.8	401	25.1	466	27.5	55	3.2	102	6.2
Maryland	1,613	150.8	145	13.7	329	30.7	302	27.9	31	2.8	68	6.2
North Carolina	1,939	148.8	187	14.4	373	28.4	352	26.7	38	2.9	68	5.2
South Carolina	1,189	148.8	117	14.6	205	25.2	219	27.3	27	3.5	43	5.3
Virginia	1,429	150.6	136	14.6	288	30.3	271	28.3	24	2.5	54	5.6
West Virginia	62	167.2	6	17.2	14	37.1	11	31.7	-	-	3	9.5
East North Central	**5,443**	**168.6**	**528**	**16.5**	**1,263**	**39.0**	**935**	**29.1**	**101**	**3.2**	**194**	**6.0**
Illinois	1,925	173.8	194	17.7	441	39.6	334	30.3	41	3.7	74	6.7
Indiana	508	162.2	47	15.7	119	38.0	88	27.8	10	3.0	20	6.2
Michigan	1,352	165.2	131	15.9	305	37.3	235	28.9	19	2.4	44	5.6
Ohio	1,388	165.8	132	15.7	333	39.6	236	28.4	25	3.0	45	5.3
Wisconsin	271	179.3	24	15.5	64	43.2	42	27.6	6	3.7	10	6.4
East South Central	**3,361**	**160.5**	**353**	**17.0**	**675**	**32.1**	**616**	**28.8**	**92**	**4.3**	**133**	**6.2**
Alabama	1,121	151.9	121	16.6	202	27.0	202	27.1	35	4.7	48	6.4
Kentucky	296	160.6	32	17.1	78	42.5	48	25.9	4	1.9	9	4.9
Mississippi	972	164.8	103	17.4	187	31.7	185	30.5	27	4.5	35	5.9
Tennessee	972	167.4	97	17.2	208	36.0	181	30.3	26	4.2	40	6.8

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**1,065**	**165.1**	**97**	**15.2**	**248**	**39.0**	**181**	**27.6**	**26**	**3.8**	**35**	**5.3**
Iowa	55	165.9	6	17.4	13	41.7	7	19.9	-	-	2	6.6
Kansas	138	167.4	12	14.1	28	34.3	23	27.8	4	5.1	5	6.0
Minnesota	145	153.4	11	12.0	26	30.2	24	21.7	4	3.1	6	5.5
Missouri	665	170.1	61	15.7	166	42.3	117	30.2	15	4.0	21	5.2
Nebraska	58	159.5	7	20.3	15	41.2	9	25.6	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	3	95.5	-	-	-	-	-	-	-	-	-	-
West South Central	**4,402**	**157.0**	**460**	**16.4**	**860**	**30.9**	**836**	**29.2**	**113**	**3.9**	**174**	**6.1**
Arkansas	399	165.9	43	17.9	85	35.0	72	29.9	10	4.1	18	7.5
Louisiana	1,326	165.5	138	17.2	264	32.5	247	30.8	35	4.4	51	6.2
Oklahoma	240	166.3	24	16.7	51	35.5	44	30.3	4	3.1	10	6.6
Texas	2,437	150.9	255	15.8	460	29.2	473	28.1	64	3.7	95	5.9
Mountain	**352**	**126.2**	**34**	**12.5**	**64**	**23.1**	**69**	**23.7**	**7**	**2.3**	**14**	**5.3**
Arizona	180	130.4	18	13.3	33	23.6	36	24.5	4	2.6	6	4.7
Colorado	128	127.5	11	11.3	23	22.5	25	24.5	2	2.1	6	6.3
Idaho	2	79.6	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	26	109.1	3	14.7	5	21.6	5	19.5	-	-	-	-
Utah	12	143.3	-	-	3	33.7	2	25.0	-	-	-	-
Wyoming	3	116.4	-	-	-	-	-	-	-	-	-	-
Pacific	**2,607**	**149.4**	**248**	**14.5**	**513**	**29.7**	**501**	**28.3**	**52**	**2.9**	**114**	**6.3**
Alaska	10	108.6	-	-	2	22.7	2	23.6	-	-	-	-
California	2,191	151.7	209	14.7	429	29.7	419	28.8	42	2.9	96	6.5
Hawaii	9	109.5	-	-	2	38.0	-	-	-	-	-	-
Nevada	195	148.0	21	16.1	41	32.0	41	30.2	5	3.7	9	6.5
Oregon	47	132.9	3	8.4	10	30.5	10	25.0	-	-	-	-
Washington	155	134.6	14	12.9	29	26.9	27	21.6	3	2.1	7	5.8

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**34,665**	**107.0**	**3,386**	**10.3**	**6,838**	**20.7**	**6,368**	**20.4**	**772**	**2.6**	**1,374**	**4.3**
New England	**634**	**80.5**	**51**	**6.4**	**110**	**14.0**	**111**	**14.5**	**12**	**1.5**	**25**	**3.2**
Connecticut	274	89.0	21	6.7	50	16.1	48	16.0	6	2.0	10	3.3
Maine	7	93.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	311	76.3	27	6.5	52	12.8	53	13.2	5	1.3	14	3.4
New Hampshire	6	63.6	-	-	-	-	-	-	-	-	-	-
Rhode Island	33	62.2	2	3.3	6	12.1	8	15.2	-	-	-	-
Vermont	3	108.4	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**5,295**	**100.1**	**493**	**9.0**	**1,006**	**18.6**	**954**	**18.9**	**117**	**2.5**	**223**	**4.3**
New Jersey	1,134	105.3	106	9.5	212	19.3	216	20.9	26	2.6	47	4.5
New York	2,728	90.3	263	8.4	467	15.1	495	17.2	65	2.4	126	4.2
Pennsylvania	1,433	121.1	125	10.2	327	27.3	242	21.4	26	2.6	50	4.3
South Atlantic	**11,507**	**103.3**	**1,122**	**9.9**	**2,097**	**18.4**	**2,164**	**20.2**	**254**	**2.5**	**461**	**4.1**
Delaware	183	108.5	17	10.1	43	25.2	31	18.7	3	1.9	7	4.1
District of Columbia	425	132.1	42	12.8	74	22.1	77	25.2	7	2.9	19	6.4
Florida	2,344	94.7	234	9.3	370	14.5	435	18.3	69	3.1	97	3.9
Georgia	2,323	101.7	238	10.3	401	17.4	466	20.6	55	2.5	102	4.5
Maryland	1,613	106.5	145	9.4	329	21.1	302	20.8	31	2.1	68	4.5
North Carolina	1,939	105.8	187	10.0	373	20.0	352	20.2	38	2.3	68	3.7
South Carolina	1,189	105.7	117	10.1	205	17.7	219	20.8	27	2.8	43	3.8
Virginia	1,429	105.5	136	9.8	288	20.8	271	20.9	24	2.0	54	4.1
West Virginia	62	119.4	6	12.4	14	26.6	11	24.0	-	-	3	6.5
East North Central	**5,443**	**120.0**	**528**	**11.4**	**1,263**	**27.3**	**935**	**21.5**	**101**	**2.6**	**194**	**4.4**
Illinois	1,925	123.3	194	12.2	441	27.5	334	22.5	41	3.0	74	4.9
Indiana	508	114.6	47	10.4	119	26.7	88	20.5	10	2.5	20	4.5
Michigan	1,352	118.8	131	11.3	305	26.2	235	21.5	19	1.9	44	4.0
Ohio	1,388	117.6	132	11.0	333	27.8	236	20.9	25	2.5	45	3.8
Wisconsin	271	127.6	24	11.1	64	30.3	42	20.0	6	2.8	10	4.9
East South Central	**3,361**	**114.1**	**353**	**11.7**	**675**	**22.5**	**616**	**21.6**	**92**	**3.4**	**133**	**4.5**
Alabama	1,121	108.4	121	11.4	202	19.1	202	20.4	35	3.8	48	4.7
Kentucky	296	114.0	32	12.1	78	29.7	48	19.3	4	1.7	9	3.3
Mississippi	972	117.5	103	12.1	187	22.2	185	22.9	27	3.5	35	4.2
Tennessee	972	118.0	97	11.7	208	25.1	181	22.5	26	3.4	40	4.8

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**1,065**	**117.4**	**97**	**10.4**	**248**	**27.4**	**181**	**20.5**	**26**	**3.0**	**35**	**4.0**
Iowa	55	119.1	6	12.3	13	30.0	7	15.2	-	-	2	4.4
Kansas	138	120.0	12	9.5	28	24.6	23	20.7	4	3.8	5	4.5
Minnesota	145	106.1	11	7.9	26	20.1	24	16.5	4	2.6	6	4.1
Missouri	665	121.7	61	10.9	166	29.8	117	22.5	15	3.2	21	3.9
Nebraska	58	113.0	7	13.8	15	30.1	9	17.8	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	3	70.4	-	-	-	-	-	-	-	-	-	-
West South Central	**4,402**	**112.0**	**460**	**11.6**	**860**	**21.6**	**836**	**21.8**	**113**	**3.1**	**174**	**4.4**
Arkansas	399	118.8	43	12.5	85	25.0	72	22.4	10	3.3	18	5.3
Louisiana	1,326	118.4	138	12.4	264	22.9	247	22.9	35	3.5	51	4.6
Oklahoma	240	119.8	24	12.0	51	25.2	44	22.7	4	2.3	10	4.9
Texas	2,437	107.5	255	11.1	460	20.2	473	21.2	64	3.0	95	4.2
Mountain	**352**	**88.5**	**34**	**8.2**	**64**	**16.4**	**69**	**17.4**	**7**	**1.8**	**14**	**3.7**
Arizona	180	92.5	18	8.9	33	16.9	36	18.4	4	2.1	6	3.3
Colorado	128	87.9	11	7.0	23	16.1	25	17.4	2	1.4	6	4.2
Idaho	2	54.0	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	26	77.5	3	10.3	5	13.6	5	14.6	-	-	-	-
Utah	12	94.3	-	-	3	21.8	2	17.5	-	-	-	-
Wyoming	3	87.1	-	-	-	-	-	-	-	-	-	-
Pacific	**2,607**	**106.2**	**248**	**9.8**	**513**	**20.5**	**501**	**21.3**	**52**	**2.4**	**114**	**4.7**
Alaska	10	76.4	-	-	2	16.2	2	18.2	-	-	-	-
California	2,191	107.9	209	10.0	429	20.7	419	21.6	42	2.4	96	4.9
Hawaii	9	76.7	-	-	2	24.8	-	-	-	-	-	-
Nevada	195	104.5	21	11.1	41	21.5	41	22.7	5	3.0	9	4.7
Oregon	47	95.7	3	6.6	10	20.1	10	19.5	-	-	-	-
Washington	155	95.7	14	8.6	29	18.6	27	16.6	3	1.7	7	4.3

[1] Rates are per 100,000 and were age-adjusted using 19 age groups to the World (WHO 2000-2025) Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2014-2018, Asian/Pacific Islander (API)

	MALES (API)					FEMALES (API)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	9,065	114.6	0.56	75.8	0.36	8,861	84.6	0.41	57.9	0.28
Oral Cavity & Pharynx	271	3.2	0.09	2.3	0.06	116	1.1	0.05	0.8	0.03
Digestive System	3,549	43.5	0.34	29.8	0.22	2,794	27.1	0.23	17.7	0.15
Esophagus	226	2.7	0.08	1.9	0.06	70	0.7	0.04	0.4	0.02
Stomach	500	6.3	0.13	4.2	0.08	412	4.0	0.09	2.6	0.06
Colon & Rectum	916	11.2	0.17	7.7	0.11	830	7.9	0.13	5.3	0.08
Liver	903	10.6	0.16	7.6	0.11	372	3.7	0.09	2.3	0.06
Pancreas	644	8.1	0.15	5.4	0.10	719	7.1	0.12	4.5	0.08
Respiratory System	2,238	28.7	0.28	18.6	0.18	1,688	16.4	0.18	10.7	0.12
Larynx	44	0.6	0.04	0.4	0.02	9	0.1	0.01	0.1	0.01
Lung & bronchus	2,176	28.0	0.28	18.1	0.17	1,668	16.3	0.18	10.6	0.12
Skin	62	0.8	0.04	0.5	0.03	48	0.5	0.03	0.3	0.02
Melanomas of the skin	30	0.4	0.03	0.3	0.02	31	0.3	0.02	0.2	0.02
Breast	9	0.1	0.02	0.1	0.01	1,277	11.7	0.15	8.8	0.11
Female Genital System	-	-	-	-	-	1,064	9.7	0.14	7.3	0.10
Cervix uteri	-	-	-	-	-	184	1.7	0.06	1.3	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	355	3.2	0.08	2.4	0.06
Ovary	-	-	-	-	-	478	4.4	0.09	3.3	0.07
Male Genital System	620	9.0	0.16	4.9	0.09	-	-	-	-	-
Prostate	600	8.8	0.16	4.8	0.09	-	-	-	-	-
Testis	9	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	413	5.5	0.13	3.4	0.08	211	2.1	0.07	1.3	0.04
Bladder	197	2.8	0.09	1.6	0.05	89	0.9	0.04	0.5	0.02
Kidney & renal pelvis	204	2.5	0.08	1.7	0.05	110	1.1	0.05	0.7	0.03
Brain & Other CNS[1]	240	2.7	0.08	2.1	0.06	202	1.9	0.06	1.5	0.05
Endocrine System	67	0.8	0.05	0.6	0.03	95	0.9	0.04	0.6	0.03
Thyroid gland	40	0.5	0.04	0.3	0.02	66	0.7	0.04	0.4	0.02
Lymphomas	383	5.0	0.12	3.2	0.07	306	3.0	0.08	1.9	0.05
Hodgkin Lymphoma	14	0.2	0.02	0.1	0.01	11	0.1	0.01	0.1	0.01
Non-Hodgkin Lymphoma	369	4.8	0.12	3.1	0.07	294	2.9	0.08	1.8	0.05
Multiple Myeloma	154	2.0	0.07	1.3	0.05	134	1.3	0.05	0.8	0.03
Leukemias	370	4.7	0.11	3.2	0.08	271	2.6	0.07	1.9	0.05
Other, Ill-defined & Unknown	689	8.6	0.15	5.8	0.10	653	6.3	0.11	4.2	0.08

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**9,065**	**114.6**	**916**	**11.2**	**2,176**	**28.0**	**600**	**8.8**	**197**	**2.8**	**369**	**4.8**
New England	**254**	**109.3**	**18**	**7.6**	**64**	**28.2**	**14**	**7.5**	**3**	**1.6**	**10**	**4.8**
Connecticut	46	87.5	3	5.9	8	15.6	4	9.3	-	-	-	-
Maine	6	107.1	-	-	-	-	-	-	-	-	-	-
Massachusetts	176	117.8	14	9.0	48	33.2	9	7.0	2	1.4	-	-
New Hampshire	10	103.7	-	-	2	23.0	-	-	-	-	-	-
Rhode Island	13	102.7	-	-	4	29.5	-	-	-	-	-	-
Vermont	3	127.3	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**1,311**	**104.7**	**122**	**9.5**	**315**	**25.8**	**73**	**6.9**	**28**	**2.6**	**48**	**3.8**
New Jersey	293	86.3	31	8.6	60	18.6	19	6.7	5	1.7	-	-
New York	855	112.8	76	10.0	219	29.5	45	6.9	21	3.1	-	-
Pennsylvania	163	107.8	14	9.0	35	24.0	9	7.4	2	1.8	-	-
South Atlantic	**889**	**97.7**	**93**	**9.8**	**199**	**22.2**	**51**	**7.1**	**19**	**2.6**	**41**	**4.7**
Delaware	13	90.0	-	-	2	18.9	-	-	-	-	-	-
District of Columbia	9	144.9	-	-	2	36.0	-	-	-	-	-	-
Florida	242	90.9	24	8.7	56	21.1	14	6.8	3	1.5	-	-
Georgia	138	97.2	21	14.8	27	20.2	7	6.3	2	2.5	-	-
Maryland	169	101.3	16	9.4	38	23.2	11	7.1	5	3.1	-	-
North Carolina	82	95.5	6	6.5	18	21.9	4	6.1	-	-	-	-
South Carolina	24	80.7	3	8.3	5	15.2	-	-	-	-	-	-
Virginia	208	106.8	20	10.3	50	25.4	13	8.7	6	4.0	-	-
West Virginia	4	69.6	-	-	-	-	-	-	-	-	-	-
East North Central	**526**	**97.1**	**55**	**10.0**	**117**	**22.3**	**32**	**7.4**	**11**	**2.4**	**24**	**4.7**
Illinois	285	100.0	30	10.5	68	24.2	17	7.2	7	2.8	-	-
Indiana	33	97.9	3	9.3	6	17.8	-	-	-	-	-	-
Michigan	91	87.5	10	9.2	17	17.5	6	7.7	-	-	-	-
Ohio	79	94.2	7	8.3	19	22.9	5	7.0	2	3.0	-	-
Wisconsin	38	109.2	4	11.8	7	22.3	3	10.7	-	-	-	-
East South Central	**86**	**93.3**	**8**	**8.4**	**18**	**19.2**	**6**	**8.8**	**2**	**2.1**	**3**	**2.5**
Alabama	16	68.9	-	-	3	14.4	-	-	-	-	-	-
Kentucky	17	98.4	-	-	3	17.0	-	-	-	-	-	-
Mississippi	15	126.9	-	-	3	28.6	-	-	-	-	-	-
Tennessee	38	96.5	4	10.2	8	20.4	3	9.2	-	-	-	-

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**200**	**123.2**	**19**	**11.0**	**42**	**27.9**	**11**	**8.9**	**3**	**2.0**	**9**	**5.8**
Iowa	24	128.6	2	9.0	4	24.3	-	-	-	-	-	-
Kansas	30	124.6	4	14.1	6	25.2	-	-	-	-	-	-
Minnesota	86	133.1	8	12.0	17	28.4	5	10.8	-	-	-	-
Missouri	38	97.2	3	8.1	9	27.0	-	-	-	-	-	-
Nebraska	16	134.9	-	-	3	28.4	-	-	-	-	-	-
North Dakota	3	159.4	-	-	-	-	-	-	-	-	-	-
South Dakota	3	136.6	-	-	-	-	-	-	-	-	-	-
West South Central	**565**	**100.7**	**58**	**9.3**	**127**	**23.7**	**29**	**7.0**	**10**	**2.4**	**19**	**3.9**
Arkansas	18	119.4	-	-	5	31.9	-	-	-	-	-	-
Louisiana	39	113.1	4	11.5	10	29.6	-	-	-	-	-	-
Oklahoma	33	118.0	4	12.2	7	25.1	2	8.6	-	-	-	-
Texas	475	98.5	48	9.0	105	23.0	24	6.7	9	2.5	-	-
Mountain	**225**	**104.7**	**23**	**11.0**	**47**	**22.9**	**16**	**8.9**	**4**	**2.4**	**9**	**4.5**
Arizona	95	105.2	11	12.7	24	27.1	7	8.9	-	-	-	-
Colorado	64	102.1	5	7.3	12	21.0	5	8.8	-	-	-	-
Idaho	9	106.8	-	-	2	25.0	-	-	-	-	-	-
Montana	4	142.5	-	-	-	-	-	-	-	-	-	-
New Mexico	12	72.3	-	-	2	12.4	-	-	-	-	-	-
Utah	38	121.8	5	19.2	6	19.0	2	7.8	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	**5,009**	**126.3**	**520**	**12.8**	**1,247**	**31.6**	**368**	**10.0**	**117**	**3.2**	**205**	**5.3**
Alaska	21	127.9	-	-	4	24.3	-	-	-	-	-	-
California	3,571	122.2	373	12.5	880	30.3	258	9.6	80	3.0	152	5.3
Hawaii	861	151.2	84	14.9	228	40.1	71	12.1	24	4.0	-	-
Nevada	147	117.7	21	17.2	39	31.0	10	9.5	4	3.3	-	-
Oregon	92	130.2	8	11.6	22	31.7	5	8.3	-	-	-	-
Washington	318	127.1	32	12.1	73	30.5	22	10.6	8	3.6	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**9,065**	**75.8**	**916**	**7.7**	**2,176**	**18.1**	**600**	**4.8**	**197**	**1.6**	**369**	**3.1**
New England	**254**	**70.8**	**18**	**5.0**	**64**	**17.9**	**14**	**4.0**	**3**	**0.9**	**10**	**2.9**
Connecticut	46	57.1	3	4.0	8	10.2	4	5.2	-	-	-	-
Maine	6	73.1	-	-	-	-	-	-	-	-	-	-
Massachusetts	176	76.2	14	5.9	48	21.0	9	3.6	2	0.9	-	-
New Hampshire	10	62.1	-	-	2	15.2	-	-	-	-	-	-
Rhode Island	13	72.0	-	-	4	20.2	-	-	-	-	-	-
Vermont	3	84.3	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**1,311**	**69.5**	**122**	**6.4**	**315**	**16.6**	**73**	**3.8**	**28**	**1.5**	**48**	**2.6**
New Jersey	293	56.4	31	5.9	60	11.6	19	3.7	5	1.0	-	-
New York	855	75.5	76	6.7	219	19.2	45	3.8	21	1.8	-	-
Pennsylvania	163	71.1	14	6.2	35	15.3	9	4.1	2	1.0	-	-
South Atlantic	**889**	**64.4**	**93**	**6.7**	**199**	**14.5**	**51**	**3.8**	**19**	**1.4**	**41**	**3.0**
Delaware	13	59.1	-	-	2	10.5	-	-	-	-	-	-
District of Columbia	9	89.7	-	-	2	24.4	-	-	-	-	-	-
Florida	242	61.1	24	6.1	56	14.0	14	3.5	3	0.8	-	-
Georgia	138	65.4	21	9.8	27	13.0	7	3.6	2	1.3	-	-
Maryland	169	66.2	16	6.4	38	14.8	11	4.1	5	1.8	-	-
North Carolina	82	63.5	6	4.6	18	14.7	4	3.4	-	-	-	-
South Carolina	24	55.6	3	6.2	5	10.6	-	-	-	-	-	-
Virginia	208	68.5	20	6.6	50	16.5	13	4.6	6	2.1	-	-
West Virginia	4	45.8	-	-	-	-	-	-	-	-	-	-
East North Central	**526**	**63.5**	**55**	**6.6**	**117**	**14.3**	**32**	**4.0**	**11**	**1.4**	**24**	**3.0**
Illinois	285	65.6	30	7.0	68	15.4	17	4.0	7	1.6	-	-
Indiana	33	61.0	3	5.9	6	11.5	-	-	-	-	-	-
Michigan	91	58.0	10	6.0	17	11.1	6	4.1	-	-	-	-
Ohio	79	61.9	7	5.6	19	14.8	5	3.8	2	1.8	-	-
Wisconsin	38	70.2	4	8.0	7	14.0	3	5.5	-	-	-	-
East South Central	**86**	**64.2**	**8**	**6.0**	**18**	**13.5**	**6**	**4.9**	**2**	**1.5**	**3**	**1.8**
Alabama	16	47.9	-	-	3	10.5	-	-	-	-	-	-
Kentucky	17	62.3	-	-	3	11.8	-	-	-	-	-	-
Mississippi	15	91.9	-	-	3	21.0	-	-	-	-	-	-
Tennessee	38	67.4	4	7.1	8	14.0	3	5.4	-	-	-	-

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**200**	**82.3**	**19**	**7.8**	**42**	**18.0**	**11**	**4.9**	**3**	**1.1**	**9**	**3.6**
Iowa	24	89.2	2	7.2	4	16.3	-	-	-	-	-	-
Kansas	30	80.3	4	9.6	6	17.0	-	-	-	-	-	-
Minnesota	86	89.4	8	8.4	17	18.8	5	5.9	-	-	-	-
Missouri	38	64.3	3	5.8	9	16.4	-	-	-	-	-	-
Nebraska	16	91.7	-	-	3	18.2	-	-	-	-	-	-
North Dakota	3	102.8	-	-	-	-	-	-	-	-	-	-
South Dakota	3	85.7	-	-	-	-	-	-	-	-	-	-
West South Central	**565**	**68.6**	**58**	**6.8**	**127**	**15.6**	**29**	**3.9**	**10**	**1.4**	**19**	**2.4**
Arkansas	18	84.0	-	-	5	23.6	-	-	-	-	-	-
Louisiana	39	80.1	4	7.6	10	21.0	-	-	-	-	-	-
Oklahoma	33	80.7	4	9.3	7	16.8	2	5.3	-	-	-	-
Texas	475	66.7	48	6.5	105	15.0	24	3.7	9	1.4	-	-
Mountain	**225**	**70.4**	**23**	**7.3**	**47**	**15.0**	**16**	**5.3**	**4**	**1.3**	**9**	**2.9**
Arizona	95	70.0	11	8.0	24	17.8	7	5.3	-	-	-	-
Colorado	64	67.6	5	5.1	12	13.0	5	4.9	-	-	-	-
Idaho	9	72.6	-	-	2	16.5	-	-	-	-	-	-
Montana	4	97.0	-	-	-	-	-	-	-	-	-	-
New Mexico	12	52.3	-	-	2	8.9	-	-	-	-	-	-
Utah	38	84.4	5	12.1	6	13.4	2	5.1	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	**5,009**	**83.8**	**520**	**8.9**	**1,247**	**20.6**	**368**	**5.4**	**117**	**1.8**	**205**	**3.4**
Alaska	21	81.7	-	-	4	15.7	-	-	-	-	-	-
California	3,571	80.8	373	8.6	880	19.6	258	5.1	80	1.7	152	3.4
Hawaii	861	103.2	84	10.7	228	27.0	71	6.8	24	2.3	-	-
Nevada	147	77.1	21	11.3	39	20.0	10	5.2	4	1.9	-	-
Oregon	92	85.3	8	7.5	22	20.6	5	4.6	-	-	-	-
Washington	318	83.8	32	8.4	73	19.5	22	5.7	8	2.0	-	-

[1] Rates are per 100,000 and were age-adjusted using 19 age groups to the World (WHO 2000-2025) Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**8,861**	**84.6**	**830**	**7.9**	**1,668**	**16.3**	**1,277**	**11.7**	**184**	**1.7**	**478**	**4.4**
New England	**223**	**73.9**	**19**	**6.5**	**47**	**16.5**	**29**	**8.7**	**5**	**1.4**	**12**	**3.8**
Connecticut	41	61.5	4	6.6	6	10.5	7	7.9	-	-	3	4.8
Maine	7	81.3	-	-	-	-	-	-	-	-	-	-
Massachusetts	151	78.2	12	6.3	34	18.7	19	8.8	3	1.3	7	3.3
New Hampshire	9	67.0	-	-	3	16.8	-	-	-	-	-	-
Rhode Island	13	82.6	-	-	-	-	2	11.7	-	-	-	-
Vermont	2	52.0	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**1,151**	**75.1**	**106**	**7.0**	**201**	**13.3**	**166**	**10.2**	**23**	**1.4**	**69**	**4.3**
New Jersey	277	66.1	22	5.3	42	10.4	47	10.4	4	1.0	21	4.6
New York	716	77.3	66	7.2	130	14.0	98	10.1	16	1.6	40	4.1
Pennsylvania	158	84.7	17	9.8	29	16.2	21	9.9	3	1.3	9	4.5
South Atlantic	**934**	**77.1**	**82**	**6.9**	**171**	**14.7**	**137**	**10.2**	**20**	**1.5**	**59**	**4.4**
Delaware	10	57.1	-	-	2	13.7	-	-	-	-	-	-
District of Columbia	9	80.4	-	-	-	-	-	-	-	-	-	-
Florida	275	75.2	26	7.3	54	15.6	40	10.0	5	1.3	17	4.5
Georgia	137	77.7	12	6.9	22	12.9	21	10.4	4	1.9	7	4.1
Maryland	161	75.4	13	6.2	28	13.7	24	10.4	4	1.6	9	3.8
North Carolina	96	88.7	8	7.2	18	18.3	14	10.8	2	1.8	7	5.7
South Carolina	33	87.1	3	9.6	6	16.4	6	13.2	-	-	-	-
Virginia	208	76.9	19	7.3	36	14.0	29	9.8	5	1.5	14	4.8
West Virginia	6	68.9	-	-	-	-	-	-	-	-	-	-
East North Central	**528**	**74.7**	**48**	**6.9**	**98**	**14.6**	**80**	**10.2**	**9**	**1.2**	**26**	**3.4**
Illinois	263	71.1	25	6.6	41	11.5	44	11.1	5	1.2	13	3.3
Indiana	35	71.6	4	9.8	6	12.8	5	8.2	-	-	3	5.8
Michigan	92	72.3	8	6.0	18	14.7	12	8.5	-	-	5	3.5
Ohio	86	79.6	5	4.7	21	21.5	14	11.5	-	-	4	3.3
Wisconsin	52	104.2	7	14.2	12	25.6	5	8.7	-	-	-	-
East South Central	**100**	**83.3**	**8**	**5.7**	**23**	**20.1**	**13**	**9.8**	**3**	**2.3**	**5**	**3.9**
Alabama	22	73.4	-	-	4	15.7	3	8.6	-	-	-	-
Kentucky	22	84.1	-	-	6	24.6	3	8.6	-	-	2	7.1
Mississippi	15	97.4	2	11.3	3	24.0	-	-	-	-	-	-
Tennessee	42	85.0	3	5.5	10	19.5	7	12.9	2	2.9	-	-

Average Annual Cancer Deaths and Age-adjusted (2000 US Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**192**	**87.9**	**18**	**8.0**	**37**	**17.8**	**23**	**8.8**	**7**	**2.6**	**9**	**3.7**
Iowa	23	100.5	-	-	4	19.9	4	13.7	-	-	-	-
Kansas	30	91.4	4	10.5	7	24.2	3	6.8	-	-	-	-
Minnesota	78	89.5	9	9.9	13	15.5	7	6.6	4	3.9	3	3.1
Missouri	44	82.8	3	5.3	9	18.9	7	12.3	-	-	2	3.6
Nebraska	11	68.4	-	-	2	10.9	-	-	-	-	-	-
North Dakota	2	99.8	-	-	-	-	-	-	-	-	-	-
South Dakota	4	115.9	-	-	-	-	-	-	-	-	-	-
West South Central	**534**	**78.1**	**53**	**8.1**	**94**	**14.5**	**80**	**10.4**	**14**	**1.8**	**31**	**4.1**
Arkansas	20	96.2	2	12.3	4	21.7	-	-	-	-	-	-
Louisiana	29	74.0	2	6.2	5	12.8	5	11.1	-	-	-	-
Oklahoma	37	101.8	4	9.8	10	28.6	4	11.0	-	-	2	5.2
Texas	448	76.2	45	8.0	76	13.4	69	10.5	10	1.5	26	4.0
Mountain	**265**	**86.5**	**23**	**7.7**	**61**	**20.7**	**38**	**11.3**	**4**	**1.2**	**14**	**4.3**
Arizona	114	86.4	8	6.4	27	22.0	18	12.9	-	-	7	4.4
Colorado	70	77.9	8	9.7	16	19.3	7	7.1	-	-	3	3.4
Idaho	14	103.8	-	-	3	20.7	2	15.4	-	-	-	-
Montana	5	100.6	-	-	-	-	-	-	-	-	-	-
New Mexico	20	84.6	-	-	6	24.5	-	-	-	-	-	-
Utah	42	101.4	4	8.0	7	16.1	8	17.4	-	-	-	-
Wyoming	2	86.5	-	-	-	-	-	-	-	-	-	-
Pacific	**4,934**	**91.9**	**474**	**8.7**	**937**	**17.5**	**711**	**13.2**	**99**	**1.9**	**251**	**4.7**
Alaska	24	85.5	-	-	5	19.0	3	11.3	-	-	-	-
California	3,519	89.9	346	8.8	649	16.6	511	12.9	77	2.0	187	4.8
Hawaii	769	101.8	71	9.2	158	20.4	106	14.8	11	1.8	26	3.7
Nevada	181	98.5	20	11.5	37	20.1	33	17.5	4	1.8	11	5.5
Oregon	102	98.2	9	8.0	19	19.9	13	11.2	-	-	8	7.1
Washington	339	92.3	26	6.8	68	19.0	46	11.8	6	1.4	18	4.5

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
United States	**8,861**	**57.9**	**830**	**5.3**	**1,668**	**10.6**	**1,277**	**8.8**	**184**	**1.3**	**478**	**3.3**
New England	**223**	**50.4**	**19**	**4.1**	**47**	**10.6**	**29**	**6.6**	**5**	**1.1**	**12**	**2.7**
Connecticut	41	41.0	4	4.4	6	6.3	7	6.4	-	-	3	3.3
Maine	7	59.5	-	-	-	-	-	-	-	-	-	-
Massachusetts	151	53.6	12	4.0	34	12.0	19	6.6	3	1.1	7	2.4
New Hampshire	9	44.5	-	-	3	12.2	-	-	-	-	-	-
Rhode Island	13	58.0	-	-	-	-	2	8.7	-	-	-	-
Vermont	2	36.9	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	**1,151**	**51.4**	**106**	**4.6**	**201**	**8.8**	**166**	**7.6**	**23**	**1.1**	**69**	**3.2**
New Jersey	277	45.3	22	3.6	42	6.8	47	7.7	4	0.7	21	3.5
New York	716	53.1	66	4.7	130	9.4	98	7.7	16	1.3	40	3.1
Pennsylvania	158	57.2	17	6.2	29	10.6	21	7.5	3	1.0	9	3.2
South Atlantic	**934**	**52.9**	**82**	**4.6**	**171**	**9.6**	**137**	**7.7**	**20**	**1.2**	**59**	**3.3**
Delaware	10	39.1	-	-	2	9.2	-	-	-	-	-	-
District of Columbia	9	54.7	-	-	-	-	-	-	-	-	-	-
Florida	275	52.6	26	5.0	54	10.2	40	7.8	5	0.9	17	3.4
Georgia	137	53.7	12	4.8	22	8.7	21	7.9	4	1.6	7	2.9
Maryland	161	51.7	13	4.1	28	8.8	24	7.9	4	1.4	9	3.0
North Carolina	96	58.6	8	4.7	18	11.1	14	8.2	2	1.2	7	4.1
South Carolina	33	57.5	3	6.0	6	11.0	6	9.8	-	-	-	-
Virginia	208	52.3	19	4.7	36	9.1	29	7.1	5	1.2	14	3.6
West Virginia	6	47.5	-	-	-	-	-	-	-	-	-	-
East North Central	**528**	**50.8**	**48**	**4.6**	**98**	**9.3**	**80**	**7.8**	**9**	**0.9**	**26**	**2.6**
Illinois	263	48.7	25	4.5	41	7.4	44	8.6	5	0.9	13	2.5
Indiana	35	47.5	4	6.2	6	7.8	5	6.3	-	-	3	4.0
Michigan	92	49.1	8	4.0	18	9.6	12	6.6	-	-	5	2.7
Ohio	86	53.8	5	2.9	21	13.5	14	8.6	-	-	4	2.7
Wisconsin	52	69.9	7	9.1	12	16.3	5	6.4	-	-	-	-
East South Central	**100**	**55.4**	**8**	**4.2**	**23**	**12.7**	**13**	**7.2**	**3**	**1.8**	**5**	**2.9**
Alabama	22	47.3	-	-	4	9.5	3	5.9	-	-	-	-
Kentucky	22	58.3	-	-	6	15.7	3	6.9	-	-	2	5.2
Mississippi	15	64.2	2	8.5	3	14.6	-	-	-	-	-	-
Tennessee	42	56.2	3	3.9	10	12.7	7	9.3	2	2.5	-	-

Average Annual Cancer Deaths and Age-adjusted (World Standard) Rates[1] for Selected Cancer Sites
United States, 2014-2018, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
West North Central	**192**	**59.6**	**18**	**5.3**	**37**	**11.8**	**23**	**6.9**	**7**	**2.0**	**9**	**2.9**
Iowa	23	67.0	-	-	4	12.6	4	10.5	-	-	-	-
Kansas	30	59.8	4	7.0	7	15.2	3	5.8	-	-	-	-
Minnesota	78	62.3	9	6.6	13	10.7	7	5.4	4	3.0	3	2.3
Missouri	44	55.9	3	3.3	9	12.1	7	9.3	-	-	2	2.8
Nebraska	11	46.8	-	-	2	8.7	-	-	-	-	-	-
North Dakota	2	55.5	-	-	-	-	-	-	-	-	-	-
South Dakota	4	77.6	-	-	-	-	-	-	-	-	-	-
West South Central	**534**	**53.4**	**53**	**5.2**	**94**	**9.5**	**80**	**7.8**	**14**	**1.4**	**31**	**3.0**
Arkansas	20	65.1	2	8.3	4	13.5	-	-	-	-	-	-
Louisiana	29	51.0	2	3.4	5	8.2	5	9.0	-	-	-	-
Oklahoma	37	66.9	4	6.5	10	17.5	4	7.8	-	-	2	3.6
Texas	448	52.3	45	5.2	76	8.9	69	7.8	10	1.1	26	3.0
Mountain	**265**	**57.8**	**23**	**5.1**	**61**	**13.0**	**38**	**8.4**	**4**	**1.0**	**14**	**3.1**
Arizona	114	58.4	8	4.1	27	13.7	18	9.7	-	-	7	3.6
Colorado	70	50.3	8	6.3	16	11.5	7	4.9	-	-	3	2.2
Idaho	14	67.5	-	-	3	14.0	2	11.2	-	-	-	-
Montana	5	62.6	-	-	-	-	-	-	-	-	-	-
New Mexico	20	55.7	-	-	6	15.2	-	-	-	-	-	-
Utah	42	71.3	4	5.8	7	11.5	8	13.8	-	-	-	-
Wyoming	2	51.5	-	-	-	-	-	-	-	-	-	-
Pacific	**4,934**	**63.4**	**474**	**5.8**	**937**	**11.5**	**711**	**10.0**	**99**	**1.5**	**251**	**3.5**
Alaska	24	61.0	-	-	5	12.4	3	8.5	-	-	-	-
California	3,519	61.8	346	5.8	649	10.9	511	9.8	77	1.6	187	3.6
Hawaii	769	72.2	71	6.4	158	13.7	106	11.2	11	1.5	26	2.9
Nevada	181	67.6	20	7.5	37	13.5	33	12.8	4	1.5	11	4.2
Oregon	102	67.9	9	5.9	19	12.2	13	8.8	-	-	8	5.3
Washington	339	62.9	26	4.5	68	12.3	46	8.9	6	1.2	18	3.5

[1] Rates are per 100,000 and were age-adjusted using 19 age groups to the World (WHO 2000-2025) Standard Population.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for the U.S. combined.

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2014-2018, American Indian/Alaskan Native (AI/AN) for PRCDA[1] Counties

	MALES (AI/AN)					FEMALES (AI/AN)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	1,272	169.3	2.32	114.5	1.45	1,134	120.1	1.66	83.1	1.11
Oral Cavity & Pharynx	31	3.5	0.30	2.6	0.21	11	1.1	0.16	0.8	0.11
Digestive System	465	58.2	1.32	41.0	0.86	324	34.6	0.90	23.6	0.59
Esophagus	49	5.9	0.42	4.2	0.27	13	1.3	0.17	0.9	0.12
Stomach	49	6.3	0.44	4.4	0.28	33	3.5	0.28	2.4	0.19
Colon & Rectum	142	18.5	0.76	12.7	0.48	114	12.4	0.54	8.3	0.35
Liver	111	12.6	0.58	9.5	0.41	50	5.2	0.35	3.6	0.23
Pancreas	79	10.1	0.56	7.0	0.36	69	7.5	0.42	5.0	0.27
Respiratory System	300	40.6	1.13	27.2	0.71	259	27.6	0.80	18.8	0.53
Larynx	13	1.6	0.22	1.1	0.14	-	-	-	-	-
Lung & bronchus	283	38.4	1.10	25.7	0.69	256	27.4	0.79	18.6	0.52
Skin	13	1.7	0.23	1.2	0.15	9	1.0	0.15	0.7	0.10
Melanomas of the skin	6	0.9	0.17	0.6	0.10	5	0.5	0.10	0.3	0.07
Breast	-	-	-	-	-	141	14.8	0.58	10.5	0.40
Female Genital System	-	-	-	-	-	127	12.4	0.51	9.5	0.38
Cervix uteri	-	-	-	-	-	27	2.4	0.22	2.1	0.18
Corpus & uterus, NOS[2]	-	-	-	-	-	35	3.5	0.27	2.6	0.20
Ovary	-	-	-	-	-	61	6.0	0.36	4.4	0.26
Male Genital System	114	19.3	0.87	11.1	0.47	-	-	-	-	-
Prostate	106	18.5	0.85	10.4	0.46	-	-	-	-	-
Testis	5	0.4	0.09	0.4	0.08	-	-	-	-	-
Urinary System	91	12.5	0.64	8.3	0.39	44	5.0	0.35	3.2	0.22
Bladder	25	4.0	0.39	2.4	0.21	14	1.7	0.21	1.0	0.12
Kidney & renal pelvis	65	8.3	0.51	5.8	0.32	29	3.2	0.28	2.1	0.18
Brain & Other Nervous System	24	2.7	0.27	2.1	0.19	25	2.3	0.22	1.9	0.17
Endocrine System	7	0.7	0.13	0.6	0.10	5	0.6	0.12	0.4	0.08
Thyroid gland	4	0.4	0.11	0.3	0.07	3	0.4	0.10	0.2	0.06
Lymphomas	40	5.7	0.44	3.7	0.26	32	3.5	0.29	2.3	0.18
Hodgkin Lymphoma	-	-	-	-	-	2	0.2	0.07	0.2	0.05
Non-Hodgkin Lymphoma	-	-	-	-	-	29	3.3	0.28	2.1	0.18
Multiple Myeloma	27	3.9	0.37	2.5	0.22	27	3.1	0.27	2.0	0.17
Leukemias	45	5.5	0.40	4.0	0.27	26	2.8	0.26	2.0	0.17
Other, Ill-defined & Unknown	-	-	-	-	-	103	11.2	0.51	7.5	0.33

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] PRCDA – Indian Health Services Purchased/Referred Care Delivery Area (See Appendix G)
[2] Abbreviations: NOS - Not Otherwise Specified

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2014-2018, Hispanic Ethnicity

	MALES (HISPANIC)					FEMALES (HISPANIC)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	20,463	134.0	0.45	88.7	0.28	18,762	94.6	0.32	65.2	0.22
Oral Cavity & Pharynx	396	2.4	0.06	1.7	0.04	152	0.8	0.03	0.5	0.02
Digestive System	7,890	48.9	0.26	33.8	0.17	5,749	29.6	0.18	19.9	0.12
Esophagus	591	3.7	0.07	2.6	0.05	136	0.7	0.03	0.5	0.02
Stomach	1,015	6.3	0.09	4.3	0.06	806	3.9	0.06	2.8	0.04
Colon & Rectum	2,215	14.0	0.14	9.4	0.09	1,695	8.6	0.10	5.7	0.06
Liver	1,935	11.3	0.12	8.3	0.08	791	4.2	0.07	2.8	0.04
Pancreas	1,474	9.5	0.12	6.4	0.08	1,476	7.8	0.09	5.1	0.06
Respiratory System	3,505	24.6	0.20	15.8	0.12	2,350	12.6	0.12	8.2	0.08
Larynx	202	1.3	0.04	0.9	0.03	25	0.1	0.01	0.1	0.01
Lung & bronchus	3,252	23.0	0.19	14.7	0.12	2,297	12.3	0.12	8.0	0.08
Skin	268	1.7	0.05	1.1	0.03	152	0.8	0.03	0.5	0.02
Melanomas of the skin	150	0.9	0.04	0.6	0.02	100	0.5	0.02	0.3	0.02
Breast	23	0.2	0.02	0.1	0.01	2,914	13.8	0.12	10.2	0.08
Female Genital System	-	-	-	-	-	2,589	12.4	0.11	9.2	0.08
Cervix uteri	-	-	-	-	-	584	2.6	0.05	2.1	0.04
Corpus & uterus, NOS[1]	-	-	-	-	-	829	4.1	0.06	3.0	0.05
Ovary	-	-	-	-	-	1,035	5.1	0.07	3.7	0.05
Male Genital System	2,068	16.3	0.17	9.3	0.09	-	-	-	-	-
Prostate	1,926	15.6	0.16	8.8	0.09	-	-	-	-	-
Testis	83	0.3	0.01	0.3	0.01	-	-	-	-	-
Urinary System	1,303	8.9	0.12	5.7	0.07	674	3.6	0.06	2.3	0.04
Bladder	487	3.8	0.08	2.2	0.04	230	1.3	0.04	0.7	0.02
Kidney & renal pelvis	796	4.9	0.08	3.4	0.05	426	2.2	0.05	1.5	0.03
Brain & Other Nervous System	665	3.5	0.07	2.7	0.05	567	2.6	0.05	2.0	0.04
Endocrine System	144	0.8	0.03	0.6	0.02	181	0.9	0.03	0.6	0.02
Thyroid gland	92	0.6	0.03	0.4	0.02	134	0.7	0.03	0.5	0.02
Lymphomas	944	6.2	0.10	4.1	0.06	738	4.0	0.07	2.5	0.04
Hodgkin Lymphoma	72	0.4	0.03	0.3	0.02	60	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	872	5.8	0.09	3.8	0.06	679	3.7	0.06	2.3	0.04
Multiple Myeloma	482	3.3	0.07	2.1	0.04	410	2.2	0.05	1.4	0.03
Leukemias	954	5.6	0.09	3.9	0.06	758	3.6	0.06	2.6	0.04
Other, Ill-defined & Unknown	1,822	11.5	0.13	7.7	0.08	1,529	7.7	0.09	5.2	0.06

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified

Average Annual Cancer Deaths and Age-adjusted Rates*
United States, 2014-2018, Non-Hispanic Ethnicity

	MALES (NON-HISPANIC)					FEMALES (NON-HISPANIC)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	292,687	190.1	0.16	126.9	0.11	263,314	137.2	0.12	94.9	0.09
Oral Cavity & Pharynx	6,628	4.1	0.02	3.0	0.02	2,711	1.4	0.01	1.0	0.01
Digestive System	82,149	52.2	0.08	36.4	0.06	60,920	31.3	0.06	21.1	0.04
Esophagus	11,587	7.2	0.03	5.2	0.02	2,912	1.5	0.01	1.0	0.01
Stomach	5,704	3.7	0.02	2.5	0.02	3,700	1.9	0.01	1.3	0.01
Colon & Rectum	25,306	16.6	0.05	11.3	0.03	22,849	11.8	0.04	7.9	0.03
Liver	12,373	7.3	0.03	5.5	0.02	4,544	2.3	0.02	1.6	0.01
Pancreas	20,499	13.0	0.04	8.9	0.03	19,196	9.8	0.03	6.5	0.02
Respiratory System	80,803	51.3	0.08	34.8	0.06	67,004	34.5	0.06	23.7	0.04
Larynx	2,796	1.7	0.01	1.2	0.01	735	0.4	0.01	0.3	0.00
Lung & bronchus	77,345	49.1	0.08	33.2	0.05	65,909	33.9	0.06	23.3	0.04
Skin	8,193	5.5	0.03	3.6	0.02	3,876	2.0	0.02	1.4	0.01
Melanomas of the skin	5,436	3.6	0.02	2.5	0.02	2,824	1.5	0.01	1.1	0.01
Breast	453	0.3	0.01	0.2	0.00	38,718	20.8	0.05	15.0	0.04
Female Genital System	-	-	-	-	-	28,530	15.1	0.04	11.0	0.03
Cervix uteri	-	-	-	-	-	3,567	2.2	0.02	1.8	0.01
Corpus & uterus, NOS[1]	-	-	-	-	-	9,703	5.0	0.02	3.6	0.02
Ovary	-	-	-	-	-	12,992	6.8	0.03	4.9	0.02
Male Genital System	28,560	19.7	0.05	11.2	0.03	-	-	-	-	-
Prostate	27,901	19.3	0.05	10.8	0.03	-	-	-	-	-
Testis	324	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	20,090	13.4	0.04	8.4	0.03	9,194	4.6	0.02	2.9	0.01
Bladder	11,214	7.7	0.03	4.5	0.02	4,415	2.2	0.02	1.3	0.01
Kidney & renal pelvis	8,367	5.4	0.03	3.7	0.02	4,439	2.3	0.02	1.5	0.01
Brain & Other Nervous System	8,672	5.6	0.03	4.4	0.02	6,674	3.7	0.02	2.9	0.02
Endocrine System	1,269	0.8	0.01	0.6	0.01	1,366	0.7	0.01	0.5	0.01
Thyroid gland	789	0.5	0.01	0.3	0.01	919	0.5	0.01	0.3	0.00
Lymphomas	11,092	7.5	0.03	4.8	0.02	8,534	4.4	0.02	2.8	0.01
Hodgkin Lymphoma	537	0.4	0.01	0.3	0.01	378	0.2	0.01	0.2	0.00
Non-Hodgkin Lymphoma	10,555	7.1	0.03	4.5	0.02	8,156	4.2	0.02	2.6	0.01
Multiple Myeloma	6,235	4.1	0.02	2.6	0.02	5,099	2.6	0.02	1.7	0.01
Leukemias	12,531	8.5	0.03	5.5	0.02	9,043	4.7	0.02	3.1	0.02
Other, Ill-defined & Unknown	26,011	17.1	0.05	11.5	0.03	21,646	11.2	0.04	7.6	0.03

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified

Average Annual Cancer Deaths and Age-adjusted Rates*
Canada**, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2000 U.S.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	41,384	201.0	0.45	128.7	0.29	37,157	146.7	0.35	98.7	0.25
Oral Cavity & Pharynx	993	4.6	0.07	3.2	0.05	449	1.8	0.04	1.2	0.03
Digestive System	12,724	60.7	0.25	40.1	0.16	9,564	37.1	0.17	24.0	0.12
Esophagus	1,563	7.2	0.08	5.0	0.06	469	1.8	0.04	1.2	0.03
Stomach	1,216	5.9	0.08	3.9	0.05	738	2.9	0.05	1.9	0.03
Colon & Rectum	4,873	23.9	0.16	15.2	0.10	4,148	16.0	0.11	10.0	0.08
Liver	1,296	5.9	0.07	4.2	0.05	450	1.8	0.04	1.2	0.03
Pancreas	2,524	11.9	0.11	8.0	0.07	2,364	9.2	0.09	6.0	0.06
Respiratory System	11,094	52.6	0.23	34.2	0.15	9,629	37.9	0.18	25.9	0.12
Larynx	330	1.6	0.04	1.0	0.03	67	0.3	0.01	0.2	0.01
Lung & bronchus	10,636	50.5	0.22	32.8	0.14	9,490	37.3	0.17	25.5	0.12
Skin	1,011	5.0	0.07	3.2	0.05	568	2.2	0.04	1.5	0.03
Melanomas of the skin	675	3.3	0.06	2.2	0.04	402	1.6	0.04	1.2	0.03
Breast	55	0.3	0.02	0.2	0.01	5,232	21.1	0.13	14.8	0.10
Female Genital System	-	-	-	-	-	3,720	15.0	0.11	10.6	0.08
Cervix uteri	-	-	-	-	-	404	1.8	0.04	1.5	0.03
Corpus & uterus, NOS[1]	-	-	-	-	-	1,161	4.5	0.06	3.2	0.04
Ovary	-	-	-	-	-	1,812	7.3	0.08	5.2	0.06
Male Genital System	4,307	22.5	0.16	12.2	0.08	-	-	-	-	-
Prostate	4,204	22.0	0.15	11.8	0.08	-	-	-	-	-
Testis	38	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	3,052	15.2	0.12	9.2	0.08	1,398	5.4	0.07	3.3	0.04
Bladder	1,617	8.3	0.09	4.7	0.05	627	2.4	0.04	1.4	0.03
Kidney & renal pelvis	1,135	5.4	0.07	3.6	0.05	611	2.4	0.04	1.5	0.03
Brain & Other CNS[1]	1,273	6.0	0.08	4.7	0.06	953	4.0	0.06	3.1	0.05
Endocrine System	173	0.8	0.03	0.6	0.02	199	0.8	0.03	0.6	0.02
Thyroid gland	108	0.5	0.02	0.3	0.02	131	0.5	0.02	0.3	0.01
Lymphomas	1,659	8.2	0.09	5.2	0.06	1,281	5.0	0.06	3.2	0.04
Hodgkin Lymphoma	66	0.3	0.02	0.2	0.01	46	0.2	0.01	0.1	0.01
Non-Hodgkin Lymphoma	1,592	7.9	0.09	5.0	0.06	1,234	4.9	0.06	3.1	0.04
Multiple Myeloma	835	4.1	0.06	2.5	0.04	648	2.5	0.05	1.6	0.03
Leukemias	1,607	8.1	0.09	5.1	0.06	1,164	4.7	0.06	3.0	0.05
Other, Ill-defined & Unknown	2,600	12.9	0.12	8.2	0.07	2,351	9.1	0.09	5.9	0.06

* Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population as well as the World (WHO 2000-2025) Standard Population.

** For the Canada mortality Yukon has been limited to years 2014-2016.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Average Annual Cancer Deaths and Age-adjusted Rates*
Canada**, 2014-2018, All Races

	MALES (ALL RACES)					FEMALES (ALL RACES)				
SITES	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn*	*S.E.*	*Adj. Rate World*	*S.E.*	*Avg. Annual Deaths*	*Adj. Rate 2011 Cdn.*	*S.E.*	*Adj. Rate World*	*S.E.*
All Sites	41,384	235.6	0.52	128.7	0.29	37,157	172.3	0.40	98.7	0.25
Oral Cavity & Pharynx	993	5.5	0.08	3.2	0.05	449	2.1	0.04	1.2	0.03
Digestive System	12,724	71.7	0.29	40.1	0.16	9,564	43.6	0.20	24.0	0.12
Esophagus	1,563	8.6	0.10	5.0	0.06	469	2.2	0.05	1.2	0.03
Stomach	1,216	6.9	0.09	3.9	0.05	738	3.4	0.06	1.9	0.03
Colon & Rectum	4,873	27.9	0.18	15.2	0.10	4,148	18.7	0.13	10.0	0.08
Liver	1,296	7.1	0.09	4.2	0.05	450	2.1	0.04	1.2	0.03
Pancreas	2,524	14.1	0.13	8.0	0.07	2,364	10.8	0.10	6.0	0.06
Respiratory System	11,094	61.8	0.26	34.2	0.15	9,629	44.9	0.21	25.9	0.12
Larynx	330	1.8	0.05	1.0	0.03	67	0.3	0.02	0.2	0.01
Lung & bronchus	10,636	59.3	0.26	32.8	0.14	9,490	44.2	0.20	25.5	0.12
Skin	1,011	5.9	0.08	3.2	0.05	568	2.6	0.05	1.5	0.03
Melanomas of the skin	675	3.8	0.07	2.2	0.04	402	1.9	0.04	1.2	0.03
Breast	55	0.3	0.02	0.2	0.01	5,232	24.8	0.16	14.8	0.10
Female Genital System	-	-	-	-	-	3,720	17.7	0.13	10.6	0.08
Cervix uteri	-	-	-	-	-	404	2.1	0.05	1.5	0.03
Corpus & uterus, NOS[1]	-	-	-	-	-	1,161	5.4	0.07	3.2	0.04
Ovary	-	-	-	-	-	1,812	8.6	0.09	5.2	0.06
Male Genital System	4,307	26.2	0.18	12.2	0.08	-	-	-	-	-
Prostate	4,204	25.6	0.18	11.8	0.08	-	-	-	-	-
Testis	38	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	3,052	17.8	0.15	9.2	0.08	1,398	6.3	0.08	3.3	0.04
Bladder	1,617	9.6	0.11	4.7	0.05	627	2.8	0.05	1.4	0.03
Kidney & renal pelvis	1,135	6.4	0.09	3.6	0.05	611	2.8	0.05	1.5	0.03
Brain & Other CNS[1]	1,273	7.0	0.09	4.7	0.06	953	4.7	0.07	3.1	0.05
Endocrine System	173	1.0	0.03	0.6	0.02	199	0.9	0.03	0.6	0.02
Thyroid gland	108	0.6	0.03	0.3	0.02	131	0.6	0.02	0.3	0.01
Lymphomas	1,659	9.5	0.11	5.2	0.06	1,281	5.8	0.07	3.2	0.04
Hodgkin Lymphoma	66	0.4	0.02	0.2	0.01	46	0.2	0.01	0.1	0.01
Non-Hodgkin Lymphoma	1,592	9.1	0.10	5.0	0.06	1,234	5.6	0.07	3.1	0.04
Multiple Myeloma	835	4.8	0.07	2.5	0.04	648	2.9	0.05	1.6	0.03
Leukemias	1,607	9.3	0.10	5.1	0.06	1,164	5.3	0.07	3.0	0.05
Other, Ill-defined & Unknown	2,600	15.0	0.13	8.2	0.07	2,351	10.7	0.10	5.9	0.06

* Rates are per 100,000 and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population as well as the World (WHO 2000-2025) Standard Population.

** For the Canada mortality Yukon has been limited to years 2014-2016.

- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

[1] Abbreviations: NOS - Not Otherwise Specified; CNS – Central Nervous System

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
Canada, 2014-2018, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
Canada[*]	41,384	201.0	4,873	23.9	10,636	50.5	4,204	22.0	1,617	8.3	1,592	7.9
Alberta	3,461	186.1	399	21.3	814	43.3	413	25.2	108	6.3	129	7.1
British Columbia	5,482	183.7	640	21.7	1,214	39.9	620	21.9	241	8.4	224	7.7
Manitoba	1,456	211.0	180	25.8	336	48.0	182	28.0	62	9.3	54	8.0
New Brunswick	1,103	221.4	127	25.2	329	64.2	100	22.4	42	8.9	-	-
Newfoundland and Labrador	785	233.7	130	38.8	214	60.7	74	25.2	23	7.6	-	-
Northwest Territories	32	247.1	4	37.7	9	72.7	3	29.9	-	-	-	-
Nova Scotia	1,443	238.0	188	31.3	381	60.1	151	27.5	49	8.6	54	9.0
Nunavut	22	275.8	5	52.0	8	124.4	-	-	-	-	-	-
Ontario	15,112	192.8	1,686	21.7	3,595	45.0	1,553	21.0	608	8.1	615	7.9
Prince Edward Island	197	214.1	25	27.7	53	55.2	19	23.5	7	7.9	-	-
Quebec	11,020	219.7	1,327	26.9	3,388	65.3	909	19.8	429	9.0	395	8.0
Saskatchewan	1,236	200.5	157	25.3	284	45.7	177	29.9	48	8.0	-	-
Yukon[*]	35	231.8	4	34.6	9	60.1	4	27.9	-	-	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
[*] Yukon and their contribution to the Canada mortality is limited to years 2014-2016.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2011 Canadian Standard) Cancer Death Rates[1] for Selected Cancer Sites
Canada, 2014-2018, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
Canada*	41,384	235.6	4,873	27.9	10,636	59.3	4,204	25.6	1,617	9.6	1,592	9.1
Alberta	3,461	217.6	399	25.1	814	50.6	413	29.0	108	7.3	129	8.2
British Columbia	5,482	215.5	640	25.3	1,214	46.9	620	25.5	241	9.8	224	8.9
Manitoba	1,456	246.8	180	30.5	336	56.2	182	32.5	62	10.8	54	9.2
New Brunswick	1,103	258.8	127	29.6	329	75.3	100	26.0	42	10.4	-	-
Newfoundland and Labrador	785	274.3	130	45.4	214	71.3	74	29.3	23	9.0	-	-
Northwest Territories	32	283.3	4	42.6	9	84.5	3	34.2	-	-	-	-
Nova Scotia	1,443	278.5	188	36.7	381	70.5	151	31.9	49	10.0	54	10.5
Nunavut	22	323.8	5	62.2	8	146.2	-	-	-	-	-	-
Ontario	15,112	226.1	1,686	25.4	3,595	52.9	1,553	24.5	608	9.5	615	9.2
Prince Edward Island	197	251.0	25	32.4	53	64.7	19	27.2	7	9.1	-	-
Quebec	11,020	257.3	1,327	31.4	3,388	76.9	909	23.0	429	10.5	395	9.3
Saskatchewan	1,236	234.9	157	29.8	284	53.4	177	34.7	48	9.3	-	-
Yukon*	35	272.2	4	40.5	9	70.2	4	32.2	-	-	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population.
* Yukon and their contribution to the Canada mortality is limited to years 2014-2016.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates[1] for Selected Cancer Sites
Canada, 2014-2018, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Avg. Annual Deaths	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
Canada[*]	37,157	146.7	4,148	16.0	9,490	37.3	5,232	21.1	404	1.8	1,812	7.3
Alberta	3,043	136.7	312	13.8	754	34.4	453	20.2	45	2.0	155	6.9
British Columbia	4,751	135.5	532	14.9	1,182	33.5	662	19.2	53	1.7	271	7.8
Manitoba	1,347	157.0	158	17.7	327	38.7	188	22.4	14	1.9	65	7.6
New Brunswick	930	151.0	110	17.7	248	39.7	122	20.5	8	1.6	42	7.0
Newfoundland and Labrador	665	169.5	100	25.3	154	37.7	90	23.5	12	3.5	33	8.3
Northwest Territories	30	239.8	4	34.8	7	70.2	4	26.8	-	-	-	-
Nova Scotia	1,261	166.4	161	21.0	340	44.0	167	23.0	13	2.0	58	7.8
Nunavut	18	281.3	2	36.7	8	144.9	-	-	-	-	-	-
Ontario	13,735	140.3	1,450	14.4	3,244	33.1	2,002	20.9	159	1.9	688	7.2
Prince Edward Island	170	148.2	20	17.1	48	41.2	17	14.9	3	3.0	10	8.6
Quebec	10,087	160.8	1,166	18.0	2,889	45.9	1,354	22.4	82	1.6	436	7.1
Saskatchewan	1,092	146.3	131	16.6	282	38.7	167	22.7	15	2.3	52	7.4
Yukon[*]	28	181.7	-	-	7	45.8	4	23.6	-	-	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2000 U.S. Standard Population.
[*] Yukon and their contribution to the Canada mortality is limited to years 2014-2016.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2011 Canadian Standard) Cancer Death Rates[1] for Selected Cancer Sites
Canada, 2014-2018, All Races, Females

	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
Geographic Region	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*	*Avg. Annual Deaths*	*Rate*
Canada*	37,157	172.3	4,148	18.7	9,490	44.2	5,232	24.8	404	2.1	1,812	8.6
Alberta	3,043	160.4	312	16.3	754	40.3	453	23.8	45	2.3	155	8.2
British Columbia	4,751	158.8	532	17.5	1,182	39.3	662	22.6	53	1.9	271	9.3
Manitoba	1,347	184.5	158	20.8	327	45.4	188	26.4	14	2.1	65	9.2
New Brunswick	930	177.6	110	20.6	248	47.0	122	24.3	8	1.8	42	8.2
Newfoundland and Labrador	665	198.1	100	29.7	154	44.6	90	27.5	12	3.8	33	9.7
Northwest Territories	30	271.0	4	39.6	7	79.1	4	31.3	-	-	-	-
Nova Scotia	1,261	195.0	161	24.5	340	52.3	167	26.7	13	2.3	58	9.1
Nunavut	18	327.5	2	42.9	8	169.8	-	-	-	-	-	-
Ontario	13,735	164.6	1,450	16.9	3,244	39.0	2,002	24.6	159	2.1	688	8.5
Prince Edward Island	170	173.8	20	19.7	48	48.0	17	17.6	3	3.5	10	10.2
Quebec	10,087	189.8	1,166	21.1	2,889	55.1	1,354	26.3	82	1.8	436	8.5
Saskatchewan	1,092	171.4	131	19.6	282	45.3	167	26.6	15	2.7	52	8.7
Yukon*	28	209.7	-	-	7	52.3	4	27.3	-	-	-	-

[1] Rates are per 100,000 population and were age-adjusted using 19 age groups to the 2011 Canadian Standard Population.
* Yukon and their contribution to the Canada mortality is limited to years 2014-2016.
- Counts and rates are suppressed when fewer than 10 cases were reported over the five year time period for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.