


2014 - 2018: Cancer in North America



- PARTICIPATING REGISTRIES
- NOT PARTICIPATING

EXECUTIVE SUMMARY: Cancer in North America: 2014-2018

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. In this call for data, member registries data submissions are combined and used to create the CiNA Monograph and other CiNA products for data analyses and cancer incidence information (e.g., CiNA Explorer on-line query system, NACCCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality. Standard data quality metrics are reported for all contributors.

In May of 2021, NAACCR released a five volume monograph, Cancer in North America (CiNA): 2014-2018. This release is the 31st publication of the series and the 29th release that includes statistics for both Canada and the United States (U.S.). This year's publication updates the five volume monograph, and presents cancer incidence data for all 50 U.S. states, the District of Columbia, Puerto Rico, and for 11 Canadian provinces and territories. We also report data by 5 regions: California (excluding the Greater Bay area and Los Angeles), and 4 SEER urban registries (Detroit, Los Angeles, San Francisco/Oakland, and Seattle). CiNA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay-adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America

Includes aggregated cancer incidence data by cancer site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from high quality registries in the U.S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada

Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada

Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada

Includes cancer survival data for the U.S. and Canada from 58 registries on more than 12.8 million cases diagnosed among North Americans between 2011 and 2017.

Volume Five: Cancer Prevalence in the United States and Canada

Includes cancer prevalence estimates for the U.S. and Canada from 58 registries on more than 18 million cases diagnosed among North Americans between 2008 and 2017.

All CiNA volumes are available free of charge from the NAACCR website, along with accompanying technical data, including population data and supporting appendices.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality, standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance. The Editors would like to acknowledge the work and support of the National Cancer Institute, the National Center for Health Statistics, and Statistics Canada for their assistance in developing this publication.

We hope that Cancer in North America: 2014-2018, with the companion CiNA products and resources, facilitate studies of cancer burden, so that we are better able to identify, and understand, appropriate and important measures to control the myriad diseases known collectively as cancer.

The Editors May 2021

CANCER IN NORTH AMERICA: 2014-2018

VOLUME FIVE: CANCER PREVALENCE IN THE UNITED STATES AND CANADA 2008-2017

**A Publication of the North American Association of Central Cancer Registries, Inc.
(NAACCR)**

Editors:

**Chris Johnson, Cancer Data Registry of Idaho
Reda Wilson, U.S. Centers for Disease Control and Prevention
Angela Mariotto, U.S. National Cancer Institute
Bozena Morawski, Cancer Data Registry of Idaho
Hannah Weir, U.S. Centers for Disease Control and Prevention
Rick Firth, Information Management Services, Inc.
Recinda Sherman, NAACCR Inc.
Mary Charlton, State Health Registry of Iowa
Prithwish De, Ontario Cancer Registry at Cancer Care Ontario
Brenda Hofer, California Cancer Registry
Mei-Chin Hsieh, Louisiana Tumor Registry
Lihua Liu, Los Angeles Cancer Surveillance Program
Sarah Nash, SEER Alaska Native Tumor Registry
Baozhen Qiao, New York State Cancer Registry**



May 2021

The CiNA Editorial Workgroup of the NAACCR Steering Committee, Research and Data Use, publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401 and by cooperative agreement NU58DP006458 from the Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC or NCI.

CINA PREVALENCE PARTICIPANTS 2008-2017



SUGGESTED CITATION:

Johnson CJ, Wilson R, Mariotto A, Morawski B, Weir H, Firth R, Sherman R, Charlton M, De P, Hofer B, Hsieh M, Lihua L, Nash S, Qiao B (eds). *Cancer in North America: 2014-2018 Volume Five: Cancer Prevalence in the United States and Canada 2008-2017*. Springfield, IL: North American Association of Central Cancer Registries, Inc. May 2021.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes	I-1

SECTION II: Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2018 by Race and Age for the United States, Canada and North America Combined

All Sites	II-1
Oral Cavity & Pharynx	II-2
Esophagus	II-3
Stomach	II-4
Colon & Rectum	II-5
Liver & Intrahepatic Bile Duct	II-6
Pancreas	II-7
Larynx	II-8
Lung & Bronchus	II-9
Melanoma of the Skin	II-10
Breast, Female	II-11
Cervix Uteri	II-12
Corpus & Uterus, NOS	II-13
Ovary	II-14
Prostate	II-15
Testis	II-16
Urinary Bladder	II-17
Kidney & Renal Pelvis	II-18
Brain & Other Nervous System	II-19
Thyroid	II-20
Hodgkin Lymphoma	II-21
Non-Hodgkin Lymphoma	II-22
Myeloma	II-23
Leukemias	II-24
Mesothelioma	II-25

SECTION III: Prevalence on January 1, 2018 by Limited-Duration, Registry, Race and Site

Two Year Limited-Duration, All Races

All Sites	III-1
Oral Cavity & Pharynx	III-2
Esophagus	III-3
Stomach	III-4
Colon & Rectum	III-5
Liver & Intrahepatic Bile Duct	III-6
Pancreas	III-7
Larynx	III-8
Lung & Bronchus	III-9
Melanoma of the Skin	III-10
Breast, Female	III-11
Cervix Uteri	III-12
Corpus & Uterus, NOS	III-13
Ovary	III-14
Prostate	III-15
Testis	III-16
Urinary Bladder	III-17
Kidney & Renal Pelvis	III-18
Brain & Other Nervous System	III-19
Thyroid	III-20
Hodgkin Lymphoma	III-21
Non-Hodgkin Lymphoma	III-22
Myeloma	III-23
Leukemias	III-24
Mesothelioma	III-25

Two Year Limited-Duration, Non-Hispanic White

All Sites.....	III-26
Oral Cavity & Pharynx.....	III-27
Esophagus	III-28
Stomach.....	III-29
Colon & Rectum	III-30
Liver & Intrahepatic Bile Duct.....	III-31
Pancreas	III-32
Larynx	III-33
Lung & Bronchus.....	III-34
Melanoma of the Skin	III-35
Breast, Female.....	III-36
Cervix Uteri.....	III-37
Corpus & Uterus, NOS	III-38
Ovary.....	III-39
Prostate.....	III-40
Testis	III-41
Urinary Bladder.....	III-42
Kidney & Renal Pelvis.....	III-43
Brain & Other Nervous System	III-44
Thyroid.....	III-45
Hodgkin Lymphoma	III-46
Non-Hodgkin Lymphoma	III-47
Myeloma	III-48
Leukemias	III-49
Mesothelioma.....	III-50

Two Year Limited-Duration, Non-Hispanic Black

All Sites.....	III-51
Oral Cavity & Pharynx.....	III-52
Esophagus	III-53
Stomach.....	III-54
Colon & Rectum	III-55
Liver & Intrahepatic Bile Duct.....	III-56
Pancreas	III-57
Larynx	III-58
Lung & Bronchus.....	III-59
Melanoma of the Skin	III-60
Breast, Female.....	III-61
Cervix Uteri.....	III-62
Corpus & Uterus, NOS	III-63
Ovary.....	III-64
Prostate.....	III-65
Testis	III-66
Urinary Bladder.....	III-67
Kidney & Renal Pelvis.....	III-68
Brain & Other Nervous System, Invasive	III-69
Thyroid.....	III-70
Hodgkin Lymphoma	III-71
Non-Hodgkin Lymphoma	III-72
Myeloma	III-73
Leukemias	III-74
Mesothelioma.....	III-75

Two Year Limited-Duration, Hispanic

All Sites.....	III-76
Oral Cavity & Pharynx.....	III-77
Esophagus	III-78
Stomach.....	III-79
Colon & Rectum	III-80
Liver & Intrahepatic Bile Duct.....	III-81
Pancreas	III-82
Larynx	III-83

Lung & Bronchus.....	III-84
Melanoma of the Skin.....	III-85
Breast, Female.....	III-86
Cervix Uteri.....	III-87
Corpus & Uterus, NOS.....	III-88
Ovary.....	III-89
Prostate.....	III-90
Testis.....	III-91
Urinary Bladder.....	III-92
Kidney & Renal Pelvis.....	III-93
Brain & Other Nervous System.....	III-94
Thyroid.....	III-95
Hodgkin Lymphoma.....	III-96
Non-Hodgkin Lymphoma.....	III-97
Myeloma.....	III-98
Leukemias.....	III-99
Mesothelioma.....	III-100
<i>Five Year Limited-Duration, All Races</i>	
All Sites.....	III-101
Oral Cavity & Pharynx.....	III-102
Esophagus.....	III-103
Stomach.....	III-104
Colon & Rectum.....	III-105
Liver & Intrahepatic Bile Duct.....	III-106
Pancreas.....	III-107
Larynx.....	III-108
Lung & Bronchus.....	III-109
Melanoma of the Skin.....	III-110
Breast, Female.....	III-111
Cervix Uteri.....	III-112
Corpus & Uterus, NOS.....	III-113
Ovary.....	III-114
Prostate.....	III-115
Testis.....	III-116
Urinary Bladder.....	III-117
Kidney & Renal Pelvis.....	III-118
Brain & Other Nervous System.....	III-119
Thyroid.....	III-120
Hodgkin Lymphoma.....	III-121
Non-Hodgkin Lymphoma.....	III-122
Myeloma.....	III-123
Leukemias.....	III-124
Mesothelioma.....	III-125
<i>Five Year Limited-Duration, Non-Hispanic White</i>	
All Sites.....	III-126
Oral Cavity & Pharynx.....	III-127
Esophagus.....	III-128
Stomach.....	III-129
Colon & Rectum.....	III-130
Liver & Intrahepatic Bile Duct.....	III-131
Pancreas.....	III-132
Larynx.....	III-133
Lung & Bronchus.....	III-134
Melanoma of the Skin.....	III-135
Breast, Female.....	III-136
Cervix Uteri.....	III-137
Corpus & Uterus, NOS.....	III-138
Ovary.....	III-139
Prostate.....	III-140
Testis.....	III-141
Urinary Bladder.....	III-142

Contents

Kidney & Renal Pelvis.....	III-143
Brain & Other Nervous System	III-144
Thyroid.....	III-145
Hodgkin Lymphoma	III-146
Non-Hodgkin Lymphoma	III-147
Myeloma	III-148
Leukemias	III-149
Mesothelioma.....	III-150
<i>Five Year Limited-Duration, Non-Hispanic Black</i>	
All Sites.....	III-151
Oral Cavity & Pharynx.....	III-152
Esophagus	III-153
Stomach.....	III-154
Colon & Rectum	III-155
Liver & Intrahepatic Bile Duct.....	III-156
Pancreas	III-157
Larynx	III-158
Lung & Bronchus	III-159
Melanoma of the Skin	III-160
Breast, Female.....	III-161
Cervix Uteri.....	III-162
Corpus & Uterus, NOS	III-163
Ovary.....	III-164
Prostate.....	III-165
Testis	III-166
Urinary Bladder.....	III-167
Kidney & Renal Pelvis.....	III-168
Brain & Other Nervous System, Invasive	III-169
Thyroid.....	III-170
Hodgkin Lymphoma	III-171
Non-Hodgkin Lymphoma	III-172
Myeloma	III-173
Leukemias	III-174
Mesothelioma.....	III-175
<i>Five Year Limited-Duration, Hispanic</i>	
All Sites.....	III-176
Oral Cavity & Pharynx.....	III-177
Esophagus	III-178
Stomach.....	III-179
Colon & Rectum	III-180
Liver & Intrahepatic Bile Duct.....	III-181
Pancreas	III-182
Larynx	III-183
Lung & Bronchus	III-184
Melanoma of the Skin	III-185
Breast, Female.....	III-186
Cervix Uteri.....	III-187
Corpus & Uterus, NOS	III-188
Ovary.....	III-189
Prostate.....	III-190
Testis	III-191
Urinary Bladder.....	III-192
Kidney & Renal Pelvis.....	III-193
Brain & Other Nervous System, Invasive	III-194
Thyroid.....	III-195
Hodgkin Lymphoma	III-196
Non-Hodgkin Lymphoma	III-197
Myeloma	III-198
Leukemias	III-199
Mesothelioma.....	III-200

Ten Year Limited-Duration, All Races

All Sites.....	III-201
Oral Cavity & Pharynx	III-202
Esophagus	III-203
Stomach	III-204
Colon & Rectum	III-205
Liver & Intrahepatic Bile Duct	III-206
Pancreas	III-207
Larynx	III-208
Lung & Bronchus.....	III-209
Melanoma of the Skin.....	III-210
Breast, Female.....	III-211
Cervix Uteri	III-212
Corpus & Uterus, NOS	III-213
Ovary	III-214
Prostate.....	III-215
Testis.....	III-216
Urinary Bladder	III-217
Kidney & Renal Pelvis.....	III-218
Brain & Other Nervous System	III-219
Thyroid.....	III-220
Hodgkin Lymphoma	III-221
Non-Hodgkin Lymphoma	III-222
Myeloma	III-223
Leukemias.....	III-224
Mesothelioma.....	III-225

Ten Year Limited-Duration, Non-Hispanic White

All Sites.....	III-226
Oral Cavity & Pharynx	III-227
Esophagus	III-228
Stomach	III-229
Colon & Rectum	III-230
Liver & Intrahepatic Bile Duct	III-231
Pancreas	III-232
Larynx	III-233
Lung & Bronchus.....	III-234
Melanoma of the Skin.....	III-235
Breast, Female.....	III-236
Cervix Uteri	III-237
Corpus & Uterus, NOS	III-238
Ovary	III-239
Prostate.....	III-240
Testis.....	III-241
Urinary Bladder	III-242
Kidney & Renal Pelvis.....	III-243
Brain & Other Nervous System	III-244
Thyroid.....	III-245
Hodgkin Lymphoma	III-246
Non-Hodgkin Lymphoma	III-247
Myeloma	III-248
Leukemias.....	III-249
Mesothelioma.....	III-250

Ten Year Limited-Duration, Non-Hispanic Black

All Sites.....	III-251
Oral Cavity & Pharynx	III-252
Esophagus	III-253
Stomach	III-254
Colon & Rectum	III-255
Liver & Intrahepatic Bile Duct	III-256

Contents

Pancreas	III-257
Larynx	III-258
Lung & Bronchus	III-259
Melanoma of the Skin	III-260
Breast, Female.....	III-261
Cervix Uteri.....	III-262
Corpus & Uterus, NOS	III-263
Ovary.....	III-264
Prostate.....	III-265
Testis	III-266
Urinary Bladder.....	III-267
Kidney & Renal Pelvis.....	III-268
Brain & Other Nervous System, Invasive	III-269
Thyroid.....	III-270
Hodgkin Lymphoma	III-271
Non-Hodgkin Lymphoma	III-272
Myeloma	III-273
Leukemias	III-274
Mesothelioma.....	III-275
<i>Ten Year Limited-Duration, Hispanic</i>	
All Sites.....	III-276
Oral Cavity & Pharynx.....	III-277
Esophagus	III-278
Stomach.....	III-279
Colon & Rectum	III-280
Liver & Intrahepatic Bile Duct.....	III-281
Pancreas	III-282
Larynx	III-283
Lung & Bronchus	III-284
Melanoma of the Skin	III-285
Breast, Female.....	III-286
Cervix Uteri.....	III-287
Corpus & Uterus, NOS	III-288
Ovary.....	III-289
Prostate.....	III-290
Testis	III-291
Urinary Bladder.....	III-292
Kidney & Renal Pelvis.....	III-293
Brain & Other Nervous System, Invasive	III-294
Thyroid.....	III-295
Hodgkin Lymphoma	III-296
Non-Hodgkin Lymphoma	III-297
Myeloma	III-298
Leukemias	III-299
Mesothelioma.....	III-300

All Appendices are available on the NAACCR website:
<https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices>

Cancer in North America: 2014-2018, Volume Five: Cancer Prevalence in the United States and Canada

Introduction and Technical Notes

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population-based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence, mortality, and other burden statistics for the United States (U.S.), Canada, and North America.

Annual cancer statistics for the U.S., for Canada, and for North America are presented in each of the five Cancer in North America (CiNA) Volumes. This year marks the 31st annual release of the series of Cancer in North America (CiNA) monographs; and the 29th year CiNA has included data from both the U.S. and Canada. The *2021 CiNA Prevalence Monograph* includes data from 8 of 13 Canadian provinces/territories, 45 U.S. states, and 5 regional SEER registries. The data in *CiNA Prevalence* reflect about 89% population coverage for the U.S. and 70% for Canada.

NAACCR issues an annual call for data to member registries to create the CiNA monograph and other useful CiNA products for data analyses and cancer incidence information (e.g., CiNA Explorer on-line query system, NAACCR Maps on-line query system, CiNA Public Use Dataset, and CiNA Deluxe Research Files). For more information on these products and the process for gaining access to them, please visit www.naaccr.org and select *Cancer in North America CiNA Data Products* under the *Research & Analytic Tools* tab.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the U.S. and Canada to collect the timely, complete, and accurate data that make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in the production of the monograph. The objective of this work is to provide timely and useful information on the cancer burden in all geographic areas and race/ethnic groups in the U.S. and Canada.

CONTENTS OF THE CiNA MONOGRAPH:

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Incidence for the United States, Canada, and North America

Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from high quality registries in the U.S. and Canada.

Volume Two: Registry-Specific Cancer Incidence in the United States and Canada

Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information and registry descriptions.

Volume Three: Registry-Specific Cancer Mortality in the United States and Canada

Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival in the United States and Canada

Includes cancer survival data for the U.S. and Canada from 58 registries on more than 12.8 million cases diagnosed among North Americans between 2011 and 2017.

Volume Five: Cancer Prevalence in the United States and Canada

Includes cancer prevalence estimates for the U.S. and Canada from 58 registries on more than 18 million cases diagnosed among North Americans between 2008 and 2017.

In the U.S., prevalence statistics are calculated for the following race populations: all races combined, white, and black. Race information is not collected in Canada, and thus is not presented.

Recent volumes of the CiNA publication, including sections containing rates standardized to the World Standard and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/>.

CiNA Volume Five: Cancer Prevalence in the United States and Canada

The North American Association of Central Cancer Registries (NAACCR) has been producing Cancer in North America (CiNA) incidence and mortality publications for 31 years and survival statistics since March 2016. This is the third edition of *CiNA Prevalence*; the inaugural *CiNA Prevalence* was released in January 2020.

Cancer prevalence is the number of persons alive on a certain date who have a history of cancer, and is a function of incidence and survival. Prevalence estimates can be used for health planning, resource allocation, and as an estimate of cancer survivorship.¹ Limited-duration prevalence (or partial prevalence) represents the number, or proportion, of people alive on a certain day who had a cancer diagnosis within the past x years (e.g. x = 2, 5 or 10 years).² This is in contrast to complete prevalence, which represents the proportion of people alive on a certain day who were ever diagnosed with the disease, regardless of how long ago the diagnosis was made. Complete prevalence can be estimated from self-reported population-based surveys, although these estimates may be biased by under- and over-reporting due to, for example, misclassification of disease. Complete prevalence can also be estimated via direct computation (or the counting method), which requires population-based registry data to have been collected over a sufficiently long period of time to capture all prevalent cases of the disease. Historically, U.S. national complete prevalence has been estimated by using the National Cancer Institute's Surveillance, Epidemiology, and End Results Program (SEER) data; these estimates have generally been based on data from SEER-9 registries, which cover about 9.4% of the U.S. population.³ Because of the variable duration of time that CiNA registries have been collecting cancer data, we are unable to estimate complete prevalence using CiNA data. The CiNA Prevalence Volume presents two-, five-, and ten-year limited-duration prevalence counts and prevalence percentages and confidence intervals for individual registries and the United States, Canada, and North America combined.

The prevalence data presented in *CiNA Prevalence* includes data from 58 registries (which represent 8 Canadian provinces/territories, 45 U.S. states, and 5 regional SEER registries) on more than 18 million cases diagnosed among North Americans between 2018 and 2017 and represents 89% population coverage in the U.S. and 70% in Canada. *CiNA Prevalence* is comprised of three sections:

Section 1: Introduction and Technical Notes

Section 2: Two-, Five- and Ten-Year Limited-Duration Prevalence on January 1, 2018 by Race and Age for the United States, Canada and North America Combined

Includes two-, five-, and ten-year limited-duration prevalence counts, prevalence percentages, and 95% confidence intervals for the U.S., Canada, and North America combined. These statistics are presented for all races by sex and for select cancer sites. The tables for each cancer site present statistics by a total and by specific age groups for each region. Prevalence statistics for non-Hispanic whites, non-Hispanic Blacks, and Hispanics are also presented for the United States combined.

Section 3: Two-, Five-, and Ten-Year Limited Duration Prevalence on January 1, 2018 by Registry, Race, Site and Sex

Includes two-, five-, and ten-year limited-duration prevalence counts, prevalence percentages, and 95% confidence intervals by registry and sex, and select cancer sites. Prevalence statistics for all races combined are available for the United States and Canadian registries and for non-Hispanic whites, non-Hispanic Blacks, and Hispanics for United States registries.

Special thanks go to Steve Scoppa and Rick Firth, Information Management Services, Inc., who prepared the analytic dataset used for this report; members of the NAACCR Prevalence Volume Task Force; and all of the registry staff who contributed data.

TECHNICAL NOTES

For coding and other general technical information, please see the technical section of *CiNA: 2014–2018, Volume One: Combined Cancer Incidence for the United States, Canada and North America*.⁴

I-2 INTRODUCTION AND TECHNICAL NOTES

Registry Inclusion. The publication of prevalence estimates in CiNA was included as a Primary Use of Data in the November 2020 NAACCR Call for Data. For registries to be included in *CiNA Prevalence* volume, they needed to: (1) provide consent, (2) meet CiNA incidence criteria for all relevant years, and (3) either meet the SEER standards for follow-up⁵ or ascertain deaths through the study cutoff date (December 31, 2017).

To meet the SEER standard for follow-up, a minimum of 90% of patients needed to have follow-up dates on or after January 1, 2018 or be deceased. These follow-up dates could have been the result of either passive or active patient follow-up mechanisms.⁶ We used the November 2020 Call for Data file to measure the follow-up rate and the NAACCR Call for Data Follow-Up Activities Form (submitted with the annual call for data file) that is part of the annual call for data to determine how registries ascertained deaths. For U.S. registries that did not meet the SEER standard for follow-up, it was necessary to conduct state death linkages and linkage with the National Death Index. For Canadian registries, it was necessary to conduct death linkages within the province or territory. National death clearance in Canada is on hold pending legal agreements among the provinces and Statistics Canada, which impacts follow-up for 2009 and later. However, because the number of deaths that occur out of province is a small proportion of total deaths, we believe that Canadian follow-up data are negligibly influenced by the lack of national death linkage.

The *CiNA Prevalence* publication includes diagnosis years 2008–2017 with follow-up through the end of 2017. Using information from the NAACCR Call for Data Follow-Up Activities Forms, follow-up through 2017 was deemed to be the best balance between including the most current data and including the most registries. In terms of national coverage, the *CiNA Prevalence* includes data from 8 of 13 Canadian provinces/territories, 45 U.S. states, and 5 regional SEER registries. National population coverage by *CiNA Prevalence* is about 89% for the U.S. and 70% for Canada.

The NAACCR U.S. combined and NAACCR Canadian combined statistics may not be representative of total national populations. NAACCR North American prevalence statistics are a combination of U.S. and Canadian data. Data from 58 state, sub-state, and provincial or territorial registries are included in the registry-specific tables. To avoid double counting, data from sub-state registries in California and Washington were not included in the NAACCR U.S. combined or NAACCR North American statistics. The sub-state registries in California, Michigan and Washington are included in the registry-specific statistics.

Statistical Methods. We estimated two-, five-, and ten-year limited-duration prevalence on January 1, 2018 using 2008–2017 incident cases and survival from CiNA data based on the November 2020 NAACCR submission. We used the counting method to estimate prevalence from incidence and follow-up data. The counting method estimates prevalence by counting the number of persons who are known to be alive at a specific calendar date and adjusting for those lost to follow-up.¹ For registries meeting SEER follow-up standards (SEER-18 registries,³ Idaho, Montana, and New York), survival estimates were used to adjust for loss to follow-up. For other registries, it was assumed that all deaths were ascertained through the study cutoff date and remaining persons were presumed to be alive, which may slightly overestimate prevalence. For cases lost to follow-up in registries meeting SEER follow-up standards, prevalence was estimated using observed survival on the remaining cases, by year of diagnosis (2008–2012 and 2013–2017), registry, sex, age group (<60, 60–69, 70+), race/ethnicity (non-Hispanic white, non-Hispanic Black, non-Hispanic American Indian and Alaska Native, non-Hispanic Asian and Pacific Islander, Hispanic, and non-Hispanic unknown race), and grouped SEER Site Recode.⁶

For CiNA Prevalence, we included cases categorized as “Malignant,” “Only malignant in ICD-O-3,” and “Only malignant 2010” per SEER behavior recode for analysis⁷ and diagnosed during 2008–2017 with follow-up/death ascertainment through the study cutoff date of December 31, 2017. Cases reported solely via death certificates or autopsy were excluded. For registries meeting SEER follow-up standards, alive cases with no survival time were excluded from analysis. Using SEER 2007 Multiple Primary and Histology Coding Rules,⁸ we allowed for multiple primary cancers to be included for each patient, but only one record per patient was included in each prevalence estimate. For example, if a person was diagnosed with three primary tumors during 2008–2017, in the order of breast → colon → breast, then the first breast cancer case was used for breast cancer prevalence, the colon case was used for colon cancer prevalence, and the first breast cancer case was used for “All Sites.” Thus, the “All Sites” totals are less than the sum of the individual cancer types because each person is counted only once for each statistic, and some persons have more than one cancer type.

SEER*Stat (version 8.3.9) was used to perform the prevalence calculations.⁹ Staff at Information Management Services, Inc. (Calverton, MD) prepared a SEER*Stat database for the purpose of calculating *CiNA Prevalence* statistics.¹⁰ Prevalence statistics are suppressed when prevalence estimate counts are less than 10. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age (19 age groups), sex (male, female), and race/ethnicity (non-Hispanic white, non-Hispanic Black, non-Hispanic American Indian/Alaska Native or non-Hispanic Asian or Pacific Islander, and unknown ethnicity/non-Hispanic white/non-Hispanic unknown race).

Incidence and prevalence statistics calculated using registry data do not include information on persons with a history of cancer who move to a new state (net-migration). For states with high population growth, the prevalence would be underestimated; for states with a high rate of population loss, the prevalence would be overestimated. For some cancers (e.g., hematopoietic, melanoma of the skin) there are known issues with reporting delay and potentially missed incident cases when the person is diagnosed and treated in a physician's office, but not seen in a hospital, which may contribute to an underestimation of prevalence.

Variation in prevalence by registry catchment area can be due to several factors, including but not limited to: (1) differences in demographic characteristics related to race, ethnicity, and SES; (2) cancer screening rates; (3) access to and quality of care; and (4) cancer registration practices that impact case ascertainment, date of diagnosis and follow-up.

REFERENCES

1. Understanding cancer prevalence statistics <https://seer.cancer.gov/statistics/types/prevalence.html>.
2. Limited-duration prevalence <https://surveillance.cancer.gov/prevalence/limited.html>.
3. Registry Groupings in SEER Data and Statistics <https://seer.cancer.gov/registries/terms.html>.
4. For coding and other general technical information, Cancer in North America: 2014-2018, Volume One: Combined Cancer Incidence for the United States, Canada, and North America, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Vol1>
5. November 2020 SEER follow-up standards <https://seer.cancer.gov/tools/seer.nov20.instructions.pdf>, page B-1.
6. Weir HK, Johnson CJ, Mariotto AB, Turner D, Wilson RJ, Nishri D, Ward KC. Evaluation of NAACCR Cancer in North America data for use in population-based cancer survival studies. *J Natl Cancer Inst Monogr*. 2014 Nov;2014(49):198-209. doi: 10.1093/jncimonographs/lgu018.
7. SEER Behavior Code for Analysis <http://seer.cancer.gov/behavrecode/>.
8. SEER 2007 Multiple Primary and Histology Coding Rules <http://seer.cancer.gov/tools/mphrules/>.
9. SEER*Stat version 8.3.9; produced by the Surveillance Research Program of the Division of Cancer Control and Population Sciences, National Cancer Institute, and Information Management Services, Inc., Calverton, MD.
10. SEER*Stat Database: NAACCR Incidence Data - CiNA Production File, 1995-2018, for U.S. and CDN - Survival & Prevalence (which includes data from CDC's National Program of Cancer Registries (NPCR), CCCR's Provincial and Territorial Registries, and the NCI's Surveillance, Epidemiology and End Results (SEER) Registries), certified by the North American Association of Central Cancer Registries (NAACCR) as meeting high-quality incidence data standards for the specified time periods, submitted December 2020. (SEER*Stat Database ID 41536).



Section II

Two-, Five- and Ten-Year Limited-Duration Prevalence for Cancers Diagnosed 2008-2017, by Race and Age for the United States, Canada and North America



**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, All Sites**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,647,072	0.809	0.808 - 0.810	1,310,030	0.813	0.812 - 0.815	1,337,030	0.806	0.805 - 0.807
	5-yr	5,534,216	1.692	1.691 - 1.694	2,682,205	1.665	1.663 - 1.667	2,851,986	1.719	1.717 - 1.721
	10-yr	9,089,529	2.779	2.777 - 2.781	4,414,975	2.741	2.738 - 2.743	4,674,477	2.817	2.814 - 2.820
Race										
Non-Hispanic White	2-yr	1,989,731	0.993	0.992 - 0.995	996,077	1.009	1.007 - 1.011	993,612	0.978	0.976 - 0.980
	5-yr	4,178,565	2.086	2.084 - 2.088	2,043,967	2.070	2.067 - 2.073	2,134,514	2.101	2.098 - 2.104
	10-yr	6,906,366	3.448	3.445 - 3.451	3,375,420	3.419	3.415 - 3.423	3,530,748	3.477	3.473 - 3.480
Non-Hispanic Black	2-yr	279,621	0.655	0.653 - 0.658	139,073	0.680	0.676 - 0.684	140,576	0.632	0.629 - 0.636
	5-yr	576,370	1.350	1.347 - 1.354	285,397	1.395	1.390 - 1.401	291,026	1.309	1.304 - 1.314
	10-yr	930,188	2.179	2.174 - 2.184	468,621	2.291	2.284 - 2.298	461,674	2.076	2.070 - 2.082
Hispanic	2-yr	226,227	0.386	0.384 - 0.387	101,745	0.344	0.342 - 0.346	124,474	0.429	0.426 - 0.431
	5-yr	469,256	0.800	0.798 - 0.803	207,626	0.702	0.699 - 0.705	261,611	0.901	0.897 - 0.904
	10-yr	753,904	1.287	1.284 - 1.289	336,245	1.138	1.134 - 1.142	417,627	1.438	1.434 - 1.443
Current Age										
< 50	2-yr	357,383	0.169	0.168 - 0.169	129,146	0.120	0.120 - 0.121	228,247	0.218	0.217 - 0.219
	5-yr	744,780	0.351	0.351 - 0.352	266,500	0.248	0.247 - 0.249	478,298	0.457	0.456 - 0.459
	10-yr	1,155,374	0.545	0.544 - 0.546	420,035	0.391	0.390 - 0.392	735,365	0.703	0.701 - 0.704
50-64	2-yr	853,791	1.349	1.346 - 1.352	416,014	1.352	1.348 - 1.357	437,801	1.345	1.341 - 1.349
	5-yr	1,752,769	2.768	2.764 - 2.773	819,478	2.664	2.658 - 2.670	933,324	2.867	2.861 - 2.873
	10-yr	2,756,552	4.353	4.348 - 4.359	1,240,234	4.031	4.024 - 4.039	1,516,344	4.657	4.649 - 4.665
65+	2-yr	1,435,898	2.779	2.774 - 2.784	764,870	3.334	3.326 - 3.341	670,982	2.336	2.330 - 2.342
	5-yr	3,036,667	5.877	5.870 - 5.884	1,596,227	6.957	6.946 - 6.969	1,440,364	5.015	5.006 - 5.023
	10-yr	5,177,603	10.022	10.012 - 10.031	2,754,706	12.009	11.994 - 12.023	2,422,767	8.435	8.424 - 8.446
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	314,423	0.834	0.831 - 0.838	156,613	0.835	0.830 - 0.840	157,703	0.833	0.828 - 0.838
	5-yr	653,705	1.734	1.729 - 1.739	318,463	1.698	1.691 - 1.705	334,984	1.769	1.762 - 1.776
	10-yr	1,068,858	2.834	2.828 - 2.841	521,178	2.779	2.770 - 2.787	547,202	2.889	2.880 - 2.898
Current Age										
< 50	2-yr	38,044	0.166	0.164 - 0.168	13,573	0.117	0.115 - 0.119	24,416	0.217	0.214 - 0.220
	5-yr	79,646	0.348	0.345 - 0.351	28,532	0.245	0.242 - 0.249	50,999	0.453	0.448 - 0.458
	10-yr	123,184	0.538	0.535 - 0.542	44,956	0.387	0.383 - 0.391	78,057	0.693	0.688 - 0.699
50-64	2-yr	96,214	1.237	1.228 - 1.246	45,711	1.184	1.171 - 1.196	50,498	1.289	1.276 - 1.302
	5-yr	197,008	2.533	2.520 - 2.546	89,445	2.316	2.298 - 2.334	107,528	2.745	2.726 - 2.765
	10-yr	309,527	3.979	3.963 - 3.996	134,545	3.483	3.461 - 3.504	174,893	4.465	4.441 - 4.490
65+	2-yr	180,166	2.884	2.869 - 2.900	97,329	3.404	3.379 - 3.429	82,790	2.445	2.426 - 2.465
	5-yr	377,051	6.036	6.014 - 6.059	200,486	7.013	6.977 - 7.049	176,456	5.212	5.183 - 5.241
	10-yr	636,147	10.186	10.156 - 10.215	341,677	11.955	11.908 - 12.003	294,253	8.691	8.654 - 8.728
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,961,495	0.812	0.811 - 0.813	1,466,643	0.815	0.814 - 0.816	1,494,733	0.808	0.807 - 0.810
	5-yr	6,187,921	1.696	1.694 - 1.697	3,000,668	1.668	1.666 - 1.670	3,186,970	1.723	1.721 - 1.725
	10-yr	10,158,387	2.784	2.782 - 2.786	4,936,152	2.744	2.741 - 2.746	5,221,679	2.823	2.821 - 2.826
Current Age										
< 50	2-yr	395,426	0.168	0.168 - 0.169	142,719	0.120	0.119 - 0.121	252,662	0.218	0.217 - 0.219
	5-yr	824,426	0.351	0.350 - 0.352	295,033	0.248	0.247 - 0.249	529,298	0.457	0.456 - 0.458
	10-yr	1,278,558	0.544	0.543 - 0.545	464,991	0.391	0.389 - 0.392	813,422	0.702	0.700 - 0.704
50-64	2-yr	950,005	1.338	1.336 - 1.341	461,724	1.337	1.333 - 1.341	488,299	1.340	1.336 - 1.344
	5-yr	1,949,778	2.747	2.743 - 2.751	908,923	2.632	2.626 - 2.638	1,040,853	2.856	2.850 - 2.862
	10-yr	3,066,079	4.319	4.314 - 4.324	1,374,779	3.981	3.973 - 3.988	1,691,237	4.640	4.632 - 4.647
65+	2-yr	1,616,064	2.788	2.784 - 2.793	862,200	3.340	3.332 - 3.347	753,772	2.346	2.340 - 2.351
	5-yr	3,413,718	5.891	5.885 - 5.898	1,796,713	6.962	6.951 - 6.973	1,616,820	5.032	5.024 - 5.040
	10-yr	5,813,750	10.036	10.027 - 10.045	3,096,383	12.004	11.989 - 12.018	2,717,020	8.457	8.446 - 8.468

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Oral Cavity and Pharynx**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	76,786	0.023	0.023 - 0.024	55,120	0.034	0.034 - 0.034	21,668	0.013	0.013 - 0.013
	5-yr	158,630	0.048	0.048 - 0.049	113,138	0.070	0.070 - 0.070	45,498	0.027	0.027 - 0.028
	10-yr	247,922	0.076	0.075 - 0.076	175,322	0.108	0.108 - 0.109	72,606	0.044	0.043 - 0.044
Race										
Non-Hispanic White	2-yr	62,212	0.031	0.031 - 0.031	45,335	0.046	0.045 - 0.046	16,877	0.017	0.016 - 0.017
	5-yr	129,444	0.065	0.064 - 0.065	93,907	0.095	0.094 - 0.096	35,537	0.035	0.035 - 0.035
	10-yr	202,620	0.101	0.101 - 0.102	145,945	0.148	0.147 - 0.148	56,675	0.056	0.055 - 0.056
Non-Hispanic Black	2-yr	5,693	0.013	0.013 - 0.014	3,832	0.019	0.018 - 0.019	1,864	0.008	0.008 - 0.009
	5-yr	11,147	0.026	0.026 - 0.027	7,363	0.036	0.035 - 0.037	3,790	0.017	0.016 - 0.018
	10-yr	17,155	0.040	0.040 - 0.041	11,101	0.054	0.053 - 0.055	6,062	0.027	0.027 - 0.028
Hispanic	2-yr	4,698	0.008	0.008 - 0.008	3,213	0.011	0.010 - 0.011	1,486	0.005	0.005 - 0.005
	5-yr	9,473	0.016	0.016 - 0.017	6,279	0.021	0.021 - 0.022	3,196	0.011	0.011 - 0.011
	10-yr	14,808	0.025	0.025 - 0.026	9,659	0.033	0.032 - 0.033	5,150	0.018	0.017 - 0.018
Current Age										
< 50	2-yr	8,595	0.004	0.004 - 0.004	5,612	0.005	0.005 - 0.005	2,983	0.003	0.003 - 0.003
	5-yr	16,831	0.008	0.008 - 0.008	10,667	0.010	0.010 - 0.010	6,163	0.006	0.006 - 0.006
	10-yr	25,041	0.012	0.012 - 0.012	15,308	0.014	0.014 - 0.014	9,732	0.009	0.009 - 0.009
50-64	2-yr	32,009	0.050	0.050 - 0.051	24,381	0.079	0.078 - 0.080	7,633	0.023	0.023 - 0.024
	5-yr	65,298	0.103	0.102 - 0.104	49,379	0.160	0.159 - 0.162	15,928	0.049	0.048 - 0.050
	10-yr	98,894	0.156	0.155 - 0.157	74,110	0.240	0.238 - 0.242	24,797	0.076	0.075 - 0.077
65+	2-yr	36,182	0.070	0.069 - 0.071	25,127	0.109	0.108 - 0.111	11,053	0.038	0.038 - 0.039
	5-yr	76,502	0.148	0.147 - 0.149	53,092	0.231	0.229 - 0.233	23,406	0.081	0.080 - 0.083
	10-yr	123,986	0.240	0.238 - 0.241	85,903	0.374	0.371 - 0.376	38,078	0.132	0.131 - 0.134
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	8,576	0.023	0.022 - 0.023	5,988	0.032	0.031 - 0.033	2,596	0.014	0.013 - 0.014
	5-yr	17,363	0.046	0.045 - 0.047	12,035	0.064	0.063 - 0.066	5,345	0.028	0.027 - 0.029
	10-yr	27,411	0.073	0.072 - 0.074	18,869	0.101	0.099 - 0.102	8,566	0.045	0.044 - 0.046
Current Age										
< 50	2-yr	939	0.004	0.004 - 0.004	566	0.005	0.004 - 0.005	375	0.003	0.003 - 0.004
	5-yr	1,859	0.008	0.008 - 0.009	1,125	0.010	0.009 - 0.010	736	0.007	0.006 - 0.007
	10-yr	2,768	0.012	0.012 - 0.013	1,639	0.014	0.013 - 0.015	1,132	0.010	0.009 - 0.011
50-64	2-yr	3,548	0.046	0.044 - 0.047	2,646	0.069	0.066 - 0.072	907	0.023	0.021 - 0.025
	5-yr	7,120	0.092	0.089 - 0.094	5,235	0.136	0.131 - 0.140	1,895	0.048	0.046 - 0.051
	10-yr	10,783	0.139	0.136 - 0.142	7,890	0.204	0.199 - 0.210	2,908	0.074	0.071 - 0.077
65+	2-yr	4,089	0.065	0.063 - 0.068	2,777	0.097	0.093 - 0.101	1,315	0.039	0.036 - 0.041
	5-yr	8,384	0.134	0.131 - 0.138	5,675	0.198	0.192 - 0.204	2,713	0.080	0.077 - 0.084
	10-yr	13,860	0.222	0.218 - 0.226	9,340	0.326	0.319 - 0.334	4,526	0.134	0.129 - 0.138
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	85,361	0.023	0.023 - 0.024	61,108	0.034	0.034 - 0.034	24,264	0.013	0.013 - 0.013
	5-yr	175,993	0.048	0.048 - 0.048	125,173	0.070	0.069 - 0.070	50,843	0.027	0.027 - 0.028
	10-yr	275,333	0.075	0.075 - 0.076	194,191	0.108	0.107 - 0.108	81,172	0.044	0.044 - 0.044
Current Age										
< 50	2-yr	9,534	0.004	0.004 - 0.004	6,178	0.005	0.005 - 0.005	3,357	0.003	0.003 - 0.003
	5-yr	18,690	0.008	0.008 - 0.008	11,792	0.010	0.010 - 0.010	6,900	0.006	0.006 - 0.006
	10-yr	27,810	0.012	0.012 - 0.012	16,947	0.014	0.014 - 0.014	10,864	0.009	0.009 - 0.010
50-64	2-yr	35,556	0.050	0.049 - 0.051	27,027	0.078	0.077 - 0.079	8,539	0.023	0.023 - 0.024
	5-yr	72,418	0.102	0.101 - 0.103	54,614	0.158	0.156 - 0.159	17,823	0.049	0.048 - 0.050
	10-yr	109,677	0.154	0.153 - 0.155	82,000	0.237	0.235 - 0.239	27,705	0.076	0.075 - 0.077
65+	2-yr	40,271	0.070	0.069 - 0.070	27,904	0.108	0.107 - 0.110	12,368	0.038	0.038 - 0.039
	5-yr	84,886	0.147	0.146 - 0.148	58,767	0.228	0.226 - 0.230	26,120	0.081	0.080 - 0.082
	10-yr	137,846	0.238	0.237 - 0.239	95,243	0.369	0.367 - 0.372	42,603	0.133	0.131 - 0.134

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Esophagus**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	18,855	0.006	0.006 - 0.006	14,927	0.009	0.009 - 0.009	3,928	0.002	0.002 - 0.002
	5-yr	30,234	0.009	0.009 - 0.009	23,703	0.015	0.014 - 0.015	6,530	0.004	0.004 - 0.004
	10-yr	40,548	0.012	0.012 - 0.013	31,785	0.020	0.019 - 0.020	8,761	0.005	0.005 - 0.005
Race										
Non-Hispanic White	2-yr	15,543	0.008	0.008 - 0.008	12,512	0.013	0.012 - 0.013	3,030	0.003	0.003 - 0.003
	5-yr	25,076	0.013	0.012 - 0.013	20,040	0.020	0.020 - 0.021	5,034	0.005	0.005 - 0.005
	10-yr	33,806	0.017	0.017 - 0.017	27,032	0.027	0.027 - 0.028	6,772	0.007	0.007 - 0.007
Non-Hispanic Black	2-yr	1,438	0.003	0.003 - 0.004	932	0.005	0.004 - 0.005	507	0.002	0.002 - 0.002
	5-yr	2,206	0.005	0.005 - 0.005	1,402	0.007	0.006 - 0.007	806	0.004	0.003 - 0.004
	10-yr	2,841	0.007	0.006 - 0.007	1,786	0.009	0.008 - 0.009	1,056	0.005	0.004 - 0.005
Hispanic	2-yr	1,114	0.002	0.002 - 0.002	904	0.003	0.003 - 0.003	210	0.001	0.001 - 0.001
	5-yr	1,752	0.003	0.003 - 0.003	1,384	0.005	0.004 - 0.005	369	0.001	0.001 - 0.001
	10-yr	2,313	0.004	0.004 - 0.004	1,817	0.006	0.006 - 0.006	496	0.002	0.002 - 0.002
Current Age										
< 50	2-yr	897	0.000	0.000 - 0.000	698	0.001	0.001 - 0.001	199	0.000	0.000 - 0.000
	5-yr	1,332	0.001	0.001 - 0.001	1,022	0.001	0.001 - 0.001	310	0.000	0.000 - 0.000
	10-yr	1,604	0.001	0.001 - 0.001	1,221	0.001	0.001 - 0.001	382	0.000	0.000 - 0.000
50-64	2-yr	6,271	0.010	0.010 - 0.010	5,049	0.016	0.016 - 0.017	1,224	0.004	0.004 - 0.004
	5-yr	9,697	0.015	0.015 - 0.016	7,691	0.025	0.024 - 0.026	2,007	0.006	0.006 - 0.006
	10-yr	12,272	0.019	0.019 - 0.020	9,729	0.032	0.031 - 0.032	2,545	0.008	0.007 - 0.008
65+	2-yr	11,687	0.023	0.022 - 0.023	9,180	0.040	0.039 - 0.041	2,505	0.009	0.008 - 0.009
	5-yr	19,205	0.037	0.037 - 0.038	14,990	0.065	0.064 - 0.066	4,213	0.015	0.014 - 0.015
	10-yr	26,671	0.052	0.051 - 0.052	20,834	0.091	0.089 - 0.092	5,834	0.020	0.020 - 0.021
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,176	0.006	0.005 - 0.006	1,681	0.009	0.008 - 0.009	497	0.003	0.002 - 0.003
	5-yr	3,278	0.009	0.008 - 0.009	2,518	0.013	0.013 - 0.014	764	0.004	0.004 - 0.004
	10-yr	4,385	0.012	0.011 - 0.012	3,335	0.018	0.017 - 0.018	1,054	0.006	0.005 - 0.006
Current Age										
< 50	2-yr	105	0.000	0.000 - 0.001	86	0.001	0.001 - 0.001	20	0.000	0.000 - 0.000
	5-yr	148	0.001	0.001 - 0.001	120	0.001	0.001 - 0.001	28	0.000	0.000 - 0.000
	10-yr	182	0.001	0.001 - 0.001	143	0.001	0.001 - 0.001	40	0.000	0.000 - 0.001
50-64	2-yr	713	0.009	0.008 - 0.010	567	0.015	0.013 - 0.016	148	0.004	0.003 - 0.005
	5-yr	1,062	0.014	0.013 - 0.015	848	0.022	0.020 - 0.024	216	0.006	0.005 - 0.006
	10-yr	1,359	0.017	0.016 - 0.019	1,075	0.028	0.026 - 0.030	287	0.007	0.006 - 0.008
65+	2-yr	1,357	0.022	0.020 - 0.023	1,028	0.036	0.033 - 0.039	330	0.010	0.009 - 0.011
	5-yr	2,069	0.033	0.031 - 0.035	1,549	0.054	0.051 - 0.057	520	0.015	0.014 - 0.017
	10-yr	2,843	0.046	0.044 - 0.048	2,116	0.074	0.070 - 0.078	727	0.021	0.020 - 0.023
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	21,031	0.006	0.006 - 0.006	16,608	0.009	0.009 - 0.009	4,425	0.002	0.002 - 0.002
	5-yr	33,512	0.009	0.009 - 0.009	26,221	0.015	0.014 - 0.015	7,294	0.004	0.004 - 0.004
	10-yr	44,933	0.012	0.012 - 0.012	35,120	0.020	0.019 - 0.020	9,815	0.005	0.005 - 0.005
Current Age										
< 50	2-yr	1,002	0.000	0.000 - 0.000	784	0.001	0.001 - 0.001	219	0.000	0.000 - 0.000
	5-yr	1,480	0.001	0.001 - 0.001	1,142	0.001	0.001 - 0.001	338	0.000	0.000 - 0.000
	10-yr	1,786	0.001	0.001 - 0.001	1,365	0.001	0.001 - 0.001	422	0.000	0.000 - 0.000
50-64	2-yr	6,985	0.010	0.010 - 0.010	5,616	0.016	0.016 - 0.017	1,371	0.004	0.004 - 0.004
	5-yr	10,758	0.015	0.015 - 0.015	8,539	0.025	0.024 - 0.025	2,223	0.006	0.006 - 0.006
	10-yr	13,632	0.019	0.019 - 0.020	10,805	0.031	0.031 - 0.032	2,832	0.008	0.007 - 0.008
65+	2-yr	13,044	0.023	0.022 - 0.023	10,209	0.040	0.039 - 0.040	2,835	0.009	0.008 - 0.009
	5-yr	21,274	0.037	0.036 - 0.037	16,540	0.064	0.063 - 0.065	4,733	0.015	0.014 - 0.015
	10-yr	29,515	0.051	0.050 - 0.052	22,950	0.089	0.088 - 0.090	6,562	0.020	0.020 - 0.021

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Stomach**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	30,084	0.009	0.009 - 0.009	17,977	0.011	0.011 - 0.011	12,107	0.007	0.007 - 0.008
	5-yr	54,129	0.017	0.017 - 0.017	31,650	0.020	0.020 - 0.020	22,478	0.014	0.013 - 0.014
	10-yr	78,735	0.024	0.024 - 0.024	45,192	0.028	0.028 - 0.029	33,540	0.020	0.020 - 0.021
Race										
Non-Hispanic White	2-yr	17,889	0.009	0.009 - 0.009	11,306	0.011	0.011 - 0.012	6,583	0.006	0.006 - 0.007
	5-yr	32,164	0.016	0.016 - 0.016	19,845	0.020	0.020 - 0.020	12,316	0.012	0.012 - 0.012
	10-yr	46,454	0.023	0.023 - 0.023	28,090	0.028	0.028 - 0.029	18,360	0.018	0.018 - 0.018
Non-Hispanic Black	2-yr	4,705	0.011	0.011 - 0.011	2,548	0.012	0.012 - 0.013	2,158	0.010	0.009 - 0.010
	5-yr	8,480	0.020	0.019 - 0.020	4,406	0.022	0.021 - 0.022	4,077	0.018	0.018 - 0.019
	10-yr	12,371	0.029	0.028 - 0.030	6,319	0.031	0.030 - 0.032	6,054	0.027	0.026 - 0.028
Hispanic	2-yr	4,539	0.008	0.008 - 0.008	2,452	0.008	0.008 - 0.009	2,087	0.007	0.007 - 0.008
	5-yr	8,030	0.014	0.013 - 0.014	4,283	0.014	0.014 - 0.015	3,747	0.013	0.013 - 0.013
	10-yr	11,674	0.020	0.020 - 0.020	6,154	0.021	0.020 - 0.021	5,521	0.019	0.019 - 0.020
Current Age										
< 50	2-yr	3,337	0.002	0.002 - 0.002	1,699	0.002	0.002 - 0.002	1,638	0.002	0.002 - 0.002
	5-yr	5,429	0.003	0.003 - 0.003	2,693	0.003	0.002 - 0.003	2,736	0.003	0.003 - 0.003
	10-yr	7,133	0.003	0.003 - 0.003	3,432	0.003	0.003 - 0.003	3,700	0.004	0.003 - 0.004
50-64	2-yr	9,366	0.015	0.015 - 0.015	5,681	0.019	0.018 - 0.019	3,685	0.011	0.011 - 0.012
	5-yr	16,388	0.026	0.026 - 0.027	9,659	0.032	0.031 - 0.032	6,730	0.021	0.020 - 0.021
	10-yr	22,716	0.036	0.036 - 0.037	13,159	0.043	0.042 - 0.044	9,558	0.030	0.029 - 0.030
65+	2-yr	17,381	0.034	0.033 - 0.034	10,597	0.046	0.046 - 0.047	6,784	0.024	0.023 - 0.024
	5-yr	32,312	0.063	0.062 - 0.064	19,298	0.085	0.083 - 0.086	13,012	0.046	0.045 - 0.047
	10-yr	48,886	0.095	0.094 - 0.096	28,601	0.125	0.124 - 0.127	20,283	0.071	0.070 - 0.072
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	4,010	0.011	0.010 - 0.011	2,617	0.014	0.013 - 0.015	1,394	0.007	0.007 - 0.008
	5-yr	7,171	0.019	0.018 - 0.019	4,586	0.024	0.024 - 0.025	2,585	0.014	0.013 - 0.014
	10-yr	10,365	0.027	0.027 - 0.028	6,536	0.035	0.034 - 0.036	3,827	0.020	0.019 - 0.021
Current Age										
< 50	2-yr	286	0.001	0.001 - 0.001	153	0.001	0.001 - 0.002	134	0.001	0.001 - 0.001
	5-yr	517	0.002	0.002 - 0.002	278	0.002	0.002 - 0.003	239	0.002	0.002 - 0.002
	10-yr	715	0.003	0.003 - 0.003	381	0.003	0.003 - 0.004	334	0.003	0.003 - 0.003
50-64	2-yr	1,144	0.015	0.014 - 0.016	785	0.020	0.019 - 0.022	360	0.009	0.008 - 0.010
	5-yr	1,962	0.025	0.024 - 0.027	1,292	0.033	0.031 - 0.036	672	0.017	0.016 - 0.019
	10-yr	2,676	0.034	0.033 - 0.036	1,709	0.044	0.042 - 0.047	970	0.025	0.023 - 0.027
65+	2-yr	2,580	0.041	0.039 - 0.043	1,679	0.059	0.055 - 0.062	900	0.027	0.025 - 0.029
	5-yr	4,693	0.075	0.073 - 0.078	3,015	0.106	0.101 - 0.110	1,675	0.049	0.047 - 0.052
	10-yr	6,973	0.112	0.109 - 0.115	4,446	0.156	0.150 - 0.161	2,522	0.074	0.071 - 0.078
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	34,094	0.009	0.009 - 0.009	20,594	0.011	0.011 - 0.012	13,501	0.007	0.007 - 0.007
	5-yr	61,300	0.017	0.017 - 0.017	36,236	0.020	0.020 - 0.020	25,063	0.014	0.013 - 0.014
	10-yr	89,100	0.025	0.024 - 0.025	51,729	0.029	0.029 - 0.029	37,367	0.020	0.020 - 0.021
Current Age										
< 50	2-yr	3,623	0.002	0.002 - 0.002	1,852	0.002	0.001 - 0.002	1,772	0.002	0.001 - 0.002
	5-yr	5,946	0.003	0.002 - 0.003	2,971	0.003	0.002 - 0.003	2,974	0.003	0.003 - 0.003
	10-yr	7,848	0.003	0.003 - 0.003	3,814	0.003	0.003 - 0.003	4,034	0.004	0.003 - 0.004
50-64	2-yr	10,510	0.015	0.015 - 0.015	6,466	0.019	0.018 - 0.019	4,045	0.011	0.011 - 0.012
	5-yr	18,350	0.026	0.026 - 0.026	10,952	0.032	0.031 - 0.032	7,401	0.021	0.020 - 0.021
	10-yr	25,392	0.036	0.036 - 0.036	14,867	0.043	0.042 - 0.044	10,528	0.029	0.029 - 0.030
65+	2-yr	19,962	0.035	0.034 - 0.035	12,276	0.048	0.047 - 0.048	7,684	0.024	0.023 - 0.025
	5-yr	37,005	0.064	0.063 - 0.065	22,314	0.087	0.085 - 0.088	14,687	0.046	0.045 - 0.047
	10-yr	55,859	0.097	0.096 - 0.098	33,047	0.128	0.127 - 0.130	22,805	0.072	0.071 - 0.073

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Colon and Rectum**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	227,237	0.070	0.069 - 0.070	119,713	0.074	0.074 - 0.075	107,526	0.065	0.065 - 0.065
	5-yr	477,681	0.146	0.146 - 0.147	249,936	0.155	0.155 - 0.156	227,748	0.137	0.137 - 0.138
	10-yr	782,058	0.240	0.239 - 0.240	404,128	0.251	0.250 - 0.252	377,932	0.228	0.227 - 0.229
Race										
Non-Hispanic White	2-yr	163,940	0.082	0.081 - 0.082	86,887	0.088	0.087 - 0.089	77,052	0.076	0.075 - 0.076
	5-yr	347,350	0.173	0.173 - 0.174	182,872	0.185	0.184 - 0.186	164,476	0.162	0.161 - 0.163
	10-yr	574,134	0.287	0.286 - 0.288	298,687	0.303	0.301 - 0.304	275,441	0.271	0.270 - 0.273
Non-Hispanic Black	2-yr	26,812	0.063	0.062 - 0.064	13,400	0.066	0.064 - 0.067	13,416	0.060	0.059 - 0.061
	5-yr	55,922	0.131	0.130 - 0.132	27,513	0.135	0.133 - 0.136	28,417	0.128	0.126 - 0.129
	10-yr	90,596	0.212	0.211 - 0.214	43,650	0.213	0.211 - 0.215	46,957	0.211	0.209 - 0.213
Hispanic	2-yr	22,445	0.038	0.038 - 0.039	11,971	0.040	0.040 - 0.041	10,475	0.036	0.035 - 0.037
	5-yr	45,485	0.078	0.077 - 0.078	24,218	0.082	0.081 - 0.083	21,268	0.073	0.072 - 0.074
	10-yr	70,735	0.121	0.120 - 0.122	37,379	0.127	0.125 - 0.128	33,358	0.115	0.114 - 0.116
Current Age										
< 50	2-yr	27,460	0.013	0.013 - 0.013	13,922	0.013	0.013 - 0.013	13,539	0.013	0.013 - 0.013
	5-yr	50,363	0.024	0.024 - 0.024	25,427	0.024	0.023 - 0.024	24,936	0.024	0.024 - 0.024
	10-yr	67,604	0.032	0.032 - 0.032	33,884	0.032	0.031 - 0.032	33,720	0.032	0.032 - 0.033
50-64	2-yr	77,143	0.122	0.121 - 0.123	43,603	0.142	0.141 - 0.144	33,542	0.103	0.102 - 0.104
	5-yr	158,853	0.251	0.250 - 0.253	88,535	0.288	0.286 - 0.290	70,323	0.216	0.215 - 0.218
	10-yr	244,261	0.386	0.385 - 0.388	133,604	0.435	0.433 - 0.438	110,664	0.341	0.338 - 0.343
65+	2-yr	122,634	0.238	0.236 - 0.239	62,188	0.272	0.269 - 0.274	60,445	0.211	0.209 - 0.213
	5-yr	268,466	0.521	0.519 - 0.523	135,974	0.594	0.591 - 0.597	132,489	0.462	0.459 - 0.465
	10-yr	470,193	0.912	0.909 - 0.915	236,640	1.034	1.029 - 1.038	233,548	0.814	0.811 - 0.818
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	35,648	0.094	0.093 - 0.096	19,922	0.106	0.105 - 0.108	15,735	0.083	0.081 - 0.084
	5-yr	78,015	0.206	0.205 - 0.208	43,360	0.231	0.229 - 0.234	34,664	0.182	0.180 - 0.184
	10-yr	128,513	0.340	0.338 - 0.342	70,693	0.377	0.373 - 0.380	57,824	0.304	0.301 - 0.306
Current Age										
< 50	2-yr	2,924	0.013	0.012 - 0.013	1,510	0.013	0.012 - 0.014	1,414	0.013	0.012 - 0.013
	5-yr	5,564	0.024	0.024 - 0.025	2,761	0.024	0.023 - 0.025	2,803	0.025	0.024 - 0.026
	10-yr	7,519	0.033	0.032 - 0.034	3,750	0.032	0.031 - 0.033	3,770	0.033	0.032 - 0.035
50-64	2-yr	10,280	0.132	0.129 - 0.135	6,105	0.158	0.154 - 0.163	4,182	0.107	0.103 - 0.111
	5-yr	21,092	0.271	0.267 - 0.275	12,263	0.318	0.311 - 0.324	8,840	0.226	0.220 - 0.231
	10-yr	31,808	0.409	0.403 - 0.414	18,041	0.467	0.459 - 0.475	13,782	0.352	0.345 - 0.358
65+	2-yr	22,444	0.360	0.354 - 0.365	12,307	0.431	0.422 - 0.440	10,139	0.299	0.293 - 0.306
	5-yr	51,359	0.823	0.814 - 0.831	28,335	0.992	0.979 - 1.006	23,021	0.680	0.670 - 0.690
	10-yr	89,186	1.429	1.418 - 1.440	48,901	1.713	1.696 - 1.731	40,273	1.189	1.176 - 1.203
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	262,885	0.072	0.071 - 0.072	139,635	0.077	0.077 - 0.078	123,261	0.066	0.066 - 0.067
	5-yr	555,696	0.151	0.151 - 0.152	293,296	0.162	0.161 - 0.163	262,413	0.141	0.141 - 0.142
	10-yr	910,571	0.248	0.248 - 0.249	474,820	0.262	0.261 - 0.263	435,756	0.235	0.234 - 0.235
Current Age										
< 50	2-yr	30,384	0.013	0.013 - 0.013	15,433	0.013	0.013 - 0.013	14,953	0.013	0.013 - 0.013
	5-yr	55,927	0.024	0.024 - 0.024	28,188	0.024	0.023 - 0.024	27,739	0.024	0.024 - 0.024
	10-yr	75,123	0.032	0.032 - 0.032	37,634	0.032	0.031 - 0.032	37,490	0.032	0.032 - 0.033
50-64	2-yr	87,423	0.123	0.122 - 0.124	49,708	0.144	0.142 - 0.145	37,724	0.104	0.102 - 0.105
	5-yr	179,944	0.253	0.252 - 0.254	100,798	0.291	0.289 - 0.293	79,164	0.217	0.216 - 0.219
	10-yr	276,069	0.388	0.387 - 0.390	151,645	0.438	0.436 - 0.441	124,445	0.342	0.339 - 0.344
65+	2-yr	145,078	0.249	0.247 - 0.250	74,495	0.286	0.284 - 0.288	70,584	0.218	0.217 - 0.220
	5-yr	319,824	0.547	0.545 - 0.549	164,309	0.630	0.627 - 0.633	155,510	0.481	0.478 - 0.483
	10-yr	559,379	0.957	0.955 - 0.960	285,541	1.095	1.091 - 1.100	273,821	0.847	0.843 - 0.850

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Liver and Intrahepatic Bile Duct

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	35,367	0.011	0.011 - 0.011	25,038	0.016	0.015 - 0.016	10,331	0.006	0.006 - 0.006
	5-yr	57,388	0.018	0.018 - 0.018	40,525	0.025	0.025 - 0.026	16,866	0.010	0.010 - 0.010
	10-yr	73,164	0.023	0.022 - 0.023	51,455	0.032	0.032 - 0.032	21,714	0.013	0.013 - 0.013
Race										
Non-Hispanic White	2-yr	21,467	0.011	0.011 - 0.011	15,346	0.016	0.015 - 0.016	6,121	0.006	0.006 - 0.006
	5-yr	34,160	0.017	0.017 - 0.017	24,341	0.025	0.024 - 0.025	9,820	0.010	0.009 - 0.010
	10-yr	43,243	0.022	0.021 - 0.022	30,728	0.031	0.031 - 0.031	12,516	0.012	0.012 - 0.013
Non-Hispanic Black	2-yr	4,817	0.011	0.011 - 0.012	3,445	0.017	0.016 - 0.017	1,375	0.006	0.006 - 0.007
	5-yr	7,881	0.018	0.018 - 0.019	5,599	0.027	0.027 - 0.028	2,287	0.010	0.010 - 0.011
	10-yr	9,760	0.023	0.022 - 0.023	6,835	0.033	0.033 - 0.034	2,932	0.013	0.013 - 0.014
Hispanic	2-yr	5,721	0.010	0.010 - 0.010	3,891	0.013	0.013 - 0.014	1,831	0.006	0.006 - 0.007
	5-yr	9,367	0.016	0.016 - 0.016	6,403	0.022	0.021 - 0.022	2,964	0.010	0.010 - 0.011
	10-yr	11,923	0.020	0.020 - 0.021	8,135	0.028	0.027 - 0.028	3,790	0.013	0.013 - 0.014
Current Age										
< 50	2-yr	2,100	0.001	0.001 - 0.001	1,271	0.001	0.001 - 0.001	829	0.001	0.001 - 0.001
	5-yr	3,650	0.002	0.002 - 0.002	2,158	0.002	0.002 - 0.002	1,492	0.001	0.001 - 0.002
	10-yr	5,133	0.002	0.002 - 0.003	3,020	0.003	0.003 - 0.003	2,113	0.002	0.002 - 0.002
50-64	2-yr	13,963	0.022	0.022 - 0.023	10,556	0.035	0.034 - 0.035	3,409	0.011	0.010 - 0.011
	5-yr	22,490	0.036	0.035 - 0.036	16,931	0.056	0.055 - 0.056	5,562	0.017	0.017 - 0.018
	10-yr	28,084	0.045	0.044 - 0.045	21,065	0.069	0.068 - 0.070	7,023	0.022	0.021 - 0.022
65+	2-yr	19,304	0.038	0.037 - 0.038	13,211	0.058	0.057 - 0.059	6,093	0.021	0.021 - 0.022
	5-yr	31,247	0.061	0.060 - 0.062	21,436	0.094	0.093 - 0.095	9,812	0.035	0.034 - 0.035
	10-yr	39,946	0.078	0.077 - 0.079	27,370	0.120	0.119 - 0.122	12,578	0.044	0.043 - 0.045
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	3,328	0.009	0.008 - 0.009	2,484	0.013	0.013 - 0.014	848	0.004	0.004 - 0.005
	5-yr	5,486	0.015	0.014 - 0.015	4,008	0.021	0.021 - 0.022	1,484	0.008	0.007 - 0.008
	10-yr	7,065	0.019	0.018 - 0.019	5,151	0.027	0.027 - 0.028	1,921	0.010	0.010 - 0.011
Current Age										
< 50	2-yr	192	0.001	0.001 - 0.001	123	0.001	0.001 - 0.001	69	0.001	0.000 - 0.001
	5-yr	341	0.001	0.001 - 0.002	206	0.002	0.001 - 0.002	135	0.001	0.001 - 0.001
	10-yr	466	0.002	0.002 - 0.002	289	0.002	0.002 - 0.003	178	0.002	0.001 - 0.002
50-64	2-yr	1,193	0.015	0.014 - 0.016	941	0.024	0.023 - 0.026	254	0.006	0.006 - 0.007
	5-yr	1,927	0.025	0.023 - 0.026	1,509	0.039	0.037 - 0.041	422	0.011	0.010 - 0.012
	10-yr	2,453	0.031	0.030 - 0.033	1,903	0.049	0.047 - 0.052	555	0.014	0.013 - 0.016
65+	2-yr	1,943	0.031	0.030 - 0.033	1,420	0.050	0.047 - 0.053	525	0.015	0.014 - 0.017
	5-yr	3,218	0.052	0.049 - 0.054	2,293	0.080	0.076 - 0.084	926	0.027	0.025 - 0.030
	10-yr	4,146	0.066	0.064 - 0.069	2,959	0.103	0.099 - 0.108	1,188	0.035	0.033 - 0.038
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	38,695	0.011	0.011 - 0.011	27,522	0.015	0.015 - 0.016	11,178	0.006	0.006 - 0.006
	5-yr	62,874	0.017	0.017 - 0.018	44,533	0.025	0.025 - 0.025	18,350	0.010	0.010 - 0.010
	10-yr	80,228	0.022	0.022 - 0.022	56,605	0.032	0.032 - 0.032	23,634	0.013	0.013 - 0.013
Current Age										
< 50	2-yr	2,292	0.001	0.001 - 0.001	1,394	0.001	0.001 - 0.001	898	0.001	0.001 - 0.001
	5-yr	3,991	0.002	0.002 - 0.002	2,364	0.002	0.002 - 0.002	1,627	0.001	0.001 - 0.001
	10-yr	5,599	0.002	0.002 - 0.002	3,308	0.003	0.003 - 0.003	2,291	0.002	0.002 - 0.002
50-64	2-yr	15,156	0.022	0.021 - 0.022	11,497	0.034	0.033 - 0.034	3,663	0.010	0.010 - 0.011
	5-yr	24,417	0.035	0.034 - 0.035	18,440	0.054	0.053 - 0.055	5,985	0.017	0.016 - 0.017
	10-yr	30,538	0.044	0.043 - 0.044	22,968	0.067	0.066 - 0.068	7,578	0.021	0.021 - 0.022
65+	2-yr	21,247	0.037	0.037 - 0.038	14,631	0.057	0.056 - 0.058	6,617	0.021	0.020 - 0.021
	5-yr	34,465	0.060	0.059 - 0.061	23,729	0.093	0.092 - 0.094	10,739	0.034	0.033 - 0.035
	10-yr	44,092	0.077	0.076 - 0.078	30,329	0.119	0.117 - 0.120	13,766	0.043	0.043 - 0.044

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Pancreas**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	41,516	0.013	0.013 - 0.013	21,440	0.013	0.013 - 0.014	20,076	0.012	0.012 - 0.012
	5-yr	60,105	0.018	0.018 - 0.019	30,942	0.019	0.019 - 0.019	29,162	0.018	0.017 - 0.018
	10-yr	73,173	0.022	0.022 - 0.023	37,504	0.023	0.023 - 0.024	35,668	0.022	0.021 - 0.022
Race										
Non-Hispanic White	2-yr	30,919	0.015	0.015 - 0.016	16,515	0.017	0.016 - 0.017	14,405	0.014	0.014 - 0.014
	5-yr	44,558	0.022	0.022 - 0.022	23,795	0.024	0.024 - 0.024	20,762	0.020	0.020 - 0.021
	10-yr	53,902	0.027	0.027 - 0.027	28,732	0.029	0.029 - 0.029	25,170	0.025	0.024 - 0.025
Non-Hispanic Black	2-yr	4,797	0.011	0.011 - 0.012	2,126	0.010	0.010 - 0.011	2,672	0.012	0.012 - 0.013
	5-yr	6,997	0.016	0.016 - 0.017	3,029	0.015	0.014 - 0.015	3,968	0.018	0.017 - 0.018
	10-yr	8,541	0.020	0.020 - 0.020	3,662	0.018	0.017 - 0.019	4,879	0.022	0.021 - 0.023
Hispanic	2-yr	3,778	0.006	0.006 - 0.007	1,799	0.006	0.006 - 0.006	1,978	0.007	0.007 - 0.007
	5-yr	5,533	0.009	0.009 - 0.010	2,638	0.009	0.009 - 0.009	2,894	0.010	0.010 - 0.010
	10-yr	6,971	0.012	0.012 - 0.012	3,271	0.011	0.011 - 0.011	3,700	0.013	0.012 - 0.013
Current Age										
< 50	2-yr	3,131	0.001	0.001 - 0.002	1,506	0.001	0.001 - 0.001	1,625	0.002	0.001 - 0.002
	5-yr	5,088	0.002	0.002 - 0.002	2,338	0.002	0.002 - 0.002	2,750	0.003	0.003 - 0.003
	10-yr	6,464	0.003	0.003 - 0.003	2,911	0.003	0.003 - 0.003	3,553	0.003	0.003 - 0.004
50-64	2-yr	13,069	0.021	0.020 - 0.021	7,041	0.023	0.022 - 0.023	6,028	0.019	0.018 - 0.019
	5-yr	19,026	0.030	0.030 - 0.031	10,122	0.033	0.032 - 0.034	8,904	0.027	0.027 - 0.028
	10-yr	22,853	0.036	0.036 - 0.037	12,053	0.039	0.038 - 0.040	10,800	0.033	0.033 - 0.034
65+	2-yr	25,315	0.049	0.048 - 0.050	12,892	0.056	0.055 - 0.057	12,422	0.043	0.043 - 0.044
	5-yr	35,991	0.070	0.069 - 0.071	18,482	0.081	0.079 - 0.082	17,508	0.061	0.060 - 0.062
	10-yr	43,856	0.085	0.084 - 0.086	22,540	0.098	0.097 - 0.100	21,314	0.074	0.073 - 0.075
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	3,966	0.010	0.010 - 0.011	2,142	0.011	0.011 - 0.012	1,825	0.010	0.009 - 0.010
	5-yr	5,645	0.015	0.014 - 0.015	3,028	0.016	0.015 - 0.017	2,618	0.014	0.013 - 0.014
	10-yr	6,974	0.018	0.018 - 0.019	3,654	0.019	0.019 - 0.020	3,321	0.017	0.017 - 0.018
Current Age										
< 50	2-yr	251	0.001	0.001 - 0.001	127	0.001	0.001 - 0.001	124	0.001	0.001 - 0.001
	5-yr	438	0.002	0.002 - 0.002	205	0.002	0.001 - 0.002	233	0.002	0.002 - 0.002
	10-yr	575	0.003	0.002 - 0.003	266	0.002	0.002 - 0.003	309	0.003	0.002 - 0.003
50-64	2-yr	1,246	0.016	0.015 - 0.017	696	0.018	0.016 - 0.020	551	0.014	0.013 - 0.015
	5-yr	1,757	0.023	0.021 - 0.024	965	0.025	0.023 - 0.027	792	0.020	0.019 - 0.022
	10-yr	2,146	0.028	0.026 - 0.029	1,160	0.030	0.028 - 0.032	986	0.025	0.023 - 0.027
65+	2-yr	2,469	0.040	0.038 - 0.041	1,319	0.046	0.043 - 0.049	1,150	0.034	0.032 - 0.036
	5-yr	3,450	0.055	0.053 - 0.057	1,858	0.065	0.061 - 0.068	1,592	0.047	0.044 - 0.050
	10-yr	4,254	0.068	0.066 - 0.071	2,227	0.078	0.074 - 0.082	2,026	0.060	0.057 - 0.063
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	45,482	0.013	0.012 - 0.013	23,582	0.013	0.013 - 0.013	21,901	0.012	0.012 - 0.012
	5-yr	65,750	0.018	0.018 - 0.018	33,970	0.019	0.019 - 0.019	31,779	0.017	0.017 - 0.017
	10-yr	80,147	0.022	0.022 - 0.022	41,158	0.023	0.023 - 0.023	38,988	0.021	0.021 - 0.021
Current Age										
< 50	2-yr	3,383	0.001	0.001 - 0.002	1,633	0.001	0.001 - 0.001	1,749	0.002	0.001 - 0.002
	5-yr	5,526	0.002	0.002 - 0.002	2,543	0.002	0.002 - 0.002	2,983	0.003	0.002 - 0.003
	10-yr	7,039	0.003	0.003 - 0.003	3,177	0.003	0.003 - 0.003	3,862	0.003	0.003 - 0.003
50-64	2-yr	14,315	0.020	0.020 - 0.021	7,737	0.022	0.022 - 0.023	6,579	0.018	0.018 - 0.019
	5-yr	20,783	0.029	0.029 - 0.030	11,087	0.032	0.032 - 0.033	9,696	0.027	0.026 - 0.027
	10-yr	24,999	0.035	0.035 - 0.036	13,214	0.038	0.038 - 0.039	11,786	0.033	0.032 - 0.033
65+	2-yr	27,784	0.048	0.048 - 0.049	14,211	0.055	0.054 - 0.056	13,572	0.043	0.042 - 0.043
	5-yr	39,441	0.068	0.068 - 0.069	20,340	0.079	0.078 - 0.080	19,100	0.060	0.059 - 0.061
	10-yr	48,110	0.084	0.083 - 0.084	24,768	0.096	0.095 - 0.098	23,341	0.073	0.072 - 0.074

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Larynx**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	20,396	0.006	0.006 - 0.006	16,166	0.010	0.010 - 0.010	4,231	0.003	0.002 - 0.003
	5-yr	42,604	0.013	0.013 - 0.013	33,869	0.021	0.021 - 0.021	8,737	0.005	0.005 - 0.005
	10-yr	68,198	0.021	0.021 - 0.021	54,139	0.034	0.033 - 0.034	14,060	0.008	0.008 - 0.009
Race										
Non-Hispanic White	2-yr	15,687	0.008	0.008 - 0.008	12,338	0.012	0.012 - 0.013	3,348	0.003	0.003 - 0.003
	5-yr	32,905	0.016	0.016 - 0.017	25,953	0.026	0.026 - 0.027	6,948	0.007	0.007 - 0.007
	10-yr	53,078	0.027	0.026 - 0.027	41,849	0.042	0.042 - 0.043	11,222	0.011	0.011 - 0.011
Non-Hispanic Black	2-yr	2,715	0.006	0.006 - 0.007	2,165	0.011	0.010 - 0.011	553	0.002	0.002 - 0.003
	5-yr	5,555	0.013	0.013 - 0.013	4,429	0.022	0.021 - 0.022	1,131	0.005	0.005 - 0.005
	10-yr	8,583	0.020	0.020 - 0.021	6,779	0.033	0.032 - 0.034	1,811	0.008	0.008 - 0.009
Hispanic	2-yr	1,380	0.002	0.002 - 0.002	1,148	0.004	0.004 - 0.004	232	0.001	0.001 - 0.001
	5-yr	2,872	0.005	0.005 - 0.005	2,411	0.008	0.008 - 0.009	462	0.002	0.001 - 0.002
	10-yr	4,588	0.008	0.008 - 0.008	3,868	0.013	0.013 - 0.014	721	0.002	0.002 - 0.003
Current Age										
< 50	2-yr	1,122	0.001	0.000 - 0.001	794	0.001	0.001 - 0.001	327	0.000	0.000 - 0.000
	5-yr	2,055	0.001	0.001 - 0.001	1,445	0.001	0.001 - 0.001	611	0.001	0.001 - 0.001
	10-yr	2,798	0.001	0.001 - 0.001	1,931	0.002	0.002 - 0.002	867	0.001	0.001 - 0.001
50-64	2-yr	8,302	0.013	0.013 - 0.013	6,363	0.021	0.020 - 0.021	1,941	0.006	0.006 - 0.006
	5-yr	16,460	0.026	0.026 - 0.026	12,652	0.041	0.040 - 0.042	3,811	0.012	0.011 - 0.012
	10-yr	24,377	0.038	0.038 - 0.039	18,704	0.061	0.060 - 0.062	5,678	0.017	0.017 - 0.018
65+	2-yr	10,972	0.021	0.021 - 0.022	9,009	0.039	0.038 - 0.040	1,963	0.007	0.007 - 0.007
	5-yr	24,089	0.047	0.046 - 0.047	19,772	0.086	0.085 - 0.087	4,315	0.015	0.015 - 0.015
	10-yr	41,023	0.079	0.079 - 0.080	33,503	0.146	0.144 - 0.148	7,515	0.026	0.026 - 0.027
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	1,658	0.004	0.004 - 0.005	1,436	0.008	0.007 - 0.008	224	0.001	0.001 - 0.001
	5-yr	3,502	0.009	0.009 - 0.010	3,020	0.016	0.015 - 0.017	484	0.003	0.002 - 0.003
	10-yr	5,791	0.015	0.015 - 0.016	4,936	0.026	0.025 - 0.027	857	0.005	0.004 - 0.005
Current Age										
< 50	2-yr	49	0.000	0.000 - 0.000	-	-		-	-	
	5-yr	102	0.000	0.000 - 0.001	72	0.001	0.000 - 0.001	30	0.000	0.000 - 0.000
	10-yr	148	0.001	0.001 - 0.001	99	0.001	0.001 - 0.001	49	0.000	0.000 - 0.001
50-64	2-yr	545	0.007	0.006 - 0.008	475	0.012	0.011 - 0.014	71	0.002	0.001 - 0.002
	5-yr	1,087	0.014	0.013 - 0.015	940	0.024	0.023 - 0.026	149	0.004	0.003 - 0.005
	10-yr	1,678	0.022	0.020 - 0.023	1,428	0.037	0.035 - 0.039	254	0.006	0.006 - 0.007
65+	2-yr	1,065	0.017	0.016 - 0.018	921	0.032	0.030 - 0.035	143	0.004	0.003 - 0.005
	5-yr	2,313	0.037	0.035 - 0.039	2,007	0.070	0.067 - 0.074	305	0.009	0.008 - 0.010
	10-yr	3,965	0.063	0.061 - 0.066	3,409	0.119	0.115 - 0.124	554	0.016	0.015 - 0.018
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	22,054	0.006	0.006 - 0.006	17,603	0.010	0.010 - 0.010	4,454	0.002	0.002 - 0.003
	5-yr	46,106	0.013	0.013 - 0.013	36,889	0.021	0.020 - 0.021	9,221	0.005	0.005 - 0.005
	10-yr	73,989	0.020	0.020 - 0.021	59,075	0.033	0.033 - 0.033	14,917	0.008	0.008 - 0.008
Current Age										
< 50	2-yr	1,171	0.001	0.000 - 0.001	835	0.001	0.001 - 0.001	336	0.000	0.000 - 0.000
	5-yr	2,158	0.001	0.001 - 0.001	1,517	0.001	0.001 - 0.001	641	0.001	0.001 - 0.001
	10-yr	2,945	0.001	0.001 - 0.001	2,030	0.002	0.002 - 0.002	916	0.001	0.001 - 0.001
50-64	2-yr	8,846	0.013	0.012 - 0.013	6,837	0.020	0.019 - 0.020	2,012	0.006	0.005 - 0.006
	5-yr	17,547	0.025	0.024 - 0.025	13,593	0.040	0.039 - 0.040	3,960	0.011	0.011 - 0.011
	10-yr	26,056	0.037	0.036 - 0.037	20,132	0.059	0.058 - 0.059	5,932	0.016	0.016 - 0.017
65+	2-yr	12,037	0.021	0.020 - 0.021	9,930	0.039	0.038 - 0.039	2,106	0.007	0.006 - 0.007
	5-yr	26,401	0.046	0.045 - 0.046	21,779	0.085	0.084 - 0.086	4,620	0.014	0.014 - 0.015
	10-yr	44,988	0.078	0.077 - 0.079	36,912	0.144	0.142 - 0.145	8,069	0.025	0.025 - 0.026

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Lung and Bronchus**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	239,183	0.073	0.073 - 0.073	115,155	0.071	0.071 - 0.072	124,025	0.075	0.074 - 0.075
	5-yr	396,511	0.121	0.121 - 0.121	184,760	0.115	0.114 - 0.115	211,745	0.127	0.127 - 0.128
	10-yr	519,253	0.159	0.158 - 0.159	236,547	0.147	0.146 - 0.147	282,698	0.170	0.169 - 0.171
Race										
Non-Hispanic White	2-yr	192,737	0.096	0.096 - 0.097	92,047	0.093	0.093 - 0.094	100,683	0.099	0.099 - 0.100
	5-yr	320,338	0.160	0.160 - 0.161	148,110	0.150	0.149 - 0.151	172,217	0.170	0.169 - 0.171
	10-yr	420,348	0.210	0.209 - 0.211	189,891	0.193	0.192 - 0.193	230,443	0.227	0.226 - 0.228
Non-Hispanic Black	2-yr	24,816	0.058	0.057 - 0.059	12,502	0.061	0.060 - 0.062	12,318	0.055	0.054 - 0.056
	5-yr	40,162	0.094	0.093 - 0.095	19,519	0.095	0.094 - 0.097	20,649	0.093	0.091 - 0.094
	10-yr	51,583	0.121	0.120 - 0.122	24,540	0.120	0.118 - 0.122	27,049	0.122	0.120 - 0.123
Hispanic	2-yr	11,156	0.019	0.019 - 0.019	5,433	0.018	0.018 - 0.019	5,723	0.020	0.019 - 0.020
	5-yr	18,528	0.032	0.031 - 0.032	8,736	0.030	0.029 - 0.030	9,791	0.034	0.033 - 0.035
	10-yr	24,715	0.042	0.042 - 0.043	11,373	0.039	0.038 - 0.039	13,342	0.046	0.045 - 0.047
Current Age										
< 50	2-yr	6,903	0.003	0.003 - 0.003	3,008	0.003	0.003 - 0.003	3,895	0.004	0.004 - 0.004
	5-yr	11,124	0.005	0.005 - 0.005	4,724	0.004	0.004 - 0.005	6,400	0.006	0.006 - 0.006
	10-yr	14,354	0.007	0.007 - 0.007	6,074	0.006	0.005 - 0.006	8,280	0.008	0.008 - 0.008
50-64	2-yr	65,740	0.104	0.103 - 0.104	31,080	0.101	0.100 - 0.102	34,661	0.106	0.105 - 0.107
	5-yr	104,098	0.164	0.163 - 0.165	47,352	0.154	0.152 - 0.155	56,746	0.174	0.172 - 0.175
	10-yr	129,702	0.204	0.203 - 0.206	57,569	0.187	0.185 - 0.188	72,131	0.221	0.219 - 0.223
65+	2-yr	166,540	0.322	0.320 - 0.324	81,067	0.353	0.350 - 0.356	85,468	0.297	0.295 - 0.299
	5-yr	281,289	0.544	0.542 - 0.546	132,684	0.578	0.575 - 0.581	148,598	0.517	0.514 - 0.519
	10-yr	375,198	0.725	0.723 - 0.728	172,904	0.753	0.749 - 0.757	202,287	0.703	0.700 - 0.706
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	26,870	0.071	0.070 - 0.072	12,276	0.065	0.064 - 0.067	14,582	0.076	0.075 - 0.078
	5-yr	44,362	0.117	0.116 - 0.118	19,683	0.105	0.103 - 0.106	24,659	0.129	0.127 - 0.131
	10-yr	57,891	0.153	0.151 - 0.154	25,400	0.135	0.133 - 0.137	32,464	0.170	0.168 - 0.172
Current Age										
< 50	2-yr	655	0.003	0.003 - 0.003	278	0.002	0.002 - 0.003	376	0.003	0.003 - 0.004
	5-yr	1,007	0.004	0.004 - 0.005	422	0.004	0.003 - 0.004	584	0.005	0.005 - 0.006
	10-yr	1,321	0.006	0.005 - 0.006	575	0.005	0.004 - 0.005	745	0.007	0.006 - 0.007
50-64	2-yr	6,588	0.085	0.082 - 0.087	2,864	0.074	0.071 - 0.077	3,721	0.095	0.091 - 0.098
	5-yr	10,487	0.135	0.132 - 0.138	4,427	0.114	0.110 - 0.118	6,055	0.154	0.150 - 0.159
	10-yr	13,007	0.167	0.163 - 0.170	5,366	0.139	0.134 - 0.143	7,635	0.194	0.189 - 0.200
65+	2-yr	19,627	0.314	0.309 - 0.319	9,134	0.319	0.312 - 0.327	10,484	0.310	0.303 - 0.317
	5-yr	32,869	0.526	0.519 - 0.533	14,834	0.519	0.509 - 0.529	18,020	0.532	0.523 - 0.541
	10-yr	43,563	0.697	0.690 - 0.705	19,459	0.681	0.670 - 0.692	24,084	0.711	0.700 - 0.722
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	266,052	0.073	0.073 - 0.073	127,431	0.071	0.070 - 0.071	138,606	0.075	0.074 - 0.075
	5-yr	440,873	0.121	0.120 - 0.121	204,443	0.114	0.113 - 0.114	236,403	0.128	0.127 - 0.128
	10-yr	577,145	0.158	0.158 - 0.159	261,947	0.146	0.145 - 0.146	315,162	0.170	0.169 - 0.171
Current Age										
< 50	2-yr	7,557	0.003	0.003 - 0.003	3,286	0.003	0.003 - 0.003	4,271	0.004	0.004 - 0.004
	5-yr	12,131	0.005	0.005 - 0.005	5,147	0.004	0.004 - 0.004	6,984	0.006	0.006 - 0.006
	10-yr	15,675	0.007	0.007 - 0.007	6,649	0.006	0.005 - 0.006	9,026	0.008	0.008 - 0.008
50-64	2-yr	72,328	0.102	0.101 - 0.103	33,944	0.098	0.097 - 0.100	38,382	0.105	0.104 - 0.106
	5-yr	114,585	0.161	0.160 - 0.162	51,779	0.150	0.149 - 0.151	62,801	0.172	0.171 - 0.173
	10-yr	142,709	0.201	0.200 - 0.202	62,935	0.182	0.181 - 0.184	79,766	0.219	0.217 - 0.220
65+	2-yr	186,167	0.321	0.320 - 0.323	90,201	0.350	0.348 - 0.352	95,953	0.298	0.296 - 0.300
	5-yr	314,157	0.542	0.540 - 0.544	147,518	0.573	0.569 - 0.576	166,618	0.518	0.515 - 0.521
	10-yr	418,761	0.723	0.721 - 0.725	192,363	0.747	0.743 - 0.750	226,371	0.704	0.701 - 0.707

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Melanoma of the Skin

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	159,139	0.048	0.048 - 0.049	92,901	0.057	0.057 - 0.058	66,223	0.040	0.039 - 0.040
	5-yr	351,299	0.107	0.106 - 0.107	201,360	0.124	0.124 - 0.125	149,907	0.090	0.089 - 0.090
	10-yr	578,933	0.176	0.175 - 0.176	322,696	0.199	0.198 - 0.200	256,186	0.153	0.153 - 0.154
Race										
Non-Hispanic White	2-yr	146,678	0.073	0.073 - 0.074	86,465	0.088	0.087 - 0.088	60,198	0.059	0.059 - 0.060
	5-yr	324,599	0.162	0.161 - 0.163	187,895	0.190	0.189 - 0.191	136,672	0.134	0.134 - 0.135
	10-yr	536,690	0.268	0.267 - 0.269	301,973	0.306	0.305 - 0.307	234,668	0.231	0.230 - 0.232
Non-Hispanic Black	2-yr	598	0.001	0.001 - 0.002	271	0.001	0.001 - 0.002	327	0.001	0.001 - 0.002
	5-yr	1,332	0.003	0.003 - 0.003	612	0.003	0.003 - 0.003	719	0.003	0.003 - 0.003
	10-yr	2,129	0.005	0.005 - 0.005	924	0.005	0.004 - 0.005	1,205	0.005	0.005 - 0.006
Hispanic	2-yr	3,570	0.006	0.006 - 0.006	1,606	0.005	0.005 - 0.006	1,965	0.007	0.006 - 0.007
	5-yr	7,650	0.013	0.013 - 0.013	3,368	0.011	0.011 - 0.012	4,282	0.015	0.014 - 0.015
	10-yr	12,257	0.021	0.021 - 0.021	5,236	0.018	0.017 - 0.018	7,020	0.024	0.024 - 0.025
Current Age										
< 50	2-yr	27,677	0.013	0.013 - 0.013	10,849	0.010	0.010 - 0.010	16,831	0.016	0.016 - 0.016
	5-yr	60,390	0.028	0.028 - 0.028	23,215	0.021	0.021 - 0.022	37,182	0.035	0.035 - 0.036
	10-yr	99,484	0.046	0.046 - 0.047	37,123	0.034	0.034 - 0.035	62,374	0.059	0.058 - 0.059
50-64	2-yr	46,997	0.074	0.073 - 0.074	26,106	0.084	0.083 - 0.085	20,893	0.064	0.063 - 0.065
	5-yr	103,737	0.162	0.161 - 0.163	56,030	0.181	0.179 - 0.182	47,709	0.145	0.144 - 0.147
	10-yr	172,848	0.271	0.269 - 0.272	89,809	0.290	0.288 - 0.292	83,042	0.253	0.251 - 0.255
65+	2-yr	84,465	0.163	0.161 - 0.164	55,947	0.243	0.241 - 0.245	28,499	0.099	0.097 - 0.100
	5-yr	187,172	0.360	0.359 - 0.362	122,114	0.530	0.526 - 0.533	65,016	0.225	0.223 - 0.227
	10-yr	306,600	0.590	0.588 - 0.592	195,763	0.849	0.845 - 0.853	110,770	0.384	0.381 - 0.386
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	16,550	0.044	0.043 - 0.045	9,094	0.049	0.047 - 0.050	7,448	0.039	0.038 - 0.041
	5-yr	36,097	0.096	0.095 - 0.097	19,290	0.103	0.101 - 0.105	16,787	0.089	0.087 - 0.091
	10-yr	58,891	0.157	0.155 - 0.158	30,587	0.163	0.161 - 0.166	28,270	0.150	0.148 - 0.152
Current Age										
< 50	2-yr	2,577	0.011	0.011 - 0.012	1,003	0.009	0.008 - 0.009	1,571	0.014	0.013 - 0.015
	5-yr	5,589	0.024	0.024 - 0.025	2,113	0.018	0.017 - 0.019	3,471	0.031	0.030 - 0.032
	10-yr	9,090	0.040	0.039 - 0.041	3,390	0.029	0.028 - 0.030	5,691	0.051	0.049 - 0.052
50-64	2-yr	4,940	0.064	0.061 - 0.066	2,613	0.068	0.065 - 0.071	2,329	0.059	0.057 - 0.062
	5-yr	10,803	0.139	0.136 - 0.142	5,439	0.141	0.137 - 0.145	5,365	0.137	0.133 - 0.141
	10-yr	17,845	0.230	0.226 - 0.234	8,685	0.225	0.220 - 0.231	9,160	0.234	0.228 - 0.240
65+	2-yr	9,032	0.145	0.141 - 0.148	5,477	0.192	0.186 - 0.198	3,548	0.105	0.101 - 0.109
	5-yr	19,706	0.316	0.311 - 0.321	11,738	0.411	0.403 - 0.420	7,951	0.235	0.229 - 0.241
	10-yr	31,956	0.512	0.505 - 0.519	18,512	0.649	0.638 - 0.660	13,420	0.396	0.389 - 0.404
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	175,689	0.048	0.048 - 0.048	101,995	0.057	0.056 - 0.057	73,671	0.040	0.039 - 0.040
	5-yr	387,396	0.106	0.105 - 0.106	220,650	0.122	0.122 - 0.123	166,695	0.090	0.089 - 0.090
	10-yr	637,824	0.174	0.174 - 0.175	353,283	0.196	0.195 - 0.197	284,456	0.153	0.152 - 0.153
Current Age										
< 50	2-yr	30,253	0.013	0.013 - 0.013	11,852	0.010	0.010 - 0.010	18,403	0.016	0.015 - 0.016
	5-yr	65,979	0.028	0.028 - 0.028	25,328	0.021	0.021 - 0.021	40,653	0.035	0.034 - 0.035
	10-yr	108,574	0.046	0.046 - 0.046	40,513	0.034	0.033 - 0.034	68,065	0.058	0.058 - 0.059
50-64	2-yr	51,938	0.073	0.072 - 0.073	28,719	0.083	0.082 - 0.084	23,222	0.063	0.062 - 0.064
	5-yr	114,540	0.160	0.159 - 0.161	61,469	0.177	0.175 - 0.178	53,075	0.144	0.143 - 0.146
	10-yr	190,693	0.267	0.266 - 0.268	98,495	0.284	0.282 - 0.285	92,202	0.251	0.249 - 0.253
65+	2-yr	93,497	0.161	0.160 - 0.162	61,424	0.238	0.236 - 0.240	32,046	0.099	0.098 - 0.100
	5-yr	206,878	0.356	0.355 - 0.358	133,852	0.519	0.516 - 0.522	72,967	0.226	0.224 - 0.228
	10-yr	338,556	0.583	0.581 - 0.585	214,275	0.831	0.827 - 0.835	124,189	0.385	0.382 - 0.387

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Breast**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		468,564	0.282	0.282 - 0.283
	5-yr	-	-		-	-		1,073,879	0.647	0.646 - 0.648
	10-yr	-	-		-	-		1,852,558	1.116	1.115 - 1.118
Race										
Non-Hispanic White	2-yr	-	-		-	-		346,685	0.341	0.340 - 0.342
	5-yr	-	-		-	-		803,471	0.791	0.789 - 0.793
	10-yr	-	-		-	-		1,404,367	1.383	1.381 - 1.385
Non-Hispanic Black	2-yr	-	-		-	-		52,831	0.238	0.236 - 0.240
	5-yr	-	-		-	-		117,547	0.529	0.526 - 0.532
	10-yr	-	-		-	-		195,360	0.879	0.875 - 0.883
Hispanic	2-yr	-	-		-	-		41,743	0.144	0.142 - 0.145
	5-yr	-	-		-	-		92,392	0.318	0.316 - 0.320
	10-yr	-	-		-	-		152,462	0.525	0.523 - 0.528
Current Age										
< 50	2-yr	-	-		-	-		76,674	0.073	0.073 - 0.074
	5-yr	-	-		-	-		155,668	0.149	0.148 - 0.150
	10-yr	-	-		-	-		220,636	0.211	0.210 - 0.212
50-64	2-yr	-	-		-	-		166,364	0.511	0.509 - 0.514
	5-yr	-	-		-	-		379,609	1.166	1.162 - 1.170
	10-yr	-	-		-	-		649,970	1.996	1.991 - 2.001
65+	2-yr	-	-		-	-		225,526	0.785	0.782 - 0.788
	5-yr	-	-		-	-		538,602	1.875	1.869 - 1.880
	10-yr	-	-		-	-		981,952	3.418	3.410 - 3.425
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		52,267	0.276	0.274 - 0.279
	5-yr	-	-		-	-		118,858	0.628	0.624 - 0.632
	10-yr	-	-		-	-		204,125	1.077	1.071 - 1.082
Current Age										
< 50	2-yr	-	-		-	-		7,993	0.071	0.069 - 0.073
	5-yr	-	-		-	-		15,888	0.141	0.139 - 0.144
	10-yr	-	-		-	-		22,318	0.198	0.195 - 0.201
50-64	2-yr	-	-		-	-		18,616	0.476	0.468 - 0.484
	5-yr	-	-		-	-		42,108	1.076	1.064 - 1.088
	10-yr	-	-		-	-		72,265	1.846	1.830 - 1.862
65+	2-yr	-	-		-	-		25,658	0.758	0.747 - 0.769
	5-yr	-	-		-	-		60,862	1.798	1.781 - 1.815
	10-yr	-	-		-	-		109,542	3.235	3.213 - 3.258
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		520,832	0.282	0.281 - 0.283
	5-yr	-	-		-	-		1,192,737	0.646	0.644 - 0.647
	10-yr	-	-		-	-		2,056,683	1.113	1.111 - 1.115
Current Age										
< 50	2-yr	-	-		-	-		84,668	0.073	0.073 - 0.074
	5-yr	-	-		-	-		171,556	0.148	0.148 - 0.149
	10-yr	-	-		-	-		242,954	0.210	0.209 - 0.211
50-64	2-yr	-	-		-	-		184,980	0.508	0.506 - 0.510
	5-yr	-	-		-	-		421,717	1.158	1.154 - 1.162
	10-yr	-	-		-	-		722,235	1.983	1.978 - 1.988
65+	2-yr	-	-		-	-		251,184	0.783	0.779 - 0.786
	5-yr	-	-		-	-		599,464	1.868	1.863 - 1.873
	10-yr	-	-		-	-		1,091,494	3.402	3.395 - 3.409

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Cervix Uteri**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		22,669	0.014	0.014 - 0.014
	5-yr	-	-		-	-		48,457	0.029	0.029 - 0.030
	10-yr	-	-		-	-		85,833	0.052	0.052 - 0.052
Race										
Non-Hispanic White	2-yr	-	-		-	-		13,569	0.013	0.013 - 0.014
	5-yr	-	-		-	-		29,383	0.029	0.029 - 0.029
	10-yr	-	-		-	-		52,470	0.052	0.051 - 0.052
Non-Hispanic Black	2-yr	-	-		-	-		3,133	0.014	0.014 - 0.015
	5-yr	-	-		-	-		6,552	0.029	0.029 - 0.030
	10-yr	-	-		-	-		11,419	0.051	0.050 - 0.052
Hispanic	2-yr	-	-		-	-		4,233	0.015	0.014 - 0.015
	5-yr	-	-		-	-		8,906	0.031	0.030 - 0.031
	10-yr	-	-		-	-		15,676	0.054	0.053 - 0.055
Current Age										
< 50	2-yr	-	-		-	-		11,490	0.011	0.011 - 0.011
	5-yr	-	-		-	-		24,081	0.023	0.023 - 0.023
	10-yr	-	-		-	-		39,555	0.038	0.038 - 0.038
50-64	2-yr	-	-		-	-		7,004	0.022	0.021 - 0.022
	5-yr	-	-		-	-		15,493	0.048	0.047 - 0.049
	10-yr	-	-		-	-		29,403	0.091	0.090 - 0.092
65+	2-yr	-	-		-	-		4,175	0.015	0.014 - 0.015
	5-yr	-	-		-	-		8,883	0.031	0.030 - 0.032
	10-yr	-	-		-	-		16,875	0.059	0.058 - 0.060
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		2,726	0.015	0.014 - 0.015
	5-yr	-	-		-	-		5,815	0.031	0.030 - 0.032
	10-yr	-	-		-	-		10,709	0.058	0.056 - 0.059
Current Age										
< 50	2-yr	-	-		-	-		1,535	0.014	0.013 - 0.014
	5-yr	-	-		-	-		3,129	0.028	0.027 - 0.029
	10-yr	-	-		-	-		5,281	0.047	0.045 - 0.048
50-64	2-yr	-	-		-	-		734	0.019	0.017 - 0.020
	5-yr	-	-		-	-		1,736	0.044	0.042 - 0.047
	10-yr	-	-		-	-		3,499	0.090	0.086 - 0.093
65+	2-yr	-	-		-	-		457	0.014	0.012 - 0.015
	5-yr	-	-		-	-		951	0.028	0.026 - 0.030
	10-yr	-	-		-	-		1,929	0.057	0.054 - 0.060
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		25,395	0.014	0.014 - 0.014
	5-yr	-	-		-	-		54,272	0.030	0.029 - 0.030
	10-yr	-	-		-	-		96,542	0.052	0.052 - 0.053
Current Age										
< 50	2-yr	-	-		-	-		13,025	0.011	0.011 - 0.011
	5-yr	-	-		-	-		27,210	0.023	0.023 - 0.024
	10-yr	-	-		-	-		44,836	0.039	0.038 - 0.039
50-64	2-yr	-	-		-	-		7,738	0.021	0.021 - 0.022
	5-yr	-	-		-	-		17,229	0.048	0.047 - 0.048
	10-yr	-	-		-	-		32,902	0.091	0.090 - 0.092
65+	2-yr	-	-		-	-		4,632	0.015	0.014 - 0.015
	5-yr	-	-		-	-		9,833	0.031	0.030 - 0.032
	10-yr	-	-		-	-		18,805	0.059	0.058 - 0.060

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Corpus and Uterus, NOS**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		104,193	0.063	0.062 - 0.063
	5-yr	-	-		-	-		229,738	0.139	0.138 - 0.139
	10-yr	-	-		-	-		389,223	0.235	0.234 - 0.235
Race										
Non-Hispanic White	2-yr	-	-		-	-		76,592	0.075	0.075 - 0.076
	5-yr	-	-		-	-		172,093	0.169	0.169 - 0.170
	10-yr	-	-		-	-		297,984	0.293	0.292 - 0.295
Non-Hispanic Black	2-yr	-	-		-	-		11,170	0.050	0.049 - 0.051
	5-yr	-	-		-	-		22,441	0.101	0.100 - 0.102
	10-yr	-	-		-	-		34,496	0.155	0.153 - 0.157
Hispanic	2-yr	-	-		-	-		10,490	0.036	0.035 - 0.037
	5-yr	-	-		-	-		22,487	0.077	0.076 - 0.078
	10-yr	-	-		-	-		35,792	0.123	0.122 - 0.125
Current Age										
< 50	2-yr	-	-		-	-		11,338	0.011	0.011 - 0.011
	5-yr	-	-		-	-		23,169	0.022	0.022 - 0.023
	10-yr	-	-		-	-		33,671	0.032	0.032 - 0.033
50-64	2-yr	-	-		-	-		43,614	0.134	0.133 - 0.135
	5-yr	-	-		-	-		92,743	0.285	0.283 - 0.287
	10-yr	-	-		-	-		144,528	0.444	0.442 - 0.446
65+	2-yr	-	-		-	-		49,241	0.171	0.170 - 0.173
	5-yr	-	-		-	-		113,826	0.396	0.394 - 0.399
	10-yr	-	-		-	-		211,024	0.734	0.731 - 0.738
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		12,884	0.068	0.067 - 0.069
	5-yr	-	-		-	-		28,172	0.148	0.146 - 0.150
	10-yr	-	-		-	-		48,006	0.253	0.250 - 0.255
Current Age										
< 50	2-yr	-	-		-	-		1,076	0.010	0.009 - 0.010
	5-yr	-	-		-	-		2,176	0.019	0.018 - 0.020
	10-yr	-	-		-	-		3,016	0.027	0.026 - 0.028
50-64	2-yr	-	-		-	-		5,487	0.140	0.136 - 0.144
	5-yr	-	-		-	-		11,474	0.293	0.286 - 0.299
	10-yr	-	-		-	-		17,909	0.456	0.449 - 0.464
65+	2-yr	-	-		-	-		6,321	0.187	0.181 - 0.192
	5-yr	-	-		-	-		14,522	0.429	0.421 - 0.437
	10-yr	-	-		-	-		27,081	0.800	0.789 - 0.812
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		117,076	0.063	0.063 - 0.064
	5-yr	-	-		-	-		257,910	0.139	0.139 - 0.140
	10-yr	-	-		-	-		437,229	0.236	0.235 - 0.237
Current Age										
< 50	2-yr	-	-		-	-		12,413	0.011	0.011 - 0.011
	5-yr	-	-		-	-		25,345	0.022	0.022 - 0.022
	10-yr	-	-		-	-		36,687	0.032	0.032 - 0.032
50-64	2-yr	-	-		-	-		49,101	0.135	0.133 - 0.136
	5-yr	-	-		-	-		104,218	0.286	0.284 - 0.288
	10-yr	-	-		-	-		162,436	0.445	0.443 - 0.447
65+	2-yr	-	-		-	-		55,562	0.173	0.171 - 0.174
	5-yr	-	-		-	-		128,348	0.399	0.397 - 0.401
	10-yr	-	-		-	-		238,105	0.740	0.737 - 0.743

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Ovary**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		32,099	0.019	0.019 - 0.020
	5-yr	-	-		-	-		66,933	0.040	0.040 - 0.041
	10-yr	-	-		-	-		105,747	0.064	0.063 - 0.064
Race										
Non-Hispanic White	2-yr	-	-		-	-		23,364	0.023	0.023 - 0.023
	5-yr	-	-		-	-		49,181	0.048	0.048 - 0.049
	10-yr	-	-		-	-		78,526	0.077	0.077 - 0.078
Non-Hispanic Black	2-yr	-	-		-	-		2,842	0.013	0.012 - 0.013
	5-yr	-	-		-	-		5,566	0.025	0.024 - 0.026
	10-yr	-	-		-	-		8,454	0.038	0.037 - 0.039
Hispanic	2-yr	-	-		-	-		3,768	0.013	0.013 - 0.013
	5-yr	-	-		-	-		7,637	0.026	0.026 - 0.027
	10-yr	-	-		-	-		11,797	0.041	0.040 - 0.041
Current Age										
< 50	2-yr	-	-		-	-		6,413	0.006	0.006 - 0.006
	5-yr	-	-		-	-		13,454	0.013	0.013 - 0.013
	10-yr	-	-		-	-		20,684	0.020	0.020 - 0.020
50-64	2-yr	-	-		-	-		11,898	0.037	0.036 - 0.037
	5-yr	-	-		-	-		25,489	0.078	0.077 - 0.079
	10-yr	-	-		-	-		40,199	0.124	0.122 - 0.125
65+	2-yr	-	-		-	-		13,788	0.048	0.047 - 0.049
	5-yr	-	-		-	-		27,990	0.097	0.096 - 0.099
	10-yr	-	-		-	-		44,865	0.156	0.155 - 0.158
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		4,104	0.022	0.021 - 0.023
	5-yr	-	-		-	-		8,339	0.044	0.043 - 0.045
	10-yr	-	-		-	-		12,872	0.068	0.067 - 0.070
Current Age										
< 50	2-yr	-	-		-	-		781	0.007	0.006 - 0.008
	5-yr	-	-		-	-		1,661	0.015	0.014 - 0.016
	10-yr	-	-		-	-		2,454	0.022	0.021 - 0.023
50-64	2-yr	-	-		-	-		1,608	0.041	0.039 - 0.043
	5-yr	-	-		-	-		3,270	0.084	0.080 - 0.087
	10-yr	-	-		-	-		5,130	0.131	0.127 - 0.135
65+	2-yr	-	-		-	-		1,715	0.051	0.048 - 0.054
	5-yr	-	-		-	-		3,407	0.101	0.097 - 0.105
	10-yr	-	-		-	-		5,287	0.156	0.151 - 0.161
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		-	-		36,203	0.020	0.019 - 0.020
	5-yr	-	-		-	-		75,272	0.041	0.040 - 0.041
	10-yr	-	-		-	-		118,619	0.064	0.064 - 0.065
Current Age										
< 50	2-yr	-	-		-	-		7,194	0.006	0.006 - 0.006
	5-yr	-	-		-	-		15,116	0.013	0.013 - 0.013
	10-yr	-	-		-	-		23,138	0.020	0.020 - 0.020
50-64	2-yr	-	-		-	-		13,506	0.037	0.036 - 0.038
	5-yr	-	-		-	-		28,759	0.079	0.078 - 0.080
	10-yr	-	-		-	-		45,329	0.124	0.123 - 0.125
65+	2-yr	-	-		-	-		15,503	0.048	0.047 - 0.049
	5-yr	-	-		-	-		31,398	0.098	0.097 - 0.099
	10-yr	-	-		-	-		50,152	0.156	0.155 - 0.158

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Prostate**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		399,015	0.248	0.247 - 0.249	-	-	
	5-yr	-	-		890,899	0.553	0.552 - 0.555	-	-	
	10-yr	-	-		1,715,410	1.066	1.064 - 1.067	-	-	
Race										
Non-Hispanic White	2-yr	-	-		283,471	0.287	0.286 - 0.288	-	-	
	5-yr	-	-		636,517	0.645	0.643 - 0.646	-	-	
	10-yr	-	-		1,246,516	1.263	1.261 - 1.266	-	-	
Non-Hispanic Black	2-yr	-	-		62,826	0.307	0.305 - 0.310	-	-	
	5-yr	-	-		141,100	0.690	0.686 - 0.694	-	-	
	10-yr	-	-		259,880	1.271	1.265 - 1.276	-	-	
Hispanic	2-yr	-	-		28,390	0.096	0.095 - 0.097	-	-	
	5-yr	-	-		63,898	0.217	0.215 - 0.218	-	-	
	10-yr	-	-		118,639	0.403	0.400 - 0.405	-	-	
Current Age										
< 50	2-yr	-	-		5,574	0.005	0.005 - 0.005	-	-	
	5-yr	-	-		9,873	0.009	0.009 - 0.009	-	-	
	10-yr	-	-		12,339	0.011	0.011 - 0.012	-	-	
50-64	2-yr	-	-		138,228	0.450	0.447 - 0.452	-	-	
	5-yr	-	-		281,236	0.915	0.912 - 0.919	-	-	
	10-yr	-	-		440,355	1.433	1.428 - 1.437	-	-	
65+	2-yr	-	-		255,212	1.113	1.108 - 1.117	-	-	
	5-yr	-	-		599,790	2.615	2.609 - 2.622	-	-	
	10-yr	-	-		1,262,717	5.507	5.497 - 5.517	-	-	
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		44,178	0.234	0.232 - 0.237	-	-	
	5-yr	-	-		97,164	0.515	0.512 - 0.519	-	-	
	10-yr	-	-		188,177	0.998	0.993 - 1.003	-	-	
Current Age										
< 50	2-yr	-	-		448	0.004	0.003 - 0.004	-	-	
	5-yr	-	-		800	0.007	0.006 - 0.007	-	-	
	10-yr	-	-		989	0.009	0.008 - 0.009	-	-	
50-64	2-yr	-	-		13,103	0.339	0.332 - 0.346	-	-	
	5-yr	-	-		26,389	0.682	0.672 - 0.692	-	-	
	10-yr	-	-		41,711	1.077	1.065 - 1.089	-	-	
65+	2-yr	-	-		30,628	1.069	1.055 - 1.083	-	-	
	5-yr	-	-		69,975	2.443	2.422 - 2.465	-	-	
	10-yr	-	-		145,476	5.083	5.052 - 5.114	-	-	
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		443,193	0.247	0.246 - 0.247	-	-	
	5-yr	-	-		988,063	0.550	0.549 - 0.551	-	-	
	10-yr	-	-		1,903,587	1.060	1.058 - 1.061	-	-	
Current Age										
< 50	2-yr	-	-		6,022	0.005	0.005 - 0.005	-	-	
	5-yr	-	-		10,673	0.009	0.009 - 0.009	-	-	
	10-yr	-	-		13,328	0.011	0.011 - 0.011	-	-	
50-64	2-yr	-	-		151,331	0.439	0.437 - 0.442	-	-	
	5-yr	-	-		307,626	0.894	0.890 - 0.897	-	-	
	10-yr	-	-		482,067	1.400	1.396 - 1.404	-	-	
65+	2-yr	-	-		285,840	1.109	1.104 - 1.113	-	-	
	5-yr	-	-		669,764	2.600	2.593 - 2.607	-	-	
	10-yr	-	-		1,408,193	5.469	5.459 - 5.478	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Testis**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		17,493	0.011	0.011 - 0.011	-	-	
	5-yr	-	-		41,984	0.026	0.026 - 0.026	-	-	
	10-yr	-	-		79,895	0.050	0.049 - 0.050	-	-	
Race										
Non-Hispanic White	2-yr	-	-		12,645	0.013	0.013 - 0.013	-	-	
	5-yr	-	-		30,874	0.031	0.031 - 0.031	-	-	
	10-yr	-	-		60,155	0.061	0.060 - 0.061	-	-	
Non-Hispanic Black	2-yr	-	-		570	0.003	0.003 - 0.003	-	-	
	5-yr	-	-		1,350	0.007	0.006 - 0.007	-	-	
	10-yr	-	-		2,487	0.012	0.012 - 0.013	-	-	
Hispanic	2-yr	-	-		3,328	0.011	0.011 - 0.012	-	-	
	5-yr	-	-		7,635	0.026	0.025 - 0.026	-	-	
	10-yr	-	-		13,513	0.045	0.044 - 0.046	-	-	
Current Age										
< 50	2-yr	-	-		14,990	0.014	0.014 - 0.014	-	-	
	5-yr	-	-		35,111	0.033	0.032 - 0.033	-	-	
	10-yr	-	-		63,482	0.059	0.059 - 0.060	-	-	
50-64	2-yr	-	-		2,045	0.007	0.006 - 0.007	-	-	
	5-yr	-	-		5,610	0.018	0.018 - 0.019	-	-	
	10-yr	-	-		13,524	0.044	0.043 - 0.045	-	-	
65+	2-yr	-	-		459	0.002	0.002 - 0.002	-	-	
	5-yr	-	-		1,263	0.005	0.005 - 0.006	-	-	
	10-yr	-	-		2,889	0.013	0.012 - 0.013	-	-	
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		2,179	0.012	0.011 - 0.013	-	-	
	5-yr	-	-		5,263	0.029	0.028 - 0.030	-	-	
	10-yr	-	-		9,835	0.054	0.053 - 0.055	-	-	
Current Age										
< 50	2-yr	-	-		1,832	0.016	0.015 - 0.017	-	-	
	5-yr	-	-		4,388	0.038	0.037 - 0.039	-	-	
	10-yr	-	-		7,820	0.067	0.066 - 0.069	-	-	
50-64	2-yr	-	-		262	0.007	0.006 - 0.008	-	-	
	5-yr	-	-		706	0.018	0.017 - 0.020	-	-	
	10-yr	-	-		1,651	0.043	0.041 - 0.046	-	-	
65+	2-yr	-	-		85	0.003	0.002 - 0.004	-	-	
	5-yr	-	-		170	0.006	0.005 - 0.007	-	-	
	10-yr	-	-		364	0.013	0.011 - 0.014	-	-	
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	-	-		19,673	0.011	0.011 - 0.011	-	-	
	5-yr	-	-		47,247	0.026	0.026 - 0.027	-	-	
	10-yr	-	-		89,729	0.050	0.050 - 0.050	-	-	
Current Age										
< 50	2-yr	-	-		16,822	0.014	0.014 - 0.014	-	-	
	5-yr	-	-		39,499	0.033	0.033 - 0.033	-	-	
	10-yr	-	-		71,302	0.060	0.059 - 0.060	-	-	
50-64	2-yr	-	-		2,307	0.007	0.006 - 0.007	-	-	
	5-yr	-	-		6,316	0.018	0.018 - 0.019	-	-	
	10-yr	-	-		15,174	0.044	0.043 - 0.044	-	-	
65+	2-yr	-	-		543	0.002	0.002 - 0.002	-	-	
	5-yr	-	-		1,432	0.006	0.005 - 0.006	-	-	
	10-yr	-	-		3,253	0.013	0.012 - 0.013	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Urinary Bladder**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	128,116	0.039	0.039 - 0.039	98,814	0.061	0.061 - 0.062	29,278	0.018	0.017 - 0.018
	5-yr	273,830	0.084	0.083 - 0.084	210,906	0.131	0.130 - 0.131	62,865	0.038	0.037 - 0.038
	10-yr	442,328	0.135	0.135 - 0.135	338,018	0.209	0.209 - 0.210	104,205	0.063	0.062 - 0.063
Race										
Non-Hispanic White	2-yr	109,585	0.055	0.054 - 0.055	85,156	0.086	0.086 - 0.087	24,400	0.024	0.024 - 0.024
	5-yr	235,930	0.118	0.117 - 0.118	182,895	0.186	0.185 - 0.186	52,969	0.052	0.052 - 0.053
	10-yr	383,305	0.192	0.191 - 0.192	294,641	0.299	0.298 - 0.300	88,547	0.087	0.087 - 0.088
Non-Hispanic Black	2-yr	6,780	0.016	0.015 - 0.016	4,699	0.023	0.022 - 0.024	2,086	0.009	0.009 - 0.010
	5-yr	13,884	0.033	0.032 - 0.033	9,727	0.048	0.047 - 0.049	4,168	0.019	0.018 - 0.019
	10-yr	21,395	0.050	0.049 - 0.051	15,007	0.073	0.072 - 0.075	6,404	0.029	0.028 - 0.030
Hispanic	2-yr	6,243	0.011	0.010 - 0.011	4,748	0.016	0.016 - 0.017	1,496	0.005	0.005 - 0.005
	5-yr	12,982	0.022	0.022 - 0.023	9,866	0.033	0.033 - 0.034	3,118	0.011	0.010 - 0.011
	10-yr	20,404	0.035	0.034 - 0.035	15,362	0.052	0.051 - 0.053	5,045	0.017	0.017 - 0.018
Current Age										
< 50	2-yr	4,155	0.002	0.002 - 0.002	2,980	0.003	0.003 - 0.003	1,175	0.001	0.001 - 0.001
	5-yr	8,262	0.004	0.004 - 0.004	5,956	0.006	0.005 - 0.006	2,306	0.002	0.002 - 0.002
	10-yr	12,258	0.006	0.006 - 0.006	8,771	0.008	0.008 - 0.008	3,486	0.003	0.003 - 0.003
50-64	2-yr	27,378	0.043	0.043 - 0.044	20,845	0.068	0.067 - 0.069	6,537	0.020	0.019 - 0.021
	5-yr	55,788	0.088	0.087 - 0.089	42,322	0.137	0.136 - 0.139	13,474	0.041	0.040 - 0.042
	10-yr	84,303	0.133	0.132 - 0.134	63,569	0.206	0.204 - 0.208	20,746	0.063	0.063 - 0.064
65+	2-yr	96,583	0.187	0.185 - 0.188	74,989	0.326	0.324 - 0.329	21,566	0.075	0.074 - 0.076
	5-yr	209,780	0.405	0.403 - 0.407	162,628	0.708	0.704 - 0.711	47,086	0.164	0.162 - 0.165
	10-yr	345,766	0.668	0.666 - 0.670	265,678	1.156	1.152 - 1.161	79,973	0.278	0.276 - 0.280
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	18,469	0.049	0.048 - 0.050	14,204	0.076	0.074 - 0.077	4,252	0.022	0.021 - 0.023
	5-yr	38,271	0.101	0.100 - 0.102	29,371	0.156	0.154 - 0.159	8,869	0.046	0.045 - 0.048
	10-yr	61,881	0.163	0.162 - 0.165	46,924	0.250	0.247 - 0.253	14,892	0.078	0.077 - 0.079
Current Age										
< 50	2-yr	575	0.003	0.002 - 0.003	416	0.004	0.003 - 0.004	161	0.001	0.001 - 0.002
	5-yr	1,221	0.005	0.005 - 0.006	890	0.008	0.007 - 0.008	334	0.003	0.003 - 0.003
	10-yr	1,770	0.008	0.007 - 0.008	1,282	0.011	0.010 - 0.012	492	0.004	0.004 - 0.005
50-64	2-yr	3,713	0.048	0.046 - 0.049	2,823	0.073	0.070 - 0.076	896	0.023	0.021 - 0.025
	5-yr	7,620	0.098	0.095 - 0.100	5,743	0.149	0.144 - 0.153	1,890	0.048	0.046 - 0.051
	10-yr	11,469	0.147	0.144 - 0.150	8,553	0.221	0.216 - 0.227	2,935	0.075	0.072 - 0.078
65+	2-yr	14,181	0.227	0.223 - 0.232	10,965	0.385	0.376 - 0.393	3,195	0.094	0.091 - 0.098
	5-yr	29,430	0.472	0.465 - 0.478	22,738	0.798	0.785 - 0.810	6,646	0.196	0.191 - 0.202
	10-yr	48,642	0.780	0.772 - 0.788	37,090	1.302	1.286 - 1.318	11,465	0.339	0.331 - 0.346
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	146,586	0.040	0.040 - 0.040	113,018	0.062	0.062 - 0.063	33,530	0.018	0.018 - 0.018
	5-yr	312,101	0.085	0.085 - 0.085	240,277	0.133	0.132 - 0.133	71,735	0.039	0.038 - 0.039
	10-yr	504,209	0.137	0.137 - 0.138	384,942	0.213	0.212 - 0.214	119,097	0.064	0.064 - 0.064
Current Age										
< 50	2-yr	4,731	0.002	0.002 - 0.002	3,396	0.003	0.003 - 0.003	1,336	0.001	0.001 - 0.001
	5-yr	9,483	0.004	0.004 - 0.004	6,846	0.006	0.006 - 0.006	2,640	0.002	0.002 - 0.002
	10-yr	14,028	0.006	0.006 - 0.006	10,053	0.008	0.008 - 0.009	3,978	0.003	0.003 - 0.004
50-64	2-yr	31,091	0.043	0.043 - 0.044	23,668	0.068	0.067 - 0.069	7,432	0.020	0.020 - 0.021
	5-yr	63,408	0.089	0.088 - 0.089	48,065	0.138	0.137 - 0.139	15,363	0.042	0.041 - 0.043
	10-yr	95,772	0.134	0.133 - 0.135	72,122	0.207	0.206 - 0.209	23,681	0.064	0.064 - 0.065
65+	2-yr	110,765	0.190	0.189 - 0.191	85,953	0.332	0.329 - 0.334	24,761	0.077	0.076 - 0.078
	5-yr	239,210	0.411	0.409 - 0.413	185,366	0.716	0.713 - 0.719	53,732	0.166	0.165 - 0.168
	10-yr	394,408	0.678	0.676 - 0.680	302,768	1.170	1.165 - 1.174	91,438	0.283	0.281 - 0.285

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Kidney and Renal Pelvis

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	112,086	0.034	0.034 - 0.035	70,657	0.044	0.044 - 0.044	41,431	0.025	0.025 - 0.025
	5-yr	240,456	0.074	0.073 - 0.074	150,590	0.094	0.093 - 0.094	89,870	0.054	0.054 - 0.055
	10-yr	391,720	0.120	0.120 - 0.120	242,222	0.151	0.150 - 0.151	149,501	0.090	0.090 - 0.091
Race										
Non-Hispanic White	2-yr	81,837	0.041	0.041 - 0.041	52,449	0.053	0.053 - 0.054	29,386	0.029	0.029 - 0.029
	5-yr	176,221	0.088	0.088 - 0.088	112,165	0.114	0.113 - 0.114	64,050	0.063	0.063 - 0.064
	10-yr	289,746	0.145	0.144 - 0.145	181,984	0.184	0.183 - 0.185	107,749	0.106	0.105 - 0.107
Non-Hispanic Black	2-yr	12,914	0.030	0.030 - 0.031	7,682	0.038	0.037 - 0.038	5,237	0.024	0.023 - 0.024
	5-yr	27,961	0.066	0.065 - 0.066	16,628	0.081	0.080 - 0.083	11,345	0.051	0.050 - 0.052
	10-yr	44,692	0.105	0.104 - 0.106	26,206	0.128	0.127 - 0.130	18,503	0.083	0.082 - 0.084
Hispanic	2-yr	12,703	0.022	0.021 - 0.022	7,597	0.026	0.025 - 0.026	5,107	0.018	0.017 - 0.018
	5-yr	26,589	0.045	0.045 - 0.046	15,683	0.053	0.052 - 0.054	10,907	0.038	0.037 - 0.038
	10-yr	41,983	0.072	0.071 - 0.072	24,464	0.083	0.082 - 0.084	17,521	0.060	0.059 - 0.061
Current Age										
< 50	2-yr	15,852	0.007	0.007 - 0.008	9,518	0.009	0.009 - 0.009	6,335	0.006	0.006 - 0.006
	5-yr	32,335	0.015	0.015 - 0.015	19,144	0.018	0.018 - 0.018	13,191	0.013	0.012 - 0.013
	10-yr	47,927	0.023	0.022 - 0.023	27,782	0.026	0.026 - 0.026	20,145	0.019	0.019 - 0.020
50-64	2-yr	39,570	0.063	0.062 - 0.063	25,920	0.084	0.083 - 0.086	13,654	0.042	0.041 - 0.043
	5-yr	83,077	0.131	0.131 - 0.132	53,908	0.176	0.174 - 0.177	29,177	0.090	0.089 - 0.091
	10-yr	130,166	0.206	0.205 - 0.207	83,254	0.271	0.269 - 0.273	46,924	0.144	0.143 - 0.146
65+	2-yr	56,663	0.110	0.109 - 0.111	35,219	0.154	0.152 - 0.155	21,442	0.075	0.074 - 0.076
	5-yr	125,044	0.242	0.241 - 0.244	77,537	0.338	0.336 - 0.341	47,502	0.166	0.164 - 0.167
	10-yr	213,628	0.414	0.412 - 0.416	131,185	0.572	0.569 - 0.576	82,432	0.288	0.285 - 0.290
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	11,084	0.029	0.029 - 0.030	7,243	0.039	0.038 - 0.040	3,849	0.020	0.020 - 0.021
	5-yr	23,592	0.063	0.062 - 0.064	15,299	0.082	0.080 - 0.083	8,309	0.044	0.043 - 0.045
	10-yr	37,809	0.100	0.099 - 0.101	24,040	0.128	0.126 - 0.130	13,787	0.073	0.071 - 0.074
Current Age										
< 50	2-yr	1,344	0.006	0.006 - 0.006	835	0.007	0.007 - 0.008	511	0.005	0.004 - 0.005
	5-yr	2,745	0.012	0.011 - 0.012	1,692	0.014	0.014 - 0.015	1,057	0.009	0.009 - 0.010
	10-yr	3,970	0.017	0.017 - 0.018	2,398	0.021	0.020 - 0.022	1,576	0.014	0.013 - 0.015
50-64	2-yr	4,072	0.052	0.051 - 0.054	2,721	0.071	0.067 - 0.074	1,355	0.035	0.032 - 0.037
	5-yr	8,429	0.108	0.106 - 0.111	5,635	0.146	0.142 - 0.151	2,803	0.072	0.068 - 0.075
	10-yr	12,889	0.166	0.162 - 0.169	8,409	0.218	0.213 - 0.224	4,492	0.115	0.111 - 0.119
65+	2-yr	5,669	0.091	0.088 - 0.094	3,687	0.129	0.124 - 0.134	1,984	0.059	0.056 - 0.062
	5-yr	12,419	0.199	0.195 - 0.203	7,972	0.278	0.271 - 0.286	4,450	0.131	0.127 - 0.136
	10-yr	20,950	0.335	0.330 - 0.341	13,233	0.462	0.453 - 0.472	7,718	0.228	0.222 - 0.234
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	123,170	0.034	0.034 - 0.034	77,900	0.043	0.043 - 0.044	45,280	0.025	0.024 - 0.025
	5-yr	264,048	0.073	0.072 - 0.073	165,889	0.093	0.092 - 0.093	98,179	0.053	0.053 - 0.054
	10-yr	429,529	0.118	0.118 - 0.119	266,262	0.149	0.148 - 0.149	163,288	0.089	0.088 - 0.089
Current Age										
< 50	2-yr	17,196	0.007	0.007 - 0.007	10,352	0.009	0.009 - 0.009	6,846	0.006	0.006 - 0.006
	5-yr	35,080	0.015	0.015 - 0.015	20,836	0.018	0.017 - 0.018	14,248	0.012	0.012 - 0.013
	10-yr	51,897	0.022	0.022 - 0.022	30,180	0.025	0.025 - 0.026	21,721	0.019	0.019 - 0.019
50-64	2-yr	43,642	0.062	0.061 - 0.062	28,641	0.083	0.082 - 0.084	15,009	0.041	0.041 - 0.042
	5-yr	91,505	0.129	0.128 - 0.130	59,543	0.173	0.171 - 0.174	31,980	0.088	0.087 - 0.089
	10-yr	143,055	0.202	0.201 - 0.203	91,663	0.266	0.264 - 0.268	51,417	0.142	0.141 - 0.143
65+	2-yr	62,332	0.108	0.107 - 0.109	38,907	0.151	0.150 - 0.153	23,426	0.073	0.072 - 0.074
	5-yr	137,463	0.239	0.237 - 0.240	85,509	0.333	0.331 - 0.335	51,952	0.163	0.161 - 0.164
	10-yr	234,577	0.407	0.405 - 0.409	144,418	0.562	0.559 - 0.566	90,150	0.282	0.280 - 0.284

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Brain and Other Nervous System

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	27,408	0.008	0.008 - 0.008	15,422	0.010	0.009 - 0.010	11,986	0.007	0.007 - 0.007
	5-yr	49,885	0.015	0.015 - 0.015	27,337	0.017	0.017 - 0.017	22,547	0.014	0.013 - 0.014
	10-yr	79,073	0.024	0.024 - 0.024	42,748	0.027	0.026 - 0.027	36,325	0.022	0.022 - 0.022
Race										
Non-Hispanic White	2-yr	20,484	0.010	0.010 - 0.010	11,639	0.012	0.012 - 0.012	8,845	0.009	0.008 - 0.009
	5-yr	36,596	0.018	0.018 - 0.018	20,294	0.020	0.020 - 0.021	16,301	0.016	0.016 - 0.016
	10-yr	57,579	0.029	0.028 - 0.029	31,402	0.032	0.031 - 0.032	26,176	0.026	0.025 - 0.026
Non-Hispanic Black	2-yr	2,154	0.005	0.005 - 0.005	1,154	0.006	0.005 - 0.006	1,000	0.004	0.004 - 0.005
	5-yr	4,071	0.010	0.009 - 0.010	2,125	0.010	0.010 - 0.011	1,947	0.009	0.008 - 0.009
	10-yr	6,555	0.015	0.015 - 0.016	3,360	0.016	0.016 - 0.017	3,195	0.014	0.014 - 0.015
Hispanic	2-yr	3,325	0.006	0.005 - 0.006	1,784	0.006	0.006 - 0.006	1,541	0.005	0.005 - 0.006
	5-yr	6,482	0.011	0.011 - 0.011	3,421	0.011	0.011 - 0.012	3,060	0.010	0.010 - 0.011
	10-yr	10,542	0.018	0.018 - 0.018	5,587	0.019	0.018 - 0.019	4,955	0.017	0.016 - 0.017
Current Age										
< 50	2-yr	12,621	0.006	0.006 - 0.006	7,033	0.007	0.006 - 0.007	5,588	0.005	0.005 - 0.005
	5-yr	27,202	0.013	0.013 - 0.013	14,854	0.014	0.014 - 0.014	12,347	0.012	0.012 - 0.012
	10-yr	46,642	0.022	0.022 - 0.022	25,257	0.023	0.023 - 0.024	21,383	0.020	0.020 - 0.021
50-64	2-yr	7,671	0.012	0.012 - 0.012	4,450	0.014	0.014 - 0.015	3,221	0.010	0.010 - 0.010
	5-yr	12,408	0.020	0.019 - 0.020	6,899	0.022	0.022 - 0.023	5,509	0.017	0.016 - 0.017
	10-yr	18,479	0.029	0.029 - 0.030	10,093	0.033	0.032 - 0.033	8,387	0.026	0.025 - 0.026
65+	2-yr	7,116	0.014	0.013 - 0.014	3,939	0.017	0.017 - 0.018	3,177	0.011	0.011 - 0.011
	5-yr	10,275	0.020	0.019 - 0.020	5,583	0.024	0.024 - 0.025	4,691	0.016	0.016 - 0.017
	10-yr	13,952	0.027	0.027 - 0.027	7,398	0.032	0.031 - 0.033	6,555	0.023	0.022 - 0.023
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,974	0.008	0.008 - 0.008	1,669	0.009	0.009 - 0.010	1,306	0.007	0.007 - 0.007
	5-yr	5,323	0.014	0.014 - 0.015	2,992	0.016	0.016 - 0.017	2,333	0.013	0.012 - 0.013
	10-yr	8,377	0.023	0.022 - 0.023	4,632	0.025	0.024 - 0.026	3,748	0.020	0.019 - 0.021
Current Age										
< 50	2-yr	1,236	0.005	0.005 - 0.006	698	0.006	0.006 - 0.007	538	0.005	0.004 - 0.005
	5-yr	2,698	0.012	0.011 - 0.012	1,532	0.013	0.012 - 0.014	1,166	0.010	0.010 - 0.011
	10-yr	4,644	0.020	0.020 - 0.021	2,590	0.022	0.021 - 0.023	2,055	0.018	0.017 - 0.019
50-64	2-yr	977	0.013	0.012 - 0.014	554	0.014	0.013 - 0.016	423	0.011	0.010 - 0.012
	5-yr	1,525	0.020	0.018 - 0.021	873	0.023	0.021 - 0.025	652	0.017	0.015 - 0.018
	10-yr	2,180	0.028	0.027 - 0.029	1,235	0.032	0.030 - 0.034	946	0.024	0.022 - 0.026
65+	2-yr	762	0.012	0.011 - 0.013	417	0.015	0.013 - 0.016	345	0.010	0.009 - 0.012
	5-yr	1,100	0.018	0.016 - 0.019	586	0.020	0.019 - 0.022	514	0.015	0.014 - 0.017
	10-yr	1,553	0.025	0.023 - 0.026	807	0.028	0.026 - 0.031	746	0.022	0.020 - 0.024
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	30,383	0.008	0.008 - 0.008	17,091	0.010	0.009 - 0.010	13,293	0.007	0.007 - 0.007
	5-yr	55,208	0.015	0.015 - 0.015	30,329	0.017	0.017 - 0.017	24,880	0.013	0.013 - 0.014
	10-yr	87,450	0.024	0.024 - 0.024	47,380	0.026	0.026 - 0.027	40,073	0.022	0.022 - 0.022
Current Age										
< 50	2-yr	13,857	0.006	0.006 - 0.006	7,731	0.007	0.006 - 0.007	6,126	0.005	0.005 - 0.005
	5-yr	29,900	0.013	0.013 - 0.013	16,386	0.014	0.014 - 0.014	13,513	0.012	0.011 - 0.012
	10-yr	51,286	0.022	0.022 - 0.022	27,847	0.023	0.023 - 0.024	23,439	0.020	0.020 - 0.021
50-64	2-yr	8,648	0.012	0.012 - 0.012	5,004	0.014	0.014 - 0.015	3,644	0.010	0.010 - 0.010
	5-yr	13,933	0.020	0.019 - 0.020	7,773	0.022	0.022 - 0.023	6,161	0.017	0.016 - 0.017
	10-yr	20,659	0.029	0.029 - 0.029	11,328	0.033	0.032 - 0.033	9,333	0.026	0.025 - 0.026
65+	2-yr	7,878	0.014	0.013 - 0.014	4,356	0.017	0.016 - 0.017	3,522	0.011	0.011 - 0.011
	5-yr	11,375	0.020	0.019 - 0.020	6,169	0.024	0.023 - 0.025	5,206	0.016	0.016 - 0.017
	10-yr	15,505	0.027	0.026 - 0.027	8,204	0.032	0.031 - 0.033	7,301	0.023	0.022 - 0.023

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Thyroid**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	92,239	0.028	0.028 - 0.028	23,520	0.015	0.014 - 0.015	68,722	0.041	0.041 - 0.042
	5-yr	230,752	0.071	0.070 - 0.071	56,629	0.035	0.035 - 0.035	174,129	0.105	0.105 - 0.106
	10-yr	426,738	0.131	0.130 - 0.131	100,652	0.062	0.062 - 0.063	326,093	0.197	0.196 - 0.197
Race										
Non-Hispanic White	2-yr	64,755	0.032	0.032 - 0.032	17,979	0.018	0.018 - 0.018	46,784	0.046	0.045 - 0.046
	5-yr	163,957	0.082	0.081 - 0.082	43,660	0.044	0.044 - 0.045	120,314	0.118	0.117 - 0.119
	10-yr	309,627	0.154	0.154 - 0.155	78,843	0.080	0.079 - 0.080	230,812	0.227	0.226 - 0.228
Non-Hispanic Black	2-yr	6,726	0.016	0.015 - 0.016	1,266	0.006	0.006 - 0.007	5,455	0.025	0.024 - 0.025
	5-yr	17,288	0.041	0.040 - 0.041	3,136	0.015	0.015 - 0.016	14,138	0.064	0.063 - 0.065
	10-yr	31,046	0.073	0.072 - 0.074	5,379	0.026	0.026 - 0.027	25,640	0.115	0.114 - 0.117
Hispanic	2-yr	13,071	0.022	0.022 - 0.023	2,551	0.009	0.008 - 0.009	10,518	0.036	0.035 - 0.037
	5-yr	30,923	0.053	0.052 - 0.053	5,809	0.020	0.019 - 0.020	25,109	0.086	0.085 - 0.087
	10-yr	53,334	0.091	0.090 - 0.091	9,612	0.032	0.032 - 0.033	43,713	0.150	0.149 - 0.151
Current Age										
< 50	2-yr	41,221	0.019	0.019 - 0.020	8,284	0.008	0.008 - 0.008	32,944	0.032	0.031 - 0.032
	5-yr	97,127	0.046	0.046 - 0.046	18,744	0.017	0.017 - 0.018	78,399	0.075	0.074 - 0.076
	10-yr	162,902	0.077	0.076 - 0.077	30,304	0.028	0.028 - 0.029	132,623	0.127	0.126 - 0.127
50-64	2-yr	30,042	0.048	0.047 - 0.048	8,104	0.026	0.026 - 0.027	21,936	0.068	0.067 - 0.069
	5-yr	77,490	0.123	0.122 - 0.124	19,742	0.064	0.063 - 0.065	57,740	0.178	0.176 - 0.179
	10-yr	149,010	0.236	0.234 - 0.237	35,515	0.115	0.114 - 0.117	113,479	0.349	0.347 - 0.351
65+	2-yr	20,975	0.041	0.040 - 0.041	7,132	0.031	0.030 - 0.032	13,843	0.048	0.047 - 0.049
	5-yr	56,134	0.109	0.108 - 0.110	18,142	0.079	0.078 - 0.080	37,990	0.133	0.131 - 0.134
	10-yr	114,826	0.223	0.221 - 0.224	34,833	0.152	0.150 - 0.153	79,991	0.279	0.277 - 0.281
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	11,441	0.031	0.030 - 0.031	3,006	0.016	0.016 - 0.017	8,418	0.045	0.044 - 0.046
	5-yr	29,609	0.080	0.079 - 0.081	7,447	0.040	0.039 - 0.041	22,115	0.119	0.117 - 0.120
	10-yr	54,143	0.145	0.144 - 0.147	12,738	0.069	0.067 - 0.070	41,314	0.221	0.219 - 0.224
Current Age										
< 50	2-yr	4,947	0.022	0.021 - 0.022	1,074	0.009	0.009 - 0.010	3,862	0.034	0.033 - 0.036
	5-yr	12,002	0.052	0.051 - 0.054	2,542	0.022	0.021 - 0.023	9,432	0.084	0.082 - 0.086
	10-yr	19,997	0.087	0.086 - 0.089	4,003	0.034	0.033 - 0.036	15,942	0.142	0.139 - 0.144
50-64	2-yr	3,950	0.051	0.049 - 0.053	1,102	0.029	0.027 - 0.031	2,842	0.073	0.070 - 0.076
	5-yr	10,664	0.137	0.134 - 0.141	2,737	0.071	0.068 - 0.074	7,912	0.202	0.197 - 0.208
	10-yr	20,225	0.261	0.257 - 0.265	4,670	0.121	0.117 - 0.125	15,525	0.397	0.390 - 0.404
65+	2-yr	2,544	0.041	0.039 - 0.043	829	0.029	0.027 - 0.031	1,714	0.051	0.048 - 0.054
	5-yr	6,943	0.111	0.108 - 0.114	2,168	0.076	0.072 - 0.079	4,770	0.141	0.136 - 0.146
	10-yr	13,921	0.223	0.218 - 0.227	4,065	0.142	0.137 - 0.147	9,846	0.291	0.284 - 0.298
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	103,679	0.028	0.028 - 0.029	26,525	0.015	0.015 - 0.015	77,140	0.042	0.041 - 0.042
	5-yr	260,360	0.071	0.071 - 0.072	64,076	0.036	0.035 - 0.036	196,244	0.106	0.106 - 0.107
	10-yr	480,881	0.132	0.131 - 0.132	113,390	0.063	0.063 - 0.063	367,407	0.199	0.198 - 0.199
Current Age										
< 50	2-yr	46,169	0.020	0.019 - 0.020	9,359	0.008	0.008 - 0.008	36,806	0.032	0.031 - 0.032
	5-yr	109,129	0.046	0.046 - 0.047	21,287	0.018	0.018 - 0.018	87,831	0.076	0.075 - 0.076
	10-yr	182,899	0.078	0.077 - 0.078	34,308	0.029	0.028 - 0.029	148,565	0.128	0.127 - 0.129
50-64	2-yr	33,992	0.048	0.047 - 0.048	9,206	0.027	0.026 - 0.027	24,778	0.068	0.067 - 0.069
	5-yr	88,154	0.124	0.123 - 0.125	22,479	0.065	0.064 - 0.066	65,653	0.180	0.178 - 0.181
	10-yr	169,235	0.238	0.237 - 0.239	40,185	0.116	0.115 - 0.117	129,004	0.353	0.351 - 0.355
65+	2-yr	23,519	0.041	0.040 - 0.041	7,960	0.031	0.030 - 0.032	15,557	0.049	0.048 - 0.049
	5-yr	63,077	0.109	0.108 - 0.110	20,310	0.079	0.078 - 0.080	42,761	0.133	0.132 - 0.135
	10-yr	128,748	0.223	0.221 - 0.224	38,898	0.151	0.149 - 0.152	89,837	0.280	0.278 - 0.282

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Hodgkin Lymphoma**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	15,985	0.005	0.005 - 0.005	8,716	0.005	0.005 - 0.006	7,269	0.004	0.004 - 0.004
	5-yr	38,283	0.012	0.012 - 0.012	20,926	0.013	0.013 - 0.013	17,357	0.010	0.010 - 0.011
	10-yr	72,138	0.022	0.022 - 0.022	39,162	0.024	0.024 - 0.025	32,977	0.020	0.020 - 0.020
Race										
Non-Hispanic White	2-yr	10,921	0.005	0.005 - 0.006	6,001	0.006	0.006 - 0.006	4,920	0.005	0.005 - 0.005
	5-yr	26,259	0.013	0.013 - 0.013	14,449	0.015	0.014 - 0.015	11,810	0.012	0.011 - 0.012
	10-yr	50,360	0.025	0.025 - 0.025	27,491	0.028	0.027 - 0.028	22,868	0.022	0.022 - 0.023
Non-Hispanic Black	2-yr	2,093	0.005	0.005 - 0.005	1,095	0.005	0.005 - 0.006	998	0.004	0.004 - 0.005
	5-yr	5,012	0.012	0.011 - 0.012	2,681	0.013	0.013 - 0.014	2,332	0.010	0.010 - 0.011
	10-yr	9,181	0.022	0.021 - 0.022	4,819	0.024	0.023 - 0.024	4,363	0.020	0.019 - 0.020
Hispanic	2-yr	2,136	0.004	0.003 - 0.004	1,152	0.004	0.004 - 0.004	985	0.003	0.003 - 0.004
	5-yr	5,116	0.009	0.008 - 0.009	2,748	0.009	0.009 - 0.010	2,369	0.008	0.008 - 0.008
	10-yr	9,253	0.016	0.015 - 0.016	5,021	0.017	0.016 - 0.017	4,232	0.014	0.014 - 0.015
Current Age										
< 50	2-yr	10,335	0.005	0.005 - 0.005	5,495	0.005	0.005 - 0.005	4,840	0.005	0.004 - 0.005
	5-yr	24,845	0.012	0.012 - 0.012	13,130	0.012	0.012 - 0.012	11,716	0.011	0.011 - 0.011
	10-yr	46,591	0.022	0.022 - 0.022	24,442	0.023	0.022 - 0.023	22,150	0.021	0.021 - 0.021
50-64	2-yr	2,870	0.005	0.004 - 0.005	1,739	0.006	0.005 - 0.006	1,131	0.003	0.003 - 0.004
	5-yr	7,103	0.011	0.011 - 0.012	4,360	0.014	0.014 - 0.015	2,744	0.008	0.008 - 0.009
	10-yr	13,957	0.022	0.022 - 0.022	8,478	0.028	0.027 - 0.028	5,480	0.017	0.016 - 0.017
65+	2-yr	2,780	0.005	0.005 - 0.006	1,482	0.006	0.006 - 0.007	1,298	0.005	0.004 - 0.005
	5-yr	6,334	0.012	0.012 - 0.013	3,436	0.015	0.014 - 0.016	2,898	0.010	0.010 - 0.011
	10-yr	11,590	0.022	0.022 - 0.023	6,242	0.027	0.027 - 0.028	5,347	0.019	0.018 - 0.019
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	1,846	0.005	0.005 - 0.005	1,032	0.006	0.005 - 0.006	814	0.004	0.004 - 0.005
	5-yr	4,312	0.012	0.011 - 0.012	2,392	0.013	0.013 - 0.014	1,921	0.010	0.010 - 0.011
	10-yr	7,863	0.021	0.021 - 0.022	4,325	0.024	0.023 - 0.025	3,540	0.019	0.018 - 0.020
Current Age										
< 50	2-yr	1,205	0.005	0.005 - 0.006	658	0.006	0.005 - 0.006	547	0.005	0.004 - 0.005
	5-yr	2,870	0.013	0.012 - 0.013	1,568	0.014	0.013 - 0.014	1,303	0.012	0.011 - 0.012
	10-yr	5,200	0.023	0.022 - 0.024	2,788	0.024	0.023 - 0.025	2,413	0.022	0.021 - 0.023
50-64	2-yr	358	0.005	0.004 - 0.005	219	0.006	0.005 - 0.007	139	0.004	0.003 - 0.004
	5-yr	772	0.010	0.009 - 0.011	462	0.012	0.011 - 0.013	311	0.008	0.007 - 0.009
	10-yr	1,449	0.019	0.018 - 0.020	874	0.023	0.021 - 0.025	576	0.015	0.013 - 0.016
65+	2-yr	283	0.005	0.004 - 0.005	155	0.005	0.004 - 0.007	128	0.004	0.003 - 0.005
	5-yr	670	0.011	0.010 - 0.012	362	0.013	0.011 - 0.014	307	0.009	0.008 - 0.010
	10-yr	1,214	0.019	0.018 - 0.021	663	0.023	0.021 - 0.025	551	0.016	0.015 - 0.018
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	17,830	0.005	0.005 - 0.005	9,748	0.005	0.005 - 0.006	8,083	0.004	0.004 - 0.004
	5-yr	42,594	0.012	0.012 - 0.012	23,318	0.013	0.013 - 0.013	19,279	0.010	0.010 - 0.011
	10-yr	80,001	0.022	0.022 - 0.022	43,487	0.024	0.024 - 0.024	36,518	0.020	0.020 - 0.020
Current Age										
< 50	2-yr	11,540	0.005	0.005 - 0.005	6,153	0.005	0.005 - 0.005	5,388	0.005	0.005 - 0.005
	5-yr	27,716	0.012	0.012 - 0.012	14,698	0.012	0.012 - 0.013	13,019	0.011	0.011 - 0.011
	10-yr	51,791	0.022	0.022 - 0.022	27,230	0.023	0.023 - 0.023	24,563	0.021	0.021 - 0.021
50-64	2-yr	3,228	0.005	0.004 - 0.005	1,958	0.006	0.005 - 0.006	1,270	0.003	0.003 - 0.004
	5-yr	7,875	0.011	0.011 - 0.011	4,822	0.014	0.014 - 0.014	3,054	0.008	0.008 - 0.009
	10-yr	15,406	0.022	0.021 - 0.022	9,352	0.027	0.027 - 0.028	6,056	0.017	0.016 - 0.017
65+	2-yr	3,063	0.005	0.005 - 0.006	1,636	0.006	0.006 - 0.007	1,426	0.004	0.004 - 0.005
	5-yr	7,003	0.012	0.012 - 0.012	3,798	0.015	0.014 - 0.015	3,205	0.010	0.010 - 0.010
	10-yr	12,804	0.022	0.022 - 0.023	6,906	0.027	0.026 - 0.028	5,898	0.018	0.018 - 0.019

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Non-Hodgkin Lymphoma

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	115,722	0.035	0.035 - 0.036	63,134	0.039	0.039 - 0.040	52,584	0.032	0.031 - 0.032
	5-yr	254,758	0.078	0.078 - 0.078	137,352	0.085	0.085 - 0.086	117,398	0.071	0.070 - 0.071
	10-yr	423,158	0.129	0.129 - 0.130	225,180	0.140	0.139 - 0.140	197,965	0.119	0.119 - 0.120
Race										
Non-Hispanic White	2-yr	88,718	0.044	0.044 - 0.045	49,102	0.050	0.049 - 0.050	39,611	0.039	0.039 - 0.039
	5-yr	196,512	0.098	0.098 - 0.099	107,419	0.109	0.108 - 0.109	89,082	0.088	0.087 - 0.088
	10-yr	328,702	0.164	0.164 - 0.165	176,810	0.179	0.178 - 0.180	151,874	0.150	0.149 - 0.150
Non-Hispanic Black	2-yr	9,167	0.021	0.021 - 0.022	4,718	0.023	0.022 - 0.024	4,450	0.020	0.019 - 0.021
	5-yr	19,861	0.047	0.046 - 0.047	10,107	0.049	0.048 - 0.050	9,757	0.044	0.043 - 0.045
	10-yr	32,595	0.076	0.075 - 0.077	16,505	0.081	0.079 - 0.082	16,095	0.072	0.071 - 0.074
Hispanic	2-yr	11,422	0.019	0.019 - 0.020	5,966	0.020	0.020 - 0.021	5,457	0.019	0.018 - 0.019
	5-yr	24,541	0.042	0.041 - 0.042	12,577	0.042	0.042 - 0.043	11,965	0.041	0.040 - 0.042
	10-yr	39,532	0.067	0.067 - 0.068	20,245	0.068	0.067 - 0.069	19,287	0.067	0.066 - 0.067
Current Age										
< 50	2-yr	16,424	0.008	0.008 - 0.008	9,496	0.009	0.009 - 0.009	6,928	0.007	0.006 - 0.007
	5-yr	35,601	0.017	0.017 - 0.017	20,606	0.019	0.019 - 0.019	14,995	0.014	0.014 - 0.015
	10-yr	57,962	0.027	0.027 - 0.028	33,775	0.031	0.031 - 0.032	24,185	0.023	0.023 - 0.023
50-64	2-yr	32,895	0.052	0.051 - 0.053	18,021	0.059	0.058 - 0.060	14,875	0.046	0.045 - 0.047
	5-yr	70,893	0.112	0.111 - 0.113	38,717	0.126	0.125 - 0.127	32,178	0.099	0.098 - 0.100
	10-yr	115,323	0.182	0.181 - 0.183	62,819	0.204	0.203 - 0.206	52,508	0.161	0.160 - 0.163
65+	2-yr	66,402	0.129	0.128 - 0.130	35,617	0.155	0.154 - 0.157	30,781	0.107	0.106 - 0.109
	5-yr	148,264	0.287	0.285 - 0.289	78,029	0.340	0.338 - 0.343	70,225	0.245	0.243 - 0.247
	10-yr	249,873	0.484	0.482 - 0.486	128,586	0.560	0.557 - 0.564	121,273	0.422	0.420 - 0.425
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	13,774	0.037	0.036 - 0.037	7,569	0.040	0.039 - 0.042	6,206	0.033	0.032 - 0.034
	5-yr	30,620	0.081	0.080 - 0.082	16,761	0.090	0.088 - 0.091	13,860	0.073	0.072 - 0.074
	10-yr	50,057	0.133	0.131 - 0.134	26,965	0.144	0.142 - 0.146	23,094	0.122	0.120 - 0.123
Current Age										
< 50	2-yr	1,795	0.008	0.007 - 0.008	991	0.009	0.008 - 0.009	804	0.007	0.007 - 0.008
	5-yr	3,931	0.017	0.017 - 0.018	2,266	0.019	0.019 - 0.020	1,666	0.015	0.014 - 0.016
	10-yr	6,339	0.028	0.027 - 0.029	3,686	0.032	0.031 - 0.033	2,656	0.024	0.023 - 0.025
50-64	2-yr	4,123	0.053	0.051 - 0.055	2,342	0.061	0.058 - 0.064	1,782	0.045	0.043 - 0.048
	5-yr	8,964	0.115	0.112 - 0.118	5,069	0.131	0.127 - 0.136	3,899	0.099	0.096 - 0.103
	10-yr	14,281	0.184	0.180 - 0.187	7,982	0.207	0.202 - 0.212	6,305	0.161	0.156 - 0.166
65+	2-yr	7,856	0.126	0.123 - 0.129	4,236	0.148	0.143 - 0.154	3,619	0.107	0.103 - 0.111
	5-yr	17,725	0.284	0.279 - 0.289	9,425	0.330	0.322 - 0.338	8,295	0.245	0.239 - 0.251
	10-yr	29,437	0.471	0.465 - 0.478	15,296	0.535	0.525 - 0.546	14,133	0.417	0.409 - 0.426
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	129,496	0.036	0.035 - 0.036	70,703	0.039	0.039 - 0.040	58,790	0.032	0.032 - 0.032
	5-yr	285,378	0.078	0.078 - 0.079	154,113	0.086	0.085 - 0.086	131,258	0.071	0.071 - 0.071
	10-yr	473,215	0.130	0.129 - 0.130	252,145	0.140	0.140 - 0.141	221,059	0.120	0.119 - 0.120
Current Age										
< 50	2-yr	18,219	0.008	0.008 - 0.008	10,487	0.009	0.009 - 0.009	7,732	0.007	0.007 - 0.007
	5-yr	39,532	0.017	0.017 - 0.017	22,872	0.019	0.019 - 0.020	16,661	0.014	0.014 - 0.015
	10-yr	64,301	0.027	0.027 - 0.028	37,461	0.032	0.031 - 0.032	26,841	0.023	0.023 - 0.023
50-64	2-yr	37,018	0.052	0.052 - 0.053	20,364	0.059	0.058 - 0.060	16,658	0.046	0.045 - 0.046
	5-yr	79,857	0.112	0.112 - 0.113	43,786	0.126	0.125 - 0.128	36,077	0.099	0.098 - 0.100
	10-yr	129,605	0.182	0.181 - 0.183	70,802	0.205	0.203 - 0.206	58,812	0.161	0.160 - 0.163
65+	2-yr	74,259	0.128	0.127 - 0.129	39,852	0.155	0.153 - 0.156	34,400	0.107	0.106 - 0.108
	5-yr	165,989	0.287	0.285 - 0.288	87,455	0.339	0.337 - 0.342	78,520	0.245	0.243 - 0.246
	10-yr	279,310	0.483	0.481 - 0.485	143,882	0.558	0.555 - 0.561	135,406	0.422	0.420 - 0.424

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Myeloma**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	43,244	0.013	0.013 - 0.013	23,873	0.015	0.015 - 0.015	19,370	0.012	0.012 - 0.012
	5-yr	86,487	0.027	0.026 - 0.027	47,751	0.030	0.029 - 0.030	38,735	0.023	0.023 - 0.024
	10-yr	122,477	0.038	0.037 - 0.038	67,056	0.042	0.041 - 0.042	55,418	0.034	0.033 - 0.034
Race										
Non-Hispanic White	2-yr	28,112	0.014	0.014 - 0.014	16,223	0.016	0.016 - 0.017	11,887	0.012	0.011 - 0.012
	5-yr	56,403	0.028	0.028 - 0.028	32,574	0.033	0.033 - 0.033	23,826	0.023	0.023 - 0.024
	10-yr	79,873	0.040	0.040 - 0.040	45,778	0.046	0.046 - 0.047	34,090	0.034	0.033 - 0.034
Non-Hispanic Black	2-yr	8,972	0.021	0.021 - 0.021	4,318	0.021	0.020 - 0.022	4,656	0.021	0.020 - 0.022
	5-yr	17,903	0.042	0.041 - 0.043	8,682	0.042	0.042 - 0.043	9,223	0.041	0.041 - 0.042
	10-yr	25,540	0.060	0.059 - 0.061	12,230	0.060	0.059 - 0.061	13,313	0.060	0.059 - 0.061
Hispanic	2-yr	4,178	0.007	0.007 - 0.007	2,258	0.008	0.007 - 0.008	1,920	0.007	0.006 - 0.007
	5-yr	8,189	0.014	0.014 - 0.014	4,318	0.015	0.014 - 0.015	3,872	0.013	0.013 - 0.014
	10-yr	11,523	0.020	0.019 - 0.020	6,074	0.021	0.020 - 0.021	5,449	0.019	0.018 - 0.019
Current Age										
< 50	2-yr	2,847	0.001	0.001 - 0.001	1,561	0.001	0.001 - 0.002	1,286	0.001	0.001 - 0.001
	5-yr	5,258	0.002	0.002 - 0.003	2,882	0.003	0.003 - 0.003	2,375	0.002	0.002 - 0.002
	10-yr	6,962	0.003	0.003 - 0.003	3,860	0.004	0.003 - 0.004	3,102	0.003	0.003 - 0.003
50-64	2-yr	13,050	0.021	0.020 - 0.021	7,373	0.024	0.023 - 0.025	5,677	0.018	0.017 - 0.018
	5-yr	25,671	0.041	0.040 - 0.041	14,491	0.047	0.046 - 0.048	11,182	0.035	0.034 - 0.035
	10-yr	35,881	0.057	0.056 - 0.058	19,900	0.065	0.064 - 0.066	15,982	0.049	0.049 - 0.050
65+	2-yr	27,347	0.053	0.052 - 0.054	14,939	0.065	0.064 - 0.066	12,407	0.043	0.043 - 0.044
	5-yr	55,557	0.108	0.107 - 0.109	30,377	0.133	0.131 - 0.134	25,178	0.088	0.087 - 0.089
	10-yr	79,634	0.155	0.153 - 0.156	43,296	0.189	0.187 - 0.191	36,334	0.127	0.126 - 0.128
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	5,233	0.014	0.013 - 0.014	3,023	0.016	0.015 - 0.017	2,209	0.012	0.011 - 0.012
	5-yr	9,976	0.026	0.026 - 0.027	5,726	0.030	0.030 - 0.031	4,249	0.022	0.022 - 0.023
	10-yr	13,521	0.036	0.035 - 0.036	7,669	0.041	0.040 - 0.042	5,850	0.031	0.030 - 0.032
Current Age										
< 50	2-yr	232	0.001	0.001 - 0.001	135	0.001	0.001 - 0.001	97	0.001	0.001 - 0.001
	5-yr	442	0.002	0.002 - 0.002	260	0.002	0.002 - 0.003	183	0.002	0.001 - 0.002
	10-yr	581	0.003	0.002 - 0.003	343	0.003	0.003 - 0.003	239	0.002	0.002 - 0.002
50-64	2-yr	1,415	0.018	0.017 - 0.019	813	0.021	0.019 - 0.023	603	0.015	0.014 - 0.017
	5-yr	2,681	0.034	0.033 - 0.036	1,542	0.040	0.038 - 0.042	1,140	0.029	0.027 - 0.031
	10-yr	3,553	0.046	0.044 - 0.047	2,053	0.053	0.050 - 0.056	1,502	0.038	0.036 - 0.041
65+	2-yr	3,587	0.057	0.055 - 0.060	2,075	0.073	0.069 - 0.076	1,510	0.045	0.042 - 0.047
	5-yr	6,853	0.110	0.107 - 0.113	3,923	0.137	0.132 - 0.143	2,926	0.086	0.083 - 0.090
	10-yr	9,386	0.150	0.147 - 0.154	5,273	0.185	0.179 - 0.191	4,110	0.121	0.117 - 0.126
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	48,478	0.013	0.013 - 0.013	26,896	0.015	0.015 - 0.015	21,580	0.012	0.012 - 0.012
	5-yr	96,462	0.027	0.026 - 0.027	53,476	0.030	0.030 - 0.030	42,984	0.023	0.023 - 0.024
	10-yr	135,998	0.037	0.037 - 0.038	74,725	0.042	0.041 - 0.042	61,269	0.033	0.033 - 0.034
Current Age										
< 50	2-yr	3,079	0.001	0.001 - 0.001	1,696	0.001	0.001 - 0.002	1,383	0.001	0.001 - 0.001
	5-yr	5,700	0.002	0.002 - 0.003	3,142	0.003	0.003 - 0.003	2,558	0.002	0.002 - 0.002
	10-yr	7,543	0.003	0.003 - 0.003	4,203	0.004	0.003 - 0.004	3,341	0.003	0.003 - 0.003
50-64	2-yr	14,465	0.020	0.020 - 0.021	8,186	0.024	0.023 - 0.024	6,280	0.017	0.017 - 0.018
	5-yr	28,352	0.040	0.040 - 0.041	16,033	0.047	0.046 - 0.047	12,322	0.034	0.033 - 0.035
	10-yr	39,435	0.056	0.055 - 0.056	21,954	0.064	0.063 - 0.065	17,484	0.048	0.048 - 0.049
65+	2-yr	30,934	0.053	0.053 - 0.054	17,014	0.066	0.065 - 0.067	13,917	0.043	0.043 - 0.044
	5-yr	62,410	0.108	0.107 - 0.109	34,301	0.133	0.132 - 0.135	28,104	0.088	0.087 - 0.089
	10-yr	89,020	0.154	0.153 - 0.155	48,569	0.189	0.187 - 0.190	40,444	0.126	0.125 - 0.128

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Leukemias**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	75,904	0.023	0.023 - 0.023	44,439	0.028	0.027 - 0.028	31,462	0.019	0.019 - 0.019
	5-yr	163,877	0.050	0.050 - 0.050	95,589	0.059	0.059 - 0.060	68,282	0.041	0.041 - 0.041
	10-yr	264,419	0.081	0.081 - 0.081	153,002	0.095	0.094 - 0.095	111,408	0.067	0.067 - 0.068
Race										
Non-Hispanic White	2-yr	57,587	0.029	0.028 - 0.029	34,319	0.035	0.034 - 0.035	23,264	0.023	0.023 - 0.023
	5-yr	125,063	0.062	0.062 - 0.063	73,992	0.075	0.074 - 0.075	51,063	0.050	0.050 - 0.051
	10-yr	202,114	0.101	0.100 - 0.101	118,520	0.120	0.119 - 0.121	83,580	0.082	0.082 - 0.083
Non-Hispanic Black	2-yr	6,169	0.014	0.014 - 0.015	3,326	0.016	0.016 - 0.017	2,845	0.013	0.012 - 0.013
	5-yr	12,979	0.030	0.030 - 0.031	7,040	0.034	0.034 - 0.035	5,942	0.027	0.026 - 0.027
	10-yr	20,328	0.048	0.047 - 0.048	10,953	0.054	0.052 - 0.055	9,380	0.042	0.041 - 0.043
Hispanic	2-yr	7,851	0.013	0.013 - 0.014	4,362	0.015	0.014 - 0.015	3,488	0.012	0.012 - 0.012
	5-yr	16,932	0.029	0.028 - 0.029	9,485	0.032	0.031 - 0.033	7,448	0.026	0.025 - 0.026
	10-yr	27,699	0.047	0.046 - 0.048	15,409	0.052	0.051 - 0.053	12,290	0.042	0.041 - 0.043
Current Age										
< 50	2-yr	17,038	0.008	0.008 - 0.008	9,654	0.009	0.009 - 0.009	7,383	0.007	0.007 - 0.007
	5-yr	37,560	0.018	0.018 - 0.018	21,168	0.020	0.020 - 0.020	16,391	0.016	0.015 - 0.016
	10-yr	63,684	0.030	0.030 - 0.030	35,745	0.033	0.033 - 0.034	27,938	0.027	0.026 - 0.027
50-64	2-yr	19,435	0.031	0.030 - 0.031	11,609	0.038	0.037 - 0.038	7,827	0.024	0.023 - 0.025
	5-yr	40,964	0.065	0.064 - 0.065	24,547	0.080	0.079 - 0.081	16,419	0.050	0.050 - 0.051
	10-yr	63,491	0.100	0.099 - 0.101	37,785	0.123	0.121 - 0.124	25,710	0.079	0.078 - 0.080
65+	2-yr	39,432	0.076	0.075 - 0.077	23,176	0.101	0.099 - 0.102	16,252	0.057	0.056 - 0.057
	5-yr	85,354	0.165	0.164 - 0.166	49,874	0.217	0.215 - 0.219	35,472	0.123	0.122 - 0.125
	10-yr	137,244	0.265	0.264 - 0.267	79,471	0.346	0.343 - 0.348	57,760	0.201	0.199 - 0.203
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	10,527	0.028	0.027 - 0.029	6,236	0.033	0.032 - 0.034	4,292	0.023	0.022 - 0.023
	5-yr	22,582	0.060	0.059 - 0.061	13,403	0.072	0.070 - 0.073	9,181	0.048	0.047 - 0.050
	10-yr	36,327	0.097	0.095 - 0.098	21,458	0.115	0.113 - 0.117	14,871	0.079	0.077 - 0.080
Current Age										
< 50	2-yr	1,823	0.008	0.008 - 0.008	1,022	0.009	0.008 - 0.009	802	0.007	0.007 - 0.008
	5-yr	3,939	0.017	0.017 - 0.018	2,221	0.019	0.018 - 0.020	1,719	0.015	0.014 - 0.016
	10-yr	6,649	0.029	0.028 - 0.030	3,743	0.032	0.031 - 0.034	2,907	0.026	0.025 - 0.027
50-64	2-yr	2,745	0.035	0.034 - 0.037	1,674	0.043	0.041 - 0.046	1,073	0.027	0.026 - 0.029
	5-yr	5,763	0.074	0.072 - 0.076	3,525	0.091	0.088 - 0.095	2,242	0.057	0.054 - 0.060
	10-yr	8,912	0.115	0.112 - 0.117	5,455	0.141	0.137 - 0.146	3,464	0.088	0.085 - 0.092
65+	2-yr	5,960	0.095	0.093 - 0.098	3,540	0.124	0.119 - 0.129	2,418	0.071	0.068 - 0.075
	5-yr	12,880	0.206	0.202 - 0.211	7,657	0.268	0.261 - 0.275	5,220	0.154	0.149 - 0.159
	10-yr	20,766	0.333	0.327 - 0.338	12,260	0.429	0.420 - 0.438	8,500	0.251	0.245 - 0.257
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	86,432	0.024	0.023 - 0.024	50,675	0.028	0.028 - 0.028	35,754	0.019	0.019 - 0.020
	5-yr	186,460	0.051	0.051 - 0.051	108,992	0.060	0.060 - 0.061	77,463	0.042	0.041 - 0.042
	10-yr	300,746	0.082	0.082 - 0.083	174,460	0.097	0.096 - 0.097	126,279	0.068	0.068 - 0.069
Current Age										
< 50	2-yr	18,861	0.008	0.008 - 0.008	10,676	0.009	0.009 - 0.009	8,185	0.007	0.007 - 0.007
	5-yr	41,499	0.018	0.018 - 0.018	23,389	0.020	0.019 - 0.020	18,110	0.016	0.015 - 0.016
	10-yr	70,333	0.030	0.030 - 0.030	39,488	0.033	0.033 - 0.034	30,845	0.027	0.026 - 0.027
50-64	2-yr	22,179	0.031	0.031 - 0.032	13,283	0.038	0.038 - 0.039	8,900	0.024	0.024 - 0.025
	5-yr	46,727	0.065	0.065 - 0.066	28,072	0.081	0.080 - 0.082	18,661	0.051	0.050 - 0.052
	10-yr	72,403	0.101	0.101 - 0.102	43,240	0.124	0.123 - 0.126	29,174	0.080	0.079 - 0.081
65+	2-yr	45,392	0.078	0.077 - 0.079	26,716	0.103	0.102 - 0.104	18,670	0.058	0.057 - 0.059
	5-yr	98,234	0.169	0.167 - 0.170	57,530	0.222	0.220 - 0.224	40,692	0.126	0.125 - 0.127
	10-yr	158,010	0.271	0.270 - 0.273	91,731	0.353	0.351 - 0.356	66,260	0.205	0.203 - 0.207

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2018
by Race and Age for the United States, Canada and North America Combined, Mesothelioma**

U.S. Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	2,989	0.001	0.001 - 0.001	2,102	0.001	0.001 - 0.001	887	0.001	0.000 - 0.001
	5-yr	4,395	0.001	0.001 - 0.001	2,974	0.002	0.002 - 0.002	1,421	0.001	0.001 - 0.001
	10-yr	5,345	0.002	0.002 - 0.002	3,483	0.002	0.002 - 0.002	1,861	0.001	0.001 - 0.001
Race										
Non-Hispanic White	2-yr	2,485	0.001	0.001 - 0.001	1,766	0.002	0.002 - 0.002	718	0.001	0.001 - 0.001
	5-yr	3,655	0.002	0.002 - 0.002	2,503	0.003	0.002 - 0.003	1,152	0.001	0.001 - 0.001
	10-yr	4,407	0.002	0.002 - 0.002	2,917	0.003	0.003 - 0.003	1,490	0.001	0.001 - 0.002
Non-Hispanic Black	2-yr	142	0.000	0.000 - 0.000	102	0.000	0.000 - 0.001	41	0.000	0.000 - 0.000
	5-yr	217	0.001	0.000 - 0.001	139	0.001	0.001 - 0.001	78	0.000	0.000 - 0.000
	10-yr	290	0.001	0.001 - 0.001	169	0.001	0.001 - 0.001	121	0.001	0.000 - 0.001
Hispanic	2-yr	261	0.000	0.000 - 0.001	173	0.001	0.001 - 0.001	88	0.000	0.000 - 0.000
	5-yr	382	0.001	0.001 - 0.001	244	0.001	0.001 - 0.001	138	0.000	0.000 - 0.001
	10-yr	476	0.001	0.001 - 0.001	295	0.001	0.001 - 0.001	181	0.001	0.001 - 0.001
Current Age										
< 50	2-yr	177	0.000	0.000 - 0.000	81	0.000	0.000 - 0.000	95	0.000	0.000 - 0.000
	5-yr	343	0.000	0.000 - 0.000	142	0.000	0.000 - 0.000	201	0.000	0.000 - 0.000
	10-yr	494	0.000	0.000 - 0.000	207	0.000	0.000 - 0.000	286	0.000	0.000 - 0.000
50-64	2-yr	541	0.001	0.001 - 0.001	316	0.001	0.001 - 0.001	224	0.001	0.001 - 0.001
	5-yr	878	0.001	0.001 - 0.001	508	0.002	0.002 - 0.002	370	0.001	0.001 - 0.001
	10-yr	1,144	0.002	0.002 - 0.002	638	0.002	0.002 - 0.002	506	0.002	0.001 - 0.002
65+	2-yr	2,271	0.004	0.004 - 0.005	1,704	0.007	0.007 - 0.008	567	0.002	0.002 - 0.002
	5-yr	3,174	0.006	0.006 - 0.006	2,324	0.010	0.010 - 0.011	850	0.003	0.003 - 0.003
	10-yr	3,707	0.007	0.007 - 0.007	2,638	0.011	0.011 - 0.012	1,069	0.004	0.003 - 0.004
Canadian Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	540	0.001	0.001 - 0.002	416	0.002	0.002 - 0.002	124	0.001	0.001 - 0.001
	5-yr	776	0.002	0.002 - 0.002	546	0.003	0.003 - 0.003	230	0.001	0.001 - 0.001
	10-yr	904	0.002	0.002 - 0.003	626	0.003	0.003 - 0.004	278	0.001	0.001 - 0.002
Current Age										
< 50	2-yr	28	0.000	0.000 - 0.000	-	-	-	-	-	-
	5-yr	51	0.000	0.000 - 0.000	24	0.000	0.000 - 0.000	27	0.000	0.000 - 0.000
	10-yr	68	0.000	0.000 - 0.000	33	0.000	0.000 - 0.000	34	0.000	0.000 - 0.000
50-64	2-yr	97	0.001	0.001 - 0.002	62	0.002	0.001 - 0.002	36	0.001	0.001 - 0.001
	5-yr	159	0.002	0.002 - 0.002	98	0.003	0.002 - 0.003	61	0.002	0.001 - 0.002
	10-yr	185	0.002	0.002 - 0.003	113	0.003	0.002 - 0.004	72	0.002	0.001 - 0.002
65+	2-yr	415	0.007	0.006 - 0.007	334	0.012	0.010 - 0.013	81	0.002	0.002 - 0.003
	5-yr	566	0.009	0.008 - 0.010	424	0.015	0.013 - 0.017	142	0.004	0.003 - 0.005
	10-yr	651	0.010	0.010 - 0.011	479	0.017	0.015 - 0.019	171	0.005	0.004 - 0.006
North America Combined¹	LD² Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
Total	2-yr	3,529	0.001	0.001 - 0.001	2,517	0.001	0.001 - 0.001	1,011	0.001	0.001 - 0.001
	5-yr	5,172	0.001	0.001 - 0.001	3,520	0.002	0.002 - 0.002	1,651	0.001	0.001 - 0.001
	10-yr	6,250	0.002	0.002 - 0.002	4,109	0.002	0.002 - 0.002	2,139	0.001	0.001 - 0.001
Current Age										
< 50	2-yr	205	0.000	0.000 - 0.000	101	0.000	0.000 - 0.000	103	0.000	0.000 - 0.000
	5-yr	394	0.000	0.000 - 0.000	166	0.000	0.000 - 0.000	228	0.000	0.000 - 0.000
	10-yr	562	0.000	0.000 - 0.000	241	0.000	0.000 - 0.000	321	0.000	0.000 - 0.000
50-64	2-yr	638	0.001	0.001 - 0.001	378	0.001	0.001 - 0.001	260	0.001	0.001 - 0.001
	5-yr	1,037	0.001	0.001 - 0.002	606	0.002	0.002 - 0.002	431	0.001	0.001 - 0.001
	10-yr	1,329	0.002	0.002 - 0.002	751	0.002	0.002 - 0.002	579	0.002	0.001 - 0.002
65+	2-yr	2,686	0.005	0.004 - 0.005	2,038	0.008	0.007 - 0.008	647	0.002	0.002 - 0.002
	5-yr	3,741	0.006	0.006 - 0.007	2,748	0.011	0.010 - 0.011	992	0.003	0.003 - 0.003
	10-yr	4,358	0.007	0.007 - 0.008	3,117	0.012	0.012 - 0.012	1,240	0.004	0.004 - 0.004

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: LD – Limited-Duration; C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.



Section III

Two-, Five- and Ten-Year Limited-Duration Prevalence for Cancers Diagnosed 2008-2017, by Registry and Race



**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,647,072	0.809	0.808 - 0.810	1,310,030	0.813	0.812 - 0.815	1,337,030	0.806	0.805 - 0.807
Alabama	40,597	0.832	0.824 - 0.840	20,979	0.889	0.877 - 0.901	19,618	0.778	0.768 - 0.789
Alaska	4,628	0.628	0.610 - 0.646	2,409	0.626	0.601 - 0.651	2,219	0.629	0.603 - 0.656
Arizona	48,748	0.686	0.680 - 0.693	23,900	0.677	0.669 - 0.686	24,848	0.696	0.687 - 0.704
Arkansas	25,619	0.852	0.842 - 0.863	13,291	0.900	0.885 - 0.916	12,328	0.806	0.792 - 0.821
California	267,835	0.680	0.677 - 0.682	128,787	0.657	0.654 - 0.661	139,048	0.702	0.698 - 0.705
CA - Greater California	151,013	0.690	0.686 - 0.693	73,627	0.674	0.670 - 0.679	77,386	0.705	0.700 - 0.710
CA - Greater Bay Area	53,624	0.723	0.716 - 0.729	25,968	0.702	0.693 - 0.710	27,657	0.743	0.735 - 0.752
CA - Los Angeles	63,221	0.627	0.622 - 0.632	29,205	0.587	0.580 - 0.594	34,016	0.665	0.658 - 0.672
Colorado	38,047	0.673	0.666 - 0.680	18,176	0.639	0.630 - 0.648	19,871	0.708	0.698 - 0.718
Connecticut	33,655	0.942	0.932 - 0.952	16,564	0.951	0.936 - 0.965	17,091	0.934	0.920 - 0.948
Delaware	9,095	0.946	0.927 - 0.966	4,592	0.988	0.960 - 1.017	4,503	0.907	0.881 - 0.934
Florida	196,301	0.930	0.926 - 0.934	98,327	0.953	0.947 - 0.959	97,974	0.908	0.903 - 0.914
Georgia	80,819	0.773	0.767 - 0.778	41,084	0.807	0.800 - 0.815	39,734	0.740	0.732 - 0.747
Hawaii	11,520	0.810	0.795 - 0.825	5,613	0.787	0.767 - 0.808	5,907	0.832	0.811 - 0.854
Idaho	13,364	0.771	0.758 - 0.784	6,892	0.793	0.775 - 0.812	6,472	0.748	0.730 - 0.766
Illinois	107,404	0.842	0.837 - 0.847	52,086	0.831	0.824 - 0.839	55,318	0.853	0.846 - 0.860
Iowa	28,541	0.907	0.897 - 0.918	14,361	0.918	0.903 - 0.933	14,180	0.897	0.883 - 0.912
Kansas	24,629	0.846	0.836 - 0.857	12,383	0.854	0.839 - 0.869	12,246	0.839	0.824 - 0.854
Kentucky	40,900	0.918	0.909 - 0.927	20,110	0.916	0.903 - 0.929	20,790	0.919	0.907 - 0.932
Louisiana	38,840	0.833	0.824 - 0.841	20,190	0.886	0.874 - 0.899	18,649	0.781	0.770 - 0.793
Maine	13,695	1.024	1.007 - 1.042	6,705	1.024	1.000 - 1.049	6,990	1.025	1.001 - 1.049
Maryland	49,396	0.819	0.812 - 0.826	23,972	0.820	0.810 - 0.831	25,424	0.818	0.808 - 0.828
MI - Detroit	35,029	0.902	0.892 - 0.911	17,407	0.923	0.910 - 0.937	17,622	0.882	0.869 - 0.895
Minnesota	48,604	0.870	0.862 - 0.878	24,469	0.880	0.869 - 0.891	24,135	0.861	0.850 - 0.872
Mississippi	24,964	0.836	0.826 - 0.847	12,905	0.891	0.876 - 0.907	12,059	0.785	0.771 - 0.799
Missouri	50,776	0.830	0.823 - 0.838	24,483	0.816	0.806 - 0.826	26,293	0.845	0.834 - 0.855
Montana	9,924	0.939	0.921 - 0.958	5,226	0.983	0.956 - 1.010	4,698	0.895	0.870 - 0.921
Nebraska	16,113	0.839	0.826 - 0.852	8,231	0.858	0.840 - 0.877	7,882	0.819	0.801 - 0.838
New Hampshire	13,504	0.999	0.983 - 1.016	6,782	1.013	0.989 - 1.038	6,722	0.986	0.962 - 1.010
New Jersey	82,835	0.932	0.926 - 0.939	41,003	0.945	0.936 - 0.954	41,831	0.920	0.911 - 0.929
New Mexico	14,147	0.676	0.665 - 0.687	6,778	0.655	0.639 - 0.670	7,370	0.697	0.682 - 0.713
New York	179,781	0.919	0.915 - 0.923	88,063	0.927	0.921 - 0.933	91,718	0.912	0.906 - 0.917
North Carolina	88,516	0.857	0.852 - 0.863	43,896	0.874	0.866 - 0.882	44,620	0.842	0.834 - 0.850
North Dakota	6,090	0.805	0.785 - 0.825	3,098	0.800	0.772 - 0.828	2,992	0.811	0.782 - 0.840
Ohio	101,750	0.872	0.867 - 0.877	49,786	0.871	0.863 - 0.878	51,964	0.873	0.866 - 0.881
Oklahoma	29,611	0.752	0.744 - 0.761	14,536	0.745	0.733 - 0.758	15,075	0.759	0.747 - 0.771
Oregon	34,075	0.819	0.810 - 0.827	16,778	0.813	0.801 - 0.825	17,297	0.824	0.812 - 0.836
Pennsylvania	121,245	0.948	0.942 - 0.953	59,082	0.943	0.935 - 0.950	62,163	0.952	0.945 - 0.960
Rhode Island	9,614	0.910	0.891 - 0.928	4,589	0.893	0.867 - 0.919	5,025	0.926	0.900 - 0.951
South Carolina	42,157	0.834	0.826 - 0.842	21,177	0.864	0.853 - 0.876	20,980	0.806	0.795 - 0.817
South Dakota	7,289	0.832	0.813 - 0.852	3,778	0.855	0.828 - 0.882	3,511	0.810	0.783 - 0.837
Tennessee	56,895	0.844	0.837 - 0.851	29,024	0.882	0.872 - 0.893	27,871	0.808	0.798 - 0.817
Texas	175,622	0.617	0.614 - 0.620	87,161	0.617	0.612 - 0.621	88,461	0.618	0.613 - 0.622
Utah	17,723	0.567	0.558 - 0.575	9,096	0.578	0.566 - 0.590	8,627	0.556	0.544 - 0.568
Vermont	6,074	0.973	0.949 - 0.998	3,010	0.976	0.942 - 1.012	3,064	0.969	0.935 - 1.004
Washington	58,840	0.787	0.781 - 0.794	28,568	0.764	0.755 - 0.773	30,272	0.811	0.802 - 0.820
WA - Seattle	43,170	0.837	0.829 - 0.845	21,208	0.821	0.810 - 0.833	21,962	0.853	0.841 - 0.864
West Virginia	18,004	0.994	0.980 - 1.009	8,977	1.001	0.981 - 1.022	9,027	0.987	0.967 - 1.008
Wisconsin	52,614	0.907	0.900 - 0.915	26,591	0.922	0.911 - 0.933	26,023	0.893	0.882 - 0.904
Wyoming	4,480	0.775	0.752 - 0.798	2,390	0.811	0.779 - 0.844	2,090	0.737	0.706 - 0.770
NAACCR CDN Combined¹	314,423	0.834	0.831 - 0.838	156,613	0.835	0.830 - 0.840	157,703	0.833	0.828 - 0.838
Alberta	29,970	0.702	0.694 - 0.710	15,087	0.702	0.690 - 0.713	14,883	0.702	0.691 - 0.714
British Columbia	39,004	0.785	0.777 - 0.793	19,710	0.801	0.790 - 0.813	19,294	0.768	0.758 - 0.779
Manitoba	10,209	0.760	0.745 - 0.775	5,048	0.752	0.731 - 0.773	5,161	0.767	0.747 - 0.789
New Brunswick	7,536	0.981	0.959 - 1.003	3,824	1.006	0.974 - 1.038	3,712	0.956	0.925 - 0.987
Newfoundland and Labrador	5,713	1.084	1.056 - 1.113	2,874	1.101	1.061 - 1.142	2,839	1.068	1.029 - 1.108
Ontario	126,068	0.888	0.884 - 0.893	61,892	0.884	0.877 - 0.891	64,176	0.893	0.886 - 0.900
Prince Edward Island	1,385	0.912	0.864 - 0.961	710	0.954	0.885 - 1.026	675	0.872	0.807 - 0.940
Saskatchewan	8,462	0.732	0.716 - 0.748	4,254	0.730	0.709 - 0.753	4,208	0.734	0.712 - 0.756
NAACCR N.A. Combined¹	2,961,495	0.812	0.811 - 0.813	1,466,643	0.815	0.814 - 0.816	1,494,733	0.808	0.807 - 0.810

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	76,786	0.023	0.023 - 0.024	55,120	0.034	0.034 - 0.034	21,668	0.013	0.013 - 0.013
Alabama	1,279	0.026	0.025 - 0.028	905	0.038	0.036 - 0.041	374	0.015	0.013 - 0.016
Alaska	146	0.020	0.017 - 0.023	109	0.028	0.023 - 0.034	37	0.010	0.007 - 0.014
Arizona	1,223	0.017	0.016 - 0.018	902	0.026	0.024 - 0.027	321	0.009	0.008 - 0.010
Arkansas	808	0.027	0.025 - 0.029	588	0.040	0.037 - 0.043	220	0.014	0.013 - 0.016
California	7,396	0.019	0.018 - 0.019	5,280	0.027	0.026 - 0.028	2,116	0.011	0.010 - 0.011
CA - Greater California	4,375	0.020	0.019 - 0.021	3,173	0.029	0.028 - 0.030	1,201	0.011	0.010 - 0.012
CA - Greater Bay Area	1,499	0.020	0.019 - 0.021	1,033	0.028	0.026 - 0.030	466	0.013	0.011 - 0.014
CA - Los Angeles	1,522	0.015	0.014 - 0.016	1,073	0.022	0.020 - 0.023	449	0.009	0.008 - 0.010
Colorado	1,130	0.020	0.019 - 0.021	819	0.029	0.027 - 0.031	311	0.011	0.010 - 0.012
Connecticut	937	0.026	0.025 - 0.028	631	0.036	0.033 - 0.039	306	0.017	0.015 - 0.019
Delaware	244	0.025	0.022 - 0.029	180	0.039	0.033 - 0.045	64	0.013	0.010 - 0.016
Florida	6,072	0.029	0.028 - 0.030	4,478	0.043	0.042 - 0.045	1,594	0.015	0.014 - 0.016
Georgia	2,329	0.022	0.021 - 0.023	1,690	0.033	0.032 - 0.035	639	0.012	0.011 - 0.013
Hawaii	384	0.027	0.024 - 0.030	267	0.037	0.033 - 0.042	117	0.016	0.014 - 0.020
Idaho	430	0.025	0.023 - 0.027	324	0.037	0.033 - 0.042	107	0.012	0.010 - 0.015
Illinois	3,120	0.024	0.024 - 0.025	2,225	0.036	0.034 - 0.037	895	0.014	0.013 - 0.015
Iowa	883	0.028	0.026 - 0.030	616	0.039	0.036 - 0.043	267	0.017	0.015 - 0.019
Kansas	688	0.024	0.022 - 0.025	487	0.034	0.031 - 0.037	201	0.014	0.012 - 0.016
Kentucky	1,231	0.028	0.026 - 0.029	874	0.040	0.037 - 0.043	357	0.016	0.014 - 0.017
Louisiana	1,137	0.024	0.023 - 0.026	787	0.035	0.032 - 0.037	350	0.015	0.013 - 0.016
Maine	457	0.034	0.031 - 0.037	326	0.050	0.045 - 0.056	131	0.019	0.016 - 0.023
Maryland	1,343	0.022	0.021 - 0.023	942	0.032	0.030 - 0.034	401	0.013	0.012 - 0.014
MI - Detroit	1,002	0.026	0.024 - 0.027	723	0.038	0.036 - 0.041	279	0.014	0.012 - 0.016
Minnesota	1,471	0.026	0.025 - 0.028	1,020	0.037	0.034 - 0.039	451	0.016	0.015 - 0.018
Mississippi	823	0.028	0.026 - 0.030	600	0.041	0.038 - 0.045	223	0.015	0.013 - 0.017
Missouri	1,633	0.027	0.025 - 0.028	1,229	0.041	0.039 - 0.043	404	0.013	0.012 - 0.014
Montana	277	0.026	0.023 - 0.030	203	0.038	0.033 - 0.044	74	0.014	0.011 - 0.018
Nebraska	499	0.026	0.024 - 0.028	360	0.038	0.034 - 0.042	139	0.014	0.012 - 0.017
New Hampshire	360	0.027	0.024 - 0.030	266	0.040	0.035 - 0.045	94	0.014	0.011 - 0.017
New Jersey	2,101	0.024	0.023 - 0.025	1,500	0.035	0.033 - 0.036	602	0.013	0.012 - 0.014
New Mexico	359	0.017	0.015 - 0.019	261	0.025	0.022 - 0.028	98	0.009	0.008 - 0.011
New York	4,539	0.023	0.023 - 0.024	3,108	0.033	0.032 - 0.034	1,431	0.014	0.013 - 0.015
North Carolina	2,574	0.025	0.024 - 0.026	1,848	0.037	0.035 - 0.039	726	0.014	0.013 - 0.015
North Dakota	201	0.027	0.023 - 0.031	142	0.037	0.031 - 0.043	59	0.016	0.012 - 0.021
Ohio	2,942	0.025	0.024 - 0.026	2,116	0.037	0.035 - 0.039	826	0.014	0.013 - 0.015
Oklahoma	899	0.023	0.021 - 0.024	656	0.034	0.031 - 0.036	243	0.012	0.011 - 0.014
Oregon	1,113	0.027	0.025 - 0.028	826	0.040	0.037 - 0.043	287	0.014	0.012 - 0.015
Pennsylvania	3,400	0.027	0.026 - 0.027	2,417	0.039	0.037 - 0.040	983	0.015	0.014 - 0.016
Rhode Island	255	0.024	0.021 - 0.027	160	0.031	0.026 - 0.036	95	0.017	0.014 - 0.021
South Carolina	1,300	0.026	0.024 - 0.027	977	0.040	0.037 - 0.042	323	0.012	0.011 - 0.014
South Dakota	230	0.026	0.023 - 0.030	165	0.037	0.032 - 0.043	65	0.015	0.012 - 0.019
Tennessee	1,767	0.026	0.025 - 0.027	1,304	0.040	0.038 - 0.042	463	0.013	0.012 - 0.015
Texas	5,231	0.018	0.018 - 0.019	3,836	0.027	0.026 - 0.028	1,395	0.010	0.009 - 0.010
Utah	455	0.015	0.013 - 0.016	305	0.019	0.017 - 0.022	150	0.010	0.008 - 0.011
Vermont	177	0.028	0.024 - 0.033	137	0.044	0.037 - 0.053	40	0.013	0.009 - 0.017
Washington	1,832	0.025	0.023 - 0.026	1,279	0.034	0.032 - 0.036	553	0.015	0.014 - 0.016
WA - Seattle	1,424	0.028	0.026 - 0.029	1,004	0.039	0.037 - 0.041	421	0.016	0.015 - 0.018
West Virginia	564	0.031	0.029 - 0.034	407	0.045	0.041 - 0.050	157	0.017	0.015 - 0.020
Wisconsin	1,475	0.025	0.024 - 0.027	1,025	0.036	0.033 - 0.038	450	0.015	0.014 - 0.017
Wyoming	142	0.025	0.021 - 0.029	100	0.034	0.028 - 0.041	42	0.015	0.011 - 0.020
NAACCR CDN Combined¹	8,576	0.023	0.022 - 0.023	5,988	0.032	0.031 - 0.033	2,596	0.014	0.013 - 0.014
Alberta	735	0.017	0.016 - 0.019	521	0.024	0.022 - 0.026	214	0.010	0.009 - 0.012
British Columbia	1,135	0.023	0.022 - 0.024	811	0.033	0.031 - 0.035	324	0.013	0.012 - 0.014
Manitoba	314	0.023	0.021 - 0.026	212	0.032	0.027 - 0.036	102	0.015	0.012 - 0.018
New Brunswick	239	0.031	0.027 - 0.035	176	0.046	0.040 - 0.054	63	0.016	0.012 - 0.021
Newfoundland and Labrador	154	0.029	0.025 - 0.034	112	0.043	0.035 - 0.052	42	0.016	0.011 - 0.021
Ontario	3,396	0.024	0.023 - 0.025	2,328	0.033	0.032 - 0.035	1,068	0.015	0.014 - 0.016
Prince Edward Island	52	0.034	0.026 - 0.045	35	0.047	0.033 - 0.065	17	0.022	0.013 - 0.035
Saskatchewan	211	0.018	0.016 - 0.021	149	0.026	0.022 - 0.030	62	0.011	0.008 - 0.014
NAACCR N.A. Combined¹	85,361	0.023	0.023 - 0.024	61,108	0.034	0.034 - 0.034	24,264	0.013	0.013 - 0.013

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-2 Prevalence – Oral Cavity and Pharynx

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	18,855	0.006	0.006 - 0.006	14,927	0.009	0.009 - 0.009	3,928	0.002	0.002 - 0.002
Alabama	267	0.005	0.005 - 0.006	222	0.009	0.008 - 0.011	45	0.002	0.001 - 0.002
Alaska	44	0.006	0.004 - 0.008	32	0.008	0.006 - 0.012	12	0.003	0.002 - 0.006
Arizona	382	0.005	0.005 - 0.006	295	0.008	0.007 - 0.009	87	0.002	0.002 - 0.003
Arkansas	157	0.005	0.004 - 0.006	126	0.009	0.007 - 0.010	31	0.002	0.001 - 0.003
California	1,578	0.004	0.004 - 0.004	1,224	0.006	0.006 - 0.007	354	0.002	0.002 - 0.002
CA - Greater California	943	0.004	0.004 - 0.005	726	0.007	0.006 - 0.007	217	0.002	0.002 - 0.002
CA - Greater Bay Area	340	0.005	0.004 - 0.005	266	0.007	0.006 - 0.008	75	0.002	0.002 - 0.003
CA - Los Angeles	295	0.003	0.003 - 0.003	233	0.005	0.004 - 0.005	62	0.001	0.001 - 0.002
Colorado	276	0.005	0.004 - 0.005	219	0.008	0.007 - 0.009	57	0.002	0.002 - 0.003
Connecticut	257	0.007	0.006 - 0.008	207	0.012	0.010 - 0.014	50	0.003	0.002 - 0.004
Delaware	65	0.007	0.005 - 0.009	54	0.012	0.009 - 0.015	11	0.002	0.001 - 0.004
Florida	1,502	0.007	0.007 - 0.007	1,188	0.012	0.011 - 0.012	314	0.003	0.003 - 0.003
Georgia	483	0.005	0.004 - 0.005	381	0.007	0.007 - 0.008	103	0.002	0.002 - 0.002
Hawaii	75	0.005	0.004 - 0.007	63	0.009	0.007 - 0.011	12	0.002	0.001 - 0.003
Idaho	105	0.006	0.005 - 0.007	89	0.010	0.008 - 0.013	16	0.002	0.001 - 0.003
Illinois	755	0.006	0.006 - 0.006	594	0.009	0.009 - 0.010	161	0.002	0.002 - 0.003
Iowa	281	0.009	0.008 - 0.010	237	0.015	0.013 - 0.017	44	0.003	0.002 - 0.004
Kansas	182	0.006	0.005 - 0.007	138	0.010	0.008 - 0.011	44	0.003	0.002 - 0.004
Kentucky	295	0.007	0.006 - 0.007	243	0.011	0.010 - 0.013	53	0.002	0.002 - 0.003
Louisiana	231	0.005	0.004 - 0.006	175	0.008	0.007 - 0.009	56	0.002	0.002 - 0.003
Maine	153	0.011	0.010 - 0.013	116	0.018	0.015 - 0.021	37	0.005	0.004 - 0.007
Maryland	298	0.005	0.004 - 0.006	230	0.008	0.007 - 0.009	68	0.002	0.002 - 0.003
MI - Detroit	267	0.007	0.006 - 0.008	212	0.011	0.010 - 0.013	55	0.003	0.002 - 0.004
Minnesota	364	0.007	0.006 - 0.007	288	0.010	0.009 - 0.012	76	0.003	0.002 - 0.003
Mississippi	169	0.006	0.005 - 0.007	135	0.009	0.008 - 0.011	34	0.002	0.002 - 0.003
Missouri	409	0.007	0.006 - 0.007	314	0.010	0.009 - 0.012	95	0.003	0.002 - 0.004
Montana	68	0.006	0.005 - 0.008	54	0.010	0.008 - 0.013	14	0.003	0.001 - 0.004
Nebraska	100	0.005	0.004 - 0.006	85	0.009	0.007 - 0.011	15	0.002	0.001 - 0.003
New Hampshire	125	0.009	0.008 - 0.011	106	0.016	0.013 - 0.019	19	0.003	0.002 - 0.004
New Jersey	520	0.006	0.005 - 0.006	395	0.009	0.008 - 0.010	125	0.003	0.002 - 0.003
New Mexico	98	0.005	0.004 - 0.006	75	0.007	0.006 - 0.009	23	0.002	0.001 - 0.003
New York	1,167	0.006	0.006 - 0.006	882	0.009	0.009 - 0.010	285	0.003	0.003 - 0.003
North Carolina	568	0.006	0.005 - 0.006	460	0.009	0.008 - 0.010	108	0.002	0.002 - 0.002
North Dakota	57	0.008	0.006 - 0.010	-	-	-	-	-	-
Ohio	883	0.008	0.007 - 0.008	732	0.013	0.012 - 0.014	151	0.003	0.002 - 0.003
Oklahoma	207	0.005	0.005 - 0.006	167	0.009	0.007 - 0.010	40	0.002	0.001 - 0.003
Oregon	285	0.007	0.006 - 0.008	235	0.011	0.010 - 0.013	50	0.002	0.002 - 0.003
Pennsylvania	977	0.008	0.007 - 0.008	754	0.012	0.011 - 0.013	223	0.003	0.003 - 0.004
Rhode Island	67	0.006	0.005 - 0.008	48	0.009	0.007 - 0.012	19	0.003	0.002 - 0.005
South Carolina	311	0.006	0.005 - 0.007	246	0.010	0.009 - 0.011	65	0.002	0.002 - 0.003
South Dakota	54	0.006	0.005 - 0.008	40	0.009	0.006 - 0.012	14	0.003	0.002 - 0.005
Tennessee	434	0.006	0.006 - 0.007	357	0.011	0.010 - 0.012	77	0.002	0.002 - 0.003
Texas	1,202	0.004	0.004 - 0.004	973	0.007	0.006 - 0.007	229	0.002	0.001 - 0.002
Utah	99	0.003	0.003 - 0.004	85	0.005	0.004 - 0.007	14	0.001	0.000 - 0.002
Vermont	56	0.009	0.007 - 0.012	45	0.015	0.011 - 0.020	11	0.003	0.002 - 0.006
Washington	453	0.006	0.006 - 0.007	363	0.010	0.009 - 0.011	90	0.002	0.002 - 0.003
WA - Seattle	297	0.006	0.005 - 0.006	231	0.009	0.008 - 0.010	66	0.003	0.002 - 0.003
West Virginia	144	0.008	0.007 - 0.009	117	0.013	0.011 - 0.016	27	0.003	0.002 - 0.004
Wisconsin	428	0.007	0.007 - 0.008	324	0.011	0.010 - 0.013	104	0.004	0.003 - 0.004
Wyoming	20	0.003	0.002 - 0.005	-	-	-	-	-	-
NAACCR CDN Combined¹	2,176	0.006	0.005 - 0.006	1,681	0.009	0.008 - 0.009	497	0.003	0.002 - 0.003
Alberta	189	0.004	0.004 - 0.005	146	0.007	0.006 - 0.008	43	0.002	0.001 - 0.003
British Columbia	329	0.007	0.006 - 0.007	250	0.010	0.009 - 0.012	79	0.003	0.002 - 0.004
Manitoba	75	0.006	0.004 - 0.007	57	0.008	0.006 - 0.011	18	0.003	0.002 - 0.004
New Brunswick	52	0.007	0.005 - 0.009	-	-	-	-	-	-
Newfoundland and Labrador	46	0.009	0.006 - 0.012	-	-	-	-	-	-
Ontario	817	0.006	0.005 - 0.006	624	0.009	0.008 - 0.010	193	0.003	0.002 - 0.003
Prince Edward Island	11	0.007	0.004 - 0.013	-	-	-	-	-	-
Saskatchewan	55	0.005	0.004 - 0.006	-	-	-	-	-	-
NAACCR N.A. Combined¹	21,031	0.006	0.006 - 0.006	16,608	0.009	0.009 - 0.009	4,425	0.002	0.002 - 0.002

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	30,084	0.009	0.009 - 0.009	17,977	0.011	0.011 - 0.011	12,107	0.007	0.007 - 0.008
Alabama	497	0.010	0.009 - 0.011	293	0.012	0.011 - 0.014	204	0.008	0.007 - 0.009
Alaska	60	0.008	0.006 - 0.010	38	0.010	0.007 - 0.014	22	0.006	0.004 - 0.009
Arizona	549	0.008	0.007 - 0.008	339	0.010	0.009 - 0.011	210	0.006	0.005 - 0.007
Arkansas	275	0.009	0.008 - 0.010	165	0.011	0.010 - 0.013	110	0.007	0.006 - 0.009
California	3,704	0.009	0.009 - 0.010	2,118	0.011	0.010 - 0.011	1,586	0.008	0.008 - 0.008
CA - Greater California	1,810	0.008	0.008 - 0.009	1,027	0.009	0.009 - 0.010	784	0.007	0.007 - 0.008
CA - Greater Bay Area	790	0.011	0.010 - 0.011	454	0.012	0.011 - 0.013	335	0.009	0.008 - 0.010
CA - Los Angeles	1,103	0.011	0.010 - 0.012	637	0.013	0.012 - 0.014	467	0.009	0.008 - 0.010
Colorado	386	0.007	0.006 - 0.008	251	0.009	0.008 - 0.010	135	0.005	0.004 - 0.006
Connecticut	454	0.013	0.012 - 0.014	289	0.017	0.015 - 0.019	165	0.009	0.008 - 0.010
Delaware	94	0.010	0.008 - 0.012	53	0.011	0.009 - 0.015	41	0.008	0.006 - 0.011
Florida	2,059	0.010	0.009 - 0.010	1,258	0.012	0.012 - 0.013	801	0.007	0.007 - 0.008
Georgia	828	0.008	0.007 - 0.008	495	0.010	0.009 - 0.011	333	0.006	0.006 - 0.007
Hawaii	183	0.013	0.011 - 0.015	108	0.015	0.012 - 0.018	75	0.011	0.008 - 0.013
Idaho	109	0.006	0.005 - 0.008	78	0.009	0.007 - 0.011	31	0.004	0.002 - 0.005
Illinois	1,308	0.010	0.010 - 0.011	767	0.012	0.011 - 0.013	541	0.008	0.008 - 0.009
Iowa	220	0.007	0.006 - 0.008	132	0.008	0.007 - 0.010	88	0.006	0.004 - 0.007
Kansas	203	0.007	0.006 - 0.008	123	0.008	0.007 - 0.010	80	0.005	0.004 - 0.007
Kentucky	412	0.009	0.008 - 0.010	234	0.011	0.009 - 0.012	177	0.008	0.007 - 0.009
Louisiana	430	0.009	0.008 - 0.010	267	0.012	0.010 - 0.013	163	0.007	0.006 - 0.008
Maine	133	0.010	0.008 - 0.012	81	0.012	0.010 - 0.015	52	0.008	0.006 - 0.010
Maryland	616	0.010	0.009 - 0.011	353	0.012	0.011 - 0.013	263	0.008	0.007 - 0.010
MI - Detroit	403	0.010	0.009 - 0.011	229	0.012	0.011 - 0.014	174	0.009	0.007 - 0.010
Minnesota	451	0.008	0.007 - 0.009	293	0.011	0.009 - 0.012	158	0.006	0.005 - 0.007
Mississippi	295	0.010	0.009 - 0.011	168	0.012	0.010 - 0.013	127	0.008	0.007 - 0.010
Missouri	474	0.008	0.007 - 0.008	283	0.009	0.008 - 0.011	191	0.006	0.005 - 0.007
Montana	90	0.008	0.007 - 0.010	56	0.011	0.008 - 0.014	34	0.006	0.004 - 0.009
Nebraska	132	0.007	0.006 - 0.008	78	0.008	0.006 - 0.010	54	0.006	0.004 - 0.007
New Hampshire	122	0.009	0.007 - 0.011	85	0.013	0.010 - 0.016	37	0.005	0.004 - 0.007
New Jersey	1,096	0.012	0.012 - 0.013	620	0.014	0.013 - 0.015	476	0.010	0.010 - 0.011
New Mexico	181	0.009	0.007 - 0.010	106	0.010	0.008 - 0.012	75	0.007	0.006 - 0.009
New York	2,746	0.014	0.014 - 0.015	1,580	0.017	0.016 - 0.017	1,165	0.012	0.011 - 0.012
North Carolina	1,041	0.010	0.009 - 0.011	625	0.012	0.011 - 0.013	416	0.008	0.007 - 0.009
North Dakota	53	0.007	0.005 - 0.009	34	0.009	0.006 - 0.012	19	0.005	0.003 - 0.008
Ohio	1,054	0.009	0.008 - 0.010	660	0.012	0.011 - 0.012	394	0.007	0.006 - 0.007
Oklahoma	299	0.008	0.007 - 0.009	164	0.008	0.007 - 0.010	135	0.007	0.006 - 0.008
Oregon	317	0.008	0.007 - 0.009	198	0.010	0.008 - 0.011	119	0.006	0.005 - 0.007
Pennsylvania	1,197	0.009	0.009 - 0.010	768	0.012	0.011 - 0.013	429	0.007	0.006 - 0.007
Rhode Island	135	0.013	0.011 - 0.015	88	0.017	0.014 - 0.021	47	0.009	0.006 - 0.012
South Carolina	482	0.010	0.009 - 0.010	293	0.012	0.011 - 0.013	189	0.007	0.006 - 0.008
South Dakota	50	0.006	0.004 - 0.008	38	0.009	0.006 - 0.012	12	0.003	0.001 - 0.005
Tennessee	561	0.008	0.008 - 0.009	336	0.010	0.009 - 0.011	225	0.007	0.006 - 0.007
Texas	2,051	0.007	0.007 - 0.008	1,174	0.008	0.008 - 0.009	877	0.006	0.006 - 0.007
Utah	151	0.005	0.004 - 0.006	96	0.006	0.005 - 0.007	55	0.004	0.003 - 0.005
Vermont	75	0.012	0.009 - 0.015	44	0.014	0.010 - 0.019	31	0.010	0.007 - 0.014
Washington	555	0.007	0.007 - 0.008	318	0.009	0.008 - 0.009	237	0.006	0.006 - 0.007
WA - Seattle	404	0.008	0.007 - 0.009	221	0.009	0.007 - 0.010	183	0.007	0.006 - 0.008
West Virginia	156	0.009	0.007 - 0.010	91	0.010	0.008 - 0.012	65	0.007	0.005 - 0.009
Wisconsin	537	0.009	0.008 - 0.010	371	0.013	0.012 - 0.014	166	0.006	0.005 - 0.007
Wyoming	32	0.006	0.004 - 0.008	-	-	-	-	-	-
NAACCR CDN Combined¹	4,010	0.011	0.010 - 0.011	2,617	0.014	0.013 - 0.015	1,394	0.007	0.007 - 0.008
Alberta	265	0.006	0.005 - 0.007	173	0.008	0.007 - 0.009	92	0.004	0.003 - 0.005
British Columbia	397	0.008	0.007 - 0.009	264	0.011	0.009 - 0.012	133	0.005	0.004 - 0.006
Manitoba	125	0.009	0.008 - 0.011	83	0.012	0.010 - 0.015	42	0.006	0.005 - 0.008
New Brunswick	97	0.013	0.010 - 0.015	70	0.018	0.014 - 0.023	27	0.007	0.005 - 0.010
Newfoundland and Labrador	86	0.016	0.013 - 0.020	47	0.018	0.013 - 0.024	39	0.015	0.010 - 0.020
Ontario	1,820	0.013	0.012 - 0.013	1,170	0.017	0.016 - 0.018	650	0.009	0.008 - 0.010
Prince Edward Island	12	0.008	0.004 - 0.014	-	-	-	-	-	-
Saskatchewan	103	0.009	0.007 - 0.011	77	0.013	0.010 - 0.017	26	0.005	0.003 - 0.007
NAACCR N.A. Combined¹	34,094	0.009	0.009 - 0.009	20,594	0.011	0.011 - 0.012	13,501	0.007	0.007 - 0.007

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-4 Prevalence – Stomach

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	227,237	0.070	0.069 - 0.070	119,713	0.074	0.074 - 0.075	107,526	0.065	0.065 - 0.065
Alabama	4,000	0.082	0.079 - 0.085	2,070	0.088	0.084 - 0.092	1,930	0.077	0.073 - 0.080
Alaska	471	0.064	0.058 - 0.070	262	0.068	0.060 - 0.077	209	0.059	0.052 - 0.068
Arizona	4,022	0.057	0.055 - 0.058	2,171	0.062	0.059 - 0.064	1,851	0.052	0.049 - 0.054
Arkansas	2,381	0.079	0.076 - 0.082	1,260	0.085	0.081 - 0.090	1,121	0.073	0.069 - 0.078
California	23,565	0.060	0.059 - 0.061	12,331	0.063	0.062 - 0.064	11,234	0.057	0.056 - 0.058
CA - Greater California	12,922	0.059	0.058 - 0.060	6,788	0.062	0.061 - 0.064	6,134	0.056	0.054 - 0.057
CA - Greater Bay Area	4,585	0.062	0.060 - 0.064	2,400	0.065	0.062 - 0.067	2,185	0.059	0.056 - 0.061
CA - Los Angeles	6,058	0.060	0.059 - 0.062	3,144	0.063	0.061 - 0.065	2,915	0.057	0.055 - 0.059
Colorado	3,067	0.054	0.052 - 0.056	1,629	0.057	0.055 - 0.060	1,438	0.051	0.049 - 0.054
Connecticut	2,523	0.071	0.068 - 0.073	1,315	0.075	0.071 - 0.080	1,208	0.066	0.062 - 0.070
Delaware	748	0.078	0.072 - 0.084	414	0.089	0.081 - 0.098	334	0.067	0.060 - 0.075
Florida	15,780	0.075	0.074 - 0.076	8,359	0.081	0.079 - 0.083	7,421	0.069	0.067 - 0.070
Georgia	7,115	0.068	0.066 - 0.070	3,747	0.074	0.071 - 0.076	3,368	0.063	0.061 - 0.065
Hawaii	1,172	0.082	0.078 - 0.087	639	0.090	0.083 - 0.097	532	0.075	0.069 - 0.082
Idaho	1,018	0.059	0.055 - 0.062	564	0.065	0.060 - 0.070	455	0.053	0.048 - 0.058
Illinois	9,878	0.077	0.076 - 0.079	5,186	0.083	0.081 - 0.085	4,692	0.072	0.070 - 0.074
Iowa	2,509	0.080	0.077 - 0.083	1,290	0.082	0.078 - 0.087	1,219	0.077	0.073 - 0.082
Kansas	2,112	0.073	0.070 - 0.076	1,109	0.076	0.072 - 0.081	1,003	0.069	0.065 - 0.073
Kentucky	3,899	0.087	0.085 - 0.090	2,091	0.095	0.091 - 0.099	1,809	0.080	0.076 - 0.084
Louisiana	3,784	0.081	0.079 - 0.084	2,035	0.089	0.086 - 0.093	1,749	0.073	0.070 - 0.077
Maine	1,057	0.079	0.074 - 0.084	555	0.085	0.078 - 0.092	502	0.074	0.067 - 0.080
Maryland	3,942	0.065	0.063 - 0.067	2,003	0.069	0.066 - 0.072	1,939	0.062	0.060 - 0.065
MI - Detroit	3,081	0.079	0.077 - 0.082	1,583	0.084	0.080 - 0.088	1,498	0.075	0.071 - 0.079
Minnesota	3,928	0.070	0.068 - 0.073	2,122	0.076	0.073 - 0.080	1,806	0.064	0.061 - 0.067
Mississippi	2,615	0.088	0.084 - 0.091	1,369	0.095	0.090 - 0.100	1,246	0.081	0.077 - 0.086
Missouri	4,605	0.075	0.073 - 0.078	2,398	0.080	0.077 - 0.083	2,207	0.071	0.068 - 0.074
Montana	786	0.074	0.069 - 0.080	434	0.082	0.074 - 0.090	351	0.067	0.060 - 0.074
Nebraska	1,527	0.079	0.076 - 0.084	775	0.081	0.075 - 0.087	752	0.078	0.073 - 0.084
New Hampshire	1,003	0.074	0.070 - 0.079	556	0.083	0.076 - 0.090	447	0.066	0.060 - 0.072
New Jersey	6,822	0.077	0.075 - 0.079	3,535	0.081	0.079 - 0.084	3,287	0.072	0.070 - 0.075
New Mexico	1,308	0.062	0.059 - 0.066	673	0.065	0.060 - 0.070	635	0.060	0.055 - 0.065
New York	14,231	0.073	0.072 - 0.074	7,375	0.078	0.076 - 0.079	6,856	0.068	0.067 - 0.070
North Carolina	6,956	0.067	0.066 - 0.069	3,648	0.073	0.070 - 0.075	3,308	0.062	0.060 - 0.065
North Dakota	544	0.072	0.066 - 0.078	275	0.071	0.063 - 0.080	269	0.073	0.064 - 0.082
Ohio	9,066	0.078	0.076 - 0.079	4,678	0.082	0.079 - 0.084	4,388	0.074	0.072 - 0.076
Oklahoma	2,871	0.073	0.070 - 0.076	1,553	0.080	0.076 - 0.084	1,318	0.066	0.063 - 0.070
Oregon	2,719	0.065	0.063 - 0.068	1,461	0.071	0.067 - 0.075	1,258	0.060	0.057 - 0.063
Pennsylvania	10,318	0.081	0.079 - 0.082	5,280	0.084	0.082 - 0.087	5,038	0.077	0.075 - 0.079
Rhode Island	679	0.064	0.059 - 0.069	344	0.067	0.060 - 0.074	335	0.062	0.055 - 0.069
South Carolina	3,565	0.071	0.068 - 0.073	1,849	0.075	0.072 - 0.079	1,716	0.066	0.063 - 0.069
South Dakota	632	0.072	0.067 - 0.078	336	0.076	0.068 - 0.085	296	0.068	0.061 - 0.076
Tennessee	5,041	0.075	0.073 - 0.077	2,651	0.081	0.078 - 0.084	2,390	0.069	0.067 - 0.072
Texas	16,638	0.058	0.058 - 0.059	9,199	0.065	0.064 - 0.066	7,439	0.052	0.051 - 0.053
Utah	1,257	0.040	0.038 - 0.042	651	0.041	0.038 - 0.045	606	0.039	0.036 - 0.042
Vermont	462	0.074	0.067 - 0.081	240	0.078	0.068 - 0.088	222	0.070	0.061 - 0.080
Washington	4,707	0.063	0.061 - 0.065	2,417	0.065	0.062 - 0.067	2,290	0.061	0.059 - 0.064
WA - Seattle	3,403	0.066	0.064 - 0.068	1,772	0.069	0.065 - 0.072	1,631	0.063	0.060 - 0.066
West Virginia	1,747	0.096	0.092 - 0.101	982	0.110	0.103 - 0.117	765	0.084	0.078 - 0.090
Wisconsin	4,130	0.071	0.069 - 0.073	2,170	0.075	0.072 - 0.078	1,960	0.067	0.064 - 0.070
Wyoming	372	0.064	0.058 - 0.071	205	0.070	0.060 - 0.080	167	0.059	0.050 - 0.069
NAACCR CDN Combined¹	35,648	0.094	0.093 - 0.096	19,922	0.106	0.105 - 0.108	15,735	0.083	0.081 - 0.084
Alberta	3,243	0.076	0.073 - 0.079	1,873	0.087	0.083 - 0.091	1,370	0.065	0.061 - 0.068
British Columbia	4,755	0.096	0.093 - 0.098	2,671	0.109	0.105 - 0.113	2,084	0.083	0.079 - 0.087
Manitoba	1,309	0.097	0.092 - 0.103	723	0.108	0.100 - 0.116	586	0.087	0.080 - 0.094
New Brunswick	907	0.118	0.110 - 0.126	532	0.140	0.128 - 0.152	375	0.097	0.087 - 0.107
Newfoundland and Labrador	1,003	0.190	0.179 - 0.203	557	0.213	0.196 - 0.232	446	0.168	0.153 - 0.184
Ontario	13,365	0.094	0.093 - 0.096	7,360	0.105	0.103 - 0.108	6,005	0.084	0.081 - 0.086
Prince Edward Island	169	0.111	0.095 - 0.129	94	0.126	0.102 - 0.154	75	0.097	0.076 - 0.121
Saskatchewan	1,097	0.095	0.089 - 0.101	618	0.106	0.098 - 0.115	479	0.083	0.076 - 0.091
NAACCR N.A. Combined¹	262,885	0.072	0.071 - 0.072	139,635	0.077	0.077 - 0.078	123,261	0.066	0.066 - 0.067

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	35,367	0.011	0.011 - 0.011	25,038	0.016	0.015 - 0.016	10,331	0.006	0.006 - 0.006
Alabama	453	0.009	0.008 - 0.010	315	0.013	0.012 - 0.015	138	0.005	0.005 - 0.006
Alaska	86	0.012	0.009 - 0.014	64	0.017	0.013 - 0.021	22	0.006	0.004 - 0.009
Arizona	652	0.009	0.008 - 0.010	449	0.013	0.012 - 0.014	203	0.006	0.005 - 0.007
Arkansas	336	0.011	0.010 - 0.012	254	0.017	0.015 - 0.019	82	0.005	0.004 - 0.007
California	4,723	0.012	0.012 - 0.012	3,335	0.017	0.016 - 0.018	1,388	0.007	0.007 - 0.007
CA - Greater California	2,525	0.012	0.011 - 0.012	1,785	0.016	0.016 - 0.017	740	0.007	0.006 - 0.007
CA - Greater Bay Area	1,120	0.015	0.014 - 0.016	815	0.022	0.021 - 0.024	305	0.008	0.007 - 0.009
CA - Los Angeles	1,078	0.011	0.010 - 0.011	734	0.015	0.014 - 0.016	343	0.007	0.006 - 0.007
Colorado	506	0.009	0.008 - 0.010	362	0.013	0.011 - 0.014	144	0.005	0.004 - 0.006
Connecticut	402	0.011	0.010 - 0.012	303	0.017	0.015 - 0.019	99	0.005	0.004 - 0.007
Delaware	115	0.012	0.010 - 0.014	87	0.019	0.015 - 0.023	28	0.006	0.004 - 0.008
Florida	2,353	0.011	0.011 - 0.012	1,659	0.016	0.015 - 0.017	694	0.006	0.006 - 0.007
Georgia	959	0.009	0.009 - 0.010	687	0.013	0.013 - 0.015	272	0.005	0.004 - 0.006
Hawaii	190	0.013	0.012 - 0.015	131	0.018	0.015 - 0.022	59	0.008	0.006 - 0.011
Idaho	144	0.008	0.007 - 0.010	111	0.013	0.011 - 0.015	33	0.004	0.003 - 0.005
Illinois	1,286	0.010	0.010 - 0.011	851	0.014	0.013 - 0.015	435	0.007	0.006 - 0.007
Iowa	283	0.009	0.008 - 0.010	205	0.013	0.011 - 0.015	78	0.005	0.004 - 0.006
Kansas	303	0.010	0.009 - 0.012	224	0.015	0.013 - 0.018	79	0.005	0.004 - 0.007
Kentucky	410	0.009	0.008 - 0.010	295	0.013	0.012 - 0.015	115	0.005	0.004 - 0.006
Louisiana	552	0.012	0.011 - 0.013	397	0.017	0.016 - 0.019	155	0.006	0.006 - 0.008
Maine	117	0.009	0.007 - 0.010	92	0.014	0.011 - 0.017	25	0.004	0.002 - 0.005
Maryland	650	0.011	0.010 - 0.012	459	0.016	0.014 - 0.017	191	0.006	0.005 - 0.007
MI - Detroit	451	0.012	0.011 - 0.013	310	0.016	0.015 - 0.018	141	0.007	0.006 - 0.008
Minnesota	579	0.010	0.010 - 0.011	397	0.014	0.013 - 0.016	182	0.006	0.006 - 0.008
Mississippi	345	0.012	0.010 - 0.013	238	0.016	0.014 - 0.019	107	0.007	0.006 - 0.008
Missouri	584	0.010	0.009 - 0.010	404	0.013	0.012 - 0.015	180	0.006	0.005 - 0.007
Montana	94	0.009	0.007 - 0.011	68	0.013	0.010 - 0.016	26	0.005	0.003 - 0.007
Nebraska	134	0.007	0.006 - 0.008	99	0.010	0.008 - 0.013	35	0.004	0.003 - 0.005
New Hampshire	114	0.008	0.007 - 0.010	86	0.013	0.010 - 0.016	28	0.004	0.003 - 0.006
New Jersey	919	0.010	0.010 - 0.011	666	0.015	0.014 - 0.017	253	0.006	0.005 - 0.006
New Mexico	248	0.012	0.010 - 0.013	182	0.018	0.015 - 0.020	66	0.006	0.005 - 0.008
New York	2,454	0.013	0.012 - 0.013	1,768	0.019	0.018 - 0.020	685	0.007	0.006 - 0.007
North Carolina	1,138	0.011	0.010 - 0.012	809	0.016	0.015 - 0.017	329	0.006	0.006 - 0.007
North Dakota	36	0.005	0.003 - 0.007	22	0.006	0.004 - 0.009	14	0.004	0.002 - 0.006
Ohio	1,021	0.009	0.008 - 0.009	722	0.013	0.012 - 0.014	299	0.005	0.004 - 0.006
Oklahoma	350	0.009	0.008 - 0.010	240	0.012	0.011 - 0.014	110	0.006	0.005 - 0.007
Oregon	562	0.014	0.012 - 0.015	415	0.020	0.018 - 0.022	147	0.007	0.006 - 0.008
Pennsylvania	1,539	0.012	0.011 - 0.013	1,104	0.018	0.017 - 0.019	435	0.007	0.006 - 0.007
Rhode Island	119	0.011	0.009 - 0.013	85	0.017	0.013 - 0.020	34	0.006	0.004 - 0.009
South Carolina	504	0.010	0.009 - 0.011	350	0.014	0.013 - 0.016	154	0.006	0.005 - 0.007
South Dakota	60	0.007	0.005 - 0.009	44	0.010	0.007 - 0.013	16	0.004	0.002 - 0.006
Tennessee	689	0.010	0.009 - 0.011	467	0.014	0.013 - 0.016	222	0.006	0.006 - 0.007
Texas	3,565	0.013	0.012 - 0.013	2,502	0.018	0.017 - 0.018	1,063	0.007	0.007 - 0.008
Utah	168	0.005	0.005 - 0.006	115	0.007	0.006 - 0.009	53	0.003	0.003 - 0.004
Vermont	52	0.008	0.006 - 0.011	39	0.013	0.009 - 0.017	13	0.004	0.002 - 0.007
Washington	953	0.013	0.012 - 0.014	669	0.018	0.017 - 0.019	284	0.008	0.007 - 0.009
WA - Seattle	734	0.014	0.013 - 0.015	526	0.020	0.019 - 0.022	208	0.008	0.007 - 0.009
West Virginia	196	0.011	0.009 - 0.012	131	0.015	0.012 - 0.017	65	0.007	0.005 - 0.009
Wisconsin	608	0.010	0.010 - 0.011	426	0.015	0.013 - 0.016	182	0.006	0.005 - 0.007
Wyoming	47	0.008	0.006 - 0.011	33	0.011	0.008 - 0.016	14	0.005	0.003 - 0.008
NAACCR CDN Combined¹	3,328	0.009	0.008 - 0.009	2,484	0.013	0.013 - 0.014	848	0.004	0.004 - 0.005
Alberta	375	0.009	0.008 - 0.010	267	0.012	0.011 - 0.014	108	0.005	0.004 - 0.006
British Columbia	565	0.011	0.010 - 0.012	432	0.018	0.016 - 0.019	133	0.005	0.004 - 0.006
Manitoba	104	0.008	0.006 - 0.009	79	0.012	0.009 - 0.015	25	0.004	0.002 - 0.005
New Brunswick	47	0.006	0.004 - 0.008	27	0.007	0.005 - 0.010	20	0.005	0.003 - 0.008
Newfoundland and Labrador	31	0.006	0.004 - 0.008	18	0.007	0.004 - 0.011	13	0.005	0.003 - 0.008
Ontario	1,225	0.009	0.008 - 0.009	926	0.013	0.012 - 0.014	299	0.004	0.004 - 0.005
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	54	0.005	0.004 - 0.006	39	0.007	0.005 - 0.009	15	0.003	0.001 - 0.004
NAACCR N.A. Combined¹	38,695	0.011	0.011 - 0.011	27,522	0.015	0.015 - 0.016	11,178	0.006	0.006 - 0.006

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-6 Prevalence – Liver and Intrahepatic Bile Duct

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	41,516	0.013	0.013 - 0.013	21,440	0.013	0.013 - 0.014	20,076	0.012	0.012 - 0.012
Alabama	548	0.011	0.010 - 0.012	278	0.012	0.010 - 0.013	270	0.011	0.009 - 0.012
Alaska	69	0.009	0.007 - 0.012	40	0.010	0.007 - 0.014	29	0.008	0.006 - 0.012
Arizona	779	0.011	0.010 - 0.012	425	0.012	0.011 - 0.013	354	0.010	0.009 - 0.011
Arkansas	328	0.011	0.010 - 0.012	175	0.012	0.010 - 0.014	153	0.010	0.008 - 0.012
California	4,175	0.011	0.010 - 0.011	2,144	0.011	0.010 - 0.011	2,031	0.010	0.010 - 0.011
CA - Greater California	2,322	0.011	0.010 - 0.011	1,206	0.011	0.010 - 0.012	1,116	0.010	0.010 - 0.011
CA - Greater Bay Area	860	0.012	0.011 - 0.012	436	0.012	0.011 - 0.013	424	0.011	0.010 - 0.013
CA - Los Angeles	992	0.010	0.009 - 0.010	501	0.010	0.009 - 0.011	491	0.010	0.009 - 0.010
Colorado	617	0.011	0.010 - 0.012	337	0.012	0.011 - 0.013	280	0.010	0.009 - 0.011
Connecticut	580	0.016	0.015 - 0.018	309	0.018	0.016 - 0.020	270	0.015	0.013 - 0.017
Delaware	131	0.014	0.011 - 0.016	73	0.016	0.012 - 0.020	58	0.012	0.009 - 0.015
Florida	3,211	0.015	0.015 - 0.016	1,647	0.016	0.015 - 0.017	1,564	0.014	0.014 - 0.015
Georgia	1,152	0.011	0.010 - 0.012	577	0.011	0.010 - 0.012	574	0.011	0.010 - 0.012
Hawaii	198	0.014	0.012 - 0.016	99	0.014	0.011 - 0.017	99	0.014	0.011 - 0.017
Idaho	220	0.013	0.011 - 0.014	113	0.013	0.011 - 0.016	107	0.012	0.010 - 0.015
Illinois	1,801	0.014	0.013 - 0.015	918	0.015	0.014 - 0.016	883	0.014	0.013 - 0.015
Iowa	421	0.013	0.012 - 0.015	234	0.015	0.013 - 0.017	187	0.012	0.010 - 0.014
Kansas	361	0.012	0.011 - 0.014	186	0.013	0.011 - 0.015	175	0.012	0.010 - 0.014
Kentucky	548	0.012	0.011 - 0.013	271	0.012	0.011 - 0.014	278	0.012	0.011 - 0.014
Louisiana	555	0.012	0.011 - 0.013	269	0.012	0.010 - 0.013	286	0.012	0.011 - 0.013
Maine	193	0.014	0.012 - 0.017	105	0.016	0.013 - 0.019	88	0.013	0.010 - 0.016
Maryland	843	0.014	0.013 - 0.015	412	0.014	0.013 - 0.016	431	0.014	0.013 - 0.015
MI - Detroit	611	0.016	0.015 - 0.017	307	0.016	0.015 - 0.018	304	0.015	0.014 - 0.017
Minnesota	729	0.013	0.012 - 0.014	381	0.014	0.012 - 0.015	348	0.012	0.011 - 0.014
Mississippi	371	0.012	0.011 - 0.014	179	0.012	0.011 - 0.014	192	0.012	0.011 - 0.014
Missouri	747	0.012	0.011 - 0.013	400	0.013	0.012 - 0.015	347	0.011	0.010 - 0.012
Montana	133	0.013	0.010 - 0.015	73	0.014	0.011 - 0.017	60	0.011	0.009 - 0.015
Nebraska	250	0.013	0.011 - 0.015	136	0.014	0.012 - 0.017	114	0.012	0.010 - 0.014
New Hampshire	224	0.017	0.014 - 0.019	113	0.017	0.014 - 0.020	111	0.016	0.013 - 0.020
New Jersey	1,412	0.016	0.015 - 0.017	713	0.016	0.015 - 0.018	699	0.015	0.014 - 0.017
New Mexico	198	0.009	0.008 - 0.011	111	0.011	0.009 - 0.013	87	0.008	0.007 - 0.010
New York	3,100	0.016	0.015 - 0.016	1,581	0.017	0.016 - 0.017	1,520	0.015	0.014 - 0.016
North Carolina	1,316	0.013	0.012 - 0.013	643	0.013	0.012 - 0.014	673	0.013	0.012 - 0.014
North Dakota	90	0.012	0.010 - 0.015	42	0.011	0.008 - 0.015	48	0.013	0.010 - 0.017
Ohio	1,449	0.012	0.012 - 0.013	750	0.013	0.012 - 0.014	699	0.012	0.011 - 0.013
Oklahoma	358	0.009	0.008 - 0.010	168	0.009	0.007 - 0.010	190	0.010	0.008 - 0.011
Oregon	568	0.014	0.013 - 0.015	295	0.014	0.013 - 0.016	273	0.013	0.012 - 0.015
Pennsylvania	2,030	0.016	0.015 - 0.017	1,033	0.016	0.015 - 0.018	997	0.015	0.014 - 0.016
Rhode Island	169	0.016	0.014 - 0.019	98	0.019	0.015 - 0.023	71	0.013	0.010 - 0.016
South Carolina	652	0.013	0.012 - 0.014	337	0.014	0.012 - 0.015	315	0.012	0.011 - 0.014
South Dakota	122	0.014	0.012 - 0.017	80	0.018	0.014 - 0.023	42	0.010	0.007 - 0.013
Tennessee	780	0.012	0.011 - 0.012	414	0.013	0.011 - 0.014	366	0.011	0.010 - 0.012
Texas	2,871	0.010	0.010 - 0.010	1,487	0.011	0.010 - 0.011	1,384	0.010	0.009 - 0.010
Utah	215	0.007	0.006 - 0.008	117	0.007	0.006 - 0.009	98	0.006	0.005 - 0.008
Vermont	106	0.017	0.014 - 0.021	54	0.018	0.013 - 0.023	52	0.016	0.012 - 0.022
Washington	974	0.013	0.012 - 0.014	497	0.013	0.012 - 0.015	477	0.013	0.012 - 0.014
WA - Seattle	669	0.013	0.012 - 0.014	322	0.012	0.011 - 0.014	347	0.013	0.012 - 0.015
West Virginia	250	0.014	0.012 - 0.016	134	0.015	0.013 - 0.018	116	0.013	0.010 - 0.015
Wisconsin	857	0.015	0.014 - 0.016	484	0.017	0.015 - 0.018	373	0.013	0.012 - 0.014
Wyoming	61	0.011	0.008 - 0.014	42	0.014	0.010 - 0.019	19	0.007	0.004 - 0.010
NAACCR CDN Combined¹	3,966	0.010	0.010 - 0.011	2,142	0.011	0.011 - 0.012	1,825	0.010	0.009 - 0.010
Alberta	371	0.009	0.008 - 0.010	217	0.010	0.009 - 0.012	154	0.007	0.006 - 0.009
British Columbia	535	0.011	0.010 - 0.012	292	0.012	0.011 - 0.013	243	0.010	0.008 - 0.011
Manitoba	149	0.011	0.009 - 0.013	71	0.011	0.008 - 0.013	78	0.012	0.009 - 0.014
New Brunswick	103	0.013	0.011 - 0.016	58	0.015	0.012 - 0.020	45	0.012	0.008 - 0.016
Newfoundland and Labrador	52	0.010	0.007 - 0.013	26	0.010	0.007 - 0.015	26	0.010	0.006 - 0.014
Ontario	1,557	0.011	0.010 - 0.012	816	0.012	0.011 - 0.012	741	0.010	0.010 - 0.011
Prince Edward Island	14	0.009	0.005 - 0.015	-	-	-	-	-	-
Saskatchewan	91	0.008	0.006 - 0.010	59	0.010	0.008 - 0.013	32	0.006	0.004 - 0.008
NAACCR N.A. Combined¹	45,482	0.013	0.012 - 0.013	23,582	0.013	0.013 - 0.013	21,901	0.012	0.012 - 0.012

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	20,396	0.006	0.006 - 0.006	16,166	0.010	0.010 - 0.010	4,231	0.003	0.002 - 0.003
Alabama	404	0.008	0.007 - 0.009	334	0.014	0.013 - 0.016	70	0.003	0.002 - 0.004
Alaska	32	0.004	0.003 - 0.006	-	-	-	-	-	-
Arizona	303	0.004	0.004 - 0.005	249	0.007	0.006 - 0.008	54	0.002	0.001 - 0.002
Arkansas	238	0.008	0.007 - 0.009	189	0.013	0.011 - 0.015	49	0.003	0.002 - 0.004
California	1,291	0.003	0.003 - 0.003	1,080	0.006	0.005 - 0.006	211	0.001	0.001 - 0.001
CA - Greater California	768	0.004	0.003 - 0.004	634	0.006	0.005 - 0.006	135	0.001	0.001 - 0.001
CA - Greater Bay Area	230	0.003	0.003 - 0.004	187	0.005	0.004 - 0.006	43	0.001	0.001 - 0.002
CA - Los Angeles	293	0.003	0.003 - 0.003	260	0.005	0.005 - 0.006	33	0.001	0.000 - 0.001
Colorado	225	0.004	0.003 - 0.005	178	0.006	0.005 - 0.007	47	0.002	0.001 - 0.002
Connecticut	280	0.008	0.007 - 0.009	209	0.012	0.010 - 0.014	71	0.004	0.003 - 0.005
Delaware	72	0.007	0.006 - 0.009	51	0.011	0.008 - 0.014	21	0.004	0.003 - 0.006
Florida	1,783	0.008	0.008 - 0.009	1,467	0.014	0.014 - 0.015	316	0.003	0.003 - 0.003
Georgia	712	0.007	0.006 - 0.007	567	0.011	0.010 - 0.012	145	0.003	0.002 - 0.003
Hawaii	63	0.004	0.003 - 0.006	52	0.007	0.005 - 0.010	11	0.002	0.001 - 0.003
Idaho	66	0.004	0.003 - 0.005	47	0.005	0.004 - 0.007	19	0.002	0.001 - 0.003
Illinois	912	0.007	0.007 - 0.008	711	0.011	0.011 - 0.012	201	0.003	0.003 - 0.004
Iowa	229	0.007	0.006 - 0.008	186	0.012	0.010 - 0.014	43	0.003	0.002 - 0.004
Kansas	172	0.006	0.005 - 0.007	144	0.010	0.008 - 0.012	28	0.002	0.001 - 0.003
Kentucky	481	0.011	0.010 - 0.012	347	0.016	0.014 - 0.018	133	0.006	0.005 - 0.007
Louisiana	444	0.010	0.009 - 0.010	339	0.015	0.013 - 0.017	105	0.004	0.004 - 0.005
Maine	115	0.009	0.007 - 0.010	87	0.013	0.011 - 0.016	28	0.004	0.003 - 0.006
Maryland	289	0.005	0.004 - 0.005	237	0.008	0.007 - 0.009	52	0.002	0.001 - 0.002
MI - Detroit	307	0.008	0.007 - 0.009	241	0.013	0.011 - 0.015	66	0.003	0.003 - 0.004
Minnesota	328	0.006	0.005 - 0.007	257	0.009	0.008 - 0.010	71	0.003	0.002 - 0.003
Mississippi	267	0.009	0.008 - 0.010	212	0.015	0.013 - 0.017	55	0.004	0.003 - 0.005
Missouri	493	0.008	0.007 - 0.009	368	0.012	0.011 - 0.014	125	0.004	0.003 - 0.005
Montana	57	0.005	0.004 - 0.007	-	-	-	-	-	-
Nebraska	110	0.006	0.005 - 0.007	88	0.009	0.007 - 0.011	22	0.002	0.001 - 0.003
New Hampshire	81	0.006	0.005 - 0.007	63	0.009	0.007 - 0.012	18	0.003	0.002 - 0.004
New Jersey	506	0.006	0.005 - 0.006	429	0.010	0.009 - 0.011	77	0.002	0.001 - 0.002
New Mexico	84	0.004	0.003 - 0.005	67	0.007	0.005 - 0.008	17	0.002	0.001 - 0.003
New York	1,217	0.006	0.006 - 0.007	948	0.010	0.009 - 0.011	269	0.003	0.002 - 0.003
North Carolina	832	0.008	0.008 - 0.009	646	0.013	0.012 - 0.014	186	0.004	0.003 - 0.004
North Dakota	37	0.005	0.003 - 0.007	-	-	-	-	-	-
Ohio	963	0.008	0.008 - 0.009	734	0.013	0.012 - 0.014	229	0.004	0.003 - 0.004
Oklahoma	266	0.007	0.006 - 0.008	199	0.010	0.009 - 0.012	67	0.003	0.003 - 0.004
Oregon	182	0.004	0.004 - 0.005	145	0.007	0.006 - 0.008	37	0.002	0.001 - 0.002
Pennsylvania	963	0.008	0.007 - 0.008	747	0.012	0.011 - 0.013	216	0.003	0.003 - 0.004
Rhode Island	75	0.007	0.006 - 0.009	56	0.011	0.008 - 0.014	19	0.003	0.002 - 0.005
South Carolina	445	0.009	0.008 - 0.010	358	0.015	0.013 - 0.016	87	0.003	0.003 - 0.004
South Dakota	49	0.006	0.004 - 0.007	36	0.008	0.006 - 0.011	13	0.003	0.002 - 0.005
Tennessee	577	0.009	0.008 - 0.009	439	0.013	0.012 - 0.015	138	0.004	0.003 - 0.005
Texas	1,303	0.005	0.004 - 0.005	1,087	0.008	0.007 - 0.008	216	0.002	0.001 - 0.002
Utah	70	0.002	0.002 - 0.003	57	0.004	0.003 - 0.005	13	0.001	0.000 - 0.001
Vermont	41	0.007	0.005 - 0.009	30	0.010	0.007 - 0.014	11	0.003	0.002 - 0.006
Washington	325	0.004	0.004 - 0.005	251	0.007	0.006 - 0.008	74	0.002	0.002 - 0.002
WA - Seattle	229	0.004	0.004 - 0.005	176	0.007	0.006 - 0.008	53	0.002	0.002 - 0.003
West Virginia	209	0.012	0.010 - 0.013	146	0.016	0.014 - 0.019	63	0.007	0.005 - 0.009
Wisconsin	382	0.007	0.006 - 0.007	312	0.011	0.010 - 0.012	70	0.002	0.002 - 0.003
Wyoming	36	0.006	0.004 - 0.009	23	0.008	0.005 - 0.012	13	0.005	0.002 - 0.008
NAACCR CDN Combined¹	1,658	0.004	0.004 - 0.005	1,436	0.008	0.007 - 0.008	224	0.001	0.001 - 0.001
Alberta	125	0.003	0.002 - 0.003	110	0.005	0.004 - 0.006	15	0.001	0.000 - 0.001
British Columbia	191	0.004	0.003 - 0.004	175	0.007	0.006 - 0.008	16	0.001	0.000 - 0.001
Manitoba	46	0.003	0.003 - 0.005	-	-	-	-	-	-
New Brunswick	48	0.006	0.005 - 0.008	-	-	-	-	-	-
Newfoundland and Labrador	40	0.008	0.005 - 0.010	-	-	-	-	-	-
Ontario	703	0.005	0.005 - 0.005	598	0.009	0.008 - 0.009	105	0.001	0.001 - 0.002
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	38	0.003	0.002 - 0.005	-	-	-	-	-	-
NAACCR N.A. Combined¹	22,054	0.006	0.006 - 0.006	17,603	0.010	0.010 - 0.010	4,454	0.002	0.002 - 0.003

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	239,183	0.073	0.073 - 0.073	115,155	0.071	0.071 - 0.072	124,025	0.075	0.074 - 0.075
Alabama	3,837	0.079	0.076 - 0.081	2,034	0.086	0.082 - 0.090	1,803	0.072	0.068 - 0.075
Alaska	412	0.056	0.051 - 0.062	210	0.055	0.047 - 0.062	202	0.057	0.050 - 0.066
Arizona	4,070	0.057	0.056 - 0.059	1,887	0.053	0.051 - 0.056	2,183	0.061	0.059 - 0.064
Arkansas	2,832	0.094	0.091 - 0.098	1,472	0.100	0.095 - 0.105	1,360	0.089	0.084 - 0.094
California	18,364	0.047	0.046 - 0.047	8,428	0.043	0.042 - 0.044	9,936	0.050	0.049 - 0.051
CA - Greater California	10,559	0.048	0.047 - 0.049	4,787	0.044	0.043 - 0.045	5,772	0.053	0.051 - 0.054
CA - Greater Bay Area	3,714	0.050	0.048 - 0.052	1,769	0.048	0.046 - 0.050	1,945	0.052	0.050 - 0.055
CA - Los Angeles	4,092	0.041	0.039 - 0.042	1,871	0.038	0.036 - 0.039	2,221	0.043	0.042 - 0.045
Colorado	2,644	0.047	0.045 - 0.049	1,187	0.042	0.039 - 0.044	1,457	0.052	0.049 - 0.055
Connecticut	3,309	0.093	0.089 - 0.096	1,550	0.089	0.085 - 0.093	1,759	0.096	0.092 - 0.101
Delaware	915	0.095	0.089 - 0.102	400	0.086	0.078 - 0.095	515	0.104	0.095 - 0.113
Florida	18,703	0.089	0.087 - 0.090	9,025	0.087	0.086 - 0.089	9,678	0.090	0.088 - 0.092
Georgia	7,193	0.069	0.067 - 0.070	3,694	0.073	0.070 - 0.075	3,498	0.065	0.063 - 0.067
Hawaii	872	0.061	0.057 - 0.066	456	0.064	0.058 - 0.070	416	0.059	0.053 - 0.065
Idaho	1,023	0.059	0.055 - 0.063	470	0.054	0.049 - 0.059	553	0.064	0.059 - 0.069
Illinois	10,340	0.081	0.080 - 0.083	4,947	0.079	0.077 - 0.081	5,393	0.083	0.081 - 0.085
Iowa	2,600	0.083	0.080 - 0.086	1,299	0.083	0.079 - 0.088	1,302	0.082	0.078 - 0.087
Kansas	2,171	0.075	0.071 - 0.078	1,068	0.074	0.069 - 0.078	1,103	0.076	0.071 - 0.080
Kentucky	4,967	0.111	0.108 - 0.115	2,458	0.112	0.108 - 0.116	2,509	0.111	0.107 - 0.115
Louisiana	3,545	0.076	0.074 - 0.079	1,861	0.082	0.078 - 0.085	1,685	0.071	0.067 - 0.074
Maine	1,557	0.116	0.111 - 0.122	701	0.107	0.099 - 0.115	856	0.125	0.117 - 0.134
Maryland	4,321	0.072	0.070 - 0.074	1,909	0.065	0.062 - 0.068	2,412	0.078	0.075 - 0.081
MI - Detroit	3,419	0.088	0.085 - 0.091	1,564	0.083	0.079 - 0.087	1,855	0.093	0.089 - 0.097
Minnesota	4,190	0.075	0.073 - 0.077	1,971	0.071	0.068 - 0.074	2,219	0.079	0.076 - 0.082
Mississippi	2,832	0.095	0.091 - 0.098	1,496	0.103	0.098 - 0.109	1,336	0.087	0.082 - 0.092
Missouri	5,738	0.094	0.091 - 0.096	2,789	0.093	0.090 - 0.096	2,949	0.095	0.091 - 0.098
Montana	760	0.072	0.067 - 0.077	342	0.064	0.058 - 0.072	418	0.080	0.072 - 0.088
Nebraska	1,338	0.070	0.066 - 0.073	660	0.069	0.064 - 0.074	678	0.070	0.065 - 0.076
New Hampshire	1,304	0.097	0.091 - 0.102	566	0.085	0.078 - 0.092	738	0.108	0.101 - 0.116
New Jersey	6,653	0.075	0.073 - 0.077	2,963	0.068	0.066 - 0.071	3,690	0.081	0.079 - 0.084
New Mexico	891	0.043	0.040 - 0.045	431	0.042	0.038 - 0.046	461	0.044	0.040 - 0.048
New York	16,729	0.086	0.084 - 0.087	7,634	0.080	0.079 - 0.082	9,095	0.090	0.089 - 0.092
North Carolina	8,921	0.086	0.085 - 0.088	4,461	0.089	0.086 - 0.091	4,460	0.084	0.082 - 0.087
North Dakota	562	0.074	0.068 - 0.081	274	0.071	0.063 - 0.080	288	0.078	0.069 - 0.088
Ohio	10,275	0.088	0.086 - 0.090	5,075	0.089	0.086 - 0.091	5,200	0.087	0.085 - 0.090
Oklahoma	2,866	0.073	0.070 - 0.076	1,423	0.073	0.069 - 0.077	1,443	0.073	0.069 - 0.077
Oregon	2,964	0.071	0.069 - 0.074	1,388	0.067	0.064 - 0.071	1,576	0.075	0.071 - 0.079
Pennsylvania	11,890	0.093	0.091 - 0.095	5,712	0.091	0.089 - 0.094	6,178	0.095	0.092 - 0.097
Rhode Island	1,115	0.105	0.099 - 0.112	507	0.099	0.090 - 0.108	608	0.112	0.103 - 0.121
South Carolina	4,265	0.084	0.082 - 0.087	2,174	0.089	0.085 - 0.093	2,091	0.080	0.077 - 0.084
South Dakota	698	0.080	0.074 - 0.086	335	0.076	0.068 - 0.084	363	0.084	0.075 - 0.093
Tennessee	6,342	0.094	0.092 - 0.096	3,186	0.097	0.094 - 0.100	3,156	0.091	0.088 - 0.095
Texas	13,661	0.048	0.047 - 0.049	6,912	0.049	0.048 - 0.050	6,749	0.047	0.046 - 0.048
Utah	714	0.023	0.021 - 0.025	350	0.022	0.020 - 0.025	365	0.023	0.021 - 0.026
Vermont	593	0.095	0.087 - 0.103	298	0.097	0.086 - 0.108	295	0.093	0.083 - 0.105
Washington	4,925	0.066	0.064 - 0.068	2,286	0.061	0.059 - 0.064	2,639	0.071	0.068 - 0.073
WA - Seattle	3,523	0.068	0.066 - 0.071	1,640	0.064	0.060 - 0.067	1,884	0.073	0.070 - 0.077
West Virginia	2,263	0.125	0.120 - 0.130	1,129	0.126	0.119 - 0.134	1,134	0.124	0.117 - 0.131
Wisconsin	4,833	0.083	0.081 - 0.086	2,270	0.079	0.075 - 0.082	2,563	0.088	0.085 - 0.091
Wyoming	312	0.054	0.048 - 0.060	154	0.052	0.044 - 0.061	158	0.056	0.047 - 0.065
NAACCR CDN Combined¹	26,870	0.071	0.070 - 0.072	12,276	0.065	0.064 - 0.067	14,582	0.076	0.075 - 0.078
Alberta	2,404	0.056	0.054 - 0.059	1,083	0.050	0.047 - 0.053	1,321	0.062	0.059 - 0.066
British Columbia	3,350	0.067	0.065 - 0.070	1,504	0.061	0.058 - 0.064	1,846	0.074	0.070 - 0.077
Manitoba	843	0.063	0.059 - 0.067	362	0.054	0.049 - 0.060	481	0.072	0.065 - 0.078
New Brunswick	874	0.114	0.106 - 0.122	428	0.113	0.102 - 0.124	446	0.115	0.104 - 0.126
Newfoundland and Labrador	568	0.108	0.099 - 0.117	282	0.108	0.096 - 0.121	286	0.108	0.095 - 0.121
Ontario	10,444	0.074	0.072 - 0.075	4,814	0.069	0.067 - 0.071	5,630	0.078	0.076 - 0.080
Prince Edward Island	150	0.099	0.084 - 0.116	60	0.081	0.061 - 0.104	90	0.116	0.093 - 0.143
Saskatchewan	761	0.066	0.061 - 0.071	322	0.055	0.049 - 0.062	439	0.077	0.070 - 0.084
NAACCR N.A. Combined¹	266,052	0.073	0.073 - 0.073	127,431	0.071	0.070 - 0.071	138,606	0.075	0.074 - 0.075

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	159,139	0.048	0.048 - 0.049	92,901	0.057	0.057 - 0.058	66,223	0.040	0.039 - 0.040
Alabama	2,507	0.051	0.049 - 0.053	1,452	0.061	0.058 - 0.065	1,055	0.042	0.039 - 0.044
Alaska	167	0.023	0.019 - 0.026	91	0.024	0.019 - 0.029	76	0.022	0.017 - 0.027
Arizona	4,341	0.061	0.059 - 0.063	2,729	0.077	0.074 - 0.080	1,612	0.045	0.043 - 0.047
Arkansas	1,443	0.048	0.046 - 0.051	848	0.057	0.054 - 0.061	595	0.039	0.036 - 0.042
California	17,871	0.045	0.045 - 0.046	10,682	0.055	0.053 - 0.056	7,189	0.036	0.035 - 0.037
CA - Greater California	11,087	0.051	0.050 - 0.052	6,634	0.061	0.059 - 0.062	4,453	0.041	0.039 - 0.042
CA - Greater Bay Area	4,094	0.055	0.053 - 0.057	2,430	0.066	0.063 - 0.068	1,664	0.045	0.043 - 0.047
CA - Los Angeles	2,691	0.027	0.026 - 0.028	1,621	0.033	0.031 - 0.034	1,070	0.021	0.020 - 0.022
Colorado	2,502	0.044	0.043 - 0.046	1,429	0.050	0.048 - 0.053	1,073	0.038	0.036 - 0.041
Connecticut	1,641	0.046	0.044 - 0.048	944	0.054	0.051 - 0.058	697	0.038	0.035 - 0.041
Delaware	655	0.068	0.063 - 0.074	389	0.084	0.076 - 0.092	266	0.054	0.047 - 0.060
Florida	12,880	0.061	0.060 - 0.062	7,964	0.077	0.076 - 0.079	4,916	0.046	0.044 - 0.047
Georgia	5,340	0.051	0.050 - 0.052	3,132	0.062	0.059 - 0.064	2,208	0.041	0.039 - 0.043
Hawaii	764	0.054	0.050 - 0.058	485	0.068	0.062 - 0.074	279	0.039	0.035 - 0.044
Idaho	1,006	0.058	0.054 - 0.062	595	0.069	0.063 - 0.074	410	0.047	0.043 - 0.052
Illinois	5,976	0.047	0.046 - 0.048	3,333	0.053	0.051 - 0.055	2,643	0.041	0.039 - 0.042
Iowa	1,950	0.062	0.059 - 0.065	1,045	0.067	0.063 - 0.071	905	0.057	0.054 - 0.061
Kansas	1,715	0.059	0.056 - 0.062	986	0.068	0.064 - 0.072	729	0.050	0.046 - 0.054
Kentucky	2,649	0.059	0.057 - 0.062	1,475	0.067	0.064 - 0.071	1,174	0.052	0.049 - 0.055
Louisiana	1,698	0.036	0.035 - 0.038	1,001	0.044	0.041 - 0.047	698	0.029	0.027 - 0.031
Maine	877	0.066	0.061 - 0.070	453	0.069	0.063 - 0.076	424	0.062	0.056 - 0.068
Maryland	3,173	0.053	0.051 - 0.054	1,827	0.063	0.060 - 0.065	1,346	0.043	0.041 - 0.046
MI - Detroit	1,536	0.040	0.038 - 0.042	887	0.047	0.044 - 0.050	649	0.032	0.030 - 0.035
Minnesota	3,981	0.071	0.069 - 0.074	2,174	0.078	0.075 - 0.082	1,807	0.064	0.062 - 0.067
Mississippi	1,189	0.040	0.038 - 0.042	704	0.049	0.045 - 0.052	485	0.032	0.029 - 0.034
Missouri	2,482	0.041	0.039 - 0.042	1,408	0.047	0.044 - 0.049	1,074	0.035	0.032 - 0.037
Montana	675	0.064	0.059 - 0.069	383	0.072	0.065 - 0.080	293	0.056	0.050 - 0.063
Nebraska	1,129	0.059	0.055 - 0.062	601	0.063	0.058 - 0.068	528	0.055	0.050 - 0.060
New Hampshire	1,081	0.080	0.075 - 0.085	609	0.091	0.084 - 0.099	472	0.069	0.063 - 0.076
New Jersey	4,365	0.049	0.048 - 0.051	2,513	0.058	0.056 - 0.060	1,852	0.041	0.039 - 0.043
New Mexico	810	0.039	0.036 - 0.041	469	0.045	0.041 - 0.050	341	0.032	0.029 - 0.036
New York	7,685	0.039	0.038 - 0.040	4,411	0.046	0.045 - 0.048	3,274	0.033	0.031 - 0.034
North Carolina	5,729	0.055	0.054 - 0.057	3,365	0.067	0.065 - 0.069	2,364	0.045	0.043 - 0.046
North Dakota	362	0.048	0.043 - 0.053	181	0.047	0.040 - 0.054	181	0.049	0.042 - 0.057
Ohio	6,402	0.055	0.054 - 0.056	3,628	0.063	0.061 - 0.066	2,774	0.047	0.045 - 0.048
Oklahoma	1,862	0.047	0.045 - 0.050	1,090	0.056	0.053 - 0.059	772	0.039	0.036 - 0.042
Oregon	2,359	0.057	0.054 - 0.059	1,362	0.066	0.063 - 0.070	997	0.047	0.045 - 0.051
Pennsylvania	6,629	0.052	0.051 - 0.053	3,869	0.062	0.060 - 0.064	2,760	0.042	0.041 - 0.044
Rhode Island	543	0.051	0.047 - 0.056	301	0.059	0.052 - 0.066	242	0.045	0.039 - 0.051
South Carolina	2,714	0.054	0.052 - 0.056	1,613	0.066	0.063 - 0.069	1,101	0.042	0.040 - 0.045
South Dakota	490	0.056	0.051 - 0.061	282	0.064	0.057 - 0.072	208	0.048	0.042 - 0.055
Tennessee	2,877	0.043	0.041 - 0.044	1,720	0.052	0.050 - 0.055	1,157	0.034	0.032 - 0.036
Texas	6,829	0.024	0.023 - 0.025	4,167	0.029	0.029 - 0.030	2,662	0.019	0.018 - 0.019
Utah	2,051	0.066	0.063 - 0.068	1,163	0.074	0.070 - 0.078	888	0.057	0.053 - 0.061
Vermont	620	0.099	0.092 - 0.107	347	0.113	0.101 - 0.125	273	0.086	0.076 - 0.097
Washington	4,035	0.054	0.052 - 0.056	2,243	0.060	0.058 - 0.063	1,792	0.048	0.046 - 0.050
WA - Seattle	3,130	0.061	0.059 - 0.063	1,728	0.067	0.064 - 0.070	1,402	0.054	0.052 - 0.057
West Virginia	970	0.054	0.050 - 0.057	587	0.065	0.060 - 0.071	383	0.042	0.038 - 0.046
Wisconsin	3,182	0.055	0.053 - 0.057	1,852	0.064	0.061 - 0.067	1,330	0.046	0.043 - 0.048
Wyoming	275	0.048	0.042 - 0.054	158	0.054	0.046 - 0.063	117	0.041	0.034 - 0.049
NAACCR CDN Combined¹	16,550	0.044	0.043 - 0.045	9,094	0.049	0.047 - 0.050	7,448	0.039	0.038 - 0.041
Alberta	1,421	0.033	0.032 - 0.035	757	0.035	0.033 - 0.038	664	0.031	0.029 - 0.034
British Columbia	2,083	0.042	0.040 - 0.044	1,127	0.046	0.043 - 0.049	956	0.038	0.036 - 0.041
Manitoba	500	0.037	0.034 - 0.041	273	0.041	0.036 - 0.046	227	0.034	0.030 - 0.038
New Brunswick	412	0.054	0.049 - 0.059	202	0.053	0.046 - 0.061	210	0.054	0.047 - 0.062
Newfoundland and Labrador	217	0.041	0.036 - 0.047	120	0.046	0.038 - 0.055	97	0.036	0.030 - 0.045
Ontario	6,924	0.049	0.048 - 0.050	3,873	0.055	0.054 - 0.057	3,051	0.042	0.041 - 0.044
Prince Edward Island	113	0.074	0.061 - 0.089	62	0.083	0.064 - 0.107	51	0.066	0.049 - 0.087
Saskatchewan	372	0.032	0.029 - 0.036	185	0.032	0.027 - 0.037	187	0.033	0.028 - 0.038
NAACCR N.A. Combined¹	175,689	0.048	0.048 - 0.048	101,995	0.057	0.056 - 0.057	73,671	0.040	0.039 - 0.040

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-10 Prevalence – Melanoma of the Skin

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		468,564	0.282	0.282 - 0.283
Alabama	-	-		-	-		6,921	0.275	0.268 - 0.281
Alaska	-	-		-	-		760	0.216	0.201 - 0.231
Arizona	-	-		-	-		9,084	0.254	0.249 - 0.260
Arkansas	-	-		-	-		4,080	0.267	0.259 - 0.275
California	-	-		-	-		50,931	0.257	0.255 - 0.259
CA - Greater California	-	-		-	-		27,803	0.253	0.250 - 0.256
CA - Greater Bay Area	-	-		-	-		10,330	0.278	0.272 - 0.283
CA - Los Angeles	-	-		-	-		12,800	0.250	0.246 - 0.255
Colorado	-	-		-	-		7,687	0.274	0.268 - 0.280
Connecticut	-	-		-	-		6,107	0.334	0.325 - 0.342
Delaware	-	-		-	-		1,486	0.299	0.284 - 0.315
Florida	-	-		-	-		32,034	0.297	0.294 - 0.300
Georgia	-	-		-	-		14,306	0.266	0.262 - 0.271
Hawaii	-	-		-	-		2,348	0.331	0.318 - 0.344
Idaho	-	-		-	-		2,348	0.271	0.261 - 0.283
Illinois	-	-		-	-		19,397	0.299	0.295 - 0.303
Iowa	-	-		-	-		4,879	0.309	0.300 - 0.318
Kansas	-	-		-	-		4,277	0.293	0.284 - 0.302
Kentucky	-	-		-	-		6,507	0.288	0.281 - 0.295
Louisiana	-	-		-	-		6,604	0.277	0.270 - 0.283
Maine	-	-		-	-		2,299	0.337	0.323 - 0.351
Maryland	-	-		-	-		9,257	0.298	0.292 - 0.304
MI - Detroit	-	-		-	-		6,119	0.306	0.299 - 0.314
Minnesota	-	-		-	-		8,427	0.301	0.294 - 0.307
Mississippi	-	-		-	-		4,117	0.268	0.260 - 0.276
Missouri	-	-		-	-		9,409	0.302	0.296 - 0.308
Montana	-	-		-	-		1,649	0.314	0.299 - 0.330
Nebraska	-	-		-	-		2,698	0.280	0.270 - 0.291
New Hampshire	-	-		-	-		2,395	0.351	0.337 - 0.366
New Jersey	-	-		-	-		14,504	0.319	0.314 - 0.324
New Mexico	-	-		-	-		2,685	0.254	0.245 - 0.264
New York	-	-		-	-		30,684	0.305	0.302 - 0.308
North Carolina	-	-		-	-		16,393	0.309	0.305 - 0.314
North Dakota	-	-		-	-		1,041	0.282	0.265 - 0.300
Ohio	-	-		-	-		18,132	0.305	0.300 - 0.309
Oklahoma	-	-		-	-		5,354	0.270	0.262 - 0.277
Oregon	-	-		-	-		6,161	0.293	0.286 - 0.301
Pennsylvania	-	-		-	-		20,816	0.319	0.315 - 0.323
Rhode Island	-	-		-	-		1,792	0.330	0.315 - 0.346
South Carolina	-	-		-	-		7,905	0.304	0.297 - 0.310
South Dakota	-	-		-	-		1,151	0.265	0.250 - 0.281
Tennessee	-	-		-	-		9,590	0.278	0.272 - 0.284
Texas	-	-		-	-		31,521	0.220	0.218 - 0.222
Utah	-	-		-	-		2,945	0.190	0.183 - 0.197
Vermont	-	-		-	-		1,046	0.331	0.311 - 0.352
Washington	-	-		-	-		10,974	0.294	0.288 - 0.299
WA - Seattle	-	-		-	-		7,900	0.307	0.300 - 0.314
West Virginia	-	-		-	-		2,765	0.302	0.291 - 0.314
Wisconsin	-	-		-	-		9,107	0.312	0.306 - 0.319
Wyoming	-	-		-	-		727	0.256	0.238 - 0.276
NAACCR CDN Combined¹	-	-		-	-		52,267	0.276	0.274 - 0.279
Alberta	-	-		-	-		5,370	0.253	0.247 - 0.260
British Columbia	-	-		-	-		6,746	0.269	0.262 - 0.275
Manitoba	-	-		-	-		1,647	0.245	0.233 - 0.257
New Brunswick	-	-		-	-		1,221	0.314	0.297 - 0.333
Newfoundland and Labrador	-	-		-	-		858	0.323	0.301 - 0.345
Ontario	-	-		-	-		20,691	0.288	0.284 - 0.292
Prince Edward Island	-	-		-	-		211	0.272	0.237 - 0.312
Saskatchewan	-	-		-	-		1,383	0.241	0.229 - 0.254
NAACCR N.A. Combined¹	-	-		-	-		520,832	0.282	0.281 - 0.283

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		22,669	0.014	0.014 - 0.014
Alabama	-	-		-	-		410	0.016	0.015 - 0.018
Alaska	-	-		-	-		46	0.013	0.010 - 0.017
Arizona	-	-		-	-		380	0.011	0.010 - 0.012
Arkansas	-	-		-	-		211	0.014	0.012 - 0.016
California	-	-		-	-		2,600	0.013	0.013 - 0.014
CA - Greater California	-	-		-	-		1,515	0.014	0.013 - 0.015
CA - Greater Bay Area	-	-		-	-		365	0.010	0.009 - 0.011
CA - Los Angeles	-	-		-	-		720	0.014	0.013 - 0.015
Colorado	-	-		-	-		312	0.011	0.010 - 0.012
Connecticut	-	-		-	-		174	0.010	0.008 - 0.011
Delaware	-	-		-	-		63	0.013	0.010 - 0.016
Florida	-	-		-	-		1,845	0.017	0.016 - 0.018
Georgia	-	-		-	-		737	0.014	0.013 - 0.015
Hawaii	-	-		-	-		82	0.012	0.009 - 0.014
Idaho	-	-		-	-		109	0.013	0.010 - 0.015
Illinois	-	-		-	-		942	0.015	0.014 - 0.015
Iowa	-	-		-	-		208	0.013	0.011 - 0.015
Kansas	-	-		-	-		177	0.012	0.010 - 0.014
Kentucky	-	-		-	-		413	0.018	0.017 - 0.020
Louisiana	-	-		-	-		339	0.014	0.013 - 0.016
Maine	-	-		-	-		78	0.011	0.009 - 0.014
Maryland	-	-		-	-		389	0.013	0.011 - 0.014
MI - Detroit	-	-		-	-		227	0.011	0.010 - 0.013
Minnesota	-	-		-	-		283	0.010	0.009 - 0.011
Mississippi	-	-		-	-		240	0.016	0.014 - 0.018
Missouri	-	-		-	-		433	0.014	0.013 - 0.015
Montana	-	-		-	-		74	0.014	0.011 - 0.018
Nebraska	-	-		-	-		126	0.013	0.011 - 0.016
New Hampshire	-	-		-	-		58	0.009	0.006 - 0.011
New Jersey	-	-		-	-		622	0.014	0.013 - 0.015
New Mexico	-	-		-	-		157	0.015	0.013 - 0.017
New York	-	-		-	-		1,476	0.015	0.014 - 0.015
North Carolina	-	-		-	-		652	0.012	0.011 - 0.013
North Dakota	-	-		-	-		51	0.014	0.010 - 0.018
Ohio	-	-		-	-		847	0.014	0.013 - 0.015
Oklahoma	-	-		-	-		301	0.015	0.013 - 0.017
Oregon	-	-		-	-		248	0.012	0.010 - 0.013
Pennsylvania	-	-		-	-		895	0.014	0.013 - 0.015
Rhode Island	-	-		-	-		69	0.013	0.010 - 0.016
South Carolina	-	-		-	-		329	0.013	0.011 - 0.014
South Dakota	-	-		-	-		59	0.014	0.010 - 0.018
Tennessee	-	-		-	-		483	0.014	0.013 - 0.015
Texas	-	-		-	-		2,192	0.015	0.015 - 0.016
Utah	-	-		-	-		150	0.010	0.008 - 0.011
Vermont	-	-		-	-		24	0.008	0.005 - 0.011
Washington	-	-		-	-		439	0.012	0.011 - 0.013
WA - Seattle	-	-		-	-		325	0.013	0.011 - 0.014
West Virginia	-	-		-	-		160	0.018	0.015 - 0.020
Wisconsin	-	-		-	-		341	0.012	0.010 - 0.013
Wyoming	-	-		-	-		38	0.013	0.009 - 0.018
NAACCR CDN Combined¹	-	-		-	-		2,726	0.015	0.014 - 0.015
Alberta	-	-		-	-		327	0.015	0.014 - 0.017
British Columbia	-	-		-	-		313	0.012	0.011 - 0.014
Manitoba	-	-		-	-		82	0.012	0.010 - 0.015
New Brunswick	-	-		-	-		60	0.015	0.012 - 0.020
Newfoundland and Labrador	-	-		-	-		52	0.020	0.015 - 0.026
Ontario	-	-		-	-		1,074	0.015	0.014 - 0.016
Prince Edward Island	-	-		-	-		18	0.023	0.014 - 0.037
Saskatchewan	-	-		-	-		99	0.017	0.014 - 0.021
NAACCR N.A. Combined¹	-	-		-	-		25,395	0.014	0.014 - 0.014

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		104,193	0.063	0.062 - 0.063
Alabama	-	-		-	-		1,162	0.046	0.043 - 0.049
Alaska	-	-		-	-		202	0.057	0.050 - 0.066
Arizona	-	-		-	-		1,883	0.053	0.050 - 0.055
Arkansas	-	-		-	-		870	0.057	0.053 - 0.061
California	-	-		-	-		11,387	0.057	0.056 - 0.059
CA - Greater California	-	-		-	-		6,227	0.057	0.055 - 0.058
CA - Greater Bay Area	-	-		-	-		2,248	0.060	0.058 - 0.063
CA - Los Angeles	-	-		-	-		2,911	0.057	0.055 - 0.059
Colorado	-	-		-	-		1,446	0.052	0.049 - 0.054
Connecticut	-	-		-	-		1,411	0.077	0.073 - 0.081
Delaware	-	-		-	-		387	0.078	0.070 - 0.086
Florida	-	-		-	-		6,751	0.063	0.061 - 0.064
Georgia	-	-		-	-		2,769	0.052	0.050 - 0.053
Hawaii	-	-		-	-		575	0.081	0.075 - 0.088
Idaho	-	-		-	-		477	0.055	0.050 - 0.060
Illinois	-	-		-	-		4,580	0.071	0.069 - 0.073
Iowa	-	-		-	-		1,159	0.073	0.069 - 0.078
Kansas	-	-		-	-		889	0.061	0.057 - 0.065
Kentucky	-	-		-	-		1,470	0.065	0.062 - 0.068
Louisiana	-	-		-	-		1,101	0.046	0.043 - 0.049
Maine	-	-		-	-		622	0.091	0.084 - 0.099
Maryland	-	-		-	-		1,987	0.064	0.061 - 0.067
MI - Detroit	-	-		-	-		1,448	0.072	0.069 - 0.076
Minnesota	-	-		-	-		2,052	0.073	0.070 - 0.076
Mississippi	-	-		-	-		786	0.051	0.048 - 0.055
Missouri	-	-		-	-		2,001	0.064	0.061 - 0.067
Montana	-	-		-	-		371	0.071	0.064 - 0.078
Nebraska	-	-		-	-		592	0.062	0.057 - 0.067
New Hampshire	-	-		-	-		565	0.083	0.076 - 0.090
New Jersey	-	-		-	-		3,523	0.077	0.075 - 0.080
New Mexico	-	-		-	-		598	0.057	0.052 - 0.061
New York	-	-		-	-		7,640	0.076	0.074 - 0.078
North Carolina	-	-		-	-		3,183	0.060	0.058 - 0.062
North Dakota	-	-		-	-		236	0.064	0.056 - 0.073
Ohio	-	-		-	-		4,592	0.077	0.075 - 0.079
Oklahoma	-	-		-	-		956	0.048	0.045 - 0.051
Oregon	-	-		-	-		1,555	0.074	0.070 - 0.078
Pennsylvania	-	-		-	-		5,380	0.082	0.080 - 0.085
Rhode Island	-	-		-	-		398	0.073	0.066 - 0.081
South Carolina	-	-		-	-		1,435	0.055	0.052 - 0.058
South Dakota	-	-		-	-		282	0.065	0.058 - 0.073
Tennessee	-	-		-	-		1,989	0.058	0.055 - 0.060
Texas	-	-		-	-		6,500	0.045	0.044 - 0.046
Utah	-	-		-	-		677	0.044	0.040 - 0.047
Vermont	-	-		-	-		299	0.095	0.084 - 0.106
Washington	-	-		-	-		2,284	0.061	0.059 - 0.064
WA - Seattle	-	-		-	-		1,614	0.063	0.060 - 0.066
West Virginia	-	-		-	-		794	0.087	0.081 - 0.093
Wisconsin	-	-		-	-		2,326	0.080	0.077 - 0.083
Wyoming	-	-		-	-		170	0.060	0.051 - 0.070
NAACCR CDN Combined¹	-	-		-	-		12,884	0.068	0.067 - 0.069
Alberta	-	-		-	-		1,219	0.058	0.054 - 0.061
British Columbia	-	-		-	-		1,527	0.061	0.058 - 0.064
Manitoba	-	-		-	-		566	0.084	0.077 - 0.091
New Brunswick	-	-		-	-		312	0.080	0.072 - 0.090
Newfoundland and Labrador	-	-		-	-		241	0.091	0.080 - 0.103
Ontario	-	-		-	-		5,097	0.071	0.069 - 0.073
Prince Edward Island	-	-		-	-		50	0.065	0.048 - 0.085
Saskatchewan	-	-		-	-		363	0.063	0.057 - 0.070
NAACCR N.A. Combined¹	-	-		-	-		117,076	0.063	0.063 - 0.064

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		32,099	0.019	0.019 - 0.020
Alabama	-	-		-	-		497	0.020	0.018 - 0.022
Alaska	-	-		-	-		54	0.015	0.012 - 0.020
Arizona	-	-		-	-		667	0.019	0.017 - 0.020
Arkansas	-	-		-	-		282	0.018	0.016 - 0.021
California	-	-		-	-		3,759	0.019	0.018 - 0.020
CA - Greater California	-	-		-	-		2,018	0.018	0.018 - 0.019
CA - Greater Bay Area	-	-		-	-		699	0.019	0.017 - 0.020
CA - Los Angeles	-	-		-	-		1,042	0.020	0.019 - 0.022
Colorado	-	-		-	-		480	0.017	0.016 - 0.019
Connecticut	-	-		-	-		373	0.020	0.018 - 0.023
Delaware	-	-		-	-		109	0.022	0.018 - 0.026
Florida	-	-		-	-		2,481	0.023	0.022 - 0.024
Georgia	-	-		-	-		912	0.017	0.016 - 0.018
Hawaii	-	-		-	-		121	0.017	0.014 - 0.020
Idaho	-	-		-	-		157	0.018	0.015 - 0.021
Illinois	-	-		-	-		1,284	0.020	0.019 - 0.021
Iowa	-	-		-	-		299	0.019	0.017 - 0.021
Kansas	-	-		-	-		282	0.019	0.017 - 0.022
Kentucky	-	-		-	-		394	0.017	0.016 - 0.019
Louisiana	-	-		-	-		349	0.015	0.013 - 0.016
Maine	-	-		-	-		116	0.017	0.014 - 0.020
Maryland	-	-		-	-		626	0.020	0.019 - 0.022
MI - Detroit	-	-		-	-		434	0.022	0.020 - 0.024
Minnesota	-	-		-	-		528	0.019	0.017 - 0.021
Mississippi	-	-		-	-		247	0.016	0.014 - 0.018
Missouri	-	-		-	-		529	0.017	0.016 - 0.019
Montana	-	-		-	-		120	0.023	0.019 - 0.027
Nebraska	-	-		-	-		152	0.016	0.013 - 0.019
New Hampshire	-	-		-	-		131	0.019	0.016 - 0.023
New Jersey	-	-		-	-		1,030	0.023	0.021 - 0.024
New Mexico	-	-		-	-		204	0.019	0.017 - 0.022
New York	-	-		-	-		2,309	0.023	0.022 - 0.024
North Carolina	-	-		-	-		1,006	0.019	0.018 - 0.020
North Dakota	-	-		-	-		53	0.014	0.011 - 0.019
Ohio	-	-		-	-		1,133	0.019	0.018 - 0.020
Oklahoma	-	-		-	-		391	0.020	0.018 - 0.022
Oregon	-	-		-	-		442	0.021	0.019 - 0.023
Pennsylvania	-	-		-	-		1,546	0.024	0.023 - 0.025
Rhode Island	-	-		-	-		93	0.017	0.014 - 0.021
South Carolina	-	-		-	-		412	0.016	0.014 - 0.017
South Dakota	-	-		-	-		91	0.021	0.017 - 0.026
Tennessee	-	-		-	-		613	0.018	0.016 - 0.019
Texas	-	-		-	-		2,381	0.017	0.016 - 0.017
Utah	-	-		-	-		226	0.015	0.013 - 0.017
Vermont	-	-		-	-		53	0.017	0.013 - 0.022
Washington	-	-		-	-		660	0.018	0.016 - 0.019
WA - Seattle	-	-		-	-		461	0.018	0.016 - 0.020
West Virginia	-	-		-	-		207	0.023	0.020 - 0.026
Wisconsin	-	-		-	-		615	0.021	0.019 - 0.023
Wyoming	-	-		-	-		55	0.019	0.015 - 0.025
NAACCR CDN Combined¹	-	-		-	-		4,104	0.022	0.021 - 0.023
Alberta	-	-		-	-		324	0.015	0.014 - 0.017
British Columbia	-	-		-	-		456	0.018	0.017 - 0.020
Manitoba	-	-		-	-		120	0.018	0.015 - 0.021
New Brunswick	-	-		-	-		82	0.021	0.017 - 0.026
Newfoundland and Labrador	-	-		-	-		50	0.019	0.014 - 0.025
Ontario	-	-		-	-		1,854	0.026	0.025 - 0.027
Prince Edward Island	-	-		-	-		14	0.018	0.010 - 0.030
Saskatchewan	-	-		-	-		102	0.018	0.014 - 0.022
NAACCR N.A. Combined¹	-	-		-	-		36,203	0.020	0.019 - 0.020

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-14 Prevalence – Ovary

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		399,015	0.248	0.247 - 0.249	-	-	
Alabama	-	-		7,156	0.303	0.296 - 0.310	-	-	
Alaska	-	-		691	0.180	0.166 - 0.193	-	-	
Arizona	-	-		6,279	0.178	0.174 - 0.182	-	-	
Arkansas	-	-		4,082	0.276	0.268 - 0.285	-	-	
California	-	-		37,775	0.193	0.191 - 0.195	-	-	
CA - Greater California	-	-		21,644	0.198	0.196 - 0.201	-	-	
CA - Greater Bay Area	-	-		7,307	0.197	0.193 - 0.202	-	-	
CA - Los Angeles	-	-		8,824	0.177	0.174 - 0.181	-	-	
Colorado	-	-		5,344	0.188	0.183 - 0.193	-	-	
Connecticut	-	-		5,162	0.296	0.288 - 0.304	-	-	
Delaware	-	-		1,492	0.321	0.305 - 0.338	-	-	
Florida	-	-		27,157	0.263	0.260 - 0.266	-	-	
Georgia	-	-		14,005	0.275	0.271 - 0.280	-	-	
Hawaii	-	-		1,663	0.233	0.222 - 0.245	-	-	
Idaho	-	-		2,199	0.253	0.243 - 0.264	-	-	
Illinois	-	-		15,821	0.253	0.249 - 0.257	-	-	
Iowa	-	-		4,321	0.276	0.268 - 0.284	-	-	
Kansas	-	-		3,699	0.255	0.247 - 0.263	-	-	
Kentucky	-	-		5,455	0.248	0.242 - 0.255	-	-	
Louisiana	-	-		6,915	0.304	0.296 - 0.311	-	-	
Maine	-	-		1,755	0.268	0.256 - 0.281	-	-	
Maryland	-	-		8,549	0.293	0.286 - 0.299	-	-	
MI - Detroit	-	-		5,855	0.311	0.303 - 0.319	-	-	
Minnesota	-	-		7,345	0.264	0.258 - 0.270	-	-	
Mississippi	-	-		4,326	0.299	0.290 - 0.308	-	-	
Missouri	-	-		6,694	0.223	0.218 - 0.228	-	-	
Montana	-	-		1,849	0.348	0.332 - 0.364	-	-	
Nebraska	-	-		2,743	0.286	0.275 - 0.297	-	-	
New Hampshire	-	-		2,037	0.304	0.291 - 0.318	-	-	
New Jersey	-	-		14,303	0.330	0.324 - 0.335	-	-	
New Mexico	-	-		2,108	0.204	0.195 - 0.212	-	-	
New York	-	-		28,354	0.299	0.295 - 0.302	-	-	
North Carolina	-	-		13,906	0.277	0.272 - 0.281	-	-	
North Dakota	-	-		962	0.248	0.233 - 0.265	-	-	
Ohio	-	-		15,148	0.265	0.261 - 0.269	-	-	
Oklahoma	-	-		4,086	0.210	0.203 - 0.216	-	-	
Oregon	-	-		4,835	0.234	0.228 - 0.241	-	-	
Pennsylvania	-	-		17,126	0.273	0.269 - 0.277	-	-	
Rhode Island	-	-		1,315	0.256	0.242 - 0.270	-	-	
South Carolina	-	-		6,902	0.282	0.275 - 0.288	-	-	
South Dakota	-	-		1,262	0.285	0.270 - 0.302	-	-	
Tennessee	-	-		9,092	0.276	0.271 - 0.282	-	-	
Texas	-	-		25,514	0.180	0.178 - 0.183	-	-	
Utah	-	-		2,913	0.185	0.178 - 0.192	-	-	
Vermont	-	-		816	0.265	0.247 - 0.283	-	-	
Washington	-	-		8,216	0.220	0.215 - 0.225	-	-	
WA - Seattle	-	-		6,270	0.243	0.237 - 0.249	-	-	
West Virginia	-	-		2,388	0.266	0.256 - 0.277	-	-	
Wisconsin	-	-		8,262	0.286	0.280 - 0.293	-	-	
Wyoming	-	-		859	0.291	0.272 - 0.312	-	-	
NAACCR CDN Combined¹	-	-		44,178	0.234	0.232 - 0.237	-	-	
Alberta	-	-		4,762	0.221	0.215 - 0.228	-	-	
British Columbia	-	-		5,678	0.231	0.225 - 0.237	-	-	
Manitoba	-	-		1,390	0.207	0.196 - 0.218	-	-	
New Brunswick	-	-		1,013	0.266	0.250 - 0.283	-	-	
Newfoundland and Labrador	-	-		847	0.325	0.303 - 0.347	-	-	
Ontario	-	-		16,669	0.238	0.235 - 0.242	-	-	
Prince Edward Island	-	-		214	0.287	0.250 - 0.329	-	-	
Saskatchewan	-	-		1,255	0.216	0.204 - 0.228	-	-	
NAACCR N.A. Combined¹	-	-		443,193	0.247	0.246 - 0.247	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		17,493	0.011	0.011 - 0.011	-	-	
Alabama	-	-		171	0.007	0.006 - 0.008	-	-	
Alaska	-	-		45	0.012	0.009 - 0.016	-	-	
Arizona	-	-		353	0.010	0.009 - 0.011	-	-	
Arkansas	-	-		142	0.010	0.008 - 0.011	-	-	
California	-	-		2,419	0.012	0.012 - 0.013	-	-	
CA - Greater California	-	-		1,340	0.012	0.012 - 0.013	-	-	
CA - Greater Bay Area	-	-		461	0.012	0.011 - 0.014	-	-	
CA - Los Angeles	-	-		618	0.012	0.011 - 0.013	-	-	
Colorado	-	-		317	0.011	0.010 - 0.012	-	-	
Connecticut	-	-		224	0.013	0.011 - 0.015	-	-	
Delaware	-	-		37	0.008	0.006 - 0.011	-	-	
Florida	-	-		904	0.009	0.008 - 0.009	-	-	
Georgia	-	-		416	0.008	0.007 - 0.009	-	-	
Hawaii	-	-		83	0.012	0.009 - 0.014	-	-	
Idaho	-	-		103	0.012	0.010 - 0.014	-	-	
Illinois	-	-		749	0.012	0.011 - 0.013	-	-	
Iowa	-	-		207	0.013	0.011 - 0.015	-	-	
Kansas	-	-		169	0.012	0.010 - 0.014	-	-	
Kentucky	-	-		235	0.011	0.009 - 0.012	-	-	
Louisiana	-	-		200	0.009	0.008 - 0.010	-	-	
Maine	-	-		85	0.013	0.010 - 0.016	-	-	
Maryland	-	-		253	0.009	0.008 - 0.010	-	-	
MI - Detroit	-	-		185	0.010	0.008 - 0.011	-	-	
Minnesota	-	-		357	0.013	0.012 - 0.014	-	-	
Mississippi	-	-		118	0.008	0.007 - 0.010	-	-	
Missouri	-	-		300	0.010	0.009 - 0.011	-	-	
Montana	-	-		64	0.012	0.009 - 0.015	-	-	
Nebraska	-	-		124	0.013	0.011 - 0.015	-	-	
New Hampshire	-	-		94	0.014	0.011 - 0.017	-	-	
New Jersey	-	-		487	0.011	0.010 - 0.012	-	-	
New Mexico	-	-		119	0.011	0.010 - 0.014	-	-	
New York	-	-		1,130	0.012	0.011 - 0.013	-	-	
North Carolina	-	-		500	0.010	0.009 - 0.011	-	-	
North Dakota	-	-		58	0.015	0.011 - 0.019	-	-	
Ohio	-	-		553	0.010	0.009 - 0.011	-	-	
Oklahoma	-	-		186	0.010	0.008 - 0.011	-	-	
Oregon	-	-		248	0.012	0.011 - 0.014	-	-	
Pennsylvania	-	-		732	0.012	0.011 - 0.013	-	-	
Rhode Island	-	-		57	0.011	0.008 - 0.014	-	-	
South Carolina	-	-		186	0.008	0.007 - 0.009	-	-	
South Dakota	-	-		32	0.007	0.005 - 0.010	-	-	
Tennessee	-	-		350	0.011	0.010 - 0.012	-	-	
Texas	-	-		1,470	0.010	0.010 - 0.011	-	-	
Utah	-	-		240	0.015	0.013 - 0.017	-	-	
Vermont	-	-		47	0.015	0.011 - 0.020	-	-	
Washington	-	-		470	0.013	0.011 - 0.014	-	-	
WA - Seattle	-	-		349	0.014	0.012 - 0.015	-	-	
West Virginia	-	-		90	0.010	0.008 - 0.012	-	-	
Wisconsin	-	-		371	0.013	0.012 - 0.014	-	-	
Wyoming	-	-		44	0.015	0.011 - 0.020	-	-	
NAACCR CDN Combined¹	-	-		2,179	0.012	0.011 - 0.013	-	-	
Alberta	-	-		279	0.013	0.011 - 0.015	-	-	
British Columbia	-	-		287	0.012	0.010 - 0.013	-	-	
Manitoba	-	-		73	0.011	0.009 - 0.014	-	-	
New Brunswick	-	-		48	0.013	0.009 - 0.017	-	-	
Newfoundland and Labrador	-	-		22	0.008	0.005 - 0.013	-	-	
Ontario	-	-		856	0.012	0.011 - 0.013	-	-	
Prince Edward Island	-	-		-	-		-	-	
Saskatchewan	-	-		63	0.011	0.008 - 0.014	-	-	
NAACCR N.A. Combined¹	-	-		19,673	0.011	0.011 - 0.011	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-16 Prevalence – Testis

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	128,116	0.039	0.039 - 0.039	98,814	0.061	0.061 - 0.062	29,278	0.018	0.017 - 0.018
Alabama	1,767	0.036	0.035 - 0.038	1,368	0.058	0.055 - 0.061	399	0.016	0.014 - 0.017
Alaska	245	0.033	0.029 - 0.038	193	0.050	0.043 - 0.058	52	0.015	0.011 - 0.019
Arizona	2,675	0.038	0.036 - 0.039	2,075	0.059	0.056 - 0.061	600	0.017	0.015 - 0.018
Arkansas	1,300	0.043	0.041 - 0.046	1,039	0.070	0.066 - 0.075	261	0.017	0.015 - 0.019
California	11,632	0.030	0.029 - 0.030	9,089	0.046	0.045 - 0.047	2,543	0.013	0.012 - 0.013
CA - Greater California	6,709	0.031	0.030 - 0.031	5,287	0.048	0.047 - 0.050	1,422	0.013	0.012 - 0.014
CA - Greater Bay Area	2,282	0.031	0.029 - 0.032	1,788	0.048	0.046 - 0.051	493	0.013	0.012 - 0.014
CA - Los Angeles	2,641	0.026	0.025 - 0.027	2,014	0.040	0.039 - 0.042	627	0.012	0.011 - 0.013
Colorado	1,817	0.032	0.031 - 0.034	1,415	0.050	0.047 - 0.052	402	0.014	0.013 - 0.016
Connecticut	1,963	0.055	0.053 - 0.057	1,491	0.086	0.081 - 0.090	471	0.026	0.023 - 0.028
Delaware	523	0.054	0.050 - 0.059	395	0.085	0.077 - 0.094	128	0.026	0.022 - 0.031
Florida	9,971	0.047	0.046 - 0.048	7,697	0.075	0.073 - 0.076	2,274	0.021	0.020 - 0.022
Georgia	3,246	0.031	0.030 - 0.032	2,522	0.050	0.048 - 0.052	725	0.013	0.013 - 0.015
Hawaii	437	0.031	0.028 - 0.034	357	0.050	0.045 - 0.055	81	0.011	0.009 - 0.014
Idaho	715	0.041	0.038 - 0.044	568	0.065	0.060 - 0.071	148	0.017	0.014 - 0.020
Illinois	5,172	0.041	0.039 - 0.042	3,958	0.063	0.061 - 0.065	1,214	0.019	0.018 - 0.020
Iowa	1,452	0.046	0.044 - 0.049	1,140	0.073	0.069 - 0.077	312	0.020	0.018 - 0.022
Kansas	1,274	0.044	0.041 - 0.046	972	0.067	0.063 - 0.071	302	0.021	0.018 - 0.023
Kentucky	1,950	0.044	0.042 - 0.046	1,512	0.069	0.065 - 0.072	438	0.019	0.018 - 0.021
Louisiana	1,636	0.035	0.033 - 0.037	1,290	0.057	0.054 - 0.060	345	0.014	0.013 - 0.016
Maine	912	0.068	0.064 - 0.073	714	0.109	0.101 - 0.117	198	0.029	0.025 - 0.033
Maryland	1,855	0.031	0.029 - 0.032	1,407	0.048	0.046 - 0.051	448	0.014	0.013 - 0.016
MI - Detroit	1,692	0.044	0.042 - 0.046	1,318	0.070	0.066 - 0.074	375	0.019	0.017 - 0.021
Minnesota	2,443	0.044	0.042 - 0.046	1,891	0.068	0.065 - 0.071	552	0.020	0.018 - 0.021
Mississippi	1,029	0.034	0.032 - 0.037	809	0.056	0.052 - 0.060	220	0.014	0.012 - 0.016
Missouri	2,551	0.042	0.040 - 0.043	1,982	0.066	0.063 - 0.069	569	0.018	0.017 - 0.020
Montana	555	0.053	0.048 - 0.057	415	0.078	0.071 - 0.086	140	0.027	0.022 - 0.032
Nebraska	792	0.041	0.038 - 0.044	615	0.064	0.059 - 0.069	177	0.018	0.016 - 0.021
New Hampshire	852	0.063	0.059 - 0.067	648	0.097	0.090 - 0.105	204	0.030	0.026 - 0.034
New Jersey	4,192	0.047	0.046 - 0.049	3,110	0.072	0.069 - 0.074	1,082	0.024	0.022 - 0.025
New Mexico	600	0.029	0.026 - 0.031	447	0.043	0.039 - 0.047	154	0.015	0.012 - 0.017
New York	9,319	0.048	0.047 - 0.049	7,035	0.074	0.072 - 0.076	2,284	0.023	0.022 - 0.024
North Carolina	4,172	0.040	0.039 - 0.042	3,157	0.063	0.061 - 0.065	1,015	0.019	0.018 - 0.020
North Dakota	310	0.041	0.037 - 0.046	246	0.064	0.056 - 0.072	64	0.017	0.013 - 0.022
Ohio	5,350	0.046	0.045 - 0.047	4,131	0.072	0.070 - 0.074	1,219	0.020	0.019 - 0.022
Oklahoma	1,385	0.035	0.033 - 0.037	1,095	0.056	0.053 - 0.060	290	0.015	0.013 - 0.016
Oregon	1,856	0.045	0.043 - 0.047	1,456	0.071	0.067 - 0.074	400	0.019	0.017 - 0.021
Pennsylvania	6,743	0.053	0.051 - 0.054	5,114	0.082	0.079 - 0.084	1,629	0.025	0.024 - 0.026
Rhode Island	622	0.059	0.054 - 0.064	464	0.090	0.082 - 0.099	158	0.029	0.025 - 0.034
South Carolina	1,805	0.036	0.034 - 0.037	1,363	0.056	0.053 - 0.059	442	0.017	0.015 - 0.019
South Dakota	352	0.040	0.036 - 0.045	274	0.062	0.055 - 0.070	78	0.018	0.014 - 0.022
Tennessee	2,838	0.042	0.041 - 0.044	2,179	0.066	0.063 - 0.069	659	0.019	0.018 - 0.021
Texas	6,743	0.024	0.023 - 0.024	5,280	0.037	0.036 - 0.038	1,463	0.010	0.010 - 0.011
Utah	750	0.024	0.022 - 0.026	633	0.040	0.037 - 0.043	117	0.008	0.006 - 0.009
Vermont	363	0.058	0.052 - 0.064	279	0.090	0.080 - 0.102	84	0.027	0.021 - 0.033
Washington	3,047	0.041	0.039 - 0.042	2,383	0.064	0.061 - 0.066	664	0.018	0.016 - 0.019
WA - Seattle	2,126	0.041	0.039 - 0.043	1,655	0.064	0.061 - 0.067	471	0.018	0.017 - 0.020
West Virginia	958	0.053	0.050 - 0.056	739	0.082	0.077 - 0.089	219	0.024	0.021 - 0.027
Wisconsin	2,838	0.049	0.047 - 0.051	2,214	0.077	0.074 - 0.080	624	0.021	0.020 - 0.023
Wyoming	247	0.043	0.038 - 0.048	194	0.066	0.057 - 0.076	53	0.019	0.014 - 0.024
NAACCR CDN Combined¹	18,469	0.049	0.048 - 0.050	14,204	0.076	0.074 - 0.077	4,252	0.022	0.021 - 0.023
Alberta	1,643	0.038	0.037 - 0.040	1,290	0.060	0.057 - 0.063	353	0.017	0.015 - 0.018
British Columbia	2,503	0.050	0.048 - 0.052	1,948	0.079	0.076 - 0.083	555	0.022	0.020 - 0.024
Manitoba	538	0.040	0.037 - 0.044	410	0.061	0.055 - 0.067	128	0.019	0.016 - 0.023
New Brunswick	468	0.061	0.056 - 0.067	354	0.093	0.084 - 0.103	114	0.029	0.024 - 0.035
Newfoundland and Labrador	322	0.061	0.055 - 0.068	241	0.092	0.081 - 0.105	81	0.030	0.024 - 0.038
Ontario	7,299	0.051	0.050 - 0.053	5,594	0.080	0.078 - 0.082	1,705	0.024	0.023 - 0.025
Prince Edward Island	81	0.053	0.042 - 0.066	60	0.081	0.061 - 0.104	21	0.027	0.017 - 0.041
Saskatchewan	488	0.042	0.039 - 0.046	372	0.064	0.058 - 0.071	116	0.020	0.017 - 0.024
NAACCR N.A. Combined¹	146,586	0.040	0.040 - 0.040	113,018	0.062	0.062 - 0.063	33,530	0.018	0.018 - 0.018

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	112,086	0.034	0.034 - 0.035	70,657	0.044	0.044 - 0.044	41,431	0.025	0.025 - 0.025
Alabama	1,841	0.038	0.036 - 0.039	1,127	0.048	0.045 - 0.051	714	0.028	0.026 - 0.030
Alaska	205	0.028	0.024 - 0.032	133	0.035	0.029 - 0.041	72	0.020	0.016 - 0.026
Arizona	2,322	0.033	0.031 - 0.034	1,490	0.042	0.040 - 0.044	832	0.023	0.022 - 0.025
Arkansas	1,305	0.043	0.041 - 0.046	775	0.052	0.049 - 0.056	530	0.035	0.032 - 0.038
California	10,914	0.028	0.027 - 0.028	6,944	0.035	0.035 - 0.036	3,970	0.020	0.019 - 0.021
CA - Greater California	6,447	0.029	0.029 - 0.030	4,112	0.038	0.037 - 0.039	2,335	0.021	0.020 - 0.022
CA - Greater Bay Area	1,906	0.026	0.025 - 0.027	1,261	0.034	0.032 - 0.036	644	0.017	0.016 - 0.019
CA - Los Angeles	2,563	0.025	0.024 - 0.026	1,572	0.032	0.030 - 0.033	991	0.019	0.018 - 0.021
Colorado	1,460	0.026	0.025 - 0.027	927	0.033	0.031 - 0.035	533	0.019	0.017 - 0.021
Connecticut	1,281	0.036	0.034 - 0.038	840	0.048	0.045 - 0.052	442	0.024	0.022 - 0.027
Delaware	348	0.036	0.033 - 0.040	221	0.048	0.041 - 0.054	127	0.026	0.021 - 0.030
Florida	6,966	0.033	0.032 - 0.034	4,384	0.042	0.041 - 0.044	2,582	0.024	0.023 - 0.025
Georgia	3,324	0.032	0.031 - 0.033	2,085	0.041	0.039 - 0.043	1,239	0.023	0.022 - 0.024
Hawaii	400	0.028	0.025 - 0.031	273	0.038	0.034 - 0.043	127	0.018	0.015 - 0.021
Idaho	555	0.032	0.029 - 0.035	358	0.041	0.037 - 0.046	197	0.023	0.020 - 0.026
Illinois	4,586	0.036	0.035 - 0.037	2,894	0.046	0.045 - 0.048	1,692	0.026	0.025 - 0.027
Iowa	1,247	0.040	0.037 - 0.042	814	0.052	0.048 - 0.056	434	0.027	0.025 - 0.030
Kansas	1,197	0.041	0.039 - 0.044	749	0.052	0.048 - 0.055	448	0.031	0.028 - 0.034
Kentucky	1,984	0.045	0.043 - 0.047	1,208	0.055	0.052 - 0.058	776	0.034	0.032 - 0.037
Louisiana	2,034	0.044	0.042 - 0.046	1,248	0.055	0.052 - 0.058	786	0.033	0.031 - 0.035
Maine	539	0.040	0.037 - 0.044	337	0.051	0.046 - 0.057	202	0.030	0.026 - 0.034
Maryland	1,904	0.032	0.030 - 0.033	1,155	0.040	0.037 - 0.042	749	0.024	0.022 - 0.026
MI - Detroit	1,308	0.034	0.032 - 0.036	797	0.042	0.039 - 0.045	512	0.026	0.023 - 0.028
Minnesota	1,906	0.034	0.033 - 0.036	1,293	0.046	0.044 - 0.049	613	0.022	0.020 - 0.024
Mississippi	1,282	0.043	0.041 - 0.045	770	0.053	0.049 - 0.057	512	0.033	0.030 - 0.036
Missouri	2,503	0.041	0.039 - 0.043	1,554	0.052	0.049 - 0.054	949	0.030	0.029 - 0.032
Montana	406	0.038	0.035 - 0.042	263	0.050	0.044 - 0.056	142	0.027	0.023 - 0.032
Nebraska	648	0.034	0.031 - 0.036	425	0.044	0.040 - 0.049	223	0.023	0.020 - 0.026
New Hampshire	492	0.036	0.033 - 0.040	330	0.049	0.044 - 0.055	162	0.024	0.020 - 0.028
New Jersey	3,012	0.034	0.033 - 0.035	1,944	0.045	0.043 - 0.047	1,068	0.023	0.022 - 0.025
New Mexico	617	0.029	0.027 - 0.032	371	0.036	0.032 - 0.040	246	0.023	0.020 - 0.026
New York	6,844	0.035	0.034 - 0.036	4,384	0.046	0.045 - 0.048	2,460	0.024	0.023 - 0.025
North Carolina	3,702	0.036	0.035 - 0.037	2,338	0.047	0.045 - 0.048	1,364	0.026	0.024 - 0.027
North Dakota	255	0.034	0.030 - 0.038	176	0.045	0.039 - 0.053	79	0.021	0.017 - 0.027
Ohio	4,257	0.036	0.035 - 0.038	2,616	0.046	0.044 - 0.048	1,641	0.028	0.026 - 0.029
Oklahoma	1,502	0.038	0.036 - 0.040	905	0.046	0.043 - 0.050	597	0.030	0.028 - 0.033
Oregon	1,359	0.033	0.031 - 0.034	892	0.043	0.040 - 0.046	467	0.022	0.020 - 0.024
Pennsylvania	4,998	0.039	0.038 - 0.040	3,179	0.051	0.049 - 0.053	1,819	0.028	0.027 - 0.029
Rhode Island	343	0.032	0.029 - 0.036	210	0.041	0.036 - 0.047	133	0.024	0.021 - 0.029
South Carolina	1,882	0.037	0.036 - 0.039	1,146	0.047	0.044 - 0.050	736	0.028	0.026 - 0.030
South Dakota	325	0.037	0.033 - 0.041	198	0.045	0.039 - 0.051	127	0.029	0.024 - 0.035
Tennessee	2,770	0.041	0.040 - 0.043	1,741	0.053	0.050 - 0.055	1,029	0.030	0.028 - 0.032
Texas	9,518	0.033	0.033 - 0.034	5,908	0.042	0.041 - 0.043	3,610	0.025	0.024 - 0.026
Utah	647	0.021	0.019 - 0.022	424	0.027	0.024 - 0.030	224	0.014	0.013 - 0.016
Vermont	217	0.035	0.030 - 0.040	144	0.047	0.039 - 0.055	73	0.023	0.018 - 0.029
Washington	2,266	0.030	0.029 - 0.032	1,406	0.038	0.036 - 0.040	860	0.023	0.022 - 0.025
WA - Seattle	1,594	0.031	0.029 - 0.032	1,019	0.039	0.037 - 0.042	576	0.022	0.021 - 0.024
West Virginia	880	0.049	0.045 - 0.052	520	0.058	0.053 - 0.063	360	0.039	0.035 - 0.044
Wisconsin	2,406	0.041	0.040 - 0.043	1,585	0.055	0.052 - 0.058	821	0.028	0.026 - 0.030
Wyoming	176	0.030	0.026 - 0.035	107	0.036	0.030 - 0.044	69	0.024	0.019 - 0.031
NAACCR CDN Combined¹	11,084	0.029	0.029 - 0.030	7,243	0.039	0.038 - 0.040	3,849	0.020	0.020 - 0.021
Alberta	1,082	0.025	0.024 - 0.027	722	0.034	0.031 - 0.036	360	0.017	0.015 - 0.019
British Columbia	1,350	0.027	0.026 - 0.029	863	0.035	0.033 - 0.038	487	0.019	0.018 - 0.021
Manitoba	358	0.027	0.024 - 0.030	250	0.037	0.033 - 0.042	108	0.016	0.013 - 0.019
New Brunswick	313	0.041	0.036 - 0.046	185	0.049	0.042 - 0.056	128	0.033	0.028 - 0.039
Newfoundland and Labrador	244	0.046	0.041 - 0.052	156	0.060	0.051 - 0.070	88	0.033	0.027 - 0.041
Ontario	4,292	0.030	0.029 - 0.031	2,818	0.040	0.039 - 0.042	1,474	0.021	0.019 - 0.022
Prince Edward Island	57	0.038	0.028 - 0.049	34	0.046	0.032 - 0.064	23	0.030	0.019 - 0.045
Saskatchewan	358	0.031	0.028 - 0.034	223	0.038	0.033 - 0.044	135	0.024	0.020 - 0.028
NAACCR N.A. Combined¹	123,170	0.034	0.034 - 0.034	77,900	0.043	0.043 - 0.044	45,280	0.025	0.024 - 0.025

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-18 Prevalence – Kidney and Renal Pelvis

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	27,408	0.008	0.008 - 0.008	15,422	0.010	0.009 - 0.010	11,986	0.007	0.007 - 0.007
Alabama	351	0.007	0.006 - 0.008	192	0.008	0.007 - 0.009	159	0.006	0.005 - 0.007
Alaska	69	0.009	0.007 - 0.012	47	0.012	0.009 - 0.016	22	0.006	0.004 - 0.009
Arizona	519	0.007	0.007 - 0.008	291	0.008	0.007 - 0.009	228	0.006	0.006 - 0.007
Arkansas	257	0.009	0.008 - 0.010	160	0.011	0.009 - 0.013	97	0.006	0.005 - 0.008
California	2,967	0.008	0.007 - 0.008	1,734	0.009	0.008 - 0.009	1,233	0.006	0.006 - 0.007
CA - Greater California	1,682	0.008	0.007 - 0.008	995	0.009	0.009 - 0.010	687	0.006	0.006 - 0.007
CA - Greater Bay Area	589	0.008	0.007 - 0.009	342	0.009	0.008 - 0.010	246	0.007	0.006 - 0.008
CA - Los Angeles	696	0.007	0.006 - 0.007	397	0.008	0.007 - 0.009	299	0.006	0.005 - 0.007
Colorado	470	0.008	0.008 - 0.009	257	0.009	0.008 - 0.010	213	0.008	0.007 - 0.009
Connecticut	341	0.010	0.009 - 0.011	178	0.010	0.009 - 0.012	164	0.009	0.008 - 0.010
Delaware	92	0.010	0.008 - 0.012	48	0.010	0.008 - 0.014	44	0.009	0.006 - 0.012
Florida	1,823	0.009	0.008 - 0.009	990	0.010	0.009 - 0.010	833	0.008	0.007 - 0.008
Georgia	726	0.007	0.006 - 0.007	375	0.007	0.007 - 0.008	351	0.007	0.006 - 0.007
Hawaii	80	0.006	0.004 - 0.007	42	0.006	0.004 - 0.008	38	0.005	0.004 - 0.007
Idaho	140	0.008	0.007 - 0.010	82	0.009	0.008 - 0.012	58	0.007	0.005 - 0.009
Illinois	1,083	0.008	0.008 - 0.009	617	0.010	0.009 - 0.011	466	0.007	0.007 - 0.008
Iowa	300	0.010	0.008 - 0.011	165	0.011	0.009 - 0.012	135	0.009	0.007 - 0.010
Kansas	273	0.009	0.008 - 0.011	145	0.010	0.008 - 0.012	128	0.009	0.007 - 0.010
Kentucky	440	0.010	0.009 - 0.011	257	0.012	0.010 - 0.013	183	0.008	0.007 - 0.009
Louisiana	330	0.007	0.006 - 0.008	190	0.008	0.007 - 0.010	140	0.006	0.005 - 0.007
Maine	157	0.012	0.010 - 0.014	91	0.014	0.011 - 0.017	66	0.010	0.007 - 0.012
Maryland	459	0.008	0.007 - 0.008	271	0.009	0.008 - 0.010	188	0.006	0.005 - 0.007
MI - Detroit	282	0.007	0.006 - 0.008	167	0.009	0.008 - 0.010	115	0.006	0.005 - 0.007
Minnesota	521	0.009	0.009 - 0.010	305	0.011	0.010 - 0.012	216	0.008	0.007 - 0.009
Mississippi	248	0.008	0.007 - 0.009	138	0.010	0.008 - 0.011	110	0.007	0.006 - 0.009
Missouri	538	0.009	0.008 - 0.010	299	0.010	0.009 - 0.011	239	0.008	0.007 - 0.009
Montana	87	0.008	0.007 - 0.010	51	0.010	0.007 - 0.013	36	0.007	0.005 - 0.009
Nebraska	179	0.009	0.008 - 0.011	103	0.011	0.009 - 0.013	76	0.008	0.006 - 0.010
New Hampshire	154	0.011	0.010 - 0.013	81	0.012	0.010 - 0.015	73	0.011	0.008 - 0.013
New Jersey	837	0.009	0.009 - 0.010	460	0.011	0.010 - 0.012	377	0.008	0.007 - 0.009
New Mexico	135	0.006	0.005 - 0.008	67	0.007	0.005 - 0.008	68	0.006	0.005 - 0.008
New York	1,806	0.009	0.009 - 0.010	1,020	0.011	0.010 - 0.011	787	0.008	0.007 - 0.008
North Carolina	856	0.008	0.008 - 0.009	468	0.009	0.008 - 0.010	388	0.007	0.007 - 0.008
North Dakota	64	0.008	0.007 - 0.011	44	0.011	0.008 - 0.015	20	0.005	0.003 - 0.008
Ohio	1,091	0.009	0.009 - 0.010	634	0.011	0.010 - 0.012	457	0.008	0.007 - 0.008
Oklahoma	297	0.008	0.007 - 0.008	158	0.008	0.007 - 0.009	139	0.007	0.006 - 0.008
Oregon	401	0.010	0.009 - 0.011	236	0.011	0.010 - 0.013	165	0.008	0.007 - 0.009
Pennsylvania	1,287	0.010	0.010 - 0.011	772	0.012	0.011 - 0.013	515	0.008	0.007 - 0.009
Rhode Island	99	0.009	0.008 - 0.011	59	0.011	0.009 - 0.015	40	0.007	0.005 - 0.010
South Carolina	372	0.007	0.007 - 0.008	202	0.008	0.007 - 0.009	170	0.007	0.006 - 0.008
South Dakota	68	0.008	0.006 - 0.010	48	0.011	0.008 - 0.014	20	0.005	0.003 - 0.007
Tennessee	535	0.008	0.007 - 0.009	278	0.008	0.007 - 0.010	257	0.007	0.007 - 0.008
Texas	2,158	0.008	0.007 - 0.008	1,146	0.008	0.008 - 0.009	1,012	0.007	0.007 - 0.008
Utah	246	0.008	0.007 - 0.009	138	0.009	0.007 - 0.010	108	0.007	0.006 - 0.008
Vermont	72	0.012	0.009 - 0.015	40	0.013	0.009 - 0.018	32	0.010	0.007 - 0.014
Washington	669	0.009	0.008 - 0.010	392	0.010	0.009 - 0.012	277	0.007	0.007 - 0.008
WA - Seattle	483	0.009	0.009 - 0.010	283	0.011	0.010 - 0.012	201	0.008	0.007 - 0.009
West Virginia	175	0.010	0.008 - 0.011	106	0.012	0.010 - 0.014	69	0.008	0.006 - 0.010
Wisconsin	527	0.009	0.008 - 0.010	282	0.010	0.009 - 0.011	245	0.008	0.007 - 0.010
Wyoming	40	0.007	0.005 - 0.009	22	0.007	0.005 - 0.011	18	0.006	0.004 - 0.010
NAACCR CDN Combined¹	2,974	0.008	0.008 - 0.008	1,669	0.009	0.009 - 0.010	1,306	0.007	0.007 - 0.007
Alberta	302	0.007	0.006 - 0.008	161	0.007	0.006 - 0.009	141	0.007	0.006 - 0.008
British Columbia	386	0.008	0.007 - 0.009	224	0.009	0.008 - 0.010	162	0.006	0.005 - 0.008
Manitoba	100	0.007	0.006 - 0.009	60	0.009	0.007 - 0.012	40	0.006	0.004 - 0.008
New Brunswick	59	0.008	0.006 - 0.010	33	0.009	0.006 - 0.012	26	0.007	0.004 - 0.010
Newfoundland and Labrador	44	0.008	0.006 - 0.011	20	0.008	0.005 - 0.012	24	0.009	0.006 - 0.013
Ontario	1,206	0.008	0.008 - 0.009	674	0.010	0.009 - 0.010	532	0.007	0.007 - 0.008
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	85	0.007	0.006 - 0.009	49	0.008	0.006 - 0.011	36	0.006	0.004 - 0.009
NAACCR N.A. Combined¹	30,383	0.008	0.008 - 0.008	17,091	0.010	0.009 - 0.010	13,293	0.007	0.007 - 0.007

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	92,239	0.028	0.028 - 0.028	23,520	0.015	0.014 - 0.015	68,722	0.041	0.041 - 0.042
Alabama	1,026	0.021	0.020 - 0.022	234	0.010	0.009 - 0.011	792	0.031	0.029 - 0.034
Alaska	187	0.025	0.022 - 0.029	50	0.013	0.010 - 0.017	137	0.039	0.033 - 0.046
Arizona	1,795	0.025	0.024 - 0.026	434	0.012	0.011 - 0.014	1,361	0.038	0.036 - 0.040
Arkansas	742	0.025	0.023 - 0.027	179	0.012	0.010 - 0.014	563	0.037	0.034 - 0.040
California	10,138	0.026	0.025 - 0.026	2,506	0.013	0.012 - 0.013	7,632	0.039	0.038 - 0.039
CA - Greater California	5,562	0.025	0.025 - 0.026	1,327	0.012	0.012 - 0.013	4,236	0.039	0.037 - 0.040
CA - Greater Bay Area	1,908	0.026	0.025 - 0.027	527	0.014	0.013 - 0.016	1,381	0.037	0.035 - 0.039
CA - Los Angeles	2,667	0.026	0.025 - 0.027	652	0.013	0.012 - 0.014	2,015	0.039	0.038 - 0.041
Colorado	1,640	0.029	0.028 - 0.030	436	0.015	0.014 - 0.017	1,204	0.043	0.041 - 0.045
Connecticut	1,283	0.036	0.034 - 0.038	341	0.020	0.018 - 0.022	942	0.051	0.048 - 0.055
Delaware	331	0.034	0.031 - 0.038	76	0.016	0.013 - 0.020	255	0.051	0.045 - 0.058
Florida	5,536	0.026	0.026 - 0.027	1,377	0.013	0.013 - 0.014	4,159	0.039	0.037 - 0.040
Georgia	2,515	0.024	0.023 - 0.025	624	0.012	0.011 - 0.013	1,890	0.035	0.034 - 0.037
Hawaii	412	0.029	0.026 - 0.032	95	0.013	0.011 - 0.016	317	0.045	0.040 - 0.050
Idaho	475	0.027	0.025 - 0.030	133	0.015	0.013 - 0.018	342	0.040	0.035 - 0.044
Illinois	3,676	0.029	0.028 - 0.030	985	0.016	0.015 - 0.017	2,691	0.041	0.040 - 0.043
Iowa	889	0.028	0.026 - 0.030	230	0.015	0.013 - 0.017	659	0.042	0.039 - 0.045
Kansas	889	0.031	0.029 - 0.033	243	0.017	0.015 - 0.019	646	0.044	0.041 - 0.048
Kentucky	1,481	0.033	0.032 - 0.035	359	0.016	0.015 - 0.018	1,122	0.050	0.047 - 0.053
Louisiana	1,372	0.029	0.028 - 0.031	340	0.015	0.013 - 0.017	1,032	0.043	0.041 - 0.046
Maine	416	0.031	0.028 - 0.034	130	0.020	0.017 - 0.024	286	0.042	0.037 - 0.047
Maryland	1,651	0.027	0.026 - 0.029	405	0.014	0.013 - 0.015	1,246	0.040	0.038 - 0.042
MI - Detroit	1,209	0.031	0.029 - 0.033	312	0.017	0.015 - 0.018	897	0.045	0.042 - 0.048
Minnesota	1,381	0.025	0.023 - 0.026	386	0.014	0.013 - 0.015	995	0.035	0.033 - 0.038
Mississippi	592	0.020	0.018 - 0.021	136	0.009	0.008 - 0.011	456	0.030	0.027 - 0.033
Missouri	1,487	0.024	0.023 - 0.026	369	0.012	0.011 - 0.014	1,118	0.036	0.034 - 0.038
Montana	285	0.027	0.024 - 0.030	84	0.016	0.013 - 0.020	201	0.038	0.033 - 0.044
Nebraska	591	0.031	0.028 - 0.033	146	0.015	0.013 - 0.018	445	0.046	0.042 - 0.051
New Hampshire	408	0.030	0.027 - 0.033	110	0.016	0.014 - 0.020	298	0.044	0.039 - 0.049
New Jersey	3,538	0.040	0.039 - 0.041	893	0.021	0.019 - 0.022	2,645	0.058	0.056 - 0.060
New Mexico	633	0.030	0.028 - 0.033	162	0.016	0.013 - 0.018	471	0.045	0.041 - 0.049
New York	7,712	0.039	0.039 - 0.040	1,950	0.021	0.020 - 0.021	5,762	0.057	0.056 - 0.059
North Carolina	2,426	0.023	0.023 - 0.024	588	0.012	0.011 - 0.013	1,838	0.035	0.033 - 0.036
North Dakota	247	0.033	0.029 - 0.037	72	0.019	0.015 - 0.023	175	0.047	0.041 - 0.055
Ohio	3,674	0.031	0.030 - 0.033	889	0.016	0.015 - 0.017	2,785	0.047	0.045 - 0.049
Oklahoma	985	0.025	0.023 - 0.027	261	0.013	0.012 - 0.015	724	0.036	0.034 - 0.039
Oregon	1,116	0.027	0.025 - 0.028	290	0.014	0.012 - 0.016	826	0.039	0.037 - 0.042
Pennsylvania	5,084	0.040	0.039 - 0.041	1,318	0.021	0.020 - 0.022	3,766	0.058	0.056 - 0.060
Rhode Island	359	0.034	0.031 - 0.038	96	0.019	0.015 - 0.023	263	0.048	0.043 - 0.055
South Carolina	1,103	0.022	0.021 - 0.023	294	0.012	0.011 - 0.013	809	0.031	0.029 - 0.033
South Dakota	225	0.026	0.022 - 0.029	67	0.015	0.012 - 0.019	158	0.036	0.031 - 0.043
Tennessee	1,718	0.025	0.024 - 0.027	482	0.015	0.013 - 0.016	1,236	0.036	0.034 - 0.038
Texas	6,193	0.022	0.021 - 0.022	1,600	0.011	0.011 - 0.012	4,593	0.032	0.031 - 0.033
Utah	880	0.028	0.026 - 0.030	208	0.013	0.011 - 0.015	672	0.043	0.040 - 0.047
Vermont	199	0.032	0.028 - 0.037	53	0.017	0.013 - 0.022	146	0.046	0.039 - 0.054
Washington	1,983	0.027	0.025 - 0.028	513	0.014	0.013 - 0.015	1,470	0.039	0.037 - 0.041
WA - Seattle	1,448	0.028	0.027 - 0.030	377	0.015	0.013 - 0.016	1,071	0.042	0.039 - 0.044
West Virginia	674	0.037	0.034 - 0.040	169	0.019	0.016 - 0.022	505	0.055	0.051 - 0.060
Wisconsin	1,694	0.029	0.028 - 0.031	452	0.016	0.014 - 0.017	1,242	0.043	0.040 - 0.045
Wyoming	182	0.031	0.027 - 0.036	50	0.017	0.013 - 0.022	132	0.047	0.039 - 0.055
NAACCR CDN Combined¹	11,441	0.031	0.030 - 0.031	3,006	0.016	0.016 - 0.017	8,418	0.045	0.044 - 0.046
Alberta	1,006	0.024	0.022 - 0.025	272	0.013	0.011 - 0.014	734	0.035	0.032 - 0.037
British Columbia	863	0.017	0.016 - 0.019	244	0.010	0.009 - 0.011	619	0.025	0.023 - 0.027
Manitoba	280	0.021	0.018 - 0.023	64	0.010	0.007 - 0.012	216	0.032	0.028 - 0.037
New Brunswick	181	0.024	0.020 - 0.027	57	0.015	0.011 - 0.019	124	0.032	0.027 - 0.038
Newfoundland and Labrador	236	0.045	0.039 - 0.051	55	0.021	0.016 - 0.027	181	0.068	0.059 - 0.079
Ontario	5,659	0.040	0.039 - 0.041	1,450	0.021	0.020 - 0.022	4,209	0.059	0.057 - 0.060
Prince Edward Island	15	0.010	0.006 - 0.016	-	-	-	-	-	-
Saskatchewan	199	0.017	0.015 - 0.020	58	0.010	0.008 - 0.013	141	0.025	0.021 - 0.029
NAACCR N.A. Combined¹	103,679	0.028	0.028 - 0.029	26,525	0.015	0.015 - 0.015	77,140	0.042	0.041 - 0.042

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-20 Prevalence – Thyroid

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	15,985	0.005	0.005 - 0.005	8,716	0.005	0.005 - 0.006	7,269	0.004	0.004 - 0.004
Alabama	213	0.004	0.004 - 0.005	115	0.005	0.004 - 0.006	98	0.004	0.003 - 0.005
Alaska	31	0.004	0.003 - 0.006	21	0.005	0.003 - 0.008	10	0.003	0.001 - 0.005
Arizona	257	0.004	0.003 - 0.004	148	0.004	0.004 - 0.005	109	0.003	0.003 - 0.004
Arkansas	144	0.005	0.004 - 0.006	79	0.005	0.004 - 0.007	65	0.004	0.003 - 0.005
California	1,598	0.004	0.004 - 0.004	856	0.004	0.004 - 0.005	741	0.004	0.003 - 0.004
CA - Greater California	910	0.004	0.004 - 0.004	485	0.004	0.004 - 0.005	425	0.004	0.004 - 0.004
CA - Greater Bay Area	304	0.004	0.004 - 0.005	174	0.005	0.004 - 0.005	130	0.003	0.003 - 0.004
CA - Los Angeles	384	0.004	0.003 - 0.004	197	0.004	0.003 - 0.005	186	0.004	0.003 - 0.004
Colorado	252	0.004	0.004 - 0.005	146	0.005	0.004 - 0.006	106	0.004	0.003 - 0.005
Connecticut	199	0.006	0.005 - 0.006	112	0.006	0.005 - 0.008	87	0.005	0.004 - 0.006
Delaware	41	0.004	0.003 - 0.006	23	0.005	0.003 - 0.007	18	0.004	0.002 - 0.006
Florida	1,244	0.006	0.006 - 0.006	643	0.006	0.006 - 0.007	601	0.006	0.005 - 0.006
Georgia	468	0.004	0.004 - 0.005	253	0.005	0.004 - 0.006	216	0.004	0.004 - 0.005
Hawaii	45	0.003	0.002 - 0.004	28	0.004	0.003 - 0.006	17	0.002	0.001 - 0.004
Idaho	70	0.004	0.003 - 0.005	36	0.004	0.003 - 0.006	34	0.004	0.003 - 0.005
Illinois	660	0.005	0.005 - 0.006	368	0.006	0.005 - 0.007	292	0.005	0.004 - 0.005
Iowa	169	0.005	0.005 - 0.006	91	0.006	0.005 - 0.007	78	0.005	0.004 - 0.006
Kansas	133	0.005	0.004 - 0.005	82	0.006	0.004 - 0.007	51	0.003	0.003 - 0.005
Kentucky	210	0.005	0.004 - 0.005	111	0.005	0.004 - 0.006	99	0.004	0.004 - 0.005
Louisiana	252	0.005	0.005 - 0.006	131	0.006	0.005 - 0.007	121	0.005	0.004 - 0.006
Maine	70	0.005	0.004 - 0.007	37	0.006	0.004 - 0.008	33	0.005	0.003 - 0.007
Maryland	297	0.005	0.004 - 0.006	154	0.005	0.004 - 0.006	143	0.005	0.004 - 0.005
MI - Detroit	183	0.005	0.004 - 0.005	112	0.006	0.005 - 0.007	71	0.004	0.003 - 0.004
Minnesota	297	0.005	0.005 - 0.006	180	0.006	0.006 - 0.007	117	0.004	0.003 - 0.005
Mississippi	114	0.004	0.003 - 0.005	60	0.004	0.003 - 0.005	54	0.004	0.003 - 0.005
Missouri	306	0.005	0.004 - 0.006	173	0.006	0.005 - 0.007	133	0.004	0.004 - 0.005
Montana	46	0.004	0.003 - 0.006	22	0.004	0.003 - 0.006	24	0.005	0.003 - 0.007
Nebraska	104	0.005	0.004 - 0.007	63	0.007	0.005 - 0.008	41	0.004	0.003 - 0.006
New Hampshire	77	0.006	0.004 - 0.007	42	0.006	0.005 - 0.008	35	0.005	0.004 - 0.007
New Jersey	581	0.007	0.006 - 0.007	312	0.007	0.006 - 0.008	269	0.006	0.005 - 0.007
New Mexico	86	0.004	0.003 - 0.005	55	0.005	0.004 - 0.007	32	0.003	0.002 - 0.004
New York	1,212	0.006	0.006 - 0.007	621	0.007	0.006 - 0.007	592	0.006	0.005 - 0.006
North Carolina	499	0.005	0.004 - 0.005	283	0.006	0.005 - 0.006	216	0.004	0.004 - 0.005
North Dakota	38	0.005	0.004 - 0.007	24	0.006	0.004 - 0.009	14	0.004	0.002 - 0.006
Ohio	598	0.005	0.005 - 0.006	318	0.006	0.005 - 0.006	280	0.005	0.004 - 0.005
Oklahoma	153	0.004	0.003 - 0.005	79	0.004	0.003 - 0.005	74	0.004	0.003 - 0.005
Oregon	177	0.004	0.004 - 0.005	89	0.004	0.003 - 0.005	88	0.004	0.003 - 0.005
Pennsylvania	798	0.006	0.006 - 0.007	452	0.007	0.007 - 0.008	346	0.005	0.005 - 0.006
Rhode Island	75	0.007	0.006 - 0.009	42	0.008	0.006 - 0.011	33	0.006	0.004 - 0.009
South Carolina	235	0.005	0.004 - 0.005	120	0.005	0.004 - 0.006	115	0.004	0.004 - 0.005
South Dakota	39	0.004	0.003 - 0.006	23	0.005	0.003 - 0.008	16	0.004	0.002 - 0.006
Tennessee	316	0.005	0.004 - 0.005	181	0.006	0.005 - 0.006	135	0.004	0.003 - 0.005
Texas	1,119	0.004	0.004 - 0.004	621	0.004	0.004 - 0.005	498	0.003	0.003 - 0.004
Utah	144	0.005	0.004 - 0.005	67	0.004	0.003 - 0.005	77	0.005	0.004 - 0.006
Vermont	37	0.006	0.004 - 0.008	21	0.007	0.004 - 0.010	16	0.005	0.003 - 0.008
Washington	336	0.004	0.004 - 0.005	181	0.005	0.004 - 0.006	155	0.004	0.004 - 0.005
WA - Seattle	238	0.005	0.004 - 0.005	123	0.005	0.004 - 0.006	115	0.004	0.004 - 0.005
West Virginia	82	0.005	0.004 - 0.006	49	0.005	0.004 - 0.007	33	0.004	0.002 - 0.005
Wisconsin	324	0.006	0.005 - 0.006	189	0.007	0.006 - 0.008	135	0.005	0.004 - 0.005
Wyoming	32	0.006	0.004 - 0.008	19	0.006	0.004 - 0.010	13	0.005	0.002 - 0.008
NAACCR CDN Combined¹	1,846	0.005	0.005 - 0.005	1,032	0.006	0.005 - 0.006	814	0.004	0.004 - 0.005
Alberta	199	0.005	0.004 - 0.005	106	0.005	0.004 - 0.006	93	0.004	0.004 - 0.005
British Columbia	214	0.004	0.004 - 0.005	124	0.005	0.004 - 0.006	90	0.004	0.003 - 0.004
Manitoba	75	0.006	0.004 - 0.007	47	0.007	0.005 - 0.009	28	0.004	0.003 - 0.006
New Brunswick	40	0.005	0.004 - 0.007	28	0.007	0.005 - 0.011	12	0.003	0.002 - 0.005
Newfoundland and Labrador	26	0.005	0.003 - 0.007	12	0.005	0.002 - 0.008	14	0.005	0.003 - 0.009
Ontario	768	0.005	0.005 - 0.006	413	0.006	0.005 - 0.006	355	0.005	0.004 - 0.005
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	46	0.004	0.003 - 0.005	32	0.005	0.004 - 0.008	14	0.002	0.001 - 0.004
NAACCR N.A. Combined¹	17,830	0.005	0.005 - 0.005	9,748	0.005	0.005 - 0.006	8,083	0.004	0.004 - 0.004

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	115,722	0.035	0.035 - 0.036	63,134	0.039	0.039 - 0.040	52,584	0.032	0.031 - 0.032
Alabama	1,483	0.030	0.029 - 0.032	807	0.034	0.032 - 0.037	676	0.027	0.025 - 0.029
Alaska	196	0.027	0.023 - 0.031	121	0.031	0.026 - 0.038	75	0.021	0.017 - 0.027
Arizona	2,020	0.028	0.027 - 0.030	1,150	0.033	0.031 - 0.035	870	0.024	0.023 - 0.026
Arkansas	1,078	0.036	0.034 - 0.038	599	0.041	0.037 - 0.044	479	0.031	0.029 - 0.034
California	12,257	0.031	0.031 - 0.032	6,719	0.034	0.033 - 0.035	5,539	0.028	0.027 - 0.029
CA - Greater California	6,688	0.031	0.030 - 0.031	3,691	0.034	0.033 - 0.035	2,996	0.027	0.026 - 0.028
CA - Greater Bay Area	2,681	0.036	0.035 - 0.038	1,480	0.040	0.038 - 0.042	1,201	0.032	0.030 - 0.034
CA - Los Angeles	2,889	0.029	0.028 - 0.030	1,548	0.031	0.030 - 0.033	1,341	0.026	0.025 - 0.028
Colorado	1,712	0.030	0.029 - 0.032	967	0.034	0.032 - 0.036	745	0.027	0.025 - 0.029
Connecticut	1,564	0.044	0.042 - 0.046	849	0.049	0.045 - 0.052	715	0.039	0.036 - 0.042
Delaware	367	0.038	0.034 - 0.042	201	0.043	0.037 - 0.050	166	0.033	0.029 - 0.039
Florida	9,780	0.046	0.045 - 0.047	5,319	0.052	0.050 - 0.053	4,461	0.041	0.040 - 0.043
Georgia	3,192	0.031	0.029 - 0.032	1,771	0.035	0.033 - 0.036	1,420	0.026	0.025 - 0.028
Hawaii	445	0.031	0.028 - 0.034	255	0.036	0.032 - 0.040	189	0.027	0.023 - 0.031
Idaho	591	0.034	0.031 - 0.037	332	0.038	0.034 - 0.043	259	0.030	0.026 - 0.034
Illinois	4,577	0.036	0.035 - 0.037	2,445	0.039	0.037 - 0.041	2,132	0.033	0.031 - 0.034
Iowa	1,275	0.041	0.038 - 0.043	698	0.045	0.041 - 0.048	577	0.037	0.034 - 0.040
Kansas	1,105	0.038	0.036 - 0.040	619	0.043	0.039 - 0.046	486	0.033	0.030 - 0.036
Kentucky	1,642	0.037	0.035 - 0.039	854	0.039	0.036 - 0.042	789	0.035	0.032 - 0.037
Louisiana	1,545	0.033	0.031 - 0.035	850	0.037	0.035 - 0.040	695	0.029	0.027 - 0.031
Maine	625	0.047	0.043 - 0.051	380	0.058	0.052 - 0.064	245	0.036	0.032 - 0.041
Maryland	2,112	0.035	0.034 - 0.037	1,108	0.038	0.036 - 0.040	1,004	0.032	0.030 - 0.034
MI - Detroit	1,544	0.040	0.038 - 0.042	801	0.042	0.040 - 0.046	743	0.037	0.035 - 0.040
Minnesota	2,302	0.041	0.040 - 0.043	1,292	0.046	0.044 - 0.049	1,010	0.036	0.034 - 0.038
Mississippi	885	0.030	0.028 - 0.032	481	0.033	0.030 - 0.036	404	0.026	0.024 - 0.029
Missouri	2,231	0.036	0.035 - 0.038	1,207	0.040	0.038 - 0.043	1,024	0.033	0.031 - 0.035
Montana	394	0.037	0.034 - 0.041	234	0.044	0.039 - 0.050	160	0.030	0.026 - 0.035
Nebraska	733	0.038	0.035 - 0.041	397	0.041	0.037 - 0.046	336	0.035	0.031 - 0.039
New Hampshire	632	0.047	0.043 - 0.051	350	0.052	0.047 - 0.058	282	0.041	0.037 - 0.046
New Jersey	3,772	0.042	0.041 - 0.044	2,018	0.046	0.044 - 0.049	1,754	0.039	0.037 - 0.040
New Mexico	580	0.028	0.026 - 0.030	300	0.029	0.026 - 0.032	280	0.026	0.023 - 0.030
New York	8,235	0.042	0.041 - 0.043	4,373	0.046	0.045 - 0.047	3,862	0.038	0.037 - 0.040
North Carolina	3,364	0.033	0.031 - 0.034	1,795	0.036	0.034 - 0.037	1,569	0.030	0.028 - 0.031
North Dakota	252	0.033	0.029 - 0.038	142	0.037	0.031 - 0.043	110	0.030	0.024 - 0.036
Ohio	4,338	0.037	0.036 - 0.038	2,402	0.042	0.040 - 0.044	1,936	0.033	0.031 - 0.034
Oklahoma	1,182	0.030	0.028 - 0.032	602	0.031	0.028 - 0.033	580	0.029	0.027 - 0.032
Oregon	1,538	0.037	0.035 - 0.039	861	0.042	0.039 - 0.045	677	0.032	0.030 - 0.035
Pennsylvania	5,386	0.042	0.041 - 0.043	2,883	0.046	0.044 - 0.048	2,503	0.038	0.037 - 0.040
Rhode Island	378	0.036	0.032 - 0.040	210	0.041	0.036 - 0.047	168	0.031	0.026 - 0.036
South Carolina	1,569	0.031	0.030 - 0.033	887	0.036	0.034 - 0.039	682	0.026	0.024 - 0.028
South Dakota	334	0.038	0.034 - 0.042	172	0.039	0.033 - 0.045	162	0.037	0.032 - 0.044
Tennessee	2,228	0.033	0.032 - 0.034	1,242	0.038	0.036 - 0.040	986	0.029	0.027 - 0.030
Texas	7,641	0.027	0.026 - 0.027	4,170	0.029	0.029 - 0.030	3,471	0.024	0.023 - 0.025
Utah	784	0.025	0.023 - 0.027	469	0.030	0.027 - 0.033	315	0.020	0.018 - 0.023
Vermont	236	0.038	0.033 - 0.043	135	0.044	0.037 - 0.052	101	0.032	0.026 - 0.039
Washington	2,596	0.035	0.033 - 0.036	1,423	0.038	0.036 - 0.040	1,173	0.031	0.030 - 0.033
WA - Seattle	1,905	0.037	0.035 - 0.039	1,053	0.041	0.038 - 0.043	852	0.033	0.031 - 0.035
West Virginia	784	0.043	0.040 - 0.046	425	0.047	0.043 - 0.052	359	0.039	0.035 - 0.044
Wisconsin	2,456	0.042	0.041 - 0.044	1,353	0.047	0.044 - 0.049	1,103	0.038	0.036 - 0.040
Wyoming	177	0.031	0.026 - 0.035	108	0.037	0.030 - 0.044	69	0.024	0.019 - 0.031
NAACCR CDN Combined¹	13,774	0.037	0.036 - 0.037	7,569	0.040	0.039 - 0.042	6,206	0.033	0.032 - 0.034
Alberta	1,358	0.032	0.030 - 0.034	768	0.036	0.033 - 0.038	590	0.028	0.026 - 0.030
British Columbia	1,789	0.036	0.034 - 0.038	981	0.040	0.037 - 0.042	808	0.032	0.030 - 0.034
Manitoba	538	0.040	0.037 - 0.044	295	0.044	0.039 - 0.049	243	0.036	0.032 - 0.041
New Brunswick	364	0.047	0.043 - 0.052	197	0.052	0.045 - 0.060	167	0.043	0.037 - 0.050
Newfoundland and Labrador	286	0.054	0.048 - 0.061	152	0.058	0.049 - 0.068	134	0.050	0.042 - 0.060
Ontario	5,208	0.037	0.036 - 0.038	2,848	0.041	0.039 - 0.042	2,360	0.033	0.032 - 0.034
Prince Edward Island	56	0.037	0.028 - 0.048	35	0.047	0.033 - 0.065	21	0.027	0.017 - 0.041
Saskatchewan	409	0.035	0.032 - 0.039	218	0.037	0.033 - 0.043	191	0.033	0.029 - 0.038
NAACCR N.A. Combined¹	129,496	0.036	0.035 - 0.036	70,703	0.039	0.039 - 0.040	58,790	0.032	0.032 - 0.032

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	43,244	0.013	0.013 - 0.013	23,873	0.015	0.015 - 0.015	19,370	0.012	0.012 - 0.012
Alabama	671	0.014	0.013 - 0.015	360	0.015	0.014 - 0.017	311	0.012	0.011 - 0.014
Alaska	59	0.008	0.006 - 0.010	38	0.010	0.007 - 0.014	21	0.006	0.004 - 0.009
Arizona	644	0.009	0.008 - 0.010	384	0.011	0.010 - 0.012	260	0.007	0.006 - 0.008
Arkansas	395	0.013	0.012 - 0.015	211	0.014	0.012 - 0.016	184	0.012	0.010 - 0.014
California	4,196	0.011	0.010 - 0.011	2,364	0.012	0.012 - 0.013	1,832	0.009	0.009 - 0.010
CA - Greater California	2,350	0.011	0.010 - 0.011	1,367	0.013	0.012 - 0.013	984	0.009	0.008 - 0.010
CA - Greater Bay Area	871	0.012	0.011 - 0.013	497	0.013	0.012 - 0.015	374	0.010	0.009 - 0.011
CA - Los Angeles	975	0.010	0.009 - 0.010	500	0.010	0.009 - 0.011	475	0.009	0.008 - 0.010
Colorado	595	0.011	0.010 - 0.011	341	0.012	0.011 - 0.013	254	0.009	0.008 - 0.010
Connecticut	549	0.015	0.014 - 0.017	314	0.018	0.016 - 0.020	235	0.013	0.011 - 0.015
Delaware	139	0.014	0.012 - 0.017	71	0.015	0.012 - 0.019	68	0.014	0.011 - 0.017
Florida	3,844	0.018	0.018 - 0.019	2,113	0.020	0.020 - 0.021	1,731	0.016	0.015 - 0.017
Georgia	1,536	0.015	0.014 - 0.015	778	0.015	0.014 - 0.016	758	0.014	0.013 - 0.015
Hawaii	138	0.010	0.008 - 0.011	73	0.010	0.008 - 0.013	65	0.009	0.007 - 0.012
Idaho	199	0.011	0.010 - 0.013	124	0.014	0.012 - 0.017	75	0.009	0.007 - 0.011
Illinois	1,661	0.013	0.012 - 0.014	866	0.014	0.013 - 0.015	795	0.012	0.011 - 0.013
Iowa	447	0.014	0.013 - 0.016	263	0.017	0.015 - 0.019	184	0.012	0.010 - 0.013
Kansas	359	0.012	0.011 - 0.014	195	0.013	0.012 - 0.015	164	0.011	0.010 - 0.013
Kentucky	576	0.013	0.012 - 0.014	336	0.015	0.014 - 0.017	241	0.011	0.009 - 0.012
Louisiana	661	0.014	0.013 - 0.015	352	0.015	0.014 - 0.017	309	0.013	0.012 - 0.014
Maine	193	0.014	0.012 - 0.017	104	0.016	0.013 - 0.019	89	0.013	0.010 - 0.016
Maryland	894	0.015	0.014 - 0.016	448	0.015	0.014 - 0.017	446	0.014	0.013 - 0.016
MI - Detroit	590	0.015	0.014 - 0.016	320	0.017	0.015 - 0.019	270	0.013	0.012 - 0.015
Minnesota	721	0.013	0.012 - 0.014	434	0.016	0.014 - 0.017	287	0.010	0.009 - 0.011
Mississippi	460	0.015	0.014 - 0.017	243	0.017	0.015 - 0.019	217	0.014	0.012 - 0.016
Missouri	791	0.013	0.012 - 0.014	434	0.014	0.013 - 0.016	357	0.011	0.010 - 0.013
Montana	161	0.015	0.013 - 0.018	94	0.018	0.014 - 0.022	67	0.013	0.010 - 0.016
Nebraska	213	0.011	0.010 - 0.013	129	0.013	0.011 - 0.016	84	0.009	0.007 - 0.011
New Hampshire	165	0.012	0.010 - 0.014	91	0.014	0.011 - 0.017	74	0.011	0.009 - 0.014
New Jersey	1,379	0.016	0.015 - 0.016	777	0.018	0.017 - 0.019	602	0.013	0.012 - 0.014
New Mexico	222	0.011	0.009 - 0.012	134	0.013	0.011 - 0.015	88	0.008	0.007 - 0.010
New York	3,292	0.017	0.016 - 0.017	1,804	0.019	0.018 - 0.020	1,488	0.015	0.014 - 0.016
North Carolina	1,609	0.016	0.015 - 0.016	851	0.017	0.016 - 0.018	758	0.014	0.013 - 0.015
North Dakota	92	0.012	0.010 - 0.015	52	0.013	0.010 - 0.018	40	0.011	0.008 - 0.015
Ohio	1,394	0.012	0.011 - 0.013	779	0.014	0.013 - 0.015	615	0.010	0.010 - 0.011
Oklahoma	428	0.011	0.010 - 0.012	249	0.013	0.011 - 0.014	179	0.009	0.008 - 0.010
Oregon	461	0.011	0.010 - 0.012	265	0.013	0.011 - 0.014	196	0.009	0.008 - 0.011
Pennsylvania	1,813	0.014	0.014 - 0.015	991	0.016	0.015 - 0.017	822	0.013	0.012 - 0.013
Rhode Island	129	0.012	0.010 - 0.015	79	0.015	0.012 - 0.019	50	0.009	0.007 - 0.012
South Carolina	744	0.015	0.014 - 0.016	407	0.017	0.015 - 0.018	337	0.013	0.012 - 0.014
South Dakota	114	0.013	0.011 - 0.016	69	0.016	0.012 - 0.020	45	0.010	0.008 - 0.014
Tennessee	885	0.013	0.012 - 0.014	471	0.014	0.013 - 0.016	414	0.012	0.011 - 0.013
Texas	3,244	0.011	0.011 - 0.012	1,766	0.012	0.012 - 0.013	1,478	0.010	0.010 - 0.011
Utah	287	0.009	0.008 - 0.010	171	0.011	0.009 - 0.013	116	0.007	0.006 - 0.009
Vermont	81	0.013	0.010 - 0.016	48	0.016	0.011 - 0.021	33	0.010	0.007 - 0.015
Washington	884	0.012	0.011 - 0.013	518	0.014	0.013 - 0.015	366	0.010	0.009 - 0.011
WA - Seattle	670	0.013	0.012 - 0.014	391	0.015	0.014 - 0.017	279	0.011	0.010 - 0.012
West Virginia	208	0.011	0.010 - 0.013	124	0.014	0.012 - 0.016	84	0.009	0.007 - 0.011
Wisconsin	816	0.014	0.013 - 0.015	443	0.015	0.014 - 0.017	373	0.013	0.012 - 0.014
Wyoming	65	0.011	0.009 - 0.014	37	0.013	0.009 - 0.017	28	0.010	0.007 - 0.014
NAACCR CDN Combined¹	5,233	0.014	0.013 - 0.014	3,023	0.016	0.015 - 0.017	2,209	0.012	0.011 - 0.012
Alberta	412	0.010	0.009 - 0.011	255	0.012	0.010 - 0.013	157	0.007	0.006 - 0.009
British Columbia	600	0.012	0.011 - 0.013	372	0.015	0.014 - 0.017	228	0.009	0.008 - 0.010
Manitoba	160	0.012	0.010 - 0.014	100	0.015	0.012 - 0.018	60	0.009	0.007 - 0.011
New Brunswick	89	0.012	0.009 - 0.014	56	0.015	0.011 - 0.019	33	0.008	0.006 - 0.012
Newfoundland and Labrador	71	0.013	0.011 - 0.017	43	0.016	0.012 - 0.022	28	0.011	0.007 - 0.015
Ontario	2,300	0.016	0.016 - 0.017	1,275	0.018	0.017 - 0.019	1,025	0.014	0.013 - 0.015
Prince Edward Island	26	0.017	0.011 - 0.025	14	0.019	0.010 - 0.032	12	0.015	0.008 - 0.027
Saskatchewan	127	0.011	0.009 - 0.013	71	0.012	0.010 - 0.015	56	0.010	0.007 - 0.013
NAACCR N.A. Combined¹	48,478	0.013	0.013 - 0.013	26,896	0.015	0.015 - 0.015	21,580	0.012	0.012 - 0.012

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	75,904	0.023	0.023 - 0.023	44,439	0.028	0.027 - 0.028	31,462	0.019	0.019 - 0.019
Alabama	968	0.020	0.019 - 0.021	547	0.023	0.021 - 0.025	421	0.017	0.015 - 0.018
Alaska	125	0.017	0.014 - 0.020	82	0.021	0.017 - 0.026	43	0.012	0.009 - 0.016
Arizona	1,049	0.015	0.014 - 0.016	615	0.017	0.016 - 0.019	434	0.012	0.011 - 0.013
Arkansas	730	0.024	0.023 - 0.026	422	0.029	0.026 - 0.031	308	0.020	0.018 - 0.023
California	7,242	0.018	0.018 - 0.019	4,263	0.022	0.021 - 0.022	2,979	0.015	0.014 - 0.016
CA - Greater California	4,120	0.019	0.018 - 0.019	2,424	0.022	0.021 - 0.023	1,696	0.015	0.015 - 0.016
CA - Greater Bay Area	1,427	0.019	0.018 - 0.020	861	0.023	0.022 - 0.025	566	0.015	0.014 - 0.017
CA - Los Angeles	1,695	0.017	0.016 - 0.018	978	0.020	0.018 - 0.021	718	0.014	0.013 - 0.015
Colorado	1,104	0.020	0.018 - 0.021	646	0.023	0.021 - 0.025	458	0.016	0.015 - 0.018
Connecticut	951	0.027	0.025 - 0.028	528	0.030	0.028 - 0.033	423	0.023	0.021 - 0.025
Delaware	203	0.021	0.018 - 0.024	117	0.025	0.021 - 0.030	86	0.017	0.014 - 0.021
Florida	6,823	0.032	0.032 - 0.033	3,882	0.038	0.036 - 0.039	2,941	0.027	0.026 - 0.028
Georgia	2,214	0.021	0.020 - 0.022	1,259	0.025	0.023 - 0.026	954	0.018	0.017 - 0.019
Hawaii	225	0.016	0.014 - 0.018	137	0.019	0.016 - 0.023	87	0.012	0.010 - 0.015
Idaho	408	0.024	0.021 - 0.026	244	0.028	0.025 - 0.032	165	0.019	0.016 - 0.022
Illinois	2,717	0.021	0.021 - 0.022	1,565	0.025	0.024 - 0.026	1,152	0.018	0.017 - 0.019
Iowa	883	0.028	0.026 - 0.030	526	0.034	0.031 - 0.037	357	0.023	0.020 - 0.025
Kansas	722	0.025	0.023 - 0.027	444	0.031	0.028 - 0.034	278	0.019	0.017 - 0.021
Kentucky	1,173	0.026	0.025 - 0.028	677	0.031	0.029 - 0.033	496	0.022	0.020 - 0.024
Louisiana	983	0.021	0.020 - 0.022	568	0.025	0.023 - 0.027	414	0.017	0.016 - 0.019
Maine	400	0.030	0.027 - 0.033	237	0.036	0.032 - 0.041	163	0.024	0.020 - 0.028
Maryland	1,200	0.020	0.019 - 0.021	690	0.024	0.022 - 0.025	510	0.016	0.015 - 0.018
MI - Detroit	1,078	0.028	0.026 - 0.029	644	0.034	0.032 - 0.037	434	0.022	0.020 - 0.024
Minnesota	1,555	0.028	0.026 - 0.029	973	0.035	0.033 - 0.037	582	0.021	0.019 - 0.023
Mississippi	533	0.018	0.016 - 0.019	296	0.020	0.018 - 0.023	237	0.015	0.014 - 0.018
Missouri	1,391	0.023	0.022 - 0.024	839	0.028	0.026 - 0.030	552	0.018	0.016 - 0.019
Montana	308	0.029	0.026 - 0.033	198	0.037	0.032 - 0.043	110	0.021	0.017 - 0.025
Nebraska	441	0.023	0.021 - 0.025	269	0.028	0.025 - 0.032	172	0.018	0.015 - 0.021
New Hampshire	313	0.023	0.021 - 0.026	189	0.028	0.024 - 0.033	124	0.018	0.015 - 0.022
New Jersey	2,430	0.027	0.026 - 0.028	1,409	0.032	0.031 - 0.034	1,022	0.022	0.021 - 0.024
New Mexico	445	0.021	0.019 - 0.023	246	0.024	0.021 - 0.027	198	0.019	0.016 - 0.022
New York	5,699	0.029	0.028 - 0.030	3,332	0.035	0.034 - 0.036	2,367	0.024	0.023 - 0.024
North Carolina	2,589	0.025	0.024 - 0.026	1,519	0.030	0.029 - 0.032	1,070	0.020	0.019 - 0.021
North Dakota	189	0.025	0.022 - 0.029	118	0.030	0.025 - 0.036	71	0.019	0.015 - 0.024
Ohio	2,301	0.020	0.019 - 0.021	1,368	0.024	0.023 - 0.025	933	0.016	0.015 - 0.017
Oklahoma	877	0.022	0.021 - 0.024	510	0.026	0.024 - 0.029	367	0.018	0.017 - 0.020
Oregon	939	0.023	0.021 - 0.024	536	0.026	0.024 - 0.028	403	0.019	0.017 - 0.021
Pennsylvania	3,418	0.027	0.026 - 0.028	1,999	0.032	0.031 - 0.033	1,419	0.022	0.021 - 0.023
Rhode Island	266	0.025	0.022 - 0.028	167	0.032	0.028 - 0.038	99	0.018	0.015 - 0.022
South Carolina	1,023	0.020	0.019 - 0.022	587	0.024	0.022 - 0.026	436	0.017	0.015 - 0.018
South Dakota	269	0.031	0.027 - 0.035	157	0.036	0.030 - 0.042	112	0.026	0.021 - 0.031
Tennessee	1,472	0.022	0.021 - 0.023	860	0.026	0.024 - 0.028	612	0.018	0.016 - 0.019
Texas	5,727	0.020	0.020 - 0.021	3,310	0.023	0.023 - 0.024	2,417	0.017	0.016 - 0.018
Utah	627	0.020	0.019 - 0.022	396	0.025	0.023 - 0.028	231	0.015	0.013 - 0.017
Vermont	116	0.019	0.015 - 0.022	71	0.023	0.018 - 0.029	45	0.014	0.010 - 0.019
Washington	1,769	0.024	0.023 - 0.025	1,060	0.028	0.027 - 0.030	709	0.019	0.018 - 0.020
WA - Seattle	1,348	0.026	0.025 - 0.028	809	0.031	0.029 - 0.034	540	0.021	0.019 - 0.023
West Virginia	522	0.029	0.026 - 0.031	292	0.033	0.029 - 0.037	230	0.025	0.022 - 0.029
Wisconsin	1,714	0.030	0.028 - 0.031	1,075	0.037	0.035 - 0.040	639	0.022	0.020 - 0.024
Wyoming	120	0.021	0.017 - 0.025	70	0.024	0.019 - 0.030	50	0.018	0.013 - 0.023
NAACCR CDN Combined¹	10,527	0.028	0.027 - 0.029	6,236	0.033	0.032 - 0.034	4,292	0.023	0.022 - 0.023
Alberta	955	0.022	0.021 - 0.024	565	0.026	0.024 - 0.029	390	0.018	0.017 - 0.020
British Columbia	964	0.019	0.018 - 0.021	587	0.024	0.022 - 0.026	377	0.015	0.014 - 0.017
Manitoba	312	0.023	0.021 - 0.026	203	0.030	0.026 - 0.035	109	0.016	0.013 - 0.020
New Brunswick	256	0.033	0.029 - 0.038	151	0.040	0.034 - 0.047	105	0.027	0.022 - 0.033
Newfoundland and Labrador	71	0.013	0.011 - 0.017	39	0.015	0.011 - 0.020	32	0.012	0.008 - 0.017
Ontario	4,743	0.033	0.032 - 0.034	2,769	0.040	0.038 - 0.041	1,974	0.027	0.026 - 0.029
Prince Edward Island	27	0.018	0.012 - 0.026	-	-	-	-	-	-
Saskatchewan	333	0.029	0.026 - 0.032	199	0.034	0.030 - 0.039	134	0.023	0.020 - 0.028
NAACCR N.A. Combined¹	86,432	0.024	0.023 - 0.024	50,675	0.028	0.028 - 0.028	35,754	0.019	0.019 - 0.020

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,989	0.001	0.001 - 0.001	2,102	0.001	0.001 - 0.001	887	0.001	0.000 - 0.001
Alabama	26	0.001	0.000 - 0.001	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	57	0.001	0.001 - 0.001	43	0.001	0.001 - 0.002	14	0.000	0.000 - 0.001
Arkansas	25	0.001	0.001 - 0.001	-	-	-	-	-	-
California	330	0.001	0.001 - 0.001	225	0.001	0.001 - 0.001	106	0.001	0.000 - 0.001
CA - Greater California	192	0.001	0.001 - 0.001	133	0.001	0.001 - 0.001	59	0.001	0.000 - 0.001
CA - Greater Bay Area	63	0.001	0.001 - 0.001	38	0.001	0.001 - 0.001	25	0.001	0.000 - 0.001
CA - Los Angeles	75	0.001	0.001 - 0.001	54	0.001	0.001 - 0.001	21	0.000	0.000 - 0.001
Colorado	51	0.001	0.001 - 0.001	32	0.001	0.001 - 0.002	19	0.001	0.000 - 0.001
Connecticut	32	0.001	0.001 - 0.001	-	-	-	-	-	-
Delaware	19	0.002	0.001 - 0.003	-	-	-	-	-	-
Florida	226	0.001	0.001 - 0.001	167	0.002	0.001 - 0.002	59	0.001	0.000 - 0.001
Georgia	57	0.001	0.000 - 0.001	42	0.001	0.001 - 0.001	15	0.000	0.000 - 0.000
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	27	0.002	0.001 - 0.002	16	0.002	0.001 - 0.003	11	0.001	0.001 - 0.002
Illinois	126	0.001	0.001 - 0.001	81	0.001	0.001 - 0.002	45	0.001	0.001 - 0.001
Iowa	36	0.001	0.001 - 0.002	26	0.002	0.001 - 0.002	10	0.001	0.000 - 0.001
Kansas	19	0.001	0.000 - 0.001	-	-	-	-	-	-
Kentucky	22	0.000	0.000 - 0.001	-	-	-	-	-	-
Louisiana	70	0.001	0.001 - 0.002	44	0.002	0.001 - 0.003	26	0.001	0.001 - 0.002
Maine	23	0.002	0.001 - 0.003	-	-	-	-	-	-
Maryland	56	0.001	0.001 - 0.001	40	0.001	0.001 - 0.002	16	0.001	0.000 - 0.001
MI - Detroit	27	0.001	0.000 - 0.001	-	-	-	-	-	-
Minnesota	72	0.001	0.001 - 0.002	46	0.002	0.001 - 0.002	26	0.001	0.001 - 0.001
Mississippi	23	0.001	0.000 - 0.001	-	-	-	-	-	-
Missouri	54	0.001	0.001 - 0.001	42	0.001	0.001 - 0.002	12	0.000	0.000 - 0.001
Montana	15	0.001	0.001 - 0.002	-	-	-	-	-	-
Nebraska	17	0.001	0.001 - 0.001	-	-	-	-	-	-
New Hampshire	13	0.001	0.001 - 0.002	-	-	-	-	-	-
New Jersey	101	0.001	0.001 - 0.001	71	0.002	0.001 - 0.002	30	0.001	0.000 - 0.001
New Mexico	17	0.001	0.000 - 0.001	-	-	-	-	-	-
New York	200	0.001	0.001 - 0.001	129	0.001	0.001 - 0.002	71	0.001	0.001 - 0.001
North Carolina	65	0.001	0.000 - 0.001	44	0.001	0.001 - 0.001	21	0.000	0.000 - 0.001
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	119	0.001	0.001 - 0.001	88	0.002	0.001 - 0.002	31	0.001	0.000 - 0.001
Oklahoma	29	0.001	0.000 - 0.001	-	-	-	-	-	-
Oregon	34	0.001	0.001 - 0.001	-	-	-	-	-	-
Pennsylvania	169	0.001	0.001 - 0.002	124	0.002	0.002 - 0.002	45	0.001	0.001 - 0.001
Rhode Island	10	0.001	0.000 - 0.002	-	-	-	-	-	-
South Carolina	44	0.001	0.001 - 0.001	34	0.001	0.001 - 0.002	10	0.000	0.000 - 0.001
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	46	0.001	0.000 - 0.001	31	0.001	0.001 - 0.001	15	0.000	0.000 - 0.001
Texas	175	0.001	0.001 - 0.001	128	0.001	0.001 - 0.001	47	0.000	0.000 - 0.000
Utah	25	0.001	0.001 - 0.001	14	0.001	0.000 - 0.001	11	0.001	0.000 - 0.001
Vermont	10	0.002	0.001 - 0.003	-	-	-	-	-	-
Washington	85	0.001	0.001 - 0.001	64	0.002	0.001 - 0.002	21	0.001	0.000 - 0.001
WA - Seattle	65	0.001	0.001 - 0.002	46	0.002	0.001 - 0.002	19	0.001	0.000 - 0.001
West Virginia	25	0.001	0.001 - 0.002	-	-	-	-	-	-
Wisconsin	72	0.001	0.001 - 0.002	45	0.002	0.001 - 0.002	27	0.001	0.001 - 0.001
Wyoming	11	0.002	0.001 - 0.003	-	-	-	-	-	-
NAACCR CDN Combined¹	540	0.001	0.001 - 0.002	416	0.002	0.002 - 0.002	124	0.001	0.001 - 0.001
Alberta	45	0.001	0.001 - 0.001	-	-	-	-	-	-
British Columbia	80	0.002	0.001 - 0.002	66	0.003	0.002 - 0.003	14	0.001	0.000 - 0.001
Manitoba	17	0.001	0.001 - 0.002	-	-	-	-	-	-
New Brunswick	-	-	-	-	-	-	-	-	-
Newfoundland and Labrador	-	-	-	-	-	-	-	-	-
Ontario	219	0.002	0.001 - 0.002	160	0.002	0.002 - 0.003	59	0.001	0.001 - 0.001
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	10	0.001	0.000 - 0.002	10	0.002	0.001 - 0.003	-	-	-
NAACCR N.A. Combined¹	3,529	0.001	0.001 - 0.001	2,517	0.001	0.001 - 0.001	1,011	0.001	0.001 - 0.001

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,989,731	0.993	0.992 - 0.995	996,077	1.009	1.007 - 1.011	993,612	0.978	0.976 - 0.980
Alabama	29,740	0.918	0.907 - 0.928	15,248	0.963	0.948 - 0.978	14,492	0.874	0.860 - 0.889
Alaska	3,425	0.728	0.704 - 0.753	1,856	0.746	0.713 - 0.781	1,569	0.708	0.674 - 0.744
Arizona	37,610	0.951	0.942 - 0.961	18,901	0.967	0.953 - 0.981	18,709	0.936	0.922 - 0.949
Arkansas	21,004	0.950	0.937 - 0.963	10,900	1.004	0.985 - 1.023	10,104	0.898	0.881 - 0.916
California	153,907	1.014	1.009 - 1.019	77,050	1.015	1.008 - 1.022	76,857	1.012	1.005 - 1.019
CA - Greater California	96,305	1.012	1.006 - 1.018	48,355	1.022	1.013 - 1.031	47,950	1.002	0.993 - 1.011
CA - Greater Bay Area	30,272	1.041	1.029 - 1.053	15,296	1.039	1.023 - 1.056	14,976	1.043	1.026 - 1.060
CA - Los Angeles	27,331	0.990	0.979 - 1.002	13,401	0.965	0.949 - 0.981	13,930	1.016	0.999 - 1.033
Colorado	30,590	0.781	0.773 - 0.790	14,657	0.746	0.734 - 0.758	15,933	0.817	0.804 - 0.830
Connecticut	27,150	1.122	1.108 - 1.135	13,500	1.144	1.125 - 1.164	13,650	1.100	1.082 - 1.119
Delaware	6,964	1.145	1.118 - 1.172	3,547	1.206	1.167 - 1.246	3,417	1.087	1.051 - 1.124
Florida	135,525	1.173	1.167 - 1.180	69,217	1.222	1.213 - 1.231	66,308	1.126	1.118 - 1.135
Georgia	53,810	0.961	0.953 - 0.969	27,683	1.005	0.993 - 1.017	26,127	0.918	0.907 - 0.929
Hawaii	3,501	1.134	1.097 - 1.172	2,018	1.207	1.155 - 1.261	1,484	1.048	0.995 - 1.103
Idaho	12,313	0.853	0.838 - 0.868	6,383	0.886	0.864 - 0.908	5,930	0.821	0.800 - 0.842
Illinois	80,872	1.022	1.015 - 1.029	39,736	1.021	1.011 - 1.032	41,136	1.023	1.013 - 1.032
Iowa	27,013	0.994	0.982 - 1.006	13,562	1.010	0.993 - 1.027	13,451	0.979	0.962 - 0.995
Kansas	21,126	0.942	0.929 - 0.954	10,613	0.957	0.939 - 0.976	10,513	0.926	0.909 - 0.944
Kentucky	37,342	0.980	0.970 - 0.990	18,377	0.983	0.969 - 0.998	18,965	0.976	0.962 - 0.990
Louisiana	26,844	0.968	0.957 - 0.980	14,057	1.031	1.014 - 1.048	12,788	0.908	0.892 - 0.924
Maine	13,315	1.056	1.038 - 1.074	6,502	1.055	1.029 - 1.081	6,813	1.057	1.032 - 1.083
Maryland	32,263	1.033	1.021 - 1.044	15,920	1.040	1.024 - 1.056	16,343	1.025	1.010 - 1.041
MI - Detroit	25,859	1.034	1.022 - 1.047	12,902	1.047	1.029 - 1.065	12,957	1.022	1.005 - 1.040
Minnesota	44,379	0.983	0.973 - 0.992	22,295	0.995	0.982 - 1.008	22,084	0.970	0.958 - 0.983
Mississippi	16,655	0.976	0.962 - 0.991	8,611	1.028	1.006 - 1.050	8,044	0.927	0.906 - 0.947
Missouri	44,333	0.900	0.892 - 0.909	21,510	0.888	0.876 - 0.900	22,823	0.912	0.901 - 0.924
Montana	9,171	0.992	0.972 - 1.012	4,855	1.043	1.013 - 1.072	4,316	0.940	0.913 - 0.969
Nebraska	14,626	0.955	0.939 - 0.970	7,478	0.985	0.963 - 1.007	7,148	0.925	0.903 - 0.946
New Hampshire	12,926	1.050	1.032 - 1.068	6,470	1.064	1.038 - 1.090	6,456	1.036	1.011 - 1.061
New Jersey	58,914	1.183	1.173 - 1.193	29,342	1.208	1.194 - 1.221	29,572	1.160	1.146 - 1.173
New Mexico	7,897	0.992	0.970 - 1.014	3,975	1.009	0.978 - 1.041	3,922	0.976	0.945 - 1.007
New York	125,275	1.135	1.128 - 1.141	62,276	1.152	1.143 - 1.161	62,999	1.118	1.109 - 1.126
North Carolina	66,257	1.003	0.995 - 1.010	32,835	1.017	1.006 - 1.028	33,422	0.989	0.978 - 1.000
North Dakota	5,664	0.877	0.854 - 0.900	2,897	0.880	0.848 - 0.912	2,767	0.875	0.842 - 0.908
Ohio	87,516	0.939	0.933 - 0.946	42,630	0.932	0.923 - 0.941	44,886	0.946	0.938 - 0.955
Oklahoma	23,211	0.860	0.849 - 0.871	11,447	0.862	0.846 - 0.878	11,764	0.858	0.842 - 0.873
Oregon	30,239	0.938	0.927 - 0.948	14,892	0.937	0.922 - 0.952	15,347	0.938	0.923 - 0.953
Pennsylvania	103,613	1.050	1.043 - 1.056	50,459	1.044	1.035 - 1.053	53,154	1.055	1.046 - 1.064
Rhode Island	8,297	1.071	1.048 - 1.094	3,986	1.067	1.034 - 1.101	4,311	1.074	1.042 - 1.107
South Carolina	31,291	0.959	0.948 - 0.969	15,846	0.994	0.979 - 1.010	15,445	0.925	0.910 - 0.940
South Dakota	6,759	0.932	0.910 - 0.955	3,531	0.970	0.938 - 1.002	3,228	0.895	0.864 - 0.926
Tennessee	47,690	0.946	0.937 - 0.954	24,407	0.990	0.977 - 1.002	23,283	0.903	0.892 - 0.915
Texas	108,046	0.890	0.884 - 0.895	55,364	0.920	0.912 - 0.928	52,682	0.860	0.853 - 0.867
Utah	15,727	0.632	0.623 - 0.642	8,167	0.654	0.640 - 0.669	7,561	0.610	0.597 - 0.624
Vermont	5,927	1.010	0.985 - 1.036	2,941	1.016	0.980 - 1.054	2,986	1.004	0.968 - 1.041
Washington	49,075	0.932	0.923 - 0.940	24,019	0.914	0.902 - 0.926	25,056	0.949	0.938 - 0.961
WA - Seattle	35,455	0.997	0.987 - 1.008	17,650	0.992	0.977 - 1.007	17,805	1.002	0.987 - 1.017
West Virginia	17,252	1.022	1.007 - 1.038	8,558	1.029	1.008 - 1.051	8,694	1.015	0.994 - 1.037
Wisconsin	47,751	1.003	0.995 - 1.013	24,212	1.024	1.011 - 1.037	23,539	0.983	0.970 - 0.996
Wyoming	4,167	0.847	0.822 - 0.874	2,236	0.896	0.859 - 0.934	1,931	0.798	0.762 - 0.834

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	62,212	0.031	0.031 - 0.031	45,335	0.046	0.045 - 0.046	16,877	0.017	0.016 - 0.017
Alabama	1,040	0.032	0.030 - 0.034	746	0.047	0.044 - 0.051	294	0.018	0.016 - 0.020
Alaska	110	0.023	0.019 - 0.028	84	0.034	0.027 - 0.042	26	0.012	0.008 - 0.017
Arizona	1,032	0.026	0.025 - 0.028	783	0.040	0.037 - 0.043	249	0.012	0.011 - 0.014
Arkansas	711	0.032	0.030 - 0.035	526	0.048	0.044 - 0.053	185	0.016	0.014 - 0.019
California	4,930	0.032	0.032 - 0.033	3,634	0.048	0.046 - 0.049	1,296	0.017	0.016 - 0.018
CA - Greater California	3,240	0.034	0.033 - 0.035	2,417	0.051	0.049 - 0.053	823	0.017	0.016 - 0.018
CA - Greater Bay Area	890	0.031	0.029 - 0.033	643	0.044	0.040 - 0.047	247	0.017	0.015 - 0.019
CA - Los Angeles	801	0.029	0.027 - 0.031	574	0.041	0.038 - 0.045	226	0.017	0.014 - 0.019
Colorado	981	0.025	0.024 - 0.027	714	0.036	0.034 - 0.039	267	0.014	0.012 - 0.015
Connecticut	779	0.032	0.030 - 0.035	535	0.045	0.042 - 0.049	244	0.020	0.017 - 0.022
Delaware	204	0.034	0.029 - 0.038	155	0.053	0.045 - 0.062	49	0.016	0.012 - 0.021
Florida	4,613	0.040	0.039 - 0.041	3,455	0.061	0.059 - 0.063	1,158	0.020	0.019 - 0.021
Georgia	1,761	0.031	0.030 - 0.033	1,312	0.048	0.045 - 0.050	449	0.016	0.014 - 0.017
Hawaii	147	0.048	0.040 - 0.056	115	0.069	0.057 - 0.083	32	0.023	0.015 - 0.032
Idaho	400	0.028	0.025 - 0.031	304	0.042	0.038 - 0.047	96	0.013	0.011 - 0.016
Illinois	2,517	0.032	0.031 - 0.033	1,817	0.047	0.045 - 0.049	700	0.017	0.016 - 0.019
Iowa	840	0.031	0.029 - 0.033	588	0.044	0.040 - 0.047	252	0.018	0.016 - 0.021
Kansas	600	0.027	0.025 - 0.029	432	0.039	0.035 - 0.043	168	0.015	0.013 - 0.017
Kentucky	1,162	0.030	0.029 - 0.032	824	0.044	0.041 - 0.047	338	0.017	0.016 - 0.019
Louisiana	865	0.031	0.029 - 0.033	606	0.044	0.041 - 0.048	259	0.018	0.016 - 0.021
Maine	450	0.036	0.032 - 0.039	321	0.052	0.047 - 0.058	129	0.020	0.017 - 0.024
Maryland	1,041	0.033	0.031 - 0.035	755	0.049	0.046 - 0.053	286	0.018	0.016 - 0.020
MI - Detroit	780	0.031	0.029 - 0.033	568	0.046	0.042 - 0.050	212	0.017	0.015 - 0.019
Minnesota	1,341	0.030	0.028 - 0.031	940	0.042	0.039 - 0.045	401	0.018	0.016 - 0.019
Mississippi	609	0.036	0.033 - 0.039	453	0.054	0.049 - 0.059	156	0.018	0.015 - 0.021
Missouri	1,492	0.030	0.029 - 0.032	1,129	0.047	0.044 - 0.049	363	0.015	0.013 - 0.016
Montana	258	0.028	0.025 - 0.032	191	0.041	0.035 - 0.047	67	0.015	0.011 - 0.019
Nebraska	461	0.030	0.027 - 0.033	333	0.044	0.039 - 0.049	128	0.017	0.014 - 0.020
New Hampshire	348	0.028	0.025 - 0.031	260	0.043	0.038 - 0.048	88	0.014	0.011 - 0.017
New Jersey	1,572	0.032	0.030 - 0.033	1,138	0.047	0.044 - 0.050	434	0.017	0.015 - 0.019
New Mexico	235	0.030	0.026 - 0.034	179	0.045	0.039 - 0.052	57	0.014	0.011 - 0.018
New York	3,290	0.030	0.029 - 0.031	2,285	0.042	0.041 - 0.044	1,005	0.018	0.017 - 0.019
North Carolina	2,097	0.032	0.030 - 0.033	1,512	0.047	0.044 - 0.049	585	0.017	0.016 - 0.019
North Dakota	191	0.030	0.026 - 0.034	134	0.041	0.034 - 0.048	57	0.018	0.014 - 0.023
Ohio	2,647	0.028	0.027 - 0.030	1,915	0.042	0.040 - 0.044	732	0.015	0.014 - 0.017
Oklahoma	741	0.027	0.026 - 0.029	548	0.041	0.038 - 0.045	193	0.014	0.012 - 0.016
Oregon	1,030	0.032	0.030 - 0.034	768	0.048	0.045 - 0.052	262	0.016	0.014 - 0.018
Pennsylvania	2,982	0.030	0.029 - 0.031	2,152	0.045	0.043 - 0.046	830	0.016	0.015 - 0.018
Rhode Island	227	0.029	0.026 - 0.033	144	0.039	0.033 - 0.045	83	0.021	0.016 - 0.026
South Carolina	1,077	0.033	0.031 - 0.035	813	0.051	0.048 - 0.055	264	0.016	0.014 - 0.018
South Dakota	216	0.030	0.026 - 0.034	156	0.043	0.036 - 0.050	60	0.017	0.013 - 0.021
Tennessee	1,575	0.031	0.030 - 0.033	1,163	0.047	0.044 - 0.050	412	0.016	0.014 - 0.018
Texas	3,839	0.032	0.031 - 0.033	2,888	0.048	0.046 - 0.050	951	0.016	0.015 - 0.017
Utah	416	0.017	0.015 - 0.018	283	0.023	0.020 - 0.025	134	0.011	0.009 - 0.013
Vermont	176	0.030	0.026 - 0.035	137	0.047	0.040 - 0.056	39	0.013	0.009 - 0.018
Washington	1,579	0.030	0.029 - 0.031	1,120	0.043	0.040 - 0.045	459	0.017	0.016 - 0.019
WA - Seattle	1,208	0.034	0.032 - 0.036	868	0.049	0.046 - 0.052	341	0.019	0.017 - 0.021
West Virginia	538	0.032	0.029 - 0.035	391	0.047	0.042 - 0.052	147	0.017	0.015 - 0.020
Wisconsin	1,366	0.029	0.027 - 0.030	967	0.041	0.038 - 0.044	399	0.017	0.015 - 0.018
Wyoming	132	0.027	0.022 - 0.032	92	0.037	0.030 - 0.045	40	0.017	0.012 - 0.022

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	15,543	0.008	0.008 - 0.008	12,512	0.013	0.012 - 0.013	3,030	0.003	0.003 - 0.003
Alabama	222	0.007	0.006 - 0.008	192	0.012	0.010 - 0.014	30	0.002	0.001 - 0.003
Alaska	34	0.007	0.005 - 0.010	-	-		-	-	
Arizona	321	0.008	0.007 - 0.009	244	0.012	0.011 - 0.014	77	0.004	0.003 - 0.005
Arkansas	135	0.006	0.005 - 0.007	112	0.010	0.008 - 0.012	23	0.002	0.001 - 0.003
California	1,066	0.007	0.007 - 0.007	836	0.011	0.010 - 0.012	230	0.003	0.003 - 0.003
CA - Greater California	704	0.007	0.007 - 0.008	550	0.012	0.011 - 0.013	154	0.003	0.003 - 0.004
CA - Greater Bay Area	212	0.007	0.006 - 0.008	169	0.012	0.010 - 0.013	43	0.003	0.002 - 0.004
CA - Los Angeles	150	0.005	0.005 - 0.006	117	0.008	0.007 - 0.010	33	0.002	0.002 - 0.003
Colorado	237	0.006	0.005 - 0.007	189	0.010	0.008 - 0.011	48	0.002	0.002 - 0.003
Connecticut	223	0.009	0.008 - 0.011	185	0.016	0.014 - 0.018	38	0.003	0.002 - 0.004
Delaware	59	0.010	0.007 - 0.013	49	0.017	0.012 - 0.022	10	0.003	0.002 - 0.006
Florida	1,171	0.010	0.010 - 0.011	947	0.017	0.016 - 0.018	224	0.004	0.003 - 0.004
Georgia	341	0.006	0.005 - 0.007	279	0.010	0.009 - 0.011	62	0.002	0.002 - 0.003
Hawaii	20	0.006	0.004 - 0.010	-	-		-	-	
Idaho	100	0.007	0.006 - 0.008	85	0.012	0.009 - 0.015	15	0.002	0.001 - 0.003
Illinois	607	0.008	0.007 - 0.008	483	0.012	0.011 - 0.014	124	0.003	0.003 - 0.004
Iowa	275	0.010	0.009 - 0.011	232	0.017	0.015 - 0.020	43	0.003	0.002 - 0.004
Kansas	163	0.007	0.006 - 0.008	124	0.011	0.009 - 0.013	39	0.003	0.002 - 0.005
Kentucky	270	0.007	0.006 - 0.008	225	0.012	0.011 - 0.014	45	0.002	0.002 - 0.003
Louisiana	163	0.006	0.005 - 0.007	129	0.009	0.008 - 0.011	34	0.002	0.002 - 0.003
Maine	147	0.012	0.010 - 0.014	110	0.018	0.015 - 0.022	37	0.006	0.004 - 0.008
Maryland	237	0.008	0.007 - 0.009	193	0.013	0.011 - 0.015	44	0.003	0.002 - 0.004
MI - Detroit	225	0.009	0.008 - 0.010	182	0.015	0.013 - 0.017	44	0.003	0.003 - 0.005
Minnesota	344	0.008	0.007 - 0.008	277	0.012	0.011 - 0.014	67	0.003	0.002 - 0.004
Mississippi	115	0.007	0.006 - 0.008	98	0.012	0.009 - 0.014	17	0.002	0.001 - 0.003
Missouri	369	0.007	0.007 - 0.008	289	0.012	0.011 - 0.013	80	0.003	0.003 - 0.004
Montana	63	0.007	0.005 - 0.009	50	0.011	0.008 - 0.014	13	0.003	0.002 - 0.005
Nebraska	95	0.006	0.005 - 0.008	81	0.011	0.008 - 0.013	14	0.002	0.001 - 0.003
New Hampshire	122	0.010	0.008 - 0.012	103	0.017	0.014 - 0.021	19	0.003	0.002 - 0.005
New Jersey	409	0.008	0.007 - 0.009	322	0.013	0.012 - 0.015	87	0.003	0.003 - 0.004
New Mexico	57	0.007	0.005 - 0.009	44	0.011	0.008 - 0.015	13	0.003	0.002 - 0.006
New York	912	0.008	0.008 - 0.009	696	0.013	0.012 - 0.014	216	0.004	0.003 - 0.004
North Carolina	462	0.007	0.006 - 0.008	387	0.012	0.011 - 0.013	75	0.002	0.002 - 0.003
North Dakota	50	0.008	0.006 - 0.010	-	-		-	-	
Ohio	808	0.009	0.008 - 0.009	676	0.015	0.014 - 0.016	132	0.003	0.002 - 0.003
Oklahoma	178	0.007	0.006 - 0.008	149	0.011	0.009 - 0.013	29	0.002	0.001 - 0.003
Oregon	267	0.008	0.007 - 0.009	223	0.014	0.012 - 0.016	44	0.003	0.002 - 0.004
Pennsylvania	872	0.009	0.008 - 0.009	682	0.014	0.013 - 0.015	190	0.004	0.003 - 0.004
Rhode Island	64	0.008	0.006 - 0.011	46	0.012	0.009 - 0.016	18	0.004	0.003 - 0.007
South Carolina	233	0.007	0.006 - 0.008	189	0.012	0.010 - 0.014	44	0.003	0.002 - 0.004
South Dakota	51	0.007	0.005 - 0.009	38	0.010	0.007 - 0.014	13	0.004	0.002 - 0.006
Tennessee	381	0.008	0.007 - 0.008	320	0.013	0.012 - 0.014	61	0.002	0.002 - 0.003
Texas	889	0.007	0.007 - 0.008	731	0.012	0.011 - 0.013	158	0.003	0.002 - 0.003
Utah	86	0.003	0.003 - 0.004	74	0.006	0.005 - 0.007	12	0.001	0.001 - 0.002
Vermont	55	0.009	0.007 - 0.012	44	0.015	0.011 - 0.020	11	0.004	0.002 - 0.007
Washington	399	0.008	0.007 - 0.008	324	0.012	0.011 - 0.014	75	0.003	0.002 - 0.004
WA - Seattle	252	0.007	0.006 - 0.008	202	0.011	0.010 - 0.013	50	0.003	0.002 - 0.004
West Virginia	141	0.008	0.007 - 0.010	115	0.014	0.011 - 0.017	26	0.003	0.002 - 0.004
Wisconsin	398	0.008	0.008 - 0.009	301	0.013	0.011 - 0.014	97	0.004	0.003 - 0.005
Wyoming	18	0.004	0.002 - 0.006	-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	17,889	0.009	0.009 - 0.009	11,306	0.011	0.011 - 0.012	6,583	0.006	0.006 - 0.007
Alabama	312	0.010	0.009 - 0.011	185	0.012	0.010 - 0.013	127	0.008	0.006 - 0.009
Alaska	31	0.007	0.004 - 0.009	18	0.007	0.004 - 0.011	13	0.006	0.003 - 0.010
Arizona	321	0.008	0.007 - 0.009	215	0.011	0.010 - 0.013	106	0.005	0.004 - 0.006
Arkansas	193	0.009	0.008 - 0.010	120	0.011	0.009 - 0.013	73	0.006	0.005 - 0.008
California	1,352	0.009	0.008 - 0.009	839	0.011	0.010 - 0.012	513	0.007	0.006 - 0.007
CA - Greater California	808	0.008	0.008 - 0.009	503	0.011	0.010 - 0.012	305	0.006	0.006 - 0.007
CA - Greater Bay Area	276	0.009	0.008 - 0.011	165	0.011	0.010 - 0.013	111	0.008	0.006 - 0.009
CA - Los Angeles	268	0.010	0.009 - 0.011	171	0.012	0.011 - 0.014	97	0.007	0.006 - 0.009
Colorado	254	0.006	0.006 - 0.007	173	0.009	0.008 - 0.010	81	0.004	0.003 - 0.005
Connecticut	334	0.014	0.012 - 0.015	217	0.018	0.016 - 0.021	117	0.009	0.008 - 0.011
Delaware	54	0.009	0.007 - 0.012	35	0.012	0.008 - 0.017	19	0.006	0.004 - 0.009
Florida	1,110	0.010	0.009 - 0.010	750	0.013	0.012 - 0.014	360	0.006	0.005 - 0.007
Georgia	445	0.008	0.007 - 0.009	267	0.010	0.009 - 0.011	178	0.006	0.005 - 0.007
Hawaii	26	0.008	0.006 - 0.012	-	-	-	-	-	-
Idaho	93	0.006	0.005 - 0.008	68	0.009	0.007 - 0.012	25	0.003	0.002 - 0.005
Illinois	771	0.010	0.009 - 0.010	490	0.013	0.012 - 0.014	281	0.007	0.006 - 0.008
Iowa	197	0.007	0.006 - 0.008	119	0.009	0.007 - 0.011	78	0.006	0.004 - 0.007
Kansas	154	0.007	0.006 - 0.008	90	0.008	0.007 - 0.010	64	0.006	0.004 - 0.007
Kentucky	368	0.010	0.009 - 0.011	216	0.012	0.010 - 0.013	152	0.008	0.007 - 0.009
Louisiana	232	0.008	0.007 - 0.010	148	0.011	0.009 - 0.013	84	0.006	0.005 - 0.007
Maine	125	0.010	0.008 - 0.012	77	0.012	0.010 - 0.016	48	0.007	0.005 - 0.010
Maryland	264	0.008	0.007 - 0.010	166	0.011	0.009 - 0.013	98	0.006	0.005 - 0.007
MI - Detroit	258	0.010	0.009 - 0.012	149	0.012	0.010 - 0.014	109	0.009	0.007 - 0.010
Minnesota	367	0.008	0.007 - 0.009	242	0.011	0.009 - 0.012	125	0.005	0.005 - 0.007
Mississippi	158	0.009	0.008 - 0.011	91	0.011	0.009 - 0.013	67	0.008	0.006 - 0.010
Missouri	364	0.007	0.007 - 0.008	221	0.009	0.008 - 0.010	143	0.006	0.005 - 0.007
Montana	77	0.008	0.007 - 0.010	47	0.010	0.007 - 0.013	30	0.006	0.004 - 0.009
Nebraska	111	0.007	0.006 - 0.009	67	0.009	0.007 - 0.011	44	0.006	0.004 - 0.008
New Hampshire	115	0.009	0.008 - 0.011	78	0.013	0.010 - 0.016	37	0.006	0.004 - 0.008
New Jersey	615	0.012	0.011 - 0.013	385	0.016	0.014 - 0.018	230	0.009	0.008 - 0.010
New Mexico	51	0.006	0.005 - 0.008	36	0.009	0.006 - 0.013	15	0.004	0.002 - 0.006
New York	1,417	0.013	0.012 - 0.014	845	0.016	0.015 - 0.017	573	0.010	0.009 - 0.011
North Carolina	630	0.010	0.009 - 0.010	389	0.012	0.011 - 0.013	241	0.007	0.006 - 0.008
North Dakota	45	0.007	0.005 - 0.009	31	0.009	0.006 - 0.013	14	0.004	0.002 - 0.007
Ohio	815	0.009	0.008 - 0.009	518	0.011	0.010 - 0.012	297	0.006	0.006 - 0.007
Oklahoma	210	0.008	0.007 - 0.009	124	0.009	0.008 - 0.011	86	0.006	0.005 - 0.008
Oregon	237	0.007	0.006 - 0.008	157	0.010	0.008 - 0.012	80	0.005	0.004 - 0.006
Pennsylvania	943	0.010	0.009 - 0.010	632	0.013	0.012 - 0.014	311	0.006	0.006 - 0.007
Rhode Island	105	0.014	0.011 - 0.016	71	0.019	0.015 - 0.024	34	0.008	0.006 - 0.012
South Carolina	282	0.009	0.008 - 0.010	185	0.012	0.010 - 0.013	97	0.006	0.005 - 0.007
South Dakota	43	0.006	0.004 - 0.008	-	-	-	-	-	-
Tennessee	411	0.008	0.007 - 0.009	254	0.010	0.009 - 0.012	157	0.006	0.005 - 0.007
Texas	883	0.007	0.007 - 0.008	541	0.009	0.008 - 0.010	342	0.006	0.005 - 0.006
Utah	111	0.004	0.004 - 0.005	75	0.006	0.005 - 0.008	36	0.003	0.002 - 0.004
Vermont	74	0.013	0.010 - 0.016	44	0.015	0.011 - 0.020	30	0.010	0.007 - 0.014
Washington	379	0.007	0.006 - 0.008	235	0.009	0.008 - 0.010	144	0.005	0.005 - 0.006
WA - Seattle	258	0.007	0.006 - 0.008	157	0.009	0.007 - 0.010	101	0.006	0.005 - 0.007
West Virginia	145	0.009	0.007 - 0.010	88	0.011	0.008 - 0.013	57	0.007	0.005 - 0.009
Wisconsin	436	0.009	0.008 - 0.010	305	0.013	0.011 - 0.014	131	0.005	0.005 - 0.006
Wyoming	30	0.006	0.004 - 0.009	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	163,940	0.082	0.081 - 0.082	86,887	0.088	0.087 - 0.089	77,052	0.076	0.075 - 0.076
Alabama	2,897	0.089	0.086 - 0.093	1,545	0.098	0.093 - 0.103	1,352	0.082	0.077 - 0.086
Alaska	292	0.062	0.055 - 0.070	172	0.069	0.059 - 0.080	120	0.054	0.045 - 0.065
Arizona	2,935	0.074	0.072 - 0.077	1,583	0.081	0.077 - 0.085	1,352	0.068	0.064 - 0.071
Arkansas	1,928	0.087	0.083 - 0.091	1,021	0.094	0.088 - 0.100	907	0.081	0.075 - 0.086
California	12,301	0.081	0.080 - 0.082	6,497	0.086	0.084 - 0.088	5,804	0.076	0.074 - 0.078
CA - Greater California	7,672	0.081	0.079 - 0.082	4,000	0.085	0.082 - 0.087	3,672	0.077	0.074 - 0.079
CA - Greater Bay Area	2,344	0.081	0.077 - 0.084	1,254	0.085	0.081 - 0.090	1,090	0.076	0.071 - 0.081
CA - Los Angeles	2,284	0.083	0.079 - 0.086	1,241	0.089	0.084 - 0.094	1,043	0.076	0.072 - 0.081
Colorado	2,369	0.061	0.058 - 0.063	1,258	0.064	0.061 - 0.068	1,111	0.057	0.054 - 0.060
Connecticut	1,910	0.079	0.075 - 0.083	988	0.084	0.079 - 0.089	922	0.074	0.070 - 0.079
Delaware	545	0.090	0.082 - 0.097	306	0.104	0.093 - 0.116	239	0.076	0.067 - 0.086
Florida	10,346	0.090	0.088 - 0.091	5,537	0.098	0.095 - 0.100	4,809	0.082	0.079 - 0.084
Georgia	4,449	0.079	0.077 - 0.082	2,406	0.087	0.084 - 0.091	2,043	0.072	0.069 - 0.075
Hawaii	279	0.090	0.080 - 0.102	168	0.100	0.086 - 0.117	111	0.079	0.065 - 0.095
Idaho	928	0.064	0.060 - 0.069	511	0.071	0.065 - 0.077	417	0.058	0.052 - 0.063
Illinois	7,199	0.091	0.089 - 0.093	3,838	0.099	0.096 - 0.102	3,361	0.084	0.081 - 0.086
Iowa	2,352	0.087	0.083 - 0.090	1,211	0.090	0.085 - 0.095	1,142	0.083	0.078 - 0.088
Kansas	1,813	0.081	0.077 - 0.085	954	0.086	0.081 - 0.092	859	0.076	0.071 - 0.081
Kentucky	3,526	0.092	0.089 - 0.096	1,903	0.102	0.097 - 0.106	1,623	0.084	0.080 - 0.088
Louisiana	2,488	0.090	0.086 - 0.093	1,361	0.100	0.095 - 0.105	1,128	0.080	0.075 - 0.085
Maine	1,023	0.081	0.076 - 0.086	532	0.086	0.079 - 0.094	491	0.076	0.070 - 0.083
Maryland	2,458	0.079	0.076 - 0.082	1,257	0.082	0.078 - 0.087	1,201	0.075	0.071 - 0.080
MI - Detroit	2,165	0.087	0.083 - 0.090	1,109	0.090	0.085 - 0.095	1,055	0.083	0.078 - 0.088
Minnesota	3,565	0.079	0.076 - 0.082	1,903	0.085	0.081 - 0.089	1,662	0.073	0.070 - 0.077
Mississippi	1,644	0.096	0.092 - 0.101	867	0.103	0.097 - 0.111	777	0.090	0.083 - 0.096
Missouri	3,973	0.081	0.078 - 0.083	2,104	0.087	0.083 - 0.091	1,869	0.075	0.071 - 0.078
Montana	713	0.077	0.072 - 0.083	393	0.084	0.076 - 0.093	319	0.070	0.062 - 0.078
Nebraska	1,379	0.090	0.085 - 0.095	696	0.092	0.085 - 0.099	683	0.088	0.082 - 0.095
New Hampshire	966	0.078	0.074 - 0.084	531	0.087	0.080 - 0.095	435	0.070	0.063 - 0.077
New Jersey	4,683	0.094	0.091 - 0.097	2,449	0.101	0.097 - 0.105	2,234	0.088	0.084 - 0.091
New Mexico	629	0.079	0.073 - 0.085	325	0.082	0.074 - 0.092	304	0.076	0.067 - 0.085
New York	9,422	0.085	0.084 - 0.087	4,901	0.091	0.088 - 0.093	4,522	0.080	0.078 - 0.083
North Carolina	5,034	0.076	0.074 - 0.078	2,670	0.083	0.080 - 0.086	2,364	0.070	0.067 - 0.073
North Dakota	505	0.078	0.072 - 0.085	254	0.077	0.068 - 0.087	251	0.079	0.070 - 0.090
Ohio	7,776	0.083	0.082 - 0.085	4,018	0.088	0.085 - 0.091	3,758	0.079	0.077 - 0.082
Oklahoma	2,194	0.081	0.078 - 0.085	1,189	0.090	0.085 - 0.095	1,005	0.073	0.069 - 0.078
Oregon	2,383	0.074	0.071 - 0.077	1,284	0.081	0.076 - 0.085	1,099	0.067	0.063 - 0.071
Pennsylvania	8,836	0.090	0.088 - 0.091	4,556	0.094	0.092 - 0.097	4,280	0.085	0.082 - 0.088
Rhode Island	581	0.075	0.069 - 0.081	296	0.079	0.070 - 0.089	285	0.071	0.063 - 0.080
South Carolina	2,509	0.077	0.074 - 0.080	1,327	0.083	0.079 - 0.088	1,182	0.071	0.067 - 0.075
South Dakota	571	0.079	0.072 - 0.086	301	0.083	0.074 - 0.093	270	0.075	0.066 - 0.084
Tennessee	4,141	0.082	0.080 - 0.085	2,200	0.089	0.086 - 0.093	1,941	0.075	0.072 - 0.079
Texas	9,436	0.078	0.076 - 0.079	5,250	0.087	0.085 - 0.090	4,186	0.068	0.066 - 0.070
Utah	1,055	0.042	0.040 - 0.045	541	0.043	0.040 - 0.047	514	0.041	0.038 - 0.045
Vermont	447	0.076	0.069 - 0.084	237	0.082	0.072 - 0.093	210	0.071	0.061 - 0.081
Washington	3,776	0.072	0.069 - 0.074	1,918	0.073	0.070 - 0.076	1,858	0.070	0.067 - 0.074
WA - Seattle	2,662	0.075	0.072 - 0.078	1,375	0.077	0.073 - 0.082	1,286	0.072	0.068 - 0.076
West Virginia	1,683	0.100	0.095 - 0.105	949	0.114	0.107 - 0.122	734	0.086	0.080 - 0.092
Wisconsin	3,669	0.077	0.075 - 0.080	1,935	0.082	0.078 - 0.086	1,734	0.072	0.069 - 0.076
Wyoming	321	0.065	0.058 - 0.073	174	0.070	0.060 - 0.081	147	0.061	0.051 - 0.071

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	21,467	0.011	0.011 - 0.011	15,346	0.016	0.015 - 0.016	6,121	0.006	0.006 - 0.006
Alabama	319	0.010	0.009 - 0.011	220	0.014	0.012 - 0.016	99	0.006	0.005 - 0.007
Alaska	53	0.011	0.008 - 0.015	43	0.017	0.013 - 0.023	10	0.005	0.002 - 0.008
Arizona	390	0.010	0.009 - 0.011	268	0.014	0.012 - 0.015	122	0.006	0.005 - 0.007
Arkansas	265	0.012	0.011 - 0.014	204	0.019	0.016 - 0.022	61	0.005	0.004 - 0.007
California	1,797	0.012	0.011 - 0.012	1,282	0.017	0.016 - 0.018	515	0.007	0.006 - 0.007
CA - Greater California	1,166	0.012	0.012 - 0.013	828	0.017	0.016 - 0.019	338	0.007	0.006 - 0.008
CA - Greater Bay Area	383	0.013	0.012 - 0.015	278	0.019	0.017 - 0.021	105	0.007	0.006 - 0.009
CA - Los Angeles	248	0.009	0.008 - 0.010	176	0.013	0.011 - 0.015	72	0.005	0.004 - 0.007
Colorado	310	0.008	0.007 - 0.009	229	0.012	0.010 - 0.013	81	0.004	0.003 - 0.005
Connecticut	271	0.011	0.010 - 0.013	207	0.018	0.015 - 0.020	64	0.005	0.004 - 0.007
Delaware	72	0.012	0.009 - 0.015	58	0.020	0.015 - 0.025	14	0.004	0.002 - 0.007
Florida	1,469	0.013	0.012 - 0.013	1,067	0.019	0.018 - 0.020	402	0.007	0.006 - 0.008
Georgia	567	0.010	0.009 - 0.011	424	0.015	0.014 - 0.017	143	0.005	0.004 - 0.006
Hawaii	30	0.010	0.007 - 0.014	-	-	-	-	-	-
Idaho	114	0.008	0.007 - 0.009	87	0.012	0.010 - 0.015	27	0.004	0.002 - 0.005
Illinois	781	0.010	0.009 - 0.011	523	0.013	0.012 - 0.015	258	0.006	0.006 - 0.007
Iowa	247	0.009	0.008 - 0.010	174	0.013	0.011 - 0.015	73	0.005	0.004 - 0.007
Kansas	231	0.010	0.009 - 0.012	170	0.015	0.013 - 0.018	61	0.005	0.004 - 0.007
Kentucky	349	0.009	0.008 - 0.010	257	0.014	0.012 - 0.016	93	0.005	0.004 - 0.006
Louisiana	324	0.012	0.010 - 0.013	224	0.016	0.014 - 0.019	100	0.007	0.006 - 0.009
Maine	112	0.009	0.007 - 0.011	88	0.014	0.011 - 0.018	24	0.004	0.002 - 0.006
Maryland	325	0.010	0.009 - 0.012	241	0.016	0.014 - 0.018	84	0.005	0.004 - 0.007
MI - Detroit	298	0.012	0.011 - 0.013	205	0.017	0.014 - 0.019	93	0.007	0.006 - 0.009
Minnesota	442	0.010	0.009 - 0.011	307	0.014	0.012 - 0.015	135	0.006	0.005 - 0.007
Mississippi	252	0.015	0.013 - 0.017	178	0.021	0.018 - 0.025	74	0.009	0.007 - 0.011
Missouri	449	0.009	0.008 - 0.010	306	0.013	0.011 - 0.014	143	0.006	0.005 - 0.007
Montana	80	0.009	0.007 - 0.011	60	0.013	0.010 - 0.017	20	0.004	0.003 - 0.007
Nebraska	106	0.007	0.006 - 0.008	76	0.010	0.008 - 0.013	30	0.004	0.003 - 0.006
New Hampshire	106	0.009	0.007 - 0.010	78	0.013	0.010 - 0.016	28	0.004	0.003 - 0.006
New Jersey	574	0.012	0.011 - 0.013	414	0.017	0.015 - 0.019	160	0.006	0.005 - 0.007
New Mexico	81	0.010	0.008 - 0.013	61	0.015	0.012 - 0.020	20	0.005	0.003 - 0.008
New York	1,207	0.011	0.010 - 0.012	888	0.016	0.015 - 0.018	319	0.006	0.005 - 0.006
North Carolina	806	0.012	0.011 - 0.013	582	0.018	0.017 - 0.020	224	0.007	0.006 - 0.008
North Dakota	31	0.005	0.003 - 0.007	18	0.005	0.003 - 0.009	13	0.004	0.002 - 0.007
Ohio	779	0.008	0.008 - 0.009	539	0.012	0.011 - 0.013	240	0.005	0.004 - 0.006
Oklahoma	231	0.009	0.007 - 0.010	161	0.012	0.010 - 0.014	70	0.005	0.004 - 0.006
Oregon	457	0.014	0.013 - 0.016	340	0.021	0.019 - 0.024	117	0.007	0.006 - 0.009
Pennsylvania	1,119	0.011	0.011 - 0.012	800	0.017	0.015 - 0.018	319	0.006	0.006 - 0.007
Rhode Island	95	0.012	0.010 - 0.015	69	0.018	0.014 - 0.023	26	0.006	0.004 - 0.009
South Carolina	375	0.011	0.010 - 0.013	260	0.016	0.014 - 0.018	115	0.007	0.006 - 0.008
South Dakota	50	0.007	0.005 - 0.009	38	0.010	0.007 - 0.014	12	0.003	0.002 - 0.006
Tennessee	541	0.011	0.010 - 0.012	377	0.015	0.014 - 0.017	164	0.006	0.005 - 0.007
Texas	1,494	0.012	0.012 - 0.013	1,057	0.018	0.017 - 0.019	437	0.007	0.006 - 0.008
Utah	123	0.005	0.004 - 0.006	87	0.007	0.006 - 0.009	36	0.003	0.002 - 0.004
Vermont	51	0.009	0.006 - 0.011	38	0.013	0.009 - 0.018	13	0.004	0.002 - 0.007
Washington	634	0.012	0.011 - 0.013	446	0.017	0.015 - 0.019	188	0.007	0.006 - 0.008
WA - Seattle	462	0.013	0.012 - 0.014	330	0.019	0.017 - 0.021	132	0.007	0.006 - 0.009
West Virginia	186	0.011	0.009 - 0.013	125	0.015	0.013 - 0.018	61	0.007	0.005 - 0.009
Wisconsin	491	0.010	0.009 - 0.011	341	0.014	0.013 - 0.016	150	0.006	0.005 - 0.007
Wyoming	44	0.009	0.007 - 0.012	31	0.012	0.008 - 0.018	13	0.005	0.003 - 0.009

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	30,919	0.015	0.015 - 0.016	16,515	0.017	0.016 - 0.017	14,405	0.014	0.014 - 0.014
Alabama	379	0.012	0.011 - 0.013	204	0.013	0.011 - 0.015	175	0.011	0.009 - 0.012
Alaska	42	0.009	0.006 - 0.012	26	0.010	0.007 - 0.015	16	0.007	0.004 - 0.012
Arizona	608	0.015	0.014 - 0.017	338	0.017	0.015 - 0.019	270	0.014	0.012 - 0.015
Arkansas	267	0.012	0.011 - 0.014	146	0.013	0.011 - 0.016	121	0.011	0.009 - 0.013
California	2,351	0.015	0.015 - 0.016	1,282	0.017	0.016 - 0.018	1,069	0.014	0.013 - 0.015
CA - Greater California	1,458	0.015	0.015 - 0.016	793	0.017	0.016 - 0.018	665	0.014	0.013 - 0.015
CA - Greater Bay Area	460	0.016	0.014 - 0.017	252	0.017	0.015 - 0.019	208	0.014	0.013 - 0.017
CA - Los Angeles	433	0.016	0.014 - 0.017	237	0.017	0.015 - 0.019	196	0.014	0.012 - 0.016
Colorado	494	0.013	0.012 - 0.014	276	0.014	0.012 - 0.016	218	0.011	0.010 - 0.013
Connecticut	483	0.020	0.018 - 0.022	265	0.022	0.020 - 0.025	218	0.018	0.015 - 0.020
Delaware	92	0.015	0.012 - 0.019	54	0.018	0.014 - 0.024	38	0.012	0.009 - 0.017
Florida	2,157	0.019	0.018 - 0.019	1,137	0.020	0.019 - 0.021	1,020	0.017	0.016 - 0.018
Georgia	736	0.013	0.012 - 0.014	388	0.014	0.013 - 0.016	348	0.012	0.011 - 0.014
Hawaii	41	0.013	0.010 - 0.018	23	0.014	0.009 - 0.021	18	0.013	0.008 - 0.020
Idaho	208	0.014	0.013 - 0.017	109	0.015	0.012 - 0.018	99	0.014	0.011 - 0.017
Illinois	1,353	0.017	0.016 - 0.018	714	0.018	0.017 - 0.020	639	0.016	0.015 - 0.017
Iowa	404	0.015	0.013 - 0.016	224	0.017	0.015 - 0.019	180	0.013	0.011 - 0.015
Kansas	306	0.014	0.012 - 0.015	159	0.014	0.012 - 0.017	147	0.013	0.011 - 0.015
Kentucky	490	0.013	0.012 - 0.014	249	0.013	0.012 - 0.015	242	0.012	0.011 - 0.014
Louisiana	380	0.014	0.012 - 0.015	199	0.015	0.013 - 0.017	181	0.013	0.011 - 0.015
Maine	187	0.015	0.013 - 0.017	104	0.017	0.014 - 0.020	83	0.013	0.010 - 0.016
Maryland	528	0.017	0.015 - 0.018	279	0.018	0.016 - 0.020	249	0.016	0.014 - 0.018
MI - Detroit	441	0.018	0.016 - 0.019	234	0.019	0.017 - 0.022	206	0.016	0.014 - 0.019
Minnesota	667	0.015	0.014 - 0.016	355	0.016	0.014 - 0.018	312	0.014	0.012 - 0.015
Mississippi	232	0.014	0.012 - 0.015	116	0.014	0.011 - 0.017	116	0.013	0.011 - 0.016
Missouri	626	0.013	0.012 - 0.014	340	0.014	0.013 - 0.016	286	0.011	0.010 - 0.013
Montana	130	0.014	0.012 - 0.017	72	0.015	0.012 - 0.019	58	0.013	0.010 - 0.016
Nebraska	223	0.015	0.013 - 0.017	124	0.016	0.014 - 0.019	99	0.013	0.010 - 0.016
New Hampshire	216	0.018	0.015 - 0.020	110	0.018	0.015 - 0.022	106	0.017	0.014 - 0.021
New Jersey	1,014	0.020	0.019 - 0.022	531	0.022	0.020 - 0.024	483	0.019	0.017 - 0.021
New Mexico	96	0.012	0.010 - 0.015	54	0.014	0.010 - 0.018	42	0.010	0.008 - 0.014
New York	2,209	0.020	0.019 - 0.021	1,178	0.022	0.021 - 0.023	1,032	0.018	0.017 - 0.019
North Carolina	980	0.015	0.014 - 0.016	484	0.015	0.014 - 0.016	496	0.015	0.013 - 0.016
North Dakota	83	0.013	0.010 - 0.016	40	0.012	0.009 - 0.017	43	0.014	0.010 - 0.018
Ohio	1,268	0.014	0.013 - 0.014	662	0.014	0.013 - 0.016	606	0.013	0.012 - 0.014
Oklahoma	278	0.010	0.009 - 0.012	130	0.010	0.008 - 0.012	148	0.011	0.009 - 0.013
Oregon	497	0.015	0.014 - 0.017	261	0.016	0.014 - 0.019	236	0.014	0.013 - 0.016
Pennsylvania	1,781	0.018	0.017 - 0.019	926	0.019	0.018 - 0.020	855	0.017	0.016 - 0.018
Rhode Island	149	0.019	0.016 - 0.023	87	0.023	0.019 - 0.029	62	0.015	0.012 - 0.020
South Carolina	455	0.014	0.013 - 0.015	263	0.016	0.015 - 0.019	192	0.011	0.010 - 0.013
South Dakota	114	0.016	0.013 - 0.019	76	0.021	0.016 - 0.026	38	0.011	0.007 - 0.014
Tennessee	642	0.013	0.012 - 0.014	354	0.014	0.013 - 0.016	288	0.011	0.010 - 0.013
Texas	1,766	0.015	0.014 - 0.015	958	0.016	0.015 - 0.017	808	0.013	0.012 - 0.014
Utah	193	0.008	0.007 - 0.009	109	0.009	0.007 - 0.011	84	0.007	0.005 - 0.008
Vermont	101	0.017	0.014 - 0.021	53	0.018	0.014 - 0.024	48	0.016	0.012 - 0.021
Washington	809	0.015	0.014 - 0.016	415	0.016	0.014 - 0.017	394	0.015	0.013 - 0.016
WA - Seattle	544	0.015	0.014 - 0.017	262	0.015	0.013 - 0.017	283	0.016	0.014 - 0.018
West Virginia	243	0.014	0.013 - 0.016	130	0.016	0.013 - 0.019	113	0.013	0.011 - 0.016
Wisconsin	787	0.017	0.015 - 0.018	445	0.019	0.017 - 0.021	342	0.014	0.013 - 0.016
Wyoming	58	0.012	0.009 - 0.015	39	0.016	0.011 - 0.021	19	0.008	0.005 - 0.012

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	15,687	0.008	0.008 - 0.008	12,338	0.012	0.012 - 0.013	3,348	0.003	0.003 - 0.003
Alabama	295	0.009	0.008 - 0.010	238	0.015	0.013 - 0.017	57	0.003	0.003 - 0.004
Alaska	25	0.005	0.003 - 0.008	-	-	-	-	-	-
Arizona	237	0.006	0.005 - 0.007	198	0.010	0.009 - 0.012	39	0.002	0.001 - 0.003
Arkansas	188	0.009	0.007 - 0.010	144	0.013	0.011 - 0.016	44	0.004	0.003 - 0.005
California	823	0.005	0.005 - 0.006	678	0.009	0.008 - 0.010	145	0.002	0.002 - 0.002
CA - Greater California	545	0.006	0.005 - 0.006	448	0.009	0.009 - 0.010	97	0.002	0.002 - 0.002
CA - Greater Bay Area	135	0.005	0.004 - 0.005	108	0.007	0.006 - 0.009	27	0.002	0.001 - 0.003
CA - Los Angeles	142	0.005	0.004 - 0.006	122	0.009	0.007 - 0.010	21	0.002	0.001 - 0.002
Colorado	192	0.005	0.004 - 0.006	150	0.008	0.006 - 0.009	42	0.002	0.002 - 0.003
Connecticut	215	0.009	0.008 - 0.010	155	0.013	0.011 - 0.015	60	0.005	0.004 - 0.006
Delaware	62	0.010	0.008 - 0.013	46	0.016	0.011 - 0.021	16	0.005	0.003 - 0.008
Florida	1,284	0.011	0.011 - 0.012	1,051	0.019	0.017 - 0.020	233	0.004	0.003 - 0.004
Georgia	457	0.008	0.007 - 0.009	357	0.013	0.012 - 0.014	100	0.004	0.003 - 0.004
Hawaii	32	0.010	0.007 - 0.015	-	-	-	-	-	-
Idaho	59	0.004	0.003 - 0.005	40	0.006	0.004 - 0.008	19	0.003	0.002 - 0.004
Illinois	709	0.009	0.008 - 0.010	550	0.014	0.013 - 0.015	159	0.004	0.003 - 0.005
Iowa	218	0.008	0.007 - 0.009	176	0.013	0.011 - 0.015	42	0.003	0.002 - 0.004
Kansas	153	0.007	0.006 - 0.008	127	0.011	0.010 - 0.014	26	0.002	0.001 - 0.003
Kentucky	440	0.012	0.010 - 0.013	322	0.017	0.015 - 0.019	117	0.006	0.005 - 0.007
Louisiana	304	0.011	0.010 - 0.012	233	0.017	0.015 - 0.019	71	0.005	0.004 - 0.006
Maine	114	0.009	0.007 - 0.011	86	0.014	0.011 - 0.017	28	0.004	0.003 - 0.006
Maryland	200	0.006	0.006 - 0.007	163	0.011	0.009 - 0.012	37	0.002	0.002 - 0.003
MI - Detroit	219	0.009	0.008 - 0.010	175	0.014	0.012 - 0.016	44	0.003	0.003 - 0.005
Minnesota	297	0.007	0.006 - 0.007	233	0.010	0.009 - 0.012	64	0.003	0.002 - 0.004
Mississippi	163	0.010	0.008 - 0.011	121	0.014	0.012 - 0.017	42	0.005	0.003 - 0.007
Missouri	423	0.009	0.008 - 0.009	312	0.013	0.011 - 0.014	111	0.004	0.004 - 0.005
Montana	55	0.006	0.004 - 0.008	-	-	-	-	-	-
Nebraska	100	0.007	0.005 - 0.008	80	0.011	0.008 - 0.013	20	0.003	0.002 - 0.004
New Hampshire	79	0.006	0.005 - 0.008	61	0.010	0.008 - 0.013	18	0.003	0.002 - 0.005
New Jersey	360	0.007	0.006 - 0.008	308	0.013	0.011 - 0.014	52	0.002	0.002 - 0.003
New Mexico	48	0.006	0.004 - 0.008	-	-	-	-	-	-
New York	852	0.008	0.007 - 0.008	679	0.013	0.012 - 0.014	174	0.003	0.003 - 0.004
North Carolina	609	0.009	0.008 - 0.010	469	0.015	0.013 - 0.016	140	0.004	0.003 - 0.005
North Dakota	34	0.005	0.004 - 0.007	-	-	-	-	-	-
Ohio	828	0.009	0.008 - 0.010	628	0.014	0.013 - 0.015	200	0.004	0.004 - 0.005
Oklahoma	207	0.008	0.007 - 0.009	155	0.012	0.010 - 0.014	52	0.004	0.003 - 0.005
Oregon	168	0.005	0.004 - 0.006	137	0.009	0.007 - 0.010	31	0.002	0.001 - 0.003
Pennsylvania	842	0.009	0.008 - 0.009	652	0.013	0.012 - 0.015	190	0.004	0.003 - 0.004
Rhode Island	68	0.009	0.007 - 0.011	50	0.013	0.010 - 0.018	18	0.004	0.003 - 0.007
South Carolina	297	0.009	0.008 - 0.010	230	0.014	0.013 - 0.016	67	0.004	0.003 - 0.005
South Dakota	46	0.006	0.005 - 0.008	35	0.010	0.007 - 0.013	11	0.003	0.002 - 0.005
Tennessee	484	0.010	0.009 - 0.010	369	0.015	0.013 - 0.017	115	0.004	0.004 - 0.005
Texas	840	0.007	0.006 - 0.007	691	0.011	0.011 - 0.012	149	0.002	0.002 - 0.003
Utah	62	0.002	0.002 - 0.003	51	0.004	0.003 - 0.005	11	0.001	0.000 - 0.002
Vermont	40	0.007	0.005 - 0.009	29	0.010	0.007 - 0.014	11	0.004	0.002 - 0.007
Washington	264	0.005	0.004 - 0.006	202	0.008	0.007 - 0.009	62	0.002	0.002 - 0.003
WA - Seattle	181	0.005	0.004 - 0.006	138	0.008	0.007 - 0.009	43	0.002	0.002 - 0.003
West Virginia	202	0.012	0.010 - 0.014	142	0.017	0.014 - 0.020	60	0.007	0.005 - 0.009
Wisconsin	350	0.007	0.007 - 0.008	290	0.012	0.011 - 0.014	60	0.003	0.002 - 0.003
Wyoming	33	0.007	0.005 - 0.009	22	0.009	0.006 - 0.013	11	0.005	0.002 - 0.008

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	192,737	0.096	0.096 - 0.097	92,047	0.093	0.093 - 0.094	100,683	0.099	0.099 - 0.100
Alabama	3,042	0.094	0.091 - 0.097	1,569	0.099	0.094 - 0.104	1,473	0.089	0.084 - 0.094
Alaska	279	0.059	0.053 - 0.067	145	0.058	0.049 - 0.069	134	0.060	0.051 - 0.072
Arizona	3,428	0.087	0.084 - 0.090	1,578	0.081	0.077 - 0.085	1,850	0.093	0.088 - 0.097
Arkansas	2,435	0.110	0.106 - 0.115	1,254	0.116	0.109 - 0.122	1,181	0.105	0.099 - 0.111
California	11,696	0.077	0.076 - 0.078	5,290	0.070	0.068 - 0.072	6,407	0.084	0.082 - 0.086
CA - Greater California	7,628	0.080	0.078 - 0.082	3,439	0.073	0.070 - 0.075	4,189	0.088	0.085 - 0.090
CA - Greater Bay Area	2,056	0.071	0.068 - 0.074	942	0.064	0.060 - 0.068	1,114	0.078	0.073 - 0.082
CA - Los Angeles	2,012	0.073	0.070 - 0.076	907	0.065	0.061 - 0.070	1,105	0.081	0.076 - 0.085
Colorado	2,198	0.056	0.054 - 0.059	983	0.050	0.047 - 0.053	1,215	0.062	0.059 - 0.066
Connecticut	2,823	0.117	0.112 - 0.121	1,314	0.111	0.105 - 0.118	1,509	0.122	0.116 - 0.128
Delaware	756	0.124	0.116 - 0.133	325	0.111	0.099 - 0.123	431	0.137	0.125 - 0.151
Florida	14,461	0.125	0.123 - 0.127	6,789	0.120	0.117 - 0.123	7,672	0.130	0.127 - 0.133
Georgia	5,222	0.093	0.091 - 0.096	2,654	0.096	0.093 - 0.100	2,568	0.090	0.087 - 0.094
Hawaii	212	0.069	0.060 - 0.079	115	0.069	0.057 - 0.083	97	0.068	0.055 - 0.083
Idaho	962	0.067	0.063 - 0.071	443	0.061	0.056 - 0.067	519	0.072	0.066 - 0.078
Illinois	8,216	0.104	0.102 - 0.106	3,917	0.101	0.098 - 0.104	4,299	0.107	0.104 - 0.110
Iowa	2,501	0.092	0.088 - 0.096	1,242	0.092	0.087 - 0.098	1,260	0.092	0.087 - 0.097
Kansas	1,949	0.087	0.083 - 0.091	962	0.087	0.081 - 0.092	987	0.087	0.082 - 0.093
Kentucky	4,638	0.122	0.118 - 0.125	2,300	0.123	0.118 - 0.128	2,338	0.120	0.116 - 0.125
Louisiana	2,500	0.090	0.087 - 0.094	1,249	0.092	0.087 - 0.097	1,251	0.089	0.084 - 0.094
Maine	1,524	0.121	0.115 - 0.127	683	0.111	0.103 - 0.119	841	0.131	0.122 - 0.140
Maryland	2,983	0.095	0.092 - 0.099	1,343	0.088	0.083 - 0.093	1,640	0.103	0.098 - 0.108
MI - Detroit	2,590	0.104	0.100 - 0.108	1,194	0.097	0.091 - 0.102	1,396	0.110	0.104 - 0.116
Minnesota	3,823	0.085	0.082 - 0.087	1,803	0.080	0.077 - 0.084	2,020	0.089	0.085 - 0.093
Mississippi	1,982	0.116	0.111 - 0.121	998	0.119	0.112 - 0.127	984	0.113	0.106 - 0.121
Missouri	5,077	0.103	0.100 - 0.106	2,479	0.102	0.098 - 0.106	2,598	0.104	0.100 - 0.108
Montana	715	0.077	0.072 - 0.083	329	0.071	0.063 - 0.079	386	0.084	0.076 - 0.093
Nebraska	1,236	0.081	0.076 - 0.085	614	0.081	0.075 - 0.088	622	0.080	0.074 - 0.087
New Hampshire	1,264	0.103	0.097 - 0.108	539	0.089	0.081 - 0.096	725	0.116	0.108 - 0.125
New Jersey	5,278	0.106	0.103 - 0.109	2,315	0.095	0.091 - 0.099	2,963	0.116	0.112 - 0.120
New Mexico	618	0.078	0.072 - 0.084	306	0.078	0.069 - 0.087	313	0.078	0.069 - 0.087
New York	12,679	0.115	0.113 - 0.117	5,687	0.105	0.102 - 0.108	6,992	0.124	0.121 - 0.127
North Carolina	7,091	0.107	0.105 - 0.110	3,489	0.108	0.104 - 0.112	3,602	0.107	0.103 - 0.110
North Dakota	518	0.080	0.073 - 0.087	257	0.078	0.069 - 0.088	261	0.082	0.073 - 0.093
Ohio	9,013	0.097	0.095 - 0.099	4,463	0.098	0.095 - 0.101	4,550	0.096	0.093 - 0.099
Oklahoma	2,418	0.090	0.086 - 0.093	1,201	0.090	0.085 - 0.096	1,217	0.089	0.084 - 0.094
Oregon	2,693	0.083	0.080 - 0.087	1,262	0.079	0.075 - 0.084	1,431	0.087	0.083 - 0.092
Pennsylvania	10,311	0.104	0.102 - 0.106	5,008	0.104	0.101 - 0.107	5,303	0.105	0.102 - 0.108
Rhode Island	1,012	0.131	0.123 - 0.139	457	0.122	0.111 - 0.134	555	0.138	0.127 - 0.150
South Carolina	3,327	0.102	0.098 - 0.105	1,660	0.104	0.099 - 0.109	1,667	0.100	0.095 - 0.105
South Dakota	647	0.089	0.083 - 0.096	314	0.086	0.077 - 0.096	333	0.092	0.083 - 0.103
Tennessee	5,521	0.109	0.107 - 0.112	2,765	0.112	0.108 - 0.116	2,756	0.107	0.103 - 0.111
Texas	9,914	0.082	0.080 - 0.083	4,943	0.082	0.080 - 0.084	4,971	0.081	0.079 - 0.083
Utah	637	0.026	0.024 - 0.028	311	0.025	0.022 - 0.028	326	0.026	0.024 - 0.029
Vermont	582	0.099	0.091 - 0.108	290	0.100	0.089 - 0.112	292	0.098	0.087 - 0.110
Washington	4,251	0.081	0.078 - 0.083	1,981	0.075	0.072 - 0.079	2,270	0.086	0.083 - 0.090
WA - Seattle	2,931	0.082	0.079 - 0.085	1,375	0.077	0.073 - 0.081	1,556	0.088	0.083 - 0.092
West Virginia	2,189	0.130	0.124 - 0.135	1,085	0.131	0.123 - 0.139	1,104	0.129	0.121 - 0.137
Wisconsin	4,413	0.093	0.090 - 0.096	2,075	0.088	0.084 - 0.092	2,338	0.098	0.094 - 0.102
Wyoming	296	0.060	0.054 - 0.067	146	0.058	0.049 - 0.069	150	0.062	0.052 - 0.073

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	146,678	0.073	0.073 - 0.074	86,465	0.088	0.087 - 0.088	60,198	0.059	0.059 - 0.060
Alabama	2,460	0.076	0.073 - 0.079	1,424	0.090	0.085 - 0.095	1,036	0.063	0.059 - 0.066
Alaska	154	0.033	0.028 - 0.038	85	0.034	0.027 - 0.042	69	0.031	0.024 - 0.039
Arizona	3,972	0.100	0.097 - 0.104	2,525	0.129	0.124 - 0.134	1,447	0.072	0.069 - 0.076
Arkansas	1,324	0.060	0.057 - 0.063	786	0.072	0.067 - 0.078	538	0.048	0.044 - 0.052
California	14,895	0.098	0.097 - 0.100	9,166	0.121	0.118 - 0.123	5,729	0.075	0.074 - 0.077
CA - Greater California	9,294	0.098	0.096 - 0.100	5,722	0.121	0.118 - 0.124	3,572	0.075	0.072 - 0.077
CA - Greater Bay Area	3,482	0.120	0.116 - 0.124	2,107	0.143	0.137 - 0.149	1,375	0.096	0.091 - 0.101
CA - Los Angeles	2,121	0.077	0.074 - 0.080	1,339	0.096	0.091 - 0.102	782	0.057	0.053 - 0.061
Colorado	2,398	0.061	0.059 - 0.064	1,393	0.071	0.067 - 0.075	1,005	0.052	0.048 - 0.055
Connecticut	1,517	0.063	0.060 - 0.066	883	0.075	0.070 - 0.080	634	0.051	0.047 - 0.055
Delaware	636	0.105	0.097 - 0.113	381	0.130	0.117 - 0.143	255	0.081	0.071 - 0.092
Florida	11,705	0.101	0.100 - 0.103	7,326	0.129	0.126 - 0.132	4,379	0.074	0.072 - 0.077
Georgia	5,174	0.092	0.090 - 0.095	3,050	0.111	0.107 - 0.115	2,124	0.075	0.071 - 0.078
Hawaii	621	0.201	0.186 - 0.217	410	0.245	0.222 - 0.270	211	0.149	0.130 - 0.170
Idaho	990	0.069	0.064 - 0.073	591	0.082	0.076 - 0.089	398	0.055	0.050 - 0.061
Illinois	5,610	0.071	0.069 - 0.073	3,157	0.081	0.078 - 0.084	2,453	0.061	0.059 - 0.063
Iowa	1,863	0.069	0.065 - 0.072	987	0.074	0.069 - 0.078	876	0.064	0.060 - 0.068
Kansas	1,514	0.067	0.064 - 0.071	887	0.080	0.075 - 0.085	627	0.055	0.051 - 0.060
Kentucky	2,570	0.067	0.065 - 0.070	1,434	0.077	0.073 - 0.081	1,136	0.058	0.055 - 0.062
Louisiana	1,650	0.060	0.057 - 0.062	980	0.072	0.067 - 0.076	670	0.048	0.044 - 0.051
Maine	813	0.064	0.060 - 0.069	422	0.068	0.062 - 0.075	391	0.061	0.055 - 0.067
Maryland	3,050	0.098	0.094 - 0.101	1,767	0.115	0.110 - 0.121	1,283	0.081	0.076 - 0.085
MI - Detroit	1,481	0.059	0.056 - 0.062	862	0.070	0.065 - 0.075	619	0.049	0.045 - 0.053
Minnesota	3,879	0.086	0.083 - 0.089	2,120	0.095	0.091 - 0.099	1,759	0.077	0.074 - 0.081
Mississippi	1,164	0.068	0.064 - 0.072	692	0.083	0.077 - 0.089	472	0.054	0.050 - 0.060
Missouri	2,381	0.048	0.046 - 0.050	1,353	0.056	0.053 - 0.059	1,028	0.041	0.039 - 0.044
Montana	606	0.065	0.060 - 0.071	347	0.074	0.067 - 0.083	259	0.056	0.050 - 0.064
Nebraska	1,087	0.071	0.067 - 0.075	580	0.076	0.070 - 0.083	507	0.066	0.060 - 0.072
New Hampshire	991	0.080	0.076 - 0.086	560	0.092	0.085 - 0.100	431	0.069	0.063 - 0.076
New Jersey	4,053	0.081	0.079 - 0.084	2,344	0.096	0.093 - 0.100	1,709	0.067	0.064 - 0.070
New Mexico	681	0.086	0.079 - 0.092	410	0.104	0.094 - 0.114	272	0.068	0.060 - 0.076
New York	7,318	0.066	0.065 - 0.068	4,232	0.078	0.076 - 0.081	3,086	0.055	0.053 - 0.057
North Carolina	5,266	0.080	0.078 - 0.082	3,102	0.096	0.093 - 0.100	2,164	0.064	0.061 - 0.067
North Dakota	355	0.055	0.049 - 0.061	179	0.054	0.047 - 0.063	176	0.056	0.048 - 0.064
Ohio	5,598	0.060	0.059 - 0.062	3,213	0.070	0.068 - 0.073	2,385	0.050	0.048 - 0.052
Oklahoma	1,631	0.060	0.058 - 0.063	971	0.073	0.069 - 0.078	660	0.048	0.045 - 0.052
Oregon	2,291	0.071	0.068 - 0.074	1,329	0.084	0.079 - 0.088	962	0.059	0.055 - 0.063
Pennsylvania	6,006	0.061	0.059 - 0.062	3,542	0.073	0.071 - 0.076	2,464	0.049	0.047 - 0.051
Rhode Island	456	0.059	0.054 - 0.065	260	0.070	0.061 - 0.079	196	0.049	0.042 - 0.056
South Carolina	2,652	0.081	0.078 - 0.084	1,592	0.100	0.095 - 0.105	1,060	0.063	0.060 - 0.067
South Dakota	482	0.066	0.061 - 0.073	279	0.077	0.068 - 0.086	203	0.056	0.049 - 0.065
Tennessee	2,792	0.055	0.053 - 0.057	1,678	0.068	0.065 - 0.071	1,114	0.043	0.041 - 0.046
Texas	6,085	0.050	0.049 - 0.051	3,777	0.063	0.061 - 0.065	2,308	0.038	0.036 - 0.039
Utah	1,982	0.080	0.076 - 0.083	1,130	0.091	0.085 - 0.096	852	0.069	0.064 - 0.074
Vermont	611	0.104	0.096 - 0.113	340	0.118	0.105 - 0.131	271	0.091	0.081 - 0.103
Washington	3,739	0.071	0.069 - 0.073	2,086	0.079	0.076 - 0.083	1,653	0.063	0.060 - 0.066
WA - Seattle	2,953	0.083	0.080 - 0.086	1,638	0.092	0.088 - 0.097	1,315	0.074	0.070 - 0.078
West Virginia	936	0.055	0.052 - 0.059	572	0.069	0.063 - 0.075	364	0.043	0.038 - 0.047
Wisconsin	2,969	0.062	0.060 - 0.065	1,740	0.074	0.070 - 0.077	1,229	0.051	0.048 - 0.054
Wyoming	266	0.054	0.048 - 0.061	155	0.062	0.053 - 0.073	111	0.046	0.038 - 0.055

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		346,685	0.341	0.340 - 0.342
Alabama	-	-		-	-		4,968	0.300	0.291 - 0.308
Alaska	-	-		-	-		552	0.249	0.229 - 0.271
Arizona	-	-		-	-		6,956	0.348	0.340 - 0.356
Arkansas	-	-		-	-		3,313	0.295	0.285 - 0.305
California	-	-		-	-		28,431	0.374	0.370 - 0.379
CA - Greater California	-	-		-	-		17,398	0.364	0.358 - 0.369
CA - Greater Bay Area	-	-		-	-		5,629	0.392	0.382 - 0.402
CA - Los Angeles	-	-		-	-		5,402	0.394	0.384 - 0.405
Colorado	-	-		-	-		6,258	0.321	0.313 - 0.329
Connecticut	-	-		-	-		4,908	0.396	0.385 - 0.407
Delaware	-	-		-	-		1,103	0.351	0.331 - 0.372
Florida	-	-		-	-		21,509	0.365	0.360 - 0.370
Georgia	-	-		-	-		9,069	0.319	0.312 - 0.325
Hawaii	-	-		-	-		516	0.364	0.334 - 0.397
Idaho	-	-		-	-		2,154	0.298	0.286 - 0.311
Illinois	-	-		-	-		14,333	0.356	0.350 - 0.362
Iowa	-	-		-	-		4,647	0.338	0.328 - 0.348
Kansas	-	-		-	-		3,713	0.327	0.317 - 0.338
Kentucky	-	-		-	-		5,931	0.305	0.298 - 0.313
Louisiana	-	-		-	-		4,345	0.309	0.299 - 0.318
Maine	-	-		-	-		2,246	0.349	0.334 - 0.363
Maryland	-	-		-	-		5,721	0.359	0.350 - 0.368
MI - Detroit	-	-		-	-		4,475	0.353	0.343 - 0.364
Minnesota	-	-		-	-		7,802	0.343	0.335 - 0.351
Mississippi	-	-		-	-		2,626	0.303	0.291 - 0.314
Missouri	-	-		-	-		8,130	0.325	0.318 - 0.332
Montana	-	-		-	-		1,520	0.331	0.315 - 0.348
Nebraska	-	-		-	-		2,459	0.318	0.306 - 0.331
New Hampshire	-	-		-	-		2,321	0.372	0.357 - 0.388
New Jersey	-	-		-	-		10,011	0.393	0.385 - 0.400
New Mexico	-	-		-	-		1,446	0.360	0.341 - 0.379
New York	-	-		-	-		20,813	0.369	0.364 - 0.374
North Carolina	-	-		-	-		12,196	0.361	0.355 - 0.367
North Dakota	-	-		-	-		972	0.307	0.288 - 0.327
Ohio	-	-		-	-		15,723	0.332	0.326 - 0.337
Oklahoma	-	-		-	-		4,213	0.307	0.298 - 0.317
Oregon	-	-		-	-		5,492	0.336	0.327 - 0.345
Pennsylvania	-	-		-	-		17,985	0.357	0.352 - 0.362
Rhode Island	-	-		-	-		1,558	0.388	0.369 - 0.408
South Carolina	-	-		-	-		5,761	0.345	0.336 - 0.354
South Dakota	-	-		-	-		1,068	0.296	0.279 - 0.314
Tennessee	-	-		-	-		7,947	0.308	0.302 - 0.315
Texas	-	-		-	-		19,148	0.313	0.308 - 0.317
Utah	-	-		-	-		2,590	0.209	0.201 - 0.217
Vermont	-	-		-	-		1,014	0.341	0.320 - 0.363
Washington	-	-		-	-		9,121	0.346	0.339 - 0.353
WA - Seattle	-	-		-	-		6,443	0.363	0.354 - 0.372
West Virginia	-	-		-	-		2,658	0.310	0.299 - 0.322
Wisconsin	-	-		-	-		8,327	0.348	0.340 - 0.355
Wyoming	-	-		-	-		680	0.281	0.260 - 0.303

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		13,569	0.013	0.013 - 0.014
Alabama	-	-		-	-		256	0.015	0.014 - 0.017
Alaska	-	-		-	-		29	0.013	0.009 - 0.019
Arizona	-	-		-	-		207	0.010	0.009 - 0.012
Arkansas	-	-		-	-		160	0.014	0.012 - 0.017
California	-	-		-	-		946	0.012	0.012 - 0.013
CA - Greater California	-	-		-	-		670	0.014	0.013 - 0.015
CA - Greater Bay Area	-	-		-	-		129	0.009	0.007 - 0.011
CA - Los Angeles	-	-		-	-		148	0.011	0.009 - 0.013
Colorado	-	-		-	-		203	0.010	0.009 - 0.012
Connecticut	-	-		-	-		107	0.009	0.007 - 0.010
Delaware	-	-		-	-		48	0.015	0.011 - 0.020
Florida	-	-		-	-		956	0.016	0.015 - 0.017
Georgia	-	-		-	-		399	0.014	0.013 - 0.015
Hawaii	-	-		-	-		15	0.011	0.006 - 0.017
Idaho	-	-		-	-		95	0.013	0.011 - 0.016
Illinois	-	-		-	-		561	0.014	0.013 - 0.015
Iowa	-	-		-	-		181	0.013	0.011 - 0.015
Kansas	-	-		-	-		137	0.012	0.010 - 0.014
Kentucky	-	-		-	-		358	0.018	0.017 - 0.020
Louisiana	-	-		-	-		204	0.014	0.013 - 0.017
Maine	-	-		-	-		73	0.011	0.009 - 0.014
Maryland	-	-		-	-		207	0.013	0.011 - 0.015
MI - Detroit	-	-		-	-		145	0.011	0.010 - 0.013
Minnesota	-	-		-	-		224	0.010	0.009 - 0.011
Mississippi	-	-		-	-		147	0.017	0.014 - 0.020
Missouri	-	-		-	-		363	0.015	0.013 - 0.016
Montana	-	-		-	-		65	0.014	0.011 - 0.018
Nebraska	-	-		-	-		105	0.014	0.011 - 0.016
New Hampshire	-	-		-	-		53	0.009	0.006 - 0.011
New Jersey	-	-		-	-		322	0.013	0.011 - 0.014
New Mexico	-	-		-	-		70	0.017	0.014 - 0.022
New York	-	-		-	-		725	0.013	0.012 - 0.014
North Carolina	-	-		-	-		406	0.012	0.011 - 0.013
North Dakota	-	-		-	-		40	0.013	0.009 - 0.017
Ohio	-	-		-	-		674	0.014	0.013 - 0.015
Oklahoma	-	-		-	-		204	0.015	0.013 - 0.017
Oregon	-	-		-	-		207	0.013	0.011 - 0.014
Pennsylvania	-	-		-	-		664	0.013	0.012 - 0.014
Rhode Island	-	-		-	-		49	0.012	0.009 - 0.016
South Carolina	-	-		-	-		199	0.012	0.010 - 0.014
South Dakota	-	-		-	-		49	0.014	0.010 - 0.018
Tennessee	-	-		-	-		381	0.015	0.013 - 0.016
Texas	-	-		-	-		904	0.015	0.014 - 0.016
Utah	-	-		-	-		118	0.009	0.008 - 0.011
Vermont	-	-		-	-		23	0.008	0.005 - 0.012
Washington	-	-		-	-		322	0.012	0.011 - 0.014
WA - Seattle	-	-		-	-		233	0.013	0.011 - 0.015
West Virginia	-	-		-	-		152	0.018	0.015 - 0.021
Wisconsin	-	-		-	-		269	0.011	0.010 - 0.013
Wyoming	-	-		-	-		33	0.014	0.009 - 0.019

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		76,592	0.075	0.075 - 0.076
Alabama	-	-		-	-		835	0.050	0.047 - 0.054
Alaska	-	-		-	-		146	0.066	0.056 - 0.077
Arizona	-	-		-	-		1,359	0.068	0.064 - 0.072
Arkansas	-	-		-	-		699	0.062	0.058 - 0.067
California	-	-		-	-		6,002	0.079	0.077 - 0.081
CA - Greater California	-	-		-	-		3,752	0.078	0.076 - 0.081
CA - Greater Bay Area	-	-		-	-		1,162	0.081	0.076 - 0.086
CA - Los Angeles	-	-		-	-		1,087	0.079	0.075 - 0.084
Colorado	-	-		-	-		1,152	0.059	0.056 - 0.063
Connecticut	-	-		-	-		1,136	0.092	0.086 - 0.097
Delaware	-	-		-	-		296	0.094	0.084 - 0.106
Florida	-	-		-	-		4,353	0.074	0.072 - 0.076
Georgia	-	-		-	-		1,755	0.062	0.059 - 0.065
Hawaii	-	-		-	-		123	0.087	0.072 - 0.104
Idaho	-	-		-	-		434	0.060	0.055 - 0.066
Illinois	-	-		-	-		3,375	0.084	0.081 - 0.087
Iowa	-	-		-	-		1,105	0.080	0.076 - 0.085
Kansas	-	-		-	-		766	0.067	0.063 - 0.072
Kentucky	-	-		-	-		1,341	0.069	0.065 - 0.073
Louisiana	-	-		-	-		715	0.051	0.047 - 0.055
Maine	-	-		-	-		611	0.095	0.087 - 0.103
Maryland	-	-		-	-		1,278	0.080	0.076 - 0.085
MI - Detroit	-	-		-	-		1,093	0.086	0.081 - 0.091
Minnesota	-	-		-	-		1,890	0.083	0.079 - 0.087
Mississippi	-	-		-	-		498	0.057	0.052 - 0.063
Missouri	-	-		-	-		1,752	0.070	0.067 - 0.073
Montana	-	-		-	-		344	0.075	0.067 - 0.083
Nebraska	-	-		-	-		544	0.070	0.065 - 0.077
New Hampshire	-	-		-	-		538	0.086	0.079 - 0.094
New Jersey	-	-		-	-		2,543	0.100	0.096 - 0.104
New Mexico	-	-		-	-		326	0.081	0.073 - 0.090
New York	-	-		-	-		5,212	0.092	0.090 - 0.095
North Carolina	-	-		-	-		2,334	0.069	0.066 - 0.072
North Dakota	-	-		-	-		217	0.069	0.060 - 0.078
Ohio	-	-		-	-		4,050	0.085	0.083 - 0.088
Oklahoma	-	-		-	-		731	0.053	0.049 - 0.057
Oregon	-	-		-	-		1,393	0.085	0.081 - 0.090
Pennsylvania	-	-		-	-		4,679	0.093	0.090 - 0.096
Rhode Island	-	-		-	-		349	0.087	0.078 - 0.097
South Carolina	-	-		-	-		990	0.059	0.056 - 0.063
South Dakota	-	-		-	-		265	0.073	0.065 - 0.083
Tennessee	-	-		-	-		1,637	0.064	0.060 - 0.067
Texas	-	-		-	-		3,521	0.057	0.056 - 0.059
Utah	-	-		-	-		580	0.047	0.043 - 0.051
Vermont	-	-		-	-		297	0.100	0.089 - 0.112
Washington	-	-		-	-		1,888	0.072	0.068 - 0.075
WA - Seattle	-	-		-	-		1,297	0.073	0.069 - 0.077
West Virginia	-	-		-	-		765	0.089	0.083 - 0.096
Wisconsin	-	-		-	-		2,131	0.089	0.085 - 0.093
Wyoming	-	-		-	-		155	0.064	0.054 - 0.075

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		23,364	0.023	0.023 - 0.023
Alabama	-	-		-	-		373	0.023	0.020 - 0.025
Alaska	-	-		-	-		41	0.019	0.013 - 0.025
Arizona	-	-		-	-		467	0.023	0.021 - 0.026
Arkansas	-	-		-	-		241	0.021	0.019 - 0.024
California	-	-		-	-		1,942	0.026	0.024 - 0.027
CA - Greater California	-	-		-	-		1,201	0.025	0.024 - 0.027
CA - Greater Bay Area	-	-		-	-		352	0.024	0.022 - 0.027
CA - Los Angeles	-	-		-	-		389	0.028	0.026 - 0.031
Colorado	-	-		-	-		389	0.020	0.018 - 0.022
Connecticut	-	-		-	-		305	0.025	0.022 - 0.027
Delaware	-	-		-	-		87	0.028	0.022 - 0.034
Florida	-	-		-	-		1,653	0.028	0.027 - 0.029
Georgia	-	-		-	-		588	0.021	0.019 - 0.022
Hawaii	-	-		-	-		36	0.025	0.018 - 0.035
Idaho	-	-		-	-		140	0.019	0.016 - 0.023
Illinois	-	-		-	-		952	0.024	0.022 - 0.025
Iowa	-	-		-	-		287	0.021	0.019 - 0.023
Kansas	-	-		-	-		243	0.021	0.019 - 0.024
Kentucky	-	-		-	-		361	0.019	0.017 - 0.021
Louisiana	-	-		-	-		230	0.016	0.014 - 0.019
Maine	-	-		-	-		114	0.018	0.015 - 0.021
Maryland	-	-		-	-		422	0.026	0.024 - 0.029
MI - Detroit	-	-		-	-		330	0.026	0.023 - 0.029
Minnesota	-	-		-	-		490	0.022	0.020 - 0.024
Mississippi	-	-		-	-		170	0.020	0.017 - 0.023
Missouri	-	-		-	-		473	0.019	0.017 - 0.021
Montana	-	-		-	-		112	0.024	0.020 - 0.029
Nebraska	-	-		-	-		137	0.018	0.015 - 0.021
New Hampshire	-	-		-	-		128	0.021	0.017 - 0.024
New Jersey	-	-		-	-		702	0.028	0.026 - 0.030
New Mexico	-	-		-	-		106	0.026	0.022 - 0.032
New York	-	-		-	-		1,534	0.027	0.026 - 0.029
North Carolina	-	-		-	-		774	0.023	0.021 - 0.025
North Dakota	-	-		-	-		48	0.015	0.011 - 0.020
Ohio	-	-		-	-		1,014	0.021	0.020 - 0.023
Oklahoma	-	-		-	-		297	0.022	0.019 - 0.024
Oregon	-	-		-	-		389	0.024	0.021 - 0.026
Pennsylvania	-	-		-	-		1,327	0.026	0.025 - 0.028
Rhode Island	-	-		-	-		77	0.019	0.015 - 0.024
South Carolina	-	-		-	-		313	0.019	0.017 - 0.021
South Dakota	-	-		-	-		82	0.023	0.018 - 0.028
Tennessee	-	-		-	-		518	0.020	0.018 - 0.022
Texas	-	-		-	-		1,331	0.022	0.021 - 0.023
Utah	-	-		-	-		195	0.016	0.014 - 0.018
Vermont	-	-		-	-		51	0.017	0.013 - 0.023
Washington	-	-		-	-		532	0.020	0.018 - 0.022
WA - Seattle	-	-		-	-		360	0.020	0.018 - 0.022
West Virginia	-	-		-	-		205	0.024	0.021 - 0.027
Wisconsin	-	-		-	-		548	0.023	0.021 - 0.025
Wyoming	-	-		-	-		44	0.018	0.013 - 0.024

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		283,471	0.287	0.286 - 0.288	-	-	
Alabama	-	-		4,303	0.272	0.264 - 0.280	-	-	
Alaska	-	-		567	0.228	0.210 - 0.247	-	-	
Arizona	-	-		4,904	0.251	0.244 - 0.258	-	-	
Arkansas	-	-		3,058	0.282	0.272 - 0.292	-	-	
California	-	-		21,398	0.282	0.278 - 0.286	-	-	
CA - Greater California	-	-		13,534	0.286	0.281 - 0.291	-	-	
CA - Greater Bay Area	-	-		4,096	0.278	0.270 - 0.287	-	-	
CA - Los Angeles	-	-		3,766	0.271	0.263 - 0.280	-	-	
Colorado	-	-		4,159	0.212	0.205 - 0.218	-	-	
Connecticut	-	-		4,051	0.343	0.333 - 0.354	-	-	
Delaware	-	-		1,024	0.348	0.327 - 0.370	-	-	
Florida	-	-		16,937	0.299	0.295 - 0.304	-	-	
Georgia	-	-		7,997	0.290	0.284 - 0.297	-	-	
Hawaii	-	-		517	0.310	0.283 - 0.337	-	-	
Idaho	-	-		2,028	0.281	0.269 - 0.294	-	-	
Illinois	-	-		11,312	0.291	0.285 - 0.296	-	-	
Iowa	-	-		4,101	0.305	0.296 - 0.315	-	-	
Kansas	-	-		3,027	0.273	0.263 - 0.283	-	-	
Kentucky	-	-		4,719	0.252	0.245 - 0.260	-	-	
Louisiana	-	-		4,301	0.315	0.306 - 0.325	-	-	
Maine	-	-		1,706	0.277	0.264 - 0.290	-	-	
Maryland	-	-		4,854	0.317	0.308 - 0.326	-	-	
MI - Detroit	-	-		4,009	0.325	0.315 - 0.335	-	-	
Minnesota	-	-		6,609	0.295	0.288 - 0.302	-	-	
Mississippi	-	-		2,428	0.290	0.278 - 0.302	-	-	
Missouri	-	-		5,695	0.235	0.229 - 0.241	-	-	
Montana	-	-		1,722	0.370	0.352 - 0.388	-	-	
Nebraska	-	-		2,465	0.325	0.312 - 0.338	-	-	
New Hampshire	-	-		1,937	0.319	0.305 - 0.333	-	-	
New Jersey	-	-		9,355	0.385	0.377 - 0.393	-	-	
New Mexico	-	-		1,273	0.323	0.305 - 0.341	-	-	
New York	-	-		18,395	0.340	0.335 - 0.345	-	-	
North Carolina	-	-		9,256	0.287	0.281 - 0.293	-	-	
North Dakota	-	-		899	0.273	0.255 - 0.291	-	-	
Ohio	-	-		12,364	0.270	0.266 - 0.275	-	-	
Oklahoma	-	-		3,046	0.229	0.221 - 0.238	-	-	
Oregon	-	-		4,171	0.262	0.255 - 0.271	-	-	
Pennsylvania	-	-		13,746	0.284	0.280 - 0.289	-	-	
Rhode Island	-	-		1,112	0.298	0.280 - 0.316	-	-	
South Carolina	-	-		4,593	0.288	0.280 - 0.297	-	-	
South Dakota	-	-		1,180	0.324	0.306 - 0.343	-	-	
Tennessee	-	-		7,127	0.289	0.282 - 0.296	-	-	
Texas	-	-		15,555	0.258	0.254 - 0.263	-	-	
Utah	-	-		2,625	0.210	0.202 - 0.219	-	-	
Vermont	-	-		797	0.275	0.257 - 0.295	-	-	
Washington	-	-		6,897	0.262	0.256 - 0.269	-	-	
WA - Seattle	-	-		5,236	0.294	0.286 - 0.302	-	-	
West Virginia	-	-		2,209	0.266	0.255 - 0.277	-	-	
Wisconsin	-	-		7,429	0.314	0.307 - 0.322	-	-	
Wyoming	-	-		823	0.330	0.308 - 0.353	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		12,645	0.013	0.013 - 0.013	-	-	
Alabama	-	-		146	0.009	0.008 - 0.011	-	-	
Alaska	-	-		34	0.014	0.009 - 0.019	-	-	
Arizona	-	-		210	0.011	0.009 - 0.012	-	-	
Arkansas	-	-		127	0.012	0.010 - 0.014	-	-	
California	-	-		1,128	0.015	0.014 - 0.016	-	-	
CA - Greater California	-	-		645	0.014	0.013 - 0.015	-	-	
CA - Greater Bay Area	-	-		258	0.018	0.015 - 0.020	-	-	
CA - Los Angeles	-	-		225	0.016	0.014 - 0.018	-	-	
Colorado	-	-		226	0.012	0.010 - 0.013	-	-	
Connecticut	-	-		181	0.015	0.013 - 0.018	-	-	
Delaware	-	-		30	0.010	0.007 - 0.015	-	-	
Florida	-	-		578	0.010	0.009 - 0.011	-	-	
Georgia	-	-		303	0.011	0.010 - 0.012	-	-	
Hawaii	-	-		28	0.017	0.011 - 0.024	-	-	
Idaho	-	-		88	0.012	0.010 - 0.015	-	-	
Illinois	-	-		552	0.014	0.013 - 0.015	-	-	
Iowa	-	-		176	0.013	0.011 - 0.015	-	-	
Kansas	-	-		137	0.012	0.010 - 0.015	-	-	
Kentucky	-	-		225	0.012	0.011 - 0.014	-	-	
Louisiana	-	-		160	0.012	0.010 - 0.014	-	-	
Maine	-	-		82	0.013	0.011 - 0.017	-	-	
Maryland	-	-		197	0.013	0.011 - 0.015	-	-	
MI - Detroit	-	-		160	0.013	0.011 - 0.015	-	-	
Minnesota	-	-		320	0.014	0.013 - 0.016	-	-	
Mississippi	-	-		90	0.011	0.009 - 0.013	-	-	
Missouri	-	-		264	0.011	0.010 - 0.012	-	-	
Montana	-	-		60	0.013	0.010 - 0.017	-	-	
Nebraska	-	-		115	0.015	0.013 - 0.018	-	-	
New Hampshire	-	-		88	0.014	0.012 - 0.018	-	-	
New Jersey	-	-		341	0.014	0.013 - 0.016	-	-	
New Mexico	-	-		40	0.010	0.007 - 0.014	-	-	
New York	-	-		834	0.015	0.014 - 0.017	-	-	
North Carolina	-	-		407	0.013	0.011 - 0.014	-	-	
North Dakota	-	-		52	0.016	0.012 - 0.021	-	-	
Ohio	-	-		502	0.011	0.010 - 0.012	-	-	
Oklahoma	-	-		135	0.010	0.009 - 0.012	-	-	
Oregon	-	-		207	0.013	0.011 - 0.015	-	-	
Pennsylvania	-	-		651	0.013	0.012 - 0.015	-	-	
Rhode Island	-	-		50	0.013	0.010 - 0.018	-	-	
South Carolina	-	-		154	0.010	0.008 - 0.011	-	-	
South Dakota	-	-		28	0.008	0.005 - 0.011	-	-	
Tennessee	-	-		302	0.012	0.011 - 0.014	-	-	
Texas	-	-		728	0.012	0.011 - 0.013	-	-	
Utah	-	-		201	0.016	0.014 - 0.018	-	-	
Vermont	-	-		45	0.016	0.011 - 0.021	-	-	
Washington	-	-		375	0.014	0.013 - 0.016	-	-	
WA - Seattle	-	-		283	0.016	0.014 - 0.018	-	-	
West Virginia	-	-		88	0.011	0.008 - 0.013	-	-	
Wisconsin	-	-		332	0.014	0.013 - 0.016	-	-	
Wyoming	-	-		37	0.015	0.010 - 0.020	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	109,585	0.055	0.054 - 0.055	85,156	0.086	0.086 - 0.087	24,400	0.024	0.024 - 0.024
Alabama	1,498	0.046	0.044 - 0.049	1,188	0.075	0.071 - 0.079	310	0.019	0.017 - 0.021
Alaska	211	0.045	0.039 - 0.051	168	0.068	0.058 - 0.079	43	0.019	0.014 - 0.026
Arizona	2,383	0.060	0.058 - 0.063	1,855	0.095	0.091 - 0.099	528	0.026	0.024 - 0.029
Arkansas	1,184	0.054	0.051 - 0.057	960	0.088	0.083 - 0.094	224	0.020	0.017 - 0.023
California	8,436	0.056	0.054 - 0.057	6,651	0.088	0.086 - 0.090	1,785	0.024	0.022 - 0.025
CA - Greater California	5,231	0.055	0.053 - 0.056	4,135	0.087	0.085 - 0.090	1,096	0.023	0.022 - 0.024
CA - Greater Bay Area	1,603	0.055	0.052 - 0.058	1,272	0.086	0.082 - 0.091	331	0.023	0.021 - 0.026
CA - Los Angeles	1,602	0.058	0.055 - 0.061	1,244	0.090	0.085 - 0.095	359	0.026	0.024 - 0.029
Colorado	1,543	0.039	0.037 - 0.041	1,202	0.061	0.058 - 0.065	341	0.017	0.016 - 0.019
Connecticut	1,779	0.073	0.070 - 0.077	1,360	0.115	0.109 - 0.122	419	0.034	0.031 - 0.037
Delaware	457	0.075	0.068 - 0.082	348	0.118	0.106 - 0.131	109	0.035	0.028 - 0.042
Florida	7,620	0.066	0.065 - 0.067	5,960	0.105	0.103 - 0.108	1,660	0.028	0.027 - 0.030
Georgia	2,618	0.047	0.045 - 0.049	2,079	0.075	0.072 - 0.079	540	0.019	0.017 - 0.021
Hawaii	180	0.058	0.050 - 0.068	153	0.091	0.077 - 0.107	28	0.020	0.013 - 0.028
Idaho	682	0.047	0.044 - 0.051	542	0.075	0.069 - 0.082	141	0.019	0.016 - 0.023
Illinois	4,522	0.057	0.055 - 0.059	3,476	0.089	0.086 - 0.092	1,046	0.026	0.024 - 0.028
Iowa	1,409	0.052	0.049 - 0.055	1,106	0.082	0.078 - 0.087	303	0.022	0.020 - 0.025
Kansas	1,163	0.052	0.049 - 0.055	890	0.080	0.075 - 0.086	273	0.024	0.021 - 0.027
Kentucky	1,874	0.049	0.047 - 0.051	1,455	0.078	0.074 - 0.082	419	0.022	0.020 - 0.024
Louisiana	1,351	0.049	0.046 - 0.051	1,080	0.079	0.075 - 0.084	271	0.019	0.017 - 0.022
Maine	890	0.071	0.066 - 0.075	696	0.113	0.105 - 0.122	194	0.030	0.026 - 0.035
Maryland	1,460	0.047	0.044 - 0.049	1,140	0.074	0.070 - 0.079	320	0.020	0.018 - 0.022
MI - Detroit	1,434	0.057	0.054 - 0.060	1,136	0.092	0.087 - 0.098	298	0.024	0.021 - 0.026
Minnesota	2,324	0.051	0.049 - 0.054	1,803	0.080	0.077 - 0.084	521	0.023	0.021 - 0.025
Mississippi	848	0.050	0.046 - 0.053	672	0.080	0.074 - 0.087	176	0.020	0.017 - 0.024
Missouri	2,339	0.048	0.046 - 0.049	1,827	0.075	0.072 - 0.079	512	0.020	0.019 - 0.022
Montana	537	0.058	0.053 - 0.063	401	0.086	0.078 - 0.095	136	0.030	0.025 - 0.035
Nebraska	750	0.049	0.046 - 0.053	585	0.077	0.071 - 0.084	165	0.021	0.018 - 0.025
New Hampshire	836	0.068	0.063 - 0.073	634	0.104	0.096 - 0.113	202	0.032	0.028 - 0.037
New Jersey	3,412	0.069	0.066 - 0.071	2,531	0.104	0.100 - 0.108	881	0.035	0.032 - 0.037
New Mexico	423	0.053	0.048 - 0.058	316	0.080	0.072 - 0.090	107	0.027	0.022 - 0.032
New York	7,790	0.071	0.069 - 0.072	5,927	0.110	0.107 - 0.112	1,863	0.033	0.032 - 0.035
North Carolina	3,581	0.054	0.052 - 0.056	2,757	0.085	0.082 - 0.089	824	0.024	0.023 - 0.026
North Dakota	298	0.046	0.041 - 0.052	237	0.072	0.063 - 0.082	61	0.019	0.015 - 0.025
Ohio	4,926	0.053	0.051 - 0.054	3,823	0.084	0.081 - 0.086	1,103	0.023	0.022 - 0.025
Oklahoma	1,205	0.045	0.042 - 0.047	963	0.073	0.068 - 0.077	242	0.018	0.015 - 0.020
Oregon	1,660	0.051	0.049 - 0.054	1,306	0.082	0.078 - 0.087	354	0.022	0.019 - 0.024
Pennsylvania	6,259	0.063	0.062 - 0.065	4,771	0.099	0.096 - 0.102	1,488	0.030	0.028 - 0.031
Rhode Island	587	0.076	0.070 - 0.082	437	0.117	0.106 - 0.128	150	0.037	0.032 - 0.044
South Carolina	1,555	0.048	0.045 - 0.050	1,202	0.075	0.071 - 0.080	353	0.021	0.019 - 0.023
South Dakota	340	0.047	0.042 - 0.052	267	0.073	0.065 - 0.083	73	0.020	0.016 - 0.025
Tennessee	2,612	0.052	0.050 - 0.054	2,018	0.082	0.078 - 0.085	594	0.023	0.021 - 0.025
Texas	5,160	0.042	0.041 - 0.044	4,085	0.068	0.066 - 0.070	1,075	0.018	0.017 - 0.019
Utah	706	0.028	0.026 - 0.031	596	0.048	0.044 - 0.052	110	0.009	0.007 - 0.011
Vermont	357	0.061	0.055 - 0.067	275	0.095	0.084 - 0.107	82	0.028	0.022 - 0.034
Washington	2,730	0.052	0.050 - 0.054	2,143	0.082	0.078 - 0.085	587	0.022	0.020 - 0.024
WA - Seattle	1,886	0.053	0.051 - 0.055	1,477	0.083	0.079 - 0.087	409	0.023	0.021 - 0.025
West Virginia	938	0.056	0.052 - 0.059	721	0.087	0.081 - 0.093	217	0.025	0.022 - 0.029
Wisconsin	2,709	0.057	0.055 - 0.059	2,115	0.089	0.086 - 0.093	594	0.025	0.023 - 0.027
Wyoming	238	0.048	0.042 - 0.055	186	0.075	0.064 - 0.086	52	0.021	0.016 - 0.028

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	81,837	0.041	0.041 - 0.041	52,449	0.053	0.053 - 0.054	29,386	0.029	0.029 - 0.029
Alabama	1,370	0.042	0.040 - 0.045	854	0.054	0.050 - 0.058	516	0.031	0.029 - 0.034
Alaska	140	0.030	0.025 - 0.035	90	0.036	0.029 - 0.044	50	0.023	0.017 - 0.030
Arizona	1,528	0.039	0.037 - 0.041	1,001	0.051	0.048 - 0.054	527	0.026	0.024 - 0.029
Arkansas	1,078	0.049	0.046 - 0.052	654	0.060	0.056 - 0.065	424	0.038	0.034 - 0.041
California	5,588	0.037	0.036 - 0.038	3,710	0.049	0.047 - 0.050	1,878	0.025	0.024 - 0.026
CA - Greater California	3,691	0.039	0.038 - 0.040	2,413	0.051	0.049 - 0.053	1,279	0.027	0.025 - 0.028
CA - Greater Bay Area	986	0.034	0.032 - 0.036	689	0.047	0.043 - 0.050	297	0.021	0.018 - 0.023
CA - Los Angeles	911	0.033	0.031 - 0.035	608	0.044	0.040 - 0.047	303	0.022	0.020 - 0.025
Colorado	1,069	0.027	0.026 - 0.029	694	0.035	0.033 - 0.038	375	0.019	0.017 - 0.021
Connecticut	1,022	0.042	0.040 - 0.045	683	0.058	0.054 - 0.062	339	0.027	0.025 - 0.030
Delaware	253	0.042	0.037 - 0.047	164	0.056	0.048 - 0.065	89	0.028	0.023 - 0.035
Florida	4,761	0.041	0.040 - 0.042	3,068	0.054	0.052 - 0.056	1,693	0.029	0.027 - 0.030
Georgia	2,186	0.039	0.037 - 0.041	1,413	0.051	0.049 - 0.054	773	0.027	0.025 - 0.029
Hawaii	111	0.036	0.030 - 0.043	82	0.049	0.039 - 0.061	29	0.020	0.014 - 0.029
Idaho	487	0.034	0.031 - 0.037	316	0.044	0.039 - 0.049	172	0.024	0.020 - 0.028
Illinois	3,361	0.042	0.041 - 0.044	2,141	0.055	0.053 - 0.057	1,220	0.030	0.029 - 0.032
Iowa	1,167	0.043	0.041 - 0.046	765	0.057	0.053 - 0.061	403	0.029	0.027 - 0.032
Kansas	1,034	0.046	0.043 - 0.049	648	0.058	0.054 - 0.063	386	0.034	0.031 - 0.038
Kentucky	1,815	0.048	0.045 - 0.050	1,114	0.060	0.056 - 0.063	701	0.036	0.033 - 0.039
Louisiana	1,469	0.053	0.050 - 0.056	910	0.067	0.062 - 0.071	559	0.040	0.036 - 0.043
Maine	534	0.042	0.039 - 0.046	334	0.054	0.049 - 0.060	200	0.031	0.027 - 0.036
Maryland	1,195	0.038	0.036 - 0.040	739	0.048	0.045 - 0.052	456	0.029	0.026 - 0.031
MI - Detroit	919	0.037	0.034 - 0.039	568	0.046	0.042 - 0.050	351	0.028	0.025 - 0.031
Minnesota	1,732	0.038	0.037 - 0.040	1,176	0.052	0.050 - 0.056	556	0.024	0.022 - 0.027
Mississippi	830	0.049	0.045 - 0.052	528	0.063	0.058 - 0.069	302	0.035	0.031 - 0.039
Missouri	2,188	0.044	0.043 - 0.046	1,367	0.056	0.053 - 0.060	821	0.033	0.031 - 0.035
Montana	354	0.038	0.034 - 0.043	230	0.049	0.043 - 0.056	124	0.027	0.023 - 0.032
Nebraska	565	0.037	0.034 - 0.040	375	0.049	0.045 - 0.055	190	0.025	0.021 - 0.028
New Hampshire	480	0.039	0.036 - 0.043	325	0.053	0.048 - 0.060	155	0.025	0.021 - 0.029
New Jersey	2,136	0.043	0.041 - 0.045	1,384	0.057	0.054 - 0.060	752	0.029	0.027 - 0.032
New Mexico	233	0.029	0.026 - 0.033	147	0.037	0.031 - 0.044	87	0.022	0.017 - 0.027
New York	4,813	0.044	0.042 - 0.045	3,152	0.058	0.056 - 0.060	1,661	0.029	0.028 - 0.031
North Carolina	2,691	0.041	0.039 - 0.042	1,739	0.054	0.051 - 0.056	952	0.028	0.026 - 0.030
North Dakota	232	0.036	0.031 - 0.041	163	0.050	0.042 - 0.058	69	0.022	0.017 - 0.028
Ohio	3,682	0.040	0.038 - 0.041	2,256	0.049	0.047 - 0.051	1,426	0.030	0.029 - 0.032
Oklahoma	1,107	0.041	0.039 - 0.043	649	0.049	0.045 - 0.053	458	0.033	0.030 - 0.037
Oregon	1,204	0.037	0.035 - 0.039	790	0.050	0.046 - 0.053	414	0.025	0.023 - 0.028
Pennsylvania	4,252	0.043	0.042 - 0.044	2,725	0.056	0.054 - 0.059	1,527	0.030	0.029 - 0.032
Rhode Island	305	0.039	0.035 - 0.044	188	0.050	0.043 - 0.058	117	0.029	0.024 - 0.035
South Carolina	1,374	0.042	0.040 - 0.044	839	0.053	0.049 - 0.056	535	0.032	0.029 - 0.035
South Dakota	279	0.038	0.034 - 0.043	178	0.049	0.042 - 0.057	101	0.028	0.023 - 0.034
Tennessee	2,264	0.045	0.043 - 0.047	1,447	0.059	0.056 - 0.062	817	0.032	0.030 - 0.034
Texas	5,277	0.043	0.042 - 0.045	3,423	0.057	0.055 - 0.059	1,854	0.030	0.029 - 0.032
Utah	563	0.023	0.021 - 0.025	373	0.030	0.027 - 0.033	191	0.015	0.013 - 0.018
Vermont	210	0.036	0.031 - 0.041	139	0.048	0.040 - 0.057	71	0.024	0.019 - 0.030
Washington	1,877	0.036	0.034 - 0.037	1,160	0.044	0.042 - 0.047	717	0.027	0.025 - 0.029
WA - Seattle	1,289	0.036	0.034 - 0.038	819	0.046	0.043 - 0.049	470	0.026	0.024 - 0.029
West Virginia	847	0.050	0.047 - 0.054	495	0.060	0.054 - 0.065	352	0.041	0.037 - 0.046
Wisconsin	2,150	0.045	0.043 - 0.047	1,425	0.060	0.057 - 0.064	725	0.030	0.028 - 0.033
Wyoming	160	0.033	0.028 - 0.038	99	0.040	0.032 - 0.048	61	0.025	0.019 - 0.032

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Brain and Other Nervous System

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	20,484	0.010	0.010 - 0.010	11,639	0.012	0.012 - 0.012	8,845	0.009	0.008 - 0.009
Alabama	269	0.008	0.007 - 0.009	145	0.009	0.008 - 0.011	124	0.007	0.006 - 0.009
Alaska	54	0.011	0.009 - 0.015	39	0.016	0.011 - 0.021	15	0.007	0.004 - 0.011
Arizona	379	0.010	0.009 - 0.011	216	0.011	0.010 - 0.013	163	0.008	0.007 - 0.010
Arkansas	218	0.010	0.009 - 0.011	137	0.013	0.011 - 0.015	81	0.007	0.006 - 0.009
California	1,693	0.011	0.011 - 0.012	1,023	0.013	0.013 - 0.014	670	0.009	0.008 - 0.010
CA - Greater California	1,020	0.011	0.010 - 0.011	622	0.013	0.012 - 0.014	398	0.008	0.008 - 0.009
CA - Greater Bay Area	345	0.012	0.011 - 0.013	203	0.014	0.012 - 0.016	141	0.010	0.008 - 0.012
CA - Los Angeles	328	0.012	0.011 - 0.013	198	0.014	0.012 - 0.016	131	0.010	0.008 - 0.011
Colorado	380	0.010	0.009 - 0.011	208	0.011	0.009 - 0.012	172	0.009	0.008 - 0.010
Connecticut	263	0.011	0.010 - 0.012	137	0.012	0.010 - 0.014	126	0.010	0.008 - 0.012
Delaware	60	0.010	0.008 - 0.013	33	0.011	0.008 - 0.016	27	0.009	0.006 - 0.013
Florida	1,174	0.010	0.010 - 0.011	668	0.012	0.011 - 0.013	506	0.009	0.008 - 0.009
Georgia	483	0.009	0.008 - 0.009	252	0.009	0.008 - 0.010	231	0.008	0.007 - 0.009
Hawaii	41	0.013	0.009 - 0.018	23	0.014	0.009 - 0.021	18	0.013	0.008 - 0.020
Idaho	130	0.009	0.008 - 0.011	76	0.011	0.008 - 0.013	54	0.007	0.006 - 0.010
Illinois	816	0.010	0.010 - 0.011	461	0.012	0.011 - 0.013	355	0.009	0.008 - 0.010
Iowa	282	0.010	0.009 - 0.012	154	0.011	0.010 - 0.013	128	0.009	0.008 - 0.011
Kansas	236	0.011	0.009 - 0.012	131	0.012	0.010 - 0.014	105	0.009	0.008 - 0.011
Kentucky	399	0.010	0.009 - 0.012	237	0.013	0.011 - 0.014	162	0.008	0.007 - 0.010
Louisiana	246	0.009	0.008 - 0.010	138	0.010	0.008 - 0.012	109	0.008	0.006 - 0.009
Maine	154	0.012	0.010 - 0.014	89	0.014	0.012 - 0.018	65	0.010	0.008 - 0.013
Maryland	304	0.010	0.009 - 0.011	174	0.011	0.010 - 0.013	130	0.008	0.007 - 0.010
MI - Detroit	203	0.008	0.007 - 0.009	122	0.010	0.008 - 0.012	81	0.006	0.005 - 0.008
Minnesota	460	0.010	0.009 - 0.011	272	0.012	0.011 - 0.014	188	0.008	0.007 - 0.010
Mississippi	184	0.011	0.009 - 0.012	104	0.012	0.010 - 0.015	80	0.009	0.007 - 0.011
Missouri	476	0.010	0.009 - 0.011	264	0.011	0.010 - 0.012	212	0.008	0.007 - 0.010
Montana	79	0.009	0.007 - 0.011	47	0.010	0.007 - 0.013	32	0.007	0.005 - 0.010
Nebraska	160	0.010	0.009 - 0.012	92	0.012	0.010 - 0.015	68	0.009	0.007 - 0.011
New Hampshire	146	0.012	0.010 - 0.014	76	0.013	0.010 - 0.016	70	0.011	0.009 - 0.014
New Jersey	564	0.011	0.010 - 0.012	300	0.012	0.011 - 0.014	264	0.010	0.009 - 0.012
New Mexico	82	0.010	0.008 - 0.013	45	0.011	0.008 - 0.015	38	0.009	0.007 - 0.013
New York	1,275	0.012	0.011 - 0.012	723	0.013	0.012 - 0.014	553	0.010	0.009 - 0.011
North Carolina	651	0.010	0.009 - 0.011	357	0.011	0.010 - 0.012	294	0.009	0.008 - 0.010
North Dakota	61	0.009	0.007 - 0.012	42	0.013	0.009 - 0.017	19	0.006	0.004 - 0.009
Ohio	961	0.010	0.010 - 0.011	562	0.012	0.011 - 0.013	399	0.008	0.008 - 0.009
Oklahoma	214	0.008	0.007 - 0.009	114	0.009	0.007 - 0.010	100	0.007	0.006 - 0.009
Oregon	341	0.011	0.009 - 0.012	198	0.012	0.011 - 0.014	143	0.009	0.007 - 0.010
Pennsylvania	1,091	0.011	0.010 - 0.012	649	0.013	0.012 - 0.015	442	0.009	0.008 - 0.010
Rhode Island	81	0.010	0.008 - 0.013	49	0.013	0.010 - 0.017	32	0.008	0.005 - 0.011
South Carolina	300	0.009	0.008 - 0.010	169	0.011	0.009 - 0.012	131	0.008	0.007 - 0.009
South Dakota	56	0.008	0.006 - 0.010	39	0.011	0.008 - 0.015	17	0.005	0.003 - 0.008
Tennessee	446	0.009	0.008 - 0.010	232	0.009	0.008 - 0.011	214	0.008	0.007 - 0.009
Texas	1,280	0.011	0.010 - 0.011	696	0.012	0.011 - 0.012	584	0.010	0.009 - 0.010
Utah	215	0.009	0.008 - 0.010	121	0.010	0.008 - 0.012	94	0.008	0.006 - 0.009
Vermont	67	0.011	0.009 - 0.015	37	0.013	0.009 - 0.018	30	0.010	0.007 - 0.014
Washington	548	0.010	0.010 - 0.011	314	0.012	0.011 - 0.013	234	0.009	0.008 - 0.010
WA - Seattle	397	0.011	0.010 - 0.012	226	0.013	0.011 - 0.014	171	0.010	0.008 - 0.011
West Virginia	168	0.010	0.009 - 0.012	102	0.012	0.010 - 0.015	66	0.008	0.006 - 0.010
Wisconsin	478	0.010	0.009 - 0.011	258	0.011	0.010 - 0.012	220	0.009	0.008 - 0.010
Wyoming	35	0.007	0.005 - 0.010	20	0.008	0.005 - 0.012	15	0.006	0.003 - 0.010

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	64,755	0.032	0.032 - 0.032	17,979	0.018	0.018 - 0.018	46,784	0.046	0.045 - 0.046
Alabama	806	0.025	0.023 - 0.027	190	0.012	0.010 - 0.014	616	0.037	0.034 - 0.040
Alaska	131	0.028	0.023 - 0.033	39	0.016	0.011 - 0.021	92	0.042	0.033 - 0.051
Arizona	1,159	0.029	0.028 - 0.031	321	0.016	0.015 - 0.018	838	0.042	0.039 - 0.045
Arkansas	607	0.027	0.025 - 0.030	148	0.014	0.012 - 0.016	459	0.041	0.037 - 0.045
California	4,573	0.030	0.029 - 0.031	1,351	0.018	0.017 - 0.019	3,222	0.042	0.041 - 0.044
CA - Greater California	2,771	0.029	0.028 - 0.030	786	0.017	0.015 - 0.018	1,985	0.041	0.040 - 0.043
CA - Greater Bay Area	853	0.029	0.027 - 0.031	279	0.019	0.017 - 0.021	574	0.040	0.037 - 0.043
CA - Los Angeles	949	0.034	0.032 - 0.037	286	0.021	0.018 - 0.023	664	0.048	0.045 - 0.052
Colorado	1,230	0.031	0.030 - 0.033	355	0.018	0.016 - 0.020	875	0.045	0.042 - 0.048
Connecticut	922	0.038	0.036 - 0.041	269	0.023	0.020 - 0.026	652	0.053	0.049 - 0.057
Delaware	239	0.039	0.034 - 0.045	59	0.020	0.015 - 0.026	180	0.057	0.049 - 0.066
Florida	3,202	0.028	0.027 - 0.029	925	0.016	0.015 - 0.017	2,277	0.039	0.037 - 0.040
Georgia	1,687	0.030	0.029 - 0.032	466	0.017	0.015 - 0.019	1,222	0.043	0.041 - 0.045
Hawaii	77	0.025	0.020 - 0.031	25	0.015	0.010 - 0.022	52	0.037	0.027 - 0.048
Idaho	414	0.029	0.026 - 0.032	119	0.017	0.014 - 0.020	295	0.041	0.036 - 0.046
Illinois	2,579	0.033	0.031 - 0.034	753	0.019	0.018 - 0.021	1,826	0.045	0.043 - 0.048
Iowa	816	0.030	0.028 - 0.032	220	0.016	0.014 - 0.019	596	0.043	0.040 - 0.047
Kansas	714	0.032	0.030 - 0.034	198	0.018	0.015 - 0.021	516	0.045	0.042 - 0.050
Kentucky	1,328	0.035	0.033 - 0.037	335	0.018	0.016 - 0.020	993	0.051	0.048 - 0.054
Louisiana	1,029	0.037	0.035 - 0.039	267	0.020	0.017 - 0.022	762	0.054	0.050 - 0.058
Maine	409	0.032	0.029 - 0.036	129	0.021	0.017 - 0.025	280	0.043	0.039 - 0.049
Maryland	1,063	0.034	0.032 - 0.036	285	0.019	0.017 - 0.021	778	0.049	0.045 - 0.052
MI - Detroit	923	0.037	0.035 - 0.039	249	0.020	0.018 - 0.023	674	0.053	0.049 - 0.057
Minnesota	1,203	0.027	0.025 - 0.028	345	0.015	0.014 - 0.017	858	0.038	0.035 - 0.040
Mississippi	417	0.024	0.022 - 0.027	104	0.012	0.010 - 0.015	313	0.036	0.032 - 0.040
Missouri	1,313	0.027	0.025 - 0.028	344	0.014	0.013 - 0.016	969	0.039	0.036 - 0.041
Montana	260	0.028	0.025 - 0.032	79	0.017	0.013 - 0.021	181	0.039	0.034 - 0.046
Nebraska	504	0.033	0.030 - 0.036	120	0.016	0.013 - 0.019	384	0.050	0.045 - 0.055
New Hampshire	385	0.031	0.028 - 0.035	105	0.017	0.014 - 0.021	280	0.045	0.040 - 0.051
New Jersey	2,371	0.048	0.046 - 0.050	669	0.028	0.025 - 0.030	1,702	0.067	0.064 - 0.070
New Mexico	270	0.034	0.030 - 0.038	82	0.021	0.017 - 0.026	188	0.047	0.040 - 0.054
New York	4,817	0.044	0.042 - 0.045	1,346	0.025	0.024 - 0.026	3,471	0.062	0.060 - 0.064
North Carolina	1,792	0.027	0.026 - 0.028	487	0.015	0.014 - 0.016	1,305	0.039	0.037 - 0.041
North Dakota	226	0.035	0.031 - 0.040	67	0.020	0.016 - 0.026	159	0.050	0.043 - 0.059
Ohio	3,186	0.034	0.033 - 0.035	799	0.017	0.016 - 0.019	2,387	0.050	0.048 - 0.052
Oklahoma	751	0.028	0.026 - 0.030	217	0.016	0.014 - 0.019	534	0.039	0.036 - 0.042
Oregon	920	0.029	0.027 - 0.030	259	0.016	0.014 - 0.018	661	0.040	0.037 - 0.044
Pennsylvania	4,327	0.044	0.043 - 0.045	1,181	0.024	0.023 - 0.026	3,146	0.062	0.060 - 0.065
Rhode Island	293	0.038	0.034 - 0.042	85	0.023	0.018 - 0.028	208	0.052	0.045 - 0.059
South Carolina	821	0.025	0.023 - 0.027	231	0.014	0.013 - 0.016	590	0.035	0.033 - 0.038
South Dakota	204	0.028	0.024 - 0.032	60	0.016	0.013 - 0.021	144	0.040	0.034 - 0.047
Tennessee	1,481	0.029	0.028 - 0.031	442	0.018	0.016 - 0.020	1,039	0.040	0.038 - 0.043
Texas	3,288	0.027	0.026 - 0.028	976	0.016	0.015 - 0.017	2,312	0.038	0.036 - 0.039
Utah	768	0.031	0.029 - 0.033	193	0.015	0.013 - 0.018	575	0.046	0.043 - 0.050
Vermont	196	0.033	0.029 - 0.038	53	0.018	0.014 - 0.024	143	0.048	0.041 - 0.057
Washington	1,508	0.029	0.027 - 0.030	418	0.016	0.014 - 0.018	1,090	0.041	0.039 - 0.044
WA - Seattle	1,068	0.030	0.028 - 0.032	301	0.017	0.015 - 0.019	767	0.043	0.040 - 0.046
West Virginia	652	0.039	0.036 - 0.042	163	0.020	0.017 - 0.023	489	0.057	0.052 - 0.062
Wisconsin	1,516	0.032	0.030 - 0.034	417	0.018	0.016 - 0.019	1,099	0.046	0.043 - 0.049
Wyoming	161	0.033	0.028 - 0.038	43	0.017	0.012 - 0.023	118	0.049	0.040 - 0.058

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,921	0.005	0.005 - 0.006	6,001	0.006	0.006 - 0.006	4,920	0.005	0.005 - 0.005
Alabama	130	0.004	0.003 - 0.005	71	0.004	0.004 - 0.006	59	0.004	0.003 - 0.005
Alaska	27	0.006	0.004 - 0.008	-	-		-	-	
Arizona	163	0.004	0.004 - 0.005	98	0.005	0.004 - 0.006	65	0.003	0.003 - 0.004
Arkansas	110	0.005	0.004 - 0.006	63	0.006	0.004 - 0.007	47	0.004	0.003 - 0.006
California	817	0.005	0.005 - 0.006	441	0.006	0.005 - 0.006	376	0.005	0.004 - 0.005
CA - Greater California	507	0.005	0.005 - 0.006	277	0.006	0.005 - 0.007	230	0.005	0.004 - 0.005
CA - Greater Bay Area	159	0.005	0.005 - 0.006	88	0.006	0.005 - 0.007	71	0.005	0.004 - 0.006
CA - Los Angeles	150	0.005	0.005 - 0.006	76	0.005	0.004 - 0.007	74	0.005	0.004 - 0.007
Colorado	184	0.005	0.004 - 0.005	107	0.005	0.004 - 0.007	77	0.004	0.003 - 0.005
Connecticut	144	0.006	0.005 - 0.007	82	0.007	0.006 - 0.009	62	0.005	0.004 - 0.006
Delaware	22	0.004	0.002 - 0.005	10	0.003	0.002 - 0.006	12	0.004	0.002 - 0.007
Florida	670	0.006	0.005 - 0.006	354	0.006	0.006 - 0.007	316	0.005	0.005 - 0.006
Georgia	265	0.005	0.004 - 0.005	154	0.006	0.005 - 0.007	111	0.004	0.003 - 0.005
Hawaii	22	0.007	0.004 - 0.011	-	-		-	-	
Idaho	62	0.004	0.003 - 0.006	33	0.005	0.003 - 0.006	29	0.004	0.003 - 0.006
Illinois	446	0.006	0.005 - 0.006	244	0.006	0.006 - 0.007	202	0.005	0.004 - 0.006
Iowa	153	0.006	0.005 - 0.007	80	0.006	0.005 - 0.007	73	0.005	0.004 - 0.007
Kansas	111	0.005	0.004 - 0.006	70	0.006	0.005 - 0.008	41	0.004	0.003 - 0.005
Kentucky	192	0.005	0.004 - 0.006	99	0.005	0.004 - 0.006	93	0.005	0.004 - 0.006
Louisiana	167	0.006	0.005 - 0.007	87	0.006	0.005 - 0.008	80	0.006	0.004 - 0.007
Maine	69	0.005	0.004 - 0.007	37	0.006	0.004 - 0.008	32	0.005	0.003 - 0.007
Maryland	180	0.006	0.005 - 0.007	99	0.006	0.005 - 0.008	81	0.005	0.004 - 0.006
MI - Detroit	130	0.005	0.004 - 0.006	81	0.007	0.005 - 0.008	49	0.004	0.003 - 0.005
Minnesota	263	0.006	0.005 - 0.007	155	0.007	0.006 - 0.008	108	0.005	0.004 - 0.006
Mississippi	65	0.004	0.003 - 0.005	36	0.004	0.003 - 0.006	29	0.003	0.002 - 0.005
Missouri	245	0.005	0.004 - 0.006	139	0.006	0.005 - 0.007	106	0.004	0.003 - 0.005
Montana	41	0.004	0.003 - 0.006	19	0.004	0.002 - 0.006	22	0.005	0.003 - 0.007
Nebraska	88	0.006	0.005 - 0.007	53	0.007	0.005 - 0.009	35	0.005	0.003 - 0.006
New Hampshire	74	0.006	0.005 - 0.008	41	0.007	0.005 - 0.009	33	0.005	0.004 - 0.007
New Jersey	381	0.008	0.007 - 0.008	214	0.009	0.008 - 0.010	167	0.007	0.006 - 0.008
New Mexico	45	0.006	0.004 - 0.008	31	0.008	0.005 - 0.011	14	0.003	0.002 - 0.006
New York	792	0.007	0.007 - 0.008	415	0.008	0.007 - 0.008	377	0.007	0.006 - 0.007
North Carolina	336	0.005	0.005 - 0.006	185	0.006	0.005 - 0.007	151	0.004	0.004 - 0.005
North Dakota	36	0.006	0.004 - 0.008	23	0.007	0.004 - 0.010	13	0.004	0.002 - 0.007
Ohio	495	0.005	0.005 - 0.006	261	0.006	0.005 - 0.006	234	0.005	0.004 - 0.006
Oklahoma	111	0.004	0.003 - 0.005	54	0.004	0.003 - 0.005	57	0.004	0.003 - 0.005
Oregon	149	0.005	0.004 - 0.005	74	0.005	0.004 - 0.006	75	0.005	0.004 - 0.006
Pennsylvania	641	0.006	0.006 - 0.007	359	0.007	0.007 - 0.008	282	0.006	0.005 - 0.006
Rhode Island	63	0.008	0.006 - 0.010	36	0.010	0.007 - 0.013	27	0.007	0.004 - 0.010
South Carolina	144	0.004	0.004 - 0.005	72	0.005	0.004 - 0.006	72	0.004	0.003 - 0.005
South Dakota	37	0.005	0.004 - 0.007	22	0.006	0.004 - 0.009	15	0.004	0.002 - 0.007
Tennessee	244	0.005	0.004 - 0.005	139	0.006	0.005 - 0.007	105	0.004	0.003 - 0.005
Texas	564	0.005	0.004 - 0.005	310	0.005	0.005 - 0.006	254	0.004	0.004 - 0.005
Utah	133	0.005	0.004 - 0.006	60	0.005	0.004 - 0.006	73	0.006	0.005 - 0.007
Vermont	35	0.006	0.004 - 0.008	20	0.007	0.004 - 0.011	15	0.005	0.003 - 0.008
Washington	259	0.005	0.004 - 0.006	141	0.005	0.005 - 0.006	118	0.004	0.004 - 0.005
WA - Seattle	178	0.005	0.004 - 0.006	94	0.005	0.004 - 0.006	84	0.005	0.004 - 0.006
West Virginia	79	0.005	0.004 - 0.006	46	0.006	0.004 - 0.007	33	0.004	0.003 - 0.005
Wisconsin	279	0.006	0.005 - 0.007	160	0.007	0.006 - 0.008	119	0.005	0.004 - 0.006
Wyoming	28	0.006	0.004 - 0.008	17	0.007	0.004 - 0.011	11	0.005	0.002 - 0.008

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	88,718	0.044	0.044 - 0.045	49,102	0.050	0.049 - 0.050	39,611	0.039	0.039 - 0.039
Alabama	1,170	0.036	0.034 - 0.038	645	0.041	0.038 - 0.044	525	0.032	0.029 - 0.035
Alaska	158	0.034	0.029 - 0.039	96	0.039	0.031 - 0.047	62	0.028	0.021 - 0.036
Arizona	1,562	0.040	0.038 - 0.042	902	0.046	0.043 - 0.049	660	0.033	0.031 - 0.036
Arkansas	909	0.041	0.038 - 0.044	512	0.047	0.043 - 0.051	397	0.035	0.032 - 0.039
California	6,998	0.046	0.045 - 0.047	3,971	0.052	0.051 - 0.054	3,027	0.040	0.038 - 0.041
CA - Greater California	4,206	0.044	0.043 - 0.046	2,394	0.051	0.049 - 0.053	1,812	0.038	0.036 - 0.040
CA - Greater Bay Area	1,528	0.053	0.050 - 0.055	874	0.059	0.056 - 0.063	654	0.046	0.042 - 0.049
CA - Los Angeles	1,265	0.046	0.043 - 0.048	704	0.051	0.047 - 0.055	561	0.041	0.038 - 0.044
Colorado	1,404	0.036	0.034 - 0.038	804	0.041	0.038 - 0.044	600	0.031	0.028 - 0.033
Connecticut	1,289	0.053	0.050 - 0.056	716	0.061	0.056 - 0.065	574	0.046	0.043 - 0.050
Delaware	289	0.048	0.042 - 0.053	166	0.056	0.048 - 0.066	123	0.039	0.033 - 0.047
Florida	6,759	0.059	0.057 - 0.060	3,780	0.067	0.065 - 0.069	2,979	0.051	0.049 - 0.052
Georgia	2,207	0.039	0.038 - 0.041	1,248	0.045	0.043 - 0.048	958	0.034	0.032 - 0.036
Hawaii	141	0.046	0.038 - 0.054	88	0.053	0.042 - 0.065	53	0.037	0.028 - 0.049
Idaho	535	0.037	0.034 - 0.040	301	0.042	0.037 - 0.047	234	0.032	0.028 - 0.037
Illinois	3,546	0.045	0.043 - 0.046	1,926	0.050	0.047 - 0.052	1,620	0.040	0.038 - 0.042
Iowa	1,211	0.045	0.042 - 0.047	656	0.049	0.045 - 0.053	555	0.040	0.037 - 0.044
Kansas	960	0.043	0.040 - 0.046	548	0.049	0.045 - 0.054	412	0.036	0.033 - 0.040
Kentucky	1,548	0.041	0.039 - 0.043	807	0.043	0.040 - 0.046	742	0.038	0.035 - 0.041
Louisiana	1,133	0.041	0.039 - 0.043	638	0.047	0.043 - 0.051	496	0.035	0.032 - 0.038
Maine	605	0.048	0.044 - 0.052	366	0.059	0.053 - 0.066	239	0.037	0.033 - 0.042
Maryland	1,459	0.047	0.044 - 0.049	787	0.051	0.048 - 0.055	672	0.042	0.039 - 0.045
MI - Detroit	1,170	0.047	0.044 - 0.050	607	0.049	0.045 - 0.053	563	0.044	0.041 - 0.048
Minnesota	2,112	0.047	0.045 - 0.049	1,177	0.053	0.050 - 0.056	935	0.041	0.038 - 0.044
Mississippi	649	0.038	0.035 - 0.041	362	0.043	0.039 - 0.048	287	0.033	0.029 - 0.037
Missouri	1,992	0.040	0.039 - 0.042	1,095	0.045	0.043 - 0.048	897	0.036	0.034 - 0.038
Montana	370	0.040	0.036 - 0.044	221	0.048	0.041 - 0.054	149	0.032	0.027 - 0.038
Nebraska	672	0.044	0.041 - 0.047	367	0.048	0.044 - 0.054	305	0.039	0.035 - 0.044
New Hampshire	601	0.049	0.045 - 0.053	335	0.055	0.049 - 0.061	266	0.043	0.038 - 0.048
New Jersey	2,840	0.057	0.055 - 0.059	1,525	0.063	0.060 - 0.066	1,316	0.052	0.049 - 0.054
New Mexico	330	0.041	0.037 - 0.046	177	0.045	0.038 - 0.052	153	0.038	0.032 - 0.045
New York	5,958	0.054	0.053 - 0.055	3,217	0.060	0.057 - 0.062	2,741	0.049	0.047 - 0.050
North Carolina	2,596	0.039	0.038 - 0.041	1,393	0.043	0.041 - 0.045	1,203	0.036	0.034 - 0.038
North Dakota	235	0.036	0.032 - 0.041	132	0.040	0.034 - 0.048	103	0.033	0.027 - 0.039
Ohio	3,839	0.041	0.040 - 0.043	2,129	0.047	0.045 - 0.049	1,710	0.036	0.034 - 0.038
Oklahoma	938	0.035	0.033 - 0.037	482	0.036	0.033 - 0.040	456	0.033	0.030 - 0.036
Oregon	1,381	0.043	0.041 - 0.045	778	0.049	0.046 - 0.053	603	0.037	0.034 - 0.040
Pennsylvania	4,716	0.048	0.046 - 0.049	2,528	0.052	0.050 - 0.054	2,188	0.043	0.042 - 0.045
Rhode Island	325	0.042	0.038 - 0.047	185	0.050	0.043 - 0.057	140	0.035	0.029 - 0.041
South Carolina	1,249	0.038	0.036 - 0.040	714	0.045	0.042 - 0.048	535	0.032	0.029 - 0.035
South Dakota	314	0.043	0.039 - 0.048	162	0.044	0.038 - 0.052	152	0.042	0.036 - 0.049
Tennessee	1,914	0.038	0.036 - 0.040	1,080	0.044	0.041 - 0.046	834	0.032	0.030 - 0.035
Texas	4,750	0.039	0.038 - 0.040	2,650	0.044	0.042 - 0.046	2,100	0.034	0.033 - 0.036
Utah	688	0.028	0.026 - 0.030	422	0.034	0.031 - 0.037	266	0.021	0.019 - 0.024
Vermont	230	0.039	0.034 - 0.045	131	0.045	0.038 - 0.054	99	0.033	0.027 - 0.041
Washington	2,132	0.040	0.039 - 0.042	1,174	0.045	0.042 - 0.047	958	0.036	0.034 - 0.039
WA - Seattle	1,550	0.044	0.041 - 0.046	868	0.049	0.046 - 0.052	683	0.038	0.036 - 0.041
West Virginia	754	0.045	0.042 - 0.048	409	0.049	0.045 - 0.054	345	0.040	0.036 - 0.045
Wisconsin	2,271	0.048	0.046 - 0.050	1,261	0.053	0.050 - 0.056	1,010	0.042	0.040 - 0.045
Wyoming	170	0.035	0.030 - 0.040	102	0.041	0.033 - 0.050	68	0.028	0.022 - 0.036

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	28,112	0.014	0.014 - 0.014	16,223	0.016	0.016 - 0.017	11,887	0.012	0.011 - 0.012
Alabama	380	0.012	0.011 - 0.013	228	0.014	0.013 - 0.016	152	0.009	0.008 - 0.011
Alaska	44	0.009	0.007 - 0.013	27	0.011	0.007 - 0.016	17	0.008	0.004 - 0.012
Arizona	455	0.012	0.010 - 0.013	277	0.014	0.013 - 0.016	178	0.009	0.008 - 0.010
Arkansas	296	0.013	0.012 - 0.015	165	0.015	0.013 - 0.018	131	0.012	0.010 - 0.014
California	2,174	0.014	0.014 - 0.015	1,283	0.017	0.016 - 0.018	891	0.012	0.011 - 0.013
CA - Greater California	1,350	0.014	0.013 - 0.015	810	0.017	0.016 - 0.018	541	0.011	0.010 - 0.012
CA - Greater Bay Area	461	0.016	0.014 - 0.017	277	0.019	0.017 - 0.021	184	0.013	0.011 - 0.015
CA - Los Angeles	363	0.013	0.012 - 0.015	197	0.014	0.012 - 0.016	166	0.012	0.010 - 0.014
Colorado	456	0.012	0.011 - 0.013	262	0.013	0.012 - 0.015	194	0.010	0.009 - 0.011
Connecticut	373	0.015	0.014 - 0.017	223	0.019	0.016 - 0.022	150	0.012	0.010 - 0.014
Delaware	87	0.014	0.011 - 0.018	48	0.016	0.012 - 0.022	39	0.012	0.009 - 0.017
Florida	2,287	0.020	0.019 - 0.021	1,342	0.024	0.022 - 0.025	945	0.016	0.015 - 0.017
Georgia	751	0.013	0.012 - 0.014	409	0.015	0.013 - 0.016	342	0.012	0.011 - 0.013
Hawaii	42	0.014	0.010 - 0.018	27	0.016	0.011 - 0.024	15	0.011	0.006 - 0.017
Idaho	186	0.013	0.011 - 0.015	116	0.016	0.013 - 0.019	70	0.010	0.008 - 0.012
Illinois	1,075	0.014	0.013 - 0.014	583	0.015	0.014 - 0.016	492	0.012	0.011 - 0.013
Iowa	419	0.015	0.014 - 0.017	248	0.018	0.016 - 0.021	171	0.012	0.011 - 0.014
Kansas	291	0.013	0.012 - 0.015	160	0.014	0.012 - 0.017	131	0.012	0.010 - 0.014
Kentucky	490	0.013	0.012 - 0.014	289	0.015	0.014 - 0.017	201	0.010	0.009 - 0.012
Louisiana	338	0.012	0.011 - 0.014	189	0.014	0.012 - 0.016	149	0.011	0.009 - 0.012
Maine	188	0.015	0.013 - 0.017	100	0.016	0.013 - 0.020	88	0.014	0.011 - 0.017
Maryland	429	0.014	0.012 - 0.015	241	0.016	0.014 - 0.018	188	0.012	0.010 - 0.014
MI - Detroit	340	0.014	0.012 - 0.015	201	0.016	0.014 - 0.019	139	0.011	0.009 - 0.013
Minnesota	637	0.014	0.013 - 0.015	381	0.017	0.015 - 0.019	256	0.011	0.010 - 0.013
Mississippi	235	0.014	0.012 - 0.016	138	0.016	0.014 - 0.019	97	0.011	0.009 - 0.014
Missouri	624	0.013	0.012 - 0.014	357	0.015	0.013 - 0.016	267	0.011	0.009 - 0.012
Montana	149	0.016	0.014 - 0.019	86	0.018	0.015 - 0.023	63	0.014	0.011 - 0.018
Nebraska	183	0.012	0.010 - 0.014	117	0.015	0.013 - 0.018	66	0.009	0.007 - 0.011
New Hampshire	159	0.013	0.011 - 0.015	87	0.014	0.011 - 0.018	72	0.012	0.009 - 0.015
New Jersey	821	0.016	0.015 - 0.018	481	0.020	0.018 - 0.022	340	0.013	0.012 - 0.015
New Mexico	111	0.014	0.012 - 0.017	74	0.019	0.015 - 0.024	37	0.009	0.007 - 0.013
New York	1,876	0.017	0.016 - 0.018	1,094	0.020	0.019 - 0.021	782	0.014	0.013 - 0.015
North Carolina	927	0.014	0.013 - 0.015	503	0.016	0.014 - 0.017	424	0.013	0.011 - 0.014
North Dakota	86	0.013	0.011 - 0.016	49	0.015	0.011 - 0.020	37	0.012	0.008 - 0.016
Ohio	1,041	0.011	0.011 - 0.012	590	0.013	0.012 - 0.014	451	0.010	0.009 - 0.010
Oklahoma	303	0.011	0.010 - 0.013	188	0.014	0.012 - 0.016	115	0.008	0.007 - 0.010
Oregon	418	0.013	0.012 - 0.014	240	0.015	0.013 - 0.017	178	0.011	0.009 - 0.013
Pennsylvania	1,400	0.014	0.013 - 0.015	795	0.016	0.015 - 0.018	605	0.012	0.011 - 0.013
Rhode Island	90	0.012	0.009 - 0.014	57	0.015	0.012 - 0.020	33	0.008	0.006 - 0.012
South Carolina	398	0.012	0.011 - 0.013	224	0.014	0.012 - 0.016	174	0.010	0.009 - 0.012
South Dakota	107	0.015	0.012 - 0.018	65	0.018	0.014 - 0.023	42	0.012	0.008 - 0.016
Tennessee	645	0.013	0.012 - 0.014	357	0.014	0.013 - 0.016	288	0.011	0.010 - 0.013
Texas	1,745	0.014	0.014 - 0.015	998	0.017	0.016 - 0.018	747	0.012	0.011 - 0.013
Utah	251	0.010	0.009 - 0.011	148	0.012	0.010 - 0.014	103	0.008	0.007 - 0.010
Vermont	78	0.013	0.011 - 0.017	46	0.016	0.012 - 0.021	32	0.011	0.007 - 0.015
Washington	732	0.014	0.013 - 0.015	430	0.016	0.015 - 0.018	302	0.011	0.010 - 0.013
WA - Seattle	544	0.015	0.014 - 0.017	322	0.018	0.016 - 0.020	222	0.012	0.011 - 0.014
West Virginia	192	0.011	0.010 - 0.013	118	0.014	0.012 - 0.017	74	0.009	0.007 - 0.011
Wisconsin	701	0.015	0.014 - 0.016	394	0.017	0.015 - 0.018	307	0.013	0.011 - 0.014
Wyoming	60	0.012	0.009 - 0.016	35	0.014	0.010 - 0.019	25	0.010	0.007 - 0.015

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	57,587	0.029	0.028 - 0.029	34,319	0.035	0.034 - 0.035	23,264	0.023	0.023 - 0.023
Alabama	674	0.021	0.019 - 0.022	379	0.024	0.022 - 0.026	295	0.018	0.016 - 0.020
Alaska	89	0.019	0.015 - 0.023	59	0.024	0.018 - 0.031	30	0.014	0.009 - 0.019
Arizona	755	0.019	0.018 - 0.021	452	0.023	0.021 - 0.025	303	0.015	0.013 - 0.017
Arkansas	573	0.026	0.024 - 0.028	336	0.031	0.028 - 0.034	237	0.021	0.018 - 0.024
California	4,117	0.027	0.026 - 0.028	2,501	0.033	0.032 - 0.034	1,617	0.021	0.020 - 0.022
CA - Greater California	2,518	0.026	0.025 - 0.028	1,515	0.032	0.030 - 0.034	1,003	0.021	0.020 - 0.022
CA - Greater Bay Area	836	0.029	0.027 - 0.031	523	0.036	0.033 - 0.039	313	0.022	0.019 - 0.024
CA - Los Angeles	763	0.028	0.026 - 0.030	463	0.033	0.030 - 0.036	300	0.022	0.020 - 0.025
Colorado	896	0.023	0.021 - 0.024	533	0.027	0.025 - 0.030	363	0.019	0.017 - 0.021
Connecticut	786	0.032	0.030 - 0.035	440	0.037	0.034 - 0.041	345	0.028	0.025 - 0.031
Delaware	151	0.025	0.021 - 0.029	91	0.031	0.025 - 0.038	60	0.019	0.015 - 0.025
Florida	4,813	0.042	0.041 - 0.043	2,823	0.050	0.048 - 0.052	1,990	0.034	0.032 - 0.035
Georgia	1,494	0.027	0.025 - 0.028	859	0.031	0.029 - 0.033	635	0.022	0.021 - 0.024
Hawaii	70	0.023	0.018 - 0.028	45	0.027	0.020 - 0.036	25	0.017	0.011 - 0.026
Idaho	375	0.026	0.023 - 0.029	224	0.031	0.027 - 0.035	152	0.021	0.018 - 0.025
Illinois	2,025	0.026	0.024 - 0.027	1,180	0.030	0.029 - 0.032	845	0.021	0.020 - 0.022
Iowa	826	0.030	0.028 - 0.033	488	0.036	0.033 - 0.040	338	0.025	0.022 - 0.027
Kansas	620	0.028	0.025 - 0.030	391	0.035	0.032 - 0.039	229	0.020	0.018 - 0.023
Kentucky	1,059	0.028	0.026 - 0.030	624	0.033	0.031 - 0.036	435	0.022	0.020 - 0.025
Louisiana	729	0.026	0.024 - 0.028	428	0.031	0.028 - 0.034	301	0.021	0.019 - 0.024
Maine	388	0.031	0.028 - 0.034	228	0.037	0.032 - 0.042	160	0.025	0.021 - 0.029
Maryland	821	0.026	0.025 - 0.028	501	0.033	0.030 - 0.036	320	0.020	0.018 - 0.022
MI - Detroit	829	0.033	0.031 - 0.035	507	0.041	0.038 - 0.045	321	0.025	0.023 - 0.028
Minnesota	1,411	0.031	0.030 - 0.033	896	0.040	0.037 - 0.043	515	0.023	0.021 - 0.025
Mississippi	378	0.022	0.020 - 0.025	216	0.026	0.022 - 0.029	162	0.019	0.016 - 0.022
Missouri	1,232	0.025	0.024 - 0.026	758	0.031	0.029 - 0.034	474	0.019	0.017 - 0.021
Montana	290	0.031	0.028 - 0.035	182	0.039	0.034 - 0.045	108	0.024	0.019 - 0.028
Nebraska	389	0.025	0.023 - 0.028	235	0.031	0.027 - 0.035	154	0.020	0.017 - 0.023
New Hampshire	302	0.025	0.022 - 0.027	184	0.030	0.026 - 0.035	118	0.019	0.016 - 0.023
New Jersey	1,704	0.034	0.033 - 0.036	990	0.041	0.038 - 0.043	714	0.028	0.026 - 0.030
New Mexico	249	0.031	0.027 - 0.035	136	0.035	0.029 - 0.041	113	0.028	0.023 - 0.034
New York	4,292	0.039	0.038 - 0.040	2,580	0.048	0.046 - 0.050	1,712	0.030	0.029 - 0.032
North Carolina	1,971	0.030	0.029 - 0.031	1,168	0.036	0.034 - 0.038	803	0.024	0.022 - 0.025
North Dakota	176	0.027	0.023 - 0.032	107	0.032	0.027 - 0.039	69	0.022	0.017 - 0.028
Ohio	1,961	0.021	0.020 - 0.022	1,173	0.026	0.024 - 0.027	788	0.017	0.015 - 0.018
Oklahoma	667	0.025	0.023 - 0.027	386	0.029	0.026 - 0.032	281	0.020	0.018 - 0.023
Oregon	823	0.026	0.024 - 0.027	466	0.029	0.027 - 0.032	357	0.022	0.020 - 0.024
Pennsylvania	2,990	0.030	0.029 - 0.031	1,764	0.037	0.035 - 0.038	1,226	0.024	0.023 - 0.026
Rhode Island	221	0.029	0.025 - 0.033	140	0.037	0.032 - 0.044	81	0.020	0.016 - 0.025
South Carolina	783	0.024	0.022 - 0.026	469	0.029	0.027 - 0.032	314	0.019	0.017 - 0.021
South Dakota	248	0.034	0.030 - 0.039	147	0.040	0.034 - 0.047	101	0.028	0.023 - 0.034
Tennessee	1,247	0.025	0.023 - 0.026	737	0.030	0.028 - 0.032	510	0.020	0.018 - 0.022
Texas	3,559	0.029	0.028 - 0.030	2,107	0.035	0.034 - 0.037	1,452	0.024	0.022 - 0.025
Utah	545	0.022	0.020 - 0.024	345	0.028	0.025 - 0.031	200	0.016	0.014 - 0.019
Vermont	114	0.019	0.016 - 0.023	69	0.024	0.019 - 0.030	45	0.015	0.011 - 0.020
Washington	1,475	0.028	0.027 - 0.029	897	0.034	0.032 - 0.036	578	0.022	0.020 - 0.024
WA - Seattle	1,127	0.032	0.030 - 0.034	683	0.038	0.036 - 0.041	444	0.025	0.023 - 0.027
West Virginia	504	0.030	0.027 - 0.033	283	0.034	0.030 - 0.038	221	0.026	0.023 - 0.029
Wisconsin	1,581	0.033	0.032 - 0.035	1,000	0.042	0.040 - 0.045	581	0.024	0.022 - 0.026
Wyoming	113	0.023	0.019 - 0.028	65	0.026	0.020 - 0.033	48	0.020	0.015 - 0.026

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,485	0.001	0.001 - 0.001	1,766	0.002	0.002 - 0.002	718	0.001	0.001 - 0.001
Alabama	25	0.001	0.000 - 0.001	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	42	0.001	0.001 - 0.001	32	0.002	0.001 - 0.002	10	0.001	0.000 - 0.001
Arkansas	24	0.001	0.001 - 0.002	-	-	-	-	-	-
California	211	0.001	0.001 - 0.002	137	0.002	0.002 - 0.002	75	0.001	0.001 - 0.001
CA - Greater California	135	0.001	0.001 - 0.002	92	0.002	0.002 - 0.002	43	0.001	0.001 - 0.001
CA - Greater Bay Area	45	0.002	0.001 - 0.002	25	0.002	0.001 - 0.003	20	0.001	0.001 - 0.002
CA - Los Angeles	32	0.001	0.001 - 0.002	20	0.001	0.001 - 0.002	12	0.001	0.000 - 0.002
Colorado	42	0.001	0.001 - 0.001	25	0.001	0.001 - 0.002	17	0.001	0.001 - 0.001
Connecticut	29	0.001	0.001 - 0.002	-	-	-	-	-	-
Delaware	18	0.003	0.002 - 0.005	-	-	-	-	-	-
Florida	183	0.002	0.001 - 0.002	137	0.002	0.002 - 0.003	46	0.001	0.001 - 0.001
Georgia	42	0.001	0.001 - 0.001	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	25	0.002	0.001 - 0.003	15	0.002	0.001 - 0.003	10	0.001	0.001 - 0.003
Illinois	109	0.001	0.001 - 0.002	70	0.002	0.001 - 0.002	39	0.001	0.001 - 0.001
Iowa	34	0.001	0.001 - 0.002	24	0.002	0.001 - 0.003	10	0.001	0.000 - 0.001
Kansas	17	0.001	0.000 - 0.001	-	-	-	-	-	-
Kentucky	22	0.001	0.000 - 0.001	-	-	-	-	-	-
Louisiana	52	0.002	0.001 - 0.002	30	0.002	0.001 - 0.003	22	0.002	0.001 - 0.002
Maine	22	0.002	0.001 - 0.003	-	-	-	-	-	-
Maryland	44	0.001	0.001 - 0.002	34	0.002	0.002 - 0.003	10	0.001	0.000 - 0.001
MI - Detroit	27	0.001	0.001 - 0.002	-	-	-	-	-	-
Minnesota	65	0.001	0.001 - 0.002	42	0.002	0.001 - 0.003	23	0.001	0.001 - 0.002
Mississippi	19	0.001	0.001 - 0.002	-	-	-	-	-	-
Missouri	52	0.001	0.001 - 0.001	40	0.002	0.001 - 0.002	12	0.000	0.000 - 0.001
Montana	13	0.001	0.001 - 0.002	-	-	-	-	-	-
Nebraska	17	0.001	0.001 - 0.002	-	-	-	-	-	-
New Hampshire	13	0.001	0.001 - 0.002	-	-	-	-	-	-
New Jersey	86	0.002	0.001 - 0.002	63	0.003	0.002 - 0.003	23	0.001	0.001 - 0.001
New Mexico	-	-	-	-	-	-	-	-	-
New York	160	0.001	0.001 - 0.002	107	0.002	0.002 - 0.002	53	0.001	0.001 - 0.001
North Carolina	55	0.001	0.001 - 0.001	38	0.001	0.001 - 0.002	17	0.001	0.000 - 0.001
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	113	0.001	0.001 - 0.001	84	0.002	0.001 - 0.002	29	0.001	0.000 - 0.001
Oklahoma	25	0.001	0.001 - 0.001	-	-	-	-	-	-
Oregon	30	0.001	0.001 - 0.001	-	-	-	-	-	-
Pennsylvania	153	0.002	0.001 - 0.002	114	0.002	0.002 - 0.003	39	0.001	0.001 - 0.001
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	42	0.001	0.001 - 0.002	32	0.002	0.001 - 0.003	10	0.001	0.000 - 0.001
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	44	0.001	0.001 - 0.001	31	0.001	0.001 - 0.002	13	0.001	0.000 - 0.001
Texas	107	0.001	0.001 - 0.001	79	0.001	0.001 - 0.002	28	0.000	0.000 - 0.001
Utah	23	0.001	0.001 - 0.001	13	0.001	0.001 - 0.002	10	0.001	0.000 - 0.001
Vermont	10	0.002	0.001 - 0.003	-	-	-	-	-	-
Washington	77	0.001	0.001 - 0.002	61	0.002	0.002 - 0.003	16	0.001	0.000 - 0.001
WA - Seattle	56	0.002	0.001 - 0.002	43	0.002	0.002 - 0.003	13	0.001	0.000 - 0.001
West Virginia	25	0.001	0.001 - 0.002	-	-	-	-	-	-
Wisconsin	70	0.001	0.001 - 0.002	44	0.002	0.001 - 0.002	26	0.001	0.001 - 0.002
Wyoming	11	0.002	0.001 - 0.004	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	279,621	0.655	0.653 - 0.658	139,073	0.680	0.676 - 0.684	140,576	0.632	0.629 - 0.636
Alabama	8,954	0.679	0.665 - 0.693	4,560	0.744	0.723 - 0.766	4,394	0.623	0.605 - 0.642
Alaska	127	0.393	0.328 - 0.468	75	0.418	0.329 - 0.524	52	0.362	0.271 - 0.475
Arizona	1,440	0.414	0.393 - 0.436	765	0.426	0.396 - 0.457	675	0.402	0.372 - 0.434
Arkansas	3,151	0.657	0.634 - 0.680	1,676	0.734	0.699 - 0.770	1,475	0.587	0.557 - 0.617
California	15,741	0.645	0.635 - 0.655	7,874	0.649	0.635 - 0.663	7,867	0.641	0.627 - 0.656
CA - Greater California	6,636	0.580	0.566 - 0.594	3,446	0.584	0.565 - 0.604	3,190	0.575	0.556 - 0.596
CA - Greater Bay Area	3,259	0.730	0.705 - 0.756	1,678	0.757	0.722 - 0.794	1,581	0.704	0.669 - 0.739
CA - Los Angeles	5,851	0.689	0.671 - 0.707	2,751	0.684	0.659 - 0.711	3,101	0.693	0.669 - 0.718
Colorado	1,261	0.482	0.455 - 0.509	673	0.482	0.446 - 0.520	588	0.481	0.443 - 0.522
Connecticut	2,684	0.697	0.671 - 0.724	1,345	0.732	0.693 - 0.772	1,339	0.665	0.630 - 0.702
Delaware	1,574	0.718	0.683 - 0.754	786	0.759	0.707 - 0.814	788	0.681	0.634 - 0.730
Florida	19,096	0.564	0.556 - 0.572	9,227	0.567	0.555 - 0.578	9,869	0.562	0.551 - 0.573
Georgia	21,859	0.650	0.642 - 0.659	11,077	0.705	0.692 - 0.718	10,782	0.602	0.591 - 0.614
Hawaii	150	0.399	0.337 - 0.468	98	0.436	0.354 - 0.531	52	0.344	0.257 - 0.451
Idaho	42	0.233	0.168 - 0.315	30	0.297	0.200 - 0.424	12	0.151	0.078 - 0.264
Illinois	13,766	0.739	0.727 - 0.751	6,507	0.743	0.725 - 0.761	7,259	0.736	0.719 - 0.753
Iowa	571	0.414	0.381 - 0.450	313	0.429	0.382 - 0.479	258	0.398	0.351 - 0.450
Kansas	1,161	0.604	0.570 - 0.640	607	0.611	0.564 - 0.662	554	0.597	0.548 - 0.648
Kentucky	2,514	0.643	0.618 - 0.668	1,174	0.604	0.570 - 0.640	1,340	0.681	0.645 - 0.718
Louisiana	10,670	0.697	0.684 - 0.710	5,460	0.752	0.732 - 0.772	5,211	0.647	0.630 - 0.665
Maine	80	0.323	0.256 - 0.402	52	0.387	0.289 - 0.507	28	0.247	0.164 - 0.357
Maryland	13,158	0.711	0.699 - 0.723	6,307	0.730	0.712 - 0.748	6,851	0.694	0.677 - 0.710
MI - Detroit	7,460	0.761	0.744 - 0.778	3,676	0.816	0.790 - 0.843	3,784	0.714	0.692 - 0.737
Minnesota	1,617	0.403	0.384 - 0.423	851	0.416	0.389 - 0.445	766	0.390	0.363 - 0.418
Mississippi	7,902	0.698	0.683 - 0.714	4,110	0.772	0.749 - 0.796	3,792	0.632	0.612 - 0.653
Missouri	4,895	0.650	0.632 - 0.669	2,276	0.634	0.608 - 0.660	2,619	0.665	0.640 - 0.691
Montana	21	0.231	0.143 - 0.352	-	-	-	-	-	-
Nebraska	577	0.547	0.503 - 0.594	304	0.562	0.500 - 0.628	273	0.532	0.471 - 0.599
New Hampshire	87	0.379	0.304 - 0.468	49	0.384	0.284 - 0.508	38	0.372	0.264 - 0.511
New Jersey	9,034	0.758	0.743 - 0.774	4,406	0.783	0.760 - 0.806	4,628	0.736	0.715 - 0.758
New Mexico	232	0.504	0.441 - 0.573	142	0.549	0.463 - 0.647	90	0.446	0.359 - 0.549
New York	22,584	0.765	0.755 - 0.775	11,135	0.809	0.794 - 0.824	11,449	0.727	0.714 - 0.741
North Carolina	16,547	0.725	0.714 - 0.736	8,203	0.768	0.751 - 0.784	8,344	0.687	0.672 - 0.702
North Dakota	45	0.171	0.124 - 0.228	26	0.172	0.112 - 0.252	19	0.169	0.102 - 0.264
Ohio	10,040	0.639	0.627 - 0.652	4,917	0.652	0.634 - 0.671	5,123	0.627	0.610 - 0.645
Oklahoma	1,699	0.510	0.486 - 0.535	875	0.525	0.491 - 0.561	824	0.496	0.462 - 0.531
Oregon	497	0.481	0.440 - 0.525	297	0.538	0.478 - 0.602	200	0.416	0.360 - 0.478
Pennsylvania	9,993	0.680	0.667 - 0.694	4,731	0.669	0.650 - 0.688	5,262	0.691	0.673 - 0.710
Rhode Island	380	0.530	0.478 - 0.586	188	0.527	0.454 - 0.608	192	0.533	0.460 - 0.614
South Carolina	9,475	0.685	0.671 - 0.699	4,661	0.721	0.700 - 0.742	4,814	0.654	0.636 - 0.673
South Dakota	55	0.242	0.182 - 0.315	40	0.303	0.217 - 0.413	15	0.157	0.088 - 0.259
Tennessee	7,394	0.633	0.618 - 0.647	3,740	0.676	0.655 - 0.699	3,654	0.593	0.574 - 0.613
Texas	20,148	0.575	0.567 - 0.583	10,087	0.595	0.583 - 0.606	10,061	0.556	0.545 - 0.567
Utah	141	0.308	0.259 - 0.364	92	0.355	0.286 - 0.436	49	0.247	0.183 - 0.326
Vermont	24	0.237	0.152 - 0.353	-	-	-	-	-	-
Washington	1,775	0.494	0.471 - 0.517	951	0.494	0.463 - 0.526	824	0.493	0.460 - 0.528
WA - Seattle	1,700	0.543	0.518 - 0.570	917	0.551	0.516 - 0.588	783	0.534	0.497 - 0.573
West Virginia	473	0.652	0.594 - 0.713	285	0.730	0.648 - 0.820	188	0.560	0.483 - 0.646
Wisconsin	2,447	0.606	0.582 - 0.630	1,244	0.625	0.591 - 0.661	1,203	0.587	0.554 - 0.621
Wyoming	18	0.209	0.124 - 0.331	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,693	0.013	0.013 - 0.014	3,832	0.019	0.018 - 0.019	1,864	0.008	0.008 - 0.009
Alabama	167	0.013	0.011 - 0.015	107	0.017	0.014 - 0.021	60	0.009	0.006 - 0.011
Alaska	-	-	-	-	-	-	-	-	-
Arizona	22	0.006	0.004 - 0.010	-	-	-	-	-	-
Arkansas	71	0.015	0.012 - 0.019	44	0.019	0.014 - 0.026	27	0.011	0.007 - 0.016
California	342	0.014	0.013 - 0.016	249	0.020	0.018 - 0.023	93	0.008	0.006 - 0.009
CA - Greater California	134	0.012	0.010 - 0.014	96	0.016	0.013 - 0.020	39	0.007	0.005 - 0.010
CA - Greater Bay Area	82	0.018	0.015 - 0.023	61	0.027	0.021 - 0.035	22	0.010	0.006 - 0.015
CA - Los Angeles	125	0.015	0.012 - 0.018	93	0.023	0.019 - 0.028	33	0.007	0.005 - 0.010
Colorado	35	0.013	0.009 - 0.019	-	-	-	-	-	-
Connecticut	57	0.015	0.011 - 0.019	36	0.019	0.014 - 0.027	21	0.010	0.006 - 0.016
Delaware	22	0.010	0.006 - 0.015	10	0.010	0.005 - 0.018	12	0.010	0.005 - 0.018
Florida	383	0.011	0.010 - 0.013	250	0.015	0.014 - 0.017	133	0.008	0.006 - 0.009
Georgia	431	0.013	0.012 - 0.014	283	0.018	0.016 - 0.020	148	0.008	0.007 - 0.010
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	288	0.015	0.014 - 0.017	188	0.021	0.019 - 0.025	100	0.010	0.008 - 0.012
Iowa	-	-	-	-	-	-	-	-	-
Kansas	28	0.015	0.010 - 0.021	-	-	-	-	-	-
Kentucky	42	0.011	0.008 - 0.015	29	0.015	0.010 - 0.021	13	0.007	0.004 - 0.011
Louisiana	228	0.015	0.013 - 0.017	154	0.021	0.018 - 0.025	74	0.009	0.007 - 0.012
Maine	-	-	-	-	-	-	-	-	-
Maryland	222	0.012	0.010 - 0.014	135	0.016	0.013 - 0.018	87	0.009	0.007 - 0.011
MI - Detroit	173	0.018	0.015 - 0.020	122	0.027	0.022 - 0.032	51	0.010	0.007 - 0.013
Minnesota	47	0.012	0.009 - 0.016	25	0.012	0.008 - 0.018	22	0.011	0.007 - 0.017
Mississippi	200	0.018	0.015 - 0.020	140	0.026	0.022 - 0.031	60	0.010	0.008 - 0.013
Missouri	115	0.015	0.013 - 0.018	82	0.023	0.018 - 0.028	33	0.008	0.006 - 0.012
Montana	-	-	-	-	-	-	-	-	-
Nebraska	19	0.018	0.011 - 0.028	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	167	0.014	0.012 - 0.016	115	0.020	0.017 - 0.024	52	0.008	0.006 - 0.011
New Mexico	-	-	-	-	-	-	-	-	-
New York	432	0.015	0.013 - 0.016	265	0.019	0.017 - 0.022	167	0.011	0.009 - 0.012
North Carolina	349	0.015	0.014 - 0.017	240	0.022	0.020 - 0.025	109	0.009	0.007 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	217	0.014	0.012 - 0.016	147	0.019	0.016 - 0.023	70	0.009	0.007 - 0.011
Oklahoma	25	0.008	0.005 - 0.011	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	221	0.015	0.013 - 0.017	140	0.020	0.017 - 0.023	81	0.011	0.008 - 0.013
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	203	0.015	0.013 - 0.017	151	0.023	0.020 - 0.027	52	0.007	0.005 - 0.009
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	142	0.012	0.010 - 0.014	107	0.019	0.016 - 0.023	35	0.006	0.004 - 0.008
Texas	375	0.011	0.010 - 0.012	250	0.015	0.013 - 0.017	125	0.007	0.006 - 0.008
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	39	0.011	0.008 - 0.015	-	-	-	-	-	-
WA - Seattle	38	0.012	0.009 - 0.017	-	-	-	-	-	-
West Virginia	12	0.017	0.009 - 0.029	-	-	-	-	-	-
Wisconsin	43	0.011	0.008 - 0.014	24	0.012	0.008 - 0.018	19	0.009	0.006 - 0.014
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,438	0.003	0.003 - 0.004	932	0.005	0.004 - 0.005	507	0.002	0.002 - 0.002
Alabama	38	0.003	0.002 - 0.004	25	0.004	0.003 - 0.006	13	0.002	0.001 - 0.003
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	18	0.004	0.002 - 0.006	-	-	-	-	-	-
California	66	0.003	0.002 - 0.003	46	0.004	0.003 - 0.005	20	0.002	0.001 - 0.002
CA - Greater California	27	0.002	0.002 - 0.003	-	-	-	-	-	-
CA - Greater Bay Area	19	0.004	0.003 - 0.007	-	-	-	-	-	-
CA - Los Angeles	20	0.002	0.001 - 0.004	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	22	0.006	0.004 - 0.009	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
Florida	83	0.002	0.002 - 0.003	43	0.003	0.002 - 0.004	40	0.002	0.002 - 0.003
Georgia	112	0.003	0.003 - 0.004	77	0.005	0.004 - 0.006	35	0.002	0.001 - 0.003
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	81	0.004	0.003 - 0.005	53	0.006	0.005 - 0.008	28	0.003	0.002 - 0.004
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	19	0.005	0.003 - 0.008	-	-	-	-	-	-
Louisiana	64	0.004	0.003 - 0.005	42	0.006	0.004 - 0.008	22	0.003	0.002 - 0.004
Maine	-	-	-	-	-	-	-	-	-
Maryland	51	0.003	0.002 - 0.004	29	0.003	0.002 - 0.005	22	0.002	0.001 - 0.003
MI - Detroit	35	0.004	0.002 - 0.005	-	-	-	-	-	-
Minnesota	11	0.003	0.001 - 0.005	-	-	-	-	-	-
Mississippi	52	0.005	0.003 - 0.006	37	0.007	0.005 - 0.010	15	0.003	0.001 - 0.004
Missouri	28	0.004	0.002 - 0.005	15	0.004	0.002 - 0.007	13	0.003	0.002 - 0.006
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	49	0.004	0.003 - 0.005	30	0.005	0.004 - 0.008	19	0.003	0.002 - 0.005
New Mexico	-	-	-	-	-	-	-	-	-
New York	103	0.003	0.003 - 0.004	68	0.005	0.004 - 0.006	36	0.002	0.002 - 0.003
North Carolina	87	0.004	0.003 - 0.005	57	0.005	0.004 - 0.007	30	0.002	0.002 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	53	0.003	0.003 - 0.004	37	0.005	0.003 - 0.007	16	0.002	0.001 - 0.003
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	62	0.004	0.003 - 0.005	37	0.005	0.004 - 0.007	25	0.003	0.002 - 0.005
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	65	0.005	0.004 - 0.006	46	0.007	0.005 - 0.009	19	0.003	0.002 - 0.004
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	38	0.003	0.002 - 0.004	28	0.005	0.003 - 0.007	10	0.002	0.001 - 0.003
Texas	96	0.003	0.002 - 0.003	63	0.004	0.003 - 0.005	33	0.002	0.001 - 0.003
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	15	0.004	0.002 - 0.007	-	-	-	-	-	-
WA - Seattle	15	0.005	0.003 - 0.008	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	16	0.004	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,705	0.011	0.011 - 0.011	2,548	0.012	0.012 - 0.013	2,158	0.010	0.009 - 0.010
Alabama	159	0.012	0.010 - 0.014	90	0.015	0.012 - 0.018	69	0.010	0.008 - 0.012
Alaska	-	-	-	-	-	-	-	-	-
Arizona	24	0.007	0.004 - 0.010	14	0.008	0.004 - 0.013	10	0.006	0.003 - 0.011
Arkansas	59	0.012	0.009 - 0.016	33	0.014	0.010 - 0.020	26	0.010	0.007 - 0.015
California	257	0.011	0.009 - 0.012	131	0.011	0.009 - 0.013	126	0.010	0.009 - 0.012
CA - Greater California	102	0.009	0.007 - 0.011	52	0.009	0.007 - 0.012	50	0.009	0.007 - 0.012
CA - Greater Bay Area	64	0.014	0.011 - 0.018	34	0.015	0.011 - 0.021	30	0.013	0.009 - 0.019
CA - Los Angeles	91	0.011	0.009 - 0.013	45	0.011	0.008 - 0.015	46	0.010	0.008 - 0.014
Colorado	20	0.008	0.005 - 0.012	-	-	-	-	-	-
Connecticut	38	0.010	0.007 - 0.014	21	0.011	0.007 - 0.017	17	0.009	0.005 - 0.014
Delaware	27	0.012	0.008 - 0.018	12	0.012	0.006 - 0.020	15	0.013	0.007 - 0.021
Florida	357	0.011	0.009 - 0.012	198	0.012	0.011 - 0.014	159	0.009	0.008 - 0.011
Georgia	297	0.009	0.008 - 0.010	173	0.011	0.009 - 0.013	125	0.007	0.006 - 0.008
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	253	0.014	0.012 - 0.015	120	0.014	0.011 - 0.016	133	0.013	0.011 - 0.016
Iowa	-	-	-	-	-	-	-	-	-
Kansas	13	0.007	0.004 - 0.012	-	-	-	-	-	-
Kentucky	32	0.008	0.006 - 0.012	13	0.007	0.004 - 0.011	19	0.010	0.006 - 0.015
Louisiana	181	0.012	0.010 - 0.014	107	0.015	0.012 - 0.018	74	0.009	0.007 - 0.012
Maine	-	-	-	-	-	-	-	-	-
Maryland	218	0.012	0.010 - 0.013	104	0.012	0.010 - 0.015	114	0.012	0.010 - 0.014
MI - Detroit	109	0.011	0.009 - 0.013	61	0.013	0.010 - 0.017	48	0.009	0.007 - 0.012
Minnesota	32	0.008	0.005 - 0.011	22	0.011	0.007 - 0.016	10	0.005	0.002 - 0.009
Mississippi	130	0.011	0.010 - 0.014	73	0.014	0.011 - 0.017	57	0.010	0.007 - 0.012
Missouri	78	0.010	0.008 - 0.013	39	0.011	0.008 - 0.015	39	0.010	0.007 - 0.014
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	149	0.012	0.011 - 0.015	61	0.011	0.008 - 0.014	88	0.014	0.011 - 0.017
New Mexico	-	-	-	-	-	-	-	-	-
New York	420	0.014	0.013 - 0.016	204	0.015	0.013 - 0.017	216	0.014	0.012 - 0.016
North Carolina	296	0.013	0.012 - 0.015	167	0.016	0.013 - 0.018	129	0.011	0.009 - 0.013
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	179	0.011	0.010 - 0.013	110	0.015	0.012 - 0.018	69	0.008	0.007 - 0.011
Oklahoma	32	0.010	0.007 - 0.014	17	0.010	0.006 - 0.016	15	0.009	0.005 - 0.015
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	147	0.010	0.008 - 0.012	76	0.011	0.008 - 0.013	71	0.009	0.007 - 0.012
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	173	0.013	0.011 - 0.015	94	0.015	0.012 - 0.018	79	0.011	0.008 - 0.013
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	124	0.011	0.009 - 0.013	64	0.012	0.009 - 0.015	60	0.010	0.007 - 0.013
Texas	333	0.010	0.009 - 0.011	200	0.012	0.010 - 0.014	133	0.007	0.006 - 0.009
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	29	0.008	0.005 - 0.012	16	0.008	0.005 - 0.013	13	0.008	0.004 - 0.013
WA - Seattle	30	0.010	0.006 - 0.014	16	0.010	0.006 - 0.016	14	0.010	0.005 - 0.016
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	39	0.010	0.007 - 0.013	29	0.015	0.010 - 0.021	10	0.005	0.002 - 0.009
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	26,812	0.063	0.062 - 0.064	13,400	0.066	0.064 - 0.067	13,416	0.060	0.059 - 0.061
Alabama	922	0.070	0.065 - 0.075	432	0.070	0.064 - 0.077	490	0.069	0.063 - 0.076
Alaska	-	-	-	-	-	-	-	-	-
Arizona	134	0.039	0.032 - 0.046	66	0.037	0.028 - 0.047	68	0.041	0.031 - 0.051
Arkansas	329	0.069	0.061 - 0.076	178	0.078	0.067 - 0.090	151	0.060	0.051 - 0.070
California	1,478	0.061	0.058 - 0.064	731	0.060	0.056 - 0.065	748	0.061	0.057 - 0.065
CA - Greater California	600	0.052	0.048 - 0.057	306	0.052	0.046 - 0.058	293	0.053	0.047 - 0.059
CA - Greater Bay Area	298	0.067	0.059 - 0.075	151	0.068	0.058 - 0.080	147	0.065	0.055 - 0.077
CA - Los Angeles	580	0.068	0.063 - 0.074	273	0.068	0.060 - 0.077	307	0.069	0.061 - 0.077
Colorado	122	0.047	0.039 - 0.056	65	0.047	0.036 - 0.059	57	0.047	0.035 - 0.060
Connecticut	245	0.064	0.056 - 0.072	123	0.067	0.056 - 0.080	122	0.060	0.050 - 0.072
Delaware	151	0.069	0.058 - 0.081	78	0.075	0.060 - 0.094	73	0.063	0.049 - 0.079
Florida	1,781	0.053	0.050 - 0.055	907	0.056	0.052 - 0.059	874	0.050	0.047 - 0.053
Georgia	2,160	0.064	0.062 - 0.067	1,075	0.068	0.064 - 0.073	1,085	0.061	0.057 - 0.064
Hawaii	13	0.034	0.018 - 0.058	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,408	0.076	0.072 - 0.080	669	0.076	0.071 - 0.082	739	0.075	0.070 - 0.080
Iowa	56	0.041	0.031 - 0.053	31	0.042	0.029 - 0.060	25	0.039	0.025 - 0.057
Kansas	105	0.055	0.045 - 0.066	55	0.055	0.042 - 0.072	50	0.054	0.040 - 0.071
Kentucky	278	0.071	0.063 - 0.080	133	0.068	0.057 - 0.081	145	0.074	0.062 - 0.087
Louisiana	1,156	0.076	0.071 - 0.080	592	0.081	0.075 - 0.088	564	0.070	0.064 - 0.076
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,137	0.061	0.058 - 0.065	555	0.064	0.059 - 0.070	582	0.059	0.054 - 0.064
MI - Detroit	766	0.078	0.073 - 0.084	390	0.087	0.078 - 0.096	376	0.071	0.064 - 0.078
Minnesota	131	0.033	0.027 - 0.039	81	0.040	0.031 - 0.049	50	0.025	0.019 - 0.034
Mississippi	922	0.081	0.076 - 0.087	471	0.089	0.081 - 0.097	451	0.075	0.068 - 0.082
Missouri	464	0.062	0.056 - 0.067	210	0.058	0.051 - 0.067	254	0.064	0.057 - 0.073
Montana	-	-	-	-	-	-	-	-	-
Nebraska	54	0.051	0.038 - 0.067	29	0.054	0.036 - 0.077	25	0.049	0.032 - 0.072
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	830	0.070	0.065 - 0.075	390	0.069	0.063 - 0.076	440	0.070	0.064 - 0.077
New Mexico	15	0.033	0.018 - 0.054	-	-	-	-	-	-
New York	1,931	0.065	0.063 - 0.068	953	0.069	0.065 - 0.074	977	0.062	0.058 - 0.066
North Carolina	1,456	0.064	0.061 - 0.067	736	0.069	0.064 - 0.074	720	0.059	0.055 - 0.064
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	863	0.055	0.051 - 0.059	413	0.055	0.050 - 0.060	450	0.055	0.050 - 0.060
Oklahoma	164	0.049	0.042 - 0.057	86	0.052	0.041 - 0.064	78	0.047	0.037 - 0.059
Oregon	38	0.037	0.026 - 0.050	22	0.040	0.025 - 0.060	16	0.033	0.019 - 0.054
Pennsylvania	864	0.059	0.055 - 0.063	421	0.060	0.054 - 0.065	443	0.058	0.053 - 0.064
Rhode Island	27	0.038	0.025 - 0.055	16	0.045	0.026 - 0.073	11	0.031	0.015 - 0.055
South Carolina	939	0.068	0.064 - 0.072	460	0.071	0.065 - 0.078	479	0.065	0.059 - 0.071
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	760	0.065	0.060 - 0.070	378	0.068	0.062 - 0.076	382	0.062	0.056 - 0.069
Texas	2,125	0.061	0.058 - 0.063	1,109	0.065	0.062 - 0.069	1,016	0.056	0.053 - 0.060
Utah	12	0.026	0.013 - 0.046	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	145	0.040	0.034 - 0.047	75	0.039	0.031 - 0.049	70	0.042	0.033 - 0.053
WA - Seattle	142	0.045	0.038 - 0.053	75	0.045	0.035 - 0.057	67	0.046	0.035 - 0.058
West Virginia	43	0.059	0.043 - 0.080	21	0.054	0.033 - 0.082	22	0.066	0.041 - 0.099
Wisconsin	251	0.062	0.055 - 0.070	127	0.064	0.053 - 0.076	124	0.060	0.050 - 0.072
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,817	0.011	0.011 - 0.012	3,445	0.017	0.016 - 0.017	1,375	0.006	0.006 - 0.007
Alabama	111	0.008	0.007 - 0.010	77	0.013	0.010 - 0.016	34	0.005	0.003 - 0.007
Alaska	-	-	-	-	-	-	-	-	-
Arizona	25	0.007	0.005 - 0.011	-	-	-	-	-	-
Arkansas	51	0.011	0.008 - 0.014	37	0.016	0.011 - 0.022	14	0.006	0.003 - 0.009
California	340	0.014	0.012 - 0.015	255	0.021	0.019 - 0.024	84	0.007	0.005 - 0.009
CA - Greater California	141	0.012	0.010 - 0.015	103	0.017	0.014 - 0.021	38	0.007	0.005 - 0.009
CA - Greater Bay Area	89	0.020	0.016 - 0.024	73	0.033	0.026 - 0.041	16	0.007	0.004 - 0.011
CA - Los Angeles	110	0.013	0.011 - 0.016	80	0.020	0.016 - 0.025	31	0.007	0.005 - 0.010
Colorado	19	0.007	0.004 - 0.011	-	-	-	-	-	-
Connecticut	52	0.014	0.010 - 0.018	38	0.021	0.015 - 0.029	14	0.007	0.004 - 0.012
Delaware	32	0.015	0.010 - 0.021	22	0.021	0.013 - 0.032	10	0.009	0.004 - 0.016
Florida	256	0.008	0.007 - 0.009	167	0.010	0.009 - 0.012	89	0.005	0.004 - 0.006
Georgia	273	0.008	0.007 - 0.009	189	0.012	0.010 - 0.014	84	0.005	0.004 - 0.006
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	201	0.011	0.009 - 0.012	126	0.014	0.012 - 0.017	75	0.008	0.006 - 0.010
Iowa	21	0.015	0.009 - 0.023	-	-	-	-	-	-
Kansas	28	0.015	0.010 - 0.021	-	-	-	-	-	-
Kentucky	41	0.010	0.008 - 0.014	27	0.014	0.009 - 0.020	14	0.007	0.004 - 0.012
Louisiana	200	0.013	0.011 - 0.015	157	0.022	0.018 - 0.025	43	0.005	0.004 - 0.007
Maine	-	-	-	-	-	-	-	-	-
Maryland	242	0.013	0.011 - 0.015	170	0.020	0.017 - 0.023	72	0.007	0.006 - 0.009
MI - Detroit	127	0.013	0.011 - 0.015	93	0.021	0.017 - 0.025	34	0.006	0.004 - 0.009
Minnesota	65	0.016	0.013 - 0.021	41	0.020	0.014 - 0.027	24	0.012	0.008 - 0.018
Mississippi	79	0.007	0.006 - 0.009	54	0.010	0.008 - 0.013	25	0.004	0.003 - 0.006
Missouri	99	0.013	0.011 - 0.016	75	0.021	0.016 - 0.026	24	0.006	0.004 - 0.009
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	109	0.009	0.007 - 0.011	84	0.015	0.012 - 0.019	25	0.004	0.003 - 0.006
New Mexico	-	-	-	-	-	-	-	-	-
New York	393	0.013	0.012 - 0.015	280	0.020	0.018 - 0.023	112	0.007	0.006 - 0.009
North Carolina	231	0.010	0.009 - 0.012	159	0.015	0.013 - 0.017	72	0.006	0.005 - 0.007
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	181	0.012	0.010 - 0.013	135	0.018	0.015 - 0.021	46	0.006	0.004 - 0.008
Oklahoma	23	0.007	0.004 - 0.010	-	-	-	-	-	-
Oregon	24	0.023	0.015 - 0.035	-	-	-	-	-	-
Pennsylvania	276	0.019	0.017 - 0.021	201	0.028	0.025 - 0.033	75	0.010	0.008 - 0.012
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	111	0.008	0.007 - 0.010	79	0.012	0.010 - 0.015	32	0.004	0.003 - 0.006
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	110	0.009	0.008 - 0.011	66	0.012	0.009 - 0.015	44	0.007	0.005 - 0.010
Texas	472	0.013	0.012 - 0.015	347	0.020	0.018 - 0.023	125	0.007	0.006 - 0.008
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	74	0.021	0.016 - 0.026	52	0.027	0.020 - 0.035	22	0.013	0.008 - 0.020
WA - Seattle	67	0.022	0.017 - 0.027	47	0.028	0.021 - 0.038	20	0.014	0.008 - 0.021
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	61	0.015	0.012 - 0.019	49	0.025	0.018 - 0.033	12	0.006	0.003 - 0.010
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,797	0.011	0.011 - 0.012	2,126	0.010	0.010 - 0.011	2,672	0.012	0.012 - 0.013
Alabama	152	0.012	0.010 - 0.014	68	0.011	0.009 - 0.014	84	0.012	0.009 - 0.015
Alaska	-	-	-	-	-	-	-	-	-
Arizona	31	0.009	0.006 - 0.013	19	0.011	0.006 - 0.017	12	0.007	0.004 - 0.012
Arkansas	49	0.010	0.008 - 0.014	22	0.010	0.006 - 0.015	27	0.011	0.007 - 0.016
California	310	0.013	0.011 - 0.014	147	0.012	0.010 - 0.014	163	0.013	0.011 - 0.015
CA - Greater California	138	0.012	0.010 - 0.014	75	0.013	0.010 - 0.016	63	0.011	0.009 - 0.014
CA - Greater Bay Area	68	0.015	0.012 - 0.019	25	0.011	0.007 - 0.017	43	0.019	0.014 - 0.026
CA - Los Angeles	103	0.012	0.010 - 0.015	46	0.012	0.008 - 0.015	57	0.013	0.010 - 0.016
Colorado	19	0.007	0.004 - 0.011	-	-	-	-	-	-
Connecticut	46	0.012	0.009 - 0.016	21	0.011	0.007 - 0.017	25	0.012	0.008 - 0.018
Delaware	28	0.013	0.008 - 0.018	11	0.011	0.005 - 0.019	17	0.015	0.009 - 0.024
Florida	332	0.010	0.009 - 0.011	156	0.010	0.008 - 0.011	176	0.010	0.009 - 0.012
Georgia	344	0.010	0.009 - 0.011	149	0.009	0.008 - 0.011	196	0.011	0.009 - 0.013
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	248	0.013	0.012 - 0.015	107	0.012	0.010 - 0.015	141	0.014	0.012 - 0.017
Iowa	-	-	-	-	-	-	-	-	-
Kansas	28	0.015	0.010 - 0.021	14	0.014	0.008 - 0.024	14	0.015	0.008 - 0.025
Kentucky	47	0.012	0.009 - 0.016	17	0.009	0.005 - 0.014	30	0.015	0.010 - 0.022
Louisiana	162	0.011	0.009 - 0.012	62	0.009	0.007 - 0.011	100	0.012	0.010 - 0.015
Maine	-	-	-	-	-	-	-	-	-
Maryland	241	0.013	0.011 - 0.015	102	0.012	0.010 - 0.014	139	0.014	0.012 - 0.017
MI - Detroit	141	0.014	0.012 - 0.017	59	0.013	0.010 - 0.017	82	0.015	0.012 - 0.019
Minnesota	25	0.006	0.004 - 0.009	10	0.005	0.002 - 0.009	15	0.008	0.004 - 0.013
Mississippi	134	0.012	0.010 - 0.014	59	0.011	0.008 - 0.014	75	0.013	0.010 - 0.016
Missouri	103	0.014	0.011 - 0.017	48	0.013	0.010 - 0.018	55	0.014	0.011 - 0.018
Montana	-	-	-	-	-	-	-	-	-
Nebraska	11	0.010	0.005 - 0.019	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	165	0.014	0.012 - 0.016	81	0.014	0.011 - 0.018	84	0.013	0.011 - 0.016
New Mexico	-	-	-	-	-	-	-	-	-
New York	353	0.012	0.011 - 0.013	141	0.010	0.009 - 0.012	212	0.013	0.012 - 0.015
North Carolina	277	0.012	0.011 - 0.014	128	0.012	0.010 - 0.014	149	0.012	0.010 - 0.014
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	146	0.009	0.008 - 0.011	69	0.009	0.007 - 0.012	77	0.009	0.007 - 0.012
Oklahoma	30	0.009	0.006 - 0.013	15	0.009	0.005 - 0.015	15	0.009	0.005 - 0.015
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	159	0.011	0.009 - 0.013	68	0.010	0.007 - 0.012	91	0.012	0.010 - 0.015
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	177	0.013	0.011 - 0.015	67	0.010	0.008 - 0.013	110	0.015	0.012 - 0.018
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	120	0.010	0.009 - 0.012	47	0.009	0.006 - 0.011	73	0.012	0.009 - 0.015
Texas	345	0.010	0.009 - 0.011	153	0.009	0.008 - 0.011	192	0.011	0.009 - 0.012
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	30	0.008	0.006 - 0.012	-	-	-	-	-	-
WA - Seattle	30	0.010	0.006 - 0.014	20	0.012	0.007 - 0.019	10	0.007	0.003 - 0.013
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	43	0.011	0.008 - 0.014	21	0.011	0.007 - 0.016	22	0.011	0.007 - 0.016
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,715	0.006	0.006 - 0.007	2,165	0.011	0.010 - 0.011	553	0.002	0.002 - 0.003
Alabama	95	0.007	0.006 - 0.009	85	0.014	0.011 - 0.017	10	0.001	0.001 - 0.003
Alaska	-	-	-	-	-	-	-	-	-
Arizona	12	0.003	0.002 - 0.006	-	-	-	-	-	-
Arkansas	43	0.009	0.006 - 0.012	-	-	-	-	-	-
California	108	0.004	0.004 - 0.005	87	0.007	0.006 - 0.009	21	0.002	0.001 - 0.003
CA - Greater California	39	0.003	0.002 - 0.005	-	-	-	-	-	-
CA - Greater Bay Area	35	0.008	0.005 - 0.011	-	-	-	-	-	-
CA - Los Angeles	34	0.004	0.003 - 0.006	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	35	0.009	0.006 - 0.013	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
Florida	175	0.005	0.004 - 0.006	149	0.009	0.008 - 0.011	26	0.001	0.001 - 0.002
Georgia	238	0.007	0.006 - 0.008	195	0.012	0.011 - 0.014	43	0.002	0.002 - 0.003
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	140	0.008	0.006 - 0.009	109	0.012	0.010 - 0.015	31	0.003	0.002 - 0.004
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	34	0.009	0.006 - 0.012	21	0.011	0.007 - 0.017	13	0.007	0.004 - 0.011
Louisiana	134	0.009	0.007 - 0.010	100	0.014	0.011 - 0.017	34	0.004	0.003 - 0.006
Maine	-	-	-	-	-	-	-	-	-
Maryland	79	0.004	0.003 - 0.005	65	0.008	0.006 - 0.010	14	0.001	0.001 - 0.002
MI - Detroit	77	0.008	0.006 - 0.010	58	0.013	0.010 - 0.017	19	0.004	0.002 - 0.006
Minnesota	18	0.004	0.003 - 0.007	-	-	-	-	-	-
Mississippi	104	0.009	0.008 - 0.011	91	0.017	0.014 - 0.021	13	0.002	0.001 - 0.004
Missouri	64	0.009	0.007 - 0.011	50	0.014	0.010 - 0.018	14	0.004	0.002 - 0.006
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	73	0.006	0.005 - 0.008	58	0.010	0.008 - 0.013	15	0.002	0.001 - 0.004
New Mexico	-	-	-	-	-	-	-	-	-
New York	141	0.005	0.004 - 0.006	101	0.007	0.006 - 0.009	40	0.003	0.002 - 0.003
North Carolina	185	0.008	0.007 - 0.009	145	0.014	0.011 - 0.016	40	0.003	0.002 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	120	0.008	0.006 - 0.009	94	0.012	0.010 - 0.015	26	0.003	0.002 - 0.005
Oklahoma	11	0.003	0.002 - 0.006	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	77	0.005	0.004 - 0.007	60	0.008	0.006 - 0.011	17	0.002	0.001 - 0.004
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	139	0.010	0.008 - 0.012	120	0.019	0.015 - 0.022	19	0.003	0.002 - 0.004
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	79	0.007	0.005 - 0.008	58	0.010	0.008 - 0.014	21	0.003	0.002 - 0.005
Texas	190	0.005	0.005 - 0.006	151	0.009	0.008 - 0.010	39	0.002	0.002 - 0.003
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	20	0.006	0.003 - 0.009	-	-	-	-	-	-
WA - Seattle	19	0.006	0.004 - 0.009	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	22	0.005	0.003 - 0.008	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	24,816	0.058	0.057 - 0.059	12,502	0.061	0.060 - 0.062	12,318	0.055	0.054 - 0.056
Alabama	723	0.055	0.051 - 0.059	432	0.070	0.064 - 0.077	291	0.041	0.037 - 0.046
Alaska	11	0.034	0.017 - 0.061	-	-	-	-	-	-
Arizona	138	0.040	0.033 - 0.047	68	0.038	0.029 - 0.048	70	0.042	0.033 - 0.053
Arkansas	305	0.064	0.057 - 0.071	172	0.075	0.064 - 0.087	133	0.053	0.044 - 0.063
California	1,296	0.053	0.050 - 0.056	615	0.051	0.047 - 0.055	681	0.056	0.051 - 0.060
CA - Greater California	506	0.044	0.040 - 0.048	241	0.041	0.036 - 0.046	265	0.048	0.042 - 0.054
CA - Greater Bay Area	287	0.064	0.057 - 0.072	149	0.067	0.057 - 0.079	138	0.062	0.052 - 0.073
CA - Los Angeles	503	0.059	0.054 - 0.065	225	0.056	0.049 - 0.064	278	0.062	0.055 - 0.070
Colorado	92	0.035	0.028 - 0.043	46	0.033	0.024 - 0.044	46	0.038	0.028 - 0.050
Connecticut	247	0.064	0.056 - 0.073	112	0.061	0.050 - 0.073	135	0.067	0.056 - 0.079
Delaware	134	0.061	0.051 - 0.072	64	0.062	0.048 - 0.079	70	0.060	0.047 - 0.076
Florida	1,418	0.042	0.040 - 0.044	738	0.045	0.042 - 0.049	680	0.039	0.036 - 0.042
Georgia	1,689	0.050	0.048 - 0.053	915	0.058	0.055 - 0.062	774	0.043	0.040 - 0.046
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,481	0.080	0.076 - 0.084	690	0.079	0.073 - 0.085	791	0.080	0.075 - 0.086
Iowa	51	0.037	0.028 - 0.049	30	0.041	0.028 - 0.059	21	0.032	0.020 - 0.050
Kansas	111	0.058	0.048 - 0.070	58	0.058	0.044 - 0.076	53	0.057	0.043 - 0.075
Kentucky	276	0.071	0.062 - 0.079	124	0.064	0.053 - 0.076	152	0.077	0.065 - 0.091
Louisiana	967	0.063	0.059 - 0.067	576	0.079	0.073 - 0.086	391	0.049	0.044 - 0.054
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,137	0.061	0.058 - 0.065	474	0.055	0.050 - 0.060	663	0.067	0.062 - 0.072
MI - Detroit	714	0.073	0.068 - 0.078	317	0.070	0.063 - 0.079	396	0.075	0.068 - 0.083
Minnesota	151	0.038	0.032 - 0.044	70	0.034	0.027 - 0.043	81	0.041	0.033 - 0.051
Mississippi	816	0.072	0.067 - 0.077	485	0.091	0.083 - 0.100	331	0.055	0.049 - 0.061
Missouri	563	0.075	0.069 - 0.081	272	0.076	0.067 - 0.085	291	0.074	0.066 - 0.083
Montana	-	-	-	-	-	-	-	-	-
Nebraska	65	0.062	0.048 - 0.079	25	0.046	0.030 - 0.068	40	0.078	0.056 - 0.106
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	641	0.054	0.050 - 0.058	285	0.051	0.045 - 0.057	355	0.057	0.051 - 0.063
New Mexico	15	0.033	0.018 - 0.054	-	-	-	-	-	-
New York	1,694	0.057	0.055 - 0.060	786	0.057	0.053 - 0.061	908	0.058	0.054 - 0.062
North Carolina	1,540	0.067	0.064 - 0.071	829	0.078	0.072 - 0.083	711	0.059	0.054 - 0.063
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,094	0.070	0.066 - 0.074	521	0.069	0.063 - 0.075	573	0.070	0.065 - 0.076
Oklahoma	145	0.044	0.037 - 0.051	83	0.050	0.040 - 0.062	62	0.037	0.029 - 0.048
Oregon	46	0.045	0.033 - 0.059	28	0.051	0.034 - 0.073	18	0.037	0.022 - 0.059
Pennsylvania	1,180	0.080	0.076 - 0.085	495	0.070	0.064 - 0.076	685	0.090	0.083 - 0.097
Rhode Island	44	0.061	0.045 - 0.082	23	0.064	0.041 - 0.097	21	0.058	0.036 - 0.089
South Carolina	867	0.063	0.059 - 0.067	480	0.074	0.068 - 0.081	387	0.053	0.047 - 0.058
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	703	0.060	0.056 - 0.065	366	0.066	0.060 - 0.073	337	0.055	0.049 - 0.061
Texas	1,646	0.047	0.045 - 0.049	863	0.051	0.048 - 0.054	783	0.043	0.040 - 0.046
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	133	0.037	0.031 - 0.044	60	0.031	0.024 - 0.040	73	0.044	0.034 - 0.055
WA - Seattle	129	0.041	0.034 - 0.049	59	0.035	0.027 - 0.046	70	0.048	0.037 - 0.060
West Virginia	59	0.081	0.062 - 0.105	37	0.095	0.067 - 0.131	22	0.066	0.041 - 0.099
Wisconsin	268	0.066	0.059 - 0.075	136	0.068	0.057 - 0.081	132	0.064	0.054 - 0.076
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	598	0.001	0.001 - 0.002	271	0.001	0.001 - 0.002	327	0.001	0.001 - 0.002
Alabama	24	0.002	0.001 - 0.003	11	0.002	0.001 - 0.003	13	0.002	0.001 - 0.003
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	-	-	-	-	-	-	-	-	-
California	39	0.002	0.001 - 0.002	21	0.002	0.001 - 0.003	18	0.001	0.001 - 0.002
CA - Greater California	13	0.001	0.001 - 0.002	-	-	-	-	-	-
CA - Greater Bay Area	10	0.002	0.001 - 0.004	-	-	-	-	-	-
CA - Los Angeles	16	0.002	0.001 - 0.003	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	10	0.003	0.001 - 0.005	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
Florida	61	0.002	0.001 - 0.002	33	0.002	0.001 - 0.003	28	0.002	0.001 - 0.002
Georgia	47	0.001	0.001 - 0.002	21	0.001	0.001 - 0.002	26	0.001	0.001 - 0.002
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	19	0.001	0.001 - 0.002	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	24	0.002	0.001 - 0.002	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	31	0.002	0.001 - 0.002	17	0.002	0.001 - 0.003	14	0.001	0.001 - 0.002
MI - Detroit	12	0.001	0.001 - 0.002	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	18	0.002	0.001 - 0.003	-	-	-	-	-	-
Missouri	11	0.001	0.001 - 0.003	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	21	0.002	0.001 - 0.003	11	0.002	0.001 - 0.003	10	0.002	0.001 - 0.003
New Mexico	-	-	-	-	-	-	-	-	-
New York	42	0.001	0.001 - 0.002	16	0.001	0.001 - 0.002	26	0.002	0.001 - 0.002
North Carolina	30	0.001	0.001 - 0.002	13	0.001	0.001 - 0.002	17	0.001	0.001 - 0.002
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	17	0.001	0.001 - 0.002	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	15	0.001	0.001 - 0.002	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	13	0.001	0.001 - 0.002	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	49	0.001	0.001 - 0.002	20	0.001	0.001 - 0.002	29	0.002	0.001 - 0.002
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-
WA - Seattle	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		52,831	0.238	0.236 - 0.240
Alabama	-	-		-	-		1,762	0.250	0.238 - 0.262
Alaska	-	-		-	-		16	0.112	0.064 - 0.181
Arizona	-	-		-	-		260	0.155	0.137 - 0.175
Arkansas	-	-		-	-		530	0.211	0.193 - 0.230
California	-	-		-	-		3,044	0.248	0.239 - 0.257
CA - Greater California	-	-		-	-		1,240	0.224	0.211 - 0.236
CA - Greater Bay Area	-	-		-	-		586	0.261	0.240 - 0.283
CA - Los Angeles	-	-		-	-		1,218	0.272	0.257 - 0.288
Colorado	-	-		-	-		228	0.187	0.163 - 0.212
Connecticut	-	-		-	-		498	0.248	0.226 - 0.270
Delaware	-	-		-	-		291	0.251	0.223 - 0.282
Florida	-	-		-	-		3,529	0.201	0.194 - 0.208
Georgia	-	-		-	-		4,254	0.238	0.231 - 0.245
Hawaii	-	-		-	-		19	0.126	0.076 - 0.196
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		2,649	0.268	0.258 - 0.279
Iowa	-	-		-	-		86	0.133	0.106 - 0.164
Kansas	-	-		-	-		221	0.238	0.208 - 0.272
Kentucky	-	-		-	-		442	0.225	0.204 - 0.247
Louisiana	-	-		-	-		2,038	0.253	0.242 - 0.264
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		2,719	0.275	0.265 - 0.286
MI - Detroit	-	-		-	-		1,349	0.255	0.241 - 0.269
Minnesota	-	-		-	-		246	0.125	0.110 - 0.142
Mississippi	-	-		-	-		1,429	0.238	0.226 - 0.251
Missouri	-	-		-	-		993	0.252	0.237 - 0.268
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		86	0.168	0.134 - 0.207
New Hampshire	-	-		-	-		14	0.137	0.075 - 0.230
New Jersey	-	-		-	-		1,788	0.284	0.271 - 0.298
New Mexico	-	-		-	-		39	0.193	0.137 - 0.264
New York	-	-		-	-		4,154	0.264	0.256 - 0.272
North Carolina	-	-		-	-		3,285	0.270	0.261 - 0.280
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		1,922	0.235	0.225 - 0.246
Oklahoma	-	-		-	-		333	0.200	0.179 - 0.223
Oregon	-	-		-	-		80	0.166	0.132 - 0.207
Pennsylvania	-	-		-	-		1,790	0.235	0.224 - 0.246
Rhode Island	-	-		-	-		81	0.225	0.179 - 0.280
South Carolina	-	-		-	-		1,905	0.259	0.247 - 0.271
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		1,338	0.217	0.206 - 0.229
Texas	-	-		-	-		3,764	0.208	0.201 - 0.215
Utah	-	-		-	-		16	0.081	0.046 - 0.131
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		278	0.166	0.147 - 0.187
WA - Seattle	-	-		-	-		266	0.181	0.160 - 0.204
West Virginia	-	-		-	-		65	0.194	0.150 - 0.247
Wisconsin	-	-		-	-		407	0.199	0.180 - 0.219
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		3,133	0.014	0.014 - 0.015
Alabama	-	-		-	-		121	0.017	0.014 - 0.020
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		17	0.010	0.006 - 0.016
Arkansas	-	-		-	-		26	0.010	0.007 - 0.015
California	-	-		-	-		131	0.011	0.009 - 0.013
CA - Greater California	-	-		-	-		58	0.011	0.008 - 0.014
CA - Greater Bay Area	-	-		-	-		18	0.008	0.005 - 0.013
CA - Los Angeles	-	-		-	-		54	0.012	0.009 - 0.016
Colorado	-	-		-	-		12	0.010	0.005 - 0.017
Connecticut	-	-		-	-		19	0.010	0.006 - 0.015
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		297	0.017	0.015 - 0.019
Georgia	-	-		-	-		226	0.013	0.011 - 0.014
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		191	0.019	0.017 - 0.022
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		30	0.015	0.010 - 0.022
Louisiana	-	-		-	-		112	0.014	0.011 - 0.017
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		112	0.011	0.009 - 0.014
MI - Detroit	-	-		-	-		61	0.011	0.009 - 0.015
Minnesota	-	-		-	-		17	0.009	0.005 - 0.014
Mississippi	-	-		-	-		85	0.014	0.011 - 0.018
Missouri	-	-		-	-		52	0.013	0.010 - 0.017
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		104	0.017	0.014 - 0.020
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		282	0.018	0.016 - 0.020
North Carolina	-	-		-	-		149	0.012	0.010 - 0.014
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		117	0.014	0.012 - 0.017
Oklahoma	-	-		-	-		19	0.011	0.007 - 0.018
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		127	0.017	0.014 - 0.020
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		98	0.013	0.011 - 0.016
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		78	0.013	0.010 - 0.016
Texas	-	-		-	-		267	0.015	0.013 - 0.017
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		18	0.011	0.006 - 0.017
WA - Seattle	-	-		-	-		17	0.012	0.007 - 0.019
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		32	0.016	0.011 - 0.022
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		11,170	0.050	0.049 - 0.051
Alabama	-	-		-	-		275	0.039	0.035 - 0.044
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		42	0.025	0.018 - 0.034
Arkansas	-	-		-	-		122	0.049	0.040 - 0.058
California	-	-		-	-		687	0.056	0.052 - 0.060
CA - Greater California	-	-		-	-		248	0.045	0.039 - 0.051
CA - Greater Bay Area	-	-		-	-		146	0.065	0.055 - 0.076
CA - Los Angeles	-	-		-	-		294	0.066	0.058 - 0.074
Colorado	-	-		-	-		49	0.040	0.030 - 0.053
Connecticut	-	-		-	-		108	0.054	0.044 - 0.065
Delaware	-	-		-	-		63	0.054	0.042 - 0.070
Florida	-	-		-	-		876	0.050	0.047 - 0.053
Georgia	-	-		-	-		820	0.046	0.043 - 0.049
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		601	0.061	0.056 - 0.066
Iowa	-	-		-	-		20	0.031	0.019 - 0.048
Kansas	-	-		-	-		36	0.039	0.027 - 0.054
Kentucky	-	-		-	-		94	0.048	0.039 - 0.058
Louisiana	-	-		-	-		349	0.043	0.039 - 0.048
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		531	0.054	0.049 - 0.059
MI - Detroit	-	-		-	-		283	0.053	0.047 - 0.060
Minnesota	-	-		-	-		80	0.041	0.032 - 0.051
Mississippi	-	-		-	-		275	0.046	0.041 - 0.052
Missouri	-	-		-	-		186	0.047	0.041 - 0.055
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		13	0.025	0.013 - 0.043
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		402	0.064	0.058 - 0.070
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		1,076	0.068	0.064 - 0.073
North Carolina	-	-		-	-		631	0.052	0.048 - 0.056
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		397	0.049	0.044 - 0.054
Oklahoma	-	-		-	-		61	0.037	0.028 - 0.047
Oregon	-	-		-	-		14	0.029	0.016 - 0.049
Pennsylvania	-	-		-	-		424	0.056	0.051 - 0.061
Rhode Island	-	-		-	-		11	0.031	0.015 - 0.055
South Carolina	-	-		-	-		397	0.054	0.049 - 0.059
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		287	0.047	0.041 - 0.052
Texas	-	-		-	-		739	0.041	0.038 - 0.044
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		66	0.040	0.031 - 0.050
WA - Seattle	-	-		-	-		61	0.041	0.032 - 0.053
West Virginia	-	-		-	-		18	0.054	0.032 - 0.085
Wisconsin	-	-		-	-		88	0.043	0.034 - 0.053
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		2,842	0.013	0.012 - 0.013
Alabama	-	-		-	-		105	0.015	0.012 - 0.018
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		15	0.009	0.005 - 0.015
Arkansas	-	-		-	-		23	0.009	0.006 - 0.014
California	-	-		-	-		175	0.014	0.012 - 0.017
CA - Greater California	-	-		-	-		78	0.014	0.011 - 0.017
CA - Greater Bay Area	-	-		-	-		39	0.017	0.012 - 0.024
CA - Los Angeles	-	-		-	-		59	0.013	0.010 - 0.017
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		22	0.011	0.007 - 0.016
Delaware	-	-		-	-		15	0.013	0.007 - 0.021
Florida	-	-		-	-		227	0.013	0.011 - 0.015
Georgia	-	-		-	-		234	0.013	0.011 - 0.015
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		139	0.014	0.012 - 0.017
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		11	0.012	0.006 - 0.021
Kentucky	-	-		-	-		24	0.012	0.008 - 0.018
Louisiana	-	-		-	-		104	0.013	0.011 - 0.016
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		137	0.014	0.012 - 0.016
MI - Detroit	-	-		-	-		73	0.014	0.011 - 0.017
Minnesota	-	-		-	-		15	0.008	0.004 - 0.013
Mississippi	-	-		-	-		68	0.011	0.009 - 0.014
Missouri	-	-		-	-		36	0.009	0.006 - 0.013
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		98	0.016	0.013 - 0.019
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		260	0.016	0.015 - 0.019
North Carolina	-	-		-	-		145	0.012	0.010 - 0.014
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		88	0.011	0.009 - 0.013
Oklahoma	-	-		-	-		16	0.010	0.006 - 0.016
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		109	0.014	0.012 - 0.017
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		83	0.011	0.009 - 0.014
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		70	0.011	0.009 - 0.014
Texas	-	-		-	-		213	0.012	0.010 - 0.013
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		16	0.010	0.005 - 0.016
WA - Seattle	-	-		-	-		17	0.012	0.007 - 0.019
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		30	0.015	0.010 - 0.021
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		62,826	0.307	0.305 - 0.310	-	-	
Alabama	-	-		2,239	0.365	0.350 - 0.381	-	-	
Alaska	-	-		29	0.162	0.108 - 0.232	-	-	
Arizona	-	-		305	0.170	0.151 - 0.190	-	-	
Arkansas	-	-		768	0.336	0.313 - 0.361	-	-	
California	-	-		3,402	0.280	0.271 - 0.290	-	-	
CA - Greater California	-	-		1,558	0.264	0.251 - 0.278	-	-	
CA - Greater Bay Area	-	-		694	0.313	0.290 - 0.337	-	-	
CA - Los Angeles	-	-		1,150	0.286	0.270 - 0.303	-	-	
Colorado	-	-		283	0.203	0.180 - 0.228	-	-	
Connecticut	-	-		598	0.325	0.300 - 0.352	-	-	
Delaware	-	-		390	0.377	0.340 - 0.416	-	-	
Florida	-	-		4,116	0.253	0.245 - 0.261	-	-	
Georgia	-	-		5,337	0.340	0.331 - 0.349	-	-	
Hawaii	-	-		45	0.200	0.146 - 0.267	-	-	
Idaho	-	-		17	0.168	0.098 - 0.270	-	-	
Illinois	-	-		2,853	0.326	0.314 - 0.338	-	-	
Iowa	-	-		117	0.160	0.133 - 0.192	-	-	
Kansas	-	-		250	0.252	0.222 - 0.285	-	-	
Kentucky	-	-		486	0.250	0.228 - 0.273	-	-	
Louisiana	-	-		2,392	0.329	0.316 - 0.343	-	-	
Maine	-	-		19	0.141	0.085 - 0.221	-	-	
Maryland	-	-		3,144	0.364	0.351 - 0.377	-	-	
MI - Detroit	-	-		1,601	0.356	0.338 - 0.373	-	-	
Minnesota	-	-		323	0.158	0.141 - 0.176	-	-	
Mississippi	-	-		1,842	0.346	0.331 - 0.362	-	-	
Missouri	-	-		849	0.236	0.221 - 0.253	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		141	0.261	0.219 - 0.307	-	-	
New Hampshire	-	-		23	0.180	0.114 - 0.271	-	-	
New Jersey	-	-		2,216	0.394	0.377 - 0.410	-	-	
New Mexico	-	-		71	0.275	0.214 - 0.346	-	-	
New York	-	-		5,553	0.403	0.393 - 0.414	-	-	
North Carolina	-	-		3,653	0.342	0.331 - 0.353	-	-	
North Dakota	-	-		11	0.073	0.036 - 0.130	-	-	
Ohio	-	-		2,134	0.283	0.271 - 0.295	-	-	
Oklahoma	-	-		395	0.237	0.214 - 0.262	-	-	
Oregon	-	-		115	0.208	0.172 - 0.250	-	-	
Pennsylvania	-	-		1,932	0.273	0.261 - 0.286	-	-	
Rhode Island	-	-		71	0.199	0.155 - 0.251	-	-	
South Carolina	-	-		2,089	0.323	0.309 - 0.337	-	-	
South Dakota	-	-		17	0.129	0.075 - 0.206	-	-	
Tennessee	-	-		1,722	0.311	0.297 - 0.327	-	-	
Texas	-	-		4,293	0.253	0.246 - 0.261	-	-	
Utah	-	-		40	0.155	0.110 - 0.211	-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		377	0.196	0.177 - 0.217	-	-	
WA - Seattle	-	-		366	0.220	0.198 - 0.244	-	-	
West Virginia	-	-		126	0.323	0.269 - 0.384	-	-	
Wisconsin	-	-		495	0.249	0.227 - 0.272	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		570	0.003	0.003 - 0.003	-	-	
Alabama	-	-		11	0.002	0.001 - 0.003	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	-	-		43	0.004	0.003 - 0.005	-	-	
CA - Greater California	-	-		23	0.004	0.002 - 0.006	-	-	
CA - Greater Bay Area	-	-		11	0.005	0.002 - 0.009	-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		27	0.002	0.001 - 0.002	-	-	
Georgia	-	-		48	0.003	0.002 - 0.004	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		26	0.003	0.002 - 0.004	-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		24	0.003	0.002 - 0.005	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		20	0.002	0.001 - 0.004	-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		17	0.003	0.002 - 0.005	-	-	
Missouri	-	-		14	0.004	0.002 - 0.007	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		21	0.004	0.002 - 0.006	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		56	0.004	0.003 - 0.005	-	-	
North Carolina	-	-		34	0.003	0.002 - 0.004	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		20	0.003	0.002 - 0.004	-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		17	0.002	0.001 - 0.004	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		16	0.002	0.001 - 0.004	-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		15	0.003	0.002 - 0.004	-	-	
Texas	-	-		43	0.003	0.002 - 0.003	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,780	0.016	0.015 - 0.016	4,699	0.023	0.022 - 0.024	2,086	0.009	0.009 - 0.010
Alabama	213	0.016	0.014 - 0.018	134	0.022	0.018 - 0.026	79	0.011	0.009 - 0.014
Alaska	-	-	-	-	-	-	-	-	-
Arizona	42	0.012	0.009 - 0.016	27	0.015	0.010 - 0.022	15	0.009	0.005 - 0.015
Arkansas	74	0.015	0.012 - 0.019	48	0.021	0.015 - 0.028	26	0.010	0.007 - 0.015
California	441	0.018	0.016 - 0.020	325	0.027	0.024 - 0.030	116	0.009	0.008 - 0.011
CA - Greater California	200	0.017	0.015 - 0.020	151	0.026	0.022 - 0.030	49	0.009	0.007 - 0.012
CA - Greater Bay Area	79	0.018	0.014 - 0.022	62	0.028	0.021 - 0.036	17	0.008	0.004 - 0.012
CA - Los Angeles	162	0.019	0.016 - 0.022	112	0.028	0.023 - 0.034	50	0.011	0.008 - 0.015
Colorado	33	0.013	0.009 - 0.018	-	-	-	-	-	-
Connecticut	55	0.014	0.011 - 0.018	40	0.022	0.015 - 0.029	15	0.007	0.004 - 0.012
Delaware	50	0.023	0.017 - 0.030	34	0.033	0.023 - 0.046	16	0.014	0.008 - 0.022
Florida	397	0.012	0.011 - 0.013	277	0.017	0.015 - 0.019	120	0.007	0.006 - 0.008
Georgia	487	0.014	0.013 - 0.016	333	0.021	0.019 - 0.024	154	0.009	0.007 - 0.010
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	324	0.017	0.016 - 0.019	231	0.026	0.023 - 0.030	93	0.009	0.008 - 0.012
Iowa	14	0.010	0.006 - 0.017	-	-	-	-	-	-
Kansas	36	0.019	0.013 - 0.026	-	-	-	-	-	-
Kentucky	54	0.014	0.010 - 0.018	39	0.020	0.014 - 0.027	15	0.008	0.004 - 0.013
Louisiana	247	0.016	0.014 - 0.018	178	0.025	0.021 - 0.028	69	0.009	0.007 - 0.011
Maine	-	-	-	-	-	-	-	-	-
Maryland	281	0.015	0.013 - 0.017	185	0.021	0.018 - 0.025	96	0.010	0.008 - 0.012
MI - Detroit	207	0.021	0.018 - 0.024	139	0.031	0.026 - 0.036	69	0.013	0.010 - 0.016
Minnesota	40	0.010	0.007 - 0.014	29	0.014	0.009 - 0.020	11	0.006	0.003 - 0.010
Mississippi	172	0.015	0.013 - 0.018	129	0.024	0.020 - 0.029	43	0.007	0.005 - 0.010
Missouri	127	0.017	0.014 - 0.020	89	0.025	0.020 - 0.031	38	0.010	0.007 - 0.013
Montana	-	-	-	-	-	-	-	-	-
Nebraska	19	0.018	0.011 - 0.028	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	227	0.019	0.017 - 0.022	152	0.027	0.023 - 0.032	75	0.012	0.009 - 0.015
New Mexico	-	-	-	-	-	-	-	-	-
New York	556	0.019	0.017 - 0.020	387	0.028	0.025 - 0.031	169	0.011	0.009 - 0.012
North Carolina	459	0.020	0.018 - 0.022	299	0.028	0.025 - 0.031	160	0.013	0.011 - 0.015
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	290	0.018	0.016 - 0.021	203	0.027	0.023 - 0.031	87	0.011	0.009 - 0.013
Oklahoma	49	0.015	0.011 - 0.019	35	0.021	0.015 - 0.029	14	0.008	0.005 - 0.014
Oregon	12	0.012	0.006 - 0.020	-	-	-	-	-	-
Pennsylvania	270	0.018	0.016 - 0.021	184	0.026	0.022 - 0.030	86	0.011	0.009 - 0.014
Rhode Island	13	0.018	0.010 - 0.031	-	-	-	-	-	-
South Carolina	204	0.015	0.013 - 0.017	125	0.019	0.016 - 0.023	79	0.011	0.008 - 0.013
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	174	0.015	0.013 - 0.017	122	0.022	0.018 - 0.026	52	0.008	0.006 - 0.011
Texas	425	0.012	0.011 - 0.013	303	0.018	0.016 - 0.020	122	0.007	0.006 - 0.008
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	44	0.012	0.009 - 0.016	31	0.016	0.011 - 0.023	13	0.008	0.004 - 0.013
WA - Seattle	45	0.014	0.010 - 0.019	32	0.019	0.013 - 0.027	13	0.009	0.005 - 0.015
West Virginia	15	0.021	0.012 - 0.034	-	-	-	-	-	-
Wisconsin	68	0.017	0.013 - 0.021	51	0.026	0.019 - 0.034	17	0.008	0.005 - 0.013
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,914	0.030	0.030 - 0.031	7,682	0.038	0.037 - 0.038	5,237	0.024	0.023 - 0.024
Alabama	430	0.033	0.030 - 0.036	248	0.040	0.036 - 0.046	182	0.026	0.022 - 0.030
Alaska	-	-	-	-	-	-	-	-	-
Arizona	81	0.023	0.019 - 0.029	63	0.035	0.027 - 0.045	18	0.011	0.006 - 0.017
Arkansas	164	0.034	0.029 - 0.040	82	0.036	0.029 - 0.045	82	0.033	0.026 - 0.040
California	758	0.031	0.029 - 0.033	473	0.039	0.036 - 0.043	284	0.023	0.021 - 0.026
CA - Greater California	332	0.029	0.026 - 0.032	208	0.035	0.031 - 0.040	124	0.022	0.019 - 0.027
CA - Greater Bay Area	162	0.036	0.031 - 0.042	100	0.045	0.037 - 0.055	62	0.028	0.021 - 0.035
CA - Los Angeles	265	0.031	0.028 - 0.035	167	0.041	0.035 - 0.048	99	0.022	0.018 - 0.027
Colorado	58	0.022	0.017 - 0.029	37	0.027	0.019 - 0.037	21	0.017	0.011 - 0.026
Connecticut	111	0.029	0.024 - 0.035	74	0.040	0.032 - 0.051	37	0.018	0.013 - 0.025
Delaware	77	0.035	0.028 - 0.044	49	0.047	0.035 - 0.063	28	0.024	0.016 - 0.035
Florida	728	0.022	0.020 - 0.023	423	0.026	0.024 - 0.029	305	0.017	0.015 - 0.019
Georgia	935	0.028	0.026 - 0.030	540	0.034	0.032 - 0.037	394	0.022	0.020 - 0.024
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	640	0.034	0.032 - 0.037	366	0.042	0.038 - 0.046	274	0.028	0.025 - 0.031
Iowa	31	0.022	0.015 - 0.032	18	0.025	0.015 - 0.039	13	0.020	0.011 - 0.034
Kansas	53	0.028	0.021 - 0.036	32	0.032	0.022 - 0.046	21	0.023	0.014 - 0.035
Kentucky	147	0.038	0.032 - 0.044	75	0.039	0.030 - 0.048	72	0.037	0.029 - 0.046
Louisiana	500	0.033	0.030 - 0.036	290	0.040	0.035 - 0.045	210	0.026	0.023 - 0.030
Maine	-	-	-	-	-	-	-	-	-
Maryland	565	0.031	0.028 - 0.033	329	0.038	0.034 - 0.042	236	0.024	0.021 - 0.027
MI - Detroit	333	0.034	0.030 - 0.038	187	0.042	0.036 - 0.048	146	0.028	0.023 - 0.032
Minnesota	72	0.018	0.014 - 0.023	51	0.025	0.019 - 0.033	21	0.011	0.007 - 0.016
Mississippi	428	0.038	0.034 - 0.042	233	0.044	0.038 - 0.050	195	0.033	0.028 - 0.037
Missouri	249	0.033	0.029 - 0.037	144	0.040	0.034 - 0.047	105	0.027	0.022 - 0.032
Montana	-	-	-	-	-	-	-	-	-
Nebraska	42	0.040	0.029 - 0.054	27	0.050	0.033 - 0.073	15	0.029	0.016 - 0.048
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	353	0.030	0.027 - 0.033	225	0.040	0.035 - 0.046	128	0.020	0.017 - 0.024
New Mexico	12	0.026	0.013 - 0.046	-	-	-	-	-	-
New York	885	0.030	0.028 - 0.032	560	0.041	0.037 - 0.044	325	0.021	0.018 - 0.023
North Carolina	807	0.035	0.033 - 0.038	474	0.044	0.040 - 0.049	333	0.027	0.025 - 0.031
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	473	0.030	0.027 - 0.033	292	0.039	0.034 - 0.043	181	0.022	0.019 - 0.026
Oklahoma	77	0.023	0.018 - 0.029	50	0.030	0.022 - 0.040	27	0.016	0.011 - 0.024
Oregon	29	0.028	0.019 - 0.040	-	-	-	-	-	-
Pennsylvania	516	0.035	0.032 - 0.038	305	0.043	0.038 - 0.048	211	0.028	0.024 - 0.032
Rhode Island	10	0.014	0.007 - 0.026	-	-	-	-	-	-
South Carolina	455	0.033	0.030 - 0.036	272	0.042	0.037 - 0.047	183	0.025	0.021 - 0.029
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	420	0.036	0.033 - 0.040	248	0.045	0.039 - 0.051	172	0.028	0.024 - 0.032
Texas	998	0.028	0.027 - 0.030	582	0.034	0.032 - 0.037	416	0.023	0.021 - 0.025
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	92	0.026	0.021 - 0.031	59	0.031	0.023 - 0.040	33	0.020	0.014 - 0.028
WA - Seattle	92	0.029	0.024 - 0.036	61	0.037	0.028 - 0.047	31	0.021	0.014 - 0.030
West Virginia	18	0.025	0.015 - 0.039	-	-	-	-	-	-
Wisconsin	135	0.033	0.028 - 0.040	80	0.040	0.032 - 0.050	55	0.027	0.020 - 0.035
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,154	0.005	0.005 - 0.005	1,154	0.006	0.005 - 0.006	1,000	0.004	0.004 - 0.005
Alabama	65	0.005	0.004 - 0.006	37	0.006	0.004 - 0.008	28	0.004	0.003 - 0.006
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	22	0.005	0.003 - 0.007	-	-	-	-	-	-
California	126	0.005	0.004 - 0.006	77	0.006	0.005 - 0.008	49	0.004	0.003 - 0.005
CA - Greater California	62	0.005	0.004 - 0.007	37	0.006	0.004 - 0.009	25	0.004	0.003 - 0.007
CA - Greater Bay Area	20	0.004	0.003 - 0.007	-	-	-	-	-	-
CA - Los Angeles	44	0.005	0.004 - 0.007	27	0.007	0.004 - 0.010	17	0.004	0.002 - 0.006
Colorado	14	0.005	0.003 - 0.009	-	-	-	-	-	-
Connecticut	26	0.007	0.004 - 0.010	13	0.007	0.004 - 0.012	13	0.006	0.003 - 0.011
Delaware	18	0.008	0.005 - 0.013	-	-	-	-	-	-
Florida	166	0.005	0.004 - 0.006	86	0.005	0.004 - 0.007	80	0.005	0.004 - 0.006
Georgia	171	0.005	0.004 - 0.006	85	0.005	0.004 - 0.007	86	0.005	0.004 - 0.006
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	106	0.006	0.005 - 0.007	57	0.007	0.005 - 0.008	49	0.005	0.004 - 0.007
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	26	0.007	0.004 - 0.010	11	0.006	0.003 - 0.010	15	0.008	0.004 - 0.013
Louisiana	63	0.004	0.003 - 0.005	39	0.005	0.004 - 0.007	24	0.003	0.002 - 0.004
Maine	-	-	-	-	-	-	-	-	-
Maryland	84	0.005	0.004 - 0.006	45	0.005	0.004 - 0.007	39	0.004	0.003 - 0.005
MI - Detroit	54	0.006	0.004 - 0.007	29	0.006	0.004 - 0.009	25	0.005	0.003 - 0.007
Minnesota	17	0.004	0.002 - 0.007	-	-	-	-	-	-
Mississippi	58	0.005	0.004 - 0.007	32	0.006	0.004 - 0.008	26	0.004	0.003 - 0.006
Missouri	33	0.004	0.003 - 0.006	19	0.005	0.003 - 0.008	14	0.004	0.002 - 0.006
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	77	0.006	0.005 - 0.008	39	0.007	0.005 - 0.009	38	0.006	0.004 - 0.008
New Mexico	-	-	-	-	-	-	-	-	-
New York	153	0.005	0.004 - 0.006	77	0.006	0.004 - 0.007	76	0.005	0.004 - 0.006
North Carolina	125	0.005	0.005 - 0.007	66	0.006	0.005 - 0.008	59	0.005	0.004 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	84	0.005	0.004 - 0.007	39	0.005	0.004 - 0.007	45	0.006	0.004 - 0.007
Oklahoma	16	0.005	0.003 - 0.008	-	-	-	-	-	-
Oregon	10	0.010	0.005 - 0.018	-	-	-	-	-	-
Pennsylvania	78	0.005	0.004 - 0.007	50	0.007	0.005 - 0.009	28	0.004	0.002 - 0.005
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	53	0.004	0.003 - 0.005	26	0.004	0.003 - 0.006	27	0.004	0.002 - 0.005
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	57	0.005	0.004 - 0.006	29	0.005	0.004 - 0.008	28	0.005	0.003 - 0.007
Texas	169	0.005	0.004 - 0.006	89	0.005	0.004 - 0.006	80	0.004	0.004 - 0.006
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	17	0.005	0.003 - 0.008	-	-	-	-	-	-
WA - Seattle	16	0.005	0.003 - 0.008	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	18	0.004	0.003 - 0.007	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,726	0.016	0.015 - 0.016	1,266	0.006	0.006 - 0.007	5,455	0.025	0.024 - 0.025
Alabama	168	0.013	0.011 - 0.015	32	0.005	0.004 - 0.007	136	0.019	0.016 - 0.023
Alaska	-	-	-	-	-	-	-	-	-
Arizona	47	0.014	0.010 - 0.018	12	0.007	0.003 - 0.012	35	0.021	0.015 - 0.029
Arkansas	69	0.014	0.011 - 0.018	18	0.008	0.005 - 0.012	51	0.020	0.015 - 0.027
California	303	0.012	0.011 - 0.014	70	0.006	0.004 - 0.007	233	0.019	0.017 - 0.022
CA - Greater California	129	0.011	0.009 - 0.013	29	0.005	0.003 - 0.007	100	0.018	0.015 - 0.022
CA - Greater Bay Area	48	0.011	0.008 - 0.014	12	0.005	0.003 - 0.009	36	0.016	0.011 - 0.022
CA - Los Angeles	126	0.015	0.012 - 0.018	29	0.007	0.005 - 0.010	97	0.022	0.018 - 0.026
Colorado	38	0.015	0.010 - 0.020	12	0.009	0.004 - 0.015	26	0.021	0.014 - 0.031
Connecticut	78	0.020	0.016 - 0.025	15	0.008	0.005 - 0.013	63	0.031	0.024 - 0.040
Delaware	48	0.022	0.016 - 0.029	-	-	-	-	-	-
Florida	465	0.014	0.013 - 0.015	66	0.004	0.003 - 0.005	399	0.023	0.021 - 0.025
Georgia	505	0.015	0.014 - 0.016	91	0.006	0.005 - 0.007	414	0.023	0.021 - 0.025
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	313	0.017	0.015 - 0.019	60	0.007	0.005 - 0.009	253	0.026	0.023 - 0.029
Iowa	16	0.012	0.007 - 0.019	-	-	-	-	-	-
Kansas	30	0.016	0.011 - 0.022	10	0.010	0.005 - 0.019	20	0.022	0.013 - 0.033
Kentucky	83	0.021	0.017 - 0.026	10	0.005	0.002 - 0.009	73	0.037	0.029 - 0.047
Louisiana	266	0.017	0.015 - 0.020	55	0.008	0.006 - 0.010	211	0.026	0.023 - 0.030
Maine	-	-	-	-	-	-	-	-	-
Maryland	327	0.018	0.016 - 0.020	69	0.008	0.006 - 0.010	258	0.026	0.023 - 0.030
MI - Detroit	184	0.019	0.016 - 0.022	37	0.008	0.006 - 0.011	147	0.028	0.023 - 0.033
Minnesota	55	0.014	0.010 - 0.018	16	0.008	0.004 - 0.013	39	0.020	0.014 - 0.027
Mississippi	152	0.013	0.011 - 0.016	29	0.005	0.004 - 0.008	123	0.021	0.017 - 0.024
Missouri	96	0.013	0.010 - 0.016	12	0.003	0.002 - 0.006	84	0.021	0.017 - 0.026
Montana	-	-	-	-	-	-	-	-	-
Nebraska	16	0.015	0.009 - 0.025	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	247	0.021	0.018 - 0.023	38	0.007	0.005 - 0.009	209	0.033	0.029 - 0.038
New Mexico	-	-	-	-	-	-	-	-	-
New York	584	0.020	0.018 - 0.021	103	0.007	0.006 - 0.009	482	0.031	0.028 - 0.033
North Carolina	380	0.017	0.015 - 0.018	56	0.005	0.004 - 0.007	324	0.027	0.024 - 0.030
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	329	0.021	0.019 - 0.023	56	0.007	0.006 - 0.010	273	0.033	0.030 - 0.038
Oklahoma	43	0.013	0.009 - 0.017	10	0.006	0.003 - 0.011	33	0.020	0.014 - 0.028
Oregon	17	0.016	0.010 - 0.026	-	-	-	-	-	-
Pennsylvania	277	0.019	0.017 - 0.021	51	0.007	0.005 - 0.009	226	0.030	0.026 - 0.034
Rhode Island	11	0.015	0.008 - 0.027	-	-	-	-	-	-
South Carolina	218	0.016	0.014 - 0.018	41	0.006	0.005 - 0.009	177	0.024	0.021 - 0.028
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	146	0.012	0.011 - 0.015	19	0.003	0.002 - 0.005	127	0.021	0.017 - 0.025
Texas	426	0.012	0.011 - 0.013	92	0.005	0.004 - 0.007	334	0.018	0.017 - 0.021
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	54	0.015	0.011 - 0.020	14	0.007	0.004 - 0.012	40	0.024	0.017 - 0.033
WA - Seattle	53	0.017	0.013 - 0.022	14	0.008	0.005 - 0.014	39	0.027	0.019 - 0.036
West Virginia	10	0.014	0.007 - 0.025	-	-	-	-	-	-
Wisconsin	67	0.017	0.013 - 0.021	16	0.008	0.005 - 0.013	51	0.025	0.019 - 0.033
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,093	0.005	0.005 - 0.005	1,095	0.005	0.005 - 0.006	998	0.004	0.004 - 0.005
Alabama	70	0.005	0.004 - 0.007	36	0.006	0.004 - 0.008	34	0.005	0.003 - 0.007
Alaska	-	-	-	-	-	-	-	-	-
Arizona	21	0.006	0.004 - 0.009	-	-	-	-	-	-
Arkansas	20	0.004	0.003 - 0.006	10	0.004	0.002 - 0.008	10	0.004	0.002 - 0.007
California	108	0.004	0.004 - 0.005	53	0.004	0.003 - 0.006	55	0.004	0.003 - 0.006
CA - Greater California	50	0.004	0.003 - 0.006	25	0.004	0.003 - 0.006	25	0.004	0.003 - 0.007
CA - Greater Bay Area	14	0.003	0.002 - 0.005	-	-	-	-	-	-
CA - Los Angeles	44	0.005	0.004 - 0.007	22	0.005	0.003 - 0.008	22	0.005	0.003 - 0.007
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	18	0.005	0.003 - 0.007	-	-	-	-	-	-
Delaware	11	0.005	0.003 - 0.009	-	-	-	-	-	-
Florida	166	0.005	0.004 - 0.006	75	0.005	0.004 - 0.006	91	0.005	0.004 - 0.006
Georgia	158	0.005	0.004 - 0.005	77	0.005	0.004 - 0.006	81	0.005	0.004 - 0.006
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	98	0.005	0.004 - 0.006	56	0.006	0.005 - 0.008	42	0.004	0.003 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	16	0.004	0.002 - 0.007	-	-	-	-	-	-
Louisiana	74	0.005	0.004 - 0.006	36	0.005	0.003 - 0.007	38	0.005	0.003 - 0.006
Maine	-	-	-	-	-	-	-	-	-
Maryland	93	0.005	0.004 - 0.006	44	0.005	0.004 - 0.007	49	0.005	0.004 - 0.007
MI - Detroit	42	0.004	0.003 - 0.006	27	0.006	0.004 - 0.009	15	0.003	0.002 - 0.005
Minnesota	12	0.003	0.002 - 0.005	-	-	-	-	-	-
Mississippi	47	0.004	0.003 - 0.006	24	0.005	0.003 - 0.007	23	0.004	0.002 - 0.006
Missouri	44	0.006	0.004 - 0.008	22	0.006	0.004 - 0.009	22	0.006	0.004 - 0.008
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	65	0.005	0.004 - 0.007	30	0.005	0.004 - 0.008	35	0.006	0.004 - 0.008
New Mexico	-	-	-	-	-	-	-	-	-
New York	160	0.005	0.005 - 0.006	72	0.005	0.004 - 0.007	88	0.006	0.004 - 0.007
North Carolina	125	0.005	0.005 - 0.007	76	0.007	0.006 - 0.009	49	0.004	0.003 - 0.005
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	69	0.004	0.003 - 0.006	34	0.005	0.003 - 0.006	35	0.004	0.003 - 0.006
Oklahoma	10	0.003	0.001 - 0.006	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	84	0.006	0.005 - 0.007	56	0.008	0.006 - 0.010	28	0.004	0.002 - 0.005
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	79	0.006	0.005 - 0.007	41	0.006	0.005 - 0.009	38	0.005	0.004 - 0.007
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	47	0.004	0.003 - 0.005	27	0.005	0.003 - 0.007	20	0.003	0.002 - 0.005
Texas	170	0.005	0.004 - 0.006	85	0.005	0.004 - 0.006	85	0.005	0.004 - 0.006
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	19	0.005	0.003 - 0.008	-	-	-	-	-	-
WA - Seattle	17	0.005	0.003 - 0.009	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	28	0.007	0.005 - 0.010	18	0.009	0.005 - 0.014	10	0.005	0.002 - 0.009
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	9,167	0.021	0.021 - 0.022	4,718	0.023	0.022 - 0.024	4,450	0.020	0.019 - 0.021
Alabama	224	0.017	0.015 - 0.019	119	0.019	0.016 - 0.023	105	0.015	0.012 - 0.018
Alaska	-	-	-	-	-	-	-	-	-
Arizona	55	0.016	0.012 - 0.021	38	0.021	0.015 - 0.029	17	0.010	0.006 - 0.016
Arkansas	109	0.023	0.019 - 0.027	60	0.026	0.020 - 0.034	49	0.019	0.014 - 0.026
California	537	0.022	0.020 - 0.024	284	0.023	0.021 - 0.026	254	0.021	0.018 - 0.023
CA - Greater California	207	0.018	0.016 - 0.021	108	0.018	0.015 - 0.022	99	0.018	0.015 - 0.022
CA - Greater Bay Area	123	0.028	0.023 - 0.033	66	0.030	0.023 - 0.038	57	0.025	0.019 - 0.033
CA - Los Angeles	207	0.024	0.021 - 0.028	110	0.027	0.022 - 0.033	97	0.022	0.018 - 0.027
Colorado	56	0.021	0.016 - 0.028	33	0.024	0.016 - 0.033	23	0.019	0.012 - 0.028
Connecticut	86	0.022	0.018 - 0.028	41	0.022	0.016 - 0.030	46	0.023	0.017 - 0.030
Delaware	49	0.022	0.017 - 0.030	19	0.018	0.011 - 0.029	30	0.026	0.017 - 0.037
Florida	708	0.021	0.019 - 0.023	369	0.023	0.020 - 0.025	339	0.019	0.017 - 0.021
Georgia	725	0.022	0.020 - 0.023	388	0.025	0.022 - 0.027	337	0.019	0.017 - 0.021
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	409	0.022	0.020 - 0.024	201	0.023	0.020 - 0.026	208	0.021	0.018 - 0.024
Iowa	21	0.015	0.009 - 0.023	-	-	-	-	-	-
Kansas	41	0.021	0.015 - 0.029	19	0.019	0.012 - 0.030	22	0.024	0.015 - 0.036
Kentucky	62	0.016	0.012 - 0.020	33	0.017	0.012 - 0.024	29	0.015	0.010 - 0.021
Louisiana	327	0.021	0.019 - 0.024	169	0.023	0.020 - 0.027	158	0.020	0.017 - 0.023
Maine	-	-	-	-	-	-	-	-	-
Maryland	444	0.024	0.022 - 0.026	206	0.024	0.021 - 0.027	238	0.024	0.021 - 0.027
MI - Detroit	275	0.028	0.025 - 0.032	133	0.029	0.025 - 0.035	143	0.027	0.023 - 0.032
Minnesota	58	0.014	0.011 - 0.019	39	0.019	0.014 - 0.026	19	0.010	0.006 - 0.015
Mississippi	218	0.019	0.017 - 0.022	108	0.020	0.017 - 0.025	110	0.018	0.015 - 0.022
Missouri	179	0.024	0.020 - 0.028	83	0.023	0.018 - 0.029	96	0.024	0.020 - 0.030
Montana	-	-	-	-	-	-	-	-	-
Nebraska	20	0.019	0.012 - 0.029	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	260	0.022	0.019 - 0.025	139	0.025	0.021 - 0.029	122	0.019	0.016 - 0.023
New Mexico	-	-	-	-	-	-	-	-	-
New York	787	0.027	0.025 - 0.029	373	0.027	0.024 - 0.030	414	0.026	0.024 - 0.029
North Carolina	543	0.024	0.022 - 0.026	281	0.026	0.023 - 0.030	262	0.022	0.019 - 0.024
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	304	0.019	0.017 - 0.022	164	0.022	0.019 - 0.025	140	0.017	0.014 - 0.020
Oklahoma	58	0.017	0.013 - 0.023	31	0.019	0.013 - 0.026	27	0.016	0.011 - 0.024
Oregon	19	0.018	0.011 - 0.029	-	-	-	-	-	-
Pennsylvania	329	0.022	0.020 - 0.025	172	0.024	0.021 - 0.028	157	0.021	0.018 - 0.024
Rhode Island	10	0.014	0.007 - 0.026	-	-	-	-	-	-
South Carolina	262	0.019	0.017 - 0.021	137	0.021	0.018 - 0.025	125	0.017	0.014 - 0.020
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	227	0.019	0.017 - 0.022	114	0.021	0.017 - 0.025	113	0.018	0.015 - 0.022
Texas	694	0.020	0.018 - 0.021	361	0.021	0.019 - 0.024	333	0.018	0.016 - 0.020
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	68	0.019	0.015 - 0.024	37	0.019	0.014 - 0.026	31	0.019	0.013 - 0.026
WA - Seattle	64	0.020	0.016 - 0.026	36	0.022	0.015 - 0.030	28	0.019	0.013 - 0.028
West Virginia	19	0.026	0.016 - 0.041	-	-	-	-	-	-
Wisconsin	81	0.020	0.016 - 0.025	43	0.022	0.016 - 0.029	38	0.019	0.013 - 0.025
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,972	0.021	0.021 - 0.021	4,318	0.021	0.020 - 0.022	4,656	0.021	0.020 - 0.022
Alabama	266	0.020	0.018 - 0.023	119	0.019	0.016 - 0.023	147	0.021	0.018 - 0.024
Alaska	-	-	-	-	-	-	-	-	-
Arizona	44	0.013	0.009 - 0.017	21	0.012	0.007 - 0.018	23	0.014	0.009 - 0.021
Arkansas	77	0.016	0.013 - 0.020	34	0.015	0.010 - 0.021	43	0.017	0.012 - 0.023
California	512	0.021	0.019 - 0.023	264	0.022	0.019 - 0.025	248	0.020	0.018 - 0.023
CA - Greater California	221	0.019	0.017 - 0.022	114	0.019	0.016 - 0.023	107	0.019	0.016 - 0.023
CA - Greater Bay Area	113	0.025	0.021 - 0.030	69	0.031	0.024 - 0.039	44	0.020	0.014 - 0.026
CA - Los Angeles	178	0.021	0.018 - 0.024	81	0.020	0.016 - 0.025	97	0.022	0.018 - 0.026
Colorado	51	0.019	0.015 - 0.026	28	0.020	0.013 - 0.029	23	0.019	0.012 - 0.028
Connecticut	104	0.027	0.022 - 0.033	55	0.030	0.023 - 0.039	49	0.024	0.018 - 0.032
Delaware	45	0.021	0.015 - 0.027	20	0.019	0.012 - 0.030	25	0.022	0.014 - 0.032
Florida	722	0.021	0.020 - 0.023	341	0.021	0.019 - 0.023	381	0.022	0.020 - 0.024
Georgia	703	0.021	0.019 - 0.023	328	0.021	0.019 - 0.023	376	0.021	0.019 - 0.023
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	375	0.020	0.018 - 0.022	169	0.019	0.016 - 0.022	206	0.021	0.018 - 0.024
Iowa	18	0.013	0.008 - 0.021	-	-	-	-	-	-
Kansas	35	0.018	0.013 - 0.025	16	0.016	0.009 - 0.026	19	0.020	0.012 - 0.032
Kentucky	72	0.018	0.014 - 0.023	40	0.021	0.015 - 0.028	32	0.016	0.011 - 0.023
Louisiana	300	0.020	0.017 - 0.022	148	0.020	0.017 - 0.024	152	0.019	0.016 - 0.022
Maine	-	-	-	-	-	-	-	-	-
Maryland	410	0.022	0.020 - 0.024	186	0.022	0.019 - 0.025	224	0.023	0.020 - 0.026
MI - Detroit	227	0.023	0.020 - 0.026	101	0.022	0.018 - 0.027	126	0.024	0.020 - 0.028
Minnesota	39	0.010	0.007 - 0.013	26	0.013	0.008 - 0.019	13	0.007	0.004 - 0.011
Mississippi	221	0.020	0.017 - 0.022	103	0.019	0.016 - 0.023	118	0.020	0.016 - 0.024
Missouri	146	0.019	0.016 - 0.023	66	0.018	0.014 - 0.023	80	0.020	0.016 - 0.025
Montana	-	-	-	-	-	-	-	-	-
Nebraska	17	0.016	0.009 - 0.026	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	307	0.026	0.023 - 0.029	146	0.026	0.022 - 0.030	161	0.026	0.022 - 0.030
New Mexico	-	-	-	-	-	-	-	-	-
New York	789	0.027	0.025 - 0.029	368	0.027	0.024 - 0.030	422	0.027	0.024 - 0.029
North Carolina	593	0.026	0.024 - 0.028	300	0.028	0.025 - 0.031	293	0.024	0.021 - 0.027
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	286	0.018	0.016 - 0.020	154	0.020	0.017 - 0.024	132	0.016	0.014 - 0.019
Oklahoma	48	0.014	0.011 - 0.019	23	0.014	0.009 - 0.021	25	0.015	0.010 - 0.022
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	310	0.021	0.019 - 0.024	139	0.020	0.017 - 0.023	171	0.022	0.019 - 0.026
Rhode Island	17	0.024	0.014 - 0.038	-	-	-	-	-	-
South Carolina	329	0.024	0.021 - 0.027	175	0.027	0.023 - 0.031	154	0.021	0.018 - 0.024
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	211	0.018	0.016 - 0.021	95	0.017	0.014 - 0.021	116	0.019	0.016 - 0.023
Texas	662	0.019	0.017 - 0.020	310	0.018	0.016 - 0.020	352	0.019	0.017 - 0.022
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	60	0.017	0.013 - 0.021	39	0.020	0.014 - 0.028	21	0.013	0.008 - 0.019
WA - Seattle	52	0.017	0.012 - 0.022	32	0.019	0.013 - 0.027	20	0.014	0.008 - 0.021
West Virginia	13	0.018	0.010 - 0.031	-	-	-	-	-	-
Wisconsin	80	0.020	0.016 - 0.025	33	0.017	0.011 - 0.023	47	0.023	0.017 - 0.030
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,169	0.014	0.014 - 0.015	3,326	0.016	0.016 - 0.017	2,845	0.013	0.012 - 0.013
Alabama	169	0.013	0.011 - 0.015	93	0.015	0.012 - 0.019	76	0.011	0.008 - 0.013
Alaska	-	-	-	-	-	-	-	-	-
Arizona	33	0.009	0.007 - 0.013	17	0.009	0.006 - 0.015	16	0.010	0.005 - 0.015
Arkansas	87	0.018	0.015 - 0.022	45	0.020	0.014 - 0.026	42	0.017	0.012 - 0.023
California	341	0.014	0.013 - 0.016	200	0.016	0.014 - 0.019	141	0.012	0.010 - 0.014
CA - Greater California	140	0.012	0.010 - 0.014	86	0.015	0.012 - 0.018	54	0.010	0.007 - 0.013
CA - Greater Bay Area	70	0.016	0.012 - 0.020	41	0.018	0.013 - 0.025	29	0.013	0.009 - 0.019
CA - Los Angeles	131	0.015	0.013 - 0.018	73	0.018	0.014 - 0.023	58	0.013	0.010 - 0.017
Colorado	34	0.013	0.009 - 0.018	20	0.014	0.009 - 0.022	14	0.011	0.006 - 0.019
Connecticut	63	0.016	0.012 - 0.021	36	0.019	0.014 - 0.027	27	0.013	0.009 - 0.019
Delaware	30	0.014	0.009 - 0.020	15	0.014	0.008 - 0.024	15	0.013	0.007 - 0.021
Florida	537	0.016	0.015 - 0.017	279	0.017	0.015 - 0.019	258	0.015	0.013 - 0.017
Georgia	509	0.015	0.014 - 0.016	284	0.018	0.016 - 0.020	225	0.013	0.011 - 0.014
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	276	0.015	0.013 - 0.017	147	0.017	0.014 - 0.020	129	0.013	0.011 - 0.016
Iowa	18	0.013	0.008 - 0.021	-	-	-	-	-	-
Kansas	35	0.018	0.013 - 0.025	19	0.019	0.012 - 0.030	16	0.017	0.010 - 0.028
Kentucky	69	0.018	0.014 - 0.022	33	0.017	0.012 - 0.024	36	0.018	0.013 - 0.025
Louisiana	217	0.014	0.012 - 0.016	123	0.017	0.014 - 0.020	94	0.012	0.009 - 0.014
Maine	-	-	-	-	-	-	-	-	-
Maryland	253	0.014	0.012 - 0.015	123	0.014	0.012 - 0.017	130	0.013	0.011 - 0.016
MI - Detroit	171	0.017	0.015 - 0.020	87	0.019	0.015 - 0.024	84	0.016	0.013 - 0.020
Minnesota	43	0.011	0.008 - 0.014	23	0.011	0.007 - 0.017	20	0.010	0.006 - 0.016
Mississippi	147	0.013	0.011 - 0.015	76	0.014	0.011 - 0.018	71	0.012	0.009 - 0.015
Missouri	113	0.015	0.012 - 0.018	61	0.017	0.013 - 0.022	52	0.013	0.010 - 0.017
Montana	-	-	-	-	-	-	-	-	-
Nebraska	14	0.013	0.007 - 0.022	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	176	0.015	0.013 - 0.017	102	0.018	0.015 - 0.022	75	0.012	0.009 - 0.015
New Mexico	-	-	-	-	-	-	-	-	-
New York	486	0.016	0.015 - 0.018	231	0.017	0.015 - 0.019	255	0.016	0.014 - 0.018
North Carolina	369	0.016	0.015 - 0.018	207	0.019	0.017 - 0.022	162	0.013	0.011 - 0.016
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	181	0.012	0.010 - 0.013	96	0.013	0.010 - 0.016	85	0.010	0.008 - 0.013
Oklahoma	53	0.016	0.012 - 0.021	36	0.022	0.015 - 0.030	17	0.010	0.006 - 0.016
Oregon	12	0.012	0.006 - 0.020	-	-	-	-	-	-
Pennsylvania	199	0.014	0.012 - 0.016	112	0.016	0.013 - 0.019	87	0.011	0.009 - 0.014
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	172	0.012	0.011 - 0.014	81	0.013	0.010 - 0.016	91	0.012	0.010 - 0.015
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	143	0.012	0.010 - 0.014	80	0.014	0.011 - 0.018	63	0.010	0.008 - 0.013
Texas	479	0.014	0.012 - 0.015	262	0.015	0.014 - 0.017	217	0.012	0.010 - 0.014
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	51	0.014	0.011 - 0.019	27	0.014	0.009 - 0.020	24	0.014	0.009 - 0.021
WA - Seattle	52	0.017	0.012 - 0.022	28	0.017	0.011 - 0.024	24	0.016	0.010 - 0.024
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	69	0.017	0.013 - 0.022	39	0.020	0.014 - 0.027	30	0.015	0.010 - 0.021
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Non-Hispanic Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	142	0.000	0.000 - 0.000	102	0.000	0.000 - 0.001	41	0.000	0.000 - 0.000
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	12	0.000	0.000 - 0.001	-	-		-	-	
CA - Greater California	-	-		-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		-	-	
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	16	0.001	0.001 - 0.002	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	13	0.000	0.000 - 0.001	-	-		-	-	
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	10	0.001	0.000 - 0.001	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	17	0.000	0.000 - 0.001	-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	226,227	0.386	0.384 - 0.387	101,745	0.344	0.342 - 0.346	124,474	0.429	0.426 - 0.431
Alabama	423	0.198	0.179 - 0.218	209	0.184	0.160 - 0.211	214	0.213	0.185 - 0.244
Alaska	134	0.252	0.211 - 0.299	63	0.225	0.173 - 0.288	71	0.282	0.221 - 0.356
Arizona	7,309	0.327	0.320 - 0.335	3,177	0.283	0.273 - 0.293	4,132	0.372	0.361 - 0.384
Arkansas	579	0.253	0.233 - 0.274	272	0.227	0.201 - 0.256	307	0.281	0.251 - 0.315
California	56,958	0.370	0.367 - 0.373	25,066	0.323	0.319 - 0.327	31,893	0.416	0.412 - 0.421
CA - Greater California	30,605	0.355	0.351 - 0.359	13,582	0.313	0.307 - 0.318	17,023	0.399	0.393 - 0.405
CA - Greater Bay Area	7,438	0.391	0.382 - 0.400	3,332	0.345	0.333 - 0.357	4,105	0.438	0.424 - 0.451
CA - Los Angeles	18,923	0.386	0.381 - 0.392	8,155	0.334	0.327 - 0.341	10,768	0.439	0.431 - 0.447
Colorado	4,364	0.358	0.347 - 0.368	1,849	0.297	0.284 - 0.311	2,515	0.420	0.404 - 0.437
Connecticut	2,679	0.461	0.443 - 0.478	1,165	0.403	0.380 - 0.427	1,514	0.518	0.492 - 0.544
Delaware	333	0.371	0.332 - 0.413	150	0.328	0.278 - 0.385	183	0.415	0.357 - 0.480
Florida	31,323	0.574	0.568 - 0.581	14,343	0.533	0.524 - 0.541	16,980	0.615	0.606 - 0.625
Georgia	3,089	0.306	0.296 - 0.317	1,350	0.256	0.243 - 0.270	1,739	0.361	0.344 - 0.378
Hawaii	594	0.413	0.380 - 0.448	245	0.332	0.292 - 0.376	349	0.498	0.448 - 0.554
Idaho	592	0.270	0.249 - 0.293	274	0.243	0.215 - 0.274	318	0.300	0.268 - 0.334
Illinois	8,173	0.372	0.364 - 0.380	3,722	0.331	0.321 - 0.342	4,451	0.415	0.403 - 0.427
Iowa	449	0.234	0.213 - 0.257	229	0.230	0.201 - 0.262	220	0.240	0.209 - 0.273
Kansas	1,060	0.304	0.286 - 0.323	466	0.258	0.235 - 0.283	594	0.353	0.325 - 0.383
Kentucky	365	0.218	0.196 - 0.242	183	0.203	0.174 - 0.234	182	0.236	0.203 - 0.273
Louisiana	802	0.333	0.310 - 0.357	393	0.306	0.277 - 0.338	409	0.364	0.329 - 0.401
Maine	58	0.258	0.196 - 0.334	26	0.228	0.149 - 0.334	32	0.290	0.198 - 0.409
Maryland	1,658	0.269	0.256 - 0.282	727	0.228	0.211 - 0.245	931	0.313	0.294 - 0.334
MI - Detroit	747	0.413	0.383 - 0.443	360	0.394	0.354 - 0.436	387	0.432	0.390 - 0.477
Minnesota	682	0.224	0.208 - 0.242	337	0.213	0.191 - 0.237	345	0.236	0.212 - 0.262
Mississippi	185	0.190	0.164 - 0.220	94	0.174	0.140 - 0.212	91	0.212	0.170 - 0.260
Missouri	623	0.240	0.222 - 0.260	283	0.211	0.188 - 0.238	340	0.271	0.243 - 0.302
Montana	133	0.318	0.266 - 0.377	71	0.330	0.257 - 0.416	62	0.306	0.234 - 0.392
Nebraska	539	0.254	0.233 - 0.277	244	0.221	0.194 - 0.250	295	0.291	0.259 - 0.327
New Hampshire	148	0.288	0.243 - 0.338	73	0.276	0.216 - 0.347	75	0.301	0.237 - 0.377
New Jersey	8,924	0.492	0.482 - 0.503	4,173	0.460	0.446 - 0.474	4,751	0.525	0.510 - 0.540
New Mexico	4,853	0.474	0.461 - 0.487	2,124	0.418	0.400 - 0.436	2,729	0.529	0.509 - 0.549
New York	19,832	0.531	0.524 - 0.539	9,061	0.492	0.482 - 0.502	10,771	0.569	0.558 - 0.580
North Carolina	1,920	0.196	0.188 - 0.205	835	0.165	0.154 - 0.177	1,085	0.230	0.216 - 0.244
North Dakota	56	0.191	0.145 - 0.248	28	0.179	0.119 - 0.258	28	0.206	0.137 - 0.298
Ohio	1,139	0.252	0.238 - 0.267	556	0.240	0.221 - 0.261	583	0.265	0.244 - 0.287
Oklahoma	1,038	0.245	0.230 - 0.260	462	0.209	0.190 - 0.229	576	0.285	0.262 - 0.309
Oregon	1,546	0.283	0.269 - 0.298	663	0.235	0.217 - 0.253	883	0.335	0.313 - 0.358
Pennsylvania	3,419	0.358	0.347 - 0.371	1,504	0.310	0.294 - 0.326	1,915	0.409	0.391 - 0.428
Rhode Island	526	0.318	0.291 - 0.346	212	0.255	0.222 - 0.291	314	0.382	0.340 - 0.426
South Carolina	724	0.249	0.232 - 0.268	339	0.220	0.197 - 0.245	385	0.282	0.255 - 0.312
South Dakota	57	0.159	0.120 - 0.206	26	0.133	0.087 - 0.196	31	0.189	0.129 - 0.269
Tennessee	940	0.253	0.237 - 0.269	456	0.233	0.212 - 0.255	484	0.275	0.251 - 0.301
Texas	40,898	0.364	0.361 - 0.368	18,637	0.330	0.325 - 0.335	22,261	0.399	0.394 - 0.404
Utah	1,204	0.272	0.257 - 0.288	562	0.248	0.228 - 0.269	642	0.298	0.275 - 0.322
Vermont	29	0.235	0.158 - 0.338	10	0.159	0.076 - 0.292	19	0.315	0.190 - 0.492
Washington	2,580	0.270	0.260 - 0.281	1,125	0.228	0.215 - 0.242	1,455	0.315	0.299 - 0.332
WA - Seattle	1,631	0.316	0.301 - 0.332	708	0.264	0.245 - 0.284	924	0.372	0.349 - 0.397
West Virginia	94	0.315	0.254 - 0.385	46	0.286	0.210 - 0.382	48	0.348	0.257 - 0.461
Wisconsin	1,066	0.267	0.251 - 0.284	492	0.239	0.219 - 0.261	574	0.297	0.273 - 0.322
Wyoming	188	0.325	0.280 - 0.375	89	0.293	0.235 - 0.360	99	0.361	0.294 - 0.440

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,698	0.008	0.008 - 0.008	3,213	0.011	0.010 - 0.011	1,486	0.005	0.005 - 0.005
Alabama	12	0.006	0.003 - 0.010	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	120	0.005	0.004 - 0.006	74	0.007	0.005 - 0.008	46	0.004	0.003 - 0.006
Arkansas	-	-	-	-	-	-	-	-	-
California	1,052	0.007	0.006 - 0.007	710	0.009	0.008 - 0.010	342	0.004	0.004 - 0.005
CA - Greater California	575	0.007	0.006 - 0.007	380	0.009	0.008 - 0.010	194	0.005	0.004 - 0.005
CA - Greater Bay Area	141	0.007	0.006 - 0.009	97	0.010	0.008 - 0.012	45	0.005	0.003 - 0.006
CA - Los Angeles	336	0.007	0.006 - 0.008	233	0.010	0.008 - 0.011	102	0.004	0.003 - 0.005
Colorado	63	0.005	0.004 - 0.007	44	0.007	0.005 - 0.010	19	0.003	0.002 - 0.005
Connecticut	67	0.012	0.009 - 0.015	42	0.014	0.010 - 0.020	26	0.009	0.006 - 0.013
Delaware	-	-	-	-	-	-	-	-	-
Florida	819	0.015	0.014 - 0.016	589	0.022	0.020 - 0.024	230	0.008	0.007 - 0.009
Georgia	59	0.006	0.004 - 0.008	42	0.008	0.006 - 0.011	17	0.004	0.002 - 0.006
Hawaii	12	0.008	0.004 - 0.014	-	-	-	-	-	-
Idaho	10	0.005	0.002 - 0.008	-	-	-	-	-	-
Illinois	165	0.008	0.006 - 0.009	113	0.010	0.008 - 0.012	52	0.005	0.004 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kansas	19	0.005	0.003 - 0.009	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	28	0.012	0.008 - 0.017	18	0.014	0.008 - 0.022	10	0.009	0.004 - 0.016
Maine	-	-	-	-	-	-	-	-	-
Maryland	32	0.005	0.004 - 0.007	20	0.006	0.004 - 0.010	12	0.004	0.002 - 0.007
MI - Detroit	19	0.011	0.006 - 0.016	-	-	-	-	-	-
Minnesota	16	0.005	0.003 - 0.009	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	10	0.004	0.002 - 0.007	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	209	0.012	0.010 - 0.013	143	0.016	0.013 - 0.019	66	0.007	0.006 - 0.009
New Mexico	102	0.010	0.008 - 0.012	68	0.013	0.010 - 0.017	34	0.007	0.005 - 0.009
New York	436	0.012	0.011 - 0.013	301	0.016	0.015 - 0.018	136	0.007	0.006 - 0.008
North Carolina	42	0.004	0.003 - 0.006	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	24	0.005	0.003 - 0.008	-	-	-	-	-	-
Oklahoma	21	0.005	0.003 - 0.008	-	-	-	-	-	-
Oregon	28	0.005	0.003 - 0.007	-	-	-	-	-	-
Pennsylvania	78	0.008	0.006 - 0.010	52	0.011	0.008 - 0.014	26	0.006	0.004 - 0.008
Rhode Island	11	0.007	0.003 - 0.012	-	-	-	-	-	-
South Carolina	13	0.004	0.002 - 0.008	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	25	0.007	0.004 - 0.010	-	-	-	-	-	-
Texas	824	0.007	0.007 - 0.008	569	0.010	0.009 - 0.011	255	0.005	0.004 - 0.005
Utah	18	0.004	0.002 - 0.006	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	44	0.005	0.003 - 0.006	29	0.006	0.004 - 0.008	15	0.003	0.002 - 0.005
WA - Seattle	29	0.006	0.004 - 0.008	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	19	0.005	0.003 - 0.007	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,114	0.002	0.002 - 0.002	904	0.003	0.003 - 0.003	210	0.001	0.001 - 0.001
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	35	0.002	0.001 - 0.002	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	253	0.002	0.001 - 0.002	198	0.003	0.002 - 0.003	55	0.001	0.001 - 0.001
CA - Greater California	145	0.002	0.001 - 0.002	106	0.002	0.002 - 0.003	39	0.001	0.001 - 0.001
CA - Greater Bay Area	37	0.002	0.001 - 0.003	-	-		-	-	
CA - Los Angeles	72	0.001	0.001 - 0.002	-	-		-	-	
Colorado	30	0.002	0.002 - 0.004	-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	175	0.003	0.003 - 0.004	143	0.005	0.004 - 0.006	32	0.001	0.001 - 0.002
Georgia	15	0.002	0.001 - 0.002	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	44	0.002	0.001 - 0.003	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	35	0.002	0.001 - 0.003	24	0.003	0.002 - 0.004	11	0.001	0.001 - 0.002
New Mexico	36	0.003	0.002 - 0.005	-	-		-	-	
New York	89	0.002	0.002 - 0.003	72	0.004	0.003 - 0.005	17	0.001	0.001 - 0.001
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	25	0.003	0.002 - 0.004	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	191	0.002	0.001 - 0.002	160	0.003	0.002 - 0.003	31	0.001	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	15	0.002	0.001 - 0.003	-	-		-	-	
WA - Seattle	11	0.002	0.001 - 0.004	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,539	0.008	0.008 - 0.008	2,452	0.008	0.008 - 0.009	2,087	0.007	0.007 - 0.008
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	145	0.006	0.005 - 0.008	77	0.007	0.005 - 0.009	68	0.006	0.005 - 0.008
Arkansas	10	0.004	0.002 - 0.008	-	-	-	-	-	-
California	1,204	0.008	0.007 - 0.008	648	0.008	0.008 - 0.009	556	0.007	0.007 - 0.008
CA - Greater California	584	0.007	0.006 - 0.007	300	0.007	0.006 - 0.008	284	0.007	0.006 - 0.007
CA - Greater Bay Area	168	0.009	0.008 - 0.010	93	0.010	0.008 - 0.012	75	0.008	0.006 - 0.010
CA - Los Angeles	452	0.009	0.008 - 0.010	254	0.010	0.009 - 0.012	197	0.008	0.007 - 0.009
Colorado	82	0.007	0.005 - 0.008	46	0.007	0.005 - 0.010	36	0.006	0.004 - 0.008
Connecticut	63	0.011	0.008 - 0.014	39	0.013	0.010 - 0.018	25	0.008	0.005 - 0.012
Delaware	-	-	-	-	-	-	-	-	-
Florida	500	0.009	0.008 - 0.010	264	0.010	0.009 - 0.011	236	0.009	0.007 - 0.010
Georgia	46	0.005	0.003 - 0.006	24	0.005	0.003 - 0.007	21	0.004	0.003 - 0.007
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	11	0.005	0.002 - 0.009	-	-	-	-	-	-
Illinois	208	0.009	0.008 - 0.011	113	0.010	0.008 - 0.012	95	0.009	0.007 - 0.011
Iowa	-	-	-	-	-	-	-	-	-
Kansas	20	0.006	0.004 - 0.009	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	12	0.005	0.002 - 0.008	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	66	0.011	0.008 - 0.014	45	0.014	0.010 - 0.019	21	0.007	0.004 - 0.011
MI - Detroit	10	0.006	0.003 - 0.010	-	-	-	-	-	-
Minnesota	16	0.005	0.003 - 0.009	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	11	0.004	0.002 - 0.008	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	199	0.011	0.010 - 0.013	99	0.011	0.009 - 0.013	100	0.011	0.009 - 0.013
New Mexico	106	0.010	0.008 - 0.012	57	0.011	0.008 - 0.014	49	0.010	0.007 - 0.013
New York	488	0.013	0.012 - 0.014	264	0.014	0.013 - 0.016	224	0.012	0.010 - 0.014
North Carolina	55	0.006	0.004 - 0.007	31	0.006	0.004 - 0.009	24	0.005	0.003 - 0.008
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	18	0.004	0.002 - 0.006	-	-	-	-	-	-
Oklahoma	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Oregon	42	0.008	0.006 - 0.010	21	0.007	0.005 - 0.011	21	0.008	0.005 - 0.012
Pennsylvania	61	0.006	0.005 - 0.008	36	0.007	0.005 - 0.010	25	0.005	0.003 - 0.008
Rhode Island	14	0.008	0.005 - 0.014	-	-	-	-	-	-
South Carolina	15	0.005	0.003 - 0.009	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	19	0.005	0.003 - 0.008	-	-	-	-	-	-
Texas	716	0.006	0.006 - 0.007	366	0.006	0.006 - 0.007	350	0.006	0.006 - 0.007
Utah	26	0.006	0.004 - 0.009	15	0.007	0.004 - 0.011	11	0.005	0.003 - 0.009
Vermont	-	-	-	-	-	-	-	-	-
Washington	49	0.005	0.004 - 0.007	24	0.005	0.003 - 0.007	25	0.005	0.004 - 0.008
WA - Seattle	33	0.006	0.004 - 0.009	13	0.005	0.003 - 0.008	20	0.008	0.005 - 0.012
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	35	0.009	0.006 - 0.012	24	0.012	0.007 - 0.017	11	0.006	0.003 - 0.010
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	22,445	0.038	0.038 - 0.039	11,971	0.040	0.040 - 0.041	10,475	0.036	0.035 - 0.037
Alabama	47	0.022	0.016 - 0.029	20	0.018	0.011 - 0.027	27	0.027	0.018 - 0.039
Alaska	10	0.019	0.009 - 0.035	-	-	-	-	-	-
Arizona	710	0.032	0.029 - 0.034	396	0.035	0.032 - 0.039	314	0.028	0.025 - 0.032
Arkansas	47	0.021	0.015 - 0.027	25	0.021	0.014 - 0.031	22	0.020	0.013 - 0.031
California	5,789	0.038	0.037 - 0.039	3,020	0.039	0.038 - 0.040	2,769	0.036	0.035 - 0.038
CA - Greater California	3,048	0.035	0.034 - 0.037	1,640	0.038	0.036 - 0.040	1,408	0.033	0.031 - 0.035
CA - Greater Bay Area	738	0.039	0.036 - 0.042	371	0.038	0.035 - 0.043	366	0.039	0.035 - 0.043
CA - Los Angeles	2,005	0.041	0.039 - 0.043	1,010	0.041	0.039 - 0.044	995	0.041	0.038 - 0.043
Colorado	432	0.035	0.032 - 0.039	231	0.037	0.033 - 0.042	201	0.034	0.029 - 0.039
Connecticut	272	0.047	0.041 - 0.053	149	0.051	0.043 - 0.060	124	0.042	0.035 - 0.050
Delaware	35	0.039	0.027 - 0.054	19	0.042	0.025 - 0.065	16	0.036	0.021 - 0.059
Florida	2,985	0.055	0.053 - 0.057	1,543	0.057	0.054 - 0.060	1,442	0.052	0.050 - 0.055
Georgia	293	0.029	0.026 - 0.033	140	0.027	0.022 - 0.031	153	0.032	0.027 - 0.037
Hawaii	62	0.043	0.033 - 0.055	33	0.045	0.031 - 0.063	29	0.041	0.028 - 0.059
Idaho	59	0.027	0.020 - 0.035	37	0.033	0.023 - 0.045	22	0.021	0.013 - 0.031
Illinois	804	0.037	0.034 - 0.039	428	0.038	0.035 - 0.042	376	0.035	0.032 - 0.039
Iowa	49	0.026	0.019 - 0.034	26	0.026	0.017 - 0.038	23	0.025	0.016 - 0.038
Kansas	100	0.029	0.023 - 0.035	53	0.029	0.022 - 0.038	47	0.028	0.021 - 0.037
Kentucky	33	0.020	0.013 - 0.028	18	0.019	0.011 - 0.031	15	0.020	0.011 - 0.032
Louisiana	76	0.031	0.025 - 0.039	44	0.034	0.025 - 0.046	32	0.028	0.019 - 0.040
Maine	-	-	-	-	-	-	-	-	-
Maryland	148	0.024	0.020 - 0.028	78	0.024	0.019 - 0.030	70	0.024	0.018 - 0.030
MI - Detroit	71	0.039	0.031 - 0.049	42	0.046	0.033 - 0.062	29	0.032	0.022 - 0.046
Minnesota	58	0.019	0.014 - 0.025	38	0.024	0.017 - 0.033	20	0.014	0.008 - 0.021
Mississippi	24	0.025	0.016 - 0.037	-	-	-	-	-	-
Missouri	75	0.029	0.023 - 0.036	38	0.028	0.020 - 0.039	37	0.030	0.021 - 0.041
Montana	13	0.031	0.017 - 0.053	-	-	-	-	-	-
Nebraska	55	0.026	0.020 - 0.034	30	0.027	0.018 - 0.039	25	0.025	0.016 - 0.036
New Hampshire	12	0.023	0.012 - 0.041	-	-	-	-	-	-
New Jersey	808	0.045	0.042 - 0.048	428	0.047	0.043 - 0.052	380	0.042	0.038 - 0.046
New Mexico	542	0.053	0.049 - 0.058	281	0.055	0.049 - 0.062	261	0.051	0.045 - 0.057
New York	1,753	0.047	0.045 - 0.049	911	0.049	0.046 - 0.053	842	0.044	0.042 - 0.048
North Carolina	147	0.015	0.013 - 0.018	82	0.016	0.013 - 0.020	65	0.014	0.011 - 0.018
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	112	0.025	0.020 - 0.030	58	0.025	0.019 - 0.032	54	0.025	0.018 - 0.032
Oklahoma	125	0.030	0.025 - 0.035	74	0.033	0.026 - 0.042	51	0.025	0.019 - 0.033
Oregon	152	0.028	0.024 - 0.033	78	0.028	0.022 - 0.034	74	0.028	0.022 - 0.035
Pennsylvania	291	0.031	0.027 - 0.034	153	0.032	0.027 - 0.037	138	0.029	0.025 - 0.035
Rhode Island	37	0.022	0.016 - 0.031	15	0.018	0.010 - 0.030	22	0.027	0.017 - 0.040
South Carolina	62	0.021	0.016 - 0.027	36	0.023	0.016 - 0.032	26	0.019	0.012 - 0.028
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	62	0.017	0.013 - 0.021	37	0.019	0.013 - 0.026	25	0.014	0.009 - 0.021
Texas	4,476	0.040	0.039 - 0.041	2,510	0.044	0.043 - 0.046	1,966	0.035	0.034 - 0.037
Utah	125	0.028	0.024 - 0.034	67	0.030	0.023 - 0.038	58	0.027	0.020 - 0.035
Vermont	-	-	-	-	-	-	-	-	-
Washington	247	0.026	0.023 - 0.029	123	0.025	0.021 - 0.030	124	0.027	0.022 - 0.032
WA - Seattle	147	0.028	0.024 - 0.033	72	0.027	0.021 - 0.034	75	0.030	0.024 - 0.038
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	99	0.025	0.020 - 0.030	52	0.025	0.019 - 0.033	47	0.024	0.018 - 0.032
Wyoming	32	0.055	0.038 - 0.078	17	0.056	0.033 - 0.090	15	0.055	0.031 - 0.090

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,721	0.010	0.010 - 0.010	3,891	0.013	0.013 - 0.014	1,831	0.006	0.006 - 0.007
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	186	0.008	0.007 - 0.010	128	0.011	0.010 - 0.014	58	0.005	0.004 - 0.007
Arkansas	14	0.006	0.003 - 0.010	-	-	-	-	-	-
California	1,543	0.010	0.010 - 0.011	1,061	0.014	0.013 - 0.015	482	0.006	0.006 - 0.007
CA - Greater California	827	0.010	0.009 - 0.010	583	0.013	0.012 - 0.015	243	0.006	0.005 - 0.006
CA - Greater Bay Area	267	0.014	0.012 - 0.016	186	0.019	0.017 - 0.022	81	0.009	0.007 - 0.011
CA - Los Angeles	450	0.009	0.008 - 0.010	292	0.012	0.011 - 0.013	158	0.006	0.005 - 0.008
Colorado	136	0.011	0.009 - 0.013	93	0.015	0.012 - 0.018	43	0.007	0.005 - 0.010
Connecticut	71	0.012	0.009 - 0.015	52	0.018	0.013 - 0.023	19	0.006	0.004 - 0.010
Delaware	-	-	-	-	-	-	-	-	-
Florida	524	0.010	0.009 - 0.010	347	0.013	0.012 - 0.014	177	0.006	0.006 - 0.007
Georgia	55	0.005	0.004 - 0.007	31	0.006	0.004 - 0.008	24	0.005	0.003 - 0.007
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	19	0.009	0.005 - 0.014	-	-	-	-	-	-
Illinois	189	0.009	0.007 - 0.010	126	0.011	0.009 - 0.013	63	0.006	0.005 - 0.008
Iowa	-	-	-	-	-	-	-	-	-
Kansas	28	0.008	0.005 - 0.012	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	14	0.006	0.003 - 0.010	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	28	0.005	0.003 - 0.007	16	0.005	0.003 - 0.008	12	0.004	0.002 - 0.007
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	21	0.007	0.004 - 0.011	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	12	0.006	0.003 - 0.010	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	150	0.008	0.007 - 0.010	99	0.011	0.009 - 0.013	51	0.006	0.004 - 0.007
New Mexico	135	0.013	0.011 - 0.016	99	0.020	0.016 - 0.024	36	0.007	0.005 - 0.010
New York	473	0.013	0.012 - 0.014	317	0.017	0.015 - 0.019	156	0.008	0.007 - 0.010
North Carolina	48	0.005	0.004 - 0.007	31	0.006	0.004 - 0.009	17	0.004	0.002 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	26	0.006	0.004 - 0.008	-	-	-	-	-	-
Oklahoma	19	0.004	0.003 - 0.007	-	-	-	-	-	-
Oregon	36	0.007	0.005 - 0.009	21	0.007	0.005 - 0.011	15	0.006	0.003 - 0.009
Pennsylvania	79	0.008	0.007 - 0.010	62	0.013	0.010 - 0.016	17	0.004	0.002 - 0.006
Rhode Island	10	0.006	0.003 - 0.011	-	-	-	-	-	-
South Carolina	10	0.003	0.002 - 0.006	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	21	0.006	0.003 - 0.009	-	-	-	-	-	-
Texas	1,400	0.012	0.012 - 0.013	951	0.017	0.016 - 0.018	449	0.008	0.007 - 0.009
Utah	29	0.007	0.004 - 0.009	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	68	0.007	0.006 - 0.009	46	0.009	0.007 - 0.012	22	0.005	0.003 - 0.007
WA - Seattle	41	0.008	0.006 - 0.011	29	0.011	0.007 - 0.016	12	0.005	0.002 - 0.008
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	30	0.008	0.005 - 0.011	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,778	0.006	0.006 - 0.007	1,799	0.006	0.006 - 0.006	1,978	0.007	0.007 - 0.007
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	115	0.005	0.004 - 0.006	52	0.005	0.003 - 0.006	63	0.006	0.004 - 0.007
Arkansas	-	-	-	-	-	-	-	-	-
California	907	0.006	0.006 - 0.006	413	0.005	0.005 - 0.006	495	0.006	0.006 - 0.007
CA - Greater California	484	0.006	0.005 - 0.006	220	0.005	0.004 - 0.006	264	0.006	0.005 - 0.007
CA - Greater Bay Area	120	0.006	0.005 - 0.008	53	0.005	0.004 - 0.007	67	0.007	0.006 - 0.009
CA - Los Angeles	304	0.006	0.006 - 0.007	140	0.006	0.005 - 0.007	164	0.007	0.006 - 0.008
Colorado	86	0.007	0.006 - 0.009	41	0.007	0.005 - 0.009	45	0.008	0.005 - 0.010
Connecticut	42	0.007	0.005 - 0.010	19	0.007	0.004 - 0.010	23	0.008	0.005 - 0.012
Delaware	-	-	-	-	-	-	-	-	-
Florida	588	0.011	0.010 - 0.012	292	0.011	0.010 - 0.012	296	0.011	0.010 - 0.012
Georgia	40	0.004	0.003 - 0.005	22	0.004	0.003 - 0.006	18	0.004	0.002 - 0.006
Hawaii	16	0.011	0.006 - 0.018	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	151	0.007	0.006 - 0.008	75	0.007	0.005 - 0.008	76	0.007	0.006 - 0.009
Iowa	-	-	-	-	-	-	-	-	-
Kansas	17	0.005	0.003 - 0.008	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	33	0.005	0.004 - 0.008	14	0.004	0.002 - 0.007	19	0.006	0.004 - 0.010
MI - Detroit	20	0.011	0.007 - 0.017	-	-	-	-	-	-
Minnesota	15	0.005	0.003 - 0.008	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	11	0.005	0.003 - 0.009	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	178	0.010	0.008 - 0.011	75	0.008	0.006 - 0.010	104	0.011	0.009 - 0.014
New Mexico	88	0.009	0.007 - 0.011	49	0.010	0.007 - 0.013	39	0.008	0.005 - 0.010
New York	341	0.009	0.008 - 0.010	165	0.009	0.008 - 0.010	176	0.009	0.008 - 0.011
North Carolina	22	0.002	0.001 - 0.003	12	0.002	0.001 - 0.004	10	0.002	0.001 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	14	0.003	0.002 - 0.005	-	-	-	-	-	-
Oklahoma	19	0.004	0.003 - 0.007	-	-	-	-	-	-
Oregon	29	0.005	0.004 - 0.008	14	0.005	0.003 - 0.008	15	0.006	0.003 - 0.009
Pennsylvania	51	0.005	0.004 - 0.007	23	0.005	0.003 - 0.007	28	0.006	0.004 - 0.009
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	13	0.004	0.002 - 0.008	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	647	0.006	0.005 - 0.006	313	0.006	0.005 - 0.006	334	0.006	0.005 - 0.007
Utah	11	0.003	0.001 - 0.005	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	44	0.005	0.003 - 0.006	20	0.004	0.002 - 0.006	24	0.005	0.003 - 0.008
WA - Seattle	19	0.004	0.002 - 0.006	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,380	0.002	0.002 - 0.002	1,148	0.004	0.004 - 0.004	232	0.001	0.001 - 0.001
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	43	0.002	0.001 - 0.003	31	0.003	0.002 - 0.004	12	0.001	0.001 - 0.002
Arkansas	-	-	-	-	-	-	-	-	-
California	237	0.002	0.001 - 0.002	204	0.003	0.002 - 0.003	34	0.000	0.000 - 0.001
CA - Greater California	124	0.001	0.001 - 0.002	103	0.002	0.002 - 0.003	21	0.000	0.000 - 0.001
CA - Greater Bay Area	31	0.002	0.001 - 0.002	-	-	-	-	-	-
CA - Los Angeles	83	0.002	0.001 - 0.002	-	-	-	-	-	-
Colorado	21	0.002	0.001 - 0.003	-	-	-	-	-	-
Connecticut	26	0.005	0.003 - 0.007	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
Florida	277	0.005	0.004 - 0.006	234	0.009	0.008 - 0.010	43	0.002	0.001 - 0.002
Georgia	12	0.001	0.001 - 0.002	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	46	0.002	0.002 - 0.003	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	53	0.003	0.002 - 0.004	-	-	-	-	-	-
New Mexico	30	0.003	0.002 - 0.004	-	-	-	-	-	-
New York	154	0.004	0.003 - 0.005	113	0.006	0.005 - 0.007	41	0.002	0.002 - 0.003
North Carolina	15	0.002	0.001 - 0.003	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	-	-	-	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	30	0.003	0.002 - 0.004	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	262	0.002	0.002 - 0.003	235	0.004	0.004 - 0.005	27	0.000	0.000 - 0.001
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	18	0.002	0.001 - 0.003	-	-	-	-	-	-
WA - Seattle	14	0.003	0.001 - 0.005	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,156	0.019	0.019 - 0.019	5,433	0.018	0.018 - 0.019	5,723	0.020	0.019 - 0.020
Alabama	20	0.009	0.006 - 0.014	-	-	-	-	-	-
Alaska	10	0.019	0.009 - 0.035	-	-	-	-	-	-
Arizona	372	0.017	0.015 - 0.018	182	0.016	0.014 - 0.019	190	0.017	0.015 - 0.020
Arkansas	41	0.018	0.013 - 0.024	23	0.019	0.012 - 0.029	18	0.016	0.010 - 0.026
California	2,318	0.015	0.014 - 0.016	1,033	0.013	0.013 - 0.014	1,285	0.017	0.016 - 0.018
CA - Greater California	1,271	0.015	0.014 - 0.016	563	0.013	0.012 - 0.014	707	0.017	0.015 - 0.018
CA - Greater Bay Area	327	0.017	0.015 - 0.019	150	0.016	0.013 - 0.018	177	0.019	0.016 - 0.022
CA - Los Angeles	721	0.015	0.014 - 0.016	319	0.013	0.012 - 0.015	401	0.016	0.015 - 0.018
Colorado	250	0.020	0.018 - 0.023	112	0.018	0.015 - 0.022	138	0.023	0.019 - 0.027
Connecticut	173	0.030	0.026 - 0.035	90	0.031	0.025 - 0.038	83	0.028	0.023 - 0.035
Delaware	16	0.018	0.010 - 0.029	-	-	-	-	-	-
Florida	2,170	0.040	0.038 - 0.042	1,149	0.043	0.040 - 0.045	1,021	0.037	0.035 - 0.039
Georgia	160	0.016	0.013 - 0.019	70	0.013	0.010 - 0.017	90	0.019	0.015 - 0.023
Hawaii	38	0.026	0.019 - 0.036	17	0.023	0.013 - 0.037	21	0.030	0.019 - 0.046
Idaho	33	0.015	0.010 - 0.021	14	0.012	0.007 - 0.021	19	0.018	0.011 - 0.028
Illinois	370	0.017	0.015 - 0.019	180	0.016	0.014 - 0.019	190	0.018	0.015 - 0.020
Iowa	23	0.012	0.008 - 0.018	11	0.011	0.006 - 0.020	12	0.013	0.007 - 0.023
Kansas	51	0.015	0.011 - 0.019	22	0.012	0.008 - 0.018	29	0.017	0.012 - 0.025
Kentucky	23	0.014	0.009 - 0.021	-	-	-	-	-	-
Louisiana	34	0.014	0.010 - 0.020	11	0.009	0.004 - 0.015	23	0.020	0.013 - 0.031
Maine	-	-	-	-	-	-	-	-	-
Maryland	52	0.008	0.006 - 0.011	19	0.006	0.004 - 0.009	33	0.011	0.008 - 0.016
MI - Detroit	51	0.028	0.021 - 0.037	20	0.022	0.013 - 0.034	31	0.034	0.023 - 0.049
Minnesota	34	0.011	0.008 - 0.016	21	0.013	0.008 - 0.020	13	0.009	0.005 - 0.015
Mississippi	15	0.015	0.009 - 0.025	-	-	-	-	-	-
Missouri	33	0.013	0.009 - 0.018	15	0.011	0.006 - 0.018	18	0.014	0.009 - 0.023
Montana	-	-	-	-	-	-	-	-	-
Nebraska	17	0.008	0.005 - 0.013	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	458	0.025	0.023 - 0.028	211	0.023	0.020 - 0.027	246	0.027	0.024 - 0.031
New Mexico	228	0.022	0.020 - 0.025	104	0.020	0.017 - 0.025	124	0.024	0.020 - 0.029
New York	1,183	0.032	0.030 - 0.034	555	0.030	0.028 - 0.033	628	0.033	0.031 - 0.036
North Carolina	87	0.009	0.007 - 0.011	39	0.008	0.005 - 0.011	48	0.010	0.007 - 0.013
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	64	0.014	0.011 - 0.018	36	0.016	0.011 - 0.022	28	0.013	0.008 - 0.018
Oklahoma	41	0.010	0.007 - 0.013	21	0.009	0.006 - 0.015	20	0.010	0.006 - 0.015
Oregon	65	0.012	0.009 - 0.015	24	0.008	0.005 - 0.013	41	0.016	0.011 - 0.021
Pennsylvania	204	0.021	0.019 - 0.025	105	0.022	0.018 - 0.026	99	0.021	0.017 - 0.026
Rhode Island	38	0.023	0.016 - 0.032	18	0.022	0.013 - 0.034	20	0.024	0.015 - 0.038
South Carolina	39	0.013	0.010 - 0.018	19	0.012	0.007 - 0.019	20	0.015	0.009 - 0.023
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	60	0.016	0.012 - 0.021	29	0.015	0.010 - 0.021	31	0.018	0.012 - 0.025
Texas	1,593	0.014	0.014 - 0.015	840	0.015	0.014 - 0.016	753	0.014	0.013 - 0.015
Utah	46	0.010	0.008 - 0.014	24	0.011	0.007 - 0.016	22	0.010	0.006 - 0.015
Vermont	-	-	-	-	-	-	-	-	-
Washington	143	0.015	0.013 - 0.018	72	0.015	0.011 - 0.018	71	0.015	0.012 - 0.019
WA - Seattle	112	0.022	0.018 - 0.026	53	0.020	0.015 - 0.026	59	0.024	0.018 - 0.031
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	55	0.014	0.010 - 0.018	28	0.014	0.009 - 0.020	27	0.014	0.009 - 0.020
Wyoming	11	0.019	0.009 - 0.034	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,570	0.006	0.006 - 0.006	1,606	0.005	0.005 - 0.006	1,965	0.007	0.006 - 0.007
Alabama	10	0.005	0.002 - 0.009	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	154	0.007	0.006 - 0.008	72	0.006	0.005 - 0.008	82	0.007	0.006 - 0.009
Arkansas	11	0.005	0.002 - 0.009	-	-	-	-	-	-
California	1,010	0.007	0.006 - 0.007	420	0.005	0.005 - 0.006	590	0.008	0.007 - 0.008
CA - Greater California	548	0.006	0.006 - 0.007	215	0.005	0.004 - 0.006	333	0.008	0.007 - 0.009
CA - Greater Bay Area	199	0.010	0.009 - 0.012	94	0.010	0.008 - 0.012	105	0.011	0.009 - 0.014
CA - Los Angeles	262	0.005	0.005 - 0.006	112	0.005	0.004 - 0.006	150	0.006	0.005 - 0.007
Colorado	91	0.007	0.006 - 0.009	34	0.005	0.004 - 0.008	57	0.010	0.007 - 0.012
Connecticut	34	0.006	0.004 - 0.008	17	0.006	0.003 - 0.009	17	0.006	0.003 - 0.009
Delaware	-	-	-	-	-	-	-	-	-
Florida	517	0.009	0.009 - 0.010	247	0.009	0.008 - 0.010	270	0.010	0.009 - 0.011
Georgia	68	0.007	0.005 - 0.009	30	0.006	0.004 - 0.008	38	0.008	0.006 - 0.011
Hawaii	19	0.013	0.008 - 0.021	-	-	-	-	-	-
Idaho	13	0.006	0.003 - 0.010	-	-	-	-	-	-
Illinois	126	0.006	0.005 - 0.007	52	0.005	0.003 - 0.006	74	0.007	0.005 - 0.009
Iowa	-	-	-	-	-	-	-	-	-
Kansas	22	0.006	0.004 - 0.010	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	14	0.006	0.003 - 0.010	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	37	0.006	0.004 - 0.008	15	0.005	0.003 - 0.008	22	0.007	0.005 - 0.011
MI - Detroit	13	0.007	0.004 - 0.012	-	-	-	-	-	-
Minnesota	14	0.005	0.003 - 0.008	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	10	0.005	0.002 - 0.009	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	88	0.005	0.004 - 0.006	46	0.005	0.004 - 0.007	42	0.005	0.003 - 0.006
New Mexico	89	0.009	0.007 - 0.011	36	0.007	0.005 - 0.010	53	0.010	0.008 - 0.013
New York	193	0.005	0.004 - 0.006	97	0.005	0.004 - 0.006	96	0.005	0.004 - 0.006
North Carolina	32	0.003	0.002 - 0.005	21	0.004	0.003 - 0.006	11	0.002	0.001 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	23	0.005	0.003 - 0.008	11	0.005	0.002 - 0.009	12	0.005	0.003 - 0.010
Oklahoma	29	0.007	0.005 - 0.010	14	0.006	0.003 - 0.011	15	0.007	0.004 - 0.012
Oregon	31	0.006	0.004 - 0.008	15	0.005	0.003 - 0.009	16	0.006	0.003 - 0.010
Pennsylvania	47	0.005	0.004 - 0.007	13	0.003	0.001 - 0.005	34	0.007	0.005 - 0.010
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	16	0.006	0.003 - 0.009	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	33	0.009	0.006 - 0.012	19	0.010	0.006 - 0.015	14	0.008	0.004 - 0.013
Texas	482	0.004	0.004 - 0.005	228	0.004	0.004 - 0.005	254	0.005	0.004 - 0.005
Utah	26	0.006	0.004 - 0.009	14	0.006	0.003 - 0.010	12	0.006	0.003 - 0.010
Vermont	-	-	-	-	-	-	-	-	-
Washington	66	0.007	0.005 - 0.009	28	0.006	0.004 - 0.008	38	0.008	0.006 - 0.011
WA - Seattle	55	0.011	0.008 - 0.014	26	0.010	0.006 - 0.014	29	0.012	0.008 - 0.017
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	17	0.004	0.002 - 0.007	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		41,743	0.144	0.142 - 0.145
Alabama	-	-		-	-		59	0.059	0.045 - 0.076
Alaska	-	-		-	-		31	0.123	0.084 - 0.175
Arizona	-	-		-	-		1,453	0.131	0.124 - 0.138
Arkansas	-	-		-	-		96	0.088	0.071 - 0.107
California	-	-		-	-		10,978	0.143	0.141 - 0.146
CA - Greater California	-	-		-	-		5,849	0.137	0.134 - 0.141
CA - Greater Bay Area	-	-		-	-		1,420	0.151	0.144 - 0.159
CA - Los Angeles	-	-		-	-		3,710	0.151	0.146 - 0.156
Colorado	-	-		-	-		890	0.149	0.139 - 0.159
Connecticut	-	-		-	-		497	0.170	0.155 - 0.186
Delaware	-	-		-	-		50	0.113	0.084 - 0.150
Florida	-	-		-	-		5,556	0.201	0.196 - 0.207
Georgia	-	-		-	-		582	0.121	0.111 - 0.131
Hawaii	-	-		-	-		128	0.183	0.153 - 0.218
Idaho	-	-		-	-		107	0.101	0.082 - 0.122
Illinois	-	-		-	-		1,487	0.139	0.132 - 0.146
Iowa	-	-		-	-		70	0.076	0.059 - 0.096
Kansas	-	-		-	-		192	0.114	0.099 - 0.132
Kentucky	-	-		-	-		65	0.084	0.065 - 0.107
Louisiana	-	-		-	-		148	0.132	0.111 - 0.155
Maine	-	-		-	-		17	0.154	0.090 - 0.246
Maryland	-	-		-	-		311	0.105	0.093 - 0.117
MI - Detroit	-	-		-	-		130	0.145	0.121 - 0.172
Minnesota	-	-		-	-		107	0.073	0.060 - 0.088
Mississippi	-	-		-	-		26	0.060	0.039 - 0.089
Missouri	-	-		-	-		114	0.091	0.075 - 0.109
Montana	-	-		-	-		23	0.114	0.072 - 0.171
Nebraska	-	-		-	-		103	0.102	0.083 - 0.123
New Hampshire	-	-		-	-		26	0.104	0.068 - 0.153
New Jersey	-	-		-	-		1,610	0.178	0.169 - 0.187
New Mexico	-	-		-	-		1,008	0.195	0.184 - 0.208
New York	-	-		-	-		3,527	0.186	0.180 - 0.193
North Carolina	-	-		-	-		351	0.074	0.067 - 0.083
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		172	0.078	0.067 - 0.091
Oklahoma	-	-		-	-		179	0.088	0.076 - 0.102
Oregon	-	-		-	-		297	0.113	0.100 - 0.126
Pennsylvania	-	-		-	-		599	0.128	0.118 - 0.139
Rhode Island	-	-		-	-		102	0.124	0.101 - 0.150
South Carolina	-	-		-	-		140	0.103	0.086 - 0.121
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		150	0.085	0.072 - 0.100
Texas	-	-		-	-		7,302	0.131	0.128 - 0.134
Utah	-	-		-	-		237	0.110	0.096 - 0.125
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		506	0.110	0.100 - 0.120
WA - Seattle	-	-		-	-		325	0.131	0.117 - 0.146
West Virginia	-	-		-	-		18	0.130	0.077 - 0.206
Wisconsin	-	-		-	-		170	0.088	0.075 - 0.102
Wyoming	-	-		-	-		26	0.095	0.062 - 0.139

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		4,233	0.015	0.014 - 0.015
Alabama	-	-		-	-		17	0.017	0.010 - 0.027
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		126	0.011	0.009 - 0.014
Arkansas	-	-		-	-		14	0.013	0.007 - 0.022
California	-	-		-	-		1,048	0.014	0.013 - 0.015
CA - Greater California	-	-		-	-		570	0.013	0.012 - 0.014
CA - Greater Bay Area	-	-		-	-		104	0.011	0.009 - 0.013
CA - Los Angeles	-	-		-	-		373	0.015	0.014 - 0.017
Colorado	-	-		-	-		72	0.012	0.009 - 0.015
Connecticut	-	-		-	-		42	0.014	0.010 - 0.020
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		501	0.018	0.017 - 0.020
Georgia	-	-		-	-		75	0.016	0.012 - 0.020
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		155	0.014	0.012 - 0.017
Iowa	-	-		-	-		12	0.013	0.007 - 0.023
Kansas	-	-		-	-		16	0.010	0.005 - 0.015
Kentucky	-	-		-	-		11	0.014	0.007 - 0.026
Louisiana	-	-		-	-		20	0.018	0.011 - 0.027
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		43	0.014	0.010 - 0.019
MI - Detroit	-	-		-	-		11	0.012	0.006 - 0.022
Minnesota	-	-		-	-		11	0.008	0.004 - 0.013
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		10	0.010	0.005 - 0.018
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		152	0.017	0.014 - 0.020
New Mexico	-	-		-	-		72	0.014	0.011 - 0.018
New York	-	-		-	-		299	0.016	0.014 - 0.018
North Carolina	-	-		-	-		54	0.011	0.009 - 0.015
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		30	0.014	0.009 - 0.019
Oklahoma	-	-		-	-		26	0.013	0.008 - 0.019
Oregon	-	-		-	-		23	0.009	0.006 - 0.013
Pennsylvania	-	-		-	-		68	0.015	0.011 - 0.018
Rhode Island	-	-		-	-		10	0.012	0.006 - 0.022
South Carolina	-	-		-	-		24	0.018	0.011 - 0.026
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		15	0.009	0.005 - 0.014
Texas	-	-		-	-		923	0.017	0.016 - 0.018
Utah	-	-		-	-		18	0.008	0.005 - 0.013
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		43	0.009	0.007 - 0.013
WA - Seattle	-	-		-	-		25	0.010	0.006 - 0.015
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		20	0.010	0.006 - 0.016
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		10,490	0.036	0.035 - 0.037
Alabama	-	-		-	-		20	0.020	0.012 - 0.031
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		355	0.032	0.029 - 0.035
Arkansas	-	-		-	-		22	0.020	0.013 - 0.031
California	-	-		-	-		2,855	0.037	0.036 - 0.039
CA - Greater California	-	-		-	-		1,447	0.034	0.032 - 0.036
CA - Greater Bay Area	-	-		-	-		363	0.039	0.035 - 0.043
CA - Los Angeles	-	-		-	-		1,045	0.043	0.040 - 0.045
Colorado	-	-		-	-		186	0.031	0.027 - 0.036
Connecticut	-	-		-	-		118	0.040	0.033 - 0.048
Delaware	-	-		-	-		19	0.043	0.026 - 0.067
Florida	-	-		-	-		1,276	0.046	0.044 - 0.049
Georgia	-	-		-	-		123	0.026	0.021 - 0.031
Hawaii	-	-		-	-		32	0.046	0.031 - 0.065
Idaho	-	-		-	-		25	0.024	0.015 - 0.035
Illinois	-	-		-	-		399	0.037	0.034 - 0.041
Iowa	-	-		-	-		18	0.020	0.012 - 0.031
Kansas	-	-		-	-		48	0.029	0.021 - 0.038
Kentucky	-	-		-	-		18	0.023	0.014 - 0.037
Louisiana	-	-		-	-		25	0.022	0.014 - 0.033
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		82	0.028	0.022 - 0.034
MI - Detroit	-	-		-	-		32	0.036	0.024 - 0.050
Minnesota	-	-		-	-		28	0.019	0.013 - 0.028
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		28	0.022	0.015 - 0.032
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		25	0.025	0.016 - 0.036
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		361	0.040	0.036 - 0.044
New Mexico	-	-		-	-		201	0.039	0.034 - 0.045
New York	-	-		-	-		879	0.046	0.043 - 0.050
North Carolina	-	-		-	-		92	0.019	0.016 - 0.024
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		58	0.026	0.020 - 0.034
Oklahoma	-	-		-	-		43	0.021	0.015 - 0.029
Oregon	-	-		-	-		83	0.032	0.025 - 0.039
Pennsylvania	-	-		-	-		156	0.033	0.028 - 0.039
Rhode Island	-	-		-	-		27	0.033	0.022 - 0.048
South Carolina	-	-		-	-		22	0.016	0.010 - 0.024
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		35	0.020	0.014 - 0.028
Texas	-	-		-	-		2,026	0.036	0.035 - 0.038
Utah	-	-		-	-		45	0.021	0.015 - 0.028
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		104	0.023	0.018 - 0.027
WA - Seattle	-	-		-	-		58	0.023	0.018 - 0.030
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		54	0.028	0.021 - 0.036
Wyoming	-	-		-	-		10	0.036	0.017 - 0.067

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		3,768	0.013	0.013 - 0.013
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		145	0.013	0.011 - 0.015
Arkansas	-	-		-	-		10	0.009	0.004 - 0.017
California	-	-		-	-		1,035	0.014	0.013 - 0.014
CA - Greater California	-	-		-	-		511	0.012	0.011 - 0.013
CA - Greater Bay Area	-	-		-	-		113	0.012	0.010 - 0.015
CA - Los Angeles	-	-		-	-		411	0.017	0.015 - 0.018
Colorado	-	-		-	-		60	0.010	0.008 - 0.013
Connecticut	-	-		-	-		32	0.011	0.007 - 0.015
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		475	0.017	0.016 - 0.019
Georgia	-	-		-	-		54	0.011	0.008 - 0.015
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		11	0.010	0.005 - 0.018
Illinois	-	-		-	-		121	0.011	0.009 - 0.013
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		17	0.010	0.006 - 0.016
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		21	0.007	0.004 - 0.011
MI - Detroit	-	-		-	-		10	0.011	0.005 - 0.021
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		10	0.008	0.004 - 0.015
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		134	0.015	0.012 - 0.018
New Mexico	-	-		-	-		78	0.015	0.012 - 0.019
New York	-	-		-	-		311	0.016	0.015 - 0.018
North Carolina	-	-		-	-		43	0.009	0.007 - 0.012
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		12	0.005	0.003 - 0.010
Oklahoma	-	-		-	-		23	0.011	0.007 - 0.017
Oregon	-	-		-	-		26	0.010	0.006 - 0.014
Pennsylvania	-	-		-	-		58	0.012	0.009 - 0.016
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		16	0.009	0.005 - 0.015
Texas	-	-		-	-		720	0.013	0.012 - 0.014
Utah	-	-		-	-		18	0.008	0.005 - 0.013
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		41	0.009	0.006 - 0.012
WA - Seattle	-	-		-	-		23	0.009	0.006 - 0.014
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		21	0.011	0.007 - 0.017
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		28,390	0.096	0.095 - 0.097	-	-	
Alabama	-	-		65	0.057	0.044 - 0.073	-	-	
Alaska	-	-		17	0.061	0.035 - 0.097	-	-	
Arizona	-	-		802	0.071	0.067 - 0.077	-	-	
Arkansas	-	-		69	0.058	0.045 - 0.073	-	-	
California	-	-		6,976	0.090	0.088 - 0.092	-	-	
CA - Greater California	-	-		3,787	0.087	0.084 - 0.090	-	-	
CA - Greater Bay Area	-	-		872	0.090	0.084 - 0.097	-	-	
CA - Los Angeles	-	-		2,317	0.095	0.091 - 0.099	-	-	
Colorado	-	-		422	0.068	0.062 - 0.075	-	-	
Connecticut	-	-		307	0.106	0.095 - 0.119	-	-	
Delaware	-	-		42	0.092	0.066 - 0.124	-	-	
Florida	-	-		4,142	0.154	0.149 - 0.159	-	-	
Georgia	-	-		380	0.072	0.065 - 0.080	-	-	
Hawaii	-	-		69	0.093	0.073 - 0.118	-	-	
Idaho	-	-		68	0.060	0.047 - 0.076	-	-	
Illinois	-	-		1,029	0.092	0.086 - 0.097	-	-	
Iowa	-	-		49	0.049	0.036 - 0.065	-	-	
Kansas	-	-		118	0.065	0.054 - 0.078	-	-	
Kentucky	-	-		48	0.053	0.039 - 0.070	-	-	
Louisiana	-	-		140	0.109	0.092 - 0.128	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		205	0.064	0.056 - 0.074	-	-	
MI - Detroit	-	-		101	0.110	0.090 - 0.134	-	-	
Minnesota	-	-		77	0.049	0.038 - 0.061	-	-	
Mississippi	-	-		25	0.046	0.030 - 0.068	-	-	
Missouri	-	-		69	0.052	0.040 - 0.065	-	-	
Montana	-	-		21	0.098	0.060 - 0.149	-	-	
Nebraska	-	-		64	0.058	0.045 - 0.074	-	-	
New Hampshire	-	-		16	0.060	0.035 - 0.098	-	-	
New Jersey	-	-		1,479	0.163	0.155 - 0.171	-	-	
New Mexico	-	-		589	0.116	0.107 - 0.126	-	-	
New York	-	-		2,977	0.162	0.156 - 0.168	-	-	
North Carolina	-	-		180	0.036	0.031 - 0.041	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		156	0.067	0.057 - 0.079	-	-	
Oklahoma	-	-		105	0.047	0.039 - 0.057	-	-	
Oregon	-	-		172	0.061	0.052 - 0.071	-	-	
Pennsylvania	-	-		424	0.087	0.079 - 0.096	-	-	
Rhode Island	-	-		68	0.082	0.063 - 0.104	-	-	
South Carolina	-	-		92	0.060	0.048 - 0.073	-	-	
South Dakota	-	-		10	0.051	0.025 - 0.094	-	-	
Tennessee	-	-		117	0.060	0.049 - 0.072	-	-	
Texas	-	-		4,823	0.085	0.083 - 0.088	-	-	
Utah	-	-		151	0.066	0.056 - 0.078	-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		230	0.047	0.041 - 0.053	-	-	
WA - Seattle	-	-		141	0.053	0.044 - 0.062	-	-	
West Virginia	-	-		19	0.118	0.071 - 0.185	-	-	
Wisconsin	-	-		128	0.062	0.052 - 0.074	-	-	
Wyoming	-	-		20	0.066	0.040 - 0.102	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		3,328	0.011	0.011 - 0.012	-	-	
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		111	0.010	0.008 - 0.012	-	-	
Arkansas	-	-		10	0.008	0.004 - 0.015	-	-	
California	-	-		1,014	0.013	0.012 - 0.014	-	-	
CA - Greater California	-	-		567	0.013	0.012 - 0.014	-	-	
CA - Greater Bay Area	-	-		120	0.012	0.010 - 0.015	-	-	
CA - Los Angeles	-	-		327	0.013	0.012 - 0.015	-	-	
Colorado	-	-		62	0.010	0.008 - 0.013	-	-	
Connecticut	-	-		33	0.011	0.008 - 0.016	-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		236	0.009	0.008 - 0.010	-	-	
Georgia	-	-		55	0.010	0.008 - 0.014	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		10	0.009	0.004 - 0.016	-	-	
Illinois	-	-		152	0.014	0.011 - 0.016	-	-	
Iowa	-	-		18	0.018	0.011 - 0.028	-	-	
Kansas	-	-		22	0.012	0.008 - 0.018	-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		12	0.009	0.005 - 0.016	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		23	0.007	0.005 - 0.011	-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		15	0.009	0.005 - 0.016	-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		14	0.010	0.006 - 0.018	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		85	0.009	0.007 - 0.012	-	-	
New Mexico	-	-		65	0.013	0.010 - 0.016	-	-	
New York	-	-		192	0.010	0.009 - 0.012	-	-	
North Carolina	-	-		42	0.008	0.006 - 0.011	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		11	0.005	0.002 - 0.009	-	-	
Oklahoma	-	-		19	0.009	0.005 - 0.013	-	-	
Oregon	-	-		30	0.011	0.007 - 0.015	-	-	
Pennsylvania	-	-		43	0.009	0.006 - 0.012	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		11	0.007	0.004 - 0.013	-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		23	0.012	0.007 - 0.018	-	-	
Texas	-	-		660	0.012	0.011 - 0.013	-	-	
Utah	-	-		26	0.011	0.007 - 0.017	-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		53	0.011	0.008 - 0.014	-	-	
WA - Seattle	-	-		28	0.010	0.007 - 0.015	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		20	0.010	0.006 - 0.015	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,243	0.011	0.010 - 0.011	4,748	0.016	0.016 - 0.017	1,496	0.005	0.005 - 0.005
Alabama	11	0.005	0.003 - 0.009	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	209	0.009	0.008 - 0.011	165	0.015	0.013 - 0.017	44	0.004	0.003 - 0.005
Arkansas	20	0.009	0.005 - 0.013	-	-	-	-	-	-
California	1,423	0.009	0.009 - 0.010	1,097	0.014	0.013 - 0.015	326	0.004	0.004 - 0.005
CA - Greater California	726	0.008	0.008 - 0.009	572	0.013	0.012 - 0.014	155	0.004	0.003 - 0.004
CA - Greater Bay Area	206	0.011	0.009 - 0.012	156	0.016	0.014 - 0.019	50	0.005	0.004 - 0.007
CA - Los Angeles	491	0.010	0.009 - 0.011	369	0.015	0.014 - 0.017	122	0.005	0.004 - 0.006
Colorado	116	0.010	0.008 - 0.011	88	0.014	0.011 - 0.017	28	0.005	0.003 - 0.007
Connecticut	91	0.016	0.013 - 0.019	63	0.022	0.017 - 0.028	29	0.010	0.007 - 0.014
Delaware	10	0.011	0.005 - 0.020	-	-	-	-	-	-
Florida	1,150	0.021	0.020 - 0.022	862	0.032	0.030 - 0.034	288	0.010	0.009 - 0.012
Georgia	88	0.009	0.007 - 0.011	67	0.013	0.010 - 0.016	21	0.004	0.003 - 0.007
Hawaii	18	0.013	0.007 - 0.020	-	-	-	-	-	-
Idaho	12	0.005	0.003 - 0.010	-	-	-	-	-	-
Illinois	179	0.008	0.007 - 0.009	143	0.013	0.011 - 0.015	36	0.003	0.002 - 0.005
Iowa	-	-	-	-	-	-	-	-	-
Kansas	20	0.006	0.004 - 0.009	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	18	0.007	0.004 - 0.012	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	38	0.006	0.004 - 0.008	27	0.008	0.006 - 0.012	11	0.004	0.002 - 0.007
MI - Detroit	27	0.015	0.010 - 0.022	-	-	-	-	-	-
Minnesota	17	0.006	0.003 - 0.009	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	21	0.008	0.005 - 0.012	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	18	0.008	0.005 - 0.013	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	273	0.015	0.013 - 0.017	213	0.023	0.020 - 0.027	60	0.007	0.005 - 0.008
New Mexico	147	0.014	0.012 - 0.017	109	0.021	0.018 - 0.026	38	0.007	0.005 - 0.010
New York	594	0.016	0.015 - 0.017	424	0.023	0.021 - 0.025	171	0.009	0.008 - 0.010
North Carolina	25	0.003	0.002 - 0.004	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	39	0.009	0.006 - 0.012	-	-	-	-	-	-
Oklahoma	22	0.005	0.003 - 0.008	-	-	-	-	-	-
Oregon	46	0.008	0.006 - 0.011	-	-	-	-	-	-
Pennsylvania	103	0.011	0.009 - 0.013	79	0.016	0.013 - 0.020	24	0.005	0.003 - 0.008
Rhode Island	13	0.008	0.004 - 0.013	-	-	-	-	-	-
South Carolina	18	0.006	0.004 - 0.010	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	29	0.008	0.005 - 0.011	-	-	-	-	-	-
Texas	987	0.009	0.008 - 0.009	749	0.013	0.012 - 0.014	238	0.004	0.004 - 0.005
Utah	29	0.007	0.004 - 0.009	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	66	0.007	0.005 - 0.009	56	0.011	0.009 - 0.015	10	0.002	0.001 - 0.004
WA - Seattle	43	0.008	0.006 - 0.011	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	32	0.008	0.005 - 0.011	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,703	0.022	0.021 - 0.022	7,597	0.026	0.025 - 0.026	5,107	0.018	0.017 - 0.018
Alabama	25	0.012	0.008 - 0.017	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	537	0.024	0.022 - 0.026	323	0.029	0.026 - 0.032	214	0.019	0.017 - 0.022
Arkansas	30	0.013	0.009 - 0.019	19	0.016	0.010 - 0.025	11	0.010	0.005 - 0.018
California	3,348	0.022	0.021 - 0.022	2,011	0.026	0.025 - 0.027	1,337	0.017	0.017 - 0.018
CA - Greater California	1,927	0.022	0.021 - 0.023	1,185	0.027	0.026 - 0.029	742	0.017	0.016 - 0.019
CA - Greater Bay Area	387	0.020	0.018 - 0.022	237	0.025	0.022 - 0.028	149	0.016	0.013 - 0.019
CA - Los Angeles	1,036	0.021	0.020 - 0.022	590	0.024	0.022 - 0.026	446	0.018	0.017 - 0.020
Colorado	294	0.024	0.021 - 0.027	176	0.028	0.024 - 0.033	118	0.020	0.016 - 0.024
Connecticut	110	0.019	0.016 - 0.023	60	0.021	0.016 - 0.027	51	0.017	0.013 - 0.023
Delaware	10	0.011	0.005 - 0.020	-	-	-	-	-	-
Florida	1,267	0.023	0.022 - 0.025	761	0.028	0.026 - 0.030	506	0.018	0.017 - 0.020
Georgia	146	0.014	0.012 - 0.017	93	0.018	0.014 - 0.022	53	0.011	0.008 - 0.014
Hawaii	23	0.016	0.010 - 0.024	-	-	-	-	-	-
Idaho	40	0.018	0.013 - 0.025	24	0.021	0.013 - 0.031	16	0.015	0.009 - 0.024
Illinois	467	0.021	0.019 - 0.023	310	0.028	0.025 - 0.031	157	0.015	0.012 - 0.017
Iowa	30	0.016	0.011 - 0.022	-	-	-	-	-	-
Kansas	83	0.024	0.019 - 0.030	53	0.029	0.022 - 0.038	30	0.018	0.012 - 0.025
Kentucky	15	0.009	0.005 - 0.015	-	-	-	-	-	-
Louisiana	44	0.018	0.013 - 0.024	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	79	0.013	0.010 - 0.016	47	0.015	0.011 - 0.020	32	0.011	0.007 - 0.015
MI - Detroit	33	0.018	0.012 - 0.025	20	0.022	0.013 - 0.033	13	0.015	0.008 - 0.025
Minnesota	38	0.012	0.009 - 0.017	24	0.015	0.010 - 0.023	14	0.010	0.005 - 0.016
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	33	0.013	0.009 - 0.018	23	0.017	0.011 - 0.026	10	0.008	0.004 - 0.015
Montana	11	0.026	0.013 - 0.047	-	-	-	-	-	-
Nebraska	26	0.012	0.008 - 0.018	14	0.013	0.007 - 0.021	12	0.012	0.006 - 0.021
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	380	0.021	0.019 - 0.023	237	0.026	0.023 - 0.030	143	0.016	0.013 - 0.019
New Mexico	278	0.027	0.024 - 0.031	152	0.030	0.025 - 0.035	126	0.024	0.020 - 0.029
New York	770	0.021	0.019 - 0.022	435	0.024	0.021 - 0.026	336	0.018	0.016 - 0.020
North Carolina	98	0.010	0.008 - 0.012	51	0.010	0.008 - 0.013	47	0.010	0.007 - 0.013
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	60	0.013	0.010 - 0.017	40	0.017	0.012 - 0.024	20	0.009	0.006 - 0.014
Oklahoma	64	0.015	0.012 - 0.019	43	0.019	0.014 - 0.026	21	0.010	0.006 - 0.016
Oregon	81	0.015	0.012 - 0.018	48	0.017	0.013 - 0.023	33	0.013	0.009 - 0.018
Pennsylvania	166	0.017	0.015 - 0.020	101	0.021	0.017 - 0.025	65	0.014	0.011 - 0.018
Rhode Island	19	0.011	0.007 - 0.018	-	-	-	-	-	-
South Carolina	37	0.013	0.009 - 0.018	26	0.017	0.011 - 0.025	11	0.008	0.004 - 0.014
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	56	0.015	0.011 - 0.020	31	0.016	0.011 - 0.022	25	0.014	0.009 - 0.021
Texas	3,061	0.027	0.026 - 0.028	1,781	0.032	0.030 - 0.033	1,280	0.023	0.022 - 0.024
Utah	60	0.014	0.010 - 0.017	37	0.016	0.011 - 0.022	23	0.011	0.007 - 0.016
Vermont	-	-	-	-	-	-	-	-	-
Washington	137	0.014	0.012 - 0.017	80	0.016	0.013 - 0.020	57	0.012	0.009 - 0.016
WA - Seattle	83	0.016	0.013 - 0.020	50	0.019	0.014 - 0.025	33	0.013	0.009 - 0.019
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	68	0.017	0.013 - 0.022	46	0.022	0.016 - 0.030	22	0.011	0.007 - 0.017
Wyoming	10	0.017	0.008 - 0.032	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,325	0.006	0.005 - 0.006	1,784	0.006	0.006 - 0.006	1,541	0.005	0.005 - 0.006
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	108	0.005	0.004 - 0.006	62	0.006	0.004 - 0.007	46	0.004	0.003 - 0.006
Arkansas	11	0.005	0.002 - 0.009	-	-	-	-	-	-
California	792	0.005	0.005 - 0.006	439	0.006	0.005 - 0.006	353	0.005	0.004 - 0.005
CA - Greater California	448	0.005	0.005 - 0.006	252	0.006	0.005 - 0.007	196	0.005	0.004 - 0.005
CA - Greater Bay Area	101	0.005	0.004 - 0.006	59	0.006	0.005 - 0.008	42	0.004	0.003 - 0.006
CA - Los Angeles	242	0.005	0.004 - 0.006	127	0.005	0.004 - 0.006	115	0.005	0.004 - 0.006
Colorado	57	0.005	0.004 - 0.006	31	0.005	0.003 - 0.007	26	0.004	0.003 - 0.006
Connecticut	36	0.006	0.004 - 0.008	18	0.006	0.004 - 0.010	18	0.006	0.004 - 0.010
Delaware	11	0.012	0.006 - 0.022	-	-	-	-	-	-
Florida	425	0.008	0.007 - 0.009	203	0.008	0.007 - 0.009	222	0.008	0.007 - 0.009
Georgia	48	0.005	0.003 - 0.006	24	0.004	0.003 - 0.007	24	0.005	0.003 - 0.007
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	121	0.006	0.005 - 0.007	75	0.007	0.005 - 0.008	46	0.004	0.003 - 0.006
Iowa	10	0.005	0.003 - 0.010	-	-	-	-	-	-
Kansas	25	0.007	0.005 - 0.011	11	0.006	0.003 - 0.011	14	0.008	0.005 - 0.014
Kentucky	10	0.006	0.003 - 0.011	-	-	-	-	-	-
Louisiana	14	0.006	0.003 - 0.010	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	31	0.005	0.003 - 0.007	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	16	0.005	0.003 - 0.009	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	16	0.006	0.004 - 0.010	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	11	0.005	0.003 - 0.009	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	127	0.007	0.006 - 0.008	74	0.008	0.006 - 0.010	53	0.006	0.004 - 0.008
New Mexico	42	0.004	0.003 - 0.005	19	0.004	0.002 - 0.006	23	0.004	0.003 - 0.007
New York	250	0.007	0.006 - 0.008	144	0.008	0.007 - 0.009	107	0.006	0.005 - 0.007
North Carolina	37	0.004	0.003 - 0.005	21	0.004	0.003 - 0.006	16	0.003	0.002 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	24	0.005	0.003 - 0.008	-	-	-	-	-	-
Oklahoma	30	0.007	0.005 - 0.010	17	0.008	0.004 - 0.012	13	0.006	0.003 - 0.011
Oregon	29	0.005	0.004 - 0.008	17	0.006	0.004 - 0.010	12	0.005	0.002 - 0.008
Pennsylvania	60	0.006	0.005 - 0.008	33	0.007	0.005 - 0.010	27	0.006	0.004 - 0.008
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	13	0.004	0.002 - 0.008	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	18	0.005	0.003 - 0.008	-	-	-	-	-	-
Texas	631	0.006	0.005 - 0.006	308	0.005	0.005 - 0.006	323	0.006	0.005 - 0.006
Utah	22	0.005	0.003 - 0.008	10	0.004	0.002 - 0.008	12	0.006	0.003 - 0.010
Vermont	-	-	-	-	-	-	-	-	-
Washington	48	0.005	0.004 - 0.007	29	0.006	0.004 - 0.008	19	0.004	0.002 - 0.006
WA - Seattle	25	0.005	0.003 - 0.007	15	0.006	0.003 - 0.009	10	0.004	0.002 - 0.007
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	13,071	0.022	0.022 - 0.023	2,551	0.009	0.008 - 0.009	10,518	0.036	0.035 - 0.037
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	466	0.021	0.019 - 0.023	80	0.007	0.006 - 0.009	386	0.035	0.031 - 0.038
Arkansas	43	0.019	0.014 - 0.025	-	-	-	-	-	-
California	3,270	0.021	0.020 - 0.022	655	0.008	0.008 - 0.009	2,615	0.034	0.033 - 0.035
CA - Greater California	1,839	0.021	0.020 - 0.022	343	0.008	0.007 - 0.009	1,496	0.035	0.033 - 0.037
CA - Greater Bay Area	366	0.019	0.017 - 0.021	84	0.009	0.007 - 0.011	283	0.030	0.027 - 0.034
CA - Los Angeles	1,065	0.022	0.020 - 0.023	227	0.009	0.008 - 0.011	837	0.034	0.032 - 0.037
Colorado	286	0.023	0.021 - 0.026	51	0.008	0.006 - 0.011	235	0.039	0.034 - 0.045
Connecticut	198	0.034	0.029 - 0.039	33	0.011	0.008 - 0.016	165	0.056	0.048 - 0.066
Delaware	21	0.023	0.014 - 0.036	-	-	-	-	-	-
Florida	1,641	0.030	0.029 - 0.032	326	0.012	0.011 - 0.013	1,315	0.048	0.045 - 0.050
Georgia	188	0.019	0.016 - 0.021	26	0.005	0.003 - 0.007	162	0.034	0.029 - 0.039
Hawaii	27	0.019	0.012 - 0.027	-	-	-	-	-	-
Idaho	45	0.021	0.015 - 0.028	10	0.009	0.004 - 0.016	35	0.033	0.023 - 0.046
Illinois	499	0.023	0.021 - 0.025	106	0.009	0.008 - 0.011	393	0.037	0.033 - 0.040
Iowa	31	0.016	0.011 - 0.023	-	-	-	-	-	-
Kansas	64	0.018	0.014 - 0.023	16	0.009	0.005 - 0.014	48	0.029	0.021 - 0.038
Kentucky	12	0.007	0.004 - 0.013	-	-	-	-	-	-
Louisiana	41	0.017	0.012 - 0.023	11	0.009	0.004 - 0.015	30	0.027	0.018 - 0.038
Maine	-	-	-	-	-	-	-	-	-
Maryland	108	0.018	0.014 - 0.021	15	0.005	0.003 - 0.008	93	0.031	0.025 - 0.038
MI - Detroit	43	0.024	0.017 - 0.032	14	0.015	0.008 - 0.026	29	0.032	0.022 - 0.047
Minnesota	41	0.013	0.010 - 0.018	13	0.008	0.004 - 0.014	28	0.019	0.013 - 0.028
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	40	0.015	0.011 - 0.021	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	48	0.023	0.017 - 0.030	12	0.011	0.006 - 0.019	36	0.036	0.025 - 0.049
New Hampshire	12	0.023	0.012 - 0.041	-	-	-	-	-	-
New Jersey	568	0.031	0.029 - 0.034	97	0.011	0.009 - 0.013	471	0.052	0.047 - 0.057
New Mexico	292	0.029	0.025 - 0.032	62	0.012	0.009 - 0.016	230	0.045	0.039 - 0.051
New York	1,266	0.034	0.032 - 0.036	245	0.013	0.012 - 0.015	1,020	0.054	0.051 - 0.057
North Carolina	114	0.012	0.010 - 0.014	24	0.005	0.003 - 0.007	90	0.019	0.015 - 0.023
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	66	0.015	0.011 - 0.019	12	0.005	0.003 - 0.009	54	0.025	0.018 - 0.032
Oklahoma	54	0.013	0.010 - 0.017	-	-	-	-	-	-
Oregon	88	0.016	0.013 - 0.020	13	0.005	0.002 - 0.008	75	0.028	0.022 - 0.036
Pennsylvania	234	0.025	0.021 - 0.028	24	0.005	0.003 - 0.007	210	0.045	0.039 - 0.051
Rhode Island	39	0.024	0.017 - 0.032	-	-	-	-	-	-
South Carolina	40	0.014	0.010 - 0.019	17	0.011	0.006 - 0.018	23	0.017	0.011 - 0.025
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	45	0.012	0.009 - 0.016	10	0.005	0.002 - 0.009	35	0.020	0.014 - 0.028
Texas	2,075	0.018	0.018 - 0.019	437	0.008	0.007 - 0.008	1,638	0.029	0.028 - 0.031
Utah	73	0.016	0.013 - 0.021	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	163	0.017	0.015 - 0.020	33	0.007	0.005 - 0.009	130	0.028	0.024 - 0.033
WA - Seattle	101	0.020	0.016 - 0.024	22	0.008	0.005 - 0.012	79	0.032	0.025 - 0.040
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	60	0.015	0.011 - 0.019	10	0.005	0.002 - 0.009	50	0.026	0.019 - 0.034
Wyoming	13	0.022	0.012 - 0.038	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,136	0.004	0.003 - 0.004	1,152	0.004	0.004 - 0.004	985	0.003	0.003 - 0.004
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	65	0.003	0.002 - 0.004	31	0.003	0.002 - 0.004	34	0.003	0.002 - 0.004
Arkansas	-	-	-	-	-	-	-	-	-
California	486	0.003	0.003 - 0.003	255	0.003	0.003 - 0.004	231	0.003	0.003 - 0.003
CA - Greater California	267	0.003	0.003 - 0.003	132	0.003	0.003 - 0.004	135	0.003	0.003 - 0.004
CA - Greater Bay Area	70	0.004	0.003 - 0.005	44	0.005	0.003 - 0.006	26	0.003	0.002 - 0.004
CA - Los Angeles	149	0.003	0.003 - 0.004	79	0.003	0.003 - 0.004	70	0.003	0.002 - 0.004
Colorado	42	0.003	0.002 - 0.005	24	0.004	0.002 - 0.006	18	0.003	0.002 - 0.005
Connecticut	29	0.005	0.003 - 0.007	17	0.006	0.003 - 0.009	12	0.004	0.002 - 0.007
Delaware	-	-	-	-	-	-	-	-	-
Florida	335	0.006	0.006 - 0.007	174	0.006	0.006 - 0.007	161	0.006	0.005 - 0.007
Georgia	36	0.004	0.002 - 0.005	18	0.003	0.002 - 0.005	18	0.004	0.002 - 0.006
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	79	0.004	0.003 - 0.004	47	0.004	0.003 - 0.006	32	0.003	0.002 - 0.004
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	12	0.002	0.001 - 0.003	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	101	0.006	0.005 - 0.007	50	0.006	0.004 - 0.007	51	0.006	0.004 - 0.007
New Mexico	36	0.003	0.002 - 0.005	22	0.004	0.003 - 0.007	14	0.003	0.001 - 0.004
New York	187	0.005	0.004 - 0.006	97	0.005	0.004 - 0.006	90	0.005	0.004 - 0.006
North Carolina	23	0.002	0.001 - 0.004	10	0.002	0.001 - 0.004	13	0.003	0.001 - 0.005
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	13	0.003	0.002 - 0.005	-	-	-	-	-	-
Oklahoma	10	0.002	0.001 - 0.004	-	-	-	-	-	-
Oregon	16	0.003	0.002 - 0.005	-	-	-	-	-	-
Pennsylvania	48	0.005	0.004 - 0.007	21	0.004	0.003 - 0.007	27	0.006	0.004 - 0.008
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	15	0.004	0.002 - 0.007	-	-	-	-	-	-
Texas	336	0.003	0.003 - 0.003	194	0.003	0.003 - 0.004	142	0.003	0.002 - 0.003
Utah	10	0.002	0.001 - 0.004	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	32	0.003	0.002 - 0.005	18	0.004	0.002 - 0.006	14	0.003	0.002 - 0.005
WA - Seattle	18	0.003	0.002 - 0.006	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,422	0.019	0.019 - 0.020	5,966	0.020	0.020 - 0.021	5,457	0.019	0.018 - 0.019
Alabama	28	0.013	0.009 - 0.019	14	0.012	0.007 - 0.021	14	0.014	0.008 - 0.023
Alaska	-	-	-	-	-	-	-	-	-
Arizona	312	0.014	0.012 - 0.016	164	0.015	0.012 - 0.017	148	0.013	0.011 - 0.016
Arkansas	26	0.011	0.007 - 0.017	15	0.013	0.007 - 0.021	11	0.010	0.005 - 0.018
California	2,929	0.019	0.018 - 0.020	1,528	0.020	0.019 - 0.021	1,402	0.018	0.017 - 0.019
CA - Greater California	1,525	0.018	0.017 - 0.019	799	0.018	0.017 - 0.020	726	0.017	0.016 - 0.018
CA - Greater Bay Area	427	0.022	0.020 - 0.025	213	0.022	0.019 - 0.025	214	0.023	0.020 - 0.026
CA - Los Angeles	977	0.020	0.019 - 0.021	516	0.021	0.019 - 0.023	461	0.019	0.017 - 0.021
Colorado	190	0.016	0.013 - 0.018	97	0.016	0.013 - 0.019	93	0.016	0.013 - 0.019
Connecticut	147	0.025	0.021 - 0.030	71	0.024	0.019 - 0.031	77	0.026	0.021 - 0.033
Delaware	20	0.022	0.014 - 0.034	-	-	-	-	-	-
Florida	1,761	0.032	0.031 - 0.034	928	0.034	0.032 - 0.037	833	0.030	0.028 - 0.032
Georgia	166	0.017	0.014 - 0.019	88	0.017	0.013 - 0.021	78	0.016	0.013 - 0.020
Hawaii	37	0.026	0.018 - 0.035	21	0.028	0.018 - 0.044	16	0.023	0.013 - 0.037
Idaho	34	0.016	0.011 - 0.022	18	0.016	0.009 - 0.025	16	0.015	0.009 - 0.024
Illinois	420	0.019	0.017 - 0.021	218	0.019	0.017 - 0.022	202	0.019	0.016 - 0.022
Iowa	24	0.013	0.008 - 0.019	-	-	-	-	-	-
Kansas	56	0.016	0.012 - 0.021	24	0.013	0.009 - 0.020	32	0.019	0.013 - 0.027
Kentucky	16	0.010	0.005 - 0.016	-	-	-	-	-	-
Louisiana	55	0.023	0.017 - 0.030	27	0.021	0.014 - 0.031	28	0.025	0.016 - 0.036
Maine	-	-	-	-	-	-	-	-	-
Maryland	103	0.017	0.014 - 0.020	63	0.020	0.015 - 0.025	40	0.013	0.010 - 0.018
MI - Detroit	50	0.028	0.020 - 0.036	30	0.033	0.022 - 0.047	20	0.022	0.014 - 0.034
Minnesota	51	0.017	0.012 - 0.022	28	0.018	0.012 - 0.026	23	0.016	0.010 - 0.024
Mississippi	11	0.011	0.006 - 0.020	-	-	-	-	-	-
Missouri	26	0.010	0.007 - 0.015	10	0.007	0.004 - 0.014	16	0.013	0.007 - 0.021
Montana	-	-	-	-	-	-	-	-	-
Nebraska	26	0.012	0.008 - 0.018	15	0.014	0.008 - 0.022	11	0.011	0.005 - 0.019
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	439	0.024	0.022 - 0.027	234	0.026	0.023 - 0.029	205	0.023	0.020 - 0.026
New Mexico	189	0.018	0.016 - 0.021	97	0.019	0.016 - 0.023	91	0.018	0.014 - 0.022
New York	1,007	0.027	0.025 - 0.029	514	0.028	0.026 - 0.030	493	0.026	0.024 - 0.028
North Carolina	103	0.011	0.009 - 0.013	56	0.011	0.008 - 0.014	47	0.010	0.007 - 0.013
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	68	0.015	0.012 - 0.019	41	0.018	0.013 - 0.024	27	0.012	0.008 - 0.018
Oklahoma	49	0.012	0.009 - 0.015	25	0.011	0.007 - 0.017	24	0.012	0.008 - 0.018
Oregon	73	0.013	0.010 - 0.017	37	0.013	0.009 - 0.018	36	0.014	0.010 - 0.019
Pennsylvania	174	0.018	0.016 - 0.021	88	0.018	0.015 - 0.022	86	0.018	0.015 - 0.023
Rhode Island	23	0.014	0.009 - 0.021	-	-	-	-	-	-
South Carolina	35	0.012	0.008 - 0.017	21	0.014	0.008 - 0.021	14	0.010	0.006 - 0.017
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	50	0.013	0.010 - 0.018	23	0.012	0.007 - 0.018	27	0.015	0.010 - 0.022
Texas	1,879	0.017	0.016 - 0.018	987	0.017	0.016 - 0.019	892	0.016	0.015 - 0.017
Utah	62	0.014	0.011 - 0.018	29	0.013	0.009 - 0.018	33	0.015	0.011 - 0.021
Vermont	-	-	-	-	-	-	-	-	-
Washington	134	0.014	0.012 - 0.017	68	0.014	0.011 - 0.017	66	0.014	0.011 - 0.018
WA - Seattle	87	0.017	0.013 - 0.021	45	0.017	0.012 - 0.022	42	0.017	0.012 - 0.023
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	54	0.014	0.010 - 0.018	21	0.010	0.006 - 0.016	33	0.017	0.012 - 0.024
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,178	0.007	0.007 - 0.007	2,258	0.008	0.007 - 0.008	1,920	0.007	0.006 - 0.007
Alabama	11	0.005	0.003 - 0.009	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	103	0.005	0.004 - 0.006	68	0.006	0.005 - 0.008	35	0.003	0.002 - 0.004
Arkansas	-	-	-	-	-	-	-	-	-
California	1,016	0.007	0.006 - 0.007	553	0.007	0.007 - 0.008	464	0.006	0.006 - 0.007
CA - Greater California	585	0.007	0.006 - 0.007	329	0.008	0.007 - 0.008	256	0.006	0.005 - 0.007
CA - Greater Bay Area	119	0.006	0.005 - 0.007	63	0.006	0.005 - 0.008	57	0.006	0.005 - 0.008
CA - Los Angeles	313	0.006	0.006 - 0.007	161	0.007	0.006 - 0.008	151	0.006	0.005 - 0.007
Colorado	70	0.006	0.004 - 0.007	40	0.006	0.005 - 0.009	30	0.005	0.003 - 0.007
Connecticut	61	0.010	0.008 - 0.013	30	0.010	0.007 - 0.015	31	0.011	0.007 - 0.015
Delaware	-	-	-	-	-	-	-	-	-
Florida	621	0.011	0.011 - 0.012	313	0.012	0.010 - 0.013	308	0.011	0.010 - 0.012
Georgia	58	0.006	0.004 - 0.007	28	0.005	0.003 - 0.008	30	0.006	0.004 - 0.009
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	150	0.007	0.006 - 0.008	79	0.007	0.006 - 0.009	71	0.007	0.005 - 0.008
Iowa	-	-	-	-	-	-	-	-	-
Kansas	20	0.006	0.004 - 0.009	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	16	0.007	0.004 - 0.011	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	23	0.004	0.002 - 0.006	-	-	-	-	-	-
MI - Detroit	11	0.006	0.003 - 0.011	-	-	-	-	-	-
Minnesota	14	0.005	0.003 - 0.008	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	11	0.004	0.002 - 0.008	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	11	0.005	0.003 - 0.009	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	179	0.010	0.008 - 0.011	104	0.011	0.009 - 0.014	76	0.008	0.007 - 0.010
New Mexico	77	0.008	0.006 - 0.009	39	0.008	0.005 - 0.010	38	0.007	0.005 - 0.010
New York	463	0.012	0.011 - 0.014	252	0.014	0.012 - 0.015	211	0.011	0.010 - 0.013
North Carolina	44	0.004	0.003 - 0.006	27	0.005	0.004 - 0.008	17	0.004	0.002 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	25	0.006	0.004 - 0.008	-	-	-	-	-	-
Oklahoma	18	0.004	0.003 - 0.007	-	-	-	-	-	-
Oregon	19	0.003	0.002 - 0.005	-	-	-	-	-	-
Pennsylvania	70	0.007	0.006 - 0.009	37	0.008	0.005 - 0.011	33	0.007	0.005 - 0.010
Rhode Island	18	0.011	0.006 - 0.017	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	12	0.003	0.002 - 0.006	-	-	-	-	-	-
Texas	728	0.006	0.006 - 0.007	392	0.007	0.006 - 0.008	336	0.006	0.005 - 0.007
Utah	21	0.005	0.003 - 0.007	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	35	0.004	0.003 - 0.005	24	0.005	0.003 - 0.007	11	0.002	0.001 - 0.004
WA - Seattle	22	0.004	0.003 - 0.006	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	17	0.004	0.002 - 0.007	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,851	0.013	0.013 - 0.014	4,362	0.015	0.014 - 0.015	3,488	0.012	0.012 - 0.012
Alabama	18	0.008	0.005 - 0.013	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	199	0.009	0.008 - 0.010	114	0.010	0.008 - 0.012	85	0.008	0.006 - 0.009
Arkansas	30	0.013	0.009 - 0.019	17	0.014	0.008 - 0.023	13	0.012	0.006 - 0.020
California	1,867	0.012	0.012 - 0.013	1,042	0.013	0.013 - 0.014	826	0.011	0.010 - 0.012
CA - Greater California	1,031	0.012	0.011 - 0.013	567	0.013	0.012 - 0.014	464	0.011	0.010 - 0.012
CA - Greater Bay Area	258	0.014	0.012 - 0.015	140	0.014	0.012 - 0.017	118	0.013	0.010 - 0.015
CA - Los Angeles	579	0.012	0.011 - 0.013	335	0.014	0.012 - 0.015	244	0.010	0.009 - 0.011
Colorado	143	0.012	0.010 - 0.014	74	0.012	0.009 - 0.015	69	0.012	0.009 - 0.015
Connecticut	73	0.013	0.010 - 0.016	37	0.013	0.009 - 0.018	36	0.012	0.009 - 0.017
Delaware	15	0.017	0.009 - 0.028	-	-	-	-	-	-
Florida	1,113	0.020	0.019 - 0.022	590	0.022	0.020 - 0.024	523	0.019	0.017 - 0.021
Georgia	146	0.015	0.012 - 0.017	88	0.017	0.013 - 0.021	58	0.012	0.009 - 0.016
Hawaii	18	0.013	0.007 - 0.020	-	-	-	-	-	-
Idaho	27	0.012	0.008 - 0.018	16	0.014	0.008 - 0.023	11	0.010	0.005 - 0.018
Illinois	278	0.013	0.011 - 0.014	148	0.013	0.011 - 0.015	130	0.012	0.010 - 0.014
Iowa	25	0.013	0.008 - 0.019	15	0.015	0.008 - 0.025	10	0.011	0.005 - 0.020
Kansas	39	0.011	0.008 - 0.015	21	0.012	0.007 - 0.018	18	0.011	0.006 - 0.017
Kentucky	19	0.011	0.007 - 0.018	-	-	-	-	-	-
Louisiana	25	0.010	0.007 - 0.015	11	0.009	0.004 - 0.015	14	0.012	0.007 - 0.021
Maine	-	-	-	-	-	-	-	-	-
Maryland	60	0.010	0.007 - 0.013	33	0.010	0.007 - 0.015	27	0.009	0.006 - 0.013
MI - Detroit	42	0.023	0.017 - 0.031	27	0.030	0.019 - 0.043	15	0.016	0.009 - 0.027
Minnesota	25	0.008	0.005 - 0.012	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	24	0.009	0.006 - 0.014	14	0.010	0.006 - 0.018	10	0.008	0.004 - 0.015
Montana	-	-	-	-	-	-	-	-	-
Nebraska	23	0.011	0.007 - 0.016	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	307	0.017	0.015 - 0.019	167	0.018	0.016 - 0.021	140	0.016	0.013 - 0.018
New Mexico	136	0.013	0.011 - 0.016	78	0.015	0.012 - 0.019	58	0.011	0.009 - 0.015
New York	586	0.016	0.014 - 0.017	318	0.017	0.015 - 0.019	268	0.014	0.012 - 0.016
North Carolina	96	0.010	0.008 - 0.012	60	0.012	0.009 - 0.015	36	0.008	0.005 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	32	0.007	0.005 - 0.010	21	0.009	0.006 - 0.014	11	0.005	0.002 - 0.009
Oklahoma	48	0.011	0.008 - 0.015	29	0.013	0.009 - 0.019	19	0.009	0.006 - 0.015
Oregon	65	0.012	0.009 - 0.015	39	0.014	0.010 - 0.019	26	0.010	0.006 - 0.014
Pennsylvania	133	0.014	0.012 - 0.017	66	0.014	0.011 - 0.017	67	0.014	0.011 - 0.018
Rhode Island	23	0.014	0.009 - 0.021	13	0.016	0.008 - 0.027	10	0.012	0.006 - 0.022
South Carolina	35	0.012	0.008 - 0.017	18	0.012	0.007 - 0.018	17	0.012	0.007 - 0.020
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	48	0.013	0.010 - 0.017	26	0.013	0.009 - 0.019	22	0.013	0.008 - 0.019
Texas	1,468	0.013	0.012 - 0.014	815	0.014	0.013 - 0.015	653	0.012	0.011 - 0.013
Utah	55	0.012	0.009 - 0.016	40	0.018	0.013 - 0.024	15	0.007	0.004 - 0.011
Vermont	-	-	-	-	-	-	-	-	-
Washington	116	0.012	0.010 - 0.015	71	0.014	0.011 - 0.018	45	0.010	0.007 - 0.013
WA - Seattle	67	0.013	0.010 - 0.016	45	0.017	0.012 - 0.022	22	0.009	0.006 - 0.013
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	38	0.010	0.007 - 0.013	23	0.011	0.007 - 0.017	15	0.008	0.004 - 0.013
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2016-2017 by Registry, Hispanic, Mesothelioma**

<i>Registry</i>	MALES AND FEMALES			MALES			FEMALES		
	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.²</i>
NAACCR U.S. Combined¹	261	0.000	0.000 - 0.001	173	0.001	0.001 - 0.001	88	0.000	0.000 - 0.000
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	14	0.001	0.000 - 0.001	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	78	0.001	0.000 - 0.001	58	0.001	0.001 - 0.001	19	0.000	0.000 - 0.000
CA - Greater California	40	0.000	0.000 - 0.001	26	0.001	0.000 - 0.001	14	0.000	0.000 - 0.001
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	30	0.001	0.000 - 0.001	-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	27	0.000	0.000 - 0.001	-	-		-	-	
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	20	0.001	0.000 - 0.001	-	-		-	-	
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	46	0.000	0.000 - 0.001	29	0.001	0.000 - 0.001	17	0.000	0.000 - 0.000
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,534,216	1.692	1.691 - 1.694	2,682,205	1.665	1.663 - 1.667	2,851,986	1.719	1.717 - 1.721
Alabama	83,525	1.711	1.700 - 1.723	42,279	1.791	1.774 - 1.808	41,246	1.637	1.621 - 1.653
Alaska	9,756	1.323	1.297 - 1.350	4,798	1.247	1.212 - 1.282	4,958	1.406	1.367 - 1.446
Arizona	101,477	1.429	1.420 - 1.438	48,714	1.380	1.368 - 1.393	52,763	1.477	1.465 - 1.490
Arkansas	52,623	1.751	1.736 - 1.766	26,777	1.814	1.792 - 1.836	25,846	1.690	1.670 - 1.711
California	566,423	1.437	1.434 - 1.441	267,653	1.366	1.361 - 1.371	298,770	1.507	1.502 - 1.513
CA - Greater California	318,563	1.455	1.450 - 1.460	152,126	1.394	1.387 - 1.401	166,438	1.515	1.508 - 1.523
CA - Greater Bay Area	114,634	1.545	1.536 - 1.554	54,495	1.473	1.460 - 1.485	60,139	1.616	1.603 - 1.629
CA - Los Angeles	133,452	1.323	1.316 - 1.330	61,168	1.230	1.220 - 1.240	72,284	1.413	1.403 - 1.424
Colorado	80,888	1.431	1.421 - 1.441	38,289	1.346	1.332 - 1.359	42,599	1.518	1.504 - 1.533
Connecticut	71,353	1.997	1.983 - 2.012	34,007	1.952	1.931 - 1.972	37,346	2.041	2.020 - 2.062
Delaware	19,378	2.016	1.988 - 2.045	9,576	2.061	2.020 - 2.102	9,802	1.974	1.936 - 2.014
Florida	406,993	1.929	1.923 - 1.934	201,150	1.950	1.941 - 1.958	205,843	1.908	1.900 - 1.917
Georgia	165,155	1.579	1.571 - 1.586	81,645	1.605	1.594 - 1.616	83,510	1.554	1.544 - 1.565
Hawaii	24,157	1.698	1.677 - 1.720	11,283	1.583	1.554 - 1.612	12,874	1.814	1.783 - 1.846
Idaho	27,187	1.568	1.549 - 1.587	13,538	1.558	1.532 - 1.585	13,649	1.577	1.551 - 1.604
Illinois	225,597	1.769	1.762 - 1.777	107,379	1.714	1.704 - 1.724	118,218	1.823	1.812 - 1.833
Iowa	58,848	1.871	1.856 - 1.886	28,963	1.851	1.830 - 1.872	29,885	1.891	1.870 - 1.913
Kansas	51,720	1.777	1.762 - 1.793	25,522	1.760	1.739 - 1.782	26,198	1.794	1.773 - 1.816
Kentucky	83,757	1.879	1.867 - 1.892	40,539	1.846	1.829 - 1.865	43,218	1.911	1.893 - 1.929
Louisiana	80,515	1.726	1.714 - 1.738	41,363	1.816	1.798 - 1.833	39,152	1.640	1.624 - 1.656
Maine	28,526	2.134	2.109 - 2.159	13,534	2.067	2.033 - 2.102	14,992	2.198	2.163 - 2.233
Maryland	104,832	1.739	1.728 - 1.749	50,177	1.717	1.702 - 1.732	54,655	1.759	1.744 - 1.773
MI - Detroit	73,744	1.899	1.885 - 1.912	35,865	1.902	1.882 - 1.922	37,879	1.895	1.876 - 1.914
Minnesota	101,617	1.819	1.808 - 1.830	49,877	1.793	1.777 - 1.809	51,740	1.845	1.829 - 1.861
Mississippi	50,743	1.700	1.685 - 1.715	26,017	1.797	1.775 - 1.819	24,726	1.609	1.589 - 1.629
Missouri	105,336	1.723	1.712 - 1.733	49,934	1.664	1.649 - 1.678	55,402	1.780	1.765 - 1.795
Montana	20,232	1.915	1.889 - 1.941	10,389	1.953	1.916 - 1.991	9,843	1.876	1.839 - 1.913
Nebraska	33,108	1.724	1.705 - 1.742	16,426	1.713	1.687 - 1.739	16,682	1.734	1.708 - 1.761
New Hampshire	28,451	2.106	2.081 - 2.130	13,792	2.061	2.026 - 2.095	14,659	2.150	2.115 - 2.185
New Jersey	175,074	1.970	1.961 - 1.980	84,413	1.945	1.932 - 1.958	90,661	1.994	1.981 - 2.007
New Mexico	29,815	1.425	1.409 - 1.441	13,968	1.349	1.327 - 1.371	15,847	1.500	1.476 - 1.523
New York	381,412	1.950	1.944 - 1.956	183,052	1.927	1.918 - 1.936	198,359	1.971	1.963 - 1.980
North Carolina	182,886	1.771	1.763 - 1.779	89,017	1.772	1.760 - 1.784	93,869	1.771	1.759 - 1.782
North Dakota	12,801	1.692	1.663 - 1.722	6,487	1.675	1.634 - 1.716	6,314	1.710	1.668 - 1.753
Ohio	211,275	1.811	1.803 - 1.818	101,018	1.767	1.756 - 1.778	110,257	1.853	1.842 - 1.864
Oklahoma	61,522	1.563	1.551 - 1.576	29,876	1.532	1.515 - 1.549	31,646	1.594	1.576 - 1.611
Oregon	72,139	1.733	1.720 - 1.746	34,741	1.684	1.666 - 1.701	37,398	1.781	1.763 - 1.800
Pennsylvania	257,435	2.012	2.004 - 2.020	122,806	1.960	1.949 - 1.971	134,629	2.062	2.051 - 2.074
Rhode Island	20,819	1.970	1.943 - 1.997	9,589	1.865	1.828 - 1.903	11,230	2.068	2.030 - 2.107
South Carolina	87,463	1.731	1.720 - 1.743	43,419	1.772	1.756 - 1.789	44,044	1.692	1.676 - 1.708
South Dakota	15,343	1.752	1.724 - 1.780	7,692	1.740	1.701 - 1.779	7,651	1.764	1.725 - 1.804
Tennessee	116,338	1.726	1.716 - 1.736	57,559	1.750	1.736 - 1.764	58,779	1.703	1.690 - 1.717
Texas	364,995	1.282	1.278 - 1.287	176,308	1.247	1.241 - 1.253	188,687	1.317	1.311 - 1.323
Utah	37,728	1.206	1.194 - 1.219	18,878	1.199	1.182 - 1.216	18,850	1.214	1.197 - 1.232
Vermont	12,670	2.029	1.994 - 2.065	6,084	1.973	1.924 - 2.024	6,586	2.084	2.034 - 2.135
Washington	123,706	1.655	1.646 - 1.664	59,079	1.580	1.567 - 1.593	64,627	1.731	1.717 - 1.744
WA - Seattle	89,948	1.744	1.733 - 1.755	43,341	1.679	1.663 - 1.695	46,607	1.810	1.793 - 1.826
West Virginia	36,906	2.038	2.018 - 2.059	17,842	1.990	1.961 - 2.020	19,064	2.085	2.056 - 2.115
Wisconsin	109,932	1.896	1.885 - 1.907	54,379	1.885	1.869 - 1.901	55,553	1.906	1.890 - 1.922
Wyoming	9,283	1.605	1.573 - 1.638	4,880	1.656	1.609 - 1.703	4,403	1.553	1.508 - 1.600
NAACCR CDN Combined¹	653,705	1.734	1.729 - 1.739	318,463	1.698	1.691 - 1.705	334,984	1.769	1.762 - 1.776
Alberta	62,904	1.473	1.462 - 1.485	31,336	1.457	1.441 - 1.473	31,568	1.490	1.473 - 1.506
British Columbia	81,882	1.648	1.636 - 1.659	40,449	1.645	1.629 - 1.661	41,433	1.650	1.634 - 1.666
Manitoba	21,277	1.583	1.562 - 1.605	10,319	1.537	1.508 - 1.567	10,958	1.629	1.599 - 1.660
New Brunswick	15,755	2.050	2.018 - 2.082	7,952	2.092	2.046 - 2.138	7,803	2.010	1.965 - 2.055
Newfoundland and Labrador	11,989	2.275	2.235 - 2.316	5,973	2.289	2.231 - 2.347	6,016	2.262	2.206 - 2.320
Ontario	260,326	1.835	1.828 - 1.842	124,420	1.778	1.768 - 1.787	135,906	1.890	1.880 - 1.900
Prince Edward Island	2,910	1.916	1.847 - 1.987	1,427	1.916	1.818 - 2.019	1,483	1.915	1.819 - 2.015
Saskatchewan	17,692	1.530	1.508 - 1.553	8,719	1.497	1.466 - 1.529	8,973	1.564	1.532 - 1.597
NAACCR N.A. Combined¹	6,187,921	1.696	1.694 - 1.697	3,000,668	1.668	1.666 - 1.670	3,186,970	1.723	1.721 - 1.725

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	158,630	0.048	0.048 - 0.049	113,138	0.070	0.070 - 0.070	45,498	0.027	0.027 - 0.028
Alabama	2,626	0.054	0.052 - 0.056	1,852	0.078	0.075 - 0.082	774	0.031	0.029 - 0.033
Alaska	310	0.042	0.037 - 0.047	237	0.062	0.054 - 0.070	73	0.021	0.016 - 0.026
Arizona	2,686	0.038	0.036 - 0.039	1,964	0.056	0.053 - 0.058	722	0.020	0.019 - 0.022
Arkansas	1,682	0.056	0.053 - 0.059	1,207	0.082	0.077 - 0.086	475	0.031	0.028 - 0.034
California	15,723	0.040	0.039 - 0.041	11,166	0.057	0.056 - 0.058	4,557	0.023	0.022 - 0.024
CA - Greater California	9,215	0.042	0.041 - 0.043	6,647	0.061	0.059 - 0.062	2,568	0.023	0.022 - 0.024
CA - Greater Bay Area	3,240	0.044	0.042 - 0.045	2,244	0.061	0.058 - 0.063	996	0.027	0.025 - 0.028
CA - Los Angeles	3,269	0.032	0.031 - 0.034	2,276	0.046	0.044 - 0.048	993	0.019	0.018 - 0.021
Colorado	2,432	0.043	0.041 - 0.045	1,735	0.061	0.058 - 0.064	697	0.025	0.023 - 0.027
Connecticut	1,955	0.055	0.052 - 0.057	1,322	0.076	0.072 - 0.080	633	0.035	0.032 - 0.037
Delaware	542	0.056	0.052 - 0.061	400	0.086	0.078 - 0.095	142	0.029	0.024 - 0.034
Florida	12,357	0.059	0.058 - 0.060	9,063	0.088	0.086 - 0.090	3,294	0.031	0.030 - 0.032
Georgia	4,710	0.045	0.044 - 0.046	3,378	0.066	0.064 - 0.069	1,333	0.025	0.023 - 0.026
Hawaii	825	0.058	0.054 - 0.062	563	0.079	0.073 - 0.086	262	0.037	0.033 - 0.042
Idaho	862	0.050	0.046 - 0.053	613	0.071	0.065 - 0.076	249	0.029	0.025 - 0.033
Illinois	6,460	0.051	0.049 - 0.052	4,580	0.073	0.071 - 0.075	1,880	0.029	0.028 - 0.030
Iowa	1,869	0.059	0.057 - 0.062	1,332	0.085	0.081 - 0.090	537	0.034	0.031 - 0.037
Kansas	1,464	0.050	0.048 - 0.053	1,050	0.072	0.068 - 0.077	414	0.028	0.026 - 0.031
Kentucky	2,562	0.057	0.055 - 0.060	1,843	0.084	0.080 - 0.088	719	0.032	0.030 - 0.034
Louisiana	2,325	0.050	0.048 - 0.052	1,658	0.073	0.069 - 0.076	667	0.028	0.026 - 0.030
Maine	932	0.070	0.065 - 0.074	671	0.102	0.095 - 0.111	261	0.038	0.034 - 0.043
Maryland	2,786	0.046	0.045 - 0.048	1,946	0.067	0.064 - 0.070	840	0.027	0.025 - 0.029
MI - Detroit	1,997	0.051	0.049 - 0.054	1,413	0.075	0.071 - 0.079	584	0.029	0.027 - 0.032
Minnesota	2,997	0.054	0.052 - 0.056	2,055	0.074	0.071 - 0.077	942	0.034	0.031 - 0.036
Mississippi	1,488	0.050	0.047 - 0.052	1,061	0.073	0.069 - 0.078	427	0.028	0.025 - 0.031
Missouri	3,293	0.054	0.052 - 0.056	2,426	0.081	0.078 - 0.084	867	0.028	0.026 - 0.030
Montana	558	0.053	0.049 - 0.057	411	0.077	0.070 - 0.085	147	0.028	0.024 - 0.033
Nebraska	966	0.050	0.047 - 0.054	693	0.072	0.067 - 0.078	273	0.028	0.025 - 0.032
New Hampshire	766	0.057	0.053 - 0.061	556	0.083	0.076 - 0.090	210	0.031	0.027 - 0.035
New Jersey	4,251	0.048	0.046 - 0.049	2,961	0.068	0.066 - 0.071	1,289	0.028	0.027 - 0.030
New Mexico	729	0.035	0.032 - 0.037	534	0.052	0.047 - 0.056	195	0.018	0.016 - 0.021
New York	9,307	0.048	0.047 - 0.049	6,358	0.067	0.065 - 0.069	2,950	0.029	0.028 - 0.030
North Carolina	5,263	0.051	0.050 - 0.052	3,766	0.075	0.073 - 0.077	1,497	0.028	0.027 - 0.030
North Dakota	405	0.054	0.048 - 0.059	284	0.073	0.065 - 0.082	121	0.033	0.027 - 0.039
Ohio	6,156	0.053	0.051 - 0.054	4,364	0.076	0.074 - 0.079	1,792	0.030	0.029 - 0.032
Oklahoma	1,981	0.050	0.048 - 0.053	1,437	0.074	0.070 - 0.078	544	0.027	0.025 - 0.030
Oregon	2,300	0.055	0.053 - 0.058	1,648	0.080	0.076 - 0.084	652	0.031	0.029 - 0.034
Pennsylvania	7,001	0.055	0.053 - 0.056	4,904	0.078	0.076 - 0.080	2,097	0.032	0.031 - 0.034
Rhode Island	564	0.053	0.049 - 0.058	368	0.072	0.064 - 0.079	196	0.036	0.031 - 0.042
South Carolina	2,585	0.051	0.049 - 0.053	1,900	0.078	0.074 - 0.081	685	0.026	0.024 - 0.028
South Dakota	481	0.055	0.050 - 0.060	354	0.080	0.072 - 0.089	127	0.029	0.024 - 0.035
Tennessee	3,562	0.053	0.051 - 0.055	2,625	0.080	0.077 - 0.083	937	0.027	0.025 - 0.029
Texas	10,856	0.038	0.037 - 0.039	7,885	0.056	0.055 - 0.057	2,971	0.021	0.020 - 0.022
Utah	938	0.030	0.028 - 0.032	645	0.041	0.038 - 0.044	293	0.019	0.017 - 0.021
Vermont	386	0.062	0.056 - 0.068	284	0.092	0.082 - 0.103	102	0.032	0.026 - 0.039
Washington	3,763	0.050	0.049 - 0.052	2,663	0.071	0.069 - 0.074	1,100	0.029	0.028 - 0.031
WA - Seattle	2,824	0.055	0.053 - 0.057	2,000	0.077	0.074 - 0.081	824	0.032	0.030 - 0.034
West Virginia	1,120	0.062	0.058 - 0.066	808	0.090	0.084 - 0.097	312	0.034	0.030 - 0.038
Wisconsin	3,148	0.054	0.052 - 0.056	2,200	0.076	0.073 - 0.080	948	0.033	0.030 - 0.035
Wyoming	270	0.047	0.041 - 0.053	193	0.065	0.057 - 0.075	77	0.027	0.021 - 0.034
NAACCR CDN Combined¹	17,363	0.046	0.045 - 0.047	12,035	0.064	0.063 - 0.066	5,345	0.028	0.027 - 0.029
Alberta	1,484	0.035	0.033 - 0.037	1,030	0.048	0.045 - 0.051	454	0.021	0.019 - 0.023
British Columbia	2,362	0.048	0.046 - 0.049	1,657	0.067	0.064 - 0.071	705	0.028	0.026 - 0.030
Manitoba	665	0.049	0.046 - 0.053	450	0.067	0.061 - 0.074	215	0.032	0.028 - 0.037
New Brunswick	437	0.057	0.052 - 0.062	317	0.083	0.074 - 0.093	120	0.031	0.026 - 0.037
Newfoundland and Labrador	308	0.058	0.052 - 0.065	227	0.087	0.076 - 0.099	81	0.030	0.024 - 0.038
Ontario	6,848	0.048	0.047 - 0.049	4,688	0.067	0.065 - 0.069	2,160	0.030	0.029 - 0.031
Prince Edward Island	111	0.073	0.060 - 0.088	72	0.097	0.076 - 0.122	39	0.050	0.036 - 0.069
Saskatchewan	407	0.035	0.032 - 0.039	286	0.049	0.044 - 0.055	121	0.021	0.018 - 0.025
NAACCR N.A. Combined¹	175,993	0.048	0.048 - 0.048	125,173	0.070	0.069 - 0.070	50,843	0.027	0.027 - 0.028

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-102 Prevalence – Oral Cavity and Pharynx

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	30,234	0.009	0.009 - 0.009	23,703	0.015	0.014 - 0.015	6,530	0.004	0.004 - 0.004
Alabama	413	0.008	0.008 - 0.009	337	0.014	0.013 - 0.016	76	0.003	0.002 - 0.004
Alaska	71	0.010	0.008 - 0.012	51	0.013	0.010 - 0.017	20	0.006	0.003 - 0.009
Arizona	613	0.009	0.008 - 0.009	477	0.014	0.012 - 0.015	136	0.004	0.003 - 0.005
Arkansas	239	0.008	0.007 - 0.009	186	0.013	0.011 - 0.015	53	0.003	0.003 - 0.005
California	2,519	0.006	0.006 - 0.007	1,937	0.010	0.009 - 0.010	582	0.003	0.003 - 0.003
CA - Greater California	1,511	0.007	0.007 - 0.007	1,160	0.011	0.010 - 0.011	351	0.003	0.003 - 0.004
CA - Greater Bay Area	546	0.007	0.007 - 0.008	422	0.011	0.010 - 0.013	124	0.003	0.003 - 0.004
CA - Los Angeles	463	0.005	0.004 - 0.005	355	0.007	0.006 - 0.008	108	0.002	0.002 - 0.003
Colorado	456	0.008	0.007 - 0.009	365	0.013	0.012 - 0.014	91	0.003	0.003 - 0.004
Connecticut	440	0.012	0.011 - 0.014	342	0.020	0.018 - 0.022	98	0.005	0.004 - 0.007
Delaware	118	0.012	0.010 - 0.015	97	0.021	0.017 - 0.025	21	0.004	0.003 - 0.006
Florida	2,409	0.011	0.011 - 0.012	1,876	0.018	0.017 - 0.019	533	0.005	0.005 - 0.005
Georgia	768	0.007	0.007 - 0.008	607	0.012	0.011 - 0.013	161	0.003	0.003 - 0.003
Hawaii	109	0.008	0.006 - 0.009	90	0.013	0.010 - 0.015	19	0.003	0.002 - 0.004
Idaho	167	0.010	0.008 - 0.011	142	0.016	0.014 - 0.019	25	0.003	0.002 - 0.004
Illinois	1,235	0.010	0.009 - 0.010	981	0.016	0.015 - 0.017	254	0.004	0.003 - 0.004
Iowa	436	0.014	0.013 - 0.015	368	0.024	0.021 - 0.026	68	0.004	0.003 - 0.005
Kansas	287	0.010	0.009 - 0.011	227	0.016	0.014 - 0.018	60	0.004	0.003 - 0.005
Kentucky	462	0.010	0.009 - 0.011	378	0.017	0.016 - 0.019	84	0.004	0.003 - 0.005
Louisiana	381	0.008	0.007 - 0.009	281	0.012	0.011 - 0.014	100	0.004	0.003 - 0.005
Maine	240	0.018	0.016 - 0.020	185	0.028	0.024 - 0.033	55	0.008	0.006 - 0.010
Maryland	491	0.008	0.007 - 0.009	373	0.013	0.012 - 0.014	118	0.004	0.003 - 0.005
MI - Detroit	422	0.011	0.010 - 0.012	324	0.017	0.015 - 0.019	98	0.005	0.004 - 0.006
Minnesota	589	0.011	0.010 - 0.011	462	0.017	0.015 - 0.018	127	0.005	0.004 - 0.005
Mississippi	264	0.009	0.008 - 0.010	205	0.014	0.012 - 0.016	59	0.004	0.003 - 0.005
Missouri	621	0.010	0.009 - 0.011	485	0.016	0.015 - 0.018	136	0.004	0.004 - 0.005
Montana	111	0.010	0.009 - 0.013	89	0.017	0.013 - 0.021	22	0.004	0.003 - 0.006
Nebraska	161	0.008	0.007 - 0.010	136	0.014	0.012 - 0.017	25	0.003	0.002 - 0.004
New Hampshire	214	0.016	0.014 - 0.018	180	0.027	0.023 - 0.031	34	0.005	0.003 - 0.007
New Jersey	896	0.010	0.009 - 0.011	677	0.016	0.014 - 0.017	220	0.005	0.004 - 0.006
New Mexico	162	0.008	0.007 - 0.009	128	0.012	0.010 - 0.015	33	0.003	0.002 - 0.004
New York	1,938	0.010	0.009 - 0.010	1,437	0.015	0.014 - 0.016	501	0.005	0.005 - 0.005
North Carolina	889	0.009	0.008 - 0.009	707	0.014	0.013 - 0.015	182	0.003	0.003 - 0.004
North Dakota	87	0.012	0.009 - 0.014	68	0.018	0.014 - 0.022	19	0.005	0.003 - 0.008
Ohio	1,315	0.011	0.011 - 0.012	1,068	0.019	0.018 - 0.020	247	0.004	0.004 - 0.005
Oklahoma	344	0.009	0.008 - 0.010	269	0.014	0.012 - 0.016	75	0.004	0.003 - 0.005
Oregon	478	0.011	0.010 - 0.013	374	0.018	0.016 - 0.020	104	0.005	0.004 - 0.006
Pennsylvania	1,548	0.012	0.012 - 0.013	1,199	0.019	0.018 - 0.020	349	0.005	0.005 - 0.006
Rhode Island	116	0.011	0.009 - 0.013	87	0.017	0.014 - 0.021	29	0.005	0.004 - 0.008
South Carolina	472	0.009	0.009 - 0.010	370	0.015	0.014 - 0.017	102	0.004	0.003 - 0.005
South Dakota	85	0.010	0.008 - 0.012	64	0.014	0.011 - 0.018	21	0.005	0.003 - 0.007
Tennessee	666	0.010	0.009 - 0.011	545	0.017	0.015 - 0.018	121	0.004	0.003 - 0.004
Texas	1,926	0.007	0.006 - 0.007	1,532	0.011	0.010 - 0.011	394	0.003	0.002 - 0.003
Utah	149	0.005	0.004 - 0.006	124	0.008	0.007 - 0.009	25	0.002	0.001 - 0.002
Vermont	98	0.016	0.013 - 0.019	84	0.027	0.022 - 0.034	14	0.004	0.002 - 0.007
Washington	742	0.010	0.009 - 0.011	577	0.015	0.014 - 0.017	165	0.004	0.004 - 0.005
WA - Seattle	479	0.009	0.008 - 0.010	358	0.014	0.012 - 0.015	121	0.005	0.004 - 0.006
West Virginia	240	0.013	0.012 - 0.015	196	0.022	0.019 - 0.025	44	0.005	0.003 - 0.006
Wisconsin	695	0.012	0.011 - 0.013	532	0.018	0.017 - 0.020	163	0.006	0.005 - 0.007
Wyoming	47	0.008	0.006 - 0.011	-	-	-	-	-	-
NAACCR CDN Combined¹	3,278	0.009	0.008 - 0.009	2,518	0.013	0.013 - 0.014	764	0.004	0.004 - 0.004
Alberta	304	0.007	0.006 - 0.008	233	0.011	0.009 - 0.012	71	0.003	0.003 - 0.004
British Columbia	474	0.010	0.009 - 0.010	359	0.015	0.013 - 0.016	115	0.005	0.004 - 0.005
Manitoba	108	0.008	0.007 - 0.010	78	0.012	0.009 - 0.015	30	0.004	0.003 - 0.006
New Brunswick	65	0.008	0.007 - 0.011	54	0.014	0.011 - 0.019	11	0.003	0.001 - 0.005
Newfoundland and Labrador	66	0.013	0.010 - 0.016	56	0.021	0.016 - 0.028	10	0.004	0.002 - 0.007
Ontario	1,264	0.009	0.008 - 0.009	965	0.014	0.013 - 0.015	299	0.004	0.004 - 0.005
Prince Edward Island	18	0.012	0.007 - 0.019	-	-	-	-	-	-
Saskatchewan	72	0.006	0.005 - 0.008	59	0.010	0.008 - 0.013	13	0.002	0.001 - 0.004
NAACCR N.A. Combined¹	33,512	0.009	0.009 - 0.009	26,221	0.015	0.014 - 0.015	7,294	0.004	0.004 - 0.004

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	54,129	0.017	0.017 - 0.017	31,650	0.020	0.020 - 0.020	22,478	0.014	0.013 - 0.014
Alabama	883	0.018	0.017 - 0.019	488	0.021	0.019 - 0.023	395	0.016	0.014 - 0.017
Alaska	109	0.015	0.012 - 0.018	66	0.017	0.013 - 0.022	43	0.012	0.009 - 0.016
Arizona	938	0.013	0.012 - 0.014	574	0.016	0.015 - 0.018	364	0.010	0.009 - 0.011
Arkansas	471	0.016	0.014 - 0.017	278	0.019	0.017 - 0.021	193	0.013	0.011 - 0.015
California	6,498	0.016	0.016 - 0.017	3,702	0.019	0.018 - 0.020	2,796	0.014	0.014 - 0.015
CA - Greater California	3,146	0.014	0.014 - 0.015	1,789	0.016	0.016 - 0.017	1,357	0.012	0.012 - 0.013
CA - Greater Bay Area	1,361	0.018	0.017 - 0.019	790	0.021	0.020 - 0.023	571	0.015	0.014 - 0.017
CA - Los Angeles	1,992	0.020	0.019 - 0.021	1,122	0.023	0.021 - 0.024	870	0.017	0.016 - 0.018
Colorado	682	0.012	0.011 - 0.013	416	0.015	0.013 - 0.016	266	0.009	0.008 - 0.011
Connecticut	844	0.024	0.022 - 0.025	524	0.030	0.028 - 0.033	321	0.018	0.016 - 0.020
Delaware	169	0.018	0.015 - 0.020	101	0.022	0.018 - 0.026	68	0.014	0.011 - 0.017
Florida	3,663	0.017	0.017 - 0.018	2,214	0.021	0.021 - 0.022	1,449	0.013	0.013 - 0.014
Georgia	1,470	0.014	0.013 - 0.015	819	0.016	0.015 - 0.017	650	0.012	0.011 - 0.013
Hawaii	345	0.024	0.022 - 0.027	205	0.029	0.025 - 0.033	140	0.020	0.017 - 0.023
Idaho	191	0.011	0.010 - 0.013	127	0.015	0.012 - 0.017	64	0.007	0.006 - 0.009
Illinois	2,410	0.019	0.018 - 0.020	1,396	0.022	0.021 - 0.023	1,014	0.016	0.015 - 0.017
Iowa	376	0.012	0.011 - 0.013	220	0.014	0.012 - 0.016	157	0.010	0.008 - 0.012
Kansas	365	0.013	0.011 - 0.014	224	0.015	0.013 - 0.018	141	0.010	0.008 - 0.011
Kentucky	732	0.016	0.015 - 0.018	387	0.018	0.016 - 0.019	345	0.015	0.014 - 0.017
Louisiana	795	0.017	0.016 - 0.018	474	0.021	0.019 - 0.023	322	0.013	0.012 - 0.015
Maine	243	0.018	0.016 - 0.021	134	0.020	0.017 - 0.024	109	0.016	0.013 - 0.019
Maryland	1,148	0.019	0.018 - 0.020	628	0.021	0.020 - 0.023	520	0.017	0.015 - 0.018
MI - Detroit	664	0.017	0.016 - 0.018	385	0.020	0.018 - 0.023	279	0.014	0.012 - 0.016
Minnesota	805	0.014	0.013 - 0.015	491	0.018	0.016 - 0.019	314	0.011	0.010 - 0.013
Mississippi	505	0.017	0.015 - 0.018	278	0.019	0.017 - 0.022	227	0.015	0.013 - 0.017
Missouri	827	0.014	0.013 - 0.014	494	0.016	0.015 - 0.018	333	0.011	0.010 - 0.012
Montana	132	0.013	0.010 - 0.015	79	0.015	0.012 - 0.019	53	0.010	0.008 - 0.013
Nebraska	232	0.012	0.011 - 0.014	149	0.016	0.013 - 0.018	83	0.009	0.007 - 0.011
New Hampshire	232	0.017	0.015 - 0.020	145	0.022	0.018 - 0.025	87	0.013	0.010 - 0.016
New Jersey	2,004	0.023	0.022 - 0.024	1,112	0.026	0.024 - 0.027	892	0.020	0.018 - 0.021
New Mexico	319	0.015	0.014 - 0.017	177	0.017	0.015 - 0.020	141	0.013	0.011 - 0.016
New York	5,119	0.026	0.025 - 0.027	2,944	0.031	0.030 - 0.032	2,175	0.022	0.021 - 0.023
North Carolina	1,816	0.018	0.017 - 0.018	1,032	0.021	0.019 - 0.022	784	0.015	0.014 - 0.016
North Dakota	96	0.013	0.010 - 0.015	64	0.017	0.013 - 0.021	32	0.009	0.006 - 0.012
Ohio	1,948	0.017	0.016 - 0.017	1,177	0.021	0.019 - 0.022	771	0.013	0.012 - 0.014
Oklahoma	505	0.013	0.012 - 0.014	271	0.014	0.012 - 0.016	234	0.012	0.010 - 0.013
Oregon	603	0.014	0.013 - 0.016	369	0.018	0.016 - 0.020	234	0.011	0.010 - 0.013
Pennsylvania	2,181	0.017	0.016 - 0.018	1,364	0.022	0.021 - 0.023	817	0.013	0.012 - 0.013
Rhode Island	255	0.024	0.021 - 0.027	161	0.031	0.027 - 0.037	94	0.017	0.014 - 0.021
South Carolina	874	0.017	0.016 - 0.018	509	0.021	0.019 - 0.023	365	0.014	0.013 - 0.016
South Dakota	92	0.011	0.008 - 0.013	63	0.014	0.011 - 0.018	29	0.007	0.004 - 0.010
Tennessee	982	0.015	0.014 - 0.016	570	0.017	0.016 - 0.019	412	0.012	0.011 - 0.013
Texas	3,858	0.014	0.013 - 0.014	2,175	0.015	0.015 - 0.016	1,683	0.012	0.011 - 0.012
Utah	260	0.008	0.007 - 0.009	157	0.010	0.008 - 0.012	103	0.007	0.005 - 0.008
Vermont	108	0.017	0.014 - 0.021	62	0.020	0.015 - 0.026	46	0.015	0.011 - 0.019
Washington	995	0.013	0.012 - 0.014	608	0.016	0.015 - 0.018	387	0.010	0.009 - 0.011
WA - Seattle	709	0.014	0.013 - 0.015	417	0.016	0.015 - 0.018	292	0.011	0.010 - 0.013
West Virginia	285	0.016	0.014 - 0.018	167	0.019	0.016 - 0.022	118	0.013	0.011 - 0.015
Wisconsin	953	0.016	0.015 - 0.018	619	0.021	0.020 - 0.023	334	0.011	0.010 - 0.013
Wyoming	58	0.010	0.008 - 0.013	42	0.014	0.010 - 0.019	16	0.006	0.003 - 0.009
NAACCR CDN Combined¹	7,171	0.019	0.018 - 0.019	4,586	0.024	0.024 - 0.025	2,585	0.014	0.013 - 0.014
Alberta	477	0.011	0.010 - 0.012	311	0.014	0.013 - 0.016	166	0.008	0.007 - 0.009
British Columbia	719	0.014	0.013 - 0.016	475	0.019	0.018 - 0.021	244	0.010	0.009 - 0.011
Manitoba	220	0.016	0.014 - 0.019	144	0.021	0.018 - 0.025	76	0.011	0.009 - 0.014
New Brunswick	180	0.023	0.020 - 0.027	130	0.034	0.029 - 0.041	50	0.013	0.010 - 0.017
Newfoundland and Labrador	145	0.028	0.023 - 0.032	85	0.033	0.026 - 0.040	60	0.023	0.017 - 0.029
Ontario	3,267	0.023	0.022 - 0.024	2,042	0.029	0.028 - 0.030	1,225	0.017	0.016 - 0.018
Prince Edward Island	25	0.016	0.011 - 0.024	-	-	-	-	-	-
Saskatchewan	161	0.014	0.012 - 0.016	113	0.019	0.016 - 0.023	48	0.008	0.006 - 0.011
NAACCR N.A. Combined¹	61,300	0.017	0.017 - 0.017	36,236	0.020	0.020 - 0.020	25,063	0.014	0.013 - 0.014

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-104 Prevalence – Stomach

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	477,681	0.146	0.146 - 0.147	249,936	0.155	0.155 - 0.156	227,748	0.137	0.137 - 0.138
Alabama	8,372	0.172	0.168 - 0.175	4,319	0.183	0.178 - 0.188	4,053	0.161	0.156 - 0.166
Alaska	1,020	0.138	0.130 - 0.147	564	0.147	0.135 - 0.159	456	0.129	0.118 - 0.142
Arizona	8,490	0.120	0.117 - 0.122	4,516	0.128	0.124 - 0.132	3,974	0.111	0.108 - 0.115
Arkansas	5,080	0.169	0.164 - 0.174	2,708	0.183	0.177 - 0.190	2,372	0.155	0.149 - 0.161
California	49,774	0.126	0.125 - 0.127	26,064	0.133	0.131 - 0.135	23,710	0.120	0.118 - 0.121
CA - Greater California	27,383	0.125	0.124 - 0.127	14,430	0.132	0.130 - 0.134	12,952	0.118	0.116 - 0.120
CA - Greater Bay Area	9,809	0.132	0.130 - 0.135	5,158	0.139	0.136 - 0.143	4,652	0.125	0.121 - 0.129
CA - Los Angeles	12,591	0.125	0.123 - 0.127	6,480	0.130	0.127 - 0.133	6,111	0.119	0.116 - 0.122
Colorado	6,461	0.114	0.112 - 0.117	3,404	0.120	0.116 - 0.124	3,057	0.109	0.105 - 0.113
Connecticut	5,443	0.152	0.148 - 0.156	2,796	0.160	0.155 - 0.167	2,646	0.145	0.139 - 0.150
Delaware	1,530	0.159	0.151 - 0.167	817	0.176	0.164 - 0.188	713	0.144	0.133 - 0.155
Florida	32,685	0.155	0.153 - 0.157	17,092	0.166	0.163 - 0.168	15,593	0.145	0.142 - 0.147
Georgia	14,753	0.141	0.139 - 0.143	7,752	0.152	0.149 - 0.156	7,001	0.130	0.127 - 0.133
Hawaii	2,549	0.179	0.172 - 0.186	1,384	0.194	0.184 - 0.205	1,165	0.164	0.155 - 0.174
Idaho	2,137	0.123	0.118 - 0.129	1,145	0.132	0.124 - 0.140	992	0.115	0.108 - 0.122
Illinois	20,886	0.164	0.162 - 0.166	10,928	0.174	0.171 - 0.178	9,958	0.154	0.151 - 0.157
Iowa	5,487	0.174	0.170 - 0.179	2,836	0.181	0.175 - 0.188	2,651	0.168	0.161 - 0.174
Kansas	4,467	0.154	0.149 - 0.158	2,340	0.161	0.155 - 0.168	2,127	0.146	0.140 - 0.152
Kentucky	8,268	0.186	0.182 - 0.190	4,423	0.201	0.196 - 0.207	3,845	0.170	0.165 - 0.176
Louisiana	7,896	0.169	0.166 - 0.173	4,225	0.185	0.180 - 0.191	3,671	0.154	0.149 - 0.159
Maine	2,264	0.169	0.162 - 0.176	1,162	0.177	0.167 - 0.188	1,102	0.162	0.152 - 0.171
Maryland	8,257	0.137	0.134 - 0.140	4,116	0.141	0.137 - 0.145	4,141	0.133	0.129 - 0.137
MI - Detroit	6,312	0.163	0.159 - 0.167	3,215	0.171	0.165 - 0.177	3,097	0.155	0.150 - 0.161
Minnesota	8,268	0.148	0.145 - 0.151	4,380	0.157	0.153 - 0.162	3,888	0.139	0.134 - 0.143
Mississippi	5,408	0.181	0.176 - 0.186	2,856	0.197	0.190 - 0.205	2,552	0.166	0.160 - 0.173
Missouri	9,753	0.160	0.156 - 0.163	5,089	0.170	0.165 - 0.174	4,664	0.150	0.146 - 0.154
Montana	1,663	0.157	0.150 - 0.165	927	0.174	0.163 - 0.186	736	0.140	0.130 - 0.151
Nebraska	3,193	0.166	0.161 - 0.172	1,649	0.172	0.164 - 0.180	1,544	0.161	0.153 - 0.169
New Hampshire	2,129	0.158	0.151 - 0.164	1,152	0.172	0.162 - 0.182	977	0.143	0.134 - 0.153
New Jersey	14,526	0.163	0.161 - 0.166	7,443	0.172	0.168 - 0.175	7,083	0.156	0.152 - 0.159
New Mexico	2,632	0.126	0.121 - 0.131	1,364	0.132	0.125 - 0.139	1,268	0.120	0.114 - 0.127
New York	30,131	0.154	0.152 - 0.156	15,378	0.162	0.159 - 0.164	14,753	0.147	0.144 - 0.149
North Carolina	14,590	0.141	0.139 - 0.144	7,524	0.150	0.146 - 0.153	7,066	0.133	0.130 - 0.136
North Dakota	1,231	0.163	0.154 - 0.172	647	0.167	0.154 - 0.180	584	0.158	0.146 - 0.172
Ohio	19,115	0.164	0.162 - 0.166	9,865	0.173	0.169 - 0.176	9,250	0.155	0.152 - 0.159
Oklahoma	5,930	0.151	0.147 - 0.155	3,138	0.161	0.155 - 0.167	2,792	0.141	0.135 - 0.146
Oregon	5,765	0.138	0.135 - 0.142	3,042	0.147	0.142 - 0.153	2,723	0.130	0.125 - 0.135
Pennsylvania	22,150	0.173	0.171 - 0.175	11,416	0.182	0.179 - 0.186	10,734	0.164	0.161 - 0.168
Rhode Island	1,487	0.141	0.134 - 0.148	734	0.143	0.133 - 0.154	753	0.139	0.129 - 0.149
South Carolina	7,413	0.147	0.143 - 0.150	3,850	0.157	0.152 - 0.162	3,563	0.137	0.132 - 0.141
South Dakota	1,371	0.157	0.148 - 0.165	721	0.163	0.151 - 0.175	650	0.150	0.139 - 0.162
Tennessee	10,322	0.153	0.150 - 0.156	5,350	0.163	0.158 - 0.167	4,972	0.144	0.140 - 0.148
Texas	34,418	0.121	0.120 - 0.122	18,777	0.133	0.131 - 0.135	15,641	0.109	0.107 - 0.111
Utah	2,597	0.083	0.080 - 0.086	1,344	0.085	0.081 - 0.090	1,253	0.081	0.076 - 0.085
Vermont	899	0.144	0.135 - 0.154	458	0.149	0.135 - 0.163	441	0.140	0.127 - 0.153
Washington	9,895	0.132	0.130 - 0.135	5,149	0.138	0.134 - 0.142	4,746	0.127	0.123 - 0.131
WA - Seattle	7,122	0.138	0.135 - 0.141	3,733	0.145	0.140 - 0.149	3,389	0.132	0.127 - 0.136
West Virginia	3,694	0.204	0.197 - 0.211	1,967	0.219	0.210 - 0.229	1,727	0.189	0.180 - 0.198
Wisconsin	8,732	0.151	0.147 - 0.154	4,597	0.159	0.155 - 0.164	4,135	0.142	0.138 - 0.146
Wyoming	736	0.127	0.118 - 0.137	416	0.141	0.128 - 0.155	320	0.113	0.101 - 0.126
NAACCR CDN Combined¹	78,015	0.206	0.205 - 0.208	43,360	0.231	0.229 - 0.234	34,664	0.182	0.180 - 0.184
Alberta	7,283	0.171	0.167 - 0.175	4,158	0.193	0.188 - 0.199	3,125	0.147	0.142 - 0.153
British Columbia	11,002	0.221	0.217 - 0.226	6,170	0.251	0.245 - 0.257	4,832	0.192	0.187 - 0.198
Manitoba	2,769	0.206	0.198 - 0.214	1,546	0.230	0.219 - 0.242	1,223	0.182	0.172 - 0.192
New Brunswick	2,006	0.261	0.250 - 0.273	1,154	0.304	0.286 - 0.322	852	0.219	0.205 - 0.235
Newfoundland and Labrador	2,111	0.401	0.384 - 0.418	1,195	0.458	0.432 - 0.485	916	0.344	0.323 - 0.368
Ontario	28,386	0.200	0.198 - 0.202	15,490	0.221	0.218 - 0.225	12,896	0.179	0.176 - 0.182
Prince Edward Island	423	0.278	0.253 - 0.306	234	0.314	0.275 - 0.357	189	0.244	0.211 - 0.281
Saskatchewan	2,544	0.220	0.212 - 0.229	1,438	0.247	0.234 - 0.260	1,106	0.193	0.182 - 0.204
NAACCR N.A. Combined¹	555,696	0.151	0.151 - 0.152	293,296	0.162	0.161 - 0.163	262,413	0.141	0.141 - 0.142

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	57,388	0.018	0.018 - 0.018	40,525	0.025	0.025 - 0.026	16,866	0.010	0.010 - 0.010
Alabama	658	0.013	0.012 - 0.015	450	0.019	0.017 - 0.021	208	0.008	0.007 - 0.009
Alaska	137	0.019	0.016 - 0.022	95	0.025	0.020 - 0.030	42	0.012	0.009 - 0.016
Arizona	1,117	0.016	0.015 - 0.017	770	0.022	0.020 - 0.023	347	0.010	0.009 - 0.011
Arkansas	504	0.017	0.015 - 0.018	371	0.025	0.023 - 0.028	133	0.009	0.007 - 0.010
California	8,012	0.020	0.020 - 0.021	5,673	0.029	0.028 - 0.030	2,339	0.012	0.011 - 0.012
CA - Greater California	4,223	0.019	0.019 - 0.020	3,007	0.028	0.027 - 0.029	1,216	0.011	0.010 - 0.012
CA - Greater Bay Area	1,948	0.026	0.025 - 0.027	1,421	0.038	0.036 - 0.040	527	0.014	0.013 - 0.015
CA - Los Angeles	1,841	0.018	0.017 - 0.019	1,243	0.025	0.024 - 0.026	597	0.012	0.011 - 0.013
Colorado	838	0.015	0.014 - 0.016	610	0.021	0.020 - 0.023	228	0.008	0.007 - 0.009
Connecticut	673	0.019	0.017 - 0.020	498	0.029	0.026 - 0.031	175	0.010	0.008 - 0.011
Delaware	200	0.021	0.018 - 0.024	145	0.031	0.026 - 0.037	55	0.011	0.008 - 0.014
Florida	3,785	0.018	0.017 - 0.019	2,640	0.026	0.025 - 0.027	1,145	0.011	0.010 - 0.011
Georgia	1,529	0.015	0.014 - 0.015	1,087	0.021	0.020 - 0.023	442	0.008	0.007 - 0.009
Hawaii	345	0.024	0.022 - 0.027	244	0.034	0.030 - 0.039	101	0.014	0.012 - 0.017
Idaho	220	0.013	0.011 - 0.014	163	0.019	0.016 - 0.022	57	0.007	0.005 - 0.009
Illinois	2,069	0.016	0.016 - 0.017	1,393	0.022	0.021 - 0.023	676	0.010	0.010 - 0.011
Iowa	428	0.014	0.012 - 0.015	299	0.019	0.017 - 0.021	130	0.008	0.007 - 0.010
Kansas	463	0.016	0.014 - 0.017	338	0.023	0.021 - 0.026	125	0.009	0.007 - 0.010
Kentucky	643	0.014	0.013 - 0.016	454	0.021	0.019 - 0.023	189	0.008	0.007 - 0.010
Louisiana	855	0.018	0.017 - 0.020	630	0.028	0.026 - 0.030	225	0.009	0.008 - 0.011
Maine	172	0.013	0.011 - 0.015	133	0.020	0.017 - 0.024	39	0.006	0.004 - 0.008
Maryland	1,099	0.018	0.017 - 0.019	764	0.026	0.024 - 0.028	335	0.011	0.010 - 0.012
MI - Detroit	712	0.018	0.017 - 0.020	495	0.026	0.024 - 0.029	217	0.011	0.009 - 0.012
Minnesota	903	0.016	0.015 - 0.017	628	0.023	0.021 - 0.024	275	0.010	0.009 - 0.011
Mississippi	537	0.018	0.017 - 0.020	375	0.026	0.023 - 0.029	162	0.011	0.009 - 0.012
Missouri	966	0.016	0.015 - 0.017	684	0.023	0.021 - 0.025	282	0.009	0.008 - 0.010
Montana	139	0.013	0.011 - 0.016	103	0.019	0.016 - 0.024	36	0.007	0.005 - 0.009
Nebraska	206	0.011	0.009 - 0.012	152	0.016	0.013 - 0.019	54	0.006	0.004 - 0.007
New Hampshire	194	0.014	0.012 - 0.017	147	0.022	0.019 - 0.026	47	0.007	0.005 - 0.009
New Jersey	1,525	0.017	0.016 - 0.018	1,093	0.025	0.024 - 0.027	431	0.009	0.009 - 0.010
New Mexico	412	0.020	0.018 - 0.022	306	0.030	0.026 - 0.033	106	0.010	0.008 - 0.012
New York	4,140	0.021	0.021 - 0.022	2,951	0.031	0.030 - 0.032	1,189	0.012	0.011 - 0.013
North Carolina	1,713	0.017	0.016 - 0.017	1,205	0.024	0.023 - 0.025	508	0.010	0.009 - 0.010
North Dakota	48	0.006	0.005 - 0.008	30	0.008	0.005 - 0.011	18	0.005	0.003 - 0.008
Ohio	1,619	0.014	0.013 - 0.015	1,132	0.020	0.019 - 0.021	487	0.008	0.007 - 0.009
Oklahoma	557	0.014	0.013 - 0.015	391	0.020	0.018 - 0.022	166	0.008	0.007 - 0.010
Oregon	930	0.022	0.021 - 0.024	681	0.033	0.031 - 0.036	249	0.012	0.010 - 0.013
Pennsylvania	2,510	0.020	0.019 - 0.020	1,799	0.029	0.027 - 0.030	711	0.011	0.010 - 0.012
Rhode Island	203	0.019	0.017 - 0.022	154	0.030	0.025 - 0.035	49	0.009	0.007 - 0.012
South Carolina	769	0.015	0.014 - 0.016	542	0.022	0.020 - 0.024	227	0.009	0.008 - 0.010
South Dakota	94	0.011	0.009 - 0.013	68	0.015	0.012 - 0.020	26	0.006	0.004 - 0.009
Tennessee	1,075	0.016	0.015 - 0.017	730	0.022	0.021 - 0.024	345	0.010	0.009 - 0.011
Texas	5,753	0.020	0.020 - 0.021	4,003	0.028	0.027 - 0.029	1,750	0.012	0.012 - 0.013
Utah	313	0.010	0.009 - 0.011	209	0.013	0.012 - 0.015	104	0.007	0.005 - 0.008
Vermont	85	0.014	0.011 - 0.017	63	0.020	0.016 - 0.026	22	0.007	0.004 - 0.011
Washington	1,577	0.021	0.020 - 0.022	1,105	0.030	0.028 - 0.031	472	0.013	0.012 - 0.014
WA - Seattle	1,202	0.023	0.022 - 0.025	853	0.033	0.031 - 0.035	349	0.014	0.012 - 0.015
West Virginia	268	0.015	0.013 - 0.017	184	0.021	0.018 - 0.024	84	0.009	0.007 - 0.011
Wisconsin	960	0.017	0.016 - 0.018	675	0.023	0.022 - 0.025	285	0.010	0.009 - 0.011
Wyoming	67	0.012	0.009 - 0.015	48	0.016	0.012 - 0.022	19	0.007	0.004 - 0.010
NAACCR CDN Combined¹	5,486	0.015	0.014 - 0.015	4,008	0.021	0.021 - 0.022	1,484	0.008	0.007 - 0.008
Alberta	610	0.014	0.013 - 0.015	439	0.020	0.019 - 0.022	171	0.008	0.007 - 0.009
British Columbia	851	0.017	0.016 - 0.018	625	0.025	0.023 - 0.027	226	0.009	0.008 - 0.010
Manitoba	157	0.012	0.010 - 0.014	117	0.017	0.014 - 0.021	40	0.006	0.004 - 0.008
New Brunswick	67	0.009	0.007 - 0.011	37	0.010	0.007 - 0.013	30	0.008	0.005 - 0.011
Newfoundland and Labrador	46	0.009	0.006 - 0.012	27	0.010	0.007 - 0.015	19	0.007	0.004 - 0.011
Ontario	2,152	0.015	0.015 - 0.016	1,588	0.023	0.022 - 0.024	564	0.008	0.007 - 0.009
Prince Edward Island	14	0.009	0.005 - 0.015	-	-	-	-	-	-
Saskatchewan	76	0.007	0.005 - 0.008	54	0.009	0.007 - 0.012	22	0.004	0.002 - 0.006
NAACCR N.A. Combined¹	62,874	0.017	0.017 - 0.018	44,533	0.025	0.025 - 0.025	18,350	0.010	0.010 - 0.010

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-106 Prevalence – Liver and Intrahepatic Bile Duct

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	60,105	0.018	0.018 - 0.019	30,942	0.019	0.019 - 0.019	29,162	0.018	0.017 - 0.018
Alabama	806	0.017	0.015 - 0.018	402	0.017	0.015 - 0.019	404	0.016	0.015 - 0.018
Alaska	97	0.013	0.011 - 0.016	59	0.015	0.012 - 0.020	38	0.011	0.008 - 0.015
Arizona	1,138	0.016	0.015 - 0.017	618	0.018	0.016 - 0.019	520	0.015	0.013 - 0.016
Arkansas	444	0.015	0.013 - 0.016	233	0.016	0.014 - 0.018	211	0.014	0.012 - 0.016
California	5,980	0.015	0.015 - 0.016	3,053	0.016	0.015 - 0.016	2,927	0.015	0.014 - 0.015
CA - Greater California	3,281	0.015	0.014 - 0.016	1,694	0.016	0.015 - 0.016	1,587	0.014	0.014 - 0.015
CA - Greater Bay Area	1,261	0.017	0.016 - 0.018	639	0.017	0.016 - 0.019	622	0.017	0.015 - 0.018
CA - Los Angeles	1,440	0.014	0.014 - 0.015	721	0.015	0.013 - 0.016	718	0.014	0.013 - 0.015
Colorado	898	0.016	0.015 - 0.017	480	0.017	0.015 - 0.018	418	0.015	0.014 - 0.016
Connecticut	856	0.024	0.022 - 0.026	456	0.026	0.024 - 0.029	400	0.022	0.020 - 0.024
Delaware	211	0.022	0.019 - 0.025	115	0.025	0.020 - 0.030	96	0.019	0.016 - 0.024
Florida	4,744	0.022	0.022 - 0.023	2,450	0.024	0.023 - 0.025	2,294	0.021	0.020 - 0.022
Georgia	1,643	0.016	0.015 - 0.016	828	0.016	0.015 - 0.017	814	0.015	0.014 - 0.016
Hawaii	288	0.020	0.018 - 0.023	153	0.021	0.018 - 0.025	135	0.019	0.016 - 0.023
Idaho	312	0.018	0.016 - 0.020	160	0.018	0.016 - 0.021	152	0.018	0.015 - 0.021
Illinois	2,623	0.021	0.020 - 0.021	1,344	0.021	0.020 - 0.023	1,279	0.020	0.019 - 0.021
Iowa	628	0.020	0.018 - 0.022	342	0.022	0.020 - 0.024	287	0.018	0.016 - 0.020
Kansas	532	0.018	0.017 - 0.020	266	0.018	0.016 - 0.021	266	0.018	0.016 - 0.021
Kentucky	798	0.018	0.017 - 0.019	398	0.018	0.016 - 0.020	400	0.018	0.016 - 0.019
Louisiana	778	0.017	0.016 - 0.018	381	0.017	0.015 - 0.019	396	0.017	0.015 - 0.018
Maine	270	0.020	0.018 - 0.023	145	0.022	0.019 - 0.026	125	0.018	0.015 - 0.022
Maryland	1,241	0.021	0.019 - 0.022	588	0.020	0.019 - 0.022	653	0.021	0.019 - 0.023
MI - Detroit	841	0.022	0.020 - 0.023	415	0.022	0.020 - 0.024	426	0.021	0.019 - 0.023
Minnesota	1,067	0.019	0.018 - 0.020	560	0.020	0.018 - 0.022	507	0.018	0.017 - 0.020
Mississippi	507	0.017	0.016 - 0.019	248	0.017	0.015 - 0.019	259	0.017	0.015 - 0.019
Missouri	1,076	0.018	0.017 - 0.019	563	0.019	0.017 - 0.020	513	0.016	0.015 - 0.018
Montana	199	0.019	0.016 - 0.022	108	0.020	0.017 - 0.024	92	0.017	0.014 - 0.021
Nebraska	366	0.019	0.017 - 0.021	185	0.019	0.017 - 0.022	181	0.019	0.016 - 0.022
New Hampshire	326	0.024	0.022 - 0.027	159	0.024	0.020 - 0.028	167	0.024	0.021 - 0.029
New Jersey	2,061	0.023	0.022 - 0.024	1,057	0.024	0.023 - 0.026	1,004	0.022	0.021 - 0.024
New Mexico	266	0.013	0.011 - 0.014	144	0.014	0.012 - 0.016	122	0.012	0.010 - 0.014
New York	4,512	0.023	0.022 - 0.024	2,287	0.024	0.023 - 0.025	2,225	0.022	0.021 - 0.023
North Carolina	1,867	0.018	0.017 - 0.019	913	0.018	0.017 - 0.019	954	0.018	0.017 - 0.019
North Dakota	130	0.017	0.014 - 0.020	62	0.016	0.012 - 0.021	68	0.018	0.014 - 0.023
Ohio	2,077	0.018	0.017 - 0.019	1,051	0.018	0.017 - 0.020	1,026	0.017	0.016 - 0.018
Oklahoma	517	0.013	0.012 - 0.014	247	0.013	0.011 - 0.014	270	0.014	0.012 - 0.015
Oregon	832	0.020	0.019 - 0.021	436	0.021	0.019 - 0.023	396	0.019	0.017 - 0.021
Pennsylvania	3,014	0.024	0.023 - 0.024	1,549	0.025	0.024 - 0.026	1,465	0.022	0.021 - 0.024
Rhode Island	244	0.023	0.020 - 0.026	141	0.027	0.023 - 0.032	103	0.019	0.015 - 0.023
South Carolina	910	0.018	0.017 - 0.019	468	0.019	0.017 - 0.021	442	0.017	0.015 - 0.019
South Dakota	163	0.019	0.016 - 0.022	97	0.022	0.018 - 0.027	66	0.015	0.012 - 0.019
Tennessee	1,118	0.017	0.016 - 0.018	586	0.018	0.016 - 0.019	532	0.015	0.014 - 0.017
Texas	4,202	0.015	0.014 - 0.015	2,180	0.015	0.015 - 0.016	2,022	0.014	0.014 - 0.015
Utah	306	0.010	0.009 - 0.011	165	0.011	0.009 - 0.012	140	0.009	0.008 - 0.011
Vermont	154	0.025	0.021 - 0.029	85	0.028	0.022 - 0.034	69	0.022	0.017 - 0.028
Washington	1,436	0.019	0.018 - 0.020	728	0.019	0.018 - 0.021	708	0.019	0.018 - 0.020
WA - Seattle	963	0.019	0.018 - 0.020	456	0.018	0.016 - 0.019	507	0.020	0.018 - 0.021
West Virginia	329	0.018	0.016 - 0.020	179	0.020	0.017 - 0.023	150	0.016	0.014 - 0.019
Wisconsin	1,217	0.021	0.020 - 0.022	687	0.024	0.022 - 0.026	530	0.018	0.017 - 0.020
Wyoming	86	0.015	0.012 - 0.018	58	0.020	0.015 - 0.025	28	0.010	0.007 - 0.014
NAACCR CDN Combined¹	5,645	0.015	0.014 - 0.015	3,028	0.016	0.015 - 0.017	2,618	0.014	0.013 - 0.014
Alberta	527	0.012	0.011 - 0.013	302	0.014	0.013 - 0.016	225	0.011	0.009 - 0.012
British Columbia	725	0.015	0.014 - 0.016	390	0.016	0.014 - 0.018	335	0.013	0.012 - 0.015
Manitoba	219	0.016	0.014 - 0.019	110	0.016	0.013 - 0.020	109	0.016	0.013 - 0.020
New Brunswick	134	0.017	0.015 - 0.021	74	0.019	0.015 - 0.024	60	0.015	0.012 - 0.020
Newfoundland and Labrador	70	0.013	0.010 - 0.017	34	0.013	0.009 - 0.018	36	0.014	0.009 - 0.019
Ontario	2,254	0.016	0.015 - 0.017	1,179	0.017	0.016 - 0.018	1,075	0.015	0.014 - 0.016
Prince Edward Island	23	0.015	0.010 - 0.023	-	-	-	-	-	-
Saskatchewan	138	0.012	0.010 - 0.014	85	0.015	0.012 - 0.018	53	0.009	0.007 - 0.012
NAACCR N.A. Combined¹	65,750	0.018	0.018 - 0.018	33,970	0.019	0.019 - 0.019	31,779	0.017	0.017 - 0.017

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	42,604	0.013	0.013 - 0.013	33,869	0.021	0.021 - 0.021	8,737	0.005	0.005 - 0.005
Alabama	856	0.018	0.016 - 0.019	691	0.029	0.027 - 0.032	165	0.007	0.006 - 0.008
Alaska	72	0.010	0.008 - 0.012	62	0.016	0.012 - 0.021	10	0.003	0.001 - 0.005
Arizona	583	0.008	0.008 - 0.009	473	0.013	0.012 - 0.015	110	0.003	0.003 - 0.004
Arkansas	482	0.016	0.015 - 0.018	368	0.025	0.022 - 0.028	114	0.007	0.006 - 0.009
California	2,749	0.007	0.007 - 0.007	2,306	0.012	0.011 - 0.012	443	0.002	0.002 - 0.002
CA - Greater California	1,605	0.007	0.007 - 0.008	1,326	0.012	0.012 - 0.013	278	0.003	0.002 - 0.003
CA - Greater Bay Area	508	0.007	0.006 - 0.007	431	0.012	0.011 - 0.013	77	0.002	0.002 - 0.003
CA - Los Angeles	638	0.006	0.006 - 0.007	550	0.011	0.010 - 0.012	89	0.002	0.001 - 0.002
Colorado	463	0.008	0.007 - 0.009	360	0.013	0.011 - 0.014	103	0.004	0.003 - 0.004
Connecticut	560	0.016	0.014 - 0.017	440	0.025	0.023 - 0.028	120	0.007	0.005 - 0.008
Delaware	148	0.015	0.013 - 0.018	108	0.023	0.019 - 0.028	40	0.008	0.006 - 0.011
Florida	3,550	0.017	0.016 - 0.017	2,911	0.028	0.027 - 0.029	639	0.006	0.005 - 0.006
Georgia	1,416	0.014	0.013 - 0.014	1,140	0.022	0.021 - 0.024	276	0.005	0.005 - 0.006
Hawaii	132	0.009	0.008 - 0.011	116	0.016	0.013 - 0.019	16	0.002	0.001 - 0.004
Idaho	138	0.008	0.007 - 0.009	108	0.012	0.010 - 0.015	30	0.003	0.002 - 0.005
Illinois	1,916	0.015	0.014 - 0.016	1,513	0.024	0.023 - 0.025	403	0.006	0.006 - 0.007
Iowa	475	0.015	0.014 - 0.017	381	0.024	0.022 - 0.027	94	0.006	0.005 - 0.007
Kansas	350	0.012	0.011 - 0.013	289	0.020	0.018 - 0.022	61	0.004	0.003 - 0.005
Kentucky	961	0.022	0.020 - 0.023	707	0.032	0.030 - 0.035	254	0.011	0.010 - 0.013
Louisiana	885	0.019	0.018 - 0.020	679	0.030	0.028 - 0.032	206	0.009	0.007 - 0.010
Maine	260	0.019	0.017 - 0.022	195	0.030	0.026 - 0.034	65	0.010	0.007 - 0.012
Maryland	651	0.011	0.010 - 0.012	522	0.018	0.016 - 0.019	129	0.004	0.003 - 0.005
MI - Detroit	652	0.017	0.016 - 0.018	501	0.027	0.024 - 0.029	151	0.008	0.006 - 0.009
Minnesota	703	0.013	0.012 - 0.014	563	0.020	0.019 - 0.022	140	0.005	0.004 - 0.006
Mississippi	546	0.018	0.017 - 0.020	435	0.030	0.027 - 0.033	111	0.007	0.006 - 0.009
Missouri	1,023	0.017	0.016 - 0.018	782	0.026	0.024 - 0.028	241	0.008	0.007 - 0.009
Montana	129	0.012	0.010 - 0.014	104	0.019	0.016 - 0.024	25	0.005	0.003 - 0.007
Nebraska	223	0.012	0.010 - 0.013	172	0.018	0.015 - 0.021	51	0.005	0.004 - 0.007
New Hampshire	178	0.013	0.011 - 0.015	138	0.021	0.017 - 0.024	40	0.006	0.004 - 0.008
New Jersey	1,109	0.012	0.012 - 0.013	923	0.021	0.020 - 0.023	187	0.004	0.004 - 0.005
New Mexico	184	0.009	0.008 - 0.010	149	0.014	0.012 - 0.017	35	0.003	0.002 - 0.005
New York	2,629	0.013	0.013 - 0.014	2,067	0.022	0.021 - 0.023	562	0.006	0.005 - 0.006
North Carolina	1,683	0.016	0.016 - 0.017	1,310	0.026	0.025 - 0.028	373	0.007	0.006 - 0.008
North Dakota	96	0.013	0.010 - 0.015	85	0.022	0.018 - 0.027	11	0.003	0.001 - 0.005
Ohio	2,070	0.018	0.017 - 0.019	1,596	0.028	0.027 - 0.029	474	0.008	0.007 - 0.009
Oklahoma	550	0.014	0.013 - 0.015	416	0.021	0.019 - 0.023	134	0.007	0.006 - 0.008
Oregon	424	0.010	0.009 - 0.011	344	0.017	0.015 - 0.019	80	0.004	0.003 - 0.005
Pennsylvania	2,083	0.016	0.016 - 0.017	1,613	0.026	0.024 - 0.027	470	0.007	0.007 - 0.008
Rhode Island	166	0.016	0.013 - 0.018	127	0.025	0.021 - 0.029	39	0.007	0.005 - 0.010
South Carolina	871	0.017	0.016 - 0.018	710	0.029	0.027 - 0.031	161	0.006	0.005 - 0.007
South Dakota	108	0.012	0.010 - 0.015	85	0.019	0.015 - 0.024	23	0.005	0.003 - 0.008
Tennessee	1,167	0.017	0.016 - 0.018	888	0.027	0.025 - 0.029	279	0.008	0.007 - 0.009
Texas	2,757	0.010	0.009 - 0.010	2,284	0.016	0.015 - 0.017	473	0.003	0.003 - 0.004
Utah	143	0.005	0.004 - 0.005	120	0.008	0.006 - 0.009	23	0.001	0.001 - 0.002
Vermont	101	0.016	0.013 - 0.020	78	0.025	0.020 - 0.032	23	0.007	0.005 - 0.011
Washington	692	0.009	0.009 - 0.010	549	0.015	0.013 - 0.016	143	0.004	0.003 - 0.005
WA - Seattle	478	0.009	0.008 - 0.010	384	0.015	0.013 - 0.016	94	0.004	0.003 - 0.004
West Virginia	425	0.023	0.021 - 0.026	299	0.033	0.030 - 0.037	126	0.014	0.011 - 0.016
Wisconsin	835	0.014	0.013 - 0.015	673	0.023	0.022 - 0.025	162	0.006	0.005 - 0.006
Wyoming	68	0.012	0.009 - 0.015	48	0.016	0.012 - 0.022	20	0.007	0.004 - 0.011
NAACCR CDN Combined¹	3,502	0.009	0.009 - 0.010	3,020	0.016	0.015 - 0.017	484	0.003	0.002 - 0.003
Alberta	286	0.007	0.006 - 0.008	249	0.012	0.010 - 0.013	37	0.002	0.001 - 0.002
British Columbia	391	0.008	0.007 - 0.009	347	0.014	0.013 - 0.016	44	0.002	0.001 - 0.002
Manitoba	113	0.008	0.007 - 0.010	98	0.015	0.012 - 0.018	15	0.002	0.001 - 0.004
New Brunswick	98	0.013	0.010 - 0.016	87	0.023	0.018 - 0.028	11	0.003	0.001 - 0.005
Newfoundland and Labrador	90	0.017	0.014 - 0.021	79	0.030	0.024 - 0.038	11	0.004	0.002 - 0.007
Ontario	1,452	0.010	0.010 - 0.011	1,235	0.018	0.017 - 0.019	217	0.003	0.003 - 0.003
Prince Edward Island	15	0.010	0.006 - 0.016	-	-	-	-	-	-
Saskatchewan	86	0.007	0.006 - 0.009	72	0.012	0.010 - 0.016	14	0.002	0.001 - 0.004
NAACCR N.A. Combined¹	46,106	0.013	0.013 - 0.013	36,889	0.021	0.020 - 0.021	9,221	0.005	0.005 - 0.005

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	396,511	0.121	0.121 - 0.121	184,760	0.115	0.114 - 0.115	211,745	0.127	0.127 - 0.128
Alabama	6,157	0.126	0.123 - 0.129	3,180	0.135	0.130 - 0.139	2,977	0.118	0.114 - 0.122
Alaska	641	0.087	0.080 - 0.094	318	0.083	0.074 - 0.092	323	0.092	0.082 - 0.102
Arizona	6,839	0.096	0.094 - 0.099	3,038	0.086	0.083 - 0.089	3,801	0.106	0.103 - 0.110
Arkansas	4,651	0.155	0.150 - 0.159	2,326	0.158	0.151 - 0.164	2,325	0.152	0.146 - 0.158
California	30,706	0.078	0.077 - 0.079	13,604	0.069	0.068 - 0.071	17,102	0.086	0.085 - 0.088
CA - Greater California	17,657	0.081	0.079 - 0.082	7,699	0.071	0.069 - 0.072	9,958	0.091	0.089 - 0.092
CA - Greater Bay Area	6,313	0.085	0.083 - 0.087	2,872	0.078	0.075 - 0.081	3,441	0.092	0.089 - 0.096
CA - Los Angeles	6,740	0.067	0.065 - 0.068	3,035	0.061	0.059 - 0.063	3,705	0.072	0.070 - 0.075
Colorado	4,407	0.078	0.076 - 0.080	1,950	0.069	0.066 - 0.072	2,457	0.088	0.084 - 0.091
Connecticut	5,670	0.159	0.155 - 0.163	2,548	0.146	0.141 - 0.152	3,122	0.171	0.165 - 0.177
Delaware	1,553	0.162	0.154 - 0.170	678	0.146	0.135 - 0.157	875	0.176	0.165 - 0.188
Florida	31,654	0.150	0.148 - 0.152	14,904	0.144	0.142 - 0.147	16,750	0.155	0.153 - 0.158
Georgia	11,576	0.111	0.109 - 0.113	5,744	0.113	0.110 - 0.116	5,832	0.109	0.106 - 0.111
Hawaii	1,433	0.101	0.096 - 0.106	725	0.102	0.094 - 0.109	708	0.100	0.092 - 0.107
Idaho	1,644	0.095	0.090 - 0.099	749	0.086	0.080 - 0.093	894	0.103	0.097 - 0.110
Illinois	17,249	0.135	0.133 - 0.137	7,992	0.128	0.125 - 0.130	9,257	0.143	0.140 - 0.146
Iowa	4,228	0.134	0.130 - 0.139	2,035	0.130	0.124 - 0.136	2,193	0.139	0.133 - 0.145
Kansas	3,652	0.125	0.121 - 0.130	1,731	0.119	0.114 - 0.125	1,921	0.132	0.126 - 0.138
Kentucky	7,892	0.177	0.173 - 0.181	3,792	0.173	0.167 - 0.178	4,100	0.181	0.176 - 0.187
Louisiana	5,733	0.123	0.120 - 0.126	2,883	0.127	0.122 - 0.131	2,849	0.119	0.115 - 0.124
Maine	2,523	0.189	0.181 - 0.196	1,118	0.171	0.161 - 0.181	1,405	0.206	0.195 - 0.217
Maryland	7,236	0.120	0.117 - 0.123	3,145	0.108	0.104 - 0.111	4,091	0.132	0.128 - 0.136
MI - Detroit	5,667	0.146	0.142 - 0.150	2,519	0.134	0.128 - 0.139	3,149	0.158	0.152 - 0.163
Minnesota	7,036	0.126	0.123 - 0.129	3,215	0.116	0.112 - 0.120	3,821	0.136	0.132 - 0.141
Mississippi	4,397	0.147	0.143 - 0.152	2,285	0.158	0.151 - 0.164	2,112	0.137	0.132 - 0.143
Missouri	9,314	0.152	0.149 - 0.155	4,357	0.145	0.141 - 0.150	4,957	0.159	0.155 - 0.164
Montana	1,259	0.119	0.113 - 0.126	534	0.100	0.092 - 0.109	726	0.138	0.128 - 0.149
Nebraska	2,166	0.113	0.108 - 0.118	1,041	0.109	0.102 - 0.115	1,125	0.117	0.110 - 0.124
New Hampshire	2,152	0.159	0.153 - 0.166	901	0.135	0.126 - 0.144	1,251	0.183	0.173 - 0.194
New Jersey	11,502	0.129	0.127 - 0.132	4,901	0.113	0.110 - 0.116	6,602	0.145	0.142 - 0.149
New Mexico	1,504	0.072	0.068 - 0.076	702	0.068	0.063 - 0.073	803	0.076	0.071 - 0.081
New York	28,401	0.145	0.144 - 0.147	12,524	0.132	0.130 - 0.134	15,877	0.158	0.155 - 0.160
North Carolina	14,621	0.142	0.139 - 0.144	7,020	0.140	0.136 - 0.143	7,601	0.143	0.140 - 0.147
North Dakota	929	0.123	0.115 - 0.131	442	0.114	0.104 - 0.125	487	0.132	0.120 - 0.144
Ohio	16,893	0.145	0.143 - 0.147	8,103	0.142	0.139 - 0.145	8,790	0.148	0.145 - 0.151
Oklahoma	4,633	0.118	0.114 - 0.121	2,286	0.117	0.112 - 0.122	2,347	0.118	0.113 - 0.123
Oregon	4,994	0.120	0.117 - 0.123	2,265	0.110	0.105 - 0.114	2,729	0.130	0.125 - 0.135
Pennsylvania	19,897	0.156	0.153 - 0.158	9,164	0.146	0.143 - 0.149	10,733	0.164	0.161 - 0.168
Rhode Island	1,892	0.179	0.171 - 0.187	832	0.162	0.151 - 0.173	1,060	0.195	0.184 - 0.207
South Carolina	6,952	0.138	0.134 - 0.141	3,444	0.141	0.136 - 0.145	3,508	0.135	0.130 - 0.139
South Dakota	1,143	0.131	0.123 - 0.138	517	0.117	0.107 - 0.127	626	0.144	0.133 - 0.156
Tennessee	10,246	0.152	0.149 - 0.155	4,998	0.152	0.148 - 0.156	5,248	0.152	0.148 - 0.156
Texas	22,510	0.079	0.078 - 0.080	11,072	0.078	0.077 - 0.080	11,438	0.080	0.078 - 0.081
Utah	1,182	0.038	0.036 - 0.040	545	0.035	0.032 - 0.038	637	0.041	0.038 - 0.044
Vermont	1,031	0.165	0.155 - 0.176	492	0.160	0.146 - 0.174	539	0.171	0.156 - 0.186
Washington	8,222	0.110	0.108 - 0.112	3,701	0.099	0.096 - 0.102	4,521	0.121	0.118 - 0.125
WA - Seattle	5,780	0.112	0.109 - 0.115	2,585	0.100	0.096 - 0.104	3,195	0.124	0.120 - 0.128
West Virginia	3,544	0.196	0.189 - 0.202	1,714	0.191	0.182 - 0.200	1,830	0.200	0.191 - 0.210
Wisconsin	7,966	0.137	0.134 - 0.140	3,648	0.126	0.122 - 0.131	4,318	0.148	0.144 - 0.153
Wyoming	511	0.088	0.081 - 0.096	244	0.083	0.073 - 0.094	267	0.094	0.083 - 0.106
NAACCR CDN Combined¹	44,362	0.117	0.116 - 0.118	19,683	0.105	0.103 - 0.106	24,659	0.129	0.127 - 0.131
Alberta	3,981	0.093	0.090 - 0.096	1,739	0.081	0.077 - 0.085	2,242	0.106	0.101 - 0.110
British Columbia	5,503	0.111	0.108 - 0.114	2,384	0.097	0.093 - 0.101	3,119	0.124	0.120 - 0.129
Manitoba	1,518	0.113	0.107 - 0.119	637	0.095	0.088 - 0.103	881	0.131	0.122 - 0.140
New Brunswick	1,456	0.189	0.180 - 0.199	695	0.183	0.169 - 0.197	761	0.196	0.182 - 0.210
Newfoundland and Labrador	935	0.177	0.166 - 0.189	457	0.175	0.159 - 0.192	478	0.180	0.164 - 0.197
Ontario	17,175	0.121	0.119 - 0.123	7,683	0.110	0.107 - 0.112	9,492	0.132	0.129 - 0.135
Prince Edward Island	242	0.159	0.140 - 0.181	89	0.120	0.096 - 0.147	153	0.198	0.168 - 0.231
Saskatchewan	1,204	0.104	0.098 - 0.110	513	0.088	0.081 - 0.096	691	0.120	0.112 - 0.130
NAACCR N.A. Combined¹	440,873	0.121	0.120 - 0.121	204,443	0.114	0.113 - 0.114	236,403	0.128	0.127 - 0.128

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	351,299	0.107	0.106 - 0.107	201,360	0.124	0.124 - 0.125	149,907	0.090	0.089 - 0.090
Alabama	5,122	0.105	0.102 - 0.108	2,976	0.126	0.122 - 0.131	2,146	0.085	0.082 - 0.089
Alaska	422	0.057	0.052 - 0.063	226	0.059	0.051 - 0.067	196	0.056	0.048 - 0.064
Arizona	8,400	0.118	0.116 - 0.121	5,258	0.149	0.145 - 0.153	3,142	0.088	0.085 - 0.091
Arkansas	3,133	0.104	0.101 - 0.108	1,864	0.126	0.121 - 0.132	1,269	0.083	0.078 - 0.088
California	39,952	0.101	0.100 - 0.102	23,391	0.119	0.118 - 0.121	16,561	0.084	0.082 - 0.085
CA - Greater California	24,738	0.113	0.112 - 0.114	14,499	0.133	0.131 - 0.135	10,240	0.093	0.091 - 0.095
CA - Greater Bay Area	9,236	0.124	0.122 - 0.127	5,357	0.145	0.141 - 0.149	3,879	0.104	0.101 - 0.108
CA - Los Angeles	5,992	0.059	0.058 - 0.061	3,549	0.071	0.069 - 0.074	2,444	0.048	0.046 - 0.050
Colorado	5,577	0.099	0.096 - 0.101	3,130	0.110	0.106 - 0.114	2,447	0.087	0.084 - 0.091
Connecticut	3,819	0.107	0.104 - 0.110	2,150	0.123	0.118 - 0.129	1,669	0.091	0.087 - 0.096
Delaware	1,467	0.153	0.145 - 0.161	853	0.184	0.171 - 0.196	614	0.124	0.114 - 0.134
Florida	27,639	0.131	0.129 - 0.133	16,902	0.164	0.161 - 0.166	10,737	0.100	0.098 - 0.101
Georgia	12,141	0.116	0.114 - 0.118	6,991	0.137	0.134 - 0.141	5,150	0.096	0.093 - 0.099
Hawaii	1,644	0.116	0.110 - 0.121	1,012	0.142	0.133 - 0.151	632	0.089	0.082 - 0.096
Idaho	2,170	0.125	0.120 - 0.130	1,216	0.140	0.132 - 0.148	954	0.110	0.103 - 0.117
Illinois	12,503	0.098	0.096 - 0.100	6,805	0.109	0.106 - 0.111	5,698	0.088	0.086 - 0.090
Iowa	4,185	0.133	0.129 - 0.137	2,222	0.142	0.136 - 0.148	1,964	0.124	0.119 - 0.130
Kansas	3,688	0.127	0.123 - 0.131	2,057	0.142	0.136 - 0.148	1,631	0.112	0.106 - 0.117
Kentucky	5,711	0.128	0.125 - 0.132	3,117	0.142	0.137 - 0.147	2,594	0.115	0.110 - 0.119
Louisiana	3,833	0.082	0.080 - 0.085	2,314	0.102	0.097 - 0.106	1,519	0.064	0.060 - 0.067
Maine	1,980	0.148	0.142 - 0.155	1,029	0.157	0.148 - 0.167	951	0.139	0.131 - 0.149
Maryland	6,941	0.115	0.112 - 0.118	3,994	0.137	0.132 - 0.141	2,947	0.095	0.091 - 0.098
MI - Detroit	3,453	0.089	0.086 - 0.092	1,892	0.100	0.096 - 0.105	1,561	0.078	0.074 - 0.082
Minnesota	8,592	0.154	0.151 - 0.157	4,687	0.168	0.164 - 0.173	3,905	0.139	0.135 - 0.144
Mississippi	2,449	0.082	0.079 - 0.085	1,406	0.097	0.092 - 0.102	1,043	0.068	0.064 - 0.072
Missouri	5,664	0.093	0.090 - 0.095	3,230	0.108	0.104 - 0.111	2,434	0.078	0.075 - 0.081
Montana	1,452	0.137	0.130 - 0.145	804	0.151	0.141 - 0.162	648	0.123	0.114 - 0.133
Nebraska	2,349	0.122	0.117 - 0.127	1,213	0.127	0.119 - 0.134	1,136	0.118	0.111 - 0.125
New Hampshire	2,312	0.171	0.164 - 0.178	1,259	0.188	0.178 - 0.199	1,053	0.154	0.145 - 0.164
New Jersey	9,958	0.112	0.110 - 0.114	5,627	0.130	0.126 - 0.133	4,331	0.095	0.092 - 0.098
New Mexico	1,647	0.079	0.075 - 0.083	964	0.093	0.087 - 0.099	684	0.065	0.060 - 0.070
New York	17,794	0.091	0.090 - 0.092	9,980	0.105	0.103 - 0.107	7,814	0.078	0.076 - 0.079
North Carolina	12,754	0.124	0.121 - 0.126	7,434	0.148	0.145 - 0.151	5,320	0.100	0.098 - 0.103
North Dakota	823	0.109	0.101 - 0.116	417	0.108	0.098 - 0.118	406	0.110	0.100 - 0.121
Ohio	13,747	0.118	0.116 - 0.120	7,572	0.132	0.129 - 0.135	6,175	0.104	0.101 - 0.106
Oklahoma	3,887	0.099	0.096 - 0.102	2,321	0.119	0.114 - 0.124	1,566	0.079	0.075 - 0.083
Oregon	5,704	0.137	0.133 - 0.141	3,139	0.152	0.147 - 0.158	2,565	0.122	0.118 - 0.127
Pennsylvania	16,203	0.127	0.125 - 0.129	9,097	0.145	0.142 - 0.148	7,106	0.109	0.106 - 0.111
Rhode Island	1,312	0.124	0.118 - 0.131	718	0.140	0.130 - 0.150	594	0.109	0.101 - 0.119
South Carolina	5,858	0.116	0.113 - 0.119	3,432	0.140	0.135 - 0.145	2,426	0.093	0.090 - 0.097
South Dakota	1,058	0.121	0.114 - 0.128	574	0.130	0.119 - 0.141	484	0.112	0.102 - 0.122
Tennessee	6,566	0.097	0.095 - 0.100	3,740	0.114	0.110 - 0.117	2,826	0.082	0.079 - 0.085
Texas	14,730	0.052	0.051 - 0.053	8,805	0.062	0.061 - 0.064	5,925	0.041	0.040 - 0.042
Utah	4,624	0.148	0.144 - 0.152	2,620	0.166	0.160 - 0.173	2,003	0.129	0.123 - 0.135
Vermont	1,313	0.210	0.199 - 0.222	738	0.239	0.222 - 0.257	575	0.182	0.167 - 0.197
Washington	9,159	0.123	0.120 - 0.125	5,023	0.134	0.131 - 0.138	4,136	0.111	0.107 - 0.114
WA - Seattle	7,110	0.138	0.135 - 0.141	3,895	0.151	0.146 - 0.156	3,215	0.125	0.121 - 0.129
West Virginia	2,052	0.113	0.108 - 0.118	1,192	0.133	0.126 - 0.141	860	0.094	0.088 - 0.101
Wisconsin	7,066	0.122	0.119 - 0.125	4,034	0.140	0.136 - 0.144	3,032	0.104	0.100 - 0.108
Wyoming	645	0.112	0.103 - 0.120	362	0.123	0.110 - 0.136	283	0.100	0.089 - 0.112
NAACCR CDN Combined¹	36,097	0.096	0.095 - 0.097	19,290	0.103	0.101 - 0.105	16,787	0.089	0.087 - 0.091
Alberta	3,055	0.072	0.069 - 0.074	1,554	0.072	0.069 - 0.076	1,501	0.071	0.067 - 0.075
British Columbia	4,715	0.095	0.092 - 0.098	2,527	0.103	0.099 - 0.107	2,188	0.087	0.084 - 0.091
Manitoba	1,056	0.079	0.074 - 0.083	549	0.082	0.075 - 0.089	507	0.075	0.069 - 0.082
New Brunswick	860	0.112	0.105 - 0.120	430	0.113	0.103 - 0.124	430	0.111	0.101 - 0.122
Newfoundland and Labrador	465	0.088	0.080 - 0.097	255	0.098	0.086 - 0.110	210	0.079	0.069 - 0.090
Ontario	15,054	0.106	0.104 - 0.108	8,175	0.117	0.114 - 0.119	6,879	0.096	0.093 - 0.098
Prince Edward Island	246	0.162	0.142 - 0.184	129	0.173	0.145 - 0.206	117	0.151	0.125 - 0.181
Saskatchewan	814	0.070	0.066 - 0.075	377	0.065	0.058 - 0.072	437	0.076	0.069 - 0.084
NAACCR N.A. Combined¹	387,396	0.106	0.105 - 0.106	220,650	0.122	0.122 - 0.123	166,695	0.090	0.089 - 0.090

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-110 Prevalence – Melanoma of the Skin

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		1,073,879	0.647	0.646 - 0.648
Alabama	-	-		-	-		16,015	0.635	0.626 - 0.645
Alaska	-	-		-	-		1,888	0.536	0.512 - 0.560
Arizona	-	-		-	-		20,713	0.580	0.572 - 0.588
Arkansas	-	-		-	-		9,397	0.615	0.602 - 0.627
California	-	-		-	-		117,572	0.593	0.590 - 0.597
CA - Greater California	-	-		-	-		64,678	0.589	0.584 - 0.593
CA - Greater Bay Area	-	-		-	-		24,127	0.648	0.640 - 0.657
CA - Los Angeles	-	-		-	-		28,772	0.563	0.556 - 0.569
Colorado	-	-		-	-		17,299	0.616	0.607 - 0.626
Connecticut	-	-		-	-		14,391	0.786	0.774 - 0.799
Delaware	-	-		-	-		3,622	0.730	0.706 - 0.754
Florida	-	-		-	-		72,423	0.671	0.667 - 0.676
Georgia	-	-		-	-		31,996	0.596	0.589 - 0.602
Hawaii	-	-		-	-		5,458	0.769	0.749 - 0.790
Idaho	-	-		-	-		5,182	0.599	0.583 - 0.615
Illinois	-	-		-	-		44,878	0.692	0.686 - 0.698
Iowa	-	-		-	-		10,891	0.689	0.676 - 0.702
Kansas	-	-		-	-		9,635	0.660	0.647 - 0.673
Kentucky	-	-		-	-		14,971	0.662	0.652 - 0.673
Louisiana	-	-		-	-		14,921	0.625	0.615 - 0.635
Maine	-	-		-	-		5,341	0.783	0.762 - 0.804
Maryland	-	-		-	-		21,420	0.689	0.680 - 0.699
MI - Detroit	-	-		-	-		14,257	0.713	0.702 - 0.725
Minnesota	-	-		-	-		19,280	0.688	0.678 - 0.697
Mississippi	-	-		-	-		9,059	0.589	0.577 - 0.602
Missouri	-	-		-	-		21,466	0.690	0.680 - 0.699
Montana	-	-		-	-		3,708	0.707	0.684 - 0.730
Nebraska	-	-		-	-		6,159	0.640	0.624 - 0.656
New Hampshire	-	-		-	-		5,723	0.839	0.818 - 0.861
New Jersey	-	-		-	-		33,509	0.737	0.729 - 0.745
New Mexico	-	-		-	-		6,200	0.587	0.572 - 0.602
New York	-	-		-	-		71,528	0.711	0.706 - 0.716
North Carolina	-	-		-	-		36,875	0.696	0.689 - 0.703
North Dakota	-	-		-	-		2,336	0.633	0.607 - 0.659
Ohio	-	-		-	-		41,366	0.695	0.689 - 0.702
Oklahoma	-	-		-	-		11,939	0.601	0.591 - 0.612
Oregon	-	-		-	-		14,231	0.678	0.667 - 0.689
Pennsylvania	-	-		-	-		48,361	0.741	0.734 - 0.748
Rhode Island	-	-		-	-		4,204	0.774	0.751 - 0.798
South Carolina	-	-		-	-		17,680	0.679	0.669 - 0.689
South Dakota	-	-		-	-		2,832	0.653	0.629 - 0.677
Tennessee	-	-		-	-		22,045	0.639	0.630 - 0.647
Texas	-	-		-	-		71,722	0.501	0.497 - 0.504
Utah	-	-		-	-		6,673	0.430	0.420 - 0.440
Vermont	-	-		-	-		2,445	0.774	0.743 - 0.805
Washington	-	-		-	-		25,282	0.677	0.669 - 0.685
WA - Seattle	-	-		-	-		18,164	0.705	0.695 - 0.716
West Virginia	-	-		-	-		6,414	0.702	0.684 - 0.719
Wisconsin	-	-		-	-		20,752	0.712	0.702 - 0.722
Wyoming	-	-		-	-		1,646	0.581	0.553 - 0.609
NAACCR CDN Combined¹	-	-		-	-		118,858	0.628	0.624 - 0.632
Alberta	-	-		-	-		11,845	0.559	0.549 - 0.569
British Columbia	-	-		-	-		15,477	0.616	0.607 - 0.626
Manitoba	-	-		-	-		3,698	0.550	0.532 - 0.568
New Brunswick	-	-		-	-		2,688	0.692	0.666 - 0.719
Newfoundland and Labrador	-	-		-	-		2,035	0.765	0.732 - 0.799
Ontario	-	-		-	-		47,107	0.655	0.649 - 0.661
Prince Edward Island	-	-		-	-		515	0.665	0.609 - 0.725
Saskatchewan	-	-		-	-		3,251	0.567	0.547 - 0.587
NAACCR N.A. Combined¹	-	-		-	-		1,192,737	0.646	0.644 - 0.647

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		48,457	0.029	0.029 - 0.030
Alabama	-	-		-	-		838	0.033	0.031 - 0.036
Alaska	-	-		-	-		100	0.028	0.023 - 0.034
Arizona	-	-		-	-		815	0.023	0.021 - 0.024
Arkansas	-	-		-	-		505	0.033	0.030 - 0.036
California	-	-		-	-		5,445	0.027	0.027 - 0.028
CA - Greater California	-	-		-	-		3,081	0.028	0.027 - 0.029
CA - Greater Bay Area	-	-		-	-		900	0.024	0.023 - 0.026
CA - Los Angeles	-	-		-	-		1,466	0.029	0.027 - 0.030
Colorado	-	-		-	-		689	0.025	0.023 - 0.026
Connecticut	-	-		-	-		455	0.025	0.023 - 0.027
Delaware	-	-		-	-		144	0.029	0.024 - 0.034
Florida	-	-		-	-		3,759	0.035	0.034 - 0.036
Georgia	-	-		-	-		1,549	0.029	0.027 - 0.030
Hawaii	-	-		-	-		191	0.027	0.023 - 0.031
Idaho	-	-		-	-		211	0.024	0.021 - 0.028
Illinois	-	-		-	-		1,985	0.031	0.029 - 0.032
Iowa	-	-		-	-		439	0.028	0.025 - 0.031
Kansas	-	-		-	-		428	0.029	0.027 - 0.032
Kentucky	-	-		-	-		794	0.035	0.033 - 0.038
Louisiana	-	-		-	-		764	0.032	0.030 - 0.034
Maine	-	-		-	-		166	0.024	0.021 - 0.028
Maryland	-	-		-	-		814	0.026	0.024 - 0.028
MI - Detroit	-	-		-	-		517	0.026	0.024 - 0.028
Minnesota	-	-		-	-		630	0.022	0.021 - 0.024
Mississippi	-	-		-	-		510	0.033	0.030 - 0.036
Missouri	-	-		-	-		927	0.030	0.028 - 0.032
Montana	-	-		-	-		143	0.027	0.023 - 0.032
Nebraska	-	-		-	-		273	0.028	0.025 - 0.032
New Hampshire	-	-		-	-		132	0.019	0.016 - 0.023
New Jersey	-	-		-	-		1,364	0.030	0.028 - 0.032
New Mexico	-	-		-	-		319	0.030	0.027 - 0.034
New York	-	-		-	-		3,153	0.031	0.030 - 0.032
North Carolina	-	-		-	-		1,446	0.027	0.026 - 0.029
North Dakota	-	-		-	-		81	0.022	0.017 - 0.027
Ohio	-	-		-	-		1,811	0.030	0.029 - 0.032
Oklahoma	-	-		-	-		641	0.032	0.030 - 0.035
Oregon	-	-		-	-		577	0.027	0.025 - 0.030
Pennsylvania	-	-		-	-		1,884	0.029	0.028 - 0.030
Rhode Island	-	-		-	-		162	0.030	0.025 - 0.035
South Carolina	-	-		-	-		725	0.028	0.026 - 0.030
South Dakota	-	-		-	-		121	0.028	0.023 - 0.033
Tennessee	-	-		-	-		1,060	0.031	0.029 - 0.033
Texas	-	-		-	-		4,693	0.033	0.032 - 0.034
Utah	-	-		-	-		288	0.019	0.016 - 0.021
Vermont	-	-		-	-		59	0.019	0.014 - 0.024
Washington	-	-		-	-		1,012	0.027	0.025 - 0.029
WA - Seattle	-	-		-	-		741	0.029	0.027 - 0.031
West Virginia	-	-		-	-		325	0.036	0.032 - 0.040
Wisconsin	-	-		-	-		765	0.026	0.024 - 0.028
Wyoming	-	-		-	-		76	0.027	0.021 - 0.034
NAACCR CDN Combined¹	-	-		-	-		5,815	0.031	0.030 - 0.032
Alberta	-	-		-	-		713	0.034	0.031 - 0.036
British Columbia	-	-		-	-		732	0.029	0.027 - 0.031
Manitoba	-	-		-	-		183	0.027	0.023 - 0.031
New Brunswick	-	-		-	-		119	0.031	0.025 - 0.037
Newfoundland and Labrador	-	-		-	-		120	0.045	0.037 - 0.054
Ontario	-	-		-	-		2,233	0.031	0.030 - 0.032
Prince Edward Island	-	-		-	-		29	0.037	0.025 - 0.054
Saskatchewan	-	-		-	-		189	0.033	0.028 - 0.038
NAACCR N.A. Combined¹	-	-		-	-		54,272	0.030	0.029 - 0.030

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-112 Prevalence – Cervix Uteri

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		229,738	0.139	0.138 - 0.139
Alabama	-	-		-	-		2,572	0.102	0.098 - 0.106
Alaska	-	-		-	-		411	0.117	0.106 - 0.128
Arizona	-	-		-	-		4,109	0.115	0.112 - 0.119
Arkansas	-	-		-	-		1,853	0.121	0.116 - 0.127
California	-	-		-	-		24,755	0.125	0.123 - 0.126
CA - Greater California	-	-		-	-		13,451	0.122	0.120 - 0.125
CA - Greater Bay Area	-	-		-	-		4,933	0.133	0.129 - 0.136
CA - Los Angeles	-	-		-	-		6,373	0.125	0.122 - 0.128
Colorado	-	-		-	-		3,142	0.112	0.108 - 0.116
Connecticut	-	-		-	-		3,113	0.170	0.164 - 0.176
Delaware	-	-		-	-		832	0.168	0.156 - 0.179
Florida	-	-		-	-		14,503	0.134	0.132 - 0.137
Georgia	-	-		-	-		5,873	0.109	0.107 - 0.112
Hawaii	-	-		-	-		1,218	0.172	0.162 - 0.182
Idaho	-	-		-	-		1,019	0.118	0.111 - 0.125
Illinois	-	-		-	-		10,178	0.157	0.154 - 0.160
Iowa	-	-		-	-		2,617	0.166	0.159 - 0.172
Kansas	-	-		-	-		2,013	0.138	0.132 - 0.144
Kentucky	-	-		-	-		3,268	0.145	0.140 - 0.150
Louisiana	-	-		-	-		2,343	0.098	0.094 - 0.102
Maine	-	-		-	-		1,394	0.204	0.194 - 0.215
Maryland	-	-		-	-		4,424	0.142	0.138 - 0.147
MI - Detroit	-	-		-	-		3,249	0.163	0.157 - 0.168
Minnesota	-	-		-	-		4,668	0.166	0.162 - 0.171
Mississippi	-	-		-	-		1,668	0.109	0.103 - 0.114
Missouri	-	-		-	-		4,474	0.144	0.140 - 0.148
Montana	-	-		-	-		795	0.151	0.141 - 0.162
Nebraska	-	-		-	-		1,350	0.140	0.133 - 0.148
New Hampshire	-	-		-	-		1,293	0.190	0.179 - 0.200
New Jersey	-	-		-	-		7,941	0.175	0.171 - 0.179
New Mexico	-	-		-	-		1,340	0.127	0.120 - 0.134
New York	-	-		-	-		17,115	0.170	0.168 - 0.173
North Carolina	-	-		-	-		6,931	0.131	0.128 - 0.134
North Dakota	-	-		-	-		483	0.131	0.119 - 0.143
Ohio	-	-		-	-		10,080	0.169	0.166 - 0.173
Oklahoma	-	-		-	-		2,240	0.113	0.108 - 0.118
Oregon	-	-		-	-		3,314	0.158	0.153 - 0.163
Pennsylvania	-	-		-	-		12,228	0.187	0.184 - 0.191
Rhode Island	-	-		-	-		945	0.174	0.163 - 0.186
South Carolina	-	-		-	-		3,126	0.120	0.116 - 0.124
South Dakota	-	-		-	-		659	0.152	0.141 - 0.164
Tennessee	-	-		-	-		4,414	0.128	0.124 - 0.132
Texas	-	-		-	-		14,061	0.098	0.097 - 0.100
Utah	-	-		-	-		1,575	0.101	0.097 - 0.107
Vermont	-	-		-	-		684	0.216	0.200 - 0.233
Washington	-	-		-	-		5,085	0.136	0.132 - 0.140
WA - Seattle	-	-		-	-		3,604	0.140	0.135 - 0.145
West Virginia	-	-		-	-		1,747	0.191	0.182 - 0.200
Wisconsin	-	-		-	-		5,223	0.179	0.174 - 0.184
Wyoming	-	-		-	-		357	0.126	0.113 - 0.140
NAACCR CDN Combined¹	-	-		-	-		28,172	0.148	0.146 - 0.150
Alberta	-	-		-	-		2,674	0.126	0.121 - 0.131
British Columbia	-	-		-	-		3,369	0.134	0.130 - 0.139
Manitoba	-	-		-	-		1,226	0.182	0.172 - 0.193
New Brunswick	-	-		-	-		672	0.173	0.160 - 0.187
Newfoundland and Labrador	-	-		-	-		494	0.186	0.170 - 0.203
Ontario	-	-		-	-		11,154	0.155	0.152 - 0.158
Prince Edward Island	-	-		-	-		112	0.145	0.119 - 0.174
Saskatchewan	-	-		-	-		781	0.136	0.127 - 0.146
NAACCR N.A. Combined¹	-	-		-	-		257,910	0.139	0.139 - 0.140

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		66,933	0.040	0.040 - 0.041
Alabama	-	-		-	-		1,026	0.041	0.038 - 0.043
Alaska	-	-		-	-		126	0.036	0.030 - 0.043
Arizona	-	-		-	-		1,332	0.037	0.035 - 0.039
Arkansas	-	-		-	-		584	0.038	0.035 - 0.041
California	-	-		-	-		7,921	0.040	0.039 - 0.041
CA - Greater California	-	-		-	-		4,231	0.039	0.037 - 0.040
CA - Greater Bay Area	-	-		-	-		1,531	0.041	0.039 - 0.043
CA - Los Angeles	-	-		-	-		2,159	0.042	0.040 - 0.044
Colorado	-	-		-	-		1,019	0.036	0.034 - 0.039
Connecticut	-	-		-	-		826	0.045	0.042 - 0.048
Delaware	-	-		-	-		216	0.044	0.038 - 0.050
Florida	-	-		-	-		4,890	0.045	0.044 - 0.047
Georgia	-	-		-	-		1,908	0.036	0.034 - 0.037
Hawaii	-	-		-	-		287	0.041	0.036 - 0.045
Idaho	-	-		-	-		298	0.034	0.031 - 0.039
Illinois	-	-		-	-		2,694	0.042	0.040 - 0.043
Iowa	-	-		-	-		639	0.040	0.037 - 0.044
Kansas	-	-		-	-		608	0.042	0.038 - 0.045
Kentucky	-	-		-	-		788	0.035	0.032 - 0.037
Louisiana	-	-		-	-		744	0.031	0.029 - 0.033
Maine	-	-		-	-		263	0.039	0.034 - 0.044
Maryland	-	-		-	-		1,260	0.041	0.038 - 0.043
MI - Detroit	-	-		-	-		875	0.044	0.041 - 0.047
Minnesota	-	-		-	-		1,143	0.041	0.038 - 0.043
Mississippi	-	-		-	-		506	0.033	0.030 - 0.036
Missouri	-	-		-	-		1,135	0.036	0.034 - 0.039
Montana	-	-		-	-		243	0.046	0.041 - 0.052
Nebraska	-	-		-	-		364	0.038	0.034 - 0.042
New Hampshire	-	-		-	-		286	0.042	0.037 - 0.047
New Jersey	-	-		-	-		2,158	0.047	0.045 - 0.050
New Mexico	-	-		-	-		430	0.041	0.037 - 0.045
New York	-	-		-	-		4,806	0.048	0.046 - 0.049
North Carolina	-	-		-	-		2,085	0.039	0.038 - 0.041
North Dakota	-	-		-	-		123	0.033	0.028 - 0.040
Ohio	-	-		-	-		2,395	0.040	0.039 - 0.042
Oklahoma	-	-		-	-		763	0.038	0.036 - 0.041
Oregon	-	-		-	-		905	0.043	0.040 - 0.046
Pennsylvania	-	-		-	-		3,158	0.048	0.047 - 0.050
Rhode Island	-	-		-	-		233	0.043	0.038 - 0.049
South Carolina	-	-		-	-		855	0.033	0.031 - 0.035
South Dakota	-	-		-	-		199	0.046	0.040 - 0.053
Tennessee	-	-		-	-		1,262	0.037	0.035 - 0.039
Texas	-	-		-	-		4,945	0.035	0.034 - 0.035
Utah	-	-		-	-		465	0.030	0.027 - 0.033
Vermont	-	-		-	-		134	0.042	0.036 - 0.050
Washington	-	-		-	-		1,470	0.039	0.037 - 0.041
WA - Seattle	-	-		-	-		1,039	0.040	0.038 - 0.043
West Virginia	-	-		-	-		433	0.047	0.043 - 0.052
Wisconsin	-	-		-	-		1,328	0.046	0.043 - 0.048
Wyoming	-	-		-	-		120	0.042	0.035 - 0.051
NAACCR CDN Combined¹	-	-		-	-		8,339	0.044	0.043 - 0.045
Alberta	-	-		-	-		667	0.031	0.029 - 0.034
British Columbia	-	-		-	-		1,031	0.041	0.039 - 0.044
Manitoba	-	-		-	-		263	0.039	0.035 - 0.044
New Brunswick	-	-		-	-		153	0.039	0.033 - 0.046
Newfoundland and Labrador	-	-		-	-		109	0.041	0.034 - 0.049
Ontario	-	-		-	-		3,641	0.051	0.049 - 0.052
Prince Edward Island	-	-		-	-		24	0.031	0.020 - 0.046
Saskatchewan	-	-		-	-		215	0.037	0.033 - 0.043
NAACCR N.A. Combined¹	-	-		-	-		75,272	0.041	0.040 - 0.041

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-114 Prevalence – Ovary

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		890,899	0.553	0.552 - 0.555	-	-	
Alabama	-	-		15,596	0.661	0.650 - 0.671	-	-	
Alaska	-	-		1,390	0.361	0.342 - 0.381	-	-	
Arizona	-	-		14,446	0.409	0.403 - 0.416	-	-	
Arkansas	-	-		9,149	0.620	0.607 - 0.633	-	-	
California	-	-		85,546	0.437	0.434 - 0.440	-	-	
CA - Greater California	-	-		48,462	0.444	0.440 - 0.448	-	-	
CA - Greater Bay Area	-	-		16,774	0.453	0.446 - 0.460	-	-	
CA - Los Angeles	-	-		20,309	0.408	0.403 - 0.414	-	-	
Colorado	-	-		12,440	0.437	0.430 - 0.445	-	-	
Connecticut	-	-		11,231	0.644	0.633 - 0.657	-	-	
Delaware	-	-		3,392	0.730	0.706 - 0.755	-	-	
Florida	-	-		61,536	0.596	0.592 - 0.601	-	-	
Georgia	-	-		29,627	0.582	0.576 - 0.589	-	-	
Hawaii	-	-		3,464	0.486	0.470 - 0.502	-	-	
Idaho	-	-		4,536	0.522	0.507 - 0.538	-	-	
Illinois	-	-		35,999	0.575	0.569 - 0.581	-	-	
Iowa	-	-		9,327	0.596	0.584 - 0.608	-	-	
Kansas	-	-		8,334	0.575	0.562 - 0.587	-	-	
Kentucky	-	-		12,126	0.552	0.543 - 0.562	-	-	
Louisiana	-	-		15,417	0.677	0.666 - 0.688	-	-	
Maine	-	-		3,892	0.594	0.576 - 0.613	-	-	
Maryland	-	-		19,374	0.663	0.654 - 0.672	-	-	
MI - Detroit	-	-		13,293	0.705	0.693 - 0.717	-	-	
Minnesota	-	-		16,220	0.583	0.574 - 0.592	-	-	
Mississippi	-	-		9,917	0.685	0.672 - 0.699	-	-	
Missouri	-	-		15,329	0.511	0.503 - 0.519	-	-	
Montana	-	-		3,834	0.721	0.698 - 0.744	-	-	
Nebraska	-	-		5,810	0.606	0.590 - 0.622	-	-	
New Hampshire	-	-		4,564	0.682	0.662 - 0.702	-	-	
New Jersey	-	-		31,260	0.720	0.712 - 0.728	-	-	
New Mexico	-	-		4,664	0.450	0.438 - 0.464	-	-	
New York	-	-		64,367	0.678	0.672 - 0.683	-	-	
North Carolina	-	-		31,250	0.622	0.615 - 0.629	-	-	
North Dakota	-	-		2,242	0.579	0.555 - 0.603	-	-	
Ohio	-	-		33,688	0.589	0.583 - 0.595	-	-	
Oklahoma	-	-		9,293	0.477	0.467 - 0.486	-	-	
Oregon	-	-		10,898	0.528	0.518 - 0.538	-	-	
Pennsylvania	-	-		38,927	0.621	0.615 - 0.627	-	-	
Rhode Island	-	-		2,940	0.572	0.551 - 0.593	-	-	
South Carolina	-	-		15,719	0.642	0.632 - 0.652	-	-	
South Dakota	-	-		2,784	0.630	0.607 - 0.654	-	-	
Tennessee	-	-		19,861	0.604	0.595 - 0.612	-	-	
Texas	-	-		55,303	0.391	0.388 - 0.394	-	-	
Utah	-	-		6,545	0.416	0.406 - 0.426	-	-	
Vermont	-	-		1,753	0.569	0.542 - 0.596	-	-	
Washington	-	-		18,584	0.497	0.490 - 0.504	-	-	
WA - Seattle	-	-		13,821	0.535	0.526 - 0.544	-	-	
West Virginia	-	-		5,366	0.599	0.583 - 0.615	-	-	
Wisconsin	-	-		18,135	0.629	0.620 - 0.638	-	-	
Wyoming	-	-		1,824	0.619	0.591 - 0.648	-	-	
NAACCR CDN Combined¹	-	-		97,164	0.515	0.512 - 0.519	-	-	
Alberta	-	-		10,575	0.492	0.482 - 0.501	-	-	
British Columbia	-	-		12,472	0.507	0.498 - 0.516	-	-	
Manitoba	-	-		3,090	0.460	0.444 - 0.477	-	-	
New Brunswick	-	-		2,403	0.632	0.607 - 0.658	-	-	
Newfoundland and Labrador	-	-		1,951	0.748	0.715 - 0.781	-	-	
Ontario	-	-		36,253	0.518	0.513 - 0.523	-	-	
Prince Edward Island	-	-		430	0.577	0.524 - 0.635	-	-	
Saskatchewan	-	-		2,804	0.481	0.464 - 0.500	-	-	
NAACCR N.A. Combined¹	-	-		988,063	0.550	0.549 - 0.551	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		41,984	0.026	0.026 - 0.026	-	-	
Alabama	-	-		445	0.019	0.017 - 0.021	-	-	
Alaska	-	-		119	0.031	0.026 - 0.037	-	-	
Arizona	-	-		815	0.023	0.022 - 0.025	-	-	
Arkansas	-	-		337	0.023	0.020 - 0.025	-	-	
California	-	-		5,743	0.029	0.029 - 0.030	-	-	
CA - Greater California	-	-		3,162	0.029	0.028 - 0.030	-	-	
CA - Greater Bay Area	-	-		1,112	0.030	0.028 - 0.032	-	-	
CA - Los Angeles	-	-		1,470	0.030	0.028 - 0.031	-	-	
Colorado	-	-		763	0.027	0.025 - 0.029	-	-	
Connecticut	-	-		518	0.030	0.027 - 0.032	-	-	
Delaware	-	-		107	0.023	0.019 - 0.028	-	-	
Florida	-	-		2,054	0.020	0.019 - 0.021	-	-	
Georgia	-	-		979	0.019	0.018 - 0.020	-	-	
Hawaii	-	-		203	0.028	0.025 - 0.033	-	-	
Idaho	-	-		256	0.029	0.026 - 0.033	-	-	
Illinois	-	-		1,813	0.029	0.028 - 0.030	-	-	
Iowa	-	-		485	0.031	0.028 - 0.034	-	-	
Kansas	-	-		422	0.029	0.026 - 0.032	-	-	
Kentucky	-	-		561	0.026	0.023 - 0.028	-	-	
Louisiana	-	-		495	0.022	0.020 - 0.024	-	-	
Maine	-	-		187	0.029	0.025 - 0.033	-	-	
Maryland	-	-		630	0.022	0.020 - 0.023	-	-	
MI - Detroit	-	-		484	0.026	0.023 - 0.028	-	-	
Minnesota	-	-		879	0.032	0.030 - 0.034	-	-	
Mississippi	-	-		257	0.018	0.016 - 0.020	-	-	
Missouri	-	-		748	0.025	0.023 - 0.027	-	-	
Montana	-	-		160	0.030	0.026 - 0.035	-	-	
Nebraska	-	-		305	0.032	0.028 - 0.036	-	-	
New Hampshire	-	-		216	0.032	0.028 - 0.037	-	-	
New Jersey	-	-		1,202	0.028	0.026 - 0.029	-	-	
New Mexico	-	-		306	0.030	0.026 - 0.033	-	-	
New York	-	-		2,697	0.028	0.027 - 0.029	-	-	
North Carolina	-	-		1,161	0.023	0.022 - 0.024	-	-	
North Dakota	-	-		133	0.034	0.029 - 0.041	-	-	
Ohio	-	-		1,444	0.025	0.024 - 0.027	-	-	
Oklahoma	-	-		467	0.024	0.022 - 0.026	-	-	
Oregon	-	-		647	0.031	0.029 - 0.034	-	-	
Pennsylvania	-	-		1,808	0.029	0.028 - 0.030	-	-	
Rhode Island	-	-		146	0.028	0.024 - 0.033	-	-	
South Carolina	-	-		446	0.018	0.017 - 0.020	-	-	
South Dakota	-	-		113	0.026	0.021 - 0.031	-	-	
Tennessee	-	-		788	0.024	0.022 - 0.026	-	-	
Texas	-	-		3,405	0.024	0.023 - 0.025	-	-	
Utah	-	-		527	0.033	0.031 - 0.036	-	-	
Vermont	-	-		105	0.034	0.028 - 0.041	-	-	
Washington	-	-		1,125	0.030	0.028 - 0.032	-	-	
WA - Seattle	-	-		827	0.032	0.030 - 0.034	-	-	
West Virginia	-	-		210	0.023	0.020 - 0.027	-	-	
Wisconsin	-	-		905	0.031	0.029 - 0.033	-	-	
Wyoming	-	-		110	0.037	0.031 - 0.045	-	-	
NAACCR CDN Combined¹	-	-		5,263	0.029	0.028 - 0.030	-	-	
Alberta	-	-		727	0.034	0.031 - 0.036	-	-	
British Columbia	-	-		703	0.029	0.027 - 0.031	-	-	
Manitoba	-	-		184	0.027	0.024 - 0.032	-	-	
New Brunswick	-	-		101	0.027	0.022 - 0.032	-	-	
Newfoundland and Labrador	-	-		50	0.019	0.014 - 0.025	-	-	
Ontario	-	-		2,006	0.029	0.027 - 0.030	-	-	
Prince Edward Island	-	-		10	0.013	0.006 - 0.025	-	-	
Saskatchewan	-	-		157	0.027	0.023 - 0.032	-	-	
NAACCR N.A. Combined¹	-	-		47,247	0.026	0.026 - 0.027	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-116 Prevalence – Testis

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	273,830	0.084	0.083 - 0.084	210,906	0.131	0.130 - 0.131	62,865	0.038	0.037 - 0.038
Alabama	3,801	0.078	0.075 - 0.080	2,950	0.125	0.120 - 0.130	851	0.034	0.032 - 0.036
Alaska	514	0.070	0.064 - 0.076	409	0.106	0.096 - 0.117	105	0.030	0.024 - 0.036
Arizona	5,685	0.080	0.078 - 0.082	4,450	0.126	0.122 - 0.130	1,235	0.035	0.033 - 0.037
Arkansas	2,553	0.085	0.082 - 0.088	2,015	0.136	0.131 - 0.143	538	0.035	0.032 - 0.038
California	24,900	0.063	0.062 - 0.064	19,434	0.099	0.098 - 0.101	5,465	0.028	0.027 - 0.028
CA - Greater California	14,384	0.066	0.065 - 0.067	11,283	0.103	0.101 - 0.105	3,101	0.028	0.027 - 0.029
CA - Greater Bay Area	4,958	0.067	0.065 - 0.069	3,836	0.104	0.100 - 0.107	1,122	0.030	0.028 - 0.032
CA - Los Angeles	5,560	0.055	0.054 - 0.057	4,318	0.087	0.084 - 0.089	1,242	0.024	0.023 - 0.026
Colorado	3,960	0.070	0.068 - 0.072	3,090	0.109	0.105 - 0.112	870	0.031	0.029 - 0.033
Connecticut	4,303	0.120	0.117 - 0.124	3,247	0.186	0.180 - 0.193	1,056	0.058	0.054 - 0.061
Delaware	1,082	0.113	0.106 - 0.119	833	0.179	0.167 - 0.192	249	0.050	0.044 - 0.057
Florida	21,208	0.100	0.099 - 0.102	16,367	0.159	0.156 - 0.161	4,841	0.045	0.044 - 0.046
Georgia	6,625	0.063	0.062 - 0.065	5,140	0.101	0.098 - 0.104	1,484	0.028	0.026 - 0.029
Hawaii	937	0.066	0.062 - 0.070	743	0.104	0.097 - 0.112	194	0.027	0.024 - 0.031
Idaho	1,494	0.086	0.082 - 0.091	1,173	0.135	0.127 - 0.143	321	0.037	0.033 - 0.041
Illinois	11,223	0.088	0.086 - 0.090	8,571	0.137	0.134 - 0.140	2,652	0.041	0.039 - 0.042
Iowa	3,068	0.098	0.094 - 0.101	2,391	0.153	0.147 - 0.159	676	0.043	0.040 - 0.046
Kansas	2,707	0.093	0.090 - 0.097	2,090	0.144	0.138 - 0.150	617	0.042	0.039 - 0.046
Kentucky	4,148	0.093	0.090 - 0.096	3,177	0.145	0.140 - 0.150	971	0.043	0.040 - 0.046
Louisiana	3,462	0.074	0.072 - 0.077	2,729	0.120	0.115 - 0.124	733	0.031	0.029 - 0.033
Maine	1,923	0.144	0.137 - 0.150	1,482	0.226	0.215 - 0.238	441	0.065	0.059 - 0.071
Maryland	4,711	0.078	0.076 - 0.080	3,590	0.123	0.119 - 0.127	1,121	0.036	0.034 - 0.038
MI - Detroit	3,770	0.097	0.094 - 0.100	2,871	0.152	0.147 - 0.158	899	0.045	0.042 - 0.048
Minnesota	5,230	0.094	0.091 - 0.096	4,022	0.145	0.140 - 0.149	1,208	0.043	0.041 - 0.046
Mississippi	2,134	0.071	0.068 - 0.075	1,677	0.116	0.110 - 0.122	457	0.030	0.027 - 0.033
Missouri	5,322	0.087	0.085 - 0.089	4,130	0.138	0.133 - 0.142	1,192	0.038	0.036 - 0.041
Montana	1,150	0.109	0.103 - 0.115	875	0.164	0.154 - 0.176	275	0.052	0.046 - 0.059
Nebraska	1,650	0.086	0.082 - 0.090	1,261	0.132	0.124 - 0.139	389	0.040	0.037 - 0.045
New Hampshire	1,783	0.132	0.126 - 0.138	1,346	0.201	0.191 - 0.212	437	0.064	0.058 - 0.070
New Jersey	9,120	0.103	0.101 - 0.105	6,813	0.157	0.153 - 0.161	2,307	0.051	0.049 - 0.053
New Mexico	1,322	0.063	0.060 - 0.067	1,009	0.097	0.092 - 0.104	313	0.030	0.026 - 0.033
New York	20,133	0.103	0.102 - 0.104	15,165	0.160	0.157 - 0.162	4,968	0.049	0.048 - 0.051
North Carolina	8,639	0.084	0.082 - 0.085	6,562	0.131	0.127 - 0.134	2,077	0.039	0.038 - 0.041
North Dakota	656	0.087	0.080 - 0.094	523	0.135	0.124 - 0.147	133	0.036	0.030 - 0.043
Ohio	11,356	0.097	0.096 - 0.099	8,765	0.153	0.150 - 0.157	2,591	0.044	0.042 - 0.045
Oklahoma	3,026	0.077	0.074 - 0.080	2,389	0.123	0.118 - 0.128	637	0.032	0.030 - 0.035
Oregon	4,041	0.097	0.094 - 0.100	3,164	0.153	0.148 - 0.159	877	0.042	0.039 - 0.045
Pennsylvania	14,825	0.116	0.114 - 0.118	11,256	0.180	0.176 - 0.183	3,569	0.055	0.053 - 0.056
Rhode Island	1,365	0.129	0.122 - 0.136	1,020	0.198	0.186 - 0.211	345	0.064	0.057 - 0.071
South Carolina	4,074	0.081	0.078 - 0.083	3,116	0.127	0.123 - 0.132	958	0.037	0.035 - 0.039
South Dakota	758	0.087	0.080 - 0.093	586	0.133	0.122 - 0.144	172	0.040	0.034 - 0.046
Tennessee	5,663	0.084	0.082 - 0.086	4,344	0.132	0.128 - 0.136	1,319	0.038	0.036 - 0.040
Texas	14,055	0.049	0.049 - 0.050	11,012	0.078	0.076 - 0.079	3,043	0.021	0.020 - 0.022
Utah	1,551	0.050	0.047 - 0.052	1,287	0.082	0.077 - 0.086	265	0.017	0.015 - 0.019
Vermont	740	0.119	0.110 - 0.127	563	0.183	0.168 - 0.198	177	0.056	0.048 - 0.065
Washington	6,334	0.085	0.083 - 0.087	4,935	0.132	0.128 - 0.136	1,399	0.037	0.036 - 0.039
WA - Seattle	4,430	0.086	0.083 - 0.088	3,459	0.134	0.130 - 0.139	971	0.038	0.035 - 0.040
West Virginia	2,059	0.114	0.109 - 0.119	1,576	0.176	0.167 - 0.185	483	0.053	0.048 - 0.058
Wisconsin	6,095	0.105	0.102 - 0.108	4,706	0.163	0.159 - 0.168	1,389	0.048	0.045 - 0.050
Wyoming	522	0.090	0.083 - 0.098	413	0.140	0.127 - 0.154	109	0.038	0.032 - 0.046
NAACCR CDN Combined¹	38,271	0.101	0.100 - 0.102	29,371	0.156	0.154 - 0.159	8,869	0.046	0.045 - 0.048
Alberta	3,466	0.081	0.078 - 0.084	2,721	0.127	0.122 - 0.131	745	0.035	0.033 - 0.038
British Columbia	5,214	0.105	0.102 - 0.108	4,043	0.164	0.159 - 0.170	1,171	0.047	0.044 - 0.049
Manitoba	1,093	0.081	0.077 - 0.086	829	0.123	0.115 - 0.132	264	0.039	0.035 - 0.044
New Brunswick	992	0.129	0.121 - 0.137	764	0.201	0.187 - 0.216	228	0.059	0.051 - 0.067
Newfoundland and Labrador	689	0.131	0.121 - 0.141	504	0.193	0.177 - 0.211	185	0.070	0.060 - 0.080
Ontario	14,987	0.106	0.104 - 0.107	11,470	0.164	0.161 - 0.167	3,517	0.049	0.047 - 0.051
Prince Edward Island	163	0.107	0.091 - 0.125	119	0.160	0.132 - 0.191	44	0.057	0.041 - 0.076
Saskatchewan	1,043	0.090	0.085 - 0.096	786	0.135	0.126 - 0.145	257	0.045	0.039 - 0.051
NAACCR N.A. Combined¹	312,101	0.085	0.085 - 0.085	240,277	0.133	0.132 - 0.133	71,735	0.039	0.038 - 0.039

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	240,456	0.074	0.073 - 0.074	150,590	0.094	0.093 - 0.094	89,870	0.054	0.054 - 0.055
Alabama	3,932	0.081	0.078 - 0.083	2,389	0.101	0.097 - 0.105	1,543	0.061	0.058 - 0.064
Alaska	512	0.069	0.064 - 0.076	318	0.083	0.074 - 0.092	194	0.055	0.048 - 0.063
Arizona	4,922	0.069	0.067 - 0.071	3,133	0.089	0.086 - 0.092	1,789	0.050	0.048 - 0.052
Arkansas	2,667	0.089	0.085 - 0.092	1,647	0.112	0.106 - 0.117	1,020	0.067	0.063 - 0.071
California	23,489	0.060	0.059 - 0.060	14,955	0.076	0.075 - 0.078	8,535	0.043	0.042 - 0.044
CA - Greater California	13,643	0.062	0.061 - 0.063	8,675	0.079	0.078 - 0.081	4,969	0.045	0.044 - 0.047
CA - Greater Bay Area	4,190	0.056	0.055 - 0.058	2,753	0.074	0.072 - 0.077	1,437	0.039	0.037 - 0.041
CA - Los Angeles	5,660	0.056	0.055 - 0.058	3,530	0.071	0.069 - 0.073	2,131	0.042	0.040 - 0.043
Colorado	3,154	0.056	0.054 - 0.058	1,977	0.069	0.066 - 0.073	1,177	0.042	0.040 - 0.044
Connecticut	2,754	0.077	0.074 - 0.080	1,792	0.103	0.098 - 0.108	962	0.053	0.049 - 0.056
Delaware	766	0.080	0.074 - 0.086	489	0.105	0.096 - 0.115	277	0.056	0.049 - 0.063
Florida	14,836	0.070	0.069 - 0.071	9,340	0.091	0.089 - 0.092	5,496	0.051	0.050 - 0.052
Georgia	6,905	0.066	0.064 - 0.068	4,242	0.083	0.081 - 0.086	2,662	0.050	0.048 - 0.051
Hawaii	890	0.063	0.059 - 0.067	597	0.084	0.077 - 0.091	294	0.041	0.037 - 0.046
Idaho	1,148	0.066	0.062 - 0.070	729	0.084	0.078 - 0.090	419	0.048	0.044 - 0.053
Illinois	10,073	0.079	0.077 - 0.081	6,344	0.101	0.099 - 0.104	3,729	0.057	0.056 - 0.059
Iowa	2,621	0.083	0.080 - 0.087	1,667	0.107	0.101 - 0.112	954	0.060	0.057 - 0.064
Kansas	2,464	0.085	0.081 - 0.088	1,536	0.106	0.101 - 0.111	928	0.064	0.060 - 0.068
Kentucky	4,108	0.092	0.089 - 0.095	2,493	0.114	0.109 - 0.118	1,615	0.071	0.068 - 0.075
Louisiana	4,389	0.094	0.091 - 0.097	2,687	0.118	0.114 - 0.122	1,702	0.071	0.068 - 0.075
Maine	1,169	0.087	0.083 - 0.093	708	0.108	0.100 - 0.116	461	0.068	0.062 - 0.074
Maryland	4,034	0.067	0.065 - 0.069	2,460	0.084	0.081 - 0.088	1,574	0.051	0.048 - 0.053
MI - Detroit	3,040	0.078	0.076 - 0.081	1,927	0.102	0.098 - 0.107	1,114	0.056	0.052 - 0.059
Minnesota	4,221	0.076	0.073 - 0.078	2,793	0.100	0.097 - 0.104	1,428	0.051	0.048 - 0.054
Mississippi	2,787	0.093	0.090 - 0.097	1,652	0.114	0.109 - 0.120	1,135	0.074	0.070 - 0.078
Missouri	5,228	0.086	0.083 - 0.088	3,209	0.107	0.103 - 0.111	2,019	0.065	0.062 - 0.068
Montana	838	0.079	0.074 - 0.085	525	0.099	0.090 - 0.108	314	0.060	0.053 - 0.067
Nebraska	1,412	0.074	0.070 - 0.077	897	0.094	0.088 - 0.100	515	0.054	0.049 - 0.058
New Hampshire	1,037	0.077	0.072 - 0.082	669	0.100	0.093 - 0.108	368	0.054	0.049 - 0.060
New Jersey	6,736	0.076	0.074 - 0.078	4,256	0.098	0.095 - 0.101	2,480	0.055	0.052 - 0.057
New Mexico	1,354	0.065	0.061 - 0.068	812	0.078	0.073 - 0.084	542	0.051	0.047 - 0.056
New York	15,178	0.078	0.076 - 0.079	9,702	0.102	0.100 - 0.104	5,477	0.054	0.053 - 0.056
North Carolina	7,874	0.076	0.075 - 0.078	4,904	0.098	0.095 - 0.100	2,970	0.056	0.054 - 0.058
North Dakota	544	0.072	0.066 - 0.078	362	0.093	0.084 - 0.104	182	0.049	0.042 - 0.057
Ohio	9,314	0.080	0.078 - 0.081	5,667	0.099	0.097 - 0.102	3,647	0.061	0.059 - 0.063
Oklahoma	3,223	0.082	0.079 - 0.085	1,930	0.099	0.095 - 0.103	1,293	0.065	0.062 - 0.069
Oregon	3,029	0.073	0.070 - 0.075	1,981	0.096	0.092 - 0.100	1,048	0.050	0.047 - 0.053
Pennsylvania	10,958	0.086	0.084 - 0.087	6,892	0.110	0.107 - 0.113	4,066	0.062	0.060 - 0.064
Rhode Island	803	0.076	0.071 - 0.081	487	0.095	0.087 - 0.104	316	0.058	0.052 - 0.065
South Carolina	3,979	0.079	0.076 - 0.081	2,473	0.101	0.097 - 0.105	1,506	0.058	0.055 - 0.061
South Dakota	666	0.076	0.070 - 0.082	428	0.097	0.088 - 0.106	238	0.055	0.048 - 0.062
Tennessee	5,625	0.083	0.081 - 0.086	3,515	0.107	0.103 - 0.110	2,110	0.061	0.059 - 0.064
Texas	19,985	0.070	0.069 - 0.071	12,170	0.086	0.085 - 0.088	7,815	0.055	0.053 - 0.056
Utah	1,382	0.044	0.042 - 0.047	893	0.057	0.053 - 0.061	489	0.031	0.029 - 0.034
Vermont	445	0.071	0.065 - 0.078	294	0.095	0.085 - 0.107	151	0.048	0.040 - 0.056
Washington	4,797	0.064	0.062 - 0.066	2,989	0.080	0.077 - 0.083	1,808	0.048	0.046 - 0.051
WA - Seattle	3,374	0.065	0.063 - 0.068	2,131	0.083	0.079 - 0.086	1,243	0.048	0.046 - 0.051
West Virginia	1,859	0.103	0.098 - 0.107	1,100	0.123	0.116 - 0.130	759	0.083	0.077 - 0.089
Wisconsin	4,993	0.086	0.084 - 0.089	3,245	0.113	0.109 - 0.116	1,748	0.060	0.057 - 0.063
Wyoming	376	0.065	0.059 - 0.072	238	0.081	0.071 - 0.092	138	0.049	0.041 - 0.058
NAACCR CDN Combined¹	23,592	0.063	0.062 - 0.064	15,299	0.082	0.080 - 0.083	8,309	0.044	0.043 - 0.045
Alberta	2,432	0.057	0.055 - 0.059	1,597	0.074	0.071 - 0.078	835	0.039	0.037 - 0.042
British Columbia	2,683	0.054	0.052 - 0.056	1,734	0.071	0.067 - 0.074	949	0.038	0.035 - 0.040
Manitoba	817	0.061	0.057 - 0.065	545	0.081	0.075 - 0.088	272	0.040	0.036 - 0.046
New Brunswick	718	0.093	0.087 - 0.101	445	0.117	0.106 - 0.128	273	0.070	0.062 - 0.079
Newfoundland and Labrador	546	0.104	0.095 - 0.113	344	0.132	0.118 - 0.146	202	0.076	0.066 - 0.087
Ontario	9,095	0.064	0.063 - 0.065	5,905	0.084	0.082 - 0.087	3,190	0.044	0.043 - 0.046
Prince Edward Island	116	0.076	0.063 - 0.092	68	0.091	0.071 - 0.116	48	0.062	0.046 - 0.082
Saskatchewan	730	0.063	0.059 - 0.068	451	0.077	0.070 - 0.085	279	0.049	0.043 - 0.055
NAACCR N.A. Combined¹	264,048	0.073	0.072 - 0.073	165,889	0.093	0.092 - 0.093	98,179	0.053	0.053 - 0.054

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-118 Prevalence – Kidney and Renal Pelvis

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	49,885	0.015	0.015 - 0.015	27,337	0.017	0.017 - 0.017	22,547	0.014	0.013 - 0.014
Alabama	657	0.013	0.012 - 0.015	336	0.014	0.013 - 0.016	321	0.013	0.011 - 0.014
Alaska	110	0.015	0.012 - 0.018	68	0.018	0.014 - 0.022	42	0.012	0.009 - 0.016
Arizona	951	0.013	0.013 - 0.014	540	0.015	0.014 - 0.017	411	0.012	0.010 - 0.013
Arkansas	472	0.016	0.014 - 0.017	280	0.019	0.017 - 0.021	192	0.013	0.011 - 0.014
California	5,379	0.014	0.013 - 0.014	2,999	0.015	0.015 - 0.016	2,379	0.012	0.012 - 0.012
CA - Greater California	3,007	0.014	0.013 - 0.014	1,688	0.015	0.015 - 0.016	1,319	0.012	0.011 - 0.013
CA - Greater Bay Area	1,107	0.015	0.014 - 0.016	628	0.017	0.016 - 0.018	479	0.013	0.012 - 0.014
CA - Los Angeles	1,263	0.013	0.012 - 0.013	682	0.014	0.013 - 0.015	581	0.011	0.010 - 0.012
Colorado	848	0.015	0.014 - 0.016	477	0.017	0.015 - 0.018	371	0.013	0.012 - 0.015
Connecticut	593	0.017	0.015 - 0.018	314	0.018	0.016 - 0.020	278	0.015	0.013 - 0.017
Delaware	143	0.015	0.013 - 0.018	72	0.015	0.012 - 0.020	71	0.014	0.011 - 0.018
Florida	3,247	0.015	0.015 - 0.016	1,770	0.017	0.016 - 0.018	1,477	0.014	0.013 - 0.014
Georgia	1,350	0.013	0.012 - 0.014	696	0.014	0.013 - 0.015	654	0.012	0.011 - 0.013
Hawaii	134	0.009	0.008 - 0.011	72	0.010	0.008 - 0.013	62	0.009	0.007 - 0.011
Idaho	270	0.016	0.014 - 0.018	147	0.017	0.014 - 0.020	123	0.014	0.012 - 0.017
Illinois	1,983	0.016	0.015 - 0.016	1,096	0.017	0.016 - 0.019	887	0.014	0.013 - 0.015
Iowa	525	0.017	0.015 - 0.018	281	0.018	0.016 - 0.020	244	0.015	0.014 - 0.018
Kansas	481	0.017	0.015 - 0.018	247	0.017	0.015 - 0.019	234	0.016	0.014 - 0.018
Kentucky	791	0.018	0.017 - 0.019	449	0.020	0.019 - 0.022	342	0.015	0.014 - 0.017
Louisiana	621	0.013	0.012 - 0.014	349	0.015	0.014 - 0.017	272	0.011	0.010 - 0.013
Maine	263	0.020	0.017 - 0.022	144	0.022	0.019 - 0.026	119	0.017	0.014 - 0.021
Maryland	841	0.014	0.013 - 0.015	457	0.016	0.014 - 0.017	384	0.012	0.011 - 0.014
MI - Detroit	544	0.014	0.013 - 0.015	296	0.016	0.014 - 0.018	247	0.012	0.011 - 0.014
Minnesota	967	0.017	0.016 - 0.018	527	0.019	0.017 - 0.021	440	0.016	0.014 - 0.017
Mississippi	403	0.014	0.012 - 0.015	214	0.015	0.013 - 0.017	189	0.012	0.011 - 0.014
Missouri	998	0.016	0.015 - 0.017	539	0.018	0.016 - 0.020	459	0.015	0.013 - 0.016
Montana	173	0.016	0.014 - 0.019	100	0.019	0.015 - 0.023	73	0.014	0.011 - 0.018
Nebraska	307	0.016	0.014 - 0.018	171	0.018	0.015 - 0.021	136	0.014	0.012 - 0.017
New Hampshire	263	0.019	0.017 - 0.022	140	0.021	0.018 - 0.025	123	0.018	0.015 - 0.022
New Jersey	1,501	0.017	0.016 - 0.018	822	0.019	0.018 - 0.020	679	0.015	0.014 - 0.016
New Mexico	248	0.012	0.010 - 0.013	126	0.012	0.010 - 0.015	121	0.011	0.010 - 0.014
New York	3,354	0.017	0.017 - 0.018	1,846	0.019	0.019 - 0.020	1,508	0.015	0.014 - 0.016
North Carolina	1,521	0.015	0.014 - 0.015	807	0.016	0.015 - 0.017	714	0.013	0.012 - 0.014
North Dakota	116	0.015	0.013 - 0.018	71	0.018	0.014 - 0.023	45	0.012	0.009 - 0.016
Ohio	1,945	0.017	0.016 - 0.017	1,077	0.019	0.018 - 0.020	868	0.015	0.014 - 0.016
Oklahoma	562	0.014	0.013 - 0.016	292	0.015	0.013 - 0.017	270	0.014	0.012 - 0.015
Oregon	690	0.017	0.015 - 0.018	390	0.019	0.017 - 0.021	300	0.014	0.013 - 0.016
Pennsylvania	2,249	0.018	0.017 - 0.018	1,314	0.021	0.020 - 0.022	935	0.014	0.013 - 0.015
Rhode Island	169	0.016	0.014 - 0.019	83	0.016	0.013 - 0.020	86	0.016	0.013 - 0.020
South Carolina	668	0.013	0.012 - 0.014	367	0.015	0.013 - 0.017	301	0.012	0.010 - 0.013
South Dakota	119	0.014	0.011 - 0.016	77	0.017	0.014 - 0.022	42	0.010	0.007 - 0.013
Tennessee	936	0.014	0.013 - 0.015	491	0.015	0.014 - 0.016	445	0.013	0.012 - 0.014
Texas	4,162	0.015	0.014 - 0.015	2,186	0.015	0.015 - 0.016	1,976	0.014	0.013 - 0.014
Utah	474	0.015	0.014 - 0.017	259	0.016	0.015 - 0.019	214	0.014	0.012 - 0.016
Vermont	111	0.018	0.015 - 0.021	64	0.021	0.016 - 0.027	47	0.015	0.011 - 0.020
Washington	1,297	0.017	0.016 - 0.018	748	0.020	0.019 - 0.021	549	0.015	0.013 - 0.016
WA - Seattle	940	0.018	0.017 - 0.019	540	0.021	0.019 - 0.023	400	0.016	0.014 - 0.017
West Virginia	329	0.018	0.016 - 0.020	183	0.020	0.018 - 0.024	146	0.016	0.013 - 0.019
Wisconsin	969	0.017	0.016 - 0.018	522	0.018	0.017 - 0.020	447	0.015	0.014 - 0.017
Wyoming	81	0.014	0.011 - 0.017	44	0.015	0.011 - 0.020	37	0.013	0.009 - 0.018
NAACCR CDN Combined¹	5,323	0.014	0.014 - 0.015	2,992	0.016	0.016 - 0.017	2,333	0.013	0.012 - 0.013
Alberta	579	0.014	0.012 - 0.015	316	0.015	0.013 - 0.016	263	0.012	0.011 - 0.014
British Columbia	668	0.013	0.012 - 0.014	396	0.016	0.015 - 0.018	272	0.011	0.010 - 0.012
Manitoba	180	0.013	0.012 - 0.016	106	0.016	0.013 - 0.019	74	0.011	0.009 - 0.014
New Brunswick	100	0.013	0.011 - 0.016	52	0.014	0.010 - 0.018	48	0.012	0.009 - 0.016
Newfoundland and Labrador	73	0.014	0.011 - 0.017	33	0.013	0.009 - 0.018	40	0.015	0.011 - 0.020
Ontario	2,164	0.015	0.015 - 0.016	1,199	0.017	0.016 - 0.018	965	0.013	0.013 - 0.014
Prince Edward Island	17	0.011	0.007 - 0.018	-	-	-	-	-	-
Saskatchewan	155	0.013	0.011 - 0.016	93	0.016	0.013 - 0.020	62	0.011	0.008 - 0.014
NAACCR N.A. Combined¹	55,208	0.015	0.015 - 0.015	30,329	0.017	0.017 - 0.017	24,880	0.013	0.013 - 0.014

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	230,752	0.071	0.070 - 0.071	56,629	0.035	0.035 - 0.035	174,129	0.105	0.105 - 0.106
Alabama	2,388	0.049	0.047 - 0.051	582	0.025	0.023 - 0.027	1,806	0.072	0.068 - 0.075
Alaska	442	0.060	0.054 - 0.066	117	0.030	0.025 - 0.036	325	0.092	0.082 - 0.103
Arizona	4,643	0.065	0.064 - 0.067	1,075	0.030	0.029 - 0.032	3,568	0.100	0.097 - 0.103
Arkansas	1,774	0.059	0.056 - 0.062	438	0.030	0.027 - 0.033	1,336	0.087	0.083 - 0.092
California	24,973	0.063	0.063 - 0.064	5,984	0.031	0.030 - 0.031	18,989	0.096	0.094 - 0.097
CA - Greater California	13,785	0.063	0.062 - 0.064	3,223	0.030	0.029 - 0.031	10,562	0.096	0.094 - 0.098
CA - Greater Bay Area	4,476	0.060	0.059 - 0.062	1,169	0.032	0.030 - 0.033	3,307	0.089	0.086 - 0.092
CA - Los Angeles	6,712	0.067	0.065 - 0.068	1,591	0.032	0.030 - 0.034	5,121	0.100	0.097 - 0.103
Colorado	4,050	0.072	0.069 - 0.074	1,018	0.036	0.034 - 0.038	3,032	0.108	0.104 - 0.112
Connecticut	3,439	0.096	0.093 - 0.100	868	0.050	0.047 - 0.053	2,572	0.141	0.135 - 0.146
Delaware	781	0.081	0.076 - 0.087	163	0.035	0.030 - 0.041	618	0.124	0.115 - 0.135
Florida	13,207	0.063	0.062 - 0.064	3,257	0.032	0.030 - 0.033	9,950	0.092	0.090 - 0.094
Georgia	6,160	0.059	0.057 - 0.060	1,423	0.028	0.027 - 0.029	4,737	0.088	0.086 - 0.091
Hawaii	1,005	0.071	0.066 - 0.075	232	0.033	0.028 - 0.037	773	0.109	0.101 - 0.117
Idaho	1,203	0.069	0.065 - 0.073	307	0.035	0.031 - 0.039	896	0.104	0.097 - 0.111
Illinois	9,705	0.076	0.075 - 0.078	2,449	0.039	0.038 - 0.041	7,256	0.112	0.109 - 0.114
Iowa	2,172	0.069	0.066 - 0.072	560	0.036	0.033 - 0.039	1,612	0.102	0.097 - 0.107
Kansas	2,289	0.079	0.075 - 0.082	574	0.040	0.036 - 0.043	1,715	0.117	0.112 - 0.123
Kentucky	3,492	0.078	0.076 - 0.081	868	0.040	0.037 - 0.042	2,624	0.116	0.112 - 0.121
Louisiana	3,297	0.071	0.068 - 0.073	795	0.035	0.033 - 0.037	2,501	0.105	0.101 - 0.109
Maine	1,133	0.085	0.080 - 0.090	319	0.049	0.044 - 0.054	814	0.119	0.111 - 0.128
Maryland	4,365	0.072	0.070 - 0.075	1,004	0.034	0.032 - 0.037	3,361	0.108	0.105 - 0.112
MI - Detroit	3,157	0.081	0.078 - 0.084	752	0.040	0.037 - 0.043	2,404	0.120	0.116 - 0.125
Minnesota	3,499	0.063	0.061 - 0.065	917	0.033	0.031 - 0.035	2,582	0.092	0.089 - 0.096
Mississippi	1,547	0.052	0.049 - 0.054	351	0.024	0.022 - 0.027	1,196	0.078	0.073 - 0.082
Missouri	3,638	0.060	0.058 - 0.061	905	0.030	0.028 - 0.032	2,733	0.088	0.085 - 0.091
Montana	718	0.068	0.063 - 0.073	202	0.038	0.033 - 0.044	516	0.098	0.090 - 0.107
Nebraska	1,339	0.070	0.066 - 0.074	318	0.033	0.030 - 0.037	1,021	0.106	0.100 - 0.113
New Hampshire	1,077	0.080	0.075 - 0.085	276	0.041	0.037 - 0.046	801	0.117	0.109 - 0.126
New Jersey	8,877	0.100	0.098 - 0.102	2,193	0.051	0.048 - 0.053	6,684	0.147	0.144 - 0.151
New Mexico	1,633	0.078	0.074 - 0.082	394	0.038	0.034 - 0.042	1,239	0.117	0.111 - 0.124
New York	19,952	0.102	0.101 - 0.103	4,925	0.052	0.050 - 0.053	15,027	0.149	0.147 - 0.152
North Carolina	6,193	0.060	0.058 - 0.061	1,484	0.030	0.028 - 0.031	4,709	0.089	0.086 - 0.091
North Dakota	626	0.083	0.076 - 0.089	156	0.040	0.034 - 0.047	470	0.127	0.116 - 0.139
Ohio	8,873	0.076	0.074 - 0.078	2,075	0.036	0.035 - 0.038	6,798	0.114	0.112 - 0.117
Oklahoma	2,459	0.062	0.060 - 0.065	586	0.030	0.028 - 0.033	1,873	0.094	0.090 - 0.099
Oregon	2,807	0.067	0.065 - 0.070	711	0.034	0.032 - 0.037	2,096	0.100	0.096 - 0.104
Pennsylvania	12,837	0.100	0.099 - 0.102	3,199	0.051	0.049 - 0.053	9,638	0.148	0.145 - 0.151
Rhode Island	997	0.094	0.089 - 0.100	258	0.050	0.044 - 0.057	739	0.136	0.126 - 0.146
South Carolina	2,825	0.056	0.054 - 0.058	713	0.029	0.027 - 0.031	2,112	0.081	0.078 - 0.085
South Dakota	549	0.063	0.058 - 0.068	154	0.035	0.030 - 0.041	395	0.091	0.082 - 0.101
Tennessee	4,158	0.062	0.060 - 0.064	1,048	0.032	0.030 - 0.034	3,110	0.090	0.087 - 0.093
Texas	15,667	0.055	0.054 - 0.056	3,830	0.027	0.026 - 0.028	11,837	0.083	0.081 - 0.084
Utah	2,334	0.075	0.072 - 0.078	513	0.033	0.030 - 0.036	1,822	0.117	0.112 - 0.123
Vermont	454	0.073	0.066 - 0.080	125	0.041	0.034 - 0.048	329	0.104	0.093 - 0.116
Washington	4,824	0.065	0.063 - 0.066	1,226	0.033	0.031 - 0.035	3,598	0.096	0.093 - 0.100
WA - Seattle	3,483	0.068	0.065 - 0.070	900	0.035	0.033 - 0.037	2,583	0.100	0.096 - 0.104
West Virginia	1,617	0.089	0.085 - 0.094	366	0.041	0.037 - 0.045	1,251	0.137	0.129 - 0.145
Wisconsin	4,047	0.070	0.068 - 0.072	1,036	0.036	0.034 - 0.038	3,011	0.103	0.100 - 0.107
Wyoming	431	0.075	0.068 - 0.082	111	0.038	0.031 - 0.045	320	0.113	0.101 - 0.126
NAACCR CDN Combined¹	29,609	0.080	0.079 - 0.081	7,447	0.040	0.039 - 0.041	22,115	0.119	0.117 - 0.120
Alberta	2,480	0.058	0.056 - 0.060	651	0.030	0.028 - 0.033	1,829	0.086	0.082 - 0.090
British Columbia	2,113	0.043	0.041 - 0.044	570	0.023	0.021 - 0.025	1,543	0.061	0.058 - 0.065
Manitoba	705	0.052	0.049 - 0.056	179	0.027	0.023 - 0.031	526	0.078	0.072 - 0.085
New Brunswick	541	0.070	0.065 - 0.077	158	0.042	0.035 - 0.049	383	0.099	0.089 - 0.109
Newfoundland and Labrador	572	0.109	0.100 - 0.118	129	0.049	0.041 - 0.059	443	0.167	0.151 - 0.183
Ontario	14,901	0.105	0.103 - 0.107	3,617	0.052	0.050 - 0.053	11,284	0.157	0.154 - 0.160
Prince Edward Island	40	0.026	0.019 - 0.036	-	-	-	-	-	-
Saskatchewan	460	0.040	0.036 - 0.044	140	0.024	0.020 - 0.028	320	0.056	0.050 - 0.062
NAACCR N.A. Combined¹	260,360	0.071	0.071 - 0.072	64,076	0.036	0.035 - 0.036	196,244	0.106	0.106 - 0.107

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-120 Prevalence – Thyroid

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	38,283	0.012	0.012 - 0.012	20,926	0.013	0.013 - 0.013	17,357	0.010	0.010 - 0.011
Alabama	516	0.011	0.010 - 0.012	277	0.012	0.010 - 0.013	239	0.009	0.008 - 0.011
Alaska	58	0.008	0.006 - 0.010	34	0.009	0.006 - 0.012	24	0.007	0.004 - 0.010
Arizona	618	0.009	0.008 - 0.009	340	0.010	0.009 - 0.011	278	0.008	0.007 - 0.009
Arkansas	346	0.012	0.010 - 0.013	189	0.013	0.011 - 0.015	157	0.010	0.009 - 0.012
California	3,802	0.010	0.009 - 0.010	2,089	0.011	0.010 - 0.011	1,714	0.009	0.008 - 0.009
CA - Greater California	2,139	0.010	0.009 - 0.010	1,164	0.011	0.010 - 0.011	975	0.009	0.008 - 0.009
CA - Greater Bay Area	760	0.010	0.010 - 0.011	436	0.012	0.011 - 0.013	324	0.009	0.008 - 0.010
CA - Los Angeles	903	0.009	0.008 - 0.010	490	0.010	0.009 - 0.011	414	0.008	0.007 - 0.009
Colorado	593	0.010	0.010 - 0.011	339	0.012	0.011 - 0.013	254	0.009	0.008 - 0.010
Connecticut	537	0.015	0.014 - 0.016	295	0.017	0.015 - 0.019	242	0.013	0.012 - 0.015
Delaware	124	0.013	0.011 - 0.015	68	0.015	0.011 - 0.019	56	0.011	0.009 - 0.015
Florida	2,964	0.014	0.014 - 0.015	1,575	0.015	0.015 - 0.016	1,389	0.013	0.012 - 0.014
Georgia	1,073	0.010	0.010 - 0.011	573	0.011	0.010 - 0.012	501	0.009	0.009 - 0.010
Hawaii	93	0.007	0.005 - 0.008	54	0.008	0.006 - 0.010	39	0.005	0.004 - 0.008
Idaho	179	0.010	0.009 - 0.012	100	0.012	0.009 - 0.014	79	0.009	0.007 - 0.011
Illinois	1,575	0.012	0.012 - 0.013	879	0.014	0.013 - 0.015	696	0.011	0.010 - 0.012
Iowa	427	0.014	0.012 - 0.015	239	0.015	0.013 - 0.017	188	0.012	0.010 - 0.014
Kansas	322	0.011	0.010 - 0.012	200	0.014	0.012 - 0.016	122	0.008	0.007 - 0.010
Kentucky	502	0.011	0.010 - 0.012	285	0.013	0.012 - 0.015	218	0.010	0.008 - 0.011
Louisiana	573	0.012	0.011 - 0.013	313	0.014	0.012 - 0.015	260	0.011	0.010 - 0.012
Maine	187	0.014	0.012 - 0.016	100	0.015	0.012 - 0.019	87	0.013	0.010 - 0.016
Maryland	724	0.012	0.011 - 0.013	384	0.013	0.012 - 0.015	340	0.011	0.010 - 0.012
MI - Detroit	508	0.013	0.012 - 0.014	294	0.016	0.014 - 0.017	215	0.011	0.009 - 0.012
Minnesota	711	0.013	0.012 - 0.014	413	0.015	0.013 - 0.016	298	0.011	0.009 - 0.012
Mississippi	303	0.010	0.009 - 0.011	161	0.011	0.009 - 0.013	142	0.009	0.008 - 0.011
Missouri	731	0.012	0.011 - 0.013	396	0.013	0.012 - 0.015	335	0.011	0.010 - 0.012
Montana	110	0.010	0.009 - 0.013	60	0.011	0.009 - 0.014	50	0.010	0.007 - 0.013
Nebraska	253	0.013	0.012 - 0.015	145	0.015	0.013 - 0.018	108	0.011	0.009 - 0.014
New Hampshire	179	0.013	0.011 - 0.015	100	0.015	0.012 - 0.018	79	0.012	0.009 - 0.014
New Jersey	1,303	0.015	0.014 - 0.015	698	0.016	0.015 - 0.017	605	0.013	0.012 - 0.014
New Mexico	204	0.010	0.008 - 0.011	123	0.012	0.010 - 0.014	82	0.008	0.006 - 0.010
New York	2,914	0.015	0.014 - 0.015	1,522	0.016	0.015 - 0.017	1,392	0.014	0.013 - 0.015
North Carolina	1,150	0.011	0.011 - 0.012	635	0.013	0.012 - 0.014	515	0.010	0.009 - 0.011
North Dakota	99	0.013	0.011 - 0.016	67	0.017	0.013 - 0.022	32	0.009	0.006 - 0.012
Ohio	1,423	0.012	0.012 - 0.013	781	0.014	0.013 - 0.015	642	0.011	0.010 - 0.012
Oklahoma	395	0.010	0.009 - 0.011	208	0.011	0.009 - 0.012	187	0.009	0.008 - 0.011
Oregon	421	0.010	0.009 - 0.011	219	0.011	0.009 - 0.012	202	0.010	0.008 - 0.011
Pennsylvania	1,910	0.015	0.014 - 0.016	1,070	0.017	0.016 - 0.018	840	0.013	0.012 - 0.014
Rhode Island	173	0.016	0.014 - 0.019	85	0.017	0.013 - 0.020	88	0.016	0.013 - 0.020
South Carolina	542	0.011	0.010 - 0.012	292	0.012	0.011 - 0.013	250	0.010	0.008 - 0.011
South Dakota	91	0.010	0.008 - 0.013	50	0.011	0.008 - 0.015	41	0.009	0.007 - 0.013
Tennessee	760	0.011	0.010 - 0.012	411	0.012	0.011 - 0.014	349	0.010	0.009 - 0.011
Texas	2,719	0.010	0.009 - 0.010	1,464	0.010	0.010 - 0.011	1,255	0.009	0.008 - 0.009
Utah	325	0.010	0.009 - 0.012	166	0.011	0.009 - 0.012	159	0.010	0.009 - 0.012
Vermont	85	0.014	0.011 - 0.017	48	0.016	0.011 - 0.021	37	0.012	0.008 - 0.016
Washington	816	0.011	0.010 - 0.012	457	0.012	0.011 - 0.013	359	0.010	0.009 - 0.011
WA - Seattle	585	0.011	0.010 - 0.012	332	0.013	0.012 - 0.014	253	0.010	0.009 - 0.011
West Virginia	194	0.011	0.009 - 0.012	106	0.012	0.010 - 0.014	88	0.010	0.008 - 0.012
Wisconsin	808	0.014	0.013 - 0.015	467	0.016	0.015 - 0.018	341	0.012	0.010 - 0.013
Wyoming	54	0.009	0.007 - 0.012	32	0.011	0.007 - 0.015	22	0.008	0.005 - 0.012
NAACCR CDN Combined¹	4,312	0.012	0.011 - 0.012	2,392	0.013	0.013 - 0.014	1,921	0.010	0.010 - 0.011
Alberta	484	0.011	0.010 - 0.012	282	0.013	0.012 - 0.015	202	0.010	0.008 - 0.011
British Columbia	516	0.010	0.010 - 0.011	294	0.012	0.011 - 0.013	222	0.009	0.008 - 0.010
Manitoba	167	0.012	0.011 - 0.014	103	0.015	0.013 - 0.019	64	0.010	0.007 - 0.012
New Brunswick	98	0.013	0.010 - 0.016	57	0.015	0.011 - 0.019	41	0.011	0.008 - 0.014
Newfoundland and Labrador	59	0.011	0.009 - 0.014	27	0.010	0.007 - 0.015	32	0.012	0.008 - 0.017
Ontario	1,756	0.012	0.012 - 0.013	942	0.013	0.013 - 0.014	814	0.011	0.011 - 0.012
Prince Edward Island	19	0.013	0.008 - 0.020	-	-	-	-	-	-
Saskatchewan	119	0.010	0.009 - 0.012	65	0.011	0.009 - 0.014	54	0.009	0.007 - 0.012
NAACCR N.A. Combined¹	42,594	0.012	0.012 - 0.012	23,318	0.013	0.013 - 0.013	19,279	0.010	0.010 - 0.011

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	254,758	0.078	0.078 - 0.078	137,352	0.085	0.085 - 0.086	117,398	0.071	0.070 - 0.071
Alabama	3,198	0.066	0.063 - 0.068	1,718	0.073	0.069 - 0.076	1,480	0.059	0.056 - 0.062
Alaska	437	0.059	0.054 - 0.065	257	0.067	0.059 - 0.075	180	0.051	0.044 - 0.059
Arizona	4,341	0.061	0.059 - 0.063	2,389	0.068	0.065 - 0.070	1,952	0.055	0.052 - 0.057
Arkansas	2,252	0.075	0.072 - 0.078	1,212	0.082	0.078 - 0.087	1,040	0.068	0.064 - 0.072
California	27,156	0.069	0.068 - 0.070	14,862	0.076	0.075 - 0.077	12,294	0.062	0.061 - 0.063
CA - Greater California	14,793	0.068	0.066 - 0.069	8,170	0.075	0.073 - 0.076	6,623	0.060	0.059 - 0.062
CA - Greater Bay Area	5,950	0.080	0.078 - 0.082	3,262	0.088	0.085 - 0.091	2,688	0.072	0.070 - 0.075
CA - Los Angeles	6,415	0.064	0.062 - 0.065	3,432	0.069	0.067 - 0.071	2,982	0.058	0.056 - 0.060
Colorado	3,699	0.065	0.063 - 0.068	2,062	0.072	0.069 - 0.076	1,637	0.058	0.056 - 0.061
Connecticut	3,468	0.097	0.094 - 0.100	1,888	0.108	0.103 - 0.113	1,580	0.086	0.082 - 0.091
Delaware	854	0.089	0.083 - 0.095	446	0.096	0.087 - 0.105	408	0.082	0.074 - 0.091
Florida	22,336	0.106	0.104 - 0.107	11,805	0.114	0.112 - 0.116	10,531	0.098	0.096 - 0.100
Georgia	6,800	0.065	0.063 - 0.067	3,677	0.072	0.070 - 0.075	3,123	0.058	0.056 - 0.060
Hawaii	990	0.070	0.065 - 0.074	557	0.078	0.072 - 0.085	433	0.061	0.055 - 0.067
Idaho	1,237	0.071	0.067 - 0.075	695	0.080	0.074 - 0.086	542	0.063	0.057 - 0.068
Illinois	10,222	0.080	0.079 - 0.082	5,478	0.087	0.085 - 0.090	4,744	0.073	0.071 - 0.075
Iowa	2,802	0.089	0.086 - 0.092	1,534	0.098	0.093 - 0.103	1,268	0.080	0.076 - 0.085
Kansas	2,403	0.083	0.079 - 0.086	1,319	0.091	0.086 - 0.096	1,084	0.074	0.070 - 0.079
Kentucky	3,581	0.080	0.078 - 0.083	1,891	0.086	0.082 - 0.090	1,690	0.075	0.071 - 0.078
Louisiana	3,435	0.074	0.071 - 0.076	1,850	0.081	0.078 - 0.085	1,585	0.066	0.063 - 0.070
Maine	1,375	0.103	0.097 - 0.108	779	0.119	0.111 - 0.128	596	0.087	0.080 - 0.095
Maryland	4,424	0.073	0.071 - 0.076	2,292	0.078	0.075 - 0.082	2,132	0.069	0.066 - 0.072
MI - Detroit	3,389	0.087	0.084 - 0.090	1,760	0.093	0.089 - 0.098	1,629	0.081	0.078 - 0.086
Minnesota	4,951	0.089	0.086 - 0.091	2,735	0.098	0.095 - 0.102	2,216	0.079	0.076 - 0.082
Mississippi	1,924	0.064	0.062 - 0.067	1,018	0.070	0.066 - 0.075	906	0.059	0.055 - 0.063
Missouri	4,828	0.079	0.077 - 0.081	2,585	0.086	0.083 - 0.090	2,243	0.072	0.069 - 0.075
Montana	883	0.084	0.078 - 0.089	511	0.096	0.088 - 0.105	372	0.071	0.064 - 0.078
Nebraska	1,601	0.083	0.079 - 0.088	870	0.091	0.085 - 0.097	731	0.076	0.071 - 0.082
New Hampshire	1,333	0.099	0.093 - 0.104	729	0.109	0.101 - 0.117	604	0.089	0.082 - 0.096
New Jersey	8,344	0.094	0.092 - 0.096	4,365	0.101	0.098 - 0.104	3,979	0.088	0.085 - 0.090
New Mexico	1,279	0.061	0.058 - 0.065	641	0.062	0.057 - 0.067	638	0.060	0.056 - 0.065
New York	18,264	0.093	0.092 - 0.095	9,656	0.102	0.100 - 0.104	8,608	0.086	0.084 - 0.087
North Carolina	7,316	0.071	0.069 - 0.073	3,917	0.078	0.076 - 0.080	3,399	0.064	0.062 - 0.066
North Dakota	557	0.074	0.068 - 0.080	308	0.080	0.071 - 0.089	249	0.067	0.059 - 0.076
Ohio	9,397	0.081	0.079 - 0.082	5,086	0.089	0.087 - 0.091	4,311	0.072	0.070 - 0.075
Oklahoma	2,652	0.067	0.065 - 0.070	1,393	0.071	0.068 - 0.075	1,259	0.063	0.060 - 0.067
Oregon	3,375	0.081	0.078 - 0.084	1,858	0.090	0.086 - 0.094	1,517	0.072	0.069 - 0.076
Pennsylvania	12,133	0.095	0.093 - 0.097	6,386	0.102	0.099 - 0.104	5,747	0.088	0.086 - 0.090
Rhode Island	952	0.090	0.084 - 0.096	517	0.101	0.092 - 0.110	435	0.080	0.073 - 0.088
South Carolina	3,449	0.068	0.066 - 0.071	1,899	0.078	0.074 - 0.081	1,550	0.060	0.057 - 0.063
South Dakota	685	0.078	0.072 - 0.084	372	0.084	0.076 - 0.093	313	0.072	0.064 - 0.081
Tennessee	4,750	0.070	0.068 - 0.073	2,602	0.079	0.076 - 0.082	2,148	0.062	0.060 - 0.065
Texas	16,585	0.058	0.057 - 0.059	8,984	0.064	0.062 - 0.065	7,601	0.053	0.052 - 0.054
Utah	1,743	0.056	0.053 - 0.058	1,009	0.064	0.060 - 0.068	734	0.047	0.044 - 0.051
Vermont	607	0.097	0.090 - 0.105	344	0.112	0.100 - 0.124	263	0.083	0.073 - 0.094
Washington	5,765	0.077	0.075 - 0.079	3,199	0.086	0.083 - 0.089	2,566	0.069	0.066 - 0.071
WA - Seattle	4,181	0.081	0.079 - 0.084	2,352	0.091	0.087 - 0.095	1,830	0.071	0.068 - 0.074
West Virginia	1,643	0.091	0.086 - 0.095	874	0.098	0.091 - 0.104	769	0.084	0.078 - 0.090
Wisconsin	5,366	0.093	0.090 - 0.095	2,942	0.102	0.098 - 0.106	2,424	0.083	0.080 - 0.087
Wyoming	397	0.069	0.062 - 0.076	227	0.077	0.067 - 0.088	170	0.060	0.051 - 0.070
NAACCR CDN Combined¹	30,620	0.081	0.080 - 0.082	16,761	0.090	0.088 - 0.091	13,860	0.073	0.072 - 0.074
Alberta	2,874	0.067	0.065 - 0.070	1,603	0.075	0.071 - 0.078	1,271	0.060	0.057 - 0.063
British Columbia	3,964	0.080	0.077 - 0.082	2,135	0.087	0.083 - 0.091	1,829	0.073	0.070 - 0.076
Manitoba	1,113	0.083	0.078 - 0.088	614	0.091	0.084 - 0.099	499	0.074	0.068 - 0.081
New Brunswick	805	0.105	0.098 - 0.112	430	0.113	0.103 - 0.124	375	0.097	0.087 - 0.107
Newfoundland and Labrador	586	0.111	0.102 - 0.121	308	0.118	0.105 - 0.132	278	0.105	0.093 - 0.118
Ontario	11,920	0.084	0.083 - 0.086	6,543	0.093	0.091 - 0.096	5,377	0.075	0.073 - 0.077
Prince Edward Island	123	0.081	0.067 - 0.097	79	0.106	0.084 - 0.132	44	0.057	0.041 - 0.076
Saskatchewan	861	0.074	0.070 - 0.080	458	0.079	0.072 - 0.086	403	0.070	0.064 - 0.077
NAACCR N.A. Combined¹	285,378	0.078	0.078 - 0.079	154,113	0.086	0.085 - 0.086	131,258	0.071	0.071 - 0.071

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	86,487	0.027	0.026 - 0.027	47,751	0.030	0.029 - 0.030	38,735	0.023	0.023 - 0.024
Alabama	1,320	0.027	0.026 - 0.029	687	0.029	0.027 - 0.031	633	0.025	0.023 - 0.027
Alaska	111	0.015	0.012 - 0.018	68	0.018	0.014 - 0.022	43	0.012	0.009 - 0.016
Arizona	1,304	0.018	0.017 - 0.019	762	0.022	0.020 - 0.023	542	0.015	0.014 - 0.017
Arkansas	806	0.027	0.025 - 0.029	423	0.029	0.026 - 0.032	383	0.025	0.023 - 0.028
California	8,264	0.021	0.021 - 0.021	4,686	0.024	0.023 - 0.025	3,578	0.018	0.017 - 0.019
CA - Greater California	4,572	0.021	0.020 - 0.021	2,622	0.024	0.023 - 0.025	1,950	0.018	0.017 - 0.019
CA - Greater Bay Area	1,724	0.023	0.022 - 0.024	998	0.027	0.025 - 0.029	726	0.020	0.018 - 0.021
CA - Los Angeles	1,971	0.020	0.019 - 0.020	1,068	0.021	0.020 - 0.023	903	0.018	0.017 - 0.019
Colorado	1,224	0.022	0.020 - 0.023	730	0.026	0.024 - 0.028	494	0.018	0.016 - 0.019
Connecticut	1,173	0.033	0.031 - 0.035	660	0.038	0.035 - 0.041	513	0.028	0.026 - 0.031
Delaware	299	0.031	0.028 - 0.035	166	0.036	0.030 - 0.042	133	0.027	0.022 - 0.032
Florida	7,999	0.038	0.037 - 0.039	4,365	0.042	0.041 - 0.044	3,634	0.034	0.033 - 0.035
Georgia	3,034	0.029	0.028 - 0.030	1,569	0.031	0.029 - 0.032	1,465	0.027	0.026 - 0.029
Hawaii	281	0.020	0.018 - 0.022	147	0.021	0.017 - 0.024	134	0.019	0.016 - 0.022
Idaho	368	0.021	0.019 - 0.024	229	0.026	0.023 - 0.030	139	0.016	0.013 - 0.019
Illinois	3,271	0.026	0.025 - 0.027	1,722	0.027	0.026 - 0.029	1,549	0.024	0.023 - 0.025
Iowa	867	0.028	0.026 - 0.029	513	0.033	0.030 - 0.036	354	0.022	0.020 - 0.025
Kansas	776	0.027	0.025 - 0.029	421	0.029	0.026 - 0.032	355	0.024	0.022 - 0.027
Kentucky	1,155	0.026	0.024 - 0.027	670	0.031	0.028 - 0.033	485	0.021	0.020 - 0.023
Louisiana	1,346	0.029	0.027 - 0.030	721	0.032	0.029 - 0.034	625	0.026	0.024 - 0.028
Maine	377	0.028	0.025 - 0.031	208	0.032	0.028 - 0.036	169	0.025	0.021 - 0.029
Maryland	1,734	0.029	0.027 - 0.030	877	0.030	0.028 - 0.032	857	0.028	0.026 - 0.029
MI - Detroit	1,219	0.031	0.030 - 0.033	668	0.035	0.033 - 0.038	551	0.028	0.025 - 0.030
Minnesota	1,493	0.027	0.025 - 0.028	873	0.031	0.029 - 0.034	620	0.022	0.020 - 0.024
Mississippi	825	0.028	0.026 - 0.030	436	0.030	0.027 - 0.033	389	0.025	0.023 - 0.028
Missouri	1,589	0.026	0.025 - 0.027	901	0.030	0.028 - 0.032	688	0.022	0.020 - 0.024
Montana	311	0.029	0.026 - 0.033	188	0.035	0.030 - 0.041	123	0.023	0.019 - 0.028
Nebraska	450	0.023	0.021 - 0.026	259	0.027	0.024 - 0.031	191	0.020	0.017 - 0.023
New Hampshire	359	0.027	0.024 - 0.029	202	0.030	0.026 - 0.035	157	0.023	0.020 - 0.027
New Jersey	2,730	0.031	0.030 - 0.032	1,487	0.034	0.033 - 0.036	1,243	0.027	0.026 - 0.029
New Mexico	440	0.021	0.019 - 0.023	264	0.025	0.022 - 0.029	176	0.017	0.014 - 0.019
New York	6,705	0.034	0.033 - 0.035	3,686	0.039	0.038 - 0.040	3,019	0.030	0.029 - 0.031
North Carolina	3,112	0.030	0.029 - 0.031	1,669	0.033	0.032 - 0.035	1,443	0.027	0.026 - 0.029
North Dakota	167	0.022	0.019 - 0.026	101	0.026	0.021 - 0.032	66	0.018	0.014 - 0.023
Ohio	2,709	0.023	0.022 - 0.024	1,519	0.027	0.025 - 0.028	1,190	0.020	0.019 - 0.021
Oklahoma	847	0.022	0.020 - 0.023	481	0.025	0.023 - 0.027	366	0.018	0.017 - 0.020
Oregon	894	0.021	0.020 - 0.023	503	0.024	0.022 - 0.027	391	0.019	0.017 - 0.021
Pennsylvania	3,673	0.029	0.028 - 0.030	2,005	0.032	0.031 - 0.033	1,668	0.026	0.024 - 0.027
Rhode Island	262	0.025	0.022 - 0.028	157	0.031	0.026 - 0.036	105	0.019	0.016 - 0.023
South Carolina	1,521	0.030	0.029 - 0.032	809	0.033	0.031 - 0.035	712	0.027	0.025 - 0.029
South Dakota	208	0.024	0.021 - 0.027	126	0.029	0.024 - 0.034	82	0.019	0.015 - 0.023
Tennessee	1,707	0.025	0.024 - 0.027	914	0.028	0.026 - 0.030	793	0.023	0.021 - 0.025
Texas	6,404	0.023	0.022 - 0.023	3,460	0.024	0.024 - 0.025	2,944	0.021	0.020 - 0.021
Utah	532	0.017	0.016 - 0.019	309	0.020	0.017 - 0.022	223	0.014	0.013 - 0.016
Vermont	160	0.026	0.022 - 0.030	100	0.032	0.026 - 0.039	60	0.019	0.014 - 0.024
Washington	1,717	0.023	0.022 - 0.024	1,015	0.027	0.026 - 0.029	702	0.019	0.017 - 0.020
WA - Seattle	1,274	0.025	0.023 - 0.026	758	0.029	0.027 - 0.032	515	0.020	0.018 - 0.022
West Virginia	456	0.025	0.023 - 0.028	273	0.030	0.027 - 0.034	183	0.020	0.017 - 0.023
Wisconsin	1,676	0.029	0.028 - 0.030	926	0.032	0.030 - 0.034	750	0.026	0.024 - 0.028
Wyoming	127	0.022	0.018 - 0.026	72	0.024	0.019 - 0.031	55	0.019	0.015 - 0.025
NAACCR CDN Combined¹	9,976	0.026	0.026 - 0.027	5,726	0.030	0.030 - 0.031	4,249	0.022	0.022 - 0.023
Alberta	850	0.020	0.019 - 0.021	519	0.024	0.022 - 0.026	331	0.016	0.014 - 0.017
British Columbia	1,122	0.023	0.021 - 0.024	667	0.027	0.025 - 0.029	455	0.018	0.016 - 0.020
Manitoba	307	0.023	0.020 - 0.026	182	0.027	0.023 - 0.031	125	0.019	0.015 - 0.022
New Brunswick	197	0.026	0.022 - 0.029	121	0.032	0.026 - 0.038	76	0.020	0.015 - 0.024
Newfoundland and Labrador	134	0.025	0.021 - 0.030	77	0.030	0.023 - 0.037	57	0.021	0.016 - 0.028
Ontario	4,300	0.030	0.029 - 0.031	2,396	0.034	0.033 - 0.036	1,904	0.026	0.025 - 0.028
Prince Edward Island	48	0.032	0.023 - 0.042	29	0.039	0.026 - 0.056	19	0.025	0.015 - 0.038
Saskatchewan	257	0.022	0.020 - 0.025	149	0.026	0.022 - 0.030	108	0.019	0.015 - 0.023
NAACCR N.A. Combined¹	96,462	0.027	0.026 - 0.027	53,476	0.030	0.030 - 0.030	42,984	0.023	0.023 - 0.024

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	163,877	0.050	0.050 - 0.050	95,589	0.059	0.059 - 0.060	68,282	0.041	0.041 - 0.041
Alabama	2,029	0.042	0.040 - 0.043	1,184	0.050	0.047 - 0.053	845	0.034	0.031 - 0.036
Alaska	272	0.037	0.033 - 0.042	175	0.045	0.039 - 0.053	97	0.028	0.022 - 0.034
Arizona	2,302	0.032	0.031 - 0.034	1,340	0.038	0.036 - 0.040	962	0.027	0.025 - 0.029
Arkansas	1,560	0.052	0.049 - 0.055	904	0.061	0.057 - 0.065	656	0.043	0.040 - 0.046
California	15,695	0.040	0.039 - 0.040	9,235	0.047	0.046 - 0.048	6,460	0.033	0.032 - 0.033
CA - Greater California	8,935	0.041	0.040 - 0.042	5,236	0.048	0.047 - 0.049	3,699	0.034	0.033 - 0.035
CA - Greater Bay Area	3,068	0.041	0.040 - 0.043	1,890	0.051	0.049 - 0.053	1,178	0.032	0.030 - 0.034
CA - Los Angeles	3,690	0.037	0.035 - 0.038	2,109	0.042	0.041 - 0.044	1,581	0.031	0.029 - 0.032
Colorado	2,437	0.043	0.041 - 0.045	1,450	0.051	0.048 - 0.054	987	0.035	0.033 - 0.037
Connecticut	2,000	0.056	0.054 - 0.058	1,115	0.064	0.060 - 0.068	886	0.048	0.045 - 0.052
Delaware	453	0.047	0.043 - 0.052	267	0.057	0.051 - 0.065	186	0.037	0.032 - 0.043
Florida	15,703	0.074	0.073 - 0.076	8,819	0.085	0.084 - 0.087	6,884	0.064	0.062 - 0.065
Georgia	4,709	0.045	0.044 - 0.046	2,685	0.053	0.051 - 0.055	2,024	0.038	0.036 - 0.039
Hawaii	495	0.035	0.032 - 0.038	294	0.041	0.037 - 0.046	202	0.028	0.025 - 0.033
Idaho	939	0.054	0.051 - 0.058	557	0.064	0.059 - 0.070	382	0.044	0.040 - 0.049
Illinois	5,747	0.045	0.044 - 0.046	3,327	0.053	0.051 - 0.055	2,420	0.037	0.036 - 0.039
Iowa	1,903	0.061	0.058 - 0.063	1,141	0.073	0.069 - 0.077	762	0.048	0.045 - 0.052
Kansas	1,641	0.056	0.054 - 0.059	1,011	0.070	0.065 - 0.074	630	0.043	0.040 - 0.047
Kentucky	2,451	0.055	0.053 - 0.057	1,420	0.065	0.061 - 0.068	1,031	0.046	0.043 - 0.048
Louisiana	2,210	0.047	0.045 - 0.049	1,264	0.055	0.052 - 0.059	946	0.040	0.037 - 0.042
Maine	841	0.063	0.059 - 0.067	483	0.074	0.067 - 0.081	358	0.052	0.047 - 0.058
Maryland	2,552	0.042	0.041 - 0.044	1,442	0.049	0.047 - 0.052	1,110	0.036	0.034 - 0.038
MI - Detroit	2,235	0.058	0.055 - 0.060	1,319	0.070	0.066 - 0.074	916	0.046	0.043 - 0.049
Minnesota	3,318	0.059	0.057 - 0.061	2,054	0.074	0.071 - 0.077	1,264	0.045	0.043 - 0.048
Mississippi	1,188	0.040	0.038 - 0.042	676	0.047	0.043 - 0.050	512	0.033	0.030 - 0.036
Missouri	2,943	0.048	0.046 - 0.050	1,731	0.058	0.055 - 0.060	1,212	0.039	0.037 - 0.041
Montana	640	0.061	0.056 - 0.065	408	0.077	0.069 - 0.084	232	0.044	0.039 - 0.050
Nebraska	916	0.048	0.045 - 0.051	540	0.056	0.052 - 0.061	376	0.039	0.035 - 0.043
New Hampshire	714	0.053	0.049 - 0.057	440	0.066	0.060 - 0.072	274	0.040	0.036 - 0.045
New Jersey	5,194	0.058	0.057 - 0.060	3,007	0.069	0.067 - 0.072	2,187	0.048	0.046 - 0.050
New Mexico	1,009	0.048	0.045 - 0.051	563	0.054	0.050 - 0.059	446	0.042	0.038 - 0.046
New York	12,298	0.063	0.062 - 0.064	7,143	0.075	0.073 - 0.077	5,155	0.051	0.050 - 0.053
North Carolina	5,383	0.052	0.051 - 0.054	3,140	0.063	0.060 - 0.065	2,243	0.042	0.041 - 0.044
North Dakota	423	0.056	0.051 - 0.062	257	0.066	0.058 - 0.075	166	0.045	0.038 - 0.052
Ohio	4,807	0.041	0.040 - 0.042	2,841	0.050	0.048 - 0.052	1,966	0.033	0.032 - 0.035
Oklahoma	1,820	0.046	0.044 - 0.048	1,068	0.055	0.052 - 0.058	752	0.038	0.035 - 0.041
Oregon	1,967	0.047	0.045 - 0.049	1,151	0.056	0.053 - 0.059	816	0.039	0.036 - 0.042
Pennsylvania	7,319	0.057	0.056 - 0.059	4,288	0.068	0.066 - 0.071	3,031	0.046	0.045 - 0.048
Rhode Island	590	0.056	0.051 - 0.061	350	0.068	0.061 - 0.076	240	0.044	0.039 - 0.050
South Carolina	2,179	0.043	0.041 - 0.045	1,239	0.051	0.048 - 0.053	940	0.036	0.034 - 0.038
South Dakota	528	0.060	0.055 - 0.066	300	0.068	0.060 - 0.076	228	0.053	0.046 - 0.060
Tennessee	3,198	0.047	0.046 - 0.049	1,843	0.056	0.054 - 0.059	1,355	0.039	0.037 - 0.041
Texas	12,191	0.043	0.042 - 0.044	7,080	0.050	0.049 - 0.051	5,111	0.036	0.035 - 0.037
Utah	1,262	0.040	0.038 - 0.043	772	0.049	0.046 - 0.053	490	0.032	0.029 - 0.034
Vermont	298	0.048	0.042 - 0.053	175	0.057	0.049 - 0.066	123	0.039	0.032 - 0.046
Washington	3,809	0.051	0.049 - 0.053	2,287	0.061	0.059 - 0.064	1,522	0.041	0.039 - 0.043
WA - Seattle	2,894	0.056	0.054 - 0.058	1,748	0.068	0.065 - 0.071	1,145	0.044	0.042 - 0.047
West Virginia	1,110	0.061	0.058 - 0.065	643	0.072	0.066 - 0.077	467	0.051	0.047 - 0.056
Wisconsin	3,790	0.065	0.063 - 0.067	2,320	0.080	0.077 - 0.084	1,470	0.050	0.048 - 0.053
Wyoming	265	0.046	0.040 - 0.052	162	0.055	0.047 - 0.064	103	0.036	0.030 - 0.044
NAACCR CDN Combined¹	22,582	0.060	0.059 - 0.061	13,403	0.072	0.070 - 0.073	9,181	0.048	0.047 - 0.050
Alberta	2,168	0.051	0.049 - 0.053	1,322	0.061	0.058 - 0.065	846	0.040	0.037 - 0.043
British Columbia	2,202	0.044	0.042 - 0.046	1,318	0.054	0.051 - 0.057	884	0.035	0.033 - 0.038
Manitoba	693	0.052	0.048 - 0.056	423	0.063	0.057 - 0.069	270	0.040	0.036 - 0.045
New Brunswick	563	0.073	0.067 - 0.080	337	0.089	0.079 - 0.099	226	0.058	0.051 - 0.066
Newfoundland and Labrador	188	0.036	0.031 - 0.041	113	0.043	0.036 - 0.052	75	0.028	0.022 - 0.035
Ontario	9,847	0.069	0.068 - 0.071	5,768	0.082	0.080 - 0.085	4,079	0.057	0.055 - 0.059
Prince Edward Island	75	0.049	0.039 - 0.062	45	0.060	0.044 - 0.081	30	0.039	0.026 - 0.055
Saskatchewan	697	0.060	0.056 - 0.065	417	0.072	0.065 - 0.079	280	0.049	0.043 - 0.055
NAACCR N.A. Combined¹	186,460	0.051	0.051 - 0.051	108,992	0.060	0.060 - 0.061	77,463	0.042	0.041 - 0.042

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,395	0.001	0.001 - 0.001	2,974	0.002	0.002 - 0.002	1,421	0.001	0.001 - 0.001
Alabama	42	0.001	0.001 - 0.001	27	0.001	0.001 - 0.002	15	0.001	0.000 - 0.001
Alaska	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Arizona	80	0.001	0.001 - 0.001	58	0.002	0.001 - 0.002	22	0.001	0.000 - 0.001
Arkansas	32	0.001	0.001 - 0.002	-	-	-	-	-	-
California	487	0.001	0.001 - 0.001	322	0.002	0.001 - 0.002	165	0.001	0.001 - 0.001
CA - Greater California	291	0.001	0.001 - 0.001	188	0.002	0.001 - 0.002	103	0.001	0.001 - 0.001
CA - Greater Bay Area	90	0.001	0.001 - 0.001	57	0.002	0.001 - 0.002	32	0.001	0.001 - 0.001
CA - Los Angeles	105	0.001	0.001 - 0.001	76	0.002	0.001 - 0.002	29	0.001	0.000 - 0.001
Colorado	69	0.001	0.001 - 0.002	46	0.002	0.001 - 0.002	23	0.001	0.001 - 0.001
Connecticut	47	0.001	0.001 - 0.002	37	0.002	0.001 - 0.003	10	0.001	0.000 - 0.001
Delaware	26	0.003	0.002 - 0.004	-	-	-	-	-	-
Florida	328	0.002	0.001 - 0.002	231	0.002	0.002 - 0.003	97	0.001	0.001 - 0.001
Georgia	85	0.001	0.001 - 0.001	66	0.001	0.001 - 0.002	19	0.000	0.000 - 0.001
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	37	0.002	0.002 - 0.003	23	0.003	0.002 - 0.004	14	0.002	0.001 - 0.003
Illinois	183	0.001	0.001 - 0.002	118	0.002	0.002 - 0.002	65	0.001	0.001 - 0.001
Iowa	51	0.002	0.001 - 0.002	34	0.002	0.002 - 0.003	17	0.001	0.001 - 0.002
Kansas	33	0.001	0.001 - 0.002	22	0.002	0.001 - 0.002	11	0.001	0.000 - 0.001
Kentucky	32	0.001	0.000 - 0.001	-	-	-	-	-	-
Louisiana	90	0.002	0.002 - 0.002	55	0.002	0.002 - 0.003	35	0.001	0.001 - 0.002
Maine	37	0.003	0.002 - 0.004	-	-	-	-	-	-
Maryland	87	0.001	0.001 - 0.002	56	0.002	0.001 - 0.002	31	0.001	0.001 - 0.001
MI - Detroit	49	0.001	0.001 - 0.002	32	0.002	0.001 - 0.002	17	0.001	0.000 - 0.001
Minnesota	106	0.002	0.002 - 0.002	69	0.002	0.002 - 0.003	37	0.001	0.001 - 0.002
Mississippi	36	0.001	0.001 - 0.002	22	0.002	0.001 - 0.002	14	0.001	0.000 - 0.002
Missouri	74	0.001	0.001 - 0.002	52	0.002	0.001 - 0.002	22	0.001	0.000 - 0.001
Montana	23	0.002	0.001 - 0.003	-	-	-	-	-	-
Nebraska	24	0.001	0.001 - 0.002	-	-	-	-	-	-
New Hampshire	21	0.002	0.001 - 0.002	-	-	-	-	-	-
New Jersey	153	0.002	0.001 - 0.002	103	0.002	0.002 - 0.003	50	0.001	0.001 - 0.001
New Mexico	25	0.001	0.001 - 0.002	-	-	-	-	-	-
New York	300	0.002	0.001 - 0.002	187	0.002	0.002 - 0.002	113	0.001	0.001 - 0.001
North Carolina	107	0.001	0.001 - 0.001	70	0.001	0.001 - 0.002	37	0.001	0.000 - 0.001
North Dakota	11	0.001	0.001 - 0.003	-	-	-	-	-	-
Ohio	177	0.002	0.001 - 0.002	125	0.002	0.002 - 0.003	52	0.001	0.001 - 0.001
Oklahoma	41	0.001	0.001 - 0.001	30	0.002	0.001 - 0.002	11	0.001	0.000 - 0.001
Oregon	61	0.001	0.001 - 0.002	49	0.002	0.002 - 0.003	12	0.001	0.000 - 0.001
Pennsylvania	251	0.002	0.002 - 0.002	172	0.003	0.002 - 0.003	79	0.001	0.001 - 0.002
Rhode Island	17	0.002	0.001 - 0.003	-	-	-	-	-	-
South Carolina	73	0.001	0.001 - 0.002	50	0.002	0.002 - 0.003	23	0.001	0.001 - 0.001
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	57	0.001	0.001 - 0.001	36	0.001	0.001 - 0.002	21	0.001	0.000 - 0.001
Texas	268	0.001	0.001 - 0.001	188	0.001	0.001 - 0.002	80	0.001	0.000 - 0.001
Utah	32	0.001	0.001 - 0.001	19	0.001	0.001 - 0.002	13	0.001	0.000 - 0.001
Vermont	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Washington	109	0.001	0.001 - 0.002	79	0.002	0.002 - 0.003	30	0.001	0.001 - 0.001
WA - Seattle	81	0.002	0.001 - 0.002	53	0.002	0.002 - 0.003	28	0.001	0.001 - 0.002
West Virginia	31	0.002	0.001 - 0.002	21	0.002	0.001 - 0.004	10	0.001	0.001 - 0.002
Wisconsin	102	0.002	0.001 - 0.002	63	0.002	0.002 - 0.003	39	0.001	0.001 - 0.002
Wyoming	16	0.003	0.002 - 0.004	-	-	-	-	-	-
NAACCR CDN Combined¹	776	0.002	0.002 - 0.002	546	0.003	0.003 - 0.003	230	0.001	0.001 - 0.001
Alberta	68	0.002	0.001 - 0.002	51	0.002	0.002 - 0.003	17	0.001	0.000 - 0.001
British Columbia	112	0.002	0.002 - 0.003	90	0.004	0.003 - 0.004	22	0.001	0.001 - 0.001
Manitoba	28	0.002	0.001 - 0.003	-	-	-	-	-	-
New Brunswick	12	0.002	0.001 - 0.003	-	-	-	-	-	-
Newfoundland and Labrador	12	0.002	0.001 - 0.004	-	-	-	-	-	-
Ontario	306	0.002	0.002 - 0.002	198	0.003	0.002 - 0.003	108	0.002	0.001 - 0.002
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	18	0.002	0.001 - 0.002	-	-	-	-	-	-
NAACCR N.A. Combined¹	5,172	0.001	0.001 - 0.001	3,520	0.002	0.002 - 0.002	1,651	0.001	0.001 - 0.001

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,178,565	2.086	2.084 - 2.088	2,043,967	2.070	2.067 - 2.073	2,134,514	2.101	2.098 - 2.104
Alabama	61,833	1.908	1.893 - 1.923	31,071	1.962	1.940 - 1.984	30,762	1.856	1.835 - 1.877
Alaska	7,288	1.550	1.514 - 1.586	3,747	1.506	1.458 - 1.555	3,541	1.598	1.546 - 1.652
Arizona	78,304	1.981	1.967 - 1.994	38,593	1.975	1.955 - 1.994	39,711	1.986	1.967 - 2.006
Arkansas	43,465	1.967	1.948 - 1.985	22,138	2.039	2.012 - 2.066	21,327	1.896	1.871 - 1.922
California	330,094	2.174	2.167 - 2.181	161,853	2.132	2.122 - 2.142	168,241	2.216	2.205 - 2.226
CA - Greater California	205,624	2.161	2.151 - 2.170	100,897	2.133	2.120 - 2.146	104,727	2.189	2.175 - 2.202
CA - Greater Bay Area	65,605	2.256	2.239 - 2.273	32,533	2.210	2.186 - 2.235	33,073	2.303	2.278 - 2.328
CA - Los Angeles	58,987	2.137	2.120 - 2.155	28,505	2.053	2.029 - 2.076	30,482	2.223	2.198 - 2.248
Colorado	65,409	1.671	1.658 - 1.684	30,966	1.576	1.559 - 1.594	34,443	1.766	1.747 - 1.784
Connecticut	57,727	2.385	2.366 - 2.405	27,772	2.354	2.326 - 2.382	29,955	2.415	2.387 - 2.442
Delaware	14,893	2.448	2.409 - 2.488	7,408	2.519	2.462 - 2.577	7,485	2.382	2.328 - 2.437
Florida	282,293	2.444	2.435 - 2.453	141,551	2.500	2.487 - 2.513	140,742	2.391	2.378 - 2.403
Georgia	111,557	1.992	1.980 - 2.003	55,656	2.021	2.004 - 2.038	55,900	1.963	1.947 - 1.980
Hawaii	7,431	2.407	2.353 - 2.463	4,124	2.468	2.393 - 2.544	3,307	2.336	2.257 - 2.417
Idaho	25,016	1.733	1.712 - 1.755	12,517	1.737	1.706 - 1.767	12,499	1.730	1.700 - 1.761
Illinois	170,047	2.149	2.139 - 2.159	81,714	2.101	2.086 - 2.115	88,333	2.196	2.181 - 2.210
Iowa	55,715	2.051	2.034 - 2.068	27,356	2.038	2.014 - 2.062	28,359	2.063	2.039 - 2.088
Kansas	44,402	1.979	1.961 - 1.997	21,859	1.972	1.946 - 1.998	22,543	1.986	1.960 - 2.012
Kentucky	76,544	2.008	1.994 - 2.022	36,909	1.975	1.955 - 1.995	39,635	2.040	2.020 - 2.060
Louisiana	56,068	2.023	2.006 - 2.040	29,004	2.127	2.103 - 2.152	27,063	1.922	1.899 - 1.945
Maine	27,717	2.198	2.173 - 2.224	13,136	2.131	2.095 - 2.168	14,581	2.263	2.226 - 2.300
Maryland	69,112	2.212	2.195 - 2.228	33,498	2.188	2.165 - 2.212	35,614	2.235	2.211 - 2.258
MI - Detroit	54,508	2.180	2.162 - 2.198	26,550	2.154	2.128 - 2.180	27,958	2.206	2.180 - 2.232
Minnesota	92,971	2.058	2.045 - 2.072	45,640	2.037	2.018 - 2.055	47,331	2.080	2.061 - 2.099
Mississippi	34,093	1.999	1.978 - 2.020	17,368	2.073	2.043 - 2.104	16,725	1.927	1.898 - 1.956
Missouri	92,016	1.869	1.857 - 1.881	43,799	1.808	1.791 - 1.825	48,217	1.928	1.910 - 1.945
Montana	18,764	2.029	2.000 - 2.059	9,696	2.082	2.041 - 2.124	9,068	1.976	1.935 - 2.017
Nebraska	30,042	1.961	1.938 - 1.983	14,874	1.959	1.927 - 1.990	15,168	1.962	1.931 - 1.994
New Hampshire	27,195	2.209	2.183 - 2.235	13,152	2.163	2.127 - 2.201	14,043	2.253	2.216 - 2.291
New Jersey	125,372	2.517	2.504 - 2.531	60,812	2.503	2.483 - 2.523	64,560	2.532	2.512 - 2.551
New Mexico	16,910	2.124	2.092 - 2.156	8,294	2.105	2.060 - 2.151	8,616	2.143	2.098 - 2.189
New York	266,363	2.412	2.403 - 2.421	129,225	2.391	2.378 - 2.404	137,138	2.433	2.420 - 2.446
North Carolina	138,474	2.095	2.084 - 2.106	67,287	2.084	2.068 - 2.100	71,187	2.107	2.091 - 2.122
North Dakota	11,923	1.847	1.814 - 1.880	6,054	1.838	1.792 - 1.885	5,869	1.855	1.808 - 1.903
Ohio	181,799	1.952	1.943 - 1.961	86,153	1.884	1.872 - 1.897	95,646	2.017	2.004 - 2.029
Oklahoma	48,353	1.791	1.775 - 1.807	23,637	1.780	1.758 - 1.803	24,716	1.802	1.779 - 1.824
Oregon	64,207	1.991	1.975 - 2.006	31,021	1.952	1.930 - 1.974	33,186	2.028	2.006 - 2.050
Pennsylvania	219,842	2.227	2.218 - 2.236	104,368	2.160	2.147 - 2.173	115,474	2.291	2.278 - 2.305
Rhode Island	18,127	2.339	2.305 - 2.374	8,353	2.236	2.188 - 2.284	9,774	2.435	2.387 - 2.484
South Carolina	64,903	1.988	1.973 - 2.004	32,274	2.024	2.002 - 2.047	32,629	1.954	1.933 - 1.975
South Dakota	14,253	1.966	1.934 - 1.999	7,193	1.975	1.930 - 2.021	7,060	1.957	1.912 - 2.003
Tennessee	98,068	1.944	1.932 - 1.957	48,702	1.975	1.958 - 1.993	49,366	1.915	1.898 - 1.932
Texas	226,550	1.866	1.858 - 1.873	112,833	1.875	1.864 - 1.886	113,717	1.856	1.846 - 1.867
Utah	33,811	1.360	1.345 - 1.374	17,121	1.372	1.351 - 1.393	16,690	1.347	1.327 - 1.368
Vermont	12,370	2.108	2.071 - 2.146	5,935	2.051	1.999 - 2.104	6,435	2.164	2.111 - 2.217
Washington	103,785	1.970	1.958 - 1.982	49,910	1.899	1.883 - 1.916	53,875	2.041	2.024 - 2.058
WA - Seattle	74,535	2.096	2.081 - 2.111	36,431	2.048	2.027 - 2.069	38,104	2.144	2.123 - 2.166
West Virginia	35,414	2.098	2.077 - 2.120	17,030	2.048	2.018 - 2.079	18,384	2.147	2.116 - 2.178
Wisconsin	99,616	2.093	2.080 - 2.106	49,391	2.090	2.071 - 2.108	50,225	2.097	2.079 - 2.116
Wyoming	8,627	1.754	1.718 - 1.792	4,551	1.823	1.771 - 1.877	4,076	1.684	1.632 - 1.736

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	129,444	0.065	0.064 - 0.065	93,907	0.095	0.094 - 0.096	35,537	0.035	0.035 - 0.035
Alabama	2,178	0.067	0.064 - 0.070	1,559	0.098	0.094 - 0.103	619	0.037	0.034 - 0.040
Alaska	237	0.050	0.044 - 0.057	189	0.076	0.066 - 0.088	48	0.022	0.016 - 0.029
Arizona	2,263	0.057	0.055 - 0.060	1,699	0.087	0.083 - 0.091	564	0.028	0.026 - 0.031
Arkansas	1,482	0.067	0.064 - 0.071	1,084	0.100	0.094 - 0.106	398	0.035	0.032 - 0.039
California	10,601	0.070	0.068 - 0.071	7,818	0.103	0.101 - 0.105	2,782	0.037	0.035 - 0.038
CA - Greater California	6,893	0.072	0.071 - 0.074	5,121	0.108	0.105 - 0.111	1,772	0.037	0.035 - 0.039
CA - Greater Bay Area	1,970	0.068	0.065 - 0.071	1,445	0.098	0.093 - 0.103	525	0.037	0.034 - 0.040
CA - Los Angeles	1,739	0.063	0.060 - 0.066	1,254	0.090	0.085 - 0.095	485	0.035	0.032 - 0.039
Colorado	2,101	0.054	0.051 - 0.056	1,509	0.077	0.073 - 0.081	592	0.030	0.028 - 0.033
Connecticut	1,665	0.069	0.066 - 0.072	1,140	0.097	0.091 - 0.102	526	0.042	0.039 - 0.046
Delaware	458	0.075	0.069 - 0.083	346	0.118	0.106 - 0.131	112	0.036	0.029 - 0.043
Florida	9,547	0.083	0.081 - 0.084	7,122	0.126	0.123 - 0.129	2,425	0.041	0.040 - 0.043
Georgia	3,634	0.065	0.063 - 0.067	2,678	0.097	0.094 - 0.101	956	0.034	0.031 - 0.036
Hawaii	327	0.106	0.095 - 0.118	260	0.155	0.137 - 0.176	67	0.047	0.037 - 0.060
Idaho	805	0.056	0.052 - 0.060	581	0.081	0.074 - 0.088	224	0.031	0.027 - 0.035
Illinois	5,217	0.066	0.064 - 0.068	3,761	0.097	0.094 - 0.100	1,456	0.036	0.034 - 0.038
Iowa	1,769	0.065	0.062 - 0.068	1,264	0.094	0.089 - 0.099	505	0.037	0.034 - 0.040
Kansas	1,293	0.058	0.055 - 0.061	944	0.085	0.080 - 0.091	349	0.031	0.028 - 0.034
Kentucky	2,413	0.063	0.061 - 0.066	1,737	0.093	0.089 - 0.097	676	0.035	0.032 - 0.038
Louisiana	1,851	0.067	0.064 - 0.070	1,344	0.099	0.093 - 0.104	507	0.036	0.033 - 0.039
Maine	912	0.072	0.068 - 0.077	657	0.107	0.099 - 0.115	255	0.040	0.035 - 0.045
Maryland	2,142	0.069	0.066 - 0.072	1,549	0.101	0.096 - 0.106	593	0.037	0.034 - 0.040
MI - Detroit	1,573	0.063	0.060 - 0.066	1,126	0.091	0.086 - 0.097	447	0.035	0.032 - 0.039
Minnesota	2,754	0.061	0.059 - 0.063	1,898	0.085	0.081 - 0.089	856	0.038	0.035 - 0.040
Mississippi	1,136	0.067	0.063 - 0.071	825	0.098	0.092 - 0.105	311	0.036	0.032 - 0.040
Missouri	2,995	0.061	0.059 - 0.063	2,225	0.092	0.088 - 0.096	770	0.031	0.029 - 0.033
Montana	528	0.057	0.052 - 0.062	394	0.084	0.076 - 0.093	135	0.029	0.025 - 0.035
Nebraska	898	0.059	0.055 - 0.063	644	0.085	0.078 - 0.092	254	0.033	0.029 - 0.037
New Hampshire	743	0.060	0.056 - 0.065	543	0.089	0.082 - 0.097	200	0.032	0.028 - 0.037
New Jersey	3,200	0.064	0.062 - 0.067	2,263	0.093	0.089 - 0.097	938	0.037	0.034 - 0.039
New Mexico	485	0.061	0.056 - 0.067	376	0.095	0.086 - 0.105	110	0.027	0.022 - 0.033
New York	6,811	0.062	0.060 - 0.063	4,748	0.088	0.085 - 0.090	2,064	0.037	0.035 - 0.038
North Carolina	4,339	0.066	0.064 - 0.068	3,139	0.097	0.094 - 0.101	1,200	0.036	0.034 - 0.038
North Dakota	384	0.059	0.054 - 0.066	268	0.081	0.072 - 0.092	116	0.037	0.030 - 0.044
Ohio	5,566	0.060	0.058 - 0.061	3,970	0.087	0.084 - 0.090	1,596	0.034	0.032 - 0.035
Oklahoma	1,651	0.061	0.058 - 0.064	1,203	0.091	0.086 - 0.096	448	0.033	0.030 - 0.036
Oregon	2,099	0.065	0.062 - 0.068	1,510	0.095	0.090 - 0.100	589	0.036	0.033 - 0.039
Pennsylvania	6,166	0.062	0.061 - 0.064	4,368	0.090	0.088 - 0.093	1,798	0.036	0.034 - 0.037
Rhode Island	506	0.065	0.060 - 0.071	331	0.089	0.079 - 0.099	175	0.044	0.037 - 0.051
South Carolina	2,138	0.066	0.063 - 0.068	1,585	0.099	0.095 - 0.104	553	0.033	0.030 - 0.036
South Dakota	453	0.062	0.057 - 0.069	334	0.092	0.082 - 0.102	119	0.033	0.027 - 0.039
Tennessee	3,200	0.063	0.061 - 0.066	2,379	0.096	0.093 - 0.100	821	0.032	0.030 - 0.034
Texas	7,997	0.066	0.064 - 0.067	6,003	0.100	0.097 - 0.102	1,994	0.033	0.031 - 0.034
Utah	863	0.035	0.032 - 0.037	600	0.048	0.044 - 0.052	263	0.021	0.019 - 0.024
Vermont	381	0.065	0.059 - 0.072	281	0.097	0.086 - 0.109	100	0.034	0.027 - 0.041
Washington	3,268	0.062	0.060 - 0.064	2,339	0.089	0.085 - 0.093	929	0.035	0.033 - 0.038
WA - Seattle	2,418	0.068	0.065 - 0.071	1,737	0.098	0.093 - 0.102	681	0.038	0.036 - 0.041
West Virginia	1,078	0.064	0.060 - 0.068	784	0.094	0.088 - 0.101	294	0.034	0.031 - 0.038
Wisconsin	2,916	0.061	0.059 - 0.064	2,063	0.087	0.084 - 0.091	853	0.036	0.033 - 0.038
Wyoming	249	0.051	0.045 - 0.057	177	0.071	0.061 - 0.082	72	0.030	0.023 - 0.037

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	25,076	0.013	0.012 - 0.013	20,040	0.020	0.020 - 0.021	5,034	0.005	0.005 - 0.005
Alabama	330	0.010	0.009 - 0.011	283	0.018	0.016 - 0.020	47	0.003	0.002 - 0.004
Alaska	54	0.011	0.009 - 0.015	41	0.016	0.012 - 0.022	13	0.006	0.003 - 0.010
Arizona	516	0.013	0.012 - 0.014	396	0.020	0.018 - 0.022	120	0.006	0.005 - 0.007
Arkansas	211	0.010	0.008 - 0.011	169	0.016	0.013 - 0.018	42	0.004	0.003 - 0.005
California	1,751	0.012	0.011 - 0.012	1,371	0.018	0.017 - 0.019	380	0.005	0.005 - 0.006
CA - Greater California	1,148	0.012	0.011 - 0.013	901	0.019	0.018 - 0.020	247	0.005	0.005 - 0.006
CA - Greater Bay Area	357	0.012	0.011 - 0.014	281	0.019	0.017 - 0.021	76	0.005	0.004 - 0.007
CA - Los Angeles	246	0.009	0.008 - 0.010	189	0.014	0.012 - 0.016	57	0.004	0.003 - 0.005
Colorado	398	0.010	0.009 - 0.011	323	0.016	0.015 - 0.018	75	0.004	0.003 - 0.005
Connecticut	393	0.016	0.015 - 0.018	312	0.026	0.024 - 0.030	82	0.007	0.005 - 0.008
Delaware	108	0.018	0.015 - 0.021	88	0.030	0.024 - 0.037	20	0.006	0.004 - 0.010
Florida	1,892	0.016	0.016 - 0.017	1,510	0.027	0.025 - 0.028	382	0.006	0.006 - 0.007
Georgia	553	0.010	0.009 - 0.011	455	0.017	0.015 - 0.018	97	0.003	0.003 - 0.004
Hawaii	32	0.010	0.007 - 0.015	-	-	-	-	-	-
Idaho	156	0.011	0.009 - 0.013	132	0.018	0.015 - 0.022	24	0.003	0.002 - 0.005
Illinois	1,017	0.013	0.012 - 0.014	822	0.021	0.020 - 0.023	195	0.005	0.004 - 0.006
Iowa	424	0.016	0.014 - 0.017	359	0.027	0.024 - 0.030	65	0.005	0.004 - 0.006
Kansas	262	0.012	0.010 - 0.013	208	0.019	0.016 - 0.021	54	0.005	0.004 - 0.006
Kentucky	426	0.011	0.010 - 0.012	354	0.019	0.017 - 0.021	72	0.004	0.003 - 0.005
Louisiana	278	0.010	0.009 - 0.011	213	0.016	0.014 - 0.018	65	0.005	0.004 - 0.006
Maine	233	0.018	0.016 - 0.021	179	0.029	0.025 - 0.034	54	0.008	0.006 - 0.011
Maryland	387	0.012	0.011 - 0.014	308	0.020	0.018 - 0.022	79	0.005	0.004 - 0.006
MI - Detroit	353	0.014	0.013 - 0.016	276	0.022	0.020 - 0.025	78	0.006	0.005 - 0.008
Minnesota	548	0.012	0.011 - 0.013	436	0.019	0.018 - 0.021	112	0.005	0.004 - 0.006
Mississippi	185	0.011	0.009 - 0.013	151	0.018	0.015 - 0.021	34	0.004	0.003 - 0.005
Missouri	561	0.011	0.010 - 0.012	445	0.018	0.017 - 0.020	116	0.005	0.004 - 0.006
Montana	104	0.011	0.009 - 0.014	84	0.018	0.014 - 0.022	20	0.004	0.003 - 0.007
Nebraska	153	0.010	0.008 - 0.012	130	0.017	0.014 - 0.020	23	0.003	0.002 - 0.004
New Hampshire	206	0.017	0.015 - 0.019	172	0.028	0.024 - 0.033	34	0.005	0.004 - 0.008
New Jersey	721	0.014	0.013 - 0.016	562	0.023	0.021 - 0.025	159	0.006	0.005 - 0.007
New Mexico	100	0.013	0.010 - 0.015	80	0.020	0.016 - 0.025	20	0.005	0.003 - 0.008
New York	1,508	0.014	0.013 - 0.014	1,139	0.021	0.020 - 0.022	369	0.007	0.006 - 0.007
North Carolina	721	0.011	0.010 - 0.012	594	0.018	0.017 - 0.020	127	0.004	0.003 - 0.004
North Dakota	75	0.012	0.009 - 0.015	59	0.018	0.014 - 0.023	16	0.005	0.003 - 0.008
Ohio	1,202	0.013	0.012 - 0.014	993	0.022	0.020 - 0.023	209	0.004	0.004 - 0.005
Oklahoma	289	0.011	0.010 - 0.012	237	0.018	0.016 - 0.020	52	0.004	0.003 - 0.005
Oregon	443	0.014	0.012 - 0.015	353	0.022	0.020 - 0.025	90	0.006	0.004 - 0.007
Pennsylvania	1,382	0.014	0.013 - 0.015	1,092	0.023	0.021 - 0.024	290	0.006	0.005 - 0.006
Rhode Island	106	0.014	0.011 - 0.017	81	0.022	0.017 - 0.027	25	0.006	0.004 - 0.009
South Carolina	367	0.011	0.010 - 0.012	294	0.018	0.016 - 0.021	73	0.004	0.003 - 0.005
South Dakota	81	0.011	0.009 - 0.014	61	0.017	0.013 - 0.022	20	0.006	0.003 - 0.009
Tennessee	593	0.012	0.011 - 0.013	497	0.020	0.018 - 0.022	96	0.004	0.003 - 0.005
Texas	1,424	0.012	0.011 - 0.012	1,143	0.019	0.018 - 0.020	281	0.005	0.004 - 0.005
Utah	132	0.005	0.004 - 0.006	109	0.009	0.007 - 0.011	23	0.002	0.001 - 0.003
Vermont	96	0.016	0.013 - 0.020	82	0.028	0.023 - 0.035	14	0.005	0.003 - 0.008
Washington	663	0.013	0.012 - 0.014	522	0.020	0.018 - 0.022	141	0.005	0.004 - 0.006
WA - Seattle	420	0.012	0.011 - 0.013	320	0.018	0.016 - 0.020	100	0.006	0.005 - 0.007
West Virginia	235	0.014	0.012 - 0.016	192	0.023	0.020 - 0.027	43	0.005	0.004 - 0.007
Wisconsin	644	0.014	0.013 - 0.015	499	0.021	0.019 - 0.023	145	0.006	0.005 - 0.007
Wyoming	41	0.008	0.006 - 0.011	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	32,164	0.016	0.016 - 0.016	19,845	0.020	0.020 - 0.020	12,316	0.012	0.012 - 0.012
Alabama	538	0.017	0.015 - 0.018	304	0.019	0.017 - 0.021	234	0.014	0.012 - 0.016
Alaska	62	0.013	0.010 - 0.017	39	0.016	0.011 - 0.021	23	0.010	0.007 - 0.016
Arizona	552	0.014	0.013 - 0.015	370	0.019	0.017 - 0.021	182	0.009	0.008 - 0.011
Arkansas	349	0.016	0.014 - 0.018	210	0.019	0.017 - 0.022	139	0.012	0.010 - 0.015
California	2,427	0.016	0.015 - 0.017	1,492	0.020	0.019 - 0.021	935	0.012	0.012 - 0.013
CA - Greater California	1,451	0.015	0.014 - 0.016	886	0.019	0.018 - 0.020	565	0.012	0.011 - 0.013
CA - Greater Bay Area	468	0.016	0.015 - 0.018	290	0.020	0.018 - 0.022	178	0.012	0.011 - 0.014
CA - Los Angeles	508	0.018	0.017 - 0.020	316	0.023	0.020 - 0.025	193	0.014	0.012 - 0.016
Colorado	451	0.012	0.010 - 0.013	291	0.015	0.013 - 0.017	160	0.008	0.007 - 0.010
Connecticut	599	0.025	0.023 - 0.027	381	0.032	0.029 - 0.036	219	0.018	0.015 - 0.020
Delaware	109	0.018	0.015 - 0.022	73	0.025	0.019 - 0.031	36	0.011	0.008 - 0.016
Florida	1,946	0.017	0.016 - 0.018	1,283	0.023	0.021 - 0.024	663	0.011	0.010 - 0.012
Georgia	775	0.014	0.013 - 0.015	446	0.016	0.015 - 0.018	329	0.012	0.010 - 0.013
Hawaii	44	0.014	0.010 - 0.019	31	0.019	0.013 - 0.027	13	0.009	0.005 - 0.016
Idaho	164	0.011	0.010 - 0.013	114	0.016	0.013 - 0.019	50	0.007	0.005 - 0.009
Illinois	1,418	0.018	0.017 - 0.019	893	0.023	0.021 - 0.025	525	0.013	0.012 - 0.014
Iowa	333	0.012	0.011 - 0.014	197	0.015	0.013 - 0.017	136	0.010	0.008 - 0.012
Kansas	280	0.012	0.011 - 0.014	171	0.015	0.013 - 0.018	109	0.010	0.008 - 0.012
Kentucky	634	0.017	0.015 - 0.018	343	0.018	0.016 - 0.020	290	0.015	0.013 - 0.017
Louisiana	435	0.016	0.014 - 0.017	278	0.020	0.018 - 0.023	157	0.011	0.009 - 0.013
Maine	230	0.018	0.016 - 0.021	128	0.021	0.017 - 0.025	102	0.016	0.013 - 0.019
Maryland	528	0.017	0.015 - 0.018	314	0.021	0.018 - 0.023	214	0.013	0.012 - 0.015
MI - Detroit	424	0.017	0.015 - 0.019	254	0.021	0.018 - 0.023	170	0.013	0.011 - 0.016
Minnesota	662	0.015	0.014 - 0.016	409	0.018	0.017 - 0.020	253	0.011	0.010 - 0.013
Mississippi	268	0.016	0.014 - 0.018	150	0.018	0.015 - 0.021	118	0.014	0.011 - 0.016
Missouri	639	0.013	0.012 - 0.014	393	0.016	0.015 - 0.018	246	0.010	0.009 - 0.011
Montana	116	0.013	0.010 - 0.015	69	0.015	0.012 - 0.019	46	0.010	0.007 - 0.013
Nebraska	194	0.013	0.011 - 0.015	125	0.016	0.014 - 0.020	69	0.009	0.007 - 0.011
New Hampshire	219	0.018	0.016 - 0.020	134	0.022	0.018 - 0.026	85	0.014	0.011 - 0.017
New Jersey	1,098	0.022	0.021 - 0.023	667	0.027	0.025 - 0.030	432	0.017	0.015 - 0.019
New Mexico	111	0.014	0.011 - 0.017	69	0.017	0.014 - 0.022	42	0.010	0.007 - 0.014
New York	2,581	0.023	0.022 - 0.024	1,545	0.029	0.027 - 0.030	1,036	0.018	0.017 - 0.020
North Carolina	1,121	0.017	0.016 - 0.018	664	0.021	0.019 - 0.022	457	0.014	0.012 - 0.015
North Dakota	86	0.013	0.011 - 0.016	59	0.018	0.014 - 0.023	27	0.009	0.006 - 0.012
Ohio	1,520	0.016	0.016 - 0.017	944	0.021	0.019 - 0.022	576	0.012	0.011 - 0.013
Oklahoma	353	0.013	0.012 - 0.015	200	0.015	0.013 - 0.017	153	0.011	0.009 - 0.013
Oregon	459	0.014	0.013 - 0.016	294	0.018	0.016 - 0.021	165	0.010	0.009 - 0.012
Pennsylvania	1,699	0.017	0.016 - 0.018	1,105	0.023	0.022 - 0.024	594	0.012	0.011 - 0.013
Rhode Island	194	0.025	0.022 - 0.029	126	0.034	0.028 - 0.040	68	0.017	0.013 - 0.021
South Carolina	508	0.016	0.014 - 0.017	312	0.020	0.017 - 0.022	196	0.012	0.010 - 0.014
South Dakota	75	0.010	0.008 - 0.013	52	0.014	0.011 - 0.019	23	0.006	0.004 - 0.010
Tennessee	730	0.014	0.013 - 0.016	434	0.018	0.016 - 0.019	296	0.011	0.010 - 0.013
Texas	1,668	0.014	0.013 - 0.014	995	0.017	0.016 - 0.018	673	0.011	0.010 - 0.012
Utah	189	0.008	0.007 - 0.009	118	0.009	0.008 - 0.011	71	0.006	0.004 - 0.007
Vermont	106	0.018	0.015 - 0.022	62	0.021	0.016 - 0.027	44	0.015	0.011 - 0.020
Washington	679	0.013	0.012 - 0.014	439	0.017	0.015 - 0.018	240	0.009	0.008 - 0.010
WA - Seattle	461	0.013	0.012 - 0.014	297	0.017	0.015 - 0.019	164	0.009	0.008 - 0.011
West Virginia	265	0.016	0.014 - 0.018	159	0.019	0.016 - 0.022	106	0.012	0.010 - 0.015
Wisconsin	784	0.016	0.015 - 0.018	521	0.022	0.020 - 0.024	263	0.011	0.010 - 0.012
Wyoming	54	0.011	0.008 - 0.014	40	0.016	0.011 - 0.022	14	0.006	0.003 - 0.010

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	347,350	0.173	0.173 - 0.174	182,872	0.185	0.184 - 0.186	164,476	0.162	0.161 - 0.163
Alabama	6,071	0.187	0.183 - 0.192	3,226	0.204	0.197 - 0.211	2,845	0.172	0.165 - 0.178
Alaska	643	0.137	0.126 - 0.148	376	0.151	0.136 - 0.167	267	0.121	0.106 - 0.136
Arizona	6,291	0.159	0.155 - 0.163	3,340	0.171	0.165 - 0.177	2,951	0.148	0.142 - 0.153
Arkansas	4,171	0.189	0.183 - 0.195	2,233	0.206	0.197 - 0.214	1,938	0.172	0.165 - 0.180
California	26,336	0.173	0.171 - 0.176	13,854	0.182	0.179 - 0.186	12,483	0.164	0.162 - 0.167
CA - Greater California	16,460	0.173	0.170 - 0.176	8,632	0.182	0.179 - 0.186	7,828	0.164	0.160 - 0.167
CA - Greater Bay Area	4,978	0.171	0.166 - 0.176	2,638	0.179	0.172 - 0.186	2,340	0.163	0.156 - 0.170
CA - Los Angeles	4,901	0.178	0.173 - 0.183	2,585	0.186	0.179 - 0.193	2,316	0.169	0.162 - 0.176
Colorado	4,942	0.126	0.123 - 0.130	2,592	0.132	0.127 - 0.137	2,350	0.120	0.116 - 0.125
Connecticut	4,234	0.175	0.170 - 0.180	2,164	0.183	0.176 - 0.191	2,070	0.167	0.160 - 0.174
Delaware	1,115	0.183	0.173 - 0.194	602	0.205	0.189 - 0.222	513	0.163	0.149 - 0.178
Florida	21,587	0.187	0.184 - 0.189	11,408	0.201	0.198 - 0.205	10,179	0.173	0.170 - 0.176
Georgia	9,449	0.169	0.165 - 0.172	5,123	0.186	0.181 - 0.191	4,326	0.152	0.147 - 0.157
Hawaii	610	0.198	0.182 - 0.214	369	0.221	0.199 - 0.244	241	0.170	0.150 - 0.193
Idaho	1,958	0.136	0.130 - 0.142	1,048	0.145	0.137 - 0.154	911	0.126	0.118 - 0.135
Illinois	15,363	0.194	0.191 - 0.197	8,134	0.209	0.205 - 0.214	7,229	0.180	0.176 - 0.184
Iowa	5,197	0.191	0.186 - 0.197	2,678	0.199	0.192 - 0.207	2,519	0.183	0.176 - 0.191
Kansas	3,873	0.173	0.167 - 0.178	2,025	0.183	0.175 - 0.191	1,848	0.163	0.155 - 0.170
Kentucky	7,510	0.197	0.193 - 0.202	4,024	0.215	0.209 - 0.222	3,486	0.179	0.174 - 0.185
Louisiana	5,154	0.186	0.181 - 0.191	2,818	0.207	0.199 - 0.214	2,336	0.166	0.159 - 0.173
Maine	2,203	0.175	0.168 - 0.182	1,128	0.183	0.172 - 0.194	1,075	0.167	0.157 - 0.177
Maryland	5,164	0.165	0.161 - 0.170	2,624	0.171	0.165 - 0.178	2,540	0.159	0.153 - 0.166
MI - Detroit	4,428	0.177	0.172 - 0.182	2,266	0.184	0.176 - 0.192	2,162	0.171	0.163 - 0.178
Minnesota	7,515	0.166	0.163 - 0.170	3,968	0.177	0.172 - 0.183	3,547	0.156	0.151 - 0.161
Mississippi	3,413	0.200	0.193 - 0.207	1,828	0.218	0.208 - 0.228	1,585	0.183	0.174 - 0.192
Missouri	8,432	0.171	0.168 - 0.175	4,464	0.184	0.179 - 0.190	3,968	0.159	0.154 - 0.164
Montana	1,517	0.164	0.156 - 0.173	849	0.182	0.170 - 0.195	669	0.146	0.135 - 0.157
Nebraska	2,886	0.188	0.182 - 0.195	1,482	0.195	0.185 - 0.205	1,404	0.182	0.172 - 0.191
New Hampshire	2,048	0.166	0.159 - 0.174	1,102	0.181	0.171 - 0.192	946	0.152	0.142 - 0.162
New Jersey	10,094	0.203	0.199 - 0.207	5,240	0.216	0.210 - 0.222	4,854	0.190	0.185 - 0.196
New Mexico	1,300	0.163	0.155 - 0.172	678	0.172	0.159 - 0.185	623	0.155	0.143 - 0.168
New York	20,005	0.181	0.179 - 0.184	10,253	0.190	0.186 - 0.193	9,751	0.173	0.170 - 0.176
North Carolina	10,716	0.162	0.159 - 0.165	5,573	0.173	0.168 - 0.177	5,143	0.152	0.148 - 0.156
North Dakota	1,135	0.176	0.166 - 0.186	593	0.180	0.166 - 0.195	542	0.171	0.157 - 0.186
Ohio	16,348	0.175	0.173 - 0.178	8,446	0.185	0.181 - 0.189	7,902	0.167	0.163 - 0.170
Oklahoma	4,585	0.170	0.165 - 0.175	2,429	0.183	0.176 - 0.190	2,156	0.157	0.151 - 0.164
Oregon	5,063	0.157	0.153 - 0.161	2,682	0.169	0.162 - 0.175	2,381	0.146	0.140 - 0.151
Pennsylvania	18,995	0.192	0.190 - 0.195	9,873	0.204	0.200 - 0.208	9,122	0.181	0.177 - 0.185
Rhode Island	1,271	0.164	0.155 - 0.173	635	0.170	0.157 - 0.184	636	0.158	0.146 - 0.171
South Carolina	5,223	0.160	0.156 - 0.164	2,761	0.173	0.167 - 0.180	2,462	0.147	0.142 - 0.153
South Dakota	1,249	0.172	0.163 - 0.182	660	0.181	0.168 - 0.196	589	0.163	0.150 - 0.177
Tennessee	8,551	0.170	0.166 - 0.173	4,476	0.182	0.176 - 0.187	4,075	0.158	0.153 - 0.163
Texas	19,845	0.163	0.161 - 0.166	10,862	0.180	0.177 - 0.184	8,983	0.147	0.144 - 0.150
Utah	2,224	0.089	0.086 - 0.093	1,149	0.092	0.087 - 0.098	1,075	0.087	0.082 - 0.092
Vermont	871	0.148	0.139 - 0.159	446	0.154	0.140 - 0.169	425	0.143	0.130 - 0.157
Washington	8,020	0.152	0.149 - 0.156	4,141	0.158	0.153 - 0.162	3,879	0.147	0.142 - 0.152
WA - Seattle	5,633	0.158	0.154 - 0.163	2,939	0.165	0.159 - 0.171	2,695	0.152	0.146 - 0.157
West Virginia	3,568	0.211	0.205 - 0.218	1,898	0.228	0.218 - 0.239	1,670	0.195	0.186 - 0.205
Wisconsin	7,780	0.163	0.160 - 0.167	4,113	0.174	0.169 - 0.179	3,667	0.153	0.148 - 0.158
Wyoming	651	0.132	0.122 - 0.143	363	0.145	0.131 - 0.161	288	0.119	0.106 - 0.134

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	34,160	0.017	0.017 - 0.017	24,341	0.025	0.024 - 0.025	9,820	0.010	0.009 - 0.010
Alabama	464	0.014	0.013 - 0.016	317	0.020	0.018 - 0.022	147	0.009	0.007 - 0.010
Alaska	84	0.018	0.014 - 0.022	64	0.026	0.020 - 0.033	20	0.009	0.006 - 0.014
Arizona	658	0.017	0.015 - 0.018	452	0.023	0.021 - 0.025	206	0.010	0.009 - 0.012
Arkansas	391	0.018	0.016 - 0.020	291	0.027	0.024 - 0.030	100	0.009	0.007 - 0.011
California	2,986	0.020	0.019 - 0.020	2,157	0.028	0.027 - 0.030	830	0.011	0.010 - 0.012
CA - Greater California	1,907	0.020	0.019 - 0.021	1,373	0.029	0.028 - 0.031	535	0.011	0.010 - 0.012
CA - Greater Bay Area	646	0.022	0.021 - 0.024	479	0.033	0.030 - 0.036	167	0.012	0.010 - 0.014
CA - Los Angeles	432	0.016	0.014 - 0.017	304	0.022	0.020 - 0.025	128	0.009	0.008 - 0.011
Colorado	497	0.013	0.012 - 0.014	367	0.019	0.017 - 0.021	130	0.007	0.006 - 0.008
Connecticut	455	0.019	0.017 - 0.021	345	0.029	0.026 - 0.032	110	0.009	0.007 - 0.011
Delaware	130	0.021	0.018 - 0.025	97	0.033	0.027 - 0.040	33	0.011	0.007 - 0.015
Florida	2,350	0.020	0.020 - 0.021	1,671	0.030	0.028 - 0.031	679	0.012	0.011 - 0.012
Georgia	911	0.016	0.015 - 0.017	671	0.024	0.023 - 0.026	240	0.008	0.007 - 0.010
Hawaii	66	0.021	0.016 - 0.027	55	0.033	0.025 - 0.043	11	0.008	0.004 - 0.014
Idaho	180	0.012	0.011 - 0.014	133	0.018	0.015 - 0.022	47	0.006	0.005 - 0.009
Illinois	1,255	0.016	0.015 - 0.017	849	0.022	0.020 - 0.023	406	0.010	0.009 - 0.011
Iowa	368	0.014	0.012 - 0.015	252	0.019	0.017 - 0.021	116	0.008	0.007 - 0.010
Kansas	355	0.016	0.014 - 0.018	260	0.023	0.021 - 0.026	95	0.008	0.007 - 0.010
Kentucky	556	0.015	0.013 - 0.016	398	0.021	0.019 - 0.023	158	0.008	0.007 - 0.010
Louisiana	497	0.018	0.016 - 0.020	356	0.026	0.023 - 0.029	141	0.010	0.008 - 0.012
Maine	159	0.013	0.011 - 0.015	121	0.020	0.016 - 0.023	38	0.006	0.004 - 0.008
Maryland	558	0.018	0.016 - 0.019	398	0.026	0.024 - 0.029	160	0.010	0.009 - 0.012
MI - Detroit	448	0.018	0.016 - 0.020	312	0.025	0.023 - 0.028	135	0.011	0.009 - 0.013
Minnesota	677	0.015	0.014 - 0.016	469	0.021	0.019 - 0.023	208	0.009	0.008 - 0.010
Mississippi	380	0.022	0.020 - 0.025	273	0.033	0.029 - 0.037	107	0.012	0.010 - 0.015
Missouri	726	0.015	0.014 - 0.016	512	0.021	0.019 - 0.023	214	0.009	0.007 - 0.010
Montana	118	0.013	0.011 - 0.015	91	0.019	0.016 - 0.024	27	0.006	0.004 - 0.009
Nebraska	147	0.010	0.008 - 0.011	109	0.014	0.012 - 0.017	38	0.005	0.003 - 0.007
New Hampshire	180	0.015	0.013 - 0.017	135	0.022	0.019 - 0.026	45	0.007	0.005 - 0.010
New Jersey	946	0.019	0.018 - 0.020	683	0.028	0.026 - 0.030	263	0.010	0.009 - 0.012
New Mexico	145	0.018	0.015 - 0.021	111	0.028	0.023 - 0.034	35	0.009	0.006 - 0.012
New York	1,942	0.018	0.017 - 0.018	1,405	0.026	0.025 - 0.027	537	0.010	0.009 - 0.010
North Carolina	1,186	0.018	0.017 - 0.019	854	0.026	0.025 - 0.028	332	0.010	0.009 - 0.011
North Dakota	42	0.007	0.005 - 0.009	25	0.008	0.005 - 0.011	17	0.005	0.003 - 0.009
Ohio	1,208	0.013	0.012 - 0.014	823	0.018	0.017 - 0.019	385	0.008	0.007 - 0.009
Oklahoma	371	0.014	0.012 - 0.015	263	0.020	0.017 - 0.022	108	0.008	0.006 - 0.010
Oregon	740	0.023	0.021 - 0.025	546	0.034	0.032 - 0.037	194	0.012	0.010 - 0.014
Pennsylvania	1,761	0.018	0.017 - 0.019	1,256	0.026	0.025 - 0.027	505	0.010	0.009 - 0.011
Rhode Island	161	0.021	0.018 - 0.024	124	0.033	0.028 - 0.040	37	0.009	0.006 - 0.013
South Carolina	566	0.017	0.016 - 0.019	399	0.025	0.023 - 0.028	167	0.010	0.009 - 0.012
South Dakota	77	0.011	0.008 - 0.013	58	0.016	0.012 - 0.021	19	0.005	0.003 - 0.008
Tennessee	831	0.016	0.015 - 0.018	579	0.023	0.022 - 0.025	252	0.010	0.009 - 0.011
Texas	2,439	0.020	0.019 - 0.021	1,702	0.028	0.027 - 0.030	737	0.012	0.011 - 0.013
Utah	224	0.009	0.008 - 0.010	153	0.012	0.010 - 0.014	71	0.006	0.004 - 0.007
Vermont	78	0.013	0.011 - 0.017	57	0.020	0.015 - 0.026	21	0.007	0.004 - 0.011
Washington	1,049	0.020	0.019 - 0.021	750	0.029	0.027 - 0.031	299	0.011	0.010 - 0.013
WA - Seattle	764	0.021	0.020 - 0.023	549	0.031	0.028 - 0.034	215	0.012	0.011 - 0.014
West Virginia	250	0.015	0.013 - 0.017	173	0.021	0.018 - 0.024	77	0.009	0.007 - 0.011
Wisconsin	760	0.016	0.015 - 0.017	523	0.022	0.020 - 0.024	237	0.010	0.009 - 0.011
Wyoming	64	0.013	0.010 - 0.017	46	0.018	0.013 - 0.025	18	0.007	0.004 - 0.012

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	44,558	0.022	0.022 - 0.022	23,795	0.024	0.024 - 0.024	20,762	0.020	0.020 - 0.021
Alabama	558	0.017	0.016 - 0.019	299	0.019	0.017 - 0.021	259	0.016	0.014 - 0.018
Alaska	64	0.014	0.010 - 0.017	41	0.016	0.012 - 0.022	23	0.010	0.007 - 0.016
Arizona	865	0.022	0.020 - 0.023	489	0.025	0.023 - 0.027	376	0.019	0.017 - 0.021
Arkansas	368	0.017	0.015 - 0.018	198	0.018	0.016 - 0.021	170	0.015	0.013 - 0.018
California	3,377	0.022	0.021 - 0.023	1,838	0.024	0.023 - 0.025	1,539	0.020	0.019 - 0.021
CA - Greater California	2,070	0.022	0.021 - 0.023	1,123	0.024	0.022 - 0.025	947	0.020	0.019 - 0.021
CA - Greater Bay Area	675	0.023	0.022 - 0.025	372	0.025	0.023 - 0.028	304	0.021	0.019 - 0.024
CA - Los Angeles	632	0.023	0.021 - 0.025	343	0.025	0.022 - 0.027	288	0.021	0.019 - 0.024
Colorado	724	0.018	0.017 - 0.020	395	0.020	0.018 - 0.022	329	0.017	0.015 - 0.019
Connecticut	704	0.029	0.027 - 0.031	388	0.033	0.030 - 0.036	316	0.025	0.023 - 0.028
Delaware	150	0.025	0.021 - 0.029	84	0.029	0.023 - 0.035	66	0.021	0.016 - 0.027
Florida	3,149	0.027	0.026 - 0.028	1,686	0.030	0.028 - 0.031	1,463	0.025	0.024 - 0.026
Georgia	1,035	0.018	0.017 - 0.020	549	0.020	0.018 - 0.022	486	0.017	0.016 - 0.019
Hawaii	61	0.020	0.015 - 0.025	35	0.021	0.015 - 0.029	26	0.019	0.012 - 0.027
Idaho	297	0.021	0.018 - 0.023	154	0.021	0.018 - 0.025	143	0.020	0.017 - 0.023
Illinois	1,940	0.025	0.023 - 0.026	1,031	0.027	0.025 - 0.028	909	0.023	0.021 - 0.024
Iowa	606	0.022	0.021 - 0.024	330	0.025	0.022 - 0.027	277	0.020	0.018 - 0.023
Kansas	453	0.020	0.018 - 0.022	231	0.021	0.018 - 0.024	222	0.020	0.017 - 0.022
Kentucky	711	0.019	0.017 - 0.020	363	0.019	0.017 - 0.021	349	0.018	0.016 - 0.020
Louisiana	533	0.019	0.018 - 0.021	276	0.020	0.018 - 0.023	257	0.018	0.016 - 0.021
Maine	262	0.021	0.018 - 0.023	143	0.023	0.020 - 0.027	119	0.018	0.015 - 0.022
Maryland	773	0.025	0.023 - 0.027	405	0.026	0.024 - 0.029	368	0.023	0.021 - 0.026
MI - Detroit	605	0.024	0.022 - 0.026	317	0.026	0.023 - 0.029	288	0.023	0.020 - 0.025
Minnesota	977	0.022	0.020 - 0.023	519	0.023	0.021 - 0.025	458	0.020	0.018 - 0.022
Mississippi	325	0.019	0.017 - 0.021	166	0.020	0.017 - 0.023	159	0.018	0.016 - 0.021
Missouri	897	0.018	0.017 - 0.019	475	0.020	0.018 - 0.021	422	0.017	0.015 - 0.019
Montana	188	0.020	0.018 - 0.023	103	0.022	0.018 - 0.027	86	0.019	0.015 - 0.023
Nebraska	328	0.021	0.019 - 0.024	168	0.022	0.019 - 0.026	160	0.021	0.018 - 0.024
New Hampshire	314	0.026	0.023 - 0.028	153	0.025	0.021 - 0.029	161	0.026	0.022 - 0.030
New Jersey	1,505	0.030	0.029 - 0.032	798	0.033	0.031 - 0.035	707	0.028	0.026 - 0.030
New Mexico	133	0.017	0.014 - 0.020	76	0.019	0.015 - 0.024	57	0.014	0.011 - 0.018
New York	3,208	0.029	0.028 - 0.030	1,708	0.032	0.030 - 0.033	1,500	0.027	0.025 - 0.028
North Carolina	1,377	0.021	0.020 - 0.022	695	0.022	0.020 - 0.023	682	0.020	0.019 - 0.022
North Dakota	120	0.019	0.015 - 0.022	59	0.018	0.014 - 0.023	61	0.019	0.015 - 0.025
Ohio	1,794	0.019	0.018 - 0.020	922	0.020	0.019 - 0.022	872	0.018	0.017 - 0.020
Oklahoma	406	0.015	0.014 - 0.017	195	0.015	0.013 - 0.017	211	0.015	0.013 - 0.018
Oregon	715	0.022	0.021 - 0.024	381	0.024	0.022 - 0.027	334	0.020	0.018 - 0.023
Pennsylvania	2,629	0.027	0.026 - 0.028	1,385	0.029	0.027 - 0.030	1,244	0.025	0.023 - 0.026
Rhode Island	212	0.027	0.024 - 0.031	123	0.033	0.027 - 0.039	89	0.022	0.018 - 0.027
South Carolina	633	0.019	0.018 - 0.021	363	0.023	0.020 - 0.025	270	0.016	0.014 - 0.018
South Dakota	154	0.021	0.018 - 0.025	93	0.026	0.021 - 0.031	61	0.017	0.013 - 0.022
Tennessee	919	0.018	0.017 - 0.019	497	0.020	0.018 - 0.022	422	0.016	0.015 - 0.018
Texas	2,536	0.021	0.020 - 0.022	1,386	0.023	0.022 - 0.024	1,150	0.019	0.018 - 0.020
Utah	271	0.011	0.010 - 0.012	150	0.012	0.010 - 0.014	121	0.010	0.008 - 0.012
Vermont	147	0.025	0.021 - 0.029	83	0.029	0.023 - 0.036	64	0.022	0.017 - 0.027
Washington	1,189	0.023	0.021 - 0.024	605	0.023	0.021 - 0.025	584	0.022	0.020 - 0.024
WA - Seattle	783	0.022	0.021 - 0.024	370	0.021	0.019 - 0.023	413	0.023	0.021 - 0.026
West Virginia	318	0.019	0.017 - 0.021	173	0.021	0.018 - 0.024	145	0.017	0.014 - 0.020
Wisconsin	1,108	0.023	0.022 - 0.025	633	0.027	0.025 - 0.029	475	0.020	0.018 - 0.022
Wyoming	80	0.016	0.013 - 0.020	52	0.021	0.016 - 0.027	28	0.012	0.008 - 0.017

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	32,905	0.016	0.016 - 0.017	25,953	0.026	0.026 - 0.027	6,948	0.007	0.007 - 0.007
Alabama	625	0.019	0.018 - 0.021	494	0.031	0.029 - 0.034	131	0.008	0.007 - 0.009
Alaska	53	0.011	0.008 - 0.015	-	-		-	-	
Arizona	457	0.012	0.011 - 0.013	371	0.019	0.017 - 0.021	86	0.004	0.003 - 0.005
Arkansas	396	0.018	0.016 - 0.020	299	0.028	0.025 - 0.031	97	0.009	0.007 - 0.011
California	1,737	0.011	0.011 - 0.012	1,444	0.019	0.018 - 0.020	293	0.004	0.003 - 0.004
CA - Greater California	1,138	0.012	0.011 - 0.013	938	0.020	0.019 - 0.021	200	0.004	0.004 - 0.005
CA - Greater Bay Area	309	0.011	0.009 - 0.012	259	0.018	0.016 - 0.020	50	0.003	0.003 - 0.005
CA - Los Angeles	291	0.011	0.009 - 0.012	247	0.018	0.016 - 0.020	44	0.003	0.002 - 0.004
Colorado	381	0.010	0.009 - 0.011	292	0.015	0.013 - 0.017	89	0.005	0.004 - 0.006
Connecticut	438	0.018	0.016 - 0.020	341	0.029	0.026 - 0.032	97	0.008	0.006 - 0.010
Delaware	125	0.021	0.017 - 0.024	95	0.032	0.026 - 0.039	30	0.010	0.006 - 0.014
Florida	2,577	0.022	0.021 - 0.023	2,083	0.037	0.035 - 0.038	494	0.008	0.008 - 0.009
Georgia	932	0.017	0.016 - 0.018	731	0.027	0.025 - 0.029	202	0.007	0.006 - 0.008
Hawaii	64	0.021	0.016 - 0.026	-	-		-	-	
Idaho	126	0.009	0.007 - 0.010	97	0.013	0.011 - 0.016	29	0.004	0.003 - 0.006
Illinois	1,467	0.019	0.018 - 0.020	1,159	0.030	0.028 - 0.032	308	0.008	0.007 - 0.009
Iowa	455	0.017	0.015 - 0.018	364	0.027	0.024 - 0.030	91	0.007	0.005 - 0.008
Kansas	301	0.013	0.012 - 0.015	247	0.022	0.020 - 0.025	54	0.005	0.004 - 0.006
Kentucky	897	0.024	0.022 - 0.025	663	0.035	0.033 - 0.038	234	0.012	0.011 - 0.014
Louisiana	585	0.021	0.019 - 0.023	437	0.032	0.029 - 0.035	148	0.011	0.009 - 0.012
Maine	256	0.020	0.018 - 0.023	191	0.031	0.027 - 0.036	65	0.010	0.008 - 0.013
Maryland	440	0.014	0.013 - 0.015	348	0.023	0.020 - 0.025	92	0.006	0.005 - 0.007
MI - Detroit	464	0.019	0.017 - 0.020	364	0.030	0.027 - 0.033	100	0.008	0.006 - 0.010
Minnesota	627	0.014	0.013 - 0.015	504	0.022	0.021 - 0.025	123	0.005	0.004 - 0.006
Mississippi	328	0.019	0.017 - 0.021	246	0.029	0.026 - 0.033	82	0.009	0.008 - 0.012
Missouri	878	0.018	0.017 - 0.019	670	0.028	0.026 - 0.030	208	0.008	0.007 - 0.010
Montana	121	0.013	0.011 - 0.016	98	0.021	0.017 - 0.026	23	0.005	0.003 - 0.008
Nebraska	202	0.013	0.011 - 0.015	157	0.021	0.018 - 0.024	45	0.006	0.004 - 0.008
New Hampshire	174	0.014	0.012 - 0.016	134	0.022	0.018 - 0.026	40	0.006	0.005 - 0.009
New Jersey	808	0.016	0.015 - 0.017	680	0.028	0.026 - 0.030	128	0.005	0.004 - 0.006
New Mexico	115	0.014	0.012 - 0.017	91	0.023	0.019 - 0.028	24	0.006	0.004 - 0.009
New York	1,860	0.017	0.016 - 0.018	1,479	0.027	0.026 - 0.029	381	0.007	0.006 - 0.007
North Carolina	1,222	0.018	0.017 - 0.020	946	0.029	0.027 - 0.031	276	0.008	0.007 - 0.009
North Dakota	89	0.014	0.011 - 0.017	78	0.024	0.019 - 0.030	11	0.003	0.002 - 0.006
Ohio	1,794	0.019	0.018 - 0.020	1,383	0.030	0.029 - 0.032	411	0.009	0.008 - 0.010
Oklahoma	444	0.016	0.015 - 0.018	335	0.025	0.023 - 0.028	109	0.008	0.007 - 0.010
Oregon	394	0.012	0.011 - 0.013	320	0.020	0.018 - 0.022	74	0.005	0.004 - 0.006
Pennsylvania	1,801	0.018	0.017 - 0.019	1,395	0.029	0.027 - 0.030	406	0.008	0.007 - 0.009
Rhode Island	147	0.019	0.016 - 0.022	111	0.030	0.024 - 0.036	36	0.009	0.006 - 0.012
South Carolina	596	0.018	0.017 - 0.020	478	0.030	0.027 - 0.033	118	0.007	0.006 - 0.008
South Dakota	104	0.014	0.012 - 0.017	83	0.023	0.018 - 0.028	21	0.006	0.004 - 0.009
Tennessee	994	0.020	0.019 - 0.021	758	0.031	0.029 - 0.033	236	0.009	0.008 - 0.010
Texas	1,805	0.015	0.014 - 0.016	1,476	0.025	0.023 - 0.026	329	0.005	0.005 - 0.006
Utah	125	0.005	0.004 - 0.006	104	0.008	0.007 - 0.010	21	0.002	0.001 - 0.003
Vermont	100	0.017	0.014 - 0.021	77	0.027	0.021 - 0.033	23	0.008	0.005 - 0.012
Washington	581	0.011	0.010 - 0.012	460	0.018	0.016 - 0.019	121	0.005	0.004 - 0.005
WA - Seattle	391	0.011	0.010 - 0.012	314	0.018	0.016 - 0.020	77	0.004	0.003 - 0.005
West Virginia	412	0.024	0.022 - 0.027	291	0.035	0.031 - 0.039	121	0.014	0.012 - 0.017
Wisconsin	759	0.016	0.015 - 0.017	612	0.026	0.024 - 0.028	147	0.006	0.005 - 0.007
Wyoming	64	0.013	0.010 - 0.017	46	0.018	0.013 - 0.025	18	0.007	0.004 - 0.012

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	320,338	0.160	0.160 - 0.161	148,110	0.150	0.149 - 0.151	172,217	0.170	0.169 - 0.171
Alabama	4,941	0.152	0.148 - 0.157	2,493	0.157	0.151 - 0.164	2,448	0.148	0.142 - 0.154
Alaska	454	0.097	0.088 - 0.106	234	0.094	0.082 - 0.107	220	0.099	0.087 - 0.113
Arizona	5,823	0.147	0.144 - 0.151	2,575	0.132	0.127 - 0.137	3,248	0.162	0.157 - 0.168
Arkansas	4,021	0.182	0.176 - 0.188	1,990	0.183	0.175 - 0.192	2,031	0.181	0.173 - 0.189
California	19,769	0.130	0.128 - 0.132	8,639	0.114	0.111 - 0.116	11,130	0.147	0.144 - 0.149
CA - Greater California	12,876	0.135	0.133 - 0.138	5,591	0.118	0.115 - 0.121	7,285	0.152	0.149 - 0.156
CA - Greater Bay Area	3,466	0.119	0.115 - 0.123	1,506	0.102	0.097 - 0.108	1,959	0.136	0.130 - 0.143
CA - Los Angeles	3,428	0.124	0.120 - 0.128	1,540	0.111	0.105 - 0.117	1,888	0.138	0.132 - 0.144
Colorado	3,678	0.094	0.091 - 0.097	1,623	0.083	0.079 - 0.087	2,055	0.105	0.101 - 0.110
Connecticut	4,859	0.201	0.195 - 0.206	2,176	0.184	0.177 - 0.192	2,683	0.216	0.208 - 0.225
Delaware	1,277	0.210	0.199 - 0.222	554	0.188	0.173 - 0.205	723	0.230	0.214 - 0.247
Florida	24,531	0.212	0.210 - 0.215	11,278	0.199	0.196 - 0.203	13,253	0.225	0.221 - 0.229
Georgia	8,519	0.152	0.149 - 0.155	4,173	0.152	0.147 - 0.156	4,346	0.153	0.148 - 0.157
Hawaii	370	0.120	0.108 - 0.133	192	0.115	0.099 - 0.132	178	0.126	0.108 - 0.146
Idaho	1,544	0.107	0.102 - 0.112	702	0.097	0.090 - 0.105	841	0.116	0.109 - 0.125
Illinois	13,750	0.174	0.171 - 0.177	6,347	0.163	0.159 - 0.167	7,403	0.184	0.180 - 0.188
Iowa	4,071	0.150	0.145 - 0.155	1,948	0.145	0.139 - 0.152	2,124	0.155	0.148 - 0.161
Kansas	3,248	0.145	0.140 - 0.150	1,542	0.139	0.132 - 0.146	1,706	0.150	0.143 - 0.158
Kentucky	7,365	0.193	0.189 - 0.198	3,545	0.190	0.183 - 0.196	3,820	0.197	0.190 - 0.203
Louisiana	4,069	0.147	0.142 - 0.151	1,955	0.143	0.137 - 0.150	2,115	0.150	0.144 - 0.157
Maine	2,469	0.196	0.188 - 0.204	1,094	0.177	0.167 - 0.188	1,375	0.213	0.202 - 0.225
Maryland	5,063	0.162	0.158 - 0.167	2,249	0.147	0.141 - 0.153	2,814	0.177	0.170 - 0.183
MI - Detroit	4,285	0.171	0.166 - 0.177	1,892	0.154	0.147 - 0.161	2,393	0.189	0.181 - 0.196
Minnesota	6,447	0.143	0.139 - 0.146	2,942	0.131	0.127 - 0.136	3,505	0.154	0.149 - 0.159
Mississippi	3,131	0.184	0.177 - 0.190	1,571	0.188	0.178 - 0.197	1,560	0.180	0.171 - 0.189
Missouri	8,230	0.167	0.164 - 0.171	3,864	0.160	0.155 - 0.165	4,366	0.175	0.169 - 0.180
Montana	1,185	0.128	0.121 - 0.136	510	0.109	0.100 - 0.119	676	0.147	0.136 - 0.159
Nebraska	2,007	0.131	0.125 - 0.137	970	0.128	0.120 - 0.136	1,037	0.134	0.126 - 0.143
New Hampshire	2,089	0.170	0.162 - 0.177	862	0.142	0.132 - 0.152	1,227	0.197	0.186 - 0.208
New Jersey	9,145	0.184	0.180 - 0.187	3,834	0.158	0.153 - 0.163	5,312	0.208	0.203 - 0.214
New Mexico	1,041	0.131	0.123 - 0.139	487	0.124	0.113 - 0.135	553	0.138	0.126 - 0.150
New York	21,555	0.195	0.193 - 0.198	9,331	0.173	0.169 - 0.176	12,224	0.217	0.213 - 0.221
North Carolina	11,590	0.175	0.172 - 0.179	5,460	0.169	0.165 - 0.174	6,130	0.181	0.177 - 0.186
North Dakota	862	0.133	0.125 - 0.143	415	0.126	0.114 - 0.139	447	0.141	0.128 - 0.155
Ohio	14,821	0.159	0.157 - 0.162	7,141	0.156	0.153 - 0.160	7,680	0.162	0.158 - 0.166
Oklahoma	3,872	0.143	0.139 - 0.148	1,913	0.144	0.138 - 0.151	1,959	0.143	0.137 - 0.149
Oregon	4,520	0.140	0.136 - 0.144	2,040	0.128	0.123 - 0.134	2,480	0.152	0.146 - 0.158
Pennsylvania	17,283	0.175	0.172 - 0.178	8,051	0.167	0.163 - 0.170	9,232	0.183	0.179 - 0.187
Rhode Island	1,728	0.223	0.213 - 0.234	757	0.203	0.188 - 0.218	971	0.242	0.227 - 0.258
South Carolina	5,433	0.166	0.162 - 0.171	2,641	0.166	0.159 - 0.172	2,792	0.167	0.161 - 0.174
South Dakota	1,064	0.147	0.138 - 0.156	485	0.133	0.122 - 0.146	579	0.161	0.148 - 0.174
Tennessee	8,952	0.177	0.174 - 0.181	4,367	0.177	0.172 - 0.182	4,585	0.178	0.173 - 0.183
Texas	16,387	0.135	0.133 - 0.137	7,946	0.132	0.129 - 0.135	8,441	0.138	0.135 - 0.141
Utah	1,063	0.043	0.040 - 0.045	494	0.040	0.036 - 0.043	569	0.046	0.042 - 0.050
Vermont	1,013	0.173	0.162 - 0.184	482	0.167	0.152 - 0.182	531	0.179	0.164 - 0.194
Washington	7,087	0.135	0.131 - 0.138	3,198	0.122	0.118 - 0.126	3,889	0.147	0.143 - 0.152
WA - Seattle	4,820	0.136	0.132 - 0.139	2,166	0.122	0.117 - 0.127	2,654	0.149	0.144 - 0.155
West Virginia	3,429	0.203	0.196 - 0.210	1,643	0.198	0.188 - 0.207	1,786	0.209	0.199 - 0.218
Wisconsin	7,250	0.152	0.149 - 0.156	3,325	0.141	0.136 - 0.146	3,925	0.164	0.159 - 0.169
Wyoming	489	0.099	0.091 - 0.109	235	0.094	0.082 - 0.107	254	0.105	0.092 - 0.119

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	324,599	0.162	0.161 - 0.163	187,895	0.190	0.189 - 0.191	136,672	0.134	0.134 - 0.135
Alabama	5,030	0.155	0.151 - 0.160	2,930	0.185	0.178 - 0.192	2,100	0.127	0.121 - 0.132
Alaska	392	0.083	0.075 - 0.092	213	0.086	0.075 - 0.098	179	0.081	0.069 - 0.094
Arizona	7,720	0.195	0.191 - 0.200	4,900	0.251	0.244 - 0.258	2,820	0.141	0.136 - 0.146
Arkansas	2,929	0.133	0.128 - 0.137	1,757	0.162	0.154 - 0.170	1,172	0.104	0.098 - 0.110
California	33,445	0.220	0.218 - 0.223	20,129	0.265	0.262 - 0.269	13,316	0.175	0.172 - 0.178
CA - Greater California	20,727	0.218	0.215 - 0.221	12,497	0.264	0.260 - 0.269	8,230	0.172	0.168 - 0.176
CA - Greater Bay Area	7,993	0.275	0.269 - 0.281	4,724	0.321	0.312 - 0.330	3,269	0.228	0.220 - 0.236
CA - Los Angeles	4,740	0.172	0.167 - 0.177	2,921	0.210	0.203 - 0.218	1,819	0.133	0.127 - 0.139
Colorado	5,365	0.137	0.133 - 0.141	3,058	0.156	0.150 - 0.161	2,307	0.118	0.113 - 0.123
Connecticut	3,551	0.147	0.142 - 0.152	2,019	0.171	0.164 - 0.179	1,533	0.124	0.117 - 0.130
Delaware	1,422	0.234	0.222 - 0.246	837	0.285	0.266 - 0.305	585	0.186	0.171 - 0.202
Florida	25,029	0.217	0.214 - 0.219	15,478	0.273	0.269 - 0.278	9,551	0.162	0.159 - 0.166
Georgia	11,778	0.210	0.207 - 0.214	6,816	0.248	0.242 - 0.253	4,962	0.174	0.169 - 0.179
Hawaii	1,371	0.444	0.421 - 0.468	864	0.517	0.483 - 0.553	507	0.358	0.327 - 0.390
Idaho	2,132	0.148	0.141 - 0.154	1,205	0.167	0.158 - 0.177	927	0.128	0.120 - 0.137
Illinois	11,664	0.147	0.145 - 0.150	6,415	0.165	0.161 - 0.169	5,249	0.130	0.127 - 0.134
Iowa	4,005	0.147	0.143 - 0.152	2,115	0.158	0.151 - 0.164	1,891	0.138	0.131 - 0.144
Kansas	3,169	0.141	0.136 - 0.146	1,799	0.162	0.155 - 0.170	1,370	0.121	0.114 - 0.127
Kentucky	5,567	0.146	0.142 - 0.150	3,048	0.163	0.157 - 0.169	2,518	0.130	0.125 - 0.135
Louisiana	3,724	0.134	0.130 - 0.139	2,265	0.166	0.159 - 0.173	1,459	0.104	0.098 - 0.109
Maine	1,862	0.148	0.141 - 0.155	978	0.159	0.149 - 0.169	884	0.137	0.128 - 0.147
Maryland	6,725	0.215	0.210 - 0.220	3,889	0.254	0.246 - 0.262	2,836	0.178	0.171 - 0.185
MI - Detroit	3,312	0.132	0.128 - 0.137	1,825	0.148	0.141 - 0.155	1,487	0.117	0.111 - 0.123
Minnesota	8,296	0.184	0.180 - 0.188	4,539	0.203	0.197 - 0.209	3,757	0.165	0.160 - 0.170
Mississippi	2,398	0.141	0.135 - 0.146	1,379	0.165	0.156 - 0.174	1,019	0.117	0.110 - 0.125
Missouri	5,485	0.111	0.108 - 0.114	3,137	0.130	0.125 - 0.134	2,348	0.094	0.090 - 0.098
Montana	1,325	0.143	0.136 - 0.151	741	0.159	0.148 - 0.171	584	0.127	0.117 - 0.138
Nebraska	2,236	0.146	0.140 - 0.152	1,165	0.153	0.145 - 0.162	1,071	0.139	0.130 - 0.147
New Hampshire	2,113	0.172	0.164 - 0.179	1,162	0.191	0.180 - 0.202	951	0.153	0.143 - 0.163
New Jersey	9,202	0.185	0.181 - 0.189	5,235	0.215	0.210 - 0.221	3,967	0.156	0.151 - 0.160
New Mexico	1,365	0.171	0.163 - 0.181	827	0.210	0.196 - 0.225	538	0.134	0.123 - 0.146
New York	16,903	0.153	0.151 - 0.155	9,565	0.177	0.173 - 0.181	7,338	0.130	0.127 - 0.133
North Carolina	12,127	0.184	0.180 - 0.187	7,083	0.219	0.214 - 0.225	5,044	0.149	0.145 - 0.153
North Dakota	802	0.124	0.116 - 0.133	408	0.124	0.112 - 0.137	394	0.125	0.113 - 0.137
Ohio	12,248	0.131	0.129 - 0.134	6,823	0.149	0.146 - 0.153	5,425	0.114	0.111 - 0.117
Oklahoma	3,369	0.125	0.121 - 0.129	2,043	0.154	0.147 - 0.161	1,326	0.097	0.092 - 0.102
Oregon	5,488	0.170	0.166 - 0.175	3,041	0.191	0.185 - 0.198	2,447	0.150	0.144 - 0.156
Pennsylvania	14,404	0.146	0.144 - 0.148	8,177	0.169	0.166 - 0.173	6,227	0.124	0.121 - 0.127
Rhode Island	1,184	0.153	0.144 - 0.162	652	0.175	0.161 - 0.188	532	0.133	0.122 - 0.144
South Carolina	5,726	0.175	0.171 - 0.180	3,371	0.211	0.204 - 0.219	2,355	0.141	0.135 - 0.147
South Dakota	1,038	0.143	0.135 - 0.152	563	0.155	0.142 - 0.168	475	0.132	0.120 - 0.144
Tennessee	6,416	0.127	0.124 - 0.130	3,674	0.149	0.144 - 0.154	2,742	0.106	0.102 - 0.110
Texas	13,253	0.109	0.107 - 0.111	8,063	0.134	0.131 - 0.137	5,190	0.085	0.082 - 0.087
Utah	4,477	0.180	0.175 - 0.185	2,549	0.204	0.196 - 0.212	1,927	0.156	0.149 - 0.163
Vermont	1,286	0.219	0.207 - 0.232	721	0.249	0.231 - 0.268	565	0.190	0.175 - 0.206
Washington	8,584	0.163	0.160 - 0.166	4,742	0.180	0.175 - 0.186	3,842	0.146	0.141 - 0.150
WA - Seattle	6,772	0.190	0.186 - 0.195	3,749	0.211	0.204 - 0.218	3,022	0.170	0.164 - 0.176
West Virginia	2,002	0.119	0.113 - 0.124	1,170	0.141	0.133 - 0.149	832	0.097	0.091 - 0.104
Wisconsin	6,636	0.139	0.136 - 0.143	3,819	0.162	0.156 - 0.167	2,817	0.118	0.113 - 0.122
Wyoming	631	0.128	0.119 - 0.139	357	0.143	0.129 - 0.159	274	0.113	0.100 - 0.127

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		803,471	0.791	0.789 - 0.793
Alabama	-	-		-	-		11,681	0.705	0.692 - 0.718
Alaska	-	-		-	-		1,373	0.620	0.587 - 0.653
Arizona	-	-		-	-		15,949	0.798	0.785 - 0.810
Arkansas	-	-		-	-		7,687	0.684	0.668 - 0.699
California	-	-		-	-		67,368	0.887	0.881 - 0.894
CA - Greater California	-	-		-	-		41,500	0.867	0.859 - 0.876
CA - Greater Bay Area	-	-		-	-		13,305	0.926	0.911 - 0.942
CA - Los Angeles	-	-		-	-		12,563	0.916	0.900 - 0.932
Colorado	-	-		-	-		14,234	0.730	0.718 - 0.742
Connecticut	-	-		-	-		11,646	0.939	0.922 - 0.956
Delaware	-	-		-	-		2,726	0.867	0.835 - 0.901
Florida	-	-		-	-		49,633	0.843	0.836 - 0.851
Georgia	-	-		-	-		20,724	0.728	0.718 - 0.738
Hawaii	-	-		-	-		1,250	0.883	0.834 - 0.933
Idaho	-	-		-	-		4,755	0.658	0.640 - 0.677
Illinois	-	-		-	-		33,446	0.831	0.823 - 0.840
Iowa	-	-		-	-		10,422	0.758	0.744 - 0.773
Kansas	-	-		-	-		8,481	0.747	0.731 - 0.763
Kentucky	-	-		-	-		13,728	0.706	0.695 - 0.718
Louisiana	-	-		-	-		9,955	0.707	0.693 - 0.721
Maine	-	-		-	-		5,212	0.809	0.787 - 0.831
Maryland	-	-		-	-		13,543	0.850	0.835 - 0.864
MI - Detroit	-	-		-	-		10,332	0.815	0.799 - 0.831
Minnesota	-	-		-	-		17,884	0.786	0.774 - 0.797
Mississippi	-	-		-	-		5,924	0.682	0.665 - 0.700
Missouri	-	-		-	-		18,661	0.746	0.735 - 0.757
Montana	-	-		-	-		3,438	0.749	0.724 - 0.775
Nebraska	-	-		-	-		5,676	0.734	0.715 - 0.754
New Hampshire	-	-		-	-		5,538	0.889	0.865 - 0.912
New Jersey	-	-		-	-		23,523	0.922	0.911 - 0.934
New Mexico	-	-		-	-		3,495	0.869	0.841 - 0.899
New York	-	-		-	-		49,159	0.872	0.864 - 0.880
North Carolina	-	-		-	-		27,681	0.819	0.810 - 0.829
North Dakota	-	-		-	-		2,201	0.696	0.667 - 0.725
Ohio	-	-		-	-		36,048	0.760	0.752 - 0.768
Oklahoma	-	-		-	-		9,374	0.683	0.670 - 0.697
Oregon	-	-		-	-		12,733	0.778	0.765 - 0.792
Pennsylvania	-	-		-	-		41,990	0.833	0.825 - 0.841
Rhode Island	-	-		-	-		3,711	0.925	0.895 - 0.955
South Carolina	-	-		-	-		12,977	0.777	0.764 - 0.791
South Dakota	-	-		-	-		2,613	0.724	0.697 - 0.753
Tennessee	-	-		-	-		18,336	0.711	0.701 - 0.722
Texas	-	-		-	-		44,289	0.723	0.716 - 0.730
Utah	-	-		-	-		5,949	0.480	0.468 - 0.493
Vermont	-	-		-	-		2,386	0.802	0.770 - 0.835
Washington	-	-		-	-		21,247	0.805	0.794 - 0.816
WA - Seattle	-	-		-	-		14,901	0.839	0.825 - 0.852
West Virginia	-	-		-	-		6,157	0.719	0.701 - 0.737
Wisconsin	-	-		-	-		18,959	0.792	0.780 - 0.803
Wyoming	-	-		-	-		1,534	0.634	0.602 - 0.666

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		29,383	0.029	0.029 - 0.029
Alabama	-	-		-	-		551	0.033	0.031 - 0.036
Alaska	-	-		-	-		67	0.030	0.023 - 0.038
Arizona	-	-		-	-		453	0.023	0.021 - 0.025
Arkansas	-	-		-	-		373	0.033	0.030 - 0.037
California	-	-		-	-		2,042	0.027	0.026 - 0.028
CA - Greater California	-	-		-	-		1,363	0.028	0.027 - 0.030
CA - Greater Bay Area	-	-		-	-		339	0.024	0.021 - 0.026
CA - Los Angeles	-	-		-	-		341	0.025	0.022 - 0.028
Colorado	-	-		-	-		465	0.024	0.022 - 0.026
Connecticut	-	-		-	-		295	0.024	0.021 - 0.027
Delaware	-	-		-	-		100	0.032	0.026 - 0.039
Florida	-	-		-	-		1,979	0.034	0.032 - 0.035
Georgia	-	-		-	-		882	0.031	0.029 - 0.033
Hawaii	-	-		-	-		38	0.027	0.019 - 0.037
Idaho	-	-		-	-		170	0.023	0.020 - 0.027
Illinois	-	-		-	-		1,198	0.030	0.028 - 0.032
Iowa	-	-		-	-		387	0.028	0.025 - 0.031
Kansas	-	-		-	-		322	0.028	0.025 - 0.032
Kentucky	-	-		-	-		700	0.036	0.033 - 0.039
Louisiana	-	-		-	-		437	0.031	0.028 - 0.034
Maine	-	-		-	-		160	0.025	0.021 - 0.029
Maryland	-	-		-	-		430	0.027	0.024 - 0.030
MI - Detroit	-	-		-	-		339	0.027	0.024 - 0.030
Minnesota	-	-		-	-		495	0.022	0.020 - 0.024
Mississippi	-	-		-	-		303	0.035	0.031 - 0.039
Missouri	-	-		-	-		772	0.031	0.029 - 0.033
Montana	-	-		-	-		130	0.028	0.024 - 0.034
Nebraska	-	-		-	-		226	0.029	0.026 - 0.033
New Hampshire	-	-		-	-		123	0.020	0.016 - 0.024
New Jersey	-	-		-	-		717	0.028	0.026 - 0.030
New Mexico	-	-		-	-		127	0.032	0.026 - 0.038
New York	-	-		-	-		1,546	0.027	0.026 - 0.029
North Carolina	-	-		-	-		925	0.027	0.026 - 0.029
North Dakota	-	-		-	-		59	0.019	0.014 - 0.024
Ohio	-	-		-	-		1,495	0.032	0.030 - 0.033
Oklahoma	-	-		-	-		436	0.032	0.029 - 0.035
Oregon	-	-		-	-		471	0.029	0.026 - 0.032
Pennsylvania	-	-		-	-		1,408	0.028	0.026 - 0.029
Rhode Island	-	-		-	-		114	0.028	0.023 - 0.034
South Carolina	-	-		-	-		449	0.027	0.024 - 0.029
South Dakota	-	-		-	-		97	0.027	0.022 - 0.033
Tennessee	-	-		-	-		830	0.032	0.030 - 0.034
Texas	-	-		-	-		1,997	0.033	0.031 - 0.034
Utah	-	-		-	-		221	0.018	0.016 - 0.020
Vermont	-	-		-	-		56	0.019	0.014 - 0.024
Washington	-	-		-	-		744	0.028	0.026 - 0.030
WA - Seattle	-	-		-	-		538	0.030	0.028 - 0.033
West Virginia	-	-		-	-		310	0.036	0.032 - 0.040
Wisconsin	-	-		-	-		593	0.025	0.023 - 0.027
Wyoming	-	-		-	-		69	0.029	0.022 - 0.036

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		172,093	0.169	0.169 - 0.170
Alabama	-	-		-	-		1,908	0.115	0.110 - 0.120
Alaska	-	-		-	-		309	0.139	0.124 - 0.156
Arizona	-	-		-	-		2,973	0.149	0.143 - 0.154
Arkansas	-	-		-	-		1,513	0.135	0.128 - 0.141
California	-	-		-	-		13,451	0.177	0.174 - 0.180
CA - Greater California	-	-		-	-		8,383	0.175	0.171 - 0.179
CA - Greater Bay Area	-	-		-	-		2,612	0.182	0.175 - 0.189
CA - Los Angeles	-	-		-	-		2,458	0.179	0.172 - 0.187
Colorado	-	-		-	-		2,558	0.131	0.126 - 0.136
Connecticut	-	-		-	-		2,533	0.204	0.196 - 0.212
Delaware	-	-		-	-		652	0.207	0.192 - 0.224
Florida	-	-		-	-		9,543	0.162	0.159 - 0.165
Georgia	-	-		-	-		3,885	0.136	0.132 - 0.141
Hawaii	-	-		-	-		243	0.172	0.151 - 0.195
Idaho	-	-		-	-		926	0.128	0.120 - 0.137
Illinois	-	-		-	-		7,603	0.189	0.185 - 0.193
Iowa	-	-		-	-		2,493	0.181	0.174 - 0.189
Kansas	-	-		-	-		1,762	0.155	0.148 - 0.163
Kentucky	-	-		-	-		3,015	0.155	0.150 - 0.161
Louisiana	-	-		-	-		1,584	0.112	0.107 - 0.118
Maine	-	-		-	-		1,366	0.212	0.201 - 0.224
Maryland	-	-		-	-		2,894	0.182	0.175 - 0.188
MI - Detroit	-	-		-	-		2,464	0.194	0.187 - 0.202
Minnesota	-	-		-	-		4,310	0.189	0.184 - 0.195
Mississippi	-	-		-	-		1,098	0.126	0.119 - 0.134
Missouri	-	-		-	-		3,947	0.158	0.153 - 0.163
Montana	-	-		-	-		733	0.160	0.148 - 0.172
Nebraska	-	-		-	-		1,246	0.161	0.152 - 0.170
New Hampshire	-	-		-	-		1,241	0.199	0.188 - 0.211
New Jersey	-	-		-	-		5,844	0.229	0.223 - 0.235
New Mexico	-	-		-	-		733	0.182	0.169 - 0.196
New York	-	-		-	-		11,883	0.211	0.207 - 0.215
North Carolina	-	-		-	-		5,254	0.155	0.151 - 0.160
North Dakota	-	-		-	-		447	0.141	0.128 - 0.155
Ohio	-	-		-	-		9,004	0.190	0.186 - 0.194
Oklahoma	-	-		-	-		1,735	0.126	0.121 - 0.133
Oregon	-	-		-	-		2,957	0.181	0.174 - 0.187
Pennsylvania	-	-		-	-		10,775	0.214	0.210 - 0.218
Rhode Island	-	-		-	-		831	0.207	0.193 - 0.222
South Carolina	-	-		-	-		2,207	0.132	0.127 - 0.138
South Dakota	-	-		-	-		623	0.173	0.159 - 0.187
Tennessee	-	-		-	-		3,722	0.144	0.140 - 0.149
Texas	-	-		-	-		7,879	0.129	0.126 - 0.131
Utah	-	-		-	-		1,381	0.111	0.106 - 0.117
Vermont	-	-		-	-		676	0.227	0.211 - 0.245
Washington	-	-		-	-		4,267	0.162	0.157 - 0.167
WA - Seattle	-	-		-	-		2,971	0.167	0.161 - 0.173
West Virginia	-	-		-	-		1,694	0.198	0.189 - 0.207
Wisconsin	-	-		-	-		4,784	0.200	0.194 - 0.206
Wyoming	-	-		-	-		322	0.133	0.119 - 0.148

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		49,181	0.048	0.048 - 0.049
Alabama	-	-		-	-		785	0.047	0.044 - 0.051
Alaska	-	-		-	-		95	0.043	0.035 - 0.052
Arizona	-	-		-	-		952	0.048	0.045 - 0.051
Arkansas	-	-		-	-		498	0.044	0.040 - 0.048
California	-	-		-	-		4,110	0.054	0.052 - 0.056
CA - Greater California	-	-		-	-		2,488	0.052	0.050 - 0.054
CA - Greater Bay Area	-	-		-	-		795	0.055	0.052 - 0.059
CA - Los Angeles	-	-		-	-		827	0.060	0.056 - 0.065
Colorado	-	-		-	-		822	0.042	0.039 - 0.045
Connecticut	-	-		-	-		674	0.054	0.050 - 0.059
Delaware	-	-		-	-		173	0.055	0.047 - 0.064
Florida	-	-		-	-		3,238	0.055	0.053 - 0.057
Georgia	-	-		-	-		1,259	0.044	0.042 - 0.047
Hawaii	-	-		-	-		77	0.054	0.043 - 0.068
Idaho	-	-		-	-		268	0.037	0.033 - 0.042
Illinois	-	-		-	-		1,999	0.050	0.048 - 0.052
Iowa	-	-		-	-		600	0.044	0.040 - 0.047
Kansas	-	-		-	-		532	0.047	0.043 - 0.051
Kentucky	-	-		-	-		729	0.038	0.035 - 0.040
Louisiana	-	-		-	-		530	0.038	0.035 - 0.041
Maine	-	-		-	-		257	0.040	0.035 - 0.045
Maryland	-	-		-	-		862	0.054	0.051 - 0.058
MI - Detroit	-	-		-	-		669	0.053	0.049 - 0.057
Minnesota	-	-		-	-		1,052	0.046	0.043 - 0.049
Mississippi	-	-		-	-		356	0.041	0.037 - 0.045
Missouri	-	-		-	-		1,015	0.041	0.038 - 0.043
Montana	-	-		-	-		226	0.049	0.043 - 0.056
Nebraska	-	-		-	-		333	0.043	0.039 - 0.048
New Hampshire	-	-		-	-		277	0.044	0.039 - 0.050
New Jersey	-	-		-	-		1,512	0.059	0.056 - 0.062
New Mexico	-	-		-	-		228	0.057	0.050 - 0.065
New York	-	-		-	-		3,254	0.058	0.056 - 0.060
North Carolina	-	-		-	-		1,648	0.049	0.046 - 0.051
North Dakota	-	-		-	-		115	0.036	0.030 - 0.044
Ohio	-	-		-	-		2,116	0.045	0.043 - 0.047
Oklahoma	-	-		-	-		600	0.044	0.040 - 0.047
Oregon	-	-		-	-		791	0.048	0.045 - 0.052
Pennsylvania	-	-		-	-		2,746	0.054	0.052 - 0.057
Rhode Island	-	-		-	-		199	0.050	0.043 - 0.057
South Carolina	-	-		-	-		647	0.039	0.036 - 0.042
South Dakota	-	-		-	-		178	0.049	0.042 - 0.057
Tennessee	-	-		-	-		1,067	0.041	0.039 - 0.044
Texas	-	-		-	-		2,806	0.046	0.044 - 0.048
Utah	-	-		-	-		398	0.032	0.029 - 0.035
Vermont	-	-		-	-		131	0.044	0.037 - 0.052
Washington	-	-		-	-		1,213	0.046	0.043 - 0.049
WA - Seattle	-	-		-	-		836	0.047	0.044 - 0.050
West Virginia	-	-		-	-		427	0.050	0.045 - 0.055
Wisconsin	-	-		-	-		1,206	0.050	0.048 - 0.053
Wyoming	-	-		-	-		104	0.043	0.035 - 0.052

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		636,517	0.645	0.643 - 0.646	-	-	
Alabama	-	-		9,765	0.617	0.604 - 0.629	-	-	
Alaska	-	-		1,150	0.462	0.436 - 0.490	-	-	
Arizona	-	-		11,358	0.581	0.571 - 0.592	-	-	
Arkansas	-	-		6,978	0.643	0.628 - 0.658	-	-	
California	-	-		49,291	0.649	0.644 - 0.655	-	-	
CA - Greater California	-	-		30,926	0.654	0.646 - 0.661	-	-	
CA - Greater Bay Area	-	-		9,660	0.656	0.643 - 0.670	-	-	
CA - Los Angeles	-	-		8,703	0.627	0.614 - 0.640	-	-	
Colorado	-	-		9,757	0.497	0.487 - 0.507	-	-	
Connecticut	-	-		8,855	0.751	0.735 - 0.766	-	-	
Delaware	-	-		2,340	0.796	0.764 - 0.829	-	-	
Florida	-	-		38,696	0.683	0.677 - 0.690	-	-	
Georgia	-	-		17,168	0.623	0.614 - 0.633	-	-	
Hawaii	-	-		1,056	0.632	0.594 - 0.671	-	-	
Idaho	-	-		4,171	0.579	0.561 - 0.597	-	-	
Illinois	-	-		25,734	0.662	0.653 - 0.670	-	-	
Iowa	-	-		8,812	0.656	0.643 - 0.670	-	-	
Kansas	-	-		6,891	0.622	0.607 - 0.636	-	-	
Kentucky	-	-		10,457	0.559	0.549 - 0.570	-	-	
Louisiana	-	-		9,636	0.707	0.693 - 0.721	-	-	
Maine	-	-		3,763	0.610	0.591 - 0.630	-	-	
Maryland	-	-		11,060	0.722	0.709 - 0.736	-	-	
MI - Detroit	-	-		9,061	0.735	0.720 - 0.750	-	-	
Minnesota	-	-		14,798	0.660	0.650 - 0.671	-	-	
Mississippi	-	-		5,604	0.669	0.652 - 0.687	-	-	
Missouri	-	-		12,942	0.534	0.525 - 0.544	-	-	
Montana	-	-		3,580	0.769	0.744 - 0.794	-	-	
Nebraska	-	-		5,204	0.685	0.667 - 0.704	-	-	
New Hampshire	-	-		4,338	0.714	0.692 - 0.735	-	-	
New Jersey	-	-		20,751	0.854	0.842 - 0.866	-	-	
New Mexico	-	-		2,859	0.726	0.699 - 0.753	-	-	
New York	-	-		41,433	0.767	0.759 - 0.774	-	-	
North Carolina	-	-		21,152	0.655	0.646 - 0.664	-	-	
North Dakota	-	-		2,083	0.633	0.606 - 0.660	-	-	
Ohio	-	-		27,159	0.594	0.587 - 0.601	-	-	
Oklahoma	-	-		7,076	0.533	0.521 - 0.545	-	-	
Oregon	-	-		9,643	0.607	0.595 - 0.619	-	-	
Pennsylvania	-	-		31,243	0.647	0.639 - 0.654	-	-	
Rhode Island	-	-		2,475	0.663	0.637 - 0.689	-	-	
South Carolina	-	-		10,260	0.644	0.631 - 0.656	-	-	
South Dakota	-	-		2,620	0.719	0.692 - 0.748	-	-	
Tennessee	-	-		15,744	0.638	0.629 - 0.649	-	-	
Texas	-	-		34,264	0.569	0.563 - 0.575	-	-	
Utah	-	-		5,997	0.481	0.468 - 0.493	-	-	
Vermont	-	-		1,712	0.592	0.564 - 0.620	-	-	
Washington	-	-		15,640	0.595	0.586 - 0.605	-	-	
WA - Seattle	-	-		11,641	0.654	0.643 - 0.666	-	-	
West Virginia	-	-		4,991	0.600	0.584 - 0.617	-	-	
Wisconsin	-	-		16,248	0.687	0.677 - 0.698	-	-	
Wyoming	-	-		1,726	0.691	0.659 - 0.725	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		30,874	0.031	0.031 - 0.031	-	-	
Alabama	-	-		382	0.024	0.022 - 0.027	-	-	
Alaska	-	-		87	0.035	0.028 - 0.043	-	-	
Arizona	-	-		499	0.026	0.023 - 0.028	-	-	
Arkansas	-	-		294	0.027	0.024 - 0.030	-	-	
California	-	-		2,751	0.036	0.035 - 0.038	-	-	
CA - Greater California	-	-		1,579	0.033	0.032 - 0.035	-	-	
CA - Greater Bay Area	-	-		627	0.043	0.039 - 0.046	-	-	
CA - Los Angeles	-	-		545	0.039	0.036 - 0.043	-	-	
Colorado	-	-		564	0.029	0.026 - 0.031	-	-	
Connecticut	-	-		425	0.036	0.033 - 0.040	-	-	
Delaware	-	-		87	0.030	0.024 - 0.036	-	-	
Florida	-	-		1,347	0.024	0.023 - 0.025	-	-	
Georgia	-	-		735	0.027	0.025 - 0.029	-	-	
Hawaii	-	-		73	0.044	0.034 - 0.055	-	-	
Idaho	-	-		218	0.030	0.026 - 0.035	-	-	
Illinois	-	-		1,349	0.035	0.033 - 0.037	-	-	
Iowa	-	-		421	0.031	0.028 - 0.034	-	-	
Kansas	-	-		343	0.031	0.028 - 0.034	-	-	
Kentucky	-	-		525	0.028	0.026 - 0.031	-	-	
Louisiana	-	-		407	0.030	0.027 - 0.033	-	-	
Maine	-	-		181	0.029	0.025 - 0.034	-	-	
Maryland	-	-		498	0.033	0.030 - 0.036	-	-	
MI - Detroit	-	-		415	0.034	0.030 - 0.037	-	-	
Minnesota	-	-		789	0.035	0.033 - 0.038	-	-	
Mississippi	-	-		201	0.024	0.021 - 0.028	-	-	
Missouri	-	-		670	0.028	0.026 - 0.030	-	-	
Montana	-	-		149	0.032	0.027 - 0.037	-	-	
Nebraska	-	-		277	0.036	0.032 - 0.041	-	-	
New Hampshire	-	-		201	0.033	0.029 - 0.038	-	-	
New Jersey	-	-		872	0.036	0.034 - 0.038	-	-	
New Mexico	-	-		107	0.027	0.022 - 0.033	-	-	
New York	-	-		2,023	0.037	0.036 - 0.039	-	-	
North Carolina	-	-		958	0.030	0.028 - 0.032	-	-	
North Dakota	-	-		123	0.037	0.031 - 0.045	-	-	
Ohio	-	-		1,334	0.029	0.028 - 0.031	-	-	
Oklahoma	-	-		338	0.025	0.023 - 0.028	-	-	
Oregon	-	-		542	0.034	0.031 - 0.037	-	-	
Pennsylvania	-	-		1,610	0.033	0.032 - 0.035	-	-	
Rhode Island	-	-		130	0.035	0.029 - 0.041	-	-	
South Carolina	-	-		377	0.024	0.021 - 0.026	-	-	
South Dakota	-	-		102	0.028	0.023 - 0.034	-	-	
Tennessee	-	-		694	0.028	0.026 - 0.030	-	-	
Texas	-	-		1,748	0.029	0.028 - 0.030	-	-	
Utah	-	-		442	0.035	0.032 - 0.039	-	-	
Vermont	-	-		103	0.036	0.029 - 0.043	-	-	
Washington	-	-		884	0.034	0.031 - 0.036	-	-	
WA - Seattle	-	-		662	0.037	0.034 - 0.040	-	-	
West Virginia	-	-		208	0.025	0.022 - 0.029	-	-	
Wisconsin	-	-		816	0.035	0.032 - 0.037	-	-	
Wyoming	-	-		94	0.038	0.030 - 0.046	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	235,930	0.118	0.117 - 0.118	182,895	0.186	0.185 - 0.186	52,969	0.052	0.052 - 0.053
Alabama	3,273	0.101	0.098 - 0.105	2,580	0.163	0.157 - 0.169	693	0.042	0.039 - 0.045
Alaska	443	0.094	0.086 - 0.103	354	0.142	0.128 - 0.158	89	0.040	0.032 - 0.049
Arizona	5,039	0.127	0.124 - 0.131	3,962	0.203	0.196 - 0.209	1,077	0.054	0.051 - 0.057
Arkansas	2,329	0.105	0.101 - 0.110	1,858	0.171	0.163 - 0.179	471	0.042	0.038 - 0.046
California	18,227	0.120	0.118 - 0.122	14,332	0.189	0.186 - 0.192	3,895	0.051	0.050 - 0.053
CA - Greater California	11,288	0.119	0.116 - 0.121	8,883	0.188	0.184 - 0.192	2,405	0.050	0.048 - 0.052
CA - Greater Bay Area	3,477	0.120	0.116 - 0.124	2,716	0.185	0.178 - 0.192	761	0.053	0.049 - 0.057
CA - Los Angeles	3,463	0.125	0.121 - 0.130	2,735	0.197	0.190 - 0.204	729	0.053	0.049 - 0.057
Colorado	3,428	0.088	0.085 - 0.091	2,678	0.136	0.131 - 0.142	750	0.038	0.036 - 0.041
Connecticut	3,906	0.161	0.156 - 0.167	2,961	0.251	0.242 - 0.260	944	0.076	0.071 - 0.081
Delaware	942	0.155	0.145 - 0.165	733	0.249	0.232 - 0.268	209	0.067	0.058 - 0.076
Florida	16,666	0.144	0.142 - 0.147	12,992	0.229	0.226 - 0.233	3,674	0.062	0.060 - 0.064
Georgia	5,450	0.097	0.095 - 0.100	4,322	0.157	0.152 - 0.162	1,128	0.040	0.037 - 0.042
Hawaii	392	0.127	0.115 - 0.140	333	0.199	0.178 - 0.222	60	0.042	0.032 - 0.054
Idaho	1,422	0.099	0.093 - 0.104	1,121	0.156	0.147 - 0.165	301	0.042	0.037 - 0.047
Illinois	9,783	0.124	0.121 - 0.126	7,488	0.192	0.188 - 0.197	2,295	0.057	0.055 - 0.059
Iowa	2,974	0.109	0.106 - 0.113	2,319	0.173	0.166 - 0.180	654	0.048	0.044 - 0.051
Kansas	2,443	0.109	0.105 - 0.113	1,897	0.171	0.163 - 0.179	546	0.048	0.044 - 0.052
Kentucky	3,986	0.105	0.101 - 0.108	3,059	0.164	0.158 - 0.170	927	0.048	0.045 - 0.051
Louisiana	2,886	0.104	0.100 - 0.108	2,299	0.169	0.162 - 0.176	587	0.042	0.038 - 0.045
Maine	1,893	0.150	0.143 - 0.157	1,456	0.236	0.224 - 0.249	437	0.068	0.062 - 0.074
Maryland	3,764	0.120	0.117 - 0.124	2,937	0.192	0.185 - 0.199	827	0.052	0.048 - 0.056
MI - Detroit	3,201	0.128	0.124 - 0.133	2,464	0.200	0.192 - 0.208	737	0.058	0.054 - 0.063
Minnesota	4,987	0.110	0.107 - 0.114	3,849	0.172	0.166 - 0.177	1,138	0.050	0.047 - 0.053
Mississippi	1,781	0.104	0.100 - 0.109	1,409	0.168	0.160 - 0.177	372	0.043	0.039 - 0.047
Missouri	4,900	0.100	0.097 - 0.102	3,828	0.158	0.153 - 0.163	1,072	0.043	0.040 - 0.046
Montana	1,114	0.120	0.114 - 0.128	850	0.182	0.170 - 0.195	264	0.058	0.051 - 0.065
Nebraska	1,576	0.103	0.098 - 0.108	1,210	0.159	0.150 - 0.169	366	0.047	0.043 - 0.052
New Hampshire	1,743	0.142	0.135 - 0.148	1,313	0.216	0.204 - 0.228	430	0.069	0.063 - 0.076
New Jersey	7,531	0.151	0.148 - 0.155	5,639	0.232	0.226 - 0.238	1,892	0.074	0.071 - 0.078
New Mexico	955	0.120	0.112 - 0.128	733	0.186	0.173 - 0.200	222	0.055	0.048 - 0.063
New York	17,003	0.154	0.152 - 0.156	12,887	0.238	0.234 - 0.243	4,116	0.073	0.071 - 0.075
North Carolina	7,519	0.114	0.111 - 0.116	5,787	0.179	0.175 - 0.184	1,732	0.051	0.049 - 0.054
North Dakota	626	0.097	0.090 - 0.105	500	0.152	0.139 - 0.166	126	0.040	0.033 - 0.047
Ohio	10,434	0.112	0.110 - 0.114	8,104	0.177	0.173 - 0.181	2,330	0.049	0.047 - 0.051
Oklahoma	2,610	0.097	0.093 - 0.100	2,076	0.156	0.150 - 0.163	534	0.039	0.036 - 0.042
Oregon	3,724	0.115	0.112 - 0.119	2,923	0.184	0.177 - 0.191	801	0.049	0.046 - 0.052
Pennsylvania	13,752	0.139	0.137 - 0.142	10,481	0.217	0.213 - 0.221	3,271	0.065	0.063 - 0.067
Rhode Island	1,287	0.166	0.157 - 0.175	964	0.258	0.242 - 0.275	323	0.080	0.072 - 0.090
South Carolina	3,548	0.109	0.105 - 0.112	2,771	0.174	0.167 - 0.180	777	0.047	0.043 - 0.050
South Dakota	728	0.100	0.093 - 0.108	563	0.155	0.142 - 0.168	165	0.046	0.039 - 0.053
Tennessee	5,238	0.104	0.101 - 0.107	4,042	0.164	0.159 - 0.169	1,196	0.046	0.044 - 0.049
Texas	10,881	0.090	0.088 - 0.091	8,603	0.143	0.140 - 0.146	2,278	0.037	0.036 - 0.039
Utah	1,467	0.059	0.056 - 0.062	1,218	0.098	0.092 - 0.103	249	0.020	0.018 - 0.023
Vermont	727	0.124	0.115 - 0.133	554	0.191	0.176 - 0.208	173	0.058	0.050 - 0.068
Washington	5,710	0.108	0.106 - 0.111	4,460	0.170	0.165 - 0.175	1,250	0.047	0.045 - 0.050
WA - Seattle	3,976	0.112	0.108 - 0.115	3,119	0.175	0.169 - 0.182	857	0.048	0.045 - 0.052
West Virginia	2,019	0.120	0.114 - 0.125	1,544	0.186	0.177 - 0.195	475	0.055	0.051 - 0.061
Wisconsin	5,815	0.122	0.119 - 0.125	4,502	0.190	0.185 - 0.196	1,313	0.055	0.052 - 0.058
Wyoming	496	0.101	0.092 - 0.110	395	0.158	0.143 - 0.175	101	0.042	0.034 - 0.051

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	176,221	0.088	0.088 - 0.088	112,165	0.114	0.113 - 0.114	64,050	0.063	0.063 - 0.064
Alabama	2,950	0.091	0.088 - 0.094	1,809	0.114	0.109 - 0.120	1,141	0.069	0.065 - 0.073
Alaska	370	0.079	0.071 - 0.087	236	0.095	0.083 - 0.108	134	0.060	0.051 - 0.072
Arizona	3,306	0.084	0.081 - 0.087	2,168	0.111	0.106 - 0.116	1,138	0.057	0.054 - 0.060
Arkansas	2,221	0.100	0.096 - 0.105	1,399	0.129	0.122 - 0.136	822	0.073	0.068 - 0.078
California	12,191	0.080	0.079 - 0.082	8,116	0.107	0.105 - 0.109	4,075	0.054	0.052 - 0.055
CA - Greater California	7,901	0.083	0.081 - 0.085	5,181	0.110	0.107 - 0.113	2,720	0.057	0.055 - 0.059
CA - Greater Bay Area	2,174	0.075	0.072 - 0.078	1,503	0.102	0.097 - 0.107	671	0.047	0.043 - 0.050
CA - Los Angeles	2,117	0.077	0.073 - 0.080	1,433	0.103	0.098 - 0.109	684	0.050	0.046 - 0.054
Colorado	2,320	0.059	0.057 - 0.062	1,492	0.076	0.072 - 0.080	828	0.042	0.040 - 0.045
Connecticut	2,176	0.090	0.086 - 0.094	1,444	0.122	0.116 - 0.129	732	0.059	0.055 - 0.063
Delaware	561	0.092	0.085 - 0.100	368	0.125	0.113 - 0.139	193	0.061	0.053 - 0.071
Florida	10,204	0.088	0.087 - 0.090	6,544	0.116	0.113 - 0.118	3,660	0.062	0.060 - 0.064
Georgia	4,555	0.081	0.079 - 0.084	2,866	0.104	0.100 - 0.108	1,689	0.059	0.057 - 0.062
Hawaii	241	0.078	0.069 - 0.089	177	0.106	0.091 - 0.123	64	0.045	0.035 - 0.058
Idaho	1,029	0.071	0.067 - 0.076	655	0.091	0.084 - 0.098	374	0.052	0.047 - 0.057
Illinois	7,411	0.094	0.092 - 0.096	4,686	0.120	0.117 - 0.124	2,725	0.068	0.065 - 0.070
Iowa	2,459	0.091	0.087 - 0.094	1,576	0.117	0.112 - 0.123	883	0.064	0.060 - 0.069
Kansas	2,140	0.095	0.091 - 0.100	1,343	0.121	0.115 - 0.128	797	0.070	0.065 - 0.075
Kentucky	3,736	0.098	0.095 - 0.101	2,283	0.122	0.117 - 0.127	1,453	0.075	0.071 - 0.079
Louisiana	3,168	0.114	0.110 - 0.118	1,974	0.145	0.138 - 0.151	1,195	0.085	0.080 - 0.090
Maine	1,149	0.091	0.086 - 0.097	696	0.113	0.105 - 0.122	453	0.070	0.064 - 0.077
Maryland	2,582	0.083	0.079 - 0.086	1,617	0.106	0.101 - 0.111	965	0.061	0.057 - 0.064
MI - Detroit	2,139	0.086	0.082 - 0.089	1,376	0.112	0.106 - 0.118	763	0.060	0.056 - 0.065
Minnesota	3,811	0.084	0.082 - 0.087	2,531	0.113	0.109 - 0.117	1,280	0.056	0.053 - 0.059
Mississippi	1,872	0.110	0.105 - 0.115	1,149	0.137	0.129 - 0.145	723	0.083	0.077 - 0.090
Missouri	4,531	0.092	0.089 - 0.095	2,815	0.116	0.112 - 0.121	1,716	0.069	0.065 - 0.072
Montana	734	0.079	0.074 - 0.085	462	0.099	0.090 - 0.109	272	0.059	0.052 - 0.067
Nebraska	1,232	0.080	0.076 - 0.085	781	0.103	0.096 - 0.110	451	0.058	0.053 - 0.064
New Hampshire	1,003	0.081	0.077 - 0.087	651	0.107	0.099 - 0.116	352	0.056	0.051 - 0.063
New Jersey	4,789	0.096	0.093 - 0.099	3,056	0.126	0.121 - 0.130	1,733	0.068	0.065 - 0.071
New Mexico	546	0.069	0.063 - 0.075	347	0.088	0.079 - 0.098	199	0.049	0.043 - 0.057
New York	10,714	0.097	0.095 - 0.099	6,955	0.129	0.126 - 0.132	3,759	0.067	0.065 - 0.069
North Carolina	5,810	0.088	0.086 - 0.090	3,711	0.115	0.111 - 0.119	2,099	0.062	0.059 - 0.065
North Dakota	490	0.076	0.069 - 0.083	330	0.100	0.090 - 0.112	160	0.051	0.043 - 0.059
Ohio	8,044	0.086	0.084 - 0.088	4,879	0.107	0.104 - 0.110	3,165	0.067	0.064 - 0.069
Oklahoma	2,385	0.088	0.085 - 0.092	1,415	0.107	0.101 - 0.112	970	0.071	0.066 - 0.075
Oregon	2,696	0.084	0.080 - 0.087	1,772	0.112	0.106 - 0.117	924	0.056	0.053 - 0.060
Pennsylvania	9,247	0.094	0.092 - 0.096	5,841	0.121	0.118 - 0.124	3,406	0.068	0.065 - 0.070
Rhode Island	708	0.091	0.085 - 0.098	428	0.115	0.104 - 0.126	280	0.070	0.062 - 0.078
South Carolina	2,920	0.089	0.086 - 0.093	1,846	0.116	0.111 - 0.121	1,074	0.064	0.061 - 0.068
South Dakota	581	0.080	0.074 - 0.087	381	0.105	0.094 - 0.116	200	0.055	0.048 - 0.064
Tennessee	4,631	0.092	0.089 - 0.095	2,959	0.120	0.116 - 0.124	1,672	0.065	0.062 - 0.068
Texas	11,153	0.092	0.090 - 0.094	7,080	0.118	0.115 - 0.120	4,073	0.066	0.064 - 0.069
Utah	1,212	0.049	0.046 - 0.052	790	0.063	0.059 - 0.068	422	0.034	0.031 - 0.037
Vermont	432	0.074	0.067 - 0.081	283	0.098	0.087 - 0.110	149	0.050	0.042 - 0.059
Washington	3,969	0.075	0.073 - 0.078	2,473	0.094	0.090 - 0.098	1,496	0.057	0.054 - 0.060
WA - Seattle	2,734	0.077	0.074 - 0.080	1,729	0.097	0.093 - 0.102	1,004	0.057	0.053 - 0.060
West Virginia	1,793	0.106	0.101 - 0.111	1,053	0.127	0.119 - 0.135	740	0.086	0.080 - 0.093
Wisconsin	4,437	0.093	0.091 - 0.096	2,900	0.123	0.118 - 0.127	1,537	0.064	0.061 - 0.067
Wyoming	337	0.069	0.061 - 0.076	213	0.085	0.074 - 0.098	124	0.051	0.043 - 0.061

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Brain and Other Nervous System

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	36,596	0.018	0.018 - 0.018	20,294	0.020	0.020 - 0.021	16,301	0.016	0.016 - 0.016
Alabama	498	0.015	0.014 - 0.017	253	0.016	0.014 - 0.018	245	0.015	0.013 - 0.017
Alaska	81	0.017	0.014 - 0.021	52	0.021	0.016 - 0.027	29	0.013	0.009 - 0.019
Arizona	658	0.017	0.015 - 0.018	378	0.019	0.017 - 0.021	280	0.014	0.012 - 0.016
Arkansas	403	0.018	0.016 - 0.020	238	0.022	0.019 - 0.025	165	0.015	0.013 - 0.017
California	2,952	0.019	0.019 - 0.020	1,715	0.023	0.022 - 0.024	1,237	0.016	0.015 - 0.017
CA - Greater California	1,771	0.019	0.018 - 0.019	1,019	0.022	0.020 - 0.023	752	0.016	0.015 - 0.017
CA - Greater Bay Area	628	0.022	0.020 - 0.023	369	0.025	0.023 - 0.028	258	0.018	0.016 - 0.020
CA - Los Angeles	553	0.020	0.018 - 0.022	326	0.023	0.021 - 0.026	227	0.017	0.014 - 0.019
Colorado	659	0.017	0.016 - 0.018	376	0.019	0.017 - 0.021	283	0.015	0.013 - 0.016
Connecticut	453	0.019	0.017 - 0.021	244	0.021	0.018 - 0.023	210	0.017	0.015 - 0.019
Delaware	101	0.017	0.014 - 0.020	53	0.018	0.013 - 0.024	48	0.015	0.011 - 0.020
Florida	2,029	0.018	0.017 - 0.018	1,155	0.020	0.019 - 0.022	874	0.015	0.014 - 0.016
Georgia	902	0.016	0.015 - 0.017	472	0.017	0.016 - 0.019	430	0.015	0.014 - 0.017
Hawaii	53	0.017	0.013 - 0.022	31	0.018	0.013 - 0.026	22	0.015	0.010 - 0.023
Idaho	250	0.017	0.015 - 0.020	136	0.019	0.016 - 0.022	114	0.016	0.013 - 0.019
Illinois	1,489	0.019	0.018 - 0.020	826	0.021	0.020 - 0.023	663	0.016	0.015 - 0.018
Iowa	486	0.018	0.016 - 0.020	262	0.019	0.017 - 0.022	224	0.016	0.014 - 0.019
Kansas	407	0.018	0.016 - 0.020	216	0.019	0.017 - 0.022	191	0.017	0.015 - 0.019
Kentucky	723	0.019	0.018 - 0.020	414	0.022	0.020 - 0.024	308	0.016	0.014 - 0.018
Louisiana	451	0.016	0.015 - 0.018	249	0.018	0.016 - 0.021	202	0.014	0.012 - 0.016
Maine	254	0.020	0.018 - 0.023	139	0.023	0.019 - 0.027	115	0.018	0.015 - 0.021
Maryland	547	0.018	0.016 - 0.019	293	0.019	0.017 - 0.021	254	0.016	0.014 - 0.018
MI - Detroit	398	0.016	0.014 - 0.018	225	0.018	0.016 - 0.021	173	0.014	0.012 - 0.016
Minnesota	845	0.019	0.017 - 0.020	465	0.021	0.019 - 0.023	380	0.017	0.015 - 0.018
Mississippi	294	0.017	0.015 - 0.019	161	0.019	0.016 - 0.022	133	0.015	0.013 - 0.018
Missouri	872	0.018	0.017 - 0.019	477	0.020	0.018 - 0.022	395	0.016	0.014 - 0.017
Montana	156	0.017	0.014 - 0.020	91	0.019	0.016 - 0.024	66	0.014	0.011 - 0.018
Nebraska	266	0.017	0.015 - 0.020	148	0.019	0.016 - 0.023	118	0.015	0.013 - 0.018
New Hampshire	248	0.020	0.018 - 0.023	133	0.022	0.018 - 0.026	115	0.018	0.015 - 0.022
New Jersey	988	0.020	0.019 - 0.021	522	0.021	0.020 - 0.023	465	0.018	0.017 - 0.020
New Mexico	138	0.017	0.015 - 0.021	74	0.019	0.015 - 0.023	65	0.016	0.012 - 0.020
New York	2,323	0.021	0.020 - 0.022	1,269	0.023	0.022 - 0.025	1,054	0.019	0.018 - 0.020
North Carolina	1,154	0.017	0.016 - 0.018	616	0.019	0.018 - 0.021	538	0.016	0.015 - 0.017
North Dakota	110	0.017	0.014 - 0.021	67	0.020	0.016 - 0.026	43	0.014	0.010 - 0.018
Ohio	1,667	0.018	0.017 - 0.019	926	0.020	0.019 - 0.022	741	0.016	0.015 - 0.017
Oklahoma	422	0.016	0.014 - 0.017	220	0.017	0.014 - 0.019	202	0.015	0.013 - 0.017
Oregon	595	0.018	0.017 - 0.020	332	0.021	0.019 - 0.023	263	0.016	0.014 - 0.018
Pennsylvania	1,889	0.019	0.018 - 0.020	1,100	0.023	0.021 - 0.024	789	0.016	0.015 - 0.017
Rhode Island	143	0.018	0.016 - 0.022	71	0.019	0.015 - 0.024	72	0.018	0.014 - 0.023
South Carolina	518	0.016	0.015 - 0.017	292	0.018	0.016 - 0.021	226	0.014	0.012 - 0.015
South Dakota	95	0.013	0.011 - 0.016	61	0.017	0.013 - 0.022	34	0.009	0.007 - 0.013
Tennessee	786	0.016	0.015 - 0.017	413	0.017	0.015 - 0.018	373	0.014	0.013 - 0.016
Texas	2,389	0.020	0.019 - 0.020	1,302	0.022	0.020 - 0.023	1,087	0.018	0.017 - 0.019
Utah	418	0.017	0.015 - 0.019	224	0.018	0.016 - 0.020	194	0.016	0.014 - 0.018
Vermont	105	0.018	0.015 - 0.022	61	0.021	0.016 - 0.027	44	0.015	0.011 - 0.020
Washington	1,044	0.020	0.019 - 0.021	599	0.023	0.021 - 0.025	445	0.017	0.015 - 0.019
WA - Seattle	762	0.021	0.020 - 0.023	434	0.024	0.022 - 0.027	328	0.018	0.017 - 0.021
West Virginia	316	0.019	0.017 - 0.021	177	0.021	0.018 - 0.025	139	0.016	0.014 - 0.019
Wisconsin	858	0.018	0.017 - 0.019	462	0.020	0.018 - 0.021	396	0.017	0.015 - 0.018
Wyoming	74	0.015	0.012 - 0.019	41	0.016	0.012 - 0.022	33	0.014	0.009 - 0.019

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	163,957	0.082	0.081 - 0.082	43,660	0.044	0.044 - 0.045	120,314	0.118	0.117 - 0.119
Alabama	1,883	0.058	0.056 - 0.061	484	0.031	0.028 - 0.033	1,399	0.084	0.080 - 0.089
Alaska	309	0.066	0.059 - 0.073	90	0.036	0.029 - 0.044	219	0.099	0.086 - 0.113
Arizona	3,079	0.078	0.075 - 0.081	805	0.041	0.038 - 0.044	2,274	0.114	0.109 - 0.119
Arkansas	1,447	0.065	0.062 - 0.069	380	0.035	0.032 - 0.039	1,067	0.095	0.089 - 0.101
California	11,789	0.078	0.076 - 0.079	3,340	0.044	0.043 - 0.046	8,449	0.111	0.109 - 0.114
CA - Greater California	7,221	0.076	0.074 - 0.078	1,967	0.042	0.040 - 0.043	5,255	0.110	0.107 - 0.113
CA - Greater Bay Area	2,072	0.071	0.068 - 0.074	635	0.043	0.040 - 0.047	1,437	0.100	0.095 - 0.105
CA - Los Angeles	2,495	0.090	0.087 - 0.094	738	0.053	0.049 - 0.057	1,757	0.128	0.122 - 0.134
Colorado	3,093	0.079	0.076 - 0.082	836	0.043	0.040 - 0.046	2,257	0.116	0.111 - 0.121
Connecticut	2,539	0.105	0.101 - 0.109	700	0.059	0.055 - 0.064	1,838	0.148	0.141 - 0.155
Delaware	562	0.092	0.085 - 0.100	127	0.043	0.036 - 0.051	435	0.138	0.126 - 0.152
Florida	7,668	0.066	0.065 - 0.068	2,167	0.038	0.037 - 0.040	5,501	0.093	0.091 - 0.096
Georgia	4,153	0.074	0.072 - 0.076	1,077	0.039	0.037 - 0.042	3,076	0.108	0.104 - 0.112
Hawaii	209	0.068	0.059 - 0.078	68	0.041	0.032 - 0.052	141	0.100	0.084 - 0.117
Idaho	1,048	0.073	0.068 - 0.077	269	0.037	0.033 - 0.042	779	0.108	0.100 - 0.116
Illinois	7,046	0.089	0.087 - 0.091	1,920	0.049	0.047 - 0.052	5,126	0.127	0.124 - 0.131
Iowa	2,008	0.074	0.071 - 0.077	530	0.039	0.036 - 0.043	1,478	0.108	0.102 - 0.113
Kansas	1,848	0.082	0.079 - 0.086	477	0.043	0.039 - 0.047	1,371	0.121	0.114 - 0.127
Kentucky	3,170	0.083	0.080 - 0.086	815	0.044	0.041 - 0.047	2,355	0.121	0.116 - 0.126
Louisiana	2,446	0.088	0.085 - 0.092	622	0.046	0.042 - 0.049	1,825	0.130	0.124 - 0.136
Maine	1,096	0.087	0.082 - 0.092	314	0.051	0.045 - 0.057	782	0.121	0.113 - 0.130
Maryland	2,801	0.090	0.086 - 0.093	708	0.046	0.043 - 0.050	2,093	0.131	0.126 - 0.137
MI - Detroit	2,429	0.097	0.093 - 0.101	604	0.049	0.045 - 0.053	1,826	0.144	0.137 - 0.151
Minnesota	3,062	0.068	0.065 - 0.070	829	0.037	0.035 - 0.040	2,233	0.098	0.094 - 0.102
Mississippi	1,108	0.065	0.061 - 0.069	281	0.034	0.030 - 0.038	827	0.095	0.089 - 0.102
Missouri	3,180	0.065	0.062 - 0.067	827	0.034	0.032 - 0.037	2,353	0.094	0.090 - 0.098
Montana	666	0.072	0.067 - 0.078	190	0.041	0.035 - 0.047	476	0.104	0.095 - 0.113
Nebraska	1,152	0.075	0.071 - 0.080	276	0.036	0.032 - 0.041	876	0.113	0.106 - 0.121
New Hampshire	1,007	0.082	0.077 - 0.087	267	0.044	0.039 - 0.050	740	0.119	0.110 - 0.128
New Jersey	6,067	0.122	0.119 - 0.125	1,657	0.068	0.065 - 0.072	4,411	0.173	0.168 - 0.178
New Mexico	751	0.094	0.088 - 0.101	201	0.051	0.044 - 0.059	550	0.137	0.125 - 0.149
New York	12,738	0.115	0.113 - 0.117	3,527	0.065	0.063 - 0.067	9,211	0.163	0.160 - 0.167
North Carolina	4,660	0.071	0.069 - 0.073	1,224	0.038	0.036 - 0.040	3,436	0.102	0.098 - 0.105
North Dakota	570	0.088	0.081 - 0.096	144	0.044	0.037 - 0.051	426	0.135	0.122 - 0.148
Ohio	7,731	0.083	0.081 - 0.085	1,860	0.041	0.039 - 0.043	5,871	0.124	0.121 - 0.127
Oklahoma	1,887	0.070	0.067 - 0.073	481	0.036	0.033 - 0.040	1,406	0.103	0.097 - 0.108
Oregon	2,298	0.071	0.068 - 0.074	619	0.039	0.036 - 0.042	1,679	0.103	0.098 - 0.108
Pennsylvania	10,922	0.111	0.109 - 0.113	2,838	0.059	0.057 - 0.061	8,084	0.160	0.157 - 0.164
Rhode Island	830	0.107	0.100 - 0.115	224	0.060	0.052 - 0.068	606	0.151	0.139 - 0.164
South Carolina	2,109	0.065	0.062 - 0.067	565	0.035	0.033 - 0.038	1,544	0.092	0.088 - 0.097
South Dakota	508	0.070	0.064 - 0.076	144	0.040	0.033 - 0.047	364	0.101	0.091 - 0.112
Tennessee	3,601	0.071	0.069 - 0.074	956	0.039	0.036 - 0.041	2,645	0.103	0.099 - 0.107
Texas	8,517	0.070	0.069 - 0.072	2,389	0.040	0.038 - 0.041	6,128	0.100	0.098 - 0.103
Utah	2,007	0.081	0.077 - 0.084	465	0.037	0.034 - 0.041	1,542	0.124	0.118 - 0.131
Vermont	440	0.075	0.068 - 0.082	121	0.042	0.035 - 0.050	319	0.107	0.096 - 0.120
Washington	3,716	0.071	0.068 - 0.073	1,006	0.038	0.036 - 0.041	2,710	0.103	0.099 - 0.107
WA - Seattle	2,596	0.073	0.070 - 0.076	723	0.041	0.038 - 0.044	1,874	0.105	0.101 - 0.110
West Virginia	1,560	0.092	0.088 - 0.097	350	0.042	0.038 - 0.047	1,210	0.141	0.133 - 0.150
Wisconsin	3,602	0.076	0.073 - 0.078	956	0.040	0.038 - 0.043	2,646	0.110	0.106 - 0.115
Wyoming	397	0.081	0.073 - 0.089	101	0.040	0.033 - 0.049	296	0.122	0.109 - 0.137

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	26,259	0.013	0.013 - 0.013	14,449	0.015	0.014 - 0.015	11,810	0.012	0.011 - 0.012
Alabama	334	0.010	0.009 - 0.011	181	0.011	0.010 - 0.013	153	0.009	0.008 - 0.011
Alaska	45	0.010	0.007 - 0.013	27	0.011	0.007 - 0.016	18	0.008	0.005 - 0.013
Arizona	382	0.010	0.009 - 0.011	219	0.011	0.010 - 0.013	163	0.008	0.007 - 0.010
Arkansas	259	0.012	0.010 - 0.013	143	0.013	0.011 - 0.016	116	0.010	0.009 - 0.012
California	1,969	0.013	0.012 - 0.014	1,093	0.014	0.014 - 0.015	876	0.012	0.011 - 0.012
CA - Greater California	1,204	0.013	0.012 - 0.013	666	0.014	0.013 - 0.015	539	0.011	0.010 - 0.012
CA - Greater Bay Area	392	0.013	0.012 - 0.015	224	0.015	0.013 - 0.017	169	0.012	0.010 - 0.014
CA - Los Angeles	371	0.013	0.012 - 0.015	204	0.015	0.013 - 0.017	167	0.012	0.010 - 0.014
Colorado	432	0.011	0.010 - 0.012	247	0.013	0.011 - 0.014	185	0.009	0.008 - 0.011
Connecticut	384	0.016	0.014 - 0.018	213	0.018	0.016 - 0.021	172	0.014	0.012 - 0.016
Delaware	76	0.012	0.010 - 0.016	37	0.013	0.009 - 0.017	39	0.012	0.009 - 0.017
Florida	1,635	0.014	0.013 - 0.015	890	0.016	0.015 - 0.017	745	0.013	0.012 - 0.014
Georgia	610	0.011	0.010 - 0.012	324	0.012	0.011 - 0.013	286	0.010	0.009 - 0.011
Hawaii	41	0.013	0.010 - 0.018	26	0.016	0.010 - 0.023	15	0.011	0.006 - 0.017
Idaho	156	0.011	0.009 - 0.013	86	0.012	0.010 - 0.015	70	0.010	0.008 - 0.012
Illinois	1,068	0.013	0.013 - 0.014	590	0.015	0.014 - 0.016	478	0.012	0.011 - 0.013
Iowa	375	0.014	0.012 - 0.015	208	0.015	0.013 - 0.018	167	0.012	0.010 - 0.014
Kansas	270	0.012	0.011 - 0.014	167	0.015	0.013 - 0.018	103	0.009	0.007 - 0.011
Kentucky	453	0.012	0.011 - 0.013	254	0.014	0.012 - 0.015	200	0.010	0.009 - 0.012
Louisiana	376	0.014	0.012 - 0.015	202	0.015	0.013 - 0.017	174	0.012	0.011 - 0.014
Maine	181	0.014	0.012 - 0.017	97	0.016	0.013 - 0.019	84	0.013	0.010 - 0.016
Maryland	420	0.013	0.012 - 0.015	229	0.015	0.013 - 0.017	191	0.012	0.010 - 0.014
MI - Detroit	365	0.015	0.013 - 0.016	213	0.017	0.015 - 0.020	153	0.012	0.010 - 0.014
Minnesota	633	0.014	0.013 - 0.015	362	0.016	0.015 - 0.018	271	0.012	0.011 - 0.013
Mississippi	174	0.010	0.009 - 0.012	97	0.012	0.009 - 0.014	77	0.009	0.007 - 0.011
Missouri	618	0.013	0.012 - 0.014	336	0.014	0.012 - 0.015	282	0.011	0.010 - 0.013
Montana	103	0.011	0.009 - 0.013	57	0.012	0.009 - 0.016	46	0.010	0.007 - 0.013
Nebraska	209	0.014	0.012 - 0.016	124	0.016	0.014 - 0.019	85	0.011	0.009 - 0.014
New Hampshire	171	0.014	0.012 - 0.016	96	0.016	0.013 - 0.019	75	0.012	0.009 - 0.015
New Jersey	842	0.017	0.016 - 0.018	466	0.019	0.017 - 0.021	376	0.015	0.013 - 0.016
New Mexico	99	0.012	0.010 - 0.015	60	0.015	0.012 - 0.020	39	0.010	0.007 - 0.013
New York	1,855	0.017	0.016 - 0.018	987	0.018	0.017 - 0.019	868	0.015	0.014 - 0.016
North Carolina	781	0.012	0.011 - 0.013	433	0.013	0.012 - 0.015	348	0.010	0.009 - 0.011
North Dakota	93	0.014	0.012 - 0.018	63	0.019	0.015 - 0.024	30	0.009	0.006 - 0.014
Ohio	1,191	0.013	0.012 - 0.014	656	0.014	0.013 - 0.015	535	0.011	0.010 - 0.012
Oklahoma	293	0.011	0.010 - 0.012	155	0.012	0.010 - 0.014	138	0.010	0.008 - 0.012
Oregon	352	0.011	0.010 - 0.012	182	0.011	0.010 - 0.013	170	0.010	0.009 - 0.012
Pennsylvania	1,549	0.016	0.015 - 0.016	869	0.018	0.017 - 0.019	680	0.013	0.012 - 0.015
Rhode Island	145	0.019	0.016 - 0.022	74	0.020	0.016 - 0.025	71	0.018	0.014 - 0.022
South Carolina	359	0.011	0.010 - 0.012	196	0.012	0.011 - 0.014	163	0.010	0.008 - 0.011
South Dakota	84	0.012	0.009 - 0.014	45	0.012	0.009 - 0.017	39	0.011	0.008 - 0.015
Tennessee	590	0.012	0.011 - 0.013	312	0.013	0.011 - 0.014	278	0.011	0.010 - 0.012
Texas	1,399	0.012	0.011 - 0.012	740	0.012	0.011 - 0.013	659	0.011	0.010 - 0.012
Utah	282	0.011	0.010 - 0.013	138	0.011	0.009 - 0.013	144	0.012	0.010 - 0.014
Vermont	81	0.014	0.011 - 0.017	46	0.016	0.012 - 0.021	35	0.012	0.008 - 0.016
Washington	625	0.012	0.011 - 0.013	347	0.013	0.012 - 0.015	278	0.011	0.009 - 0.012
WA - Seattle	433	0.012	0.011 - 0.013	244	0.014	0.012 - 0.016	189	0.011	0.009 - 0.012
West Virginia	186	0.011	0.009 - 0.013	102	0.012	0.010 - 0.015	84	0.010	0.008 - 0.012
Wisconsin	705	0.015	0.014 - 0.016	408	0.017	0.016 - 0.019	297	0.012	0.011 - 0.014
Wyoming	48	0.010	0.007 - 0.013	30	0.012	0.008 - 0.017	18	0.007	0.004 - 0.012

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	196,512	0.098	0.098 - 0.099	107,419	0.109	0.108 - 0.109	89,082	0.088	0.087 - 0.088
Alabama	2,516	0.078	0.075 - 0.081	1,374	0.087	0.082 - 0.091	1,142	0.069	0.065 - 0.073
Alaska	345	0.073	0.066 - 0.082	201	0.081	0.070 - 0.093	144	0.065	0.055 - 0.077
Arizona	3,348	0.085	0.082 - 0.088	1,878	0.096	0.092 - 0.101	1,470	0.074	0.070 - 0.077
Arkansas	1,927	0.087	0.083 - 0.091	1,039	0.096	0.090 - 0.102	888	0.079	0.074 - 0.084
California	15,774	0.104	0.102 - 0.106	8,964	0.118	0.116 - 0.121	6,810	0.090	0.088 - 0.092
CA - Greater California	9,416	0.099	0.097 - 0.101	5,380	0.114	0.111 - 0.117	4,036	0.084	0.082 - 0.087
CA - Greater Bay Area	3,462	0.119	0.115 - 0.123	1,955	0.133	0.127 - 0.139	1,507	0.105	0.100 - 0.110
CA - Los Angeles	2,898	0.105	0.101 - 0.109	1,630	0.117	0.112 - 0.123	1,268	0.092	0.087 - 0.098
Colorado	3,054	0.078	0.075 - 0.081	1,711	0.087	0.083 - 0.091	1,343	0.069	0.065 - 0.073
Connecticut	2,854	0.118	0.114 - 0.122	1,578	0.134	0.127 - 0.140	1,277	0.103	0.097 - 0.109
Delaware	691	0.114	0.105 - 0.122	371	0.126	0.114 - 0.140	320	0.102	0.091 - 0.114
Florida	15,592	0.135	0.133 - 0.137	8,436	0.149	0.146 - 0.152	7,156	0.122	0.119 - 0.124
Georgia	4,787	0.085	0.083 - 0.088	2,613	0.095	0.091 - 0.099	2,174	0.076	0.073 - 0.080
Hawaii	320	0.104	0.093 - 0.116	193	0.115	0.100 - 0.133	127	0.089	0.075 - 0.106
Idaho	1,126	0.078	0.074 - 0.083	631	0.088	0.081 - 0.095	495	0.069	0.063 - 0.075
Illinois	7,952	0.100	0.098 - 0.103	4,327	0.111	0.108 - 0.115	3,625	0.090	0.087 - 0.093
Iowa	2,674	0.098	0.095 - 0.102	1,456	0.108	0.103 - 0.114	1,219	0.089	0.084 - 0.094
Kansas	2,117	0.094	0.090 - 0.098	1,183	0.107	0.101 - 0.113	934	0.082	0.077 - 0.088
Kentucky	3,357	0.088	0.085 - 0.091	1,776	0.095	0.091 - 0.100	1,581	0.081	0.077 - 0.085
Louisiana	2,591	0.093	0.090 - 0.097	1,421	0.104	0.099 - 0.110	1,171	0.083	0.078 - 0.088
Maine	1,341	0.106	0.101 - 0.112	759	0.123	0.115 - 0.132	582	0.090	0.083 - 0.098
Maryland	3,102	0.099	0.096 - 0.103	1,639	0.107	0.102 - 0.112	1,463	0.092	0.087 - 0.097
MI - Detroit	2,635	0.105	0.101 - 0.109	1,392	0.113	0.107 - 0.119	1,243	0.098	0.093 - 0.104
Minnesota	4,524	0.100	0.097 - 0.103	2,506	0.112	0.107 - 0.116	2,018	0.089	0.085 - 0.093
Mississippi	1,421	0.083	0.079 - 0.088	771	0.092	0.086 - 0.099	650	0.075	0.069 - 0.081
Missouri	4,320	0.088	0.085 - 0.090	2,344	0.097	0.093 - 0.101	1,976	0.079	0.076 - 0.083
Montana	831	0.090	0.084 - 0.096	482	0.104	0.094 - 0.113	349	0.076	0.068 - 0.084
Nebraska	1,468	0.096	0.091 - 0.101	800	0.105	0.098 - 0.113	668	0.086	0.080 - 0.093
New Hampshire	1,277	0.104	0.098 - 0.110	698	0.115	0.106 - 0.124	579	0.093	0.085 - 0.101
New Jersey	6,231	0.125	0.122 - 0.128	3,282	0.135	0.130 - 0.140	2,949	0.116	0.112 - 0.120
New Mexico	739	0.093	0.086 - 0.100	386	0.098	0.088 - 0.108	353	0.088	0.079 - 0.097
New York	13,335	0.121	0.119 - 0.123	7,174	0.133	0.130 - 0.136	6,160	0.109	0.107 - 0.112
North Carolina	5,695	0.086	0.084 - 0.088	3,095	0.096	0.092 - 0.099	2,600	0.077	0.074 - 0.080
North Dakota	527	0.082	0.075 - 0.089	294	0.089	0.079 - 0.100	233	0.074	0.064 - 0.084
Ohio	8,358	0.090	0.088 - 0.092	4,536	0.099	0.096 - 0.102	3,822	0.081	0.078 - 0.083
Oklahoma	2,138	0.079	0.076 - 0.083	1,145	0.086	0.081 - 0.091	993	0.072	0.068 - 0.077
Oregon	3,020	0.094	0.090 - 0.097	1,662	0.105	0.100 - 0.110	1,358	0.083	0.079 - 0.088
Pennsylvania	10,605	0.107	0.105 - 0.109	5,592	0.116	0.113 - 0.119	5,013	0.099	0.097 - 0.102
Rhode Island	832	0.107	0.100 - 0.115	455	0.122	0.111 - 0.134	377	0.094	0.085 - 0.104
South Carolina	2,762	0.085	0.081 - 0.088	1,520	0.095	0.091 - 0.100	1,242	0.074	0.070 - 0.079
South Dakota	645	0.089	0.082 - 0.096	346	0.095	0.085 - 0.106	299	0.083	0.074 - 0.093
Tennessee	4,101	0.081	0.079 - 0.084	2,271	0.092	0.088 - 0.096	1,830	0.071	0.068 - 0.074
Texas	10,387	0.086	0.084 - 0.087	5,759	0.096	0.093 - 0.098	4,628	0.076	0.073 - 0.078
Utah	1,540	0.062	0.059 - 0.065	900	0.072	0.067 - 0.077	640	0.052	0.048 - 0.056
Vermont	596	0.102	0.094 - 0.110	337	0.116	0.104 - 0.130	259	0.087	0.077 - 0.098
Washington	4,827	0.092	0.089 - 0.094	2,687	0.102	0.098 - 0.106	2,140	0.081	0.078 - 0.085
WA - Seattle	3,468	0.098	0.094 - 0.101	1,951	0.110	0.105 - 0.115	1,516	0.085	0.081 - 0.090
West Virginia	1,584	0.094	0.089 - 0.099	841	0.101	0.094 - 0.108	743	0.087	0.081 - 0.093
Wisconsin	4,936	0.104	0.101 - 0.107	2,727	0.115	0.111 - 0.120	2,209	0.092	0.088 - 0.096
Wyoming	373	0.076	0.068 - 0.084	213	0.085	0.074 - 0.098	160	0.066	0.056 - 0.077

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	56,403	0.028	0.028 - 0.028	32,574	0.033	0.033 - 0.033	23,826	0.023	0.023 - 0.024
Alabama	733	0.023	0.021 - 0.024	421	0.027	0.024 - 0.029	312	0.019	0.017 - 0.021
Alaska	82	0.017	0.014 - 0.022	47	0.019	0.014 - 0.025	35	0.016	0.011 - 0.022
Arizona	899	0.023	0.021 - 0.024	538	0.028	0.025 - 0.030	361	0.018	0.016 - 0.020
Arkansas	588	0.027	0.024 - 0.029	324	0.030	0.027 - 0.033	264	0.023	0.021 - 0.026
California	4,296	0.028	0.027 - 0.029	2,545	0.034	0.032 - 0.035	1,752	0.023	0.022 - 0.024
CA - Greater California	2,663	0.028	0.027 - 0.029	1,579	0.033	0.032 - 0.035	1,084	0.023	0.021 - 0.024
CA - Greater Bay Area	894	0.031	0.029 - 0.033	543	0.037	0.034 - 0.040	351	0.024	0.022 - 0.027
CA - Los Angeles	740	0.027	0.025 - 0.029	424	0.030	0.028 - 0.034	317	0.023	0.021 - 0.026
Colorado	938	0.024	0.022 - 0.026	563	0.029	0.026 - 0.031	375	0.019	0.017 - 0.021
Connecticut	813	0.034	0.031 - 0.036	472	0.040	0.037 - 0.044	341	0.027	0.025 - 0.031
Delaware	182	0.030	0.026 - 0.035	108	0.037	0.030 - 0.044	74	0.024	0.018 - 0.030
Florida	4,801	0.042	0.040 - 0.043	2,785	0.049	0.047 - 0.051	2,016	0.034	0.033 - 0.036
Georgia	1,464	0.026	0.025 - 0.028	837	0.030	0.028 - 0.033	627	0.022	0.020 - 0.024
Hawaii	81	0.026	0.021 - 0.033	53	0.032	0.024 - 0.041	28	0.020	0.013 - 0.029
Idaho	339	0.024	0.021 - 0.026	209	0.029	0.025 - 0.033	130	0.018	0.015 - 0.021
Illinois	2,081	0.026	0.025 - 0.027	1,147	0.029	0.028 - 0.031	934	0.023	0.022 - 0.025
Iowa	801	0.029	0.027 - 0.032	479	0.036	0.033 - 0.039	322	0.023	0.021 - 0.026
Kansas	606	0.027	0.025 - 0.029	337	0.030	0.027 - 0.034	269	0.024	0.021 - 0.027
Kentucky	975	0.026	0.024 - 0.027	567	0.030	0.028 - 0.033	408	0.021	0.019 - 0.023
Louisiana	695	0.025	0.023 - 0.027	403	0.030	0.027 - 0.033	291	0.021	0.018 - 0.023
Maine	366	0.029	0.026 - 0.032	200	0.032	0.028 - 0.037	166	0.026	0.022 - 0.030
Maryland	833	0.027	0.025 - 0.029	460	0.030	0.027 - 0.033	373	0.023	0.021 - 0.026
MI - Detroit	718	0.029	0.027 - 0.031	418	0.034	0.031 - 0.037	301	0.024	0.021 - 0.027
Minnesota	1,328	0.029	0.028 - 0.031	777	0.035	0.032 - 0.037	551	0.024	0.022 - 0.026
Mississippi	423	0.025	0.022 - 0.027	247	0.029	0.026 - 0.033	176	0.020	0.017 - 0.024
Missouri	1,255	0.025	0.024 - 0.027	733	0.030	0.028 - 0.033	522	0.021	0.019 - 0.023
Montana	287	0.031	0.028 - 0.035	173	0.037	0.032 - 0.043	114	0.025	0.020 - 0.030
Nebraska	385	0.025	0.023 - 0.028	229	0.030	0.026 - 0.034	156	0.020	0.017 - 0.024
New Hampshire	344	0.028	0.025 - 0.031	193	0.032	0.027 - 0.037	151	0.024	0.021 - 0.028
New Jersey	1,672	0.034	0.032 - 0.035	947	0.039	0.037 - 0.042	725	0.028	0.026 - 0.031
New Mexico	229	0.029	0.025 - 0.033	153	0.039	0.033 - 0.046	75	0.019	0.015 - 0.023
New York	3,917	0.035	0.034 - 0.037	2,285	0.042	0.041 - 0.044	1,632	0.029	0.028 - 0.030
North Carolina	1,823	0.028	0.026 - 0.029	1,025	0.032	0.030 - 0.034	798	0.024	0.022 - 0.025
North Dakota	160	0.025	0.021 - 0.029	97	0.029	0.024 - 0.036	63	0.020	0.015 - 0.025
Ohio	2,019	0.022	0.021 - 0.023	1,152	0.025	0.024 - 0.027	867	0.018	0.017 - 0.020
Oklahoma	604	0.022	0.021 - 0.024	356	0.027	0.024 - 0.030	248	0.018	0.016 - 0.020
Oregon	808	0.025	0.023 - 0.027	457	0.029	0.026 - 0.032	351	0.021	0.019 - 0.024
Pennsylvania	2,824	0.029	0.028 - 0.030	1,608	0.033	0.032 - 0.035	1,216	0.024	0.023 - 0.026
Rhode Island	198	0.026	0.022 - 0.029	120	0.032	0.027 - 0.038	78	0.019	0.015 - 0.024
South Carolina	814	0.025	0.023 - 0.027	461	0.029	0.026 - 0.032	353	0.021	0.019 - 0.023
South Dakota	192	0.026	0.023 - 0.031	117	0.032	0.027 - 0.039	75	0.021	0.016 - 0.026
Tennessee	1,238	0.025	0.023 - 0.026	696	0.028	0.026 - 0.030	542	0.021	0.019 - 0.023
Texas	3,502	0.029	0.028 - 0.030	1,983	0.033	0.032 - 0.034	1,519	0.025	0.024 - 0.026
Utah	468	0.019	0.017 - 0.021	270	0.022	0.019 - 0.024	198	0.016	0.014 - 0.018
Vermont	154	0.026	0.022 - 0.031	95	0.033	0.027 - 0.040	59	0.020	0.015 - 0.026
Washington	1,398	0.027	0.025 - 0.028	832	0.032	0.030 - 0.034	566	0.021	0.020 - 0.023
WA - Seattle	1,026	0.029	0.027 - 0.031	624	0.035	0.032 - 0.038	403	0.023	0.020 - 0.025
West Virginia	420	0.025	0.023 - 0.027	258	0.031	0.027 - 0.035	162	0.019	0.016 - 0.022
Wisconsin	1,432	0.030	0.029 - 0.032	809	0.034	0.032 - 0.037	623	0.026	0.024 - 0.028
Wyoming	117	0.024	0.020 - 0.029	67	0.027	0.021 - 0.034	50	0.021	0.015 - 0.027

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	125,063	0.062	0.062 - 0.063	73,992	0.075	0.074 - 0.075	51,063	0.050	0.050 - 0.051
Alabama	1,464	0.045	0.043 - 0.048	857	0.054	0.051 - 0.058	607	0.037	0.034 - 0.040
Alaska	192	0.041	0.035 - 0.047	126	0.051	0.042 - 0.060	66	0.030	0.023 - 0.038
Arizona	1,629	0.041	0.039 - 0.043	960	0.049	0.046 - 0.052	669	0.033	0.031 - 0.036
Arkansas	1,262	0.057	0.054 - 0.060	740	0.068	0.063 - 0.073	522	0.046	0.043 - 0.051
California	9,023	0.059	0.058 - 0.061	5,428	0.071	0.070 - 0.073	3,595	0.047	0.046 - 0.049
CA - Greater California	5,536	0.058	0.057 - 0.060	3,301	0.070	0.067 - 0.072	2,235	0.047	0.045 - 0.049
CA - Greater Bay Area	1,818	0.063	0.060 - 0.065	1,139	0.077	0.073 - 0.082	679	0.047	0.044 - 0.051
CA - Los Angeles	1,669	0.060	0.058 - 0.063	988	0.071	0.067 - 0.076	681	0.050	0.046 - 0.054
Colorado	1,977	0.050	0.048 - 0.053	1,193	0.061	0.057 - 0.064	784	0.040	0.037 - 0.043
Connecticut	1,645	0.068	0.065 - 0.071	922	0.078	0.073 - 0.083	723	0.058	0.054 - 0.063
Delaware	347	0.057	0.051 - 0.063	211	0.072	0.062 - 0.082	136	0.043	0.036 - 0.051
Florida	11,209	0.097	0.095 - 0.099	6,471	0.114	0.112 - 0.117	4,738	0.080	0.078 - 0.083
Georgia	3,274	0.058	0.056 - 0.060	1,909	0.069	0.066 - 0.073	1,365	0.048	0.045 - 0.051
Hawaii	171	0.055	0.047 - 0.064	109	0.065	0.053 - 0.079	62	0.044	0.033 - 0.056
Idaho	857	0.059	0.055 - 0.063	511	0.071	0.065 - 0.077	346	0.048	0.043 - 0.053
Illinois	4,260	0.054	0.052 - 0.055	2,488	0.064	0.061 - 0.067	1,772	0.044	0.042 - 0.046
Iowa	1,782	0.066	0.063 - 0.069	1,071	0.080	0.075 - 0.085	712	0.052	0.048 - 0.056
Kansas	1,421	0.063	0.060 - 0.067	889	0.080	0.075 - 0.086	532	0.047	0.043 - 0.051
Kentucky	2,225	0.058	0.056 - 0.061	1,305	0.070	0.066 - 0.074	919	0.047	0.044 - 0.050
Louisiana	1,657	0.060	0.057 - 0.063	948	0.070	0.065 - 0.074	710	0.050	0.047 - 0.054
Maine	823	0.065	0.061 - 0.070	470	0.076	0.070 - 0.083	353	0.055	0.049 - 0.061
Maryland	1,732	0.055	0.053 - 0.058	1,013	0.066	0.062 - 0.070	719	0.045	0.042 - 0.049
MI - Detroit	1,757	0.070	0.067 - 0.074	1,056	0.086	0.081 - 0.091	701	0.055	0.051 - 0.060
Minnesota	2,993	0.066	0.064 - 0.069	1,877	0.084	0.080 - 0.088	1,116	0.049	0.046 - 0.052
Mississippi	853	0.050	0.047 - 0.053	487	0.058	0.053 - 0.064	366	0.042	0.038 - 0.047
Missouri	2,610	0.053	0.051 - 0.055	1,560	0.064	0.061 - 0.068	1,050	0.042	0.039 - 0.045
Montana	605	0.065	0.060 - 0.071	384	0.082	0.074 - 0.091	221	0.048	0.042 - 0.055
Nebraska	798	0.052	0.049 - 0.056	465	0.061	0.056 - 0.067	333	0.043	0.039 - 0.048
New Hampshire	685	0.056	0.052 - 0.060	424	0.070	0.063 - 0.077	261	0.042	0.037 - 0.047
New Jersey	3,659	0.073	0.071 - 0.076	2,128	0.088	0.084 - 0.091	1,531	0.060	0.057 - 0.063
New Mexico	561	0.070	0.065 - 0.077	312	0.079	0.071 - 0.088	249	0.062	0.055 - 0.070
New York	9,376	0.085	0.083 - 0.087	5,574	0.103	0.100 - 0.106	3,802	0.067	0.065 - 0.070
North Carolina	4,159	0.063	0.061 - 0.065	2,446	0.076	0.073 - 0.079	1,713	0.051	0.048 - 0.053
North Dakota	396	0.061	0.055 - 0.068	239	0.073	0.064 - 0.082	157	0.050	0.042 - 0.058
Ohio	4,094	0.044	0.043 - 0.045	2,443	0.053	0.051 - 0.056	1,651	0.035	0.033 - 0.037
Oklahoma	1,402	0.052	0.049 - 0.055	822	0.062	0.058 - 0.066	580	0.042	0.039 - 0.046
Oregon	1,709	0.053	0.051 - 0.056	992	0.062	0.059 - 0.066	717	0.044	0.041 - 0.047
Pennsylvania	6,401	0.065	0.063 - 0.066	3,761	0.078	0.075 - 0.080	2,640	0.052	0.050 - 0.054
Rhode Island	508	0.066	0.060 - 0.072	298	0.080	0.071 - 0.089	210	0.052	0.045 - 0.060
South Carolina	1,681	0.052	0.049 - 0.054	990	0.062	0.058 - 0.066	691	0.041	0.038 - 0.045
South Dakota	495	0.068	0.062 - 0.075	283	0.078	0.069 - 0.087	212	0.059	0.051 - 0.067
Tennessee	2,726	0.054	0.052 - 0.056	1,590	0.064	0.061 - 0.068	1,136	0.044	0.042 - 0.047
Texas	7,612	0.063	0.061 - 0.064	4,483	0.074	0.072 - 0.077	3,129	0.051	0.049 - 0.053
Utah	1,113	0.045	0.042 - 0.047	682	0.055	0.051 - 0.059	431	0.035	0.032 - 0.038
Vermont	296	0.050	0.045 - 0.057	173	0.060	0.051 - 0.069	123	0.041	0.034 - 0.049
Washington	3,219	0.061	0.059 - 0.063	1,951	0.074	0.071 - 0.078	1,268	0.048	0.045 - 0.051
WA - Seattle	2,459	0.069	0.066 - 0.072	1,493	0.084	0.080 - 0.088	966	0.054	0.051 - 0.058
West Virginia	1,065	0.063	0.059 - 0.067	620	0.075	0.069 - 0.081	445	0.052	0.047 - 0.057
Wisconsin	3,476	0.073	0.071 - 0.076	2,141	0.091	0.087 - 0.095	1,335	0.056	0.053 - 0.059
Wyoming	241	0.049	0.043 - 0.056	145	0.058	0.049 - 0.068	96	0.040	0.032 - 0.048

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	3,655	0.002	0.002 - 0.002	2,503	0.003	0.002 - 0.003	1,152	0.001	0.001 - 0.001
Alabama	40	0.001	0.001 - 0.002	27	0.002	0.001 - 0.002	13	0.001	0.000 - 0.001
Alaska	12	0.003	0.001 - 0.004	-	-	-	-	-	-
Arizona	59	0.001	0.001 - 0.002	41	0.002	0.002 - 0.003	18	0.001	0.001 - 0.001
Arkansas	29	0.001	0.001 - 0.002	-	-	-	-	-	-
California	312	0.002	0.002 - 0.002	203	0.003	0.002 - 0.003	110	0.001	0.001 - 0.002
CA - Greater California	202	0.002	0.002 - 0.002	132	0.003	0.002 - 0.003	70	0.001	0.001 - 0.002
CA - Greater Bay Area	64	0.002	0.002 - 0.003	39	0.003	0.002 - 0.004	25	0.002	0.001 - 0.003
CA - Los Angeles	46	0.002	0.001 - 0.002	31	0.002	0.002 - 0.003	15	0.001	0.001 - 0.002
Colorado	57	0.001	0.001 - 0.002	36	0.002	0.001 - 0.003	21	0.001	0.001 - 0.002
Connecticut	42	0.002	0.001 - 0.002	-	-	-	-	-	-
Delaware	25	0.004	0.003 - 0.006	-	-	-	-	-	-
Florida	267	0.002	0.002 - 0.003	189	0.003	0.003 - 0.004	78	0.001	0.001 - 0.002
Georgia	65	0.001	0.001 - 0.001	54	0.002	0.001 - 0.003	11	0.000	0.000 - 0.001
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	34	0.002	0.002 - 0.003	21	0.003	0.002 - 0.004	13	0.002	0.001 - 0.003
Illinois	159	0.002	0.002 - 0.002	102	0.003	0.002 - 0.003	57	0.001	0.001 - 0.002
Iowa	48	0.002	0.001 - 0.002	32	0.002	0.002 - 0.003	16	0.001	0.001 - 0.002
Kansas	31	0.001	0.001 - 0.002	20	0.002	0.001 - 0.003	11	0.001	0.000 - 0.002
Kentucky	31	0.001	0.001 - 0.001	-	-	-	-	-	-
Louisiana	67	0.002	0.002 - 0.003	39	0.003	0.002 - 0.004	28	0.002	0.001 - 0.003
Maine	36	0.003	0.002 - 0.004	-	-	-	-	-	-
Maryland	69	0.002	0.002 - 0.003	49	0.003	0.002 - 0.004	20	0.001	0.001 - 0.002
MI - Detroit	44	0.002	0.001 - 0.002	29	0.002	0.002 - 0.003	15	0.001	0.001 - 0.002
Minnesota	98	0.002	0.002 - 0.003	65	0.003	0.002 - 0.004	33	0.001	0.001 - 0.002
Mississippi	31	0.002	0.001 - 0.003	20	0.002	0.001 - 0.004	11	0.001	0.001 - 0.002
Missouri	68	0.001	0.001 - 0.002	49	0.002	0.001 - 0.003	19	0.001	0.000 - 0.001
Montana	21	0.002	0.001 - 0.004	-	-	-	-	-	-
Nebraska	24	0.002	0.001 - 0.002	-	-	-	-	-	-
New Hampshire	21	0.002	0.001 - 0.003	-	-	-	-	-	-
New Jersey	131	0.003	0.002 - 0.003	90	0.004	0.003 - 0.005	41	0.002	0.001 - 0.002
New Mexico	12	0.002	0.001 - 0.003	-	-	-	-	-	-
New York	246	0.002	0.002 - 0.003	160	0.003	0.003 - 0.003	87	0.002	0.001 - 0.002
North Carolina	89	0.001	0.001 - 0.002	60	0.002	0.001 - 0.002	29	0.001	0.001 - 0.001
North Dakota	11	0.002	0.001 - 0.003	-	-	-	-	-	-
Ohio	165	0.002	0.002 - 0.002	118	0.003	0.002 - 0.003	47	0.001	0.001 - 0.001
Oklahoma	35	0.001	0.001 - 0.002	-	-	-	-	-	-
Oregon	54	0.002	0.001 - 0.002	43	0.003	0.002 - 0.004	11	0.001	0.000 - 0.001
Pennsylvania	226	0.002	0.002 - 0.003	157	0.003	0.003 - 0.004	69	0.001	0.001 - 0.002
Rhode Island	16	0.002	0.001 - 0.003	-	-	-	-	-	-
South Carolina	67	0.002	0.002 - 0.003	46	0.003	0.002 - 0.004	21	0.001	0.001 - 0.002
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	54	0.001	0.001 - 0.001	36	0.001	0.001 - 0.002	18	0.001	0.000 - 0.001
Texas	174	0.001	0.001 - 0.002	125	0.002	0.002 - 0.002	49	0.001	0.001 - 0.001
Utah	27	0.001	0.001 - 0.002	16	0.001	0.001 - 0.002	11	0.001	0.000 - 0.002
Vermont	12	0.002	0.001 - 0.004	-	-	-	-	-	-
Washington	100	0.002	0.002 - 0.002	75	0.003	0.002 - 0.004	25	0.001	0.001 - 0.001
WA - Seattle	71	0.002	0.002 - 0.003	49	0.003	0.002 - 0.004	22	0.001	0.001 - 0.002
West Virginia	30	0.002	0.001 - 0.003	20	0.002	0.001 - 0.004	10	0.001	0.001 - 0.002
Wisconsin	96	0.002	0.002 - 0.002	58	0.002	0.002 - 0.003	38	0.002	0.001 - 0.002
Wyoming	16	0.003	0.002 - 0.005	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	576,370	1.350	1.347 - 1.354	285,397	1.395	1.390 - 1.401	291,026	1.309	1.304 - 1.314
Alabama	18,369	1.393	1.373 - 1.414	9,285	1.515	1.484 - 1.546	9,084	1.288	1.262 - 1.315
Alaska	269	0.833	0.737 - 0.939	149	0.830	0.702 - 0.975	120	0.836	0.693 - 1.000
Arizona	2,980	0.858	0.827 - 0.889	1,539	0.857	0.814 - 0.900	1,441	0.859	0.815 - 0.904
Arkansas	6,394	1.333	1.300 - 1.366	3,340	1.462	1.413 - 1.513	3,054	1.215	1.172 - 1.259
California	33,181	1.360	1.345 - 1.375	16,591	1.367	1.347 - 1.388	16,591	1.353	1.332 - 1.373
CA - Greater California	13,755	1.202	1.182 - 1.222	7,108	1.205	1.177 - 1.233	6,647	1.199	1.170 - 1.228
CA - Greater Bay Area	7,028	1.575	1.538 - 1.612	3,582	1.617	1.564 - 1.671	3,446	1.534	1.483 - 1.586
CA - Los Angeles	12,425	1.463	1.437 - 1.489	5,914	1.472	1.434 - 1.510	6,511	1.455	1.419 - 1.490
Colorado	2,681	1.024	0.986 - 1.064	1,454	1.042	0.989 - 1.097	1,227	1.004	0.949 - 1.062
Connecticut	5,410	1.405	1.367 - 1.442	2,672	1.453	1.399 - 1.510	2,738	1.360	1.309 - 1.412
Delaware	3,356	1.530	1.479 - 1.583	1,656	1.599	1.523 - 1.678	1,700	1.468	1.399 - 1.540
Florida	39,795	1.175	1.164 - 1.187	19,567	1.201	1.185 - 1.218	20,228	1.151	1.135 - 1.167
Georgia	43,445	1.292	1.280 - 1.305	21,563	1.372	1.354 - 1.391	21,882	1.222	1.206 - 1.238
Hawaii	322	0.854	0.763 - 0.953	220	0.975	0.850 - 1.113	102	0.675	0.550 - 0.819
Idaho	89	0.490	0.393 - 0.604	59	0.579	0.441 - 0.748	30	0.377	0.254 - 0.538
Illinois	28,389	1.524	1.506 - 1.542	13,387	1.528	1.503 - 1.555	15,002	1.520	1.496 - 1.545
Iowa	1,151	0.836	0.788 - 0.885	630	0.863	0.797 - 0.933	521	0.805	0.737 - 0.877
Kansas	2,376	1.237	1.187 - 1.287	1,247	1.256	1.187 - 1.328	1,129	1.216	1.146 - 1.289
Kentucky	5,083	1.300	1.264 - 1.336	2,458	1.265	1.215 - 1.316	2,626	1.335	1.284 - 1.387
Louisiana	21,661	1.415	1.396 - 1.434	10,963	1.510	1.482 - 1.538	10,698	1.329	1.304 - 1.354
Maine	161	0.650	0.553 - 0.758	96	0.714	0.578 - 0.871	65	0.574	0.443 - 0.732
Maryland	27,602	1.491	1.473 - 1.508	13,261	1.535	1.509 - 1.561	14,341	1.452	1.428 - 1.476
MI - Detroit	15,600	1.591	1.567 - 1.617	7,618	1.691	1.654 - 1.730	7,983	1.506	1.474 - 1.540
Minnesota	3,309	0.825	0.797 - 0.854	1,736	0.849	0.810 - 0.890	1,573	0.800	0.761 - 0.841
Mississippi	15,837	1.399	1.378 - 1.421	8,274	1.555	1.522 - 1.589	7,563	1.261	1.233 - 1.290
Missouri	10,127	1.345	1.319 - 1.371	4,745	1.322	1.284 - 1.360	5,382	1.366	1.330 - 1.403
Montana	45	0.491	0.358 - 0.658	34	0.651	0.451 - 0.910	11	0.276	0.137 - 0.498
Nebraska	1,148	1.089	1.027 - 1.153	619	1.144	1.055 - 1.237	529	1.031	0.945 - 1.122
New Hampshire	153	0.667	0.565 - 0.781	89	0.698	0.561 - 0.859	64	0.627	0.483 - 0.801
New Jersey	18,542	1.556	1.534 - 1.579	8,988	1.597	1.564 - 1.630	9,554	1.520	1.490 - 1.551
New Mexico	477	1.036	0.945 - 1.134	286	1.106	0.981 - 1.241	191	0.947	0.818 - 1.092
New York	47,424	1.607	1.592 - 1.621	23,475	1.705	1.683 - 1.727	23,949	1.521	1.502 - 1.540
North Carolina	34,041	1.491	1.475 - 1.507	16,755	1.568	1.544 - 1.592	17,286	1.423	1.402 - 1.445
North Dakota	89	0.337	0.271 - 0.415	53	0.350	0.262 - 0.458	36	0.320	0.224 - 0.443
Ohio	20,643	1.314	1.296 - 1.332	10,045	1.332	1.306 - 1.358	10,598	1.298	1.273 - 1.323
Oklahoma	3,651	1.097	1.061 - 1.133	1,899	1.140	1.089 - 1.192	1,752	1.054	1.005 - 1.104
Oregon	1,046	1.012	0.952 - 1.076	596	1.079	0.994 - 1.169	450	0.936	0.851 - 1.027
Pennsylvania	21,262	1.448	1.428 - 1.467	10,067	1.423	1.395 - 1.451	11,195	1.471	1.444 - 1.499
Rhode Island	775	1.081	1.006 - 1.160	372	1.042	0.939 - 1.154	403	1.119	1.012 - 1.234
South Carolina	19,669	1.422	1.403 - 1.442	9,762	1.510	1.480 - 1.540	9,907	1.346	1.319 - 1.372
South Dakota	107	0.470	0.385 - 0.568	73	0.554	0.434 - 0.696	34	0.355	0.246 - 0.496
Tennessee	14,909	1.276	1.255 - 1.296	7,306	1.321	1.291 - 1.352	7,603	1.235	1.207 - 1.263
Texas	40,940	1.168	1.157 - 1.179	20,133	1.187	1.171 - 1.203	20,807	1.150	1.135 - 1.166
Utah	282	0.617	0.547 - 0.694	179	0.693	0.595 - 0.803	103	0.519	0.423 - 0.629
Vermont	60	0.593	0.453 - 0.763	36	0.638	0.447 - 0.883	24	0.537	0.344 - 0.799
Washington	3,536	0.983	0.951 - 1.016	1,924	0.999	0.955 - 1.045	1,612	0.965	0.918 - 1.013
WA - Seattle	3,371	1.077	1.041 - 1.114	1,847	1.111	1.061 - 1.163	1,523	1.039	0.987 - 1.092
West Virginia	1,009	1.390	1.305 - 1.478	584	1.496	1.377 - 1.622	425	1.267	1.149 - 1.393
Wisconsin	5,198	1.286	1.252 - 1.322	2,620	1.316	1.266 - 1.368	2,578	1.258	1.209 - 1.307
Wyoming	46	0.535	0.391 - 0.713	28	0.556	0.370 - 0.804	18	0.504	0.299 - 0.796

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,147	0.026	0.026 - 0.027	7,363	0.036	0.035 - 0.037	3,790	0.017	0.016 - 0.018
Alabama	334	0.025	0.023 - 0.028	211	0.034	0.030 - 0.039	123	0.017	0.014 - 0.021
Alaska	-	-	-	-	-	-	-	-	-
Arizona	42	0.012	0.009 - 0.016	-	-	-	-	-	-
Arkansas	142	0.030	0.025 - 0.035	84	0.037	0.029 - 0.046	58	0.023	0.018 - 0.030
California	688	0.028	0.026 - 0.030	493	0.041	0.037 - 0.044	195	0.016	0.014 - 0.018
CA - Greater California	276	0.024	0.021 - 0.027	194	0.033	0.028 - 0.038	82	0.015	0.012 - 0.018
CA - Greater Bay Area	153	0.034	0.029 - 0.040	115	0.052	0.043 - 0.062	38	0.017	0.012 - 0.023
CA - Los Angeles	260	0.031	0.027 - 0.035	183	0.046	0.039 - 0.053	76	0.017	0.013 - 0.021
Colorado	62	0.024	0.018 - 0.030	50	0.036	0.027 - 0.047	12	0.010	0.005 - 0.017
Connecticut	98	0.025	0.021 - 0.031	68	0.037	0.029 - 0.047	30	0.015	0.010 - 0.021
Delaware	52	0.024	0.018 - 0.031	30	0.029	0.020 - 0.041	22	0.019	0.012 - 0.029
Florida	750	0.022	0.021 - 0.024	490	0.030	0.027 - 0.033	260	0.015	0.013 - 0.017
Georgia	827	0.025	0.023 - 0.026	537	0.034	0.031 - 0.037	291	0.016	0.014 - 0.018
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	603	0.032	0.030 - 0.035	384	0.044	0.040 - 0.048	219	0.022	0.019 - 0.025
Iowa	28	0.020	0.013 - 0.029	-	-	-	-	-	-
Kansas	55	0.029	0.022 - 0.037	34	0.034	0.024 - 0.048	21	0.023	0.014 - 0.035
Kentucky	99	0.025	0.020 - 0.031	69	0.035	0.027 - 0.045	30	0.015	0.010 - 0.022
Louisiana	396	0.026	0.023 - 0.029	265	0.036	0.032 - 0.041	131	0.016	0.014 - 0.019
Maine	-	-	-	-	-	-	-	-	-
Maryland	461	0.025	0.023 - 0.027	286	0.033	0.029 - 0.037	175	0.018	0.015 - 0.021
MI - Detroit	327	0.033	0.030 - 0.037	217	0.048	0.042 - 0.055	110	0.021	0.017 - 0.025
Minnesota	82	0.020	0.016 - 0.025	48	0.023	0.017 - 0.031	34	0.017	0.012 - 0.024
Mississippi	333	0.029	0.026 - 0.033	225	0.042	0.037 - 0.048	108	0.018	0.015 - 0.022
Missouri	230	0.031	0.027 - 0.035	159	0.044	0.038 - 0.052	71	0.018	0.014 - 0.023
Montana	-	-	-	-	-	-	-	-	-
Nebraska	29	0.027	0.018 - 0.039	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	322	0.027	0.024 - 0.030	219	0.039	0.034 - 0.044	103	0.016	0.013 - 0.020
New Mexico	-	-	-	-	-	-	-	-	-
New York	807	0.027	0.025 - 0.029	498	0.036	0.033 - 0.039	308	0.020	0.017 - 0.022
North Carolina	683	0.030	0.028 - 0.032	454	0.042	0.039 - 0.047	229	0.019	0.016 - 0.021
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	427	0.027	0.025 - 0.030	285	0.038	0.034 - 0.042	142	0.017	0.015 - 0.020
Oklahoma	62	0.019	0.014 - 0.024	48	0.029	0.021 - 0.038	14	0.008	0.005 - 0.014
Oregon	19	0.018	0.011 - 0.029	-	-	-	-	-	-
Pennsylvania	459	0.031	0.028 - 0.034	291	0.041	0.037 - 0.046	168	0.022	0.019 - 0.026
Rhode Island	15	0.021	0.012 - 0.034	-	-	-	-	-	-
South Carolina	394	0.028	0.026 - 0.031	276	0.043	0.038 - 0.048	118	0.016	0.013 - 0.019
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	275	0.024	0.021 - 0.026	188	0.034	0.029 - 0.039	87	0.014	0.011 - 0.017
Texas	777	0.022	0.021 - 0.024	502	0.030	0.027 - 0.032	275	0.015	0.013 - 0.017
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	68	0.019	0.015 - 0.024	54	0.028	0.021 - 0.037	14	0.008	0.005 - 0.014
WA - Seattle	68	0.022	0.017 - 0.028	55	0.033	0.025 - 0.043	13	0.009	0.005 - 0.015
West Virginia	25	0.034	0.022 - 0.051	15	0.038	0.022 - 0.063	10	0.030	0.014 - 0.055
Wisconsin	101	0.025	0.020 - 0.030	61	0.031	0.023 - 0.039	40	0.020	0.014 - 0.027
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,206	0.005	0.005 - 0.005	1,402	0.007	0.006 - 0.007	806	0.004	0.003 - 0.004
Alabama	70	0.005	0.004 - 0.007	43	0.007	0.005 - 0.009	27	0.004	0.003 - 0.006
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	23	0.005	0.003 - 0.007	12	0.005	0.003 - 0.009	11	0.004	0.002 - 0.008
California	104	0.004	0.003 - 0.005	72	0.006	0.005 - 0.007	32	0.003	0.002 - 0.004
CA - Greater California	42	0.004	0.003 - 0.005	28	0.005	0.003 - 0.007	14	0.003	0.001 - 0.004
CA - Greater Bay Area	29	0.006	0.004 - 0.009	-	-	-	-	-	-
CA - Los Angeles	35	0.004	0.003 - 0.006	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	28	0.007	0.005 - 0.011	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
Florida	137	0.004	0.003 - 0.005	69	0.004	0.003 - 0.005	68	0.004	0.003 - 0.005
Georgia	169	0.005	0.004 - 0.006	116	0.007	0.006 - 0.009	53	0.003	0.002 - 0.004
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	117	0.006	0.005 - 0.008	76	0.009	0.007 - 0.011	41	0.004	0.003 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	25	0.006	0.004 - 0.009	-	-	-	-	-	-
Louisiana	92	0.006	0.005 - 0.007	59	0.008	0.006 - 0.010	33	0.004	0.003 - 0.006
Maine	-	-	-	-	-	-	-	-	-
Maryland	85	0.005	0.004 - 0.006	50	0.006	0.004 - 0.008	35	0.004	0.002 - 0.005
MI - Detroit	55	0.006	0.004 - 0.007	39	0.009	0.006 - 0.012	16	0.003	0.002 - 0.005
Minnesota	23	0.006	0.004 - 0.009	11	0.005	0.003 - 0.010	12	0.006	0.003 - 0.011
Mississippi	75	0.007	0.005 - 0.008	52	0.010	0.007 - 0.013	23	0.004	0.002 - 0.006
Missouri	44	0.006	0.004 - 0.008	27	0.008	0.005 - 0.011	17	0.004	0.003 - 0.007
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	71	0.006	0.005 - 0.008	44	0.008	0.006 - 0.011	27	0.004	0.003 - 0.006
New Mexico	-	-	-	-	-	-	-	-	-
New York	163	0.006	0.005 - 0.006	101	0.007	0.006 - 0.009	61	0.004	0.003 - 0.005
North Carolina	134	0.006	0.005 - 0.007	86	0.008	0.006 - 0.010	48	0.004	0.003 - 0.005
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	80	0.005	0.004 - 0.006	48	0.006	0.005 - 0.008	32	0.004	0.003 - 0.006
Oklahoma	11	0.003	0.002 - 0.006	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	102	0.007	0.006 - 0.008	59	0.008	0.006 - 0.011	43	0.006	0.004 - 0.008
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	89	0.006	0.005 - 0.008	63	0.010	0.007 - 0.012	26	0.004	0.002 - 0.005
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	56	0.005	0.004 - 0.006	38	0.007	0.005 - 0.009	18	0.003	0.002 - 0.005
Texas	142	0.004	0.003 - 0.005	97	0.006	0.005 - 0.007	45	0.002	0.002 - 0.003
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	19	0.005	0.003 - 0.008	-	-	-	-	-	-
WA - Seattle	17	0.005	0.003 - 0.009	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	27	0.007	0.004 - 0.010	15	0.008	0.004 - 0.012	12	0.006	0.003 - 0.010
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,480	0.020	0.019 - 0.020	4,406	0.022	0.021 - 0.022	4,077	0.018	0.018 - 0.019
Alabama	291	0.022	0.020 - 0.025	149	0.024	0.021 - 0.029	142	0.020	0.017 - 0.024
Alaska	-	-	-	-	-	-	-	-	-
Arizona	50	0.014	0.011 - 0.019	26	0.014	0.009 - 0.021	24	0.014	0.009 - 0.021
Arkansas	88	0.018	0.015 - 0.023	49	0.021	0.016 - 0.028	39	0.016	0.011 - 0.021
California	439	0.018	0.016 - 0.020	231	0.019	0.017 - 0.022	208	0.017	0.015 - 0.019
CA - Greater California	167	0.015	0.012 - 0.017	88	0.015	0.012 - 0.018	80	0.014	0.011 - 0.018
CA - Greater Bay Area	107	0.024	0.020 - 0.029	58	0.026	0.020 - 0.034	49	0.022	0.016 - 0.029
CA - Los Angeles	165	0.019	0.017 - 0.023	85	0.021	0.017 - 0.026	80	0.018	0.014 - 0.022
Colorado	34	0.013	0.009 - 0.018	24	0.017	0.011 - 0.026	10	0.008	0.004 - 0.015
Connecticut	90	0.023	0.019 - 0.029	50	0.027	0.020 - 0.036	40	0.020	0.014 - 0.027
Delaware	42	0.019	0.014 - 0.026	19	0.018	0.011 - 0.029	23	0.020	0.013 - 0.030
Florida	637	0.019	0.017 - 0.020	339	0.021	0.019 - 0.023	298	0.017	0.015 - 0.019
Georgia	541	0.016	0.015 - 0.018	283	0.018	0.016 - 0.020	258	0.014	0.013 - 0.016
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	466	0.025	0.023 - 0.027	217	0.025	0.022 - 0.028	249	0.025	0.022 - 0.029
Iowa	10	0.007	0.003 - 0.013	-	-	-	-	-	-
Kansas	25	0.013	0.008 - 0.019	14	0.014	0.008 - 0.024	11	0.012	0.006 - 0.021
Kentucky	76	0.019	0.015 - 0.024	32	0.016	0.011 - 0.023	44	0.022	0.016 - 0.030
Louisiana	319	0.021	0.019 - 0.023	170	0.023	0.020 - 0.027	150	0.019	0.016 - 0.022
Maine	-	-	-	-	-	-	-	-	-
Maryland	402	0.022	0.020 - 0.024	186	0.022	0.019 - 0.025	216	0.022	0.019 - 0.025
MI - Detroit	187	0.019	0.016 - 0.022	101	0.022	0.018 - 0.027	86	0.016	0.013 - 0.020
Minnesota	51	0.013	0.009 - 0.017	36	0.018	0.012 - 0.024	15	0.008	0.004 - 0.013
Mississippi	221	0.020	0.017 - 0.022	119	0.022	0.019 - 0.027	102	0.017	0.014 - 0.021
Missouri	137	0.018	0.015 - 0.022	68	0.019	0.015 - 0.024	69	0.018	0.014 - 0.022
Montana	-	-	-	-	-	-	-	-	-
Nebraska	13	0.012	0.007 - 0.021	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	264	0.022	0.020 - 0.025	113	0.020	0.016 - 0.024	152	0.024	0.020 - 0.028
New Mexico	-	-	-	-	-	-	-	-	-
New York	795	0.027	0.025 - 0.029	390	0.028	0.026 - 0.031	405	0.026	0.023 - 0.028
North Carolina	515	0.023	0.021 - 0.025	268	0.025	0.022 - 0.028	247	0.020	0.018 - 0.023
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	323	0.021	0.018 - 0.023	179	0.024	0.020 - 0.027	144	0.018	0.015 - 0.021
Oklahoma	49	0.015	0.011 - 0.019	22	0.013	0.008 - 0.020	27	0.016	0.011 - 0.024
Oregon	15	0.015	0.008 - 0.024	-	-	-	-	-	-
Pennsylvania	269	0.018	0.016 - 0.021	141	0.020	0.017 - 0.024	128	0.017	0.014 - 0.020
Rhode Island	16	0.022	0.013 - 0.036	-	-	-	-	-	-
South Carolina	317	0.023	0.020 - 0.026	169	0.026	0.022 - 0.030	148	0.020	0.017 - 0.024
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	207	0.018	0.015 - 0.020	106	0.019	0.016 - 0.023	101	0.016	0.013 - 0.020
Texas	626	0.018	0.016 - 0.019	359	0.021	0.019 - 0.023	267	0.015	0.013 - 0.017
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	50	0.014	0.010 - 0.018	28	0.015	0.010 - 0.021	22	0.013	0.008 - 0.020
WA - Seattle	51	0.016	0.012 - 0.021	28	0.017	0.011 - 0.024	23	0.015	0.010 - 0.023
West Virginia	12	0.017	0.009 - 0.029	-	-	-	-	-	-
Wisconsin	72	0.018	0.014 - 0.022	45	0.023	0.016 - 0.030	27	0.013	0.009 - 0.019
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	55,922	0.131	0.130 - 0.132	27,513	0.135	0.133 - 0.136	28,417	0.128	0.126 - 0.129
Alabama	1,982	0.150	0.144 - 0.157	936	0.153	0.143 - 0.163	1,046	0.148	0.139 - 0.158
Alaska	18	0.056	0.033 - 0.088	-	-	-	-	-	-
Arizona	258	0.074	0.065 - 0.084	123	0.068	0.057 - 0.082	135	0.080	0.067 - 0.095
Arkansas	655	0.137	0.126 - 0.147	336	0.147	0.132 - 0.164	319	0.127	0.113 - 0.142
California	3,194	0.131	0.126 - 0.135	1,573	0.130	0.123 - 0.136	1,621	0.132	0.126 - 0.139
CA - Greater California	1,312	0.115	0.109 - 0.121	680	0.115	0.107 - 0.124	633	0.114	0.105 - 0.123
CA - Greater Bay Area	668	0.150	0.139 - 0.162	326	0.147	0.131 - 0.164	343	0.152	0.137 - 0.170
CA - Los Angeles	1,215	0.143	0.135 - 0.151	567	0.141	0.130 - 0.153	647	0.145	0.134 - 0.156
Colorado	262	0.100	0.088 - 0.113	141	0.101	0.085 - 0.119	121	0.099	0.082 - 0.118
Connecticut	469	0.122	0.111 - 0.133	235	0.128	0.112 - 0.145	235	0.117	0.102 - 0.132
Delaware	313	0.143	0.127 - 0.159	163	0.157	0.134 - 0.184	150	0.130	0.110 - 0.152
Florida	3,704	0.109	0.106 - 0.113	1,866	0.115	0.109 - 0.120	1,838	0.105	0.100 - 0.110
Georgia	4,333	0.129	0.125 - 0.133	2,121	0.135	0.129 - 0.141	2,212	0.124	0.118 - 0.129
Hawaii	27	0.070	0.046 - 0.103	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	2,949	0.158	0.153 - 0.164	1,401	0.160	0.152 - 0.169	1,548	0.157	0.149 - 0.165
Iowa	101	0.073	0.060 - 0.089	59	0.081	0.062 - 0.104	42	0.065	0.047 - 0.088
Kansas	213	0.111	0.096 - 0.127	120	0.121	0.100 - 0.145	93	0.100	0.081 - 0.123
Kentucky	547	0.140	0.128 - 0.152	274	0.141	0.125 - 0.159	273	0.139	0.123 - 0.156
Louisiana	2,453	0.160	0.154 - 0.167	1,232	0.170	0.160 - 0.179	1,221	0.152	0.143 - 0.160
Maine	13	0.052	0.028 - 0.090	-	-	-	-	-	-
Maryland	2,375	0.128	0.123 - 0.134	1,118	0.129	0.122 - 0.137	1,257	0.127	0.120 - 0.135
MI - Detroit	1,588	0.162	0.154 - 0.170	788	0.175	0.163 - 0.188	800	0.151	0.141 - 0.162
Minnesota	290	0.072	0.064 - 0.081	162	0.079	0.068 - 0.092	128	0.065	0.054 - 0.077
Mississippi	1,906	0.168	0.161 - 0.176	976	0.183	0.172 - 0.195	930	0.155	0.145 - 0.165
Missouri	999	0.133	0.125 - 0.141	461	0.128	0.117 - 0.141	538	0.137	0.125 - 0.149
Montana	-	-	-	-	-	-	-	-	-
Nebraska	110	0.104	0.086 - 0.126	59	0.109	0.083 - 0.141	51	0.099	0.074 - 0.131
New Hampshire	15	0.065	0.037 - 0.108	-	-	-	-	-	-
New Jersey	1,749	0.147	0.140 - 0.154	801	0.142	0.133 - 0.152	949	0.151	0.141 - 0.161
New Mexico	37	0.080	0.056 - 0.110	22	0.085	0.053 - 0.129	15	0.074	0.041 - 0.122
New York	4,139	0.140	0.136 - 0.145	1,976	0.144	0.137 - 0.150	2,163	0.137	0.132 - 0.143
North Carolina	3,022	0.132	0.128 - 0.137	1,509	0.141	0.134 - 0.149	1,513	0.125	0.118 - 0.131
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,838	0.117	0.112 - 0.122	870	0.115	0.108 - 0.123	968	0.119	0.111 - 0.126
Oklahoma	364	0.109	0.098 - 0.121	187	0.112	0.097 - 0.129	177	0.106	0.091 - 0.123
Oregon	77	0.075	0.059 - 0.093	41	0.074	0.053 - 0.101	36	0.075	0.052 - 0.104
Pennsylvania	1,908	0.130	0.124 - 0.136	895	0.126	0.118 - 0.135	1,013	0.133	0.125 - 0.142
Rhode Island	51	0.071	0.053 - 0.094	24	0.067	0.043 - 0.100	27	0.075	0.049 - 0.109
South Carolina	1,918	0.139	0.133 - 0.145	952	0.147	0.138 - 0.157	966	0.131	0.123 - 0.140
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	1,514	0.130	0.123 - 0.136	736	0.133	0.124 - 0.143	778	0.126	0.118 - 0.136
Texas	4,338	0.124	0.120 - 0.127	2,182	0.129	0.123 - 0.134	2,156	0.119	0.114 - 0.124
Utah	23	0.050	0.032 - 0.075	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	314	0.087	0.078 - 0.098	172	0.089	0.076 - 0.104	142	0.085	0.072 - 0.100
WA - Seattle	299	0.096	0.085 - 0.107	166	0.100	0.085 - 0.116	133	0.091	0.076 - 0.107
West Virginia	87	0.120	0.096 - 0.148	43	0.110	0.080 - 0.148	44	0.131	0.095 - 0.176
Wisconsin	519	0.128	0.118 - 0.140	267	0.134	0.119 - 0.151	252	0.123	0.108 - 0.139
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,881	0.018	0.018 - 0.019	5,599	0.027	0.027 - 0.028	2,287	0.010	0.010 - 0.011
Alabama	163	0.012	0.011 - 0.014	108	0.018	0.014 - 0.021	55	0.008	0.006 - 0.010
Alaska	-	-	-	-	-	-	-	-	-
Arizona	36	0.010	0.007 - 0.014	-	-	-	-	-	-
Arkansas	77	0.016	0.013 - 0.020	58	0.025	0.019 - 0.033	19	0.008	0.005 - 0.012
California	564	0.023	0.021 - 0.025	420	0.035	0.031 - 0.038	144	0.012	0.010 - 0.014
CA - Greater California	238	0.021	0.018 - 0.024	175	0.030	0.025 - 0.034	63	0.011	0.009 - 0.014
CA - Greater Bay Area	151	0.034	0.029 - 0.040	123	0.056	0.046 - 0.066	28	0.012	0.008 - 0.018
CA - Los Angeles	175	0.021	0.018 - 0.024	121	0.030	0.025 - 0.036	54	0.012	0.009 - 0.016
Colorado	47	0.018	0.013 - 0.024	34	0.024	0.017 - 0.034	13	0.011	0.006 - 0.018
Connecticut	80	0.021	0.017 - 0.026	55	0.030	0.022 - 0.039	25	0.013	0.008 - 0.019
Delaware	53	0.024	0.018 - 0.032	35	0.034	0.024 - 0.047	18	0.016	0.009 - 0.025
Florida	421	0.012	0.011 - 0.014	280	0.017	0.015 - 0.019	141	0.008	0.007 - 0.009
Georgia	442	0.013	0.012 - 0.014	304	0.019	0.017 - 0.022	137	0.008	0.006 - 0.009
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	313	0.017	0.015 - 0.019	206	0.024	0.020 - 0.027	107	0.011	0.009 - 0.013
Iowa	34	0.025	0.017 - 0.034	-	-	-	-	-	-
Kansas	42	0.022	0.016 - 0.030	31	0.031	0.021 - 0.044	11	0.012	0.006 - 0.021
Kentucky	58	0.015	0.011 - 0.019	39	0.020	0.014 - 0.027	19	0.010	0.006 - 0.015
Louisiana	299	0.020	0.017 - 0.022	233	0.032	0.028 - 0.036	67	0.008	0.006 - 0.011
Maine	-	-	-	-	-	-	-	-	-
Maryland	399	0.022	0.019 - 0.024	278	0.032	0.029 - 0.036	121	0.012	0.010 - 0.015
MI - Detroit	221	0.023	0.020 - 0.026	157	0.035	0.030 - 0.041	63	0.012	0.009 - 0.015
Minnesota	111	0.028	0.023 - 0.033	79	0.039	0.031 - 0.048	32	0.016	0.011 - 0.023
Mississippi	135	0.012	0.010 - 0.014	92	0.017	0.014 - 0.021	43	0.007	0.005 - 0.010
Missouri	170	0.023	0.019 - 0.026	122	0.034	0.028 - 0.041	48	0.012	0.009 - 0.016
Montana	-	-	-	-	-	-	-	-	-
Nebraska	16	0.015	0.009 - 0.025	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	184	0.015	0.013 - 0.018	135	0.024	0.020 - 0.028	50	0.008	0.006 - 0.010
New Mexico	-	-	-	-	-	-	-	-	-
New York	667	0.023	0.021 - 0.024	469	0.034	0.031 - 0.037	199	0.013	0.011 - 0.015
North Carolina	371	0.016	0.015 - 0.018	245	0.023	0.020 - 0.026	126	0.010	0.009 - 0.012
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	305	0.019	0.017 - 0.022	225	0.030	0.026 - 0.034	80	0.010	0.008 - 0.012
Oklahoma	37	0.011	0.008 - 0.015	25	0.015	0.010 - 0.022	12	0.007	0.004 - 0.013
Oregon	34	0.033	0.023 - 0.046	-	-	-	-	-	-
Pennsylvania	483	0.033	0.030 - 0.036	353	0.050	0.045 - 0.055	130	0.017	0.014 - 0.020
Rhode Island	13	0.018	0.010 - 0.031	-	-	-	-	-	-
South Carolina	173	0.013	0.011 - 0.015	127	0.020	0.016 - 0.023	46	0.006	0.005 - 0.008
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	179	0.015	0.013 - 0.018	107	0.019	0.016 - 0.023	72	0.012	0.009 - 0.015
Texas	751	0.021	0.020 - 0.023	547	0.032	0.030 - 0.035	204	0.011	0.010 - 0.013
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	116	0.032	0.027 - 0.039	80	0.042	0.033 - 0.052	36	0.022	0.015 - 0.030
WA - Seattle	101	0.032	0.026 - 0.039	72	0.043	0.034 - 0.054	30	0.020	0.014 - 0.029
West Virginia	12	0.017	0.009 - 0.029	-	-	-	-	-	-
Wisconsin	105	0.026	0.021 - 0.031	87	0.044	0.035 - 0.054	18	0.009	0.005 - 0.014
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,997	0.016	0.016 - 0.017	3,029	0.015	0.014 - 0.015	3,968	0.018	0.017 - 0.018
Alabama	222	0.017	0.015 - 0.019	94	0.015	0.012 - 0.019	128	0.018	0.015 - 0.022
Alaska	-	-	-	-	-	-	-	-	-
Arizona	44	0.013	0.009 - 0.017	26	0.014	0.009 - 0.021	18	0.011	0.006 - 0.017
Arkansas	60	0.013	0.010 - 0.016	27	0.012	0.008 - 0.017	33	0.013	0.009 - 0.018
California	438	0.018	0.016 - 0.020	208	0.017	0.015 - 0.020	230	0.019	0.016 - 0.021
CA - Greater California	194	0.017	0.015 - 0.020	104	0.018	0.014 - 0.021	90	0.016	0.013 - 0.020
CA - Greater Bay Area	99	0.022	0.018 - 0.027	37	0.017	0.012 - 0.023	63	0.028	0.021 - 0.036
CA - Los Angeles	144	0.017	0.014 - 0.020	67	0.017	0.013 - 0.021	77	0.017	0.014 - 0.022
Colorado	29	0.011	0.007 - 0.016	15	0.011	0.006 - 0.018	14	0.011	0.006 - 0.019
Connecticut	68	0.018	0.014 - 0.022	34	0.019	0.013 - 0.026	34	0.017	0.012 - 0.024
Delaware	47	0.021	0.016 - 0.028	20	0.019	0.012 - 0.030	27	0.023	0.015 - 0.034
Florida	508	0.015	0.014 - 0.016	225	0.014	0.012 - 0.016	283	0.016	0.014 - 0.018
Georgia	506	0.015	0.014 - 0.016	216	0.014	0.012 - 0.016	290	0.016	0.014 - 0.018
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	376	0.020	0.018 - 0.022	160	0.018	0.016 - 0.021	216	0.022	0.019 - 0.025
Iowa	10	0.007	0.003 - 0.013	-	-	-	-	-	-
Kansas	36	0.019	0.013 - 0.026	17	0.017	0.010 - 0.027	19	0.020	0.012 - 0.032
Kentucky	67	0.017	0.013 - 0.022	25	0.013	0.008 - 0.019	42	0.021	0.015 - 0.029
Louisiana	221	0.014	0.013 - 0.016	91	0.012	0.010 - 0.015	130	0.016	0.013 - 0.019
Maine	-	-	-	-	-	-	-	-	-
Maryland	354	0.019	0.017 - 0.021	131	0.015	0.013 - 0.018	223	0.023	0.020 - 0.026
MI - Detroit	195	0.020	0.017 - 0.023	82	0.018	0.014 - 0.023	113	0.021	0.018 - 0.026
Minnesota	36	0.009	0.006 - 0.012	19	0.009	0.006 - 0.015	17	0.009	0.005 - 0.014
Mississippi	176	0.016	0.013 - 0.018	77	0.014	0.011 - 0.018	99	0.017	0.013 - 0.020
Missouri	148	0.020	0.017 - 0.023	72	0.020	0.016 - 0.025	76	0.019	0.015 - 0.024
Montana	-	-	-	-	-	-	-	-	-
Nebraska	15	0.014	0.008 - 0.023	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	221	0.019	0.016 - 0.021	103	0.018	0.015 - 0.022	119	0.019	0.016 - 0.023
New Mexico	-	-	-	-	-	-	-	-	-
New York	526	0.018	0.016 - 0.019	201	0.015	0.013 - 0.017	325	0.021	0.018 - 0.023
North Carolina	394	0.017	0.016 - 0.019	170	0.016	0.014 - 0.018	224	0.018	0.016 - 0.021
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	221	0.014	0.012 - 0.016	94	0.012	0.010 - 0.015	127	0.016	0.013 - 0.019
Oklahoma	39	0.012	0.008 - 0.016	19	0.011	0.007 - 0.018	20	0.012	0.007 - 0.019
Oregon	14	0.014	0.007 - 0.023	-	-	-	-	-	-
Pennsylvania	250	0.017	0.015 - 0.019	100	0.014	0.011 - 0.017	150	0.020	0.017 - 0.023
Rhode Island	12	0.017	0.009 - 0.029	-	-	-	-	-	-
South Carolina	248	0.018	0.016 - 0.020	97	0.015	0.012 - 0.018	151	0.021	0.017 - 0.024
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	179	0.015	0.013 - 0.018	74	0.013	0.011 - 0.017	105	0.017	0.014 - 0.021
Texas	532	0.015	0.014 - 0.017	234	0.014	0.012 - 0.016	298	0.016	0.015 - 0.018
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	48	0.013	0.010 - 0.018	34	0.018	0.012 - 0.025	14	0.008	0.005 - 0.014
WA - Seattle	47	0.015	0.011 - 0.020	32	0.019	0.013 - 0.027	15	0.010	0.006 - 0.017
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	66	0.016	0.013 - 0.021	30	0.015	0.010 - 0.022	36	0.018	0.012 - 0.024
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,555	0.013	0.013 - 0.013	4,429	0.022	0.021 - 0.022	1,131	0.005	0.005 - 0.005
Alabama	208	0.016	0.014 - 0.018	180	0.029	0.025 - 0.034	28	0.004	0.003 - 0.006
Alaska	-	-	-	-	-	-	-	-	-
Arizona	24	0.007	0.004 - 0.010	-	-	-	-	-	-
Arkansas	75	0.016	0.012 - 0.020	59	0.026	0.020 - 0.033	16	0.006	0.004 - 0.010
California	226	0.009	0.008 - 0.011	182	0.015	0.013 - 0.017	44	0.004	0.003 - 0.005
CA - Greater California	81	0.007	0.006 - 0.009	66	0.011	0.009 - 0.014	15	0.003	0.002 - 0.004
CA - Greater Bay Area	64	0.014	0.011 - 0.018	51	0.023	0.017 - 0.030	13	0.006	0.003 - 0.010
CA - Los Angeles	82	0.010	0.008 - 0.012	66	0.016	0.013 - 0.021	16	0.004	0.002 - 0.006
Colorado	18	0.007	0.004 - 0.011	-	-	-	-	-	-
Connecticut	57	0.015	0.011 - 0.019	45	0.025	0.018 - 0.033	12	0.006	0.003 - 0.010
Delaware	17	0.008	0.005 - 0.012	-	-	-	-	-	-
Florida	317	0.009	0.008 - 0.010	269	0.017	0.015 - 0.019	48	0.003	0.002 - 0.004
Georgia	442	0.013	0.012 - 0.014	372	0.024	0.021 - 0.026	70	0.004	0.003 - 0.005
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	312	0.017	0.015 - 0.019	245	0.028	0.025 - 0.032	67	0.007	0.005 - 0.009
Iowa	-	-	-	-	-	-	-	-	-
Kansas	17	0.009	0.005 - 0.014	-	-	-	-	-	-
Kentucky	57	0.015	0.011 - 0.019	40	0.021	0.015 - 0.028	17	0.009	0.005 - 0.014
Louisiana	280	0.018	0.016 - 0.021	226	0.031	0.027 - 0.035	54	0.007	0.005 - 0.009
Maine	-	-	-	-	-	-	-	-	-
Maryland	182	0.010	0.008 - 0.011	148	0.017	0.014 - 0.020	34	0.003	0.002 - 0.005
MI - Detroit	169	0.017	0.015 - 0.020	122	0.027	0.022 - 0.032	47	0.009	0.006 - 0.012
Minnesota	39	0.010	0.007 - 0.013	27	0.013	0.009 - 0.019	12	0.006	0.003 - 0.011
Mississippi	217	0.019	0.017 - 0.022	188	0.035	0.030 - 0.041	29	0.005	0.003 - 0.007
Missouri	130	0.017	0.014 - 0.021	98	0.027	0.022 - 0.033	32	0.008	0.006 - 0.011
Montana	-	-	-	-	-	-	-	-	-
Nebraska	10	0.009	0.005 - 0.017	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	142	0.012	0.010 - 0.014	104	0.019	0.015 - 0.022	37	0.006	0.004 - 0.008
New Mexico	-	-	-	-	-	-	-	-	-
New York	326	0.011	0.010 - 0.012	248	0.018	0.016 - 0.020	78	0.005	0.004 - 0.006
North Carolina	394	0.017	0.016 - 0.019	307	0.029	0.026 - 0.032	87	0.007	0.006 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	241	0.015	0.013 - 0.017	185	0.025	0.021 - 0.028	56	0.007	0.005 - 0.009
Oklahoma	29	0.009	0.006 - 0.013	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	194	0.013	0.011 - 0.015	145	0.020	0.017 - 0.024	49	0.006	0.005 - 0.009
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	260	0.019	0.017 - 0.021	220	0.034	0.030 - 0.039	40	0.005	0.004 - 0.007
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	153	0.013	0.011 - 0.015	113	0.020	0.017 - 0.025	40	0.006	0.005 - 0.009
Texas	371	0.011	0.010 - 0.012	298	0.018	0.016 - 0.020	73	0.004	0.003 - 0.005
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	34	0.009	0.007 - 0.013	-	-	-	-	-	-
WA - Seattle	32	0.010	0.007 - 0.014	-	-	-	-	-	-
West Virginia	10	0.014	0.007 - 0.025	-	-	-	-	-	-
Wisconsin	49	0.012	0.009 - 0.016	37	0.019	0.013 - 0.026	12	0.006	0.003 - 0.010
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	40,162	0.094	0.093 - 0.095	19,519	0.095	0.094 - 0.097	20,649	0.093	0.091 - 0.094
Alabama	1,109	0.084	0.079 - 0.089	638	0.104	0.096 - 0.112	471	0.067	0.061 - 0.073
Alaska	20	0.062	0.038 - 0.096	-	-	-	-	-	-
Arizona	219	0.063	0.055 - 0.072	108	0.060	0.049 - 0.073	111	0.066	0.054 - 0.080
Arkansas	497	0.104	0.095 - 0.113	275	0.120	0.107 - 0.136	222	0.088	0.077 - 0.101
California	2,127	0.087	0.083 - 0.091	966	0.080	0.075 - 0.085	1,161	0.095	0.089 - 0.100
CA - Greater California	830	0.073	0.068 - 0.078	370	0.063	0.056 - 0.069	460	0.083	0.076 - 0.091
CA - Greater Bay Area	507	0.114	0.104 - 0.124	246	0.111	0.098 - 0.126	261	0.116	0.102 - 0.131
CA - Los Angeles	789	0.093	0.086 - 0.100	349	0.087	0.078 - 0.096	440	0.098	0.089 - 0.108
Colorado	154	0.059	0.050 - 0.069	75	0.054	0.042 - 0.067	79	0.065	0.051 - 0.081
Connecticut	407	0.106	0.096 - 0.116	183	0.100	0.086 - 0.115	224	0.111	0.097 - 0.127
Delaware	228	0.104	0.091 - 0.118	102	0.099	0.080 - 0.120	126	0.109	0.091 - 0.130
Florida	2,292	0.068	0.065 - 0.071	1,115	0.068	0.064 - 0.073	1,177	0.067	0.063 - 0.071
Georgia	2,620	0.078	0.075 - 0.081	1,373	0.087	0.083 - 0.092	1,247	0.070	0.066 - 0.074
Hawaii	12	0.032	0.016 - 0.056	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	2,392	0.128	0.123 - 0.134	1,078	0.123	0.116 - 0.131	1,314	0.133	0.126 - 0.141
Iowa	85	0.062	0.050 - 0.077	46	0.063	0.046 - 0.084	39	0.061	0.043 - 0.083
Kansas	217	0.113	0.098 - 0.129	113	0.114	0.094 - 0.137	104	0.112	0.092 - 0.136
Kentucky	450	0.115	0.105 - 0.126	204	0.105	0.091 - 0.120	246	0.125	0.110 - 0.142
Louisiana	1,525	0.100	0.095 - 0.105	864	0.119	0.111 - 0.127	661	0.082	0.076 - 0.089
Maine	15	0.061	0.034 - 0.100	-	-	-	-	-	-
Maryland	1,838	0.099	0.095 - 0.104	748	0.087	0.080 - 0.093	1,090	0.110	0.104 - 0.117
MI - Detroit	1,208	0.123	0.116 - 0.130	551	0.122	0.112 - 0.133	657	0.124	0.115 - 0.134
Minnesota	250	0.062	0.055 - 0.071	115	0.056	0.046 - 0.068	135	0.069	0.058 - 0.081
Mississippi	1,219	0.108	0.102 - 0.114	696	0.131	0.121 - 0.141	523	0.087	0.080 - 0.095
Missouri	916	0.122	0.114 - 0.130	422	0.118	0.107 - 0.129	494	0.125	0.115 - 0.137
Montana	-	-	-	-	-	-	-	-	-
Nebraska	89	0.084	0.068 - 0.104	33	0.061	0.042 - 0.086	56	0.109	0.082 - 0.142
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	1,059	0.089	0.084 - 0.094	452	0.080	0.073 - 0.088	607	0.097	0.089 - 0.105
New Mexico	34	0.073	0.050 - 0.102	20	0.075	0.046 - 0.117	14	0.070	0.038 - 0.117
New York	2,814	0.095	0.092 - 0.099	1,270	0.092	0.087 - 0.097	1,544	0.098	0.093 - 0.103
North Carolina	2,533	0.111	0.107 - 0.115	1,321	0.124	0.117 - 0.130	1,212	0.100	0.094 - 0.106
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,788	0.114	0.109 - 0.119	818	0.108	0.101 - 0.116	970	0.119	0.111 - 0.126
Oklahoma	241	0.072	0.064 - 0.082	137	0.082	0.069 - 0.097	104	0.063	0.051 - 0.076
Oregon	81	0.078	0.062 - 0.097	46	0.083	0.061 - 0.111	35	0.073	0.051 - 0.101
Pennsylvania	1,930	0.131	0.126 - 0.137	777	0.110	0.102 - 0.118	1,153	0.152	0.143 - 0.161
Rhode Island	75	0.105	0.082 - 0.131	38	0.106	0.075 - 0.146	37	0.103	0.072 - 0.142
South Carolina	1,401	0.101	0.096 - 0.107	748	0.116	0.108 - 0.124	653	0.089	0.082 - 0.096
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	1,109	0.095	0.089 - 0.101	543	0.098	0.090 - 0.107	566	0.092	0.084 - 0.100
Texas	2,652	0.076	0.073 - 0.079	1,357	0.080	0.076 - 0.084	1,295	0.072	0.068 - 0.076
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	221	0.061	0.054 - 0.070	108	0.056	0.046 - 0.068	113	0.068	0.056 - 0.081
WA - Seattle	214	0.068	0.060 - 0.078	105	0.063	0.052 - 0.076	109	0.074	0.061 - 0.090
West Virginia	89	0.123	0.098 - 0.151	57	0.146	0.111 - 0.189	32	0.095	0.065 - 0.135
Wisconsin	456	0.113	0.103 - 0.124	224	0.113	0.098 - 0.128	232	0.113	0.099 - 0.129
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,332	0.003	0.003 - 0.003	612	0.003	0.003 - 0.003	719	0.003	0.003 - 0.003
Alabama	44	0.003	0.002 - 0.004	20	0.003	0.002 - 0.005	24	0.003	0.002 - 0.005
Alaska	-	-	-	-	-	-	-	-	-
Arizona	17	0.005	0.003 - 0.008	-	-	-	-	-	-
Arkansas	21	0.004	0.003 - 0.007	-	-	-	-	-	-
California	90	0.004	0.003 - 0.005	47	0.004	0.003 - 0.005	43	0.004	0.003 - 0.005
CA - Greater California	41	0.004	0.003 - 0.005	19	0.003	0.002 - 0.005	22	0.004	0.002 - 0.006
CA - Greater Bay Area	19	0.004	0.003 - 0.007	-	-	-	-	-	-
CA - Los Angeles	31	0.004	0.002 - 0.005	17	0.004	0.002 - 0.007	14	0.003	0.002 - 0.005
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Delaware	12	0.005	0.003 - 0.010	-	-	-	-	-	-
Florida	133	0.004	0.003 - 0.005	74	0.005	0.004 - 0.006	59	0.003	0.003 - 0.004
Georgia	100	0.003	0.002 - 0.004	46	0.003	0.002 - 0.004	54	0.003	0.002 - 0.004
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	45	0.002	0.002 - 0.003	18	0.002	0.001 - 0.003	27	0.003	0.002 - 0.004
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Louisiana	52	0.003	0.003 - 0.004	21	0.003	0.002 - 0.004	31	0.004	0.003 - 0.005
Maine	-	-	-	-	-	-	-	-	-
Maryland	69	0.004	0.003 - 0.005	37	0.004	0.003 - 0.006	32	0.003	0.002 - 0.005
MI - Detroit	28	0.003	0.002 - 0.004	10	0.002	0.001 - 0.004	18	0.003	0.002 - 0.005
Minnesota	13	0.003	0.002 - 0.006	-	-	-	-	-	-
Mississippi	35	0.003	0.002 - 0.004	16	0.003	0.002 - 0.005	19	0.003	0.002 - 0.005
Missouri	15	0.002	0.001 - 0.003	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	44	0.004	0.003 - 0.005	21	0.004	0.002 - 0.006	23	0.004	0.002 - 0.005
New Mexico	-	-	-	-	-	-	-	-	-
New York	108	0.004	0.003 - 0.004	44	0.003	0.002 - 0.004	64	0.004	0.003 - 0.005
North Carolina	66	0.003	0.002 - 0.004	32	0.003	0.002 - 0.004	34	0.003	0.002 - 0.004
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	34	0.002	0.001 - 0.003	15	0.002	0.001 - 0.003	19	0.002	0.001 - 0.004
Oklahoma	10	0.003	0.001 - 0.006	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	40	0.003	0.002 - 0.004	17	0.002	0.001 - 0.004	23	0.003	0.002 - 0.005
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	29	0.002	0.001 - 0.003	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	22	0.002	0.001 - 0.003	-	-	-	-	-	-
Texas	96	0.003	0.002 - 0.003	43	0.003	0.002 - 0.003	53	0.003	0.002 - 0.004
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	13	0.004	0.002 - 0.006	-	-	-	-	-	-
WA - Seattle	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined ¹	-	-		-	-		117,547	0.529	0.526 - 0.532
Alabama	-	-		-	-		3,904	0.553	0.536 - 0.571
Alaska	-	-		-	-		45	0.314	0.229 - 0.420
Arizona	-	-		-	-		604	0.360	0.332 - 0.390
Arkansas	-	-		-	-		1,214	0.483	0.456 - 0.511
California	-	-		-	-		7,008	0.571	0.558 - 0.585
CA - Greater California	-	-		-	-		2,800	0.505	0.487 - 0.524
CA - Greater Bay Area	-	-		-	-		1,400	0.623	0.591 - 0.657
CA - Los Angeles	-	-		-	-		2,810	0.628	0.605 - 0.651
Colorado	-	-		-	-		513	0.420	0.384 - 0.458
Connecticut	-	-		-	-		1,097	0.545	0.513 - 0.578
Delaware	-	-		-	-		693	0.599	0.555 - 0.645
Florida	-	-		-	-		7,641	0.435	0.425 - 0.445
Georgia	-	-		-	-		9,167	0.512	0.502 - 0.523
Hawaii	-	-		-	-		44	0.291	0.211 - 0.391
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		6,063	0.614	0.599 - 0.630
Iowa	-	-		-	-		166	0.256	0.218 - 0.298
Kansas	-	-		-	-		438	0.472	0.428 - 0.518
Kentucky	-	-		-	-		956	0.486	0.456 - 0.518
Louisiana	-	-		-	-		4,447	0.552	0.536 - 0.569
Maine	-	-		-	-		23	0.203	0.129 - 0.305
Maryland	-	-		-	-		6,094	0.617	0.602 - 0.633
MI - Detroit	-	-		-	-		3,200	0.604	0.583 - 0.625
Minnesota	-	-		-	-		549	0.279	0.256 - 0.304
Mississippi	-	-		-	-		2,995	0.499	0.482 - 0.518
Missouri	-	-		-	-		2,169	0.551	0.528 - 0.574
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		176	0.343	0.294 - 0.397
New Hampshire	-	-		-	-		25	0.245	0.159 - 0.362
New Jersey	-	-		-	-		3,870	0.616	0.597 - 0.635
New Mexico	-	-		-	-		80	0.397	0.315 - 0.494
New York	-	-		-	-		9,263	0.588	0.576 - 0.600
North Carolina	-	-		-	-		7,350	0.605	0.591 - 0.619
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		4,271	0.523	0.507 - 0.539
Oklahoma	-	-		-	-		720	0.433	0.402 - 0.466
Oregon	-	-		-	-		179	0.372	0.320 - 0.431
Pennsylvania	-	-		-	-		4,160	0.547	0.530 - 0.563
Rhode Island	-	-		-	-		165	0.458	0.391 - 0.534
South Carolina	-	-		-	-		4,181	0.568	0.551 - 0.585
South Dakota	-	-		-	-		13	0.136	0.072 - 0.232
Tennessee	-	-		-	-		3,082	0.500	0.483 - 0.518
Texas	-	-		-	-		8,354	0.462	0.452 - 0.472
Utah	-	-		-	-		34	0.170	0.117 - 0.238
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		614	0.367	0.339 - 0.398
WA - Seattle	-	-		-	-		591	0.403	0.371 - 0.436
West Virginia	-	-		-	-		172	0.513	0.439 - 0.595
Wisconsin	-	-		-	-		962	0.469	0.440 - 0.500
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		6,552	0.029	0.029 - 0.030
Alabama	-	-		-	-		231	0.033	0.029 - 0.037
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		30	0.018	0.012 - 0.026
Arkansas	-	-		-	-		67	0.027	0.021 - 0.034
California	-	-		-	-		282	0.023	0.020 - 0.026
CA - Greater California	-	-		-	-		123	0.022	0.018 - 0.026
CA - Greater Bay Area	-	-		-	-		48	0.022	0.016 - 0.029
CA - Los Angeles	-	-		-	-		111	0.025	0.020 - 0.030
Colorado	-	-		-	-		26	0.021	0.014 - 0.031
Connecticut	-	-		-	-		47	0.023	0.017 - 0.031
Delaware	-	-		-	-		34	0.029	0.020 - 0.041
Florida	-	-		-	-		628	0.036	0.033 - 0.039
Georgia	-	-		-	-		445	0.025	0.023 - 0.027
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		370	0.037	0.034 - 0.042
Iowa	-	-		-	-		13	0.020	0.011 - 0.034
Kansas	-	-		-	-		18	0.019	0.011 - 0.031
Kentucky	-	-		-	-		56	0.028	0.021 - 0.037
Louisiana	-	-		-	-		272	0.034	0.030 - 0.038
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		241	0.024	0.021 - 0.028
MI - Detroit	-	-		-	-		138	0.026	0.022 - 0.031
Minnesota	-	-		-	-		39	0.020	0.014 - 0.027
Mississippi	-	-		-	-		191	0.032	0.027 - 0.037
Missouri	-	-		-	-		105	0.027	0.022 - 0.032
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		16	0.031	0.018 - 0.051
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		213	0.034	0.029 - 0.039
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		590	0.037	0.035 - 0.041
North Carolina	-	-		-	-		334	0.027	0.025 - 0.031
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		227	0.028	0.024 - 0.032
Oklahoma	-	-		-	-		29	0.017	0.012 - 0.025
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		256	0.034	0.030 - 0.038
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		216	0.029	0.026 - 0.034
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		184	0.030	0.026 - 0.035
Texas	-	-		-	-		505	0.028	0.026 - 0.030
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		35	0.021	0.015 - 0.029
WA - Seattle	-	-		-	-		32	0.022	0.015 - 0.031
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		74	0.036	0.028 - 0.045
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		22,441	0.101	0.100 - 0.102
Alabama	-	-		-	-		579	0.082	0.076 - 0.089
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		95	0.057	0.046 - 0.069
Arkansas	-	-		-	-		226	0.090	0.079 - 0.102
California	-	-		-	-		1,377	0.112	0.106 - 0.118
CA - Greater California	-	-		-	-		484	0.087	0.080 - 0.095
CA - Greater Bay Area	-	-		-	-		305	0.136	0.121 - 0.152
CA - Los Angeles	-	-		-	-		588	0.131	0.121 - 0.143
Colorado	-	-		-	-		86	0.070	0.056 - 0.087
Connecticut	-	-		-	-		221	0.110	0.096 - 0.125
Delaware	-	-		-	-		127	0.110	0.091 - 0.131
Florida	-	-		-	-		1,711	0.097	0.093 - 0.102
Georgia	-	-		-	-		1,603	0.090	0.085 - 0.094
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		1,202	0.122	0.115 - 0.129
Iowa	-	-		-	-		45	0.069	0.051 - 0.093
Kansas	-	-		-	-		71	0.076	0.060 - 0.096
Kentucky	-	-		-	-		185	0.094	0.081 - 0.109
Louisiana	-	-		-	-		666	0.083	0.077 - 0.089
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		1,147	0.116	0.110 - 0.123
MI - Detroit	-	-		-	-		624	0.118	0.109 - 0.127
Minnesota	-	-		-	-		130	0.066	0.055 - 0.079
Mississippi	-	-		-	-		540	0.090	0.083 - 0.098
Missouri	-	-		-	-		390	0.099	0.089 - 0.109
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		30	0.058	0.039 - 0.083
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		817	0.130	0.121 - 0.139
New Mexico	-	-		-	-		14	0.070	0.038 - 0.117
New York	-	-		-	-		2,211	0.140	0.135 - 0.146
North Carolina	-	-		-	-		1,283	0.106	0.100 - 0.112
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		791	0.097	0.090 - 0.104
Oklahoma	-	-		-	-		127	0.076	0.064 - 0.091
Oregon	-	-		-	-		34	0.071	0.049 - 0.099
Pennsylvania	-	-		-	-		861	0.113	0.106 - 0.121
Rhode Island	-	-		-	-		27	0.075	0.049 - 0.109
South Carolina	-	-		-	-		808	0.110	0.102 - 0.118
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		554	0.090	0.083 - 0.098
Texas	-	-		-	-		1,414	0.078	0.074 - 0.082
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		116	0.069	0.057 - 0.083
WA - Seattle	-	-		-	-		109	0.074	0.061 - 0.090
West Virginia	-	-		-	-		33	0.098	0.068 - 0.138
Wisconsin	-	-		-	-		186	0.091	0.078 - 0.105
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		5,566	0.025	0.024 - 0.026
Alabama	-	-		-	-		201	0.028	0.025 - 0.033
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		33	0.020	0.014 - 0.028
Arkansas	-	-		-	-		56	0.022	0.017 - 0.029
California	-	-		-	-		346	0.028	0.025 - 0.031
CA - Greater California	-	-		-	-		147	0.026	0.022 - 0.031
CA - Greater Bay Area	-	-		-	-		78	0.035	0.028 - 0.043
CA - Los Angeles	-	-		-	-		122	0.027	0.023 - 0.032
Colorado	-	-		-	-		16	0.013	0.007 - 0.021
Connecticut	-	-		-	-		53	0.026	0.020 - 0.034
Delaware	-	-		-	-		26	0.022	0.015 - 0.033
Florida	-	-		-	-		436	0.025	0.023 - 0.027
Georgia	-	-		-	-		451	0.025	0.023 - 0.028
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		290	0.029	0.026 - 0.033
Iowa	-	-		-	-		11	0.017	0.008 - 0.030
Kansas	-	-		-	-		16	0.017	0.010 - 0.028
Kentucky	-	-		-	-		36	0.018	0.013 - 0.025
Louisiana	-	-		-	-		186	0.023	0.020 - 0.027
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		251	0.025	0.022 - 0.029
MI - Detroit	-	-		-	-		148	0.028	0.024 - 0.033
Minnesota	-	-		-	-		31	0.016	0.011 - 0.022
Mississippi	-	-		-	-		138	0.023	0.019 - 0.027
Missouri	-	-		-	-		74	0.019	0.015 - 0.024
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		195	0.031	0.027 - 0.036
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		489	0.031	0.028 - 0.034
North Carolina	-	-		-	-		283	0.023	0.021 - 0.026
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		187	0.023	0.020 - 0.026
Oklahoma	-	-		-	-		30	0.018	0.012 - 0.026
Oregon	-	-		-	-		10	0.021	0.010 - 0.038
Pennsylvania	-	-		-	-		199	0.026	0.023 - 0.030
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		164	0.022	0.019 - 0.026
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		147	0.024	0.020 - 0.028
Texas	-	-		-	-		441	0.024	0.022 - 0.027
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		23	0.014	0.009 - 0.021
WA - Seattle	-	-		-	-		25	0.017	0.011 - 0.025
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		55	0.027	0.020 - 0.035
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		141,100	0.690	0.686 - 0.694	-	-	
Alabama	-	-		4,874	0.795	0.773 - 0.818	-	-	
Alaska	-	-		65	0.362	0.280 - 0.462	-	-	
Arizona	-	-		694	0.386	0.358 - 0.416	-	-	
Arkansas	-	-		1,697	0.743	0.708 - 0.779	-	-	
California	-	-		7,836	0.646	0.632 - 0.660	-	-	
CA - Greater California	-	-		3,404	0.577	0.558 - 0.597	-	-	
CA - Greater Bay Area	-	-		1,627	0.734	0.699 - 0.771	-	-	
CA - Los Angeles	-	-		2,804	0.698	0.672 - 0.724	-	-	
Colorado	-	-		649	0.465	0.430 - 0.502	-	-	
Connecticut	-	-		1,248	0.679	0.642 - 0.717	-	-	
Delaware	-	-		888	0.858	0.802 - 0.916	-	-	
Florida	-	-		9,742	0.598	0.586 - 0.610	-	-	
Georgia	-	-		11,150	0.710	0.697 - 0.723	-	-	
Hawaii	-	-		108	0.480	0.394 - 0.579	-	-	
Idaho	-	-		32	0.317	0.217 - 0.447	-	-	
Illinois	-	-		6,434	0.735	0.717 - 0.753	-	-	
Iowa	-	-		270	0.370	0.327 - 0.417	-	-	
Kansas	-	-		547	0.551	0.506 - 0.599	-	-	
Kentucky	-	-		1,105	0.569	0.536 - 0.603	-	-	
Louisiana	-	-		5,312	0.732	0.712 - 0.752	-	-	
Maine	-	-		35	0.260	0.181 - 0.362	-	-	
Maryland	-	-		7,170	0.830	0.811 - 0.849	-	-	
MI - Detroit	-	-		3,648	0.810	0.784 - 0.837	-	-	
Minnesota	-	-		728	0.356	0.331 - 0.383	-	-	
Mississippi	-	-		4,186	0.787	0.763 - 0.811	-	-	
Missouri	-	-		2,047	0.570	0.546 - 0.595	-	-	
Montana	-	-		16	0.307	0.175 - 0.498	-	-	
Nebraska	-	-		317	0.586	0.523 - 0.654	-	-	
New Hampshire	-	-		47	0.369	0.271 - 0.490	-	-	
New Jersey	-	-		4,864	0.864	0.840 - 0.889	-	-	
New Mexico	-	-		144	0.555	0.468 - 0.654	-	-	
New York	-	-		12,718	0.923	0.908 - 0.940	-	-	
North Carolina	-	-		8,320	0.779	0.762 - 0.795	-	-	
North Dakota	-	-		25	0.165	0.107 - 0.244	-	-	
Ohio	-	-		4,812	0.638	0.620 - 0.656	-	-	
Oklahoma	-	-		936	0.562	0.526 - 0.599	-	-	
Oregon	-	-		275	0.498	0.441 - 0.560	-	-	
Pennsylvania	-	-		4,486	0.634	0.616 - 0.653	-	-	
Rhode Island	-	-		159	0.445	0.379 - 0.520	-	-	
South Carolina	-	-		4,966	0.768	0.747 - 0.790	-	-	
South Dakota	-	-		27	0.205	0.135 - 0.298	-	-	
Tennessee	-	-		3,679	0.665	0.644 - 0.687	-	-	
Texas	-	-		9,122	0.538	0.527 - 0.549	-	-	
Utah	-	-		84	0.323	0.257 - 0.400	-	-	
Vermont	-	-		20	0.354	0.216 - 0.547	-	-	
Washington	-	-		828	0.430	0.401 - 0.460	-	-	
WA - Seattle	-	-		813	0.489	0.456 - 0.524	-	-	
West Virginia	-	-		293	0.750	0.667 - 0.841	-	-	
Wisconsin	-	-		1,166	0.586	0.553 - 0.620	-	-	
Wyoming	-	-		13	0.258	0.138 - 0.442	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		1,350	0.007	0.006 - 0.007	-	-	
Alabama	-	-		33	0.005	0.004 - 0.008	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		13	0.006	0.003 - 0.010	-	-	
California	-	-		91	0.007	0.006 - 0.009	-	-	
CA - Greater California	-	-		47	0.008	0.006 - 0.011	-	-	
CA - Greater Bay Area	-	-		20	0.009	0.006 - 0.014	-	-	
CA - Los Angeles	-	-		24	0.006	0.004 - 0.009	-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		12	0.007	0.003 - 0.011	-	-	
Delaware	-	-		-	-		-	-	
Florida	-	-		71	0.004	0.003 - 0.005	-	-	
Georgia	-	-		106	0.007	0.006 - 0.008	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		58	0.007	0.005 - 0.009	-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		13	0.007	0.004 - 0.011	-	-	
Louisiana	-	-		52	0.007	0.005 - 0.009	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		56	0.006	0.005 - 0.008	-	-	
MI - Detroit	-	-		35	0.008	0.005 - 0.011	-	-	
Minnesota	-	-		11	0.005	0.003 - 0.010	-	-	
Mississippi	-	-		40	0.008	0.005 - 0.010	-	-	
Missouri	-	-		28	0.008	0.005 - 0.011	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		48	0.009	0.006 - 0.011	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		124	0.009	0.008 - 0.011	-	-	
North Carolina	-	-		81	0.008	0.006 - 0.009	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		42	0.006	0.004 - 0.008	-	-	
Oklahoma	-	-		10	0.006	0.003 - 0.011	-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		48	0.007	0.005 - 0.009	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		32	0.005	0.003 - 0.007	-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		41	0.007	0.005 - 0.010	-	-	
Texas	-	-		93	0.005	0.004 - 0.007	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		13	0.007	0.004 - 0.012	-	-	
WA - Seattle	-	-		10	0.006	0.003 - 0.011	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		12	0.006	0.003 - 0.011	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	13,884	0.033	0.032 - 0.033	9,727	0.048	0.047 - 0.049	4,168	0.019	0.018 - 0.019
Alabama	429	0.033	0.030 - 0.036	289	0.047	0.042 - 0.053	140	0.020	0.017 - 0.023
Alaska	10	0.031	0.015 - 0.057	-	-	-	-	-	-
Arizona	82	0.024	0.019 - 0.029	54	0.030	0.023 - 0.039	28	0.017	0.011 - 0.024
Arkansas	145	0.030	0.026 - 0.036	97	0.042	0.034 - 0.052	48	0.019	0.014 - 0.025
California	931	0.038	0.036 - 0.041	695	0.057	0.053 - 0.062	236	0.019	0.017 - 0.022
CA - Greater California	390	0.034	0.031 - 0.038	298	0.051	0.045 - 0.057	92	0.017	0.013 - 0.020
CA - Greater Bay Area	182	0.041	0.035 - 0.047	134	0.060	0.051 - 0.072	48	0.021	0.016 - 0.028
CA - Los Angeles	360	0.042	0.038 - 0.047	263	0.066	0.058 - 0.074	97	0.022	0.018 - 0.026
Colorado	71	0.027	0.021 - 0.034	57	0.041	0.031 - 0.053	14	0.011	0.006 - 0.019
Connecticut	120	0.031	0.026 - 0.037	83	0.045	0.036 - 0.056	37	0.018	0.013 - 0.025
Delaware	103	0.047	0.038 - 0.057	71	0.069	0.054 - 0.086	32	0.028	0.019 - 0.039
Florida	787	0.023	0.022 - 0.025	560	0.034	0.032 - 0.037	227	0.013	0.011 - 0.015
Georgia	890	0.026	0.025 - 0.028	599	0.038	0.035 - 0.041	291	0.016	0.014 - 0.018
Hawaii	17	0.045	0.026 - 0.072	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	692	0.037	0.034 - 0.040	506	0.058	0.053 - 0.063	186	0.019	0.016 - 0.022
Iowa	23	0.017	0.011 - 0.025	-	-	-	-	-	-
Kansas	68	0.035	0.027 - 0.045	52	0.052	0.039 - 0.069	16	0.017	0.010 - 0.028
Kentucky	114	0.029	0.024 - 0.035	84	0.043	0.034 - 0.054	30	0.015	0.010 - 0.022
Louisiana	495	0.032	0.030 - 0.035	366	0.050	0.045 - 0.056	129	0.016	0.013 - 0.019
Maine	-	-	-	-	-	-	-	-	-
Maryland	709	0.038	0.036 - 0.041	476	0.055	0.050 - 0.060	233	0.024	0.021 - 0.027
MI - Detroit	433	0.044	0.040 - 0.049	296	0.066	0.059 - 0.074	137	0.026	0.022 - 0.031
Minnesota	72	0.018	0.014 - 0.023	53	0.026	0.019 - 0.034	19	0.010	0.006 - 0.015
Mississippi	336	0.030	0.027 - 0.033	253	0.048	0.042 - 0.054	83	0.014	0.011 - 0.017
Missouri	281	0.037	0.033 - 0.042	190	0.053	0.046 - 0.061	91	0.023	0.019 - 0.028
Montana	-	-	-	-	-	-	-	-	-
Nebraska	33	0.031	0.022 - 0.044	20	0.037	0.023 - 0.057	13	0.025	0.013 - 0.043
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	464	0.039	0.035 - 0.043	317	0.056	0.050 - 0.063	147	0.023	0.020 - 0.028
New Mexico	14	0.030	0.017 - 0.051	-	-	-	-	-	-
New York	1,125	0.038	0.036 - 0.040	781	0.057	0.053 - 0.061	344	0.022	0.020 - 0.024
North Carolina	872	0.038	0.036 - 0.041	579	0.054	0.050 - 0.059	293	0.024	0.021 - 0.027
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	575	0.037	0.034 - 0.040	395	0.052	0.047 - 0.058	180	0.022	0.019 - 0.026
Oklahoma	117	0.035	0.029 - 0.042	85	0.051	0.041 - 0.063	32	0.019	0.013 - 0.027
Oregon	28	0.027	0.018 - 0.039	16	0.029	0.017 - 0.047	12	0.025	0.013 - 0.044
Pennsylvania	626	0.043	0.039 - 0.046	442	0.062	0.057 - 0.069	184	0.024	0.021 - 0.028
Rhode Island	22	0.031	0.019 - 0.046	-	-	-	-	-	-
South Carolina	444	0.032	0.029 - 0.035	282	0.044	0.039 - 0.049	162	0.022	0.019 - 0.026
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	322	0.028	0.025 - 0.031	222	0.040	0.035 - 0.046	100	0.016	0.013 - 0.020
Texas	836	0.024	0.022 - 0.026	603	0.036	0.033 - 0.039	233	0.013	0.011 - 0.015
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	99	0.028	0.022 - 0.034	71	0.037	0.029 - 0.047	28	0.017	0.011 - 0.024
WA - Seattle	97	0.031	0.025 - 0.038	68	0.041	0.032 - 0.052	29	0.020	0.013 - 0.028
West Virginia	26	0.036	0.023 - 0.052	-	-	-	-	-	-
Wisconsin	146	0.036	0.031 - 0.042	104	0.052	0.043 - 0.063	42	0.020	0.015 - 0.028
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	27,961	0.066	0.065 - 0.066	16,628	0.081	0.080 - 0.083	11,345	0.051	0.050 - 0.052
Alabama	905	0.069	0.064 - 0.073	536	0.087	0.080 - 0.095	369	0.052	0.047 - 0.058
Alaska	10	0.031	0.015 - 0.057	-	-	-	-	-	-
Arizona	172	0.049	0.042 - 0.057	125	0.070	0.058 - 0.083	47	0.028	0.021 - 0.037
Arkansas	333	0.069	0.062 - 0.077	178	0.078	0.067 - 0.090	155	0.062	0.052 - 0.072
California	1,682	0.069	0.066 - 0.072	1,038	0.086	0.080 - 0.091	645	0.053	0.049 - 0.057
CA - Greater California	732	0.064	0.059 - 0.069	450	0.076	0.069 - 0.084	282	0.051	0.045 - 0.057
CA - Greater Bay Area	371	0.083	0.075 - 0.092	232	0.105	0.092 - 0.119	139	0.062	0.052 - 0.073
CA - Los Angeles	580	0.068	0.063 - 0.074	357	0.089	0.080 - 0.098	224	0.050	0.044 - 0.057
Colorado	136	0.052	0.044 - 0.061	92	0.066	0.053 - 0.081	44	0.036	0.026 - 0.048
Connecticut	240	0.062	0.055 - 0.071	162	0.088	0.075 - 0.102	79	0.039	0.031 - 0.049
Delaware	164	0.075	0.064 - 0.087	101	0.098	0.079 - 0.119	63	0.054	0.042 - 0.070
Florida	1,622	0.048	0.046 - 0.050	960	0.059	0.055 - 0.063	662	0.038	0.035 - 0.041
Georgia	1,955	0.058	0.056 - 0.061	1,124	0.072	0.067 - 0.076	831	0.046	0.043 - 0.050
Hawaii	11	0.029	0.014 - 0.052	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,385	0.074	0.070 - 0.078	828	0.095	0.088 - 0.101	557	0.056	0.052 - 0.061
Iowa	69	0.050	0.039 - 0.063	36	0.049	0.035 - 0.068	33	0.051	0.035 - 0.071
Kansas	111	0.058	0.048 - 0.070	68	0.069	0.053 - 0.087	43	0.046	0.034 - 0.062
Kentucky	316	0.081	0.072 - 0.090	167	0.086	0.073 - 0.100	149	0.076	0.064 - 0.089
Louisiana	1,082	0.071	0.066 - 0.075	614	0.085	0.078 - 0.092	467	0.058	0.053 - 0.064
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,182	0.064	0.060 - 0.068	687	0.080	0.074 - 0.086	495	0.050	0.046 - 0.055
MI - Detroit	741	0.076	0.070 - 0.081	445	0.099	0.090 - 0.108	296	0.056	0.050 - 0.063
Minnesota	169	0.042	0.036 - 0.049	112	0.055	0.045 - 0.066	57	0.029	0.022 - 0.038
Mississippi	874	0.077	0.072 - 0.083	482	0.091	0.083 - 0.099	392	0.065	0.059 - 0.072
Missouri	553	0.073	0.067 - 0.080	305	0.085	0.076 - 0.095	248	0.063	0.055 - 0.071
Montana	-	-	-	-	-	-	-	-	-
Nebraska	84	0.080	0.064 - 0.099	59	0.109	0.083 - 0.141	25	0.049	0.032 - 0.072
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	801	0.067	0.063 - 0.072	494	0.088	0.080 - 0.096	307	0.049	0.043 - 0.055
New Mexico	30	0.065	0.044 - 0.093	20	0.077	0.047 - 0.119	10	0.050	0.024 - 0.091
New York	1,972	0.067	0.064 - 0.070	1,227	0.089	0.084 - 0.094	746	0.047	0.044 - 0.051
North Carolina	1,681	0.074	0.070 - 0.077	965	0.090	0.085 - 0.096	716	0.059	0.055 - 0.063
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,040	0.066	0.062 - 0.070	635	0.084	0.078 - 0.091	405	0.050	0.045 - 0.055
Oklahoma	205	0.062	0.053 - 0.071	122	0.073	0.061 - 0.087	83	0.050	0.040 - 0.062
Oregon	55	0.053	0.040 - 0.069	41	0.074	0.053 - 0.101	14	0.029	0.016 - 0.049
Pennsylvania	1,190	0.081	0.076 - 0.086	726	0.103	0.095 - 0.110	464	0.061	0.056 - 0.067
Rhode Island	32	0.045	0.031 - 0.063	22	0.062	0.039 - 0.093	10	0.028	0.013 - 0.051
South Carolina	965	0.070	0.065 - 0.074	568	0.088	0.081 - 0.095	397	0.054	0.049 - 0.059
South Dakota	12	0.053	0.027 - 0.092	-	-	-	-	-	-
Tennessee	842	0.072	0.067 - 0.077	473	0.086	0.078 - 0.094	369	0.060	0.054 - 0.066
Texas	2,170	0.062	0.059 - 0.065	1,266	0.075	0.071 - 0.079	904	0.050	0.047 - 0.053
Utah	10	0.022	0.010 - 0.040	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	187	0.052	0.045 - 0.060	119	0.062	0.051 - 0.074	68	0.041	0.032 - 0.052
WA - Seattle	179	0.057	0.049 - 0.066	116	0.070	0.058 - 0.084	63	0.043	0.033 - 0.055
West Virginia	47	0.065	0.048 - 0.086	33	0.085	0.058 - 0.119	14	0.042	0.023 - 0.070
Wisconsin	298	0.074	0.066 - 0.083	181	0.091	0.078 - 0.105	117	0.057	0.047 - 0.068
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,071	0.010	0.009 - 0.010	2,125	0.010	0.010 - 0.011	1,947	0.009	0.008 - 0.009
Alabama	126	0.010	0.008 - 0.011	64	0.010	0.008 - 0.013	62	0.009	0.007 - 0.011
Alaska	-	-	-	-	-	-	-	-	-
Arizona	25	0.007	0.005 - 0.011	14	0.008	0.004 - 0.013	11	0.007	0.003 - 0.012
Arkansas	37	0.008	0.005 - 0.011	26	0.011	0.007 - 0.017	11	0.004	0.002 - 0.008
California	249	0.010	0.009 - 0.012	146	0.012	0.010 - 0.014	103	0.008	0.007 - 0.010
CA - Greater California	120	0.010	0.009 - 0.013	68	0.012	0.009 - 0.015	52	0.009	0.007 - 0.012
CA - Greater Bay Area	47	0.010	0.008 - 0.014	28	0.012	0.008 - 0.018	19	0.008	0.005 - 0.013
CA - Los Angeles	82	0.010	0.008 - 0.012	50	0.012	0.009 - 0.016	33	0.007	0.005 - 0.010
Colorado	25	0.010	0.006 - 0.014	13	0.009	0.005 - 0.016	12	0.010	0.005 - 0.017
Connecticut	38	0.010	0.007 - 0.014	23	0.012	0.008 - 0.019	15	0.007	0.004 - 0.012
Delaware	22	0.010	0.006 - 0.015	-	-	-	-	-	-
Florida	324	0.010	0.009 - 0.011	166	0.010	0.009 - 0.012	158	0.009	0.008 - 0.011
Georgia	308	0.009	0.008 - 0.010	151	0.010	0.008 - 0.011	157	0.009	0.007 - 0.010
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	175	0.009	0.008 - 0.011	92	0.011	0.008 - 0.013	83	0.008	0.007 - 0.010
Iowa	14	0.010	0.006 - 0.017	-	-	-	-	-	-
Kansas	18	0.009	0.006 - 0.015	-	-	-	-	-	-
Kentucky	41	0.010	0.007 - 0.014	20	0.010	0.006 - 0.016	21	0.011	0.007 - 0.016
Louisiana	127	0.008	0.007 - 0.010	71	0.010	0.008 - 0.012	56	0.007	0.005 - 0.009
Maine	-	-	-	-	-	-	-	-	-
Maryland	161	0.009	0.007 - 0.010	84	0.010	0.008 - 0.012	77	0.008	0.006 - 0.010
MI - Detroit	99	0.010	0.008 - 0.012	46	0.010	0.007 - 0.014	53	0.010	0.007 - 0.013
Minnesota	40	0.010	0.007 - 0.014	19	0.009	0.006 - 0.015	21	0.011	0.007 - 0.016
Mississippi	96	0.008	0.007 - 0.010	49	0.009	0.007 - 0.012	47	0.008	0.006 - 0.010
Missouri	75	0.010	0.008 - 0.012	37	0.010	0.007 - 0.014	38	0.010	0.007 - 0.013
Montana	-	-	-	-	-	-	-	-	-
Nebraska	11	0.010	0.005 - 0.019	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	132	0.011	0.009 - 0.013	71	0.013	0.010 - 0.016	61	0.010	0.007 - 0.013
New Mexico	-	-	-	-	-	-	-	-	-
New York	297	0.010	0.009 - 0.011	152	0.011	0.009 - 0.013	145	0.009	0.008 - 0.011
North Carolina	225	0.010	0.009 - 0.011	109	0.010	0.008 - 0.012	116	0.010	0.008 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	172	0.011	0.009 - 0.013	89	0.012	0.009 - 0.015	83	0.010	0.008 - 0.013
Oklahoma	27	0.008	0.005 - 0.012	12	0.007	0.004 - 0.013	15	0.009	0.005 - 0.015
Oregon	13	0.013	0.007 - 0.022	-	-	-	-	-	-
Pennsylvania	158	0.011	0.009 - 0.013	93	0.013	0.011 - 0.016	65	0.009	0.007 - 0.011
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	114	0.008	0.007 - 0.010	57	0.009	0.007 - 0.011	57	0.008	0.006 - 0.010
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	97	0.008	0.007 - 0.010	53	0.010	0.007 - 0.013	44	0.007	0.005 - 0.010
Texas	337	0.010	0.009 - 0.011	169	0.010	0.009 - 0.012	168	0.009	0.008 - 0.011
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	32	0.009	0.006 - 0.013	16	0.008	0.005 - 0.013	16	0.010	0.005 - 0.016
WA - Seattle	30	0.009	0.006 - 0.014	15	0.009	0.005 - 0.015	15	0.010	0.006 - 0.017
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	41	0.010	0.007 - 0.014	22	0.011	0.007 - 0.017	19	0.009	0.006 - 0.014
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	17,288	0.041	0.040 - 0.041	3,136	0.015	0.015 - 0.016	14,138	0.064	0.063 - 0.065
Alabama	387	0.029	0.027 - 0.032	69	0.011	0.009 - 0.014	318	0.045	0.040 - 0.050
Alaska	13	0.040	0.021 - 0.069	-	-	-	-	-	-
Arizona	122	0.035	0.029 - 0.042	28	0.016	0.010 - 0.023	94	0.056	0.045 - 0.069
Arkansas	167	0.035	0.030 - 0.041	36	0.016	0.011 - 0.022	131	0.052	0.044 - 0.062
California	815	0.033	0.031 - 0.036	185	0.015	0.013 - 0.018	631	0.051	0.047 - 0.056
CA - Greater California	357	0.031	0.028 - 0.035	84	0.014	0.011 - 0.018	273	0.049	0.044 - 0.055
CA - Greater Bay Area	115	0.026	0.021 - 0.031	28	0.012	0.008 - 0.018	87	0.039	0.031 - 0.048
CA - Los Angeles	344	0.040	0.036 - 0.045	73	0.018	0.014 - 0.023	271	0.060	0.054 - 0.068
Colorado	94	0.036	0.029 - 0.044	22	0.016	0.010 - 0.024	72	0.059	0.046 - 0.074
Connecticut	198	0.051	0.045 - 0.059	37	0.020	0.014 - 0.028	161	0.080	0.068 - 0.093
Delaware	121	0.055	0.046 - 0.066	20	0.019	0.012 - 0.030	101	0.087	0.071 - 0.106
Florida	1,153	0.034	0.032 - 0.036	197	0.012	0.010 - 0.014	956	0.054	0.051 - 0.058
Georgia	1,241	0.037	0.035 - 0.039	197	0.013	0.011 - 0.014	1,045	0.058	0.055 - 0.062
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	761	0.041	0.038 - 0.044	141	0.016	0.014 - 0.019	620	0.063	0.058 - 0.068
Iowa	35	0.025	0.018 - 0.035	-	-	-	-	-	-
Kansas	85	0.044	0.035 - 0.055	20	0.020	0.012 - 0.031	65	0.070	0.054 - 0.089
Kentucky	201	0.051	0.045 - 0.059	26	0.013	0.009 - 0.020	175	0.089	0.076 - 0.103
Louisiana	665	0.043	0.040 - 0.047	126	0.017	0.014 - 0.021	539	0.067	0.061 - 0.073
Maine	-	-	-	-	-	-	-	-	-
Maryland	891	0.048	0.045 - 0.051	175	0.020	0.017 - 0.023	716	0.072	0.067 - 0.078
MI - Detroit	482	0.049	0.045 - 0.054	95	0.021	0.017 - 0.026	387	0.073	0.066 - 0.081
Minnesota	140	0.035	0.029 - 0.041	33	0.016	0.011 - 0.023	107	0.054	0.045 - 0.066
Mississippi	387	0.034	0.031 - 0.038	58	0.011	0.008 - 0.014	329	0.055	0.049 - 0.061
Missouri	263	0.035	0.031 - 0.039	45	0.013	0.009 - 0.017	218	0.055	0.048 - 0.063
Montana	-	-	-	-	-	-	-	-	-
Nebraska	36	0.034	0.024 - 0.047	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	618	0.052	0.048 - 0.056	106	0.019	0.015 - 0.023	512	0.081	0.075 - 0.089
New Mexico	14	0.030	0.017 - 0.051	-	-	-	-	-	-
New York	1,592	0.054	0.051 - 0.057	260	0.019	0.017 - 0.021	1,332	0.085	0.080 - 0.089
North Carolina	954	0.042	0.039 - 0.045	158	0.015	0.013 - 0.017	796	0.066	0.061 - 0.070
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	750	0.048	0.044 - 0.051	133	0.018	0.015 - 0.021	617	0.076	0.070 - 0.082
Oklahoma	109	0.033	0.027 - 0.039	18	0.011	0.006 - 0.017	91	0.055	0.044 - 0.067
Oregon	45	0.044	0.032 - 0.058	-	-	-	-	-	-
Pennsylvania	830	0.057	0.053 - 0.060	149	0.021	0.018 - 0.025	681	0.089	0.083 - 0.096
Rhode Island	36	0.050	0.035 - 0.070	-	-	-	-	-	-
South Carolina	559	0.040	0.037 - 0.044	104	0.016	0.013 - 0.019	455	0.062	0.056 - 0.068
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	359	0.031	0.028 - 0.034	48	0.009	0.006 - 0.012	311	0.050	0.045 - 0.056
Texas	1,195	0.034	0.032 - 0.036	236	0.014	0.012 - 0.016	959	0.053	0.050 - 0.056
Utah	13	0.028	0.015 - 0.049	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	119	0.033	0.027 - 0.040	26	0.014	0.009 - 0.020	93	0.056	0.045 - 0.068
WA - Seattle	118	0.038	0.031 - 0.045	28	0.017	0.011 - 0.024	90	0.061	0.049 - 0.075
West Virginia	35	0.048	0.034 - 0.067	13	0.033	0.018 - 0.057	22	0.066	0.041 - 0.099
Wisconsin	162	0.040	0.034 - 0.047	30	0.015	0.010 - 0.022	132	0.064	0.054 - 0.076
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,012	0.012	0.011 - 0.012	2,681	0.013	0.013 - 0.014	2,332	0.010	0.010 - 0.011
Alabama	151	0.011	0.010 - 0.013	79	0.013	0.010 - 0.016	72	0.010	0.008 - 0.013
Alaska	-	-	-	-	-	-	-	-	-
Arizona	43	0.012	0.009 - 0.017	30	0.017	0.011 - 0.024	13	0.008	0.004 - 0.013
Arkansas	64	0.013	0.010 - 0.017	36	0.016	0.011 - 0.022	28	0.011	0.007 - 0.016
California	244	0.010	0.009 - 0.011	133	0.011	0.009 - 0.013	111	0.009	0.007 - 0.011
CA - Greater California	109	0.009	0.008 - 0.011	62	0.010	0.008 - 0.013	47	0.008	0.006 - 0.011
CA - Greater Bay Area	53	0.012	0.009 - 0.016	29	0.013	0.009 - 0.019	24	0.011	0.007 - 0.016
CA - Los Angeles	82	0.010	0.008 - 0.012	42	0.010	0.008 - 0.014	40	0.009	0.006 - 0.012
Colorado	25	0.010	0.006 - 0.014	15	0.011	0.006 - 0.018	10	0.008	0.004 - 0.015
Connecticut	52	0.013	0.010 - 0.018	29	0.016	0.011 - 0.023	23	0.011	0.007 - 0.017
Delaware	30	0.014	0.009 - 0.020	18	0.017	0.010 - 0.027	12	0.010	0.005 - 0.018
Florida	386	0.011	0.010 - 0.013	200	0.012	0.011 - 0.014	186	0.011	0.009 - 0.012
Georgia	362	0.011	0.010 - 0.012	199	0.013	0.011 - 0.015	163	0.009	0.008 - 0.011
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	225	0.012	0.011 - 0.014	131	0.015	0.013 - 0.018	94	0.010	0.008 - 0.012
Iowa	23	0.017	0.011 - 0.025	13	0.018	0.009 - 0.030	10	0.015	0.007 - 0.028
Kansas	19	0.010	0.006 - 0.015	-	-	-	-	-	-
Kentucky	41	0.010	0.007 - 0.014	25	0.013	0.008 - 0.019	16	0.008	0.005 - 0.013
Louisiana	176	0.011	0.010 - 0.013	98	0.013	0.011 - 0.016	78	0.010	0.008 - 0.012
Maine	-	-	-	-	-	-	-	-	-
Maryland	235	0.013	0.011 - 0.014	117	0.014	0.011 - 0.016	118	0.012	0.010 - 0.014
MI - Detroit	115	0.012	0.010 - 0.014	70	0.016	0.012 - 0.020	45	0.008	0.006 - 0.011
Minnesota	31	0.008	0.005 - 0.011	21	0.010	0.006 - 0.016	10	0.005	0.002 - 0.009
Mississippi	124	0.011	0.009 - 0.013	64	0.012	0.009 - 0.015	60	0.010	0.008 - 0.013
Missouri	88	0.012	0.009 - 0.014	44	0.012	0.009 - 0.016	44	0.011	0.008 - 0.015
Montana	-	-	-	-	-	-	-	-	-
Nebraska	18	0.017	0.010 - 0.027	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	171	0.014	0.012 - 0.017	82	0.015	0.012 - 0.018	89	0.014	0.011 - 0.017
New Mexico	-	-	-	-	-	-	-	-	-
New York	417	0.014	0.013 - 0.016	194	0.014	0.012 - 0.016	224	0.014	0.012 - 0.016
North Carolina	278	0.012	0.011 - 0.014	150	0.014	0.012 - 0.016	128	0.011	0.009 - 0.013
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	173	0.011	0.009 - 0.013	90	0.012	0.010 - 0.015	83	0.010	0.008 - 0.013
Oklahoma	31	0.009	0.006 - 0.013	14	0.008	0.005 - 0.014	17	0.010	0.006 - 0.016
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	207	0.014	0.012 - 0.016	117	0.017	0.014 - 0.020	90	0.012	0.010 - 0.015
Rhode Island	11	0.015	0.008 - 0.027	-	-	-	-	-	-
South Carolina	155	0.011	0.010 - 0.013	79	0.012	0.010 - 0.015	76	0.010	0.008 - 0.013
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	122	0.010	0.009 - 0.012	69	0.012	0.010 - 0.016	53	0.009	0.006 - 0.011
Texas	388	0.011	0.010 - 0.012	213	0.013	0.011 - 0.014	175	0.010	0.008 - 0.011
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	42	0.012	0.008 - 0.016	24	0.012	0.008 - 0.019	18	0.011	0.006 - 0.017
WA - Seattle	40	0.013	0.009 - 0.017	25	0.015	0.010 - 0.022	15	0.010	0.006 - 0.017
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	60	0.015	0.011 - 0.019	35	0.018	0.012 - 0.024	25	0.012	0.008 - 0.018
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	19,861	0.047	0.046 - 0.047	10,107	0.049	0.048 - 0.050	9,757	0.044	0.043 - 0.045
Alabama	518	0.039	0.036 - 0.043	263	0.043	0.038 - 0.048	255	0.036	0.032 - 0.041
Alaska	15	0.046	0.026 - 0.077	-	-	-	-	-	-
Arizona	106	0.031	0.025 - 0.037	65	0.036	0.028 - 0.046	41	0.024	0.018 - 0.033
Arkansas	212	0.044	0.038 - 0.051	120	0.053	0.044 - 0.063	92	0.037	0.029 - 0.045
California	1,254	0.051	0.049 - 0.054	662	0.055	0.050 - 0.059	592	0.048	0.044 - 0.052
CA - Greater California	482	0.042	0.038 - 0.046	266	0.045	0.040 - 0.051	217	0.039	0.034 - 0.045
CA - Greater Bay Area	314	0.070	0.063 - 0.079	164	0.074	0.063 - 0.086	150	0.067	0.056 - 0.078
CA - Los Angeles	457	0.054	0.049 - 0.059	232	0.058	0.050 - 0.066	225	0.050	0.044 - 0.057
Colorado	116	0.044	0.037 - 0.053	71	0.051	0.040 - 0.064	45	0.037	0.027 - 0.049
Connecticut	176	0.046	0.039 - 0.053	96	0.052	0.042 - 0.064	81	0.040	0.032 - 0.050
Delaware	107	0.049	0.040 - 0.059	46	0.044	0.033 - 0.059	61	0.053	0.040 - 0.068
Florida	1,585	0.047	0.045 - 0.049	805	0.049	0.046 - 0.053	780	0.044	0.041 - 0.048
Georgia	1,500	0.045	0.042 - 0.047	786	0.050	0.047 - 0.054	714	0.040	0.037 - 0.043
Hawaii	12	0.032	0.016 - 0.056	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	894	0.048	0.045 - 0.051	440	0.050	0.046 - 0.055	454	0.046	0.042 - 0.050
Iowa	48	0.035	0.026 - 0.046	30	0.041	0.028 - 0.059	18	0.028	0.016 - 0.044
Kansas	80	0.042	0.033 - 0.052	37	0.037	0.026 - 0.051	43	0.046	0.034 - 0.062
Kentucky	150	0.038	0.032 - 0.045	83	0.043	0.034 - 0.053	67	0.034	0.026 - 0.043
Louisiana	694	0.045	0.042 - 0.049	357	0.049	0.044 - 0.055	337	0.042	0.037 - 0.047
Maine	-	-	-	-	-	-	-	-	-
Maryland	930	0.050	0.047 - 0.054	439	0.051	0.046 - 0.056	491	0.050	0.045 - 0.054
MI - Detroit	570	0.058	0.054 - 0.063	269	0.060	0.053 - 0.067	301	0.057	0.051 - 0.064
Minnesota	136	0.034	0.028 - 0.040	79	0.039	0.031 - 0.048	57	0.029	0.022 - 0.038
Mississippi	464	0.041	0.037 - 0.045	228	0.043	0.037 - 0.049	236	0.039	0.034 - 0.045
Missouri	372	0.049	0.045 - 0.055	176	0.049	0.042 - 0.057	196	0.050	0.043 - 0.057
Montana	-	-	-	-	-	-	-	-	-
Nebraska	45	0.043	0.031 - 0.057	21	0.039	0.024 - 0.059	24	0.047	0.030 - 0.070
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	590	0.049	0.046 - 0.054	292	0.052	0.046 - 0.058	298	0.047	0.042 - 0.053
New Mexico	18	0.039	0.023 - 0.062	-	-	-	-	-	-
New York	1,689	0.057	0.055 - 0.060	809	0.059	0.055 - 0.063	880	0.056	0.052 - 0.060
North Carolina	1,151	0.050	0.048 - 0.053	569	0.053	0.049 - 0.058	582	0.048	0.044 - 0.052
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	677	0.043	0.040 - 0.046	350	0.046	0.042 - 0.052	327	0.040	0.036 - 0.045
Oklahoma	128	0.038	0.032 - 0.046	68	0.041	0.032 - 0.052	60	0.036	0.028 - 0.046
Oregon	41	0.040	0.028 - 0.054	25	0.045	0.029 - 0.067	16	0.033	0.019 - 0.054
Pennsylvania	783	0.053	0.050 - 0.057	407	0.058	0.052 - 0.063	376	0.049	0.045 - 0.055
Rhode Island	24	0.033	0.021 - 0.050	13	0.036	0.019 - 0.062	11	0.031	0.015 - 0.055
South Carolina	549	0.040	0.036 - 0.043	295	0.046	0.041 - 0.051	254	0.035	0.030 - 0.039
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	477	0.041	0.037 - 0.045	238	0.043	0.038 - 0.049	239	0.039	0.034 - 0.044
Texas	1,490	0.043	0.040 - 0.045	761	0.045	0.042 - 0.048	729	0.040	0.037 - 0.043
Utah	17	0.037	0.022 - 0.060	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	139	0.039	0.032 - 0.046	82	0.043	0.034 - 0.053	57	0.034	0.026 - 0.044
WA - Seattle	129	0.041	0.034 - 0.049	79	0.047	0.038 - 0.059	50	0.034	0.025 - 0.045
West Virginia	40	0.055	0.039 - 0.075	26	0.067	0.043 - 0.098	14	0.042	0.023 - 0.070
Wisconsin	178	0.044	0.038 - 0.051	86	0.043	0.035 - 0.053	92	0.045	0.036 - 0.055
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	17,903	0.042	0.041 - 0.043	8,682	0.042	0.042 - 0.043	9,223	0.041	0.041 - 0.042
Alabama	547	0.041	0.038 - 0.045	248	0.040	0.036 - 0.046	299	0.042	0.038 - 0.047
Alaska	-	-	-	-	-	-	-	-	-
Arizona	93	0.027	0.022 - 0.033	47	0.026	0.019 - 0.035	46	0.027	0.020 - 0.037
Arkansas	181	0.038	0.032 - 0.044	81	0.035	0.028 - 0.044	100	0.040	0.032 - 0.048
California	1,020	0.042	0.039 - 0.044	564	0.046	0.043 - 0.050	456	0.037	0.034 - 0.041
CA - Greater California	426	0.037	0.034 - 0.041	229	0.039	0.034 - 0.044	197	0.035	0.031 - 0.041
CA - Greater Bay Area	219	0.049	0.043 - 0.056	135	0.061	0.051 - 0.072	84	0.037	0.030 - 0.046
CA - Los Angeles	375	0.044	0.040 - 0.049	200	0.050	0.043 - 0.057	175	0.039	0.034 - 0.045
Colorado	100	0.038	0.031 - 0.046	62	0.044	0.034 - 0.057	38	0.031	0.022 - 0.043
Connecticut	211	0.055	0.048 - 0.063	111	0.060	0.050 - 0.073	100	0.050	0.041 - 0.061
Delaware	98	0.045	0.036 - 0.054	48	0.046	0.034 - 0.061	50	0.043	0.032 - 0.057
Florida	1,526	0.045	0.043 - 0.047	736	0.045	0.042 - 0.049	790	0.045	0.042 - 0.048
Georgia	1,416	0.042	0.040 - 0.044	647	0.041	0.038 - 0.044	769	0.043	0.040 - 0.046
Hawaii	10	0.027	0.013 - 0.049	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	772	0.041	0.039 - 0.044	351	0.040	0.036 - 0.044	421	0.043	0.039 - 0.047
Iowa	44	0.032	0.023 - 0.043	21	0.029	0.018 - 0.044	23	0.035	0.023 - 0.053
Kansas	93	0.048	0.039 - 0.059	41	0.041	0.030 - 0.056	52	0.056	0.042 - 0.073
Kentucky	153	0.039	0.033 - 0.046	90	0.046	0.037 - 0.057	64	0.032	0.025 - 0.041
Louisiana	610	0.040	0.037 - 0.043	291	0.040	0.036 - 0.045	319	0.040	0.035 - 0.044
Maine	-	-	-	-	-	-	-	-	-
Maryland	802	0.043	0.040 - 0.046	369	0.043	0.038 - 0.047	433	0.044	0.040 - 0.048
MI - Detroit	441	0.045	0.041 - 0.049	209	0.046	0.040 - 0.053	232	0.044	0.038 - 0.050
Minnesota	70	0.017	0.014 - 0.022	42	0.021	0.015 - 0.028	28	0.014	0.009 - 0.021
Mississippi	394	0.035	0.031 - 0.038	184	0.035	0.030 - 0.040	210	0.035	0.030 - 0.040
Missouri	292	0.039	0.034 - 0.043	140	0.039	0.033 - 0.046	152	0.039	0.033 - 0.045
Montana	-	-	-	-	-	-	-	-	-
Nebraska	35	0.033	0.023 - 0.046	16	0.030	0.017 - 0.048	19	0.037	0.022 - 0.058
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	543	0.046	0.042 - 0.050	254	0.045	0.040 - 0.051	289	0.046	0.041 - 0.052
New Mexico	16	0.035	0.020 - 0.056	-	-	-	-	-	-
New York	1,545	0.052	0.050 - 0.055	737	0.054	0.050 - 0.058	808	0.051	0.048 - 0.055
North Carolina	1,125	0.049	0.046 - 0.052	563	0.053	0.048 - 0.057	562	0.046	0.043 - 0.050
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	584	0.037	0.034 - 0.040	308	0.041	0.036 - 0.046	276	0.034	0.030 - 0.038
Oklahoma	107	0.032	0.026 - 0.039	52	0.031	0.023 - 0.041	55	0.033	0.025 - 0.043
Oregon	21	0.020	0.013 - 0.031	-	-	-	-	-	-
Pennsylvania	635	0.043	0.040 - 0.047	289	0.041	0.036 - 0.046	346	0.045	0.041 - 0.051
Rhode Island	32	0.045	0.031 - 0.063	21	0.059	0.036 - 0.090	11	0.031	0.015 - 0.055
South Carolina	661	0.048	0.044 - 0.052	322	0.050	0.045 - 0.056	339	0.046	0.041 - 0.051
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	414	0.035	0.032 - 0.039	192	0.035	0.030 - 0.040	222	0.036	0.031 - 0.041
Texas	1,282	0.037	0.035 - 0.039	608	0.036	0.033 - 0.039	674	0.037	0.035 - 0.040
Utah	11	0.024	0.012 - 0.043	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	111	0.031	0.025 - 0.037	70	0.036	0.028 - 0.046	41	0.025	0.018 - 0.033
WA - Seattle	98	0.031	0.025 - 0.038	58	0.035	0.026 - 0.045	40	0.027	0.019 - 0.037
West Virginia	31	0.043	0.029 - 0.061	13	0.033	0.018 - 0.057	18	0.054	0.032 - 0.085
Wisconsin	175	0.043	0.037 - 0.050	82	0.041	0.033 - 0.051	93	0.045	0.037 - 0.056
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,979	0.030	0.030 - 0.031	7,040	0.034	0.034 - 0.035	5,942	0.027	0.026 - 0.027
Alabama	348	0.026	0.024 - 0.029	193	0.031	0.027 - 0.036	155	0.022	0.019 - 0.026
Alaska	10	0.031	0.015 - 0.057	-	-	-	-	-	-
Arizona	58	0.017	0.013 - 0.022	31	0.017	0.012 - 0.024	27	0.016	0.011 - 0.023
Arkansas	159	0.033	0.028 - 0.039	86	0.038	0.030 - 0.047	73	0.029	0.023 - 0.037
California	777	0.032	0.030 - 0.034	452	0.037	0.034 - 0.041	325	0.026	0.024 - 0.030
CA - Greater California	322	0.028	0.025 - 0.031	203	0.034	0.030 - 0.040	119	0.021	0.018 - 0.026
CA - Greater Bay Area	161	0.036	0.031 - 0.042	97	0.044	0.036 - 0.053	64	0.028	0.022 - 0.036
CA - Los Angeles	294	0.035	0.031 - 0.039	152	0.038	0.032 - 0.044	141	0.032	0.027 - 0.037
Colorado	67	0.026	0.020 - 0.033	42	0.030	0.022 - 0.041	25	0.020	0.013 - 0.030
Connecticut	121	0.031	0.026 - 0.037	65	0.035	0.027 - 0.045	56	0.028	0.021 - 0.036
Delaware	64	0.029	0.022 - 0.037	34	0.033	0.023 - 0.046	30	0.026	0.017 - 0.037
Florida	1,171	0.035	0.033 - 0.037	618	0.038	0.035 - 0.041	553	0.031	0.029 - 0.034
Georgia	1,016	0.030	0.028 - 0.032	538	0.034	0.031 - 0.037	478	0.027	0.024 - 0.029
Hawaii	10	0.027	0.013 - 0.049	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	569	0.031	0.028 - 0.033	303	0.035	0.031 - 0.039	266	0.027	0.024 - 0.030
Iowa	40	0.029	0.021 - 0.039	22	0.030	0.019 - 0.045	18	0.028	0.016 - 0.044
Kansas	74	0.039	0.030 - 0.048	37	0.037	0.026 - 0.051	37	0.040	0.028 - 0.055
Kentucky	131	0.033	0.028 - 0.040	67	0.034	0.027 - 0.044	64	0.033	0.025 - 0.042
Louisiana	468	0.031	0.028 - 0.033	267	0.037	0.033 - 0.042	201	0.025	0.022 - 0.029
Maine	-	-	-	-	-	-	-	-	-
Maryland	546	0.029	0.027 - 0.032	280	0.032	0.029 - 0.036	266	0.027	0.024 - 0.030
MI - Detroit	337	0.034	0.031 - 0.038	180	0.040	0.034 - 0.046	157	0.030	0.025 - 0.035
Minnesota	79	0.020	0.016 - 0.025	42	0.021	0.015 - 0.028	37	0.019	0.013 - 0.026
Mississippi	313	0.028	0.025 - 0.031	180	0.034	0.029 - 0.039	133	0.022	0.019 - 0.026
Missouri	225	0.030	0.026 - 0.034	117	0.033	0.027 - 0.039	108	0.027	0.022 - 0.033
Montana	-	-	-	-	-	-	-	-	-
Nebraska	24	0.023	0.015 - 0.034	12	0.022	0.011 - 0.039	12	0.023	0.012 - 0.041
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	416	0.035	0.032 - 0.038	230	0.041	0.036 - 0.046	186	0.030	0.026 - 0.034
New Mexico	14	0.030	0.016 - 0.051	-	-	-	-	-	-
New York	998	0.034	0.032 - 0.036	501	0.036	0.033 - 0.040	498	0.032	0.029 - 0.035
North Carolina	786	0.034	0.032 - 0.037	440	0.041	0.037 - 0.045	346	0.028	0.026 - 0.032
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	393	0.025	0.023 - 0.028	202	0.027	0.023 - 0.031	191	0.023	0.020 - 0.027
Oklahoma	100	0.030	0.024 - 0.037	67	0.040	0.031 - 0.051	33	0.020	0.014 - 0.028
Oregon	26	0.025	0.016 - 0.037	-	-	-	-	-	-
Pennsylvania	419	0.029	0.026 - 0.031	233	0.033	0.029 - 0.037	186	0.024	0.021 - 0.028
Rhode Island	16	0.022	0.013 - 0.036	-	-	-	-	-	-
South Carolina	365	0.026	0.024 - 0.029	176	0.027	0.023 - 0.032	189	0.026	0.022 - 0.030
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	300	0.026	0.023 - 0.029	158	0.029	0.024 - 0.033	142	0.023	0.019 - 0.027
Texas	1,032	0.029	0.028 - 0.031	578	0.034	0.031 - 0.037	454	0.025	0.023 - 0.028
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	97	0.027	0.022 - 0.033	56	0.029	0.022 - 0.038	41	0.025	0.018 - 0.033
WA - Seattle	96	0.031	0.025 - 0.037	56	0.034	0.025 - 0.044	40	0.027	0.019 - 0.037
West Virginia	26	0.036	0.023 - 0.052	14	0.036	0.020 - 0.060	12	0.036	0.018 - 0.062
Wisconsin	146	0.036	0.031 - 0.042	80	0.040	0.032 - 0.050	66	0.032	0.025 - 0.041
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Non-Hispanic Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	217	0.001	0.000 - 0.001	139	0.001	0.001 - 0.001	78	0.000	0.000 - 0.000
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	17	0.001	0.000 - 0.001	-	-		-	-	
CA - Greater California	-	-		-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	10	0.000	0.000 - 0.001	10	0.001	0.000 - 0.001	-	-	
Georgia	10	0.000	0.000 - 0.001	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	20	0.001	0.001 - 0.002	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	12	0.001	0.000 - 0.001	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	17	0.001	0.000 - 0.001	-	-		-	-	
North Carolina	12	0.001	0.000 - 0.001	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	14	0.001	0.001 - 0.002	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	21	0.001	0.000 - 0.001	-	-		-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	469,256	0.800	0.798 - 0.803	207,626	0.702	0.699 - 0.705	261,611	0.901	0.897 - 0.904
Alabama	863	0.404	0.377 - 0.432	404	0.357	0.323 - 0.393	459	0.457	0.416 - 0.501
Alaska	278	0.523	0.464 - 0.589	113	0.404	0.333 - 0.485	165	0.656	0.560 - 0.764
Arizona	15,153	0.678	0.668 - 0.689	6,374	0.568	0.554 - 0.582	8,779	0.791	0.774 - 0.807
Arkansas	1,177	0.514	0.485 - 0.544	541	0.452	0.414 - 0.491	636	0.583	0.538 - 0.630
California	117,918	0.765	0.761 - 0.769	51,252	0.661	0.655 - 0.667	66,666	0.870	0.864 - 0.877
CA - Greater California	63,248	0.734	0.729 - 0.740	27,628	0.636	0.628 - 0.643	35,620	0.834	0.826 - 0.843
CA - Greater Bay Area	15,666	0.823	0.810 - 0.836	6,966	0.721	0.704 - 0.738	8,699	0.928	0.908 - 0.947
CA - Los Angeles	39,037	0.797	0.789 - 0.805	16,679	0.683	0.673 - 0.693	22,358	0.911	0.899 - 0.923
Colorado	9,282	0.761	0.745 - 0.776	3,908	0.629	0.609 - 0.649	5,374	0.898	0.874 - 0.922
Connecticut	5,640	0.970	0.945 - 0.996	2,361	0.817	0.784 - 0.850	3,279	1.121	1.083 - 1.161
Delaware	670	0.746	0.691 - 0.805	303	0.663	0.590 - 0.742	367	0.833	0.750 - 0.923
Florida	65,238	1.196	1.187 - 1.206	29,902	1.110	1.098 - 1.123	35,336	1.280	1.267 - 1.294
Georgia	6,008	0.596	0.581 - 0.611	2,569	0.488	0.469 - 0.507	3,439	0.714	0.690 - 0.738
Hawaii	1,234	0.859	0.811 - 0.908	493	0.669	0.611 - 0.730	741	1.059	0.984 - 1.138
Idaho	1,247	0.570	0.539 - 0.602	539	0.477	0.438 - 0.519	709	0.668	0.620 - 0.719
Illinois	17,137	0.780	0.769 - 0.792	7,638	0.680	0.665 - 0.695	9,499	0.885	0.868 - 0.903
Iowa	904	0.472	0.442 - 0.504	425	0.426	0.386 - 0.468	480	0.522	0.476 - 0.571
Kansas	2,226	0.639	0.612 - 0.666	986	0.546	0.513 - 0.582	1,240	0.738	0.697 - 0.780
Kentucky	740	0.442	0.411 - 0.475	359	0.397	0.357 - 0.440	382	0.496	0.447 - 0.548
Louisiana	1,697	0.704	0.671 - 0.739	854	0.665	0.621 - 0.711	843	0.750	0.700 - 0.802
Maine	125	0.556	0.463 - 0.663	52	0.455	0.340 - 0.597	73	0.661	0.518 - 0.831
Maryland	3,393	0.550	0.532 - 0.569	1,426	0.446	0.424 - 0.470	1,967	0.662	0.633 - 0.692
MI - Detroit	1,572	0.869	0.826 - 0.913	704	0.769	0.714 - 0.828	868	0.970	0.906 - 1.036
Minnesota	1,437	0.472	0.448 - 0.497	674	0.427	0.395 - 0.460	763	0.522	0.485 - 0.560
Mississippi	373	0.384	0.346 - 0.425	192	0.355	0.306 - 0.408	181	0.421	0.362 - 0.487
Missouri	1,294	0.500	0.473 - 0.527	562	0.420	0.386 - 0.456	732	0.584	0.543 - 0.628
Montana	273	0.656	0.580 - 0.738	126	0.586	0.488 - 0.698	147	0.729	0.616 - 0.857
Nebraska	1,127	0.532	0.502 - 0.564	518	0.468	0.429 - 0.511	609	0.602	0.555 - 0.651
New Hampshire	327	0.636	0.569 - 0.709	155	0.586	0.497 - 0.685	172	0.690	0.591 - 0.802
New Jersey	18,525	1.022	1.007 - 1.037	8,367	0.922	0.902 - 0.942	10,158	1.123	1.101 - 1.145
New Mexico	10,066	0.983	0.964 - 1.002	4,344	0.855	0.830 - 0.881	5,723	1.109	1.081 - 1.138
New York	42,365	1.134	1.124 - 1.145	19,070	1.036	1.021 - 1.051	23,295	1.230	1.215 - 1.246
North Carolina	3,833	0.392	0.380 - 0.405	1,698	0.336	0.320 - 0.352	2,135	0.452	0.433 - 0.472
North Dakota	91	0.311	0.250 - 0.382	44	0.281	0.204 - 0.377	47	0.346	0.254 - 0.460
Ohio	2,286	0.506	0.486 - 0.528	1,117	0.483	0.455 - 0.512	1,169	0.531	0.501 - 0.563
Oklahoma	2,107	0.497	0.476 - 0.519	876	0.396	0.370 - 0.423	1,231	0.608	0.575 - 0.643
Oregon	3,213	0.588	0.568 - 0.609	1,370	0.485	0.460 - 0.511	1,843	0.700	0.668 - 0.732
Pennsylvania	6,769	0.710	0.693 - 0.727	2,992	0.616	0.594 - 0.639	3,777	0.806	0.781 - 0.832
Rhode Island	1,060	0.640	0.602 - 0.680	433	0.520	0.472 - 0.572	627	0.762	0.703 - 0.824
South Carolina	1,444	0.497	0.472 - 0.524	665	0.432	0.400 - 0.466	779	0.571	0.532 - 0.613
South Dakota	130	0.362	0.303 - 0.430	64	0.328	0.253 - 0.419	66	0.403	0.311 - 0.512
Tennessee	1,681	0.452	0.431 - 0.474	766	0.391	0.364 - 0.420	915	0.520	0.487 - 0.555
Texas	84,485	0.753	0.747 - 0.758	37,550	0.665	0.658 - 0.671	46,935	0.842	0.834 - 0.849
Utah	2,434	0.550	0.528 - 0.572	1,069	0.471	0.443 - 0.500	1,365	0.633	0.600 - 0.668
Vermont	62	0.503	0.386 - 0.645	25	0.397	0.257 - 0.587	37	0.614	0.432 - 0.846
Washington	5,402	0.566	0.551 - 0.581	2,320	0.471	0.452 - 0.490	3,082	0.668	0.645 - 0.692
WA - Seattle	3,438	0.667	0.644 - 0.689	1,454	0.543	0.516 - 0.572	1,984	0.800	0.765 - 0.836
West Virginia	150	0.502	0.425 - 0.590	79	0.492	0.390 - 0.613	71	0.515	0.402 - 0.649
Wisconsin	2,248	0.563	0.540 - 0.587	1,031	0.501	0.471 - 0.533	1,217	0.629	0.594 - 0.666
Wyoming	388	0.671	0.606 - 0.741	193	0.635	0.548 - 0.731	195	0.712	0.615 - 0.819

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	9,473	0.016	0.016 - 0.017	6,279	0.021	0.021 - 0.022	3,196	0.011	0.011 - 0.011
Alabama	24	0.011	0.007 - 0.017	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	270	0.012	0.011 - 0.014	163	0.015	0.012 - 0.017	107	0.010	0.008 - 0.012
Arkansas	19	0.008	0.005 - 0.013	-	-	-	-	-	-
California	2,141	0.014	0.013 - 0.014	1,397	0.018	0.017 - 0.019	744	0.010	0.009 - 0.010
CA - Greater California	1,128	0.013	0.012 - 0.014	723	0.017	0.015 - 0.018	405	0.009	0.009 - 0.010
CA - Greater Bay Area	306	0.016	0.014 - 0.018	211	0.022	0.019 - 0.025	95	0.010	0.008 - 0.012
CA - Los Angeles	707	0.014	0.013 - 0.016	463	0.019	0.017 - 0.021	244	0.010	0.009 - 0.011
Colorado	175	0.014	0.012 - 0.017	117	0.019	0.016 - 0.023	58	0.010	0.007 - 0.013
Connecticut	125	0.021	0.018 - 0.026	74	0.026	0.020 - 0.032	50	0.017	0.013 - 0.023
Delaware	14	0.016	0.009 - 0.026	-	-	-	-	-	-
Florida	1,598	0.029	0.028 - 0.031	1,121	0.042	0.039 - 0.044	477	0.017	0.016 - 0.019
Georgia	109	0.011	0.009 - 0.013	72	0.014	0.011 - 0.017	36	0.008	0.005 - 0.010
Hawaii	33	0.023	0.016 - 0.032	22	0.029	0.018 - 0.045	11	0.016	0.008 - 0.028
Idaho	24	0.011	0.007 - 0.016	13	0.012	0.006 - 0.020	11	0.010	0.005 - 0.019
Illinois	323	0.015	0.013 - 0.016	211	0.019	0.016 - 0.021	112	0.010	0.009 - 0.013
Iowa	22	0.011	0.007 - 0.017	-	-	-	-	-	-
Kansas	41	0.012	0.008 - 0.016	24	0.013	0.009 - 0.020	17	0.010	0.006 - 0.016
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	45	0.019	0.014 - 0.025	29	0.022	0.015 - 0.032	16	0.014	0.008 - 0.023
Maine	-	-	-	-	-	-	-	-	-
Maryland	62	0.010	0.008 - 0.013	40	0.013	0.009 - 0.017	22	0.007	0.005 - 0.011
MI - Detroit	37	0.020	0.014 - 0.028	-	-	-	-	-	-
Minnesota	33	0.011	0.007 - 0.015	22	0.014	0.009 - 0.021	11	0.008	0.004 - 0.013
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	26	0.010	0.007 - 0.015	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	17	0.008	0.005 - 0.013	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	390	0.022	0.019 - 0.024	249	0.027	0.024 - 0.031	141	0.016	0.013 - 0.018
New Mexico	204	0.020	0.017 - 0.023	130	0.026	0.021 - 0.030	74	0.014	0.011 - 0.018
New York	889	0.024	0.022 - 0.025	592	0.032	0.030 - 0.035	297	0.016	0.014 - 0.018
North Carolina	73	0.007	0.006 - 0.009	55	0.011	0.008 - 0.014	18	0.004	0.002 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	43	0.010	0.007 - 0.013	28	0.012	0.008 - 0.017	15	0.007	0.004 - 0.011
Oklahoma	47	0.011	0.008 - 0.015	29	0.013	0.009 - 0.019	18	0.009	0.005 - 0.014
Oregon	65	0.012	0.009 - 0.015	42	0.015	0.011 - 0.020	23	0.009	0.006 - 0.013
Pennsylvania	145	0.015	0.013 - 0.018	99	0.020	0.017 - 0.025	46	0.010	0.007 - 0.013
Rhode Island	23	0.014	0.009 - 0.021	-	-	-	-	-	-
South Carolina	22	0.008	0.005 - 0.011	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	40	0.011	0.008 - 0.015	26	0.013	0.009 - 0.019	14	0.008	0.004 - 0.013
Texas	1,691	0.015	0.014 - 0.016	1,126	0.020	0.019 - 0.021	565	0.010	0.009 - 0.011
Utah	33	0.008	0.005 - 0.011	17	0.008	0.004 - 0.012	16	0.007	0.004 - 0.012
Vermont	-	-	-	-	-	-	-	-	-
Washington	105	0.011	0.009 - 0.013	72	0.015	0.011 - 0.018	33	0.007	0.005 - 0.010
WA - Seattle	71	0.014	0.011 - 0.017	51	0.019	0.014 - 0.025	20	0.008	0.005 - 0.012
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	43	0.011	0.008 - 0.015	25	0.012	0.008 - 0.018	18	0.009	0.006 - 0.015
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	1,752	0.003	0.003 - 0.003	1,384	0.005	0.004 - 0.005	369	0.001	0.001 - 0.001
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	64	0.003	0.002 - 0.004	54	0.005	0.004 - 0.006	10	0.001	0.000 - 0.002
Arkansas	-	-	-	-	-	-	-	-	-
California	390	0.003	0.002 - 0.003	299	0.004	0.003 - 0.004	91	0.001	0.001 - 0.001
CA - Greater California	219	0.003	0.002 - 0.003	159	0.004	0.003 - 0.004	60	0.001	0.001 - 0.002
CA - Greater Bay Area	60	0.003	0.002 - 0.004	44	0.005	0.003 - 0.006	16	0.002	0.001 - 0.003
CA - Los Angeles	111	0.002	0.002 - 0.003	95	0.004	0.003 - 0.005	16	0.001	0.000 - 0.001
Colorado	41	0.003	0.002 - 0.005	-	-	-	-	-	-
Connecticut	10	0.002	0.001 - 0.003	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
Florida	280	0.005	0.005 - 0.006	219	0.008	0.007 - 0.009	61	0.002	0.002 - 0.003
Georgia	24	0.002	0.001 - 0.003	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	62	0.003	0.002 - 0.004	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	57	0.003	0.002 - 0.004	40	0.004	0.003 - 0.006	17	0.002	0.001 - 0.003
New Mexico	53	0.005	0.004 - 0.007	43	0.009	0.006 - 0.011	10	0.002	0.001 - 0.004
New York	148	0.004	0.003 - 0.005	112	0.006	0.005 - 0.007	36	0.002	0.001 - 0.003
North Carolina	14	0.001	0.001 - 0.002	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	14	0.003	0.002 - 0.005	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	19	0.003	0.002 - 0.005	-	-	-	-	-	-
Pennsylvania	30	0.003	0.002 - 0.004	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	10	0.003	0.002 - 0.006	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	311	0.003	0.002 - 0.003	254	0.004	0.004 - 0.005	57	0.001	0.001 - 0.001
Utah	11	0.002	0.001 - 0.004	11	0.005	0.002 - 0.008	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	21	0.002	0.001 - 0.003	-	-	-	-	-	-
WA - Seattle	13	0.003	0.001 - 0.004	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	11	0.003	0.001 - 0.005	11	0.005	0.003 - 0.010	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,030	0.014	0.013 - 0.014	4,283	0.014	0.014 - 0.015	3,747	0.013	0.013 - 0.013
Alabama	14	0.007	0.004 - 0.011	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	246	0.011	0.010 - 0.012	126	0.011	0.009 - 0.013	120	0.011	0.009 - 0.013
Arkansas	14	0.006	0.003 - 0.010	-	-	-	-	-	-
California	2,035	0.013	0.013 - 0.014	1,063	0.014	0.013 - 0.015	971	0.013	0.012 - 0.014
CA - Greater California	960	0.011	0.010 - 0.012	503	0.012	0.011 - 0.013	456	0.011	0.010 - 0.012
CA - Greater Bay Area	291	0.015	0.014 - 0.017	151	0.016	0.013 - 0.018	140	0.015	0.013 - 0.018
CA - Los Angeles	784	0.016	0.015 - 0.017	408	0.017	0.015 - 0.018	376	0.015	0.014 - 0.017
Colorado	142	0.012	0.010 - 0.014	74	0.012	0.009 - 0.015	68	0.011	0.009 - 0.014
Connecticut	115	0.020	0.016 - 0.024	70	0.024	0.019 - 0.031	45	0.015	0.011 - 0.021
Delaware	11	0.012	0.006 - 0.022	-	-	-	-	-	-
Florida	911	0.017	0.016 - 0.018	496	0.018	0.017 - 0.020	415	0.015	0.014 - 0.017
Georgia	76	0.008	0.006 - 0.009	38	0.007	0.005 - 0.010	38	0.008	0.006 - 0.011
Hawaii	11	0.008	0.004 - 0.014	-	-	-	-	-	-
Idaho	19	0.009	0.005 - 0.014	-	-	-	-	-	-
Illinois	364	0.017	0.015 - 0.018	192	0.017	0.015 - 0.020	172	0.016	0.014 - 0.019
Iowa	19	0.010	0.006 - 0.015	-	-	-	-	-	-
Kansas	35	0.010	0.007 - 0.014	-	-	-	-	-	-
Kentucky	11	0.007	0.003 - 0.012	-	-	-	-	-	-
Louisiana	24	0.010	0.006 - 0.015	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	106	0.017	0.014 - 0.021	63	0.020	0.015 - 0.025	43	0.014	0.010 - 0.019
MI - Detroit	14	0.008	0.004 - 0.013	-	-	-	-	-	-
Minnesota	28	0.009	0.006 - 0.013	14	0.009	0.005 - 0.015	14	0.010	0.005 - 0.016
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	20	0.008	0.005 - 0.012	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	16	0.008	0.004 - 0.012	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	382	0.021	0.019 - 0.023	195	0.022	0.019 - 0.025	187	0.021	0.018 - 0.024
New Mexico	169	0.017	0.014 - 0.019	91	0.018	0.014 - 0.022	79	0.015	0.012 - 0.019
New York	913	0.024	0.023 - 0.026	486	0.026	0.024 - 0.029	427	0.023	0.020 - 0.025
North Carolina	86	0.009	0.007 - 0.011	45	0.009	0.006 - 0.012	41	0.009	0.006 - 0.012
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	32	0.007	0.005 - 0.010	17	0.007	0.004 - 0.012	15	0.007	0.004 - 0.011
Oklahoma	25	0.006	0.004 - 0.009	11	0.005	0.002 - 0.009	14	0.007	0.004 - 0.012
Oregon	64	0.012	0.009 - 0.015	32	0.011	0.008 - 0.016	32	0.012	0.008 - 0.017
Pennsylvania	115	0.012	0.010 - 0.014	67	0.014	0.011 - 0.018	48	0.010	0.008 - 0.014
Rhode Island	30	0.018	0.012 - 0.026	17	0.020	0.012 - 0.033	13	0.016	0.008 - 0.027
South Carolina	26	0.009	0.006 - 0.013	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	26	0.007	0.005 - 0.010	-	-	-	-	-	-
Texas	1,328	0.012	0.011 - 0.012	685	0.012	0.011 - 0.013	643	0.012	0.011 - 0.012
Utah	47	0.011	0.008 - 0.014	25	0.011	0.007 - 0.016	22	0.010	0.006 - 0.015
Vermont	-	-	-	-	-	-	-	-	-
Washington	93	0.010	0.008 - 0.012	51	0.010	0.008 - 0.014	42	0.009	0.007 - 0.012
WA - Seattle	57	0.011	0.008 - 0.014	25	0.009	0.006 - 0.014	33	0.013	0.009 - 0.019
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	52	0.013	0.010 - 0.017	33	0.016	0.011 - 0.023	19	0.010	0.006 - 0.015
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	45,485	0.078	0.077 - 0.078	24,218	0.082	0.081 - 0.083	21,268	0.073	0.072 - 0.074
Alabama	79	0.037	0.029 - 0.046	38	0.034	0.024 - 0.046	41	0.041	0.029 - 0.055
Alaska	29	0.055	0.037 - 0.078	15	0.054	0.030 - 0.088	14	0.056	0.030 - 0.093
Arizona	1,480	0.066	0.063 - 0.070	814	0.072	0.068 - 0.078	666	0.060	0.056 - 0.065
Arkansas	110	0.048	0.039 - 0.058	65	0.054	0.042 - 0.069	45	0.041	0.030 - 0.055
California	11,725	0.076	0.075 - 0.077	6,152	0.079	0.077 - 0.081	5,573	0.073	0.071 - 0.075
CA - Greater California	6,223	0.072	0.070 - 0.074	3,332	0.077	0.074 - 0.079	2,890	0.068	0.065 - 0.070
CA - Greater Bay Area	1,512	0.079	0.075 - 0.084	775	0.080	0.075 - 0.086	737	0.079	0.073 - 0.084
CA - Los Angeles	3,996	0.082	0.079 - 0.084	2,047	0.084	0.080 - 0.088	1,949	0.079	0.076 - 0.083
Colorado	955	0.078	0.073 - 0.083	511	0.082	0.075 - 0.090	444	0.074	0.067 - 0.081
Connecticut	536	0.092	0.085 - 0.100	283	0.098	0.087 - 0.110	253	0.087	0.076 - 0.098
Delaware	70	0.078	0.061 - 0.099	34	0.074	0.052 - 0.104	36	0.082	0.057 - 0.113
Florida	6,176	0.113	0.110 - 0.116	3,154	0.117	0.113 - 0.121	3,022	0.109	0.106 - 0.113
Georgia	518	0.051	0.047 - 0.056	253	0.048	0.042 - 0.054	265	0.055	0.049 - 0.062
Hawaii	121	0.084	0.070 - 0.101	57	0.077	0.058 - 0.100	65	0.092	0.071 - 0.118
Idaho	107	0.049	0.040 - 0.059	64	0.056	0.043 - 0.072	43	0.041	0.029 - 0.055
Illinois	1,592	0.072	0.069 - 0.076	844	0.075	0.070 - 0.080	748	0.070	0.065 - 0.075
Iowa	89	0.046	0.037 - 0.057	49	0.049	0.036 - 0.065	40	0.043	0.031 - 0.059
Kansas	194	0.056	0.048 - 0.064	105	0.058	0.048 - 0.070	89	0.053	0.043 - 0.065
Kentucky	76	0.045	0.036 - 0.057	48	0.053	0.039 - 0.070	28	0.037	0.024 - 0.053
Louisiana	161	0.067	0.057 - 0.078	96	0.075	0.061 - 0.092	64	0.057	0.044 - 0.073
Maine	-	-	-	-	-	-	-	-	-
Maryland	289	0.047	0.042 - 0.053	158	0.049	0.042 - 0.058	131	0.044	0.037 - 0.052
MI - Detroit	136	0.075	0.063 - 0.089	75	0.082	0.064 - 0.103	61	0.068	0.052 - 0.087
Minnesota	123	0.040	0.034 - 0.048	70	0.044	0.035 - 0.056	53	0.036	0.027 - 0.047
Mississippi	39	0.040	0.029 - 0.055	29	0.054	0.036 - 0.077	10	0.023	0.011 - 0.043
Missouri	136	0.052	0.044 - 0.062	70	0.052	0.041 - 0.066	66	0.053	0.041 - 0.067
Montana	30	0.071	0.048 - 0.101	18	0.084	0.050 - 0.133	12	0.057	0.029 - 0.101
Nebraska	124	0.059	0.049 - 0.070	67	0.061	0.047 - 0.077	57	0.056	0.043 - 0.073
New Hampshire	24	0.047	0.030 - 0.069	-	-	-	-	-	-
New Jersey	1,661	0.092	0.087 - 0.096	854	0.094	0.088 - 0.101	807	0.089	0.083 - 0.096
New Mexico	1,043	0.102	0.096 - 0.108	535	0.105	0.097 - 0.115	508	0.098	0.090 - 0.107
New York	3,643	0.098	0.094 - 0.101	1,866	0.101	0.097 - 0.106	1,776	0.094	0.090 - 0.098
North Carolina	298	0.030	0.027 - 0.034	167	0.033	0.028 - 0.038	131	0.028	0.023 - 0.033
North Dakota	13	0.044	0.024 - 0.076	-	-	-	-	-	-
Ohio	236	0.052	0.046 - 0.059	132	0.057	0.048 - 0.068	104	0.047	0.039 - 0.057
Oklahoma	223	0.053	0.046 - 0.060	127	0.057	0.048 - 0.068	96	0.047	0.038 - 0.058
Oregon	297	0.054	0.048 - 0.061	151	0.053	0.045 - 0.063	146	0.055	0.047 - 0.065
Pennsylvania	567	0.059	0.055 - 0.065	303	0.062	0.056 - 0.070	264	0.056	0.050 - 0.064
Rhode Island	92	0.056	0.045 - 0.068	41	0.049	0.035 - 0.067	51	0.062	0.046 - 0.081
South Carolina	134	0.046	0.039 - 0.055	68	0.044	0.034 - 0.056	66	0.048	0.037 - 0.062
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	109	0.029	0.024 - 0.035	66	0.034	0.026 - 0.043	43	0.024	0.018 - 0.033
Texas	9,049	0.081	0.079 - 0.082	5,106	0.090	0.088 - 0.093	3,943	0.071	0.069 - 0.073
Utah	236	0.053	0.047 - 0.061	128	0.056	0.047 - 0.067	109	0.051	0.041 - 0.061
Vermont	-	-	-	-	-	-	-	-	-
Washington	499	0.052	0.048 - 0.057	264	0.054	0.047 - 0.060	235	0.051	0.045 - 0.058
WA - Seattle	314	0.061	0.054 - 0.068	160	0.060	0.051 - 0.070	154	0.062	0.053 - 0.073
West Virginia	11	0.037	0.018 - 0.066	-	-	-	-	-	-
Wisconsin	189	0.047	0.041 - 0.055	97	0.047	0.038 - 0.058	92	0.048	0.038 - 0.058
Wyoming	53	0.092	0.069 - 0.120	32	0.105	0.072 - 0.149	21	0.077	0.047 - 0.117

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	9,367	0.016	0.016 - 0.016	6,403	0.022	0.021 - 0.022	2,964	0.010	0.010 - 0.011
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	331	0.015	0.013 - 0.017	229	0.020	0.018 - 0.023	102	0.009	0.007 - 0.011
Arkansas	24	0.010	0.007 - 0.016	-	-	-	-	-	-
California	2,525	0.016	0.016 - 0.017	1,734	0.022	0.021 - 0.023	791	0.010	0.010 - 0.011
CA - Greater California	1,371	0.016	0.015 - 0.017	970	0.022	0.021 - 0.024	401	0.009	0.008 - 0.010
CA - Greater Bay Area	409	0.022	0.019 - 0.024	283	0.029	0.026 - 0.033	126	0.013	0.011 - 0.016
CA - Los Angeles	746	0.015	0.014 - 0.016	481	0.020	0.018 - 0.022	265	0.011	0.010 - 0.012
Colorado	226	0.019	0.016 - 0.021	162	0.026	0.022 - 0.030	64	0.011	0.008 - 0.014
Connecticut	115	0.020	0.016 - 0.024	84	0.029	0.023 - 0.036	31	0.011	0.007 - 0.015
Delaware	11	0.012	0.006 - 0.022	-	-	-	-	-	-
Florida	847	0.016	0.015 - 0.017	572	0.021	0.020 - 0.023	275	0.010	0.009 - 0.011
Georgia	78	0.008	0.006 - 0.010	45	0.009	0.006 - 0.012	33	0.007	0.005 - 0.010
Hawaii	14	0.010	0.005 - 0.016	-	-	-	-	-	-
Idaho	26	0.012	0.008 - 0.017	-	-	-	-	-	-
Illinois	312	0.014	0.013 - 0.016	211	0.019	0.016 - 0.021	101	0.009	0.008 - 0.011
Iowa	11	0.006	0.003 - 0.010	-	-	-	-	-	-
Kansas	42	0.012	0.009 - 0.016	29	0.016	0.011 - 0.023	13	0.008	0.004 - 0.013
Kentucky	17	0.010	0.006 - 0.016	-	-	-	-	-	-
Louisiana	27	0.011	0.007 - 0.016	17	0.013	0.007 - 0.021	10	0.009	0.004 - 0.016
Maine	-	-	-	-	-	-	-	-	-
Maryland	49	0.008	0.006 - 0.011	29	0.009	0.006 - 0.013	20	0.007	0.004 - 0.010
MI - Detroit	19	0.011	0.006 - 0.016	-	-	-	-	-	-
Minnesota	29	0.010	0.006 - 0.014	19	0.012	0.007 - 0.019	10	0.007	0.003 - 0.013
Mississippi	10	0.010	0.005 - 0.019	-	-	-	-	-	-
Missouri	19	0.007	0.004 - 0.011	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	22	0.010	0.007 - 0.016	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	229	0.013	0.011 - 0.014	146	0.016	0.014 - 0.019	83	0.009	0.007 - 0.011
New Mexico	213	0.021	0.018 - 0.024	162	0.032	0.027 - 0.037	51	0.010	0.007 - 0.013
New York	822	0.022	0.021 - 0.024	561	0.030	0.028 - 0.033	261	0.014	0.012 - 0.016
North Carolina	74	0.008	0.006 - 0.010	50	0.010	0.007 - 0.013	24	0.005	0.003 - 0.008
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	47	0.010	0.008 - 0.014	37	0.016	0.011 - 0.022	10	0.005	0.002 - 0.008
Oklahoma	31	0.007	0.005 - 0.010	18	0.008	0.005 - 0.013	13	0.006	0.003 - 0.011
Oregon	64	0.012	0.009 - 0.015	40	0.014	0.010 - 0.019	24	0.009	0.006 - 0.014
Pennsylvania	139	0.015	0.012 - 0.017	100	0.021	0.017 - 0.025	39	0.008	0.006 - 0.011
Rhode Island	14	0.008	0.005 - 0.014	-	-	-	-	-	-
South Carolina	16	0.006	0.003 - 0.009	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	34	0.009	0.006 - 0.013	20	0.010	0.006 - 0.016	14	0.008	0.004 - 0.013
Texas	2,227	0.020	0.019 - 0.021	1,515	0.027	0.025 - 0.028	712	0.013	0.012 - 0.014
Utah	61	0.014	0.011 - 0.018	41	0.018	0.013 - 0.025	20	0.009	0.006 - 0.014
Vermont	-	-	-	-	-	-	-	-	-
Washington	116	0.012	0.010 - 0.015	80	0.016	0.013 - 0.020	36	0.008	0.005 - 0.011
WA - Seattle	71	0.014	0.011 - 0.017	51	0.019	0.014 - 0.025	20	0.008	0.005 - 0.013
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	52	0.013	0.010 - 0.017	41	0.020	0.014 - 0.027	11	0.006	0.003 - 0.010
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,533	0.009	0.009 - 0.010	2,638	0.009	0.009 - 0.009	2,894	0.010	0.010 - 0.010
Alabama	11	0.005	0.003 - 0.009	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	187	0.008	0.007 - 0.010	81	0.007	0.006 - 0.009	106	0.010	0.008 - 0.012
Arkansas	10	0.004	0.002 - 0.008	-	-	-	-	-	-
California	1,278	0.008	0.008 - 0.009	578	0.007	0.007 - 0.008	700	0.009	0.008 - 0.010
CA - Greater California	660	0.008	0.007 - 0.008	295	0.007	0.006 - 0.008	365	0.009	0.008 - 0.009
CA - Greater Bay Area	180	0.009	0.008 - 0.011	84	0.009	0.007 - 0.011	96	0.010	0.008 - 0.012
CA - Los Angeles	439	0.009	0.008 - 0.010	199	0.008	0.007 - 0.009	239	0.010	0.009 - 0.011
Colorado	123	0.010	0.008 - 0.012	57	0.009	0.007 - 0.012	66	0.011	0.009 - 0.014
Connecticut	65	0.011	0.009 - 0.014	24	0.008	0.005 - 0.012	41	0.014	0.010 - 0.019
Delaware	-	-	-	-	-	-	-	-	-
Florida	888	0.016	0.015 - 0.017	444	0.016	0.015 - 0.018	444	0.016	0.015 - 0.018
Georgia	57	0.006	0.004 - 0.007	33	0.006	0.004 - 0.009	23	0.005	0.003 - 0.007
Hawaii	22	0.015	0.010 - 0.023	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	221	0.010	0.009 - 0.011	115	0.010	0.008 - 0.012	106	0.010	0.008 - 0.012
Iowa	-	-	-	-	-	-	-	-	-
Kansas	28	0.008	0.005 - 0.012	-	-	-	-	-	-
Kentucky	14	0.009	0.005 - 0.014	-	-	-	-	-	-
Louisiana	15	0.006	0.003 - 0.010	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	49	0.008	0.006 - 0.011	18	0.006	0.003 - 0.009	31	0.010	0.007 - 0.015
MI - Detroit	24	0.013	0.008 - 0.019	-	-	-	-	-	-
Minnesota	20	0.007	0.004 - 0.010	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	11	0.004	0.002 - 0.008	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	16	0.008	0.004 - 0.012	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	237	0.013	0.011 - 0.015	108	0.012	0.010 - 0.014	129	0.014	0.012 - 0.017
New Mexico	116	0.011	0.009 - 0.014	59	0.012	0.009 - 0.015	57	0.011	0.008 - 0.014
New York	491	0.013	0.012 - 0.014	237	0.013	0.011 - 0.015	254	0.013	0.012 - 0.015
North Carolina	44	0.004	0.003 - 0.006	21	0.004	0.003 - 0.006	23	0.005	0.003 - 0.007
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	24	0.005	0.003 - 0.008	13	0.006	0.003 - 0.010	11	0.005	0.002 - 0.009
Oklahoma	25	0.006	0.004 - 0.009	11	0.005	0.002 - 0.009	14	0.007	0.004 - 0.012
Oregon	45	0.008	0.006 - 0.011	23	0.008	0.005 - 0.012	22	0.008	0.005 - 0.013
Pennsylvania	80	0.008	0.007 - 0.010	38	0.008	0.006 - 0.011	42	0.009	0.006 - 0.012
Rhode Island	15	0.009	0.005 - 0.015	-	-	-	-	-	-
South Carolina	19	0.007	0.004 - 0.010	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	10	0.003	0.001 - 0.005	-	-	-	-	-	-
Texas	972	0.009	0.008 - 0.009	474	0.008	0.008 - 0.009	498	0.009	0.008 - 0.010
Utah	17	0.004	0.002 - 0.006	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	63	0.007	0.005 - 0.008	30	0.006	0.004 - 0.009	33	0.007	0.005 - 0.010
WA - Seattle	30	0.006	0.004 - 0.008	13	0.005	0.002 - 0.008	17	0.007	0.004 - 0.011
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	24	0.006	0.004 - 0.009	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,872	0.005	0.005 - 0.005	2,411	0.008	0.008 - 0.009	462	0.002	0.001 - 0.002
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	81	0.004	0.003 - 0.005	63	0.006	0.004 - 0.007	18	0.002	0.001 - 0.003
Arkansas	-	-		-	-		-	-	
California	528	0.003	0.003 - 0.004	456	0.006	0.005 - 0.006	72	0.001	0.001 - 0.001
CA - Greater California	268	0.003	0.003 - 0.004	225	0.005	0.005 - 0.006	43	0.001	0.001 - 0.001
CA - Greater Bay Area	72	0.004	0.003 - 0.005	-	-		-	-	
CA - Los Angeles	189	0.004	0.003 - 0.004	168	0.007	0.006 - 0.008	21	0.001	0.001 - 0.001
Colorado	54	0.004	0.003 - 0.006	44	0.007	0.005 - 0.010	10	0.002	0.001 - 0.003
Connecticut	56	0.010	0.007 - 0.012	46	0.016	0.012 - 0.021	10	0.003	0.002 - 0.006
Delaware	-	-		-	-		-	-	
Florida	559	0.010	0.009 - 0.011	481	0.018	0.016 - 0.020	78	0.003	0.002 - 0.004
Georgia	30	0.003	0.002 - 0.004	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	92	0.004	0.003 - 0.005	71	0.006	0.005 - 0.008	21	0.002	0.001 - 0.003
Iowa	-	-		-	-		-	-	
Kansas	13	0.004	0.002 - 0.006	-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	17	0.007	0.004 - 0.011	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	17	0.003	0.002 - 0.004	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	117	0.006	0.005 - 0.008	100	0.011	0.009 - 0.013	17	0.002	0.001 - 0.003
New Mexico	53	0.005	0.004 - 0.007	-	-		-	-	
New York	318	0.009	0.008 - 0.010	236	0.013	0.011 - 0.015	82	0.004	0.003 - 0.005
North Carolina	24	0.002	0.002 - 0.004	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	13	0.003	0.002 - 0.005	-	-		-	-	
Oklahoma	12	0.003	0.001 - 0.005	-	-		-	-	
Oregon	13	0.002	0.001 - 0.004	-	-		-	-	
Pennsylvania	52	0.005	0.004 - 0.007	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	12	0.003	0.002 - 0.006	-	-		-	-	
Texas	540	0.005	0.004 - 0.005	473	0.008	0.008 - 0.009	67	0.001	0.001 - 0.002
Utah	12	0.003	0.001 - 0.005	-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	30	0.003	0.002 - 0.004	-	-		-	-	
WA - Seattle	21	0.004	0.003 - 0.006	-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	13	0.003	0.002 - 0.006	13	0.006	0.003 - 0.011	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	18,528	0.032	0.031 - 0.032	8,736	0.030	0.029 - 0.030	9,791	0.034	0.033 - 0.035
Alabama	38	0.018	0.013 - 0.024	12	0.011	0.005 - 0.018	26	0.026	0.017 - 0.038
Alaska	15	0.028	0.016 - 0.047	-	-	-	-	-	-
Arizona	584	0.026	0.024 - 0.028	266	0.024	0.021 - 0.027	318	0.029	0.026 - 0.032
Arkansas	63	0.028	0.021 - 0.035	29	0.024	0.016 - 0.035	34	0.031	0.022 - 0.044
California	3,698	0.024	0.023 - 0.025	1,593	0.021	0.020 - 0.022	2,105	0.027	0.026 - 0.029
CA - Greater California	2,036	0.024	0.023 - 0.025	875	0.020	0.019 - 0.022	1,161	0.027	0.026 - 0.029
CA - Greater Bay Area	548	0.029	0.026 - 0.031	239	0.025	0.022 - 0.028	309	0.033	0.029 - 0.037
CA - Los Angeles	1,114	0.023	0.021 - 0.024	479	0.020	0.018 - 0.021	635	0.026	0.024 - 0.028
Colorado	410	0.034	0.030 - 0.037	179	0.029	0.025 - 0.033	231	0.039	0.034 - 0.044
Connecticut	295	0.051	0.045 - 0.057	138	0.048	0.040 - 0.057	157	0.054	0.046 - 0.063
Delaware	26	0.029	0.019 - 0.042	11	0.024	0.012 - 0.043	15	0.034	0.019 - 0.056
Florida	3,811	0.070	0.068 - 0.072	1,970	0.073	0.070 - 0.076	1,841	0.067	0.064 - 0.070
Georgia	247	0.025	0.022 - 0.028	114	0.022	0.018 - 0.026	133	0.028	0.023 - 0.033
Hawaii	73	0.051	0.040 - 0.064	32	0.043	0.030 - 0.061	41	0.059	0.042 - 0.080
Idaho	48	0.022	0.016 - 0.029	22	0.020	0.012 - 0.030	26	0.025	0.016 - 0.036
Illinois	601	0.027	0.025 - 0.030	288	0.026	0.023 - 0.029	313	0.029	0.026 - 0.033
Iowa	27	0.014	0.009 - 0.021	12	0.012	0.006 - 0.021	15	0.016	0.009 - 0.027
Kansas	89	0.026	0.021 - 0.031	34	0.019	0.013 - 0.026	55	0.033	0.025 - 0.043
Kentucky	35	0.021	0.015 - 0.029	23	0.026	0.016 - 0.039	12	0.016	0.008 - 0.027
Louisiana	65	0.027	0.021 - 0.035	27	0.021	0.014 - 0.031	38	0.034	0.024 - 0.046
Maine	-	-	-	-	-	-	-	-	-
Maryland	87	0.014	0.011 - 0.017	27	0.008	0.006 - 0.012	60	0.020	0.015 - 0.026
MI - Detroit	67	0.037	0.029 - 0.047	25	0.028	0.018 - 0.041	42	0.047	0.034 - 0.064
Minnesota	54	0.018	0.013 - 0.023	33	0.021	0.014 - 0.029	21	0.014	0.009 - 0.022
Mississippi	21	0.022	0.013 - 0.033	-	-	-	-	-	-
Missouri	54	0.021	0.016 - 0.027	24	0.018	0.011 - 0.027	30	0.024	0.016 - 0.034
Montana	12	0.029	0.015 - 0.050	-	-	-	-	-	-
Nebraska	31	0.015	0.010 - 0.021	17	0.015	0.009 - 0.025	14	0.014	0.008 - 0.023
New Hampshire	17	0.033	0.019 - 0.053	-	-	-	-	-	-
New Jersey	774	0.043	0.040 - 0.046	351	0.039	0.035 - 0.043	423	0.047	0.042 - 0.051
New Mexico	381	0.037	0.034 - 0.041	177	0.035	0.030 - 0.040	204	0.039	0.034 - 0.045
New York	2,027	0.054	0.052 - 0.057	917	0.050	0.047 - 0.053	1,110	0.059	0.055 - 0.062
North Carolina	140	0.014	0.012 - 0.017	61	0.012	0.009 - 0.015	79	0.017	0.013 - 0.021
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	108	0.024	0.020 - 0.029	57	0.025	0.019 - 0.032	51	0.023	0.017 - 0.030
Oklahoma	68	0.016	0.012 - 0.020	36	0.016	0.011 - 0.023	32	0.016	0.011 - 0.022
Oregon	118	0.022	0.018 - 0.026	44	0.016	0.011 - 0.021	74	0.028	0.022 - 0.035
Pennsylvania	336	0.035	0.032 - 0.039	163	0.034	0.029 - 0.039	173	0.037	0.032 - 0.043
Rhode Island	57	0.034	0.026 - 0.045	28	0.034	0.022 - 0.049	29	0.035	0.024 - 0.051
South Carolina	59	0.020	0.015 - 0.026	26	0.017	0.011 - 0.025	33	0.024	0.017 - 0.034
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	83	0.022	0.018 - 0.028	38	0.019	0.014 - 0.027	45	0.026	0.019 - 0.034
Texas	2,639	0.024	0.023 - 0.024	1,340	0.024	0.022 - 0.025	1,299	0.023	0.022 - 0.025
Utah	67	0.015	0.012 - 0.019	29	0.013	0.009 - 0.018	38	0.018	0.012 - 0.024
Vermont	-	-	-	-	-	-	-	-	-
Washington	229	0.024	0.021 - 0.027	106	0.022	0.018 - 0.026	123	0.027	0.022 - 0.032
WA - Seattle	169	0.033	0.028 - 0.038	78	0.029	0.023 - 0.036	91	0.037	0.030 - 0.045
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	91	0.023	0.018 - 0.028	40	0.019	0.014 - 0.026	51	0.026	0.020 - 0.035
Wyoming	16	0.028	0.016 - 0.045	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	7,650	0.013	0.013 - 0.013	3,368	0.011	0.011 - 0.012	4,282	0.015	0.014 - 0.015
Alabama	25	0.012	0.008 - 0.017	14	0.012	0.007 - 0.021	11	0.011	0.005 - 0.020
Alaska	-	-	-	-	-	-	-	-	-
Arizona	300	0.013	0.012 - 0.015	126	0.011	0.009 - 0.013	174	0.016	0.013 - 0.018
Arkansas	27	0.012	0.008 - 0.017	13	0.011	0.006 - 0.019	14	0.013	0.007 - 0.022
California	2,172	0.014	0.014 - 0.015	896	0.012	0.011 - 0.012	1,275	0.017	0.016 - 0.018
CA - Greater California	1,205	0.014	0.013 - 0.015	473	0.011	0.010 - 0.012	732	0.017	0.016 - 0.018
CA - Greater Bay Area	420	0.022	0.020 - 0.024	186	0.019	0.017 - 0.022	234	0.025	0.022 - 0.028
CA - Los Angeles	545	0.011	0.010 - 0.012	236	0.010	0.008 - 0.011	309	0.013	0.011 - 0.014
Colorado	185	0.015	0.013 - 0.018	63	0.010	0.008 - 0.013	122	0.020	0.017 - 0.024
Connecticut	77	0.013	0.010 - 0.016	35	0.012	0.008 - 0.017	42	0.014	0.010 - 0.019
Delaware	16	0.018	0.010 - 0.029	-	-	-	-	-	-
Florida	1,090	0.020	0.019 - 0.021	540	0.020	0.018 - 0.022	550	0.020	0.018 - 0.022
Georgia	136	0.014	0.011 - 0.016	63	0.012	0.009 - 0.015	73	0.015	0.012 - 0.019
Hawaii	46	0.032	0.023 - 0.043	21	0.028	0.018 - 0.044	25	0.036	0.023 - 0.052
Idaho	33	0.015	0.010 - 0.021	10	0.009	0.004 - 0.016	23	0.022	0.014 - 0.033
Illinois	260	0.012	0.010 - 0.013	108	0.010	0.008 - 0.012	152	0.014	0.012 - 0.017
Iowa	17	0.009	0.005 - 0.014	-	-	-	-	-	-
Kansas	52	0.015	0.011 - 0.020	19	0.011	0.006 - 0.016	33	0.020	0.014 - 0.028
Kentucky	14	0.008	0.005 - 0.014	-	-	-	-	-	-
Louisiana	41	0.017	0.012 - 0.023	20	0.016	0.010 - 0.024	21	0.019	0.012 - 0.028
Maine	-	-	-	-	-	-	-	-	-
Maryland	56	0.009	0.007 - 0.012	24	0.008	0.005 - 0.011	32	0.011	0.007 - 0.015
MI - Detroit	38	0.021	0.015 - 0.029	16	0.017	0.010 - 0.028	22	0.025	0.015 - 0.037
Minnesota	38	0.012	0.009 - 0.017	19	0.012	0.007 - 0.019	19	0.013	0.008 - 0.020
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	25	0.010	0.006 - 0.014	15	0.011	0.006 - 0.018	10	0.008	0.004 - 0.015
Montana	15	0.036	0.020 - 0.059	-	-	-	-	-	-
Nebraska	21	0.010	0.006 - 0.015	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	227	0.013	0.011 - 0.014	108	0.012	0.010 - 0.014	119	0.013	0.011 - 0.016
New Mexico	181	0.018	0.015 - 0.020	81	0.016	0.013 - 0.020	100	0.019	0.016 - 0.024
New York	445	0.012	0.011 - 0.013	213	0.012	0.010 - 0.013	232	0.012	0.011 - 0.014
North Carolina	65	0.007	0.005 - 0.008	41	0.008	0.006 - 0.011	24	0.005	0.003 - 0.008
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	45	0.010	0.007 - 0.013	24	0.010	0.007 - 0.015	21	0.010	0.006 - 0.015
Oklahoma	49	0.012	0.009 - 0.015	21	0.009	0.006 - 0.015	28	0.014	0.009 - 0.020
Oregon	79	0.014	0.011 - 0.018	29	0.010	0.007 - 0.015	50	0.019	0.014 - 0.025
Pennsylvania	109	0.011	0.009 - 0.014	38	0.008	0.006 - 0.011	71	0.015	0.012 - 0.019
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	29	0.010	0.007 - 0.014	15	0.010	0.005 - 0.016	14	0.010	0.006 - 0.017
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	51	0.014	0.010 - 0.018	24	0.012	0.008 - 0.018	27	0.015	0.010 - 0.022
Texas	996	0.009	0.008 - 0.009	455	0.008	0.007 - 0.009	541	0.010	0.009 - 0.011
Utah	72	0.016	0.013 - 0.020	32	0.014	0.010 - 0.020	40	0.019	0.013 - 0.025
Vermont	-	-	-	-	-	-	-	-	-
Washington	151	0.016	0.013 - 0.019	52	0.011	0.008 - 0.014	99	0.021	0.017 - 0.026
WA - Seattle	128	0.025	0.021 - 0.029	46	0.017	0.013 - 0.023	82	0.033	0.026 - 0.041
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	36	0.009	0.006 - 0.012	16	0.008	0.004 - 0.013	20	0.010	0.006 - 0.016
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		92,392	0.318	0.316 - 0.320
Alabama	-	-		-	-		145	0.144	0.122 - 0.170
Alaska	-	-		-	-		65	0.259	0.200 - 0.330
Arizona	-	-		-	-		3,160	0.285	0.275 - 0.295
Arkansas	-	-		-	-		204	0.187	0.162 - 0.214
California	-	-		-	-		24,313	0.317	0.313 - 0.321
CA - Greater California	-	-		-	-		13,033	0.305	0.300 - 0.311
CA - Greater Bay Area	-	-		-	-		3,181	0.339	0.327 - 0.351
CA - Los Angeles	-	-		-	-		8,097	0.330	0.323 - 0.337
Colorado	-	-		-	-		1,970	0.329	0.315 - 0.344
Connecticut	-	-		-	-		1,154	0.395	0.372 - 0.418
Delaware	-	-		-	-		106	0.241	0.197 - 0.291
Florida	-	-		-	-		12,227	0.443	0.435 - 0.451
Georgia	-	-		-	-		1,231	0.255	0.241 - 0.270
Hawaii	-	-		-	-		301	0.430	0.383 - 0.481
Idaho	-	-		-	-		260	0.245	0.216 - 0.276
Illinois	-	-		-	-		3,282	0.306	0.295 - 0.317
Iowa	-	-		-	-		148	0.160	0.136 - 0.189
Kansas	-	-		-	-		399	0.237	0.215 - 0.262
Kentucky	-	-		-	-		149	0.193	0.163 - 0.227
Louisiana	-	-		-	-		330	0.294	0.263 - 0.327
Maine	-	-		-	-		33	0.299	0.206 - 0.420
Maryland	-	-		-	-		702	0.236	0.219 - 0.254
MI - Detroit	-	-		-	-		313	0.349	0.311 - 0.390
Minnesota	-	-		-	-		240	0.164	0.144 - 0.186
Mississippi	-	-		-	-		56	0.130	0.098 - 0.169
Missouri	-	-		-	-		239	0.191	0.167 - 0.217
Montana	-	-		-	-		58	0.286	0.217 - 0.370
Nebraska	-	-		-	-		209	0.206	0.179 - 0.236
New Hampshire	-	-		-	-		66	0.265	0.205 - 0.337
New Jersey	-	-		-	-		3,636	0.402	0.389 - 0.415
New Mexico	-	-		-	-		2,195	0.425	0.408 - 0.444
New York	-	-		-	-		8,213	0.434	0.424 - 0.443
North Carolina	-	-		-	-		686	0.145	0.135 - 0.157
North Dakota	-	-		-	-		17	0.125	0.073 - 0.200
Ohio	-	-		-	-		378	0.172	0.155 - 0.190
Oklahoma	-	-		-	-		414	0.205	0.185 - 0.225
Oregon	-	-		-	-		621	0.236	0.218 - 0.255
Pennsylvania	-	-		-	-		1,197	0.256	0.241 - 0.270
Rhode Island	-	-		-	-		214	0.260	0.226 - 0.297
South Carolina	-	-		-	-		294	0.216	0.192 - 0.242
South Dakota	-	-		-	-		21	0.128	0.079 - 0.196
Tennessee	-	-		-	-		306	0.174	0.155 - 0.194
Texas	-	-		-	-		16,252	0.291	0.287 - 0.296
Utah	-	-		-	-		469	0.218	0.198 - 0.238
Vermont	-	-		-	-		13	0.216	0.115 - 0.369
Washington	-	-		-	-		1,073	0.233	0.219 - 0.247
WA - Seattle	-	-		-	-		733	0.296	0.275 - 0.318
West Virginia	-	-		-	-		25	0.181	0.117 - 0.268
Wisconsin	-	-		-	-		382	0.197	0.178 - 0.218
Wyoming	-	-		-	-		59	0.215	0.164 - 0.278

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		8,906	0.031	0.030 - 0.031
Alabama	-	-		-	-		30	0.030	0.020 - 0.043
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		282	0.025	0.023 - 0.029
Arkansas	-	-		-	-		33	0.030	0.021 - 0.042
California	-	-		-	-		2,106	0.027	0.026 - 0.029
CA - Greater California	-	-		-	-		1,141	0.027	0.025 - 0.028
CA - Greater Bay Area	-	-		-	-		247	0.026	0.023 - 0.030
CA - Los Angeles	-	-		-	-		718	0.029	0.027 - 0.031
Colorado	-	-		-	-		164	0.027	0.023 - 0.032
Connecticut	-	-		-	-		99	0.034	0.028 - 0.041
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		999	0.036	0.034 - 0.039
Georgia	-	-		-	-		145	0.030	0.025 - 0.035
Hawaii	-	-		-	-		20	0.028	0.017 - 0.044
Idaho	-	-		-	-		31	0.029	0.020 - 0.041
Illinois	-	-		-	-		329	0.031	0.027 - 0.034
Iowa	-	-		-	-		23	0.025	0.016 - 0.037
Kansas	-	-		-	-		46	0.027	0.020 - 0.036
Kentucky	-	-		-	-		17	0.022	0.013 - 0.035
Louisiana	-	-		-	-		39	0.035	0.025 - 0.048
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		88	0.030	0.024 - 0.036
MI - Detroit	-	-		-	-		25	0.028	0.018 - 0.042
Minnesota	-	-		-	-		30	0.021	0.014 - 0.029
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		24	0.019	0.012 - 0.029
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		23	0.023	0.014 - 0.034
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		337	0.037	0.033 - 0.041
New Mexico	-	-		-	-		159	0.031	0.026 - 0.036
New York	-	-		-	-		648	0.034	0.032 - 0.037
North Carolina	-	-		-	-		107	0.023	0.019 - 0.027
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		38	0.017	0.012 - 0.024
Oklahoma	-	-		-	-		67	0.033	0.026 - 0.042
Oregon	-	-		-	-		58	0.022	0.017 - 0.028
Pennsylvania	-	-		-	-		130	0.028	0.023 - 0.033
Rhode Island	-	-		-	-		25	0.030	0.020 - 0.045
South Carolina	-	-		-	-		41	0.030	0.022 - 0.041
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		34	0.019	0.013 - 0.027
Texas	-	-		-	-		2,015	0.036	0.035 - 0.038
Utah	-	-		-	-		45	0.021	0.015 - 0.028
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		88	0.019	0.015 - 0.024
WA - Seattle	-	-		-	-		53	0.021	0.016 - 0.028
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		50	0.026	0.019 - 0.034
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		22,487	0.077	0.076 - 0.078
Alabama	-	-		-	-		38	0.038	0.027 - 0.052
Alaska	-	-		-	-		13	0.052	0.028 - 0.088
Arizona	-	-		-	-		756	0.068	0.063 - 0.073
Arkansas	-	-		-	-		53	0.049	0.036 - 0.064
California	-	-		-	-		5,996	0.078	0.076 - 0.080
CA - Greater California	-	-		-	-		2,977	0.070	0.067 - 0.072
CA - Greater Bay Area	-	-		-	-		769	0.082	0.076 - 0.088
CA - Los Angeles	-	-		-	-		2,250	0.092	0.088 - 0.096
Colorado	-	-		-	-		394	0.066	0.059 - 0.073
Connecticut	-	-		-	-		263	0.090	0.080 - 0.102
Delaware	-	-		-	-		37	0.084	0.059 - 0.116
Florida	-	-		-	-		2,763	0.100	0.096 - 0.104
Georgia	-	-		-	-		243	0.050	0.044 - 0.057
Hawaii	-	-		-	-		60	0.086	0.065 - 0.110
Idaho	-	-		-	-		58	0.054	0.041 - 0.070
Illinois	-	-		-	-		913	0.085	0.080 - 0.091
Iowa	-	-		-	-		45	0.049	0.035 - 0.065
Kansas	-	-		-	-		100	0.059	0.048 - 0.072
Kentucky	-	-		-	-		38	0.049	0.035 - 0.068
Louisiana	-	-		-	-		54	0.048	0.036 - 0.063
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		168	0.057	0.048 - 0.066
MI - Detroit	-	-		-	-		80	0.089	0.071 - 0.111
Minnesota	-	-		-	-		69	0.047	0.037 - 0.060
Mississippi	-	-		-	-		19	0.044	0.027 - 0.069
Missouri	-	-		-	-		69	0.055	0.043 - 0.070
Montana	-	-		-	-		10	0.049	0.024 - 0.091
Nebraska	-	-		-	-		53	0.052	0.039 - 0.068
New Hampshire	-	-		-	-		12	0.048	0.025 - 0.084
New Jersey	-	-		-	-		794	0.088	0.082 - 0.094
New Mexico	-	-		-	-		448	0.087	0.079 - 0.095
New York	-	-		-	-		1,979	0.105	0.100 - 0.109
North Carolina	-	-		-	-		167	0.035	0.030 - 0.041
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		116	0.053	0.044 - 0.063
Oklahoma	-	-		-	-		101	0.050	0.041 - 0.061
Oregon	-	-		-	-		176	0.067	0.057 - 0.077
Pennsylvania	-	-		-	-		345	0.074	0.066 - 0.082
Rhode Island	-	-		-	-		52	0.063	0.047 - 0.083
South Carolina	-	-		-	-		44	0.032	0.023 - 0.043
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		68	0.039	0.030 - 0.049
Texas	-	-		-	-		4,277	0.077	0.074 - 0.079
Utah	-	-		-	-		100	0.046	0.038 - 0.056
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		225	0.049	0.043 - 0.056
WA - Seattle	-	-		-	-		126	0.051	0.042 - 0.060
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		126	0.065	0.054 - 0.078
Wyoming	-	-		-	-		21	0.077	0.047 - 0.117

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		7,637	0.026	0.026 - 0.027
Alabama	-	-		-	-		12	0.012	0.006 - 0.021
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		263	0.024	0.021 - 0.027
Arkansas	-	-		-	-		18	0.016	0.010 - 0.026
California	-	-		-	-		2,132	0.028	0.027 - 0.029
CA - Greater California	-	-		-	-		1,069	0.025	0.024 - 0.027
CA - Greater Bay Area	-	-		-	-		247	0.026	0.023 - 0.030
CA - Los Angeles	-	-		-	-		814	0.033	0.031 - 0.036
Colorado	-	-		-	-		139	0.023	0.020 - 0.027
Connecticut	-	-		-	-		64	0.022	0.017 - 0.028
Delaware	-	-		-	-		-	-	
Florida	-	-		-	-		973	0.035	0.033 - 0.038
Georgia	-	-		-	-		116	0.024	0.020 - 0.029
Hawaii	-	-		-	-		13	0.019	0.010 - 0.032
Idaho	-	-		-	-		21	0.019	0.012 - 0.030
Illinois	-	-		-	-		265	0.025	0.022 - 0.028
Iowa	-	-		-	-		16	0.017	0.010 - 0.028
Kansas	-	-		-	-		30	0.018	0.012 - 0.025
Kentucky	-	-		-	-		13	0.017	0.009 - 0.029
Louisiana	-	-		-	-		15	0.013	0.007 - 0.022
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		53	0.018	0.013 - 0.023
MI - Detroit	-	-		-	-		21	0.023	0.015 - 0.036
Minnesota	-	-		-	-		14	0.010	0.005 - 0.016
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		18	0.014	0.009 - 0.023
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		18	0.018	0.011 - 0.028
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		254	0.028	0.025 - 0.032
New Mexico	-	-		-	-		154	0.030	0.025 - 0.035
New York	-	-		-	-		621	0.033	0.030 - 0.035
North Carolina	-	-		-	-		75	0.016	0.012 - 0.020
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		37	0.017	0.012 - 0.023
Oklahoma	-	-		-	-		40	0.020	0.014 - 0.027
Oregon	-	-		-	-		51	0.019	0.014 - 0.025
Pennsylvania	-	-		-	-		106	0.023	0.019 - 0.027
Rhode Island	-	-		-	-		12	0.015	0.008 - 0.025
South Carolina	-	-		-	-		20	0.015	0.009 - 0.023
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		24	0.014	0.009 - 0.020
Texas	-	-		-	-		1,437	0.026	0.024 - 0.027
Utah	-	-		-	-		43	0.020	0.014 - 0.027
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		84	0.018	0.015 - 0.023
WA - Seattle	-	-		-	-		50	0.020	0.015 - 0.026
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		34	0.018	0.012 - 0.025
Wyoming	-	-		-	-		10	0.036	0.017 - 0.067

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		63,898	0.217	0.215 - 0.218	-	-	
Alabama	-	-		119	0.105	0.087 - 0.126	-	-	
Alaska	-	-		28	0.100	0.066 - 0.145	-	-	
Arizona	-	-		1,760	0.157	0.149 - 0.164	-	-	
Arkansas	-	-		171	0.143	0.122 - 0.166	-	-	
California	-	-		15,851	0.204	0.201 - 0.208	-	-	
CA - Greater California	-	-		8,465	0.195	0.191 - 0.199	-	-	
CA - Greater Bay Area	-	-		2,066	0.214	0.205 - 0.223	-	-	
CA - Los Angeles	-	-		5,319	0.218	0.212 - 0.224	-	-	
Colorado	-	-		1,018	0.164	0.154 - 0.174	-	-	
Connecticut	-	-		707	0.244	0.227 - 0.263	-	-	
Delaware	-	-		93	0.203	0.164 - 0.249	-	-	
Florida	-	-		9,798	0.364	0.357 - 0.371	-	-	
Georgia	-	-		751	0.143	0.133 - 0.153	-	-	
Hawaii	-	-		142	0.192	0.162 - 0.227	-	-	
Idaho	-	-		134	0.118	0.099 - 0.140	-	-	
Illinois	-	-		2,347	0.209	0.201 - 0.218	-	-	
Iowa	-	-		110	0.110	0.090 - 0.133	-	-	
Kansas	-	-		292	0.162	0.144 - 0.181	-	-	
Kentucky	-	-		88	0.097	0.078 - 0.120	-	-	
Louisiana	-	-		301	0.234	0.208 - 0.262	-	-	
Maine	-	-		16	0.140	0.080 - 0.227	-	-	
Maryland	-	-		455	0.142	0.130 - 0.156	-	-	
MI - Detroit	-	-		222	0.242	0.212 - 0.277	-	-	
Minnesota	-	-		163	0.103	0.088 - 0.120	-	-	
Mississippi	-	-		61	0.113	0.086 - 0.145	-	-	
Missouri	-	-		142	0.106	0.089 - 0.125	-	-	
Montana	-	-		41	0.191	0.137 - 0.259	-	-	
Nebraska	-	-		136	0.123	0.103 - 0.145	-	-	
New Hampshire	-	-		48	0.181	0.134 - 0.240	-	-	
New Jersey	-	-		3,169	0.349	0.337 - 0.361	-	-	
New Mexico	-	-		1,333	0.262	0.248 - 0.277	-	-	
New York	-	-		7,110	0.386	0.377 - 0.395	-	-	
North Carolina	-	-		452	0.089	0.081 - 0.098	-	-	
North Dakota	-	-		11	0.070	0.035 - 0.126	-	-	
Ohio	-	-		337	0.146	0.130 - 0.162	-	-	
Oklahoma	-	-		207	0.094	0.081 - 0.107	-	-	
Oregon	-	-		368	0.130	0.117 - 0.144	-	-	
Pennsylvania	-	-		911	0.188	0.176 - 0.200	-	-	
Rhode Island	-	-		137	0.165	0.138 - 0.195	-	-	
South Carolina	-	-		217	0.141	0.123 - 0.161	-	-	
South Dakota	-	-		17	0.087	0.051 - 0.140	-	-	
Tennessee	-	-		199	0.102	0.088 - 0.117	-	-	
Texas	-	-		10,264	0.182	0.178 - 0.185	-	-	
Utah	-	-		292	0.129	0.114 - 0.144	-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		567	0.115	0.106 - 0.125	-	-	
WA - Seattle	-	-		344	0.129	0.115 - 0.143	-	-	
West Virginia	-	-		30	0.187	0.126 - 0.267	-	-	
Wisconsin	-	-		285	0.139	0.123 - 0.156	-	-	
Wyoming	-	-		59	0.194	0.148 - 0.250	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		7,635	0.026	0.025 - 0.026	-	-	
Alabama	-	-		13	0.011	0.006 - 0.020	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		254	0.023	0.020 - 0.026	-	-	
Arkansas	-	-		26	0.022	0.014 - 0.032	-	-	
California	-	-		2,371	0.031	0.029 - 0.032	-	-	
CA - Greater California	-	-		1,296	0.030	0.028 - 0.031	-	-	
CA - Greater Bay Area	-	-		307	0.032	0.028 - 0.036	-	-	
CA - Los Angeles	-	-		769	0.031	0.029 - 0.034	-	-	
Colorado	-	-		151	0.024	0.021 - 0.028	-	-	
Connecticut	-	-		64	0.022	0.017 - 0.028	-	-	
Delaware	-	-		16	0.035	0.020 - 0.057	-	-	
Florida	-	-		527	0.020	0.018 - 0.021	-	-	
Georgia	-	-		114	0.022	0.018 - 0.026	-	-	
Hawaii	-	-		16	0.022	0.012 - 0.035	-	-	
Idaho	-	-		30	0.027	0.018 - 0.038	-	-	
Illinois	-	-		340	0.030	0.027 - 0.034	-	-	
Iowa	-	-		31	0.031	0.021 - 0.044	-	-	
Kansas	-	-		52	0.029	0.022 - 0.038	-	-	
Kentucky	-	-		15	0.016	0.009 - 0.027	-	-	
Louisiana	-	-		28	0.022	0.014 - 0.032	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		50	0.016	0.012 - 0.021	-	-	
MI - Detroit	-	-		19	0.021	0.013 - 0.032	-	-	
Minnesota	-	-		33	0.021	0.014 - 0.029	-	-	
Mississippi	-	-		11	0.020	0.010 - 0.036	-	-	
Missouri	-	-		36	0.027	0.019 - 0.037	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		23	0.021	0.013 - 0.031	-	-	
New Hampshire	-	-		10	0.038	0.018 - 0.069	-	-	
New Jersey	-	-		201	0.022	0.019 - 0.025	-	-	
New Mexico	-	-		159	0.031	0.027 - 0.036	-	-	
New York	-	-		426	0.023	0.021 - 0.025	-	-	
North Carolina	-	-		83	0.016	0.013 - 0.020	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		30	0.013	0.009 - 0.019	-	-	
Oklahoma	-	-		50	0.023	0.017 - 0.030	-	-	
Oregon	-	-		67	0.024	0.018 - 0.030	-	-	
Pennsylvania	-	-		96	0.020	0.016 - 0.024	-	-	
Rhode Island	-	-		11	0.013	0.007 - 0.024	-	-	
South Carolina	-	-		27	0.018	0.012 - 0.026	-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		38	0.019	0.014 - 0.027	-	-	
Texas	-	-		1,491	0.026	0.025 - 0.028	-	-	
Utah	-	-		64	0.028	0.022 - 0.036	-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		134	0.027	0.023 - 0.032	-	-	
WA - Seattle	-	-		76	0.028	0.022 - 0.036	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		48	0.023	0.017 - 0.031	-	-	
Wyoming	-	-		13	0.043	0.023 - 0.073	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,982	0.022	0.022 - 0.023	9,866	0.033	0.033 - 0.034	3,118	0.011	0.010 - 0.011
Alabama	19	0.009	0.005 - 0.014	-	-	-	-	-	-
Alaska	11	0.021	0.010 - 0.037	-	-	-	-	-	-
Arizona	445	0.020	0.018 - 0.022	345	0.031	0.028 - 0.034	100	0.009	0.007 - 0.011
Arkansas	31	0.014	0.009 - 0.019	-	-	-	-	-	-
California	2,983	0.019	0.019 - 0.020	2,299	0.030	0.028 - 0.031	684	0.009	0.008 - 0.010
CA - Greater California	1,562	0.018	0.017 - 0.019	1,214	0.028	0.026 - 0.030	348	0.008	0.007 - 0.009
CA - Greater Bay Area	465	0.024	0.022 - 0.027	355	0.037	0.033 - 0.041	111	0.012	0.010 - 0.014
CA - Los Angeles	955	0.020	0.018 - 0.021	731	0.030	0.028 - 0.032	224	0.009	0.008 - 0.010
Colorado	247	0.020	0.018 - 0.023	196	0.032	0.027 - 0.036	51	0.009	0.006 - 0.011
Connecticut	194	0.033	0.029 - 0.038	139	0.048	0.040 - 0.057	56	0.019	0.014 - 0.025
Delaware	24	0.027	0.017 - 0.040	-	-	-	-	-	-
Florida	2,381	0.044	0.042 - 0.045	1,785	0.066	0.063 - 0.069	596	0.022	0.020 - 0.023
Georgia	162	0.016	0.014 - 0.019	127	0.024	0.020 - 0.029	35	0.007	0.005 - 0.010
Hawaii	42	0.029	0.021 - 0.039	31	0.042	0.029 - 0.060	11	0.016	0.008 - 0.028
Idaho	28	0.013	0.009 - 0.018	-	-	-	-	-	-
Illinois	411	0.019	0.017 - 0.021	311	0.028	0.025 - 0.031	100	0.009	0.008 - 0.011
Iowa	20	0.010	0.006 - 0.016	-	-	-	-	-	-
Kansas	66	0.019	0.015 - 0.024	45	0.025	0.018 - 0.033	21	0.012	0.008 - 0.019
Kentucky	18	0.011	0.006 - 0.017	-	-	-	-	-	-
Louisiana	46	0.019	0.014 - 0.025	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	84	0.014	0.011 - 0.017	60	0.019	0.014 - 0.024	24	0.008	0.005 - 0.012
MI - Detroit	65	0.036	0.028 - 0.046	54	0.059	0.044 - 0.077	11	0.012	0.006 - 0.022
Minnesota	41	0.013	0.010 - 0.018	31	0.020	0.013 - 0.028	10	0.007	0.003 - 0.013
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	36	0.014	0.010 - 0.019	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	28	0.013	0.009 - 0.019	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	589	0.032	0.030 - 0.035	442	0.049	0.044 - 0.053	147	0.016	0.014 - 0.019
New Mexico	306	0.030	0.027 - 0.033	231	0.045	0.040 - 0.052	75	0.015	0.011 - 0.018
New York	1,233	0.033	0.031 - 0.035	892	0.048	0.045 - 0.052	341	0.018	0.016 - 0.020
North Carolina	66	0.007	0.005 - 0.009	48	0.009	0.007 - 0.013	18	0.004	0.002 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	82	0.018	0.014 - 0.023	67	0.029	0.022 - 0.037	15	0.007	0.004 - 0.011
Oklahoma	55	0.013	0.010 - 0.017	43	0.019	0.014 - 0.026	12	0.006	0.003 - 0.010
Oregon	89	0.016	0.013 - 0.020	72	0.025	0.020 - 0.032	17	0.006	0.004 - 0.010
Pennsylvania	198	0.021	0.018 - 0.024	151	0.031	0.026 - 0.036	47	0.010	0.007 - 0.013
Rhode Island	23	0.014	0.009 - 0.021	-	-	-	-	-	-
South Carolina	30	0.010	0.007 - 0.015	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	48	0.013	0.010 - 0.017	38	0.019	0.014 - 0.027	10	0.006	0.003 - 0.010
Texas	1,985	0.018	0.017 - 0.018	1,518	0.027	0.026 - 0.028	467	0.008	0.008 - 0.009
Utah	57	0.013	0.010 - 0.017	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	144	0.015	0.013 - 0.018	109	0.022	0.018 - 0.027	35	0.008	0.005 - 0.011
WA - Seattle	97	0.019	0.015 - 0.023	73	0.027	0.021 - 0.034	24	0.010	0.006 - 0.014
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	55	0.014	0.010 - 0.018	41	0.020	0.014 - 0.027	14	0.007	0.004 - 0.012
Wyoming	14	0.024	0.013 - 0.041	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	26,589	0.045	0.045 - 0.046	15,683	0.053	0.052 - 0.054	10,907	0.038	0.037 - 0.038
Alabama	44	0.021	0.015 - 0.028	27	0.024	0.016 - 0.035	17	0.017	0.010 - 0.027
Alaska	14	0.026	0.014 - 0.044	-	-	-	-	-	-
Arizona	1,078	0.048	0.045 - 0.051	607	0.054	0.050 - 0.059	471	0.042	0.039 - 0.046
Arkansas	60	0.026	0.020 - 0.034	39	0.033	0.023 - 0.045	21	0.019	0.012 - 0.029
California	7,091	0.046	0.045 - 0.047	4,220	0.054	0.053 - 0.056	2,871	0.037	0.036 - 0.039
CA - Greater California	4,009	0.047	0.045 - 0.048	2,416	0.056	0.053 - 0.058	1,593	0.037	0.036 - 0.039
CA - Greater Bay Area	857	0.045	0.042 - 0.048	517	0.053	0.049 - 0.058	340	0.036	0.032 - 0.040
CA - Los Angeles	2,227	0.045	0.044 - 0.047	1,288	0.053	0.050 - 0.056	939	0.038	0.036 - 0.041
Colorado	619	0.051	0.047 - 0.055	352	0.057	0.051 - 0.063	267	0.045	0.039 - 0.050
Connecticut	241	0.041	0.036 - 0.047	131	0.045	0.038 - 0.054	110	0.038	0.031 - 0.045
Delaware	27	0.030	0.020 - 0.044	11	0.024	0.012 - 0.043	16	0.036	0.021 - 0.059
Florida	2,610	0.048	0.046 - 0.050	1,574	0.058	0.056 - 0.061	1,036	0.038	0.035 - 0.040
Georgia	273	0.027	0.024 - 0.031	174	0.033	0.028 - 0.038	100	0.021	0.017 - 0.025
Hawaii	53	0.037	0.028 - 0.048	37	0.050	0.035 - 0.069	16	0.023	0.013 - 0.037
Idaho	76	0.035	0.027 - 0.044	44	0.039	0.028 - 0.052	32	0.030	0.021 - 0.043
Illinois	1,000	0.046	0.043 - 0.048	635	0.057	0.052 - 0.061	365	0.034	0.031 - 0.038
Iowa	56	0.029	0.022 - 0.038	35	0.035	0.024 - 0.049	21	0.023	0.014 - 0.035
Kansas	159	0.046	0.039 - 0.053	91	0.050	0.041 - 0.062	68	0.040	0.031 - 0.051
Kentucky	36	0.022	0.015 - 0.030	-	-	-	-	-	-
Louisiana	98	0.040	0.033 - 0.049	73	0.057	0.044 - 0.071	25	0.022	0.014 - 0.032
Maine	-	-	-	-	-	-	-	-	-
Maryland	141	0.023	0.019 - 0.027	77	0.024	0.019 - 0.030	64	0.022	0.017 - 0.028
MI - Detroit	87	0.048	0.039 - 0.059	49	0.054	0.040 - 0.071	38	0.042	0.030 - 0.058
Minnesota	82	0.027	0.021 - 0.033	46	0.029	0.021 - 0.039	36	0.025	0.017 - 0.034
Mississippi	17	0.017	0.010 - 0.028	-	-	-	-	-	-
Missouri	80	0.031	0.024 - 0.038	49	0.037	0.027 - 0.048	31	0.025	0.017 - 0.035
Montana	20	0.048	0.029 - 0.074	-	-	-	-	-	-
Nebraska	63	0.030	0.023 - 0.038	42	0.038	0.027 - 0.051	21	0.021	0.013 - 0.032
New Hampshire	11	0.021	0.011 - 0.038	-	-	-	-	-	-
New Jersey	832	0.046	0.043 - 0.049	498	0.055	0.050 - 0.060	334	0.037	0.033 - 0.041
New Mexico	606	0.059	0.055 - 0.064	337	0.066	0.059 - 0.074	269	0.052	0.046 - 0.059
New York	1,705	0.046	0.044 - 0.048	1,005	0.055	0.051 - 0.058	700	0.037	0.034 - 0.040
North Carolina	186	0.019	0.016 - 0.022	106	0.021	0.017 - 0.025	80	0.017	0.013 - 0.021
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	133	0.029	0.025 - 0.035	89	0.038	0.031 - 0.047	44	0.020	0.015 - 0.027
Oklahoma	127	0.030	0.025 - 0.036	81	0.037	0.029 - 0.046	46	0.023	0.017 - 0.030
Oregon	174	0.032	0.027 - 0.037	105	0.037	0.030 - 0.045	69	0.026	0.020 - 0.033
Pennsylvania	355	0.037	0.033 - 0.041	216	0.044	0.039 - 0.051	139	0.030	0.025 - 0.035
Rhode Island	39	0.024	0.017 - 0.032	22	0.026	0.017 - 0.040	17	0.021	0.012 - 0.033
South Carolina	62	0.021	0.016 - 0.027	43	0.028	0.020 - 0.038	19	0.014	0.008 - 0.022
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	97	0.026	0.021 - 0.032	53	0.027	0.020 - 0.035	44	0.025	0.018 - 0.034
Texas	6,301	0.056	0.055 - 0.058	3,586	0.063	0.061 - 0.066	2,715	0.049	0.047 - 0.051
Utah	125	0.028	0.024 - 0.034	75	0.033	0.026 - 0.042	50	0.023	0.017 - 0.030
Vermont	-	-	-	-	-	-	-	-	-
Washington	282	0.030	0.026 - 0.033	168	0.034	0.029 - 0.040	114	0.025	0.020 - 0.030
WA - Seattle	171	0.033	0.028 - 0.039	105	0.039	0.032 - 0.047	67	0.027	0.021 - 0.034
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	156	0.039	0.033 - 0.046	103	0.050	0.041 - 0.061	53	0.027	0.021 - 0.036
Wyoming	26	0.045	0.029 - 0.066	14	0.046	0.025 - 0.077	12	0.044	0.023 - 0.076

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,482	0.011	0.011 - 0.011	3,421	0.011	0.011 - 0.012	3,060	0.010	0.010 - 0.011
Alabama	15	0.007	0.004 - 0.012	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	218	0.010	0.009 - 0.011	124	0.011	0.009 - 0.013	94	0.008	0.007 - 0.010
Arkansas	22	0.010	0.006 - 0.015	12	0.010	0.005 - 0.018	10	0.009	0.004 - 0.017
California	1,524	0.010	0.009 - 0.010	792	0.010	0.010 - 0.011	732	0.010	0.009 - 0.010
CA - Greater California	858	0.010	0.009 - 0.011	460	0.011	0.010 - 0.012	398	0.009	0.008 - 0.010
CA - Greater Bay Area	200	0.010	0.009 - 0.012	103	0.011	0.009 - 0.013	97	0.010	0.008 - 0.013
CA - Los Angeles	467	0.010	0.009 - 0.010	230	0.009	0.008 - 0.011	237	0.010	0.008 - 0.011
Colorado	129	0.011	0.009 - 0.013	69	0.011	0.009 - 0.014	60	0.010	0.008 - 0.013
Connecticut	63	0.011	0.008 - 0.014	30	0.010	0.007 - 0.015	33	0.011	0.008 - 0.016
Delaware	16	0.018	0.010 - 0.029	-	-	-	-	-	-
Florida	786	0.014	0.013 - 0.015	391	0.015	0.013 - 0.016	395	0.014	0.013 - 0.016
Georgia	97	0.010	0.008 - 0.012	49	0.009	0.007 - 0.012	48	0.010	0.007 - 0.013
Hawaii	14	0.010	0.005 - 0.016	-	-	-	-	-	-
Idaho	10	0.005	0.002 - 0.008	-	-	-	-	-	-
Illinois	235	0.011	0.009 - 0.012	134	0.012	0.010 - 0.014	101	0.009	0.008 - 0.011
Iowa	16	0.008	0.005 - 0.014	-	-	-	-	-	-
Kansas	45	0.013	0.009 - 0.017	19	0.011	0.006 - 0.016	26	0.015	0.010 - 0.023
Kentucky	14	0.008	0.004 - 0.014	-	-	-	-	-	-
Louisiana	31	0.013	0.009 - 0.018	20	0.016	0.010 - 0.024	11	0.010	0.005 - 0.018
Maine	-	-	-	-	-	-	-	-	-
Maryland	67	0.011	0.008 - 0.014	42	0.013	0.009 - 0.018	25	0.008	0.005 - 0.012
MI - Detroit	16	0.009	0.005 - 0.014	-	-	-	-	-	-
Minnesota	28	0.009	0.006 - 0.013	12	0.008	0.004 - 0.013	16	0.011	0.006 - 0.018
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	31	0.012	0.008 - 0.017	16	0.012	0.007 - 0.019	15	0.012	0.007 - 0.020
Montana	-	-	-	-	-	-	-	-	-
Nebraska	23	0.011	0.007 - 0.016	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	237	0.013	0.011 - 0.015	140	0.015	0.013 - 0.018	97	0.011	0.009 - 0.013
New Mexico	88	0.009	0.007 - 0.011	44	0.009	0.006 - 0.012	45	0.009	0.006 - 0.012
New York	494	0.013	0.012 - 0.014	291	0.016	0.014 - 0.018	203	0.011	0.009 - 0.012
North Carolina	79	0.008	0.006 - 0.010	48	0.009	0.007 - 0.013	31	0.007	0.004 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	42	0.009	0.007 - 0.013	25	0.011	0.007 - 0.016	17	0.008	0.005 - 0.012
Oklahoma	50	0.012	0.009 - 0.016	25	0.011	0.007 - 0.017	25	0.012	0.008 - 0.018
Oregon	46	0.008	0.006 - 0.011	26	0.009	0.006 - 0.013	20	0.008	0.005 - 0.012
Pennsylvania	108	0.011	0.009 - 0.014	61	0.013	0.010 - 0.016	47	0.010	0.007 - 0.013
Rhode Island	16	0.010	0.006 - 0.016	-	-	-	-	-	-
South Carolina	23	0.008	0.005 - 0.012	10	0.006	0.003 - 0.012	13	0.010	0.005 - 0.016
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	33	0.009	0.006 - 0.012	18	0.009	0.005 - 0.015	15	0.009	0.005 - 0.014
Texas	1,265	0.011	0.011 - 0.012	628	0.011	0.010 - 0.012	637	0.011	0.011 - 0.012
Utah	42	0.009	0.007 - 0.013	24	0.011	0.007 - 0.016	18	0.008	0.005 - 0.013
Vermont	-	-	-	-	-	-	-	-	-
Washington	109	0.011	0.009 - 0.014	63	0.013	0.010 - 0.016	46	0.010	0.007 - 0.013
WA - Seattle	56	0.011	0.008 - 0.014	32	0.012	0.008 - 0.017	24	0.010	0.006 - 0.014
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	39	0.010	0.007 - 0.013	21	0.010	0.006 - 0.016	18	0.009	0.006 - 0.015
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	30,923	0.053	0.052 - 0.053	5,809	0.020	0.019 - 0.020	25,109	0.086	0.085 - 0.087
Alabama	42	0.020	0.014 - 0.027	13	0.011	0.006 - 0.020	29	0.029	0.019 - 0.041
Alaska	18	0.034	0.020 - 0.054	-	-	-	-	-	-
Arizona	1,107	0.050	0.047 - 0.053	189	0.017	0.015 - 0.019	918	0.083	0.077 - 0.088
Arkansas	97	0.042	0.034 - 0.052	14	0.012	0.006 - 0.020	83	0.076	0.061 - 0.094
California	7,562	0.049	0.048 - 0.050	1,417	0.018	0.017 - 0.019	6,145	0.080	0.078 - 0.082
CA - Greater California	4,194	0.049	0.047 - 0.050	761	0.018	0.016 - 0.019	3,433	0.080	0.078 - 0.083
CA - Greater Bay Area	857	0.045	0.042 - 0.048	183	0.019	0.016 - 0.022	674	0.072	0.067 - 0.078
CA - Los Angeles	2,512	0.051	0.049 - 0.053	474	0.019	0.018 - 0.021	2,039	0.083	0.080 - 0.087
Colorado	672	0.055	0.051 - 0.059	121	0.019	0.016 - 0.023	551	0.092	0.085 - 0.100
Connecticut	470	0.081	0.074 - 0.088	81	0.028	0.022 - 0.035	389	0.133	0.120 - 0.147
Delaware	50	0.056	0.041 - 0.073	-	-	-	-	-	-
Florida	3,835	0.070	0.068 - 0.073	772	0.029	0.027 - 0.031	3,063	0.111	0.107 - 0.115
Georgia	451	0.045	0.041 - 0.049	66	0.012	0.010 - 0.016	385	0.080	0.072 - 0.088
Hawaii	65	0.045	0.035 - 0.058	-	-	-	-	-	-
Idaho	104	0.048	0.039 - 0.058	27	0.024	0.016 - 0.035	77	0.073	0.057 - 0.091
Illinois	1,221	0.056	0.053 - 0.059	234	0.021	0.018 - 0.024	987	0.092	0.086 - 0.098
Iowa	70	0.037	0.028 - 0.046	11	0.011	0.006 - 0.020	59	0.064	0.049 - 0.083
Kansas	178	0.051	0.044 - 0.059	39	0.022	0.015 - 0.030	139	0.083	0.070 - 0.098
Kentucky	36	0.022	0.015 - 0.030	10	0.011	0.005 - 0.020	26	0.034	0.022 - 0.049
Louisiana	95	0.039	0.032 - 0.048	24	0.018	0.012 - 0.028	71	0.063	0.049 - 0.080
Maine	-	-	-	-	-	-	-	-	-
Maryland	260	0.042	0.037 - 0.048	39	0.012	0.009 - 0.017	221	0.074	0.065 - 0.085
MI - Detroit	106	0.059	0.048 - 0.071	23	0.025	0.016 - 0.038	83	0.093	0.074 - 0.115
Minnesota	99	0.033	0.026 - 0.040	24	0.015	0.010 - 0.023	75	0.051	0.040 - 0.064
Mississippi	20	0.021	0.013 - 0.032	-	-	-	-	-	-
Missouri	89	0.034	0.028 - 0.042	12	0.009	0.005 - 0.016	77	0.061	0.049 - 0.077
Montana	12	0.029	0.015 - 0.050	-	-	-	-	-	-
Nebraska	95	0.045	0.036 - 0.055	23	0.021	0.013 - 0.031	72	0.071	0.056 - 0.090
New Hampshire	33	0.064	0.044 - 0.090	-	-	-	-	-	-
New Jersey	1,326	0.073	0.069 - 0.077	226	0.025	0.022 - 0.028	1,100	0.122	0.115 - 0.129
New Mexico	728	0.071	0.066 - 0.076	158	0.031	0.026 - 0.036	570	0.110	0.102 - 0.120
New York	3,021	0.081	0.078 - 0.084	536	0.029	0.027 - 0.032	2,486	0.131	0.126 - 0.137
North Carolina	276	0.028	0.025 - 0.032	51	0.010	0.008 - 0.013	225	0.048	0.042 - 0.054
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	146	0.032	0.027 - 0.038	27	0.012	0.008 - 0.017	119	0.054	0.045 - 0.065
Oklahoma	130	0.031	0.026 - 0.036	16	0.007	0.004 - 0.012	114	0.056	0.046 - 0.068
Oregon	243	0.045	0.039 - 0.050	46	0.016	0.012 - 0.022	197	0.075	0.065 - 0.086
Pennsylvania	525	0.055	0.050 - 0.060	74	0.015	0.012 - 0.019	451	0.096	0.088 - 0.106
Rhode Island	84	0.051	0.040 - 0.063	17	0.020	0.012 - 0.033	67	0.081	0.063 - 0.103
South Carolina	86	0.030	0.024 - 0.037	29	0.019	0.013 - 0.027	57	0.042	0.032 - 0.054
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	93	0.025	0.020 - 0.031	19	0.010	0.006 - 0.015	74	0.042	0.033 - 0.053
Texas	4,988	0.044	0.043 - 0.046	989	0.018	0.016 - 0.019	3,999	0.072	0.070 - 0.074
Utah	228	0.052	0.045 - 0.059	30	0.013	0.009 - 0.019	199	0.092	0.080 - 0.106
Vermont	-	-	-	-	-	-	-	-	-
Washington	385	0.040	0.036 - 0.045	77	0.016	0.012 - 0.020	308	0.067	0.060 - 0.075
WA - Seattle	239	0.046	0.041 - 0.053	49	0.018	0.014 - 0.024	190	0.077	0.066 - 0.088
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	151	0.038	0.032 - 0.044	26	0.013	0.008 - 0.019	125	0.065	0.054 - 0.077
Wyoming	23	0.040	0.025 - 0.060	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,116	0.009	0.008 - 0.009	2,748	0.009	0.009 - 0.010	2,369	0.008	0.008 - 0.008
Alabama	15	0.007	0.004 - 0.012	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	171	0.008	0.007 - 0.009	80	0.007	0.006 - 0.009	91	0.008	0.007 - 0.010
Arkansas	15	0.007	0.004 - 0.011	-	-	-	-	-	-
California	1,164	0.008	0.007 - 0.008	621	0.008	0.007 - 0.009	543	0.007	0.007 - 0.008
CA - Greater California	635	0.007	0.007 - 0.008	325	0.007	0.007 - 0.008	310	0.007	0.006 - 0.008
CA - Greater Bay Area	175	0.009	0.008 - 0.011	101	0.010	0.008 - 0.013	74	0.008	0.006 - 0.010
CA - Los Angeles	354	0.007	0.006 - 0.008	195	0.008	0.007 - 0.009	159	0.006	0.006 - 0.008
Colorado	100	0.008	0.007 - 0.010	60	0.010	0.007 - 0.012	40	0.007	0.005 - 0.009
Connecticut	78	0.013	0.011 - 0.017	44	0.015	0.011 - 0.020	34	0.012	0.008 - 0.016
Delaware	13	0.014	0.008 - 0.025	-	-	-	-	-	-
Florida	759	0.014	0.013 - 0.015	399	0.015	0.013 - 0.016	360	0.013	0.012 - 0.014
Georgia	77	0.008	0.006 - 0.010	38	0.007	0.005 - 0.010	39	0.008	0.006 - 0.011
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	19	0.009	0.005 - 0.014	-	-	-	-	-	-
Illinois	200	0.009	0.008 - 0.010	114	0.010	0.008 - 0.012	86	0.008	0.006 - 0.010
Iowa	19	0.010	0.006 - 0.015	-	-	-	-	-	-
Kansas	21	0.006	0.004 - 0.009	11	0.006	0.003 - 0.011	10	0.006	0.003 - 0.011
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	32	0.005	0.004 - 0.007	18	0.006	0.003 - 0.009	14	0.005	0.003 - 0.008
MI - Detroit	16	0.009	0.005 - 0.014	-	-	-	-	-	-
Minnesota	16	0.005	0.003 - 0.009	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	14	0.005	0.003 - 0.009	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	18	0.008	0.005 - 0.013	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	207	0.011	0.010 - 0.013	105	0.012	0.009 - 0.014	102	0.011	0.009 - 0.014
New Mexico	89	0.009	0.007 - 0.011	53	0.011	0.008 - 0.014	36	0.007	0.005 - 0.010
New York	488	0.013	0.012 - 0.014	255	0.014	0.012 - 0.016	233	0.012	0.011 - 0.014
North Carolina	47	0.005	0.004 - 0.006	23	0.005	0.003 - 0.007	24	0.005	0.003 - 0.008
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	24	0.005	0.003 - 0.008	-	-	-	-	-	-
Oklahoma	24	0.006	0.004 - 0.008	12	0.005	0.003 - 0.009	12	0.006	0.003 - 0.010
Oregon	31	0.006	0.004 - 0.008	16	0.006	0.003 - 0.009	15	0.006	0.003 - 0.009
Pennsylvania	92	0.010	0.008 - 0.012	46	0.009	0.007 - 0.013	46	0.010	0.007 - 0.013
Rhode Island	13	0.008	0.004 - 0.013	-	-	-	-	-	-
South Carolina	18	0.006	0.004 - 0.010	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	30	0.008	0.005 - 0.012	17	0.009	0.005 - 0.014	13	0.007	0.004 - 0.013
Texas	847	0.008	0.007 - 0.008	461	0.008	0.007 - 0.009	386	0.007	0.006 - 0.008
Utah	36	0.008	0.006 - 0.011	24	0.011	0.007 - 0.016	12	0.006	0.003 - 0.010
Vermont	-	-	-	-	-	-	-	-	-
Washington	78	0.008	0.006 - 0.010	43	0.009	0.006 - 0.012	35	0.008	0.005 - 0.011
WA - Seattle	51	0.010	0.007 - 0.013	26	0.010	0.006 - 0.014	25	0.010	0.007 - 0.015
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	22	0.006	0.003 - 0.008	10	0.005	0.002 - 0.009	12	0.006	0.003 - 0.011
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	24,541	0.042	0.041 - 0.042	12,577	0.042	0.042 - 0.043	11,965	0.041	0.040 - 0.042
Alabama	49	0.023	0.017 - 0.030	24	0.021	0.014 - 0.032	25	0.025	0.016 - 0.037
Alaska	15	0.028	0.016 - 0.047	-	-	-	-	-	-
Arizona	672	0.030	0.028 - 0.032	336	0.030	0.027 - 0.033	336	0.030	0.027 - 0.034
Arkansas	42	0.018	0.013 - 0.025	23	0.019	0.012 - 0.029	19	0.017	0.010 - 0.027
California	6,243	0.041	0.040 - 0.042	3,177	0.041	0.040 - 0.042	3,066	0.040	0.039 - 0.041
CA - Greater California	3,296	0.038	0.037 - 0.040	1,688	0.039	0.037 - 0.041	1,608	0.038	0.036 - 0.040
CA - Greater Bay Area	898	0.047	0.044 - 0.050	447	0.046	0.042 - 0.051	451	0.048	0.044 - 0.053
CA - Los Angeles	2,049	0.042	0.040 - 0.044	1,043	0.043	0.040 - 0.045	1,006	0.041	0.038 - 0.044
Colorado	414	0.034	0.031 - 0.037	213	0.034	0.030 - 0.039	201	0.034	0.029 - 0.039
Connecticut	319	0.055	0.049 - 0.061	151	0.052	0.044 - 0.061	168	0.057	0.049 - 0.067
Delaware	34	0.038	0.026 - 0.053	17	0.037	0.022 - 0.060	17	0.039	0.022 - 0.062
Florida	3,864	0.071	0.069 - 0.073	1,966	0.073	0.070 - 0.076	1,898	0.069	0.066 - 0.072
Georgia	339	0.034	0.030 - 0.037	187	0.036	0.031 - 0.041	152	0.032	0.027 - 0.037
Hawaii	66	0.046	0.036 - 0.058	36	0.049	0.034 - 0.068	30	0.043	0.029 - 0.061
Idaho	68	0.031	0.024 - 0.039	40	0.035	0.025 - 0.048	28	0.026	0.018 - 0.038
Illinois	926	0.042	0.039 - 0.045	483	0.043	0.039 - 0.047	443	0.041	0.038 - 0.045
Iowa	43	0.022	0.016 - 0.030	23	0.023	0.015 - 0.035	20	0.022	0.013 - 0.033
Kansas	94	0.027	0.022 - 0.033	48	0.027	0.020 - 0.035	46	0.027	0.020 - 0.036
Kentucky	39	0.023	0.016 - 0.032	22	0.024	0.015 - 0.037	17	0.022	0.013 - 0.035
Louisiana	97	0.040	0.033 - 0.049	46	0.036	0.026 - 0.048	51	0.045	0.034 - 0.059
Maine	-	-	-	-	-	-	-	-	-
Maryland	190	0.031	0.027 - 0.036	110	0.034	0.028 - 0.042	80	0.027	0.021 - 0.034
MI - Detroit	97	0.053	0.043 - 0.065	53	0.058	0.043 - 0.075	44	0.049	0.036 - 0.066
Minnesota	102	0.034	0.027 - 0.041	55	0.035	0.026 - 0.045	47	0.032	0.024 - 0.043
Mississippi	16	0.016	0.009 - 0.027	-	-	-	-	-	-
Missouri	61	0.024	0.018 - 0.030	28	0.021	0.014 - 0.030	33	0.026	0.018 - 0.037
Montana	14	0.034	0.018 - 0.056	-	-	-	-	-	-
Nebraska	61	0.029	0.022 - 0.037	34	0.031	0.021 - 0.043	27	0.027	0.018 - 0.039
New Hampshire	15	0.029	0.016 - 0.048	-	-	-	-	-	-
New Jersey	986	0.054	0.051 - 0.058	513	0.057	0.052 - 0.062	473	0.052	0.048 - 0.057
New Mexico	428	0.042	0.038 - 0.046	206	0.041	0.035 - 0.046	222	0.043	0.038 - 0.049
New York	2,205	0.059	0.057 - 0.062	1,093	0.059	0.056 - 0.063	1,112	0.059	0.055 - 0.062
North Carolina	230	0.024	0.021 - 0.027	131	0.026	0.022 - 0.031	99	0.021	0.017 - 0.026
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	124	0.027	0.023 - 0.033	70	0.030	0.024 - 0.038	54	0.025	0.018 - 0.032
Oklahoma	110	0.026	0.021 - 0.031	49	0.022	0.016 - 0.029	61	0.030	0.023 - 0.039
Oregon	169	0.031	0.026 - 0.036	92	0.033	0.026 - 0.040	77	0.029	0.023 - 0.037
Pennsylvania	336	0.035	0.032 - 0.039	164	0.034	0.029 - 0.039	172	0.037	0.031 - 0.043
Rhode Island	53	0.032	0.024 - 0.042	23	0.028	0.018 - 0.041	30	0.036	0.025 - 0.052
South Carolina	70	0.024	0.019 - 0.030	42	0.027	0.020 - 0.037	28	0.021	0.014 - 0.030
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	91	0.024	0.020 - 0.030	41	0.021	0.015 - 0.028	50	0.028	0.021 - 0.037
Texas	4,074	0.036	0.035 - 0.037	2,114	0.037	0.036 - 0.039	1,960	0.035	0.034 - 0.037
Utah	139	0.031	0.026 - 0.037	77	0.034	0.027 - 0.042	62	0.029	0.022 - 0.037
Vermont	-	-	-	-	-	-	-	-	-
Washington	278	0.029	0.026 - 0.033	140	0.028	0.024 - 0.034	138	0.030	0.025 - 0.035
WA - Seattle	175	0.034	0.029 - 0.039	94	0.035	0.028 - 0.043	82	0.033	0.026 - 0.041
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	124	0.031	0.026 - 0.037	60	0.029	0.022 - 0.038	64	0.033	0.025 - 0.042
Wyoming	12	0.021	0.011 - 0.036	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,189	0.014	0.014 - 0.014	4,318	0.015	0.014 - 0.015	3,872	0.013	0.013 - 0.014
Alabama	15	0.007	0.004 - 0.012	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	232	0.010	0.009 - 0.012	138	0.012	0.010 - 0.015	94	0.008	0.007 - 0.010
Arkansas	15	0.007	0.004 - 0.011	-	-	-	-	-	-
California	1,958	0.013	0.012 - 0.013	1,048	0.014	0.013 - 0.014	910	0.012	0.011 - 0.013
CA - Greater California	1,095	0.013	0.012 - 0.013	596	0.014	0.013 - 0.015	499	0.012	0.011 - 0.013
CA - Greater Bay Area	236	0.012	0.011 - 0.014	128	0.013	0.011 - 0.016	108	0.012	0.009 - 0.014
CA - Los Angeles	629	0.013	0.012 - 0.014	325	0.013	0.012 - 0.015	304	0.012	0.011 - 0.014
Colorado	150	0.012	0.010 - 0.014	86	0.014	0.011 - 0.017	64	0.011	0.008 - 0.014
Connecticut	117	0.020	0.017 - 0.024	60	0.021	0.016 - 0.027	58	0.020	0.015 - 0.026
Delaware	-	-	-	-	-	-	-	-	-
Florida	1,241	0.023	0.022 - 0.024	617	0.023	0.021 - 0.025	624	0.023	0.021 - 0.024
Georgia	107	0.011	0.009 - 0.013	57	0.011	0.008 - 0.014	50	0.010	0.008 - 0.014
Hawaii	14	0.010	0.005 - 0.016	-	-	-	-	-	-
Idaho	16	0.007	0.004 - 0.012	-	-	-	-	-	-
Illinois	290	0.013	0.012 - 0.015	148	0.013	0.011 - 0.015	142	0.013	0.011 - 0.016
Iowa	13	0.007	0.003 - 0.011	-	-	-	-	-	-
Kansas	46	0.013	0.010 - 0.018	28	0.016	0.010 - 0.022	18	0.011	0.006 - 0.017
Kentucky	13	0.008	0.004 - 0.013	-	-	-	-	-	-
Louisiana	26	0.011	0.007 - 0.016	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	45	0.007	0.005 - 0.010	21	0.007	0.004 - 0.010	24	0.008	0.005 - 0.012
MI - Detroit	31	0.017	0.012 - 0.024	20	0.022	0.014 - 0.034	11	0.012	0.006 - 0.022
Minnesota	34	0.011	0.008 - 0.016	22	0.014	0.009 - 0.021	12	0.008	0.004 - 0.014
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	21	0.008	0.005 - 0.012	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	24	0.011	0.007 - 0.017	10	0.009	0.004 - 0.017	14	0.014	0.008 - 0.023
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	334	0.018	0.016 - 0.020	182	0.020	0.017 - 0.023	152	0.017	0.014 - 0.020
New Mexico	150	0.015	0.012 - 0.017	81	0.016	0.013 - 0.020	70	0.013	0.010 - 0.017
New York	908	0.024	0.023 - 0.026	470	0.026	0.023 - 0.028	438	0.023	0.021 - 0.025
North Carolina	79	0.008	0.006 - 0.010	42	0.008	0.006 - 0.011	37	0.008	0.006 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	35	0.008	0.005 - 0.011	14	0.006	0.003 - 0.010	21	0.010	0.006 - 0.015
Oklahoma	31	0.007	0.005 - 0.010	14	0.006	0.003 - 0.011	17	0.008	0.005 - 0.013
Oregon	38	0.007	0.005 - 0.010	21	0.007	0.005 - 0.011	17	0.006	0.004 - 0.010
Pennsylvania	138	0.014	0.012 - 0.017	63	0.013	0.010 - 0.017	75	0.016	0.013 - 0.020
Rhode Island	24	0.014	0.009 - 0.022	13	0.016	0.008 - 0.027	11	0.013	0.007 - 0.024
South Carolina	19	0.007	0.004 - 0.010	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	27	0.007	0.005 - 0.011	12	0.006	0.003 - 0.011	15	0.009	0.005 - 0.014
Texas	1,422	0.013	0.012 - 0.013	749	0.013	0.012 - 0.014	673	0.012	0.011 - 0.013
Utah	38	0.009	0.006 - 0.012	24	0.011	0.007 - 0.016	14	0.006	0.004 - 0.011
Vermont	-	-	-	-	-	-	-	-	-
Washington	84	0.009	0.007 - 0.011	48	0.010	0.007 - 0.013	36	0.008	0.005 - 0.011
WA - Seattle	43	0.008	0.006 - 0.011	21	0.008	0.005 - 0.012	22	0.009	0.006 - 0.014
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	33	0.008	0.006 - 0.012	16	0.008	0.004 - 0.013	17	0.009	0.005 - 0.014
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	16,932	0.029	0.028 - 0.029	9,485	0.032	0.031 - 0.033	7,448	0.026	0.025 - 0.026
Alabama	42	0.020	0.014 - 0.027	28	0.025	0.016 - 0.036	14	0.014	0.008 - 0.023
Alaska	16	0.030	0.017 - 0.049	-	-	-	-	-	-
Arizona	488	0.022	0.020 - 0.024	281	0.025	0.022 - 0.028	207	0.019	0.016 - 0.021
Arkansas	64	0.028	0.022 - 0.036	37	0.031	0.022 - 0.043	27	0.025	0.016 - 0.036
California	4,038	0.026	0.025 - 0.027	2,294	0.030	0.028 - 0.031	1,744	0.023	0.022 - 0.024
CA - Greater California	2,219	0.026	0.025 - 0.027	1,239	0.029	0.027 - 0.030	980	0.023	0.022 - 0.024
CA - Greater Bay Area	542	0.028	0.026 - 0.031	320	0.033	0.030 - 0.037	222	0.024	0.021 - 0.027
CA - Los Angeles	1,275	0.026	0.025 - 0.028	734	0.030	0.028 - 0.032	541	0.022	0.020 - 0.024
Colorado	310	0.025	0.023 - 0.028	162	0.026	0.022 - 0.030	148	0.025	0.021 - 0.029
Connecticut	157	0.027	0.023 - 0.032	78	0.027	0.021 - 0.034	79	0.027	0.021 - 0.034
Delaware	32	0.036	0.024 - 0.050	17	0.037	0.022 - 0.060	15	0.034	0.019 - 0.056
Florida	2,444	0.045	0.043 - 0.047	1,280	0.048	0.045 - 0.050	1,164	0.042	0.040 - 0.045
Georgia	282	0.028	0.025 - 0.031	169	0.032	0.027 - 0.037	112	0.023	0.019 - 0.028
Hawaii	33	0.023	0.016 - 0.033	21	0.029	0.018 - 0.044	12	0.017	0.009 - 0.030
Idaho	65	0.030	0.023 - 0.038	36	0.032	0.022 - 0.044	29	0.027	0.018 - 0.039
Illinois	634	0.029	0.027 - 0.031	357	0.032	0.029 - 0.035	277	0.026	0.023 - 0.029
Iowa	46	0.024	0.018 - 0.032	25	0.025	0.016 - 0.037	21	0.023	0.014 - 0.035
Kansas	93	0.027	0.022 - 0.033	60	0.033	0.025 - 0.043	33	0.020	0.014 - 0.028
Kentucky	41	0.024	0.017 - 0.033	21	0.023	0.014 - 0.035	20	0.026	0.016 - 0.040
Louisiana	56	0.023	0.018 - 0.030	29	0.023	0.015 - 0.033	27	0.024	0.016 - 0.035
Maine	-	-	-	-	-	-	-	-	-
Maryland	142	0.023	0.019 - 0.027	79	0.025	0.020 - 0.031	63	0.021	0.016 - 0.027
MI - Detroit	68	0.038	0.029 - 0.048	42	0.045	0.033 - 0.062	27	0.030	0.019 - 0.043
Minnesota	72	0.024	0.019 - 0.030	47	0.030	0.022 - 0.040	25	0.017	0.011 - 0.025
Mississippi	13	0.013	0.007 - 0.023	-	-	-	-	-	-
Missouri	58	0.022	0.017 - 0.029	30	0.022	0.015 - 0.032	28	0.022	0.015 - 0.032
Montana	10	0.025	0.012 - 0.045	-	-	-	-	-	-
Nebraska	57	0.027	0.020 - 0.035	37	0.033	0.024 - 0.046	20	0.020	0.012 - 0.031
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	608	0.034	0.031 - 0.036	346	0.038	0.034 - 0.042	262	0.029	0.026 - 0.033
New Mexico	329	0.032	0.029 - 0.036	186	0.037	0.032 - 0.042	143	0.028	0.023 - 0.033
New York	1,255	0.034	0.032 - 0.036	676	0.037	0.034 - 0.040	579	0.031	0.028 - 0.033
North Carolina	199	0.020	0.018 - 0.023	118	0.023	0.019 - 0.028	81	0.017	0.014 - 0.021
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	76	0.017	0.013 - 0.021	49	0.021	0.016 - 0.028	27	0.012	0.008 - 0.018
Oklahoma	97	0.023	0.019 - 0.028	57	0.026	0.020 - 0.033	40	0.020	0.014 - 0.027
Oregon	145	0.027	0.022 - 0.031	88	0.031	0.025 - 0.038	57	0.022	0.016 - 0.028
Pennsylvania	253	0.027	0.023 - 0.030	142	0.029	0.025 - 0.034	111	0.024	0.019 - 0.029
Rhode Island	45	0.027	0.020 - 0.036	27	0.032	0.021 - 0.047	18	0.022	0.013 - 0.035
South Carolina	69	0.024	0.018 - 0.030	35	0.023	0.016 - 0.032	34	0.025	0.017 - 0.035
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	94	0.025	0.020 - 0.031	50	0.026	0.019 - 0.034	44	0.025	0.018 - 0.034
Texas	3,136	0.028	0.027 - 0.029	1,776	0.031	0.030 - 0.033	1,360	0.024	0.023 - 0.026
Utah	92	0.021	0.017 - 0.026	62	0.027	0.021 - 0.035	31	0.014	0.010 - 0.020
Vermont	-	-	-	-	-	-	-	-	-
Washington	237	0.025	0.022 - 0.028	133	0.027	0.023 - 0.032	104	0.023	0.018 - 0.027
WA - Seattle	136	0.026	0.022 - 0.031	83	0.031	0.025 - 0.039	53	0.021	0.016 - 0.028
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	93	0.023	0.019 - 0.029	55	0.027	0.020 - 0.035	38	0.020	0.014 - 0.027
Wyoming	13	0.022	0.012 - 0.038	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2013-2017 by Registry, Hispanic, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	382	0.001	0.001 - 0.001	244	0.001	0.001 - 0.001	138	0.000	0.000 - 0.001
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	19	0.001	0.001 - 0.001	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	122	0.001	0.001 - 0.001	81	0.001	0.001 - 0.001	41	0.001	0.000 - 0.001
CA - Greater California	68	0.001	0.001 - 0.001	39	0.001	0.001 - 0.001	29	0.001	0.000 - 0.001
CA - Greater Bay Area	12	0.001	0.000 - 0.001	-	-		-	-	
CA - Los Angeles	41	0.001	0.001 - 0.001	-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	42	0.001	0.001 - 0.001	28	0.001	0.001 - 0.002	14	0.001	0.000 - 0.001
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	12	0.001	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	11	0.001	0.000 - 0.001	-	-		-	-	
New Mexico	10	0.001	0.000 - 0.002	-	-		-	-	
New York	26	0.001	0.000 - 0.001	-	-		-	-	
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	66	0.001	0.000 - 0.001	40	0.001	0.001 - 0.001	26	0.000	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	9,089,529	2.779	2.777 - 2.781	4,414,975	2.741	2.738 - 2.743	4,674,477	2.817	2.814 - 2.820
Alabama	136,517	2.797	2.782 - 2.812	69,160	2.929	2.907 - 2.951	67,357	2.673	2.653 - 2.693
Alaska	16,603	2.251	2.217 - 2.286	8,131	2.113	2.067 - 2.159	8,472	2.403	2.352 - 2.455
Arizona	164,785	2.321	2.309 - 2.332	77,890	2.207	2.192 - 2.223	86,895	2.433	2.417 - 2.449
Arkansas	83,463	2.777	2.758 - 2.796	42,699	2.892	2.865 - 2.920	40,764	2.666	2.640 - 2.692
California	945,272	2.399	2.394 - 2.403	449,832	2.296	2.289 - 2.303	495,440	2.500	2.493 - 2.507
CA - Greater California	527,092	2.407	2.400 - 2.413	252,703	2.315	2.306 - 2.324	274,389	2.498	2.489 - 2.508
CA - Greater Bay Area	193,341	2.605	2.594 - 2.617	93,075	2.515	2.499 - 2.531	100,266	2.695	2.678 - 2.712
CA - Los Angeles	225,853	2.239	2.229 - 2.248	104,575	2.102	2.090 - 2.115	121,279	2.371	2.358 - 2.384
Colorado	135,778	2.402	2.390 - 2.415	65,306	2.295	2.277 - 2.313	70,472	2.511	2.493 - 2.530
Connecticut	120,247	3.366	3.347 - 3.385	57,254	3.286	3.259 - 3.313	62,993	3.443	3.416 - 3.470
Delaware	31,404	3.267	3.231 - 3.304	15,769	3.393	3.341 - 3.447	15,635	3.149	3.100 - 3.199
Florida	648,842	3.075	3.067 - 3.082	323,685	3.137	3.126 - 3.148	325,157	3.015	3.004 - 3.025
Georgia	264,956	2.533	2.523 - 2.543	131,326	2.581	2.567 - 2.595	133,630	2.487	2.474 - 2.501
Hawaii	39,891	2.804	2.777 - 2.832	18,390	2.580	2.543 - 2.617	21,501	3.030	2.989 - 3.071
Idaho	44,654	2.575	2.551 - 2.599	22,389	2.577	2.543 - 2.611	22,264	2.573	2.540 - 2.607
Illinois	375,519	2.945	2.936 - 2.954	179,706	2.869	2.855 - 2.882	195,813	3.019	3.006 - 3.032
Iowa	96,001	3.052	3.033 - 3.072	46,964	3.001	2.974 - 3.028	49,037	3.103	3.076 - 3.131
Kansas	86,095	2.959	2.939 - 2.978	42,642	2.941	2.913 - 2.969	43,453	2.976	2.948 - 3.004
Kentucky	134,934	3.028	3.012 - 3.044	64,999	2.961	2.938 - 2.983	69,934	3.093	3.070 - 3.116
Louisiana	130,446	2.796	2.781 - 2.811	67,365	2.957	2.935 - 2.980	63,081	2.642	2.622 - 2.663
Maine	47,050	3.520	3.488 - 3.551	22,391	3.420	3.376 - 3.465	24,659	3.615	3.570 - 3.660
Maryland	172,641	2.863	2.850 - 2.877	82,891	2.837	2.817 - 2.856	89,750	2.888	2.869 - 2.907
MI - Detroit	123,161	3.171	3.153 - 3.189	60,874	3.228	3.203 - 3.254	62,287	3.116	3.092 - 3.141
Minnesota	169,183	3.029	3.014 - 3.043	83,187	2.990	2.970 - 3.011	85,996	3.067	3.046 - 3.087
Mississippi	81,528	2.731	2.713 - 2.750	41,625	2.875	2.848 - 2.903	39,903	2.596	2.571 - 2.622
Missouri	172,368	2.819	2.806 - 2.833	81,654	2.721	2.702 - 2.739	90,714	2.914	2.895 - 2.933
Montana	32,693	3.094	3.061 - 3.128	16,710	3.142	3.095 - 3.190	15,983	3.046	2.999 - 3.093
Nebraska	53,829	2.802	2.779 - 2.826	26,500	2.764	2.730 - 2.797	27,329	2.841	2.808 - 2.875
New Hampshire	47,250	3.497	3.466 - 3.529	23,175	3.463	3.418 - 3.508	24,075	3.531	3.486 - 3.576
New Jersey	291,708	3.283	3.271 - 3.295	141,198	3.254	3.237 - 3.271	150,510	3.311	3.294 - 3.327
New Mexico	50,479	2.413	2.392 - 2.434	23,869	2.305	2.276 - 2.335	26,610	2.518	2.488 - 2.548
New York	632,644	3.234	3.226 - 3.242	304,529	3.206	3.195 - 3.218	328,114	3.261	3.250 - 3.272
North Carolina	296,053	2.867	2.857 - 2.878	144,513	2.877	2.862 - 2.891	151,540	2.859	2.844 - 2.873
North Dakota	21,233	2.807	2.769 - 2.845	10,824	2.794	2.742 - 2.847	10,409	2.820	2.766 - 2.874
Ohio	343,315	2.942	2.933 - 2.952	164,146	2.871	2.857 - 2.885	179,169	3.011	2.997 - 3.025
Oklahoma	99,438	2.527	2.511 - 2.542	48,521	2.488	2.466 - 2.510	50,917	2.564	2.542 - 2.587
Oregon	119,423	2.869	2.853 - 2.885	57,397	2.782	2.759 - 2.804	62,026	2.955	2.931 - 2.978
Pennsylvania	428,577	3.350	3.340 - 3.360	204,996	3.271	3.257 - 3.285	223,581	3.425	3.411 - 3.439
Rhode Island	35,121	3.323	3.288 - 3.358	16,334	3.178	3.129 - 3.227	18,787	3.460	3.411 - 3.510
South Carolina	140,517	2.781	2.766 - 2.796	69,507	2.837	2.816 - 2.858	71,010	2.728	2.708 - 2.748
South Dakota	25,155	2.872	2.837 - 2.908	12,582	2.846	2.797 - 2.896	12,573	2.899	2.848 - 2.950
Tennessee	189,763	2.815	2.803 - 2.828	93,545	2.844	2.826 - 2.862	96,218	2.788	2.771 - 2.806
Texas	597,077	2.098	2.092 - 2.103	287,086	2.031	2.023 - 2.038	309,991	2.164	2.156 - 2.172
Utah	62,876	2.011	1.995 - 2.026	31,906	2.026	2.004 - 2.048	30,970	1.995	1.973 - 2.017
Vermont	21,177	3.392	3.346 - 3.438	10,140	3.289	3.225 - 3.354	11,037	3.492	3.427 - 3.558
Washington	206,372	2.761	2.749 - 2.773	99,063	2.649	2.633 - 2.666	107,309	2.874	2.856 - 2.891
WA - Seattle	148,186	2.873	2.859 - 2.888	71,519	2.770	2.750 - 2.790	76,667	2.977	2.956 - 2.998
West Virginia	59,826	3.304	3.278 - 3.331	28,868	3.221	3.183 - 3.258	30,958	3.386	3.348 - 3.424
Wisconsin	180,444	3.112	3.097 - 3.126	88,688	3.075	3.055 - 3.095	91,756	3.148	3.128 - 3.169
Wyoming	15,472	2.676	2.634 - 2.718	8,098	2.747	2.688 - 2.808	7,374	2.601	2.542 - 2.661
NAACCR CDN Combined¹	1,068,858	2.834	2.828 - 2.841	521,178	2.779	2.770 - 2.787	547,202	2.889	2.880 - 2.898
Alberta	101,160	2.369	2.355 - 2.384	50,405	2.344	2.323 - 2.364	50,755	2.395	2.374 - 2.416
British Columbia	134,082	2.698	2.683 - 2.712	66,230	2.693	2.673 - 2.714	67,852	2.702	2.682 - 2.723
Manitoba	34,631	2.577	2.550 - 2.604	16,410	2.445	2.407 - 2.482	18,221	2.709	2.670 - 2.749
New Brunswick	26,463	3.444	3.402 - 3.485	13,556	3.566	3.506 - 3.626	12,907	3.324	3.267 - 3.382
Newfoundland and Labrador	19,325	3.668	3.616 - 3.720	9,718	3.723	3.650 - 3.798	9,607	3.613	3.541 - 3.686
Ontario	426,346	3.005	2.996 - 3.014	204,233	2.918	2.905 - 2.931	222,113	3.089	3.076 - 3.102
Prince Edward Island	4,754	3.130	3.041 - 3.220	2,377	3.192	3.065 - 3.323	2,377	3.070	2.947 - 3.195
Saskatchewan	29,137	2.520	2.492 - 2.550	14,365	2.467	2.427 - 2.507	14,772	2.575	2.534 - 2.617
NAACCR N.A. Combined¹	10,158,387	2.784	2.782 - 2.786	4,936,152	2.744	2.741 - 2.746	5,221,679	2.823	2.821 - 2.826

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	247,922	0.076	0.075 - 0.076	175,322	0.108	0.108 - 0.109	72,606	0.044	0.043 - 0.044
Alabama	4,114	0.084	0.082 - 0.087	2,878	0.122	0.117 - 0.126	1,236	0.049	0.046 - 0.052
Alaska	514	0.070	0.064 - 0.076	387	0.101	0.091 - 0.111	127	0.036	0.030 - 0.043
Arizona	4,125	0.058	0.056 - 0.060	2,983	0.085	0.082 - 0.088	1,142	0.032	0.030 - 0.034
Arkansas	2,548	0.085	0.082 - 0.088	1,833	0.124	0.119 - 0.130	715	0.047	0.043 - 0.050
California	25,222	0.064	0.063 - 0.065	17,731	0.091	0.089 - 0.092	7,491	0.038	0.037 - 0.039
CA - Greater California	14,716	0.067	0.066 - 0.068	10,530	0.096	0.095 - 0.098	4,186	0.038	0.037 - 0.039
CA - Greater Bay Area	5,272	0.071	0.069 - 0.073	3,612	0.098	0.094 - 0.101	1,660	0.045	0.042 - 0.047
CA - Los Angeles	5,241	0.052	0.051 - 0.053	3,594	0.072	0.070 - 0.075	1,647	0.032	0.031 - 0.034
Colorado	3,770	0.067	0.065 - 0.069	2,679	0.094	0.091 - 0.098	1,091	0.039	0.037 - 0.041
Connecticut	3,085	0.086	0.083 - 0.089	2,090	0.120	0.115 - 0.125	995	0.054	0.051 - 0.058
Delaware	813	0.085	0.079 - 0.091	580	0.125	0.115 - 0.135	233	0.047	0.041 - 0.053
Florida	18,988	0.090	0.089 - 0.091	13,852	0.134	0.132 - 0.137	5,136	0.048	0.046 - 0.049
Georgia	7,233	0.069	0.068 - 0.071	5,135	0.101	0.098 - 0.104	2,098	0.039	0.037 - 0.041
Hawaii	1,234	0.087	0.082 - 0.092	835	0.117	0.109 - 0.125	399	0.056	0.051 - 0.062
Idaho	1,385	0.080	0.076 - 0.084	986	0.113	0.106 - 0.121	400	0.046	0.042 - 0.051
Illinois	10,312	0.081	0.079 - 0.082	7,255	0.116	0.113 - 0.119	3,057	0.047	0.045 - 0.049
Iowa	2,938	0.093	0.090 - 0.097	2,084	0.133	0.128 - 0.139	855	0.054	0.051 - 0.058
Kansas	2,322	0.080	0.077 - 0.083	1,679	0.116	0.110 - 0.121	643	0.044	0.041 - 0.048
Kentucky	4,033	0.090	0.088 - 0.093	2,895	0.132	0.127 - 0.137	1,139	0.050	0.047 - 0.053
Louisiana	3,574	0.077	0.074 - 0.079	2,551	0.112	0.108 - 0.116	1,023	0.043	0.040 - 0.046
Maine	1,435	0.107	0.102 - 0.113	1,029	0.157	0.148 - 0.167	406	0.060	0.054 - 0.066
Maryland	4,383	0.073	0.071 - 0.075	3,047	0.104	0.101 - 0.108	1,336	0.043	0.041 - 0.045
MI - Detroit	3,123	0.080	0.078 - 0.083	2,182	0.116	0.111 - 0.121	940	0.047	0.044 - 0.050
Minnesota	4,748	0.085	0.083 - 0.087	3,249	0.117	0.113 - 0.121	1,499	0.053	0.051 - 0.056
Mississippi	2,270	0.076	0.073 - 0.079	1,601	0.111	0.105 - 0.116	669	0.044	0.040 - 0.047
Missouri	5,108	0.084	0.081 - 0.086	3,702	0.123	0.119 - 0.127	1,406	0.045	0.043 - 0.048
Montana	882	0.083	0.078 - 0.089	624	0.117	0.108 - 0.127	258	0.049	0.043 - 0.056
Nebraska	1,515	0.079	0.075 - 0.083	1,084	0.113	0.106 - 0.120	431	0.045	0.041 - 0.049
New Hampshire	1,188	0.088	0.083 - 0.093	858	0.128	0.120 - 0.137	330	0.048	0.043 - 0.054
New Jersey	6,668	0.075	0.073 - 0.077	4,562	0.105	0.102 - 0.108	2,106	0.046	0.044 - 0.048
New Mexico	1,218	0.058	0.055 - 0.062	883	0.085	0.080 - 0.091	335	0.032	0.028 - 0.035
New York	14,580	0.075	0.073 - 0.076	9,849	0.104	0.102 - 0.106	4,731	0.047	0.046 - 0.048
North Carolina	8,168	0.079	0.077 - 0.081	5,785	0.115	0.112 - 0.118	2,383	0.045	0.043 - 0.047
North Dakota	614	0.081	0.075 - 0.088	435	0.112	0.102 - 0.123	179	0.048	0.042 - 0.056
Ohio	9,492	0.081	0.080 - 0.083	6,675	0.117	0.114 - 0.120	2,817	0.047	0.046 - 0.049
Oklahoma	3,150	0.080	0.077 - 0.083	2,269	0.116	0.112 - 0.121	881	0.044	0.041 - 0.047
Oregon	3,578	0.086	0.083 - 0.089	2,583	0.125	0.120 - 0.130	995	0.047	0.044 - 0.050
Pennsylvania	11,049	0.086	0.085 - 0.088	7,658	0.122	0.119 - 0.125	3,391	0.052	0.050 - 0.054
Rhode Island	854	0.081	0.075 - 0.086	574	0.112	0.103 - 0.121	280	0.052	0.046 - 0.058
South Carolina	3,913	0.077	0.075 - 0.080	2,826	0.115	0.111 - 0.120	1,087	0.042	0.039 - 0.044
South Dakota	754	0.086	0.080 - 0.092	539	0.122	0.112 - 0.133	215	0.050	0.043 - 0.057
Tennessee	5,500	0.082	0.079 - 0.084	4,005	0.122	0.118 - 0.126	1,495	0.043	0.041 - 0.046
Texas	16,835	0.059	0.058 - 0.060	12,097	0.086	0.084 - 0.087	4,738	0.033	0.032 - 0.034
Utah	1,429	0.046	0.043 - 0.048	981	0.062	0.058 - 0.066	448	0.029	0.026 - 0.032
Vermont	616	0.099	0.091 - 0.107	452	0.147	0.133 - 0.161	164	0.052	0.044 - 0.060
Washington	5,929	0.079	0.077 - 0.081	4,146	0.111	0.108 - 0.114	1,783	0.048	0.046 - 0.050
WA - Seattle	4,350	0.084	0.082 - 0.087	3,057	0.118	0.114 - 0.123	1,293	0.050	0.047 - 0.053
West Virginia	1,735	0.096	0.091 - 0.100	1,250	0.139	0.132 - 0.147	485	0.053	0.048 - 0.058
Wisconsin	4,946	0.085	0.083 - 0.088	3,419	0.119	0.115 - 0.123	1,527	0.052	0.050 - 0.055
Wyoming	436	0.075	0.068 - 0.083	314	0.107	0.095 - 0.119	122	0.043	0.036 - 0.051
NAACCR CDN Combined¹	27,411	0.073	0.072 - 0.074	18,869	0.101	0.099 - 0.102	8,566	0.045	0.044 - 0.046
Alberta	2,347	0.055	0.053 - 0.057	1,651	0.077	0.073 - 0.081	696	0.033	0.030 - 0.035
British Columbia	3,690	0.074	0.072 - 0.077	2,555	0.104	0.100 - 0.108	1,135	0.045	0.043 - 0.048
Manitoba	1,105	0.082	0.077 - 0.087	747	0.111	0.103 - 0.120	358	0.053	0.048 - 0.059
New Brunswick	666	0.087	0.080 - 0.094	475	0.125	0.114 - 0.137	191	0.049	0.042 - 0.057
Newfoundland and Labrador	491	0.093	0.085 - 0.102	352	0.135	0.121 - 0.150	139	0.052	0.044 - 0.062
Ontario	10,782	0.076	0.075 - 0.077	7,301	0.104	0.102 - 0.107	3,481	0.048	0.047 - 0.050
Prince Edward Island	166	0.109	0.093 - 0.127	117	0.157	0.130 - 0.188	49	0.063	0.047 - 0.084
Saskatchewan	668	0.058	0.053 - 0.062	478	0.082	0.075 - 0.090	190	0.033	0.029 - 0.038
NAACCR N.A. Combined¹	275,333	0.075	0.075 - 0.076	194,191	0.108	0.107 - 0.108	81,172	0.044	0.044 - 0.044

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-202 Prevalence – Oral Cavity and Pharynx

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	40,548	0.012	0.012 - 0.013	31,785	0.020	0.019 - 0.020	8,761	0.005	0.005 - 0.005
Alabama	560	0.011	0.011 - 0.012	456	0.019	0.018 - 0.021	104	0.004	0.003 - 0.005
Alaska	100	0.014	0.011 - 0.016	72	0.019	0.015 - 0.024	28	0.008	0.005 - 0.011
Arizona	782	0.011	0.010 - 0.012	603	0.017	0.016 - 0.019	179	0.005	0.004 - 0.006
Arkansas	326	0.011	0.010 - 0.012	258	0.017	0.015 - 0.020	68	0.004	0.003 - 0.006
California	3,391	0.009	0.008 - 0.009	2,610	0.013	0.013 - 0.014	781	0.004	0.004 - 0.004
CA - Greater California	2,005	0.009	0.009 - 0.010	1,565	0.014	0.014 - 0.015	440	0.004	0.004 - 0.004
CA - Greater Bay Area	744	0.010	0.009 - 0.011	551	0.015	0.014 - 0.016	193	0.005	0.004 - 0.006
CA - Los Angeles	642	0.006	0.006 - 0.007	494	0.010	0.009 - 0.011	148	0.003	0.002 - 0.003
Colorado	576	0.010	0.009 - 0.011	463	0.016	0.015 - 0.018	113	0.004	0.003 - 0.005
Connecticut	593	0.017	0.015 - 0.018	466	0.027	0.024 - 0.029	127	0.007	0.006 - 0.008
Delaware	150	0.016	0.013 - 0.018	119	0.026	0.021 - 0.031	31	0.006	0.004 - 0.009
Florida	3,202	0.015	0.015 - 0.016	2,499	0.024	0.023 - 0.025	703	0.007	0.006 - 0.007
Georgia	1,019	0.010	0.009 - 0.010	807	0.016	0.015 - 0.017	211	0.004	0.003 - 0.005
Hawaii	127	0.009	0.007 - 0.011	106	0.015	0.012 - 0.018	21	0.003	0.002 - 0.005
Idaho	210	0.012	0.011 - 0.014	181	0.021	0.018 - 0.024	29	0.003	0.002 - 0.005
Illinois	1,730	0.014	0.013 - 0.014	1,370	0.022	0.021 - 0.023	360	0.006	0.005 - 0.006
Iowa	577	0.018	0.017 - 0.020	479	0.031	0.028 - 0.033	98	0.006	0.005 - 0.008
Kansas	374	0.013	0.012 - 0.014	297	0.020	0.018 - 0.023	77	0.005	0.004 - 0.007
Kentucky	583	0.013	0.012 - 0.014	474	0.022	0.020 - 0.024	109	0.005	0.004 - 0.006
Louisiana	506	0.011	0.010 - 0.012	371	0.016	0.015 - 0.018	135	0.006	0.005 - 0.007
Maine	326	0.024	0.022 - 0.027	253	0.039	0.034 - 0.044	73	0.011	0.008 - 0.013
Maryland	701	0.012	0.011 - 0.013	547	0.019	0.017 - 0.020	154	0.005	0.004 - 0.006
MI - Detroit	577	0.015	0.014 - 0.016	444	0.024	0.021 - 0.026	133	0.007	0.006 - 0.008
Minnesota	805	0.014	0.013 - 0.015	626	0.023	0.021 - 0.024	179	0.006	0.005 - 0.007
Mississippi	347	0.012	0.010 - 0.013	274	0.019	0.017 - 0.021	73	0.005	0.004 - 0.006
Missouri	836	0.014	0.013 - 0.015	669	0.022	0.021 - 0.024	167	0.005	0.005 - 0.006
Montana	148	0.014	0.012 - 0.016	116	0.022	0.018 - 0.026	31	0.006	0.004 - 0.008
Nebraska	227	0.012	0.010 - 0.013	183	0.019	0.016 - 0.022	44	0.005	0.003 - 0.006
New Hampshire	314	0.023	0.021 - 0.026	260	0.039	0.034 - 0.044	54	0.008	0.006 - 0.010
New Jersey	1,209	0.014	0.013 - 0.014	923	0.021	0.020 - 0.023	286	0.006	0.006 - 0.007
New Mexico	208	0.010	0.009 - 0.011	165	0.016	0.014 - 0.019	43	0.004	0.003 - 0.006
New York	2,653	0.014	0.013 - 0.014	1,933	0.020	0.019 - 0.021	720	0.007	0.007 - 0.008
North Carolina	1,184	0.011	0.011 - 0.012	941	0.019	0.018 - 0.020	243	0.005	0.004 - 0.005
North Dakota	108	0.014	0.012 - 0.017	84	0.022	0.017 - 0.027	24	0.007	0.004 - 0.010
Ohio	1,720	0.015	0.014 - 0.015	1,399	0.024	0.023 - 0.026	321	0.005	0.005 - 0.006
Oklahoma	444	0.011	0.010 - 0.012	345	0.018	0.016 - 0.020	99	0.005	0.004 - 0.006
Oregon	651	0.016	0.014 - 0.017	512	0.025	0.023 - 0.027	139	0.007	0.006 - 0.008
Pennsylvania	2,089	0.016	0.016 - 0.017	1,621	0.026	0.025 - 0.027	468	0.007	0.007 - 0.008
Rhode Island	185	0.018	0.015 - 0.020	139	0.027	0.023 - 0.032	46	0.008	0.006 - 0.011
South Carolina	619	0.012	0.011 - 0.013	485	0.020	0.018 - 0.022	134	0.005	0.004 - 0.006
South Dakota	116	0.013	0.011 - 0.016	89	0.020	0.016 - 0.025	27	0.006	0.004 - 0.009
Tennessee	849	0.013	0.012 - 0.013	691	0.021	0.019 - 0.023	158	0.005	0.004 - 0.005
Texas	2,602	0.009	0.009 - 0.010	2,072	0.015	0.014 - 0.015	530	0.004	0.003 - 0.004
Utah	191	0.006	0.005 - 0.007	165	0.010	0.009 - 0.012	26	0.002	0.001 - 0.002
Vermont	136	0.022	0.018 - 0.026	112	0.036	0.030 - 0.044	24	0.008	0.005 - 0.011
Washington	1,020	0.014	0.013 - 0.015	794	0.021	0.020 - 0.023	226	0.006	0.005 - 0.007
WA - Seattle	647	0.013	0.012 - 0.014	487	0.019	0.017 - 0.021	160	0.006	0.005 - 0.007
West Virginia	302	0.017	0.015 - 0.019	251	0.028	0.025 - 0.032	51	0.006	0.004 - 0.007
Wisconsin	942	0.016	0.015 - 0.017	726	0.025	0.023 - 0.027	216	0.007	0.006 - 0.008
Wyoming	70	0.012	0.009 - 0.015	60	0.020	0.016 - 0.026	10	0.004	0.002 - 0.006
NAACCR CDN Combined¹	4,385	0.012	0.011 - 0.012	3,335	0.018	0.017 - 0.018	1,054	0.006	0.005 - 0.006
Alberta	405	0.009	0.009 - 0.010	311	0.014	0.013 - 0.016	94	0.004	0.004 - 0.005
British Columbia	643	0.013	0.012 - 0.014	474	0.019	0.018 - 0.021	169	0.007	0.006 - 0.008
Manitoba	130	0.010	0.008 - 0.011	96	0.014	0.012 - 0.017	34	0.005	0.004 - 0.007
New Brunswick	90	0.012	0.009 - 0.014	76	0.020	0.016 - 0.025	14	0.004	0.002 - 0.006
Newfoundland and Labrador	75	0.014	0.011 - 0.018	63	0.024	0.019 - 0.031	12	0.005	0.002 - 0.008
Ontario	1,706	0.012	0.011 - 0.013	1,289	0.018	0.017 - 0.019	417	0.006	0.005 - 0.006
Prince Edward Island	27	0.018	0.012 - 0.026	-	-	-	-	-	-
Saskatchewan	95	0.008	0.007 - 0.010	80	0.014	0.011 - 0.017	15	0.003	0.001 - 0.004
NAACCR N.A. Combined¹	44,933	0.012	0.012 - 0.012	35,120	0.020	0.019 - 0.020	9,815	0.005	0.005 - 0.005

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	78,735	0.024	0.024 - 0.024	45,192	0.028	0.028 - 0.029	33,540	0.020	0.020 - 0.021
Alabama	1,244	0.025	0.024 - 0.027	670	0.028	0.026 - 0.031	574	0.023	0.021 - 0.025
Alaska	158	0.021	0.018 - 0.025	96	0.025	0.020 - 0.030	62	0.018	0.013 - 0.023
Arizona	1,290	0.018	0.017 - 0.019	781	0.022	0.021 - 0.024	509	0.014	0.013 - 0.016
Arkansas	628	0.021	0.019 - 0.023	365	0.025	0.022 - 0.027	263	0.017	0.015 - 0.019
California	9,625	0.024	0.024 - 0.025	5,395	0.028	0.027 - 0.028	4,230	0.021	0.021 - 0.022
CA - Greater California	4,534	0.021	0.020 - 0.021	2,545	0.023	0.022 - 0.024	1,989	0.018	0.017 - 0.019
CA - Greater Bay Area	2,017	0.027	0.026 - 0.028	1,138	0.031	0.029 - 0.033	878	0.024	0.022 - 0.025
CA - Los Angeles	3,080	0.031	0.029 - 0.032	1,713	0.034	0.033 - 0.036	1,366	0.027	0.025 - 0.028
Colorado	965	0.017	0.016 - 0.018	566	0.020	0.018 - 0.022	399	0.014	0.013 - 0.016
Connecticut	1,263	0.035	0.033 - 0.037	739	0.042	0.039 - 0.046	523	0.029	0.026 - 0.031
Delaware	233	0.024	0.021 - 0.028	143	0.031	0.026 - 0.036	90	0.018	0.015 - 0.022
Florida	5,444	0.026	0.025 - 0.026	3,194	0.031	0.030 - 0.032	2,250	0.021	0.020 - 0.022
Georgia	2,169	0.021	0.020 - 0.022	1,190	0.023	0.022 - 0.025	979	0.018	0.017 - 0.019
Hawaii	528	0.037	0.034 - 0.040	298	0.042	0.037 - 0.047	231	0.032	0.028 - 0.037
Idaho	268	0.015	0.014 - 0.017	174	0.020	0.017 - 0.023	94	0.011	0.009 - 0.013
Illinois	3,396	0.027	0.026 - 0.028	1,942	0.031	0.030 - 0.032	1,454	0.022	0.021 - 0.024
Iowa	546	0.017	0.016 - 0.019	324	0.021	0.019 - 0.023	222	0.014	0.012 - 0.016
Kansas	532	0.018	0.017 - 0.020	315	0.022	0.019 - 0.024	217	0.015	0.013 - 0.017
Kentucky	1,034	0.023	0.022 - 0.025	557	0.025	0.023 - 0.028	478	0.021	0.019 - 0.023
Louisiana	1,130	0.024	0.023 - 0.026	671	0.029	0.027 - 0.032	459	0.019	0.018 - 0.021
Maine	344	0.026	0.023 - 0.029	192	0.029	0.025 - 0.034	152	0.022	0.019 - 0.026
Maryland	1,657	0.027	0.026 - 0.029	892	0.031	0.029 - 0.033	765	0.025	0.023 - 0.026
MI - Detroit	1,010	0.026	0.024 - 0.028	572	0.030	0.028 - 0.033	439	0.022	0.020 - 0.024
Minnesota	1,164	0.021	0.020 - 0.022	695	0.025	0.023 - 0.027	469	0.017	0.015 - 0.018
Mississippi	667	0.022	0.021 - 0.024	357	0.025	0.022 - 0.027	310	0.020	0.018 - 0.023
Missouri	1,179	0.019	0.018 - 0.020	682	0.023	0.021 - 0.024	497	0.016	0.015 - 0.017
Montana	185	0.018	0.015 - 0.020	108	0.020	0.017 - 0.025	77	0.015	0.012 - 0.018
Nebraska	328	0.017	0.015 - 0.019	208	0.022	0.019 - 0.025	120	0.012	0.010 - 0.015
New Hampshire	344	0.025	0.023 - 0.028	208	0.031	0.027 - 0.036	136	0.020	0.017 - 0.024
New Jersey	2,987	0.034	0.032 - 0.035	1,634	0.038	0.036 - 0.040	1,353	0.030	0.028 - 0.031
New Mexico	482	0.023	0.021 - 0.025	275	0.027	0.023 - 0.030	207	0.020	0.017 - 0.022
New York	7,509	0.038	0.038 - 0.039	4,280	0.045	0.044 - 0.046	3,230	0.032	0.031 - 0.033
North Carolina	2,625	0.025	0.024 - 0.026	1,461	0.029	0.028 - 0.031	1,164	0.022	0.021 - 0.023
North Dakota	133	0.018	0.015 - 0.021	80	0.021	0.016 - 0.026	53	0.014	0.011 - 0.019
Ohio	2,769	0.024	0.023 - 0.025	1,626	0.028	0.027 - 0.030	1,143	0.019	0.018 - 0.020
Oklahoma	689	0.018	0.016 - 0.019	375	0.019	0.017 - 0.021	314	0.016	0.014 - 0.018
Oregon	856	0.021	0.019 - 0.022	531	0.026	0.024 - 0.028	325	0.015	0.014 - 0.017
Pennsylvania	3,300	0.026	0.025 - 0.027	1,996	0.032	0.030 - 0.033	1,304	0.020	0.019 - 0.021
Rhode Island	365	0.035	0.031 - 0.038	222	0.043	0.038 - 0.049	143	0.026	0.022 - 0.031
South Carolina	1,224	0.024	0.023 - 0.026	697	0.028	0.026 - 0.031	527	0.020	0.019 - 0.022
South Dakota	141	0.016	0.014 - 0.019	93	0.021	0.017 - 0.026	48	0.011	0.008 - 0.015
Tennessee	1,436	0.021	0.020 - 0.022	819	0.025	0.023 - 0.027	617	0.018	0.016 - 0.019
Texas	5,590	0.020	0.019 - 0.020	3,091	0.022	0.021 - 0.023	2,499	0.017	0.017 - 0.018
Utah	360	0.012	0.010 - 0.013	210	0.013	0.012 - 0.015	150	0.010	0.008 - 0.011
Vermont	125	0.020	0.017 - 0.024	75	0.024	0.019 - 0.030	50	0.016	0.012 - 0.021
Washington	1,511	0.020	0.019 - 0.021	922	0.025	0.023 - 0.026	589	0.016	0.015 - 0.017
WA - Seattle	1,069	0.021	0.020 - 0.022	641	0.025	0.023 - 0.027	428	0.017	0.015 - 0.018
West Virginia	421	0.023	0.021 - 0.026	240	0.027	0.023 - 0.030	181	0.020	0.017 - 0.023
Wisconsin	1,419	0.024	0.023 - 0.026	892	0.031	0.029 - 0.033	527	0.018	0.017 - 0.020
Wyoming	88	0.015	0.012 - 0.019	63	0.021	0.016 - 0.027	25	0.009	0.006 - 0.013
NAACCR CDN Combined¹	10,365	0.027	0.027 - 0.028	6,536	0.035	0.034 - 0.036	3,827	0.020	0.019 - 0.021
Alberta	683	0.016	0.015 - 0.017	439	0.020	0.019 - 0.022	244	0.012	0.010 - 0.013
British Columbia	1,052	0.021	0.020 - 0.022	680	0.028	0.026 - 0.030	372	0.015	0.013 - 0.016
Manitoba	306	0.023	0.020 - 0.025	202	0.030	0.026 - 0.035	104	0.015	0.013 - 0.019
New Brunswick	247	0.032	0.028 - 0.036	172	0.045	0.039 - 0.053	75	0.019	0.015 - 0.024
Newfoundland and Labrador	247	0.047	0.041 - 0.053	148	0.057	0.048 - 0.067	99	0.037	0.030 - 0.045
Ontario	4,703	0.033	0.032 - 0.034	2,904	0.041	0.040 - 0.043	1,799	0.025	0.024 - 0.026
Prince Edward Island	32	0.021	0.014 - 0.030	-	-	-	-	-	-
Saskatchewan	236	0.020	0.018 - 0.023	162	0.028	0.024 - 0.032	74	0.013	0.010 - 0.016
NAACCR N.A. Combined¹	89,100	0.025	0.024 - 0.025	51,729	0.029	0.029 - 0.029	37,367	0.020	0.020 - 0.021

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	782,058	0.240	0.239 - 0.240	404,128	0.251	0.250 - 0.252	377,932	0.228	0.227 - 0.229
Alabama	13,507	0.277	0.272 - 0.281	6,942	0.294	0.287 - 0.301	6,565	0.261	0.254 - 0.267
Alaska	1,666	0.226	0.215 - 0.237	900	0.234	0.219 - 0.250	766	0.217	0.202 - 0.233
Arizona	13,887	0.196	0.192 - 0.199	7,277	0.206	0.201 - 0.211	6,610	0.185	0.181 - 0.190
Arkansas	7,982	0.266	0.260 - 0.271	4,152	0.281	0.273 - 0.290	3,830	0.250	0.243 - 0.259
California	83,149	0.211	0.210 - 0.212	42,990	0.219	0.217 - 0.222	40,159	0.203	0.201 - 0.205
CA - Greater California	45,232	0.207	0.205 - 0.208	23,590	0.216	0.213 - 0.219	21,642	0.197	0.194 - 0.200
CA - Greater Bay Area	16,709	0.225	0.222 - 0.229	8,572	0.232	0.227 - 0.237	8,138	0.219	0.214 - 0.224
CA - Los Angeles	21,238	0.211	0.208 - 0.213	10,848	0.218	0.214 - 0.222	10,390	0.203	0.199 - 0.207
Colorado	10,358	0.183	0.180 - 0.187	5,411	0.190	0.185 - 0.195	4,947	0.176	0.171 - 0.181
Connecticut	9,370	0.262	0.257 - 0.268	4,795	0.275	0.267 - 0.283	4,575	0.250	0.243 - 0.257
Delaware	2,479	0.258	0.248 - 0.268	1,293	0.278	0.263 - 0.294	1,186	0.239	0.225 - 0.253
Florida	52,833	0.250	0.248 - 0.252	27,315	0.265	0.262 - 0.268	25,518	0.237	0.234 - 0.239
Georgia	23,351	0.223	0.220 - 0.226	12,059	0.237	0.233 - 0.241	11,292	0.210	0.206 - 0.214
Hawaii	4,351	0.306	0.297 - 0.315	2,362	0.331	0.318 - 0.345	1,989	0.280	0.268 - 0.293
Idaho	3,462	0.200	0.193 - 0.206	1,844	0.212	0.203 - 0.222	1,618	0.187	0.178 - 0.196
Illinois	34,724	0.272	0.269 - 0.275	17,999	0.287	0.283 - 0.292	16,725	0.258	0.254 - 0.262
Iowa	9,024	0.287	0.281 - 0.293	4,674	0.299	0.290 - 0.307	4,350	0.275	0.267 - 0.284
Kansas	7,463	0.256	0.251 - 0.262	3,870	0.267	0.259 - 0.275	3,593	0.246	0.238 - 0.254
Kentucky	13,443	0.302	0.297 - 0.307	7,074	0.322	0.315 - 0.330	6,369	0.282	0.275 - 0.289
Louisiana	13,007	0.279	0.274 - 0.284	6,820	0.299	0.292 - 0.307	6,187	0.259	0.253 - 0.266
Maine	3,792	0.284	0.275 - 0.293	1,939	0.296	0.283 - 0.310	1,853	0.272	0.259 - 0.284
Maryland	13,462	0.223	0.220 - 0.227	6,636	0.227	0.222 - 0.233	6,826	0.220	0.214 - 0.225
MI - Detroit	10,174	0.262	0.257 - 0.267	5,115	0.271	0.264 - 0.279	5,059	0.253	0.246 - 0.260
Minnesota	13,692	0.245	0.241 - 0.249	7,125	0.256	0.250 - 0.262	6,567	0.234	0.229 - 0.240
Mississippi	8,610	0.288	0.282 - 0.295	4,451	0.307	0.298 - 0.317	4,159	0.271	0.262 - 0.279
Missouri	15,958	0.261	0.257 - 0.265	8,233	0.274	0.268 - 0.280	7,725	0.248	0.243 - 0.254
Montana	2,721	0.257	0.248 - 0.267	1,492	0.281	0.267 - 0.295	1,229	0.234	0.221 - 0.248
Nebraska	5,243	0.273	0.266 - 0.280	2,697	0.281	0.271 - 0.292	2,546	0.265	0.254 - 0.275
New Hampshire	3,524	0.261	0.252 - 0.270	1,868	0.279	0.267 - 0.292	1,656	0.243	0.231 - 0.255
New Jersey	23,767	0.267	0.264 - 0.271	11,899	0.274	0.269 - 0.279	11,868	0.261	0.256 - 0.266
New Mexico	4,388	0.210	0.204 - 0.216	2,270	0.219	0.210 - 0.228	2,118	0.200	0.192 - 0.209
New York	50,017	0.256	0.253 - 0.258	25,135	0.265	0.261 - 0.268	24,882	0.247	0.244 - 0.250
North Carolina	23,715	0.230	0.227 - 0.233	12,144	0.242	0.237 - 0.246	11,571	0.218	0.214 - 0.222
North Dakota	2,104	0.278	0.266 - 0.290	1,107	0.286	0.269 - 0.303	997	0.270	0.254 - 0.287
Ohio	30,855	0.264	0.261 - 0.267	15,716	0.275	0.271 - 0.279	15,139	0.254	0.250 - 0.259
Oklahoma	9,523	0.242	0.237 - 0.247	4,945	0.254	0.247 - 0.261	4,578	0.231	0.224 - 0.237
Oregon	9,503	0.228	0.224 - 0.233	4,973	0.241	0.234 - 0.248	4,530	0.216	0.210 - 0.222
Pennsylvania	36,690	0.287	0.284 - 0.290	18,684	0.298	0.294 - 0.302	18,006	0.276	0.272 - 0.280
Rhode Island	2,539	0.240	0.231 - 0.250	1,249	0.243	0.230 - 0.257	1,290	0.238	0.225 - 0.251
South Carolina	12,019	0.238	0.234 - 0.242	6,089	0.249	0.242 - 0.255	5,930	0.228	0.222 - 0.234
South Dakota	2,365	0.270	0.259 - 0.281	1,236	0.280	0.264 - 0.296	1,129	0.260	0.245 - 0.276
Tennessee	16,725	0.248	0.244 - 0.252	8,553	0.260	0.255 - 0.266	8,172	0.237	0.232 - 0.242
Texas	55,209	0.194	0.192 - 0.196	29,868	0.211	0.209 - 0.214	25,341	0.177	0.175 - 0.179
Utah	4,310	0.138	0.134 - 0.142	2,236	0.142	0.136 - 0.148	2,074	0.134	0.128 - 0.139
Vermont	1,533	0.246	0.233 - 0.258	791	0.257	0.239 - 0.275	742	0.235	0.218 - 0.252
Washington	16,241	0.217	0.214 - 0.221	8,388	0.224	0.220 - 0.229	7,853	0.210	0.206 - 0.215
WA - Seattle	11,444	0.222	0.218 - 0.226	5,938	0.230	0.224 - 0.236	5,505	0.214	0.208 - 0.219
West Virginia	5,921	0.327	0.319 - 0.335	3,120	0.348	0.336 - 0.360	2,801	0.306	0.295 - 0.318
Wisconsin	14,425	0.249	0.245 - 0.253	7,492	0.260	0.254 - 0.266	6,933	0.238	0.232 - 0.244
Wyoming	1,216	0.210	0.199 - 0.222	662	0.225	0.208 - 0.242	554	0.195	0.179 - 0.212
NAACCR CDN Combined¹	128,513	0.340	0.338 - 0.342	70,693	0.377	0.373 - 0.380	57,824	0.304	0.301 - 0.306
Alberta	11,628	0.272	0.267 - 0.277	6,575	0.306	0.298 - 0.313	5,053	0.238	0.232 - 0.245
British Columbia	17,436	0.351	0.346 - 0.356	9,682	0.394	0.386 - 0.402	7,754	0.309	0.302 - 0.316
Manitoba	4,684	0.349	0.339 - 0.359	2,591	0.386	0.371 - 0.401	2,093	0.311	0.298 - 0.325
New Brunswick	3,299	0.429	0.415 - 0.444	1,874	0.493	0.471 - 0.516	1,425	0.367	0.348 - 0.387
Newfoundland and Labrador	3,345	0.635	0.614 - 0.657	1,877	0.719	0.687 - 0.752	1,468	0.552	0.524 - 0.581
Ontario	47,791	0.337	0.334 - 0.340	25,861	0.369	0.365 - 0.374	21,930	0.305	0.301 - 0.309
Prince Edward Island	661	0.435	0.403 - 0.470	360	0.483	0.435 - 0.536	301	0.389	0.346 - 0.435
Saskatchewan	4,191	0.363	0.352 - 0.374	2,330	0.400	0.384 - 0.417	1,861	0.324	0.310 - 0.339
NAACCR N.A. Combined¹	910,571	0.248	0.248 - 0.249	474,820	0.262	0.261 - 0.263	435,756	0.235	0.234 - 0.235

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	73,164	0.023	0.022 - 0.023	51,455	0.032	0.032 - 0.032	21,714	0.013	0.013 - 0.013
Alabama	798	0.016	0.015 - 0.018	550	0.023	0.021 - 0.025	248	0.010	0.009 - 0.011
Alaska	172	0.023	0.020 - 0.027	122	0.032	0.026 - 0.038	50	0.014	0.011 - 0.019
Arizona	1,432	0.020	0.019 - 0.021	983	0.028	0.026 - 0.030	449	0.013	0.011 - 0.014
Arkansas	621	0.021	0.019 - 0.022	452	0.031	0.028 - 0.034	169	0.011	0.009 - 0.013
California	10,340	0.026	0.026 - 0.027	7,287	0.037	0.036 - 0.038	3,054	0.015	0.015 - 0.016
CA - Greater California	5,295	0.024	0.024 - 0.025	3,748	0.034	0.033 - 0.035	1,547	0.014	0.013 - 0.015
CA - Greater Bay Area	2,585	0.035	0.034 - 0.036	1,874	0.051	0.048 - 0.053	711	0.019	0.018 - 0.021
CA - Los Angeles	2,463	0.024	0.023 - 0.025	1,666	0.033	0.032 - 0.035	797	0.016	0.015 - 0.017
Colorado	1,082	0.019	0.018 - 0.020	770	0.027	0.025 - 0.029	312	0.011	0.010 - 0.012
Connecticut	870	0.024	0.023 - 0.026	643	0.037	0.034 - 0.040	227	0.012	0.011 - 0.014
Delaware	250	0.026	0.023 - 0.029	181	0.039	0.033 - 0.045	69	0.014	0.011 - 0.018
Florida	4,870	0.023	0.022 - 0.024	3,407	0.033	0.032 - 0.034	1,463	0.014	0.013 - 0.014
Georgia	1,908	0.018	0.017 - 0.019	1,341	0.026	0.025 - 0.028	567	0.011	0.010 - 0.011
Hawaii	433	0.030	0.028 - 0.033	306	0.043	0.038 - 0.048	127	0.018	0.015 - 0.021
Idaho	258	0.015	0.013 - 0.017	190	0.022	0.019 - 0.025	68	0.008	0.006 - 0.010
Illinois	2,720	0.021	0.021 - 0.022	1,822	0.029	0.028 - 0.030	898	0.014	0.013 - 0.015
Iowa	551	0.018	0.016 - 0.019	382	0.024	0.022 - 0.027	169	0.011	0.009 - 0.012
Kansas	583	0.020	0.018 - 0.022	422	0.029	0.026 - 0.032	161	0.011	0.009 - 0.013
Kentucky	823	0.018	0.017 - 0.020	569	0.026	0.024 - 0.028	255	0.011	0.010 - 0.013
Louisiana	1,082	0.023	0.022 - 0.025	794	0.035	0.032 - 0.037	288	0.012	0.011 - 0.014
Maine	212	0.016	0.014 - 0.018	160	0.024	0.021 - 0.029	52	0.008	0.006 - 0.010
Maryland	1,427	0.024	0.022 - 0.025	984	0.034	0.032 - 0.036	443	0.014	0.013 - 0.016
MI - Detroit	938	0.024	0.023 - 0.026	652	0.035	0.032 - 0.037	286	0.014	0.013 - 0.016
Minnesota	1,136	0.020	0.019 - 0.022	777	0.028	0.026 - 0.030	359	0.013	0.012 - 0.014
Mississippi	640	0.021	0.020 - 0.023	442	0.031	0.028 - 0.034	198	0.013	0.011 - 0.015
Missouri	1,213	0.020	0.019 - 0.021	857	0.029	0.027 - 0.031	356	0.011	0.010 - 0.013
Montana	164	0.016	0.013 - 0.018	122	0.023	0.019 - 0.027	42	0.008	0.006 - 0.011
Nebraska	266	0.014	0.012 - 0.016	192	0.020	0.017 - 0.023	74	0.008	0.006 - 0.010
New Hampshire	242	0.018	0.016 - 0.020	185	0.028	0.024 - 0.032	57	0.008	0.006 - 0.011
New Jersey	2,019	0.023	0.022 - 0.024	1,456	0.034	0.032 - 0.035	563	0.012	0.011 - 0.013
New Mexico	518	0.025	0.023 - 0.027	381	0.037	0.033 - 0.041	137	0.013	0.011 - 0.015
New York	5,454	0.028	0.027 - 0.029	3,871	0.041	0.039 - 0.042	1,583	0.016	0.015 - 0.017
North Carolina	2,111	0.020	0.020 - 0.021	1,480	0.029	0.028 - 0.031	631	0.012	0.011 - 0.013
North Dakota	60	0.008	0.006 - 0.010	39	0.010	0.007 - 0.014	21	0.006	0.004 - 0.009
Ohio	2,047	0.018	0.017 - 0.018	1,418	0.025	0.024 - 0.026	629	0.011	0.010 - 0.011
Oklahoma	719	0.018	0.017 - 0.020	493	0.025	0.023 - 0.028	226	0.011	0.010 - 0.013
Oregon	1,130	0.027	0.026 - 0.029	819	0.040	0.037 - 0.043	311	0.015	0.013 - 0.017
Pennsylvania	3,219	0.025	0.024 - 0.026	2,333	0.037	0.036 - 0.039	886	0.014	0.013 - 0.014
Rhode Island	240	0.023	0.020 - 0.026	182	0.035	0.030 - 0.041	58	0.011	0.008 - 0.014
South Carolina	947	0.019	0.018 - 0.020	670	0.027	0.025 - 0.030	277	0.011	0.009 - 0.012
South Dakota	115	0.013	0.011 - 0.016	79	0.018	0.014 - 0.022	36	0.008	0.006 - 0.011
Tennessee	1,318	0.020	0.019 - 0.021	895	0.027	0.025 - 0.029	423	0.012	0.011 - 0.013
Texas	7,269	0.026	0.025 - 0.026	5,012	0.035	0.034 - 0.036	2,257	0.016	0.015 - 0.016
Utah	385	0.012	0.011 - 0.014	262	0.017	0.015 - 0.019	124	0.008	0.007 - 0.009
Vermont	124	0.020	0.017 - 0.024	93	0.030	0.024 - 0.037	31	0.010	0.007 - 0.014
Washington	1,997	0.027	0.026 - 0.028	1,404	0.038	0.036 - 0.040	593	0.016	0.015 - 0.017
WA - Seattle	1,489	0.029	0.027 - 0.030	1,059	0.041	0.039 - 0.044	430	0.017	0.015 - 0.018
West Virginia	330	0.018	0.016 - 0.020	229	0.026	0.022 - 0.029	101	0.011	0.009 - 0.013
Wisconsin	1,217	0.021	0.020 - 0.022	856	0.030	0.028 - 0.032	361	0.012	0.011 - 0.014
Wyoming	86	0.015	0.012 - 0.018	59	0.020	0.015 - 0.026	27	0.010	0.006 - 0.014
NAACCR CDN Combined¹	7,065	0.019	0.018 - 0.019	5,151	0.027	0.027 - 0.028	1,921	0.010	0.010 - 0.011
Alberta	780	0.018	0.017 - 0.020	558	0.026	0.024 - 0.028	222	0.010	0.009 - 0.012
British Columbia	1,011	0.020	0.019 - 0.022	741	0.030	0.028 - 0.032	270	0.011	0.010 - 0.012
Manitoba	183	0.014	0.012 - 0.016	136	0.020	0.017 - 0.024	47	0.007	0.005 - 0.009
New Brunswick	80	0.010	0.008 - 0.013	46	0.012	0.009 - 0.016	34	0.009	0.006 - 0.012
Newfoundland and Labrador	66	0.013	0.010 - 0.016	39	0.015	0.011 - 0.020	27	0.010	0.007 - 0.015
Ontario	2,882	0.020	0.020 - 0.021	2,121	0.030	0.029 - 0.032	761	0.011	0.010 - 0.011
Prince Edward Island	23	0.015	0.010 - 0.023	-	-	-	-	-	-
Saskatchewan	92	0.008	0.006 - 0.010	65	0.011	0.009 - 0.014	27	0.005	0.003 - 0.007
NAACCR N.A. Combined¹	80,228	0.022	0.022 - 0.022	56,605	0.032	0.032 - 0.032	23,634	0.013	0.013 - 0.013

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	73,173	0.022	0.022 - 0.023	37,504	0.023	0.023 - 0.024	35,668	0.022	0.021 - 0.022
Alabama	996	0.020	0.019 - 0.022	495	0.021	0.019 - 0.023	501	0.020	0.018 - 0.022
Alaska	118	0.016	0.013 - 0.019	71	0.018	0.014 - 0.023	47	0.013	0.010 - 0.018
Arizona	1,353	0.019	0.018 - 0.020	731	0.021	0.019 - 0.022	622	0.017	0.016 - 0.019
Arkansas	528	0.018	0.016 - 0.019	276	0.019	0.017 - 0.021	252	0.016	0.015 - 0.019
California	7,223	0.018	0.018 - 0.019	3,666	0.019	0.018 - 0.019	3,558	0.018	0.017 - 0.019
CA - Greater California	3,894	0.018	0.017 - 0.018	1,998	0.018	0.018 - 0.019	1,896	0.017	0.016 - 0.018
CA - Greater Bay Area	1,582	0.021	0.020 - 0.022	807	0.022	0.020 - 0.023	774	0.021	0.019 - 0.022
CA - Los Angeles	1,750	0.017	0.017 - 0.018	862	0.017	0.016 - 0.019	888	0.017	0.016 - 0.019
Colorado	1,065	0.019	0.018 - 0.020	562	0.020	0.018 - 0.021	503	0.018	0.016 - 0.020
Connecticut	1,030	0.029	0.027 - 0.031	552	0.032	0.029 - 0.034	479	0.026	0.024 - 0.029
Delaware	257	0.027	0.024 - 0.030	138	0.030	0.025 - 0.035	119	0.024	0.020 - 0.029
Florida	5,906	0.028	0.027 - 0.029	3,035	0.029	0.028 - 0.030	2,871	0.027	0.026 - 0.028
Georgia	1,952	0.019	0.018 - 0.020	973	0.019	0.018 - 0.020	979	0.018	0.017 - 0.019
Hawaii	358	0.025	0.023 - 0.028	188	0.026	0.023 - 0.030	170	0.024	0.021 - 0.028
Idaho	351	0.020	0.018 - 0.022	178	0.020	0.018 - 0.024	173	0.020	0.017 - 0.023
Illinois	3,289	0.026	0.025 - 0.027	1,716	0.027	0.026 - 0.029	1,573	0.024	0.023 - 0.025
Iowa	740	0.024	0.022 - 0.025	393	0.025	0.023 - 0.028	347	0.022	0.020 - 0.024
Kansas	604	0.021	0.019 - 0.022	308	0.021	0.019 - 0.024	296	0.020	0.018 - 0.023
Kentucky	957	0.021	0.020 - 0.023	482	0.022	0.020 - 0.024	475	0.021	0.019 - 0.023
Louisiana	916	0.020	0.018 - 0.021	444	0.019	0.018 - 0.021	472	0.020	0.018 - 0.022
Maine	334	0.025	0.022 - 0.028	180	0.027	0.024 - 0.032	154	0.023	0.019 - 0.026
Maryland	1,556	0.026	0.025 - 0.027	734	0.025	0.023 - 0.027	822	0.026	0.025 - 0.028
MI - Detroit	1,030	0.027	0.025 - 0.028	508	0.027	0.025 - 0.029	522	0.026	0.024 - 0.028
Minnesota	1,298	0.023	0.022 - 0.025	685	0.025	0.023 - 0.027	613	0.022	0.020 - 0.024
Mississippi	608	0.020	0.019 - 0.022	299	0.021	0.018 - 0.023	309	0.020	0.018 - 0.022
Missouri	1,302	0.021	0.020 - 0.022	682	0.023	0.021 - 0.024	620	0.020	0.018 - 0.022
Montana	238	0.023	0.020 - 0.026	128	0.024	0.020 - 0.029	110	0.021	0.017 - 0.025
Nebraska	436	0.023	0.021 - 0.025	218	0.023	0.020 - 0.026	218	0.023	0.020 - 0.026
New Hampshire	391	0.029	0.026 - 0.032	200	0.030	0.026 - 0.034	191	0.028	0.024 - 0.032
New Jersey	2,493	0.028	0.027 - 0.029	1,277	0.029	0.028 - 0.031	1,216	0.027	0.025 - 0.028
New Mexico	328	0.016	0.014 - 0.017	175	0.017	0.014 - 0.020	153	0.015	0.012 - 0.017
New York	5,540	0.028	0.028 - 0.029	2,777	0.029	0.028 - 0.030	2,764	0.027	0.026 - 0.029
North Carolina	2,256	0.022	0.021 - 0.023	1,086	0.022	0.020 - 0.023	1,170	0.022	0.021 - 0.023
North Dakota	157	0.021	0.018 - 0.024	75	0.019	0.015 - 0.024	82	0.022	0.018 - 0.028
Ohio	2,493	0.021	0.021 - 0.022	1,244	0.022	0.021 - 0.023	1,249	0.021	0.020 - 0.022
Oklahoma	628	0.016	0.015 - 0.017	311	0.016	0.014 - 0.018	317	0.016	0.014 - 0.018
Oregon	993	0.024	0.022 - 0.025	516	0.025	0.023 - 0.027	477	0.023	0.021 - 0.025
Pennsylvania	3,634	0.028	0.027 - 0.029	1,866	0.030	0.028 - 0.031	1,768	0.027	0.026 - 0.028
Rhode Island	296	0.028	0.025 - 0.031	166	0.032	0.028 - 0.038	130	0.024	0.020 - 0.028
South Carolina	1,094	0.022	0.020 - 0.023	561	0.023	0.021 - 0.025	533	0.020	0.019 - 0.022
South Dakota	199	0.023	0.020 - 0.026	116	0.026	0.022 - 0.031	83	0.019	0.015 - 0.024
Tennessee	1,375	0.020	0.019 - 0.022	711	0.022	0.020 - 0.023	664	0.019	0.018 - 0.021
Texas	5,287	0.019	0.018 - 0.019	2,710	0.019	0.018 - 0.020	2,577	0.018	0.017 - 0.019
Utah	370	0.012	0.011 - 0.013	206	0.013	0.011 - 0.015	165	0.011	0.009 - 0.012
Vermont	181	0.029	0.025 - 0.034	99	0.032	0.026 - 0.039	82	0.026	0.021 - 0.032
Washington	1,710	0.023	0.022 - 0.024	887	0.024	0.022 - 0.025	823	0.022	0.021 - 0.024
WA - Seattle	1,150	0.022	0.021 - 0.024	563	0.022	0.020 - 0.024	587	0.023	0.021 - 0.025
West Virginia	382	0.021	0.019 - 0.023	206	0.023	0.020 - 0.026	176	0.019	0.017 - 0.022
Wisconsin	1,532	0.026	0.025 - 0.028	839	0.029	0.027 - 0.031	693	0.024	0.022 - 0.026
Wyoming	105	0.018	0.015 - 0.022	69	0.023	0.018 - 0.030	36	0.013	0.009 - 0.018
NAACCR CDN Combined¹	6,974	0.018	0.018 - 0.019	3,654	0.019	0.019 - 0.020	3,321	0.017	0.017 - 0.018
Alberta	647	0.015	0.014 - 0.016	358	0.017	0.015 - 0.018	289	0.014	0.012 - 0.015
British Columbia	875	0.018	0.016 - 0.019	456	0.019	0.017 - 0.020	419	0.017	0.015 - 0.018
Manitoba	258	0.019	0.017 - 0.022	128	0.019	0.016 - 0.023	130	0.019	0.016 - 0.023
New Brunswick	161	0.021	0.018 - 0.024	88	0.023	0.019 - 0.029	73	0.019	0.015 - 0.024
Newfoundland and Labrador	86	0.016	0.013 - 0.020	42	0.016	0.012 - 0.022	44	0.017	0.012 - 0.022
Ontario	2,840	0.020	0.019 - 0.021	1,458	0.021	0.020 - 0.022	1,382	0.019	0.018 - 0.020
Prince Edward Island	28	0.018	0.012 - 0.027	17	0.023	0.013 - 0.037	11	0.014	0.007 - 0.025
Saskatchewan	160	0.014	0.012 - 0.016	96	0.016	0.013 - 0.020	64	0.011	0.009 - 0.014
NAACCR N.A. Combined¹	80,147	0.022	0.022 - 0.022	41,158	0.023	0.023 - 0.023	38,988	0.021	0.021 - 0.021

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	68,198	0.021	0.021 - 0.021	54,139	0.034	0.033 - 0.034	14,060	0.008	0.008 - 0.009
Alabama	1,381	0.028	0.027 - 0.030	1,120	0.047	0.045 - 0.050	261	0.010	0.009 - 0.012
Alaska	105	0.014	0.012 - 0.017	91	0.024	0.019 - 0.029	14	0.004	0.002 - 0.007
Arizona	900	0.013	0.012 - 0.014	724	0.021	0.019 - 0.022	176	0.005	0.004 - 0.006
Arkansas	777	0.026	0.024 - 0.028	597	0.040	0.037 - 0.044	180	0.012	0.010 - 0.014
California	4,598	0.012	0.011 - 0.012	3,862	0.020	0.019 - 0.020	736	0.004	0.003 - 0.004
CA - Greater California	2,635	0.012	0.012 - 0.013	2,189	0.020	0.019 - 0.021	447	0.004	0.004 - 0.004
CA - Greater Bay Area	846	0.011	0.011 - 0.012	721	0.019	0.018 - 0.021	125	0.003	0.003 - 0.004
CA - Los Angeles	1,120	0.011	0.010 - 0.012	954	0.019	0.018 - 0.020	166	0.003	0.003 - 0.004
Colorado	719	0.013	0.012 - 0.014	568	0.020	0.018 - 0.022	151	0.005	0.005 - 0.006
Connecticut	885	0.025	0.023 - 0.026	696	0.040	0.037 - 0.043	188	0.010	0.009 - 0.012
Delaware	234	0.024	0.021 - 0.028	174	0.037	0.032 - 0.043	60	0.012	0.009 - 0.016
Florida	5,622	0.027	0.026 - 0.027	4,558	0.044	0.043 - 0.045	1,064	0.010	0.009 - 0.010
Georgia	2,206	0.021	0.020 - 0.022	1,788	0.035	0.034 - 0.037	418	0.008	0.007 - 0.009
Hawaii	225	0.016	0.014 - 0.018	192	0.027	0.023 - 0.031	33	0.005	0.003 - 0.007
Idaho	226	0.013	0.011 - 0.015	174	0.020	0.017 - 0.023	52	0.006	0.004 - 0.008
Illinois	3,080	0.024	0.023 - 0.025	2,415	0.039	0.037 - 0.040	665	0.010	0.009 - 0.011
Iowa	797	0.025	0.024 - 0.027	638	0.041	0.038 - 0.044	159	0.010	0.009 - 0.012
Kansas	595	0.020	0.019 - 0.022	483	0.033	0.030 - 0.036	112	0.008	0.006 - 0.009
Kentucky	1,546	0.035	0.033 - 0.036	1,155	0.053	0.050 - 0.056	392	0.017	0.016 - 0.019
Louisiana	1,416	0.030	0.029 - 0.032	1,101	0.048	0.046 - 0.051	316	0.013	0.012 - 0.015
Maine	385	0.029	0.026 - 0.032	291	0.044	0.039 - 0.050	94	0.014	0.011 - 0.017
Maryland	1,102	0.018	0.017 - 0.019	876	0.030	0.028 - 0.032	226	0.007	0.006 - 0.008
MI - Detroit	1,048	0.027	0.025 - 0.029	810	0.043	0.040 - 0.046	238	0.012	0.010 - 0.014
Minnesota	1,113	0.020	0.019 - 0.021	898	0.032	0.030 - 0.034	215	0.008	0.007 - 0.009
Mississippi	859	0.029	0.027 - 0.031	682	0.047	0.044 - 0.051	177	0.012	0.010 - 0.013
Missouri	1,653	0.027	0.026 - 0.028	1,259	0.042	0.040 - 0.044	394	0.013	0.011 - 0.014
Montana	194	0.018	0.016 - 0.021	158	0.030	0.025 - 0.035	36	0.007	0.005 - 0.009
Nebraska	364	0.019	0.017 - 0.021	279	0.029	0.026 - 0.033	85	0.009	0.007 - 0.011
New Hampshire	324	0.024	0.021 - 0.027	250	0.037	0.033 - 0.042	74	0.011	0.009 - 0.014
New Jersey	1,772	0.020	0.019 - 0.021	1,454	0.033	0.032 - 0.035	318	0.007	0.006 - 0.008
New Mexico	279	0.013	0.012 - 0.015	231	0.022	0.019 - 0.025	49	0.005	0.003 - 0.006
New York	4,294	0.022	0.021 - 0.023	3,378	0.036	0.034 - 0.037	916	0.009	0.009 - 0.010
North Carolina	2,616	0.025	0.024 - 0.026	2,030	0.040	0.039 - 0.042	586	0.011	0.010 - 0.012
North Dakota	149	0.020	0.017 - 0.023	130	0.034	0.028 - 0.040	19	0.005	0.003 - 0.008
Ohio	3,231	0.028	0.027 - 0.029	2,475	0.043	0.042 - 0.045	756	0.013	0.012 - 0.014
Oklahoma	857	0.022	0.020 - 0.023	650	0.033	0.031 - 0.036	207	0.010	0.009 - 0.012
Oregon	663	0.016	0.015 - 0.017	532	0.026	0.024 - 0.028	131	0.006	0.005 - 0.007
Pennsylvania	3,347	0.026	0.025 - 0.027	2,601	0.042	0.040 - 0.043	746	0.011	0.011 - 0.012
Rhode Island	282	0.027	0.024 - 0.030	215	0.042	0.036 - 0.048	67	0.012	0.010 - 0.016
South Carolina	1,384	0.027	0.026 - 0.029	1,129	0.046	0.043 - 0.049	255	0.010	0.009 - 0.011
South Dakota	173	0.020	0.017 - 0.023	130	0.029	0.025 - 0.035	43	0.010	0.007 - 0.013
Tennessee	1,808	0.027	0.026 - 0.028	1,382	0.042	0.040 - 0.044	426	0.012	0.011 - 0.014
Texas	4,392	0.015	0.015 - 0.016	3,606	0.026	0.025 - 0.026	786	0.005	0.005 - 0.006
Utah	237	0.008	0.007 - 0.009	191	0.012	0.010 - 0.014	46	0.003	0.002 - 0.004
Vermont	176	0.028	0.024 - 0.033	137	0.044	0.037 - 0.053	39	0.012	0.009 - 0.017
Washington	1,134	0.015	0.014 - 0.016	906	0.024	0.023 - 0.026	228	0.006	0.005 - 0.007
WA - Seattle	769	0.015	0.014 - 0.016	624	0.024	0.022 - 0.026	145	0.006	0.005 - 0.007
West Virginia	659	0.036	0.034 - 0.039	469	0.052	0.048 - 0.057	190	0.021	0.018 - 0.024
Wisconsin	1,339	0.023	0.022 - 0.024	1,081	0.037	0.035 - 0.040	258	0.009	0.008 - 0.010
Wyoming	108	0.019	0.015 - 0.023	82	0.028	0.022 - 0.035	26	0.009	0.006 - 0.013
NAACCR CDN Combined¹	5,791	0.015	0.015 - 0.016	4,936	0.026	0.025 - 0.027	857	0.005	0.004 - 0.005
Alberta	467	0.011	0.010 - 0.012	397	0.018	0.017 - 0.020	70	0.003	0.003 - 0.004
British Columbia	689	0.014	0.013 - 0.015	597	0.024	0.022 - 0.026	92	0.004	0.003 - 0.004
Manitoba	198	0.015	0.013 - 0.017	167	0.025	0.021 - 0.029	31	0.005	0.003 - 0.007
New Brunswick	161	0.021	0.018 - 0.024	139	0.037	0.031 - 0.043	22	0.006	0.004 - 0.009
Newfoundland and Labrador	150	0.028	0.024 - 0.033	129	0.049	0.041 - 0.059	21	0.008	0.005 - 0.012
Ontario	2,339	0.016	0.016 - 0.017	1,987	0.028	0.027 - 0.030	352	0.005	0.004 - 0.005
Prince Edward Island	31	0.020	0.014 - 0.029	-	-	-	-	-	-
Saskatchewan	149	0.013	0.011 - 0.015	121	0.021	0.017 - 0.025	28	0.005	0.003 - 0.007
NAACCR N.A. Combined¹	73,989	0.020	0.020 - 0.021	59,075	0.033	0.033 - 0.033	14,917	0.008	0.008 - 0.008

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	519,253	0.159	0.158 - 0.159	236,547	0.147	0.146 - 0.147	282,698	0.170	0.169 - 0.171
Alabama	7,999	0.164	0.160 - 0.168	4,073	0.173	0.167 - 0.178	3,926	0.156	0.151 - 0.161
Alaska	842	0.114	0.107 - 0.122	415	0.108	0.098 - 0.119	427	0.121	0.110 - 0.133
Arizona	9,007	0.127	0.124 - 0.129	3,852	0.109	0.106 - 0.113	5,155	0.144	0.140 - 0.148
Arkansas	5,886	0.196	0.191 - 0.201	2,932	0.199	0.191 - 0.206	2,954	0.193	0.186 - 0.200
California	40,558	0.103	0.102 - 0.104	17,578	0.090	0.088 - 0.091	22,980	0.116	0.114 - 0.117
CA - Greater California	23,335	0.107	0.105 - 0.108	9,945	0.091	0.089 - 0.093	13,390	0.122	0.120 - 0.124
CA - Greater Bay Area	8,320	0.112	0.110 - 0.115	3,737	0.101	0.098 - 0.104	4,583	0.123	0.120 - 0.127
CA - Los Angeles	8,928	0.088	0.087 - 0.090	3,906	0.079	0.076 - 0.081	5,023	0.098	0.095 - 0.101
Colorado	5,881	0.104	0.101 - 0.107	2,529	0.089	0.085 - 0.092	3,352	0.119	0.115 - 0.124
Connecticut	7,511	0.210	0.206 - 0.215	3,299	0.189	0.183 - 0.196	4,212	0.230	0.223 - 0.237
Delaware	1,950	0.203	0.194 - 0.212	834	0.179	0.167 - 0.192	1,116	0.225	0.212 - 0.238
Florida	42,406	0.201	0.199 - 0.203	19,537	0.189	0.187 - 0.192	22,869	0.212	0.209 - 0.215
Georgia	14,930	0.143	0.140 - 0.145	7,233	0.142	0.139 - 0.145	7,696	0.143	0.140 - 0.146
Hawaii	1,844	0.130	0.124 - 0.136	895	0.126	0.117 - 0.134	949	0.134	0.125 - 0.142
Idaho	2,095	0.121	0.116 - 0.126	916	0.105	0.099 - 0.113	1,178	0.136	0.129 - 0.144
Illinois	22,980	0.180	0.178 - 0.183	10,417	0.166	0.163 - 0.170	12,563	0.194	0.190 - 0.197
Iowa	5,345	0.170	0.165 - 0.175	2,543	0.163	0.156 - 0.169	2,802	0.177	0.171 - 0.184
Kansas	4,691	0.161	0.157 - 0.166	2,190	0.151	0.145 - 0.157	2,501	0.171	0.165 - 0.178
Kentucky	10,092	0.226	0.222 - 0.231	4,756	0.217	0.211 - 0.223	5,336	0.236	0.230 - 0.242
Louisiana	7,293	0.156	0.153 - 0.160	3,587	0.157	0.152 - 0.163	3,706	0.155	0.150 - 0.160
Maine	3,217	0.241	0.232 - 0.249	1,376	0.210	0.199 - 0.222	1,841	0.270	0.258 - 0.282
Maryland	9,651	0.160	0.157 - 0.163	4,096	0.140	0.136 - 0.145	5,555	0.179	0.174 - 0.184
MI - Detroit	7,544	0.194	0.190 - 0.199	3,320	0.176	0.170 - 0.182	4,224	0.211	0.205 - 0.218
Minnesota	9,270	0.166	0.163 - 0.169	4,088	0.147	0.142 - 0.152	5,182	0.185	0.180 - 0.190
Mississippi	5,560	0.186	0.181 - 0.191	2,843	0.196	0.189 - 0.204	2,717	0.177	0.170 - 0.184
Missouri	11,948	0.195	0.192 - 0.199	5,462	0.182	0.177 - 0.187	6,486	0.208	0.203 - 0.213
Montana	1,646	0.156	0.148 - 0.163	688	0.129	0.120 - 0.139	958	0.182	0.171 - 0.194
Nebraska	2,779	0.145	0.139 - 0.150	1,297	0.135	0.128 - 0.143	1,482	0.154	0.146 - 0.162
New Hampshire	2,847	0.211	0.203 - 0.219	1,173	0.175	0.165 - 0.186	1,674	0.246	0.234 - 0.258
New Jersey	15,412	0.173	0.171 - 0.176	6,396	0.147	0.144 - 0.151	9,016	0.198	0.194 - 0.202
New Mexico	2,009	0.096	0.092 - 0.100	906	0.088	0.082 - 0.093	1,102	0.104	0.098 - 0.111
New York	37,725	0.193	0.191 - 0.195	16,182	0.170	0.168 - 0.173	21,543	0.214	0.211 - 0.217
North Carolina	18,886	0.183	0.180 - 0.186	8,981	0.179	0.175 - 0.183	9,905	0.187	0.183 - 0.191
North Dakota	1,178	0.156	0.147 - 0.165	560	0.145	0.133 - 0.157	618	0.167	0.154 - 0.181
Ohio	21,767	0.187	0.184 - 0.189	10,193	0.178	0.175 - 0.182	11,574	0.195	0.191 - 0.198
Oklahoma	5,939	0.151	0.147 - 0.155	2,877	0.148	0.142 - 0.153	3,062	0.154	0.149 - 0.160
Oregon	6,557	0.158	0.154 - 0.161	2,929	0.142	0.137 - 0.147	3,628	0.173	0.167 - 0.179
Pennsylvania	26,083	0.204	0.201 - 0.206	11,736	0.187	0.184 - 0.191	14,347	0.220	0.216 - 0.223
Rhode Island	2,507	0.237	0.228 - 0.247	1,039	0.202	0.190 - 0.215	1,468	0.270	0.257 - 0.285
South Carolina	8,903	0.176	0.173 - 0.180	4,344	0.177	0.172 - 0.183	4,559	0.175	0.170 - 0.180
South Dakota	1,425	0.163	0.154 - 0.171	650	0.147	0.136 - 0.159	775	0.179	0.166 - 0.192
Tennessee	13,106	0.194	0.191 - 0.198	6,301	0.192	0.187 - 0.196	6,805	0.197	0.193 - 0.202
Texas	29,868	0.105	0.104 - 0.106	14,346	0.101	0.100 - 0.103	15,522	0.108	0.107 - 0.110
Utah	1,553	0.050	0.047 - 0.052	711	0.045	0.042 - 0.049	842	0.054	0.051 - 0.058
Vermont	1,368	0.219	0.208 - 0.231	617	0.200	0.185 - 0.217	751	0.238	0.221 - 0.255
Washington	10,742	0.144	0.141 - 0.146	4,723	0.126	0.123 - 0.130	6,019	0.161	0.157 - 0.165
WA - Seattle	7,470	0.145	0.142 - 0.148	3,265	0.126	0.122 - 0.131	4,204	0.163	0.158 - 0.168
West Virginia	4,508	0.249	0.242 - 0.256	2,145	0.239	0.229 - 0.250	2,363	0.258	0.248 - 0.269
Wisconsin	10,305	0.178	0.174 - 0.181	4,585	0.159	0.154 - 0.164	5,720	0.196	0.191 - 0.201
Wyoming	670	0.116	0.107 - 0.125	318	0.108	0.096 - 0.120	352	0.124	0.112 - 0.138
NAACCR CDN Combined¹	57,891	0.153	0.151 - 0.154	25,400	0.135	0.133 - 0.137	32,464	0.170	0.168 - 0.172
Alberta	5,063	0.119	0.115 - 0.122	2,163	0.101	0.096 - 0.105	2,900	0.137	0.132 - 0.142
British Columbia	7,215	0.145	0.142 - 0.149	3,135	0.127	0.123 - 0.132	4,080	0.163	0.158 - 0.168
Manitoba	2,035	0.151	0.145 - 0.158	846	0.126	0.118 - 0.135	1,189	0.177	0.167 - 0.187
New Brunswick	1,900	0.247	0.236 - 0.259	902	0.237	0.222 - 0.253	998	0.257	0.241 - 0.273
Newfoundland and Labrador	1,169	0.222	0.209 - 0.235	575	0.220	0.203 - 0.239	594	0.223	0.206 - 0.242
Ontario	22,519	0.159	0.157 - 0.161	9,935	0.142	0.139 - 0.145	12,584	0.175	0.172 - 0.178
Prince Edward Island	291	0.192	0.170 - 0.215	111	0.149	0.123 - 0.180	180	0.232	0.200 - 0.269
Saskatchewan	1,585	0.137	0.130 - 0.144	659	0.113	0.105 - 0.122	926	0.161	0.151 - 0.172
NAACCR N.A. Combined¹	577,145	0.158	0.158 - 0.159	261,947	0.146	0.145 - 0.146	315,162	0.170	0.169 - 0.171

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	578,933	0.176	0.175 - 0.176	322,696	0.199	0.198 - 0.200	256,186	0.153	0.153 - 0.154
Alabama	8,886	0.182	0.178 - 0.186	5,048	0.214	0.208 - 0.220	3,838	0.152	0.148 - 0.157
Alaska	735	0.100	0.093 - 0.107	390	0.101	0.092 - 0.112	345	0.098	0.088 - 0.109
Arizona	12,233	0.172	0.169 - 0.175	7,451	0.211	0.206 - 0.216	4,782	0.134	0.130 - 0.138
Arkansas	4,811	0.160	0.156 - 0.165	2,801	0.190	0.183 - 0.197	2,010	0.131	0.126 - 0.137
California	65,709	0.167	0.165 - 0.168	37,508	0.191	0.190 - 0.193	28,202	0.142	0.141 - 0.144
CA - Greater California	40,862	0.187	0.185 - 0.188	23,320	0.214	0.211 - 0.216	17,543	0.160	0.157 - 0.162
CA - Greater Bay Area	14,808	0.200	0.196 - 0.203	8,388	0.227	0.222 - 0.232	6,420	0.173	0.168 - 0.177
CA - Los Angeles	10,082	0.100	0.098 - 0.102	5,833	0.117	0.114 - 0.120	4,249	0.083	0.081 - 0.086
Colorado	9,540	0.169	0.165 - 0.172	5,259	0.185	0.180 - 0.190	4,281	0.153	0.148 - 0.157
Connecticut	6,854	0.192	0.187 - 0.196	3,715	0.213	0.206 - 0.220	3,139	0.172	0.166 - 0.178
Delaware	2,485	0.259	0.248 - 0.269	1,415	0.304	0.289 - 0.321	1,070	0.216	0.203 - 0.229
Florida	42,528	0.202	0.200 - 0.203	25,433	0.247	0.243 - 0.250	17,095	0.158	0.156 - 0.161
Georgia	19,836	0.190	0.187 - 0.192	11,186	0.220	0.216 - 0.224	8,650	0.161	0.158 - 0.164
Hawaii	2,711	0.191	0.183 - 0.198	1,647	0.231	0.220 - 0.242	1,064	0.150	0.141 - 0.159
Idaho	3,532	0.204	0.197 - 0.211	1,981	0.228	0.218 - 0.238	1,552	0.179	0.170 - 0.188
Illinois	20,925	0.164	0.162 - 0.166	11,155	0.178	0.175 - 0.181	9,770	0.151	0.148 - 0.154
Iowa	6,927	0.220	0.215 - 0.226	3,565	0.228	0.220 - 0.235	3,362	0.213	0.206 - 0.220
Kansas	6,154	0.211	0.206 - 0.217	3,361	0.232	0.224 - 0.240	2,793	0.191	0.184 - 0.199
Kentucky	9,494	0.213	0.209 - 0.217	5,081	0.231	0.225 - 0.238	4,414	0.195	0.189 - 0.201
Louisiana	6,146	0.132	0.128 - 0.135	3,596	0.158	0.153 - 0.163	2,549	0.107	0.103 - 0.111
Maine	3,262	0.244	0.236 - 0.253	1,709	0.261	0.249 - 0.274	1,553	0.228	0.216 - 0.239
Maryland	11,362	0.188	0.185 - 0.192	6,397	0.219	0.214 - 0.224	4,965	0.160	0.155 - 0.164
MI - Detroit	5,784	0.149	0.145 - 0.153	3,081	0.163	0.158 - 0.169	2,702	0.135	0.130 - 0.140
Minnesota	14,298	0.256	0.252 - 0.260	7,493	0.269	0.263 - 0.276	6,805	0.243	0.237 - 0.249
Mississippi	4,207	0.141	0.137 - 0.145	2,371	0.164	0.157 - 0.171	1,836	0.119	0.114 - 0.125
Missouri	9,537	0.156	0.153 - 0.159	5,345	0.178	0.173 - 0.183	4,192	0.135	0.131 - 0.139
Montana	2,319	0.219	0.211 - 0.229	1,276	0.240	0.227 - 0.253	1,043	0.199	0.187 - 0.211
Nebraska	3,593	0.187	0.181 - 0.193	1,837	0.192	0.183 - 0.201	1,756	0.183	0.174 - 0.191
New Hampshire	3,709	0.275	0.266 - 0.283	1,958	0.293	0.280 - 0.306	1,751	0.257	0.245 - 0.269
New Jersey	17,035	0.192	0.189 - 0.195	9,387	0.216	0.212 - 0.221	7,648	0.168	0.164 - 0.172
New Mexico	2,968	0.142	0.137 - 0.147	1,689	0.163	0.155 - 0.171	1,279	0.121	0.115 - 0.128
New York	30,519	0.156	0.154 - 0.158	16,657	0.175	0.173 - 0.178	13,862	0.138	0.135 - 0.140
North Carolina	20,761	0.201	0.198 - 0.204	11,671	0.232	0.228 - 0.237	9,090	0.171	0.168 - 0.175
North Dakota	1,392	0.184	0.174 - 0.194	693	0.179	0.166 - 0.193	699	0.189	0.176 - 0.204
Ohio	22,284	0.191	0.188 - 0.194	11,864	0.207	0.204 - 0.211	10,420	0.175	0.172 - 0.179
Oklahoma	5,834	0.148	0.144 - 0.152	3,369	0.173	0.167 - 0.179	2,465	0.124	0.119 - 0.129
Oregon	9,861	0.237	0.232 - 0.242	5,207	0.252	0.246 - 0.259	4,654	0.222	0.215 - 0.228
Pennsylvania	26,407	0.206	0.204 - 0.209	14,461	0.231	0.227 - 0.235	11,946	0.183	0.180 - 0.186
Rhode Island	2,203	0.208	0.200 - 0.217	1,161	0.226	0.213 - 0.239	1,042	0.192	0.180 - 0.204
South Carolina	9,821	0.194	0.191 - 0.198	5,533	0.226	0.220 - 0.232	4,288	0.165	0.160 - 0.170
South Dakota	1,686	0.193	0.183 - 0.202	882	0.200	0.187 - 0.213	804	0.185	0.173 - 0.199
Tennessee	11,358	0.169	0.165 - 0.172	6,278	0.191	0.186 - 0.196	5,080	0.147	0.143 - 0.151
Texas	25,274	0.089	0.088 - 0.090	14,616	0.103	0.102 - 0.105	10,658	0.074	0.073 - 0.076
Utah	7,264	0.232	0.227 - 0.238	4,090	0.260	0.252 - 0.268	3,174	0.204	0.197 - 0.212
Vermont	2,083	0.334	0.319 - 0.348	1,136	0.368	0.347 - 0.391	947	0.300	0.281 - 0.319
Washington	15,818	0.212	0.208 - 0.215	8,355	0.223	0.219 - 0.228	7,463	0.200	0.195 - 0.204
WA - Seattle	12,057	0.234	0.230 - 0.238	6,377	0.247	0.241 - 0.253	5,680	0.221	0.215 - 0.226
West Virginia	3,567	0.197	0.191 - 0.204	1,975	0.220	0.211 - 0.230	1,592	0.174	0.166 - 0.183
Wisconsin	11,789	0.203	0.200 - 0.207	6,429	0.223	0.217 - 0.228	5,360	0.184	0.179 - 0.189
Wyoming	1,109	0.192	0.181 - 0.203	603	0.205	0.189 - 0.222	506	0.178	0.163 - 0.195
NAACCR CDN Combined¹	58,891	0.157	0.155 - 0.158	30,587	0.163	0.161 - 0.166	28,270	0.150	0.148 - 0.152
Alberta	5,068	0.119	0.115 - 0.122	2,553	0.119	0.114 - 0.123	2,515	0.119	0.114 - 0.123
British Columbia	8,158	0.164	0.161 - 0.168	4,252	0.173	0.168 - 0.178	3,906	0.156	0.151 - 0.161
Manitoba	1,634	0.122	0.116 - 0.128	830	0.124	0.115 - 0.132	804	0.120	0.111 - 0.128
New Brunswick	1,445	0.188	0.178 - 0.198	711	0.187	0.174 - 0.201	734	0.189	0.176 - 0.203
Newfoundland and Labrador	795	0.151	0.141 - 0.162	416	0.159	0.144 - 0.175	379	0.143	0.129 - 0.158
Ontario	24,075	0.170	0.168 - 0.172	12,646	0.181	0.178 - 0.184	11,429	0.159	0.156 - 0.162
Prince Edward Island	397	0.261	0.236 - 0.288	194	0.261	0.225 - 0.300	203	0.262	0.227 - 0.301
Saskatchewan	1,279	0.111	0.105 - 0.117	592	0.102	0.094 - 0.110	687	0.120	0.111 - 0.129
NAACCR N.A. Combined¹	637,824	0.174	0.174 - 0.175	353,283	0.196	0.195 - 0.197	284,456	0.153	0.152 - 0.153

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-210 Prevalence – Melanoma of the Skin

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		1,852,558	1.116	1.115 - 1.118
Alabama	-	-		-	-		27,763	1.102	1.089 - 1.115
Alaska	-	-		-	-		3,388	0.961	0.929 - 0.994
Arizona	-	-		-	-		35,279	0.988	0.977 - 0.998
Arkansas	-	-		-	-		15,787	1.032	1.016 - 1.049
California	-	-		-	-		205,206	1.035	1.031 - 1.040
CA - Greater California	-	-		-	-		112,658	1.026	1.020 - 1.032
CA - Greater Bay Area	-	-		-	-		42,187	1.134	1.123 - 1.145
CA - Los Angeles	-	-		-	-		50,441	0.986	0.978 - 0.995
Colorado	-	-		-	-		29,678	1.058	1.046 - 1.070
Connecticut	-	-		-	-		25,519	1.395	1.378 - 1.412
Delaware	-	-		-	-		6,036	1.216	1.185 - 1.247
Florida	-	-		-	-		122,980	1.140	1.134 - 1.147
Georgia	-	-		-	-		54,051	1.006	0.998 - 1.015
Hawaii	-	-		-	-		9,381	1.322	1.295 - 1.349
Idaho	-	-		-	-		8,728	1.009	0.988 - 1.030
Illinois	-	-		-	-		77,729	1.198	1.190 - 1.207
Iowa	-	-		-	-		18,742	1.186	1.169 - 1.203
Kansas	-	-		-	-		16,803	1.151	1.134 - 1.168
Kentucky	-	-		-	-		25,730	1.138	1.124 - 1.152
Louisiana	-	-		-	-		25,207	1.056	1.043 - 1.069
Maine	-	-		-	-		9,386	1.376	1.348 - 1.404
Maryland	-	-		-	-		37,073	1.193	1.181 - 1.205
MI - Detroit	-	-		-	-		24,555	1.229	1.213 - 1.244
Minnesota	-	-		-	-		33,894	1.209	1.196 - 1.222
Mississippi	-	-		-	-		15,630	1.017	1.001 - 1.033
Missouri	-	-		-	-		36,942	1.187	1.175 - 1.199
Montana	-	-		-	-		6,333	1.207	1.177 - 1.237
Nebraska	-	-		-	-		10,688	1.111	1.090 - 1.132
New Hampshire	-	-		-	-		9,716	1.425	1.397 - 1.454
New Jersey	-	-		-	-		58,301	1.282	1.272 - 1.293
New Mexico	-	-		-	-		10,885	1.030	1.011 - 1.050
New York	-	-		-	-		124,671	1.239	1.232 - 1.246
North Carolina	-	-		-	-		62,105	1.172	1.162 - 1.181
North Dakota	-	-		-	-		4,035	1.093	1.060 - 1.127
Ohio	-	-		-	-		70,485	1.185	1.176 - 1.193
Oklahoma	-	-		-	-		20,329	1.024	1.010 - 1.038
Oregon	-	-		-	-		24,978	1.190	1.175 - 1.205
Pennsylvania	-	-		-	-		84,288	1.291	1.283 - 1.300
Rhode Island	-	-		-	-		7,308	1.346	1.315 - 1.377
South Carolina	-	-		-	-		29,791	1.145	1.132 - 1.158
South Dakota	-	-		-	-		4,946	1.140	1.109 - 1.173
Tennessee	-	-		-	-		38,080	1.103	1.092 - 1.115
Texas	-	-		-	-		123,702	0.864	0.859 - 0.868
Utah	-	-		-	-		11,376	0.733	0.719 - 0.746
Vermont	-	-		-	-		4,367	1.382	1.341 - 1.423
Washington	-	-		-	-		44,043	1.179	1.168 - 1.190
WA - Seattle	-	-		-	-		31,436	1.221	1.207 - 1.234
West Virginia	-	-		-	-		11,005	1.204	1.181 - 1.226
Wisconsin	-	-		-	-		35,951	1.234	1.221 - 1.246
Wyoming	-	-		-	-		2,879	1.016	0.979 - 1.053
NAACCR CDN Combined¹	-	-		-	-		204,125	1.077	1.071 - 1.082
Alberta	-	-		-	-		19,866	0.937	0.924 - 0.951
British Columbia	-	-		-	-		26,939	1.073	1.060 - 1.086
Manitoba	-	-		-	-		6,724	1.000	0.976 - 1.024
New Brunswick	-	-		-	-		4,727	1.217	1.183 - 1.253
Newfoundland and Labrador	-	-		-	-		3,336	1.255	1.212 - 1.298
Ontario	-	-		-	-		80,357	1.118	1.110 - 1.125
Prince Edward Island	-	-		-	-		907	1.171	1.096 - 1.250
Saskatchewan	-	-		-	-		5,711	0.995	0.970 - 1.022
NAACCR N.A. Combined¹	-	-		-	-		2,056,683	1.113	1.111 - 1.115

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		85,833	0.052	0.052 - 0.052
Alabama	-	-		-	-		1,407	0.056	0.053 - 0.059
Alaska	-	-		-	-		189	0.054	0.046 - 0.062
Arizona	-	-		-	-		1,495	0.042	0.040 - 0.044
Arkansas	-	-		-	-		909	0.059	0.056 - 0.063
California	-	-		-	-		9,916	0.050	0.049 - 0.051
CA - Greater California	-	-		-	-		5,445	0.050	0.048 - 0.051
CA - Greater Bay Area	-	-		-	-		1,640	0.044	0.042 - 0.046
CA - Los Angeles	-	-		-	-		2,835	0.055	0.053 - 0.057
Colorado	-	-		-	-		1,184	0.042	0.040 - 0.045
Connecticut	-	-		-	-		826	0.045	0.042 - 0.048
Delaware	-	-		-	-		275	0.055	0.049 - 0.062
Florida	-	-		-	-		6,412	0.059	0.058 - 0.061
Georgia	-	-		-	-		2,662	0.050	0.048 - 0.051
Hawaii	-	-		-	-		364	0.051	0.046 - 0.057
Idaho	-	-		-	-		356	0.041	0.037 - 0.046
Illinois	-	-		-	-		3,660	0.056	0.055 - 0.058
Iowa	-	-		-	-		771	0.049	0.045 - 0.052
Kansas	-	-		-	-		733	0.050	0.047 - 0.054
Kentucky	-	-		-	-		1,352	0.060	0.057 - 0.063
Louisiana	-	-		-	-		1,342	0.056	0.053 - 0.059
Maine	-	-		-	-		307	0.045	0.040 - 0.050
Maryland	-	-		-	-		1,445	0.046	0.044 - 0.049
MI - Detroit	-	-		-	-		927	0.046	0.043 - 0.049
Minnesota	-	-		-	-		1,159	0.041	0.039 - 0.044
Mississippi	-	-		-	-		876	0.057	0.053 - 0.061
Missouri	-	-		-	-		1,675	0.054	0.051 - 0.056
Montana	-	-		-	-		243	0.046	0.041 - 0.053
Nebraska	-	-		-	-		457	0.048	0.043 - 0.052
New Hampshire	-	-		-	-		253	0.037	0.033 - 0.042
New Jersey	-	-		-	-		2,488	0.055	0.053 - 0.057
New Mexico	-	-		-	-		547	0.052	0.048 - 0.056
New York	-	-		-	-		5,537	0.055	0.054 - 0.056
North Carolina	-	-		-	-		2,536	0.048	0.046 - 0.050
North Dakota	-	-		-	-		149	0.040	0.034 - 0.047
Ohio	-	-		-	-		3,126	0.053	0.051 - 0.054
Oklahoma	-	-		-	-		1,149	0.058	0.055 - 0.061
Oregon	-	-		-	-		1,017	0.048	0.046 - 0.052
Pennsylvania	-	-		-	-		3,440	0.053	0.051 - 0.054
Rhode Island	-	-		-	-		280	0.052	0.046 - 0.058
South Carolina	-	-		-	-		1,257	0.048	0.046 - 0.051
South Dakota	-	-		-	-		204	0.047	0.041 - 0.054
Tennessee	-	-		-	-		1,866	0.054	0.052 - 0.057
Texas	-	-		-	-		8,251	0.058	0.056 - 0.059
Utah	-	-		-	-		489	0.031	0.029 - 0.034
Vermont	-	-		-	-		113	0.036	0.029 - 0.043
Washington	-	-		-	-		1,825	0.049	0.047 - 0.051
WA - Seattle	-	-		-	-		1,308	0.051	0.048 - 0.054
West Virginia	-	-		-	-		612	0.067	0.062 - 0.072
Wisconsin	-	-		-	-		1,333	0.046	0.043 - 0.048
Wyoming	-	-		-	-		144	0.051	0.043 - 0.060
NAACCR CDN Combined¹	-	-		-	-		10,709	0.058	0.056 - 0.059
Alberta	-	-		-	-		1,229	0.058	0.055 - 0.061
British Columbia	-	-		-	-		1,373	0.055	0.052 - 0.058
Manitoba	-	-		-	-		341	0.051	0.045 - 0.056
New Brunswick	-	-		-	-		210	0.054	0.047 - 0.062
Newfoundland and Labrador	-	-		-	-		225	0.085	0.074 - 0.096
Ontario	-	-		-	-		4,183	0.058	0.056 - 0.060
Prince Edward Island	-	-		-	-		49	0.063	0.047 - 0.084
Saskatchewan	-	-		-	-		328	0.057	0.051 - 0.064
NAACCR N.A. Combined¹	-	-		-	-		96,542	0.052	0.052 - 0.053

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		389,223	0.235	0.234 - 0.235
Alabama	-	-		-	-		4,283	0.170	0.165 - 0.175
Alaska	-	-		-	-		749	0.212	0.198 - 0.228
Arizona	-	-		-	-		6,929	0.194	0.189 - 0.199
Arkansas	-	-		-	-		3,102	0.203	0.196 - 0.210
California	-	-		-	-		41,813	0.211	0.209 - 0.213
CA - Greater California	-	-		-	-		22,461	0.204	0.202 - 0.207
CA - Greater Bay Area	-	-		-	-		8,448	0.227	0.222 - 0.232
CA - Los Angeles	-	-		-	-		10,907	0.213	0.209 - 0.217
Colorado	-	-		-	-		5,354	0.191	0.186 - 0.196
Connecticut	-	-		-	-		5,548	0.303	0.295 - 0.311
Delaware	-	-		-	-		1,408	0.284	0.269 - 0.299
Florida	-	-		-	-		23,829	0.221	0.218 - 0.224
Georgia	-	-		-	-		9,325	0.174	0.170 - 0.177
Hawaii	-	-		-	-		2,042	0.288	0.275 - 0.301
Idaho	-	-		-	-		1,746	0.202	0.192 - 0.212
Illinois	-	-		-	-		17,635	0.272	0.268 - 0.276
Iowa	-	-		-	-		4,675	0.296	0.287 - 0.304
Kansas	-	-		-	-		3,406	0.233	0.226 - 0.241
Kentucky	-	-		-	-		5,495	0.243	0.237 - 0.250
Louisiana	-	-		-	-		3,806	0.159	0.154 - 0.165
Maine	-	-		-	-		2,469	0.362	0.348 - 0.377
Maryland	-	-		-	-		7,384	0.238	0.232 - 0.243
MI - Detroit	-	-		-	-		5,696	0.285	0.278 - 0.292
Minnesota	-	-		-	-		7,948	0.283	0.277 - 0.290
Mississippi	-	-		-	-		2,706	0.176	0.169 - 0.183
Missouri	-	-		-	-		7,699	0.247	0.242 - 0.253
Montana	-	-		-	-		1,346	0.256	0.243 - 0.271
Nebraska	-	-		-	-		2,354	0.245	0.235 - 0.255
New Hampshire	-	-		-	-		2,297	0.337	0.323 - 0.351
New Jersey	-	-		-	-		13,572	0.299	0.294 - 0.304
New Mexico	-	-		-	-		2,347	0.222	0.213 - 0.231
New York	-	-		-	-		29,347	0.292	0.288 - 0.295
North Carolina	-	-		-	-		11,624	0.219	0.215 - 0.223
North Dakota	-	-		-	-		845	0.229	0.214 - 0.245
Ohio	-	-		-	-		17,047	0.287	0.282 - 0.291
Oklahoma	-	-		-	-		3,745	0.189	0.183 - 0.195
Oregon	-	-		-	-		5,704	0.272	0.265 - 0.279
Pennsylvania	-	-		-	-		21,389	0.328	0.323 - 0.332
Rhode Island	-	-		-	-		1,690	0.311	0.297 - 0.326
South Carolina	-	-		-	-		5,204	0.200	0.195 - 0.205
South Dakota	-	-		-	-		1,098	0.253	0.238 - 0.269
Tennessee	-	-		-	-		7,272	0.211	0.206 - 0.216
Texas	-	-		-	-		22,992	0.161	0.158 - 0.163
Utah	-	-		-	-		2,660	0.171	0.165 - 0.178
Vermont	-	-		-	-		1,162	0.368	0.347 - 0.389
Washington	-	-		-	-		8,779	0.235	0.230 - 0.240
WA - Seattle	-	-		-	-		6,167	0.239	0.234 - 0.246
West Virginia	-	-		-	-		3,101	0.339	0.327 - 0.351
Wisconsin	-	-		-	-		8,830	0.303	0.297 - 0.309
Wyoming	-	-		-	-		607	0.214	0.197 - 0.232
NAACCR CDN Combined¹	-	-		-	-		48,006	0.253	0.250 - 0.255
Alberta	-	-		-	-		4,460	0.210	0.204 - 0.217
British Columbia	-	-		-	-		5,951	0.237	0.231 - 0.243
Manitoba	-	-		-	-		2,015	0.300	0.287 - 0.313
New Brunswick	-	-		-	-		1,075	0.277	0.261 - 0.294
Newfoundland and Labrador	-	-		-	-		895	0.337	0.315 - 0.359
Ontario	-	-		-	-		18,955	0.264	0.260 - 0.267
Prince Edward Island	-	-		-	-		167	0.216	0.184 - 0.251
Saskatchewan	-	-		-	-		1,334	0.233	0.220 - 0.245
NAACCR N.A. Combined¹	-	-		-	-		437,229	0.236	0.235 - 0.237

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		105,747	0.064	0.063 - 0.064
Alabama	-	-		-	-		1,567	0.062	0.059 - 0.065
Alaska	-	-		-	-		197	0.056	0.048 - 0.064
Arizona	-	-		-	-		2,076	0.058	0.056 - 0.061
Arkansas	-	-		-	-		862	0.056	0.053 - 0.060
California	-	-		-	-		12,632	0.064	0.063 - 0.065
CA - Greater California	-	-		-	-		6,631	0.060	0.059 - 0.062
CA - Greater Bay Area	-	-		-	-		2,503	0.067	0.065 - 0.070
CA - Los Angeles	-	-		-	-		3,499	0.068	0.066 - 0.071
Colorado	-	-		-	-		1,623	0.058	0.055 - 0.061
Connecticut	-	-		-	-		1,389	0.076	0.072 - 0.080
Delaware	-	-		-	-		317	0.064	0.057 - 0.071
Florida	-	-		-	-		7,390	0.069	0.067 - 0.070
Georgia	-	-		-	-		2,943	0.055	0.053 - 0.057
Hawaii	-	-		-	-		440	0.062	0.056 - 0.068
Idaho	-	-		-	-		454	0.052	0.048 - 0.058
Illinois	-	-		-	-		4,388	0.068	0.066 - 0.070
Iowa	-	-		-	-		994	0.063	0.059 - 0.067
Kansas	-	-		-	-		959	0.066	0.062 - 0.070
Kentucky	-	-		-	-		1,283	0.057	0.054 - 0.060
Louisiana	-	-		-	-		1,147	0.048	0.045 - 0.051
Maine	-	-		-	-		460	0.067	0.061 - 0.074
Maryland	-	-		-	-		1,971	0.063	0.061 - 0.066
MI - Detroit	-	-		-	-		1,460	0.073	0.069 - 0.077
Minnesota	-	-		-	-		1,860	0.066	0.063 - 0.069
Mississippi	-	-		-	-		789	0.051	0.048 - 0.055
Missouri	-	-		-	-		1,826	0.059	0.056 - 0.061
Montana	-	-		-	-		371	0.071	0.064 - 0.078
Nebraska	-	-		-	-		551	0.057	0.053 - 0.062
New Hampshire	-	-		-	-		479	0.070	0.064 - 0.077
New Jersey	-	-		-	-		3,511	0.077	0.075 - 0.080
New Mexico	-	-		-	-		659	0.062	0.058 - 0.067
New York	-	-		-	-		7,685	0.076	0.075 - 0.078
North Carolina	-	-		-	-		3,250	0.061	0.059 - 0.063
North Dakota	-	-		-	-		208	0.056	0.049 - 0.065
Ohio	-	-		-	-		3,917	0.066	0.064 - 0.068
Oklahoma	-	-		-	-		1,171	0.059	0.056 - 0.062
Oregon	-	-		-	-		1,369	0.065	0.062 - 0.069
Pennsylvania	-	-		-	-		5,023	0.077	0.075 - 0.079
Rhode Island	-	-		-	-		372	0.069	0.062 - 0.076
South Carolina	-	-		-	-		1,305	0.050	0.047 - 0.053
South Dakota	-	-		-	-		304	0.070	0.062 - 0.078
Tennessee	-	-		-	-		2,023	0.059	0.056 - 0.061
Texas	-	-		-	-		7,565	0.053	0.052 - 0.054
Utah	-	-		-	-		720	0.046	0.043 - 0.050
Vermont	-	-		-	-		230	0.073	0.064 - 0.083
Washington	-	-		-	-		2,382	0.064	0.061 - 0.066
WA - Seattle	-	-		-	-		1,671	0.065	0.062 - 0.068
West Virginia	-	-		-	-		687	0.075	0.070 - 0.081
Wisconsin	-	-		-	-		2,169	0.074	0.071 - 0.078
Wyoming	-	-		-	-		186	0.066	0.057 - 0.076
NAACCR CDN Combined¹	-	-		-	-		12,872	0.068	0.067 - 0.070
Alberta	-	-		-	-		1,012	0.048	0.045 - 0.051
British Columbia	-	-		-	-		1,534	0.061	0.058 - 0.064
Manitoba	-	-		-	-		424	0.063	0.057 - 0.069
New Brunswick	-	-		-	-		238	0.061	0.054 - 0.070
Newfoundland and Labrador	-	-		-	-		180	0.068	0.058 - 0.078
Ontario	-	-		-	-		5,660	0.079	0.077 - 0.081
Prince Edward Island	-	-		-	-		42	0.054	0.039 - 0.073
Saskatchewan	-	-		-	-		328	0.057	0.051 - 0.064
NAACCR N.A. Combined¹	-	-		-	-		118,619	0.064	0.064 - 0.065

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		1,715,410	1.066	1.064 - 1.067	-	-	
Alabama	-	-		28,969	1.227	1.213 - 1.241	-	-	
Alaska	-	-		2,850	0.741	0.714 - 0.768	-	-	
Arizona	-	-		26,857	0.761	0.752 - 0.770	-	-	
Arkansas	-	-		17,302	1.172	1.155 - 1.190	-	-	
California	-	-		170,643	0.871	0.867 - 0.875	-	-	
CA - Greater California	-	-		94,689	0.867	0.862 - 0.873	-	-	
CA - Greater Bay Area	-	-		35,296	0.954	0.944 - 0.964	-	-	
CA - Los Angeles	-	-		40,658	0.817	0.810 - 0.825	-	-	
Colorado	-	-		25,543	0.898	0.887 - 0.909	-	-	
Connecticut	-	-		22,232	1.276	1.259 - 1.293	-	-	
Delaware	-	-		6,621	1.425	1.391 - 1.459	-	-	
Florida	-	-		120,683	1.170	1.163 - 1.176	-	-	
Georgia	-	-		54,626	1.074	1.065 - 1.083	-	-	
Hawaii	-	-		6,345	0.890	0.868 - 0.912	-	-	
Idaho	-	-		8,824	1.016	0.994 - 1.037	-	-	
Illinois	-	-		70,538	1.126	1.118 - 1.134	-	-	
Iowa	-	-		17,333	1.108	1.091 - 1.124	-	-	
Kansas	-	-		16,598	1.145	1.127 - 1.162	-	-	
Kentucky	-	-		22,532	1.026	1.013 - 1.040	-	-	
Louisiana	-	-		29,024	1.274	1.260 - 1.289	-	-	
Maine	-	-		7,786	1.189	1.163 - 1.216	-	-	
Maryland	-	-		36,220	1.240	1.227 - 1.252	-	-	
MI - Detroit	-	-		26,911	1.427	1.410 - 1.444	-	-	
Minnesota	-	-		32,115	1.154	1.142 - 1.167	-	-	
Mississippi	-	-		17,978	1.242	1.224 - 1.260	-	-	
Missouri	-	-		29,959	0.998	0.987 - 1.010	-	-	
Montana	-	-		6,927	1.303	1.272 - 1.334	-	-	
Nebraska	-	-		10,468	1.092	1.071 - 1.113	-	-	
New Hampshire	-	-		8,972	1.341	1.313 - 1.369	-	-	
New Jersey	-	-		59,914	1.381	1.370 - 1.392	-	-	
New Mexico	-	-		9,299	0.898	0.880 - 0.916	-	-	
New York	-	-		124,081	1.306	1.299 - 1.314	-	-	
North Carolina	-	-		58,297	1.160	1.151 - 1.170	-	-	
North Dakota	-	-		4,382	1.131	1.098 - 1.165	-	-	
Ohio	-	-		63,819	1.116	1.107 - 1.125	-	-	
Oklahoma	-	-		18,312	0.939	0.925 - 0.953	-	-	
Oregon	-	-		21,327	1.034	1.020 - 1.048	-	-	
Pennsylvania	-	-		77,308	1.234	1.225 - 1.242	-	-	
Rhode Island	-	-		6,070	1.181	1.151 - 1.211	-	-	
South Carolina	-	-		28,888	1.179	1.166 - 1.193	-	-	
South Dakota	-	-		5,164	1.168	1.136 - 1.200	-	-	
Tennessee	-	-		37,094	1.128	1.116 - 1.139	-	-	
Texas	-	-		102,872	0.728	0.723 - 0.732	-	-	
Utah	-	-		12,983	0.824	0.810 - 0.839	-	-	
Vermont	-	-		3,559	1.154	1.117 - 1.193	-	-	
Washington	-	-		37,205	0.995	0.985 - 1.005	-	-	
WA - Seattle	-	-		26,931	1.043	1.031 - 1.056	-	-	
West Virginia	-	-		10,142	1.131	1.110 - 1.154	-	-	
Wisconsin	-	-		34,068	1.181	1.169 - 1.194	-	-	
Wyoming	-	-		3,382	1.147	1.109 - 1.187	-	-	
NAACCR CDN Combined¹	-	-		188,177	0.998	0.993 - 1.003	-	-	
Alberta	-	-		19,066	0.887	0.874 - 0.899	-	-	
British Columbia	-	-		24,221	0.985	0.973 - 0.997	-	-	
Manitoba	-	-		5,455	0.813	0.791 - 0.834	-	-	
New Brunswick	-	-		5,183	1.363	1.326 - 1.401	-	-	
Newfoundland and Labrador	-	-		3,709	1.421	1.376 - 1.468	-	-	
Ontario	-	-		71,634	1.023	1.016 - 1.031	-	-	
Prince Edward Island	-	-		930	1.249	1.170 - 1.332	-	-	
Saskatchewan	-	-		5,295	0.909	0.885 - 0.934	-	-	
NAACCR N.A. Combined¹	-	-		1,903,587	1.060	1.058 - 1.061	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		79,895	0.050	0.049 - 0.050	-	-	
Alabama	-	-		901	0.038	0.036 - 0.041	-	-	
Alaska	-	-		217	0.056	0.049 - 0.064	-	-	
Arizona	-	-		1,578	0.045	0.043 - 0.047	-	-	
Arkansas	-	-		611	0.041	0.038 - 0.045	-	-	
California	-	-		10,667	0.054	0.053 - 0.055	-	-	
CA - Greater California	-	-		5,921	0.054	0.053 - 0.056	-	-	
CA - Greater Bay Area	-	-		2,036	0.055	0.053 - 0.057	-	-	
CA - Los Angeles	-	-		2,713	0.055	0.053 - 0.057	-	-	
Colorado	-	-		1,463	0.051	0.049 - 0.054	-	-	
Connecticut	-	-		972	0.056	0.052 - 0.059	-	-	
Delaware	-	-		203	0.044	0.038 - 0.050	-	-	
Florida	-	-		3,931	0.038	0.037 - 0.039	-	-	
Georgia	-	-		1,852	0.036	0.035 - 0.038	-	-	
Hawaii	-	-		375	0.053	0.047 - 0.058	-	-	
Idaho	-	-		483	0.056	0.051 - 0.061	-	-	
Illinois	-	-		3,474	0.055	0.054 - 0.057	-	-	
Iowa	-	-		928	0.059	0.056 - 0.063	-	-	
Kansas	-	-		807	0.056	0.052 - 0.060	-	-	
Kentucky	-	-		1,078	0.049	0.046 - 0.052	-	-	
Louisiana	-	-		923	0.041	0.038 - 0.043	-	-	
Maine	-	-		372	0.057	0.051 - 0.063	-	-	
Maryland	-	-		1,196	0.041	0.039 - 0.043	-	-	
MI - Detroit	-	-		943	0.050	0.047 - 0.053	-	-	
Minnesota	-	-		1,736	0.062	0.060 - 0.065	-	-	
Mississippi	-	-		489	0.034	0.031 - 0.037	-	-	
Missouri	-	-		1,379	0.046	0.044 - 0.048	-	-	
Montana	-	-		314	0.059	0.053 - 0.066	-	-	
Nebraska	-	-		573	0.060	0.055 - 0.065	-	-	
New Hampshire	-	-		429	0.064	0.058 - 0.070	-	-	
New Jersey	-	-		2,325	0.054	0.051 - 0.056	-	-	
New Mexico	-	-		573	0.055	0.051 - 0.060	-	-	
New York	-	-		5,292	0.056	0.054 - 0.057	-	-	
North Carolina	-	-		2,187	0.044	0.042 - 0.045	-	-	
North Dakota	-	-		224	0.058	0.051 - 0.066	-	-	
Ohio	-	-		2,755	0.048	0.046 - 0.050	-	-	
Oklahoma	-	-		869	0.045	0.042 - 0.048	-	-	
Oregon	-	-		1,208	0.059	0.055 - 0.062	-	-	
Pennsylvania	-	-		3,616	0.058	0.056 - 0.060	-	-	
Rhode Island	-	-		315	0.061	0.055 - 0.068	-	-	
South Carolina	-	-		872	0.036	0.033 - 0.038	-	-	
South Dakota	-	-		225	0.051	0.044 - 0.058	-	-	
Tennessee	-	-		1,456	0.044	0.042 - 0.047	-	-	
Texas	-	-		6,187	0.044	0.043 - 0.045	-	-	
Utah	-	-		980	0.062	0.058 - 0.066	-	-	
Vermont	-	-		189	0.061	0.053 - 0.071	-	-	
Washington	-	-		2,189	0.059	0.056 - 0.061	-	-	
WA - Seattle	-	-		1,614	0.063	0.060 - 0.066	-	-	
West Virginia	-	-		434	0.048	0.044 - 0.053	-	-	
Wisconsin	-	-		1,772	0.061	0.059 - 0.064	-	-	
Wyoming	-	-		188	0.064	0.055 - 0.074	-	-	
NAACCR CDN Combined¹	-	-		9,835	0.054	0.053 - 0.055	-	-	
Alberta	-	-		1,270	0.059	0.056 - 0.062	-	-	
British Columbia	-	-		1,328	0.054	0.051 - 0.057	-	-	
Manitoba	-	-		351	0.052	0.047 - 0.058	-	-	
New Brunswick	-	-		194	0.051	0.044 - 0.059	-	-	
Newfoundland and Labrador	-	-		86	0.033	0.026 - 0.041	-	-	
Ontario	-	-		3,773	0.054	0.052 - 0.056	-	-	
Prince Edward Island	-	-		27	0.036	0.024 - 0.053	-	-	
Saskatchewan	-	-		310	0.053	0.047 - 0.059	-	-	
NAACCR N.A. Combined¹	-	-		89,729	0.050	0.050 - 0.050	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-216 Prevalence – Testis

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	442,328	0.135	0.135 - 0.135	338,018	0.209	0.209 - 0.210	104,205	0.063	0.062 - 0.063
Alabama	6,038	0.124	0.121 - 0.127	4,668	0.198	0.192 - 0.203	1,370	0.054	0.052 - 0.057
Alaska	839	0.114	0.106 - 0.122	645	0.168	0.155 - 0.181	194	0.055	0.048 - 0.063
Arizona	9,036	0.127	0.125 - 0.130	6,963	0.197	0.193 - 0.202	2,073	0.058	0.056 - 0.061
Arkansas	3,992	0.133	0.129 - 0.137	3,149	0.213	0.206 - 0.221	843	0.055	0.051 - 0.059
California	40,789	0.103	0.102 - 0.105	31,512	0.161	0.159 - 0.163	9,277	0.047	0.046 - 0.048
CA - Greater California	23,338	0.107	0.105 - 0.108	18,087	0.166	0.163 - 0.168	5,250	0.048	0.047 - 0.049
CA - Greater Bay Area	8,218	0.111	0.108 - 0.113	6,257	0.169	0.165 - 0.173	1,962	0.053	0.050 - 0.055
CA - Los Angeles	9,248	0.092	0.090 - 0.094	7,181	0.144	0.141 - 0.148	2,067	0.040	0.039 - 0.042
Colorado	6,337	0.112	0.109 - 0.115	4,893	0.172	0.167 - 0.177	1,444	0.051	0.049 - 0.054
Connecticut	7,089	0.198	0.194 - 0.203	5,306	0.305	0.296 - 0.313	1,783	0.097	0.093 - 0.102
Delaware	1,715	0.178	0.170 - 0.187	1,305	0.281	0.266 - 0.296	410	0.083	0.075 - 0.091
Florida	34,175	0.162	0.160 - 0.164	26,267	0.255	0.252 - 0.258	7,908	0.073	0.072 - 0.075
Georgia	10,551	0.101	0.099 - 0.103	8,155	0.160	0.157 - 0.164	2,396	0.045	0.043 - 0.046
Hawaii	1,447	0.102	0.097 - 0.107	1,116	0.157	0.148 - 0.166	331	0.047	0.042 - 0.052
Idaho	2,427	0.140	0.134 - 0.146	1,902	0.219	0.209 - 0.229	525	0.061	0.056 - 0.066
Illinois	18,464	0.145	0.143 - 0.147	13,967	0.223	0.219 - 0.227	4,497	0.069	0.067 - 0.071
Iowa	4,931	0.157	0.152 - 0.161	3,827	0.245	0.237 - 0.252	1,104	0.070	0.066 - 0.074
Kansas	4,428	0.152	0.148 - 0.157	3,397	0.234	0.226 - 0.242	1,031	0.071	0.066 - 0.075
Kentucky	6,668	0.150	0.146 - 0.153	5,101	0.232	0.226 - 0.239	1,566	0.069	0.066 - 0.073
Louisiana	5,610	0.120	0.117 - 0.123	4,382	0.192	0.187 - 0.198	1,228	0.051	0.049 - 0.054
Maine	3,096	0.232	0.224 - 0.240	2,344	0.358	0.344 - 0.373	752	0.110	0.102 - 0.118
Maryland	7,600	0.126	0.123 - 0.129	5,738	0.196	0.191 - 0.202	1,862	0.060	0.057 - 0.063
MI - Detroit	6,150	0.158	0.154 - 0.162	4,639	0.246	0.239 - 0.253	1,511	0.076	0.072 - 0.080
Minnesota	8,570	0.153	0.150 - 0.157	6,565	0.236	0.230 - 0.242	2,005	0.071	0.068 - 0.075
Mississippi	3,387	0.113	0.110 - 0.117	2,648	0.183	0.176 - 0.190	739	0.048	0.045 - 0.052
Missouri	8,449	0.138	0.135 - 0.141	6,488	0.216	0.211 - 0.222	1,961	0.063	0.060 - 0.066
Montana	1,822	0.172	0.165 - 0.181	1,372	0.258	0.244 - 0.272	450	0.086	0.078 - 0.094
Nebraska	2,624	0.137	0.131 - 0.142	2,011	0.210	0.201 - 0.219	613	0.064	0.059 - 0.069
New Hampshire	3,010	0.223	0.215 - 0.231	2,265	0.338	0.325 - 0.353	745	0.109	0.102 - 0.117
New Jersey	14,776	0.166	0.164 - 0.169	10,911	0.251	0.247 - 0.256	3,865	0.085	0.082 - 0.088
New Mexico	2,120	0.101	0.097 - 0.106	1,635	0.158	0.150 - 0.166	485	0.046	0.042 - 0.050
New York	32,974	0.169	0.167 - 0.170	24,635	0.259	0.256 - 0.263	8,340	0.083	0.081 - 0.085
North Carolina	13,866	0.134	0.132 - 0.137	10,488	0.209	0.205 - 0.213	3,378	0.064	0.062 - 0.066
North Dakota	1,061	0.140	0.132 - 0.149	837	0.216	0.202 - 0.231	224	0.061	0.053 - 0.069
Ohio	18,093	0.155	0.153 - 0.157	13,858	0.242	0.238 - 0.246	4,235	0.071	0.069 - 0.073
Oklahoma	4,746	0.121	0.117 - 0.124	3,690	0.189	0.183 - 0.195	1,056	0.053	0.050 - 0.056
Oregon	6,520	0.157	0.153 - 0.160	5,030	0.244	0.237 - 0.251	1,490	0.071	0.067 - 0.075
Pennsylvania	24,424	0.191	0.189 - 0.193	18,438	0.294	0.290 - 0.298	5,986	0.092	0.089 - 0.094
Rhode Island	2,279	0.216	0.207 - 0.225	1,681	0.327	0.312 - 0.343	598	0.110	0.101 - 0.119
South Carolina	6,348	0.126	0.123 - 0.129	4,845	0.198	0.192 - 0.203	1,503	0.058	0.055 - 0.061
South Dakota	1,250	0.143	0.135 - 0.151	953	0.216	0.202 - 0.230	297	0.068	0.061 - 0.077
Tennessee	8,907	0.132	0.129 - 0.135	6,833	0.208	0.203 - 0.213	2,074	0.060	0.058 - 0.063
Texas	22,518	0.079	0.078 - 0.080	17,519	0.124	0.122 - 0.126	4,999	0.035	0.034 - 0.036
Utah	2,358	0.075	0.072 - 0.079	1,936	0.123	0.118 - 0.129	422	0.027	0.025 - 0.030
Vermont	1,211	0.194	0.183 - 0.205	915	0.297	0.278 - 0.317	296	0.094	0.083 - 0.105
Washington	10,101	0.135	0.133 - 0.138	7,782	0.208	0.204 - 0.213	2,319	0.062	0.060 - 0.065
WA - Seattle	7,003	0.136	0.133 - 0.139	5,398	0.209	0.204 - 0.215	1,605	0.062	0.059 - 0.065
West Virginia	3,345	0.185	0.179 - 0.191	2,539	0.283	0.272 - 0.294	806	0.088	0.082 - 0.094
Wisconsin	9,838	0.170	0.166 - 0.173	7,534	0.261	0.255 - 0.267	2,304	0.079	0.076 - 0.082
Wyoming	879	0.152	0.142 - 0.162	674	0.229	0.212 - 0.247	205	0.072	0.063 - 0.083
NAACCR CDN Combined¹	61,881	0.163	0.162 - 0.165	46,924	0.250	0.247 - 0.253	14,892	0.078	0.077 - 0.079
Alberta	5,431	0.127	0.124 - 0.131	4,201	0.195	0.189 - 0.201	1,230	0.058	0.055 - 0.061
British Columbia	8,179	0.165	0.161 - 0.168	6,260	0.255	0.248 - 0.261	1,919	0.076	0.073 - 0.080
Manitoba	1,705	0.127	0.121 - 0.133	1,291	0.192	0.182 - 0.203	414	0.062	0.056 - 0.068
New Brunswick	1,592	0.207	0.197 - 0.218	1,205	0.317	0.299 - 0.335	387	0.100	0.090 - 0.110
Newfoundland and Labrador	1,009	0.191	0.180 - 0.204	728	0.279	0.259 - 0.300	281	0.106	0.094 - 0.119
Ontario	24,818	0.175	0.173 - 0.177	18,791	0.268	0.265 - 0.272	6,027	0.084	0.082 - 0.086
Prince Edward Island	252	0.166	0.146 - 0.188	184	0.247	0.213 - 0.286	68	0.088	0.068 - 0.111
Saskatchewan	1,710	0.148	0.141 - 0.155	1,278	0.219	0.208 - 0.232	432	0.075	0.068 - 0.083
NAACCR N.A. Combined¹	504,209	0.137	0.137 - 0.138	384,942	0.213	0.212 - 0.214	119,097	0.064	0.064 - 0.064

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	391,720	0.120	0.120 - 0.120	242,222	0.151	0.150 - 0.151	149,501	0.090	0.090 - 0.091
Alabama	6,441	0.132	0.129 - 0.135	3,886	0.165	0.159 - 0.170	2,555	0.101	0.097 - 0.105
Alaska	802	0.109	0.101 - 0.117	502	0.130	0.119 - 0.142	300	0.085	0.076 - 0.095
Arizona	8,169	0.115	0.113 - 0.118	5,035	0.143	0.139 - 0.147	3,134	0.088	0.085 - 0.091
Arkansas	4,110	0.137	0.133 - 0.141	2,480	0.168	0.161 - 0.175	1,630	0.107	0.101 - 0.112
California	38,248	0.097	0.096 - 0.098	24,057	0.123	0.121 - 0.124	14,191	0.072	0.070 - 0.073
CA - Greater California	22,088	0.101	0.100 - 0.102	13,857	0.127	0.125 - 0.129	8,231	0.075	0.073 - 0.077
CA - Greater Bay Area	6,930	0.093	0.091 - 0.096	4,487	0.121	0.118 - 0.125	2,443	0.066	0.063 - 0.068
CA - Los Angeles	9,244	0.092	0.090 - 0.094	5,724	0.115	0.112 - 0.118	3,520	0.069	0.067 - 0.071
Colorado	5,114	0.090	0.088 - 0.093	3,164	0.111	0.107 - 0.115	1,950	0.069	0.066 - 0.073
Connecticut	4,606	0.129	0.125 - 0.133	2,971	0.170	0.164 - 0.177	1,635	0.089	0.085 - 0.094
Delaware	1,263	0.131	0.124 - 0.139	805	0.173	0.161 - 0.186	458	0.092	0.084 - 0.101
Florida	24,163	0.114	0.113 - 0.116	15,175	0.147	0.145 - 0.149	8,988	0.083	0.082 - 0.085
Georgia	10,925	0.104	0.102 - 0.106	6,595	0.130	0.127 - 0.133	4,330	0.081	0.078 - 0.083
Hawaii	1,513	0.106	0.101 - 0.112	988	0.139	0.130 - 0.147	525	0.074	0.068 - 0.081
Idaho	1,826	0.105	0.101 - 0.110	1,132	0.130	0.123 - 0.138	694	0.080	0.074 - 0.086
Illinois	16,637	0.130	0.129 - 0.132	10,269	0.164	0.161 - 0.167	6,368	0.098	0.096 - 0.101
Iowa	4,206	0.134	0.130 - 0.138	2,643	0.169	0.162 - 0.175	1,564	0.099	0.094 - 0.104
Kansas	3,982	0.137	0.133 - 0.141	2,430	0.168	0.161 - 0.174	1,552	0.106	0.101 - 0.112
Kentucky	6,748	0.151	0.148 - 0.155	4,043	0.184	0.179 - 0.190	2,705	0.120	0.115 - 0.124
Louisiana	7,050	0.151	0.148 - 0.155	4,254	0.187	0.181 - 0.192	2,796	0.117	0.113 - 0.122
Maine	1,904	0.142	0.136 - 0.149	1,159	0.177	0.167 - 0.188	745	0.109	0.102 - 0.117
Maryland	6,783	0.112	0.110 - 0.115	4,084	0.140	0.136 - 0.144	2,699	0.087	0.084 - 0.090
MI - Detroit	5,197	0.134	0.130 - 0.137	3,220	0.171	0.165 - 0.177	1,977	0.099	0.095 - 0.103
Minnesota	6,839	0.122	0.120 - 0.125	4,431	0.159	0.155 - 0.164	2,408	0.086	0.082 - 0.089
Mississippi	4,425	0.148	0.144 - 0.153	2,586	0.179	0.172 - 0.186	1,839	0.120	0.114 - 0.125
Missouri	8,345	0.136	0.134 - 0.139	5,067	0.169	0.164 - 0.174	3,278	0.105	0.102 - 0.109
Montana	1,266	0.120	0.113 - 0.127	793	0.149	0.139 - 0.160	473	0.090	0.082 - 0.099
Nebraska	2,324	0.121	0.116 - 0.126	1,457	0.152	0.144 - 0.160	867	0.090	0.084 - 0.096
New Hampshire	1,760	0.130	0.124 - 0.136	1,135	0.170	0.160 - 0.180	625	0.092	0.085 - 0.099
New Jersey	11,259	0.127	0.124 - 0.129	7,138	0.164	0.161 - 0.168	4,121	0.091	0.088 - 0.093
New Mexico	2,201	0.105	0.101 - 0.110	1,299	0.125	0.119 - 0.132	902	0.085	0.080 - 0.091
New York	25,312	0.129	0.128 - 0.131	16,022	0.169	0.166 - 0.171	9,290	0.092	0.090 - 0.094
North Carolina	12,741	0.123	0.121 - 0.126	7,791	0.155	0.152 - 0.159	4,950	0.093	0.091 - 0.096
North Dakota	870	0.115	0.107 - 0.123	556	0.144	0.132 - 0.156	314	0.085	0.076 - 0.095
Ohio	15,265	0.131	0.129 - 0.133	9,198	0.161	0.158 - 0.164	6,067	0.102	0.099 - 0.105
Oklahoma	5,048	0.128	0.125 - 0.132	2,972	0.152	0.147 - 0.158	2,076	0.105	0.100 - 0.109
Oregon	4,922	0.118	0.115 - 0.122	3,118	0.151	0.146 - 0.157	1,804	0.086	0.082 - 0.090
Pennsylvania	18,031	0.141	0.139 - 0.143	11,213	0.179	0.176 - 0.182	6,818	0.104	0.102 - 0.107
Rhode Island	1,410	0.133	0.127 - 0.141	862	0.168	0.157 - 0.179	548	0.101	0.093 - 0.110
South Carolina	6,149	0.122	0.119 - 0.125	3,747	0.153	0.148 - 0.158	2,402	0.092	0.089 - 0.096
South Dakota	1,035	0.118	0.111 - 0.126	671	0.152	0.141 - 0.164	364	0.084	0.076 - 0.093
Tennessee	9,088	0.135	0.132 - 0.138	5,566	0.169	0.165 - 0.174	3,522	0.102	0.099 - 0.105
Texas	32,120	0.113	0.112 - 0.114	19,362	0.137	0.135 - 0.139	12,758	0.089	0.088 - 0.091
Utah	2,207	0.071	0.068 - 0.074	1,373	0.087	0.083 - 0.092	833	0.054	0.050 - 0.057
Vermont	767	0.123	0.114 - 0.132	503	0.163	0.149 - 0.178	264	0.084	0.074 - 0.094
Washington	8,017	0.107	0.105 - 0.110	5,011	0.134	0.130 - 0.138	3,006	0.080	0.078 - 0.083
WA - Seattle	5,605	0.109	0.106 - 0.112	3,541	0.137	0.133 - 0.142	2,064	0.080	0.077 - 0.084
West Virginia	2,967	0.164	0.158 - 0.170	1,751	0.195	0.186 - 0.205	1,216	0.133	0.126 - 0.141
Wisconsin	8,007	0.138	0.135 - 0.141	5,044	0.175	0.170 - 0.180	2,963	0.102	0.098 - 0.105
Wyoming	633	0.109	0.101 - 0.118	404	0.137	0.124 - 0.151	229	0.081	0.071 - 0.092
NAACCR CDN Combined¹	37,809	0.100	0.099 - 0.101	24,040	0.128	0.126 - 0.130	13,787	0.073	0.071 - 0.074
Alberta	3,840	0.090	0.087 - 0.093	2,464	0.115	0.110 - 0.119	1,376	0.065	0.062 - 0.068
British Columbia	4,116	0.083	0.080 - 0.085	2,657	0.108	0.104 - 0.112	1,459	0.058	0.055 - 0.061
Manitoba	1,377	0.102	0.097 - 0.108	891	0.133	0.124 - 0.142	486	0.072	0.066 - 0.079
New Brunswick	1,242	0.162	0.153 - 0.171	747	0.196	0.183 - 0.211	495	0.127	0.116 - 0.139
Newfoundland and Labrador	906	0.172	0.161 - 0.184	554	0.212	0.195 - 0.231	352	0.132	0.119 - 0.147
Ontario	14,614	0.103	0.101 - 0.105	9,270	0.132	0.130 - 0.135	5,344	0.074	0.072 - 0.076
Prince Edward Island	168	0.111	0.095 - 0.129	100	0.134	0.109 - 0.163	68	0.088	0.068 - 0.111
Saskatchewan	1,183	0.102	0.097 - 0.108	736	0.126	0.117 - 0.136	447	0.078	0.071 - 0.085
NAACCR N.A. Combined¹	429,529	0.118	0.118 - 0.119	266,262	0.149	0.148 - 0.149	163,288	0.089	0.088 - 0.089

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-218 Prevalence – Kidney and Renal Pelvis

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	79,073	0.024	0.024 - 0.024	42,748	0.027	0.026 - 0.027	36,325	0.022	0.022 - 0.022
Alabama	1,029	0.021	0.020 - 0.022	538	0.023	0.021 - 0.025	491	0.019	0.018 - 0.021
Alaska	191	0.026	0.022 - 0.030	116	0.030	0.025 - 0.036	75	0.021	0.017 - 0.027
Arizona	1,560	0.022	0.021 - 0.023	843	0.024	0.022 - 0.026	717	0.020	0.019 - 0.022
Arkansas	752	0.025	0.023 - 0.027	425	0.029	0.026 - 0.032	327	0.021	0.019 - 0.024
California	8,348	0.021	0.021 - 0.022	4,622	0.024	0.023 - 0.024	3,725	0.019	0.018 - 0.019
CA - Greater California	4,694	0.021	0.021 - 0.022	2,605	0.024	0.023 - 0.025	2,089	0.019	0.018 - 0.020
CA - Greater Bay Area	1,696	0.023	0.022 - 0.024	950	0.026	0.024 - 0.027	746	0.020	0.019 - 0.022
CA - Los Angeles	1,960	0.019	0.019 - 0.020	1,069	0.021	0.020 - 0.023	891	0.017	0.016 - 0.019
Colorado	1,361	0.024	0.023 - 0.025	758	0.027	0.025 - 0.029	603	0.021	0.020 - 0.023
Connecticut	935	0.026	0.025 - 0.028	505	0.029	0.027 - 0.032	430	0.023	0.021 - 0.026
Delaware	223	0.023	0.020 - 0.026	110	0.024	0.019 - 0.029	113	0.023	0.019 - 0.027
Florida	5,054	0.024	0.023 - 0.025	2,704	0.026	0.025 - 0.027	2,350	0.022	0.021 - 0.023
Georgia	2,186	0.021	0.020 - 0.022	1,129	0.022	0.021 - 0.024	1,057	0.020	0.019 - 0.021
Hawaii	219	0.015	0.013 - 0.018	121	0.017	0.014 - 0.020	98	0.014	0.011 - 0.017
Idaho	408	0.024	0.021 - 0.026	233	0.027	0.023 - 0.030	175	0.020	0.017 - 0.023
Illinois	3,169	0.025	0.024 - 0.026	1,703	0.027	0.026 - 0.029	1,466	0.023	0.021 - 0.024
Iowa	830	0.026	0.025 - 0.028	426	0.027	0.025 - 0.030	404	0.026	0.023 - 0.028
Kansas	750	0.026	0.024 - 0.028	399	0.028	0.025 - 0.030	351	0.024	0.022 - 0.027
Kentucky	1,245	0.028	0.026 - 0.030	683	0.031	0.029 - 0.034	563	0.025	0.023 - 0.027
Louisiana	989	0.021	0.020 - 0.023	530	0.023	0.021 - 0.025	459	0.019	0.018 - 0.021
Maine	417	0.031	0.028 - 0.034	224	0.034	0.030 - 0.039	193	0.028	0.024 - 0.033
Maryland	1,369	0.023	0.022 - 0.024	715	0.024	0.023 - 0.026	654	0.021	0.019 - 0.023
MI - Detroit	871	0.022	0.021 - 0.024	459	0.024	0.022 - 0.027	411	0.021	0.019 - 0.023
Minnesota	1,524	0.027	0.026 - 0.029	825	0.030	0.028 - 0.032	699	0.025	0.023 - 0.027
Mississippi	631	0.021	0.020 - 0.023	337	0.023	0.021 - 0.026	294	0.019	0.017 - 0.021
Missouri	1,580	0.026	0.025 - 0.027	833	0.028	0.026 - 0.030	747	0.024	0.022 - 0.026
Montana	260	0.025	0.022 - 0.028	146	0.027	0.023 - 0.032	114	0.022	0.018 - 0.026
Nebraska	506	0.026	0.024 - 0.029	280	0.029	0.026 - 0.033	226	0.023	0.021 - 0.027
New Hampshire	413	0.031	0.028 - 0.034	218	0.033	0.028 - 0.037	195	0.029	0.025 - 0.033
New Jersey	2,456	0.028	0.027 - 0.029	1,340	0.031	0.029 - 0.033	1,116	0.025	0.023 - 0.026
New Mexico	395	0.019	0.017 - 0.021	199	0.019	0.017 - 0.022	197	0.019	0.016 - 0.021
New York	5,238	0.027	0.026 - 0.028	2,840	0.030	0.029 - 0.031	2,398	0.024	0.023 - 0.025
North Carolina	2,384	0.023	0.022 - 0.024	1,274	0.025	0.024 - 0.027	1,110	0.021	0.020 - 0.022
North Dakota	159	0.021	0.018 - 0.025	94	0.024	0.020 - 0.030	65	0.018	0.014 - 0.022
Ohio	2,991	0.026	0.025 - 0.027	1,657	0.029	0.028 - 0.030	1,334	0.022	0.021 - 0.024
Oklahoma	865	0.022	0.021 - 0.023	442	0.023	0.021 - 0.025	423	0.021	0.019 - 0.023
Oregon	1,099	0.026	0.025 - 0.028	601	0.029	0.027 - 0.032	498	0.024	0.022 - 0.026
Pennsylvania	3,553	0.028	0.027 - 0.029	2,008	0.032	0.031 - 0.033	1,545	0.024	0.023 - 0.025
Rhode Island	250	0.024	0.021 - 0.027	123	0.024	0.020 - 0.029	127	0.023	0.020 - 0.028
South Carolina	1,021	0.020	0.019 - 0.021	547	0.022	0.020 - 0.024	474	0.018	0.017 - 0.020
South Dakota	199	0.023	0.020 - 0.026	118	0.027	0.022 - 0.032	81	0.019	0.015 - 0.023
Tennessee	1,543	0.023	0.022 - 0.024	803	0.024	0.023 - 0.026	740	0.021	0.020 - 0.023
Texas	6,831	0.024	0.023 - 0.025	3,606	0.026	0.025 - 0.026	3,225	0.023	0.022 - 0.023
Utah	802	0.026	0.024 - 0.027	444	0.028	0.026 - 0.031	359	0.023	0.021 - 0.026
Vermont	175	0.028	0.024 - 0.033	105	0.034	0.028 - 0.041	70	0.022	0.017 - 0.028
Washington	2,049	0.027	0.026 - 0.029	1,128	0.030	0.028 - 0.032	921	0.025	0.023 - 0.026
WA - Seattle	1,495	0.029	0.028 - 0.031	831	0.032	0.030 - 0.034	664	0.026	0.024 - 0.028
West Virginia	504	0.028	0.025 - 0.030	267	0.030	0.026 - 0.034	237	0.026	0.023 - 0.029
Wisconsin	1,553	0.027	0.025 - 0.028	841	0.029	0.027 - 0.031	712	0.024	0.023 - 0.026
Wyoming	138	0.024	0.020 - 0.028	73	0.025	0.019 - 0.031	65	0.023	0.018 - 0.029
NAACCR CDN Combined¹	8,377	0.023	0.022 - 0.023	4,632	0.025	0.024 - 0.026	3,748	0.020	0.019 - 0.021
Alberta	928	0.022	0.020 - 0.023	515	0.024	0.022 - 0.026	413	0.019	0.018 - 0.021
British Columbia	1,006	0.020	0.019 - 0.022	583	0.024	0.022 - 0.026	423	0.017	0.015 - 0.019
Manitoba	272	0.020	0.018 - 0.023	153	0.023	0.019 - 0.027	119	0.018	0.015 - 0.021
New Brunswick	148	0.019	0.016 - 0.023	80	0.021	0.017 - 0.026	68	0.018	0.014 - 0.022
Newfoundland and Labrador	113	0.021	0.018 - 0.026	58	0.022	0.017 - 0.029	55	0.021	0.016 - 0.027
Ontario	3,482	0.025	0.024 - 0.025	1,883	0.027	0.026 - 0.028	1,599	0.022	0.021 - 0.023
Prince Edward Island	27	0.018	0.012 - 0.026	-	-	-	-	-	-
Saskatchewan	236	0.020	0.018 - 0.023	137	0.024	0.020 - 0.028	99	0.017	0.014 - 0.021
NAACCR N.A. Combined¹	87,450	0.024	0.024 - 0.024	47,380	0.026	0.026 - 0.027	40,073	0.022	0.022 - 0.022

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	426,738	0.131	0.130 - 0.131	100,652	0.062	0.062 - 0.063	326,093	0.197	0.196 - 0.197
Alabama	4,287	0.088	0.085 - 0.090	1,031	0.044	0.041 - 0.046	3,256	0.129	0.125 - 0.134
Alaska	807	0.109	0.102 - 0.117	198	0.051	0.045 - 0.059	609	0.173	0.159 - 0.187
Arizona	9,222	0.130	0.127 - 0.133	2,026	0.057	0.055 - 0.060	7,196	0.201	0.197 - 0.206
Arkansas	3,007	0.100	0.097 - 0.104	718	0.049	0.045 - 0.052	2,289	0.150	0.144 - 0.156
California	45,102	0.114	0.113 - 0.116	10,366	0.053	0.052 - 0.054	34,736	0.175	0.173 - 0.177
CA - Greater California	24,840	0.113	0.112 - 0.115	5,644	0.052	0.050 - 0.053	19,196	0.175	0.172 - 0.177
CA - Greater Bay Area	8,068	0.109	0.106 - 0.111	1,994	0.054	0.052 - 0.056	6,075	0.163	0.159 - 0.167
CA - Los Angeles	12,194	0.121	0.119 - 0.123	2,728	0.055	0.053 - 0.057	9,466	0.185	0.181 - 0.189
Colorado	7,586	0.134	0.131 - 0.137	1,882	0.066	0.063 - 0.069	5,704	0.203	0.198 - 0.209
Connecticut	6,645	0.186	0.182 - 0.191	1,591	0.091	0.087 - 0.096	5,054	0.276	0.269 - 0.284
Delaware	1,353	0.141	0.133 - 0.148	288	0.062	0.055 - 0.070	1,065	0.215	0.202 - 0.228
Florida	23,729	0.112	0.111 - 0.114	5,636	0.055	0.053 - 0.056	18,093	0.168	0.165 - 0.170
Georgia	10,842	0.104	0.102 - 0.106	2,446	0.048	0.046 - 0.050	8,396	0.156	0.153 - 0.160
Hawaii	1,964	0.138	0.132 - 0.144	442	0.062	0.056 - 0.068	1,522	0.215	0.204 - 0.226
Idaho	2,358	0.136	0.131 - 0.142	536	0.062	0.057 - 0.067	1,822	0.211	0.201 - 0.221
Illinois	17,939	0.141	0.139 - 0.143	4,303	0.069	0.067 - 0.071	13,636	0.210	0.207 - 0.214
Iowa	4,004	0.127	0.123 - 0.131	996	0.064	0.060 - 0.068	3,008	0.190	0.184 - 0.197
Kansas	4,384	0.151	0.146 - 0.155	1,051	0.072	0.068 - 0.077	3,333	0.228	0.221 - 0.236
Kentucky	6,305	0.141	0.138 - 0.145	1,500	0.068	0.065 - 0.072	4,805	0.213	0.207 - 0.219
Louisiana	5,697	0.122	0.119 - 0.125	1,330	0.058	0.055 - 0.062	4,367	0.183	0.178 - 0.188
Maine	1,995	0.149	0.143 - 0.156	531	0.081	0.074 - 0.088	1,464	0.215	0.204 - 0.226
Maryland	8,344	0.138	0.135 - 0.141	1,927	0.066	0.063 - 0.069	6,417	0.206	0.201 - 0.212
MI - Detroit	5,823	0.150	0.146 - 0.154	1,311	0.070	0.066 - 0.073	4,512	0.226	0.219 - 0.232
Minnesota	6,478	0.116	0.113 - 0.119	1,600	0.058	0.055 - 0.060	4,878	0.174	0.169 - 0.179
Mississippi	2,844	0.095	0.092 - 0.099	631	0.044	0.040 - 0.047	2,213	0.144	0.138 - 0.150
Missouri	7,043	0.115	0.113 - 0.118	1,677	0.056	0.053 - 0.059	5,366	0.172	0.168 - 0.177
Montana	1,384	0.131	0.124 - 0.138	359	0.067	0.061 - 0.075	1,025	0.195	0.184 - 0.208
Nebraska	2,466	0.128	0.123 - 0.134	565	0.059	0.054 - 0.064	1,901	0.198	0.189 - 0.207
New Hampshire	2,034	0.151	0.144 - 0.157	522	0.078	0.071 - 0.085	1,512	0.222	0.211 - 0.233
New Jersey	16,786	0.189	0.186 - 0.192	4,019	0.093	0.090 - 0.096	12,766	0.281	0.276 - 0.286
New Mexico	2,944	0.141	0.136 - 0.146	652	0.063	0.058 - 0.068	2,292	0.217	0.208 - 0.226
New York	36,946	0.189	0.187 - 0.191	8,770	0.092	0.090 - 0.094	28,176	0.280	0.277 - 0.283
North Carolina	11,731	0.114	0.112 - 0.116	2,732	0.054	0.052 - 0.056	8,999	0.170	0.166 - 0.173
North Dakota	1,054	0.139	0.131 - 0.148	244	0.063	0.055 - 0.071	810	0.219	0.205 - 0.235
Ohio	15,952	0.137	0.135 - 0.139	3,520	0.062	0.060 - 0.064	12,432	0.209	0.205 - 0.213
Oklahoma	4,195	0.107	0.103 - 0.110	963	0.049	0.046 - 0.053	3,232	0.163	0.157 - 0.168
Oregon	5,047	0.121	0.118 - 0.125	1,220	0.059	0.056 - 0.063	3,827	0.182	0.177 - 0.188
Pennsylvania	25,194	0.197	0.194 - 0.199	6,058	0.097	0.094 - 0.099	19,136	0.293	0.289 - 0.297
Rhode Island	1,981	0.187	0.179 - 0.196	490	0.095	0.087 - 0.104	1,491	0.275	0.261 - 0.289
South Carolina	5,176	0.102	0.100 - 0.105	1,191	0.049	0.046 - 0.051	3,985	0.153	0.148 - 0.158
South Dakota	1,034	0.118	0.111 - 0.125	265	0.060	0.053 - 0.068	769	0.177	0.165 - 0.190
Tennessee	8,042	0.119	0.117 - 0.122	1,979	0.060	0.058 - 0.063	6,063	0.176	0.171 - 0.180
Texas	28,862	0.101	0.100 - 0.103	6,784	0.048	0.047 - 0.049	22,078	0.154	0.152 - 0.156
Utah	4,388	0.140	0.136 - 0.145	961	0.061	0.057 - 0.065	3,428	0.221	0.213 - 0.228
Vermont	857	0.137	0.128 - 0.147	218	0.071	0.062 - 0.081	639	0.202	0.187 - 0.218
Washington	9,045	0.121	0.119 - 0.124	2,178	0.058	0.056 - 0.061	6,867	0.184	0.180 - 0.188
WA - Seattle	6,472	0.125	0.122 - 0.129	1,564	0.061	0.058 - 0.064	4,908	0.191	0.185 - 0.196
West Virginia	2,891	0.160	0.154 - 0.166	656	0.073	0.068 - 0.079	2,235	0.244	0.234 - 0.255
Wisconsin	7,336	0.127	0.124 - 0.129	1,816	0.063	0.060 - 0.066	5,520	0.189	0.184 - 0.194
Wyoming	753	0.130	0.121 - 0.140	190	0.064	0.056 - 0.074	563	0.199	0.183 - 0.216
NAACCR CDN Combined¹	54,143	0.145	0.144 - 0.147	12,738	0.069	0.067 - 0.070	41,314	0.221	0.219 - 0.224
Alberta	4,447	0.104	0.101 - 0.107	1,098	0.051	0.048 - 0.054	3,349	0.158	0.153 - 0.163
British Columbia	3,734	0.075	0.073 - 0.078	964	0.039	0.037 - 0.042	2,770	0.110	0.106 - 0.115
Manitoba	1,280	0.095	0.090 - 0.101	304	0.045	0.040 - 0.051	976	0.145	0.136 - 0.155
New Brunswick	1,144	0.149	0.140 - 0.158	296	0.078	0.069 - 0.087	848	0.218	0.204 - 0.234
Newfoundland and Labrador	963	0.183	0.171 - 0.195	227	0.087	0.076 - 0.099	736	0.277	0.257 - 0.298
Ontario	27,326	0.193	0.190 - 0.195	6,185	0.088	0.086 - 0.091	21,141	0.294	0.290 - 0.298
Prince Edward Island	84	0.055	0.044 - 0.068	17	0.023	0.013 - 0.037	67	0.087	0.067 - 0.110
Saskatchewan	844	0.073	0.068 - 0.078	226	0.039	0.034 - 0.044	618	0.108	0.099 - 0.117
NAACCR N.A. Combined¹	480,881	0.132	0.131 - 0.132	113,390	0.063	0.063 - 0.063	367,407	0.199	0.198 - 0.199

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-220 Prevalence – Thyroid

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	72,138	0.022	0.022 - 0.022	39,162	0.024	0.024 - 0.025	32,977	0.020	0.020 - 0.020
Alabama	914	0.019	0.018 - 0.020	498	0.021	0.019 - 0.023	416	0.017	0.015 - 0.018
Alaska	123	0.017	0.014 - 0.020	65	0.017	0.013 - 0.022	58	0.016	0.012 - 0.021
Arizona	1,177	0.017	0.016 - 0.018	632	0.018	0.017 - 0.019	545	0.015	0.014 - 0.017
Arkansas	647	0.022	0.020 - 0.023	362	0.025	0.022 - 0.027	285	0.019	0.017 - 0.021
California	7,332	0.019	0.018 - 0.019	3,980	0.020	0.020 - 0.021	3,351	0.017	0.016 - 0.017
CA - Greater California	4,066	0.019	0.018 - 0.019	2,213	0.020	0.019 - 0.021	1,852	0.017	0.016 - 0.018
CA - Greater Bay Area	1,445	0.019	0.018 - 0.020	788	0.021	0.020 - 0.023	657	0.018	0.016 - 0.019
CA - Los Angeles	1,822	0.018	0.017 - 0.019	980	0.020	0.018 - 0.021	842	0.016	0.015 - 0.018
Colorado	1,170	0.021	0.020 - 0.022	676	0.024	0.022 - 0.026	494	0.018	0.016 - 0.019
Connecticut	1,035	0.029	0.027 - 0.031	549	0.031	0.029 - 0.034	486	0.027	0.024 - 0.029
Delaware	239	0.025	0.022 - 0.028	139	0.030	0.025 - 0.035	100	0.020	0.016 - 0.024
Florida	5,016	0.024	0.023 - 0.024	2,657	0.026	0.025 - 0.027	2,359	0.022	0.021 - 0.023
Georgia	2,033	0.019	0.019 - 0.020	1,048	0.021	0.019 - 0.022	985	0.018	0.017 - 0.020
Hawaii	194	0.014	0.012 - 0.016	111	0.016	0.013 - 0.019	84	0.012	0.009 - 0.015
Idaho	353	0.020	0.018 - 0.023	195	0.022	0.019 - 0.026	158	0.018	0.016 - 0.021
Illinois	3,034	0.024	0.023 - 0.025	1,639	0.026	0.025 - 0.027	1,395	0.022	0.020 - 0.023
Iowa	785	0.025	0.023 - 0.027	434	0.028	0.025 - 0.030	351	0.022	0.020 - 0.025
Kansas	619	0.021	0.020 - 0.023	346	0.024	0.021 - 0.027	273	0.019	0.017 - 0.021
Kentucky	962	0.022	0.020 - 0.023	530	0.024	0.022 - 0.026	433	0.019	0.017 - 0.021
Louisiana	1,046	0.022	0.021 - 0.024	567	0.025	0.023 - 0.027	479	0.020	0.018 - 0.022
Maine	354	0.026	0.024 - 0.029	186	0.028	0.024 - 0.033	168	0.025	0.021 - 0.029
Maryland	1,371	0.023	0.022 - 0.024	743	0.025	0.024 - 0.027	628	0.020	0.019 - 0.022
MI - Detroit	970	0.025	0.023 - 0.027	556	0.030	0.027 - 0.032	414	0.021	0.019 - 0.023
Minnesota	1,396	0.025	0.024 - 0.026	801	0.029	0.027 - 0.031	595	0.021	0.020 - 0.023
Mississippi	572	0.019	0.018 - 0.021	310	0.021	0.019 - 0.024	262	0.017	0.015 - 0.019
Missouri	1,358	0.022	0.021 - 0.023	742	0.025	0.023 - 0.027	616	0.020	0.018 - 0.021
Montana	239	0.023	0.020 - 0.026	129	0.024	0.020 - 0.029	111	0.021	0.017 - 0.025
Nebraska	488	0.025	0.023 - 0.028	271	0.028	0.025 - 0.032	217	0.023	0.020 - 0.026
New Hampshire	355	0.026	0.024 - 0.029	207	0.031	0.027 - 0.035	148	0.022	0.018 - 0.025
New Jersey	2,499	0.028	0.027 - 0.029	1,320	0.030	0.029 - 0.032	1,178	0.026	0.024 - 0.027
New Mexico	377	0.018	0.016 - 0.020	211	0.020	0.018 - 0.023	167	0.016	0.013 - 0.018
New York	5,495	0.028	0.027 - 0.029	2,907	0.031	0.030 - 0.032	2,589	0.026	0.025 - 0.027
North Carolina	2,138	0.021	0.020 - 0.022	1,167	0.023	0.022 - 0.025	971	0.018	0.017 - 0.020
North Dakota	188	0.025	0.021 - 0.029	122	0.031	0.026 - 0.038	66	0.018	0.014 - 0.023
Ohio	2,665	0.023	0.022 - 0.024	1,465	0.026	0.024 - 0.027	1,200	0.020	0.019 - 0.021
Oklahoma	766	0.019	0.018 - 0.021	411	0.021	0.019 - 0.023	355	0.018	0.016 - 0.020
Oregon	865	0.021	0.019 - 0.022	461	0.022	0.020 - 0.024	404	0.019	0.017 - 0.021
Pennsylvania	3,568	0.028	0.027 - 0.029	1,955	0.031	0.030 - 0.033	1,613	0.025	0.024 - 0.026
Rhode Island	321	0.030	0.027 - 0.034	171	0.033	0.028 - 0.039	150	0.028	0.023 - 0.032
South Carolina	1,001	0.020	0.019 - 0.021	526	0.021	0.020 - 0.023	475	0.018	0.017 - 0.020
South Dakota	182	0.021	0.018 - 0.024	97	0.022	0.018 - 0.027	85	0.020	0.016 - 0.024
Tennessee	1,432	0.021	0.020 - 0.022	755	0.023	0.021 - 0.025	677	0.020	0.018 - 0.021
Texas	5,100	0.018	0.017 - 0.018	2,790	0.020	0.019 - 0.020	2,310	0.016	0.015 - 0.017
Utah	629	0.020	0.019 - 0.022	327	0.021	0.019 - 0.023	302	0.019	0.017 - 0.022
Vermont	170	0.027	0.023 - 0.032	94	0.030	0.025 - 0.037	76	0.024	0.019 - 0.030
Washington	1,603	0.021	0.020 - 0.023	913	0.024	0.023 - 0.026	690	0.018	0.017 - 0.020
WA - Seattle	1,143	0.022	0.021 - 0.023	644	0.025	0.023 - 0.027	499	0.019	0.018 - 0.021
West Virginia	390	0.022	0.019 - 0.024	213	0.024	0.021 - 0.027	177	0.019	0.017 - 0.022
Wisconsin	1,515	0.026	0.025 - 0.027	836	0.029	0.027 - 0.031	679	0.023	0.022 - 0.025
Wyoming	108	0.019	0.015 - 0.023	65	0.022	0.017 - 0.028	43	0.015	0.011 - 0.020
NAACCR CDN Combined¹	7,863	0.021	0.021 - 0.022	4,325	0.024	0.023 - 0.025	3,540	0.019	0.018 - 0.020
Alberta	868	0.020	0.019 - 0.022	511	0.024	0.022 - 0.026	357	0.017	0.015 - 0.019
British Columbia	955	0.019	0.018 - 0.020	517	0.021	0.019 - 0.023	438	0.017	0.016 - 0.019
Manitoba	284	0.021	0.019 - 0.024	165	0.025	0.021 - 0.029	119	0.018	0.015 - 0.021
New Brunswick	156	0.020	0.017 - 0.024	94	0.025	0.020 - 0.030	62	0.016	0.012 - 0.020
Newfoundland and Labrador	114	0.022	0.018 - 0.026	58	0.022	0.017 - 0.029	56	0.021	0.016 - 0.027
Ontario	3,209	0.023	0.022 - 0.023	1,711	0.024	0.023 - 0.026	1,498	0.021	0.020 - 0.022
Prince Edward Island	36	0.024	0.017 - 0.033	20	0.027	0.016 - 0.041	16	0.021	0.012 - 0.034
Saskatchewan	242	0.021	0.018 - 0.024	141	0.024	0.020 - 0.029	101	0.018	0.014 - 0.021
NAACCR N.A. Combined¹	80,001	0.022	0.022 - 0.022	43,487	0.024	0.024 - 0.024	36,518	0.020	0.020 - 0.020

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	423,158	0.129	0.129 - 0.130	225,180	0.140	0.139 - 0.140	197,965	0.119	0.119 - 0.120
Alabama	5,236	0.107	0.104 - 0.110	2,768	0.117	0.113 - 0.122	2,468	0.098	0.094 - 0.102
Alaska	767	0.104	0.097 - 0.112	440	0.114	0.104 - 0.126	327	0.093	0.083 - 0.103
Arizona	7,111	0.100	0.098 - 0.102	3,786	0.107	0.104 - 0.111	3,325	0.093	0.090 - 0.096
Arkansas	3,660	0.122	0.118 - 0.126	1,938	0.131	0.125 - 0.137	1,722	0.113	0.107 - 0.118
California	45,287	0.115	0.114 - 0.116	24,478	0.125	0.123 - 0.127	20,809	0.105	0.104 - 0.106
CA - Greater California	24,482	0.112	0.110 - 0.113	13,250	0.121	0.119 - 0.123	11,232	0.102	0.100 - 0.104
CA - Greater Bay Area	9,996	0.135	0.132 - 0.137	5,542	0.150	0.146 - 0.154	4,453	0.120	0.116 - 0.123
CA - Los Angeles	10,822	0.107	0.105 - 0.109	5,697	0.115	0.112 - 0.118	5,125	0.100	0.097 - 0.103
Colorado	6,305	0.112	0.109 - 0.114	3,493	0.123	0.119 - 0.127	2,812	0.100	0.097 - 0.104
Connecticut	5,821	0.163	0.159 - 0.167	3,107	0.178	0.172 - 0.185	2,715	0.148	0.143 - 0.154
Delaware	1,378	0.143	0.136 - 0.151	706	0.152	0.141 - 0.164	672	0.135	0.125 - 0.146
Florida	34,239	0.162	0.161 - 0.164	17,877	0.173	0.171 - 0.176	16,362	0.152	0.149 - 0.154
Georgia	11,136	0.106	0.104 - 0.108	6,023	0.118	0.115 - 0.121	5,113	0.095	0.093 - 0.098
Hawaii	1,708	0.120	0.114 - 0.126	952	0.134	0.125 - 0.142	756	0.107	0.099 - 0.114
Idaho	2,011	0.116	0.111 - 0.121	1,085	0.125	0.118 - 0.133	926	0.107	0.100 - 0.114
Illinois	17,196	0.135	0.133 - 0.137	9,037	0.144	0.141 - 0.147	8,159	0.126	0.123 - 0.129
Iowa	4,780	0.152	0.148 - 0.156	2,577	0.165	0.158 - 0.171	2,202	0.139	0.134 - 0.145
Kansas	3,997	0.137	0.133 - 0.142	2,148	0.148	0.142 - 0.155	1,849	0.127	0.121 - 0.133
Kentucky	5,975	0.134	0.131 - 0.138	3,119	0.142	0.137 - 0.147	2,856	0.126	0.122 - 0.131
Louisiana	5,676	0.122	0.119 - 0.125	2,977	0.131	0.126 - 0.135	2,698	0.113	0.109 - 0.117
Maine	2,281	0.171	0.164 - 0.178	1,233	0.188	0.178 - 0.199	1,048	0.154	0.144 - 0.163
Maryland	7,334	0.122	0.119 - 0.124	3,775	0.129	0.125 - 0.133	3,559	0.115	0.111 - 0.118
MI - Detroit	5,679	0.146	0.142 - 0.150	2,940	0.156	0.150 - 0.162	2,739	0.137	0.132 - 0.142
Minnesota	8,447	0.151	0.148 - 0.154	4,632	0.166	0.162 - 0.171	3,815	0.136	0.132 - 0.140
Mississippi	3,238	0.108	0.105 - 0.112	1,676	0.116	0.110 - 0.121	1,562	0.102	0.097 - 0.107
Missouri	7,962	0.130	0.127 - 0.133	4,227	0.141	0.137 - 0.145	3,735	0.120	0.116 - 0.124
Montana	1,496	0.142	0.135 - 0.149	843	0.159	0.148 - 0.170	653	0.124	0.115 - 0.134
Nebraska	2,655	0.138	0.133 - 0.144	1,412	0.147	0.140 - 0.155	1,243	0.129	0.122 - 0.137
New Hampshire	2,271	0.168	0.161 - 0.175	1,213	0.181	0.171 - 0.192	1,058	0.155	0.146 - 0.165
New Jersey	14,094	0.159	0.156 - 0.161	7,358	0.170	0.166 - 0.173	6,736	0.148	0.145 - 0.152
New Mexico	2,209	0.106	0.101 - 0.110	1,137	0.110	0.103 - 0.116	1,072	0.101	0.095 - 0.108
New York	30,760	0.157	0.156 - 0.159	16,039	0.169	0.166 - 0.172	14,721	0.146	0.144 - 0.149
North Carolina	12,266	0.119	0.117 - 0.121	6,498	0.129	0.126 - 0.133	5,768	0.109	0.106 - 0.112
North Dakota	975	0.129	0.121 - 0.137	525	0.136	0.124 - 0.148	450	0.122	0.111 - 0.134
Ohio	15,719	0.135	0.133 - 0.137	8,394	0.147	0.144 - 0.150	7,325	0.123	0.120 - 0.126
Oklahoma	4,335	0.110	0.107 - 0.113	2,268	0.116	0.112 - 0.121	2,067	0.104	0.100 - 0.109
Oregon	5,570	0.134	0.130 - 0.137	3,023	0.146	0.141 - 0.152	2,547	0.121	0.117 - 0.126
Pennsylvania	20,522	0.160	0.158 - 0.163	10,711	0.171	0.168 - 0.174	9,811	0.150	0.147 - 0.153
Rhode Island	1,616	0.153	0.146 - 0.161	864	0.168	0.157 - 0.180	752	0.139	0.129 - 0.149
South Carolina	5,588	0.111	0.108 - 0.114	3,003	0.123	0.118 - 0.127	2,585	0.099	0.096 - 0.103
South Dakota	1,184	0.135	0.128 - 0.143	633	0.143	0.132 - 0.155	551	0.127	0.117 - 0.138
Tennessee	8,030	0.119	0.117 - 0.122	4,254	0.129	0.125 - 0.133	3,776	0.109	0.106 - 0.113
Texas	27,955	0.098	0.097 - 0.099	14,922	0.106	0.104 - 0.107	13,033	0.091	0.089 - 0.093
Utah	2,981	0.095	0.092 - 0.099	1,710	0.109	0.104 - 0.114	1,270	0.082	0.077 - 0.086
Vermont	1,054	0.169	0.159 - 0.179	577	0.187	0.172 - 0.203	477	0.151	0.138 - 0.165
Washington	9,762	0.131	0.128 - 0.133	5,405	0.145	0.141 - 0.148	4,357	0.117	0.113 - 0.120
WA - Seattle	7,009	0.136	0.133 - 0.139	3,915	0.152	0.147 - 0.156	3,094	0.120	0.116 - 0.124
West Virginia	2,768	0.153	0.147 - 0.159	1,477	0.165	0.156 - 0.173	1,291	0.141	0.134 - 0.149
Wisconsin	8,924	0.154	0.151 - 0.157	4,817	0.167	0.162 - 0.172	4,107	0.141	0.137 - 0.145
Wyoming	658	0.114	0.105 - 0.123	374	0.127	0.114 - 0.140	284	0.100	0.089 - 0.113
NAACCR CDN Combined¹	50,057	0.133	0.131 - 0.134	26,965	0.144	0.142 - 0.146	23,094	0.122	0.120 - 0.123
Alberta	4,721	0.111	0.107 - 0.114	2,612	0.121	0.117 - 0.126	2,109	0.100	0.095 - 0.104
British Columbia	6,476	0.130	0.127 - 0.134	3,486	0.142	0.137 - 0.147	2,990	0.119	0.115 - 0.123
Manitoba	1,783	0.133	0.127 - 0.139	956	0.142	0.134 - 0.152	827	0.123	0.115 - 0.132
New Brunswick	1,318	0.172	0.162 - 0.181	703	0.185	0.171 - 0.199	615	0.158	0.146 - 0.171
Newfoundland and Labrador	975	0.185	0.174 - 0.197	504	0.193	0.177 - 0.211	471	0.177	0.161 - 0.194
Ontario	19,486	0.137	0.135 - 0.139	10,470	0.150	0.147 - 0.152	9,016	0.125	0.123 - 0.128
Prince Edward Island	206	0.136	0.118 - 0.155	119	0.160	0.132 - 0.191	87	0.112	0.090 - 0.139
Saskatchewan	1,398	0.121	0.115 - 0.127	732	0.126	0.117 - 0.135	666	0.116	0.107 - 0.125
NAACCR N.A. Combined¹	473,215	0.130	0.129 - 0.130	252,145	0.140	0.140 - 0.141	221,059	0.120	0.119 - 0.120

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	122,477	0.038	0.037 - 0.038	67,056	0.042	0.041 - 0.042	55,418	0.034	0.033 - 0.034
Alabama	1,819	0.037	0.036 - 0.039	932	0.039	0.037 - 0.042	887	0.035	0.033 - 0.038
Alaska	166	0.023	0.019 - 0.026	95	0.025	0.020 - 0.030	71	0.020	0.016 - 0.025
Arizona	1,864	0.026	0.025 - 0.027	1,060	0.030	0.028 - 0.032	804	0.023	0.021 - 0.024
Arkansas	1,170	0.039	0.037 - 0.041	625	0.042	0.039 - 0.046	545	0.036	0.033 - 0.039
California	11,747	0.030	0.029 - 0.030	6,619	0.034	0.033 - 0.035	5,128	0.026	0.025 - 0.027
CA - Greater California	6,414	0.029	0.029 - 0.030	3,646	0.033	0.032 - 0.034	2,769	0.025	0.024 - 0.026
CA - Greater Bay Area	2,481	0.033	0.032 - 0.035	1,424	0.038	0.037 - 0.041	1,057	0.028	0.027 - 0.030
CA - Los Angeles	2,857	0.028	0.027 - 0.029	1,552	0.031	0.030 - 0.033	1,305	0.026	0.024 - 0.027
Colorado	1,771	0.031	0.030 - 0.033	1,034	0.036	0.034 - 0.039	737	0.026	0.024 - 0.028
Connecticut	1,663	0.047	0.044 - 0.049	917	0.053	0.049 - 0.056	745	0.041	0.038 - 0.044
Delaware	415	0.043	0.039 - 0.048	225	0.048	0.042 - 0.055	190	0.038	0.033 - 0.044
Florida	10,798	0.051	0.050 - 0.052	5,829	0.056	0.055 - 0.058	4,969	0.046	0.045 - 0.047
Georgia	4,249	0.041	0.039 - 0.042	2,195	0.043	0.041 - 0.045	2,054	0.038	0.037 - 0.040
Hawaii	428	0.030	0.027 - 0.033	228	0.032	0.028 - 0.036	201	0.028	0.025 - 0.032
Idaho	520	0.030	0.027 - 0.033	328	0.038	0.034 - 0.042	192	0.022	0.019 - 0.026
Illinois	4,752	0.037	0.036 - 0.038	2,512	0.040	0.039 - 0.042	2,240	0.035	0.033 - 0.036
Iowa	1,189	0.038	0.036 - 0.040	678	0.043	0.040 - 0.047	511	0.032	0.030 - 0.035
Kansas	1,070	0.037	0.035 - 0.039	590	0.041	0.037 - 0.044	480	0.033	0.030 - 0.036
Kentucky	1,572	0.035	0.034 - 0.037	911	0.041	0.039 - 0.044	662	0.029	0.027 - 0.032
Louisiana	1,853	0.040	0.038 - 0.042	981	0.043	0.040 - 0.046	872	0.037	0.034 - 0.039
Maine	546	0.041	0.037 - 0.044	298	0.046	0.040 - 0.051	248	0.036	0.032 - 0.041
Maryland	2,422	0.040	0.039 - 0.042	1,226	0.042	0.040 - 0.044	1,196	0.038	0.036 - 0.041
MI - Detroit	1,737	0.045	0.043 - 0.047	932	0.049	0.046 - 0.053	805	0.040	0.038 - 0.043
Minnesota	2,108	0.038	0.036 - 0.039	1,222	0.044	0.041 - 0.046	886	0.032	0.030 - 0.034
Mississippi	1,172	0.039	0.037 - 0.042	616	0.043	0.039 - 0.046	556	0.036	0.033 - 0.039
Missouri	2,187	0.036	0.034 - 0.037	1,202	0.040	0.038 - 0.042	985	0.032	0.030 - 0.034
Montana	417	0.039	0.036 - 0.043	256	0.048	0.042 - 0.054	160	0.031	0.026 - 0.036
Nebraska	656	0.034	0.032 - 0.037	374	0.039	0.035 - 0.043	282	0.029	0.026 - 0.033
New Hampshire	530	0.039	0.036 - 0.043	306	0.046	0.041 - 0.051	224	0.033	0.029 - 0.037
New Jersey	4,014	0.045	0.044 - 0.047	2,143	0.049	0.047 - 0.052	1,872	0.041	0.039 - 0.043
New Mexico	628	0.030	0.028 - 0.032	372	0.036	0.032 - 0.040	255	0.024	0.021 - 0.027
New York	9,812	0.050	0.049 - 0.051	5,305	0.056	0.054 - 0.057	4,507	0.045	0.043 - 0.046
North Carolina	4,498	0.044	0.042 - 0.045	2,390	0.048	0.046 - 0.050	2,108	0.040	0.038 - 0.041
North Dakota	245	0.032	0.028 - 0.037	143	0.037	0.031 - 0.043	102	0.028	0.023 - 0.034
Ohio	3,783	0.032	0.031 - 0.033	2,081	0.036	0.035 - 0.038	1,702	0.029	0.027 - 0.030
Oklahoma	1,179	0.030	0.028 - 0.032	646	0.033	0.031 - 0.036	533	0.027	0.025 - 0.029
Oregon	1,215	0.029	0.028 - 0.031	700	0.034	0.031 - 0.037	515	0.025	0.022 - 0.027
Pennsylvania	5,247	0.041	0.040 - 0.042	2,871	0.046	0.044 - 0.048	2,376	0.036	0.035 - 0.038
Rhode Island	408	0.039	0.035 - 0.043	235	0.046	0.040 - 0.052	173	0.032	0.027 - 0.037
South Carolina	2,103	0.042	0.040 - 0.043	1,114	0.045	0.043 - 0.048	989	0.038	0.036 - 0.040
South Dakota	306	0.035	0.031 - 0.039	190	0.043	0.037 - 0.050	116	0.027	0.022 - 0.032
Tennessee	2,395	0.036	0.034 - 0.037	1,290	0.039	0.037 - 0.041	1,105	0.032	0.030 - 0.034
Texas	9,098	0.032	0.031 - 0.033	4,877	0.034	0.034 - 0.035	4,221	0.029	0.029 - 0.030
Utah	776	0.025	0.023 - 0.027	464	0.029	0.027 - 0.032	312	0.020	0.018 - 0.022
Vermont	226	0.036	0.032 - 0.041	138	0.045	0.038 - 0.053	88	0.028	0.022 - 0.034
Washington	2,456	0.033	0.032 - 0.034	1,436	0.038	0.036 - 0.040	1,020	0.027	0.026 - 0.029
WA - Seattle	1,820	0.035	0.034 - 0.037	1,062	0.041	0.039 - 0.044	758	0.029	0.027 - 0.032
West Virginia	641	0.035	0.033 - 0.038	376	0.042	0.038 - 0.046	265	0.029	0.026 - 0.033
Wisconsin	2,431	0.042	0.040 - 0.044	1,367	0.047	0.045 - 0.050	1,064	0.037	0.034 - 0.039
Wyoming	177	0.031	0.026 - 0.035	95	0.032	0.026 - 0.039	82	0.029	0.023 - 0.036
NAACCR CDN Combined¹	13,521	0.036	0.035 - 0.036	7,669	0.041	0.040 - 0.042	5,850	0.031	0.030 - 0.032
Alberta	1,179	0.028	0.026 - 0.029	722	0.034	0.031 - 0.036	457	0.022	0.020 - 0.024
British Columbia	1,542	0.031	0.029 - 0.033	897	0.036	0.034 - 0.039	645	0.026	0.024 - 0.028
Manitoba	386	0.029	0.026 - 0.032	227	0.034	0.030 - 0.039	159	0.024	0.020 - 0.028
New Brunswick	286	0.037	0.033 - 0.042	170	0.045	0.038 - 0.052	116	0.030	0.025 - 0.036
Newfoundland and Labrador	197	0.037	0.032 - 0.043	112	0.043	0.035 - 0.052	85	0.032	0.026 - 0.040
Ontario	5,763	0.041	0.040 - 0.042	3,181	0.045	0.044 - 0.047	2,582	0.036	0.035 - 0.037
Prince Edward Island	67	0.044	0.034 - 0.056	37	0.050	0.035 - 0.068	30	0.039	0.026 - 0.055
Saskatchewan	357	0.031	0.028 - 0.034	198	0.034	0.029 - 0.039	159	0.028	0.024 - 0.032
NAACCR N.A. Combined¹	135,998	0.037	0.037 - 0.038	74,725	0.042	0.041 - 0.042	61,269	0.033	0.033 - 0.034

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	264,419	0.081	0.081 - 0.081	153,002	0.095	0.094 - 0.095	111,408	0.067	0.067 - 0.068
Alabama	3,132	0.064	0.062 - 0.066	1,778	0.075	0.072 - 0.079	1,354	0.054	0.051 - 0.057
Alaska	471	0.064	0.058 - 0.070	289	0.075	0.067 - 0.084	182	0.052	0.044 - 0.060
Arizona	3,822	0.054	0.052 - 0.056	2,159	0.061	0.059 - 0.064	1,663	0.047	0.044 - 0.049
Arkansas	2,267	0.075	0.072 - 0.079	1,322	0.090	0.085 - 0.095	945	0.062	0.058 - 0.066
California	26,378	0.067	0.066 - 0.068	15,354	0.078	0.077 - 0.080	11,024	0.056	0.055 - 0.057
CA - Greater California	14,827	0.068	0.067 - 0.069	8,576	0.079	0.077 - 0.080	6,251	0.057	0.056 - 0.058
CA - Greater Bay Area	5,204	0.070	0.068 - 0.072	3,119	0.084	0.081 - 0.087	2,085	0.056	0.054 - 0.058
CA - Los Angeles	6,345	0.063	0.061 - 0.064	3,656	0.074	0.071 - 0.076	2,689	0.053	0.051 - 0.055
Colorado	4,138	0.073	0.071 - 0.075	2,463	0.087	0.083 - 0.090	1,675	0.060	0.057 - 0.063
Connecticut	3,348	0.094	0.091 - 0.097	1,911	0.110	0.105 - 0.115	1,437	0.079	0.075 - 0.083
Delaware	776	0.081	0.075 - 0.087	457	0.098	0.090 - 0.108	319	0.064	0.057 - 0.072
Florida	23,530	0.111	0.110 - 0.113	13,125	0.127	0.125 - 0.129	10,405	0.096	0.095 - 0.098
Georgia	7,220	0.069	0.067 - 0.071	4,052	0.080	0.077 - 0.082	3,169	0.059	0.057 - 0.061
Hawaii	852	0.060	0.056 - 0.064	497	0.070	0.064 - 0.076	355	0.050	0.045 - 0.056
Idaho	1,547	0.089	0.085 - 0.094	917	0.106	0.099 - 0.113	630	0.073	0.067 - 0.079
Illinois	9,512	0.075	0.073 - 0.076	5,547	0.089	0.086 - 0.091	3,965	0.061	0.059 - 0.063
Iowa	3,132	0.100	0.096 - 0.103	1,848	0.118	0.113 - 0.124	1,284	0.081	0.077 - 0.086
Kansas	2,722	0.094	0.090 - 0.097	1,631	0.112	0.107 - 0.118	1,091	0.075	0.070 - 0.079
Kentucky	3,889	0.087	0.085 - 0.090	2,219	0.101	0.097 - 0.105	1,670	0.074	0.070 - 0.077
Louisiana	3,415	0.073	0.071 - 0.076	1,923	0.084	0.081 - 0.088	1,492	0.063	0.059 - 0.066
Maine	1,459	0.109	0.104 - 0.115	839	0.128	0.120 - 0.137	620	0.091	0.084 - 0.098
Maryland	4,031	0.067	0.065 - 0.069	2,254	0.077	0.074 - 0.080	1,777	0.057	0.055 - 0.060
MI - Detroit	3,661	0.094	0.091 - 0.097	2,146	0.114	0.109 - 0.119	1,515	0.076	0.072 - 0.080
Minnesota	5,481	0.098	0.096 - 0.101	3,344	0.120	0.116 - 0.124	2,137	0.076	0.073 - 0.080
Mississippi	1,848	0.062	0.059 - 0.065	1,055	0.073	0.069 - 0.077	793	0.052	0.048 - 0.055
Missouri	4,747	0.078	0.075 - 0.080	2,744	0.091	0.088 - 0.095	2,003	0.064	0.062 - 0.067
Montana	1,063	0.101	0.095 - 0.107	676	0.127	0.118 - 0.137	387	0.074	0.067 - 0.081
Nebraska	1,523	0.079	0.075 - 0.083	908	0.095	0.089 - 0.101	615	0.064	0.059 - 0.069
New Hampshire	1,260	0.093	0.088 - 0.099	778	0.116	0.108 - 0.125	482	0.071	0.065 - 0.077
New Jersey	8,641	0.097	0.095 - 0.099	4,987	0.115	0.112 - 0.118	3,654	0.080	0.078 - 0.083
New Mexico	1,692	0.081	0.077 - 0.085	938	0.091	0.085 - 0.097	754	0.071	0.066 - 0.077
New York	19,975	0.102	0.101 - 0.104	11,517	0.121	0.119 - 0.123	8,457	0.084	0.082 - 0.086
North Carolina	8,645	0.084	0.082 - 0.086	4,996	0.099	0.097 - 0.102	3,649	0.069	0.067 - 0.071
North Dakota	716	0.095	0.088 - 0.102	444	0.115	0.104 - 0.126	272	0.074	0.065 - 0.083
Ohio	7,674	0.066	0.064 - 0.067	4,490	0.079	0.076 - 0.081	3,184	0.054	0.052 - 0.055
Oklahoma	2,858	0.073	0.070 - 0.075	1,628	0.083	0.079 - 0.088	1,230	0.062	0.059 - 0.066
Oregon	3,007	0.072	0.070 - 0.075	1,758	0.085	0.081 - 0.089	1,249	0.059	0.056 - 0.063
Pennsylvania	11,969	0.094	0.092 - 0.095	6,954	0.111	0.108 - 0.114	5,015	0.077	0.075 - 0.079
Rhode Island	983	0.093	0.087 - 0.099	578	0.112	0.103 - 0.122	405	0.075	0.068 - 0.082
South Carolina	3,462	0.069	0.066 - 0.071	1,976	0.081	0.077 - 0.084	1,486	0.057	0.054 - 0.060
South Dakota	820	0.094	0.087 - 0.100	475	0.107	0.098 - 0.118	345	0.080	0.071 - 0.088
Tennessee	5,098	0.076	0.074 - 0.078	2,930	0.089	0.086 - 0.092	2,168	0.063	0.060 - 0.066
Texas	19,520	0.069	0.068 - 0.070	11,221	0.079	0.078 - 0.081	8,299	0.058	0.057 - 0.059
Utah	2,095	0.067	0.064 - 0.070	1,268	0.081	0.076 - 0.085	827	0.053	0.050 - 0.057
Vermont	512	0.082	0.075 - 0.089	301	0.098	0.087 - 0.109	211	0.067	0.058 - 0.076
Washington	6,267	0.084	0.082 - 0.086	3,736	0.100	0.097 - 0.103	2,531	0.068	0.065 - 0.070
WA - Seattle	4,683	0.091	0.088 - 0.093	2,812	0.109	0.105 - 0.113	1,871	0.073	0.069 - 0.076
West Virginia	1,779	0.098	0.094 - 0.103	1,044	0.116	0.110 - 0.124	735	0.080	0.075 - 0.086
Wisconsin	6,327	0.109	0.106 - 0.112	3,762	0.130	0.126 - 0.135	2,565	0.088	0.085 - 0.091
Wyoming	457	0.079	0.072 - 0.087	271	0.092	0.081 - 0.104	186	0.066	0.057 - 0.076
NAACCR CDN Combined¹	36,327	0.097	0.095 - 0.098	21,458	0.115	0.113 - 0.117	14,871	0.079	0.077 - 0.080
Alberta	3,715	0.087	0.084 - 0.090	2,248	0.105	0.100 - 0.109	1,467	0.069	0.066 - 0.073
British Columbia	3,797	0.076	0.074 - 0.079	2,283	0.093	0.089 - 0.097	1,514	0.060	0.057 - 0.063
Manitoba	1,198	0.089	0.084 - 0.094	727	0.108	0.101 - 0.116	471	0.070	0.064 - 0.077
New Brunswick	919	0.120	0.112 - 0.128	543	0.143	0.131 - 0.155	376	0.097	0.087 - 0.107
Newfoundland and Labrador	363	0.069	0.062 - 0.076	225	0.086	0.075 - 0.098	138	0.052	0.044 - 0.061
Ontario	15,176	0.107	0.105 - 0.109	8,811	0.126	0.123 - 0.129	6,365	0.089	0.086 - 0.091
Prince Edward Island	120	0.079	0.065 - 0.094	72	0.097	0.076 - 0.122	48	0.062	0.046 - 0.082
Saskatchewan	1,162	0.101	0.095 - 0.106	700	0.120	0.111 - 0.129	462	0.081	0.073 - 0.088
NAACCR N.A. Combined¹	300,746	0.082	0.082 - 0.083	174,460	0.097	0.096 - 0.097	126,279	0.068	0.068 - 0.069

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-224 Prevalence – Leukemias

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	5,345	0.002	0.002 - 0.002	3,483	0.002	0.002 - 0.002	1,861	0.001	0.001 - 0.001
Alabama	54	0.001	0.001 - 0.001	33	0.001	0.001 - 0.002	21	0.001	0.001 - 0.001
Alaska	13	0.002	0.001 - 0.003	-	-	-	-	-	-
Arizona	107	0.002	0.001 - 0.002	75	0.002	0.002 - 0.003	32	0.001	0.001 - 0.001
Arkansas	39	0.001	0.001 - 0.002	29	0.002	0.001 - 0.003	10	0.001	0.000 - 0.001
California	559	0.001	0.001 - 0.002	360	0.002	0.002 - 0.002	199	0.001	0.001 - 0.001
CA - Greater California	338	0.002	0.001 - 0.002	214	0.002	0.002 - 0.002	124	0.001	0.001 - 0.001
CA - Greater Bay Area	106	0.001	0.001 - 0.002	65	0.002	0.001 - 0.002	40	0.001	0.001 - 0.001
CA - Los Angeles	116	0.001	0.001 - 0.001	79	0.002	0.001 - 0.002	38	0.001	0.001 - 0.001
Colorado	79	0.001	0.001 - 0.002	50	0.002	0.001 - 0.002	29	0.001	0.001 - 0.001
Connecticut	57	0.002	0.001 - 0.002	41	0.002	0.002 - 0.003	16	0.001	0.000 - 0.001
Delaware	32	0.003	0.002 - 0.005	22	0.005	0.003 - 0.007	10	0.002	0.001 - 0.004
Florida	405	0.002	0.002 - 0.002	276	0.003	0.002 - 0.003	129	0.001	0.001 - 0.001
Georgia	110	0.001	0.001 - 0.001	81	0.002	0.001 - 0.002	29	0.001	0.000 - 0.001
Hawaii	14	0.001	0.001 - 0.002	-	-	-	-	-	-
Idaho	42	0.002	0.002 - 0.003	27	0.003	0.002 - 0.005	15	0.002	0.001 - 0.003
Illinois	239	0.002	0.002 - 0.002	148	0.002	0.002 - 0.003	91	0.001	0.001 - 0.002
Iowa	57	0.002	0.001 - 0.002	37	0.002	0.002 - 0.003	20	0.001	0.001 - 0.002
Kansas	38	0.001	0.001 - 0.002	23	0.002	0.001 - 0.002	15	0.001	0.001 - 0.002
Kentucky	46	0.001	0.001 - 0.001	28	0.001	0.001 - 0.002	18	0.001	0.000 - 0.001
Louisiana	107	0.002	0.002 - 0.003	65	0.003	0.002 - 0.004	42	0.002	0.001 - 0.002
Maine	42	0.003	0.002 - 0.004	32	0.005	0.003 - 0.007	10	0.001	0.001 - 0.003
Maryland	107	0.002	0.001 - 0.002	65	0.002	0.002 - 0.003	42	0.001	0.001 - 0.002
MI - Detroit	60	0.002	0.001 - 0.002	39	0.002	0.001 - 0.003	21	0.001	0.001 - 0.002
Minnesota	130	0.002	0.002 - 0.003	82	0.003	0.002 - 0.004	48	0.002	0.001 - 0.002
Mississippi	40	0.001	0.001 - 0.002	24	0.002	0.001 - 0.002	16	0.001	0.001 - 0.002
Missouri	90	0.001	0.001 - 0.002	58	0.002	0.001 - 0.002	32	0.001	0.001 - 0.001
Montana	30	0.003	0.002 - 0.004	17	0.003	0.002 - 0.005	13	0.002	0.001 - 0.004
Nebraska	28	0.001	0.001 - 0.002	18	0.002	0.001 - 0.003	10	0.001	0.000 - 0.002
New Hampshire	25	0.002	0.001 - 0.003	-	-	-	-	-	-
New Jersey	193	0.002	0.002 - 0.003	123	0.003	0.002 - 0.003	71	0.002	0.001 - 0.002
New Mexico	32	0.002	0.001 - 0.002	-	-	-	-	-	-
New York	357	0.002	0.002 - 0.002	217	0.002	0.002 - 0.003	140	0.001	0.001 - 0.002
North Carolina	135	0.001	0.001 - 0.002	87	0.002	0.001 - 0.002	48	0.001	0.001 - 0.001
North Dakota	13	0.002	0.001 - 0.003	-	-	-	-	-	-
Ohio	202	0.002	0.002 - 0.002	143	0.003	0.002 - 0.003	59	0.001	0.001 - 0.001
Oklahoma	54	0.001	0.001 - 0.002	38	0.002	0.001 - 0.003	16	0.001	0.000 - 0.001
Oregon	67	0.002	0.001 - 0.002	53	0.003	0.002 - 0.003	14	0.001	0.000 - 0.001
Pennsylvania	290	0.002	0.002 - 0.003	195	0.003	0.003 - 0.004	95	0.001	0.001 - 0.002
Rhode Island	19	0.002	0.001 - 0.003	-	-	-	-	-	-
South Carolina	83	0.002	0.001 - 0.002	57	0.002	0.002 - 0.003	26	0.001	0.001 - 0.001
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	74	0.001	0.001 - 0.001	42	0.001	0.001 - 0.002	32	0.001	0.001 - 0.001
Texas	362	0.001	0.001 - 0.001	234	0.002	0.001 - 0.002	128	0.001	0.001 - 0.001
Utah	36	0.001	0.001 - 0.002	20	0.001	0.001 - 0.002	16	0.001	0.001 - 0.002
Vermont	13	0.002	0.001 - 0.004	-	-	-	-	-	-
Washington	138	0.002	0.002 - 0.002	97	0.003	0.002 - 0.003	41	0.001	0.001 - 0.001
WA - Seattle	104	0.002	0.002 - 0.002	68	0.003	0.002 - 0.003	36	0.001	0.001 - 0.002
West Virginia	37	0.002	0.001 - 0.003	24	0.003	0.002 - 0.004	13	0.001	0.001 - 0.002
Wisconsin	125	0.002	0.002 - 0.003	75	0.003	0.002 - 0.003	50	0.002	0.001 - 0.002
Wyoming	16	0.003	0.002 - 0.004	-	-	-	-	-	-
NAACCR CDN Combined¹	904	0.002	0.002 - 0.003	626	0.003	0.003 - 0.004	278	0.001	0.001 - 0.002
Alberta	75	0.002	0.001 - 0.002	55	0.003	0.002 - 0.003	20	0.001	0.001 - 0.001
British Columbia	125	0.003	0.002 - 0.003	99	0.004	0.003 - 0.005	26	0.001	0.001 - 0.002
Manitoba	29	0.002	0.001 - 0.003	-	-	-	-	-	-
New Brunswick	16	0.002	0.001 - 0.003	-	-	-	-	-	-
Newfoundland and Labrador	13	0.002	0.001 - 0.004	-	-	-	-	-	-
Ontario	369	0.003	0.002 - 0.003	235	0.003	0.003 - 0.004	134	0.002	0.002 - 0.002
Prince Edward Island	-	-	-	-	-	-	-	-	-
Saskatchewan	22	0.002	0.001 - 0.003	-	-	-	-	-	-
NAACCR N.A. Combined¹	6,250	0.002	0.002 - 0.002	4,109	0.002	0.002 - 0.002	2,139	0.001	0.001 - 0.001

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,906,366	3.448	3.445 - 3.451	3,375,420	3.419	3.415 - 3.423	3,530,748	3.477	3.473 - 3.480
Alabama	101,824	3.142	3.123 - 3.161	51,070	3.225	3.197 - 3.253	50,754	3.062	3.036 - 3.089
Alaska	12,547	2.668	2.621 - 2.715	6,421	2.581	2.518 - 2.645	6,126	2.765	2.696 - 2.835
Arizona	127,415	3.223	3.205 - 3.240	61,737	3.159	3.134 - 3.184	65,678	3.285	3.260 - 3.310
Arkansas	69,006	3.122	3.099 - 3.145	35,177	3.240	3.206 - 3.274	33,829	3.008	2.976 - 3.040
California	559,889	3.687	3.678 - 3.697	275,220	3.625	3.612 - 3.639	284,669	3.749	3.736 - 3.763
CA - Greater California	345,597	3.632	3.620 - 3.644	169,601	3.585	3.568 - 3.602	175,996	3.678	3.661 - 3.695
CA - Greater Bay Area	113,039	3.887	3.864 - 3.910	56,627	3.847	3.816 - 3.879	56,412	3.928	3.895 - 3.960
CA - Los Angeles	101,878	3.691	3.669 - 3.714	49,324	3.552	3.520 - 3.583	52,553	3.833	3.800 - 3.866
Colorado	109,237	2.790	2.774 - 2.807	52,129	2.654	2.631 - 2.677	57,108	2.928	2.904 - 2.952
Connecticut	97,753	4.039	4.014 - 4.064	46,754	3.963	3.927 - 3.999	50,999	4.111	4.075 - 4.147
Delaware	24,215	3.981	3.931 - 4.031	12,163	4.136	4.063 - 4.210	12,052	3.835	3.767 - 3.904
Florida	454,141	3.932	3.921 - 3.943	229,070	4.045	4.029 - 4.062	225,071	3.823	3.807 - 3.839
Georgia	181,212	3.235	3.220 - 3.250	90,178	3.275	3.253 - 3.296	91,034	3.197	3.177 - 3.218
Hawaii	12,400	4.017	3.946 - 4.088	6,764	4.047	3.951 - 4.145	5,636	3.981	3.878 - 4.086
Idaho	41,094	2.847	2.820 - 2.875	20,658	2.866	2.827 - 2.906	20,437	2.829	2.790 - 2.868
Illinois	284,072	3.590	3.577 - 3.603	136,548	3.510	3.492 - 3.529	147,524	3.667	3.648 - 3.686
Iowa	91,046	3.351	3.330 - 3.373	44,396	3.307	3.277 - 3.338	46,650	3.394	3.363 - 3.425
Kansas	74,137	3.304	3.280 - 3.328	36,653	3.306	3.272 - 3.340	37,484	3.302	3.269 - 3.336
Kentucky	123,436	3.238	3.220 - 3.256	59,146	3.165	3.139 - 3.190	64,289	3.309	3.283 - 3.334
Louisiana	91,520	3.302	3.280 - 3.323	47,426	3.478	3.447 - 3.510	44,094	3.131	3.102 - 3.161
Maine	45,723	3.626	3.593 - 3.660	21,703	3.520	3.474 - 3.568	24,020	3.728	3.681 - 3.775
Maryland	114,738	3.672	3.651 - 3.693	55,506	3.626	3.596 - 3.656	59,232	3.716	3.687 - 3.746
MI - Detroit	91,115	3.644	3.621 - 3.668	44,957	3.647	3.613 - 3.681	46,158	3.641	3.608 - 3.675
Minnesota	155,442	3.441	3.424 - 3.459	76,368	3.408	3.383 - 3.432	79,074	3.475	3.451 - 3.499
Mississippi	55,359	3.245	3.218 - 3.273	28,133	3.358	3.319 - 3.398	27,226	3.136	3.099 - 3.174
Missouri	150,826	3.063	3.048 - 3.079	71,578	2.955	2.933 - 2.977	79,248	3.168	3.146 - 3.190
Montana	30,257	3.272	3.236 - 3.309	15,550	3.339	3.287 - 3.392	14,707	3.204	3.153 - 3.257
Nebraska	48,811	3.185	3.157 - 3.214	23,977	3.158	3.118 - 3.198	24,834	3.213	3.173 - 3.253
New Hampshire	45,322	3.681	3.647 - 3.715	22,188	3.650	3.602 - 3.698	23,134	3.712	3.664 - 3.760
New Jersey	212,367	4.264	4.246 - 4.283	103,010	4.239	4.213 - 4.265	109,357	4.288	4.263 - 4.314
New Mexico	29,371	3.689	3.647 - 3.732	14,458	3.669	3.610 - 3.730	14,912	3.709	3.650 - 3.769
New York	445,629	4.036	4.024 - 4.048	215,747	3.992	3.975 - 4.008	229,882	4.078	4.061 - 4.095
North Carolina	225,925	3.419	3.405 - 3.433	109,825	3.401	3.381 - 3.421	116,100	3.436	3.416 - 3.455
North Dakota	19,969	3.093	3.050 - 3.136	10,203	3.098	3.039 - 3.159	9,766	3.087	3.026 - 3.148
Ohio	294,936	3.166	3.155 - 3.178	139,271	3.046	3.030 - 3.062	155,665	3.282	3.266 - 3.298
Oklahoma	78,323	2.901	2.881 - 2.922	38,363	2.889	2.860 - 2.918	39,960	2.913	2.885 - 2.942
Oregon	106,317	3.296	3.276 - 3.316	51,077	3.214	3.186 - 3.242	55,240	3.376	3.348 - 3.404
Pennsylvania	366,218	3.710	3.698 - 3.722	173,684	3.594	3.577 - 3.611	192,534	3.821	3.804 - 3.838
Rhode Island	30,625	3.952	3.908 - 3.997	14,181	3.796	3.734 - 3.859	16,444	4.097	4.035 - 4.161
South Carolina	104,185	3.192	3.173 - 3.211	51,326	3.219	3.192 - 3.247	52,859	3.166	3.139 - 3.193
South Dakota	23,497	3.241	3.200 - 3.283	11,819	3.245	3.187 - 3.304	11,678	3.237	3.179 - 3.296
Tennessee	160,556	3.183	3.168 - 3.199	79,322	3.217	3.194 - 3.239	81,234	3.151	3.130 - 3.173
Texas	376,773	3.103	3.093 - 3.113	186,699	3.102	3.088 - 3.116	190,074	3.103	3.089 - 3.117
Utah	56,889	2.288	2.269 - 2.307	29,212	2.341	2.314 - 2.368	27,677	2.234	2.208 - 2.261
Vermont	20,717	3.531	3.483 - 3.579	9,907	3.424	3.357 - 3.492	10,810	3.635	3.567 - 3.704
Washington	174,398	3.311	3.295 - 3.327	84,414	3.212	3.191 - 3.234	89,984	3.409	3.387 - 3.432
WA - Seattle	123,949	3.486	3.466 - 3.505	60,753	3.415	3.388 - 3.442	63,197	3.557	3.529 - 3.585
West Virginia	57,464	3.405	3.377 - 3.433	27,593	3.319	3.280 - 3.358	29,871	3.489	3.449 - 3.528
Wisconsin	163,878	3.444	3.427 - 3.461	80,648	3.412	3.389 - 3.436	83,230	3.475	3.452 - 3.499
Wyoming	14,426	2.934	2.886 - 2.982	7,600	3.044	2.976 - 3.114	6,826	2.820	2.753 - 2.887

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	202,620	0.101	0.101 - 0.102	145,945	0.148	0.147 - 0.148	56,675	0.056	0.055 - 0.056
Alabama	3,408	0.105	0.102 - 0.109	2,426	0.153	0.147 - 0.159	982	0.059	0.056 - 0.063
Alaska	398	0.085	0.077 - 0.093	314	0.126	0.113 - 0.141	84	0.038	0.030 - 0.047
Arizona	3,471	0.088	0.085 - 0.091	2,571	0.132	0.127 - 0.137	900	0.045	0.042 - 0.048
Arkansas	2,254	0.102	0.098 - 0.106	1,657	0.153	0.145 - 0.160	597	0.053	0.049 - 0.058
California	17,025	0.112	0.110 - 0.114	12,453	0.164	0.161 - 0.167	4,572	0.060	0.058 - 0.062
CA - Greater California	11,017	0.116	0.114 - 0.118	8,108	0.171	0.168 - 0.175	2,909	0.061	0.059 - 0.063
CA - Greater Bay Area	3,246	0.112	0.108 - 0.116	2,352	0.160	0.153 - 0.166	894	0.062	0.058 - 0.066
CA - Los Angeles	2,769	0.100	0.097 - 0.104	1,997	0.144	0.138 - 0.150	771	0.056	0.052 - 0.060
Colorado	3,227	0.082	0.080 - 0.085	2,314	0.118	0.113 - 0.123	913	0.047	0.044 - 0.050
Connecticut	2,640	0.109	0.105 - 0.113	1,818	0.154	0.147 - 0.161	821	0.066	0.062 - 0.071
Delaware	685	0.113	0.104 - 0.121	501	0.170	0.156 - 0.186	184	0.059	0.050 - 0.068
Florida	14,835	0.128	0.126 - 0.131	11,035	0.195	0.191 - 0.199	3,800	0.065	0.063 - 0.067
Georgia	5,663	0.101	0.098 - 0.104	4,136	0.150	0.146 - 0.155	1,527	0.054	0.051 - 0.056
Hawaii	488	0.158	0.144 - 0.173	381	0.228	0.206 - 0.252	107	0.075	0.062 - 0.091
Idaho	1,298	0.090	0.085 - 0.095	937	0.130	0.122 - 0.139	361	0.050	0.045 - 0.055
Illinois	8,257	0.104	0.102 - 0.107	5,911	0.152	0.148 - 0.156	2,346	0.058	0.056 - 0.061
Iowa	2,805	0.103	0.099 - 0.107	1,990	0.148	0.142 - 0.155	815	0.059	0.055 - 0.063
Kansas	2,050	0.091	0.087 - 0.095	1,502	0.135	0.129 - 0.143	548	0.048	0.044 - 0.052
Kentucky	3,771	0.099	0.096 - 0.102	2,707	0.145	0.139 - 0.150	1,064	0.055	0.052 - 0.058
Louisiana	2,843	0.103	0.099 - 0.106	2,076	0.152	0.146 - 0.159	766	0.054	0.051 - 0.058
Maine	1,401	0.111	0.105 - 0.117	1,004	0.163	0.153 - 0.173	397	0.062	0.056 - 0.068
Maryland	3,380	0.108	0.105 - 0.112	2,427	0.159	0.152 - 0.165	953	0.060	0.056 - 0.064
MI - Detroit	2,471	0.099	0.095 - 0.103	1,755	0.142	0.136 - 0.149	715	0.056	0.052 - 0.061
Minnesota	4,370	0.097	0.094 - 0.100	3,008	0.134	0.129 - 0.139	1,362	0.060	0.057 - 0.063
Mississippi	1,760	0.103	0.098 - 0.108	1,266	0.151	0.143 - 0.160	494	0.057	0.052 - 0.062
Missouri	4,642	0.094	0.092 - 0.097	3,391	0.140	0.135 - 0.145	1,251	0.050	0.047 - 0.053
Montana	822	0.089	0.083 - 0.095	591	0.127	0.117 - 0.137	232	0.051	0.044 - 0.057
Nebraska	1,392	0.091	0.086 - 0.096	991	0.131	0.123 - 0.139	401	0.052	0.047 - 0.057
New Hampshire	1,150	0.093	0.088 - 0.099	835	0.137	0.128 - 0.147	315	0.051	0.045 - 0.056
New Jersey	5,085	0.102	0.099 - 0.105	3,525	0.145	0.140 - 0.150	1,560	0.061	0.058 - 0.064
New Mexico	833	0.105	0.098 - 0.112	631	0.160	0.148 - 0.173	202	0.050	0.044 - 0.058
New York	10,630	0.096	0.094 - 0.098	7,352	0.136	0.133 - 0.139	3,277	0.058	0.056 - 0.060
North Carolina	6,738	0.102	0.100 - 0.104	4,827	0.149	0.145 - 0.154	1,911	0.057	0.054 - 0.059
North Dakota	581	0.090	0.083 - 0.098	411	0.125	0.113 - 0.137	170	0.054	0.046 - 0.062
Ohio	8,569	0.092	0.090 - 0.094	6,069	0.133	0.129 - 0.136	2,500	0.053	0.051 - 0.055
Oklahoma	2,640	0.098	0.094 - 0.102	1,906	0.144	0.137 - 0.150	734	0.054	0.050 - 0.058
Oregon	3,261	0.101	0.098 - 0.105	2,364	0.149	0.143 - 0.155	897	0.055	0.051 - 0.059
Pennsylvania	9,751	0.099	0.097 - 0.101	6,841	0.142	0.138 - 0.145	2,910	0.058	0.056 - 0.060
Rhode Island	767	0.099	0.092 - 0.106	519	0.139	0.127 - 0.151	248	0.062	0.054 - 0.070
South Carolina	3,225	0.099	0.095 - 0.102	2,363	0.148	0.142 - 0.154	862	0.052	0.048 - 0.055
South Dakota	712	0.098	0.091 - 0.106	510	0.140	0.128 - 0.153	202	0.056	0.049 - 0.064
Tennessee	4,937	0.098	0.095 - 0.101	3,636	0.147	0.143 - 0.152	1,301	0.050	0.048 - 0.053
Texas	12,524	0.103	0.101 - 0.105	9,343	0.155	0.152 - 0.158	3,181	0.052	0.050 - 0.054
Utah	1,311	0.053	0.050 - 0.056	911	0.073	0.068 - 0.078	400	0.032	0.029 - 0.036
Vermont	604	0.103	0.095 - 0.111	443	0.153	0.139 - 0.168	161	0.054	0.046 - 0.063
Washington	5,134	0.097	0.095 - 0.100	3,625	0.138	0.133 - 0.143	1,509	0.057	0.054 - 0.060
WA - Seattle	3,717	0.105	0.101 - 0.108	2,641	0.148	0.143 - 0.154	1,077	0.061	0.057 - 0.064
West Virginia	1,680	0.100	0.095 - 0.104	1,218	0.147	0.138 - 0.155	462	0.054	0.049 - 0.059
Wisconsin	4,569	0.096	0.093 - 0.099	3,187	0.135	0.130 - 0.140	1,382	0.058	0.055 - 0.061
Wyoming	406	0.083	0.075 - 0.091	291	0.117	0.104 - 0.131	115	0.048	0.039 - 0.057

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	33,806	0.017	0.017 - 0.017	27,032	0.027	0.027 - 0.028	6,772	0.007	0.007 - 0.007
Alabama	455	0.014	0.013 - 0.015	386	0.024	0.022 - 0.027	69	0.004	0.003 - 0.005
Alaska	77	0.016	0.013 - 0.020	59	0.024	0.018 - 0.031	18	0.008	0.005 - 0.013
Arizona	662	0.017	0.015 - 0.018	508	0.026	0.024 - 0.028	154	0.008	0.007 - 0.009
Arkansas	288	0.013	0.012 - 0.015	233	0.021	0.019 - 0.024	55	0.005	0.004 - 0.006
California	2,397	0.016	0.015 - 0.016	1,881	0.025	0.024 - 0.026	517	0.007	0.006 - 0.007
CA - Greater California	1,538	0.016	0.015 - 0.017	1,223	0.026	0.024 - 0.027	315	0.007	0.006 - 0.007
CA - Greater Bay Area	493	0.017	0.015 - 0.019	374	0.025	0.023 - 0.028	119	0.008	0.007 - 0.010
CA - Los Angeles	366	0.013	0.012 - 0.015	283	0.020	0.018 - 0.023	82	0.006	0.005 - 0.007
Colorado	504	0.013	0.012 - 0.014	413	0.021	0.019 - 0.023	91	0.005	0.004 - 0.006
Connecticut	529	0.022	0.020 - 0.024	429	0.036	0.033 - 0.040	100	0.008	0.007 - 0.010
Delaware	136	0.022	0.019 - 0.026	108	0.037	0.030 - 0.044	28	0.009	0.006 - 0.013
Florida	2,525	0.022	0.021 - 0.023	2,011	0.036	0.034 - 0.037	514	0.009	0.008 - 0.010
Georgia	754	0.013	0.013 - 0.014	623	0.023	0.021 - 0.024	130	0.005	0.004 - 0.005
Hawaii	42	0.014	0.010 - 0.018	-	-	-	-	-	-
Idaho	195	0.014	0.012 - 0.016	167	0.023	0.020 - 0.027	28	0.004	0.003 - 0.006
Illinois	1,442	0.018	0.017 - 0.019	1,159	0.030	0.028 - 0.032	283	0.007	0.006 - 0.008
Iowa	562	0.021	0.019 - 0.022	467	0.035	0.032 - 0.038	95	0.007	0.006 - 0.008
Kansas	340	0.015	0.014 - 0.017	274	0.025	0.022 - 0.028	66	0.006	0.004 - 0.007
Kentucky	542	0.014	0.013 - 0.015	447	0.024	0.022 - 0.026	95	0.005	0.004 - 0.006
Louisiana	377	0.014	0.012 - 0.015	293	0.022	0.019 - 0.024	84	0.006	0.005 - 0.007
Maine	318	0.025	0.023 - 0.028	246	0.040	0.035 - 0.045	72	0.011	0.009 - 0.014
Maryland	560	0.018	0.016 - 0.019	457	0.030	0.027 - 0.033	103	0.006	0.005 - 0.008
MI - Detroit	487	0.019	0.018 - 0.021	379	0.031	0.028 - 0.034	108	0.009	0.007 - 0.010
Minnesota	749	0.017	0.015 - 0.018	592	0.026	0.024 - 0.029	157	0.007	0.006 - 0.008
Mississippi	248	0.015	0.013 - 0.016	203	0.024	0.021 - 0.028	45	0.005	0.004 - 0.007
Missouri	754	0.015	0.014 - 0.016	612	0.025	0.023 - 0.027	142	0.006	0.005 - 0.007
Montana	139	0.015	0.013 - 0.018	110	0.024	0.019 - 0.029	28	0.006	0.004 - 0.009
Nebraska	213	0.014	0.012 - 0.016	174	0.023	0.020 - 0.027	39	0.005	0.004 - 0.007
New Hampshire	305	0.025	0.022 - 0.028	251	0.041	0.036 - 0.047	54	0.009	0.007 - 0.011
New Jersey	975	0.020	0.018 - 0.021	765	0.031	0.029 - 0.034	209	0.008	0.007 - 0.009
New Mexico	134	0.017	0.014 - 0.020	107	0.027	0.022 - 0.033	27	0.007	0.004 - 0.010
New York	2,090	0.019	0.018 - 0.020	1,563	0.029	0.027 - 0.030	527	0.009	0.009 - 0.010
North Carolina	953	0.014	0.014 - 0.015	782	0.024	0.023 - 0.026	171	0.005	0.004 - 0.006
North Dakota	94	0.015	0.012 - 0.018	73	0.022	0.017 - 0.028	21	0.007	0.004 - 0.010
Ohio	1,576	0.017	0.016 - 0.018	1,303	0.028	0.027 - 0.030	273	0.006	0.005 - 0.006
Oklahoma	371	0.014	0.012 - 0.015	299	0.023	0.020 - 0.025	72	0.005	0.004 - 0.007
Oregon	597	0.019	0.017 - 0.020	479	0.030	0.028 - 0.033	118	0.007	0.006 - 0.009
Pennsylvania	1,861	0.019	0.018 - 0.020	1,477	0.031	0.029 - 0.032	384	0.008	0.007 - 0.008
Rhode Island	169	0.022	0.019 - 0.025	128	0.034	0.029 - 0.041	41	0.010	0.007 - 0.014
South Carolina	482	0.015	0.013 - 0.016	382	0.024	0.022 - 0.026	100	0.006	0.005 - 0.007
South Dakota	110	0.015	0.012 - 0.018	85	0.023	0.019 - 0.029	25	0.007	0.004 - 0.010
Tennessee	759	0.015	0.014 - 0.016	633	0.026	0.024 - 0.028	126	0.005	0.004 - 0.006
Texas	1,928	0.016	0.015 - 0.017	1,556	0.026	0.025 - 0.027	372	0.006	0.005 - 0.007
Utah	173	0.007	0.006 - 0.008	149	0.012	0.010 - 0.014	24	0.002	0.001 - 0.003
Vermont	133	0.023	0.019 - 0.027	110	0.038	0.031 - 0.046	23	0.008	0.005 - 0.012
Washington	914	0.017	0.016 - 0.019	719	0.027	0.025 - 0.029	195	0.007	0.006 - 0.009
WA - Seattle	574	0.016	0.015 - 0.018	440	0.025	0.022 - 0.027	134	0.008	0.006 - 0.009
West Virginia	293	0.017	0.015 - 0.019	244	0.029	0.026 - 0.033	49	0.006	0.004 - 0.008
Wisconsin	871	0.018	0.017 - 0.020	680	0.029	0.027 - 0.031	191	0.008	0.007 - 0.009
Wyoming	62	0.013	0.010 - 0.016	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	46,454	0.023	0.023 - 0.023	28,090	0.028	0.028 - 0.029	18,360	0.018	0.018 - 0.018
Alabama	759	0.023	0.022 - 0.025	420	0.027	0.024 - 0.029	339	0.020	0.018 - 0.023
Alaska	88	0.019	0.015 - 0.023	58	0.023	0.018 - 0.030	30	0.014	0.009 - 0.019
Arizona	753	0.019	0.018 - 0.020	496	0.025	0.023 - 0.028	257	0.013	0.011 - 0.015
Arkansas	460	0.021	0.019 - 0.023	276	0.025	0.023 - 0.029	184	0.016	0.014 - 0.019
California	3,600	0.024	0.023 - 0.024	2,189	0.029	0.028 - 0.030	1,412	0.019	0.018 - 0.020
CA - Greater California	2,100	0.022	0.021 - 0.023	1,257	0.027	0.025 - 0.028	843	0.018	0.016 - 0.019
CA - Greater Bay Area	718	0.025	0.023 - 0.027	448	0.030	0.028 - 0.033	270	0.019	0.017 - 0.021
CA - Los Angeles	785	0.028	0.026 - 0.031	483	0.035	0.032 - 0.038	302	0.022	0.020 - 0.025
Colorado	640	0.016	0.015 - 0.018	397	0.020	0.018 - 0.022	243	0.012	0.011 - 0.014
Connecticut	883	0.036	0.034 - 0.039	536	0.045	0.042 - 0.049	346	0.028	0.025 - 0.031
Delaware	152	0.025	0.021 - 0.029	101	0.034	0.028 - 0.042	51	0.016	0.012 - 0.021
Florida	2,846	0.025	0.024 - 0.026	1,801	0.032	0.030 - 0.033	1,045	0.018	0.017 - 0.019
Georgia	1,127	0.020	0.019 - 0.021	644	0.023	0.022 - 0.025	483	0.017	0.015 - 0.019
Hawaii	59	0.019	0.014 - 0.024	40	0.024	0.017 - 0.032	19	0.013	0.008 - 0.021
Idaho	230	0.016	0.014 - 0.018	157	0.022	0.019 - 0.025	73	0.010	0.008 - 0.013
Illinois	1,967	0.025	0.024 - 0.026	1,203	0.031	0.029 - 0.033	764	0.019	0.018 - 0.020
Iowa	486	0.018	0.016 - 0.020	294	0.022	0.019 - 0.025	192	0.014	0.012 - 0.016
Kansas	413	0.018	0.017 - 0.020	248	0.022	0.020 - 0.025	165	0.015	0.012 - 0.017
Kentucky	890	0.023	0.022 - 0.025	492	0.026	0.024 - 0.029	398	0.020	0.019 - 0.023
Louisiana	613	0.022	0.020 - 0.024	385	0.028	0.025 - 0.031	227	0.016	0.014 - 0.018
Maine	327	0.026	0.023 - 0.029	183	0.030	0.026 - 0.034	144	0.022	0.019 - 0.026
Maryland	774	0.025	0.023 - 0.027	452	0.030	0.027 - 0.032	322	0.020	0.018 - 0.023
MI - Detroit	659	0.026	0.024 - 0.028	389	0.032	0.029 - 0.035	270	0.021	0.019 - 0.024
Minnesota	958	0.021	0.020 - 0.023	578	0.026	0.024 - 0.028	380	0.017	0.015 - 0.018
Mississippi	351	0.021	0.018 - 0.023	192	0.023	0.020 - 0.026	159	0.018	0.016 - 0.021
Missouri	910	0.018	0.017 - 0.020	538	0.022	0.020 - 0.024	372	0.015	0.013 - 0.016
Montana	159	0.017	0.015 - 0.020	92	0.020	0.016 - 0.024	67	0.015	0.011 - 0.019
Nebraska	268	0.017	0.015 - 0.020	170	0.022	0.019 - 0.026	98	0.013	0.010 - 0.015
New Hampshire	324	0.026	0.024 - 0.029	194	0.032	0.028 - 0.037	130	0.021	0.017 - 0.025
New Jersey	1,639	0.033	0.031 - 0.035	970	0.040	0.037 - 0.043	669	0.026	0.024 - 0.028
New Mexico	173	0.022	0.019 - 0.025	107	0.027	0.022 - 0.033	66	0.016	0.013 - 0.021
New York	3,720	0.034	0.033 - 0.035	2,213	0.041	0.039 - 0.043	1,508	0.027	0.025 - 0.028
North Carolina	1,621	0.025	0.023 - 0.026	935	0.029	0.027 - 0.031	686	0.020	0.019 - 0.022
North Dakota	121	0.019	0.016 - 0.022	75	0.023	0.018 - 0.029	46	0.015	0.011 - 0.019
Ohio	2,146	0.023	0.022 - 0.024	1,301	0.028	0.027 - 0.030	845	0.018	0.017 - 0.019
Oklahoma	477	0.018	0.016 - 0.019	276	0.021	0.018 - 0.023	201	0.015	0.013 - 0.017
Oregon	663	0.021	0.019 - 0.022	426	0.027	0.024 - 0.029	237	0.014	0.013 - 0.016
Pennsylvania	2,574	0.026	0.025 - 0.027	1,621	0.034	0.032 - 0.035	953	0.019	0.018 - 0.020
Rhode Island	279	0.036	0.032 - 0.040	174	0.047	0.040 - 0.054	105	0.026	0.021 - 0.032
South Carolina	691	0.021	0.020 - 0.023	410	0.026	0.023 - 0.028	281	0.017	0.015 - 0.019
South Dakota	116	0.016	0.013 - 0.019	79	0.022	0.017 - 0.027	37	0.010	0.007 - 0.014
Tennessee	1,049	0.021	0.020 - 0.022	608	0.025	0.023 - 0.027	441	0.017	0.016 - 0.019
Texas	2,407	0.020	0.019 - 0.021	1,405	0.023	0.022 - 0.025	1,002	0.016	0.015 - 0.017
Utah	268	0.011	0.010 - 0.012	160	0.013	0.011 - 0.015	108	0.009	0.007 - 0.010
Vermont	122	0.021	0.017 - 0.025	74	0.026	0.020 - 0.032	48	0.016	0.012 - 0.021
Washington	1,034	0.020	0.018 - 0.021	658	0.025	0.023 - 0.027	376	0.014	0.013 - 0.016
WA - Seattle	710	0.020	0.019 - 0.021	458	0.026	0.023 - 0.028	252	0.014	0.012 - 0.016
West Virginia	390	0.023	0.021 - 0.026	228	0.027	0.024 - 0.031	162	0.019	0.016 - 0.022
Wisconsin	1,163	0.024	0.023 - 0.026	754	0.032	0.030 - 0.034	409	0.017	0.015 - 0.019
Wyoming	79	0.016	0.013 - 0.020	59	0.024	0.018 - 0.030	20	0.008	0.005 - 0.013

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	574,134	0.287	0.286 - 0.288	298,687	0.303	0.301 - 0.304	275,441	0.271	0.270 - 0.273
Alabama	9,857	0.304	0.298 - 0.310	5,229	0.330	0.321 - 0.339	4,628	0.279	0.271 - 0.287
Alaska	1,070	0.228	0.214 - 0.242	601	0.242	0.223 - 0.262	469	0.212	0.193 - 0.232
Arizona	10,348	0.262	0.257 - 0.267	5,428	0.278	0.270 - 0.285	4,920	0.246	0.239 - 0.253
Arkansas	6,598	0.299	0.291 - 0.306	3,467	0.319	0.309 - 0.330	3,131	0.278	0.269 - 0.288
California	45,227	0.298	0.295 - 0.301	23,473	0.309	0.305 - 0.313	21,754	0.287	0.283 - 0.290
CA - Greater California	27,995	0.294	0.291 - 0.298	14,533	0.307	0.302 - 0.312	13,462	0.281	0.277 - 0.286
CA - Greater Bay Area	8,733	0.300	0.294 - 0.307	4,499	0.306	0.297 - 0.315	4,234	0.295	0.286 - 0.304
CA - Los Angeles	8,508	0.308	0.302 - 0.315	4,447	0.320	0.311 - 0.330	4,061	0.296	0.287 - 0.305
Colorado	8,000	0.204	0.200 - 0.209	4,152	0.211	0.205 - 0.218	3,848	0.197	0.191 - 0.204
Connecticut	7,387	0.305	0.298 - 0.312	3,762	0.319	0.309 - 0.329	3,625	0.292	0.283 - 0.302
Delaware	1,846	0.303	0.290 - 0.318	975	0.332	0.311 - 0.353	871	0.277	0.259 - 0.296
Florida	35,327	0.306	0.303 - 0.309	18,440	0.326	0.321 - 0.330	16,887	0.287	0.283 - 0.291
Georgia	15,194	0.271	0.267 - 0.276	8,081	0.293	0.287 - 0.300	7,112	0.250	0.244 - 0.256
Hawaii	1,030	0.334	0.313 - 0.355	617	0.369	0.341 - 0.399	413	0.291	0.264 - 0.321
Idaho	3,161	0.219	0.211 - 0.227	1,685	0.234	0.223 - 0.245	1,476	0.204	0.194 - 0.215
Illinois	25,729	0.325	0.321 - 0.329	13,496	0.347	0.341 - 0.353	12,233	0.304	0.299 - 0.310
Iowa	8,586	0.316	0.309 - 0.323	4,427	0.330	0.320 - 0.340	4,158	0.303	0.293 - 0.312
Kansas	6,455	0.288	0.281 - 0.295	3,346	0.302	0.292 - 0.312	3,109	0.274	0.264 - 0.284
Kentucky	12,256	0.321	0.316 - 0.327	6,461	0.346	0.337 - 0.354	5,794	0.298	0.291 - 0.306
Louisiana	8,586	0.310	0.303 - 0.316	4,630	0.340	0.330 - 0.349	3,956	0.281	0.272 - 0.290
Maine	3,693	0.293	0.284 - 0.303	1,883	0.305	0.292 - 0.320	1,810	0.281	0.268 - 0.294
Maryland	8,565	0.274	0.268 - 0.280	4,334	0.283	0.275 - 0.292	4,231	0.265	0.258 - 0.274
MI - Detroit	7,169	0.287	0.280 - 0.293	3,658	0.297	0.287 - 0.306	3,512	0.277	0.268 - 0.286
Minnesota	12,485	0.276	0.272 - 0.281	6,481	0.289	0.282 - 0.296	6,004	0.264	0.257 - 0.271
Mississippi	5,458	0.320	0.312 - 0.329	2,876	0.343	0.331 - 0.356	2,582	0.297	0.286 - 0.309
Missouri	13,842	0.281	0.276 - 0.286	7,237	0.299	0.292 - 0.306	6,605	0.264	0.258 - 0.271
Montana	2,485	0.269	0.258 - 0.279	1,371	0.294	0.279 - 0.310	1,114	0.243	0.229 - 0.257
Nebraska	4,772	0.311	0.303 - 0.320	2,449	0.323	0.310 - 0.336	2,323	0.301	0.288 - 0.313
New Hampshire	3,378	0.274	0.265 - 0.284	1,786	0.294	0.280 - 0.308	1,592	0.255	0.243 - 0.268
New Jersey	16,795	0.337	0.332 - 0.342	8,483	0.349	0.342 - 0.357	8,312	0.326	0.319 - 0.333
New Mexico	2,239	0.281	0.270 - 0.293	1,154	0.293	0.276 - 0.310	1,085	0.270	0.254 - 0.286
New York	33,654	0.305	0.302 - 0.308	16,989	0.314	0.310 - 0.319	16,665	0.296	0.291 - 0.300
North Carolina	17,476	0.264	0.261 - 0.268	9,071	0.281	0.275 - 0.287	8,405	0.249	0.243 - 0.254
North Dakota	1,956	0.303	0.290 - 0.317	1,024	0.311	0.292 - 0.331	932	0.295	0.276 - 0.314
Ohio	26,443	0.284	0.280 - 0.287	13,525	0.296	0.291 - 0.301	12,918	0.272	0.268 - 0.277
Oklahoma	7,414	0.275	0.268 - 0.281	3,870	0.291	0.282 - 0.301	3,544	0.258	0.250 - 0.267
Oregon	8,382	0.260	0.254 - 0.265	4,380	0.276	0.268 - 0.284	4,002	0.245	0.237 - 0.252
Pennsylvania	31,550	0.320	0.316 - 0.323	16,158	0.334	0.329 - 0.340	15,392	0.305	0.301 - 0.310
Rhode Island	2,184	0.282	0.270 - 0.294	1,090	0.292	0.275 - 0.310	1,094	0.273	0.257 - 0.289
South Carolina	8,460	0.259	0.254 - 0.265	4,374	0.274	0.266 - 0.283	4,086	0.245	0.237 - 0.252
South Dakota	2,175	0.300	0.288 - 0.313	1,135	0.312	0.294 - 0.330	1,040	0.288	0.271 - 0.306
Tennessee	13,856	0.275	0.270 - 0.279	7,170	0.291	0.284 - 0.298	6,686	0.259	0.253 - 0.266
Texas	32,596	0.268	0.266 - 0.271	17,687	0.294	0.290 - 0.298	14,909	0.243	0.239 - 0.247
Utah	3,774	0.152	0.147 - 0.157	1,964	0.157	0.151 - 0.165	1,809	0.146	0.139 - 0.153
Vermont	1,499	0.255	0.243 - 0.269	775	0.268	0.249 - 0.287	724	0.243	0.226 - 0.262
Washington	13,267	0.252	0.248 - 0.256	6,830	0.260	0.254 - 0.266	6,437	0.244	0.238 - 0.250
WA - Seattle	9,106	0.256	0.251 - 0.261	4,727	0.266	0.258 - 0.273	4,379	0.246	0.239 - 0.254
West Virginia	5,706	0.338	0.329 - 0.347	3,005	0.361	0.349 - 0.375	2,701	0.315	0.304 - 0.328
Wisconsin	12,931	0.272	0.267 - 0.276	6,722	0.284	0.278 - 0.291	6,209	0.259	0.253 - 0.266
Wyoming	1,089	0.221	0.209 - 0.235	583	0.234	0.215 - 0.253	506	0.209	0.191 - 0.228

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	43,243	0.022	0.021 - 0.022	30,728	0.031	0.031 - 0.031	12,516	0.012	0.012 - 0.013
Alabama	574	0.018	0.016 - 0.019	396	0.025	0.023 - 0.028	178	0.011	0.009 - 0.012
Alaska	104	0.022	0.018 - 0.027	79	0.032	0.025 - 0.040	25	0.011	0.007 - 0.017
Arizona	823	0.021	0.019 - 0.022	563	0.029	0.026 - 0.031	260	0.013	0.011 - 0.015
Arkansas	484	0.022	0.020 - 0.024	357	0.033	0.030 - 0.036	127	0.011	0.009 - 0.013
California	3,831	0.025	0.024 - 0.026	2,750	0.036	0.035 - 0.038	1,082	0.014	0.013 - 0.015
CA - Greater California	2,404	0.025	0.024 - 0.026	1,716	0.036	0.035 - 0.038	688	0.014	0.013 - 0.015
CA - Greater Bay Area	827	0.028	0.027 - 0.030	611	0.042	0.038 - 0.045	216	0.015	0.013 - 0.017
CA - Los Angeles	599	0.022	0.020 - 0.024	421	0.030	0.028 - 0.033	178	0.013	0.011 - 0.015
Colorado	633	0.016	0.015 - 0.017	464	0.024	0.022 - 0.026	169	0.009	0.007 - 0.010
Connecticut	591	0.024	0.022 - 0.026	442	0.037	0.034 - 0.041	149	0.012	0.010 - 0.014
Delaware	162	0.027	0.023 - 0.031	119	0.040	0.034 - 0.048	43	0.014	0.010 - 0.018
Florida	2,966	0.026	0.025 - 0.027	2,109	0.037	0.036 - 0.039	857	0.015	0.014 - 0.016
Georgia	1,151	0.021	0.019 - 0.022	836	0.030	0.028 - 0.032	316	0.011	0.010 - 0.012
Hawaii	86	0.028	0.022 - 0.034	71	0.042	0.033 - 0.053	15	0.011	0.006 - 0.017
Idaho	212	0.015	0.013 - 0.017	156	0.022	0.018 - 0.025	56	0.008	0.006 - 0.010
Illinois	1,646	0.021	0.020 - 0.022	1,114	0.029	0.027 - 0.030	532	0.013	0.012 - 0.014
Iowa	471	0.017	0.016 - 0.019	322	0.024	0.021 - 0.027	149	0.011	0.009 - 0.013
Kansas	443	0.020	0.018 - 0.022	318	0.029	0.026 - 0.032	125	0.011	0.009 - 0.013
Kentucky	704	0.018	0.017 - 0.020	492	0.026	0.024 - 0.029	212	0.011	0.009 - 0.012
Louisiana	644	0.023	0.021 - 0.025	467	0.034	0.031 - 0.037	177	0.013	0.011 - 0.015
Maine	193	0.015	0.013 - 0.018	144	0.023	0.020 - 0.028	49	0.008	0.006 - 0.010
Maryland	722	0.023	0.021 - 0.025	500	0.033	0.030 - 0.036	222	0.014	0.012 - 0.016
MI - Detroit	599	0.024	0.022 - 0.026	418	0.034	0.031 - 0.037	180	0.014	0.012 - 0.016
Minnesota	840	0.019	0.017 - 0.020	571	0.025	0.023 - 0.028	269	0.012	0.010 - 0.013
Mississippi	455	0.027	0.024 - 0.029	322	0.038	0.034 - 0.043	133	0.015	0.013 - 0.018
Missouri	916	0.019	0.017 - 0.020	645	0.027	0.025 - 0.029	271	0.011	0.010 - 0.012
Montana	142	0.015	0.013 - 0.018	109	0.023	0.019 - 0.028	33	0.007	0.005 - 0.010
Nebraska	193	0.013	0.011 - 0.015	140	0.018	0.016 - 0.022	53	0.007	0.005 - 0.009
New Hampshire	220	0.018	0.016 - 0.020	167	0.027	0.023 - 0.032	53	0.009	0.006 - 0.011
New Jersey	1,226	0.025	0.023 - 0.026	898	0.037	0.035 - 0.039	327	0.013	0.011 - 0.014
New Mexico	183	0.023	0.020 - 0.027	139	0.035	0.030 - 0.042	45	0.011	0.008 - 0.015
New York	2,530	0.023	0.022 - 0.024	1,840	0.034	0.033 - 0.036	690	0.012	0.011 - 0.013
North Carolina	1,448	0.022	0.021 - 0.023	1,043	0.032	0.030 - 0.034	405	0.012	0.011 - 0.013
North Dakota	54	0.008	0.006 - 0.011	34	0.010	0.007 - 0.014	20	0.006	0.004 - 0.010
Ohio	1,537	0.016	0.016 - 0.017	1,048	0.023	0.022 - 0.024	489	0.010	0.009 - 0.011
Oklahoma	490	0.018	0.017 - 0.020	338	0.025	0.023 - 0.028	152	0.011	0.009 - 0.013
Oregon	888	0.028	0.026 - 0.029	648	0.041	0.038 - 0.044	240	0.015	0.013 - 0.017
Pennsylvania	2,228	0.023	0.022 - 0.024	1,608	0.033	0.032 - 0.035	620	0.012	0.011 - 0.013
Rhode Island	187	0.024	0.021 - 0.028	143	0.038	0.032 - 0.045	44	0.011	0.008 - 0.015
South Carolina	696	0.021	0.020 - 0.023	491	0.031	0.028 - 0.034	205	0.012	0.011 - 0.014
South Dakota	95	0.013	0.011 - 0.016	68	0.019	0.014 - 0.024	27	0.007	0.005 - 0.011
Tennessee	1,013	0.020	0.019 - 0.021	708	0.029	0.027 - 0.031	305	0.012	0.011 - 0.013
Texas	3,113	0.026	0.025 - 0.027	2,157	0.036	0.034 - 0.037	956	0.016	0.015 - 0.017
Utah	273	0.011	0.010 - 0.012	186	0.015	0.013 - 0.017	88	0.007	0.006 - 0.009
Vermont	116	0.020	0.016 - 0.024	87	0.030	0.024 - 0.037	29	0.010	0.007 - 0.014
Washington	1,297	0.025	0.023 - 0.026	933	0.036	0.033 - 0.038	364	0.014	0.012 - 0.015
WA - Seattle	937	0.026	0.025 - 0.028	677	0.038	0.035 - 0.041	260	0.015	0.013 - 0.017
West Virginia	307	0.018	0.016 - 0.020	213	0.026	0.022 - 0.029	94	0.011	0.009 - 0.013
Wisconsin	959	0.020	0.019 - 0.021	664	0.028	0.026 - 0.030	295	0.012	0.011 - 0.014
Wyoming	81	0.016	0.013 - 0.020	57	0.023	0.017 - 0.030	24	0.010	0.006 - 0.015

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	53,902	0.027	0.027 - 0.027	28,732	0.029	0.029 - 0.029	25,170	0.025	0.024 - 0.025
Alabama	695	0.021	0.020 - 0.023	371	0.023	0.021 - 0.026	324	0.020	0.017 - 0.022
Alaska	79	0.017	0.013 - 0.021	50	0.020	0.015 - 0.026	29	0.013	0.009 - 0.019
Arizona	1,013	0.026	0.024 - 0.027	565	0.029	0.027 - 0.031	448	0.022	0.020 - 0.025
Arkansas	427	0.019	0.018 - 0.021	230	0.021	0.019 - 0.024	197	0.018	0.015 - 0.020
California	4,105	0.027	0.026 - 0.028	2,226	0.029	0.028 - 0.031	1,879	0.025	0.024 - 0.026
CA - Greater California	2,480	0.026	0.025 - 0.027	1,339	0.028	0.027 - 0.030	1,141	0.024	0.022 - 0.025
CA - Greater Bay Area	851	0.029	0.027 - 0.031	471	0.032	0.029 - 0.035	380	0.026	0.024 - 0.029
CA - Los Angeles	774	0.028	0.026 - 0.030	416	0.030	0.027 - 0.033	358	0.026	0.023 - 0.029
Colorado	855	0.022	0.020 - 0.023	458	0.023	0.021 - 0.026	397	0.020	0.018 - 0.022
Connecticut	845	0.035	0.033 - 0.037	468	0.040	0.036 - 0.043	377	0.030	0.027 - 0.034
Delaware	187	0.031	0.026 - 0.035	103	0.035	0.029 - 0.042	84	0.027	0.021 - 0.033
Florida	3,833	0.033	0.032 - 0.034	2,054	0.036	0.035 - 0.038	1,779	0.030	0.029 - 0.032
Georgia	1,228	0.022	0.021 - 0.023	648	0.024	0.022 - 0.025	580	0.020	0.019 - 0.022
Hawaii	76	0.025	0.019 - 0.031	45	0.027	0.020 - 0.036	31	0.022	0.015 - 0.031
Idaho	336	0.023	0.021 - 0.026	172	0.024	0.020 - 0.028	164	0.023	0.019 - 0.026
Illinois	2,422	0.031	0.029 - 0.032	1,319	0.034	0.032 - 0.036	1,103	0.027	0.026 - 0.029
Iowa	712	0.026	0.024 - 0.028	380	0.028	0.026 - 0.031	332	0.024	0.022 - 0.027
Kansas	510	0.023	0.021 - 0.025	268	0.024	0.021 - 0.027	242	0.021	0.019 - 0.024
Kentucky	850	0.022	0.021 - 0.024	436	0.023	0.021 - 0.026	414	0.021	0.019 - 0.023
Louisiana	626	0.023	0.021 - 0.024	320	0.023	0.021 - 0.026	306	0.022	0.019 - 0.024
Maine	321	0.025	0.023 - 0.028	176	0.029	0.024 - 0.033	145	0.023	0.019 - 0.026
Maryland	963	0.031	0.029 - 0.033	499	0.033	0.030 - 0.036	464	0.029	0.027 - 0.032
MI - Detroit	730	0.029	0.027 - 0.031	382	0.031	0.028 - 0.034	348	0.027	0.025 - 0.030
Minnesota	1,186	0.026	0.025 - 0.028	630	0.028	0.026 - 0.030	556	0.024	0.022 - 0.027
Mississippi	391	0.023	0.021 - 0.025	200	0.024	0.021 - 0.027	191	0.022	0.019 - 0.025
Missouri	1,090	0.022	0.021 - 0.023	578	0.024	0.022 - 0.026	512	0.020	0.019 - 0.022
Montana	217	0.023	0.020 - 0.027	117	0.025	0.021 - 0.030	100	0.022	0.018 - 0.026
Nebraska	393	0.026	0.023 - 0.028	199	0.026	0.023 - 0.030	194	0.025	0.022 - 0.029
New Hampshire	377	0.031	0.028 - 0.034	192	0.032	0.027 - 0.036	185	0.030	0.026 - 0.034
New Jersey	1,810	0.036	0.035 - 0.038	966	0.040	0.037 - 0.042	844	0.033	0.031 - 0.035
New Mexico	170	0.021	0.018 - 0.025	97	0.025	0.020 - 0.030	73	0.018	0.014 - 0.023
New York	3,931	0.036	0.034 - 0.037	2,086	0.039	0.037 - 0.040	1,846	0.033	0.031 - 0.034
North Carolina	1,648	0.025	0.024 - 0.026	830	0.026	0.024 - 0.028	818	0.024	0.023 - 0.026
North Dakota	145	0.022	0.019 - 0.026	71	0.022	0.017 - 0.027	74	0.023	0.018 - 0.029
Ohio	2,157	0.023	0.022 - 0.024	1,093	0.024	0.023 - 0.025	1,064	0.022	0.021 - 0.024
Oklahoma	482	0.018	0.016 - 0.020	241	0.018	0.016 - 0.021	241	0.018	0.015 - 0.020
Oregon	856	0.027	0.025 - 0.028	453	0.029	0.026 - 0.031	403	0.025	0.022 - 0.027
Pennsylvania	3,166	0.032	0.031 - 0.033	1,662	0.034	0.033 - 0.036	1,504	0.030	0.028 - 0.031
Rhode Island	255	0.033	0.029 - 0.037	146	0.039	0.033 - 0.046	109	0.027	0.022 - 0.033
South Carolina	754	0.023	0.021 - 0.025	430	0.027	0.024 - 0.030	324	0.019	0.017 - 0.022
South Dakota	187	0.026	0.022 - 0.030	111	0.030	0.025 - 0.037	76	0.021	0.017 - 0.026
Tennessee	1,126	0.022	0.021 - 0.024	594	0.024	0.022 - 0.026	532	0.021	0.019 - 0.022
Texas	3,125	0.026	0.025 - 0.027	1,705	0.028	0.027 - 0.030	1,420	0.023	0.022 - 0.024
Utah	330	0.013	0.012 - 0.015	187	0.015	0.013 - 0.017	143	0.012	0.010 - 0.014
Vermont	173	0.029	0.025 - 0.034	96	0.033	0.027 - 0.041	77	0.026	0.020 - 0.032
Washington	1,418	0.027	0.026 - 0.028	733	0.028	0.026 - 0.030	685	0.026	0.024 - 0.028
WA - Seattle	948	0.027	0.025 - 0.028	463	0.026	0.024 - 0.028	485	0.027	0.025 - 0.030
West Virginia	370	0.022	0.020 - 0.024	200	0.024	0.021 - 0.028	170	0.020	0.017 - 0.023
Wisconsin	1,384	0.029	0.028 - 0.031	766	0.032	0.030 - 0.035	618	0.026	0.024 - 0.028
Wyoming	96	0.020	0.016 - 0.024	61	0.024	0.019 - 0.031	35	0.014	0.010 - 0.020

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	53,078	0.027	0.026 - 0.027	41,849	0.042	0.042 - 0.043	11,222	0.011	0.011 - 0.011
Alabama	1,022	0.032	0.030 - 0.034	814	0.051	0.048 - 0.055	208	0.013	0.011 - 0.014
Alaska	76	0.016	0.013 - 0.020	-	-		-	-	
Arizona	741	0.019	0.017 - 0.020	596	0.030	0.028 - 0.033	145	0.007	0.006 - 0.009
Arkansas	637	0.029	0.027 - 0.031	483	0.044	0.041 - 0.049	154	0.014	0.012 - 0.016
California	2,903	0.019	0.018 - 0.020	2,419	0.032	0.031 - 0.033	484	0.006	0.006 - 0.007
CA - Greater California	1,874	0.020	0.019 - 0.021	1,552	0.033	0.031 - 0.034	322	0.007	0.006 - 0.008
CA - Greater Bay Area	508	0.017	0.016 - 0.019	429	0.029	0.026 - 0.032	78	0.005	0.004 - 0.007
CA - Los Angeles	523	0.019	0.017 - 0.021	438	0.032	0.029 - 0.035	85	0.006	0.005 - 0.008
Colorado	590	0.015	0.014 - 0.016	462	0.024	0.021 - 0.026	128	0.007	0.005 - 0.008
Connecticut	695	0.029	0.027 - 0.031	539	0.046	0.042 - 0.050	156	0.013	0.011 - 0.015
Delaware	200	0.033	0.028 - 0.038	153	0.052	0.044 - 0.061	47	0.015	0.011 - 0.020
Florida	4,105	0.036	0.034 - 0.037	3,263	0.058	0.056 - 0.060	842	0.014	0.013 - 0.015
Georgia	1,524	0.027	0.026 - 0.029	1,217	0.044	0.042 - 0.047	307	0.011	0.010 - 0.012
Hawaii	100	0.032	0.026 - 0.039	84	0.050	0.040 - 0.062	16	0.011	0.006 - 0.018
Idaho	209	0.014	0.013 - 0.017	159	0.022	0.019 - 0.026	50	0.007	0.005 - 0.009
Illinois	2,383	0.030	0.029 - 0.031	1,881	0.048	0.046 - 0.051	502	0.012	0.011 - 0.014
Iowa	767	0.028	0.026 - 0.030	614	0.046	0.042 - 0.049	153	0.011	0.009 - 0.013
Kansas	520	0.023	0.021 - 0.025	418	0.038	0.034 - 0.041	102	0.009	0.007 - 0.011
Kentucky	1,424	0.037	0.035 - 0.039	1,066	0.057	0.054 - 0.061	358	0.018	0.017 - 0.020
Louisiana	938	0.034	0.032 - 0.036	718	0.053	0.049 - 0.057	221	0.016	0.014 - 0.018
Maine	378	0.030	0.027 - 0.033	284	0.046	0.041 - 0.052	94	0.015	0.012 - 0.018
Maryland	738	0.024	0.022 - 0.025	587	0.038	0.035 - 0.042	151	0.009	0.008 - 0.011
MI - Detroit	756	0.030	0.028 - 0.032	591	0.048	0.044 - 0.052	164	0.013	0.011 - 0.015
Minnesota	1,008	0.022	0.021 - 0.024	817	0.036	0.034 - 0.039	191	0.008	0.007 - 0.010
Mississippi	534	0.031	0.029 - 0.034	411	0.049	0.044 - 0.054	123	0.014	0.012 - 0.017
Missouri	1,450	0.029	0.028 - 0.031	1,106	0.046	0.043 - 0.048	344	0.014	0.012 - 0.015
Montana	181	0.020	0.017 - 0.023	148	0.032	0.027 - 0.037	33	0.007	0.005 - 0.010
Nebraska	331	0.022	0.019 - 0.024	257	0.034	0.030 - 0.038	74	0.010	0.008 - 0.012
New Hampshire	316	0.026	0.023 - 0.029	243	0.040	0.035 - 0.045	73	0.012	0.009 - 0.015
New Jersey	1,325	0.027	0.025 - 0.028	1,081	0.044	0.042 - 0.047	244	0.010	0.008 - 0.011
New Mexico	174	0.022	0.019 - 0.025	143	0.036	0.031 - 0.043	32	0.008	0.005 - 0.011
New York	3,100	0.028	0.027 - 0.029	2,464	0.046	0.044 - 0.047	635	0.011	0.010 - 0.012
North Carolina	1,914	0.029	0.028 - 0.030	1,469	0.045	0.043 - 0.048	445	0.013	0.012 - 0.014
North Dakota	137	0.021	0.018 - 0.025	119	0.036	0.030 - 0.043	18	0.006	0.003 - 0.009
Ohio	2,815	0.030	0.029 - 0.031	2,155	0.047	0.045 - 0.049	660	0.014	0.013 - 0.015
Oklahoma	698	0.026	0.024 - 0.028	530	0.040	0.037 - 0.043	168	0.012	0.010 - 0.014
Oregon	608	0.019	0.017 - 0.020	486	0.031	0.028 - 0.033	122	0.007	0.006 - 0.009
Pennsylvania	2,853	0.029	0.028 - 0.030	2,226	0.046	0.044 - 0.048	627	0.012	0.011 - 0.013
Rhode Island	250	0.032	0.028 - 0.037	190	0.051	0.044 - 0.059	60	0.015	0.011 - 0.019
South Carolina	980	0.030	0.028 - 0.032	790	0.050	0.046 - 0.053	190	0.011	0.010 - 0.013
South Dakota	164	0.023	0.019 - 0.026	123	0.034	0.028 - 0.040	41	0.011	0.008 - 0.015
Tennessee	1,540	0.031	0.029 - 0.032	1,181	0.048	0.045 - 0.051	359	0.014	0.013 - 0.015
Texas	2,893	0.024	0.023 - 0.025	2,341	0.039	0.037 - 0.041	552	0.009	0.008 - 0.010
Utah	211	0.008	0.007 - 0.010	169	0.014	0.012 - 0.016	42	0.003	0.002 - 0.005
Vermont	174	0.030	0.025 - 0.034	135	0.047	0.039 - 0.055	39	0.013	0.009 - 0.018
Washington	978	0.019	0.017 - 0.020	782	0.030	0.028 - 0.032	196	0.007	0.006 - 0.009
WA - Seattle	650	0.018	0.017 - 0.020	531	0.030	0.027 - 0.033	119	0.007	0.006 - 0.008
West Virginia	642	0.038	0.035 - 0.041	457	0.055	0.050 - 0.060	185	0.022	0.019 - 0.025
Wisconsin	1,224	0.026	0.024 - 0.027	996	0.042	0.040 - 0.045	228	0.010	0.008 - 0.011
Wyoming	103	0.021	0.017 - 0.025	79	0.032	0.025 - 0.039	24	0.010	0.006 - 0.015

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	420,348	0.210	0.209 - 0.211	189,891	0.193	0.192 - 0.193	230,443	0.227	0.226 - 0.228
Alabama	6,444	0.199	0.194 - 0.204	3,194	0.202	0.195 - 0.209	3,250	0.196	0.189 - 0.203
Alaska	616	0.131	0.121 - 0.142	309	0.124	0.111 - 0.139	307	0.139	0.123 - 0.155
Arizona	7,649	0.193	0.189 - 0.198	3,258	0.167	0.161 - 0.173	4,391	0.220	0.213 - 0.226
Arkansas	5,125	0.232	0.226 - 0.238	2,523	0.232	0.223 - 0.242	2,602	0.231	0.223 - 0.240
California	26,436	0.174	0.172 - 0.176	11,306	0.149	0.146 - 0.152	15,130	0.199	0.196 - 0.202
CA - Greater California	17,139	0.180	0.177 - 0.183	7,277	0.154	0.150 - 0.157	9,862	0.206	0.202 - 0.210
CA - Greater Bay Area	4,654	0.160	0.155 - 0.165	2,002	0.136	0.130 - 0.142	2,651	0.185	0.178 - 0.192
CA - Los Angeles	4,660	0.169	0.164 - 0.174	2,032	0.146	0.140 - 0.153	2,628	0.192	0.184 - 0.199
Colorado	4,930	0.126	0.122 - 0.129	2,111	0.107	0.103 - 0.112	2,819	0.145	0.139 - 0.150
Connecticut	6,469	0.267	0.261 - 0.274	2,824	0.239	0.231 - 0.248	3,645	0.294	0.284 - 0.304
Delaware	1,599	0.263	0.250 - 0.276	674	0.229	0.212 - 0.247	925	0.294	0.276 - 0.314
Florida	33,036	0.286	0.283 - 0.289	14,815	0.262	0.257 - 0.266	18,221	0.309	0.305 - 0.314
Georgia	11,086	0.198	0.194 - 0.202	5,307	0.193	0.188 - 0.198	5,778	0.203	0.198 - 0.208
Hawaii	480	0.156	0.142 - 0.170	239	0.143	0.125 - 0.162	242	0.171	0.150 - 0.194
Idaho	1,970	0.137	0.131 - 0.143	857	0.119	0.111 - 0.127	1,113	0.154	0.145 - 0.163
Illinois	18,318	0.231	0.228 - 0.235	8,275	0.213	0.208 - 0.217	10,043	0.250	0.245 - 0.255
Iowa	5,148	0.189	0.184 - 0.195	2,440	0.182	0.175 - 0.189	2,708	0.197	0.190 - 0.205
Kansas	4,157	0.185	0.180 - 0.191	1,937	0.175	0.167 - 0.183	2,220	0.196	0.188 - 0.204
Kentucky	9,404	0.247	0.242 - 0.252	4,438	0.237	0.231 - 0.245	4,966	0.256	0.249 - 0.263
Louisiana	5,239	0.189	0.184 - 0.194	2,482	0.182	0.175 - 0.189	2,757	0.196	0.189 - 0.203
Maine	3,151	0.250	0.241 - 0.259	1,349	0.219	0.207 - 0.231	1,802	0.280	0.267 - 0.293
Maryland	6,796	0.217	0.212 - 0.223	2,930	0.191	0.185 - 0.198	3,866	0.243	0.235 - 0.250
MI - Detroit	5,691	0.228	0.222 - 0.234	2,501	0.203	0.195 - 0.211	3,190	0.252	0.243 - 0.261
Minnesota	8,517	0.189	0.185 - 0.193	3,746	0.167	0.162 - 0.173	4,771	0.210	0.204 - 0.216
Mississippi	4,023	0.236	0.229 - 0.243	2,002	0.239	0.229 - 0.250	2,021	0.233	0.223 - 0.243
Missouri	10,564	0.215	0.210 - 0.219	4,831	0.199	0.194 - 0.205	5,733	0.229	0.223 - 0.235
Montana	1,538	0.166	0.158 - 0.175	651	0.140	0.129 - 0.151	887	0.193	0.181 - 0.206
Nebraska	2,576	0.168	0.162 - 0.175	1,203	0.158	0.150 - 0.168	1,373	0.178	0.168 - 0.187
New Hampshire	2,767	0.225	0.216 - 0.233	1,127	0.185	0.175 - 0.197	1,640	0.263	0.251 - 0.276
New Jersey	12,302	0.247	0.243 - 0.251	5,019	0.207	0.201 - 0.212	7,283	0.286	0.279 - 0.292
New Mexico	1,378	0.173	0.164 - 0.182	626	0.159	0.147 - 0.172	752	0.187	0.174 - 0.201
New York	28,830	0.261	0.258 - 0.264	12,166	0.225	0.221 - 0.229	16,664	0.296	0.291 - 0.300
North Carolina	15,037	0.228	0.224 - 0.231	7,038	0.218	0.213 - 0.223	7,999	0.237	0.232 - 0.242
North Dakota	1,096	0.170	0.160 - 0.180	528	0.160	0.147 - 0.175	568	0.180	0.165 - 0.195
Ohio	19,092	0.205	0.202 - 0.208	8,971	0.196	0.192 - 0.200	10,121	0.213	0.209 - 0.218
Oklahoma	4,949	0.183	0.178 - 0.189	2,393	0.180	0.173 - 0.188	2,556	0.186	0.179 - 0.194
Oregon	5,922	0.184	0.179 - 0.188	2,623	0.165	0.159 - 0.171	3,299	0.202	0.195 - 0.209
Pennsylvania	22,621	0.229	0.226 - 0.232	10,279	0.213	0.209 - 0.217	12,342	0.245	0.241 - 0.249
Rhode Island	2,278	0.294	0.282 - 0.306	941	0.252	0.236 - 0.269	1,337	0.333	0.316 - 0.351
South Carolina	6,984	0.214	0.209 - 0.219	3,337	0.209	0.202 - 0.217	3,647	0.218	0.211 - 0.226
South Dakota	1,331	0.184	0.174 - 0.194	609	0.167	0.154 - 0.181	722	0.200	0.186 - 0.215
Tennessee	11,478	0.228	0.223 - 0.232	5,510	0.223	0.218 - 0.229	5,968	0.232	0.226 - 0.237
Texas	21,670	0.178	0.176 - 0.181	10,263	0.171	0.167 - 0.174	11,407	0.186	0.183 - 0.190
Utah	1,399	0.056	0.053 - 0.059	641	0.051	0.047 - 0.055	758	0.061	0.057 - 0.066
Vermont	1,345	0.229	0.217 - 0.242	604	0.209	0.192 - 0.226	741	0.249	0.232 - 0.268
Washington	9,236	0.175	0.172 - 0.179	4,063	0.155	0.150 - 0.159	5,173	0.196	0.191 - 0.201
WA - Seattle	6,248	0.176	0.171 - 0.180	2,747	0.154	0.149 - 0.160	3,501	0.197	0.191 - 0.204
West Virginia	4,371	0.259	0.251 - 0.267	2,065	0.248	0.238 - 0.259	2,306	0.269	0.258 - 0.281
Wisconsin	9,366	0.197	0.193 - 0.201	4,165	0.176	0.171 - 0.182	5,201	0.217	0.211 - 0.223
Wyoming	643	0.131	0.121 - 0.141	307	0.123	0.110 - 0.138	336	0.139	0.124 - 0.154

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	536,690	0.268	0.267 - 0.269	301,973	0.306	0.305 - 0.307	234,668	0.231	0.230 - 0.232
Alabama	8,752	0.270	0.264 - 0.276	4,981	0.315	0.306 - 0.323	3,771	0.228	0.220 - 0.235
Alaska	682	0.145	0.134 - 0.156	364	0.146	0.132 - 0.162	318	0.144	0.128 - 0.160
Arizona	11,281	0.285	0.280 - 0.291	6,979	0.357	0.349 - 0.366	4,302	0.215	0.209 - 0.222
Arkansas	4,503	0.204	0.198 - 0.210	2,635	0.243	0.234 - 0.252	1,868	0.166	0.159 - 0.174
California	55,380	0.365	0.362 - 0.368	32,424	0.427	0.422 - 0.432	22,956	0.302	0.298 - 0.306
CA - Greater California	34,114	0.358	0.355 - 0.362	20,013	0.423	0.417 - 0.429	14,101	0.295	0.290 - 0.300
CA - Greater Bay Area	13,093	0.450	0.443 - 0.458	7,541	0.512	0.501 - 0.524	5,552	0.387	0.376 - 0.397
CA - Los Angeles	8,216	0.298	0.291 - 0.304	4,901	0.353	0.343 - 0.363	3,314	0.242	0.234 - 0.250
Colorado	9,188	0.235	0.230 - 0.240	5,139	0.262	0.255 - 0.269	4,049	0.208	0.201 - 0.214
Connecticut	6,340	0.262	0.256 - 0.268	3,462	0.293	0.284 - 0.303	2,878	0.232	0.224 - 0.241
Delaware	2,408	0.396	0.380 - 0.412	1,382	0.470	0.445 - 0.495	1,026	0.327	0.307 - 0.347
Florida	38,724	0.335	0.332 - 0.339	23,427	0.414	0.408 - 0.419	15,297	0.260	0.256 - 0.264
Georgia	19,190	0.343	0.338 - 0.347	10,900	0.396	0.388 - 0.403	8,290	0.291	0.285 - 0.298
Hawaii	2,279	0.738	0.708 - 0.769	1,425	0.853	0.809 - 0.898	854	0.603	0.563 - 0.645
Idaho	3,460	0.240	0.232 - 0.248	1,957	0.272	0.260 - 0.284	1,504	0.208	0.198 - 0.219
Illinois	19,311	0.244	0.241 - 0.248	10,407	0.268	0.262 - 0.273	8,904	0.221	0.217 - 0.226
Iowa	6,642	0.244	0.239 - 0.250	3,416	0.255	0.246 - 0.263	3,226	0.235	0.227 - 0.243
Kansas	5,423	0.242	0.235 - 0.248	3,015	0.272	0.262 - 0.282	2,408	0.212	0.204 - 0.221
Kentucky	9,229	0.242	0.237 - 0.247	4,969	0.266	0.259 - 0.273	4,260	0.219	0.213 - 0.226
Louisiana	5,982	0.216	0.210 - 0.221	3,519	0.258	0.250 - 0.267	2,463	0.175	0.168 - 0.182
Maine	3,087	0.245	0.236 - 0.254	1,630	0.264	0.252 - 0.278	1,457	0.226	0.215 - 0.238
Maryland	10,945	0.350	0.344 - 0.357	6,183	0.404	0.394 - 0.414	4,762	0.299	0.290 - 0.307
MI - Detroit	5,550	0.222	0.216 - 0.228	2,974	0.241	0.233 - 0.250	2,576	0.203	0.195 - 0.211
Minnesota	13,839	0.306	0.301 - 0.312	7,263	0.324	0.317 - 0.332	6,576	0.289	0.282 - 0.296
Mississippi	4,131	0.242	0.235 - 0.250	2,332	0.278	0.267 - 0.290	1,799	0.207	0.198 - 0.217
Missouri	9,238	0.188	0.184 - 0.191	5,191	0.214	0.209 - 0.220	4,047	0.162	0.157 - 0.167
Montana	2,143	0.232	0.222 - 0.242	1,182	0.254	0.240 - 0.269	960	0.209	0.196 - 0.223
Nebraska	3,344	0.218	0.211 - 0.226	1,729	0.228	0.217 - 0.239	1,615	0.209	0.199 - 0.219
New Hampshire	3,453	0.280	0.271 - 0.290	1,831	0.301	0.288 - 0.315	1,622	0.260	0.248 - 0.273
New Jersey	15,835	0.318	0.313 - 0.323	8,785	0.362	0.354 - 0.369	7,050	0.276	0.270 - 0.283
New Mexico	2,473	0.311	0.299 - 0.323	1,460	0.371	0.352 - 0.390	1,013	0.252	0.237 - 0.268
New York	28,976	0.262	0.259 - 0.265	15,945	0.295	0.290 - 0.300	13,031	0.231	0.227 - 0.235
North Carolina	20,004	0.303	0.299 - 0.307	11,263	0.349	0.342 - 0.355	8,741	0.259	0.253 - 0.264
North Dakota	1,366	0.212	0.200 - 0.223	682	0.207	0.192 - 0.223	684	0.216	0.200 - 0.233
Ohio	20,023	0.215	0.212 - 0.218	10,770	0.236	0.231 - 0.240	9,253	0.195	0.191 - 0.199
Oklahoma	5,080	0.188	0.183 - 0.193	2,971	0.224	0.216 - 0.232	2,109	0.154	0.147 - 0.160
Oregon	9,453	0.293	0.287 - 0.299	5,028	0.316	0.308 - 0.325	4,425	0.270	0.263 - 0.279
Pennsylvania	23,576	0.239	0.236 - 0.242	13,022	0.269	0.265 - 0.274	10,554	0.209	0.205 - 0.213
Rhode Island	2,031	0.262	0.251 - 0.274	1,078	0.289	0.272 - 0.306	953	0.237	0.223 - 0.253
South Carolina	9,507	0.291	0.285 - 0.297	5,390	0.338	0.329 - 0.347	4,117	0.247	0.239 - 0.254
South Dakota	1,658	0.229	0.218 - 0.240	868	0.238	0.223 - 0.255	790	0.219	0.204 - 0.235
Tennessee	11,110	0.220	0.216 - 0.224	6,169	0.250	0.244 - 0.256	4,941	0.192	0.186 - 0.197
Texas	22,909	0.189	0.186 - 0.191	13,490	0.224	0.220 - 0.228	9,419	0.154	0.151 - 0.157
Utah	7,088	0.285	0.278 - 0.292	4,003	0.321	0.311 - 0.331	3,084	0.249	0.240 - 0.258
Vermont	2,048	0.349	0.334 - 0.365	1,115	0.385	0.363 - 0.409	933	0.314	0.294 - 0.335
Washington	14,910	0.283	0.279 - 0.288	7,925	0.302	0.295 - 0.308	6,985	0.265	0.258 - 0.271
WA - Seattle	11,558	0.325	0.319 - 0.331	6,162	0.346	0.338 - 0.355	5,396	0.304	0.296 - 0.312
West Virginia	3,511	0.208	0.201 - 0.215	1,948	0.234	0.224 - 0.245	1,563	0.183	0.174 - 0.192
Wisconsin	10,989	0.231	0.227 - 0.235	6,051	0.256	0.250 - 0.263	4,938	0.206	0.200 - 0.212
Wyoming	1,085	0.221	0.208 - 0.234	596	0.239	0.220 - 0.259	489	0.202	0.184 - 0.221

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		1,404,367	1.383	1.381 - 1.385
Alabama	-	-		-	-		20,467	1.235	1.218 - 1.252
Alaska	-	-		-	-		2,473	1.116	1.073 - 1.161
Arizona	-	-		-	-		27,490	1.375	1.359 - 1.391
Arkansas	-	-		-	-		13,034	1.159	1.139 - 1.179
California	-	-		-	-		120,894	1.592	1.583 - 1.601
CA - Greater California	-	-		-	-		74,182	1.550	1.539 - 1.561
CA - Greater Bay Area	-	-		-	-		23,954	1.668	1.647 - 1.689
CA - Los Angeles	-	-		-	-		22,801	1.663	1.642 - 1.685
Colorado	-	-		-	-		24,427	1.252	1.237 - 1.268
Connecticut	-	-		-	-		20,928	1.687	1.664 - 1.710
Delaware	-	-		-	-		4,592	1.461	1.419 - 1.504
Florida	-	-		-	-		85,966	1.460	1.450 - 1.470
Georgia	-	-		-	-		35,936	1.262	1.249 - 1.275
Hawaii	-	-		-	-		2,234	1.578	1.513 - 1.645
Idaho	-	-		-	-		8,081	1.119	1.094 - 1.143
Illinois	-	-		-	-		58,866	1.463	1.451 - 1.475
Iowa	-	-		-	-		17,990	1.309	1.290 - 1.328
Kansas	-	-		-	-		14,812	1.305	1.284 - 1.326
Kentucky	-	-		-	-		23,641	1.217	1.201 - 1.232
Louisiana	-	-		-	-		17,139	1.217	1.199 - 1.235
Maine	-	-		-	-		9,185	1.425	1.396 - 1.455
Maryland	-	-		-	-		23,875	1.498	1.479 - 1.517
MI - Detroit	-	-		-	-		17,936	1.415	1.394 - 1.436
Minnesota	-	-		-	-		31,606	1.389	1.374 - 1.404
Mississippi	-	-		-	-		10,401	1.198	1.175 - 1.221
Missouri	-	-		-	-		32,251	1.289	1.275 - 1.303
Montana	-	-		-	-		5,888	1.283	1.250 - 1.316
Nebraska	-	-		-	-		9,856	1.275	1.250 - 1.301
New Hampshire	-	-		-	-		9,424	1.512	1.482 - 1.543
New Jersey	-	-		-	-		42,115	1.651	1.636 - 1.667
New Mexico	-	-		-	-		6,348	1.579	1.540 - 1.618
New York	-	-		-	-		87,386	1.550	1.540 - 1.561
North Carolina	-	-		-	-		47,276	1.399	1.386 - 1.412
North Dakota	-	-		-	-		3,826	1.209	1.171 - 1.248
Ohio	-	-		-	-		61,500	1.297	1.286 - 1.307
Oklahoma	-	-		-	-		16,118	1.175	1.157 - 1.193
Oregon	-	-		-	-		22,522	1.376	1.359 - 1.395
Pennsylvania	-	-		-	-		73,482	1.458	1.448 - 1.469
Rhode Island	-	-		-	-		6,515	1.623	1.584 - 1.663
South Carolina	-	-		-	-		21,875	1.310	1.293 - 1.328
South Dakota	-	-		-	-		4,597	1.274	1.238 - 1.312
Tennessee	-	-		-	-		31,862	1.236	1.223 - 1.250
Texas	-	-		-	-		78,109	1.275	1.266 - 1.284
Utah	-	-		-	-		10,241	0.827	0.811 - 0.843
Vermont	-	-		-	-		4,273	1.437	1.394 - 1.481
Washington	-	-		-	-		37,418	1.418	1.403 - 1.432
WA - Seattle	-	-		-	-		26,080	1.468	1.450 - 1.486
West Virginia	-	-		-	-		10,578	1.235	1.212 - 1.259
Wisconsin	-	-		-	-		33,026	1.379	1.364 - 1.394
Wyoming	-	-		-	-		2,690	1.111	1.070 - 1.154

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		52,470	0.052	0.051 - 0.052
Alabama	-	-		-	-		946	0.057	0.053 - 0.061
Alaska	-	-		-	-		119	0.054	0.044 - 0.064
Arizona	-	-		-	-		845	0.042	0.039 - 0.045
Arkansas	-	-		-	-		674	0.060	0.055 - 0.065
California	-	-		-	-		3,826	0.050	0.049 - 0.052
CA - Greater California	-	-		-	-		2,490	0.052	0.050 - 0.054
CA - Greater Bay Area	-	-		-	-		655	0.046	0.042 - 0.049
CA - Los Angeles	-	-		-	-		682	0.050	0.046 - 0.054
Colorado	-	-		-	-		800	0.041	0.038 - 0.044
Connecticut	-	-		-	-		529	0.043	0.039 - 0.046
Delaware	-	-		-	-		194	0.062	0.053 - 0.071
Florida	-	-		-	-		3,420	0.058	0.056 - 0.060
Georgia	-	-		-	-		1,545	0.054	0.052 - 0.057
Hawaii	-	-		-	-		70	0.050	0.039 - 0.063
Idaho	-	-		-	-		288	0.040	0.035 - 0.045
Illinois	-	-		-	-		2,193	0.055	0.052 - 0.057
Iowa	-	-		-	-		675	0.049	0.045 - 0.053
Kansas	-	-		-	-		546	0.048	0.044 - 0.052
Kentucky	-	-		-	-		1,194	0.061	0.058 - 0.065
Louisiana	-	-		-	-		781	0.055	0.052 - 0.060
Maine	-	-		-	-		293	0.045	0.040 - 0.051
Maryland	-	-		-	-		752	0.047	0.044 - 0.051
MI - Detroit	-	-		-	-		595	0.047	0.043 - 0.051
Minnesota	-	-		-	-		931	0.041	0.038 - 0.044
Mississippi	-	-		-	-		514	0.059	0.054 - 0.065
Missouri	-	-		-	-		1,392	0.056	0.053 - 0.059
Montana	-	-		-	-		211	0.046	0.040 - 0.053
Nebraska	-	-		-	-		381	0.049	0.044 - 0.054
New Hampshire	-	-		-	-		237	0.038	0.033 - 0.043
New Jersey	-	-		-	-		1,387	0.054	0.052 - 0.057
New Mexico	-	-		-	-		234	0.058	0.051 - 0.066
New York	-	-		-	-		2,763	0.049	0.047 - 0.051
North Carolina	-	-		-	-		1,627	0.048	0.046 - 0.051
North Dakota	-	-		-	-		120	0.038	0.031 - 0.045
Ohio	-	-		-	-		2,585	0.055	0.052 - 0.057
Oklahoma	-	-		-	-		784	0.057	0.053 - 0.061
Oregon	-	-		-	-		816	0.050	0.047 - 0.053
Pennsylvania	-	-		-	-		2,570	0.051	0.049 - 0.053
Rhode Island	-	-		-	-		206	0.051	0.045 - 0.059
South Carolina	-	-		-	-		809	0.048	0.045 - 0.052
South Dakota	-	-		-	-		164	0.045	0.039 - 0.053
Tennessee	-	-		-	-		1,451	0.056	0.053 - 0.059
Texas	-	-		-	-		3,561	0.058	0.056 - 0.060
Utah	-	-		-	-		385	0.031	0.028 - 0.034
Vermont	-	-		-	-		109	0.037	0.030 - 0.044
Washington	-	-		-	-		1,333	0.051	0.048 - 0.053
WA - Seattle	-	-		-	-		957	0.054	0.050 - 0.057
West Virginia	-	-		-	-		580	0.068	0.062 - 0.073
Wisconsin	-	-		-	-		1,051	0.044	0.041 - 0.047
Wyoming	-	-		-	-		124	0.051	0.043 - 0.061

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		297,984	0.293	0.292 - 0.295
Alabama	-	-		-	-		3,274	0.198	0.191 - 0.204
Alaska	-	-		-	-		578	0.261	0.240 - 0.283
Arizona	-	-		-	-		5,088	0.254	0.248 - 0.262
Arkansas	-	-		-	-		2,597	0.231	0.222 - 0.240
California	-	-		-	-		23,600	0.311	0.307 - 0.315
CA - Greater California	-	-		-	-		14,454	0.302	0.297 - 0.307
CA - Greater Bay Area	-	-		-	-		4,664	0.325	0.315 - 0.334
CA - Los Angeles	-	-		-	-		4,484	0.327	0.318 - 0.337
Colorado	-	-		-	-		4,391	0.225	0.218 - 0.232
Connecticut	-	-		-	-		4,579	0.369	0.358 - 0.380
Delaware	-	-		-	-		1,115	0.355	0.334 - 0.376
Florida	-	-		-	-		16,110	0.274	0.269 - 0.278
Georgia	-	-		-	-		6,359	0.223	0.218 - 0.229
Hawaii	-	-		-	-		422	0.298	0.270 - 0.328
Idaho	-	-		-	-		1,591	0.220	0.210 - 0.231
Illinois	-	-		-	-		13,566	0.337	0.332 - 0.343
Iowa	-	-		-	-		4,482	0.326	0.317 - 0.336
Kansas	-	-		-	-		2,993	0.264	0.254 - 0.273
Kentucky	-	-		-	-		5,118	0.263	0.256 - 0.271
Louisiana	-	-		-	-		2,617	0.186	0.179 - 0.193
Maine	-	-		-	-		2,427	0.377	0.362 - 0.392
Maryland	-	-		-	-		5,021	0.315	0.306 - 0.324
MI - Detroit	-	-		-	-		4,395	0.347	0.337 - 0.357
Minnesota	-	-		-	-		7,396	0.325	0.318 - 0.332
Mississippi	-	-		-	-		1,817	0.209	0.200 - 0.219
Missouri	-	-		-	-		6,868	0.275	0.268 - 0.281
Montana	-	-		-	-		1,239	0.270	0.255 - 0.285
Nebraska	-	-		-	-		2,193	0.284	0.272 - 0.296
New Hampshire	-	-		-	-		2,221	0.356	0.342 - 0.371
New Jersey	-	-		-	-		10,328	0.405	0.397 - 0.413
New Mexico	-	-		-	-		1,317	0.328	0.310 - 0.346
New York	-	-		-	-		20,874	0.370	0.365 - 0.375
North Carolina	-	-		-	-		9,059	0.268	0.263 - 0.274
North Dakota	-	-		-	-		790	0.250	0.233 - 0.268
Ohio	-	-		-	-		15,361	0.324	0.319 - 0.329
Oklahoma	-	-		-	-		2,940	0.214	0.207 - 0.222
Oregon	-	-		-	-		5,125	0.313	0.305 - 0.322
Pennsylvania	-	-		-	-		19,081	0.379	0.373 - 0.384
Rhode Island	-	-		-	-		1,517	0.378	0.359 - 0.398
South Carolina	-	-		-	-		3,805	0.228	0.221 - 0.235
South Dakota	-	-		-	-		1,041	0.289	0.271 - 0.307
Tennessee	-	-		-	-		6,225	0.241	0.236 - 0.248
Texas	-	-		-	-		13,314	0.217	0.214 - 0.221
Utah	-	-		-	-		2,350	0.190	0.182 - 0.198
Vermont	-	-		-	-		1,148	0.386	0.364 - 0.409
Washington	-	-		-	-		7,448	0.282	0.276 - 0.289
WA - Seattle	-	-		-	-		5,153	0.290	0.282 - 0.298
West Virginia	-	-		-	-		2,995	0.350	0.337 - 0.363
Wisconsin	-	-		-	-		8,142	0.340	0.333 - 0.347
Wyoming	-	-		-	-		562	0.232	0.213 - 0.252

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		78,526	0.077	0.077 - 0.078
Alabama	-	-		-	-		1,221	0.074	0.070 - 0.078
Alaska	-	-		-	-		156	0.070	0.060 - 0.082
Arizona	-	-		-	-		1,477	0.074	0.070 - 0.078
Arkansas	-	-		-	-		733	0.065	0.061 - 0.070
California	-	-		-	-		6,637	0.087	0.085 - 0.090
CA - Greater California	-	-		-	-		3,989	0.083	0.081 - 0.086
CA - Greater Bay Area	-	-		-	-		1,301	0.091	0.086 - 0.096
CA - Los Angeles	-	-		-	-		1,347	0.098	0.093 - 0.104
Colorado	-	-		-	-		1,319	0.068	0.064 - 0.071
Connecticut	-	-		-	-		1,146	0.092	0.087 - 0.098
Delaware	-	-		-	-		248	0.079	0.069 - 0.089
Florida	-	-		-	-		4,955	0.084	0.082 - 0.087
Georgia	-	-		-	-		2,011	0.071	0.068 - 0.074
Hawaii	-	-		-	-		119	0.084	0.070 - 0.101
Idaho	-	-		-	-		414	0.057	0.052 - 0.063
Illinois	-	-		-	-		3,278	0.081	0.079 - 0.084
Iowa	-	-		-	-		933	0.068	0.064 - 0.072
Kansas	-	-		-	-		853	0.075	0.070 - 0.080
Kentucky	-	-		-	-		1,193	0.061	0.058 - 0.065
Louisiana	-	-		-	-		826	0.059	0.055 - 0.063
Maine	-	-		-	-		446	0.069	0.063 - 0.076
Maryland	-	-		-	-		1,348	0.085	0.080 - 0.089
MI - Detroit	-	-		-	-		1,126	0.089	0.084 - 0.094
Minnesota	-	-		-	-		1,719	0.076	0.072 - 0.079
Mississippi	-	-		-	-		562	0.065	0.059 - 0.070
Missouri	-	-		-	-		1,623	0.065	0.062 - 0.068
Montana	-	-		-	-		344	0.075	0.067 - 0.083
Nebraska	-	-		-	-		505	0.065	0.060 - 0.071
New Hampshire	-	-		-	-		461	0.074	0.067 - 0.081
New Jersey	-	-		-	-		2,527	0.099	0.095 - 0.103
New Mexico	-	-		-	-		344	0.086	0.077 - 0.095
New York	-	-		-	-		5,305	0.094	0.092 - 0.097
North Carolina	-	-		-	-		2,564	0.076	0.073 - 0.079
North Dakota	-	-		-	-		197	0.062	0.054 - 0.072
Ohio	-	-		-	-		3,469	0.073	0.071 - 0.076
Oklahoma	-	-		-	-		921	0.067	0.063 - 0.072
Oregon	-	-		-	-		1,203	0.074	0.069 - 0.078
Pennsylvania	-	-		-	-		4,417	0.088	0.085 - 0.090
Rhode Island	-	-		-	-		326	0.081	0.073 - 0.091
South Carolina	-	-		-	-		999	0.060	0.056 - 0.064
South Dakota	-	-		-	-		276	0.077	0.068 - 0.086
Tennessee	-	-		-	-		1,722	0.067	0.064 - 0.070
Texas	-	-		-	-		4,339	0.071	0.069 - 0.073
Utah	-	-		-	-		628	0.051	0.047 - 0.055
Vermont	-	-		-	-		225	0.076	0.066 - 0.086
Washington	-	-		-	-		1,970	0.075	0.071 - 0.078
WA - Seattle	-	-		-	-		1,343	0.076	0.072 - 0.080
West Virginia	-	-		-	-		674	0.079	0.073 - 0.085
Wisconsin	-	-		-	-		1,974	0.082	0.079 - 0.086
Wyoming	-	-		-	-		167	0.069	0.059 - 0.080

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		1,246,516	1.263	1.261 - 1.266	-	-	
Alabama	-	-		18,692	1.180	1.164 - 1.197	-	-	
Alaska	-	-		2,366	0.951	0.913 - 0.990	-	-	
Arizona	-	-		21,440	1.097	1.082 - 1.112	-	-	
Arkansas	-	-		13,283	1.223	1.203 - 1.244	-	-	
California	-	-		101,485	1.337	1.329 - 1.345	-	-	
CA - Greater California	-	-		62,475	1.321	1.310 - 1.331	-	-	
CA - Greater Bay Area	-	-		21,093	1.433	1.414 - 1.453	-	-	
CA - Los Angeles	-	-		17,913	1.290	1.271 - 1.309	-	-	
Colorado	-	-		19,526	0.994	0.980 - 1.008	-	-	
Connecticut	-	-		17,616	1.493	1.471 - 1.515	-	-	
Delaware	-	-		4,672	1.589	1.543 - 1.635	-	-	
Florida	-	-		78,657	1.389	1.379 - 1.399	-	-	
Georgia	-	-		32,748	1.189	1.176 - 1.202	-	-	
Hawaii	-	-		1,950	1.167	1.116 - 1.220	-	-	
Idaho	-	-		8,117	1.126	1.102 - 1.151	-	-	
Illinois	-	-		50,855	1.307	1.296 - 1.319	-	-	
Iowa	-	-		16,404	1.222	1.203 - 1.241	-	-	
Kansas	-	-		13,990	1.262	1.241 - 1.283	-	-	
Kentucky	-	-		19,704	1.054	1.040 - 1.069	-	-	
Louisiana	-	-		18,493	1.356	1.337 - 1.376	-	-	
Maine	-	-		7,524	1.220	1.193 - 1.248	-	-	
Maryland	-	-		21,282	1.390	1.372 - 1.409	-	-	
MI - Detroit	-	-		18,334	1.487	1.466 - 1.509	-	-	
Minnesota	-	-		29,507	1.317	1.302 - 1.332	-	-	
Mississippi	-	-		10,565	1.261	1.237 - 1.285	-	-	
Missouri	-	-		25,417	1.049	1.036 - 1.062	-	-	
Montana	-	-		6,460	1.387	1.354 - 1.421	-	-	
Nebraska	-	-		9,442	1.243	1.218 - 1.269	-	-	
New Hampshire	-	-		8,595	1.414	1.384 - 1.444	-	-	
New Jersey	-	-		41,340	1.701	1.685 - 1.718	-	-	
New Mexico	-	-		5,817	1.476	1.439 - 1.515	-	-	
New York	-	-		81,233	1.503	1.493 - 1.513	-	-	
North Carolina	-	-		40,398	1.251	1.239 - 1.263	-	-	
North Dakota	-	-		4,157	1.262	1.224 - 1.301	-	-	
Ohio	-	-		51,169	1.119	1.109 - 1.129	-	-	
Oklahoma	-	-		14,059	1.059	1.041 - 1.076	-	-	
Oregon	-	-		18,878	1.188	1.171 - 1.205	-	-	
Pennsylvania	-	-		62,329	1.290	1.280 - 1.300	-	-	
Rhode Island	-	-		5,088	1.362	1.325 - 1.400	-	-	
South Carolina	-	-		18,880	1.184	1.167 - 1.201	-	-	
South Dakota	-	-		4,893	1.344	1.306 - 1.382	-	-	
Tennessee	-	-		29,894	1.212	1.199 - 1.226	-	-	
Texas	-	-		66,055	1.098	1.089 - 1.106	-	-	
Utah	-	-		12,031	0.964	0.947 - 0.981	-	-	
Vermont	-	-		3,476	1.201	1.162 - 1.242	-	-	
Washington	-	-		31,895	1.214	1.200 - 1.227	-	-	
WA - Seattle	-	-		23,089	1.298	1.281 - 1.315	-	-	
West Virginia	-	-		9,495	1.142	1.119 - 1.165	-	-	
Wisconsin	-	-		30,734	1.300	1.286 - 1.315	-	-	
Wyoming	-	-		3,219	1.290	1.245 - 1.335	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		60,155	0.061	0.060 - 0.061	-	-	
Alabama	-	-		776	0.049	0.046 - 0.053	-	-	
Alaska	-	-		161	0.065	0.055 - 0.076	-	-	
Arizona	-	-		986	0.050	0.047 - 0.054	-	-	
Arkansas	-	-		541	0.050	0.046 - 0.054	-	-	
California	-	-		5,313	0.070	0.068 - 0.072	-	-	
CA - Greater California	-	-		3,124	0.066	0.064 - 0.068	-	-	
CA - Greater Bay Area	-	-		1,175	0.080	0.075 - 0.085	-	-	
CA - Los Angeles	-	-		1,013	0.073	0.069 - 0.078	-	-	
Colorado	-	-		1,091	0.056	0.052 - 0.059	-	-	
Connecticut	-	-		804	0.068	0.064 - 0.073	-	-	
Delaware	-	-		168	0.057	0.049 - 0.066	-	-	
Florida	-	-		2,677	0.047	0.046 - 0.049	-	-	
Georgia	-	-		1,434	0.052	0.049 - 0.055	-	-	
Hawaii	-	-		152	0.091	0.077 - 0.106	-	-	
Idaho	-	-		417	0.058	0.052 - 0.064	-	-	
Illinois	-	-		2,642	0.068	0.065 - 0.071	-	-	
Iowa	-	-		829	0.062	0.058 - 0.066	-	-	
Kansas	-	-		669	0.060	0.056 - 0.065	-	-	
Kentucky	-	-		1,006	0.054	0.051 - 0.057	-	-	
Louisiana	-	-		770	0.056	0.053 - 0.061	-	-	
Maine	-	-		360	0.058	0.053 - 0.065	-	-	
Maryland	-	-		945	0.062	0.058 - 0.066	-	-	
MI - Detroit	-	-		809	0.066	0.061 - 0.070	-	-	
Minnesota	-	-		1,583	0.071	0.067 - 0.074	-	-	
Mississippi	-	-		391	0.047	0.042 - 0.052	-	-	
Missouri	-	-		1,254	0.052	0.049 - 0.055	-	-	
Montana	-	-		290	0.062	0.055 - 0.070	-	-	
Nebraska	-	-		524	0.069	0.063 - 0.075	-	-	
New Hampshire	-	-		403	0.066	0.060 - 0.073	-	-	
New Jersey	-	-		1,728	0.071	0.068 - 0.075	-	-	
New Mexico	-	-		227	0.058	0.050 - 0.066	-	-	
New York	-	-		4,105	0.076	0.074 - 0.078	-	-	
North Carolina	-	-		1,820	0.056	0.054 - 0.059	-	-	
North Dakota	-	-		205	0.062	0.054 - 0.071	-	-	
Ohio	-	-		2,556	0.056	0.054 - 0.058	-	-	
Oklahoma	-	-		637	0.048	0.044 - 0.052	-	-	
Oregon	-	-		1,026	0.065	0.061 - 0.069	-	-	
Pennsylvania	-	-		3,272	0.068	0.065 - 0.070	-	-	
Rhode Island	-	-		283	0.076	0.067 - 0.085	-	-	
South Carolina	-	-		737	0.046	0.043 - 0.050	-	-	
South Dakota	-	-		206	0.057	0.049 - 0.065	-	-	
Tennessee	-	-		1,302	0.053	0.050 - 0.056	-	-	
Texas	-	-		3,277	0.054	0.053 - 0.056	-	-	
Utah	-	-		844	0.068	0.063 - 0.072	-	-	
Vermont	-	-		187	0.065	0.056 - 0.075	-	-	
Washington	-	-		1,776	0.068	0.064 - 0.071	-	-	
WA - Seattle	-	-		1,324	0.074	0.070 - 0.079	-	-	
West Virginia	-	-		431	0.052	0.047 - 0.057	-	-	
Wisconsin	-	-		1,612	0.068	0.065 - 0.072	-	-	
Wyoming	-	-		163	0.065	0.056 - 0.076	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	383,305	0.192	0.191 - 0.192	294,641	0.299	0.298 - 0.300	88,547	0.087	0.087 - 0.088
Alabama	5,235	0.162	0.157 - 0.166	4,108	0.259	0.252 - 0.267	1,127	0.068	0.064 - 0.072
Alaska	732	0.156	0.145 - 0.167	567	0.228	0.210 - 0.247	165	0.074	0.064 - 0.087
Arizona	8,054	0.204	0.199 - 0.208	6,236	0.319	0.311 - 0.327	1,818	0.091	0.087 - 0.095
Arkansas	3,652	0.165	0.160 - 0.171	2,908	0.268	0.258 - 0.278	744	0.066	0.061 - 0.071
California	30,182	0.199	0.197 - 0.201	23,493	0.309	0.306 - 0.313	6,689	0.088	0.086 - 0.090
CA - Greater California	18,500	0.194	0.192 - 0.197	14,402	0.304	0.299 - 0.309	4,098	0.086	0.083 - 0.088
CA - Greater Bay Area	5,829	0.200	0.195 - 0.206	4,472	0.304	0.295 - 0.313	1,357	0.094	0.089 - 0.100
CA - Los Angeles	5,868	0.213	0.207 - 0.218	4,630	0.333	0.324 - 0.343	1,238	0.090	0.085 - 0.095
Colorado	5,479	0.140	0.136 - 0.144	4,236	0.216	0.209 - 0.222	1,243	0.064	0.060 - 0.067
Connecticut	6,432	0.266	0.259 - 0.272	4,836	0.410	0.398 - 0.422	1,597	0.129	0.122 - 0.135
Delaware	1,508	0.248	0.236 - 0.261	1,158	0.394	0.371 - 0.417	350	0.111	0.100 - 0.124
Florida	27,401	0.237	0.234 - 0.240	21,186	0.374	0.369 - 0.379	6,215	0.106	0.103 - 0.108
Georgia	8,802	0.157	0.154 - 0.160	6,914	0.251	0.245 - 0.257	1,888	0.066	0.063 - 0.069
Hawaii	589	0.191	0.176 - 0.207	488	0.292	0.266 - 0.319	102	0.072	0.059 - 0.087
Idaho	2,307	0.160	0.153 - 0.166	1,814	0.252	0.240 - 0.264	492	0.068	0.062 - 0.074
Illinois	16,128	0.204	0.201 - 0.207	12,261	0.315	0.310 - 0.321	3,867	0.096	0.093 - 0.099
Iowa	4,754	0.175	0.170 - 0.180	3,695	0.275	0.266 - 0.284	1,059	0.077	0.072 - 0.082
Kansas	4,032	0.180	0.174 - 0.185	3,114	0.281	0.271 - 0.291	918	0.081	0.076 - 0.086
Kentucky	6,382	0.167	0.163 - 0.172	4,894	0.262	0.255 - 0.269	1,487	0.077	0.073 - 0.081
Louisiana	4,711	0.170	0.165 - 0.175	3,718	0.273	0.264 - 0.282	993	0.071	0.066 - 0.075
Maine	3,044	0.241	0.233 - 0.250	2,300	0.373	0.358 - 0.389	744	0.115	0.107 - 0.124
Maryland	6,118	0.196	0.191 - 0.201	4,713	0.308	0.299 - 0.317	1,405	0.088	0.084 - 0.093
MI - Detroit	5,280	0.211	0.206 - 0.217	4,028	0.327	0.317 - 0.337	1,252	0.099	0.093 - 0.104
Minnesota	8,174	0.181	0.177 - 0.185	6,279	0.280	0.273 - 0.287	1,895	0.083	0.080 - 0.087
Mississippi	2,864	0.168	0.162 - 0.174	2,251	0.269	0.258 - 0.280	613	0.071	0.065 - 0.076
Missouri	7,818	0.159	0.155 - 0.162	6,049	0.250	0.243 - 0.256	1,769	0.071	0.067 - 0.074
Montana	1,748	0.189	0.180 - 0.198	1,317	0.283	0.268 - 0.298	431	0.094	0.085 - 0.103
Nebraska	2,502	0.163	0.157 - 0.170	1,923	0.253	0.242 - 0.265	579	0.075	0.069 - 0.081
New Hampshire	2,942	0.239	0.230 - 0.248	2,214	0.364	0.349 - 0.380	728	0.117	0.108 - 0.126
New Jersey	12,417	0.249	0.245 - 0.254	9,185	0.378	0.370 - 0.386	3,232	0.127	0.122 - 0.131
New Mexico	1,566	0.197	0.187 - 0.207	1,227	0.311	0.294 - 0.329	338	0.084	0.075 - 0.094
New York	28,072	0.254	0.251 - 0.257	21,107	0.391	0.385 - 0.396	6,965	0.124	0.121 - 0.126
North Carolina	12,140	0.184	0.180 - 0.187	9,281	0.287	0.282 - 0.293	2,859	0.085	0.082 - 0.088
North Dakota	1,019	0.158	0.148 - 0.168	807	0.245	0.228 - 0.263	212	0.067	0.058 - 0.077
Ohio	16,507	0.177	0.175 - 0.180	12,727	0.278	0.274 - 0.283	3,780	0.080	0.077 - 0.082
Oklahoma	4,117	0.153	0.148 - 0.157	3,225	0.243	0.235 - 0.251	892	0.065	0.061 - 0.069
Oregon	5,954	0.185	0.180 - 0.189	4,605	0.290	0.281 - 0.298	1,349	0.082	0.078 - 0.087
Pennsylvania	22,648	0.229	0.226 - 0.232	17,158	0.355	0.350 - 0.360	5,490	0.109	0.106 - 0.112
Rhode Island	2,135	0.276	0.264 - 0.287	1,585	0.424	0.404 - 0.446	550	0.137	0.126 - 0.149
South Carolina	5,578	0.171	0.166 - 0.175	4,341	0.272	0.264 - 0.281	1,237	0.074	0.070 - 0.078
South Dakota	1,207	0.166	0.157 - 0.176	919	0.252	0.236 - 0.269	288	0.080	0.071 - 0.090
Tennessee	8,291	0.164	0.161 - 0.168	6,386	0.259	0.253 - 0.265	1,905	0.074	0.071 - 0.077
Texas	17,643	0.145	0.143 - 0.147	13,820	0.230	0.226 - 0.234	3,823	0.062	0.060 - 0.064
Utah	2,246	0.090	0.087 - 0.094	1,845	0.148	0.141 - 0.155	401	0.032	0.029 - 0.036
Vermont	1,191	0.203	0.192 - 0.215	901	0.311	0.291 - 0.332	290	0.098	0.087 - 0.109
Washington	9,121	0.173	0.170 - 0.177	7,038	0.268	0.262 - 0.274	2,083	0.079	0.076 - 0.082
WA - Seattle	6,304	0.177	0.173 - 0.182	4,871	0.274	0.266 - 0.282	1,433	0.081	0.077 - 0.085
West Virginia	3,283	0.195	0.188 - 0.201	2,492	0.300	0.288 - 0.312	791	0.092	0.086 - 0.099
Wisconsin	9,398	0.197	0.194 - 0.202	7,211	0.305	0.298 - 0.312	2,187	0.091	0.088 - 0.095
Wyoming	839	0.171	0.159 - 0.183	649	0.260	0.240 - 0.281	190	0.078	0.068 - 0.090

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	289,746	0.145	0.144 - 0.145	181,984	0.184	0.183 - 0.185	107,749	0.106	0.105 - 0.107
Alabama	4,914	0.152	0.147 - 0.156	2,992	0.189	0.182 - 0.196	1,922	0.116	0.111 - 0.121
Alaska	574	0.122	0.112 - 0.132	369	0.148	0.134 - 0.164	205	0.093	0.080 - 0.106
Arizona	5,531	0.140	0.136 - 0.144	3,503	0.179	0.173 - 0.185	2,028	0.101	0.097 - 0.106
Arkansas	3,460	0.157	0.151 - 0.162	2,128	0.196	0.188 - 0.205	1,332	0.118	0.112 - 0.125
California	20,430	0.135	0.133 - 0.136	13,420	0.177	0.174 - 0.180	7,010	0.092	0.090 - 0.095
CA - Greater California	13,100	0.138	0.135 - 0.140	8,459	0.179	0.175 - 0.183	4,641	0.097	0.094 - 0.100
CA - Greater Bay Area	3,702	0.127	0.123 - 0.131	2,532	0.172	0.165 - 0.179	1,170	0.081	0.077 - 0.086
CA - Los Angeles	3,632	0.132	0.127 - 0.136	2,435	0.175	0.168 - 0.182	1,198	0.087	0.082 - 0.092
Colorado	3,796	0.097	0.094 - 0.100	2,409	0.123	0.118 - 0.128	1,387	0.071	0.067 - 0.075
Connecticut	3,649	0.151	0.146 - 0.156	2,391	0.203	0.195 - 0.211	1,258	0.101	0.096 - 0.107
Delaware	954	0.157	0.147 - 0.167	615	0.209	0.193 - 0.226	339	0.108	0.097 - 0.120
Florida	16,891	0.146	0.144 - 0.148	10,801	0.191	0.187 - 0.194	6,090	0.103	0.101 - 0.106
Georgia	7,320	0.131	0.128 - 0.134	4,536	0.165	0.160 - 0.170	2,785	0.098	0.094 - 0.102
Hawaii	418	0.135	0.123 - 0.149	297	0.177	0.158 - 0.199	121	0.085	0.071 - 0.102
Idaho	1,628	0.113	0.107 - 0.118	1,011	0.140	0.132 - 0.149	617	0.085	0.079 - 0.092
Illinois	12,306	0.156	0.153 - 0.158	7,654	0.197	0.192 - 0.201	4,652	0.116	0.112 - 0.119
Iowa	3,960	0.146	0.141 - 0.150	2,509	0.187	0.180 - 0.194	1,452	0.106	0.100 - 0.111
Kansas	3,431	0.153	0.148 - 0.158	2,103	0.190	0.182 - 0.198	1,328	0.117	0.111 - 0.123
Kentucky	6,170	0.162	0.158 - 0.166	3,703	0.198	0.192 - 0.205	2,467	0.127	0.122 - 0.132
Louisiana	5,081	0.183	0.178 - 0.188	3,115	0.228	0.221 - 0.237	1,966	0.140	0.134 - 0.146
Maine	1,869	0.148	0.142 - 0.155	1,135	0.184	0.174 - 0.195	734	0.114	0.106 - 0.122
Maryland	4,363	0.140	0.136 - 0.144	2,708	0.177	0.170 - 0.184	1,655	0.104	0.099 - 0.109
MI - Detroit	3,660	0.146	0.142 - 0.151	2,292	0.186	0.178 - 0.194	1,368	0.108	0.102 - 0.114
Minnesota	6,204	0.137	0.134 - 0.141	4,026	0.180	0.174 - 0.185	2,178	0.096	0.092 - 0.100
Mississippi	2,961	0.174	0.167 - 0.180	1,791	0.214	0.204 - 0.224	1,170	0.135	0.127 - 0.143
Missouri	7,244	0.147	0.144 - 0.151	4,436	0.183	0.178 - 0.189	2,808	0.112	0.108 - 0.116
Montana	1,108	0.120	0.113 - 0.127	705	0.151	0.140 - 0.163	403	0.088	0.079 - 0.097
Nebraska	2,048	0.134	0.128 - 0.140	1,277	0.168	0.159 - 0.178	771	0.100	0.093 - 0.107
New Hampshire	1,709	0.139	0.132 - 0.146	1,108	0.182	0.172 - 0.193	601	0.096	0.089 - 0.104
New Jersey	8,121	0.163	0.160 - 0.167	5,214	0.215	0.209 - 0.220	2,907	0.114	0.110 - 0.118
New Mexico	924	0.116	0.109 - 0.124	568	0.144	0.133 - 0.157	356	0.088	0.080 - 0.098
New York	18,105	0.164	0.162 - 0.166	11,626	0.215	0.211 - 0.219	6,479	0.115	0.112 - 0.118
North Carolina	9,484	0.144	0.141 - 0.146	5,939	0.184	0.179 - 0.189	3,545	0.105	0.101 - 0.108
North Dakota	796	0.123	0.115 - 0.132	512	0.155	0.142 - 0.170	284	0.090	0.080 - 0.101
Ohio	13,190	0.142	0.139 - 0.144	7,937	0.174	0.170 - 0.177	5,253	0.111	0.108 - 0.114
Oklahoma	3,769	0.140	0.135 - 0.144	2,213	0.167	0.160 - 0.174	1,556	0.113	0.108 - 0.119
Oregon	4,367	0.135	0.131 - 0.139	2,786	0.175	0.169 - 0.182	1,581	0.097	0.092 - 0.102
Pennsylvania	15,280	0.155	0.152 - 0.157	9,556	0.198	0.194 - 0.202	5,724	0.114	0.111 - 0.117
Rhode Island	1,252	0.162	0.153 - 0.171	770	0.206	0.192 - 0.221	482	0.120	0.110 - 0.131
South Carolina	4,547	0.139	0.135 - 0.143	2,814	0.177	0.170 - 0.183	1,733	0.104	0.099 - 0.109
South Dakota	917	0.126	0.118 - 0.135	603	0.166	0.153 - 0.179	314	0.087	0.078 - 0.097
Tennessee	7,557	0.150	0.146 - 0.153	4,716	0.191	0.186 - 0.197	2,841	0.110	0.106 - 0.114
Texas	18,208	0.150	0.148 - 0.152	11,399	0.189	0.186 - 0.193	6,809	0.111	0.109 - 0.114
Utah	1,938	0.078	0.075 - 0.081	1,213	0.097	0.092 - 0.103	725	0.059	0.054 - 0.063
Vermont	749	0.128	0.119 - 0.137	488	0.169	0.154 - 0.184	261	0.088	0.077 - 0.099
Washington	6,692	0.127	0.124 - 0.130	4,193	0.160	0.155 - 0.164	2,499	0.095	0.091 - 0.098
WA - Seattle	4,579	0.129	0.125 - 0.133	2,897	0.163	0.157 - 0.169	1,682	0.095	0.090 - 0.099
West Virginia	2,867	0.170	0.164 - 0.176	1,683	0.202	0.193 - 0.212	1,184	0.138	0.131 - 0.146
Wisconsin	7,169	0.151	0.147 - 0.154	4,541	0.192	0.187 - 0.198	2,628	0.110	0.106 - 0.114
Wyoming	565	0.115	0.106 - 0.125	363	0.145	0.131 - 0.161	202	0.083	0.072 - 0.096

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	57,579	0.029	0.028 - 0.029	31,402	0.032	0.031 - 0.032	26,176	0.026	0.025 - 0.026
Alabama	792	0.024	0.023 - 0.026	416	0.026	0.024 - 0.029	376	0.023	0.020 - 0.025
Alaska	141	0.030	0.025 - 0.035	90	0.036	0.029 - 0.044	51	0.023	0.017 - 0.030
Arizona	1,078	0.027	0.026 - 0.029	578	0.030	0.027 - 0.032	500	0.025	0.023 - 0.027
Arkansas	633	0.029	0.026 - 0.031	360	0.033	0.030 - 0.037	273	0.024	0.021 - 0.027
California	4,510	0.030	0.029 - 0.031	2,579	0.034	0.033 - 0.035	1,931	0.025	0.024 - 0.027
CA - Greater California	2,761	0.029	0.028 - 0.030	1,556	0.033	0.031 - 0.035	1,204	0.025	0.024 - 0.027
CA - Greater Bay Area	928	0.032	0.030 - 0.034	531	0.036	0.033 - 0.039	397	0.028	0.025 - 0.031
CA - Los Angeles	822	0.030	0.028 - 0.032	492	0.035	0.032 - 0.039	330	0.024	0.022 - 0.027
Colorado	1,041	0.027	0.025 - 0.028	589	0.030	0.028 - 0.033	452	0.023	0.021 - 0.025
Connecticut	722	0.030	0.028 - 0.032	392	0.033	0.030 - 0.037	330	0.027	0.024 - 0.030
Delaware	160	0.026	0.022 - 0.031	80	0.027	0.022 - 0.034	80	0.025	0.020 - 0.032
Florida	3,132	0.027	0.026 - 0.028	1,705	0.030	0.029 - 0.032	1,427	0.024	0.023 - 0.026
Georgia	1,467	0.026	0.025 - 0.028	767	0.028	0.026 - 0.030	700	0.025	0.023 - 0.026
Hawaii	82	0.027	0.021 - 0.033	52	0.031	0.023 - 0.041	30	0.021	0.014 - 0.030
Idaho	374	0.026	0.023 - 0.029	212	0.029	0.026 - 0.034	162	0.022	0.019 - 0.026
Illinois	2,328	0.029	0.028 - 0.031	1,261	0.032	0.031 - 0.034	1,067	0.027	0.025 - 0.028
Iowa	768	0.028	0.026 - 0.030	391	0.029	0.026 - 0.032	377	0.027	0.025 - 0.030
Kansas	630	0.028	0.026 - 0.030	338	0.030	0.027 - 0.034	292	0.026	0.023 - 0.029
Kentucky	1,126	0.030	0.028 - 0.031	625	0.033	0.031 - 0.036	501	0.026	0.024 - 0.028
Louisiana	722	0.026	0.024 - 0.028	376	0.028	0.025 - 0.030	346	0.025	0.022 - 0.027
Maine	402	0.032	0.029 - 0.035	216	0.035	0.031 - 0.040	186	0.029	0.025 - 0.033
Maryland	876	0.028	0.026 - 0.030	464	0.030	0.028 - 0.033	412	0.026	0.023 - 0.028
MI - Detroit	641	0.026	0.024 - 0.028	354	0.029	0.026 - 0.032	288	0.023	0.020 - 0.025
Minnesota	1,326	0.029	0.028 - 0.031	719	0.032	0.030 - 0.035	607	0.027	0.025 - 0.029
Mississippi	460	0.027	0.025 - 0.030	252	0.030	0.026 - 0.034	208	0.024	0.021 - 0.027
Missouri	1,379	0.028	0.027 - 0.030	733	0.030	0.028 - 0.033	646	0.026	0.024 - 0.028
Montana	233	0.025	0.022 - 0.029	133	0.029	0.024 - 0.034	100	0.022	0.018 - 0.026
Nebraska	433	0.028	0.026 - 0.031	239	0.031	0.028 - 0.036	194	0.025	0.022 - 0.029
New Hampshire	395	0.032	0.029 - 0.035	208	0.034	0.030 - 0.039	187	0.030	0.026 - 0.035
New Jersey	1,628	0.033	0.031 - 0.034	869	0.036	0.033 - 0.038	760	0.030	0.028 - 0.032
New Mexico	208	0.026	0.023 - 0.030	105	0.027	0.022 - 0.032	103	0.026	0.021 - 0.031
New York	3,606	0.033	0.032 - 0.034	1,932	0.036	0.034 - 0.037	1,674	0.030	0.028 - 0.031
North Carolina	1,783	0.027	0.026 - 0.028	964	0.030	0.028 - 0.032	819	0.024	0.023 - 0.026
North Dakota	150	0.023	0.020 - 0.027	88	0.027	0.021 - 0.033	62	0.020	0.015 - 0.025
Ohio	2,575	0.028	0.027 - 0.029	1,434	0.031	0.030 - 0.033	1,141	0.024	0.023 - 0.025
Oklahoma	645	0.024	0.022 - 0.026	333	0.025	0.022 - 0.028	312	0.023	0.020 - 0.025
Oregon	929	0.029	0.027 - 0.031	505	0.032	0.029 - 0.035	424	0.026	0.024 - 0.029
Pennsylvania	2,962	0.030	0.029 - 0.031	1,668	0.035	0.033 - 0.036	1,294	0.026	0.024 - 0.027
Rhode Island	210	0.027	0.024 - 0.031	106	0.028	0.023 - 0.034	104	0.026	0.021 - 0.031
South Carolina	789	0.024	0.023 - 0.026	430	0.027	0.024 - 0.030	359	0.021	0.019 - 0.024
South Dakota	162	0.022	0.019 - 0.026	97	0.027	0.022 - 0.032	65	0.018	0.014 - 0.023
Tennessee	1,282	0.025	0.024 - 0.027	669	0.027	0.025 - 0.029	613	0.024	0.022 - 0.026
Texas	3,889	0.032	0.031 - 0.033	2,123	0.035	0.034 - 0.037	1,766	0.029	0.028 - 0.030
Utah	708	0.028	0.026 - 0.031	391	0.031	0.028 - 0.035	317	0.026	0.023 - 0.029
Vermont	167	0.028	0.024 - 0.033	101	0.035	0.028 - 0.042	66	0.022	0.017 - 0.028
Washington	1,619	0.031	0.029 - 0.032	887	0.034	0.032 - 0.036	732	0.028	0.026 - 0.030
WA - Seattle	1,192	0.034	0.032 - 0.035	657	0.037	0.034 - 0.040	535	0.030	0.028 - 0.033
West Virginia	481	0.029	0.026 - 0.031	255	0.031	0.027 - 0.035	226	0.026	0.023 - 0.030
Wisconsin	1,354	0.028	0.027 - 0.030	736	0.031	0.029 - 0.033	618	0.026	0.024 - 0.028
Wyoming	123	0.025	0.021 - 0.030	65	0.026	0.020 - 0.033	58	0.024	0.018 - 0.031

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	309,627	0.154	0.154 - 0.155	78,843	0.080	0.079 - 0.080	230,812	0.227	0.226 - 0.228
Alabama	3,360	0.104	0.100 - 0.107	860	0.054	0.051 - 0.058	2,500	0.151	0.145 - 0.157
Alaska	562	0.119	0.110 - 0.130	150	0.060	0.051 - 0.071	412	0.186	0.168 - 0.205
Arizona	6,322	0.160	0.156 - 0.164	1,541	0.079	0.075 - 0.083	4,781	0.239	0.232 - 0.246
Arkansas	2,507	0.113	0.109 - 0.118	628	0.058	0.053 - 0.063	1,879	0.167	0.160 - 0.175
California	22,212	0.146	0.144 - 0.148	5,965	0.079	0.077 - 0.081	16,247	0.214	0.211 - 0.217
CA - Greater California	13,572	0.143	0.140 - 0.145	3,543	0.075	0.072 - 0.077	10,029	0.210	0.206 - 0.214
CA - Greater Bay Area	3,878	0.133	0.129 - 0.138	1,124	0.076	0.072 - 0.081	2,754	0.192	0.185 - 0.199
CA - Los Angeles	4,760	0.172	0.168 - 0.177	1,296	0.093	0.088 - 0.099	3,464	0.253	0.244 - 0.261
Colorado	5,844	0.149	0.145 - 0.153	1,546	0.079	0.075 - 0.083	4,298	0.220	0.214 - 0.227
Connecticut	5,050	0.209	0.203 - 0.214	1,292	0.110	0.104 - 0.116	3,758	0.303	0.293 - 0.313
Delaware	982	0.161	0.151 - 0.172	229	0.078	0.068 - 0.089	753	0.240	0.223 - 0.257
Florida	14,074	0.122	0.120 - 0.124	3,861	0.068	0.066 - 0.070	10,213	0.173	0.170 - 0.177
Georgia	7,558	0.135	0.132 - 0.138	1,893	0.069	0.066 - 0.072	5,666	0.199	0.194 - 0.204
Hawaii	437	0.141	0.128 - 0.155	135	0.081	0.068 - 0.095	302	0.213	0.190 - 0.239
Idaho	2,102	0.146	0.139 - 0.152	486	0.067	0.062 - 0.074	1,616	0.224	0.213 - 0.235
Illinois	13,282	0.168	0.165 - 0.171	3,430	0.088	0.085 - 0.091	9,852	0.245	0.240 - 0.250
Iowa	3,740	0.138	0.133 - 0.142	947	0.071	0.066 - 0.075	2,793	0.203	0.196 - 0.211
Kansas	3,608	0.161	0.156 - 0.166	897	0.081	0.076 - 0.086	2,711	0.239	0.230 - 0.248
Kentucky	5,775	0.151	0.148 - 0.155	1,408	0.075	0.071 - 0.079	4,367	0.225	0.218 - 0.231
Louisiana	4,287	0.155	0.150 - 0.159	1,063	0.078	0.073 - 0.083	3,224	0.229	0.221 - 0.237
Maine	1,931	0.153	0.146 - 0.160	519	0.084	0.077 - 0.092	1,412	0.219	0.208 - 0.231
Maryland	5,496	0.176	0.171 - 0.181	1,398	0.091	0.087 - 0.096	4,098	0.257	0.249 - 0.265
MI - Detroit	4,497	0.180	0.175 - 0.185	1,076	0.087	0.082 - 0.093	3,421	0.270	0.261 - 0.279
Minnesota	5,718	0.127	0.123 - 0.130	1,462	0.065	0.062 - 0.069	4,256	0.187	0.181 - 0.193
Mississippi	2,054	0.120	0.115 - 0.126	515	0.061	0.056 - 0.067	1,539	0.177	0.169 - 0.186
Missouri	6,201	0.126	0.123 - 0.129	1,537	0.063	0.060 - 0.067	4,664	0.186	0.181 - 0.192
Montana	1,259	0.136	0.129 - 0.144	331	0.071	0.064 - 0.079	928	0.202	0.189 - 0.216
Nebraska	2,159	0.141	0.135 - 0.147	502	0.066	0.060 - 0.072	1,657	0.214	0.204 - 0.225
New Hampshire	1,917	0.156	0.149 - 0.163	498	0.082	0.075 - 0.089	1,419	0.228	0.216 - 0.240
New Jersey	11,809	0.237	0.233 - 0.241	3,081	0.127	0.122 - 0.131	8,729	0.342	0.335 - 0.350
New Mexico	1,413	0.177	0.168 - 0.187	333	0.085	0.076 - 0.094	1,080	0.269	0.253 - 0.285
New York	24,525	0.222	0.219 - 0.225	6,478	0.120	0.117 - 0.123	18,047	0.320	0.315 - 0.325
North Carolina	8,976	0.136	0.133 - 0.139	2,264	0.070	0.067 - 0.073	6,712	0.199	0.194 - 0.203
North Dakota	978	0.151	0.142 - 0.161	228	0.069	0.061 - 0.079	750	0.237	0.220 - 0.255
Ohio	13,883	0.149	0.147 - 0.152	3,165	0.069	0.067 - 0.072	10,718	0.226	0.222 - 0.230
Oklahoma	3,267	0.121	0.117 - 0.125	790	0.059	0.055 - 0.064	2,477	0.181	0.174 - 0.188
Oregon	4,201	0.130	0.126 - 0.134	1,053	0.066	0.062 - 0.070	3,148	0.192	0.186 - 0.199
Pennsylvania	21,603	0.219	0.216 - 0.222	5,404	0.112	0.109 - 0.115	16,199	0.321	0.317 - 0.326
Rhode Island	1,657	0.214	0.204 - 0.224	423	0.113	0.103 - 0.125	1,234	0.307	0.291 - 0.325
South Carolina	3,929	0.120	0.117 - 0.124	962	0.060	0.057 - 0.064	2,967	0.178	0.171 - 0.184
South Dakota	963	0.133	0.125 - 0.142	250	0.069	0.060 - 0.078	713	0.198	0.183 - 0.213
Tennessee	7,013	0.139	0.136 - 0.142	1,798	0.073	0.070 - 0.076	5,215	0.202	0.197 - 0.208
Texas	16,360	0.135	0.133 - 0.137	4,382	0.073	0.071 - 0.075	11,978	0.196	0.192 - 0.199
Utah	3,844	0.155	0.150 - 0.160	868	0.070	0.065 - 0.074	2,975	0.240	0.232 - 0.249
Vermont	832	0.142	0.132 - 0.152	212	0.073	0.064 - 0.084	620	0.208	0.192 - 0.226
Washington	7,026	0.133	0.130 - 0.137	1,816	0.069	0.066 - 0.072	5,210	0.197	0.192 - 0.203
WA - Seattle	4,883	0.137	0.133 - 0.141	1,281	0.072	0.068 - 0.076	3,603	0.203	0.196 - 0.209
West Virginia	2,791	0.165	0.159 - 0.172	628	0.076	0.070 - 0.082	2,163	0.253	0.242 - 0.263
Wisconsin	6,549	0.138	0.134 - 0.141	1,662	0.070	0.067 - 0.074	4,887	0.204	0.198 - 0.210
Wyoming	695	0.141	0.131 - 0.152	178	0.071	0.061 - 0.083	517	0.214	0.196 - 0.233

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	50,360	0.025	0.025 - 0.025	27,491	0.028	0.027 - 0.028	22,868	0.022	0.022 - 0.023
Alabama	614	0.019	0.017 - 0.021	333	0.021	0.019 - 0.023	281	0.017	0.015 - 0.019
Alaska	94	0.020	0.016 - 0.024	51	0.021	0.015 - 0.027	43	0.019	0.014 - 0.026
Arizona	762	0.019	0.018 - 0.021	410	0.021	0.019 - 0.023	352	0.018	0.016 - 0.020
Arkansas	493	0.022	0.020 - 0.024	279	0.026	0.023 - 0.029	214	0.019	0.017 - 0.022
California	3,861	0.025	0.025 - 0.026	2,097	0.028	0.026 - 0.029	1,764	0.023	0.022 - 0.024
CA - Greater California	2,344	0.025	0.024 - 0.026	1,274	0.027	0.025 - 0.028	1,071	0.022	0.021 - 0.024
CA - Greater Bay Area	761	0.026	0.024 - 0.028	417	0.028	0.026 - 0.031	344	0.024	0.021 - 0.027
CA - Los Angeles	753	0.027	0.025 - 0.029	406	0.029	0.026 - 0.032	348	0.025	0.023 - 0.028
Colorado	881	0.023	0.021 - 0.024	509	0.026	0.024 - 0.028	372	0.019	0.017 - 0.021
Connecticut	766	0.032	0.029 - 0.034	402	0.034	0.031 - 0.038	364	0.029	0.026 - 0.033
Delaware	161	0.026	0.023 - 0.031	93	0.032	0.026 - 0.039	68	0.022	0.017 - 0.027
Florida	2,891	0.025	0.024 - 0.026	1,557	0.027	0.026 - 0.029	1,334	0.023	0.021 - 0.024
Georgia	1,194	0.021	0.020 - 0.023	626	0.023	0.021 - 0.025	569	0.020	0.018 - 0.022
Hawaii	83	0.027	0.021 - 0.033	53	0.032	0.024 - 0.041	30	0.021	0.014 - 0.030
Idaho	312	0.022	0.019 - 0.024	172	0.024	0.020 - 0.028	140	0.019	0.016 - 0.023
Illinois	2,063	0.026	0.025 - 0.027	1,102	0.028	0.027 - 0.030	961	0.024	0.022 - 0.025
Iowa	712	0.026	0.024 - 0.028	391	0.029	0.026 - 0.032	321	0.023	0.021 - 0.026
Kansas	523	0.023	0.021 - 0.025	291	0.026	0.023 - 0.029	232	0.020	0.018 - 0.023
Kentucky	858	0.023	0.021 - 0.024	472	0.025	0.023 - 0.028	387	0.020	0.018 - 0.022
Louisiana	687	0.025	0.023 - 0.027	376	0.028	0.025 - 0.030	311	0.022	0.020 - 0.025
Maine	341	0.027	0.024 - 0.030	179	0.029	0.025 - 0.034	162	0.025	0.021 - 0.029
Maryland	824	0.026	0.025 - 0.028	450	0.029	0.027 - 0.032	374	0.023	0.021 - 0.026
MI - Detroit	699	0.028	0.026 - 0.030	406	0.033	0.030 - 0.036	293	0.023	0.021 - 0.026
Minnesota	1,245	0.028	0.026 - 0.029	705	0.031	0.029 - 0.034	540	0.024	0.022 - 0.026
Mississippi	338	0.020	0.018 - 0.022	188	0.022	0.019 - 0.026	150	0.017	0.015 - 0.020
Missouri	1,143	0.023	0.022 - 0.025	621	0.026	0.024 - 0.028	522	0.021	0.019 - 0.023
Montana	224	0.024	0.021 - 0.028	121	0.026	0.021 - 0.031	104	0.023	0.018 - 0.027
Nebraska	410	0.027	0.024 - 0.029	233	0.031	0.027 - 0.035	177	0.023	0.020 - 0.027
New Hampshire	337	0.027	0.025 - 0.030	199	0.033	0.028 - 0.038	138	0.022	0.019 - 0.026
New Jersey	1,663	0.033	0.032 - 0.035	901	0.037	0.035 - 0.040	762	0.030	0.028 - 0.032
New Mexico	181	0.023	0.020 - 0.026	111	0.028	0.023 - 0.034	70	0.018	0.014 - 0.022
New York	3,563	0.032	0.031 - 0.033	1,910	0.035	0.034 - 0.037	1,654	0.029	0.028 - 0.031
North Carolina	1,477	0.022	0.021 - 0.024	812	0.025	0.023 - 0.027	665	0.020	0.018 - 0.021
North Dakota	180	0.028	0.024 - 0.032	117	0.036	0.029 - 0.043	63	0.020	0.015 - 0.025
Ohio	2,227	0.024	0.023 - 0.025	1,237	0.027	0.026 - 0.029	990	0.021	0.020 - 0.022
Oklahoma	566	0.021	0.019 - 0.023	307	0.023	0.021 - 0.026	259	0.019	0.017 - 0.021
Oregon	734	0.023	0.021 - 0.024	391	0.025	0.022 - 0.027	343	0.021	0.019 - 0.023
Pennsylvania	2,928	0.030	0.029 - 0.031	1,615	0.033	0.032 - 0.035	1,313	0.026	0.025 - 0.028
Rhode Island	269	0.035	0.031 - 0.039	140	0.037	0.032 - 0.044	129	0.032	0.027 - 0.038
South Carolina	677	0.021	0.019 - 0.022	352	0.022	0.020 - 0.025	325	0.019	0.017 - 0.022
South Dakota	168	0.023	0.020 - 0.027	89	0.024	0.020 - 0.030	79	0.022	0.017 - 0.027
Tennessee	1,099	0.022	0.021 - 0.023	575	0.023	0.021 - 0.025	524	0.020	0.019 - 0.022
Texas	2,699	0.022	0.021 - 0.023	1,458	0.024	0.023 - 0.026	1,241	0.020	0.019 - 0.021
Utah	547	0.022	0.020 - 0.024	280	0.022	0.020 - 0.025	267	0.022	0.019 - 0.024
Vermont	164	0.028	0.024 - 0.033	90	0.031	0.025 - 0.038	74	0.025	0.020 - 0.031
Washington	1,250	0.024	0.022 - 0.025	724	0.028	0.026 - 0.030	526	0.020	0.018 - 0.022
WA - Seattle	871	0.024	0.023 - 0.026	499	0.028	0.026 - 0.031	372	0.021	0.019 - 0.023
West Virginia	369	0.022	0.020 - 0.024	200	0.024	0.021 - 0.028	169	0.020	0.017 - 0.023
Wisconsin	1,321	0.028	0.026 - 0.029	726	0.031	0.029 - 0.033	595	0.025	0.023 - 0.027
Wyoming	97	0.020	0.016 - 0.024	61	0.024	0.019 - 0.031	36	0.015	0.010 - 0.021

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	328,702	0.164	0.164 - 0.165	176,810	0.179	0.178 - 0.180	151,874	0.150	0.149 - 0.150
Alabama	4,162	0.128	0.125 - 0.132	2,232	0.141	0.135 - 0.147	1,930	0.116	0.111 - 0.122
Alaska	605	0.129	0.119 - 0.139	347	0.139	0.125 - 0.155	258	0.116	0.103 - 0.132
Arizona	5,499	0.139	0.135 - 0.143	2,981	0.153	0.147 - 0.158	2,518	0.126	0.121 - 0.131
Arkansas	3,122	0.141	0.136 - 0.146	1,655	0.152	0.145 - 0.160	1,467	0.130	0.124 - 0.137
California	26,717	0.176	0.174 - 0.178	14,883	0.196	0.193 - 0.199	11,834	0.156	0.153 - 0.159
CA - Greater California	15,855	0.167	0.164 - 0.169	8,782	0.186	0.182 - 0.190	7,073	0.148	0.144 - 0.151
CA - Greater Bay Area	5,880	0.202	0.197 - 0.207	3,338	0.227	0.219 - 0.235	2,542	0.177	0.170 - 0.184
CA - Los Angeles	4,990	0.181	0.176 - 0.186	2,770	0.199	0.192 - 0.207	2,221	0.162	0.155 - 0.169
Colorado	5,166	0.132	0.128 - 0.136	2,868	0.146	0.141 - 0.151	2,298	0.118	0.113 - 0.123
Connecticut	4,776	0.197	0.192 - 0.203	2,589	0.219	0.211 - 0.228	2,187	0.176	0.169 - 0.184
Delaware	1,097	0.180	0.170 - 0.191	569	0.193	0.178 - 0.210	528	0.168	0.154 - 0.183
Florida	24,186	0.209	0.207 - 0.212	12,863	0.227	0.223 - 0.231	11,323	0.192	0.189 - 0.196
Georgia	7,869	0.140	0.137 - 0.144	4,286	0.156	0.151 - 0.160	3,583	0.126	0.122 - 0.130
Hawaii	548	0.177	0.163 - 0.193	334	0.200	0.179 - 0.223	213	0.151	0.131 - 0.172
Idaho	1,840	0.127	0.122 - 0.133	993	0.138	0.129 - 0.147	847	0.117	0.109 - 0.125
Illinois	13,464	0.170	0.167 - 0.173	7,158	0.184	0.180 - 0.188	6,306	0.157	0.153 - 0.161
Iowa	4,570	0.168	0.163 - 0.173	2,445	0.182	0.175 - 0.190	2,125	0.155	0.148 - 0.161
Kansas	3,501	0.156	0.151 - 0.161	1,913	0.173	0.165 - 0.180	1,588	0.140	0.133 - 0.147
Kentucky	5,572	0.146	0.142 - 0.150	2,904	0.155	0.150 - 0.161	2,668	0.137	0.132 - 0.143
Louisiana	4,311	0.156	0.151 - 0.160	2,293	0.168	0.161 - 0.175	2,019	0.143	0.137 - 0.150
Maine	2,223	0.176	0.169 - 0.184	1,201	0.195	0.184 - 0.206	1,022	0.159	0.149 - 0.169
Maryland	5,216	0.167	0.162 - 0.172	2,749	0.180	0.173 - 0.186	2,467	0.155	0.149 - 0.161
MI - Detroit	4,443	0.178	0.172 - 0.183	2,345	0.190	0.183 - 0.198	2,098	0.166	0.158 - 0.173
Minnesota	7,766	0.172	0.168 - 0.176	4,266	0.190	0.185 - 0.196	3,500	0.154	0.149 - 0.159
Mississippi	2,433	0.143	0.137 - 0.148	1,281	0.153	0.145 - 0.162	1,152	0.133	0.125 - 0.141
Missouri	7,115	0.145	0.141 - 0.148	3,815	0.157	0.153 - 0.163	3,300	0.132	0.127 - 0.137
Montana	1,407	0.152	0.144 - 0.160	797	0.171	0.160 - 0.184	610	0.133	0.122 - 0.144
Nebraska	2,426	0.158	0.152 - 0.165	1,297	0.171	0.162 - 0.180	1,129	0.146	0.138 - 0.155
New Hampshire	2,191	0.178	0.171 - 0.186	1,170	0.192	0.182 - 0.204	1,021	0.164	0.154 - 0.174
New Jersey	10,635	0.214	0.210 - 0.218	5,549	0.228	0.222 - 0.234	5,085	0.199	0.194 - 0.205
New Mexico	1,271	0.160	0.151 - 0.169	679	0.172	0.160 - 0.186	593	0.147	0.136 - 0.160
New York	22,625	0.205	0.202 - 0.208	11,943	0.221	0.217 - 0.225	10,682	0.189	0.186 - 0.193
North Carolina	9,664	0.146	0.143 - 0.149	5,182	0.160	0.156 - 0.165	4,482	0.133	0.129 - 0.137
North Dakota	924	0.143	0.134 - 0.153	499	0.152	0.139 - 0.165	425	0.134	0.122 - 0.148
Ohio	13,947	0.150	0.147 - 0.152	7,459	0.163	0.159 - 0.167	6,488	0.137	0.133 - 0.140
Oklahoma	3,516	0.130	0.126 - 0.135	1,867	0.141	0.134 - 0.147	1,649	0.120	0.114 - 0.126
Oregon	4,983	0.154	0.150 - 0.159	2,703	0.170	0.164 - 0.177	2,280	0.139	0.134 - 0.145
Pennsylvania	17,931	0.182	0.179 - 0.184	9,366	0.194	0.190 - 0.198	8,565	0.170	0.166 - 0.174
Rhode Island	1,430	0.185	0.175 - 0.194	772	0.207	0.192 - 0.222	658	0.164	0.152 - 0.177
South Carolina	4,477	0.137	0.133 - 0.141	2,411	0.151	0.145 - 0.157	2,066	0.124	0.118 - 0.129
South Dakota	1,115	0.154	0.145 - 0.163	590	0.162	0.149 - 0.176	525	0.146	0.133 - 0.159
Tennessee	6,968	0.138	0.135 - 0.141	3,702	0.150	0.145 - 0.155	3,266	0.127	0.122 - 0.131
Texas	17,877	0.147	0.145 - 0.149	9,753	0.162	0.159 - 0.165	8,124	0.133	0.130 - 0.136
Utah	2,663	0.107	0.103 - 0.111	1,539	0.123	0.117 - 0.130	1,124	0.091	0.086 - 0.096
Vermont	1,034	0.176	0.166 - 0.187	567	0.196	0.180 - 0.213	467	0.157	0.143 - 0.172
Washington	8,234	0.156	0.153 - 0.160	4,581	0.174	0.169 - 0.179	3,653	0.138	0.134 - 0.143
WA - Seattle	5,858	0.165	0.161 - 0.169	3,280	0.184	0.178 - 0.191	2,578	0.145	0.140 - 0.151
West Virginia	2,676	0.159	0.153 - 0.165	1,424	0.171	0.163 - 0.180	1,252	0.146	0.138 - 0.155
Wisconsin	8,233	0.173	0.169 - 0.177	4,466	0.189	0.183 - 0.195	3,767	0.157	0.152 - 0.162
Wyoming	619	0.126	0.116 - 0.136	353	0.141	0.127 - 0.157	266	0.110	0.097 - 0.124

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	79,873	0.040	0.040 - 0.040	45,778	0.046	0.046 - 0.047	34,090	0.034	0.033 - 0.034
Alabama	1,002	0.031	0.029 - 0.033	566	0.036	0.033 - 0.039	436	0.026	0.024 - 0.029
Alaska	126	0.027	0.022 - 0.032	70	0.028	0.022 - 0.036	56	0.025	0.019 - 0.033
Arizona	1,305	0.033	0.031 - 0.035	755	0.039	0.036 - 0.041	550	0.028	0.025 - 0.030
Arkansas	822	0.037	0.035 - 0.040	468	0.043	0.039 - 0.047	354	0.031	0.028 - 0.035
California	6,187	0.041	0.040 - 0.042	3,636	0.048	0.046 - 0.049	2,552	0.034	0.032 - 0.035
CA - Greater California	3,774	0.040	0.038 - 0.041	2,216	0.047	0.045 - 0.049	1,558	0.033	0.031 - 0.034
CA - Greater Bay Area	1,301	0.045	0.042 - 0.047	784	0.053	0.050 - 0.057	516	0.036	0.033 - 0.039
CA - Los Angeles	1,115	0.040	0.038 - 0.043	637	0.046	0.042 - 0.050	478	0.035	0.032 - 0.038
Colorado	1,350	0.034	0.033 - 0.036	793	0.040	0.038 - 0.043	557	0.029	0.026 - 0.031
Connecticut	1,161	0.048	0.045 - 0.051	660	0.056	0.052 - 0.060	500	0.040	0.037 - 0.044
Delaware	243	0.040	0.035 - 0.045	138	0.047	0.039 - 0.055	105	0.033	0.027 - 0.040
Florida	6,510	0.056	0.055 - 0.058	3,732	0.066	0.064 - 0.068	2,778	0.047	0.045 - 0.049
Georgia	2,055	0.037	0.035 - 0.038	1,170	0.042	0.040 - 0.045	885	0.031	0.029 - 0.033
Hawaii	131	0.042	0.036 - 0.050	86	0.051	0.041 - 0.064	45	0.032	0.023 - 0.043
Idaho	469	0.033	0.030 - 0.036	294	0.041	0.036 - 0.046	175	0.024	0.021 - 0.028
Illinois	3,018	0.038	0.037 - 0.040	1,669	0.043	0.041 - 0.045	1,349	0.034	0.032 - 0.035
Iowa	1,096	0.040	0.038 - 0.043	630	0.047	0.043 - 0.051	466	0.034	0.031 - 0.037
Kansas	846	0.038	0.035 - 0.040	476	0.043	0.039 - 0.047	370	0.033	0.029 - 0.036
Kentucky	1,333	0.035	0.033 - 0.037	779	0.042	0.039 - 0.045	554	0.029	0.026 - 0.031
Louisiana	970	0.035	0.033 - 0.037	554	0.041	0.037 - 0.044	417	0.030	0.027 - 0.033
Maine	529	0.042	0.038 - 0.046	287	0.047	0.041 - 0.052	242	0.038	0.033 - 0.043
Maryland	1,175	0.038	0.035 - 0.040	663	0.043	0.040 - 0.047	512	0.032	0.029 - 0.035
MI - Detroit	1,008	0.040	0.038 - 0.043	572	0.046	0.043 - 0.050	435	0.034	0.031 - 0.038
Minnesota	1,884	0.042	0.040 - 0.044	1,103	0.049	0.046 - 0.052	781	0.034	0.032 - 0.037
Mississippi	582	0.034	0.031 - 0.037	346	0.041	0.037 - 0.046	236	0.027	0.024 - 0.031
Missouri	1,698	0.034	0.033 - 0.036	957	0.040	0.037 - 0.042	741	0.030	0.028 - 0.032
Montana	388	0.042	0.038 - 0.046	237	0.051	0.045 - 0.058	150	0.033	0.028 - 0.038
Nebraska	561	0.037	0.034 - 0.040	328	0.043	0.039 - 0.048	233	0.030	0.026 - 0.034
New Hampshire	510	0.041	0.038 - 0.045	293	0.048	0.043 - 0.054	217	0.035	0.030 - 0.040
New Jersey	2,446	0.049	0.047 - 0.051	1,356	0.056	0.053 - 0.059	1,090	0.043	0.040 - 0.045
New Mexico	318	0.040	0.036 - 0.045	200	0.051	0.044 - 0.058	118	0.029	0.024 - 0.035
New York	5,699	0.052	0.050 - 0.053	3,294	0.061	0.059 - 0.063	2,405	0.043	0.041 - 0.044
North Carolina	2,656	0.040	0.039 - 0.042	1,482	0.046	0.044 - 0.048	1,174	0.035	0.033 - 0.037
North Dakota	234	0.036	0.032 - 0.041	136	0.041	0.035 - 0.049	98	0.031	0.025 - 0.038
Ohio	2,826	0.030	0.029 - 0.031	1,589	0.035	0.033 - 0.037	1,237	0.026	0.025 - 0.028
Oklahoma	853	0.032	0.030 - 0.034	483	0.036	0.033 - 0.040	370	0.027	0.024 - 0.030
Oregon	1,073	0.033	0.031 - 0.035	621	0.039	0.036 - 0.042	452	0.028	0.025 - 0.030
Pennsylvania	4,016	0.041	0.039 - 0.042	2,285	0.047	0.045 - 0.049	1,731	0.034	0.033 - 0.036
Rhode Island	313	0.040	0.036 - 0.045	187	0.050	0.043 - 0.058	126	0.031	0.026 - 0.037
South Carolina	1,143	0.035	0.033 - 0.037	649	0.041	0.038 - 0.044	494	0.030	0.027 - 0.032
South Dakota	286	0.039	0.035 - 0.044	178	0.049	0.042 - 0.057	108	0.030	0.025 - 0.036
Tennessee	1,734	0.034	0.033 - 0.036	977	0.040	0.037 - 0.042	757	0.029	0.027 - 0.032
Texas	4,959	0.041	0.040 - 0.042	2,784	0.046	0.045 - 0.048	2,175	0.036	0.034 - 0.037
Utah	686	0.028	0.026 - 0.030	409	0.033	0.030 - 0.036	277	0.022	0.020 - 0.025
Vermont	218	0.037	0.032 - 0.042	132	0.046	0.038 - 0.054	86	0.029	0.023 - 0.036
Washington	1,983	0.038	0.036 - 0.039	1,174	0.045	0.042 - 0.047	809	0.031	0.029 - 0.033
WA - Seattle	1,458	0.041	0.039 - 0.043	869	0.049	0.046 - 0.052	590	0.033	0.031 - 0.036
West Virginia	592	0.035	0.032 - 0.038	353	0.042	0.038 - 0.047	239	0.028	0.024 - 0.032
Wisconsin	2,080	0.044	0.042 - 0.046	1,192	0.050	0.048 - 0.053	888	0.037	0.035 - 0.040
Wyoming	164	0.033	0.028 - 0.039	90	0.036	0.029 - 0.044	74	0.031	0.024 - 0.038

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	202,114	0.101	0.100 - 0.101	118,520	0.120	0.119 - 0.121	83,580	0.082	0.082 - 0.083
Alabama	2,304	0.071	0.068 - 0.074	1,308	0.083	0.078 - 0.087	996	0.060	0.056 - 0.064
Alaska	346	0.074	0.066 - 0.082	213	0.086	0.075 - 0.098	133	0.060	0.050 - 0.071
Arizona	2,622	0.066	0.064 - 0.069	1,502	0.077	0.073 - 0.081	1,120	0.056	0.053 - 0.059
Arkansas	1,837	0.083	0.079 - 0.087	1,081	0.100	0.094 - 0.106	756	0.067	0.063 - 0.072
California	15,239	0.100	0.099 - 0.102	9,067	0.119	0.117 - 0.122	6,172	0.081	0.079 - 0.083
CA - Greater California	9,191	0.097	0.095 - 0.099	5,395	0.114	0.111 - 0.117	3,796	0.079	0.077 - 0.082
CA - Greater Bay Area	3,152	0.108	0.105 - 0.112	1,923	0.131	0.125 - 0.137	1,228	0.086	0.081 - 0.090
CA - Los Angeles	2,895	0.105	0.101 - 0.109	1,749	0.126	0.120 - 0.132	1,147	0.084	0.079 - 0.089
Colorado	3,345	0.085	0.083 - 0.088	2,009	0.102	0.098 - 0.107	1,336	0.068	0.065 - 0.072
Connecticut	2,749	0.114	0.109 - 0.118	1,580	0.134	0.127 - 0.141	1,170	0.094	0.089 - 0.100
Delaware	590	0.097	0.089 - 0.105	356	0.121	0.109 - 0.134	234	0.074	0.065 - 0.085
Florida	16,921	0.147	0.144 - 0.149	9,690	0.171	0.168 - 0.175	7,231	0.123	0.120 - 0.126
Georgia	5,041	0.090	0.088 - 0.093	2,897	0.105	0.101 - 0.109	2,144	0.075	0.072 - 0.079
Hawaii	311	0.101	0.090 - 0.113	188	0.112	0.097 - 0.129	124	0.087	0.073 - 0.104
Idaho	1,404	0.097	0.092 - 0.103	832	0.115	0.108 - 0.124	572	0.079	0.073 - 0.086
Illinois	7,041	0.089	0.087 - 0.091	4,139	0.106	0.103 - 0.110	2,902	0.072	0.070 - 0.075
Iowa	2,942	0.108	0.104 - 0.112	1,733	0.129	0.123 - 0.135	1,208	0.088	0.083 - 0.093
Kansas	2,327	0.104	0.100 - 0.108	1,413	0.127	0.121 - 0.134	914	0.081	0.075 - 0.086
Kentucky	3,540	0.093	0.090 - 0.096	2,029	0.109	0.104 - 0.113	1,511	0.078	0.074 - 0.082
Louisiana	2,572	0.093	0.089 - 0.096	1,447	0.106	0.101 - 0.112	1,124	0.080	0.075 - 0.085
Maine	1,424	0.113	0.107 - 0.119	817	0.133	0.124 - 0.142	607	0.094	0.087 - 0.102
Maryland	2,732	0.087	0.084 - 0.091	1,570	0.103	0.098 - 0.108	1,162	0.073	0.069 - 0.077
MI - Detroit	2,866	0.115	0.110 - 0.119	1,706	0.138	0.132 - 0.145	1,160	0.092	0.086 - 0.097
Minnesota	4,936	0.109	0.106 - 0.112	3,038	0.136	0.131 - 0.140	1,898	0.083	0.080 - 0.087
Mississippi	1,326	0.078	0.074 - 0.082	764	0.091	0.085 - 0.098	562	0.065	0.059 - 0.070
Missouri	4,166	0.085	0.082 - 0.087	2,457	0.101	0.097 - 0.106	1,709	0.068	0.065 - 0.072
Montana	1,005	0.109	0.102 - 0.116	639	0.137	0.127 - 0.148	366	0.080	0.072 - 0.088
Nebraska	1,317	0.086	0.081 - 0.091	783	0.103	0.096 - 0.111	534	0.069	0.063 - 0.075
New Hampshire	1,205	0.098	0.092 - 0.104	744	0.122	0.114 - 0.131	461	0.074	0.067 - 0.081
New Jersey	6,204	0.125	0.122 - 0.128	3,613	0.149	0.144 - 0.154	2,591	0.102	0.098 - 0.106
New Mexico	984	0.124	0.116 - 0.132	551	0.140	0.128 - 0.152	433	0.108	0.098 - 0.118
New York	15,302	0.139	0.136 - 0.141	8,997	0.166	0.163 - 0.170	6,305	0.112	0.109 - 0.115
North Carolina	6,740	0.102	0.100 - 0.104	3,924	0.122	0.118 - 0.125	2,816	0.083	0.080 - 0.086
North Dakota	671	0.104	0.096 - 0.112	413	0.125	0.114 - 0.138	258	0.082	0.072 - 0.092
Ohio	6,602	0.071	0.069 - 0.073	3,890	0.085	0.082 - 0.088	2,712	0.057	0.055 - 0.059
Oklahoma	2,191	0.081	0.078 - 0.085	1,261	0.095	0.090 - 0.100	930	0.068	0.064 - 0.072
Oregon	2,590	0.080	0.077 - 0.083	1,511	0.095	0.090 - 0.100	1,079	0.066	0.062 - 0.070
Pennsylvania	10,416	0.106	0.103 - 0.108	6,072	0.126	0.123 - 0.129	4,344	0.086	0.084 - 0.089
Rhode Island	850	0.110	0.102 - 0.117	495	0.133	0.121 - 0.145	355	0.088	0.079 - 0.098
South Carolina	2,642	0.081	0.078 - 0.084	1,552	0.097	0.093 - 0.102	1,090	0.065	0.061 - 0.069
South Dakota	771	0.106	0.099 - 0.114	450	0.124	0.112 - 0.136	321	0.089	0.080 - 0.099
Tennessee	4,323	0.086	0.083 - 0.088	2,505	0.102	0.098 - 0.106	1,818	0.071	0.067 - 0.074
Texas	12,151	0.100	0.098 - 0.102	7,088	0.118	0.115 - 0.121	5,063	0.083	0.080 - 0.085
Utah	1,852	0.074	0.071 - 0.078	1,127	0.090	0.085 - 0.096	725	0.059	0.054 - 0.063
Vermont	506	0.086	0.079 - 0.094	296	0.102	0.091 - 0.115	210	0.071	0.061 - 0.081
Washington	5,282	0.100	0.098 - 0.103	3,174	0.121	0.117 - 0.125	2,108	0.080	0.076 - 0.083
WA - Seattle	3,989	0.112	0.109 - 0.116	2,405	0.135	0.130 - 0.141	1,584	0.089	0.085 - 0.094
West Virginia	1,708	0.101	0.096 - 0.106	1,005	0.121	0.114 - 0.129	703	0.082	0.076 - 0.088
Wisconsin	5,781	0.121	0.118 - 0.125	3,457	0.146	0.141 - 0.151	2,324	0.097	0.093 - 0.101
Wyoming	417	0.085	0.077 - 0.093	245	0.098	0.086 - 0.111	172	0.071	0.061 - 0.082

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,407	0.002	0.002 - 0.002	2,917	0.003	0.003 - 0.003	1,490	0.001	0.001 - 0.002
Alabama	51	0.002	0.001 - 0.002	33	0.002	0.001 - 0.003	18	0.001	0.001 - 0.002
Alaska	13	0.003	0.001 - 0.005	-	-	-	-	-	-
Arizona	75	0.002	0.001 - 0.002	52	0.003	0.002 - 0.003	23	0.001	0.001 - 0.002
Arkansas	36	0.002	0.001 - 0.002	-	-	-	-	-	-
California	363	0.002	0.002 - 0.003	229	0.003	0.003 - 0.003	133	0.002	0.001 - 0.002
CA - Greater California	234	0.002	0.002 - 0.003	150	0.003	0.003 - 0.004	84	0.002	0.001 - 0.002
CA - Greater Bay Area	76	0.003	0.002 - 0.003	47	0.003	0.002 - 0.004	29	0.002	0.001 - 0.003
CA - Los Angeles	53	0.002	0.001 - 0.003	32	0.002	0.002 - 0.003	21	0.002	0.001 - 0.002
Colorado	62	0.002	0.001 - 0.002	38	0.002	0.001 - 0.003	24	0.001	0.001 - 0.002
Connecticut	50	0.002	0.002 - 0.003	38	0.003	0.002 - 0.004	12	0.001	0.000 - 0.002
Delaware	30	0.005	0.003 - 0.007	20	0.007	0.004 - 0.011	10	0.003	0.002 - 0.006
Florida	317	0.003	0.002 - 0.003	221	0.004	0.003 - 0.004	96	0.002	0.001 - 0.002
Georgia	87	0.002	0.001 - 0.002	68	0.002	0.002 - 0.003	19	0.001	0.000 - 0.001
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	38	0.003	0.002 - 0.004	24	0.003	0.002 - 0.005	14	0.002	0.001 - 0.003
Illinois	200	0.003	0.002 - 0.003	126	0.003	0.003 - 0.004	74	0.002	0.001 - 0.002
Iowa	54	0.002	0.001 - 0.003	35	0.003	0.002 - 0.004	19	0.001	0.001 - 0.002
Kansas	36	0.002	0.001 - 0.002	21	0.002	0.001 - 0.003	15	0.001	0.001 - 0.002
Kentucky	44	0.001	0.001 - 0.002	27	0.001	0.001 - 0.002	17	0.001	0.001 - 0.001
Louisiana	81	0.003	0.002 - 0.004	48	0.004	0.003 - 0.005	33	0.002	0.002 - 0.003
Maine	41	0.003	0.002 - 0.004	31	0.005	0.003 - 0.007	10	0.002	0.001 - 0.003
Maryland	84	0.003	0.002 - 0.003	57	0.004	0.003 - 0.005	27	0.002	0.001 - 0.002
MI - Detroit	53	0.002	0.002 - 0.003	36	0.003	0.002 - 0.004	17	0.001	0.001 - 0.002
Minnesota	120	0.003	0.002 - 0.003	77	0.003	0.003 - 0.004	43	0.002	0.001 - 0.003
Mississippi	35	0.002	0.001 - 0.003	22	0.003	0.002 - 0.004	13	0.001	0.001 - 0.003
Missouri	82	0.002	0.001 - 0.002	55	0.002	0.002 - 0.003	27	0.001	0.001 - 0.002
Montana	28	0.003	0.002 - 0.004	16	0.004	0.002 - 0.006	12	0.003	0.001 - 0.005
Nebraska	28	0.002	0.001 - 0.003	18	0.002	0.001 - 0.004	10	0.001	0.001 - 0.002
New Hampshire	25	0.002	0.001 - 0.003	-	-	-	-	-	-
New Jersey	159	0.003	0.003 - 0.004	103	0.004	0.003 - 0.005	56	0.002	0.002 - 0.003
New Mexico	16	0.002	0.001 - 0.003	-	-	-	-	-	-
New York	292	0.003	0.002 - 0.003	182	0.003	0.003 - 0.004	111	0.002	0.002 - 0.002
North Carolina	112	0.002	0.001 - 0.002	74	0.002	0.002 - 0.003	38	0.001	0.001 - 0.002
North Dakota	13	0.002	0.001 - 0.003	-	-	-	-	-	-
Ohio	186	0.002	0.002 - 0.002	133	0.003	0.002 - 0.003	53	0.001	0.001 - 0.001
Oklahoma	45	0.002	0.001 - 0.002	32	0.002	0.002 - 0.003	13	0.001	0.001 - 0.002
Oregon	59	0.002	0.001 - 0.002	46	0.003	0.002 - 0.004	13	0.001	0.000 - 0.001
Pennsylvania	263	0.003	0.002 - 0.003	178	0.004	0.003 - 0.004	85	0.002	0.001 - 0.002
Rhode Island	18	0.002	0.001 - 0.004	-	-	-	-	-	-
South Carolina	75	0.002	0.002 - 0.003	53	0.003	0.002 - 0.004	22	0.001	0.001 - 0.002
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	67	0.001	0.001 - 0.002	42	0.002	0.001 - 0.002	25	0.001	0.001 - 0.001
Texas	242	0.002	0.002 - 0.002	158	0.003	0.002 - 0.003	84	0.001	0.001 - 0.002
Utah	31	0.001	0.001 - 0.002	17	0.001	0.001 - 0.002	14	0.001	0.001 - 0.002
Vermont	13	0.002	0.001 - 0.004	-	-	-	-	-	-
Washington	125	0.002	0.002 - 0.003	91	0.003	0.003 - 0.004	34	0.001	0.001 - 0.002
WA - Seattle	91	0.003	0.002 - 0.003	62	0.003	0.003 - 0.004	29	0.002	0.001 - 0.002
West Virginia	35	0.002	0.001 - 0.003	23	0.003	0.002 - 0.004	12	0.001	0.001 - 0.002
Wisconsin	118	0.002	0.002 - 0.003	69	0.003	0.002 - 0.004	49	0.002	0.002 - 0.003
Wyoming	16	0.003	0.002 - 0.005	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	930,188	2.179	2.174 - 2.184	468,621	2.291	2.284 - 2.298	461,674	2.076	2.070 - 2.082
Alabama	29,536	2.241	2.215 - 2.266	15,068	2.458	2.419 - 2.498	14,468	2.051	2.018 - 2.085
Alaska	474	1.468	1.339 - 1.606	273	1.522	1.346 - 1.713	201	1.401	1.214 - 1.609
Arizona	4,736	1.363	1.324 - 1.402	2,457	1.368	1.314 - 1.423	2,279	1.358	1.303 - 1.415
Arkansas	9,950	2.074	2.033 - 2.115	5,220	2.285	2.224 - 2.348	4,730	1.881	1.828 - 1.936
California	55,970	2.294	2.275 - 2.313	28,959	2.387	2.359 - 2.414	27,010	2.202	2.176 - 2.228
CA - Greater California	22,636	1.978	1.952 - 2.004	12,070	2.046	2.009 - 2.083	10,566	1.906	1.870 - 1.943
CA - Greater Bay Area	11,894	2.666	2.618 - 2.714	6,291	2.839	2.769 - 2.910	5,603	2.494	2.429 - 2.561
CA - Los Angeles	21,546	2.536	2.503 - 2.570	10,655	2.651	2.601 - 2.702	10,892	2.433	2.388 - 2.479
Colorado	4,395	1.679	1.630 - 1.729	2,423	1.736	1.668 - 1.807	1,972	1.614	1.543 - 1.687
Connecticut	8,835	2.294	2.246 - 2.342	4,401	2.394	2.323 - 2.465	4,433	2.202	2.138 - 2.268
Delaware	5,379	2.453	2.388 - 2.519	2,759	2.665	2.566 - 2.766	2,620	2.263	2.177 - 2.351
Florida	64,631	1.909	1.894 - 1.924	33,083	2.031	2.009 - 2.053	31,548	1.796	1.776 - 1.816
Georgia	68,265	2.031	2.016 - 2.046	34,384	2.189	2.165 - 2.212	33,882	1.892	1.872 - 1.913
Hawaii	532	1.414	1.297 - 1.540	360	1.597	1.436 - 1.771	173	1.142	0.978 - 1.326
Idaho	140	0.773	0.650 - 0.912	90	0.886	0.712 - 1.090	50	0.629	0.467 - 0.829
Illinois	46,233	2.482	2.459 - 2.505	22,334	2.550	2.517 - 2.584	23,899	2.422	2.391 - 2.453
Iowa	1,683	1.221	1.164 - 1.281	909	1.247	1.167 - 1.330	773	1.193	1.111 - 1.280
Kansas	3,961	2.062	1.998 - 2.127	2,103	2.119	2.029 - 2.211	1,858	2.001	1.911 - 2.094
Kentucky	8,146	2.083	2.038 - 2.129	4,020	2.069	2.006 - 2.134	4,126	2.097	2.034 - 2.162
Louisiana	34,575	2.258	2.235 - 2.282	17,752	2.445	2.409 - 2.481	16,823	2.090	2.058 - 2.122
Maine	253	1.021	0.899 - 1.155	161	1.197	1.019 - 1.397	92	0.812	0.655 - 0.996
Maryland	44,249	2.390	2.368 - 2.412	21,534	2.492	2.459 - 2.526	22,715	2.300	2.270 - 2.330
MI - Detroit	25,758	2.628	2.596 - 2.660	12,969	2.879	2.830 - 2.929	12,789	2.414	2.372 - 2.456
Minnesota	5,086	1.268	1.234 - 1.304	2,740	1.340	1.290 - 1.391	2,346	1.194	1.146 - 1.243
Mississippi	24,871	2.198	2.170 - 2.225	12,875	2.420	2.378 - 2.462	11,996	2.000	1.965 - 2.037
Missouri	16,252	2.159	2.125 - 2.192	7,695	2.143	2.095 - 2.192	8,557	2.173	2.127 - 2.219
Montana	77	0.843	0.665 - 1.053	58	1.111	0.844 - 1.437	19	0.482	0.289 - 0.755
Nebraska	1,817	1.723	1.645 - 1.804	974	1.799	1.688 - 1.916	843	1.642	1.533 - 1.757
New Hampshire	259	1.129	0.995 - 1.275	159	1.247	1.061 - 1.457	100	0.980	0.798 - 1.192
New Jersey	30,266	2.540	2.512 - 2.569	15,201	2.701	2.658 - 2.744	15,065	2.397	2.359 - 2.436
New Mexico	769	1.673	1.556 - 1.795	462	1.788	1.629 - 1.959	307	1.524	1.358 - 1.705
New York	78,119	2.647	2.628 - 2.665	39,577	2.874	2.846 - 2.902	38,542	2.448	2.423 - 2.472
North Carolina	54,782	2.399	2.379 - 2.419	27,374	2.562	2.531 - 2.592	27,408	2.256	2.230 - 2.283
North Dakota	121	0.459	0.380 - 0.548	76	0.502	0.396 - 0.629	45	0.400	0.292 - 0.535
Ohio	33,216	2.115	2.092 - 2.137	16,383	2.173	2.139 - 2.206	16,833	2.061	2.030 - 2.092
Oklahoma	5,931	1.782	1.737 - 1.828	3,076	1.846	1.781 - 1.912	2,855	1.717	1.655 - 1.781
Oregon	1,610	1.558	1.483 - 1.636	929	1.682	1.575 - 1.793	681	1.416	1.312 - 1.527
Pennsylvania	34,807	2.370	2.345 - 2.395	16,757	2.368	2.333 - 2.405	18,050	2.372	2.337 - 2.407
Rhode Island	1,271	1.772	1.676 - 1.873	621	1.740	1.606 - 1.882	650	1.805	1.669 - 1.949
South Carolina	31,456	2.275	2.250 - 2.300	15,733	2.433	2.395 - 2.471	15,723	2.136	2.102 - 2.169
South Dakota	145	0.637	0.538 - 0.750	99	0.751	0.610 - 0.914	46	0.481	0.352 - 0.641
Tennessee	23,923	2.047	2.021 - 2.073	11,763	2.128	2.089 - 2.166	12,160	1.974	1.940 - 2.010
Texas	64,746	1.847	1.833 - 1.861	31,789	1.874	1.853 - 1.895	32,957	1.822	1.802 - 1.842
Utah	477	1.043	0.951 - 1.141	305	1.179	1.050 - 1.319	172	0.865	0.741 - 1.005
Vermont	89	0.880	0.707 - 1.083	56	0.992	0.749 - 1.288	33	0.738	0.508 - 1.037
Washington	5,753	1.600	1.559 - 1.641	3,194	1.659	1.602 - 1.717	2,559	1.532	1.473 - 1.592
WA - Seattle	5,401	1.726	1.681 - 1.773	3,003	1.807	1.743 - 1.872	2,398	1.635	1.570 - 1.702
West Virginia	1,602	2.207	2.100 - 2.317	926	2.372	2.221 - 2.529	676	2.015	1.866 - 2.173
Wisconsin	8,197	2.029	1.985 - 2.073	4,188	2.104	2.041 - 2.169	4,009	1.956	1.896 - 2.017
Wyoming	69	0.802	0.624 - 1.015	40	0.795	0.568 - 1.082	29	0.812	0.543 - 1.165

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	17,155	0.040	0.040 - 0.041	11,101	0.054	0.053 - 0.055	6,062	0.027	0.027 - 0.028
Alabama	545	0.041	0.038 - 0.045	340	0.055	0.050 - 0.062	205	0.029	0.025 - 0.033
Alaska	-	-	-	-	-	-	-	-	-
Arizona	80	0.023	0.018 - 0.029	60	0.033	0.025 - 0.043	20	0.012	0.007 - 0.018
Arkansas	209	0.044	0.038 - 0.050	121	0.053	0.044 - 0.063	88	0.035	0.028 - 0.043
California	1,119	0.046	0.043 - 0.049	780	0.064	0.060 - 0.069	339	0.028	0.025 - 0.031
CA - Greater California	457	0.040	0.036 - 0.044	320	0.054	0.048 - 0.060	137	0.025	0.021 - 0.029
CA - Greater Bay Area	254	0.057	0.050 - 0.064	179	0.081	0.069 - 0.093	75	0.033	0.026 - 0.042
CA - Los Angeles	409	0.048	0.044 - 0.053	281	0.070	0.062 - 0.079	127	0.028	0.024 - 0.034
Colorado	89	0.034	0.027 - 0.042	67	0.048	0.037 - 0.061	22	0.018	0.011 - 0.027
Connecticut	151	0.039	0.033 - 0.046	100	0.054	0.044 - 0.066	51	0.025	0.019 - 0.033
Delaware	83	0.038	0.030 - 0.047	48	0.046	0.034 - 0.061	35	0.030	0.021 - 0.042
Florida	1,106	0.033	0.031 - 0.035	702	0.043	0.040 - 0.046	404	0.023	0.021 - 0.025
Georgia	1,187	0.035	0.033 - 0.037	757	0.048	0.045 - 0.052	431	0.024	0.022 - 0.026
Hawaii	11	0.029	0.015 - 0.052	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	993	0.053	0.050 - 0.057	626	0.071	0.066 - 0.077	367	0.037	0.033 - 0.041
Iowa	35	0.025	0.018 - 0.035	-	-	-	-	-	-
Kansas	87	0.045	0.036 - 0.056	56	0.056	0.043 - 0.073	31	0.033	0.023 - 0.047
Kentucky	162	0.041	0.035 - 0.048	115	0.059	0.049 - 0.071	47	0.024	0.018 - 0.032
Louisiana	601	0.039	0.036 - 0.043	391	0.054	0.049 - 0.060	210	0.026	0.023 - 0.030
Maine	-	-	-	-	-	-	-	-	-
Maryland	707	0.038	0.035 - 0.041	441	0.051	0.046 - 0.056	266	0.027	0.024 - 0.030
MI - Detroit	502	0.051	0.047 - 0.056	326	0.072	0.065 - 0.081	175	0.033	0.028 - 0.038
Minnesota	121	0.030	0.025 - 0.036	69	0.034	0.026 - 0.043	52	0.026	0.020 - 0.035
Mississippi	474	0.042	0.038 - 0.046	310	0.058	0.052 - 0.065	164	0.027	0.023 - 0.032
Missouri	341	0.045	0.041 - 0.050	229	0.064	0.056 - 0.073	112	0.028	0.023 - 0.034
Montana	-	-	-	-	-	-	-	-	-
Nebraska	44	0.042	0.030 - 0.056	34	0.063	0.044 - 0.088	10	0.019	0.009 - 0.036
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	494	0.041	0.038 - 0.045	330	0.059	0.052 - 0.065	164	0.026	0.022 - 0.030
New Mexico	10	0.022	0.010 - 0.040	-	-	-	-	-	-
New York	1,261	0.043	0.040 - 0.045	758	0.055	0.051 - 0.059	503	0.032	0.029 - 0.035
North Carolina	1,066	0.047	0.044 - 0.050	710	0.066	0.062 - 0.072	356	0.029	0.026 - 0.033
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	668	0.043	0.039 - 0.046	440	0.058	0.053 - 0.064	228	0.028	0.024 - 0.032
Oklahoma	107	0.032	0.026 - 0.039	81	0.049	0.039 - 0.060	26	0.016	0.010 - 0.023
Oregon	29	0.028	0.019 - 0.040	18	0.033	0.019 - 0.051	11	0.023	0.011 - 0.041
Pennsylvania	712	0.048	0.045 - 0.052	443	0.063	0.057 - 0.069	269	0.035	0.031 - 0.040
Rhode Island	23	0.032	0.020 - 0.048	12	0.034	0.017 - 0.059	11	0.031	0.015 - 0.055
South Carolina	595	0.043	0.040 - 0.047	397	0.061	0.056 - 0.068	198	0.027	0.023 - 0.031
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	422	0.036	0.033 - 0.040	271	0.049	0.043 - 0.055	151	0.025	0.021 - 0.029
Texas	1,167	0.033	0.031 - 0.035	727	0.043	0.040 - 0.046	440	0.024	0.022 - 0.027
Utah	14	0.031	0.017 - 0.051	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	119	0.033	0.027 - 0.040	93	0.048	0.039 - 0.059	26	0.016	0.010 - 0.023
WA - Seattle	111	0.035	0.029 - 0.043	86	0.052	0.041 - 0.064	25	0.017	0.011 - 0.025
West Virginia	35	0.048	0.034 - 0.067	21	0.054	0.033 - 0.082	14	0.042	0.023 - 0.070
Wisconsin	158	0.039	0.033 - 0.046	98	0.049	0.040 - 0.060	60	0.029	0.022 - 0.038
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,841	0.007	0.006 - 0.007	1,786	0.009	0.008 - 0.009	1,056	0.005	0.004 - 0.005
Alabama	89	0.007	0.005 - 0.008	57	0.009	0.007 - 0.012	32	0.005	0.003 - 0.006
Alaska	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-
Arkansas	30	0.006	0.004 - 0.009	18	0.008	0.005 - 0.012	12	0.005	0.002 - 0.008
California	138	0.006	0.005 - 0.007	88	0.007	0.006 - 0.009	50	0.004	0.003 - 0.005
CA - Greater California	56	0.005	0.004 - 0.006	36	0.006	0.004 - 0.008	20	0.004	0.002 - 0.006
CA - Greater Bay Area	39	0.009	0.006 - 0.012	22	0.010	0.006 - 0.015	17	0.007	0.004 - 0.012
CA - Los Angeles	45	0.005	0.004 - 0.007	30	0.007	0.005 - 0.011	14	0.003	0.002 - 0.005
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	31	0.008	0.005 - 0.011	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
Florida	177	0.005	0.004 - 0.006	95	0.006	0.005 - 0.007	82	0.005	0.004 - 0.006
Georgia	210	0.006	0.005 - 0.007	141	0.009	0.008 - 0.011	70	0.004	0.003 - 0.005
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	144	0.008	0.007 - 0.009	91	0.010	0.008 - 0.013	53	0.005	0.004 - 0.007
Iowa	-	-	-	-	-	-	-	-	-
Kansas	11	0.006	0.003 - 0.010	-	-	-	-	-	-
Kentucky	29	0.008	0.005 - 0.011	18	0.009	0.006 - 0.015	11	0.006	0.003 - 0.010
Louisiana	115	0.007	0.006 - 0.009	67	0.009	0.007 - 0.012	48	0.006	0.004 - 0.008
Maine	-	-	-	-	-	-	-	-	-
Maryland	116	0.006	0.005 - 0.008	70	0.008	0.006 - 0.010	46	0.005	0.003 - 0.006
MI - Detroit	73	0.007	0.006 - 0.009	51	0.011	0.008 - 0.015	21	0.004	0.003 - 0.006
Minnesota	29	0.007	0.005 - 0.010	15	0.007	0.004 - 0.012	14	0.007	0.004 - 0.012
Mississippi	94	0.008	0.007 - 0.010	68	0.013	0.010 - 0.016	26	0.004	0.003 - 0.006
Missouri	62	0.008	0.006 - 0.011	41	0.011	0.008 - 0.015	21	0.005	0.003 - 0.008
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	96	0.008	0.007 - 0.010	58	0.010	0.008 - 0.013	37	0.006	0.004 - 0.008
New Mexico	-	-	-	-	-	-	-	-	-
New York	208	0.007	0.006 - 0.008	121	0.009	0.007 - 0.010	87	0.005	0.004 - 0.007
North Carolina	182	0.008	0.007 - 0.009	118	0.011	0.009 - 0.013	64	0.005	0.004 - 0.007
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	99	0.006	0.005 - 0.008	61	0.008	0.006 - 0.010	38	0.005	0.003 - 0.006
Oklahoma	16	0.005	0.003 - 0.008	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	142	0.010	0.008 - 0.011	79	0.011	0.009 - 0.014	63	0.008	0.006 - 0.011
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	114	0.008	0.007 - 0.010	83	0.013	0.010 - 0.016	31	0.004	0.003 - 0.006
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	71	0.006	0.005 - 0.008	47	0.009	0.006 - 0.011	24	0.004	0.002 - 0.006
Texas	178	0.005	0.004 - 0.006	117	0.007	0.006 - 0.008	61	0.003	0.003 - 0.004
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	22	0.006	0.004 - 0.009	-	-	-	-	-	-
WA - Seattle	20	0.006	0.004 - 0.010	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	36	0.009	0.006 - 0.012	19	0.010	0.006 - 0.015	17	0.008	0.005 - 0.013
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,371	0.029	0.028 - 0.030	6,319	0.031	0.030 - 0.032	6,054	0.027	0.026 - 0.028
Alabama	407	0.031	0.028 - 0.034	200	0.033	0.028 - 0.037	207	0.029	0.025 - 0.034
Alaska	-	-	-	-	-	-	-	-	-
Arizona	65	0.019	0.014 - 0.024	35	0.019	0.014 - 0.027	30	0.018	0.012 - 0.026
Arkansas	121	0.025	0.021 - 0.030	64	0.028	0.022 - 0.036	57	0.023	0.017 - 0.029
California	665	0.027	0.025 - 0.029	333	0.027	0.025 - 0.031	331	0.027	0.024 - 0.030
CA - Greater California	237	0.021	0.018 - 0.023	123	0.021	0.017 - 0.025	114	0.021	0.017 - 0.025
CA - Greater Bay Area	171	0.038	0.033 - 0.044	79	0.036	0.028 - 0.045	91	0.041	0.033 - 0.050
CA - Los Angeles	258	0.030	0.027 - 0.034	132	0.033	0.027 - 0.039	126	0.028	0.023 - 0.034
Colorado	60	0.023	0.017 - 0.030	38	0.027	0.019 - 0.037	22	0.018	0.011 - 0.027
Connecticut	135	0.035	0.029 - 0.041	65	0.035	0.027 - 0.045	70	0.035	0.027 - 0.044
Delaware	56	0.026	0.019 - 0.033	27	0.026	0.017 - 0.038	29	0.025	0.017 - 0.036
Florida	956	0.028	0.026 - 0.030	509	0.031	0.029 - 0.034	447	0.025	0.023 - 0.028
Georgia	809	0.024	0.022 - 0.026	406	0.026	0.023 - 0.028	402	0.022	0.020 - 0.025
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	643	0.035	0.032 - 0.037	303	0.035	0.031 - 0.039	340	0.034	0.031 - 0.038
Iowa	17	0.012	0.007 - 0.020	-	-	-	-	-	-
Kansas	40	0.021	0.015 - 0.028	21	0.021	0.013 - 0.032	19	0.020	0.012 - 0.032
Kentucky	107	0.027	0.022 - 0.033	46	0.024	0.017 - 0.032	61	0.031	0.024 - 0.040
Louisiana	456	0.030	0.027 - 0.033	249	0.034	0.030 - 0.039	207	0.026	0.022 - 0.029
Maine	-	-	-	-	-	-	-	-	-
Maryland	565	0.031	0.028 - 0.033	258	0.030	0.026 - 0.034	307	0.031	0.028 - 0.035
MI - Detroit	274	0.028	0.025 - 0.031	142	0.032	0.027 - 0.037	132	0.025	0.021 - 0.029
Minnesota	69	0.017	0.013 - 0.022	46	0.022	0.016 - 0.030	23	0.012	0.007 - 0.018
Mississippi	297	0.026	0.023 - 0.029	153	0.029	0.024 - 0.034	144	0.024	0.020 - 0.028
Missouri	198	0.026	0.023 - 0.030	104	0.029	0.024 - 0.035	94	0.024	0.019 - 0.029
Montana	-	-	-	-	-	-	-	-	-
Nebraska	18	0.017	0.010 - 0.027	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	404	0.034	0.031 - 0.037	174	0.031	0.026 - 0.036	230	0.037	0.032 - 0.042
New Mexico	10	0.022	0.010 - 0.040	-	-	-	-	-	-
New York	1,200	0.041	0.038 - 0.043	596	0.043	0.040 - 0.047	605	0.038	0.035 - 0.042
North Carolina	741	0.032	0.030 - 0.035	381	0.036	0.032 - 0.039	360	0.030	0.027 - 0.033
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	467	0.030	0.027 - 0.033	249	0.033	0.029 - 0.037	218	0.027	0.023 - 0.030
Oklahoma	80	0.024	0.019 - 0.030	36	0.022	0.015 - 0.030	44	0.026	0.019 - 0.036
Oregon	24	0.023	0.015 - 0.035	13	0.024	0.013 - 0.040	11	0.023	0.011 - 0.041
Pennsylvania	402	0.027	0.025 - 0.030	203	0.029	0.025 - 0.033	199	0.026	0.023 - 0.030
Rhode Island	28	0.039	0.026 - 0.056	16	0.045	0.026 - 0.073	12	0.033	0.017 - 0.058
South Carolina	468	0.034	0.031 - 0.037	248	0.038	0.034 - 0.043	220	0.030	0.026 - 0.034
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	304	0.026	0.023 - 0.029	153	0.028	0.023 - 0.032	151	0.025	0.021 - 0.029
Texas	873	0.025	0.023 - 0.027	485	0.029	0.026 - 0.031	388	0.021	0.019 - 0.024
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	80	0.022	0.018 - 0.028	49	0.025	0.019 - 0.034	31	0.019	0.013 - 0.026
WA - Seattle	74	0.024	0.018 - 0.030	42	0.026	0.018 - 0.034	31	0.021	0.014 - 0.030
West Virginia	20	0.028	0.017 - 0.043	-	-	-	-	-	-
Wisconsin	114	0.028	0.023 - 0.034	63	0.032	0.024 - 0.040	51	0.025	0.019 - 0.033
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	90,596	0.212	0.211 - 0.214	43,650	0.213	0.211 - 0.215	46,957	0.211	0.209 - 0.213
Alabama	3,212	0.244	0.235 - 0.252	1,492	0.243	0.231 - 0.256	1,720	0.244	0.232 - 0.256
Alaska	37	0.115	0.081 - 0.158	21	0.117	0.072 - 0.179	16	0.112	0.064 - 0.181
Arizona	418	0.120	0.109 - 0.132	202	0.112	0.097 - 0.129	216	0.129	0.112 - 0.147
Arkansas	1,041	0.217	0.204 - 0.231	508	0.222	0.203 - 0.243	533	0.212	0.194 - 0.231
California	5,434	0.223	0.217 - 0.229	2,665	0.220	0.211 - 0.228	2,769	0.226	0.217 - 0.234
CA - Greater California	2,159	0.189	0.181 - 0.197	1,117	0.189	0.178 - 0.201	1,042	0.188	0.177 - 0.200
CA - Greater Bay Area	1,114	0.250	0.235 - 0.265	543	0.245	0.225 - 0.266	571	0.254	0.234 - 0.276
CA - Los Angeles	2,168	0.255	0.245 - 0.266	1,008	0.251	0.236 - 0.267	1,160	0.259	0.244 - 0.274
Colorado	408	0.156	0.141 - 0.172	210	0.150	0.131 - 0.172	198	0.162	0.140 - 0.186
Connecticut	809	0.210	0.196 - 0.225	402	0.219	0.198 - 0.241	407	0.202	0.183 - 0.223
Delaware	482	0.220	0.201 - 0.240	239	0.231	0.202 - 0.262	243	0.210	0.184 - 0.238
Florida	5,930	0.175	0.171 - 0.180	2,939	0.180	0.174 - 0.187	2,991	0.170	0.164 - 0.176
Georgia	6,771	0.201	0.197 - 0.206	3,239	0.206	0.199 - 0.213	3,533	0.197	0.191 - 0.204
Hawaii	41	0.110	0.079 - 0.149	-	-	-	-	-	-
Idaho	14	0.078	0.042 - 0.130	-	-	-	-	-	-
Illinois	4,927	0.265	0.257 - 0.272	2,312	0.264	0.253 - 0.275	2,615	0.265	0.255 - 0.275
Iowa	160	0.116	0.099 - 0.136	92	0.126	0.102 - 0.155	68	0.105	0.082 - 0.133
Kansas	378	0.197	0.177 - 0.218	203	0.204	0.177 - 0.235	175	0.188	0.162 - 0.219
Kentucky	860	0.220	0.206 - 0.235	426	0.219	0.199 - 0.241	435	0.221	0.201 - 0.243
Louisiana	3,982	0.260	0.252 - 0.268	1,941	0.267	0.256 - 0.279	2,042	0.254	0.243 - 0.265
Maine	19	0.077	0.046 - 0.120	-	-	-	-	-	-
Maryland	3,752	0.203	0.196 - 0.209	1,711	0.198	0.189 - 0.208	2,041	0.207	0.198 - 0.216
MI - Detroit	2,493	0.254	0.244 - 0.264	1,179	0.262	0.247 - 0.277	1,314	0.248	0.235 - 0.262
Minnesota	447	0.111	0.101 - 0.122	239	0.117	0.103 - 0.133	208	0.106	0.092 - 0.121
Mississippi	3,013	0.266	0.257 - 0.276	1,497	0.281	0.267 - 0.296	1,516	0.253	0.240 - 0.266
Missouri	1,624	0.216	0.205 - 0.226	735	0.205	0.190 - 0.220	889	0.226	0.211 - 0.241
Montana	-	-	-	-	-	-	-	-	-
Nebraska	181	0.172	0.148 - 0.199	93	0.172	0.139 - 0.210	88	0.171	0.138 - 0.211
New Hampshire	28	0.122	0.081 - 0.176	17	0.133	0.078 - 0.214	11	0.108	0.054 - 0.193
New Jersey	2,816	0.236	0.228 - 0.245	1,252	0.222	0.210 - 0.235	1,564	0.249	0.237 - 0.261
New Mexico	57	0.124	0.094 - 0.160	32	0.124	0.085 - 0.175	25	0.123	0.080 - 0.182
New York	6,847	0.232	0.227 - 0.238	3,198	0.232	0.224 - 0.240	3,650	0.232	0.224 - 0.239
North Carolina	5,016	0.220	0.214 - 0.226	2,450	0.229	0.220 - 0.239	2,566	0.211	0.203 - 0.220
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	3,007	0.191	0.185 - 0.198	1,396	0.185	0.176 - 0.195	1,611	0.197	0.188 - 0.207
Oklahoma	577	0.173	0.159 - 0.188	278	0.167	0.148 - 0.188	299	0.180	0.160 - 0.201
Oregon	136	0.132	0.110 - 0.156	74	0.134	0.105 - 0.168	62	0.129	0.099 - 0.165
Pennsylvania	3,149	0.214	0.207 - 0.222	1,476	0.209	0.198 - 0.220	1,673	0.220	0.209 - 0.231
Rhode Island	92	0.128	0.103 - 0.157	34	0.095	0.066 - 0.133	58	0.161	0.122 - 0.208
South Carolina	3,125	0.226	0.218 - 0.234	1,500	0.232	0.220 - 0.244	1,625	0.221	0.210 - 0.232
South Dakota	12	0.053	0.027 - 0.092	-	-	-	-	-	-
Tennessee	2,435	0.208	0.200 - 0.217	1,155	0.209	0.197 - 0.221	1,280	0.208	0.197 - 0.220
Texas	6,874	0.196	0.192 - 0.201	3,437	0.203	0.196 - 0.210	3,437	0.190	0.184 - 0.196
Utah	32	0.070	0.048 - 0.098	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	495	0.138	0.126 - 0.150	271	0.141	0.124 - 0.159	224	0.134	0.117 - 0.153
WA - Seattle	463	0.148	0.135 - 0.162	258	0.155	0.137 - 0.175	205	0.140	0.121 - 0.160
West Virginia	157	0.216	0.184 - 0.253	81	0.207	0.165 - 0.258	76	0.227	0.178 - 0.284
Wisconsin	813	0.201	0.188 - 0.216	418	0.210	0.190 - 0.231	395	0.193	0.174 - 0.213
Wyoming	10	0.116	0.056 - 0.214	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Liver and Intrahepatic Bile Duct

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	9,760	0.023	0.022 - 0.023	6,835	0.033	0.033 - 0.034	2,932	0.013	0.013 - 0.014
Alabama	187	0.014	0.012 - 0.016	126	0.021	0.017 - 0.024	61	0.009	0.007 - 0.011
Alaska	-	-	-	-	-	-	-	-	-
Arizona	50	0.014	0.011 - 0.019	38	0.021	0.015 - 0.029	12	0.007	0.004 - 0.012
Arkansas	92	0.019	0.015 - 0.024	69	0.030	0.024 - 0.038	23	0.009	0.006 - 0.014
California	696	0.029	0.026 - 0.031	508	0.042	0.038 - 0.046	188	0.015	0.013 - 0.018
CA - Greater California	295	0.026	0.023 - 0.029	208	0.035	0.031 - 0.040	87	0.016	0.012 - 0.019
CA - Greater Bay Area	188	0.042	0.036 - 0.049	151	0.068	0.058 - 0.080	37	0.016	0.012 - 0.023
CA - Los Angeles	213	0.025	0.022 - 0.029	148	0.037	0.031 - 0.043	65	0.015	0.011 - 0.019
Colorado	70	0.027	0.021 - 0.034	47	0.034	0.025 - 0.045	23	0.019	0.012 - 0.028
Connecticut	94	0.024	0.020 - 0.030	66	0.036	0.028 - 0.046	27	0.014	0.009 - 0.020
Delaware	64	0.029	0.022 - 0.037	44	0.042	0.031 - 0.057	20	0.017	0.011 - 0.027
Florida	544	0.016	0.015 - 0.017	360	0.022	0.020 - 0.025	184	0.010	0.009 - 0.012
Georgia	518	0.015	0.014 - 0.017	355	0.023	0.020 - 0.025	164	0.009	0.008 - 0.011
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	392	0.021	0.019 - 0.023	255	0.029	0.026 - 0.033	137	0.014	0.012 - 0.016
Iowa	36	0.026	0.018 - 0.036	-	-	-	-	-	-
Kansas	48	0.025	0.018 - 0.033	36	0.036	0.025 - 0.050	12	0.013	0.007 - 0.023
Kentucky	77	0.020	0.016 - 0.025	49	0.025	0.019 - 0.033	28	0.014	0.009 - 0.021
Louisiana	363	0.024	0.021 - 0.026	275	0.038	0.034 - 0.043	88	0.011	0.009 - 0.013
Maine	-	-	-	-	-	-	-	-	-
Maryland	508	0.027	0.025 - 0.030	355	0.041	0.037 - 0.046	153	0.015	0.013 - 0.018
MI - Detroit	283	0.029	0.026 - 0.032	196	0.044	0.038 - 0.050	87	0.016	0.013 - 0.020
Minnesota	144	0.036	0.030 - 0.042	98	0.048	0.039 - 0.058	46	0.023	0.017 - 0.031
Mississippi	157	0.014	0.012 - 0.016	105	0.020	0.016 - 0.024	52	0.009	0.006 - 0.011
Missouri	207	0.027	0.024 - 0.032	147	0.041	0.035 - 0.048	60	0.015	0.012 - 0.020
Montana	-	-	-	-	-	-	-	-	-
Nebraska	22	0.021	0.013 - 0.032	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	245	0.021	0.018 - 0.023	172	0.031	0.026 - 0.035	73	0.012	0.009 - 0.015
New Mexico	-	-	-	-	-	-	-	-	-
New York	844	0.029	0.027 - 0.031	578	0.042	0.039 - 0.046	266	0.017	0.015 - 0.019
North Carolina	459	0.020	0.018 - 0.022	299	0.028	0.025 - 0.031	160	0.013	0.011 - 0.015
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	377	0.024	0.022 - 0.027	268	0.036	0.031 - 0.040	109	0.013	0.011 - 0.016
Oklahoma	46	0.014	0.010 - 0.018	28	0.017	0.011 - 0.024	18	0.011	0.006 - 0.017
Oregon	36	0.035	0.024 - 0.048	-	-	-	-	-	-
Pennsylvania	618	0.042	0.039 - 0.046	450	0.064	0.058 - 0.070	168	0.022	0.019 - 0.026
Rhode Island	16	0.022	0.013 - 0.036	-	-	-	-	-	-
South Carolina	208	0.015	0.013 - 0.017	154	0.024	0.020 - 0.028	54	0.007	0.006 - 0.010
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	216	0.018	0.016 - 0.021	129	0.023	0.019 - 0.028	87	0.014	0.011 - 0.017
Texas	902	0.026	0.024 - 0.027	647	0.038	0.035 - 0.041	255	0.014	0.012 - 0.016
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	142	0.039	0.033 - 0.047	99	0.051	0.042 - 0.063	43	0.026	0.019 - 0.035
WA - Seattle	119	0.038	0.032 - 0.046	86	0.051	0.041 - 0.064	34	0.023	0.016 - 0.032
West Virginia	16	0.022	0.013 - 0.036	-	-	-	-	-	-
Wisconsin	129	0.032	0.027 - 0.038	103	0.052	0.042 - 0.063	26	0.013	0.008 - 0.019
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,541	0.020	0.020 - 0.020	3,662	0.018	0.017 - 0.019	4,879	0.022	0.021 - 0.023
Alabama	266	0.020	0.018 - 0.023	108	0.018	0.014 - 0.021	158	0.022	0.019 - 0.026
Alaska	-	-	-	-	-	-	-	-	-
Arizona	48	0.014	0.010 - 0.018	28	0.016	0.010 - 0.023	20	0.012	0.007 - 0.018
Arkansas	79	0.016	0.013 - 0.021	36	0.016	0.011 - 0.022	43	0.017	0.012 - 0.023
California	534	0.022	0.020 - 0.024	246	0.020	0.018 - 0.023	288	0.024	0.021 - 0.026
CA - Greater California	223	0.020	0.017 - 0.022	115	0.020	0.016 - 0.023	108	0.019	0.016 - 0.024
CA - Greater Bay Area	125	0.028	0.023 - 0.033	47	0.021	0.016 - 0.028	78	0.035	0.027 - 0.043
CA - Los Angeles	185	0.022	0.019 - 0.025	83	0.021	0.016 - 0.026	102	0.023	0.019 - 0.028
Colorado	35	0.013	0.009 - 0.019	20	0.014	0.009 - 0.022	15	0.012	0.007 - 0.020
Connecticut	81	0.021	0.017 - 0.026	43	0.023	0.017 - 0.032	38	0.019	0.013 - 0.026
Delaware	49	0.022	0.017 - 0.030	21	0.020	0.013 - 0.031	28	0.024	0.016 - 0.035
Florida	643	0.019	0.018 - 0.021	284	0.017	0.015 - 0.020	359	0.020	0.018 - 0.023
Georgia	601	0.018	0.016 - 0.019	252	0.016	0.014 - 0.018	349	0.020	0.018 - 0.022
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	452	0.024	0.022 - 0.027	193	0.022	0.019 - 0.025	259	0.026	0.023 - 0.030
Iowa	11	0.008	0.004 - 0.014	-	-	-	-	-	-
Kansas	38	0.020	0.014 - 0.027	17	0.017	0.010 - 0.027	21	0.023	0.014 - 0.035
Kentucky	85	0.022	0.017 - 0.027	35	0.018	0.013 - 0.025	50	0.025	0.019 - 0.034
Louisiana	259	0.017	0.015 - 0.019	104	0.014	0.012 - 0.017	156	0.019	0.016 - 0.023
Maine	-	-	-	-	-	-	-	-	-
Maryland	450	0.024	0.022 - 0.027	172	0.020	0.017 - 0.023	278	0.028	0.025 - 0.032
MI - Detroit	248	0.025	0.022 - 0.029	105	0.023	0.019 - 0.028	143	0.027	0.023 - 0.032
Minnesota	42	0.010	0.008 - 0.014	23	0.011	0.007 - 0.017	19	0.010	0.006 - 0.015
Mississippi	210	0.019	0.016 - 0.021	93	0.017	0.014 - 0.021	117	0.020	0.016 - 0.023
Missouri	176	0.023	0.020 - 0.027	86	0.024	0.019 - 0.030	90	0.023	0.018 - 0.028
Montana	-	-	-	-	-	-	-	-	-
Nebraska	20	0.019	0.012 - 0.029	10	0.018	0.009 - 0.034	10	0.019	0.009 - 0.036
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	262	0.022	0.019 - 0.025	114	0.020	0.017 - 0.024	149	0.024	0.020 - 0.028
New Mexico	-	-	-	-	-	-	-	-	-
New York	658	0.022	0.021 - 0.024	243	0.018	0.016 - 0.020	415	0.026	0.024 - 0.029
North Carolina	481	0.021	0.019 - 0.023	199	0.019	0.016 - 0.021	282	0.023	0.021 - 0.026
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	260	0.017	0.015 - 0.019	108	0.014	0.012 - 0.017	152	0.019	0.016 - 0.022
Oklahoma	52	0.016	0.012 - 0.020	25	0.015	0.010 - 0.022	27	0.016	0.011 - 0.024
Oregon	16	0.015	0.009 - 0.025	-	-	-	-	-	-
Pennsylvania	299	0.020	0.018 - 0.023	123	0.017	0.014 - 0.021	176	0.023	0.020 - 0.027
Rhode Island	13	0.018	0.010 - 0.031	-	-	-	-	-	-
South Carolina	302	0.022	0.019 - 0.024	118	0.018	0.015 - 0.022	184	0.025	0.022 - 0.029
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	217	0.019	0.016 - 0.021	95	0.017	0.014 - 0.021	122	0.020	0.016 - 0.024
Texas	669	0.019	0.018 - 0.021	289	0.017	0.015 - 0.019	380	0.021	0.019 - 0.023
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	60	0.017	0.013 - 0.021	45	0.023	0.017 - 0.031	15	0.009	0.005 - 0.015
WA - Seattle	56	0.018	0.014 - 0.023	40	0.024	0.017 - 0.033	16	0.011	0.006 - 0.018
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	87	0.022	0.017 - 0.027	39	0.020	0.014 - 0.027	48	0.023	0.017 - 0.031
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	8,583	0.020	0.020 - 0.021	6,779	0.033	0.032 - 0.034	1,811	0.008	0.008 - 0.009
Alabama	317	0.024	0.021 - 0.027	274	0.045	0.040 - 0.050	43	0.006	0.004 - 0.008
Alaska	-	-	-	-	-	-	-	-	-
Arizona	27	0.008	0.005 - 0.011	-	-	-	-	-	-
Arkansas	117	0.024	0.020 - 0.029	94	0.041	0.033 - 0.050	23	0.009	0.006 - 0.014
California	382	0.016	0.014 - 0.017	310	0.026	0.023 - 0.029	72	0.006	0.005 - 0.007
CA - Greater California	140	0.012	0.010 - 0.014	115	0.020	0.016 - 0.023	25	0.005	0.003 - 0.007
CA - Greater Bay Area	94	0.021	0.017 - 0.026	79	0.036	0.028 - 0.044	15	0.007	0.004 - 0.011
CA - Los Angeles	148	0.017	0.015 - 0.020	116	0.029	0.024 - 0.035	32	0.007	0.005 - 0.010
Colorado	31	0.012	0.008 - 0.017	21	0.015	0.009 - 0.023	10	0.008	0.004 - 0.015
Connecticut	84	0.022	0.017 - 0.027	67	0.036	0.028 - 0.046	17	0.008	0.005 - 0.014
Delaware	25	0.011	0.007 - 0.017	14	0.014	0.007 - 0.023	11	0.010	0.005 - 0.017
Florida	494	0.015	0.013 - 0.016	421	0.026	0.023 - 0.028	73	0.004	0.003 - 0.005
Georgia	624	0.019	0.017 - 0.020	519	0.033	0.030 - 0.036	104	0.006	0.005 - 0.007
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	494	0.027	0.024 - 0.029	374	0.043	0.038 - 0.047	120	0.012	0.010 - 0.015
Iowa	14	0.010	0.006 - 0.017	-	-	-	-	-	-
Kansas	28	0.015	0.010 - 0.021	-	-	-	-	-	-
Kentucky	110	0.028	0.023 - 0.034	81	0.042	0.033 - 0.052	29	0.015	0.010 - 0.021
Louisiana	445	0.029	0.026 - 0.032	354	0.049	0.044 - 0.054	91	0.011	0.009 - 0.014
Maine	-	-	-	-	-	-	-	-	-
Maryland	324	0.017	0.016 - 0.020	255	0.030	0.026 - 0.033	69	0.007	0.005 - 0.009
MI - Detroit	258	0.026	0.023 - 0.030	191	0.042	0.037 - 0.049	67	0.013	0.010 - 0.016
Minnesota	55	0.014	0.010 - 0.018	41	0.020	0.014 - 0.027	14	0.007	0.004 - 0.012
Mississippi	318	0.028	0.025 - 0.031	264	0.050	0.044 - 0.056	54	0.009	0.007 - 0.012
Missouri	179	0.024	0.020 - 0.028	133	0.037	0.031 - 0.044	46	0.012	0.009 - 0.016
Montana	-	-	-	-	-	-	-	-	-
Nebraska	17	0.016	0.009 - 0.026	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	198	0.017	0.014 - 0.019	150	0.027	0.023 - 0.031	48	0.008	0.006 - 0.010
New Mexico	-	-	-	-	-	-	-	-	-
New York	502	0.017	0.016 - 0.019	371	0.027	0.024 - 0.030	130	0.008	0.007 - 0.010
North Carolina	611	0.027	0.025 - 0.029	484	0.045	0.041 - 0.050	127	0.010	0.009 - 0.012
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	367	0.023	0.021 - 0.026	278	0.037	0.033 - 0.041	89	0.011	0.009 - 0.013
Oklahoma	53	0.016	0.012 - 0.021	39	0.023	0.017 - 0.032	14	0.008	0.005 - 0.014
Oregon	13	0.013	0.007 - 0.022	-	-	-	-	-	-
Pennsylvania	336	0.023	0.020 - 0.025	249	0.035	0.031 - 0.040	87	0.011	0.009 - 0.014
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	380	0.027	0.025 - 0.030	319	0.049	0.044 - 0.055	61	0.008	0.006 - 0.011
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	241	0.021	0.018 - 0.023	178	0.032	0.028 - 0.037	63	0.010	0.008 - 0.013
Texas	571	0.016	0.015 - 0.018	452	0.027	0.024 - 0.029	119	0.007	0.005 - 0.008
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	51	0.014	0.011 - 0.019	39	0.020	0.014 - 0.028	12	0.007	0.004 - 0.013
WA - Seattle	48	0.015	0.011 - 0.020	37	0.022	0.016 - 0.031	11	0.008	0.004 - 0.013
West Virginia	12	0.017	0.009 - 0.029	-	-	-	-	-	-
Wisconsin	75	0.019	0.015 - 0.023	52	0.026	0.020 - 0.034	23	0.011	0.007 - 0.017
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	51,583	0.121	0.120 - 0.122	24,540	0.120	0.118 - 0.122	27,049	0.122	0.120 - 0.123
Alabama	1,412	0.107	0.102 - 0.113	811	0.132	0.123 - 0.142	601	0.085	0.079 - 0.092
Alaska	21	0.065	0.040 - 0.099	10	0.056	0.027 - 0.102	11	0.077	0.038 - 0.137
Arizona	277	0.080	0.071 - 0.090	131	0.073	0.061 - 0.087	146	0.087	0.073 - 0.102
Arkansas	598	0.125	0.115 - 0.135	326	0.143	0.128 - 0.159	272	0.108	0.096 - 0.122
California	2,778	0.114	0.110 - 0.118	1,254	0.103	0.098 - 0.109	1,524	0.124	0.118 - 0.131
CA - Greater California	1,080	0.094	0.089 - 0.100	480	0.081	0.074 - 0.089	600	0.108	0.100 - 0.117
CA - Greater Bay Area	667	0.149	0.138 - 0.161	325	0.147	0.131 - 0.164	342	0.152	0.136 - 0.169
CA - Los Angeles	1,031	0.121	0.114 - 0.129	449	0.112	0.102 - 0.123	582	0.130	0.120 - 0.141
Colorado	197	0.075	0.065 - 0.087	98	0.070	0.057 - 0.086	99	0.081	0.066 - 0.099
Connecticut	518	0.134	0.123 - 0.147	232	0.126	0.110 - 0.143	287	0.142	0.126 - 0.160
Delaware	290	0.132	0.117 - 0.148	129	0.125	0.104 - 0.148	161	0.139	0.118 - 0.162
Florida	3,009	0.089	0.086 - 0.092	1,453	0.089	0.085 - 0.094	1,556	0.089	0.084 - 0.093
Georgia	3,302	0.098	0.095 - 0.102	1,690	0.108	0.103 - 0.113	1,612	0.090	0.086 - 0.095
Hawaii	14	0.037	0.020 - 0.062	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	3,115	0.167	0.161 - 0.173	1,363	0.156	0.147 - 0.164	1,752	0.178	0.169 - 0.186
Iowa	105	0.076	0.063 - 0.093	55	0.075	0.057 - 0.098	50	0.078	0.058 - 0.102
Kansas	278	0.145	0.128 - 0.163	148	0.149	0.126 - 0.175	130	0.140	0.117 - 0.166
Kentucky	593	0.152	0.140 - 0.164	269	0.138	0.122 - 0.156	324	0.165	0.147 - 0.184
Louisiana	1,889	0.123	0.118 - 0.129	1,031	0.142	0.133 - 0.151	858	0.107	0.100 - 0.114
Maine	18	0.073	0.043 - 0.115	-	-	-	-	-	-
Maryland	2,368	0.128	0.123 - 0.133	948	0.110	0.103 - 0.117	1,420	0.144	0.136 - 0.151
MI - Detroit	1,605	0.164	0.156 - 0.172	717	0.159	0.148 - 0.171	887	0.167	0.157 - 0.179
Minnesota	317	0.079	0.071 - 0.088	142	0.069	0.059 - 0.082	175	0.089	0.076 - 0.103
Mississippi	1,480	0.131	0.124 - 0.138	819	0.154	0.144 - 0.165	661	0.110	0.102 - 0.119
Missouri	1,166	0.155	0.146 - 0.164	534	0.149	0.136 - 0.162	632	0.160	0.148 - 0.173
Montana	-	-	-	-	-	-	-	-	-
Nebraska	112	0.106	0.087 - 0.128	46	0.085	0.062 - 0.113	66	0.129	0.099 - 0.164
New Hampshire	13	0.057	0.030 - 0.097	-	-	-	-	-	-
New Jersey	1,381	0.116	0.110 - 0.122	580	0.103	0.095 - 0.112	800	0.127	0.119 - 0.136
New Mexico	44	0.095	0.069 - 0.128	25	0.096	0.062 - 0.142	19	0.094	0.057 - 0.147
New York	3,663	0.124	0.120 - 0.128	1,585	0.115	0.110 - 0.121	2,078	0.132	0.126 - 0.138
North Carolina	3,218	0.141	0.136 - 0.146	1,643	0.154	0.146 - 0.161	1,575	0.130	0.123 - 0.136
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	2,305	0.147	0.141 - 0.153	1,039	0.138	0.130 - 0.146	1,266	0.155	0.147 - 0.164
Oklahoma	321	0.096	0.086 - 0.108	178	0.107	0.092 - 0.124	143	0.086	0.072 - 0.101
Oregon	102	0.099	0.080 - 0.120	60	0.109	0.083 - 0.140	42	0.087	0.063 - 0.118
Pennsylvania	2,530	0.172	0.166 - 0.179	997	0.141	0.132 - 0.150	1,533	0.201	0.191 - 0.212
Rhode Island	94	0.131	0.106 - 0.160	41	0.115	0.082 - 0.156	53	0.147	0.110 - 0.192
South Carolina	1,752	0.127	0.121 - 0.133	927	0.143	0.134 - 0.153	825	0.112	0.105 - 0.120
South Dakota	11	0.048	0.024 - 0.086	-	-	-	-	-	-
Tennessee	1,400	0.120	0.114 - 0.126	684	0.124	0.115 - 0.133	716	0.116	0.108 - 0.125
Texas	3,460	0.099	0.095 - 0.102	1,721	0.101	0.097 - 0.106	1,739	0.096	0.092 - 0.101
Utah	12	0.027	0.014 - 0.046	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	290	0.081	0.072 - 0.090	132	0.069	0.057 - 0.081	158	0.095	0.080 - 0.111
WA - Seattle	275	0.088	0.078 - 0.099	129	0.077	0.065 - 0.092	147	0.100	0.084 - 0.117
West Virginia	104	0.143	0.117 - 0.174	61	0.156	0.119 - 0.201	43	0.128	0.093 - 0.173
Wisconsin	585	0.145	0.133 - 0.157	284	0.143	0.127 - 0.160	301	0.147	0.131 - 0.164
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,129	0.005	0.005 - 0.005	924	0.005	0.004 - 0.005	1,205	0.005	0.005 - 0.006
Alabama	67	0.005	0.004 - 0.006	29	0.005	0.003 - 0.007	38	0.005	0.004 - 0.007
Alaska	-	-	-	-	-	-	-	-	-
Arizona	20	0.006	0.004 - 0.009	-	-	-	-	-	-
Arkansas	28	0.006	0.004 - 0.008	16	0.007	0.004 - 0.011	12	0.005	0.002 - 0.008
California	136	0.006	0.005 - 0.007	67	0.005	0.004 - 0.007	69	0.006	0.004 - 0.007
CA - Greater California	60	0.005	0.004 - 0.007	27	0.005	0.003 - 0.007	33	0.006	0.004 - 0.008
CA - Greater Bay Area	30	0.007	0.005 - 0.010	16	0.007	0.004 - 0.012	14	0.006	0.003 - 0.010
CA - Los Angeles	46	0.005	0.004 - 0.007	24	0.006	0.004 - 0.009	22	0.005	0.003 - 0.007
Colorado	-	-	-	-	-	-	-	-	-
Connecticut	30	0.008	0.005 - 0.011	15	0.008	0.005 - 0.013	15	0.007	0.004 - 0.012
Delaware	19	0.009	0.005 - 0.014	-	-	-	-	-	-
Florida	205	0.006	0.005 - 0.007	98	0.006	0.005 - 0.007	107	0.006	0.005 - 0.007
Georgia	147	0.004	0.004 - 0.005	61	0.004	0.003 - 0.005	86	0.005	0.004 - 0.006
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	74	0.004	0.003 - 0.005	27	0.003	0.002 - 0.004	47	0.005	0.003 - 0.006
Iowa	-	-	-	-	-	-	-	-	-
Kansas	11	0.006	0.003 - 0.010	-	-	-	-	-	-
Kentucky	22	0.006	0.004 - 0.009	-	-	-	-	-	-
Louisiana	75	0.005	0.004 - 0.006	31	0.004	0.003 - 0.006	44	0.005	0.004 - 0.007
Maine	-	-	-	-	-	-	-	-	-
Maryland	103	0.006	0.005 - 0.007	53	0.006	0.005 - 0.008	50	0.005	0.004 - 0.007
MI - Detroit	45	0.005	0.003 - 0.006	14	0.003	0.002 - 0.005	31	0.006	0.004 - 0.008
Minnesota	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Mississippi	51	0.005	0.003 - 0.006	22	0.004	0.003 - 0.006	29	0.005	0.003 - 0.007
Missouri	25	0.003	0.002 - 0.005	11	0.003	0.002 - 0.005	14	0.004	0.002 - 0.006
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	73	0.006	0.005 - 0.008	31	0.005	0.004 - 0.008	43	0.007	0.005 - 0.009
New Mexico	-	-	-	-	-	-	-	-	-
New York	178	0.006	0.005 - 0.007	71	0.005	0.004 - 0.006	108	0.007	0.006 - 0.008
North Carolina	107	0.005	0.004 - 0.006	47	0.004	0.003 - 0.006	60	0.005	0.004 - 0.006
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	65	0.004	0.003 - 0.005	28	0.004	0.002 - 0.005	37	0.005	0.003 - 0.006
Oklahoma	18	0.005	0.003 - 0.009	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-
Pennsylvania	68	0.005	0.004 - 0.006	32	0.005	0.003 - 0.006	36	0.005	0.003 - 0.007
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	57	0.004	0.003 - 0.005	14	0.002	0.001 - 0.004	43	0.006	0.004 - 0.008
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	42	0.004	0.003 - 0.005	16	0.003	0.002 - 0.005	26	0.004	0.003 - 0.006
Texas	171	0.005	0.004 - 0.006	76	0.004	0.004 - 0.006	95	0.005	0.004 - 0.006
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	22	0.006	0.004 - 0.009	-	-	-	-	-	-
WA - Seattle	13	0.004	0.002 - 0.007	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	18	0.004	0.003 - 0.007	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		195,360	0.879	0.875 - 0.883
Alabama	-	-		-	-		6,581	0.933	0.911 - 0.956
Alaska	-	-		-	-		86	0.599	0.479 - 0.740
Arizona	-	-		-	-		953	0.568	0.532 - 0.605
Arkansas	-	-		-	-		1,956	0.778	0.744 - 0.813
California	-	-		-	-		11,976	0.976	0.959 - 0.994
CA - Greater California	-	-		-	-		4,659	0.840	0.816 - 0.865
CA - Greater Bay Area	-	-		-	-		2,423	1.078	1.036 - 1.122
CA - Los Angeles	-	-		-	-		4,903	1.095	1.065 - 1.126
Colorado	-	-		-	-		861	0.705	0.658 - 0.753
Connecticut	-	-		-	-		1,861	0.924	0.883 - 0.967
Delaware	-	-		-	-		1,104	0.954	0.898 - 1.012
Florida	-	-		-	-		12,654	0.720	0.708 - 0.733
Georgia	-	-		-	-		14,820	0.828	0.814 - 0.841
Hawaii	-	-		-	-		74	0.488	0.383 - 0.612
Idaho	-	-		-	-		16	0.201	0.115 - 0.327
Illinois	-	-		-	-		10,025	1.016	0.996 - 1.036
Iowa	-	-		-	-		267	0.412	0.364 - 0.465
Kansas	-	-		-	-		757	0.815	0.758 - 0.875
Kentucky	-	-		-	-		1,652	0.840	0.800 - 0.881
Louisiana	-	-		-	-		7,258	0.902	0.881 - 0.923
Maine	-	-		-	-		32	0.283	0.193 - 0.399
Maryland	-	-		-	-		10,136	1.026	1.006 - 1.046
MI - Detroit	-	-		-	-		5,360	1.011	0.985 - 1.039
Minnesota	-	-		-	-		845	0.430	0.401 - 0.460
Mississippi	-	-		-	-		5,006	0.835	0.812 - 0.858
Missouri	-	-		-	-		3,635	0.923	0.893 - 0.953
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		313	0.610	0.544 - 0.681
New Hampshire	-	-		-	-		41	0.402	0.288 - 0.545
New Jersey	-	-		-	-		6,358	1.012	0.987 - 1.037
New Mexico	-	-		-	-		139	0.691	0.581 - 0.816
New York	-	-		-	-		15,535	0.987	0.971 - 1.002
North Carolina	-	-		-	-		12,022	0.990	0.972 - 1.008
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		7,107	0.870	0.850 - 0.891
Oklahoma	-	-		-	-		1,252	0.753	0.712 - 0.796
Oregon	-	-		-	-		284	0.591	0.524 - 0.664
Pennsylvania	-	-		-	-		7,079	0.930	0.909 - 0.952
Rhode Island	-	-		-	-		258	0.716	0.632 - 0.809
South Carolina	-	-		-	-		7,036	0.956	0.934 - 0.978
South Dakota	-	-		-	-		19	0.199	0.120 - 0.310
Tennessee	-	-		-	-		5,234	0.850	0.827 - 0.873
Texas	-	-		-	-		13,818	0.764	0.751 - 0.777
Utah	-	-		-	-		64	0.320	0.246 - 0.409
Vermont	-	-		-	-		12	0.268	0.139 - 0.469
Washington	-	-		-	-		1,025	0.613	0.576 - 0.652
WA - Seattle	-	-		-	-		971	0.662	0.621 - 0.705
West Virginia	-	-		-	-		290	0.864	0.768 - 0.970
Wisconsin	-	-		-	-		1,544	0.753	0.716 - 0.792
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		11,419	0.051	0.050 - 0.052
Alabama	-	-		-	-		374	0.053	0.048 - 0.059
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		55	0.033	0.025 - 0.043
Arkansas	-	-		-	-		128	0.051	0.042 - 0.061
California	-	-		-	-		499	0.041	0.037 - 0.044
CA - Greater California	-	-		-	-		211	0.038	0.033 - 0.044
CA - Greater Bay Area	-	-		-	-		80	0.035	0.028 - 0.044
CA - Los Angeles	-	-		-	-		210	0.047	0.041 - 0.054
Colorado	-	-		-	-		41	0.034	0.024 - 0.046
Connecticut	-	-		-	-		80	0.040	0.031 - 0.049
Delaware	-	-		-	-		62	0.054	0.041 - 0.069
Florida	-	-		-	-		1,051	0.060	0.056 - 0.064
Georgia	-	-		-	-		766	0.043	0.040 - 0.046
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		685	0.069	0.064 - 0.075
Iowa	-	-		-	-		26	0.040	0.026 - 0.059
Kansas	-	-		-	-		30	0.032	0.022 - 0.046
Kentucky	-	-		-	-		91	0.046	0.037 - 0.057
Louisiana	-	-		-	-		475	0.059	0.054 - 0.065
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		436	0.044	0.040 - 0.048
MI - Detroit	-	-		-	-		256	0.048	0.043 - 0.055
Minnesota	-	-		-	-		61	0.031	0.024 - 0.040
Mississippi	-	-		-	-		332	0.055	0.050 - 0.062
Missouri	-	-		-	-		192	0.049	0.042 - 0.056
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		22	0.043	0.027 - 0.065
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		362	0.058	0.052 - 0.064
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		1,019	0.065	0.061 - 0.069
North Carolina	-	-		-	-		590	0.049	0.045 - 0.053
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		367	0.045	0.040 - 0.050
Oklahoma	-	-		-	-		57	0.034	0.026 - 0.044
Oregon	-	-		-	-		14	0.029	0.016 - 0.049
Pennsylvania	-	-		-	-		466	0.061	0.056 - 0.067
Rhode Island	-	-		-	-		14	0.039	0.021 - 0.065
South Carolina	-	-		-	-		356	0.048	0.043 - 0.054
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		317	0.051	0.046 - 0.057
Texas	-	-		-	-		921	0.051	0.048 - 0.054
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		58	0.035	0.026 - 0.045
WA - Seattle	-	-		-	-		52	0.036	0.027 - 0.047
West Virginia	-	-		-	-		12	0.036	0.018 - 0.062
Wisconsin	-	-		-	-		123	0.060	0.050 - 0.072
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		34,496	0.155	0.153 - 0.157
Alabama	-	-		-	-		879	0.125	0.117 - 0.133
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		150	0.089	0.076 - 0.105
Arkansas	-	-		-	-		347	0.138	0.124 - 0.153
California	-	-		-	-		2,161	0.176	0.169 - 0.184
CA - Greater California	-	-		-	-		752	0.136	0.126 - 0.146
CA - Greater Bay Area	-	-		-	-		482	0.215	0.196 - 0.235
CA - Los Angeles	-	-		-	-		926	0.207	0.194 - 0.221
Colorado	-	-		-	-		127	0.104	0.087 - 0.124
Connecticut	-	-		-	-		374	0.186	0.167 - 0.206
Delaware	-	-		-	-		212	0.183	0.159 - 0.209
Florida	-	-		-	-		2,566	0.146	0.140 - 0.152
Georgia	-	-		-	-		2,387	0.133	0.128 - 0.139
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		1,817	0.184	0.176 - 0.193
Iowa	-	-		-	-		59	0.091	0.069 - 0.117
Kansas	-	-		-	-		124	0.134	0.111 - 0.159
Kentucky	-	-		-	-		277	0.141	0.125 - 0.158
Louisiana	-	-		-	-		1,043	0.130	0.122 - 0.138
Maine	-	-		-	-		10	0.088	0.042 - 0.162
Maryland	-	-		-	-		1,722	0.174	0.166 - 0.183
MI - Detroit	-	-		-	-		1,005	0.190	0.178 - 0.202
Minnesota	-	-		-	-		181	0.092	0.079 - 0.107
Mississippi	-	-		-	-		839	0.140	0.131 - 0.150
Missouri	-	-		-	-		604	0.153	0.141 - 0.166
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		42	0.082	0.059 - 0.111
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		1,214	0.193	0.182 - 0.204
New Mexico	-	-		-	-		26	0.129	0.084 - 0.189
New York	-	-		-	-		3,545	0.225	0.218 - 0.233
North Carolina	-	-		-	-		1,988	0.164	0.157 - 0.171
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		1,222	0.150	0.141 - 0.158
Oklahoma	-	-		-	-		189	0.114	0.098 - 0.131
Oregon	-	-		-	-		51	0.106	0.079 - 0.139
Pennsylvania	-	-		-	-		1,346	0.177	0.168 - 0.187
Rhode Island	-	-		-	-		45	0.125	0.091 - 0.167
South Carolina	-	-		-	-		1,240	0.168	0.159 - 0.178
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		847	0.138	0.128 - 0.147
Texas	-	-		-	-		2,120	0.117	0.112 - 0.122
Utah	-	-		-	-		12	0.060	0.031 - 0.106
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		173	0.104	0.089 - 0.120
WA - Seattle	-	-		-	-		167	0.114	0.097 - 0.132
West Virginia	-	-		-	-		52	0.155	0.116 - 0.203
Wisconsin	-	-		-	-		281	0.137	0.122 - 0.154
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		8,454	0.038	0.037 - 0.039
Alabama	-	-		-	-		286	0.041	0.036 - 0.046
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		48	0.029	0.021 - 0.038
Arkansas	-	-		-	-		83	0.033	0.026 - 0.041
California	-	-		-	-		521	0.042	0.039 - 0.046
CA - Greater California	-	-		-	-		209	0.038	0.033 - 0.043
CA - Greater Bay Area	-	-		-	-		122	0.054	0.045 - 0.065
CA - Los Angeles	-	-		-	-		190	0.042	0.037 - 0.049
Colorado	-	-		-	-		22	0.018	0.011 - 0.027
Connecticut	-	-		-	-		85	0.042	0.034 - 0.052
Delaware	-	-		-	-		42	0.036	0.026 - 0.049
Florida	-	-		-	-		649	0.037	0.034 - 0.040
Georgia	-	-		-	-		649	0.036	0.034 - 0.039
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		-	-		451	0.046	0.042 - 0.050
Iowa	-	-		-	-		14	0.022	0.012 - 0.036
Kansas	-	-		-	-		21	0.023	0.014 - 0.035
Kentucky	-	-		-	-		60	0.030	0.023 - 0.039
Louisiana	-	-		-	-		276	0.034	0.030 - 0.039
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		388	0.039	0.035 - 0.043
MI - Detroit	-	-		-	-		238	0.045	0.039 - 0.051
Minnesota	-	-		-	-		46	0.023	0.017 - 0.031
Mississippi	-	-		-	-		207	0.035	0.030 - 0.040
Missouri	-	-		-	-		128	0.032	0.027 - 0.039
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		10	0.019	0.009 - 0.036
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		302	0.048	0.043 - 0.054
New Mexico	-	-		-	-		-	-	
New York	-	-		-	-		767	0.049	0.045 - 0.052
North Carolina	-	-		-	-		462	0.038	0.035 - 0.042
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		306	0.037	0.033 - 0.042
Oklahoma	-	-		-	-		51	0.031	0.023 - 0.040
Oregon	-	-		-	-		12	0.025	0.013 - 0.044
Pennsylvania	-	-		-	-		300	0.039	0.035 - 0.044
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		240	0.033	0.029 - 0.037
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		221	0.036	0.031 - 0.041
Texas	-	-		-	-		636	0.035	0.032 - 0.038
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		36	0.022	0.015 - 0.030
WA - Seattle	-	-		-	-		35	0.024	0.017 - 0.033
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		81	0.040	0.031 - 0.049
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		259,880	1.271	1.265 - 1.276	-	-	
Alabama	-	-		8,675	1.415	1.386 - 1.446	-	-	
Alaska	-	-		150	0.836	0.708 - 0.981	-	-	
Arizona	-	-		1,237	0.688	0.651 - 0.728	-	-	
Arkansas	-	-		2,922	1.279	1.233 - 1.327	-	-	
California	-	-		15,799	1.302	1.282 - 1.322	-	-	
CA - Greater California	-	-		6,587	1.116	1.090 - 1.144	-	-	
CA - Greater Bay Area	-	-		3,345	1.510	1.459 - 1.562	-	-	
CA - Los Angeles	-	-		5,867	1.460	1.423 - 1.498	-	-	
Colorado	-	-		1,243	0.891	0.842 - 0.941	-	-	
Connecticut	-	-		2,370	1.289	1.237 - 1.342	-	-	
Delaware	-	-		1,634	1.578	1.503 - 1.657	-	-	
Florida	-	-		18,836	1.156	1.140 - 1.173	-	-	
Georgia	-	-		19,698	1.254	1.236 - 1.271	-	-	
Hawaii	-	-		203	0.901	0.781 - 1.033	-	-	
Idaho	-	-		48	0.475	0.351 - 0.630	-	-	
Illinois	-	-		12,170	1.389	1.365 - 1.414	-	-	
Iowa	-	-		421	0.577	0.523 - 0.635	-	-	
Kansas	-	-		1,076	1.084	1.020 - 1.151	-	-	
Kentucky	-	-		1,966	1.012	0.967 - 1.057	-	-	
Louisiana	-	-		9,727	1.340	1.313 - 1.367	-	-	
Maine	-	-		68	0.506	0.393 - 0.641	-	-	
Maryland	-	-		12,669	1.466	1.441 - 1.492	-	-	
MI - Detroit	-	-		7,341	1.630	1.593 - 1.668	-	-	
Minnesota	-	-		1,296	0.634	0.600 - 0.669	-	-	
Mississippi	-	-		7,201	1.353	1.322 - 1.385	-	-	
Missouri	-	-		3,802	1.059	1.025 - 1.093	-	-	
Montana	-	-		31	0.594	0.404 - 0.843	-	-	
Nebraska	-	-		526	0.972	0.891 - 1.059	-	-	
New Hampshire	-	-		89	0.698	0.561 - 0.859	-	-	
New Jersey	-	-		9,049	1.608	1.575 - 1.641	-	-	
New Mexico	-	-		251	0.970	0.853 - 1.097	-	-	
New York	-	-		23,880	1.734	1.712 - 1.756	-	-	
North Carolina	-	-		15,164	1.419	1.396 - 1.442	-	-	
North Dakota	-	-		37	0.244	0.172 - 0.337	-	-	
Ohio	-	-		8,862	1.175	1.151 - 1.200	-	-	
Oklahoma	-	-		1,697	1.018	0.970 - 1.068	-	-	
Oregon	-	-		471	0.853	0.777 - 0.933	-	-	
Pennsylvania	-	-		8,577	1.212	1.187 - 1.238	-	-	
Rhode Island	-	-		316	0.885	0.790 - 0.989	-	-	
South Carolina	-	-		9,017	1.394	1.366 - 1.424	-	-	
South Dakota	-	-		36	0.273	0.191 - 0.378	-	-	
Tennessee	-	-		6,450	1.167	1.138 - 1.195	-	-	
Texas	-	-		15,885	0.936	0.922 - 0.951	-	-	
Utah	-	-		161	0.621	0.529 - 0.725	-	-	
Vermont	-	-		32	0.567	0.388 - 0.800	-	-	
Washington	-	-		1,592	0.827	0.787 - 0.868	-	-	
WA - Seattle	-	-		1,522	0.916	0.870 - 0.963	-	-	
West Virginia	-	-		507	1.298	1.188 - 1.417	-	-	
Wisconsin	-	-		2,117	1.064	1.019 - 1.110	-	-	
Wyoming	-	-		19	0.378	0.227 - 0.590	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		2,487	0.012	0.012 - 0.013	-	-	
Alabama	-	-		73	0.012	0.009 - 0.015	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		13	0.007	0.004 - 0.012	-	-	
Arkansas	-	-		22	0.010	0.006 - 0.015	-	-	
California	-	-		181	0.015	0.013 - 0.017	-	-	
CA - Greater California	-	-		86	0.015	0.012 - 0.018	-	-	
CA - Greater Bay Area	-	-		38	0.017	0.012 - 0.024	-	-	
CA - Los Angeles	-	-		57	0.014	0.011 - 0.018	-	-	
Colorado	-	-		21	0.015	0.009 - 0.023	-	-	
Connecticut	-	-		20	0.011	0.007 - 0.017	-	-	
Delaware	-	-		10	0.010	0.005 - 0.018	-	-	
Florida	-	-		147	0.009	0.008 - 0.011	-	-	
Georgia	-	-		170	0.011	0.009 - 0.013	-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	-	-		105	0.012	0.010 - 0.015	-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		17	0.017	0.010 - 0.027	-	-	
Kentucky	-	-		26	0.013	0.009 - 0.020	-	-	
Louisiana	-	-		99	0.014	0.011 - 0.017	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		116	0.013	0.011 - 0.016	-	-	
MI - Detroit	-	-		69	0.015	0.012 - 0.019	-	-	
Minnesota	-	-		31	0.015	0.010 - 0.022	-	-	
Mississippi	-	-		63	0.012	0.009 - 0.015	-	-	
Missouri	-	-		42	0.012	0.008 - 0.016	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		83	0.015	0.012 - 0.018	-	-	
New Mexico	-	-		-	-		-	-	
New York	-	-		196	0.014	0.012 - 0.016	-	-	
North Carolina	-	-		157	0.015	0.012 - 0.017	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		72	0.010	0.007 - 0.012	-	-	
Oklahoma	-	-		20	0.012	0.007 - 0.019	-	-	
Oregon	-	-		12	0.022	0.011 - 0.038	-	-	
Pennsylvania	-	-		95	0.013	0.011 - 0.016	-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		67	0.010	0.008 - 0.013	-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		69	0.012	0.010 - 0.016	-	-	
Texas	-	-		169	0.010	0.009 - 0.012	-	-	
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		21	0.011	0.007 - 0.017	-	-	
WA - Seattle	-	-		16	0.010	0.006 - 0.016	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		24	0.012	0.008 - 0.018	-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	21,395	0.050	0.049 - 0.051	15,007	0.073	0.072 - 0.075	6,404	0.029	0.028 - 0.030
Alabama	649	0.049	0.046 - 0.053	440	0.072	0.065 - 0.079	209	0.030	0.026 - 0.034
Alaska	14	0.043	0.024 - 0.073	-	-	-	-	-	-
Arizona	123	0.035	0.029 - 0.042	81	0.045	0.036 - 0.056	42	0.025	0.018 - 0.034
Arkansas	210	0.044	0.038 - 0.050	145	0.063	0.054 - 0.075	65	0.026	0.020 - 0.033
California	1,513	0.062	0.059 - 0.065	1,129	0.093	0.088 - 0.099	384	0.031	0.028 - 0.035
CA - Greater California	575	0.050	0.046 - 0.055	441	0.075	0.068 - 0.082	134	0.024	0.020 - 0.029
CA - Greater Bay Area	324	0.073	0.065 - 0.081	242	0.109	0.096 - 0.124	82	0.036	0.029 - 0.045
CA - Los Angeles	615	0.072	0.067 - 0.078	447	0.111	0.101 - 0.122	168	0.038	0.032 - 0.044
Colorado	101	0.039	0.031 - 0.047	82	0.059	0.047 - 0.073	19	0.016	0.009 - 0.024
Connecticut	202	0.052	0.045 - 0.060	134	0.073	0.061 - 0.086	68	0.034	0.026 - 0.043
Delaware	152	0.069	0.059 - 0.081	105	0.101	0.083 - 0.123	47	0.041	0.030 - 0.054
Florida	1,252	0.037	0.035 - 0.039	906	0.056	0.052 - 0.059	346	0.020	0.018 - 0.022
Georgia	1,331	0.040	0.038 - 0.042	918	0.058	0.055 - 0.062	413	0.023	0.021 - 0.025
Hawaii	23	0.061	0.039 - 0.092	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,116	0.060	0.056 - 0.064	785	0.090	0.083 - 0.096	331	0.034	0.030 - 0.037
Iowa	35	0.025	0.018 - 0.035	-	-	-	-	-	-
Kansas	104	0.054	0.044 - 0.066	75	0.076	0.059 - 0.095	29	0.031	0.021 - 0.045
Kentucky	207	0.053	0.046 - 0.061	151	0.078	0.066 - 0.091	56	0.028	0.022 - 0.037
Louisiana	761	0.050	0.046 - 0.053	556	0.077	0.070 - 0.083	205	0.025	0.022 - 0.029
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,065	0.058	0.054 - 0.061	712	0.082	0.076 - 0.089	353	0.036	0.032 - 0.040
MI - Detroit	655	0.067	0.062 - 0.072	446	0.099	0.090 - 0.109	209	0.039	0.034 - 0.045
Minnesota	120	0.030	0.025 - 0.036	87	0.043	0.034 - 0.052	33	0.017	0.012 - 0.024
Mississippi	488	0.043	0.039 - 0.047	372	0.070	0.063 - 0.077	116	0.019	0.016 - 0.023
Missouri	421	0.056	0.051 - 0.062	279	0.078	0.069 - 0.087	142	0.036	0.030 - 0.042
Montana	-	-	-	-	-	-	-	-	-
Nebraska	50	0.047	0.035 - 0.063	33	0.061	0.042 - 0.086	17	0.033	0.019 - 0.053
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	710	0.060	0.055 - 0.064	490	0.087	0.079 - 0.095	220	0.035	0.031 - 0.040
New Mexico	26	0.056	0.036 - 0.082	-	-	-	-	-	-
New York	1,734	0.059	0.056 - 0.062	1,195	0.087	0.082 - 0.092	539	0.034	0.031 - 0.037
North Carolina	1,344	0.059	0.056 - 0.062	913	0.085	0.080 - 0.091	431	0.035	0.032 - 0.039
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	917	0.058	0.055 - 0.062	628	0.083	0.077 - 0.090	289	0.035	0.031 - 0.040
Oklahoma	171	0.051	0.044 - 0.060	121	0.073	0.060 - 0.087	50	0.030	0.022 - 0.040
Oregon	41	0.040	0.028 - 0.054	28	0.051	0.034 - 0.073	13	0.027	0.014 - 0.046
Pennsylvania	991	0.067	0.063 - 0.072	700	0.099	0.092 - 0.107	291	0.038	0.034 - 0.043
Rhode Island	36	0.050	0.035 - 0.070	25	0.070	0.045 - 0.103	11	0.031	0.015 - 0.055
South Carolina	639	0.046	0.043 - 0.050	403	0.062	0.056 - 0.069	236	0.032	0.028 - 0.036
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	477	0.041	0.037 - 0.045	334	0.060	0.054 - 0.067	143	0.023	0.020 - 0.027
Texas	1,271	0.036	0.034 - 0.038	915	0.054	0.051 - 0.058	356	0.020	0.018 - 0.022
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	147	0.041	0.035 - 0.048	108	0.056	0.046 - 0.068	39	0.023	0.017 - 0.032
WA - Seattle	138	0.044	0.037 - 0.052	102	0.062	0.050 - 0.075	36	0.025	0.017 - 0.034
West Virginia	43	0.059	0.043 - 0.080	-	-	-	-	-	-
Wisconsin	206	0.051	0.044 - 0.058	146	0.073	0.062 - 0.086	60	0.029	0.022 - 0.038
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	44,692	0.105	0.104 - 0.106	26,206	0.128	0.127 - 0.130	18,503	0.083	0.082 - 0.084
Alabama	1,402	0.106	0.101 - 0.112	815	0.133	0.124 - 0.142	587	0.083	0.077 - 0.090
Alaska	19	0.059	0.035 - 0.092	-	-	-	-	-	-
Arizona	271	0.078	0.069 - 0.088	191	0.106	0.092 - 0.122	80	0.048	0.038 - 0.059
Arkansas	501	0.104	0.095 - 0.114	260	0.114	0.100 - 0.129	241	0.096	0.084 - 0.109
California	2,767	0.113	0.109 - 0.118	1,703	0.140	0.134 - 0.147	1,065	0.087	0.082 - 0.092
CA - Greater California	1,199	0.105	0.099 - 0.111	748	0.127	0.118 - 0.136	451	0.081	0.074 - 0.089
CA - Greater Bay Area	586	0.131	0.121 - 0.142	364	0.164	0.148 - 0.182	222	0.099	0.086 - 0.113
CA - Los Angeles	987	0.116	0.109 - 0.124	594	0.148	0.136 - 0.160	393	0.088	0.079 - 0.097
Colorado	210	0.080	0.070 - 0.092	138	0.099	0.083 - 0.117	72	0.059	0.046 - 0.074
Connecticut	404	0.105	0.095 - 0.116	260	0.141	0.125 - 0.160	144	0.072	0.060 - 0.084
Delaware	251	0.114	0.101 - 0.130	158	0.153	0.130 - 0.178	93	0.080	0.065 - 0.098
Florida	2,555	0.075	0.073 - 0.078	1,510	0.093	0.088 - 0.098	1,045	0.059	0.056 - 0.063
Georgia	3,025	0.090	0.087 - 0.093	1,702	0.108	0.103 - 0.114	1,323	0.074	0.070 - 0.078
Hawaii	23	0.061	0.038 - 0.091	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	2,237	0.120	0.115 - 0.125	1,308	0.149	0.141 - 0.158	929	0.094	0.088 - 0.100
Iowa	104	0.075	0.062 - 0.091	54	0.074	0.056 - 0.097	50	0.077	0.057 - 0.102
Kansas	199	0.104	0.090 - 0.119	121	0.122	0.101 - 0.146	78	0.084	0.066 - 0.105
Kentucky	491	0.126	0.115 - 0.137	273	0.140	0.124 - 0.158	218	0.111	0.097 - 0.127
Louisiana	1,754	0.115	0.109 - 0.120	997	0.137	0.129 - 0.146	757	0.094	0.087 - 0.101
Maine	10	0.040	0.019 - 0.074	-	-	-	-	-	-
Maryland	2,002	0.108	0.103 - 0.113	1,140	0.132	0.124 - 0.140	862	0.087	0.082 - 0.093
MI - Detroit	1,255	0.128	0.121 - 0.135	750	0.167	0.155 - 0.179	505	0.095	0.087 - 0.104
Minnesota	255	0.064	0.056 - 0.072	166	0.081	0.069 - 0.095	89	0.045	0.036 - 0.056
Mississippi	1,398	0.124	0.117 - 0.130	762	0.143	0.133 - 0.154	636	0.106	0.098 - 0.115
Missouri	890	0.118	0.111 - 0.126	499	0.139	0.127 - 0.152	391	0.099	0.090 - 0.110
Montana	-	-	-	-	-	-	-	-	-
Nebraska	127	0.120	0.100 - 0.143	83	0.153	0.122 - 0.190	44	0.086	0.062 - 0.115
New Hampshire	11	0.048	0.024 - 0.086	-	-	-	-	-	-
New Jersey	1,330	0.112	0.106 - 0.118	814	0.145	0.135 - 0.155	516	0.082	0.075 - 0.089
New Mexico	43	0.094	0.068 - 0.126	31	0.120	0.081 - 0.170	12	0.060	0.031 - 0.104
New York	3,139	0.106	0.103 - 0.110	1,902	0.138	0.132 - 0.144	1,236	0.079	0.074 - 0.083
North Carolina	2,678	0.117	0.113 - 0.122	1,499	0.140	0.133 - 0.148	1,179	0.097	0.092 - 0.103
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,712	0.109	0.104 - 0.114	1,025	0.136	0.128 - 0.145	687	0.084	0.078 - 0.091
Oklahoma	308	0.093	0.082 - 0.103	180	0.108	0.093 - 0.125	128	0.077	0.064 - 0.092
Oregon	93	0.090	0.073 - 0.110	62	0.112	0.086 - 0.144	31	0.064	0.044 - 0.092
Pennsylvania	1,905	0.130	0.124 - 0.136	1,149	0.162	0.153 - 0.172	756	0.099	0.092 - 0.107
Rhode Island	51	0.071	0.053 - 0.094	34	0.095	0.066 - 0.133	17	0.047	0.027 - 0.076
South Carolina	1,450	0.105	0.100 - 0.110	840	0.130	0.121 - 0.139	610	0.083	0.076 - 0.090
South Dakota	13	0.057	0.030 - 0.098	-	-	-	-	-	-
Tennessee	1,305	0.112	0.106 - 0.118	715	0.129	0.120 - 0.139	590	0.096	0.088 - 0.104
Texas	3,457	0.099	0.095 - 0.102	1,981	0.117	0.112 - 0.122	1,476	0.082	0.077 - 0.086
Utah	19	0.042	0.025 - 0.065	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	316	0.088	0.078 - 0.098	213	0.111	0.096 - 0.127	103	0.062	0.050 - 0.075
WA - Seattle	305	0.097	0.087 - 0.109	204	0.123	0.106 - 0.141	101	0.069	0.056 - 0.084
West Virginia	73	0.101	0.079 - 0.126	50	0.128	0.095 - 0.169	23	0.069	0.043 - 0.103
Wisconsin	452	0.112	0.102 - 0.123	264	0.133	0.117 - 0.150	188	0.092	0.079 - 0.106
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,555	0.015	0.015 - 0.016	3,360	0.016	0.016 - 0.017	3,195	0.014	0.014 - 0.015
Alabama	184	0.014	0.012 - 0.016	90	0.015	0.012 - 0.018	94	0.013	0.011 - 0.016
Alaska	-	-	-	-	-	-	-	-	-
Arizona	37	0.011	0.007 - 0.015	21	0.012	0.007 - 0.018	16	0.010	0.005 - 0.015
Arkansas	71	0.015	0.012 - 0.019	41	0.018	0.013 - 0.024	30	0.012	0.008 - 0.017
California	390	0.016	0.014 - 0.018	222	0.018	0.016 - 0.021	168	0.014	0.012 - 0.016
CA - Greater California	179	0.016	0.013 - 0.018	96	0.016	0.013 - 0.020	82	0.015	0.012 - 0.018
CA - Greater Bay Area	77	0.017	0.014 - 0.022	48	0.022	0.016 - 0.029	29	0.013	0.009 - 0.019
CA - Los Angeles	134	0.016	0.013 - 0.019	78	0.019	0.015 - 0.024	57	0.013	0.010 - 0.016
Colorado	37	0.014	0.010 - 0.019	19	0.014	0.008 - 0.021	18	0.015	0.009 - 0.023
Connecticut	62	0.016	0.012 - 0.021	35	0.019	0.013 - 0.026	27	0.013	0.009 - 0.020
Delaware	35	0.016	0.011 - 0.022	18	0.017	0.010 - 0.027	17	0.015	0.009 - 0.024
Florida	518	0.015	0.014 - 0.017	263	0.016	0.014 - 0.018	255	0.015	0.013 - 0.016
Georgia	498	0.015	0.014 - 0.016	238	0.015	0.013 - 0.017	259	0.014	0.013 - 0.016
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	295	0.016	0.014 - 0.018	151	0.017	0.015 - 0.020	144	0.015	0.012 - 0.017
Iowa	20	0.015	0.009 - 0.022	-	-	-	-	-	-
Kansas	30	0.016	0.011 - 0.022	18	0.018	0.011 - 0.029	12	0.013	0.007 - 0.023
Kentucky	69	0.018	0.014 - 0.022	32	0.016	0.011 - 0.023	37	0.019	0.013 - 0.026
Louisiana	200	0.013	0.011 - 0.015	111	0.015	0.013 - 0.018	89	0.011	0.009 - 0.014
Maine	-	-	-	-	-	-	-	-	-
Maryland	278	0.015	0.013 - 0.017	132	0.015	0.013 - 0.018	146	0.015	0.012 - 0.017
MI - Detroit	151	0.015	0.013 - 0.018	65	0.014	0.011 - 0.018	86	0.016	0.013 - 0.020
Minnesota	60	0.015	0.011 - 0.019	29	0.014	0.009 - 0.020	31	0.016	0.011 - 0.022
Mississippi	146	0.013	0.011 - 0.015	77	0.014	0.011 - 0.018	69	0.012	0.009 - 0.015
Missouri	122	0.016	0.013 - 0.019	61	0.017	0.013 - 0.022	61	0.015	0.012 - 0.020
Montana	-	-	-	-	-	-	-	-	-
Nebraska	21	0.020	0.012 - 0.030	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	209	0.018	0.015 - 0.020	108	0.019	0.016 - 0.023	102	0.016	0.013 - 0.020
New Mexico	-	-	-	-	-	-	-	-	-
New York	487	0.016	0.015 - 0.018	263	0.019	0.017 - 0.022	224	0.014	0.012 - 0.016
North Carolina	355	0.016	0.014 - 0.017	171	0.016	0.014 - 0.019	184	0.015	0.013 - 0.018
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	258	0.016	0.014 - 0.019	128	0.017	0.014 - 0.020	130	0.016	0.013 - 0.019
Oklahoma	46	0.014	0.010 - 0.018	17	0.010	0.006 - 0.016	29	0.017	0.012 - 0.025
Oregon	14	0.014	0.007 - 0.023	-	-	-	-	-	-
Pennsylvania	263	0.018	0.016 - 0.020	150	0.021	0.018 - 0.025	113	0.015	0.012 - 0.018
Rhode Island	10	0.014	0.007 - 0.026	-	-	-	-	-	-
South Carolina	173	0.013	0.011 - 0.015	88	0.014	0.011 - 0.017	85	0.012	0.009 - 0.014
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	166	0.014	0.012 - 0.017	87	0.016	0.013 - 0.019	79	0.013	0.010 - 0.016
Texas	572	0.016	0.015 - 0.018	286	0.017	0.015 - 0.019	286	0.016	0.014 - 0.018
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	53	0.015	0.011 - 0.019	27	0.014	0.009 - 0.020	26	0.016	0.010 - 0.023
WA - Seattle	50	0.016	0.012 - 0.021	25	0.015	0.010 - 0.022	26	0.018	0.011 - 0.026
West Virginia	11	0.015	0.008 - 0.027	-	-	-	-	-	-
Wisconsin	70	0.017	0.014 - 0.022	36	0.018	0.013 - 0.025	34	0.017	0.011 - 0.023
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	31,046	0.073	0.072 - 0.074	5,379	0.026	0.026 - 0.027	25,640	0.115	0.114 - 0.117
Alabama	731	0.055	0.052 - 0.060	128	0.021	0.017 - 0.025	603	0.085	0.079 - 0.093
Alaska	19	0.059	0.035 - 0.092	-	-	-	-	-	-
Arizona	242	0.070	0.061 - 0.079	51	0.028	0.021 - 0.037	191	0.114	0.098 - 0.131
Arkansas	273	0.057	0.050 - 0.064	57	0.025	0.019 - 0.032	216	0.086	0.075 - 0.098
California	1,614	0.066	0.063 - 0.069	333	0.027	0.025 - 0.031	1,280	0.104	0.099 - 0.110
CA - Greater California	703	0.061	0.057 - 0.066	150	0.025	0.021 - 0.030	554	0.100	0.092 - 0.109
CA - Greater Bay Area	218	0.049	0.043 - 0.056	50	0.022	0.017 - 0.029	169	0.075	0.064 - 0.087
CA - Los Angeles	692	0.081	0.075 - 0.088	134	0.033	0.028 - 0.039	558	0.125	0.115 - 0.135
Colorado	170	0.065	0.056 - 0.075	37	0.027	0.019 - 0.037	133	0.109	0.091 - 0.129
Connecticut	356	0.093	0.083 - 0.103	60	0.032	0.025 - 0.042	297	0.148	0.131 - 0.165
Delaware	206	0.094	0.082 - 0.108	31	0.030	0.020 - 0.042	175	0.151	0.130 - 0.175
Florida	2,029	0.060	0.057 - 0.063	333	0.020	0.018 - 0.023	1,696	0.097	0.092 - 0.101
Georgia	2,085	0.062	0.059 - 0.065	330	0.021	0.019 - 0.023	1,755	0.098	0.093 - 0.103
Hawaii	19	0.050	0.030 - 0.079	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,374	0.074	0.070 - 0.078	238	0.027	0.024 - 0.031	1,136	0.115	0.109 - 0.122
Iowa	54	0.039	0.029 - 0.051	11	0.015	0.008 - 0.027	43	0.066	0.048 - 0.089
Kansas	183	0.095	0.082 - 0.110	45	0.045	0.033 - 0.061	138	0.149	0.125 - 0.176
Kentucky	317	0.081	0.072 - 0.090	51	0.026	0.020 - 0.034	266	0.135	0.119 - 0.152
Louisiana	1,116	0.073	0.069 - 0.077	191	0.026	0.023 - 0.030	925	0.115	0.108 - 0.123
Maine	13	0.052	0.028 - 0.090	-	-	-	-	-	-
Maryland	1,658	0.090	0.085 - 0.094	305	0.035	0.031 - 0.039	1,353	0.137	0.130 - 0.144
MI - Detroit	878	0.090	0.084 - 0.096	151	0.033	0.028 - 0.039	728	0.137	0.127 - 0.148
Minnesota	218	0.054	0.047 - 0.062	46	0.022	0.016 - 0.030	172	0.088	0.075 - 0.102
Mississippi	700	0.062	0.057 - 0.067	93	0.017	0.014 - 0.021	607	0.101	0.093 - 0.110
Missouri	483	0.064	0.059 - 0.070	74	0.021	0.016 - 0.026	409	0.104	0.094 - 0.114
Montana	-	-	-	-	-	-	-	-	-
Nebraska	64	0.061	0.047 - 0.077	14	0.026	0.014 - 0.043	50	0.097	0.072 - 0.128
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	1,080	0.091	0.085 - 0.096	188	0.033	0.029 - 0.039	892	0.142	0.133 - 0.152
New Mexico	27	0.059	0.039 - 0.085	-	-	-	-	-	-
New York	2,834	0.096	0.093 - 0.100	473	0.034	0.031 - 0.038	2,361	0.150	0.144 - 0.156
North Carolina	1,759	0.077	0.073 - 0.081	282	0.026	0.023 - 0.030	1,477	0.122	0.115 - 0.128
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,312	0.084	0.079 - 0.088	199	0.026	0.023 - 0.030	1,113	0.136	0.128 - 0.145
Oklahoma	184	0.055	0.048 - 0.064	32	0.019	0.013 - 0.027	152	0.091	0.077 - 0.107
Oregon	64	0.062	0.048 - 0.079	12	0.022	0.011 - 0.038	52	0.108	0.081 - 0.142
Pennsylvania	1,657	0.113	0.107 - 0.118	278	0.039	0.035 - 0.044	1,379	0.181	0.172 - 0.191
Rhode Island	74	0.103	0.081 - 0.130	17	0.048	0.028 - 0.076	57	0.158	0.120 - 0.205
South Carolina	985	0.071	0.067 - 0.076	156	0.024	0.020 - 0.028	829	0.113	0.105 - 0.121
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	674	0.058	0.053 - 0.062	102	0.018	0.015 - 0.022	572	0.093	0.085 - 0.101
Texas	2,113	0.060	0.058 - 0.063	399	0.024	0.021 - 0.026	1,714	0.095	0.090 - 0.099
Utah	25	0.055	0.035 - 0.081	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	206	0.057	0.050 - 0.066	40	0.021	0.015 - 0.028	166	0.099	0.085 - 0.116
WA - Seattle	199	0.064	0.055 - 0.073	37	0.022	0.016 - 0.031	162	0.110	0.094 - 0.129
West Virginia	55	0.076	0.057 - 0.099	19	0.049	0.029 - 0.076	36	0.107	0.075 - 0.149
Wisconsin	268	0.066	0.059 - 0.075	51	0.026	0.019 - 0.034	217	0.106	0.092 - 0.121
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	9,181	0.022	0.021 - 0.022	4,819	0.024	0.023 - 0.024	4,363	0.020	0.019 - 0.020
Alabama	251	0.019	0.017 - 0.022	135	0.022	0.018 - 0.026	116	0.016	0.014 - 0.020
Alaska	-	-	-	-	-	-	-	-	-
Arizona	81	0.023	0.019 - 0.029	53	0.029	0.022 - 0.039	28	0.017	0.011 - 0.024
Arkansas	107	0.022	0.018 - 0.027	60	0.026	0.020 - 0.034	47	0.019	0.014 - 0.025
California	519	0.021	0.019 - 0.023	274	0.023	0.020 - 0.025	245	0.020	0.018 - 0.023
CA - Greater California	220	0.019	0.017 - 0.022	122	0.021	0.017 - 0.025	99	0.018	0.014 - 0.022
CA - Greater Bay Area	118	0.026	0.022 - 0.032	64	0.029	0.022 - 0.037	54	0.024	0.018 - 0.031
CA - Los Angeles	181	0.021	0.018 - 0.025	89	0.022	0.018 - 0.027	92	0.021	0.017 - 0.025
Colorado	56	0.021	0.016 - 0.028	35	0.025	0.017 - 0.035	21	0.017	0.011 - 0.026
Connecticut	89	0.023	0.019 - 0.028	46	0.025	0.018 - 0.033	43	0.021	0.015 - 0.029
Delaware	55	0.025	0.019 - 0.033	30	0.029	0.020 - 0.041	25	0.022	0.014 - 0.032
Florida	646	0.019	0.018 - 0.021	323	0.020	0.018 - 0.022	323	0.018	0.016 - 0.021
Georgia	652	0.019	0.018 - 0.021	330	0.021	0.019 - 0.023	322	0.018	0.016 - 0.020
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	441	0.024	0.022 - 0.026	243	0.028	0.024 - 0.031	198	0.020	0.017 - 0.023
Iowa	33	0.024	0.016 - 0.034	18	0.025	0.015 - 0.039	15	0.023	0.013 - 0.038
Kansas	36	0.019	0.013 - 0.026	24	0.024	0.015 - 0.036	12	0.013	0.007 - 0.023
Kentucky	79	0.020	0.016 - 0.025	40	0.021	0.015 - 0.028	39	0.020	0.014 - 0.027
Louisiana	313	0.020	0.018 - 0.023	167	0.023	0.020 - 0.027	146	0.018	0.015 - 0.021
Maine	-	-	-	-	-	-	-	-	-
Maryland	417	0.023	0.020 - 0.025	218	0.025	0.022 - 0.029	199	0.020	0.017 - 0.023
MI - Detroit	216	0.022	0.019 - 0.025	127	0.028	0.023 - 0.033	89	0.017	0.013 - 0.021
Minnesota	64	0.016	0.012 - 0.020	41	0.020	0.014 - 0.027	23	0.012	0.007 - 0.018
Mississippi	227	0.020	0.018 - 0.023	121	0.023	0.019 - 0.027	106	0.018	0.014 - 0.021
Missouri	168	0.022	0.019 - 0.026	92	0.026	0.021 - 0.031	76	0.019	0.015 - 0.024
Montana	-	-	-	-	-	-	-	-	-
Nebraska	29	0.027	0.018 - 0.039	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	302	0.025	0.023 - 0.028	148	0.026	0.022 - 0.031	155	0.025	0.021 - 0.029
New Mexico	12	0.025	0.013 - 0.045	-	-	-	-	-	-
New York	796	0.027	0.025 - 0.029	378	0.027	0.025 - 0.030	418	0.027	0.024 - 0.029
North Carolina	511	0.022	0.020 - 0.024	262	0.025	0.022 - 0.028	249	0.021	0.018 - 0.023
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	316	0.020	0.018 - 0.022	160	0.021	0.018 - 0.025	156	0.019	0.016 - 0.022
Oklahoma	65	0.020	0.015 - 0.025	35	0.021	0.015 - 0.029	30	0.018	0.012 - 0.026
Oregon	17	0.016	0.010 - 0.026	-	-	-	-	-	-
Pennsylvania	369	0.025	0.023 - 0.028	188	0.027	0.023 - 0.031	181	0.024	0.020 - 0.028
Rhode Island	20	0.028	0.017 - 0.043	-	-	-	-	-	-
South Carolina	279	0.020	0.018 - 0.023	145	0.022	0.019 - 0.026	134	0.018	0.015 - 0.022
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	241	0.021	0.018 - 0.023	128	0.023	0.019 - 0.028	113	0.018	0.015 - 0.022
Texas	681	0.019	0.018 - 0.021	368	0.022	0.020 - 0.024	313	0.017	0.015 - 0.019
Utah	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	81	0.023	0.018 - 0.028	40	0.021	0.015 - 0.028	41	0.025	0.018 - 0.033
WA - Seattle	77	0.025	0.019 - 0.031	39	0.023	0.017 - 0.032	38	0.026	0.018 - 0.036
West Virginia	17	0.023	0.014 - 0.037	-	-	-	-	-	-
Wisconsin	105	0.026	0.021 - 0.031	62	0.031	0.024 - 0.040	43	0.021	0.015 - 0.028
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	32,595	0.076	0.075 - 0.077	16,505	0.081	0.079 - 0.082	16,095	0.072	0.071 - 0.074
Alabama	829	0.063	0.059 - 0.067	410	0.067	0.061 - 0.074	419	0.059	0.054 - 0.065
Alaska	22	0.068	0.043 - 0.103	-	-	-	-	-	-
Arizona	169	0.049	0.042 - 0.057	103	0.057	0.047 - 0.070	66	0.039	0.030 - 0.050
Arkansas	344	0.072	0.064 - 0.080	184	0.081	0.069 - 0.093	160	0.064	0.054 - 0.074
California	2,075	0.085	0.081 - 0.089	1,108	0.091	0.086 - 0.097	967	0.079	0.074 - 0.084
CA - Greater California	787	0.069	0.064 - 0.074	440	0.074	0.068 - 0.082	348	0.063	0.056 - 0.070
CA - Greater Bay Area	526	0.118	0.108 - 0.128	284	0.128	0.114 - 0.144	242	0.108	0.095 - 0.122
CA - Los Angeles	761	0.090	0.083 - 0.096	385	0.096	0.086 - 0.106	376	0.084	0.076 - 0.093
Colorado	193	0.074	0.064 - 0.085	120	0.086	0.071 - 0.103	73	0.060	0.047 - 0.075
Connecticut	306	0.079	0.071 - 0.089	158	0.086	0.073 - 0.100	148	0.074	0.062 - 0.086
Delaware	193	0.088	0.076 - 0.101	87	0.084	0.067 - 0.104	106	0.092	0.075 - 0.111
Florida	2,476	0.073	0.070 - 0.076	1,255	0.077	0.073 - 0.081	1,221	0.069	0.066 - 0.074
Georgia	2,476	0.074	0.071 - 0.077	1,286	0.082	0.077 - 0.086	1,189	0.066	0.063 - 0.070
Hawaii	19	0.049	0.029 - 0.077	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,492	0.080	0.076 - 0.084	730	0.083	0.077 - 0.090	762	0.077	0.072 - 0.083
Iowa	69	0.050	0.039 - 0.063	42	0.057	0.041 - 0.078	27	0.042	0.027 - 0.061
Kansas	137	0.071	0.060 - 0.084	61	0.061	0.047 - 0.079	76	0.082	0.064 - 0.102
Kentucky	277	0.071	0.063 - 0.080	154	0.079	0.067 - 0.093	123	0.062	0.052 - 0.075
Louisiana	1,112	0.073	0.068 - 0.077	555	0.076	0.070 - 0.083	557	0.069	0.064 - 0.075
Maine	11	0.044	0.022 - 0.079	-	-	-	-	-	-
Maryland	1,514	0.082	0.078 - 0.086	714	0.083	0.077 - 0.089	800	0.081	0.075 - 0.087
MI - Detroit	917	0.093	0.088 - 0.100	437	0.097	0.088 - 0.107	479	0.090	0.083 - 0.099
Minnesota	220	0.055	0.048 - 0.063	131	0.064	0.054 - 0.076	89	0.045	0.036 - 0.056
Mississippi	744	0.066	0.061 - 0.071	365	0.069	0.062 - 0.076	379	0.063	0.057 - 0.070
Missouri	606	0.080	0.074 - 0.087	297	0.083	0.074 - 0.093	309	0.078	0.070 - 0.088
Montana	-	-	-	-	-	-	-	-	-
Nebraska	74	0.070	0.055 - 0.088	32	0.059	0.040 - 0.083	42	0.082	0.059 - 0.111
New Hampshire	10	0.044	0.021 - 0.080	-	-	-	-	-	-
New Jersey	996	0.084	0.078 - 0.089	507	0.090	0.082 - 0.098	489	0.078	0.071 - 0.085
New Mexico	34	0.074	0.051 - 0.103	22	0.085	0.053 - 0.129	12	0.060	0.031 - 0.104
New York	2,824	0.096	0.092 - 0.099	1,350	0.098	0.093 - 0.103	1,474	0.094	0.089 - 0.099
North Carolina	1,871	0.082	0.078 - 0.086	927	0.087	0.081 - 0.093	944	0.078	0.073 - 0.083
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	1,154	0.073	0.069 - 0.078	599	0.079	0.073 - 0.086	555	0.068	0.062 - 0.074
Oklahoma	206	0.062	0.054 - 0.071	107	0.064	0.053 - 0.078	99	0.060	0.048 - 0.072
Oregon	57	0.055	0.042 - 0.071	35	0.063	0.044 - 0.088	22	0.046	0.029 - 0.069
Pennsylvania	1,314	0.089	0.085 - 0.094	672	0.095	0.088 - 0.102	642	0.084	0.078 - 0.091
Rhode Island	39	0.054	0.039 - 0.074	20	0.056	0.034 - 0.087	19	0.053	0.032 - 0.082
South Carolina	888	0.064	0.060 - 0.069	460	0.071	0.065 - 0.078	428	0.058	0.053 - 0.064
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	806	0.069	0.064 - 0.074	412	0.075	0.067 - 0.082	394	0.064	0.058 - 0.071
Texas	2,429	0.069	0.067 - 0.072	1,218	0.072	0.068 - 0.076	1,211	0.067	0.063 - 0.071
Utah	27	0.059	0.039 - 0.086	14	0.054	0.030 - 0.091	13	0.065	0.035 - 0.112
Vermont	-	-	-	-	-	-	-	-	-
Washington	248	0.069	0.061 - 0.078	142	0.074	0.062 - 0.087	106	0.063	0.052 - 0.077
WA - Seattle	227	0.073	0.063 - 0.083	135	0.081	0.068 - 0.096	92	0.063	0.051 - 0.077
West Virginia	58	0.080	0.061 - 0.103	38	0.097	0.069 - 0.134	20	0.060	0.036 - 0.092
Wisconsin	289	0.072	0.064 - 0.080	137	0.069	0.058 - 0.081	152	0.074	0.063 - 0.087
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	25,540	0.060	0.059 - 0.061	12,230	0.060	0.059 - 0.061	13,313	0.060	0.059 - 0.061
Alabama	753	0.057	0.053 - 0.061	334	0.054	0.049 - 0.061	419	0.059	0.054 - 0.065
Alaska	11	0.034	0.017 - 0.061	-	-	-	-	-	-
Arizona	128	0.037	0.031 - 0.044	68	0.038	0.029 - 0.048	60	0.036	0.027 - 0.046
Arkansas	297	0.062	0.055 - 0.069	131	0.057	0.048 - 0.068	166	0.066	0.056 - 0.077
California	1,481	0.061	0.058 - 0.064	792	0.065	0.061 - 0.070	689	0.056	0.052 - 0.060
CA - Greater California	600	0.052	0.048 - 0.057	316	0.054	0.048 - 0.060	284	0.051	0.045 - 0.058
CA - Greater Bay Area	331	0.074	0.066 - 0.083	194	0.087	0.076 - 0.101	137	0.061	0.051 - 0.072
CA - Los Angeles	551	0.065	0.060 - 0.070	284	0.071	0.063 - 0.079	267	0.060	0.053 - 0.067
Colorado	142	0.054	0.046 - 0.064	84	0.060	0.048 - 0.075	58	0.047	0.036 - 0.061
Connecticut	293	0.076	0.068 - 0.085	147	0.080	0.068 - 0.094	146	0.072	0.061 - 0.085
Delaware	146	0.067	0.056 - 0.078	74	0.071	0.056 - 0.090	72	0.062	0.049 - 0.078
Florida	2,094	0.062	0.059 - 0.065	1,006	0.062	0.058 - 0.066	1,088	0.062	0.058 - 0.066
Georgia	1,987	0.059	0.057 - 0.062	912	0.058	0.054 - 0.062	1,075	0.060	0.057 - 0.064
Hawaii	15	0.040	0.022 - 0.066	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	1,118	0.060	0.057 - 0.064	509	0.058	0.053 - 0.063	609	0.062	0.057 - 0.067
Iowa	63	0.046	0.035 - 0.059	30	0.041	0.028 - 0.059	33	0.051	0.035 - 0.072
Kansas	123	0.064	0.053 - 0.076	59	0.059	0.045 - 0.077	64	0.069	0.053 - 0.088
Kentucky	208	0.053	0.046 - 0.061	116	0.060	0.049 - 0.071	92	0.047	0.038 - 0.058
Louisiana	826	0.054	0.050 - 0.058	390	0.054	0.049 - 0.059	436	0.054	0.049 - 0.059
Maine	-	-	-	-	-	-	-	-	-
Maryland	1,098	0.059	0.056 - 0.063	497	0.058	0.053 - 0.063	601	0.061	0.056 - 0.066
MI - Detroit	648	0.066	0.061 - 0.071	309	0.069	0.061 - 0.077	339	0.064	0.057 - 0.071
Minnesota	107	0.027	0.022 - 0.032	56	0.027	0.021 - 0.036	51	0.026	0.019 - 0.034
Mississippi	575	0.051	0.047 - 0.055	261	0.049	0.043 - 0.055	314	0.052	0.047 - 0.058
Missouri	424	0.056	0.051 - 0.062	201	0.056	0.049 - 0.064	223	0.057	0.049 - 0.065
Montana	-	-	-	-	-	-	-	-	-
Nebraska	52	0.049	0.037 - 0.065	25	0.046	0.030 - 0.068	27	0.053	0.035 - 0.077
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	823	0.069	0.064 - 0.074	388	0.069	0.062 - 0.076	435	0.069	0.063 - 0.076
New Mexico	18	0.040	0.024 - 0.063	-	-	-	-	-	-
New York	2,315	0.078	0.075 - 0.082	1,077	0.078	0.074 - 0.083	1,237	0.079	0.074 - 0.083
North Carolina	1,627	0.071	0.068 - 0.075	798	0.075	0.070 - 0.080	829	0.068	0.064 - 0.073
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	821	0.052	0.049 - 0.056	421	0.056	0.051 - 0.061	400	0.049	0.044 - 0.054
Oklahoma	149	0.045	0.038 - 0.053	72	0.043	0.034 - 0.054	77	0.046	0.037 - 0.058
Oregon	38	0.037	0.026 - 0.050	26	0.047	0.031 - 0.069	12	0.025	0.013 - 0.044
Pennsylvania	908	0.062	0.058 - 0.066	418	0.059	0.054 - 0.065	490	0.064	0.059 - 0.070
Rhode Island	47	0.066	0.048 - 0.087	27	0.076	0.050 - 0.110	20	0.056	0.034 - 0.086
South Carolina	894	0.065	0.060 - 0.069	427	0.066	0.060 - 0.073	467	0.063	0.058 - 0.069
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	586	0.050	0.046 - 0.054	273	0.049	0.044 - 0.056	313	0.051	0.045 - 0.057
Texas	1,849	0.053	0.050 - 0.055	855	0.050	0.047 - 0.054	994	0.055	0.052 - 0.058
Utah	15	0.033	0.018 - 0.054	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	157	0.044	0.037 - 0.051	92	0.048	0.039 - 0.059	65	0.039	0.030 - 0.050
WA - Seattle	143	0.046	0.039 - 0.054	80	0.048	0.038 - 0.060	63	0.043	0.033 - 0.055
West Virginia	42	0.058	0.042 - 0.078	21	0.054	0.033 - 0.082	21	0.063	0.039 - 0.096
Wisconsin	250	0.062	0.054 - 0.070	123	0.062	0.051 - 0.074	127	0.062	0.052 - 0.074
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	20,328	0.048	0.047 - 0.048	10,953	0.054	0.052 - 0.055	9,380	0.042	0.041 - 0.043
Alabama	538	0.041	0.037 - 0.044	295	0.048	0.043 - 0.054	243	0.034	0.030 - 0.039
Alaska	17	0.053	0.031 - 0.084	-	-	-	-	-	-
Arizona	91	0.026	0.021 - 0.032	45	0.025	0.018 - 0.034	46	0.027	0.020 - 0.037
Arkansas	232	0.048	0.042 - 0.055	130	0.057	0.048 - 0.068	102	0.041	0.033 - 0.049
California	1,253	0.051	0.049 - 0.054	741	0.061	0.057 - 0.066	512	0.042	0.038 - 0.046
CA - Greater California	524	0.046	0.042 - 0.050	331	0.056	0.050 - 0.062	193	0.035	0.030 - 0.040
CA - Greater Bay Area	261	0.059	0.052 - 0.066	157	0.071	0.060 - 0.083	104	0.046	0.038 - 0.056
CA - Los Angeles	469	0.055	0.050 - 0.060	253	0.063	0.055 - 0.071	216	0.048	0.042 - 0.055
Colorado	113	0.043	0.036 - 0.052	64	0.046	0.035 - 0.059	49	0.040	0.030 - 0.053
Connecticut	177	0.046	0.039 - 0.053	97	0.053	0.043 - 0.064	80	0.040	0.032 - 0.049
Delaware	109	0.050	0.041 - 0.060	62	0.060	0.046 - 0.077	47	0.041	0.030 - 0.054
Florida	1,756	0.052	0.049 - 0.054	926	0.057	0.053 - 0.061	830	0.047	0.044 - 0.051
Georgia	1,528	0.045	0.043 - 0.048	787	0.050	0.047 - 0.054	741	0.041	0.038 - 0.044
Hawaii	16	0.043	0.024 - 0.069	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	900	0.048	0.045 - 0.052	485	0.055	0.051 - 0.061	415	0.042	0.038 - 0.046
Iowa	54	0.039	0.029 - 0.051	29	0.039	0.026 - 0.057	25	0.039	0.025 - 0.057
Kansas	103	0.054	0.044 - 0.065	48	0.048	0.036 - 0.064	55	0.059	0.045 - 0.077
Kentucky	197	0.050	0.044 - 0.058	105	0.054	0.044 - 0.065	93	0.047	0.038 - 0.058
Louisiana	711	0.046	0.043 - 0.050	398	0.055	0.049 - 0.060	313	0.039	0.035 - 0.043
Maine	-	-	-	-	-	-	-	-	-
Maryland	867	0.047	0.044 - 0.050	443	0.051	0.047 - 0.056	424	0.043	0.039 - 0.047
MI - Detroit	562	0.057	0.053 - 0.062	301	0.067	0.060 - 0.075	260	0.049	0.043 - 0.055
Minnesota	137	0.034	0.029 - 0.040	74	0.036	0.028 - 0.045	63	0.032	0.025 - 0.041
Mississippi	489	0.043	0.039 - 0.047	275	0.052	0.046 - 0.058	214	0.036	0.031 - 0.041
Missouri	393	0.052	0.047 - 0.058	193	0.054	0.046 - 0.062	200	0.051	0.044 - 0.058
Montana	-	-	-	-	-	-	-	-	-
Nebraska	42	0.040	0.029 - 0.054	20	0.037	0.023 - 0.057	22	0.043	0.027 - 0.065
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	663	0.056	0.051 - 0.060	368	0.065	0.059 - 0.072	295	0.047	0.042 - 0.053
New Mexico	22	0.047	0.030 - 0.072	-	-	-	-	-	-
New York	1,566	0.053	0.050 - 0.056	788	0.057	0.053 - 0.061	779	0.049	0.046 - 0.053
North Carolina	1,199	0.053	0.050 - 0.056	659	0.062	0.057 - 0.067	540	0.044	0.041 - 0.048
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	597	0.038	0.035 - 0.041	312	0.041	0.037 - 0.046	285	0.035	0.031 - 0.039
Oklahoma	147	0.044	0.037 - 0.052	86	0.052	0.041 - 0.064	61	0.037	0.028 - 0.047
Oregon	36	0.035	0.024 - 0.048	24	0.043	0.028 - 0.065	12	0.025	0.013 - 0.044
Pennsylvania	685	0.047	0.043 - 0.050	363	0.051	0.046 - 0.057	322	0.042	0.038 - 0.047
Rhode Island	29	0.040	0.027 - 0.058	19	0.053	0.032 - 0.083	10	0.028	0.013 - 0.051
South Carolina	590	0.043	0.039 - 0.046	291	0.045	0.040 - 0.050	299	0.041	0.036 - 0.045
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	507	0.043	0.040 - 0.047	271	0.049	0.043 - 0.055	236	0.038	0.034 - 0.044
Texas	1,619	0.046	0.044 - 0.048	897	0.053	0.049 - 0.056	722	0.040	0.037 - 0.043
Utah	17	0.037	0.022 - 0.060	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	147	0.041	0.035 - 0.048	87	0.045	0.036 - 0.056	60	0.036	0.027 - 0.046
WA - Seattle	139	0.044	0.037 - 0.052	84	0.050	0.040 - 0.062	55	0.037	0.028 - 0.049
West Virginia	41	0.056	0.041 - 0.077	23	0.059	0.037 - 0.088	18	0.054	0.032 - 0.085
Wisconsin	248	0.061	0.054 - 0.070	137	0.069	0.058 - 0.081	111	0.054	0.045 - 0.065
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Non-Hispanic Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	290	0.001	0.001 - 0.001	169	0.001	0.001 - 0.001	121	0.001	0.000 - 0.001
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	23	0.001	0.001 - 0.001	-	-		-	-	
CA - Greater California	11	0.001	0.000 - 0.002	-	-		-	-	
CA - Greater Bay Area	-	-		-	-		-	-	
CA - Los Angeles	-	-		-	-		-	-	
Colorado	-	-		-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	16	0.000	0.000 - 0.001	-	-		-	-	
Georgia	12	0.000	0.000 - 0.001	-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	13	0.001	0.000 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	23	0.002	0.001 - 0.002	-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	17	0.001	0.001 - 0.001	-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	12	0.001	0.001 - 0.002	-	-		-	-	
New Mexico	-	-		-	-		-	-	
New York	23	0.001	0.000 - 0.001	-	-		-	-	
North Carolina	15	0.001	0.000 - 0.001	-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	11	0.001	0.000 - 0.001	-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	15	0.001	0.001 - 0.002	-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	27	0.001	0.001 - 0.001	17	0.001	0.001 - 0.002	10	0.001	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	753,904	1.287	1.284 - 1.289	336,245	1.138	1.134 - 1.142	417,627	1.438	1.434 - 1.443
Alabama	1,398	0.654	0.620 - 0.689	670	0.591	0.547 - 0.638	728	0.725	0.673 - 0.779
Alaska	431	0.811	0.736 - 0.892	178	0.636	0.546 - 0.737	253	1.006	0.886 - 1.138
Arizona	24,476	1.096	1.082 - 1.110	10,224	0.910	0.893 - 0.928	14,252	1.284	1.263 - 1.305
Arkansas	1,789	0.782	0.746 - 0.819	799	0.667	0.622 - 0.715	990	0.907	0.852 - 0.966
California	191,003	1.239	1.234 - 1.245	83,962	1.083	1.076 - 1.090	107,041	1.397	1.389 - 1.406
CA - Greater California	100,712	1.169	1.162 - 1.176	44,238	1.018	1.009 - 1.028	56,474	1.323	1.312 - 1.334
CA - Greater Bay Area	25,903	1.361	1.344 - 1.377	11,769	1.218	1.196 - 1.241	14,134	1.507	1.482 - 1.532
CA - Los Angeles	64,549	1.318	1.308 - 1.328	28,030	1.148	1.134 - 1.161	36,519	1.488	1.473 - 1.503
Colorado	15,246	1.249	1.230 - 1.269	6,518	1.048	1.023 - 1.074	8,728	1.458	1.428 - 1.489
Connecticut	9,098	1.564	1.532 - 1.597	3,849	1.331	1.290 - 1.374	5,249	1.795	1.747 - 1.844
Delaware	1,050	1.170	1.100 - 1.243	489	1.070	0.977 - 1.169	561	1.273	1.170 - 1.383
Florida	103,413	1.896	1.885 - 1.908	48,024	1.783	1.767 - 1.799	55,389	2.007	1.990 - 2.024
Georgia	9,103	0.903	0.884 - 0.921	3,950	0.750	0.727 - 0.774	5,154	1.070	1.041 - 1.100
Hawaii	1,854	1.290	1.232 - 1.350	751	1.017	0.946 - 1.093	1,103	1.577	1.486 - 1.673
Idaho	1,939	0.886	0.847 - 0.926	846	0.750	0.701 - 0.803	1,092	1.029	0.969 - 1.092
Illinois	27,830	1.267	1.252 - 1.282	12,582	1.120	1.101 - 1.140	15,248	1.421	1.399 - 1.444
Iowa	1,410	0.736	0.698 - 0.775	640	0.642	0.593 - 0.694	770	0.837	0.779 - 0.899
Kansas	3,563	1.022	0.989 - 1.056	1,575	0.873	0.830 - 0.917	1,988	1.182	1.131 - 1.236
Kentucky	1,163	0.695	0.656 - 0.736	584	0.646	0.594 - 0.700	579	0.753	0.693 - 0.817
Louisiana	2,742	1.138	1.096 - 1.182	1,386	1.079	1.023 - 1.138	1,355	1.206	1.142 - 1.272
Maine	181	0.806	0.693 - 0.932	79	0.692	0.548 - 0.862	102	0.924	0.753 - 1.121
Maryland	5,346	0.867	0.844 - 0.891	2,260	0.708	0.679 - 0.737	3,086	1.039	1.002 - 1.076
MI - Detroit	2,614	1.445	1.390 - 1.501	1,151	1.259	1.188 - 1.334	1,463	1.634	1.552 - 1.720
Minnesota	2,256	0.742	0.711 - 0.773	1,044	0.661	0.621 - 0.702	1,212	0.829	0.783 - 0.877
Mississippi	604	0.622	0.573 - 0.673	314	0.580	0.517 - 0.648	290	0.674	0.599 - 0.756
Missouri	2,132	0.823	0.788 - 0.859	929	0.694	0.650 - 0.740	1,203	0.961	0.907 - 1.016
Montana	446	1.070	0.973 - 1.174	200	0.931	0.806 - 1.069	246	1.218	1.071 - 1.380
Nebraska	1,783	0.842	0.803 - 0.882	810	0.733	0.683 - 0.785	973	0.961	0.902 - 1.024
New Hampshire	556	1.082	0.994 - 1.176	256	0.967	0.852 - 1.093	300	1.204	1.072 - 1.348
New Jersey	29,744	1.641	1.623 - 1.660	13,644	1.503	1.478 - 1.529	16,100	1.780	1.752 - 1.807
New Mexico	16,551	1.616	1.592 - 1.641	7,308	1.438	1.405 - 1.472	9,243	1.792	1.755 - 1.829
New York	69,287	1.855	1.842 - 1.869	31,667	1.720	1.701 - 1.739	37,620	1.987	1.967 - 2.007
North Carolina	5,979	0.611	0.596 - 0.627	2,711	0.536	0.516 - 0.557	3,268	0.692	0.669 - 0.716
North Dakota	128	0.437	0.365 - 0.520	60	0.383	0.292 - 0.492	68	0.501	0.389 - 0.635
Ohio	3,566	0.790	0.764 - 0.816	1,731	0.748	0.713 - 0.784	1,835	0.834	0.796 - 0.873
Oklahoma	3,259	0.769	0.743 - 0.796	1,394	0.630	0.597 - 0.664	1,865	0.921	0.880 - 0.964
Oregon	5,003	0.916	0.891 - 0.942	2,150	0.761	0.729 - 0.794	2,853	1.083	1.043 - 1.123
Pennsylvania	10,830	1.135	1.114 - 1.157	4,891	1.008	0.980 - 1.036	5,939	1.268	1.236 - 1.301
Rhode Island	1,717	1.037	0.989 - 1.088	734	0.882	0.819 - 0.948	983	1.194	1.121 - 1.271
South Carolina	2,294	0.790	0.758 - 0.823	1,063	0.691	0.650 - 0.733	1,231	0.902	0.853 - 0.954
South Dakota	189	0.527	0.454 - 0.608	96	0.493	0.399 - 0.602	93	0.568	0.458 - 0.695
Tennessee	2,589	0.696	0.670 - 0.724	1,199	0.612	0.578 - 0.648	1,390	0.790	0.749 - 0.832
Texas	135,469	1.207	1.200 - 1.213	59,831	1.059	1.051 - 1.067	75,638	1.356	1.347 - 1.366
Utah	3,720	0.841	0.814 - 0.868	1,647	0.726	0.691 - 0.762	2,073	0.962	0.921 - 1.004
Vermont	103	0.836	0.682 - 1.014	45	0.715	0.522 - 0.957	58	0.962	0.731 - 1.244
Washington	8,634	0.905	0.886 - 0.924	3,707	0.752	0.728 - 0.777	4,927	1.068	1.039 - 1.098
WA - Seattle	5,431	1.053	1.025 - 1.081	2,275	0.850	0.815 - 0.885	3,156	1.272	1.228 - 1.318
West Virginia	205	0.687	0.596 - 0.787	107	0.666	0.546 - 0.805	98	0.710	0.577 - 0.866
Wisconsin	3,604	0.903	0.874 - 0.933	1,636	0.796	0.758 - 0.835	1,968	1.017	0.973 - 1.063
Wyoming	637	1.102	1.018 - 1.191	304	1.000	0.891 - 1.119	333	1.215	1.088 - 1.353

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	14,808	0.025	0.025 - 0.026	9,659	0.033	0.032 - 0.033	5,150	0.018	0.017 - 0.018
Alabama	33	0.015	0.011 - 0.022	-	-	-	-	-	-
Alaska	11	0.021	0.010 - 0.037	-	-	-	-	-	-
Arizona	405	0.018	0.016 - 0.020	244	0.022	0.019 - 0.025	161	0.015	0.012 - 0.017
Arkansas	31	0.014	0.009 - 0.019	19	0.016	0.010 - 0.025	12	0.011	0.006 - 0.019
California	3,431	0.022	0.022 - 0.023	2,208	0.028	0.027 - 0.030	1,223	0.016	0.015 - 0.017
CA - Greater California	1,796	0.021	0.020 - 0.022	1,160	0.027	0.025 - 0.028	636	0.015	0.014 - 0.016
CA - Greater Bay Area	491	0.026	0.024 - 0.028	321	0.033	0.030 - 0.037	170	0.018	0.016 - 0.021
CA - Los Angeles	1,145	0.023	0.022 - 0.025	728	0.030	0.028 - 0.032	417	0.017	0.015 - 0.019
Colorado	299	0.025	0.022 - 0.027	198	0.032	0.028 - 0.037	101	0.017	0.014 - 0.021
Connecticut	189	0.032	0.028 - 0.037	113	0.039	0.032 - 0.047	76	0.026	0.020 - 0.032
Delaware	21	0.023	0.014 - 0.036	-	-	-	-	-	-
Florida	2,429	0.045	0.043 - 0.046	1,682	0.062	0.060 - 0.066	747	0.027	0.025 - 0.029
Georgia	171	0.017	0.015 - 0.020	112	0.021	0.018 - 0.026	59	0.012	0.009 - 0.016
Hawaii	53	0.037	0.027 - 0.048	34	0.046	0.032 - 0.064	19	0.027	0.016 - 0.042
Idaho	35	0.016	0.011 - 0.022	18	0.016	0.009 - 0.025	17	0.016	0.009 - 0.026
Illinois	546	0.025	0.023 - 0.027	354	0.032	0.028 - 0.035	192	0.018	0.015 - 0.021
Iowa	28	0.015	0.010 - 0.021	17	0.017	0.010 - 0.027	11	0.012	0.006 - 0.021
Kansas	67	0.019	0.015 - 0.024	39	0.022	0.015 - 0.030	28	0.017	0.011 - 0.024
Kentucky	21	0.013	0.008 - 0.019	-	-	-	-	-	-
Louisiana	79	0.033	0.026 - 0.041	55	0.043	0.032 - 0.056	24	0.021	0.014 - 0.032
Maine	-	-	-	-	-	-	-	-	-
Maryland	100	0.016	0.013 - 0.020	61	0.019	0.015 - 0.025	39	0.013	0.009 - 0.018
MI - Detroit	58	0.032	0.024 - 0.041	39	0.042	0.030 - 0.058	19	0.021	0.013 - 0.033
Minnesota	49	0.016	0.012 - 0.021	32	0.020	0.014 - 0.029	17	0.012	0.007 - 0.019
Mississippi	10	0.010	0.005 - 0.019	-	-	-	-	-	-
Missouri	43	0.017	0.012 - 0.022	32	0.024	0.016 - 0.034	11	0.009	0.004 - 0.016
Montana	10	0.024	0.012 - 0.044	-	-	-	-	-	-
Nebraska	39	0.018	0.013 - 0.025	27	0.024	0.016 - 0.036	12	0.012	0.006 - 0.021
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	599	0.033	0.030 - 0.036	373	0.041	0.037 - 0.046	226	0.025	0.022 - 0.028
New Mexico	318	0.031	0.028 - 0.035	207	0.041	0.035 - 0.047	111	0.022	0.018 - 0.026
New York	1,398	0.037	0.036 - 0.039	913	0.050	0.046 - 0.053	486	0.026	0.023 - 0.028
North Carolina	121	0.012	0.010 - 0.015	85	0.017	0.013 - 0.021	36	0.008	0.005 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	74	0.016	0.013 - 0.021	47	0.020	0.015 - 0.027	27	0.012	0.008 - 0.018
Oklahoma	76	0.018	0.014 - 0.022	48	0.022	0.016 - 0.029	28	0.014	0.009 - 0.020
Oregon	97	0.018	0.014 - 0.022	63	0.022	0.017 - 0.029	34	0.013	0.009 - 0.018
Pennsylvania	219	0.023	0.020 - 0.026	140	0.029	0.024 - 0.034	79	0.017	0.013 - 0.021
Rhode Island	37	0.022	0.016 - 0.031	24	0.029	0.018 - 0.043	13	0.016	0.008 - 0.027
South Carolina	40	0.014	0.010 - 0.019	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	62	0.017	0.013 - 0.021	44	0.022	0.016 - 0.030	18	0.010	0.006 - 0.016
Texas	2,546	0.023	0.022 - 0.024	1,638	0.029	0.028 - 0.030	908	0.016	0.015 - 0.017
Utah	52	0.012	0.009 - 0.015	29	0.013	0.009 - 0.018	23	0.011	0.007 - 0.016
Vermont	-	-	-	-	-	-	-	-	-
Washington	175	0.018	0.016 - 0.021	120	0.024	0.020 - 0.029	55	0.012	0.009 - 0.016
WA - Seattle	122	0.024	0.020 - 0.028	87	0.033	0.026 - 0.040	35	0.014	0.010 - 0.020
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	66	0.017	0.013 - 0.021	40	0.019	0.014 - 0.026	26	0.013	0.009 - 0.020
Wyoming	14	0.024	0.013 - 0.041	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	2,313	0.004	0.004 - 0.004	1,817	0.006	0.006 - 0.006	496	0.002	0.002 - 0.002
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	79	0.004	0.003 - 0.004	63	0.006	0.004 - 0.007	16	0.001	0.001 - 0.002
Arkansas	-	-	-	-	-	-	-	-	-
California	505	0.003	0.003 - 0.004	394	0.005	0.005 - 0.006	111	0.001	0.001 - 0.002
CA - Greater California	281	0.003	0.003 - 0.004	212	0.005	0.004 - 0.006	70	0.002	0.001 - 0.002
CA - Greater Bay Area	79	0.004	0.003 - 0.005	59	0.006	0.005 - 0.008	20	0.002	0.001 - 0.003
CA - Los Angeles	143	0.003	0.002 - 0.003	123	0.005	0.004 - 0.006	20	0.001	0.001 - 0.001
Colorado	48	0.004	0.003 - 0.005	36	0.006	0.004 - 0.008	12	0.002	0.001 - 0.004
Connecticut	21	0.004	0.002 - 0.005	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	-	-
Florida	379	0.007	0.006 - 0.008	299	0.011	0.010 - 0.012	80	0.003	0.002 - 0.004
Georgia	28	0.003	0.002 - 0.004	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	83	0.004	0.003 - 0.005	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-
Kansas	11	0.003	0.002 - 0.006	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-
MI - Detroit	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	10	0.004	0.002 - 0.007	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	74	0.004	0.003 - 0.005	54	0.006	0.005 - 0.008	20	0.002	0.001 - 0.003
New Mexico	64	0.006	0.005 - 0.008	52	0.010	0.008 - 0.013	12	0.002	0.001 - 0.004
New York	204	0.005	0.005 - 0.006	145	0.008	0.007 - 0.009	59	0.003	0.002 - 0.004
North Carolina	21	0.002	0.001 - 0.003	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	17	0.004	0.002 - 0.006	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-
Oregon	26	0.005	0.003 - 0.007	-	-	-	-	-	-
Pennsylvania	37	0.004	0.003 - 0.005	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-
South Carolina	14	0.005	0.003 - 0.008	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-
Texas	423	0.004	0.003 - 0.004	339	0.006	0.005 - 0.007	84	0.002	0.001 - 0.002
Utah	12	0.003	0.001 - 0.005	12	0.005	0.003 - 0.009	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	29	0.003	0.002 - 0.004	-	-	-	-	-	-
WA - Seattle	14	0.003	0.001 - 0.005	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,674	0.020	0.020 - 0.020	6,154	0.021	0.020 - 0.021	5,521	0.019	0.019 - 0.020
Alabama	25	0.012	0.008 - 0.017	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	351	0.016	0.014 - 0.017	187	0.017	0.014 - 0.019	164	0.015	0.013 - 0.017
Arkansas	21	0.009	0.006 - 0.014	-	-	-	-	-	-
California	2,916	0.019	0.018 - 0.020	1,510	0.019	0.019 - 0.020	1,406	0.018	0.017 - 0.019
CA - Greater California	1,333	0.015	0.015 - 0.016	690	0.016	0.015 - 0.017	643	0.015	0.014 - 0.016
CA - Greater Bay Area	415	0.022	0.020 - 0.024	211	0.022	0.019 - 0.025	204	0.022	0.019 - 0.025
CA - Los Angeles	1,171	0.024	0.023 - 0.025	610	0.025	0.023 - 0.027	560	0.023	0.021 - 0.025
Colorado	190	0.016	0.013 - 0.018	95	0.015	0.012 - 0.019	95	0.016	0.013 - 0.019
Connecticut	183	0.032	0.027 - 0.036	102	0.035	0.029 - 0.043	81	0.028	0.022 - 0.034
Delaware	15	0.017	0.009 - 0.028	-	-	-	-	-	-
Florida	1,400	0.026	0.024 - 0.027	755	0.028	0.026 - 0.030	645	0.023	0.022 - 0.025
Georgia	110	0.011	0.009 - 0.013	60	0.011	0.009 - 0.015	50	0.010	0.008 - 0.014
Hawaii	17	0.012	0.007 - 0.019	-	-	-	-	-	-
Idaho	22	0.010	0.006 - 0.015	-	-	-	-	-	-
Illinois	510	0.023	0.021 - 0.025	265	0.024	0.021 - 0.027	245	0.023	0.020 - 0.026
Iowa	25	0.013	0.009 - 0.019	14	0.014	0.007 - 0.023	12	0.013	0.007 - 0.022
Kansas	49	0.014	0.010 - 0.019	31	0.017	0.012 - 0.024	18	0.011	0.006 - 0.017
Kentucky	18	0.011	0.006 - 0.017	-	-	-	-	-	-
Louisiana	38	0.016	0.011 - 0.022	25	0.019	0.012 - 0.028	13	0.012	0.006 - 0.020
Maine	-	-	-	-	-	-	-	-	-
Maryland	138	0.022	0.019 - 0.026	81	0.025	0.020 - 0.032	57	0.019	0.015 - 0.025
MI - Detroit	19	0.010	0.006 - 0.016	-	-	-	-	-	-
Minnesota	43	0.014	0.010 - 0.019	23	0.015	0.009 - 0.022	20	0.014	0.008 - 0.021
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	25	0.010	0.006 - 0.014	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	25	0.012	0.008 - 0.017	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	564	0.031	0.029 - 0.034	285	0.031	0.028 - 0.035	279	0.031	0.027 - 0.035
New Mexico	251	0.025	0.022 - 0.028	136	0.027	0.023 - 0.032	115	0.022	0.018 - 0.027
New York	1,338	0.036	0.034 - 0.038	687	0.037	0.035 - 0.040	651	0.034	0.032 - 0.037
North Carolina	128	0.013	0.011 - 0.016	72	0.014	0.011 - 0.018	56	0.012	0.009 - 0.015
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	48	0.011	0.008 - 0.014	24	0.010	0.007 - 0.015	24	0.011	0.007 - 0.016
Oklahoma	33	0.008	0.005 - 0.011	15	0.007	0.004 - 0.011	18	0.009	0.005 - 0.014
Oregon	88	0.016	0.013 - 0.020	48	0.017	0.013 - 0.023	40	0.015	0.011 - 0.021
Pennsylvania	164	0.017	0.015 - 0.020	88	0.018	0.015 - 0.022	76	0.016	0.013 - 0.020
Rhode Island	36	0.022	0.015 - 0.030	19	0.023	0.014 - 0.036	17	0.021	0.012 - 0.033
South Carolina	34	0.012	0.008 - 0.016	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	43	0.012	0.008 - 0.016	29	0.015	0.010 - 0.021	14	0.008	0.004 - 0.013
Texas	1,960	0.017	0.017 - 0.018	1,004	0.018	0.017 - 0.019	956	0.017	0.016 - 0.018
Utah	55	0.012	0.009 - 0.016	29	0.013	0.008 - 0.018	26	0.012	0.008 - 0.018
Vermont	-	-	-	-	-	-	-	-	-
Washington	130	0.014	0.011 - 0.016	72	0.015	0.011 - 0.018	58	0.013	0.010 - 0.016
WA - Seattle	73	0.014	0.011 - 0.018	33	0.012	0.009 - 0.017	40	0.016	0.011 - 0.022
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	70	0.018	0.014 - 0.022	41	0.020	0.014 - 0.027	29	0.015	0.010 - 0.022
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	70,735	0.121	0.120 - 0.122	37,379	0.127	0.125 - 0.128	33,358	0.115	0.114 - 0.116
Alabama	120	0.056	0.047 - 0.067	61	0.054	0.041 - 0.069	59	0.059	0.045 - 0.076
Alaska	43	0.081	0.059 - 0.109	22	0.079	0.049 - 0.119	21	0.084	0.052 - 0.128
Arizona	2,368	0.106	0.102 - 0.110	1,261	0.112	0.106 - 0.119	1,107	0.100	0.094 - 0.106
Arkansas	145	0.063	0.053 - 0.075	80	0.067	0.053 - 0.083	65	0.060	0.046 - 0.076
California	18,274	0.119	0.117 - 0.120	9,541	0.123	0.121 - 0.126	8,733	0.114	0.112 - 0.116
CA - Greater California	9,550	0.111	0.109 - 0.113	5,065	0.117	0.113 - 0.120	4,485	0.105	0.102 - 0.108
CA - Greater Bay Area	2,422	0.127	0.122 - 0.132	1,245	0.129	0.122 - 0.136	1,177	0.126	0.118 - 0.133
CA - Los Angeles	6,313	0.129	0.126 - 0.132	3,238	0.133	0.128 - 0.137	3,075	0.125	0.121 - 0.130
Colorado	1,499	0.123	0.117 - 0.129	817	0.131	0.123 - 0.141	682	0.114	0.106 - 0.123
Connecticut	826	0.142	0.133 - 0.152	435	0.151	0.137 - 0.165	391	0.134	0.121 - 0.147
Delaware	98	0.109	0.089 - 0.133	51	0.112	0.083 - 0.147	47	0.107	0.078 - 0.142
Florida	9,794	0.180	0.176 - 0.183	4,970	0.185	0.179 - 0.190	4,824	0.175	0.170 - 0.180
Georgia	713	0.071	0.066 - 0.076	358	0.068	0.061 - 0.075	355	0.074	0.066 - 0.082
Hawaii	187	0.130	0.112 - 0.150	91	0.123	0.099 - 0.151	96	0.138	0.111 - 0.168
Idaho	155	0.071	0.060 - 0.083	85	0.075	0.060 - 0.093	70	0.066	0.052 - 0.084
Illinois	2,461	0.112	0.108 - 0.117	1,299	0.116	0.109 - 0.122	1,162	0.108	0.102 - 0.115
Iowa	130	0.068	0.057 - 0.080	74	0.074	0.058 - 0.093	56	0.061	0.046 - 0.079
Kansas	308	0.088	0.079 - 0.099	161	0.089	0.076 - 0.104	147	0.087	0.074 - 0.103
Kentucky	113	0.067	0.055 - 0.081	70	0.077	0.060 - 0.097	43	0.056	0.040 - 0.075
Louisiana	253	0.105	0.093 - 0.119	140	0.109	0.092 - 0.129	114	0.101	0.083 - 0.121
Maine	-	-	-	-	-	-	-	-	-
Maryland	428	0.069	0.063 - 0.076	225	0.070	0.062 - 0.080	203	0.068	0.059 - 0.078
MI - Detroit	224	0.124	0.108 - 0.141	126	0.138	0.115 - 0.164	98	0.109	0.089 - 0.133
Minnesota	176	0.058	0.050 - 0.067	96	0.061	0.049 - 0.074	80	0.055	0.043 - 0.068
Mississippi	57	0.059	0.044 - 0.076	37	0.068	0.048 - 0.094	20	0.046	0.028 - 0.072
Missouri	203	0.078	0.068 - 0.090	112	0.084	0.069 - 0.101	91	0.073	0.059 - 0.089
Montana	43	0.103	0.074 - 0.138	26	0.120	0.078 - 0.176	17	0.084	0.049 - 0.135
Nebraska	169	0.080	0.068 - 0.093	92	0.083	0.067 - 0.102	77	0.076	0.060 - 0.095
New Hampshire	48	0.093	0.069 - 0.124	24	0.091	0.058 - 0.135	24	0.096	0.062 - 0.143
New Jersey	2,608	0.144	0.138 - 0.150	1,332	0.147	0.139 - 0.155	1,276	0.141	0.133 - 0.149
New Mexico	1,683	0.164	0.157 - 0.172	875	0.172	0.161 - 0.184	808	0.157	0.146 - 0.168
New York	5,869	0.157	0.153 - 0.161	2,976	0.162	0.156 - 0.168	2,893	0.153	0.147 - 0.158
North Carolina	446	0.046	0.041 - 0.050	248	0.049	0.043 - 0.056	198	0.042	0.036 - 0.048
North Dakota	16	0.055	0.031 - 0.089	-	-	-	-	-	-
Ohio	351	0.078	0.070 - 0.086	193	0.083	0.072 - 0.096	158	0.072	0.061 - 0.084
Oklahoma	331	0.078	0.070 - 0.087	182	0.082	0.071 - 0.095	149	0.074	0.062 - 0.086
Oregon	430	0.079	0.071 - 0.087	227	0.080	0.070 - 0.092	203	0.077	0.067 - 0.088
Pennsylvania	915	0.096	0.090 - 0.102	486	0.100	0.091 - 0.109	429	0.092	0.083 - 0.101
Rhode Island	138	0.083	0.070 - 0.098	69	0.083	0.065 - 0.105	69	0.084	0.065 - 0.106
South Carolina	208	0.072	0.062 - 0.082	106	0.069	0.056 - 0.083	102	0.075	0.061 - 0.091
South Dakota	12	0.033	0.017 - 0.058	-	-	-	-	-	-
Tennessee	184	0.049	0.043 - 0.057	103	0.053	0.043 - 0.064	81	0.046	0.037 - 0.057
Texas	13,864	0.123	0.121 - 0.126	7,740	0.137	0.134 - 0.140	6,124	0.110	0.107 - 0.113
Utah	341	0.077	0.069 - 0.086	181	0.080	0.068 - 0.092	161	0.075	0.064 - 0.087
Vermont	-	-	-	-	-	-	-	-	-
Washington	737	0.077	0.072 - 0.083	388	0.079	0.071 - 0.087	349	0.076	0.068 - 0.084
WA - Seattle	440	0.085	0.077 - 0.094	225	0.084	0.073 - 0.096	215	0.087	0.075 - 0.099
West Virginia	17	0.057	0.033 - 0.091	-	-	-	-	-	-
Wisconsin	296	0.074	0.066 - 0.083	154	0.075	0.064 - 0.088	142	0.073	0.062 - 0.087
Wyoming	78	0.135	0.107 - 0.168	49	0.161	0.119 - 0.213	29	0.106	0.071 - 0.152

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,923	0.020	0.020 - 0.021	8,135	0.028	0.027 - 0.028	3,790	0.013	0.013 - 0.014
Alabama	10	0.005	0.002 - 0.009	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	436	0.020	0.018 - 0.021	300	0.027	0.024 - 0.030	136	0.012	0.010 - 0.014
Arkansas	32	0.014	0.010 - 0.020	19	0.016	0.010 - 0.025	13	0.012	0.006 - 0.020
California	3,150	0.020	0.020 - 0.021	2,156	0.028	0.027 - 0.029	994	0.013	0.012 - 0.014
CA - Greater California	1,662	0.019	0.018 - 0.020	1,174	0.027	0.025 - 0.029	488	0.011	0.010 - 0.012
CA - Greater Bay Area	523	0.027	0.025 - 0.030	357	0.037	0.033 - 0.041	167	0.018	0.015 - 0.021
CA - Los Angeles	966	0.020	0.019 - 0.021	626	0.026	0.024 - 0.028	340	0.014	0.012 - 0.015
Colorado	284	0.023	0.021 - 0.026	196	0.032	0.027 - 0.036	88	0.015	0.012 - 0.018
Connecticut	143	0.025	0.021 - 0.029	110	0.038	0.031 - 0.046	33	0.011	0.008 - 0.016
Delaware	12	0.013	0.007 - 0.023	-	-	-	-	-	-
Florida	1,122	0.021	0.019 - 0.022	770	0.029	0.027 - 0.031	352	0.013	0.011 - 0.014
Georgia	102	0.010	0.008 - 0.012	61	0.012	0.009 - 0.015	41	0.008	0.006 - 0.011
Hawaii	16	0.011	0.006 - 0.018	-	-	-	-	-	-
Idaho	27	0.012	0.008 - 0.018	-	-	-	-	-	-
Illinois	411	0.019	0.017 - 0.021	273	0.024	0.022 - 0.027	138	0.013	0.011 - 0.015
Iowa	21	0.011	0.007 - 0.016	-	-	-	-	-	-
Kansas	57	0.016	0.012 - 0.021	42	0.023	0.017 - 0.031	15	0.009	0.005 - 0.015
Kentucky	22	0.013	0.008 - 0.020	-	-	-	-	-	-
Louisiana	32	0.013	0.009 - 0.019	21	0.016	0.010 - 0.025	11	0.010	0.005 - 0.018
Maine	-	-	-	-	-	-	-	-	-
Maryland	61	0.010	0.008 - 0.013	37	0.012	0.008 - 0.016	24	0.008	0.005 - 0.012
MI - Detroit	23	0.012	0.008 - 0.019	-	-	-	-	-	-
Minnesota	34	0.011	0.008 - 0.016	22	0.014	0.009 - 0.021	12	0.008	0.004 - 0.014
Mississippi	13	0.013	0.007 - 0.023	-	-	-	-	-	-
Missouri	28	0.011	0.007 - 0.016	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	24	0.011	0.007 - 0.017	14	0.013	0.007 - 0.021	10	0.010	0.005 - 0.018
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	304	0.017	0.015 - 0.019	199	0.022	0.019 - 0.025	105	0.012	0.009 - 0.014
New Mexico	267	0.026	0.023 - 0.029	202	0.040	0.034 - 0.046	65	0.013	0.010 - 0.016
New York	1,068	0.029	0.027 - 0.030	717	0.039	0.036 - 0.042	351	0.019	0.017 - 0.021
North Carolina	105	0.011	0.009 - 0.013	72	0.014	0.011 - 0.018	33	0.007	0.005 - 0.010
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	56	0.012	0.009 - 0.016	44	0.019	0.014 - 0.026	12	0.005	0.003 - 0.010
Oklahoma	43	0.010	0.007 - 0.014	26	0.012	0.008 - 0.017	17	0.008	0.005 - 0.013
Oregon	82	0.015	0.012 - 0.019	52	0.018	0.014 - 0.024	30	0.011	0.008 - 0.016
Pennsylvania	181	0.019	0.016 - 0.022	135	0.028	0.023 - 0.033	46	0.010	0.007 - 0.013
Rhode Island	20	0.012	0.007 - 0.019	-	-	-	-	-	-
South Carolina	22	0.008	0.005 - 0.011	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	44	0.012	0.009 - 0.016	25	0.013	0.008 - 0.019	19	0.011	0.006 - 0.017
Texas	2,780	0.025	0.024 - 0.026	1,871	0.033	0.032 - 0.035	909	0.016	0.015 - 0.017
Utah	73	0.017	0.013 - 0.021	51	0.023	0.017 - 0.030	22	0.010	0.006 - 0.015
Vermont	-	-	-	-	-	-	-	-	-
Washington	150	0.016	0.013 - 0.018	106	0.022	0.018 - 0.026	44	0.010	0.007 - 0.013
WA - Seattle	87	0.017	0.014 - 0.021	66	0.025	0.019 - 0.031	21	0.009	0.005 - 0.013
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	69	0.017	0.013 - 0.022	54	0.026	0.020 - 0.034	15	0.008	0.004 - 0.013
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	6,971	0.012	0.012 - 0.012	3,271	0.011	0.011 - 0.011	3,700	0.013	0.012 - 0.013
Alabama	17	0.008	0.005 - 0.013	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	238	0.011	0.009 - 0.012	109	0.010	0.008 - 0.012	129	0.012	0.010 - 0.014
Arkansas	13	0.006	0.003 - 0.010	-	-	-	-	-	-
California	1,509	0.010	0.009 - 0.010	672	0.009	0.008 - 0.009	837	0.011	0.010 - 0.012
CA - Greater California	777	0.009	0.008 - 0.010	342	0.008	0.007 - 0.009	435	0.010	0.009 - 0.011
CA - Greater Bay Area	226	0.012	0.010 - 0.014	106	0.011	0.009 - 0.013	120	0.013	0.011 - 0.015
CA - Los Angeles	508	0.010	0.009 - 0.011	225	0.009	0.008 - 0.011	283	0.012	0.010 - 0.013
Colorado	147	0.012	0.010 - 0.014	68	0.011	0.008 - 0.014	79	0.013	0.010 - 0.016
Connecticut	81	0.014	0.011 - 0.017	30	0.010	0.007 - 0.015	51	0.017	0.013 - 0.023
Delaware	-	-	-	-	-	-	-	-	-
Florida	1,194	0.022	0.021 - 0.023	581	0.022	0.020 - 0.023	613	0.022	0.020 - 0.024
Georgia	66	0.007	0.005 - 0.008	37	0.007	0.005 - 0.010	29	0.006	0.004 - 0.009
Hawaii	24	0.017	0.011 - 0.025	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-
Illinois	288	0.013	0.012 - 0.015	147	0.013	0.011 - 0.015	141	0.013	0.011 - 0.015
Iowa	-	-	-	-	-	-	-	-	-
Kansas	35	0.010	0.007 - 0.014	11	0.006	0.003 - 0.011	24	0.014	0.009 - 0.021
Kentucky	17	0.010	0.006 - 0.017	-	-	-	-	-	-
Louisiana	17	0.007	0.004 - 0.011	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	61	0.010	0.008 - 0.013	23	0.007	0.005 - 0.011	38	0.013	0.009 - 0.018
MI - Detroit	30	0.017	0.011 - 0.024	13	0.014	0.007 - 0.024	18	0.020	0.012 - 0.031
Minnesota	32	0.011	0.007 - 0.015	20	0.013	0.008 - 0.020	12	0.008	0.004 - 0.014
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	15	0.006	0.003 - 0.010	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	16	0.008	0.004 - 0.012	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	294	0.016	0.014 - 0.018	135	0.015	0.012 - 0.018	160	0.018	0.015 - 0.021
New Mexico	136	0.013	0.011 - 0.016	68	0.013	0.010 - 0.017	68	0.013	0.010 - 0.017
New York	607	0.016	0.015 - 0.018	281	0.015	0.014 - 0.017	325	0.017	0.015 - 0.019
North Carolina	63	0.006	0.005 - 0.008	26	0.005	0.003 - 0.008	37	0.008	0.006 - 0.011
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	30	0.007	0.004 - 0.009	15	0.006	0.004 - 0.011	15	0.007	0.004 - 0.011
Oklahoma	34	0.008	0.006 - 0.011	15	0.007	0.004 - 0.011	19	0.009	0.006 - 0.015
Oregon	52	0.010	0.007 - 0.012	26	0.009	0.006 - 0.013	26	0.010	0.006 - 0.014
Pennsylvania	95	0.010	0.008 - 0.012	43	0.009	0.006 - 0.012	52	0.011	0.008 - 0.015
Rhode Island	17	0.010	0.006 - 0.016	-	-	-	-	-	-
South Carolina	24	0.008	0.005 - 0.012	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	20	0.005	0.003 - 0.008	-	-	-	-	-	-
Texas	1,273	0.011	0.011 - 0.012	604	0.011	0.010 - 0.012	669	0.012	0.011 - 0.013
Utah	23	0.005	0.003 - 0.008	12	0.005	0.003 - 0.009	10	0.005	0.002 - 0.009
Vermont	-	-	-	-	-	-	-	-	-
Washington	75	0.008	0.006 - 0.010	35	0.007	0.005 - 0.010	40	0.009	0.006 - 0.012
WA - Seattle	34	0.007	0.004 - 0.009	14	0.005	0.003 - 0.009	20	0.008	0.005 - 0.012
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	35	0.009	0.006 - 0.012	22	0.011	0.007 - 0.016	13	0.007	0.004 - 0.011
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	4,588	0.008	0.008 - 0.008	3,868	0.013	0.013 - 0.014	721	0.002	0.002 - 0.003
Alabama	-	-	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	103	0.005	0.004 - 0.006	80	0.007	0.006 - 0.009	23	0.002	0.001 - 0.003
Arkansas	-	-	-	-	-	-	-	-	-
California	896	0.006	0.005 - 0.006	776	0.010	0.009 - 0.011	120	0.002	0.001 - 0.002
CA - Greater California	442	0.005	0.005 - 0.006	375	0.009	0.008 - 0.010	67	0.002	0.001 - 0.002
CA - Greater Bay Area	127	0.007	0.006 - 0.008	110	0.011	0.009 - 0.014	17	0.002	0.001 - 0.003
CA - Los Angeles	329	0.007	0.006 - 0.007	293	0.012	0.011 - 0.013	36	0.001	0.001 - 0.002
Colorado	81	0.007	0.005 - 0.008	68	0.011	0.008 - 0.014	13	0.002	0.001 - 0.004
Connecticut	84	0.014	0.011 - 0.018	71	0.024	0.019 - 0.031	13	0.004	0.002 - 0.008
Delaware	-	-	-	-	-	-	-	-	-
Florida	902	0.017	0.015 - 0.018	774	0.029	0.027 - 0.031	128	0.005	0.004 - 0.006
Georgia	40	0.004	0.003 - 0.005	-	-	-	-	-	-
Hawaii	11	0.008	0.004 - 0.014	-	-	-	-	-	-
Idaho	10	0.005	0.002 - 0.008	-	-	-	-	-	-
Illinois	138	0.006	0.005 - 0.007	108	0.010	0.008 - 0.012	30	0.003	0.002 - 0.004
Iowa	10	0.005	0.003 - 0.010	-	-	-	-	-	-
Kansas	19	0.005	0.003 - 0.009	-	-	-	-	-	-
Kentucky	-	-	-	-	-	-	-	-	-
Louisiana	26	0.011	0.007 - 0.016	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	20	0.003	0.002 - 0.005	-	-	-	-	-	-
MI - Detroit	21	0.012	0.007 - 0.018	-	-	-	-	-	-
Minnesota	11	0.004	0.002 - 0.006	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	179	0.010	0.008 - 0.011	158	0.017	0.015 - 0.020	21	0.002	0.001 - 0.004
New Mexico	84	0.008	0.007 - 0.010	73	0.014	0.011 - 0.018	12	0.002	0.001 - 0.004
New York	510	0.014	0.012 - 0.015	388	0.021	0.019 - 0.023	122	0.006	0.005 - 0.008
North Carolina	39	0.004	0.003 - 0.005	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	17	0.004	0.002 - 0.006	-	-	-	-	-	-
Oklahoma	15	0.004	0.002 - 0.006	-	-	-	-	-	-
Oregon	21	0.004	0.002 - 0.006	-	-	-	-	-	-
Pennsylvania	90	0.009	0.008 - 0.012	68	0.014	0.011 - 0.018	22	0.005	0.003 - 0.007
Rhode Island	15	0.009	0.005 - 0.015	-	-	-	-	-	-
South Carolina	14	0.005	0.003 - 0.008	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	17	0.005	0.003 - 0.007	-	-	-	-	-	-
Texas	873	0.008	0.007 - 0.008	763	0.014	0.013 - 0.014	110	0.002	0.002 - 0.002
Utah	17	0.004	0.002 - 0.006	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-
Washington	38	0.004	0.003 - 0.005	-	-	-	-	-	-
WA - Seattle	25	0.005	0.003 - 0.007	-	-	-	-	-	-
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	21	0.005	0.003 - 0.008	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	24,715	0.042	0.042 - 0.043	11,373	0.039	0.038 - 0.039	13,342	0.046	0.045 - 0.047
Alabama	53	0.025	0.019 - 0.032	21	0.019	0.011 - 0.028	32	0.032	0.022 - 0.045
Alaska	16	0.030	0.017 - 0.049	-	-	-	-	-	-
Arizona	796	0.036	0.033 - 0.038	350	0.031	0.028 - 0.035	446	0.040	0.037 - 0.044
Arkansas	82	0.036	0.028 - 0.044	43	0.036	0.026 - 0.048	39	0.036	0.025 - 0.049
California	4,796	0.031	0.030 - 0.032	1,978	0.026	0.024 - 0.027	2,819	0.037	0.035 - 0.038
CA - Greater California	2,638	0.031	0.029 - 0.032	1,080	0.025	0.023 - 0.026	1,558	0.037	0.035 - 0.038
CA - Greater Bay Area	707	0.037	0.034 - 0.040	300	0.031	0.028 - 0.035	407	0.043	0.039 - 0.048
CA - Los Angeles	1,454	0.030	0.028 - 0.031	599	0.025	0.023 - 0.027	855	0.035	0.033 - 0.037
Colorado	545	0.045	0.041 - 0.049	231	0.037	0.033 - 0.042	314	0.052	0.047 - 0.059
Connecticut	376	0.065	0.058 - 0.071	171	0.059	0.051 - 0.069	205	0.070	0.061 - 0.080
Delaware	30	0.033	0.023 - 0.048	13	0.028	0.015 - 0.049	17	0.039	0.022 - 0.062
Florida	5,143	0.094	0.092 - 0.097	2,624	0.097	0.094 - 0.101	2,519	0.091	0.088 - 0.095
Georgia	302	0.030	0.027 - 0.034	134	0.025	0.021 - 0.030	168	0.035	0.030 - 0.041
Hawaii	90	0.062	0.050 - 0.077	40	0.054	0.038 - 0.073	50	0.071	0.053 - 0.094
Idaho	59	0.027	0.021 - 0.035	28	0.025	0.016 - 0.036	31	0.029	0.020 - 0.042
Illinois	817	0.037	0.035 - 0.040	381	0.034	0.031 - 0.038	436	0.041	0.037 - 0.045
Iowa	34	0.018	0.012 - 0.025	15	0.015	0.009 - 0.025	19	0.021	0.012 - 0.032
Kansas	122	0.035	0.029 - 0.042	50	0.028	0.021 - 0.037	72	0.043	0.034 - 0.054
Kentucky	46	0.027	0.020 - 0.036	25	0.028	0.018 - 0.041	21	0.027	0.016 - 0.041
Louisiana	77	0.032	0.025 - 0.040	33	0.026	0.018 - 0.036	44	0.039	0.029 - 0.053
Maine	10	0.045	0.021 - 0.082	-	-	-	-	-	-
Maryland	125	0.020	0.017 - 0.024	39	0.012	0.009 - 0.017	86	0.029	0.023 - 0.036
MI - Detroit	102	0.056	0.046 - 0.068	40	0.044	0.032 - 0.060	61	0.068	0.052 - 0.088
Minnesota	69	0.023	0.018 - 0.029	40	0.025	0.018 - 0.034	29	0.020	0.013 - 0.028
Mississippi	25	0.026	0.017 - 0.038	11	0.020	0.010 - 0.036	14	0.033	0.018 - 0.055
Missouri	77	0.030	0.023 - 0.037	34	0.025	0.018 - 0.036	43	0.034	0.025 - 0.046
Montana	17	0.041	0.024 - 0.065	-	-	-	-	-	-
Nebraska	39	0.018	0.013 - 0.025	20	0.018	0.011 - 0.028	19	0.019	0.011 - 0.029
New Hampshire	22	0.043	0.027 - 0.065	-	-	-	-	-	-
New Jersey	1,039	0.057	0.054 - 0.061	457	0.050	0.046 - 0.055	581	0.064	0.059 - 0.070
New Mexico	514	0.050	0.046 - 0.055	230	0.045	0.040 - 0.052	284	0.055	0.049 - 0.062
New York	2,681	0.072	0.069 - 0.075	1,160	0.063	0.059 - 0.067	1,521	0.080	0.076 - 0.084
North Carolina	192	0.020	0.017 - 0.023	87	0.017	0.014 - 0.021	105	0.022	0.018 - 0.027
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	135	0.030	0.025 - 0.035	69	0.030	0.023 - 0.038	66	0.030	0.023 - 0.038
Oklahoma	91	0.021	0.017 - 0.026	51	0.023	0.017 - 0.030	40	0.020	0.014 - 0.027
Oregon	170	0.031	0.027 - 0.036	63	0.022	0.017 - 0.029	107	0.041	0.033 - 0.049
Pennsylvania	441	0.046	0.042 - 0.051	211	0.043	0.038 - 0.050	230	0.049	0.043 - 0.056
Rhode Island	80	0.048	0.038 - 0.060	41	0.049	0.035 - 0.067	39	0.047	0.034 - 0.065
South Carolina	83	0.029	0.023 - 0.035	38	0.025	0.017 - 0.034	45	0.033	0.024 - 0.044
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	103	0.028	0.023 - 0.034	47	0.024	0.018 - 0.032	56	0.032	0.024 - 0.041
Texas	3,657	0.033	0.032 - 0.034	1,804	0.032	0.030 - 0.033	1,853	0.033	0.032 - 0.035
Utah	81	0.018	0.015 - 0.023	40	0.018	0.013 - 0.024	41	0.019	0.014 - 0.026
Vermont	-	-	-	-	-	-	-	-	-
Washington	290	0.030	0.027 - 0.034	136	0.028	0.023 - 0.033	154	0.033	0.028 - 0.039
WA - Seattle	201	0.039	0.034 - 0.045	91	0.034	0.027 - 0.042	110	0.044	0.036 - 0.053
West Virginia	10	0.033	0.016 - 0.062	-	-	-	-	-	-
Wisconsin	130	0.033	0.027 - 0.039	53	0.026	0.019 - 0.034	77	0.040	0.031 - 0.050
Wyoming	18	0.031	0.018 - 0.049	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	12,257	0.021	0.021 - 0.021	5,236	0.018	0.017 - 0.018	7,020	0.024	0.024 - 0.025
Alabama	41	0.019	0.014 - 0.026	24	0.021	0.014 - 0.032	17	0.017	0.010 - 0.027
Alaska	-	-	-	-	-	-	-	-	-
Arizona	436	0.020	0.018 - 0.021	179	0.016	0.014 - 0.018	257	0.023	0.020 - 0.026
Arkansas	33	0.014	0.010 - 0.020	13	0.011	0.006 - 0.019	20	0.018	0.011 - 0.028
California	3,402	0.022	0.021 - 0.023	1,378	0.018	0.017 - 0.019	2,024	0.026	0.025 - 0.028
CA - Greater California	1,901	0.022	0.021 - 0.023	728	0.017	0.016 - 0.018	1,173	0.027	0.026 - 0.029
CA - Greater Bay Area	624	0.033	0.030 - 0.035	270	0.028	0.025 - 0.031	354	0.038	0.034 - 0.042
CA - Los Angeles	874	0.018	0.017 - 0.019	378	0.015	0.014 - 0.017	496	0.020	0.018 - 0.022
Colorado	309	0.025	0.023 - 0.028	104	0.017	0.014 - 0.020	205	0.034	0.030 - 0.039
Connecticut	136	0.023	0.020 - 0.028	57	0.020	0.015 - 0.026	79	0.027	0.021 - 0.034
Delaware	25	0.028	0.018 - 0.041	13	0.028	0.015 - 0.049	12	0.027	0.014 - 0.048
Florida	1,716	0.031	0.030 - 0.033	827	0.031	0.029 - 0.033	889	0.032	0.030 - 0.034
Georgia	203	0.020	0.017 - 0.023	88	0.017	0.013 - 0.021	114	0.024	0.020 - 0.029
Hawaii	72	0.050	0.039 - 0.063	35	0.047	0.033 - 0.065	38	0.054	0.038 - 0.074
Idaho	60	0.027	0.021 - 0.035	21	0.019	0.012 - 0.028	39	0.037	0.026 - 0.050
Illinois	434	0.020	0.018 - 0.022	175	0.016	0.013 - 0.018	259	0.024	0.021 - 0.027
Iowa	29	0.015	0.010 - 0.022	12	0.012	0.006 - 0.021	17	0.018	0.011 - 0.029
Kansas	86	0.025	0.020 - 0.030	32	0.018	0.012 - 0.025	54	0.032	0.024 - 0.042
Kentucky	26	0.016	0.010 - 0.023	11	0.012	0.006 - 0.022	15	0.019	0.011 - 0.032
Louisiana	63	0.026	0.020 - 0.033	31	0.024	0.016 - 0.034	32	0.028	0.019 - 0.040
Maine	-	-	-	-	-	-	-	-	-
Maryland	96	0.016	0.013 - 0.019	47	0.015	0.011 - 0.020	49	0.016	0.012 - 0.022
MI - Detroit	66	0.036	0.028 - 0.046	26	0.028	0.018 - 0.041	40	0.044	0.032 - 0.061
Minnesota	52	0.017	0.013 - 0.022	28	0.018	0.012 - 0.026	24	0.016	0.011 - 0.024
Mississippi	16	0.016	0.009 - 0.027	-	-	-	-	-	-
Missouri	47	0.018	0.013 - 0.024	25	0.019	0.012 - 0.028	22	0.018	0.011 - 0.027
Montana	22	0.053	0.033 - 0.080	-	-	-	-	-	-
Nebraska	35	0.017	0.012 - 0.023	10	0.009	0.004 - 0.017	25	0.025	0.016 - 0.036
New Hampshire	16	0.031	0.018 - 0.051	-	-	-	-	-	-
New Jersey	399	0.022	0.020 - 0.024	181	0.020	0.017 - 0.023	218	0.024	0.021 - 0.028
New Mexico	301	0.029	0.026 - 0.033	134	0.026	0.022 - 0.031	167	0.032	0.028 - 0.038
New York	735	0.020	0.018 - 0.021	339	0.018	0.016 - 0.020	397	0.021	0.019 - 0.023
North Carolina	90	0.009	0.007 - 0.011	56	0.011	0.008 - 0.014	34	0.007	0.005 - 0.010
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	84	0.019	0.015 - 0.023	39	0.017	0.012 - 0.023	45	0.020	0.015 - 0.027
Oklahoma	66	0.016	0.012 - 0.020	28	0.013	0.008 - 0.018	38	0.019	0.013 - 0.026
Oregon	138	0.025	0.021 - 0.030	46	0.016	0.012 - 0.022	92	0.035	0.028 - 0.043
Pennsylvania	166	0.017	0.015 - 0.020	64	0.013	0.010 - 0.017	102	0.022	0.018 - 0.026
Rhode Island	15	0.009	0.005 - 0.015	-	-	-	-	-	-
South Carolina	58	0.020	0.015 - 0.026	23	0.015	0.009 - 0.022	35	0.026	0.018 - 0.036
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	79	0.021	0.017 - 0.026	34	0.017	0.012 - 0.024	45	0.026	0.019 - 0.034
Texas	1,659	0.015	0.014 - 0.016	712	0.013	0.012 - 0.014	947	0.017	0.016 - 0.018
Utah	90	0.020	0.016 - 0.025	42	0.019	0.013 - 0.025	48	0.022	0.017 - 0.030
Vermont	-	-	-	-	-	-	-	-	-
Washington	241	0.025	0.022 - 0.029	77	0.016	0.012 - 0.020	164	0.036	0.030 - 0.041
WA - Seattle	193	0.037	0.032 - 0.043	67	0.025	0.019 - 0.032	126	0.051	0.042 - 0.061
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	67	0.017	0.013 - 0.021	26	0.013	0.008 - 0.019	41	0.021	0.015 - 0.029
Wyoming	16	0.028	0.016 - 0.045	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		152,462	0.525	0.523 - 0.528
Alabama	-	-		-	-		227	0.226	0.197 - 0.257
Alaska	-	-		-	-		103	0.410	0.334 - 0.497
Arizona	-	-		-	-		5,196	0.468	0.455 - 0.481
Arkansas	-	-		-	-		336	0.308	0.276 - 0.343
California	-	-		-	-		40,412	0.528	0.522 - 0.533
CA - Greater California	-	-		-	-		21,510	0.504	0.497 - 0.511
CA - Greater Bay Area	-	-		-	-		5,319	0.567	0.552 - 0.583
CA - Los Angeles	-	-		-	-		13,597	0.554	0.545 - 0.563
Colorado	-	-		-	-		3,319	0.554	0.536 - 0.574
Connecticut	-	-		-	-		1,906	0.652	0.623 - 0.682
Delaware	-	-		-	-		178	0.404	0.347 - 0.468
Florida	-	-		-	-		20,078	0.727	0.717 - 0.738
Georgia	-	-		-	-		1,920	0.399	0.381 - 0.417
Hawaii	-	-		-	-		489	0.699	0.639 - 0.764
Idaho	-	-		-	-		374	0.353	0.318 - 0.390
Illinois	-	-		-	-		5,313	0.495	0.482 - 0.509
Iowa	-	-		-	-		245	0.267	0.234 - 0.302
Kansas	-	-		-	-		647	0.385	0.356 - 0.416
Kentucky	-	-		-	-		206	0.268	0.233 - 0.307
Louisiana	-	-		-	-		534	0.475	0.435 - 0.517
Maine	-	-		-	-		44	0.398	0.289 - 0.535
Maryland	-	-		-	-		1,121	0.377	0.356 - 0.400
MI - Detroit	-	-		-	-		526	0.587	0.538 - 0.640
Minnesota	-	-		-	-		408	0.279	0.253 - 0.307
Mississippi	-	-		-	-		96	0.223	0.181 - 0.273
Missouri	-	-		-	-		410	0.327	0.296 - 0.361
Montana	-	-		-	-		99	0.490	0.398 - 0.596
Nebraska	-	-		-	-		339	0.335	0.300 - 0.373
New Hampshire	-	-		-	-		111	0.446	0.367 - 0.537
New Jersey	-	-		-	-		5,843	0.646	0.629 - 0.663
New Mexico	-	-		-	-		3,708	0.719	0.696 - 0.742
New York	-	-		-	-		13,738	0.726	0.713 - 0.738
North Carolina	-	-		-	-		1,062	0.225	0.212 - 0.239
North Dakota	-	-		-	-		25	0.184	0.119 - 0.272
Ohio	-	-		-	-		618	0.281	0.259 - 0.304
Oklahoma	-	-		-	-		658	0.325	0.301 - 0.351
Oregon	-	-		-	-		974	0.370	0.347 - 0.394
Pennsylvania	-	-		-	-		1,935	0.413	0.395 - 0.432
Rhode Island	-	-		-	-		352	0.428	0.384 - 0.475
South Carolina	-	-		-	-		479	0.351	0.320 - 0.384
South Dakota	-	-		-	-		34	0.207	0.144 - 0.290
Tennessee	-	-		-	-		454	0.258	0.235 - 0.283
Texas	-	-		-	-		27,236	0.488	0.483 - 0.494
Utah	-	-		-	-		720	0.334	0.310 - 0.359
Vermont	-	-		-	-		25	0.415	0.268 - 0.612
Washington	-	-		-	-		1,726	0.374	0.357 - 0.392
WA - Seattle	-	-		-	-		1,192	0.481	0.454 - 0.509
West Virginia	-	-		-	-		37	0.268	0.189 - 0.370
Wisconsin	-	-		-	-		637	0.329	0.304 - 0.356
Wyoming	-	-		-	-		116	0.423	0.350 - 0.508

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		15,676	0.054	0.053 - 0.055
Alabama	-	-		-	-		48	0.048	0.035 - 0.063
Alaska	-	-		-	-		10	0.040	0.019 - 0.073
Arizona	-	-		-	-		486	0.044	0.040 - 0.048
Arkansas	-	-		-	-		65	0.060	0.046 - 0.076
California	-	-		-	-		3,851	0.050	0.049 - 0.052
CA - Greater California	-	-		-	-		1,982	0.046	0.044 - 0.049
CA - Greater Bay Area	-	-		-	-		458	0.049	0.044 - 0.053
CA - Los Angeles	-	-		-	-		1,412	0.058	0.055 - 0.061
Colorado	-	-		-	-		283	0.047	0.042 - 0.053
Connecticut	-	-		-	-		178	0.061	0.052 - 0.071
Delaware	-	-		-	-		14	0.032	0.017 - 0.053
Florida	-	-		-	-		1,705	0.062	0.059 - 0.065
Georgia	-	-		-	-		245	0.051	0.045 - 0.058
Hawaii	-	-		-	-		33	0.047	0.032 - 0.066
Idaho	-	-		-	-		49	0.046	0.034 - 0.061
Illinois	-	-		-	-		605	0.056	0.052 - 0.061
Iowa	-	-		-	-		42	0.045	0.033 - 0.061
Kansas	-	-		-	-		90	0.054	0.043 - 0.066
Kentucky	-	-		-	-		32	0.041	0.028 - 0.059
Louisiana	-	-		-	-		62	0.055	0.042 - 0.070
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		146	0.049	0.041 - 0.058
MI - Detroit	-	-		-	-		48	0.054	0.040 - 0.071
Minnesota	-	-		-	-		54	0.037	0.028 - 0.048
Mississippi	-	-		-	-		10	0.023	0.011 - 0.043
Missouri	-	-		-	-		47	0.038	0.028 - 0.050
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		38	0.038	0.027 - 0.052
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		578	0.064	0.059 - 0.069
New Mexico	-	-		-	-		262	0.051	0.045 - 0.057
New York	-	-		-	-		1,144	0.060	0.057 - 0.064
North Carolina	-	-		-	-		196	0.042	0.036 - 0.048
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		70	0.032	0.025 - 0.040
Oklahoma	-	-		-	-		110	0.054	0.045 - 0.065
Oregon	-	-		-	-		101	0.038	0.031 - 0.047
Pennsylvania	-	-		-	-		246	0.053	0.046 - 0.060
Rhode Island	-	-		-	-		37	0.045	0.032 - 0.062
South Carolina	-	-		-	-		64	0.047	0.036 - 0.060
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		61	0.035	0.027 - 0.045
Texas	-	-		-	-		3,460	0.062	0.060 - 0.064
Utah	-	-		-	-		78	0.036	0.028 - 0.045
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		186	0.040	0.035 - 0.047
WA - Seattle	-	-		-	-		105	0.042	0.035 - 0.051
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		78	0.040	0.032 - 0.050
Wyoming	-	-		-	-		12	0.044	0.023 - 0.076

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		35,792	0.123	0.122 - 0.125
Alabama	-	-		-	-		63	0.063	0.048 - 0.080
Alaska	-	-		-	-		19	0.076	0.046 - 0.118
Arizona	-	-		-	-		1,189	0.107	0.101 - 0.113
Arkansas	-	-		-	-		77	0.071	0.056 - 0.088
California	-	-		-	-		9,537	0.124	0.122 - 0.127
CA - Greater California	-	-		-	-		4,671	0.109	0.106 - 0.113
CA - Greater Bay Area	-	-		-	-		1,219	0.130	0.123 - 0.137
CA - Los Angeles	-	-		-	-		3,647	0.149	0.144 - 0.153
Colorado	-	-		-	-		659	0.110	0.102 - 0.119
Connecticut	-	-		-	-		434	0.148	0.135 - 0.163
Delaware	-	-		-	-		54	0.123	0.092 - 0.160
Florida	-	-		-	-		4,418	0.160	0.155 - 0.165
Georgia	-	-		-	-		365	0.076	0.068 - 0.084
Hawaii	-	-		-	-		81	0.116	0.092 - 0.144
Idaho	-	-		-	-		94	0.088	0.071 - 0.108
Illinois	-	-		-	-		1,460	0.136	0.129 - 0.143
Iowa	-	-		-	-		72	0.079	0.061 - 0.099
Kansas	-	-		-	-		156	0.093	0.079 - 0.109
Kentucky	-	-		-	-		53	0.069	0.052 - 0.090
Louisiana	-	-		-	-		84	0.075	0.060 - 0.092
Maine	-	-		-	-		12	0.109	0.056 - 0.190
Maryland	-	-		-	-		254	0.085	0.075 - 0.097
MI - Detroit	-	-		-	-		154	0.172	0.146 - 0.201
Minnesota	-	-		-	-		107	0.073	0.060 - 0.088
Mississippi	-	-		-	-		26	0.060	0.039 - 0.089
Missouri	-	-		-	-		111	0.089	0.073 - 0.107
Montana	-	-		-	-		17	0.084	0.049 - 0.135
Nebraska	-	-		-	-		83	0.082	0.065 - 0.102
New Hampshire	-	-		-	-		18	0.072	0.043 - 0.114
New Jersey	-	-		-	-		1,293	0.143	0.135 - 0.151
New Mexico	-	-		-	-		746	0.145	0.134 - 0.155
New York	-	-		-	-		3,244	0.171	0.165 - 0.177
North Carolina	-	-		-	-		244	0.052	0.045 - 0.059
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		176	0.080	0.069 - 0.093
Oklahoma	-	-		-	-		142	0.070	0.059 - 0.083
Oregon	-	-		-	-		260	0.099	0.087 - 0.111
Pennsylvania	-	-		-	-		539	0.115	0.106 - 0.125
Rhode Island	-	-		-	-		78	0.095	0.075 - 0.118
South Carolina	-	-		-	-		72	0.053	0.041 - 0.066
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		104	0.059	0.048 - 0.072
Texas	-	-		-	-		6,773	0.121	0.119 - 0.124
Utah	-	-		-	-		155	0.072	0.061 - 0.084
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		370	0.080	0.072 - 0.089
WA - Seattle	-	-		-	-		215	0.087	0.075 - 0.099
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		190	0.098	0.085 - 0.113
Wyoming	-	-		-	-		26	0.095	0.062 - 0.139

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		-	-		11,797	0.041	0.040 - 0.041
Alabama	-	-		-	-		20	0.020	0.012 - 0.031
Alaska	-	-		-	-		-	-	
Arizona	-	-		-	-		411	0.037	0.034 - 0.041
Arkansas	-	-		-	-		29	0.027	0.018 - 0.038
California	-	-		-	-		3,373	0.044	0.043 - 0.046
CA - Greater California	-	-		-	-		1,652	0.039	0.037 - 0.041
CA - Greater Bay Area	-	-		-	-		411	0.044	0.040 - 0.048
CA - Los Angeles	-	-		-	-		1,309	0.053	0.050 - 0.056
Colorado	-	-		-	-		220	0.037	0.032 - 0.042
Connecticut	-	-		-	-		103	0.035	0.029 - 0.043
Delaware	-	-		-	-		11	0.025	0.012 - 0.045
Florida	-	-		-	-		1,482	0.054	0.051 - 0.057
Georgia	-	-		-	-		156	0.032	0.027 - 0.038
Hawaii	-	-		-	-		15	0.021	0.012 - 0.035
Idaho	-	-		-	-		28	0.026	0.018 - 0.038
Illinois	-	-		-	-		420	0.039	0.035 - 0.043
Iowa	-	-		-	-		30	0.032	0.022 - 0.046
Kansas	-	-		-	-		44	0.026	0.019 - 0.035
Kentucky	-	-		-	-		17	0.022	0.013 - 0.035
Louisiana	-	-		-	-		27	0.024	0.016 - 0.035
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		91	0.031	0.025 - 0.038
MI - Detroit	-	-		-	-		36	0.040	0.028 - 0.056
Minnesota	-	-		-	-		26	0.018	0.012 - 0.026
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		35	0.028	0.019 - 0.039
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		28	0.028	0.018 - 0.040
New Hampshire	-	-		-	-		-	-	
New Jersey	-	-		-	-		392	0.043	0.039 - 0.048
New Mexico	-	-		-	-		238	0.046	0.040 - 0.052
New York	-	-		-	-		928	0.049	0.046 - 0.052
North Carolina	-	-		-	-		112	0.024	0.020 - 0.029
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		51	0.023	0.017 - 0.030
Oklahoma	-	-		-	-		63	0.031	0.024 - 0.040
Oregon	-	-		-	-		74	0.028	0.022 - 0.035
Pennsylvania	-	-		-	-		148	0.032	0.027 - 0.037
Rhode Island	-	-		-	-		16	0.019	0.011 - 0.032
South Carolina	-	-		-	-		33	0.024	0.017 - 0.034
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		38	0.022	0.015 - 0.030
Texas	-	-		-	-		2,195	0.039	0.038 - 0.041
Utah	-	-		-	-		60	0.028	0.021 - 0.036
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		132	0.029	0.024 - 0.034
WA - Seattle	-	-		-	-		83	0.034	0.027 - 0.042
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		62	0.032	0.025 - 0.041
Wyoming	-	-		-	-		13	0.047	0.025 - 0.081

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		118,639	0.403	0.400 - 0.405	-	-	
Alabama	-	-		196	0.173	0.150 - 0.199	-	-	
Alaska	-	-		54	0.193	0.145 - 0.252	-	-	
Arizona	-	-		3,089	0.275	0.265 - 0.285	-	-	
Arkansas	-	-		273	0.228	0.202 - 0.257	-	-	
California	-	-		30,099	0.388	0.384 - 0.393	-	-	
CA - Greater California	-	-		15,495	0.357	0.351 - 0.362	-	-	
CA - Greater Bay Area	-	-		4,304	0.446	0.432 - 0.459	-	-	
CA - Los Angeles	-	-		10,300	0.422	0.414 - 0.430	-	-	
Colorado	-	-		2,058	0.331	0.317 - 0.346	-	-	
Connecticut	-	-		1,313	0.454	0.430 - 0.479	-	-	
Delaware	-	-		177	0.387	0.332 - 0.449	-	-	
Florida	-	-		18,473	0.686	0.676 - 0.696	-	-	
Georgia	-	-		1,286	0.244	0.231 - 0.258	-	-	
Hawaii	-	-		226	0.306	0.267 - 0.348	-	-	
Idaho	-	-		252	0.224	0.197 - 0.253	-	-	
Illinois	-	-		4,433	0.395	0.383 - 0.406	-	-	
Iowa	-	-		174	0.175	0.150 - 0.203	-	-	
Kansas	-	-		519	0.288	0.263 - 0.313	-	-	
Kentucky	-	-		162	0.179	0.152 - 0.209	-	-	
Louisiana	-	-		538	0.419	0.384 - 0.456	-	-	
Maine	-	-		22	0.193	0.121 - 0.292	-	-	
Maryland	-	-		812	0.254	0.237 - 0.272	-	-	
MI - Detroit	-	-		425	0.465	0.421 - 0.511	-	-	
Minnesota	-	-		278	0.176	0.156 - 0.198	-	-	
Mississippi	-	-		101	0.186	0.152 - 0.227	-	-	
Missouri	-	-		257	0.192	0.169 - 0.217	-	-	
Montana	-	-		71	0.333	0.260 - 0.419	-	-	
Nebraska	-	-		240	0.217	0.190 - 0.246	-	-	
New Hampshire	-	-		85	0.321	0.256 - 0.397	-	-	
New Jersey	-	-		5,688	0.627	0.610 - 0.643	-	-	
New Mexico	-	-		2,704	0.532	0.512 - 0.553	-	-	
New York	-	-		13,626	0.740	0.728 - 0.753	-	-	
North Carolina	-	-		745	0.147	0.137 - 0.158	-	-	
North Dakota	-	-		15	0.096	0.054 - 0.158	-	-	
Ohio	-	-		593	0.256	0.236 - 0.278	-	-	
Oklahoma	-	-		369	0.167	0.150 - 0.185	-	-	
Oregon	-	-		648	0.229	0.212 - 0.248	-	-	
Pennsylvania	-	-		1,760	0.363	0.346 - 0.380	-	-	
Rhode Island	-	-		282	0.339	0.300 - 0.381	-	-	
South Carolina	-	-		343	0.223	0.200 - 0.248	-	-	
South Dakota	-	-		30	0.154	0.104 - 0.220	-	-	
Tennessee	-	-		320	0.163	0.146 - 0.182	-	-	
Texas	-	-		18,332	0.324	0.320 - 0.329	-	-	
Utah	-	-		516	0.227	0.208 - 0.248	-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		1,049	0.213	0.200 - 0.226	-	-	
WA - Seattle	-	-		640	0.239	0.221 - 0.258	-	-	
West Virginia	-	-		43	0.268	0.194 - 0.361	-	-	
Wisconsin	-	-		504	0.245	0.224 - 0.267	-	-	
Wyoming	-	-		102	0.336	0.274 - 0.407	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	-	-		13,513	0.045	0.044 - 0.046	-	-	
Alabama	-	-		28	0.025	0.016 - 0.036	-	-	
Alaska	-	-		-	-		-	-	
Arizona	-	-		465	0.041	0.038 - 0.045	-	-	
Arkansas	-	-		37	0.031	0.022 - 0.043	-	-	
California	-	-		4,265	0.055	0.053 - 0.057	-	-	
CA - Greater California	-	-		2,308	0.053	0.051 - 0.055	-	-	
CA - Greater Bay Area	-	-		551	0.057	0.052 - 0.062	-	-	
CA - Los Angeles	-	-		1,408	0.058	0.055 - 0.061	-	-	
Colorado	-	-		271	0.044	0.039 - 0.049	-	-	
Connecticut	-	-		117	0.040	0.033 - 0.048	-	-	
Delaware	-	-		22	0.048	0.030 - 0.073	-	-	
Florida	-	-		938	0.035	0.033 - 0.037	-	-	
Georgia	-	-		208	0.040	0.034 - 0.045	-	-	
Hawaii	-	-		26	0.035	0.023 - 0.051	-	-	
Idaho	-	-		50	0.044	0.033 - 0.058	-	-	
Illinois	-	-		600	0.053	0.049 - 0.058	-	-	
Iowa	-	-		44	0.045	0.032 - 0.060	-	-	
Kansas	-	-		83	0.046	0.037 - 0.057	-	-	
Kentucky	-	-		26	0.028	0.019 - 0.042	-	-	
Louisiana	-	-		41	0.032	0.023 - 0.044	-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		90	0.028	0.023 - 0.035	-	-	
MI - Detroit	-	-		39	0.043	0.030 - 0.058	-	-	
Minnesota	-	-		52	0.033	0.025 - 0.043	-	-	
Mississippi	-	-		24	0.044	0.028 - 0.066	-	-	
Missouri	-	-		58	0.043	0.033 - 0.056	-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		38	0.034	0.024 - 0.047	-	-	
New Hampshire	-	-		17	0.064	0.037 - 0.103	-	-	
New Jersey	-	-		387	0.043	0.038 - 0.047	-	-	
New Mexico	-	-		276	0.054	0.048 - 0.061	-	-	
New York	-	-		772	0.042	0.039 - 0.045	-	-	
North Carolina	-	-		151	0.030	0.025 - 0.035	-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		52	0.022	0.017 - 0.029	-	-	
Oklahoma	-	-		87	0.039	0.031 - 0.049	-	-	
Oregon	-	-		100	0.035	0.029 - 0.043	-	-	
Pennsylvania	-	-		163	0.034	0.029 - 0.039	-	-	
Rhode Island	-	-		16	0.019	0.011 - 0.031	-	-	
South Carolina	-	-		55	0.036	0.027 - 0.047	-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		62	0.032	0.024 - 0.041	-	-	
Texas	-	-		2,614	0.046	0.045 - 0.048	-	-	
Utah	-	-		102	0.045	0.036 - 0.054	-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		216	0.044	0.038 - 0.050	-	-	
WA - Seattle	-	-		134	0.050	0.042 - 0.059	-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		86	0.042	0.033 - 0.052	-	-	
Wyoming	-	-		17	0.056	0.033 - 0.090	-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	20,404	0.035	0.034 - 0.035	15,362	0.052	0.051 - 0.053	5,045	0.017	0.017 - 0.018
Alabama	34	0.016	0.011 - 0.022	-	-	-	-	-	-
Alaska	12	0.023	0.012 - 0.039	-	-	-	-	-	-
Arizona	655	0.029	0.027 - 0.032	497	0.044	0.040 - 0.048	158	0.014	0.012 - 0.017
Arkansas	43	0.019	0.014 - 0.025	-	-	-	-	-	-
California	4,722	0.031	0.030 - 0.032	3,579	0.046	0.045 - 0.048	1,143	0.015	0.014 - 0.016
CA - Greater California	2,460	0.029	0.027 - 0.030	1,875	0.043	0.041 - 0.045	585	0.014	0.013 - 0.015
CA - Greater Bay Area	725	0.038	0.035 - 0.041	534	0.055	0.051 - 0.060	190	0.020	0.018 - 0.023
CA - Los Angeles	1,536	0.031	0.030 - 0.033	1,170	0.048	0.045 - 0.051	366	0.015	0.013 - 0.017
Colorado	386	0.032	0.029 - 0.035	299	0.048	0.043 - 0.054	87	0.015	0.012 - 0.018
Connecticut	312	0.054	0.048 - 0.060	227	0.078	0.069 - 0.089	86	0.029	0.023 - 0.036
Delaware	32	0.036	0.024 - 0.050	-	-	-	-	-	-
Florida	3,839	0.070	0.068 - 0.073	2,903	0.108	0.104 - 0.112	936	0.034	0.032 - 0.036
Georgia	220	0.022	0.019 - 0.025	170	0.032	0.028 - 0.037	50	0.010	0.008 - 0.014
Hawaii	63	0.044	0.034 - 0.056	46	0.062	0.046 - 0.083	17	0.024	0.014 - 0.039
Idaho	43	0.020	0.014 - 0.027	33	0.030	0.020 - 0.041	10	0.009	0.005 - 0.017
Illinois	659	0.030	0.028 - 0.032	486	0.043	0.040 - 0.047	173	0.016	0.014 - 0.019
Iowa	35	0.018	0.013 - 0.025	-	-	-	-	-	-
Kansas	95	0.027	0.022 - 0.033	66	0.037	0.028 - 0.047	29	0.017	0.012 - 0.025
Kentucky	30	0.018	0.012 - 0.026	-	-	-	-	-	-
Louisiana	85	0.035	0.028 - 0.044	68	0.053	0.041 - 0.067	18	0.016	0.009 - 0.025
Maine	12	0.053	0.028 - 0.093	-	-	-	-	-	-
Maryland	130	0.021	0.018 - 0.025	93	0.029	0.024 - 0.036	37	0.012	0.009 - 0.017
MI - Detroit	100	0.055	0.045 - 0.067	78	0.086	0.068 - 0.107	22	0.025	0.015 - 0.037
Minnesota	74	0.024	0.019 - 0.031	60	0.038	0.029 - 0.049	14	0.010	0.005 - 0.016
Mississippi	15	0.015	0.009 - 0.025	-	-	-	-	-	-
Missouri	69	0.027	0.021 - 0.034	53	0.040	0.030 - 0.052	16	0.013	0.007 - 0.021
Montana	12	0.029	0.015 - 0.050	-	-	-	-	-	-
Nebraska	47	0.022	0.016 - 0.030	36	0.033	0.023 - 0.045	11	0.011	0.005 - 0.019
New Hampshire	17	0.033	0.019 - 0.053	-	-	-	-	-	-
New Jersey	913	0.050	0.047 - 0.054	670	0.074	0.068 - 0.080	243	0.027	0.024 - 0.030
New Mexico	457	0.045	0.041 - 0.049	336	0.066	0.059 - 0.074	121	0.024	0.020 - 0.028
New York	1,951	0.052	0.050 - 0.055	1,392	0.076	0.072 - 0.080	560	0.030	0.027 - 0.032
North Carolina	104	0.011	0.009 - 0.013	75	0.015	0.012 - 0.019	29	0.006	0.004 - 0.009
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	127	0.028	0.023 - 0.033	104	0.045	0.037 - 0.054	23	0.010	0.007 - 0.016
Oklahoma	80	0.019	0.015 - 0.024	59	0.027	0.020 - 0.034	21	0.010	0.006 - 0.016
Oregon	148	0.027	0.023 - 0.032	119	0.042	0.035 - 0.050	29	0.011	0.007 - 0.016
Pennsylvania	315	0.033	0.029 - 0.037	228	0.047	0.041 - 0.053	87	0.019	0.015 - 0.023
Rhode Island	39	0.024	0.017 - 0.032	28	0.034	0.022 - 0.049	11	0.013	0.007 - 0.024
South Carolina	51	0.018	0.013 - 0.023	37	0.024	0.017 - 0.033	14	0.010	0.006 - 0.017
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	63	0.017	0.013 - 0.022	51	0.026	0.019 - 0.034	12	0.007	0.004 - 0.012
Texas	3,072	0.027	0.026 - 0.028	2,354	0.042	0.040 - 0.043	718	0.013	0.012 - 0.014
Utah	75	0.017	0.013 - 0.021	65	0.029	0.022 - 0.037	10	0.005	0.002 - 0.009
Vermont	-	-	-	-	-	-	-	-	-
Washington	228	0.024	0.021 - 0.027	176	0.036	0.031 - 0.041	52	0.011	0.008 - 0.015
WA - Seattle	159	0.031	0.026 - 0.036	120	0.045	0.037 - 0.054	39	0.016	0.011 - 0.021
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	93	0.023	0.019 - 0.029	72	0.035	0.027 - 0.044	21	0.011	0.007 - 0.017
Wyoming	25	0.043	0.028 - 0.064	15	0.049	0.028 - 0.081	10	0.036	0.017 - 0.067

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	41,983	0.072	0.071 - 0.072	24,464	0.083	0.082 - 0.084	17,521	0.060	0.059 - 0.061
Alabama	68	0.032	0.025 - 0.040	44	0.039	0.028 - 0.052	24	0.024	0.015 - 0.036
Alaska	25	0.047	0.030 - 0.069	-	-	-	-	-	-
Arizona	1,781	0.080	0.076 - 0.084	990	0.088	0.083 - 0.094	791	0.071	0.066 - 0.076
Arkansas	81	0.035	0.028 - 0.044	50	0.042	0.031 - 0.055	31	0.028	0.019 - 0.040
California	11,086	0.072	0.071 - 0.073	6,440	0.083	0.081 - 0.085	4,646	0.061	0.059 - 0.062
CA - Greater California	6,181	0.072	0.070 - 0.074	3,642	0.084	0.081 - 0.087	2,540	0.059	0.057 - 0.062
CA - Greater Bay Area	1,404	0.074	0.070 - 0.078	812	0.084	0.078 - 0.090	592	0.063	0.058 - 0.068
CA - Los Angeles	3,507	0.072	0.069 - 0.074	1,990	0.081	0.078 - 0.085	1,517	0.062	0.059 - 0.065
Colorado	991	0.081	0.076 - 0.086	551	0.089	0.081 - 0.096	440	0.074	0.067 - 0.081
Connecticut	387	0.067	0.060 - 0.074	217	0.075	0.065 - 0.086	171	0.058	0.050 - 0.068
Delaware	41	0.046	0.033 - 0.062	20	0.044	0.027 - 0.068	21	0.048	0.030 - 0.073
Florida	4,174	0.077	0.074 - 0.079	2,518	0.093	0.090 - 0.097	1,656	0.060	0.057 - 0.063
Georgia	401	0.040	0.036 - 0.044	241	0.046	0.040 - 0.052	159	0.033	0.028 - 0.039
Hawaii	90	0.063	0.051 - 0.077	64	0.086	0.066 - 0.110	27	0.038	0.025 - 0.056
Idaho	126	0.058	0.048 - 0.069	72	0.064	0.050 - 0.080	54	0.051	0.038 - 0.066
Illinois	1,621	0.074	0.070 - 0.077	998	0.089	0.083 - 0.095	623	0.058	0.054 - 0.063
Iowa	79	0.041	0.033 - 0.051	44	0.044	0.032 - 0.059	35	0.038	0.027 - 0.053
Kansas	247	0.071	0.062 - 0.080	140	0.078	0.065 - 0.092	107	0.064	0.052 - 0.077
Kentucky	55	0.033	0.025 - 0.043	41	0.045	0.032 - 0.061	14	0.018	0.010 - 0.030
Louisiana	159	0.066	0.056 - 0.077	108	0.084	0.069 - 0.101	52	0.046	0.034 - 0.060
Maine	10	0.045	0.021 - 0.082	-	-	-	-	-	-
Maryland	209	0.034	0.029 - 0.039	110	0.034	0.028 - 0.042	99	0.033	0.027 - 0.041
MI - Detroit	161	0.089	0.076 - 0.104	91	0.099	0.080 - 0.122	71	0.079	0.062 - 0.100
Minnesota	124	0.041	0.034 - 0.049	67	0.042	0.033 - 0.054	57	0.039	0.030 - 0.051
Mississippi	33	0.034	0.023 - 0.048	20	0.037	0.023 - 0.057	13	0.030	0.016 - 0.052
Missouri	110	0.042	0.035 - 0.051	67	0.050	0.039 - 0.064	43	0.034	0.025 - 0.046
Montana	30	0.071	0.048 - 0.101	18	0.082	0.048 - 0.130	12	0.059	0.031 - 0.104
Nebraska	100	0.047	0.038 - 0.057	69	0.062	0.049 - 0.079	31	0.031	0.021 - 0.043
New Hampshire	21	0.041	0.025 - 0.062	-	-	-	-	-	-
New Jersey	1,320	0.073	0.069 - 0.077	791	0.087	0.081 - 0.093	529	0.058	0.054 - 0.064
New Mexico	969	0.095	0.089 - 0.101	548	0.108	0.099 - 0.117	421	0.082	0.074 - 0.090
New York	2,809	0.075	0.072 - 0.078	1,654	0.090	0.086 - 0.094	1,155	0.061	0.058 - 0.065
North Carolina	296	0.030	0.027 - 0.034	175	0.035	0.030 - 0.040	121	0.026	0.021 - 0.031
North Dakota	13	0.044	0.024 - 0.076	-	-	-	-	-	-
Ohio	191	0.042	0.037 - 0.049	120	0.052	0.043 - 0.062	71	0.032	0.025 - 0.041
Oklahoma	206	0.049	0.042 - 0.056	133	0.060	0.050 - 0.071	73	0.036	0.028 - 0.045
Oregon	275	0.050	0.045 - 0.057	162	0.057	0.049 - 0.067	113	0.043	0.035 - 0.052
Pennsylvania	535	0.056	0.051 - 0.061	318	0.066	0.059 - 0.073	217	0.046	0.040 - 0.053
Rhode Island	64	0.039	0.030 - 0.049	34	0.041	0.028 - 0.057	30	0.036	0.025 - 0.052
South Carolina	99	0.034	0.028 - 0.042	63	0.041	0.031 - 0.052	36	0.026	0.018 - 0.037
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	145	0.039	0.033 - 0.046	86	0.044	0.035 - 0.054	59	0.034	0.026 - 0.043
Texas	9,891	0.088	0.086 - 0.090	5,617	0.099	0.097 - 0.102	4,274	0.077	0.074 - 0.079
Utah	190	0.043	0.037 - 0.049	111	0.049	0.040 - 0.059	78	0.036	0.029 - 0.045
Vermont	-	-	-	-	-	-	-	-	-
Washington	438	0.046	0.042 - 0.050	251	0.051	0.045 - 0.058	187	0.041	0.035 - 0.047
WA - Seattle	268	0.052	0.046 - 0.059	162	0.060	0.051 - 0.070	107	0.043	0.035 - 0.052
West Virginia	12	0.040	0.021 - 0.070	-	-	-	-	-	-
Wisconsin	205	0.051	0.045 - 0.059	132	0.064	0.054 - 0.076	73	0.038	0.030 - 0.047
Wyoming	47	0.081	0.060 - 0.108	26	0.086	0.056 - 0.125	21	0.077	0.047 - 0.117

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	10,542	0.018	0.018 - 0.018	5,587	0.019	0.018 - 0.019	4,955	0.017	0.016 - 0.017
Alabama	28	0.013	0.009 - 0.019	15	0.013	0.007 - 0.022	13	0.013	0.007 - 0.022
Alaska	-	-	-	-	-	-	-	-	-
Arizona	359	0.016	0.014 - 0.018	201	0.018	0.016 - 0.021	158	0.014	0.012 - 0.017
Arkansas	36	0.016	0.011 - 0.022	19	0.016	0.010 - 0.025	17	0.016	0.009 - 0.025
California	2,436	0.016	0.015 - 0.016	1,277	0.016	0.016 - 0.017	1,160	0.015	0.014 - 0.016
CA - Greater California	1,343	0.016	0.015 - 0.016	725	0.017	0.015 - 0.018	618	0.014	0.013 - 0.016
CA - Greater Bay Area	324	0.017	0.015 - 0.019	163	0.017	0.014 - 0.020	161	0.017	0.015 - 0.020
CA - Los Angeles	770	0.016	0.015 - 0.017	391	0.016	0.014 - 0.018	380	0.015	0.014 - 0.017
Colorado	228	0.019	0.016 - 0.021	119	0.019	0.016 - 0.023	109	0.018	0.015 - 0.022
Connecticut	102	0.017	0.014 - 0.021	54	0.018	0.014 - 0.024	48	0.016	0.012 - 0.022
Delaware	22	0.025	0.015 - 0.037	10	0.022	0.010 - 0.040	12	0.027	0.014 - 0.048
Florida	1,245	0.023	0.022 - 0.024	645	0.024	0.022 - 0.026	600	0.022	0.020 - 0.024
Georgia	151	0.015	0.013 - 0.018	85	0.016	0.013 - 0.020	65	0.014	0.010 - 0.017
Hawaii	22	0.015	0.010 - 0.023	12	0.016	0.008 - 0.028	10	0.014	0.007 - 0.026
Idaho	20	0.009	0.005 - 0.014	-	-	-	-	-	-
Illinois	399	0.018	0.016 - 0.020	217	0.019	0.017 - 0.022	182	0.017	0.015 - 0.020
Iowa	27	0.014	0.009 - 0.020	-	-	-	-	-	-
Kansas	65	0.019	0.014 - 0.024	32	0.018	0.012 - 0.025	33	0.020	0.014 - 0.028
Kentucky	30	0.018	0.012 - 0.026	16	0.018	0.010 - 0.029	14	0.019	0.010 - 0.031
Louisiana	47	0.019	0.014 - 0.026	31	0.024	0.016 - 0.034	15	0.014	0.008 - 0.022
Maine	-	-	-	-	-	-	-	-	-
Maryland	110	0.018	0.015 - 0.022	63	0.020	0.015 - 0.025	47	0.016	0.012 - 0.021
MI - Detroit	31	0.017	0.011 - 0.024	16	0.017	0.010 - 0.028	15	0.016	0.009 - 0.027
Minnesota	50	0.016	0.012 - 0.022	28	0.018	0.012 - 0.026	22	0.015	0.009 - 0.023
Mississippi	13	0.013	0.007 - 0.023	-	-	-	-	-	-
Missouri	48	0.019	0.014 - 0.025	24	0.018	0.011 - 0.027	24	0.019	0.012 - 0.029
Montana	-	-	-	-	-	-	-	-	-
Nebraska	38	0.018	0.013 - 0.025	23	0.021	0.013 - 0.031	15	0.015	0.008 - 0.024
New Hampshire	11	0.021	0.011 - 0.038	-	-	-	-	-	-
New Jersey	395	0.022	0.020 - 0.024	227	0.025	0.022 - 0.028	168	0.019	0.016 - 0.022
New Mexico	153	0.015	0.013 - 0.018	78	0.015	0.012 - 0.019	76	0.015	0.012 - 0.018
New York	770	0.021	0.019 - 0.022	433	0.024	0.021 - 0.026	337	0.018	0.016 - 0.020
North Carolina	137	0.014	0.012 - 0.017	79	0.016	0.012 - 0.019	58	0.012	0.009 - 0.016
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	58	0.013	0.010 - 0.017	33	0.014	0.010 - 0.020	25	0.011	0.007 - 0.017
Oklahoma	74	0.017	0.014 - 0.022	37	0.017	0.012 - 0.023	37	0.018	0.013 - 0.025
Oregon	93	0.017	0.014 - 0.021	49	0.017	0.013 - 0.023	44	0.017	0.012 - 0.022
Pennsylvania	171	0.018	0.015 - 0.021	95	0.020	0.016 - 0.024	76	0.016	0.013 - 0.020
Rhode Island	25	0.015	0.010 - 0.022	-	-	-	-	-	-
South Carolina	41	0.014	0.010 - 0.019	18	0.012	0.007 - 0.018	23	0.017	0.011 - 0.025
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	61	0.016	0.013 - 0.021	36	0.018	0.013 - 0.025	25	0.014	0.009 - 0.021
Texas	2,083	0.019	0.018 - 0.019	1,051	0.019	0.017 - 0.020	1,032	0.019	0.017 - 0.020
Utah	74	0.017	0.013 - 0.021	41	0.018	0.013 - 0.024	33	0.015	0.011 - 0.022
Vermont	-	-	-	-	-	-	-	-	-
Washington	182	0.019	0.016 - 0.022	96	0.019	0.016 - 0.024	86	0.019	0.015 - 0.023
WA - Seattle	104	0.020	0.017 - 0.024	52	0.020	0.015 - 0.026	52	0.021	0.016 - 0.028
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	68	0.017	0.013 - 0.022	37	0.018	0.013 - 0.025	31	0.016	0.011 - 0.023
Wyoming	13	0.022	0.012 - 0.038	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	53,334	0.091	0.090 - 0.091	9,612	0.032	0.032 - 0.033	43,713	0.150	0.149 - 0.151
Alabama	85	0.040	0.032 - 0.049	20	0.018	0.011 - 0.027	65	0.065	0.050 - 0.082
Alaska	32	0.060	0.041 - 0.085	-	-	-	-	-	-
Arizona	2,029	0.091	0.087 - 0.095	331	0.029	0.026 - 0.033	1,698	0.153	0.146 - 0.160
Arkansas	133	0.058	0.049 - 0.069	19	0.016	0.010 - 0.025	114	0.104	0.086 - 0.126
California	12,908	0.084	0.082 - 0.085	2,304	0.030	0.029 - 0.031	10,604	0.138	0.136 - 0.141
CA - Greater California	7,061	0.082	0.080 - 0.084	1,230	0.028	0.027 - 0.030	5,831	0.137	0.133 - 0.140
CA - Greater Bay Area	1,505	0.079	0.075 - 0.083	296	0.031	0.027 - 0.034	1,209	0.129	0.122 - 0.136
CA - Los Angeles	4,344	0.089	0.086 - 0.091	779	0.032	0.030 - 0.034	3,565	0.145	0.141 - 0.150
Colorado	1,207	0.099	0.093 - 0.105	233	0.037	0.033 - 0.043	974	0.163	0.153 - 0.173
Connecticut	822	0.141	0.132 - 0.151	149	0.052	0.044 - 0.061	673	0.230	0.213 - 0.248
Delaware	83	0.092	0.074 - 0.115	-	-	-	-	-	-
Florida	6,648	0.122	0.119 - 0.125	1,244	0.046	0.044 - 0.049	5,404	0.196	0.191 - 0.201
Georgia	689	0.068	0.063 - 0.074	102	0.019	0.016 - 0.024	587	0.122	0.112 - 0.132
Hawaii	99	0.069	0.056 - 0.084	14	0.019	0.010 - 0.032	85	0.121	0.097 - 0.150
Idaho	169	0.077	0.066 - 0.090	33	0.029	0.020 - 0.041	136	0.128	0.108 - 0.152
Illinois	2,092	0.095	0.091 - 0.099	375	0.033	0.030 - 0.037	1,717	0.160	0.153 - 0.168
Iowa	112	0.058	0.048 - 0.070	17	0.017	0.010 - 0.027	95	0.103	0.084 - 0.126
Kansas	311	0.089	0.080 - 0.100	57	0.032	0.024 - 0.041	254	0.151	0.133 - 0.171
Kentucky	78	0.046	0.037 - 0.058	18	0.020	0.012 - 0.031	60	0.078	0.059 - 0.100
Louisiana	162	0.067	0.057 - 0.078	43	0.034	0.024 - 0.045	119	0.106	0.087 - 0.126
Maine	12	0.053	0.028 - 0.093	-	-	-	-	-	-
Maryland	455	0.074	0.067 - 0.081	74	0.023	0.018 - 0.029	381	0.128	0.116 - 0.142
MI - Detroit	175	0.097	0.083 - 0.112	29	0.032	0.021 - 0.046	146	0.163	0.138 - 0.192
Minnesota	172	0.057	0.048 - 0.066	37	0.023	0.016 - 0.032	135	0.092	0.077 - 0.109
Mississippi	39	0.040	0.029 - 0.055	10	0.018	0.009 - 0.034	29	0.067	0.045 - 0.097
Missouri	160	0.062	0.053 - 0.072	24	0.018	0.011 - 0.027	136	0.109	0.091 - 0.128
Montana	27	0.065	0.043 - 0.094	-	-	-	-	-	-
Nebraska	149	0.070	0.060 - 0.083	33	0.030	0.021 - 0.042	116	0.115	0.095 - 0.137
New Hampshire	51	0.099	0.074 - 0.130	-	-	-	-	-	-
New Jersey	2,334	0.129	0.124 - 0.134	401	0.044	0.040 - 0.049	1,933	0.214	0.204 - 0.223
New Mexico	1,255	0.123	0.116 - 0.130	257	0.051	0.045 - 0.057	998	0.193	0.182 - 0.206
New York	5,221	0.140	0.136 - 0.144	874	0.047	0.044 - 0.051	4,348	0.230	0.223 - 0.237
North Carolina	465	0.048	0.043 - 0.052	99	0.020	0.016 - 0.024	366	0.078	0.070 - 0.086
North Dakota	11	0.038	0.019 - 0.067	-	-	-	-	-	-
Ohio	236	0.052	0.046 - 0.059	45	0.019	0.014 - 0.026	191	0.087	0.075 - 0.100
Oklahoma	196	0.046	0.040 - 0.053	26	0.012	0.008 - 0.017	170	0.084	0.072 - 0.098
Oregon	397	0.073	0.066 - 0.080	74	0.026	0.021 - 0.033	323	0.123	0.110 - 0.137
Pennsylvania	881	0.092	0.086 - 0.099	136	0.028	0.024 - 0.033	745	0.159	0.148 - 0.171
Rhode Island	152	0.092	0.078 - 0.108	30	0.036	0.024 - 0.051	122	0.148	0.123 - 0.177
South Carolina	147	0.051	0.043 - 0.060	46	0.030	0.022 - 0.040	101	0.074	0.060 - 0.090
South Dakota	11	0.031	0.015 - 0.055	-	-	-	-	-	-
Tennessee	165	0.044	0.038 - 0.052	32	0.016	0.011 - 0.023	133	0.076	0.063 - 0.090
Texas	8,760	0.078	0.076 - 0.080	1,653	0.029	0.028 - 0.031	7,107	0.127	0.125 - 0.130
Utah	372	0.084	0.076 - 0.093	59	0.026	0.020 - 0.033	313	0.145	0.130 - 0.162
Vermont	-	-	-	-	-	-	-	-	-
Washington	669	0.070	0.065 - 0.076	118	0.024	0.020 - 0.029	551	0.119	0.110 - 0.130
WA - Seattle	429	0.083	0.076 - 0.091	77	0.029	0.023 - 0.036	352	0.142	0.128 - 0.158
West Virginia	10	0.033	0.016 - 0.062	-	-	-	-	-	-
Wisconsin	267	0.067	0.059 - 0.075	44	0.021	0.016 - 0.029	223	0.115	0.101 - 0.131
Wyoming	36	0.062	0.044 - 0.086	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	9,253	0.016	0.015 - 0.016	5,021	0.017	0.016 - 0.017	4,232	0.014	0.014 - 0.015
Alabama	23	0.011	0.007 - 0.016	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	293	0.013	0.012 - 0.015	147	0.013	0.011 - 0.015	146	0.013	0.011 - 0.015
Arkansas	29	0.013	0.008 - 0.018	15	0.013	0.007 - 0.021	14	0.013	0.007 - 0.022
California	2,176	0.014	0.014 - 0.015	1,177	0.015	0.014 - 0.016	998	0.013	0.012 - 0.014
CA - Greater California	1,148	0.013	0.013 - 0.014	613	0.014	0.013 - 0.015	535	0.013	0.011 - 0.014
CA - Greater Bay Area	319	0.017	0.015 - 0.019	169	0.018	0.015 - 0.020	150	0.016	0.014 - 0.019
CA - Los Angeles	709	0.014	0.013 - 0.016	396	0.016	0.015 - 0.018	314	0.013	0.011 - 0.014
Colorado	179	0.015	0.013 - 0.017	102	0.016	0.013 - 0.020	77	0.013	0.010 - 0.016
Connecticut	144	0.025	0.021 - 0.029	83	0.029	0.023 - 0.036	61	0.021	0.016 - 0.027
Delaware	17	0.019	0.011 - 0.030	-	-	-	-	-	-
Florida	1,236	0.023	0.021 - 0.024	674	0.025	0.023 - 0.027	562	0.020	0.019 - 0.022
Georgia	139	0.014	0.012 - 0.016	69	0.013	0.010 - 0.017	70	0.014	0.011 - 0.018
Hawaii	18	0.013	0.007 - 0.020	-	-	-	-	-	-
Idaho	31	0.014	0.010 - 0.020	17	0.015	0.009 - 0.024	14	0.013	0.007 - 0.022
Illinois	377	0.017	0.015 - 0.019	212	0.019	0.016 - 0.022	165	0.015	0.013 - 0.018
Iowa	24	0.013	0.008 - 0.019	-	-	-	-	-	-
Kansas	35	0.010	0.007 - 0.014	17	0.009	0.005 - 0.015	18	0.011	0.006 - 0.017
Kentucky	17	0.010	0.006 - 0.016	-	-	-	-	-	-
Louisiana	18	0.007	0.004 - 0.012	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-
Maryland	65	0.011	0.008 - 0.013	41	0.013	0.009 - 0.017	24	0.008	0.005 - 0.012
MI - Detroit	27	0.015	0.010 - 0.022	11	0.012	0.006 - 0.022	16	0.018	0.010 - 0.029
Minnesota	32	0.011	0.007 - 0.015	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-
Missouri	24	0.009	0.006 - 0.014	14	0.010	0.006 - 0.018	10	0.008	0.004 - 0.015
Montana	-	-	-	-	-	-	-	-	-
Nebraska	33	0.016	0.011 - 0.022	21	0.019	0.012 - 0.029	12	0.012	0.006 - 0.021
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	392	0.022	0.020 - 0.024	192	0.021	0.018 - 0.024	200	0.022	0.019 - 0.025
New Mexico	161	0.016	0.013 - 0.018	79	0.016	0.012 - 0.019	82	0.016	0.013 - 0.020
New York	876	0.023	0.022 - 0.025	471	0.026	0.023 - 0.028	405	0.021	0.019 - 0.024
North Carolina	80	0.008	0.006 - 0.010	46	0.009	0.007 - 0.012	34	0.007	0.005 - 0.010
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	46	0.010	0.007 - 0.014	27	0.012	0.008 - 0.017	19	0.009	0.005 - 0.013
Oklahoma	50	0.012	0.009 - 0.016	23	0.010	0.007 - 0.016	27	0.013	0.009 - 0.019
Oregon	62	0.011	0.009 - 0.015	28	0.010	0.007 - 0.014	34	0.013	0.009 - 0.018
Pennsylvania	166	0.017	0.015 - 0.020	88	0.018	0.015 - 0.022	78	0.017	0.013 - 0.021
Rhode Island	24	0.014	0.009 - 0.022	13	0.016	0.008 - 0.027	11	0.013	0.007 - 0.024
South Carolina	32	0.011	0.008 - 0.016	21	0.014	0.008 - 0.021	11	0.008	0.004 - 0.014
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	59	0.016	0.012 - 0.020	30	0.015	0.010 - 0.022	29	0.016	0.011 - 0.024
Texas	1,561	0.014	0.013 - 0.015	874	0.015	0.014 - 0.017	687	0.012	0.011 - 0.013
Utah	65	0.015	0.011 - 0.019	37	0.016	0.011 - 0.022	28	0.013	0.009 - 0.019
Vermont	-	-	-	-	-	-	-	-	-
Washington	144	0.015	0.013 - 0.018	78	0.016	0.013 - 0.020	66	0.014	0.011 - 0.018
WA - Seattle	89	0.017	0.014 - 0.021	45	0.017	0.012 - 0.022	44	0.018	0.013 - 0.024
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	42	0.011	0.008 - 0.014	21	0.010	0.006 - 0.016	21	0.011	0.007 - 0.017
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	39,532	0.067	0.067 - 0.068	20,245	0.068	0.067 - 0.069	19,287	0.067	0.066 - 0.067
Alabama	77	0.036	0.028 - 0.045	42	0.037	0.027 - 0.050	35	0.035	0.024 - 0.048
Alaska	31	0.058	0.040 - 0.083	20	0.071	0.044 - 0.110	11	0.044	0.022 - 0.078
Arizona	1,108	0.050	0.047 - 0.053	538	0.048	0.044 - 0.052	570	0.051	0.047 - 0.056
Arkansas	80	0.035	0.028 - 0.044	43	0.036	0.026 - 0.048	37	0.034	0.024 - 0.047
California	10,165	0.066	0.065 - 0.067	5,166	0.067	0.065 - 0.068	4,999	0.065	0.063 - 0.067
CA - Greater California	5,245	0.061	0.059 - 0.063	2,668	0.061	0.059 - 0.064	2,577	0.060	0.058 - 0.063
CA - Greater Bay Area	1,474	0.077	0.074 - 0.081	776	0.080	0.075 - 0.086	698	0.074	0.069 - 0.080
CA - Los Angeles	3,450	0.070	0.068 - 0.073	1,727	0.071	0.067 - 0.074	1,723	0.070	0.067 - 0.074
Colorado	710	0.058	0.054 - 0.063	363	0.058	0.053 - 0.065	347	0.058	0.052 - 0.064
Connecticut	529	0.091	0.083 - 0.099	252	0.087	0.077 - 0.099	277	0.095	0.084 - 0.107
Delaware	53	0.059	0.044 - 0.077	29	0.063	0.042 - 0.091	24	0.054	0.035 - 0.081
Florida	5,852	0.107	0.105 - 0.110	2,960	0.110	0.106 - 0.114	2,892	0.105	0.101 - 0.109
Georgia	533	0.053	0.048 - 0.058	308	0.058	0.052 - 0.065	225	0.047	0.041 - 0.053
Hawaii	100	0.069	0.056 - 0.084	52	0.070	0.053 - 0.092	48	0.068	0.050 - 0.090
Idaho	103	0.047	0.039 - 0.057	54	0.048	0.036 - 0.063	49	0.046	0.034 - 0.061
Illinois	1,462	0.067	0.063 - 0.070	756	0.067	0.063 - 0.072	706	0.066	0.061 - 0.071
Iowa	70	0.036	0.028 - 0.046	41	0.041	0.030 - 0.056	29	0.031	0.021 - 0.045
Kansas	158	0.045	0.039 - 0.053	78	0.043	0.034 - 0.054	80	0.048	0.038 - 0.059
Kentucky	64	0.038	0.029 - 0.049	35	0.039	0.027 - 0.054	29	0.037	0.025 - 0.054
Louisiana	173	0.072	0.061 - 0.083	92	0.072	0.058 - 0.088	81	0.072	0.057 - 0.089
Maine	10	0.045	0.021 - 0.082	-	-	-	-	-	-
Maryland	279	0.045	0.040 - 0.051	149	0.047	0.039 - 0.055	130	0.044	0.037 - 0.052
MI - Detroit	161	0.089	0.076 - 0.104	80	0.087	0.069 - 0.108	82	0.091	0.073 - 0.114
Minnesota	154	0.051	0.043 - 0.059	86	0.054	0.044 - 0.067	68	0.047	0.036 - 0.059
Mississippi	29	0.030	0.020 - 0.043	16	0.030	0.017 - 0.048	13	0.030	0.016 - 0.052
Missouri	111	0.043	0.035 - 0.052	55	0.041	0.031 - 0.054	56	0.045	0.034 - 0.058
Montana	23	0.055	0.035 - 0.083	13	0.061	0.032 - 0.104	10	0.049	0.024 - 0.091
Nebraska	99	0.047	0.038 - 0.057	53	0.048	0.036 - 0.063	46	0.045	0.033 - 0.061
New Hampshire	21	0.041	0.025 - 0.062	-	-	-	-	-	-
New Jersey	1,614	0.089	0.085 - 0.094	857	0.094	0.088 - 0.101	757	0.084	0.078 - 0.090
New Mexico	739	0.072	0.067 - 0.078	362	0.071	0.064 - 0.079	377	0.073	0.066 - 0.081
New York	3,634	0.097	0.094 - 0.101	1,822	0.099	0.094 - 0.104	1,812	0.096	0.091 - 0.100
North Carolina	351	0.036	0.032 - 0.040	196	0.039	0.034 - 0.045	155	0.033	0.028 - 0.038
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	199	0.044	0.038 - 0.051	111	0.048	0.039 - 0.058	88	0.040	0.032 - 0.049
Oklahoma	159	0.038	0.032 - 0.044	73	0.033	0.026 - 0.041	86	0.042	0.034 - 0.052
Oregon	269	0.049	0.044 - 0.056	148	0.052	0.044 - 0.062	121	0.046	0.038 - 0.055
Pennsylvania	555	0.058	0.053 - 0.063	283	0.058	0.052 - 0.066	272	0.058	0.051 - 0.065
Rhode Island	78	0.047	0.037 - 0.059	32	0.038	0.026 - 0.054	46	0.056	0.041 - 0.075
South Carolina	114	0.039	0.032 - 0.047	65	0.042	0.033 - 0.054	49	0.036	0.027 - 0.047
South Dakota	14	0.039	0.021 - 0.065	-	-	-	-	-	-
Tennessee	134	0.036	0.030 - 0.043	66	0.034	0.026 - 0.043	68	0.039	0.030 - 0.049
Texas	6,661	0.059	0.058 - 0.061	3,426	0.061	0.059 - 0.063	3,235	0.058	0.056 - 0.060
Utah	211	0.048	0.041 - 0.055	115	0.051	0.042 - 0.061	96	0.045	0.036 - 0.054
Vermont	-	-	-	-	-	-	-	-	-
Washington	463	0.049	0.044 - 0.053	240	0.049	0.043 - 0.055	223	0.048	0.042 - 0.055
WA - Seattle	285	0.055	0.049 - 0.062	147	0.055	0.046 - 0.065	138	0.056	0.047 - 0.066
West Virginia	11	0.037	0.018 - 0.066	-	-	-	-	-	-
Wisconsin	200	0.050	0.043 - 0.058	104	0.051	0.041 - 0.061	96	0.050	0.040 - 0.061
Wyoming	23	0.040	0.025 - 0.060	12	0.039	0.020 - 0.069	11	0.040	0.020 - 0.072

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	11,523	0.020	0.019 - 0.020	6,074	0.021	0.020 - 0.021	5,449	0.019	0.018 - 0.019
Alabama	21	0.010	0.006 - 0.015	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-
Arizona	321	0.014	0.013 - 0.016	181	0.016	0.014 - 0.019	140	0.013	0.011 - 0.015
Arkansas	23	0.010	0.006 - 0.015	10	0.008	0.004 - 0.015	13	0.012	0.006 - 0.020
California	2,707	0.018	0.017 - 0.018	1,459	0.019	0.018 - 0.020	1,248	0.016	0.015 - 0.017
CA - Greater California	1,503	0.017	0.017 - 0.018	816	0.019	0.018 - 0.020	687	0.016	0.015 - 0.017
CA - Greater Bay Area	335	0.018	0.016 - 0.020	178	0.018	0.016 - 0.021	156	0.017	0.014 - 0.019
CA - Los Angeles	871	0.018	0.017 - 0.019	464	0.019	0.017 - 0.021	406	0.017	0.015 - 0.018
Colorado	229	0.019	0.016 - 0.021	132	0.021	0.018 - 0.025	97	0.016	0.013 - 0.020
Connecticut	157	0.027	0.023 - 0.032	80	0.028	0.022 - 0.035	77	0.026	0.021 - 0.033
Delaware	14	0.016	0.009 - 0.026	-	-	-	-	-	-
Florida	1,665	0.031	0.029 - 0.032	815	0.030	0.028 - 0.032	850	0.031	0.029 - 0.033
Georgia	140	0.014	0.012 - 0.016	74	0.014	0.011 - 0.018	66	0.014	0.011 - 0.017
Hawaii	24	0.017	0.011 - 0.025	11	0.015	0.007 - 0.026	13	0.019	0.010 - 0.032
Idaho	27	0.012	0.008 - 0.018	-	-	-	-	-	-
Illinois	423	0.019	0.017 - 0.021	227	0.020	0.018 - 0.023	196	0.018	0.016 - 0.021
Iowa	17	0.009	0.005 - 0.014	-	-	-	-	-	-
Kansas	64	0.018	0.014 - 0.023	36	0.020	0.014 - 0.028	28	0.017	0.011 - 0.024
Kentucky	17	0.010	0.006 - 0.016	-	-	-	-	-	-
Louisiana	37	0.015	0.011 - 0.021	25	0.019	0.013 - 0.029	12	0.011	0.006 - 0.019
Maine	-	-	-	-	-	-	-	-	-
Maryland	66	0.011	0.008 - 0.014	30	0.009	0.006 - 0.013	36	0.012	0.008 - 0.017
MI - Detroit	43	0.024	0.017 - 0.032	25	0.028	0.018 - 0.041	18	0.020	0.012 - 0.032
Minnesota	42	0.014	0.010 - 0.019	26	0.016	0.011 - 0.024	16	0.011	0.006 - 0.018
Mississippi	11	0.011	0.006 - 0.020	-	-	-	-	-	-
Missouri	32	0.012	0.008 - 0.017	20	0.015	0.009 - 0.023	12	0.010	0.005 - 0.017
Montana	-	-	-	-	-	-	-	-	-
Nebraska	33	0.016	0.011 - 0.022	15	0.014	0.008 - 0.022	18	0.018	0.011 - 0.028
New Hampshire	-	-	-	-	-	-	-	-	-
New Jersey	487	0.027	0.025 - 0.029	262	0.029	0.026 - 0.033	224	0.025	0.022 - 0.028
New Mexico	228	0.022	0.019 - 0.025	130	0.025	0.021 - 0.030	98	0.019	0.015 - 0.023
New York	1,332	0.036	0.034 - 0.038	666	0.036	0.033 - 0.039	666	0.035	0.033 - 0.038
North Carolina	105	0.011	0.009 - 0.013	61	0.012	0.009 - 0.015	44	0.009	0.007 - 0.013
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	45	0.010	0.007 - 0.013	18	0.008	0.005 - 0.012	27	0.012	0.008 - 0.018
Oklahoma	40	0.009	0.007 - 0.013	20	0.009	0.006 - 0.014	20	0.010	0.006 - 0.015
Oregon	59	0.011	0.008 - 0.014	32	0.011	0.008 - 0.016	27	0.010	0.007 - 0.015
Pennsylvania	195	0.020	0.018 - 0.024	92	0.019	0.015 - 0.023	103	0.022	0.018 - 0.027
Rhode Island	35	0.021	0.015 - 0.029	17	0.020	0.012 - 0.033	18	0.022	0.013 - 0.035
South Carolina	25	0.009	0.006 - 0.013	11	0.007	0.004 - 0.013	14	0.010	0.006 - 0.017
South Dakota	-	-	-	-	-	-	-	-	-
Tennessee	36	0.010	0.007 - 0.013	19	0.010	0.006 - 0.015	17	0.010	0.006 - 0.015
Texas	2,014	0.018	0.017 - 0.019	1,074	0.019	0.018 - 0.020	940	0.017	0.016 - 0.018
Utah	56	0.013	0.010 - 0.016	37	0.016	0.011 - 0.022	19	0.009	0.005 - 0.014
Vermont	-	-	-	-	-	-	-	-	-
Washington	124	0.013	0.011 - 0.015	71	0.014	0.011 - 0.018	53	0.011	0.009 - 0.015
WA - Seattle	59	0.011	0.009 - 0.015	32	0.012	0.008 - 0.017	27	0.011	0.007 - 0.016
West Virginia	-	-	-	-	-	-	-	-	-
Wisconsin	54	0.014	0.010 - 0.018	28	0.014	0.009 - 0.020	26	0.013	0.009 - 0.020
Wyoming	-	-	-	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	27,699	0.047	0.046 - 0.048	15,409	0.052	0.051 - 0.053	12,290	0.042	0.041 - 0.043
Alabama	69	0.032	0.025 - 0.041	46	0.041	0.030 - 0.054	23	0.023	0.015 - 0.034
Alaska	18	0.034	0.020 - 0.054	-	-	-	-	-	-
Arizona	878	0.039	0.037 - 0.042	496	0.044	0.040 - 0.048	382	0.034	0.031 - 0.038
Arkansas	94	0.041	0.033 - 0.050	54	0.045	0.034 - 0.059	40	0.037	0.026 - 0.050
California	6,832	0.044	0.043 - 0.045	3,801	0.049	0.047 - 0.051	3,031	0.040	0.038 - 0.041
CA - Greater California	3,707	0.043	0.042 - 0.044	2,035	0.047	0.045 - 0.049	1,672	0.039	0.037 - 0.041
CA - Greater Bay Area	913	0.048	0.045 - 0.051	528	0.055	0.050 - 0.059	386	0.041	0.037 - 0.045
CA - Los Angeles	2,211	0.045	0.043 - 0.047	1,236	0.051	0.048 - 0.054	975	0.040	0.037 - 0.042
Colorado	515	0.042	0.039 - 0.046	280	0.045	0.040 - 0.051	235	0.039	0.034 - 0.045
Connecticut	286	0.049	0.044 - 0.055	148	0.051	0.043 - 0.060	138	0.047	0.040 - 0.056
Delaware	56	0.062	0.047 - 0.081	28	0.061	0.041 - 0.089	28	0.064	0.042 - 0.092
Florida	3,684	0.068	0.065 - 0.070	1,912	0.071	0.068 - 0.074	1,772	0.064	0.061 - 0.067
Georgia	449	0.045	0.040 - 0.049	264	0.050	0.044 - 0.057	185	0.038	0.033 - 0.044
Hawaii	50	0.035	0.026 - 0.046	34	0.047	0.032 - 0.065	16	0.023	0.013 - 0.037
Idaho	108	0.050	0.041 - 0.060	65	0.057	0.044 - 0.073	44	0.041	0.030 - 0.055
Illinois	1,078	0.049	0.046 - 0.052	615	0.055	0.051 - 0.059	463	0.043	0.039 - 0.047
Iowa	71	0.037	0.029 - 0.047	43	0.043	0.031 - 0.058	28	0.030	0.020 - 0.044
Kansas	165	0.047	0.040 - 0.055	103	0.057	0.047 - 0.069	62	0.037	0.028 - 0.047
Kentucky	65	0.039	0.030 - 0.049	41	0.045	0.032 - 0.061	24	0.031	0.020 - 0.046
Louisiana	90	0.037	0.030 - 0.046	51	0.040	0.030 - 0.052	39	0.034	0.024 - 0.047
Maine	-	-	-	-	-	-	-	-	-
Maryland	224	0.036	0.032 - 0.041	127	0.040	0.033 - 0.047	97	0.033	0.026 - 0.040
MI - Detroit	99	0.054	0.044 - 0.066	58	0.064	0.048 - 0.082	41	0.045	0.032 - 0.061
Minnesota	126	0.041	0.035 - 0.049	78	0.049	0.039 - 0.062	48	0.033	0.024 - 0.044
Mississippi	22	0.023	0.014 - 0.034	11	0.020	0.010 - 0.036	11	0.026	0.013 - 0.046
Missouri	94	0.036	0.029 - 0.044	48	0.036	0.026 - 0.048	46	0.037	0.027 - 0.049
Montana	17	0.041	0.024 - 0.066	-	-	-	-	-	-
Nebraska	91	0.043	0.035 - 0.053	57	0.052	0.039 - 0.067	34	0.034	0.023 - 0.047
New Hampshire	21	0.041	0.025 - 0.062	-	-	-	-	-	-
New Jersey	993	0.055	0.051 - 0.058	551	0.061	0.056 - 0.066	442	0.049	0.044 - 0.054
New Mexico	500	0.049	0.045 - 0.053	278	0.055	0.049 - 0.062	222	0.043	0.038 - 0.049
New York	2,042	0.055	0.052 - 0.057	1,100	0.060	0.056 - 0.063	942	0.050	0.047 - 0.053
North Carolina	353	0.036	0.032 - 0.040	214	0.042	0.037 - 0.048	139	0.029	0.025 - 0.035
North Dakota	-	-	-	-	-	-	-	-	-
Ohio	133	0.029	0.025 - 0.035	90	0.039	0.031 - 0.048	43	0.020	0.014 - 0.026
Oklahoma	156	0.037	0.031 - 0.043	92	0.042	0.034 - 0.051	64	0.032	0.024 - 0.040
Oregon	228	0.042	0.037 - 0.048	134	0.047	0.040 - 0.056	94	0.036	0.029 - 0.044
Pennsylvania	394	0.041	0.037 - 0.046	230	0.047	0.041 - 0.054	164	0.035	0.030 - 0.041
Rhode Island	68	0.041	0.032 - 0.052	42	0.050	0.036 - 0.068	26	0.032	0.021 - 0.046
South Carolina	111	0.038	0.031 - 0.046	67	0.044	0.034 - 0.055	44	0.032	0.023 - 0.043
South Dakota	10	0.028	0.013 - 0.051	-	-	-	-	-	-
Tennessee	149	0.040	0.034 - 0.047	84	0.043	0.034 - 0.053	65	0.037	0.029 - 0.047
Texas	5,102	0.045	0.044 - 0.047	2,852	0.050	0.049 - 0.052	2,250	0.040	0.039 - 0.042
Utah	163	0.037	0.031 - 0.043	99	0.044	0.035 - 0.053	64	0.030	0.023 - 0.038
Vermont	-	-	-	-	-	-	-	-	-
Washington	408	0.043	0.039 - 0.047	230	0.047	0.041 - 0.053	178	0.039	0.033 - 0.045
WA - Seattle	224	0.043	0.038 - 0.050	133	0.050	0.042 - 0.059	91	0.037	0.030 - 0.045
West Virginia	10	0.033	0.016 - 0.062	-	-	-	-	-	-
Wisconsin	158	0.040	0.034 - 0.046	88	0.043	0.034 - 0.053	70	0.036	0.028 - 0.046
Wyoming	23	0.040	0.025 - 0.060	-	-	-	-	-	-

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2018
for Cancers Diagnosed 2008-2017 by Registry, Hispanic, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²	Count	Prev %	95% C.I. ²
NAACCR U.S. Combined¹	476	0.001	0.001 - 0.001	295	0.001	0.001 - 0.001	181	0.001	0.001 - 0.001
Alabama	-	-		-	-		-	-	
Alaska	-	-		-	-		-	-	
Arizona	28	0.001	0.001 - 0.002	-	-		-	-	
Arkansas	-	-		-	-		-	-	
California	131	0.001	0.001 - 0.001	84	0.001	0.001 - 0.001	47	0.001	0.000 - 0.001
CA - Greater California	75	0.001	0.001 - 0.001	41	0.001	0.001 - 0.001	34	0.001	0.001 - 0.001
CA - Greater Bay Area	15	0.001	0.000 - 0.001	-	-		-	-	
CA - Los Angeles	42	0.001	0.001 - 0.001	-	-		-	-	
Colorado	10	0.001	0.000 - 0.002	-	-		-	-	
Connecticut	-	-		-	-		-	-	
Delaware	-	-		-	-		-	-	
Florida	60	0.001	0.001 - 0.001	37	0.001	0.001 - 0.002	23	0.001	0.001 - 0.001
Georgia	-	-		-	-		-	-	
Hawaii	-	-		-	-		-	-	
Idaho	-	-		-	-		-	-	
Illinois	19	0.001	0.001 - 0.001	-	-		-	-	
Iowa	-	-		-	-		-	-	
Kansas	-	-		-	-		-	-	
Kentucky	-	-		-	-		-	-	
Louisiana	-	-		-	-		-	-	
Maine	-	-		-	-		-	-	
Maryland	-	-		-	-		-	-	
MI - Detroit	-	-		-	-		-	-	
Minnesota	-	-		-	-		-	-	
Mississippi	-	-		-	-		-	-	
Missouri	-	-		-	-		-	-	
Montana	-	-		-	-		-	-	
Nebraska	-	-		-	-		-	-	
New Hampshire	-	-		-	-		-	-	
New Jersey	19	0.001	0.001 - 0.002	-	-		-	-	
New Mexico	12	0.001	0.001 - 0.002	-	-		-	-	
New York	29	0.001	0.001 - 0.001	11	0.001	0.000 - 0.001	18	0.001	0.001 - 0.002
North Carolina	-	-		-	-		-	-	
North Dakota	-	-		-	-		-	-	
Ohio	-	-		-	-		-	-	
Oklahoma	-	-		-	-		-	-	
Oregon	-	-		-	-		-	-	
Pennsylvania	-	-		-	-		-	-	
Rhode Island	-	-		-	-		-	-	
South Carolina	-	-		-	-		-	-	
South Dakota	-	-		-	-		-	-	
Tennessee	-	-		-	-		-	-	
Texas	82	0.001	0.001 - 0.001	50	0.001	0.001 - 0.001	32	0.001	0.000 - 0.001
Utah	-	-		-	-		-	-	
Vermont	-	-		-	-		-	-	
Washington	-	-		-	-		-	-	
WA - Seattle	-	-		-	-		-	-	
West Virginia	-	-		-	-		-	-	
Wisconsin	-	-		-	-		-	-	
Wyoming	-	-		-	-		-	-	

¹ National population coverage by CiNA Prevalence is about 89% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

² Abbreviations: C.I. – Confidence Interval

- Prevalence statistics are suppressed when prevalence estimate counts are less than 10.