

2015 – 2019

Cancer in North America

Seattle / Puget Sound

Greater California

Greater Bay Area

Los Angeles

Metro Detroit

District of Columbia

-  PARTICIPATING REGISTRIES
-  NOT PARTICIPATING

Cancer in North America: 2015–2019

Executive Summary

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. NAACCR issues the call, and the member registries' data submissions are combined and used to create the Cancer in North America (CiNA) monograph and other CiNA products for data analyses and cancer incidence information (e.g., NAACCR CiNA Explorer, NAACCR CiNA Maps online query system, CiNA Public Use Dataset, CiNA Research Datasets). These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality.

In May 2022, NAACCR released a five-volume monograph, *Cancer in North America: 2015–2019*. This release is the 32nd publication of the series and the 30th release that includes statistics for both Canada and the United States.

This year's publication includes cancer incidence data for all 50 U.S. states, the District of Columbia, Puerto Rico, and 11 Canadian provinces and territories. We also report data by five regions: California (excluding the Greater Bay area and Los Angeles) and four Surveillance, Epidemiology, and End Results (SEER) urban registries (Detroit, Los Angeles, San Francisco/Oakland, and Seattle). CiNA includes registry-specific data on stage at diagnosis, survival, and delay-adjusted estimates of counts and age-adjusted rates for selected cancers. These delay adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and are recommended for use in assessing current cancer incidence trends.

New this year, all rates are age-adjusted based on 20 age groups, which now include an additional older age group, 85–90 years. As cancer is a significant burden among our older populations, this update provides more accurate descriptions of the burden of cancer in North America. To accommodate issues with underlying denominator data, racial/ethnic groups are presented differently. This change results in more accurate assessments of the burden of cancer among Asian and Pacific Islander populations and American Indian and Alaska Native (AI/AN) populations. This change in racial/ethnic calculations results in higher presented rates for these populations compared to previous monographs, particularly for AI/AN rates. It is critical to understand that these rates more accurately reflect the true burden of cancer in these populations but *do not* reflect a difference in the actual risk of cancer among these populations. These rates are a correction to previous calculations.

The CiNA monograph encompasses five separate volumes:

Volume One: Combined Cancer Incidence for the United States and Canada

Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from the high-quality registries in the U.S. and Canada.

Volume Two: Registry-Specific Cancer Incidence for the United States and Canada

Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity, and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information; registry descriptions are also presented.

Volume Three: Registry-Specific Cancer Mortality for the United States and Canada

Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival for the United States and Canada

Includes cancer survival data for the U.S. and Canada from 59 registries on more than 13 million cases diagnosed among North Americans between 2012 and 2018.

Volume Five: Cancer Prevalence for the United States and Canada

Includes cancer prevalence estimates for the U.S. and Canada from 59 registries on more than 18 million cases diagnosed among North Americans between 2009 and 2018.

All CiNA volumes are available to download free of charge from the NAACCR website, along with accompanying technical data, including population data and supporting appendices. Additional visualizations of CiNA data are available as online query systems available here: <https://www.naaccr.org/interactive-data-on-line/>.

This publication is made possible by the continuing efforts of the NAACCR member registries. High-quality, standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America are made possible by the dedication of our members to cancer surveillance. The Editors would like to acknowledge the fine work and support of the National Cancer Institute, the National Center for Health Statistics, and Statistics Canada for their assistance in developing this publication.

We hope that *Cancer in North America: 2015–2019*, with the companion CiNA products and resources, facilitates studies of cancer burden, so that we are better able to identify—and understand—appropriate and important measures to control the myriad diseases known collectively as cancer.

The Editors, May 2022

CANCER IN NORTH AMERICA: 2015–2019

VOLUME FIVE: CANCER PREVALENCE IN THE UNITED STATES AND CANADA 2009-2018

**A Publication of the North American Association of Central Cancer Registries, Inc.
(NAACCR)**

Editors:

Chris Johnson, Cancer Data Registry of Idaho
Reda Wilson, U.S. Centers for Disease Control and Prevention
Angela Mariotto, U.S. National Cancer Institute
Bozena Morawski, Cancer Data Registry of Idaho
Hannah Weir, U.S. Centers for Disease Control and Prevention
Rick Firth, Information Management Services, Inc.
Recinda Sherman, NAACCR Inc.
Amanda Kahl, State Health Registry of Iowa
Prithwish De, Ontario Cancer Registry
Brenda Hofer, CalCARES Program/UC Davis Comprehensive Cancer Center
Mei-Chin Hsieh, Louisiana Tumor Registry
Lihua Liu, Los Angeles Cancer Surveillance Program
Sarah Nash, SEER Alaska Native Tumor Registry
Baozhen Qiao, New York State Cancer Registry



May 2022

The CiNA Editorial Workgroup of the NAACCR Steering Committee, Research and Data Use, publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401 and by cooperative agreement NU58DP006458 from the Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC or NCI.

CINA PREVALENCE PARTICIPANTS 2009-2018



SUGGESTED CITATION:

Johnson CJ, Wilson R, Mariotto A, Morawski B, Weir H, Firth R, Sherman R, Kahl A, De P, Hofer B, Hsieh M, Lihua L, Nash S, Qiao B (eds). *Cancer in North America: 2015-2019 Volume Five: Cancer Prevalence in the United States and Canada 2009-2018*. Springfield, IL: North American Association of Central Cancer Registries, Inc. May 2022.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes	I-1
--	------------

SECTION II: Two, Five and Ten Year Limited-Duration Prevalence on January 1, 2019 by Race and Age for the United States, Canada, and North America Combined

All Sites	II-1
Oral Cavity & Pharynx	II-2
Esophagus	II-3
Stomach	II-4
Colon & Rectum	II-5
Liver & Intrahepatic Bile Duct	II-6
Pancreas	II-7
Larynx	II-8
Lung & Bronchus	II-9
Melanoma of the Skin	II-10
Breast, Female	II-11
Cervix Uteri	II-12
Corpus & Uterus, NOS	II-13
Ovary	II-14
Prostate	II-15
Testis	II-16
Urinary Bladder	II-17
Kidney & Renal Pelvis	II-18
Brain & Other Nervous System	II-19
Thyroid	II-20
Hodgkin Lymphoma	II-21
Non-Hodgkin Lymphoma	II-22
Myeloma	II-23
Leukemias	II-24
Mesothelioma	II-25

SECTION III: Prevalence on January 1, 2019 by Limited-Duration, Registry, Race and Site

Two Year Limited-Duration, All Races

All Sites	III-1
Oral Cavity & Pharynx	III-2
Esophagus	III-3
Stomach	III-4
Colon & Rectum	III-5
Liver & Intrahepatic Bile Duct	III-6
Pancreas	III-7
Larynx	III-8
Lung & Bronchus	III-9
Melanoma of the Skin	III-10
Breast, Female	III-11
Cervix Uteri	III-12
Corpus & Uterus, NOS	III-13
Ovary	III-14
Prostate	III-15
Testis	III-16
Urinary Bladder	III-17
Kidney & Renal Pelvis	III-18
Brain & Other Nervous System	III-19
Thyroid	III-20
Hodgkin Lymphoma	III-21
Non-Hodgkin Lymphoma	III-22
Myeloma	III-23
Leukemias	III-24
Mesothelioma	III-25

Two Year Limited-Duration, White

All Sites.....	III-26
Oral Cavity & Pharynx.....	III-27
Esophagus	III-28
Stomach.....	III-29
Colon & Rectum	III-30
Liver & Intrahepatic Bile Duct.....	III-31
Pancreas	III-32
Larynx	III-33
Lung & Bronchus.....	III-34
Melanoma of the Skin	III-35
Breast, Female.....	III-36
Cervix Uteri.....	III-37
Corpus & Uterus, NOS	III-38
Ovary.....	III-39
Prostate.....	III-40
Testis	III-41
Urinary Bladder.....	III-42
Kidney & Renal Pelvis.....	III-43
Brain & Other Nervous System	III-44
Thyroid.....	III-45
Hodgkin Lymphoma	III-46
Non-Hodgkin Lymphoma	III-47
Myeloma	III-48
Leukemias	III-49
Mesothelioma.....	III-50

Two Year Limited-Duration, Black

All Sites.....	III-51
Oral Cavity & Pharynx.....	III-52
Esophagus	III-53
Stomach.....	III-54
Colon & Rectum	III-55
Liver & Intrahepatic Bile Duct.....	III-56
Pancreas	III-57
Larynx	III-58
Lung & Bronchus.....	III-59
Melanoma of the Skin	III-60
Breast, Female.....	III-61
Cervix Uteri.....	III-62
Corpus & Uterus, NOS	III-63
Ovary.....	III-64
Prostate.....	III-65
Testis	III-66
Urinary Bladder.....	III-67
Kidney & Renal Pelvis.....	III-68
Brain & Other Nervous System, Invasive	III-69
Thyroid.....	III-70
Hodgkin Lymphoma	III-71
Non-Hodgkin Lymphoma	III-72
Myeloma	III-73
Leukemias	III-74
Mesothelioma.....	III-75

Five Year Limited-Duration, All Races

All Sites.....	III-76
Oral Cavity & Pharynx.....	III-77
Esophagus	III-78
Stomach.....	III-79
Colon & Rectum	III-80
Liver & Intrahepatic Bile Duct.....	III-81
Pancreas	III-82
Larynx	III-83

Lung & Bronchus.....	III-84
Melanoma of the Skin.....	III-85
Breast, Female.....	III-86
Cervix Uteri.....	III-87
Corpus & Uterus, NOS.....	III-88
Ovary.....	III-89
Prostate.....	III-90
Testis.....	III-91
Urinary Bladder.....	III-92
Kidney & Renal Pelvis.....	III-93
Brain & Other Nervous System.....	III-94
Thyroid.....	III-95
Hodgkin Lymphoma.....	III-96
Non-Hodgkin Lymphoma.....	III-97
Myeloma.....	III-98
Leukemias.....	III-99
Mesothelioma.....	III-100
<i>Five Year Limited-Duration, White</i>	
All Sites.....	III-101
Oral Cavity & Pharynx.....	III-102
Esophagus.....	III-103
Stomach.....	III-104
Colon & Rectum.....	III-105
Liver & Intrahepatic Bile Duct.....	III-106
Pancreas.....	III-107
Larynx.....	III-108
Lung & Bronchus.....	III-109
Melanoma of the Skin.....	III-110
Breast, Female.....	III-111
Cervix Uteri.....	III-112
Corpus & Uterus, NOS.....	III-113
Ovary.....	III-114
Prostate.....	III-115
Testis.....	III-116
Urinary Bladder.....	III-117
Kidney & Renal Pelvis.....	III-118
Brain & Other Nervous System.....	III-119
Thyroid.....	III-120
Hodgkin Lymphoma.....	III-121
Non-Hodgkin Lymphoma.....	III-122
Myeloma.....	III-123
Leukemias.....	III-124
Mesothelioma.....	III-125
<i>Five Year Limited-Duration, Black</i>	
All Sites.....	III-126
Oral Cavity & Pharynx.....	III-127
Esophagus.....	III-128
Stomach.....	III-129
Colon & Rectum.....	III-130
Liver & Intrahepatic Bile Duct.....	III-131
Pancreas.....	III-132
Larynx.....	III-133
Lung & Bronchus.....	III-134
Melanoma of the Skin.....	III-135
Breast, Female.....	III-136
Cervix Uteri.....	III-137
Corpus & Uterus, NOS.....	III-138
Ovary.....	III-139
Prostate.....	III-140
Testis.....	III-141
Urinary Bladder.....	III-142

Contents

Kidney & Renal Pelvis.....	III-143
Brain & Other Nervous System	III-144
Thyroid.....	III-145
Hodgkin Lymphoma	III-146
Non-Hodgkin Lymphoma	III-147
Myeloma	III-148
Leukemias	III-149
Mesothelioma.....	III-150
<i>Ten Year Limited-Duration, All Races</i>	
All Sites.....	III-151
Oral Cavity & Pharynx.....	III-152
Esophagus	III-153
Stomach.....	III-154
Colon & Rectum	III-155
Liver & Intrahepatic Bile Duct.....	III-156
Pancreas	III-157
Larynx	III-158
Lung & Bronchus.....	III-159
Melanoma of the Skin	III-160
Breast, Female.....	III-161
Cervix Uteri.....	III-162
Corpus & Uterus, NOS	III-163
Ovary.....	III-164
Prostate.....	III-165
Testis	III-166
Urinary Bladder.....	III-167
Kidney & Renal Pelvis.....	III-168
Brain & Other Nervous System, Invasive	III-169
Thyroid.....	III-170
Hodgkin Lymphoma	III-171
Non-Hodgkin Lymphoma	III-172
Myeloma	III-173
Leukemias	III-174
Mesothelioma.....	III-175
<i>Ten Year Limited-Duration, White</i>	
All Sites.....	III-176
Oral Cavity & Pharynx.....	III-177
Esophagus	III-178
Stomach.....	III-179
Colon & Rectum	III-180
Liver & Intrahepatic Bile Duct.....	III-181
Pancreas	III-182
Larynx	III-183
Lung & Bronchus.....	III-184
Melanoma of the Skin	III-185
Breast, Female.....	III-186
Cervix Uteri.....	III-187
Corpus & Uterus, NOS	III-188
Ovary.....	III-189
Prostate.....	III-190
Testis	III-191
Urinary Bladder.....	III-192
Kidney & Renal Pelvis.....	III-193
Brain & Other Nervous System, Invasive	III-194
Thyroid.....	III-195
Hodgkin Lymphoma	III-196
Non-Hodgkin Lymphoma	III-197
Myeloma	III-198
Leukemias	III-199
Mesothelioma.....	III-200

Ten Year Limited-Duration, Black

All Sites.....	III-201
Oral Cavity & Pharynx	III-202
Esophagus	III-203
Stomach	III-204
Colon & Rectum	III-205
Liver & Intrahepatic Bile Duct	III-206
Pancreas	III-207
Larynx	III-208
Lung & Bronchus.....	III-209
Melanoma of the Skin	III-210
Breast, Female.....	III-211
Cervix Uteri	III-212
Corpus & Uterus, NOS	III-213
Ovary	III-214
Prostate.....	III-215
Testis.....	III-216
Urinary Bladder	III-217
Kidney & Renal Pelvis.....	III-218
Brain & Other Nervous System	III-219
Thyroid.....	III-220
Hodgkin Lymphoma	III-221
Non-Hodgkin Lymphoma	III-222
Myeloma	III-223
Leukemias	III-224
Mesothelioma.....	III-225

All Appendices are available on the NAACCR website:

<https://www.naaccr.org/cancer-in-north-america-cina-volumes/#Appendices>



Section I

Introduction and Technical Notes



Cancer in North America: 2015-2019, Volume Five: Cancer Prevalence in the United States and Canada Introduction and Technical Notes

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population-based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on Cancer in North America (CiNA) to provide cancer incidence, mortality, and other cancer burden statistics for the United States, Canada, and North America.

Annual cancer statistics for the U.S., for Canada, and for North America are presented in each of the five Cancer in North America (CiNA) volumes. This year marks the 32nd annual release of the series of the CiNA monographs; and the 30th year CiNA has included data from both the U.S. and Canada. The *2022 CiNA Prevalence Monograph* includes data from 8 of 13 Canadian provinces/territories, 45 U.S. states, the District of Columbia, and 5 regional Surveillance, Epidemiology, and End Results (SEER) registries. The data in *CiNA Prevalence* reflect about 92% population coverage for the U.S. and 74% for Canada.

NAACCR issues an annual call for data to member registries, which submit data to support the creation of the CiNA monograph and other CiNA products (e.g., NAACCR CiNA Explorer, NAACCR CiNA Maps online query system, CiNA Public Use Dataset, CiNA Research Datasets). For more information on these products and the process for gaining access to them, please visit <https://www.naacccr.org/cina-data-products-overview/>.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the U.S. and Canada to collect timely, complete, and accurate data that make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in production of the monograph. The objective of this work is to provide timely and useful information on cancer burden for all geographic areas and racial/ethnic groups in the U.S. and Canada.

CONTENTS OF THE CiNA MONOGRAPH

The CiNA Monograph encompasses five separate volumes:

Volume One: Combined Cancer Incidence for the United States and Canada

Includes aggregated cancer incidence data by site, sex, race, ethnicity, and stage, including pediatric cancer and cancer by stage at diagnosis from the high-quality registries in the U.S. and Canada.

Volume Two: Registry-Specific Cancer Incidence for the United States and Canada

Includes registry-specific cancer incidence rates by cancer site, sex, race, ethnicity, and stage for all NAACCR member registries submitting data for inclusion in the monograph. To help interpret the statistics, data tables for each registry include demographic and data quality information; registry descriptions are also presented.

Volume Three: Registry-Specific Cancer Mortality for the United States and Canada

Includes registry-specific cancer death rates by cancer site, sex, race, and ethnicity.

Volume Four: Cancer Survival for the United States and Canada

Includes cancer survival data for the U.S. and Canada from 59 registries on more than 13 million cases diagnosed among North Americans between 2012 and 2018.

Volume Five: Cancer Prevalence for the United States and Canada

Includes cancer prevalence estimates for the U.S. and Canada from 59 registries on more than 18 million cases diagnosed among North Americans between 2009 and 2018.

In the U.S., cancer statistics are calculated for by race/ethnicity. The actual racial/ethnic groups vary by volume, based on data availability and statistical stability. Race and ethnicity information is not collected in Canada; therefore, Canadian data are not presented by race/ethnicity.

CiNA Volume Five: Cancer Prevalence in the United States and Canada

NAACCR has been producing CiNA incidence and mortality publications for 32 years and survival statistics since March 2016. This is the fourth edition of *CiNA Prevalence*; the inaugural *CiNA Prevalence* was released in January 2020.

Cancer prevalence is the number of persons alive on a certain date who have a history of cancer and is a function of incidence and survival. Prevalence estimates can be used for health planning, resource allocation, and as an estimate of cancer survivorship.¹ Limited-duration prevalence (or partial prevalence) represents the number, or proportion, of people alive on a certain day who had a cancer diagnosis within the past x years (e.g. $x = 2, 5$, or 10 years).² This is in contrast to complete prevalence, which represents the proportion of people alive on a certain day who were ever diagnosed with the disease, regardless of how long ago the diagnosis was made. Complete prevalence can be estimated from self-reported population-based surveys, although these estimates may be biased by under- and over-reporting due to, for example, misclassification of disease.³ Complete prevalence can also be estimated via direct computation (or the counting method), which requires population-based registry data to have been collected over a sufficiently long period of time to capture all prevalent cases of the disease. Historically, U.S. national complete prevalence has been estimated by using the National Cancer Institute's (NCI) SEER data; these estimates have generally been based on data from SEER-9 registries, which cover about 9.4% of the U.S. population.⁴ Because of the variable duration of time that CiNA registries have been collecting cancer data, we are unable to estimate complete prevalence using CiNA data. *CiNA Prevalence* presents 2-, 5-, and 10-year limited-duration prevalence counts and prevalence percentages and confidence intervals for individual registries and the U.S., Canada, and North America combined.

The prevalence data presented in *CiNA Prevalence* include data from 59 registries (which represent 8 Canadian provinces/territories, 45 U.S. states, the District of Columbia, and 5 regional SEER registries) on more than 18 million cases diagnosed among North Americans between 2009 and 2018 and represent 92% population coverage in the U.S. and 74% in Canada. *CiNA Prevalence* is composed of three sections:

Section 1: Introduction and Technical Notes

Section 2: Two-, Five- and Ten-Year Limited-Duration Prevalence on January 1, 2019, by Race and Age for the United States, Canada, and North America Combined

Includes 2-, 5-, and 10-year limited-duration prevalence counts, prevalence percentages, and 95% confidence intervals for the U.S., Canada, and North America combined. These statistics are presented for all races by sex and for select cancer sites. The tables for each cancer site present statistics by a total and by specific age groups for each region. Prevalence statistics for white and Black race groups are also presented for the U.S. combined.

Section 3: Two-, Five-, and Ten-Year Limited Duration Prevalence on January 1, 2019, by Registry, Race, Site and Sex

Includes two-, five-, and ten-year limited-duration prevalence counts, prevalence percentages, and 95% confidence intervals by registry and sex, and select cancer sites. Prevalence statistics for all races combined are available for the United States and Canadian registries and for white and Black race groups for United States registries.

Special thanks go to Steve Scoppa and Rick Firth, Information Management Services, Inc., who prepared the analytic dataset used for this report; members of the NAACCR Prevalence Volume Task Force; and all the registry staff who contributed data.

TECHNICAL NOTES

For coding and other general technical information, please see the technical section of *CiNA: 2015–2019, Volume One: Combined Cancer Incidence for the United States, Canada, and North America*.⁵

Registry Inclusion. The publication of prevalence estimates in CiNA was included as a Primary Use of Data in the November 2021 NAACCR Call for Data. For registries to be included in the *CiNA Prevalence* volume, they needed to (1) provide consent, (2) meet CiNA incidence criteria for all relevant years, and (3) either meet the SEER standards for follow-up⁶ or ascertain deaths through the study cutoff date (December 31, 2018).

To meet the SEER standard for follow-up, a minimum of 90% of patients needed to have follow-up dates on or after January 1, 2019, or be deceased. These follow-up dates could have been the result of either passive or active

patient follow-up mechanisms.⁷ We used the November 2021 Call for Data file to measure the follow-up rate and the NAACCR Call for Data Follow-Up Activities Form that is part of the annual call for data to determine how registries ascertained deaths. For U.S. registries that did not meet the SEER standard for follow-up, it was necessary to conduct state death linkages and linkage with the National Death Index. For Canadian registries, it was necessary to conduct death linkages within the province or territory. National death clearance in Canada is on hold pending legal agreements among the provinces and Statistics Canada, which impacts follow-up for 2009 and later. However, because the number of deaths that occur out of province is a small proportion of total deaths, we believe that Canadian follow-up data are negligibly influenced by the lack of national death linkage.

The *CiNA Prevalence* publication includes diagnosis years 2009–2018 with follow-up through the end of 2018. Using information from the NAACCR Call for Data Follow-Up Activities Forms, follow-up through 2018 was deemed to be the best balance between including the most current data and including the most registries. In terms of national coverage, the *CiNA Prevalence* includes data from 8 of 13 Canadian provinces/territories, 45 U.S. states, the District of Columbia, and 5 regional SEER registries. National population coverage by *CiNA Prevalence* is about 92% for the U.S. and 74% for Canada.

The NAACCR U.S. combined and NAACCR Canadian combined statistics may not be representative of total national populations. NAACCR North American prevalence statistics are a combination of U.S. and Canadian data. Data from 59 state, sub-state, and provincial or territorial registries are included in the registry-specific tables. To avoid double counting, data from sub-state registries in California and Washington were not included in the NAACCR U.S. combined or NAACCR North American statistics. Data from Detroit were included because the state of Michigan was not. The sub-state registries in California, Michigan, and Washington are included in the registry-specific statistics.

Statistical Methods. We estimated 2-, 5-, and 10-year limited-duration prevalence on January 1, 2019, using 2009–2018 incident cases and survival from *CiNA* data based on the November 2021 NAACCR submission. We used the counting method to estimate prevalence from incidence and follow-up data. The counting method estimates prevalence by counting the number of persons who are known to be alive at a specific calendar date and adjusting for those lost to follow-up.¹ For registries meeting SEER follow-up standards (SEER-17 registries,³ Idaho, Montana, and New York), survival estimates were used to adjust for loss to follow-up. For other registries, it was assumed that all deaths were ascertained through the study cutoff date and remaining persons were presumed to be alive, which may slightly overestimate prevalence. For cases lost to follow-up in registries meeting SEER follow-up standards, prevalence was estimated using observed survival on the remaining cases, by year of diagnosis (2009–2013 and 2014–2018), registry, sex, age group (< 60, 60–69, 70+), race/ethnicity (non-Hispanic white, non-Hispanic Black, non-Hispanic American Indian/Alaska Native, non-Hispanic Asian and Pacific Islander, Hispanic, and non-Hispanic unknown race), and grouped SEER Site Recode.⁶

For *CiNA Prevalence*, we included cases categorized as “Malignant,” “Only malignant in ICD-O-3,” and “Only malignant 2010+” per SEER behavior recode for analysis⁸ and diagnosed during 2009–2018 with follow-up/death ascertainment through the study cutoff date of December 31, 2018. Cases reported solely via death certificates or autopsy were excluded. For registries meeting SEER follow-up standards, alive cases with no survival time were excluded from analysis. Using SEER 2007 Multiple Primary and Histology Coding Rules,⁹ we allowed for multiple primary cancers to be included for each patient, but only one record per patient was included in each prevalence estimate. For example, if a person was diagnosed with three primary tumors during 2009–2018, in the order of breast → colon → breast, then the first breast cancer case was used for breast cancer prevalence, the colon case was used for colon cancer prevalence, and the first breast cancer case was used for “All Sites.” Thus, the “All Sites” totals are less than the sum of the individual cancer types because each person is counted only once for each statistic, and some persons have more than one cancer type.

SEER*Stat (version 8.4.0) was used to perform the prevalence calculations.¹⁰ Staff at Information Management Services, Inc. (Calverton, MD) prepared a SEER*Stat database for the purpose of calculating *CiNA Prevalence* statistics.¹¹ Prevalence statistics are suppressed when prevalence estimate counts are less than 10. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in *CiNA Prevalence* by the total population estimates by age (19 age groups), sex (male, female), and race (Black and white). In the U.S., prevalence statistics are calculated for the following race populations: all races combined, white, and Black. Race information is not collected in Canada, and thus is not presented.

Incidence and prevalence statistics calculated using registry data do not include information on persons with a history of cancer who move to a new state (net-migration). For states with high population growth, the prevalence would be underestimated; for states with a high rate of population loss, the prevalence would be overestimated. For some cancers (e.g., hematopoietic, melanoma of the skin) there are known issues with reporting delay and potentially missed incident cases when the person is diagnosed and treated in a physician's office, but not seen in a hospital, which may contribute to an underestimation of prevalence.

Variation in prevalence by registry catchment area can be due to several factors, including but not limited to (1) differences in demographic characteristics related to race, ethnicity, and SES; (2) cancer screening rates; (3) access to and quality of care; and (4) cancer registration practices that impact case ascertainment, date of diagnosis, and follow-up. In addition, the race category "white" includes both white non-Hispanics and white Hispanics. Pinheiro *et al.* have shown that in SEER data, Hispanics and Asians are more likely to have incomplete follow-up than non-Hispanic whites or Blacks, and those with worse prognoses are more likely to have incomplete follow-up than those with better prognoses.¹⁹ In addition, death ascertainment among Hispanics may be biased for all causes of death, not just cancer-related causes, so life tables for Hispanics may also be problematic. Survival statistics are not presented by ethnicity for these reasons.

REFERENCES

1. Understanding cancer prevalence statistics. Available at: <https://seer.cancer.gov/statistics/types/prevalence.html>
2. Limited-duration prevalence. Available at: <https://surveillance.cancer.gov/prevalence/limited.html>.
3. Byrne J, Kessler LG, Devesa SS. The prevalence of cancer among adults in the United States: 1987. *Cancer*. 1992 Apr;69(8):2154-9. Available here: <https://pubmed.ncbi.nlm.nih.gov/1544121/>.
4. Registry Groupings in SEER Data and Statistics. Available at: <https://seer.cancer.gov/registries/terms.html>.
5. For coding and other general technical information, *Cancer in North America: 2015-2019, Volume One: Combined Cancer Incidence for the United States, Canada, and North America*, <https://www.naaccr.org/cancer-in-north-america-cina-volumes/>.
6. November 2020 SEER follow-up standards, page B-1. Available at: <https://seer.cancer.gov/tools/seer.nov20.instructions.pdf>.
7. Weir HK, Johnson CJ, Mariotto AB, Turner D, Wilson RJ, Nishri D, Ward KC. Evaluation of NAACCR Cancer in North America data for use in population-based cancer survival studies. *J Natl Cancer Inst Monogr*. 2014 Nov;2014(49):198-209. doi: 10.1093/jncimonographs/lgu018. Available here: <https://pubmed.ncbi.nlm.nih.gov/25417233/>.
8. SEER Behavior Code for Analysis. Available at: <http://seer.cancer.gov/behavrecode/>.
9. SEER 2007 Multiple Primary and Histology Coding Rules. Available at: <http://seer.cancer.gov/tools/mphrules/>.
10. SEER*Stat version 8.4.0; produced by the Surveillance Research Program of the Division of Cancer Control and Population Sciences, National Cancer Institute, and Information Management Services, Inc., Calverton, MD.
11. SEER*Stat Database: NAACCR Incidence Data - CiNA Production File, 1995-2019, for U.S. and CDN - Survival & Prevalence (All Registries) (which includes data from CDC's National Program of Cancer Registries (NPCR), CCCR's Provincial and Territorial Registries, and the NCI's Surveillance, Epidemiology and End Results (SEER) Registries), certified by the North American Association of Central Cancer Registries (NAACCR) as meeting high-quality incidence data standards for the specified time periods, submitted December 2021. (SEER*Stat Database ID 41605).



Section II

Two-, Five- and Ten-Year Limited-Duration Prevalence for Cancers Diagnosed 2009-2018, by Race and Age for the United States, Canada, and North America



**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, All Sites**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	2,703,121	0.823	0.822 - 0.824	1,343,815	0.831	0.829 - 0.832	1,359,486	0.816	0.815 - 0.818
	5-yr	5,671,667	1.728	1.726 - 1.729	2,757,412	1.705	1.703 - 1.707	2,914,606	1.750	1.748 - 1.752
	10-yr	9,264,584	2.822	2.820 - 2.824	4,484,970	2.773	2.770 - 2.776	4,780,216	2.870	2.867 - 2.872
Race										
White	2-yr	2,236,129	0.877	0.876 - 0.879	1,114,432	0.882	0.880 - 0.884	1,121,812	0.873	0.871 - 0.875
	5-yr	4,705,993	1.847	1.845 - 1.848	2,288,061	1.811	1.808 - 1.813	2,418,151	1.882	1.879 - 1.884
	10-yr	7,716,877	3.028	3.026 - 3.030	3,727,522	2.950	2.947 - 2.953	3,989,707	3.105	3.102 - 3.108
Black	2-yr	293,781	0.631	0.629 - 0.634	146,363	0.655	0.651 - 0.658	147,462	0.610	0.607 - 0.613
	5-yr	609,023	1.309	1.306 - 1.312	301,346	1.348	1.343 - 1.353	307,762	1.273	1.268 - 1.278
	10-yr	980,979	2.108	2.104 - 2.113	490,463	2.194	2.188 - 2.201	490,676	2.029	2.023 - 2.035
Current Age										
< 50	2-yr	357,394	0.169	0.168 - 0.170	128,598	0.120	0.119 - 0.121	228,809	0.219	0.218 - 0.220
	5-yr	751,323	0.355	0.354 - 0.356	268,488	0.251	0.250 - 0.252	482,861	0.462	0.461 - 0.464
	10-yr	1,165,779	0.551	0.550 - 0.552	422,913	0.395	0.394 - 0.396	742,905	0.711	0.710 - 0.713
50-64	2-yr	856,640	1.360	1.357 - 1.363	418,940	1.369	1.364 - 1.373	437,740	1.351	1.347 - 1.356
	5-yr	1,767,402	2.805	2.801 - 2.810	826,732	2.701	2.695 - 2.707	940,739	2.904	2.898 - 2.910
	10-yr	2,771,408	4.399	4.393 - 4.404	1,242,593	4.059	4.052 - 4.066	1,528,899	4.719	4.712 - 4.727
65+	2-yr	1,489,087	2.798	2.794 - 2.803	796,277	3.363	3.356 - 3.371	692,936	2.346	2.340 - 2.352
	5-yr	3,152,942	5.925	5.918 - 5.932	1,662,193	7.021	7.010 - 7.032	1,491,006	5.047	5.039 - 5.056
	10-yr	5,327,397	10.012	10.003 - 10.021	2,819,464	11.911	11.896 - 11.925	2,508,412	8.492	8.481 - 8.503
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	315,542	0.846	0.843 - 0.850	156,997	0.849	0.844 - 0.854	158,373	0.844	0.839 - 0.849
	5-yr	655,973	1.759	1.755 - 1.764	319,171	1.726	1.719 - 1.733	336,400	1.792	1.785 - 1.799
	10-yr	1,069,578	2.869	2.863 - 2.875	517,445	2.801	2.792 - 2.810	551,383	2.937	2.928 - 2.946
Current Age										
< 50	2-yr	38,527	0.168	0.166 - 0.170	13,794	0.118	0.116 - 0.121	24,685	0.219	0.216 - 0.222
	5-yr	80,355	0.350	0.347 - 0.353	28,758	0.247	0.244 - 0.250	51,494	0.456	0.451 - 0.461
	10-yr	124,379	0.542	0.538 - 0.545	45,294	0.389	0.385 - 0.393	78,924	0.699	0.693 - 0.704
50-64	2-yr	96,239	1.245	1.236 - 1.254	45,426	1.187	1.174 - 1.199	50,794	1.302	1.289 - 1.315
	5-yr	197,593	2.556	2.543 - 2.569	89,158	2.329	2.311 - 2.347	108,370	2.778	2.759 - 2.797
	10-yr	310,654	4.019	4.002 - 4.035	134,045	3.502	3.480 - 3.524	176,472	4.524	4.499 - 4.549
65+	2-yr	180,776	2.896	2.881 - 2.912	97,777	3.423	3.398 - 3.448	82,894	2.450	2.431 - 2.470
	5-yr	378,024	6.057	6.034 - 6.079	201,255	7.048	7.012 - 7.083	176,536	5.218	5.190 - 5.246
	10-yr	634,544	10.167	10.138 - 10.196	338,106	11.846	11.800 - 11.892	295,987	8.745	8.709 - 8.782
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	3,018,663	0.825	0.824 - 0.826	1,500,812	0.832	0.831 - 0.834	1,517,859	0.819	0.817 - 0.820
	5-yr	6,327,639	1.730	1.729 - 1.732	3,076,583	1.707	1.705 - 1.709	3,251,006	1.753	1.751 - 1.755
	10-yr	10,334,162	2.826	2.824 - 2.828	5,002,415	2.775	2.773 - 2.778	5,331,599	2.875	2.873 - 2.878
Current Age										
< 50	2-yr	395,921	0.169	0.168 - 0.169	142,392	0.120	0.119 - 0.121	253,494	0.219	0.218 - 0.220
	5-yr	831,678	0.355	0.354 - 0.356	297,245	0.250	0.249 - 0.251	534,355	0.462	0.461 - 0.463
	10-yr	1,290,159	0.550	0.549 - 0.551	468,207	0.394	0.393 - 0.395	821,830	0.710	0.709 - 0.712
50-64	2-yr	952,879	1.349	1.347 - 1.352	464,366	1.352	1.348 - 1.356	488,534	1.347	1.343 - 1.351
	5-yr	1,964,996	2.783	2.779 - 2.787	915,890	2.667	2.661 - 2.673	1,049,109	2.893	2.887 - 2.899
	10-yr	3,082,061	4.365	4.359 - 4.370	1,376,638	4.008	4.001 - 4.015	1,705,371	4.702	4.695 - 4.710
65+	2-yr	1,669,863	2.807	2.802 - 2.811	894,054	3.369	3.361 - 3.376	775,830	2.355	2.349 - 2.360
	5-yr	3,530,965	5.936	5.930 - 5.943	1,863,448	7.023	7.013 - 7.034	1,667,542	5.062	5.054 - 5.070
	10-yr	5,961,942	10.025	10.017 - 10.034	3,157,570	11.905	11.891 - 11.919	2,804,399	8.513	8.503 - 8.524

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Oral Cavity and Pharynx**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	78,451	0.024	0.024 - 0.024	56,053	0.035	0.034 - 0.035	22,411	0.013	0.013 - 0.014
	5-yr	163,003	0.050	0.049 - 0.050	116,287	0.072	0.071 - 0.072	46,742	0.028	0.028 - 0.028
	10-yr	255,909	0.078	0.078 - 0.078	181,397	0.112	0.112 - 0.113	74,555	0.045	0.044 - 0.045
Race										
White	2-yr	68,014	0.027	0.026 - 0.027	49,107	0.039	0.038 - 0.039	18,916	0.015	0.015 - 0.015
	5-yr	141,755	0.056	0.055 - 0.056	102,357	0.081	0.080 - 0.081	39,420	0.031	0.030 - 0.031
	10-yr	223,045	0.087	0.087 - 0.088	160,147	0.127	0.126 - 0.127	62,934	0.049	0.049 - 0.049
Black	2-yr	5,780	0.012	0.012 - 0.013	3,859	0.017	0.017 - 0.018	1,925	0.008	0.008 - 0.008
	5-yr	11,646	0.025	0.025 - 0.026	7,653	0.034	0.033 - 0.035	4,001	0.017	0.016 - 0.017
	10-yr	17,981	0.039	0.038 - 0.039	11,590	0.052	0.051 - 0.053	6,402	0.026	0.026 - 0.027
Current Age										
< 50	2-yr	8,471	0.004	0.004 - 0.004	5,513	0.005	0.005 - 0.005	2,958	0.003	0.003 - 0.003
	5-yr	16,753	0.008	0.008 - 0.008	10,577	0.010	0.010 - 0.010	6,174	0.006	0.006 - 0.006
	10-yr	24,918	0.012	0.012 - 0.012	15,198	0.014	0.014 - 0.014	9,718	0.009	0.009 - 0.010
50-64	2-yr	31,935	0.051	0.050 - 0.051	24,120	0.079	0.078 - 0.080	7,818	0.024	0.024 - 0.025
	5-yr	65,527	0.104	0.103 - 0.105	49,412	0.161	0.160 - 0.163	16,122	0.050	0.049 - 0.051
	10-yr	99,687	0.158	0.157 - 0.159	74,659	0.244	0.242 - 0.246	25,039	0.077	0.076 - 0.078
65+	2-yr	38,046	0.071	0.071 - 0.072	26,420	0.112	0.110 - 0.113	11,635	0.039	0.039 - 0.040
	5-yr	80,723	0.152	0.151 - 0.153	56,298	0.238	0.236 - 0.240	24,446	0.083	0.082 - 0.084
	10-yr	131,305	0.247	0.245 - 0.248	91,541	0.386	0.384 - 0.389	39,797	0.135	0.133 - 0.136
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	8,655	0.023	0.023 - 0.024	6,096	0.033	0.032 - 0.034	2,565	0.014	0.013 - 0.014
	5-yr	17,400	0.047	0.046 - 0.047	12,154	0.065	0.064 - 0.067	5,259	0.028	0.027 - 0.029
	10-yr	27,660	0.074	0.073 - 0.075	19,146	0.103	0.101 - 0.105	8,535	0.045	0.044 - 0.047
Current Age										
< 50	2-yr	912	0.004	0.004 - 0.004	572	0.005	0.004 - 0.005	342	0.003	0.003 - 0.003
	5-yr	1,829	0.008	0.008 - 0.008	1,102	0.009	0.009 - 0.010	729	0.006	0.006 - 0.007
	10-yr	2,722	0.012	0.011 - 0.012	1,617	0.014	0.013 - 0.015	1,109	0.010	0.009 - 0.011
50-64	2-yr	3,515	0.045	0.044 - 0.047	2,620	0.068	0.065 - 0.071	900	0.023	0.021 - 0.025
	5-yr	7,062	0.091	0.089 - 0.094	5,234	0.137	0.132 - 0.141	1,838	0.047	0.045 - 0.050
	10-yr	10,803	0.140	0.137 - 0.143	7,935	0.207	0.202 - 0.213	2,883	0.074	0.071 - 0.077
65+	2-yr	4,228	0.068	0.065 - 0.070	2,905	0.102	0.097 - 0.106	1,323	0.039	0.037 - 0.042
	5-yr	8,509	0.136	0.133 - 0.140	5,818	0.203	0.197 - 0.209	2,692	0.080	0.076 - 0.083
	10-yr	14,134	0.226	0.222 - 0.231	9,593	0.335	0.328 - 0.343	4,543	0.134	0.130 - 0.139
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	87,106	0.024	0.024 - 0.024	62,149	0.034	0.034 - 0.035	24,976	0.013	0.013 - 0.014
	5-yr	180,403	0.049	0.049 - 0.050	128,441	0.071	0.071 - 0.072	52,001	0.028	0.028 - 0.028
	10-yr	283,569	0.078	0.077 - 0.078	200,543	0.111	0.111 - 0.112	83,089	0.045	0.044 - 0.045
Current Age										
< 50	2-yr	9,383	0.004	0.004 - 0.004	6,085	0.005	0.005 - 0.005	3,300	0.003	0.003 - 0.003
	5-yr	18,581	0.008	0.008 - 0.008	11,679	0.010	0.010 - 0.010	6,904	0.006	0.006 - 0.006
	10-yr	27,640	0.012	0.012 - 0.012	16,815	0.014	0.014 - 0.014	10,827	0.009	0.009 - 0.010
50-64	2-yr	35,450	0.050	0.050 - 0.051	26,740	0.078	0.077 - 0.079	8,718	0.024	0.024 - 0.025
	5-yr	72,590	0.103	0.102 - 0.104	54,647	0.159	0.158 - 0.160	17,960	0.050	0.049 - 0.050
	10-yr	110,490	0.156	0.156 - 0.157	82,594	0.240	0.239 - 0.242	27,922	0.077	0.076 - 0.078
65+	2-yr	42,273	0.071	0.070 - 0.072	29,324	0.111	0.109 - 0.112	12,958	0.039	0.039 - 0.040
	5-yr	89,231	0.150	0.149 - 0.151	62,116	0.235	0.233 - 0.237	27,137	0.082	0.081 - 0.083
	10-yr	145,439	0.245	0.244 - 0.246	101,134	0.382	0.379 - 0.384	44,340	0.135	0.133 - 0.136

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Esophagus**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	19,805	0.006	0.006 - 0.006	15,795	0.010	0.010 - 0.010	4,015	0.002	0.002 - 0.002
	5-yr	31,629	0.010	0.010 - 0.010	24,982	0.015	0.015 - 0.016	6,655	0.004	0.004 - 0.004
	10-yr	42,216	0.013	0.013 - 0.013	33,218	0.021	0.020 - 0.021	9,008	0.005	0.005 - 0.006
Race										
White	2-yr	17,538	0.007	0.007 - 0.007	14,237	0.011	0.011 - 0.011	3,306	0.003	0.002 - 0.003
	5-yr	28,012	0.011	0.011 - 0.011	22,536	0.018	0.018 - 0.018	5,483	0.004	0.004 - 0.004
	10-yr	37,465	0.015	0.015 - 0.015	30,053	0.024	0.023 - 0.024	7,421	0.006	0.006 - 0.006
Black	2-yr	1,456	0.003	0.003 - 0.003	940	0.004	0.004 - 0.004	517	0.002	0.002 - 0.002
	5-yr	2,254	0.005	0.005 - 0.005	1,412	0.006	0.006 - 0.007	844	0.003	0.003 - 0.004
	10-yr	2,952	0.006	0.006 - 0.007	1,840	0.008	0.008 - 0.009	1,114	0.005	0.004 - 0.005
Current Age										
< 50	2-yr	913	0.000	0.000 - 0.000	749	0.001	0.001 - 0.001	163	0.000	0.000 - 0.000
	5-yr	1,369	0.001	0.001 - 0.001	1,087	0.001	0.001 - 0.001	282	0.000	0.000 - 0.000
	10-yr	1,650	0.001	0.001 - 0.001	1,290	0.001	0.001 - 0.001	360	0.000	0.000 - 0.000
50-64	2-yr	6,581	0.010	0.010 - 0.011	5,297	0.017	0.017 - 0.018	1,285	0.004	0.004 - 0.004
	5-yr	10,015	0.016	0.016 - 0.016	7,975	0.026	0.025 - 0.027	2,042	0.006	0.006 - 0.007
	10-yr	12,559	0.020	0.020 - 0.020	9,950	0.032	0.032 - 0.033	2,610	0.008	0.008 - 0.008
65+	2-yr	12,312	0.023	0.023 - 0.024	9,748	0.041	0.040 - 0.042	2,567	0.009	0.008 - 0.009
	5-yr	20,245	0.038	0.037 - 0.039	15,920	0.067	0.066 - 0.068	4,331	0.015	0.014 - 0.015
	10-yr	28,008	0.053	0.052 - 0.053	21,979	0.093	0.092 - 0.094	6,038	0.020	0.020 - 0.021
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	2,353	0.006	0.006 - 0.007	1,809	0.010	0.009 - 0.010	546	0.003	0.003 - 0.003
	5-yr	3,479	0.009	0.009 - 0.010	2,699	0.015	0.014 - 0.015	783	0.004	0.004 - 0.005
	10-yr	4,592	0.012	0.012 - 0.013	3,514	0.019	0.018 - 0.020	1,080	0.006	0.005 - 0.006
Current Age										
< 50	2-yr	109	0.000	0.000 - 0.001	89	0.001	0.001 - 0.001	20	0.000	0.000 - 0.000
	5-yr	152	0.001	0.001 - 0.001	128	0.001	0.001 - 0.001	25	0.000	0.000 - 0.000
	10-yr	181	0.001	0.001 - 0.001	146	0.001	0.001 - 0.002	36	0.000	0.000 - 0.000
50-64	2-yr	789	0.010	0.009 - 0.011	618	0.016	0.015 - 0.018	173	0.004	0.004 - 0.005
	5-yr	1,150	0.015	0.014 - 0.016	913	0.024	0.022 - 0.026	239	0.006	0.005 - 0.007
	10-yr	1,463	0.019	0.018 - 0.020	1,150	0.030	0.028 - 0.032	316	0.008	0.007 - 0.009
65+	2-yr	1,455	0.023	0.022 - 0.025	1,102	0.039	0.036 - 0.041	353	0.010	0.009 - 0.012
	5-yr	2,177	0.035	0.033 - 0.037	1,657	0.058	0.055 - 0.061	519	0.015	0.014 - 0.017
	10-yr	2,948	0.047	0.045 - 0.049	2,218	0.078	0.074 - 0.081	728	0.022	0.020 - 0.023
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	22,159	0.006	0.006 - 0.006	17,604	0.010	0.010 - 0.010	4,561	0.002	0.002 - 0.003
	5-yr	35,109	0.010	0.009 - 0.010	27,681	0.015	0.015 - 0.016	7,438	0.004	0.004 - 0.004
	10-yr	46,809	0.013	0.013 - 0.013	36,732	0.020	0.020 - 0.021	10,088	0.005	0.005 - 0.006
Current Age										
< 50	2-yr	1,021	0.000	0.000 - 0.000	839	0.001	0.001 - 0.001	183	0.000	0.000 - 0.000
	5-yr	1,521	0.001	0.001 - 0.001	1,215	0.001	0.001 - 0.001	307	0.000	0.000 - 0.000
	10-yr	1,832	0.001	0.001 - 0.001	1,436	0.001	0.001 - 0.001	396	0.000	0.000 - 0.000
50-64	2-yr	7,370	0.010	0.010 - 0.011	5,915	0.017	0.017 - 0.018	1,458	0.004	0.004 - 0.004
	5-yr	11,166	0.016	0.015 - 0.016	8,889	0.026	0.025 - 0.026	2,281	0.006	0.006 - 0.007
	10-yr	14,022	0.020	0.019 - 0.020	11,099	0.032	0.032 - 0.033	2,926	0.008	0.008 - 0.008
65+	2-yr	13,767	0.023	0.023 - 0.024	10,851	0.041	0.040 - 0.042	2,920	0.009	0.009 - 0.009
	5-yr	22,422	0.038	0.037 - 0.038	17,578	0.066	0.065 - 0.067	4,850	0.015	0.014 - 0.015
	10-yr	30,955	0.052	0.052 - 0.053	24,197	0.091	0.090 - 0.093	6,766	0.021	0.020 - 0.021

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Stomach**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	30,807	0.009	0.009 - 0.010	18,319	0.011	0.011 - 0.012	12,491	0.008	0.007 - 0.008
	5-yr	55,892	0.017	0.017 - 0.017	32,430	0.020	0.020 - 0.020	23,467	0.014	0.014 - 0.014
	10-yr	81,946	0.025	0.025 - 0.025	46,694	0.029	0.029 - 0.029	35,259	0.021	0.021 - 0.021
Race										
White	2-yr	22,619	0.009	0.009 - 0.009	13,855	0.011	0.011 - 0.011	8,766	0.007	0.007 - 0.007
	5-yr	40,797	0.016	0.016 - 0.016	24,328	0.019	0.019 - 0.020	16,473	0.013	0.013 - 0.013
	10-yr	59,501	0.023	0.023 - 0.024	34,857	0.028	0.027 - 0.028	24,649	0.019	0.019 - 0.019
Black	2-yr	4,888	0.011	0.010 - 0.011	2,600	0.012	0.011 - 0.012	2,289	0.009	0.009 - 0.010
	5-yr	8,961	0.019	0.019 - 0.020	4,614	0.021	0.020 - 0.021	4,349	0.018	0.017 - 0.019
	10-yr	13,191	0.028	0.028 - 0.029	6,655	0.030	0.029 - 0.031	6,540	0.027	0.026 - 0.028
Current Age										
< 50	2-yr	3,460	0.002	0.002 - 0.002	1,715	0.002	0.002 - 0.002	1,745	0.002	0.002 - 0.002
	5-yr	5,675	0.003	0.003 - 0.003	2,760	0.003	0.002 - 0.003	2,915	0.003	0.003 - 0.003
	10-yr	7,453	0.004	0.003 - 0.004	3,535	0.003	0.003 - 0.003	3,919	0.004	0.004 - 0.004
50-64	2-yr	9,266	0.015	0.014 - 0.015	5,571	0.018	0.018 - 0.019	3,695	0.011	0.011 - 0.012
	5-yr	16,668	0.026	0.026 - 0.027	9,688	0.032	0.031 - 0.032	6,981	0.022	0.021 - 0.022
	10-yr	23,316	0.037	0.037 - 0.038	13,333	0.044	0.043 - 0.044	9,984	0.031	0.030 - 0.032
65+	2-yr	18,081	0.034	0.034 - 0.035	11,033	0.047	0.046 - 0.048	7,051	0.024	0.023 - 0.025
	5-yr	33,549	0.063	0.062 - 0.064	19,982	0.085	0.083 - 0.086	13,571	0.046	0.045 - 0.047
	10-yr	51,177	0.096	0.095 - 0.097	29,827	0.126	0.125 - 0.128	21,356	0.072	0.071 - 0.073
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	4,021	0.011	0.010 - 0.011	2,577	0.014	0.013 - 0.015	1,443	0.008	0.007 - 0.008
	5-yr	7,144	0.019	0.019 - 0.020	4,514	0.024	0.024 - 0.025	2,626	0.014	0.013 - 0.015
	10-yr	10,410	0.028	0.027 - 0.029	6,493	0.035	0.034 - 0.036	3,909	0.021	0.020 - 0.022
Current Age										
< 50	2-yr	323	0.001	0.001 - 0.002	179	0.002	0.001 - 0.002	143	0.001	0.001 - 0.002
	5-yr	558	0.002	0.002 - 0.003	301	0.003	0.002 - 0.003	258	0.002	0.002 - 0.003
	10-yr	755	0.003	0.003 - 0.004	407	0.003	0.003 - 0.004	349	0.003	0.003 - 0.003
50-64	2-yr	1,169	0.015	0.014 - 0.016	757	0.020	0.018 - 0.021	413	0.011	0.009 - 0.012
	5-yr	2,019	0.026	0.025 - 0.027	1,293	0.034	0.032 - 0.036	728	0.019	0.017 - 0.020
	10-yr	2,792	0.036	0.035 - 0.038	1,748	0.046	0.043 - 0.048	1,046	0.027	0.025 - 0.029
65+	2-yr	2,530	0.041	0.039 - 0.042	1,640	0.057	0.054 - 0.061	887	0.026	0.024 - 0.028
	5-yr	4,567	0.073	0.071 - 0.076	2,921	0.102	0.098 - 0.107	1,640	0.048	0.046 - 0.051
	10-yr	6,863	0.110	0.107 - 0.113	4,338	0.152	0.147 - 0.158	2,514	0.074	0.071 - 0.078
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	34,828	0.010	0.009 - 0.010	20,896	0.012	0.011 - 0.012	13,935	0.008	0.007 - 0.008
	5-yr	63,036	0.017	0.017 - 0.017	36,944	0.020	0.020 - 0.021	26,093	0.014	0.014 - 0.014
	10-yr	92,356	0.025	0.025 - 0.025	53,187	0.029	0.029 - 0.030	39,167	0.021	0.021 - 0.021
Current Age										
< 50	2-yr	3,783	0.002	0.002 - 0.002	1,894	0.002	0.002 - 0.002	1,889	0.002	0.002 - 0.002
	5-yr	6,233	0.003	0.003 - 0.003	3,060	0.003	0.002 - 0.003	3,173	0.003	0.003 - 0.003
	10-yr	8,208	0.004	0.003 - 0.004	3,941	0.003	0.003 - 0.003	4,267	0.004	0.004 - 0.004
50-64	2-yr	10,435	0.015	0.014 - 0.015	6,329	0.018	0.018 - 0.019	4,108	0.011	0.011 - 0.012
	5-yr	18,687	0.026	0.026 - 0.027	10,981	0.032	0.031 - 0.033	7,709	0.021	0.021 - 0.022
	10-yr	26,108	0.037	0.037 - 0.037	15,081	0.044	0.043 - 0.045	11,030	0.031	0.030 - 0.031
65+	2-yr	20,611	0.035	0.034 - 0.035	12,673	0.048	0.047 - 0.049	7,938	0.024	0.024 - 0.025
	5-yr	38,116	0.064	0.063 - 0.065	22,903	0.086	0.085 - 0.087	15,211	0.046	0.045 - 0.047
	10-yr	58,040	0.098	0.097 - 0.098	34,165	0.129	0.127 - 0.130	23,870	0.073	0.072 - 0.074

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Colon and Rectum**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	228,488	0.070	0.069 - 0.070	121,097	0.075	0.074 - 0.075	107,402	0.065	0.064 - 0.065
	5-yr	484,626	0.148	0.147 - 0.148	253,990	0.157	0.156 - 0.158	230,659	0.139	0.138 - 0.139
	10-yr	787,439	0.240	0.239 - 0.241	407,598	0.252	0.251 - 0.253	379,879	0.228	0.227 - 0.229
Race										
White	2-yr	184,959	0.073	0.072 - 0.073	98,744	0.078	0.078 - 0.079	86,223	0.067	0.067 - 0.068
	5-yr	393,597	0.154	0.154 - 0.155	207,882	0.165	0.164 - 0.165	185,732	0.145	0.144 - 0.145
	10-yr	641,599	0.252	0.251 - 0.252	334,900	0.265	0.264 - 0.266	306,729	0.239	0.238 - 0.240
Black	2-yr	27,654	0.059	0.059 - 0.060	13,864	0.062	0.061 - 0.063	13,796	0.057	0.056 - 0.058
	5-yr	57,942	0.125	0.123 - 0.126	28,528	0.128	0.126 - 0.129	29,425	0.122	0.120 - 0.123
	10-yr	93,763	0.202	0.200 - 0.203	45,286	0.203	0.201 - 0.205	48,491	0.201	0.199 - 0.202
Current Age										
< 50	2-yr	27,924	0.013	0.013 - 0.013	14,507	0.014	0.013 - 0.014	13,417	0.013	0.013 - 0.013
	5-yr	52,582	0.025	0.025 - 0.025	26,637	0.025	0.025 - 0.025	25,944	0.025	0.025 - 0.025
	10-yr	70,185	0.033	0.033 - 0.033	35,257	0.033	0.033 - 0.033	34,928	0.033	0.033 - 0.034
50-64	2-yr	76,908	0.122	0.121 - 0.123	43,710	0.143	0.141 - 0.144	33,201	0.103	0.101 - 0.104
	5-yr	160,907	0.255	0.254 - 0.257	89,752	0.293	0.291 - 0.295	71,160	0.220	0.218 - 0.222
	10-yr	246,987	0.392	0.391 - 0.394	135,173	0.442	0.439 - 0.444	111,820	0.345	0.343 - 0.348
65+	2-yr	123,655	0.232	0.231 - 0.234	62,880	0.266	0.264 - 0.268	60,784	0.206	0.204 - 0.208
	5-yr	271,137	0.510	0.508 - 0.512	137,601	0.582	0.578 - 0.585	133,554	0.452	0.450 - 0.455
	10-yr	470,267	0.884	0.882 - 0.887	237,168	1.002	0.998 - 1.007	233,131	0.790	0.786 - 0.793
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	34,431	0.092	0.091 - 0.093	19,063	0.103	0.101 - 0.105	15,369	0.082	0.080 - 0.083
	5-yr	75,764	0.203	0.201 - 0.205	41,948	0.227	0.224 - 0.229	33,812	0.180	0.178 - 0.182
	10-yr	125,711	0.337	0.335 - 0.339	68,881	0.373	0.370 - 0.376	56,806	0.302	0.299 - 0.305
Current Age										
< 50	2-yr	3,033	0.013	0.013 - 0.014	1,513	0.013	0.012 - 0.014	1,520	0.013	0.013 - 0.014
	5-yr	5,798	0.025	0.024 - 0.026	2,847	0.024	0.023 - 0.025	2,952	0.026	0.025 - 0.027
	10-yr	7,893	0.034	0.033 - 0.035	3,899	0.033	0.032 - 0.035	3,995	0.035	0.034 - 0.037
50-64	2-yr	9,895	0.128	0.125 - 0.131	5,734	0.150	0.145 - 0.154	4,166	0.107	0.103 - 0.111
	5-yr	20,773	0.269	0.264 - 0.273	11,958	0.312	0.306 - 0.319	8,825	0.226	0.221 - 0.232
	10-yr	31,541	0.408	0.403 - 0.413	17,760	0.464	0.456 - 0.472	13,793	0.354	0.347 - 0.361
65+	2-yr	21,504	0.344	0.339 - 0.350	11,815	0.414	0.405 - 0.423	9,684	0.286	0.279 - 0.292
	5-yr	49,192	0.788	0.780 - 0.796	27,143	0.951	0.938 - 0.965	22,035	0.650	0.640 - 0.660
	10-yr	86,277	1.382	1.372 - 1.393	47,221	1.657	1.639 - 1.674	39,018	1.150	1.137 - 1.163
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	262,919	0.072	0.071 - 0.072	140,159	0.077	0.077 - 0.078	122,771	0.066	0.066 - 0.066
	5-yr	560,390	0.152	0.152 - 0.153	295,938	0.163	0.162 - 0.164	264,470	0.142	0.141 - 0.143
	10-yr	913,150	0.248	0.248 - 0.249	476,479	0.262	0.262 - 0.263	436,684	0.234	0.234 - 0.235
Current Age										
< 50	2-yr	30,957	0.013	0.013 - 0.013	16,020	0.013	0.013 - 0.014	14,937	0.013	0.013 - 0.013
	5-yr	58,381	0.025	0.025 - 0.025	29,484	0.025	0.025 - 0.025	28,896	0.025	0.025 - 0.025
	10-yr	78,078	0.033	0.033 - 0.034	39,156	0.033	0.033 - 0.033	38,923	0.034	0.033 - 0.034
50-64	2-yr	86,804	0.123	0.122 - 0.123	49,444	0.143	0.142 - 0.145	37,367	0.103	0.102 - 0.104
	5-yr	181,680	0.257	0.255 - 0.258	101,710	0.295	0.293 - 0.297	79,985	0.220	0.219 - 0.222
	10-yr	278,527	0.394	0.392 - 0.395	152,933	0.444	0.441 - 0.446	125,613	0.346	0.344 - 0.348
65+	2-yr	145,159	0.242	0.241 - 0.244	74,695	0.279	0.277 - 0.281	70,467	0.213	0.211 - 0.214
	5-yr	320,329	0.534	0.532 - 0.536	164,744	0.615	0.611 - 0.618	155,590	0.469	0.467 - 0.472
	10-yr	556,544	0.928	0.925 - 0.930	284,390	1.061	1.057 - 1.065	272,149	0.820	0.817 - 0.824

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Liver and Intrahepatic Bile Duct**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	36,230	0.011	0.011 - 0.011	25,599	0.016	0.016 - 0.016	10,638	0.006	0.006 - 0.007
	5-yr	60,118	0.018	0.018 - 0.018	42,473	0.026	0.026 - 0.027	17,656	0.011	0.010 - 0.011
	10-yr	77,423	0.024	0.023 - 0.024	54,412	0.034	0.033 - 0.034	23,025	0.014	0.014 - 0.014
Race										
White	2-yr	27,724	0.011	0.011 - 0.011	19,658	0.016	0.015 - 0.016	8,071	0.006	0.006 - 0.006
	5-yr	45,105	0.018	0.018 - 0.018	31,994	0.025	0.025 - 0.026	13,119	0.010	0.010 - 0.010
	10-yr	57,644	0.023	0.022 - 0.023	40,692	0.032	0.032 - 0.033	16,962	0.013	0.013 - 0.013
Black	2-yr	4,811	0.010	0.010 - 0.011	3,394	0.015	0.015 - 0.016	1,421	0.006	0.006 - 0.006
	5-yr	8,311	0.018	0.017 - 0.018	5,850	0.026	0.025 - 0.027	2,468	0.010	0.010 - 0.011
	10-yr	10,520	0.023	0.022 - 0.023	7,311	0.033	0.032 - 0.033	3,217	0.013	0.013 - 0.014
Current Age										
< 50	2-yr	2,053	0.001	0.001 - 0.001	1,253	0.001	0.001 - 0.001	800	0.001	0.001 - 0.001
	5-yr	3,674	0.002	0.002 - 0.002	2,173	0.002	0.002 - 0.002	1,501	0.001	0.001 - 0.002
	10-yr	5,206	0.002	0.002 - 0.003	3,038	0.003	0.003 - 0.003	2,168	0.002	0.002 - 0.002
50-64	2-yr	13,576	0.022	0.021 - 0.022	10,229	0.033	0.033 - 0.034	3,350	0.010	0.010 - 0.011
	5-yr	22,170	0.035	0.035 - 0.036	16,634	0.054	0.054 - 0.055	5,539	0.017	0.017 - 0.018
	10-yr	27,798	0.044	0.044 - 0.045	20,743	0.068	0.067 - 0.069	7,057	0.022	0.021 - 0.022
65+	2-yr	20,600	0.039	0.038 - 0.039	14,117	0.060	0.059 - 0.061	6,489	0.022	0.021 - 0.023
	5-yr	34,275	0.064	0.064 - 0.065	23,667	0.100	0.099 - 0.101	10,616	0.036	0.035 - 0.037
	10-yr	44,419	0.084	0.083 - 0.084	30,631	0.130	0.128 - 0.131	13,799	0.047	0.046 - 0.048
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	3,461	0.009	0.009 - 0.010	2,578	0.014	0.013 - 0.015	886	0.005	0.004 - 0.005
	5-yr	5,694	0.015	0.015 - 0.016	4,185	0.023	0.022 - 0.023	1,514	0.008	0.008 - 0.009
	10-yr	7,351	0.020	0.019 - 0.020	5,372	0.029	0.028 - 0.030	1,985	0.011	0.010 - 0.011
Current Age										
< 50	2-yr	192	0.001	0.001 - 0.001	126	0.001	0.001 - 0.001	66	0.001	0.000 - 0.001
	5-yr	354	0.002	0.001 - 0.002	225	0.002	0.002 - 0.002	130	0.001	0.001 - 0.001
	10-yr	497	0.002	0.002 - 0.002	311	0.003	0.002 - 0.003	187	0.002	0.001 - 0.002
50-64	2-yr	1,160	0.015	0.014 - 0.016	909	0.024	0.022 - 0.026	253	0.006	0.006 - 0.007
	5-yr	1,908	0.025	0.023 - 0.026	1,476	0.039	0.036 - 0.041	435	0.011	0.010 - 0.012
	10-yr	2,419	0.031	0.030 - 0.033	1,867	0.049	0.046 - 0.052	556	0.014	0.013 - 0.016
65+	2-yr	2,110	0.034	0.032 - 0.035	1,543	0.054	0.051 - 0.057	568	0.017	0.015 - 0.018
	5-yr	3,431	0.055	0.053 - 0.057	2,485	0.087	0.083 - 0.091	948	0.028	0.026 - 0.030
	10-yr	4,435	0.071	0.069 - 0.073	3,194	0.112	0.107 - 0.116	1,242	0.037	0.034 - 0.039
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	39,691	0.011	0.011 - 0.011	28,177	0.016	0.015 - 0.016	11,524	0.006	0.006 - 0.006
	5-yr	65,812	0.018	0.018 - 0.018	46,658	0.026	0.026 - 0.026	19,170	0.010	0.010 - 0.011
	10-yr	84,774	0.023	0.023 - 0.023	59,784	0.033	0.033 - 0.034	25,010	0.014	0.013 - 0.014
Current Age										
< 50	2-yr	2,245	0.001	0.001 - 0.001	1,379	0.001	0.001 - 0.001	865	0.001	0.001 - 0.001
	5-yr	4,029	0.002	0.002 - 0.002	2,397	0.002	0.002 - 0.002	1,631	0.001	0.001 - 0.001
	10-yr	5,703	0.002	0.002 - 0.003	3,348	0.003	0.003 - 0.003	2,355	0.002	0.002 - 0.002
50-64	2-yr	14,736	0.021	0.021 - 0.021	11,137	0.033	0.032 - 0.033	3,603	0.010	0.010 - 0.010
	5-yr	24,078	0.034	0.034 - 0.035	18,109	0.053	0.052 - 0.054	5,974	0.017	0.016 - 0.017
	10-yr	30,217	0.043	0.043 - 0.044	22,610	0.066	0.065 - 0.067	7,613	0.021	0.021 - 0.022
65+	2-yr	22,710	0.038	0.038 - 0.039	15,661	0.059	0.058 - 0.060	7,056	0.022	0.021 - 0.022
	5-yr	37,706	0.064	0.063 - 0.064	26,152	0.099	0.098 - 0.100	11,565	0.035	0.035 - 0.036
	10-yr	48,854	0.082	0.082 - 0.083	33,825	0.128	0.126 - 0.129	15,041	0.046	0.045 - 0.047

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Pancreas**

U.S. Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	44,002	0.013	0.013 - 0.014	22,899	0.014	0.014 - 0.014	21,104	0.013	0.012 - 0.013
		5-yr	63,842	0.019	0.019 - 0.020	32,950	0.020	0.020 - 0.021	30,896	0.019	0.018 - 0.019
		10-yr	78,326	0.024	0.024 - 0.024	40,206	0.025	0.025 - 0.025	38,123	0.023	0.023 - 0.023
Race											
White		2-yr	36,044	0.014	0.014 - 0.014	19,266	0.015	0.015 - 0.015	16,780	0.013	0.013 - 0.013
		5-yr	52,332	0.021	0.020 - 0.021	27,757	0.022	0.022 - 0.022	24,578	0.019	0.019 - 0.019
		10-yr	64,115	0.025	0.025 - 0.025	33,842	0.027	0.026 - 0.027	30,276	0.024	0.023 - 0.024
Black		2-yr	5,505	0.012	0.012 - 0.012	2,440	0.011	0.010 - 0.011	3,065	0.013	0.012 - 0.013
		5-yr	7,840	0.017	0.016 - 0.017	3,394	0.015	0.015 - 0.016	4,447	0.018	0.018 - 0.019
		10-yr	9,613	0.021	0.020 - 0.021	4,117	0.018	0.018 - 0.019	5,496	0.023	0.022 - 0.023
Current Age											
< 50		2-yr	3,213	0.002	0.001 - 0.002	1,547	0.001	0.001 - 0.002	1,666	0.002	0.002 - 0.002
		5-yr	5,385	0.003	0.002 - 0.003	2,431	0.002	0.002 - 0.002	2,954	0.003	0.003 - 0.003
		10-yr	6,850	0.003	0.003 - 0.003	3,007	0.003	0.003 - 0.003	3,843	0.004	0.004 - 0.004
50-64		2-yr	13,608	0.022	0.021 - 0.022	7,408	0.024	0.024 - 0.025	6,200	0.019	0.019 - 0.020
		5-yr	19,829	0.031	0.031 - 0.032	10,577	0.035	0.034 - 0.035	9,252	0.029	0.028 - 0.029
		10-yr	24,080	0.038	0.038 - 0.039	12,763	0.042	0.041 - 0.042	11,317	0.035	0.034 - 0.036
65+		2-yr	27,180	0.051	0.050 - 0.052	13,944	0.059	0.058 - 0.060	13,238	0.045	0.044 - 0.046
		5-yr	38,628	0.073	0.072 - 0.073	19,941	0.084	0.083 - 0.085	18,689	0.063	0.062 - 0.064
		10-yr	47,396	0.089	0.088 - 0.090	24,436	0.103	0.102 - 0.105	22,963	0.078	0.077 - 0.079
Canadian Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	3,967	0.011	0.010 - 0.011	2,081	0.011	0.011 - 0.012	1,887	0.010	0.010 - 0.011
		5-yr	5,788	0.016	0.015 - 0.016	3,049	0.016	0.016 - 0.017	2,740	0.015	0.014 - 0.015
		10-yr	7,224	0.019	0.019 - 0.020	3,750	0.020	0.019 - 0.021	3,474	0.019	0.018 - 0.019
Current Age											
< 50		2-yr	254	0.001	0.001 - 0.001	124	0.001	0.001 - 0.001	130	0.001	0.001 - 0.001
		5-yr	448	0.002	0.002 - 0.002	208	0.002	0.002 - 0.002	240	0.002	0.002 - 0.002
		10-yr	599	0.003	0.002 - 0.003	269	0.002	0.002 - 0.003	329	0.003	0.003 - 0.003
50-64		2-yr	1,227	0.016	0.015 - 0.017	684	0.018	0.016 - 0.019	544	0.014	0.013 - 0.015
		5-yr	1,811	0.023	0.022 - 0.025	994	0.026	0.024 - 0.028	817	0.021	0.019 - 0.023
		10-yr	2,252	0.029	0.028 - 0.031	1,221	0.032	0.030 - 0.034	1,031	0.026	0.025 - 0.028
65+		2-yr	2,486	0.040	0.038 - 0.042	1,273	0.045	0.042 - 0.047	1,213	0.036	0.034 - 0.038
		5-yr	3,529	0.057	0.054 - 0.059	1,846	0.065	0.061 - 0.068	1,683	0.050	0.047 - 0.053
		10-yr	4,374	0.070	0.068 - 0.073	2,260	0.079	0.075 - 0.083	2,114	0.062	0.059 - 0.066
North America Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	47,969	0.013	0.013 - 0.013	24,980	0.014	0.014 - 0.014	22,991	0.012	0.012 - 0.013
		5-yr	69,630	0.019	0.019 - 0.019	35,998	0.020	0.020 - 0.020	33,636	0.018	0.018 - 0.018
		10-yr	85,550	0.023	0.023 - 0.024	43,956	0.024	0.024 - 0.025	41,597	0.023	0.022 - 0.023
Current Age											
< 50		2-yr	3,467	0.001	0.001 - 0.002	1,671	0.001	0.001 - 0.001	1,796	0.002	0.001 - 0.002
		5-yr	5,833	0.002	0.002 - 0.003	2,640	0.002	0.002 - 0.002	3,194	0.003	0.003 - 0.003
		10-yr	7,448	0.003	0.003 - 0.003	3,276	0.003	0.003 - 0.003	4,172	0.004	0.004 - 0.004
50-64		2-yr	14,836	0.021	0.021 - 0.021	8,092	0.024	0.023 - 0.024	6,745	0.019	0.018 - 0.019
		5-yr	21,640	0.031	0.030 - 0.031	11,571	0.034	0.033 - 0.034	10,069	0.028	0.027 - 0.028
		10-yr	26,331	0.037	0.037 - 0.038	13,984	0.041	0.040 - 0.042	12,348	0.034	0.034 - 0.035
65+		2-yr	29,666	0.050	0.050 - 0.051	15,217	0.058	0.057 - 0.059	14,451	0.044	0.043 - 0.045
		5-yr	42,157	0.071	0.070 - 0.072	21,787	0.082	0.081 - 0.084	20,372	0.062	0.061 - 0.063
		10-yr	51,770	0.087	0.087 - 0.088	26,696	0.101	0.100 - 0.102	25,077	0.076	0.075 - 0.077

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Larynx**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	20,315	0.006	0.006 - 0.006	16,111	0.010	0.010 - 0.010	4,210	0.003	0.002 - 0.003
	5-yr	42,591	0.013	0.013 - 0.013	33,854	0.021	0.021 - 0.021	8,750	0.005	0.005 - 0.005
	10-yr	68,352	0.021	0.021 - 0.021	54,333	0.034	0.033 - 0.034	14,039	0.008	0.008 - 0.009
Race										
White	2-yr	16,780	0.007	0.006 - 0.007	13,255	0.010	0.010 - 0.011	3,528	0.003	0.003 - 0.003
	5-yr	35,427	0.014	0.014 - 0.014	28,091	0.022	0.022 - 0.022	7,343	0.006	0.006 - 0.006
	10-yr	57,301	0.022	0.022 - 0.023	45,489	0.036	0.036 - 0.036	11,823	0.009	0.009 - 0.009
Black	2-yr	2,778	0.006	0.006 - 0.006	2,215	0.010	0.009 - 0.010	566	0.002	0.002 - 0.003
	5-yr	5,686	0.012	0.012 - 0.013	4,509	0.020	0.020 - 0.021	1,184	0.005	0.005 - 0.005
	10-yr	8,780	0.019	0.018 - 0.019	6,920	0.031	0.030 - 0.032	1,870	0.008	0.007 - 0.008
Current Age										
< 50	2-yr	1,068	0.001	0.000 - 0.001	756	0.001	0.001 - 0.001	312	0.000	0.000 - 0.000
	5-yr	1,971	0.001	0.001 - 0.001	1,388	0.001	0.001 - 0.001	583	0.001	0.001 - 0.001
	10-yr	2,714	0.001	0.001 - 0.001	1,871	0.002	0.002 - 0.002	843	0.001	0.001 - 0.001
50-64	2-yr	8,214	0.013	0.013 - 0.013	6,291	0.021	0.020 - 0.021	1,924	0.006	0.006 - 0.006
	5-yr	16,303	0.026	0.025 - 0.026	12,445	0.041	0.040 - 0.041	3,861	0.012	0.012 - 0.012
	10-yr	24,159	0.038	0.038 - 0.039	18,406	0.060	0.059 - 0.061	5,757	0.018	0.017 - 0.018
65+	2-yr	11,034	0.021	0.020 - 0.021	9,064	0.038	0.037 - 0.039	1,974	0.007	0.006 - 0.007
	5-yr	24,318	0.046	0.045 - 0.046	20,021	0.085	0.083 - 0.086	4,306	0.015	0.014 - 0.015
	10-yr	41,479	0.078	0.077 - 0.079	34,056	0.144	0.142 - 0.145	7,438	0.025	0.025 - 0.026
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	1,641	0.004	0.004 - 0.005	1,427	0.008	0.007 - 0.008	213	0.001	0.001 - 0.001
	5-yr	3,429	0.009	0.009 - 0.010	2,967	0.016	0.015 - 0.017	460	0.002	0.002 - 0.003
	10-yr	5,634	0.015	0.015 - 0.016	4,817	0.026	0.025 - 0.027	814	0.004	0.004 - 0.005
Current Age										
< 50	2-yr	68	0.000	0.000 - 0.000	56	0.000	0.000 - 0.001	12	0.000	0.000 - 0.000
	5-yr	107	0.000	0.000 - 0.001	83	0.001	0.001 - 0.001	25	0.000	0.000 - 0.000
	10-yr	155	0.001	0.001 - 0.001	109	0.001	0.001 - 0.001	46	0.000	0.000 - 0.001
50-64	2-yr	549	0.007	0.006 - 0.008	477	0.012	0.011 - 0.014	73	0.002	0.001 - 0.002
	5-yr	1,074	0.014	0.013 - 0.015	921	0.024	0.022 - 0.026	154	0.004	0.003 - 0.005
	10-yr	1,640	0.021	0.020 - 0.023	1,400	0.037	0.034 - 0.039	243	0.006	0.005 - 0.007
65+	2-yr	1,025	0.016	0.015 - 0.018	895	0.031	0.029 - 0.034	129	0.004	0.003 - 0.005
	5-yr	2,248	0.036	0.034 - 0.038	1,963	0.069	0.065 - 0.072	281	0.008	0.007 - 0.010
	10-yr	3,840	0.062	0.059 - 0.064	3,307	0.116	0.111 - 0.120	525	0.016	0.014 - 0.017
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	21,956	0.006	0.006 - 0.006	17,538	0.010	0.010 - 0.010	4,424	0.002	0.002 - 0.002
	5-yr	46,021	0.013	0.013 - 0.013	36,821	0.021	0.020 - 0.021	9,210	0.005	0.005 - 0.005
	10-yr	73,986	0.020	0.020 - 0.020	59,150	0.033	0.033 - 0.033	14,853	0.008	0.008 - 0.008
Current Age										
< 50	2-yr	1,135	0.000	0.000 - 0.001	812	0.001	0.001 - 0.001	324	0.000	0.000 - 0.000
	5-yr	2,078	0.001	0.001 - 0.001	1,471	0.001	0.001 - 0.001	608	0.001	0.000 - 0.001
	10-yr	2,869	0.001	0.001 - 0.001	1,980	0.002	0.002 - 0.002	889	0.001	0.001 - 0.001
50-64	2-yr	8,762	0.013	0.012 - 0.013	6,768	0.020	0.019 - 0.020	1,997	0.006	0.005 - 0.006
	5-yr	17,376	0.025	0.024 - 0.025	13,366	0.039	0.038 - 0.040	4,015	0.011	0.011 - 0.012
	10-yr	25,799	0.037	0.036 - 0.037	19,806	0.058	0.057 - 0.059	6,000	0.017	0.016 - 0.017
65+	2-yr	12,058	0.020	0.020 - 0.021	9,958	0.038	0.037 - 0.038	2,103	0.006	0.006 - 0.007
	5-yr	26,567	0.045	0.044 - 0.045	21,985	0.083	0.082 - 0.084	4,587	0.014	0.014 - 0.014
	10-yr	45,319	0.077	0.076 - 0.077	37,363	0.141	0.140 - 0.143	7,963	0.024	0.024 - 0.025

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Lung and Bronchus**

U.S. Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	246,455	0.075	0.075 - 0.075	117,658	0.073	0.072 - 0.073	128,803	0.077	0.077 - 0.078
		5-yr	414,824	0.126	0.126 - 0.127	192,386	0.119	0.118 - 0.119	222,443	0.134	0.133 - 0.134
		10-yr	541,368	0.165	0.164 - 0.165	245,513	0.152	0.151 - 0.152	295,857	0.178	0.177 - 0.178
Race											
White		2-yr	208,420	0.082	0.081 - 0.082	98,860	0.078	0.078 - 0.079	109,560	0.085	0.085 - 0.086
		5-yr	351,655	0.138	0.137 - 0.138	161,912	0.128	0.127 - 0.129	189,741	0.148	0.147 - 0.148
		10-yr	460,081	0.181	0.180 - 0.181	207,069	0.164	0.163 - 0.165	253,006	0.197	0.196 - 0.198
Black		2-yr	26,194	0.056	0.056 - 0.057	13,019	0.058	0.057 - 0.059	13,181	0.055	0.054 - 0.055
		5-yr	43,149	0.093	0.092 - 0.094	20,828	0.093	0.092 - 0.095	22,328	0.092	0.091 - 0.094
		10-yr	55,407	0.119	0.118 - 0.120	26,124	0.117	0.115 - 0.118	29,291	0.121	0.120 - 0.123
Current Age											
< 50		2-yr	6,952	0.003	0.003 - 0.003	2,982	0.003	0.003 - 0.003	3,970	0.004	0.004 - 0.004
		5-yr	11,285	0.005	0.005 - 0.005	4,765	0.004	0.004 - 0.005	6,521	0.006	0.006 - 0.006
		10-yr	14,593	0.007	0.007 - 0.007	6,124	0.006	0.006 - 0.006	8,469	0.008	0.008 - 0.008
50-64		2-yr	66,378	0.105	0.105 - 0.106	31,258	0.102	0.101 - 0.103	35,122	0.108	0.107 - 0.110
		5-yr	106,954	0.170	0.169 - 0.171	48,385	0.158	0.157 - 0.160	58,570	0.181	0.179 - 0.182
		10-yr	132,909	0.211	0.210 - 0.212	58,724	0.192	0.190 - 0.193	74,184	0.229	0.227 - 0.231
65+		2-yr	173,125	0.325	0.324 - 0.327	83,418	0.352	0.350 - 0.355	89,711	0.304	0.302 - 0.306
		5-yr	296,585	0.557	0.555 - 0.560	139,237	0.588	0.585 - 0.591	157,352	0.533	0.530 - 0.535
		10-yr	393,867	0.740	0.738 - 0.743	180,665	0.763	0.760 - 0.767	213,203	0.722	0.719 - 0.725
Canadian Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	27,052	0.073	0.072 - 0.074	11,964	0.065	0.063 - 0.066	15,071	0.080	0.079 - 0.082
		5-yr	45,279	0.121	0.120 - 0.123	19,595	0.106	0.104 - 0.108	25,656	0.137	0.135 - 0.139
		10-yr	59,078	0.159	0.157 - 0.160	25,322	0.137	0.135 - 0.139	33,720	0.180	0.177 - 0.182
Current Age											
< 50		2-yr	585	0.003	0.002 - 0.003	239	0.002	0.002 - 0.002	345	0.003	0.003 - 0.003
		5-yr	992	0.004	0.004 - 0.005	405	0.003	0.003 - 0.004	586	0.005	0.005 - 0.006
		10-yr	1,303	0.006	0.005 - 0.006	542	0.005	0.004 - 0.005	760	0.007	0.006 - 0.007
50-64		2-yr	6,465	0.084	0.082 - 0.086	2,715	0.071	0.068 - 0.074	3,747	0.096	0.093 - 0.100
		5-yr	10,478	0.136	0.133 - 0.139	4,325	0.113	0.109 - 0.117	6,149	0.158	0.154 - 0.163
		10-yr	13,039	0.169	0.166 - 0.173	5,300	0.139	0.134 - 0.143	7,733	0.199	0.194 - 0.204
65+		2-yr	20,002	0.321	0.316 - 0.326	9,011	0.316	0.308 - 0.323	10,979	0.325	0.318 - 0.332
		5-yr	33,809	0.542	0.535 - 0.549	14,866	0.521	0.511 - 0.531	18,921	0.560	0.551 - 0.569
		10-yr	44,736	0.717	0.709 - 0.725	19,480	0.683	0.672 - 0.694	25,228	0.746	0.735 - 0.757
North America Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	273,507	0.075	0.075 - 0.075	129,622	0.072	0.072 - 0.072	143,874	0.078	0.077 - 0.078
		5-yr	460,104	0.126	0.126 - 0.126	211,981	0.118	0.117 - 0.118	248,099	0.134	0.133 - 0.134
		10-yr	600,446	0.164	0.164 - 0.165	270,835	0.151	0.150 - 0.151	329,577	0.178	0.177 - 0.178
Current Age											
< 50		2-yr	7,536	0.003	0.003 - 0.003	3,221	0.003	0.003 - 0.003	4,316	0.004	0.004 - 0.004
		5-yr	12,276	0.005	0.005 - 0.005	5,169	0.004	0.004 - 0.004	7,107	0.006	0.006 - 0.006
		10-yr	15,895	0.007	0.007 - 0.007	6,666	0.006	0.005 - 0.006	9,229	0.008	0.008 - 0.008
50-64		2-yr	72,843	0.103	0.103 - 0.104	33,973	0.099	0.098 - 0.100	38,869	0.107	0.106 - 0.109
		5-yr	117,433	0.167	0.166 - 0.168	52,710	0.154	0.153 - 0.155	64,718	0.179	0.177 - 0.180
		10-yr	145,948	0.207	0.206 - 0.208	64,024	0.187	0.186 - 0.189	81,917	0.226	0.225 - 0.228
65+		2-yr	193,127	0.325	0.323 - 0.326	92,429	0.349	0.347 - 0.352	100,689	0.306	0.304 - 0.307
		5-yr	330,395	0.556	0.554 - 0.558	154,103	0.582	0.579 - 0.585	176,274	0.535	0.532 - 0.538
		10-yr	438,603	0.738	0.736 - 0.741	200,145	0.756	0.753 - 0.760	238,431	0.724	0.721 - 0.727

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Melanoma of the Skin**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	160,305	0.049	0.049 - 0.049	93,475	0.058	0.057 - 0.058	66,842	0.040	0.040 - 0.040
	5-yr	359,603	0.109	0.109 - 0.110	206,198	0.127	0.127 - 0.128	153,434	0.092	0.092 - 0.092
	10-yr	592,622	0.180	0.180 - 0.181	330,954	0.204	0.204 - 0.205	261,709	0.157	0.156 - 0.158
Race										
White	2-yr	150,718	0.059	0.059 - 0.059	88,344	0.070	0.069 - 0.070	62,387	0.049	0.048 - 0.049
	5-yr	338,772	0.133	0.133 - 0.133	195,235	0.155	0.154 - 0.155	143,563	0.112	0.111 - 0.112
	10-yr	559,853	0.220	0.219 - 0.220	314,132	0.249	0.248 - 0.250	245,760	0.191	0.191 - 0.192
Black	2-yr	631	0.001	0.001 - 0.001	279	0.001	0.001 - 0.001	352	0.001	0.001 - 0.002
	5-yr	1,388	0.003	0.003 - 0.003	630	0.003	0.003 - 0.003	758	0.003	0.003 - 0.003
	10-yr	2,269	0.005	0.005 - 0.005	974	0.004	0.004 - 0.005	1,294	0.005	0.005 - 0.006
Current Age										
< 50	2-yr	26,545	0.013	0.012 - 0.013	10,277	0.010	0.009 - 0.010	16,269	0.016	0.015 - 0.016
	5-yr	59,654	0.028	0.028 - 0.028	22,705	0.021	0.021 - 0.021	36,954	0.035	0.035 - 0.036
	10-yr	97,898	0.046	0.046 - 0.047	36,244	0.034	0.033 - 0.034	61,663	0.059	0.058 - 0.059
50-64	2-yr	46,510	0.074	0.073 - 0.074	25,725	0.084	0.083 - 0.085	20,786	0.064	0.063 - 0.065
	5-yr	104,432	0.165	0.164 - 0.166	56,117	0.183	0.181 - 0.185	48,318	0.149	0.147 - 0.150
	10-yr	173,353	0.275	0.273 - 0.276	89,858	0.293	0.291 - 0.295	83,499	0.257	0.255 - 0.259
65+	2-yr	87,251	0.164	0.163 - 0.165	57,473	0.243	0.240 - 0.245	29,787	0.101	0.099 - 0.102
	5-yr	195,518	0.367	0.365 - 0.369	127,376	0.537	0.534 - 0.541	68,162	0.230	0.229 - 0.232
	10-yr	321,371	0.603	0.601 - 0.605	204,852	0.864	0.861 - 0.868	116,547	0.394	0.392 - 0.396
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	16,919	0.045	0.045 - 0.046	9,159	0.050	0.048 - 0.051	7,747	0.041	0.040 - 0.042
	5-yr	36,724	0.099	0.097 - 0.100	19,683	0.106	0.105 - 0.108	17,010	0.091	0.089 - 0.092
	10-yr	60,103	0.161	0.160 - 0.163	31,177	0.169	0.167 - 0.171	28,870	0.154	0.152 - 0.156
Current Age										
< 50	2-yr	2,624	0.011	0.011 - 0.012	1,038	0.009	0.008 - 0.010	1,585	0.014	0.013 - 0.015
	5-yr	5,577	0.024	0.024 - 0.025	2,134	0.018	0.017 - 0.019	3,440	0.031	0.029 - 0.032
	10-yr	9,092	0.040	0.039 - 0.041	3,362	0.029	0.028 - 0.030	5,723	0.051	0.049 - 0.052
50-64	2-yr	5,066	0.066	0.063 - 0.068	2,639	0.069	0.066 - 0.072	2,428	0.062	0.059 - 0.065
	5-yr	10,953	0.142	0.139 - 0.145	5,549	0.145	0.140 - 0.149	5,405	0.139	0.134 - 0.143
	10-yr	18,123	0.234	0.230 - 0.238	8,837	0.231	0.225 - 0.236	9,285	0.238	0.232 - 0.244
65+	2-yr	9,230	0.148	0.144 - 0.151	5,482	0.192	0.186 - 0.198	3,735	0.110	0.106 - 0.114
	5-yr	20,194	0.323	0.318 - 0.329	11,999	0.421	0.412 - 0.430	8,165	0.241	0.235 - 0.247
	10-yr	32,888	0.527	0.520 - 0.533	18,977	0.666	0.655 - 0.677	13,862	0.409	0.401 - 0.417
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	177,224	0.048	0.048 - 0.049	102,634	0.057	0.057 - 0.057	74,590	0.040	0.040 - 0.040
	5-yr	396,327	0.108	0.108 - 0.109	225,880	0.126	0.125 - 0.126	170,443	0.092	0.091 - 0.092
	10-yr	652,726	0.179	0.178 - 0.179	362,131	0.201	0.201 - 0.202	290,579	0.157	0.156 - 0.157
Current Age										
< 50	2-yr	29,168	0.012	0.012 - 0.013	11,315	0.010	0.009 - 0.010	17,854	0.015	0.015 - 0.016
	5-yr	65,230	0.028	0.028 - 0.028	24,839	0.021	0.021 - 0.021	40,394	0.035	0.035 - 0.035
	10-yr	106,990	0.046	0.045 - 0.046	39,607	0.033	0.033 - 0.034	67,386	0.058	0.058 - 0.059
50-64	2-yr	51,575	0.073	0.072 - 0.074	28,364	0.083	0.081 - 0.084	23,213	0.064	0.063 - 0.065
	5-yr	115,385	0.163	0.162 - 0.164	61,666	0.179	0.178 - 0.181	53,722	0.148	0.147 - 0.149
	10-yr	191,476	0.271	0.270 - 0.272	98,695	0.287	0.285 - 0.289	92,784	0.256	0.254 - 0.257
65+	2-yr	96,481	0.162	0.161 - 0.163	62,955	0.238	0.236 - 0.240	33,522	0.102	0.100 - 0.103
	5-yr	215,712	0.363	0.362 - 0.365	139,375	0.527	0.524 - 0.530	76,327	0.231	0.230 - 0.233
	10-yr	354,259	0.597	0.594 - 0.599	223,829	0.847	0.843 - 0.850	130,409	0.395	0.393 - 0.398

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Breast**

U.S. Combined		LD Prev		MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	
Total		2-yr	N/A	N/A		N/A	N/A		479,050	0.288	0.287 - 0.288	
		5-yr	N/A	N/A		N/A	N/A		1,097,136	0.659	0.657 - 0.660	
		10-yr	N/A	N/A		N/A	N/A		1,892,866	1.136	1.135 - 1.138	
Race												
White		2-yr	N/A	N/A		N/A	N/A		392,399	0.305	0.304 - 0.306	
		5-yr	N/A	N/A		N/A	N/A		904,617	0.704	0.702 - 0.705	
		10-yr	N/A	N/A		N/A	N/A		1,573,149	1.224	1.222 - 1.226	
Black		2-yr	N/A	N/A		N/A	N/A		55,189	0.228	0.226 - 0.230	
		5-yr	N/A	N/A		N/A	N/A		123,709	0.512	0.509 - 0.515	
		10-yr	N/A	N/A		N/A	N/A		206,807	0.855	0.852 - 0.859	
Current Age												
< 50		2-yr	N/A	N/A		N/A	N/A		77,723	0.074	0.074 - 0.075	
		5-yr	N/A	N/A		N/A	N/A		157,295	0.151	0.150 - 0.151	
		10-yr	N/A	N/A		N/A	N/A		222,809	0.213	0.212 - 0.214	
50-64		2-yr	N/A	N/A		N/A	N/A		167,415	0.517	0.514 - 0.519	
		5-yr	N/A	N/A		N/A	N/A		382,316	1.180	1.176 - 1.184	
		10-yr	N/A	N/A		N/A	N/A		653,673	2.018	2.013 - 2.023	
65+		2-yr	N/A	N/A		N/A	N/A		233,912	0.792	0.788 - 0.795	
		5-yr	N/A	N/A		N/A	N/A		557,525	1.887	1.882 - 1.892	
		10-yr	N/A	N/A		N/A	N/A		1,016,383	3.441	3.434 - 3.448	
Canadian Combined		LD Prev		MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	
Total		2-yr	N/A	N/A		N/A	N/A		52,680	0.280	0.278 - 0.283	
		5-yr	N/A	N/A		N/A	N/A		119,704	0.637	0.633 - 0.641	
		10-yr	N/A	N/A		N/A	N/A		205,633	1.094	1.088 - 1.099	
Current Age												
< 50		2-yr	N/A	N/A		N/A	N/A		8,159	0.072	0.070 - 0.074	
		5-yr	N/A	N/A		N/A	N/A		16,265	0.144	0.141 - 0.146	
		10-yr	N/A	N/A		N/A	N/A		22,667	0.200	0.197 - 0.203	
50-64		2-yr	N/A	N/A		N/A	N/A		18,790	0.481	0.473 - 0.489	
		5-yr	N/A	N/A		N/A	N/A		42,543	1.089	1.077 - 1.101	
		10-yr	N/A	N/A		N/A	N/A		72,667	1.862	1.846 - 1.877	
65+		2-yr	N/A	N/A		N/A	N/A		25,731	0.761	0.750 - 0.772	
		5-yr	N/A	N/A		N/A	N/A		60,896	1.801	1.785 - 1.818	
		10-yr	N/A	N/A		N/A	N/A		110,299	3.261	3.239 - 3.283	
North America Combined		LD Prev		MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	
Total		2-yr	N/A	N/A		N/A	N/A		531,730	0.287	0.286 - 0.288	
		5-yr	N/A	N/A		N/A	N/A		1,216,840	0.657	0.656 - 0.658	
		10-yr	N/A	N/A		N/A	N/A		2,098,499	1.133	1.131 - 1.134	
Current Age												
< 50		2-yr	N/A	N/A		N/A	N/A		85,882	0.074	0.074 - 0.075	
		5-yr	N/A	N/A		N/A	N/A		173,561	0.150	0.149 - 0.151	
		10-yr	N/A	N/A		N/A	N/A		245,476	0.212	0.211 - 0.213	
50-64		2-yr	N/A	N/A		N/A	N/A		186,205	0.514	0.511 - 0.516	
		5-yr	N/A	N/A		N/A	N/A		424,859	1.172	1.169 - 1.176	
		10-yr	N/A	N/A		N/A	N/A		726,340	2.004	1.999 - 2.009	
65+		2-yr	N/A	N/A		N/A	N/A		259,644	0.789	0.786 - 0.792	
		5-yr	N/A	N/A		N/A	N/A		618,421	1.880	1.875 - 1.885	
		10-yr	N/A	N/A		N/A	N/A		1,126,682	3.425	3.419 - 3.432	

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Cervix Uteri**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		22,589	0.014	0.013 - 0.014
	5-yr	N/A	N/A		N/A	N/A		49,517	0.030	0.029 - 0.030
	10-yr	N/A	N/A		N/A	N/A		86,649	0.052	0.052 - 0.052
Race										
White	2-yr	N/A	N/A		N/A	N/A		17,319	0.013	0.013 - 0.014
	5-yr	N/A	N/A		N/A	N/A		38,312	0.030	0.030 - 0.030
	10-yr	N/A	N/A		N/A	N/A		67,451	0.053	0.052 - 0.053
Black	2-yr	N/A	N/A		N/A	N/A		3,230	0.013	0.013 - 0.014
	5-yr	N/A	N/A		N/A	N/A		6,851	0.028	0.028 - 0.029
	10-yr	N/A	N/A		N/A	N/A		11,904	0.049	0.048 - 0.050
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		11,452	0.011	0.011 - 0.011
	5-yr	N/A	N/A		N/A	N/A		24,567	0.024	0.023 - 0.024
	10-yr	N/A	N/A		N/A	N/A		39,696	0.038	0.038 - 0.038
50-64	2-yr	N/A	N/A		N/A	N/A		6,895	0.021	0.021 - 0.022
	5-yr	N/A	N/A		N/A	N/A		15,760	0.049	0.048 - 0.049
	10-yr	N/A	N/A		N/A	N/A		29,650	0.092	0.090 - 0.093
65+	2-yr	N/A	N/A		N/A	N/A		4,242	0.014	0.014 - 0.015
	5-yr	N/A	N/A		N/A	N/A		9,191	0.031	0.030 - 0.032
	10-yr	N/A	N/A		N/A	N/A		17,303	0.059	0.058 - 0.060
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		2,761	0.015	0.014 - 0.016
	5-yr	N/A	N/A		N/A	N/A		5,964	0.032	0.031 - 0.033
	10-yr	N/A	N/A		N/A	N/A		10,798	0.058	0.057 - 0.059
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		1,557	0.014	0.013 - 0.015
	5-yr	N/A	N/A		N/A	N/A		3,268	0.029	0.028 - 0.030
	10-yr	N/A	N/A		N/A	N/A		5,411	0.048	0.047 - 0.049
50-64	2-yr	N/A	N/A		N/A	N/A		725	0.019	0.017 - 0.020
	5-yr	N/A	N/A		N/A	N/A		1,712	0.044	0.041 - 0.046
	10-yr	N/A	N/A		N/A	N/A		3,485	0.089	0.086 - 0.092
65+	2-yr	N/A	N/A		N/A	N/A		480	0.014	0.013 - 0.016
	5-yr	N/A	N/A		N/A	N/A		984	0.029	0.027 - 0.031
	10-yr	N/A	N/A		N/A	N/A		1,903	0.056	0.053 - 0.059
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		25,350	0.014	0.014 - 0.014
	5-yr	N/A	N/A		N/A	N/A		55,481	0.030	0.030 - 0.030
	10-yr	N/A	N/A		N/A	N/A		97,448	0.053	0.052 - 0.053
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		13,008	0.011	0.011 - 0.011
	5-yr	N/A	N/A		N/A	N/A		27,835	0.024	0.024 - 0.024
	10-yr	N/A	N/A		N/A	N/A		45,107	0.039	0.038 - 0.039
50-64	2-yr	N/A	N/A		N/A	N/A		7,620	0.021	0.021 - 0.022
	5-yr	N/A	N/A		N/A	N/A		17,471	0.048	0.047 - 0.049
	10-yr	N/A	N/A		N/A	N/A		33,135	0.091	0.090 - 0.092
65+	2-yr	N/A	N/A		N/A	N/A		4,722	0.014	0.014 - 0.015
	5-yr	N/A	N/A		N/A	N/A		10,175	0.031	0.030 - 0.032
	10-yr	N/A	N/A		N/A	N/A		19,206	0.058	0.058 - 0.059

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Corpus and Uterus, NOS**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		105,717	0.063	0.063 - 0.064
	5-yr	N/A	N/A		N/A	N/A		236,467	0.142	0.141 - 0.143
	10-yr	N/A	N/A		N/A	N/A		401,486	0.241	0.240 - 0.242
Race										
White	2-yr	N/A	N/A		N/A	N/A		86,685	0.067	0.067 - 0.068
	5-yr	N/A	N/A		N/A	N/A		197,295	0.153	0.153 - 0.154
	10-yr	N/A	N/A		N/A	N/A		339,851	0.264	0.263 - 0.265
Black	2-yr	N/A	N/A		N/A	N/A		11,975	0.050	0.049 - 0.050
	5-yr	N/A	N/A		N/A	N/A		24,283	0.100	0.099 - 0.102
	10-yr	N/A	N/A		N/A	N/A		37,444	0.155	0.153 - 0.157
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		11,587	0.011	0.011 - 0.011
	5-yr	N/A	N/A		N/A	N/A		23,941	0.023	0.023 - 0.023
	10-yr	N/A	N/A		N/A	N/A		34,585	0.033	0.033 - 0.033
50-64	2-yr	N/A	N/A		N/A	N/A		43,348	0.134	0.133 - 0.135
	5-yr	N/A	N/A		N/A	N/A		93,498	0.289	0.287 - 0.291
	10-yr	N/A	N/A		N/A	N/A		145,871	0.450	0.448 - 0.453
65+	2-yr	N/A	N/A		N/A	N/A		50,782	0.172	0.170 - 0.173
	5-yr	N/A	N/A		N/A	N/A		119,029	0.403	0.400 - 0.405
	10-yr	N/A	N/A		N/A	N/A		221,031	0.748	0.745 - 0.751
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		12,932	0.069	0.067 - 0.070
	5-yr	N/A	N/A		N/A	N/A		28,587	0.152	0.150 - 0.154
	10-yr	N/A	N/A		N/A	N/A		48,745	0.260	0.257 - 0.262
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		1,102	0.010	0.009 - 0.010
	5-yr	N/A	N/A		N/A	N/A		2,188	0.019	0.018 - 0.020
	10-yr	N/A	N/A		N/A	N/A		3,057	0.027	0.026 - 0.028
50-64	2-yr	N/A	N/A		N/A	N/A		5,538	0.142	0.138 - 0.147
	5-yr	N/A	N/A		N/A	N/A		11,775	0.302	0.296 - 0.309
	10-yr	N/A	N/A		N/A	N/A		18,239	0.469	0.461 - 0.477
65+	2-yr	N/A	N/A		N/A	N/A		6,292	0.186	0.181 - 0.192
	5-yr	N/A	N/A		N/A	N/A		14,625	0.433	0.425 - 0.441
	10-yr	N/A	N/A		N/A	N/A		27,448	0.813	0.802 - 0.824
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		118,649	0.064	0.064 - 0.064
	5-yr	N/A	N/A		N/A	N/A		265,054	0.143	0.142 - 0.143
	10-yr	N/A	N/A		N/A	N/A		450,231	0.242	0.242 - 0.243
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		12,689	0.011	0.011 - 0.011
	5-yr	N/A	N/A		N/A	N/A		26,129	0.023	0.022 - 0.023
	10-yr	N/A	N/A		N/A	N/A		37,642	0.033	0.032 - 0.033
50-64	2-yr	N/A	N/A		N/A	N/A		48,886	0.135	0.133 - 0.136
	5-yr	N/A	N/A		N/A	N/A		105,272	0.290	0.288 - 0.292
	10-yr	N/A	N/A		N/A	N/A		164,110	0.452	0.450 - 0.454
65+	2-yr	N/A	N/A		N/A	N/A		57,074	0.173	0.172 - 0.175
	5-yr	N/A	N/A		N/A	N/A		133,653	0.405	0.403 - 0.408
	10-yr	N/A	N/A		N/A	N/A		248,479	0.754	0.750 - 0.757

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Ovary**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		31,327	0.019	0.019 - 0.019
	5-yr	N/A	N/A		N/A	N/A		65,973	0.040	0.039 - 0.040
	10-yr	N/A	N/A		N/A	N/A		105,326	0.063	0.063 - 0.064
Race										
White	2-yr	N/A	N/A		N/A	N/A		26,077	0.020	0.020 - 0.021
	5-yr	N/A	N/A		N/A	N/A		55,192	0.043	0.043 - 0.043
	10-yr	N/A	N/A		N/A	N/A		88,668	0.069	0.069 - 0.069
Black	2-yr	N/A	N/A		N/A	N/A		2,826	0.012	0.011 - 0.012
	5-yr	N/A	N/A		N/A	N/A		5,740	0.024	0.023 - 0.024
	10-yr	N/A	N/A		N/A	N/A		8,862	0.037	0.036 - 0.037
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		6,387	0.006	0.006 - 0.006
	5-yr	N/A	N/A		N/A	N/A		13,406	0.013	0.013 - 0.013
	10-yr	N/A	N/A		N/A	N/A		20,742	0.020	0.020 - 0.020
50-64	2-yr	N/A	N/A		N/A	N/A		11,453	0.035	0.035 - 0.036
	5-yr	N/A	N/A		N/A	N/A		24,717	0.076	0.075 - 0.077
	10-yr	N/A	N/A		N/A	N/A		39,514	0.122	0.121 - 0.123
65+	2-yr	N/A	N/A		N/A	N/A		13,486	0.046	0.045 - 0.046
	5-yr	N/A	N/A		N/A	N/A		27,850	0.094	0.093 - 0.095
	10-yr	N/A	N/A		N/A	N/A		45,070	0.153	0.151 - 0.154
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		4,055	0.022	0.021 - 0.022
	5-yr	N/A	N/A		N/A	N/A		8,163	0.044	0.042 - 0.045
	10-yr	N/A	N/A		N/A	N/A		12,789	0.068	0.067 - 0.070
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		776	0.007	0.006 - 0.007
	5-yr	N/A	N/A		N/A	N/A		1,622	0.014	0.014 - 0.015
	10-yr	N/A	N/A		N/A	N/A		2,451	0.022	0.021 - 0.023
50-64	2-yr	N/A	N/A		N/A	N/A		1,555	0.040	0.038 - 0.042
	5-yr	N/A	N/A		N/A	N/A		3,245	0.083	0.080 - 0.087
	10-yr	N/A	N/A		N/A	N/A		5,118	0.131	0.127 - 0.135
65+	2-yr	N/A	N/A		N/A	N/A		1,724	0.051	0.048 - 0.054
	5-yr	N/A	N/A		N/A	N/A		3,296	0.098	0.094 - 0.102
	10-yr	N/A	N/A		N/A	N/A		5,220	0.155	0.150 - 0.159
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		N/A	N/A		35,381	0.019	0.019 - 0.019
	5-yr	N/A	N/A		N/A	N/A		74,136	0.040	0.040 - 0.040
	10-yr	N/A	N/A		N/A	N/A		118,116	0.064	0.063 - 0.064
Current Age										
< 50	2-yr	N/A	N/A		N/A	N/A		7,163	0.006	0.006 - 0.006
	5-yr	N/A	N/A		N/A	N/A		15,029	0.013	0.013 - 0.013
	10-yr	N/A	N/A		N/A	N/A		23,193	0.020	0.020 - 0.020
50-64	2-yr	N/A	N/A		N/A	N/A		13,008	0.036	0.035 - 0.036
	5-yr	N/A	N/A		N/A	N/A		27,961	0.077	0.076 - 0.078
	10-yr	N/A	N/A		N/A	N/A		44,632	0.123	0.122 - 0.124
65+	2-yr	N/A	N/A		N/A	N/A		15,210	0.046	0.045 - 0.047
	5-yr	N/A	N/A		N/A	N/A		31,146	0.095	0.093 - 0.096
	10-yr	N/A	N/A		N/A	N/A		50,291	0.153	0.151 - 0.154

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Prostate**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		420,808	0.260	0.259 - 0.261	N/A	N/A	
	5-yr	N/A	N/A		927,032	0.573	0.572 - 0.574	N/A	N/A	
	10-yr	N/A	N/A		1,719,473	1.063	1.061 - 1.065	N/A	N/A	
Race										
White	2-yr	N/A	N/A		325,850	0.258	0.257 - 0.259	N/A	N/A	
	5-yr	N/A	N/A		719,028	0.569	0.567 - 0.570	N/A	N/A	
	10-yr	N/A	N/A		1,347,621	1.066	1.064 - 1.068	N/A	N/A	
Black	2-yr	N/A	N/A		66,939	0.299	0.297 - 0.302	N/A	N/A	
	5-yr	N/A	N/A		149,667	0.670	0.666 - 0.673	N/A	N/A	
	10-yr	N/A	N/A		269,321	1.205	1.200 - 1.210	N/A	N/A	
Current Age										
< 50	2-yr	N/A	N/A		5,481	0.005	0.005 - 0.005	N/A	N/A	
	5-yr	N/A	N/A		9,481	0.009	0.009 - 0.009	N/A	N/A	
	10-yr	N/A	N/A		11,804	0.011	0.011 - 0.011	N/A	N/A	
50-64	2-yr	N/A	N/A		142,229	0.465	0.462 - 0.467	N/A	N/A	
	5-yr	N/A	N/A		284,734	0.931	0.927 - 0.934	N/A	N/A	
	10-yr	N/A	N/A		435,045	1.422	1.418 - 1.426	N/A	N/A	
65+	2-yr	N/A	N/A		273,098	1.153	1.149 - 1.158	N/A	N/A	
	5-yr	N/A	N/A		632,817	2.673	2.666 - 2.680	N/A	N/A	
	10-yr	N/A	N/A		1,272,624	5.377	5.367 - 5.387	N/A	N/A	
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		45,335	0.245	0.242 - 0.247	N/A	N/A	
	5-yr	N/A	N/A		98,148	0.530	0.526 - 0.534	N/A	N/A	
	10-yr	N/A	N/A		182,979	0.990	0.985 - 0.995	N/A	N/A	
Current Age										
< 50	2-yr	N/A	N/A		437	0.004	0.003 - 0.004	N/A	N/A	
	5-yr	N/A	N/A		756	0.006	0.006 - 0.007	N/A	N/A	
	10-yr	N/A	N/A		924	0.008	0.007 - 0.008	N/A	N/A	
50-64	2-yr	N/A	N/A		13,389	0.350	0.344 - 0.357	N/A	N/A	
	5-yr	N/A	N/A		26,423	0.692	0.682 - 0.702	N/A	N/A	
	10-yr	N/A	N/A		40,700	1.067	1.055 - 1.079	N/A	N/A	
65+	2-yr	N/A	N/A		31,510	1.101	1.087 - 1.115	N/A	N/A	
	5-yr	N/A	N/A		70,968	2.481	2.460 - 2.503	N/A	N/A	
	10-yr	N/A	N/A		141,354	4.948	4.918 - 4.978	N/A	N/A	
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		466,144	0.259	0.258 - 0.260	N/A	N/A	
	5-yr	N/A	N/A		1,025,179	0.569	0.568 - 0.571	N/A	N/A	
	10-yr	N/A	N/A		1,902,452	1.057	1.055 - 1.058	N/A	N/A	
Current Age										
< 50	2-yr	N/A	N/A		5,918	0.005	0.005 - 0.005	N/A	N/A	
	5-yr	N/A	N/A		10,237	0.009	0.008 - 0.009	N/A	N/A	
	10-yr	N/A	N/A		12,728	0.011	0.011 - 0.011	N/A	N/A	
50-64	2-yr	N/A	N/A		155,617	0.454	0.452 - 0.457	N/A	N/A	
	5-yr	N/A	N/A		311,157	0.909	0.906 - 0.912	N/A	N/A	
	10-yr	N/A	N/A		475,746	1.390	1.386 - 1.394	N/A	N/A	
65+	2-yr	N/A	N/A		304,608	1.149	1.145 - 1.153	N/A	N/A	
	5-yr	N/A	N/A		703,785	2.656	2.649 - 2.663	N/A	N/A	
	10-yr	N/A	N/A		1,413,978	5.339	5.329 - 5.348	N/A	N/A	

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Testis**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		17,574	0.011	0.011 - 0.011	N/A	N/A	
	5-yr	N/A	N/A		42,687	0.026	0.026 - 0.027	N/A	N/A	
	10-yr	N/A	N/A		80,791	0.050	0.050 - 0.050	N/A	N/A	
Race										
White	2-yr	N/A	N/A		15,746	0.012	0.012 - 0.013	N/A	N/A	
	5-yr	N/A	N/A		38,402	0.030	0.030 - 0.031	N/A	N/A	
	10-yr	N/A	N/A		73,287	0.058	0.058 - 0.059	N/A	N/A	
Black	2-yr	N/A	N/A		621	0.003	0.003 - 0.003	N/A	N/A	
	5-yr	N/A	N/A		1,470	0.007	0.006 - 0.007	N/A	N/A	
	10-yr	N/A	N/A		2,723	0.012	0.012 - 0.013	N/A	N/A	
Current Age										
< 50	2-yr	N/A	N/A		15,052	0.014	0.014 - 0.014	N/A	N/A	
	5-yr	N/A	N/A		35,685	0.033	0.033 - 0.034	N/A	N/A	
	10-yr	N/A	N/A		64,284	0.060	0.059 - 0.060	N/A	N/A	
50-64	2-yr	N/A	N/A		2,004	0.007	0.006 - 0.007	N/A	N/A	
	5-yr	N/A	N/A		5,669	0.018	0.018 - 0.019	N/A	N/A	
	10-yr	N/A	N/A		13,436	0.044	0.043 - 0.045	N/A	N/A	
65+	2-yr	N/A	N/A		519	0.002	0.002 - 0.002	N/A	N/A	
	5-yr	N/A	N/A		1,333	0.006	0.005 - 0.006	N/A	N/A	
	10-yr	N/A	N/A		3,070	0.013	0.012 - 0.013	N/A	N/A	
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		2,179	0.012	0.011 - 0.013	N/A	N/A	
	5-yr	N/A	N/A		5,331	0.029	0.029 - 0.030	N/A	N/A	
	10-yr	N/A	N/A		9,871	0.054	0.053 - 0.055	N/A	N/A	
Current Age										
< 50	2-yr	N/A	N/A		1,846	0.016	0.015 - 0.017	N/A	N/A	
	5-yr	N/A	N/A		4,393	0.038	0.037 - 0.039	N/A	N/A	
	10-yr	N/A	N/A		7,780	0.067	0.066 - 0.069	N/A	N/A	
50-64	2-yr	N/A	N/A		258	0.007	0.006 - 0.008	N/A	N/A	
	5-yr	N/A	N/A		745	0.019	0.018 - 0.021	N/A	N/A	
	10-yr	N/A	N/A		1,719	0.044	0.042 - 0.047	N/A	N/A	
65+	2-yr	N/A	N/A		75	0.003	0.002 - 0.003	N/A	N/A	
	5-yr	N/A	N/A		193	0.007	0.006 - 0.008	N/A	N/A	
	10-yr	N/A	N/A		373	0.013	0.012 - 0.015	N/A	N/A	
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	N/A	N/A		19,753	0.011	0.011 - 0.011	N/A	N/A	
	5-yr	N/A	N/A		48,018	0.027	0.026 - 0.027	N/A	N/A	
	10-yr	N/A	N/A		90,662	0.050	0.050 - 0.051	N/A	N/A	
Current Age										
< 50	2-yr	N/A	N/A		16,898	0.014	0.014 - 0.014	N/A	N/A	
	5-yr	N/A	N/A		40,078	0.034	0.033 - 0.034	N/A	N/A	
	10-yr	N/A	N/A		72,064	0.061	0.060 - 0.061	N/A	N/A	
50-64	2-yr	N/A	N/A		2,262	0.007	0.006 - 0.007	N/A	N/A	
	5-yr	N/A	N/A		6,414	0.019	0.018 - 0.019	N/A	N/A	
	10-yr	N/A	N/A		15,155	0.044	0.043 - 0.045	N/A	N/A	
65+	2-yr	N/A	N/A		594	0.002	0.002 - 0.002	N/A	N/A	
	5-yr	N/A	N/A		1,526	0.006	0.005 - 0.006	N/A	N/A	
	10-yr	N/A	N/A		3,443	0.013	0.013 - 0.013	N/A	N/A	

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Urinary Bladder**

U.S. Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	128,276	0.039	0.039 - 0.039	98,946	0.061	0.061 - 0.062	29,353	0.018	0.017 - 0.018
		5-yr	276,221	0.084	0.084 - 0.084	212,760	0.131	0.131 - 0.132	63,507	0.038	0.038 - 0.038
		10-yr	447,152	0.136	0.136 - 0.137	342,017	0.211	0.211 - 0.212	105,204	0.063	0.063 - 0.064
Race											
White		2-yr	115,644	0.045	0.045 - 0.046	89,688	0.071	0.071 - 0.071	25,974	0.020	0.020 - 0.020
		5-yr	249,452	0.098	0.098 - 0.098	193,201	0.153	0.152 - 0.154	56,286	0.044	0.043 - 0.044
		10-yr	405,374	0.159	0.159 - 0.160	311,628	0.247	0.246 - 0.248	93,797	0.073	0.073 - 0.073
Black		2-yr	7,176	0.015	0.015 - 0.016	5,030	0.023	0.022 - 0.023	2,153	0.009	0.009 - 0.009
		5-yr	14,651	0.031	0.031 - 0.032	10,258	0.046	0.045 - 0.047	4,405	0.018	0.018 - 0.019
		10-yr	22,688	0.049	0.048 - 0.049	15,901	0.071	0.070 - 0.072	6,807	0.028	0.027 - 0.029
Current Age											
< 50		2-yr	3,959	0.002	0.002 - 0.002	2,842	0.003	0.003 - 0.003	1,117	0.001	0.001 - 0.001
		5-yr	8,087	0.004	0.004 - 0.004	5,804	0.005	0.005 - 0.006	2,282	0.002	0.002 - 0.002
		10-yr	12,052	0.006	0.006 - 0.006	8,576	0.008	0.008 - 0.008	3,475	0.003	0.003 - 0.003
50-64		2-yr	26,550	0.042	0.042 - 0.043	20,199	0.066	0.065 - 0.067	6,355	0.020	0.019 - 0.020
		5-yr	55,129	0.087	0.087 - 0.088	41,782	0.136	0.135 - 0.138	13,354	0.041	0.040 - 0.042
		10-yr	83,490	0.132	0.131 - 0.133	62,957	0.205	0.204 - 0.207	20,544	0.063	0.062 - 0.064
65+		2-yr	97,767	0.184	0.182 - 0.185	75,905	0.321	0.318 - 0.323	21,881	0.074	0.073 - 0.075
		5-yr	213,006	0.400	0.398 - 0.402	165,174	0.698	0.694 - 0.701	47,871	0.162	0.161 - 0.164
		10-yr	351,611	0.661	0.658 - 0.663	270,484	1.143	1.138 - 1.147	81,185	0.275	0.273 - 0.277
Canadian Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	18,023	0.048	0.048 - 0.049	13,867	0.075	0.074 - 0.077	4,120	0.022	0.021 - 0.023
		5-yr	37,995	0.102	0.101 - 0.103	29,075	0.158	0.156 - 0.160	8,837	0.047	0.046 - 0.048
		10-yr	61,219	0.164	0.163 - 0.166	46,349	0.252	0.249 - 0.254	14,717	0.078	0.077 - 0.080
Current Age											
< 50		2-yr	576	0.003	0.002 - 0.003	401	0.003	0.003 - 0.004	176	0.002	0.001 - 0.002
		5-yr	1,201	0.005	0.005 - 0.006	864	0.007	0.007 - 0.008	339	0.003	0.003 - 0.003
		10-yr	1,780	0.008	0.007 - 0.008	1,272	0.011	0.010 - 0.012	511	0.005	0.004 - 0.005
50-64		2-yr	3,746	0.049	0.047 - 0.050	2,854	0.075	0.071 - 0.078	899	0.023	0.021 - 0.025
		5-yr	7,544	0.098	0.095 - 0.100	5,667	0.148	0.144 - 0.153	1,889	0.049	0.046 - 0.051
		10-yr	11,339	0.147	0.144 - 0.150	8,450	0.221	0.216 - 0.227	2,905	0.075	0.072 - 0.078
65+		2-yr	13,701	0.220	0.215 - 0.224	10,612	0.373	0.365 - 0.381	3,045	0.090	0.086 - 0.094
		5-yr	29,250	0.469	0.462 - 0.475	22,544	0.792	0.780 - 0.804	6,609	0.195	0.190 - 0.200
		10-yr	48,100	0.771	0.763 - 0.779	36,627	1.287	1.272 - 1.303	11,300	0.333	0.326 - 0.340
North America Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	146,300	0.040	0.040 - 0.040	112,813	0.062	0.062 - 0.063	33,473	0.018	0.018 - 0.018
		5-yr	314,216	0.086	0.085 - 0.086	241,835	0.134	0.133 - 0.134	72,345	0.039	0.039 - 0.039
		10-yr	508,371	0.139	0.138 - 0.139	388,367	0.215	0.214 - 0.216	119,921	0.064	0.064 - 0.065
Current Age											
< 50		2-yr	4,536	0.002	0.002 - 0.002	3,243	0.003	0.003 - 0.003	1,293	0.001	0.001 - 0.001
		5-yr	9,287	0.004	0.004 - 0.004	6,668	0.006	0.005 - 0.006	2,622	0.002	0.002 - 0.002
		10-yr	13,831	0.006	0.006 - 0.006	9,848	0.008	0.008 - 0.008	3,987	0.003	0.003 - 0.004
50-64		2-yr	30,297	0.043	0.042 - 0.043	23,053	0.067	0.066 - 0.068	7,253	0.020	0.019 - 0.020
		5-yr	62,673	0.088	0.088 - 0.089	47,449	0.137	0.136 - 0.139	15,243	0.042	0.041 - 0.043
		10-yr	94,829	0.134	0.133 - 0.135	71,407	0.207	0.205 - 0.208	23,449	0.064	0.063 - 0.065
65+		2-yr	111,467	0.187	0.186 - 0.188	86,517	0.325	0.323 - 0.328	24,926	0.075	0.074 - 0.076
		5-yr	242,256	0.406	0.404 - 0.408	187,718	0.706	0.703 - 0.709	54,481	0.165	0.163 - 0.166
		10-yr	399,711	0.670	0.668 - 0.672	307,111	1.155	1.151 - 1.160	92,485	0.280	0.278 - 0.282

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Kidney and Renal Pelvis**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	115,345	0.035	0.035 - 0.035	72,640	0.045	0.045 - 0.045	42,720	0.026	0.025 - 0.026
	5-yr	250,331	0.076	0.076 - 0.077	156,911	0.097	0.097 - 0.098	93,451	0.056	0.056 - 0.056
	10-yr	406,244	0.124	0.123 - 0.124	251,625	0.156	0.155 - 0.156	154,667	0.093	0.092 - 0.093
Race										
White	2-yr	96,051	0.038	0.037 - 0.038	61,130	0.048	0.048 - 0.049	34,931	0.027	0.027 - 0.027
	5-yr	208,949	0.082	0.082 - 0.082	132,116	0.105	0.104 - 0.105	76,854	0.060	0.059 - 0.060
	10-yr	340,533	0.134	0.133 - 0.134	212,542	0.168	0.167 - 0.169	128,022	0.100	0.099 - 0.100
Black	2-yr	13,506	0.029	0.029 - 0.030	7,926	0.035	0.035 - 0.036	5,586	0.023	0.022 - 0.024
	5-yr	29,505	0.063	0.063 - 0.064	17,403	0.078	0.077 - 0.079	12,116	0.050	0.049 - 0.051
	10-yr	47,355	0.102	0.101 - 0.103	27,688	0.124	0.122 - 0.125	19,689	0.081	0.080 - 0.083
Current Age										
< 50	2-yr	16,005	0.008	0.007 - 0.008	9,485	0.009	0.009 - 0.009	6,519	0.006	0.006 - 0.006
	5-yr	33,097	0.016	0.015 - 0.016	19,506	0.018	0.018 - 0.018	13,591	0.013	0.013 - 0.013
	10-yr	49,094	0.023	0.023 - 0.023	28,309	0.026	0.026 - 0.027	20,784	0.020	0.020 - 0.020
50-64	2-yr	40,343	0.064	0.063 - 0.065	26,270	0.086	0.085 - 0.087	14,077	0.043	0.043 - 0.044
	5-yr	85,951	0.136	0.135 - 0.137	55,781	0.182	0.181 - 0.184	30,177	0.093	0.092 - 0.094
	10-yr	133,771	0.212	0.211 - 0.214	85,727	0.280	0.278 - 0.282	48,057	0.148	0.147 - 0.150
65+	2-yr	58,998	0.111	0.110 - 0.112	36,884	0.156	0.154 - 0.157	22,124	0.075	0.074 - 0.076
	5-yr	131,284	0.247	0.245 - 0.248	81,624	0.345	0.342 - 0.347	49,684	0.168	0.167 - 0.170
	10-yr	223,378	0.420	0.418 - 0.422	137,589	0.581	0.578 - 0.584	85,827	0.291	0.289 - 0.293
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	11,384	0.030	0.030 - 0.031	7,513	0.040	0.039 - 0.042	3,877	0.021	0.020 - 0.021
	5-yr	24,321	0.065	0.064 - 0.066	15,831	0.085	0.084 - 0.087	8,501	0.045	0.044 - 0.046
	10-yr	38,909	0.104	0.103 - 0.105	24,863	0.134	0.132 - 0.136	14,056	0.075	0.073 - 0.076
Current Age										
< 50	2-yr	1,398	0.006	0.006 - 0.006	854	0.007	0.007 - 0.008	546	0.005	0.004 - 0.005
	5-yr	2,878	0.012	0.012 - 0.013	1,783	0.015	0.014 - 0.016	1,099	0.010	0.009 - 0.010
	10-yr	4,132	0.018	0.017 - 0.019	2,503	0.021	0.020 - 0.022	1,635	0.014	0.014 - 0.015
50-64	2-yr	4,074	0.053	0.051 - 0.055	2,758	0.072	0.069 - 0.075	1,320	0.034	0.032 - 0.036
	5-yr	8,531	0.110	0.108 - 0.113	5,671	0.148	0.143 - 0.152	2,869	0.074	0.071 - 0.077
	10-yr	13,181	0.170	0.167 - 0.174	8,572	0.223	0.218 - 0.229	4,622	0.119	0.115 - 0.123
65+	2-yr	5,913	0.095	0.092 - 0.098	3,901	0.136	0.131 - 0.141	2,011	0.060	0.057 - 0.063
	5-yr	12,912	0.207	0.203 - 0.211	8,378	0.293	0.286 - 0.300	4,533	0.134	0.130 - 0.139
	10-yr	21,595	0.346	0.341 - 0.351	13,788	0.482	0.473 - 0.492	7,799	0.231	0.225 - 0.237
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	126,730	0.035	0.035 - 0.035	80,153	0.045	0.044 - 0.045	46,597	0.025	0.025 - 0.025
	5-yr	274,652	0.075	0.075 - 0.076	172,742	0.096	0.096 - 0.096	101,953	0.055	0.055 - 0.056
	10-yr	445,153	0.122	0.122 - 0.122	276,488	0.154	0.153 - 0.154	168,724	0.091	0.091 - 0.092
Current Age										
< 50	2-yr	17,403	0.007	0.007 - 0.008	10,340	0.009	0.009 - 0.009	7,065	0.006	0.006 - 0.006
	5-yr	35,975	0.015	0.015 - 0.016	21,289	0.018	0.018 - 0.018	14,690	0.013	0.013 - 0.013
	10-yr	53,227	0.023	0.023 - 0.023	30,812	0.026	0.026 - 0.026	22,419	0.019	0.019 - 0.020
50-64	2-yr	44,417	0.063	0.062 - 0.064	29,028	0.085	0.084 - 0.086	15,397	0.043	0.042 - 0.043
	5-yr	94,482	0.134	0.133 - 0.135	61,452	0.179	0.178 - 0.181	33,046	0.091	0.090 - 0.092
	10-yr	146,953	0.209	0.207 - 0.210	94,298	0.275	0.273 - 0.277	52,679	0.146	0.144 - 0.147
65+	2-yr	64,910	0.109	0.109 - 0.110	40,785	0.154	0.152 - 0.156	24,135	0.074	0.073 - 0.075
	5-yr	144,196	0.243	0.242 - 0.245	90,002	0.340	0.338 - 0.342	54,216	0.165	0.164 - 0.167
	10-yr	244,973	0.413	0.412 - 0.415	151,377	0.572	0.569 - 0.575	93,626	0.286	0.284 - 0.287

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Brain and Other Nervous System**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	27,600	0.008	0.008 - 0.009	15,431	0.010	0.009 - 0.010	12,169	0.007	0.007 - 0.007
	5-yr	49,992	0.015	0.015 - 0.015	27,409	0.017	0.017 - 0.017	22,583	0.014	0.013 - 0.014
	10-yr	79,291	0.024	0.024 - 0.024	42,787	0.026	0.026 - 0.027	36,505	0.022	0.022 - 0.022
Race										
White	2-yr	23,617	0.009	0.009 - 0.009	13,242	0.010	0.010 - 0.011	10,377	0.008	0.008 - 0.008
	5-yr	42,418	0.017	0.017 - 0.017	23,328	0.018	0.018 - 0.019	19,090	0.015	0.015 - 0.015
	10-yr	67,247	0.026	0.026 - 0.027	36,441	0.029	0.029 - 0.029	30,806	0.024	0.024 - 0.024
Black	2-yr	2,282	0.005	0.005 - 0.005	1,244	0.006	0.005 - 0.006	1,038	0.004	0.004 - 0.005
	5-yr	4,331	0.009	0.009 - 0.010	2,316	0.010	0.010 - 0.011	2,016	0.008	0.008 - 0.009
	10-yr	6,941	0.015	0.015 - 0.015	3,605	0.016	0.016 - 0.017	3,337	0.014	0.013 - 0.014
Current Age										
< 50	2-yr	12,697	0.006	0.006 - 0.006	7,064	0.007	0.006 - 0.007	5,633	0.005	0.005 - 0.006
	5-yr	27,165	0.013	0.013 - 0.013	14,881	0.014	0.014 - 0.014	12,283	0.012	0.012 - 0.012
	10-yr	46,683	0.022	0.022 - 0.022	25,290	0.024	0.023 - 0.024	21,393	0.020	0.020 - 0.021
50-64	2-yr	7,593	0.012	0.012 - 0.012	4,340	0.014	0.014 - 0.015	3,253	0.010	0.010 - 0.010
	5-yr	12,307	0.020	0.019 - 0.020	6,853	0.022	0.022 - 0.023	5,455	0.017	0.016 - 0.017
	10-yr	18,308	0.029	0.029 - 0.029	9,989	0.033	0.032 - 0.033	8,320	0.026	0.025 - 0.026
65+	2-yr	7,310	0.014	0.013 - 0.014	4,027	0.017	0.016 - 0.018	3,283	0.011	0.011 - 0.012
	5-yr	10,519	0.020	0.019 - 0.020	5,675	0.024	0.023 - 0.025	4,845	0.016	0.016 - 0.017
	10-yr	14,300	0.027	0.026 - 0.027	7,509	0.032	0.031 - 0.032	6,793	0.023	0.022 - 0.024
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	2,960	0.008	0.008 - 0.008	1,703	0.009	0.009 - 0.010	1,258	0.007	0.006 - 0.007
	5-yr	5,241	0.014	0.014 - 0.015	2,970	0.016	0.015 - 0.017	2,273	0.012	0.012 - 0.013
	10-yr	8,246	0.022	0.022 - 0.023	4,587	0.025	0.024 - 0.026	3,661	0.020	0.019 - 0.020
Current Age										
< 50	2-yr	1,228	0.005	0.005 - 0.006	696	0.006	0.005 - 0.007	532	0.005	0.004 - 0.005
	5-yr	2,632	0.012	0.011 - 0.012	1,493	0.013	0.012 - 0.014	1,139	0.010	0.009 - 0.011
	10-yr	4,575	0.020	0.019 - 0.021	2,548	0.022	0.021 - 0.023	2,027	0.018	0.017 - 0.019
50-64	2-yr	924	0.012	0.011 - 0.013	537	0.014	0.013 - 0.015	387	0.010	0.009 - 0.011
	5-yr	1,484	0.019	0.018 - 0.020	850	0.022	0.020 - 0.024	634	0.016	0.015 - 0.018
	10-yr	2,130	0.027	0.026 - 0.029	1,199	0.031	0.029 - 0.033	932	0.024	0.022 - 0.026
65+	2-yr	808	0.013	0.012 - 0.014	469	0.016	0.015 - 0.018	338	0.010	0.009 - 0.011
	5-yr	1,125	0.018	0.017 - 0.019	626	0.022	0.020 - 0.024	499	0.015	0.013 - 0.016
	10-yr	1,542	0.025	0.023 - 0.026	839	0.029	0.027 - 0.032	702	0.021	0.019 - 0.023
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	30,560	0.008	0.008 - 0.008	17,134	0.010	0.009 - 0.010	13,427	0.007	0.007 - 0.007
	5-yr	55,233	0.015	0.015 - 0.015	30,379	0.017	0.017 - 0.017	24,856	0.013	0.013 - 0.014
	10-yr	87,537	0.024	0.024 - 0.024	47,374	0.026	0.026 - 0.027	40,166	0.022	0.022 - 0.022
Current Age										
< 50	2-yr	13,925	0.006	0.006 - 0.006	7,760	0.007	0.006 - 0.007	6,165	0.005	0.005 - 0.005
	5-yr	29,797	0.013	0.013 - 0.013	16,375	0.014	0.014 - 0.014	13,423	0.012	0.011 - 0.012
	10-yr	51,257	0.022	0.022 - 0.022	27,838	0.023	0.023 - 0.024	23,420	0.020	0.020 - 0.021
50-64	2-yr	8,517	0.012	0.012 - 0.012	4,877	0.014	0.014 - 0.015	3,640	0.010	0.010 - 0.010
	5-yr	13,791	0.019	0.019 - 0.020	7,703	0.022	0.022 - 0.023	6,089	0.017	0.016 - 0.017
	10-yr	20,438	0.029	0.028 - 0.029	11,188	0.032	0.032 - 0.033	9,251	0.026	0.025 - 0.026
65+	2-yr	8,118	0.014	0.013 - 0.014	4,496	0.017	0.016 - 0.017	3,622	0.011	0.011 - 0.011
	5-yr	11,644	0.020	0.019 - 0.020	6,301	0.024	0.023 - 0.024	5,344	0.016	0.016 - 0.017
	10-yr	15,842	0.027	0.026 - 0.027	8,348	0.031	0.031 - 0.032	7,495	0.023	0.022 - 0.023

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Thyroid**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	89,967	0.027	0.027 - 0.028	23,194	0.014	0.014 - 0.015	66,773	0.040	0.040 - 0.040
	5-yr	228,253	0.070	0.069 - 0.070	56,620	0.035	0.035 - 0.035	171,633	0.103	0.103 - 0.104
	10-yr	431,519	0.131	0.131 - 0.132	102,374	0.063	0.063 - 0.064	329,137	0.198	0.197 - 0.198
Race										
White	2-yr	74,184	0.029	0.029 - 0.029	19,912	0.016	0.016 - 0.016	54,275	0.042	0.042 - 0.043
	5-yr	189,481	0.074	0.074 - 0.075	48,807	0.039	0.038 - 0.039	140,681	0.110	0.109 - 0.110
	10-yr	361,405	0.142	0.141 - 0.142	88,880	0.070	0.070 - 0.071	272,532	0.212	0.211 - 0.213
Black	2-yr	6,758	0.015	0.014 - 0.015	1,302	0.006	0.005 - 0.006	5,449	0.023	0.022 - 0.023
	5-yr	17,591	0.038	0.037 - 0.038	3,235	0.014	0.014 - 0.015	14,338	0.059	0.058 - 0.060
	10-yr	32,791	0.070	0.070 - 0.071	5,694	0.025	0.025 - 0.026	27,063	0.112	0.111 - 0.113
Current Age										
< 50	2-yr	40,118	0.019	0.019 - 0.019	8,089	0.008	0.007 - 0.008	32,034	0.031	0.030 - 0.031
	5-yr	96,260	0.045	0.045 - 0.046	18,698	0.017	0.017 - 0.018	77,574	0.074	0.074 - 0.075
	10-yr	164,068	0.078	0.077 - 0.078	30,669	0.029	0.028 - 0.029	133,420	0.128	0.127 - 0.128
50-64	2-yr	28,769	0.046	0.045 - 0.046	7,947	0.026	0.025 - 0.027	20,821	0.064	0.063 - 0.065
	5-yr	75,409	0.120	0.119 - 0.121	19,533	0.064	0.063 - 0.065	55,872	0.172	0.171 - 0.174
	10-yr	149,117	0.237	0.235 - 0.238	35,850	0.117	0.116 - 0.118	113,258	0.350	0.347 - 0.352
65+	2-yr	21,079	0.040	0.039 - 0.040	7,158	0.030	0.029 - 0.031	13,918	0.047	0.046 - 0.048
	5-yr	56,584	0.106	0.105 - 0.107	18,389	0.078	0.076 - 0.079	38,186	0.129	0.128 - 0.131
	10-yr	118,333	0.222	0.221 - 0.224	35,855	0.151	0.150 - 0.153	82,459	0.279	0.277 - 0.281
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	11,541	0.031	0.030 - 0.032	3,091	0.017	0.016 - 0.017	8,435	0.045	0.044 - 0.046
	5-yr	29,071	0.078	0.077 - 0.079	7,473	0.040	0.039 - 0.041	21,557	0.116	0.114 - 0.117
	10-yr	54,762	0.147	0.146 - 0.149	13,102	0.071	0.069 - 0.072	41,577	0.222	0.220 - 0.225
Current Age										
< 50	2-yr	4,857	0.021	0.021 - 0.022	1,104	0.009	0.009 - 0.010	3,746	0.033	0.032 - 0.035
	5-yr	11,702	0.051	0.050 - 0.052	2,528	0.022	0.021 - 0.023	9,155	0.081	0.079 - 0.083
	10-yr	20,003	0.087	0.086 - 0.089	4,109	0.035	0.034 - 0.036	15,855	0.141	0.138 - 0.143
50-64	2-yr	4,091	0.053	0.051 - 0.055	1,140	0.030	0.028 - 0.032	2,945	0.075	0.072 - 0.079
	5-yr	10,533	0.136	0.133 - 0.139	2,761	0.072	0.069 - 0.075	7,756	0.198	0.193 - 0.203
	10-yr	20,580	0.265	0.261 - 0.270	4,806	0.125	0.121 - 0.129	15,739	0.402	0.395 - 0.410
65+	2-yr	2,593	0.042	0.040 - 0.043	848	0.030	0.027 - 0.032	1,743	0.052	0.049 - 0.055
	5-yr	6,835	0.109	0.106 - 0.112	2,185	0.076	0.073 - 0.080	4,646	0.138	0.133 - 0.142
	10-yr	14,179	0.227	0.223 - 0.231	4,187	0.146	0.141 - 0.151	9,983	0.296	0.289 - 0.302
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	101,507	0.028	0.028 - 0.028	26,286	0.015	0.014 - 0.015	75,209	0.041	0.040 - 0.041
	5-yr	257,324	0.070	0.070 - 0.071	64,094	0.035	0.035 - 0.036	193,190	0.104	0.104 - 0.105
	10-yr	486,281	0.133	0.132 - 0.133	115,476	0.064	0.064 - 0.064	370,715	0.200	0.199 - 0.200
Current Age										
< 50	2-yr	44,975	0.019	0.019 - 0.019	9,192	0.008	0.008 - 0.008	35,781	0.031	0.031 - 0.031
	5-yr	107,962	0.046	0.046 - 0.046	21,226	0.018	0.018 - 0.018	86,729	0.075	0.074 - 0.075
	10-yr	184,071	0.078	0.078 - 0.079	34,778	0.029	0.029 - 0.029	149,276	0.129	0.128 - 0.129
50-64	2-yr	32,860	0.046	0.046 - 0.047	9,087	0.026	0.026 - 0.027	23,767	0.065	0.064 - 0.066
	5-yr	85,942	0.121	0.120 - 0.122	22,293	0.065	0.064 - 0.065	63,629	0.175	0.173 - 0.176
	10-yr	169,697	0.239	0.238 - 0.240	40,656	0.118	0.117 - 0.119	128,998	0.354	0.352 - 0.356
65+	2-yr	23,672	0.040	0.039 - 0.040	8,006	0.030	0.029 - 0.031	15,661	0.047	0.047 - 0.048
	5-yr	63,420	0.107	0.106 - 0.107	20,574	0.078	0.076 - 0.079	42,832	0.130	0.129 - 0.131
	10-yr	132,513	0.223	0.221 - 0.224	40,042	0.151	0.149 - 0.152	92,441	0.281	0.279 - 0.282

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Hodgkin Lymphoma**

U.S. Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	15,927	0.005	0.005 - 0.005	8,643	0.005	0.005 - 0.005	7,285	0.004	0.004 - 0.004
		5-yr	38,441	0.012	0.012 - 0.012	20,985	0.013	0.013 - 0.013	17,458	0.010	0.010 - 0.011
		10-yr	72,128	0.022	0.022 - 0.022	39,180	0.024	0.024 - 0.025	32,951	0.020	0.020 - 0.020
Race											
White		2-yr	12,744	0.005	0.005 - 0.005	6,975	0.006	0.005 - 0.006	5,769	0.004	0.004 - 0.005
		5-yr	30,948	0.012	0.012 - 0.012	17,000	0.013	0.013 - 0.014	13,948	0.011	0.011 - 0.011
		10-yr	58,594	0.023	0.023 - 0.023	32,014	0.025	0.025 - 0.026	26,581	0.021	0.020 - 0.021
Black		2-yr	2,173	0.005	0.004 - 0.005	1,130	0.005	0.005 - 0.005	1,043	0.004	0.004 - 0.005
		5-yr	5,215	0.011	0.011 - 0.012	2,744	0.012	0.012 - 0.013	2,472	0.010	0.010 - 0.011
		10-yr	9,619	0.021	0.020 - 0.021	5,043	0.023	0.022 - 0.023	4,578	0.019	0.018 - 0.019
Current Age											
< 50		2-yr	10,210	0.005	0.005 - 0.005	5,415	0.005	0.005 - 0.005	4,796	0.005	0.004 - 0.005
		5-yr	24,856	0.012	0.012 - 0.012	13,165	0.012	0.012 - 0.013	11,691	0.011	0.011 - 0.011
		10-yr	46,348	0.022	0.022 - 0.022	24,364	0.023	0.022 - 0.023	21,985	0.021	0.021 - 0.021
50-64		2-yr	2,932	0.005	0.004 - 0.005	1,740	0.006	0.005 - 0.006	1,192	0.004	0.003 - 0.004
		5-yr	7,092	0.011	0.011 - 0.012	4,277	0.014	0.014 - 0.014	2,815	0.009	0.008 - 0.009
		10-yr	13,934	0.022	0.022 - 0.023	8,428	0.028	0.027 - 0.028	5,508	0.017	0.017 - 0.017
65+		2-yr	2,785	0.005	0.005 - 0.005	1,487	0.006	0.006 - 0.007	1,297	0.004	0.004 - 0.005
		5-yr	6,494	0.012	0.012 - 0.013	3,543	0.015	0.014 - 0.015	2,951	0.010	0.010 - 0.010
		10-yr	11,845	0.022	0.022 - 0.023	6,388	0.027	0.026 - 0.028	5,458	0.018	0.018 - 0.019
Canadian Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	1,877	0.005	0.005 - 0.005	1,058	0.006	0.005 - 0.006	820	0.004	0.004 - 0.005
		5-yr	4,327	0.012	0.011 - 0.012	2,389	0.013	0.013 - 0.014	1,939	0.011	0.010 - 0.011
		10-yr	7,875	0.022	0.021 - 0.022	4,321	0.024	0.023 - 0.025	3,556	0.019	0.019 - 0.020
Current Age											
< 50		2-yr	1,222	0.005	0.005 - 0.006	673	0.006	0.005 - 0.006	549	0.005	0.004 - 0.005
		5-yr	2,867	0.013	0.012 - 0.013	1,554	0.014	0.013 - 0.014	1,313	0.012	0.011 - 0.013
		10-yr	5,191	0.023	0.022 - 0.024	2,788	0.024	0.023 - 0.025	2,404	0.022	0.021 - 0.023
50-64		2-yr	347	0.004	0.004 - 0.005	206	0.005	0.005 - 0.006	141	0.004	0.003 - 0.004
		5-yr	776	0.010	0.009 - 0.011	460	0.012	0.011 - 0.013	316	0.008	0.007 - 0.009
		10-yr	1,459	0.019	0.018 - 0.020	872	0.023	0.021 - 0.024	588	0.015	0.014 - 0.017
65+		2-yr	308	0.005	0.004 - 0.006	178	0.006	0.005 - 0.007	130	0.004	0.003 - 0.005
		5-yr	684	0.011	0.010 - 0.012	375	0.013	0.012 - 0.015	309	0.009	0.008 - 0.010
		10-yr	1,225	0.020	0.018 - 0.021	661	0.023	0.021 - 0.025	564	0.017	0.015 - 0.018
North America Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	17,804	0.005	0.005 - 0.005	9,700	0.005	0.005 - 0.006	8,105	0.004	0.004 - 0.004
		5-yr	42,768	0.012	0.012 - 0.012	23,375	0.013	0.013 - 0.013	19,396	0.010	0.010 - 0.011
		10-yr	80,002	0.022	0.022 - 0.022	43,501	0.024	0.024 - 0.024	36,507	0.020	0.020 - 0.020
Current Age											
< 50		2-yr	11,432	0.005	0.005 - 0.005	6,088	0.005	0.005 - 0.005	5,344	0.005	0.004 - 0.005
		5-yr	27,723	0.012	0.012 - 0.012	14,720	0.012	0.012 - 0.013	13,005	0.011	0.011 - 0.011
		10-yr	51,539	0.022	0.022 - 0.022	27,152	0.023	0.023 - 0.023	24,389	0.021	0.021 - 0.021
50-64		2-yr	3,279	0.005	0.004 - 0.005	1,947	0.006	0.005 - 0.006	1,333	0.004	0.003 - 0.004
		5-yr	7,867	0.011	0.011 - 0.011	4,738	0.014	0.013 - 0.014	3,131	0.009	0.008 - 0.009
		10-yr	15,393	0.022	0.021 - 0.022	9,300	0.027	0.027 - 0.028	6,095	0.017	0.016 - 0.017
65+		2-yr	3,093	0.005	0.005 - 0.005	1,665	0.006	0.006 - 0.007	1,427	0.004	0.004 - 0.005
		5-yr	7,178	0.012	0.012 - 0.012	3,918	0.015	0.014 - 0.015	3,261	0.010	0.010 - 0.010
		10-yr	13,070	0.022	0.022 - 0.022	7,049	0.027	0.026 - 0.027	6,022	0.018	0.018 - 0.019

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Non-Hodgkin Lymphoma**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	116,991	0.036	0.035 - 0.036	63,693	0.039	0.039 - 0.040	53,304	0.032	0.032 - 0.032
	5-yr	258,739	0.079	0.078 - 0.079	139,087	0.086	0.086 - 0.086	119,660	0.072	0.071 - 0.072
	10-yr	430,900	0.131	0.131 - 0.132	229,219	0.142	0.141 - 0.142	201,695	0.121	0.121 - 0.122
Race										
White	2-yr	100,138	0.039	0.039 - 0.040	54,947	0.043	0.043 - 0.044	45,194	0.035	0.035 - 0.036
	5-yr	222,031	0.087	0.087 - 0.088	120,205	0.095	0.095 - 0.096	101,832	0.079	0.079 - 0.080
	10-yr	370,687	0.145	0.145 - 0.146	198,417	0.157	0.156 - 0.158	172,279	0.134	0.133 - 0.135
Black	2-yr	9,507	0.020	0.020 - 0.021	4,825	0.022	0.021 - 0.022	4,684	0.019	0.019 - 0.020
	5-yr	20,937	0.045	0.044 - 0.046	10,581	0.047	0.046 - 0.048	10,360	0.043	0.042 - 0.044
	10-yr	34,817	0.075	0.074 - 0.076	17,530	0.078	0.077 - 0.080	17,293	0.072	0.070 - 0.073
Current Age										
< 50	2-yr	16,345	0.008	0.008 - 0.008	9,417	0.009	0.009 - 0.009	6,928	0.007	0.006 - 0.007
	5-yr	35,755	0.017	0.017 - 0.017	20,694	0.019	0.019 - 0.020	15,061	0.014	0.014 - 0.015
	10-yr	58,125	0.027	0.027 - 0.028	33,888	0.032	0.031 - 0.032	24,237	0.023	0.023 - 0.024
50-64	2-yr	32,588	0.052	0.051 - 0.052	17,980	0.059	0.058 - 0.060	14,609	0.045	0.044 - 0.046
	5-yr	70,891	0.112	0.112 - 0.113	38,663	0.126	0.125 - 0.128	32,229	0.099	0.098 - 0.101
	10-yr	115,411	0.183	0.182 - 0.184	62,737	0.205	0.203 - 0.207	52,677	0.163	0.161 - 0.164
65+	2-yr	68,058	0.128	0.127 - 0.129	36,295	0.153	0.152 - 0.155	31,767	0.108	0.106 - 0.109
	5-yr	152,093	0.286	0.284 - 0.287	79,730	0.337	0.334 - 0.339	72,371	0.245	0.243 - 0.247
	10-yr	257,365	0.484	0.482 - 0.485	132,594	0.560	0.557 - 0.563	124,781	0.422	0.420 - 0.425
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	13,422	0.036	0.035 - 0.037	7,446	0.040	0.039 - 0.041	5,972	0.032	0.031 - 0.033
	5-yr	30,107	0.081	0.080 - 0.082	16,553	0.090	0.088 - 0.091	13,547	0.072	0.071 - 0.074
	10-yr	49,994	0.134	0.133 - 0.136	27,027	0.146	0.144 - 0.148	22,959	0.122	0.120 - 0.124
Current Age										
< 50	2-yr	1,804	0.008	0.007 - 0.008	1,031	0.009	0.008 - 0.009	775	0.007	0.006 - 0.007
	5-yr	3,946	0.017	0.017 - 0.018	2,304	0.020	0.019 - 0.021	1,644	0.015	0.014 - 0.015
	10-yr	6,356	0.028	0.027 - 0.029	3,717	0.032	0.031 - 0.033	2,642	0.023	0.022 - 0.024
50-64	2-yr	3,976	0.051	0.050 - 0.053	2,269	0.059	0.056 - 0.062	1,709	0.044	0.041 - 0.046
	5-yr	8,784	0.114	0.111 - 0.116	5,002	0.131	0.126 - 0.135	3,786	0.097	0.094 - 0.101
	10-yr	14,250	0.184	0.181 - 0.188	8,020	0.209	0.204 - 0.215	6,236	0.160	0.155 - 0.165
65+	2-yr	7,641	0.122	0.119 - 0.126	4,146	0.145	0.140 - 0.150	3,489	0.103	0.099 - 0.107
	5-yr	17,377	0.278	0.274 - 0.283	9,248	0.324	0.316 - 0.332	8,117	0.240	0.234 - 0.246
	10-yr	29,387	0.471	0.465 - 0.477	15,290	0.536	0.526 - 0.546	14,081	0.416	0.408 - 0.424
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	130,413	0.036	0.035 - 0.036	71,138	0.039	0.039 - 0.040	59,276	0.032	0.032 - 0.032
	5-yr	288,846	0.079	0.079 - 0.079	155,641	0.086	0.086 - 0.087	133,208	0.072	0.071 - 0.072
	10-yr	480,894	0.131	0.131 - 0.132	256,246	0.142	0.142 - 0.143	224,654	0.121	0.121 - 0.122
Current Age										
< 50	2-yr	18,149	0.008	0.008 - 0.008	10,448	0.009	0.009 - 0.009	7,703	0.007	0.007 - 0.007
	5-yr	39,701	0.017	0.017 - 0.017	22,998	0.019	0.019 - 0.020	16,705	0.014	0.014 - 0.015
	10-yr	64,481	0.027	0.027 - 0.028	37,605	0.032	0.031 - 0.032	26,879	0.023	0.023 - 0.024
50-64	2-yr	36,564	0.052	0.051 - 0.052	20,249	0.059	0.058 - 0.060	16,318	0.045	0.044 - 0.046
	5-yr	79,674	0.113	0.112 - 0.113	43,665	0.127	0.125 - 0.128	36,015	0.099	0.098 - 0.100
	10-yr	129,661	0.183	0.182 - 0.184	70,757	0.205	0.204 - 0.207	58,913	0.162	0.161 - 0.164
65+	2-yr	75,699	0.127	0.126 - 0.128	40,441	0.153	0.151 - 0.154	35,256	0.107	0.106 - 0.108
	5-yr	169,470	0.285	0.284 - 0.287	88,978	0.336	0.333 - 0.338	80,488	0.245	0.243 - 0.246
	10-yr	286,752	0.482	0.481 - 0.484	147,884	0.558	0.555 - 0.561	138,862	0.422	0.419 - 0.424

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Myeloma**

U.S. Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	44,390	0.014	0.013 - 0.014	24,539	0.015	0.015 - 0.015	19,854	0.012	0.012 - 0.012
		5-yr	90,142	0.027	0.027 - 0.028	49,711	0.031	0.030 - 0.031	40,437	0.024	0.024 - 0.025
		10-yr	129,335	0.039	0.039 - 0.040	70,835	0.044	0.043 - 0.044	58,508	0.035	0.035 - 0.035
Race											
White		2-yr	32,401	0.013	0.013 - 0.013	18,594	0.015	0.014 - 0.015	13,810	0.011	0.011 - 0.011
		5-yr	66,138	0.026	0.026 - 0.026	37,855	0.030	0.030 - 0.030	28,286	0.022	0.022 - 0.022
		10-yr	94,845	0.037	0.037 - 0.037	53,984	0.043	0.042 - 0.043	40,866	0.032	0.031 - 0.032
Black		2-yr	9,577	0.021	0.020 - 0.021	4,647	0.021	0.020 - 0.021	4,931	0.020	0.020 - 0.021
		5-yr	19,306	0.041	0.041 - 0.042	9,317	0.042	0.041 - 0.043	9,991	0.041	0.040 - 0.042
		10-yr	27,915	0.060	0.059 - 0.061	13,331	0.060	0.059 - 0.061	14,588	0.060	0.059 - 0.061
Current Age											
< 50		2-yr	2,901	0.001	0.001 - 0.001	1,544	0.001	0.001 - 0.002	1,357	0.001	0.001 - 0.001
		5-yr	5,393	0.003	0.002 - 0.003	2,893	0.003	0.003 - 0.003	2,500	0.002	0.002 - 0.002
		10-yr	7,171	0.003	0.003 - 0.003	3,924	0.004	0.004 - 0.004	3,247	0.003	0.003 - 0.003
50-64		2-yr	13,155	0.021	0.021 - 0.021	7,470	0.024	0.024 - 0.025	5,686	0.018	0.017 - 0.018
		5-yr	26,278	0.042	0.041 - 0.042	14,808	0.048	0.048 - 0.049	11,471	0.035	0.035 - 0.036
		10-yr	37,017	0.059	0.058 - 0.059	20,593	0.067	0.066 - 0.068	16,426	0.051	0.050 - 0.052
65+		2-yr	28,333	0.053	0.053 - 0.054	15,525	0.066	0.065 - 0.067	12,811	0.043	0.043 - 0.044
		5-yr	58,472	0.110	0.109 - 0.111	32,011	0.135	0.134 - 0.137	26,467	0.090	0.089 - 0.091
		10-yr	85,146	0.160	0.159 - 0.161	46,319	0.196	0.194 - 0.198	38,835	0.132	0.130 - 0.133
Canadian Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	5,282	0.014	0.014 - 0.015	3,072	0.017	0.016 - 0.017	2,206	0.012	0.011 - 0.012
		5-yr	10,214	0.027	0.027 - 0.028	5,874	0.032	0.031 - 0.033	4,335	0.023	0.022 - 0.024
		10-yr	14,094	0.038	0.037 - 0.039	8,012	0.043	0.042 - 0.044	6,075	0.032	0.031 - 0.033
Current Age											
< 50		2-yr	248	0.001	0.001 - 0.001	136	0.001	0.001 - 0.001	112	0.001	0.001 - 0.001
		5-yr	441	0.002	0.002 - 0.002	261	0.002	0.002 - 0.003	181	0.002	0.001 - 0.002
		10-yr	596	0.003	0.002 - 0.003	350	0.003	0.003 - 0.003	246	0.002	0.002 - 0.002
50-64		2-yr	1,441	0.019	0.018 - 0.020	826	0.022	0.020 - 0.023	616	0.016	0.014 - 0.017
		5-yr	2,707	0.035	0.034 - 0.037	1,566	0.041	0.039 - 0.043	1,143	0.029	0.027 - 0.031
		10-yr	3,708	0.048	0.046 - 0.050	2,142	0.056	0.053 - 0.059	1,568	0.040	0.038 - 0.043
65+		2-yr	3,592	0.058	0.055 - 0.060	2,111	0.074	0.070 - 0.078	1,478	0.044	0.041 - 0.046
		5-yr	7,066	0.113	0.110 - 0.116	4,048	0.142	0.137 - 0.147	3,011	0.089	0.085 - 0.093
		10-yr	9,791	0.157	0.153 - 0.161	5,520	0.193	0.188 - 0.199	4,262	0.126	0.122 - 0.130
North America Combined		LD Prev	MALES AND FEMALES			MALES			FEMALES		
Subgroup		Years	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
Total		2-yr	49,672	0.014	0.013 - 0.014	27,611	0.015	0.015 - 0.015	22,061	0.012	0.012 - 0.012
		5-yr	100,357	0.027	0.027 - 0.028	55,585	0.031	0.031 - 0.031	44,772	0.024	0.024 - 0.024
		10-yr	143,429	0.039	0.039 - 0.040	78,848	0.044	0.043 - 0.044	64,584	0.035	0.035 - 0.035
Current Age											
< 50		2-yr	3,149	0.001	0.001 - 0.001	1,680	0.001	0.001 - 0.001	1,470	0.001	0.001 - 0.001
		5-yr	5,834	0.002	0.002 - 0.003	3,154	0.003	0.003 - 0.003	2,680	0.002	0.002 - 0.002
		10-yr	7,767	0.003	0.003 - 0.003	4,274	0.004	0.003 - 0.004	3,493	0.003	0.003 - 0.003
50-64		2-yr	14,597	0.021	0.020 - 0.021	8,296	0.024	0.024 - 0.025	6,302	0.017	0.017 - 0.018
		5-yr	28,985	0.041	0.041 - 0.042	16,373	0.048	0.047 - 0.049	12,614	0.035	0.034 - 0.036
		10-yr	40,725	0.058	0.057 - 0.058	22,735	0.066	0.065 - 0.067	17,994	0.050	0.049 - 0.051
65+		2-yr	31,926	0.054	0.053 - 0.054	17,636	0.066	0.065 - 0.067	14,289	0.043	0.043 - 0.044
		5-yr	65,538	0.110	0.109 - 0.111	36,058	0.136	0.134 - 0.137	29,477	0.090	0.089 - 0.091
		10-yr	94,937	0.160	0.159 - 0.161	51,839	0.196	0.194 - 0.197	43,097	0.131	0.130 - 0.133

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Leukemias**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	76,980	0.023	0.023 - 0.024	45,064	0.028	0.028 - 0.028	31,921	0.019	0.019 - 0.019
	5-yr	166,664	0.051	0.051 - 0.051	97,399	0.060	0.060 - 0.061	69,277	0.042	0.041 - 0.042
	10-yr	272,445	0.083	0.083 - 0.083	157,748	0.098	0.097 - 0.098	114,716	0.069	0.068 - 0.069
Race										
White	2-yr	65,504	0.026	0.026 - 0.026	38,781	0.031	0.030 - 0.031	26,726	0.021	0.021 - 0.021
	5-yr	142,636	0.056	0.056 - 0.056	84,162	0.067	0.066 - 0.067	58,483	0.046	0.045 - 0.046
	10-yr	234,163	0.092	0.092 - 0.092	136,659	0.108	0.108 - 0.109	97,516	0.076	0.075 - 0.076
Black	2-yr	6,403	0.014	0.013 - 0.014	3,449	0.015	0.015 - 0.016	2,957	0.012	0.012 - 0.013
	5-yr	13,617	0.029	0.029 - 0.030	7,314	0.033	0.032 - 0.034	6,306	0.026	0.025 - 0.027
	10-yr	21,772	0.047	0.046 - 0.047	11,680	0.052	0.051 - 0.053	10,098	0.042	0.041 - 0.043
Current Age										
< 50	2-yr	17,192	0.008	0.008 - 0.008	9,700	0.009	0.009 - 0.009	7,492	0.007	0.007 - 0.007
	5-yr	38,064	0.018	0.018 - 0.018	21,494	0.020	0.020 - 0.020	16,569	0.016	0.016 - 0.016
	10-yr	64,671	0.031	0.030 - 0.031	36,260	0.034	0.034 - 0.034	28,410	0.027	0.027 - 0.028
50-64	2-yr	19,299	0.031	0.030 - 0.031	11,494	0.038	0.037 - 0.038	7,805	0.024	0.024 - 0.025
	5-yr	40,989	0.065	0.064 - 0.066	24,521	0.080	0.079 - 0.081	16,470	0.051	0.050 - 0.052
	10-yr	64,542	0.102	0.102 - 0.103	38,446	0.125	0.124 - 0.127	26,100	0.081	0.080 - 0.082
65+	2-yr	40,489	0.076	0.075 - 0.077	23,870	0.101	0.099 - 0.102	16,623	0.056	0.055 - 0.057
	5-yr	87,611	0.165	0.163 - 0.166	51,384	0.217	0.215 - 0.219	36,237	0.123	0.121 - 0.124
	10-yr	143,232	0.269	0.268 - 0.271	83,042	0.351	0.348 - 0.353	60,206	0.204	0.202 - 0.205
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	10,162	0.027	0.027 - 0.028	6,079	0.033	0.032 - 0.034	4,080	0.022	0.021 - 0.023
	5-yr	22,244	0.060	0.059 - 0.061	13,254	0.072	0.070 - 0.073	8,984	0.048	0.047 - 0.049
	10-yr	36,613	0.098	0.097 - 0.100	21,646	0.117	0.116 - 0.119	14,958	0.080	0.078 - 0.081
Current Age										
< 50	2-yr	1,827	0.008	0.008 - 0.008	1,046	0.009	0.008 - 0.010	782	0.007	0.006 - 0.008
	5-yr	3,928	0.017	0.017 - 0.018	2,224	0.019	0.018 - 0.020	1,705	0.015	0.014 - 0.016
	10-yr	6,658	0.029	0.028 - 0.030	3,749	0.032	0.031 - 0.033	2,910	0.026	0.025 - 0.027
50-64	2-yr	2,704	0.035	0.033 - 0.037	1,670	0.044	0.041 - 0.046	1,037	0.027	0.025 - 0.029
	5-yr	5,782	0.075	0.073 - 0.077	3,559	0.093	0.089 - 0.096	2,227	0.057	0.054 - 0.060
	10-yr	9,031	0.117	0.114 - 0.120	5,545	0.145	0.140 - 0.149	3,493	0.090	0.086 - 0.093
65+	2-yr	5,630	0.090	0.087 - 0.093	3,364	0.118	0.113 - 0.123	2,261	0.067	0.064 - 0.070
	5-yr	12,534	0.201	0.197 - 0.205	7,472	0.262	0.255 - 0.269	5,052	0.149	0.144 - 0.154
	10-yr	20,925	0.335	0.330 - 0.341	12,352	0.433	0.424 - 0.442	8,556	0.253	0.246 - 0.259
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	87,142	0.024	0.024 - 0.024	51,144	0.028	0.028 - 0.029	36,001	0.019	0.019 - 0.020
	5-yr	188,908	0.052	0.051 - 0.052	110,653	0.061	0.061 - 0.062	78,260	0.042	0.042 - 0.042
	10-yr	309,059	0.084	0.084 - 0.085	179,394	0.099	0.099 - 0.100	129,674	0.070	0.069 - 0.070
Current Age										
< 50	2-yr	19,020	0.008	0.008 - 0.008	10,746	0.009	0.009 - 0.009	8,274	0.007	0.007 - 0.007
	5-yr	41,993	0.018	0.018 - 0.018	23,718	0.020	0.020 - 0.020	18,275	0.016	0.016 - 0.016
	10-yr	71,329	0.030	0.030 - 0.031	40,010	0.034	0.033 - 0.034	31,320	0.027	0.027 - 0.027
50-64	2-yr	22,003	0.031	0.031 - 0.031	13,164	0.038	0.037 - 0.039	8,842	0.024	0.024 - 0.025
	5-yr	46,771	0.066	0.065 - 0.067	28,080	0.081	0.080 - 0.082	18,697	0.051	0.051 - 0.052
	10-yr	73,573	0.104	0.103 - 0.104	43,991	0.127	0.126 - 0.129	29,592	0.081	0.080 - 0.082
65+	2-yr	46,119	0.077	0.077 - 0.078	27,234	0.102	0.101 - 0.104	18,885	0.057	0.056 - 0.058
	5-yr	100,145	0.168	0.167 - 0.169	58,855	0.221	0.219 - 0.223	41,289	0.125	0.124 - 0.126
	10-yr	164,157	0.275	0.273 - 0.276	95,394	0.358	0.356 - 0.360	68,761	0.208	0.206 - 0.210

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-, Five-, and Ten-Year Limited-Duration Prevalence on January 1, 2019
by Race and Age for the United States, Canada and North America Combined, Mesothelioma**

U.S. Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	2,938	0.001	0.001 - 0.001	2,022	0.001	0.001 - 0.001	916	0.001	0.001 - 0.001
	5-yr	4,390	0.001	0.001 - 0.001	2,890	0.002	0.002 - 0.002	1,501	0.001	0.001 - 0.001
	10-yr	5,372	0.002	0.002 - 0.002	3,437	0.002	0.002 - 0.002	1,935	0.001	0.001 - 0.001
Race										
White	2-yr	2,683	0.001	0.001 - 0.001	1,862	0.001	0.001 - 0.002	821	0.001	0.001 - 0.001
	5-yr	3,998	0.002	0.002 - 0.002	2,648	0.002	0.002 - 0.002	1,350	0.001	0.001 - 0.001
	10-yr	4,863	0.002	0.002 - 0.002	3,142	0.002	0.002 - 0.003	1,722	0.001	0.001 - 0.001
Black	2-yr	153	0.000	0.000 - 0.000	96	0.000	0.000 - 0.001	57	0.000	0.000 - 0.000
	5-yr	238	0.001	0.000 - 0.001	146	0.001	0.001 - 0.001	92	0.000	0.000 - 0.000
	10-yr	319	0.001	0.001 - 0.001	178	0.001	0.001 - 0.001	141	0.001	0.000 - 0.001
Current Age										
< 50	2-yr	182	0.000	0.000 - 0.000	82	0.000	0.000 - 0.000	100	0.000	0.000 - 0.000
	5-yr	356	0.000	0.000 - 0.000	146	0.000	0.000 - 0.000	209	0.000	0.000 - 0.000
	10-yr	515	0.000	0.000 - 0.000	212	0.000	0.000 - 0.000	302	0.000	0.000 - 0.000
50-64	2-yr	505	0.001	0.001 - 0.001	297	0.001	0.001 - 0.001	208	0.001	0.001 - 0.001
	5-yr	837	0.001	0.001 - 0.001	484	0.002	0.001 - 0.002	353	0.001	0.001 - 0.001
	10-yr	1,118	0.002	0.002 - 0.002	626	0.002	0.002 - 0.002	492	0.002	0.001 - 0.002
65+	2-yr	2,251	0.004	0.004 - 0.004	1,644	0.007	0.007 - 0.007	607	0.002	0.002 - 0.002
	5-yr	3,197	0.006	0.006 - 0.006	2,259	0.010	0.009 - 0.010	938	0.003	0.003 - 0.003
	10-yr	3,739	0.007	0.007 - 0.007	2,599	0.011	0.011 - 0.011	1,141	0.004	0.004 - 0.004
Canadian Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	497	0.001	0.001 - 0.001	359	0.002	0.002 - 0.002	137	0.001	0.001 - 0.001
	5-yr	735	0.002	0.002 - 0.002	514	0.003	0.003 - 0.003	220	0.001	0.001 - 0.001
	10-yr	864	0.002	0.002 - 0.003	587	0.003	0.003 - 0.004	275	0.001	0.001 - 0.002
Current Age										
< 50	2-yr	30	0.000	0.000 - 0.000	19	0.000	0.000 - 0.000	12	0.000	0.000 - 0.000
	5-yr	55	0.000	0.000 - 0.000	29	0.000	0.000 - 0.000	26	0.000	0.000 - 0.000
	10-yr	69	0.000	0.000 - 0.000	37	0.000	0.000 - 0.000	32	0.000	0.000 - 0.000
50-64	2-yr	89	0.001	0.001 - 0.001	54	0.001	0.001 - 0.002	35	0.001	0.001 - 0.001
	5-yr	139	0.002	0.001 - 0.002	83	0.002	0.002 - 0.003	57	0.001	0.001 - 0.002
	10-yr	165	0.002	0.002 - 0.003	93	0.002	0.002 - 0.003	72	0.002	0.001 - 0.002
65+	2-yr	377	0.006	0.005 - 0.007	286	0.010	0.009 - 0.011	90	0.003	0.002 - 0.003
	5-yr	541	0.009	0.008 - 0.010	402	0.014	0.013 - 0.016	137	0.004	0.003 - 0.005
	10-yr	630	0.010	0.009 - 0.011	457	0.016	0.014 - 0.018	171	0.005	0.004 - 0.006
North America Combined	LD Prev	MALES AND FEMALES			MALES			FEMALES		
<i>Subgroup</i>	<i>Years</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>	<i>Count</i>	<i>Prev %</i>	<i>95% C.I.</i>
Total	2-yr	3,435	0.001	0.001 - 0.001	2,382	0.001	0.001 - 0.001	1,052	0.001	0.001 - 0.001
	5-yr	5,125	0.001	0.001 - 0.001	3,404	0.002	0.002 - 0.002	1,720	0.001	0.001 - 0.001
	10-yr	6,236	0.002	0.002 - 0.002	4,025	0.002	0.002 - 0.002	2,210	0.001	0.001 - 0.001
Current Age										
< 50	2-yr	212	0.000	0.000 - 0.000	100	0.000	0.000 - 0.000	112	0.000	0.000 - 0.000
	5-yr	411	0.000	0.000 - 0.000	175	0.000	0.000 - 0.000	236	0.000	0.000 - 0.000
	10-yr	583	0.000	0.000 - 0.000	249	0.000	0.000 - 0.000	334	0.000	0.000 - 0.000
50-64	2-yr	594	0.001	0.001 - 0.001	351	0.001	0.001 - 0.001	243	0.001	0.001 - 0.001
	5-yr	977	0.001	0.001 - 0.001	567	0.002	0.001 - 0.002	410	0.001	0.001 - 0.001
	10-yr	1,283	0.002	0.002 - 0.002	720	0.002	0.002 - 0.002	564	0.002	0.001 - 0.002
65+	2-yr	2,629	0.004	0.004 - 0.005	1,931	0.007	0.007 - 0.008	697	0.002	0.002 - 0.002
	5-yr	3,737	0.006	0.006 - 0.006	2,662	0.010	0.010 - 0.010	1,075	0.003	0.003 - 0.003
	10-yr	4,370	0.007	0.007 - 0.008	3,056	0.011	0.011 - 0.012	1,312	0.004	0.004 - 0.004

Abbreviations: LD, Limited-Duration; C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.



Section III

Two-, Five- and Ten-Year Limited-Duration Prevalence for Cancers Diagnosed 2009-2018, by Registry and Race



**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,703,121	0.823	0.822 - 0.824	1,343,815	0.831	0.829 - 0.832	1,359,486	0.816	0.815 - 0.818
Alabama	40,548	0.828	0.820 - 0.836	20,960	0.885	0.873 - 0.897	19,588	0.774	0.763 - 0.785
Alaska	4,685	0.637	0.619 - 0.656	2,426	0.632	0.608 - 0.658	2,259	0.643	0.616 - 0.670
Arizona	51,104	0.707	0.701 - 0.713	25,215	0.702	0.693 - 0.711	25,889	0.712	0.703 - 0.721
Arkansas	26,781	0.888	0.877 - 0.898	14,110	0.953	0.937 - 0.969	12,671	0.825	0.811 - 0.840
California	271,855	0.689	0.687 - 0.692	130,763	0.667	0.663 - 0.671	141,092	0.712	0.708 - 0.715
CA - Greater California	154,614	0.703	0.700 - 0.707	75,480	0.689	0.684 - 0.694	79,134	0.718	0.713 - 0.723
CA - Greater Bay Area	54,348	0.732	0.726 - 0.739	26,149	0.706	0.698 - 0.715	28,199	0.758	0.750 - 0.767
CA - Los Angeles	62,928	0.627	0.622 - 0.632	29,160	0.589	0.583 - 0.596	33,768	0.664	0.657 - 0.671
Colorado	39,311	0.686	0.680 - 0.693	18,985	0.658	0.649 - 0.668	20,326	0.715	0.705 - 0.725
Connecticut	34,072	0.954	0.944 - 0.965	16,888	0.970	0.955 - 0.985	17,185	0.939	0.925 - 0.954
Delaware	9,178	0.944	0.925 - 0.964	4,668	0.994	0.965 - 1.022	4,510	0.898	0.872 - 0.925
District of Columbia	4,612	0.653	0.634 - 0.672	2,213	0.660	0.633 - 0.689	2,399	0.646	0.621 - 0.673
Florida	201,614	0.943	0.939 - 0.947	100,383	0.961	0.955 - 0.967	101,231	0.927	0.921 - 0.932
Georgia	82,791	0.783	0.778 - 0.788	41,830	0.814	0.806 - 0.822	40,962	0.754	0.747 - 0.761
Hawaii	11,815	0.832	0.817 - 0.848	5,835	0.820	0.799 - 0.842	5,980	0.845	0.823 - 0.866
Idaho	13,819	0.780	0.768 - 0.794	7,225	0.814	0.795 - 0.833	6,594	0.747	0.729 - 0.765
Illinois	107,900	0.850	0.845 - 0.855	52,494	0.842	0.834 - 0.849	55,406	0.858	0.851 - 0.865
Indiana	55,256	0.823	0.816 - 0.830	27,134	0.819	0.810 - 0.829	28,122	0.826	0.817 - 0.836
Iowa	29,285	0.928	0.918 - 0.939	14,943	0.952	0.937 - 0.967	14,342	0.905	0.890 - 0.920
Kansas	24,746	0.850	0.839 - 0.860	12,542	0.864	0.849 - 0.880	12,204	0.835	0.820 - 0.850
Kentucky	41,830	0.936	0.927 - 0.945	20,818	0.946	0.933 - 0.959	21,012	0.927	0.914 - 0.939
Louisiana	40,389	0.866	0.858 - 0.875	21,315	0.937	0.925 - 0.950	19,073	0.799	0.788 - 0.811
Maine	13,958	1.039	1.022 - 1.057	6,996	1.064	1.039 - 1.089	6,962	1.016	0.992 - 1.040
Maryland	50,316	0.832	0.825 - 0.839	24,628	0.841	0.830 - 0.851	25,688	0.824	0.814 - 0.834
MI - Detroit	35,315	0.910	0.900 - 0.919	17,448	0.925	0.912 - 0.939	17,867	0.895	0.882 - 0.908
Minnesota	50,864	0.904	0.897 - 0.912	25,770	0.920	0.909 - 0.931	25,094	0.889	0.878 - 0.900
Mississippi	25,626	0.860	0.849 - 0.870	13,401	0.927	0.912 - 0.943	12,225	0.796	0.782 - 0.811
Missouri	51,497	0.840	0.832 - 0.847	25,043	0.832	0.822 - 0.842	26,454	0.847	0.837 - 0.857
Montana	10,280	0.964	0.946 - 0.983	5,470	1.020	0.993 - 1.047	4,810	0.909	0.883 - 0.935
Nebraska	16,646	0.863	0.850 - 0.876	8,575	0.890	0.872 - 0.910	8,071	0.835	0.817 - 0.854
New Hampshire	13,775	1.014	0.998 - 1.032	7,080	1.052	1.028 - 1.077	6,695	0.977	0.954 - 1.001
New Jersey	84,608	0.952	0.945 - 0.958	42,011	0.967	0.958 - 0.976	42,597	0.937	0.928 - 0.946
New Mexico	14,409	0.687	0.676 - 0.699	6,899	0.665	0.649 - 0.681	7,509	0.709	0.693 - 0.725
New York	182,580	0.936	0.932 - 0.940	89,992	0.950	0.944 - 0.956	92,588	0.923	0.917 - 0.929
North Carolina	91,179	0.873	0.867 - 0.879	45,436	0.894	0.886 - 0.902	45,743	0.853	0.845 - 0.860
North Dakota	6,134	0.805	0.785 - 0.826	3,204	0.821	0.793 - 0.850	2,930	0.788	0.760 - 0.817
Ohio	104,702	0.896	0.890 - 0.901	51,770	0.904	0.896 - 0.911	52,932	0.888	0.881 - 0.896
Oklahoma	30,062	0.761	0.752 - 0.769	14,804	0.756	0.744 - 0.769	15,258	0.765	0.753 - 0.777
Oregon	34,858	0.830	0.821 - 0.839	17,078	0.820	0.808 - 0.833	17,780	0.840	0.827 - 0.852
Pennsylvania	121,436	0.948	0.943 - 0.954	59,161	0.943	0.935 - 0.951	62,275	0.954	0.946 - 0.961
Rhode Island	10,121	0.956	0.937 - 0.975	4,889	0.949	0.923 - 0.976	5,232	0.963	0.937 - 0.989
South Carolina	42,684	0.833	0.825 - 0.841	21,360	0.860	0.849 - 0.872	21,324	0.807	0.796 - 0.818
Tennessee	58,595	0.861	0.854 - 0.868	30,031	0.905	0.894 - 0.915	28,564	0.820	0.810 - 0.829
Texas	185,093	0.643	0.640 - 0.645	92,898	0.649	0.645 - 0.654	92,195	0.636	0.632 - 0.640
Utah	18,522	0.583	0.574 - 0.591	9,600	0.600	0.588 - 0.612	8,922	0.565	0.554 - 0.577
Vermont	6,241	0.999	0.975 - 1.025	3,122	1.012	0.977 - 1.049	3,119	0.987	0.953 - 1.022
Washington	59,903	0.791	0.785 - 0.798	29,579	0.781	0.772 - 0.790	30,324	0.802	0.793 - 0.811
WA - Seattle	44,152	0.845	0.837 - 0.853	22,029	0.842	0.831 - 0.853	22,123	0.849	0.837 - 0.860
West Virginia	18,470	1.026	1.011 - 1.041	9,274	1.040	1.019 - 1.062	9,196	1.012	0.991 - 1.032
Wisconsin	53,435	0.919	0.911 - 0.926	27,165	0.938	0.927 - 0.950	26,270	0.899	0.888 - 0.910
Wyoming	4,662	0.804	0.781 - 0.828	2,510	0.850	0.817 - 0.884	2,152	0.757	0.726 - 0.790
NAACCR CDN Combined	315,542	0.846	0.843 - 0.850	156,997	0.849	0.844 - 0.854	158,373	0.844	0.839 - 0.849
Alberta	31,074	0.718	0.710 - 0.726	15,457	0.709	0.698 - 0.720	15,617	0.726	0.715 - 0.738
British Columbia	41,096	0.813	0.806 - 0.821	20,829	0.833	0.822 - 0.844	20,267	0.794	0.783 - 0.805
Manitoba	10,595	0.778	0.763 - 0.793	5,227	0.768	0.748 - 0.789	5,368	0.788	0.767 - 0.809
New Brunswick	7,723	0.998	0.976 - 1.021	3,937	1.028	0.997 - 1.061	3,786	0.968	0.938 - 1.000
Newfoundland and Labrador	5,665	1.080	1.052 - 1.109	2,884	1.111	1.071 - 1.152	2,781	1.050	1.011 - 1.089
Ontario	129,085	0.895	0.890 - 0.900	63,757	0.895	0.888 - 0.902	65,328	0.894	0.888 - 0.901
Prince Edward Island	1,405	0.904	0.857 - 0.953	704	0.921	0.854 - 0.992	701	0.888	0.823 - 0.956
Saskatchewan	8,563	0.734	0.718 - 0.749	4,253	0.723	0.702 - 0.745	4,310	0.744	0.722 - 0.767
NAACCR N.A. Combined	3,018,663	0.825	0.824 - 0.826	1,500,812	0.832	0.831 - 0.834	1,517,859	0.819	0.817 - 0.820

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	78,451	0.024	0.024 - 0.024	56,053	0.035	0.034 - 0.035	22,411	0.013	0.013 - 0.014
Alabama	1,206	0.025	0.023 - 0.026	862	0.036	0.034 - 0.039	344	0.014	0.012 - 0.015
Alaska	142	0.019	0.016 - 0.023	111	0.029	0.024 - 0.035	31	0.009	0.006 - 0.013
Arizona	1,320	0.018	0.017 - 0.019	952	0.027	0.025 - 0.028	368	0.010	0.009 - 0.011
Arkansas	851	0.028	0.026 - 0.030	615	0.042	0.038 - 0.045	236	0.015	0.013 - 0.017
California	7,507	0.019	0.019 - 0.019	5,310	0.027	0.026 - 0.028	2,198	0.011	0.011 - 0.012
CA - Greater California	4,434	0.020	0.020 - 0.021	3,174	0.029	0.028 - 0.030	1,260	0.011	0.011 - 0.012
CA - Greater Bay Area	1,539	0.021	0.020 - 0.022	1,084	0.029	0.028 - 0.031	455	0.012	0.011 - 0.013
CA - Los Angeles	1,536	0.015	0.015 - 0.016	1,053	0.021	0.020 - 0.023	482	0.009	0.009 - 0.010
Colorado	1,199	0.021	0.020 - 0.022	884	0.031	0.029 - 0.033	315	0.011	0.010 - 0.012
Connecticut	1,027	0.029	0.027 - 0.031	704	0.040	0.038 - 0.044	323	0.018	0.016 - 0.020
Delaware	258	0.027	0.023 - 0.030	193	0.041	0.035 - 0.047	65	0.013	0.010 - 0.017
District of Columbia	115	0.016	0.013 - 0.020	75	0.022	0.018 - 0.028	40	0.011	0.008 - 0.015
Florida	6,241	0.029	0.028 - 0.030	4,610	0.044	0.043 - 0.045	1,631	0.015	0.014 - 0.016
Georgia	2,446	0.023	0.022 - 0.024	1,748	0.034	0.032 - 0.036	699	0.013	0.012 - 0.014
Hawaii	395	0.028	0.025 - 0.031	285	0.040	0.036 - 0.045	110	0.016	0.013 - 0.019
Idaho	408	0.023	0.021 - 0.025	302	0.034	0.030 - 0.038	106	0.012	0.010 - 0.015
Illinois	3,065	0.024	0.023 - 0.025	2,161	0.035	0.033 - 0.036	904	0.014	0.013 - 0.015
Indiana	1,689	0.025	0.024 - 0.026	1,221	0.037	0.035 - 0.039	468	0.014	0.013 - 0.015
Iowa	933	0.030	0.028 - 0.032	661	0.042	0.039 - 0.045	272	0.017	0.015 - 0.019
Kansas	655	0.022	0.021 - 0.024	481	0.033	0.030 - 0.036	174	0.012	0.010 - 0.014
Kentucky	1,230	0.028	0.026 - 0.029	875	0.040	0.037 - 0.042	355	0.016	0.014 - 0.017
Louisiana	1,154	0.025	0.023 - 0.026	833	0.037	0.034 - 0.039	322	0.013	0.012 - 0.015
Maine	448	0.033	0.030 - 0.037	319	0.049	0.043 - 0.054	129	0.019	0.016 - 0.022
Maryland	1,407	0.023	0.022 - 0.025	996	0.034	0.032 - 0.036	411	0.013	0.012 - 0.015
MI - Detroit	976	0.025	0.024 - 0.027	683	0.036	0.034 - 0.039	293	0.015	0.013 - 0.016
Minnesota	1,501	0.027	0.025 - 0.028	1,024	0.037	0.034 - 0.039	477	0.017	0.015 - 0.018
Mississippi	720	0.024	0.022 - 0.026	511	0.035	0.032 - 0.039	209	0.014	0.012 - 0.016
Missouri	1,659	0.027	0.026 - 0.028	1,226	0.041	0.038 - 0.043	433	0.014	0.013 - 0.015
Montana	296	0.028	0.025 - 0.031	224	0.042	0.036 - 0.048	73	0.014	0.011 - 0.017
Nebraska	523	0.027	0.025 - 0.030	378	0.039	0.035 - 0.043	145	0.015	0.013 - 0.018
New Hampshire	372	0.027	0.025 - 0.030	259	0.038	0.034 - 0.043	113	0.016	0.014 - 0.020
New Jersey	2,230	0.025	0.024 - 0.026	1,547	0.036	0.034 - 0.037	683	0.015	0.014 - 0.016
New Mexico	387	0.018	0.017 - 0.020	280	0.027	0.024 - 0.030	108	0.010	0.008 - 0.012
New York	4,571	0.023	0.023 - 0.024	3,122	0.033	0.032 - 0.034	1,450	0.014	0.014 - 0.015
North Carolina	2,625	0.025	0.024 - 0.026	1,882	0.037	0.035 - 0.039	743	0.014	0.013 - 0.015
North Dakota	163	0.021	0.018 - 0.025	119	0.031	0.025 - 0.037	44	0.012	0.009 - 0.016
Ohio	3,100	0.027	0.026 - 0.027	2,201	0.038	0.037 - 0.040	899	0.015	0.014 - 0.016
Oklahoma	947	0.024	0.022 - 0.026	668	0.034	0.032 - 0.037	279	0.014	0.012 - 0.016
Oregon	1,128	0.027	0.025 - 0.028	822	0.039	0.037 - 0.042	306	0.014	0.013 - 0.016
Pennsylvania	3,545	0.028	0.027 - 0.029	2,490	0.040	0.038 - 0.041	1,055	0.016	0.015 - 0.017
Rhode Island	276	0.026	0.023 - 0.029	177	0.034	0.029 - 0.040	99	0.018	0.015 - 0.022
South Carolina	1,329	0.026	0.025 - 0.027	970	0.039	0.037 - 0.042	359	0.014	0.012 - 0.015
Tennessee	1,794	0.026	0.025 - 0.028	1,356	0.041	0.039 - 0.043	438	0.013	0.011 - 0.014
Texas	5,477	0.019	0.019 - 0.020	3,973	0.028	0.027 - 0.029	1,504	0.010	0.010 - 0.011
Utah	432	0.014	0.012 - 0.015	305	0.019	0.017 - 0.021	127	0.008	0.007 - 0.010
Vermont	192	0.031	0.027 - 0.035	139	0.045	0.038 - 0.053	53	0.017	0.013 - 0.022
Washington	1,934	0.026	0.024 - 0.027	1,342	0.035	0.034 - 0.037	592	0.016	0.014 - 0.017
WA - Seattle	1,496	0.029	0.027 - 0.030	1,042	0.040	0.037 - 0.042	454	0.017	0.016 - 0.019
West Virginia	585	0.032	0.030 - 0.035	433	0.049	0.044 - 0.053	152	0.017	0.014 - 0.020
Wisconsin	1,554	0.027	0.025 - 0.028	1,100	0.038	0.036 - 0.040	454	0.016	0.014 - 0.017
Wyoming	129	0.022	0.019 - 0.026	90	0.030	0.024 - 0.037	39	0.014	0.010 - 0.019
NAACCR CDN Combined	8,655	0.023	0.023 - 0.024	6,096	0.033	0.032 - 0.034	2,565	0.014	0.013 - 0.014
Alberta	758	0.018	0.016 - 0.019	539	0.025	0.023 - 0.027	219	0.010	0.009 - 0.012
British Columbia	1,215	0.024	0.023 - 0.025	860	0.034	0.032 - 0.037	355	0.014	0.013 - 0.015
Manitoba	320	0.024	0.021 - 0.026	226	0.033	0.029 - 0.038	94	0.014	0.011 - 0.017
New Brunswick	214	0.028	0.024 - 0.032	158	0.041	0.035 - 0.048	56	0.014	0.011 - 0.019
Newfoundland and Labrador	150	0.029	0.024 - 0.034	112	0.043	0.036 - 0.052	38	0.014	0.010 - 0.020
Ontario	3,538	0.025	0.024 - 0.025	2,464	0.035	0.033 - 0.036	1,074	0.015	0.014 - 0.016
Prince Edward Island	50	0.032	0.024 - 0.042	32	0.042	0.029 - 0.059	18	0.023	0.014 - 0.036
Saskatchewan	194	0.017	0.014 - 0.019	135	0.023	0.019 - 0.027	59	0.010	0.008 - 0.013
NAACCR N.A. Combined	87,106	0.024	0.024 - 0.024	62,149	0.034	0.034 - 0.035	24,976	0.013	0.013 - 0.014

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-2 Prevalence – Oral Cavity and Pharynx

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	19,805	0.006	0.006 - 0.006	15,795	0.010	0.010 - 0.010	4,015	0.002	0.002 - 0.002
Alabama	284	0.006	0.005 - 0.007	236	0.010	0.009 - 0.011	48	0.002	0.001 - 0.003
Alaska	50	0.007	0.005 - 0.009	*	*		*	*	
Arizona	404	0.006	0.005 - 0.006	335	0.009	0.008 - 0.010	69	0.002	0.001 - 0.002
Arkansas	173	0.006	0.005 - 0.007	143	0.010	0.008 - 0.011	30	0.002	0.001 - 0.003
California	1,613	0.004	0.004 - 0.004	1,277	0.007	0.006 - 0.007	336	0.002	0.002 - 0.002
CA - Greater California	1,002	0.005	0.004 - 0.005	800	0.007	0.007 - 0.008	202	0.002	0.002 - 0.002
CA - Greater Bay Area	333	0.004	0.004 - 0.005	261	0.007	0.006 - 0.008	72	0.002	0.002 - 0.002
CA - Los Angeles	279	0.003	0.002 - 0.003	217	0.004	0.004 - 0.005	62	0.001	0.001 - 0.002
Colorado	303	0.005	0.005 - 0.006	243	0.008	0.007 - 0.010	60	0.002	0.002 - 0.003
Connecticut	258	0.007	0.006 - 0.008	198	0.011	0.010 - 0.013	59	0.003	0.002 - 0.004
Delaware	67	0.007	0.005 - 0.009	53	0.011	0.008 - 0.015	14	0.003	0.002 - 0.005
District of Columbia	16	0.002	0.001 - 0.004	*	*		*	*	
Florida	1,627	0.008	0.007 - 0.008	1,311	0.013	0.012 - 0.013	316	0.003	0.003 - 0.003
Georgia	537	0.005	0.005 - 0.006	420	0.008	0.007 - 0.009	117	0.002	0.002 - 0.003
Hawaii	65	0.005	0.004 - 0.006	51	0.007	0.005 - 0.009	14	0.002	0.001 - 0.003
Idaho	102	0.006	0.005 - 0.007	85	0.010	0.008 - 0.012	17	0.002	0.001 - 0.003
Illinois	799	0.006	0.006 - 0.007	628	0.010	0.009 - 0.011	171	0.003	0.002 - 0.003
Indiana	512	0.008	0.007 - 0.008	428	0.013	0.012 - 0.014	84	0.002	0.002 - 0.003
Iowa	265	0.008	0.007 - 0.009	216	0.014	0.012 - 0.016	49	0.003	0.002 - 0.004
Kansas	184	0.006	0.005 - 0.007	142	0.010	0.008 - 0.012	42	0.003	0.002 - 0.004
Kentucky	313	0.007	0.006 - 0.008	255	0.012	0.010 - 0.013	58	0.003	0.002 - 0.003
Louisiana	246	0.005	0.005 - 0.006	198	0.009	0.008 - 0.010	48	0.002	0.001 - 0.003
Maine	158	0.012	0.010 - 0.014	127	0.019	0.016 - 0.023	31	0.005	0.003 - 0.006
Maryland	347	0.006	0.005 - 0.006	272	0.009	0.008 - 0.010	75	0.002	0.002 - 0.003
MI - Detroit	297	0.008	0.007 - 0.009	228	0.012	0.011 - 0.014	69	0.003	0.003 - 0.004
Minnesota	386	0.007	0.006 - 0.008	296	0.011	0.009 - 0.012	90	0.003	0.003 - 0.004
Mississippi	165	0.006	0.005 - 0.006	135	0.009	0.008 - 0.011	30	0.002	0.001 - 0.003
Missouri	415	0.007	0.006 - 0.007	336	0.011	0.010 - 0.012	79	0.003	0.002 - 0.003
Montana	81	0.008	0.006 - 0.009	61	0.011	0.009 - 0.015	20	0.004	0.002 - 0.006
Nebraska	104	0.005	0.004 - 0.007	82	0.009	0.007 - 0.011	22	0.002	0.001 - 0.003
New Hampshire	145	0.011	0.009 - 0.013	123	0.018	0.015 - 0.022	22	0.003	0.002 - 0.005
New Jersey	542	0.006	0.006 - 0.007	420	0.010	0.009 - 0.011	122	0.003	0.002 - 0.003
New Mexico	110	0.005	0.004 - 0.006	88	0.008	0.007 - 0.010	22	0.002	0.001 - 0.003
New York	1,186	0.006	0.006 - 0.006	921	0.010	0.009 - 0.010	266	0.003	0.002 - 0.003
North Carolina	600	0.006	0.005 - 0.006	477	0.009	0.009 - 0.010	123	0.002	0.002 - 0.003
North Dakota	55	0.007	0.005 - 0.009	*	*		*	*	
Ohio	917	0.008	0.007 - 0.008	744	0.013	0.012 - 0.014	173	0.003	0.002 - 0.003
Oklahoma	213	0.005	0.005 - 0.006	181	0.009	0.008 - 0.011	32	0.002	0.001 - 0.002
Oregon	294	0.007	0.006 - 0.008	241	0.012	0.010 - 0.013	53	0.003	0.002 - 0.003
Pennsylvania	1,045	0.008	0.008 - 0.009	820	0.013	0.012 - 0.014	225	0.003	0.003 - 0.004
Rhode Island	79	0.007	0.006 - 0.009	63	0.012	0.009 - 0.016	16	0.003	0.002 - 0.005
South Carolina	322	0.006	0.006 - 0.007	253	0.010	0.009 - 0.012	69	0.003	0.002 - 0.003
Tennessee	451	0.007	0.006 - 0.007	354	0.011	0.010 - 0.012	97	0.003	0.002 - 0.003
Texas	1,216	0.004	0.004 - 0.004	958	0.007	0.006 - 0.007	258	0.002	0.002 - 0.002
Utah	111	0.003	0.003 - 0.004	95	0.006	0.005 - 0.007	16	0.001	0.001 - 0.002
Vermont	51	0.008	0.006 - 0.011	*	*		*	*	
Washington	485	0.006	0.006 - 0.007	383	0.010	0.009 - 0.011	102	0.003	0.002 - 0.003
WA - Seattle	325	0.006	0.006 - 0.007	252	0.010	0.008 - 0.011	73	0.003	0.002 - 0.004
West Virginia	150	0.008	0.007 - 0.010	119	0.013	0.011 - 0.016	31	0.003	0.002 - 0.005
Wisconsin	443	0.008	0.007 - 0.008	352	0.012	0.011 - 0.013	91	0.003	0.003 - 0.004
Wyoming	27	0.005	0.003 - 0.007	*	*		*	*	
NAACCR CDN Combined	2,353	0.006	0.006 - 0.007	1,809	0.010	0.009 - 0.010	546	0.003	0.003 - 0.003
Alberta	224	0.005	0.005 - 0.006	176	0.008	0.007 - 0.009	48	0.002	0.002 - 0.003
British Columbia	372	0.007	0.007 - 0.008	278	0.011	0.010 - 0.013	94	0.004	0.003 - 0.005
Manitoba	65	0.005	0.004 - 0.006	47	0.007	0.005 - 0.009	18	0.003	0.002 - 0.004
New Brunswick	64	0.008	0.006 - 0.011	54	0.014	0.011 - 0.018	10	0.003	0.001 - 0.005
Newfoundland and Labrador	52	0.010	0.007 - 0.013	41	0.016	0.011 - 0.021	11	0.004	0.002 - 0.007
Ontario	912	0.006	0.006 - 0.007	697	0.010	0.009 - 0.011	215	0.003	0.003 - 0.003
Prince Edward Island	14	0.009	0.005 - 0.015	*	*		*	*	
Saskatchewan	49	0.004	0.003 - 0.006	*	*		*	*	
NAACCR N.A. Combined	22,159	0.006	0.006 - 0.006	17,604	0.010	0.010 - 0.010	4,561	0.002	0.002 - 0.003

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	30,807	0.009	0.009 - 0.010	18,319	0.011	0.011 - 0.012	12,491	0.008	0.007 - 0.008
Alabama	510	0.010	0.010 - 0.011	261	0.011	0.010 - 0.012	249	0.010	0.009 - 0.011
Alaska	64	0.009	0.007 - 0.011	38	0.010	0.007 - 0.014	26	0.007	0.005 - 0.011
Arizona	550	0.008	0.007 - 0.008	331	0.009	0.008 - 0.010	219	0.006	0.005 - 0.007
Arkansas	262	0.009	0.008 - 0.010	161	0.011	0.009 - 0.013	101	0.007	0.005 - 0.008
California	3,830	0.010	0.009 - 0.010	2,216	0.011	0.011 - 0.012	1,614	0.008	0.008 - 0.009
CA - Greater California	1,895	0.009	0.008 - 0.009	1,089	0.010	0.009 - 0.011	806	0.007	0.007 - 0.008
CA - Greater Bay Area	821	0.011	0.010 - 0.012	495	0.013	0.012 - 0.015	327	0.009	0.008 - 0.010
CA - Los Angeles	1,115	0.011	0.010 - 0.012	634	0.013	0.012 - 0.014	482	0.009	0.009 - 0.010
Colorado	381	0.007	0.006 - 0.007	238	0.008	0.007 - 0.009	143	0.005	0.004 - 0.006
Connecticut	438	0.012	0.011 - 0.013	278	0.016	0.014 - 0.018	159	0.009	0.007 - 0.010
Delaware	89	0.009	0.007 - 0.011	54	0.011	0.009 - 0.015	35	0.007	0.005 - 0.010
District of Columbia	60	0.008	0.006 - 0.011	37	0.011	0.008 - 0.015	23	0.006	0.004 - 0.009
Florida	2,087	0.010	0.009 - 0.010	1,252	0.012	0.011 - 0.013	835	0.008	0.007 - 0.008
Georgia	861	0.008	0.008 - 0.009	498	0.010	0.009 - 0.011	363	0.007	0.006 - 0.007
Hawaii	198	0.014	0.012 - 0.016	110	0.015	0.013 - 0.019	88	0.012	0.010 - 0.015
Idaho	110	0.006	0.005 - 0.007	85	0.010	0.008 - 0.012	25	0.003	0.002 - 0.004
Illinois	1,354	0.011	0.010 - 0.011	788	0.013	0.012 - 0.014	566	0.009	0.008 - 0.010
Indiana	603	0.009	0.008 - 0.010	381	0.012	0.010 - 0.013	222	0.007	0.006 - 0.007
Iowa	199	0.006	0.005 - 0.007	125	0.008	0.007 - 0.009	74	0.005	0.004 - 0.006
Kansas	196	0.007	0.006 - 0.008	116	0.008	0.007 - 0.010	80	0.005	0.004 - 0.007
Kentucky	451	0.010	0.009 - 0.011	260	0.012	0.010 - 0.013	191	0.008	0.007 - 0.010
Louisiana	439	0.009	0.009 - 0.010	281	0.012	0.011 - 0.014	158	0.007	0.006 - 0.008
Maine	151	0.011	0.010 - 0.013	101	0.015	0.013 - 0.019	50	0.007	0.005 - 0.010
Maryland	657	0.011	0.010 - 0.012	370	0.013	0.011 - 0.014	287	0.009	0.008 - 0.010
MI - Detroit	350	0.009	0.008 - 0.010	203	0.011	0.009 - 0.012	147	0.007	0.006 - 0.009
Minnesota	469	0.008	0.008 - 0.009	320	0.011	0.010 - 0.013	149	0.005	0.004 - 0.006
Mississippi	295	0.010	0.009 - 0.011	162	0.011	0.010 - 0.013	133	0.009	0.007 - 0.010
Missouri	465	0.008	0.007 - 0.008	246	0.008	0.007 - 0.009	219	0.007	0.006 - 0.008
Montana	89	0.008	0.007 - 0.010	52	0.010	0.007 - 0.013	37	0.007	0.005 - 0.010
Nebraska	129	0.007	0.006 - 0.008	85	0.009	0.007 - 0.011	44	0.005	0.003 - 0.006
New Hampshire	136	0.010	0.008 - 0.012	84	0.012	0.010 - 0.015	52	0.008	0.006 - 0.010
New Jersey	1,161	0.013	0.012 - 0.014	669	0.015	0.014 - 0.017	492	0.011	0.010 - 0.012
New Mexico	191	0.009	0.008 - 0.011	99	0.010	0.008 - 0.012	92	0.009	0.007 - 0.011
New York	2,752	0.014	0.014 - 0.015	1,582	0.017	0.016 - 0.018	1,170	0.012	0.011 - 0.012
North Carolina	1,012	0.010	0.009 - 0.010	599	0.012	0.011 - 0.013	413	0.008	0.007 - 0.008
North Dakota	58	0.008	0.006 - 0.010	38	0.010	0.007 - 0.013	20	0.005	0.003 - 0.008
Ohio	1,075	0.009	0.009 - 0.010	661	0.012	0.011 - 0.012	414	0.007	0.006 - 0.008
Oklahoma	287	0.007	0.006 - 0.008	157	0.008	0.007 - 0.009	130	0.007	0.005 - 0.008
Oregon	303	0.007	0.006 - 0.008	179	0.009	0.007 - 0.010	124	0.006	0.005 - 0.007
Pennsylvania	1,244	0.010	0.009 - 0.010	790	0.013	0.012 - 0.014	454	0.007	0.006 - 0.008
Rhode Island	135	0.013	0.011 - 0.015	86	0.017	0.013 - 0.021	49	0.009	0.007 - 0.012
South Carolina	507	0.010	0.009 - 0.011	303	0.012	0.011 - 0.014	204	0.008	0.007 - 0.009
Tennessee	523	0.008	0.007 - 0.008	315	0.009	0.008 - 0.011	208	0.006	0.005 - 0.007
Texas	2,161	0.008	0.007 - 0.008	1,242	0.009	0.008 - 0.009	919	0.006	0.006 - 0.007
Utah	156	0.005	0.004 - 0.006	104	0.006	0.005 - 0.008	52	0.003	0.002 - 0.004
Vermont	74	0.012	0.009 - 0.015	50	0.016	0.012 - 0.021	24	0.008	0.005 - 0.011
Washington	570	0.008	0.007 - 0.008	342	0.009	0.008 - 0.010	228	0.006	0.005 - 0.007
WA - Seattle	437	0.008	0.008 - 0.009	268	0.010	0.009 - 0.012	169	0.006	0.006 - 0.008
West Virginia	154	0.009	0.007 - 0.010	92	0.010	0.008 - 0.013	62	0.007	0.005 - 0.009
Wisconsin	563	0.010	0.009 - 0.011	396	0.014	0.012 - 0.015	167	0.006	0.005 - 0.007
Wyoming	39	0.007	0.005 - 0.009	*	*		*	*	
NAACCR CDN Combined	4,021	0.011	0.010 - 0.011	2,577	0.014	0.013 - 0.015	1,443	0.008	0.007 - 0.008
Alberta	295	0.007	0.006 - 0.008	189	0.009	0.007 - 0.010	106	0.005	0.004 - 0.006
British Columbia	415	0.008	0.007 - 0.009	263	0.011	0.009 - 0.012	152	0.006	0.005 - 0.007
Manitoba	134	0.010	0.008 - 0.012	89	0.013	0.011 - 0.016	45	0.007	0.005 - 0.009
New Brunswick	76	0.010	0.008 - 0.012	52	0.014	0.010 - 0.018	24	0.006	0.004 - 0.009
Newfoundland and Labrador	110	0.021	0.017 - 0.025	61	0.024	0.018 - 0.030	49	0.018	0.014 - 0.024
Ontario	1,853	0.013	0.012 - 0.013	1,189	0.017	0.016 - 0.018	664	0.009	0.008 - 0.010
Prince Edward Island	15	0.010	0.005 - 0.016	*	*		*	*	
Saskatchewan	97	0.008	0.007 - 0.010	65	0.011	0.009 - 0.014	32	0.006	0.004 - 0.008
NAACCR N.A. Combined	34,828	0.010	0.009 - 0.010	20,896	0.012	0.011 - 0.012	13,935	0.008	0.007 - 0.008

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-4 Prevalence – Stomach

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	228,488	0.070	0.069 - 0.070	121,097	0.075	0.074 - 0.075	107,402	0.065	0.064 - 0.065
Alabama	3,918	0.080	0.077 - 0.083	2,055	0.087	0.083 - 0.091	1,863	0.074	0.070 - 0.077
Alaska	492	0.067	0.061 - 0.073	273	0.071	0.063 - 0.080	219	0.062	0.054 - 0.071
Arizona	4,237	0.059	0.057 - 0.060	2,276	0.063	0.061 - 0.066	1,961	0.054	0.052 - 0.056
Arkansas	2,490	0.083	0.079 - 0.086	1,364	0.092	0.087 - 0.097	1,126	0.073	0.069 - 0.078
California	23,595	0.060	0.059 - 0.061	12,447	0.063	0.062 - 0.065	11,148	0.056	0.055 - 0.057
CA - Greater California	13,064	0.059	0.058 - 0.060	6,852	0.063	0.061 - 0.064	6,212	0.056	0.055 - 0.058
CA - Greater Bay Area	4,496	0.061	0.059 - 0.062	2,339	0.063	0.061 - 0.066	2,157	0.058	0.056 - 0.061
CA - Los Angeles	6,037	0.060	0.059 - 0.062	3,257	0.066	0.064 - 0.068	2,780	0.055	0.053 - 0.057
Colorado	3,098	0.054	0.052 - 0.056	1,682	0.058	0.056 - 0.061	1,416	0.050	0.047 - 0.052
Connecticut	2,531	0.071	0.068 - 0.074	1,310	0.075	0.071 - 0.079	1,221	0.067	0.063 - 0.071
Delaware	705	0.073	0.067 - 0.078	364	0.077	0.070 - 0.086	341	0.068	0.061 - 0.076
District of Columbia	407	0.058	0.052 - 0.064	209	0.062	0.054 - 0.071	198	0.053	0.046 - 0.061
Florida	15,833	0.074	0.073 - 0.075	8,400	0.080	0.079 - 0.082	7,433	0.068	0.066 - 0.070
Georgia	7,064	0.067	0.065 - 0.068	3,750	0.073	0.071 - 0.075	3,314	0.061	0.059 - 0.063
Hawaii	1,100	0.077	0.073 - 0.082	610	0.086	0.079 - 0.093	490	0.069	0.063 - 0.076
Idaho	1,054	0.060	0.056 - 0.063	590	0.066	0.061 - 0.072	464	0.053	0.048 - 0.058
Illinois	9,666	0.076	0.075 - 0.078	5,069	0.081	0.079 - 0.084	4,597	0.071	0.069 - 0.073
Indiana	5,047	0.075	0.073 - 0.077	2,734	0.083	0.079 - 0.086	2,313	0.068	0.065 - 0.071
Iowa	2,448	0.078	0.075 - 0.081	1,268	0.081	0.076 - 0.085	1,180	0.074	0.070 - 0.079
Kansas	2,136	0.073	0.070 - 0.077	1,142	0.079	0.074 - 0.083	994	0.068	0.064 - 0.072
Kentucky	3,968	0.089	0.086 - 0.092	2,148	0.098	0.094 - 0.102	1,820	0.080	0.077 - 0.084
Louisiana	3,793	0.081	0.079 - 0.084	2,013	0.089	0.085 - 0.092	1,780	0.075	0.071 - 0.078
Maine	1,036	0.077	0.073 - 0.082	545	0.083	0.076 - 0.090	491	0.072	0.065 - 0.078
Maryland	4,034	0.067	0.065 - 0.069	2,047	0.070	0.067 - 0.073	1,987	0.064	0.061 - 0.067
MI - Detroit	2,969	0.076	0.074 - 0.079	1,507	0.080	0.076 - 0.084	1,462	0.073	0.069 - 0.077
Minnesota	3,980	0.071	0.069 - 0.073	2,142	0.076	0.073 - 0.080	1,838	0.065	0.062 - 0.068
Mississippi	2,727	0.091	0.088 - 0.095	1,430	0.099	0.094 - 0.104	1,297	0.084	0.080 - 0.089
Missouri	4,636	0.076	0.073 - 0.078	2,400	0.080	0.077 - 0.083	2,236	0.072	0.069 - 0.075
Montana	767	0.072	0.067 - 0.077	437	0.081	0.074 - 0.089	330	0.062	0.056 - 0.069
Nebraska	1,483	0.077	0.073 - 0.081	777	0.081	0.075 - 0.087	706	0.073	0.068 - 0.079
New Hampshire	985	0.073	0.068 - 0.077	544	0.081	0.074 - 0.088	441	0.064	0.058 - 0.071
New Jersey	6,717	0.076	0.074 - 0.077	3,475	0.080	0.077 - 0.083	3,243	0.071	0.069 - 0.074
New Mexico	1,315	0.063	0.059 - 0.066	679	0.065	0.061 - 0.071	636	0.060	0.056 - 0.065
New York	14,235	0.073	0.072 - 0.074	7,397	0.078	0.076 - 0.080	6,838	0.068	0.067 - 0.070
North Carolina	7,069	0.068	0.066 - 0.069	3,728	0.073	0.071 - 0.076	3,341	0.062	0.060 - 0.064
North Dakota	535	0.070	0.064 - 0.076	288	0.074	0.066 - 0.083	247	0.066	0.058 - 0.075
Ohio	9,156	0.078	0.077 - 0.080	4,785	0.084	0.081 - 0.086	4,371	0.073	0.071 - 0.076
Oklahoma	2,838	0.072	0.069 - 0.075	1,519	0.078	0.074 - 0.082	1,319	0.066	0.063 - 0.070
Oregon	2,725	0.065	0.062 - 0.067	1,470	0.071	0.067 - 0.074	1,255	0.059	0.056 - 0.063
Pennsylvania	10,064	0.079	0.077 - 0.080	5,175	0.082	0.080 - 0.085	4,889	0.075	0.073 - 0.077
Rhode Island	720	0.068	0.063 - 0.073	371	0.072	0.065 - 0.080	349	0.064	0.058 - 0.071
South Carolina	3,520	0.069	0.066 - 0.071	1,851	0.075	0.071 - 0.078	1,669	0.063	0.060 - 0.066
Tennessee	5,120	0.075	0.073 - 0.077	2,712	0.082	0.079 - 0.085	2,408	0.069	0.066 - 0.072
Texas	17,490	0.061	0.060 - 0.062	9,782	0.068	0.067 - 0.070	7,708	0.053	0.052 - 0.054
Utah	1,322	0.042	0.039 - 0.044	691	0.043	0.040 - 0.047	631	0.040	0.037 - 0.043
Vermont	473	0.076	0.069 - 0.083	255	0.083	0.073 - 0.093	218	0.069	0.060 - 0.079
Washington	4,678	0.062	0.060 - 0.064	2,432	0.064	0.062 - 0.067	2,246	0.059	0.057 - 0.062
WA - Seattle	3,370	0.065	0.062 - 0.067	1,774	0.068	0.065 - 0.071	1,596	0.061	0.058 - 0.064
West Virginia	1,761	0.098	0.093 - 0.102	973	0.109	0.102 - 0.116	788	0.087	0.081 - 0.093
Wisconsin	4,022	0.069	0.067 - 0.071	2,095	0.072	0.069 - 0.076	1,927	0.066	0.063 - 0.069
Wyoming	382	0.066	0.059 - 0.073	209	0.071	0.061 - 0.081	173	0.061	0.052 - 0.071
NAACCR CDN Combined	34,431	0.092	0.091 - 0.093	19,063	0.103	0.101 - 0.105	15,369	0.082	0.080 - 0.083
Alberta	3,176	0.073	0.071 - 0.076	1,830	0.084	0.080 - 0.088	1,346	0.063	0.059 - 0.066
British Columbia	4,674	0.093	0.090 - 0.095	2,557	0.102	0.098 - 0.106	2,117	0.083	0.079 - 0.087
Manitoba	1,322	0.097	0.092 - 0.102	724	0.106	0.099 - 0.114	598	0.088	0.081 - 0.095
New Brunswick	977	0.126	0.118 - 0.134	559	0.146	0.134 - 0.159	418	0.107	0.097 - 0.118
Newfoundland and Labrador	925	0.176	0.165 - 0.188	525	0.202	0.185 - 0.220	400	0.151	0.137 - 0.167
Ontario	13,328	0.092	0.091 - 0.094	7,297	0.102	0.100 - 0.105	6,031	0.083	0.081 - 0.085
Prince Edward Island	166	0.107	0.091 - 0.124	84	0.110	0.088 - 0.136	82	0.104	0.083 - 0.129
Saskatchewan	1,076	0.092	0.087 - 0.098	626	0.106	0.098 - 0.115	450	0.078	0.071 - 0.085
NAACCR N.A. Combined	262,919	0.072	0.071 - 0.072	140,159	0.077	0.077 - 0.078	122,771	0.066	0.066 - 0.066

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	36,230	0.011	0.011 - 0.011	25,599	0.016	0.016 - 0.016	10,638	0.006	0.006 - 0.007
Alabama	476	0.010	0.009 - 0.011	341	0.014	0.013 - 0.016	135	0.005	0.004 - 0.006
Alaska	73	0.010	0.008 - 0.012	54	0.014	0.011 - 0.018	19	0.005	0.003 - 0.008
Arizona	739	0.010	0.010 - 0.011	522	0.015	0.013 - 0.016	217	0.006	0.005 - 0.007
Arkansas	337	0.011	0.010 - 0.012	246	0.017	0.015 - 0.019	91	0.006	0.005 - 0.007
California	4,700	0.012	0.012 - 0.012	3,291	0.017	0.016 - 0.017	1,409	0.007	0.007 - 0.007
CA - Greater California	2,662	0.012	0.012 - 0.013	1,881	0.017	0.016 - 0.018	781	0.007	0.007 - 0.008
CA - Greater Bay Area	1,034	0.014	0.013 - 0.015	736	0.020	0.018 - 0.021	298	0.008	0.007 - 0.009
CA - Los Angeles	1,005	0.010	0.009 - 0.011	674	0.014	0.013 - 0.015	330	0.006	0.006 - 0.007
Colorado	499	0.009	0.008 - 0.010	362	0.013	0.011 - 0.014	137	0.005	0.004 - 0.006
Connecticut	410	0.011	0.010 - 0.013	302	0.017	0.015 - 0.019	107	0.006	0.005 - 0.007
Delaware	110	0.011	0.009 - 0.014	79	0.017	0.013 - 0.021	31	0.006	0.004 - 0.009
District of Columbia	102	0.014	0.012 - 0.018	70	0.021	0.016 - 0.026	32	0.009	0.006 - 0.012
Florida	2,494	0.012	0.011 - 0.012	1,711	0.016	0.016 - 0.017	783	0.007	0.007 - 0.008
Georgia	937	0.009	0.008 - 0.009	639	0.012	0.011 - 0.013	298	0.005	0.005 - 0.006
Hawaii	185	0.013	0.011 - 0.015	138	0.019	0.016 - 0.023	47	0.007	0.005 - 0.009
Idaho	152	0.009	0.007 - 0.010	107	0.012	0.010 - 0.015	45	0.005	0.004 - 0.007
Illinois	1,314	0.010	0.010 - 0.011	856	0.014	0.013 - 0.015	458	0.007	0.006 - 0.008
Indiana	667	0.010	0.009 - 0.011	462	0.014	0.013 - 0.015	205	0.006	0.005 - 0.007
Iowa	281	0.009	0.008 - 0.010	206	0.013	0.011 - 0.015	75	0.005	0.004 - 0.006
Kansas	275	0.009	0.008 - 0.011	200	0.014	0.012 - 0.016	75	0.005	0.004 - 0.006
Kentucky	446	0.010	0.009 - 0.011	322	0.015	0.013 - 0.016	124	0.005	0.005 - 0.007
Louisiana	599	0.013	0.012 - 0.014	459	0.020	0.018 - 0.022	140	0.006	0.005 - 0.007
Maine	125	0.009	0.008 - 0.011	96	0.015	0.012 - 0.018	29	0.004	0.003 - 0.006
Maryland	673	0.011	0.010 - 0.012	462	0.016	0.014 - 0.017	211	0.007	0.006 - 0.008
MI - Detroit	459	0.012	0.011 - 0.013	316	0.017	0.015 - 0.019	143	0.007	0.006 - 0.008
Minnesota	561	0.010	0.009 - 0.011	391	0.014	0.013 - 0.015	170	0.006	0.005 - 0.007
Mississippi	353	0.012	0.011 - 0.013	252	0.017	0.015 - 0.020	101	0.007	0.005 - 0.008
Missouri	629	0.010	0.009 - 0.011	455	0.015	0.014 - 0.017	174	0.006	0.005 - 0.006
Montana	106	0.010	0.008 - 0.012	79	0.015	0.012 - 0.018	27	0.005	0.003 - 0.007
Nebraska	134	0.007	0.006 - 0.008	91	0.009	0.008 - 0.012	43	0.004	0.003 - 0.006
New Hampshire	98	0.007	0.006 - 0.009	68	0.010	0.008 - 0.013	30	0.004	0.003 - 0.006
New Jersey	970	0.011	0.010 - 0.012	701	0.016	0.015 - 0.017	269	0.006	0.005 - 0.007
New Mexico	243	0.012	0.010 - 0.013	179	0.017	0.015 - 0.020	65	0.006	0.005 - 0.008
New York	2,352	0.012	0.012 - 0.013	1,687	0.018	0.017 - 0.019	665	0.007	0.006 - 0.007
North Carolina	1,182	0.011	0.011 - 0.012	858	0.017	0.016 - 0.018	324	0.006	0.005 - 0.007
North Dakota	46	0.006	0.004 - 0.008	29	0.007	0.005 - 0.011	17	0.005	0.003 - 0.007
Ohio	1,108	0.009	0.009 - 0.010	772	0.013	0.013 - 0.014	336	0.006	0.005 - 0.006
Oklahoma	399	0.010	0.009 - 0.011	273	0.014	0.012 - 0.016	126	0.006	0.005 - 0.008
Oregon	543	0.013	0.012 - 0.014	391	0.019	0.017 - 0.021	152	0.007	0.006 - 0.008
Pennsylvania	1,529	0.012	0.011 - 0.013	1,118	0.018	0.017 - 0.019	411	0.006	0.006 - 0.007
Rhode Island	117	0.011	0.009 - 0.013	87	0.017	0.014 - 0.021	30	0.006	0.004 - 0.008
South Carolina	502	0.010	0.009 - 0.011	364	0.015	0.013 - 0.016	138	0.005	0.004 - 0.006
Tennessee	709	0.010	0.010 - 0.011	509	0.015	0.014 - 0.017	200	0.006	0.005 - 0.007
Texas	3,706	0.013	0.012 - 0.013	2,616	0.018	0.018 - 0.019	1,090	0.008	0.007 - 0.008
Utah	190	0.006	0.005 - 0.007	128	0.008	0.007 - 0.010	62	0.004	0.003 - 0.005
Vermont	47	0.008	0.006 - 0.010	34	0.011	0.008 - 0.015	13	0.004	0.002 - 0.007
Washington	941	0.012	0.012 - 0.013	649	0.017	0.016 - 0.018	292	0.008	0.007 - 0.009
WA - Seattle	691	0.013	0.012 - 0.014	481	0.018	0.017 - 0.020	210	0.008	0.007 - 0.009
West Virginia	199	0.011	0.010 - 0.013	131	0.015	0.012 - 0.017	68	0.007	0.006 - 0.009
Wisconsin	599	0.010	0.009 - 0.011	422	0.015	0.013 - 0.016	177	0.006	0.005 - 0.007
Wyoming	44	0.008	0.006 - 0.010	33	0.011	0.008 - 0.016	11	0.004	0.002 - 0.007
NAACCR CDN Combined	3,461	0.009	0.009 - 0.010	2,578	0.014	0.013 - 0.015	886	0.005	0.004 - 0.005
Alberta	403	0.009	0.008 - 0.010	305	0.014	0.012 - 0.016	98	0.005	0.004 - 0.006
British Columbia	600	0.012	0.011 - 0.013	455	0.018	0.017 - 0.020	145	0.006	0.005 - 0.007
Manitoba	122	0.009	0.007 - 0.011	87	0.013	0.010 - 0.016	35	0.005	0.004 - 0.007
New Brunswick	48	0.006	0.005 - 0.008	28	0.007	0.005 - 0.011	20	0.005	0.003 - 0.008
Newfoundland and Labrador	40	0.008	0.005 - 0.010	29	0.011	0.007 - 0.016	11	0.004	0.002 - 0.007
Ontario	1,294	0.009	0.008 - 0.009	955	0.013	0.013 - 0.014	339	0.005	0.004 - 0.005
Prince Edward Island	10	0.006	0.003 - 0.012	*	*		*	*	
Saskatchewan	60	0.005	0.004 - 0.007	*	*		*	*	
NAACCR N.A. Combined	39,691	0.011	0.011 - 0.011	28,177	0.016	0.015 - 0.016	11,524	0.006	0.006 - 0.006

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-6 Prevalence – Liver and Intrahepatic Bile Duct

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	44,002	0.013	0.013 - 0.014	22,899	0.014	0.014 - 0.014	21,104	0.013	0.012 - 0.013
Alabama	613	0.013	0.012 - 0.014	306	0.013	0.012 - 0.014	307	0.012	0.011 - 0.014
Alaska	64	0.009	0.007 - 0.011	37	0.010	0.007 - 0.013	27	0.008	0.005 - 0.011
Arizona	862	0.012	0.011 - 0.013	462	0.013	0.012 - 0.014	400	0.011	0.010 - 0.012
Arkansas	340	0.011	0.010 - 0.013	191	0.013	0.011 - 0.015	149	0.010	0.008 - 0.011
California	4,418	0.011	0.011 - 0.012	2,284	0.012	0.011 - 0.012	2,134	0.011	0.010 - 0.011
CA - Greater California	2,401	0.011	0.010 - 0.011	1,262	0.012	0.011 - 0.012	1,139	0.010	0.010 - 0.011
CA - Greater Bay Area	967	0.013	0.012 - 0.014	500	0.013	0.012 - 0.015	468	0.013	0.011 - 0.014
CA - Los Angeles	1,050	0.010	0.010 - 0.011	523	0.011	0.010 - 0.012	528	0.010	0.010 - 0.011
Colorado	602	0.011	0.010 - 0.011	335	0.012	0.010 - 0.013	267	0.009	0.008 - 0.011
Connecticut	557	0.016	0.014 - 0.017	296	0.017	0.015 - 0.019	261	0.014	0.013 - 0.016
Delaware	142	0.015	0.012 - 0.017	78	0.017	0.013 - 0.021	64	0.013	0.010 - 0.016
District of Columbia	86	0.012	0.010 - 0.015	37	0.011	0.008 - 0.015	49	0.013	0.010 - 0.017
Florida	3,378	0.016	0.015 - 0.016	1,732	0.017	0.016 - 0.017	1,646	0.015	0.014 - 0.016
Georgia	1,192	0.011	0.011 - 0.012	587	0.011	0.011 - 0.012	605	0.011	0.010 - 0.012
Hawaii	203	0.014	0.012 - 0.016	117	0.016	0.014 - 0.020	86	0.012	0.010 - 0.015
Idaho	213	0.012	0.010 - 0.014	116	0.013	0.011 - 0.016	97	0.011	0.009 - 0.013
Illinois	1,908	0.015	0.014 - 0.016	990	0.016	0.015 - 0.017	918	0.014	0.013 - 0.015
Indiana	932	0.014	0.013 - 0.015	479	0.014	0.013 - 0.016	453	0.013	0.012 - 0.015
Iowa	481	0.015	0.014 - 0.017	277	0.018	0.016 - 0.020	204	0.013	0.011 - 0.015
Kansas	366	0.013	0.011 - 0.014	194	0.013	0.012 - 0.015	172	0.012	0.010 - 0.014
Kentucky	574	0.013	0.012 - 0.014	303	0.014	0.012 - 0.015	270	0.012	0.011 - 0.013
Louisiana	606	0.013	0.012 - 0.014	308	0.014	0.012 - 0.015	298	0.012	0.011 - 0.014
Maine	193	0.014	0.012 - 0.017	106	0.016	0.013 - 0.019	87	0.013	0.010 - 0.016
Maryland	852	0.014	0.013 - 0.015	427	0.015	0.013 - 0.016	425	0.014	0.012 - 0.015
MI - Detroit	594	0.015	0.014 - 0.017	309	0.016	0.015 - 0.018	285	0.014	0.013 - 0.016
Minnesota	851	0.015	0.014 - 0.016	445	0.016	0.014 - 0.017	406	0.014	0.013 - 0.016
Mississippi	343	0.012	0.010 - 0.013	158	0.011	0.009 - 0.013	185	0.012	0.010 - 0.014
Missouri	863	0.014	0.013 - 0.015	448	0.015	0.014 - 0.016	415	0.013	0.012 - 0.015
Montana	141	0.013	0.011 - 0.016	77	0.014	0.011 - 0.018	64	0.012	0.009 - 0.015
Nebraska	216	0.011	0.010 - 0.013	111	0.012	0.009 - 0.014	105	0.011	0.009 - 0.013
New Hampshire	238	0.018	0.015 - 0.020	132	0.020	0.016 - 0.023	106	0.015	0.013 - 0.019
New Jersey	1,478	0.017	0.016 - 0.017	784	0.018	0.017 - 0.019	694	0.015	0.014 - 0.016
New Mexico	245	0.012	0.010 - 0.013	139	0.013	0.011 - 0.016	105	0.010	0.008 - 0.012
New York	3,234	0.017	0.016 - 0.017	1,651	0.017	0.017 - 0.018	1,584	0.016	0.015 - 0.017
North Carolina	1,465	0.014	0.013 - 0.015	740	0.015	0.014 - 0.016	725	0.014	0.013 - 0.015
North Dakota	86	0.011	0.009 - 0.014	48	0.012	0.009 - 0.016	38	0.010	0.007 - 0.014
Ohio	1,647	0.014	0.013 - 0.015	872	0.015	0.014 - 0.016	775	0.013	0.012 - 0.014
Oklahoma	389	0.010	0.009 - 0.011	201	0.010	0.009 - 0.012	188	0.009	0.008 - 0.011
Oregon	598	0.014	0.013 - 0.015	316	0.015	0.014 - 0.017	282	0.013	0.012 - 0.015
Pennsylvania	2,127	0.017	0.016 - 0.017	1,072	0.017	0.016 - 0.018	1,055	0.016	0.015 - 0.017
Rhode Island	155	0.015	0.012 - 0.017	73	0.014	0.011 - 0.018	82	0.015	0.012 - 0.019
South Carolina	710	0.014	0.013 - 0.015	352	0.014	0.013 - 0.016	358	0.014	0.012 - 0.015
Tennessee	815	0.012	0.011 - 0.013	402	0.012	0.011 - 0.013	413	0.012	0.011 - 0.013
Texas	3,097	0.011	0.010 - 0.011	1,621	0.011	0.011 - 0.012	1,476	0.010	0.010 - 0.011
Utah	248	0.008	0.007 - 0.009	138	0.009	0.007 - 0.010	110	0.007	0.006 - 0.008
Vermont	92	0.015	0.012 - 0.018	43	0.014	0.010 - 0.019	49	0.016	0.011 - 0.020
Washington	1,018	0.013	0.013 - 0.014	562	0.015	0.014 - 0.016	456	0.012	0.011 - 0.013
WA - Seattle	710	0.014	0.013 - 0.015	394	0.015	0.014 - 0.017	316	0.012	0.011 - 0.014
West Virginia	274	0.015	0.013 - 0.017	146	0.016	0.014 - 0.019	128	0.014	0.012 - 0.017
Wisconsin	920	0.016	0.015 - 0.017	514	0.018	0.016 - 0.019	406	0.014	0.013 - 0.015
Wyoming	72	0.012	0.010 - 0.016	42	0.014	0.010 - 0.019	30	0.011	0.007 - 0.015
NAACCR CDN Combined	3,967	0.011	0.010 - 0.011	2,081	0.011	0.011 - 0.012	1,887	0.010	0.010 - 0.011
Alberta	418	0.010	0.009 - 0.011	209	0.010	0.008 - 0.011	209	0.010	0.008 - 0.011
British Columbia	567	0.011	0.010 - 0.012	298	0.012	0.011 - 0.013	269	0.011	0.009 - 0.012
Manitoba	150	0.011	0.009 - 0.013	76	0.011	0.009 - 0.014	74	0.011	0.009 - 0.014
New Brunswick	110	0.014	0.012 - 0.017	62	0.016	0.012 - 0.021	48	0.012	0.009 - 0.016
Newfoundland and Labrador	54	0.010	0.008 - 0.013	25	0.010	0.006 - 0.014	29	0.011	0.007 - 0.016
Ontario	1,558	0.011	0.010 - 0.011	825	0.012	0.011 - 0.012	733	0.010	0.009 - 0.011
Prince Edward Island	*	*		*	*		*	*	
Saskatchewan	89	0.008	0.006 - 0.009	48	0.008	0.006 - 0.011	41	0.007	0.005 - 0.010
NAACCR N.A. Combined	47,969	0.013	0.013 - 0.013	24,980	0.014	0.014 - 0.014	22,991	0.012	0.012 - 0.013

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	20,315	0.006	0.006 - 0.006	16,111	0.010	0.010 - 0.010	4,210	0.003	0.002 - 0.003
Alabama	402	0.008	0.007 - 0.009	326	0.014	0.012 - 0.015	76	0.003	0.002 - 0.004
Alaska	30	0.004	0.003 - 0.006	*	*		*	*	
Arizona	280	0.004	0.003 - 0.004	230	0.006	0.006 - 0.007	50	0.001	0.001 - 0.002
Arkansas	249	0.008	0.007 - 0.009	185	0.012	0.011 - 0.014	64	0.004	0.003 - 0.005
California	1,292	0.003	0.003 - 0.003	1,064	0.005	0.005 - 0.006	228	0.001	0.001 - 0.001
CA - Greater California	783	0.004	0.003 - 0.004	638	0.006	0.005 - 0.006	146	0.001	0.001 - 0.002
CA - Greater Bay Area	227	0.003	0.003 - 0.003	193	0.005	0.004 - 0.006	34	0.001	0.001 - 0.001
CA - Los Angeles	281	0.003	0.002 - 0.003	233	0.005	0.004 - 0.005	48	0.001	0.001 - 0.001
Colorado	219	0.004	0.003 - 0.004	178	0.006	0.005 - 0.007	41	0.001	0.001 - 0.002
Connecticut	265	0.007	0.007 - 0.008	198	0.011	0.010 - 0.013	67	0.004	0.003 - 0.005
Delaware	69	0.007	0.006 - 0.009	47	0.010	0.007 - 0.013	22	0.004	0.003 - 0.007
District of Columbia	37	0.005	0.004 - 0.007	27	0.008	0.005 - 0.012	10	0.003	0.001 - 0.005
Florida	1,687	0.008	0.008 - 0.008	1,390	0.013	0.013 - 0.014	297	0.003	0.002 - 0.003
Georgia	681	0.006	0.006 - 0.007	552	0.011	0.010 - 0.012	129	0.002	0.002 - 0.003
Hawaii	51	0.004	0.003 - 0.005	40	0.006	0.004 - 0.008	11	0.002	0.001 - 0.003
Idaho	57	0.003	0.002 - 0.004	45	0.005	0.004 - 0.007	12	0.001	0.001 - 0.002
Illinois	941	0.007	0.007 - 0.008	717	0.011	0.011 - 0.012	224	0.003	0.003 - 0.004
Indiana	512	0.008	0.007 - 0.008	394	0.012	0.011 - 0.013	118	0.003	0.003 - 0.004
Iowa	235	0.007	0.007 - 0.008	197	0.013	0.011 - 0.014	38	0.002	0.002 - 0.003
Kansas	178	0.006	0.005 - 0.007	136	0.009	0.008 - 0.011	42	0.003	0.002 - 0.004
Kentucky	458	0.010	0.009 - 0.011	338	0.015	0.014 - 0.017	120	0.005	0.004 - 0.006
Louisiana	483	0.010	0.009 - 0.011	381	0.017	0.015 - 0.018	103	0.004	0.004 - 0.005
Maine	103	0.008	0.006 - 0.009	80	0.012	0.010 - 0.015	23	0.003	0.002 - 0.005
Maryland	322	0.005	0.005 - 0.006	255	0.009	0.008 - 0.010	67	0.002	0.002 - 0.003
MI - Detroit	283	0.007	0.006 - 0.008	223	0.012	0.010 - 0.013	61	0.003	0.002 - 0.004
Minnesota	304	0.005	0.005 - 0.006	243	0.009	0.008 - 0.010	61	0.002	0.002 - 0.003
Mississippi	284	0.010	0.008 - 0.011	227	0.016	0.014 - 0.018	57	0.004	0.003 - 0.005
Missouri	494	0.008	0.007 - 0.009	365	0.012	0.011 - 0.013	129	0.004	0.003 - 0.005
Montana	56	0.005	0.004 - 0.007	45	0.008	0.006 - 0.011	11	0.002	0.001 - 0.004
Nebraska	113	0.006	0.005 - 0.007	88	0.009	0.007 - 0.011	25	0.003	0.002 - 0.004
New Hampshire	108	0.008	0.007 - 0.010	86	0.013	0.010 - 0.016	22	0.003	0.002 - 0.005
New Jersey	511	0.006	0.005 - 0.006	414	0.010	0.009 - 0.010	97	0.002	0.002 - 0.003
New Mexico	91	0.004	0.003 - 0.005	73	0.007	0.005 - 0.009	18	0.002	0.001 - 0.003
New York	1,210	0.006	0.006 - 0.007	941	0.010	0.009 - 0.011	269	0.003	0.002 - 0.003
North Carolina	833	0.008	0.007 - 0.009	672	0.013	0.012 - 0.014	161	0.003	0.003 - 0.004
North Dakota	45	0.006	0.004 - 0.008	*	*		*	*	
Ohio	941	0.008	0.008 - 0.009	729	0.013	0.012 - 0.014	212	0.004	0.003 - 0.004
Oklahoma	253	0.006	0.006 - 0.007	191	0.010	0.008 - 0.011	62	0.003	0.002 - 0.004
Oregon	186	0.004	0.004 - 0.005	153	0.007	0.006 - 0.009	33	0.002	0.001 - 0.002
Pennsylvania	941	0.007	0.007 - 0.008	729	0.012	0.011 - 0.012	212	0.003	0.003 - 0.004
Rhode Island	79	0.007	0.006 - 0.009	67	0.013	0.010 - 0.017	12	0.002	0.001 - 0.004
South Carolina	416	0.008	0.007 - 0.009	318	0.013	0.011 - 0.014	98	0.004	0.003 - 0.005
Tennessee	554	0.008	0.007 - 0.009	424	0.013	0.012 - 0.014	130	0.004	0.003 - 0.004
Texas	1,369	0.005	0.005 - 0.005	1,121	0.008	0.007 - 0.008	248	0.002	0.002 - 0.002
Utah	69	0.002	0.002 - 0.003	55	0.003	0.003 - 0.004	14	0.001	0.000 - 0.001
Vermont	42	0.007	0.005 - 0.009	32	0.010	0.007 - 0.015	10	0.003	0.002 - 0.006
Washington	318	0.004	0.004 - 0.005	258	0.007	0.006 - 0.008	60	0.002	0.001 - 0.002
WA - Seattle	212	0.004	0.004 - 0.005	172	0.007	0.006 - 0.008	40	0.002	0.001 - 0.002
West Virginia	194	0.011	0.009 - 0.012	148	0.017	0.014 - 0.020	46	0.005	0.004 - 0.007
Wisconsin	411	0.007	0.006 - 0.008	352	0.012	0.011 - 0.013	59	0.002	0.002 - 0.003
Wyoming	35	0.006	0.004 - 0.008	23	0.008	0.005 - 0.012	12	0.004	0.002 - 0.007
NAACCR CDN Combined	1,641	0.004	0.004 - 0.005	1,427	0.008	0.007 - 0.008	213	0.001	0.001 - 0.001
Alberta	124	0.003	0.002 - 0.003	109	0.005	0.004 - 0.006	15	0.001	0.000 - 0.001
British Columbia	211	0.004	0.004 - 0.005	189	0.008	0.007 - 0.009	22	0.001	0.001 - 0.001
Manitoba	64	0.005	0.004 - 0.006	53	0.008	0.006 - 0.010	11	0.002	0.001 - 0.003
New Brunswick	47	0.006	0.004 - 0.008	*	*		*	*	
Newfoundland and Labrador	42	0.008	0.006 - 0.011	*	*		*	*	
Ontario	680	0.005	0.004 - 0.005	588	0.008	0.008 - 0.009	92	0.001	0.001 - 0.002
Prince Edward Island	*	*		*	*		*	*	
Saskatchewan	44	0.004	0.003 - 0.005	*	*		*	*	
NAACCR N.A. Combined	21,956	0.006	0.006 - 0.006	17,538	0.010	0.010 - 0.010	4,424	0.002	0.002 - 0.002

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-8 Prevalence – Larynx

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	246,455	0.075	0.075 - 0.075	117,658	0.073	0.072 - 0.073	128,803	0.077	0.077 - 0.078
Alabama	3,844	0.078	0.076 - 0.081	2,003	0.085	0.081 - 0.088	1,841	0.073	0.069 - 0.076
Alaska	398	0.054	0.049 - 0.060	201	0.052	0.045 - 0.060	197	0.056	0.048 - 0.064
Arizona	4,272	0.059	0.057 - 0.061	1,953	0.054	0.052 - 0.057	2,319	0.064	0.061 - 0.066
Arkansas	2,974	0.099	0.095 - 0.102	1,558	0.105	0.100 - 0.111	1,416	0.092	0.087 - 0.097
California	18,569	0.047	0.046 - 0.048	8,465	0.043	0.042 - 0.044	10,104	0.051	0.050 - 0.052
CA - Greater California	10,706	0.049	0.048 - 0.050	4,833	0.044	0.043 - 0.045	5,874	0.053	0.052 - 0.055
CA - Greater Bay Area	3,728	0.050	0.049 - 0.052	1,682	0.045	0.043 - 0.048	2,046	0.055	0.053 - 0.057
CA - Los Angeles	4,135	0.041	0.040 - 0.042	1,950	0.039	0.038 - 0.041	2,186	0.043	0.041 - 0.045
Colorado	2,784	0.049	0.047 - 0.050	1,260	0.044	0.041 - 0.046	1,524	0.054	0.051 - 0.056
Connecticut	3,280	0.092	0.089 - 0.095	1,526	0.088	0.083 - 0.092	1,755	0.096	0.091 - 0.101
Delaware	908	0.093	0.087 - 0.100	413	0.088	0.080 - 0.097	495	0.099	0.090 - 0.108
District of Columbia	354	0.050	0.045 - 0.056	156	0.047	0.040 - 0.054	198	0.053	0.046 - 0.061
Florida	19,329	0.090	0.089 - 0.092	9,257	0.089	0.087 - 0.090	10,072	0.092	0.090 - 0.094
Georgia	7,304	0.069	0.068 - 0.071	3,690	0.072	0.069 - 0.074	3,614	0.067	0.064 - 0.069
Hawaii	886	0.062	0.058 - 0.067	465	0.065	0.060 - 0.072	421	0.060	0.054 - 0.065
Idaho	1,033	0.058	0.055 - 0.062	493	0.056	0.051 - 0.061	540	0.061	0.056 - 0.067
Illinois	10,750	0.085	0.083 - 0.086	5,042	0.081	0.079 - 0.083	5,708	0.088	0.086 - 0.091
Indiana	5,888	0.088	0.085 - 0.090	2,842	0.086	0.083 - 0.089	3,046	0.089	0.086 - 0.093
Iowa	2,709	0.086	0.083 - 0.089	1,381	0.088	0.083 - 0.093	1,328	0.084	0.079 - 0.088
Kansas	2,174	0.075	0.072 - 0.078	1,045	0.072	0.068 - 0.077	1,129	0.077	0.073 - 0.082
Kentucky	5,137	0.115	0.112 - 0.118	2,482	0.113	0.108 - 0.117	2,655	0.117	0.113 - 0.122
Louisiana	3,619	0.078	0.075 - 0.080	1,894	0.083	0.080 - 0.087	1,725	0.072	0.069 - 0.076
Maine	1,570	0.117	0.111 - 0.123	734	0.112	0.104 - 0.120	836	0.122	0.114 - 0.131
Maryland	4,370	0.072	0.070 - 0.074	1,921	0.066	0.063 - 0.069	2,449	0.079	0.075 - 0.082
MI - Detroit	3,379	0.087	0.084 - 0.090	1,527	0.081	0.077 - 0.085	1,851	0.093	0.089 - 0.097
Minnesota	4,407	0.078	0.076 - 0.081	2,079	0.074	0.071 - 0.077	2,328	0.082	0.079 - 0.086
Mississippi	2,923	0.098	0.095 - 0.102	1,554	0.108	0.102 - 0.113	1,369	0.089	0.085 - 0.094
Missouri	6,003	0.098	0.095 - 0.100	2,916	0.097	0.093 - 0.100	3,087	0.099	0.095 - 0.102
Montana	754	0.071	0.066 - 0.076	354	0.066	0.059 - 0.073	401	0.076	0.068 - 0.083
Nebraska	1,409	0.073	0.069 - 0.077	705	0.073	0.068 - 0.079	704	0.073	0.068 - 0.078
New Hampshire	1,294	0.095	0.090 - 0.101	579	0.086	0.079 - 0.093	715	0.104	0.097 - 0.112
New Jersey	6,857	0.077	0.075 - 0.079	3,034	0.070	0.067 - 0.072	3,823	0.084	0.081 - 0.087
New Mexico	964	0.046	0.043 - 0.049	433	0.042	0.038 - 0.046	530	0.050	0.046 - 0.055
New York	17,083	0.088	0.086 - 0.089	7,739	0.082	0.080 - 0.084	9,345	0.093	0.091 - 0.095
North Carolina	9,148	0.088	0.086 - 0.089	4,522	0.089	0.086 - 0.092	4,626	0.086	0.084 - 0.089
North Dakota	630	0.083	0.076 - 0.089	314	0.080	0.072 - 0.090	316	0.085	0.076 - 0.095
Ohio	10,826	0.093	0.091 - 0.094	5,198	0.091	0.088 - 0.093	5,628	0.094	0.092 - 0.097
Oklahoma	3,036	0.077	0.074 - 0.080	1,467	0.075	0.071 - 0.079	1,569	0.079	0.075 - 0.083
Oregon	3,058	0.073	0.070 - 0.075	1,393	0.067	0.063 - 0.071	1,665	0.079	0.075 - 0.082
Pennsylvania	12,153	0.095	0.093 - 0.097	5,748	0.092	0.089 - 0.094	6,405	0.098	0.096 - 0.101
Rhode Island	1,133	0.107	0.101 - 0.113	518	0.101	0.092 - 0.110	615	0.113	0.104 - 0.122
South Carolina	4,458	0.087	0.084 - 0.090	2,230	0.090	0.086 - 0.094	2,228	0.084	0.081 - 0.088
Tennessee	6,731	0.099	0.097 - 0.101	3,356	0.101	0.098 - 0.105	3,375	0.097	0.094 - 0.100
Texas	14,171	0.049	0.048 - 0.050	7,052	0.049	0.048 - 0.050	7,119	0.049	0.048 - 0.050
Utah	796	0.025	0.023 - 0.027	390	0.024	0.022 - 0.027	406	0.026	0.023 - 0.028
Vermont	607	0.097	0.090 - 0.105	300	0.097	0.087 - 0.109	307	0.097	0.087 - 0.109
Washington	5,018	0.066	0.064 - 0.068	2,298	0.061	0.058 - 0.063	2,720	0.072	0.069 - 0.075
WA - Seattle	3,639	0.070	0.067 - 0.072	1,662	0.064	0.061 - 0.067	1,977	0.076	0.073 - 0.079
West Virginia	2,298	0.128	0.122 - 0.133	1,123	0.126	0.119 - 0.134	1,175	0.129	0.122 - 0.137
Wisconsin	5,171	0.089	0.086 - 0.091	2,448	0.085	0.081 - 0.088	2,723	0.093	0.090 - 0.097
Wyoming	312	0.054	0.048 - 0.060	156	0.053	0.045 - 0.062	156	0.055	0.047 - 0.064
NAACCR CDN Combined	27,052	0.073	0.072 - 0.074	11,964	0.065	0.063 - 0.066	15,071	0.080	0.079 - 0.082
Alberta	2,480	0.057	0.055 - 0.060	1,033	0.047	0.045 - 0.050	1,447	0.067	0.064 - 0.071
British Columbia	3,586	0.071	0.069 - 0.073	1,501	0.060	0.057 - 0.063	2,085	0.082	0.078 - 0.085
Manitoba	939	0.069	0.065 - 0.074	395	0.058	0.052 - 0.064	544	0.080	0.073 - 0.087
New Brunswick	874	0.113	0.106 - 0.121	441	0.115	0.105 - 0.126	433	0.111	0.101 - 0.122
Newfoundland and Labrador	587	0.112	0.103 - 0.121	278	0.107	0.095 - 0.120	309	0.117	0.104 - 0.130
Ontario	10,793	0.075	0.073 - 0.076	4,919	0.069	0.067 - 0.071	5,874	0.080	0.078 - 0.083
Prince Edward Island	136	0.088	0.073 - 0.104	65	0.085	0.066 - 0.108	71	0.090	0.070 - 0.113
Saskatchewan	774	0.066	0.062 - 0.071	297	0.051	0.045 - 0.057	477	0.082	0.075 - 0.090
NAACCR N.A. Combined	273,507	0.075	0.075 - 0.075	129,622	0.072	0.072 - 0.072	143,874	0.078	0.077 - 0.078

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	160,305	0.049	0.049 - 0.049	93,475	0.058	0.057 - 0.058	66,842	0.040	0.040 - 0.040
Alabama	2,474	0.050	0.049 - 0.053	1,373	0.058	0.055 - 0.061	1,101	0.043	0.041 - 0.046
Alaska	181	0.025	0.021 - 0.028	106	0.028	0.023 - 0.033	75	0.021	0.017 - 0.027
Arizona	4,857	0.067	0.065 - 0.069	3,126	0.087	0.084 - 0.090	1,731	0.048	0.045 - 0.050
Arkansas	1,532	0.051	0.048 - 0.053	908	0.061	0.057 - 0.065	624	0.041	0.038 - 0.044
California	18,136	0.046	0.045 - 0.047	10,748	0.055	0.054 - 0.056	7,388	0.037	0.036 - 0.038
CA - Greater California	11,409	0.052	0.051 - 0.053	6,736	0.061	0.060 - 0.063	4,674	0.042	0.041 - 0.044
CA - Greater Bay Area	4,153	0.056	0.054 - 0.058	2,486	0.067	0.065 - 0.070	1,668	0.045	0.043 - 0.047
CA - Los Angeles	2,577	0.026	0.025 - 0.027	1,528	0.031	0.029 - 0.032	1,049	0.021	0.019 - 0.022
Colorado	2,527	0.044	0.042 - 0.046	1,430	0.050	0.047 - 0.052	1,097	0.039	0.036 - 0.041
Connecticut	1,614	0.045	0.043 - 0.047	910	0.052	0.049 - 0.056	704	0.038	0.036 - 0.041
Delaware	645	0.066	0.061 - 0.072	387	0.082	0.074 - 0.091	258	0.051	0.045 - 0.058
District of Columbia	127	0.018	0.015 - 0.021	79	0.024	0.019 - 0.029	48	0.013	0.010 - 0.017
Florida	13,548	0.063	0.062 - 0.064	8,327	0.080	0.078 - 0.081	5,221	0.048	0.047 - 0.049
Georgia	5,423	0.051	0.050 - 0.053	3,164	0.062	0.059 - 0.064	2,259	0.042	0.040 - 0.043
Hawaii	740	0.052	0.048 - 0.056	499	0.070	0.064 - 0.077	242	0.034	0.030 - 0.039
Idaho	1,016	0.057	0.054 - 0.061	622	0.070	0.065 - 0.076	395	0.045	0.040 - 0.049
Illinois	6,080	0.048	0.047 - 0.049	3,423	0.055	0.053 - 0.057	2,657	0.041	0.040 - 0.043
Indiana	3,090	0.046	0.044 - 0.048	1,696	0.051	0.049 - 0.054	1,394	0.041	0.039 - 0.043
Iowa	2,005	0.064	0.061 - 0.066	1,062	0.068	0.064 - 0.072	943	0.060	0.056 - 0.063
Kansas	1,702	0.058	0.056 - 0.061	972	0.067	0.063 - 0.071	730	0.050	0.046 - 0.054
Kentucky	2,694	0.060	0.058 - 0.063	1,499	0.068	0.065 - 0.072	1,195	0.053	0.050 - 0.056
Louisiana	1,840	0.039	0.038 - 0.041	1,111	0.049	0.046 - 0.052	729	0.031	0.028 - 0.033
Maine	917	0.068	0.064 - 0.073	472	0.072	0.065 - 0.079	445	0.065	0.059 - 0.071
Maryland	3,196	0.053	0.051 - 0.055	1,856	0.063	0.060 - 0.066	1,340	0.043	0.041 - 0.045
MI - Detroit	1,607	0.041	0.039 - 0.043	911	0.048	0.045 - 0.052	696	0.035	0.032 - 0.038
Minnesota	4,422	0.079	0.076 - 0.081	2,455	0.088	0.084 - 0.091	1,967	0.070	0.067 - 0.073
Mississippi	1,175	0.039	0.037 - 0.042	719	0.050	0.046 - 0.054	456	0.030	0.027 - 0.033
Missouri	2,461	0.040	0.039 - 0.042	1,432	0.048	0.045 - 0.050	1,029	0.033	0.031 - 0.035
Montana	711	0.067	0.062 - 0.072	406	0.076	0.068 - 0.083	306	0.058	0.051 - 0.065
Nebraska	1,176	0.061	0.058 - 0.065	621	0.064	0.060 - 0.070	555	0.057	0.053 - 0.062
New Hampshire	1,056	0.078	0.073 - 0.083	590	0.088	0.081 - 0.095	466	0.068	0.062 - 0.074
New Jersey	4,366	0.049	0.048 - 0.051	2,512	0.058	0.056 - 0.060	1,854	0.041	0.039 - 0.043
New Mexico	801	0.038	0.036 - 0.041	467	0.045	0.041 - 0.049	334	0.032	0.028 - 0.035
New York	7,851	0.040	0.039 - 0.041	4,472	0.047	0.046 - 0.049	3,380	0.034	0.033 - 0.035
North Carolina	5,739	0.055	0.054 - 0.056	3,373	0.066	0.064 - 0.069	2,366	0.044	0.042 - 0.046
North Dakota	365	0.048	0.043 - 0.053	188	0.048	0.042 - 0.056	177	0.048	0.041 - 0.055
Ohio	6,332	0.054	0.053 - 0.056	3,566	0.062	0.060 - 0.064	2,766	0.046	0.045 - 0.048
Oklahoma	1,689	0.043	0.041 - 0.045	991	0.051	0.048 - 0.054	698	0.035	0.032 - 0.038
Oregon	2,317	0.055	0.053 - 0.057	1,338	0.064	0.061 - 0.068	979	0.046	0.043 - 0.049
Pennsylvania	6,412	0.050	0.049 - 0.051	3,698	0.059	0.057 - 0.061	2,714	0.042	0.040 - 0.043
Rhode Island	555	0.052	0.048 - 0.057	306	0.059	0.053 - 0.066	249	0.046	0.040 - 0.052
South Carolina	2,687	0.052	0.050 - 0.054	1,610	0.065	0.062 - 0.068	1,077	0.041	0.038 - 0.043
Tennessee	2,929	0.043	0.042 - 0.045	1,760	0.053	0.051 - 0.056	1,169	0.034	0.032 - 0.036
Texas	7,198	0.025	0.024 - 0.026	4,418	0.031	0.030 - 0.032	2,780	0.019	0.018 - 0.020
Utah	2,067	0.065	0.062 - 0.068	1,170	0.073	0.069 - 0.077	898	0.057	0.053 - 0.061
Vermont	585	0.094	0.086 - 0.102	315	0.102	0.091 - 0.114	270	0.085	0.076 - 0.096
Washington	4,100	0.054	0.053 - 0.056	2,289	0.060	0.058 - 0.063	1,811	0.048	0.046 - 0.050
WA - Seattle	3,268	0.063	0.060 - 0.065	1,805	0.069	0.066 - 0.072	1,464	0.056	0.053 - 0.059
West Virginia	1,001	0.056	0.052 - 0.059	585	0.066	0.060 - 0.071	416	0.046	0.041 - 0.050
Wisconsin	3,044	0.052	0.050 - 0.054	1,723	0.060	0.057 - 0.062	1,321	0.045	0.043 - 0.048
Wyoming	328	0.057	0.051 - 0.063	190	0.064	0.055 - 0.074	138	0.049	0.041 - 0.057
NAACCR CDN Combined	16,919	0.045	0.045 - 0.046	9,159	0.050	0.048 - 0.051	7,747	0.041	0.040 - 0.042
Alberta	1,599	0.037	0.035 - 0.039	809	0.037	0.035 - 0.040	790	0.037	0.034 - 0.039
British Columbia	2,321	0.046	0.044 - 0.048	1,263	0.051	0.048 - 0.053	1,058	0.041	0.039 - 0.044
Manitoba	544	0.040	0.037 - 0.043	300	0.044	0.039 - 0.049	244	0.036	0.031 - 0.041
New Brunswick	419	0.054	0.049 - 0.060	217	0.057	0.049 - 0.065	202	0.052	0.045 - 0.059
Newfoundland and Labrador	223	0.043	0.037 - 0.048	121	0.047	0.039 - 0.056	102	0.038	0.031 - 0.047
Ontario	7,003	0.049	0.047 - 0.050	3,853	0.054	0.052 - 0.056	3,150	0.043	0.042 - 0.045
Prince Edward Island	115	0.074	0.061 - 0.089	65	0.085	0.066 - 0.108	50	0.063	0.047 - 0.083
Saskatchewan	394	0.034	0.031 - 0.037	204	0.035	0.030 - 0.040	190	0.033	0.028 - 0.038
NAACCR N.A. Combined	177,224	0.048	0.048 - 0.049	102,634	0.057	0.057 - 0.057	74,590	0.040	0.040 - 0.040

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-10 Prevalence – Melanoma of the Skin

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		479,050	0.288	0.287 - 0.288
Alabama	N/A	N/A		N/A	N/A		6,941	0.274	0.268 - 0.281
Alaska	N/A	N/A		N/A	N/A		801	0.228	0.212 - 0.244
Arizona	N/A	N/A		N/A	N/A		9,398	0.258	0.253 - 0.264
Arkansas	N/A	N/A		N/A	N/A		4,192	0.273	0.265 - 0.281
California	N/A	N/A		N/A	N/A		52,088	0.263	0.260 - 0.265
CA - Greater California	N/A	N/A		N/A	N/A		28,638	0.260	0.257 - 0.263
CA - Greater Bay Area	N/A	N/A		N/A	N/A		10,622	0.286	0.280 - 0.291
CA - Los Angeles	N/A	N/A		N/A	N/A		12,829	0.252	0.248 - 0.257
Colorado	N/A	N/A		N/A	N/A		7,895	0.278	0.272 - 0.284
Connecticut	N/A	N/A		N/A	N/A		6,133	0.335	0.327 - 0.344
Delaware	N/A	N/A		N/A	N/A		1,570	0.313	0.297 - 0.329
District of Columbia	N/A	N/A		N/A	N/A		967	0.261	0.244 - 0.278
Florida	N/A	N/A		N/A	N/A		33,093	0.303	0.300 - 0.306
Georgia	N/A	N/A		N/A	N/A		14,858	0.273	0.269 - 0.278
Hawaii	N/A	N/A		N/A	N/A		2,465	0.348	0.334 - 0.362
Idaho	N/A	N/A		N/A	N/A		2,466	0.279	0.268 - 0.291
Illinois	N/A	N/A		N/A	N/A		19,397	0.300	0.296 - 0.305
Indiana	N/A	N/A		N/A	N/A		9,667	0.284	0.278 - 0.290
Iowa	N/A	N/A		N/A	N/A		5,008	0.316	0.307 - 0.325
Kansas	N/A	N/A		N/A	N/A		4,349	0.298	0.289 - 0.307
Kentucky	N/A	N/A		N/A	N/A		6,684	0.295	0.288 - 0.302
Louisiana	N/A	N/A		N/A	N/A		6,814	0.285	0.279 - 0.292
Maine	N/A	N/A		N/A	N/A		2,329	0.340	0.326 - 0.354
Maryland	N/A	N/A		N/A	N/A		9,295	0.298	0.292 - 0.304
MI - Detroit	N/A	N/A		N/A	N/A		6,270	0.314	0.306 - 0.322
Minnesota	N/A	N/A		N/A	N/A		8,838	0.313	0.307 - 0.320
Mississippi	N/A	N/A		N/A	N/A		4,247	0.277	0.268 - 0.285
Missouri	N/A	N/A		N/A	N/A		9,293	0.298	0.292 - 0.304
Montana	N/A	N/A		N/A	N/A		1,811	0.342	0.326 - 0.358
Nebraska	N/A	N/A		N/A	N/A		2,795	0.289	0.279 - 0.300
New Hampshire	N/A	N/A		N/A	N/A		2,372	0.346	0.332 - 0.360
New Jersey	N/A	N/A		N/A	N/A		14,745	0.324	0.319 - 0.330
New Mexico	N/A	N/A		N/A	N/A		2,742	0.259	0.249 - 0.269
New York	N/A	N/A		N/A	N/A		31,391	0.313	0.309 - 0.316
North Carolina	N/A	N/A		N/A	N/A		17,006	0.317	0.312 - 0.322
North Dakota	N/A	N/A		N/A	N/A		1,033	0.278	0.261 - 0.295
Ohio	N/A	N/A		N/A	N/A		18,314	0.307	0.303 - 0.312
Oklahoma	N/A	N/A		N/A	N/A		5,344	0.268	0.261 - 0.275
Oregon	N/A	N/A		N/A	N/A		6,585	0.311	0.303 - 0.319
Pennsylvania	N/A	N/A		N/A	N/A		20,878	0.320	0.315 - 0.324
Rhode Island	N/A	N/A		N/A	N/A		1,893	0.348	0.333 - 0.364
South Carolina	N/A	N/A		N/A	N/A		8,001	0.303	0.296 - 0.310
Tennessee	N/A	N/A		N/A	N/A		9,931	0.285	0.279 - 0.291
Texas	N/A	N/A		N/A	N/A		33,060	0.228	0.226 - 0.230
Utah	N/A	N/A		N/A	N/A		3,079	0.195	0.188 - 0.202
Vermont	N/A	N/A		N/A	N/A		1,033	0.327	0.307 - 0.347
Washington	N/A	N/A		N/A	N/A		11,074	0.293	0.287 - 0.298
WA - Seattle	N/A	N/A		N/A	N/A		8,025	0.308	0.301 - 0.315
West Virginia	N/A	N/A		N/A	N/A		2,811	0.309	0.298 - 0.321
Wisconsin	N/A	N/A		N/A	N/A		9,351	0.320	0.314 - 0.327
Wyoming	N/A	N/A		N/A	N/A		728	0.256	0.238 - 0.275
NAACCR CDN Combined	N/A	N/A		N/A	N/A		52,680	0.280	0.278 - 0.283
Alberta	N/A	N/A		N/A	N/A		5,623	0.261	0.255 - 0.268
British Columbia	N/A	N/A		N/A	N/A		6,931	0.272	0.265 - 0.278
Manitoba	N/A	N/A		N/A	N/A		1,775	0.261	0.249 - 0.273
New Brunswick	N/A	N/A		N/A	N/A		1,231	0.315	0.298 - 0.333
Newfoundland and Labrador	N/A	N/A		N/A	N/A		820	0.309	0.289 - 0.331
Ontario	N/A	N/A		N/A	N/A		21,212	0.290	0.287 - 0.294
Prince Edward Island	N/A	N/A		N/A	N/A		229	0.290	0.254 - 0.330
Saskatchewan	N/A	N/A		N/A	N/A		1,444	0.249	0.237 - 0.263
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		531,730	0.287	0.286 - 0.288

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		22,589	0.014	0.013 - 0.014
Alabama	N/A	N/A		N/A	N/A		371	0.015	0.013 - 0.016
Alaska	N/A	N/A		N/A	N/A		53	0.015	0.011 - 0.020
Arizona	N/A	N/A		N/A	N/A		376	0.010	0.009 - 0.011
Arkansas	N/A	N/A		N/A	N/A		232	0.015	0.013 - 0.017
California	N/A	N/A		N/A	N/A		2,617	0.013	0.013 - 0.014
CA - Greater California	N/A	N/A		N/A	N/A		1,502	0.014	0.013 - 0.014
CA - Greater Bay Area	N/A	N/A		N/A	N/A		388	0.010	0.009 - 0.012
CA - Los Angeles	N/A	N/A		N/A	N/A		726	0.014	0.013 - 0.015
Colorado	N/A	N/A		N/A	N/A		319	0.011	0.010 - 0.013
Connecticut	N/A	N/A		N/A	N/A		179	0.010	0.008 - 0.011
Delaware	N/A	N/A		N/A	N/A		69	0.014	0.011 - 0.017
District of Columbia	N/A	N/A		N/A	N/A		38	0.010	0.007 - 0.014
Florida	N/A	N/A		N/A	N/A		1,769	0.016	0.015 - 0.017
Georgia	N/A	N/A		N/A	N/A		713	0.013	0.012 - 0.014
Hawaii	N/A	N/A		N/A	N/A		88	0.012	0.010 - 0.015
Idaho	N/A	N/A		N/A	N/A		115	0.013	0.011 - 0.016
Illinois	N/A	N/A		N/A	N/A		843	0.013	0.012 - 0.014
Indiana	N/A	N/A		N/A	N/A		467	0.014	0.013 - 0.015
Iowa	N/A	N/A		N/A	N/A		218	0.014	0.012 - 0.016
Kansas	N/A	N/A		N/A	N/A		208	0.014	0.012 - 0.016
Kentucky	N/A	N/A		N/A	N/A		384	0.017	0.015 - 0.019
Louisiana	N/A	N/A		N/A	N/A		372	0.016	0.014 - 0.017
Maine	N/A	N/A		N/A	N/A		71	0.010	0.008 - 0.013
Maryland	N/A	N/A		N/A	N/A		370	0.012	0.011 - 0.013
MI - Detroit	N/A	N/A		N/A	N/A		241	0.012	0.011 - 0.014
Minnesota	N/A	N/A		N/A	N/A		273	0.010	0.009 - 0.011
Mississippi	N/A	N/A		N/A	N/A		245	0.016	0.014 - 0.018
Missouri	N/A	N/A		N/A	N/A		438	0.014	0.013 - 0.015
Montana	N/A	N/A		N/A	N/A		56	0.011	0.008 - 0.014
Nebraska	N/A	N/A		N/A	N/A		118	0.012	0.010 - 0.015
New Hampshire	N/A	N/A		N/A	N/A		65	0.009	0.007 - 0.012
New Jersey	N/A	N/A		N/A	N/A		659	0.014	0.013 - 0.016
New Mexico	N/A	N/A		N/A	N/A		148	0.014	0.012 - 0.016
New York	N/A	N/A		N/A	N/A		1,443	0.014	0.014 - 0.015
North Carolina	N/A	N/A		N/A	N/A		644	0.012	0.011 - 0.013
North Dakota	N/A	N/A		N/A	N/A		42	0.011	0.008 - 0.015
Ohio	N/A	N/A		N/A	N/A		814	0.014	0.013 - 0.015
Oklahoma	N/A	N/A		N/A	N/A		331	0.017	0.015 - 0.018
Oregon	N/A	N/A		N/A	N/A		252	0.012	0.010 - 0.013
Pennsylvania	N/A	N/A		N/A	N/A		844	0.013	0.012 - 0.014
Rhode Island	N/A	N/A		N/A	N/A		78	0.014	0.011 - 0.018
South Carolina	N/A	N/A		N/A	N/A		350	0.013	0.012 - 0.015
Tennessee	N/A	N/A		N/A	N/A		517	0.015	0.014 - 0.016
Texas	N/A	N/A		N/A	N/A		2,237	0.015	0.015 - 0.016
Utah	N/A	N/A		N/A	N/A		139	0.009	0.007 - 0.010
Vermont	N/A	N/A		N/A	N/A		25	0.008	0.005 - 0.012
Washington	N/A	N/A		N/A	N/A		446	0.012	0.011 - 0.013
WA - Seattle	N/A	N/A		N/A	N/A		329	0.013	0.011 - 0.014
West Virginia	N/A	N/A		N/A	N/A		175	0.019	0.017 - 0.022
Wisconsin	N/A	N/A		N/A	N/A		320	0.011	0.010 - 0.012
Wyoming	N/A	N/A		N/A	N/A		53	0.019	0.014 - 0.024
NAACCR CDN Combined	N/A	N/A		N/A	N/A		2,761	0.015	0.014 - 0.016
Alberta	N/A	N/A		N/A	N/A		330	0.015	0.014 - 0.017
British Columbia	N/A	N/A		N/A	N/A		348	0.014	0.012 - 0.015
Manitoba	N/A	N/A		N/A	N/A		81	0.012	0.009 - 0.015
New Brunswick	N/A	N/A		N/A	N/A		55	0.014	0.011 - 0.018
Newfoundland and Labrador	N/A	N/A		N/A	N/A		41	0.015	0.011 - 0.021
Ontario	N/A	N/A		N/A	N/A		1,102	0.015	0.014 - 0.016
Prince Edward Island	N/A	N/A		N/A	N/A		12	0.015	0.008 - 0.027
Saskatchewan	N/A	N/A		N/A	N/A		112	0.019	0.016 - 0.023
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		25,350	0.014	0.014 - 0.014

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-12 Prevalence – Cervix Uteri

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		105,717	0.063	0.063 - 0.064
Alabama	N/A	N/A		N/A	N/A		1,203	0.048	0.045 - 0.050
Alaska	N/A	N/A		N/A	N/A		199	0.057	0.049 - 0.065
Arizona	N/A	N/A		N/A	N/A		1,964	0.054	0.052 - 0.056
Arkansas	N/A	N/A		N/A	N/A		894	0.058	0.054 - 0.062
California	N/A	N/A		N/A	N/A		11,616	0.059	0.058 - 0.060
CA - Greater California	N/A	N/A		N/A	N/A		6,407	0.058	0.057 - 0.060
CA - Greater Bay Area	N/A	N/A		N/A	N/A		2,230	0.060	0.058 - 0.063
CA - Los Angeles	N/A	N/A		N/A	N/A		2,979	0.059	0.056 - 0.061
Colorado	N/A	N/A		N/A	N/A		1,469	0.052	0.049 - 0.054
Connecticut	N/A	N/A		N/A	N/A		1,404	0.077	0.073 - 0.081
Delaware	N/A	N/A		N/A	N/A		373	0.074	0.067 - 0.082
District of Columbia	N/A	N/A		N/A	N/A		196	0.053	0.046 - 0.061
Florida	N/A	N/A		N/A	N/A		7,005	0.064	0.063 - 0.066
Georgia	N/A	N/A		N/A	N/A		2,935	0.054	0.052 - 0.056
Hawaii	N/A	N/A		N/A	N/A		577	0.081	0.075 - 0.088
Idaho	N/A	N/A		N/A	N/A		469	0.053	0.048 - 0.058
Illinois	N/A	N/A		N/A	N/A		4,567	0.071	0.069 - 0.073
Indiana	N/A	N/A		N/A	N/A		2,253	0.066	0.063 - 0.069
Iowa	N/A	N/A		N/A	N/A		1,146	0.072	0.068 - 0.077
Kansas	N/A	N/A		N/A	N/A		867	0.059	0.055 - 0.063
Kentucky	N/A	N/A		N/A	N/A		1,439	0.063	0.060 - 0.067
Louisiana	N/A	N/A		N/A	N/A		1,116	0.047	0.044 - 0.050
Maine	N/A	N/A		N/A	N/A		649	0.095	0.088 - 0.102
Maryland	N/A	N/A		N/A	N/A		2,048	0.066	0.063 - 0.069
MI - Detroit	N/A	N/A		N/A	N/A		1,515	0.076	0.072 - 0.080
Minnesota	N/A	N/A		N/A	N/A		2,035	0.072	0.069 - 0.075
Mississippi	N/A	N/A		N/A	N/A		771	0.050	0.047 - 0.054
Missouri	N/A	N/A		N/A	N/A		2,111	0.068	0.065 - 0.071
Montana	N/A	N/A		N/A	N/A		350	0.066	0.059 - 0.073
Nebraska	N/A	N/A		N/A	N/A		586	0.061	0.056 - 0.066
New Hampshire	N/A	N/A		N/A	N/A		542	0.079	0.073 - 0.086
New Jersey	N/A	N/A		N/A	N/A		3,647	0.080	0.078 - 0.083
New Mexico	N/A	N/A		N/A	N/A		595	0.056	0.052 - 0.061
New York	N/A	N/A		N/A	N/A		7,501	0.075	0.073 - 0.076
North Carolina	N/A	N/A		N/A	N/A		3,267	0.061	0.059 - 0.063
North Dakota	N/A	N/A		N/A	N/A		194	0.052	0.045 - 0.060
Ohio	N/A	N/A		N/A	N/A		4,587	0.077	0.075 - 0.079
Oklahoma	N/A	N/A		N/A	N/A		1,018	0.051	0.048 - 0.054
Oregon	N/A	N/A		N/A	N/A		1,547	0.073	0.069 - 0.077
Pennsylvania	N/A	N/A		N/A	N/A		5,501	0.084	0.082 - 0.087
Rhode Island	N/A	N/A		N/A	N/A		419	0.077	0.070 - 0.085
South Carolina	N/A	N/A		N/A	N/A		1,444	0.055	0.052 - 0.058
Tennessee	N/A	N/A		N/A	N/A		2,086	0.060	0.057 - 0.062
Texas	N/A	N/A		N/A	N/A		6,692	0.046	0.045 - 0.047
Utah	N/A	N/A		N/A	N/A		695	0.044	0.041 - 0.047
Vermont	N/A	N/A		N/A	N/A		315	0.100	0.089 - 0.111
Washington	N/A	N/A		N/A	N/A		2,248	0.059	0.057 - 0.062
WA - Seattle	N/A	N/A		N/A	N/A		1,604	0.062	0.059 - 0.065
West Virginia	N/A	N/A		N/A	N/A		829	0.091	0.085 - 0.098
Wisconsin	N/A	N/A		N/A	N/A		2,250	0.077	0.074 - 0.080
Wyoming	N/A	N/A		N/A	N/A		163	0.057	0.049 - 0.067
NAACCR CDN Combined	N/A	N/A		N/A	N/A		12,932	0.069	0.067 - 0.070
Alberta	N/A	N/A		N/A	N/A		1,245	0.058	0.055 - 0.061
British Columbia	N/A	N/A		N/A	N/A		1,548	0.061	0.058 - 0.064
Manitoba	N/A	N/A		N/A	N/A		519	0.076	0.070 - 0.083
New Brunswick	N/A	N/A		N/A	N/A		341	0.087	0.078 - 0.097
Newfoundland and Labrador	N/A	N/A		N/A	N/A		249	0.094	0.083 - 0.106
Ontario	N/A	N/A		N/A	N/A		5,300	0.073	0.071 - 0.075
Prince Edward Island	N/A	N/A		N/A	N/A		67	0.085	0.066 - 0.108
Saskatchewan	N/A	N/A		N/A	N/A		367	0.063	0.057 - 0.070
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		118,649	0.064	0.064 - 0.064

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		31,327	0.019	0.019 - 0.019
Alabama	N/A	N/A		N/A	N/A		432	0.017	0.015 - 0.019
Alaska	N/A	N/A		N/A	N/A		48	0.014	0.010 - 0.018
Arizona	N/A	N/A		N/A	N/A		665	0.018	0.017 - 0.020
Arkansas	N/A	N/A		N/A	N/A		299	0.019	0.017 - 0.022
California	N/A	N/A		N/A	N/A		3,657	0.018	0.018 - 0.019
CA - Greater California	N/A	N/A		N/A	N/A		1,979	0.018	0.017 - 0.019
CA - Greater Bay Area	N/A	N/A		N/A	N/A		687	0.018	0.017 - 0.020
CA - Los Angeles	N/A	N/A		N/A	N/A		990	0.019	0.018 - 0.021
Colorado	N/A	N/A		N/A	N/A		497	0.017	0.016 - 0.019
Connecticut	N/A	N/A		N/A	N/A		376	0.021	0.019 - 0.023
Delaware	N/A	N/A		N/A	N/A		90	0.018	0.014 - 0.022
District of Columbia	N/A	N/A		N/A	N/A		56	0.015	0.011 - 0.020
Florida	N/A	N/A		N/A	N/A		2,475	0.023	0.022 - 0.024
Georgia	N/A	N/A		N/A	N/A		882	0.016	0.015 - 0.017
Hawaii	N/A	N/A		N/A	N/A		131	0.018	0.015 - 0.022
Idaho	N/A	N/A		N/A	N/A		170	0.019	0.016 - 0.022
Illinois	N/A	N/A		N/A	N/A		1,294	0.020	0.019 - 0.021
Indiana	N/A	N/A		N/A	N/A		598	0.018	0.016 - 0.019
Iowa	N/A	N/A		N/A	N/A		271	0.017	0.015 - 0.019
Kansas	N/A	N/A		N/A	N/A		274	0.019	0.017 - 0.021
Kentucky	N/A	N/A		N/A	N/A		332	0.015	0.013 - 0.016
Louisiana	N/A	N/A		N/A	N/A		346	0.014	0.013 - 0.016
Maine	N/A	N/A		N/A	N/A		123	0.018	0.015 - 0.021
Maryland	N/A	N/A		N/A	N/A		594	0.019	0.018 - 0.021
MI - Detroit	N/A	N/A		N/A	N/A		395	0.020	0.018 - 0.022
Minnesota	N/A	N/A		N/A	N/A		539	0.019	0.018 - 0.021
Mississippi	N/A	N/A		N/A	N/A		243	0.016	0.014 - 0.018
Missouri	N/A	N/A		N/A	N/A		526	0.017	0.015 - 0.018
Montana	N/A	N/A		N/A	N/A		87	0.016	0.013 - 0.020
Nebraska	N/A	N/A		N/A	N/A		153	0.016	0.013 - 0.019
New Hampshire	N/A	N/A		N/A	N/A		139	0.020	0.017 - 0.024
New Jersey	N/A	N/A		N/A	N/A		1,040	0.023	0.022 - 0.024
New Mexico	N/A	N/A		N/A	N/A		190	0.018	0.016 - 0.021
New York	N/A	N/A		N/A	N/A		2,203	0.022	0.021 - 0.023
North Carolina	N/A	N/A		N/A	N/A		916	0.017	0.016 - 0.018
North Dakota	N/A	N/A		N/A	N/A		48	0.013	0.010 - 0.017
Ohio	N/A	N/A		N/A	N/A		1,135	0.019	0.018 - 0.020
Oklahoma	N/A	N/A		N/A	N/A		376	0.019	0.017 - 0.021
Oregon	N/A	N/A		N/A	N/A		431	0.020	0.018 - 0.022
Pennsylvania	N/A	N/A		N/A	N/A		1,478	0.023	0.021 - 0.024
Rhode Island	N/A	N/A		N/A	N/A		111	0.020	0.017 - 0.025
South Carolina	N/A	N/A		N/A	N/A		416	0.016	0.014 - 0.017
Tennessee	N/A	N/A		N/A	N/A		570	0.016	0.015 - 0.018
Texas	N/A	N/A		N/A	N/A		2,413	0.017	0.016 - 0.017
Utah	N/A	N/A		N/A	N/A		219	0.014	0.012 - 0.016
Vermont	N/A	N/A		N/A	N/A		62	0.020	0.015 - 0.025
Washington	N/A	N/A		N/A	N/A		679	0.018	0.017 - 0.019
WA - Seattle	N/A	N/A		N/A	N/A		454	0.017	0.016 - 0.019
West Virginia	N/A	N/A		N/A	N/A		197	0.022	0.019 - 0.025
Wisconsin	N/A	N/A		N/A	N/A		608	0.021	0.019 - 0.023
Wyoming	N/A	N/A		N/A	N/A		50	0.018	0.013 - 0.023
NAACCR CDN Combined	N/A	N/A		N/A	N/A		4,055	0.022	0.021 - 0.022
Alberta	N/A	N/A		N/A	N/A		310	0.014	0.013 - 0.016
British Columbia	N/A	N/A		N/A	N/A		420	0.016	0.015 - 0.018
Manitoba	N/A	N/A		N/A	N/A		120	0.018	0.015 - 0.021
New Brunswick	N/A	N/A		N/A	N/A		84	0.021	0.017 - 0.027
Newfoundland and Labrador	N/A	N/A		N/A	N/A		54	0.020	0.015 - 0.027
Ontario	N/A	N/A		N/A	N/A		1,920	0.026	0.025 - 0.027
Prince Edward Island	N/A	N/A		N/A	N/A		22	0.028	0.017 - 0.042
Saskatchewan	N/A	N/A		N/A	N/A		98	0.017	0.014 - 0.021
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		35,381	0.019	0.019 - 0.019

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-14 Prevalence – Ovary

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		420,808	0.260	0.259 - 0.261	N/A	N/A	
Alabama	N/A	N/A		7,264	0.307	0.300 - 0.314	N/A	N/A	
Alaska	N/A	N/A		718	0.187	0.174 - 0.201	N/A	N/A	
Arizona	N/A	N/A		6,614	0.184	0.180 - 0.189	N/A	N/A	
Arkansas	N/A	N/A		4,469	0.302	0.293 - 0.311	N/A	N/A	
California	N/A	N/A		39,359	0.201	0.199 - 0.203	N/A	N/A	
CA - Greater California	N/A	N/A		22,854	0.209	0.206 - 0.211	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		7,604	0.205	0.201 - 0.210	N/A	N/A	
CA - Los Angeles	N/A	N/A		8,902	0.180	0.176 - 0.184	N/A	N/A	
Colorado	N/A	N/A		5,859	0.203	0.198 - 0.208	N/A	N/A	
Connecticut	N/A	N/A		5,521	0.317	0.309 - 0.326	N/A	N/A	
Delaware	N/A	N/A		1,584	0.337	0.321 - 0.354	N/A	N/A	
District of Columbia	N/A	N/A		825	0.246	0.230 - 0.264	N/A	N/A	
Florida	N/A	N/A		27,774	0.266	0.263 - 0.269	N/A	N/A	
Georgia	N/A	N/A		14,452	0.281	0.277 - 0.286	N/A	N/A	
Hawaii	N/A	N/A		1,883	0.265	0.253 - 0.277	N/A	N/A	
Idaho	N/A	N/A		2,412	0.272	0.261 - 0.283	N/A	N/A	
Illinois	N/A	N/A		16,503	0.265	0.261 - 0.269	N/A	N/A	
Indiana	N/A	N/A		7,945	0.240	0.235 - 0.245	N/A	N/A	
Iowa	N/A	N/A		4,642	0.296	0.287 - 0.304	N/A	N/A	
Kansas	N/A	N/A		4,026	0.277	0.269 - 0.286	N/A	N/A	
Kentucky	N/A	N/A		5,804	0.264	0.257 - 0.271	N/A	N/A	
Louisiana	N/A	N/A		7,496	0.330	0.322 - 0.337	N/A	N/A	
Maine	N/A	N/A		1,980	0.301	0.288 - 0.315	N/A	N/A	
Maryland	N/A	N/A		9,070	0.310	0.303 - 0.316	N/A	N/A	
MI - Detroit	N/A	N/A		6,088	0.323	0.315 - 0.331	N/A	N/A	
Minnesota	N/A	N/A		7,897	0.282	0.276 - 0.288	N/A	N/A	
Mississippi	N/A	N/A		4,639	0.321	0.312 - 0.330	N/A	N/A	
Missouri	N/A	N/A		7,071	0.235	0.229 - 0.240	N/A	N/A	
Montana	N/A	N/A		2,013	0.375	0.359 - 0.392	N/A	N/A	
Nebraska	N/A	N/A		3,027	0.314	0.303 - 0.326	N/A	N/A	
New Hampshire	N/A	N/A		2,218	0.330	0.316 - 0.344	N/A	N/A	
New Jersey	N/A	N/A		14,777	0.340	0.335 - 0.346	N/A	N/A	
New Mexico	N/A	N/A		2,104	0.203	0.194 - 0.212	N/A	N/A	
New York	N/A	N/A		30,021	0.317	0.313 - 0.321	N/A	N/A	
North Carolina	N/A	N/A		14,928	0.294	0.289 - 0.299	N/A	N/A	
North Dakota	N/A	N/A		1,061	0.272	0.256 - 0.289	N/A	N/A	
Ohio	N/A	N/A		16,564	0.289	0.285 - 0.294	N/A	N/A	
Oklahoma	N/A	N/A		4,358	0.223	0.216 - 0.229	N/A	N/A	
Oregon	N/A	N/A		5,047	0.242	0.236 - 0.249	N/A	N/A	
Pennsylvania	N/A	N/A		17,491	0.279	0.275 - 0.283	N/A	N/A	
Rhode Island	N/A	N/A		1,529	0.297	0.282 - 0.312	N/A	N/A	
South Carolina	N/A	N/A		6,753	0.272	0.266 - 0.279	N/A	N/A	
Tennessee	N/A	N/A		9,575	0.288	0.283 - 0.294	N/A	N/A	
Texas	N/A	N/A		28,566	0.200	0.197 - 0.202	N/A	N/A	
Utah	N/A	N/A		3,161	0.197	0.191 - 0.204	N/A	N/A	
Vermont	N/A	N/A		932	0.302	0.283 - 0.322	N/A	N/A	
Washington	N/A	N/A		8,773	0.232	0.227 - 0.236	N/A	N/A	
WA - Seattle	N/A	N/A		6,708	0.256	0.250 - 0.263	N/A	N/A	
West Virginia	N/A	N/A		2,547	0.286	0.275 - 0.297	N/A	N/A	
Wisconsin	N/A	N/A		8,721	0.301	0.295 - 0.308	N/A	N/A	
Wyoming	N/A	N/A		930	0.315	0.295 - 0.336	N/A	N/A	
NAACCR CDN Combined	N/A	N/A		45,335	0.245	0.242 - 0.247	N/A	N/A	
Alberta	N/A	N/A		4,822	0.221	0.215 - 0.228	N/A	N/A	
British Columbia	N/A	N/A		6,134	0.245	0.239 - 0.252	N/A	N/A	
Manitoba	N/A	N/A		1,424	0.209	0.199 - 0.220	N/A	N/A	
New Brunswick	N/A	N/A		1,104	0.288	0.272 - 0.306	N/A	N/A	
Newfoundland and Labrador	N/A	N/A		829	0.319	0.298 - 0.342	N/A	N/A	
Ontario	N/A	N/A		17,949	0.252	0.248 - 0.256	N/A	N/A	
Prince Edward Island	N/A	N/A		204	0.267	0.232 - 0.306	N/A	N/A	
Saskatchewan	N/A	N/A		1,267	0.215	0.204 - 0.228	N/A	N/A	
NAACCR N.A. Combined	N/A	N/A		466,144	0.259	0.258 - 0.260	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		17,574	0.011	0.011 - 0.011	N/A	N/A	
Alabama	N/A	N/A		195	0.008	0.007 - 0.009	N/A	N/A	
Alaska	N/A	N/A		42	0.011	0.008 - 0.015	N/A	N/A	
Arizona	N/A	N/A		375	0.010	0.009 - 0.012	N/A	N/A	
Arkansas	N/A	N/A		128	0.009	0.007 - 0.010	N/A	N/A	
California	N/A	N/A		2,440	0.012	0.012 - 0.013	N/A	N/A	
CA - Greater California	N/A	N/A		1,312	0.012	0.011 - 0.013	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		502	0.014	0.012 - 0.015	N/A	N/A	
CA - Los Angeles	N/A	N/A		627	0.013	0.012 - 0.014	N/A	N/A	
Colorado	N/A	N/A		309	0.011	0.010 - 0.012	N/A	N/A	
Connecticut	N/A	N/A		203	0.012	0.010 - 0.013	N/A	N/A	
Delaware	N/A	N/A		41	0.009	0.006 - 0.012	N/A	N/A	
District of Columbia	N/A	N/A		41	0.012	0.009 - 0.017	N/A	N/A	
Florida	N/A	N/A		904	0.009	0.008 - 0.009	N/A	N/A	
Georgia	N/A	N/A		406	0.008	0.007 - 0.009	N/A	N/A	
Hawaii	N/A	N/A		67	0.009	0.007 - 0.012	N/A	N/A	
Idaho	N/A	N/A		97	0.011	0.009 - 0.013	N/A	N/A	
Illinois	N/A	N/A		731	0.012	0.011 - 0.013	N/A	N/A	
Indiana	N/A	N/A		340	0.010	0.009 - 0.011	N/A	N/A	
Iowa	N/A	N/A		197	0.013	0.011 - 0.014	N/A	N/A	
Kansas	N/A	N/A		167	0.012	0.010 - 0.013	N/A	N/A	
Kentucky	N/A	N/A		215	0.010	0.009 - 0.011	N/A	N/A	
Louisiana	N/A	N/A		216	0.009	0.008 - 0.011	N/A	N/A	
Maine	N/A	N/A		89	0.014	0.011 - 0.017	N/A	N/A	
Maryland	N/A	N/A		266	0.009	0.008 - 0.010	N/A	N/A	
MI - Detroit	N/A	N/A		193	0.010	0.009 - 0.012	N/A	N/A	
Minnesota	N/A	N/A		380	0.014	0.012 - 0.015	N/A	N/A	
Mississippi	N/A	N/A		104	0.007	0.006 - 0.009	N/A	N/A	
Missouri	N/A	N/A		269	0.009	0.008 - 0.010	N/A	N/A	
Montana	N/A	N/A		72	0.013	0.010 - 0.017	N/A	N/A	
Nebraska	N/A	N/A		125	0.013	0.011 - 0.015	N/A	N/A	
New Hampshire	N/A	N/A		86	0.013	0.010 - 0.016	N/A	N/A	
New Jersey	N/A	N/A		491	0.011	0.010 - 0.012	N/A	N/A	
New Mexico	N/A	N/A		130	0.013	0.010 - 0.015	N/A	N/A	
New York	N/A	N/A		1,155	0.012	0.012 - 0.013	N/A	N/A	
North Carolina	N/A	N/A		453	0.009	0.008 - 0.010	N/A	N/A	
North Dakota	N/A	N/A		52	0.013	0.010 - 0.017	N/A	N/A	
Ohio	N/A	N/A		572	0.010	0.009 - 0.011	N/A	N/A	
Oklahoma	N/A	N/A		176	0.009	0.008 - 0.010	N/A	N/A	
Oregon	N/A	N/A		254	0.012	0.011 - 0.014	N/A	N/A	
Pennsylvania	N/A	N/A		741	0.012	0.011 - 0.013	N/A	N/A	
Rhode Island	N/A	N/A		63	0.012	0.009 - 0.016	N/A	N/A	
South Carolina	N/A	N/A		198	0.008	0.007 - 0.009	N/A	N/A	
Tennessee	N/A	N/A		357	0.011	0.010 - 0.012	N/A	N/A	
Texas	N/A	N/A		1,602	0.011	0.011 - 0.012	N/A	N/A	
Utah	N/A	N/A		239	0.015	0.013 - 0.017	N/A	N/A	
Vermont	N/A	N/A		51	0.017	0.012 - 0.022	N/A	N/A	
Washington	N/A	N/A		455	0.012	0.011 - 0.013	N/A	N/A	
WA - Seattle	N/A	N/A		320	0.012	0.011 - 0.014	N/A	N/A	
West Virginia	N/A	N/A		91	0.010	0.008 - 0.013	N/A	N/A	
Wisconsin	N/A	N/A		374	0.013	0.012 - 0.014	N/A	N/A	
Wyoming	N/A	N/A		44	0.015	0.011 - 0.020	N/A	N/A	
NAACCR CDN Combined	N/A	N/A		2,179	0.012	0.011 - 0.013	N/A	N/A	
Alberta	N/A	N/A		273	0.013	0.011 - 0.014	N/A	N/A	
British Columbia	N/A	N/A		286	0.011	0.010 - 0.013	N/A	N/A	
Manitoba	N/A	N/A		65	0.010	0.007 - 0.012	N/A	N/A	
New Brunswick	N/A	N/A		43	0.011	0.008 - 0.015	N/A	N/A	
Newfoundland and Labrador	N/A	N/A		25	0.010	0.006 - 0.014	N/A	N/A	
Ontario	N/A	N/A		898	0.013	0.012 - 0.013	N/A	N/A	
Prince Edward Island	N/A	N/A		*	*		N/A	N/A	
Saskatchewan	N/A	N/A		67	0.011	0.009 - 0.014	N/A	N/A	
NAACCR N.A. Combined	N/A	N/A		19,753	0.011	0.011 - 0.011	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-16 Prevalence – Testis

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	128,276	0.039	0.039 - 0.039	98,946	0.061	0.061 - 0.062	29,353	0.018	0.017 - 0.018
Alabama	1,751	0.036	0.034 - 0.037	1,353	0.057	0.054 - 0.060	398	0.016	0.014 - 0.017
Alaska	229	0.031	0.027 - 0.035	191	0.050	0.043 - 0.057	38	0.011	0.008 - 0.015
Arizona	2,743	0.038	0.037 - 0.039	2,130	0.059	0.057 - 0.062	613	0.017	0.016 - 0.018
Arkansas	1,288	0.043	0.040 - 0.045	1,042	0.070	0.066 - 0.075	246	0.016	0.014 - 0.018
California	11,488	0.029	0.029 - 0.030	8,938	0.046	0.045 - 0.047	2,550	0.013	0.012 - 0.013
CA - Greater California	6,765	0.031	0.030 - 0.032	5,252	0.048	0.047 - 0.049	1,513	0.014	0.013 - 0.014
CA - Greater Bay Area	2,290	0.031	0.030 - 0.032	1,785	0.048	0.046 - 0.051	505	0.014	0.012 - 0.015
CA - Los Angeles	2,434	0.024	0.023 - 0.025	1,901	0.038	0.037 - 0.040	533	0.010	0.010 - 0.011
Colorado	1,787	0.031	0.030 - 0.033	1,377	0.048	0.045 - 0.050	410	0.014	0.013 - 0.016
Connecticut	1,948	0.055	0.052 - 0.057	1,448	0.083	0.079 - 0.088	500	0.027	0.025 - 0.030
Delaware	504	0.052	0.047 - 0.057	373	0.079	0.072 - 0.088	131	0.026	0.022 - 0.031
District of Columbia	168	0.024	0.020 - 0.028	124	0.037	0.031 - 0.044	44	0.012	0.009 - 0.016
Florida	9,795	0.046	0.045 - 0.047	7,556	0.072	0.071 - 0.074	2,239	0.020	0.020 - 0.021
Georgia	3,405	0.032	0.031 - 0.033	2,633	0.051	0.049 - 0.053	772	0.014	0.013 - 0.015
Hawaii	464	0.033	0.030 - 0.036	368	0.052	0.047 - 0.057	96	0.014	0.011 - 0.017
Idaho	710	0.040	0.037 - 0.043	573	0.065	0.059 - 0.070	137	0.015	0.013 - 0.018
Illinois	5,038	0.040	0.039 - 0.041	3,835	0.061	0.060 - 0.063	1,203	0.019	0.018 - 0.020
Indiana	2,840	0.042	0.041 - 0.044	2,170	0.066	0.063 - 0.068	670	0.020	0.018 - 0.021
Iowa	1,505	0.048	0.045 - 0.050	1,194	0.076	0.072 - 0.080	311	0.020	0.017 - 0.022
Kansas	1,276	0.044	0.041 - 0.046	976	0.067	0.063 - 0.072	300	0.021	0.018 - 0.023
Kentucky	2,073	0.046	0.044 - 0.048	1,601	0.073	0.069 - 0.076	472	0.021	0.019 - 0.023
Louisiana	1,693	0.036	0.035 - 0.038	1,323	0.058	0.055 - 0.061	370	0.015	0.014 - 0.017
Maine	919	0.068	0.064 - 0.073	723	0.110	0.102 - 0.118	196	0.029	0.025 - 0.033
Maryland	1,761	0.029	0.028 - 0.031	1,353	0.046	0.044 - 0.049	408	0.013	0.012 - 0.014
MI - Detroit	1,695	0.044	0.042 - 0.046	1,293	0.069	0.065 - 0.072	403	0.020	0.018 - 0.022
Minnesota	2,520	0.045	0.043 - 0.047	1,945	0.069	0.066 - 0.073	575	0.020	0.019 - 0.022
Mississippi	1,041	0.035	0.033 - 0.037	789	0.055	0.051 - 0.059	252	0.016	0.014 - 0.019
Missouri	2,492	0.041	0.039 - 0.042	1,946	0.065	0.062 - 0.068	546	0.017	0.016 - 0.019
Montana	560	0.053	0.048 - 0.057	430	0.080	0.073 - 0.088	130	0.025	0.021 - 0.029
Nebraska	826	0.043	0.040 - 0.046	649	0.067	0.062 - 0.073	177	0.018	0.016 - 0.021
New Hampshire	884	0.065	0.061 - 0.070	669	0.099	0.092 - 0.107	215	0.031	0.027 - 0.036
New Jersey	4,317	0.049	0.047 - 0.050	3,200	0.074	0.071 - 0.076	1,117	0.025	0.023 - 0.026
New Mexico	596	0.028	0.026 - 0.031	444	0.043	0.039 - 0.047	152	0.014	0.012 - 0.017
New York	9,304	0.048	0.047 - 0.049	6,988	0.074	0.072 - 0.076	2,316	0.023	0.022 - 0.024
North Carolina	4,201	0.040	0.039 - 0.041	3,203	0.063	0.061 - 0.065	998	0.019	0.017 - 0.020
North Dakota	288	0.038	0.034 - 0.042	221	0.057	0.049 - 0.065	67	0.018	0.014 - 0.023
Ohio	5,491	0.047	0.046 - 0.048	4,290	0.075	0.073 - 0.077	1,201	0.020	0.019 - 0.021
Oklahoma	1,377	0.035	0.033 - 0.037	1,082	0.055	0.052 - 0.059	295	0.015	0.013 - 0.017
Oregon	1,874	0.045	0.043 - 0.047	1,486	0.071	0.068 - 0.075	388	0.018	0.017 - 0.020
Pennsylvania	6,641	0.052	0.051 - 0.053	5,063	0.081	0.078 - 0.083	1,578	0.024	0.023 - 0.025
Rhode Island	609	0.058	0.053 - 0.062	459	0.089	0.081 - 0.098	150	0.028	0.023 - 0.032
South Carolina	1,849	0.036	0.034 - 0.038	1,419	0.057	0.054 - 0.060	430	0.016	0.015 - 0.018
Tennessee	2,887	0.042	0.041 - 0.044	2,235	0.067	0.065 - 0.070	652	0.019	0.017 - 0.020
Texas	6,896	0.024	0.023 - 0.025	5,400	0.038	0.037 - 0.039	1,496	0.010	0.010 - 0.011
Utah	827	0.026	0.024 - 0.028	689	0.043	0.040 - 0.046	138	0.009	0.007 - 0.010
Vermont	380	0.061	0.055 - 0.067	287	0.093	0.083 - 0.104	93	0.029	0.024 - 0.036
Washington	2,980	0.039	0.038 - 0.041	2,329	0.061	0.059 - 0.064	651	0.017	0.016 - 0.019
WA - Seattle	2,105	0.040	0.039 - 0.042	1,644	0.063	0.060 - 0.066	461	0.018	0.016 - 0.019
West Virginia	980	0.054	0.051 - 0.058	768	0.086	0.080 - 0.092	212	0.023	0.020 - 0.027
Wisconsin	2,824	0.049	0.047 - 0.050	2,199	0.076	0.073 - 0.079	625	0.021	0.020 - 0.023
Wyoming	258	0.045	0.039 - 0.050	204	0.069	0.060 - 0.079	54	0.019	0.014 - 0.025
NAACCR CDN Combined	18,023	0.048	0.048 - 0.049	13,867	0.075	0.074 - 0.077	4,120	0.022	0.021 - 0.023
Alberta	1,704	0.039	0.038 - 0.041	1,335	0.061	0.058 - 0.065	369	0.017	0.015 - 0.019
British Columbia	2,509	0.050	0.048 - 0.052	1,938	0.078	0.074 - 0.081	571	0.022	0.021 - 0.024
Manitoba	593	0.044	0.040 - 0.047	457	0.067	0.061 - 0.074	136	0.020	0.017 - 0.024
New Brunswick	420	0.054	0.049 - 0.060	325	0.085	0.076 - 0.095	95	0.024	0.020 - 0.030
Newfoundland and Labrador	332	0.063	0.057 - 0.070	247	0.095	0.084 - 0.108	85	0.032	0.026 - 0.040
Ontario	7,302	0.051	0.049 - 0.052	5,625	0.079	0.077 - 0.081	1,677	0.023	0.022 - 0.024
Prince Edward Island	83	0.053	0.043 - 0.066	65	0.085	0.066 - 0.108	18	0.023	0.014 - 0.036
Saskatchewan	494	0.042	0.039 - 0.046	378	0.064	0.058 - 0.071	116	0.020	0.017 - 0.024
NAACCR N.A. Combined	146,300	0.040	0.040 - 0.040	112,813	0.062	0.062 - 0.063	33,473	0.018	0.018 - 0.018

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	115,345	0.035	0.035 - 0.035	72,640	0.045	0.045 - 0.045	42,720	0.026	0.025 - 0.026
Alabama	1,852	0.038	0.036 - 0.040	1,122	0.047	0.045 - 0.050	730	0.029	0.027 - 0.031
Alaska	238	0.032	0.028 - 0.037	154	0.040	0.034 - 0.047	84	0.024	0.019 - 0.030
Arizona	2,422	0.034	0.032 - 0.035	1,536	0.043	0.041 - 0.045	886	0.024	0.023 - 0.026
Arkansas	1,384	0.046	0.043 - 0.048	834	0.056	0.053 - 0.060	550	0.036	0.033 - 0.039
California	11,149	0.028	0.028 - 0.029	7,040	0.036	0.035 - 0.037	4,109	0.021	0.020 - 0.021
CA - Greater California	6,573	0.030	0.029 - 0.031	4,175	0.038	0.037 - 0.039	2,398	0.022	0.021 - 0.023
CA - Greater Bay Area	1,939	0.026	0.025 - 0.027	1,266	0.034	0.032 - 0.036	673	0.018	0.017 - 0.020
CA - Los Angeles	2,637	0.026	0.025 - 0.027	1,599	0.032	0.031 - 0.034	1,038	0.020	0.019 - 0.022
Colorado	1,575	0.027	0.026 - 0.029	1,004	0.035	0.033 - 0.037	571	0.020	0.018 - 0.022
Connecticut	1,300	0.036	0.034 - 0.038	850	0.049	0.046 - 0.052	450	0.025	0.022 - 0.027
Delaware	379	0.039	0.035 - 0.043	239	0.051	0.045 - 0.058	140	0.028	0.023 - 0.033
District of Columbia	143	0.020	0.017 - 0.024	87	0.026	0.021 - 0.032	56	0.015	0.011 - 0.020
Florida	7,238	0.034	0.033 - 0.035	4,557	0.044	0.042 - 0.045	2,681	0.025	0.024 - 0.025
Georgia	3,367	0.032	0.031 - 0.033	2,101	0.041	0.039 - 0.043	1,266	0.023	0.022 - 0.025
Hawaii	415	0.029	0.026 - 0.032	284	0.040	0.035 - 0.045	131	0.018	0.015 - 0.022
Idaho	575	0.032	0.030 - 0.035	384	0.043	0.039 - 0.048	191	0.022	0.019 - 0.025
Illinois	4,664	0.037	0.036 - 0.038	2,881	0.046	0.045 - 0.048	1,783	0.028	0.026 - 0.029
Indiana	2,556	0.038	0.037 - 0.040	1,549	0.047	0.044 - 0.049	1,007	0.030	0.028 - 0.031
Iowa	1,310	0.042	0.039 - 0.044	847	0.054	0.050 - 0.058	464	0.029	0.027 - 0.032
Kansas	1,214	0.042	0.039 - 0.044	761	0.052	0.049 - 0.056	453	0.031	0.028 - 0.034
Kentucky	1,965	0.044	0.042 - 0.046	1,205	0.055	0.052 - 0.058	760	0.034	0.031 - 0.036
Louisiana	2,095	0.045	0.043 - 0.047	1,301	0.057	0.054 - 0.060	795	0.033	0.031 - 0.036
Maine	549	0.041	0.038 - 0.044	370	0.056	0.051 - 0.062	179	0.026	0.022 - 0.030
Maryland	1,945	0.032	0.031 - 0.034	1,155	0.039	0.037 - 0.042	790	0.025	0.024 - 0.027
MI - Detroit	1,373	0.035	0.034 - 0.037	837	0.044	0.041 - 0.048	536	0.027	0.025 - 0.029
Minnesota	2,034	0.036	0.035 - 0.038	1,347	0.048	0.046 - 0.051	687	0.024	0.023 - 0.026
Mississippi	1,356	0.045	0.043 - 0.048	840	0.058	0.054 - 0.062	516	0.034	0.031 - 0.037
Missouri	2,473	0.040	0.039 - 0.042	1,548	0.051	0.049 - 0.054	925	0.030	0.028 - 0.032
Montana	419	0.039	0.036 - 0.043	275	0.051	0.045 - 0.058	144	0.027	0.023 - 0.032
Nebraska	688	0.036	0.033 - 0.038	423	0.044	0.040 - 0.048	265	0.027	0.024 - 0.031
New Hampshire	566	0.042	0.038 - 0.045	385	0.057	0.052 - 0.063	181	0.026	0.023 - 0.031
New Jersey	3,163	0.036	0.034 - 0.037	2,038	0.047	0.045 - 0.049	1,125	0.025	0.023 - 0.026
New Mexico	675	0.032	0.030 - 0.035	424	0.041	0.037 - 0.045	251	0.024	0.021 - 0.027
New York	7,023	0.036	0.035 - 0.037	4,491	0.047	0.046 - 0.049	2,531	0.025	0.024 - 0.026
North Carolina	3,780	0.036	0.035 - 0.037	2,401	0.047	0.045 - 0.049	1,379	0.026	0.024 - 0.027
North Dakota	285	0.037	0.033 - 0.042	194	0.050	0.043 - 0.057	91	0.024	0.020 - 0.030
Ohio	4,364	0.037	0.036 - 0.038	2,675	0.047	0.045 - 0.048	1,689	0.028	0.027 - 0.030
Oklahoma	1,602	0.041	0.039 - 0.043	948	0.048	0.045 - 0.052	654	0.033	0.030 - 0.035
Oregon	1,436	0.034	0.032 - 0.036	962	0.046	0.043 - 0.049	474	0.022	0.020 - 0.024
Pennsylvania	4,853	0.038	0.037 - 0.039	3,129	0.050	0.048 - 0.052	1,724	0.026	0.025 - 0.028
Rhode Island	365	0.034	0.031 - 0.038	240	0.047	0.041 - 0.053	125	0.023	0.019 - 0.027
South Carolina	1,908	0.037	0.036 - 0.039	1,189	0.048	0.045 - 0.051	719	0.027	0.025 - 0.029
Tennessee	2,868	0.042	0.041 - 0.044	1,825	0.055	0.052 - 0.058	1,043	0.030	0.028 - 0.032
Texas	9,914	0.034	0.034 - 0.035	6,148	0.043	0.042 - 0.044	3,766	0.026	0.025 - 0.027
Utah	719	0.023	0.021 - 0.024	458	0.029	0.026 - 0.031	261	0.017	0.015 - 0.019
Vermont	246	0.039	0.035 - 0.045	151	0.049	0.041 - 0.057	95	0.030	0.024 - 0.037
Washington	2,291	0.030	0.029 - 0.032	1,479	0.039	0.037 - 0.041	812	0.021	0.020 - 0.023
WA - Seattle	1,625	0.031	0.030 - 0.033	1,070	0.041	0.038 - 0.043	556	0.021	0.020 - 0.023
West Virginia	907	0.050	0.047 - 0.054	524	0.059	0.054 - 0.064	383	0.042	0.038 - 0.047
Wisconsin	2,320	0.040	0.038 - 0.042	1,499	0.052	0.049 - 0.054	821	0.028	0.026 - 0.030
Wyoming	183	0.032	0.027 - 0.036	117	0.040	0.033 - 0.047	66	0.023	0.018 - 0.030
NAACCR CDN Combined	11,384	0.030	0.030 - 0.031	7,513	0.040	0.039 - 0.042	3,877	0.021	0.020 - 0.021
Alberta	1,141	0.026	0.025 - 0.028	755	0.035	0.032 - 0.037	386	0.018	0.016 - 0.020
British Columbia	1,483	0.029	0.028 - 0.031	975	0.039	0.037 - 0.042	508	0.020	0.018 - 0.022
Manitoba	404	0.030	0.027 - 0.033	277	0.041	0.036 - 0.046	127	0.019	0.016 - 0.022
New Brunswick	308	0.040	0.035 - 0.045	180	0.047	0.040 - 0.054	128	0.033	0.027 - 0.039
Newfoundland and Labrador	250	0.048	0.042 - 0.054	162	0.062	0.053 - 0.073	88	0.033	0.027 - 0.041
Ontario	4,455	0.031	0.030 - 0.032	2,950	0.041	0.040 - 0.043	1,505	0.021	0.020 - 0.022
Prince Edward Island	48	0.031	0.023 - 0.041	28	0.037	0.024 - 0.053	20	0.025	0.015 - 0.039
Saskatchewan	384	0.033	0.030 - 0.036	254	0.043	0.038 - 0.049	130	0.022	0.019 - 0.027
NAACCR N.A. Combined	126,730	0.035	0.035 - 0.035	80,153	0.045	0.044 - 0.045	46,597	0.025	0.025 - 0.025

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-18 Prevalence – Kidney and Renal Pelvis

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	27,600	0.008	0.008 - 0.009	15,431	0.010	0.009 - 0.010	12,169	0.007	0.007 - 0.007
Alabama	397	0.008	0.007 - 0.009	212	0.009	0.008 - 0.010	185	0.007	0.006 - 0.008
Alaska	55	0.007	0.006 - 0.010	36	0.009	0.007 - 0.013	19	0.005	0.003 - 0.008
Arizona	533	0.007	0.007 - 0.008	301	0.008	0.007 - 0.009	232	0.006	0.006 - 0.007
Arkansas	263	0.009	0.008 - 0.010	152	0.010	0.009 - 0.012	111	0.007	0.006 - 0.009
California	2,955	0.007	0.007 - 0.008	1,696	0.009	0.008 - 0.009	1,259	0.006	0.006 - 0.007
CA - Greater California	1,676	0.008	0.007 - 0.008	941	0.009	0.008 - 0.009	734	0.007	0.006 - 0.007
CA - Greater Bay Area	581	0.008	0.007 - 0.008	342	0.009	0.008 - 0.010	238	0.006	0.006 - 0.007
CA - Los Angeles	699	0.007	0.006 - 0.007	413	0.008	0.008 - 0.009	286	0.006	0.005 - 0.006
Colorado	475	0.008	0.008 - 0.009	256	0.009	0.008 - 0.010	219	0.008	0.007 - 0.009
Connecticut	370	0.010	0.009 - 0.011	203	0.012	0.010 - 0.013	167	0.009	0.008 - 0.011
Delaware	96	0.010	0.008 - 0.012	49	0.010	0.008 - 0.014	47	0.009	0.007 - 0.012
District of Columbia	48	0.007	0.005 - 0.009	27	0.008	0.005 - 0.012	21	0.006	0.004 - 0.009
Florida	1,973	0.009	0.009 - 0.010	1,102	0.011	0.010 - 0.011	871	0.008	0.007 - 0.009
Georgia	723	0.007	0.006 - 0.007	373	0.007	0.007 - 0.008	350	0.006	0.006 - 0.007
Hawaii	77	0.005	0.004 - 0.007	45	0.006	0.005 - 0.008	32	0.005	0.003 - 0.006
Idaho	151	0.009	0.007 - 0.010	90	0.010	0.008 - 0.012	61	0.007	0.005 - 0.009
Illinois	1,084	0.009	0.008 - 0.009	622	0.010	0.009 - 0.011	462	0.007	0.007 - 0.008
Indiana	560	0.008	0.008 - 0.009	317	0.010	0.009 - 0.011	243	0.007	0.006 - 0.008
Iowa	308	0.010	0.009 - 0.011	166	0.011	0.009 - 0.012	142	0.009	0.008 - 0.011
Kansas	242	0.008	0.007 - 0.009	148	0.010	0.009 - 0.012	94	0.006	0.005 - 0.008
Kentucky	435	0.010	0.009 - 0.011	249	0.011	0.010 - 0.013	186	0.008	0.007 - 0.009
Louisiana	346	0.007	0.007 - 0.008	217	0.010	0.008 - 0.011	129	0.005	0.004 - 0.006
Maine	143	0.011	0.009 - 0.013	80	0.012	0.010 - 0.015	63	0.009	0.007 - 0.012
Maryland	430	0.007	0.006 - 0.008	234	0.008	0.007 - 0.009	196	0.006	0.005 - 0.007
MI - Detroit	320	0.008	0.007 - 0.009	185	0.010	0.008 - 0.011	135	0.007	0.006 - 0.008
Minnesota	535	0.010	0.009 - 0.010	325	0.012	0.010 - 0.013	210	0.007	0.006 - 0.009
Mississippi	217	0.007	0.006 - 0.008	109	0.008	0.006 - 0.009	108	0.007	0.006 - 0.008
Missouri	531	0.009	0.008 - 0.009	277	0.009	0.008 - 0.010	254	0.008	0.007 - 0.009
Montana	95	0.009	0.007 - 0.011	52	0.010	0.007 - 0.013	44	0.008	0.006 - 0.011
Nebraska	182	0.009	0.008 - 0.011	83	0.009	0.007 - 0.011	99	0.010	0.008 - 0.012
New Hampshire	151	0.011	0.009 - 0.013	81	0.012	0.010 - 0.015	70	0.010	0.008 - 0.013
New Jersey	863	0.010	0.009 - 0.010	448	0.010	0.009 - 0.011	415	0.009	0.008 - 0.010
New Mexico	142	0.007	0.006 - 0.008	76	0.007	0.006 - 0.009	65	0.006	0.005 - 0.008
New York	1,827	0.009	0.009 - 0.010	1,021	0.011	0.010 - 0.011	806	0.008	0.007 - 0.009
North Carolina	868	0.008	0.008 - 0.009	492	0.010	0.009 - 0.011	376	0.007	0.006 - 0.008
North Dakota	60	0.008	0.006 - 0.010	37	0.009	0.007 - 0.013	23	0.006	0.004 - 0.009
Ohio	1,101	0.009	0.009 - 0.010	640	0.011	0.010 - 0.012	461	0.008	0.007 - 0.008
Oklahoma	312	0.008	0.007 - 0.009	182	0.009	0.008 - 0.011	130	0.007	0.005 - 0.008
Oregon	362	0.009	0.008 - 0.010	208	0.010	0.009 - 0.011	154	0.007	0.006 - 0.009
Pennsylvania	1,183	0.009	0.009 - 0.010	647	0.010	0.010 - 0.011	536	0.008	0.008 - 0.009
Rhode Island	105	0.010	0.008 - 0.012	53	0.010	0.008 - 0.013	52	0.010	0.007 - 0.013
South Carolina	375	0.007	0.007 - 0.008	209	0.008	0.007 - 0.010	166	0.006	0.005 - 0.007
Tennessee	571	0.008	0.008 - 0.009	309	0.009	0.008 - 0.010	262	0.008	0.007 - 0.008
Texas	2,119	0.007	0.007 - 0.008	1,164	0.008	0.008 - 0.009	955	0.007	0.006 - 0.007
Utah	266	0.008	0.007 - 0.009	153	0.010	0.008 - 0.011	113	0.007	0.006 - 0.009
Vermont	72	0.012	0.009 - 0.015	43	0.014	0.010 - 0.019	29	0.009	0.006 - 0.013
Washington	726	0.010	0.009 - 0.010	426	0.011	0.010 - 0.012	300	0.008	0.007 - 0.009
WA - Seattle	500	0.010	0.009 - 0.010	289	0.011	0.010 - 0.012	211	0.008	0.007 - 0.009
West Virginia	175	0.010	0.008 - 0.011	91	0.010	0.008 - 0.013	84	0.009	0.007 - 0.011
Wisconsin	561	0.010	0.009 - 0.010	306	0.011	0.009 - 0.012	255	0.009	0.008 - 0.010
Wyoming	37	0.006	0.004 - 0.009	17	0.006	0.003 - 0.009	20	0.007	0.004 - 0.011
NAACCR CDN Combined	2,960	0.008	0.008 - 0.008	1,703	0.009	0.009 - 0.010	1,258	0.007	0.006 - 0.007
Alberta	330	0.008	0.007 - 0.008	185	0.008	0.007 - 0.010	145	0.007	0.006 - 0.008
British Columbia	381	0.008	0.007 - 0.008	222	0.009	0.008 - 0.010	159	0.006	0.005 - 0.007
Manitoba	110	0.008	0.007 - 0.010	62	0.009	0.007 - 0.012	48	0.007	0.005 - 0.009
New Brunswick	48	0.006	0.005 - 0.008	31	0.008	0.006 - 0.011	17	0.004	0.003 - 0.007
Newfoundland and Labrador	43	0.008	0.006 - 0.011	20	0.008	0.005 - 0.012	23	0.009	0.006 - 0.013
Ontario	1,228	0.009	0.008 - 0.009	708	0.010	0.009 - 0.011	520	0.007	0.007 - 0.008
Prince Edward Island	*	*		*	*		*	*	
Saskatchewan	72	0.006	0.005 - 0.008	42	0.007	0.005 - 0.010	30	0.005	0.003 - 0.007
NAACCR N.A. Combined	30,560	0.008	0.008 - 0.008	17,134	0.010	0.009 - 0.010	13,427	0.007	0.007 - 0.007

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	89,967	0.027	0.027 - 0.028	23,194	0.014	0.014 - 0.015	66,773	0.040	0.040 - 0.040
Alabama	991	0.020	0.019 - 0.022	231	0.010	0.009 - 0.011	760	0.030	0.028 - 0.032
Alaska	187	0.025	0.022 - 0.029	53	0.014	0.010 - 0.018	134	0.038	0.032 - 0.045
Arizona	1,734	0.024	0.023 - 0.025	443	0.012	0.011 - 0.014	1,291	0.036	0.034 - 0.037
Arkansas	746	0.025	0.023 - 0.027	198	0.013	0.012 - 0.015	548	0.036	0.033 - 0.039
California	10,356	0.026	0.026 - 0.027	2,554	0.013	0.013 - 0.014	7,802	0.039	0.038 - 0.040
CA - Greater California	5,778	0.026	0.026 - 0.027	1,434	0.013	0.012 - 0.014	4,344	0.039	0.038 - 0.041
CA - Greater Bay Area	1,967	0.027	0.025 - 0.028	497	0.013	0.012 - 0.015	1,470	0.040	0.038 - 0.042
CA - Los Angeles	2,611	0.026	0.025 - 0.027	622	0.013	0.012 - 0.014	1,989	0.039	0.037 - 0.041
Colorado	1,631	0.028	0.027 - 0.030	436	0.015	0.014 - 0.017	1,195	0.042	0.040 - 0.044
Connecticut	1,210	0.034	0.032 - 0.036	315	0.018	0.016 - 0.020	894	0.049	0.046 - 0.052
Delaware	307	0.032	0.028 - 0.035	77	0.016	0.013 - 0.020	230	0.046	0.040 - 0.052
District of Columbia	160	0.023	0.019 - 0.026	47	0.014	0.010 - 0.019	113	0.030	0.025 - 0.037
Florida	5,523	0.026	0.025 - 0.027	1,366	0.013	0.012 - 0.014	4,157	0.038	0.037 - 0.039
Georgia	2,510	0.024	0.023 - 0.025	654	0.013	0.012 - 0.014	1,856	0.034	0.033 - 0.036
Hawaii	388	0.027	0.025 - 0.030	88	0.012	0.010 - 0.015	300	0.042	0.038 - 0.047
Idaho	450	0.025	0.023 - 0.028	128	0.014	0.012 - 0.017	322	0.036	0.033 - 0.041
Illinois	3,463	0.027	0.026 - 0.028	927	0.015	0.014 - 0.016	2,536	0.039	0.038 - 0.041
Indiana	1,601	0.024	0.023 - 0.025	418	0.013	0.011 - 0.014	1,183	0.035	0.033 - 0.037
Iowa	855	0.027	0.025 - 0.029	221	0.014	0.012 - 0.016	634	0.040	0.037 - 0.043
Kansas	790	0.027	0.025 - 0.029	200	0.014	0.012 - 0.016	590	0.040	0.037 - 0.044
Kentucky	1,352	0.030	0.029 - 0.032	342	0.016	0.014 - 0.017	1,010	0.045	0.042 - 0.047
Louisiana	1,431	0.031	0.029 - 0.032	365	0.016	0.014 - 0.018	1,067	0.045	0.042 - 0.047
Maine	386	0.029	0.026 - 0.032	123	0.019	0.016 - 0.022	263	0.038	0.034 - 0.043
Maryland	1,597	0.026	0.025 - 0.028	381	0.013	0.012 - 0.014	1,216	0.039	0.037 - 0.041
MI - Detroit	1,106	0.028	0.027 - 0.030	277	0.015	0.013 - 0.017	829	0.041	0.039 - 0.044
Minnesota	1,387	0.025	0.023 - 0.026	402	0.014	0.013 - 0.016	985	0.035	0.033 - 0.037
Mississippi	551	0.018	0.017 - 0.020	142	0.010	0.008 - 0.012	409	0.027	0.024 - 0.029
Missouri	1,468	0.024	0.023 - 0.025	371	0.012	0.011 - 0.014	1,097	0.035	0.033 - 0.037
Montana	310	0.029	0.026 - 0.032	100	0.019	0.015 - 0.023	210	0.040	0.034 - 0.045
Nebraska	631	0.033	0.030 - 0.035	145	0.015	0.013 - 0.018	486	0.050	0.046 - 0.055
New Hampshire	402	0.030	0.027 - 0.033	111	0.016	0.014 - 0.020	291	0.042	0.038 - 0.048
New Jersey	3,348	0.038	0.036 - 0.039	827	0.019	0.018 - 0.020	2,521	0.055	0.053 - 0.058
New Mexico	638	0.030	0.028 - 0.033	175	0.017	0.014 - 0.020	463	0.044	0.040 - 0.048
New York	7,486	0.038	0.038 - 0.039	1,950	0.021	0.020 - 0.022	5,536	0.055	0.054 - 0.057
North Carolina	2,401	0.023	0.022 - 0.024	564	0.011	0.010 - 0.012	1,837	0.034	0.033 - 0.036
North Dakota	236	0.031	0.027 - 0.035	71	0.018	0.014 - 0.023	165	0.044	0.038 - 0.052
Ohio	3,587	0.031	0.030 - 0.032	896	0.016	0.015 - 0.017	2,691	0.045	0.043 - 0.047
Oklahoma	928	0.023	0.022 - 0.025	230	0.012	0.010 - 0.013	698	0.035	0.032 - 0.038
Oregon	1,114	0.027	0.025 - 0.028	278	0.013	0.012 - 0.015	836	0.039	0.037 - 0.042
Pennsylvania	4,708	0.037	0.036 - 0.038	1,263	0.020	0.019 - 0.021	3,445	0.053	0.051 - 0.055
Rhode Island	378	0.036	0.032 - 0.039	107	0.021	0.017 - 0.025	271	0.050	0.044 - 0.056
South Carolina	1,083	0.021	0.020 - 0.022	295	0.012	0.011 - 0.013	788	0.030	0.028 - 0.032
Tennessee	1,563	0.023	0.022 - 0.024	443	0.013	0.012 - 0.015	1,120	0.032	0.030 - 0.034
Texas	6,381	0.022	0.022 - 0.023	1,622	0.011	0.011 - 0.012	4,759	0.033	0.032 - 0.034
Utah	912	0.029	0.027 - 0.031	242	0.015	0.013 - 0.017	670	0.042	0.039 - 0.046
Vermont	184	0.029	0.025 - 0.034	47	0.015	0.011 - 0.020	137	0.043	0.036 - 0.051
Washington	1,894	0.025	0.024 - 0.026	532	0.014	0.013 - 0.015	1,362	0.036	0.034 - 0.038
WA - Seattle	1,389	0.027	0.025 - 0.028	396	0.015	0.014 - 0.017	993	0.038	0.036 - 0.041
West Virginia	677	0.038	0.035 - 0.041	186	0.021	0.018 - 0.024	491	0.054	0.049 - 0.059
Wisconsin	1,613	0.028	0.026 - 0.029	448	0.015	0.014 - 0.017	1,165	0.040	0.038 - 0.042
Wyoming	184	0.032	0.027 - 0.037	51	0.017	0.013 - 0.023	133	0.047	0.039 - 0.055
NAACCR CDN Combined	11,541	0.031	0.030 - 0.032	3,091	0.017	0.016 - 0.017	8,435	0.045	0.044 - 0.046
Alberta	1,120	0.026	0.024 - 0.027	307	0.014	0.013 - 0.016	813	0.038	0.035 - 0.040
British Columbia	895	0.018	0.017 - 0.019	258	0.010	0.009 - 0.012	637	0.025	0.023 - 0.027
Manitoba	273	0.020	0.018 - 0.023	70	0.010	0.008 - 0.013	203	0.030	0.026 - 0.034
New Brunswick	182	0.024	0.020 - 0.027	51	0.013	0.010 - 0.018	131	0.034	0.028 - 0.040
Newfoundland and Labrador	247	0.047	0.041 - 0.053	64	0.025	0.019 - 0.031	183	0.069	0.059 - 0.080
Ontario	5,706	0.040	0.039 - 0.041	1,484	0.021	0.020 - 0.022	4,222	0.058	0.056 - 0.060
Prince Edward Island	15	0.010	0.005 - 0.016	*	*		*	*	
Saskatchewan	202	0.017	0.015 - 0.020	67	0.011	0.009 - 0.014	135	0.023	0.020 - 0.028
NAACCR N.A. Combined	101,507	0.028	0.028 - 0.028	26,286	0.015	0.014 - 0.015	75,209	0.041	0.040 - 0.041

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-20 Prevalence – Thyroid

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	15,927	0.005	0.005 - 0.005	8,643	0.005	0.005 - 0.005	7,285	0.004	0.004 - 0.004
Alabama	223	0.005	0.004 - 0.005	126	0.005	0.004 - 0.006	97	0.004	0.003 - 0.005
Alaska	33	0.004	0.003 - 0.006	21	0.005	0.003 - 0.008	12	0.003	0.002 - 0.006
Arizona	250	0.003	0.003 - 0.004	140	0.004	0.003 - 0.005	110	0.003	0.002 - 0.004
Arkansas	152	0.005	0.004 - 0.006	82	0.006	0.004 - 0.007	70	0.005	0.004 - 0.006
California	1,579	0.004	0.004 - 0.004	879	0.004	0.004 - 0.005	700	0.004	0.003 - 0.004
CA - Greater California	893	0.004	0.004 - 0.004	500	0.005	0.004 - 0.005	393	0.004	0.003 - 0.004
CA - Greater Bay Area	329	0.004	0.004 - 0.005	172	0.005	0.004 - 0.005	157	0.004	0.004 - 0.005
CA - Los Angeles	357	0.004	0.003 - 0.004	207	0.004	0.004 - 0.005	151	0.003	0.003 - 0.003
Colorado	263	0.005	0.004 - 0.005	155	0.005	0.005 - 0.006	108	0.004	0.003 - 0.005
Connecticut	224	0.006	0.005 - 0.007	130	0.007	0.006 - 0.009	94	0.005	0.004 - 0.006
Delaware	46	0.005	0.003 - 0.006	27	0.006	0.004 - 0.008	19	0.004	0.002 - 0.006
District of Columbia	38	0.005	0.004 - 0.007	20	0.006	0.004 - 0.009	18	0.005	0.003 - 0.008
Florida	1,327	0.006	0.006 - 0.007	670	0.006	0.006 - 0.007	657	0.006	0.006 - 0.006
Georgia	442	0.004	0.004 - 0.005	222	0.004	0.004 - 0.005	220	0.004	0.004 - 0.005
Hawaii	51	0.004	0.003 - 0.005	34	0.005	0.003 - 0.007	17	0.002	0.001 - 0.004
Idaho	75	0.004	0.003 - 0.005	45	0.005	0.004 - 0.007	30	0.003	0.002 - 0.005
Illinois	705	0.006	0.005 - 0.006	369	0.006	0.005 - 0.007	336	0.005	0.005 - 0.006
Indiana	358	0.005	0.005 - 0.006	201	0.006	0.005 - 0.007	157	0.005	0.004 - 0.005
Iowa	146	0.005	0.004 - 0.005	88	0.006	0.004 - 0.007	58	0.004	0.003 - 0.005
Kansas	119	0.004	0.003 - 0.005	69	0.005	0.004 - 0.006	50	0.003	0.003 - 0.005
Kentucky	216	0.005	0.004 - 0.006	127	0.006	0.005 - 0.007	89	0.004	0.003 - 0.005
Louisiana	246	0.005	0.005 - 0.006	129	0.006	0.005 - 0.007	117	0.005	0.004 - 0.006
Maine	70	0.005	0.004 - 0.007	38	0.006	0.004 - 0.008	32	0.005	0.003 - 0.007
Maryland	286	0.005	0.004 - 0.005	138	0.005	0.004 - 0.006	148	0.005	0.004 - 0.006
MI - Detroit	207	0.005	0.005 - 0.006	103	0.005	0.004 - 0.007	104	0.005	0.004 - 0.006
Minnesota	320	0.006	0.005 - 0.006	175	0.006	0.005 - 0.007	145	0.005	0.004 - 0.006
Mississippi	133	0.004	0.004 - 0.005	72	0.005	0.004 - 0.006	61	0.004	0.003 - 0.005
Missouri	295	0.005	0.004 - 0.005	163	0.005	0.005 - 0.006	132	0.004	0.004 - 0.005
Montana	46	0.004	0.003 - 0.006	22	0.004	0.003 - 0.006	24	0.005	0.003 - 0.007
Nebraska	86	0.004	0.004 - 0.006	45	0.005	0.003 - 0.006	41	0.004	0.003 - 0.006
New Hampshire	79	0.006	0.005 - 0.007	43	0.006	0.005 - 0.009	36	0.005	0.004 - 0.007
New Jersey	548	0.006	0.006 - 0.007	298	0.007	0.006 - 0.008	250	0.005	0.005 - 0.006
New Mexico	72	0.003	0.003 - 0.004	42	0.004	0.003 - 0.005	30	0.003	0.002 - 0.004
New York	1,119	0.006	0.005 - 0.006	620	0.007	0.006 - 0.007	499	0.005	0.005 - 0.005
North Carolina	516	0.005	0.005 - 0.005	272	0.005	0.005 - 0.006	244	0.005	0.004 - 0.005
North Dakota	34	0.004	0.003 - 0.006	17	0.004	0.003 - 0.007	17	0.005	0.003 - 0.007
Ohio	562	0.005	0.004 - 0.005	287	0.005	0.004 - 0.006	275	0.005	0.004 - 0.005
Oklahoma	145	0.004	0.003 - 0.004	77	0.004	0.003 - 0.005	68	0.003	0.003 - 0.004
Oregon	205	0.005	0.004 - 0.006	109	0.005	0.004 - 0.006	96	0.005	0.004 - 0.006
Pennsylvania	763	0.006	0.006 - 0.006	415	0.007	0.006 - 0.007	348	0.005	0.005 - 0.006
Rhode Island	72	0.007	0.005 - 0.009	38	0.007	0.005 - 0.010	34	0.006	0.004 - 0.009
South Carolina	226	0.004	0.004 - 0.005	119	0.005	0.004 - 0.006	107	0.004	0.003 - 0.005
Tennessee	302	0.004	0.004 - 0.005	163	0.005	0.004 - 0.006	139	0.004	0.003 - 0.005
Texas	1,155	0.004	0.004 - 0.004	642	0.004	0.004 - 0.005	513	0.004	0.003 - 0.004
Utah	136	0.004	0.004 - 0.005	66	0.004	0.003 - 0.005	70	0.004	0.003 - 0.006
Vermont	35	0.006	0.004 - 0.008	20	0.006	0.004 - 0.010	15	0.005	0.003 - 0.008
Washington	319	0.004	0.004 - 0.005	179	0.005	0.004 - 0.005	140	0.004	0.003 - 0.004
WA - Seattle	233	0.004	0.004 - 0.005	128	0.005	0.004 - 0.006	105	0.004	0.003 - 0.005
West Virginia	84	0.005	0.004 - 0.006	53	0.006	0.004 - 0.008	31	0.003	0.002 - 0.005
Wisconsin	340	0.006	0.005 - 0.007	195	0.007	0.006 - 0.008	145	0.005	0.004 - 0.006
Wyoming	29	0.005	0.003 - 0.007	18	0.006	0.004 - 0.010	11	0.004	0.002 - 0.007
NAACCR CDN Combined	1,877	0.005	0.005 - 0.005	1,058	0.006	0.005 - 0.006	820	0.004	0.004 - 0.005
Alberta	192	0.004	0.004 - 0.005	112	0.005	0.004 - 0.006	80	0.004	0.003 - 0.005
British Columbia	253	0.005	0.004 - 0.006	150	0.006	0.005 - 0.007	103	0.004	0.003 - 0.005
Manitoba	77	0.006	0.004 - 0.007	47	0.007	0.005 - 0.009	30	0.004	0.003 - 0.006
New Brunswick	41	0.005	0.004 - 0.007	31	0.008	0.006 - 0.011	10	0.003	0.001 - 0.005
Newfoundland and Labrador	29	0.006	0.004 - 0.008	19	0.007	0.004 - 0.011	10	0.004	0.002 - 0.007
Ontario	779	0.005	0.005 - 0.006	410	0.006	0.005 - 0.006	369	0.005	0.005 - 0.006
Prince Edward Island	*	*		*	*		*	*	
Saskatchewan	47	0.004	0.003 - 0.005	31	0.005	0.004 - 0.007	16	0.003	0.002 - 0.004
NAACCR N.A. Combined	17,804	0.005	0.005 - 0.005	9,700	0.005	0.005 - 0.006	8,105	0.004	0.004 - 0.004

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	116,991	0.036	0.035 - 0.036	63,693	0.039	0.039 - 0.040	53,304	0.032	0.032 - 0.032
Alabama	1,429	0.029	0.028 - 0.031	788	0.033	0.031 - 0.036	641	0.025	0.023 - 0.027
Alaska	187	0.025	0.022 - 0.029	115	0.030	0.025 - 0.036	72	0.020	0.016 - 0.026
Arizona	2,071	0.029	0.027 - 0.030	1,160	0.032	0.030 - 0.034	911	0.025	0.023 - 0.027
Arkansas	1,064	0.035	0.033 - 0.037	589	0.040	0.037 - 0.043	475	0.031	0.028 - 0.034
California	12,340	0.031	0.031 - 0.032	6,758	0.034	0.034 - 0.035	5,583	0.028	0.027 - 0.029
CA - Greater California	6,722	0.031	0.030 - 0.031	3,712	0.034	0.033 - 0.035	3,010	0.027	0.026 - 0.028
CA - Greater Bay Area	2,800	0.038	0.036 - 0.039	1,543	0.042	0.040 - 0.044	1,256	0.034	0.032 - 0.036
CA - Los Angeles	2,817	0.028	0.027 - 0.029	1,501	0.030	0.029 - 0.032	1,316	0.026	0.024 - 0.027
Colorado	1,720	0.030	0.029 - 0.031	966	0.033	0.031 - 0.036	754	0.027	0.025 - 0.028
Connecticut	1,524	0.043	0.041 - 0.045	811	0.047	0.043 - 0.050	713	0.039	0.036 - 0.042
Delaware	363	0.037	0.034 - 0.041	209	0.044	0.039 - 0.051	154	0.031	0.026 - 0.036
District of Columbia	153	0.022	0.018 - 0.025	95	0.028	0.023 - 0.035	58	0.016	0.012 - 0.020
Florida	10,023	0.047	0.046 - 0.048	5,377	0.051	0.050 - 0.053	4,646	0.043	0.041 - 0.044
Georgia	3,114	0.029	0.028 - 0.031	1,681	0.033	0.031 - 0.034	1,433	0.026	0.025 - 0.028
Hawaii	445	0.031	0.029 - 0.034	258	0.036	0.032 - 0.041	187	0.026	0.023 - 0.031
Idaho	602	0.034	0.031 - 0.037	347	0.039	0.035 - 0.043	255	0.029	0.025 - 0.033
Illinois	4,528	0.036	0.035 - 0.037	2,402	0.039	0.037 - 0.040	2,126	0.033	0.032 - 0.034
Indiana	2,296	0.034	0.033 - 0.036	1,251	0.038	0.036 - 0.040	1,045	0.031	0.029 - 0.033
Iowa	1,341	0.042	0.040 - 0.045	752	0.048	0.045 - 0.051	589	0.037	0.034 - 0.040
Kansas	1,016	0.035	0.033 - 0.037	568	0.039	0.036 - 0.043	448	0.031	0.028 - 0.034
Kentucky	1,684	0.038	0.036 - 0.040	876	0.040	0.037 - 0.043	807	0.036	0.033 - 0.038
Louisiana	1,541	0.033	0.031 - 0.035	843	0.037	0.035 - 0.040	698	0.029	0.027 - 0.031
Maine	627	0.047	0.043 - 0.050	359	0.055	0.049 - 0.061	268	0.039	0.035 - 0.044
Maryland	2,087	0.035	0.033 - 0.036	1,088	0.037	0.035 - 0.039	999	0.032	0.030 - 0.034
MI - Detroit	1,511	0.039	0.037 - 0.041	796	0.042	0.039 - 0.045	715	0.036	0.033 - 0.039
Minnesota	2,388	0.042	0.041 - 0.044	1,334	0.048	0.045 - 0.050	1,054	0.037	0.035 - 0.040
Mississippi	915	0.031	0.029 - 0.033	499	0.035	0.032 - 0.038	416	0.027	0.025 - 0.030
Missouri	2,189	0.036	0.034 - 0.037	1,192	0.040	0.037 - 0.042	997	0.032	0.030 - 0.034
Montana	410	0.038	0.035 - 0.042	246	0.046	0.040 - 0.052	164	0.031	0.026 - 0.036
Nebraska	751	0.039	0.036 - 0.042	393	0.041	0.037 - 0.045	358	0.037	0.033 - 0.041
New Hampshire	604	0.044	0.041 - 0.048	345	0.051	0.046 - 0.057	259	0.038	0.033 - 0.043
New Jersey	3,946	0.044	0.043 - 0.046	2,116	0.049	0.047 - 0.051	1,830	0.040	0.038 - 0.042
New Mexico	596	0.028	0.026 - 0.031	313	0.030	0.027 - 0.034	283	0.027	0.024 - 0.030
New York	8,294	0.043	0.042 - 0.043	4,347	0.046	0.045 - 0.047	3,947	0.039	0.038 - 0.041
North Carolina	3,474	0.033	0.032 - 0.034	1,875	0.037	0.035 - 0.039	1,599	0.030	0.028 - 0.031
North Dakota	259	0.034	0.030 - 0.038	151	0.039	0.033 - 0.045	108	0.029	0.024 - 0.035
Ohio	4,431	0.038	0.037 - 0.039	2,410	0.042	0.040 - 0.044	2,021	0.034	0.032 - 0.035
Oklahoma	1,204	0.030	0.029 - 0.032	640	0.033	0.030 - 0.035	564	0.028	0.026 - 0.031
Oregon	1,483	0.035	0.034 - 0.037	839	0.040	0.038 - 0.043	644	0.030	0.028 - 0.033
Pennsylvania	5,456	0.043	0.041 - 0.044	2,868	0.046	0.044 - 0.047	2,588	0.040	0.038 - 0.041
Rhode Island	389	0.037	0.033 - 0.041	216	0.042	0.037 - 0.048	173	0.032	0.027 - 0.037
South Carolina	1,630	0.032	0.030 - 0.033	920	0.037	0.035 - 0.040	710	0.027	0.025 - 0.029
Tennessee	2,304	0.034	0.032 - 0.035	1,257	0.038	0.036 - 0.040	1,047	0.030	0.028 - 0.032
Texas	7,921	0.027	0.027 - 0.028	4,414	0.031	0.030 - 0.032	3,507	0.024	0.023 - 0.025
Utah	821	0.026	0.024 - 0.028	483	0.030	0.028 - 0.033	338	0.021	0.019 - 0.024
Vermont	255	0.041	0.036 - 0.046	135	0.044	0.037 - 0.052	120	0.038	0.031 - 0.045
Washington	2,758	0.036	0.035 - 0.038	1,534	0.040	0.038 - 0.043	1,224	0.032	0.031 - 0.034
WA - Seattle	2,045	0.039	0.037 - 0.041	1,145	0.044	0.041 - 0.046	900	0.035	0.032 - 0.037
West Virginia	789	0.044	0.041 - 0.047	440	0.049	0.045 - 0.054	349	0.038	0.034 - 0.043
Wisconsin	2,507	0.043	0.041 - 0.045	1,416	0.049	0.046 - 0.052	1,091	0.037	0.035 - 0.040
Wyoming	202	0.035	0.030 - 0.040	106	0.036	0.029 - 0.043	96	0.034	0.027 - 0.041
NAACCR CDN Combined	13,422	0.036	0.035 - 0.037	7,446	0.040	0.039 - 0.041	5,972	0.032	0.031 - 0.033
Alberta	1,378	0.032	0.030 - 0.034	759	0.035	0.032 - 0.037	619	0.029	0.027 - 0.031
British Columbia	1,871	0.037	0.035 - 0.039	1,085	0.043	0.041 - 0.046	786	0.031	0.029 - 0.033
Manitoba	487	0.036	0.033 - 0.039	274	0.040	0.036 - 0.045	213	0.031	0.027 - 0.036
New Brunswick	379	0.049	0.044 - 0.054	199	0.052	0.045 - 0.060	180	0.046	0.040 - 0.053
Newfoundland and Labrador	263	0.050	0.044 - 0.057	138	0.053	0.045 - 0.063	125	0.047	0.039 - 0.056
Ontario	5,155	0.036	0.035 - 0.037	2,838	0.040	0.038 - 0.041	2,317	0.032	0.030 - 0.033
Prince Edward Island	51	0.033	0.024 - 0.043	35	0.046	0.032 - 0.064	16	0.020	0.012 - 0.033
Saskatchewan	427	0.037	0.033 - 0.040	225	0.038	0.033 - 0.044	202	0.035	0.030 - 0.040
NAACCR N.A. Combined	130,413	0.036	0.035 - 0.036	71,138	0.039	0.039 - 0.040	59,276	0.032	0.032 - 0.032

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-22 Prevalence – Non-Hodgkin Lymphoma

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	44,390	0.014	0.013 - 0.014	24,539	0.015	0.015 - 0.015	19,854	0.012	0.012 - 0.012
Alabama	693	0.014	0.013 - 0.015	388	0.016	0.015 - 0.018	305	0.012	0.011 - 0.013
Alaska	64	0.009	0.007 - 0.011	38	0.010	0.007 - 0.014	26	0.007	0.005 - 0.011
Arizona	710	0.010	0.009 - 0.011	422	0.012	0.011 - 0.013	288	0.008	0.007 - 0.009
Arkansas	440	0.015	0.013 - 0.016	232	0.016	0.014 - 0.018	208	0.014	0.012 - 0.016
California	4,218	0.011	0.010 - 0.011	2,366	0.012	0.012 - 0.013	1,852	0.009	0.009 - 0.010
CA - Greater California	2,353	0.011	0.010 - 0.011	1,365	0.012	0.012 - 0.013	988	0.009	0.008 - 0.010
CA - Greater Bay Area	890	0.012	0.011 - 0.013	484	0.013	0.012 - 0.014	406	0.011	0.010 - 0.012
CA - Los Angeles	976	0.010	0.009 - 0.010	517	0.010	0.010 - 0.011	459	0.009	0.008 - 0.010
Colorado	613	0.011	0.010 - 0.012	342	0.012	0.011 - 0.013	271	0.010	0.008 - 0.011
Connecticut	549	0.015	0.014 - 0.017	314	0.018	0.016 - 0.020	235	0.013	0.011 - 0.015
Delaware	141	0.015	0.012 - 0.017	66	0.014	0.011 - 0.018	75	0.015	0.012 - 0.019
District of Columbia	113	0.016	0.013 - 0.019	50	0.015	0.011 - 0.020	63	0.017	0.013 - 0.022
Florida	4,063	0.019	0.018 - 0.020	2,213	0.021	0.020 - 0.022	1,850	0.017	0.016 - 0.018
Georgia	1,580	0.015	0.014 - 0.016	811	0.016	0.015 - 0.017	768	0.014	0.013 - 0.015
Hawaii	141	0.010	0.008 - 0.012	79	0.011	0.009 - 0.014	62	0.009	0.007 - 0.011
Idaho	214	0.012	0.011 - 0.014	125	0.014	0.012 - 0.017	89	0.010	0.008 - 0.012
Illinois	1,681	0.013	0.013 - 0.014	863	0.014	0.013 - 0.015	818	0.013	0.012 - 0.014
Indiana	825	0.012	0.011 - 0.013	431	0.013	0.012 - 0.014	394	0.012	0.010 - 0.013
Iowa	464	0.015	0.013 - 0.016	269	0.017	0.015 - 0.019	195	0.012	0.011 - 0.014
Kansas	358	0.012	0.011 - 0.014	207	0.014	0.012 - 0.016	151	0.010	0.009 - 0.012
Kentucky	608	0.014	0.013 - 0.015	346	0.016	0.014 - 0.017	262	0.012	0.010 - 0.013
Louisiana	679	0.015	0.013 - 0.016	364	0.016	0.014 - 0.018	316	0.013	0.012 - 0.015
Maine	200	0.015	0.013 - 0.017	119	0.018	0.015 - 0.022	81	0.012	0.009 - 0.015
Maryland	890	0.015	0.014 - 0.016	453	0.015	0.014 - 0.017	437	0.014	0.013 - 0.015
MI - Detroit	587	0.015	0.014 - 0.016	305	0.016	0.014 - 0.018	282	0.014	0.012 - 0.016
Minnesota	740	0.013	0.012 - 0.014	444	0.016	0.014 - 0.017	296	0.010	0.009 - 0.012
Mississippi	516	0.017	0.016 - 0.019	273	0.019	0.017 - 0.021	243	0.016	0.014 - 0.018
Missouri	773	0.013	0.012 - 0.014	422	0.014	0.013 - 0.015	351	0.011	0.010 - 0.012
Montana	156	0.015	0.012 - 0.017	90	0.017	0.013 - 0.021	66	0.012	0.010 - 0.016
Nebraska	216	0.011	0.010 - 0.013	132	0.014	0.011 - 0.016	84	0.009	0.007 - 0.011
New Hampshire	184	0.014	0.012 - 0.016	110	0.016	0.013 - 0.020	74	0.011	0.008 - 0.014
New Jersey	1,412	0.016	0.015 - 0.017	805	0.019	0.017 - 0.020	607	0.013	0.012 - 0.014
New Mexico	236	0.011	0.010 - 0.013	141	0.014	0.011 - 0.016	95	0.009	0.007 - 0.011
New York	3,279	0.017	0.016 - 0.017	1,761	0.019	0.018 - 0.019	1,518	0.015	0.014 - 0.016
North Carolina	1,663	0.016	0.015 - 0.017	908	0.018	0.017 - 0.019	755	0.014	0.013 - 0.015
North Dakota	74	0.010	0.008 - 0.012	43	0.011	0.008 - 0.015	31	0.008	0.006 - 0.012
Ohio	1,419	0.012	0.012 - 0.013	792	0.014	0.013 - 0.015	627	0.011	0.010 - 0.011
Oklahoma	443	0.011	0.010 - 0.012	244	0.012	0.011 - 0.014	199	0.010	0.009 - 0.011
Oregon	466	0.011	0.010 - 0.012	288	0.014	0.012 - 0.016	178	0.008	0.007 - 0.010
Pennsylvania	1,925	0.015	0.014 - 0.016	1,067	0.017	0.016 - 0.018	858	0.013	0.012 - 0.014
Rhode Island	121	0.011	0.009 - 0.014	71	0.014	0.011 - 0.017	50	0.009	0.007 - 0.012
South Carolina	758	0.015	0.014 - 0.016	414	0.017	0.015 - 0.018	344	0.013	0.012 - 0.014
Tennessee	858	0.013	0.012 - 0.013	484	0.015	0.013 - 0.016	374	0.011	0.010 - 0.012
Texas	3,416	0.012	0.011 - 0.012	1,875	0.013	0.013 - 0.014	1,541	0.011	0.010 - 0.011
Utah	284	0.009	0.008 - 0.010	184	0.011	0.010 - 0.013	101	0.006	0.005 - 0.008
Vermont	79	0.013	0.010 - 0.016	49	0.016	0.012 - 0.021	30	0.009	0.006 - 0.014
Washington	920	0.012	0.011 - 0.013	559	0.015	0.014 - 0.016	361	0.010	0.009 - 0.011
WA - Seattle	678	0.013	0.012 - 0.014	412	0.016	0.014 - 0.017	266	0.010	0.009 - 0.011
West Virginia	237	0.013	0.012 - 0.015	136	0.015	0.013 - 0.018	101	0.011	0.009 - 0.014
Wisconsin	826	0.014	0.013 - 0.015	456	0.016	0.014 - 0.017	370	0.013	0.011 - 0.014
Wyoming	66	0.011	0.009 - 0.014	38	0.013	0.009 - 0.018	28	0.010	0.007 - 0.014
NAACCR CDN Combined	5,282	0.014	0.014 - 0.015	3,072	0.017	0.016 - 0.017	2,206	0.012	0.011 - 0.012
Alberta	400	0.009	0.008 - 0.010	245	0.011	0.010 - 0.013	155	0.007	0.006 - 0.008
British Columbia	684	0.014	0.013 - 0.015	421	0.017	0.015 - 0.019	263	0.010	0.009 - 0.012
Manitoba	188	0.014	0.012 - 0.016	113	0.017	0.014 - 0.020	75	0.011	0.009 - 0.014
New Brunswick	97	0.013	0.010 - 0.015	56	0.015	0.011 - 0.019	41	0.010	0.008 - 0.014
Newfoundland and Labrador	68	0.013	0.010 - 0.016	44	0.017	0.012 - 0.023	24	0.009	0.006 - 0.013
Ontario	2,346	0.016	0.016 - 0.017	1,332	0.019	0.018 - 0.020	1,014	0.014	0.013 - 0.015
Prince Edward Island	26	0.017	0.011 - 0.025	13	0.017	0.009 - 0.029	13	0.016	0.009 - 0.028
Saskatchewan	125	0.011	0.009 - 0.013	67	0.011	0.009 - 0.014	58	0.010	0.008 - 0.013
NAACCR N.A. Combined	49,672	0.014	0.013 - 0.014	27,611	0.015	0.015 - 0.015	22,061	0.012	0.012 - 0.012

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	76,980	0.023	0.023 - 0.024	45,064	0.028	0.028 - 0.028	31,921	0.019	0.019 - 0.019
Alabama	1,055	0.022	0.020 - 0.023	592	0.025	0.023 - 0.027	463	0.018	0.017 - 0.020
Alaska	120	0.016	0.014 - 0.020	72	0.019	0.015 - 0.024	48	0.014	0.010 - 0.018
Arizona	1,119	0.015	0.015 - 0.016	650	0.018	0.017 - 0.020	469	0.013	0.012 - 0.014
Arkansas	749	0.025	0.023 - 0.027	425	0.029	0.026 - 0.032	324	0.021	0.019 - 0.024
California	7,215	0.018	0.018 - 0.019	4,249	0.022	0.021 - 0.022	2,965	0.015	0.014 - 0.016
CA - Greater California	4,197	0.019	0.019 - 0.020	2,441	0.022	0.021 - 0.023	1,756	0.016	0.015 - 0.017
CA - Greater Bay Area	1,324	0.018	0.017 - 0.019	801	0.022	0.020 - 0.023	522	0.014	0.013 - 0.015
CA - Los Angeles	1,695	0.017	0.016 - 0.018	1,008	0.020	0.019 - 0.022	687	0.014	0.013 - 0.015
Colorado	1,136	0.020	0.019 - 0.021	675	0.023	0.022 - 0.025	461	0.016	0.015 - 0.018
Connecticut	1,023	0.029	0.027 - 0.030	590	0.034	0.031 - 0.037	433	0.024	0.022 - 0.026
Delaware	214	0.022	0.019 - 0.025	132	0.028	0.024 - 0.033	82	0.016	0.013 - 0.020
District of Columbia	101	0.014	0.012 - 0.017	65	0.019	0.015 - 0.025	36	0.010	0.007 - 0.013
Florida	6,978	0.033	0.032 - 0.033	3,932	0.038	0.036 - 0.039	3,046	0.028	0.027 - 0.029
Georgia	2,325	0.022	0.021 - 0.023	1,316	0.026	0.024 - 0.027	1,009	0.019	0.017 - 0.020
Hawaii	228	0.016	0.014 - 0.018	131	0.018	0.015 - 0.022	96	0.014	0.011 - 0.017
Idaho	465	0.026	0.024 - 0.029	279	0.031	0.028 - 0.035	186	0.021	0.018 - 0.024
Illinois	2,731	0.022	0.021 - 0.022	1,591	0.026	0.024 - 0.027	1,140	0.018	0.017 - 0.019
Indiana	1,433	0.021	0.020 - 0.022	833	0.025	0.023 - 0.027	600	0.018	0.016 - 0.019
Iowa	907	0.029	0.027 - 0.031	552	0.035	0.032 - 0.038	355	0.022	0.020 - 0.025
Kansas	722	0.025	0.023 - 0.027	422	0.029	0.026 - 0.032	300	0.021	0.018 - 0.023
Kentucky	1,213	0.027	0.026 - 0.029	668	0.030	0.028 - 0.033	545	0.024	0.022 - 0.026
Louisiana	989	0.021	0.020 - 0.023	579	0.025	0.023 - 0.028	410	0.017	0.016 - 0.019
Maine	390	0.029	0.026 - 0.032	224	0.034	0.030 - 0.039	166	0.024	0.021 - 0.028
Maryland	1,217	0.020	0.019 - 0.021	703	0.024	0.022 - 0.026	514	0.016	0.015 - 0.018
MI - Detroit	1,045	0.027	0.025 - 0.029	609	0.032	0.030 - 0.035	436	0.022	0.020 - 0.024
Minnesota	1,578	0.028	0.027 - 0.029	980	0.035	0.033 - 0.037	598	0.021	0.020 - 0.023
Mississippi	582	0.020	0.018 - 0.021	342	0.024	0.021 - 0.026	240	0.016	0.014 - 0.018
Missouri	1,408	0.023	0.022 - 0.024	864	0.029	0.027 - 0.031	544	0.017	0.016 - 0.019
Montana	314	0.029	0.026 - 0.033	206	0.038	0.033 - 0.044	108	0.020	0.017 - 0.025
Nebraska	433	0.022	0.020 - 0.025	282	0.029	0.026 - 0.033	151	0.016	0.013 - 0.018
New Hampshire	338	0.025	0.022 - 0.028	225	0.033	0.029 - 0.038	113	0.016	0.014 - 0.020
New Jersey	2,528	0.028	0.027 - 0.030	1,460	0.034	0.032 - 0.035	1,068	0.023	0.022 - 0.025
New Mexico	467	0.022	0.020 - 0.024	275	0.027	0.023 - 0.030	192	0.018	0.016 - 0.021
New York	5,521	0.028	0.028 - 0.029	3,224	0.034	0.033 - 0.035	2,296	0.023	0.022 - 0.024
North Carolina	2,558	0.024	0.024 - 0.025	1,534	0.030	0.029 - 0.032	1,024	0.019	0.018 - 0.020
North Dakota	192	0.025	0.022 - 0.029	117	0.030	0.025 - 0.036	75	0.020	0.016 - 0.025
Ohio	2,409	0.021	0.020 - 0.021	1,388	0.024	0.023 - 0.026	1,021	0.017	0.016 - 0.018
Oklahoma	866	0.022	0.020 - 0.023	500	0.026	0.023 - 0.028	366	0.018	0.017 - 0.020
Oregon	946	0.023	0.021 - 0.024	543	0.026	0.024 - 0.028	403	0.019	0.017 - 0.021
Pennsylvania	3,525	0.028	0.027 - 0.028	2,063	0.033	0.031 - 0.034	1,462	0.022	0.021 - 0.024
Rhode Island	284	0.027	0.024 - 0.030	179	0.035	0.030 - 0.040	105	0.019	0.016 - 0.023
South Carolina	1,052	0.021	0.019 - 0.022	586	0.024	0.022 - 0.026	466	0.018	0.016 - 0.019
Tennessee	1,509	0.022	0.021 - 0.023	892	0.027	0.025 - 0.029	617	0.018	0.016 - 0.019
Texas	5,997	0.021	0.020 - 0.021	3,480	0.024	0.024 - 0.025	2,517	0.017	0.017 - 0.018
Utah	629	0.020	0.018 - 0.021	365	0.023	0.020 - 0.025	264	0.017	0.015 - 0.019
Vermont	146	0.023	0.020 - 0.027	87	0.028	0.023 - 0.035	59	0.019	0.014 - 0.024
Washington	1,840	0.024	0.023 - 0.025	1,109	0.029	0.028 - 0.031	731	0.019	0.018 - 0.021
WA - Seattle	1,386	0.027	0.025 - 0.028	835	0.032	0.030 - 0.034	551	0.021	0.019 - 0.023
West Virginia	553	0.031	0.028 - 0.033	334	0.037	0.034 - 0.042	219	0.024	0.021 - 0.028
Wisconsin	1,688	0.029	0.028 - 0.030	1,064	0.037	0.035 - 0.039	624	0.021	0.020 - 0.023
Wyoming	118	0.020	0.017 - 0.024	71	0.024	0.019 - 0.030	47	0.017	0.012 - 0.022
NAACCR CDN Combined	10,162	0.027	0.027 - 0.028	6,079	0.033	0.032 - 0.034	4,080	0.022	0.021 - 0.023
Alberta	923	0.021	0.020 - 0.023	567	0.026	0.024 - 0.028	356	0.017	0.015 - 0.018
British Columbia	1,074	0.021	0.020 - 0.023	661	0.026	0.024 - 0.029	413	0.016	0.015 - 0.018
Manitoba	308	0.023	0.020 - 0.025	178	0.026	0.022 - 0.030	130	0.019	0.016 - 0.023
New Brunswick	240	0.031	0.027 - 0.035	141	0.037	0.031 - 0.043	99	0.025	0.021 - 0.031
Newfoundland and Labrador	71	0.014	0.011 - 0.017	45	0.017	0.013 - 0.023	26	0.010	0.006 - 0.014
Ontario	4,647	0.032	0.031 - 0.033	2,753	0.039	0.037 - 0.040	1,894	0.026	0.025 - 0.027
Prince Edward Island	30	0.019	0.013 - 0.028	18	0.024	0.014 - 0.037	12	0.015	0.008 - 0.027
Saskatchewan	293	0.025	0.022 - 0.028	176	0.030	0.026 - 0.035	117	0.020	0.017 - 0.024
NAACCR N.A. Combined	87,142	0.024	0.024 - 0.024	51,144	0.028	0.028 - 0.029	36,001	0.019	0.019 - 0.020

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-24 Prevalence – Leukemias

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,938	0.001	0.001 - 0.001	2,022	0.001	0.001 - 0.001	916	0.001	0.001 - 0.001
Alabama	25	0.001	0.000 - 0.001	*	*		*	*	
Alaska	11	0.001	0.001 - 0.003	*	*		*	*	
Arizona	50	0.001	0.001 - 0.001	34	0.001	0.001 - 0.001	16	0.000	0.000 - 0.001
Arkansas	26	0.001	0.001 - 0.001	*	*		*	*	
California	310	0.001	0.001 - 0.001	203	0.001	0.001 - 0.001	107	0.001	0.000 - 0.001
CA - Greater California	170	0.001	0.001 - 0.001	114	0.001	0.001 - 0.001	56	0.001	0.000 - 0.001
CA - Greater Bay Area	65	0.001	0.001 - 0.001	33	0.001	0.001 - 0.001	32	0.001	0.001 - 0.001
CA - Los Angeles	76	0.001	0.001 - 0.001	57	0.001	0.001 - 0.001	19	0.000	0.000 - 0.001
Colorado	46	0.001	0.001 - 0.001	33	0.001	0.001 - 0.002	13	0.000	0.000 - 0.001
Connecticut	40	0.001	0.001 - 0.002	29	0.002	0.001 - 0.002	11	0.001	0.000 - 0.001
Delaware	17	0.002	0.001 - 0.003	*	*		*	*	
District of Columbia	*	*		*	*		*	*	
Florida	217	0.001	0.001 - 0.001	164	0.002	0.001 - 0.002	53	0.000	0.000 - 0.001
Georgia	59	0.001	0.000 - 0.001	45	0.001	0.001 - 0.001	14	0.000	0.000 - 0.000
Hawaii	*	*		*	*		*	*	
Idaho	25	0.001	0.001 - 0.002	*	*		*	*	
Illinois	127	0.001	0.001 - 0.001	81	0.001	0.001 - 0.002	46	0.001	0.001 - 0.001
Indiana	51	0.001	0.001 - 0.001	37	0.001	0.001 - 0.002	14	0.000	0.000 - 0.001
Iowa	33	0.001	0.001 - 0.001	23	0.001	0.001 - 0.002	10	0.001	0.000 - 0.001
Kansas	16	0.001	0.000 - 0.001	*	*		*	*	
Kentucky	40	0.001	0.001 - 0.001	28	0.001	0.001 - 0.002	12	0.001	0.000 - 0.001
Louisiana	62	0.001	0.001 - 0.002	40	0.002	0.001 - 0.002	22	0.001	0.001 - 0.001
Maine	21	0.002	0.001 - 0.002	*	*		*	*	
Maryland	44	0.001	0.001 - 0.001	26	0.001	0.001 - 0.001	18	0.001	0.000 - 0.001
MI - Detroit	52	0.001	0.001 - 0.002	34	0.002	0.001 - 0.003	18	0.001	0.001 - 0.001
Minnesota	61	0.001	0.001 - 0.001	46	0.002	0.001 - 0.002	15	0.001	0.000 - 0.001
Mississippi	21	0.001	0.000 - 0.001	*	*		*	*	
Missouri	44	0.001	0.001 - 0.001	*	*		*	*	
Montana	15	0.001	0.001 - 0.002	*	*		*	*	
Nebraska	13	0.001	0.000 - 0.001	*	*		*	*	
New Hampshire	18	0.001	0.001 - 0.002	*	*		*	*	
New Jersey	116	0.001	0.001 - 0.002	73	0.002	0.001 - 0.002	43	0.001	0.001 - 0.001
New Mexico	12	0.001	0.000 - 0.001	*	*		*	*	
New York	193	0.001	0.001 - 0.001	132	0.001	0.001 - 0.002	61	0.001	0.000 - 0.001
North Carolina	81	0.001	0.001 - 0.001	55	0.001	0.001 - 0.001	26	0.000	0.000 - 0.001
North Dakota	*	*		*	*		*	*	
Ohio	111	0.001	0.001 - 0.001	74	0.001	0.001 - 0.002	37	0.001	0.000 - 0.001
Oklahoma	28	0.001	0.000 - 0.001	14	0.001	0.000 - 0.001	14	0.001	0.000 - 0.001
Oregon	35	0.001	0.001 - 0.001	25	0.001	0.001 - 0.002	10	0.000	0.000 - 0.001
Pennsylvania	168	0.001	0.001 - 0.002	117	0.002	0.002 - 0.002	51	0.001	0.001 - 0.001
Rhode Island	11	0.001	0.001 - 0.002	*	*		*	*	
South Carolina	47	0.001	0.001 - 0.001	32	0.001	0.001 - 0.002	15	0.001	0.000 - 0.001
Tennessee	41	0.001	0.000 - 0.001	30	0.001	0.001 - 0.001	11	0.000	0.000 - 0.001
Texas	188	0.001	0.001 - 0.001	137	0.001	0.001 - 0.001	51	0.000	0.000 - 0.000
Utah	20	0.001	0.000 - 0.001	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	78	0.001	0.001 - 0.001	49	0.001	0.001 - 0.002	29	0.001	0.001 - 0.001
WA - Seattle	54	0.001	0.001 - 0.001	34	0.001	0.001 - 0.002	20	0.001	0.000 - 0.001
West Virginia	24	0.001	0.001 - 0.002	*	*		*	*	
Wisconsin	70	0.001	0.001 - 0.002	46	0.002	0.001 - 0.002	24	0.001	0.001 - 0.001
Wyoming	10	0.002	0.001 - 0.003	*	*		*	*	
NAACCR CDN Combined	497	0.001	0.001 - 0.001	359	0.002	0.002 - 0.002	137	0.001	0.001 - 0.001
Alberta	53	0.001	0.001 - 0.002	38	0.002	0.001 - 0.002	15	0.001	0.000 - 0.001
British Columbia	92	0.002	0.001 - 0.002	74	0.003	0.002 - 0.004	18	0.001	0.000 - 0.001
Manitoba	14	0.001	0.001 - 0.002	*	*		*	*	
New Brunswick	14	0.002	0.001 - 0.003	*	*		*	*	
Newfoundland and Labrador	*	*		*	*		*	*	
Ontario	183	0.001	0.001 - 0.001	126	0.002	0.001 - 0.002	57	0.001	0.001 - 0.001
Prince Edward Island	*	*		*	*		*	*	
Saskatchewan	10	0.001	0.000 - 0.002	*	*		*	*	
NAACCR N.A. Combined	3,435	0.001	0.001 - 0.001	2,382	0.001	0.001 - 0.001	1,052	0.001	0.001 - 0.001

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,236,129	0.877	0.876 - 0.879	1,114,432	0.882	0.880 - 0.884	1,121,812	0.873	0.871 - 0.875
Alabama	30,027	0.874	0.865 - 0.884	15,393	0.914	0.899 - 0.928	14,634	0.837	0.823 - 0.850
Alaska	3,555	0.704	0.681 - 0.727	1,890	0.708	0.676 - 0.741	1,665	0.699	0.666 - 0.733
Arizona	46,284	0.762	0.755 - 0.769	22,844	0.757	0.747 - 0.767	23,440	0.767	0.757 - 0.777
Arkansas	22,269	0.919	0.907 - 0.931	11,722	0.980	0.962 - 0.998	10,547	0.860	0.843 - 0.876
California	209,901	0.722	0.719 - 0.725	101,882	0.699	0.694 - 0.703	108,019	0.745	0.741 - 0.749
CA - Greater California	127,212	0.735	0.731 - 0.739	62,167	0.717	0.711 - 0.723	65,045	0.752	0.746 - 0.758
CA - Greater Bay Area	37,401	0.825	0.816 - 0.833	18,459	0.803	0.792 - 0.815	18,942	0.847	0.835 - 0.859
CA - Los Angeles	45,290	0.627	0.621 - 0.632	21,262	0.588	0.580 - 0.596	24,029	0.665	0.657 - 0.674
Colorado	35,851	0.707	0.700 - 0.714	17,147	0.671	0.661 - 0.682	18,704	0.743	0.732 - 0.754
Connecticut	29,681	1.027	1.015 - 1.039	14,745	1.043	1.026 - 1.060	14,936	1.011	0.995 - 1.028
Delaware	7,161	1.046	1.022 - 1.071	3,613	1.085	1.050 - 1.121	3,548	1.010	0.977 - 1.043
District of Columbia	1,736	0.529	0.505 - 0.555	855	0.522	0.488 - 0.558	881	0.537	0.502 - 0.574
Florida	170,699	1.018	1.014 - 1.023	85,474	1.039	1.032 - 1.046	85,225	0.999	0.992 - 1.006
Georgia	57,789	0.892	0.885 - 0.899	29,466	0.917	0.907 - 0.928	28,323	0.867	0.857 - 0.877
Hawaii	3,885	1.076	1.043 - 1.110	2,249	1.152	1.105 - 1.201	1,636	0.986	0.939 - 1.035
Idaho	13,244	0.790	0.777 - 0.804	6,910	0.822	0.803 - 0.842	6,335	0.758	0.740 - 0.777
Illinois	88,892	0.901	0.895 - 0.907	43,532	0.890	0.882 - 0.899	45,360	0.912	0.904 - 0.920
Indiana	50,178	0.870	0.862 - 0.877	24,589	0.863	0.852 - 0.874	25,589	0.876	0.866 - 0.887
Iowa	28,113	0.973	0.961 - 0.984	14,324	1.000	0.983 - 1.016	13,790	0.946	0.930 - 0.962
Kansas	21,898	0.856	0.845 - 0.868	11,009	0.866	0.850 - 0.883	10,889	0.846	0.831 - 0.862
Kentucky	38,401	0.969	0.959 - 0.978	19,073	0.978	0.964 - 0.992	19,328	0.960	0.946 - 0.973
Louisiana	28,447	0.960	0.949 - 0.971	15,091	1.029	1.013 - 1.046	13,356	0.892	0.877 - 0.907
Maine	13,565	1.056	1.038 - 1.074	6,780	1.079	1.053 - 1.105	6,785	1.034	1.009 - 1.058
Maryland	33,882	0.937	0.927 - 0.947	16,768	0.939	0.925 - 0.953	17,114	0.935	0.921 - 0.949
MI - Detroit	26,820	1.013	1.001 - 1.025	13,296	1.016	0.999 - 1.033	13,524	1.010	0.993 - 1.027
Minnesota	47,080	0.984	0.975 - 0.993	23,846	1.001	0.989 - 1.014	23,234	0.966	0.954 - 0.978
Mississippi	17,193	0.966	0.952 - 0.981	8,961	1.019	0.998 - 1.040	8,232	0.915	0.895 - 0.935
Missouri	45,322	0.878	0.870 - 0.887	22,142	0.871	0.859 - 0.882	23,180	0.886	0.875 - 0.898
Montana	9,576	0.992	0.972 - 1.012	5,102	1.048	1.019 - 1.077	4,475	0.934	0.907 - 0.962
Nebraska	15,519	0.901	0.887 - 0.916	7,967	0.928	0.908 - 0.949	7,552	0.874	0.855 - 0.894
New Hampshire	13,315	1.040	1.023 - 1.058	6,817	1.077	1.052 - 1.103	6,498	1.004	0.980 - 1.029
New Jersey	67,784	1.046	1.038 - 1.054	33,450	1.051	1.039 - 1.062	34,334	1.041	1.030 - 1.052
New Mexico	12,663	0.728	0.715 - 0.741	6,081	0.706	0.688 - 0.724	6,583	0.749	0.731 - 0.768
New York	141,462	1.026	1.021 - 1.031	70,154	1.037	1.029 - 1.044	71,308	1.016	1.008 - 1.023
North Carolina	69,813	0.933	0.926 - 0.940	34,748	0.944	0.934 - 0.954	35,065	0.922	0.912 - 0.932
North Dakota	5,741	0.854	0.832 - 0.877	3,010	0.877	0.846 - 0.908	2,731	0.831	0.800 - 0.863
Ohio	90,948	0.939	0.933 - 0.946	44,830	0.942	0.933 - 0.950	46,118	0.937	0.929 - 0.946
Oklahoma	24,219	0.794	0.784 - 0.804	11,916	0.789	0.775 - 0.803	12,303	0.799	0.785 - 0.813
Oregon	32,457	0.869	0.860 - 0.878	15,816	0.854	0.841 - 0.867	16,641	0.884	0.870 - 0.897
Pennsylvania	106,008	1.001	0.995 - 1.007	51,680	0.994	0.985 - 1.002	54,328	1.009	1.000 - 1.017
Rhode Island	9,082	1.009	0.988 - 1.030	4,394	1.005	0.976 - 1.035	4,688	1.012	0.983 - 1.041
South Carolina	32,081	0.901	0.891 - 0.911	16,116	0.922	0.907 - 0.936	15,965	0.881	0.867 - 0.895
Tennessee	49,454	0.914	0.906 - 0.922	25,338	0.953	0.941 - 0.965	24,116	0.876	0.865 - 0.887
Texas	155,118	0.675	0.672 - 0.678	78,002	0.680	0.675 - 0.685	77,116	0.670	0.665 - 0.675
Utah	17,523	0.598	0.589 - 0.607	9,086	0.616	0.603 - 0.629	8,437	0.579	0.567 - 0.592
Vermont	6,076	1.018	0.993 - 1.044	3,036	1.031	0.995 - 1.068	3,040	1.005	0.970 - 1.042
Washington	51,871	0.845	0.838 - 0.853	25,722	0.836	0.826 - 0.846	26,149	0.854	0.844 - 0.865
WA - Seattle	37,664	0.940	0.931 - 0.950	18,971	0.942	0.929 - 0.956	18,693	0.938	0.925 - 0.952
West Virginia	17,768	1.043	1.028 - 1.058	8,879	1.056	1.035 - 1.079	8,889	1.030	1.008 - 1.051
Wisconsin	49,349	0.965	0.956 - 0.973	25,144	0.987	0.974 - 0.999	24,205	0.943	0.931 - 0.955
Wyoming	4,504	0.828	0.804 - 0.852	2,430	0.877	0.843 - 0.913	2,074	0.776	0.743 - 0.811

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	68,014	0.027	0.026 - 0.027	49,107	0.039	0.038 - 0.039	18,916	0.015	0.015 - 0.015
Alabama	1,010	0.029	0.028 - 0.031	734	0.044	0.040 - 0.047	276	0.016	0.014 - 0.018
Alaska	109	0.022	0.018 - 0.026	87	0.033	0.026 - 0.040	22	0.009	0.006 - 0.014
Arizona	1,214	0.020	0.019 - 0.021	883	0.029	0.027 - 0.031	331	0.011	0.010 - 0.012
Arkansas	755	0.031	0.029 - 0.033	555	0.046	0.043 - 0.050	200	0.016	0.014 - 0.019
California	6,062	0.021	0.020 - 0.021	4,363	0.030	0.029 - 0.031	1,699	0.012	0.011 - 0.012
CA - Greater California	3,822	0.022	0.021 - 0.023	2,764	0.032	0.031 - 0.033	1,059	0.012	0.012 - 0.013
CA - Greater Bay Area	1,090	0.024	0.023 - 0.025	795	0.035	0.032 - 0.037	294	0.013	0.012 - 0.015
CA - Los Angeles	1,150	0.016	0.015 - 0.017	804	0.022	0.021 - 0.024	346	0.010	0.009 - 0.011
Colorado	1,107	0.022	0.021 - 0.023	818	0.032	0.030 - 0.034	289	0.011	0.010 - 0.013
Connecticut	903	0.031	0.029 - 0.033	621	0.044	0.041 - 0.048	282	0.019	0.017 - 0.021
Delaware	211	0.031	0.027 - 0.035	164	0.049	0.042 - 0.057	47	0.013	0.010 - 0.018
District of Columbia	57	0.017	0.013 - 0.023	43	0.026	0.019 - 0.035	14	0.009	0.005 - 0.014
Florida	5,602	0.033	0.033 - 0.034	4,181	0.051	0.049 - 0.052	1,421	0.017	0.016 - 0.018
Georgia	1,918	0.030	0.028 - 0.031	1,390	0.043	0.041 - 0.046	528	0.016	0.015 - 0.018
Hawaii	173	0.048	0.041 - 0.056	138	0.071	0.059 - 0.084	35	0.021	0.015 - 0.029
Idaho	393	0.023	0.021 - 0.026	290	0.034	0.031 - 0.039	103	0.012	0.010 - 0.015
Illinois	2,655	0.027	0.026 - 0.028	1,889	0.039	0.037 - 0.040	766	0.015	0.014 - 0.017
Indiana	1,564	0.027	0.026 - 0.028	1,138	0.040	0.038 - 0.042	426	0.015	0.013 - 0.016
Iowa	893	0.031	0.029 - 0.033	632	0.044	0.041 - 0.048	261	0.018	0.016 - 0.020
Kansas	586	0.023	0.021 - 0.025	433	0.034	0.031 - 0.037	153	0.012	0.010 - 0.014
Kentucky	1,160	0.029	0.028 - 0.031	831	0.043	0.040 - 0.046	329	0.016	0.015 - 0.018
Louisiana	913	0.031	0.029 - 0.033	664	0.045	0.042 - 0.049	249	0.017	0.015 - 0.019
Maine	437	0.034	0.031 - 0.037	311	0.049	0.044 - 0.055	126	0.019	0.016 - 0.023
Maryland	1,088	0.030	0.028 - 0.032	791	0.044	0.041 - 0.047	297	0.016	0.014 - 0.018
MI - Detroit	791	0.030	0.028 - 0.032	558	0.043	0.039 - 0.046	233	0.017	0.015 - 0.020
Minnesota	1,383	0.029	0.027 - 0.030	955	0.040	0.038 - 0.043	428	0.018	0.016 - 0.020
Mississippi	536	0.030	0.028 - 0.033	378	0.043	0.039 - 0.048	158	0.018	0.015 - 0.021
Missouri	1,530	0.030	0.028 - 0.031	1,137	0.045	0.042 - 0.047	393	0.015	0.014 - 0.017
Montana	282	0.029	0.026 - 0.033	215	0.044	0.038 - 0.050	68	0.014	0.011 - 0.018
Nebraska	498	0.029	0.026 - 0.032	359	0.042	0.038 - 0.046	139	0.016	0.014 - 0.019
New Hampshire	363	0.028	0.026 - 0.031	253	0.040	0.035 - 0.045	110	0.017	0.014 - 0.020
New Jersey	1,837	0.028	0.027 - 0.030	1,286	0.040	0.038 - 0.043	551	0.017	0.015 - 0.018
New Mexico	349	0.020	0.018 - 0.022	255	0.030	0.026 - 0.033	95	0.011	0.009 - 0.013
New York	3,612	0.026	0.025 - 0.027	2,505	0.037	0.036 - 0.038	1,107	0.016	0.015 - 0.017
North Carolina	2,205	0.029	0.028 - 0.031	1,599	0.043	0.041 - 0.046	606	0.016	0.015 - 0.017
North Dakota	155	0.023	0.020 - 0.027	113	0.033	0.027 - 0.040	42	0.013	0.009 - 0.017
Ohio	2,805	0.029	0.028 - 0.030	2,005	0.042	0.040 - 0.044	800	0.016	0.015 - 0.017
Oklahoma	785	0.026	0.024 - 0.028	560	0.037	0.034 - 0.040	225	0.015	0.013 - 0.017
Oregon	1,065	0.029	0.027 - 0.030	773	0.042	0.039 - 0.045	292	0.016	0.014 - 0.017
Pennsylvania	3,197	0.030	0.029 - 0.031	2,274	0.044	0.042 - 0.046	923	0.017	0.016 - 0.018
Rhode Island	254	0.028	0.025 - 0.032	161	0.037	0.031 - 0.043	93	0.020	0.016 - 0.025
South Carolina	1,106	0.031	0.029 - 0.033	807	0.046	0.043 - 0.049	299	0.017	0.015 - 0.018
Tennessee	1,626	0.030	0.029 - 0.032	1,229	0.046	0.044 - 0.049	397	0.014	0.013 - 0.016
Texas	4,843	0.021	0.020 - 0.022	3,557	0.031	0.030 - 0.032	1,286	0.011	0.011 - 0.012
Utah	403	0.014	0.012 - 0.015	284	0.019	0.017 - 0.022	119	0.008	0.007 - 0.010
Vermont	184	0.031	0.027 - 0.036	135	0.046	0.038 - 0.054	49	0.016	0.012 - 0.021
Washington	1,694	0.028	0.026 - 0.029	1,181	0.038	0.036 - 0.041	513	0.017	0.015 - 0.018
WA - Seattle	1,295	0.032	0.031 - 0.034	907	0.045	0.042 - 0.048	388	0.019	0.018 - 0.021
West Virginia	572	0.034	0.031 - 0.036	426	0.051	0.046 - 0.056	146	0.017	0.014 - 0.020
Wisconsin	1,450	0.028	0.027 - 0.030	1,032	0.040	0.038 - 0.043	418	0.016	0.015 - 0.018
Wyoming	122	0.022	0.019 - 0.027	84	0.030	0.024 - 0.038	38	0.014	0.010 - 0.020

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	17,538	0.007	0.007 - 0.007	14,237	0.011	0.011 - 0.011	3,306	0.003	0.002 - 0.003
Alabama	228	0.007	0.006 - 0.008	198	0.012	0.010 - 0.014	30	0.002	0.001 - 0.002
Alaska	42	0.008	0.006 - 0.011	*	*		*	*	
Arizona	377	0.006	0.006 - 0.007	314	0.010	0.009 - 0.012	63	0.002	0.002 - 0.003
Arkansas	149	0.006	0.005 - 0.007	127	0.011	0.009 - 0.013	22	0.002	0.001 - 0.003
California	1,345	0.005	0.004 - 0.005	1,080	0.007	0.007 - 0.008	265	0.002	0.002 - 0.002
CA - Greater California	876	0.005	0.005 - 0.005	708	0.008	0.008 - 0.009	168	0.002	0.002 - 0.002
CA - Greater Bay Area	251	0.006	0.005 - 0.006	200	0.009	0.008 - 0.010	51	0.002	0.002 - 0.003
CA - Los Angeles	218	0.003	0.003 - 0.003	172	0.005	0.004 - 0.006	46	0.001	0.001 - 0.002
Colorado	291	0.006	0.005 - 0.006	236	0.009	0.008 - 0.010	55	0.002	0.002 - 0.003
Connecticut	241	0.008	0.007 - 0.009	191	0.014	0.012 - 0.016	49	0.003	0.002 - 0.004
Delaware	58	0.008	0.006 - 0.011	47	0.014	0.010 - 0.019	11	0.003	0.002 - 0.006
District of Columbia	*	*		*	*		*	*	
Florida	1,476	0.009	0.008 - 0.009	1,212	0.015	0.014 - 0.016	264	0.003	0.003 - 0.003
Georgia	428	0.007	0.006 - 0.007	347	0.011	0.010 - 0.012	81	0.002	0.002 - 0.003
Hawaii	21	0.006	0.004 - 0.009	*	*		*	*	
Idaho	97	0.006	0.005 - 0.007	80	0.010	0.008 - 0.012	17	0.002	0.001 - 0.003
Illinois	691	0.007	0.006 - 0.008	559	0.011	0.011 - 0.012	132	0.003	0.002 - 0.003
Indiana	477	0.008	0.008 - 0.009	405	0.014	0.013 - 0.016	72	0.002	0.002 - 0.003
Iowa	258	0.009	0.008 - 0.010	212	0.015	0.013 - 0.017	46	0.003	0.002 - 0.004
Kansas	173	0.007	0.006 - 0.008	131	0.010	0.009 - 0.012	42	0.003	0.002 - 0.004
Kentucky	297	0.007	0.007 - 0.008	245	0.013	0.011 - 0.014	52	0.003	0.002 - 0.003
Louisiana	185	0.006	0.005 - 0.007	155	0.011	0.009 - 0.012	30	0.002	0.001 - 0.003
Maine	155	0.012	0.010 - 0.014	124	0.020	0.016 - 0.024	31	0.005	0.003 - 0.007
Maryland	289	0.008	0.007 - 0.009	236	0.013	0.012 - 0.015	53	0.003	0.002 - 0.004
MI - Detroit	242	0.009	0.008 - 0.010	192	0.015	0.013 - 0.017	50	0.004	0.003 - 0.005
Minnesota	354	0.007	0.007 - 0.008	277	0.012	0.010 - 0.013	77	0.003	0.003 - 0.004
Mississippi	123	0.007	0.006 - 0.008	106	0.012	0.010 - 0.015	17	0.002	0.001 - 0.003
Missouri	380	0.007	0.007 - 0.008	316	0.012	0.011 - 0.014	64	0.002	0.002 - 0.003
Montana	77	0.008	0.006 - 0.010	57	0.012	0.009 - 0.015	20	0.004	0.003 - 0.006
Nebraska	101	0.006	0.005 - 0.007	82	0.010	0.008 - 0.012	19	0.002	0.001 - 0.003
New Hampshire	145	0.011	0.010 - 0.013	123	0.019	0.016 - 0.023	22	0.003	0.002 - 0.005
New Jersey	463	0.007	0.007 - 0.008	369	0.012	0.010 - 0.013	94	0.003	0.002 - 0.003
New Mexico	106	0.006	0.005 - 0.007	84	0.010	0.008 - 0.012	22	0.003	0.002 - 0.004
New York	975	0.007	0.007 - 0.008	777	0.011	0.011 - 0.012	198	0.003	0.002 - 0.003
North Carolina	507	0.007	0.006 - 0.007	412	0.011	0.010 - 0.012	95	0.002	0.002 - 0.003
North Dakota	51	0.008	0.006 - 0.010	*	*		*	*	
Ohio	851	0.009	0.008 - 0.009	693	0.015	0.013 - 0.016	158	0.003	0.003 - 0.004
Oklahoma	179	0.006	0.005 - 0.007	157	0.010	0.009 - 0.012	22	0.001	0.001 - 0.002
Oregon	283	0.008	0.007 - 0.009	231	0.012	0.011 - 0.014	52	0.003	0.002 - 0.004
Pennsylvania	944	0.009	0.008 - 0.010	758	0.015	0.014 - 0.016	186	0.003	0.003 - 0.004
Rhode Island	76	0.008	0.007 - 0.011	61	0.014	0.011 - 0.018	15	0.003	0.002 - 0.005
South Carolina	259	0.007	0.006 - 0.008	208	0.012	0.010 - 0.014	51	0.003	0.002 - 0.004
Tennessee	403	0.007	0.007 - 0.008	323	0.012	0.011 - 0.014	80	0.003	0.002 - 0.004
Texas	1,111	0.005	0.005 - 0.005	884	0.008	0.007 - 0.008	227	0.002	0.002 - 0.002
Utah	109	0.004	0.003 - 0.004	93	0.006	0.005 - 0.008	16	0.001	0.001 - 0.002
Vermont	51	0.009	0.006 - 0.011	*	*		*	*	
Washington	438	0.007	0.006 - 0.008	347	0.011	0.010 - 0.013	91	0.003	0.002 - 0.004
WA - Seattle	289	0.007	0.006 - 0.008	226	0.011	0.010 - 0.013	63	0.003	0.002 - 0.004
West Virginia	147	0.009	0.007 - 0.010	116	0.014	0.011 - 0.017	31	0.004	0.002 - 0.005
Wisconsin	422	0.008	0.007 - 0.009	337	0.013	0.012 - 0.015	85	0.003	0.003 - 0.004
Wyoming	26	0.005	0.003 - 0.007	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	22,619	0.009	0.009 - 0.009	13,855	0.011	0.011 - 0.011	8,766	0.007	0.007 - 0.007
Alabama	317	0.009	0.008 - 0.010	167	0.010	0.008 - 0.012	150	0.009	0.007 - 0.010
Alaska	35	0.007	0.005 - 0.010	20	0.007	0.005 - 0.012	15	0.006	0.004 - 0.010
Arizona	458	0.008	0.007 - 0.008	275	0.009	0.008 - 0.010	183	0.006	0.005 - 0.007
Arkansas	189	0.008	0.007 - 0.009	122	0.010	0.008 - 0.012	67	0.005	0.004 - 0.007
California	2,625	0.009	0.009 - 0.009	1,540	0.011	0.010 - 0.011	1,086	0.007	0.007 - 0.008
CA - Greater California	1,414	0.008	0.008 - 0.009	826	0.010	0.009 - 0.010	588	0.007	0.006 - 0.007
CA - Greater Bay Area	480	0.011	0.010 - 0.012	299	0.013	0.012 - 0.015	181	0.008	0.007 - 0.009
CA - Los Angeles	733	0.010	0.009 - 0.011	416	0.011	0.010 - 0.013	317	0.009	0.008 - 0.010
Colorado	328	0.006	0.006 - 0.007	206	0.008	0.007 - 0.009	122	0.005	0.004 - 0.006
Connecticut	363	0.013	0.011 - 0.014	238	0.017	0.015 - 0.019	125	0.008	0.007 - 0.010
Delaware	62	0.009	0.007 - 0.012	39	0.012	0.008 - 0.016	23	0.007	0.004 - 0.010
District of Columbia	16	0.005	0.003 - 0.008	*	*		*	*	
Florida	1,609	0.010	0.009 - 0.010	1,003	0.012	0.011 - 0.013	606	0.007	0.007 - 0.008
Georgia	476	0.007	0.007 - 0.008	274	0.009	0.008 - 0.010	202	0.006	0.005 - 0.007
Hawaii	41	0.011	0.008 - 0.015	27	0.014	0.009 - 0.020	14	0.008	0.005 - 0.014
Idaho	101	0.006	0.005 - 0.007	79	0.009	0.007 - 0.012	22	0.003	0.002 - 0.004
Illinois	1,009	0.010	0.010 - 0.011	616	0.013	0.012 - 0.014	393	0.008	0.007 - 0.009
Indiana	513	0.009	0.008 - 0.010	338	0.012	0.011 - 0.013	175	0.006	0.005 - 0.007
Iowa	180	0.006	0.005 - 0.007	114	0.008	0.007 - 0.010	66	0.005	0.004 - 0.006
Kansas	167	0.007	0.006 - 0.008	102	0.008	0.007 - 0.010	65	0.005	0.004 - 0.006
Kentucky	401	0.010	0.009 - 0.011	239	0.012	0.011 - 0.014	162	0.008	0.007 - 0.009
Louisiana	234	0.008	0.007 - 0.009	150	0.010	0.009 - 0.012	84	0.006	0.004 - 0.007
Maine	147	0.011	0.010 - 0.013	99	0.016	0.013 - 0.019	48	0.007	0.005 - 0.010
Maryland	334	0.009	0.008 - 0.010	211	0.012	0.010 - 0.014	123	0.007	0.006 - 0.008
MI - Detroit	236	0.009	0.008 - 0.010	146	0.011	0.009 - 0.013	90	0.007	0.005 - 0.008
Minnesota	404	0.008	0.008 - 0.009	280	0.012	0.010 - 0.013	124	0.005	0.004 - 0.006
Mississippi	166	0.009	0.008 - 0.011	89	0.010	0.008 - 0.012	77	0.009	0.007 - 0.011
Missouri	357	0.007	0.006 - 0.008	191	0.008	0.006 - 0.009	166	0.006	0.005 - 0.007
Montana	77	0.008	0.006 - 0.010	45	0.009	0.007 - 0.012	32	0.007	0.005 - 0.009
Nebraska	114	0.007	0.005 - 0.008	76	0.009	0.007 - 0.011	38	0.004	0.003 - 0.006
New Hampshire	133	0.010	0.009 - 0.012	81	0.013	0.010 - 0.016	52	0.008	0.006 - 0.011
New Jersey	865	0.013	0.012 - 0.014	522	0.016	0.015 - 0.018	343	0.010	0.009 - 0.012
New Mexico	155	0.009	0.008 - 0.010	80	0.009	0.007 - 0.012	75	0.009	0.007 - 0.011
New York	1,802	0.013	0.012 - 0.014	1,047	0.015	0.015 - 0.016	755	0.011	0.010 - 0.012
North Carolina	645	0.009	0.008 - 0.009	404	0.011	0.010 - 0.012	241	0.006	0.006 - 0.007
North Dakota	52	0.008	0.006 - 0.010	35	0.010	0.007 - 0.014	17	0.005	0.003 - 0.008
Ohio	858	0.009	0.008 - 0.009	540	0.011	0.010 - 0.012	318	0.006	0.006 - 0.007
Oklahoma	206	0.007	0.006 - 0.008	120	0.008	0.007 - 0.010	86	0.006	0.004 - 0.007
Oregon	264	0.007	0.006 - 0.008	156	0.008	0.007 - 0.010	108	0.006	0.005 - 0.007
Pennsylvania	1,023	0.010	0.009 - 0.010	679	0.013	0.012 - 0.014	344	0.006	0.006 - 0.007
Rhode Island	112	0.012	0.010 - 0.015	76	0.017	0.014 - 0.022	36	0.008	0.005 - 0.011
South Carolina	307	0.009	0.008 - 0.010	201	0.011	0.010 - 0.013	106	0.006	0.005 - 0.007
Tennessee	381	0.007	0.006 - 0.008	237	0.009	0.008 - 0.010	144	0.005	0.004 - 0.006
Texas	1,693	0.007	0.007 - 0.008	968	0.008	0.008 - 0.009	725	0.006	0.006 - 0.007
Utah	131	0.004	0.004 - 0.005	88	0.006	0.005 - 0.007	43	0.003	0.002 - 0.004
Vermont	73	0.012	0.010 - 0.015	50	0.017	0.013 - 0.022	23	0.008	0.005 - 0.011
Washington	441	0.007	0.007 - 0.008	269	0.009	0.008 - 0.010	172	0.006	0.005 - 0.007
WA - Seattle	314	0.008	0.007 - 0.009	197	0.010	0.008 - 0.011	117	0.006	0.005 - 0.007
West Virginia	146	0.009	0.007 - 0.010	91	0.011	0.009 - 0.013	55	0.006	0.005 - 0.008
Wisconsin	497	0.010	0.009 - 0.011	349	0.014	0.012 - 0.015	148	0.006	0.005 - 0.007
Wyoming	37	0.007	0.005 - 0.009	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	184,959	0.073	0.072 - 0.073	98,744	0.078	0.078 - 0.079	86,223	0.067	0.067 - 0.068
Alabama	2,861	0.083	0.080 - 0.086	1,529	0.091	0.086 - 0.095	1,332	0.076	0.072 - 0.080
Alaska	315	0.062	0.056 - 0.070	184	0.069	0.059 - 0.080	131	0.055	0.046 - 0.065
Arizona	3,823	0.063	0.061 - 0.065	2,063	0.068	0.065 - 0.071	1,760	0.058	0.055 - 0.060
Arkansas	2,032	0.084	0.080 - 0.088	1,120	0.094	0.088 - 0.099	912	0.074	0.070 - 0.079
California	17,733	0.061	0.060 - 0.062	9,415	0.065	0.063 - 0.066	8,318	0.057	0.056 - 0.059
CA - Greater California	10,569	0.061	0.060 - 0.062	5,551	0.064	0.062 - 0.066	5,018	0.058	0.056 - 0.060
CA - Greater Bay Area	2,934	0.065	0.062 - 0.067	1,544	0.067	0.064 - 0.071	1,390	0.062	0.059 - 0.065
CA - Los Angeles	4,231	0.059	0.057 - 0.060	2,320	0.064	0.062 - 0.067	1,911	0.053	0.051 - 0.055
Colorado	2,817	0.056	0.054 - 0.058	1,529	0.060	0.057 - 0.063	1,288	0.051	0.048 - 0.054
Connecticut	2,134	0.074	0.071 - 0.077	1,098	0.078	0.073 - 0.082	1,036	0.070	0.066 - 0.075
Delaware	539	0.079	0.072 - 0.086	278	0.083	0.074 - 0.094	261	0.074	0.066 - 0.084
District of Columbia	134	0.041	0.034 - 0.048	71	0.043	0.034 - 0.055	63	0.038	0.030 - 0.049
Florida	13,216	0.079	0.078 - 0.080	7,046	0.086	0.084 - 0.088	6,170	0.072	0.071 - 0.074
Georgia	4,639	0.072	0.070 - 0.074	2,543	0.079	0.076 - 0.082	2,096	0.064	0.061 - 0.067
Hawaii	287	0.080	0.071 - 0.089	168	0.086	0.073 - 0.100	119	0.072	0.060 - 0.086
Idaho	1,010	0.060	0.057 - 0.064	566	0.067	0.062 - 0.073	444	0.053	0.048 - 0.058
Illinois	7,745	0.079	0.077 - 0.080	4,110	0.084	0.082 - 0.087	3,635	0.073	0.071 - 0.075
Indiana	4,576	0.079	0.077 - 0.082	2,483	0.087	0.084 - 0.091	2,093	0.072	0.069 - 0.075
Iowa	2,351	0.081	0.078 - 0.085	1,212	0.085	0.080 - 0.090	1,139	0.078	0.074 - 0.083
Kansas	1,912	0.075	0.071 - 0.078	1,024	0.081	0.076 - 0.086	888	0.069	0.065 - 0.074
Kentucky	3,621	0.091	0.088 - 0.094	1,980	0.101	0.097 - 0.106	1,641	0.081	0.078 - 0.086
Louisiana	2,519	0.085	0.082 - 0.088	1,364	0.093	0.088 - 0.098	1,155	0.077	0.073 - 0.082
Maine	1,008	0.078	0.074 - 0.083	529	0.084	0.077 - 0.092	479	0.073	0.067 - 0.080
Maryland	2,563	0.071	0.068 - 0.074	1,320	0.074	0.070 - 0.078	1,243	0.068	0.064 - 0.072
MI - Detroit	2,143	0.081	0.078 - 0.084	1,097	0.084	0.079 - 0.089	1,047	0.078	0.073 - 0.083
Minnesota	3,662	0.077	0.074 - 0.079	1,958	0.082	0.079 - 0.086	1,704	0.071	0.068 - 0.074
Mississippi	1,717	0.097	0.092 - 0.101	903	0.103	0.096 - 0.110	814	0.090	0.084 - 0.097
Missouri	4,034	0.078	0.076 - 0.081	2,101	0.083	0.079 - 0.086	1,933	0.074	0.071 - 0.077
Montana	716	0.074	0.069 - 0.080	412	0.085	0.077 - 0.093	304	0.063	0.057 - 0.071
Nebraska	1,380	0.080	0.076 - 0.084	725	0.084	0.078 - 0.091	655	0.076	0.070 - 0.082
New Hampshire	956	0.075	0.070 - 0.080	524	0.083	0.076 - 0.090	432	0.067	0.061 - 0.073
New Jersey	5,362	0.083	0.081 - 0.085	2,787	0.088	0.084 - 0.091	2,575	0.078	0.075 - 0.081
New Mexico	1,156	0.066	0.063 - 0.070	604	0.070	0.065 - 0.076	552	0.063	0.058 - 0.068
New York	10,658	0.077	0.076 - 0.079	5,581	0.082	0.080 - 0.085	5,077	0.072	0.070 - 0.074
North Carolina	5,231	0.070	0.068 - 0.072	2,815	0.076	0.074 - 0.079	2,416	0.064	0.061 - 0.066
North Dakota	495	0.074	0.067 - 0.080	269	0.078	0.069 - 0.088	226	0.069	0.060 - 0.078
Ohio	7,874	0.081	0.080 - 0.083	4,116	0.086	0.084 - 0.089	3,758	0.076	0.074 - 0.079
Oklahoma	2,246	0.074	0.071 - 0.077	1,207	0.080	0.075 - 0.085	1,039	0.067	0.063 - 0.072
Oregon	2,507	0.067	0.065 - 0.070	1,355	0.073	0.069 - 0.077	1,152	0.061	0.058 - 0.065
Pennsylvania	8,758	0.083	0.081 - 0.084	4,521	0.087	0.084 - 0.090	4,237	0.079	0.076 - 0.081
Rhode Island	634	0.070	0.065 - 0.076	325	0.074	0.066 - 0.083	309	0.067	0.059 - 0.075
South Carolina	2,487	0.070	0.067 - 0.073	1,309	0.075	0.071 - 0.079	1,178	0.065	0.061 - 0.069
Tennessee	4,263	0.079	0.076 - 0.081	2,281	0.086	0.082 - 0.089	1,982	0.072	0.069 - 0.075
Texas	14,486	0.063	0.062 - 0.064	8,199	0.072	0.070 - 0.073	6,287	0.055	0.053 - 0.056
Utah	1,238	0.042	0.040 - 0.045	642	0.044	0.040 - 0.047	596	0.041	0.038 - 0.044
Vermont	457	0.077	0.070 - 0.084	249	0.085	0.074 - 0.096	208	0.069	0.060 - 0.079
Washington	3,911	0.064	0.062 - 0.066	2,022	0.066	0.063 - 0.069	1,889	0.062	0.059 - 0.065
WA - Seattle	2,741	0.068	0.066 - 0.071	1,436	0.071	0.068 - 0.075	1,305	0.065	0.062 - 0.069
West Virginia	1,698	0.100	0.095 - 0.105	938	0.112	0.105 - 0.119	760	0.088	0.082 - 0.095
Wisconsin	3,666	0.072	0.069 - 0.074	1,922	0.075	0.072 - 0.079	1,744	0.068	0.065 - 0.071
Wyoming	356	0.065	0.059 - 0.073	192	0.069	0.060 - 0.080	164	0.061	0.052 - 0.072

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-30 Prevalence – Colon and Rectum

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	27,724	0.011	0.011 - 0.011	19,658	0.016	0.015 - 0.016	8,071	0.006	0.006 - 0.006
Alabama	343	0.010	0.009 - 0.011	241	0.014	0.013 - 0.016	102	0.006	0.005 - 0.007
Alaska	45	0.009	0.006 - 0.012	*	*		*	*	
Arizona	636	0.010	0.010 - 0.011	449	0.015	0.014 - 0.016	187	0.006	0.005 - 0.007
Arkansas	277	0.011	0.010 - 0.013	205	0.017	0.015 - 0.020	72	0.006	0.005 - 0.007
California	3,304	0.011	0.011 - 0.012	2,316	0.016	0.015 - 0.017	988	0.007	0.006 - 0.007
CA - Greater California	2,047	0.012	0.011 - 0.012	1,447	0.017	0.016 - 0.018	600	0.007	0.006 - 0.008
CA - Greater Bay Area	582	0.013	0.012 - 0.014	418	0.018	0.016 - 0.020	164	0.007	0.006 - 0.009
CA - Los Angeles	675	0.009	0.009 - 0.010	451	0.012	0.011 - 0.014	224	0.006	0.005 - 0.007
Colorado	435	0.009	0.008 - 0.009	321	0.013	0.011 - 0.014	114	0.005	0.004 - 0.005
Connecticut	339	0.012	0.011 - 0.013	250	0.018	0.016 - 0.020	90	0.006	0.005 - 0.007
Delaware	72	0.011	0.008 - 0.013	52	0.016	0.012 - 0.020	20	0.006	0.003 - 0.009
District of Columbia	18	0.005	0.003 - 0.009	*	*		*	*	
Florida	2,074	0.012	0.012 - 0.013	1,441	0.018	0.017 - 0.018	633	0.007	0.007 - 0.008
Georgia	638	0.010	0.009 - 0.011	443	0.014	0.013 - 0.015	195	0.006	0.005 - 0.007
Hawaii	47	0.013	0.010 - 0.017	37	0.019	0.013 - 0.026	10	0.006	0.003 - 0.011
Idaho	144	0.009	0.007 - 0.010	104	0.012	0.010 - 0.015	40	0.005	0.003 - 0.007
Illinois	1,019	0.010	0.010 - 0.011	668	0.014	0.013 - 0.015	351	0.007	0.006 - 0.008
Indiana	576	0.010	0.009 - 0.011	399	0.014	0.013 - 0.015	177	0.006	0.005 - 0.007
Iowa	251	0.009	0.008 - 0.010	183	0.013	0.011 - 0.015	68	0.005	0.004 - 0.006
Kansas	230	0.009	0.008 - 0.010	165	0.013	0.011 - 0.015	65	0.005	0.004 - 0.006
Kentucky	373	0.009	0.008 - 0.010	272	0.014	0.012 - 0.016	101	0.005	0.004 - 0.006
Louisiana	380	0.013	0.012 - 0.014	286	0.019	0.017 - 0.022	95	0.006	0.005 - 0.008
Maine	120	0.009	0.008 - 0.011	92	0.015	0.012 - 0.018	28	0.004	0.003 - 0.006
Maryland	382	0.011	0.010 - 0.012	259	0.015	0.013 - 0.016	123	0.007	0.006 - 0.008
MI - Detroit	307	0.012	0.010 - 0.013	214	0.016	0.014 - 0.019	93	0.007	0.006 - 0.009
Minnesota	436	0.009	0.008 - 0.010	304	0.013	0.011 - 0.014	132	0.005	0.005 - 0.007
Mississippi	271	0.015	0.013 - 0.017	197	0.022	0.019 - 0.026	74	0.008	0.006 - 0.010
Missouri	505	0.010	0.009 - 0.011	367	0.014	0.013 - 0.016	138	0.005	0.004 - 0.006
Montana	92	0.009	0.008 - 0.012	69	0.014	0.011 - 0.018	23	0.005	0.003 - 0.007
Nebraska	100	0.006	0.005 - 0.007	68	0.008	0.006 - 0.010	32	0.004	0.003 - 0.005
New Hampshire	90	0.007	0.006 - 0.009	62	0.010	0.008 - 0.013	28	0.004	0.003 - 0.006
New Jersey	731	0.011	0.010 - 0.012	526	0.017	0.015 - 0.018	205	0.006	0.005 - 0.007
New Mexico	199	0.011	0.010 - 0.013	146	0.017	0.014 - 0.020	54	0.006	0.005 - 0.008
New York	1,550	0.011	0.011 - 0.012	1,118	0.017	0.016 - 0.018	432	0.006	0.006 - 0.007
North Carolina	889	0.012	0.011 - 0.013	649	0.018	0.016 - 0.019	240	0.006	0.006 - 0.007
North Dakota	38	0.006	0.004 - 0.008	24	0.007	0.004 - 0.010	14	0.004	0.002 - 0.007
Ohio	867	0.009	0.008 - 0.010	599	0.013	0.012 - 0.014	268	0.005	0.005 - 0.006
Oklahoma	284	0.009	0.008 - 0.010	202	0.013	0.012 - 0.015	82	0.005	0.004 - 0.007
Oregon	468	0.013	0.011 - 0.014	333	0.018	0.016 - 0.020	135	0.007	0.006 - 0.008
Pennsylvania	1,186	0.011	0.011 - 0.012	877	0.017	0.016 - 0.018	309	0.006	0.005 - 0.006
Rhode Island	95	0.011	0.009 - 0.013	70	0.016	0.012 - 0.020	25	0.005	0.003 - 0.008
South Carolina	391	0.011	0.010 - 0.012	288	0.016	0.015 - 0.018	103	0.006	0.005 - 0.007
Tennessee	566	0.010	0.010 - 0.011	405	0.015	0.014 - 0.017	161	0.006	0.005 - 0.007
Texas	3,033	0.013	0.013 - 0.014	2,142	0.019	0.018 - 0.019	891	0.008	0.007 - 0.008
Utah	172	0.006	0.005 - 0.007	116	0.008	0.006 - 0.009	56	0.004	0.003 - 0.005
Vermont	44	0.007	0.005 - 0.010	32	0.011	0.007 - 0.015	12	0.004	0.002 - 0.007
Washington	697	0.011	0.011 - 0.012	488	0.016	0.014 - 0.017	209	0.007	0.006 - 0.008
WA - Seattle	471	0.012	0.011 - 0.013	335	0.017	0.015 - 0.019	136	0.007	0.006 - 0.008
West Virginia	189	0.011	0.010 - 0.013	125	0.015	0.012 - 0.018	64	0.007	0.006 - 0.009
Wisconsin	512	0.010	0.009 - 0.011	359	0.014	0.013 - 0.016	153	0.006	0.005 - 0.007
Wyoming	41	0.008	0.005 - 0.010	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	36,044	0.014	0.014 - 0.014	19,266	0.015	0.015 - 0.015	16,780	0.013	0.013 - 0.013
Alabama	457	0.013	0.012 - 0.015	247	0.015	0.013 - 0.017	210	0.012	0.010 - 0.014
Alaska	39	0.008	0.005 - 0.011	23	0.009	0.005 - 0.013	16	0.007	0.004 - 0.011
Arizona	775	0.013	0.012 - 0.014	414	0.014	0.012 - 0.015	361	0.012	0.011 - 0.013
Arkansas	266	0.011	0.010 - 0.012	151	0.013	0.011 - 0.015	115	0.009	0.008 - 0.011
California	3,410	0.012	0.011 - 0.012	1,799	0.012	0.012 - 0.013	1,611	0.011	0.011 - 0.012
CA - Greater California	1,977	0.011	0.011 - 0.012	1,043	0.012	0.011 - 0.013	933	0.011	0.010 - 0.012
CA - Greater Bay Area	681	0.015	0.014 - 0.016	374	0.016	0.015 - 0.018	307	0.014	0.012 - 0.015
CA - Los Angeles	753	0.010	0.010 - 0.011	382	0.011	0.010 - 0.012	372	0.010	0.009 - 0.011
Colorado	559	0.011	0.010 - 0.012	315	0.012	0.011 - 0.014	244	0.010	0.009 - 0.011
Connecticut	489	0.017	0.015 - 0.018	258	0.018	0.016 - 0.021	231	0.016	0.014 - 0.018
Delaware	114	0.017	0.014 - 0.020	65	0.020	0.015 - 0.025	49	0.014	0.010 - 0.018
District of Columbia	33	0.010	0.007 - 0.014	15	0.009	0.005 - 0.015	18	0.011	0.007 - 0.017
Florida	2,786	0.017	0.016 - 0.017	1,453	0.018	0.017 - 0.019	1,333	0.016	0.015 - 0.016
Georgia	795	0.012	0.011 - 0.013	427	0.013	0.012 - 0.015	368	0.011	0.010 - 0.012
Hawaii	40	0.011	0.008 - 0.015	25	0.013	0.008 - 0.019	15	0.009	0.005 - 0.015
Idaho	208	0.012	0.011 - 0.014	114	0.014	0.011 - 0.016	94	0.011	0.009 - 0.014
Illinois	1,536	0.016	0.015 - 0.016	822	0.017	0.016 - 0.018	714	0.014	0.013 - 0.015
Indiana	839	0.015	0.014 - 0.016	439	0.015	0.014 - 0.017	400	0.014	0.012 - 0.015
Iowa	465	0.016	0.015 - 0.018	267	0.019	0.016 - 0.021	198	0.014	0.012 - 0.016
Kansas	327	0.013	0.011 - 0.014	175	0.014	0.012 - 0.016	152	0.012	0.010 - 0.014
Kentucky	523	0.013	0.012 - 0.014	282	0.014	0.013 - 0.016	240	0.012	0.010 - 0.014
Louisiana	410	0.014	0.013 - 0.015	221	0.015	0.013 - 0.017	188	0.013	0.011 - 0.015
Maine	190	0.015	0.013 - 0.017	105	0.017	0.014 - 0.020	85	0.013	0.010 - 0.016
Maryland	555	0.015	0.014 - 0.017	305	0.017	0.015 - 0.019	250	0.014	0.012 - 0.015
MI - Detroit	428	0.016	0.015 - 0.018	230	0.018	0.015 - 0.020	198	0.015	0.013 - 0.017
Minnesota	784	0.016	0.015 - 0.018	413	0.017	0.016 - 0.019	371	0.015	0.014 - 0.017
Mississippi	220	0.012	0.011 - 0.014	109	0.012	0.010 - 0.015	111	0.012	0.010 - 0.015
Missouri	725	0.014	0.013 - 0.015	390	0.015	0.014 - 0.017	335	0.013	0.011 - 0.014
Montana	133	0.014	0.012 - 0.016	73	0.015	0.012 - 0.019	60	0.013	0.010 - 0.016
Nebraska	199	0.012	0.010 - 0.013	103	0.012	0.010 - 0.015	96	0.011	0.009 - 0.014
New Hampshire	229	0.018	0.016 - 0.020	128	0.020	0.017 - 0.024	101	0.016	0.013 - 0.019
New Jersey	1,234	0.019	0.018 - 0.020	665	0.021	0.019 - 0.023	569	0.017	0.016 - 0.019
New Mexico	227	0.013	0.011 - 0.015	127	0.015	0.012 - 0.018	99	0.011	0.009 - 0.014
New York	2,543	0.018	0.018 - 0.019	1,336	0.020	0.019 - 0.021	1,207	0.017	0.016 - 0.018
North Carolina	1,065	0.014	0.013 - 0.015	557	0.015	0.014 - 0.016	508	0.013	0.012 - 0.015
North Dakota	83	0.012	0.010 - 0.015	48	0.014	0.010 - 0.019	35	0.011	0.007 - 0.015
Ohio	1,431	0.015	0.014 - 0.016	778	0.016	0.015 - 0.018	653	0.013	0.012 - 0.014
Oklahoma	315	0.010	0.009 - 0.012	168	0.011	0.010 - 0.013	147	0.010	0.008 - 0.011
Oregon	560	0.015	0.014 - 0.016	297	0.016	0.014 - 0.018	263	0.014	0.012 - 0.016
Pennsylvania	1,862	0.018	0.017 - 0.018	964	0.019	0.017 - 0.020	898	0.017	0.016 - 0.018
Rhode Island	142	0.016	0.013 - 0.019	65	0.015	0.011 - 0.019	77	0.017	0.013 - 0.021
South Carolina	490	0.014	0.013 - 0.015	258	0.015	0.013 - 0.017	232	0.013	0.011 - 0.015
Tennessee	668	0.012	0.011 - 0.013	357	0.013	0.012 - 0.015	311	0.011	0.010 - 0.013
Texas	2,569	0.011	0.011 - 0.012	1,369	0.012	0.011 - 0.013	1,200	0.010	0.010 - 0.011
Utah	234	0.008	0.007 - 0.009	131	0.009	0.007 - 0.011	103	0.007	0.006 - 0.009
Vermont	89	0.015	0.012 - 0.018	42	0.014	0.010 - 0.019	47	0.016	0.011 - 0.021
Washington	888	0.014	0.014 - 0.015	495	0.016	0.015 - 0.018	393	0.013	0.012 - 0.014
WA - Seattle	601	0.015	0.014 - 0.016	340	0.017	0.015 - 0.019	261	0.013	0.012 - 0.015
West Virginia	261	0.015	0.014 - 0.017	139	0.017	0.014 - 0.020	122	0.014	0.012 - 0.017
Wisconsin	841	0.016	0.015 - 0.018	480	0.019	0.017 - 0.021	361	0.014	0.013 - 0.016
Wyoming	69	0.013	0.010 - 0.016	41	0.015	0.011 - 0.020	28	0.010	0.007 - 0.015

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	16,780	0.007	0.006 - 0.007	13,255	0.010	0.010 - 0.011	3,528	0.003	0.003 - 0.003
Alabama	305	0.009	0.008 - 0.010	242	0.014	0.013 - 0.016	63	0.004	0.003 - 0.005
Alaska	21	0.004	0.003 - 0.006	*	*		*	*	
Arizona	255	0.004	0.004 - 0.005	209	0.007	0.006 - 0.008	46	0.002	0.001 - 0.002
Arkansas	210	0.009	0.008 - 0.010	155	0.013	0.011 - 0.015	55	0.004	0.003 - 0.006
California	1,016	0.003	0.003 - 0.004	832	0.006	0.005 - 0.006	185	0.001	0.001 - 0.001
CA - Greater California	647	0.004	0.003 - 0.004	523	0.006	0.006 - 0.007	124	0.001	0.001 - 0.002
CA - Greater Bay Area	165	0.004	0.003 - 0.004	142	0.006	0.005 - 0.007	23	0.001	0.001 - 0.002
CA - Los Angeles	205	0.003	0.002 - 0.003	167	0.005	0.004 - 0.005	38	0.001	0.001 - 0.001
Colorado	207	0.004	0.004 - 0.005	169	0.007	0.006 - 0.008	38	0.002	0.001 - 0.002
Connecticut	229	0.008	0.007 - 0.009	172	0.012	0.010 - 0.014	57	0.004	0.003 - 0.005
Delaware	60	0.009	0.007 - 0.011	41	0.012	0.009 - 0.017	19	0.005	0.003 - 0.008
District of Columbia	11	0.003	0.002 - 0.006	*	*		*	*	
Florida	1,478	0.009	0.008 - 0.009	1,214	0.015	0.014 - 0.016	264	0.003	0.003 - 0.003
Georgia	462	0.007	0.006 - 0.008	365	0.011	0.010 - 0.013	98	0.003	0.002 - 0.004
Hawaii	29	0.008	0.005 - 0.012	*	*		*	*	
Idaho	54	0.003	0.002 - 0.004	42	0.005	0.004 - 0.007	12	0.001	0.001 - 0.003
Illinois	764	0.008	0.007 - 0.008	583	0.012	0.011 - 0.013	181	0.004	0.003 - 0.004
Indiana	453	0.008	0.007 - 0.009	347	0.012	0.011 - 0.014	106	0.004	0.003 - 0.004
Iowa	223	0.008	0.007 - 0.009	187	0.013	0.011 - 0.015	36	0.002	0.002 - 0.003
Kansas	161	0.006	0.005 - 0.007	122	0.010	0.008 - 0.011	39	0.003	0.002 - 0.004
Kentucky	427	0.011	0.010 - 0.012	315	0.016	0.014 - 0.018	112	0.006	0.005 - 0.007
Louisiana	338	0.011	0.010 - 0.013	264	0.018	0.016 - 0.020	75	0.005	0.004 - 0.006
Maine	101	0.008	0.006 - 0.010	79	0.013	0.010 - 0.016	22	0.003	0.002 - 0.005
Maryland	220	0.006	0.005 - 0.007	177	0.010	0.009 - 0.011	43	0.002	0.002 - 0.003
MI - Detroit	209	0.008	0.007 - 0.009	164	0.013	0.011 - 0.015	45	0.003	0.002 - 0.004
Minnesota	273	0.006	0.005 - 0.006	219	0.009	0.008 - 0.010	54	0.002	0.002 - 0.003
Mississippi	160	0.009	0.008 - 0.010	120	0.014	0.011 - 0.016	40	0.004	0.003 - 0.006
Missouri	427	0.008	0.008 - 0.009	316	0.012	0.011 - 0.014	111	0.004	0.003 - 0.005
Montana	53	0.005	0.004 - 0.007	42	0.009	0.006 - 0.012	11	0.002	0.001 - 0.004
Nebraska	104	0.006	0.005 - 0.007	82	0.010	0.008 - 0.012	22	0.003	0.002 - 0.004
New Hampshire	105	0.008	0.007 - 0.010	83	0.013	0.010 - 0.016	22	0.003	0.002 - 0.005
New Jersey	421	0.006	0.006 - 0.007	346	0.011	0.010 - 0.012	75	0.002	0.002 - 0.003
New Mexico	82	0.005	0.004 - 0.006	65	0.008	0.006 - 0.010	17	0.002	0.001 - 0.003
New York	943	0.007	0.006 - 0.007	733	0.011	0.010 - 0.012	210	0.003	0.003 - 0.003
North Carolina	615	0.008	0.008 - 0.009	485	0.013	0.012 - 0.014	130	0.003	0.003 - 0.004
North Dakota	44	0.007	0.005 - 0.009	*	*		*	*	
Ohio	814	0.008	0.008 - 0.009	624	0.013	0.012 - 0.014	190	0.004	0.003 - 0.004
Oklahoma	195	0.006	0.006 - 0.007	148	0.010	0.008 - 0.012	47	0.003	0.002 - 0.004
Oregon	175	0.005	0.004 - 0.005	144	0.008	0.007 - 0.009	31	0.002	0.001 - 0.002
Pennsylvania	847	0.008	0.007 - 0.009	658	0.013	0.012 - 0.014	189	0.004	0.003 - 0.004
Rhode Island	75	0.008	0.007 - 0.010	63	0.014	0.011 - 0.018	12	0.003	0.001 - 0.005
South Carolina	281	0.008	0.007 - 0.009	208	0.012	0.010 - 0.014	73	0.004	0.003 - 0.005
Tennessee	471	0.009	0.008 - 0.010	357	0.013	0.012 - 0.015	114	0.004	0.003 - 0.005
Texas	1,111	0.005	0.005 - 0.005	914	0.008	0.007 - 0.009	197	0.002	0.001 - 0.002
Utah	64	0.002	0.002 - 0.003	51	0.003	0.003 - 0.005	13	0.001	0.000 - 0.002
Vermont	41	0.007	0.005 - 0.009	31	0.011	0.007 - 0.015	10	0.003	0.002 - 0.006
Washington	280	0.005	0.004 - 0.005	227	0.007	0.006 - 0.008	53	0.002	0.001 - 0.002
WA - Seattle	180	0.004	0.004 - 0.005	147	0.007	0.006 - 0.009	33	0.002	0.001 - 0.002
West Virginia	187	0.011	0.009 - 0.013	144	0.017	0.014 - 0.020	43	0.005	0.004 - 0.007
Wisconsin	373	0.007	0.007 - 0.008	321	0.013	0.011 - 0.014	52	0.002	0.002 - 0.003
Wyoming	33	0.006	0.004 - 0.009	22	0.008	0.005 - 0.012	11	0.004	0.002 - 0.007

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	208,420	0.082	0.081 - 0.082	98,860	0.078	0.078 - 0.079	109,560	0.085	0.085 - 0.086
Alabama	3,072	0.089	0.086 - 0.093	1,567	0.093	0.088 - 0.098	1,505	0.086	0.082 - 0.090
Alaska	278	0.055	0.049 - 0.062	146	0.055	0.046 - 0.064	132	0.055	0.046 - 0.066
Arizona	3,978	0.065	0.063 - 0.068	1,829	0.061	0.058 - 0.063	2,149	0.070	0.067 - 0.073
Arkansas	2,551	0.105	0.101 - 0.109	1,320	0.110	0.104 - 0.116	1,231	0.100	0.095 - 0.106
California	13,885	0.048	0.047 - 0.049	6,266	0.043	0.042 - 0.044	7,619	0.053	0.051 - 0.054
CA - Greater California	8,836	0.051	0.050 - 0.052	3,977	0.046	0.044 - 0.047	4,858	0.056	0.055 - 0.058
CA - Greater Bay Area	2,326	0.051	0.049 - 0.053	1,005	0.044	0.041 - 0.047	1,321	0.059	0.056 - 0.062
CA - Los Angeles	2,721	0.038	0.036 - 0.039	1,281	0.035	0.034 - 0.037	1,440	0.040	0.038 - 0.042
Colorado	2,568	0.051	0.049 - 0.053	1,158	0.045	0.043 - 0.048	1,410	0.056	0.053 - 0.059
Connecticut	2,954	0.102	0.099 - 0.106	1,368	0.097	0.092 - 0.102	1,586	0.107	0.102 - 0.113
Delaware	753	0.110	0.102 - 0.118	329	0.099	0.088 - 0.110	424	0.121	0.109 - 0.133
District of Columbia	77	0.023	0.019 - 0.029	32	0.020	0.013 - 0.028	45	0.027	0.020 - 0.037
Florida	17,166	0.102	0.101 - 0.104	8,109	0.099	0.096 - 0.101	9,057	0.106	0.104 - 0.108
Georgia	5,447	0.084	0.082 - 0.086	2,728	0.085	0.082 - 0.088	2,719	0.083	0.080 - 0.086
Hawaii	245	0.068	0.060 - 0.077	136	0.070	0.059 - 0.083	109	0.065	0.054 - 0.079
Idaho	1,004	0.060	0.056 - 0.064	476	0.057	0.052 - 0.062	528	0.063	0.058 - 0.069
Illinois	8,955	0.091	0.089 - 0.093	4,226	0.086	0.084 - 0.089	4,729	0.095	0.092 - 0.098
Indiana	5,409	0.094	0.091 - 0.096	2,606	0.091	0.088 - 0.095	2,803	0.096	0.092 - 0.100
Iowa	2,622	0.091	0.087 - 0.094	1,338	0.093	0.088 - 0.098	1,284	0.088	0.083 - 0.093
Kansas	1,993	0.078	0.075 - 0.081	953	0.075	0.070 - 0.080	1,040	0.081	0.076 - 0.086
Kentucky	4,787	0.121	0.117 - 0.124	2,327	0.119	0.115 - 0.124	2,460	0.122	0.117 - 0.127
Louisiana	2,523	0.085	0.082 - 0.089	1,259	0.086	0.081 - 0.091	1,264	0.084	0.080 - 0.089
Maine	1,539	0.120	0.114 - 0.126	714	0.114	0.105 - 0.122	825	0.126	0.117 - 0.135
Maryland	3,088	0.085	0.082 - 0.088	1,368	0.077	0.073 - 0.081	1,720	0.094	0.090 - 0.099
MI - Detroit	2,544	0.096	0.092 - 0.100	1,142	0.087	0.082 - 0.092	1,402	0.105	0.099 - 0.110
Minnesota	4,066	0.085	0.082 - 0.088	1,926	0.081	0.077 - 0.085	2,140	0.089	0.085 - 0.093
Mississippi	2,082	0.117	0.112 - 0.122	1,067	0.121	0.114 - 0.129	1,015	0.113	0.106 - 0.120
Missouri	5,289	0.103	0.100 - 0.105	2,574	0.101	0.097 - 0.105	2,715	0.104	0.100 - 0.108
Montana	713	0.074	0.068 - 0.079	338	0.069	0.062 - 0.077	375	0.078	0.071 - 0.087
Nebraska	1,332	0.077	0.073 - 0.082	667	0.078	0.072 - 0.084	665	0.077	0.071 - 0.083
New Hampshire	1,263	0.099	0.093 - 0.104	561	0.089	0.081 - 0.096	702	0.109	0.101 - 0.117
New Jersey	5,815	0.090	0.087 - 0.092	2,546	0.080	0.077 - 0.083	3,269	0.099	0.096 - 0.103
New Mexico	896	0.052	0.048 - 0.055	401	0.047	0.042 - 0.051	495	0.056	0.051 - 0.062
New York	13,832	0.100	0.099 - 0.102	6,157	0.091	0.089 - 0.093	7,674	0.109	0.107 - 0.112
North Carolina	7,289	0.097	0.095 - 0.100	3,551	0.096	0.093 - 0.100	3,738	0.098	0.095 - 0.101
North Dakota	591	0.088	0.081 - 0.095	302	0.088	0.078 - 0.098	289	0.088	0.078 - 0.099
Ohio	9,531	0.098	0.096 - 0.100	4,612	0.097	0.094 - 0.100	4,919	0.100	0.097 - 0.103
Oklahoma	2,524	0.083	0.080 - 0.086	1,215	0.080	0.076 - 0.085	1,309	0.085	0.080 - 0.090
Oregon	2,861	0.077	0.074 - 0.079	1,291	0.070	0.066 - 0.074	1,570	0.083	0.079 - 0.088
Pennsylvania	10,658	0.101	0.099 - 0.103	5,104	0.098	0.095 - 0.101	5,554	0.103	0.100 - 0.106
Rhode Island	1,051	0.117	0.110 - 0.124	476	0.109	0.099 - 0.119	575	0.124	0.114 - 0.135
South Carolina	3,522	0.099	0.096 - 0.102	1,723	0.099	0.094 - 0.103	1,799	0.099	0.095 - 0.104
Tennessee	5,844	0.108	0.105 - 0.111	2,894	0.109	0.105 - 0.113	2,950	0.107	0.103 - 0.111
Texas	11,773	0.051	0.050 - 0.052	5,806	0.051	0.049 - 0.052	5,967	0.052	0.051 - 0.053
Utah	754	0.026	0.024 - 0.028	364	0.025	0.022 - 0.027	390	0.027	0.024 - 0.030
Vermont	595	0.100	0.092 - 0.108	291	0.099	0.088 - 0.111	304	0.101	0.090 - 0.112
Washington	4,423	0.072	0.070 - 0.074	2,018	0.066	0.063 - 0.069	2,405	0.079	0.075 - 0.082
WA - Seattle	3,111	0.078	0.075 - 0.080	1,408	0.070	0.066 - 0.074	1,704	0.085	0.081 - 0.090
West Virginia	2,238	0.131	0.126 - 0.137	1,089	0.130	0.122 - 0.137	1,149	0.133	0.126 - 0.141
Wisconsin	4,743	0.093	0.090 - 0.095	2,238	0.088	0.084 - 0.092	2,505	0.098	0.094 - 0.101
Wyoming	303	0.056	0.050 - 0.062	153	0.055	0.047 - 0.065	150	0.056	0.048 - 0.066

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-34 Prevalence – Lung and Bronchus

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	150,718	0.059	0.059 - 0.059	88,344	0.070	0.069 - 0.070	62,387	0.049	0.048 - 0.049
Alabama	2,436	0.071	0.068 - 0.074	1,360	0.081	0.076 - 0.085	1,076	0.062	0.058 - 0.065
Alaska	163	0.032	0.028 - 0.038	98	0.037	0.030 - 0.045	65	0.027	0.021 - 0.035
Arizona	4,394	0.072	0.070 - 0.075	2,829	0.094	0.090 - 0.097	1,565	0.051	0.049 - 0.054
Arkansas	1,419	0.059	0.056 - 0.062	849	0.071	0.066 - 0.076	570	0.046	0.043 - 0.050
California	16,102	0.055	0.055 - 0.056	9,672	0.066	0.065 - 0.068	6,431	0.044	0.043 - 0.045
CA - Greater California	10,130	0.058	0.057 - 0.060	6,060	0.070	0.068 - 0.072	4,070	0.047	0.046 - 0.049
CA - Greater Bay Area	3,688	0.081	0.079 - 0.084	2,233	0.097	0.093 - 0.101	1,455	0.065	0.062 - 0.068
CA - Los Angeles	2,287	0.032	0.030 - 0.033	1,380	0.038	0.036 - 0.040	908	0.025	0.024 - 0.027
Colorado	2,494	0.049	0.047 - 0.051	1,414	0.055	0.053 - 0.058	1,080	0.043	0.040 - 0.046
Connecticut	1,563	0.054	0.051 - 0.057	887	0.063	0.059 - 0.067	676	0.046	0.042 - 0.049
Delaware	605	0.088	0.081 - 0.096	366	0.110	0.099 - 0.122	239	0.068	0.060 - 0.077
District of Columbia	103	0.031	0.026 - 0.038	63	0.038	0.030 - 0.049	40	0.024	0.017 - 0.033
Florida	12,920	0.077	0.076 - 0.078	7,958	0.097	0.095 - 0.099	4,962	0.058	0.057 - 0.060
Georgia	5,327	0.082	0.080 - 0.084	3,121	0.097	0.094 - 0.101	2,206	0.068	0.065 - 0.070
Hawaii	625	0.173	0.160 - 0.187	431	0.221	0.200 - 0.243	194	0.117	0.101 - 0.135
Idaho	1,009	0.060	0.057 - 0.064	619	0.074	0.068 - 0.080	391	0.047	0.042 - 0.052
Illinois	5,774	0.059	0.057 - 0.060	3,263	0.067	0.064 - 0.069	2,511	0.050	0.049 - 0.052
Indiana	2,969	0.051	0.050 - 0.053	1,632	0.057	0.055 - 0.060	1,337	0.046	0.043 - 0.048
Iowa	1,913	0.066	0.063 - 0.069	1,008	0.070	0.066 - 0.075	905	0.062	0.058 - 0.066
Kansas	1,410	0.055	0.052 - 0.058	816	0.064	0.060 - 0.069	594	0.046	0.043 - 0.050
Kentucky	2,634	0.066	0.064 - 0.069	1,465	0.075	0.071 - 0.079	1,169	0.058	0.055 - 0.061
Louisiana	1,785	0.060	0.057 - 0.063	1,085	0.074	0.070 - 0.079	700	0.047	0.043 - 0.050
Maine	815	0.063	0.059 - 0.068	421	0.067	0.061 - 0.074	394	0.060	0.054 - 0.066
Maryland	3,111	0.086	0.083 - 0.089	1,810	0.101	0.097 - 0.106	1,301	0.071	0.067 - 0.075
MI - Detroit	1,570	0.059	0.056 - 0.062	897	0.069	0.064 - 0.073	673	0.050	0.047 - 0.054
Minnesota	4,293	0.090	0.087 - 0.092	2,384	0.100	0.096 - 0.104	1,909	0.079	0.076 - 0.083
Mississippi	1,156	0.065	0.061 - 0.069	710	0.081	0.075 - 0.087	446	0.050	0.045 - 0.054
Missouri	2,345	0.045	0.044 - 0.047	1,367	0.054	0.051 - 0.057	978	0.037	0.035 - 0.040
Montana	644	0.067	0.062 - 0.072	366	0.075	0.068 - 0.083	278	0.058	0.051 - 0.065
Nebraska	1,132	0.066	0.062 - 0.070	602	0.070	0.065 - 0.076	530	0.061	0.056 - 0.067
New Hampshire	964	0.075	0.071 - 0.080	536	0.085	0.078 - 0.092	428	0.066	0.060 - 0.073
New Jersey	4,078	0.063	0.061 - 0.065	2,355	0.074	0.071 - 0.077	1,722	0.052	0.050 - 0.055
New Mexico	766	0.044	0.041 - 0.047	446	0.052	0.047 - 0.057	320	0.036	0.033 - 0.041
New York	7,571	0.055	0.054 - 0.056	4,336	0.064	0.062 - 0.066	3,235	0.046	0.044 - 0.048
North Carolina	5,403	0.072	0.070 - 0.074	3,190	0.087	0.084 - 0.090	2,213	0.058	0.056 - 0.061
North Dakota	358	0.053	0.048 - 0.059	184	0.054	0.046 - 0.062	174	0.053	0.045 - 0.061
Ohio	5,580	0.058	0.056 - 0.059	3,198	0.067	0.065 - 0.070	2,382	0.048	0.046 - 0.050
Oklahoma	1,493	0.049	0.047 - 0.052	881	0.058	0.055 - 0.062	612	0.040	0.037 - 0.043
Oregon	2,283	0.061	0.059 - 0.064	1,320	0.071	0.067 - 0.075	963	0.051	0.048 - 0.054
Pennsylvania	5,906	0.056	0.054 - 0.057	3,426	0.066	0.064 - 0.068	2,480	0.046	0.044 - 0.048
Rhode Island	497	0.055	0.050 - 0.060	279	0.064	0.057 - 0.072	218	0.047	0.041 - 0.054
South Carolina	2,645	0.074	0.071 - 0.077	1,593	0.091	0.087 - 0.096	1,052	0.058	0.055 - 0.062
Tennessee	2,863	0.053	0.051 - 0.055	1,726	0.065	0.062 - 0.068	1,137	0.041	0.039 - 0.044
Texas	6,896	0.030	0.029 - 0.031	4,248	0.037	0.036 - 0.038	2,648	0.023	0.022 - 0.024
Utah	1,990	0.068	0.065 - 0.071	1,128	0.076	0.072 - 0.081	863	0.059	0.055 - 0.063
Vermont	573	0.096	0.088 - 0.104	307	0.104	0.093 - 0.117	266	0.088	0.078 - 0.099
Washington	3,788	0.062	0.060 - 0.064	2,129	0.069	0.066 - 0.072	1,659	0.054	0.052 - 0.057
WA - Seattle	3,116	0.078	0.075 - 0.081	1,733	0.086	0.082 - 0.090	1,384	0.069	0.066 - 0.073
West Virginia	965	0.057	0.053 - 0.060	564	0.067	0.062 - 0.073	401	0.046	0.042 - 0.051
Wisconsin	2,843	0.056	0.054 - 0.058	1,627	0.064	0.061 - 0.067	1,216	0.047	0.045 - 0.050
Wyoming	322	0.059	0.053 - 0.066	186	0.067	0.058 - 0.078	136	0.051	0.043 - 0.060

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		392,399	0.305	0.304 - 0.306
Alabama	N/A	N/A		N/A	N/A		5,051	0.289	0.281 - 0.297
Alaska	N/A	N/A		N/A	N/A		613	0.257	0.237 - 0.279
Arizona	N/A	N/A		N/A	N/A		8,595	0.281	0.275 - 0.287
Arkansas	N/A	N/A		N/A	N/A		3,467	0.283	0.273 - 0.292
California	N/A	N/A		N/A	N/A		39,274	0.271	0.268 - 0.274
CA - Greater California	N/A	N/A		N/A	N/A		23,371	0.270	0.267 - 0.274
CA - Greater Bay Area	N/A	N/A		N/A	N/A		7,009	0.313	0.306 - 0.321
CA - Los Angeles	N/A	N/A		N/A	N/A		8,895	0.246	0.241 - 0.251
Colorado	N/A	N/A		N/A	N/A		7,276	0.289	0.282 - 0.296
Connecticut	N/A	N/A		N/A	N/A		5,279	0.357	0.348 - 0.367
Delaware	N/A	N/A		N/A	N/A		1,196	0.340	0.321 - 0.360
District of Columbia	N/A	N/A		N/A	N/A		381	0.232	0.209 - 0.257
Florida	N/A	N/A		N/A	N/A		27,680	0.324	0.321 - 0.328
Georgia	N/A	N/A		N/A	N/A		9,819	0.301	0.295 - 0.307
Hawaii	N/A	N/A		N/A	N/A		597	0.360	0.332 - 0.390
Idaho	N/A	N/A		N/A	N/A		2,364	0.283	0.272 - 0.295
Illinois	N/A	N/A		N/A	N/A		15,713	0.316	0.311 - 0.321
Indiana	N/A	N/A		N/A	N/A		8,746	0.300	0.293 - 0.306
Iowa	N/A	N/A		N/A	N/A		4,833	0.332	0.322 - 0.341
Kansas	N/A	N/A		N/A	N/A		3,949	0.307	0.297 - 0.317
Kentucky	N/A	N/A		N/A	N/A		6,148	0.305	0.298 - 0.313
Louisiana	N/A	N/A		N/A	N/A		4,628	0.309	0.300 - 0.318
Maine	N/A	N/A		N/A	N/A		2,290	0.349	0.335 - 0.363
Maryland	N/A	N/A		N/A	N/A		5,960	0.326	0.317 - 0.334
MI - Detroit	N/A	N/A		N/A	N/A		4,758	0.355	0.345 - 0.366
Minnesota	N/A	N/A		N/A	N/A		8,275	0.344	0.337 - 0.352
Mississippi	N/A	N/A		N/A	N/A		2,742	0.305	0.293 - 0.316
Missouri	N/A	N/A		N/A	N/A		8,145	0.311	0.305 - 0.318
Montana	N/A	N/A		N/A	N/A		1,696	0.354	0.337 - 0.371
Nebraska	N/A	N/A		N/A	N/A		2,642	0.306	0.294 - 0.318
New Hampshire	N/A	N/A		N/A	N/A		2,323	0.359	0.345 - 0.374
New Jersey	N/A	N/A		N/A	N/A		11,730	0.356	0.349 - 0.362
New Mexico	N/A	N/A		N/A	N/A		2,448	0.279	0.268 - 0.290
New York	N/A	N/A		N/A	N/A		23,909	0.341	0.336 - 0.345
North Carolina	N/A	N/A		N/A	N/A		12,913	0.340	0.334 - 0.345
North Dakota	N/A	N/A		N/A	N/A		968	0.295	0.276 - 0.314
Ohio	N/A	N/A		N/A	N/A		16,026	0.326	0.321 - 0.331
Oklahoma	N/A	N/A		N/A	N/A		4,382	0.285	0.276 - 0.293
Oregon	N/A	N/A		N/A	N/A		6,192	0.329	0.321 - 0.337
Pennsylvania	N/A	N/A		N/A	N/A		18,418	0.342	0.337 - 0.347
Rhode Island	N/A	N/A		N/A	N/A		1,707	0.369	0.351 - 0.386
South Carolina	N/A	N/A		N/A	N/A		5,902	0.326	0.317 - 0.334
Tennessee	N/A	N/A		N/A	N/A		8,343	0.303	0.296 - 0.309
Texas	N/A	N/A		N/A	N/A		27,463	0.239	0.236 - 0.241
Utah	N/A	N/A		N/A	N/A		2,943	0.202	0.195 - 0.210
Vermont	N/A	N/A		N/A	N/A		1,001	0.331	0.311 - 0.352
Washington	N/A	N/A		N/A	N/A		9,651	0.315	0.309 - 0.322
WA - Seattle	N/A	N/A		N/A	N/A		6,849	0.344	0.336 - 0.352
West Virginia	N/A	N/A		N/A	N/A		2,713	0.314	0.303 - 0.326
Wisconsin	N/A	N/A		N/A	N/A		8,685	0.338	0.331 - 0.345
Wyoming	N/A	N/A		N/A	N/A		708	0.265	0.246 - 0.285

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		17,319	0.013	0.013 - 0.014
Alabama	N/A	N/A		N/A	N/A		258	0.015	0.013 - 0.017
Alaska	N/A	N/A		N/A	N/A		35	0.015	0.010 - 0.020
Arizona	N/A	N/A		N/A	N/A		329	0.011	0.010 - 0.012
Arkansas	N/A	N/A		N/A	N/A		181	0.015	0.013 - 0.017
California	N/A	N/A		N/A	N/A		1,991	0.014	0.013 - 0.014
CA - Greater California	N/A	N/A		N/A	N/A		1,216	0.014	0.013 - 0.015
CA - Greater Bay Area	N/A	N/A		N/A	N/A		245	0.011	0.010 - 0.012
CA - Los Angeles	N/A	N/A		N/A	N/A		529	0.015	0.013 - 0.016
Colorado	N/A	N/A		N/A	N/A		278	0.011	0.010 - 0.012
Connecticut	N/A	N/A		N/A	N/A		133	0.009	0.008 - 0.011
Delaware	N/A	N/A		N/A	N/A		55	0.016	0.012 - 0.020
District of Columbia	N/A	N/A		N/A	N/A		*	*	
Florida	N/A	N/A		N/A	N/A		1,356	0.016	0.015 - 0.017
Georgia	N/A	N/A		N/A	N/A		445	0.014	0.012 - 0.015
Hawaii	N/A	N/A		N/A	N/A		28	0.017	0.011 - 0.024
Idaho	N/A	N/A		N/A	N/A		107	0.013	0.010 - 0.015
Illinois	N/A	N/A		N/A	N/A		637	0.013	0.012 - 0.014
Indiana	N/A	N/A		N/A	N/A		427	0.015	0.013 - 0.016
Iowa	N/A	N/A		N/A	N/A		203	0.014	0.012 - 0.016
Kansas	N/A	N/A		N/A	N/A		170	0.013	0.011 - 0.015
Kentucky	N/A	N/A		N/A	N/A		342	0.017	0.015 - 0.019
Louisiana	N/A	N/A		N/A	N/A		216	0.014	0.013 - 0.017
Maine	N/A	N/A		N/A	N/A		65	0.010	0.008 - 0.013
Maryland	N/A	N/A		N/A	N/A		224	0.012	0.011 - 0.014
MI - Detroit	N/A	N/A		N/A	N/A		159	0.012	0.010 - 0.014
Minnesota	N/A	N/A		N/A	N/A		209	0.009	0.008 - 0.010
Mississippi	N/A	N/A		N/A	N/A		148	0.016	0.014 - 0.019
Missouri	N/A	N/A		N/A	N/A		359	0.014	0.012 - 0.015
Montana	N/A	N/A		N/A	N/A		47	0.010	0.007 - 0.013
Nebraska	N/A	N/A		N/A	N/A		104	0.012	0.010 - 0.015
New Hampshire	N/A	N/A		N/A	N/A		63	0.010	0.007 - 0.012
New Jersey	N/A	N/A		N/A	N/A		454	0.014	0.013 - 0.015
New Mexico	N/A	N/A		N/A	N/A		123	0.014	0.012 - 0.017
New York	N/A	N/A		N/A	N/A		892	0.013	0.012 - 0.014
North Carolina	N/A	N/A		N/A	N/A		448	0.012	0.011 - 0.013
North Dakota	N/A	N/A		N/A	N/A		33	0.010	0.007 - 0.014
Ohio	N/A	N/A		N/A	N/A		690	0.014	0.013 - 0.015
Oklahoma	N/A	N/A		N/A	N/A		254	0.017	0.015 - 0.019
Oregon	N/A	N/A		N/A	N/A		230	0.012	0.011 - 0.014
Pennsylvania	N/A	N/A		N/A	N/A		673	0.012	0.012 - 0.013
Rhode Island	N/A	N/A		N/A	N/A		60	0.013	0.010 - 0.017
South Carolina	N/A	N/A		N/A	N/A		241	0.013	0.012 - 0.015
Tennessee	N/A	N/A		N/A	N/A		423	0.015	0.014 - 0.017
Texas	N/A	N/A		N/A	N/A		1,844	0.016	0.015 - 0.017
Utah	N/A	N/A		N/A	N/A		124	0.008	0.007 - 0.010
Vermont	N/A	N/A		N/A	N/A		23	0.008	0.005 - 0.011
Washington	N/A	N/A		N/A	N/A		355	0.012	0.010 - 0.013
WA - Seattle	N/A	N/A		N/A	N/A		257	0.013	0.011 - 0.015
West Virginia	N/A	N/A		N/A	N/A		166	0.019	0.016 - 0.022
Wisconsin	N/A	N/A		N/A	N/A		270	0.011	0.009 - 0.012
Wyoming	N/A	N/A		N/A	N/A		52	0.019	0.015 - 0.026

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		86,685	0.067	0.067 - 0.068
Alabama	N/A	N/A		N/A	N/A		855	0.049	0.046 - 0.052
Alaska	N/A	N/A		N/A	N/A		164	0.069	0.059 - 0.080
Arizona	N/A	N/A		N/A	N/A		1,751	0.057	0.055 - 0.060
Arkansas	N/A	N/A		N/A	N/A		735	0.060	0.056 - 0.064
California	N/A	N/A		N/A	N/A		8,860	0.061	0.060 - 0.062
CA - Greater California	N/A	N/A		N/A	N/A		5,256	0.061	0.059 - 0.062
CA - Greater Bay Area	N/A	N/A		N/A	N/A		1,461	0.065	0.062 - 0.069
CA - Los Angeles	N/A	N/A		N/A	N/A		2,143	0.059	0.057 - 0.062
Colorado	N/A	N/A		N/A	N/A		1,354	0.054	0.051 - 0.057
Connecticut	N/A	N/A		N/A	N/A		1,219	0.083	0.078 - 0.087
Delaware	N/A	N/A		N/A	N/A		287	0.082	0.072 - 0.092
District of Columbia	N/A	N/A		N/A	N/A		67	0.041	0.032 - 0.052
Florida	N/A	N/A		N/A	N/A		5,690	0.067	0.065 - 0.068
Georgia	N/A	N/A		N/A	N/A		1,950	0.060	0.057 - 0.062
Hawaii	N/A	N/A		N/A	N/A		133	0.080	0.067 - 0.095
Idaho	N/A	N/A		N/A	N/A		444	0.053	0.048 - 0.058
Illinois	N/A	N/A		N/A	N/A		3,758	0.076	0.073 - 0.078
Indiana	N/A	N/A		N/A	N/A		2,079	0.071	0.068 - 0.074
Iowa	N/A	N/A		N/A	N/A		1,111	0.076	0.072 - 0.081
Kansas	N/A	N/A		N/A	N/A		777	0.060	0.056 - 0.065
Kentucky	N/A	N/A		N/A	N/A		1,341	0.067	0.063 - 0.070
Louisiana	N/A	N/A		N/A	N/A		749	0.050	0.046 - 0.054
Maine	N/A	N/A		N/A	N/A		639	0.097	0.090 - 0.105
Maryland	N/A	N/A		N/A	N/A		1,357	0.074	0.070 - 0.078
MI - Detroit	N/A	N/A		N/A	N/A		1,170	0.087	0.082 - 0.093
Minnesota	N/A	N/A		N/A	N/A		1,896	0.079	0.075 - 0.082
Mississippi	N/A	N/A		N/A	N/A		499	0.055	0.051 - 0.061
Missouri	N/A	N/A		N/A	N/A		1,858	0.071	0.068 - 0.074
Montana	N/A	N/A		N/A	N/A		326	0.068	0.061 - 0.076
Nebraska	N/A	N/A		N/A	N/A		554	0.064	0.059 - 0.070
New Hampshire	N/A	N/A		N/A	N/A		526	0.081	0.075 - 0.089
New Jersey	N/A	N/A		N/A	N/A		2,948	0.089	0.086 - 0.093
New Mexico	N/A	N/A		N/A	N/A		495	0.056	0.052 - 0.062
New York	N/A	N/A		N/A	N/A		5,644	0.080	0.078 - 0.083
North Carolina	N/A	N/A		N/A	N/A		2,461	0.065	0.062 - 0.067
North Dakota	N/A	N/A		N/A	N/A		185	0.056	0.048 - 0.065
Ohio	N/A	N/A		N/A	N/A		4,060	0.083	0.080 - 0.085
Oklahoma	N/A	N/A		N/A	N/A		805	0.052	0.049 - 0.056
Oregon	N/A	N/A		N/A	N/A		1,454	0.077	0.073 - 0.081
Pennsylvania	N/A	N/A		N/A	N/A		4,829	0.090	0.087 - 0.092
Rhode Island	N/A	N/A		N/A	N/A		381	0.082	0.074 - 0.091
South Carolina	N/A	N/A		N/A	N/A		1,014	0.056	0.053 - 0.060
Tennessee	N/A	N/A		N/A	N/A		1,717	0.062	0.059 - 0.065
Texas	N/A	N/A		N/A	N/A		5,580	0.048	0.047 - 0.050
Utah	N/A	N/A		N/A	N/A		648	0.045	0.041 - 0.048
Vermont	N/A	N/A		N/A	N/A		312	0.103	0.092 - 0.115
Washington	N/A	N/A		N/A	N/A		1,899	0.062	0.059 - 0.065
WA - Seattle	N/A	N/A		N/A	N/A		1,320	0.066	0.063 - 0.070
West Virginia	N/A	N/A		N/A	N/A		800	0.093	0.086 - 0.099
Wisconsin	N/A	N/A		N/A	N/A		2,081	0.081	0.078 - 0.085
Wyoming	N/A	N/A		N/A	N/A		157	0.059	0.050 - 0.069

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-38 Prevalence – Corpus and Uterus, NOS

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		26,077	0.020	0.020 - 0.021
Alabama	N/A	N/A		N/A	N/A		325	0.019	0.017 - 0.021
Alaska	N/A	N/A		N/A	N/A		35	0.015	0.010 - 0.020
Arizona	N/A	N/A		N/A	N/A		607	0.020	0.018 - 0.022
Arkansas	N/A	N/A		N/A	N/A		260	0.021	0.019 - 0.024
California	N/A	N/A		N/A	N/A		2,835	0.020	0.019 - 0.020
CA - Greater California	N/A	N/A		N/A	N/A		1,653	0.019	0.018 - 0.020
CA - Greater Bay Area	N/A	N/A		N/A	N/A		449	0.020	0.018 - 0.022
CA - Los Angeles	N/A	N/A		N/A	N/A		734	0.020	0.019 - 0.022
Colorado	N/A	N/A		N/A	N/A		456	0.018	0.016 - 0.020
Connecticut	N/A	N/A		N/A	N/A		329	0.022	0.020 - 0.025
Delaware	N/A	N/A		N/A	N/A		79	0.022	0.018 - 0.028
District of Columbia	N/A	N/A		N/A	N/A		22	0.013	0.008 - 0.020
Florida	N/A	N/A		N/A	N/A		2,075	0.024	0.023 - 0.025
Georgia	N/A	N/A		N/A	N/A		612	0.019	0.017 - 0.020
Hawaii	N/A	N/A		N/A	N/A		37	0.022	0.016 - 0.031
Idaho	N/A	N/A		N/A	N/A		161	0.019	0.016 - 0.022
Illinois	N/A	N/A		N/A	N/A		1,075	0.022	0.020 - 0.023
Indiana	N/A	N/A		N/A	N/A		557	0.019	0.018 - 0.021
Iowa	N/A	N/A		N/A	N/A		260	0.018	0.016 - 0.020
Kansas	N/A	N/A		N/A	N/A		244	0.019	0.017 - 0.022
Kentucky	N/A	N/A		N/A	N/A		307	0.015	0.014 - 0.017
Louisiana	N/A	N/A		N/A	N/A		245	0.016	0.014 - 0.019
Maine	N/A	N/A		N/A	N/A		120	0.018	0.015 - 0.022
Maryland	N/A	N/A		N/A	N/A		427	0.023	0.021 - 0.026
MI - Detroit	N/A	N/A		N/A	N/A		302	0.023	0.020 - 0.025
Minnesota	N/A	N/A		N/A	N/A		494	0.021	0.019 - 0.022
Mississippi	N/A	N/A		N/A	N/A		174	0.019	0.017 - 0.022
Missouri	N/A	N/A		N/A	N/A		462	0.018	0.016 - 0.019
Montana	N/A	N/A		N/A	N/A		83	0.017	0.014 - 0.021
Nebraska	N/A	N/A		N/A	N/A		147	0.017	0.014 - 0.020
New Hampshire	N/A	N/A		N/A	N/A		134	0.021	0.017 - 0.025
New Jersey	N/A	N/A		N/A	N/A		816	0.025	0.023 - 0.027
New Mexico	N/A	N/A		N/A	N/A		159	0.018	0.015 - 0.021
New York	N/A	N/A		N/A	N/A		1,669	0.024	0.023 - 0.025
North Carolina	N/A	N/A		N/A	N/A		735	0.019	0.018 - 0.021
North Dakota	N/A	N/A		N/A	N/A		43	0.013	0.009 - 0.018
Ohio	N/A	N/A		N/A	N/A		1,029	0.021	0.020 - 0.022
Oklahoma	N/A	N/A		N/A	N/A		307	0.020	0.018 - 0.022
Oregon	N/A	N/A		N/A	N/A		399	0.021	0.019 - 0.023
Pennsylvania	N/A	N/A		N/A	N/A		1,315	0.024	0.023 - 0.026
Rhode Island	N/A	N/A		N/A	N/A		95	0.021	0.017 - 0.025
South Carolina	N/A	N/A		N/A	N/A		324	0.018	0.016 - 0.020
Tennessee	N/A	N/A		N/A	N/A		487	0.018	0.016 - 0.019
Texas	N/A	N/A		N/A	N/A		2,058	0.018	0.017 - 0.019
Utah	N/A	N/A		N/A	N/A		204	0.014	0.012 - 0.016
Vermont	N/A	N/A		N/A	N/A		60	0.020	0.015 - 0.026
Washington	N/A	N/A		N/A	N/A		582	0.019	0.018 - 0.021
WA - Seattle	N/A	N/A		N/A	N/A		368	0.018	0.017 - 0.020
West Virginia	N/A	N/A		N/A	N/A		191	0.022	0.019 - 0.025
Wisconsin	N/A	N/A		N/A	N/A		574	0.022	0.021 - 0.024
Wyoming	N/A	N/A		N/A	N/A		48	0.018	0.013 - 0.024

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		325,850	0.258	0.257 - 0.259	N/A	N/A	
Alabama	N/A	N/A		4,478	0.266	0.258 - 0.274	N/A	N/A	
Alaska	N/A	N/A		586	0.219	0.202 - 0.238	N/A	N/A	
Arizona	N/A	N/A		5,861	0.194	0.189 - 0.199	N/A	N/A	
Arkansas	N/A	N/A		3,446	0.288	0.279 - 0.298	N/A	N/A	
California	N/A	N/A		28,729	0.197	0.195 - 0.199	N/A	N/A	
CA - Greater California	N/A	N/A		17,737	0.205	0.202 - 0.208	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		5,038	0.219	0.213 - 0.225	N/A	N/A	
CA - Los Angeles	N/A	N/A		5,952	0.165	0.160 - 0.169	N/A	N/A	
Colorado	N/A	N/A		5,033	0.197	0.192 - 0.203	N/A	N/A	
Connecticut	N/A	N/A		4,625	0.327	0.318 - 0.337	N/A	N/A	
Delaware	N/A	N/A		1,068	0.321	0.302 - 0.341	N/A	N/A	
District of Columbia	N/A	N/A		272	0.166	0.147 - 0.187	N/A	N/A	
Florida	N/A	N/A		21,826	0.265	0.262 - 0.269	N/A	N/A	
Georgia	N/A	N/A		8,586	0.267	0.262 - 0.273	N/A	N/A	
Hawaii	N/A	N/A		637	0.326	0.301 - 0.353	N/A	N/A	
Idaho	N/A	N/A		2,264	0.269	0.258 - 0.281	N/A	N/A	
Illinois	N/A	N/A		12,816	0.262	0.258 - 0.267	N/A	N/A	
Indiana	N/A	N/A		6,927	0.243	0.237 - 0.249	N/A	N/A	
Iowa	N/A	N/A		4,451	0.311	0.302 - 0.320	N/A	N/A	
Kansas	N/A	N/A		3,408	0.268	0.259 - 0.277	N/A	N/A	
Kentucky	N/A	N/A		4,992	0.256	0.249 - 0.263	N/A	N/A	
Louisiana	N/A	N/A		4,752	0.324	0.315 - 0.334	N/A	N/A	
Maine	N/A	N/A		1,927	0.307	0.293 - 0.321	N/A	N/A	
Maryland	N/A	N/A		5,357	0.300	0.292 - 0.308	N/A	N/A	
MI - Detroit	N/A	N/A		4,291	0.328	0.318 - 0.338	N/A	N/A	
Minnesota	N/A	N/A		7,252	0.305	0.298 - 0.312	N/A	N/A	
Mississippi	N/A	N/A		2,644	0.301	0.289 - 0.312	N/A	N/A	
Missouri	N/A	N/A		6,072	0.239	0.233 - 0.245	N/A	N/A	
Montana	N/A	N/A		1,854	0.381	0.364 - 0.399	N/A	N/A	
Nebraska	N/A	N/A		2,745	0.320	0.308 - 0.332	N/A	N/A	
New Hampshire	N/A	N/A		2,132	0.337	0.323 - 0.352	N/A	N/A	
New Jersey	N/A	N/A		10,739	0.337	0.331 - 0.344	N/A	N/A	
New Mexico	N/A	N/A		1,822	0.212	0.202 - 0.221	N/A	N/A	
New York	N/A	N/A		21,735	0.321	0.317 - 0.325	N/A	N/A	
North Carolina	N/A	N/A		10,158	0.276	0.271 - 0.281	N/A	N/A	
North Dakota	N/A	N/A		984	0.287	0.269 - 0.305	N/A	N/A	
Ohio	N/A	N/A		13,716	0.288	0.283 - 0.293	N/A	N/A	
Oklahoma	N/A	N/A		3,363	0.223	0.215 - 0.230	N/A	N/A	
Oregon	N/A	N/A		4,572	0.247	0.240 - 0.254	N/A	N/A	
Pennsylvania	N/A	N/A		14,434	0.278	0.273 - 0.282	N/A	N/A	
Rhode Island	N/A	N/A		1,338	0.306	0.290 - 0.323	N/A	N/A	
South Carolina	N/A	N/A		4,485	0.256	0.249 - 0.264	N/A	N/A	
Tennessee	N/A	N/A		7,460	0.281	0.274 - 0.287	N/A	N/A	
Texas	N/A	N/A		22,453	0.196	0.193 - 0.198	N/A	N/A	
Utah	N/A	N/A		2,975	0.202	0.194 - 0.209	N/A	N/A	
Vermont	N/A	N/A		901	0.306	0.286 - 0.327	N/A	N/A	
Washington	N/A	N/A		7,540	0.245	0.240 - 0.251	N/A	N/A	
WA - Seattle	N/A	N/A		5,782	0.287	0.280 - 0.295	N/A	N/A	
West Virginia	N/A	N/A		2,378	0.283	0.272 - 0.295	N/A	N/A	
Wisconsin	N/A	N/A		8,009	0.314	0.307 - 0.321	N/A	N/A	
Wyoming	N/A	N/A		911	0.329	0.308 - 0.351	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-40 Prevalence – Prostate

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		15,746	0.012	0.012 - 0.013	N/A	N/A	
Alabama	N/A	N/A		169	0.010	0.009 - 0.012	N/A	N/A	
Alaska	N/A	N/A		36	0.013	0.009 - 0.019	N/A	N/A	
Arizona	N/A	N/A		334	0.011	0.010 - 0.012	N/A	N/A	
Arkansas	N/A	N/A		112	0.009	0.008 - 0.011	N/A	N/A	
California	N/A	N/A		2,111	0.014	0.014 - 0.015	N/A	N/A	
CA - Greater California	N/A	N/A		1,147	0.013	0.012 - 0.014	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		407	0.018	0.016 - 0.019	N/A	N/A	
CA - Los Angeles	N/A	N/A		558	0.015	0.014 - 0.017	N/A	N/A	
Colorado	N/A	N/A		282	0.011	0.010 - 0.012	N/A	N/A	
Connecticut	N/A	N/A		188	0.013	0.011 - 0.015	N/A	N/A	
Delaware	N/A	N/A		37	0.011	0.008 - 0.015	N/A	N/A	
District of Columbia	N/A	N/A		34	0.021	0.014 - 0.029	N/A	N/A	
Florida	N/A	N/A		792	0.010	0.009 - 0.010	N/A	N/A	
Georgia	N/A	N/A		351	0.011	0.010 - 0.012	N/A	N/A	
Hawaii	N/A	N/A		32	0.016	0.011 - 0.023	N/A	N/A	
Idaho	N/A	N/A		93	0.011	0.009 - 0.014	N/A	N/A	
Illinois	N/A	N/A		666	0.014	0.013 - 0.015	N/A	N/A	
Indiana	N/A	N/A		322	0.011	0.010 - 0.013	N/A	N/A	
Iowa	N/A	N/A		185	0.013	0.011 - 0.015	N/A	N/A	
Kansas	N/A	N/A		147	0.012	0.010 - 0.014	N/A	N/A	
Kentucky	N/A	N/A		210	0.011	0.009 - 0.012	N/A	N/A	
Louisiana	N/A	N/A		184	0.013	0.011 - 0.014	N/A	N/A	
Maine	N/A	N/A		87	0.014	0.011 - 0.017	N/A	N/A	
Maryland	N/A	N/A		219	0.012	0.011 - 0.014	N/A	N/A	
MI - Detroit	N/A	N/A		173	0.013	0.011 - 0.015	N/A	N/A	
Minnesota	N/A	N/A		357	0.015	0.013 - 0.017	N/A	N/A	
Mississippi	N/A	N/A		74	0.008	0.007 - 0.011	N/A	N/A	
Missouri	N/A	N/A		250	0.010	0.009 - 0.011	N/A	N/A	
Montana	N/A	N/A		68	0.014	0.011 - 0.018	N/A	N/A	
Nebraska	N/A	N/A		120	0.014	0.012 - 0.017	N/A	N/A	
New Hampshire	N/A	N/A		81	0.013	0.010 - 0.016	N/A	N/A	
New Jersey	N/A	N/A		412	0.013	0.012 - 0.014	N/A	N/A	
New Mexico	N/A	N/A		105	0.012	0.010 - 0.015	N/A	N/A	
New York	N/A	N/A		1,002	0.015	0.014 - 0.016	N/A	N/A	
North Carolina	N/A	N/A		395	0.011	0.010 - 0.012	N/A	N/A	
North Dakota	N/A	N/A		49	0.014	0.011 - 0.019	N/A	N/A	
Ohio	N/A	N/A		534	0.011	0.010 - 0.012	N/A	N/A	
Oklahoma	N/A	N/A		143	0.009	0.008 - 0.011	N/A	N/A	
Oregon	N/A	N/A		237	0.013	0.011 - 0.015	N/A	N/A	
Pennsylvania	N/A	N/A		699	0.013	0.012 - 0.014	N/A	N/A	
Rhode Island	N/A	N/A		58	0.013	0.010 - 0.017	N/A	N/A	
South Carolina	N/A	N/A		181	0.010	0.009 - 0.012	N/A	N/A	
Tennessee	N/A	N/A		316	0.012	0.011 - 0.013	N/A	N/A	
Texas	N/A	N/A		1,493	0.013	0.012 - 0.014	N/A	N/A	
Utah	N/A	N/A		225	0.015	0.013 - 0.017	N/A	N/A	
Vermont	N/A	N/A		51	0.017	0.013 - 0.023	N/A	N/A	
Washington	N/A	N/A		407	0.013	0.012 - 0.015	N/A	N/A	
WA - Seattle	N/A	N/A		287	0.014	0.013 - 0.016	N/A	N/A	
West Virginia	N/A	N/A		89	0.011	0.009 - 0.013	N/A	N/A	
Wisconsin	N/A	N/A		353	0.014	0.012 - 0.015	N/A	N/A	
Wyoming	N/A	N/A		43	0.016	0.011 - 0.021	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	115,644	0.045	0.045 - 0.046	89,688	0.071	0.071 - 0.071	25,974	0.020	0.020 - 0.020
Alabama	1,515	0.044	0.042 - 0.046	1,195	0.071	0.067 - 0.075	320	0.018	0.016 - 0.020
Alaska	194	0.038	0.033 - 0.044	160	0.060	0.051 - 0.070	34	0.014	0.010 - 0.020
Arizona	2,591	0.043	0.041 - 0.044	2,014	0.067	0.064 - 0.070	577	0.019	0.017 - 0.020
Arkansas	1,184	0.049	0.046 - 0.052	962	0.080	0.075 - 0.086	222	0.018	0.016 - 0.021
California	9,718	0.033	0.033 - 0.034	7,597	0.052	0.051 - 0.053	2,121	0.015	0.014 - 0.015
CA - Greater California	6,000	0.035	0.034 - 0.036	4,672	0.054	0.052 - 0.055	1,328	0.015	0.015 - 0.016
CA - Greater Bay Area	1,792	0.040	0.038 - 0.041	1,392	0.061	0.057 - 0.064	400	0.018	0.016 - 0.020
CA - Los Angeles	1,925	0.027	0.025 - 0.028	1,532	0.042	0.040 - 0.045	393	0.011	0.010 - 0.012
Colorado	1,625	0.032	0.031 - 0.034	1,254	0.049	0.046 - 0.052	371	0.015	0.013 - 0.016
Connecticut	1,846	0.064	0.061 - 0.067	1,374	0.097	0.092 - 0.102	473	0.032	0.029 - 0.035
Delaware	435	0.064	0.058 - 0.070	325	0.098	0.087 - 0.109	110	0.031	0.026 - 0.038
District of Columbia	69	0.021	0.016 - 0.027	56	0.034	0.026 - 0.044	13	0.008	0.004 - 0.014
Florida	8,993	0.054	0.053 - 0.055	6,969	0.085	0.083 - 0.087	2,024	0.024	0.023 - 0.025
Georgia	2,818	0.043	0.042 - 0.045	2,213	0.069	0.066 - 0.072	605	0.019	0.017 - 0.020
Hawaii	188	0.052	0.045 - 0.060	149	0.076	0.065 - 0.090	39	0.023	0.017 - 0.032
Idaho	682	0.041	0.038 - 0.044	550	0.065	0.060 - 0.071	132	0.016	0.013 - 0.019
Illinois	4,562	0.046	0.045 - 0.048	3,488	0.071	0.069 - 0.074	1,074	0.022	0.020 - 0.023
Indiana	2,671	0.046	0.045 - 0.048	2,049	0.072	0.069 - 0.075	622	0.021	0.020 - 0.023
Iowa	1,469	0.051	0.048 - 0.053	1,164	0.081	0.077 - 0.086	305	0.021	0.019 - 0.023
Kansas	1,173	0.046	0.043 - 0.049	892	0.070	0.066 - 0.075	281	0.022	0.019 - 0.025
Kentucky	1,984	0.050	0.048 - 0.052	1,543	0.079	0.075 - 0.083	441	0.022	0.020 - 0.024
Louisiana	1,402	0.047	0.045 - 0.050	1,108	0.076	0.071 - 0.080	294	0.020	0.017 - 0.022
Maine	907	0.071	0.066 - 0.075	714	0.114	0.105 - 0.122	193	0.029	0.025 - 0.034
Maryland	1,398	0.039	0.037 - 0.041	1,092	0.061	0.058 - 0.065	306	0.017	0.015 - 0.019
MI - Detroit	1,441	0.054	0.052 - 0.057	1,115	0.085	0.080 - 0.090	325	0.024	0.022 - 0.027
Minnesota	2,427	0.051	0.049 - 0.053	1,880	0.079	0.075 - 0.083	547	0.023	0.021 - 0.025
Mississippi	855	0.048	0.045 - 0.051	662	0.075	0.070 - 0.081	193	0.021	0.019 - 0.025
Missouri	2,286	0.044	0.043 - 0.046	1,784	0.070	0.067 - 0.073	502	0.019	0.018 - 0.021
Montana	546	0.057	0.052 - 0.062	418	0.086	0.078 - 0.095	128	0.027	0.022 - 0.032
Nebraska	802	0.047	0.043 - 0.050	633	0.074	0.068 - 0.080	169	0.020	0.017 - 0.023
New Hampshire	874	0.068	0.064 - 0.073	659	0.104	0.096 - 0.112	215	0.033	0.029 - 0.038
New Jersey	3,746	0.058	0.056 - 0.060	2,781	0.087	0.084 - 0.091	965	0.029	0.027 - 0.031
New Mexico	560	0.032	0.030 - 0.035	416	0.048	0.044 - 0.053	144	0.016	0.014 - 0.019
New York	8,175	0.059	0.058 - 0.061	6,174	0.091	0.089 - 0.094	2,001	0.029	0.027 - 0.030
North Carolina	3,647	0.049	0.047 - 0.050	2,828	0.077	0.074 - 0.080	819	0.022	0.020 - 0.023
North Dakota	277	0.041	0.037 - 0.046	211	0.061	0.053 - 0.070	66	0.020	0.016 - 0.026
Ohio	5,097	0.053	0.051 - 0.054	3,989	0.084	0.081 - 0.086	1,108	0.023	0.021 - 0.024
Oklahoma	1,202	0.039	0.037 - 0.042	954	0.063	0.059 - 0.067	248	0.016	0.014 - 0.018
Oregon	1,749	0.047	0.045 - 0.049	1,388	0.075	0.071 - 0.079	361	0.019	0.017 - 0.021
Pennsylvania	6,209	0.059	0.057 - 0.060	4,761	0.092	0.089 - 0.094	1,448	0.027	0.026 - 0.028
Rhode Island	580	0.064	0.059 - 0.070	440	0.101	0.091 - 0.111	140	0.030	0.025 - 0.036
South Carolina	1,589	0.045	0.042 - 0.047	1,241	0.071	0.067 - 0.075	348	0.019	0.017 - 0.021
Tennessee	2,664	0.049	0.047 - 0.051	2,070	0.078	0.075 - 0.081	594	0.022	0.020 - 0.023
Texas	6,281	0.027	0.027 - 0.028	4,956	0.043	0.042 - 0.044	1,325	0.012	0.011 - 0.012
Utah	811	0.028	0.026 - 0.030	679	0.046	0.043 - 0.050	132	0.009	0.008 - 0.011
Vermont	374	0.063	0.056 - 0.069	283	0.096	0.085 - 0.108	91	0.030	0.024 - 0.037
Washington	2,721	0.044	0.043 - 0.046	2,135	0.069	0.066 - 0.072	586	0.019	0.018 - 0.021
WA - Seattle	1,916	0.048	0.046 - 0.050	1,499	0.074	0.071 - 0.078	418	0.021	0.019 - 0.023
West Virginia	959	0.056	0.053 - 0.060	749	0.089	0.083 - 0.096	210	0.024	0.021 - 0.028
Wisconsin	2,706	0.053	0.051 - 0.055	2,107	0.083	0.079 - 0.086	599	0.023	0.022 - 0.025
Wyoming	253	0.046	0.041 - 0.053	201	0.073	0.063 - 0.083	52	0.019	0.015 - 0.026

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-42 Prevalence – Urinary Bladder

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	96,051	0.038	0.037 - 0.038	61,130	0.048	0.048 - 0.049	34,931	0.027	0.027 - 0.027
Alabama	1,392	0.041	0.038 - 0.043	857	0.051	0.048 - 0.054	535	0.031	0.028 - 0.033
Alaska	165	0.033	0.028 - 0.038	109	0.041	0.034 - 0.049	56	0.024	0.018 - 0.031
Arizona	2,144	0.035	0.034 - 0.037	1,367	0.045	0.043 - 0.048	777	0.025	0.024 - 0.027
Arkansas	1,150	0.047	0.045 - 0.050	707	0.059	0.055 - 0.064	443	0.036	0.033 - 0.040
California	8,989	0.031	0.030 - 0.032	5,713	0.039	0.038 - 0.040	3,276	0.023	0.022 - 0.023
CA - Greater California	5,611	0.032	0.032 - 0.033	3,585	0.041	0.040 - 0.043	2,026	0.023	0.022 - 0.024
CA - Greater Bay Area	1,376	0.030	0.029 - 0.032	913	0.040	0.037 - 0.042	463	0.021	0.019 - 0.023
CA - Los Angeles	2,000	0.028	0.026 - 0.029	1,215	0.034	0.032 - 0.036	785	0.022	0.020 - 0.023
Colorado	1,453	0.029	0.027 - 0.030	929	0.036	0.034 - 0.039	524	0.021	0.019 - 0.023
Connecticut	1,127	0.039	0.037 - 0.041	736	0.052	0.048 - 0.056	391	0.026	0.024 - 0.029
Delaware	291	0.043	0.038 - 0.048	188	0.056	0.049 - 0.065	103	0.029	0.024 - 0.036
District of Columbia	40	0.012	0.009 - 0.017	25	0.015	0.010 - 0.023	15	0.009	0.005 - 0.015
Florida	6,168	0.037	0.036 - 0.038	3,971	0.048	0.047 - 0.050	2,197	0.026	0.025 - 0.027
Georgia	2,381	0.037	0.035 - 0.038	1,531	0.048	0.045 - 0.050	850	0.026	0.024 - 0.028
Hawaii	119	0.033	0.027 - 0.039	89	0.045	0.037 - 0.056	30	0.018	0.012 - 0.026
Idaho	550	0.033	0.030 - 0.036	367	0.044	0.039 - 0.048	183	0.022	0.019 - 0.025
Illinois	3,868	0.039	0.038 - 0.040	2,407	0.049	0.047 - 0.051	1,461	0.029	0.028 - 0.031
Indiana	2,312	0.040	0.038 - 0.042	1,401	0.049	0.047 - 0.052	911	0.031	0.029 - 0.033
Iowa	1,263	0.044	0.041 - 0.046	825	0.058	0.054 - 0.062	439	0.030	0.027 - 0.033
Kansas	1,113	0.044	0.041 - 0.046	699	0.055	0.051 - 0.059	414	0.032	0.029 - 0.035
Kentucky	1,810	0.046	0.044 - 0.048	1,128	0.058	0.055 - 0.061	682	0.034	0.031 - 0.037
Louisiana	1,552	0.052	0.050 - 0.055	987	0.067	0.063 - 0.072	565	0.038	0.035 - 0.041
Maine	540	0.042	0.039 - 0.046	363	0.058	0.052 - 0.064	177	0.027	0.023 - 0.031
Maryland	1,248	0.035	0.033 - 0.036	769	0.043	0.040 - 0.046	479	0.026	0.024 - 0.029
MI - Detroit	1,014	0.038	0.036 - 0.041	638	0.049	0.045 - 0.053	377	0.028	0.025 - 0.031
Minnesota	1,889	0.039	0.038 - 0.041	1,249	0.052	0.050 - 0.055	640	0.027	0.025 - 0.029
Mississippi	898	0.050	0.047 - 0.054	585	0.067	0.061 - 0.072	313	0.035	0.031 - 0.039
Missouri	2,186	0.042	0.041 - 0.044	1,378	0.054	0.051 - 0.057	808	0.031	0.029 - 0.033
Montana	387	0.040	0.036 - 0.044	252	0.052	0.046 - 0.059	135	0.028	0.024 - 0.033
Nebraska	634	0.037	0.034 - 0.040	390	0.045	0.041 - 0.050	244	0.028	0.025 - 0.032
New Hampshire	557	0.044	0.040 - 0.047	381	0.060	0.054 - 0.067	176	0.027	0.023 - 0.032
New Jersey	2,573	0.040	0.038 - 0.041	1,664	0.052	0.050 - 0.055	909	0.028	0.026 - 0.029
New Mexico	539	0.031	0.028 - 0.034	331	0.038	0.034 - 0.043	208	0.024	0.021 - 0.027
New York	5,503	0.040	0.039 - 0.041	3,552	0.052	0.051 - 0.054	1,951	0.028	0.027 - 0.029
North Carolina	2,814	0.038	0.036 - 0.039	1,831	0.050	0.047 - 0.052	983	0.026	0.024 - 0.028
North Dakota	259	0.039	0.034 - 0.044	177	0.052	0.044 - 0.060	82	0.025	0.020 - 0.031
Ohio	3,794	0.039	0.038 - 0.040	2,325	0.049	0.047 - 0.051	1,469	0.030	0.028 - 0.031
Oklahoma	1,216	0.040	0.038 - 0.042	724	0.048	0.045 - 0.052	492	0.032	0.029 - 0.035
Oregon	1,344	0.036	0.034 - 0.038	900	0.049	0.045 - 0.052	444	0.024	0.021 - 0.026
Pennsylvania	4,231	0.040	0.039 - 0.041	2,752	0.053	0.051 - 0.055	1,479	0.027	0.026 - 0.029
Rhode Island	330	0.037	0.033 - 0.041	220	0.050	0.044 - 0.057	110	0.024	0.020 - 0.029
South Carolina	1,405	0.039	0.037 - 0.042	902	0.052	0.048 - 0.055	503	0.028	0.025 - 0.030
Tennessee	2,374	0.044	0.042 - 0.046	1,533	0.058	0.055 - 0.061	841	0.031	0.029 - 0.033
Texas	8,536	0.037	0.036 - 0.038	5,321	0.046	0.045 - 0.048	3,215	0.028	0.027 - 0.029
Utah	684	0.023	0.022 - 0.025	439	0.030	0.027 - 0.033	245	0.017	0.015 - 0.019
Vermont	241	0.040	0.035 - 0.046	146	0.050	0.042 - 0.058	95	0.031	0.025 - 0.038
Washington	1,984	0.032	0.031 - 0.034	1,281	0.042	0.039 - 0.044	703	0.023	0.021 - 0.025
WA - Seattle	1,366	0.034	0.032 - 0.036	896	0.045	0.042 - 0.048	470	0.024	0.021 - 0.026
West Virginia	881	0.052	0.048 - 0.055	504	0.060	0.055 - 0.065	377	0.044	0.039 - 0.048
Wisconsin	2,108	0.041	0.039 - 0.043	1,377	0.054	0.051 - 0.057	731	0.028	0.026 - 0.031
Wyoming	173	0.032	0.027 - 0.037	111	0.040	0.033 - 0.048	62	0.023	0.018 - 0.030

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	23,617	0.009	0.009 - 0.009	13,242	0.010	0.010 - 0.011	10,377	0.008	0.008 - 0.008
Alabama	326	0.009	0.008 - 0.011	173	0.010	0.009 - 0.012	153	0.009	0.007 - 0.010
Alaska	50	0.010	0.007 - 0.013	35	0.013	0.009 - 0.018	15	0.006	0.004 - 0.010
Arizona	490	0.008	0.007 - 0.009	280	0.009	0.008 - 0.010	210	0.007	0.006 - 0.008
Arkansas	236	0.010	0.009 - 0.011	139	0.012	0.010 - 0.014	97	0.008	0.006 - 0.010
California	2,438	0.008	0.008 - 0.009	1,411	0.010	0.009 - 0.010	1,027	0.007	0.007 - 0.008
CA - Greater California	1,431	0.008	0.008 - 0.009	811	0.009	0.009 - 0.010	621	0.007	0.007 - 0.008
CA - Greater Bay Area	446	0.010	0.009 - 0.011	266	0.012	0.010 - 0.013	179	0.008	0.007 - 0.009
CA - Los Angeles	560	0.008	0.007 - 0.008	333	0.009	0.008 - 0.010	227	0.006	0.005 - 0.007
Colorado	440	0.009	0.008 - 0.010	236	0.009	0.008 - 0.010	204	0.008	0.007 - 0.009
Connecticut	318	0.011	0.010 - 0.012	177	0.013	0.011 - 0.015	141	0.010	0.008 - 0.011
Delaware	76	0.011	0.009 - 0.014	41	0.012	0.009 - 0.017	35	0.010	0.007 - 0.014
District of Columbia	28	0.009	0.006 - 0.012	15	0.009	0.005 - 0.015	13	0.008	0.004 - 0.014
Florida	1,657	0.010	0.009 - 0.010	926	0.011	0.011 - 0.012	731	0.009	0.008 - 0.009
Georgia	533	0.008	0.008 - 0.009	273	0.009	0.008 - 0.010	260	0.008	0.007 - 0.009
Hawaii	38	0.011	0.008 - 0.015	28	0.014	0.010 - 0.021	10	0.006	0.003 - 0.011
Idaho	143	0.009	0.007 - 0.010	87	0.010	0.008 - 0.013	56	0.007	0.005 - 0.009
Illinois	939	0.010	0.009 - 0.010	536	0.011	0.010 - 0.012	403	0.008	0.007 - 0.009
Indiana	511	0.009	0.008 - 0.010	290	0.010	0.009 - 0.011	221	0.008	0.007 - 0.009
Iowa	295	0.010	0.009 - 0.011	160	0.011	0.009 - 0.013	135	0.009	0.008 - 0.011
Kansas	222	0.009	0.008 - 0.010	138	0.011	0.009 - 0.013	84	0.007	0.005 - 0.008
Kentucky	399	0.010	0.009 - 0.011	233	0.012	0.010 - 0.014	166	0.008	0.007 - 0.010
Louisiana	264	0.009	0.008 - 0.010	165	0.011	0.010 - 0.013	99	0.007	0.005 - 0.008
Maine	139	0.011	0.009 - 0.013	77	0.012	0.010 - 0.015	62	0.009	0.007 - 0.012
Maryland	309	0.009	0.008 - 0.010	175	0.010	0.008 - 0.011	134	0.007	0.006 - 0.009
MI - Detroit	254	0.010	0.008 - 0.011	147	0.011	0.009 - 0.013	107	0.008	0.007 - 0.010
Minnesota	494	0.010	0.009 - 0.011	297	0.012	0.011 - 0.014	197	0.008	0.007 - 0.009
Mississippi	162	0.009	0.008 - 0.011	82	0.009	0.007 - 0.012	80	0.009	0.007 - 0.011
Missouri	471	0.009	0.008 - 0.010	246	0.010	0.009 - 0.011	225	0.009	0.008 - 0.010
Montana	90	0.009	0.008 - 0.012	50	0.010	0.008 - 0.013	41	0.009	0.006 - 0.012
Nebraska	170	0.010	0.008 - 0.011	79	0.009	0.007 - 0.011	91	0.011	0.008 - 0.013
New Hampshire	148	0.012	0.010 - 0.014	80	0.013	0.010 - 0.016	68	0.011	0.008 - 0.013
New Jersey	705	0.011	0.010 - 0.012	368	0.012	0.010 - 0.013	338	0.010	0.009 - 0.011
New Mexico	127	0.007	0.006 - 0.009	69	0.008	0.006 - 0.010	57	0.007	0.005 - 0.008
New York	1,462	0.011	0.010 - 0.011	812	0.012	0.011 - 0.013	650	0.009	0.009 - 0.010
North Carolina	700	0.009	0.009 - 0.010	396	0.011	0.010 - 0.012	304	0.008	0.007 - 0.009
North Dakota	58	0.009	0.007 - 0.011	36	0.010	0.007 - 0.015	22	0.007	0.004 - 0.010
Ohio	990	0.010	0.010 - 0.011	573	0.012	0.011 - 0.013	417	0.008	0.008 - 0.009
Oklahoma	246	0.008	0.007 - 0.009	140	0.009	0.008 - 0.011	106	0.007	0.006 - 0.008
Oregon	338	0.009	0.008 - 0.010	194	0.010	0.009 - 0.012	144	0.008	0.006 - 0.009
Pennsylvania	1,047	0.010	0.009 - 0.011	580	0.011	0.010 - 0.012	467	0.009	0.008 - 0.009
Rhode Island	90	0.010	0.008 - 0.012	43	0.010	0.007 - 0.013	47	0.010	0.007 - 0.013
South Carolina	310	0.009	0.008 - 0.010	174	0.010	0.009 - 0.012	136	0.008	0.006 - 0.009
Tennessee	484	0.009	0.008 - 0.010	265	0.010	0.009 - 0.011	219	0.008	0.007 - 0.009
Texas	1,835	0.008	0.008 - 0.008	1,003	0.009	0.008 - 0.009	832	0.007	0.007 - 0.008
Utah	255	0.009	0.008 - 0.010	146	0.010	0.008 - 0.012	109	0.007	0.006 - 0.009
Vermont	69	0.012	0.009 - 0.015	41	0.014	0.010 - 0.019	28	0.009	0.006 - 0.013
Washington	640	0.010	0.010 - 0.011	372	0.012	0.011 - 0.013	268	0.009	0.008 - 0.010
WA - Seattle	442	0.011	0.010 - 0.012	253	0.013	0.011 - 0.014	189	0.009	0.008 - 0.011
West Virginia	170	0.010	0.009 - 0.012	89	0.011	0.009 - 0.013	81	0.009	0.007 - 0.012
Wisconsin	523	0.010	0.009 - 0.011	285	0.011	0.010 - 0.013	238	0.009	0.008 - 0.011
Wyoming	37	0.007	0.005 - 0.009	17	0.006	0.004 - 0.010	20	0.007	0.005 - 0.012

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-44 Prevalence – Brain and Other Nervous System

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	74,184	0.029	0.029 - 0.029	19,912	0.016	0.016 - 0.016	54,275	0.042	0.042 - 0.043
Alabama	774	0.023	0.021 - 0.024	188	0.011	0.010 - 0.013	586	0.033	0.031 - 0.036
Alaska	134	0.027	0.022 - 0.031	39	0.015	0.010 - 0.020	95	0.040	0.032 - 0.049
Arizona	1,549	0.026	0.024 - 0.027	401	0.013	0.012 - 0.015	1,148	0.038	0.035 - 0.040
Arkansas	647	0.027	0.025 - 0.029	168	0.014	0.012 - 0.016	479	0.039	0.036 - 0.043
California	7,749	0.027	0.026 - 0.027	2,003	0.014	0.013 - 0.014	5,747	0.040	0.039 - 0.041
CA - Greater California	4,620	0.027	0.026 - 0.027	1,183	0.014	0.013 - 0.014	3,437	0.040	0.038 - 0.041
CA - Greater Bay Area	1,201	0.026	0.025 - 0.028	337	0.015	0.013 - 0.016	864	0.039	0.036 - 0.041
CA - Los Angeles	1,928	0.027	0.025 - 0.028	483	0.013	0.012 - 0.015	1,445	0.040	0.038 - 0.042
Colorado	1,488	0.029	0.028 - 0.031	408	0.016	0.014 - 0.018	1,080	0.043	0.040 - 0.046
Connecticut	1,024	0.035	0.033 - 0.038	276	0.020	0.017 - 0.022	749	0.051	0.047 - 0.054
Delaware	249	0.036	0.032 - 0.041	64	0.019	0.015 - 0.025	185	0.053	0.045 - 0.061
District of Columbia	85	0.026	0.021 - 0.032	27	0.016	0.011 - 0.024	58	0.035	0.027 - 0.046
Florida	4,694	0.028	0.027 - 0.029	1,194	0.015	0.014 - 0.015	3,500	0.041	0.040 - 0.042
Georgia	1,870	0.029	0.028 - 0.030	531	0.017	0.015 - 0.018	1,340	0.041	0.039 - 0.043
Hawaii	79	0.022	0.017 - 0.027	18	0.009	0.005 - 0.015	61	0.037	0.028 - 0.047
Idaho	420	0.025	0.023 - 0.028	119	0.014	0.012 - 0.017	301	0.036	0.032 - 0.040
Illinois	2,899	0.029	0.028 - 0.030	817	0.017	0.016 - 0.018	2,082	0.042	0.040 - 0.044
Indiana	1,453	0.025	0.024 - 0.027	379	0.013	0.012 - 0.015	1,074	0.037	0.035 - 0.039
Iowa	817	0.028	0.026 - 0.030	214	0.015	0.013 - 0.017	603	0.041	0.038 - 0.045
Kansas	674	0.026	0.024 - 0.028	179	0.014	0.012 - 0.016	495	0.038	0.035 - 0.042
Kentucky	1,250	0.032	0.030 - 0.033	327	0.017	0.015 - 0.019	923	0.046	0.043 - 0.049
Louisiana	1,113	0.038	0.035 - 0.040	299	0.020	0.018 - 0.023	814	0.054	0.051 - 0.058
Maine	378	0.029	0.027 - 0.033	120	0.019	0.016 - 0.023	258	0.039	0.035 - 0.044
Maryland	1,099	0.030	0.029 - 0.032	281	0.016	0.014 - 0.018	818	0.045	0.042 - 0.048
MI - Detroit	897	0.034	0.032 - 0.036	238	0.018	0.016 - 0.021	659	0.049	0.046 - 0.053
Minnesota	1,245	0.026	0.025 - 0.027	372	0.016	0.014 - 0.017	873	0.036	0.034 - 0.039
Mississippi	394	0.022	0.020 - 0.024	104	0.012	0.010 - 0.014	290	0.032	0.029 - 0.036
Missouri	1,302	0.025	0.024 - 0.027	341	0.013	0.012 - 0.015	961	0.037	0.034 - 0.039
Montana	282	0.029	0.026 - 0.033	98	0.020	0.016 - 0.025	184	0.038	0.033 - 0.044
Nebraska	581	0.034	0.031 - 0.037	136	0.016	0.013 - 0.019	445	0.052	0.047 - 0.057
New Hampshire	389	0.030	0.027 - 0.034	108	0.017	0.014 - 0.021	281	0.043	0.039 - 0.049
New Jersey	2,682	0.041	0.040 - 0.043	705	0.022	0.021 - 0.024	1,977	0.060	0.057 - 0.063
New Mexico	544	0.031	0.029 - 0.034	160	0.019	0.016 - 0.022	384	0.044	0.039 - 0.048
New York	5,538	0.040	0.039 - 0.041	1,520	0.022	0.021 - 0.024	4,018	0.057	0.055 - 0.059
North Carolina	1,872	0.025	0.024 - 0.026	477	0.013	0.012 - 0.014	1,395	0.037	0.035 - 0.039
North Dakota	222	0.033	0.029 - 0.038	68	0.020	0.015 - 0.025	154	0.047	0.040 - 0.055
Ohio	3,150	0.033	0.031 - 0.034	803	0.017	0.016 - 0.018	2,347	0.048	0.046 - 0.050
Oklahoma	716	0.023	0.022 - 0.025	183	0.012	0.010 - 0.014	533	0.035	0.032 - 0.038
Oregon	996	0.027	0.025 - 0.028	251	0.014	0.012 - 0.015	745	0.040	0.037 - 0.043
Pennsylvania	4,057	0.038	0.037 - 0.040	1,125	0.022	0.020 - 0.023	2,932	0.054	0.052 - 0.056
Rhode Island	341	0.038	0.034 - 0.042	98	0.022	0.018 - 0.027	243	0.052	0.046 - 0.059
South Carolina	834	0.023	0.022 - 0.025	244	0.014	0.012 - 0.016	590	0.033	0.030 - 0.035
Tennessee	1,359	0.025	0.024 - 0.026	409	0.015	0.014 - 0.017	950	0.034	0.032 - 0.037
Texas	5,467	0.024	0.023 - 0.024	1,420	0.012	0.012 - 0.013	4,047	0.035	0.034 - 0.036
Utah	865	0.030	0.028 - 0.032	232	0.016	0.014 - 0.018	633	0.043	0.040 - 0.047
Vermont	182	0.030	0.026 - 0.035	46	0.016	0.011 - 0.021	136	0.045	0.038 - 0.053
Washington	1,538	0.025	0.024 - 0.026	459	0.015	0.014 - 0.016	1,079	0.035	0.033 - 0.037
WA - Seattle	1,092	0.027	0.026 - 0.029	335	0.017	0.015 - 0.019	757	0.038	0.035 - 0.041
West Virginia	658	0.039	0.036 - 0.042	182	0.022	0.019 - 0.025	476	0.055	0.050 - 0.060
Wisconsin	1,481	0.029	0.027 - 0.030	423	0.017	0.015 - 0.018	1,058	0.041	0.039 - 0.044
Wyoming	174	0.032	0.027 - 0.037	47	0.017	0.012 - 0.023	127	0.048	0.040 - 0.057

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	12,744	0.005	0.005 - 0.005	6,975	0.006	0.005 - 0.006	5,769	0.004	0.004 - 0.005
Alabama	139	0.004	0.003 - 0.005	82	0.005	0.004 - 0.006	57	0.003	0.002 - 0.004
Alaska	27	0.005	0.004 - 0.008	*	*		*	*	
Arizona	222	0.004	0.003 - 0.004	125	0.004	0.003 - 0.005	97	0.003	0.003 - 0.004
Arkansas	115	0.005	0.004 - 0.006	63	0.005	0.004 - 0.007	52	0.004	0.003 - 0.006
California	1,260	0.004	0.004 - 0.005	707	0.005	0.004 - 0.005	552	0.004	0.003 - 0.004
CA - Greater California	743	0.004	0.004 - 0.005	415	0.005	0.004 - 0.005	328	0.004	0.003 - 0.004
CA - Greater Bay Area	240	0.005	0.005 - 0.006	130	0.006	0.005 - 0.007	110	0.005	0.004 - 0.006
CA - Los Angeles	277	0.004	0.003 - 0.004	162	0.004	0.004 - 0.005	115	0.003	0.003 - 0.004
Colorado	240	0.005	0.004 - 0.005	139	0.005	0.005 - 0.006	101	0.004	0.003 - 0.005
Connecticut	173	0.006	0.005 - 0.007	103	0.007	0.006 - 0.009	70	0.005	0.004 - 0.006
Delaware	29	0.004	0.003 - 0.006	18	0.005	0.003 - 0.009	11	0.003	0.002 - 0.006
District of Columbia	20	0.006	0.004 - 0.009	*	*		*	*	
Florida	1,074	0.006	0.006 - 0.007	550	0.007	0.006 - 0.007	524	0.006	0.006 - 0.007
Georgia	282	0.004	0.004 - 0.005	148	0.005	0.004 - 0.005	134	0.004	0.003 - 0.005
Hawaii	23	0.006	0.004 - 0.010	*	*		*	*	
Idaho	70	0.004	0.003 - 0.005	41	0.005	0.004 - 0.007	29	0.003	0.002 - 0.005
Illinois	563	0.006	0.005 - 0.006	294	0.006	0.005 - 0.007	269	0.005	0.005 - 0.006
Indiana	322	0.006	0.005 - 0.006	180	0.006	0.005 - 0.007	142	0.005	0.004 - 0.006
Iowa	139	0.005	0.004 - 0.006	82	0.006	0.005 - 0.007	57	0.004	0.003 - 0.005
Kansas	106	0.004	0.003 - 0.005	60	0.005	0.004 - 0.006	46	0.004	0.003 - 0.005
Kentucky	194	0.005	0.004 - 0.006	114	0.006	0.005 - 0.007	80	0.004	0.003 - 0.005
Louisiana	162	0.005	0.005 - 0.006	86	0.006	0.005 - 0.007	76	0.005	0.004 - 0.006
Maine	69	0.005	0.004 - 0.007	38	0.006	0.004 - 0.008	31	0.005	0.003 - 0.007
Maryland	172	0.005	0.004 - 0.006	83	0.005	0.004 - 0.006	89	0.005	0.004 - 0.006
MI - Detroit	151	0.006	0.005 - 0.007	79	0.006	0.005 - 0.008	72	0.005	0.004 - 0.007
Minnesota	292	0.006	0.005 - 0.007	156	0.007	0.006 - 0.008	136	0.006	0.005 - 0.007
Mississippi	81	0.005	0.004 - 0.006	45	0.005	0.004 - 0.007	36	0.004	0.003 - 0.006
Missouri	251	0.005	0.004 - 0.006	141	0.006	0.005 - 0.007	110	0.004	0.003 - 0.005
Montana	43	0.004	0.003 - 0.006	20	0.004	0.003 - 0.006	23	0.005	0.003 - 0.007
Nebraska	77	0.004	0.004 - 0.006	41	0.005	0.003 - 0.006	36	0.004	0.003 - 0.006
New Hampshire	76	0.006	0.005 - 0.007	42	0.007	0.005 - 0.009	34	0.005	0.004 - 0.007
New Jersey	434	0.007	0.006 - 0.007	240	0.008	0.007 - 0.009	194	0.006	0.005 - 0.007
New Mexico	62	0.004	0.003 - 0.005	38	0.004	0.003 - 0.006	24	0.003	0.002 - 0.004
New York	845	0.006	0.006 - 0.007	476	0.007	0.006 - 0.008	369	0.005	0.005 - 0.006
North Carolina	347	0.005	0.004 - 0.005	178	0.005	0.004 - 0.006	169	0.004	0.004 - 0.005
North Dakota	31	0.005	0.003 - 0.007	15	0.004	0.002 - 0.007	16	0.005	0.003 - 0.008
Ohio	478	0.005	0.005 - 0.005	243	0.005	0.004 - 0.006	235	0.005	0.004 - 0.005
Oklahoma	108	0.004	0.003 - 0.004	58	0.004	0.003 - 0.005	50	0.003	0.002 - 0.004
Oregon	187	0.005	0.004 - 0.006	102	0.006	0.004 - 0.007	85	0.005	0.004 - 0.006
Pennsylvania	648	0.006	0.006 - 0.007	350	0.007	0.006 - 0.007	298	0.006	0.005 - 0.006
Rhode Island	61	0.007	0.005 - 0.009	31	0.007	0.005 - 0.010	30	0.006	0.004 - 0.009
South Carolina	159	0.004	0.004 - 0.005	86	0.005	0.004 - 0.006	73	0.004	0.003 - 0.005
Tennessee	238	0.004	0.004 - 0.005	129	0.005	0.004 - 0.006	109	0.004	0.003 - 0.005
Texas	925	0.004	0.004 - 0.004	528	0.005	0.004 - 0.005	397	0.003	0.003 - 0.004
Utah	131	0.004	0.004 - 0.005	64	0.004	0.003 - 0.006	67	0.005	0.004 - 0.006
Vermont	32	0.005	0.004 - 0.008	19	0.006	0.004 - 0.010	13	0.004	0.002 - 0.007
Washington	262	0.004	0.004 - 0.005	147	0.005	0.004 - 0.006	115	0.004	0.003 - 0.005
WA - Seattle	189	0.005	0.004 - 0.005	106	0.005	0.004 - 0.006	83	0.004	0.003 - 0.005
West Virginia	82	0.005	0.004 - 0.006	51	0.006	0.005 - 0.008	31	0.004	0.002 - 0.005
Wisconsin	298	0.006	0.005 - 0.007	166	0.007	0.006 - 0.008	132	0.005	0.004 - 0.006
Wyoming	27	0.005	0.003 - 0.007	16	0.006	0.003 - 0.009	11	0.004	0.002 - 0.007

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-46 Prevalence – Hodgkin Lymphoma

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	100,138	0.039	0.039 - 0.040	54,947	0.043	0.043 - 0.044	45,194	0.035	0.035 - 0.036
Alabama	1,171	0.034	0.032 - 0.036	652	0.039	0.036 - 0.042	519	0.030	0.027 - 0.032
Alaska	159	0.031	0.027 - 0.037	96	0.036	0.029 - 0.044	63	0.026	0.020 - 0.034
Arizona	1,906	0.031	0.030 - 0.033	1,082	0.036	0.034 - 0.038	824	0.027	0.025 - 0.029
Arkansas	902	0.037	0.035 - 0.040	503	0.042	0.038 - 0.046	399	0.033	0.029 - 0.036
California	9,746	0.034	0.033 - 0.034	5,404	0.037	0.036 - 0.038	4,342	0.030	0.029 - 0.031
CA - Greater California	5,605	0.032	0.032 - 0.033	3,120	0.036	0.035 - 0.037	2,485	0.029	0.028 - 0.030
CA - Greater Bay Area	1,994	0.044	0.042 - 0.046	1,113	0.048	0.046 - 0.051	881	0.039	0.037 - 0.042
CA - Los Angeles	2,144	0.030	0.028 - 0.031	1,170	0.032	0.031 - 0.034	974	0.027	0.025 - 0.029
Colorado	1,587	0.031	0.030 - 0.033	889	0.035	0.033 - 0.037	698	0.028	0.026 - 0.030
Connecticut	1,360	0.047	0.045 - 0.050	732	0.052	0.048 - 0.056	628	0.043	0.039 - 0.046
Delaware	292	0.043	0.038 - 0.048	171	0.051	0.044 - 0.060	121	0.034	0.029 - 0.041
District of Columbia	70	0.021	0.017 - 0.027	48	0.029	0.022 - 0.039	22	0.013	0.008 - 0.020
Florida	8,680	0.052	0.051 - 0.053	4,692	0.057	0.055 - 0.059	3,988	0.047	0.045 - 0.048
Georgia	2,329	0.036	0.034 - 0.037	1,282	0.040	0.038 - 0.042	1,047	0.032	0.030 - 0.034
Hawaii	152	0.042	0.036 - 0.049	102	0.052	0.043 - 0.063	50	0.030	0.022 - 0.040
Idaho	584	0.035	0.032 - 0.038	337	0.040	0.036 - 0.045	247	0.030	0.026 - 0.033
Illinois	3,865	0.039	0.038 - 0.040	2,076	0.042	0.041 - 0.044	1,789	0.036	0.034 - 0.038
Indiana	2,139	0.037	0.036 - 0.039	1,158	0.041	0.038 - 0.043	981	0.034	0.032 - 0.036
Iowa	1,292	0.045	0.042 - 0.047	722	0.050	0.047 - 0.054	570	0.039	0.036 - 0.042
Kansas	915	0.036	0.033 - 0.038	515	0.041	0.037 - 0.044	400	0.031	0.028 - 0.034
Kentucky	1,583	0.040	0.038 - 0.042	822	0.042	0.039 - 0.045	760	0.038	0.035 - 0.041
Louisiana	1,203	0.041	0.038 - 0.043	675	0.046	0.043 - 0.050	528	0.035	0.032 - 0.038
Maine	610	0.047	0.044 - 0.051	350	0.056	0.050 - 0.062	260	0.040	0.035 - 0.045
Maryland	1,513	0.042	0.040 - 0.044	806	0.045	0.042 - 0.048	707	0.039	0.036 - 0.042
MI - Detroit	1,200	0.045	0.043 - 0.048	639	0.049	0.045 - 0.053	561	0.042	0.039 - 0.046
Minnesota	2,231	0.047	0.045 - 0.049	1,247	0.052	0.050 - 0.055	984	0.041	0.038 - 0.044
Mississippi	666	0.037	0.035 - 0.040	376	0.043	0.039 - 0.047	290	0.032	0.029 - 0.036
Missouri	1,982	0.038	0.037 - 0.040	1,084	0.043	0.040 - 0.045	898	0.034	0.032 - 0.037
Montana	387	0.040	0.036 - 0.044	234	0.048	0.042 - 0.055	153	0.032	0.027 - 0.037
Nebraska	704	0.041	0.038 - 0.044	372	0.043	0.039 - 0.048	332	0.038	0.034 - 0.043
New Hampshire	582	0.045	0.042 - 0.049	333	0.053	0.047 - 0.059	249	0.038	0.034 - 0.044
New Jersey	3,344	0.052	0.050 - 0.053	1,797	0.056	0.054 - 0.059	1,547	0.047	0.045 - 0.049
New Mexico	515	0.030	0.027 - 0.032	271	0.031	0.028 - 0.035	243	0.028	0.024 - 0.031
New York	6,712	0.049	0.048 - 0.050	3,529	0.052	0.050 - 0.054	3,183	0.045	0.044 - 0.047
North Carolina	2,810	0.038	0.036 - 0.039	1,534	0.042	0.040 - 0.044	1,276	0.034	0.032 - 0.035
North Dakota	246	0.037	0.032 - 0.041	145	0.042	0.036 - 0.050	101	0.031	0.025 - 0.037
Ohio	3,981	0.041	0.040 - 0.042	2,176	0.046	0.044 - 0.048	1,805	0.037	0.035 - 0.038
Oklahoma	990	0.032	0.030 - 0.035	526	0.035	0.032 - 0.038	464	0.030	0.027 - 0.033
Oregon	1,390	0.037	0.035 - 0.039	790	0.043	0.040 - 0.046	600	0.032	0.029 - 0.035
Pennsylvania	4,910	0.046	0.045 - 0.048	2,573	0.049	0.048 - 0.051	2,337	0.043	0.042 - 0.045
Rhode Island	349	0.039	0.035 - 0.043	195	0.045	0.039 - 0.051	154	0.033	0.028 - 0.039
South Carolina	1,320	0.037	0.035 - 0.039	758	0.043	0.040 - 0.047	562	0.031	0.029 - 0.034
Tennessee	2,038	0.038	0.036 - 0.039	1,121	0.042	0.040 - 0.045	917	0.033	0.031 - 0.036
Texas	6,815	0.030	0.029 - 0.030	3,837	0.033	0.032 - 0.035	2,978	0.026	0.025 - 0.027
Utah	783	0.027	0.025 - 0.029	460	0.031	0.028 - 0.034	323	0.022	0.020 - 0.025
Vermont	247	0.041	0.036 - 0.047	130	0.044	0.037 - 0.052	117	0.039	0.032 - 0.046
Washington	2,418	0.039	0.038 - 0.041	1,356	0.044	0.042 - 0.046	1,062	0.035	0.033 - 0.037
WA - Seattle	1,762	0.044	0.042 - 0.046	995	0.049	0.046 - 0.053	767	0.038	0.036 - 0.041
West Virginia	767	0.045	0.042 - 0.048	429	0.051	0.046 - 0.056	338	0.039	0.035 - 0.044
Wisconsin	2,366	0.046	0.044 - 0.048	1,342	0.053	0.050 - 0.056	1,024	0.040	0.037 - 0.042
Wyoming	196	0.036	0.031 - 0.041	103	0.037	0.030 - 0.045	93	0.035	0.028 - 0.043

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	32,401	0.013	0.013 - 0.013	18,594	0.015	0.014 - 0.015	13,810	0.011	0.011 - 0.011
Alabama	377	0.011	0.010 - 0.012	230	0.014	0.012 - 0.016	147	0.008	0.007 - 0.010
Alaska	50	0.010	0.007 - 0.013	31	0.012	0.008 - 0.016	19	0.008	0.005 - 0.012
Arizona	611	0.010	0.009 - 0.011	374	0.012	0.011 - 0.014	237	0.008	0.007 - 0.009
Arkansas	312	0.013	0.011 - 0.014	172	0.014	0.012 - 0.017	140	0.011	0.010 - 0.013
California	3,135	0.011	0.010 - 0.011	1,794	0.012	0.012 - 0.013	1,341	0.009	0.009 - 0.010
CA - Greater California	1,879	0.011	0.010 - 0.011	1,093	0.013	0.012 - 0.013	786	0.009	0.008 - 0.010
CA - Greater Bay Area	596	0.013	0.012 - 0.014	338	0.015	0.013 - 0.016	258	0.012	0.010 - 0.013
CA - Los Angeles	660	0.009	0.008 - 0.010	363	0.010	0.009 - 0.011	297	0.008	0.007 - 0.009
Colorado	536	0.011	0.010 - 0.012	306	0.012	0.011 - 0.013	230	0.009	0.008 - 0.010
Connecticut	428	0.015	0.013 - 0.016	255	0.018	0.016 - 0.020	173	0.012	0.010 - 0.014
Delaware	91	0.013	0.011 - 0.016	46	0.014	0.010 - 0.018	45	0.013	0.009 - 0.017
District of Columbia	30	0.009	0.006 - 0.013	17	0.010	0.006 - 0.017	13	0.008	0.004 - 0.014
Florida	2,980	0.018	0.017 - 0.018	1,686	0.020	0.020 - 0.021	1,294	0.015	0.014 - 0.016
Georgia	800	0.012	0.012 - 0.013	423	0.013	0.012 - 0.014	377	0.012	0.010 - 0.013
Hawaii	43	0.012	0.009 - 0.016	28	0.014	0.009 - 0.021	15	0.009	0.005 - 0.015
Idaho	209	0.012	0.011 - 0.014	123	0.015	0.012 - 0.017	86	0.010	0.008 - 0.013
Illinois	1,194	0.012	0.011 - 0.013	652	0.013	0.012 - 0.014	542	0.011	0.010 - 0.012
Indiana	686	0.012	0.011 - 0.013	369	0.013	0.012 - 0.014	317	0.011	0.010 - 0.012
Iowa	442	0.015	0.014 - 0.017	255	0.018	0.016 - 0.020	187	0.013	0.011 - 0.015
Kansas	309	0.012	0.011 - 0.014	184	0.014	0.012 - 0.017	125	0.010	0.008 - 0.012
Kentucky	531	0.013	0.012 - 0.015	303	0.016	0.014 - 0.017	228	0.011	0.010 - 0.013
Louisiana	357	0.012	0.011 - 0.013	204	0.014	0.012 - 0.016	154	0.010	0.009 - 0.012
Maine	194	0.015	0.013 - 0.017	114	0.018	0.015 - 0.022	80	0.012	0.010 - 0.015
Maryland	450	0.012	0.011 - 0.014	254	0.014	0.013 - 0.016	196	0.011	0.009 - 0.012
MI - Detroit	367	0.014	0.012 - 0.015	209	0.016	0.014 - 0.018	158	0.012	0.010 - 0.014
Minnesota	658	0.014	0.013 - 0.015	395	0.017	0.015 - 0.018	263	0.011	0.010 - 0.012
Mississippi	243	0.014	0.012 - 0.015	137	0.016	0.013 - 0.018	106	0.012	0.010 - 0.014
Missouri	618	0.012	0.011 - 0.013	353	0.014	0.012 - 0.015	265	0.010	0.009 - 0.011
Montana	147	0.015	0.013 - 0.018	84	0.017	0.014 - 0.021	63	0.013	0.010 - 0.017
Nebraska	197	0.011	0.010 - 0.013	121	0.014	0.012 - 0.017	76	0.009	0.007 - 0.011
New Hampshire	176	0.014	0.012 - 0.016	106	0.017	0.014 - 0.020	70	0.011	0.008 - 0.014
New Jersey	976	0.015	0.014 - 0.016	580	0.018	0.017 - 0.020	396	0.012	0.011 - 0.013
New Mexico	197	0.011	0.010 - 0.013	121	0.014	0.012 - 0.017	76	0.009	0.007 - 0.011
New York	2,171	0.016	0.015 - 0.016	1,248	0.018	0.017 - 0.019	923	0.013	0.012 - 0.014
North Carolina	1,009	0.013	0.013 - 0.014	560	0.015	0.014 - 0.017	449	0.012	0.011 - 0.013
North Dakota	72	0.011	0.008 - 0.013	42	0.012	0.009 - 0.017	30	0.009	0.006 - 0.013
Ohio	1,072	0.011	0.010 - 0.012	602	0.013	0.012 - 0.014	470	0.010	0.009 - 0.010
Oklahoma	324	0.011	0.009 - 0.012	179	0.012	0.010 - 0.014	145	0.009	0.008 - 0.011
Oregon	431	0.012	0.010 - 0.013	265	0.014	0.013 - 0.016	166	0.009	0.008 - 0.010
Pennsylvania	1,508	0.014	0.014 - 0.015	857	0.016	0.015 - 0.018	651	0.012	0.011 - 0.013
Rhode Island	99	0.011	0.009 - 0.013	61	0.014	0.011 - 0.018	38	0.008	0.006 - 0.011
South Carolina	426	0.012	0.011 - 0.013	248	0.014	0.012 - 0.016	178	0.010	0.008 - 0.011
Tennessee	616	0.011	0.010 - 0.012	360	0.014	0.012 - 0.015	256	0.009	0.008 - 0.011
Texas	2,556	0.011	0.011 - 0.012	1,450	0.013	0.012 - 0.013	1,106	0.010	0.009 - 0.010
Utah	262	0.009	0.008 - 0.010	170	0.011	0.010 - 0.013	93	0.006	0.005 - 0.008
Vermont	76	0.013	0.010 - 0.016	47	0.016	0.012 - 0.021	29	0.010	0.006 - 0.014
Washington	784	0.013	0.012 - 0.014	482	0.016	0.014 - 0.017	302	0.010	0.009 - 0.011
WA - Seattle	559	0.014	0.013 - 0.015	346	0.017	0.015 - 0.019	213	0.011	0.009 - 0.012
West Virginia	222	0.013	0.011 - 0.015	128	0.015	0.013 - 0.018	94	0.011	0.009 - 0.013
Wisconsin	729	0.014	0.013 - 0.015	413	0.016	0.015 - 0.018	316	0.012	0.011 - 0.014
Wyoming	61	0.011	0.009 - 0.014	36	0.013	0.009 - 0.018	25	0.009	0.006 - 0.014

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	65,504	0.026	0.026 - 0.026	38,781	0.031	0.030 - 0.031	26,726	0.021	0.021 - 0.021
Alabama	692	0.020	0.019 - 0.022	399	0.024	0.021 - 0.026	293	0.017	0.015 - 0.019
Alaska	92	0.018	0.015 - 0.022	56	0.021	0.016 - 0.027	36	0.015	0.011 - 0.021
Arizona	1,022	0.017	0.016 - 0.018	596	0.020	0.018 - 0.021	426	0.014	0.013 - 0.015
Arkansas	595	0.025	0.023 - 0.027	346	0.029	0.026 - 0.032	249	0.020	0.018 - 0.023
California	5,843	0.020	0.020 - 0.021	3,452	0.024	0.023 - 0.024	2,391	0.016	0.016 - 0.017
CA - Greater California	3,531	0.020	0.020 - 0.021	2,061	0.024	0.023 - 0.025	1,471	0.017	0.016 - 0.018
CA - Greater Bay Area	990	0.022	0.020 - 0.023	586	0.025	0.023 - 0.028	404	0.018	0.016 - 0.020
CA - Los Angeles	1,319	0.018	0.017 - 0.019	804	0.022	0.021 - 0.024	516	0.014	0.013 - 0.016
Colorado	1,042	0.021	0.019 - 0.022	620	0.024	0.022 - 0.026	422	0.017	0.015 - 0.018
Connecticut	918	0.032	0.030 - 0.034	526	0.037	0.034 - 0.041	393	0.027	0.024 - 0.029
Delaware	176	0.026	0.022 - 0.030	111	0.033	0.027 - 0.040	65	0.018	0.014 - 0.024
District of Columbia	51	0.016	0.012 - 0.020	33	0.020	0.014 - 0.028	18	0.011	0.007 - 0.017
Florida	6,013	0.036	0.035 - 0.037	3,428	0.042	0.040 - 0.043	2,585	0.030	0.029 - 0.031
Georgia	1,692	0.026	0.025 - 0.027	986	0.031	0.029 - 0.033	706	0.022	0.020 - 0.023
Hawaii	82	0.023	0.018 - 0.028	50	0.025	0.019 - 0.034	32	0.019	0.013 - 0.027
Idaho	453	0.027	0.025 - 0.030	271	0.032	0.029 - 0.036	182	0.022	0.019 - 0.025
Illinois	2,307	0.023	0.022 - 0.024	1,349	0.028	0.026 - 0.029	958	0.019	0.018 - 0.021
Indiana	1,319	0.023	0.022 - 0.024	770	0.027	0.025 - 0.029	549	0.019	0.017 - 0.020
Iowa	859	0.030	0.028 - 0.032	522	0.036	0.033 - 0.040	337	0.023	0.021 - 0.026
Kansas	639	0.025	0.023 - 0.027	381	0.030	0.027 - 0.033	258	0.020	0.018 - 0.023
Kentucky	1,105	0.028	0.026 - 0.030	620	0.032	0.029 - 0.034	485	0.024	0.022 - 0.026
Louisiana	753	0.025	0.024 - 0.027	445	0.030	0.028 - 0.033	307	0.021	0.018 - 0.023
Maine	384	0.030	0.027 - 0.033	221	0.035	0.031 - 0.040	163	0.025	0.021 - 0.029
Maryland	880	0.024	0.023 - 0.026	520	0.029	0.027 - 0.032	360	0.020	0.018 - 0.022
MI - Detroit	835	0.032	0.029 - 0.034	498	0.038	0.035 - 0.042	337	0.025	0.023 - 0.028
Minnesota	1,435	0.030	0.028 - 0.032	904	0.038	0.036 - 0.041	531	0.022	0.020 - 0.024
Mississippi	424	0.024	0.022 - 0.026	259	0.029	0.026 - 0.033	165	0.018	0.016 - 0.021
Missouri	1,268	0.025	0.023 - 0.026	783	0.031	0.029 - 0.033	485	0.019	0.017 - 0.020
Montana	295	0.030	0.027 - 0.034	192	0.039	0.034 - 0.045	103	0.021	0.017 - 0.026
Nebraska	402	0.023	0.021 - 0.026	261	0.030	0.027 - 0.034	141	0.016	0.014 - 0.019
New Hampshire	325	0.025	0.023 - 0.028	217	0.034	0.030 - 0.039	108	0.017	0.014 - 0.020
New Jersey	2,046	0.032	0.030 - 0.033	1,186	0.037	0.035 - 0.039	861	0.026	0.024 - 0.028
New Mexico	407	0.023	0.021 - 0.026	242	0.028	0.025 - 0.032	166	0.019	0.016 - 0.022
New York	4,596	0.033	0.032 - 0.034	2,740	0.040	0.039 - 0.042	1,857	0.026	0.025 - 0.028
North Carolina	2,061	0.028	0.026 - 0.029	1,257	0.034	0.032 - 0.036	804	0.021	0.020 - 0.023
North Dakota	176	0.026	0.022 - 0.030	106	0.031	0.025 - 0.037	70	0.021	0.017 - 0.027
Ohio	2,113	0.022	0.021 - 0.023	1,236	0.026	0.025 - 0.027	877	0.018	0.017 - 0.019
Oklahoma	704	0.023	0.021 - 0.025	411	0.027	0.025 - 0.030	293	0.019	0.017 - 0.021
Oregon	898	0.024	0.022 - 0.026	517	0.028	0.026 - 0.030	381	0.020	0.018 - 0.022
Pennsylvania	3,194	0.030	0.029 - 0.031	1,895	0.036	0.035 - 0.038	1,299	0.024	0.023 - 0.025
Rhode Island	252	0.028	0.025 - 0.032	161	0.037	0.031 - 0.043	91	0.020	0.016 - 0.024
South Carolina	781	0.022	0.020 - 0.024	457	0.026	0.024 - 0.029	324	0.018	0.016 - 0.020
Tennessee	1,287	0.024	0.022 - 0.025	768	0.029	0.027 - 0.031	519	0.019	0.017 - 0.021
Texas	5,211	0.023	0.022 - 0.023	3,034	0.026	0.026 - 0.027	2,177	0.019	0.018 - 0.020
Utah	594	0.020	0.019 - 0.022	350	0.024	0.021 - 0.026	244	0.017	0.015 - 0.019
Vermont	146	0.024	0.021 - 0.029	87	0.030	0.024 - 0.036	59	0.020	0.015 - 0.025
Washington	1,628	0.027	0.025 - 0.028	997	0.032	0.030 - 0.034	631	0.021	0.019 - 0.022
WA - Seattle	1,217	0.030	0.029 - 0.032	746	0.037	0.034 - 0.040	471	0.024	0.022 - 0.026
West Virginia	527	0.031	0.028 - 0.034	316	0.038	0.034 - 0.042	211	0.024	0.021 - 0.028
Wisconsin	1,581	0.031	0.029 - 0.032	997	0.039	0.037 - 0.042	584	0.023	0.021 - 0.025
Wyoming	113	0.021	0.017 - 0.025	68	0.025	0.019 - 0.031	45	0.017	0.012 - 0.023

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,683	0.001	0.001 - 0.001	1,862	0.001	0.001 - 0.002	821	0.001	0.001 - 0.001
Alabama	21	0.001	0.000 - 0.001	*	*		*	*	
Alaska	*	*		*	*		*	*	
Arizona	49	0.001	0.001 - 0.001	33	0.001	0.001 - 0.002	16	0.001	0.000 - 0.001
Arkansas	25	0.001	0.001 - 0.002	*	*		*	*	
California	270	0.001	0.001 - 0.001	175	0.001	0.001 - 0.001	95	0.001	0.001 - 0.001
CA - Greater California	155	0.001	0.001 - 0.001	101	0.001	0.001 - 0.001	54	0.001	0.000 - 0.001
CA - Greater Bay Area	50	0.001	0.001 - 0.001	25	0.001	0.001 - 0.002	25	0.001	0.001 - 0.002
CA - Los Angeles	66	0.001	0.001 - 0.001	50	0.001	0.001 - 0.002	16	0.000	0.000 - 0.001
Colorado	43	0.001	0.001 - 0.001	31	0.001	0.001 - 0.002	12	0.000	0.000 - 0.001
Connecticut	39	0.001	0.001 - 0.002	29	0.002	0.001 - 0.003	10	0.001	0.000 - 0.001
Delaware	17	0.002	0.001 - 0.004	*	*		*	*	
District of Columbia	*	*		*	*		*	*	
Florida	198	0.001	0.001 - 0.001	146	0.002	0.001 - 0.002	52	0.001	0.000 - 0.001
Georgia	48	0.001	0.001 - 0.001	37	0.001	0.001 - 0.002	11	0.000	0.000 - 0.001
Hawaii	*	*		*	*		*	*	
Idaho	25	0.001	0.001 - 0.002	*	*		*	*	
Illinois	121	0.001	0.001 - 0.001	77	0.002	0.001 - 0.002	44	0.001	0.001 - 0.001
Indiana	49	0.001	0.001 - 0.001	35	0.001	0.001 - 0.002	14	0.000	0.000 - 0.001
Iowa	32	0.001	0.001 - 0.002	22	0.002	0.001 - 0.002	10	0.001	0.000 - 0.001
Kansas	15	0.001	0.000 - 0.001	*	*		*	*	
Kentucky	40	0.001	0.001 - 0.001	28	0.001	0.001 - 0.002	12	0.001	0.000 - 0.001
Louisiana	48	0.002	0.001 - 0.002	31	0.002	0.001 - 0.003	17	0.001	0.001 - 0.002
Maine	21	0.002	0.001 - 0.002	*	*		*	*	
Maryland	37	0.001	0.001 - 0.001	23	0.001	0.001 - 0.002	14	0.001	0.000 - 0.001
MI - Detroit	46	0.002	0.001 - 0.002	30	0.002	0.002 - 0.003	16	0.001	0.001 - 0.002
Minnesota	59	0.001	0.001 - 0.002	46	0.002	0.001 - 0.003	13	0.001	0.000 - 0.001
Mississippi	16	0.001	0.001 - 0.001	*	*		*	*	
Missouri	39	0.001	0.001 - 0.001	*	*		*	*	
Montana	13	0.001	0.001 - 0.002	*	*		*	*	
Nebraska	13	0.001	0.000 - 0.001	*	*		*	*	
New Hampshire	18	0.001	0.001 - 0.002	*	*		*	*	
New Jersey	99	0.002	0.001 - 0.002	67	0.002	0.002 - 0.003	32	0.001	0.001 - 0.001
New Mexico	12	0.001	0.000 - 0.001	*	*		*	*	
New York	174	0.001	0.001 - 0.001	123	0.002	0.002 - 0.002	52	0.001	0.001 - 0.001
North Carolina	71	0.001	0.001 - 0.001	50	0.001	0.001 - 0.002	21	0.001	0.000 - 0.001
North Dakota	*	*		*	*		*	*	
Ohio	103	0.001	0.001 - 0.001	68	0.001	0.001 - 0.002	35	0.001	0.000 - 0.001
Oklahoma	23	0.001	0.000 - 0.001	13	0.001	0.000 - 0.001	10	0.001	0.000 - 0.001
Oregon	34	0.001	0.001 - 0.001	24	0.001	0.001 - 0.002	10	0.001	0.000 - 0.001
Pennsylvania	160	0.002	0.001 - 0.002	111	0.002	0.002 - 0.003	49	0.001	0.001 - 0.001
Rhode Island	11	0.001	0.001 - 0.002	*	*		*	*	
South Carolina	40	0.001	0.001 - 0.002	30	0.002	0.001 - 0.002	10	0.001	0.000 - 0.001
Tennessee	40	0.001	0.001 - 0.001	30	0.001	0.001 - 0.002	10	0.000	0.000 - 0.001
Texas	170	0.001	0.001 - 0.001	122	0.001	0.001 - 0.001	48	0.000	0.000 - 0.001
Utah	20	0.001	0.000 - 0.001	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	74	0.001	0.001 - 0.002	47	0.002	0.001 - 0.002	27	0.001	0.001 - 0.001
WA - Seattle	51	0.001	0.001 - 0.002	32	0.002	0.001 - 0.002	19	0.001	0.001 - 0.001
West Virginia	24	0.001	0.001 - 0.002	*	*		*	*	
Wisconsin	69	0.001	0.001 - 0.002	46	0.002	0.001 - 0.002	23	0.001	0.001 - 0.001
Wyoming	10	0.002	0.001 - 0.003	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-50 Prevalence – Mesothelioma

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	293,781	0.631	0.629 - 0.634	146,363	0.655	0.651 - 0.658	147,462	0.610	0.607 - 0.613
Alabama	8,994	0.670	0.656 - 0.684	4,588	0.734	0.713 - 0.756	4,406	0.613	0.596 - 0.632
Alaska	122	0.335	0.278 - 0.400	73	0.364	0.285 - 0.458	49	0.299	0.221 - 0.396
Arizona	1,557	0.365	0.347 - 0.384	833	0.380	0.355 - 0.407	724	0.349	0.324 - 0.376
Arkansas	3,453	0.702	0.679 - 0.726	1,838	0.783	0.748 - 0.820	1,615	0.627	0.597 - 0.659
California	16,182	0.566	0.557 - 0.575	8,058	0.566	0.554 - 0.579	8,124	0.566	0.553 - 0.578
CA - Greater California	6,875	0.495	0.483 - 0.507	3,524	0.495	0.478 - 0.511	3,351	0.495	0.478 - 0.512
CA - Greater Bay Area	3,344	0.663	0.641 - 0.686	1,724	0.687	0.655 - 0.720	1,621	0.640	0.609 - 0.672
CA - Los Angeles	5,964	0.618	0.602 - 0.634	2,810	0.611	0.589 - 0.634	3,153	0.624	0.602 - 0.646
Colorado	1,300	0.422	0.400 - 0.446	699	0.429	0.397 - 0.462	601	0.415	0.383 - 0.450
Connecticut	2,789	0.599	0.577 - 0.622	1,396	0.627	0.595 - 0.661	1,393	0.573	0.543 - 0.604
Delaware	1,566	0.663	0.631 - 0.697	793	0.711	0.662 - 0.762	773	0.620	0.577 - 0.666
District of Columbia	2,598	0.769	0.740 - 0.799	1,211	0.789	0.745 - 0.835	1,387	0.753	0.714 - 0.793
Florida	20,676	0.549	0.542 - 0.557	9,862	0.542	0.532 - 0.553	10,814	0.555	0.545 - 0.566
Georgia	22,583	0.640	0.632 - 0.648	11,244	0.681	0.668 - 0.693	11,339	0.604	0.593 - 0.615
Hawaii	156	0.358	0.304 - 0.419	99	0.387	0.315 - 0.471	57	0.317	0.240 - 0.411
Idaho	63	0.283	0.217 - 0.361	44	0.354	0.257 - 0.476	19	0.192	0.116 - 0.300
Illinois	13,760	0.707	0.696 - 0.719	6,482	0.707	0.690 - 0.724	7,278	0.708	0.692 - 0.725
Indiana	4,089	0.564	0.547 - 0.581	2,045	0.582	0.557 - 0.608	2,044	0.546	0.523 - 0.571
Iowa	621	0.412	0.380 - 0.446	339	0.425	0.381 - 0.472	283	0.398	0.353 - 0.447
Kansas	1,186	0.568	0.536 - 0.601	632	0.587	0.542 - 0.634	554	0.549	0.504 - 0.596
Kentucky	2,686	0.660	0.635 - 0.685	1,304	0.642	0.608 - 0.678	1,381	0.677	0.641 - 0.713
Louisiana	11,178	0.716	0.703 - 0.729	5,796	0.782	0.762 - 0.802	5,382	0.656	0.639 - 0.674
Maine	73	0.267	0.209 - 0.335	52	0.348	0.260 - 0.457	21	0.169	0.105 - 0.258
Maryland	13,647	0.701	0.690 - 0.713	6,659	0.732	0.714 - 0.750	6,988	0.675	0.659 - 0.691
MI - Detroit	7,403	0.742	0.726 - 0.760	3,614	0.789	0.763 - 0.815	3,789	0.703	0.681 - 0.726
Minnesota	1,758	0.403	0.384 - 0.422	953	0.428	0.401 - 0.456	805	0.377	0.351 - 0.404
Mississippi	8,196	0.716	0.701 - 0.732	4,338	0.805	0.781 - 0.830	3,858	0.637	0.617 - 0.657
Missouri	4,895	0.632	0.615 - 0.650	2,297	0.622	0.596 - 0.648	2,598	0.642	0.618 - 0.668
Montana	25	0.239	0.155 - 0.353	*	*		*	*	
Nebraska	593	0.515	0.474 - 0.558	319	0.538	0.481 - 0.601	274	0.490	0.433 - 0.551
New Hampshire	86	0.296	0.237 - 0.365	59	0.365	0.278 - 0.471	27	0.209	0.138 - 0.304
New Jersey	9,483	0.674	0.660 - 0.687	4,728	0.705	0.685 - 0.726	4,755	0.645	0.627 - 0.664
New Mexico	252	0.381	0.335 - 0.431	148	0.411	0.348 - 0.483	104	0.344	0.281 - 0.417
New York	25,892	0.715	0.706 - 0.724	12,694	0.748	0.735 - 0.761	13,198	0.686	0.674 - 0.698
North Carolina	17,227	0.713	0.703 - 0.724	8,602	0.759	0.743 - 0.775	8,625	0.673	0.659 - 0.687
North Dakota	48	0.164	0.121 - 0.217	27	0.163	0.107 - 0.237	21	0.166	0.103 - 0.253
Ohio	10,322	0.629	0.617 - 0.641	5,104	0.647	0.629 - 0.665	5,218	0.613	0.596 - 0.630
Oklahoma	1,848	0.521	0.498 - 0.546	958	0.539	0.505 - 0.574	890	0.504	0.471 - 0.538
Oregon	534	0.440	0.403 - 0.479	319	0.491	0.438 - 0.548	215	0.381	0.332 - 0.435
Pennsylvania	10,367	0.630	0.618 - 0.643	4,800	0.603	0.586 - 0.621	5,567	0.656	0.639 - 0.673
Rhode Island	471	0.463	0.422 - 0.507	234	0.463	0.406 - 0.527	237	0.463	0.406 - 0.526
South Carolina	9,628	0.675	0.661 - 0.688	4,768	0.714	0.694 - 0.735	4,860	0.640	0.622 - 0.659
Tennessee	7,803	0.647	0.633 - 0.662	4,000	0.700	0.679 - 0.722	3,803	0.599	0.580 - 0.618
Texas	21,753	0.564	0.556 - 0.571	10,966	0.586	0.575 - 0.597	10,787	0.543	0.532 - 0.553
Utah	141	0.239	0.201 - 0.282	83	0.254	0.203 - 0.315	58	0.220	0.167 - 0.285
Vermont	35	0.312	0.218 - 0.435	24	0.382	0.245 - 0.568	11	0.224	0.112 - 0.401
Washington	1,832	0.445	0.425 - 0.466	1,033	0.469	0.441 - 0.499	799	0.418	0.390 - 0.448
WA - Seattle	1,775	0.504	0.480 - 0.527	1,010	0.539	0.506 - 0.573	765	0.464	0.431 - 0.498
West Virginia	459	0.614	0.559 - 0.673	268	0.665	0.588 - 0.750	191	0.554	0.478 - 0.639
Wisconsin	2,632	0.609	0.586 - 0.633	1,350	0.633	0.599 - 0.667	1,282	0.587	0.555 - 0.620
Wyoming	25	0.255	0.165 - 0.376	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	5,780	0.012	0.012 - 0.013	3,859	0.017	0.017 - 0.018	1,925	0.008	0.008 - 0.008
Alabama	153	0.011	0.010 - 0.013	97	0.016	0.013 - 0.019	56	0.008	0.006 - 0.010
Alaska	*	*		*	*		*	*	
Arizona	35	0.008	0.006 - 0.011	*	*		*	*	
Arkansas	68	0.014	0.011 - 0.018	42	0.018	0.013 - 0.024	26	0.010	0.007 - 0.015
California	355	0.012	0.011 - 0.014	252	0.018	0.016 - 0.020	104	0.007	0.006 - 0.009
CA - Greater California	147	0.011	0.009 - 0.012	102	0.014	0.012 - 0.017	46	0.007	0.005 - 0.009
CA - Greater Bay Area	82	0.016	0.013 - 0.020	61	0.024	0.019 - 0.031	21	0.008	0.005 - 0.013
CA - Los Angeles	126	0.013	0.011 - 0.016	89	0.019	0.016 - 0.024	37	0.007	0.005 - 0.010
Colorado	36	0.012	0.008 - 0.016	*	*		*	*	
Connecticut	66	0.014	0.011 - 0.018	45	0.020	0.015 - 0.027	21	0.009	0.005 - 0.013
Delaware	31	0.013	0.009 - 0.019	16	0.014	0.008 - 0.023	15	0.012	0.007 - 0.020
District of Columbia	53	0.016	0.012 - 0.021	30	0.020	0.013 - 0.028	23	0.012	0.008 - 0.019
Florida	387	0.010	0.009 - 0.011	254	0.014	0.012 - 0.016	133	0.007	0.006 - 0.008
Georgia	427	0.012	0.011 - 0.013	287	0.017	0.015 - 0.019	140	0.007	0.006 - 0.009
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	258	0.013	0.012 - 0.015	168	0.018	0.016 - 0.021	90	0.009	0.007 - 0.011
Indiana	91	0.013	0.010 - 0.015	62	0.018	0.014 - 0.023	29	0.008	0.005 - 0.011
Iowa	11	0.007	0.004 - 0.013	*	*		*	*	
Kansas	30	0.014	0.010 - 0.021	*	*		*	*	
Kentucky	47	0.012	0.008 - 0.015	29	0.014	0.010 - 0.021	18	0.009	0.005 - 0.014
Louisiana	214	0.014	0.012 - 0.016	149	0.020	0.017 - 0.024	65	0.008	0.006 - 0.010
Maine	*	*		*	*		*	*	
Maryland	254	0.013	0.011 - 0.015	158	0.017	0.015 - 0.020	96	0.009	0.008 - 0.011
MI - Detroit	159	0.016	0.014 - 0.019	106	0.023	0.019 - 0.028	53	0.010	0.007 - 0.013
Minnesota	48	0.011	0.008 - 0.015	23	0.010	0.007 - 0.016	25	0.012	0.008 - 0.017
Mississippi	179	0.016	0.013 - 0.018	128	0.024	0.020 - 0.028	51	0.008	0.006 - 0.011
Missouri	101	0.013	0.011 - 0.016	70	0.019	0.015 - 0.024	31	0.008	0.005 - 0.011
Montana	*	*		*	*		*	*	
Nebraska	12	0.010	0.005 - 0.018	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	196	0.014	0.012 - 0.016	133	0.020	0.017 - 0.024	63	0.009	0.007 - 0.011
New Mexico	*	*		*	*		*	*	
New York	501	0.014	0.013 - 0.015	312	0.018	0.016 - 0.021	189	0.010	0.008 - 0.011
North Carolina	323	0.013	0.012 - 0.015	220	0.019	0.017 - 0.022	103	0.008	0.007 - 0.010
North Dakota	*	*		*	*		*	*	
Ohio	214	0.013	0.011 - 0.015	145	0.018	0.016 - 0.022	69	0.008	0.006 - 0.010
Oklahoma	35	0.010	0.007 - 0.014	*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	215	0.013	0.011 - 0.015	135	0.017	0.014 - 0.020	80	0.009	0.007 - 0.012
Rhode Island	*	*		*	*		*	*	
South Carolina	208	0.015	0.013 - 0.017	151	0.023	0.019 - 0.027	57	0.008	0.006 - 0.010
Tennessee	140	0.012	0.010 - 0.014	108	0.019	0.016 - 0.023	32	0.005	0.003 - 0.007
Texas	387	0.010	0.009 - 0.011	244	0.013	0.011 - 0.015	143	0.007	0.006 - 0.008
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	35	0.009	0.006 - 0.012	*	*		*	*	
WA - Seattle	36	0.010	0.007 - 0.014	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	57	0.013	0.010 - 0.017	36	0.017	0.012 - 0.023	21	0.010	0.006 - 0.015
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	1,456	0.003	0.003 - 0.003	940	0.004	0.004 - 0.004	517	0.002	0.002 - 0.002
Alabama	52	0.004	0.003 - 0.005	35	0.006	0.004 - 0.008	17	0.002	0.001 - 0.004
Alaska	*	*		*	*		*	*	
Arizona	*	*		*	*		*	*	
Arkansas	19	0.004	0.002 - 0.006	*	*		*	*	
California	66	0.002	0.002 - 0.003	45	0.003	0.002 - 0.004	21	0.001	0.001 - 0.002
CA - Greater California	27	0.002	0.001 - 0.003	*	*		*	*	
CA - Greater Bay Area	17	0.003	0.002 - 0.005	*	*		*	*	
CA - Los Angeles	22	0.002	0.001 - 0.004	*	*		*	*	
Colorado	*	*		*	*		*	*	
Connecticut	15	0.003	0.002 - 0.005	*	*		*	*	
Delaware	*	*		*	*		*	*	
District of Columbia	*	*		*	*		*	*	
Florida	79	0.002	0.002 - 0.003	41	0.002	0.002 - 0.003	38	0.002	0.001 - 0.003
Georgia	101	0.003	0.002 - 0.003	68	0.004	0.003 - 0.005	33	0.002	0.001 - 0.002
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	86	0.004	0.004 - 0.005	53	0.006	0.004 - 0.008	33	0.003	0.002 - 0.005
Indiana	32	0.004	0.003 - 0.006	21	0.006	0.004 - 0.009	11	0.003	0.001 - 0.005
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	13	0.003	0.002 - 0.005	*	*		*	*	
Louisiana	57	0.004	0.003 - 0.005	39	0.005	0.004 - 0.007	18	0.002	0.001 - 0.003
Maine	*	*		*	*		*	*	
Maryland	48	0.002	0.002 - 0.003	29	0.003	0.002 - 0.005	19	0.002	0.001 - 0.003
MI - Detroit	46	0.005	0.003 - 0.006	30	0.007	0.004 - 0.009	16	0.003	0.002 - 0.005
Minnesota	19	0.004	0.003 - 0.007	*	*		*	*	
Mississippi	42	0.004	0.003 - 0.005	29	0.005	0.004 - 0.008	13	0.002	0.001 - 0.004
Missouri	31	0.004	0.003 - 0.006	17	0.005	0.003 - 0.007	14	0.003	0.002 - 0.006
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	45	0.003	0.002 - 0.004	28	0.004	0.003 - 0.006	17	0.002	0.001 - 0.004
New Mexico	*	*		*	*		*	*	
New York	127	0.003	0.003 - 0.004	79	0.005	0.004 - 0.006	48	0.002	0.002 - 0.003
North Carolina	78	0.003	0.003 - 0.004	53	0.005	0.004 - 0.006	25	0.002	0.001 - 0.003
North Dakota	*	*		*	*		*	*	
Ohio	51	0.003	0.002 - 0.004	38	0.005	0.003 - 0.007	13	0.002	0.001 - 0.003
Oklahoma	10	0.003	0.001 - 0.005	*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	79	0.005	0.004 - 0.006	44	0.006	0.004 - 0.007	35	0.004	0.003 - 0.006
Rhode Island	*	*		*	*		*	*	
South Carolina	60	0.004	0.003 - 0.005	43	0.006	0.005 - 0.009	17	0.002	0.001 - 0.004
Tennessee	39	0.003	0.002 - 0.004	26	0.005	0.003 - 0.007	13	0.002	0.001 - 0.004
Texas	79	0.002	0.002 - 0.003	56	0.003	0.002 - 0.004	23	0.001	0.001 - 0.002
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	14	0.003	0.002 - 0.006	*	*		*	*	
WA - Seattle	12	0.003	0.002 - 0.006	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	14	0.003	0.002 - 0.005	*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	4,888	0.011	0.010 - 0.011	2,600	0.012	0.011 - 0.012	2,289	0.009	0.009 - 0.010
Alabama	173	0.013	0.011 - 0.015	85	0.014	0.011 - 0.017	88	0.012	0.010 - 0.015
Alaska	*	*		*	*		*	*	
Arizona	26	0.006	0.004 - 0.009	14	0.006	0.003 - 0.011	12	0.006	0.003 - 0.010
Arkansas	62	0.013	0.010 - 0.016	34	0.014	0.010 - 0.020	28	0.011	0.007 - 0.016
California	276	0.010	0.009 - 0.011	151	0.011	0.009 - 0.012	125	0.009	0.007 - 0.010
CA - Greater California	113	0.008	0.007 - 0.010	60	0.008	0.006 - 0.011	53	0.008	0.006 - 0.010
CA - Greater Bay Area	67	0.013	0.010 - 0.017	41	0.016	0.012 - 0.022	26	0.010	0.007 - 0.015
CA - Los Angeles	96	0.010	0.008 - 0.012	51	0.011	0.008 - 0.014	46	0.009	0.007 - 0.012
Colorado	19	0.006	0.004 - 0.010	*	*		*	*	
Connecticut	46	0.010	0.007 - 0.013	26	0.012	0.008 - 0.017	20	0.008	0.005 - 0.012
Delaware	19	0.008	0.005 - 0.013	*	*		*	*	
District of Columbia	43	0.013	0.009 - 0.017	23	0.015	0.010 - 0.022	20	0.011	0.007 - 0.017
Florida	347	0.009	0.008 - 0.010	183	0.010	0.009 - 0.012	164	0.008	0.007 - 0.010
Georgia	328	0.009	0.008 - 0.010	182	0.011	0.009 - 0.013	146	0.008	0.007 - 0.009
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	237	0.012	0.011 - 0.014	112	0.012	0.010 - 0.015	125	0.012	0.010 - 0.014
Indiana	74	0.010	0.008 - 0.013	36	0.010	0.007 - 0.014	38	0.010	0.007 - 0.014
Iowa	12	0.008	0.004 - 0.014	*	*		*	*	
Kansas	10	0.005	0.002 - 0.009	*	*		*	*	
Kentucky	38	0.009	0.007 - 0.013	17	0.008	0.005 - 0.013	21	0.010	0.006 - 0.016
Louisiana	194	0.012	0.011 - 0.014	123	0.017	0.014 - 0.020	72	0.009	0.007 - 0.011
Maine	*	*		*	*		*	*	
Maryland	257	0.013	0.012 - 0.015	123	0.014	0.011 - 0.016	134	0.013	0.011 - 0.015
MI - Detroit	90	0.009	0.007 - 0.011	44	0.010	0.007 - 0.013	46	0.009	0.006 - 0.011
Minnesota	29	0.007	0.004 - 0.010	16	0.007	0.004 - 0.012	13	0.006	0.003 - 0.010
Mississippi	125	0.011	0.009 - 0.013	71	0.013	0.010 - 0.017	54	0.009	0.007 - 0.012
Missouri	87	0.011	0.009 - 0.014	42	0.011	0.008 - 0.015	45	0.011	0.008 - 0.015
Montana	*	*		*	*		*	*	
Nebraska	10	0.009	0.004 - 0.016	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	169	0.012	0.010 - 0.014	86	0.013	0.010 - 0.016	83	0.011	0.009 - 0.014
New Mexico	*	*		*	*		*	*	
New York	480	0.013	0.012 - 0.014	239	0.014	0.012 - 0.016	241	0.013	0.011 - 0.014
North Carolina	299	0.012	0.011 - 0.014	155	0.014	0.012 - 0.016	144	0.011	0.009 - 0.013
North Dakota	*	*		*	*		*	*	
Ohio	177	0.011	0.009 - 0.012	100	0.013	0.010 - 0.015	77	0.009	0.007 - 0.011
Oklahoma	31	0.009	0.006 - 0.012	12	0.007	0.003 - 0.012	19	0.011	0.006 - 0.017
Oregon	10	0.008	0.004 - 0.015	*	*		*	*	
Pennsylvania	140	0.009	0.007 - 0.010	70	0.009	0.007 - 0.011	70	0.008	0.006 - 0.010
Rhode Island	11	0.011	0.005 - 0.019	*	*		*	*	
South Carolina	184	0.013	0.011 - 0.015	95	0.014	0.012 - 0.017	89	0.012	0.009 - 0.014
Tennessee	124	0.010	0.009 - 0.012	70	0.012	0.010 - 0.015	54	0.009	0.006 - 0.011
Texas	336	0.009	0.008 - 0.010	204	0.011	0.009 - 0.013	132	0.007	0.006 - 0.008
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	21	0.005	0.003 - 0.008	11	0.005	0.002 - 0.009	10	0.005	0.003 - 0.010
WA - Seattle	22	0.006	0.004 - 0.009	12	0.006	0.003 - 0.011	10	0.006	0.003 - 0.011
West Virginia	*	*		*	*		*	*	
Wisconsin	41	0.009	0.007 - 0.013	30	0.014	0.009 - 0.020	11	0.005	0.003 - 0.009
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	27,654	0.059	0.059 - 0.060	13,864	0.062	0.061 - 0.063	13,796	0.057	0.056 - 0.058
Alabama	940	0.070	0.066 - 0.075	456	0.073	0.066 - 0.080	484	0.067	0.062 - 0.074
Alaska	11	0.030	0.015 - 0.054	*	*		*	*	
Arizona	141	0.033	0.028 - 0.039	73	0.033	0.026 - 0.042	68	0.033	0.025 - 0.042
Arkansas	378	0.077	0.069 - 0.085	194	0.083	0.071 - 0.095	184	0.071	0.062 - 0.083
California	1,450	0.051	0.048 - 0.053	722	0.051	0.047 - 0.055	728	0.051	0.047 - 0.054
CA - Greater California	609	0.044	0.040 - 0.047	304	0.043	0.038 - 0.048	305	0.045	0.040 - 0.050
CA - Greater Bay Area	300	0.059	0.053 - 0.067	150	0.060	0.051 - 0.070	150	0.059	0.050 - 0.069
CA - Los Angeles	541	0.056	0.051 - 0.061	268	0.058	0.051 - 0.066	273	0.054	0.048 - 0.061
Colorado	121	0.039	0.033 - 0.047	64	0.039	0.030 - 0.050	57	0.039	0.030 - 0.051
Connecticut	254	0.055	0.048 - 0.062	132	0.059	0.049 - 0.070	123	0.050	0.042 - 0.060
Delaware	135	0.057	0.048 - 0.068	71	0.064	0.050 - 0.080	64	0.051	0.040 - 0.066
District of Columbia	248	0.073	0.065 - 0.083	126	0.082	0.068 - 0.098	122	0.066	0.055 - 0.079
Florida	1,882	0.050	0.048 - 0.052	951	0.052	0.049 - 0.056	931	0.048	0.045 - 0.051
Georgia	2,185	0.062	0.059 - 0.065	1,083	0.066	0.062 - 0.070	1,102	0.059	0.055 - 0.062
Hawaii	18	0.041	0.025 - 0.065	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	1,402	0.072	0.068 - 0.076	655	0.071	0.066 - 0.077	747	0.073	0.068 - 0.078
Indiana	389	0.054	0.048 - 0.059	203	0.058	0.050 - 0.066	186	0.050	0.043 - 0.057
Iowa	54	0.036	0.027 - 0.047	31	0.039	0.026 - 0.055	23	0.032	0.021 - 0.049
Kansas	98	0.047	0.038 - 0.057	50	0.046	0.034 - 0.061	48	0.048	0.035 - 0.063
Kentucky	289	0.071	0.063 - 0.080	137	0.067	0.057 - 0.080	152	0.074	0.063 - 0.087
Louisiana	1,195	0.077	0.072 - 0.081	597	0.080	0.074 - 0.087	599	0.073	0.067 - 0.079
Maine	*	*		*	*		*	*	
Maryland	1,226	0.063	0.060 - 0.067	598	0.066	0.061 - 0.071	628	0.061	0.056 - 0.066
MI - Detroit	745	0.075	0.069 - 0.080	377	0.082	0.074 - 0.091	369	0.068	0.062 - 0.076
Minnesota	142	0.033	0.027 - 0.038	85	0.038	0.030 - 0.047	57	0.027	0.020 - 0.035
Mississippi	974	0.085	0.080 - 0.091	510	0.095	0.087 - 0.103	464	0.077	0.070 - 0.084
Missouri	473	0.061	0.056 - 0.067	229	0.062	0.054 - 0.071	244	0.060	0.053 - 0.068
Montana	*	*		*	*		*	*	
Nebraska	56	0.049	0.037 - 0.063	28	0.047	0.031 - 0.068	28	0.050	0.033 - 0.072
New Hampshire	*	*		*	*		*	*	
New Jersey	798	0.057	0.053 - 0.061	391	0.058	0.053 - 0.064	407	0.055	0.050 - 0.061
New Mexico	19	0.028	0.017 - 0.044	*	*		*	*	
New York	2,184	0.060	0.058 - 0.063	1,053	0.062	0.058 - 0.066	1,131	0.059	0.055 - 0.062
North Carolina	1,450	0.060	0.057 - 0.063	724	0.064	0.059 - 0.069	726	0.057	0.053 - 0.061
North Dakota	*	*		*	*		*	*	
Ohio	908	0.055	0.052 - 0.059	463	0.059	0.053 - 0.064	445	0.052	0.048 - 0.057
Oklahoma	170	0.048	0.041 - 0.056	84	0.047	0.038 - 0.058	86	0.049	0.039 - 0.060
Oregon	40	0.033	0.024 - 0.045	24	0.037	0.024 - 0.055	16	0.028	0.016 - 0.046
Pennsylvania	841	0.051	0.048 - 0.055	399	0.050	0.045 - 0.055	442	0.052	0.047 - 0.057
Rhode Island	35	0.034	0.024 - 0.048	19	0.038	0.023 - 0.059	16	0.031	0.018 - 0.051
South Carolina	965	0.068	0.063 - 0.072	508	0.076	0.070 - 0.083	457	0.060	0.055 - 0.066
Tennessee	750	0.062	0.058 - 0.067	377	0.066	0.060 - 0.073	373	0.059	0.053 - 0.065
Texas	2,242	0.058	0.056 - 0.061	1,158	0.062	0.058 - 0.066	1,084	0.055	0.051 - 0.058
Utah	14	0.023	0.012 - 0.039	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	163	0.040	0.034 - 0.046	84	0.038	0.030 - 0.047	79	0.041	0.033 - 0.052
WA - Seattle	159	0.045	0.038 - 0.053	83	0.044	0.035 - 0.055	76	0.046	0.036 - 0.058
West Virginia	42	0.056	0.040 - 0.076	21	0.052	0.032 - 0.080	21	0.061	0.038 - 0.093
Wisconsin	236	0.055	0.048 - 0.062	118	0.055	0.046 - 0.066	118	0.054	0.045 - 0.065
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	4,811	0.010	0.010 - 0.011	3,394	0.015	0.015 - 0.016	1,421	0.006	0.006 - 0.006
Alabama	119	0.009	0.007 - 0.011	92	0.015	0.012 - 0.018	27	0.004	0.002 - 0.005
Alaska	*	*		*	*		*	*	
Arizona	30	0.007	0.005 - 0.010	*	*		*	*	
Arkansas	42	0.009	0.006 - 0.012	30	0.013	0.009 - 0.018	12	0.005	0.002 - 0.008
California	275	0.010	0.008 - 0.011	195	0.014	0.012 - 0.016	80	0.006	0.004 - 0.007
CA - Greater California	135	0.010	0.008 - 0.011	103	0.014	0.012 - 0.018	32	0.005	0.003 - 0.007
CA - Greater Bay Area	72	0.014	0.011 - 0.018	54	0.022	0.016 - 0.028	18	0.007	0.004 - 0.011
CA - Los Angeles	69	0.007	0.006 - 0.009	38	0.008	0.006 - 0.011	31	0.006	0.004 - 0.009
Colorado	18	0.006	0.003 - 0.009	*	*		*	*	
Connecticut	48	0.010	0.008 - 0.014	*	*		*	*	
Delaware	30	0.013	0.009 - 0.018	*	*		*	*	
District of Columbia	80	0.024	0.019 - 0.029	54	0.035	0.026 - 0.046	26	0.014	0.009 - 0.021
Florida	276	0.007	0.006 - 0.008	172	0.009	0.008 - 0.011	104	0.005	0.004 - 0.006
Georgia	241	0.007	0.006 - 0.008	156	0.009	0.008 - 0.011	86	0.005	0.004 - 0.006
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	202	0.010	0.009 - 0.012	123	0.013	0.011 - 0.016	79	0.008	0.006 - 0.010
Indiana	72	0.010	0.008 - 0.013	49	0.014	0.010 - 0.018	23	0.006	0.004 - 0.009
Iowa	20	0.013	0.008 - 0.020	*	*		*	*	
Kansas	23	0.011	0.007 - 0.017	*	*		*	*	
Kentucky	55	0.014	0.010 - 0.018	41	0.020	0.014 - 0.027	14	0.007	0.004 - 0.012
Louisiana	200	0.013	0.011 - 0.015	156	0.021	0.018 - 0.025	44	0.005	0.004 - 0.007
Maine	*	*		*	*		*	*	
Maryland	227	0.012	0.010 - 0.013	159	0.017	0.015 - 0.020	68	0.007	0.005 - 0.008
MI - Detroit	133	0.013	0.011 - 0.016	91	0.020	0.016 - 0.024	42	0.008	0.006 - 0.011
Minnesota	44	0.010	0.007 - 0.014	30	0.013	0.009 - 0.019	14	0.007	0.004 - 0.011
Mississippi	77	0.007	0.005 - 0.008	54	0.010	0.008 - 0.013	23	0.004	0.002 - 0.006
Missouri	101	0.013	0.011 - 0.016	75	0.020	0.016 - 0.025	26	0.006	0.004 - 0.009
Montana	*	*		*	*		*	*	
Nebraska	13	0.011	0.006 - 0.019	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	138	0.010	0.008 - 0.012	97	0.014	0.012 - 0.018	41	0.006	0.004 - 0.007
New Mexico	*	*		*	*		*	*	
New York	406	0.011	0.010 - 0.012	278	0.016	0.015 - 0.018	127	0.007	0.006 - 0.008
North Carolina	245	0.010	0.009 - 0.011	181	0.016	0.014 - 0.018	64	0.005	0.004 - 0.006
North Dakota	*	*		*	*		*	*	
Ohio	187	0.011	0.010 - 0.013	136	0.017	0.014 - 0.020	51	0.006	0.004 - 0.008
Oklahoma	29	0.008	0.005 - 0.012	*	*		*	*	
Oregon	25	0.021	0.013 - 0.030	*	*		*	*	
Pennsylvania	250	0.015	0.013 - 0.017	177	0.022	0.019 - 0.026	73	0.009	0.007 - 0.011
Rhode Island	10	0.010	0.005 - 0.018	*	*		*	*	
South Carolina	98	0.007	0.006 - 0.008	67	0.010	0.008 - 0.013	31	0.004	0.003 - 0.006
Tennessee	120	0.010	0.008 - 0.012	88	0.015	0.012 - 0.019	32	0.005	0.003 - 0.007
Texas	479	0.012	0.011 - 0.014	341	0.018	0.016 - 0.020	138	0.007	0.006 - 0.008
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	68	0.017	0.013 - 0.021	47	0.021	0.016 - 0.028	21	0.011	0.007 - 0.017
WA - Seattle	67	0.019	0.015 - 0.024	46	0.025	0.018 - 0.033	21	0.012	0.008 - 0.019
West Virginia	*	*		*	*		*	*	
Wisconsin	56	0.013	0.010 - 0.017	45	0.021	0.015 - 0.028	11	0.005	0.003 - 0.009
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	5,505	0.012	0.012 - 0.012	2,440	0.011	0.010 - 0.011	3,065	0.013	0.012 - 0.013
Alabama	148	0.011	0.009 - 0.013	56	0.009	0.007 - 0.012	92	0.013	0.010 - 0.016
Alaska	*	*		*	*		*	*	
Arizona	41	0.010	0.007 - 0.013	23	0.010	0.007 - 0.016	18	0.009	0.005 - 0.014
Arkansas	66	0.013	0.010 - 0.017	35	0.015	0.010 - 0.021	31	0.012	0.008 - 0.017
California	320	0.011	0.010 - 0.012	159	0.011	0.009 - 0.013	161	0.011	0.010 - 0.013
CA - Greater California	149	0.011	0.009 - 0.013	81	0.011	0.009 - 0.014	68	0.010	0.008 - 0.013
CA - Greater Bay Area	54	0.011	0.008 - 0.014	19	0.008	0.005 - 0.012	35	0.014	0.010 - 0.019
CA - Los Angeles	118	0.012	0.010 - 0.015	59	0.013	0.010 - 0.017	59	0.012	0.009 - 0.015
Colorado	20	0.006	0.004 - 0.010	*	*		*	*	
Connecticut	50	0.011	0.008 - 0.014	30	0.013	0.009 - 0.019	21	0.009	0.005 - 0.013
Delaware	22	0.009	0.006 - 0.014	*	*		*	*	
District of Columbia	51	0.015	0.011 - 0.020	21	0.014	0.008 - 0.021	30	0.016	0.011 - 0.023
Florida	420	0.011	0.010 - 0.012	195	0.011	0.009 - 0.012	225	0.012	0.010 - 0.013
Georgia	363	0.010	0.009 - 0.011	145	0.009	0.007 - 0.010	218	0.012	0.010 - 0.013
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	286	0.015	0.013 - 0.017	130	0.014	0.012 - 0.017	156	0.015	0.013 - 0.018
Indiana	76	0.010	0.008 - 0.013	32	0.009	0.006 - 0.013	44	0.012	0.009 - 0.016
Iowa	*	*		*	*		*	*	
Kansas	30	0.014	0.010 - 0.021	14	0.013	0.007 - 0.022	16	0.016	0.009 - 0.026
Kentucky	46	0.011	0.008 - 0.015	18	0.009	0.005 - 0.014	28	0.014	0.009 - 0.020
Louisiana	189	0.012	0.010 - 0.014	80	0.011	0.009 - 0.013	109	0.013	0.011 - 0.016
Maine	*	*		*	*		*	*	
Maryland	252	0.013	0.011 - 0.015	104	0.011	0.009 - 0.014	148	0.014	0.012 - 0.017
MI - Detroit	144	0.014	0.012 - 0.017	71	0.015	0.012 - 0.019	73	0.014	0.011 - 0.017
Minnesota	33	0.008	0.005 - 0.011	20	0.009	0.005 - 0.014	13	0.006	0.003 - 0.010
Mississippi	121	0.011	0.009 - 0.013	49	0.009	0.007 - 0.012	72	0.012	0.009 - 0.015
Missouri	115	0.015	0.012 - 0.018	48	0.013	0.010 - 0.017	67	0.017	0.013 - 0.021
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	164	0.012	0.010 - 0.014	74	0.011	0.009 - 0.014	90	0.012	0.010 - 0.015
New Mexico	*	*		*	*		*	*	
New York	463	0.013	0.012 - 0.014	199	0.012	0.010 - 0.013	264	0.014	0.012 - 0.016
North Carolina	357	0.015	0.013 - 0.016	168	0.015	0.013 - 0.017	189	0.015	0.013 - 0.017
North Dakota	*	*		*	*		*	*	
Ohio	183	0.011	0.010 - 0.013	77	0.010	0.008 - 0.012	106	0.012	0.010 - 0.015
Oklahoma	32	0.009	0.006 - 0.013	14	0.008	0.004 - 0.013	18	0.010	0.006 - 0.016
Oregon	11	0.009	0.005 - 0.016	*	*		*	*	
Pennsylvania	211	0.013	0.011 - 0.015	86	0.011	0.009 - 0.013	125	0.015	0.012 - 0.018
Rhode Island	*	*		*	*		*	*	
South Carolina	210	0.015	0.013 - 0.017	92	0.014	0.011 - 0.017	118	0.016	0.013 - 0.019
Tennessee	134	0.011	0.009 - 0.013	40	0.007	0.005 - 0.010	94	0.015	0.012 - 0.018
Texas	413	0.011	0.010 - 0.012	187	0.010	0.009 - 0.012	226	0.011	0.010 - 0.013
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	33	0.008	0.006 - 0.011	20	0.009	0.006 - 0.014	13	0.007	0.004 - 0.012
WA - Seattle	30	0.008	0.006 - 0.012	17	0.009	0.005 - 0.014	13	0.008	0.004 - 0.013
West Virginia	11	0.015	0.007 - 0.026	*	*		*	*	
Wisconsin	61	0.014	0.011 - 0.018	25	0.012	0.008 - 0.017	36	0.016	0.012 - 0.023
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,778	0.006	0.006 - 0.006	2,215	0.010	0.009 - 0.010	566	0.002	0.002 - 0.003
Alabama	83	0.006	0.005 - 0.008	73	0.012	0.009 - 0.015	10	0.001	0.001 - 0.003
Alaska	*	*		*	*		*	*	
Arizona	*	*		*	*		*	*	
Arkansas	34	0.007	0.005 - 0.010	*	*		*	*	
California	116	0.004	0.003 - 0.005	87	0.006	0.005 - 0.008	29	0.002	0.001 - 0.003
CA - Greater California	50	0.004	0.003 - 0.005	38	0.005	0.004 - 0.007	12	0.002	0.001 - 0.003
CA - Greater Bay Area	27	0.005	0.004 - 0.008	17	0.007	0.004 - 0.011	10	0.004	0.002 - 0.007
CA - Los Angeles	39	0.004	0.003 - 0.006	*	*		*	*	
Colorado	*	*		*	*		*	*	
Connecticut	24	0.005	0.003 - 0.008	*	*		*	*	
Delaware	*	*		*	*		*	*	
District of Columbia	26	0.008	0.005 - 0.011	*	*		*	*	
Florida	158	0.004	0.004 - 0.005	132	0.007	0.006 - 0.009	26	0.001	0.001 - 0.002
Georgia	210	0.006	0.005 - 0.007	179	0.011	0.009 - 0.013	31	0.002	0.001 - 0.002
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	158	0.008	0.007 - 0.009	117	0.013	0.011 - 0.015	41	0.004	0.003 - 0.005
Indiana	53	0.007	0.005 - 0.010	43	0.012	0.009 - 0.016	10	0.003	0.001 - 0.005
Iowa	*	*		*	*		*	*	
Kansas	11	0.005	0.003 - 0.009	*	*		*	*	
Kentucky	27	0.007	0.004 - 0.010	*	*		*	*	
Louisiana	140	0.009	0.008 - 0.011	112	0.015	0.012 - 0.018	28	0.003	0.002 - 0.005
Maine	*	*		*	*		*	*	
Maryland	93	0.005	0.004 - 0.006	69	0.008	0.006 - 0.010	24	0.002	0.001 - 0.003
MI - Detroit	68	0.007	0.005 - 0.009	55	0.012	0.009 - 0.016	14	0.003	0.001 - 0.004
Minnesota	23	0.005	0.003 - 0.008	*	*		*	*	
Mississippi	124	0.011	0.009 - 0.013	107	0.020	0.016 - 0.024	17	0.003	0.002 - 0.004
Missouri	60	0.008	0.006 - 0.010	43	0.012	0.008 - 0.016	17	0.004	0.002 - 0.007
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	70	0.005	0.004 - 0.006	52	0.008	0.006 - 0.010	18	0.002	0.001 - 0.004
New Mexico	*	*		*	*		*	*	
New York	177	0.005	0.004 - 0.006	131	0.008	0.006 - 0.009	46	0.002	0.002 - 0.003
North Carolina	200	0.008	0.007 - 0.010	173	0.015	0.013 - 0.018	27	0.002	0.001 - 0.003
North Dakota	*	*		*	*		*	*	
Ohio	118	0.007	0.006 - 0.009	97	0.012	0.010 - 0.015	21	0.002	0.002 - 0.004
Oklahoma	12	0.003	0.002 - 0.006	*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	74	0.004	0.004 - 0.006	56	0.007	0.005 - 0.009	18	0.002	0.001 - 0.003
Rhode Island	*	*		*	*		*	*	
South Carolina	131	0.009	0.008 - 0.011	106	0.016	0.013 - 0.019	25	0.003	0.002 - 0.005
Tennessee	75	0.006	0.005 - 0.008	59	0.010	0.008 - 0.013	16	0.003	0.001 - 0.004
Texas	227	0.006	0.005 - 0.007	176	0.009	0.008 - 0.011	51	0.003	0.002 - 0.003
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	18	0.004	0.003 - 0.007	*	*		*	*	
WA - Seattle	19	0.005	0.003 - 0.008	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	26	0.006	0.004 - 0.009	*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	26,194	0.056	0.056 - 0.057	13,019	0.058	0.057 - 0.059	13,181	0.055	0.054 - 0.055
Alabama	723	0.054	0.050 - 0.058	419	0.067	0.061 - 0.074	304	0.042	0.038 - 0.047
Alaska	13	0.036	0.019 - 0.061	*	*		*	*	
Arizona	146	0.034	0.029 - 0.040	66	0.030	0.023 - 0.038	80	0.039	0.031 - 0.048
Arkansas	358	0.073	0.065 - 0.081	206	0.088	0.076 - 0.101	152	0.059	0.050 - 0.069
California	1,369	0.048	0.045 - 0.050	631	0.044	0.041 - 0.048	738	0.051	0.048 - 0.055
CA - Greater California	572	0.041	0.038 - 0.045	260	0.036	0.032 - 0.041	312	0.046	0.041 - 0.052
CA - Greater Bay Area	298	0.059	0.053 - 0.066	141	0.056	0.047 - 0.066	157	0.062	0.053 - 0.072
CA - Los Angeles	499	0.052	0.047 - 0.056	231	0.050	0.044 - 0.057	269	0.053	0.047 - 0.060
Colorado	87	0.028	0.023 - 0.035	43	0.026	0.019 - 0.036	44	0.030	0.022 - 0.041
Connecticut	240	0.051	0.045 - 0.058	114	0.051	0.042 - 0.062	125	0.051	0.043 - 0.061
Delaware	132	0.056	0.047 - 0.066	72	0.065	0.050 - 0.081	60	0.048	0.037 - 0.062
District of Columbia	265	0.078	0.069 - 0.089	118	0.077	0.064 - 0.092	147	0.080	0.067 - 0.094
Florida	1,455	0.039	0.037 - 0.041	760	0.042	0.039 - 0.045	695	0.036	0.033 - 0.038
Georgia	1,696	0.048	0.046 - 0.050	876	0.053	0.050 - 0.057	820	0.044	0.041 - 0.047
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	1,493	0.077	0.073 - 0.081	651	0.071	0.066 - 0.077	842	0.082	0.076 - 0.088
Indiana	415	0.057	0.052 - 0.063	204	0.058	0.050 - 0.067	211	0.056	0.049 - 0.065
Iowa	60	0.040	0.030 - 0.051	34	0.043	0.030 - 0.060	26	0.037	0.024 - 0.054
Kansas	113	0.054	0.045 - 0.065	63	0.058	0.045 - 0.075	50	0.050	0.037 - 0.065
Kentucky	318	0.078	0.070 - 0.087	139	0.068	0.058 - 0.081	179	0.088	0.075 - 0.102
Louisiana	1,034	0.066	0.062 - 0.070	603	0.081	0.075 - 0.088	431	0.053	0.048 - 0.058
Maine	*	*		*	*		*	*	
Maryland	1,115	0.057	0.054 - 0.061	475	0.052	0.048 - 0.057	640	0.062	0.057 - 0.067
MI - Detroit	762	0.076	0.071 - 0.082	343	0.075	0.067 - 0.083	419	0.078	0.071 - 0.086
Minnesota	155	0.036	0.030 - 0.042	82	0.037	0.029 - 0.046	73	0.034	0.027 - 0.043
Mississippi	822	0.072	0.067 - 0.077	482	0.089	0.082 - 0.098	340	0.056	0.050 - 0.062
Missouri	618	0.080	0.074 - 0.086	295	0.080	0.071 - 0.089	323	0.080	0.071 - 0.089
Montana	*	*		*	*		*	*	
Nebraska	52	0.045	0.034 - 0.059	26	0.044	0.029 - 0.064	26	0.046	0.030 - 0.068
New Hampshire	*	*		*	*		*	*	
New Jersey	707	0.050	0.047 - 0.054	319	0.048	0.042 - 0.053	388	0.053	0.048 - 0.058
New Mexico	21	0.031	0.019 - 0.048	*	*		*	*	
New York	1,914	0.053	0.051 - 0.055	892	0.053	0.049 - 0.056	1,022	0.053	0.050 - 0.056
North Carolina	1,602	0.066	0.063 - 0.070	838	0.074	0.069 - 0.079	764	0.060	0.055 - 0.064
North Dakota	*	*		*	*		*	*	
Ohio	1,184	0.072	0.068 - 0.076	532	0.067	0.062 - 0.073	652	0.077	0.071 - 0.083
Oklahoma	179	0.051	0.043 - 0.058	98	0.055	0.045 - 0.067	81	0.046	0.036 - 0.057
Oregon	47	0.039	0.028 - 0.051	25	0.038	0.025 - 0.057	22	0.039	0.024 - 0.059
Pennsylvania	1,186	0.072	0.068 - 0.076	486	0.061	0.056 - 0.067	700	0.082	0.076 - 0.089
Rhode Island	50	0.049	0.037 - 0.065	26	0.051	0.034 - 0.075	24	0.047	0.030 - 0.070
South Carolina	879	0.062	0.058 - 0.066	481	0.072	0.066 - 0.079	398	0.052	0.047 - 0.058
Tennessee	796	0.066	0.062 - 0.071	426	0.075	0.068 - 0.082	370	0.058	0.052 - 0.065
Texas	1,795	0.047	0.044 - 0.049	941	0.050	0.047 - 0.054	854	0.043	0.040 - 0.046
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	151	0.037	0.031 - 0.043	78	0.035	0.028 - 0.044	73	0.038	0.030 - 0.048
WA - Seattle	148	0.042	0.035 - 0.049	76	0.041	0.032 - 0.051	72	0.043	0.034 - 0.055
West Virginia	46	0.062	0.045 - 0.082	26	0.065	0.042 - 0.095	20	0.058	0.035 - 0.090
Wisconsin	314	0.073	0.065 - 0.081	167	0.078	0.067 - 0.091	147	0.067	0.057 - 0.079
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	631	0.001	0.001 - 0.001	279	0.001	0.001 - 0.001	352	0.001	0.001 - 0.002
Alabama	25	0.002	0.001 - 0.003	*	*		*	*	
Alaska	*	*		*	*		*	*	
Arizona	*	*		*	*		*	*	
Arkansas	*	*		*	*		*	*	
California	33	0.001	0.001 - 0.002	15	0.001	0.001 - 0.002	18	0.001	0.001 - 0.002
CA - Greater California	17	0.001	0.001 - 0.002	*	*		*	*	
CA - Greater Bay Area	*	*		*	*		*	*	
CA - Los Angeles	*	*		*	*		*	*	
Colorado	*	*		*	*		*	*	
Connecticut	*	*		*	*		*	*	
Delaware	*	*		*	*		*	*	
District of Columbia	10	0.003	0.001 - 0.005	*	*		*	*	
Florida	76	0.002	0.002 - 0.003	46	0.003	0.002 - 0.003	30	0.002	0.001 - 0.002
Georgia	47	0.001	0.001 - 0.002	19	0.001	0.001 - 0.002	28	0.001	0.001 - 0.002
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	23	0.001	0.001 - 0.002	*	*		*	*	
Indiana	*	*		*	*		*	*	
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	*	*		*	*		*	*	
Louisiana	22	0.001	0.001 - 0.002	*	*		*	*	
Maine	*	*		*	*		*	*	
Maryland	27	0.001	0.001 - 0.002	14	0.002	0.001 - 0.003	13	0.001	0.001 - 0.002
MI - Detroit	13	0.001	0.001 - 0.002	*	*		*	*	
Minnesota	*	*		*	*		*	*	
Mississippi	15	0.001	0.001 - 0.002	*	*		*	*	
Missouri	10	0.001	0.001 - 0.002	*	*		*	*	
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	20	0.001	0.001 - 0.002	*	*		*	*	
New Mexico	*	*		*	*		*	*	
New York	60	0.002	0.001 - 0.002	24	0.001	0.001 - 0.002	36	0.002	0.001 - 0.003
North Carolina	26	0.001	0.001 - 0.002	14	0.001	0.001 - 0.002	12	0.001	0.000 - 0.002
North Dakota	*	*		*	*		*	*	
Ohio	17	0.001	0.001 - 0.002	*	*		*	*	
Oklahoma	*	*		*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	20	0.001	0.001 - 0.002	*	*		*	*	
Rhode Island	*	*		*	*		*	*	
South Carolina	20	0.001	0.001 - 0.002	*	*		*	*	
Tennessee	*	*		*	*		*	*	
Texas	47	0.001	0.001 - 0.002	18	0.001	0.001 - 0.002	29	0.001	0.001 - 0.002
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	*	*		*	*		*	*	
WA - Seattle	*	*		*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	*	*		*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		55,189	0.228	0.226 - 0.230
Alabama	N/A	N/A		N/A	N/A		1,750	0.244	0.232 - 0.255
Alaska	N/A	N/A		N/A	N/A		18	0.110	0.065 - 0.174
Arizona	N/A	N/A		N/A	N/A		269	0.130	0.115 - 0.146
Arkansas	N/A	N/A		N/A	N/A		574	0.223	0.205 - 0.242
California	N/A	N/A		N/A	N/A		3,176	0.221	0.214 - 0.229
CA - Greater California	N/A	N/A		N/A	N/A		1,289	0.190	0.180 - 0.201
CA - Greater Bay Area	N/A	N/A		N/A	N/A		616	0.243	0.224 - 0.263
CA - Los Angeles	N/A	N/A		N/A	N/A		1,271	0.251	0.238 - 0.266
Colorado	N/A	N/A		N/A	N/A		231	0.160	0.140 - 0.182
Connecticut	N/A	N/A		N/A	N/A		539	0.222	0.203 - 0.241
Delaware	N/A	N/A		N/A	N/A		316	0.254	0.226 - 0.283
District of Columbia	N/A	N/A		N/A	N/A		541	0.294	0.269 - 0.319
Florida	N/A	N/A		N/A	N/A		3,809	0.196	0.189 - 0.202
Georgia	N/A	N/A		N/A	N/A		4,555	0.243	0.236 - 0.250
Hawaii	N/A	N/A		N/A	N/A		26	0.145	0.094 - 0.212
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		2,666	0.259	0.250 - 0.269
Indiana	N/A	N/A		N/A	N/A		766	0.205	0.191 - 0.220
Iowa	N/A	N/A		N/A	N/A		99	0.139	0.113 - 0.169
Kansas	N/A	N/A		N/A	N/A		213	0.211	0.184 - 0.241
Kentucky	N/A	N/A		N/A	N/A		461	0.226	0.206 - 0.247
Louisiana	N/A	N/A		N/A	N/A		2,083	0.254	0.243 - 0.265
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		2,715	0.262	0.252 - 0.272
MI - Detroit	N/A	N/A		N/A	N/A		1,317	0.244	0.231 - 0.258
Minnesota	N/A	N/A		N/A	N/A		268	0.126	0.111 - 0.141
Mississippi	N/A	N/A		N/A	N/A		1,462	0.241	0.229 - 0.254
Missouri	N/A	N/A		N/A	N/A		930	0.230	0.215 - 0.245
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		90	0.161	0.129 - 0.198
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		1,766	0.240	0.229 - 0.251
New Mexico	N/A	N/A		N/A	N/A		40	0.132	0.094 - 0.180
New York	N/A	N/A		N/A	N/A		4,860	0.253	0.246 - 0.260
North Carolina	N/A	N/A		N/A	N/A		3,430	0.268	0.259 - 0.277
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		1,896	0.223	0.213 - 0.233
Oklahoma	N/A	N/A		N/A	N/A		338	0.191	0.172 - 0.213
Oregon	N/A	N/A		N/A	N/A		81	0.144	0.114 - 0.178
Pennsylvania	N/A	N/A		N/A	N/A		1,834	0.216	0.206 - 0.226
Rhode Island	N/A	N/A		N/A	N/A		91	0.178	0.143 - 0.218
South Carolina	N/A	N/A		N/A	N/A		1,966	0.259	0.248 - 0.271
Tennessee	N/A	N/A		N/A	N/A		1,392	0.219	0.208 - 0.231
Texas	N/A	N/A		N/A	N/A		3,985	0.200	0.194 - 0.207
Utah	N/A	N/A		N/A	N/A		19	0.072	0.044 - 0.113
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		240	0.126	0.110 - 0.143
WA - Seattle	N/A	N/A		N/A	N/A		236	0.143	0.125 - 0.162
West Virginia	N/A	N/A		N/A	N/A		68	0.197	0.153 - 0.250
Wisconsin	N/A	N/A		N/A	N/A		440	0.201	0.183 - 0.221
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		3,230	0.013	0.013 - 0.014
Alabama	N/A	N/A		N/A	N/A		96	0.013	0.011 - 0.016
Alaska	N/A	N/A		N/A	N/A		*	*	
Arizona	N/A	N/A		N/A	N/A		13	0.006	0.003 - 0.011
Arkansas	N/A	N/A		N/A	N/A		33	0.013	0.009 - 0.018
California	N/A	N/A		N/A	N/A		123	0.009	0.007 - 0.010
CA - Greater California	N/A	N/A		N/A	N/A		53	0.008	0.006 - 0.010
CA - Greater Bay Area	N/A	N/A		N/A	N/A		16	0.006	0.004 - 0.010
CA - Los Angeles	N/A	N/A		N/A	N/A		54	0.011	0.008 - 0.014
Colorado	N/A	N/A		N/A	N/A		13	0.009	0.005 - 0.015
Connecticut	N/A	N/A		N/A	N/A		27	0.011	0.007 - 0.016
Delaware	N/A	N/A		N/A	N/A		*	*	
District of Columbia	N/A	N/A		N/A	N/A		28	0.015	0.010 - 0.022
Florida	N/A	N/A		N/A	N/A		310	0.016	0.014 - 0.018
Georgia	N/A	N/A		N/A	N/A		229	0.012	0.011 - 0.014
Hawaii	N/A	N/A		N/A	N/A		*	*	
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		158	0.015	0.013 - 0.018
Indiana	N/A	N/A		N/A	N/A		33	0.009	0.006 - 0.012
Iowa	N/A	N/A		N/A	N/A		*	*	
Kansas	N/A	N/A		N/A	N/A		*	*	
Kentucky	N/A	N/A		N/A	N/A		31	0.015	0.010 - 0.022
Louisiana	N/A	N/A		N/A	N/A		145	0.018	0.015 - 0.021
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		113	0.011	0.009 - 0.013
MI - Detroit	N/A	N/A		N/A	N/A		76	0.014	0.011 - 0.018
Minnesota	N/A	N/A		N/A	N/A		27	0.013	0.008 - 0.018
Mississippi	N/A	N/A		N/A	N/A		94	0.016	0.013 - 0.019
Missouri	N/A	N/A		N/A	N/A		61	0.015	0.012 - 0.019
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		*	*	
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		134	0.018	0.015 - 0.022
New Mexico	N/A	N/A		N/A	N/A		*	*	
New York	N/A	N/A		N/A	N/A		329	0.017	0.015 - 0.019
North Carolina	N/A	N/A		N/A	N/A		146	0.011	0.010 - 0.013
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		93	0.011	0.009 - 0.013
Oklahoma	N/A	N/A		N/A	N/A		16	0.009	0.005 - 0.015
Oregon	N/A	N/A		N/A	N/A		*	*	
Pennsylvania	N/A	N/A		N/A	N/A		118	0.014	0.012 - 0.017
Rhode Island	N/A	N/A		N/A	N/A		*	*	
South Carolina	N/A	N/A		N/A	N/A		98	0.013	0.010 - 0.016
Tennessee	N/A	N/A		N/A	N/A		81	0.013	0.010 - 0.016
Texas	N/A	N/A		N/A	N/A		276	0.014	0.012 - 0.016
Utah	N/A	N/A		N/A	N/A		*	*	
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		18	0.009	0.006 - 0.015
WA - Seattle	N/A	N/A		N/A	N/A		17	0.010	0.006 - 0.016
West Virginia	N/A	N/A		N/A	N/A		*	*	
Wisconsin	N/A	N/A		N/A	N/A		30	0.014	0.009 - 0.020
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		11,975	0.050	0.049 - 0.050
Alabama	N/A	N/A		N/A	N/A		308	0.043	0.038 - 0.048
Alaska	N/A	N/A		N/A	N/A		*	*	
Arizona	N/A	N/A		N/A	N/A		56	0.027	0.020 - 0.035
Arkansas	N/A	N/A		N/A	N/A		122	0.047	0.039 - 0.057
California	N/A	N/A		N/A	N/A		710	0.049	0.046 - 0.053
CA - Greater California	N/A	N/A		N/A	N/A		272	0.040	0.035 - 0.045
CA - Greater Bay Area	N/A	N/A		N/A	N/A		138	0.055	0.046 - 0.065
CA - Los Angeles	N/A	N/A		N/A	N/A		300	0.059	0.053 - 0.066
Colorado	N/A	N/A		N/A	N/A		41	0.028	0.020 - 0.038
Connecticut	N/A	N/A		N/A	N/A		121	0.050	0.041 - 0.060
Delaware	N/A	N/A		N/A	N/A		72	0.058	0.045 - 0.073
District of Columbia	N/A	N/A		N/A	N/A		118	0.064	0.053 - 0.077
Florida	N/A	N/A		N/A	N/A		986	0.051	0.048 - 0.054
Georgia	N/A	N/A		N/A	N/A		890	0.047	0.044 - 0.051
Hawaii	N/A	N/A		N/A	N/A		*	*	
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		557	0.054	0.050 - 0.059
Indiana	N/A	N/A		N/A	N/A		150	0.040	0.034 - 0.047
Iowa	N/A	N/A		N/A	N/A		20	0.028	0.017 - 0.043
Kansas	N/A	N/A		N/A	N/A		40	0.040	0.028 - 0.054
Kentucky	N/A	N/A		N/A	N/A		85	0.042	0.033 - 0.051
Louisiana	N/A	N/A		N/A	N/A		347	0.042	0.038 - 0.047
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		570	0.055	0.051 - 0.060
MI - Detroit	N/A	N/A		N/A	N/A		309	0.057	0.051 - 0.064
Minnesota	N/A	N/A		N/A	N/A		76	0.036	0.028 - 0.045
Mississippi	N/A	N/A		N/A	N/A		268	0.044	0.039 - 0.050
Missouri	N/A	N/A		N/A	N/A		195	0.048	0.042 - 0.055
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		13	0.023	0.012 - 0.040
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		421	0.057	0.052 - 0.063
New Mexico	N/A	N/A		N/A	N/A		*	*	
New York	N/A	N/A		N/A	N/A		1,245	0.065	0.061 - 0.068
North Carolina	N/A	N/A		N/A	N/A		659	0.051	0.048 - 0.055
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		432	0.051	0.046 - 0.056
Oklahoma	N/A	N/A		N/A	N/A		68	0.039	0.030 - 0.049
Oregon	N/A	N/A		N/A	N/A		16	0.028	0.016 - 0.046
Pennsylvania	N/A	N/A		N/A	N/A		499	0.059	0.054 - 0.064
Rhode Island	N/A	N/A		N/A	N/A		16	0.031	0.018 - 0.051
South Carolina	N/A	N/A		N/A	N/A		395	0.052	0.047 - 0.057
Tennessee	N/A	N/A		N/A	N/A		322	0.051	0.045 - 0.057
Texas	N/A	N/A		N/A	N/A		804	0.040	0.038 - 0.043
Utah	N/A	N/A		N/A	N/A		*	*	
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		59	0.031	0.024 - 0.040
WA - Seattle	N/A	N/A		N/A	N/A		57	0.034	0.026 - 0.045
West Virginia	N/A	N/A		N/A	N/A		19	0.055	0.033 - 0.086
Wisconsin	N/A	N/A		N/A	N/A		110	0.050	0.041 - 0.061
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		2,826	0.012	0.011 - 0.012
Alabama	N/A	N/A		N/A	N/A		96	0.013	0.011 - 0.016
Alaska	N/A	N/A		N/A	N/A		*	*	
Arizona	N/A	N/A		N/A	N/A		18	0.009	0.005 - 0.014
Arkansas	N/A	N/A		N/A	N/A		29	0.011	0.008 - 0.016
California	N/A	N/A		N/A	N/A		177	0.012	0.011 - 0.014
CA - Greater California	N/A	N/A		N/A	N/A		72	0.011	0.008 - 0.013
CA - Greater Bay Area	N/A	N/A		N/A	N/A		37	0.015	0.010 - 0.020
CA - Los Angeles	N/A	N/A		N/A	N/A		68	0.013	0.010 - 0.017
Colorado	N/A	N/A		N/A	N/A		10	0.007	0.003 - 0.013
Connecticut	N/A	N/A		N/A	N/A		29	0.012	0.008 - 0.017
Delaware	N/A	N/A		N/A	N/A		10	0.008	0.004 - 0.015
District of Columbia	N/A	N/A		N/A	N/A		28	0.015	0.010 - 0.022
Florida	N/A	N/A		N/A	N/A		233	0.012	0.010 - 0.014
Georgia	N/A	N/A		N/A	N/A		217	0.012	0.010 - 0.013
Hawaii	N/A	N/A		N/A	N/A		*	*	
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		134	0.013	0.011 - 0.015
Indiana	N/A	N/A		N/A	N/A		35	0.009	0.007 - 0.013
Iowa	N/A	N/A		N/A	N/A		*	*	
Kansas	N/A	N/A		N/A	N/A		19	0.019	0.011 - 0.029
Kentucky	N/A	N/A		N/A	N/A		19	0.009	0.006 - 0.015
Louisiana	N/A	N/A		N/A	N/A		95	0.012	0.009 - 0.014
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		129	0.012	0.010 - 0.015
MI - Detroit	N/A	N/A		N/A	N/A		72	0.013	0.010 - 0.017
Minnesota	N/A	N/A		N/A	N/A		15	0.007	0.004 - 0.012
Mississippi	N/A	N/A		N/A	N/A		63	0.010	0.008 - 0.013
Missouri	N/A	N/A		N/A	N/A		47	0.012	0.009 - 0.015
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		*	*	
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		107	0.015	0.012 - 0.018
New Mexico	N/A	N/A		N/A	N/A		*	*	
New York	N/A	N/A		N/A	N/A		277	0.014	0.013 - 0.016
North Carolina	N/A	N/A		N/A	N/A		138	0.011	0.009 - 0.013
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		80	0.009	0.007 - 0.012
Oklahoma	N/A	N/A		N/A	N/A		21	0.012	0.007 - 0.018
Oregon	N/A	N/A		N/A	N/A		*	*	
Pennsylvania	N/A	N/A		N/A	N/A		104	0.012	0.010 - 0.015
Rhode Island	N/A	N/A		N/A	N/A		*	*	
South Carolina	N/A	N/A		N/A	N/A		81	0.011	0.008 - 0.013
Tennessee	N/A	N/A		N/A	N/A		66	0.010	0.008 - 0.013
Texas	N/A	N/A		N/A	N/A		224	0.011	0.010 - 0.013
Utah	N/A	N/A		N/A	N/A		*	*	
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		15	0.008	0.004 - 0.013
WA - Seattle	N/A	N/A		N/A	N/A		13	0.008	0.004 - 0.013
West Virginia	N/A	N/A		N/A	N/A		*	*	
Wisconsin	N/A	N/A		N/A	N/A		15	0.007	0.004 - 0.011
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		66,939	0.299	0.297 - 0.302	N/A	N/A	
Alabama	N/A	N/A		2,234	0.358	0.343 - 0.373	N/A	N/A	
Alaska	N/A	N/A		33	0.165	0.113 - 0.231	N/A	N/A	
Arizona	N/A	N/A		343	0.156	0.140 - 0.174	N/A	N/A	
Arkansas	N/A	N/A		830	0.354	0.330 - 0.379	N/A	N/A	
California	N/A	N/A		3,549	0.249	0.241 - 0.258	N/A	N/A	
CA - Greater California	N/A	N/A		1,570	0.220	0.210 - 0.231	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		754	0.300	0.279 - 0.323	N/A	N/A	
CA - Los Angeles	N/A	N/A		1,225	0.266	0.252 - 0.282	N/A	N/A	
Colorado	N/A	N/A		303	0.186	0.165 - 0.208	N/A	N/A	
Connecticut	N/A	N/A		649	0.292	0.270 - 0.315	N/A	N/A	
Delaware	N/A	N/A		396	0.355	0.321 - 0.392	N/A	N/A	
District of Columbia	N/A	N/A		486	0.317	0.289 - 0.346	N/A	N/A	
Florida	N/A	N/A		4,431	0.244	0.237 - 0.251	N/A	N/A	
Georgia	N/A	N/A		5,545	0.336	0.327 - 0.345	N/A	N/A	
Hawaii	N/A	N/A		41	0.160	0.115 - 0.217	N/A	N/A	
Idaho	N/A	N/A		21	0.169	0.105 - 0.258	N/A	N/A	
Illinois	N/A	N/A		2,895	0.316	0.304 - 0.327	N/A	N/A	
Indiana	N/A	N/A		893	0.254	0.238 - 0.272	N/A	N/A	
Iowa	N/A	N/A		138	0.173	0.145 - 0.204	N/A	N/A	
Kansas	N/A	N/A		273	0.253	0.224 - 0.285	N/A	N/A	
Kentucky	N/A	N/A		554	0.273	0.250 - 0.296	N/A	N/A	
Louisiana	N/A	N/A		2,607	0.352	0.338 - 0.365	N/A	N/A	
Maine	N/A	N/A		27	0.181	0.119 - 0.263	N/A	N/A	
Maryland	N/A	N/A		3,336	0.367	0.354 - 0.379	N/A	N/A	
MI - Detroit	N/A	N/A		1,605	0.350	0.333 - 0.368	N/A	N/A	
Minnesota	N/A	N/A		387	0.174	0.157 - 0.192	N/A	N/A	
Mississippi	N/A	N/A		1,961	0.364	0.348 - 0.380	N/A	N/A	
Missouri	N/A	N/A		859	0.232	0.217 - 0.249	N/A	N/A	
Montana	N/A	N/A		10	0.167	0.080 - 0.307	N/A	N/A	
Nebraska	N/A	N/A		150	0.253	0.214 - 0.297	N/A	N/A	
New Hampshire	N/A	N/A		27	0.167	0.110 - 0.243	N/A	N/A	
New Jersey	N/A	N/A		2,376	0.354	0.340 - 0.369	N/A	N/A	
New Mexico	N/A	N/A		69	0.191	0.149 - 0.242	N/A	N/A	
New York	N/A	N/A		6,249	0.368	0.359 - 0.377	N/A	N/A	
North Carolina	N/A	N/A		3,932	0.347	0.336 - 0.358	N/A	N/A	
North Dakota	N/A	N/A		10	0.060	0.029 - 0.111	N/A	N/A	
Ohio	N/A	N/A		2,241	0.284	0.272 - 0.296	N/A	N/A	
Oklahoma	N/A	N/A		440	0.247	0.225 - 0.272	N/A	N/A	
Oregon	N/A	N/A		132	0.203	0.170 - 0.241	N/A	N/A	
Pennsylvania	N/A	N/A		2,006	0.252	0.241 - 0.263	N/A	N/A	
Rhode Island	N/A	N/A		107	0.212	0.174 - 0.256	N/A	N/A	
South Carolina	N/A	N/A		2,097	0.314	0.301 - 0.328	N/A	N/A	
Tennessee	N/A	N/A		1,847	0.323	0.309 - 0.339	N/A	N/A	
Texas	N/A	N/A		4,887	0.261	0.254 - 0.269	N/A	N/A	
Utah	N/A	N/A		40	0.122	0.087 - 0.166	N/A	N/A	
Vermont	N/A	N/A		13	0.207	0.110 - 0.354	N/A	N/A	
Washington	N/A	N/A		405	0.184	0.166 - 0.203	N/A	N/A	
WA - Seattle	N/A	N/A		406	0.217	0.196 - 0.239	N/A	N/A	
West Virginia	N/A	N/A		131	0.325	0.272 - 0.386	N/A	N/A	
Wisconsin	N/A	N/A		528	0.247	0.227 - 0.269	N/A	N/A	
Wyoming	N/A	N/A		*	*		N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		621	0.003	0.003 - 0.003	N/A	N/A	
Alabama	N/A	N/A		14	0.002	0.001 - 0.004	N/A	N/A	
Alaska	N/A	N/A		*	*		N/A	N/A	
Arizona	N/A	N/A		*	*		N/A	N/A	
Arkansas	N/A	N/A		*	*		N/A	N/A	
California	N/A	N/A		42	0.003	0.002 - 0.004	N/A	N/A	
CA - Greater California	N/A	N/A		20	0.003	0.002 - 0.004	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		13	0.005	0.003 - 0.009	N/A	N/A	
CA - Los Angeles	N/A	N/A		*	*		N/A	N/A	
Colorado	N/A	N/A		*	*		N/A	N/A	
Connecticut	N/A	N/A		*	*		N/A	N/A	
Delaware	N/A	N/A		*	*		N/A	N/A	
District of Columbia	N/A	N/A		*	*		N/A	N/A	
Florida	N/A	N/A		49	0.003	0.002 - 0.004	N/A	N/A	
Georgia	N/A	N/A		44	0.003	0.002 - 0.004	N/A	N/A	
Hawaii	N/A	N/A		*	*		N/A	N/A	
Idaho	N/A	N/A		*	*		N/A	N/A	
Illinois	N/A	N/A		33	0.004	0.002 - 0.005	N/A	N/A	
Indiana	N/A	N/A		*	*		N/A	N/A	
Iowa	N/A	N/A		*	*		N/A	N/A	
Kansas	N/A	N/A		*	*		N/A	N/A	
Kentucky	N/A	N/A		*	*		N/A	N/A	
Louisiana	N/A	N/A		21	0.003	0.002 - 0.004	N/A	N/A	
Maine	N/A	N/A		*	*		N/A	N/A	
Maryland	N/A	N/A		25	0.003	0.002 - 0.004	N/A	N/A	
MI - Detroit	N/A	N/A		*	*		N/A	N/A	
Minnesota	N/A	N/A		*	*		N/A	N/A	
Mississippi	N/A	N/A		26	0.005	0.003 - 0.007	N/A	N/A	
Missouri	N/A	N/A		*	*		N/A	N/A	
Montana	N/A	N/A		*	*		N/A	N/A	
Nebraska	N/A	N/A		*	*		N/A	N/A	
New Hampshire	N/A	N/A		*	*		N/A	N/A	
New Jersey	N/A	N/A		25	0.004	0.002 - 0.005	N/A	N/A	
New Mexico	N/A	N/A		*	*		N/A	N/A	
New York	N/A	N/A		64	0.004	0.003 - 0.005	N/A	N/A	
North Carolina	N/A	N/A		36	0.003	0.002 - 0.004	N/A	N/A	
North Dakota	N/A	N/A		*	*		N/A	N/A	
Ohio	N/A	N/A		18	0.002	0.001 - 0.004	N/A	N/A	
Oklahoma	N/A	N/A		*	*		N/A	N/A	
Oregon	N/A	N/A		*	*		N/A	N/A	
Pennsylvania	N/A	N/A		15	0.002	0.001 - 0.003	N/A	N/A	
Rhode Island	N/A	N/A		*	*		N/A	N/A	
South Carolina	N/A	N/A		12	0.002	0.001 - 0.003	N/A	N/A	
Tennessee	N/A	N/A		19	0.003	0.002 - 0.005	N/A	N/A	
Texas	N/A	N/A		42	0.002	0.002 - 0.003	N/A	N/A	
Utah	N/A	N/A		*	*		N/A	N/A	
Vermont	N/A	N/A		*	*		N/A	N/A	
Washington	N/A	N/A		*	*		N/A	N/A	
WA - Seattle	N/A	N/A		*	*		N/A	N/A	
West Virginia	N/A	N/A		*	*		N/A	N/A	
Wisconsin	N/A	N/A		*	*		N/A	N/A	
Wyoming	N/A	N/A		*	*		N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	7,176	0.015	0.015 - 0.016	5,030	0.023	0.022 - 0.023	2,153	0.009	0.009 - 0.009
Alabama	203	0.015	0.013 - 0.017	133	0.021	0.018 - 0.025	70	0.010	0.008 - 0.012
Alaska	*	*		*	*		*	*	
Arizona	61	0.014	0.011 - 0.018	48	0.022	0.016 - 0.029	13	0.006	0.003 - 0.011
Arkansas	74	0.015	0.012 - 0.019	56	0.024	0.018 - 0.031	18	0.007	0.004 - 0.011
California	416	0.015	0.013 - 0.016	309	0.022	0.019 - 0.024	107	0.007	0.006 - 0.009
CA - Greater California	185	0.013	0.011 - 0.015	141	0.020	0.017 - 0.023	44	0.007	0.005 - 0.009
CA - Greater Bay Area	88	0.017	0.014 - 0.021	69	0.027	0.021 - 0.035	19	0.007	0.005 - 0.012
CA - Los Angeles	144	0.015	0.013 - 0.018	100	0.022	0.018 - 0.026	44	0.009	0.006 - 0.012
Colorado	36	0.012	0.008 - 0.016	*	*		*	*	
Connecticut	57	0.012	0.009 - 0.016	38	0.017	0.012 - 0.023	19	0.008	0.005 - 0.012
Delaware	49	0.021	0.015 - 0.027	35	0.031	0.022 - 0.044	14	0.011	0.006 - 0.019
District of Columbia	92	0.027	0.022 - 0.033	62	0.040	0.031 - 0.052	30	0.016	0.011 - 0.023
Florida	426	0.011	0.010 - 0.012	300	0.016	0.015 - 0.018	126	0.006	0.005 - 0.008
Georgia	506	0.014	0.013 - 0.016	355	0.021	0.019 - 0.024	152	0.008	0.007 - 0.009
Hawaii	10	0.023	0.011 - 0.042	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	307	0.016	0.014 - 0.018	214	0.023	0.020 - 0.027	93	0.009	0.007 - 0.011
Indiana	123	0.017	0.014 - 0.020	84	0.024	0.019 - 0.030	39	0.010	0.007 - 0.014
Iowa	20	0.013	0.008 - 0.020	*	*		*	*	
Kansas	45	0.022	0.016 - 0.029	*	*		*	*	
Kentucky	68	0.017	0.013 - 0.021	41	0.020	0.014 - 0.027	27	0.013	0.009 - 0.019
Louisiana	272	0.017	0.015 - 0.020	201	0.027	0.023 - 0.031	71	0.009	0.007 - 0.011
Maine	*	*		*	*		*	*	
Maryland	285	0.015	0.013 - 0.016	204	0.022	0.019 - 0.026	81	0.008	0.006 - 0.010
MI - Detroit	215	0.022	0.019 - 0.025	142	0.031	0.026 - 0.037	73	0.013	0.011 - 0.017
Minnesota	44	0.010	0.007 - 0.014	32	0.014	0.010 - 0.020	12	0.006	0.003 - 0.010
Mississippi	183	0.016	0.014 - 0.018	125	0.023	0.019 - 0.028	58	0.010	0.007 - 0.012
Missouri	139	0.018	0.015 - 0.021	106	0.029	0.023 - 0.035	33	0.008	0.006 - 0.011
Montana	*	*		*	*		*	*	
Nebraska	15	0.013	0.007 - 0.021	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	238	0.017	0.015 - 0.019	159	0.024	0.020 - 0.028	79	0.011	0.008 - 0.013
New Mexico	*	*		*	*		*	*	
New York	678	0.019	0.017 - 0.020	461	0.027	0.025 - 0.030	217	0.011	0.010 - 0.013
North Carolina	454	0.019	0.017 - 0.021	295	0.026	0.023 - 0.029	159	0.012	0.011 - 0.014
North Dakota	*	*		*	*		*	*	
Ohio	289	0.018	0.016 - 0.020	219	0.028	0.024 - 0.032	70	0.008	0.006 - 0.010
Oklahoma	54	0.015	0.011 - 0.020	35	0.020	0.014 - 0.027	19	0.011	0.006 - 0.017
Oregon	24	0.020	0.013 - 0.029	*	*		*	*	
Pennsylvania	285	0.017	0.015 - 0.019	188	0.024	0.020 - 0.027	97	0.011	0.009 - 0.014
Rhode Island	13	0.013	0.007 - 0.022	*	*		*	*	
South Carolina	227	0.016	0.014 - 0.018	151	0.023	0.019 - 0.027	76	0.010	0.008 - 0.013
Tennessee	183	0.015	0.013 - 0.018	129	0.023	0.019 - 0.027	54	0.009	0.006 - 0.011
Texas	420	0.011	0.010 - 0.012	288	0.015	0.014 - 0.017	132	0.007	0.006 - 0.008
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	49	0.012	0.009 - 0.016	*	*		*	*	
WA - Seattle	48	0.014	0.010 - 0.018	*	*		*	*	
West Virginia	12	0.016	0.008 - 0.028	*	*		*	*	
Wisconsin	84	0.019	0.016 - 0.024	66	0.031	0.024 - 0.039	18	0.008	0.005 - 0.013
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	13,506	0.029	0.029 - 0.030	7,926	0.035	0.035 - 0.036	5,586	0.023	0.022 - 0.024
Alabama	440	0.033	0.030 - 0.036	252	0.040	0.036 - 0.046	188	0.026	0.023 - 0.030
Alaska	*	*		*	*		*	*	
Arizona	87	0.020	0.016 - 0.025	63	0.029	0.022 - 0.037	24	0.012	0.007 - 0.017
Arkansas	190	0.039	0.033 - 0.045	106	0.045	0.037 - 0.055	84	0.033	0.026 - 0.040
California	747	0.026	0.024 - 0.028	453	0.032	0.029 - 0.035	295	0.021	0.018 - 0.023
CA - Greater California	320	0.023	0.021 - 0.026	195	0.027	0.024 - 0.031	125	0.018	0.015 - 0.022
CA - Greater Bay Area	165	0.033	0.028 - 0.038	101	0.040	0.033 - 0.049	64	0.025	0.019 - 0.032
CA - Los Angeles	263	0.027	0.024 - 0.031	157	0.034	0.029 - 0.040	106	0.021	0.017 - 0.025
Colorado	61	0.020	0.015 - 0.025	43	0.026	0.019 - 0.036	18	0.012	0.007 - 0.020
Connecticut	113	0.024	0.020 - 0.029	75	0.034	0.026 - 0.042	38	0.016	0.011 - 0.021
Delaware	78	0.033	0.026 - 0.041	45	0.040	0.029 - 0.054	33	0.026	0.018 - 0.037
District of Columbia	99	0.029	0.024 - 0.036	61	0.040	0.030 - 0.051	38	0.021	0.015 - 0.028
Florida	781	0.021	0.019 - 0.022	416	0.023	0.021 - 0.025	365	0.019	0.017 - 0.021
Georgia	918	0.026	0.024 - 0.028	529	0.032	0.029 - 0.035	389	0.021	0.019 - 0.023
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	633	0.033	0.030 - 0.035	373	0.041	0.037 - 0.045	260	0.025	0.022 - 0.029
Indiana	215	0.030	0.026 - 0.034	130	0.037	0.031 - 0.044	85	0.023	0.018 - 0.028
Iowa	29	0.019	0.013 - 0.027	13	0.016	0.009 - 0.028	16	0.022	0.013 - 0.036
Kansas	47	0.023	0.017 - 0.030	30	0.028	0.019 - 0.040	17	0.017	0.010 - 0.027
Kentucky	147	0.036	0.030 - 0.042	73	0.036	0.028 - 0.045	74	0.036	0.028 - 0.045
Louisiana	504	0.032	0.030 - 0.035	292	0.039	0.035 - 0.044	212	0.026	0.022 - 0.030
Maine	*	*		*	*		*	*	
Maryland	610	0.031	0.029 - 0.034	334	0.037	0.033 - 0.041	276	0.027	0.024 - 0.030
MI - Detroit	334	0.033	0.030 - 0.037	181	0.039	0.034 - 0.046	153	0.028	0.024 - 0.033
Minnesota	78	0.018	0.014 - 0.022	50	0.022	0.017 - 0.030	28	0.013	0.009 - 0.019
Mississippi	446	0.039	0.035 - 0.043	249	0.046	0.041 - 0.052	197	0.033	0.028 - 0.037
Missouri	240	0.031	0.027 - 0.035	139	0.038	0.032 - 0.044	101	0.025	0.020 - 0.030
Montana	*	*		*	*		*	*	
Nebraska	37	0.032	0.023 - 0.044	24	0.041	0.026 - 0.060	13	0.023	0.012 - 0.040
New Hampshire	*	*		*	*		*	*	
New Jersey	391	0.028	0.025 - 0.031	249	0.037	0.033 - 0.042	143	0.019	0.016 - 0.023
New Mexico	10	0.015	0.007 - 0.028	10	0.028	0.013 - 0.051	*	*	
New York	992	0.027	0.026 - 0.029	618	0.036	0.034 - 0.039	374	0.019	0.018 - 0.022
North Carolina	840	0.035	0.032 - 0.037	490	0.043	0.039 - 0.047	350	0.027	0.025 - 0.030
North Dakota	*	*		*	*		*	*	
Ohio	502	0.031	0.028 - 0.033	303	0.038	0.034 - 0.043	199	0.023	0.020 - 0.027
Oklahoma	86	0.024	0.019 - 0.030	49	0.028	0.020 - 0.036	37	0.021	0.015 - 0.029
Oregon	32	0.026	0.018 - 0.037	22	0.034	0.021 - 0.051	10	0.018	0.008 - 0.033
Pennsylvania	497	0.030	0.028 - 0.033	297	0.037	0.033 - 0.042	200	0.024	0.020 - 0.027
Rhode Island	17	0.017	0.010 - 0.027	*	*		*	*	
South Carolina	481	0.034	0.031 - 0.037	272	0.041	0.036 - 0.046	209	0.028	0.024 - 0.032
Tennessee	438	0.036	0.033 - 0.040	262	0.046	0.040 - 0.052	176	0.028	0.024 - 0.032
Texas	1,120	0.029	0.027 - 0.031	649	0.035	0.032 - 0.037	471	0.024	0.022 - 0.026
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	114	0.028	0.023 - 0.033	72	0.033	0.026 - 0.041	42	0.022	0.016 - 0.030
WA - Seattle	110	0.031	0.026 - 0.038	72	0.038	0.030 - 0.048	38	0.023	0.016 - 0.032
West Virginia	18	0.024	0.014 - 0.038	*	*		*	*	
Wisconsin	150	0.035	0.029 - 0.041	90	0.042	0.034 - 0.052	60	0.027	0.021 - 0.035
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,282	0.005	0.005 - 0.005	1,244	0.006	0.005 - 0.006	1,038	0.004	0.004 - 0.005
Alabama	64	0.005	0.004 - 0.006	35	0.006	0.004 - 0.008	29	0.004	0.003 - 0.006
Alaska	*	*		*	*		*	*	
Arizona	11	0.003	0.001 - 0.005	*	*		*	*	
Arkansas	19	0.004	0.002 - 0.006	*	*		*	*	
California	137	0.005	0.004 - 0.006	89	0.006	0.005 - 0.008	48	0.003	0.002 - 0.004
CA - Greater California	56	0.004	0.003 - 0.005	37	0.005	0.004 - 0.007	19	0.003	0.002 - 0.004
CA - Greater Bay Area	25	0.005	0.003 - 0.007	14	0.006	0.003 - 0.009	11	0.004	0.002 - 0.008
CA - Los Angeles	56	0.006	0.004 - 0.007	39	0.008	0.006 - 0.012	17	0.003	0.002 - 0.005
Colorado	17	0.006	0.003 - 0.009	*	*		*	*	
Connecticut	27	0.006	0.004 - 0.008	15	0.007	0.004 - 0.011	12	0.005	0.003 - 0.009
Delaware	17	0.007	0.004 - 0.012	*	*		*	*	
District of Columbia	15	0.004	0.002 - 0.007	*	*		*	*	
Florida	204	0.005	0.005 - 0.006	107	0.006	0.005 - 0.007	97	0.005	0.004 - 0.006
Georgia	163	0.005	0.004 - 0.005	87	0.005	0.004 - 0.006	76	0.004	0.003 - 0.005
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	104	0.005	0.004 - 0.006	64	0.007	0.005 - 0.009	40	0.004	0.003 - 0.005
Indiana	32	0.004	0.003 - 0.006	16	0.005	0.003 - 0.007	16	0.004	0.002 - 0.007
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	29	0.007	0.005 - 0.010	12	0.006	0.003 - 0.010	17	0.008	0.005 - 0.013
Louisiana	76	0.005	0.004 - 0.006	48	0.006	0.005 - 0.009	28	0.003	0.002 - 0.005
Maine	*	*		*	*		*	*	
Maryland	82	0.004	0.003 - 0.005	39	0.004	0.003 - 0.006	43	0.004	0.003 - 0.006
MI - Detroit	49	0.005	0.004 - 0.006	27	0.006	0.004 - 0.009	22	0.004	0.003 - 0.006
Minnesota	21	0.005	0.003 - 0.007	*	*		*	*	
Mississippi	46	0.004	0.003 - 0.005	24	0.004	0.003 - 0.007	22	0.004	0.002 - 0.005
Missouri	41	0.005	0.004 - 0.007	18	0.005	0.003 - 0.008	23	0.006	0.004 - 0.009
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	72	0.005	0.004 - 0.006	35	0.005	0.004 - 0.007	37	0.005	0.004 - 0.007
New Mexico	*	*		*	*		*	*	
New York	205	0.006	0.005 - 0.006	116	0.007	0.006 - 0.008	89	0.005	0.004 - 0.006
North Carolina	115	0.005	0.004 - 0.006	63	0.006	0.004 - 0.007	52	0.004	0.003 - 0.005
North Dakota	*	*		*	*		*	*	
Ohio	78	0.005	0.004 - 0.006	47	0.006	0.004 - 0.008	31	0.004	0.002 - 0.005
Oklahoma	*	*		*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	87	0.005	0.004 - 0.007	36	0.005	0.003 - 0.006	51	0.006	0.004 - 0.008
Rhode Island	10	0.010	0.005 - 0.018	*	*		*	*	
South Carolina	60	0.004	0.003 - 0.005	32	0.005	0.003 - 0.007	28	0.004	0.002 - 0.005
Tennessee	63	0.005	0.004 - 0.007	35	0.006	0.004 - 0.009	28	0.004	0.003 - 0.006
Texas	188	0.005	0.004 - 0.006	102	0.005	0.004 - 0.007	86	0.004	0.003 - 0.005
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	18	0.004	0.003 - 0.007	*	*		*	*	
WA - Seattle	12	0.003	0.002 - 0.006	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	20	0.005	0.003 - 0.007	10	0.005	0.002 - 0.009	10	0.005	0.002 - 0.008
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	6,758	0.015	0.014 - 0.015	1,302	0.006	0.005 - 0.006	5,449	0.023	0.022 - 0.023
Alabama	177	0.013	0.011 - 0.015	34	0.005	0.004 - 0.008	143	0.020	0.017 - 0.023
Alaska	*	*		*	*		*	*	
Arizona	40	0.009	0.007 - 0.013	*	*		*	*	
Arkansas	69	0.014	0.011 - 0.018	22	0.009	0.006 - 0.014	47	0.018	0.013 - 0.024
California	368	0.013	0.012 - 0.014	86	0.006	0.005 - 0.007	282	0.020	0.017 - 0.022
CA - Greater California	175	0.013	0.011 - 0.015	43	0.006	0.004 - 0.008	132	0.019	0.016 - 0.023
CA - Greater Bay Area	67	0.013	0.010 - 0.017	19	0.008	0.005 - 0.012	48	0.019	0.014 - 0.025
CA - Los Angeles	126	0.013	0.011 - 0.016	24	0.005	0.003 - 0.008	102	0.020	0.016 - 0.024
Colorado	34	0.011	0.008 - 0.015	*	*		*	*	
Connecticut	76	0.016	0.013 - 0.020	16	0.007	0.004 - 0.012	60	0.025	0.019 - 0.032
Delaware	31	0.013	0.009 - 0.019	*	*		*	*	
District of Columbia	58	0.017	0.013 - 0.022	19	0.012	0.007 - 0.019	39	0.021	0.015 - 0.029
Florida	512	0.014	0.012 - 0.015	90	0.005	0.004 - 0.006	422	0.022	0.020 - 0.024
Georgia	493	0.014	0.013 - 0.015	83	0.005	0.004 - 0.006	410	0.022	0.020 - 0.024
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	269	0.014	0.012 - 0.016	42	0.005	0.003 - 0.006	227	0.022	0.019 - 0.025
Indiana	86	0.012	0.009 - 0.015	22	0.006	0.004 - 0.009	64	0.017	0.013 - 0.022
Iowa	13	0.009	0.005 - 0.015	*	*		*	*	
Kansas	26	0.012	0.008 - 0.018	*	*		*	*	
Kentucky	69	0.017	0.013 - 0.021	*	*		*	*	
Louisiana	275	0.018	0.016 - 0.020	55	0.007	0.006 - 0.010	220	0.027	0.023 - 0.031
Maine	*	*		*	*		*	*	
Maryland	304	0.016	0.014 - 0.017	62	0.007	0.005 - 0.009	242	0.023	0.021 - 0.027
MI - Detroit	144	0.014	0.012 - 0.017	27	0.006	0.004 - 0.009	117	0.022	0.018 - 0.026
Minnesota	54	0.012	0.009 - 0.016	15	0.007	0.004 - 0.011	39	0.018	0.013 - 0.025
Mississippi	140	0.012	0.010 - 0.014	34	0.006	0.004 - 0.009	106	0.017	0.014 - 0.021
Missouri	96	0.012	0.010 - 0.015	11	0.003	0.001 - 0.005	85	0.021	0.017 - 0.026
Montana	*	*		*	*		*	*	
Nebraska	17	0.015	0.009 - 0.024	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	231	0.016	0.014 - 0.019	33	0.005	0.003 - 0.007	198	0.027	0.023 - 0.031
New Mexico	*	*		*	*		*	*	
New York	688	0.019	0.018 - 0.020	125	0.007	0.006 - 0.009	564	0.029	0.027 - 0.032
North Carolina	343	0.014	0.013 - 0.016	54	0.005	0.004 - 0.006	289	0.023	0.020 - 0.025
North Dakota	*	*		*	*		*	*	
Ohio	308	0.019	0.017 - 0.021	56	0.007	0.005 - 0.009	252	0.030	0.026 - 0.033
Oklahoma	44	0.012	0.009 - 0.017	11	0.006	0.003 - 0.011	33	0.019	0.013 - 0.026
Oregon	15	0.012	0.007 - 0.020	*	*		*	*	
Pennsylvania	335	0.020	0.018 - 0.023	66	0.008	0.006 - 0.011	269	0.032	0.028 - 0.036
Rhode Island	11	0.011	0.005 - 0.019	*	*		*	*	
South Carolina	207	0.015	0.013 - 0.017	42	0.006	0.005 - 0.009	165	0.022	0.019 - 0.025
Tennessee	146	0.012	0.010 - 0.014	24	0.004	0.003 - 0.006	122	0.019	0.016 - 0.023
Texas	439	0.011	0.010 - 0.012	93	0.005	0.004 - 0.006	346	0.017	0.016 - 0.019
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	56	0.014	0.010 - 0.018	18	0.008	0.005 - 0.013	38	0.020	0.014 - 0.027
WA - Seattle	52	0.015	0.011 - 0.019	15	0.008	0.004 - 0.013	37	0.022	0.016 - 0.031
West Virginia	10	0.013	0.006 - 0.025	*	*		*	*	
Wisconsin	62	0.014	0.011 - 0.018	11	0.005	0.003 - 0.009	51	0.023	0.017 - 0.031
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,173	0.005	0.004 - 0.005	1,130	0.005	0.005 - 0.005	1,043	0.004	0.004 - 0.005
Alabama	72	0.005	0.004 - 0.007	37	0.006	0.004 - 0.008	35	0.005	0.003 - 0.007
Alaska	*	*		*	*		*	*	
Arizona	16	0.004	0.002 - 0.006	*	*		*	*	
Arkansas	27	0.005	0.004 - 0.008	14	0.006	0.003 - 0.010	13	0.005	0.003 - 0.009
California	120	0.004	0.003 - 0.005	64	0.004	0.003 - 0.006	56	0.004	0.003 - 0.005
CA - Greater California	63	0.005	0.003 - 0.006	30	0.004	0.003 - 0.006	33	0.005	0.003 - 0.007
CA - Greater Bay Area	19	0.004	0.002 - 0.006	*	*		*	*	
CA - Los Angeles	38	0.004	0.003 - 0.005	23	0.005	0.003 - 0.008	15	0.003	0.002 - 0.005
Colorado	*	*		*	*		*	*	
Connecticut	31	0.007	0.005 - 0.009	15	0.007	0.004 - 0.011	16	0.007	0.004 - 0.011
Delaware	12	0.005	0.003 - 0.009	*	*		*	*	
District of Columbia	13	0.004	0.002 - 0.007	*	*		*	*	
Florida	176	0.005	0.004 - 0.005	88	0.005	0.004 - 0.006	88	0.005	0.004 - 0.006
Georgia	143	0.004	0.003 - 0.005	66	0.004	0.003 - 0.005	77	0.004	0.003 - 0.005
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	97	0.005	0.004 - 0.006	49	0.005	0.004 - 0.007	48	0.005	0.003 - 0.006
Indiana	31	0.004	0.003 - 0.006	19	0.005	0.003 - 0.008	12	0.003	0.002 - 0.006
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	22	0.005	0.003 - 0.008	*	*		*	*	
Louisiana	77	0.005	0.004 - 0.006	40	0.005	0.004 - 0.007	37	0.005	0.003 - 0.006
Maine	*	*		*	*		*	*	
Maryland	94	0.005	0.004 - 0.006	43	0.005	0.003 - 0.006	51	0.005	0.004 - 0.006
MI - Detroit	49	0.005	0.004 - 0.006	22	0.005	0.003 - 0.007	27	0.005	0.003 - 0.007
Minnesota	17	0.004	0.002 - 0.006	*	*		*	*	
Mississippi	51	0.004	0.003 - 0.006	26	0.005	0.003 - 0.007	25	0.004	0.003 - 0.006
Missouri	36	0.005	0.003 - 0.006	18	0.005	0.003 - 0.008	18	0.004	0.003 - 0.007
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	64	0.005	0.004 - 0.006	32	0.005	0.003 - 0.007	32	0.004	0.003 - 0.006
New Mexico	*	*		*	*		*	*	
New York	183	0.005	0.004 - 0.006	101	0.006	0.005 - 0.007	82	0.004	0.003 - 0.005
North Carolina	145	0.006	0.005 - 0.007	80	0.007	0.006 - 0.009	65	0.005	0.004 - 0.006
North Dakota	*	*		*	*		*	*	
Ohio	65	0.004	0.003 - 0.005	34	0.004	0.003 - 0.006	31	0.004	0.002 - 0.005
Oklahoma	11	0.003	0.002 - 0.006	*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	70	0.004	0.003 - 0.005	43	0.005	0.004 - 0.007	27	0.003	0.002 - 0.005
Rhode Island	*	*		*	*		*	*	
South Carolina	61	0.004	0.003 - 0.005	30	0.004	0.003 - 0.006	31	0.004	0.003 - 0.006
Tennessee	53	0.004	0.003 - 0.006	29	0.005	0.003 - 0.007	24	0.004	0.002 - 0.006
Texas	174	0.005	0.004 - 0.005	80	0.004	0.003 - 0.005	94	0.005	0.004 - 0.006
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	23	0.006	0.004 - 0.008	10	0.005	0.002 - 0.008	13	0.007	0.004 - 0.012
WA - Seattle	21	0.006	0.004 - 0.009	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	30	0.007	0.005 - 0.010	*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	9,507	0.020	0.020 - 0.021	4,825	0.022	0.021 - 0.022	4,684	0.019	0.019 - 0.020
Alabama	206	0.015	0.013 - 0.018	104	0.017	0.014 - 0.020	102	0.014	0.012 - 0.017
Alaska	*	*		*	*		*	*	
Arizona	44	0.010	0.007 - 0.014	28	0.013	0.008 - 0.018	16	0.008	0.004 - 0.013
Arkansas	122	0.025	0.021 - 0.030	69	0.029	0.023 - 0.037	53	0.021	0.015 - 0.027
California	576	0.020	0.019 - 0.022	298	0.021	0.019 - 0.023	278	0.019	0.017 - 0.022
CA - Greater California	228	0.016	0.014 - 0.019	120	0.017	0.014 - 0.020	109	0.016	0.013 - 0.019
CA - Greater Bay Area	134	0.027	0.022 - 0.031	74	0.029	0.023 - 0.037	60	0.024	0.018 - 0.030
CA - Los Angeles	214	0.022	0.019 - 0.025	104	0.023	0.019 - 0.027	110	0.022	0.018 - 0.026
Colorado	53	0.017	0.013 - 0.023	31	0.019	0.013 - 0.027	22	0.015	0.010 - 0.023
Connecticut	92	0.020	0.016 - 0.024	44	0.020	0.014 - 0.026	49	0.020	0.015 - 0.026
Delaware	52	0.022	0.016 - 0.029	25	0.022	0.015 - 0.033	27	0.022	0.014 - 0.032
District of Columbia	69	0.020	0.016 - 0.026	38	0.025	0.018 - 0.034	31	0.017	0.011 - 0.024
Florida	769	0.020	0.019 - 0.022	383	0.021	0.019 - 0.023	386	0.020	0.018 - 0.022
Georgia	692	0.020	0.018 - 0.021	351	0.021	0.019 - 0.024	341	0.018	0.016 - 0.020
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	444	0.023	0.021 - 0.025	209	0.023	0.020 - 0.026	235	0.023	0.020 - 0.026
Indiana	116	0.016	0.013 - 0.019	69	0.020	0.015 - 0.025	47	0.013	0.009 - 0.017
Iowa	20	0.013	0.008 - 0.020	*	*		*	*	
Kansas	38	0.018	0.013 - 0.025	18	0.017	0.010 - 0.026	20	0.020	0.012 - 0.031
Kentucky	84	0.021	0.016 - 0.026	50	0.025	0.018 - 0.032	34	0.017	0.012 - 0.023
Louisiana	302	0.019	0.017 - 0.022	148	0.020	0.017 - 0.023	154	0.019	0.016 - 0.022
Maine	*	*		*	*		*	*	
Maryland	445	0.023	0.021 - 0.025	216	0.024	0.021 - 0.027	229	0.022	0.019 - 0.025
MI - Detroit	263	0.026	0.023 - 0.030	130	0.028	0.024 - 0.034	134	0.025	0.021 - 0.029
Minnesota	69	0.016	0.012 - 0.020	37	0.017	0.012 - 0.023	32	0.015	0.010 - 0.021
Mississippi	239	0.021	0.018 - 0.024	117	0.022	0.018 - 0.026	122	0.020	0.017 - 0.024
Missouri	163	0.021	0.018 - 0.025	83	0.022	0.018 - 0.028	80	0.020	0.016 - 0.025
Montana	*	*		*	*		*	*	
Nebraska	23	0.020	0.013 - 0.030	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	323	0.023	0.021 - 0.026	166	0.025	0.021 - 0.029	158	0.021	0.018 - 0.025
New Mexico	14	0.021	0.012 - 0.035	*	*		*	*	
New York	913	0.025	0.024 - 0.027	447	0.026	0.024 - 0.029	467	0.024	0.022 - 0.027
North Carolina	522	0.022	0.020 - 0.024	264	0.023	0.021 - 0.026	258	0.020	0.018 - 0.023
North Dakota	*	*		*	*		*	*	
Ohio	322	0.020	0.018 - 0.022	167	0.021	0.018 - 0.025	155	0.018	0.015 - 0.021
Oklahoma	52	0.015	0.011 - 0.019	25	0.014	0.009 - 0.021	27	0.015	0.010 - 0.022
Oregon	12	0.010	0.005 - 0.017	*	*		*	*	
Pennsylvania	348	0.021	0.019 - 0.024	190	0.024	0.021 - 0.028	158	0.019	0.016 - 0.022
Rhode Island	16	0.016	0.009 - 0.026	*	*		*	*	
South Carolina	273	0.019	0.017 - 0.022	140	0.021	0.018 - 0.025	133	0.018	0.015 - 0.021
Tennessee	223	0.018	0.016 - 0.021	109	0.019	0.016 - 0.023	114	0.018	0.015 - 0.022
Texas	721	0.019	0.017 - 0.020	369	0.020	0.018 - 0.022	352	0.018	0.016 - 0.020
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	78	0.019	0.015 - 0.024	42	0.019	0.014 - 0.026	36	0.019	0.013 - 0.026
WA - Seattle	75	0.021	0.017 - 0.027	42	0.022	0.016 - 0.030	33	0.020	0.014 - 0.028
West Virginia	14	0.019	0.010 - 0.031	*	*		*	*	
Wisconsin	90	0.021	0.017 - 0.026	43	0.020	0.015 - 0.027	47	0.022	0.016 - 0.029
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	9,577	0.021	0.020 - 0.021	4,647	0.021	0.020 - 0.021	4,931	0.020	0.020 - 0.021
Alabama	295	0.022	0.020 - 0.025	145	0.023	0.020 - 0.027	150	0.021	0.018 - 0.025
Alaska	*	*		*	*		*	*	
Arizona	41	0.010	0.007 - 0.013	21	0.010	0.006 - 0.015	20	0.010	0.006 - 0.015
Arkansas	102	0.021	0.017 - 0.025	47	0.020	0.015 - 0.027	55	0.021	0.016 - 0.028
California	551	0.019	0.018 - 0.021	291	0.020	0.018 - 0.023	260	0.018	0.016 - 0.020
CA - Greater California	227	0.016	0.014 - 0.019	124	0.017	0.014 - 0.021	103	0.015	0.012 - 0.018
CA - Greater Bay Area	119	0.024	0.020 - 0.028	63	0.025	0.019 - 0.032	56	0.022	0.017 - 0.029
CA - Los Angeles	205	0.021	0.018 - 0.024	104	0.023	0.018 - 0.027	101	0.020	0.016 - 0.024
Colorado	51	0.017	0.012 - 0.022	23	0.014	0.009 - 0.021	28	0.019	0.013 - 0.028
Connecticut	94	0.020	0.016 - 0.025	45	0.020	0.015 - 0.027	49	0.020	0.015 - 0.026
Delaware	47	0.020	0.015 - 0.026	19	0.017	0.010 - 0.027	28	0.022	0.015 - 0.032
District of Columbia	79	0.023	0.019 - 0.029	30	0.020	0.013 - 0.028	49	0.027	0.020 - 0.035
Florida	840	0.022	0.021 - 0.024	397	0.022	0.020 - 0.024	443	0.023	0.021 - 0.025
Georgia	760	0.022	0.020 - 0.023	373	0.023	0.020 - 0.025	387	0.021	0.019 - 0.023
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	416	0.021	0.019 - 0.024	173	0.019	0.016 - 0.022	243	0.024	0.021 - 0.027
Indiana	127	0.018	0.015 - 0.021	56	0.016	0.012 - 0.021	71	0.019	0.015 - 0.024
Iowa	18	0.012	0.007 - 0.019	*	*		*	*	
Kansas	34	0.016	0.011 - 0.023	17	0.016	0.009 - 0.025	17	0.017	0.010 - 0.027
Kentucky	68	0.017	0.013 - 0.021	40	0.020	0.014 - 0.027	28	0.014	0.009 - 0.020
Louisiana	310	0.020	0.018 - 0.022	152	0.020	0.017 - 0.024	158	0.019	0.016 - 0.023
Maine	*	*		*	*		*	*	
Maryland	394	0.020	0.018 - 0.022	175	0.019	0.016 - 0.022	219	0.021	0.018 - 0.024
MI - Detroit	212	0.021	0.018 - 0.024	90	0.020	0.016 - 0.024	122	0.023	0.019 - 0.027
Minnesota	44	0.010	0.007 - 0.014	29	0.013	0.009 - 0.019	15	0.007	0.004 - 0.012
Mississippi	266	0.023	0.021 - 0.026	131	0.024	0.020 - 0.029	135	0.022	0.019 - 0.026
Missouri	140	0.018	0.015 - 0.021	64	0.017	0.013 - 0.022	76	0.019	0.015 - 0.024
Montana	*	*		*	*		*	*	
Nebraska	16	0.014	0.008 - 0.023	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	339	0.024	0.022 - 0.027	172	0.026	0.022 - 0.030	168	0.023	0.019 - 0.026
New Mexico	*	*		*	*		*	*	
New York	870	0.024	0.022 - 0.026	390	0.023	0.021 - 0.025	479	0.025	0.023 - 0.027
North Carolina	602	0.025	0.023 - 0.027	318	0.028	0.025 - 0.031	284	0.022	0.020 - 0.025
North Dakota	*	*		*	*		*	*	
Ohio	297	0.018	0.016 - 0.020	163	0.021	0.018 - 0.024	134	0.016	0.013 - 0.019
Oklahoma	59	0.017	0.013 - 0.021	33	0.019	0.013 - 0.026	26	0.015	0.010 - 0.022
Oregon	12	0.010	0.005 - 0.017	*	*		*	*	
Pennsylvania	361	0.022	0.020 - 0.024	178	0.022	0.019 - 0.026	183	0.022	0.019 - 0.025
Rhode Island	13	0.013	0.007 - 0.022	*	*		*	*	
South Carolina	319	0.022	0.020 - 0.025	158	0.024	0.020 - 0.028	161	0.021	0.018 - 0.025
Tennessee	223	0.018	0.016 - 0.021	112	0.020	0.016 - 0.024	111	0.017	0.014 - 0.021
Texas	718	0.019	0.017 - 0.020	334	0.018	0.016 - 0.020	384	0.019	0.017 - 0.021
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	67	0.016	0.013 - 0.021	41	0.019	0.013 - 0.025	26	0.014	0.009 - 0.020
WA - Seattle	62	0.018	0.013 - 0.023	36	0.019	0.013 - 0.027	26	0.016	0.010 - 0.023
West Virginia	11	0.015	0.007 - 0.026	*	*		*	*	
Wisconsin	79	0.018	0.014 - 0.023	36	0.017	0.012 - 0.023	43	0.020	0.014 - 0.027
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	6,403	0.014	0.013 - 0.014	3,449	0.015	0.015 - 0.016	2,957	0.012	0.012 - 0.013
Alabama	165	0.012	0.010 - 0.014	91	0.015	0.012 - 0.018	74	0.010	0.008 - 0.013
Alaska	*	*		*	*		*	*	
Arizona	35	0.008	0.006 - 0.011	24	0.011	0.007 - 0.016	11	0.005	0.003 - 0.009
Arkansas	95	0.019	0.016 - 0.024	44	0.019	0.014 - 0.025	51	0.020	0.015 - 0.026
California	363	0.013	0.011 - 0.014	216	0.015	0.013 - 0.017	147	0.010	0.009 - 0.012
CA - Greater California	147	0.011	0.009 - 0.012	89	0.012	0.010 - 0.015	58	0.009	0.006 - 0.011
CA - Greater Bay Area	67	0.013	0.010 - 0.017	39	0.015	0.011 - 0.021	28	0.011	0.007 - 0.016
CA - Los Angeles	150	0.015	0.013 - 0.018	88	0.019	0.015 - 0.024	61	0.012	0.009 - 0.016
Colorado	44	0.014	0.010 - 0.019	23	0.014	0.009 - 0.021	21	0.015	0.009 - 0.022
Connecticut	56	0.012	0.009 - 0.016	30	0.013	0.009 - 0.019	26	0.011	0.007 - 0.016
Delaware	25	0.011	0.007 - 0.016	13	0.012	0.006 - 0.020	12	0.010	0.005 - 0.017
District of Columbia	44	0.013	0.009 - 0.017	28	0.018	0.012 - 0.026	16	0.009	0.005 - 0.014
Florida	564	0.015	0.014 - 0.016	291	0.016	0.014 - 0.018	273	0.014	0.012 - 0.016
Georgia	552	0.016	0.014 - 0.017	288	0.017	0.015 - 0.020	264	0.014	0.012 - 0.016
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	280	0.014	0.013 - 0.016	152	0.017	0.014 - 0.019	128	0.012	0.010 - 0.015
Indiana	88	0.012	0.010 - 0.015	48	0.014	0.010 - 0.018	40	0.011	0.008 - 0.015
Iowa	23	0.015	0.010 - 0.023	*	*		*	*	
Kansas	30	0.014	0.010 - 0.021	12	0.011	0.006 - 0.019	18	0.018	0.011 - 0.028
Kentucky	76	0.019	0.015 - 0.023	33	0.016	0.011 - 0.023	43	0.021	0.015 - 0.028
Louisiana	222	0.014	0.012 - 0.016	127	0.017	0.014 - 0.020	95	0.012	0.009 - 0.014
Maine	*	*		*	*		*	*	
Maryland	249	0.013	0.011 - 0.014	133	0.015	0.012 - 0.017	116	0.011	0.009 - 0.013
MI - Detroit	167	0.017	0.014 - 0.019	88	0.019	0.015 - 0.024	79	0.015	0.012 - 0.018
Minnesota	54	0.012	0.009 - 0.016	32	0.014	0.010 - 0.020	22	0.010	0.006 - 0.016
Mississippi	155	0.014	0.011 - 0.016	81	0.015	0.012 - 0.019	74	0.012	0.010 - 0.015
Missouri	103	0.013	0.011 - 0.016	62	0.017	0.013 - 0.022	41	0.010	0.007 - 0.014
Montana	*	*		*	*		*	*	
Nebraska	20	0.017	0.011 - 0.027	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	197	0.014	0.012 - 0.016	102	0.015	0.012 - 0.018	95	0.013	0.010 - 0.016
New Mexico	*	*		*	*		*	*	
New York	536	0.015	0.014 - 0.016	273	0.016	0.014 - 0.018	263	0.014	0.012 - 0.015
North Carolina	361	0.015	0.013 - 0.017	197	0.017	0.015 - 0.020	164	0.013	0.011 - 0.015
North Dakota	*	*		*	*		*	*	
Ohio	181	0.011	0.009 - 0.013	88	0.011	0.009 - 0.014	93	0.011	0.009 - 0.013
Oklahoma	39	0.011	0.008 - 0.015	24	0.013	0.009 - 0.020	15	0.008	0.005 - 0.014
Oregon	10	0.008	0.004 - 0.015	*	*		*	*	
Pennsylvania	197	0.012	0.010 - 0.014	97	0.012	0.010 - 0.015	100	0.012	0.010 - 0.014
Rhode Island	12	0.012	0.006 - 0.021	*	*		*	*	
South Carolina	170	0.012	0.010 - 0.014	83	0.012	0.010 - 0.015	87	0.011	0.009 - 0.014
Tennessee	153	0.013	0.011 - 0.015	87	0.015	0.012 - 0.019	66	0.010	0.008 - 0.013
Texas	524	0.014	0.012 - 0.015	288	0.015	0.014 - 0.017	236	0.012	0.010 - 0.013
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	55	0.013	0.010 - 0.017	34	0.015	0.011 - 0.022	21	0.011	0.007 - 0.017
WA - Seattle	53	0.015	0.011 - 0.020	35	0.019	0.013 - 0.026	18	0.011	0.006 - 0.017
West Virginia	*	*		*	*		*	*	
Wisconsin	67	0.016	0.012 - 0.020	42	0.020	0.014 - 0.027	25	0.011	0.007 - 0.017
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Two-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2017–2018 by Registry, Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	153	0.000	0.000 - 0.000	96	0.000	0.000 - 0.001	57	0.000	0.000 - 0.000
Alabama	*	*		*	*		*	*	
Alaska	*	*		*	*		*	*	
Arizona	*	*		*	*		*	*	
Arkansas	*	*		*	*		*	*	
California	14	0.000	0.000 - 0.001	*	*		*	*	
CA - Greater California	*	*		*	*		*	*	
CA - Greater Bay Area	*	*		*	*		*	*	
CA - Los Angeles	*	*		*	*		*	*	
Colorado	*	*		*	*		*	*	
Connecticut	*	*		*	*		*	*	
Delaware	*	*		*	*		*	*	
District of Columbia	*	*		*	*		*	*	
Florida	*	*		*	*		*	*	
Georgia	*	*		*	*		*	*	
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	*	*		*	*		*	*	
Indiana	*	*		*	*		*	*	
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	*	*		*	*		*	*	
Louisiana	13	0.001	0.000 - 0.001	*	*		*	*	
Maine	*	*		*	*		*	*	
Maryland	*	*		*	*		*	*	
MI - Detroit	*	*		*	*		*	*	
Minnesota	*	*		*	*		*	*	
Mississippi	*	*		*	*		*	*	
Missouri	*	*		*	*		*	*	
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	10	0.001	0.000 - 0.001	*	*		*	*	
New Mexico	*	*		*	*		*	*	
New York	12	0.000	0.000 - 0.001	*	*		*	*	
North Carolina	*	*		*	*		*	*	
North Dakota	*	*		*	*		*	*	
Ohio	*	*		*	*		*	*	
Oklahoma	*	*		*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	*	*		*	*		*	*	
Rhode Island	*	*		*	*		*	*	
South Carolina	*	*		*	*		*	*	
Tennessee	*	*		*	*		*	*	
Texas	12	0.000	0.000 - 0.001	*	*		*	*	
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	*	*		*	*		*	*	
WA - Seattle	*	*		*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	*	*		*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	5,671,667	1.728	1.726 - 1.729	2,757,412	1.705	1.703 - 1.707	2,914,606	1.750	1.748 - 1.752
Alabama	85,308	1.741	1.729 - 1.753	43,254	1.826	1.809 - 1.843	42,054	1.661	1.646 - 1.677
Alaska	9,985	1.358	1.332 - 1.385	4,967	1.295	1.259 - 1.332	5,018	1.427	1.388 - 1.467
Arizona	105,935	1.466	1.457 - 1.474	51,033	1.421	1.409 - 1.433	54,902	1.510	1.497 - 1.522
Arkansas	54,793	1.816	1.801 - 1.832	28,112	1.898	1.876 - 1.920	26,681	1.738	1.717 - 1.759
California	577,670	1.465	1.461 - 1.469	272,597	1.390	1.385 - 1.395	305,073	1.538	1.533 - 1.544
CA - Greater California	326,434	1.485	1.480 - 1.490	155,952	1.423	1.416 - 1.430	170,482	1.547	1.539 - 1.554
CA - Greater Bay Area	116,535	1.570	1.561 - 1.579	55,131	1.489	1.477 - 1.502	61,404	1.651	1.638 - 1.664
CA - Los Angeles	134,945	1.345	1.337 - 1.352	61,662	1.246	1.236 - 1.256	73,283	1.440	1.430 - 1.451
Colorado	83,119	1.451	1.441 - 1.461	39,267	1.361	1.348 - 1.375	43,852	1.542	1.528 - 1.557
Connecticut	73,122	2.048	2.033 - 2.063	35,229	2.023	2.002 - 2.045	37,893	2.072	2.051 - 2.093
Delaware	19,763	2.034	2.005 - 2.062	9,806	2.087	2.046 - 2.129	9,957	1.983	1.945 - 2.023
District of Columbia	9,742	1.379	1.352 - 1.407	4,525	1.350	1.311 - 1.390	5,217	1.406	1.368 - 1.444
Florida	423,517	1.982	1.976 - 1.987	209,404	2.004	1.996 - 2.013	214,113	1.960	1.951 - 1.968
Georgia	171,118	1.618	1.611 - 1.626	84,649	1.647	1.636 - 1.658	86,469	1.592	1.581 - 1.602
Hawaii	24,702	1.740	1.719 - 1.762	11,764	1.654	1.624 - 1.684	12,938	1.827	1.796 - 1.859
Idaho	28,326	1.600	1.581 - 1.619	14,224	1.602	1.576 - 1.629	14,102	1.597	1.571 - 1.624
Illinois	228,865	1.803	1.795 - 1.810	108,997	1.747	1.737 - 1.758	119,868	1.856	1.846 - 1.867
Indiana	115,139	1.715	1.705 - 1.725	55,303	1.670	1.656 - 1.684	59,836	1.758	1.744 - 1.772
Iowa	60,981	1.933	1.918 - 1.948	30,229	1.925	1.904 - 1.947	30,752	1.941	1.919 - 1.962
Kansas	52,545	1.804	1.789 - 1.819	25,913	1.786	1.764 - 1.808	26,632	1.822	1.800 - 1.844
Kentucky	86,003	1.925	1.912 - 1.938	41,638	1.892	1.874 - 1.910	44,365	1.957	1.939 - 1.975
Louisiana	82,996	1.781	1.768 - 1.793	42,849	1.884	1.866 - 1.902	40,147	1.682	1.666 - 1.699
Maine	29,287	2.181	2.156 - 2.206	14,122	2.147	2.112 - 2.183	15,165	2.213	2.178 - 2.248
Maryland	106,776	1.765	1.755 - 1.776	51,344	1.752	1.737 - 1.768	55,432	1.777	1.763 - 1.792
MI - Detroit	74,505	1.919	1.905 - 1.933	36,167	1.918	1.898 - 1.938	38,338	1.920	1.900 - 1.939
Minnesota	105,566	1.877	1.866 - 1.888	52,174	1.862	1.846 - 1.878	53,392	1.891	1.875 - 1.907
Mississippi	52,313	1.755	1.740 - 1.770	26,816	1.855	1.833 - 1.878	25,497	1.661	1.640 - 1.681
Missouri	107,628	1.755	1.744 - 1.765	51,090	1.697	1.683 - 1.712	56,538	1.810	1.795 - 1.825
Montana	21,287	1.997	1.970 - 2.024	11,051	2.060	2.022 - 2.099	10,236	1.933	1.896 - 1.971
Nebraska	34,203	1.773	1.754 - 1.792	17,059	1.772	1.745 - 1.798	17,144	1.775	1.748 - 1.801
New Hampshire	29,191	2.150	2.125 - 2.174	14,342	2.132	2.097 - 2.167	14,849	2.167	2.133 - 2.202
New Jersey	178,750	2.010	2.001 - 2.020	86,678	1.995	1.982 - 2.008	92,072	2.025	2.012 - 2.038
New Mexico	30,510	1.455	1.439 - 1.472	14,290	1.377	1.355 - 1.400	16,220	1.532	1.508 - 1.555
New York	388,049	1.990	1.983 - 1.996	187,308	1.978	1.969 - 1.987	200,741	2.001	1.992 - 2.010
North Carolina	189,560	1.815	1.806 - 1.823	92,536	1.821	1.809 - 1.833	97,024	1.809	1.797 - 1.820
North Dakota	13,123	1.722	1.693 - 1.752	6,734	1.726	1.685 - 1.768	6,389	1.718	1.676 - 1.761
Ohio	217,402	1.860	1.852 - 1.868	104,348	1.821	1.810 - 1.832	113,054	1.897	1.886 - 1.908
Oklahoma	62,808	1.589	1.577 - 1.602	30,413	1.554	1.536 - 1.571	32,395	1.624	1.606 - 1.642
Oregon	74,143	1.765	1.753 - 1.778	35,653	1.712	1.695 - 1.730	38,490	1.818	1.799 - 1.836
Pennsylvania	259,797	2.029	2.021 - 2.037	124,303	1.981	1.970 - 1.992	135,494	2.075	2.064 - 2.086
Rhode Island	21,406	2.022	1.995 - 2.049	9,964	1.934	1.896 - 1.972	11,442	2.105	2.067 - 2.144
South Carolina	89,608	1.749	1.737 - 1.760	44,388	1.788	1.771 - 1.804	45,220	1.712	1.696 - 1.728
Tennessee	119,907	1.762	1.752 - 1.772	59,788	1.801	1.787 - 1.816	60,119	1.725	1.711 - 1.739
Texas	380,981	1.323	1.318 - 1.327	185,341	1.296	1.290 - 1.302	195,640	1.349	1.343 - 1.355
Utah	39,166	1.232	1.220 - 1.244	19,749	1.233	1.216 - 1.251	19,417	1.230	1.213 - 1.248
Vermont	13,065	2.092	2.057 - 2.129	6,259	2.030	1.980 - 2.081	6,806	2.153	2.103 - 2.205
Washington	126,760	1.674	1.665 - 1.684	60,898	1.607	1.595 - 1.620	65,862	1.742	1.728 - 1.755
WA - Seattle	92,679	1.774	1.763 - 1.786	44,911	1.716	1.701 - 1.732	47,767	1.832	1.816 - 1.849
West Virginia	37,712	2.094	2.073 - 2.116	18,312	2.054	2.024 - 2.084	19,400	2.134	2.104 - 2.164
Wisconsin	112,621	1.936	1.925 - 1.947	56,205	1.942	1.926 - 1.958	56,416	1.931	1.915 - 1.947
Wyoming	9,656	1.666	1.633 - 1.700	5,068	1.716	1.669 - 1.763	4,588	1.615	1.568 - 1.662
NAACCR CDN Combined	655,973	1.759	1.755 - 1.764	319,171	1.726	1.719 - 1.733	336,400	1.792	1.785 - 1.799
Alberta	65,631	1.516	1.504 - 1.527	32,519	1.492	1.476 - 1.508	33,112	1.540	1.523 - 1.556
British Columbia	84,875	1.680	1.669 - 1.691	41,966	1.678	1.662 - 1.694	42,909	1.681	1.665 - 1.697
Manitoba	21,805	1.602	1.580 - 1.623	10,626	1.562	1.532 - 1.592	11,179	1.641	1.611 - 1.672
New Brunswick	16,041	2.073	2.041 - 2.106	8,031	2.098	2.052 - 2.144	8,010	2.049	2.004 - 2.094
Newfoundland and Labrador	12,165	2.319	2.278 - 2.361	6,066	2.337	2.279 - 2.397	6,099	2.302	2.245 - 2.360
Ontario	267,654	1.855	1.848 - 1.862	128,543	1.805	1.795 - 1.814	139,111	1.905	1.895 - 1.915
Prince Edward Island	2,936	1.889	1.822 - 1.959	1,447	1.893	1.797 - 1.993	1,489	1.886	1.791 - 1.984
Saskatchewan	17,889	1.533	1.510 - 1.555	8,867	1.508	1.477 - 1.540	9,022	1.558	1.526 - 1.590
NAACCR N.A. Combined	6,327,639	1.730	1.729 - 1.732	3,076,583	1.707	1.705 - 1.709	3,251,006	1.753	1.751 - 1.755

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-76 Prevalence – All Sites

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	163,003	0.050	0.049 - 0.050	116,287	0.072	0.071 - 0.072	46,742	0.028	0.028 - 0.028
Alabama	2,626	0.054	0.052 - 0.056	1,857	0.078	0.075 - 0.082	769	0.030	0.028 - 0.033
Alaska	304	0.041	0.037 - 0.046	241	0.063	0.055 - 0.071	63	0.018	0.014 - 0.023
Arizona	2,787	0.039	0.037 - 0.040	2,049	0.057	0.055 - 0.060	738	0.020	0.019 - 0.022
Arkansas	1,753	0.058	0.055 - 0.061	1,257	0.085	0.080 - 0.090	496	0.032	0.030 - 0.035
California	16,094	0.041	0.040 - 0.041	11,365	0.058	0.057 - 0.059	4,729	0.024	0.023 - 0.025
CA - Greater California	9,510	0.043	0.042 - 0.044	6,814	0.062	0.061 - 0.064	2,696	0.024	0.024 - 0.025
CA - Greater Bay Area	3,308	0.045	0.043 - 0.046	2,304	0.062	0.060 - 0.065	1,005	0.027	0.025 - 0.029
CA - Los Angeles	3,280	0.033	0.032 - 0.034	2,251	0.045	0.044 - 0.047	1,029	0.020	0.019 - 0.021
Colorado	2,550	0.045	0.043 - 0.046	1,855	0.064	0.061 - 0.067	695	0.024	0.023 - 0.026
Connecticut	2,093	0.059	0.056 - 0.061	1,426	0.082	0.078 - 0.086	668	0.036	0.034 - 0.039
Delaware	559	0.058	0.053 - 0.062	416	0.089	0.080 - 0.097	143	0.028	0.024 - 0.034
District of Columbia	244	0.035	0.030 - 0.039	156	0.047	0.040 - 0.054	88	0.024	0.019 - 0.029
Florida	12,808	0.060	0.059 - 0.061	9,447	0.090	0.089 - 0.092	3,361	0.031	0.030 - 0.032
Georgia	4,936	0.047	0.045 - 0.048	3,520	0.068	0.066 - 0.071	1,416	0.026	0.025 - 0.027
Hawaii	849	0.060	0.056 - 0.064	588	0.083	0.076 - 0.090	261	0.037	0.032 - 0.042
Idaho	867	0.049	0.046 - 0.052	621	0.070	0.065 - 0.076	246	0.028	0.024 - 0.032
Illinois	6,455	0.051	0.050 - 0.052	4,549	0.073	0.071 - 0.075	1,906	0.030	0.028 - 0.031
Indiana	3,569	0.053	0.051 - 0.055	2,598	0.078	0.075 - 0.082	971	0.029	0.027 - 0.030
Iowa	1,950	0.062	0.059 - 0.065	1,385	0.088	0.084 - 0.093	564	0.036	0.033 - 0.039
Kansas	1,456	0.050	0.047 - 0.053	1,050	0.072	0.068 - 0.077	406	0.028	0.025 - 0.031
Kentucky	2,605	0.058	0.056 - 0.061	1,857	0.084	0.081 - 0.088	748	0.033	0.031 - 0.035
Louisiana	2,372	0.051	0.049 - 0.053	1,702	0.075	0.071 - 0.078	669	0.028	0.026 - 0.030
Maine	945	0.070	0.066 - 0.075	681	0.104	0.096 - 0.112	264	0.039	0.034 - 0.043
Maryland	2,867	0.047	0.046 - 0.049	2,008	0.069	0.066 - 0.072	859	0.028	0.026 - 0.029
MI - Detroit	2,015	0.052	0.050 - 0.054	1,425	0.076	0.072 - 0.080	590	0.030	0.027 - 0.032
Minnesota	3,107	0.055	0.053 - 0.057	2,119	0.076	0.072 - 0.079	988	0.035	0.033 - 0.037
Mississippi	1,489	0.050	0.047 - 0.053	1,041	0.072	0.068 - 0.077	448	0.029	0.027 - 0.032
Missouri	3,387	0.055	0.053 - 0.057	2,506	0.083	0.080 - 0.087	881	0.028	0.026 - 0.030
Montana	587	0.055	0.051 - 0.060	433	0.081	0.073 - 0.089	154	0.029	0.025 - 0.034
Nebraska	1,024	0.053	0.050 - 0.056	744	0.077	0.072 - 0.083	280	0.029	0.026 - 0.033
New Hampshire	808	0.060	0.055 - 0.064	579	0.086	0.079 - 0.093	229	0.033	0.029 - 0.038
New Jersey	4,435	0.050	0.048 - 0.051	3,114	0.072	0.069 - 0.074	1,322	0.029	0.028 - 0.031
New Mexico	781	0.037	0.035 - 0.040	569	0.055	0.050 - 0.060	212	0.020	0.017 - 0.023
New York	9,634	0.049	0.048 - 0.050	6,542	0.069	0.067 - 0.071	3,092	0.031	0.030 - 0.032
North Carolina	5,411	0.052	0.050 - 0.053	3,891	0.077	0.074 - 0.079	1,520	0.028	0.027 - 0.030
North Dakota	398	0.052	0.047 - 0.058	286	0.073	0.065 - 0.082	112	0.030	0.025 - 0.036
Ohio	6,372	0.055	0.053 - 0.056	4,519	0.079	0.077 - 0.081	1,853	0.031	0.030 - 0.033
Oklahoma	1,982	0.050	0.048 - 0.052	1,430	0.073	0.069 - 0.077	552	0.028	0.025 - 0.030
Oregon	2,368	0.056	0.054 - 0.059	1,691	0.081	0.077 - 0.085	677	0.032	0.030 - 0.034
Pennsylvania	7,192	0.056	0.055 - 0.057	5,016	0.080	0.078 - 0.082	2,176	0.033	0.032 - 0.035
Rhode Island	572	0.054	0.050 - 0.059	364	0.071	0.064 - 0.078	208	0.038	0.033 - 0.044
South Carolina	2,640	0.052	0.050 - 0.054	1,931	0.078	0.074 - 0.081	709	0.027	0.025 - 0.029
Tennessee	3,675	0.054	0.052 - 0.056	2,725	0.082	0.079 - 0.085	950	0.027	0.026 - 0.029
Texas	11,297	0.039	0.038 - 0.040	8,193	0.057	0.056 - 0.059	3,104	0.021	0.021 - 0.022
Utah	988	0.031	0.029 - 0.033	690	0.043	0.040 - 0.046	298	0.019	0.017 - 0.021
Vermont	399	0.064	0.058 - 0.070	290	0.094	0.084 - 0.106	109	0.034	0.028 - 0.042
Washington	3,938	0.052	0.050 - 0.054	2,787	0.074	0.071 - 0.076	1,151	0.030	0.029 - 0.032
WA - Seattle	2,994	0.057	0.055 - 0.059	2,122	0.081	0.078 - 0.085	872	0.033	0.031 - 0.036
West Virginia	1,180	0.066	0.062 - 0.069	859	0.096	0.090 - 0.103	321	0.035	0.032 - 0.039
Wisconsin	3,255	0.056	0.054 - 0.058	2,312	0.080	0.077 - 0.083	943	0.032	0.030 - 0.034
Wyoming	268	0.046	0.041 - 0.052	187	0.063	0.055 - 0.073	81	0.029	0.023 - 0.035
NAACCR CDN Combined	17,400	0.047	0.046 - 0.047	12,154	0.065	0.064 - 0.067	5,259	0.028	0.027 - 0.029
Alberta	1,553	0.036	0.034 - 0.038	1,091	0.050	0.047 - 0.053	462	0.021	0.020 - 0.024
British Columbia	2,484	0.049	0.047 - 0.051	1,746	0.070	0.067 - 0.073	738	0.029	0.027 - 0.031
Manitoba	660	0.048	0.045 - 0.052	453	0.067	0.061 - 0.073	207	0.030	0.026 - 0.035
New Brunswick	449	0.058	0.053 - 0.064	325	0.085	0.076 - 0.095	124	0.032	0.026 - 0.038
Newfoundland and Labrador	318	0.061	0.054 - 0.068	233	0.090	0.079 - 0.102	85	0.032	0.026 - 0.040
Ontario	6,975	0.048	0.047 - 0.049	4,824	0.068	0.066 - 0.070	2,151	0.029	0.028 - 0.031
Prince Edward Island	113	0.073	0.060 - 0.087	73	0.096	0.075 - 0.120	40	0.051	0.036 - 0.069
Saskatchewan	393	0.034	0.030 - 0.037	278	0.047	0.042 - 0.053	115	0.020	0.016 - 0.024
NAACCR N.A. Combined	180,403	0.049	0.049 - 0.050	128,441	0.071	0.071 - 0.072	52,001	0.028	0.028 - 0.028

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	31,629	0.010	0.010 - 0.010	24,982	0.015	0.015 - 0.016	6,655	0.004	0.004 - 0.004
Alabama	455	0.009	0.008 - 0.010	375	0.016	0.014 - 0.018	80	0.003	0.003 - 0.004
Alaska	74	0.010	0.008 - 0.013	60	0.016	0.012 - 0.020	14	0.004	0.002 - 0.007
Arizona	643	0.009	0.008 - 0.010	523	0.015	0.013 - 0.016	120	0.003	0.003 - 0.004
Arkansas	266	0.009	0.008 - 0.010	217	0.015	0.013 - 0.017	49	0.003	0.002 - 0.004
California	2,602	0.007	0.006 - 0.007	2,016	0.010	0.010 - 0.011	586	0.003	0.003 - 0.003
CA - Greater California	1,593	0.007	0.007 - 0.008	1,247	0.011	0.011 - 0.012	346	0.003	0.003 - 0.003
CA - Greater Bay Area	548	0.007	0.007 - 0.008	417	0.011	0.010 - 0.012	131	0.004	0.003 - 0.004
CA - Los Angeles	462	0.005	0.004 - 0.005	352	0.007	0.006 - 0.008	110	0.002	0.002 - 0.003
Colorado	471	0.008	0.007 - 0.009	377	0.013	0.012 - 0.014	94	0.003	0.003 - 0.004
Connecticut	427	0.012	0.011 - 0.013	332	0.019	0.017 - 0.021	95	0.005	0.004 - 0.006
Delaware	121	0.012	0.010 - 0.015	96	0.020	0.017 - 0.025	25	0.005	0.003 - 0.007
District of Columbia	32	0.005	0.003 - 0.006	22	0.007	0.004 - 0.010	10	0.003	0.001 - 0.005
Florida	2,634	0.012	0.012 - 0.013	2,098	0.020	0.019 - 0.021	536	0.005	0.004 - 0.005
Georgia	841	0.008	0.007 - 0.009	650	0.013	0.012 - 0.014	191	0.004	0.003 - 0.004
Hawaii	98	0.007	0.006 - 0.008	80	0.011	0.009 - 0.014	18	0.003	0.002 - 0.004
Idaho	166	0.009	0.008 - 0.011	141	0.016	0.013 - 0.019	25	0.003	0.002 - 0.004
Illinois	1,302	0.010	0.010 - 0.011	1,028	0.016	0.015 - 0.018	274	0.004	0.004 - 0.005
Indiana	779	0.012	0.011 - 0.012	640	0.019	0.018 - 0.021	139	0.004	0.003 - 0.005
Iowa	435	0.014	0.013 - 0.015	358	0.023	0.020 - 0.025	78	0.005	0.004 - 0.006
Kansas	292	0.010	0.009 - 0.011	232	0.016	0.014 - 0.018	60	0.004	0.003 - 0.005
Kentucky	469	0.010	0.010 - 0.011	384	0.017	0.016 - 0.019	85	0.004	0.003 - 0.005
Louisiana	403	0.009	0.008 - 0.010	309	0.014	0.012 - 0.015	94	0.004	0.003 - 0.005
Maine	266	0.020	0.017 - 0.022	217	0.033	0.029 - 0.038	49	0.007	0.005 - 0.009
Maryland	540	0.009	0.008 - 0.010	416	0.014	0.013 - 0.016	124	0.004	0.003 - 0.005
MI - Detroit	454	0.012	0.011 - 0.013	353	0.019	0.017 - 0.021	101	0.005	0.004 - 0.006
Minnesota	622	0.011	0.010 - 0.012	478	0.017	0.016 - 0.019	144	0.005	0.004 - 0.006
Mississippi	263	0.009	0.008 - 0.010	212	0.015	0.013 - 0.017	51	0.003	0.002 - 0.004
Missouri	649	0.011	0.010 - 0.011	521	0.017	0.016 - 0.019	128	0.004	0.003 - 0.005
Montana	122	0.011	0.009 - 0.014	98	0.018	0.015 - 0.022	24	0.005	0.003 - 0.007
Nebraska	160	0.008	0.007 - 0.010	129	0.013	0.011 - 0.016	31	0.003	0.002 - 0.005
New Hampshire	239	0.018	0.015 - 0.020	202	0.030	0.026 - 0.034	37	0.005	0.004 - 0.007
New Jersey	868	0.010	0.009 - 0.010	672	0.015	0.014 - 0.017	196	0.004	0.004 - 0.005
New Mexico	167	0.008	0.007 - 0.009	131	0.013	0.011 - 0.015	36	0.003	0.002 - 0.005
New York	2,002	0.010	0.010 - 0.011	1,508	0.016	0.015 - 0.017	494	0.005	0.005 - 0.005
North Carolina	936	0.009	0.008 - 0.010	748	0.015	0.014 - 0.016	188	0.004	0.003 - 0.004
North Dakota	78	0.010	0.008 - 0.013	61	0.016	0.012 - 0.020	17	0.005	0.003 - 0.007
Ohio	1,410	0.012	0.011 - 0.013	1,127	0.020	0.019 - 0.021	283	0.005	0.004 - 0.005
Oklahoma	333	0.008	0.008 - 0.009	268	0.014	0.012 - 0.015	65	0.003	0.003 - 0.004
Oregon	489	0.012	0.011 - 0.013	392	0.019	0.017 - 0.021	97	0.005	0.004 - 0.006
Pennsylvania	1,654	0.013	0.012 - 0.014	1,288	0.021	0.019 - 0.022	366	0.006	0.005 - 0.006
Rhode Island	135	0.013	0.011 - 0.015	106	0.021	0.017 - 0.025	29	0.005	0.004 - 0.008
South Carolina	495	0.010	0.009 - 0.011	388	0.016	0.014 - 0.017	107	0.004	0.003 - 0.005
Tennessee	695	0.010	0.009 - 0.011	561	0.017	0.016 - 0.018	134	0.004	0.003 - 0.005
Texas	1,957	0.007	0.006 - 0.007	1,528	0.011	0.010 - 0.011	429	0.003	0.003 - 0.003
Utah	167	0.005	0.004 - 0.006	138	0.009	0.007 - 0.010	29	0.002	0.001 - 0.003
Vermont	92	0.015	0.012 - 0.018	79	0.026	0.020 - 0.032	13	0.004	0.002 - 0.007
Washington	768	0.010	0.009 - 0.011	600	0.016	0.015 - 0.017	168	0.004	0.004 - 0.005
WA - Seattle	505	0.010	0.009 - 0.011	381	0.015	0.013 - 0.016	124	0.005	0.004 - 0.006
West Virginia	246	0.014	0.012 - 0.015	192	0.022	0.019 - 0.025	54	0.006	0.004 - 0.008
Wisconsin	714	0.012	0.011 - 0.013	561	0.019	0.018 - 0.021	153	0.005	0.004 - 0.006
Wyoming	54	0.009	0.007 - 0.012	*	*		*	*	
NAACCR CDN Combined	3,479	0.009	0.009 - 0.010	2,699	0.015	0.014 - 0.015	783	0.004	0.004 - 0.005
Alberta	343	0.008	0.007 - 0.009	267	0.012	0.011 - 0.014	76	0.004	0.003 - 0.004
British Columbia	536	0.011	0.010 - 0.012	406	0.016	0.015 - 0.018	130	0.005	0.004 - 0.006
Manitoba	100	0.007	0.006 - 0.009	71	0.010	0.008 - 0.013	29	0.004	0.003 - 0.006
New Brunswick	89	0.012	0.009 - 0.014	76	0.020	0.016 - 0.025	13	0.003	0.002 - 0.006
Newfoundland and Labrador	67	0.013	0.010 - 0.016	54	0.021	0.016 - 0.027	13	0.005	0.003 - 0.008
Ontario	1,369	0.009	0.009 - 0.010	1,059	0.015	0.014 - 0.016	310	0.004	0.004 - 0.005
Prince Edward Island	21	0.014	0.008 - 0.021	*	*		*	*	
Saskatchewan	66	0.006	0.004 - 0.007	*	*		*	*	
NAACCR N.A. Combined	35,109	0.010	0.009 - 0.010	27,681	0.015	0.015 - 0.016	7,438	0.004	0.004 - 0.004

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-78 Prevalence – Esophagus

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	55,892	0.017	0.017 - 0.017	32,430	0.020	0.020 - 0.020	23,467	0.014	0.014 - 0.014
Alabama	926	0.019	0.018 - 0.020	502	0.021	0.019 - 0.023	424	0.017	0.015 - 0.018
Alaska	107	0.015	0.012 - 0.018	60	0.016	0.012 - 0.020	47	0.013	0.010 - 0.018
Arizona	988	0.014	0.013 - 0.015	601	0.017	0.015 - 0.018	387	0.011	0.010 - 0.012
Arkansas	494	0.016	0.015 - 0.018	292	0.020	0.018 - 0.022	202	0.013	0.011 - 0.015
California	6,722	0.017	0.017 - 0.017	3,815	0.019	0.019 - 0.020	2,906	0.015	0.014 - 0.015
CA - Greater California	3,282	0.015	0.014 - 0.015	1,861	0.017	0.016 - 0.018	1,421	0.013	0.012 - 0.014
CA - Greater Bay Area	1,430	0.019	0.018 - 0.020	837	0.023	0.021 - 0.024	593	0.016	0.015 - 0.017
CA - Los Angeles	2,011	0.020	0.019 - 0.021	1,117	0.023	0.021 - 0.024	894	0.018	0.016 - 0.019
Colorado	673	0.012	0.011 - 0.013	400	0.014	0.013 - 0.015	273	0.010	0.008 - 0.011
Connecticut	830	0.023	0.022 - 0.025	508	0.029	0.027 - 0.032	321	0.018	0.016 - 0.020
Delaware	174	0.018	0.015 - 0.021	105	0.022	0.018 - 0.027	69	0.014	0.011 - 0.017
District of Columbia	144	0.020	0.017 - 0.024	83	0.025	0.020 - 0.031	61	0.016	0.013 - 0.021
Florida	3,832	0.018	0.017 - 0.019	2,295	0.022	0.021 - 0.023	1,537	0.014	0.013 - 0.015
Georgia	1,526	0.014	0.014 - 0.015	839	0.016	0.015 - 0.017	687	0.013	0.012 - 0.014
Hawaii	351	0.025	0.022 - 0.027	206	0.029	0.025 - 0.033	145	0.020	0.017 - 0.024
Idaho	188	0.011	0.009 - 0.012	138	0.016	0.013 - 0.018	51	0.006	0.004 - 0.008
Illinois	2,459	0.019	0.019 - 0.020	1,418	0.023	0.022 - 0.024	1,041	0.016	0.015 - 0.017
Indiana	1,042	0.016	0.015 - 0.016	633	0.019	0.018 - 0.021	409	0.012	0.011 - 0.013
Iowa	366	0.012	0.010 - 0.013	221	0.014	0.012 - 0.016	145	0.009	0.008 - 0.011
Kansas	368	0.013	0.011 - 0.014	220	0.015	0.013 - 0.017	148	0.010	0.009 - 0.012
Kentucky	808	0.018	0.017 - 0.019	435	0.020	0.018 - 0.022	373	0.016	0.015 - 0.018
Louisiana	789	0.017	0.016 - 0.018	462	0.020	0.018 - 0.022	328	0.014	0.012 - 0.015
Maine	267	0.020	0.018 - 0.022	156	0.024	0.020 - 0.028	111	0.016	0.013 - 0.020
Maryland	1,202	0.020	0.019 - 0.021	647	0.022	0.020 - 0.024	555	0.018	0.016 - 0.019
MI - Detroit	617	0.016	0.015 - 0.017	347	0.018	0.016 - 0.020	270	0.014	0.012 - 0.015
Minnesota	843	0.015	0.014 - 0.016	537	0.019	0.018 - 0.021	306	0.011	0.010 - 0.012
Mississippi	534	0.018	0.016 - 0.020	287	0.020	0.018 - 0.022	247	0.016	0.014 - 0.018
Missouri	842	0.014	0.013 - 0.015	467	0.016	0.014 - 0.017	375	0.012	0.011 - 0.013
Montana	145	0.014	0.011 - 0.016	86	0.016	0.013 - 0.020	59	0.011	0.008 - 0.014
Nebraska	236	0.012	0.011 - 0.014	151	0.016	0.013 - 0.018	85	0.009	0.007 - 0.011
New Hampshire	253	0.019	0.016 - 0.021	150	0.022	0.019 - 0.026	103	0.015	0.012 - 0.018
New Jersey	2,099	0.024	0.023 - 0.025	1,163	0.027	0.025 - 0.028	936	0.021	0.019 - 0.022
New Mexico	321	0.015	0.014 - 0.017	175	0.017	0.014 - 0.020	146	0.014	0.012 - 0.016
New York	5,217	0.027	0.026 - 0.027	2,971	0.031	0.030 - 0.033	2,245	0.022	0.021 - 0.023
North Carolina	1,849	0.018	0.017 - 0.019	1,037	0.020	0.019 - 0.022	812	0.015	0.014 - 0.016
North Dakota	104	0.014	0.011 - 0.017	71	0.018	0.014 - 0.023	33	0.009	0.006 - 0.012
Ohio	1,936	0.017	0.016 - 0.017	1,158	0.020	0.019 - 0.021	778	0.013	0.012 - 0.014
Oklahoma	530	0.013	0.012 - 0.015	279	0.014	0.013 - 0.016	251	0.013	0.011 - 0.014
Oregon	572	0.014	0.013 - 0.015	342	0.016	0.015 - 0.018	230	0.011	0.010 - 0.012
Pennsylvania	2,253	0.018	0.017 - 0.018	1,397	0.022	0.021 - 0.023	856	0.013	0.012 - 0.014
Rhode Island	248	0.023	0.021 - 0.027	145	0.028	0.024 - 0.033	103	0.019	0.015 - 0.023
South Carolina	908	0.018	0.017 - 0.019	520	0.021	0.019 - 0.023	388	0.015	0.013 - 0.016
Tennessee	1,002	0.015	0.014 - 0.016	590	0.018	0.016 - 0.019	412	0.012	0.011 - 0.013
Texas	3,994	0.014	0.013 - 0.014	2,223	0.016	0.015 - 0.016	1,771	0.012	0.012 - 0.013
Utah	267	0.008	0.007 - 0.009	158	0.010	0.008 - 0.012	109	0.007	0.006 - 0.008
Vermont	115	0.018	0.015 - 0.022	73	0.024	0.019 - 0.030	42	0.013	0.010 - 0.018
Washington	1,010	0.013	0.013 - 0.014	611	0.016	0.015 - 0.017	399	0.011	0.010 - 0.012
WA - Seattle	740	0.014	0.013 - 0.015	442	0.017	0.015 - 0.019	298	0.011	0.010 - 0.013
West Virginia	288	0.016	0.014 - 0.018	165	0.019	0.016 - 0.022	123	0.014	0.011 - 0.016
Wisconsin	998	0.017	0.016 - 0.018	673	0.023	0.022 - 0.025	325	0.011	0.010 - 0.012
Wyoming	68	0.012	0.009 - 0.015	51	0.017	0.013 - 0.023	17	0.006	0.003 - 0.010
NAACCR CDN Combined	7,144	0.019	0.019 - 0.020	4,514	0.024	0.024 - 0.025	2,626	0.014	0.013 - 0.015
Alberta	492	0.011	0.010 - 0.012	317	0.015	0.013 - 0.016	175	0.008	0.007 - 0.009
British Columbia	733	0.015	0.013 - 0.016	468	0.019	0.017 - 0.020	265	0.010	0.009 - 0.012
Manitoba	237	0.017	0.015 - 0.020	152	0.022	0.019 - 0.026	85	0.012	0.010 - 0.015
New Brunswick	164	0.021	0.018 - 0.025	114	0.030	0.025 - 0.036	50	0.013	0.009 - 0.017
Newfoundland and Labrador	171	0.033	0.028 - 0.038	100	0.039	0.031 - 0.047	71	0.027	0.021 - 0.034
Ontario	3,343	0.023	0.022 - 0.024	2,093	0.029	0.028 - 0.031	1,250	0.017	0.016 - 0.018
Prince Edward Island	21	0.014	0.008 - 0.021	*	*		*	*	
Saskatchewan	161	0.014	0.012 - 0.016	106	0.018	0.015 - 0.022	55	0.009	0.007 - 0.012
NAACCR N.A. Combined	63,036	0.017	0.017 - 0.017	36,944	0.020	0.020 - 0.021	26,093	0.014	0.014 - 0.014

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	484,626	0.148	0.147 - 0.148	253,990	0.157	0.156 - 0.158	230,659	0.139	0.138 - 0.139
Alabama	8,365	0.171	0.167 - 0.174	4,298	0.181	0.176 - 0.187	4,067	0.161	0.156 - 0.166
Alaska	1,026	0.140	0.131 - 0.148	564	0.147	0.135 - 0.160	462	0.131	0.120 - 0.144
Arizona	8,785	0.122	0.119 - 0.124	4,650	0.129	0.126 - 0.133	4,135	0.114	0.110 - 0.117
Arkansas	5,164	0.171	0.167 - 0.176	2,761	0.186	0.180 - 0.194	2,403	0.156	0.150 - 0.163
California	50,553	0.128	0.127 - 0.129	26,578	0.136	0.134 - 0.137	23,975	0.121	0.119 - 0.122
CA - Greater California	27,875	0.127	0.125 - 0.128	14,690	0.134	0.132 - 0.136	13,185	0.120	0.118 - 0.122
CA - Greater Bay Area	9,910	0.134	0.131 - 0.136	5,189	0.140	0.136 - 0.144	4,721	0.127	0.123 - 0.131
CA - Los Angeles	12,777	0.127	0.125 - 0.130	6,702	0.135	0.132 - 0.139	6,074	0.119	0.116 - 0.122
Colorado	6,601	0.115	0.112 - 0.118	3,490	0.121	0.117 - 0.125	3,111	0.109	0.106 - 0.113
Connecticut	5,525	0.155	0.151 - 0.159	2,827	0.162	0.156 - 0.168	2,698	0.148	0.142 - 0.153
Delaware	1,551	0.160	0.152 - 0.168	803	0.171	0.159 - 0.183	748	0.149	0.139 - 0.160
District of Columbia	867	0.123	0.115 - 0.131	420	0.125	0.114 - 0.138	447	0.120	0.110 - 0.132
Florida	33,351	0.156	0.154 - 0.158	17,432	0.167	0.164 - 0.169	15,919	0.146	0.143 - 0.148
Georgia	15,005	0.142	0.140 - 0.144	7,911	0.154	0.151 - 0.157	7,095	0.131	0.128 - 0.134
Hawaii	2,503	0.176	0.170 - 0.183	1,361	0.191	0.181 - 0.202	1,143	0.161	0.152 - 0.171
Idaho	2,214	0.125	0.120 - 0.130	1,205	0.136	0.128 - 0.144	1,009	0.114	0.107 - 0.122
Illinois	20,903	0.165	0.162 - 0.167	10,894	0.175	0.171 - 0.178	10,009	0.155	0.152 - 0.158
Indiana	10,776	0.160	0.157 - 0.164	5,665	0.171	0.167 - 0.176	5,111	0.150	0.146 - 0.154
Iowa	5,450	0.173	0.168 - 0.177	2,815	0.179	0.173 - 0.186	2,635	0.166	0.160 - 0.173
Kansas	4,516	0.155	0.151 - 0.160	2,362	0.163	0.156 - 0.169	2,154	0.147	0.141 - 0.154
Kentucky	8,403	0.188	0.184 - 0.192	4,494	0.204	0.198 - 0.210	3,910	0.172	0.167 - 0.178
Louisiana	7,974	0.171	0.167 - 0.175	4,248	0.187	0.181 - 0.192	3,725	0.156	0.151 - 0.161
Maine	2,261	0.168	0.161 - 0.175	1,152	0.175	0.165 - 0.186	1,109	0.162	0.152 - 0.172
Maryland	8,405	0.139	0.136 - 0.142	4,208	0.144	0.139 - 0.148	4,197	0.135	0.131 - 0.139
MI - Detroit	6,336	0.163	0.159 - 0.167	3,223	0.171	0.165 - 0.177	3,113	0.156	0.150 - 0.161
Minnesota	8,417	0.150	0.146 - 0.153	4,458	0.159	0.154 - 0.164	3,959	0.140	0.136 - 0.145
Mississippi	5,507	0.185	0.180 - 0.190	2,877	0.199	0.192 - 0.206	2,630	0.171	0.165 - 0.178
Missouri	9,815	0.160	0.157 - 0.163	5,069	0.168	0.164 - 0.173	4,746	0.152	0.148 - 0.156
Montana	1,657	0.155	0.148 - 0.163	927	0.173	0.162 - 0.184	730	0.138	0.128 - 0.148
Nebraska	3,187	0.165	0.160 - 0.171	1,646	0.171	0.163 - 0.179	1,541	0.160	0.152 - 0.168
New Hampshire	2,159	0.159	0.152 - 0.166	1,170	0.174	0.164 - 0.184	989	0.144	0.135 - 0.154
New Jersey	14,544	0.164	0.161 - 0.166	7,448	0.171	0.168 - 0.175	7,097	0.156	0.152 - 0.160
New Mexico	2,741	0.131	0.126 - 0.136	1,403	0.135	0.128 - 0.142	1,338	0.126	0.120 - 0.133
New York	30,249	0.155	0.153 - 0.157	15,543	0.164	0.162 - 0.167	14,706	0.147	0.144 - 0.149
North Carolina	14,876	0.142	0.140 - 0.145	7,721	0.152	0.149 - 0.155	7,155	0.133	0.130 - 0.136
North Dakota	1,182	0.155	0.146 - 0.164	644	0.165	0.153 - 0.178	538	0.145	0.133 - 0.157
Ohio	19,378	0.166	0.163 - 0.168	10,022	0.175	0.172 - 0.178	9,356	0.157	0.154 - 0.160
Oklahoma	5,925	0.150	0.146 - 0.154	3,136	0.160	0.155 - 0.166	2,789	0.140	0.135 - 0.145
Oregon	5,851	0.139	0.136 - 0.143	3,083	0.148	0.143 - 0.153	2,768	0.131	0.126 - 0.136
Pennsylvania	21,870	0.171	0.169 - 0.173	11,267	0.180	0.176 - 0.183	10,603	0.162	0.159 - 0.166
Rhode Island	1,519	0.143	0.136 - 0.151	775	0.150	0.140 - 0.161	744	0.137	0.127 - 0.147
South Carolina	7,542	0.147	0.144 - 0.151	3,937	0.159	0.154 - 0.164	3,605	0.136	0.132 - 0.141
Tennessee	10,649	0.157	0.154 - 0.160	5,547	0.167	0.163 - 0.172	5,102	0.146	0.142 - 0.150
Texas	35,682	0.124	0.123 - 0.125	19,558	0.137	0.135 - 0.139	16,124	0.111	0.109 - 0.113
Utah	2,671	0.084	0.081 - 0.087	1,384	0.086	0.082 - 0.091	1,287	0.082	0.077 - 0.086
Vermont	940	0.151	0.141 - 0.160	486	0.158	0.144 - 0.172	454	0.144	0.131 - 0.157
Washington	10,024	0.132	0.130 - 0.135	5,229	0.138	0.134 - 0.142	4,795	0.127	0.123 - 0.130
WA - Seattle	7,204	0.138	0.135 - 0.141	3,797	0.145	0.141 - 0.150	3,407	0.131	0.126 - 0.135
West Virginia	3,691	0.205	0.198 - 0.212	1,977	0.222	0.212 - 0.232	1,714	0.189	0.180 - 0.198
Wisconsin	8,765	0.151	0.148 - 0.154	4,603	0.159	0.154 - 0.164	4,162	0.142	0.138 - 0.147
Wyoming	752	0.130	0.121 - 0.139	417	0.141	0.128 - 0.155	335	0.118	0.106 - 0.131
NAACCR CDN Combined	75,764	0.203	0.201 - 0.205	41,948	0.227	0.224 - 0.229	33,812	0.180	0.178 - 0.182
Alberta	7,362	0.170	0.166 - 0.174	4,214	0.193	0.188 - 0.199	3,148	0.146	0.141 - 0.152
British Columbia	10,909	0.216	0.212 - 0.220	6,067	0.243	0.237 - 0.249	4,842	0.190	0.184 - 0.195
Manitoba	2,777	0.204	0.196 - 0.212	1,553	0.228	0.217 - 0.240	1,224	0.180	0.170 - 0.190
New Brunswick	2,019	0.261	0.250 - 0.273	1,149	0.300	0.283 - 0.318	870	0.223	0.208 - 0.238
Newfoundland and Labrador	2,104	0.401	0.384 - 0.419	1,194	0.460	0.434 - 0.487	910	0.343	0.322 - 0.367
Ontario	28,435	0.197	0.195 - 0.199	15,482	0.217	0.214 - 0.221	12,953	0.177	0.174 - 0.180
Prince Edward Island	399	0.257	0.232 - 0.283	214	0.280	0.244 - 0.320	185	0.234	0.202 - 0.271
Saskatchewan	2,438	0.209	0.201 - 0.217	1,401	0.238	0.226 - 0.251	1,037	0.179	0.168 - 0.190
NAACCR N.A. Combined	560,390	0.152	0.152 - 0.153	295,938	0.163	0.162 - 0.164	264,470	0.142	0.141 - 0.143

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-80 Prevalence – Colon and Rectum

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	60,118	0.018	0.018 - 0.018	42,473	0.026	0.026 - 0.027	17,656	0.011	0.010 - 0.011
Alabama	721	0.015	0.014 - 0.016	503	0.021	0.019 - 0.023	218	0.009	0.008 - 0.010
Alaska	123	0.017	0.014 - 0.020	89	0.023	0.019 - 0.029	34	0.010	0.007 - 0.014
Arizona	1,239	0.017	0.016 - 0.018	859	0.024	0.022 - 0.026	380	0.010	0.009 - 0.012
Arkansas	538	0.018	0.016 - 0.019	396	0.027	0.024 - 0.030	142	0.009	0.008 - 0.011
California	8,184	0.021	0.020 - 0.021	5,777	0.029	0.029 - 0.030	2,408	0.012	0.012 - 0.013
CA - Greater California	4,456	0.020	0.020 - 0.021	3,159	0.029	0.028 - 0.030	1,297	0.012	0.011 - 0.012
CA - Greater Bay Area	1,928	0.026	0.025 - 0.027	1,398	0.038	0.036 - 0.040	530	0.014	0.013 - 0.016
CA - Los Angeles	1,801	0.018	0.017 - 0.019	1,219	0.025	0.023 - 0.026	582	0.011	0.011 - 0.012
Colorado	871	0.015	0.014 - 0.016	629	0.022	0.020 - 0.024	242	0.009	0.007 - 0.010
Connecticut	710	0.020	0.018 - 0.021	530	0.030	0.028 - 0.033	180	0.010	0.008 - 0.011
Delaware	202	0.021	0.018 - 0.024	148	0.032	0.027 - 0.037	54	0.011	0.008 - 0.014
District of Columbia	181	0.026	0.022 - 0.030	123	0.037	0.031 - 0.044	58	0.016	0.012 - 0.020
Florida	4,054	0.019	0.018 - 0.020	2,763	0.026	0.025 - 0.027	1,291	0.012	0.011 - 0.012
Georgia	1,576	0.015	0.014 - 0.016	1,095	0.021	0.020 - 0.023	481	0.009	0.008 - 0.010
Hawaii	338	0.024	0.021 - 0.026	246	0.035	0.030 - 0.039	92	0.013	0.010 - 0.016
Idaho	240	0.014	0.012 - 0.015	173	0.019	0.017 - 0.023	68	0.008	0.006 - 0.010
Illinois	2,138	0.017	0.016 - 0.018	1,435	0.023	0.022 - 0.024	703	0.011	0.010 - 0.012
Indiana	1,015	0.015	0.014 - 0.016	716	0.022	0.020 - 0.023	299	0.009	0.008 - 0.010
Iowa	453	0.014	0.013 - 0.016	326	0.021	0.019 - 0.023	128	0.008	0.007 - 0.010
Kansas	466	0.016	0.015 - 0.018	346	0.024	0.021 - 0.026	120	0.008	0.007 - 0.010
Kentucky	700	0.016	0.015 - 0.017	497	0.023	0.021 - 0.025	204	0.009	0.008 - 0.010
Louisiana	957	0.021	0.019 - 0.022	711	0.031	0.029 - 0.034	247	0.010	0.009 - 0.012
Maine	190	0.014	0.012 - 0.016	144	0.022	0.018 - 0.026	46	0.007	0.005 - 0.009
Maryland	1,151	0.019	0.018 - 0.020	784	0.027	0.025 - 0.029	367	0.012	0.011 - 0.013
MI - Detroit	743	0.019	0.018 - 0.021	511	0.027	0.025 - 0.030	231	0.012	0.010 - 0.013
Minnesota	912	0.016	0.015 - 0.017	641	0.023	0.021 - 0.025	271	0.010	0.008 - 0.011
Mississippi	556	0.019	0.017 - 0.020	395	0.027	0.025 - 0.030	161	0.010	0.009 - 0.012
Missouri	1,006	0.016	0.015 - 0.017	724	0.024	0.022 - 0.026	282	0.009	0.008 - 0.010
Montana	158	0.015	0.013 - 0.017	116	0.022	0.018 - 0.026	42	0.008	0.006 - 0.011
Nebraska	217	0.011	0.010 - 0.013	154	0.016	0.014 - 0.019	63	0.007	0.005 - 0.008
New Hampshire	188	0.014	0.012 - 0.016	142	0.021	0.018 - 0.025	46	0.007	0.005 - 0.009
New Jersey	1,585	0.018	0.017 - 0.019	1,131	0.026	0.025 - 0.028	454	0.010	0.009 - 0.011
New Mexico	425	0.020	0.018 - 0.022	314	0.030	0.027 - 0.034	112	0.011	0.009 - 0.013
New York	4,185	0.021	0.021 - 0.022	2,989	0.032	0.030 - 0.033	1,196	0.012	0.011 - 0.013
North Carolina	1,836	0.018	0.017 - 0.018	1,308	0.026	0.024 - 0.027	528	0.010	0.009 - 0.011
North Dakota	68	0.009	0.007 - 0.011	42	0.011	0.008 - 0.015	26	0.007	0.005 - 0.010
Ohio	1,742	0.015	0.014 - 0.016	1,211	0.021	0.020 - 0.022	531	0.009	0.008 - 0.010
Oklahoma	599	0.015	0.014 - 0.016	423	0.022	0.020 - 0.024	176	0.009	0.008 - 0.010
Oregon	958	0.023	0.021 - 0.024	694	0.033	0.031 - 0.036	264	0.012	0.011 - 0.014
Pennsylvania	2,574	0.020	0.019 - 0.021	1,899	0.030	0.029 - 0.032	675	0.010	0.010 - 0.011
Rhode Island	199	0.019	0.016 - 0.022	153	0.030	0.025 - 0.035	46	0.008	0.006 - 0.011
South Carolina	800	0.016	0.015 - 0.017	580	0.023	0.021 - 0.025	220	0.008	0.007 - 0.010
Tennessee	1,133	0.017	0.016 - 0.018	789	0.024	0.022 - 0.025	344	0.010	0.009 - 0.011
Texas	6,065	0.021	0.021 - 0.022	4,254	0.030	0.029 - 0.031	1,811	0.012	0.012 - 0.013
Utah	339	0.011	0.010 - 0.012	220	0.014	0.012 - 0.016	119	0.008	0.006 - 0.009
Vermont	81	0.013	0.010 - 0.016	60	0.019	0.015 - 0.025	21	0.007	0.004 - 0.010
Washington	1,623	0.021	0.020 - 0.023	1,131	0.030	0.028 - 0.032	492	0.013	0.012 - 0.014
WA - Seattle	1,209	0.023	0.022 - 0.024	855	0.033	0.031 - 0.035	354	0.014	0.012 - 0.015
West Virginia	280	0.016	0.014 - 0.017	189	0.021	0.018 - 0.024	91	0.010	0.008 - 0.012
Wisconsin	980	0.017	0.016 - 0.018	687	0.024	0.022 - 0.026	293	0.010	0.009 - 0.011
Wyoming	67	0.012	0.009 - 0.015	48	0.016	0.012 - 0.022	19	0.007	0.004 - 0.010
NAACCR CDN Combined	5,694	0.015	0.015 - 0.016	4,185	0.023	0.022 - 0.023	1,514	0.008	0.008 - 0.009
Alberta	667	0.015	0.014 - 0.017	493	0.023	0.021 - 0.025	174	0.008	0.007 - 0.009
British Columbia	957	0.019	0.018 - 0.020	712	0.028	0.026 - 0.031	245	0.010	0.008 - 0.011
Manitoba	173	0.013	0.011 - 0.015	123	0.018	0.015 - 0.022	50	0.007	0.005 - 0.010
New Brunswick	70	0.009	0.007 - 0.011	39	0.010	0.007 - 0.014	31	0.008	0.005 - 0.011
Newfoundland and Labrador	56	0.011	0.008 - 0.014	37	0.014	0.010 - 0.020	19	0.007	0.004 - 0.011
Ontario	2,224	0.015	0.015 - 0.016	1,633	0.023	0.022 - 0.024	591	0.008	0.007 - 0.009
Prince Edward Island	12	0.008	0.004 - 0.013	*	*		*	*	
Saskatchewan	80	0.007	0.005 - 0.009	65	0.011	0.009 - 0.014	15	0.003	0.001 - 0.004
NAACCR N.A. Combined	65,812	0.018	0.018 - 0.018	46,658	0.026	0.026 - 0.026	19,170	0.010	0.010 - 0.011

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	63,842	0.019	0.019 - 0.020	32,950	0.020	0.020 - 0.021	30,896	0.019	0.018 - 0.019
Alabama	882	0.018	0.017 - 0.019	428	0.018	0.016 - 0.020	454	0.018	0.016 - 0.020
Alaska	99	0.013	0.011 - 0.016	55	0.014	0.011 - 0.019	44	0.013	0.009 - 0.017
Arizona	1,230	0.017	0.016 - 0.018	655	0.018	0.017 - 0.020	575	0.016	0.015 - 0.017
Arkansas	459	0.015	0.014 - 0.017	254	0.017	0.015 - 0.019	205	0.013	0.012 - 0.015
California	6,419	0.016	0.016 - 0.017	3,293	0.017	0.016 - 0.017	3,126	0.016	0.015 - 0.016
CA - Greater California	3,498	0.016	0.015 - 0.016	1,833	0.017	0.016 - 0.018	1,664	0.015	0.014 - 0.016
CA - Greater Bay Area	1,407	0.019	0.018 - 0.020	713	0.019	0.018 - 0.021	694	0.019	0.017 - 0.020
CA - Los Angeles	1,518	0.015	0.014 - 0.016	747	0.015	0.014 - 0.016	771	0.015	0.014 - 0.016
Colorado	910	0.016	0.015 - 0.017	492	0.017	0.016 - 0.019	418	0.015	0.013 - 0.016
Connecticut	841	0.024	0.022 - 0.025	451	0.026	0.024 - 0.028	390	0.021	0.019 - 0.024
Delaware	214	0.022	0.019 - 0.025	111	0.024	0.019 - 0.028	103	0.021	0.017 - 0.025
District of Columbia	132	0.019	0.016 - 0.022	57	0.017	0.013 - 0.022	75	0.020	0.016 - 0.025
Florida	5,022	0.023	0.023 - 0.024	2,586	0.025	0.024 - 0.026	2,436	0.022	0.021 - 0.023
Georgia	1,687	0.016	0.015 - 0.017	844	0.016	0.015 - 0.018	844	0.016	0.015 - 0.017
Hawaii	300	0.021	0.019 - 0.024	173	0.024	0.021 - 0.028	127	0.018	0.015 - 0.021
Idaho	303	0.017	0.015 - 0.019	163	0.018	0.016 - 0.021	140	0.016	0.013 - 0.019
Illinois	2,757	0.022	0.021 - 0.023	1,411	0.023	0.021 - 0.024	1,346	0.021	0.020 - 0.022
Indiana	1,324	0.020	0.019 - 0.021	685	0.021	0.019 - 0.022	639	0.019	0.017 - 0.020
Iowa	670	0.021	0.020 - 0.023	381	0.024	0.022 - 0.027	290	0.018	0.016 - 0.020
Kansas	540	0.019	0.017 - 0.020	279	0.019	0.017 - 0.022	261	0.018	0.016 - 0.020
Kentucky	814	0.018	0.017 - 0.020	423	0.019	0.017 - 0.021	392	0.017	0.016 - 0.019
Louisiana	847	0.018	0.017 - 0.019	421	0.019	0.017 - 0.020	426	0.018	0.016 - 0.020
Maine	283	0.021	0.019 - 0.024	143	0.022	0.018 - 0.026	140	0.020	0.017 - 0.024
Maryland	1,294	0.021	0.020 - 0.023	642	0.022	0.020 - 0.024	652	0.021	0.019 - 0.023
MI - Detroit	846	0.022	0.020 - 0.023	437	0.023	0.021 - 0.025	409	0.020	0.019 - 0.023
Minnesota	1,252	0.022	0.021 - 0.024	657	0.023	0.022 - 0.025	595	0.021	0.019 - 0.023
Mississippi	496	0.017	0.015 - 0.018	236	0.016	0.014 - 0.019	260	0.017	0.015 - 0.019
Missouri	1,203	0.020	0.019 - 0.021	624	0.021	0.019 - 0.022	579	0.019	0.017 - 0.020
Montana	214	0.020	0.018 - 0.023	116	0.022	0.018 - 0.026	98	0.019	0.015 - 0.023
Nebraska	355	0.018	0.017 - 0.020	175	0.018	0.016 - 0.021	180	0.019	0.016 - 0.022
New Hampshire	353	0.026	0.023 - 0.029	187	0.028	0.024 - 0.032	166	0.024	0.021 - 0.028
New Jersey	2,151	0.024	0.023 - 0.025	1,134	0.026	0.025 - 0.028	1,016	0.022	0.021 - 0.024
New Mexico	332	0.016	0.014 - 0.018	180	0.017	0.015 - 0.020	152	0.014	0.012 - 0.017
New York	4,762	0.024	0.024 - 0.025	2,419	0.026	0.025 - 0.027	2,344	0.023	0.022 - 0.024
North Carolina	2,073	0.020	0.019 - 0.021	1,040	0.020	0.019 - 0.022	1,033	0.019	0.018 - 0.020
North Dakota	131	0.017	0.014 - 0.020	70	0.018	0.014 - 0.023	61	0.016	0.013 - 0.021
Ohio	2,294	0.020	0.019 - 0.020	1,183	0.021	0.019 - 0.022	1,111	0.019	0.018 - 0.020
Oklahoma	544	0.014	0.013 - 0.015	275	0.014	0.012 - 0.016	269	0.013	0.012 - 0.015
Oregon	881	0.021	0.020 - 0.022	468	0.022	0.020 - 0.025	413	0.020	0.018 - 0.021
Pennsylvania	3,147	0.025	0.024 - 0.025	1,590	0.025	0.024 - 0.027	1,557	0.024	0.023 - 0.025
Rhode Island	239	0.023	0.020 - 0.026	118	0.023	0.019 - 0.027	121	0.022	0.018 - 0.027
South Carolina	979	0.019	0.018 - 0.020	480	0.019	0.018 - 0.021	499	0.019	0.017 - 0.021
Tennessee	1,169	0.017	0.016 - 0.018	582	0.018	0.016 - 0.019	587	0.017	0.016 - 0.018
Texas	4,505	0.016	0.015 - 0.016	2,330	0.016	0.016 - 0.017	2,175	0.015	0.014 - 0.016
Utah	335	0.011	0.009 - 0.012	183	0.011	0.010 - 0.013	152	0.010	0.008 - 0.011
Vermont	147	0.024	0.020 - 0.028	75	0.024	0.019 - 0.030	72	0.023	0.018 - 0.029
Washington	1,533	0.020	0.019 - 0.021	822	0.022	0.020 - 0.023	711	0.019	0.017 - 0.020
WA - Seattle	1,041	0.020	0.019 - 0.021	546	0.021	0.019 - 0.023	496	0.019	0.017 - 0.021
West Virginia	364	0.020	0.018 - 0.022	187	0.021	0.018 - 0.024	177	0.019	0.017 - 0.023
Wisconsin	1,324	0.023	0.022 - 0.024	732	0.025	0.023 - 0.027	592	0.020	0.019 - 0.022
Wyoming	101	0.017	0.014 - 0.021	57	0.019	0.015 - 0.025	44	0.015	0.011 - 0.021
NAACCR CDN Combined	5,788	0.016	0.015 - 0.016	3,049	0.016	0.016 - 0.017	2,740	0.015	0.014 - 0.015
Alberta	596	0.014	0.013 - 0.015	306	0.014	0.013 - 0.016	290	0.013	0.012 - 0.015
British Columbia	786	0.016	0.014 - 0.017	415	0.017	0.015 - 0.018	371	0.015	0.013 - 0.016
Manitoba	213	0.016	0.014 - 0.018	107	0.016	0.013 - 0.019	106	0.016	0.013 - 0.019
New Brunswick	138	0.018	0.015 - 0.021	75	0.020	0.015 - 0.025	63	0.016	0.012 - 0.021
Newfoundland and Labrador	73	0.014	0.011 - 0.018	36	0.014	0.010 - 0.019	37	0.014	0.010 - 0.019
Ontario	2,339	0.016	0.016 - 0.017	1,233	0.017	0.016 - 0.018	1,106	0.015	0.014 - 0.016
Prince Edward Island	21	0.014	0.008 - 0.021	*	*		*	*	
Saskatchewan	146	0.013	0.011 - 0.015	84	0.014	0.011 - 0.018	62	0.011	0.008 - 0.014
NAACCR N.A. Combined	69,630	0.019	0.019 - 0.019	35,998	0.020	0.020 - 0.020	33,636	0.018	0.018 - 0.018

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-82 Prevalence – Pancreas

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	42,591	0.013	0.013 - 0.013	33,854	0.021	0.021 - 0.021	8,750	0.005	0.005 - 0.005
Alabama	839	0.017	0.016 - 0.018	677	0.029	0.026 - 0.031	162	0.006	0.005 - 0.007
Alaska	81	0.011	0.009 - 0.014	67	0.017	0.014 - 0.022	14	0.004	0.002 - 0.007
Arizona	548	0.008	0.007 - 0.008	447	0.012	0.011 - 0.014	101	0.003	0.002 - 0.003
Arkansas	490	0.016	0.015 - 0.018	370	0.025	0.023 - 0.028	120	0.008	0.006 - 0.009
California	2,695	0.007	0.007 - 0.007	2,243	0.011	0.011 - 0.012	452	0.002	0.002 - 0.002
CA - Greater California	1,598	0.007	0.007 - 0.008	1,317	0.012	0.011 - 0.013	281	0.003	0.002 - 0.003
CA - Greater Bay Area	485	0.007	0.006 - 0.007	406	0.011	0.010 - 0.012	79	0.002	0.002 - 0.003
CA - Los Angeles	612	0.006	0.006 - 0.007	520	0.011	0.010 - 0.011	92	0.002	0.001 - 0.002
Colorado	476	0.008	0.008 - 0.009	382	0.013	0.012 - 0.015	94	0.003	0.003 - 0.004
Connecticut	570	0.016	0.015 - 0.017	440	0.025	0.023 - 0.028	131	0.007	0.006 - 0.008
Delaware	149	0.015	0.013 - 0.018	101	0.021	0.018 - 0.026	48	0.010	0.007 - 0.013
District of Columbia	64	0.009	0.007 - 0.012	49	0.015	0.011 - 0.019	15	0.004	0.002 - 0.007
Florida	3,553	0.017	0.016 - 0.017	2,924	0.028	0.027 - 0.029	629	0.006	0.005 - 0.006
Georgia	1,408	0.013	0.013 - 0.014	1,134	0.022	0.021 - 0.023	274	0.005	0.004 - 0.006
Hawaii	122	0.009	0.007 - 0.010	101	0.014	0.012 - 0.017	21	0.003	0.002 - 0.005
Idaho	132	0.007	0.006 - 0.009	100	0.011	0.009 - 0.014	32	0.004	0.002 - 0.005
Illinois	1,969	0.016	0.015 - 0.016	1,535	0.025	0.023 - 0.026	434	0.007	0.006 - 0.007
Indiana	1,091	0.016	0.015 - 0.017	834	0.025	0.024 - 0.027	257	0.008	0.007 - 0.009
Iowa	486	0.015	0.014 - 0.017	396	0.025	0.023 - 0.028	90	0.006	0.005 - 0.007
Kansas	362	0.012	0.011 - 0.014	291	0.020	0.018 - 0.022	71	0.005	0.004 - 0.006
Kentucky	934	0.021	0.020 - 0.022	674	0.031	0.028 - 0.033	260	0.011	0.010 - 0.013
Louisiana	936	0.020	0.019 - 0.021	725	0.032	0.030 - 0.034	211	0.009	0.008 - 0.010
Maine	246	0.018	0.016 - 0.021	188	0.029	0.025 - 0.033	58	0.008	0.006 - 0.011
Maryland	676	0.011	0.010 - 0.012	538	0.018	0.017 - 0.020	138	0.004	0.004 - 0.005
MI - Detroit	641	0.017	0.015 - 0.018	498	0.026	0.024 - 0.029	143	0.007	0.006 - 0.008
Minnesota	669	0.012	0.011 - 0.013	538	0.019	0.018 - 0.021	131	0.005	0.004 - 0.006
Mississippi	555	0.019	0.017 - 0.020	435	0.030	0.027 - 0.033	120	0.008	0.006 - 0.009
Missouri	1,017	0.017	0.016 - 0.018	765	0.025	0.024 - 0.027	252	0.008	0.007 - 0.009
Montana	125	0.012	0.010 - 0.014	101	0.019	0.015 - 0.023	24	0.005	0.003 - 0.007
Nebraska	229	0.012	0.010 - 0.014	178	0.018	0.016 - 0.021	51	0.005	0.004 - 0.007
New Hampshire	196	0.014	0.012 - 0.017	155	0.023	0.020 - 0.027	41	0.006	0.004 - 0.008
New Jersey	1,120	0.013	0.012 - 0.013	919	0.021	0.020 - 0.023	201	0.004	0.004 - 0.005
New Mexico	170	0.008	0.007 - 0.009	137	0.013	0.011 - 0.016	34	0.003	0.002 - 0.004
New York	2,569	0.013	0.013 - 0.014	2,019	0.021	0.020 - 0.022	550	0.005	0.005 - 0.006
North Carolina	1,699	0.016	0.015 - 0.017	1,345	0.026	0.025 - 0.028	354	0.007	0.006 - 0.007
North Dakota	97	0.013	0.010 - 0.016	83	0.021	0.017 - 0.026	14	0.004	0.002 - 0.006
Ohio	2,029	0.017	0.017 - 0.018	1,586	0.028	0.026 - 0.029	443	0.007	0.007 - 0.008
Oklahoma	537	0.014	0.012 - 0.015	408	0.021	0.019 - 0.023	129	0.006	0.005 - 0.008
Oregon	429	0.010	0.009 - 0.011	351	0.017	0.015 - 0.019	78	0.004	0.003 - 0.005
Pennsylvania	2,044	0.016	0.015 - 0.017	1,588	0.025	0.024 - 0.027	456	0.007	0.006 - 0.008
Rhode Island	166	0.016	0.013 - 0.018	132	0.026	0.021 - 0.030	34	0.006	0.004 - 0.009
South Carolina	882	0.017	0.016 - 0.018	702	0.028	0.026 - 0.030	180	0.007	0.006 - 0.008
Tennessee	1,127	0.017	0.016 - 0.018	863	0.026	0.024 - 0.028	264	0.008	0.007 - 0.009
Texas	2,781	0.010	0.009 - 0.010	2,296	0.016	0.015 - 0.017	485	0.003	0.003 - 0.004
Utah	148	0.005	0.004 - 0.005	128	0.008	0.007 - 0.010	20	0.001	0.001 - 0.002
Vermont	94	0.015	0.012 - 0.018	71	0.023	0.018 - 0.029	23	0.007	0.005 - 0.011
Washington	685	0.009	0.008 - 0.010	557	0.015	0.014 - 0.016	128	0.003	0.003 - 0.004
WA - Seattle	471	0.009	0.008 - 0.010	385	0.015	0.013 - 0.016	86	0.003	0.003 - 0.004
West Virginia	414	0.023	0.021 - 0.025	305	0.034	0.030 - 0.038	109	0.012	0.010 - 0.014
Wisconsin	865	0.015	0.014 - 0.016	709	0.024	0.023 - 0.026	156	0.005	0.005 - 0.006
Wyoming	69	0.012	0.009 - 0.015	48	0.016	0.012 - 0.022	21	0.007	0.005 - 0.011
NAACCR CDN Combined	3,429	0.009	0.009 - 0.010	2,967	0.016	0.015 - 0.017	460	0.002	0.002 - 0.003
Alberta	283	0.007	0.006 - 0.007	245	0.011	0.010 - 0.013	38	0.002	0.001 - 0.002
British Columbia	416	0.008	0.007 - 0.009	372	0.015	0.013 - 0.016	44	0.002	0.001 - 0.002
Manitoba	121	0.009	0.007 - 0.011	102	0.015	0.012 - 0.018	19	0.003	0.002 - 0.004
New Brunswick	102	0.013	0.011 - 0.016	88	0.023	0.018 - 0.028	14	0.004	0.002 - 0.006
Newfoundland and Labrador	93	0.018	0.014 - 0.022	81	0.031	0.025 - 0.039	12	0.005	0.002 - 0.008
Ontario	1,419	0.010	0.009 - 0.010	1,219	0.017	0.016 - 0.018	200	0.003	0.002 - 0.003
Prince Edward Island	18	0.012	0.007 - 0.018	*	*		*	*	
Saskatchewan	101	0.009	0.007 - 0.011	86	0.015	0.012 - 0.018	15	0.003	0.001 - 0.004
NAACCR N.A. Combined	46,021	0.013	0.013 - 0.013	36,821	0.021	0.020 - 0.021	9,210	0.005	0.005 - 0.005

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	414,824	0.126	0.126 - 0.127	192,386	0.119	0.118 - 0.119	222,443	0.134	0.133 - 0.134
Alabama	6,347	0.130	0.126 - 0.133	3,272	0.138	0.133 - 0.143	3,075	0.121	0.117 - 0.126
Alaska	678	0.092	0.085 - 0.099	337	0.088	0.079 - 0.098	341	0.097	0.087 - 0.108
Arizona	7,171	0.099	0.097 - 0.102	3,168	0.088	0.085 - 0.091	4,003	0.110	0.107 - 0.114
Arkansas	4,912	0.163	0.158 - 0.167	2,458	0.166	0.159 - 0.173	2,454	0.160	0.154 - 0.166
California	31,782	0.081	0.080 - 0.081	14,078	0.072	0.071 - 0.073	17,704	0.089	0.088 - 0.091
CA - Greater California	18,270	0.083	0.082 - 0.084	7,967	0.073	0.071 - 0.074	10,303	0.093	0.092 - 0.095
CA - Greater Bay Area	6,561	0.088	0.086 - 0.091	2,961	0.080	0.077 - 0.083	3,600	0.097	0.094 - 0.100
CA - Los Angeles	6,952	0.069	0.068 - 0.071	3,152	0.064	0.061 - 0.066	3,800	0.075	0.072 - 0.077
Colorado	4,688	0.082	0.080 - 0.084	2,066	0.072	0.069 - 0.075	2,622	0.092	0.089 - 0.096
Connecticut	5,836	0.163	0.159 - 0.168	2,636	0.151	0.146 - 0.157	3,200	0.175	0.169 - 0.181
Delaware	1,618	0.166	0.158 - 0.175	712	0.152	0.141 - 0.163	906	0.180	0.169 - 0.193
District of Columbia	616	0.087	0.080 - 0.094	261	0.078	0.069 - 0.088	355	0.096	0.086 - 0.106
Florida	33,208	0.155	0.154 - 0.157	15,534	0.149	0.146 - 0.151	17,674	0.162	0.159 - 0.164
Georgia	11,943	0.113	0.111 - 0.115	5,873	0.114	0.111 - 0.117	6,069	0.112	0.109 - 0.115
Hawaii	1,470	0.104	0.098 - 0.109	763	0.107	0.100 - 0.115	707	0.100	0.093 - 0.108
Idaho	1,706	0.096	0.092 - 0.101	783	0.088	0.082 - 0.095	923	0.105	0.098 - 0.112
Illinois	18,065	0.142	0.140 - 0.144	8,190	0.131	0.128 - 0.134	9,875	0.153	0.150 - 0.156
Indiana	9,989	0.149	0.146 - 0.152	4,726	0.143	0.139 - 0.147	5,263	0.155	0.150 - 0.159
Iowa	4,440	0.141	0.137 - 0.145	2,161	0.138	0.132 - 0.144	2,280	0.144	0.138 - 0.150
Kansas	3,732	0.128	0.124 - 0.132	1,708	0.118	0.112 - 0.123	2,024	0.138	0.133 - 0.145
Kentucky	8,273	0.185	0.181 - 0.189	3,952	0.180	0.174 - 0.185	4,322	0.191	0.185 - 0.196
Louisiana	5,897	0.126	0.123 - 0.130	2,993	0.132	0.127 - 0.136	2,904	0.122	0.117 - 0.126
Maine	2,616	0.195	0.187 - 0.202	1,185	0.180	0.170 - 0.191	1,431	0.209	0.198 - 0.220
Maryland	7,401	0.122	0.120 - 0.125	3,160	0.108	0.104 - 0.112	4,241	0.136	0.132 - 0.140
MI - Detroit	5,796	0.149	0.145 - 0.153	2,551	0.135	0.130 - 0.141	3,245	0.163	0.157 - 0.168
Minnesota	7,521	0.134	0.131 - 0.137	3,466	0.124	0.120 - 0.128	4,055	0.144	0.139 - 0.148
Mississippi	4,689	0.157	0.153 - 0.162	2,416	0.167	0.161 - 0.174	2,273	0.148	0.142 - 0.154
Missouri	9,779	0.159	0.156 - 0.163	4,562	0.152	0.147 - 0.156	5,217	0.167	0.163 - 0.172
Montana	1,304	0.122	0.116 - 0.129	584	0.109	0.100 - 0.118	720	0.136	0.126 - 0.146
Nebraska	2,297	0.119	0.114 - 0.124	1,112	0.115	0.109 - 0.122	1,185	0.123	0.116 - 0.130
New Hampshire	2,223	0.164	0.157 - 0.171	948	0.141	0.132 - 0.150	1,275	0.186	0.176 - 0.197
New Jersey	11,955	0.134	0.132 - 0.137	5,064	0.117	0.113 - 0.120	6,891	0.152	0.148 - 0.155
New Mexico	1,584	0.076	0.072 - 0.079	721	0.069	0.065 - 0.075	863	0.082	0.076 - 0.087
New York	29,673	0.152	0.150 - 0.154	13,054	0.138	0.135 - 0.140	16,618	0.166	0.163 - 0.168
North Carolina	15,300	0.146	0.144 - 0.149	7,327	0.144	0.141 - 0.148	7,973	0.149	0.145 - 0.152
North Dakota	1,025	0.135	0.126 - 0.143	479	0.123	0.112 - 0.134	546	0.147	0.135 - 0.160
Ohio	17,766	0.152	0.150 - 0.154	8,342	0.146	0.142 - 0.149	9,424	0.158	0.155 - 0.161
Oklahoma	4,885	0.124	0.120 - 0.127	2,353	0.120	0.115 - 0.125	2,532	0.127	0.122 - 0.132
Oregon	5,298	0.126	0.123 - 0.130	2,398	0.115	0.111 - 0.120	2,900	0.137	0.132 - 0.142
Pennsylvania	20,717	0.162	0.160 - 0.164	9,434	0.150	0.147 - 0.153	11,283	0.173	0.170 - 0.176
Rhode Island	2,013	0.190	0.182 - 0.199	885	0.172	0.161 - 0.183	1,128	0.208	0.196 - 0.220
South Carolina	7,292	0.142	0.139 - 0.146	3,561	0.143	0.139 - 0.148	3,731	0.141	0.137 - 0.146
Tennessee	10,865	0.160	0.157 - 0.163	5,284	0.159	0.155 - 0.164	5,581	0.160	0.156 - 0.164
Texas	23,578	0.082	0.081 - 0.083	11,461	0.080	0.079 - 0.082	12,117	0.084	0.082 - 0.085
Utah	1,270	0.040	0.038 - 0.042	589	0.037	0.034 - 0.040	681	0.043	0.040 - 0.047
Vermont	1,079	0.173	0.163 - 0.183	505	0.164	0.150 - 0.179	574	0.182	0.167 - 0.197
Washington	8,673	0.115	0.112 - 0.117	3,884	0.103	0.099 - 0.106	4,789	0.127	0.123 - 0.130
WA - Seattle	6,142	0.118	0.115 - 0.121	2,723	0.104	0.100 - 0.108	3,419	0.131	0.127 - 0.136
West Virginia	3,672	0.204	0.197 - 0.211	1,748	0.196	0.187 - 0.205	1,924	0.212	0.202 - 0.221
Wisconsin	8,516	0.146	0.143 - 0.150	3,940	0.136	0.132 - 0.140	4,576	0.157	0.152 - 0.161
Wyoming	547	0.094	0.087 - 0.103	268	0.091	0.080 - 0.102	279	0.098	0.087 - 0.110
NAACCR CDN Combined	45,279	0.121	0.120 - 0.123	19,595	0.106	0.104 - 0.108	25,656	0.137	0.135 - 0.139
Alberta	4,171	0.096	0.093 - 0.099	1,732	0.079	0.076 - 0.083	2,439	0.113	0.109 - 0.118
British Columbia	5,925	0.117	0.114 - 0.120	2,498	0.100	0.096 - 0.104	3,427	0.134	0.130 - 0.139
Manitoba	1,592	0.117	0.111 - 0.123	653	0.096	0.089 - 0.104	939	0.138	0.129 - 0.147
New Brunswick	1,508	0.195	0.185 - 0.205	711	0.186	0.172 - 0.200	797	0.204	0.190 - 0.219
Newfoundland and Labrador	1,000	0.191	0.179 - 0.203	481	0.185	0.169 - 0.203	519	0.196	0.179 - 0.213
Ontario	18,080	0.125	0.124 - 0.127	7,958	0.112	0.109 - 0.114	10,122	0.139	0.136 - 0.141
Prince Edward Island	246	0.158	0.139 - 0.179	101	0.132	0.108 - 0.161	145	0.184	0.155 - 0.216
Saskatchewan	1,240	0.106	0.100 - 0.112	496	0.084	0.077 - 0.092	744	0.128	0.119 - 0.138
NAACCR N.A. Combined	460,104	0.126	0.126 - 0.126	211,981	0.118	0.117 - 0.118	248,099	0.134	0.133 - 0.134

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-84 Prevalence – Lung and Bronchus

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	359,603	0.109	0.109 - 0.110	206,198	0.127	0.127 - 0.128	153,434	0.092	0.092 - 0.092
Alabama	5,392	0.110	0.107 - 0.113	3,074	0.130	0.125 - 0.134	2,318	0.092	0.088 - 0.095
Alaska	434	0.059	0.054 - 0.065	246	0.064	0.056 - 0.073	188	0.053	0.046 - 0.062
Arizona	9,474	0.131	0.128 - 0.134	5,904	0.164	0.160 - 0.169	3,570	0.098	0.095 - 0.101
Arkansas	3,300	0.109	0.106 - 0.113	1,952	0.132	0.126 - 0.138	1,348	0.088	0.083 - 0.093
California	41,110	0.104	0.103 - 0.105	24,015	0.122	0.121 - 0.124	17,095	0.086	0.085 - 0.088
CA - Greater California	25,605	0.116	0.115 - 0.118	14,917	0.136	0.134 - 0.138	10,688	0.097	0.095 - 0.099
CA - Greater Bay Area	9,530	0.128	0.126 - 0.131	5,577	0.151	0.147 - 0.155	3,953	0.106	0.103 - 0.110
CA - Los Angeles	5,995	0.060	0.058 - 0.061	3,536	0.071	0.069 - 0.074	2,460	0.048	0.046 - 0.050
Colorado	5,749	0.100	0.098 - 0.103	3,225	0.112	0.108 - 0.116	2,524	0.089	0.085 - 0.092
Connecticut	3,841	0.108	0.104 - 0.111	2,173	0.125	0.120 - 0.130	1,668	0.091	0.087 - 0.096
Delaware	1,487	0.153	0.145 - 0.161	879	0.187	0.175 - 0.200	608	0.121	0.112 - 0.131
District of Columbia	300	0.042	0.038 - 0.048	185	0.055	0.048 - 0.064	115	0.031	0.026 - 0.037
Florida	29,161	0.136	0.135 - 0.138	17,807	0.170	0.168 - 0.173	11,354	0.104	0.102 - 0.106
Georgia	12,502	0.118	0.116 - 0.120	7,150	0.139	0.136 - 0.142	5,353	0.099	0.096 - 0.101
Hawaii	1,725	0.122	0.116 - 0.127	1,088	0.153	0.144 - 0.162	637	0.090	0.083 - 0.097
Idaho	2,268	0.128	0.123 - 0.134	1,298	0.146	0.138 - 0.154	970	0.110	0.103 - 0.117
Illinois	13,206	0.104	0.102 - 0.106	7,195	0.115	0.113 - 0.118	6,011	0.093	0.091 - 0.095
Indiana	7,097	0.106	0.103 - 0.108	3,848	0.116	0.113 - 0.120	3,249	0.095	0.092 - 0.099
Iowa	4,374	0.139	0.135 - 0.143	2,321	0.148	0.142 - 0.154	2,053	0.130	0.124 - 0.135
Kansas	3,769	0.129	0.125 - 0.134	2,110	0.145	0.139 - 0.152	1,659	0.113	0.108 - 0.119
Kentucky	5,984	0.134	0.131 - 0.137	3,250	0.148	0.143 - 0.153	2,734	0.121	0.116 - 0.125
Louisiana	4,001	0.086	0.083 - 0.089	2,416	0.106	0.102 - 0.111	1,585	0.066	0.063 - 0.070
Maine	2,078	0.155	0.148 - 0.162	1,074	0.163	0.154 - 0.173	1,004	0.147	0.138 - 0.156
Maryland	7,142	0.118	0.115 - 0.121	4,126	0.141	0.137 - 0.145	3,016	0.097	0.093 - 0.100
MI - Detroit	3,574	0.092	0.089 - 0.095	1,970	0.104	0.100 - 0.109	1,604	0.080	0.076 - 0.084
Minnesota	9,275	0.165	0.162 - 0.168	5,053	0.180	0.175 - 0.185	4,222	0.150	0.145 - 0.154
Mississippi	2,495	0.084	0.080 - 0.087	1,461	0.101	0.096 - 0.106	1,034	0.067	0.063 - 0.072
Missouri	5,673	0.092	0.090 - 0.095	3,212	0.107	0.103 - 0.110	2,461	0.079	0.076 - 0.082
Montana	1,535	0.144	0.137 - 0.151	862	0.161	0.150 - 0.172	673	0.127	0.118 - 0.137
Nebraska	2,517	0.130	0.125 - 0.136	1,294	0.134	0.127 - 0.142	1,223	0.127	0.120 - 0.134
New Hampshire	2,372	0.175	0.168 - 0.182	1,290	0.192	0.181 - 0.203	1,082	0.158	0.149 - 0.168
New Jersey	9,952	0.112	0.110 - 0.114	5,616	0.129	0.126 - 0.133	4,336	0.095	0.093 - 0.098
New Mexico	1,705	0.081	0.077 - 0.085	990	0.095	0.090 - 0.102	714	0.067	0.063 - 0.073
New York	17,852	0.092	0.090 - 0.093	10,034	0.106	0.104 - 0.108	7,818	0.078	0.076 - 0.080
North Carolina	13,183	0.126	0.124 - 0.128	7,686	0.151	0.148 - 0.155	5,497	0.102	0.100 - 0.105
North Dakota	833	0.109	0.102 - 0.117	432	0.111	0.101 - 0.122	401	0.108	0.098 - 0.119
Ohio	14,568	0.125	0.123 - 0.127	7,985	0.139	0.136 - 0.142	6,583	0.110	0.108 - 0.113
Oklahoma	3,920	0.099	0.096 - 0.102	2,309	0.118	0.113 - 0.123	1,611	0.081	0.077 - 0.085
Oregon	5,609	0.134	0.130 - 0.137	3,100	0.149	0.144 - 0.154	2,509	0.118	0.114 - 0.123
Pennsylvania	16,015	0.125	0.123 - 0.127	8,999	0.143	0.140 - 0.146	7,016	0.107	0.105 - 0.110
Rhode Island	1,308	0.124	0.117 - 0.130	725	0.141	0.131 - 0.151	583	0.107	0.099 - 0.116
South Carolina	6,014	0.117	0.114 - 0.120	3,522	0.142	0.137 - 0.147	2,492	0.094	0.091 - 0.098
Tennessee	6,648	0.098	0.095 - 0.100	3,832	0.115	0.112 - 0.119	2,816	0.081	0.078 - 0.084
Texas	15,518	0.054	0.053 - 0.055	9,349	0.065	0.064 - 0.067	6,169	0.043	0.041 - 0.044
Utah	4,797	0.151	0.147 - 0.155	2,704	0.169	0.163 - 0.175	2,093	0.133	0.127 - 0.138
Vermont	1,365	0.219	0.207 - 0.231	757	0.245	0.228 - 0.264	608	0.192	0.177 - 0.208
Washington	9,317	0.123	0.121 - 0.126	5,149	0.136	0.132 - 0.140	4,168	0.110	0.107 - 0.114
WA - Seattle	7,341	0.141	0.137 - 0.144	4,031	0.154	0.149 - 0.159	3,310	0.127	0.123 - 0.131
West Virginia	2,159	0.120	0.115 - 0.125	1,264	0.142	0.134 - 0.150	895	0.098	0.092 - 0.105
Wisconsin	7,178	0.123	0.121 - 0.126	4,097	0.142	0.137 - 0.146	3,081	0.105	0.102 - 0.109
Wyoming	701	0.121	0.112 - 0.130	403	0.136	0.123 - 0.150	298	0.105	0.093 - 0.117
NAACCR CDN Combined	36,724	0.099	0.097 - 0.100	19,683	0.106	0.105 - 0.108	17,010	0.091	0.089 - 0.092
Alberta	3,343	0.077	0.075 - 0.080	1,706	0.078	0.075 - 0.082	1,637	0.076	0.072 - 0.080
British Columbia	4,879	0.097	0.094 - 0.099	2,608	0.104	0.100 - 0.108	2,271	0.089	0.085 - 0.093
Manitoba	1,108	0.081	0.077 - 0.086	586	0.086	0.079 - 0.093	522	0.077	0.070 - 0.084
New Brunswick	906	0.117	0.110 - 0.125	464	0.121	0.110 - 0.133	442	0.113	0.103 - 0.124
Newfoundland and Labrador	466	0.089	0.081 - 0.097	249	0.096	0.084 - 0.109	217	0.082	0.071 - 0.094
Ontario	15,577	0.108	0.106 - 0.110	8,524	0.120	0.117 - 0.122	7,053	0.097	0.094 - 0.099
Prince Edward Island	259	0.167	0.147 - 0.188	137	0.179	0.150 - 0.212	122	0.154	0.128 - 0.184
Saskatchewan	847	0.073	0.068 - 0.078	412	0.070	0.063 - 0.077	435	0.075	0.068 - 0.083
NAACCR N.A. Combined	396,327	0.108	0.108 - 0.109	225,880	0.126	0.125 - 0.126	170,443	0.092	0.091 - 0.092

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		1,097,136	0.659	0.657 - 0.660
Alabama	N/A	N/A		N/A	N/A		16,176	0.639	0.629 - 0.649
Alaska	N/A	N/A		N/A	N/A		1,921	0.546	0.522 - 0.571
Arizona	N/A	N/A		N/A	N/A		21,422	0.589	0.581 - 0.597
Arkansas	N/A	N/A		N/A	N/A		9,610	0.626	0.613 - 0.638
California	N/A	N/A		N/A	N/A		119,756	0.604	0.601 - 0.607
CA - Greater California	N/A	N/A		N/A	N/A		65,893	0.598	0.593 - 0.602
CA - Greater Bay Area	N/A	N/A		N/A	N/A		24,548	0.660	0.652 - 0.668
CA - Los Angeles	N/A	N/A		N/A	N/A		29,319	0.576	0.570 - 0.583
Colorado	N/A	N/A		N/A	N/A		17,884	0.629	0.620 - 0.638
Connecticut	N/A	N/A		N/A	N/A		14,602	0.798	0.785 - 0.811
Delaware	N/A	N/A		N/A	N/A		3,700	0.737	0.713 - 0.761
District of Columbia	N/A	N/A		N/A	N/A		2,160	0.582	0.558 - 0.607
Florida	N/A	N/A		N/A	N/A		75,438	0.690	0.686 - 0.695
Georgia	N/A	N/A		N/A	N/A		33,217	0.611	0.605 - 0.618
Hawaii	N/A	N/A		N/A	N/A		5,551	0.784	0.763 - 0.805
Idaho	N/A	N/A		N/A	N/A		5,408	0.613	0.596 - 0.629
Illinois	N/A	N/A		N/A	N/A		45,381	0.703	0.696 - 0.709
Indiana	N/A	N/A		N/A	N/A		21,991	0.646	0.638 - 0.655
Iowa	N/A	N/A		N/A	N/A		11,308	0.714	0.701 - 0.727
Kansas	N/A	N/A		N/A	N/A		9,941	0.680	0.667 - 0.694
Kentucky	N/A	N/A		N/A	N/A		15,310	0.675	0.665 - 0.686
Louisiana	N/A	N/A		N/A	N/A		15,318	0.642	0.632 - 0.652
Maine	N/A	N/A		N/A	N/A		5,429	0.792	0.771 - 0.814
Maryland	N/A	N/A		N/A	N/A		21,611	0.693	0.684 - 0.702
MI - Detroit	N/A	N/A		N/A	N/A		14,449	0.723	0.712 - 0.735
Minnesota	N/A	N/A		N/A	N/A		19,917	0.706	0.696 - 0.715
Mississippi	N/A	N/A		N/A	N/A		9,402	0.612	0.600 - 0.625
Missouri	N/A	N/A		N/A	N/A		21,655	0.693	0.684 - 0.703
Montana	N/A	N/A		N/A	N/A		3,986	0.753	0.730 - 0.777
Nebraska	N/A	N/A		N/A	N/A		6,372	0.660	0.643 - 0.676
New Hampshire	N/A	N/A		N/A	N/A		5,751	0.839	0.818 - 0.861
New Jersey	N/A	N/A		N/A	N/A		33,976	0.747	0.739 - 0.755
New Mexico	N/A	N/A		N/A	N/A		6,285	0.593	0.579 - 0.608
New York	N/A	N/A		N/A	N/A		72,670	0.724	0.719 - 0.730
North Carolina	N/A	N/A		N/A	N/A		38,370	0.715	0.708 - 0.722
North Dakota	N/A	N/A		N/A	N/A		2,402	0.646	0.620 - 0.672
Ohio	N/A	N/A		N/A	N/A		42,075	0.706	0.699 - 0.713
Oklahoma	N/A	N/A		N/A	N/A		12,226	0.613	0.602 - 0.624
Oregon	N/A	N/A		N/A	N/A		14,843	0.701	0.690 - 0.712
Pennsylvania	N/A	N/A		N/A	N/A		48,700	0.746	0.739 - 0.753
Rhode Island	N/A	N/A		N/A	N/A		4,340	0.798	0.775 - 0.823
South Carolina	N/A	N/A		N/A	N/A		18,081	0.684	0.675 - 0.694
Tennessee	N/A	N/A		N/A	N/A		22,407	0.643	0.635 - 0.651
Texas	N/A	N/A		N/A	N/A		74,508	0.514	0.510 - 0.518
Utah	N/A	N/A		N/A	N/A		6,963	0.441	0.431 - 0.452
Vermont	N/A	N/A		N/A	N/A		2,471	0.782	0.751 - 0.813
Washington	N/A	N/A		N/A	N/A		25,716	0.680	0.672 - 0.688
WA - Seattle	N/A	N/A		N/A	N/A		18,630	0.715	0.704 - 0.725
West Virginia	N/A	N/A		N/A	N/A		6,458	0.710	0.693 - 0.728
Wisconsin	N/A	N/A		N/A	N/A		21,148	0.724	0.714 - 0.734
Wyoming	N/A	N/A		N/A	N/A		1,708	0.601	0.573 - 0.630
NAACCR CDN Combined	N/A	N/A		N/A	N/A		119,704	0.637	0.633 - 0.641
Alberta	N/A	N/A		N/A	N/A		12,421	0.578	0.567 - 0.588
British Columbia	N/A	N/A		N/A	N/A		15,913	0.624	0.614 - 0.633
Manitoba	N/A	N/A		N/A	N/A		3,860	0.567	0.549 - 0.585
New Brunswick	N/A	N/A		N/A	N/A		2,768	0.708	0.682 - 0.735
Newfoundland and Labrador	N/A	N/A		N/A	N/A		2,022	0.763	0.730 - 0.797
Ontario	N/A	N/A		N/A	N/A		48,428	0.663	0.657 - 0.669
Prince Edward Island	N/A	N/A		N/A	N/A		514	0.651	0.596 - 0.710
Saskatchewan	N/A	N/A		N/A	N/A		3,257	0.562	0.543 - 0.582
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		1,216,840	0.657	0.656 - 0.658

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-86 Prevalence – Breast

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		49,517	0.030	0.029 - 0.030
Alabama	N/A	N/A		N/A	N/A		853	0.034	0.031 - 0.036
Alaska	N/A	N/A		N/A	N/A		109	0.031	0.025 - 0.037
Arizona	N/A	N/A		N/A	N/A		834	0.023	0.021 - 0.025
Arkansas	N/A	N/A		N/A	N/A		520	0.034	0.031 - 0.037
California	N/A	N/A		N/A	N/A		5,577	0.028	0.027 - 0.029
CA - Greater California	N/A	N/A		N/A	N/A		3,166	0.029	0.028 - 0.030
CA - Greater Bay Area	N/A	N/A		N/A	N/A		905	0.024	0.023 - 0.026
CA - Los Angeles	N/A	N/A		N/A	N/A		1,505	0.030	0.028 - 0.031
Colorado	N/A	N/A		N/A	N/A		725	0.025	0.024 - 0.027
Connecticut	N/A	N/A		N/A	N/A		448	0.024	0.022 - 0.027
Delaware	N/A	N/A		N/A	N/A		153	0.030	0.026 - 0.036
District of Columbia	N/A	N/A		N/A	N/A		102	0.027	0.022 - 0.033
Florida	N/A	N/A		N/A	N/A		3,819	0.035	0.034 - 0.036
Georgia	N/A	N/A		N/A	N/A		1,580	0.029	0.028 - 0.031
Hawaii	N/A	N/A		N/A	N/A		201	0.028	0.025 - 0.033
Idaho	N/A	N/A		N/A	N/A		239	0.027	0.024 - 0.031
Illinois	N/A	N/A		N/A	N/A		1,964	0.030	0.029 - 0.032
Indiana	N/A	N/A		N/A	N/A		1,041	0.031	0.029 - 0.033
Iowa	N/A	N/A		N/A	N/A		473	0.030	0.027 - 0.033
Kansas	N/A	N/A		N/A	N/A		452	0.031	0.028 - 0.034
Kentucky	N/A	N/A		N/A	N/A		810	0.036	0.033 - 0.038
Louisiana	N/A	N/A		N/A	N/A		788	0.033	0.031 - 0.035
Maine	N/A	N/A		N/A	N/A		158	0.023	0.020 - 0.027
Maryland	N/A	N/A		N/A	N/A		812	0.026	0.024 - 0.028
MI - Detroit	N/A	N/A		N/A	N/A		518	0.026	0.024 - 0.028
Minnesota	N/A	N/A		N/A	N/A		631	0.022	0.021 - 0.024
Mississippi	N/A	N/A		N/A	N/A		524	0.034	0.031 - 0.037
Missouri	N/A	N/A		N/A	N/A		972	0.031	0.029 - 0.033
Montana	N/A	N/A		N/A	N/A		151	0.028	0.024 - 0.033
Nebraska	N/A	N/A		N/A	N/A		257	0.027	0.023 - 0.030
New Hampshire	N/A	N/A		N/A	N/A		137	0.020	0.017 - 0.024
New Jersey	N/A	N/A		N/A	N/A		1,408	0.031	0.029 - 0.033
New Mexico	N/A	N/A		N/A	N/A		334	0.032	0.028 - 0.035
New York	N/A	N/A		N/A	N/A		3,128	0.031	0.030 - 0.032
North Carolina	N/A	N/A		N/A	N/A		1,475	0.027	0.026 - 0.029
North Dakota	N/A	N/A		N/A	N/A		88	0.024	0.019 - 0.029
Ohio	N/A	N/A		N/A	N/A		1,807	0.030	0.029 - 0.032
Oklahoma	N/A	N/A		N/A	N/A		662	0.033	0.031 - 0.036
Oregon	N/A	N/A		N/A	N/A		580	0.027	0.025 - 0.030
Pennsylvania	N/A	N/A		N/A	N/A		1,887	0.029	0.028 - 0.030
Rhode Island	N/A	N/A		N/A	N/A		172	0.032	0.027 - 0.037
South Carolina	N/A	N/A		N/A	N/A		757	0.029	0.027 - 0.031
Tennessee	N/A	N/A		N/A	N/A		1,090	0.031	0.029 - 0.033
Texas	N/A	N/A		N/A	N/A		4,835	0.033	0.032 - 0.034
Utah	N/A	N/A		N/A	N/A		295	0.019	0.017 - 0.021
Vermont	N/A	N/A		N/A	N/A		54	0.017	0.013 - 0.022
Washington	N/A	N/A		N/A	N/A		1,007	0.027	0.025 - 0.028
WA - Seattle	N/A	N/A		N/A	N/A		751	0.029	0.027 - 0.031
West Virginia	N/A	N/A		N/A	N/A		345	0.038	0.034 - 0.042
Wisconsin	N/A	N/A		N/A	N/A		780	0.027	0.025 - 0.029
Wyoming	N/A	N/A		N/A	N/A		88	0.031	0.025 - 0.038
NAACCR CDN Combined	N/A	N/A		N/A	N/A		5,964	0.032	0.031 - 0.033
Alberta	N/A	N/A		N/A	N/A		745	0.035	0.032 - 0.037
British Columbia	N/A	N/A		N/A	N/A		755	0.030	0.028 - 0.032
Manitoba	N/A	N/A		N/A	N/A		181	0.027	0.023 - 0.031
New Brunswick	N/A	N/A		N/A	N/A		119	0.030	0.025 - 0.036
Newfoundland and Labrador	N/A	N/A		N/A	N/A		113	0.043	0.035 - 0.051
Ontario	N/A	N/A		N/A	N/A		2,341	0.032	0.031 - 0.033
Prince Edward Island	N/A	N/A		N/A	N/A		25	0.032	0.020 - 0.047
Saskatchewan	N/A	N/A		N/A	N/A		211	0.036	0.032 - 0.042
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		55,481	0.030	0.030 - 0.030

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		236,467	0.142	0.141 - 0.143
Alabama	N/A	N/A		N/A	N/A		2,644	0.104	0.101 - 0.109
Alaska	N/A	N/A		N/A	N/A		438	0.125	0.113 - 0.137
Arizona	N/A	N/A		N/A	N/A		4,336	0.119	0.116 - 0.123
Arkansas	N/A	N/A		N/A	N/A		1,964	0.128	0.122 - 0.134
California	N/A	N/A		N/A	N/A		25,680	0.130	0.128 - 0.131
CA - Greater California	N/A	N/A		N/A	N/A		14,092	0.128	0.126 - 0.130
CA - Greater Bay Area	N/A	N/A		N/A	N/A		5,025	0.135	0.131 - 0.139
CA - Los Angeles	N/A	N/A		N/A	N/A		6,565	0.129	0.126 - 0.132
Colorado	N/A	N/A		N/A	N/A		3,229	0.114	0.110 - 0.118
Connecticut	N/A	N/A		N/A	N/A		3,173	0.173	0.167 - 0.180
Delaware	N/A	N/A		N/A	N/A		832	0.166	0.155 - 0.177
District of Columbia	N/A	N/A		N/A	N/A		413	0.111	0.101 - 0.123
Florida	N/A	N/A		N/A	N/A		15,255	0.140	0.137 - 0.142
Georgia	N/A	N/A		N/A	N/A		6,186	0.114	0.111 - 0.117
Hawaii	N/A	N/A		N/A	N/A		1,224	0.173	0.163 - 0.183
Idaho	N/A	N/A		N/A	N/A		1,073	0.121	0.114 - 0.129
Illinois	N/A	N/A		N/A	N/A		10,313	0.160	0.157 - 0.163
Indiana	N/A	N/A		N/A	N/A		5,119	0.150	0.146 - 0.155
Iowa	N/A	N/A		N/A	N/A		2,693	0.170	0.164 - 0.177
Kansas	N/A	N/A		N/A	N/A		2,054	0.141	0.135 - 0.147
Kentucky	N/A	N/A		N/A	N/A		3,339	0.147	0.142 - 0.152
Louisiana	N/A	N/A		N/A	N/A		2,408	0.101	0.097 - 0.105
Maine	N/A	N/A		N/A	N/A		1,434	0.209	0.199 - 0.220
Maryland	N/A	N/A		N/A	N/A		4,552	0.146	0.142 - 0.150
MI - Detroit	N/A	N/A		N/A	N/A		3,317	0.166	0.160 - 0.172
Minnesota	N/A	N/A		N/A	N/A		4,788	0.170	0.165 - 0.174
Mississippi	N/A	N/A		N/A	N/A		1,719	0.112	0.107 - 0.117
Missouri	N/A	N/A		N/A	N/A		4,598	0.147	0.143 - 0.152
Montana	N/A	N/A		N/A	N/A		778	0.147	0.137 - 0.158
Nebraska	N/A	N/A		N/A	N/A		1,363	0.141	0.134 - 0.149
New Hampshire	N/A	N/A		N/A	N/A		1,280	0.187	0.177 - 0.197
New Jersey	N/A	N/A		N/A	N/A		8,104	0.178	0.174 - 0.182
New Mexico	N/A	N/A		N/A	N/A		1,355	0.128	0.121 - 0.135
New York	N/A	N/A		N/A	N/A		17,162	0.171	0.169 - 0.174
North Carolina	N/A	N/A		N/A	N/A		7,228	0.135	0.132 - 0.138
North Dakota	N/A	N/A		N/A	N/A		482	0.130	0.118 - 0.142
Ohio	N/A	N/A		N/A	N/A		10,339	0.173	0.170 - 0.177
Oklahoma	N/A	N/A		N/A	N/A		2,335	0.117	0.112 - 0.122
Oregon	N/A	N/A		N/A	N/A		3,464	0.164	0.158 - 0.169
Pennsylvania	N/A	N/A		N/A	N/A		12,438	0.190	0.187 - 0.194
Rhode Island	N/A	N/A		N/A	N/A		944	0.174	0.163 - 0.185
South Carolina	N/A	N/A		N/A	N/A		3,224	0.122	0.118 - 0.126
Tennessee	N/A	N/A		N/A	N/A		4,614	0.132	0.129 - 0.136
Texas	N/A	N/A		N/A	N/A		14,663	0.101	0.099 - 0.103
Utah	N/A	N/A		N/A	N/A		1,610	0.102	0.097 - 0.107
Vermont	N/A	N/A		N/A	N/A		715	0.226	0.210 - 0.243
Washington	N/A	N/A		N/A	N/A		5,248	0.139	0.135 - 0.143
WA - Seattle	N/A	N/A		N/A	N/A		3,739	0.143	0.139 - 0.148
West Virginia	N/A	N/A		N/A	N/A		1,836	0.202	0.193 - 0.211
Wisconsin	N/A	N/A		N/A	N/A		5,264	0.180	0.175 - 0.185
Wyoming	N/A	N/A		N/A	N/A		376	0.132	0.119 - 0.146
NAACCR CDN Combined	N/A	N/A		N/A	N/A		28,587	0.152	0.150 - 0.154
Alberta	N/A	N/A		N/A	N/A		2,778	0.129	0.124 - 0.134
British Columbia	N/A	N/A		N/A	N/A		3,496	0.137	0.132 - 0.142
Manitoba	N/A	N/A		N/A	N/A		1,201	0.176	0.166 - 0.187
New Brunswick	N/A	N/A		N/A	N/A		710	0.182	0.169 - 0.195
Newfoundland and Labrador	N/A	N/A		N/A	N/A		545	0.206	0.189 - 0.224
Ontario	N/A	N/A		N/A	N/A		11,661	0.160	0.157 - 0.163
Prince Edward Island	N/A	N/A		N/A	N/A		120	0.152	0.126 - 0.182
Saskatchewan	N/A	N/A		N/A	N/A		797	0.138	0.128 - 0.148
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		265,054	0.143	0.142 - 0.143

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-88 Prevalence – Corpus and Uterus, NOS

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		65,973	0.040	0.039 - 0.040
Alabama	N/A	N/A		N/A	N/A		946	0.037	0.035 - 0.040
Alaska	N/A	N/A		N/A	N/A		117	0.033	0.028 - 0.040
Arizona	N/A	N/A		N/A	N/A		1,371	0.038	0.036 - 0.040
Arkansas	N/A	N/A		N/A	N/A		588	0.038	0.035 - 0.042
California	N/A	N/A		N/A	N/A		7,828	0.039	0.039 - 0.040
CA - Greater California	N/A	N/A		N/A	N/A		4,191	0.038	0.037 - 0.039
CA - Greater Bay Area	N/A	N/A		N/A	N/A		1,509	0.041	0.039 - 0.043
CA - Los Angeles	N/A	N/A		N/A	N/A		2,128	0.042	0.040 - 0.044
Colorado	N/A	N/A		N/A	N/A		1,052	0.037	0.035 - 0.039
Connecticut	N/A	N/A		N/A	N/A		804	0.044	0.041 - 0.047
Delaware	N/A	N/A		N/A	N/A		198	0.039	0.034 - 0.045
District of Columbia	N/A	N/A		N/A	N/A		133	0.036	0.030 - 0.042
Florida	N/A	N/A		N/A	N/A		5,022	0.046	0.045 - 0.047
Georgia	N/A	N/A		N/A	N/A		1,845	0.034	0.032 - 0.036
Hawaii	N/A	N/A		N/A	N/A		277	0.039	0.035 - 0.044
Idaho	N/A	N/A		N/A	N/A		323	0.037	0.033 - 0.041
Illinois	N/A	N/A		N/A	N/A		2,660	0.041	0.040 - 0.043
Indiana	N/A	N/A		N/A	N/A		1,225	0.036	0.034 - 0.038
Iowa	N/A	N/A		N/A	N/A		600	0.038	0.035 - 0.041
Kansas	N/A	N/A		N/A	N/A		573	0.039	0.036 - 0.043
Kentucky	N/A	N/A		N/A	N/A		747	0.033	0.031 - 0.035
Louisiana	N/A	N/A		N/A	N/A		716	0.030	0.028 - 0.032
Maine	N/A	N/A		N/A	N/A		254	0.037	0.033 - 0.042
Maryland	N/A	N/A		N/A	N/A		1,265	0.041	0.038 - 0.043
MI - Detroit	N/A	N/A		N/A	N/A		857	0.043	0.040 - 0.046
Minnesota	N/A	N/A		N/A	N/A		1,138	0.040	0.038 - 0.043
Mississippi	N/A	N/A		N/A	N/A		494	0.032	0.029 - 0.035
Missouri	N/A	N/A		N/A	N/A		1,128	0.036	0.034 - 0.038
Montana	N/A	N/A		N/A	N/A		222	0.042	0.037 - 0.048
Nebraska	N/A	N/A		N/A	N/A		346	0.036	0.032 - 0.040
New Hampshire	N/A	N/A		N/A	N/A		287	0.042	0.037 - 0.047
New Jersey	N/A	N/A		N/A	N/A		2,179	0.048	0.046 - 0.050
New Mexico	N/A	N/A		N/A	N/A		403	0.038	0.034 - 0.042
New York	N/A	N/A		N/A	N/A		4,686	0.047	0.045 - 0.048
North Carolina	N/A	N/A		N/A	N/A		2,015	0.038	0.036 - 0.039
North Dakota	N/A	N/A		N/A	N/A		121	0.033	0.027 - 0.039
Ohio	N/A	N/A		N/A	N/A		2,372	0.040	0.038 - 0.041
Oklahoma	N/A	N/A		N/A	N/A		742	0.037	0.035 - 0.040
Oregon	N/A	N/A		N/A	N/A		874	0.041	0.039 - 0.044
Pennsylvania	N/A	N/A		N/A	N/A		3,145	0.048	0.046 - 0.050
Rhode Island	N/A	N/A		N/A	N/A		229	0.042	0.037 - 0.048
South Carolina	N/A	N/A		N/A	N/A		856	0.032	0.030 - 0.035
Tennessee	N/A	N/A		N/A	N/A		1,204	0.035	0.033 - 0.037
Texas	N/A	N/A		N/A	N/A		4,971	0.034	0.033 - 0.035
Utah	N/A	N/A		N/A	N/A		460	0.029	0.027 - 0.032
Vermont	N/A	N/A		N/A	N/A		133	0.042	0.035 - 0.050
Washington	N/A	N/A		N/A	N/A		1,482	0.039	0.037 - 0.041
WA - Seattle	N/A	N/A		N/A	N/A		1,037	0.040	0.037 - 0.042
West Virginia	N/A	N/A		N/A	N/A		429	0.047	0.043 - 0.052
Wisconsin	N/A	N/A		N/A	N/A		1,282	0.044	0.042 - 0.046
Wyoming	N/A	N/A		N/A	N/A		119	0.042	0.035 - 0.050
NAACCR CDN Combined	N/A	N/A		N/A	N/A		8,163	0.044	0.042 - 0.045
Alberta	N/A	N/A		N/A	N/A		642	0.030	0.028 - 0.032
British Columbia	N/A	N/A		N/A	N/A		940	0.037	0.035 - 0.039
Manitoba	N/A	N/A		N/A	N/A		259	0.038	0.034 - 0.043
New Brunswick	N/A	N/A		N/A	N/A		158	0.040	0.034 - 0.047
Newfoundland and Labrador	N/A	N/A		N/A	N/A		108	0.041	0.033 - 0.049
Ontario	N/A	N/A		N/A	N/A		3,753	0.051	0.050 - 0.053
Prince Edward Island	N/A	N/A		N/A	N/A		31	0.039	0.027 - 0.056
Saskatchewan	N/A	N/A		N/A	N/A		204	0.035	0.031 - 0.040
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		74,136	0.040	0.040 - 0.040

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		927,032	0.573	0.572 - 0.574	N/A	N/A	
Alabama	N/A	N/A		16,064	0.678	0.668 - 0.689	N/A	N/A	
Alaska	N/A	N/A		1,494	0.390	0.370 - 0.410	N/A	N/A	
Arizona	N/A	N/A		15,094	0.420	0.414 - 0.427	N/A	N/A	
Arkansas	N/A	N/A		9,764	0.659	0.646 - 0.672	N/A	N/A	
California	N/A	N/A		87,042	0.444	0.441 - 0.447	N/A	N/A	
CA - Greater California	N/A	N/A		49,900	0.455	0.451 - 0.459	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		16,736	0.452	0.445 - 0.459	N/A	N/A	
CA - Los Angeles	N/A	N/A		20,406	0.412	0.407 - 0.418	N/A	N/A	
Colorado	N/A	N/A		12,758	0.442	0.435 - 0.450	N/A	N/A	
Connecticut	N/A	N/A		12,080	0.694	0.681 - 0.706	N/A	N/A	
Delaware	N/A	N/A		3,514	0.748	0.723 - 0.773	N/A	N/A	
District of Columbia	N/A	N/A		1,782	0.532	0.507 - 0.557	N/A	N/A	
Florida	N/A	N/A		65,179	0.624	0.619 - 0.629	N/A	N/A	
Georgia	N/A	N/A		31,232	0.608	0.601 - 0.614	N/A	N/A	
Hawaii	N/A	N/A		3,843	0.540	0.523 - 0.558	N/A	N/A	
Idaho	N/A	N/A		4,886	0.550	0.535 - 0.566	N/A	N/A	
Illinois	N/A	N/A		37,066	0.594	0.588 - 0.600	N/A	N/A	
Indiana	N/A	N/A		17,157	0.518	0.510 - 0.526	N/A	N/A	
Iowa	N/A	N/A		9,945	0.633	0.621 - 0.646	N/A	N/A	
Kansas	N/A	N/A		8,622	0.594	0.582 - 0.607	N/A	N/A	
Kentucky	N/A	N/A		12,609	0.573	0.563 - 0.583	N/A	N/A	
Louisiana	N/A	N/A		16,270	0.715	0.704 - 0.726	N/A	N/A	
Maine	N/A	N/A		4,194	0.638	0.619 - 0.657	N/A	N/A	
Maryland	N/A	N/A		20,192	0.689	0.680 - 0.699	N/A	N/A	
MI - Detroit	N/A	N/A		13,525	0.717	0.705 - 0.729	N/A	N/A	
Minnesota	N/A	N/A		17,026	0.608	0.599 - 0.617	N/A	N/A	
Mississippi	N/A	N/A		10,330	0.715	0.701 - 0.729	N/A	N/A	
Missouri	N/A	N/A		15,999	0.532	0.523 - 0.540	N/A	N/A	
Montana	N/A	N/A		4,183	0.780	0.756 - 0.804	N/A	N/A	
Nebraska	N/A	N/A		6,241	0.648	0.632 - 0.664	N/A	N/A	
New Hampshire	N/A	N/A		4,746	0.705	0.686 - 0.726	N/A	N/A	
New Jersey	N/A	N/A		32,601	0.750	0.742 - 0.759	N/A	N/A	
New Mexico	N/A	N/A		4,782	0.461	0.448 - 0.474	N/A	N/A	
New York	N/A	N/A		66,618	0.703	0.698 - 0.709	N/A	N/A	
North Carolina	N/A	N/A		32,870	0.647	0.640 - 0.654	N/A	N/A	
North Dakota	N/A	N/A		2,437	0.625	0.600 - 0.650	N/A	N/A	
Ohio	N/A	N/A		35,345	0.617	0.611 - 0.623	N/A	N/A	
Oklahoma	N/A	N/A		9,679	0.494	0.485 - 0.504	N/A	N/A	
Oregon	N/A	N/A		11,300	0.543	0.533 - 0.553	N/A	N/A	
Pennsylvania	N/A	N/A		39,898	0.636	0.630 - 0.642	N/A	N/A	
Rhode Island	N/A	N/A		3,230	0.627	0.606 - 0.649	N/A	N/A	
South Carolina	N/A	N/A		15,999	0.644	0.634 - 0.654	N/A	N/A	
Tennessee	N/A	N/A		20,832	0.628	0.619 - 0.636	N/A	N/A	
Texas	N/A	N/A		59,669	0.417	0.414 - 0.420	N/A	N/A	
Utah	N/A	N/A		6,928	0.433	0.423 - 0.443	N/A	N/A	
Vermont	N/A	N/A		1,883	0.611	0.583 - 0.639	N/A	N/A	
Washington	N/A	N/A		19,124	0.505	0.498 - 0.512	N/A	N/A	
WA - Seattle	N/A	N/A		14,412	0.551	0.542 - 0.560	N/A	N/A	
West Virginia	N/A	N/A		5,570	0.625	0.608 - 0.641	N/A	N/A	
Wisconsin	N/A	N/A		19,065	0.659	0.649 - 0.668	N/A	N/A	
Wyoming	N/A	N/A		1,937	0.656	0.627 - 0.686	N/A	N/A	
NAACCR CDN Combined	N/A	N/A		98,148	0.530	0.526 - 0.534	N/A	N/A	
Alberta	N/A	N/A		10,986	0.504	0.495 - 0.514	N/A	N/A	
British Columbia	N/A	N/A		12,858	0.514	0.505 - 0.523	N/A	N/A	
Manitoba	N/A	N/A		3,242	0.477	0.460 - 0.493	N/A	N/A	
New Brunswick	N/A	N/A		2,463	0.643	0.618 - 0.669	N/A	N/A	
Newfoundland and Labrador	N/A	N/A		1,982	0.764	0.730 - 0.798	N/A	N/A	
Ontario	N/A	N/A		38,223	0.537	0.531 - 0.542	N/A	N/A	
Prince Edward Island	N/A	N/A		435	0.569	0.517 - 0.625	N/A	N/A	
Saskatchewan	N/A	N/A		2,910	0.495	0.477 - 0.513	N/A	N/A	
NAACCR N.A. Combined	N/A	N/A		1,025,179	0.569	0.568 - 0.571	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-90 Prevalence – Prostate

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		42,687	0.026	0.026 - 0.027	N/A	N/A	
Alabama	N/A	N/A		460	0.019	0.018 - 0.021	N/A	N/A	
Alaska	N/A	N/A		119	0.031	0.026 - 0.037	N/A	N/A	
Arizona	N/A	N/A		873	0.024	0.023 - 0.026	N/A	N/A	
Arkansas	N/A	N/A		333	0.022	0.020 - 0.025	N/A	N/A	
California	N/A	N/A		5,841	0.030	0.029 - 0.031	N/A	N/A	
CA - Greater California	N/A	N/A		3,196	0.029	0.028 - 0.030	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		1,156	0.031	0.029 - 0.033	N/A	N/A	
CA - Los Angeles	N/A	N/A		1,491	0.030	0.029 - 0.032	N/A	N/A	
Colorado	N/A	N/A		778	0.027	0.025 - 0.029	N/A	N/A	
Connecticut	N/A	N/A		512	0.029	0.027 - 0.032	N/A	N/A	
Delaware	N/A	N/A		103	0.022	0.018 - 0.027	N/A	N/A	
District of Columbia	N/A	N/A		97	0.029	0.023 - 0.035	N/A	N/A	
Florida	N/A	N/A		2,130	0.020	0.020 - 0.021	N/A	N/A	
Georgia	N/A	N/A		994	0.019	0.018 - 0.021	N/A	N/A	
Hawaii	N/A	N/A		196	0.028	0.024 - 0.032	N/A	N/A	
Idaho	N/A	N/A		270	0.030	0.027 - 0.034	N/A	N/A	
Illinois	N/A	N/A		1,839	0.029	0.028 - 0.031	N/A	N/A	
Indiana	N/A	N/A		897	0.027	0.025 - 0.029	N/A	N/A	
Iowa	N/A	N/A		481	0.031	0.028 - 0.034	N/A	N/A	
Kansas	N/A	N/A		435	0.030	0.027 - 0.033	N/A	N/A	
Kentucky	N/A	N/A		545	0.025	0.023 - 0.027	N/A	N/A	
Louisiana	N/A	N/A		522	0.023	0.021 - 0.025	N/A	N/A	
Maine	N/A	N/A		195	0.030	0.026 - 0.034	N/A	N/A	
Maryland	N/A	N/A		641	0.022	0.020 - 0.024	N/A	N/A	
MI - Detroit	N/A	N/A		460	0.024	0.022 - 0.027	N/A	N/A	
Minnesota	N/A	N/A		895	0.032	0.030 - 0.034	N/A	N/A	
Mississippi	N/A	N/A		257	0.018	0.016 - 0.020	N/A	N/A	
Missouri	N/A	N/A		707	0.023	0.022 - 0.025	N/A	N/A	
Montana	N/A	N/A		167	0.031	0.027 - 0.036	N/A	N/A	
Nebraska	N/A	N/A		310	0.032	0.029 - 0.036	N/A	N/A	
New Hampshire	N/A	N/A		206	0.031	0.027 - 0.035	N/A	N/A	
New Jersey	N/A	N/A		1,197	0.028	0.026 - 0.029	N/A	N/A	
New Mexico	N/A	N/A		305	0.029	0.026 - 0.033	N/A	N/A	
New York	N/A	N/A		2,766	0.029	0.028 - 0.030	N/A	N/A	
North Carolina	N/A	N/A		1,168	0.023	0.022 - 0.024	N/A	N/A	
North Dakota	N/A	N/A		134	0.034	0.029 - 0.041	N/A	N/A	
Ohio	N/A	N/A		1,473	0.026	0.024 - 0.027	N/A	N/A	
Oklahoma	N/A	N/A		476	0.024	0.022 - 0.027	N/A	N/A	
Oregon	N/A	N/A		640	0.031	0.028 - 0.033	N/A	N/A	
Pennsylvania	N/A	N/A		1,850	0.029	0.028 - 0.031	N/A	N/A	
Rhode Island	N/A	N/A		145	0.028	0.024 - 0.033	N/A	N/A	
South Carolina	N/A	N/A		466	0.019	0.017 - 0.021	N/A	N/A	
Tennessee	N/A	N/A		796	0.024	0.022 - 0.026	N/A	N/A	
Texas	N/A	N/A		3,604	0.025	0.024 - 0.026	N/A	N/A	
Utah	N/A	N/A		543	0.034	0.031 - 0.037	N/A	N/A	
Vermont	N/A	N/A		108	0.035	0.029 - 0.042	N/A	N/A	
Washington	N/A	N/A		1,151	0.030	0.029 - 0.032	N/A	N/A	
WA - Seattle	N/A	N/A		842	0.032	0.030 - 0.034	N/A	N/A	
West Virginia	N/A	N/A		213	0.024	0.021 - 0.027	N/A	N/A	
Wisconsin	N/A	N/A		941	0.033	0.030 - 0.035	N/A	N/A	
Wyoming	N/A	N/A		99	0.034	0.027 - 0.041	N/A	N/A	
NAACCR CDN Combined	N/A	N/A		5,331	0.029	0.029 - 0.030	N/A	N/A	
Alberta	N/A	N/A		717	0.033	0.031 - 0.035	N/A	N/A	
British Columbia	N/A	N/A		713	0.029	0.026 - 0.031	N/A	N/A	
Manitoba	N/A	N/A		182	0.027	0.023 - 0.031	N/A	N/A	
New Brunswick	N/A	N/A		105	0.027	0.022 - 0.033	N/A	N/A	
Newfoundland and Labrador	N/A	N/A		47	0.018	0.013 - 0.024	N/A	N/A	
Ontario	N/A	N/A		2,113	0.030	0.028 - 0.031	N/A	N/A	
Prince Edward Island	N/A	N/A		14	0.018	0.010 - 0.031	N/A	N/A	
Saskatchewan	N/A	N/A		164	0.028	0.024 - 0.033	N/A	N/A	
NAACCR N.A. Combined	N/A	N/A		48,018	0.027	0.026 - 0.027	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	276,221	0.084	0.084 - 0.084	212,760	0.131	0.131 - 0.132	63,507	0.038	0.038 - 0.038
Alabama	3,772	0.077	0.075 - 0.079	2,916	0.123	0.119 - 0.128	856	0.034	0.032 - 0.036
Alaska	513	0.070	0.064 - 0.076	416	0.108	0.098 - 0.119	97	0.028	0.022 - 0.034
Arizona	5,841	0.081	0.079 - 0.083	4,552	0.127	0.123 - 0.130	1,289	0.035	0.034 - 0.037
Arkansas	2,640	0.088	0.084 - 0.091	2,098	0.142	0.136 - 0.148	542	0.035	0.032 - 0.038
California	24,939	0.063	0.062 - 0.064	19,381	0.099	0.097 - 0.100	5,558	0.028	0.027 - 0.029
CA - Greater California	14,567	0.066	0.065 - 0.067	11,348	0.104	0.102 - 0.105	3,218	0.029	0.028 - 0.030
CA - Greater Bay Area	4,962	0.067	0.065 - 0.069	3,820	0.103	0.100 - 0.107	1,142	0.031	0.029 - 0.033
CA - Los Angeles	5,411	0.054	0.052 - 0.055	4,212	0.085	0.083 - 0.088	1,198	0.024	0.022 - 0.025
Colorado	3,930	0.069	0.066 - 0.071	3,060	0.106	0.102 - 0.110	870	0.031	0.029 - 0.033
Connecticut	4,277	0.120	0.116 - 0.123	3,173	0.182	0.176 - 0.189	1,104	0.060	0.057 - 0.064
Delaware	1,100	0.113	0.107 - 0.120	847	0.180	0.168 - 0.193	253	0.050	0.044 - 0.057
District of Columbia	316	0.045	0.040 - 0.050	229	0.068	0.060 - 0.078	87	0.023	0.019 - 0.029
Florida	22,001	0.103	0.102 - 0.104	16,938	0.162	0.160 - 0.165	5,063	0.046	0.045 - 0.048
Georgia	6,927	0.066	0.064 - 0.067	5,351	0.104	0.101 - 0.107	1,577	0.029	0.028 - 0.030
Hawaii	959	0.068	0.063 - 0.072	759	0.107	0.099 - 0.115	201	0.028	0.025 - 0.033
Idaho	1,511	0.085	0.081 - 0.090	1,194	0.135	0.127 - 0.142	316	0.036	0.032 - 0.040
Illinois	11,134	0.088	0.086 - 0.089	8,466	0.136	0.133 - 0.139	2,668	0.041	0.040 - 0.043
Indiana	6,147	0.092	0.089 - 0.094	4,758	0.144	0.140 - 0.148	1,389	0.041	0.039 - 0.043
Iowa	3,143	0.100	0.096 - 0.103	2,481	0.158	0.152 - 0.164	662	0.042	0.039 - 0.045
Kansas	2,689	0.092	0.089 - 0.096	2,064	0.142	0.136 - 0.149	625	0.043	0.039 - 0.046
Kentucky	4,212	0.094	0.091 - 0.097	3,240	0.147	0.142 - 0.152	972	0.043	0.040 - 0.046
Louisiana	3,451	0.074	0.072 - 0.077	2,696	0.119	0.114 - 0.123	755	0.032	0.029 - 0.034
Maine	1,986	0.148	0.141 - 0.155	1,543	0.235	0.223 - 0.247	443	0.065	0.059 - 0.071
Maryland	4,484	0.074	0.072 - 0.076	3,386	0.116	0.112 - 0.120	1,098	0.035	0.033 - 0.037
MI - Detroit	3,745	0.096	0.093 - 0.100	2,867	0.152	0.147 - 0.158	878	0.044	0.041 - 0.047
Minnesota	5,359	0.095	0.093 - 0.098	4,130	0.147	0.143 - 0.152	1,229	0.044	0.041 - 0.046
Mississippi	2,165	0.073	0.070 - 0.076	1,666	0.115	0.110 - 0.121	499	0.033	0.030 - 0.035
Missouri	5,326	0.087	0.085 - 0.089	4,123	0.137	0.133 - 0.141	1,203	0.039	0.036 - 0.041
Montana	1,218	0.114	0.108 - 0.121	931	0.173	0.162 - 0.185	287	0.054	0.048 - 0.061
Nebraska	1,695	0.088	0.084 - 0.092	1,300	0.135	0.128 - 0.143	395	0.041	0.037 - 0.045
New Hampshire	1,840	0.136	0.129 - 0.142	1,390	0.207	0.196 - 0.218	450	0.066	0.060 - 0.072
New Jersey	9,196	0.103	0.101 - 0.106	6,855	0.158	0.154 - 0.162	2,341	0.051	0.049 - 0.054
New Mexico	1,330	0.063	0.060 - 0.067	1,020	0.098	0.092 - 0.105	310	0.029	0.026 - 0.033
New York	20,226	0.104	0.102 - 0.105	15,230	0.161	0.158 - 0.163	4,997	0.050	0.048 - 0.051
North Carolina	8,752	0.084	0.082 - 0.086	6,657	0.131	0.128 - 0.134	2,095	0.039	0.037 - 0.041
North Dakota	644	0.085	0.078 - 0.091	515	0.132	0.121 - 0.144	129	0.035	0.029 - 0.041
Ohio	11,620	0.099	0.098 - 0.101	8,972	0.157	0.153 - 0.160	2,648	0.044	0.043 - 0.046
Oklahoma	2,977	0.075	0.073 - 0.078	2,351	0.120	0.115 - 0.125	626	0.031	0.029 - 0.034
Oregon	4,090	0.097	0.094 - 0.100	3,218	0.155	0.149 - 0.160	872	0.041	0.038 - 0.044
Pennsylvania	14,697	0.115	0.113 - 0.117	11,174	0.178	0.175 - 0.181	3,523	0.054	0.052 - 0.056
Rhode Island	1,332	0.126	0.119 - 0.133	998	0.194	0.182 - 0.206	334	0.061	0.055 - 0.068
South Carolina	4,016	0.078	0.076 - 0.081	3,081	0.124	0.120 - 0.129	935	0.035	0.033 - 0.038
Tennessee	5,881	0.086	0.084 - 0.089	4,522	0.136	0.132 - 0.140	1,359	0.039	0.037 - 0.041
Texas	14,445	0.050	0.049 - 0.051	11,338	0.079	0.078 - 0.081	3,107	0.021	0.021 - 0.022
Utah	1,627	0.051	0.049 - 0.054	1,348	0.084	0.080 - 0.089	280	0.018	0.016 - 0.020
Vermont	767	0.123	0.114 - 0.132	576	0.187	0.172 - 0.203	191	0.060	0.052 - 0.070
Washington	6,439	0.085	0.083 - 0.087	5,041	0.133	0.129 - 0.137	1,398	0.037	0.035 - 0.039
WA - Seattle	4,544	0.087	0.084 - 0.090	3,570	0.136	0.132 - 0.141	974	0.037	0.035 - 0.040
West Virginia	2,059	0.114	0.109 - 0.119	1,593	0.179	0.170 - 0.188	466	0.051	0.047 - 0.056
Wisconsin	6,093	0.105	0.102 - 0.107	4,740	0.164	0.159 - 0.168	1,353	0.046	0.044 - 0.049
Wyoming	539	0.093	0.085 - 0.101	427	0.145	0.131 - 0.159	112	0.039	0.032 - 0.047
NAACCR CDN Combined	37,995	0.102	0.101 - 0.103	29,075	0.158	0.156 - 0.160	8,837	0.047	0.046 - 0.048
Alberta	3,618	0.084	0.081 - 0.086	2,827	0.130	0.125 - 0.135	791	0.037	0.034 - 0.039
British Columbia	5,397	0.107	0.104 - 0.110	4,180	0.167	0.162 - 0.172	1,217	0.048	0.045 - 0.050
Manitoba	1,141	0.084	0.079 - 0.089	869	0.128	0.119 - 0.137	272	0.040	0.035 - 0.045
New Brunswick	945	0.122	0.114 - 0.130	719	0.188	0.174 - 0.202	226	0.058	0.051 - 0.066
Newfoundland and Labrador	713	0.136	0.126 - 0.146	521	0.201	0.184 - 0.219	192	0.072	0.063 - 0.083
Ontario	15,277	0.106	0.104 - 0.108	11,698	0.164	0.161 - 0.167	3,579	0.049	0.047 - 0.051
Prince Edward Island	167	0.107	0.092 - 0.125	125	0.164	0.136 - 0.195	42	0.053	0.038 - 0.072
Saskatchewan	1,071	0.092	0.086 - 0.097	812	0.138	0.129 - 0.148	259	0.045	0.039 - 0.051
NAACCR N.A. Combined	314,216	0.086	0.085 - 0.086	241,835	0.134	0.133 - 0.134	72,345	0.039	0.039 - 0.039

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-92 Prevalence – Urinary Bladder

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	250,331	0.076	0.076 - 0.077	156,911	0.097	0.097 - 0.098	93,451	0.056	0.056 - 0.056
Alabama	4,074	0.083	0.081 - 0.086	2,462	0.104	0.100 - 0.108	1,612	0.064	0.061 - 0.067
Alaska	527	0.072	0.066 - 0.078	334	0.087	0.078 - 0.097	193	0.055	0.047 - 0.063
Arizona	5,156	0.071	0.069 - 0.073	3,274	0.091	0.088 - 0.094	1,882	0.052	0.049 - 0.054
Arkansas	2,873	0.095	0.092 - 0.099	1,768	0.119	0.114 - 0.125	1,105	0.072	0.068 - 0.076
California	24,220	0.061	0.061 - 0.062	15,324	0.078	0.077 - 0.079	8,896	0.045	0.044 - 0.046
CA - Greater California	14,132	0.064	0.063 - 0.065	8,943	0.082	0.080 - 0.083	5,189	0.047	0.046 - 0.048
CA - Greater Bay Area	4,245	0.057	0.055 - 0.059	2,758	0.074	0.072 - 0.077	1,487	0.040	0.038 - 0.042
CA - Los Angeles	5,847	0.058	0.057 - 0.060	3,625	0.073	0.071 - 0.076	2,221	0.044	0.042 - 0.046
Colorado	3,361	0.059	0.057 - 0.061	2,116	0.073	0.070 - 0.077	1,245	0.044	0.041 - 0.046
Connecticut	2,873	0.080	0.078 - 0.083	1,880	0.108	0.103 - 0.113	993	0.054	0.051 - 0.058
Delaware	802	0.083	0.077 - 0.088	497	0.106	0.097 - 0.116	305	0.061	0.054 - 0.068
District of Columbia	322	0.046	0.041 - 0.051	198	0.059	0.051 - 0.068	124	0.033	0.028 - 0.040
Florida	15,739	0.074	0.072 - 0.075	9,901	0.095	0.093 - 0.097	5,838	0.053	0.052 - 0.055
Georgia	7,219	0.068	0.067 - 0.070	4,447	0.087	0.084 - 0.089	2,772	0.051	0.049 - 0.053
Hawaii	906	0.064	0.060 - 0.068	608	0.086	0.079 - 0.093	298	0.042	0.037 - 0.047
Idaho	1,194	0.067	0.064 - 0.071	778	0.088	0.082 - 0.094	416	0.047	0.043 - 0.052
Illinois	10,320	0.081	0.080 - 0.083	6,457	0.104	0.101 - 0.106	3,863	0.060	0.058 - 0.062
Indiana	5,663	0.084	0.082 - 0.087	3,482	0.105	0.102 - 0.109	2,181	0.064	0.061 - 0.067
Iowa	2,819	0.089	0.086 - 0.093	1,795	0.114	0.109 - 0.120	1,024	0.065	0.061 - 0.069
Kansas	2,592	0.089	0.086 - 0.092	1,620	0.112	0.106 - 0.117	972	0.066	0.062 - 0.071
Kentucky	4,250	0.095	0.092 - 0.098	2,597	0.118	0.114 - 0.123	1,653	0.073	0.069 - 0.077
Louisiana	4,496	0.096	0.094 - 0.099	2,762	0.121	0.117 - 0.126	1,734	0.073	0.069 - 0.076
Maine	1,222	0.091	0.086 - 0.096	769	0.117	0.109 - 0.125	453	0.066	0.060 - 0.072
Maryland	4,200	0.069	0.067 - 0.072	2,528	0.086	0.083 - 0.090	1,672	0.054	0.051 - 0.056
MI - Detroit	3,061	0.079	0.076 - 0.082	1,909	0.101	0.097 - 0.106	1,152	0.058	0.054 - 0.061
Minnesota	4,454	0.079	0.077 - 0.082	2,955	0.105	0.102 - 0.109	1,499	0.053	0.050 - 0.056
Mississippi	2,941	0.099	0.095 - 0.102	1,762	0.122	0.116 - 0.128	1,179	0.077	0.072 - 0.081
Missouri	5,352	0.087	0.085 - 0.090	3,283	0.109	0.105 - 0.113	2,069	0.066	0.063 - 0.069
Montana	875	0.082	0.077 - 0.088	560	0.104	0.096 - 0.113	315	0.059	0.053 - 0.066
Nebraska	1,488	0.077	0.073 - 0.081	946	0.098	0.092 - 0.105	542	0.056	0.051 - 0.061
New Hampshire	1,139	0.084	0.079 - 0.089	758	0.113	0.105 - 0.121	381	0.056	0.050 - 0.061
New Jersey	6,948	0.078	0.076 - 0.080	4,423	0.102	0.099 - 0.105	2,525	0.056	0.053 - 0.058
New Mexico	1,435	0.068	0.065 - 0.072	871	0.084	0.078 - 0.090	564	0.053	0.049 - 0.058
New York	15,600	0.080	0.079 - 0.081	9,996	0.106	0.103 - 0.108	5,604	0.056	0.054 - 0.057
North Carolina	8,127	0.078	0.076 - 0.080	5,100	0.100	0.098 - 0.103	3,027	0.056	0.054 - 0.058
North Dakota	578	0.076	0.070 - 0.082	391	0.100	0.091 - 0.111	187	0.050	0.043 - 0.058
Ohio	9,580	0.082	0.080 - 0.084	5,804	0.101	0.099 - 0.104	3,776	0.063	0.061 - 0.065
Oklahoma	3,436	0.087	0.084 - 0.090	2,047	0.105	0.100 - 0.109	1,389	0.070	0.066 - 0.073
Oregon	3,139	0.075	0.072 - 0.077	2,073	0.100	0.095 - 0.104	1,066	0.050	0.047 - 0.053
Pennsylvania	10,985	0.086	0.084 - 0.087	6,991	0.111	0.109 - 0.114	3,994	0.061	0.059 - 0.063
Rhode Island	819	0.077	0.072 - 0.083	513	0.100	0.091 - 0.109	306	0.056	0.050 - 0.063
South Carolina	4,167	0.081	0.079 - 0.084	2,588	0.104	0.100 - 0.108	1,579	0.060	0.057 - 0.063
Tennessee	5,983	0.088	0.086 - 0.090	3,790	0.114	0.111 - 0.118	2,193	0.063	0.060 - 0.066
Texas	21,051	0.073	0.072 - 0.074	12,875	0.090	0.088 - 0.092	8,176	0.056	0.055 - 0.058
Utah	1,469	0.046	0.044 - 0.049	934	0.058	0.055 - 0.062	535	0.034	0.031 - 0.037
Vermont	490	0.078	0.072 - 0.086	308	0.100	0.089 - 0.112	182	0.058	0.050 - 0.067
Washington	5,022	0.066	0.065 - 0.068	3,160	0.083	0.081 - 0.086	1,862	0.049	0.047 - 0.052
WA - Seattle	3,526	0.067	0.065 - 0.070	2,252	0.086	0.083 - 0.090	1,274	0.049	0.046 - 0.052
West Virginia	1,916	0.106	0.102 - 0.111	1,117	0.125	0.118 - 0.133	799	0.088	0.082 - 0.094
Wisconsin	5,090	0.088	0.085 - 0.090	3,317	0.115	0.111 - 0.119	1,773	0.061	0.058 - 0.064
Wyoming	389	0.067	0.061 - 0.074	243	0.082	0.072 - 0.093	146	0.051	0.043 - 0.060
NAACCR CDN Combined	24,321	0.065	0.064 - 0.066	15,831	0.085	0.084 - 0.087	8,501	0.045	0.044 - 0.046
Alberta	2,565	0.059	0.057 - 0.062	1,658	0.076	0.072 - 0.080	907	0.042	0.039 - 0.045
British Columbia	2,968	0.059	0.057 - 0.061	1,930	0.077	0.074 - 0.081	1,038	0.041	0.038 - 0.043
Manitoba	840	0.062	0.058 - 0.066	560	0.082	0.076 - 0.089	280	0.041	0.036 - 0.046
New Brunswick	727	0.094	0.087 - 0.101	453	0.118	0.108 - 0.130	274	0.070	0.062 - 0.079
Newfoundland and Labrador	545	0.104	0.095 - 0.113	335	0.129	0.116 - 0.144	210	0.079	0.069 - 0.091
Ontario	9,600	0.067	0.065 - 0.068	6,280	0.088	0.086 - 0.090	3,320	0.045	0.044 - 0.047
Prince Edward Island	106	0.068	0.056 - 0.082	64	0.084	0.064 - 0.107	42	0.053	0.038 - 0.072
Saskatchewan	751	0.064	0.060 - 0.069	483	0.082	0.075 - 0.090	268	0.046	0.041 - 0.052
NAACCR N.A. Combined	274,652	0.075	0.075 - 0.076	172,742	0.096	0.096 - 0.096	101,953	0.055	0.055 - 0.056

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	49,992	0.015	0.015 - 0.015	27,409	0.017	0.017 - 0.017	22,583	0.014	0.013 - 0.014
Alabama	698	0.014	0.013 - 0.015	362	0.015	0.014 - 0.017	336	0.013	0.012 - 0.015
Alaska	105	0.014	0.012 - 0.017	62	0.016	0.012 - 0.021	43	0.012	0.009 - 0.016
Arizona	969	0.013	0.013 - 0.014	547	0.015	0.014 - 0.017	422	0.012	0.011 - 0.013
Arkansas	476	0.016	0.014 - 0.017	277	0.019	0.017 - 0.021	199	0.013	0.011 - 0.015
California	5,352	0.014	0.013 - 0.014	2,990	0.015	0.015 - 0.016	2,362	0.012	0.011 - 0.012
CA - Greater California	3,006	0.014	0.013 - 0.014	1,665	0.015	0.014 - 0.016	1,342	0.012	0.012 - 0.013
CA - Greater Bay Area	1,095	0.015	0.014 - 0.016	641	0.017	0.016 - 0.019	453	0.012	0.011 - 0.013
CA - Los Angeles	1,252	0.012	0.012 - 0.013	684	0.014	0.013 - 0.015	568	0.011	0.010 - 0.012
Colorado	877	0.015	0.014 - 0.016	476	0.017	0.015 - 0.018	401	0.014	0.013 - 0.016
Connecticut	611	0.017	0.016 - 0.019	330	0.019	0.017 - 0.021	281	0.015	0.014 - 0.017
Delaware	163	0.017	0.014 - 0.020	82	0.017	0.014 - 0.022	81	0.016	0.013 - 0.020
District of Columbia	89	0.013	0.010 - 0.016	54	0.016	0.012 - 0.021	35	0.009	0.007 - 0.013
Florida	3,462	0.016	0.016 - 0.017	1,898	0.018	0.017 - 0.019	1,564	0.014	0.014 - 0.015
Georgia	1,361	0.013	0.012 - 0.014	692	0.013	0.012 - 0.014	669	0.012	0.011 - 0.013
Hawaii	129	0.009	0.008 - 0.011	73	0.010	0.008 - 0.013	56	0.008	0.006 - 0.010
Idaho	268	0.015	0.013 - 0.017	151	0.017	0.014 - 0.020	118	0.013	0.011 - 0.016
Illinois	1,992	0.016	0.015 - 0.016	1,106	0.018	0.017 - 0.019	886	0.014	0.013 - 0.015
Indiana	1,011	0.015	0.014 - 0.016	562	0.017	0.016 - 0.018	449	0.013	0.012 - 0.014
Iowa	528	0.017	0.015 - 0.018	280	0.018	0.016 - 0.020	248	0.016	0.014 - 0.018
Kansas	446	0.015	0.014 - 0.017	247	0.017	0.015 - 0.019	199	0.014	0.012 - 0.016
Kentucky	790	0.018	0.016 - 0.019	447	0.020	0.018 - 0.022	343	0.015	0.014 - 0.017
Louisiana	614	0.013	0.012 - 0.014	365	0.016	0.014 - 0.018	249	0.010	0.009 - 0.012
Maine	266	0.020	0.017 - 0.022	143	0.022	0.018 - 0.026	123	0.018	0.015 - 0.021
Maryland	820	0.014	0.013 - 0.015	450	0.015	0.014 - 0.017	370	0.012	0.011 - 0.013
MI - Detroit	558	0.014	0.013 - 0.016	303	0.016	0.014 - 0.018	255	0.013	0.011 - 0.014
Minnesota	991	0.018	0.017 - 0.019	562	0.020	0.018 - 0.022	429	0.015	0.014 - 0.017
Mississippi	395	0.013	0.012 - 0.015	200	0.014	0.012 - 0.016	195	0.013	0.011 - 0.015
Missouri	990	0.016	0.015 - 0.017	532	0.018	0.016 - 0.019	458	0.015	0.013 - 0.016
Montana	181	0.017	0.015 - 0.020	101	0.019	0.015 - 0.023	81	0.015	0.012 - 0.019
Nebraska	314	0.016	0.015 - 0.018	153	0.016	0.013 - 0.019	161	0.017	0.014 - 0.019
New Hampshire	277	0.020	0.018 - 0.023	150	0.022	0.019 - 0.026	127	0.019	0.015 - 0.022
New Jersey	1,516	0.017	0.016 - 0.018	801	0.018	0.017 - 0.020	715	0.016	0.015 - 0.017
New Mexico	261	0.012	0.011 - 0.014	136	0.013	0.011 - 0.015	125	0.012	0.010 - 0.014
New York	3,332	0.017	0.017 - 0.018	1,839	0.019	0.019 - 0.020	1,493	0.015	0.014 - 0.016
North Carolina	1,557	0.015	0.014 - 0.016	844	0.017	0.016 - 0.018	713	0.013	0.012 - 0.014
North Dakota	106	0.014	0.011 - 0.017	63	0.016	0.012 - 0.021	43	0.012	0.008 - 0.016
Ohio	1,962	0.017	0.016 - 0.018	1,108	0.019	0.018 - 0.021	854	0.014	0.013 - 0.015
Oklahoma	565	0.014	0.013 - 0.016	314	0.016	0.014 - 0.018	251	0.013	0.011 - 0.014
Oregon	668	0.016	0.015 - 0.017	376	0.018	0.016 - 0.020	292	0.014	0.012 - 0.015
Pennsylvania	2,134	0.017	0.016 - 0.017	1,187	0.019	0.018 - 0.020	947	0.015	0.014 - 0.015
Rhode Island	178	0.017	0.014 - 0.019	85	0.016	0.013 - 0.020	93	0.017	0.014 - 0.021
South Carolina	645	0.013	0.012 - 0.014	363	0.015	0.013 - 0.016	282	0.011	0.009 - 0.012
Tennessee	976	0.014	0.013 - 0.015	515	0.016	0.014 - 0.017	461	0.013	0.012 - 0.014
Texas	4,122	0.014	0.014 - 0.015	2,191	0.015	0.015 - 0.016	1,931	0.013	0.013 - 0.014
Utah	496	0.016	0.014 - 0.017	283	0.018	0.016 - 0.020	213	0.014	0.012 - 0.015
Vermont	110	0.018	0.014 - 0.021	64	0.021	0.016 - 0.027	46	0.015	0.011 - 0.019
Washington	1,312	0.017	0.016 - 0.018	747	0.020	0.018 - 0.021	565	0.015	0.014 - 0.016
WA - Seattle	918	0.018	0.016 - 0.019	517	0.020	0.018 - 0.022	401	0.015	0.014 - 0.017
West Virginia	330	0.018	0.016 - 0.020	175	0.020	0.017 - 0.023	155	0.017	0.014 - 0.020
Wisconsin	974	0.017	0.016 - 0.018	525	0.018	0.017 - 0.020	449	0.015	0.014 - 0.017
Wyoming	80	0.014	0.011 - 0.017	39	0.013	0.009 - 0.018	41	0.014	0.010 - 0.020
NAACCR CDN Combined	5,241	0.014	0.014 - 0.015	2,970	0.016	0.015 - 0.017	2,273	0.012	0.012 - 0.013
Alberta	611	0.014	0.013 - 0.015	331	0.015	0.014 - 0.017	280	0.013	0.012 - 0.015
British Columbia	655	0.013	0.012 - 0.014	373	0.015	0.013 - 0.017	282	0.011	0.010 - 0.012
Manitoba	191	0.014	0.012 - 0.016	116	0.017	0.014 - 0.020	75	0.011	0.009 - 0.014
New Brunswick	92	0.012	0.010 - 0.015	53	0.014	0.010 - 0.018	39	0.010	0.007 - 0.014
Newfoundland and Labrador	71	0.014	0.011 - 0.017	36	0.014	0.010 - 0.019	35	0.013	0.009 - 0.018
Ontario	2,165	0.015	0.014 - 0.016	1,222	0.017	0.016 - 0.018	943	0.013	0.012 - 0.014
Prince Edward Island	14	0.009	0.005 - 0.015	*	*		*	*	
Saskatchewan	139	0.012	0.010 - 0.014	87	0.015	0.012 - 0.018	52	0.009	0.007 - 0.012
NAACCR N.A. Combined	55,233	0.015	0.015 - 0.015	30,379	0.017	0.017 - 0.017	24,856	0.013	0.013 - 0.014

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-94 Prevalence – Brain and Other Nervous System

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	228,253	0.070	0.069 - 0.070	56,620	0.035	0.035 - 0.035	171,633	0.103	0.103 - 0.104
Alabama	2,448	0.050	0.048 - 0.052	586	0.025	0.023 - 0.027	1,862	0.074	0.070 - 0.077
Alaska	451	0.061	0.056 - 0.067	121	0.032	0.026 - 0.038	330	0.094	0.084 - 0.105
Arizona	4,518	0.063	0.061 - 0.064	1,078	0.030	0.028 - 0.032	3,440	0.095	0.091 - 0.098
Arkansas	1,880	0.062	0.060 - 0.065	470	0.032	0.029 - 0.035	1,410	0.092	0.087 - 0.097
California	25,354	0.064	0.063 - 0.065	6,144	0.031	0.031 - 0.032	19,209	0.097	0.096 - 0.098
CA - Greater California	14,053	0.064	0.063 - 0.065	3,359	0.031	0.030 - 0.032	10,695	0.097	0.095 - 0.099
CA - Greater Bay Area	4,638	0.063	0.061 - 0.064	1,203	0.032	0.031 - 0.034	3,435	0.092	0.089 - 0.096
CA - Los Angeles	6,664	0.066	0.065 - 0.068	1,583	0.032	0.030 - 0.034	5,081	0.100	0.097 - 0.103
Colorado	4,016	0.070	0.068 - 0.072	1,021	0.035	0.033 - 0.038	2,995	0.105	0.102 - 0.109
Connecticut	3,257	0.091	0.088 - 0.094	828	0.048	0.044 - 0.051	2,430	0.133	0.128 - 0.138
Delaware	796	0.082	0.076 - 0.088	181	0.039	0.033 - 0.045	615	0.123	0.113 - 0.133
District of Columbia	431	0.061	0.055 - 0.067	106	0.032	0.026 - 0.038	325	0.088	0.078 - 0.098
Florida	13,473	0.063	0.062 - 0.064	3,283	0.031	0.030 - 0.033	10,190	0.093	0.091 - 0.095
Georgia	6,217	0.059	0.057 - 0.060	1,477	0.029	0.027 - 0.030	4,740	0.087	0.085 - 0.090
Hawaii	976	0.069	0.064 - 0.073	222	0.031	0.027 - 0.036	754	0.106	0.099 - 0.114
Idaho	1,216	0.069	0.065 - 0.073	312	0.035	0.031 - 0.039	905	0.102	0.096 - 0.109
Illinois	9,351	0.074	0.072 - 0.075	2,365	0.038	0.036 - 0.039	6,986	0.108	0.106 - 0.111
Indiana	4,005	0.060	0.058 - 0.062	1,009	0.030	0.029 - 0.032	2,996	0.088	0.085 - 0.091
Iowa	2,231	0.071	0.068 - 0.074	579	0.037	0.034 - 0.040	1,652	0.104	0.099 - 0.109
Kansas	2,189	0.075	0.072 - 0.078	555	0.038	0.035 - 0.042	1,634	0.112	0.106 - 0.117
Kentucky	3,475	0.078	0.075 - 0.080	850	0.039	0.036 - 0.041	2,626	0.116	0.111 - 0.120
Louisiana	3,390	0.073	0.070 - 0.075	813	0.036	0.033 - 0.038	2,578	0.108	0.104 - 0.112
Maine	1,089	0.081	0.076 - 0.086	320	0.049	0.043 - 0.054	769	0.112	0.104 - 0.120
Maryland	4,192	0.069	0.067 - 0.071	969	0.033	0.031 - 0.035	3,223	0.103	0.100 - 0.107
MI - Detroit	3,009	0.077	0.075 - 0.080	719	0.038	0.035 - 0.041	2,290	0.115	0.110 - 0.119
Minnesota	3,496	0.062	0.060 - 0.064	959	0.034	0.032 - 0.036	2,537	0.090	0.086 - 0.093
Mississippi	1,485	0.050	0.047 - 0.052	353	0.024	0.022 - 0.027	1,132	0.074	0.069 - 0.078
Missouri	3,668	0.060	0.058 - 0.062	920	0.031	0.029 - 0.033	2,748	0.088	0.085 - 0.091
Montana	746	0.070	0.065 - 0.075	223	0.042	0.036 - 0.047	523	0.099	0.090 - 0.108
Nebraska	1,404	0.073	0.069 - 0.077	331	0.034	0.031 - 0.038	1,073	0.111	0.105 - 0.118
New Hampshire	1,056	0.078	0.073 - 0.083	276	0.041	0.036 - 0.046	780	0.114	0.106 - 0.122
New Jersey	8,685	0.098	0.096 - 0.100	2,130	0.049	0.047 - 0.051	6,555	0.144	0.141 - 0.148
New Mexico	1,611	0.077	0.073 - 0.081	395	0.038	0.034 - 0.042	1,215	0.115	0.108 - 0.121
New York	19,533	0.100	0.099 - 0.102	4,895	0.052	0.050 - 0.053	14,637	0.146	0.144 - 0.148
North Carolina	6,162	0.059	0.058 - 0.060	1,475	0.029	0.028 - 0.031	4,687	0.087	0.085 - 0.090
North Dakota	612	0.080	0.074 - 0.087	159	0.041	0.035 - 0.048	453	0.122	0.111 - 0.134
Ohio	8,890	0.076	0.074 - 0.078	2,146	0.037	0.036 - 0.039	6,744	0.113	0.110 - 0.116
Oklahoma	2,407	0.061	0.058 - 0.063	583	0.030	0.027 - 0.032	1,824	0.091	0.087 - 0.096
Oregon	2,812	0.067	0.065 - 0.069	721	0.035	0.032 - 0.037	2,091	0.099	0.095 - 0.103
Pennsylvania	12,325	0.096	0.095 - 0.098	3,159	0.050	0.049 - 0.052	9,166	0.140	0.138 - 0.143
Rhode Island	983	0.093	0.087 - 0.099	258	0.050	0.044 - 0.057	725	0.133	0.124 - 0.143
South Carolina	2,766	0.054	0.052 - 0.056	708	0.029	0.026 - 0.031	2,058	0.078	0.075 - 0.081
Tennessee	4,112	0.060	0.059 - 0.062	1,050	0.032	0.030 - 0.034	3,062	0.088	0.085 - 0.091
Texas	15,801	0.055	0.054 - 0.056	3,873	0.027	0.026 - 0.028	11,928	0.082	0.081 - 0.084
Utah	2,345	0.074	0.071 - 0.077	558	0.035	0.032 - 0.038	1,787	0.113	0.108 - 0.119
Vermont	462	0.074	0.067 - 0.081	129	0.042	0.035 - 0.050	333	0.105	0.094 - 0.117
Washington	4,738	0.063	0.061 - 0.064	1,226	0.032	0.031 - 0.034	3,512	0.093	0.090 - 0.096
WA - Seattle	3,464	0.066	0.064 - 0.069	920	0.035	0.033 - 0.038	2,544	0.098	0.094 - 0.101
West Virginia	1,647	0.091	0.087 - 0.096	381	0.043	0.039 - 0.047	1,266	0.139	0.132 - 0.147
Wisconsin	4,005	0.069	0.067 - 0.071	1,065	0.037	0.035 - 0.039	2,940	0.101	0.097 - 0.104
Wyoming	436	0.075	0.068 - 0.083	114	0.039	0.032 - 0.046	322	0.113	0.101 - 0.126
NAACCR CDN Combined	29,071	0.078	0.077 - 0.079	7,473	0.040	0.039 - 0.041	21,557	0.116	0.114 - 0.117
Alberta	2,578	0.060	0.057 - 0.062	681	0.031	0.029 - 0.034	1,897	0.088	0.084 - 0.092
British Columbia	2,148	0.043	0.041 - 0.044	583	0.023	0.021 - 0.025	1,565	0.061	0.058 - 0.064
Manitoba	689	0.051	0.047 - 0.055	180	0.026	0.023 - 0.031	509	0.075	0.068 - 0.082
New Brunswick	504	0.065	0.060 - 0.071	147	0.038	0.032 - 0.045	357	0.091	0.082 - 0.101
Newfoundland and Labrador	580	0.111	0.102 - 0.120	129	0.050	0.041 - 0.059	451	0.170	0.155 - 0.187
Ontario	14,722	0.102	0.100 - 0.104	3,686	0.052	0.050 - 0.053	11,036	0.151	0.148 - 0.154
Prince Edward Island	41	0.026	0.019 - 0.036	11	0.014	0.007 - 0.026	30	0.038	0.026 - 0.054
Saskatchewan	481	0.041	0.038 - 0.045	152	0.026	0.022 - 0.030	329	0.057	0.051 - 0.063
NAACCR N.A. Combined	257,324	0.070	0.070 - 0.071	64,094	0.035	0.035 - 0.036	193,190	0.104	0.104 - 0.105

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	38,441	0.012	0.012 - 0.012	20,985	0.013	0.013 - 0.013	17,458	0.010	0.010 - 0.011
Alabama	516	0.011	0.010 - 0.011	275	0.012	0.010 - 0.013	241	0.010	0.008 - 0.011
Alaska	65	0.009	0.007 - 0.011	39	0.010	0.007 - 0.014	26	0.007	0.005 - 0.011
Arizona	635	0.009	0.008 - 0.009	355	0.010	0.009 - 0.011	280	0.008	0.007 - 0.009
Arkansas	352	0.012	0.010 - 0.013	186	0.013	0.011 - 0.014	166	0.011	0.009 - 0.013
California	3,803	0.010	0.009 - 0.010	2,101	0.011	0.010 - 0.011	1,702	0.009	0.008 - 0.009
CA - Greater California	2,147	0.010	0.009 - 0.010	1,185	0.011	0.010 - 0.011	962	0.009	0.008 - 0.009
CA - Greater Bay Area	781	0.011	0.010 - 0.011	438	0.012	0.011 - 0.013	344	0.009	0.008 - 0.010
CA - Los Angeles	874	0.009	0.008 - 0.009	479	0.010	0.009 - 0.011	396	0.008	0.007 - 0.009
Colorado	620	0.011	0.010 - 0.012	361	0.013	0.011 - 0.014	259	0.009	0.008 - 0.010
Connecticut	534	0.015	0.014 - 0.016	307	0.018	0.016 - 0.020	227	0.012	0.011 - 0.014
Delaware	121	0.012	0.010 - 0.015	68	0.014	0.011 - 0.018	53	0.011	0.008 - 0.014
District of Columbia	97	0.014	0.011 - 0.017	47	0.014	0.010 - 0.019	50	0.013	0.010 - 0.018
Florida	3,045	0.014	0.014 - 0.015	1,583	0.015	0.014 - 0.016	1,462	0.013	0.013 - 0.014
Georgia	1,093	0.010	0.010 - 0.011	568	0.011	0.010 - 0.012	525	0.010	0.009 - 0.011
Hawaii	102	0.007	0.006 - 0.009	63	0.009	0.007 - 0.011	39	0.006	0.004 - 0.008
Idaho	170	0.010	0.008 - 0.011	98	0.011	0.009 - 0.013	72	0.008	0.006 - 0.010
Illinois	1,607	0.013	0.012 - 0.013	892	0.014	0.013 - 0.015	715	0.011	0.010 - 0.012
Indiana	806	0.012	0.011 - 0.013	458	0.014	0.013 - 0.015	348	0.010	0.009 - 0.011
Iowa	408	0.013	0.012 - 0.014	236	0.015	0.013 - 0.017	172	0.011	0.009 - 0.013
Kansas	313	0.011	0.010 - 0.012	187	0.013	0.011 - 0.015	126	0.009	0.007 - 0.010
Kentucky	502	0.011	0.010 - 0.012	292	0.013	0.012 - 0.015	211	0.009	0.008 - 0.011
Louisiana	586	0.013	0.012 - 0.014	319	0.014	0.013 - 0.016	267	0.011	0.010 - 0.013
Maine	185	0.014	0.012 - 0.016	96	0.015	0.012 - 0.018	89	0.013	0.010 - 0.016
Maryland	714	0.012	0.011 - 0.013	368	0.013	0.011 - 0.014	346	0.011	0.010 - 0.012
MI - Detroit	522	0.013	0.012 - 0.015	283	0.015	0.013 - 0.017	239	0.012	0.010 - 0.014
Minnesota	733	0.013	0.012 - 0.014	409	0.015	0.013 - 0.016	324	0.011	0.010 - 0.013
Mississippi	318	0.011	0.010 - 0.012	166	0.011	0.010 - 0.013	152	0.010	0.008 - 0.012
Missouri	723	0.012	0.011 - 0.013	399	0.013	0.012 - 0.015	324	0.010	0.009 - 0.012
Montana	116	0.011	0.009 - 0.013	62	0.012	0.009 - 0.015	54	0.010	0.008 - 0.013
Nebraska	230	0.012	0.010 - 0.014	134	0.014	0.012 - 0.016	96	0.010	0.008 - 0.012
New Hampshire	190	0.014	0.012 - 0.016	103	0.015	0.012 - 0.019	87	0.013	0.010 - 0.016
New Jersey	1,307	0.015	0.014 - 0.016	711	0.016	0.015 - 0.018	597	0.013	0.012 - 0.014
New Mexico	201	0.010	0.008 - 0.011	121	0.012	0.010 - 0.014	80	0.008	0.006 - 0.009
New York	2,831	0.015	0.014 - 0.015	1,521	0.016	0.015 - 0.017	1,310	0.013	0.012 - 0.014
North Carolina	1,170	0.011	0.011 - 0.012	636	0.013	0.012 - 0.014	534	0.010	0.009 - 0.011
North Dakota	93	0.012	0.010 - 0.015	54	0.014	0.010 - 0.018	39	0.010	0.007 - 0.014
Ohio	1,412	0.012	0.011 - 0.013	769	0.013	0.012 - 0.014	643	0.011	0.010 - 0.012
Oklahoma	385	0.010	0.009 - 0.011	205	0.010	0.009 - 0.012	180	0.009	0.008 - 0.010
Oregon	454	0.011	0.010 - 0.012	239	0.011	0.010 - 0.013	215	0.010	0.009 - 0.012
Pennsylvania	1,906	0.015	0.014 - 0.016	1,055	0.017	0.016 - 0.018	851	0.013	0.012 - 0.014
Rhode Island	162	0.015	0.013 - 0.018	76	0.015	0.012 - 0.018	86	0.016	0.013 - 0.020
South Carolina	557	0.011	0.010 - 0.012	302	0.012	0.011 - 0.014	255	0.010	0.009 - 0.011
Tennessee	761	0.011	0.010 - 0.012	402	0.012	0.011 - 0.013	359	0.010	0.009 - 0.011
Texas	2,771	0.010	0.009 - 0.010	1,502	0.010	0.010 - 0.011	1,269	0.009	0.008 - 0.009
Utah	337	0.011	0.009 - 0.012	175	0.011	0.009 - 0.013	162	0.010	0.009 - 0.012
Vermont	80	0.013	0.010 - 0.016	43	0.014	0.010 - 0.019	37	0.012	0.008 - 0.016
Washington	827	0.011	0.010 - 0.012	461	0.012	0.011 - 0.013	366	0.010	0.009 - 0.011
WA - Seattle	596	0.011	0.011 - 0.012	335	0.013	0.011 - 0.014	261	0.010	0.009 - 0.011
West Virginia	190	0.011	0.009 - 0.012	109	0.012	0.010 - 0.015	81	0.009	0.007 - 0.011
Wisconsin	815	0.014	0.013 - 0.015	465	0.016	0.015 - 0.018	350	0.012	0.011 - 0.013
Wyoming	56	0.010	0.007 - 0.013	32	0.011	0.007 - 0.015	24	0.008	0.005 - 0.013
NAACCR CDN Combined	4,327	0.012	0.011 - 0.012	2,389	0.013	0.013 - 0.014	1,939	0.011	0.010 - 0.011
Alberta	496	0.011	0.010 - 0.013	289	0.013	0.012 - 0.015	207	0.010	0.008 - 0.011
British Columbia	547	0.011	0.010 - 0.012	305	0.012	0.011 - 0.014	242	0.009	0.008 - 0.011
Manitoba	174	0.013	0.011 - 0.015	103	0.015	0.012 - 0.018	71	0.010	0.008 - 0.013
New Brunswick	88	0.011	0.009 - 0.014	57	0.015	0.011 - 0.019	31	0.008	0.005 - 0.011
Newfoundland and Labrador	64	0.012	0.009 - 0.016	31	0.012	0.008 - 0.017	33	0.012	0.009 - 0.017
Ontario	1,785	0.012	0.012 - 0.013	951	0.013	0.013 - 0.014	834	0.011	0.011 - 0.012
Prince Edward Island	20	0.013	0.008 - 0.020	*	*		*	*	
Saskatchewan	114	0.010	0.008 - 0.012	65	0.011	0.009 - 0.014	49	0.008	0.006 - 0.011
NAACCR N.A. Combined	42,768	0.012	0.012 - 0.012	23,375	0.013	0.013 - 0.013	19,396	0.010	0.010 - 0.011

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-96 Prevalence – Hodgkin Lymphoma

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	258,739	0.079	0.078 - 0.079	139,087	0.086	0.086 - 0.086	119,660	0.072	0.071 - 0.072
Alabama	3,193	0.065	0.063 - 0.067	1,724	0.073	0.069 - 0.076	1,469	0.058	0.055 - 0.061
Alaska	438	0.060	0.054 - 0.065	262	0.068	0.060 - 0.077	176	0.050	0.043 - 0.058
Arizona	4,455	0.062	0.060 - 0.063	2,449	0.068	0.066 - 0.071	2,006	0.055	0.053 - 0.058
Arkansas	2,291	0.076	0.073 - 0.079	1,241	0.084	0.079 - 0.089	1,050	0.068	0.064 - 0.073
California	27,741	0.070	0.070 - 0.071	15,111	0.077	0.076 - 0.078	12,630	0.064	0.063 - 0.065
CA - Greater California	15,045	0.068	0.067 - 0.070	8,241	0.075	0.074 - 0.077	6,804	0.062	0.060 - 0.063
CA - Greater Bay Area	6,262	0.084	0.082 - 0.086	3,457	0.093	0.090 - 0.097	2,804	0.075	0.073 - 0.078
CA - Los Angeles	6,434	0.064	0.063 - 0.066	3,414	0.069	0.067 - 0.071	3,021	0.059	0.057 - 0.062
Colorado	3,779	0.066	0.064 - 0.068	2,086	0.072	0.069 - 0.075	1,693	0.060	0.057 - 0.062
Connecticut	3,542	0.099	0.096 - 0.103	1,889	0.108	0.104 - 0.113	1,653	0.090	0.086 - 0.095
Delaware	841	0.087	0.081 - 0.093	454	0.097	0.088 - 0.106	387	0.077	0.070 - 0.085
District of Columbia	351	0.050	0.045 - 0.055	194	0.058	0.050 - 0.067	157	0.042	0.036 - 0.049
Florida	22,465	0.105	0.104 - 0.106	11,867	0.114	0.112 - 0.116	10,598	0.097	0.095 - 0.099
Georgia	6,959	0.066	0.064 - 0.067	3,739	0.073	0.070 - 0.075	3,220	0.059	0.057 - 0.061
Hawaii	971	0.068	0.064 - 0.073	543	0.076	0.070 - 0.083	427	0.060	0.055 - 0.066
Idaho	1,318	0.074	0.070 - 0.079	752	0.085	0.079 - 0.091	566	0.064	0.059 - 0.070
Illinois	10,268	0.081	0.079 - 0.082	5,412	0.087	0.084 - 0.089	4,856	0.075	0.073 - 0.077
Indiana	4,946	0.074	0.072 - 0.076	2,637	0.080	0.077 - 0.083	2,309	0.068	0.065 - 0.071
Iowa	2,897	0.092	0.089 - 0.095	1,584	0.101	0.096 - 0.106	1,313	0.083	0.078 - 0.087
Kansas	2,370	0.081	0.078 - 0.085	1,304	0.090	0.085 - 0.095	1,066	0.073	0.069 - 0.077
Kentucky	3,621	0.081	0.078 - 0.084	1,889	0.086	0.082 - 0.090	1,733	0.076	0.073 - 0.080
Louisiana	3,450	0.074	0.072 - 0.077	1,862	0.082	0.078 - 0.086	1,588	0.067	0.063 - 0.070
Maine	1,412	0.105	0.100 - 0.111	800	0.122	0.113 - 0.130	612	0.089	0.082 - 0.097
Maryland	4,457	0.074	0.072 - 0.076	2,306	0.079	0.076 - 0.082	2,151	0.069	0.066 - 0.072
MI - Detroit	3,387	0.087	0.084 - 0.090	1,774	0.094	0.090 - 0.099	1,613	0.081	0.077 - 0.085
Minnesota	5,134	0.091	0.089 - 0.094	2,859	0.102	0.098 - 0.106	2,275	0.081	0.077 - 0.084
Mississippi	1,948	0.065	0.062 - 0.068	1,030	0.071	0.067 - 0.076	918	0.060	0.056 - 0.064
Missouri	4,880	0.080	0.077 - 0.082	2,608	0.087	0.083 - 0.090	2,272	0.073	0.070 - 0.076
Montana	906	0.085	0.080 - 0.091	525	0.098	0.090 - 0.107	381	0.072	0.065 - 0.080
Nebraska	1,573	0.082	0.078 - 0.086	839	0.087	0.081 - 0.093	734	0.076	0.071 - 0.082
New Hampshire	1,354	0.100	0.094 - 0.105	750	0.111	0.104 - 0.120	604	0.088	0.081 - 0.095
New Jersey	8,613	0.097	0.095 - 0.099	4,527	0.104	0.101 - 0.107	4,086	0.090	0.087 - 0.093
New Mexico	1,327	0.063	0.060 - 0.067	667	0.064	0.060 - 0.069	660	0.062	0.058 - 0.067
New York	18,534	0.095	0.094 - 0.096	9,690	0.102	0.100 - 0.104	8,844	0.088	0.086 - 0.090
North Carolina	7,586	0.073	0.071 - 0.074	4,044	0.080	0.077 - 0.082	3,542	0.066	0.064 - 0.068
North Dakota	548	0.072	0.066 - 0.078	302	0.077	0.069 - 0.087	246	0.066	0.058 - 0.075
Ohio	9,632	0.082	0.081 - 0.084	5,184	0.090	0.088 - 0.093	4,448	0.075	0.072 - 0.077
Oklahoma	2,646	0.067	0.064 - 0.070	1,378	0.070	0.067 - 0.074	1,268	0.064	0.060 - 0.067
Oregon	3,393	0.081	0.078 - 0.084	1,875	0.090	0.086 - 0.094	1,518	0.072	0.068 - 0.075
Pennsylvania	12,245	0.096	0.094 - 0.097	6,448	0.103	0.100 - 0.105	5,797	0.089	0.087 - 0.091
Rhode Island	949	0.090	0.084 - 0.096	512	0.099	0.091 - 0.108	437	0.080	0.073 - 0.088
South Carolina	3,547	0.069	0.067 - 0.072	1,944	0.078	0.075 - 0.082	1,603	0.061	0.058 - 0.064
Tennessee	4,932	0.072	0.070 - 0.075	2,662	0.080	0.077 - 0.083	2,270	0.065	0.062 - 0.068
Texas	17,159	0.060	0.059 - 0.060	9,353	0.065	0.064 - 0.067	7,806	0.054	0.053 - 0.055
Utah	1,787	0.056	0.054 - 0.059	1,033	0.065	0.061 - 0.069	754	0.048	0.044 - 0.051
Vermont	582	0.093	0.086 - 0.101	322	0.104	0.093 - 0.116	260	0.082	0.073 - 0.093
Washington	5,968	0.079	0.077 - 0.081	3,290	0.087	0.084 - 0.090	2,678	0.071	0.068 - 0.074
WA - Seattle	4,345	0.083	0.081 - 0.086	2,426	0.093	0.089 - 0.096	1,919	0.074	0.070 - 0.077
West Virginia	1,675	0.093	0.089 - 0.098	892	0.100	0.094 - 0.107	783	0.086	0.080 - 0.092
Wisconsin	5,577	0.096	0.093 - 0.098	3,075	0.106	0.103 - 0.110	2,502	0.086	0.082 - 0.089
Wyoming	416	0.072	0.065 - 0.079	234	0.079	0.069 - 0.090	182	0.064	0.055 - 0.074
NAACCR CDN Combined	30,107	0.081	0.080 - 0.082	16,553	0.090	0.088 - 0.091	13,547	0.072	0.071 - 0.074
Alberta	3,025	0.070	0.067 - 0.072	1,675	0.077	0.073 - 0.081	1,350	0.063	0.059 - 0.066
British Columbia	4,098	0.081	0.079 - 0.084	2,281	0.091	0.088 - 0.095	1,817	0.071	0.068 - 0.075
Manitoba	1,089	0.080	0.075 - 0.085	609	0.090	0.083 - 0.097	480	0.070	0.064 - 0.077
New Brunswick	838	0.108	0.101 - 0.116	443	0.116	0.105 - 0.127	395	0.101	0.091 - 0.112
Newfoundland and Labrador	575	0.110	0.101 - 0.119	302	0.116	0.104 - 0.130	273	0.103	0.091 - 0.116
Ontario	11,798	0.082	0.080 - 0.083	6,494	0.091	0.089 - 0.093	5,304	0.073	0.071 - 0.075
Prince Edward Island	128	0.082	0.069 - 0.098	80	0.105	0.083 - 0.130	48	0.061	0.045 - 0.081
Saskatchewan	905	0.078	0.073 - 0.083	465	0.079	0.072 - 0.087	440	0.076	0.069 - 0.083
NAACCR N.A. Combined	288,846	0.079	0.079 - 0.079	155,641	0.086	0.086 - 0.087	133,208	0.072	0.071 - 0.072

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	90,142	0.027	0.027 - 0.028	49,711	0.031	0.030 - 0.031	40,437	0.024	0.024 - 0.025
Alabama	1,384	0.028	0.027 - 0.030	745	0.031	0.029 - 0.034	639	0.025	0.023 - 0.027
Alaska	122	0.017	0.014 - 0.020	75	0.020	0.015 - 0.025	47	0.013	0.010 - 0.018
Arizona	1,407	0.019	0.018 - 0.021	834	0.023	0.022 - 0.025	573	0.016	0.014 - 0.017
Arkansas	867	0.029	0.027 - 0.031	451	0.030	0.028 - 0.033	416	0.027	0.025 - 0.030
California	8,650	0.022	0.021 - 0.022	4,864	0.025	0.024 - 0.026	3,785	0.019	0.018 - 0.020
CA - Greater California	4,793	0.022	0.021 - 0.022	2,741	0.025	0.024 - 0.026	2,052	0.019	0.018 - 0.019
CA - Greater Bay Area	1,821	0.025	0.023 - 0.026	1,033	0.028	0.026 - 0.030	788	0.021	0.020 - 0.023
CA - Los Angeles	2,040	0.020	0.019 - 0.021	1,093	0.022	0.021 - 0.023	947	0.019	0.017 - 0.020
Colorado	1,246	0.022	0.021 - 0.023	722	0.025	0.023 - 0.027	524	0.018	0.017 - 0.020
Connecticut	1,226	0.034	0.032 - 0.036	692	0.040	0.037 - 0.043	534	0.029	0.027 - 0.032
Delaware	300	0.031	0.027 - 0.035	151	0.032	0.027 - 0.038	149	0.030	0.025 - 0.035
District of Columbia	228	0.032	0.028 - 0.037	109	0.033	0.027 - 0.039	119	0.032	0.027 - 0.038
Florida	8,285	0.039	0.038 - 0.040	4,495	0.043	0.042 - 0.044	3,790	0.035	0.034 - 0.036
Georgia	3,157	0.030	0.029 - 0.031	1,627	0.032	0.030 - 0.033	1,530	0.028	0.027 - 0.030
Hawaii	275	0.019	0.017 - 0.022	149	0.021	0.018 - 0.025	126	0.018	0.015 - 0.021
Idaho	411	0.023	0.021 - 0.026	254	0.029	0.025 - 0.032	157	0.018	0.015 - 0.021
Illinois	3,416	0.027	0.026 - 0.028	1,794	0.029	0.027 - 0.030	1,622	0.025	0.024 - 0.026
Indiana	1,668	0.025	0.024 - 0.026	891	0.027	0.025 - 0.029	777	0.023	0.021 - 0.024
Iowa	899	0.028	0.027 - 0.030	524	0.033	0.031 - 0.036	375	0.024	0.021 - 0.026
Kansas	773	0.027	0.025 - 0.028	432	0.030	0.027 - 0.033	341	0.023	0.021 - 0.026
Kentucky	1,189	0.027	0.025 - 0.028	674	0.031	0.028 - 0.033	515	0.023	0.021 - 0.025
Louisiana	1,385	0.030	0.028 - 0.031	736	0.032	0.030 - 0.035	650	0.027	0.025 - 0.029
Maine	368	0.027	0.025 - 0.030	211	0.032	0.028 - 0.037	157	0.023	0.019 - 0.027
Maryland	1,817	0.030	0.029 - 0.031	915	0.031	0.029 - 0.033	902	0.029	0.027 - 0.031
MI - Detroit	1,238	0.032	0.030 - 0.034	658	0.035	0.032 - 0.038	580	0.029	0.027 - 0.032
Minnesota	1,536	0.027	0.026 - 0.029	909	0.032	0.030 - 0.035	627	0.022	0.021 - 0.024
Mississippi	920	0.031	0.029 - 0.033	483	0.033	0.031 - 0.037	437	0.028	0.026 - 0.031
Missouri	1,619	0.026	0.025 - 0.028	902	0.030	0.028 - 0.032	717	0.023	0.021 - 0.025
Montana	324	0.030	0.027 - 0.034	194	0.036	0.031 - 0.042	130	0.025	0.021 - 0.029
Nebraska	468	0.024	0.022 - 0.027	272	0.028	0.025 - 0.032	196	0.020	0.018 - 0.023
New Hampshire	374	0.028	0.025 - 0.030	211	0.031	0.027 - 0.036	163	0.024	0.020 - 0.028
New Jersey	2,886	0.032	0.031 - 0.034	1,600	0.037	0.035 - 0.039	1,287	0.028	0.027 - 0.030
New Mexico	456	0.022	0.020 - 0.024	268	0.026	0.023 - 0.029	188	0.018	0.015 - 0.020
New York	6,934	0.036	0.035 - 0.036	3,768	0.040	0.039 - 0.041	3,166	0.032	0.030 - 0.033
North Carolina	3,309	0.032	0.031 - 0.033	1,800	0.035	0.034 - 0.037	1,509	0.028	0.027 - 0.030
North Dakota	168	0.022	0.019 - 0.026	101	0.026	0.021 - 0.031	67	0.018	0.014 - 0.023
Ohio	2,818	0.024	0.023 - 0.025	1,588	0.028	0.026 - 0.029	1,230	0.021	0.020 - 0.022
Oklahoma	886	0.022	0.021 - 0.024	495	0.025	0.023 - 0.028	391	0.020	0.018 - 0.022
Oregon	928	0.022	0.021 - 0.024	536	0.026	0.024 - 0.028	392	0.019	0.017 - 0.020
Pennsylvania	3,837	0.030	0.029 - 0.031	2,110	0.034	0.032 - 0.035	1,727	0.026	0.025 - 0.028
Rhode Island	258	0.024	0.021 - 0.028	155	0.030	0.026 - 0.035	103	0.019	0.015 - 0.023
South Carolina	1,611	0.031	0.030 - 0.033	862	0.035	0.032 - 0.037	749	0.028	0.026 - 0.030
Tennessee	1,734	0.025	0.024 - 0.027	947	0.029	0.027 - 0.030	787	0.023	0.021 - 0.024
Texas	6,806	0.024	0.023 - 0.024	3,721	0.026	0.025 - 0.027	3,085	0.021	0.021 - 0.022
Utah	553	0.017	0.016 - 0.019	334	0.021	0.019 - 0.023	218	0.014	0.012 - 0.016
Vermont	171	0.027	0.023 - 0.032	104	0.034	0.028 - 0.041	67	0.021	0.016 - 0.027
Washington	1,818	0.024	0.023 - 0.025	1,087	0.029	0.027 - 0.030	731	0.019	0.018 - 0.021
WA - Seattle	1,323	0.025	0.024 - 0.027	786	0.030	0.028 - 0.032	537	0.021	0.019 - 0.022
West Virginia	465	0.026	0.024 - 0.028	270	0.030	0.027 - 0.034	195	0.021	0.019 - 0.025
Wisconsin	1,730	0.030	0.028 - 0.031	964	0.033	0.031 - 0.035	766	0.026	0.024 - 0.028
Wyoming	127	0.022	0.018 - 0.026	73	0.025	0.019 - 0.031	54	0.019	0.014 - 0.025
NAACCR CDN Combined	10,214	0.027	0.027 - 0.028	5,874	0.032	0.031 - 0.033	4,335	0.023	0.022 - 0.024
Alberta	870	0.020	0.019 - 0.021	526	0.024	0.022 - 0.026	344	0.016	0.014 - 0.018
British Columbia	1,247	0.025	0.023 - 0.026	741	0.030	0.028 - 0.032	506	0.020	0.018 - 0.022
Manitoba	335	0.025	0.022 - 0.027	202	0.030	0.026 - 0.034	133	0.020	0.016 - 0.023
New Brunswick	197	0.025	0.022 - 0.029	124	0.032	0.027 - 0.039	73	0.019	0.015 - 0.023
Newfoundland and Labrador	141	0.027	0.023 - 0.032	82	0.032	0.025 - 0.039	59	0.022	0.017 - 0.029
Ontario	4,518	0.031	0.030 - 0.032	2,527	0.035	0.034 - 0.037	1,991	0.027	0.026 - 0.028
Prince Edward Island	48	0.031	0.023 - 0.041	31	0.041	0.028 - 0.058	17	0.022	0.013 - 0.034
Saskatchewan	252	0.022	0.019 - 0.024	147	0.025	0.021 - 0.029	105	0.018	0.015 - 0.022
NAACCR N.A. Combined	100,357	0.027	0.027 - 0.028	55,585	0.031	0.031 - 0.031	44,772	0.024	0.024 - 0.024

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	166,664	0.051	0.051 - 0.051	97,399	0.060	0.060 - 0.061	69,277	0.042	0.041 - 0.042
Alabama	2,180	0.044	0.043 - 0.046	1,246	0.053	0.050 - 0.056	934	0.037	0.035 - 0.039
Alaska	263	0.036	0.032 - 0.040	163	0.042	0.036 - 0.050	100	0.028	0.023 - 0.035
Arizona	2,395	0.033	0.032 - 0.034	1,407	0.039	0.037 - 0.041	988	0.027	0.026 - 0.029
Arkansas	1,624	0.054	0.051 - 0.057	939	0.063	0.059 - 0.068	685	0.045	0.041 - 0.048
California	15,874	0.040	0.040 - 0.041	9,338	0.048	0.047 - 0.049	6,536	0.033	0.032 - 0.034
CA - Greater California	9,095	0.041	0.041 - 0.042	5,312	0.048	0.047 - 0.050	3,783	0.034	0.033 - 0.035
CA - Greater Bay Area	3,026	0.041	0.039 - 0.042	1,845	0.050	0.048 - 0.052	1,180	0.032	0.030 - 0.034
CA - Los Angeles	3,753	0.037	0.036 - 0.039	2,182	0.044	0.042 - 0.046	1,572	0.031	0.029 - 0.032
Colorado	2,459	0.043	0.041 - 0.045	1,464	0.051	0.048 - 0.053	995	0.035	0.033 - 0.037
Connecticut	2,123	0.059	0.057 - 0.062	1,215	0.070	0.066 - 0.074	908	0.050	0.046 - 0.053
Delaware	475	0.049	0.045 - 0.053	285	0.061	0.054 - 0.068	190	0.038	0.033 - 0.044
District of Columbia	197	0.028	0.024 - 0.032	121	0.036	0.030 - 0.043	76	0.020	0.016 - 0.026
Florida	15,858	0.074	0.073 - 0.075	8,919	0.085	0.084 - 0.087	6,939	0.064	0.062 - 0.065
Georgia	4,858	0.046	0.045 - 0.047	2,766	0.054	0.052 - 0.056	2,092	0.038	0.037 - 0.040
Hawaii	491	0.035	0.032 - 0.038	288	0.040	0.036 - 0.045	204	0.029	0.025 - 0.033
Idaho	958	0.054	0.051 - 0.058	576	0.065	0.060 - 0.070	382	0.043	0.039 - 0.048
Illinois	5,768	0.045	0.044 - 0.047	3,357	0.054	0.052 - 0.056	2,411	0.037	0.036 - 0.039
Indiana	3,061	0.046	0.044 - 0.047	1,806	0.055	0.052 - 0.057	1,255	0.037	0.035 - 0.039
Iowa	1,991	0.063	0.060 - 0.066	1,222	0.078	0.074 - 0.082	768	0.048	0.045 - 0.052
Kansas	1,654	0.057	0.054 - 0.060	1,012	0.070	0.066 - 0.074	642	0.044	0.041 - 0.047
Kentucky	2,523	0.056	0.054 - 0.059	1,434	0.065	0.062 - 0.069	1,089	0.048	0.045 - 0.051
Louisiana	2,219	0.048	0.046 - 0.050	1,278	0.056	0.053 - 0.059	941	0.039	0.037 - 0.042
Maine	861	0.064	0.060 - 0.069	493	0.075	0.068 - 0.082	368	0.054	0.048 - 0.059
Maryland	2,574	0.043	0.041 - 0.044	1,448	0.049	0.047 - 0.052	1,126	0.036	0.034 - 0.038
MI - Detroit	2,292	0.059	0.057 - 0.061	1,350	0.072	0.068 - 0.076	942	0.047	0.044 - 0.050
Minnesota	3,406	0.061	0.059 - 0.063	2,108	0.075	0.072 - 0.079	1,298	0.046	0.044 - 0.049
Mississippi	1,221	0.041	0.039 - 0.043	696	0.048	0.045 - 0.052	525	0.034	0.031 - 0.037
Missouri	3,024	0.049	0.048 - 0.051	1,785	0.059	0.057 - 0.062	1,239	0.040	0.037 - 0.042
Montana	672	0.063	0.058 - 0.068	438	0.082	0.074 - 0.090	235	0.044	0.039 - 0.050
Nebraska	926	0.048	0.045 - 0.051	562	0.058	0.054 - 0.063	364	0.038	0.034 - 0.042
New Hampshire	744	0.055	0.051 - 0.059	481	0.071	0.065 - 0.078	263	0.038	0.034 - 0.043
New Jersey	5,353	0.060	0.059 - 0.062	3,103	0.071	0.069 - 0.074	2,250	0.049	0.047 - 0.052
New Mexico	1,035	0.049	0.046 - 0.052	582	0.056	0.052 - 0.061	453	0.043	0.039 - 0.047
New York	12,361	0.063	0.062 - 0.065	7,237	0.076	0.075 - 0.078	5,124	0.051	0.050 - 0.052
North Carolina	5,572	0.053	0.052 - 0.055	3,297	0.065	0.063 - 0.067	2,275	0.042	0.041 - 0.044
North Dakota	441	0.058	0.053 - 0.064	267	0.068	0.060 - 0.077	174	0.047	0.040 - 0.054
Ohio	5,002	0.043	0.042 - 0.044	2,922	0.051	0.049 - 0.053	2,080	0.035	0.033 - 0.036
Oklahoma	1,846	0.047	0.045 - 0.049	1,069	0.055	0.051 - 0.058	777	0.039	0.036 - 0.042
Oregon	2,041	0.049	0.047 - 0.051	1,178	0.057	0.053 - 0.060	863	0.041	0.038 - 0.044
Pennsylvania	7,513	0.059	0.057 - 0.060	4,403	0.070	0.068 - 0.072	3,110	0.048	0.046 - 0.049
Rhode Island	618	0.058	0.054 - 0.063	386	0.075	0.068 - 0.083	232	0.043	0.037 - 0.049
South Carolina	2,228	0.043	0.042 - 0.045	1,243	0.050	0.047 - 0.053	985	0.037	0.035 - 0.040
Tennessee	3,155	0.046	0.045 - 0.048	1,827	0.055	0.053 - 0.058	1,328	0.038	0.036 - 0.040
Texas	12,705	0.044	0.043 - 0.045	7,334	0.051	0.050 - 0.052	5,371	0.037	0.036 - 0.038
Utah	1,290	0.041	0.038 - 0.043	775	0.048	0.045 - 0.052	515	0.033	0.030 - 0.036
Vermont	317	0.051	0.045 - 0.057	183	0.059	0.051 - 0.069	134	0.042	0.036 - 0.050
Washington	3,959	0.052	0.051 - 0.054	2,377	0.063	0.060 - 0.065	1,582	0.042	0.040 - 0.044
WA - Seattle	2,994	0.057	0.055 - 0.059	1,800	0.069	0.066 - 0.072	1,194	0.046	0.043 - 0.048
West Virginia	1,186	0.066	0.062 - 0.070	702	0.079	0.073 - 0.085	484	0.053	0.049 - 0.058
Wisconsin	3,822	0.066	0.064 - 0.068	2,368	0.082	0.079 - 0.085	1,454	0.050	0.047 - 0.052
Wyoming	267	0.046	0.041 - 0.052	158	0.053	0.045 - 0.063	109	0.038	0.031 - 0.046
NAACCR CDN Combined	22,244	0.060	0.059 - 0.061	13,254	0.072	0.070 - 0.073	8,984	0.048	0.047 - 0.049
Alberta	2,167	0.050	0.048 - 0.052	1,313	0.060	0.057 - 0.064	854	0.040	0.037 - 0.042
British Columbia	2,326	0.046	0.044 - 0.048	1,410	0.056	0.053 - 0.059	916	0.036	0.034 - 0.038
Manitoba	697	0.051	0.047 - 0.055	410	0.060	0.055 - 0.066	287	0.042	0.037 - 0.047
New Brunswick	556	0.072	0.066 - 0.078	314	0.082	0.073 - 0.092	242	0.062	0.054 - 0.070
Newfoundland and Labrador	172	0.033	0.028 - 0.038	108	0.042	0.034 - 0.050	64	0.024	0.019 - 0.031
Ontario	9,936	0.069	0.068 - 0.070	5,894	0.083	0.081 - 0.085	4,042	0.055	0.054 - 0.057
Prince Edward Island	69	0.044	0.035 - 0.056	39	0.051	0.036 - 0.070	30	0.038	0.026 - 0.054
Saskatchewan	686	0.059	0.054 - 0.063	412	0.070	0.063 - 0.077	274	0.047	0.042 - 0.053
NAACCR N.A. Combined	188,908	0.052	0.051 - 0.052	110,653	0.061	0.061 - 0.062	78,260	0.042	0.042 - 0.042

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	4,390	0.001	0.001 - 0.001	2,890	0.002	0.002 - 0.002	1,501	0.001	0.001 - 0.001
Alabama	46	0.001	0.001 - 0.001	31	0.001	0.001 - 0.002	15	0.001	0.000 - 0.001
Alaska	14	0.002	0.001 - 0.003	*	*		*	*	
Arizona	78	0.001	0.001 - 0.001	53	0.001	0.001 - 0.002	25	0.001	0.000 - 0.001
Arkansas	35	0.001	0.001 - 0.002	25	0.002	0.001 - 0.002	10	0.001	0.000 - 0.001
California	480	0.001	0.001 - 0.001	302	0.002	0.001 - 0.002	178	0.001	0.001 - 0.001
CA - Greater California	277	0.001	0.001 - 0.001	172	0.002	0.001 - 0.002	105	0.001	0.001 - 0.001
CA - Greater Bay Area	99	0.001	0.001 - 0.002	55	0.001	0.001 - 0.002	44	0.001	0.001 - 0.002
CA - Los Angeles	104	0.001	0.001 - 0.001	75	0.002	0.001 - 0.002	28	0.001	0.000 - 0.001
Colorado	74	0.001	0.001 - 0.002	47	0.002	0.001 - 0.002	27	0.001	0.001 - 0.001
Connecticut	53	0.001	0.001 - 0.002	39	0.002	0.002 - 0.003	14	0.001	0.000 - 0.001
Delaware	25	0.003	0.002 - 0.004	*	*		*	*	
District of Columbia	*	*		*	*		*	*	
Florida	316	0.001	0.001 - 0.002	224	0.002	0.002 - 0.002	92	0.001	0.001 - 0.001
Georgia	89	0.001	0.001 - 0.001	65	0.001	0.001 - 0.002	24	0.000	0.000 - 0.001
Hawaii	*	*		*	*		*	*	
Idaho	33	0.002	0.001 - 0.003	22	0.002	0.002 - 0.004	11	0.001	0.001 - 0.002
Illinois	182	0.001	0.001 - 0.002	115	0.002	0.002 - 0.002	67	0.001	0.001 - 0.001
Indiana	80	0.001	0.001 - 0.001	57	0.002	0.001 - 0.002	23	0.001	0.000 - 0.001
Iowa	49	0.002	0.001 - 0.002	32	0.002	0.001 - 0.003	17	0.001	0.001 - 0.002
Kansas	32	0.001	0.001 - 0.002	19	0.001	0.001 - 0.002	13	0.001	0.000 - 0.002
Kentucky	52	0.001	0.001 - 0.002	37	0.002	0.001 - 0.002	15	0.001	0.000 - 0.001
Louisiana	90	0.002	0.002 - 0.002	51	0.002	0.002 - 0.003	39	0.002	0.001 - 0.002
Maine	35	0.003	0.002 - 0.004	*	*		*	*	
Maryland	77	0.001	0.001 - 0.002	43	0.001	0.001 - 0.002	34	0.001	0.001 - 0.002
MI - Detroit	67	0.002	0.001 - 0.002	39	0.002	0.001 - 0.003	28	0.001	0.001 - 0.002
Minnesota	95	0.002	0.001 - 0.002	62	0.002	0.002 - 0.003	33	0.001	0.001 - 0.002
Mississippi	37	0.001	0.001 - 0.002	23	0.002	0.001 - 0.002	14	0.001	0.000 - 0.002
Missouri	67	0.001	0.001 - 0.001	50	0.002	0.001 - 0.002	17	0.001	0.000 - 0.001
Montana	21	0.002	0.001 - 0.003	*	*		*	*	
Nebraska	23	0.001	0.001 - 0.002	*	*		*	*	
New Hampshire	27	0.002	0.001 - 0.003	*	*		*	*	
New Jersey	171	0.002	0.002 - 0.002	102	0.002	0.002 - 0.003	69	0.002	0.001 - 0.002
New Mexico	15	0.001	0.000 - 0.001	*	*		*	*	
New York	288	0.001	0.001 - 0.002	185	0.002	0.002 - 0.002	102	0.001	0.001 - 0.001
North Carolina	117	0.001	0.001 - 0.001	74	0.001	0.001 - 0.002	43	0.001	0.001 - 0.001
North Dakota	13	0.002	0.001 - 0.003	*	*		*	*	
Ohio	174	0.001	0.001 - 0.002	113	0.002	0.002 - 0.002	61	0.001	0.001 - 0.001
Oklahoma	38	0.001	0.001 - 0.001	19	0.001	0.001 - 0.002	19	0.001	0.001 - 0.001
Oregon	60	0.001	0.001 - 0.002	43	0.002	0.001 - 0.003	17	0.001	0.000 - 0.001
Pennsylvania	246	0.002	0.002 - 0.002	168	0.003	0.002 - 0.003	78	0.001	0.001 - 0.001
Rhode Island	18	0.002	0.001 - 0.003	*	*		*	*	
South Carolina	69	0.001	0.001 - 0.002	41	0.002	0.001 - 0.002	28	0.001	0.001 - 0.002
Tennessee	58	0.001	0.001 - 0.001	39	0.001	0.001 - 0.002	19	0.001	0.000 - 0.001
Texas	283	0.001	0.001 - 0.001	198	0.001	0.001 - 0.002	85	0.001	0.000 - 0.001
Utah	29	0.001	0.001 - 0.001	16	0.001	0.001 - 0.002	13	0.001	0.000 - 0.001
Vermont	10	0.002	0.001 - 0.003	*	*		*	*	
Washington	107	0.001	0.001 - 0.002	72	0.002	0.001 - 0.002	35	0.001	0.001 - 0.001
WA - Seattle	75	0.001	0.001 - 0.002	48	0.002	0.001 - 0.002	27	0.001	0.001 - 0.002
West Virginia	36	0.002	0.001 - 0.003	22	0.002	0.002 - 0.004	14	0.002	0.001 - 0.003
Wisconsin	100	0.002	0.001 - 0.002	67	0.002	0.002 - 0.003	33	0.001	0.001 - 0.002
Wyoming	16	0.003	0.002 - 0.004	*	*		*	*	
NAACCR CDN Combined	735	0.002	0.002 - 0.002	514	0.003	0.003 - 0.003	220	0.001	0.001 - 0.001
Alberta	77	0.002	0.001 - 0.002	57	0.003	0.002 - 0.003	20	0.001	0.001 - 0.001
British Columbia	123	0.002	0.002 - 0.003	101	0.004	0.003 - 0.005	22	0.001	0.001 - 0.001
Manitoba	22	0.002	0.001 - 0.002	*	*		*	*	
New Brunswick	17	0.002	0.001 - 0.004	*	*		*	*	
Newfoundland and Labrador	*	*		*	*		*	*	
Ontario	280	0.002	0.002 - 0.002	180	0.003	0.002 - 0.003	100	0.001	0.001 - 0.002
Prince Edward Island	*	*		*	*		*	*	
Saskatchewan	19	0.002	0.001 - 0.003	*	*		*	*	
NAACCR N.A. Combined	5,125	0.001	0.001 - 0.001	3,404	0.002	0.002 - 0.002	1,720	0.001	0.001 - 0.001

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-100 Prevalence – Mesothelioma

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	4,705,993	1.847	1.845 - 1.848	2,288,061	1.811	1.808 - 1.813	2,418,151	1.882	1.879 - 1.884
Alabama	63,459	1.848	1.834 - 1.862	31,884	1.893	1.872 - 1.913	31,575	1.805	1.785 - 1.825
Alaska	7,708	1.526	1.492 - 1.560	3,966	1.486	1.440 - 1.532	3,742	1.571	1.521 - 1.622
Arizona	96,339	1.586	1.576 - 1.596	46,469	1.540	1.526 - 1.554	49,870	1.632	1.618 - 1.647
Arkansas	45,828	1.891	1.874 - 1.909	23,464	1.962	1.937 - 1.987	22,364	1.823	1.799 - 1.847
California	449,216	1.545	1.540 - 1.549	213,316	1.463	1.457 - 1.469	235,900	1.627	1.621 - 1.634
CA - Greater California	270,314	1.561	1.555 - 1.567	129,083	1.489	1.481 - 1.497	141,231	1.633	1.625 - 1.642
CA - Greater Bay Area	81,477	1.797	1.784 - 1.809	39,489	1.719	1.702 - 1.736	41,988	1.877	1.859 - 1.895
CA - Los Angeles	97,572	1.350	1.341 - 1.358	44,836	1.240	1.229 - 1.252	52,736	1.460	1.447 - 1.472
Colorado	76,227	1.503	1.493 - 1.514	35,651	1.396	1.382 - 1.411	40,576	1.612	1.596 - 1.628
Connecticut	63,900	2.211	2.193 - 2.228	30,818	2.180	2.156 - 2.204	33,082	2.240	2.216 - 2.264
Delaware	15,538	2.270	2.235 - 2.306	7,684	2.307	2.256 - 2.360	7,854	2.235	2.186 - 2.285
District of Columbia	3,668	1.119	1.083 - 1.156	1,743	1.064	1.015 - 1.115	1,925	1.173	1.121 - 1.227
Florida	355,747	2.122	2.115 - 2.129	175,533	2.133	2.123 - 2.143	180,214	2.112	2.103 - 2.122
Georgia	120,432	1.859	1.848 - 1.869	59,810	1.862	1.847 - 1.877	60,623	1.856	1.841 - 1.870
Hawaii	8,325	2.306	2.256 - 2.356	4,631	2.372	2.305 - 2.442	3,694	2.227	2.156 - 2.300
Idaho	27,207	1.623	1.604 - 1.643	13,647	1.623	1.596 - 1.651	13,561	1.623	1.596 - 1.651
Illinois	188,611	1.912	1.904 - 1.921	90,091	1.843	1.831 - 1.855	98,520	1.981	1.968 - 1.993
Indiana	104,476	1.811	1.800 - 1.822	50,047	1.757	1.741 - 1.772	54,429	1.864	1.849 - 1.880
Iowa	58,583	2.027	2.010 - 2.043	28,984	2.023	1.999 - 2.046	29,599	2.031	2.008 - 2.054
Kansas	46,731	1.827	1.811 - 1.844	22,861	1.799	1.776 - 1.822	23,870	1.856	1.832 - 1.879
Kentucky	79,097	1.995	1.981 - 2.009	38,157	1.956	1.936 - 1.976	40,939	2.033	2.013 - 2.053
Louisiana	58,965	1.989	1.973 - 2.006	30,619	2.089	2.065 - 2.112	28,346	1.892	1.870 - 1.914
Maine	28,515	2.219	2.194 - 2.245	13,728	2.184	2.148 - 2.221	14,787	2.253	2.216 - 2.289
Maryland	72,240	1.998	1.983 - 2.012	35,016	1.961	1.940 - 1.981	37,224	2.034	2.014 - 2.055
MI - Detroit	56,615	2.138	2.121 - 2.156	27,533	2.104	2.079 - 2.129	29,082	2.172	2.147 - 2.197
Minnesota	98,019	2.048	2.035 - 2.061	48,455	2.035	2.017 - 2.053	49,564	2.061	2.042 - 2.079
Mississippi	35,277	1.983	1.962 - 2.004	17,985	2.045	2.016 - 2.076	17,292	1.922	1.893 - 1.950
Missouri	94,847	1.838	1.827 - 1.850	45,145	1.775	1.759 - 1.792	49,702	1.900	1.883 - 1.917
Montana	19,969	2.068	2.039 - 2.097	10,410	2.138	2.097 - 2.180	9,559	1.996	1.956 - 2.036
Nebraska	32,044	1.861	1.841 - 1.881	15,928	1.856	1.827 - 1.885	16,116	1.866	1.837 - 1.895
New Hampshire	28,166	2.201	2.175 - 2.227	13,791	2.180	2.143 - 2.216	14,375	2.222	2.186 - 2.259
New Jersey	144,079	2.223	2.211 - 2.234	69,506	2.183	2.167 - 2.200	74,574	2.261	2.245 - 2.277
New Mexico	27,030	1.554	1.535 - 1.572	12,650	1.468	1.443 - 1.494	14,380	1.637	1.611 - 1.664
New York	302,163	2.191	2.184 - 2.199	146,279	2.162	2.150 - 2.173	155,884	2.220	2.209 - 2.231
North Carolina	145,925	1.950	1.940 - 1.960	70,952	1.928	1.914 - 1.942	74,973	1.971	1.957 - 1.985
North Dakota	12,281	1.828	1.795 - 1.860	6,322	1.841	1.796 - 1.887	5,959	1.814	1.768 - 1.860
Ohio	188,911	1.951	1.943 - 1.960	90,157	1.894	1.881 - 1.906	98,754	2.007	1.995 - 2.020
Oklahoma	50,937	1.670	1.656 - 1.685	24,651	1.632	1.612 - 1.653	26,286	1.708	1.687 - 1.728
Oregon	69,073	1.849	1.836 - 1.863	33,096	1.787	1.768 - 1.806	35,977	1.910	1.891 - 1.930
Pennsylvania	226,507	2.140	2.131 - 2.148	107,790	2.073	2.061 - 2.085	118,717	2.204	2.191 - 2.217
Rhode Island	19,474	2.163	2.133 - 2.194	9,057	2.072	2.030 - 2.115	10,417	2.249	2.206 - 2.292
South Carolina	67,562	1.897	1.883 - 1.912	33,446	1.912	1.892 - 1.933	34,116	1.883	1.863 - 1.903
Tennessee	101,856	1.882	1.870 - 1.893	50,794	1.911	1.894 - 1.927	51,062	1.854	1.838 - 1.870
Texas	321,364	1.398	1.394 - 1.403	156,342	1.363	1.357 - 1.370	165,022	1.433	1.426 - 1.440
Utah	37,378	1.275	1.262 - 1.288	18,878	1.280	1.261 - 1.298	18,500	1.271	1.252 - 1.289
Vermont	12,756	2.137	2.100 - 2.174	6,094	2.069	2.018 - 2.122	6,662	2.203	2.151 - 2.257
Washington	110,571	1.802	1.791 - 1.813	53,290	1.732	1.718 - 1.747	57,281	1.872	1.856 - 1.887
WA - Seattle	79,536	1.986	1.972 - 1.999	38,915	1.933	1.914 - 1.953	40,621	2.038	2.019 - 2.058
West Virginia	36,259	2.128	2.106 - 2.150	17,507	2.083	2.052 - 2.114	18,752	2.172	2.141 - 2.203
Wisconsin	104,040	2.034	2.021 - 2.046	52,002	2.040	2.023 - 2.058	52,038	2.027	2.010 - 2.044
Wyoming	9,337	1.716	1.681 - 1.751	4,911	1.773	1.724 - 1.823	4,426	1.657	1.609 - 1.707

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	141,755	0.056	0.055 - 0.056	102,357	0.081	0.080 - 0.081	39,420	0.031	0.030 - 0.031
Alabama	2,192	0.064	0.061 - 0.067	1,579	0.094	0.089 - 0.098	613	0.035	0.032 - 0.038
Alaska	237	0.047	0.041 - 0.053	191	0.072	0.062 - 0.082	46	0.019	0.014 - 0.026
Arizona	2,590	0.043	0.041 - 0.044	1,924	0.064	0.061 - 0.067	666	0.022	0.020 - 0.024
Arkansas	1,547	0.064	0.061 - 0.067	1,131	0.095	0.089 - 0.100	416	0.034	0.031 - 0.037
California	12,962	0.045	0.044 - 0.045	9,331	0.064	0.063 - 0.065	3,631	0.025	0.024 - 0.026
CA - Greater California	8,197	0.047	0.046 - 0.048	5,933	0.068	0.067 - 0.070	2,264	0.026	0.025 - 0.027
CA - Greater Bay Area	2,333	0.051	0.049 - 0.054	1,705	0.074	0.071 - 0.078	627	0.028	0.026 - 0.030
CA - Los Angeles	2,435	0.034	0.032 - 0.035	1,695	0.047	0.045 - 0.049	741	0.020	0.019 - 0.022
Colorado	2,357	0.046	0.045 - 0.048	1,717	0.067	0.064 - 0.070	640	0.025	0.023 - 0.027
Connecticut	1,874	0.065	0.062 - 0.068	1,282	0.091	0.086 - 0.096	592	0.040	0.037 - 0.043
Delaware	479	0.070	0.064 - 0.077	364	0.109	0.098 - 0.121	115	0.033	0.027 - 0.039
District of Columbia	122	0.037	0.031 - 0.044	89	0.054	0.044 - 0.067	33	0.020	0.014 - 0.028
Florida	11,480	0.068	0.067 - 0.070	8,540	0.104	0.102 - 0.106	2,940	0.034	0.033 - 0.036
Georgia	3,911	0.060	0.058 - 0.062	2,854	0.089	0.086 - 0.092	1,057	0.032	0.030 - 0.034
Hawaii	355	0.098	0.088 - 0.109	278	0.142	0.126 - 0.160	77	0.046	0.037 - 0.058
Idaho	835	0.050	0.046 - 0.053	603	0.072	0.066 - 0.078	232	0.028	0.024 - 0.032
Illinois	5,555	0.056	0.055 - 0.058	3,960	0.081	0.078 - 0.084	1,595	0.032	0.031 - 0.034
Indiana	3,297	0.057	0.055 - 0.059	2,424	0.085	0.082 - 0.089	873	0.030	0.028 - 0.032
Iowa	1,865	0.065	0.062 - 0.068	1,327	0.093	0.088 - 0.098	538	0.037	0.034 - 0.040
Kansas	1,319	0.052	0.049 - 0.054	959	0.075	0.071 - 0.080	360	0.028	0.025 - 0.031
Kentucky	2,454	0.062	0.059 - 0.064	1,763	0.090	0.086 - 0.095	691	0.034	0.032 - 0.037
Louisiana	1,930	0.065	0.062 - 0.068	1,404	0.096	0.091 - 0.101	526	0.035	0.032 - 0.038
Maine	925	0.072	0.067 - 0.077	665	0.106	0.098 - 0.114	260	0.040	0.035 - 0.045
Maryland	2,231	0.062	0.059 - 0.064	1,612	0.090	0.086 - 0.095	619	0.034	0.031 - 0.037
MI - Detroit	1,637	0.062	0.059 - 0.065	1,174	0.090	0.085 - 0.095	463	0.035	0.031 - 0.038
Minnesota	2,892	0.060	0.058 - 0.063	1,989	0.084	0.080 - 0.087	903	0.038	0.035 - 0.040
Mississippi	1,141	0.064	0.060 - 0.068	802	0.091	0.085 - 0.098	339	0.038	0.034 - 0.042
Missouri	3,101	0.060	0.058 - 0.062	2,312	0.091	0.087 - 0.095	789	0.030	0.028 - 0.032
Montana	557	0.058	0.053 - 0.063	414	0.085	0.077 - 0.094	143	0.030	0.025 - 0.035
Nebraska	975	0.057	0.053 - 0.060	706	0.082	0.076 - 0.089	269	0.031	0.028 - 0.035
New Hampshire	785	0.061	0.057 - 0.066	566	0.089	0.082 - 0.097	219	0.034	0.030 - 0.039
New Jersey	3,682	0.057	0.055 - 0.059	2,599	0.082	0.079 - 0.085	1,083	0.033	0.031 - 0.035
New Mexico	721	0.041	0.038 - 0.045	528	0.061	0.056 - 0.067	193	0.022	0.019 - 0.025
New York	7,700	0.056	0.055 - 0.057	5,332	0.079	0.077 - 0.081	2,368	0.034	0.032 - 0.035
North Carolina	4,547	0.061	0.059 - 0.063	3,304	0.090	0.087 - 0.093	1,243	0.033	0.031 - 0.035
North Dakota	377	0.056	0.051 - 0.062	270	0.079	0.070 - 0.089	107	0.033	0.027 - 0.039
Ohio	5,790	0.060	0.058 - 0.061	4,129	0.087	0.084 - 0.089	1,661	0.034	0.032 - 0.035
Oklahoma	1,672	0.055	0.052 - 0.058	1,212	0.080	0.076 - 0.085	460	0.030	0.027 - 0.033
Oregon	2,233	0.060	0.057 - 0.062	1,597	0.086	0.082 - 0.091	636	0.034	0.031 - 0.037
Pennsylvania	6,448	0.061	0.059 - 0.062	4,548	0.087	0.085 - 0.090	1,900	0.035	0.034 - 0.037
Rhode Island	531	0.059	0.054 - 0.064	334	0.076	0.068 - 0.085	197	0.043	0.037 - 0.049
South Carolina	2,223	0.062	0.060 - 0.065	1,637	0.094	0.089 - 0.098	586	0.032	0.030 - 0.035
Tennessee	3,338	0.062	0.060 - 0.064	2,490	0.094	0.090 - 0.097	848	0.031	0.029 - 0.033
Texas	10,033	0.044	0.043 - 0.045	7,384	0.064	0.063 - 0.066	2,649	0.023	0.022 - 0.024
Utah	933	0.032	0.030 - 0.034	653	0.044	0.041 - 0.048	280	0.019	0.017 - 0.022
Vermont	388	0.065	0.059 - 0.072	284	0.096	0.086 - 0.108	104	0.034	0.028 - 0.042
Washington	3,485	0.057	0.055 - 0.059	2,485	0.081	0.078 - 0.084	1,000	0.033	0.031 - 0.035
WA - Seattle	2,616	0.065	0.063 - 0.068	1,877	0.093	0.089 - 0.098	739	0.037	0.034 - 0.040
West Virginia	1,149	0.067	0.064 - 0.071	842	0.100	0.094 - 0.107	307	0.036	0.032 - 0.040
Wisconsin	3,068	0.060	0.058 - 0.062	2,192	0.086	0.082 - 0.090	876	0.034	0.032 - 0.036
Wyoming	253	0.046	0.041 - 0.053	175	0.063	0.054 - 0.073	78	0.029	0.023 - 0.036

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-102 Prevalence – Oral Cavity and Pharynx

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	28,012	0.011	0.011 - 0.011	22,536	0.018	0.018 - 0.018	5,483	0.004	0.004 - 0.004
Alabama	363	0.011	0.010 - 0.012	315	0.019	0.017 - 0.021	48	0.003	0.002 - 0.004
Alaska	60	0.012	0.009 - 0.015	*	*		*	*	
Arizona	602	0.010	0.009 - 0.011	490	0.016	0.015 - 0.018	112	0.004	0.003 - 0.004
Arkansas	236	0.010	0.009 - 0.011	196	0.016	0.014 - 0.019	40	0.003	0.002 - 0.004
California	2,195	0.008	0.007 - 0.008	1,731	0.012	0.011 - 0.012	464	0.003	0.003 - 0.004
CA - Greater California	1,414	0.008	0.008 - 0.009	1,123	0.013	0.012 - 0.014	291	0.003	0.003 - 0.004
CA - Greater Bay Area	423	0.009	0.008 - 0.010	324	0.014	0.013 - 0.016	99	0.004	0.004 - 0.005
CA - Los Angeles	359	0.005	0.004 - 0.006	284	0.008	0.007 - 0.009	75	0.002	0.002 - 0.003
Colorado	450	0.009	0.008 - 0.010	364	0.014	0.013 - 0.016	86	0.003	0.003 - 0.004
Connecticut	393	0.014	0.012 - 0.015	315	0.022	0.020 - 0.025	78	0.005	0.004 - 0.007
Delaware	110	0.016	0.013 - 0.019	88	0.026	0.021 - 0.033	22	0.006	0.004 - 0.009
District of Columbia	14	0.004	0.002 - 0.007	*	*		*	*	
Florida	2,348	0.014	0.013 - 0.015	1,909	0.023	0.022 - 0.024	439	0.005	0.005 - 0.006
Georgia	663	0.010	0.009 - 0.011	533	0.017	0.015 - 0.018	131	0.004	0.003 - 0.005
Hawaii	31	0.009	0.006 - 0.012	*	*		*	*	
Idaho	157	0.009	0.008 - 0.011	132	0.016	0.013 - 0.019	25	0.003	0.002 - 0.004
Illinois	1,129	0.011	0.011 - 0.012	919	0.019	0.018 - 0.020	210	0.004	0.004 - 0.005
Indiana	726	0.013	0.012 - 0.014	605	0.021	0.020 - 0.023	121	0.004	0.003 - 0.005
Iowa	424	0.015	0.013 - 0.016	352	0.025	0.022 - 0.027	73	0.005	0.004 - 0.006
Kansas	274	0.011	0.009 - 0.012	216	0.017	0.015 - 0.019	58	0.005	0.003 - 0.006
Kentucky	443	0.011	0.010 - 0.012	368	0.019	0.017 - 0.021	75	0.004	0.003 - 0.005
Louisiana	310	0.010	0.009 - 0.012	241	0.016	0.014 - 0.019	69	0.005	0.004 - 0.006
Maine	262	0.020	0.018 - 0.023	213	0.034	0.029 - 0.039	49	0.007	0.006 - 0.010
Maryland	444	0.012	0.011 - 0.013	357	0.020	0.018 - 0.022	87	0.005	0.004 - 0.006
MI - Detroit	376	0.014	0.013 - 0.016	301	0.023	0.020 - 0.026	75	0.006	0.004 - 0.007
Minnesota	572	0.012	0.011 - 0.013	447	0.019	0.017 - 0.021	125	0.005	0.004 - 0.006
Mississippi	202	0.011	0.010 - 0.013	170	0.019	0.017 - 0.022	32	0.004	0.002 - 0.005
Missouri	588	0.011	0.010 - 0.012	484	0.019	0.017 - 0.021	104	0.004	0.003 - 0.005
Montana	117	0.012	0.010 - 0.014	93	0.019	0.015 - 0.023	24	0.005	0.003 - 0.007
Nebraska	157	0.009	0.008 - 0.011	129	0.015	0.013 - 0.018	28	0.003	0.002 - 0.005
New Hampshire	237	0.019	0.016 - 0.021	200	0.032	0.027 - 0.036	37	0.006	0.004 - 0.008
New Jersey	754	0.012	0.011 - 0.012	598	0.019	0.017 - 0.020	156	0.005	0.004 - 0.006
New Mexico	158	0.009	0.008 - 0.011	124	0.014	0.012 - 0.017	34	0.004	0.003 - 0.005
New York	1,658	0.012	0.011 - 0.013	1,282	0.019	0.018 - 0.020	376	0.005	0.005 - 0.006
North Carolina	789	0.011	0.010 - 0.011	648	0.018	0.016 - 0.019	141	0.004	0.003 - 0.004
North Dakota	70	0.010	0.008 - 0.013	56	0.016	0.012 - 0.021	14	0.004	0.002 - 0.007
Ohio	1,303	0.013	0.013 - 0.014	1,052	0.022	0.021 - 0.023	251	0.005	0.004 - 0.006
Oklahoma	282	0.009	0.008 - 0.010	235	0.016	0.014 - 0.018	47	0.003	0.002 - 0.004
Oregon	471	0.013	0.011 - 0.014	377	0.020	0.018 - 0.023	94	0.005	0.004 - 0.006
Pennsylvania	1,508	0.014	0.014 - 0.015	1,197	0.023	0.022 - 0.024	311	0.006	0.005 - 0.006
Rhode Island	128	0.014	0.012 - 0.017	101	0.023	0.019 - 0.028	27	0.006	0.004 - 0.008
South Carolina	400	0.011	0.010 - 0.012	320	0.018	0.016 - 0.020	80	0.004	0.004 - 0.005
Tennessee	628	0.012	0.011 - 0.013	516	0.019	0.018 - 0.021	112	0.004	0.003 - 0.005
Texas	1,774	0.008	0.007 - 0.008	1,398	0.012	0.012 - 0.013	376	0.003	0.003 - 0.004
Utah	162	0.006	0.005 - 0.006	134	0.009	0.008 - 0.011	28	0.002	0.001 - 0.003
Vermont	91	0.015	0.012 - 0.019	78	0.026	0.021 - 0.033	13	0.004	0.002 - 0.007
Washington	695	0.011	0.010 - 0.012	546	0.018	0.016 - 0.019	149	0.005	0.004 - 0.006
WA - Seattle	450	0.011	0.010 - 0.012	345	0.017	0.015 - 0.019	105	0.005	0.004 - 0.006
West Virginia	241	0.014	0.012 - 0.016	188	0.022	0.019 - 0.026	53	0.006	0.005 - 0.008
Wisconsin	679	0.013	0.012 - 0.014	541	0.021	0.019 - 0.023	138	0.005	0.005 - 0.006
Wyoming	51	0.009	0.007 - 0.012	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	40,797	0.016	0.016 - 0.016	24,328	0.019	0.019 - 0.020	16,473	0.013	0.013 - 0.013
Alabama	580	0.017	0.016 - 0.018	320	0.019	0.017 - 0.021	260	0.015	0.013 - 0.017
Alaska	61	0.012	0.009 - 0.016	33	0.012	0.009 - 0.017	28	0.012	0.008 - 0.017
Arizona	822	0.014	0.013 - 0.014	501	0.017	0.015 - 0.018	321	0.011	0.009 - 0.012
Arkansas	370	0.015	0.014 - 0.017	224	0.019	0.016 - 0.021	146	0.012	0.010 - 0.014
California	4,560	0.016	0.015 - 0.016	2,605	0.018	0.017 - 0.019	1,955	0.013	0.013 - 0.014
CA - Greater California	2,447	0.014	0.014 - 0.015	1,412	0.016	0.015 - 0.017	1,035	0.012	0.011 - 0.013
CA - Greater Bay Area	808	0.018	0.017 - 0.019	479	0.021	0.019 - 0.023	329	0.015	0.013 - 0.016
CA - Los Angeles	1,308	0.018	0.017 - 0.019	715	0.020	0.018 - 0.021	593	0.016	0.015 - 0.018
Colorado	574	0.011	0.010 - 0.012	345	0.014	0.012 - 0.015	229	0.009	0.008 - 0.010
Connecticut	675	0.023	0.022 - 0.025	425	0.030	0.027 - 0.033	251	0.017	0.015 - 0.019
Delaware	123	0.018	0.015 - 0.021	78	0.023	0.019 - 0.029	45	0.013	0.009 - 0.017
District of Columbia	42	0.013	0.009 - 0.017	28	0.017	0.011 - 0.025	14	0.009	0.005 - 0.014
Florida	2,893	0.017	0.017 - 0.018	1,796	0.022	0.021 - 0.023	1,097	0.013	0.012 - 0.014
Georgia	856	0.013	0.012 - 0.014	475	0.015	0.013 - 0.016	381	0.012	0.011 - 0.013
Hawaii	64	0.018	0.014 - 0.023	41	0.021	0.015 - 0.028	23	0.014	0.009 - 0.021
Idaho	175	0.010	0.009 - 0.012	130	0.015	0.013 - 0.018	45	0.005	0.004 - 0.007
Illinois	1,828	0.019	0.018 - 0.019	1,100	0.022	0.021 - 0.024	728	0.015	0.014 - 0.016
Indiana	889	0.015	0.014 - 0.016	557	0.020	0.018 - 0.021	332	0.011	0.010 - 0.013
Iowa	335	0.012	0.010 - 0.013	205	0.014	0.012 - 0.016	130	0.009	0.007 - 0.011
Kansas	316	0.012	0.011 - 0.014	194	0.015	0.013 - 0.018	122	0.009	0.008 - 0.011
Kentucky	706	0.018	0.017 - 0.019	392	0.020	0.018 - 0.022	314	0.016	0.014 - 0.017
Louisiana	437	0.015	0.013 - 0.016	270	0.018	0.016 - 0.021	167	0.011	0.010 - 0.013
Maine	257	0.020	0.018 - 0.023	152	0.024	0.020 - 0.028	105	0.016	0.013 - 0.019
Maryland	613	0.017	0.016 - 0.018	368	0.021	0.019 - 0.023	245	0.013	0.012 - 0.015
MI - Detroit	410	0.015	0.014 - 0.017	241	0.018	0.016 - 0.021	169	0.013	0.011 - 0.015
Minnesota	719	0.015	0.014 - 0.016	461	0.019	0.018 - 0.021	258	0.011	0.009 - 0.012
Mississippi	298	0.017	0.015 - 0.019	163	0.019	0.016 - 0.022	135	0.015	0.013 - 0.018
Missouri	647	0.013	0.012 - 0.014	365	0.014	0.013 - 0.016	282	0.011	0.010 - 0.012
Montana	129	0.013	0.011 - 0.016	78	0.016	0.013 - 0.020	51	0.011	0.008 - 0.014
Nebraska	211	0.012	0.011 - 0.014	136	0.016	0.013 - 0.019	75	0.009	0.007 - 0.011
New Hampshire	245	0.019	0.017 - 0.022	143	0.023	0.019 - 0.027	102	0.016	0.013 - 0.019
New Jersey	1,530	0.024	0.022 - 0.025	892	0.028	0.026 - 0.030	638	0.019	0.018 - 0.021
New Mexico	273	0.016	0.014 - 0.018	151	0.018	0.015 - 0.021	122	0.014	0.012 - 0.017
New York	3,363	0.024	0.024 - 0.025	1,933	0.029	0.027 - 0.030	1,430	0.020	0.019 - 0.021
North Carolina	1,186	0.016	0.015 - 0.017	700	0.019	0.018 - 0.020	486	0.013	0.012 - 0.014
North Dakota	97	0.014	0.012 - 0.018	67	0.020	0.015 - 0.025	30	0.009	0.006 - 0.013
Ohio	1,545	0.016	0.015 - 0.017	956	0.020	0.019 - 0.021	589	0.012	0.011 - 0.013
Oklahoma	378	0.012	0.011 - 0.014	210	0.014	0.012 - 0.016	168	0.011	0.009 - 0.013
Oregon	496	0.013	0.012 - 0.015	298	0.016	0.014 - 0.018	198	0.011	0.009 - 0.012
Pennsylvania	1,839	0.017	0.017 - 0.018	1,184	0.023	0.021 - 0.024	655	0.012	0.011 - 0.013
Rhode Island	202	0.022	0.019 - 0.026	123	0.028	0.023 - 0.034	79	0.017	0.014 - 0.021
South Carolina	557	0.016	0.014 - 0.017	335	0.019	0.017 - 0.021	222	0.012	0.011 - 0.014
Tennessee	747	0.014	0.013 - 0.015	453	0.017	0.016 - 0.019	294	0.011	0.009 - 0.012
Texas	3,102	0.013	0.013 - 0.014	1,716	0.015	0.014 - 0.016	1,386	0.012	0.011 - 0.013
Utah	228	0.008	0.007 - 0.009	135	0.009	0.008 - 0.011	93	0.006	0.005 - 0.008
Vermont	113	0.019	0.016 - 0.023	73	0.025	0.019 - 0.031	40	0.013	0.009 - 0.018
Washington	777	0.013	0.012 - 0.014	484	0.016	0.014 - 0.017	293	0.010	0.009 - 0.011
WA - Seattle	537	0.013	0.012 - 0.015	333	0.017	0.015 - 0.018	204	0.010	0.009 - 0.012
West Virginia	270	0.016	0.014 - 0.018	159	0.019	0.016 - 0.022	111	0.013	0.011 - 0.015
Wisconsin	875	0.017	0.016 - 0.018	597	0.023	0.022 - 0.025	278	0.011	0.010 - 0.012
Wyoming	65	0.012	0.009 - 0.015	49	0.018	0.013 - 0.023	16	0.006	0.003 - 0.010

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	393,597	0.154	0.154 - 0.155	207,882	0.165	0.164 - 0.165	185,732	0.145	0.144 - 0.145
Alabama	6,101	0.178	0.173 - 0.182	3,223	0.191	0.185 - 0.198	2,878	0.165	0.159 - 0.171
Alaska	677	0.134	0.124 - 0.144	396	0.148	0.134 - 0.164	281	0.118	0.105 - 0.133
Arizona	7,963	0.131	0.128 - 0.134	4,246	0.141	0.136 - 0.145	3,717	0.122	0.118 - 0.126
Arkansas	4,280	0.177	0.171 - 0.182	2,307	0.193	0.185 - 0.201	1,973	0.161	0.154 - 0.168
California	38,065	0.131	0.130 - 0.132	20,093	0.138	0.136 - 0.140	17,972	0.124	0.122 - 0.126
CA - Greater California	22,629	0.131	0.129 - 0.132	11,926	0.138	0.135 - 0.140	10,703	0.124	0.121 - 0.126
CA - Greater Bay Area	6,491	0.143	0.140 - 0.147	3,414	0.149	0.144 - 0.154	3,076	0.137	0.133 - 0.142
CA - Los Angeles	8,952	0.124	0.121 - 0.126	4,755	0.132	0.128 - 0.135	4,197	0.116	0.113 - 0.120
Colorado	5,959	0.118	0.115 - 0.121	3,154	0.124	0.119 - 0.128	2,805	0.111	0.107 - 0.116
Connecticut	4,714	0.163	0.158 - 0.168	2,416	0.171	0.164 - 0.178	2,298	0.156	0.149 - 0.162
Delaware	1,189	0.174	0.164 - 0.184	620	0.186	0.172 - 0.201	569	0.162	0.149 - 0.176
District of Columbia	271	0.083	0.073 - 0.093	132	0.081	0.067 - 0.096	139	0.085	0.071 - 0.100
Florida	27,727	0.165	0.163 - 0.167	14,543	0.177	0.174 - 0.180	13,184	0.155	0.152 - 0.157
Georgia	10,012	0.155	0.152 - 0.158	5,445	0.169	0.165 - 0.174	4,567	0.140	0.136 - 0.144
Hawaii	681	0.189	0.175 - 0.203	395	0.202	0.183 - 0.223	286	0.173	0.153 - 0.194
Idaho	2,129	0.127	0.122 - 0.133	1,164	0.138	0.131 - 0.147	966	0.116	0.108 - 0.123
Illinois	16,828	0.171	0.168 - 0.173	8,883	0.182	0.178 - 0.186	7,945	0.160	0.156 - 0.163
Indiana	9,770	0.169	0.166 - 0.173	5,156	0.181	0.176 - 0.186	4,614	0.158	0.154 - 0.163
Iowa	5,241	0.181	0.176 - 0.186	2,701	0.188	0.181 - 0.196	2,540	0.174	0.168 - 0.181
Kansas	4,062	0.159	0.154 - 0.164	2,136	0.168	0.161 - 0.175	1,926	0.150	0.143 - 0.157
Kentucky	7,678	0.194	0.189 - 0.198	4,123	0.211	0.205 - 0.218	3,555	0.177	0.171 - 0.182
Louisiana	5,306	0.179	0.174 - 0.184	2,897	0.198	0.191 - 0.205	2,409	0.161	0.154 - 0.167
Maine	2,207	0.172	0.165 - 0.179	1,122	0.179	0.168 - 0.189	1,085	0.165	0.156 - 0.175
Maryland	5,435	0.150	0.146 - 0.154	2,788	0.156	0.150 - 0.162	2,647	0.145	0.139 - 0.150
MI - Detroit	4,585	0.173	0.168 - 0.178	2,357	0.180	0.173 - 0.188	2,228	0.166	0.160 - 0.173
Minnesota	7,765	0.162	0.159 - 0.166	4,102	0.172	0.167 - 0.178	3,663	0.152	0.147 - 0.157
Mississippi	3,487	0.196	0.190 - 0.203	1,845	0.210	0.200 - 0.220	1,642	0.182	0.174 - 0.192
Missouri	8,533	0.165	0.162 - 0.169	4,458	0.175	0.170 - 0.181	4,075	0.156	0.151 - 0.161
Montana	1,552	0.161	0.153 - 0.169	875	0.180	0.168 - 0.192	677	0.141	0.131 - 0.152
Nebraska	2,988	0.174	0.167 - 0.180	1,543	0.180	0.171 - 0.189	1,445	0.167	0.159 - 0.176
New Hampshire	2,085	0.163	0.156 - 0.170	1,123	0.177	0.167 - 0.188	962	0.149	0.139 - 0.158
New Jersey	11,605	0.179	0.176 - 0.182	5,999	0.188	0.184 - 0.193	5,606	0.170	0.166 - 0.174
New Mexico	2,396	0.138	0.132 - 0.143	1,239	0.144	0.136 - 0.152	1,157	0.132	0.124 - 0.140
New York	22,758	0.165	0.163 - 0.167	11,769	0.174	0.171 - 0.177	10,989	0.157	0.154 - 0.159
North Carolina	11,069	0.148	0.145 - 0.151	5,815	0.158	0.154 - 0.162	5,254	0.138	0.134 - 0.142
North Dakota	1,090	0.162	0.153 - 0.172	598	0.174	0.160 - 0.189	492	0.150	0.137 - 0.164
Ohio	16,646	0.172	0.169 - 0.175	8,612	0.181	0.177 - 0.185	8,034	0.163	0.160 - 0.167
Oklahoma	4,731	0.155	0.151 - 0.160	2,516	0.167	0.160 - 0.173	2,215	0.144	0.138 - 0.150
Oregon	5,402	0.145	0.141 - 0.149	2,844	0.154	0.148 - 0.159	2,558	0.136	0.131 - 0.141
Pennsylvania	19,109	0.181	0.178 - 0.183	9,912	0.191	0.187 - 0.194	9,197	0.171	0.167 - 0.174
Rhode Island	1,360	0.151	0.143 - 0.159	697	0.159	0.148 - 0.172	663	0.143	0.132 - 0.154
South Carolina	5,413	0.152	0.148 - 0.156	2,848	0.163	0.157 - 0.169	2,565	0.142	0.136 - 0.147
Tennessee	8,899	0.164	0.161 - 0.168	4,686	0.176	0.171 - 0.181	4,213	0.153	0.148 - 0.158
Texas	29,700	0.129	0.128 - 0.131	16,468	0.144	0.141 - 0.146	13,232	0.115	0.113 - 0.117
Utah	2,516	0.086	0.083 - 0.089	1,299	0.088	0.083 - 0.093	1,217	0.084	0.079 - 0.088
Vermont	913	0.153	0.143 - 0.163	475	0.161	0.147 - 0.176	438	0.145	0.132 - 0.159
Washington	8,464	0.138	0.135 - 0.141	4,391	0.143	0.139 - 0.147	4,073	0.133	0.129 - 0.137
WA - Seattle	5,911	0.148	0.144 - 0.151	3,101	0.154	0.149 - 0.160	2,810	0.141	0.136 - 0.146
West Virginia	3,566	0.209	0.202 - 0.216	1,908	0.227	0.217 - 0.237	1,658	0.192	0.183 - 0.202
Wisconsin	7,966	0.156	0.152 - 0.159	4,205	0.165	0.160 - 0.170	3,761	0.146	0.142 - 0.151
Wyoming	710	0.130	0.121 - 0.140	390	0.141	0.127 - 0.155	320	0.120	0.107 - 0.134

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	45,105	0.018	0.018 - 0.018	31,994	0.025	0.025 - 0.026	13,119	0.010	0.010 - 0.010
Alabama	514	0.015	0.014 - 0.016	352	0.021	0.019 - 0.023	162	0.009	0.008 - 0.011
Alaska	80	0.016	0.013 - 0.020	62	0.023	0.018 - 0.030	18	0.008	0.004 - 0.012
Arizona	1,077	0.018	0.017 - 0.019	745	0.025	0.023 - 0.027	332	0.011	0.010 - 0.012
Arkansas	440	0.018	0.017 - 0.020	327	0.027	0.024 - 0.030	113	0.009	0.008 - 0.011
California	5,564	0.019	0.019 - 0.020	3,938	0.027	0.026 - 0.028	1,627	0.011	0.011 - 0.012
CA - Greater California	3,374	0.019	0.019 - 0.020	2,401	0.028	0.027 - 0.029	973	0.011	0.011 - 0.012
CA - Greater Bay Area	1,033	0.023	0.021 - 0.024	754	0.033	0.030 - 0.035	279	0.012	0.011 - 0.014
CA - Los Angeles	1,159	0.016	0.015 - 0.017	784	0.022	0.020 - 0.023	375	0.010	0.009 - 0.011
Colorado	744	0.015	0.014 - 0.016	545	0.021	0.020 - 0.023	199	0.008	0.007 - 0.009
Connecticut	576	0.020	0.018 - 0.022	437	0.031	0.028 - 0.034	139	0.009	0.008 - 0.011
Delaware	133	0.019	0.016 - 0.023	98	0.029	0.024 - 0.036	35	0.010	0.007 - 0.014
District of Columbia	30	0.009	0.006 - 0.013	20	0.012	0.007 - 0.019	10	0.006	0.003 - 0.011
Florida	3,335	0.020	0.019 - 0.021	2,298	0.028	0.027 - 0.029	1,037	0.012	0.011 - 0.013
Georgia	1,030	0.016	0.015 - 0.017	734	0.023	0.021 - 0.025	296	0.009	0.008 - 0.010
Hawaii	83	0.023	0.018 - 0.029	66	0.034	0.026 - 0.043	17	0.010	0.006 - 0.016
Idaho	222	0.013	0.012 - 0.015	164	0.019	0.017 - 0.023	59	0.007	0.005 - 0.009
Illinois	1,630	0.017	0.016 - 0.017	1,097	0.022	0.021 - 0.024	533	0.011	0.010 - 0.012
Indiana	859	0.015	0.014 - 0.016	608	0.021	0.020 - 0.023	251	0.009	0.008 - 0.010
Iowa	400	0.014	0.013 - 0.015	285	0.020	0.018 - 0.022	116	0.008	0.007 - 0.010
Kansas	392	0.015	0.014 - 0.017	288	0.023	0.020 - 0.025	104	0.008	0.007 - 0.010
Kentucky	608	0.015	0.014 - 0.017	434	0.022	0.020 - 0.024	174	0.009	0.007 - 0.010
Louisiana	597	0.020	0.019 - 0.022	435	0.030	0.027 - 0.033	163	0.011	0.009 - 0.013
Maine	179	0.014	0.012 - 0.016	134	0.021	0.018 - 0.025	45	0.007	0.005 - 0.009
Maryland	626	0.017	0.016 - 0.019	428	0.024	0.022 - 0.026	198	0.011	0.009 - 0.012
MI - Detroit	487	0.018	0.017 - 0.020	342	0.026	0.023 - 0.029	146	0.011	0.009 - 0.013
Minnesota	704	0.015	0.014 - 0.016	497	0.021	0.019 - 0.023	207	0.009	0.007 - 0.010
Mississippi	410	0.023	0.021 - 0.025	292	0.033	0.030 - 0.037	118	0.013	0.011 - 0.016
Missouri	782	0.015	0.014 - 0.016	563	0.022	0.020 - 0.024	219	0.008	0.007 - 0.010
Montana	136	0.014	0.012 - 0.017	103	0.021	0.017 - 0.026	33	0.007	0.005 - 0.010
Nebraska	164	0.010	0.008 - 0.011	117	0.014	0.011 - 0.016	47	0.005	0.004 - 0.007
New Hampshire	174	0.014	0.012 - 0.016	131	0.021	0.017 - 0.025	43	0.007	0.005 - 0.009
New Jersey	1,190	0.018	0.017 - 0.019	848	0.027	0.025 - 0.029	341	0.010	0.009 - 0.012
New Mexico	355	0.020	0.018 - 0.023	262	0.030	0.027 - 0.034	93	0.011	0.008 - 0.013
New York	2,643	0.019	0.018 - 0.020	1,901	0.028	0.027 - 0.029	742	0.011	0.010 - 0.011
North Carolina	1,337	0.018	0.017 - 0.019	967	0.026	0.025 - 0.028	370	0.010	0.009 - 0.011
North Dakota	58	0.009	0.007 - 0.011	35	0.010	0.007 - 0.014	23	0.007	0.004 - 0.011
Ohio	1,349	0.014	0.013 - 0.015	929	0.020	0.018 - 0.021	420	0.009	0.008 - 0.009
Oklahoma	432	0.014	0.013 - 0.016	310	0.021	0.018 - 0.023	122	0.008	0.007 - 0.009
Oregon	824	0.022	0.021 - 0.024	594	0.032	0.030 - 0.035	230	0.012	0.011 - 0.014
Pennsylvania	1,941	0.018	0.018 - 0.019	1,439	0.028	0.026 - 0.029	502	0.009	0.009 - 0.010
Rhode Island	162	0.018	0.015 - 0.021	124	0.028	0.024 - 0.034	38	0.008	0.006 - 0.011
South Carolina	613	0.017	0.016 - 0.019	449	0.026	0.023 - 0.028	164	0.009	0.008 - 0.011
Tennessee	897	0.017	0.016 - 0.018	631	0.024	0.022 - 0.026	266	0.010	0.009 - 0.011
Texas	4,903	0.021	0.021 - 0.022	3,429	0.030	0.029 - 0.031	1,474	0.013	0.012 - 0.013
Utah	312	0.011	0.010 - 0.012	203	0.014	0.012 - 0.016	109	0.007	0.006 - 0.009
Vermont	71	0.012	0.009 - 0.015	52	0.018	0.013 - 0.023	19	0.006	0.004 - 0.010
Washington	1,186	0.019	0.018 - 0.020	842	0.027	0.026 - 0.029	344	0.011	0.010 - 0.012
WA - Seattle	827	0.021	0.019 - 0.022	598	0.030	0.027 - 0.032	229	0.011	0.010 - 0.013
West Virginia	265	0.016	0.014 - 0.018	179	0.021	0.018 - 0.025	86	0.010	0.008 - 0.012
Wisconsin	836	0.016	0.015 - 0.017	581	0.023	0.021 - 0.025	255	0.010	0.009 - 0.011
Wyoming	64	0.012	0.009 - 0.015	47	0.017	0.012 - 0.023	17	0.006	0.004 - 0.010

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-106 Prevalence – Liver and Intrahepatic Bile Duct

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	52,332	0.021	0.020 - 0.021	27,757	0.022	0.022 - 0.022	24,578	0.019	0.019 - 0.019
Alabama	645	0.019	0.017 - 0.020	347	0.021	0.018 - 0.023	298	0.017	0.015 - 0.019
Alaska	66	0.013	0.010 - 0.017	37	0.014	0.010 - 0.019	29	0.012	0.008 - 0.017
Arizona	1,107	0.018	0.017 - 0.019	590	0.020	0.018 - 0.021	517	0.017	0.015 - 0.018
Arkansas	364	0.015	0.014 - 0.017	201	0.017	0.015 - 0.019	163	0.013	0.011 - 0.015
California	4,951	0.017	0.017 - 0.018	2,589	0.018	0.017 - 0.018	2,362	0.016	0.016 - 0.017
CA - Greater California	2,869	0.017	0.016 - 0.017	1,514	0.017	0.017 - 0.018	1,355	0.016	0.015 - 0.017
CA - Greater Bay Area	977	0.022	0.020 - 0.023	520	0.023	0.021 - 0.025	457	0.020	0.019 - 0.022
CA - Los Angeles	1,106	0.015	0.014 - 0.016	554	0.015	0.014 - 0.017	552	0.015	0.014 - 0.017
Colorado	844	0.017	0.016 - 0.018	462	0.018	0.016 - 0.020	382	0.015	0.014 - 0.017
Connecticut	745	0.026	0.024 - 0.028	401	0.028	0.026 - 0.031	344	0.023	0.021 - 0.026
Delaware	169	0.025	0.021 - 0.029	90	0.027	0.022 - 0.033	79	0.022	0.018 - 0.028
District of Columbia	52	0.016	0.012 - 0.021	22	0.013	0.008 - 0.020	30	0.018	0.012 - 0.026
Florida	4,111	0.025	0.024 - 0.025	2,153	0.026	0.025 - 0.027	1,958	0.023	0.022 - 0.024
Georgia	1,122	0.017	0.016 - 0.018	611	0.019	0.018 - 0.021	511	0.016	0.014 - 0.017
Hawaii	62	0.017	0.013 - 0.022	38	0.019	0.014 - 0.026	24	0.015	0.009 - 0.022
Idaho	293	0.017	0.016 - 0.020	159	0.019	0.016 - 0.022	134	0.016	0.013 - 0.019
Illinois	2,210	0.022	0.021 - 0.023	1,170	0.024	0.023 - 0.025	1,040	0.021	0.020 - 0.022
Indiana	1,194	0.021	0.020 - 0.022	626	0.022	0.020 - 0.024	568	0.019	0.018 - 0.021
Iowa	648	0.022	0.021 - 0.024	367	0.026	0.023 - 0.028	282	0.019	0.017 - 0.022
Kansas	486	0.019	0.017 - 0.021	253	0.020	0.018 - 0.023	233	0.018	0.016 - 0.021
Kentucky	739	0.019	0.017 - 0.020	396	0.020	0.018 - 0.022	343	0.017	0.015 - 0.019
Louisiana	587	0.020	0.018 - 0.021	311	0.021	0.019 - 0.024	276	0.018	0.016 - 0.021
Maine	276	0.021	0.019 - 0.024	140	0.022	0.019 - 0.026	136	0.021	0.017 - 0.025
Maryland	835	0.023	0.022 - 0.025	457	0.026	0.023 - 0.028	378	0.021	0.019 - 0.023
MI - Detroit	610	0.023	0.021 - 0.025	325	0.025	0.022 - 0.028	285	0.021	0.019 - 0.024
Minnesota	1,154	0.024	0.023 - 0.026	610	0.026	0.024 - 0.028	544	0.023	0.021 - 0.025
Mississippi	325	0.018	0.016 - 0.020	164	0.019	0.016 - 0.022	161	0.018	0.015 - 0.021
Missouri	1,010	0.020	0.018 - 0.021	539	0.021	0.019 - 0.023	471	0.018	0.016 - 0.020
Montana	202	0.021	0.018 - 0.024	111	0.023	0.019 - 0.027	91	0.019	0.015 - 0.023
Nebraska	331	0.019	0.017 - 0.021	163	0.019	0.016 - 0.022	168	0.019	0.017 - 0.023
New Hampshire	343	0.027	0.024 - 0.030	183	0.029	0.025 - 0.033	160	0.025	0.021 - 0.029
New Jersey	1,807	0.028	0.027 - 0.029	966	0.030	0.028 - 0.032	840	0.025	0.024 - 0.027
New Mexico	309	0.018	0.016 - 0.020	166	0.019	0.016 - 0.022	143	0.016	0.014 - 0.019
New York	3,761	0.027	0.026 - 0.028	1,973	0.029	0.028 - 0.030	1,788	0.025	0.024 - 0.027
North Carolina	1,518	0.020	0.019 - 0.021	797	0.022	0.020 - 0.023	721	0.019	0.018 - 0.020
North Dakota	125	0.019	0.015 - 0.022	70	0.020	0.016 - 0.026	55	0.017	0.013 - 0.022
Ohio	1,986	0.021	0.020 - 0.021	1,057	0.022	0.021 - 0.024	929	0.019	0.018 - 0.020
Oklahoma	444	0.015	0.013 - 0.016	232	0.015	0.013 - 0.017	212	0.014	0.012 - 0.016
Oregon	814	0.022	0.020 - 0.023	433	0.023	0.021 - 0.026	381	0.020	0.018 - 0.022
Pennsylvania	2,765	0.026	0.025 - 0.027	1,434	0.028	0.026 - 0.029	1,331	0.025	0.023 - 0.026
Rhode Island	218	0.024	0.021 - 0.028	106	0.024	0.020 - 0.029	112	0.024	0.020 - 0.029
South Carolina	687	0.019	0.018 - 0.021	362	0.021	0.019 - 0.023	325	0.018	0.016 - 0.020
Tennessee	957	0.018	0.017 - 0.019	509	0.019	0.018 - 0.021	448	0.016	0.015 - 0.018
Texas	3,745	0.016	0.016 - 0.017	1,979	0.017	0.017 - 0.018	1,766	0.015	0.015 - 0.016
Utah	317	0.011	0.010 - 0.012	176	0.012	0.010 - 0.014	141	0.010	0.008 - 0.011
Vermont	144	0.024	0.020 - 0.028	74	0.025	0.020 - 0.032	70	0.023	0.018 - 0.029
Washington	1,325	0.022	0.020 - 0.023	713	0.023	0.022 - 0.025	612	0.020	0.018 - 0.022
WA - Seattle	875	0.022	0.020 - 0.023	462	0.023	0.021 - 0.025	414	0.021	0.019 - 0.023
West Virginia	348	0.020	0.018 - 0.023	178	0.021	0.018 - 0.025	170	0.020	0.017 - 0.023
Wisconsin	1,217	0.024	0.022 - 0.025	688	0.027	0.025 - 0.029	529	0.021	0.019 - 0.022
Wyoming	98	0.018	0.015 - 0.022	56	0.020	0.015 - 0.026	42	0.016	0.011 - 0.021

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	35,427	0.014	0.014 - 0.014	28,091	0.022	0.022 - 0.022	7,343	0.006	0.006 - 0.006
Alabama	625	0.018	0.017 - 0.020	494	0.029	0.027 - 0.032	131	0.007	0.006 - 0.009
Alaska	59	0.012	0.009 - 0.015	48	0.018	0.013 - 0.024	11	0.005	0.002 - 0.008
Arizona	507	0.008	0.008 - 0.009	411	0.014	0.012 - 0.015	96	0.003	0.003 - 0.004
Arkansas	405	0.017	0.015 - 0.018	304	0.025	0.023 - 0.028	101	0.008	0.007 - 0.010
California	2,173	0.007	0.007 - 0.008	1,806	0.012	0.012 - 0.013	367	0.003	0.002 - 0.003
CA - Greater California	1,354	0.008	0.007 - 0.008	1,112	0.013	0.012 - 0.014	242	0.003	0.002 - 0.003
CA - Greater Bay Area	364	0.008	0.007 - 0.009	308	0.013	0.012 - 0.015	56	0.003	0.002 - 0.003
CA - Los Angeles	455	0.006	0.006 - 0.007	386	0.011	0.010 - 0.012	69	0.002	0.001 - 0.002
Colorado	451	0.009	0.008 - 0.010	360	0.014	0.013 - 0.016	91	0.004	0.003 - 0.004
Connecticut	493	0.017	0.016 - 0.019	378	0.027	0.024 - 0.030	115	0.008	0.006 - 0.009
Delaware	130	0.019	0.016 - 0.023	90	0.027	0.022 - 0.033	40	0.011	0.008 - 0.015
District of Columbia	17	0.005	0.003 - 0.008	*	*		*	*	
Florida	3,108	0.019	0.018 - 0.019	2,546	0.031	0.030 - 0.032	562	0.007	0.006 - 0.007
Georgia	961	0.015	0.014 - 0.016	753	0.023	0.022 - 0.025	207	0.006	0.006 - 0.007
Hawaii	66	0.018	0.014 - 0.023	56	0.029	0.022 - 0.037	10	0.006	0.003 - 0.011
Idaho	126	0.008	0.006 - 0.009	95	0.011	0.009 - 0.014	31	0.004	0.003 - 0.005
Illinois	1,593	0.016	0.015 - 0.017	1,243	0.025	0.024 - 0.027	350	0.007	0.006 - 0.008
Indiana	987	0.017	0.016 - 0.018	751	0.026	0.025 - 0.028	236	0.008	0.007 - 0.009
Iowa	468	0.016	0.015 - 0.018	382	0.027	0.024 - 0.029	86	0.006	0.005 - 0.007
Kansas	325	0.013	0.011 - 0.014	260	0.020	0.018 - 0.023	65	0.005	0.004 - 0.006
Kentucky	875	0.022	0.021 - 0.024	633	0.032	0.030 - 0.035	242	0.012	0.011 - 0.014
Louisiana	644	0.022	0.020 - 0.023	491	0.033	0.031 - 0.037	154	0.010	0.009 - 0.012
Maine	241	0.019	0.016 - 0.021	184	0.029	0.025 - 0.034	57	0.009	0.007 - 0.011
Maryland	461	0.013	0.012 - 0.014	368	0.021	0.019 - 0.023	93	0.005	0.004 - 0.006
MI - Detroit	462	0.017	0.016 - 0.019	363	0.028	0.025 - 0.031	100	0.007	0.006 - 0.009
Minnesota	605	0.013	0.012 - 0.014	488	0.020	0.019 - 0.022	117	0.005	0.004 - 0.006
Mississippi	321	0.018	0.016 - 0.020	239	0.027	0.024 - 0.031	82	0.009	0.007 - 0.011
Missouri	879	0.017	0.016 - 0.018	665	0.026	0.024 - 0.028	214	0.008	0.007 - 0.009
Montana	114	0.012	0.010 - 0.014	92	0.019	0.015 - 0.023	22	0.005	0.003 - 0.007
Nebraska	214	0.012	0.011 - 0.014	168	0.020	0.017 - 0.023	46	0.005	0.004 - 0.007
New Hampshire	192	0.015	0.013 - 0.017	151	0.024	0.020 - 0.028	41	0.006	0.005 - 0.009
New Jersey	920	0.014	0.013 - 0.015	771	0.024	0.023 - 0.026	149	0.005	0.004 - 0.005
New Mexico	156	0.009	0.008 - 0.011	125	0.014	0.012 - 0.017	32	0.004	0.002 - 0.005
New York	2,029	0.015	0.014 - 0.015	1,599	0.024	0.022 - 0.025	429	0.006	0.006 - 0.007
North Carolina	1,256	0.017	0.016 - 0.018	985	0.027	0.025 - 0.028	271	0.007	0.006 - 0.008
North Dakota	90	0.013	0.011 - 0.016	76	0.022	0.017 - 0.028	14	0.004	0.002 - 0.007
Ohio	1,769	0.018	0.017 - 0.019	1,376	0.029	0.027 - 0.030	393	0.008	0.007 - 0.009
Oklahoma	436	0.014	0.013 - 0.016	333	0.022	0.020 - 0.025	103	0.007	0.005 - 0.008
Oregon	405	0.011	0.010 - 0.012	332	0.018	0.016 - 0.020	73	0.004	0.003 - 0.005
Pennsylvania	1,814	0.017	0.016 - 0.018	1,416	0.027	0.026 - 0.029	398	0.007	0.007 - 0.008
Rhode Island	156	0.017	0.015 - 0.020	123	0.028	0.023 - 0.034	33	0.007	0.005 - 0.010
South Carolina	607	0.017	0.016 - 0.018	475	0.027	0.025 - 0.030	132	0.007	0.006 - 0.009
Tennessee	967	0.018	0.017 - 0.019	740	0.028	0.026 - 0.030	227	0.008	0.007 - 0.009
Texas	2,318	0.010	0.010 - 0.011	1,919	0.017	0.016 - 0.018	399	0.003	0.003 - 0.004
Utah	141	0.005	0.004 - 0.006	122	0.008	0.007 - 0.010	19	0.001	0.001 - 0.002
Vermont	93	0.016	0.013 - 0.019	70	0.024	0.019 - 0.030	23	0.008	0.005 - 0.011
Washington	607	0.010	0.009 - 0.011	492	0.016	0.015 - 0.017	115	0.004	0.003 - 0.005
WA - Seattle	409	0.010	0.009 - 0.011	334	0.017	0.015 - 0.018	75	0.004	0.003 - 0.005
West Virginia	404	0.024	0.021 - 0.026	299	0.036	0.032 - 0.040	105	0.012	0.010 - 0.015
Wisconsin	794	0.016	0.014 - 0.017	652	0.026	0.024 - 0.028	142	0.006	0.005 - 0.007
Wyoming	66	0.012	0.009 - 0.015	47	0.017	0.012 - 0.023	19	0.007	0.004 - 0.011

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	351,655	0.138	0.137 - 0.138	161,912	0.128	0.127 - 0.129	189,741	0.148	0.147 - 0.148
Alabama	5,067	0.148	0.144 - 0.152	2,556	0.152	0.146 - 0.158	2,511	0.144	0.138 - 0.149
Alaska	496	0.098	0.090 - 0.107	255	0.096	0.084 - 0.108	241	0.101	0.089 - 0.115
Arizona	6,702	0.110	0.108 - 0.113	2,970	0.098	0.095 - 0.102	3,732	0.122	0.118 - 0.126
Arkansas	4,243	0.175	0.170 - 0.180	2,094	0.175	0.168 - 0.183	2,149	0.175	0.168 - 0.183
California	23,947	0.082	0.081 - 0.083	10,474	0.072	0.070 - 0.073	13,474	0.093	0.091 - 0.095
CA - Greater California	15,185	0.088	0.086 - 0.089	6,598	0.076	0.074 - 0.078	8,587	0.099	0.097 - 0.101
CA - Greater Bay Area	4,124	0.091	0.088 - 0.094	1,783	0.078	0.074 - 0.081	2,341	0.105	0.100 - 0.109
CA - Los Angeles	4,636	0.064	0.062 - 0.066	2,091	0.058	0.055 - 0.060	2,546	0.070	0.068 - 0.073
Colorado	4,327	0.085	0.083 - 0.088	1,898	0.074	0.071 - 0.078	2,429	0.096	0.093 - 0.100
Connecticut	5,272	0.182	0.177 - 0.187	2,373	0.168	0.161 - 0.175	2,899	0.196	0.189 - 0.204
Delaware	1,341	0.196	0.186 - 0.207	578	0.174	0.160 - 0.188	763	0.217	0.202 - 0.233
District of Columbia	146	0.045	0.038 - 0.052	55	0.034	0.025 - 0.044	91	0.055	0.045 - 0.068
Florida	29,426	0.176	0.174 - 0.178	13,556	0.165	0.162 - 0.168	15,870	0.186	0.183 - 0.189
Georgia	8,993	0.139	0.136 - 0.142	4,369	0.136	0.132 - 0.140	4,624	0.142	0.137 - 0.146
Hawaii	414	0.115	0.104 - 0.126	224	0.115	0.100 - 0.131	190	0.115	0.099 - 0.132
Idaho	1,650	0.098	0.094 - 0.103	754	0.090	0.083 - 0.096	896	0.107	0.100 - 0.115
Illinois	15,015	0.152	0.150 - 0.155	6,820	0.139	0.136 - 0.143	8,195	0.165	0.161 - 0.168
Indiana	9,159	0.159	0.156 - 0.162	4,353	0.153	0.148 - 0.157	4,806	0.165	0.160 - 0.169
Iowa	4,305	0.149	0.145 - 0.153	2,097	0.146	0.140 - 0.153	2,209	0.152	0.145 - 0.158
Kansas	3,403	0.133	0.129 - 0.138	1,550	0.122	0.116 - 0.128	1,853	0.144	0.138 - 0.151
Kentucky	7,724	0.195	0.191 - 0.199	3,699	0.190	0.184 - 0.196	4,025	0.200	0.194 - 0.206
Louisiana	4,175	0.141	0.137 - 0.145	2,015	0.137	0.132 - 0.144	2,160	0.144	0.138 - 0.150
Maine	2,557	0.199	0.191 - 0.207	1,153	0.183	0.173 - 0.194	1,404	0.214	0.203 - 0.225
Maryland	5,267	0.146	0.142 - 0.150	2,262	0.127	0.121 - 0.132	3,005	0.164	0.158 - 0.170
MI - Detroit	4,424	0.167	0.162 - 0.172	1,928	0.147	0.141 - 0.154	2,496	0.186	0.179 - 0.194
Minnesota	6,943	0.145	0.142 - 0.149	3,201	0.134	0.130 - 0.139	3,742	0.156	0.151 - 0.161
Mississippi	3,370	0.189	0.183 - 0.196	1,683	0.191	0.182 - 0.201	1,687	0.187	0.179 - 0.197
Missouri	8,648	0.168	0.164 - 0.171	4,049	0.159	0.154 - 0.164	4,599	0.176	0.171 - 0.181
Montana	1,237	0.128	0.121 - 0.135	557	0.114	0.105 - 0.124	680	0.142	0.131 - 0.153
Nebraska	2,174	0.126	0.121 - 0.132	1,060	0.124	0.116 - 0.131	1,114	0.129	0.122 - 0.137
New Hampshire	2,172	0.170	0.163 - 0.177	920	0.145	0.136 - 0.155	1,252	0.194	0.183 - 0.205
New Jersey	10,193	0.157	0.154 - 0.160	4,257	0.134	0.130 - 0.138	5,936	0.180	0.175 - 0.185
New Mexico	1,474	0.085	0.080 - 0.089	671	0.078	0.072 - 0.084	803	0.091	0.085 - 0.098
New York	24,038	0.174	0.172 - 0.177	10,388	0.154	0.151 - 0.156	13,650	0.194	0.191 - 0.198
North Carolina	12,199	0.163	0.160 - 0.166	5,738	0.156	0.152 - 0.160	6,461	0.170	0.166 - 0.174
North Dakota	960	0.143	0.134 - 0.152	456	0.133	0.121 - 0.146	504	0.153	0.140 - 0.167
Ohio	15,630	0.161	0.159 - 0.164	7,417	0.156	0.152 - 0.159	8,213	0.167	0.163 - 0.171
Oklahoma	4,082	0.134	0.130 - 0.138	1,967	0.130	0.125 - 0.136	2,115	0.137	0.132 - 0.143
Oregon	4,921	0.132	0.128 - 0.135	2,207	0.119	0.114 - 0.124	2,714	0.144	0.139 - 0.150
Pennsylvania	18,192	0.172	0.169 - 0.174	8,370	0.161	0.158 - 0.164	9,822	0.182	0.179 - 0.186
Rhode Island	1,875	0.208	0.199 - 0.218	818	0.187	0.175 - 0.200	1,057	0.228	0.215 - 0.242
South Carolina	5,762	0.162	0.158 - 0.166	2,745	0.157	0.151 - 0.163	3,017	0.167	0.161 - 0.173
Tennessee	9,503	0.176	0.172 - 0.179	4,605	0.173	0.168 - 0.178	4,898	0.178	0.173 - 0.183
Texas	19,726	0.086	0.085 - 0.087	9,484	0.083	0.081 - 0.084	10,242	0.089	0.087 - 0.091
Utah	1,205	0.041	0.039 - 0.044	553	0.037	0.034 - 0.041	652	0.045	0.041 - 0.048
Vermont	1,060	0.178	0.167 - 0.189	494	0.168	0.153 - 0.183	566	0.187	0.172 - 0.203
Washington	7,654	0.125	0.122 - 0.128	3,426	0.111	0.108 - 0.115	4,228	0.138	0.134 - 0.142
WA - Seattle	5,250	0.131	0.128 - 0.135	2,323	0.115	0.111 - 0.120	2,927	0.147	0.142 - 0.152
West Virginia	3,570	0.210	0.203 - 0.217	1,685	0.200	0.191 - 0.210	1,885	0.218	0.209 - 0.228
Wisconsin	7,819	0.153	0.149 - 0.156	3,609	0.142	0.137 - 0.146	4,210	0.164	0.159 - 0.169
Wyoming	534	0.098	0.090 - 0.107	263	0.095	0.084 - 0.107	271	0.101	0.090 - 0.114

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	338,772	0.133	0.133 - 0.133	195,235	0.155	0.154 - 0.155	143,563	0.112	0.111 - 0.112
Alabama	5,325	0.155	0.151 - 0.159	3,046	0.181	0.174 - 0.187	2,279	0.130	0.125 - 0.136
Alaska	402	0.080	0.072 - 0.088	233	0.087	0.076 - 0.099	169	0.071	0.061 - 0.082
Arizona	8,783	0.145	0.142 - 0.148	5,467	0.181	0.176 - 0.186	3,316	0.109	0.105 - 0.112
Arkansas	3,083	0.127	0.123 - 0.132	1,843	0.154	0.147 - 0.161	1,240	0.101	0.096 - 0.107
California	36,330	0.125	0.124 - 0.126	21,455	0.147	0.145 - 0.149	14,874	0.103	0.101 - 0.104
CA - Greater California	22,539	0.130	0.128 - 0.132	13,268	0.153	0.150 - 0.156	9,271	0.107	0.105 - 0.109
CA - Greater Bay Area	8,561	0.189	0.185 - 0.193	5,054	0.220	0.214 - 0.226	3,508	0.157	0.152 - 0.162
CA - Los Angeles	5,249	0.073	0.071 - 0.075	3,146	0.087	0.084 - 0.090	2,103	0.058	0.056 - 0.061
Colorado	5,699	0.112	0.109 - 0.115	3,203	0.125	0.121 - 0.130	2,496	0.099	0.095 - 0.103
Connecticut	3,716	0.129	0.124 - 0.133	2,109	0.149	0.143 - 0.156	1,607	0.109	0.104 - 0.114
Delaware	1,431	0.209	0.198 - 0.220	853	0.256	0.239 - 0.274	578	0.164	0.151 - 0.178
District of Columbia	228	0.070	0.061 - 0.079	139	0.085	0.071 - 0.100	89	0.054	0.044 - 0.067
Florida	27,627	0.165	0.163 - 0.167	16,937	0.206	0.203 - 0.209	10,690	0.125	0.123 - 0.128
Georgia	12,276	0.189	0.186 - 0.193	7,040	0.219	0.214 - 0.224	5,236	0.160	0.156 - 0.165
Hawaii	1,463	0.405	0.385 - 0.427	944	0.484	0.453 - 0.515	520	0.313	0.287 - 0.341
Idaho	2,258	0.135	0.129 - 0.140	1,294	0.154	0.146 - 0.163	964	0.115	0.108 - 0.123
Illinois	12,533	0.127	0.125 - 0.129	6,863	0.140	0.137 - 0.144	5,670	0.114	0.111 - 0.117
Indiana	6,744	0.117	0.114 - 0.120	3,677	0.129	0.125 - 0.133	3,067	0.105	0.101 - 0.109
Iowa	4,186	0.145	0.140 - 0.149	2,215	0.155	0.148 - 0.161	1,971	0.135	0.129 - 0.141
Kansas	3,222	0.126	0.122 - 0.130	1,818	0.143	0.137 - 0.150	1,404	0.109	0.104 - 0.115
Kentucky	5,849	0.148	0.144 - 0.151	3,181	0.163	0.157 - 0.169	2,668	0.132	0.127 - 0.138
Louisiana	3,909	0.132	0.128 - 0.136	2,375	0.162	0.156 - 0.169	1,534	0.102	0.097 - 0.108
Maine	1,913	0.149	0.142 - 0.156	998	0.159	0.149 - 0.169	915	0.139	0.131 - 0.149
Maryland	6,964	0.193	0.188 - 0.197	4,032	0.226	0.219 - 0.233	2,932	0.160	0.154 - 0.166
MI - Detroit	3,478	0.131	0.127 - 0.136	1,924	0.147	0.140 - 0.154	1,554	0.116	0.110 - 0.122
Minnesota	9,039	0.189	0.185 - 0.193	4,928	0.207	0.201 - 0.213	4,111	0.171	0.166 - 0.176
Mississippi	2,449	0.138	0.132 - 0.143	1,439	0.164	0.155 - 0.172	1,010	0.112	0.105 - 0.119
Missouri	5,495	0.107	0.104 - 0.109	3,111	0.122	0.118 - 0.127	2,384	0.091	0.088 - 0.095
Montana	1,410	0.146	0.138 - 0.154	794	0.163	0.152 - 0.175	616	0.129	0.119 - 0.139
Nebraska	2,411	0.140	0.134 - 0.146	1,245	0.145	0.137 - 0.153	1,166	0.135	0.127 - 0.143
New Hampshire	2,174	0.170	0.163 - 0.177	1,189	0.188	0.177 - 0.199	985	0.152	0.143 - 0.162
New Jersey	9,416	0.145	0.142 - 0.148	5,335	0.168	0.163 - 0.172	4,081	0.124	0.120 - 0.128
New Mexico	1,610	0.093	0.088 - 0.097	939	0.109	0.102 - 0.116	671	0.076	0.071 - 0.082
New York	17,320	0.126	0.124 - 0.127	9,793	0.145	0.142 - 0.148	7,527	0.107	0.105 - 0.110
North Carolina	12,544	0.168	0.165 - 0.171	7,326	0.199	0.195 - 0.204	5,218	0.137	0.133 - 0.141
North Dakota	814	0.121	0.113 - 0.130	423	0.123	0.112 - 0.136	391	0.119	0.107 - 0.131
Ohio	12,897	0.133	0.131 - 0.136	7,174	0.151	0.147 - 0.154	5,723	0.116	0.113 - 0.119
Oklahoma	3,423	0.112	0.109 - 0.116	2,039	0.135	0.129 - 0.141	1,384	0.090	0.085 - 0.095
Oregon	5,474	0.147	0.143 - 0.150	3,033	0.164	0.158 - 0.170	2,441	0.130	0.125 - 0.135
Pennsylvania	14,352	0.136	0.133 - 0.138	8,146	0.157	0.153 - 0.160	6,206	0.115	0.112 - 0.118
Rhode Island	1,210	0.134	0.127 - 0.142	676	0.155	0.143 - 0.167	534	0.115	0.106 - 0.125
South Carolina	5,922	0.166	0.162 - 0.171	3,486	0.199	0.193 - 0.206	2,436	0.134	0.129 - 0.140
Tennessee	6,536	0.121	0.118 - 0.124	3,778	0.142	0.138 - 0.147	2,758	0.100	0.096 - 0.104
Texas	14,930	0.065	0.064 - 0.066	9,009	0.079	0.077 - 0.080	5,921	0.051	0.050 - 0.053
Utah	4,697	0.160	0.156 - 0.165	2,647	0.179	0.173 - 0.186	2,050	0.141	0.135 - 0.147
Vermont	1,336	0.224	0.212 - 0.236	738	0.251	0.233 - 0.269	598	0.198	0.182 - 0.214
Washington	8,851	0.144	0.141 - 0.147	4,914	0.160	0.155 - 0.164	3,937	0.129	0.125 - 0.133
WA - Seattle	7,131	0.178	0.174 - 0.182	3,936	0.196	0.189 - 0.202	3,195	0.160	0.155 - 0.166
West Virginia	2,093	0.123	0.118 - 0.128	1,230	0.146	0.138 - 0.155	863	0.100	0.093 - 0.107
Wisconsin	6,784	0.133	0.129 - 0.136	3,905	0.153	0.148 - 0.158	2,879	0.112	0.108 - 0.116
Wyoming	693	0.127	0.118 - 0.137	398	0.144	0.130 - 0.159	295	0.110	0.098 - 0.124

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-110 Prevalence – Melanoma of the Skin

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		904,617	0.704	0.702 - 0.705
Alabama	N/A	N/A		N/A	N/A		11,866	0.678	0.666 - 0.691
Alaska	N/A	N/A		N/A	N/A		1,467	0.616	0.585 - 0.648
Arizona	N/A	N/A		N/A	N/A		19,609	0.642	0.633 - 0.651
Arkansas	N/A	N/A		N/A	N/A		7,997	0.652	0.638 - 0.666
California	N/A	N/A		N/A	N/A		91,697	0.632	0.628 - 0.637
CA - Greater California	N/A	N/A		N/A	N/A		54,470	0.630	0.625 - 0.635
CA - Greater Bay Area	N/A	N/A		N/A	N/A		16,527	0.739	0.727 - 0.750
CA - Los Angeles	N/A	N/A		N/A	N/A		20,696	0.573	0.565 - 0.581
Colorado	N/A	N/A		N/A	N/A		16,604	0.660	0.650 - 0.670
Connecticut	N/A	N/A		N/A	N/A		12,700	0.860	0.845 - 0.875
Delaware	N/A	N/A		N/A	N/A		2,842	0.809	0.779 - 0.839
District of Columbia	N/A	N/A		N/A	N/A		831	0.506	0.473 - 0.542
Florida	N/A	N/A		N/A	N/A		63,246	0.741	0.736 - 0.747
Georgia	N/A	N/A		N/A	N/A		22,399	0.686	0.677 - 0.695
Hawaii	N/A	N/A		N/A	N/A		1,397	0.842	0.799 - 0.887
Idaho	N/A	N/A		N/A	N/A		5,203	0.623	0.606 - 0.640
Illinois	N/A	N/A		N/A	N/A		36,973	0.743	0.736 - 0.751
Indiana	N/A	N/A		N/A	N/A		19,932	0.683	0.673 - 0.692
Iowa	N/A	N/A		N/A	N/A		10,937	0.750	0.736 - 0.765
Kansas	N/A	N/A		N/A	N/A		9,067	0.705	0.690 - 0.719
Kentucky	N/A	N/A		N/A	N/A		14,126	0.701	0.690 - 0.713
Louisiana	N/A	N/A		N/A	N/A		10,494	0.701	0.687 - 0.714
Maine	N/A	N/A		N/A	N/A		5,322	0.811	0.789 - 0.833
Maryland	N/A	N/A		N/A	N/A		14,030	0.767	0.754 - 0.780
MI - Detroit	N/A	N/A		N/A	N/A		10,830	0.809	0.794 - 0.824
Minnesota	N/A	N/A		N/A	N/A		18,699	0.777	0.766 - 0.789
Mississippi	N/A	N/A		N/A	N/A		6,146	0.683	0.666 - 0.700
Missouri	N/A	N/A		N/A	N/A		19,036	0.728	0.717 - 0.738
Montana	N/A	N/A		N/A	N/A		3,757	0.784	0.760 - 0.810
Nebraska	N/A	N/A		N/A	N/A		6,053	0.701	0.683 - 0.719
New Hampshire	N/A	N/A		N/A	N/A		5,623	0.869	0.847 - 0.892
New Jersey	N/A	N/A		N/A	N/A		27,120	0.822	0.812 - 0.832
New Mexico	N/A	N/A		N/A	N/A		5,678	0.646	0.630 - 0.664
New York	N/A	N/A		N/A	N/A		56,038	0.798	0.792 - 0.805
North Carolina	N/A	N/A		N/A	N/A		29,305	0.770	0.762 - 0.779
North Dakota	N/A	N/A		N/A	N/A		2,264	0.689	0.661 - 0.718
Ohio	N/A	N/A		N/A	N/A		36,947	0.751	0.743 - 0.759
Oklahoma	N/A	N/A		N/A	N/A		10,028	0.651	0.639 - 0.664
Oregon	N/A	N/A		N/A	N/A		13,912	0.739	0.727 - 0.751
Pennsylvania	N/A	N/A		N/A	N/A		43,158	0.801	0.794 - 0.809
Rhode Island	N/A	N/A		N/A	N/A		4,002	0.864	0.837 - 0.891
South Carolina	N/A	N/A		N/A	N/A		13,451	0.742	0.730 - 0.755
Tennessee	N/A	N/A		N/A	N/A		18,861	0.685	0.675 - 0.695
Texas	N/A	N/A		N/A	N/A		62,428	0.542	0.538 - 0.547
Utah	N/A	N/A		N/A	N/A		6,659	0.457	0.446 - 0.468
Vermont	N/A	N/A		N/A	N/A		2,416	0.799	0.767 - 0.831
Washington	N/A	N/A		N/A	N/A		22,496	0.735	0.726 - 0.745
WA - Seattle	N/A	N/A		N/A	N/A		15,907	0.798	0.786 - 0.811
West Virginia	N/A	N/A		N/A	N/A		6,217	0.720	0.702 - 0.738
Wisconsin	N/A	N/A		N/A	N/A		19,640	0.765	0.754 - 0.776
Wyoming	N/A	N/A		N/A	N/A		1,651	0.618	0.589 - 0.649

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		38,312	0.030	0.030 - 0.030
Alabama	N/A	N/A		N/A	N/A		597	0.034	0.031 - 0.037
Alaska	N/A	N/A		N/A	N/A		73	0.031	0.024 - 0.039
Arizona	N/A	N/A		N/A	N/A		738	0.024	0.022 - 0.026
Arkansas	N/A	N/A		N/A	N/A		407	0.033	0.030 - 0.037
California	N/A	N/A		N/A	N/A		4,192	0.029	0.028 - 0.030
CA - Greater California	N/A	N/A		N/A	N/A		2,552	0.030	0.028 - 0.031
CA - Greater Bay Area	N/A	N/A		N/A	N/A		574	0.026	0.024 - 0.028
CA - Los Angeles	N/A	N/A		N/A	N/A		1,065	0.029	0.028 - 0.031
Colorado	N/A	N/A		N/A	N/A		646	0.026	0.024 - 0.028
Connecticut	N/A	N/A		N/A	N/A		356	0.024	0.022 - 0.027
Delaware	N/A	N/A		N/A	N/A		115	0.033	0.027 - 0.039
District of Columbia	N/A	N/A		N/A	N/A		30	0.018	0.012 - 0.026
Florida	N/A	N/A		N/A	N/A		2,925	0.034	0.033 - 0.036
Georgia	N/A	N/A		N/A	N/A		1,031	0.032	0.030 - 0.034
Hawaii	N/A	N/A		N/A	N/A		59	0.035	0.027 - 0.046
Idaho	N/A	N/A		N/A	N/A		226	0.027	0.024 - 0.031
Illinois	N/A	N/A		N/A	N/A		1,499	0.030	0.029 - 0.032
Indiana	N/A	N/A		N/A	N/A		924	0.032	0.030 - 0.034
Iowa	N/A	N/A		N/A	N/A		440	0.030	0.027 - 0.033
Kansas	N/A	N/A		N/A	N/A		381	0.030	0.027 - 0.033
Kentucky	N/A	N/A		N/A	N/A		735	0.037	0.034 - 0.039
Louisiana	N/A	N/A		N/A	N/A		481	0.032	0.029 - 0.035
Maine	N/A	N/A		N/A	N/A		151	0.023	0.019 - 0.027
Maryland	N/A	N/A		N/A	N/A		493	0.027	0.025 - 0.029
MI - Detroit	N/A	N/A		N/A	N/A		354	0.026	0.024 - 0.029
Minnesota	N/A	N/A		N/A	N/A		512	0.021	0.019 - 0.023
Mississippi	N/A	N/A		N/A	N/A		327	0.036	0.033 - 0.040
Missouri	N/A	N/A		N/A	N/A		824	0.031	0.029 - 0.034
Montana	N/A	N/A		N/A	N/A		135	0.028	0.024 - 0.033
Nebraska	N/A	N/A		N/A	N/A		230	0.027	0.023 - 0.030
New Hampshire	N/A	N/A		N/A	N/A		130	0.020	0.017 - 0.024
New Jersey	N/A	N/A		N/A	N/A		1,025	0.031	0.029 - 0.033
New Mexico	N/A	N/A		N/A	N/A		287	0.033	0.029 - 0.037
New York	N/A	N/A		N/A	N/A		1,980	0.028	0.027 - 0.029
North Carolina	N/A	N/A		N/A	N/A		1,033	0.027	0.026 - 0.029
North Dakota	N/A	N/A		N/A	N/A		68	0.021	0.016 - 0.026
Ohio	N/A	N/A		N/A	N/A		1,535	0.031	0.030 - 0.033
Oklahoma	N/A	N/A		N/A	N/A		501	0.033	0.030 - 0.036
Oregon	N/A	N/A		N/A	N/A		530	0.028	0.026 - 0.031
Pennsylvania	N/A	N/A		N/A	N/A		1,518	0.028	0.027 - 0.030
Rhode Island	N/A	N/A		N/A	N/A		136	0.029	0.025 - 0.035
South Carolina	N/A	N/A		N/A	N/A		506	0.028	0.026 - 0.030
Tennessee	N/A	N/A		N/A	N/A		881	0.032	0.030 - 0.034
Texas	N/A	N/A		N/A	N/A		4,060	0.035	0.034 - 0.036
Utah	N/A	N/A		N/A	N/A		268	0.018	0.016 - 0.021
Vermont	N/A	N/A		N/A	N/A		49	0.016	0.012 - 0.021
Washington	N/A	N/A		N/A	N/A		784	0.026	0.024 - 0.027
WA - Seattle	N/A	N/A		N/A	N/A		572	0.029	0.026 - 0.031
West Virginia	N/A	N/A		N/A	N/A		328	0.038	0.034 - 0.042
Wisconsin	N/A	N/A		N/A	N/A		653	0.025	0.024 - 0.027
Wyoming	N/A	N/A		N/A	N/A		87	0.033	0.026 - 0.040

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		197,295	0.153	0.153 - 0.154
Alabama	N/A	N/A		N/A	N/A		1,965	0.112	0.107 - 0.117
Alaska	N/A	N/A		N/A	N/A		347	0.146	0.131 - 0.162
Arizona	N/A	N/A		N/A	N/A		3,884	0.127	0.123 - 0.131
Arkansas	N/A	N/A		N/A	N/A		1,663	0.136	0.129 - 0.142
California	N/A	N/A		N/A	N/A		19,863	0.137	0.135 - 0.139
CA - Greater California	N/A	N/A		N/A	N/A		11,719	0.136	0.133 - 0.138
CA - Greater Bay Area	N/A	N/A		N/A	N/A		3,375	0.151	0.146 - 0.156
CA - Los Angeles	N/A	N/A		N/A	N/A		4,767	0.132	0.128 - 0.136
Colorado	N/A	N/A		N/A	N/A		3,003	0.119	0.115 - 0.124
Connecticut	N/A	N/A		N/A	N/A		2,780	0.188	0.181 - 0.195
Delaware	N/A	N/A		N/A	N/A		664	0.189	0.175 - 0.204
District of Columbia	N/A	N/A		N/A	N/A		128	0.078	0.065 - 0.093
Florida	N/A	N/A		N/A	N/A		12,630	0.148	0.145 - 0.151
Georgia	N/A	N/A		N/A	N/A		4,264	0.131	0.127 - 0.135
Hawaii	N/A	N/A		N/A	N/A		281	0.169	0.150 - 0.190
Idaho	N/A	N/A		N/A	N/A		1,027	0.123	0.116 - 0.131
Illinois	N/A	N/A		N/A	N/A		8,566	0.172	0.169 - 0.176
Indiana	N/A	N/A		N/A	N/A		4,732	0.162	0.157 - 0.167
Iowa	N/A	N/A		N/A	N/A		2,615	0.179	0.173 - 0.186
Kansas	N/A	N/A		N/A	N/A		1,867	0.145	0.139 - 0.152
Kentucky	N/A	N/A		N/A	N/A		3,125	0.155	0.150 - 0.161
Louisiana	N/A	N/A		N/A	N/A		1,672	0.112	0.106 - 0.117
Maine	N/A	N/A		N/A	N/A		1,414	0.215	0.204 - 0.227
Maryland	N/A	N/A		N/A	N/A		3,079	0.168	0.162 - 0.174
MI - Detroit	N/A	N/A		N/A	N/A		2,583	0.193	0.185 - 0.200
Minnesota	N/A	N/A		N/A	N/A		4,478	0.186	0.181 - 0.192
Mississippi	N/A	N/A		N/A	N/A		1,140	0.127	0.119 - 0.134
Missouri	N/A	N/A		N/A	N/A		4,094	0.156	0.152 - 0.161
Montana	N/A	N/A		N/A	N/A		723	0.151	0.140 - 0.162
Nebraska	N/A	N/A		N/A	N/A		1,301	0.151	0.143 - 0.159
New Hampshire	N/A	N/A		N/A	N/A		1,243	0.192	0.182 - 0.203
New Jersey	N/A	N/A		N/A	N/A		6,662	0.202	0.197 - 0.207
New Mexico	N/A	N/A		N/A	N/A		1,150	0.131	0.123 - 0.139
New York	N/A	N/A		N/A	N/A		13,261	0.189	0.186 - 0.192
North Carolina	N/A	N/A		N/A	N/A		5,586	0.147	0.143 - 0.151
North Dakota	N/A	N/A		N/A	N/A		454	0.138	0.126 - 0.151
Ohio	N/A	N/A		N/A	N/A		9,267	0.188	0.185 - 0.192
Oklahoma	N/A	N/A		N/A	N/A		1,880	0.122	0.117 - 0.128
Oregon	N/A	N/A		N/A	N/A		3,263	0.173	0.167 - 0.179
Pennsylvania	N/A	N/A		N/A	N/A		11,141	0.207	0.203 - 0.211
Rhode Island	N/A	N/A		N/A	N/A		868	0.187	0.175 - 0.200
South Carolina	N/A	N/A		N/A	N/A		2,318	0.128	0.123 - 0.133
Tennessee	N/A	N/A		N/A	N/A		3,897	0.141	0.137 - 0.146
Texas	N/A	N/A		N/A	N/A		12,514	0.109	0.107 - 0.111
Utah	N/A	N/A		N/A	N/A		1,505	0.103	0.098 - 0.109
Vermont	N/A	N/A		N/A	N/A		710	0.235	0.218 - 0.253
Washington	N/A	N/A		N/A	N/A		4,551	0.149	0.144 - 0.153
WA - Seattle	N/A	N/A		N/A	N/A		3,161	0.159	0.153 - 0.164
West Virginia	N/A	N/A		N/A	N/A		1,781	0.206	0.197 - 0.216
Wisconsin	N/A	N/A		N/A	N/A		4,918	0.192	0.186 - 0.197
Wyoming	N/A	N/A		N/A	N/A		362	0.136	0.122 - 0.150

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		55,192	0.043	0.043 - 0.043
Alabama	N/A	N/A		N/A	N/A		720	0.041	0.038 - 0.044
Alaska	N/A	N/A		N/A	N/A		95	0.040	0.032 - 0.049
Arizona	N/A	N/A		N/A	N/A		1,241	0.041	0.038 - 0.043
Arkansas	N/A	N/A		N/A	N/A		510	0.042	0.038 - 0.045
California	N/A	N/A		N/A	N/A		6,121	0.042	0.041 - 0.043
CA - Greater California	N/A	N/A		N/A	N/A		3,507	0.041	0.039 - 0.042
CA - Greater Bay Area	N/A	N/A		N/A	N/A		1,018	0.045	0.043 - 0.048
CA - Los Angeles	N/A	N/A		N/A	N/A		1,593	0.044	0.042 - 0.046
Colorado	N/A	N/A		N/A	N/A		982	0.039	0.037 - 0.042
Connecticut	N/A	N/A		N/A	N/A		709	0.048	0.045 - 0.052
Delaware	N/A	N/A		N/A	N/A		162	0.046	0.039 - 0.054
District of Columbia	N/A	N/A		N/A	N/A		54	0.033	0.025 - 0.043
Florida	N/A	N/A		N/A	N/A		4,245	0.050	0.048 - 0.051
Georgia	N/A	N/A		N/A	N/A		1,314	0.040	0.038 - 0.042
Hawaii	N/A	N/A		N/A	N/A		83	0.050	0.040 - 0.062
Idaho	N/A	N/A		N/A	N/A		307	0.037	0.033 - 0.041
Illinois	N/A	N/A		N/A	N/A		2,203	0.044	0.042 - 0.046
Indiana	N/A	N/A		N/A	N/A		1,135	0.039	0.037 - 0.041
Iowa	N/A	N/A		N/A	N/A		579	0.040	0.037 - 0.043
Kansas	N/A	N/A		N/A	N/A		516	0.040	0.037 - 0.044
Kentucky	N/A	N/A		N/A	N/A		703	0.035	0.032 - 0.038
Louisiana	N/A	N/A		N/A	N/A		512	0.034	0.031 - 0.037
Maine	N/A	N/A		N/A	N/A		247	0.038	0.033 - 0.043
Maryland	N/A	N/A		N/A	N/A		896	0.049	0.046 - 0.052
MI - Detroit	N/A	N/A		N/A	N/A		658	0.049	0.045 - 0.053
Minnesota	N/A	N/A		N/A	N/A		1,048	0.044	0.041 - 0.046
Mississippi	N/A	N/A		N/A	N/A		352	0.039	0.035 - 0.043
Missouri	N/A	N/A		N/A	N/A		1,005	0.038	0.036 - 0.041
Montana	N/A	N/A		N/A	N/A		208	0.043	0.038 - 0.050
Nebraska	N/A	N/A		N/A	N/A		333	0.039	0.035 - 0.043
New Hampshire	N/A	N/A		N/A	N/A		279	0.043	0.038 - 0.048
New Jersey	N/A	N/A		N/A	N/A		1,738	0.053	0.050 - 0.055
New Mexico	N/A	N/A		N/A	N/A		350	0.040	0.036 - 0.044
New York	N/A	N/A		N/A	N/A		3,589	0.051	0.049 - 0.053
North Carolina	N/A	N/A		N/A	N/A		1,623	0.043	0.041 - 0.045
North Dakota	N/A	N/A		N/A	N/A		111	0.034	0.028 - 0.041
Ohio	N/A	N/A		N/A	N/A		2,140	0.044	0.042 - 0.045
Oklahoma	N/A	N/A		N/A	N/A		608	0.039	0.036 - 0.043
Oregon	N/A	N/A		N/A	N/A		816	0.043	0.040 - 0.046
Pennsylvania	N/A	N/A		N/A	N/A		2,810	0.052	0.050 - 0.054
Rhode Island	N/A	N/A		N/A	N/A		201	0.043	0.038 - 0.050
South Carolina	N/A	N/A		N/A	N/A		666	0.037	0.034 - 0.040
Tennessee	N/A	N/A		N/A	N/A		1,035	0.038	0.035 - 0.040
Texas	N/A	N/A		N/A	N/A		4,221	0.037	0.036 - 0.038
Utah	N/A	N/A		N/A	N/A		435	0.030	0.027 - 0.033
Vermont	N/A	N/A		N/A	N/A		131	0.043	0.036 - 0.051
Washington	N/A	N/A		N/A	N/A		1,292	0.042	0.040 - 0.045
WA - Seattle	N/A	N/A		N/A	N/A		869	0.044	0.041 - 0.047
West Virginia	N/A	N/A		N/A	N/A		422	0.049	0.044 - 0.054
Wisconsin	N/A	N/A		N/A	N/A		1,194	0.047	0.044 - 0.049
Wyoming	N/A	N/A		N/A	N/A		113	0.042	0.035 - 0.051

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-114 Prevalence – Ovary

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		719,028	0.569	0.567 - 0.570	N/A	N/A	
Alabama	N/A	N/A		10,028	0.595	0.584 - 0.607	N/A	N/A	
Alaska	N/A	N/A		1,251	0.469	0.443 - 0.495	N/A	N/A	
Arizona	N/A	N/A		13,512	0.448	0.440 - 0.455	N/A	N/A	
Arkansas	N/A	N/A		7,560	0.632	0.618 - 0.646	N/A	N/A	
California	N/A	N/A		64,357	0.441	0.438 - 0.445	N/A	N/A	
CA - Greater California	N/A	N/A		39,333	0.454	0.449 - 0.458	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		11,437	0.498	0.489 - 0.507	N/A	N/A	
CA - Los Angeles	N/A	N/A		13,583	0.376	0.369 - 0.382	N/A	N/A	
Colorado	N/A	N/A		11,121	0.435	0.427 - 0.444	N/A	N/A	
Connecticut	N/A	N/A		10,148	0.718	0.704 - 0.732	N/A	N/A	
Delaware	N/A	N/A		2,404	0.722	0.693 - 0.751	N/A	N/A	
District of Columbia	N/A	N/A		567	0.346	0.318 - 0.376	N/A	N/A	
Florida	N/A	N/A		50,100	0.609	0.603 - 0.614	N/A	N/A	
Georgia	N/A	N/A		18,643	0.580	0.572 - 0.589	N/A	N/A	
Hawaii	N/A	N/A		1,290	0.661	0.625 - 0.698	N/A	N/A	
Idaho	N/A	N/A		4,620	0.550	0.534 - 0.566	N/A	N/A	
Illinois	N/A	N/A		28,709	0.587	0.580 - 0.594	N/A	N/A	
Indiana	N/A	N/A		14,925	0.524	0.515 - 0.532	N/A	N/A	
Iowa	N/A	N/A		9,527	0.665	0.652 - 0.678	N/A	N/A	
Kansas	N/A	N/A		7,338	0.577	0.564 - 0.591	N/A	N/A	
Kentucky	N/A	N/A		10,935	0.561	0.550 - 0.571	N/A	N/A	
Louisiana	N/A	N/A		10,395	0.709	0.696 - 0.723	N/A	N/A	
Maine	N/A	N/A		4,076	0.649	0.629 - 0.669	N/A	N/A	
Maryland	N/A	N/A		11,778	0.659	0.648 - 0.671	N/A	N/A	
MI - Detroit	N/A	N/A		9,476	0.724	0.710 - 0.739	N/A	N/A	
Minnesota	N/A	N/A		15,767	0.662	0.652 - 0.673	N/A	N/A	
Mississippi	N/A	N/A		5,899	0.671	0.654 - 0.688	N/A	N/A	
Missouri	N/A	N/A		13,639	0.536	0.527 - 0.545	N/A	N/A	
Montana	N/A	N/A		3,934	0.808	0.783 - 0.834	N/A	N/A	
Nebraska	N/A	N/A		5,722	0.667	0.650 - 0.684	N/A	N/A	
New Hampshire	N/A	N/A		4,546	0.719	0.698 - 0.740	N/A	N/A	
New Jersey	N/A	N/A		24,185	0.760	0.750 - 0.769	N/A	N/A	
New Mexico	N/A	N/A		4,173	0.484	0.470 - 0.499	N/A	N/A	
New York	N/A	N/A		48,136	0.711	0.705 - 0.718	N/A	N/A	
North Carolina	N/A	N/A		22,465	0.610	0.602 - 0.618	N/A	N/A	
North Dakota	N/A	N/A		2,279	0.664	0.637 - 0.692	N/A	N/A	
Ohio	N/A	N/A		29,120	0.612	0.605 - 0.619	N/A	N/A	
Oklahoma	N/A	N/A		7,548	0.500	0.489 - 0.511	N/A	N/A	
Oregon	N/A	N/A		10,324	0.557	0.547 - 0.568	N/A	N/A	
Pennsylvania	N/A	N/A		32,669	0.628	0.621 - 0.635	N/A	N/A	
Rhode Island	N/A	N/A		2,879	0.659	0.635 - 0.683	N/A	N/A	
South Carolina	N/A	N/A		10,623	0.607	0.596 - 0.619	N/A	N/A	
Tennessee	N/A	N/A		16,473	0.620	0.610 - 0.629	N/A	N/A	
Texas	N/A	N/A		47,267	0.412	0.409 - 0.416	N/A	N/A	
Utah	N/A	N/A		6,612	0.448	0.437 - 0.459	N/A	N/A	
Vermont	N/A	N/A		1,827	0.620	0.592 - 0.649	N/A	N/A	
Washington	N/A	N/A		16,526	0.537	0.529 - 0.545	N/A	N/A	
WA - Seattle	N/A	N/A		12,424	0.617	0.606 - 0.628	N/A	N/A	
West Virginia	N/A	N/A		5,194	0.618	0.601 - 0.635	N/A	N/A	
Wisconsin	N/A	N/A		17,371	0.682	0.671 - 0.692	N/A	N/A	
Wyoming	N/A	N/A		1,893	0.683	0.653 - 0.715	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		38,402	0.030	0.030 - 0.031	N/A	N/A	
Alabama	N/A	N/A		400	0.024	0.021 - 0.026	N/A	N/A	
Alaska	N/A	N/A		98	0.037	0.030 - 0.045	N/A	N/A	
Arizona	N/A	N/A		776	0.026	0.024 - 0.028	N/A	N/A	
Arkansas	N/A	N/A		301	0.025	0.022 - 0.028	N/A	N/A	
California	N/A	N/A		5,081	0.035	0.034 - 0.036	N/A	N/A	
CA - Greater California	N/A	N/A		2,816	0.032	0.031 - 0.034	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		954	0.041	0.039 - 0.044	N/A	N/A	
CA - Los Angeles	N/A	N/A		1,313	0.036	0.034 - 0.038	N/A	N/A	
Colorado	N/A	N/A		714	0.028	0.026 - 0.030	N/A	N/A	
Connecticut	N/A	N/A		476	0.034	0.031 - 0.037	N/A	N/A	
Delaware	N/A	N/A		94	0.028	0.023 - 0.035	N/A	N/A	
District of Columbia	N/A	N/A		79	0.048	0.038 - 0.060	N/A	N/A	
Florida	N/A	N/A		1,869	0.023	0.022 - 0.024	N/A	N/A	
Georgia	N/A	N/A		856	0.027	0.025 - 0.028	N/A	N/A	
Hawaii	N/A	N/A		80	0.041	0.032 - 0.051	N/A	N/A	
Idaho	N/A	N/A		257	0.031	0.027 - 0.035	N/A	N/A	
Illinois	N/A	N/A		1,690	0.035	0.033 - 0.036	N/A	N/A	
Indiana	N/A	N/A		852	0.030	0.028 - 0.032	N/A	N/A	
Iowa	N/A	N/A		449	0.031	0.029 - 0.034	N/A	N/A	
Kansas	N/A	N/A		389	0.031	0.028 - 0.034	N/A	N/A	
Kentucky	N/A	N/A		525	0.027	0.025 - 0.029	N/A	N/A	
Louisiana	N/A	N/A		453	0.031	0.028 - 0.034	N/A	N/A	
Maine	N/A	N/A		190	0.030	0.026 - 0.035	N/A	N/A	
Maryland	N/A	N/A		538	0.030	0.028 - 0.033	N/A	N/A	
MI - Detroit	N/A	N/A		411	0.031	0.028 - 0.035	N/A	N/A	
Minnesota	N/A	N/A		837	0.035	0.033 - 0.038	N/A	N/A	
Mississippi	N/A	N/A		202	0.023	0.020 - 0.026	N/A	N/A	
Missouri	N/A	N/A		659	0.026	0.024 - 0.028	N/A	N/A	
Montana	N/A	N/A		154	0.032	0.027 - 0.037	N/A	N/A	
Nebraska	N/A	N/A		301	0.035	0.031 - 0.039	N/A	N/A	
New Hampshire	N/A	N/A		199	0.031	0.027 - 0.036	N/A	N/A	
New Jersey	N/A	N/A		1,037	0.033	0.031 - 0.035	N/A	N/A	
New Mexico	N/A	N/A		248	0.029	0.025 - 0.033	N/A	N/A	
New York	N/A	N/A		2,431	0.036	0.035 - 0.037	N/A	N/A	
North Carolina	N/A	N/A		1,020	0.028	0.026 - 0.029	N/A	N/A	
North Dakota	N/A	N/A		126	0.037	0.031 - 0.044	N/A	N/A	
Ohio	N/A	N/A		1,382	0.029	0.028 - 0.031	N/A	N/A	
Oklahoma	N/A	N/A		387	0.026	0.023 - 0.028	N/A	N/A	
Oregon	N/A	N/A		605	0.033	0.030 - 0.035	N/A	N/A	
Pennsylvania	N/A	N/A		1,715	0.033	0.031 - 0.035	N/A	N/A	
Rhode Island	N/A	N/A		135	0.031	0.026 - 0.037	N/A	N/A	
South Carolina	N/A	N/A		422	0.024	0.022 - 0.027	N/A	N/A	
Tennessee	N/A	N/A		718	0.027	0.025 - 0.029	N/A	N/A	
Texas	N/A	N/A		3,370	0.029	0.028 - 0.030	N/A	N/A	
Utah	N/A	N/A		520	0.035	0.032 - 0.038	N/A	N/A	
Vermont	N/A	N/A		107	0.036	0.030 - 0.044	N/A	N/A	
Washington	N/A	N/A		1,025	0.033	0.031 - 0.035	N/A	N/A	
WA - Seattle	N/A	N/A		744	0.037	0.034 - 0.040	N/A	N/A	
West Virginia	N/A	N/A		210	0.025	0.022 - 0.029	N/A	N/A	
Wisconsin	N/A	N/A		893	0.035	0.033 - 0.037	N/A	N/A	
Wyoming	N/A	N/A		96	0.035	0.028 - 0.042	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-116 Prevalence – Testis

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	249,452	0.098	0.098 - 0.098	193,201	0.153	0.152 - 0.154	56,286	0.044	0.043 - 0.044
Alabama	3,252	0.095	0.091 - 0.098	2,564	0.152	0.146 - 0.158	688	0.039	0.036 - 0.042
Alaska	445	0.088	0.080 - 0.097	362	0.136	0.122 - 0.150	83	0.035	0.028 - 0.043
Arizona	5,571	0.092	0.089 - 0.094	4,349	0.144	0.140 - 0.148	1,222	0.040	0.038 - 0.042
Arkansas	2,430	0.100	0.096 - 0.104	1,943	0.162	0.155 - 0.170	487	0.040	0.036 - 0.043
California	21,050	0.072	0.071 - 0.073	16,434	0.113	0.111 - 0.114	4,616	0.032	0.031 - 0.033
CA - Greater California	12,881	0.074	0.073 - 0.076	10,051	0.116	0.114 - 0.118	2,830	0.033	0.032 - 0.034
CA - Greater Bay Area	3,902	0.086	0.083 - 0.089	3,014	0.131	0.127 - 0.136	889	0.040	0.037 - 0.042
CA - Los Angeles	4,265	0.059	0.057 - 0.061	3,367	0.093	0.090 - 0.096	898	0.025	0.023 - 0.027
Colorado	3,630	0.072	0.069 - 0.074	2,835	0.111	0.107 - 0.115	795	0.032	0.029 - 0.034
Connecticut	4,051	0.140	0.136 - 0.145	3,007	0.213	0.205 - 0.220	1,044	0.071	0.066 - 0.075
Delaware	964	0.141	0.132 - 0.150	746	0.224	0.208 - 0.241	218	0.062	0.054 - 0.071
District of Columbia	140	0.043	0.036 - 0.050	113	0.069	0.057 - 0.083	27	0.016	0.011 - 0.024
Florida	19,640	0.117	0.116 - 0.119	15,189	0.185	0.182 - 0.188	4,451	0.052	0.051 - 0.054
Georgia	5,809	0.090	0.087 - 0.092	4,584	0.143	0.139 - 0.147	1,226	0.038	0.035 - 0.040
Hawaii	413	0.114	0.104 - 0.126	338	0.173	0.155 - 0.193	75	0.045	0.035 - 0.056
Idaho	1,459	0.087	0.083 - 0.092	1,153	0.137	0.129 - 0.145	305	0.037	0.033 - 0.041
Illinois	10,048	0.102	0.100 - 0.104	7,654	0.157	0.153 - 0.160	2,394	0.048	0.046 - 0.050
Indiana	5,796	0.100	0.098 - 0.103	4,492	0.158	0.153 - 0.162	1,304	0.045	0.042 - 0.047
Iowa	3,065	0.106	0.102 - 0.110	2,422	0.169	0.162 - 0.176	643	0.044	0.041 - 0.048
Kansas	2,474	0.097	0.093 - 0.101	1,899	0.149	0.143 - 0.156	575	0.045	0.041 - 0.049
Kentucky	4,061	0.102	0.099 - 0.106	3,134	0.161	0.155 - 0.166	927	0.046	0.043 - 0.049
Louisiana	2,897	0.098	0.094 - 0.101	2,290	0.156	0.150 - 0.163	606	0.040	0.037 - 0.044
Maine	1,961	0.153	0.146 - 0.160	1,523	0.242	0.230 - 0.255	438	0.067	0.061 - 0.073
Maryland	3,605	0.100	0.096 - 0.103	2,788	0.156	0.150 - 0.162	817	0.045	0.042 - 0.048
MI - Detroit	3,257	0.123	0.119 - 0.127	2,519	0.192	0.185 - 0.200	738	0.055	0.051 - 0.059
Minnesota	5,158	0.108	0.105 - 0.111	3,984	0.167	0.162 - 0.173	1,174	0.049	0.046 - 0.052
Mississippi	1,805	0.101	0.097 - 0.106	1,408	0.160	0.152 - 0.169	397	0.044	0.040 - 0.049
Missouri	4,929	0.096	0.093 - 0.098	3,835	0.151	0.146 - 0.156	1,094	0.042	0.039 - 0.044
Montana	1,188	0.123	0.116 - 0.130	907	0.186	0.174 - 0.199	280	0.059	0.052 - 0.066
Nebraska	1,648	0.096	0.091 - 0.100	1,269	0.148	0.140 - 0.156	379	0.044	0.040 - 0.049
New Hampshire	1,815	0.142	0.135 - 0.149	1,369	0.216	0.205 - 0.228	446	0.069	0.063 - 0.076
New Jersey	8,073	0.125	0.122 - 0.127	6,029	0.189	0.185 - 0.194	2,044	0.062	0.059 - 0.065
New Mexico	1,256	0.072	0.068 - 0.076	966	0.112	0.105 - 0.119	289	0.033	0.029 - 0.037
New York	17,974	0.130	0.128 - 0.132	13,579	0.201	0.197 - 0.204	4,395	0.063	0.061 - 0.064
North Carolina	7,656	0.102	0.100 - 0.105	5,920	0.161	0.157 - 0.165	1,736	0.046	0.044 - 0.048
North Dakota	615	0.092	0.084 - 0.099	490	0.143	0.130 - 0.156	125	0.038	0.032 - 0.045
Ohio	10,802	0.112	0.109 - 0.114	8,393	0.176	0.173 - 0.180	2,409	0.049	0.047 - 0.051
Oklahoma	2,610	0.086	0.082 - 0.089	2,072	0.137	0.131 - 0.143	538	0.035	0.032 - 0.038
Oregon	3,842	0.103	0.100 - 0.106	3,031	0.164	0.158 - 0.170	811	0.043	0.040 - 0.046
Pennsylvania	13,781	0.130	0.128 - 0.132	10,523	0.202	0.199 - 0.206	3,258	0.060	0.058 - 0.063
Rhode Island	1,281	0.142	0.135 - 0.150	965	0.221	0.207 - 0.235	316	0.068	0.061 - 0.076
South Carolina	3,500	0.098	0.095 - 0.102	2,729	0.156	0.150 - 0.162	771	0.043	0.040 - 0.046
Tennessee	5,449	0.101	0.098 - 0.103	4,210	0.158	0.154 - 0.163	1,239	0.045	0.043 - 0.048
Texas	13,150	0.057	0.056 - 0.058	10,387	0.091	0.089 - 0.092	2,763	0.024	0.023 - 0.025
Utah	1,593	0.054	0.052 - 0.057	1,323	0.090	0.085 - 0.095	271	0.019	0.016 - 0.021
Vermont	754	0.126	0.117 - 0.136	567	0.193	0.177 - 0.209	187	0.062	0.053 - 0.071
Washington	5,904	0.096	0.094 - 0.099	4,632	0.151	0.146 - 0.155	1,272	0.042	0.039 - 0.044
WA - Seattle	4,145	0.103	0.100 - 0.107	3,268	0.162	0.157 - 0.168	877	0.044	0.041 - 0.047
West Virginia	2,023	0.119	0.114 - 0.124	1,562	0.186	0.177 - 0.195	461	0.053	0.049 - 0.059
Wisconsin	5,855	0.114	0.112 - 0.117	4,567	0.179	0.174 - 0.184	1,288	0.050	0.047 - 0.053
Wyoming	527	0.097	0.089 - 0.105	419	0.151	0.137 - 0.166	108	0.040	0.033 - 0.049

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	208,949	0.082	0.082 - 0.082	132,116	0.105	0.104 - 0.105	76,854	0.060	0.059 - 0.060
Alabama	3,086	0.090	0.087 - 0.093	1,892	0.112	0.107 - 0.117	1,194	0.068	0.064 - 0.072
Alaska	384	0.076	0.069 - 0.084	249	0.093	0.082 - 0.106	135	0.057	0.048 - 0.067
Arizona	4,549	0.075	0.073 - 0.077	2,891	0.096	0.092 - 0.099	1,658	0.054	0.052 - 0.057
Arkansas	2,415	0.100	0.096 - 0.104	1,518	0.127	0.121 - 0.133	897	0.073	0.068 - 0.078
California	19,655	0.068	0.067 - 0.069	12,509	0.086	0.084 - 0.087	7,147	0.049	0.048 - 0.050
CA - Greater California	12,132	0.070	0.069 - 0.071	7,731	0.089	0.087 - 0.091	4,402	0.051	0.049 - 0.052
CA - Greater Bay Area	3,057	0.067	0.065 - 0.070	2,007	0.087	0.084 - 0.091	1,050	0.047	0.044 - 0.050
CA - Los Angeles	4,466	0.062	0.060 - 0.064	2,771	0.077	0.074 - 0.080	1,695	0.047	0.045 - 0.049
Colorado	3,082	0.061	0.059 - 0.063	1,939	0.076	0.073 - 0.079	1,143	0.045	0.043 - 0.048
Connecticut	2,480	0.086	0.082 - 0.089	1,627	0.115	0.110 - 0.121	853	0.058	0.054 - 0.062
Delaware	612	0.089	0.082 - 0.097	387	0.116	0.105 - 0.128	225	0.064	0.056 - 0.073
District of Columbia	92	0.028	0.023 - 0.034	59	0.036	0.027 - 0.046	33	0.020	0.014 - 0.028
Florida	13,364	0.080	0.078 - 0.081	8,505	0.103	0.101 - 0.106	4,859	0.057	0.055 - 0.059
Georgia	5,047	0.078	0.076 - 0.080	3,185	0.099	0.096 - 0.103	1,861	0.057	0.054 - 0.060
Hawaii	281	0.078	0.069 - 0.087	209	0.107	0.093 - 0.122	72	0.043	0.034 - 0.055
Idaho	1,142	0.068	0.064 - 0.072	742	0.088	0.082 - 0.095	400	0.048	0.043 - 0.053
Illinois	8,542	0.087	0.085 - 0.088	5,376	0.110	0.107 - 0.113	3,166	0.064	0.061 - 0.066
Indiana	5,143	0.089	0.087 - 0.092	3,170	0.111	0.107 - 0.115	1,973	0.068	0.065 - 0.071
Iowa	2,712	0.094	0.090 - 0.097	1,742	0.122	0.116 - 0.127	971	0.067	0.062 - 0.071
Kansas	2,379	0.093	0.089 - 0.097	1,490	0.117	0.111 - 0.123	889	0.069	0.065 - 0.074
Kentucky	3,915	0.099	0.096 - 0.102	2,418	0.124	0.119 - 0.129	1,497	0.074	0.071 - 0.078
Louisiana	3,313	0.112	0.108 - 0.116	2,093	0.143	0.137 - 0.149	1,220	0.081	0.077 - 0.086
Maine	1,200	0.093	0.088 - 0.099	755	0.120	0.112 - 0.129	445	0.068	0.062 - 0.074
Maryland	2,737	0.076	0.073 - 0.079	1,703	0.095	0.091 - 0.100	1,034	0.057	0.053 - 0.060
MI - Detroit	2,255	0.085	0.082 - 0.089	1,433	0.109	0.104 - 0.115	822	0.061	0.057 - 0.066
Minnesota	4,103	0.086	0.083 - 0.088	2,718	0.114	0.110 - 0.119	1,385	0.058	0.055 - 0.061
Mississippi	1,963	0.110	0.106 - 0.115	1,222	0.139	0.131 - 0.147	741	0.082	0.077 - 0.088
Missouri	4,712	0.091	0.089 - 0.094	2,926	0.115	0.111 - 0.119	1,786	0.068	0.065 - 0.072
Montana	796	0.082	0.077 - 0.088	513	0.105	0.096 - 0.115	283	0.059	0.052 - 0.066
Nebraska	1,362	0.079	0.075 - 0.083	869	0.101	0.095 - 0.108	493	0.057	0.052 - 0.062
New Hampshire	1,114	0.087	0.082 - 0.092	744	0.118	0.109 - 0.126	370	0.057	0.052 - 0.063
New Jersey	5,675	0.088	0.085 - 0.090	3,626	0.114	0.110 - 0.118	2,049	0.062	0.059 - 0.065
New Mexico	1,183	0.068	0.064 - 0.072	711	0.083	0.077 - 0.089	472	0.054	0.049 - 0.059
New York	12,283	0.089	0.088 - 0.091	7,930	0.117	0.115 - 0.120	4,353	0.062	0.060 - 0.064
North Carolina	6,104	0.082	0.080 - 0.084	3,916	0.106	0.103 - 0.110	2,188	0.058	0.055 - 0.060
North Dakota	531	0.079	0.072 - 0.086	365	0.106	0.096 - 0.118	166	0.051	0.043 - 0.059
Ohio	8,348	0.086	0.084 - 0.088	5,052	0.106	0.103 - 0.109	3,296	0.067	0.065 - 0.069
Oklahoma	2,641	0.087	0.083 - 0.090	1,577	0.104	0.099 - 0.110	1,064	0.069	0.065 - 0.073
Oregon	2,964	0.079	0.077 - 0.082	1,959	0.106	0.101 - 0.111	1,005	0.053	0.050 - 0.057
Pennsylvania	9,553	0.090	0.088 - 0.092	6,125	0.118	0.115 - 0.121	3,428	0.064	0.062 - 0.066
Rhode Island	750	0.083	0.077 - 0.089	472	0.108	0.098 - 0.118	278	0.060	0.053 - 0.067
South Carolina	3,101	0.087	0.084 - 0.090	1,970	0.113	0.108 - 0.118	1,131	0.062	0.059 - 0.066
Tennessee	4,993	0.092	0.090 - 0.095	3,218	0.121	0.117 - 0.125	1,775	0.064	0.061 - 0.068
Texas	18,228	0.079	0.078 - 0.080	11,187	0.098	0.096 - 0.099	7,041	0.061	0.060 - 0.063
Utah	1,414	0.048	0.046 - 0.051	902	0.061	0.057 - 0.065	512	0.035	0.032 - 0.038
Vermont	478	0.080	0.073 - 0.088	297	0.101	0.090 - 0.113	181	0.060	0.051 - 0.069
Washington	4,384	0.071	0.069 - 0.074	2,759	0.090	0.086 - 0.093	1,625	0.053	0.051 - 0.056
WA - Seattle	2,989	0.075	0.072 - 0.077	1,911	0.095	0.091 - 0.099	1,078	0.054	0.051 - 0.057
West Virginia	1,864	0.109	0.104 - 0.114	1,081	0.129	0.121 - 0.137	783	0.091	0.084 - 0.097
Wisconsin	4,637	0.091	0.088 - 0.093	3,053	0.120	0.116 - 0.124	1,584	0.062	0.059 - 0.065
Wyoming	371	0.068	0.061 - 0.075	231	0.083	0.073 - 0.095	140	0.052	0.044 - 0.062

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-118 Prevalence – Kidney and Renal Pelvis

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	42,418	0.017	0.017 - 0.017	23,328	0.018	0.018 - 0.019	19,090	0.015	0.015 - 0.015
Alabama	542	0.016	0.014 - 0.017	277	0.016	0.015 - 0.018	265	0.015	0.013 - 0.017
Alaska	82	0.016	0.013 - 0.020	51	0.019	0.014 - 0.025	31	0.013	0.009 - 0.018
Arizona	886	0.015	0.014 - 0.016	501	0.017	0.015 - 0.018	385	0.013	0.011 - 0.014
Arkansas	419	0.017	0.016 - 0.019	243	0.020	0.018 - 0.023	176	0.014	0.012 - 0.017
California	4,408	0.015	0.015 - 0.016	2,487	0.017	0.016 - 0.018	1,921	0.013	0.013 - 0.014
CA - Greater California	2,582	0.015	0.014 - 0.015	1,440	0.017	0.016 - 0.017	1,142	0.013	0.012 - 0.014
CA - Greater Bay Area	820	0.018	0.017 - 0.019	491	0.021	0.020 - 0.023	329	0.015	0.013 - 0.016
CA - Los Angeles	1,006	0.014	0.013 - 0.015	556	0.015	0.014 - 0.017	450	0.012	0.011 - 0.014
Colorado	814	0.016	0.015 - 0.017	443	0.017	0.016 - 0.019	371	0.015	0.013 - 0.016
Connecticut	527	0.018	0.017 - 0.020	287	0.020	0.018 - 0.023	240	0.016	0.014 - 0.018
Delaware	126	0.018	0.015 - 0.022	67	0.020	0.016 - 0.026	59	0.017	0.013 - 0.022
District of Columbia	45	0.014	0.010 - 0.018	28	0.017	0.011 - 0.025	17	0.010	0.006 - 0.017
Florida	2,876	0.017	0.017 - 0.018	1,583	0.019	0.018 - 0.020	1,293	0.015	0.014 - 0.016
Georgia	998	0.015	0.014 - 0.016	514	0.016	0.015 - 0.017	483	0.015	0.014 - 0.016
Hawaii	61	0.017	0.013 - 0.022	40	0.021	0.015 - 0.028	21	0.012	0.008 - 0.019
Idaho	254	0.015	0.013 - 0.017	146	0.017	0.015 - 0.020	109	0.013	0.011 - 0.016
Illinois	1,710	0.017	0.017 - 0.018	957	0.020	0.018 - 0.021	753	0.015	0.014 - 0.016
Indiana	914	0.016	0.015 - 0.017	513	0.018	0.016 - 0.020	401	0.014	0.012 - 0.015
Iowa	506	0.017	0.016 - 0.019	271	0.019	0.017 - 0.021	235	0.016	0.014 - 0.018
Kansas	406	0.016	0.014 - 0.017	229	0.018	0.016 - 0.021	177	0.014	0.012 - 0.016
Kentucky	727	0.018	0.017 - 0.020	414	0.021	0.019 - 0.023	313	0.016	0.014 - 0.017
Louisiana	471	0.016	0.014 - 0.017	279	0.019	0.017 - 0.021	192	0.013	0.011 - 0.015
Maine	260	0.020	0.018 - 0.023	140	0.022	0.019 - 0.026	120	0.018	0.015 - 0.022
Maryland	567	0.016	0.014 - 0.017	311	0.017	0.016 - 0.019	256	0.014	0.012 - 0.016
MI - Detroit	429	0.016	0.015 - 0.018	239	0.018	0.016 - 0.021	189	0.014	0.012 - 0.016
Minnesota	894	0.019	0.017 - 0.020	505	0.021	0.019 - 0.023	389	0.016	0.015 - 0.018
Mississippi	290	0.016	0.014 - 0.018	143	0.016	0.014 - 0.019	147	0.016	0.014 - 0.019
Missouri	886	0.017	0.016 - 0.018	481	0.019	0.017 - 0.021	405	0.015	0.014 - 0.017
Montana	169	0.017	0.015 - 0.020	94	0.019	0.016 - 0.024	75	0.016	0.012 - 0.020
Nebraska	292	0.017	0.015 - 0.019	145	0.017	0.014 - 0.020	147	0.017	0.014 - 0.020
New Hampshire	266	0.021	0.018 - 0.023	143	0.023	0.019 - 0.027	123	0.019	0.016 - 0.023
New Jersey	1,214	0.019	0.018 - 0.020	638	0.020	0.018 - 0.022	576	0.017	0.016 - 0.019
New Mexico	234	0.013	0.012 - 0.015	122	0.014	0.012 - 0.017	112	0.013	0.011 - 0.015
New York	2,669	0.019	0.019 - 0.020	1,463	0.022	0.021 - 0.023	1,206	0.017	0.016 - 0.018
North Carolina	1,234	0.016	0.016 - 0.017	667	0.018	0.017 - 0.020	567	0.015	0.014 - 0.016
North Dakota	104	0.015	0.013 - 0.019	62	0.018	0.014 - 0.023	42	0.013	0.009 - 0.017
Ohio	1,714	0.018	0.017 - 0.019	967	0.020	0.019 - 0.022	747	0.015	0.014 - 0.016
Oklahoma	458	0.015	0.014 - 0.016	250	0.017	0.015 - 0.019	208	0.014	0.012 - 0.015
Oregon	622	0.017	0.015 - 0.018	347	0.019	0.017 - 0.021	275	0.015	0.013 - 0.016
Pennsylvania	1,857	0.018	0.017 - 0.018	1,030	0.020	0.019 - 0.021	827	0.015	0.014 - 0.016
Rhode Island	157	0.017	0.015 - 0.020	71	0.016	0.013 - 0.020	86	0.019	0.015 - 0.023
South Carolina	526	0.015	0.014 - 0.016	296	0.017	0.015 - 0.019	230	0.013	0.011 - 0.014
Tennessee	829	0.015	0.014 - 0.016	442	0.017	0.015 - 0.018	387	0.014	0.013 - 0.016
Texas	3,566	0.016	0.015 - 0.016	1,903	0.017	0.016 - 0.017	1,663	0.014	0.014 - 0.015
Utah	478	0.016	0.015 - 0.018	271	0.018	0.016 - 0.021	207	0.014	0.012 - 0.016
Vermont	106	0.018	0.015 - 0.021	62	0.021	0.016 - 0.027	44	0.015	0.011 - 0.020
Washington	1,156	0.019	0.018 - 0.020	656	0.021	0.020 - 0.023	500	0.016	0.015 - 0.018
WA - Seattle	804	0.020	0.019 - 0.022	449	0.022	0.020 - 0.024	355	0.018	0.016 - 0.020
West Virginia	317	0.019	0.017 - 0.021	169	0.020	0.017 - 0.023	148	0.017	0.014 - 0.020
Wisconsin	892	0.017	0.016 - 0.019	480	0.019	0.017 - 0.021	412	0.016	0.015 - 0.018
Wyoming	79	0.015	0.011 - 0.018	39	0.014	0.010 - 0.019	40	0.015	0.011 - 0.020

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	189,481	0.074	0.074 - 0.075	48,807	0.039	0.038 - 0.039	140,681	0.110	0.109 - 0.110
Alabama	1,933	0.056	0.054 - 0.059	493	0.029	0.027 - 0.032	1,440	0.082	0.078 - 0.087
Alaska	317	0.063	0.056 - 0.070	90	0.034	0.027 - 0.041	227	0.095	0.083 - 0.109
Arizona	4,031	0.066	0.064 - 0.068	990	0.033	0.031 - 0.035	3,041	0.100	0.096 - 0.103
Arkansas	1,621	0.067	0.064 - 0.070	419	0.035	0.032 - 0.039	1,202	0.098	0.093 - 0.104
California	19,260	0.066	0.065 - 0.067	4,827	0.033	0.032 - 0.034	14,433	0.100	0.098 - 0.101
CA - Greater California	11,431	0.066	0.065 - 0.067	2,819	0.033	0.031 - 0.034	8,612	0.100	0.097 - 0.102
CA - Greater Bay Area	2,921	0.064	0.062 - 0.067	814	0.035	0.033 - 0.038	2,107	0.094	0.090 - 0.098
CA - Los Angeles	4,909	0.068	0.066 - 0.070	1,195	0.033	0.031 - 0.035	3,714	0.103	0.100 - 0.106
Colorado	3,693	0.073	0.070 - 0.075	954	0.037	0.035 - 0.040	2,739	0.109	0.105 - 0.113
Connecticut	2,791	0.097	0.093 - 0.100	740	0.052	0.049 - 0.056	2,051	0.139	0.133 - 0.145
Delaware	620	0.091	0.084 - 0.098	149	0.045	0.038 - 0.053	471	0.134	0.122 - 0.147
District of Columbia	235	0.072	0.063 - 0.081	63	0.038	0.030 - 0.049	172	0.105	0.090 - 0.122
Florida	11,471	0.068	0.067 - 0.070	2,883	0.035	0.034 - 0.036	8,588	0.101	0.099 - 0.103
Georgia	4,624	0.071	0.069 - 0.073	1,186	0.037	0.035 - 0.039	3,438	0.105	0.102 - 0.109
Hawaii	223	0.062	0.054 - 0.070	64	0.033	0.025 - 0.042	159	0.096	0.082 - 0.112
Idaho	1,142	0.068	0.064 - 0.072	298	0.035	0.032 - 0.040	845	0.101	0.094 - 0.108
Illinois	7,889	0.080	0.078 - 0.082	2,064	0.042	0.040 - 0.044	5,825	0.117	0.114 - 0.120
Indiana	3,687	0.064	0.062 - 0.066	935	0.033	0.031 - 0.035	2,752	0.094	0.091 - 0.098
Iowa	2,135	0.074	0.071 - 0.077	560	0.039	0.036 - 0.042	1,575	0.108	0.103 - 0.114
Kansas	1,896	0.074	0.071 - 0.078	494	0.039	0.036 - 0.042	1,402	0.109	0.103 - 0.115
Kentucky	3,190	0.080	0.078 - 0.083	805	0.041	0.038 - 0.044	2,385	0.118	0.114 - 0.123
Louisiana	2,607	0.088	0.085 - 0.091	658	0.045	0.041 - 0.048	1,949	0.130	0.124 - 0.136
Maine	1,065	0.083	0.078 - 0.088	314	0.050	0.045 - 0.056	751	0.114	0.106 - 0.123
Maryland	2,850	0.079	0.076 - 0.082	718	0.040	0.037 - 0.043	2,132	0.117	0.112 - 0.122
MI - Detroit	2,404	0.091	0.087 - 0.094	598	0.046	0.042 - 0.050	1,805	0.135	0.129 - 0.141
Minnesota	3,143	0.066	0.063 - 0.068	887	0.037	0.035 - 0.040	2,256	0.094	0.090 - 0.098
Mississippi	1,072	0.060	0.057 - 0.064	275	0.031	0.028 - 0.035	797	0.089	0.083 - 0.095
Missouri	3,251	0.063	0.061 - 0.065	840	0.033	0.031 - 0.035	2,411	0.092	0.089 - 0.096
Montana	693	0.072	0.066 - 0.077	213	0.044	0.038 - 0.050	480	0.100	0.091 - 0.110
Nebraska	1,296	0.075	0.071 - 0.079	311	0.036	0.032 - 0.040	985	0.114	0.107 - 0.121
New Hampshire	1,018	0.080	0.075 - 0.085	268	0.042	0.037 - 0.048	750	0.116	0.108 - 0.125
New Jersey	7,007	0.108	0.106 - 0.111	1,803	0.057	0.054 - 0.059	5,204	0.158	0.154 - 0.162
New Mexico	1,411	0.081	0.077 - 0.085	352	0.041	0.037 - 0.045	1,059	0.121	0.113 - 0.128
New York	14,679	0.106	0.105 - 0.108	3,878	0.057	0.056 - 0.059	10,801	0.154	0.151 - 0.157
North Carolina	4,830	0.065	0.063 - 0.066	1,251	0.034	0.032 - 0.036	3,579	0.094	0.091 - 0.097
North Dakota	562	0.084	0.077 - 0.091	148	0.043	0.036 - 0.051	414	0.126	0.114 - 0.139
Ohio	7,835	0.081	0.079 - 0.083	1,940	0.041	0.039 - 0.043	5,895	0.120	0.117 - 0.123
Oklahoma	1,918	0.063	0.060 - 0.066	483	0.032	0.029 - 0.035	1,435	0.093	0.088 - 0.098
Oregon	2,528	0.068	0.065 - 0.070	663	0.036	0.033 - 0.039	1,865	0.099	0.095 - 0.104
Pennsylvania	10,770	0.102	0.100 - 0.104	2,831	0.054	0.052 - 0.056	7,939	0.147	0.144 - 0.151
Rhode Island	883	0.098	0.092 - 0.105	239	0.055	0.048 - 0.062	644	0.139	0.128 - 0.150
South Carolina	2,126	0.060	0.057 - 0.062	588	0.034	0.031 - 0.036	1,538	0.085	0.081 - 0.089
Tennessee	3,634	0.067	0.065 - 0.069	974	0.037	0.034 - 0.039	2,660	0.097	0.093 - 0.100
Texas	13,513	0.059	0.058 - 0.060	3,393	0.030	0.029 - 0.031	10,120	0.088	0.086 - 0.090
Utah	2,236	0.076	0.073 - 0.080	533	0.036	0.033 - 0.039	1,703	0.117	0.111 - 0.123
Vermont	451	0.076	0.069 - 0.083	124	0.042	0.035 - 0.050	327	0.108	0.097 - 0.121
Washington	3,958	0.064	0.063 - 0.067	1,078	0.035	0.033 - 0.037	2,880	0.094	0.091 - 0.098
WA - Seattle	2,788	0.070	0.067 - 0.072	789	0.039	0.036 - 0.042	1,999	0.100	0.096 - 0.105
West Virginia	1,591	0.093	0.089 - 0.098	367	0.044	0.039 - 0.048	1,224	0.142	0.134 - 0.150
Wisconsin	3,702	0.072	0.070 - 0.075	1,003	0.039	0.037 - 0.042	2,699	0.105	0.101 - 0.109
Wyoming	420	0.077	0.070 - 0.085	108	0.039	0.032 - 0.047	312	0.117	0.104 - 0.131

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	30,948	0.012	0.012 - 0.012	17,000	0.013	0.013 - 0.014	13,948	0.011	0.011 - 0.011
Alabama	335	0.010	0.009 - 0.011	183	0.011	0.009 - 0.013	152	0.009	0.007 - 0.010
Alaska	54	0.011	0.008 - 0.014	33	0.012	0.009 - 0.017	21	0.009	0.005 - 0.013
Arizona	561	0.009	0.008 - 0.010	314	0.010	0.009 - 0.012	247	0.008	0.007 - 0.009
Arkansas	270	0.011	0.010 - 0.013	145	0.012	0.010 - 0.014	125	0.010	0.008 - 0.012
California	3,075	0.011	0.010 - 0.011	1,705	0.012	0.011 - 0.012	1,370	0.009	0.009 - 0.010
CA - Greater California	1,816	0.010	0.010 - 0.011	996	0.011	0.011 - 0.012	820	0.009	0.009 - 0.010
CA - Greater Bay Area	571	0.013	0.012 - 0.014	321	0.014	0.012 - 0.016	251	0.011	0.010 - 0.013
CA - Los Angeles	687	0.009	0.009 - 0.010	388	0.011	0.010 - 0.012	299	0.008	0.007 - 0.009
Colorado	558	0.011	0.010 - 0.012	327	0.013	0.011 - 0.014	231	0.009	0.008 - 0.010
Connecticut	426	0.015	0.013 - 0.016	243	0.017	0.015 - 0.019	183	0.012	0.011 - 0.014
Delaware	84	0.012	0.010 - 0.015	44	0.013	0.010 - 0.018	40	0.011	0.008 - 0.015
District of Columbia	50	0.015	0.011 - 0.020	25	0.015	0.010 - 0.023	25	0.015	0.010 - 0.022
Florida	2,440	0.015	0.014 - 0.015	1,286	0.016	0.015 - 0.017	1,154	0.014	0.013 - 0.014
Georgia	685	0.011	0.010 - 0.011	363	0.011	0.010 - 0.013	322	0.010	0.009 - 0.011
Hawaii	49	0.014	0.010 - 0.018	34	0.017	0.012 - 0.024	15	0.009	0.005 - 0.015
Idaho	161	0.010	0.008 - 0.011	92	0.011	0.009 - 0.013	69	0.008	0.006 - 0.010
Illinois	1,284	0.013	0.012 - 0.014	704	0.014	0.013 - 0.016	580	0.012	0.011 - 0.013
Indiana	721	0.012	0.012 - 0.013	411	0.014	0.013 - 0.016	310	0.011	0.009 - 0.012
Iowa	373	0.013	0.012 - 0.014	215	0.015	0.013 - 0.017	158	0.011	0.009 - 0.013
Kansas	278	0.011	0.010 - 0.012	163	0.013	0.011 - 0.015	115	0.009	0.007 - 0.011
Kentucky	455	0.011	0.010 - 0.013	262	0.013	0.012 - 0.015	194	0.010	0.008 - 0.011
Louisiana	395	0.013	0.012 - 0.015	215	0.015	0.013 - 0.017	180	0.012	0.010 - 0.014
Maine	181	0.014	0.012 - 0.016	93	0.015	0.012 - 0.018	88	0.013	0.011 - 0.017
Maryland	426	0.012	0.011 - 0.013	223	0.012	0.011 - 0.014	203	0.011	0.010 - 0.013
MI - Detroit	383	0.014	0.013 - 0.016	209	0.016	0.014 - 0.018	174	0.013	0.011 - 0.015
Minnesota	669	0.014	0.013 - 0.015	369	0.015	0.014 - 0.017	300	0.012	0.011 - 0.014
Mississippi	183	0.010	0.009 - 0.012	100	0.011	0.009 - 0.014	83	0.009	0.007 - 0.011
Missouri	619	0.012	0.011 - 0.013	344	0.014	0.012 - 0.015	275	0.011	0.009 - 0.012
Montana	110	0.011	0.009 - 0.014	59	0.012	0.009 - 0.016	51	0.011	0.008 - 0.014
Nebraska	200	0.012	0.010 - 0.013	122	0.014	0.012 - 0.017	78	0.009	0.007 - 0.011
New Hampshire	182	0.014	0.012 - 0.016	99	0.016	0.013 - 0.019	83	0.013	0.010 - 0.016
New Jersey	1,035	0.016	0.015 - 0.017	573	0.018	0.017 - 0.020	462	0.014	0.013 - 0.015
New Mexico	177	0.010	0.009 - 0.012	109	0.013	0.010 - 0.015	68	0.008	0.006 - 0.010
New York	2,171	0.016	0.015 - 0.016	1,191	0.018	0.017 - 0.019	980	0.014	0.013 - 0.015
North Carolina	809	0.011	0.010 - 0.012	440	0.012	0.011 - 0.013	369	0.010	0.009 - 0.011
North Dakota	84	0.013	0.010 - 0.015	48	0.014	0.010 - 0.019	36	0.011	0.008 - 0.015
Ohio	1,198	0.012	0.012 - 0.013	657	0.014	0.013 - 0.015	541	0.011	0.010 - 0.012
Oklahoma	292	0.010	0.009 - 0.011	159	0.011	0.009 - 0.012	133	0.009	0.007 - 0.010
Oregon	412	0.011	0.010 - 0.012	218	0.012	0.010 - 0.013	194	0.010	0.009 - 0.012
Pennsylvania	1,615	0.015	0.015 - 0.016	897	0.017	0.016 - 0.018	718	0.013	0.012 - 0.014
Rhode Island	141	0.016	0.013 - 0.018	65	0.015	0.011 - 0.019	76	0.016	0.013 - 0.021
South Carolina	389	0.011	0.010 - 0.012	213	0.012	0.011 - 0.014	176	0.010	0.008 - 0.011
Tennessee	608	0.011	0.010 - 0.012	313	0.012	0.011 - 0.013	295	0.011	0.010 - 0.012
Texas	2,267	0.010	0.009 - 0.010	1,226	0.011	0.010 - 0.011	1,041	0.009	0.009 - 0.010
Utah	329	0.011	0.010 - 0.012	171	0.012	0.010 - 0.013	158	0.011	0.009 - 0.013
Vermont	76	0.013	0.010 - 0.016	42	0.014	0.010 - 0.019	34	0.011	0.008 - 0.016
Washington	701	0.011	0.011 - 0.012	390	0.013	0.011 - 0.014	311	0.010	0.009 - 0.011
WA - Seattle	488	0.012	0.011 - 0.013	276	0.014	0.012 - 0.015	212	0.011	0.009 - 0.012
West Virginia	183	0.011	0.009 - 0.012	104	0.012	0.010 - 0.015	79	0.009	0.007 - 0.011
Wisconsin	728	0.014	0.013 - 0.015	414	0.016	0.015 - 0.018	314	0.012	0.011 - 0.014
Wyoming	54	0.010	0.007 - 0.013	30	0.011	0.007 - 0.015	24	0.009	0.006 - 0.013

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	222,031	0.087	0.087 - 0.088	120,205	0.095	0.095 - 0.096	101,832	0.079	0.079 - 0.080
Alabama	2,553	0.074	0.071 - 0.077	1,399	0.083	0.079 - 0.088	1,154	0.066	0.062 - 0.070
Alaska	361	0.071	0.064 - 0.079	215	0.081	0.070 - 0.092	146	0.061	0.052 - 0.072
Arizona	4,072	0.067	0.065 - 0.069	2,243	0.074	0.071 - 0.077	1,829	0.060	0.057 - 0.063
Arkansas	1,963	0.081	0.077 - 0.085	1,068	0.089	0.084 - 0.095	895	0.073	0.068 - 0.078
California	22,112	0.076	0.075 - 0.077	12,174	0.083	0.082 - 0.085	9,938	0.069	0.067 - 0.070
CA - Greater California	12,682	0.073	0.072 - 0.075	7,007	0.081	0.079 - 0.083	5,675	0.066	0.064 - 0.067
CA - Greater Bay Area	4,516	0.100	0.097 - 0.103	2,521	0.110	0.105 - 0.114	1,995	0.089	0.085 - 0.093
CA - Los Angeles	4,909	0.068	0.066 - 0.070	2,644	0.073	0.070 - 0.076	2,265	0.063	0.060 - 0.065
Colorado	3,504	0.069	0.067 - 0.071	1,927	0.075	0.072 - 0.079	1,577	0.063	0.060 - 0.066
Connecticut	3,195	0.111	0.107 - 0.114	1,711	0.121	0.115 - 0.127	1,484	0.100	0.095 - 0.106
Delaware	692	0.101	0.094 - 0.109	383	0.115	0.104 - 0.127	309	0.088	0.078 - 0.098
District of Columbia	154	0.047	0.040 - 0.055	93	0.057	0.046 - 0.070	61	0.037	0.028 - 0.048
Florida	19,383	0.116	0.114 - 0.117	10,324	0.125	0.123 - 0.128	9,059	0.106	0.104 - 0.108
Georgia	5,203	0.080	0.078 - 0.083	2,827	0.088	0.085 - 0.091	2,375	0.073	0.070 - 0.076
Hawaii	348	0.096	0.086 - 0.107	215	0.110	0.096 - 0.126	133	0.080	0.067 - 0.095
Idaho	1,273	0.076	0.072 - 0.080	725	0.086	0.080 - 0.093	548	0.066	0.060 - 0.071
Illinois	8,835	0.090	0.088 - 0.091	4,725	0.097	0.094 - 0.099	4,110	0.083	0.080 - 0.085
Indiana	4,603	0.080	0.078 - 0.082	2,445	0.086	0.082 - 0.089	2,158	0.074	0.071 - 0.077
Iowa	2,808	0.097	0.094 - 0.101	1,525	0.106	0.101 - 0.112	1,283	0.088	0.083 - 0.093
Kansas	2,145	0.084	0.080 - 0.088	1,186	0.093	0.088 - 0.099	959	0.075	0.070 - 0.079
Kentucky	3,402	0.086	0.083 - 0.089	1,783	0.091	0.087 - 0.096	1,619	0.080	0.077 - 0.084
Louisiana	2,689	0.091	0.087 - 0.094	1,484	0.101	0.096 - 0.107	1,205	0.080	0.076 - 0.085
Maine	1,383	0.108	0.102 - 0.113	782	0.124	0.116 - 0.133	601	0.092	0.084 - 0.099
Maryland	3,237	0.090	0.086 - 0.093	1,722	0.096	0.092 - 0.101	1,515	0.083	0.079 - 0.087
MI - Detroit	2,714	0.103	0.099 - 0.106	1,440	0.110	0.104 - 0.116	1,274	0.095	0.090 - 0.101
Minnesota	4,792	0.100	0.097 - 0.103	2,673	0.112	0.108 - 0.117	2,119	0.088	0.084 - 0.092
Mississippi	1,438	0.081	0.077 - 0.085	785	0.089	0.083 - 0.096	653	0.073	0.067 - 0.078
Missouri	4,405	0.085	0.083 - 0.088	2,366	0.093	0.089 - 0.097	2,039	0.078	0.075 - 0.081
Montana	865	0.090	0.084 - 0.096	500	0.103	0.094 - 0.112	365	0.076	0.069 - 0.085
Nebraska	1,490	0.087	0.082 - 0.091	799	0.093	0.087 - 0.100	691	0.080	0.074 - 0.086
New Hampshire	1,307	0.102	0.097 - 0.108	725	0.115	0.106 - 0.123	582	0.090	0.083 - 0.098
New Jersey	7,302	0.113	0.110 - 0.115	3,851	0.121	0.117 - 0.125	3,452	0.105	0.101 - 0.108
New Mexico	1,180	0.068	0.064 - 0.072	595	0.069	0.064 - 0.075	585	0.067	0.061 - 0.072
New York	15,146	0.110	0.108 - 0.112	7,955	0.118	0.115 - 0.120	7,191	0.102	0.100 - 0.105
North Carolina	6,116	0.082	0.080 - 0.084	3,300	0.090	0.087 - 0.093	2,816	0.074	0.071 - 0.077
North Dakota	518	0.077	0.071 - 0.084	290	0.084	0.075 - 0.095	228	0.069	0.061 - 0.079
Ohio	8,669	0.090	0.088 - 0.091	4,691	0.099	0.096 - 0.101	3,978	0.081	0.078 - 0.083
Oklahoma	2,214	0.073	0.070 - 0.076	1,158	0.077	0.072 - 0.081	1,056	0.069	0.065 - 0.073
Oregon	3,187	0.085	0.082 - 0.088	1,758	0.095	0.091 - 0.099	1,429	0.076	0.072 - 0.080
Pennsylvania	10,962	0.104	0.102 - 0.106	5,759	0.111	0.108 - 0.114	5,203	0.097	0.094 - 0.099
Rhode Island	881	0.098	0.091 - 0.105	477	0.109	0.100 - 0.119	404	0.087	0.079 - 0.096
South Carolina	2,888	0.081	0.078 - 0.084	1,590	0.091	0.087 - 0.095	1,298	0.072	0.068 - 0.076
Tennessee	4,359	0.081	0.078 - 0.083	2,376	0.089	0.086 - 0.093	1,983	0.072	0.069 - 0.075
Texas	14,851	0.065	0.064 - 0.066	8,161	0.071	0.070 - 0.073	6,690	0.058	0.057 - 0.060
Utah	1,707	0.058	0.056 - 0.061	987	0.067	0.063 - 0.071	720	0.049	0.046 - 0.053
Vermont	571	0.096	0.088 - 0.104	316	0.107	0.096 - 0.120	255	0.084	0.074 - 0.095
Washington	5,245	0.085	0.083 - 0.088	2,899	0.094	0.091 - 0.098	2,346	0.077	0.074 - 0.080
WA - Seattle	3,749	0.094	0.091 - 0.097	2,092	0.104	0.100 - 0.108	1,657	0.083	0.079 - 0.087
West Virginia	1,628	0.096	0.091 - 0.100	866	0.103	0.096 - 0.110	762	0.088	0.082 - 0.095
Wisconsin	5,252	0.103	0.100 - 0.105	2,918	0.114	0.110 - 0.119	2,334	0.091	0.087 - 0.095
Wyoming	402	0.074	0.067 - 0.081	226	0.082	0.071 - 0.093	176	0.066	0.057 - 0.076

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	66,138	0.026	0.026 - 0.026	37,855	0.030	0.030 - 0.030	28,286	0.022	0.022 - 0.022
Alabama	766	0.022	0.021 - 0.024	450	0.027	0.024 - 0.029	316	0.018	0.016 - 0.020
Alaska	95	0.019	0.015 - 0.023	59	0.022	0.017 - 0.029	36	0.015	0.011 - 0.021
Arizona	1,204	0.020	0.019 - 0.021	735	0.024	0.023 - 0.026	469	0.015	0.014 - 0.017
Arkansas	617	0.025	0.023 - 0.028	336	0.028	0.025 - 0.031	281	0.023	0.020 - 0.026
California	6,483	0.022	0.022 - 0.023	3,698	0.025	0.025 - 0.026	2,785	0.019	0.019 - 0.020
CA - Greater California	3,868	0.022	0.022 - 0.023	2,224	0.026	0.025 - 0.027	1,645	0.019	0.018 - 0.020
CA - Greater Bay Area	1,209	0.027	0.025 - 0.028	706	0.031	0.028 - 0.033	503	0.022	0.021 - 0.025
CA - Los Angeles	1,408	0.019	0.018 - 0.021	769	0.021	0.020 - 0.023	639	0.018	0.016 - 0.019
Colorado	1,102	0.022	0.020 - 0.023	650	0.025	0.024 - 0.027	452	0.018	0.016 - 0.020
Connecticut	950	0.033	0.031 - 0.035	549	0.039	0.036 - 0.042	402	0.027	0.025 - 0.030
Delaware	188	0.027	0.024 - 0.032	102	0.031	0.025 - 0.037	86	0.024	0.020 - 0.030
District of Columbia	66	0.020	0.016 - 0.026	37	0.023	0.016 - 0.031	29	0.018	0.012 - 0.025
Florida	6,133	0.037	0.036 - 0.038	3,451	0.042	0.041 - 0.043	2,682	0.031	0.030 - 0.033
Georgia	1,615	0.025	0.024 - 0.026	885	0.028	0.026 - 0.029	730	0.022	0.021 - 0.024
Hawaii	97	0.027	0.022 - 0.033	62	0.032	0.024 - 0.040	35	0.021	0.015 - 0.029
Idaho	397	0.024	0.021 - 0.026	246	0.029	0.026 - 0.033	151	0.018	0.015 - 0.021
Illinois	2,426	0.025	0.024 - 0.026	1,331	0.027	0.026 - 0.029	1,095	0.022	0.021 - 0.023
Indiana	1,378	0.024	0.023 - 0.025	754	0.026	0.025 - 0.028	624	0.021	0.020 - 0.023
Iowa	846	0.029	0.027 - 0.031	494	0.034	0.032 - 0.038	352	0.024	0.022 - 0.027
Kansas	648	0.025	0.023 - 0.027	375	0.030	0.027 - 0.033	273	0.021	0.019 - 0.024
Kentucky	1,030	0.026	0.024 - 0.028	591	0.030	0.028 - 0.033	439	0.022	0.020 - 0.024
Louisiana	733	0.025	0.023 - 0.027	414	0.028	0.026 - 0.031	319	0.021	0.019 - 0.024
Maine	359	0.028	0.025 - 0.031	206	0.033	0.028 - 0.038	153	0.023	0.020 - 0.027
Maryland	914	0.025	0.024 - 0.027	500	0.028	0.026 - 0.031	414	0.023	0.020 - 0.025
MI - Detroit	765	0.029	0.027 - 0.031	444	0.034	0.031 - 0.037	321	0.024	0.021 - 0.027
Minnesota	1,372	0.029	0.027 - 0.030	815	0.034	0.032 - 0.037	557	0.023	0.021 - 0.025
Mississippi	441	0.025	0.023 - 0.027	257	0.029	0.026 - 0.033	184	0.020	0.018 - 0.024
Missouri	1,292	0.025	0.024 - 0.026	751	0.030	0.027 - 0.032	541	0.021	0.019 - 0.022
Montana	308	0.032	0.028 - 0.036	185	0.038	0.033 - 0.044	123	0.026	0.021 - 0.031
Nebraska	426	0.025	0.022 - 0.027	251	0.029	0.026 - 0.033	175	0.020	0.017 - 0.023
New Hampshire	362	0.028	0.025 - 0.031	206	0.033	0.028 - 0.037	156	0.024	0.020 - 0.028
New Jersey	2,054	0.032	0.030 - 0.033	1,191	0.037	0.035 - 0.040	863	0.026	0.024 - 0.028
New Mexico	384	0.022	0.020 - 0.024	231	0.027	0.023 - 0.031	153	0.017	0.015 - 0.020
New York	4,664	0.034	0.033 - 0.035	2,684	0.040	0.038 - 0.041	1,980	0.028	0.027 - 0.029
North Carolina	1,994	0.027	0.025 - 0.028	1,134	0.031	0.029 - 0.033	860	0.023	0.021 - 0.024
North Dakota	161	0.024	0.020 - 0.028	97	0.028	0.023 - 0.034	64	0.019	0.015 - 0.025
Ohio	2,142	0.022	0.021 - 0.023	1,228	0.026	0.024 - 0.027	914	0.019	0.017 - 0.020
Oklahoma	655	0.021	0.020 - 0.023	372	0.025	0.022 - 0.027	283	0.018	0.016 - 0.021
Oregon	866	0.023	0.022 - 0.025	501	0.027	0.025 - 0.030	365	0.019	0.017 - 0.021
Pennsylvania	3,046	0.029	0.028 - 0.030	1,742	0.034	0.032 - 0.035	1,304	0.024	0.023 - 0.026
Rhode Island	205	0.023	0.020 - 0.026	126	0.029	0.024 - 0.034	79	0.017	0.014 - 0.021
South Carolina	880	0.025	0.023 - 0.026	501	0.029	0.026 - 0.031	379	0.021	0.019 - 0.023
Tennessee	1,263	0.023	0.022 - 0.025	718	0.027	0.025 - 0.029	545	0.020	0.018 - 0.022
Texas	5,124	0.022	0.022 - 0.023	2,878	0.025	0.024 - 0.026	2,246	0.020	0.019 - 0.020
Utah	512	0.017	0.016 - 0.019	308	0.021	0.019 - 0.023	203	0.014	0.012 - 0.016
Vermont	164	0.027	0.023 - 0.032	98	0.033	0.027 - 0.041	66	0.022	0.017 - 0.028
Washington	1,558	0.025	0.024 - 0.027	933	0.030	0.028 - 0.032	625	0.020	0.019 - 0.022
WA - Seattle	1,100	0.027	0.026 - 0.029	661	0.033	0.030 - 0.035	440	0.022	0.020 - 0.024
West Virginia	427	0.025	0.023 - 0.028	252	0.030	0.026 - 0.034	175	0.020	0.017 - 0.024
Wisconsin	1,518	0.030	0.028 - 0.031	862	0.034	0.032 - 0.036	656	0.026	0.024 - 0.028
Wyoming	120	0.022	0.018 - 0.026	69	0.025	0.019 - 0.032	51	0.019	0.014 - 0.025

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	142,636	0.056	0.056 - 0.056	84,162	0.067	0.066 - 0.067	58,483	0.046	0.045 - 0.046
Alabama	1,558	0.045	0.043 - 0.048	907	0.054	0.050 - 0.057	651	0.037	0.034 - 0.040
Alaska	198	0.039	0.034 - 0.045	123	0.046	0.038 - 0.055	75	0.031	0.025 - 0.039
Arizona	2,173	0.036	0.034 - 0.037	1,290	0.043	0.040 - 0.045	883	0.029	0.027 - 0.031
Arkansas	1,346	0.056	0.053 - 0.059	793	0.066	0.062 - 0.071	553	0.045	0.041 - 0.049
California	12,991	0.045	0.044 - 0.045	7,660	0.053	0.051 - 0.054	5,331	0.037	0.036 - 0.038
CA - Greater California	7,730	0.045	0.044 - 0.046	4,497	0.052	0.050 - 0.053	3,233	0.037	0.036 - 0.039
CA - Greater Bay Area	2,309	0.051	0.049 - 0.053	1,400	0.061	0.058 - 0.064	909	0.041	0.038 - 0.043
CA - Los Angeles	2,949	0.041	0.039 - 0.042	1,761	0.049	0.046 - 0.051	1,188	0.033	0.031 - 0.035
Colorado	2,281	0.045	0.043 - 0.047	1,360	0.053	0.050 - 0.056	921	0.037	0.034 - 0.039
Connecticut	1,894	0.066	0.063 - 0.069	1,078	0.076	0.072 - 0.081	816	0.055	0.052 - 0.059
Delaware	393	0.057	0.052 - 0.063	242	0.073	0.064 - 0.082	151	0.043	0.036 - 0.050
District of Columbia	104	0.032	0.026 - 0.038	70	0.043	0.033 - 0.054	34	0.021	0.014 - 0.029
Florida	13,647	0.081	0.080 - 0.083	7,763	0.094	0.092 - 0.096	5,884	0.069	0.067 - 0.071
Georgia	3,608	0.056	0.054 - 0.058	2,115	0.066	0.063 - 0.069	1,493	0.046	0.043 - 0.048
Hawaii	183	0.051	0.044 - 0.059	117	0.060	0.050 - 0.072	66	0.040	0.031 - 0.050
Idaho	936	0.056	0.052 - 0.060	563	0.067	0.062 - 0.073	372	0.045	0.040 - 0.049
Illinois	4,866	0.049	0.048 - 0.051	2,847	0.058	0.056 - 0.060	2,019	0.041	0.039 - 0.042
Indiana	2,803	0.049	0.047 - 0.050	1,658	0.058	0.055 - 0.061	1,145	0.039	0.037 - 0.042
Iowa	1,904	0.066	0.063 - 0.069	1,170	0.082	0.077 - 0.086	734	0.050	0.047 - 0.054
Kansas	1,486	0.058	0.055 - 0.061	928	0.073	0.068 - 0.078	558	0.043	0.040 - 0.047
Kentucky	2,314	0.058	0.056 - 0.061	1,332	0.068	0.065 - 0.072	982	0.049	0.046 - 0.052
Louisiana	1,694	0.057	0.054 - 0.060	981	0.067	0.063 - 0.071	713	0.048	0.044 - 0.051
Maine	847	0.066	0.062 - 0.071	484	0.077	0.070 - 0.084	363	0.055	0.050 - 0.061
Maryland	1,852	0.051	0.049 - 0.054	1,075	0.060	0.057 - 0.064	777	0.042	0.040 - 0.046
MI - Detroit	1,867	0.071	0.067 - 0.074	1,120	0.086	0.081 - 0.091	747	0.056	0.052 - 0.060
Minnesota	3,127	0.065	0.063 - 0.068	1,964	0.082	0.079 - 0.086	1,163	0.048	0.046 - 0.051
Mississippi	890	0.050	0.047 - 0.053	518	0.059	0.054 - 0.064	372	0.041	0.037 - 0.046
Missouri	2,717	0.053	0.051 - 0.055	1,620	0.064	0.061 - 0.067	1,097	0.042	0.039 - 0.044
Montana	639	0.066	0.061 - 0.072	416	0.085	0.077 - 0.094	224	0.047	0.041 - 0.053
Nebraska	861	0.050	0.047 - 0.053	522	0.061	0.056 - 0.066	339	0.039	0.035 - 0.044
New Hampshire	720	0.056	0.052 - 0.061	465	0.073	0.067 - 0.080	255	0.039	0.035 - 0.045
New Jersey	4,333	0.067	0.065 - 0.069	2,514	0.079	0.076 - 0.082	1,819	0.055	0.053 - 0.058
New Mexico	899	0.052	0.048 - 0.055	504	0.059	0.054 - 0.064	395	0.045	0.041 - 0.050
New York	10,378	0.075	0.074 - 0.077	6,163	0.091	0.089 - 0.093	4,215	0.060	0.058 - 0.062
North Carolina	4,503	0.060	0.058 - 0.062	2,703	0.073	0.071 - 0.076	1,800	0.047	0.045 - 0.050
North Dakota	412	0.061	0.056 - 0.068	248	0.072	0.064 - 0.082	164	0.050	0.043 - 0.058
Ohio	4,349	0.045	0.044 - 0.046	2,563	0.054	0.052 - 0.056	1,786	0.036	0.035 - 0.038
Oklahoma	1,506	0.049	0.047 - 0.052	871	0.058	0.054 - 0.062	635	0.041	0.038 - 0.045
Oregon	1,929	0.052	0.049 - 0.054	1,112	0.060	0.057 - 0.064	817	0.043	0.040 - 0.046
Pennsylvania	6,757	0.064	0.062 - 0.065	3,988	0.077	0.074 - 0.079	2,769	0.051	0.050 - 0.053
Rhode Island	560	0.062	0.057 - 0.068	352	0.081	0.072 - 0.089	208	0.045	0.039 - 0.051
South Carolina	1,727	0.049	0.046 - 0.051	1,001	0.057	0.054 - 0.061	726	0.040	0.037 - 0.043
Tennessee	2,720	0.050	0.048 - 0.052	1,584	0.060	0.057 - 0.063	1,136	0.041	0.039 - 0.044
Texas	11,123	0.048	0.048 - 0.049	6,456	0.056	0.055 - 0.058	4,667	0.041	0.039 - 0.042
Utah	1,234	0.042	0.040 - 0.045	749	0.051	0.047 - 0.055	485	0.033	0.030 - 0.036
Vermont	317	0.053	0.047 - 0.059	183	0.062	0.053 - 0.072	134	0.044	0.037 - 0.052
Washington	3,509	0.057	0.055 - 0.059	2,125	0.069	0.066 - 0.072	1,384	0.045	0.043 - 0.048
WA - Seattle	2,640	0.066	0.063 - 0.068	1,603	0.080	0.076 - 0.084	1,037	0.052	0.049 - 0.055
West Virginia	1,134	0.067	0.063 - 0.071	670	0.080	0.074 - 0.086	464	0.054	0.049 - 0.059
Wisconsin	3,582	0.070	0.068 - 0.072	2,229	0.087	0.084 - 0.091	1,353	0.053	0.050 - 0.056
Wyoming	256	0.047	0.041 - 0.053	150	0.054	0.046 - 0.064	106	0.040	0.032 - 0.048

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-124 Prevalence – Leukemias

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	3,998	0.002	0.002 - 0.002	2,648	0.002	0.002 - 0.002	1,350	0.001	0.001 - 0.001
Alabama	41	0.001	0.001 - 0.002	29	0.002	0.001 - 0.002	12	0.001	0.000 - 0.001
Alaska	12	0.002	0.001 - 0.004	*	*		*	*	
Arizona	75	0.001	0.001 - 0.002	50	0.002	0.001 - 0.002	25	0.001	0.001 - 0.001
Arkansas	32	0.001	0.001 - 0.002	*	*		*	*	
California	425	0.001	0.001 - 0.002	262	0.002	0.002 - 0.002	163	0.001	0.001 - 0.001
CA - Greater California	257	0.001	0.001 - 0.002	155	0.002	0.002 - 0.002	102	0.001	0.001 - 0.001
CA - Greater Bay Area	80	0.002	0.001 - 0.002	43	0.002	0.001 - 0.003	37	0.002	0.001 - 0.002
CA - Los Angeles	87	0.001	0.001 - 0.001	63	0.002	0.001 - 0.002	23	0.001	0.000 - 0.001
Colorado	69	0.001	0.001 - 0.002	43	0.002	0.001 - 0.002	26	0.001	0.001 - 0.002
Connecticut	52	0.002	0.001 - 0.002	39	0.003	0.002 - 0.004	13	0.001	0.000 - 0.001
Delaware	25	0.004	0.002 - 0.005	*	*		*	*	
District of Columbia	*	*		*	*		*	*	
Florida	288	0.002	0.002 - 0.002	201	0.002	0.002 - 0.003	87	0.001	0.001 - 0.001
Georgia	72	0.001	0.001 - 0.001	53	0.002	0.001 - 0.002	19	0.001	0.000 - 0.001
Hawaii	*	*		*	*		*	*	
Idaho	33	0.002	0.001 - 0.003	22	0.003	0.002 - 0.004	11	0.001	0.001 - 0.002
Illinois	171	0.002	0.001 - 0.002	109	0.002	0.002 - 0.003	62	0.001	0.001 - 0.002
Indiana	77	0.001	0.001 - 0.002	54	0.002	0.001 - 0.002	23	0.001	0.000 - 0.001
Iowa	48	0.002	0.001 - 0.002	31	0.002	0.001 - 0.003	17	0.001	0.001 - 0.002
Kansas	30	0.001	0.001 - 0.002	17	0.001	0.001 - 0.002	13	0.001	0.001 - 0.002
Kentucky	51	0.001	0.001 - 0.002	36	0.002	0.001 - 0.003	15	0.001	0.000 - 0.001
Louisiana	70	0.002	0.002 - 0.003	39	0.003	0.002 - 0.004	31	0.002	0.001 - 0.003
Maine	34	0.003	0.002 - 0.004	*	*		*	*	
Maryland	61	0.002	0.001 - 0.002	37	0.002	0.001 - 0.003	24	0.001	0.001 - 0.002
MI - Detroit	58	0.002	0.002 - 0.003	33	0.003	0.002 - 0.004	25	0.002	0.001 - 0.003
Minnesota	92	0.002	0.002 - 0.002	62	0.003	0.002 - 0.003	30	0.001	0.001 - 0.002
Mississippi	29	0.002	0.001 - 0.002	19	0.002	0.001 - 0.003	10	0.001	0.001 - 0.002
Missouri	62	0.001	0.001 - 0.002	45	0.002	0.001 - 0.002	17	0.001	0.000 - 0.001
Montana	19	0.002	0.001 - 0.003	*	*		*	*	
Nebraska	23	0.001	0.001 - 0.002	*	*		*	*	
New Hampshire	27	0.002	0.001 - 0.003	*	*		*	*	
New Jersey	150	0.002	0.002 - 0.003	92	0.003	0.002 - 0.004	58	0.002	0.001 - 0.002
New Mexico	14	0.001	0.000 - 0.001	*	*		*	*	
New York	256	0.002	0.002 - 0.002	168	0.002	0.002 - 0.003	88	0.001	0.001 - 0.002
North Carolina	102	0.001	0.001 - 0.002	66	0.002	0.001 - 0.002	36	0.001	0.001 - 0.001
North Dakota	13	0.002	0.001 - 0.003	*	*		*	*	
Ohio	163	0.002	0.001 - 0.002	106	0.002	0.002 - 0.003	57	0.001	0.001 - 0.002
Oklahoma	31	0.001	0.001 - 0.001	17	0.001	0.001 - 0.002	14	0.001	0.000 - 0.002
Oregon	55	0.001	0.001 - 0.002	39	0.002	0.001 - 0.003	16	0.001	0.000 - 0.001
Pennsylvania	231	0.002	0.002 - 0.002	159	0.003	0.003 - 0.004	72	0.001	0.001 - 0.002
Rhode Island	17	0.002	0.001 - 0.003	*	*		*	*	
South Carolina	59	0.002	0.001 - 0.002	38	0.002	0.002 - 0.003	21	0.001	0.001 - 0.002
Tennessee	55	0.001	0.001 - 0.001	39	0.001	0.001 - 0.002	16	0.001	0.000 - 0.001
Texas	256	0.001	0.001 - 0.001	176	0.002	0.001 - 0.002	80	0.001	0.001 - 0.001
Utah	28	0.001	0.001 - 0.001	15	0.001	0.001 - 0.002	13	0.001	0.000 - 0.002
Vermont	10	0.002	0.001 - 0.003	*	*		*	*	
Washington	102	0.002	0.001 - 0.002	70	0.002	0.002 - 0.003	32	0.001	0.001 - 0.001
WA - Seattle	70	0.002	0.001 - 0.002	46	0.002	0.002 - 0.003	24	0.001	0.001 - 0.002
West Virginia	36	0.002	0.001 - 0.003	22	0.003	0.002 - 0.004	14	0.002	0.001 - 0.003
Wisconsin	98	0.002	0.002 - 0.002	66	0.003	0.002 - 0.003	32	0.001	0.001 - 0.002
Wyoming	16	0.003	0.002 - 0.005	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	609,023	1.309	1.306 - 1.312	301,346	1.348	1.343 - 1.353	307,762	1.273	1.268 - 1.278
Alabama	18,867	1.405	1.385 - 1.425	9,534	1.526	1.496 - 1.557	9,333	1.300	1.273 - 1.326
Alaska	269	0.739	0.653 - 0.832	149	0.743	0.628 - 0.872	120	0.733	0.608 - 0.877
Arizona	3,205	0.751	0.726 - 0.778	1,669	0.761	0.725 - 0.799	1,536	0.741	0.704 - 0.779
Arkansas	6,891	1.400	1.368 - 1.434	3,633	1.549	1.499 - 1.600	3,258	1.265	1.222 - 1.310
California	33,936	1.187	1.174 - 1.200	16,796	1.180	1.162 - 1.198	17,141	1.194	1.176 - 1.212
CA - Greater California	14,369	1.034	1.017 - 1.051	7,371	1.035	1.011 - 1.058	6,997	1.033	1.009 - 1.058
CA - Greater Bay Area	7,041	1.396	1.364 - 1.429	3,547	1.413	1.367 - 1.460	3,494	1.379	1.334 - 1.426
CA - Los Angeles	12,547	1.300	1.277 - 1.323	5,890	1.281	1.248 - 1.314	6,657	1.317	1.285 - 1.349
Colorado	2,790	0.906	0.873 - 0.941	1,508	0.925	0.879 - 0.973	1,282	0.886	0.838 - 0.935
Connecticut	5,836	1.253	1.221 - 1.286	2,880	1.294	1.248 - 1.343	2,956	1.216	1.172 - 1.261
Delaware	3,435	1.454	1.406 - 1.504	1,707	1.530	1.458 - 1.604	1,728	1.387	1.322 - 1.453
District of Columbia	5,425	1.606	1.564 - 1.650	2,472	1.611	1.548 - 1.676	2,953	1.602	1.545 - 1.661
Florida	43,478	1.154	1.144 - 1.165	21,230	1.168	1.152 - 1.183	22,248	1.142	1.127 - 1.157
Georgia	45,841	1.299	1.287 - 1.311	22,684	1.373	1.355 - 1.391	23,157	1.233	1.218 - 1.249
Hawaii	361	0.829	0.745 - 0.919	249	0.974	0.857 - 1.103	112	0.622	0.512 - 0.749
Idaho	120	0.538	0.446 - 0.643	82	0.660	0.525 - 0.819	38	0.385	0.272 - 0.528
Illinois	28,915	1.487	1.470 - 1.504	13,595	1.482	1.458 - 1.507	15,320	1.491	1.467 - 1.514
Indiana	8,497	1.172	1.147 - 1.197	4,185	1.192	1.156 - 1.228	4,312	1.153	1.119 - 1.188
Iowa	1,241	0.822	0.777 - 0.869	677	0.849	0.786 - 0.915	564	0.793	0.729 - 0.861
Kansas	2,454	1.176	1.130 - 1.223	1,296	1.203	1.138 - 1.270	1,158	1.147	1.081 - 1.215
Kentucky	5,380	1.321	1.286 - 1.357	2,597	1.279	1.230 - 1.329	2,783	1.363	1.313 - 1.415
Louisiana	22,633	1.449	1.430 - 1.468	11,494	1.550	1.522 - 1.579	11,139	1.358	1.333 - 1.383
Maine	160	0.585	0.498 - 0.683	97	0.650	0.527 - 0.793	63	0.507	0.389 - 0.648
Maryland	28,590	1.470	1.453 - 1.487	13,814	1.518	1.493 - 1.544	14,776	1.427	1.404 - 1.450
MI - Detroit	15,650	1.570	1.545 - 1.595	7,550	1.648	1.611 - 1.686	8,100	1.503	1.470 - 1.536
Minnesota	3,530	0.809	0.783 - 0.837	1,896	0.852	0.814 - 0.891	1,634	0.765	0.729 - 0.803
Mississippi	16,553	1.446	1.424 - 1.468	8,632	1.602	1.569 - 1.636	7,921	1.307	1.278 - 1.336
Missouri	10,307	1.332	1.306 - 1.358	4,831	1.307	1.271 - 1.345	5,476	1.354	1.318 - 1.390
Montana	46	0.442	0.324 - 0.589	35	0.584	0.406 - 0.812	11	0.251	0.126 - 0.448
Nebraska	1,177	1.022	0.964 - 1.082	624	1.053	0.972 - 1.139	553	0.988	0.908 - 1.074
New Hampshire	181	0.623	0.535 - 0.720	111	0.687	0.565 - 0.827	70	0.543	0.423 - 0.685
New Jersey	19,931	1.416	1.397 - 1.436	9,780	1.459	1.430 - 1.488	10,151	1.377	1.351 - 1.404
New Mexico	536	0.808	0.741 - 0.879	309	0.856	0.763 - 0.957	227	0.750	0.655 - 0.854
New York	54,943	1.517	1.505 - 1.530	26,895	1.585	1.566 - 1.604	28,049	1.458	1.441 - 1.475
North Carolina	35,592	1.474	1.458 - 1.489	17,633	1.556	1.533 - 1.579	17,959	1.401	1.381 - 1.422
North Dakota	99	0.338	0.275 - 0.412	58	0.350	0.265 - 0.452	41	0.323	0.232 - 0.439
Ohio	21,267	1.296	1.279 - 1.314	10,345	1.311	1.286 - 1.336	10,922	1.282	1.258 - 1.307
Oklahoma	3,820	1.078	1.044 - 1.113	1,967	1.106	1.058 - 1.156	1,853	1.049	1.002 - 1.098
Oregon	1,103	0.908	0.855 - 0.963	641	0.986	0.911 - 1.065	462	0.819	0.746 - 0.897
Pennsylvania	21,927	1.333	1.316 - 1.351	10,326	1.298	1.273 - 1.323	11,601	1.367	1.342 - 1.392
Rhode Island	912	0.897	0.840 - 0.957	446	0.883	0.803 - 0.969	466	0.911	0.830 - 0.998
South Carolina	20,173	1.414	1.394 - 1.433	10,026	1.501	1.472 - 1.531	10,147	1.337	1.311 - 1.363
Tennessee	15,626	1.296	1.276 - 1.316	7,790	1.364	1.334 - 1.395	7,836	1.234	1.207 - 1.262
Texas	43,588	1.130	1.119 - 1.140	21,629	1.156	1.141 - 1.172	21,959	1.105	1.090 - 1.119
Utah	297	0.502	0.446 - 0.562	181	0.550	0.473 - 0.637	116	0.441	0.365 - 0.529
Vermont	73	0.652	0.511 - 0.819	47	0.748	0.549 - 0.994	26	0.529	0.346 - 0.775
Washington	3,755	0.913	0.884 - 0.943	2,060	0.935	0.895 - 0.977	1,695	0.887	0.845 - 0.930
WA - Seattle	3,615	1.026	0.993 - 1.060	1,997	1.066	1.020 - 1.114	1,618	0.980	0.933 - 1.029
West Virginia	1,008	1.348	1.266 - 1.434	587	1.457	1.341 - 1.579	421	1.222	1.108 - 1.344
Wisconsin	5,454	1.263	1.230 - 1.297	2,760	1.294	1.246 - 1.343	2,694	1.233	1.187 - 1.280
Wyoming	49	0.499	0.369 - 0.660	33	0.588	0.405 - 0.826	16	0.380	0.217 - 0.618

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	11,646	0.025	0.025 - 0.026	7,653	0.034	0.033 - 0.035	4,001	0.017	0.016 - 0.017
Alabama	338	0.025	0.023 - 0.028	210	0.034	0.029 - 0.038	128	0.018	0.015 - 0.021
Alaska	*	*		*	*		*	*	
Arizona	55	0.013	0.010 - 0.017	42	0.019	0.014 - 0.026	13	0.006	0.003 - 0.011
Arkansas	150	0.030	0.026 - 0.036	89	0.038	0.030 - 0.047	61	0.024	0.018 - 0.030
California	724	0.025	0.023 - 0.027	518	0.036	0.033 - 0.040	205	0.014	0.012 - 0.016
CA - Greater California	304	0.022	0.020 - 0.025	218	0.031	0.027 - 0.035	87	0.013	0.010 - 0.016
CA - Greater Bay Area	162	0.032	0.027 - 0.037	119	0.048	0.039 - 0.057	43	0.017	0.012 - 0.023
CA - Los Angeles	257	0.027	0.023 - 0.030	181	0.039	0.034 - 0.045	76	0.015	0.012 - 0.019
Colorado	70	0.023	0.018 - 0.029	57	0.035	0.026 - 0.045	13	0.009	0.005 - 0.015
Connecticut	119	0.025	0.021 - 0.030	79	0.035	0.028 - 0.044	40	0.016	0.012 - 0.022
Delaware	56	0.024	0.018 - 0.031	32	0.029	0.020 - 0.040	24	0.019	0.012 - 0.029
District of Columbia	107	0.032	0.026 - 0.038	58	0.038	0.029 - 0.049	49	0.027	0.020 - 0.035
Florida	801	0.021	0.020 - 0.023	530	0.029	0.027 - 0.032	271	0.014	0.012 - 0.016
Georgia	856	0.024	0.023 - 0.026	552	0.033	0.031 - 0.036	304	0.016	0.014 - 0.018
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	567	0.029	0.027 - 0.032	362	0.039	0.036 - 0.044	205	0.020	0.017 - 0.023
Indiana	180	0.025	0.021 - 0.029	113	0.032	0.027 - 0.039	67	0.018	0.014 - 0.023
Iowa	27	0.018	0.012 - 0.026	*	*		*	*	
Kansas	53	0.025	0.019 - 0.033	36	0.033	0.023 - 0.046	17	0.017	0.010 - 0.027
Kentucky	102	0.025	0.020 - 0.030	62	0.031	0.023 - 0.039	40	0.020	0.014 - 0.027
Louisiana	389	0.025	0.022 - 0.028	265	0.036	0.032 - 0.040	124	0.015	0.013 - 0.018
Maine	*	*		*	*		*	*	
Maryland	504	0.026	0.024 - 0.028	309	0.034	0.030 - 0.038	195	0.019	0.016 - 0.022
MI - Detroit	318	0.032	0.028 - 0.036	205	0.045	0.039 - 0.051	112	0.021	0.017 - 0.025
Minnesota	90	0.021	0.017 - 0.025	47	0.021	0.016 - 0.028	43	0.020	0.015 - 0.027
Mississippi	335	0.029	0.026 - 0.033	229	0.043	0.037 - 0.048	106	0.017	0.014 - 0.021
Missouri	228	0.029	0.026 - 0.034	156	0.042	0.036 - 0.049	72	0.018	0.014 - 0.022
Montana	*	*		*	*		*	*	
Nebraska	24	0.021	0.013 - 0.031	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	378	0.027	0.024 - 0.030	259	0.039	0.034 - 0.044	120	0.016	0.013 - 0.019
New Mexico	13	0.020	0.010 - 0.034	*	*		*	*	
New York	981	0.027	0.025 - 0.029	596	0.035	0.032 - 0.038	385	0.020	0.018 - 0.022
North Carolina	681	0.028	0.026 - 0.030	464	0.041	0.037 - 0.045	217	0.017	0.015 - 0.019
North Dakota	*	*		*	*		*	*	
Ohio	431	0.026	0.024 - 0.029	291	0.037	0.033 - 0.041	140	0.016	0.014 - 0.019
Oklahoma	62	0.017	0.013 - 0.022	47	0.026	0.019 - 0.035	15	0.008	0.005 - 0.014
Oregon	18	0.015	0.009 - 0.023	*	*		*	*	
Pennsylvania	465	0.028	0.026 - 0.031	298	0.037	0.033 - 0.042	167	0.020	0.017 - 0.023
Rhode Island	16	0.016	0.009 - 0.026	*	*		*	*	
South Carolina	384	0.027	0.024 - 0.030	269	0.040	0.036 - 0.045	115	0.015	0.013 - 0.018
Tennessee	279	0.023	0.021 - 0.026	195	0.034	0.030 - 0.039	84	0.013	0.011 - 0.016
Texas	799	0.021	0.019 - 0.022	501	0.027	0.024 - 0.029	298	0.015	0.013 - 0.017
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	68	0.017	0.013 - 0.021	52	0.024	0.018 - 0.031	16	0.008	0.005 - 0.014
WA - Seattle	70	0.020	0.015 - 0.025	55	0.029	0.022 - 0.038	15	0.009	0.005 - 0.015
West Virginia	19	0.025	0.015 - 0.040	*	*		*	*	
Wisconsin	100	0.023	0.019 - 0.028	66	0.031	0.024 - 0.039	34	0.016	0.011 - 0.022
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,254	0.005	0.005 - 0.005	1,412	0.006	0.006 - 0.007	844	0.003	0.003 - 0.004
Alabama	81	0.006	0.005 - 0.007	51	0.008	0.006 - 0.011	30	0.004	0.003 - 0.006
Alaska	*	*		*	*		*	*	
Arizona	11	0.003	0.001 - 0.005	*	*		*	*	
Arkansas	23	0.005	0.003 - 0.007	*	*		*	*	
California	104	0.004	0.003 - 0.004	65	0.005	0.004 - 0.006	39	0.003	0.002 - 0.004
CA - Greater California	46	0.003	0.002 - 0.004	29	0.004	0.003 - 0.006	17	0.002	0.001 - 0.004
CA - Greater Bay Area	25	0.005	0.003 - 0.007	*	*		*	*	
CA - Los Angeles	34	0.004	0.002 - 0.005	20	0.004	0.003 - 0.007	14	0.003	0.001 - 0.005
Colorado	*	*		*	*		*	*	
Connecticut	27	0.006	0.004 - 0.008	13	0.006	0.003 - 0.010	14	0.006	0.003 - 0.010
Delaware	*	*		*	*		*	*	
District of Columbia	17	0.005	0.003 - 0.008	*	*		*	*	
Florida	145	0.004	0.003 - 0.005	74	0.004	0.003 - 0.005	71	0.004	0.003 - 0.005
Georgia	157	0.004	0.004 - 0.005	104	0.006	0.005 - 0.008	53	0.003	0.002 - 0.004
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	127	0.007	0.005 - 0.008	78	0.009	0.007 - 0.011	49	0.005	0.004 - 0.006
Indiana	46	0.006	0.005 - 0.008	30	0.009	0.006 - 0.012	16	0.004	0.002 - 0.007
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	22	0.005	0.003 - 0.008	*	*		*	*	
Louisiana	87	0.006	0.004 - 0.007	62	0.008	0.006 - 0.011	25	0.003	0.002 - 0.004
Maine	*	*		*	*		*	*	
Maryland	77	0.004	0.003 - 0.005	44	0.005	0.004 - 0.006	33	0.003	0.002 - 0.004
MI - Detroit	65	0.007	0.005 - 0.008	43	0.009	0.007 - 0.013	22	0.004	0.003 - 0.006
Minnesota	29	0.007	0.004 - 0.010	17	0.008	0.004 - 0.012	12	0.006	0.003 - 0.010
Mississippi	60	0.005	0.004 - 0.007	42	0.008	0.006 - 0.011	18	0.003	0.002 - 0.005
Missouri	51	0.007	0.005 - 0.009	29	0.008	0.005 - 0.011	22	0.005	0.003 - 0.008
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	65	0.005	0.004 - 0.006	40	0.006	0.004 - 0.008	25	0.003	0.002 - 0.005
New Mexico	*	*		*	*		*	*	
New York	196	0.005	0.005 - 0.006	115	0.007	0.006 - 0.008	81	0.004	0.003 - 0.005
North Carolina	122	0.005	0.004 - 0.006	79	0.007	0.006 - 0.009	43	0.003	0.002 - 0.005
North Dakota	*	*		*	*		*	*	
Ohio	83	0.005	0.004 - 0.006	54	0.007	0.005 - 0.009	29	0.003	0.002 - 0.005
Oklahoma	14	0.004	0.002 - 0.007	*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	111	0.007	0.006 - 0.008	61	0.008	0.006 - 0.010	50	0.006	0.004 - 0.008
Rhode Island	*	*		*	*		*	*	
South Carolina	90	0.006	0.005 - 0.008	64	0.010	0.007 - 0.012	26	0.003	0.002 - 0.005
Tennessee	57	0.005	0.004 - 0.006	39	0.007	0.005 - 0.009	18	0.003	0.002 - 0.004
Texas	136	0.004	0.003 - 0.004	96	0.005	0.004 - 0.006	40	0.002	0.001 - 0.003
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	20	0.005	0.003 - 0.008	*	*		*	*	
WA - Seattle	18	0.005	0.003 - 0.008	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	23	0.005	0.003 - 0.008	11	0.005	0.003 - 0.009	12	0.005	0.003 - 0.010
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	8,961	0.019	0.019 - 0.020	4,614	0.021	0.020 - 0.021	4,349	0.018	0.017 - 0.019
Alabama	303	0.023	0.020 - 0.025	159	0.025	0.022 - 0.030	144	0.020	0.017 - 0.024
Alaska	*	*		*	*		*	*	
Arizona	54	0.013	0.010 - 0.017	31	0.014	0.010 - 0.020	23	0.011	0.007 - 0.017
Arkansas	101	0.021	0.017 - 0.025	56	0.024	0.018 - 0.031	45	0.017	0.013 - 0.023
California	475	0.017	0.015 - 0.018	246	0.017	0.015 - 0.020	228	0.016	0.014 - 0.018
CA - Greater California	187	0.013	0.012 - 0.016	96	0.014	0.011 - 0.016	91	0.013	0.011 - 0.017
CA - Greater Bay Area	113	0.022	0.018 - 0.027	62	0.025	0.019 - 0.032	51	0.020	0.015 - 0.027
CA - Los Angeles	174	0.018	0.015 - 0.021	89	0.019	0.015 - 0.024	85	0.017	0.013 - 0.021
Colorado	37	0.012	0.008 - 0.017	21	0.013	0.008 - 0.020	16	0.011	0.006 - 0.018
Connecticut	94	0.020	0.016 - 0.025	52	0.023	0.017 - 0.031	42	0.017	0.012 - 0.023
Delaware	39	0.017	0.012 - 0.023	19	0.017	0.010 - 0.027	20	0.016	0.010 - 0.025
District of Columbia	93	0.028	0.022 - 0.034	50	0.033	0.024 - 0.043	43	0.023	0.017 - 0.031
Florida	678	0.018	0.017 - 0.019	356	0.020	0.018 - 0.022	322	0.017	0.015 - 0.018
Georgia	580	0.016	0.015 - 0.018	301	0.018	0.016 - 0.020	279	0.015	0.013 - 0.017
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	446	0.023	0.021 - 0.025	207	0.023	0.020 - 0.026	239	0.023	0.020 - 0.026
Indiana	125	0.017	0.014 - 0.021	64	0.018	0.014 - 0.023	61	0.016	0.012 - 0.021
Iowa	15	0.010	0.006 - 0.016	*	*		*	*	
Kansas	21	0.010	0.006 - 0.015	11	0.010	0.005 - 0.018	10	0.010	0.005 - 0.018
Kentucky	84	0.021	0.016 - 0.026	38	0.019	0.013 - 0.026	46	0.023	0.017 - 0.030
Louisiana	326	0.021	0.019 - 0.023	177	0.024	0.020 - 0.028	150	0.018	0.015 - 0.021
Maine	*	*		*	*		*	*	
Maryland	436	0.022	0.020 - 0.025	195	0.021	0.019 - 0.025	241	0.023	0.020 - 0.026
MI - Detroit	170	0.017	0.015 - 0.020	83	0.018	0.014 - 0.023	86	0.016	0.013 - 0.020
Minnesota	54	0.012	0.009 - 0.016	34	0.015	0.011 - 0.021	20	0.009	0.006 - 0.014
Mississippi	229	0.020	0.017 - 0.023	119	0.022	0.018 - 0.026	110	0.018	0.015 - 0.022
Missouri	156	0.020	0.017 - 0.024	78	0.021	0.017 - 0.026	78	0.019	0.015 - 0.024
Montana	*	*		*	*		*	*	
Nebraska	16	0.014	0.008 - 0.023	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	299	0.021	0.019 - 0.024	139	0.021	0.017 - 0.025	160	0.022	0.018 - 0.025
New Mexico	*	*		*	*		*	*	
New York	940	0.026	0.024 - 0.028	464	0.027	0.025 - 0.030	477	0.025	0.023 - 0.027
North Carolina	538	0.022	0.020 - 0.024	272	0.024	0.021 - 0.027	266	0.021	0.018 - 0.023
North Dakota	*	*		*	*		*	*	
Ohio	314	0.019	0.017 - 0.021	163	0.021	0.018 - 0.024	151	0.018	0.015 - 0.021
Oklahoma	62	0.017	0.013 - 0.022	24	0.013	0.009 - 0.020	38	0.022	0.015 - 0.030
Oregon	16	0.013	0.008 - 0.021	*	*		*	*	
Pennsylvania	267	0.016	0.014 - 0.018	135	0.017	0.014 - 0.020	132	0.016	0.013 - 0.018
Rhode Island	24	0.024	0.015 - 0.035	12	0.024	0.012 - 0.042	12	0.023	0.012 - 0.041
South Carolina	324	0.023	0.020 - 0.025	173	0.026	0.022 - 0.030	151	0.020	0.017 - 0.023
Tennessee	225	0.019	0.016 - 0.021	120	0.021	0.017 - 0.025	105	0.017	0.014 - 0.020
Texas	626	0.016	0.015 - 0.018	360	0.019	0.017 - 0.021	266	0.013	0.012 - 0.015
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	41	0.010	0.007 - 0.014	21	0.010	0.006 - 0.015	20	0.010	0.006 - 0.016
WA - Seattle	41	0.012	0.008 - 0.016	22	0.012	0.007 - 0.018	19	0.011	0.007 - 0.018
West Virginia	12	0.016	0.008 - 0.028	*	*		*	*	
Wisconsin	80	0.019	0.015 - 0.023	54	0.025	0.019 - 0.033	26	0.012	0.008 - 0.017
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	57,942	0.125	0.123 - 0.126	28,528	0.128	0.126 - 0.129	29,425	0.122	0.120 - 0.123
Alabama	2,000	0.149	0.142 - 0.156	939	0.150	0.141 - 0.160	1,061	0.148	0.139 - 0.157
Alaska	18	0.049	0.029 - 0.078	*	*		*	*	
Arizona	275	0.064	0.057 - 0.073	135	0.062	0.052 - 0.073	140	0.068	0.057 - 0.080
Arkansas	705	0.143	0.133 - 0.154	352	0.150	0.135 - 0.167	353	0.137	0.123 - 0.152
California	3,169	0.111	0.107 - 0.115	1,546	0.109	0.103 - 0.114	1,623	0.113	0.108 - 0.119
CA - Greater California	1,334	0.096	0.091 - 0.101	682	0.096	0.089 - 0.103	652	0.096	0.089 - 0.104
CA - Greater Bay Area	661	0.131	0.121 - 0.141	318	0.127	0.113 - 0.141	343	0.135	0.121 - 0.151
CA - Los Angeles	1,174	0.122	0.115 - 0.129	546	0.119	0.109 - 0.129	629	0.124	0.115 - 0.134
Colorado	266	0.086	0.076 - 0.097	133	0.082	0.068 - 0.097	133	0.092	0.077 - 0.109
Connecticut	518	0.111	0.102 - 0.121	255	0.114	0.101 - 0.129	264	0.108	0.096 - 0.122
Delaware	305	0.129	0.115 - 0.144	155	0.139	0.118 - 0.163	150	0.120	0.102 - 0.141
District of Columbia	531	0.157	0.144 - 0.171	251	0.164	0.144 - 0.185	280	0.152	0.135 - 0.171
Florida	3,951	0.105	0.102 - 0.108	1,983	0.109	0.104 - 0.114	1,968	0.101	0.097 - 0.106
Georgia	4,487	0.127	0.123 - 0.131	2,192	0.133	0.127 - 0.138	2,295	0.122	0.117 - 0.127
Hawaii	34	0.077	0.053 - 0.108	*	*		*	*	
Idaho	14	0.063	0.034 - 0.105	*	*		*	*	
Illinois	2,971	0.153	0.147 - 0.158	1,389	0.151	0.144 - 0.160	1,582	0.154	0.146 - 0.162
Indiana	833	0.115	0.107 - 0.123	413	0.118	0.107 - 0.130	420	0.112	0.102 - 0.124
Iowa	107	0.071	0.058 - 0.086	60	0.075	0.057 - 0.097	47	0.066	0.049 - 0.088
Kansas	215	0.103	0.090 - 0.118	109	0.101	0.083 - 0.122	106	0.105	0.086 - 0.127
Kentucky	583	0.143	0.132 - 0.155	287	0.141	0.126 - 0.159	296	0.145	0.129 - 0.162
Louisiana	2,523	0.162	0.155 - 0.168	1,256	0.169	0.160 - 0.179	1,267	0.154	0.146 - 0.163
Maine	13	0.048	0.025 - 0.081	*	*		*	*	
Maryland	2,445	0.126	0.121 - 0.131	1,155	0.127	0.120 - 0.134	1,290	0.125	0.118 - 0.132
MI - Detroit	1,582	0.159	0.151 - 0.167	780	0.170	0.158 - 0.183	803	0.149	0.139 - 0.160
Minnesota	303	0.069	0.062 - 0.078	172	0.077	0.066 - 0.090	131	0.061	0.051 - 0.073
Mississippi	1,952	0.171	0.163 - 0.178	1,000	0.186	0.174 - 0.197	952	0.157	0.147 - 0.167
Missouri	1,034	0.134	0.126 - 0.142	481	0.130	0.119 - 0.142	553	0.137	0.126 - 0.149
Montana	*	*		*	*		*	*	
Nebraska	110	0.095	0.078 - 0.115	59	0.100	0.076 - 0.128	51	0.091	0.068 - 0.120
New Hampshire	18	0.062	0.037 - 0.098	*	*		*	*	
New Jersey	1,781	0.127	0.121 - 0.133	837	0.125	0.117 - 0.134	945	0.128	0.120 - 0.137
New Mexico	39	0.059	0.042 - 0.080	20	0.055	0.034 - 0.085	19	0.063	0.038 - 0.098
New York	4,698	0.130	0.126 - 0.133	2,258	0.133	0.128 - 0.139	2,440	0.127	0.122 - 0.132
North Carolina	3,081	0.128	0.123 - 0.132	1,539	0.136	0.129 - 0.143	1,542	0.120	0.114 - 0.126
North Dakota	*	*		*	*		*	*	
Ohio	1,865	0.114	0.109 - 0.119	910	0.115	0.108 - 0.123	955	0.112	0.105 - 0.119
Oklahoma	356	0.100	0.090 - 0.111	173	0.097	0.083 - 0.113	183	0.104	0.089 - 0.120
Oregon	82	0.068	0.054 - 0.084	47	0.072	0.053 - 0.096	35	0.062	0.043 - 0.086
Pennsylvania	1,856	0.113	0.108 - 0.118	879	0.110	0.103 - 0.118	977	0.115	0.108 - 0.123
Rhode Island	64	0.063	0.048 - 0.080	32	0.063	0.043 - 0.089	32	0.063	0.043 - 0.088
South Carolina	1,965	0.138	0.132 - 0.144	1,005	0.150	0.141 - 0.160	960	0.126	0.119 - 0.135
Tennessee	1,557	0.129	0.123 - 0.136	766	0.134	0.125 - 0.144	791	0.125	0.116 - 0.134
Texas	4,529	0.117	0.114 - 0.121	2,294	0.123	0.118 - 0.128	2,235	0.112	0.108 - 0.117
Utah	19	0.031	0.019 - 0.049	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	350	0.085	0.076 - 0.094	189	0.086	0.074 - 0.099	161	0.084	0.072 - 0.098
WA - Seattle	337	0.096	0.086 - 0.106	186	0.099	0.086 - 0.115	151	0.091	0.077 - 0.107
West Virginia	87	0.116	0.093 - 0.144	45	0.112	0.081 - 0.149	42	0.122	0.088 - 0.165
Wisconsin	534	0.124	0.113 - 0.135	272	0.127	0.113 - 0.144	262	0.120	0.106 - 0.135
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	8,311	0.018	0.017 - 0.018	5,850	0.026	0.025 - 0.027	2,468	0.010	0.010 - 0.011
Alabama	184	0.014	0.012 - 0.016	136	0.022	0.018 - 0.026	48	0.007	0.005 - 0.009
Alaska	*	*		*	*		*	*	
Arizona	39	0.009	0.007 - 0.013	29	0.013	0.009 - 0.019	10	0.005	0.002 - 0.009
Arkansas	71	0.014	0.011 - 0.018	52	0.022	0.017 - 0.029	19	0.007	0.004 - 0.012
California	547	0.019	0.018 - 0.021	396	0.028	0.025 - 0.031	151	0.011	0.009 - 0.012
CA - Greater California	255	0.018	0.016 - 0.021	188	0.026	0.023 - 0.030	68	0.010	0.008 - 0.013
CA - Greater Bay Area	142	0.028	0.024 - 0.033	110	0.044	0.036 - 0.053	32	0.013	0.009 - 0.018
CA - Los Angeles	149	0.015	0.013 - 0.018	98	0.021	0.017 - 0.026	51	0.010	0.008 - 0.013
Colorado	44	0.014	0.010 - 0.019	31	0.019	0.013 - 0.027	13	0.009	0.005 - 0.015
Connecticut	87	0.019	0.015 - 0.023	61	0.027	0.021 - 0.035	26	0.011	0.007 - 0.016
Delaware	57	0.024	0.018 - 0.031	41	0.037	0.026 - 0.050	16	0.013	0.007 - 0.021
District of Columbia	144	0.043	0.036 - 0.050	98	0.064	0.052 - 0.078	46	0.025	0.018 - 0.033
Florida	476	0.013	0.012 - 0.014	302	0.017	0.015 - 0.019	174	0.009	0.008 - 0.010
Georgia	440	0.012	0.011 - 0.014	291	0.018	0.016 - 0.020	149	0.008	0.007 - 0.009
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	331	0.017	0.015 - 0.019	214	0.023	0.020 - 0.027	117	0.011	0.009 - 0.014
Indiana	127	0.018	0.015 - 0.021	89	0.025	0.020 - 0.031	38	0.010	0.007 - 0.014
Iowa	38	0.025	0.018 - 0.035	*	*		*	*	
Kansas	39	0.019	0.013 - 0.026	*	*		*	*	
Kentucky	72	0.018	0.014 - 0.022	53	0.026	0.020 - 0.034	19	0.009	0.006 - 0.015
Louisiana	318	0.020	0.018 - 0.023	244	0.033	0.029 - 0.037	74	0.009	0.007 - 0.011
Maine	*	*		*	*		*	*	
Maryland	410	0.021	0.019 - 0.023	282	0.031	0.027 - 0.035	128	0.012	0.010 - 0.015
MI - Detroit	226	0.023	0.020 - 0.026	155	0.034	0.029 - 0.040	71	0.013	0.010 - 0.017
Minnesota	89	0.020	0.016 - 0.025	60	0.027	0.021 - 0.035	29	0.014	0.009 - 0.020
Mississippi	133	0.012	0.010 - 0.014	98	0.018	0.015 - 0.022	35	0.006	0.004 - 0.008
Missouri	174	0.022	0.019 - 0.026	130	0.035	0.029 - 0.042	44	0.011	0.008 - 0.015
Montana	*	*		*	*		*	*	
Nebraska	22	0.019	0.012 - 0.029	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	213	0.015	0.013 - 0.017	143	0.021	0.018 - 0.025	70	0.010	0.007 - 0.012
New Mexico	12	0.018	0.009 - 0.032	*	*		*	*	
New York	750	0.021	0.019 - 0.022	515	0.030	0.028 - 0.033	235	0.012	0.011 - 0.014
North Carolina	402	0.017	0.015 - 0.018	279	0.025	0.022 - 0.028	123	0.010	0.008 - 0.011
North Dakota	*	*		*	*		*	*	
Ohio	313	0.019	0.017 - 0.021	225	0.029	0.025 - 0.032	88	0.010	0.008 - 0.013
Oklahoma	41	0.012	0.008 - 0.016	31	0.017	0.012 - 0.025	10	0.006	0.003 - 0.010
Oregon	34	0.028	0.019 - 0.039	*	*		*	*	
Pennsylvania	463	0.028	0.026 - 0.031	339	0.043	0.038 - 0.047	124	0.015	0.012 - 0.017
Rhode Island	19	0.019	0.011 - 0.029	*	*		*	*	
South Carolina	166	0.012	0.010 - 0.014	117	0.018	0.014 - 0.021	49	0.006	0.005 - 0.009
Tennessee	198	0.016	0.014 - 0.019	129	0.023	0.019 - 0.027	69	0.011	0.008 - 0.014
Texas	791	0.021	0.019 - 0.022	568	0.030	0.028 - 0.033	223	0.011	0.010 - 0.013
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	117	0.028	0.024 - 0.034	78	0.035	0.028 - 0.044	39	0.020	0.015 - 0.028
WA - Seattle	109	0.031	0.025 - 0.037	75	0.040	0.031 - 0.050	34	0.020	0.014 - 0.028
West Virginia	10	0.013	0.006 - 0.025	*	*		*	*	
Wisconsin	95	0.022	0.018 - 0.027	78	0.037	0.029 - 0.046	17	0.008	0.005 - 0.012
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	7,840	0.017	0.016 - 0.017	3,394	0.015	0.015 - 0.016	4,447	0.018	0.018 - 0.019
Alabama	222	0.017	0.014 - 0.019	78	0.012	0.010 - 0.016	144	0.020	0.017 - 0.024
Alaska	*	*		*	*		*	*	
Arizona	59	0.014	0.011 - 0.018	33	0.015	0.010 - 0.021	26	0.013	0.008 - 0.018
Arkansas	83	0.017	0.013 - 0.021	45	0.019	0.014 - 0.026	38	0.015	0.010 - 0.020
California	462	0.016	0.015 - 0.018	224	0.016	0.014 - 0.018	238	0.017	0.015 - 0.019
CA - Greater California	216	0.016	0.014 - 0.018	114	0.016	0.013 - 0.019	102	0.015	0.012 - 0.018
CA - Greater Bay Area	88	0.017	0.014 - 0.021	33	0.013	0.009 - 0.018	55	0.022	0.016 - 0.028
CA - Los Angeles	159	0.016	0.014 - 0.019	77	0.017	0.013 - 0.021	82	0.016	0.013 - 0.020
Colorado	32	0.010	0.007 - 0.015	13	0.008	0.004 - 0.014	19	0.013	0.008 - 0.020
Connecticut	70	0.015	0.012 - 0.019	39	0.018	0.012 - 0.024	31	0.013	0.009 - 0.018
Delaware	37	0.016	0.011 - 0.022	16	0.014	0.008 - 0.023	21	0.017	0.010 - 0.026
District of Columbia	75	0.022	0.017 - 0.028	33	0.022	0.015 - 0.030	42	0.023	0.016 - 0.031
Florida	603	0.016	0.015 - 0.017	270	0.015	0.013 - 0.017	333	0.017	0.015 - 0.019
Georgia	517	0.015	0.013 - 0.016	206	0.012	0.011 - 0.014	311	0.017	0.015 - 0.019
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	423	0.022	0.020 - 0.024	184	0.020	0.017 - 0.023	239	0.023	0.020 - 0.026
Indiana	103	0.014	0.012 - 0.017	44	0.013	0.009 - 0.017	59	0.016	0.012 - 0.020
Iowa	11	0.007	0.004 - 0.013	*	*		*	*	
Kansas	38	0.018	0.013 - 0.025	18	0.017	0.010 - 0.026	20	0.020	0.012 - 0.031
Kentucky	69	0.017	0.013 - 0.021	24	0.012	0.008 - 0.018	45	0.022	0.016 - 0.030
Louisiana	250	0.016	0.014 - 0.018	101	0.014	0.011 - 0.017	149	0.018	0.015 - 0.021
Maine	*	*		*	*		*	*	
Maryland	381	0.020	0.018 - 0.022	147	0.016	0.014 - 0.019	234	0.023	0.020 - 0.026
MI - Detroit	205	0.021	0.018 - 0.024	102	0.022	0.018 - 0.027	103	0.019	0.016 - 0.023
Minnesota	50	0.011	0.009 - 0.015	30	0.013	0.009 - 0.019	20	0.009	0.006 - 0.014
Mississippi	168	0.015	0.013 - 0.017	71	0.013	0.010 - 0.017	97	0.016	0.013 - 0.020
Missouri	162	0.021	0.018 - 0.024	70	0.019	0.015 - 0.024	92	0.023	0.018 - 0.028
Montana	*	*		*	*		*	*	
Nebraska	14	0.012	0.007 - 0.020	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	227	0.016	0.014 - 0.018	105	0.016	0.013 - 0.019	122	0.017	0.014 - 0.020
New Mexico	*	*		*	*		*	*	
New York	670	0.019	0.017 - 0.020	278	0.016	0.015 - 0.018	392	0.020	0.018 - 0.023
North Carolina	490	0.020	0.019 - 0.022	216	0.019	0.017 - 0.022	274	0.021	0.019 - 0.024
North Dakota	*	*		*	*		*	*	
Ohio	259	0.016	0.014 - 0.018	100	0.013	0.010 - 0.015	159	0.019	0.016 - 0.022
Oklahoma	39	0.011	0.008 - 0.015	17	0.010	0.006 - 0.015	22	0.012	0.008 - 0.019
Oregon	17	0.014	0.008 - 0.022	*	*		*	*	
Pennsylvania	306	0.019	0.017 - 0.021	125	0.016	0.013 - 0.019	181	0.021	0.018 - 0.025
Rhode Island	13	0.013	0.007 - 0.022	*	*		*	*	
South Carolina	279	0.020	0.017 - 0.022	114	0.017	0.014 - 0.021	165	0.022	0.019 - 0.025
Tennessee	191	0.016	0.014 - 0.018	63	0.011	0.008 - 0.014	128	0.020	0.017 - 0.024
Texas	584	0.015	0.014 - 0.016	259	0.014	0.012 - 0.016	325	0.016	0.015 - 0.018
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	53	0.013	0.010 - 0.017	36	0.016	0.011 - 0.023	17	0.009	0.005 - 0.014
WA - Seattle	49	0.014	0.010 - 0.018	31	0.016	0.011 - 0.023	18	0.011	0.006 - 0.017
West Virginia	13	0.017	0.009 - 0.030	*	*		*	*	
Wisconsin	80	0.019	0.015 - 0.023	31	0.015	0.010 - 0.021	49	0.022	0.017 - 0.030
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	5,686	0.012	0.012 - 0.013	4,509	0.020	0.020 - 0.021	1,184	0.005	0.005 - 0.005
Alabama	191	0.014	0.012 - 0.016	165	0.026	0.023 - 0.031	26	0.004	0.002 - 0.005
Alaska	*	*		*	*		*	*	
Arizona	20	0.005	0.003 - 0.007	*	*		*	*	
Arkansas	75	0.015	0.012 - 0.019	58	0.025	0.019 - 0.032	17	0.007	0.004 - 0.011
California	229	0.008	0.007 - 0.009	178	0.012	0.011 - 0.014	51	0.004	0.003 - 0.005
CA - Greater California	95	0.007	0.006 - 0.008	76	0.011	0.008 - 0.013	19	0.003	0.002 - 0.004
CA - Greater Bay Area	54	0.011	0.008 - 0.014	38	0.015	0.011 - 0.021	16	0.006	0.004 - 0.010
CA - Los Angeles	80	0.008	0.007 - 0.010	64	0.014	0.011 - 0.018	16	0.003	0.002 - 0.005
Colorado	14	0.005	0.002 - 0.008	*	*		*	*	
Connecticut	57	0.012	0.009 - 0.016	45	0.020	0.015 - 0.027	12	0.005	0.003 - 0.009
Delaware	15	0.006	0.004 - 0.010	*	*		*	*	
District of Columbia	47	0.014	0.010 - 0.019	34	0.022	0.015 - 0.031	13	0.007	0.004 - 0.012
Florida	333	0.009	0.008 - 0.010	280	0.015	0.014 - 0.017	53	0.003	0.002 - 0.004
Georgia	430	0.012	0.011 - 0.013	365	0.022	0.020 - 0.025	65	0.003	0.003 - 0.004
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	324	0.017	0.015 - 0.019	248	0.027	0.024 - 0.031	76	0.007	0.006 - 0.009
Indiana	93	0.013	0.010 - 0.016	74	0.021	0.017 - 0.026	19	0.005	0.003 - 0.008
Iowa	12	0.008	0.004 - 0.014	*	*		*	*	
Kansas	18	0.009	0.005 - 0.014	*	*		*	*	
Kentucky	53	0.013	0.010 - 0.017	37	0.018	0.013 - 0.025	16	0.008	0.004 - 0.013
Louisiana	284	0.018	0.016 - 0.020	228	0.031	0.027 - 0.035	56	0.007	0.005 - 0.009
Maine	*	*		*	*		*	*	
Maryland	198	0.010	0.009 - 0.012	154	0.017	0.014 - 0.020	44	0.004	0.003 - 0.006
MI - Detroit	167	0.017	0.014 - 0.019	125	0.027	0.023 - 0.033	41	0.008	0.006 - 0.010
Minnesota	40	0.009	0.007 - 0.012	30	0.013	0.009 - 0.019	10	0.005	0.002 - 0.009
Mississippi	233	0.020	0.018 - 0.023	195	0.036	0.031 - 0.042	38	0.006	0.004 - 0.009
Missouri	126	0.016	0.014 - 0.019	89	0.024	0.019 - 0.030	37	0.009	0.006 - 0.013
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	152	0.011	0.009 - 0.013	107	0.016	0.013 - 0.019	45	0.006	0.004 - 0.008
New Mexico	*	*		*	*		*	*	
New York	382	0.011	0.010 - 0.012	284	0.017	0.015 - 0.019	98	0.005	0.004 - 0.006
North Carolina	401	0.017	0.015 - 0.018	326	0.029	0.026 - 0.032	75	0.006	0.005 - 0.007
North Dakota	*	*		*	*		*	*	
Ohio	242	0.015	0.013 - 0.017	195	0.025	0.021 - 0.028	47	0.006	0.004 - 0.007
Oklahoma	30	0.008	0.006 - 0.012	*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	181	0.011	0.009 - 0.013	134	0.017	0.014 - 0.020	47	0.006	0.004 - 0.007
Rhode Island	*	*		*	*		*	*	
South Carolina	268	0.019	0.017 - 0.021	221	0.033	0.029 - 0.038	47	0.006	0.005 - 0.008
Tennessee	149	0.012	0.010 - 0.015	112	0.020	0.016 - 0.024	37	0.006	0.004 - 0.008
Texas	400	0.010	0.009 - 0.011	317	0.017	0.015 - 0.019	83	0.004	0.003 - 0.005
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	34	0.008	0.006 - 0.012	*	*		*	*	
WA - Seattle	32	0.009	0.006 - 0.013	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	49	0.011	0.008 - 0.015	39	0.018	0.013 - 0.025	10	0.005	0.002 - 0.008
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	43,149	0.093	0.092 - 0.094	20,828	0.093	0.092 - 0.095	22,328	0.092	0.091 - 0.094
Alabama	1,200	0.089	0.084 - 0.095	681	0.109	0.101 - 0.118	519	0.072	0.066 - 0.079
Alaska	20	0.055	0.034 - 0.085	10	0.050	0.024 - 0.092	10	0.061	0.029 - 0.112
Arizona	227	0.053	0.047 - 0.061	101	0.046	0.038 - 0.056	126	0.061	0.051 - 0.072
Arkansas	568	0.115	0.106 - 0.125	315	0.134	0.120 - 0.150	253	0.098	0.087 - 0.111
California	2,232	0.078	0.075 - 0.081	1,003	0.070	0.066 - 0.075	1,229	0.086	0.081 - 0.091
CA - Greater California	923	0.066	0.062 - 0.071	403	0.057	0.051 - 0.062	520	0.077	0.070 - 0.084
CA - Greater Bay Area	509	0.101	0.092 - 0.110	247	0.098	0.087 - 0.111	262	0.103	0.091 - 0.117
CA - Los Angeles	800	0.083	0.077 - 0.089	353	0.077	0.069 - 0.085	447	0.088	0.080 - 0.097
Colorado	156	0.051	0.043 - 0.059	76	0.047	0.037 - 0.058	80	0.055	0.044 - 0.069
Connecticut	419	0.090	0.082 - 0.099	194	0.087	0.075 - 0.100	225	0.093	0.081 - 0.105
Delaware	242	0.102	0.090 - 0.116	117	0.105	0.087 - 0.126	125	0.100	0.083 - 0.120
District of Columbia	451	0.134	0.122 - 0.146	198	0.129	0.112 - 0.148	253	0.137	0.121 - 0.155
Florida	2,442	0.065	0.062 - 0.067	1,217	0.067	0.063 - 0.071	1,225	0.063	0.059 - 0.067
Georgia	2,720	0.077	0.074 - 0.080	1,394	0.084	0.080 - 0.089	1,326	0.071	0.067 - 0.075
Hawaii	10	0.023	0.011 - 0.042	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	2,487	0.128	0.123 - 0.133	1,065	0.116	0.109 - 0.123	1,422	0.138	0.131 - 0.146
Indiana	720	0.099	0.092 - 0.107	321	0.091	0.082 - 0.102	399	0.107	0.096 - 0.118
Iowa	90	0.060	0.048 - 0.073	45	0.056	0.041 - 0.075	45	0.063	0.046 - 0.085
Kansas	215	0.103	0.090 - 0.118	113	0.105	0.086 - 0.126	102	0.101	0.082 - 0.123
Kentucky	499	0.122	0.112 - 0.134	230	0.113	0.099 - 0.129	269	0.132	0.116 - 0.149
Louisiana	1,631	0.104	0.099 - 0.110	929	0.125	0.117 - 0.134	702	0.086	0.079 - 0.092
Maine	14	0.051	0.028 - 0.086	*	*		*	*	
Maryland	1,857	0.095	0.091 - 0.100	768	0.084	0.079 - 0.091	1,089	0.105	0.099 - 0.112
MI - Detroit	1,258	0.126	0.119 - 0.133	563	0.123	0.113 - 0.133	695	0.129	0.120 - 0.139
Minnesota	268	0.061	0.054 - 0.069	141	0.063	0.053 - 0.075	127	0.059	0.050 - 0.071
Mississippi	1,290	0.113	0.107 - 0.119	725	0.135	0.125 - 0.145	565	0.093	0.086 - 0.101
Missouri	985	0.127	0.119 - 0.135	441	0.119	0.108 - 0.131	544	0.135	0.123 - 0.146
Montana	*	*		*	*		*	*	
Nebraska	82	0.071	0.057 - 0.088	33	0.056	0.038 - 0.078	49	0.088	0.065 - 0.116
New Hampshire	11	0.038	0.019 - 0.068	*	*		*	*	
New Jersey	1,171	0.083	0.079 - 0.088	508	0.076	0.069 - 0.083	663	0.090	0.083 - 0.097
New Mexico	38	0.057	0.041 - 0.079	16	0.045	0.026 - 0.072	22	0.073	0.046 - 0.110
New York	3,285	0.091	0.088 - 0.094	1,486	0.088	0.083 - 0.092	1,799	0.094	0.089 - 0.098
North Carolina	2,678	0.111	0.107 - 0.115	1,376	0.121	0.115 - 0.128	1,302	0.102	0.096 - 0.107
North Dakota	*	*		*	*		*	*	
Ohio	1,937	0.118	0.113 - 0.123	829	0.105	0.098 - 0.112	1,108	0.130	0.123 - 0.138
Oklahoma	279	0.079	0.070 - 0.089	155	0.087	0.074 - 0.102	124	0.070	0.058 - 0.084
Oregon	89	0.073	0.059 - 0.090	51	0.078	0.058 - 0.103	38	0.067	0.048 - 0.092
Pennsylvania	2,040	0.124	0.119 - 0.130	827	0.104	0.097 - 0.111	1,213	0.143	0.135 - 0.151
Rhode Island	90	0.089	0.071 - 0.109	45	0.089	0.065 - 0.119	45	0.088	0.064 - 0.118
South Carolina	1,439	0.101	0.096 - 0.106	772	0.116	0.108 - 0.124	667	0.088	0.081 - 0.095
Tennessee	1,215	0.101	0.095 - 0.107	617	0.108	0.100 - 0.117	598	0.094	0.087 - 0.102
Texas	2,872	0.074	0.072 - 0.077	1,476	0.079	0.075 - 0.083	1,396	0.070	0.067 - 0.074
Utah	10	0.018	0.009 - 0.032	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	260	0.063	0.056 - 0.071	131	0.059	0.050 - 0.071	129	0.068	0.056 - 0.080
WA - Seattle	252	0.072	0.063 - 0.081	127	0.068	0.056 - 0.081	125	0.076	0.063 - 0.090
West Virginia	79	0.106	0.084 - 0.132	48	0.119	0.088 - 0.158	31	0.090	0.061 - 0.128
Wisconsin	508	0.118	0.108 - 0.128	262	0.123	0.108 - 0.139	246	0.113	0.099 - 0.128
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	1,388	0.003	0.003 - 0.003	630	0.003	0.003 - 0.003	758	0.003	0.003 - 0.003
Alabama	40	0.003	0.002 - 0.004	13	0.002	0.001 - 0.004	27	0.004	0.002 - 0.005
Alaska	*	*		*	*		*	*	
Arizona	16	0.004	0.002 - 0.006	*	*		*	*	
Arkansas	18	0.004	0.002 - 0.006	*	*		*	*	
California	85	0.003	0.002 - 0.004	43	0.003	0.002 - 0.004	42	0.003	0.002 - 0.004
CA - Greater California	36	0.003	0.002 - 0.004	15	0.002	0.001 - 0.004	21	0.003	0.002 - 0.005
CA - Greater Bay Area	18	0.004	0.002 - 0.006	*	*		*	*	
CA - Los Angeles	30	0.003	0.002 - 0.004	16	0.003	0.002 - 0.006	14	0.003	0.002 - 0.005
Colorado	*	*		*	*		*	*	
Connecticut	17	0.004	0.002 - 0.006	*	*		*	*	
Delaware	11	0.005	0.002 - 0.008	*	*		*	*	
District of Columbia	18	0.005	0.003 - 0.008	*	*		*	*	
Florida	152	0.004	0.003 - 0.005	88	0.005	0.004 - 0.006	64	0.003	0.003 - 0.004
Georgia	101	0.003	0.002 - 0.003	44	0.003	0.002 - 0.004	57	0.003	0.002 - 0.004
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	46	0.002	0.002 - 0.003	15	0.002	0.001 - 0.003	31	0.003	0.002 - 0.004
Indiana	17	0.002	0.001 - 0.004	*	*		*	*	
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	13	0.003	0.002 - 0.006	*	*		*	*	
Louisiana	50	0.003	0.002 - 0.004	18	0.002	0.001 - 0.004	32	0.004	0.003 - 0.005
Maine	*	*		*	*		*	*	
Maryland	70	0.004	0.003 - 0.005	39	0.004	0.003 - 0.006	31	0.003	0.002 - 0.004
MI - Detroit	23	0.002	0.001 - 0.003	*	*		*	*	
Minnesota	*	*		*	*		*	*	
Mississippi	38	0.003	0.002 - 0.005	17	0.003	0.002 - 0.005	21	0.003	0.002 - 0.005
Missouri	15	0.002	0.001 - 0.003	*	*		*	*	
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	42	0.003	0.002 - 0.004	16	0.002	0.001 - 0.004	26	0.004	0.002 - 0.005
New Mexico	*	*		*	*		*	*	
New York	132	0.004	0.003 - 0.004	56	0.003	0.002 - 0.004	76	0.004	0.003 - 0.005
North Carolina	68	0.003	0.002 - 0.004	35	0.003	0.002 - 0.004	33	0.003	0.002 - 0.004
North Dakota	*	*		*	*		*	*	
Ohio	38	0.002	0.002 - 0.003	16	0.002	0.001 - 0.003	22	0.003	0.002 - 0.004
Oklahoma	10	0.003	0.001 - 0.005	*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	49	0.003	0.002 - 0.004	25	0.003	0.002 - 0.005	24	0.003	0.002 - 0.004
Rhode Island	*	*		*	*		*	*	
South Carolina	36	0.003	0.002 - 0.003	13	0.002	0.001 - 0.003	23	0.003	0.002 - 0.005
Tennessee	22	0.002	0.001 - 0.003	*	*		*	*	
Texas	98	0.003	0.002 - 0.003	40	0.002	0.002 - 0.003	58	0.003	0.002 - 0.004
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	14	0.003	0.002 - 0.006	*	*		*	*	
WA - Seattle	*	*		*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	*	*		*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		123,709	0.512	0.509 - 0.515
Alabama	N/A	N/A		N/A	N/A		3,966	0.552	0.535 - 0.570
Alaska	N/A	N/A		N/A	N/A		48	0.293	0.216 - 0.389
Arizona	N/A	N/A		N/A	N/A		637	0.307	0.284 - 0.332
Arkansas	N/A	N/A		N/A	N/A		1,267	0.492	0.465 - 0.520
California	N/A	N/A		N/A	N/A		7,221	0.503	0.491 - 0.515
CA - Greater California	N/A	N/A		N/A	N/A		2,923	0.432	0.416 - 0.448
CA - Greater Bay Area	N/A	N/A		N/A	N/A		1,430	0.564	0.535 - 0.594
CA - Los Angeles	N/A	N/A		N/A	N/A		2,870	0.568	0.547 - 0.589
Colorado	N/A	N/A		N/A	N/A		528	0.365	0.334 - 0.397
Connecticut	N/A	N/A		N/A	N/A		1,202	0.495	0.467 - 0.523
Delaware	N/A	N/A		N/A	N/A		728	0.584	0.542 - 0.628
District of Columbia	N/A	N/A		N/A	N/A		1,208	0.656	0.619 - 0.694
Florida	N/A	N/A		N/A	N/A		8,393	0.431	0.422 - 0.440
Georgia	N/A	N/A		N/A	N/A		9,771	0.520	0.510 - 0.531
Hawaii	N/A	N/A		N/A	N/A		52	0.289	0.216 - 0.379
Idaho	N/A	N/A		N/A	N/A		12	0.121	0.063 - 0.212
Illinois	N/A	N/A		N/A	N/A		6,135	0.597	0.582 - 0.612
Indiana	N/A	N/A		N/A	N/A		1,726	0.461	0.440 - 0.484
Iowa	N/A	N/A		N/A	N/A		197	0.277	0.239 - 0.318
Kansas	N/A	N/A		N/A	N/A		469	0.464	0.423 - 0.508
Kentucky	N/A	N/A		N/A	N/A		1,023	0.501	0.471 - 0.533
Louisiana	N/A	N/A		N/A	N/A		4,596	0.560	0.544 - 0.577
Maine	N/A	N/A		N/A	N/A		24	0.193	0.124 - 0.287
Maryland	N/A	N/A		N/A	N/A		6,228	0.601	0.587 - 0.617
MI - Detroit	N/A	N/A		N/A	N/A		3,169	0.588	0.568 - 0.609
Minnesota	N/A	N/A		N/A	N/A		564	0.264	0.243 - 0.287
Mississippi	N/A	N/A		N/A	N/A		3,159	0.521	0.503 - 0.540
Missouri	N/A	N/A		N/A	N/A		2,146	0.531	0.508 - 0.554
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		184	0.329	0.283 - 0.380
New Hampshire	N/A	N/A		N/A	N/A		25	0.194	0.125 - 0.286
New Jersey	N/A	N/A		N/A	N/A		4,062	0.551	0.534 - 0.568
New Mexico	N/A	N/A		N/A	N/A		88	0.290	0.233 - 0.357
New York	N/A	N/A		N/A	N/A		10,912	0.567	0.557 - 0.578
North Carolina	N/A	N/A		N/A	N/A		7,675	0.599	0.585 - 0.612
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		4,313	0.506	0.491 - 0.522
Oklahoma	N/A	N/A		N/A	N/A		763	0.432	0.402 - 0.464
Oregon	N/A	N/A		N/A	N/A		180	0.319	0.274 - 0.369
Pennsylvania	N/A	N/A		N/A	N/A		4,245	0.500	0.485 - 0.515
Rhode Island	N/A	N/A		N/A	N/A		177	0.346	0.297 - 0.401
South Carolina	N/A	N/A		N/A	N/A		4,339	0.572	0.555 - 0.589
Tennessee	N/A	N/A		N/A	N/A		3,124	0.492	0.475 - 0.510
Texas	N/A	N/A		N/A	N/A		8,729	0.439	0.430 - 0.448
Utah	N/A	N/A		N/A	N/A		42	0.158	0.114 - 0.214
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		599	0.313	0.289 - 0.340
WA - Seattle	N/A	N/A		N/A	N/A		589	0.357	0.329 - 0.387
West Virginia	N/A	N/A		N/A	N/A		172	0.499	0.427 - 0.580
Wisconsin	N/A	N/A		N/A	N/A		1,002	0.459	0.431 - 0.488
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		6,851	0.028	0.028 - 0.029
Alabama	N/A	N/A		N/A	N/A		217	0.030	0.026 - 0.035
Alaska	N/A	N/A		N/A	N/A		*	*	
Arizona	N/A	N/A		N/A	N/A		24	0.012	0.007 - 0.017
Arkansas	N/A	N/A		N/A	N/A		71	0.028	0.022 - 0.035
California	N/A	N/A		N/A	N/A		288	0.020	0.018 - 0.022
CA - Greater California	N/A	N/A		N/A	N/A		125	0.018	0.015 - 0.022
CA - Greater Bay Area	N/A	N/A		N/A	N/A		51	0.020	0.015 - 0.026
CA - Los Angeles	N/A	N/A		N/A	N/A		113	0.022	0.018 - 0.027
Colorado	N/A	N/A		N/A	N/A		24	0.017	0.011 - 0.025
Connecticut	N/A	N/A		N/A	N/A		48	0.020	0.015 - 0.026
Delaware	N/A	N/A		N/A	N/A		30	0.024	0.016 - 0.034
District of Columbia	N/A	N/A		N/A	N/A		58	0.031	0.024 - 0.041
Florida	N/A	N/A		N/A	N/A		673	0.035	0.032 - 0.037
Georgia	N/A	N/A		N/A	N/A		465	0.025	0.023 - 0.027
Hawaii	N/A	N/A		N/A	N/A		*	*	
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		361	0.035	0.032 - 0.039
Indiana	N/A	N/A		N/A	N/A		95	0.025	0.021 - 0.031
Iowa	N/A	N/A		N/A	N/A		14	0.020	0.011 - 0.033
Kansas	N/A	N/A		N/A	N/A		15	0.015	0.008 - 0.024
Kentucky	N/A	N/A		N/A	N/A		59	0.029	0.022 - 0.037
Louisiana	N/A	N/A		N/A	N/A		284	0.035	0.031 - 0.039
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		246	0.024	0.021 - 0.027
MI - Detroit	N/A	N/A		N/A	N/A		148	0.028	0.023 - 0.032
Minnesota	N/A	N/A		N/A	N/A		47	0.022	0.016 - 0.029
Mississippi	N/A	N/A		N/A	N/A		187	0.031	0.027 - 0.036
Missouri	N/A	N/A		N/A	N/A		106	0.026	0.021 - 0.032
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		19	0.034	0.020 - 0.053
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		253	0.034	0.030 - 0.039
New Mexico	N/A	N/A		N/A	N/A		*	*	
New York	N/A	N/A		N/A	N/A		691	0.036	0.033 - 0.039
North Carolina	N/A	N/A		N/A	N/A		330	0.026	0.023 - 0.029
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		213	0.025	0.022 - 0.029
Oklahoma	N/A	N/A		N/A	N/A		33	0.019	0.013 - 0.026
Oregon	N/A	N/A		N/A	N/A		*	*	
Pennsylvania	N/A	N/A		N/A	N/A		257	0.030	0.027 - 0.034
Rhode Island	N/A	N/A		N/A	N/A		14	0.027	0.015 - 0.046
South Carolina	N/A	N/A		N/A	N/A		225	0.030	0.026 - 0.034
Tennessee	N/A	N/A		N/A	N/A		184	0.029	0.025 - 0.033
Texas	N/A	N/A		N/A	N/A		535	0.027	0.025 - 0.029
Utah	N/A	N/A		N/A	N/A		*	*	
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		42	0.022	0.016 - 0.030
WA - Seattle	N/A	N/A		N/A	N/A		37	0.022	0.016 - 0.031
West Virginia	N/A	N/A		N/A	N/A		*	*	
Wisconsin	N/A	N/A		N/A	N/A		78	0.036	0.028 - 0.045
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		24,283	0.100	0.099 - 0.102
Alabama	N/A	N/A		N/A	N/A		610	0.085	0.078 - 0.092
Alaska	N/A	N/A		N/A	N/A		*	*	
Arizona	N/A	N/A		N/A	N/A		109	0.053	0.043 - 0.063
Arkansas	N/A	N/A		N/A	N/A		231	0.090	0.079 - 0.102
California	N/A	N/A		N/A	N/A		1,474	0.103	0.097 - 0.108
CA - Greater California	N/A	N/A		N/A	N/A		538	0.079	0.073 - 0.086
CA - Greater Bay Area	N/A	N/A		N/A	N/A		316	0.125	0.111 - 0.139
CA - Los Angeles	N/A	N/A		N/A	N/A		621	0.123	0.113 - 0.133
Colorado	N/A	N/A		N/A	N/A		80	0.055	0.044 - 0.069
Connecticut	N/A	N/A		N/A	N/A		253	0.104	0.092 - 0.118
Delaware	N/A	N/A		N/A	N/A		138	0.111	0.093 - 0.131
District of Columbia	N/A	N/A		N/A	N/A		250	0.136	0.119 - 0.154
Florida	N/A	N/A		N/A	N/A		1,938	0.099	0.095 - 0.104
Georgia	N/A	N/A		N/A	N/A		1,750	0.093	0.089 - 0.098
Hawaii	N/A	N/A		N/A	N/A		*	*	
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		1,221	0.119	0.112 - 0.126
Indiana	N/A	N/A		N/A	N/A		327	0.087	0.078 - 0.097
Iowa	N/A	N/A		N/A	N/A		47	0.066	0.049 - 0.088
Kansas	N/A	N/A		N/A	N/A		74	0.073	0.058 - 0.092
Kentucky	N/A	N/A		N/A	N/A		186	0.091	0.079 - 0.105
Louisiana	N/A	N/A		N/A	N/A		693	0.085	0.078 - 0.091
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		1,204	0.116	0.110 - 0.123
MI - Detroit	N/A	N/A		N/A	N/A		646	0.120	0.111 - 0.130
Minnesota	N/A	N/A		N/A	N/A		140	0.066	0.055 - 0.077
Mississippi	N/A	N/A		N/A	N/A		566	0.093	0.086 - 0.101
Missouri	N/A	N/A		N/A	N/A		395	0.098	0.088 - 0.108
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		29	0.052	0.035 - 0.074
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		862	0.117	0.109 - 0.125
New Mexico	N/A	N/A		N/A	N/A		17	0.056	0.033 - 0.090
New York	N/A	N/A		N/A	N/A		2,578	0.134	0.129 - 0.139
North Carolina	N/A	N/A		N/A	N/A		1,336	0.104	0.099 - 0.110
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		865	0.102	0.095 - 0.109
Oklahoma	N/A	N/A		N/A	N/A		142	0.080	0.068 - 0.095
Oregon	N/A	N/A		N/A	N/A		35	0.062	0.043 - 0.086
Pennsylvania	N/A	N/A		N/A	N/A		964	0.114	0.107 - 0.121
Rhode Island	N/A	N/A		N/A	N/A		35	0.068	0.048 - 0.095
South Carolina	N/A	N/A		N/A	N/A		837	0.110	0.103 - 0.118
Tennessee	N/A	N/A		N/A	N/A		620	0.098	0.090 - 0.106
Texas	N/A	N/A		N/A	N/A		1,537	0.077	0.074 - 0.081
Utah	N/A	N/A		N/A	N/A		*	*	
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		123	0.064	0.053 - 0.077
WA - Seattle	N/A	N/A		N/A	N/A		118	0.072	0.059 - 0.086
West Virginia	N/A	N/A		N/A	N/A		36	0.104	0.073 - 0.145
Wisconsin	N/A	N/A		N/A	N/A		206	0.094	0.082 - 0.108
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		5,740	0.024	0.023 - 0.024
Alabama	N/A	N/A		N/A	N/A		197	0.027	0.024 - 0.032
Alaska	N/A	N/A		N/A	N/A		*	*	
Arizona	N/A	N/A		N/A	N/A		34	0.016	0.011 - 0.023
Arkansas	N/A	N/A		N/A	N/A		60	0.023	0.018 - 0.030
California	N/A	N/A		N/A	N/A		363	0.025	0.023 - 0.028
CA - Greater California	N/A	N/A		N/A	N/A		153	0.023	0.019 - 0.027
CA - Greater Bay Area	N/A	N/A		N/A	N/A		80	0.031	0.025 - 0.039
CA - Los Angeles	N/A	N/A		N/A	N/A		130	0.026	0.022 - 0.031
Colorado	N/A	N/A		N/A	N/A		16	0.011	0.006 - 0.018
Connecticut	N/A	N/A		N/A	N/A		57	0.024	0.018 - 0.030
Delaware	N/A	N/A		N/A	N/A		28	0.022	0.015 - 0.032
District of Columbia	N/A	N/A		N/A	N/A		68	0.037	0.029 - 0.047
Florida	N/A	N/A		N/A	N/A		459	0.024	0.021 - 0.026
Georgia	N/A	N/A		N/A	N/A		427	0.023	0.021 - 0.025
Hawaii	N/A	N/A		N/A	N/A		*	*	
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		284	0.028	0.025 - 0.031
Indiana	N/A	N/A		N/A	N/A		70	0.019	0.015 - 0.024
Iowa	N/A	N/A		N/A	N/A		10	0.014	0.007 - 0.026
Kansas	N/A	N/A		N/A	N/A		21	0.021	0.013 - 0.032
Kentucky	N/A	N/A		N/A	N/A		34	0.017	0.011 - 0.023
Louisiana	N/A	N/A		N/A	N/A		192	0.023	0.020 - 0.027
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		266	0.026	0.023 - 0.029
MI - Detroit	N/A	N/A		N/A	N/A		158	0.029	0.025 - 0.034
Minnesota	N/A	N/A		N/A	N/A		35	0.016	0.011 - 0.023
Mississippi	N/A	N/A		N/A	N/A		132	0.022	0.018 - 0.026
Missouri	N/A	N/A		N/A	N/A		82	0.020	0.016 - 0.025
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		*	*	
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		203	0.028	0.024 - 0.032
New Mexico	N/A	N/A		N/A	N/A		*	*	
New York	N/A	N/A		N/A	N/A		573	0.030	0.027 - 0.032
North Carolina	N/A	N/A		N/A	N/A		286	0.022	0.020 - 0.025
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		168	0.020	0.017 - 0.023
Oklahoma	N/A	N/A		N/A	N/A		33	0.019	0.013 - 0.026
Oregon	N/A	N/A		N/A	N/A		11	0.019	0.010 - 0.035
Pennsylvania	N/A	N/A		N/A	N/A		212	0.025	0.022 - 0.029
Rhode Island	N/A	N/A		N/A	N/A		*	*	
South Carolina	N/A	N/A		N/A	N/A		164	0.022	0.018 - 0.025
Tennessee	N/A	N/A		N/A	N/A		136	0.021	0.018 - 0.025
Texas	N/A	N/A		N/A	N/A		456	0.023	0.021 - 0.025
Utah	N/A	N/A		N/A	N/A		*	*	
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		26	0.014	0.009 - 0.020
WA - Seattle	N/A	N/A		N/A	N/A		25	0.015	0.010 - 0.022
West Virginia	N/A	N/A		N/A	N/A		*	*	
Wisconsin	N/A	N/A		N/A	N/A		45	0.021	0.015 - 0.028
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		149,667	0.670	0.666 - 0.673	N/A	N/A	
Alabama	N/A	N/A		5,025	0.804	0.782 - 0.827	N/A	N/A	
Alaska	N/A	N/A		71	0.354	0.276 - 0.447	N/A	N/A	
Arizona	N/A	N/A		745	0.340	0.316 - 0.365	N/A	N/A	
Arkansas	N/A	N/A		1,840	0.784	0.749 - 0.821	N/A	N/A	
California	N/A	N/A		7,908	0.556	0.543 - 0.568	N/A	N/A	
CA - Greater California	N/A	N/A		3,490	0.490	0.474 - 0.506	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		1,622	0.646	0.615 - 0.678	N/A	N/A	
CA - Los Angeles	N/A	N/A		2,796	0.608	0.586 - 0.631	N/A	N/A	
Colorado	N/A	N/A		694	0.426	0.395 - 0.458	N/A	N/A	
Connecticut	N/A	N/A		1,405	0.631	0.599 - 0.665	N/A	N/A	
Delaware	N/A	N/A		936	0.839	0.786 - 0.894	N/A	N/A	
District of Columbia	N/A	N/A		1,090	0.710	0.669 - 0.754	N/A	N/A	
Florida	N/A	N/A		10,569	0.581	0.570 - 0.592	N/A	N/A	
Georgia	N/A	N/A		11,940	0.723	0.710 - 0.736	N/A	N/A	
Hawaii	N/A	N/A		120	0.469	0.389 - 0.561	N/A	N/A	
Idaho	N/A	N/A		43	0.346	0.251 - 0.466	N/A	N/A	
Illinois	N/A	N/A		6,597	0.719	0.702 - 0.737	N/A	N/A	
Indiana	N/A	N/A		1,959	0.558	0.533 - 0.583	N/A	N/A	
Iowa	N/A	N/A		292	0.365	0.325 - 0.410	N/A	N/A	
Kansas	N/A	N/A		591	0.548	0.505 - 0.595	N/A	N/A	
Kentucky	N/A	N/A		1,168	0.575	0.543 - 0.609	N/A	N/A	
Louisiana	N/A	N/A		5,639	0.761	0.741 - 0.781	N/A	N/A	
Maine	N/A	N/A		39	0.261	0.186 - 0.357	N/A	N/A	
Maryland	N/A	N/A		7,543	0.829	0.810 - 0.848	N/A	N/A	
MI - Detroit	N/A	N/A		3,647	0.796	0.770 - 0.822	N/A	N/A	
Minnesota	N/A	N/A		800	0.359	0.335 - 0.385	N/A	N/A	
Mississippi	N/A	N/A		4,361	0.809	0.786 - 0.834	N/A	N/A	
Missouri	N/A	N/A		2,084	0.564	0.540 - 0.589	N/A	N/A	
Montana	N/A	N/A		16	0.267	0.152 - 0.433	N/A	N/A	
Nebraska	N/A	N/A		314	0.530	0.473 - 0.592	N/A	N/A	
New Hampshire	N/A	N/A		60	0.371	0.283 - 0.478	N/A	N/A	
New Jersey	N/A	N/A		5,322	0.794	0.773 - 0.815	N/A	N/A	
New Mexico	N/A	N/A		159	0.441	0.375 - 0.515	N/A	N/A	
New York	N/A	N/A		14,239	0.839	0.825 - 0.853	N/A	N/A	
North Carolina	N/A	N/A		8,836	0.780	0.763 - 0.796	N/A	N/A	
North Dakota	N/A	N/A		27	0.163	0.107 - 0.237	N/A	N/A	
Ohio	N/A	N/A		5,020	0.636	0.619 - 0.654	N/A	N/A	
Oklahoma	N/A	N/A		973	0.547	0.513 - 0.583	N/A	N/A	
Oregon	N/A	N/A		292	0.449	0.399 - 0.504	N/A	N/A	
Pennsylvania	N/A	N/A		4,708	0.592	0.575 - 0.609	N/A	N/A	
Rhode Island	N/A	N/A		200	0.396	0.343 - 0.455	N/A	N/A	
South Carolina	N/A	N/A		5,030	0.753	0.733 - 0.774	N/A	N/A	
Tennessee	N/A	N/A		3,928	0.688	0.666 - 0.710	N/A	N/A	
Texas	N/A	N/A		10,085	0.539	0.529 - 0.550	N/A	N/A	
Utah	N/A	N/A		91	0.278	0.224 - 0.341	N/A	N/A	
Vermont	N/A	N/A		24	0.382	0.245 - 0.568	N/A	N/A	
Washington	N/A	N/A		873	0.396	0.371 - 0.424	N/A	N/A	
WA - Seattle	N/A	N/A		869	0.464	0.433 - 0.496	N/A	N/A	
West Virginia	N/A	N/A		308	0.764	0.681 - 0.855	N/A	N/A	
Wisconsin	N/A	N/A		1,225	0.574	0.542 - 0.607	N/A	N/A	
Wyoming	N/A	N/A		14	0.250	0.136 - 0.419	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		1,470	0.007	0.006 - 0.007	N/A	N/A	
Alabama	N/A	N/A		36	0.006	0.004 - 0.008	N/A	N/A	
Alaska	N/A	N/A		*	*		N/A	N/A	
Arizona	N/A	N/A		11	0.005	0.003 - 0.009	N/A	N/A	
Arkansas	N/A	N/A		14	0.006	0.003 - 0.010	N/A	N/A	
California	N/A	N/A		98	0.007	0.006 - 0.008	N/A	N/A	
CA - Greater California	N/A	N/A		50	0.007	0.005 - 0.009	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		23	0.009	0.006 - 0.014	N/A	N/A	
CA - Los Angeles	N/A	N/A		25	0.005	0.004 - 0.008	N/A	N/A	
Colorado	N/A	N/A		*	*		N/A	N/A	
Connecticut	N/A	N/A		12	0.005	0.003 - 0.009	N/A	N/A	
Delaware	N/A	N/A		*	*		N/A	N/A	
District of Columbia	N/A	N/A		15	0.010	0.005 - 0.016	N/A	N/A	
Florida	N/A	N/A		98	0.005	0.004 - 0.007	N/A	N/A	
Georgia	N/A	N/A		114	0.007	0.006 - 0.008	N/A	N/A	
Hawaii	N/A	N/A		*	*		N/A	N/A	
Idaho	N/A	N/A		*	*		N/A	N/A	
Illinois	N/A	N/A		65	0.007	0.005 - 0.009	N/A	N/A	
Indiana	N/A	N/A		18	0.005	0.003 - 0.008	N/A	N/A	
Iowa	N/A	N/A		*	*		N/A	N/A	
Kansas	N/A	N/A		*	*		N/A	N/A	
Kentucky	N/A	N/A		14	0.007	0.004 - 0.012	N/A	N/A	
Louisiana	N/A	N/A		52	0.007	0.005 - 0.009	N/A	N/A	
Maine	N/A	N/A		*	*		N/A	N/A	
Maryland	N/A	N/A		60	0.007	0.005 - 0.008	N/A	N/A	
MI - Detroit	N/A	N/A		29	0.006	0.004 - 0.009	N/A	N/A	
Minnesota	N/A	N/A		14	0.006	0.003 - 0.011	N/A	N/A	
Mississippi	N/A	N/A		50	0.009	0.007 - 0.012	N/A	N/A	
Missouri	N/A	N/A		27	0.007	0.005 - 0.011	N/A	N/A	
Montana	N/A	N/A		*	*		N/A	N/A	
Nebraska	N/A	N/A		*	*		N/A	N/A	
New Hampshire	N/A	N/A		*	*		N/A	N/A	
New Jersey	N/A	N/A		49	0.007	0.005 - 0.010	N/A	N/A	
New Mexico	N/A	N/A		*	*		N/A	N/A	
New York	N/A	N/A		157	0.009	0.008 - 0.011	N/A	N/A	
North Carolina	N/A	N/A		84	0.007	0.006 - 0.009	N/A	N/A	
North Dakota	N/A	N/A		*	*		N/A	N/A	
Ohio	N/A	N/A		47	0.006	0.004 - 0.008	N/A	N/A	
Oklahoma	N/A	N/A		*	*		N/A	N/A	
Oregon	N/A	N/A		*	*		N/A	N/A	
Pennsylvania	N/A	N/A		49	0.006	0.005 - 0.008	N/A	N/A	
Rhode Island	N/A	N/A		*	*		N/A	N/A	
South Carolina	N/A	N/A		32	0.005	0.003 - 0.007	N/A	N/A	
Tennessee	N/A	N/A		37	0.006	0.005 - 0.009	N/A	N/A	
Texas	N/A	N/A		99	0.005	0.004 - 0.006	N/A	N/A	
Utah	N/A	N/A		*	*		N/A	N/A	
Vermont	N/A	N/A		*	*		N/A	N/A	
Washington	N/A	N/A		14	0.006	0.003 - 0.011	N/A	N/A	
WA - Seattle	N/A	N/A		12	0.006	0.003 - 0.011	N/A	N/A	
West Virginia	N/A	N/A		*	*		N/A	N/A	
Wisconsin	N/A	N/A		11	0.005	0.003 - 0.009	N/A	N/A	
Wyoming	N/A	N/A		*	*		N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	14,651	0.031	0.031 - 0.032	10,258	0.046	0.045 - 0.047	4,405	0.018	0.018 - 0.019
Alabama	430	0.032	0.029 - 0.035	282	0.045	0.040 - 0.051	148	0.021	0.017 - 0.024
Alaska	*	*		*	*		*	*	
Arizona	104	0.024	0.020 - 0.030	78	0.036	0.028 - 0.044	26	0.013	0.008 - 0.018
Arkansas	145	0.029	0.025 - 0.035	106	0.045	0.037 - 0.055	39	0.015	0.011 - 0.021
California	935	0.033	0.031 - 0.035	692	0.049	0.045 - 0.052	243	0.017	0.015 - 0.019
CA - Greater California	407	0.029	0.027 - 0.032	305	0.043	0.038 - 0.048	102	0.015	0.012 - 0.018
CA - Greater Bay Area	189	0.038	0.032 - 0.043	144	0.057	0.048 - 0.067	45	0.018	0.013 - 0.024
CA - Los Angeles	338	0.035	0.031 - 0.039	243	0.053	0.046 - 0.060	95	0.019	0.015 - 0.023
Colorado	69	0.022	0.017 - 0.028	53	0.033	0.024 - 0.043	16	0.011	0.006 - 0.018
Connecticut	119	0.026	0.021 - 0.031	81	0.037	0.029 - 0.045	38	0.016	0.011 - 0.021
Delaware	104	0.044	0.036 - 0.053	77	0.069	0.054 - 0.086	27	0.022	0.014 - 0.032
District of Columbia	162	0.048	0.041 - 0.056	105	0.068	0.056 - 0.083	57	0.031	0.023 - 0.040
Florida	877	0.023	0.022 - 0.025	618	0.034	0.031 - 0.037	259	0.013	0.012 - 0.015
Georgia	963	0.027	0.026 - 0.029	652	0.039	0.036 - 0.043	311	0.017	0.015 - 0.019
Hawaii	22	0.051	0.032 - 0.077	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	702	0.036	0.033 - 0.039	512	0.056	0.051 - 0.061	190	0.018	0.016 - 0.021
Indiana	243	0.034	0.029 - 0.038	175	0.050	0.043 - 0.058	68	0.018	0.014 - 0.023
Iowa	31	0.021	0.014 - 0.029	*	*		*	*	
Kansas	78	0.037	0.030 - 0.047	62	0.058	0.044 - 0.074	16	0.016	0.009 - 0.026
Kentucky	120	0.029	0.024 - 0.035	82	0.040	0.032 - 0.050	38	0.019	0.013 - 0.026
Louisiana	512	0.033	0.030 - 0.036	375	0.051	0.046 - 0.056	137	0.017	0.014 - 0.020
Maine	*	*		*	*		*	*	
Maryland	694	0.036	0.033 - 0.038	464	0.051	0.046 - 0.056	230	0.022	0.019 - 0.025
MI - Detroit	423	0.042	0.039 - 0.047	297	0.065	0.058 - 0.073	127	0.023	0.020 - 0.028
Minnesota	84	0.019	0.015 - 0.024	65	0.029	0.023 - 0.037	19	0.009	0.005 - 0.014
Mississippi	351	0.031	0.028 - 0.034	251	0.047	0.041 - 0.053	100	0.017	0.013 - 0.020
Missouri	279	0.036	0.032 - 0.041	194	0.052	0.045 - 0.060	85	0.021	0.017 - 0.026
Montana	*	*		*	*		*	*	
Nebraska	32	0.028	0.019 - 0.039	21	0.035	0.022 - 0.054	11	0.020	0.010 - 0.035
New Hampshire	*	*		*	*		*	*	
New Jersey	501	0.036	0.033 - 0.039	337	0.050	0.045 - 0.056	165	0.022	0.019 - 0.026
New Mexico	17	0.025	0.014 - 0.040	*	*		*	*	
New York	1,344	0.037	0.035 - 0.039	939	0.055	0.052 - 0.059	405	0.021	0.019 - 0.023
North Carolina	896	0.037	0.035 - 0.040	583	0.051	0.047 - 0.056	313	0.024	0.022 - 0.027
North Dakota	*	*		*	*		*	*	
Ohio	594	0.036	0.033 - 0.039	411	0.052	0.047 - 0.057	183	0.021	0.018 - 0.025
Oklahoma	112	0.032	0.026 - 0.038	81	0.046	0.036 - 0.057	31	0.018	0.012 - 0.025
Oregon	41	0.034	0.024 - 0.046	29	0.045	0.030 - 0.064	12	0.021	0.011 - 0.037
Pennsylvania	615	0.037	0.034 - 0.040	424	0.053	0.048 - 0.059	191	0.023	0.019 - 0.026
Rhode Island	21	0.021	0.013 - 0.032	*	*		*	*	
South Carolina	456	0.032	0.029 - 0.035	304	0.046	0.041 - 0.051	152	0.020	0.017 - 0.023
Tennessee	358	0.030	0.027 - 0.033	250	0.044	0.039 - 0.050	108	0.017	0.014 - 0.021
Texas	874	0.023	0.021 - 0.024	616	0.033	0.030 - 0.036	258	0.013	0.011 - 0.015
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	105	0.026	0.021 - 0.031	83	0.038	0.030 - 0.047	22	0.012	0.007 - 0.017
WA - Seattle	103	0.029	0.024 - 0.035	79	0.042	0.033 - 0.052	24	0.015	0.009 - 0.022
West Virginia	23	0.031	0.020 - 0.046	*	*		*	*	
Wisconsin	153	0.035	0.030 - 0.042	112	0.052	0.043 - 0.063	41	0.019	0.013 - 0.025
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	29,505	0.063	0.063 - 0.064	17,403	0.078	0.077 - 0.079	12,116	0.050	0.049 - 0.051
Alabama	941	0.070	0.066 - 0.075	545	0.087	0.080 - 0.095	396	0.055	0.050 - 0.061
Alaska	10	0.027	0.013 - 0.050	*	*		*	*	
Arizona	183	0.043	0.037 - 0.050	131	0.060	0.050 - 0.071	52	0.025	0.019 - 0.033
Arkansas	370	0.075	0.068 - 0.083	202	0.086	0.075 - 0.099	168	0.065	0.056 - 0.076
California	1,693	0.059	0.056 - 0.062	1,038	0.073	0.069 - 0.078	654	0.046	0.042 - 0.049
CA - Greater California	757	0.054	0.051 - 0.059	460	0.065	0.059 - 0.071	297	0.044	0.039 - 0.049
CA - Greater Bay Area	353	0.070	0.063 - 0.078	221	0.088	0.077 - 0.101	132	0.052	0.044 - 0.062
CA - Los Angeles	583	0.060	0.056 - 0.066	358	0.078	0.070 - 0.086	225	0.045	0.039 - 0.051
Colorado	157	0.051	0.043 - 0.060	112	0.069	0.057 - 0.083	45	0.031	0.023 - 0.042
Connecticut	255	0.055	0.048 - 0.062	169	0.076	0.065 - 0.089	86	0.035	0.028 - 0.044
Delaware	167	0.071	0.060 - 0.082	95	0.085	0.069 - 0.104	72	0.058	0.045 - 0.073
District of Columbia	221	0.065	0.057 - 0.075	136	0.089	0.074 - 0.105	85	0.046	0.037 - 0.057
Florida	1,726	0.046	0.044 - 0.048	983	0.054	0.051 - 0.058	743	0.038	0.035 - 0.041
Georgia	2,041	0.058	0.055 - 0.060	1,181	0.072	0.067 - 0.076	860	0.046	0.043 - 0.049
Hawaii	14	0.032	0.017 - 0.054	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	1,421	0.073	0.069 - 0.077	843	0.092	0.086 - 0.098	578	0.056	0.052 - 0.061
Indiana	471	0.065	0.059 - 0.071	282	0.080	0.071 - 0.090	189	0.051	0.044 - 0.058
Iowa	67	0.044	0.034 - 0.056	34	0.043	0.030 - 0.060	33	0.046	0.032 - 0.065
Kansas	117	0.056	0.046 - 0.067	72	0.067	0.052 - 0.084	45	0.045	0.032 - 0.060
Kentucky	313	0.077	0.069 - 0.086	163	0.080	0.069 - 0.094	150	0.073	0.062 - 0.086
Louisiana	1,117	0.072	0.067 - 0.076	630	0.085	0.079 - 0.092	487	0.059	0.054 - 0.065
Maine	*	*		*	*		*	*	
Maryland	1,278	0.066	0.062 - 0.069	715	0.079	0.073 - 0.085	563	0.054	0.050 - 0.059
MI - Detroit	731	0.073	0.068 - 0.079	419	0.091	0.083 - 0.101	313	0.058	0.052 - 0.065
Minnesota	179	0.041	0.035 - 0.048	121	0.054	0.045 - 0.065	58	0.027	0.021 - 0.035
Mississippi	953	0.083	0.078 - 0.089	529	0.098	0.090 - 0.107	424	0.070	0.063 - 0.077
Missouri	544	0.070	0.065 - 0.076	300	0.081	0.072 - 0.091	244	0.060	0.053 - 0.068
Montana	*	*		*	*		*	*	
Nebraska	88	0.076	0.061 - 0.094	58	0.098	0.074 - 0.127	30	0.054	0.036 - 0.077
New Hampshire	*	*		*	*		*	*	
New Jersey	859	0.061	0.057 - 0.065	535	0.080	0.073 - 0.087	324	0.044	0.039 - 0.049
New Mexico	30	0.045	0.031 - 0.065	*	*		*	*	
New York	2,247	0.062	0.060 - 0.065	1,384	0.082	0.077 - 0.086	863	0.045	0.042 - 0.048
North Carolina	1,762	0.073	0.070 - 0.076	1,022	0.090	0.085 - 0.096	740	0.058	0.054 - 0.062
North Dakota	*	*		*	*		*	*	
Ohio	1,091	0.066	0.063 - 0.071	658	0.083	0.077 - 0.090	433	0.051	0.046 - 0.056
Oklahoma	204	0.058	0.050 - 0.066	119	0.067	0.055 - 0.080	85	0.048	0.038 - 0.060
Oregon	59	0.049	0.037 - 0.063	42	0.065	0.047 - 0.087	17	0.030	0.018 - 0.048
Pennsylvania	1,178	0.072	0.068 - 0.076	699	0.088	0.081 - 0.095	479	0.056	0.051 - 0.062
Rhode Island	37	0.036	0.026 - 0.050	22	0.044	0.027 - 0.066	15	0.029	0.016 - 0.048
South Carolina	1,024	0.072	0.067 - 0.076	590	0.088	0.081 - 0.096	434	0.057	0.052 - 0.063
Tennessee	894	0.074	0.069 - 0.079	518	0.091	0.083 - 0.099	376	0.059	0.053 - 0.066
Texas	2,351	0.061	0.058 - 0.063	1,376	0.074	0.070 - 0.078	975	0.049	0.046 - 0.052
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	224	0.054	0.048 - 0.062	135	0.061	0.051 - 0.073	89	0.047	0.037 - 0.057
WA - Seattle	215	0.061	0.053 - 0.070	134	0.072	0.060 - 0.085	81	0.049	0.039 - 0.061
West Virginia	38	0.051	0.036 - 0.070	25	0.062	0.040 - 0.092	13	0.038	0.020 - 0.065
Wisconsin	324	0.075	0.067 - 0.084	193	0.090	0.078 - 0.104	131	0.060	0.050 - 0.071
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	4,331	0.009	0.009 - 0.010	2,316	0.010	0.010 - 0.011	2,016	0.008	0.008 - 0.009
Alabama	132	0.010	0.008 - 0.012	71	0.011	0.009 - 0.014	61	0.008	0.006 - 0.011
Alaska	*	*		*	*		*	*	
Arizona	26	0.006	0.004 - 0.009	*	*		*	*	
Arkansas	41	0.008	0.006 - 0.011	26	0.011	0.007 - 0.016	15	0.006	0.003 - 0.010
California	248	0.009	0.008 - 0.010	148	0.010	0.009 - 0.012	100	0.007	0.006 - 0.008
CA - Greater California	104	0.008	0.006 - 0.009	58	0.008	0.006 - 0.011	46	0.007	0.005 - 0.009
CA - Greater Bay Area	48	0.009	0.007 - 0.013	29	0.011	0.008 - 0.016	19	0.008	0.005 - 0.012
CA - Los Angeles	95	0.010	0.008 - 0.012	61	0.013	0.010 - 0.017	35	0.007	0.005 - 0.010
Colorado	27	0.009	0.006 - 0.013	16	0.010	0.006 - 0.016	11	0.008	0.004 - 0.014
Connecticut	42	0.009	0.007 - 0.012	26	0.012	0.008 - 0.017	16	0.007	0.004 - 0.011
Delaware	30	0.013	0.009 - 0.018	11	0.010	0.005 - 0.018	19	0.015	0.009 - 0.024
District of Columbia	34	0.010	0.007 - 0.014	20	0.013	0.008 - 0.020	14	0.008	0.004 - 0.013
Florida	393	0.010	0.009 - 0.012	207	0.011	0.010 - 0.013	186	0.010	0.008 - 0.011
Georgia	310	0.009	0.008 - 0.010	153	0.009	0.008 - 0.011	157	0.008	0.007 - 0.010
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	186	0.010	0.008 - 0.011	101	0.011	0.009 - 0.013	85	0.008	0.007 - 0.010
Indiana	70	0.010	0.008 - 0.012	34	0.010	0.007 - 0.014	36	0.010	0.007 - 0.013
Iowa	13	0.009	0.005 - 0.015	*	*		*	*	
Kansas	18	0.009	0.005 - 0.014	*	*		*	*	
Kentucky	47	0.011	0.008 - 0.015	24	0.012	0.008 - 0.018	23	0.011	0.007 - 0.017
Louisiana	133	0.009	0.007 - 0.010	79	0.011	0.008 - 0.013	55	0.007	0.005 - 0.009
Maine	*	*		*	*		*	*	
Maryland	156	0.008	0.007 - 0.009	81	0.009	0.007 - 0.011	75	0.007	0.006 - 0.009
MI - Detroit	98	0.010	0.008 - 0.012	47	0.010	0.008 - 0.014	51	0.009	0.007 - 0.012
Minnesota	45	0.010	0.008 - 0.014	25	0.011	0.007 - 0.017	20	0.009	0.006 - 0.014
Mississippi	95	0.008	0.007 - 0.010	53	0.010	0.007 - 0.013	42	0.007	0.005 - 0.009
Missouri	75	0.010	0.008 - 0.012	34	0.009	0.006 - 0.013	41	0.010	0.007 - 0.014
Montana	*	*		*	*		*	*	
Nebraska	14	0.012	0.007 - 0.020	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	141	0.010	0.008 - 0.012	70	0.010	0.008 - 0.013	71	0.010	0.008 - 0.012
New Mexico	*	*		*	*		*	*	
New York	371	0.010	0.009 - 0.011	212	0.012	0.011 - 0.014	159	0.008	0.007 - 0.010
North Carolina	227	0.009	0.008 - 0.011	120	0.011	0.009 - 0.013	107	0.008	0.007 - 0.010
North Dakota	*	*		*	*		*	*	
Ohio	166	0.010	0.009 - 0.012	92	0.012	0.009 - 0.014	74	0.009	0.007 - 0.011
Oklahoma	21	0.006	0.004 - 0.009	*	*		*	*	
Oregon	14	0.012	0.006 - 0.019	*	*		*	*	
Pennsylvania	166	0.010	0.009 - 0.012	88	0.011	0.009 - 0.014	78	0.009	0.007 - 0.011
Rhode Island	13	0.013	0.007 - 0.022	*	*		*	*	
South Carolina	102	0.007	0.006 - 0.009	55	0.008	0.006 - 0.011	47	0.006	0.005 - 0.008
Tennessee	112	0.009	0.008 - 0.011	60	0.011	0.008 - 0.014	52	0.008	0.006 - 0.011
Texas	356	0.009	0.008 - 0.010	179	0.010	0.008 - 0.011	177	0.009	0.008 - 0.010
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	31	0.008	0.005 - 0.011	15	0.007	0.004 - 0.011	16	0.008	0.005 - 0.014
WA - Seattle	25	0.007	0.005 - 0.011	11	0.006	0.003 - 0.011	14	0.008	0.005 - 0.014
West Virginia	*	*		*	*		*	*	
Wisconsin	47	0.011	0.008 - 0.014	24	0.011	0.007 - 0.017	23	0.011	0.007 - 0.016
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	17,591	0.038	0.037 - 0.038	3,235	0.014	0.014 - 0.015	14,338	0.059	0.058 - 0.060
Alabama	421	0.031	0.028 - 0.034	72	0.012	0.009 - 0.015	349	0.049	0.044 - 0.054
Alaska	13	0.036	0.019 - 0.061	*	*		*	*	
Arizona	120	0.028	0.023 - 0.034	22	0.010	0.006 - 0.015	98	0.047	0.038 - 0.058
Arkansas	182	0.037	0.032 - 0.043	41	0.017	0.013 - 0.024	141	0.055	0.046 - 0.065
California	859	0.030	0.028 - 0.032	196	0.014	0.012 - 0.016	663	0.046	0.043 - 0.050
CA - Greater California	381	0.027	0.025 - 0.030	90	0.013	0.010 - 0.016	291	0.043	0.038 - 0.048
CA - Greater Bay Area	136	0.027	0.023 - 0.032	32	0.013	0.009 - 0.018	104	0.041	0.034 - 0.050
CA - Los Angeles	343	0.035	0.032 - 0.039	74	0.016	0.013 - 0.020	269	0.053	0.047 - 0.060
Colorado	89	0.029	0.023 - 0.036	20	0.012	0.007 - 0.019	69	0.048	0.037 - 0.060
Connecticut	195	0.042	0.036 - 0.048	37	0.016	0.012 - 0.023	159	0.065	0.056 - 0.076
Delaware	107	0.045	0.037 - 0.055	17	0.015	0.009 - 0.024	90	0.072	0.058 - 0.089
District of Columbia	158	0.047	0.040 - 0.055	36	0.023	0.016 - 0.032	122	0.066	0.055 - 0.079
Florida	1,241	0.033	0.031 - 0.035	225	0.012	0.011 - 0.014	1,016	0.052	0.049 - 0.055
Georgia	1,247	0.035	0.033 - 0.037	198	0.012	0.010 - 0.014	1,050	0.056	0.053 - 0.059
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	727	0.037	0.035 - 0.040	131	0.014	0.012 - 0.017	596	0.058	0.053 - 0.063
Indiana	203	0.028	0.024 - 0.032	43	0.012	0.009 - 0.016	160	0.043	0.036 - 0.050
Iowa	34	0.023	0.016 - 0.031	*	*		*	*	
Kansas	75	0.036	0.028 - 0.045	18	0.017	0.010 - 0.026	57	0.056	0.043 - 0.073
Kentucky	199	0.049	0.042 - 0.056	28	0.014	0.009 - 0.020	171	0.084	0.072 - 0.097
Louisiana	687	0.044	0.041 - 0.047	130	0.018	0.015 - 0.021	557	0.068	0.062 - 0.074
Maine	*	*		*	*		*	*	
Maryland	849	0.044	0.041 - 0.047	163	0.018	0.015 - 0.021	686	0.066	0.061 - 0.071
MI - Detroit	456	0.046	0.042 - 0.050	88	0.019	0.015 - 0.024	368	0.068	0.061 - 0.076
Minnesota	136	0.031	0.026 - 0.037	36	0.016	0.011 - 0.022	100	0.047	0.038 - 0.057
Mississippi	380	0.033	0.030 - 0.037	70	0.013	0.010 - 0.016	310	0.051	0.046 - 0.057
Missouri	265	0.034	0.030 - 0.039	46	0.012	0.009 - 0.017	219	0.054	0.047 - 0.062
Montana	*	*		*	*		*	*	
Nebraska	39	0.034	0.024 - 0.046	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	674	0.048	0.044 - 0.052	101	0.015	0.012 - 0.018	573	0.078	0.071 - 0.084
New Mexico	20	0.030	0.018 - 0.047	*	*		*	*	
New York	1,839	0.051	0.048 - 0.053	321	0.019	0.017 - 0.021	1,518	0.079	0.075 - 0.083
North Carolina	925	0.038	0.036 - 0.041	159	0.014	0.012 - 0.016	766	0.060	0.056 - 0.064
North Dakota	*	*		*	*		*	*	
Ohio	753	0.046	0.043 - 0.049	128	0.016	0.014 - 0.019	625	0.073	0.068 - 0.079
Oklahoma	104	0.029	0.024 - 0.036	16	0.009	0.005 - 0.015	88	0.050	0.040 - 0.061
Oregon	43	0.035	0.026 - 0.048	*	*		*	*	
Pennsylvania	848	0.052	0.048 - 0.055	159	0.020	0.017 - 0.023	689	0.081	0.075 - 0.087
Rhode Island	33	0.032	0.022 - 0.046	*	*		*	*	
South Carolina	544	0.038	0.035 - 0.041	101	0.015	0.012 - 0.018	443	0.058	0.053 - 0.064
Tennessee	352	0.029	0.026 - 0.032	48	0.008	0.006 - 0.011	304	0.048	0.043 - 0.054
Texas	1,176	0.030	0.029 - 0.032	235	0.013	0.011 - 0.014	941	0.047	0.044 - 0.050
Utah	12	0.020	0.010 - 0.035	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	116	0.028	0.023 - 0.034	29	0.013	0.009 - 0.019	87	0.046	0.036 - 0.056
WA - Seattle	115	0.033	0.027 - 0.039	28	0.015	0.010 - 0.022	87	0.053	0.042 - 0.065
West Virginia	32	0.043	0.029 - 0.060	11	0.027	0.014 - 0.049	21	0.061	0.038 - 0.093
Wisconsin	155	0.036	0.030 - 0.042	29	0.014	0.009 - 0.020	126	0.058	0.048 - 0.069
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	5,215	0.011	0.011 - 0.012	2,744	0.012	0.012 - 0.013	2,472	0.010	0.010 - 0.011
Alabama	161	0.012	0.010 - 0.014	81	0.013	0.010 - 0.016	80	0.011	0.009 - 0.014
Alaska	*	*		*	*		*	*	
Arizona	43	0.010	0.007 - 0.014	29	0.013	0.009 - 0.019	14	0.007	0.004 - 0.011
Arkansas	67	0.014	0.011 - 0.017	35	0.015	0.010 - 0.021	32	0.012	0.009 - 0.018
California	259	0.009	0.008 - 0.010	136	0.010	0.008 - 0.011	123	0.009	0.007 - 0.010
CA - Greater California	123	0.009	0.007 - 0.011	64	0.009	0.007 - 0.011	59	0.009	0.007 - 0.011
CA - Greater Bay Area	52	0.010	0.008 - 0.014	31	0.012	0.008 - 0.018	21	0.008	0.005 - 0.013
CA - Los Angeles	84	0.009	0.007 - 0.011	41	0.009	0.006 - 0.012	43	0.008	0.006 - 0.011
Colorado	25	0.008	0.005 - 0.012	13	0.008	0.004 - 0.014	12	0.008	0.004 - 0.014
Connecticut	59	0.013	0.010 - 0.016	35	0.016	0.011 - 0.022	24	0.010	0.006 - 0.015
Delaware	27	0.011	0.008 - 0.017	16	0.014	0.008 - 0.023	11	0.009	0.004 - 0.016
District of Columbia	37	0.011	0.008 - 0.015	17	0.011	0.006 - 0.018	20	0.011	0.007 - 0.017
Florida	422	0.011	0.010 - 0.012	214	0.012	0.010 - 0.013	208	0.011	0.009 - 0.012
Georgia	375	0.011	0.010 - 0.012	191	0.012	0.010 - 0.013	184	0.010	0.008 - 0.011
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	224	0.012	0.010 - 0.013	131	0.014	0.012 - 0.017	93	0.009	0.007 - 0.011
Indiana	67	0.009	0.007 - 0.012	39	0.011	0.008 - 0.015	28	0.007	0.005 - 0.011
Iowa	22	0.015	0.009 - 0.022	*	*		*	*	
Kansas	20	0.010	0.006 - 0.015	*	*		*	*	
Kentucky	45	0.011	0.008 - 0.015	29	0.014	0.010 - 0.020	16	0.008	0.004 - 0.013
Louisiana	176	0.011	0.010 - 0.013	96	0.013	0.010 - 0.016	80	0.010	0.008 - 0.012
Maine	*	*		*	*		*	*	
Maryland	239	0.012	0.011 - 0.014	119	0.013	0.011 - 0.016	120	0.012	0.010 - 0.014
MI - Detroit	126	0.013	0.011 - 0.015	68	0.015	0.012 - 0.019	58	0.011	0.008 - 0.014
Minnesota	32	0.007	0.005 - 0.010	21	0.009	0.006 - 0.014	11	0.005	0.003 - 0.009
Mississippi	132	0.012	0.010 - 0.014	65	0.012	0.009 - 0.015	67	0.011	0.009 - 0.014
Missouri	89	0.011	0.009 - 0.014	45	0.012	0.009 - 0.016	44	0.011	0.008 - 0.015
Montana	*	*		*	*		*	*	
Nebraska	19	0.016	0.010 - 0.026	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	170	0.012	0.010 - 0.014	83	0.012	0.010 - 0.015	87	0.012	0.009 - 0.015
New Mexico	*	*		*	*		*	*	
New York	469	0.013	0.012 - 0.014	231	0.014	0.012 - 0.015	237	0.012	0.011 - 0.014
North Carolina	303	0.013	0.011 - 0.014	160	0.014	0.012 - 0.016	143	0.011	0.009 - 0.013
North Dakota	*	*		*	*		*	*	
Ohio	169	0.010	0.009 - 0.012	87	0.011	0.009 - 0.014	82	0.010	0.008 - 0.012
Oklahoma	34	0.010	0.007 - 0.013	13	0.007	0.004 - 0.013	21	0.012	0.007 - 0.018
Oregon	11	0.009	0.005 - 0.016	*	*		*	*	
Pennsylvania	195	0.012	0.010 - 0.014	106	0.013	0.011 - 0.016	89	0.010	0.008 - 0.013
Rhode Island	13	0.013	0.007 - 0.022	*	*		*	*	
South Carolina	157	0.011	0.009 - 0.013	84	0.013	0.010 - 0.016	73	0.010	0.008 - 0.012
Tennessee	127	0.011	0.009 - 0.013	72	0.013	0.010 - 0.016	55	0.009	0.007 - 0.011
Texas	391	0.010	0.009 - 0.011	209	0.011	0.010 - 0.013	182	0.009	0.008 - 0.011
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	47	0.011	0.008 - 0.015	23	0.010	0.007 - 0.016	24	0.013	0.008 - 0.019
WA - Seattle	44	0.012	0.009 - 0.017	22	0.012	0.007 - 0.018	22	0.013	0.008 - 0.020
West Virginia	*	*		*	*		*	*	
Wisconsin	58	0.013	0.010 - 0.017	34	0.016	0.011 - 0.022	24	0.011	0.007 - 0.016
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	20,937	0.045	0.044 - 0.046	10,581	0.047	0.046 - 0.048	10,360	0.043	0.042 - 0.044
Alabama	518	0.039	0.035 - 0.042	253	0.041	0.036 - 0.046	265	0.037	0.033 - 0.042
Alaska	15	0.041	0.023 - 0.068	*	*		*	*	
Arizona	114	0.027	0.022 - 0.032	73	0.033	0.026 - 0.042	41	0.020	0.014 - 0.027
Arkansas	232	0.047	0.041 - 0.054	130	0.055	0.046 - 0.066	102	0.040	0.032 - 0.048
California	1,285	0.045	0.042 - 0.047	668	0.047	0.043 - 0.051	616	0.043	0.040 - 0.046
CA - Greater California	502	0.036	0.033 - 0.039	272	0.038	0.034 - 0.043	230	0.034	0.030 - 0.039
CA - Greater Bay Area	314	0.062	0.056 - 0.070	167	0.066	0.057 - 0.077	148	0.058	0.049 - 0.068
CA - Los Angeles	468	0.048	0.044 - 0.053	229	0.050	0.044 - 0.057	239	0.047	0.041 - 0.054
Colorado	129	0.042	0.035 - 0.050	75	0.046	0.036 - 0.058	54	0.037	0.028 - 0.049
Connecticut	194	0.042	0.036 - 0.048	105	0.047	0.039 - 0.057	89	0.037	0.029 - 0.045
Delaware	114	0.048	0.040 - 0.058	49	0.044	0.032 - 0.058	65	0.052	0.040 - 0.066
District of Columbia	168	0.050	0.043 - 0.058	85	0.055	0.044 - 0.069	83	0.045	0.036 - 0.056
Florida	1,719	0.046	0.044 - 0.048	868	0.048	0.045 - 0.051	851	0.044	0.041 - 0.047
Georgia	1,552	0.044	0.042 - 0.046	804	0.049	0.045 - 0.052	748	0.040	0.037 - 0.043
Hawaii	13	0.030	0.016 - 0.051	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	927	0.048	0.045 - 0.051	433	0.047	0.043 - 0.052	494	0.048	0.044 - 0.052
Indiana	259	0.036	0.031 - 0.040	148	0.042	0.036 - 0.050	111	0.030	0.024 - 0.036
Iowa	47	0.031	0.023 - 0.041	31	0.039	0.026 - 0.055	16	0.023	0.013 - 0.037
Kansas	80	0.038	0.030 - 0.048	41	0.038	0.027 - 0.052	39	0.039	0.027 - 0.053
Kentucky	176	0.043	0.037 - 0.050	95	0.047	0.038 - 0.057	81	0.040	0.031 - 0.049
Louisiana	696	0.045	0.041 - 0.048	344	0.046	0.042 - 0.052	352	0.043	0.039 - 0.048
Maine	*	*		*	*		*	*	
Maryland	950	0.049	0.046 - 0.052	450	0.049	0.045 - 0.054	500	0.048	0.044 - 0.053
MI - Detroit	575	0.058	0.053 - 0.063	278	0.061	0.054 - 0.068	297	0.055	0.049 - 0.062
Minnesota	146	0.033	0.028 - 0.039	80	0.036	0.028 - 0.045	66	0.031	0.024 - 0.039
Mississippi	487	0.043	0.039 - 0.046	234	0.043	0.038 - 0.049	253	0.042	0.037 - 0.047
Missouri	375	0.048	0.044 - 0.054	183	0.050	0.043 - 0.057	192	0.047	0.041 - 0.055
Montana	*	*		*	*		*	*	
Nebraska	48	0.042	0.031 - 0.055	19	0.032	0.019 - 0.050	29	0.052	0.035 - 0.074
New Hampshire	*	*		*	*		*	*	
New Jersey	681	0.048	0.045 - 0.052	341	0.051	0.046 - 0.057	340	0.046	0.041 - 0.051
New Mexico	25	0.038	0.024 - 0.056	13	0.036	0.019 - 0.062	12	0.040	0.021 - 0.069
New York	2,037	0.056	0.054 - 0.059	982	0.058	0.054 - 0.062	1,055	0.055	0.052 - 0.058
North Carolina	1,169	0.048	0.046 - 0.051	590	0.052	0.048 - 0.056	579	0.045	0.042 - 0.049
North Dakota	*	*		*	*		*	*	
Ohio	700	0.043	0.040 - 0.046	351	0.044	0.040 - 0.049	349	0.041	0.037 - 0.046
Oklahoma	122	0.034	0.029 - 0.041	63	0.035	0.027 - 0.045	59	0.033	0.025 - 0.043
Oregon	35	0.029	0.020 - 0.040	22	0.034	0.021 - 0.051	13	0.023	0.012 - 0.039
Pennsylvania	790	0.048	0.045 - 0.052	426	0.054	0.049 - 0.059	364	0.043	0.039 - 0.048
Rhode Island	29	0.029	0.019 - 0.041	14	0.028	0.015 - 0.047	15	0.029	0.016 - 0.048
South Carolina	575	0.040	0.037 - 0.044	305	0.046	0.041 - 0.051	270	0.036	0.031 - 0.040
Tennessee	476	0.039	0.036 - 0.043	225	0.039	0.034 - 0.045	251	0.040	0.035 - 0.045
Texas	1,562	0.040	0.038 - 0.043	790	0.042	0.039 - 0.045	772	0.039	0.036 - 0.042
Utah	18	0.030	0.018 - 0.048	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	152	0.037	0.031 - 0.043	85	0.039	0.031 - 0.048	67	0.035	0.027 - 0.045
WA - Seattle	144	0.041	0.034 - 0.048	86	0.046	0.037 - 0.057	58	0.035	0.027 - 0.045
West Virginia	36	0.048	0.034 - 0.067	22	0.055	0.034 - 0.083	14	0.041	0.022 - 0.068
Wisconsin	197	0.046	0.039 - 0.052	91	0.043	0.034 - 0.052	106	0.049	0.040 - 0.059
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	19,306	0.041	0.041 - 0.042	9,317	0.042	0.041 - 0.043	9,991	0.041	0.040 - 0.042
Alabama	581	0.043	0.040 - 0.047	278	0.045	0.039 - 0.050	303	0.042	0.038 - 0.047
Alaska	*	*		*	*		*	*	
Arizona	101	0.024	0.019 - 0.029	50	0.023	0.017 - 0.030	51	0.025	0.018 - 0.032
Arkansas	209	0.042	0.037 - 0.049	93	0.040	0.032 - 0.049	116	0.045	0.037 - 0.054
California	1,081	0.038	0.036 - 0.040	575	0.040	0.037 - 0.044	505	0.035	0.032 - 0.038
CA - Greater California	453	0.033	0.030 - 0.036	246	0.035	0.030 - 0.039	207	0.031	0.027 - 0.035
CA - Greater Bay Area	232	0.046	0.040 - 0.052	131	0.052	0.044 - 0.062	101	0.040	0.033 - 0.049
CA - Los Angeles	395	0.041	0.037 - 0.045	198	0.043	0.037 - 0.050	197	0.039	0.034 - 0.045
Colorado	97	0.032	0.026 - 0.038	51	0.031	0.023 - 0.041	46	0.032	0.023 - 0.042
Connecticut	218	0.047	0.041 - 0.053	113	0.051	0.042 - 0.061	105	0.043	0.035 - 0.052
Delaware	103	0.044	0.036 - 0.053	44	0.039	0.029 - 0.053	59	0.047	0.036 - 0.061
District of Columbia	156	0.046	0.039 - 0.054	67	0.044	0.034 - 0.055	89	0.048	0.039 - 0.059
Florida	1,674	0.044	0.042 - 0.047	800	0.044	0.041 - 0.047	874	0.045	0.042 - 0.048
Georgia	1,492	0.042	0.040 - 0.044	709	0.043	0.040 - 0.046	782	0.042	0.039 - 0.045
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	848	0.044	0.041 - 0.047	379	0.041	0.037 - 0.046	469	0.046	0.042 - 0.050
Indiana	264	0.036	0.032 - 0.041	125	0.036	0.030 - 0.042	139	0.037	0.031 - 0.044
Iowa	44	0.029	0.021 - 0.039	23	0.029	0.018 - 0.043	21	0.030	0.018 - 0.045
Kansas	90	0.043	0.035 - 0.053	42	0.039	0.028 - 0.053	48	0.048	0.035 - 0.063
Kentucky	144	0.035	0.030 - 0.042	77	0.038	0.030 - 0.047	67	0.033	0.025 - 0.042
Louisiana	629	0.040	0.037 - 0.044	310	0.042	0.037 - 0.047	320	0.039	0.035 - 0.044
Maine	*	*		*	*		*	*	
Maryland	825	0.042	0.040 - 0.045	372	0.041	0.037 - 0.045	453	0.044	0.040 - 0.048
MI - Detroit	448	0.045	0.041 - 0.049	195	0.043	0.037 - 0.049	254	0.047	0.041 - 0.053
Minnesota	86	0.020	0.016 - 0.024	53	0.024	0.018 - 0.031	33	0.015	0.011 - 0.022
Mississippi	472	0.041	0.038 - 0.045	221	0.041	0.036 - 0.047	251	0.041	0.036 - 0.047
Missouri	299	0.039	0.034 - 0.043	136	0.037	0.031 - 0.044	163	0.040	0.034 - 0.047
Montana	*	*		*	*		*	*	
Nebraska	35	0.030	0.021 - 0.042	18	0.030	0.018 - 0.048	17	0.030	0.018 - 0.049
New Hampshire	*	*		*	*		*	*	
New Jersey	626	0.044	0.041 - 0.048	296	0.044	0.039 - 0.050	330	0.045	0.040 - 0.050
New Mexico	15	0.023	0.013 - 0.037	*	*		*	*	
New York	1,810	0.050	0.048 - 0.052	831	0.049	0.046 - 0.052	979	0.051	0.048 - 0.054
North Carolina	1,205	0.050	0.047 - 0.053	610	0.054	0.050 - 0.058	595	0.046	0.043 - 0.050
North Dakota	*	*		*	*		*	*	
Ohio	591	0.036	0.033 - 0.039	310	0.039	0.035 - 0.044	281	0.033	0.029 - 0.037
Oklahoma	121	0.034	0.028 - 0.041	64	0.036	0.028 - 0.046	57	0.032	0.024 - 0.042
Oregon	24	0.020	0.013 - 0.029	*	*		*	*	
Pennsylvania	686	0.042	0.039 - 0.045	312	0.039	0.035 - 0.044	374	0.044	0.040 - 0.049
Rhode Island	35	0.034	0.024 - 0.048	21	0.042	0.026 - 0.064	14	0.027	0.015 - 0.046
South Carolina	700	0.049	0.045 - 0.053	343	0.051	0.046 - 0.057	357	0.047	0.042 - 0.052
Tennessee	434	0.036	0.033 - 0.040	208	0.036	0.032 - 0.042	226	0.036	0.031 - 0.041
Texas	1,425	0.037	0.035 - 0.039	684	0.037	0.034 - 0.039	741	0.037	0.035 - 0.040
Utah	16	0.027	0.015 - 0.044	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	119	0.029	0.024 - 0.035	77	0.035	0.028 - 0.044	42	0.022	0.016 - 0.030
WA - Seattle	107	0.030	0.025 - 0.037	65	0.035	0.027 - 0.044	42	0.025	0.018 - 0.034
West Virginia	31	0.041	0.028 - 0.059	15	0.037	0.021 - 0.061	16	0.046	0.027 - 0.075
Wisconsin	175	0.041	0.035 - 0.047	83	0.039	0.031 - 0.048	92	0.042	0.034 - 0.052
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	13,617	0.029	0.029 - 0.030	7,314	0.033	0.032 - 0.034	6,306	0.026	0.025 - 0.027
Alabama	349	0.026	0.023 - 0.029	189	0.030	0.026 - 0.035	160	0.022	0.019 - 0.026
Alaska	10	0.027	0.013 - 0.050	*	*		*	*	
Arizona	69	0.016	0.013 - 0.020	42	0.019	0.014 - 0.026	27	0.013	0.009 - 0.019
Arkansas	173	0.035	0.030 - 0.041	88	0.038	0.030 - 0.046	85	0.033	0.026 - 0.041
California	796	0.028	0.026 - 0.030	467	0.033	0.030 - 0.036	329	0.023	0.021 - 0.026
CA - Greater California	319	0.023	0.021 - 0.026	208	0.029	0.025 - 0.033	111	0.016	0.013 - 0.020
CA - Greater Bay Area	152	0.030	0.026 - 0.035	85	0.034	0.027 - 0.042	67	0.026	0.020 - 0.034
CA - Los Angeles	325	0.034	0.030 - 0.038	174	0.038	0.032 - 0.044	151	0.030	0.025 - 0.035
Colorado	79	0.026	0.020 - 0.032	46	0.028	0.021 - 0.038	33	0.023	0.016 - 0.032
Connecticut	127	0.027	0.023 - 0.033	66	0.029	0.023 - 0.037	62	0.025	0.020 - 0.033
Delaware	64	0.027	0.021 - 0.035	32	0.029	0.020 - 0.040	32	0.026	0.018 - 0.036
District of Columbia	81	0.024	0.019 - 0.030	45	0.029	0.021 - 0.039	36	0.020	0.014 - 0.027
Florida	1,270	0.034	0.032 - 0.036	659	0.036	0.034 - 0.039	611	0.031	0.029 - 0.034
Georgia	1,082	0.031	0.029 - 0.033	562	0.034	0.031 - 0.037	520	0.028	0.025 - 0.030
Hawaii	13	0.030	0.016 - 0.051	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	579	0.030	0.027 - 0.032	314	0.034	0.031 - 0.038	265	0.026	0.023 - 0.029
Indiana	194	0.027	0.023 - 0.031	113	0.032	0.027 - 0.039	81	0.022	0.017 - 0.027
Iowa	45	0.030	0.022 - 0.040	26	0.032	0.021 - 0.047	19	0.027	0.016 - 0.042
Kansas	79	0.038	0.030 - 0.047	39	0.036	0.026 - 0.049	40	0.040	0.028 - 0.054
Kentucky	144	0.035	0.030 - 0.042	70	0.034	0.027 - 0.044	74	0.036	0.028 - 0.046
Louisiana	491	0.031	0.029 - 0.034	276	0.037	0.033 - 0.042	216	0.026	0.023 - 0.030
Maine	*	*		*	*		*	*	
Maryland	541	0.028	0.026 - 0.030	276	0.030	0.027 - 0.034	265	0.026	0.023 - 0.029
MI - Detroit	346	0.035	0.031 - 0.039	187	0.041	0.035 - 0.047	159	0.029	0.025 - 0.034
Minnesota	98	0.022	0.018 - 0.027	53	0.024	0.018 - 0.031	45	0.021	0.015 - 0.028
Mississippi	323	0.028	0.025 - 0.031	174	0.032	0.028 - 0.037	149	0.025	0.021 - 0.029
Missouri	226	0.029	0.026 - 0.033	125	0.034	0.028 - 0.040	101	0.025	0.020 - 0.030
Montana	*	*		*	*		*	*	
Nebraska	35	0.030	0.021 - 0.042	22	0.037	0.023 - 0.056	13	0.023	0.012 - 0.040
New Hampshire	*	*		*	*		*	*	
New Jersey	444	0.032	0.029 - 0.035	247	0.037	0.032 - 0.042	197	0.027	0.023 - 0.031
New Mexico	18	0.026	0.016 - 0.042	*	*		*	*	
New York	1,156	0.032	0.030 - 0.034	592	0.035	0.032 - 0.038	564	0.029	0.027 - 0.032
North Carolina	784	0.032	0.030 - 0.035	428	0.038	0.034 - 0.042	356	0.028	0.025 - 0.031
North Dakota	*	*		*	*		*	*	
Ohio	393	0.024	0.022 - 0.026	196	0.025	0.021 - 0.029	197	0.023	0.020 - 0.027
Oklahoma	97	0.027	0.022 - 0.033	63	0.035	0.027 - 0.045	34	0.019	0.013 - 0.027
Oregon	24	0.020	0.013 - 0.029	*	*		*	*	
Pennsylvania	429	0.026	0.024 - 0.029	222	0.028	0.024 - 0.032	207	0.024	0.021 - 0.028
Rhode Island	20	0.020	0.012 - 0.030	*	*		*	*	
South Carolina	366	0.026	0.023 - 0.028	174	0.026	0.022 - 0.030	192	0.025	0.022 - 0.029
Tennessee	315	0.026	0.023 - 0.029	172	0.030	0.026 - 0.035	143	0.023	0.019 - 0.027
Texas	1,083	0.028	0.026 - 0.030	582	0.031	0.029 - 0.034	501	0.025	0.023 - 0.028
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	114	0.028	0.023 - 0.033	67	0.030	0.024 - 0.039	47	0.025	0.018 - 0.033
WA - Seattle	111	0.031	0.026 - 0.038	67	0.036	0.028 - 0.045	44	0.027	0.019 - 0.036
West Virginia	26	0.035	0.023 - 0.051	16	0.040	0.023 - 0.064	10	0.029	0.014 - 0.053
Wisconsin	146	0.034	0.029 - 0.040	83	0.039	0.031 - 0.048	63	0.029	0.022 - 0.037
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Five-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2014–2018 by Registry, Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	238	0.001	0.000 - 0.001	146	0.001	0.001 - 0.001	92	0.000	0.000 - 0.000
Alabama	*	*		*	*		*	*	
Alaska	*	*		*	*		*	*	
Arizona	*	*		*	*		*	*	
Arkansas	*	*		*	*		*	*	
California	20	0.001	0.000 - 0.001	*	*		*	*	
CA - Greater California	*	*		*	*		*	*	
CA - Greater Bay Area	*	*		*	*		*	*	
CA - Los Angeles	*	*		*	*		*	*	
Colorado	*	*		*	*		*	*	
Connecticut	*	*		*	*		*	*	
Delaware	*	*		*	*		*	*	
District of Columbia	*	*		*	*		*	*	
Florida	12	0.000	0.000 - 0.001	12	0.001	0.000 - 0.001	*	*	
Georgia	13	0.000	0.000 - 0.001	*	*		*	*	
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	*	*		*	*		*	*	
Indiana	*	*		*	*		*	*	
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	*	*		*	*		*	*	
Louisiana	18	0.001	0.001 - 0.002	*	*		*	*	
Maine	*	*		*	*		*	*	
Maryland	12	0.001	0.000 - 0.001	*	*		*	*	
MI - Detroit	*	*		*	*		*	*	
Minnesota	*	*		*	*		*	*	
Mississippi	*	*		*	*		*	*	
Missouri	*	*		*	*		*	*	
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	13	0.001	0.000 - 0.002	*	*		*	*	
New Mexico	*	*		*	*		*	*	
New York	19	0.001	0.000 - 0.001	*	*		*	*	
North Carolina	12	0.000	0.000 - 0.001	*	*		*	*	
North Dakota	*	*		*	*		*	*	
Ohio	*	*		*	*		*	*	
Oklahoma	*	*		*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	*	*		*	*		*	*	
Rhode Island	*	*		*	*		*	*	
South Carolina	*	*		*	*		*	*	
Tennessee	*	*		*	*		*	*	
Texas	20	0.001	0.000 - 0.001	*	*		*	*	
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	*	*		*	*		*	*	
WA - Seattle	*	*		*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	*	*		*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	9,264,584	2.822	2.820 - 2.824	4,484,970	2.773	2.770 - 2.776	4,780,216	2.870	2.867 - 2.872
Alabama	138,478	2.826	2.811 - 2.841	70,015	2.956	2.934 - 2.978	68,463	2.705	2.685 - 2.725
Alaska	16,886	2.297	2.263 - 2.332	8,295	2.163	2.116 - 2.210	8,591	2.444	2.392 - 2.496
Arizona	170,344	2.357	2.346 - 2.368	80,507	2.242	2.226 - 2.257	89,837	2.470	2.454 - 2.487
Arkansas	86,237	2.859	2.840 - 2.878	44,012	2.972	2.944 - 3.000	42,225	2.750	2.724 - 2.776
California	960,107	2.434	2.430 - 2.439	454,522	2.318	2.311 - 2.325	505,585	2.550	2.543 - 2.557
CA - Greater California	537,316	2.445	2.438 - 2.451	256,612	2.342	2.333 - 2.351	280,704	2.547	2.537 - 2.556
CA - Greater Bay Area	196,070	2.642	2.630 - 2.654	93,748	2.532	2.516 - 2.548	102,323	2.752	2.735 - 2.769
CA - Los Angeles	227,741	2.269	2.260 - 2.278	104,703	2.116	2.103 - 2.129	123,038	2.418	2.404 - 2.431
Colorado	139,075	2.428	2.415 - 2.441	66,426	2.303	2.285 - 2.320	72,649	2.555	2.537 - 2.574
Connecticut	123,024	3.446	3.427 - 3.465	58,613	3.366	3.339 - 3.394	64,411	3.521	3.494 - 3.549
Delaware	32,210	3.314	3.278 - 3.351	16,036	3.413	3.361 - 3.466	16,174	3.222	3.172 - 3.272
District of Columbia	16,728	2.369	2.333 - 2.405	7,887	2.354	2.302 - 2.406	8,841	2.382	2.333 - 2.433
Florida	671,431	3.141	3.134 - 3.149	332,928	3.186	3.176 - 3.197	338,503	3.098	3.088 - 3.109
Georgia	272,681	2.579	2.569 - 2.589	134,447	2.615	2.601 - 2.629	138,234	2.544	2.531 - 2.558
Hawaii	40,677	2.866	2.838 - 2.894	18,793	2.642	2.604 - 2.680	21,885	3.091	3.050 - 3.132
Idaho	45,952	2.595	2.572 - 2.619	23,037	2.595	2.562 - 2.629	22,916	2.596	2.562 - 2.629
Illinois	378,979	2.985	2.976 - 2.995	180,192	2.889	2.875 - 2.902	198,787	3.078	3.065 - 3.092
Indiana	184,927	2.754	2.742 - 2.767	87,542	2.644	2.626 - 2.661	97,385	2.861	2.843 - 2.879
Iowa	98,280	3.115	3.096 - 3.135	48,134	3.066	3.038 - 3.093	50,146	3.165	3.137 - 3.192
Kansas	87,002	2.987	2.967 - 3.007	42,902	2.957	2.929 - 2.985	44,100	3.017	2.989 - 3.045
Kentucky	137,953	3.087	3.071 - 3.104	66,372	3.015	2.992 - 3.038	71,581	3.157	3.134 - 3.180
Louisiana	134,001	2.875	2.859 - 2.890	69,175	3.041	3.019 - 3.064	64,825	2.716	2.695 - 2.737
Maine	47,736	3.555	3.523 - 3.587	22,793	3.466	3.421 - 3.511	24,943	3.640	3.595 - 3.685
Maryland	175,844	2.907	2.894 - 2.921	84,211	2.874	2.855 - 2.894	91,633	2.938	2.919 - 2.957
MI - Detroit	124,284	3.201	3.183 - 3.219	61,027	3.236	3.211 - 3.262	63,257	3.167	3.143 - 3.192
Minnesota	173,368	3.082	3.068 - 3.097	84,961	3.033	3.012 - 3.053	88,407	3.132	3.111 - 3.152
Mississippi	83,454	2.800	2.781 - 2.819	42,547	2.944	2.916 - 2.972	40,907	2.664	2.639 - 2.690
Missouri	175,225	2.857	2.844 - 2.870	82,742	2.749	2.730 - 2.768	92,483	2.961	2.942 - 2.980
Montana	34,246	3.213	3.179 - 3.247	17,620	3.284	3.236 - 3.333	16,627	3.140	3.093 - 3.188
Nebraska	55,180	2.860	2.837 - 2.884	27,238	2.829	2.795 - 2.862	27,942	2.892	2.858 - 2.926
New Hampshire	48,247	3.553	3.521 - 3.585	23,661	3.517	3.472 - 3.562	24,586	3.588	3.544 - 3.634
New Jersey	296,755	3.338	3.326 - 3.350	143,311	3.298	3.281 - 3.316	153,444	3.375	3.358 - 3.392
New Mexico	51,095	2.437	2.416 - 2.458	23,938	2.307	2.278 - 2.336	27,158	2.564	2.534 - 2.595
New York	643,188	3.298	3.290 - 3.306	309,432	3.267	3.256 - 3.279	333,756	3.327	3.315 - 3.338
North Carolina	304,923	2.919	2.909 - 2.929	148,005	2.913	2.898 - 2.928	156,918	2.925	2.910 - 2.939
North Dakota	21,685	2.846	2.808 - 2.884	11,020	2.825	2.773 - 2.878	10,665	2.868	2.814 - 2.923
Ohio	351,218	3.005	2.995 - 3.015	167,754	2.928	2.914 - 2.942	183,464	3.079	3.064 - 3.093
Oklahoma	101,209	2.561	2.545 - 2.577	49,124	2.510	2.487 - 2.532	52,085	2.611	2.589 - 2.634
Oregon	122,021	2.905	2.889 - 2.922	58,209	2.796	2.773 - 2.818	63,812	3.013	2.990 - 3.037
Pennsylvania	432,708	3.379	3.369 - 3.390	206,271	3.287	3.273 - 3.302	226,437	3.468	3.454 - 3.482
Rhode Island	35,621	3.364	3.330 - 3.400	16,519	3.206	3.158 - 3.256	19,102	3.514	3.465 - 3.564
South Carolina	143,851	2.807	2.793 - 2.822	70,683	2.847	2.826 - 2.868	73,168	2.770	2.750 - 2.790
Tennessee	193,955	2.850	2.838 - 2.863	95,649	2.881	2.863 - 2.900	98,306	2.821	2.804 - 2.839
Texas	617,238	2.143	2.137 - 2.148	296,566	2.073	2.066 - 2.081	320,672	2.211	2.204 - 2.219
Utah	64,829	2.039	2.023 - 2.055	32,784	2.047	2.025 - 2.070	32,045	2.031	2.009 - 2.053
Vermont	21,574	3.455	3.409 - 3.501	10,305	3.342	3.277 - 3.407	11,269	3.566	3.500 - 3.632
Washington	210,702	2.783	2.771 - 2.795	101,014	2.666	2.650 - 2.683	109,688	2.901	2.883 - 2.918
WA - Seattle	151,796	2.906	2.891 - 2.921	73,257	2.800	2.780 - 2.820	78,539	3.013	2.992 - 3.034
West Virginia	60,908	3.383	3.356 - 3.410	29,253	3.281	3.244 - 3.319	31,655	3.482	3.444 - 3.521
Wisconsin	184,096	3.165	3.150 - 3.179	90,630	3.131	3.111 - 3.151	93,466	3.198	3.178 - 3.219
Wyoming	15,876	2.739	2.697 - 2.782	8,263	2.797	2.737 - 2.858	7,613	2.679	2.619 - 2.740
NAACCR CDN Combined	1,069,578	2.869	2.863 - 2.875	517,445	2.801	2.792 - 2.810	551,383	2.937	2.928 - 2.946
Alberta	105,140	2.428	2.413 - 2.443	52,081	2.389	2.369 - 2.410	53,059	2.467	2.446 - 2.488
British Columbia	138,555	2.742	2.728 - 2.757	68,264	2.730	2.710 - 2.751	70,291	2.754	2.734 - 2.775
Manitoba	35,531	2.610	2.583 - 2.637	16,876	2.481	2.444 - 2.519	18,655	2.739	2.700 - 2.778
New Brunswick	26,805	3.464	3.423 - 3.506	13,533	3.535	3.476 - 3.595	13,272	3.395	3.338 - 3.453
Newfoundland and Labrador	19,747	3.765	3.713 - 3.818	9,928	3.825	3.750 - 3.901	9,819	3.706	3.633 - 3.780
Ontario	437,306	3.031	3.022 - 3.040	208,691	2.930	2.917 - 2.942	228,615	3.130	3.117 - 3.143
Prince Edward Island	4,831	3.109	3.022 - 3.198	2,392	3.129	3.005 - 3.257	2,439	3.089	2.967 - 3.214
Saskatchewan	29,475	2.525	2.497 - 2.554	14,472	2.461	2.421 - 2.502	15,003	2.591	2.549 - 2.632
NAACCR N.A. Combined	10,334,162	2.826	2.824 - 2.828	5,002,415	2.775	2.773 - 2.778	5,331,599	2.875	2.873 - 2.878

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	255,909	0.078	0.078 - 0.078	181,397	0.112	0.112 - 0.113	74,555	0.045	0.044 - 0.045
Alabama	4,143	0.085	0.082 - 0.087	2,915	0.123	0.119 - 0.128	1,228	0.049	0.046 - 0.051
Alaska	519	0.071	0.065 - 0.077	398	0.104	0.094 - 0.114	121	0.034	0.029 - 0.041
Arizona	4,323	0.060	0.058 - 0.062	3,144	0.088	0.085 - 0.091	1,179	0.032	0.031 - 0.034
Arkansas	2,656	0.088	0.085 - 0.091	1,904	0.129	0.123 - 0.134	752	0.049	0.046 - 0.053
California	25,896	0.066	0.065 - 0.066	18,241	0.093	0.092 - 0.094	7,654	0.039	0.038 - 0.039
CA - Greater California	15,194	0.069	0.068 - 0.070	10,878	0.099	0.097 - 0.101	4,316	0.039	0.038 - 0.040
CA - Greater Bay Area	5,410	0.073	0.071 - 0.075	3,742	0.101	0.098 - 0.104	1,668	0.045	0.043 - 0.047
CA - Los Angeles	5,302	0.053	0.051 - 0.054	3,629	0.073	0.071 - 0.076	1,673	0.033	0.031 - 0.034
Colorado	3,961	0.069	0.067 - 0.071	2,846	0.099	0.095 - 0.102	1,115	0.039	0.037 - 0.042
Connecticut	3,264	0.091	0.088 - 0.095	2,215	0.127	0.122 - 0.133	1,048	0.057	0.054 - 0.061
Delaware	860	0.088	0.083 - 0.095	616	0.131	0.121 - 0.142	244	0.049	0.043 - 0.055
District of Columbia	378	0.054	0.048 - 0.059	242	0.072	0.063 - 0.082	136	0.037	0.031 - 0.043
Florida	19,725	0.092	0.091 - 0.094	14,418	0.138	0.136 - 0.140	5,307	0.049	0.047 - 0.050
Georgia	7,609	0.072	0.070 - 0.074	5,370	0.104	0.102 - 0.107	2,238	0.041	0.040 - 0.043
Hawaii	1,294	0.091	0.086 - 0.096	887	0.125	0.117 - 0.133	407	0.058	0.052 - 0.063
Idaho	1,417	0.080	0.076 - 0.084	1,015	0.114	0.107 - 0.122	401	0.045	0.041 - 0.050
Illinois	10,395	0.082	0.080 - 0.083	7,286	0.117	0.114 - 0.120	3,109	0.048	0.046 - 0.050
Indiana	5,565	0.083	0.081 - 0.085	4,032	0.122	0.118 - 0.126	1,533	0.045	0.043 - 0.047
Iowa	3,073	0.097	0.094 - 0.101	2,176	0.139	0.133 - 0.145	896	0.057	0.053 - 0.060
Kansas	2,363	0.081	0.078 - 0.084	1,713	0.118	0.113 - 0.124	650	0.044	0.041 - 0.048
Kentucky	4,092	0.092	0.089 - 0.094	2,939	0.134	0.129 - 0.138	1,153	0.051	0.048 - 0.054
Louisiana	3,678	0.079	0.076 - 0.081	2,643	0.116	0.112 - 0.121	1,035	0.043	0.041 - 0.046
Maine	1,467	0.109	0.104 - 0.115	1,049	0.160	0.150 - 0.169	418	0.061	0.055 - 0.067
Maryland	4,551	0.075	0.073 - 0.077	3,175	0.108	0.105 - 0.112	1,376	0.044	0.042 - 0.047
MI - Detroit	3,170	0.082	0.079 - 0.085	2,232	0.118	0.114 - 0.123	937	0.047	0.044 - 0.050
Minnesota	4,951	0.088	0.086 - 0.091	3,371	0.120	0.116 - 0.124	1,580	0.056	0.053 - 0.059
Mississippi	2,303	0.077	0.074 - 0.080	1,601	0.111	0.105 - 0.116	702	0.046	0.042 - 0.049
Missouri	5,270	0.086	0.084 - 0.088	3,837	0.127	0.123 - 0.132	1,433	0.046	0.044 - 0.048
Montana	926	0.087	0.081 - 0.093	662	0.123	0.114 - 0.133	264	0.050	0.044 - 0.056
Nebraska	1,584	0.082	0.078 - 0.086	1,149	0.119	0.113 - 0.126	435	0.045	0.041 - 0.049
New Hampshire	1,267	0.093	0.088 - 0.099	898	0.133	0.125 - 0.143	369	0.054	0.049 - 0.060
New Jersey	6,984	0.079	0.077 - 0.080	4,810	0.111	0.108 - 0.114	2,174	0.048	0.046 - 0.050
New Mexico	1,290	0.062	0.058 - 0.065	944	0.091	0.085 - 0.097	346	0.033	0.029 - 0.036
New York	15,113	0.077	0.076 - 0.079	10,230	0.108	0.106 - 0.110	4,883	0.049	0.047 - 0.050
North Carolina	8,427	0.081	0.079 - 0.082	6,008	0.118	0.115 - 0.121	2,419	0.045	0.043 - 0.047
North Dakota	622	0.082	0.075 - 0.088	441	0.113	0.103 - 0.124	181	0.049	0.042 - 0.056
Ohio	9,848	0.084	0.083 - 0.086	6,944	0.121	0.118 - 0.124	2,904	0.049	0.047 - 0.051
Oklahoma	3,202	0.081	0.078 - 0.084	2,288	0.117	0.112 - 0.122	914	0.046	0.043 - 0.049
Oregon	3,755	0.089	0.087 - 0.092	2,708	0.130	0.125 - 0.135	1,047	0.049	0.046 - 0.053
Pennsylvania	11,459	0.089	0.088 - 0.091	7,945	0.127	0.124 - 0.129	3,514	0.054	0.052 - 0.056
Rhode Island	885	0.084	0.078 - 0.089	587	0.114	0.105 - 0.124	298	0.055	0.049 - 0.061
South Carolina	4,058	0.079	0.077 - 0.082	2,928	0.118	0.114 - 0.122	1,130	0.043	0.040 - 0.045
Tennessee	5,669	0.083	0.081 - 0.086	4,177	0.126	0.122 - 0.130	1,492	0.043	0.041 - 0.045
Texas	17,603	0.061	0.060 - 0.062	12,665	0.089	0.087 - 0.090	4,938	0.034	0.033 - 0.035
Utah	1,505	0.047	0.045 - 0.050	1,038	0.065	0.061 - 0.069	466	0.030	0.027 - 0.032
Vermont	630	0.101	0.093 - 0.109	465	0.151	0.137 - 0.165	165	0.052	0.045 - 0.061
Washington	6,217	0.082	0.080 - 0.084	4,348	0.115	0.111 - 0.118	1,869	0.049	0.047 - 0.052
WA - Seattle	4,600	0.088	0.086 - 0.091	3,228	0.123	0.119 - 0.128	1,372	0.053	0.050 - 0.055
West Virginia	1,793	0.100	0.095 - 0.104	1,301	0.146	0.138 - 0.154	492	0.054	0.049 - 0.059
Wisconsin	5,125	0.088	0.086 - 0.091	3,597	0.124	0.120 - 0.128	1,528	0.052	0.050 - 0.055
Wyoming	439	0.076	0.069 - 0.083	305	0.103	0.092 - 0.116	134	0.047	0.040 - 0.056
NAACCR CDN Combined	27,660	0.074	0.073 - 0.075	19,146	0.103	0.101 - 0.105	8,535	0.045	0.044 - 0.047
Alberta	2,472	0.057	0.055 - 0.059	1,742	0.080	0.076 - 0.084	730	0.034	0.032 - 0.036
British Columbia	3,857	0.076	0.074 - 0.079	2,675	0.107	0.103 - 0.111	1,182	0.046	0.044 - 0.049
Manitoba	1,127	0.083	0.078 - 0.088	766	0.113	0.105 - 0.121	361	0.053	0.048 - 0.059
New Brunswick	699	0.090	0.084 - 0.097	500	0.131	0.119 - 0.143	199	0.051	0.044 - 0.058
Newfoundland and Labrador	508	0.097	0.089 - 0.106	372	0.143	0.129 - 0.159	136	0.051	0.043 - 0.061
Ontario	11,081	0.077	0.075 - 0.078	7,576	0.106	0.104 - 0.109	3,505	0.048	0.046 - 0.050
Prince Edward Island	171	0.110	0.094 - 0.128	120	0.157	0.130 - 0.188	51	0.065	0.048 - 0.085
Saskatchewan	666	0.057	0.053 - 0.062	468	0.080	0.073 - 0.087	198	0.034	0.030 - 0.039
NAACCR N.A. Combined	283,569	0.078	0.077 - 0.078	200,543	0.111	0.111 - 0.112	83,089	0.045	0.044 - 0.045

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-152 Prevalence – Oral Cavity and Pharynx

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	42,216	0.013	0.013 - 0.013	33,218	0.021	0.020 - 0.021	9,008	0.005	0.005 - 0.006
Alabama	592	0.012	0.011 - 0.013	488	0.021	0.019 - 0.023	104	0.004	0.003 - 0.005
Alaska	111	0.015	0.012 - 0.018	86	0.022	0.018 - 0.028	25	0.007	0.005 - 0.010
Arizona	836	0.012	0.011 - 0.012	666	0.019	0.017 - 0.020	170	0.005	0.004 - 0.005
Arkansas	358	0.012	0.011 - 0.013	292	0.020	0.018 - 0.022	66	0.004	0.003 - 0.005
California	3,479	0.009	0.009 - 0.009	2,682	0.014	0.013 - 0.014	796	0.004	0.004 - 0.004
CA - Greater California	2,094	0.010	0.009 - 0.010	1,643	0.015	0.014 - 0.016	451	0.004	0.004 - 0.004
CA - Greater Bay Area	740	0.010	0.009 - 0.011	546	0.015	0.014 - 0.016	194	0.005	0.005 - 0.006
CA - Los Angeles	645	0.006	0.006 - 0.007	492	0.010	0.009 - 0.011	153	0.003	0.003 - 0.004
Colorado	617	0.011	0.010 - 0.012	494	0.017	0.016 - 0.019	123	0.004	0.004 - 0.005
Connecticut	592	0.017	0.015 - 0.018	456	0.026	0.024 - 0.029	137	0.007	0.006 - 0.009
Delaware	155	0.016	0.014 - 0.019	121	0.026	0.021 - 0.031	34	0.007	0.005 - 0.009
District of Columbia	50	0.007	0.005 - 0.009	35	0.010	0.007 - 0.015	15	0.004	0.002 - 0.007
Florida	3,445	0.016	0.016 - 0.017	2,733	0.026	0.025 - 0.027	712	0.007	0.006 - 0.007
Georgia	1,093	0.010	0.010 - 0.011	857	0.017	0.016 - 0.018	236	0.004	0.004 - 0.005
Hawaii	119	0.008	0.007 - 0.010	96	0.013	0.011 - 0.016	23	0.003	0.002 - 0.005
Idaho	213	0.012	0.010 - 0.014	181	0.020	0.018 - 0.024	32	0.004	0.002 - 0.005
Illinois	1,777	0.014	0.013 - 0.015	1,397	0.022	0.021 - 0.024	380	0.006	0.005 - 0.007
Indiana	1,011	0.015	0.014 - 0.016	831	0.025	0.023 - 0.027	180	0.005	0.005 - 0.006
Iowa	586	0.019	0.017 - 0.020	481	0.031	0.028 - 0.033	106	0.007	0.005 - 0.008
Kansas	382	0.013	0.012 - 0.014	304	0.021	0.019 - 0.023	78	0.005	0.004 - 0.007
Kentucky	606	0.014	0.012 - 0.015	492	0.022	0.020 - 0.024	114	0.005	0.004 - 0.006
Louisiana	534	0.011	0.011 - 0.012	404	0.018	0.016 - 0.020	131	0.005	0.005 - 0.006
Maine	352	0.026	0.024 - 0.029	284	0.043	0.038 - 0.049	68	0.010	0.008 - 0.013
Maryland	733	0.012	0.011 - 0.013	581	0.020	0.018 - 0.022	152	0.005	0.004 - 0.006
MI - Detroit	616	0.016	0.015 - 0.017	471	0.025	0.023 - 0.027	145	0.007	0.006 - 0.009
Minnesota	837	0.015	0.014 - 0.016	642	0.023	0.021 - 0.025	195	0.007	0.006 - 0.008
Mississippi	347	0.012	0.010 - 0.013	279	0.019	0.017 - 0.022	68	0.004	0.003 - 0.006
Missouri	858	0.014	0.013 - 0.015	699	0.023	0.022 - 0.025	159	0.005	0.004 - 0.006
Montana	169	0.016	0.014 - 0.018	135	0.025	0.021 - 0.030	34	0.006	0.004 - 0.009
Nebraska	225	0.012	0.010 - 0.013	176	0.018	0.016 - 0.021	49	0.005	0.004 - 0.007
New Hampshire	336	0.025	0.022 - 0.028	279	0.041	0.037 - 0.047	57	0.008	0.006 - 0.011
New Jersey	1,224	0.014	0.013 - 0.015	943	0.022	0.020 - 0.023	281	0.006	0.005 - 0.007
New Mexico	215	0.010	0.009 - 0.012	169	0.016	0.014 - 0.019	46	0.004	0.003 - 0.006
New York	2,743	0.014	0.014 - 0.015	2,028	0.021	0.020 - 0.022	716	0.007	0.007 - 0.008
North Carolina	1,235	0.012	0.011 - 0.013	974	0.019	0.018 - 0.020	261	0.005	0.004 - 0.005
North Dakota	105	0.014	0.011 - 0.017	80	0.021	0.016 - 0.026	25	0.007	0.004 - 0.010
Ohio	1,820	0.016	0.015 - 0.016	1,458	0.025	0.024 - 0.027	362	0.006	0.005 - 0.007
Oklahoma	446	0.011	0.010 - 0.012	352	0.018	0.016 - 0.020	94	0.005	0.004 - 0.006
Oregon	668	0.016	0.015 - 0.017	528	0.025	0.023 - 0.028	140	0.007	0.006 - 0.008
Pennsylvania	2,184	0.017	0.016 - 0.018	1,701	0.027	0.026 - 0.028	483	0.007	0.007 - 0.008
Rhode Island	201	0.019	0.016 - 0.022	155	0.030	0.026 - 0.035	46	0.008	0.006 - 0.011
South Carolina	647	0.013	0.012 - 0.014	505	0.020	0.019 - 0.022	142	0.005	0.005 - 0.006
Tennessee	898	0.013	0.012 - 0.014	725	0.022	0.020 - 0.023	173	0.005	0.004 - 0.006
Texas	2,649	0.009	0.009 - 0.010	2,079	0.015	0.014 - 0.015	570	0.004	0.004 - 0.004
Utah	212	0.007	0.006 - 0.008	183	0.011	0.010 - 0.013	29	0.002	0.001 - 0.003
Vermont	130	0.021	0.017 - 0.025	112	0.036	0.030 - 0.044	18	0.006	0.003 - 0.009
Washington	1,062	0.014	0.013 - 0.015	824	0.022	0.020 - 0.023	238	0.006	0.006 - 0.007
WA - Seattle	690	0.013	0.012 - 0.014	515	0.020	0.018 - 0.021	175	0.007	0.006 - 0.008
West Virginia	314	0.017	0.016 - 0.019	250	0.028	0.025 - 0.032	64	0.007	0.005 - 0.009
Wisconsin	962	0.017	0.016 - 0.018	752	0.026	0.024 - 0.028	210	0.007	0.006 - 0.008
Wyoming	75	0.013	0.010 - 0.016	65	0.022	0.017 - 0.028	10	0.004	0.002 - 0.006
NAACCR CDN Combined	4,592	0.012	0.012 - 0.013	3,514	0.019	0.018 - 0.020	1,080	0.006	0.005 - 0.006
Alberta	458	0.011	0.010 - 0.012	356	0.016	0.015 - 0.018	102	0.005	0.004 - 0.006
British Columbia	697	0.014	0.013 - 0.015	520	0.021	0.019 - 0.023	177	0.007	0.006 - 0.008
Manitoba	125	0.009	0.008 - 0.011	91	0.013	0.011 - 0.016	34	0.005	0.003 - 0.007
New Brunswick	111	0.014	0.012 - 0.017	97	0.025	0.021 - 0.031	14	0.004	0.002 - 0.006
Newfoundland and Labrador	80	0.015	0.012 - 0.019	64	0.025	0.019 - 0.031	16	0.006	0.003 - 0.010
Ontario	1,828	0.013	0.012 - 0.013	1,387	0.019	0.018 - 0.021	441	0.006	0.005 - 0.007
Prince Edward Island	30	0.019	0.013 - 0.028	*	*		*	*	
Saskatchewan	91	0.008	0.006 - 0.010	78	0.013	0.010 - 0.017	13	0.002	0.001 - 0.004
NAACCR N.A. Combined	46,809	0.013	0.013 - 0.013	36,732	0.020	0.020 - 0.021	10,088	0.005	0.005 - 0.006

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	81,946	0.025	0.025 - 0.025	46,694	0.029	0.029 - 0.029	35,259	0.021	0.021 - 0.021
Alabama	1,321	0.027	0.026 - 0.028	685	0.029	0.027 - 0.031	636	0.025	0.023 - 0.027
Alaska	153	0.021	0.018 - 0.024	89	0.023	0.019 - 0.029	64	0.018	0.014 - 0.023
Arizona	1,375	0.019	0.018 - 0.020	818	0.023	0.021 - 0.024	557	0.015	0.014 - 0.017
Arkansas	672	0.022	0.021 - 0.024	389	0.026	0.024 - 0.029	283	0.018	0.016 - 0.021
California	9,960	0.025	0.025 - 0.026	5,544	0.028	0.028 - 0.029	4,415	0.022	0.022 - 0.023
CA - Greater California	4,725	0.021	0.021 - 0.022	2,627	0.024	0.023 - 0.025	2,098	0.019	0.018 - 0.020
CA - Greater Bay Area	2,110	0.028	0.027 - 0.030	1,196	0.032	0.031 - 0.034	914	0.025	0.023 - 0.026
CA - Los Angeles	3,132	0.031	0.030 - 0.032	1,724	0.035	0.033 - 0.037	1,408	0.028	0.026 - 0.029
Colorado	1,001	0.017	0.016 - 0.019	576	0.020	0.018 - 0.022	425	0.015	0.014 - 0.016
Connecticut	1,262	0.035	0.033 - 0.037	739	0.042	0.039 - 0.046	523	0.029	0.026 - 0.031
Delaware	247	0.025	0.022 - 0.029	150	0.032	0.027 - 0.037	97	0.019	0.016 - 0.024
District of Columbia	211	0.030	0.026 - 0.034	106	0.032	0.026 - 0.038	105	0.028	0.023 - 0.034
Florida	5,641	0.026	0.026 - 0.027	3,283	0.031	0.030 - 0.033	2,358	0.022	0.021 - 0.022
Georgia	2,245	0.021	0.020 - 0.022	1,218	0.024	0.022 - 0.025	1,027	0.019	0.018 - 0.020
Hawaii	544	0.038	0.035 - 0.042	300	0.042	0.038 - 0.047	243	0.034	0.030 - 0.039
Idaho	269	0.015	0.013 - 0.017	186	0.021	0.018 - 0.024	84	0.009	0.008 - 0.012
Illinois	3,535	0.028	0.027 - 0.029	2,014	0.032	0.031 - 0.034	1,521	0.024	0.022 - 0.025
Indiana	1,468	0.022	0.021 - 0.023	880	0.027	0.025 - 0.028	588	0.017	0.016 - 0.019
Iowa	552	0.017	0.016 - 0.019	327	0.021	0.019 - 0.023	225	0.014	0.012 - 0.016
Kansas	526	0.018	0.017 - 0.020	302	0.021	0.019 - 0.023	224	0.015	0.013 - 0.017
Kentucky	1,118	0.025	0.024 - 0.027	592	0.027	0.025 - 0.029	527	0.023	0.021 - 0.025
Louisiana	1,143	0.025	0.023 - 0.026	668	0.029	0.027 - 0.032	475	0.020	0.018 - 0.022
Maine	369	0.027	0.025 - 0.030	215	0.033	0.028 - 0.037	154	0.022	0.019 - 0.026
Maryland	1,771	0.029	0.028 - 0.031	932	0.032	0.030 - 0.034	839	0.027	0.025 - 0.029
MI - Detroit	968	0.025	0.023 - 0.027	547	0.029	0.027 - 0.032	421	0.021	0.019 - 0.023
Minnesota	1,242	0.022	0.021 - 0.023	757	0.027	0.025 - 0.029	485	0.017	0.016 - 0.019
Mississippi	707	0.024	0.022 - 0.026	369	0.026	0.023 - 0.028	338	0.022	0.020 - 0.024
Missouri	1,210	0.020	0.019 - 0.021	669	0.022	0.021 - 0.024	541	0.017	0.016 - 0.019
Montana	200	0.019	0.016 - 0.022	113	0.021	0.017 - 0.025	87	0.016	0.013 - 0.020
Nebraska	344	0.018	0.016 - 0.020	218	0.023	0.020 - 0.026	126	0.013	0.011 - 0.016
New Hampshire	368	0.027	0.024 - 0.030	214	0.032	0.028 - 0.036	154	0.022	0.019 - 0.026
New Jersey	3,108	0.035	0.034 - 0.036	1,691	0.039	0.037 - 0.041	1,417	0.031	0.030 - 0.033
New Mexico	469	0.022	0.020 - 0.024	256	0.025	0.022 - 0.028	212	0.020	0.017 - 0.023
New York	7,789	0.040	0.039 - 0.041	4,430	0.047	0.045 - 0.048	3,359	0.033	0.032 - 0.035
North Carolina	2,711	0.026	0.025 - 0.027	1,487	0.029	0.028 - 0.031	1,224	0.023	0.022 - 0.024
North Dakota	146	0.019	0.016 - 0.023	93	0.024	0.019 - 0.029	53	0.014	0.011 - 0.019
Ohio	2,858	0.024	0.024 - 0.025	1,690	0.029	0.028 - 0.031	1,168	0.020	0.018 - 0.021
Oklahoma	723	0.018	0.017 - 0.020	385	0.020	0.018 - 0.022	338	0.017	0.015 - 0.019
Oregon	853	0.020	0.019 - 0.022	509	0.024	0.022 - 0.027	344	0.016	0.015 - 0.018
Pennsylvania	3,399	0.027	0.026 - 0.027	2,059	0.033	0.031 - 0.034	1,340	0.021	0.019 - 0.022
Rhode Island	371	0.035	0.032 - 0.039	223	0.043	0.038 - 0.049	148	0.027	0.023 - 0.032
South Carolina	1,279	0.025	0.024 - 0.026	721	0.029	0.027 - 0.031	558	0.021	0.019 - 0.023
Tennessee	1,482	0.022	0.021 - 0.023	842	0.025	0.024 - 0.027	640	0.018	0.017 - 0.020
Texas	5,805	0.020	0.020 - 0.021	3,177	0.022	0.021 - 0.023	2,628	0.018	0.017 - 0.019
Utah	375	0.012	0.011 - 0.013	215	0.013	0.012 - 0.015	160	0.010	0.009 - 0.012
Vermont	139	0.022	0.019 - 0.026	90	0.029	0.023 - 0.036	49	0.016	0.011 - 0.020
Washington	1,546	0.020	0.019 - 0.021	941	0.025	0.023 - 0.026	605	0.016	0.015 - 0.017
WA - Seattle	1,104	0.021	0.020 - 0.022	671	0.026	0.024 - 0.028	433	0.017	0.015 - 0.018
West Virginia	448	0.025	0.023 - 0.027	257	0.029	0.025 - 0.033	191	0.021	0.018 - 0.024
Wisconsin	1,497	0.026	0.024 - 0.027	963	0.033	0.031 - 0.035	534	0.018	0.017 - 0.020
Wyoming	103	0.018	0.015 - 0.022	75	0.025	0.020 - 0.032	28	0.010	0.007 - 0.014
NAACCR CDN Combined	10,410	0.028	0.027 - 0.029	6,493	0.035	0.034 - 0.036	3,909	0.021	0.020 - 0.022
Alberta	714	0.016	0.015 - 0.018	459	0.021	0.019 - 0.023	255	0.012	0.010 - 0.013
British Columbia	1,061	0.021	0.020 - 0.022	666	0.027	0.025 - 0.029	395	0.015	0.014 - 0.017
Manitoba	320	0.024	0.021 - 0.026	206	0.030	0.026 - 0.035	114	0.017	0.014 - 0.020
New Brunswick	240	0.031	0.027 - 0.035	162	0.042	0.036 - 0.049	78	0.020	0.016 - 0.025
Newfoundland and Labrador	262	0.050	0.044 - 0.056	161	0.062	0.053 - 0.072	101	0.038	0.031 - 0.046
Ontario	4,891	0.034	0.033 - 0.035	3,014	0.042	0.041 - 0.044	1,877	0.026	0.025 - 0.027
Prince Edward Island	35	0.023	0.016 - 0.031	25	0.033	0.021 - 0.048	10	0.013	0.006 - 0.023
Saskatchewan	233	0.020	0.017 - 0.023	153	0.026	0.022 - 0.030	80	0.014	0.011 - 0.017
NAACCR N.A. Combined	92,356	0.025	0.025 - 0.025	53,187	0.029	0.029 - 0.030	39,167	0.021	0.021 - 0.021

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-154 Prevalence – Stomach

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	787,439	0.240	0.239 - 0.241	407,598	0.252	0.251 - 0.253	379,879	0.228	0.227 - 0.229
Alabama	13,519	0.276	0.271 - 0.281	6,943	0.293	0.286 - 0.300	6,576	0.260	0.254 - 0.266
Alaska	1,692	0.230	0.219 - 0.241	920	0.240	0.225 - 0.256	772	0.220	0.204 - 0.236
Arizona	14,120	0.195	0.192 - 0.199	7,382	0.206	0.201 - 0.210	6,738	0.185	0.181 - 0.190
Arkansas	8,162	0.271	0.265 - 0.277	4,271	0.288	0.280 - 0.297	3,891	0.253	0.245 - 0.261
California	83,253	0.211	0.210 - 0.213	43,139	0.220	0.218 - 0.222	40,114	0.202	0.200 - 0.204
CA - Greater California	45,520	0.207	0.205 - 0.209	23,733	0.217	0.214 - 0.219	21,786	0.198	0.195 - 0.200
CA - Greater Bay Area	16,569	0.223	0.220 - 0.227	8,509	0.230	0.225 - 0.235	8,059	0.217	0.212 - 0.222
CA - Los Angeles	21,196	0.211	0.208 - 0.214	10,916	0.221	0.216 - 0.225	10,280	0.202	0.198 - 0.206
Colorado	10,594	0.185	0.181 - 0.189	5,539	0.192	0.187 - 0.197	5,055	0.178	0.173 - 0.183
Connecticut	9,423	0.264	0.259 - 0.269	4,832	0.278	0.270 - 0.285	4,591	0.251	0.244 - 0.258
Delaware	2,473	0.254	0.245 - 0.265	1,263	0.269	0.254 - 0.284	1,210	0.241	0.228 - 0.255
District of Columbia	1,405	0.199	0.189 - 0.210	653	0.195	0.180 - 0.210	752	0.203	0.188 - 0.218
Florida	53,344	0.250	0.247 - 0.252	27,518	0.263	0.260 - 0.267	25,826	0.236	0.234 - 0.239
Georgia	23,781	0.225	0.222 - 0.228	12,329	0.240	0.236 - 0.244	11,453	0.211	0.207 - 0.215
Hawaii	4,289	0.302	0.293 - 0.311	2,331	0.328	0.315 - 0.341	1,958	0.277	0.264 - 0.289
Idaho	3,499	0.198	0.191 - 0.204	1,890	0.213	0.203 - 0.223	1,610	0.182	0.174 - 0.191
Illinois	34,558	0.272	0.269 - 0.275	17,908	0.287	0.283 - 0.291	16,650	0.258	0.254 - 0.262
Indiana	17,442	0.260	0.256 - 0.264	9,003	0.272	0.266 - 0.278	8,439	0.248	0.243 - 0.253
Iowa	8,923	0.283	0.277 - 0.289	4,619	0.294	0.286 - 0.303	4,304	0.272	0.264 - 0.280
Kansas	7,444	0.256	0.250 - 0.261	3,884	0.268	0.259 - 0.276	3,560	0.244	0.236 - 0.252
Kentucky	13,604	0.304	0.299 - 0.310	7,171	0.326	0.318 - 0.333	6,433	0.284	0.277 - 0.291
Louisiana	13,067	0.280	0.276 - 0.285	6,834	0.300	0.293 - 0.308	6,233	0.261	0.255 - 0.268
Maine	3,763	0.280	0.271 - 0.289	1,938	0.295	0.282 - 0.308	1,825	0.266	0.254 - 0.279
Maryland	13,579	0.224	0.221 - 0.228	6,697	0.229	0.223 - 0.234	6,882	0.221	0.215 - 0.226
MI - Detroit	10,173	0.262	0.257 - 0.267	5,105	0.271	0.263 - 0.278	5,068	0.254	0.247 - 0.261
Minnesota	13,796	0.245	0.241 - 0.249	7,199	0.257	0.251 - 0.263	6,597	0.234	0.228 - 0.239
Mississippi	8,727	0.293	0.287 - 0.299	4,503	0.312	0.303 - 0.321	4,224	0.275	0.267 - 0.284
Missouri	15,953	0.260	0.256 - 0.264	8,195	0.272	0.266 - 0.278	7,758	0.248	0.243 - 0.254
Montana	2,756	0.259	0.249 - 0.268	1,521	0.283	0.269 - 0.298	1,236	0.233	0.221 - 0.247
Nebraska	5,223	0.271	0.263 - 0.278	2,694	0.280	0.269 - 0.291	2,529	0.262	0.252 - 0.272
New Hampshire	3,516	0.259	0.250 - 0.268	1,867	0.278	0.265 - 0.290	1,649	0.241	0.229 - 0.253
New Jersey	23,745	0.267	0.264 - 0.270	11,903	0.274	0.269 - 0.279	11,841	0.260	0.256 - 0.265
New Mexico	4,434	0.211	0.205 - 0.218	2,293	0.221	0.212 - 0.230	2,141	0.202	0.194 - 0.211
New York	50,016	0.256	0.254 - 0.259	25,323	0.267	0.264 - 0.271	24,693	0.246	0.243 - 0.249
North Carolina	23,971	0.229	0.227 - 0.232	12,270	0.241	0.237 - 0.246	11,701	0.218	0.214 - 0.222
North Dakota	2,066	0.271	0.260 - 0.283	1,096	0.281	0.265 - 0.298	970	0.261	0.245 - 0.278
Ohio	31,068	0.266	0.263 - 0.269	15,913	0.278	0.273 - 0.282	15,155	0.254	0.250 - 0.258
Oklahoma	9,601	0.243	0.238 - 0.248	5,010	0.256	0.249 - 0.263	4,591	0.230	0.224 - 0.237
Oregon	9,627	0.229	0.225 - 0.234	5,039	0.242	0.235 - 0.249	4,588	0.217	0.210 - 0.223
Pennsylvania	36,309	0.284	0.281 - 0.287	18,458	0.294	0.290 - 0.298	17,851	0.273	0.269 - 0.277
Rhode Island	2,539	0.240	0.231 - 0.249	1,265	0.246	0.232 - 0.259	1,274	0.234	0.222 - 0.248
South Carolina	12,082	0.236	0.232 - 0.240	6,117	0.246	0.240 - 0.253	5,965	0.226	0.220 - 0.232
Tennessee	16,921	0.249	0.245 - 0.252	8,649	0.261	0.255 - 0.266	8,272	0.237	0.232 - 0.243
Texas	56,693	0.197	0.195 - 0.198	30,768	0.215	0.213 - 0.218	25,925	0.179	0.177 - 0.181
Utah	4,385	0.138	0.134 - 0.142	2,283	0.143	0.137 - 0.149	2,102	0.133	0.128 - 0.139
Vermont	1,538	0.246	0.234 - 0.259	802	0.260	0.242 - 0.279	736	0.233	0.216 - 0.250
Washington	16,389	0.216	0.213 - 0.220	8,448	0.223	0.218 - 0.228	7,941	0.210	0.205 - 0.215
WA - Seattle	11,578	0.222	0.218 - 0.226	6,006	0.230	0.224 - 0.235	5,572	0.214	0.208 - 0.219
West Virginia	5,882	0.327	0.318 - 0.335	3,093	0.347	0.335 - 0.359	2,789	0.307	0.296 - 0.318
Wisconsin	14,336	0.246	0.242 - 0.251	7,474	0.258	0.252 - 0.264	6,862	0.235	0.229 - 0.240
Wyoming	1,238	0.214	0.202 - 0.226	672	0.227	0.211 - 0.245	566	0.199	0.183 - 0.216
NAACCR CDN Combined	125,711	0.337	0.335 - 0.339	68,881	0.373	0.370 - 0.376	56,806	0.302	0.299 - 0.305
Alberta	11,847	0.274	0.269 - 0.279	6,700	0.307	0.300 - 0.315	5,147	0.239	0.233 - 0.246
British Columbia	17,729	0.351	0.346 - 0.356	9,788	0.391	0.384 - 0.399	7,941	0.311	0.304 - 0.318
Manitoba	4,706	0.346	0.336 - 0.356	2,600	0.382	0.368 - 0.397	2,106	0.309	0.296 - 0.323
New Brunswick	3,390	0.438	0.424 - 0.453	1,923	0.502	0.480 - 0.525	1,467	0.375	0.356 - 0.395
Newfoundland and Labrador	3,364	0.641	0.620 - 0.663	1,892	0.729	0.696 - 0.763	1,472	0.556	0.528 - 0.585
Ontario	47,790	0.331	0.328 - 0.334	25,813	0.362	0.358 - 0.367	21,977	0.301	0.297 - 0.305
Prince Edward Island	658	0.423	0.392 - 0.457	348	0.455	0.409 - 0.506	310	0.393	0.350 - 0.439
Saskatchewan	4,188	0.359	0.348 - 0.370	2,348	0.399	0.383 - 0.416	1,840	0.318	0.303 - 0.333
NAACCR N.A. Combined	913,150	0.248	0.248 - 0.249	476,479	0.262	0.262 - 0.263	436,684	0.234	0.234 - 0.235

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	77,423	0.024	0.023 - 0.024	54,412	0.034	0.033 - 0.034	23,025	0.014	0.014 - 0.014
Alabama	868	0.018	0.017 - 0.019	606	0.026	0.024 - 0.028	262	0.010	0.009 - 0.012
Alaska	168	0.023	0.020 - 0.027	119	0.031	0.026 - 0.037	49	0.014	0.010 - 0.018
Arizona	1,601	0.022	0.021 - 0.023	1,100	0.031	0.029 - 0.032	501	0.014	0.013 - 0.015
Arkansas	654	0.022	0.020 - 0.023	474	0.032	0.029 - 0.035	180	0.012	0.010 - 0.014
California	10,682	0.027	0.027 - 0.028	7,510	0.038	0.037 - 0.039	3,173	0.016	0.015 - 0.017
CA - Greater California	5,621	0.026	0.025 - 0.026	3,963	0.036	0.035 - 0.037	1,659	0.015	0.014 - 0.016
CA - Greater Bay Area	2,591	0.035	0.034 - 0.036	1,870	0.051	0.048 - 0.053	721	0.019	0.018 - 0.021
CA - Los Angeles	2,471	0.025	0.024 - 0.026	1,677	0.034	0.032 - 0.036	795	0.016	0.015 - 0.017
Colorado	1,141	0.020	0.019 - 0.021	812	0.028	0.026 - 0.030	329	0.012	0.010 - 0.013
Connecticut	943	0.026	0.025 - 0.028	695	0.040	0.037 - 0.043	248	0.014	0.012 - 0.015
Delaware	270	0.028	0.025 - 0.031	192	0.041	0.035 - 0.047	78	0.016	0.012 - 0.019
District of Columbia	242	0.034	0.030 - 0.039	168	0.050	0.043 - 0.058	74	0.020	0.016 - 0.025
Florida	5,203	0.024	0.024 - 0.025	3,572	0.034	0.033 - 0.035	1,631	0.015	0.014 - 0.016
Georgia	1,998	0.019	0.018 - 0.020	1,380	0.027	0.025 - 0.028	619	0.011	0.011 - 0.012
Hawaii	430	0.030	0.027 - 0.033	312	0.044	0.039 - 0.049	118	0.017	0.014 - 0.020
Idaho	279	0.016	0.014 - 0.018	203	0.023	0.020 - 0.026	77	0.009	0.007 - 0.011
Illinois	2,849	0.022	0.022 - 0.023	1,909	0.031	0.029 - 0.032	940	0.015	0.014 - 0.016
Indiana	1,263	0.019	0.018 - 0.020	882	0.027	0.025 - 0.028	381	0.011	0.010 - 0.012
Iowa	578	0.018	0.017 - 0.020	403	0.026	0.023 - 0.028	174	0.011	0.009 - 0.013
Kansas	601	0.021	0.019 - 0.022	434	0.030	0.027 - 0.033	167	0.011	0.010 - 0.013
Kentucky	891	0.020	0.019 - 0.021	620	0.028	0.026 - 0.030	271	0.012	0.011 - 0.013
Louisiana	1,184	0.025	0.024 - 0.027	877	0.039	0.036 - 0.041	307	0.013	0.011 - 0.014
Maine	231	0.017	0.015 - 0.020	174	0.026	0.023 - 0.031	57	0.008	0.006 - 0.011
Maryland	1,520	0.025	0.024 - 0.026	1,029	0.035	0.033 - 0.037	491	0.016	0.014 - 0.017
MI - Detroit	969	0.025	0.023 - 0.027	674	0.036	0.033 - 0.039	295	0.015	0.013 - 0.017
Minnesota	1,182	0.021	0.020 - 0.022	826	0.029	0.028 - 0.032	356	0.013	0.011 - 0.014
Mississippi	670	0.022	0.021 - 0.024	473	0.033	0.030 - 0.036	197	0.013	0.011 - 0.015
Missouri	1,290	0.021	0.020 - 0.022	929	0.031	0.029 - 0.033	361	0.012	0.010 - 0.013
Montana	190	0.018	0.015 - 0.021	140	0.026	0.022 - 0.031	50	0.009	0.007 - 0.012
Nebraska	276	0.014	0.013 - 0.016	197	0.020	0.018 - 0.024	79	0.008	0.006 - 0.010
New Hampshire	243	0.018	0.016 - 0.020	180	0.027	0.023 - 0.031	63	0.009	0.007 - 0.012
New Jersey	2,131	0.024	0.023 - 0.025	1,526	0.035	0.033 - 0.037	605	0.013	0.012 - 0.014
New Mexico	539	0.026	0.024 - 0.028	393	0.038	0.034 - 0.042	145	0.014	0.012 - 0.016
New York	5,635	0.029	0.028 - 0.030	3,998	0.042	0.041 - 0.044	1,637	0.016	0.016 - 0.017
North Carolina	2,241	0.021	0.021 - 0.022	1,588	0.031	0.030 - 0.033	653	0.012	0.011 - 0.013
North Dakota	81	0.011	0.008 - 0.013	52	0.013	0.010 - 0.017	29	0.008	0.005 - 0.011
Ohio	2,230	0.019	0.018 - 0.020	1,545	0.027	0.026 - 0.028	685	0.011	0.011 - 0.012
Oklahoma	772	0.020	0.018 - 0.021	535	0.027	0.025 - 0.030	237	0.012	0.010 - 0.013
Oregon	1,186	0.028	0.027 - 0.030	846	0.041	0.038 - 0.043	340	0.016	0.014 - 0.018
Pennsylvania	3,339	0.026	0.025 - 0.027	2,460	0.039	0.038 - 0.041	879	0.013	0.013 - 0.014
Rhode Island	242	0.023	0.020 - 0.026	184	0.036	0.031 - 0.041	58	0.011	0.008 - 0.014
South Carolina	996	0.019	0.018 - 0.021	717	0.029	0.027 - 0.031	279	0.011	0.009 - 0.012
Tennessee	1,412	0.021	0.020 - 0.022	970	0.029	0.027 - 0.031	442	0.013	0.012 - 0.014
Texas	7,788	0.027	0.026 - 0.028	5,399	0.038	0.037 - 0.039	2,389	0.016	0.016 - 0.017
Utah	425	0.013	0.012 - 0.015	281	0.018	0.016 - 0.020	144	0.009	0.008 - 0.011
Vermont	122	0.020	0.016 - 0.023	94	0.030	0.025 - 0.037	28	0.009	0.006 - 0.013
Washington	2,073	0.027	0.026 - 0.029	1,441	0.038	0.036 - 0.040	632	0.017	0.015 - 0.018
WA - Seattle	1,514	0.029	0.028 - 0.030	1,065	0.041	0.038 - 0.043	450	0.017	0.016 - 0.019
West Virginia	346	0.019	0.017 - 0.021	237	0.027	0.023 - 0.030	109	0.012	0.010 - 0.014
Wisconsin	1,253	0.022	0.020 - 0.023	875	0.030	0.028 - 0.032	378	0.013	0.012 - 0.014
Wyoming	84	0.014	0.012 - 0.018	58	0.020	0.015 - 0.025	26	0.009	0.006 - 0.013
NAACCR CDN Combined	7,351	0.020	0.019 - 0.020	5,372	0.029	0.028 - 0.030	1,985	0.011	0.010 - 0.011
Alberta	855	0.020	0.018 - 0.021	631	0.029	0.027 - 0.031	224	0.010	0.009 - 0.012
British Columbia	1,122	0.022	0.021 - 0.024	825	0.033	0.031 - 0.035	297	0.012	0.010 - 0.013
Manitoba	202	0.015	0.013 - 0.017	144	0.021	0.018 - 0.025	58	0.009	0.006 - 0.011
New Brunswick	83	0.011	0.009 - 0.013	47	0.012	0.009 - 0.016	36	0.009	0.006 - 0.013
Newfoundland and Labrador	75	0.014	0.011 - 0.018	47	0.018	0.013 - 0.024	28	0.011	0.007 - 0.015
Ontario	3,016	0.021	0.020 - 0.022	2,208	0.031	0.030 - 0.032	808	0.011	0.010 - 0.012
Prince Edward Island	23	0.015	0.009 - 0.022	*	*		*	*	
Saskatchewan	98	0.008	0.007 - 0.010	76	0.013	0.010 - 0.016	22	0.004	0.002 - 0.006
NAACCR N.A. Combined	84,774	0.023	0.023 - 0.023	59,784	0.033	0.033 - 0.034	25,010	0.014	0.013 - 0.014

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-156 Prevalence – Liver and Intrahepatic Bile Duct

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	78,326	0.024	0.024 - 0.024	40,206	0.025	0.025 - 0.025	38,123	0.023	0.023 - 0.023
Alabama	1,091	0.022	0.021 - 0.024	532	0.022	0.021 - 0.024	559	0.022	0.020 - 0.024
Alaska	121	0.016	0.014 - 0.020	69	0.018	0.014 - 0.023	52	0.015	0.011 - 0.019
Arizona	1,472	0.020	0.019 - 0.021	781	0.022	0.020 - 0.023	691	0.019	0.018 - 0.020
Arkansas	546	0.018	0.017 - 0.020	293	0.020	0.018 - 0.022	253	0.016	0.015 - 0.019
California	7,783	0.020	0.019 - 0.020	3,972	0.020	0.020 - 0.021	3,811	0.019	0.019 - 0.020
CA - Greater California	4,176	0.019	0.018 - 0.020	2,167	0.020	0.019 - 0.021	2,010	0.018	0.017 - 0.019
CA - Greater Bay Area	1,761	0.024	0.023 - 0.025	900	0.024	0.023 - 0.026	861	0.023	0.022 - 0.025
CA - Los Angeles	1,851	0.018	0.018 - 0.019	906	0.018	0.017 - 0.020	945	0.019	0.017 - 0.020
Colorado	1,096	0.019	0.018 - 0.020	590	0.020	0.019 - 0.022	506	0.018	0.016 - 0.019
Connecticut	1,068	0.030	0.028 - 0.032	571	0.033	0.030 - 0.036	498	0.027	0.025 - 0.030
Delaware	267	0.027	0.024 - 0.031	136	0.029	0.024 - 0.034	131	0.026	0.022 - 0.031
District of Columbia	164	0.023	0.020 - 0.027	73	0.022	0.017 - 0.027	91	0.025	0.020 - 0.030
Florida	6,309	0.030	0.029 - 0.030	3,243	0.031	0.030 - 0.032	3,066	0.028	0.027 - 0.029
Georgia	2,062	0.019	0.019 - 0.020	1,024	0.020	0.019 - 0.021	1,038	0.019	0.018 - 0.020
Hawaii	376	0.026	0.024 - 0.029	210	0.030	0.026 - 0.034	166	0.023	0.020 - 0.027
Idaho	354	0.020	0.018 - 0.022	188	0.021	0.018 - 0.024	166	0.019	0.016 - 0.022
Illinois	3,466	0.027	0.026 - 0.028	1,797	0.029	0.027 - 0.030	1,669	0.026	0.025 - 0.027
Indiana	1,575	0.023	0.022 - 0.025	790	0.024	0.022 - 0.026	785	0.023	0.021 - 0.025
Iowa	801	0.025	0.024 - 0.027	439	0.028	0.025 - 0.031	363	0.023	0.021 - 0.025
Kansas	627	0.022	0.020 - 0.023	327	0.023	0.020 - 0.025	300	0.021	0.018 - 0.023
Kentucky	981	0.022	0.021 - 0.023	502	0.023	0.021 - 0.025	479	0.021	0.019 - 0.023
Louisiana	1,019	0.022	0.021 - 0.023	499	0.022	0.020 - 0.024	520	0.022	0.020 - 0.024
Maine	347	0.026	0.023 - 0.029	181	0.028	0.024 - 0.032	166	0.024	0.021 - 0.028
Maryland	1,636	0.027	0.026 - 0.028	801	0.027	0.025 - 0.029	835	0.027	0.025 - 0.029
MI - Detroit	1,040	0.027	0.025 - 0.028	531	0.028	0.026 - 0.031	509	0.026	0.023 - 0.028
Minnesota	1,510	0.027	0.026 - 0.028	803	0.029	0.027 - 0.031	707	0.025	0.023 - 0.027
Mississippi	610	0.020	0.019 - 0.022	290	0.020	0.018 - 0.023	320	0.021	0.019 - 0.023
Missouri	1,445	0.024	0.022 - 0.025	745	0.025	0.023 - 0.027	700	0.022	0.021 - 0.024
Montana	268	0.025	0.022 - 0.028	146	0.027	0.023 - 0.032	123	0.023	0.019 - 0.028
Nebraska	435	0.023	0.020 - 0.025	216	0.022	0.020 - 0.026	219	0.023	0.020 - 0.026
New Hampshire	421	0.031	0.028 - 0.034	228	0.034	0.030 - 0.039	193	0.028	0.024 - 0.032
New Jersey	2,651	0.030	0.029 - 0.031	1,389	0.032	0.030 - 0.034	1,262	0.028	0.026 - 0.029
New Mexico	388	0.019	0.017 - 0.020	209	0.020	0.017 - 0.023	179	0.017	0.015 - 0.020
New York	5,896	0.030	0.029 - 0.031	2,964	0.031	0.030 - 0.032	2,932	0.029	0.028 - 0.030
North Carolina	2,502	0.024	0.023 - 0.025	1,224	0.024	0.023 - 0.025	1,278	0.024	0.023 - 0.025
North Dakota	168	0.022	0.019 - 0.026	89	0.023	0.018 - 0.028	79	0.021	0.017 - 0.026
Ohio	2,753	0.024	0.023 - 0.024	1,405	0.025	0.023 - 0.026	1,348	0.023	0.021 - 0.024
Oklahoma	667	0.017	0.016 - 0.018	342	0.017	0.016 - 0.019	325	0.016	0.015 - 0.018
Oregon	1,082	0.026	0.024 - 0.027	572	0.027	0.025 - 0.030	510	0.024	0.022 - 0.026
Pennsylvania	3,822	0.030	0.029 - 0.031	1,927	0.031	0.029 - 0.032	1,895	0.029	0.028 - 0.030
Rhode Island	298	0.028	0.025 - 0.032	149	0.029	0.024 - 0.034	149	0.027	0.023 - 0.032
South Carolina	1,185	0.023	0.022 - 0.024	581	0.023	0.022 - 0.025	604	0.023	0.021 - 0.025
Tennessee	1,438	0.021	0.020 - 0.022	710	0.021	0.020 - 0.023	728	0.021	0.019 - 0.022
Texas	5,698	0.020	0.019 - 0.020	2,933	0.021	0.020 - 0.021	2,765	0.019	0.018 - 0.020
Utah	418	0.013	0.012 - 0.014	232	0.014	0.013 - 0.016	187	0.012	0.010 - 0.014
Vermont	179	0.029	0.025 - 0.033	93	0.030	0.024 - 0.037	86	0.027	0.022 - 0.034
Washington	1,863	0.025	0.024 - 0.026	1,004	0.026	0.025 - 0.028	859	0.023	0.021 - 0.024
WA - Seattle	1,253	0.024	0.023 - 0.025	657	0.025	0.023 - 0.027	596	0.023	0.021 - 0.025
West Virginia	427	0.024	0.022 - 0.026	220	0.025	0.022 - 0.028	207	0.023	0.020 - 0.026
Wisconsin	1,644	0.028	0.027 - 0.030	890	0.031	0.029 - 0.033	754	0.026	0.024 - 0.028
Wyoming	122	0.021	0.017 - 0.025	69	0.023	0.018 - 0.030	53	0.019	0.014 - 0.024
NAACCR CDN Combined	7,224	0.019	0.019 - 0.020	3,750	0.020	0.019 - 0.021	3,474	0.019	0.018 - 0.019
Alberta	739	0.017	0.016 - 0.018	379	0.017	0.016 - 0.019	360	0.017	0.015 - 0.019
British Columbia	944	0.019	0.018 - 0.020	496	0.020	0.018 - 0.022	448	0.018	0.016 - 0.019
Manitoba	267	0.020	0.017 - 0.022	137	0.020	0.017 - 0.024	130	0.019	0.016 - 0.023
New Brunswick	171	0.022	0.019 - 0.026	94	0.025	0.020 - 0.030	77	0.020	0.016 - 0.025
Newfoundland and Labrador	92	0.018	0.014 - 0.022	44	0.017	0.012 - 0.023	48	0.018	0.013 - 0.024
Ontario	2,970	0.021	0.020 - 0.021	1,528	0.021	0.020 - 0.023	1,442	0.020	0.019 - 0.021
Prince Edward Island	29	0.019	0.012 - 0.027	17	0.022	0.013 - 0.036	12	0.015	0.008 - 0.027
Saskatchewan	170	0.015	0.012 - 0.017	96	0.016	0.013 - 0.020	74	0.013	0.010 - 0.016
NAACCR N.A. Combined	85,550	0.023	0.023 - 0.024	43,956	0.024	0.024 - 0.025	41,597	0.023	0.022 - 0.023

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	68,352	0.021	0.021 - 0.021	54,333	0.034	0.033 - 0.034	14,039	0.008	0.008 - 0.009
Alabama	1,345	0.027	0.026 - 0.029	1,095	0.046	0.044 - 0.049	250	0.010	0.009 - 0.011
Alaska	115	0.016	0.013 - 0.019	98	0.026	0.021 - 0.031	17	0.005	0.003 - 0.008
Arizona	893	0.012	0.012 - 0.013	724	0.020	0.019 - 0.022	169	0.005	0.004 - 0.005
Arkansas	778	0.026	0.024 - 0.028	587	0.040	0.036 - 0.043	191	0.012	0.011 - 0.014
California	4,524	0.011	0.011 - 0.012	3,787	0.019	0.019 - 0.020	737	0.004	0.003 - 0.004
CA - Greater California	2,606	0.012	0.011 - 0.012	2,164	0.020	0.019 - 0.021	442	0.004	0.004 - 0.004
CA - Greater Bay Area	826	0.011	0.010 - 0.012	705	0.019	0.018 - 0.020	122	0.003	0.003 - 0.004
CA - Los Angeles	1,092	0.011	0.010 - 0.012	919	0.019	0.017 - 0.020	174	0.003	0.003 - 0.004
Colorado	746	0.013	0.012 - 0.014	595	0.021	0.019 - 0.022	151	0.005	0.004 - 0.006
Connecticut	887	0.025	0.023 - 0.027	694	0.040	0.037 - 0.043	193	0.011	0.009 - 0.012
Delaware	240	0.025	0.022 - 0.028	172	0.037	0.031 - 0.043	68	0.014	0.011 - 0.017
District of Columbia	103	0.015	0.012 - 0.018	85	0.025	0.020 - 0.031	18	0.005	0.003 - 0.008
Florida	5,626	0.026	0.026 - 0.027	4,594	0.044	0.043 - 0.045	1,032	0.009	0.009 - 0.010
Georgia	2,195	0.021	0.020 - 0.022	1,772	0.034	0.033 - 0.036	423	0.008	0.007 - 0.009
Hawaii	219	0.015	0.013 - 0.018	185	0.026	0.022 - 0.030	34	0.005	0.003 - 0.007
Idaho	212	0.012	0.010 - 0.014	160	0.018	0.015 - 0.021	52	0.006	0.004 - 0.008
Illinois	3,124	0.025	0.024 - 0.025	2,440	0.039	0.038 - 0.041	684	0.011	0.010 - 0.011
Indiana	1,790	0.027	0.025 - 0.028	1,353	0.041	0.039 - 0.043	437	0.013	0.012 - 0.014
Iowa	805	0.026	0.024 - 0.027	653	0.042	0.038 - 0.045	152	0.010	0.008 - 0.011
Kansas	605	0.021	0.019 - 0.022	487	0.034	0.031 - 0.037	118	0.008	0.007 - 0.010
Kentucky	1,524	0.034	0.032 - 0.036	1,133	0.051	0.048 - 0.055	391	0.017	0.016 - 0.019
Louisiana	1,470	0.032	0.030 - 0.033	1,144	0.050	0.047 - 0.053	326	0.014	0.012 - 0.015
Maine	394	0.029	0.027 - 0.032	301	0.046	0.041 - 0.051	93	0.014	0.011 - 0.017
Maryland	1,110	0.018	0.017 - 0.019	885	0.030	0.028 - 0.032	225	0.007	0.006 - 0.008
MI - Detroit	1,037	0.027	0.025 - 0.028	809	0.043	0.040 - 0.046	228	0.011	0.010 - 0.013
Minnesota	1,072	0.019	0.018 - 0.020	867	0.031	0.029 - 0.033	205	0.007	0.006 - 0.008
Mississippi	875	0.029	0.027 - 0.031	688	0.048	0.044 - 0.051	187	0.012	0.010 - 0.014
Missouri	1,622	0.026	0.025 - 0.028	1,233	0.041	0.039 - 0.043	389	0.012	0.011 - 0.014
Montana	199	0.019	0.016 - 0.021	161	0.030	0.026 - 0.035	38	0.007	0.005 - 0.010
Nebraska	363	0.019	0.017 - 0.021	277	0.029	0.025 - 0.032	86	0.009	0.007 - 0.011
New Hampshire	334	0.025	0.022 - 0.027	265	0.039	0.035 - 0.044	69	0.010	0.008 - 0.013
New Jersey	1,775	0.020	0.019 - 0.021	1,447	0.033	0.032 - 0.035	328	0.007	0.006 - 0.008
New Mexico	271	0.013	0.011 - 0.015	220	0.021	0.019 - 0.024	51	0.005	0.004 - 0.006
New York	4,220	0.022	0.021 - 0.022	3,326	0.035	0.034 - 0.036	894	0.009	0.008 - 0.010
North Carolina	2,648	0.025	0.024 - 0.026	2,076	0.041	0.039 - 0.043	572	0.011	0.010 - 0.012
North Dakota	156	0.020	0.017 - 0.024	136	0.035	0.029 - 0.041	20	0.005	0.003 - 0.008
Ohio	3,242	0.028	0.027 - 0.029	2,523	0.044	0.042 - 0.046	719	0.012	0.011 - 0.013
Oklahoma	843	0.021	0.020 - 0.023	640	0.033	0.030 - 0.035	203	0.010	0.009 - 0.012
Oregon	673	0.016	0.015 - 0.017	545	0.026	0.024 - 0.028	128	0.006	0.005 - 0.007
Pennsylvania	3,321	0.026	0.025 - 0.027	2,577	0.041	0.040 - 0.043	744	0.011	0.011 - 0.012
Rhode Island	279	0.026	0.023 - 0.030	218	0.042	0.037 - 0.048	61	0.011	0.009 - 0.014
South Carolina	1,378	0.027	0.025 - 0.028	1,105	0.045	0.042 - 0.047	273	0.010	0.009 - 0.012
Tennessee	1,791	0.026	0.025 - 0.028	1,367	0.041	0.039 - 0.043	424	0.012	0.011 - 0.013
Texas	4,433	0.015	0.015 - 0.016	3,647	0.025	0.025 - 0.026	786	0.005	0.005 - 0.006
Utah	239	0.008	0.007 - 0.009	194	0.012	0.010 - 0.014	45	0.003	0.002 - 0.004
Vermont	169	0.027	0.023 - 0.031	130	0.042	0.035 - 0.050	39	0.012	0.009 - 0.017
Washington	1,120	0.015	0.014 - 0.016	908	0.024	0.022 - 0.026	212	0.006	0.005 - 0.006
WA - Seattle	752	0.014	0.013 - 0.015	616	0.024	0.022 - 0.025	136	0.005	0.004 - 0.006
West Virginia	643	0.036	0.033 - 0.039	464	0.052	0.047 - 0.057	179	0.020	0.017 - 0.023
Wisconsin	1,370	0.024	0.022 - 0.025	1,119	0.039	0.036 - 0.041	251	0.009	0.008 - 0.010
Wyoming	107	0.018	0.015 - 0.022	80	0.027	0.021 - 0.034	27	0.010	0.006 - 0.014
NAACCR CDN Combined	5,634	0.015	0.015 - 0.016	4,817	0.026	0.025 - 0.027	814	0.004	0.004 - 0.005
Alberta	476	0.011	0.010 - 0.012	406	0.019	0.017 - 0.021	70	0.003	0.003 - 0.004
British Columbia	695	0.014	0.013 - 0.015	608	0.024	0.022 - 0.026	87	0.003	0.003 - 0.004
Manitoba	205	0.015	0.013 - 0.017	172	0.025	0.022 - 0.029	33	0.005	0.003 - 0.007
New Brunswick	160	0.021	0.018 - 0.024	137	0.036	0.030 - 0.042	23	0.006	0.004 - 0.009
Newfoundland and Labrador	148	0.028	0.024 - 0.033	127	0.049	0.041 - 0.058	21	0.008	0.005 - 0.012
Ontario	2,330	0.016	0.016 - 0.017	1,987	0.028	0.027 - 0.029	343	0.005	0.004 - 0.005
Prince Edward Island	28	0.018	0.012 - 0.026	*	*		*	*	
Saskatchewan	155	0.013	0.011 - 0.016	129	0.022	0.018 - 0.026	26	0.004	0.003 - 0.007
NAACCR N.A. Combined	73,986	0.020	0.020 - 0.020	59,150	0.033	0.033 - 0.033	14,853	0.008	0.008 - 0.008

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-158 Prevalence – Larynx

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	541,368	0.165	0.164 - 0.165	245,513	0.152	0.151 - 0.152	295,857	0.178	0.177 - 0.178
Alabama	8,181	0.167	0.163 - 0.171	4,153	0.175	0.170 - 0.181	4,028	0.159	0.154 - 0.164
Alaska	878	0.119	0.112 - 0.128	432	0.113	0.102 - 0.124	446	0.127	0.115 - 0.139
Arizona	9,434	0.131	0.128 - 0.133	4,057	0.113	0.110 - 0.116	5,377	0.148	0.144 - 0.152
Arkansas	6,183	0.205	0.200 - 0.210	3,078	0.208	0.201 - 0.215	3,105	0.202	0.195 - 0.209
California	41,841	0.106	0.105 - 0.107	18,030	0.092	0.091 - 0.093	23,812	0.120	0.119 - 0.122
CA - Greater California	24,054	0.109	0.108 - 0.111	10,209	0.093	0.091 - 0.095	13,846	0.126	0.124 - 0.128
CA - Greater Bay Area	8,655	0.117	0.114 - 0.119	3,803	0.103	0.099 - 0.106	4,852	0.130	0.127 - 0.134
CA - Los Angeles	9,150	0.091	0.089 - 0.093	4,022	0.081	0.079 - 0.084	5,128	0.101	0.098 - 0.104
Colorado	6,251	0.109	0.106 - 0.112	2,677	0.093	0.089 - 0.096	3,574	0.126	0.122 - 0.130
Connecticut	7,792	0.218	0.213 - 0.223	3,406	0.196	0.189 - 0.202	4,386	0.240	0.233 - 0.247
Delaware	2,047	0.211	0.202 - 0.220	883	0.188	0.176 - 0.201	1,164	0.232	0.219 - 0.246
District of Columbia	828	0.117	0.109 - 0.126	344	0.103	0.092 - 0.114	484	0.130	0.119 - 0.143
Florida	44,219	0.207	0.205 - 0.209	20,266	0.194	0.191 - 0.197	23,953	0.219	0.216 - 0.222
Georgia	15,465	0.146	0.144 - 0.149	7,428	0.144	0.141 - 0.148	8,037	0.148	0.145 - 0.151
Hawaii	1,895	0.133	0.128 - 0.140	932	0.131	0.123 - 0.140	962	0.136	0.127 - 0.145
Idaho	2,184	0.123	0.118 - 0.129	964	0.109	0.102 - 0.116	1,221	0.138	0.131 - 0.146
Illinois	23,810	0.188	0.185 - 0.190	10,617	0.170	0.167 - 0.173	13,193	0.204	0.201 - 0.208
Indiana	12,716	0.189	0.186 - 0.193	5,875	0.177	0.173 - 0.182	6,841	0.201	0.196 - 0.206
Iowa	5,611	0.178	0.173 - 0.183	2,679	0.171	0.164 - 0.177	2,932	0.185	0.178 - 0.192
Kansas	4,786	0.164	0.160 - 0.169	2,199	0.152	0.145 - 0.158	2,587	0.177	0.170 - 0.184
Kentucky	10,515	0.235	0.231 - 0.240	4,922	0.224	0.217 - 0.230	5,594	0.247	0.240 - 0.253
Louisiana	7,535	0.162	0.158 - 0.165	3,720	0.164	0.158 - 0.169	3,815	0.160	0.155 - 0.165
Maine	3,333	0.248	0.240 - 0.257	1,457	0.222	0.210 - 0.233	1,876	0.274	0.262 - 0.286
Maryland	9,857	0.163	0.160 - 0.166	4,157	0.142	0.138 - 0.146	5,700	0.183	0.178 - 0.188
MI - Detroit	7,691	0.198	0.194 - 0.203	3,350	0.178	0.172 - 0.184	4,341	0.217	0.211 - 0.224
Minnesota	9,931	0.177	0.173 - 0.180	4,423	0.158	0.153 - 0.163	5,508	0.195	0.190 - 0.200
Mississippi	5,845	0.196	0.191 - 0.201	2,987	0.207	0.199 - 0.214	2,858	0.186	0.179 - 0.193
Missouri	12,523	0.204	0.201 - 0.208	5,720	0.190	0.185 - 0.195	6,803	0.218	0.213 - 0.223
Montana	1,708	0.160	0.153 - 0.168	733	0.137	0.127 - 0.147	975	0.184	0.173 - 0.196
Nebraska	2,945	0.153	0.147 - 0.158	1,384	0.144	0.136 - 0.152	1,561	0.162	0.154 - 0.170
New Hampshire	2,937	0.216	0.209 - 0.224	1,211	0.180	0.170 - 0.190	1,726	0.252	0.240 - 0.264
New Jersey	15,978	0.180	0.177 - 0.183	6,574	0.151	0.148 - 0.155	9,404	0.207	0.203 - 0.211
New Mexico	2,125	0.101	0.097 - 0.106	946	0.091	0.085 - 0.097	1,179	0.111	0.105 - 0.118
New York	39,379	0.202	0.200 - 0.204	16,871	0.178	0.175 - 0.181	22,507	0.224	0.221 - 0.227
North Carolina	19,795	0.189	0.187 - 0.192	9,336	0.184	0.180 - 0.187	10,459	0.195	0.191 - 0.199
North Dakota	1,290	0.169	0.160 - 0.179	602	0.154	0.142 - 0.167	688	0.185	0.171 - 0.199
Ohio	22,835	0.195	0.193 - 0.198	10,546	0.184	0.181 - 0.188	12,289	0.206	0.203 - 0.210
Oklahoma	6,208	0.157	0.153 - 0.161	2,949	0.151	0.145 - 0.156	3,259	0.163	0.158 - 0.169
Oregon	6,960	0.166	0.162 - 0.170	3,103	0.149	0.144 - 0.154	3,857	0.182	0.176 - 0.188
Pennsylvania	27,126	0.212	0.209 - 0.214	12,058	0.192	0.189 - 0.196	15,068	0.231	0.227 - 0.234
Rhode Island	2,621	0.248	0.238 - 0.257	1,098	0.213	0.201 - 0.226	1,523	0.280	0.266 - 0.295
South Carolina	9,328	0.182	0.178 - 0.186	4,457	0.179	0.174 - 0.185	4,871	0.184	0.179 - 0.190
Tennessee	13,762	0.202	0.199 - 0.206	6,573	0.198	0.193 - 0.203	7,189	0.206	0.202 - 0.211
Texas	31,127	0.108	0.107 - 0.109	14,824	0.104	0.102 - 0.105	16,303	0.112	0.111 - 0.114
Utah	1,670	0.053	0.050 - 0.055	767	0.048	0.045 - 0.051	903	0.057	0.054 - 0.061
Vermont	1,425	0.228	0.217 - 0.240	637	0.207	0.191 - 0.223	788	0.249	0.232 - 0.267
Washington	11,317	0.149	0.147 - 0.152	4,943	0.130	0.127 - 0.134	6,374	0.169	0.164 - 0.173
WA - Seattle	7,922	0.152	0.148 - 0.155	3,423	0.131	0.126 - 0.135	4,499	0.173	0.168 - 0.178
West Virginia	4,651	0.258	0.251 - 0.266	2,175	0.244	0.234 - 0.254	2,476	0.272	0.262 - 0.283
Wisconsin	10,921	0.188	0.184 - 0.191	4,940	0.171	0.166 - 0.175	5,981	0.205	0.200 - 0.210
Wyoming	712	0.123	0.114 - 0.132	346	0.117	0.105 - 0.130	366	0.129	0.116 - 0.143
NAACCR CDN Combined	59,078	0.159	0.157 - 0.160	25,322	0.137	0.135 - 0.139	33,720	0.180	0.177 - 0.182
Alberta	5,348	0.123	0.120 - 0.127	2,212	0.101	0.097 - 0.106	3,136	0.146	0.141 - 0.151
British Columbia	7,684	0.152	0.149 - 0.156	3,253	0.130	0.126 - 0.135	4,431	0.174	0.169 - 0.179
Manitoba	2,151	0.158	0.151 - 0.165	875	0.129	0.120 - 0.137	1,276	0.187	0.177 - 0.198
New Brunswick	2,005	0.259	0.248 - 0.271	937	0.245	0.229 - 0.261	1,068	0.273	0.257 - 0.290
Newfoundland and Labrador	1,255	0.239	0.226 - 0.253	594	0.229	0.211 - 0.248	661	0.249	0.231 - 0.269
Ontario	23,680	0.164	0.162 - 0.166	10,282	0.144	0.142 - 0.147	13,398	0.183	0.180 - 0.187
Prince Edward Island	298	0.192	0.171 - 0.215	120	0.157	0.130 - 0.188	178	0.225	0.194 - 0.261
Saskatchewan	1,634	0.140	0.133 - 0.147	642	0.109	0.101 - 0.118	992	0.171	0.161 - 0.182
NAACCR N.A. Combined	600,446	0.164	0.164 - 0.165	270,835	0.151	0.150 - 0.151	329,577	0.178	0.177 - 0.178

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	592,622	0.180	0.180 - 0.181	330,954	0.204	0.204 - 0.205	261,709	0.157	0.156 - 0.158
Alabama	9,094	0.186	0.182 - 0.189	5,107	0.216	0.210 - 0.222	3,987	0.158	0.153 - 0.162
Alaska	777	0.106	0.098 - 0.113	421	0.110	0.100 - 0.121	356	0.101	0.091 - 0.112
Arizona	13,665	0.189	0.186 - 0.192	8,340	0.232	0.227 - 0.237	5,325	0.146	0.143 - 0.150
Arkansas	5,125	0.170	0.165 - 0.175	2,979	0.201	0.194 - 0.209	2,146	0.140	0.134 - 0.146
California	67,523	0.171	0.170 - 0.173	38,626	0.197	0.195 - 0.199	28,897	0.146	0.144 - 0.147
CA - Greater California	42,131	0.192	0.190 - 0.194	24,042	0.219	0.217 - 0.222	18,089	0.164	0.162 - 0.167
CA - Greater Bay Area	15,346	0.207	0.204 - 0.210	8,779	0.237	0.232 - 0.242	6,568	0.177	0.172 - 0.181
CA - Los Angeles	10,095	0.101	0.099 - 0.103	5,841	0.118	0.115 - 0.121	4,254	0.084	0.081 - 0.086
Colorado	9,825	0.172	0.168 - 0.175	5,444	0.189	0.184 - 0.194	4,381	0.154	0.150 - 0.159
Connecticut	6,864	0.192	0.188 - 0.197	3,766	0.216	0.209 - 0.223	3,098	0.169	0.163 - 0.175
Delaware	2,578	0.265	0.255 - 0.276	1,470	0.313	0.297 - 0.329	1,108	0.221	0.208 - 0.234
District of Columbia	520	0.074	0.067 - 0.080	307	0.092	0.082 - 0.102	213	0.057	0.050 - 0.066
Florida	45,075	0.211	0.209 - 0.213	26,898	0.257	0.254 - 0.261	18,177	0.166	0.164 - 0.169
Georgia	20,607	0.195	0.192 - 0.198	11,575	0.225	0.221 - 0.229	9,032	0.166	0.163 - 0.170
Hawaii	2,826	0.199	0.192 - 0.207	1,730	0.243	0.232 - 0.255	1,096	0.155	0.146 - 0.164
Idaho	3,742	0.211	0.205 - 0.218	2,097	0.236	0.226 - 0.247	1,646	0.186	0.177 - 0.196
Illinois	21,693	0.171	0.169 - 0.173	11,569	0.185	0.182 - 0.189	10,124	0.157	0.154 - 0.160
Indiana	11,296	0.168	0.165 - 0.171	5,961	0.180	0.175 - 0.185	5,335	0.157	0.153 - 0.161
Iowa	7,238	0.229	0.224 - 0.235	3,714	0.237	0.229 - 0.244	3,525	0.222	0.215 - 0.230
Kansas	6,273	0.215	0.210 - 0.221	3,424	0.236	0.228 - 0.244	2,849	0.195	0.188 - 0.202
Kentucky	9,836	0.220	0.216 - 0.225	5,227	0.237	0.231 - 0.244	4,609	0.203	0.197 - 0.209
Louisiana	6,501	0.139	0.136 - 0.143	3,839	0.169	0.163 - 0.174	2,662	0.112	0.107 - 0.116
Maine	3,412	0.254	0.246 - 0.263	1,775	0.270	0.257 - 0.283	1,637	0.239	0.227 - 0.251
Maryland	11,726	0.194	0.190 - 0.197	6,623	0.226	0.221 - 0.232	5,103	0.164	0.159 - 0.168
MI - Detroit	5,951	0.153	0.149 - 0.157	3,211	0.170	0.164 - 0.176	2,740	0.137	0.132 - 0.142
Minnesota	15,307	0.272	0.268 - 0.276	8,079	0.288	0.282 - 0.295	7,228	0.256	0.250 - 0.262
Mississippi	4,302	0.144	0.140 - 0.149	2,450	0.170	0.163 - 0.176	1,852	0.121	0.115 - 0.126
Missouri	9,660	0.158	0.154 - 0.161	5,429	0.180	0.176 - 0.185	4,231	0.135	0.131 - 0.140
Montana	2,520	0.236	0.227 - 0.246	1,395	0.260	0.246 - 0.274	1,126	0.213	0.200 - 0.225
Nebraska	3,836	0.199	0.193 - 0.205	1,944	0.202	0.193 - 0.211	1,892	0.196	0.187 - 0.205
New Hampshire	3,793	0.279	0.271 - 0.288	2,005	0.298	0.285 - 0.311	1,788	0.261	0.249 - 0.273
New Jersey	17,139	0.193	0.190 - 0.196	9,429	0.217	0.213 - 0.221	7,710	0.170	0.166 - 0.173
New Mexico	2,925	0.140	0.135 - 0.145	1,675	0.161	0.154 - 0.169	1,251	0.118	0.112 - 0.125
New York	31,161	0.160	0.158 - 0.162	17,029	0.180	0.177 - 0.183	14,132	0.141	0.139 - 0.143
North Carolina	21,484	0.206	0.203 - 0.208	12,139	0.239	0.235 - 0.243	9,345	0.174	0.171 - 0.178
North Dakota	1,443	0.189	0.180 - 0.199	718	0.184	0.171 - 0.198	725	0.195	0.181 - 0.210
Ohio	23,110	0.198	0.195 - 0.200	12,293	0.215	0.211 - 0.218	10,817	0.182	0.178 - 0.185
Oklahoma	5,956	0.151	0.147 - 0.155	3,417	0.175	0.169 - 0.181	2,539	0.127	0.122 - 0.132
Oregon	9,850	0.235	0.230 - 0.239	5,217	0.251	0.244 - 0.257	4,633	0.219	0.213 - 0.225
Pennsylvania	27,006	0.211	0.208 - 0.213	14,793	0.236	0.232 - 0.240	12,213	0.187	0.184 - 0.190
Rhode Island	2,227	0.210	0.202 - 0.219	1,186	0.230	0.217 - 0.244	1,041	0.192	0.180 - 0.204
South Carolina	10,066	0.196	0.193 - 0.200	5,721	0.230	0.224 - 0.236	4,345	0.164	0.160 - 0.169
Tennessee	11,622	0.171	0.168 - 0.174	6,481	0.195	0.191 - 0.200	5,141	0.148	0.144 - 0.152
Texas	26,090	0.091	0.089 - 0.092	15,186	0.106	0.104 - 0.108	10,904	0.075	0.074 - 0.077
Utah	7,661	0.241	0.236 - 0.246	4,275	0.267	0.259 - 0.275	3,386	0.215	0.207 - 0.222
Vermont	2,192	0.351	0.337 - 0.366	1,196	0.388	0.366 - 0.410	996	0.315	0.296 - 0.335
Washington	16,171	0.214	0.210 - 0.217	8,613	0.227	0.223 - 0.232	7,558	0.200	0.195 - 0.204
WA - Seattle	12,411	0.238	0.233 - 0.242	6,606	0.252	0.246 - 0.259	5,805	0.223	0.217 - 0.228
West Virginia	3,667	0.204	0.197 - 0.210	2,036	0.228	0.219 - 0.239	1,631	0.179	0.171 - 0.188
Wisconsin	12,127	0.208	0.205 - 0.212	6,592	0.228	0.222 - 0.233	5,535	0.189	0.184 - 0.194
Wyoming	1,164	0.201	0.189 - 0.213	645	0.218	0.202 - 0.236	519	0.183	0.167 - 0.199
NAACCR CDN Combined	60,103	0.161	0.160 - 0.163	31,177	0.169	0.167 - 0.171	28,870	0.154	0.152 - 0.156
Alberta	5,451	0.126	0.123 - 0.129	2,727	0.125	0.120 - 0.130	2,724	0.127	0.122 - 0.131
British Columbia	8,423	0.167	0.163 - 0.170	4,411	0.176	0.171 - 0.182	4,012	0.157	0.152 - 0.162
Manitoba	1,732	0.127	0.121 - 0.133	889	0.131	0.122 - 0.140	843	0.124	0.116 - 0.132
New Brunswick	1,490	0.193	0.183 - 0.203	747	0.195	0.181 - 0.210	743	0.190	0.177 - 0.204
Newfoundland and Labrador	810	0.154	0.144 - 0.165	416	0.160	0.145 - 0.176	394	0.149	0.134 - 0.164
Ontario	25,145	0.174	0.172 - 0.176	13,234	0.186	0.183 - 0.189	11,911	0.163	0.160 - 0.166
Prince Edward Island	418	0.269	0.244 - 0.296	210	0.275	0.239 - 0.315	208	0.263	0.229 - 0.302
Saskatchewan	1,341	0.115	0.109 - 0.121	630	0.107	0.099 - 0.116	711	0.123	0.114 - 0.132
NAACCR N.A. Combined	652,726	0.179	0.178 - 0.179	362,131	0.201	0.201 - 0.202	290,579	0.157	0.156 - 0.157

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-160 Prevalence – Melanoma of the Skin

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		1,892,866	1.136	1.135 - 1.138
Alabama	N/A	N/A		N/A	N/A		28,085	1.110	1.097 - 1.123
Alaska	N/A	N/A		N/A	N/A		3,448	0.981	0.948 - 1.014
Arizona	N/A	N/A		N/A	N/A		36,442	1.002	0.992 - 1.012
Arkansas	N/A	N/A		N/A	N/A		16,282	1.060	1.044 - 1.077
California	N/A	N/A		N/A	N/A		209,178	1.055	1.050 - 1.059
CA - Greater California	N/A	N/A		N/A	N/A		114,898	1.042	1.036 - 1.048
CA - Greater Bay Area	N/A	N/A		N/A	N/A		43,011	1.157	1.146 - 1.168
CA - Los Angeles	N/A	N/A		N/A	N/A		51,351	1.009	1.000 - 1.018
Colorado	N/A	N/A		N/A	N/A		30,654	1.078	1.066 - 1.090
Connecticut	N/A	N/A		N/A	N/A		26,017	1.422	1.405 - 1.440
Delaware	N/A	N/A		N/A	N/A		6,271	1.249	1.218 - 1.281
District of Columbia	N/A	N/A		N/A	N/A		3,740	1.008	0.976 - 1.041
Florida	N/A	N/A		N/A	N/A		127,446	1.167	1.160 - 1.173
Georgia	N/A	N/A		N/A	N/A		55,844	1.028	1.019 - 1.036
Hawaii	N/A	N/A		N/A	N/A		9,687	1.368	1.341 - 1.396
Idaho	N/A	N/A		N/A	N/A		9,060	1.026	1.005 - 1.048
Illinois	N/A	N/A		N/A	N/A		79,026	1.224	1.215 - 1.232
Indiana	N/A	N/A		N/A	N/A		37,760	1.109	1.098 - 1.121
Iowa	N/A	N/A		N/A	N/A		19,207	1.212	1.195 - 1.229
Kansas	N/A	N/A		N/A	N/A		17,146	1.173	1.156 - 1.191
Kentucky	N/A	N/A		N/A	N/A		26,323	1.161	1.147 - 1.175
Louisiana	N/A	N/A		N/A	N/A		25,928	1.086	1.073 - 1.100
Maine	N/A	N/A		N/A	N/A		9,482	1.384	1.356 - 1.412
Maryland	N/A	N/A		N/A	N/A		37,686	1.208	1.196 - 1.221
MI - Detroit	N/A	N/A		N/A	N/A		25,114	1.257	1.242 - 1.273
Minnesota	N/A	N/A		N/A	N/A		34,729	1.230	1.217 - 1.243
Mississippi	N/A	N/A		N/A	N/A		16,049	1.045	1.029 - 1.062
Missouri	N/A	N/A		N/A	N/A		37,443	1.199	1.187 - 1.211
Montana	N/A	N/A		N/A	N/A		6,640	1.254	1.224 - 1.285
Nebraska	N/A	N/A		N/A	N/A		10,935	1.132	1.111 - 1.153
New Hampshire	N/A	N/A		N/A	N/A		9,926	1.449	1.420 - 1.478
New Jersey	N/A	N/A		N/A	N/A		59,379	1.306	1.296 - 1.317
New Mexico	N/A	N/A		N/A	N/A		11,148	1.053	1.033 - 1.072
New York	N/A	N/A		N/A	N/A		126,922	1.265	1.258 - 1.272
North Carolina	N/A	N/A		N/A	N/A		64,653	1.205	1.196 - 1.214
North Dakota	N/A	N/A		N/A	N/A		4,171	1.122	1.088 - 1.156
Ohio	N/A	N/A		N/A	N/A		71,953	1.207	1.199 - 1.216
Oklahoma	N/A	N/A		N/A	N/A		20,645	1.035	1.021 - 1.049
Oregon	N/A	N/A		N/A	N/A		25,851	1.221	1.206 - 1.236
Pennsylvania	N/A	N/A		N/A	N/A		85,384	1.308	1.299 - 1.316
Rhode Island	N/A	N/A		N/A	N/A		7,473	1.375	1.344 - 1.406
South Carolina	N/A	N/A		N/A	N/A		30,630	1.159	1.147 - 1.173
Tennessee	N/A	N/A		N/A	N/A		38,857	1.115	1.104 - 1.126
Texas	N/A	N/A		N/A	N/A		127,748	0.881	0.876 - 0.886
Utah	N/A	N/A		N/A	N/A		11,751	0.745	0.731 - 0.758
Vermont	N/A	N/A		N/A	N/A		4,420	1.399	1.358 - 1.440
Washington	N/A	N/A		N/A	N/A		44,941	1.188	1.177 - 1.199
WA - Seattle	N/A	N/A		N/A	N/A		32,234	1.236	1.223 - 1.250
West Virginia	N/A	N/A		N/A	N/A		11,232	1.236	1.213 - 1.259
Wisconsin	N/A	N/A		N/A	N/A		36,796	1.259	1.246 - 1.272
Wyoming	N/A	N/A		N/A	N/A		2,957	1.041	1.003 - 1.079
NAACCR CDN Combined	N/A	N/A		N/A	N/A		205,633	1.094	1.088 - 1.099
Alberta	N/A	N/A		N/A	N/A		20,752	0.965	0.952 - 0.978
British Columbia	N/A	N/A		N/A	N/A		27,696	1.085	1.072 - 1.098
Manitoba	N/A	N/A		N/A	N/A		6,923	1.016	0.993 - 1.041
New Brunswick	N/A	N/A		N/A	N/A		4,803	1.229	1.194 - 1.264
Newfoundland and Labrador	N/A	N/A		N/A	N/A		3,371	1.272	1.230 - 1.316
Ontario	N/A	N/A		N/A	N/A		82,880	1.135	1.127 - 1.143
Prince Edward Island	N/A	N/A		N/A	N/A		920	1.165	1.091 - 1.243
Saskatchewan	N/A	N/A		N/A	N/A		5,786	0.999	0.973 - 1.025
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		2,098,499	1.133	1.131 - 1.134

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		86,649	0.052	0.052 - 0.052
Alabama	N/A	N/A		N/A	N/A		1,402	0.055	0.053 - 0.058
Alaska	N/A	N/A		N/A	N/A		188	0.053	0.046 - 0.062
Arizona	N/A	N/A		N/A	N/A		1,508	0.041	0.039 - 0.044
Arkansas	N/A	N/A		N/A	N/A		925	0.060	0.056 - 0.064
California	N/A	N/A		N/A	N/A		9,901	0.050	0.049 - 0.051
CA - Greater California	N/A	N/A		N/A	N/A		5,468	0.050	0.048 - 0.051
CA - Greater Bay Area	N/A	N/A		N/A	N/A		1,656	0.045	0.042 - 0.047
CA - Los Angeles	N/A	N/A		N/A	N/A		2,776	0.055	0.053 - 0.057
Colorado	N/A	N/A		N/A	N/A		1,214	0.043	0.040 - 0.045
Connecticut	N/A	N/A		N/A	N/A		854	0.047	0.044 - 0.050
Delaware	N/A	N/A		N/A	N/A		272	0.054	0.048 - 0.061
District of Columbia	N/A	N/A		N/A	N/A		182	0.049	0.042 - 0.057
Florida	N/A	N/A		N/A	N/A		6,489	0.059	0.058 - 0.061
Georgia	N/A	N/A		N/A	N/A		2,669	0.049	0.047 - 0.051
Hawaii	N/A	N/A		N/A	N/A		361	0.051	0.046 - 0.056
Idaho	N/A	N/A		N/A	N/A		382	0.043	0.039 - 0.048
Illinois	N/A	N/A		N/A	N/A		3,543	0.055	0.053 - 0.057
Indiana	N/A	N/A		N/A	N/A		1,784	0.052	0.050 - 0.055
Iowa	N/A	N/A		N/A	N/A		782	0.049	0.046 - 0.053
Kansas	N/A	N/A		N/A	N/A		775	0.053	0.049 - 0.057
Kentucky	N/A	N/A		N/A	N/A		1,374	0.061	0.057 - 0.064
Louisiana	N/A	N/A		N/A	N/A		1,341	0.056	0.053 - 0.059
Maine	N/A	N/A		N/A	N/A		300	0.044	0.039 - 0.049
Maryland	N/A	N/A		N/A	N/A		1,456	0.047	0.044 - 0.049
MI - Detroit	N/A	N/A		N/A	N/A		924	0.046	0.043 - 0.049
Minnesota	N/A	N/A		N/A	N/A		1,156	0.041	0.039 - 0.043
Mississippi	N/A	N/A		N/A	N/A		889	0.058	0.054 - 0.062
Missouri	N/A	N/A		N/A	N/A		1,704	0.055	0.052 - 0.057
Montana	N/A	N/A		N/A	N/A		246	0.046	0.041 - 0.053
Nebraska	N/A	N/A		N/A	N/A		446	0.046	0.042 - 0.051
New Hampshire	N/A	N/A		N/A	N/A		245	0.036	0.031 - 0.041
New Jersey	N/A	N/A		N/A	N/A		2,496	0.055	0.053 - 0.057
New Mexico	N/A	N/A		N/A	N/A		555	0.052	0.048 - 0.057
New York	N/A	N/A		N/A	N/A		5,524	0.055	0.054 - 0.057
North Carolina	N/A	N/A		N/A	N/A		2,579	0.048	0.046 - 0.050
North Dakota	N/A	N/A		N/A	N/A		141	0.038	0.032 - 0.045
Ohio	N/A	N/A		N/A	N/A		3,126	0.052	0.051 - 0.054
Oklahoma	N/A	N/A		N/A	N/A		1,164	0.058	0.055 - 0.062
Oregon	N/A	N/A		N/A	N/A		1,011	0.048	0.045 - 0.051
Pennsylvania	N/A	N/A		N/A	N/A		3,425	0.052	0.051 - 0.054
Rhode Island	N/A	N/A		N/A	N/A		300	0.055	0.049 - 0.062
South Carolina	N/A	N/A		N/A	N/A		1,302	0.049	0.047 - 0.052
Tennessee	N/A	N/A		N/A	N/A		1,907	0.055	0.052 - 0.057
Texas	N/A	N/A		N/A	N/A		8,428	0.058	0.057 - 0.059
Utah	N/A	N/A		N/A	N/A		501	0.032	0.029 - 0.035
Vermont	N/A	N/A		N/A	N/A		110	0.035	0.029 - 0.042
Washington	N/A	N/A		N/A	N/A		1,838	0.049	0.046 - 0.051
WA - Seattle	N/A	N/A		N/A	N/A		1,316	0.050	0.048 - 0.053
West Virginia	N/A	N/A		N/A	N/A		625	0.069	0.063 - 0.074
Wisconsin	N/A	N/A		N/A	N/A		1,358	0.046	0.044 - 0.049
Wyoming	N/A	N/A		N/A	N/A		154	0.054	0.046 - 0.063
NAACCR CDN Combined	N/A	N/A		N/A	N/A		10,798	0.058	0.057 - 0.059
Alberta	N/A	N/A		N/A	N/A		1,276	0.059	0.056 - 0.063
British Columbia	N/A	N/A		N/A	N/A		1,407	0.055	0.052 - 0.058
Manitoba	N/A	N/A		N/A	N/A		331	0.049	0.044 - 0.054
New Brunswick	N/A	N/A		N/A	N/A		210	0.054	0.047 - 0.061
Newfoundland and Labrador	N/A	N/A		N/A	N/A		215	0.081	0.071 - 0.093
Ontario	N/A	N/A		N/A	N/A		4,285	0.059	0.057 - 0.060
Prince Edward Island	N/A	N/A		N/A	N/A		45	0.057	0.042 - 0.076
Saskatchewan	N/A	N/A		N/A	N/A		339	0.059	0.052 - 0.065
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		97,448	0.053	0.052 - 0.053

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-162 Prevalence – Cervix Uteri

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		401,486	0.241	0.240 - 0.242
Alabama	N/A	N/A		N/A	N/A		4,422	0.175	0.170 - 0.180
Alaska	N/A	N/A		N/A	N/A		777	0.221	0.206 - 0.237
Arizona	N/A	N/A		N/A	N/A		7,281	0.200	0.196 - 0.205
Arkansas	N/A	N/A		N/A	N/A		3,237	0.211	0.204 - 0.218
California	N/A	N/A		N/A	N/A		43,343	0.219	0.217 - 0.221
CA - Greater California	N/A	N/A		N/A	N/A		23,386	0.212	0.209 - 0.215
CA - Greater Bay Area	N/A	N/A		N/A	N/A		8,694	0.234	0.229 - 0.239
CA - Los Angeles	N/A	N/A		N/A	N/A		11,266	0.221	0.217 - 0.226
Colorado	N/A	N/A		N/A	N/A		5,526	0.194	0.189 - 0.200
Connecticut	N/A	N/A		N/A	N/A		5,680	0.311	0.302 - 0.319
Delaware	N/A	N/A		N/A	N/A		1,454	0.290	0.275 - 0.305
District of Columbia	N/A	N/A		N/A	N/A		701	0.189	0.175 - 0.203
Florida	N/A	N/A		N/A	N/A		24,956	0.228	0.226 - 0.231
Georgia	N/A	N/A		N/A	N/A		9,863	0.182	0.178 - 0.185
Hawaii	N/A	N/A		N/A	N/A		2,106	0.297	0.285 - 0.310
Idaho	N/A	N/A		N/A	N/A		1,816	0.206	0.196 - 0.215
Illinois	N/A	N/A		N/A	N/A		18,015	0.279	0.275 - 0.283
Indiana	N/A	N/A		N/A	N/A		8,713	0.256	0.251 - 0.261
Iowa	N/A	N/A		N/A	N/A		4,788	0.302	0.294 - 0.311
Kansas	N/A	N/A		N/A	N/A		3,469	0.237	0.229 - 0.245
Kentucky	N/A	N/A		N/A	N/A		5,667	0.250	0.244 - 0.257
Louisiana	N/A	N/A		N/A	N/A		3,957	0.166	0.161 - 0.171
Maine	N/A	N/A		N/A	N/A		2,514	0.367	0.353 - 0.381
Maryland	N/A	N/A		N/A	N/A		7,650	0.245	0.240 - 0.251
MI - Detroit	N/A	N/A		N/A	N/A		5,783	0.290	0.282 - 0.297
Minnesota	N/A	N/A		N/A	N/A		8,176	0.290	0.283 - 0.296
Mississippi	N/A	N/A		N/A	N/A		2,785	0.181	0.175 - 0.188
Missouri	N/A	N/A		N/A	N/A		7,931	0.254	0.248 - 0.260
Montana	N/A	N/A		N/A	N/A		1,355	0.256	0.243 - 0.270
Nebraska	N/A	N/A		N/A	N/A		2,397	0.248	0.238 - 0.258
New Hampshire	N/A	N/A		N/A	N/A		2,330	0.340	0.326 - 0.354
New Jersey	N/A	N/A		N/A	N/A		13,971	0.307	0.302 - 0.312
New Mexico	N/A	N/A		N/A	N/A		2,378	0.225	0.216 - 0.234
New York	N/A	N/A		N/A	N/A		29,714	0.296	0.293 - 0.300
North Carolina	N/A	N/A		N/A	N/A		12,063	0.225	0.221 - 0.229
North Dakota	N/A	N/A		N/A	N/A		837	0.225	0.210 - 0.241
Ohio	N/A	N/A		N/A	N/A		17,524	0.294	0.290 - 0.298
Oklahoma	N/A	N/A		N/A	N/A		3,879	0.194	0.188 - 0.201
Oregon	N/A	N/A		N/A	N/A		5,909	0.279	0.272 - 0.286
Pennsylvania	N/A	N/A		N/A	N/A		21,830	0.334	0.330 - 0.339
Rhode Island	N/A	N/A		N/A	N/A		1,695	0.312	0.297 - 0.327
South Carolina	N/A	N/A		N/A	N/A		5,360	0.203	0.198 - 0.208
Tennessee	N/A	N/A		N/A	N/A		7,606	0.218	0.213 - 0.223
Texas	N/A	N/A		N/A	N/A		24,179	0.167	0.165 - 0.169
Utah	N/A	N/A		N/A	N/A		2,735	0.173	0.167 - 0.180
Vermont	N/A	N/A		N/A	N/A		1,206	0.382	0.360 - 0.404
Washington	N/A	N/A		N/A	N/A		9,031	0.239	0.234 - 0.244
WA - Seattle	N/A	N/A		N/A	N/A		6,343	0.243	0.237 - 0.249
West Virginia	N/A	N/A		N/A	N/A		3,219	0.354	0.342 - 0.367
Wisconsin	N/A	N/A		N/A	N/A		8,974	0.307	0.301 - 0.314
Wyoming	N/A	N/A		N/A	N/A		627	0.221	0.204 - 0.239
NAACCR CDN Combined	N/A	N/A		N/A	N/A		48,745	0.260	0.257 - 0.262
Alberta	N/A	N/A		N/A	N/A		4,679	0.218	0.211 - 0.224
British Columbia	N/A	N/A		N/A	N/A		6,187	0.242	0.236 - 0.249
Manitoba	N/A	N/A		N/A	N/A		2,047	0.301	0.288 - 0.314
New Brunswick	N/A	N/A		N/A	N/A		1,143	0.292	0.276 - 0.310
Newfoundland and Labrador	N/A	N/A		N/A	N/A		928	0.350	0.328 - 0.374
Ontario	N/A	N/A		N/A	N/A		19,813	0.271	0.268 - 0.275
Prince Edward Island	N/A	N/A		N/A	N/A		181	0.229	0.197 - 0.265
Saskatchewan	N/A	N/A		N/A	N/A		1,358	0.234	0.222 - 0.247
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		450,231	0.242	0.242 - 0.243

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		105,326	0.063	0.063 - 0.064
Alabama	N/A	N/A		N/A	N/A		1,490	0.059	0.056 - 0.062
Alaska	N/A	N/A		N/A	N/A		198	0.056	0.049 - 0.065
Arizona	N/A	N/A		N/A	N/A		2,110	0.058	0.056 - 0.061
Arkansas	N/A	N/A		N/A	N/A		872	0.057	0.053 - 0.061
California	N/A	N/A		N/A	N/A		12,550	0.063	0.062 - 0.064
CA - Greater California	N/A	N/A		N/A	N/A		6,588	0.060	0.058 - 0.061
CA - Greater Bay Area	N/A	N/A		N/A	N/A		2,500	0.067	0.065 - 0.070
CA - Los Angeles	N/A	N/A		N/A	N/A		3,463	0.068	0.066 - 0.070
Colorado	N/A	N/A		N/A	N/A		1,676	0.059	0.056 - 0.062
Connecticut	N/A	N/A		N/A	N/A		1,393	0.076	0.072 - 0.080
Delaware	N/A	N/A		N/A	N/A		313	0.062	0.056 - 0.070
District of Columbia	N/A	N/A		N/A	N/A		199	0.054	0.046 - 0.062
Florida	N/A	N/A		N/A	N/A		7,550	0.069	0.068 - 0.071
Georgia	N/A	N/A		N/A	N/A		2,885	0.053	0.051 - 0.055
Hawaii	N/A	N/A		N/A	N/A		444	0.063	0.057 - 0.069
Idaho	N/A	N/A		N/A	N/A		480	0.054	0.050 - 0.059
Illinois	N/A	N/A		N/A	N/A		4,362	0.068	0.066 - 0.070
Indiana	N/A	N/A		N/A	N/A		1,964	0.058	0.055 - 0.060
Iowa	N/A	N/A		N/A	N/A		982	0.062	0.058 - 0.066
Kansas	N/A	N/A		N/A	N/A		937	0.064	0.060 - 0.068
Kentucky	N/A	N/A		N/A	N/A		1,231	0.054	0.051 - 0.057
Louisiana	N/A	N/A		N/A	N/A		1,125	0.047	0.044 - 0.050
Maine	N/A	N/A		N/A	N/A		442	0.064	0.059 - 0.071
Maryland	N/A	N/A		N/A	N/A		1,970	0.063	0.060 - 0.066
MI - Detroit	N/A	N/A		N/A	N/A		1,441	0.072	0.068 - 0.076
Minnesota	N/A	N/A		N/A	N/A		1,851	0.066	0.063 - 0.069
Mississippi	N/A	N/A		N/A	N/A		773	0.050	0.047 - 0.054
Missouri	N/A	N/A		N/A	N/A		1,838	0.059	0.056 - 0.062
Montana	N/A	N/A		N/A	N/A		352	0.067	0.060 - 0.074
Nebraska	N/A	N/A		N/A	N/A		550	0.057	0.052 - 0.062
New Hampshire	N/A	N/A		N/A	N/A		465	0.068	0.062 - 0.074
New Jersey	N/A	N/A		N/A	N/A		3,538	0.078	0.075 - 0.080
New Mexico	N/A	N/A		N/A	N/A		626	0.059	0.055 - 0.064
New York	N/A	N/A		N/A	N/A		7,611	0.076	0.074 - 0.078
North Carolina	N/A	N/A		N/A	N/A		3,242	0.060	0.058 - 0.063
North Dakota	N/A	N/A		N/A	N/A		203	0.055	0.047 - 0.063
Ohio	N/A	N/A		N/A	N/A		3,922	0.066	0.064 - 0.068
Oklahoma	N/A	N/A		N/A	N/A		1,181	0.059	0.056 - 0.063
Oregon	N/A	N/A		N/A	N/A		1,354	0.064	0.061 - 0.067
Pennsylvania	N/A	N/A		N/A	N/A		5,013	0.077	0.075 - 0.079
Rhode Island	N/A	N/A		N/A	N/A		383	0.070	0.064 - 0.078
South Carolina	N/A	N/A		N/A	N/A		1,338	0.051	0.048 - 0.053
Tennessee	N/A	N/A		N/A	N/A		1,977	0.057	0.054 - 0.059
Texas	N/A	N/A		N/A	N/A		7,746	0.053	0.052 - 0.055
Utah	N/A	N/A		N/A	N/A		728	0.046	0.043 - 0.050
Vermont	N/A	N/A		N/A	N/A		237	0.075	0.066 - 0.085
Washington	N/A	N/A		N/A	N/A		2,372	0.063	0.060 - 0.065
WA - Seattle	N/A	N/A		N/A	N/A		1,639	0.063	0.060 - 0.066
West Virginia	N/A	N/A		N/A	N/A		678	0.075	0.069 - 0.080
Wisconsin	N/A	N/A		N/A	N/A		2,158	0.074	0.071 - 0.077
Wyoming	N/A	N/A		N/A	N/A		183	0.064	0.055 - 0.074
NAACCR CDN Combined	N/A	N/A		N/A	N/A		12,789	0.068	0.067 - 0.070
Alberta	N/A	N/A		N/A	N/A		1,004	0.047	0.044 - 0.050
British Columbia	N/A	N/A		N/A	N/A		1,516	0.059	0.056 - 0.062
Manitoba	N/A	N/A		N/A	N/A		437	0.064	0.058 - 0.070
New Brunswick	N/A	N/A		N/A	N/A		249	0.064	0.056 - 0.072
Newfoundland and Labrador	N/A	N/A		N/A	N/A		182	0.069	0.059 - 0.079
Ontario	N/A	N/A		N/A	N/A		5,797	0.079	0.077 - 0.081
Prince Edward Island	N/A	N/A		N/A	N/A		46	0.058	0.043 - 0.078
Saskatchewan	N/A	N/A		N/A	N/A		317	0.055	0.049 - 0.061
NAACCR N.A. Combined	N/A	N/A		N/A	N/A		118,116	0.064	0.063 - 0.064

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-164 Prevalence – Ovary

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		1,719,473	1.063	1.061 - 1.065	N/A	N/A	
Alabama	N/A	N/A		29,102	1.229	1.215 - 1.243	N/A	N/A	
Alaska	N/A	N/A		2,870	0.748	0.721 - 0.776	N/A	N/A	
Arizona	N/A	N/A		27,013	0.752	0.743 - 0.761	N/A	N/A	
Arkansas	N/A	N/A		17,551	1.185	1.168 - 1.203	N/A	N/A	
California	N/A	N/A		169,566	0.865	0.861 - 0.869	N/A	N/A	
CA - Greater California	N/A	N/A		94,841	0.865	0.860 - 0.871	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		34,719	0.938	0.928 - 0.948	N/A	N/A	
CA - Los Angeles	N/A	N/A		40,008	0.809	0.801 - 0.817	N/A	N/A	
Colorado	N/A	N/A		25,291	0.877	0.866 - 0.888	N/A	N/A	
Connecticut	N/A	N/A		22,680	1.303	1.286 - 1.320	N/A	N/A	
Delaware	N/A	N/A		6,619	1.409	1.375 - 1.443	N/A	N/A	
District of Columbia	N/A	N/A		3,553	1.060	1.026 - 1.096	N/A	N/A	
Florida	N/A	N/A		122,141	1.169	1.162 - 1.176	N/A	N/A	
Georgia	N/A	N/A		55,384	1.077	1.068 - 1.086	N/A	N/A	
Hawaii	N/A	N/A		6,589	0.926	0.904 - 0.949	N/A	N/A	
Idaho	N/A	N/A		8,985	1.012	0.991 - 1.033	N/A	N/A	
Illinois	N/A	N/A		69,828	1.119	1.111 - 1.128	N/A	N/A	
Indiana	N/A	N/A		30,516	0.922	0.911 - 0.932	N/A	N/A	
Iowa	N/A	N/A		17,686	1.126	1.110 - 1.143	N/A	N/A	
Kansas	N/A	N/A		16,507	1.138	1.120 - 1.155	N/A	N/A	
Kentucky	N/A	N/A		22,935	1.042	1.029 - 1.056	N/A	N/A	
Louisiana	N/A	N/A		29,723	1.307	1.292 - 1.322	N/A	N/A	
Maine	N/A	N/A		7,740	1.177	1.151 - 1.203	N/A	N/A	
Maryland	N/A	N/A		36,670	1.252	1.239 - 1.265	N/A	N/A	
MI - Detroit	N/A	N/A		26,663	1.414	1.397 - 1.431	N/A	N/A	
Minnesota	N/A	N/A		31,884	1.138	1.126 - 1.151	N/A	N/A	
Mississippi	N/A	N/A		18,345	1.269	1.251 - 1.288	N/A	N/A	
Missouri	N/A	N/A		29,989	0.996	0.985 - 1.008	N/A	N/A	
Montana	N/A	N/A		7,313	1.363	1.332 - 1.395	N/A	N/A	
Nebraska	N/A	N/A		10,804	1.122	1.101 - 1.143	N/A	N/A	
New Hampshire	N/A	N/A		9,047	1.345	1.317 - 1.373	N/A	N/A	
New Jersey	N/A	N/A		60,436	1.391	1.380 - 1.402	N/A	N/A	
New Mexico	N/A	N/A		9,095	0.877	0.859 - 0.895	N/A	N/A	
New York	N/A	N/A		124,786	1.318	1.310 - 1.325	N/A	N/A	
North Carolina	N/A	N/A		59,075	1.163	1.153 - 1.172	N/A	N/A	
North Dakota	N/A	N/A		4,432	1.136	1.103 - 1.170	N/A	N/A	
Ohio	N/A	N/A		64,769	1.130	1.122 - 1.139	N/A	N/A	
Oklahoma	N/A	N/A		18,330	0.936	0.923 - 0.950	N/A	N/A	
Oregon	N/A	N/A		21,114	1.014	1.000 - 1.028	N/A	N/A	
Pennsylvania	N/A	N/A		76,791	1.224	1.215 - 1.233	N/A	N/A	
Rhode Island	N/A	N/A		6,079	1.180	1.150 - 1.210	N/A	N/A	
South Carolina	N/A	N/A		28,749	1.158	1.144 - 1.171	N/A	N/A	
Tennessee	N/A	N/A		37,513	1.130	1.119 - 1.142	N/A	N/A	
Texas	N/A	N/A		105,581	0.738	0.734 - 0.743	N/A	N/A	
Utah	N/A	N/A		13,079	0.817	0.803 - 0.831	N/A	N/A	
Vermont	N/A	N/A		3,553	1.152	1.115 - 1.191	N/A	N/A	
Washington	N/A	N/A		37,135	0.980	0.970 - 0.990	N/A	N/A	
WA - Seattle	N/A	N/A		27,167	1.038	1.026 - 1.051	N/A	N/A	
West Virginia	N/A	N/A		10,206	1.145	1.123 - 1.167	N/A	N/A	
Wisconsin	N/A	N/A		34,490	1.191	1.179 - 1.204	N/A	N/A	
Wyoming	N/A	N/A		3,408	1.154	1.115 - 1.193	N/A	N/A	
NAACCR CDN Combined	N/A	N/A		182,979	0.990	0.985 - 0.995	N/A	N/A	
Alberta	N/A	N/A		19,404	0.890	0.878 - 0.903	N/A	N/A	
British Columbia	N/A	N/A		24,478	0.979	0.967 - 0.991	N/A	N/A	
Manitoba	N/A	N/A		5,599	0.823	0.802 - 0.845	N/A	N/A	
New Brunswick	N/A	N/A		4,985	1.302	1.266 - 1.339	N/A	N/A	
Newfoundland and Labrador	N/A	N/A		3,735	1.439	1.393 - 1.486	N/A	N/A	
Ontario	N/A	N/A		72,134	1.013	1.005 - 1.020	N/A	N/A	
Prince Edward Island	N/A	N/A		895	1.171	1.095 - 1.250	N/A	N/A	
Saskatchewan	N/A	N/A		5,274	0.897	0.873 - 0.922	N/A	N/A	
NAACCR N.A. Combined	N/A	N/A		1,902,452	1.057	1.055 - 1.058	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		80,791	0.050	0.050 - 0.050	N/A	N/A	
Alabama	N/A	N/A		894	0.038	0.035 - 0.040	N/A	N/A	
Alaska	N/A	N/A		216	0.056	0.049 - 0.064	N/A	N/A	
Arizona	N/A	N/A		1,618	0.045	0.043 - 0.047	N/A	N/A	
Arkansas	N/A	N/A		619	0.042	0.039 - 0.045	N/A	N/A	
California	N/A	N/A		10,850	0.055	0.054 - 0.056	N/A	N/A	
CA - Greater California	N/A	N/A		5,977	0.055	0.053 - 0.056	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		2,111	0.057	0.055 - 0.060	N/A	N/A	
CA - Los Angeles	N/A	N/A		2,766	0.056	0.054 - 0.058	N/A	N/A	
Colorado	N/A	N/A		1,462	0.051	0.048 - 0.053	N/A	N/A	
Connecticut	N/A	N/A		1,003	0.058	0.054 - 0.061	N/A	N/A	
Delaware	N/A	N/A		208	0.044	0.038 - 0.051	N/A	N/A	
District of Columbia	N/A	N/A		177	0.053	0.045 - 0.061	N/A	N/A	
Florida	N/A	N/A		4,008	0.038	0.037 - 0.040	N/A	N/A	
Georgia	N/A	N/A		1,856	0.036	0.034 - 0.038	N/A	N/A	
Hawaii	N/A	N/A		366	0.051	0.046 - 0.057	N/A	N/A	
Idaho	N/A	N/A		490	0.055	0.050 - 0.060	N/A	N/A	
Illinois	N/A	N/A		3,503	0.056	0.054 - 0.058	N/A	N/A	
Indiana	N/A	N/A		1,683	0.051	0.048 - 0.053	N/A	N/A	
Iowa	N/A	N/A		923	0.059	0.055 - 0.063	N/A	N/A	
Kansas	N/A	N/A		814	0.056	0.052 - 0.060	N/A	N/A	
Kentucky	N/A	N/A		1,058	0.048	0.045 - 0.051	N/A	N/A	
Louisiana	N/A	N/A		967	0.042	0.040 - 0.045	N/A	N/A	
Maine	N/A	N/A		377	0.057	0.052 - 0.063	N/A	N/A	
Maryland	N/A	N/A		1,217	0.042	0.039 - 0.044	N/A	N/A	
MI - Detroit	N/A	N/A		927	0.049	0.046 - 0.052	N/A	N/A	
Minnesota	N/A	N/A		1,776	0.063	0.060 - 0.066	N/A	N/A	
Mississippi	N/A	N/A		486	0.034	0.031 - 0.037	N/A	N/A	
Missouri	N/A	N/A		1,355	0.045	0.043 - 0.047	N/A	N/A	
Montana	N/A	N/A		327	0.061	0.054 - 0.068	N/A	N/A	
Nebraska	N/A	N/A		589	0.061	0.056 - 0.066	N/A	N/A	
New Hampshire	N/A	N/A		427	0.063	0.058 - 0.070	N/A	N/A	
New Jersey	N/A	N/A		2,353	0.054	0.052 - 0.056	N/A	N/A	
New Mexico	N/A	N/A		585	0.056	0.052 - 0.061	N/A	N/A	
New York	N/A	N/A		5,349	0.056	0.055 - 0.058	N/A	N/A	
North Carolina	N/A	N/A		2,223	0.044	0.042 - 0.046	N/A	N/A	
North Dakota	N/A	N/A		232	0.059	0.052 - 0.068	N/A	N/A	
Ohio	N/A	N/A		2,782	0.049	0.047 - 0.050	N/A	N/A	
Oklahoma	N/A	N/A		881	0.045	0.042 - 0.048	N/A	N/A	
Oregon	N/A	N/A		1,213	0.058	0.055 - 0.062	N/A	N/A	
Pennsylvania	N/A	N/A		3,647	0.058	0.056 - 0.060	N/A	N/A	
Rhode Island	N/A	N/A		312	0.061	0.054 - 0.068	N/A	N/A	
South Carolina	N/A	N/A		887	0.036	0.033 - 0.038	N/A	N/A	
Tennessee	N/A	N/A		1,483	0.045	0.042 - 0.047	N/A	N/A	
Texas	N/A	N/A		6,428	0.045	0.044 - 0.046	N/A	N/A	
Utah	N/A	N/A		1,003	0.063	0.059 - 0.067	N/A	N/A	
Vermont	N/A	N/A		202	0.066	0.057 - 0.075	N/A	N/A	
Washington	N/A	N/A		2,224	0.059	0.056 - 0.061	N/A	N/A	
WA - Seattle	N/A	N/A		1,626	0.062	0.059 - 0.065	N/A	N/A	
West Virginia	N/A	N/A		437	0.049	0.045 - 0.054	N/A	N/A	
Wisconsin	N/A	N/A		1,816	0.063	0.060 - 0.066	N/A	N/A	
Wyoming	N/A	N/A		194	0.066	0.057 - 0.076	N/A	N/A	
NAACCR CDN Combined	N/A	N/A		9,871	0.054	0.053 - 0.055	N/A	N/A	
Alberta	N/A	N/A		1,282	0.059	0.056 - 0.062	N/A	N/A	
British Columbia	N/A	N/A		1,348	0.054	0.051 - 0.057	N/A	N/A	
Manitoba	N/A	N/A		346	0.051	0.046 - 0.057	N/A	N/A	
New Brunswick	N/A	N/A		188	0.049	0.042 - 0.057	N/A	N/A	
Newfoundland and Labrador	N/A	N/A		90	0.035	0.028 - 0.043	N/A	N/A	
Ontario	N/A	N/A		3,879	0.054	0.053 - 0.056	N/A	N/A	
Prince Edward Island	N/A	N/A		28	0.037	0.024 - 0.053	N/A	N/A	
Saskatchewan	N/A	N/A		319	0.054	0.048 - 0.061	N/A	N/A	
NAACCR N.A. Combined	N/A	N/A		90,662	0.050	0.050 - 0.051	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-166 Prevalence – Testis

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	447,152	0.136	0.136 - 0.137	342,017	0.211	0.211 - 0.212	105,204	0.063	0.063 - 0.064
Alabama	6,045	0.123	0.120 - 0.127	4,652	0.196	0.191 - 0.202	1,393	0.055	0.052 - 0.058
Alaska	846	0.115	0.107 - 0.123	663	0.173	0.160 - 0.187	183	0.052	0.045 - 0.060
Arizona	9,305	0.129	0.126 - 0.131	7,191	0.200	0.196 - 0.205	2,114	0.058	0.056 - 0.061
Arkansas	4,086	0.135	0.131 - 0.140	3,240	0.219	0.211 - 0.226	846	0.055	0.051 - 0.059
California	40,998	0.104	0.103 - 0.105	31,626	0.161	0.160 - 0.163	9,373	0.047	0.046 - 0.048
CA - Greater California	23,643	0.108	0.106 - 0.109	18,258	0.167	0.164 - 0.169	5,385	0.049	0.048 - 0.050
CA - Greater Bay Area	8,216	0.111	0.108 - 0.113	6,267	0.169	0.165 - 0.174	1,949	0.052	0.050 - 0.055
CA - Los Angeles	9,149	0.091	0.089 - 0.093	7,109	0.144	0.140 - 0.147	2,041	0.040	0.038 - 0.042
Colorado	6,473	0.113	0.110 - 0.116	5,012	0.174	0.169 - 0.179	1,461	0.051	0.049 - 0.054
Connecticut	7,119	0.199	0.195 - 0.204	5,277	0.303	0.295 - 0.311	1,842	0.101	0.096 - 0.105
Delaware	1,723	0.177	0.169 - 0.186	1,304	0.278	0.263 - 0.293	419	0.083	0.076 - 0.092
District of Columbia	536	0.076	0.070 - 0.083	383	0.114	0.103 - 0.126	153	0.041	0.035 - 0.048
Florida	35,304	0.165	0.163 - 0.167	27,089	0.259	0.256 - 0.262	8,215	0.075	0.074 - 0.077
Georgia	10,904	0.103	0.101 - 0.105	8,412	0.164	0.160 - 0.167	2,492	0.046	0.044 - 0.048
Hawaii	1,482	0.104	0.099 - 0.110	1,135	0.160	0.150 - 0.169	346	0.049	0.044 - 0.054
Idaho	2,453	0.139	0.133 - 0.144	1,931	0.217	0.208 - 0.227	522	0.059	0.054 - 0.064
Illinois	18,426	0.145	0.143 - 0.147	13,929	0.223	0.220 - 0.227	4,497	0.070	0.068 - 0.072
Indiana	9,669	0.144	0.141 - 0.147	7,433	0.224	0.219 - 0.230	2,236	0.066	0.063 - 0.068
Iowa	5,054	0.160	0.156 - 0.165	3,962	0.252	0.245 - 0.260	1,092	0.069	0.065 - 0.073
Kansas	4,435	0.152	0.148 - 0.157	3,393	0.234	0.226 - 0.242	1,042	0.071	0.067 - 0.076
Kentucky	6,701	0.150	0.146 - 0.154	5,137	0.233	0.227 - 0.240	1,564	0.069	0.066 - 0.072
Louisiana	5,692	0.122	0.119 - 0.125	4,441	0.195	0.190 - 0.201	1,251	0.052	0.050 - 0.055
Maine	3,189	0.237	0.229 - 0.246	2,428	0.369	0.355 - 0.384	761	0.111	0.103 - 0.119
Maryland	7,504	0.124	0.121 - 0.127	5,655	0.193	0.188 - 0.198	1,849	0.059	0.057 - 0.062
MI - Detroit	6,180	0.159	0.155 - 0.163	4,672	0.248	0.241 - 0.255	1,508	0.075	0.072 - 0.079
Minnesota	8,736	0.155	0.152 - 0.159	6,684	0.239	0.233 - 0.244	2,052	0.073	0.070 - 0.076
Mississippi	3,421	0.115	0.111 - 0.119	2,649	0.183	0.176 - 0.190	772	0.050	0.047 - 0.054
Missouri	8,492	0.138	0.136 - 0.141	6,499	0.216	0.211 - 0.221	1,993	0.064	0.061 - 0.067
Montana	1,900	0.178	0.170 - 0.186	1,437	0.268	0.254 - 0.282	463	0.087	0.080 - 0.096
Nebraska	2,680	0.139	0.134 - 0.144	2,058	0.214	0.205 - 0.223	622	0.064	0.059 - 0.070
New Hampshire	3,082	0.227	0.219 - 0.235	2,327	0.346	0.332 - 0.360	755	0.110	0.102 - 0.118
New Jersey	14,886	0.167	0.165 - 0.170	11,028	0.254	0.249 - 0.259	3,857	0.085	0.082 - 0.088
New Mexico	2,114	0.101	0.097 - 0.105	1,634	0.158	0.150 - 0.165	480	0.045	0.041 - 0.050
New York	33,218	0.170	0.168 - 0.172	24,784	0.262	0.258 - 0.265	8,434	0.084	0.082 - 0.086
North Carolina	14,037	0.134	0.132 - 0.137	10,631	0.209	0.205 - 0.213	3,406	0.063	0.061 - 0.066
North Dakota	1,071	0.141	0.132 - 0.149	844	0.216	0.202 - 0.231	227	0.061	0.053 - 0.070
Ohio	18,450	0.158	0.156 - 0.160	14,172	0.247	0.243 - 0.251	4,278	0.072	0.070 - 0.074
Oklahoma	4,773	0.121	0.117 - 0.124	3,703	0.189	0.183 - 0.195	1,070	0.054	0.050 - 0.057
Oregon	6,611	0.157	0.154 - 0.161	5,128	0.246	0.240 - 0.253	1,483	0.070	0.067 - 0.074
Pennsylvania	24,418	0.191	0.188 - 0.193	18,412	0.293	0.289 - 0.298	6,006	0.092	0.090 - 0.094
Rhode Island	2,255	0.213	0.204 - 0.222	1,673	0.325	0.309 - 0.341	582	0.107	0.099 - 0.116
South Carolina	6,486	0.127	0.124 - 0.130	4,969	0.200	0.195 - 0.206	1,517	0.057	0.055 - 0.060
Tennessee	9,152	0.135	0.132 - 0.137	7,012	0.211	0.206 - 0.216	2,140	0.061	0.059 - 0.064
Texas	23,093	0.080	0.079 - 0.081	18,015	0.126	0.124 - 0.128	5,078	0.035	0.034 - 0.036
Utah	2,478	0.078	0.075 - 0.081	2,028	0.127	0.121 - 0.132	450	0.029	0.026 - 0.031
Vermont	1,216	0.195	0.184 - 0.206	919	0.298	0.279 - 0.318	297	0.094	0.084 - 0.105
Washington	10,364	0.137	0.134 - 0.140	8,002	0.211	0.207 - 0.216	2,362	0.062	0.060 - 0.065
WA - Seattle	7,256	0.139	0.136 - 0.142	5,610	0.214	0.209 - 0.220	1,646	0.063	0.060 - 0.066
West Virginia	3,395	0.189	0.182 - 0.195	2,600	0.292	0.281 - 0.303	795	0.087	0.081 - 0.094
Wisconsin	9,942	0.171	0.168 - 0.174	7,606	0.263	0.257 - 0.269	2,336	0.080	0.077 - 0.083
Wyoming	885	0.153	0.143 - 0.163	690	0.234	0.216 - 0.252	195	0.069	0.059 - 0.079
NAACCR CDN Combined	61,219	0.164	0.163 - 0.166	46,349	0.252	0.249 - 0.254	14,717	0.078	0.077 - 0.080
Alberta	5,685	0.131	0.128 - 0.135	4,382	0.201	0.195 - 0.207	1,303	0.061	0.057 - 0.064
British Columbia	8,486	0.168	0.164 - 0.172	6,491	0.260	0.253 - 0.266	1,995	0.078	0.075 - 0.082
Manitoba	1,762	0.129	0.123 - 0.136	1,333	0.196	0.186 - 0.207	429	0.063	0.057 - 0.069
New Brunswick	1,574	0.203	0.194 - 0.214	1,194	0.312	0.294 - 0.330	380	0.097	0.088 - 0.107
Newfoundland and Labrador	1,070	0.204	0.192 - 0.217	774	0.298	0.278 - 0.320	296	0.112	0.099 - 0.125
Ontario	25,088	0.174	0.172 - 0.176	19,042	0.267	0.264 - 0.271	6,046	0.083	0.081 - 0.085
Prince Edward Island	264	0.170	0.150 - 0.192	191	0.250	0.216 - 0.288	73	0.092	0.072 - 0.116
Saskatchewan	1,720	0.147	0.140 - 0.155	1,291	0.220	0.208 - 0.232	429	0.074	0.067 - 0.081
NAACCR N.A. Combined	508,371	0.139	0.138 - 0.139	388,367	0.215	0.214 - 0.216	119,921	0.064	0.064 - 0.065

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	406,244	0.124	0.123 - 0.124	251,625	0.156	0.155 - 0.156	154,667	0.093	0.092 - 0.093
Alabama	6,652	0.136	0.133 - 0.139	4,004	0.169	0.164 - 0.174	2,648	0.105	0.101 - 0.109
Alaska	846	0.115	0.107 - 0.123	529	0.138	0.126 - 0.150	317	0.090	0.081 - 0.101
Arizona	8,510	0.118	0.115 - 0.120	5,279	0.147	0.143 - 0.151	3,231	0.089	0.086 - 0.092
Arkansas	4,388	0.145	0.141 - 0.150	2,646	0.179	0.172 - 0.186	1,742	0.113	0.108 - 0.119
California	39,449	0.100	0.099 - 0.101	24,841	0.127	0.125 - 0.128	14,608	0.074	0.072 - 0.075
CA - Greater California	22,870	0.104	0.103 - 0.105	14,354	0.131	0.129 - 0.133	8,515	0.077	0.076 - 0.079
CA - Greater Bay Area	7,111	0.096	0.094 - 0.098	4,618	0.125	0.121 - 0.128	2,493	0.067	0.064 - 0.070
CA - Los Angeles	9,484	0.094	0.093 - 0.096	5,881	0.119	0.116 - 0.122	3,602	0.071	0.068 - 0.073
Colorado	5,379	0.094	0.091 - 0.096	3,342	0.116	0.112 - 0.120	2,037	0.072	0.069 - 0.075
Connecticut	4,755	0.133	0.129 - 0.137	3,086	0.177	0.171 - 0.184	1,670	0.091	0.087 - 0.096
Delaware	1,325	0.136	0.129 - 0.144	845	0.180	0.168 - 0.192	480	0.096	0.087 - 0.105
District of Columbia	577	0.082	0.075 - 0.089	344	0.103	0.092 - 0.114	233	0.063	0.055 - 0.071
Florida	25,172	0.118	0.116 - 0.119	15,801	0.151	0.149 - 0.154	9,371	0.086	0.084 - 0.088
Georgia	11,353	0.107	0.105 - 0.109	6,874	0.134	0.131 - 0.137	4,479	0.082	0.080 - 0.085
Hawaii	1,532	0.108	0.103 - 0.113	1,008	0.142	0.133 - 0.151	524	0.074	0.068 - 0.081
Idaho	1,904	0.108	0.103 - 0.112	1,195	0.135	0.127 - 0.142	709	0.080	0.075 - 0.086
Illinois	17,042	0.134	0.132 - 0.136	10,478	0.168	0.165 - 0.171	6,564	0.102	0.099 - 0.104
Indiana	9,088	0.135	0.133 - 0.138	5,509	0.166	0.162 - 0.171	3,579	0.105	0.102 - 0.109
Iowa	4,453	0.141	0.137 - 0.145	2,797	0.178	0.172 - 0.185	1,656	0.105	0.100 - 0.110
Kansas	4,157	0.143	0.138 - 0.147	2,542	0.175	0.168 - 0.182	1,615	0.110	0.105 - 0.116
Kentucky	6,908	0.155	0.151 - 0.158	4,172	0.190	0.184 - 0.195	2,736	0.121	0.116 - 0.125
Louisiana	7,268	0.156	0.152 - 0.160	4,381	0.193	0.187 - 0.198	2,888	0.121	0.117 - 0.125
Maine	1,969	0.147	0.140 - 0.153	1,221	0.186	0.175 - 0.196	748	0.109	0.101 - 0.117
Maryland	6,962	0.115	0.112 - 0.118	4,150	0.142	0.137 - 0.146	2,812	0.090	0.087 - 0.094
MI - Detroit	5,278	0.136	0.132 - 0.140	3,255	0.173	0.167 - 0.179	2,023	0.101	0.097 - 0.106
Minnesota	7,114	0.126	0.124 - 0.129	4,619	0.165	0.160 - 0.170	2,495	0.088	0.085 - 0.092
Mississippi	4,620	0.155	0.151 - 0.160	2,708	0.187	0.180 - 0.195	1,912	0.125	0.119 - 0.130
Missouri	8,574	0.140	0.137 - 0.143	5,183	0.172	0.168 - 0.177	3,391	0.109	0.105 - 0.112
Montana	1,360	0.128	0.121 - 0.135	853	0.159	0.148 - 0.170	507	0.096	0.088 - 0.105
Nebraska	2,390	0.124	0.119 - 0.129	1,495	0.155	0.147 - 0.163	895	0.093	0.087 - 0.099
New Hampshire	1,857	0.137	0.131 - 0.143	1,202	0.179	0.169 - 0.189	655	0.096	0.088 - 0.103
New Jersey	11,619	0.131	0.128 - 0.133	7,393	0.170	0.166 - 0.174	4,227	0.093	0.090 - 0.096
New Mexico	2,326	0.111	0.106 - 0.116	1,399	0.135	0.128 - 0.142	927	0.088	0.082 - 0.093
New York	25,978	0.133	0.132 - 0.135	16,496	0.174	0.172 - 0.177	9,482	0.095	0.093 - 0.096
North Carolina	13,239	0.127	0.125 - 0.129	8,130	0.160	0.157 - 0.164	5,109	0.095	0.093 - 0.098
North Dakota	928	0.122	0.114 - 0.130	591	0.152	0.140 - 0.164	337	0.091	0.081 - 0.101
Ohio	15,673	0.134	0.132 - 0.136	9,455	0.165	0.162 - 0.168	6,218	0.104	0.102 - 0.107
Oklahoma	5,311	0.134	0.131 - 0.138	3,133	0.160	0.155 - 0.166	2,178	0.109	0.105 - 0.114
Oregon	5,112	0.122	0.118 - 0.125	3,291	0.158	0.153 - 0.164	1,821	0.086	0.082 - 0.090
Pennsylvania	18,213	0.142	0.140 - 0.144	11,411	0.182	0.179 - 0.185	6,802	0.104	0.102 - 0.107
Rhode Island	1,457	0.138	0.131 - 0.145	892	0.173	0.162 - 0.185	565	0.104	0.096 - 0.113
South Carolina	6,453	0.126	0.123 - 0.129	3,954	0.159	0.154 - 0.164	2,499	0.095	0.091 - 0.098
Tennessee	9,510	0.140	0.137 - 0.143	5,884	0.177	0.173 - 0.182	3,626	0.104	0.101 - 0.107
Texas	33,718	0.117	0.116 - 0.118	20,390	0.143	0.141 - 0.145	13,328	0.092	0.090 - 0.093
Utah	2,359	0.074	0.071 - 0.077	1,469	0.092	0.087 - 0.097	891	0.056	0.053 - 0.060
Vermont	808	0.129	0.121 - 0.139	510	0.165	0.151 - 0.180	298	0.094	0.084 - 0.106
Washington	8,283	0.109	0.107 - 0.112	5,214	0.138	0.134 - 0.141	3,069	0.081	0.078 - 0.084
WA - Seattle	5,780	0.111	0.108 - 0.114	3,686	0.141	0.136 - 0.145	2,094	0.080	0.077 - 0.084
West Virginia	3,070	0.170	0.165 - 0.177	1,788	0.201	0.191 - 0.210	1,282	0.141	0.133 - 0.149
Wisconsin	8,249	0.142	0.139 - 0.145	5,254	0.182	0.177 - 0.186	2,995	0.102	0.099 - 0.106
Wyoming	657	0.113	0.105 - 0.122	418	0.141	0.128 - 0.156	239	0.084	0.074 - 0.095
NAACCR CDN Combined	38,909	0.104	0.103 - 0.105	24,863	0.134	0.132 - 0.136	14,056	0.075	0.073 - 0.076
Alberta	4,092	0.094	0.092 - 0.097	2,628	0.121	0.116 - 0.125	1,464	0.068	0.065 - 0.072
British Columbia	4,485	0.089	0.086 - 0.091	2,909	0.116	0.112 - 0.121	1,576	0.062	0.059 - 0.065
Manitoba	1,430	0.105	0.100 - 0.111	934	0.137	0.129 - 0.146	496	0.073	0.067 - 0.080
New Brunswick	1,275	0.165	0.156 - 0.174	763	0.199	0.185 - 0.214	512	0.131	0.120 - 0.143
Newfoundland and Labrador	937	0.179	0.167 - 0.190	567	0.218	0.201 - 0.237	370	0.140	0.126 - 0.155
Ontario	15,350	0.106	0.105 - 0.108	9,798	0.138	0.135 - 0.140	5,552	0.076	0.074 - 0.078
Prince Edward Island	159	0.102	0.087 - 0.120	97	0.127	0.103 - 0.155	62	0.079	0.060 - 0.101
Saskatchewan	1,234	0.106	0.100 - 0.112	788	0.134	0.125 - 0.144	446	0.077	0.070 - 0.084
NAACCR N.A. Combined	445,153	0.122	0.122 - 0.122	276,488	0.154	0.153 - 0.154	168,724	0.091	0.091 - 0.092

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-168 Prevalence – Kidney and Renal Pelvis

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	79,291	0.024	0.024 - 0.024	42,787	0.026	0.026 - 0.027	36,505	0.022	0.022 - 0.022
Alabama	1,081	0.022	0.021 - 0.023	568	0.024	0.022 - 0.026	513	0.020	0.019 - 0.022
Alaska	185	0.025	0.022 - 0.029	112	0.029	0.024 - 0.035	73	0.021	0.016 - 0.026
Arizona	1,562	0.022	0.021 - 0.023	850	0.024	0.022 - 0.025	712	0.020	0.018 - 0.021
Arkansas	748	0.025	0.023 - 0.027	428	0.029	0.026 - 0.032	320	0.021	0.019 - 0.023
California	8,367	0.021	0.021 - 0.022	4,606	0.023	0.023 - 0.024	3,761	0.019	0.018 - 0.020
CA - Greater California	4,705	0.021	0.021 - 0.022	2,575	0.023	0.023 - 0.024	2,130	0.019	0.019 - 0.020
CA - Greater Bay Area	1,705	0.023	0.022 - 0.024	965	0.026	0.024 - 0.028	740	0.020	0.018 - 0.021
CA - Los Angeles	1,960	0.020	0.019 - 0.020	1,067	0.022	0.020 - 0.023	893	0.018	0.016 - 0.019
Colorado	1,376	0.024	0.023 - 0.025	757	0.026	0.024 - 0.028	619	0.022	0.020 - 0.024
Connecticut	975	0.027	0.026 - 0.029	529	0.030	0.028 - 0.033	445	0.024	0.022 - 0.027
Delaware	237	0.024	0.021 - 0.028	116	0.025	0.020 - 0.030	121	0.024	0.020 - 0.029
District of Columbia	162	0.023	0.020 - 0.027	95	0.028	0.023 - 0.035	67	0.018	0.014 - 0.023
Florida	5,264	0.025	0.024 - 0.025	2,840	0.027	0.026 - 0.028	2,424	0.022	0.021 - 0.023
Georgia	2,178	0.021	0.020 - 0.021	1,100	0.021	0.020 - 0.023	1,078	0.020	0.019 - 0.021
Hawaii	210	0.015	0.013 - 0.017	118	0.017	0.014 - 0.020	92	0.013	0.010 - 0.016
Idaho	405	0.023	0.021 - 0.025	232	0.026	0.023 - 0.030	174	0.020	0.017 - 0.023
Illinois	3,150	0.025	0.024 - 0.026	1,705	0.027	0.026 - 0.029	1,445	0.022	0.021 - 0.024
Indiana	1,637	0.024	0.023 - 0.026	892	0.027	0.025 - 0.029	745	0.022	0.020 - 0.024
Iowa	834	0.026	0.025 - 0.028	422	0.027	0.024 - 0.030	412	0.026	0.024 - 0.029
Kansas	708	0.024	0.023 - 0.026	389	0.027	0.024 - 0.030	319	0.022	0.019 - 0.024
Kentucky	1,253	0.028	0.027 - 0.030	690	0.031	0.029 - 0.034	563	0.025	0.023 - 0.027
Louisiana	996	0.021	0.020 - 0.023	553	0.024	0.022 - 0.026	443	0.019	0.017 - 0.020
Maine	423	0.031	0.029 - 0.035	226	0.034	0.030 - 0.039	197	0.029	0.025 - 0.033
Maryland	1,341	0.022	0.021 - 0.023	703	0.024	0.022 - 0.026	638	0.020	0.019 - 0.022
MI - Detroit	898	0.023	0.022 - 0.025	473	0.025	0.023 - 0.027	424	0.021	0.019 - 0.023
Minnesota	1,556	0.028	0.026 - 0.029	851	0.030	0.028 - 0.032	705	0.025	0.023 - 0.027
Mississippi	628	0.021	0.019 - 0.023	323	0.022	0.020 - 0.025	305	0.020	0.018 - 0.022
Missouri	1,601	0.026	0.025 - 0.027	838	0.028	0.026 - 0.030	763	0.024	0.023 - 0.026
Montana	284	0.027	0.024 - 0.030	155	0.029	0.025 - 0.034	129	0.024	0.020 - 0.029
Nebraska	499	0.026	0.024 - 0.028	261	0.027	0.024 - 0.031	238	0.025	0.022 - 0.028
New Hampshire	421	0.031	0.028 - 0.034	225	0.033	0.029 - 0.038	196	0.029	0.025 - 0.033
New Jersey	2,463	0.028	0.027 - 0.029	1,307	0.030	0.028 - 0.032	1,156	0.025	0.024 - 0.027
New Mexico	406	0.019	0.018 - 0.021	204	0.020	0.017 - 0.023	203	0.019	0.017 - 0.022
New York	5,235	0.027	0.026 - 0.028	2,835	0.030	0.029 - 0.031	2,400	0.024	0.023 - 0.025
North Carolina	2,448	0.023	0.023 - 0.024	1,316	0.026	0.025 - 0.027	1,132	0.021	0.020 - 0.022
North Dakota	157	0.021	0.018 - 0.024	90	0.023	0.019 - 0.028	67	0.018	0.014 - 0.023
Ohio	3,004	0.026	0.025 - 0.027	1,670	0.029	0.028 - 0.031	1,334	0.022	0.021 - 0.024
Oklahoma	879	0.022	0.021 - 0.024	460	0.024	0.021 - 0.026	419	0.021	0.019 - 0.023
Oregon	1,079	0.026	0.024 - 0.027	586	0.028	0.026 - 0.031	493	0.023	0.021 - 0.025
Pennsylvania	3,460	0.027	0.026 - 0.028	1,912	0.030	0.029 - 0.032	1,548	0.024	0.023 - 0.025
Rhode Island	255	0.024	0.021 - 0.027	119	0.023	0.019 - 0.028	136	0.025	0.021 - 0.030
South Carolina	1,009	0.020	0.018 - 0.021	534	0.022	0.020 - 0.023	475	0.018	0.016 - 0.020
Tennessee	1,572	0.023	0.022 - 0.024	825	0.025	0.023 - 0.027	747	0.021	0.020 - 0.023
Texas	6,831	0.024	0.023 - 0.024	3,603	0.025	0.024 - 0.026	3,228	0.022	0.021 - 0.023
Utah	812	0.026	0.024 - 0.027	463	0.029	0.026 - 0.032	349	0.022	0.020 - 0.025
Vermont	171	0.027	0.023 - 0.032	103	0.033	0.027 - 0.041	68	0.022	0.017 - 0.027
Washington	2,086	0.028	0.026 - 0.029	1,162	0.031	0.029 - 0.032	924	0.024	0.023 - 0.026
WA - Seattle	1,489	0.029	0.027 - 0.030	832	0.032	0.030 - 0.034	657	0.025	0.023 - 0.027
West Virginia	512	0.028	0.026 - 0.031	265	0.030	0.026 - 0.034	247	0.027	0.024 - 0.031
Wisconsin	1,569	0.027	0.026 - 0.028	844	0.029	0.027 - 0.031	725	0.025	0.023 - 0.027
Wyoming	132	0.023	0.019 - 0.027	65	0.022	0.017 - 0.028	67	0.024	0.018 - 0.030
NAACCR CDN Combined	8,246	0.022	0.022 - 0.023	4,587	0.025	0.024 - 0.026	3,661	0.020	0.019 - 0.020
Alberta	961	0.022	0.021 - 0.024	525	0.024	0.022 - 0.026	436	0.020	0.018 - 0.022
British Columbia	1,003	0.020	0.019 - 0.021	578	0.023	0.021 - 0.025	425	0.017	0.015 - 0.018
Manitoba	291	0.021	0.019 - 0.024	160	0.024	0.020 - 0.027	131	0.019	0.016 - 0.023
New Brunswick	143	0.018	0.016 - 0.022	80	0.021	0.017 - 0.026	63	0.016	0.012 - 0.021
Newfoundland and Labrador	111	0.021	0.017 - 0.025	58	0.022	0.017 - 0.029	53	0.020	0.015 - 0.026
Ontario	3,454	0.024	0.023 - 0.025	1,895	0.027	0.025 - 0.028	1,559	0.021	0.020 - 0.022
Prince Edward Island	24	0.015	0.010 - 0.023	*	*		*	*	
Saskatchewan	224	0.019	0.017 - 0.022	136	0.023	0.019 - 0.027	88	0.015	0.012 - 0.019
NAACCR N.A. Combined	87,537	0.024	0.024 - 0.024	47,374	0.026	0.026 - 0.027	40,166	0.022	0.022 - 0.022

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	431,519	0.131	0.131 - 0.132	102,374	0.063	0.063 - 0.064	329,137	0.198	0.197 - 0.198
Alabama	4,337	0.089	0.086 - 0.091	1,039	0.044	0.041 - 0.047	3,298	0.130	0.126 - 0.135
Alaska	821	0.112	0.104 - 0.120	214	0.056	0.049 - 0.064	607	0.173	0.159 - 0.187
Arizona	9,156	0.127	0.124 - 0.129	2,045	0.057	0.054 - 0.059	7,111	0.196	0.191 - 0.200
Arkansas	3,136	0.104	0.100 - 0.108	755	0.051	0.047 - 0.055	2,381	0.155	0.149 - 0.161
California	46,470	0.118	0.117 - 0.119	10,734	0.055	0.054 - 0.056	35,736	0.180	0.178 - 0.182
CA - Greater California	25,644	0.117	0.115 - 0.118	5,894	0.054	0.052 - 0.055	19,750	0.179	0.177 - 0.182
CA - Greater Bay Area	8,351	0.113	0.110 - 0.115	2,062	0.056	0.053 - 0.058	6,289	0.169	0.165 - 0.173
CA - Los Angeles	12,478	0.124	0.122 - 0.127	2,780	0.056	0.054 - 0.058	9,699	0.191	0.187 - 0.194
Colorado	7,824	0.137	0.134 - 0.140	1,957	0.068	0.065 - 0.071	5,867	0.206	0.201 - 0.212
Connecticut	6,639	0.186	0.181 - 0.190	1,597	0.092	0.087 - 0.096	5,042	0.276	0.268 - 0.283
Delaware	1,413	0.145	0.138 - 0.153	309	0.066	0.059 - 0.074	1,104	0.220	0.207 - 0.233
District of Columbia	909	0.129	0.120 - 0.137	211	0.063	0.055 - 0.072	698	0.188	0.174 - 0.203
Florida	24,331	0.114	0.112 - 0.115	5,738	0.055	0.054 - 0.056	18,593	0.170	0.168 - 0.173
Georgia	11,080	0.105	0.103 - 0.107	2,524	0.049	0.047 - 0.051	8,556	0.157	0.154 - 0.161
Hawaii	1,975	0.139	0.133 - 0.145	448	0.063	0.057 - 0.069	1,526	0.216	0.205 - 0.227
Idaho	2,364	0.134	0.128 - 0.139	551	0.062	0.057 - 0.067	1,814	0.205	0.196 - 0.215
Illinois	18,005	0.142	0.140 - 0.144	4,355	0.070	0.068 - 0.072	13,650	0.211	0.208 - 0.215
Indiana	7,440	0.111	0.108 - 0.113	1,762	0.053	0.051 - 0.056	5,678	0.167	0.163 - 0.171
Iowa	4,073	0.129	0.125 - 0.133	1,010	0.064	0.060 - 0.068	3,063	0.193	0.187 - 0.200
Kansas	4,335	0.149	0.144 - 0.153	1,030	0.071	0.067 - 0.075	3,305	0.226	0.218 - 0.234
Kentucky	6,346	0.142	0.139 - 0.146	1,515	0.069	0.065 - 0.072	4,831	0.213	0.207 - 0.219
Louisiana	5,962	0.128	0.125 - 0.131	1,383	0.061	0.058 - 0.064	4,579	0.192	0.186 - 0.197
Maine	2,009	0.150	0.143 - 0.156	549	0.083	0.077 - 0.091	1,460	0.213	0.202 - 0.224
Maryland	8,435	0.139	0.136 - 0.142	1,927	0.066	0.063 - 0.069	6,508	0.209	0.204 - 0.214
MI - Detroit	5,802	0.149	0.146 - 0.153	1,319	0.070	0.066 - 0.074	4,483	0.224	0.218 - 0.231
Minnesota	6,572	0.117	0.114 - 0.120	1,656	0.059	0.056 - 0.062	4,916	0.174	0.169 - 0.179
Mississippi	2,872	0.096	0.093 - 0.100	646	0.045	0.041 - 0.048	2,226	0.145	0.139 - 0.151
Missouri	7,016	0.114	0.112 - 0.117	1,687	0.056	0.053 - 0.059	5,329	0.171	0.166 - 0.175
Montana	1,421	0.133	0.126 - 0.140	384	0.071	0.064 - 0.079	1,037	0.196	0.184 - 0.208
Nebraska	2,557	0.133	0.127 - 0.138	584	0.061	0.056 - 0.066	1,973	0.204	0.195 - 0.213
New Hampshire	2,059	0.152	0.145 - 0.158	534	0.079	0.073 - 0.086	1,525	0.223	0.212 - 0.234
New Jersey	16,945	0.191	0.188 - 0.193	4,073	0.094	0.091 - 0.097	12,873	0.283	0.278 - 0.288
New Mexico	3,025	0.144	0.139 - 0.150	687	0.066	0.061 - 0.071	2,338	0.221	0.212 - 0.230
New York	37,384	0.192	0.190 - 0.194	9,023	0.095	0.093 - 0.097	28,361	0.283	0.279 - 0.286
North Carolina	11,933	0.114	0.112 - 0.116	2,762	0.054	0.052 - 0.056	9,171	0.171	0.167 - 0.174
North Dakota	1,079	0.142	0.133 - 0.150	266	0.068	0.060 - 0.077	813	0.219	0.204 - 0.234
Ohio	16,392	0.140	0.138 - 0.142	3,666	0.064	0.062 - 0.066	12,726	0.214	0.210 - 0.217
Oklahoma	4,282	0.108	0.105 - 0.112	985	0.050	0.047 - 0.054	3,297	0.165	0.160 - 0.171
Oregon	5,157	0.123	0.119 - 0.126	1,259	0.060	0.057 - 0.064	3,898	0.184	0.178 - 0.190
Pennsylvania	25,001	0.195	0.193 - 0.198	6,102	0.097	0.095 - 0.100	18,899	0.289	0.285 - 0.294
Rhode Island	1,988	0.188	0.180 - 0.196	495	0.096	0.088 - 0.105	1,493	0.275	0.261 - 0.289
South Carolina	5,261	0.103	0.100 - 0.105	1,233	0.050	0.047 - 0.053	4,028	0.152	0.148 - 0.157
Tennessee	8,059	0.118	0.116 - 0.121	2,001	0.060	0.058 - 0.063	6,058	0.174	0.169 - 0.178
Texas	29,644	0.103	0.102 - 0.104	6,915	0.048	0.047 - 0.049	22,729	0.157	0.155 - 0.159
Utah	4,539	0.143	0.139 - 0.147	1,032	0.064	0.061 - 0.069	3,506	0.222	0.215 - 0.230
Vermont	873	0.140	0.131 - 0.149	225	0.073	0.064 - 0.083	648	0.205	0.190 - 0.221
Washington	9,116	0.120	0.118 - 0.123	2,232	0.059	0.056 - 0.061	6,884	0.182	0.178 - 0.186
WA - Seattle	6,552	0.125	0.122 - 0.129	1,628	0.062	0.059 - 0.065	4,924	0.189	0.184 - 0.194
West Virginia	2,990	0.166	0.160 - 0.172	696	0.078	0.072 - 0.084	2,294	0.252	0.242 - 0.263
Wisconsin	7,440	0.128	0.125 - 0.131	1,875	0.065	0.062 - 0.068	5,565	0.190	0.185 - 0.196
Wyoming	780	0.135	0.125 - 0.144	192	0.065	0.056 - 0.075	588	0.207	0.191 - 0.224
NAACCR CDN Combined	54,762	0.147	0.146 - 0.149	13,102	0.071	0.069 - 0.072	41,577	0.222	0.220 - 0.225
Alberta	4,658	0.108	0.104 - 0.111	1,160	0.053	0.050 - 0.056	3,498	0.163	0.157 - 0.168
British Columbia	3,882	0.077	0.074 - 0.079	1,016	0.041	0.038 - 0.043	2,866	0.112	0.108 - 0.116
Manitoba	1,280	0.094	0.089 - 0.099	318	0.047	0.042 - 0.052	962	0.141	0.132 - 0.150
New Brunswick	1,117	0.144	0.136 - 0.153	285	0.074	0.066 - 0.084	832	0.213	0.199 - 0.228
Newfoundland and Labrador	1,034	0.197	0.185 - 0.210	237	0.091	0.080 - 0.104	797	0.301	0.280 - 0.322
Ontario	27,956	0.194	0.192 - 0.196	6,471	0.091	0.089 - 0.093	21,485	0.294	0.290 - 0.298
Prince Edward Island	88	0.057	0.045 - 0.070	21	0.027	0.017 - 0.042	67	0.085	0.066 - 0.108
Saskatchewan	888	0.076	0.071 - 0.081	248	0.042	0.037 - 0.048	640	0.111	0.102 - 0.119
NAACCR N.A. Combined	486,281	0.133	0.132 - 0.133	115,476	0.064	0.064 - 0.064	370,715	0.200	0.199 - 0.200

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-170 Prevalence – Thyroid

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	72,128	0.022	0.022 - 0.022	39,180	0.024	0.024 - 0.025	32,951	0.020	0.020 - 0.020
Alabama	917	0.019	0.018 - 0.020	504	0.021	0.019 - 0.023	413	0.016	0.015 - 0.018
Alaska	118	0.016	0.013 - 0.019	62	0.016	0.012 - 0.021	56	0.016	0.012 - 0.021
Arizona	1,190	0.016	0.016 - 0.017	655	0.018	0.017 - 0.020	535	0.015	0.013 - 0.016
Arkansas	665	0.022	0.020 - 0.024	367	0.025	0.022 - 0.027	298	0.019	0.017 - 0.022
California	7,291	0.018	0.018 - 0.019	4,006	0.020	0.020 - 0.021	3,285	0.017	0.016 - 0.017
CA - Greater California	4,031	0.018	0.018 - 0.019	2,230	0.020	0.020 - 0.021	1,801	0.016	0.016 - 0.017
CA - Greater Bay Area	1,451	0.020	0.019 - 0.021	797	0.022	0.020 - 0.023	654	0.018	0.016 - 0.019
CA - Los Angeles	1,809	0.018	0.017 - 0.019	979	0.020	0.019 - 0.021	830	0.016	0.015 - 0.017
Colorado	1,191	0.021	0.020 - 0.022	686	0.024	0.022 - 0.026	505	0.018	0.016 - 0.019
Connecticut	1,038	0.029	0.027 - 0.031	564	0.032	0.030 - 0.035	474	0.026	0.024 - 0.028
Delaware	242	0.025	0.022 - 0.028	138	0.029	0.025 - 0.035	104	0.021	0.017 - 0.025
District of Columbia	190	0.027	0.023 - 0.031	96	0.029	0.023 - 0.035	94	0.025	0.020 - 0.031
Florida	5,146	0.024	0.023 - 0.025	2,694	0.026	0.025 - 0.027	2,452	0.022	0.022 - 0.023
Georgia	2,024	0.019	0.018 - 0.020	1,039	0.020	0.019 - 0.021	986	0.018	0.017 - 0.019
Hawaii	201	0.014	0.012 - 0.016	119	0.017	0.014 - 0.020	83	0.012	0.009 - 0.015
Idaho	340	0.019	0.017 - 0.021	190	0.021	0.018 - 0.025	150	0.017	0.014 - 0.020
Illinois	3,037	0.024	0.023 - 0.025	1,649	0.026	0.025 - 0.028	1,388	0.021	0.020 - 0.023
Indiana	1,554	0.023	0.022 - 0.024	855	0.026	0.024 - 0.028	699	0.021	0.019 - 0.022
Iowa	766	0.024	0.023 - 0.026	433	0.028	0.025 - 0.030	333	0.021	0.019 - 0.023
Kansas	597	0.020	0.019 - 0.022	338	0.023	0.021 - 0.026	259	0.018	0.016 - 0.020
Kentucky	976	0.022	0.020 - 0.023	552	0.025	0.023 - 0.027	424	0.019	0.017 - 0.021
Louisiana	1,059	0.023	0.021 - 0.024	567	0.025	0.023 - 0.027	491	0.021	0.019 - 0.022
Maine	359	0.027	0.024 - 0.030	188	0.029	0.025 - 0.033	171	0.025	0.021 - 0.029
Maryland	1,349	0.022	0.021 - 0.024	716	0.024	0.023 - 0.026	633	0.020	0.019 - 0.022
MI - Detroit	970	0.025	0.023 - 0.027	539	0.029	0.026 - 0.031	431	0.022	0.020 - 0.024
Minnesota	1,404	0.025	0.024 - 0.026	797	0.028	0.027 - 0.030	607	0.022	0.020 - 0.023
Mississippi	588	0.020	0.018 - 0.021	316	0.022	0.020 - 0.024	272	0.018	0.016 - 0.020
Missouri	1,365	0.022	0.021 - 0.023	731	0.024	0.023 - 0.026	634	0.020	0.019 - 0.022
Montana	241	0.023	0.020 - 0.026	133	0.025	0.021 - 0.029	108	0.020	0.017 - 0.025
Nebraska	455	0.024	0.021 - 0.026	249	0.026	0.023 - 0.029	206	0.021	0.019 - 0.024
New Hampshire	353	0.026	0.023 - 0.029	200	0.030	0.026 - 0.034	153	0.022	0.019 - 0.026
New Jersey	2,465	0.028	0.027 - 0.029	1,320	0.030	0.029 - 0.032	1,145	0.025	0.024 - 0.027
New Mexico	369	0.018	0.016 - 0.019	209	0.020	0.018 - 0.023	160	0.015	0.013 - 0.018
New York	5,436	0.028	0.027 - 0.029	2,901	0.031	0.030 - 0.032	2,535	0.025	0.024 - 0.026
North Carolina	2,165	0.021	0.020 - 0.022	1,166	0.023	0.022 - 0.024	999	0.019	0.017 - 0.020
North Dakota	190	0.025	0.022 - 0.029	119	0.031	0.025 - 0.037	71	0.019	0.015 - 0.024
Ohio	2,630	0.023	0.022 - 0.023	1,440	0.025	0.024 - 0.026	1,190	0.020	0.019 - 0.021
Oklahoma	771	0.020	0.018 - 0.021	418	0.021	0.019 - 0.024	353	0.018	0.016 - 0.020
Oregon	876	0.021	0.019 - 0.022	462	0.022	0.020 - 0.024	414	0.020	0.018 - 0.022
Pennsylvania	3,569	0.028	0.027 - 0.029	1,949	0.031	0.030 - 0.032	1,620	0.025	0.024 - 0.026
Rhode Island	313	0.030	0.026 - 0.033	163	0.032	0.027 - 0.037	150	0.028	0.023 - 0.032
South Carolina	1,029	0.020	0.019 - 0.021	544	0.022	0.020 - 0.024	485	0.018	0.017 - 0.020
Tennessee	1,441	0.021	0.020 - 0.022	759	0.023	0.021 - 0.025	682	0.020	0.018 - 0.021
Texas	5,195	0.018	0.018 - 0.019	2,834	0.020	0.019 - 0.021	2,361	0.016	0.016 - 0.017
Utah	639	0.020	0.019 - 0.022	327	0.020	0.018 - 0.023	313	0.020	0.018 - 0.022
Vermont	162	0.026	0.022 - 0.030	86	0.028	0.022 - 0.034	76	0.024	0.019 - 0.030
Washington	1,588	0.021	0.020 - 0.022	898	0.024	0.022 - 0.025	690	0.018	0.017 - 0.020
WA - Seattle	1,150	0.022	0.021 - 0.023	649	0.025	0.023 - 0.027	502	0.019	0.018 - 0.021
West Virginia	371	0.021	0.019 - 0.023	213	0.024	0.021 - 0.027	158	0.017	0.015 - 0.020
Wisconsin	1,521	0.026	0.025 - 0.027	842	0.029	0.027 - 0.031	679	0.023	0.022 - 0.025
Wyoming	107	0.018	0.015 - 0.022	62	0.021	0.016 - 0.027	45	0.016	0.012 - 0.021
NAACCR CDN Combined	7,875	0.022	0.021 - 0.022	4,321	0.024	0.023 - 0.025	3,556	0.019	0.019 - 0.020
Alberta	890	0.021	0.019 - 0.022	529	0.024	0.022 - 0.026	361	0.017	0.015 - 0.019
British Columbia	976	0.019	0.018 - 0.021	523	0.021	0.019 - 0.023	453	0.018	0.016 - 0.019
Manitoba	293	0.022	0.019 - 0.024	171	0.025	0.022 - 0.029	122	0.018	0.015 - 0.021
New Brunswick	160	0.021	0.018 - 0.024	99	0.026	0.021 - 0.031	61	0.016	0.012 - 0.020
Newfoundland and Labrador	120	0.023	0.019 - 0.027	63	0.024	0.019 - 0.031	57	0.022	0.016 - 0.028
Ontario	3,275	0.023	0.022 - 0.023	1,739	0.024	0.023 - 0.026	1,536	0.021	0.020 - 0.022
Prince Edward Island	36	0.023	0.016 - 0.032	18	0.024	0.014 - 0.037	18	0.023	0.014 - 0.036
Saskatchewan	228	0.020	0.017 - 0.022	131	0.022	0.019 - 0.026	97	0.017	0.014 - 0.020
NAACCR N.A. Combined	80,002	0.022	0.022 - 0.022	43,501	0.024	0.024 - 0.024	36,507	0.020	0.020 - 0.020

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	430,900	0.131	0.131 - 0.132	229,219	0.142	0.141 - 0.142	201,695	0.121	0.121 - 0.122
Alabama	5,294	0.108	0.105 - 0.111	2,806	0.118	0.114 - 0.123	2,488	0.098	0.094 - 0.102
Alaska	773	0.105	0.098 - 0.113	451	0.118	0.107 - 0.129	322	0.092	0.082 - 0.102
Arizona	7,368	0.102	0.100 - 0.104	3,946	0.110	0.106 - 0.113	3,422	0.094	0.091 - 0.097
Arkansas	3,734	0.124	0.120 - 0.128	1,987	0.134	0.128 - 0.140	1,747	0.114	0.108 - 0.119
California	46,193	0.117	0.116 - 0.118	24,992	0.127	0.126 - 0.129	21,200	0.107	0.105 - 0.108
CA - Greater California	24,932	0.113	0.112 - 0.115	13,505	0.123	0.121 - 0.125	11,427	0.104	0.102 - 0.106
CA - Greater Bay Area	10,302	0.139	0.136 - 0.142	5,703	0.154	0.150 - 0.158	4,598	0.124	0.120 - 0.127
CA - Los Angeles	10,971	0.109	0.107 - 0.111	5,794	0.117	0.114 - 0.120	5,177	0.102	0.099 - 0.105
Colorado	6,407	0.112	0.109 - 0.115	3,550	0.123	0.119 - 0.127	2,857	0.100	0.097 - 0.104
Connecticut	5,985	0.168	0.163 - 0.172	3,156	0.181	0.175 - 0.188	2,830	0.155	0.149 - 0.161
Delaware	1,420	0.146	0.139 - 0.154	749	0.159	0.148 - 0.171	671	0.134	0.124 - 0.144
District of Columbia	644	0.091	0.084 - 0.099	348	0.104	0.093 - 0.115	296	0.080	0.071 - 0.089
Florida	35,705	0.167	0.165 - 0.169	18,581	0.178	0.175 - 0.180	17,124	0.157	0.154 - 0.159
Georgia	11,366	0.107	0.106 - 0.109	6,102	0.119	0.116 - 0.122	5,264	0.097	0.094 - 0.100
Hawaii	1,709	0.120	0.115 - 0.126	953	0.134	0.126 - 0.143	756	0.107	0.099 - 0.115
Idaho	2,064	0.117	0.112 - 0.122	1,124	0.127	0.119 - 0.134	940	0.106	0.100 - 0.114
Illinois	17,289	0.136	0.134 - 0.138	9,022	0.145	0.142 - 0.148	8,267	0.128	0.125 - 0.131
Indiana	8,341	0.124	0.122 - 0.127	4,406	0.133	0.129 - 0.137	3,935	0.116	0.112 - 0.119
Iowa	4,811	0.152	0.148 - 0.157	2,590	0.165	0.159 - 0.171	2,220	0.140	0.134 - 0.146
Kansas	3,995	0.137	0.133 - 0.141	2,154	0.148	0.142 - 0.155	1,841	0.126	0.120 - 0.132
Kentucky	6,101	0.137	0.133 - 0.140	3,180	0.144	0.139 - 0.150	2,922	0.129	0.124 - 0.134
Louisiana	5,720	0.123	0.120 - 0.126	3,013	0.132	0.128 - 0.137	2,707	0.113	0.109 - 0.118
Maine	2,333	0.174	0.167 - 0.181	1,258	0.191	0.181 - 0.202	1,075	0.157	0.148 - 0.167
Maryland	7,485	0.124	0.121 - 0.127	3,849	0.131	0.127 - 0.136	3,636	0.117	0.113 - 0.120
MI - Detroit	5,748	0.148	0.144 - 0.152	2,988	0.158	0.153 - 0.164	2,760	0.138	0.133 - 0.143
Minnesota	8,647	0.154	0.151 - 0.157	4,744	0.169	0.165 - 0.174	3,903	0.138	0.134 - 0.143
Mississippi	3,238	0.109	0.105 - 0.112	1,659	0.115	0.109 - 0.120	1,579	0.103	0.098 - 0.108
Missouri	8,056	0.131	0.128 - 0.134	4,284	0.142	0.138 - 0.147	3,772	0.121	0.117 - 0.125
Montana	1,540	0.144	0.137 - 0.152	877	0.164	0.153 - 0.175	663	0.125	0.116 - 0.135
Nebraska	2,672	0.139	0.133 - 0.144	1,420	0.147	0.140 - 0.155	1,252	0.130	0.123 - 0.137
New Hampshire	2,327	0.171	0.164 - 0.178	1,246	0.185	0.175 - 0.196	1,081	0.158	0.149 - 0.167
New Jersey	14,419	0.162	0.160 - 0.165	7,553	0.174	0.170 - 0.178	6,867	0.151	0.147 - 0.155
New Mexico	2,266	0.108	0.104 - 0.113	1,157	0.111	0.105 - 0.118	1,110	0.105	0.099 - 0.111
New York	31,331	0.161	0.159 - 0.162	16,274	0.172	0.169 - 0.174	15,057	0.150	0.148 - 0.152
North Carolina	12,600	0.121	0.119 - 0.123	6,688	0.132	0.128 - 0.135	5,912	0.110	0.107 - 0.113
North Dakota	975	0.128	0.120 - 0.136	523	0.134	0.123 - 0.146	452	0.122	0.111 - 0.133
Ohio	15,948	0.136	0.134 - 0.139	8,498	0.148	0.145 - 0.152	7,450	0.125	0.122 - 0.128
Oklahoma	4,360	0.110	0.107 - 0.114	2,287	0.117	0.112 - 0.122	2,073	0.104	0.100 - 0.108
Oregon	5,655	0.135	0.131 - 0.138	3,063	0.147	0.142 - 0.152	2,592	0.122	0.118 - 0.127
Pennsylvania	20,731	0.162	0.160 - 0.164	10,869	0.173	0.170 - 0.177	9,862	0.151	0.148 - 0.154
Rhode Island	1,624	0.153	0.146 - 0.161	866	0.168	0.157 - 0.180	758	0.139	0.130 - 0.150
South Carolina	5,792	0.113	0.110 - 0.116	3,117	0.126	0.121 - 0.130	2,675	0.101	0.097 - 0.105
Tennessee	8,200	0.121	0.118 - 0.123	4,343	0.131	0.127 - 0.135	3,857	0.111	0.107 - 0.114
Texas	28,813	0.100	0.099 - 0.101	15,443	0.108	0.106 - 0.110	13,370	0.092	0.091 - 0.094
Utah	3,011	0.095	0.091 - 0.098	1,718	0.107	0.102 - 0.113	1,292	0.082	0.077 - 0.086
Vermont	1,052	0.168	0.158 - 0.179	566	0.184	0.169 - 0.199	486	0.154	0.140 - 0.168
Washington	10,069	0.133	0.130 - 0.136	5,572	0.147	0.143 - 0.151	4,497	0.119	0.115 - 0.122
WA - Seattle	7,255	0.139	0.136 - 0.142	4,061	0.155	0.150 - 0.160	3,194	0.123	0.118 - 0.127
West Virginia	2,804	0.156	0.150 - 0.162	1,481	0.166	0.158 - 0.175	1,323	0.146	0.138 - 0.154
Wisconsin	9,159	0.157	0.154 - 0.161	4,985	0.172	0.167 - 0.177	4,174	0.143	0.139 - 0.147
Wyoming	703	0.121	0.112 - 0.131	388	0.131	0.119 - 0.145	315	0.111	0.099 - 0.124
NAACCR CDN Combined	49,994	0.134	0.133 - 0.136	27,027	0.146	0.144 - 0.148	22,959	0.122	0.120 - 0.124
Alberta	4,896	0.113	0.110 - 0.116	2,721	0.125	0.120 - 0.130	2,175	0.101	0.097 - 0.105
British Columbia	6,725	0.133	0.130 - 0.136	3,672	0.147	0.142 - 0.152	3,053	0.120	0.115 - 0.124
Manitoba	1,788	0.131	0.125 - 0.138	978	0.144	0.135 - 0.153	810	0.119	0.111 - 0.127
New Brunswick	1,360	0.176	0.167 - 0.185	713	0.186	0.173 - 0.200	647	0.166	0.153 - 0.179
Newfoundland and Labrador	1,002	0.191	0.179 - 0.203	530	0.204	0.187 - 0.222	472	0.178	0.162 - 0.195
Ontario	19,861	0.138	0.136 - 0.140	10,673	0.150	0.147 - 0.153	9,188	0.126	0.123 - 0.128
Prince Edward Island	213	0.137	0.119 - 0.157	123	0.161	0.134 - 0.192	90	0.114	0.092 - 0.140
Saskatchewan	1,444	0.124	0.117 - 0.130	757	0.129	0.120 - 0.138	687	0.119	0.110 - 0.128
NAACCR N.A. Combined	480,894	0.131	0.131 - 0.132	256,246	0.142	0.142 - 0.143	224,654	0.121	0.121 - 0.122

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-172 Prevalence – Non-Hodgkin Lymphoma

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	129,335	0.039	0.039 - 0.040	70,835	0.044	0.043 - 0.044	58,508	0.035	0.035 - 0.035
Alabama	1,946	0.040	0.038 - 0.042	1,023	0.043	0.041 - 0.046	923	0.036	0.034 - 0.039
Alaska	175	0.024	0.020 - 0.028	101	0.026	0.021 - 0.032	74	0.021	0.017 - 0.026
Arizona	2,017	0.028	0.027 - 0.029	1,161	0.032	0.030 - 0.034	856	0.024	0.022 - 0.025
Arkansas	1,262	0.042	0.040 - 0.044	663	0.045	0.041 - 0.048	599	0.039	0.036 - 0.042
California	12,305	0.031	0.031 - 0.032	6,923	0.035	0.034 - 0.036	5,382	0.027	0.026 - 0.028
CA - Greater California	6,729	0.031	0.030 - 0.031	3,827	0.035	0.034 - 0.036	2,902	0.026	0.025 - 0.027
CA - Greater Bay Area	2,608	0.035	0.034 - 0.037	1,491	0.040	0.038 - 0.042	1,116	0.030	0.028 - 0.032
CA - Los Angeles	2,974	0.030	0.029 - 0.031	1,608	0.032	0.031 - 0.034	1,367	0.027	0.025 - 0.028
Colorado	1,826	0.032	0.030 - 0.033	1,055	0.037	0.034 - 0.039	771	0.027	0.025 - 0.029
Connecticut	1,806	0.051	0.048 - 0.053	996	0.057	0.054 - 0.061	810	0.044	0.041 - 0.047
Delaware	441	0.045	0.041 - 0.050	234	0.050	0.044 - 0.057	207	0.041	0.036 - 0.047
District of Columbia	332	0.047	0.042 - 0.052	154	0.046	0.039 - 0.054	178	0.048	0.041 - 0.056
Florida	11,622	0.054	0.053 - 0.055	6,250	0.060	0.058 - 0.061	5,372	0.049	0.048 - 0.051
Georgia	4,540	0.043	0.042 - 0.044	2,347	0.046	0.044 - 0.048	2,193	0.040	0.039 - 0.042
Hawaii	431	0.030	0.028 - 0.033	239	0.034	0.029 - 0.038	193	0.027	0.023 - 0.031
Idaho	570	0.032	0.030 - 0.035	361	0.041	0.037 - 0.045	209	0.024	0.021 - 0.027
Illinois	4,976	0.039	0.038 - 0.040	2,618	0.042	0.040 - 0.044	2,358	0.037	0.035 - 0.038
Indiana	2,414	0.036	0.035 - 0.037	1,293	0.039	0.037 - 0.041	1,121	0.033	0.031 - 0.035
Iowa	1,251	0.040	0.037 - 0.042	720	0.046	0.043 - 0.049	531	0.033	0.031 - 0.036
Kansas	1,104	0.038	0.036 - 0.040	616	0.042	0.039 - 0.046	488	0.033	0.030 - 0.036
Kentucky	1,637	0.037	0.035 - 0.038	947	0.043	0.040 - 0.046	690	0.030	0.028 - 0.033
Louisiana	1,939	0.042	0.040 - 0.043	1,021	0.045	0.042 - 0.048	918	0.038	0.036 - 0.041
Maine	561	0.042	0.038 - 0.045	326	0.050	0.044 - 0.055	235	0.034	0.030 - 0.039
Maryland	2,551	0.042	0.041 - 0.044	1,295	0.044	0.042 - 0.047	1,256	0.040	0.038 - 0.043
MI - Detroit	1,791	0.046	0.044 - 0.048	954	0.051	0.047 - 0.054	837	0.042	0.039 - 0.045
Minnesota	2,225	0.040	0.038 - 0.041	1,301	0.046	0.044 - 0.049	924	0.033	0.031 - 0.035
Mississippi	1,264	0.042	0.040 - 0.045	661	0.046	0.042 - 0.049	603	0.039	0.036 - 0.043
Missouri	2,265	0.037	0.035 - 0.038	1,250	0.042	0.039 - 0.044	1,015	0.032	0.031 - 0.035
Montana	447	0.042	0.038 - 0.046	267	0.050	0.044 - 0.056	180	0.034	0.029 - 0.039
Nebraska	673	0.035	0.032 - 0.038	385	0.040	0.036 - 0.044	288	0.030	0.026 - 0.033
New Hampshire	563	0.041	0.038 - 0.045	324	0.048	0.043 - 0.054	239	0.035	0.031 - 0.040
New Jersey	4,261	0.048	0.046 - 0.049	2,299	0.053	0.051 - 0.055	1,962	0.043	0.041 - 0.045
New Mexico	647	0.031	0.029 - 0.033	380	0.037	0.033 - 0.041	267	0.025	0.022 - 0.028
New York	10,276	0.053	0.052 - 0.054	5,521	0.058	0.057 - 0.060	4,755	0.047	0.046 - 0.049
North Carolina	4,802	0.046	0.045 - 0.047	2,571	0.051	0.049 - 0.053	2,231	0.042	0.040 - 0.043
North Dakota	241	0.032	0.028 - 0.036	142	0.036	0.031 - 0.043	99	0.027	0.022 - 0.032
Ohio	3,971	0.034	0.033 - 0.035	2,185	0.038	0.037 - 0.040	1,786	0.030	0.029 - 0.031
Oklahoma	1,242	0.031	0.030 - 0.033	676	0.035	0.032 - 0.037	566	0.028	0.026 - 0.031
Oregon	1,310	0.031	0.030 - 0.033	769	0.037	0.034 - 0.040	541	0.026	0.023 - 0.028
Pennsylvania	5,532	0.043	0.042 - 0.044	3,050	0.049	0.047 - 0.050	2,482	0.038	0.037 - 0.040
Rhode Island	405	0.038	0.035 - 0.042	236	0.046	0.040 - 0.052	169	0.031	0.027 - 0.036
South Carolina	2,268	0.044	0.042 - 0.046	1,196	0.048	0.045 - 0.051	1,072	0.041	0.038 - 0.043
Tennessee	2,486	0.037	0.035 - 0.038	1,359	0.041	0.039 - 0.043	1,127	0.032	0.030 - 0.034
Texas	9,722	0.034	0.033 - 0.034	5,269	0.037	0.036 - 0.038	4,453	0.031	0.030 - 0.032
Utah	814	0.026	0.024 - 0.027	494	0.031	0.028 - 0.034	320	0.020	0.018 - 0.023
Vermont	247	0.040	0.035 - 0.045	146	0.047	0.040 - 0.056	101	0.032	0.026 - 0.039
Washington	2,605	0.034	0.033 - 0.036	1,524	0.040	0.038 - 0.042	1,081	0.029	0.027 - 0.030
WA - Seattle	1,889	0.036	0.035 - 0.038	1,099	0.042	0.040 - 0.045	790	0.030	0.028 - 0.032
West Virginia	673	0.037	0.035 - 0.040	377	0.042	0.038 - 0.047	296	0.033	0.029 - 0.036
Wisconsin	2,540	0.044	0.042 - 0.045	1,418	0.049	0.046 - 0.052	1,122	0.038	0.036 - 0.041
Wyoming	183	0.032	0.027 - 0.036	106	0.036	0.029 - 0.043	77	0.027	0.021 - 0.034
NAACCR CDN Combined	14,094	0.038	0.037 - 0.039	8,012	0.043	0.042 - 0.044	6,075	0.032	0.031 - 0.033
Alberta	1,240	0.029	0.027 - 0.030	761	0.035	0.032 - 0.037	479	0.022	0.020 - 0.024
British Columbia	1,677	0.033	0.032 - 0.035	981	0.039	0.037 - 0.042	696	0.027	0.025 - 0.029
Manitoba	442	0.032	0.030 - 0.036	260	0.038	0.034 - 0.043	182	0.027	0.023 - 0.031
New Brunswick	292	0.038	0.034 - 0.042	172	0.045	0.038 - 0.052	120	0.031	0.025 - 0.037
Newfoundland and Labrador	203	0.039	0.034 - 0.044	115	0.044	0.037 - 0.053	88	0.033	0.027 - 0.041
Ontario	6,204	0.043	0.042 - 0.044	3,438	0.048	0.047 - 0.050	2,766	0.038	0.036 - 0.039
Prince Edward Island	67	0.043	0.033 - 0.055	38	0.050	0.035 - 0.068	29	0.037	0.025 - 0.053
Saskatchewan	373	0.032	0.029 - 0.035	209	0.036	0.031 - 0.041	164	0.028	0.024 - 0.033
NAACCR N.A. Combined	143,429	0.039	0.039 - 0.040	78,848	0.044	0.043 - 0.044	64,584	0.035	0.035 - 0.035

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	272,445	0.083	0.083 - 0.083	157,748	0.098	0.097 - 0.098	114,716	0.069	0.068 - 0.069
Alabama	3,309	0.068	0.065 - 0.070	1,868	0.079	0.075 - 0.083	1,441	0.057	0.054 - 0.060
Alaska	474	0.064	0.059 - 0.071	289	0.075	0.067 - 0.085	185	0.053	0.045 - 0.061
Arizona	4,005	0.055	0.054 - 0.057	2,284	0.064	0.061 - 0.066	1,721	0.047	0.045 - 0.050
Arkansas	2,427	0.080	0.077 - 0.084	1,412	0.095	0.090 - 0.100	1,015	0.066	0.062 - 0.070
California	26,851	0.068	0.067 - 0.069	15,700	0.080	0.079 - 0.081	11,151	0.056	0.055 - 0.057
CA - Greater California	15,186	0.069	0.068 - 0.070	8,817	0.080	0.079 - 0.082	6,369	0.058	0.056 - 0.059
CA - Greater Bay Area	5,213	0.070	0.068 - 0.072	3,130	0.085	0.082 - 0.088	2,083	0.056	0.054 - 0.058
CA - Los Angeles	6,453	0.064	0.063 - 0.066	3,755	0.076	0.073 - 0.078	2,698	0.053	0.051 - 0.055
Colorado	4,245	0.074	0.072 - 0.076	2,537	0.088	0.085 - 0.091	1,708	0.060	0.057 - 0.063
Connecticut	3,594	0.101	0.097 - 0.104	2,066	0.119	0.114 - 0.124	1,529	0.084	0.079 - 0.088
Delaware	790	0.081	0.076 - 0.087	467	0.099	0.091 - 0.109	323	0.064	0.058 - 0.072
District of Columbia	348	0.049	0.044 - 0.055	208	0.062	0.054 - 0.071	140	0.038	0.032 - 0.045
Florida	24,759	0.116	0.114 - 0.117	13,770	0.132	0.130 - 0.134	10,989	0.101	0.099 - 0.102
Georgia	7,627	0.072	0.071 - 0.074	4,297	0.084	0.081 - 0.086	3,330	0.061	0.059 - 0.063
Hawaii	868	0.061	0.057 - 0.065	505	0.071	0.065 - 0.077	363	0.051	0.046 - 0.057
Idaho	1,635	0.092	0.088 - 0.097	976	0.110	0.103 - 0.117	659	0.075	0.069 - 0.081
Illinois	9,629	0.076	0.074 - 0.077	5,615	0.090	0.088 - 0.092	4,014	0.062	0.060 - 0.064
Indiana	5,060	0.075	0.073 - 0.077	2,940	0.089	0.086 - 0.092	2,120	0.062	0.060 - 0.065
Iowa	3,254	0.103	0.100 - 0.107	1,950	0.124	0.119 - 0.130	1,304	0.082	0.078 - 0.087
Kansas	2,758	0.095	0.091 - 0.098	1,630	0.112	0.107 - 0.118	1,128	0.077	0.073 - 0.082
Kentucky	4,051	0.091	0.088 - 0.093	2,298	0.104	0.100 - 0.109	1,753	0.077	0.074 - 0.081
Louisiana	3,528	0.076	0.073 - 0.078	1,986	0.087	0.083 - 0.091	1,542	0.065	0.061 - 0.068
Maine	1,478	0.110	0.105 - 0.116	849	0.129	0.121 - 0.138	629	0.092	0.085 - 0.099
Maryland	4,188	0.069	0.067 - 0.071	2,328	0.079	0.076 - 0.083	1,860	0.060	0.057 - 0.062
MI - Detroit	3,721	0.096	0.093 - 0.099	2,167	0.115	0.110 - 0.120	1,554	0.078	0.074 - 0.082
Minnesota	5,615	0.100	0.097 - 0.102	3,412	0.122	0.118 - 0.126	2,203	0.078	0.075 - 0.081
Mississippi	1,940	0.065	0.062 - 0.068	1,113	0.077	0.073 - 0.082	827	0.054	0.050 - 0.058
Missouri	4,950	0.081	0.078 - 0.083	2,850	0.095	0.091 - 0.098	2,100	0.067	0.064 - 0.070
Montana	1,129	0.106	0.100 - 0.112	733	0.137	0.127 - 0.147	397	0.075	0.068 - 0.083
Nebraska	1,551	0.080	0.076 - 0.085	947	0.098	0.092 - 0.105	604	0.063	0.058 - 0.068
New Hampshire	1,304	0.096	0.091 - 0.101	808	0.120	0.112 - 0.129	496	0.072	0.066 - 0.079
New Jersey	8,957	0.101	0.099 - 0.103	5,157	0.119	0.115 - 0.122	3,800	0.084	0.081 - 0.086
New Mexico	1,746	0.083	0.079 - 0.087	982	0.095	0.089 - 0.101	765	0.072	0.067 - 0.078
New York	20,494	0.105	0.104 - 0.107	11,869	0.125	0.123 - 0.128	8,625	0.086	0.084 - 0.088
North Carolina	8,960	0.086	0.084 - 0.088	5,199	0.102	0.100 - 0.105	3,761	0.070	0.068 - 0.072
North Dakota	730	0.096	0.089 - 0.103	449	0.115	0.105 - 0.126	281	0.076	0.067 - 0.085
Ohio	8,035	0.069	0.067 - 0.070	4,664	0.081	0.079 - 0.084	3,371	0.057	0.055 - 0.059
Oklahoma	2,899	0.073	0.071 - 0.076	1,649	0.084	0.080 - 0.088	1,250	0.063	0.059 - 0.066
Oregon	3,175	0.076	0.073 - 0.078	1,840	0.088	0.084 - 0.093	1,335	0.063	0.060 - 0.067
Pennsylvania	12,364	0.097	0.095 - 0.098	7,197	0.115	0.112 - 0.117	5,167	0.079	0.077 - 0.081
Rhode Island	1,035	0.098	0.092 - 0.104	618	0.120	0.111 - 0.130	417	0.077	0.070 - 0.084
South Carolina	3,584	0.070	0.068 - 0.072	2,029	0.082	0.078 - 0.085	1,555	0.059	0.056 - 0.062
Tennessee	5,254	0.077	0.075 - 0.079	3,030	0.091	0.088 - 0.095	2,224	0.064	0.061 - 0.067
Texas	20,441	0.071	0.070 - 0.072	11,715	0.082	0.080 - 0.083	8,726	0.060	0.059 - 0.061
Utah	2,171	0.068	0.065 - 0.071	1,295	0.081	0.077 - 0.085	876	0.056	0.052 - 0.059
Vermont	549	0.088	0.081 - 0.096	324	0.105	0.094 - 0.117	225	0.071	0.062 - 0.081
Washington	6,534	0.086	0.084 - 0.088	3,874	0.102	0.099 - 0.106	2,660	0.070	0.068 - 0.073
WA - Seattle	4,838	0.093	0.090 - 0.095	2,881	0.110	0.106 - 0.114	1,957	0.075	0.072 - 0.078
West Virginia	1,849	0.103	0.098 - 0.107	1,098	0.123	0.116 - 0.131	751	0.083	0.077 - 0.089
Wisconsin	6,442	0.111	0.108 - 0.113	3,873	0.134	0.130 - 0.138	2,569	0.088	0.085 - 0.091
Wyoming	464	0.080	0.073 - 0.088	269	0.091	0.081 - 0.103	195	0.069	0.059 - 0.079
NAACCR CDN Combined	36,613	0.098	0.097 - 0.100	21,646	0.117	0.116 - 0.119	14,958	0.080	0.078 - 0.081
Alberta	3,737	0.086	0.084 - 0.089	2,264	0.104	0.100 - 0.108	1,473	0.068	0.065 - 0.072
British Columbia	3,933	0.078	0.075 - 0.080	2,382	0.095	0.091 - 0.099	1,551	0.061	0.058 - 0.064
Manitoba	1,211	0.089	0.084 - 0.094	721	0.106	0.098 - 0.114	490	0.072	0.066 - 0.079
New Brunswick	944	0.122	0.114 - 0.130	547	0.143	0.131 - 0.155	397	0.102	0.092 - 0.112
Newfoundland and Labrador	332	0.063	0.057 - 0.070	212	0.082	0.071 - 0.093	120	0.045	0.038 - 0.054
Ontario	15,926	0.110	0.109 - 0.112	9,301	0.131	0.128 - 0.133	6,625	0.091	0.089 - 0.093
Prince Edward Island	120	0.077	0.064 - 0.092	67	0.088	0.068 - 0.111	53	0.067	0.050 - 0.088
Saskatchewan	1,157	0.099	0.094 - 0.105	690	0.117	0.109 - 0.126	467	0.081	0.073 - 0.088
NAACCR N.A. Combined	309,059	0.084	0.084 - 0.085	179,394	0.099	0.099 - 0.100	129,674	0.070	0.069 - 0.070

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

All Races

III-174 Prevalence – Leukemias

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, All Races, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	5,372	0.002	0.002 - 0.002	3,437	0.002	0.002 - 0.002	1,935	0.001	0.001 - 0.001
Alabama	57	0.001	0.001 - 0.002	35	0.001	0.001 - 0.002	22	0.001	0.001 - 0.001
Alaska	16	0.002	0.001 - 0.004	*	*		*	*	
Arizona	99	0.001	0.001 - 0.002	66	0.002	0.001 - 0.002	33	0.001	0.001 - 0.001
Arkansas	40	0.001	0.001 - 0.002	28	0.002	0.001 - 0.003	12	0.001	0.000 - 0.001
California	559	0.001	0.001 - 0.002	347	0.002	0.002 - 0.002	212	0.001	0.001 - 0.001
CA - Greater California	326	0.001	0.001 - 0.002	203	0.002	0.002 - 0.002	124	0.001	0.001 - 0.001
CA - Greater Bay Area	116	0.002	0.001 - 0.002	64	0.002	0.001 - 0.002	52	0.001	0.001 - 0.002
CA - Los Angeles	118	0.001	0.001 - 0.001	80	0.002	0.001 - 0.002	38	0.001	0.001 - 0.001
Colorado	83	0.001	0.001 - 0.002	51	0.002	0.001 - 0.002	32	0.001	0.001 - 0.002
Connecticut	66	0.002	0.001 - 0.002	45	0.003	0.002 - 0.003	21	0.001	0.001 - 0.002
Delaware	33	0.003	0.002 - 0.005	22	0.005	0.003 - 0.007	11	0.002	0.001 - 0.004
District of Columbia	*	*		*	*		*	*	
Florida	386	0.002	0.002 - 0.002	264	0.003	0.002 - 0.003	122	0.001	0.001 - 0.001
Georgia	111	0.001	0.001 - 0.001	80	0.002	0.001 - 0.002	31	0.001	0.000 - 0.001
Hawaii	12	0.001	0.000 - 0.001	*	*		*	*	
Idaho	40	0.002	0.002 - 0.003	28	0.003	0.002 - 0.005	12	0.001	0.001 - 0.002
Illinois	232	0.002	0.002 - 0.002	144	0.002	0.002 - 0.003	88	0.001	0.001 - 0.002
Indiana	96	0.001	0.001 - 0.002	65	0.002	0.002 - 0.003	31	0.001	0.001 - 0.001
Iowa	57	0.002	0.001 - 0.002	35	0.002	0.002 - 0.003	22	0.001	0.001 - 0.002
Kansas	40	0.001	0.001 - 0.002	23	0.002	0.001 - 0.002	17	0.001	0.001 - 0.002
Kentucky	63	0.001	0.001 - 0.002	41	0.002	0.001 - 0.003	22	0.001	0.001 - 0.001
Louisiana	104	0.002	0.002 - 0.003	60	0.003	0.002 - 0.003	44	0.002	0.001 - 0.002
Maine	41	0.003	0.002 - 0.004	30	0.005	0.003 - 0.007	11	0.002	0.001 - 0.003
Maryland	96	0.002	0.001 - 0.002	51	0.002	0.001 - 0.002	45	0.001	0.001 - 0.002
MI - Detroit	79	0.002	0.002 - 0.003	47	0.002	0.002 - 0.003	32	0.002	0.001 - 0.002
Minnesota	122	0.002	0.002 - 0.003	75	0.003	0.002 - 0.003	47	0.002	0.001 - 0.002
Mississippi	41	0.001	0.001 - 0.002	25	0.002	0.001 - 0.003	16	0.001	0.001 - 0.002
Missouri	86	0.001	0.001 - 0.002	58	0.002	0.001 - 0.002	28	0.001	0.001 - 0.001
Montana	28	0.003	0.002 - 0.004	14	0.003	0.001 - 0.004	14	0.003	0.001 - 0.004
Nebraska	28	0.001	0.001 - 0.002	*	*		*	*	
New Hampshire	29	0.002	0.001 - 0.003	*	*		*	*	
New Jersey	210	0.002	0.002 - 0.003	127	0.003	0.002 - 0.003	83	0.002	0.001 - 0.002
New Mexico	24	0.001	0.001 - 0.002	*	*		*	*	
New York	354	0.002	0.002 - 0.002	220	0.002	0.002 - 0.003	135	0.001	0.001 - 0.002
North Carolina	146	0.001	0.001 - 0.002	92	0.002	0.001 - 0.002	54	0.001	0.001 - 0.001
North Dakota	15	0.002	0.001 - 0.003	*	*		*	*	
Ohio	206	0.002	0.002 - 0.002	135	0.002	0.002 - 0.003	71	0.001	0.001 - 0.002
Oklahoma	51	0.001	0.001 - 0.002	28	0.001	0.001 - 0.002	23	0.001	0.001 - 0.002
Oregon	71	0.002	0.001 - 0.002	54	0.003	0.002 - 0.003	17	0.001	0.000 - 0.001
Pennsylvania	291	0.002	0.002 - 0.003	196	0.003	0.003 - 0.004	95	0.001	0.001 - 0.002
Rhode Island	22	0.002	0.001 - 0.003	12	0.002	0.001 - 0.004	10	0.002	0.001 - 0.003
South Carolina	82	0.002	0.001 - 0.002	50	0.002	0.001 - 0.003	32	0.001	0.001 - 0.002
Tennessee	72	0.001	0.001 - 0.001	43	0.001	0.001 - 0.002	29	0.001	0.001 - 0.001
Texas	382	0.001	0.001 - 0.001	249	0.002	0.002 - 0.002	133	0.001	0.001 - 0.001
Utah	32	0.001	0.001 - 0.001	16	0.001	0.001 - 0.002	16	0.001	0.001 - 0.002
Vermont	11	0.002	0.001 - 0.003	*	*		*	*	
Washington	137	0.002	0.002 - 0.002	90	0.002	0.002 - 0.003	47	0.001	0.001 - 0.002
WA - Seattle	98	0.002	0.002 - 0.002	62	0.002	0.002 - 0.003	36	0.001	0.001 - 0.002
West Virginia	41	0.002	0.002 - 0.003	24	0.003	0.002 - 0.004	17	0.002	0.001 - 0.003
Wisconsin	125	0.002	0.002 - 0.003	82	0.003	0.002 - 0.004	43	0.001	0.001 - 0.002
Wyoming	17	0.003	0.002 - 0.005	*	*		*	*	
NAACCR CDN Combined	864	0.002	0.002 - 0.003	587	0.003	0.003 - 0.004	275	0.001	0.001 - 0.002
Alberta	83	0.002	0.002 - 0.002	61	0.003	0.002 - 0.004	22	0.001	0.001 - 0.002
British Columbia	139	0.003	0.002 - 0.003	110	0.004	0.004 - 0.005	29	0.001	0.001 - 0.002
Manitoba	24	0.002	0.001 - 0.003	*	*		*	*	
New Brunswick	20	0.003	0.002 - 0.004	*	*		*	*	
Newfoundland and Labrador	11	0.002	0.001 - 0.004	*	*		*	*	
Ontario	343	0.002	0.002 - 0.003	214	0.003	0.003 - 0.003	129	0.002	0.001 - 0.002
Prince Edward Island	*	*		*	*		*	*	
Saskatchewan	23	0.002	0.001 - 0.003	*	*		*	*	
NAACCR N.A. Combined	6,236	0.002	0.002 - 0.002	4,025	0.002	0.002 - 0.002	2,210	0.001	0.001 - 0.001

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	7,716,877	3.028	3.026 - 3.030	3,727,522	2.950	2.947 - 2.953	3,989,707	3.105	3.102 - 3.108
Alabama	103,825	3.023	3.005 - 3.042	51,908	3.081	3.055 - 3.108	51,917	2.968	2.942 - 2.993
Alaska	13,107	2.594	2.550 - 2.639	6,672	2.499	2.439 - 2.560	6,435	2.701	2.636 - 2.768
Arizona	155,260	2.556	2.544 - 2.569	73,503	2.435	2.418 - 2.453	81,757	2.676	2.658 - 2.694
Arkansas	72,439	2.990	2.968 - 3.012	36,747	3.072	3.041 - 3.104	35,692	2.909	2.879 - 2.940
California	751,183	2.583	2.577 - 2.589	357,098	2.449	2.441 - 2.457	394,085	2.718	2.710 - 2.727
CA - Greater California	447,968	2.587	2.579 - 2.594	213,538	2.463	2.453 - 2.473	234,430	2.711	2.700 - 2.722
CA - Greater Bay Area	138,827	3.061	3.045 - 3.077	67,946	2.957	2.935 - 2.979	70,881	3.168	3.145 - 3.191
CA - Los Angeles	165,140	2.285	2.274 - 2.296	76,025	2.103	2.088 - 2.118	89,116	2.467	2.451 - 2.483
Colorado	126,805	2.501	2.487 - 2.514	59,495	2.330	2.311 - 2.349	67,310	2.674	2.654 - 2.694
Connecticut	108,100	3.740	3.717 - 3.762	51,425	3.637	3.606 - 3.669	56,675	3.837	3.806 - 3.869
Delaware	25,531	3.730	3.684 - 3.776	12,659	3.801	3.735 - 3.868	12,872	3.663	3.600 - 3.726
District of Columbia	6,323	1.928	1.881 - 1.977	2,969	1.813	1.748 - 1.879	3,354	2.044	1.976 - 2.115
Florida	566,128	3.378	3.369 - 3.386	279,497	3.396	3.384 - 3.409	286,631	3.360	3.347 - 3.372
Georgia	193,676	2.989	2.976 - 3.002	95,508	2.973	2.954 - 2.992	98,168	3.005	2.986 - 3.024
Hawaii	13,691	3.792	3.729 - 3.856	7,390	3.786	3.700 - 3.873	6,302	3.799	3.706 - 3.894
Idaho	44,078	2.630	2.606 - 2.655	22,023	2.620	2.585 - 2.655	22,055	2.640	2.606 - 2.675
Illinois	312,639	3.170	3.159 - 3.181	148,574	3.039	3.024 - 3.054	164,065	3.298	3.282 - 3.314
Indiana	167,531	2.904	2.890 - 2.918	78,943	2.771	2.751 - 2.790	88,588	3.034	3.014 - 3.054
Iowa	94,543	3.271	3.250 - 3.292	46,160	3.221	3.192 - 3.251	48,383	3.320	3.290 - 3.349
Kansas	77,728	3.039	3.018 - 3.061	38,029	2.992	2.962 - 3.023	39,699	3.086	3.056 - 3.116
Kentucky	126,981	3.203	3.185 - 3.221	60,755	3.115	3.090 - 3.139	66,226	3.288	3.263 - 3.314
Louisiana	96,053	3.241	3.220 - 3.261	49,680	3.389	3.359 - 3.419	46,373	3.096	3.068 - 3.124
Maine	46,513	3.620	3.587 - 3.653	22,151	3.525	3.478 - 3.571	24,362	3.711	3.665 - 3.758
Maryland	119,936	3.317	3.298 - 3.336	57,629	3.227	3.200 - 3.253	62,307	3.405	3.378 - 3.432
MI - Detroit	94,470	3.568	3.545 - 3.591	46,253	3.534	3.502 - 3.567	48,217	3.601	3.569 - 3.633
Minnesota	161,479	3.374	3.357 - 3.390	79,086	3.321	3.298 - 3.345	82,393	3.425	3.402 - 3.449
Mississippi	56,852	3.195	3.169 - 3.222	28,851	3.281	3.244 - 3.319	28,001	3.112	3.075 - 3.148
Missouri	154,799	3.000	2.985 - 3.015	73,151	2.876	2.856 - 2.897	81,648	3.121	3.100 - 3.142
Montana	32,082	3.322	3.286 - 3.358	16,561	3.402	3.350 - 3.454	15,521	3.241	3.190 - 3.292
Nebraska	51,636	2.999	2.973 - 3.025	25,370	2.956	2.920 - 2.993	26,266	3.041	3.004 - 3.078
New Hampshire	46,677	3.648	3.615 - 3.681	22,824	3.607	3.561 - 3.654	23,853	3.687	3.640 - 3.734
New Jersey	241,462	3.725	3.710 - 3.740	115,920	3.641	3.620 - 3.662	125,542	3.806	3.785 - 3.827
New Mexico	45,745	2.629	2.605 - 2.654	21,476	2.493	2.460 - 2.526	24,269	2.763	2.729 - 2.798
New York	504,468	3.659	3.649 - 3.669	242,446	3.583	3.568 - 3.597	262,022	3.732	3.718 - 3.746
North Carolina	236,633	3.162	3.149 - 3.175	114,237	3.104	3.086 - 3.122	122,396	3.218	3.200 - 3.236
North Dakota	20,443	3.042	3.001 - 3.084	10,409	3.031	2.973 - 3.090	10,034	3.054	2.994 - 3.114
Ohio	304,192	3.142	3.131 - 3.153	143,673	3.018	3.002 - 3.033	160,519	3.263	3.247 - 3.279
Oklahoma	82,155	2.694	2.676 - 2.712	39,788	2.635	2.609 - 2.661	42,367	2.752	2.726 - 2.779
Oregon	113,720	3.045	3.027 - 3.062	54,053	2.919	2.894 - 2.943	59,667	3.168	3.143 - 3.194
Pennsylvania	377,197	3.563	3.552 - 3.574	178,157	3.426	3.410 - 3.442	199,040	3.695	3.679 - 3.712
Rhode Island	32,632	3.624	3.585 - 3.664	15,044	3.442	3.387 - 3.497	17,588	3.797	3.741 - 3.853
South Carolina	108,528	3.048	3.030 - 3.066	53,019	3.032	3.006 - 3.058	55,509	3.063	3.038 - 3.089
Tennessee	165,428	3.056	3.042 - 3.071	81,606	3.070	3.049 - 3.091	83,822	3.043	3.023 - 3.064
Texas	524,452	2.282	2.276 - 2.288	252,074	2.198	2.190 - 2.207	272,378	2.366	2.357 - 2.375
Utah	62,155	2.120	2.104 - 2.137	31,504	2.136	2.112 - 2.159	30,651	2.105	2.082 - 2.129
Vermont	21,137	3.541	3.494 - 3.589	10,073	3.420	3.354 - 3.488	11,064	3.659	3.591 - 3.728
Washington	185,020	3.015	3.001 - 3.029	88,994	2.893	2.874 - 2.912	96,026	3.138	3.118 - 3.158
WA - Seattle	131,381	3.280	3.262 - 3.298	64,054	3.182	3.157 - 3.207	67,326	3.379	3.353 - 3.404
West Virginia	58,603	3.440	3.412 - 3.468	28,004	3.332	3.293 - 3.371	30,599	3.544	3.505 - 3.584
Wisconsin	170,120	3.325	3.309 - 3.341	83,763	3.286	3.264 - 3.309	86,357	3.364	3.341 - 3.386
Wyoming	15,405	2.831	2.787 - 2.876	8,039	2.902	2.839 - 2.966	7,366	2.758	2.695 - 2.821

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-176 Prevalence – All Sites

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	223,045	0.087	0.087 - 0.088	160,147	0.127	0.126 - 0.127	62,934	0.049	0.049 - 0.049
Alabama	3,473	0.101	0.098 - 0.105	2,489	0.148	0.142 - 0.154	984	0.056	0.053 - 0.060
Alaska	408	0.081	0.073 - 0.089	321	0.120	0.107 - 0.134	87	0.037	0.029 - 0.045
Arizona	4,011	0.066	0.064 - 0.068	2,939	0.097	0.094 - 0.101	1,072	0.035	0.033 - 0.037
Arkansas	2,366	0.098	0.094 - 0.102	1,735	0.145	0.138 - 0.152	631	0.051	0.047 - 0.056
California	20,906	0.072	0.071 - 0.073	15,037	0.103	0.101 - 0.105	5,869	0.040	0.039 - 0.042
CA - Greater California	13,131	0.076	0.075 - 0.077	9,515	0.110	0.108 - 0.112	3,616	0.042	0.040 - 0.043
CA - Greater Bay Area	3,838	0.085	0.082 - 0.087	2,775	0.121	0.116 - 0.125	1,063	0.048	0.045 - 0.050
CA - Los Angeles	3,946	0.055	0.053 - 0.056	2,754	0.076	0.073 - 0.079	1,192	0.033	0.031 - 0.035
Colorado	3,672	0.072	0.070 - 0.075	2,642	0.103	0.100 - 0.107	1,030	0.041	0.038 - 0.043
Connecticut	2,948	0.102	0.098 - 0.106	2,014	0.142	0.136 - 0.149	934	0.063	0.059 - 0.067
Delaware	738	0.108	0.100 - 0.116	544	0.163	0.150 - 0.178	194	0.055	0.048 - 0.064
District of Columbia	184	0.056	0.048 - 0.065	126	0.077	0.064 - 0.092	58	0.035	0.027 - 0.046
Florida	17,774	0.106	0.104 - 0.108	13,124	0.159	0.157 - 0.162	4,650	0.055	0.053 - 0.056
Georgia	6,107	0.094	0.092 - 0.097	4,423	0.138	0.134 - 0.142	1,684	0.052	0.049 - 0.054
Hawaii	548	0.152	0.139 - 0.165	426	0.218	0.198 - 0.240	122	0.073	0.061 - 0.088
Idaho	1,360	0.081	0.077 - 0.086	981	0.117	0.110 - 0.124	379	0.045	0.041 - 0.050
Illinois	8,873	0.090	0.088 - 0.092	6,292	0.129	0.126 - 0.132	2,581	0.052	0.050 - 0.054
Indiana	5,152	0.089	0.087 - 0.092	3,764	0.132	0.128 - 0.136	1,388	0.048	0.045 - 0.050
Iowa	2,954	0.102	0.099 - 0.106	2,093	0.146	0.140 - 0.152	860	0.059	0.055 - 0.063
Kansas	2,150	0.084	0.081 - 0.088	1,570	0.124	0.118 - 0.130	580	0.045	0.041 - 0.049
Kentucky	3,848	0.097	0.094 - 0.100	2,777	0.142	0.137 - 0.148	1,071	0.053	0.050 - 0.056
Louisiana	3,008	0.101	0.098 - 0.105	2,198	0.150	0.144 - 0.156	810	0.054	0.050 - 0.058
Maine	1,433	0.112	0.106 - 0.117	1,022	0.163	0.153 - 0.173	411	0.063	0.057 - 0.069
Maryland	3,559	0.098	0.095 - 0.102	2,552	0.143	0.137 - 0.149	1,007	0.055	0.052 - 0.059
MI - Detroit	2,577	0.097	0.094 - 0.101	1,849	0.141	0.135 - 0.148	728	0.054	0.050 - 0.058
Minnesota	4,616	0.096	0.094 - 0.099	3,162	0.133	0.128 - 0.138	1,454	0.060	0.057 - 0.064
Mississippi	1,785	0.100	0.096 - 0.105	1,256	0.143	0.135 - 0.151	529	0.059	0.054 - 0.064
Missouri	4,827	0.094	0.091 - 0.096	3,535	0.139	0.134 - 0.144	1,292	0.049	0.047 - 0.052
Montana	873	0.090	0.084 - 0.097	631	0.130	0.120 - 0.140	241	0.050	0.044 - 0.057
Nebraska	1,503	0.087	0.083 - 0.092	1,085	0.126	0.119 - 0.134	418	0.048	0.044 - 0.053
New Hampshire	1,233	0.096	0.091 - 0.102	878	0.139	0.130 - 0.148	355	0.055	0.049 - 0.061
New Jersey	5,842	0.090	0.088 - 0.092	4,055	0.127	0.123 - 0.131	1,787	0.054	0.052 - 0.057
New Mexico	1,207	0.069	0.065 - 0.073	890	0.103	0.097 - 0.110	317	0.036	0.032 - 0.040
New York	12,115	0.088	0.086 - 0.089	8,363	0.124	0.121 - 0.126	3,752	0.053	0.052 - 0.055
North Carolina	7,080	0.095	0.092 - 0.097	5,110	0.139	0.135 - 0.143	1,970	0.052	0.050 - 0.054
North Dakota	592	0.088	0.081 - 0.095	418	0.122	0.110 - 0.134	174	0.053	0.045 - 0.061
Ohio	8,944	0.092	0.090 - 0.094	6,358	0.134	0.130 - 0.137	2,586	0.053	0.051 - 0.055
Oklahoma	2,732	0.090	0.086 - 0.093	1,953	0.129	0.124 - 0.135	779	0.051	0.047 - 0.054
Oregon	3,519	0.094	0.091 - 0.097	2,539	0.137	0.132 - 0.143	980	0.052	0.049 - 0.055
Pennsylvania	10,298	0.097	0.095 - 0.099	7,220	0.139	0.136 - 0.142	3,078	0.057	0.055 - 0.059
Rhode Island	825	0.092	0.085 - 0.098	545	0.125	0.114 - 0.136	280	0.060	0.054 - 0.068
South Carolina	3,418	0.096	0.093 - 0.099	2,496	0.143	0.137 - 0.148	922	0.051	0.048 - 0.054
Tennessee	5,155	0.095	0.093 - 0.098	3,838	0.144	0.140 - 0.149	1,317	0.048	0.045 - 0.050
Texas	15,674	0.068	0.067 - 0.069	11,448	0.100	0.098 - 0.102	4,226	0.037	0.036 - 0.038
Utah	1,427	0.049	0.046 - 0.051	990	0.067	0.063 - 0.071	437	0.030	0.027 - 0.033
Vermont	613	0.103	0.095 - 0.111	454	0.154	0.140 - 0.169	159	0.053	0.045 - 0.061
Washington	5,521	0.090	0.088 - 0.092	3,893	0.127	0.123 - 0.131	1,628	0.053	0.051 - 0.056
WA - Seattle	4,034	0.101	0.098 - 0.104	2,861	0.142	0.137 - 0.147	1,173	0.059	0.056 - 0.062
West Virginia	1,749	0.103	0.098 - 0.108	1,275	0.152	0.143 - 0.160	474	0.055	0.050 - 0.060
Wisconsin	4,808	0.094	0.091 - 0.097	3,396	0.133	0.129 - 0.138	1,412	0.055	0.052 - 0.058
Wyoming	420	0.077	0.070 - 0.085	291	0.105	0.093 - 0.118	129	0.048	0.040 - 0.057

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	37,465	0.015	0.015 - 0.015	30,053	0.024	0.023 - 0.024	7,421	0.006	0.006 - 0.006
Alabama	477	0.014	0.013 - 0.015	411	0.024	0.022 - 0.027	66	0.004	0.003 - 0.005
Alaska	90	0.018	0.014 - 0.022	74	0.028	0.022 - 0.035	16	0.007	0.004 - 0.011
Arizona	788	0.013	0.012 - 0.014	630	0.021	0.019 - 0.023	158	0.005	0.004 - 0.006
Arkansas	317	0.013	0.012 - 0.015	263	0.022	0.019 - 0.025	54	0.004	0.003 - 0.006
California	2,965	0.010	0.010 - 0.011	2,336	0.016	0.015 - 0.017	628	0.004	0.004 - 0.005
CA - Greater California	1,871	0.011	0.010 - 0.011	1,490	0.017	0.016 - 0.018	381	0.004	0.004 - 0.005
CA - Greater Bay Area	577	0.013	0.012 - 0.014	436	0.019	0.017 - 0.021	141	0.006	0.005 - 0.007
CA - Los Angeles	517	0.007	0.007 - 0.008	411	0.011	0.010 - 0.013	106	0.003	0.002 - 0.004
Colorado	587	0.012	0.011 - 0.013	477	0.019	0.017 - 0.020	110	0.004	0.004 - 0.005
Connecticut	550	0.019	0.017 - 0.021	436	0.031	0.028 - 0.034	115	0.008	0.006 - 0.009
Delaware	141	0.021	0.017 - 0.024	111	0.033	0.027 - 0.040	30	0.009	0.006 - 0.012
District of Columbia	22	0.007	0.004 - 0.010	*	*		*	*	
Florida	3,084	0.018	0.018 - 0.019	2,498	0.030	0.029 - 0.032	586	0.007	0.006 - 0.007
Georgia	867	0.013	0.012 - 0.014	707	0.022	0.020 - 0.024	160	0.005	0.004 - 0.006
Hawaii	39	0.011	0.008 - 0.015	*	*		*	*	
Idaho	200	0.012	0.010 - 0.014	168	0.020	0.017 - 0.023	32	0.004	0.003 - 0.005
Illinois	1,554	0.016	0.015 - 0.017	1,252	0.026	0.024 - 0.027	302	0.006	0.005 - 0.007
Indiana	948	0.016	0.015 - 0.018	789	0.028	0.026 - 0.030	159	0.005	0.005 - 0.006
Iowa	573	0.020	0.018 - 0.022	473	0.033	0.030 - 0.036	101	0.007	0.006 - 0.008
Kansas	356	0.014	0.013 - 0.015	285	0.022	0.020 - 0.025	71	0.006	0.004 - 0.007
Kentucky	572	0.014	0.013 - 0.016	472	0.024	0.022 - 0.026	100	0.005	0.004 - 0.006
Louisiana	413	0.014	0.013 - 0.015	323	0.022	0.020 - 0.025	90	0.006	0.005 - 0.007
Maine	347	0.027	0.024 - 0.030	279	0.044	0.039 - 0.050	68	0.010	0.008 - 0.013
Maryland	603	0.017	0.015 - 0.018	497	0.028	0.025 - 0.030	106	0.006	0.005 - 0.007
MI - Detroit	523	0.020	0.018 - 0.022	409	0.031	0.028 - 0.034	114	0.008	0.007 - 0.010
Minnesota	769	0.016	0.015 - 0.017	600	0.025	0.023 - 0.027	169	0.007	0.006 - 0.008
Mississippi	263	0.015	0.013 - 0.017	218	0.025	0.022 - 0.028	45	0.005	0.004 - 0.007
Missouri	779	0.015	0.014 - 0.016	647	0.025	0.024 - 0.027	132	0.005	0.004 - 0.006
Montana	163	0.017	0.014 - 0.020	129	0.027	0.022 - 0.032	34	0.007	0.005 - 0.010
Nebraska	215	0.012	0.011 - 0.014	172	0.020	0.017 - 0.023	43	0.005	0.004 - 0.007
New Hampshire	332	0.026	0.023 - 0.029	275	0.043	0.038 - 0.049	57	0.009	0.007 - 0.011
New Jersey	1,070	0.017	0.016 - 0.018	842	0.026	0.025 - 0.028	227	0.007	0.006 - 0.008
New Mexico	205	0.012	0.010 - 0.013	161	0.019	0.016 - 0.022	44	0.005	0.004 - 0.007
New York	2,294	0.017	0.016 - 0.017	1,744	0.026	0.025 - 0.027	550	0.008	0.007 - 0.009
North Carolina	1,027	0.014	0.013 - 0.015	832	0.023	0.021 - 0.024	195	0.005	0.004 - 0.006
North Dakota	93	0.014	0.011 - 0.017	71	0.021	0.016 - 0.026	22	0.007	0.004 - 0.010
Ohio	1,675	0.017	0.016 - 0.018	1,360	0.029	0.027 - 0.030	315	0.006	0.006 - 0.007
Oklahoma	376	0.012	0.011 - 0.014	307	0.020	0.018 - 0.023	69	0.004	0.003 - 0.006
Oregon	637	0.017	0.016 - 0.018	506	0.027	0.025 - 0.030	131	0.007	0.006 - 0.008
Pennsylvania	1,967	0.019	0.018 - 0.019	1,570	0.030	0.029 - 0.032	397	0.007	0.007 - 0.008
Rhode Island	190	0.021	0.018 - 0.024	148	0.034	0.029 - 0.040	42	0.009	0.007 - 0.012
South Carolina	524	0.015	0.013 - 0.016	416	0.024	0.022 - 0.026	108	0.006	0.005 - 0.007
Tennessee	812	0.015	0.014 - 0.016	668	0.025	0.023 - 0.027	144	0.005	0.004 - 0.006
Texas	2,409	0.010	0.010 - 0.011	1,908	0.017	0.016 - 0.017	501	0.004	0.004 - 0.005
Utah	207	0.007	0.006 - 0.008	179	0.012	0.010 - 0.014	28	0.002	0.001 - 0.003
Vermont	129	0.022	0.018 - 0.026	111	0.038	0.031 - 0.045	18	0.006	0.004 - 0.009
Washington	972	0.016	0.015 - 0.017	758	0.025	0.023 - 0.026	214	0.007	0.006 - 0.008
WA - Seattle	624	0.016	0.014 - 0.017	472	0.023	0.021 - 0.026	152	0.008	0.006 - 0.009
West Virginia	306	0.018	0.016 - 0.020	244	0.029	0.026 - 0.033	62	0.007	0.006 - 0.009
Wisconsin	909	0.018	0.017 - 0.019	722	0.028	0.026 - 0.030	187	0.007	0.006 - 0.008
Wyoming	70	0.013	0.010 - 0.016	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	59,501	0.023	0.023 - 0.024	34,857	0.028	0.027 - 0.028	24,649	0.019	0.019 - 0.019
Alabama	819	0.024	0.022 - 0.026	434	0.026	0.023 - 0.028	385	0.022	0.020 - 0.024
Alaska	89	0.018	0.014 - 0.022	54	0.020	0.015 - 0.026	35	0.015	0.010 - 0.020
Arizona	1,153	0.019	0.018 - 0.020	691	0.023	0.021 - 0.025	462	0.015	0.014 - 0.017
Arkansas	508	0.021	0.019 - 0.023	304	0.025	0.023 - 0.028	204	0.017	0.014 - 0.019
California	6,704	0.023	0.023 - 0.024	3,780	0.026	0.025 - 0.027	2,924	0.020	0.019 - 0.021
CA - Greater California	3,511	0.020	0.020 - 0.021	1,976	0.023	0.022 - 0.024	1,535	0.018	0.017 - 0.019
CA - Greater Bay Area	1,197	0.026	0.025 - 0.028	702	0.031	0.028 - 0.033	495	0.022	0.020 - 0.024
CA - Los Angeles	2,001	0.028	0.026 - 0.029	1,103	0.030	0.029 - 0.032	899	0.025	0.023 - 0.027
Colorado	847	0.017	0.016 - 0.018	494	0.019	0.018 - 0.021	353	0.014	0.013 - 0.016
Connecticut	1,031	0.036	0.034 - 0.038	622	0.044	0.041 - 0.048	409	0.028	0.025 - 0.031
Delaware	175	0.026	0.022 - 0.030	111	0.033	0.027 - 0.040	64	0.018	0.014 - 0.023
District of Columbia	66	0.020	0.016 - 0.026	40	0.024	0.017 - 0.033	26	0.016	0.010 - 0.023
Florida	4,257	0.025	0.025 - 0.026	2,556	0.031	0.030 - 0.032	1,701	0.020	0.019 - 0.021
Georgia	1,245	0.019	0.018 - 0.020	694	0.022	0.020 - 0.023	552	0.017	0.016 - 0.018
Hawaii	85	0.024	0.019 - 0.029	54	0.028	0.021 - 0.036	31	0.019	0.013 - 0.027
Idaho	249	0.015	0.013 - 0.017	176	0.021	0.018 - 0.024	73	0.009	0.007 - 0.011
Illinois	2,581	0.026	0.025 - 0.027	1,525	0.031	0.030 - 0.033	1,056	0.021	0.020 - 0.023
Indiana	1,234	0.021	0.020 - 0.023	762	0.027	0.025 - 0.029	472	0.016	0.015 - 0.018
Iowa	510	0.018	0.016 - 0.019	307	0.021	0.019 - 0.024	203	0.014	0.012 - 0.016
Kansas	448	0.018	0.016 - 0.019	266	0.021	0.018 - 0.024	182	0.014	0.012 - 0.016
Kentucky	974	0.025	0.023 - 0.026	530	0.027	0.025 - 0.030	444	0.022	0.020 - 0.024
Louisiana	647	0.022	0.020 - 0.024	400	0.027	0.025 - 0.030	247	0.016	0.014 - 0.019
Maine	354	0.028	0.025 - 0.031	207	0.033	0.029 - 0.038	147	0.022	0.019 - 0.026
Maryland	910	0.025	0.024 - 0.027	524	0.029	0.027 - 0.032	386	0.021	0.019 - 0.023
MI - Detroit	658	0.025	0.023 - 0.027	389	0.030	0.027 - 0.033	269	0.020	0.018 - 0.023
Minnesota	1,061	0.022	0.021 - 0.024	653	0.027	0.025 - 0.030	408	0.017	0.015 - 0.019
Mississippi	388	0.022	0.020 - 0.024	204	0.023	0.020 - 0.027	184	0.020	0.018 - 0.024
Missouri	939	0.018	0.017 - 0.019	525	0.021	0.019 - 0.022	414	0.016	0.014 - 0.017
Montana	179	0.019	0.016 - 0.021	102	0.021	0.017 - 0.025	77	0.016	0.013 - 0.020
Nebraska	303	0.018	0.016 - 0.020	191	0.022	0.019 - 0.026	112	0.013	0.011 - 0.016
New Hampshire	355	0.028	0.025 - 0.031	204	0.032	0.028 - 0.037	151	0.023	0.020 - 0.027
New Jersey	2,232	0.034	0.033 - 0.036	1,270	0.040	0.038 - 0.042	962	0.029	0.027 - 0.031
New Mexico	397	0.023	0.021 - 0.025	217	0.025	0.022 - 0.029	180	0.020	0.018 - 0.024
New York	4,963	0.036	0.035 - 0.037	2,846	0.042	0.041 - 0.044	2,118	0.030	0.029 - 0.031
North Carolina	1,740	0.023	0.022 - 0.024	1,001	0.027	0.026 - 0.029	739	0.019	0.018 - 0.021
North Dakota	136	0.020	0.017 - 0.024	88	0.026	0.021 - 0.032	48	0.015	0.011 - 0.019
Ohio	2,263	0.023	0.022 - 0.024	1,382	0.029	0.028 - 0.031	881	0.018	0.017 - 0.019
Oklahoma	523	0.017	0.016 - 0.019	295	0.020	0.017 - 0.022	228	0.015	0.013 - 0.017
Oregon	746	0.020	0.019 - 0.021	452	0.024	0.022 - 0.027	294	0.016	0.014 - 0.018
Pennsylvania	2,783	0.026	0.025 - 0.027	1,754	0.034	0.032 - 0.035	1,029	0.019	0.018 - 0.020
Rhode Island	302	0.034	0.030 - 0.038	186	0.043	0.037 - 0.049	116	0.025	0.021 - 0.030
South Carolina	752	0.021	0.020 - 0.023	449	0.026	0.023 - 0.028	303	0.017	0.015 - 0.019
Tennessee	1,099	0.020	0.019 - 0.022	639	0.024	0.022 - 0.026	460	0.017	0.015 - 0.018
Texas	4,506	0.020	0.019 - 0.020	2,457	0.021	0.021 - 0.022	2,049	0.018	0.017 - 0.019
Utah	321	0.011	0.010 - 0.012	184	0.013	0.011 - 0.014	137	0.009	0.008 - 0.011
Vermont	135	0.023	0.019 - 0.027	89	0.030	0.024 - 0.037	46	0.015	0.011 - 0.020
Washington	1,181	0.019	0.018 - 0.020	734	0.024	0.022 - 0.026	447	0.015	0.013 - 0.016
WA - Seattle	807	0.020	0.019 - 0.022	506	0.025	0.023 - 0.027	301	0.015	0.013 - 0.017
West Virginia	418	0.025	0.022 - 0.027	246	0.029	0.026 - 0.033	172	0.020	0.017 - 0.023
Wisconsin	1,302	0.025	0.024 - 0.027	853	0.033	0.031 - 0.036	449	0.017	0.016 - 0.019
Wyoming	96	0.018	0.014 - 0.022	72	0.026	0.020 - 0.033	24	0.009	0.006 - 0.013

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	641,599	0.252	0.251 - 0.252	334,900	0.265	0.264 - 0.266	306,729	0.239	0.238 - 0.240
Alabama	9,928	0.289	0.283 - 0.295	5,237	0.311	0.303 - 0.319	4,691	0.268	0.261 - 0.276
Alaska	1,119	0.221	0.209 - 0.235	629	0.236	0.218 - 0.255	490	0.206	0.188 - 0.225
Arizona	12,796	0.211	0.207 - 0.214	6,730	0.223	0.218 - 0.228	6,066	0.199	0.194 - 0.204
Arkansas	6,809	0.281	0.274 - 0.288	3,601	0.301	0.291 - 0.311	3,208	0.261	0.253 - 0.271
California	62,682	0.216	0.214 - 0.217	32,660	0.224	0.222 - 0.226	30,022	0.207	0.205 - 0.209
CA - Greater California	37,166	0.215	0.212 - 0.217	19,396	0.224	0.221 - 0.227	17,769	0.205	0.202 - 0.209
CA - Greater Bay Area	10,878	0.240	0.235 - 0.244	5,616	0.244	0.238 - 0.251	5,262	0.235	0.229 - 0.242
CA - Los Angeles	14,660	0.203	0.200 - 0.206	7,662	0.212	0.207 - 0.217	6,998	0.194	0.189 - 0.198
Colorado	9,617	0.190	0.186 - 0.193	5,038	0.197	0.192 - 0.203	4,579	0.182	0.177 - 0.187
Connecticut	8,098	0.280	0.274 - 0.286	4,170	0.295	0.286 - 0.304	3,928	0.266	0.258 - 0.274
Delaware	1,915	0.280	0.267 - 0.293	990	0.297	0.279 - 0.316	925	0.263	0.247 - 0.281
District of Columbia	423	0.129	0.117 - 0.142	207	0.126	0.110 - 0.145	216	0.132	0.115 - 0.150
Florida	44,594	0.266	0.264 - 0.269	23,087	0.281	0.277 - 0.284	21,507	0.252	0.249 - 0.255
Georgia	15,991	0.247	0.243 - 0.251	8,545	0.266	0.260 - 0.272	7,445	0.228	0.223 - 0.233
Hawaii	1,108	0.307	0.289 - 0.326	644	0.330	0.305 - 0.356	464	0.280	0.255 - 0.307
Idaho	3,338	0.199	0.192 - 0.206	1,806	0.215	0.205 - 0.225	1,531	0.183	0.174 - 0.193
Illinois	27,814	0.282	0.279 - 0.285	14,589	0.298	0.294 - 0.303	13,225	0.266	0.261 - 0.270
Indiana	15,783	0.274	0.269 - 0.278	8,185	0.287	0.281 - 0.294	7,598	0.260	0.254 - 0.266
Iowa	8,612	0.298	0.292 - 0.304	4,443	0.310	0.301 - 0.319	4,169	0.286	0.277 - 0.295
Kansas	6,692	0.262	0.255 - 0.268	3,496	0.275	0.266 - 0.284	3,196	0.248	0.240 - 0.257
Kentucky	12,482	0.315	0.309 - 0.320	6,601	0.338	0.330 - 0.347	5,881	0.292	0.285 - 0.300
Louisiana	8,765	0.296	0.290 - 0.302	4,698	0.320	0.311 - 0.330	4,067	0.272	0.263 - 0.280
Maine	3,676	0.286	0.277 - 0.295	1,891	0.301	0.287 - 0.315	1,785	0.272	0.259 - 0.285
Maryland	8,873	0.245	0.240 - 0.251	4,494	0.252	0.244 - 0.259	4,379	0.239	0.232 - 0.246
MI - Detroit	7,366	0.278	0.272 - 0.285	3,758	0.287	0.278 - 0.296	3,608	0.269	0.261 - 0.278
Minnesota	12,720	0.266	0.261 - 0.270	6,628	0.278	0.272 - 0.285	6,092	0.253	0.247 - 0.260
Mississippi	5,544	0.312	0.303 - 0.320	2,912	0.331	0.319 - 0.343	2,632	0.292	0.281 - 0.304
Missouri	13,947	0.270	0.266 - 0.275	7,244	0.285	0.278 - 0.291	6,703	0.256	0.250 - 0.262
Montana	2,566	0.266	0.256 - 0.276	1,426	0.293	0.278 - 0.308	1,141	0.238	0.225 - 0.252
Nebraska	4,900	0.285	0.277 - 0.293	2,529	0.295	0.283 - 0.306	2,371	0.274	0.264 - 0.286
New Hampshire	3,399	0.266	0.257 - 0.275	1,794	0.284	0.271 - 0.297	1,605	0.248	0.236 - 0.261
New Jersey	19,095	0.295	0.290 - 0.299	9,666	0.304	0.298 - 0.310	9,429	0.286	0.280 - 0.292
New Mexico	3,907	0.225	0.218 - 0.232	2,035	0.236	0.226 - 0.247	1,872	0.213	0.204 - 0.223
New York	37,944	0.275	0.272 - 0.278	19,337	0.286	0.282 - 0.290	18,608	0.265	0.261 - 0.269
North Carolina	17,932	0.240	0.236 - 0.243	9,321	0.253	0.248 - 0.258	8,611	0.226	0.222 - 0.231
North Dakota	1,923	0.286	0.274 - 0.299	1,021	0.297	0.279 - 0.316	902	0.275	0.257 - 0.293
Ohio	26,763	0.276	0.273 - 0.280	13,757	0.289	0.284 - 0.294	13,006	0.264	0.260 - 0.269
Oklahoma	7,708	0.253	0.247 - 0.258	4,034	0.267	0.259 - 0.275	3,674	0.239	0.231 - 0.247
Oregon	8,889	0.238	0.233 - 0.243	4,650	0.251	0.244 - 0.258	4,239	0.225	0.218 - 0.232
Pennsylvania	31,775	0.300	0.297 - 0.303	16,236	0.312	0.307 - 0.317	15,539	0.288	0.284 - 0.293
Rhode Island	2,292	0.255	0.244 - 0.265	1,157	0.265	0.250 - 0.280	1,135	0.245	0.231 - 0.260
South Carolina	8,682	0.244	0.239 - 0.249	4,443	0.254	0.247 - 0.262	4,239	0.234	0.227 - 0.241
Tennessee	14,158	0.262	0.257 - 0.266	7,329	0.276	0.269 - 0.282	6,829	0.248	0.242 - 0.254
Texas	47,310	0.206	0.204 - 0.208	25,989	0.227	0.224 - 0.229	21,321	0.185	0.183 - 0.188
Utah	4,166	0.142	0.138 - 0.147	2,170	0.147	0.141 - 0.153	1,996	0.137	0.131 - 0.143
Vermont	1,505	0.252	0.240 - 0.265	787	0.267	0.249 - 0.287	718	0.237	0.220 - 0.255
Washington	13,906	0.227	0.223 - 0.230	7,146	0.232	0.227 - 0.238	6,760	0.221	0.216 - 0.226
WA - Seattle	9,521	0.238	0.233 - 0.243	4,930	0.245	0.238 - 0.252	4,591	0.230	0.224 - 0.237
West Virginia	5,673	0.333	0.324 - 0.342	2,982	0.355	0.342 - 0.368	2,691	0.312	0.300 - 0.324
Wisconsin	13,100	0.256	0.252 - 0.260	6,845	0.269	0.262 - 0.275	6,255	0.244	0.238 - 0.250
Wyoming	1,180	0.217	0.205 - 0.230	635	0.229	0.212 - 0.248	545	0.204	0.187 - 0.222

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-180 Prevalence – Colon and Rectum

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	57,644	0.023	0.022 - 0.023	40,692	0.032	0.032 - 0.033	16,962	0.013	0.013 - 0.013
Alabama	630	0.018	0.017 - 0.020	435	0.026	0.023 - 0.028	195	0.011	0.010 - 0.013
Alaska	106	0.021	0.017 - 0.025	79	0.030	0.023 - 0.037	27	0.011	0.007 - 0.016
Arizona	1,388	0.023	0.022 - 0.024	953	0.032	0.030 - 0.034	435	0.014	0.013 - 0.016
Arkansas	537	0.022	0.020 - 0.024	392	0.033	0.030 - 0.036	145	0.012	0.010 - 0.014
California	7,144	0.025	0.024 - 0.025	5,019	0.034	0.033 - 0.035	2,125	0.015	0.014 - 0.015
CA - Greater California	4,225	0.024	0.024 - 0.025	2,986	0.034	0.033 - 0.036	1,239	0.014	0.014 - 0.015
CA - Greater Bay Area	1,343	0.030	0.028 - 0.031	965	0.042	0.039 - 0.045	378	0.017	0.015 - 0.019
CA - Los Angeles	1,577	0.022	0.021 - 0.023	1,069	0.030	0.028 - 0.031	509	0.014	0.013 - 0.015
Colorado	957	0.019	0.018 - 0.020	689	0.027	0.025 - 0.029	268	0.011	0.009 - 0.012
Connecticut	768	0.027	0.025 - 0.029	577	0.041	0.038 - 0.044	191	0.013	0.011 - 0.015
Delaware	180	0.026	0.023 - 0.030	129	0.039	0.032 - 0.046	51	0.015	0.011 - 0.019
District of Columbia	44	0.013	0.010 - 0.018	31	0.019	0.013 - 0.027	13	0.008	0.004 - 0.014
Florida	4,252	0.025	0.025 - 0.026	2,949	0.036	0.035 - 0.037	1,303	0.015	0.014 - 0.016
Georgia	1,317	0.020	0.019 - 0.021	938	0.029	0.027 - 0.031	379	0.012	0.010 - 0.013
Hawaii	105	0.029	0.024 - 0.035	85	0.043	0.035 - 0.054	20	0.012	0.007 - 0.019
Idaho	258	0.015	0.014 - 0.017	191	0.023	0.020 - 0.026	68	0.008	0.006 - 0.010
Illinois	2,162	0.022	0.021 - 0.023	1,451	0.030	0.028 - 0.031	711	0.014	0.013 - 0.015
Indiana	1,063	0.018	0.017 - 0.020	747	0.026	0.024 - 0.028	316	0.011	0.010 - 0.012
Iowa	511	0.018	0.016 - 0.019	354	0.025	0.022 - 0.027	157	0.011	0.009 - 0.013
Kansas	499	0.020	0.018 - 0.021	355	0.028	0.025 - 0.031	144	0.011	0.009 - 0.013
Kentucky	767	0.019	0.018 - 0.021	540	0.028	0.025 - 0.030	228	0.011	0.010 - 0.013
Louisiana	741	0.025	0.023 - 0.027	545	0.037	0.034 - 0.040	196	0.013	0.011 - 0.015
Maine	215	0.017	0.015 - 0.019	161	0.026	0.022 - 0.030	54	0.008	0.006 - 0.011
Maryland	830	0.023	0.021 - 0.025	556	0.031	0.029 - 0.034	274	0.015	0.013 - 0.017
MI - Detroit	645	0.024	0.023 - 0.026	457	0.035	0.032 - 0.038	189	0.014	0.012 - 0.016
Minnesota	901	0.019	0.018 - 0.020	630	0.026	0.024 - 0.029	271	0.011	0.010 - 0.013
Mississippi	494	0.028	0.025 - 0.030	353	0.040	0.036 - 0.045	141	0.016	0.013 - 0.018
Missouri	1,007	0.020	0.018 - 0.021	726	0.029	0.027 - 0.031	281	0.011	0.010 - 0.012
Montana	167	0.017	0.015 - 0.020	127	0.026	0.022 - 0.031	40	0.008	0.006 - 0.011
Nebraska	211	0.012	0.011 - 0.014	149	0.017	0.015 - 0.020	62	0.007	0.006 - 0.009
New Hampshire	222	0.017	0.015 - 0.020	163	0.026	0.022 - 0.030	59	0.009	0.007 - 0.012
New Jersey	1,571	0.024	0.023 - 0.025	1,134	0.036	0.034 - 0.038	437	0.013	0.012 - 0.015
New Mexico	453	0.026	0.024 - 0.029	336	0.039	0.035 - 0.043	116	0.013	0.011 - 0.016
New York	3,493	0.025	0.025 - 0.026	2,502	0.037	0.036 - 0.038	991	0.014	0.013 - 0.015
North Carolina	1,636	0.022	0.021 - 0.023	1,185	0.032	0.030 - 0.034	451	0.012	0.011 - 0.013
North Dakota	71	0.011	0.008 - 0.013	45	0.013	0.010 - 0.018	26	0.008	0.005 - 0.012
Ohio	1,723	0.018	0.017 - 0.019	1,184	0.025	0.023 - 0.026	539	0.011	0.010 - 0.012
Oklahoma	563	0.018	0.017 - 0.020	395	0.026	0.024 - 0.029	168	0.011	0.009 - 0.013
Oregon	1,015	0.027	0.026 - 0.029	722	0.039	0.036 - 0.042	293	0.016	0.014 - 0.017
Pennsylvania	2,476	0.023	0.022 - 0.024	1,827	0.035	0.034 - 0.037	649	0.012	0.011 - 0.013
Rhode Island	198	0.022	0.019 - 0.025	149	0.034	0.029 - 0.040	49	0.011	0.008 - 0.014
South Carolina	759	0.021	0.020 - 0.023	550	0.031	0.029 - 0.034	209	0.012	0.010 - 0.013
Tennessee	1,112	0.021	0.019 - 0.022	777	0.029	0.027 - 0.031	335	0.012	0.011 - 0.014
Texas	6,283	0.027	0.027 - 0.028	4,342	0.038	0.037 - 0.039	1,941	0.017	0.016 - 0.018
Utah	383	0.013	0.012 - 0.014	252	0.017	0.015 - 0.019	131	0.009	0.008 - 0.011
Vermont	111	0.019	0.015 - 0.022	86	0.029	0.023 - 0.036	25	0.008	0.005 - 0.012
Washington	1,497	0.024	0.023 - 0.026	1,064	0.035	0.033 - 0.037	433	0.014	0.013 - 0.016
WA - Seattle	1,034	0.026	0.024 - 0.027	745	0.037	0.034 - 0.040	289	0.014	0.013 - 0.016
West Virginia	327	0.019	0.017 - 0.021	223	0.027	0.023 - 0.030	104	0.012	0.010 - 0.015
Wisconsin	1,060	0.021	0.019 - 0.022	737	0.029	0.027 - 0.031	323	0.013	0.011 - 0.014
Wyoming	80	0.015	0.012 - 0.018	57	0.021	0.016 - 0.027	23	0.009	0.005 - 0.013

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	64,115	0.025	0.025 - 0.025	33,842	0.027	0.026 - 0.027	30,276	0.024	0.023 - 0.024
Alabama	797	0.023	0.022 - 0.025	430	0.026	0.023 - 0.028	367	0.021	0.019 - 0.023
Alaska	81	0.016	0.013 - 0.020	47	0.018	0.013 - 0.023	34	0.014	0.010 - 0.020
Arizona	1,323	0.022	0.021 - 0.023	704	0.023	0.022 - 0.025	619	0.020	0.019 - 0.022
Arkansas	431	0.018	0.016 - 0.020	232	0.019	0.017 - 0.022	199	0.016	0.014 - 0.019
California	5,994	0.021	0.020 - 0.021	3,120	0.021	0.021 - 0.022	2,874	0.020	0.019 - 0.021
CA - Greater California	3,444	0.020	0.019 - 0.021	1,799	0.021	0.020 - 0.022	1,645	0.019	0.018 - 0.020
CA - Greater Bay Area	1,221	0.027	0.025 - 0.028	657	0.029	0.026 - 0.031	564	0.025	0.023 - 0.027
CA - Los Angeles	1,331	0.018	0.017 - 0.019	664	0.018	0.017 - 0.020	667	0.018	0.017 - 0.020
Colorado	1,018	0.020	0.019 - 0.021	552	0.022	0.020 - 0.023	466	0.019	0.017 - 0.020
Connecticut	950	0.033	0.031 - 0.035	509	0.036	0.033 - 0.039	442	0.030	0.027 - 0.033
Delaware	213	0.031	0.027 - 0.036	112	0.034	0.028 - 0.040	101	0.029	0.023 - 0.035
District of Columbia	64	0.020	0.015 - 0.025	30	0.018	0.012 - 0.026	34	0.021	0.014 - 0.029
Florida	5,175	0.031	0.030 - 0.032	2,706	0.033	0.032 - 0.034	2,469	0.029	0.028 - 0.030
Georgia	1,357	0.021	0.020 - 0.022	736	0.023	0.021 - 0.025	622	0.019	0.018 - 0.021
Hawaii	80	0.022	0.018 - 0.028	49	0.025	0.018 - 0.033	31	0.019	0.013 - 0.027
Idaho	343	0.020	0.018 - 0.023	184	0.022	0.019 - 0.025	159	0.019	0.016 - 0.022
Illinois	2,775	0.028	0.027 - 0.029	1,493	0.031	0.029 - 0.032	1,282	0.026	0.024 - 0.027
Indiana	1,419	0.025	0.023 - 0.026	722	0.025	0.024 - 0.027	697	0.024	0.022 - 0.026
Iowa	776	0.027	0.025 - 0.029	425	0.030	0.027 - 0.033	352	0.024	0.022 - 0.027
Kansas	566	0.022	0.020 - 0.024	299	0.024	0.021 - 0.026	267	0.021	0.018 - 0.023
Kentucky	886	0.022	0.021 - 0.024	463	0.024	0.022 - 0.026	423	0.021	0.019 - 0.023
Louisiana	708	0.024	0.022 - 0.026	367	0.025	0.023 - 0.028	341	0.023	0.020 - 0.025
Maine	337	0.026	0.024 - 0.029	177	0.028	0.024 - 0.033	160	0.024	0.021 - 0.028
Maryland	1,056	0.029	0.027 - 0.031	565	0.032	0.029 - 0.034	491	0.027	0.025 - 0.029
MI - Detroit	747	0.028	0.026 - 0.030	394	0.030	0.027 - 0.033	353	0.026	0.024 - 0.029
Minnesota	1,396	0.029	0.028 - 0.031	749	0.031	0.029 - 0.034	647	0.027	0.025 - 0.029
Mississippi	398	0.022	0.020 - 0.025	200	0.023	0.020 - 0.026	198	0.022	0.019 - 0.025
Missouri	1,220	0.024	0.022 - 0.025	649	0.026	0.024 - 0.028	571	0.022	0.020 - 0.024
Montana	249	0.026	0.023 - 0.029	138	0.028	0.024 - 0.033	112	0.023	0.019 - 0.028
Nebraska	403	0.023	0.021 - 0.026	202	0.024	0.020 - 0.027	201	0.023	0.020 - 0.027
New Hampshire	410	0.032	0.029 - 0.035	223	0.035	0.031 - 0.040	187	0.029	0.025 - 0.033
New Jersey	2,209	0.034	0.033 - 0.036	1,182	0.037	0.035 - 0.039	1,027	0.031	0.029 - 0.033
New Mexico	358	0.021	0.019 - 0.023	191	0.022	0.019 - 0.026	167	0.019	0.016 - 0.022
New York	4,659	0.034	0.033 - 0.035	2,426	0.036	0.034 - 0.037	2,234	0.032	0.031 - 0.033
North Carolina	1,832	0.024	0.023 - 0.026	941	0.026	0.024 - 0.027	891	0.023	0.022 - 0.025
North Dakota	159	0.024	0.020 - 0.028	87	0.025	0.020 - 0.031	72	0.022	0.017 - 0.028
Ohio	2,388	0.025	0.024 - 0.026	1,254	0.026	0.025 - 0.028	1,134	0.023	0.022 - 0.024
Oklahoma	537	0.018	0.016 - 0.019	283	0.019	0.017 - 0.021	254	0.017	0.015 - 0.019
Oregon	997	0.027	0.025 - 0.028	531	0.029	0.026 - 0.031	466	0.025	0.023 - 0.027
Pennsylvania	3,355	0.032	0.031 - 0.033	1,733	0.033	0.032 - 0.035	1,622	0.030	0.029 - 0.032
Rhode Island	273	0.030	0.027 - 0.034	136	0.031	0.026 - 0.037	137	0.030	0.025 - 0.035
South Carolina	834	0.023	0.022 - 0.025	440	0.025	0.023 - 0.028	394	0.022	0.020 - 0.024
Tennessee	1,179	0.022	0.021 - 0.023	613	0.023	0.021 - 0.025	566	0.021	0.019 - 0.022
Texas	4,715	0.021	0.020 - 0.021	2,488	0.022	0.021 - 0.023	2,227	0.019	0.019 - 0.020
Utah	397	0.014	0.012 - 0.015	222	0.015	0.013 - 0.017	175	0.012	0.010 - 0.014
Vermont	173	0.029	0.025 - 0.034	90	0.031	0.025 - 0.038	83	0.027	0.022 - 0.034
Washington	1,615	0.026	0.025 - 0.028	869	0.028	0.026 - 0.030	746	0.024	0.023 - 0.026
WA - Seattle	1,063	0.027	0.025 - 0.028	562	0.028	0.026 - 0.030	501	0.025	0.023 - 0.027
West Virginia	409	0.024	0.022 - 0.026	210	0.025	0.022 - 0.029	199	0.023	0.020 - 0.026
Wisconsin	1,509	0.029	0.028 - 0.031	833	0.033	0.031 - 0.035	676	0.026	0.024 - 0.028
Wyoming	119	0.022	0.018 - 0.026	68	0.025	0.019 - 0.031	51	0.019	0.014 - 0.025

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	57,301	0.022	0.022 - 0.023	45,489	0.036	0.036 - 0.036	11,823	0.009	0.009 - 0.009
Alabama	1,013	0.029	0.028 - 0.031	815	0.048	0.045 - 0.052	198	0.011	0.010 - 0.013
Alaska	85	0.017	0.013 - 0.021	72	0.027	0.021 - 0.034	13	0.005	0.003 - 0.009
Arizona	833	0.014	0.013 - 0.015	672	0.022	0.021 - 0.024	161	0.005	0.004 - 0.006
Arkansas	647	0.027	0.025 - 0.029	484	0.040	0.037 - 0.044	163	0.013	0.011 - 0.015
California	3,662	0.013	0.012 - 0.013	3,070	0.021	0.020 - 0.022	592	0.004	0.004 - 0.004
CA - Greater California	2,231	0.013	0.012 - 0.013	1,851	0.021	0.020 - 0.022	380	0.004	0.004 - 0.005
CA - Greater Bay Area	620	0.014	0.013 - 0.015	533	0.023	0.021 - 0.025	87	0.004	0.003 - 0.005
CA - Los Angeles	812	0.011	0.010 - 0.012	687	0.019	0.018 - 0.020	125	0.003	0.003 - 0.004
Colorado	698	0.014	0.013 - 0.015	557	0.022	0.020 - 0.024	141	0.006	0.005 - 0.007
Connecticut	769	0.027	0.025 - 0.029	598	0.042	0.039 - 0.046	171	0.012	0.010 - 0.013
Delaware	210	0.031	0.027 - 0.035	155	0.047	0.040 - 0.054	55	0.016	0.012 - 0.020
District of Columbia	31	0.009	0.006 - 0.013	*	*		*	*	
Florida	4,962	0.030	0.029 - 0.030	4,026	0.049	0.047 - 0.050	936	0.011	0.010 - 0.012
Georgia	1,556	0.024	0.023 - 0.025	1,234	0.038	0.036 - 0.041	322	0.010	0.009 - 0.011
Hawaii	109	0.030	0.025 - 0.036	92	0.047	0.038 - 0.058	17	0.010	0.006 - 0.016
Idaho	205	0.012	0.011 - 0.014	154	0.018	0.016 - 0.021	51	0.006	0.005 - 0.008
Illinois	2,532	0.026	0.025 - 0.027	1,991	0.041	0.039 - 0.043	541	0.011	0.010 - 0.012
Indiana	1,617	0.028	0.027 - 0.029	1,220	0.043	0.040 - 0.045	397	0.014	0.012 - 0.015
Iowa	781	0.027	0.025 - 0.029	635	0.044	0.041 - 0.048	146	0.010	0.008 - 0.012
Kansas	546	0.021	0.020 - 0.023	438	0.034	0.031 - 0.038	108	0.008	0.007 - 0.010
Kentucky	1,415	0.036	0.034 - 0.038	1,051	0.054	0.051 - 0.057	364	0.018	0.016 - 0.020
Louisiana	1,006	0.034	0.032 - 0.036	774	0.053	0.049 - 0.057	231	0.015	0.014 - 0.018
Maine	388	0.030	0.027 - 0.033	296	0.047	0.042 - 0.053	92	0.014	0.011 - 0.017
Maryland	757	0.021	0.019 - 0.022	607	0.034	0.031 - 0.037	150	0.008	0.007 - 0.010
MI - Detroit	765	0.029	0.027 - 0.031	599	0.046	0.042 - 0.050	166	0.012	0.011 - 0.014
Minnesota	979	0.020	0.019 - 0.022	796	0.033	0.031 - 0.036	183	0.008	0.007 - 0.009
Mississippi	533	0.030	0.027 - 0.033	408	0.046	0.042 - 0.051	125	0.014	0.012 - 0.017
Missouri	1,419	0.028	0.026 - 0.029	1,085	0.043	0.040 - 0.045	334	0.013	0.011 - 0.014
Montana	185	0.019	0.017 - 0.022	150	0.031	0.026 - 0.036	35	0.007	0.005 - 0.010
Nebraska	339	0.020	0.018 - 0.022	260	0.030	0.027 - 0.034	79	0.009	0.007 - 0.011
New Hampshire	329	0.026	0.023 - 0.029	260	0.041	0.036 - 0.046	69	0.011	0.008 - 0.013
New Jersey	1,489	0.023	0.022 - 0.024	1,222	0.038	0.036 - 0.041	266	0.008	0.007 - 0.009
New Mexico	248	0.014	0.013 - 0.016	202	0.023	0.020 - 0.027	46	0.005	0.004 - 0.007
New York	3,404	0.025	0.024 - 0.026	2,695	0.040	0.038 - 0.041	709	0.010	0.009 - 0.011
North Carolina	1,965	0.026	0.025 - 0.027	1,524	0.041	0.039 - 0.044	441	0.012	0.011 - 0.013
North Dakota	146	0.022	0.018 - 0.026	127	0.037	0.031 - 0.044	19	0.006	0.003 - 0.009
Ohio	2,833	0.029	0.028 - 0.030	2,203	0.046	0.044 - 0.048	630	0.013	0.012 - 0.014
Oklahoma	692	0.023	0.021 - 0.024	528	0.035	0.032 - 0.038	164	0.011	0.009 - 0.012
Oregon	628	0.017	0.016 - 0.018	506	0.027	0.025 - 0.030	122	0.006	0.005 - 0.008
Pennsylvania	2,912	0.028	0.027 - 0.029	2,272	0.044	0.042 - 0.046	640	0.012	0.011 - 0.013
Rhode Island	262	0.029	0.026 - 0.033	204	0.047	0.040 - 0.054	58	0.013	0.010 - 0.016
South Carolina	978	0.027	0.026 - 0.029	775	0.044	0.041 - 0.048	203	0.011	0.010 - 0.013
Tennessee	1,544	0.029	0.027 - 0.030	1,179	0.044	0.042 - 0.047	365	0.013	0.012 - 0.015
Texas	3,753	0.016	0.016 - 0.017	3,101	0.027	0.026 - 0.028	652	0.006	0.005 - 0.006
Utah	231	0.008	0.007 - 0.009	187	0.013	0.011 - 0.015	44	0.003	0.002 - 0.004
Vermont	167	0.028	0.024 - 0.033	128	0.043	0.036 - 0.052	39	0.013	0.009 - 0.018
Washington	1,001	0.016	0.015 - 0.017	809	0.026	0.025 - 0.028	192	0.006	0.005 - 0.007
WA - Seattle	659	0.016	0.015 - 0.018	541	0.027	0.025 - 0.029	118	0.006	0.005 - 0.007
West Virginia	627	0.037	0.034 - 0.040	453	0.054	0.049 - 0.059	174	0.020	0.017 - 0.023
Wisconsin	1,264	0.025	0.023 - 0.026	1,037	0.041	0.038 - 0.043	227	0.009	0.008 - 0.010
Wyoming	104	0.019	0.016 - 0.023	79	0.029	0.023 - 0.036	25	0.009	0.006 - 0.014

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	460,081	0.181	0.180 - 0.181	207,069	0.164	0.163 - 0.165	253,006	0.197	0.196 - 0.198
Alabama	6,569	0.191	0.187 - 0.196	3,255	0.193	0.187 - 0.200	3,314	0.189	0.183 - 0.196
Alaska	658	0.130	0.120 - 0.141	333	0.125	0.112 - 0.139	325	0.136	0.122 - 0.152
Arizona	8,820	0.145	0.142 - 0.148	3,804	0.126	0.122 - 0.130	5,016	0.164	0.160 - 0.169
Arkansas	5,399	0.223	0.217 - 0.229	2,650	0.222	0.213 - 0.230	2,749	0.224	0.216 - 0.233
California	31,809	0.109	0.108 - 0.111	13,498	0.093	0.091 - 0.094	18,311	0.126	0.124 - 0.128
CA - Greater California	20,143	0.116	0.115 - 0.118	8,500	0.098	0.096 - 0.100	11,643	0.135	0.132 - 0.137
CA - Greater Bay Area	5,494	0.121	0.118 - 0.124	2,312	0.101	0.097 - 0.105	3,183	0.142	0.137 - 0.147
CA - Los Angeles	6,184	0.086	0.083 - 0.088	2,689	0.074	0.072 - 0.077	3,496	0.097	0.094 - 0.100
Colorado	5,776	0.114	0.111 - 0.117	2,455	0.096	0.092 - 0.100	3,321	0.132	0.127 - 0.136
Connecticut	7,037	0.243	0.238 - 0.249	3,058	0.216	0.209 - 0.224	3,979	0.269	0.261 - 0.278
Delaware	1,697	0.248	0.236 - 0.260	717	0.215	0.200 - 0.232	980	0.279	0.262 - 0.297
District of Columbia	208	0.063	0.055 - 0.073	78	0.048	0.038 - 0.059	130	0.079	0.066 - 0.094
Florida	39,277	0.234	0.232 - 0.237	17,745	0.216	0.212 - 0.219	21,532	0.252	0.249 - 0.256
Georgia	11,745	0.181	0.178 - 0.185	5,588	0.174	0.169 - 0.179	6,157	0.188	0.184 - 0.193
Hawaii	536	0.148	0.136 - 0.162	270	0.138	0.122 - 0.156	266	0.161	0.142 - 0.181
Idaho	2,115	0.126	0.121 - 0.132	927	0.110	0.103 - 0.118	1,188	0.142	0.134 - 0.151
Illinois	19,755	0.200	0.198 - 0.203	8,815	0.180	0.177 - 0.184	10,940	0.220	0.216 - 0.224
Indiana	11,645	0.202	0.198 - 0.206	5,391	0.189	0.184 - 0.194	6,254	0.214	0.209 - 0.220
Iowa	5,439	0.188	0.183 - 0.193	2,599	0.181	0.174 - 0.188	2,840	0.195	0.188 - 0.202
Kansas	4,351	0.170	0.165 - 0.175	1,987	0.156	0.150 - 0.163	2,364	0.184	0.176 - 0.191
Kentucky	9,798	0.247	0.242 - 0.252	4,599	0.236	0.229 - 0.243	5,199	0.258	0.251 - 0.265
Louisiana	5,423	0.183	0.178 - 0.188	2,569	0.175	0.169 - 0.182	2,854	0.191	0.184 - 0.198
Maine	3,266	0.254	0.246 - 0.263	1,424	0.227	0.215 - 0.239	1,842	0.281	0.268 - 0.294
Maryland	7,039	0.195	0.190 - 0.199	2,981	0.167	0.161 - 0.173	4,058	0.222	0.215 - 0.229
MI - Detroit	5,864	0.221	0.216 - 0.227	2,530	0.193	0.186 - 0.201	3,335	0.249	0.241 - 0.258
Minnesota	9,197	0.192	0.188 - 0.196	4,084	0.172	0.166 - 0.177	5,113	0.213	0.207 - 0.218
Mississippi	4,254	0.239	0.232 - 0.246	2,112	0.240	0.230 - 0.251	2,142	0.238	0.228 - 0.248
Missouri	11,093	0.215	0.211 - 0.219	5,065	0.199	0.194 - 0.205	6,028	0.230	0.225 - 0.236
Montana	1,608	0.166	0.158 - 0.175	695	0.143	0.132 - 0.154	913	0.191	0.178 - 0.203
Nebraska	2,782	0.162	0.156 - 0.168	1,309	0.153	0.144 - 0.161	1,473	0.171	0.162 - 0.179
New Hampshire	2,871	0.224	0.216 - 0.233	1,176	0.186	0.175 - 0.197	1,695	0.262	0.250 - 0.275
New Jersey	13,665	0.211	0.207 - 0.214	5,553	0.174	0.170 - 0.179	8,112	0.246	0.241 - 0.251
New Mexico	1,975	0.114	0.109 - 0.119	880	0.102	0.095 - 0.109	1,095	0.125	0.117 - 0.132
New York	32,150	0.233	0.231 - 0.236	13,551	0.200	0.197 - 0.204	18,599	0.265	0.261 - 0.269
North Carolina	15,826	0.211	0.208 - 0.215	7,349	0.200	0.195 - 0.204	8,477	0.223	0.218 - 0.228
North Dakota	1,209	0.180	0.170 - 0.190	573	0.167	0.153 - 0.181	636	0.194	0.179 - 0.209
Ohio	20,086	0.207	0.205 - 0.210	9,345	0.196	0.192 - 0.200	10,741	0.218	0.214 - 0.223
Oklahoma	5,187	0.170	0.165 - 0.175	2,462	0.163	0.157 - 0.170	2,725	0.177	0.170 - 0.184
Oregon	6,461	0.173	0.169 - 0.177	2,841	0.153	0.148 - 0.159	3,620	0.192	0.186 - 0.199
Pennsylvania	23,811	0.225	0.222 - 0.228	10,681	0.205	0.202 - 0.209	13,130	0.244	0.240 - 0.248
Rhode Island	2,449	0.272	0.261 - 0.283	1,019	0.233	0.219 - 0.248	1,430	0.309	0.293 - 0.325
South Carolina	7,395	0.208	0.203 - 0.212	3,451	0.197	0.191 - 0.204	3,944	0.218	0.211 - 0.225
Tennessee	12,074	0.223	0.219 - 0.227	5,741	0.216	0.210 - 0.222	6,333	0.230	0.224 - 0.236
Texas	26,116	0.114	0.112 - 0.115	12,319	0.107	0.106 - 0.109	13,797	0.120	0.118 - 0.122
Utah	1,583	0.054	0.051 - 0.057	721	0.049	0.045 - 0.053	862	0.059	0.055 - 0.063
Vermont	1,403	0.235	0.223 - 0.248	624	0.212	0.196 - 0.229	779	0.258	0.240 - 0.276
Washington	9,954	0.162	0.159 - 0.165	4,349	0.141	0.137 - 0.146	5,605	0.183	0.178 - 0.188
WA - Seattle	6,765	0.169	0.165 - 0.173	2,926	0.145	0.140 - 0.151	3,839	0.193	0.187 - 0.199
West Virginia	4,523	0.265	0.258 - 0.273	2,102	0.250	0.240 - 0.261	2,421	0.280	0.269 - 0.292
Wisconsin	10,024	0.196	0.192 - 0.200	4,522	0.177	0.172 - 0.183	5,502	0.214	0.209 - 0.220
Wyoming	696	0.128	0.119 - 0.138	339	0.122	0.110 - 0.136	357	0.134	0.120 - 0.148

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-184 Prevalence – Lung and Bronchus

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	559,853	0.220	0.219 - 0.220	314,132	0.249	0.248 - 0.250	245,760	0.191	0.191 - 0.192
Alabama	8,996	0.262	0.257 - 0.267	5,064	0.301	0.292 - 0.309	3,932	0.225	0.218 - 0.232
Alaska	721	0.143	0.132 - 0.154	394	0.148	0.133 - 0.163	327	0.137	0.123 - 0.153
Arizona	12,823	0.211	0.207 - 0.215	7,833	0.260	0.254 - 0.265	4,990	0.163	0.159 - 0.168
Arkansas	4,805	0.198	0.193 - 0.204	2,805	0.235	0.226 - 0.243	2,000	0.163	0.156 - 0.170
California	59,950	0.206	0.204 - 0.208	34,614	0.237	0.235 - 0.240	25,336	0.175	0.173 - 0.177
CA - Greater California	36,996	0.214	0.211 - 0.216	21,334	0.246	0.243 - 0.249	15,663	0.181	0.178 - 0.184
CA - Greater Bay Area	14,021	0.309	0.304 - 0.314	8,073	0.351	0.344 - 0.359	5,948	0.266	0.259 - 0.273
CA - Los Angeles	8,980	0.124	0.122 - 0.127	5,240	0.145	0.141 - 0.149	3,739	0.104	0.100 - 0.107
Colorado	9,755	0.192	0.189 - 0.196	5,411	0.212	0.206 - 0.218	4,344	0.173	0.167 - 0.178
Connecticut	6,626	0.229	0.224 - 0.235	3,642	0.258	0.249 - 0.266	2,984	0.202	0.195 - 0.209
Delaware	2,501	0.365	0.351 - 0.380	1,439	0.432	0.410 - 0.455	1,062	0.302	0.284 - 0.321
District of Columbia	392	0.120	0.108 - 0.132	231	0.141	0.123 - 0.160	161	0.098	0.084 - 0.115
Florida	42,841	0.256	0.253 - 0.258	25,659	0.312	0.308 - 0.316	17,182	0.201	0.198 - 0.204
Georgia	20,141	0.311	0.307 - 0.315	11,371	0.354	0.347 - 0.361	8,770	0.268	0.263 - 0.274
Hawaii	2,424	0.671	0.645 - 0.699	1,524	0.781	0.742 - 0.821	900	0.543	0.508 - 0.579
Idaho	3,727	0.222	0.215 - 0.230	2,092	0.249	0.238 - 0.260	1,636	0.196	0.186 - 0.206
Illinois	20,458	0.207	0.205 - 0.210	10,963	0.224	0.220 - 0.228	9,495	0.191	0.187 - 0.195
Indiana	10,624	0.184	0.181 - 0.188	5,635	0.198	0.193 - 0.203	4,989	0.171	0.166 - 0.176
Iowa	6,954	0.241	0.235 - 0.246	3,565	0.249	0.241 - 0.257	3,390	0.233	0.225 - 0.241
Kansas	5,483	0.214	0.209 - 0.220	3,032	0.239	0.230 - 0.247	2,451	0.191	0.183 - 0.198
Kentucky	9,602	0.242	0.237 - 0.247	5,127	0.263	0.256 - 0.270	4,475	0.222	0.216 - 0.229
Louisiana	6,365	0.215	0.209 - 0.220	3,776	0.258	0.249 - 0.266	2,588	0.173	0.166 - 0.180
Maine	3,198	0.249	0.240 - 0.258	1,676	0.267	0.254 - 0.280	1,522	0.232	0.220 - 0.244
Maryland	11,397	0.315	0.309 - 0.321	6,453	0.361	0.353 - 0.370	4,944	0.270	0.263 - 0.278
MI - Detroit	5,776	0.218	0.213 - 0.224	3,125	0.239	0.230 - 0.247	2,651	0.198	0.191 - 0.206
Minnesota	14,927	0.312	0.307 - 0.317	7,895	0.332	0.324 - 0.339	7,032	0.292	0.286 - 0.299
Mississippi	4,235	0.238	0.231 - 0.245	2,421	0.275	0.264 - 0.287	1,814	0.202	0.192 - 0.211
Missouri	9,389	0.182	0.178 - 0.186	5,285	0.208	0.202 - 0.213	4,104	0.157	0.152 - 0.162
Montana	2,341	0.242	0.233 - 0.252	1,295	0.266	0.252 - 0.281	1,046	0.218	0.205 - 0.232
Nebraska	3,619	0.210	0.203 - 0.217	1,848	0.215	0.206 - 0.225	1,771	0.205	0.196 - 0.215
New Hampshire	3,521	0.275	0.266 - 0.284	1,870	0.296	0.282 - 0.309	1,651	0.255	0.243 - 0.268
New Jersey	16,269	0.251	0.247 - 0.255	8,984	0.282	0.276 - 0.288	7,285	0.221	0.216 - 0.226
New Mexico	2,749	0.158	0.152 - 0.164	1,584	0.184	0.175 - 0.193	1,165	0.133	0.125 - 0.140
New York	30,218	0.219	0.217 - 0.222	16,599	0.245	0.242 - 0.249	13,619	0.194	0.191 - 0.197
North Carolina	20,723	0.277	0.273 - 0.281	11,728	0.319	0.313 - 0.324	8,995	0.236	0.232 - 0.241
North Dakota	1,418	0.211	0.200 - 0.222	707	0.206	0.191 - 0.222	711	0.216	0.201 - 0.233
Ohio	20,699	0.214	0.211 - 0.217	11,143	0.234	0.230 - 0.238	9,556	0.194	0.190 - 0.198
Oklahoma	5,248	0.172	0.167 - 0.177	3,042	0.201	0.194 - 0.209	2,206	0.143	0.137 - 0.149
Oregon	9,613	0.257	0.252 - 0.263	5,110	0.276	0.268 - 0.284	4,503	0.239	0.232 - 0.246
Pennsylvania	24,165	0.228	0.225 - 0.231	13,333	0.256	0.252 - 0.261	10,832	0.201	0.197 - 0.205
Rhode Island	2,100	0.233	0.223 - 0.243	1,122	0.257	0.242 - 0.272	978	0.211	0.198 - 0.225
South Carolina	9,857	0.277	0.271 - 0.282	5,636	0.322	0.314 - 0.331	4,221	0.233	0.226 - 0.240
Tennessee	11,436	0.211	0.207 - 0.215	6,396	0.241	0.235 - 0.247	5,040	0.183	0.178 - 0.188
Texas	25,268	0.110	0.109 - 0.111	14,720	0.128	0.126 - 0.130	10,548	0.092	0.090 - 0.093
Utah	7,539	0.257	0.251 - 0.263	4,205	0.285	0.276 - 0.294	3,335	0.229	0.221 - 0.237
Vermont	2,157	0.361	0.346 - 0.377	1,175	0.399	0.376 - 0.422	982	0.325	0.305 - 0.346
Washington	15,374	0.251	0.247 - 0.255	8,203	0.267	0.261 - 0.272	7,171	0.234	0.229 - 0.240
WA - Seattle	12,063	0.301	0.296 - 0.307	6,441	0.320	0.312 - 0.328	5,622	0.282	0.275 - 0.290
West Virginia	3,594	0.211	0.204 - 0.218	1,997	0.238	0.227 - 0.248	1,597	0.185	0.176 - 0.194
Wisconsin	11,284	0.221	0.217 - 0.225	6,196	0.243	0.237 - 0.249	5,088	0.198	0.193 - 0.204
Wyoming	1,154	0.212	0.200 - 0.225	639	0.231	0.213 - 0.249	515	0.193	0.177 - 0.210

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		1,573,149	1.224	1.222 - 1.226
Alabama	N/A	N/A		N/A	N/A		20,762	1.187	1.171 - 1.203
Alaska	N/A	N/A		N/A	N/A		2,609	1.095	1.054 - 1.138
Arizona	N/A	N/A		N/A	N/A		33,464	1.095	1.084 - 1.107
Arkansas	N/A	N/A		N/A	N/A		13,682	1.115	1.097 - 1.134
California	N/A	N/A		N/A	N/A		162,126	1.118	1.113 - 1.124
CA - Greater California	N/A	N/A		N/A	N/A		96,212	1.112	1.105 - 1.120
CA - Greater Bay Area	N/A	N/A		N/A	N/A		29,388	1.313	1.298 - 1.329
CA - Los Angeles	N/A	N/A		N/A	N/A		36,583	1.013	1.002 - 1.023
Colorado	N/A	N/A		N/A	N/A		28,463	1.131	1.118 - 1.144
Connecticut	N/A	N/A		N/A	N/A		22,931	1.553	1.533 - 1.573
Delaware	N/A	N/A		N/A	N/A		4,876	1.387	1.349 - 1.427
District of Columbia	N/A	N/A		N/A	N/A		1,482	0.903	0.858 - 0.950
Florida	N/A	N/A		N/A	N/A		107,839	1.264	1.256 - 1.272
Georgia	N/A	N/A		N/A	N/A		38,461	1.177	1.166 - 1.189
Hawaii	N/A	N/A		N/A	N/A		2,514	1.516	1.457 - 1.576
Idaho	N/A	N/A		N/A	N/A		8,743	1.047	1.025 - 1.069
Illinois	N/A	N/A		N/A	N/A		64,860	1.304	1.294 - 1.314
Indiana	N/A	N/A		N/A	N/A		34,306	1.175	1.163 - 1.188
Iowa	N/A	N/A		N/A	N/A		18,645	1.279	1.261 - 1.298
Kansas	N/A	N/A		N/A	N/A		15,686	1.219	1.200 - 1.239
Kentucky	N/A	N/A		N/A	N/A		24,341	1.209	1.194 - 1.224
Louisiana	N/A	N/A		N/A	N/A		18,073	1.206	1.189 - 1.224
Maine	N/A	N/A		N/A	N/A		9,310	1.418	1.390 - 1.447
Maryland	N/A	N/A		N/A	N/A		24,883	1.360	1.343 - 1.377
MI - Detroit	N/A	N/A		N/A	N/A		18,880	1.410	1.390 - 1.430
Minnesota	N/A	N/A		N/A	N/A		32,754	1.362	1.347 - 1.377
Mississippi	N/A	N/A		N/A	N/A		10,668	1.185	1.163 - 1.208
Missouri	N/A	N/A		N/A	N/A		33,004	1.262	1.248 - 1.275
Montana	N/A	N/A		N/A	N/A		6,271	1.309	1.277 - 1.342
Nebraska	N/A	N/A		N/A	N/A		10,387	1.203	1.180 - 1.226
New Hampshire	N/A	N/A		N/A	N/A		9,724	1.503	1.473 - 1.533
New Jersey	N/A	N/A		N/A	N/A		48,051	1.457	1.444 - 1.470
New Mexico	N/A	N/A		N/A	N/A		10,181	1.159	1.137 - 1.182
New York	N/A	N/A		N/A	N/A		99,249	1.414	1.405 - 1.422
North Carolina	N/A	N/A		N/A	N/A		49,909	1.312	1.301 - 1.324
North Dakota	N/A	N/A		N/A	N/A		3,954	1.203	1.166 - 1.242
Ohio	N/A	N/A		N/A	N/A		63,283	1.286	1.276 - 1.296
Oklahoma	N/A	N/A		N/A	N/A		16,933	1.100	1.084 - 1.117
Oregon	N/A	N/A		N/A	N/A		24,278	1.289	1.273 - 1.306
Pennsylvania	N/A	N/A		N/A	N/A		75,885	1.409	1.399 - 1.419
Rhode Island	N/A	N/A		N/A	N/A		6,955	1.501	1.466 - 1.537
South Carolina	N/A	N/A		N/A	N/A		22,878	1.263	1.246 - 1.279
Tennessee	N/A	N/A		N/A	N/A		32,818	1.191	1.179 - 1.204
Texas	N/A	N/A		N/A	N/A		107,967	0.938	0.932 - 0.943
Utah	N/A	N/A		N/A	N/A		11,279	0.775	0.760 - 0.789
Vermont	N/A	N/A		N/A	N/A		4,337	1.434	1.392 - 1.478
Washington	N/A	N/A		N/A	N/A		39,662	1.296	1.283 - 1.309
WA - Seattle	N/A	N/A		N/A	N/A		27,765	1.393	1.377 - 1.410
West Virginia	N/A	N/A		N/A	N/A		10,813	1.253	1.229 - 1.276
Wisconsin	N/A	N/A		N/A	N/A		34,325	1.337	1.323 - 1.351
Wyoming	N/A	N/A		N/A	N/A		2,873	1.076	1.037 - 1.116

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-186 Prevalence – Breast

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		67,451	0.053	0.052 - 0.053
Alabama	N/A	N/A		N/A	N/A		979	0.056	0.053 - 0.060
Alaska	N/A	N/A		N/A	N/A		127	0.053	0.044 - 0.063
Arizona	N/A	N/A		N/A	N/A		1,332	0.044	0.041 - 0.046
Arkansas	N/A	N/A		N/A	N/A		729	0.059	0.055 - 0.064
California	N/A	N/A		N/A	N/A		7,556	0.052	0.051 - 0.053
CA - Greater California	N/A	N/A		N/A	N/A		4,439	0.051	0.050 - 0.053
CA - Greater Bay Area	N/A	N/A		N/A	N/A		1,102	0.049	0.046 - 0.052
CA - Los Angeles	N/A	N/A		N/A	N/A		2,012	0.056	0.053 - 0.058
Colorado	N/A	N/A		N/A	N/A		1,094	0.043	0.041 - 0.046
Connecticut	N/A	N/A		N/A	N/A		698	0.047	0.044 - 0.051
Delaware	N/A	N/A		N/A	N/A		206	0.059	0.051 - 0.067
District of Columbia	N/A	N/A		N/A	N/A		53	0.032	0.024 - 0.042
Florida	N/A	N/A		N/A	N/A		5,003	0.059	0.057 - 0.060
Georgia	N/A	N/A		N/A	N/A		1,762	0.054	0.051 - 0.056
Hawaii	N/A	N/A		N/A	N/A		95	0.057	0.046 - 0.070
Idaho	N/A	N/A		N/A	N/A		356	0.043	0.038 - 0.047
Illinois	N/A	N/A		N/A	N/A		2,676	0.054	0.052 - 0.056
Indiana	N/A	N/A		N/A	N/A		1,560	0.053	0.051 - 0.056
Iowa	N/A	N/A		N/A	N/A		726	0.050	0.046 - 0.054
Kansas	N/A	N/A		N/A	N/A		658	0.051	0.047 - 0.055
Kentucky	N/A	N/A		N/A	N/A		1,247	0.062	0.059 - 0.065
Louisiana	N/A	N/A		N/A	N/A		829	0.055	0.052 - 0.059
Maine	N/A	N/A		N/A	N/A		289	0.044	0.039 - 0.049
Maryland	N/A	N/A		N/A	N/A		855	0.047	0.044 - 0.050
MI - Detroit	N/A	N/A		N/A	N/A		628	0.047	0.043 - 0.051
Minnesota	N/A	N/A		N/A	N/A		959	0.040	0.037 - 0.042
Mississippi	N/A	N/A		N/A	N/A		525	0.058	0.053 - 0.064
Missouri	N/A	N/A		N/A	N/A		1,444	0.055	0.052 - 0.058
Montana	N/A	N/A		N/A	N/A		215	0.045	0.039 - 0.051
Nebraska	N/A	N/A		N/A	N/A		402	0.047	0.042 - 0.051
New Hampshire	N/A	N/A		N/A	N/A		232	0.036	0.031 - 0.041
New Jersey	N/A	N/A		N/A	N/A		1,894	0.057	0.055 - 0.060
New Mexico	N/A	N/A		N/A	N/A		487	0.055	0.051 - 0.061
New York	N/A	N/A		N/A	N/A		3,603	0.051	0.050 - 0.053
North Carolina	N/A	N/A		N/A	N/A		1,830	0.048	0.046 - 0.050
North Dakota	N/A	N/A		N/A	N/A		115	0.035	0.029 - 0.042
Ohio	N/A	N/A		N/A	N/A		2,648	0.054	0.052 - 0.056
Oklahoma	N/A	N/A		N/A	N/A		876	0.057	0.053 - 0.061
Oregon	N/A	N/A		N/A	N/A		911	0.048	0.045 - 0.052
Pennsylvania	N/A	N/A		N/A	N/A		2,751	0.051	0.049 - 0.053
Rhode Island	N/A	N/A		N/A	N/A		251	0.054	0.048 - 0.061
South Carolina	N/A	N/A		N/A	N/A		895	0.049	0.046 - 0.053
Tennessee	N/A	N/A		N/A	N/A		1,528	0.055	0.053 - 0.058
Texas	N/A	N/A		N/A	N/A		7,082	0.062	0.060 - 0.063
Utah	N/A	N/A		N/A	N/A		465	0.032	0.029 - 0.035
Vermont	N/A	N/A		N/A	N/A		104	0.034	0.028 - 0.042
Washington	N/A	N/A		N/A	N/A		1,476	0.048	0.046 - 0.051
WA - Seattle	N/A	N/A		N/A	N/A		1,034	0.052	0.049 - 0.055
West Virginia	N/A	N/A		N/A	N/A		597	0.069	0.064 - 0.075
Wisconsin	N/A	N/A		N/A	N/A		1,137	0.044	0.042 - 0.047
Wyoming	N/A	N/A		N/A	N/A		146	0.055	0.046 - 0.064

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		339,851	0.264	0.263 - 0.265
Alabama	N/A	N/A		N/A	N/A		3,396	0.194	0.188 - 0.201
Alaska	N/A	N/A		N/A	N/A		626	0.263	0.243 - 0.284
Arizona	N/A	N/A		N/A	N/A		6,523	0.214	0.208 - 0.219
Arkansas	N/A	N/A		N/A	N/A		2,776	0.226	0.218 - 0.235
California	N/A	N/A		N/A	N/A		33,866	0.234	0.231 - 0.236
CA - Greater California	N/A	N/A		N/A	N/A		19,643	0.227	0.224 - 0.230
CA - Greater Bay Area	N/A	N/A		N/A	N/A		5,964	0.267	0.260 - 0.273
CA - Los Angeles	N/A	N/A		N/A	N/A		8,259	0.229	0.224 - 0.234
Colorado	N/A	N/A		N/A	N/A		5,161	0.205	0.199 - 0.211
Connecticut	N/A	N/A		N/A	N/A		5,051	0.342	0.333 - 0.352
Delaware	N/A	N/A		N/A	N/A		1,180	0.336	0.317 - 0.355
District of Columbia	N/A	N/A		N/A	N/A		231	0.141	0.123 - 0.160
Florida	N/A	N/A		N/A	N/A		21,041	0.247	0.243 - 0.250
Georgia	N/A	N/A		N/A	N/A		6,991	0.214	0.209 - 0.219
Hawaii	N/A	N/A		N/A	N/A		479	0.289	0.263 - 0.316
Idaho	N/A	N/A		N/A	N/A		1,740	0.208	0.199 - 0.218
Illinois	N/A	N/A		N/A	N/A		15,230	0.306	0.301 - 0.311
Indiana	N/A	N/A		N/A	N/A		8,113	0.278	0.272 - 0.284
Iowa	N/A	N/A		N/A	N/A		4,657	0.320	0.310 - 0.329
Kansas	N/A	N/A		N/A	N/A		3,180	0.247	0.239 - 0.256
Kentucky	N/A	N/A		N/A	N/A		5,331	0.265	0.258 - 0.272
Louisiana	N/A	N/A		N/A	N/A		2,780	0.186	0.179 - 0.193
Maine	N/A	N/A		N/A	N/A		2,482	0.378	0.363 - 0.393
Maryland	N/A	N/A		N/A	N/A		5,348	0.292	0.284 - 0.300
MI - Detroit	N/A	N/A		N/A	N/A		4,601	0.344	0.334 - 0.354
Minnesota	N/A	N/A		N/A	N/A		7,701	0.320	0.313 - 0.327
Mississippi	N/A	N/A		N/A	N/A		1,905	0.212	0.202 - 0.221
Missouri	N/A	N/A		N/A	N/A		7,149	0.273	0.267 - 0.280
Montana	N/A	N/A		N/A	N/A		1,261	0.263	0.249 - 0.278
Nebraska	N/A	N/A		N/A	N/A		2,301	0.266	0.256 - 0.278
New Hampshire	N/A	N/A		N/A	N/A		2,272	0.351	0.337 - 0.366
New Jersey	N/A	N/A		N/A	N/A		11,736	0.356	0.349 - 0.362
New Mexico	N/A	N/A		N/A	N/A		2,040	0.232	0.222 - 0.243
New York	N/A	N/A		N/A	N/A		23,488	0.335	0.330 - 0.339
North Carolina	N/A	N/A		N/A	N/A		9,553	0.251	0.246 - 0.256
North Dakota	N/A	N/A		N/A	N/A		791	0.241	0.224 - 0.258
Ohio	N/A	N/A		N/A	N/A		15,860	0.322	0.317 - 0.327
Oklahoma	N/A	N/A		N/A	N/A		3,157	0.205	0.198 - 0.212
Oregon	N/A	N/A		N/A	N/A		5,572	0.296	0.288 - 0.304
Pennsylvania	N/A	N/A		N/A	N/A		19,791	0.367	0.362 - 0.373
Rhode Island	N/A	N/A		N/A	N/A		1,589	0.343	0.326 - 0.360
South Carolina	N/A	N/A		N/A	N/A		3,970	0.219	0.212 - 0.226
Tennessee	N/A	N/A		N/A	N/A		6,536	0.237	0.232 - 0.243
Texas	N/A	N/A		N/A	N/A		20,884	0.181	0.179 - 0.184
Utah	N/A	N/A		N/A	N/A		2,566	0.176	0.169 - 0.183
Vermont	N/A	N/A		N/A	N/A		1,200	0.397	0.375 - 0.420
Washington	N/A	N/A		N/A	N/A		7,934	0.259	0.254 - 0.265
WA - Seattle	N/A	N/A		N/A	N/A		5,444	0.273	0.266 - 0.281
West Virginia	N/A	N/A		N/A	N/A		3,117	0.361	0.348 - 0.374
Wisconsin	N/A	N/A		N/A	N/A		8,411	0.328	0.321 - 0.335
Wyoming	N/A	N/A		N/A	N/A		606	0.227	0.209 - 0.246

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-188 Prevalence – Corpus and Uterus, NOS

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		88,668	0.069	0.069 - 0.069
Alabama	N/A	N/A		N/A	N/A		1,159	0.066	0.062 - 0.070
Alaska	N/A	N/A		N/A	N/A		164	0.069	0.059 - 0.080
Arizona	N/A	N/A		N/A	N/A		1,902	0.062	0.059 - 0.065
Arkansas	N/A	N/A		N/A	N/A		763	0.062	0.058 - 0.067
California	N/A	N/A		N/A	N/A		9,834	0.068	0.066 - 0.069
CA - Greater California	N/A	N/A		N/A	N/A		5,543	0.064	0.062 - 0.066
CA - Greater Bay Area	N/A	N/A		N/A	N/A		1,695	0.076	0.072 - 0.079
CA - Los Angeles	N/A	N/A		N/A	N/A		2,592	0.072	0.069 - 0.075
Colorado	N/A	N/A		N/A	N/A		1,568	0.062	0.059 - 0.065
Connecticut	N/A	N/A		N/A	N/A		1,233	0.083	0.079 - 0.088
Delaware	N/A	N/A		N/A	N/A		257	0.073	0.064 - 0.083
District of Columbia	N/A	N/A		N/A	N/A		85	0.052	0.041 - 0.064
Florida	N/A	N/A		N/A	N/A		6,454	0.076	0.074 - 0.078
Georgia	N/A	N/A		N/A	N/A		2,087	0.064	0.061 - 0.067
Hawaii	N/A	N/A		N/A	N/A		130	0.079	0.066 - 0.093
Idaho	N/A	N/A		N/A	N/A		462	0.055	0.050 - 0.061
Illinois	N/A	N/A		N/A	N/A		3,613	0.073	0.070 - 0.075
Indiana	N/A	N/A		N/A	N/A		1,819	0.062	0.059 - 0.065
Iowa	N/A	N/A		N/A	N/A		948	0.065	0.061 - 0.069
Kansas	N/A	N/A		N/A	N/A		858	0.067	0.062 - 0.071
Kentucky	N/A	N/A		N/A	N/A		1,157	0.057	0.054 - 0.061
Louisiana	N/A	N/A		N/A	N/A		830	0.055	0.052 - 0.059
Maine	N/A	N/A		N/A	N/A		429	0.065	0.059 - 0.072
Maryland	N/A	N/A		N/A	N/A		1,404	0.077	0.073 - 0.081
MI - Detroit	N/A	N/A		N/A	N/A		1,132	0.085	0.080 - 0.090
Minnesota	N/A	N/A		N/A	N/A		1,723	0.072	0.068 - 0.075
Mississippi	N/A	N/A		N/A	N/A		551	0.061	0.056 - 0.067
Missouri	N/A	N/A		N/A	N/A		1,647	0.063	0.060 - 0.066
Montana	N/A	N/A		N/A	N/A		333	0.070	0.062 - 0.077
Nebraska	N/A	N/A		N/A	N/A		531	0.061	0.056 - 0.067
New Hampshire	N/A	N/A		N/A	N/A		452	0.070	0.064 - 0.077
New Jersey	N/A	N/A		N/A	N/A		2,870	0.087	0.084 - 0.090
New Mexico	N/A	N/A		N/A	N/A		534	0.061	0.056 - 0.066
New York	N/A	N/A		N/A	N/A		5,905	0.084	0.082 - 0.086
North Carolina	N/A	N/A		N/A	N/A		2,619	0.069	0.066 - 0.072
North Dakota	N/A	N/A		N/A	N/A		190	0.058	0.050 - 0.067
Ohio	N/A	N/A		N/A	N/A		3,515	0.071	0.069 - 0.074
Oklahoma	N/A	N/A		N/A	N/A		974	0.063	0.059 - 0.067
Oregon	N/A	N/A		N/A	N/A		1,258	0.067	0.063 - 0.071
Pennsylvania	N/A	N/A		N/A	N/A		4,508	0.084	0.081 - 0.086
Rhode Island	N/A	N/A		N/A	N/A		341	0.074	0.066 - 0.082
South Carolina	N/A	N/A		N/A	N/A		1,057	0.058	0.055 - 0.062
Tennessee	N/A	N/A		N/A	N/A		1,705	0.062	0.059 - 0.065
Texas	N/A	N/A		N/A	N/A		6,617	0.057	0.056 - 0.059
Utah	N/A	N/A		N/A	N/A		691	0.047	0.044 - 0.051
Vermont	N/A	N/A		N/A	N/A		234	0.077	0.068 - 0.088
Washington	N/A	N/A		N/A	N/A		2,062	0.067	0.065 - 0.070
WA - Seattle	N/A	N/A		N/A	N/A		1,376	0.069	0.065 - 0.073
West Virginia	N/A	N/A		N/A	N/A		664	0.077	0.071 - 0.083
Wisconsin	N/A	N/A		N/A	N/A		2,024	0.079	0.075 - 0.082
Wyoming	N/A	N/A		N/A	N/A		177	0.066	0.057 - 0.077

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		1,347,621	1.066	1.064 - 1.068	N/A	N/A	
Alabama	N/A	N/A		18,737	1.112	1.096 - 1.128	N/A	N/A	
Alaska	N/A	N/A		2,420	0.906	0.871 - 0.943	N/A	N/A	
Arizona	N/A	N/A		24,379	0.808	0.798 - 0.818	N/A	N/A	
Arkansas	N/A	N/A		13,653	1.141	1.122 - 1.161	N/A	N/A	
California	N/A	N/A		127,362	0.873	0.869 - 0.878	N/A	N/A	
CA - Greater California	N/A	N/A		76,193	0.879	0.873 - 0.885	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		24,423	1.063	1.050 - 1.076	N/A	N/A	
CA - Los Angeles	N/A	N/A		26,741	0.740	0.731 - 0.748	N/A	N/A	
Colorado	N/A	N/A		21,431	0.839	0.828 - 0.851	N/A	N/A	
Connecticut	N/A	N/A		19,217	1.359	1.340 - 1.379	N/A	N/A	
Delaware	N/A	N/A		4,701	1.412	1.372 - 1.453	N/A	N/A	
District of Columbia	N/A	N/A		1,047	0.639	0.601 - 0.679	N/A	N/A	
Florida	N/A	N/A		95,479	1.160	1.153 - 1.168	N/A	N/A	
Georgia	N/A	N/A		33,959	1.057	1.046 - 1.068	N/A	N/A	
Hawaii	N/A	N/A		2,186	1.120	1.074 - 1.168	N/A	N/A	
Idaho	N/A	N/A		8,477	1.008	0.987 - 1.030	N/A	N/A	
Illinois	N/A	N/A		54,365	1.112	1.103 - 1.121	N/A	N/A	
Indiana	N/A	N/A		26,564	0.932	0.921 - 0.944	N/A	N/A	
Iowa	N/A	N/A		16,932	1.182	1.164 - 1.200	N/A	N/A	
Kansas	N/A	N/A		14,273	1.123	1.105 - 1.142	N/A	N/A	
Kentucky	N/A	N/A		20,082	1.029	1.015 - 1.044	N/A	N/A	
Louisiana	N/A	N/A		19,279	1.315	1.297 - 1.334	N/A	N/A	
Maine	N/A	N/A		7,507	1.194	1.168 - 1.222	N/A	N/A	
Maryland	N/A	N/A		21,915	1.227	1.211 - 1.243	N/A	N/A	
MI - Detroit	N/A	N/A		18,598	1.421	1.401 - 1.442	N/A	N/A	
Minnesota	N/A	N/A		29,650	1.245	1.231 - 1.259	N/A	N/A	
Mississippi	N/A	N/A		10,784	1.226	1.203 - 1.250	N/A	N/A	
Missouri	N/A	N/A		25,650	1.009	0.996 - 1.021	N/A	N/A	
Montana	N/A	N/A		6,872	1.411	1.378 - 1.445	N/A	N/A	
Nebraska	N/A	N/A		9,952	1.160	1.137 - 1.183	N/A	N/A	
New Hampshire	N/A	N/A		8,724	1.379	1.350 - 1.408	N/A	N/A	
New Jersey	N/A	N/A		46,079	1.447	1.434 - 1.461	N/A	N/A	
New Mexico	N/A	N/A		8,177	0.949	0.929 - 0.970	N/A	N/A	
New York	N/A	N/A		91,039	1.345	1.337 - 1.354	N/A	N/A	
North Carolina	N/A	N/A		41,209	1.120	1.109 - 1.131	N/A	N/A	
North Dakota	N/A	N/A		4,198	1.223	1.186 - 1.260	N/A	N/A	
Ohio	N/A	N/A		52,504	1.103	1.093 - 1.112	N/A	N/A	
Oklahoma	N/A	N/A		14,296	0.947	0.931 - 0.962	N/A	N/A	
Oregon	N/A	N/A		19,399	1.048	1.033 - 1.062	N/A	N/A	
Pennsylvania	N/A	N/A		63,067	1.213	1.203 - 1.222	N/A	N/A	
Rhode Island	N/A	N/A		5,401	1.236	1.203 - 1.269	N/A	N/A	
South Carolina	N/A	N/A		19,011	1.087	1.072 - 1.103	N/A	N/A	
Tennessee	N/A	N/A		30,145	1.134	1.121 - 1.147	N/A	N/A	
Texas	N/A	N/A		85,203	0.743	0.738 - 0.748	N/A	N/A	
Utah	N/A	N/A		12,570	0.852	0.837 - 0.867	N/A	N/A	
Vermont	N/A	N/A		3,464	1.176	1.137 - 1.216	N/A	N/A	
Washington	N/A	N/A		32,547	1.058	1.047 - 1.070	N/A	N/A	
WA - Seattle	N/A	N/A		23,785	1.182	1.167 - 1.197	N/A	N/A	
West Virginia	N/A	N/A		9,574	1.139	1.116 - 1.162	N/A	N/A	
Wisconsin	N/A	N/A		31,513	1.236	1.223 - 1.250	N/A	N/A	
Wyoming	N/A	N/A		3,342	1.207	1.166 - 1.248	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-190 Prevalence – Prostate

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		73,287	0.058	0.058 - 0.059	N/A	N/A	
Alabama	N/A	N/A		785	0.047	0.043 - 0.050	N/A	N/A	
Alaska	N/A	N/A		167	0.063	0.053 - 0.073	N/A	N/A	
Arizona	N/A	N/A		1,444	0.048	0.045 - 0.050	N/A	N/A	
Arkansas	N/A	N/A		571	0.048	0.044 - 0.052	N/A	N/A	
California	N/A	N/A		9,531	0.065	0.064 - 0.067	N/A	N/A	
CA - Greater California	N/A	N/A		5,343	0.062	0.060 - 0.063	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		1,760	0.077	0.073 - 0.080	N/A	N/A	
CA - Los Angeles	N/A	N/A		2,430	0.067	0.065 - 0.070	N/A	N/A	
Colorado	N/A	N/A		1,349	0.053	0.050 - 0.056	N/A	N/A	
Connecticut	N/A	N/A		939	0.066	0.062 - 0.071	N/A	N/A	
Delaware	N/A	N/A		190	0.057	0.049 - 0.066	N/A	N/A	
District of Columbia	N/A	N/A		139	0.085	0.071 - 0.100	N/A	N/A	
Florida	N/A	N/A		3,568	0.043	0.042 - 0.045	N/A	N/A	
Georgia	N/A	N/A		1,632	0.051	0.048 - 0.053	N/A	N/A	
Hawaii	N/A	N/A		167	0.085	0.073 - 0.099	N/A	N/A	
Idaho	N/A	N/A		469	0.056	0.051 - 0.061	N/A	N/A	
Illinois	N/A	N/A		3,227	0.066	0.064 - 0.068	N/A	N/A	
Indiana	N/A	N/A		1,592	0.056	0.053 - 0.059	N/A	N/A	
Iowa	N/A	N/A		867	0.060	0.057 - 0.065	N/A	N/A	
Kansas	N/A	N/A		743	0.058	0.054 - 0.063	N/A	N/A	
Kentucky	N/A	N/A		1,014	0.052	0.049 - 0.055	N/A	N/A	
Louisiana	N/A	N/A		846	0.058	0.054 - 0.062	N/A	N/A	
Maine	N/A	N/A		369	0.059	0.053 - 0.065	N/A	N/A	
Maryland	N/A	N/A		1,011	0.057	0.053 - 0.060	N/A	N/A	
MI - Detroit	N/A	N/A		829	0.063	0.059 - 0.068	N/A	N/A	
Minnesota	N/A	N/A		1,674	0.070	0.067 - 0.074	N/A	N/A	
Mississippi	N/A	N/A		399	0.045	0.041 - 0.050	N/A	N/A	
Missouri	N/A	N/A		1,272	0.050	0.047 - 0.053	N/A	N/A	
Montana	N/A	N/A		304	0.062	0.056 - 0.070	N/A	N/A	
Nebraska	N/A	N/A		569	0.066	0.061 - 0.072	N/A	N/A	
New Hampshire	N/A	N/A		415	0.066	0.059 - 0.072	N/A	N/A	
New Jersey	N/A	N/A		2,086	0.066	0.063 - 0.068	N/A	N/A	
New Mexico	N/A	N/A		493	0.057	0.052 - 0.063	N/A	N/A	
New York	N/A	N/A		4,773	0.071	0.069 - 0.073	N/A	N/A	
North Carolina	N/A	N/A		1,965	0.053	0.051 - 0.056	N/A	N/A	
North Dakota	N/A	N/A		218	0.063	0.055 - 0.072	N/A	N/A	
Ohio	N/A	N/A		2,618	0.055	0.053 - 0.057	N/A	N/A	
Oklahoma	N/A	N/A		720	0.048	0.044 - 0.051	N/A	N/A	
Oregon	N/A	N/A		1,138	0.061	0.058 - 0.065	N/A	N/A	
Pennsylvania	N/A	N/A		3,422	0.066	0.064 - 0.068	N/A	N/A	
Rhode Island	N/A	N/A		295	0.067	0.060 - 0.076	N/A	N/A	
South Carolina	N/A	N/A		799	0.046	0.043 - 0.049	N/A	N/A	
Tennessee	N/A	N/A		1,351	0.051	0.048 - 0.054	N/A	N/A	
Texas	N/A	N/A		6,047	0.053	0.051 - 0.054	N/A	N/A	
Utah	N/A	N/A		963	0.065	0.061 - 0.070	N/A	N/A	
Vermont	N/A	N/A		201	0.068	0.059 - 0.078	N/A	N/A	
Washington	N/A	N/A		2,001	0.065	0.062 - 0.068	N/A	N/A	
WA - Seattle	N/A	N/A		1,453	0.072	0.069 - 0.076	N/A	N/A	
West Virginia	N/A	N/A		432	0.051	0.047 - 0.056	N/A	N/A	
Wisconsin	N/A	N/A		1,718	0.067	0.064 - 0.071	N/A	N/A	
Wyoming	N/A	N/A		185	0.067	0.058 - 0.077	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	405,374	0.159	0.159 - 0.160	311,628	0.247	0.246 - 0.248	93,797	0.073	0.073 - 0.073
Alabama	5,247	0.153	0.149 - 0.157	4,099	0.243	0.236 - 0.251	1,148	0.066	0.062 - 0.070
Alaska	739	0.146	0.136 - 0.157	584	0.219	0.201 - 0.237	155	0.065	0.055 - 0.076
Arizona	8,893	0.146	0.143 - 0.149	6,888	0.228	0.223 - 0.234	2,005	0.066	0.063 - 0.069
Arkansas	3,768	0.156	0.151 - 0.161	3,010	0.252	0.243 - 0.261	758	0.062	0.057 - 0.066
California	34,769	0.120	0.118 - 0.121	26,909	0.185	0.182 - 0.187	7,860	0.054	0.053 - 0.055
CA - Greater California	21,023	0.121	0.120 - 0.123	16,253	0.187	0.185 - 0.190	4,771	0.055	0.054 - 0.057
CA - Greater Bay Area	6,496	0.143	0.140 - 0.147	4,956	0.216	0.210 - 0.222	1,540	0.069	0.065 - 0.072
CA - Los Angeles	7,258	0.100	0.098 - 0.103	5,706	0.158	0.154 - 0.162	1,552	0.043	0.041 - 0.045
Colorado	5,979	0.118	0.115 - 0.121	4,639	0.182	0.176 - 0.187	1,340	0.053	0.050 - 0.056
Connecticut	6,746	0.233	0.228 - 0.239	5,010	0.354	0.345 - 0.364	1,736	0.118	0.112 - 0.123
Delaware	1,528	0.223	0.212 - 0.235	1,165	0.350	0.330 - 0.371	363	0.103	0.093 - 0.114
District of Columbia	239	0.073	0.064 - 0.083	186	0.114	0.098 - 0.131	53	0.032	0.024 - 0.042
Florida	31,848	0.190	0.188 - 0.192	24,543	0.298	0.295 - 0.302	7,305	0.086	0.084 - 0.088
Georgia	9,251	0.143	0.140 - 0.146	7,244	0.226	0.220 - 0.231	2,006	0.061	0.059 - 0.064
Hawaii	621	0.172	0.159 - 0.186	500	0.256	0.234 - 0.279	122	0.073	0.061 - 0.088
Idaho	2,364	0.141	0.135 - 0.147	1,865	0.222	0.212 - 0.232	499	0.060	0.055 - 0.065
Illinois	16,688	0.169	0.167 - 0.172	12,658	0.259	0.254 - 0.263	4,030	0.081	0.079 - 0.084
Indiana	9,078	0.157	0.154 - 0.161	7,000	0.246	0.240 - 0.252	2,078	0.071	0.068 - 0.074
Iowa	4,911	0.170	0.165 - 0.175	3,858	0.269	0.261 - 0.278	1,053	0.072	0.068 - 0.077
Kansas	4,106	0.161	0.156 - 0.166	3,145	0.247	0.239 - 0.256	961	0.075	0.070 - 0.080
Kentucky	6,441	0.162	0.159 - 0.166	4,952	0.254	0.247 - 0.261	1,489	0.074	0.070 - 0.078
Louisiana	4,823	0.163	0.158 - 0.167	3,797	0.259	0.251 - 0.267	1,026	0.068	0.064 - 0.073
Maine	3,143	0.245	0.236 - 0.253	2,391	0.380	0.365 - 0.396	752	0.115	0.107 - 0.123
Maryland	6,080	0.168	0.164 - 0.172	4,676	0.262	0.254 - 0.269	1,404	0.077	0.073 - 0.081
MI - Detroit	5,392	0.204	0.198 - 0.209	4,128	0.315	0.306 - 0.325	1,264	0.094	0.089 - 0.100
Minnesota	8,414	0.176	0.172 - 0.180	6,454	0.271	0.264 - 0.278	1,960	0.081	0.078 - 0.085
Mississippi	2,884	0.162	0.156 - 0.168	2,253	0.256	0.246 - 0.267	631	0.070	0.065 - 0.076
Missouri	7,900	0.153	0.150 - 0.157	6,086	0.239	0.233 - 0.245	1,814	0.069	0.066 - 0.073
Montana	1,835	0.190	0.181 - 0.199	1,388	0.285	0.270 - 0.301	447	0.093	0.085 - 0.102
Nebraska	2,596	0.151	0.145 - 0.157	2,001	0.233	0.223 - 0.244	595	0.069	0.063 - 0.075
New Hampshire	3,031	0.237	0.228 - 0.245	2,287	0.361	0.347 - 0.377	744	0.115	0.107 - 0.124
New Jersey	13,251	0.204	0.201 - 0.208	9,831	0.309	0.303 - 0.315	3,421	0.104	0.100 - 0.107
New Mexico	2,007	0.115	0.110 - 0.121	1,556	0.181	0.172 - 0.190	451	0.051	0.047 - 0.056
New York	29,761	0.216	0.213 - 0.218	22,283	0.329	0.325 - 0.334	7,478	0.107	0.104 - 0.109
North Carolina	12,365	0.165	0.162 - 0.168	9,482	0.258	0.252 - 0.263	2,883	0.076	0.073 - 0.079
North Dakota	1,029	0.153	0.144 - 0.163	812	0.236	0.220 - 0.253	217	0.066	0.058 - 0.075
Ohio	16,970	0.175	0.173 - 0.178	13,121	0.276	0.271 - 0.280	3,849	0.078	0.076 - 0.081
Oklahoma	4,196	0.138	0.133 - 0.142	3,276	0.217	0.210 - 0.224	920	0.060	0.056 - 0.064
Oregon	6,211	0.166	0.162 - 0.170	4,831	0.261	0.254 - 0.268	1,380	0.073	0.069 - 0.077
Pennsylvania	22,886	0.216	0.213 - 0.219	17,315	0.333	0.328 - 0.338	5,571	0.103	0.101 - 0.106
Rhode Island	2,167	0.241	0.231 - 0.251	1,613	0.369	0.351 - 0.387	554	0.120	0.110 - 0.130
South Carolina	5,708	0.160	0.156 - 0.165	4,447	0.254	0.247 - 0.262	1,261	0.070	0.066 - 0.074
Tennessee	8,542	0.158	0.154 - 0.161	6,578	0.247	0.242 - 0.254	1,964	0.071	0.068 - 0.075
Texas	21,143	0.092	0.091 - 0.093	16,575	0.145	0.142 - 0.147	4,568	0.040	0.039 - 0.041
Utah	2,432	0.083	0.080 - 0.086	1,996	0.135	0.129 - 0.141	436	0.030	0.027 - 0.033
Vermont	1,198	0.201	0.190 - 0.212	907	0.308	0.288 - 0.329	291	0.096	0.085 - 0.108
Washington	9,551	0.156	0.153 - 0.159	7,387	0.240	0.235 - 0.246	2,164	0.071	0.068 - 0.074
WA - Seattle	6,671	0.167	0.163 - 0.171	5,165	0.257	0.250 - 0.264	1,506	0.076	0.072 - 0.079
West Virginia	3,333	0.196	0.189 - 0.202	2,551	0.304	0.292 - 0.316	782	0.091	0.084 - 0.097
Wisconsin	9,566	0.187	0.183 - 0.191	7,331	0.288	0.281 - 0.294	2,235	0.087	0.083 - 0.091
Wyoming	870	0.160	0.149 - 0.171	681	0.246	0.228 - 0.265	189	0.071	0.061 - 0.082

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	340,533	0.134	0.133 - 0.134	212,542	0.168	0.167 - 0.169	128,022	0.100	0.099 - 0.100
Alabama	5,102	0.149	0.145 - 0.153	3,108	0.184	0.178 - 0.191	1,994	0.114	0.109 - 0.119
Alaska	617	0.122	0.113 - 0.132	397	0.149	0.134 - 0.164	220	0.092	0.081 - 0.105
Arizona	7,530	0.124	0.121 - 0.127	4,665	0.155	0.150 - 0.159	2,865	0.094	0.090 - 0.097
Arkansas	3,725	0.154	0.149 - 0.159	2,291	0.192	0.184 - 0.200	1,434	0.117	0.111 - 0.123
California	32,168	0.111	0.109 - 0.112	20,307	0.139	0.137 - 0.141	11,861	0.082	0.080 - 0.083
CA - Greater California	19,733	0.114	0.112 - 0.116	12,414	0.143	0.141 - 0.146	7,319	0.085	0.083 - 0.087
CA - Greater Bay Area	5,195	0.115	0.111 - 0.118	3,408	0.148	0.143 - 0.153	1,787	0.080	0.076 - 0.084
CA - Los Angeles	7,249	0.100	0.098 - 0.103	4,494	0.124	0.121 - 0.128	2,755	0.076	0.073 - 0.079
Colorado	4,956	0.098	0.095 - 0.100	3,081	0.121	0.116 - 0.125	1,875	0.074	0.071 - 0.078
Connecticut	4,114	0.142	0.138 - 0.147	2,678	0.189	0.182 - 0.197	1,436	0.097	0.092 - 0.102
Delaware	1,033	0.151	0.142 - 0.160	663	0.199	0.184 - 0.215	370	0.105	0.095 - 0.117
District of Columbia	171	0.052	0.045 - 0.061	114	0.070	0.057 - 0.084	57	0.035	0.026 - 0.045
Florida	21,521	0.128	0.127 - 0.130	13,641	0.166	0.163 - 0.169	7,880	0.092	0.090 - 0.094
Georgia	8,000	0.123	0.121 - 0.126	4,965	0.155	0.150 - 0.159	3,035	0.093	0.090 - 0.096
Hawaii	485	0.134	0.123 - 0.147	357	0.183	0.164 - 0.203	129	0.078	0.065 - 0.092
Idaho	1,822	0.109	0.104 - 0.114	1,141	0.136	0.128 - 0.144	681	0.082	0.076 - 0.088
Illinois	14,146	0.143	0.141 - 0.146	8,741	0.179	0.175 - 0.183	5,405	0.109	0.106 - 0.112
Indiana	8,267	0.143	0.140 - 0.146	5,008	0.176	0.171 - 0.181	3,259	0.112	0.108 - 0.116
Iowa	4,276	0.148	0.144 - 0.152	2,706	0.189	0.182 - 0.196	1,570	0.108	0.102 - 0.113
Kansas	3,791	0.148	0.144 - 0.153	2,317	0.182	0.175 - 0.190	1,474	0.115	0.109 - 0.121
Kentucky	6,367	0.161	0.157 - 0.165	3,868	0.198	0.192 - 0.205	2,499	0.124	0.119 - 0.129
Louisiana	5,374	0.181	0.177 - 0.186	3,306	0.226	0.218 - 0.233	2,068	0.138	0.132 - 0.144
Maine	1,936	0.151	0.144 - 0.158	1,197	0.190	0.180 - 0.202	739	0.113	0.105 - 0.121
Maryland	4,579	0.127	0.123 - 0.130	2,824	0.158	0.152 - 0.164	1,755	0.096	0.091 - 0.101
MI - Detroit	3,881	0.147	0.142 - 0.151	2,428	0.186	0.178 - 0.193	1,453	0.108	0.103 - 0.114
Minnesota	6,580	0.137	0.134 - 0.141	4,264	0.179	0.174 - 0.185	2,316	0.096	0.092 - 0.100
Mississippi	3,106	0.175	0.168 - 0.181	1,888	0.215	0.205 - 0.225	1,218	0.135	0.128 - 0.143
Missouri	7,529	0.146	0.143 - 0.149	4,594	0.181	0.175 - 0.186	2,935	0.112	0.108 - 0.116
Montana	1,229	0.127	0.120 - 0.135	782	0.161	0.149 - 0.172	448	0.093	0.085 - 0.103
Nebraska	2,199	0.128	0.122 - 0.133	1,375	0.160	0.152 - 0.169	824	0.095	0.089 - 0.102
New Hampshire	1,820	0.142	0.136 - 0.149	1,183	0.187	0.176 - 0.198	637	0.098	0.091 - 0.106
New Jersey	9,572	0.148	0.145 - 0.151	6,127	0.192	0.188 - 0.197	3,445	0.104	0.101 - 0.108
New Mexico	1,947	0.112	0.107 - 0.117	1,171	0.136	0.128 - 0.144	776	0.088	0.082 - 0.095
New York	20,712	0.150	0.148 - 0.152	13,224	0.195	0.192 - 0.199	7,488	0.107	0.104 - 0.109
North Carolina	10,055	0.134	0.132 - 0.137	6,316	0.172	0.167 - 0.176	3,739	0.098	0.095 - 0.102
North Dakota	858	0.128	0.119 - 0.137	550	0.160	0.147 - 0.174	308	0.094	0.084 - 0.105
Ohio	13,661	0.141	0.139 - 0.144	8,249	0.173	0.170 - 0.177	5,412	0.110	0.107 - 0.113
Oklahoma	4,106	0.135	0.131 - 0.139	2,437	0.161	0.155 - 0.168	1,669	0.108	0.103 - 0.114
Oregon	4,812	0.129	0.125 - 0.133	3,109	0.168	0.162 - 0.174	1,703	0.090	0.086 - 0.095
Pennsylvania	15,833	0.150	0.147 - 0.152	9,984	0.192	0.188 - 0.196	5,849	0.109	0.106 - 0.111
Rhode Island	1,354	0.150	0.142 - 0.159	828	0.189	0.177 - 0.203	526	0.114	0.104 - 0.124
South Carolina	4,846	0.136	0.132 - 0.140	3,032	0.173	0.167 - 0.180	1,814	0.100	0.096 - 0.105
Tennessee	7,996	0.148	0.145 - 0.151	5,034	0.189	0.184 - 0.195	2,962	0.108	0.104 - 0.111
Texas	29,259	0.127	0.126 - 0.129	17,773	0.155	0.153 - 0.157	11,486	0.100	0.098 - 0.102
Utah	2,261	0.077	0.074 - 0.080	1,409	0.095	0.091 - 0.101	852	0.059	0.055 - 0.063
Vermont	793	0.133	0.124 - 0.142	496	0.168	0.154 - 0.184	297	0.098	0.087 - 0.110
Washington	7,275	0.119	0.116 - 0.121	4,572	0.149	0.144 - 0.153	2,703	0.088	0.085 - 0.092
WA - Seattle	4,941	0.123	0.120 - 0.127	3,150	0.157	0.151 - 0.162	1,790	0.090	0.086 - 0.094
West Virginia	2,981	0.175	0.169 - 0.181	1,727	0.205	0.196 - 0.215	1,254	0.145	0.137 - 0.154
Wisconsin	7,544	0.147	0.144 - 0.151	4,845	0.190	0.185 - 0.196	2,699	0.105	0.101 - 0.109
Wyoming	629	0.116	0.107 - 0.125	400	0.144	0.131 - 0.159	229	0.086	0.075 - 0.098

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	67,247	0.026	0.026 - 0.027	36,441	0.029	0.029 - 0.029	30,806	0.024	0.024 - 0.024
Alabama	860	0.025	0.023 - 0.027	452	0.027	0.024 - 0.029	408	0.023	0.021 - 0.026
Alaska	144	0.029	0.024 - 0.034	92	0.034	0.028 - 0.042	52	0.022	0.016 - 0.029
Arizona	1,431	0.024	0.022 - 0.025	777	0.026	0.024 - 0.028	654	0.021	0.020 - 0.023
Arkansas	662	0.027	0.025 - 0.029	381	0.032	0.029 - 0.035	281	0.023	0.020 - 0.026
California	6,880	0.024	0.023 - 0.024	3,812	0.026	0.025 - 0.027	3,068	0.021	0.020 - 0.022
CA - Greater California	4,053	0.023	0.023 - 0.024	2,230	0.026	0.025 - 0.027	1,823	0.021	0.020 - 0.022
CA - Greater Bay Area	1,248	0.028	0.026 - 0.029	707	0.031	0.029 - 0.033	542	0.024	0.022 - 0.026
CA - Los Angeles	1,580	0.022	0.021 - 0.023	876	0.024	0.023 - 0.026	704	0.019	0.018 - 0.021
Colorado	1,278	0.025	0.024 - 0.027	703	0.028	0.026 - 0.030	575	0.023	0.021 - 0.025
Connecticut	848	0.029	0.027 - 0.031	465	0.033	0.030 - 0.036	383	0.026	0.023 - 0.029
Delaware	190	0.028	0.024 - 0.032	95	0.029	0.023 - 0.035	95	0.027	0.022 - 0.033
District of Columbia	79	0.024	0.019 - 0.030	48	0.029	0.022 - 0.039	31	0.019	0.013 - 0.027
Florida	4,392	0.026	0.025 - 0.027	2,369	0.029	0.028 - 0.030	2,023	0.024	0.023 - 0.025
Georgia	1,599	0.025	0.023 - 0.026	829	0.026	0.024 - 0.028	770	0.024	0.022 - 0.025
Hawaii	90	0.025	0.020 - 0.031	60	0.031	0.024 - 0.040	30	0.018	0.012 - 0.026
Idaho	386	0.023	0.021 - 0.025	223	0.026	0.023 - 0.030	164	0.020	0.017 - 0.023
Illinois	2,694	0.027	0.026 - 0.028	1,477	0.030	0.029 - 0.032	1,217	0.024	0.023 - 0.026
Indiana	1,482	0.026	0.024 - 0.027	809	0.028	0.026 - 0.030	673	0.023	0.021 - 0.025
Iowa	799	0.028	0.026 - 0.030	406	0.028	0.026 - 0.031	393	0.027	0.024 - 0.030
Kansas	642	0.025	0.023 - 0.027	353	0.028	0.025 - 0.031	289	0.022	0.020 - 0.025
Kentucky	1,160	0.029	0.028 - 0.031	643	0.033	0.030 - 0.036	518	0.026	0.024 - 0.028
Louisiana	765	0.026	0.024 - 0.028	423	0.029	0.026 - 0.032	342	0.023	0.020 - 0.025
Maine	411	0.032	0.029 - 0.035	220	0.035	0.031 - 0.040	191	0.029	0.025 - 0.034
Maryland	932	0.026	0.024 - 0.027	497	0.028	0.025 - 0.030	435	0.024	0.022 - 0.026
MI - Detroit	694	0.026	0.024 - 0.028	382	0.029	0.026 - 0.032	312	0.023	0.021 - 0.026
Minnesota	1,396	0.029	0.028 - 0.031	762	0.032	0.030 - 0.034	634	0.026	0.024 - 0.028
Mississippi	466	0.026	0.024 - 0.029	239	0.027	0.024 - 0.031	227	0.025	0.022 - 0.029
Missouri	1,429	0.028	0.026 - 0.029	751	0.030	0.027 - 0.032	678	0.026	0.024 - 0.028
Montana	266	0.027	0.024 - 0.031	145	0.030	0.025 - 0.035	121	0.025	0.021 - 0.030
Nebraska	459	0.027	0.024 - 0.029	242	0.028	0.025 - 0.032	217	0.025	0.022 - 0.029
New Hampshire	408	0.032	0.029 - 0.035	216	0.034	0.030 - 0.039	192	0.030	0.026 - 0.034
New Jersey	1,976	0.030	0.029 - 0.032	1,043	0.033	0.031 - 0.035	933	0.028	0.026 - 0.030
New Mexico	365	0.021	0.019 - 0.023	183	0.021	0.018 - 0.025	182	0.021	0.018 - 0.024
New York	4,171	0.030	0.029 - 0.031	2,246	0.033	0.032 - 0.035	1,926	0.027	0.026 - 0.029
North Carolina	1,938	0.026	0.025 - 0.027	1,057	0.029	0.027 - 0.031	881	0.023	0.022 - 0.025
North Dakota	151	0.022	0.019 - 0.026	86	0.025	0.020 - 0.031	65	0.020	0.015 - 0.025
Ohio	2,626	0.027	0.026 - 0.028	1,461	0.031	0.029 - 0.032	1,165	0.024	0.022 - 0.025
Oklahoma	712	0.023	0.022 - 0.025	370	0.024	0.022 - 0.027	342	0.022	0.020 - 0.025
Oregon	1,002	0.027	0.025 - 0.029	543	0.029	0.027 - 0.032	459	0.024	0.022 - 0.027
Pennsylvania	2,995	0.028	0.027 - 0.029	1,655	0.032	0.030 - 0.033	1,340	0.025	0.024 - 0.026
Rhode Island	232	0.026	0.023 - 0.029	104	0.024	0.019 - 0.029	128	0.028	0.023 - 0.033
South Carolina	801	0.022	0.021 - 0.024	424	0.024	0.022 - 0.027	377	0.021	0.019 - 0.023
Tennessee	1,341	0.025	0.023 - 0.026	711	0.027	0.025 - 0.029	630	0.023	0.021 - 0.025
Texas	5,922	0.026	0.025 - 0.026	3,138	0.027	0.026 - 0.028	2,784	0.024	0.023 - 0.025
Utah	784	0.027	0.025 - 0.029	447	0.030	0.028 - 0.033	337	0.023	0.021 - 0.026
Vermont	165	0.028	0.024 - 0.032	100	0.034	0.028 - 0.041	65	0.021	0.017 - 0.027
Washington	1,822	0.030	0.028 - 0.031	1,012	0.033	0.031 - 0.035	810	0.026	0.025 - 0.028
WA - Seattle	1,293	0.032	0.031 - 0.034	717	0.036	0.033 - 0.038	576	0.029	0.027 - 0.031
West Virginia	492	0.029	0.026 - 0.032	256	0.030	0.027 - 0.034	236	0.027	0.024 - 0.031
Wisconsin	1,428	0.028	0.026 - 0.029	770	0.030	0.028 - 0.032	658	0.026	0.024 - 0.028
Wyoming	129	0.024	0.020 - 0.028	64	0.023	0.018 - 0.030	65	0.024	0.019 - 0.031

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-194 Prevalence – Brain and Other Nervous System

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	361,405	0.142	0.141 - 0.142	88,880	0.070	0.070 - 0.071	272,532	0.212	0.211 - 0.213
Alabama	3,450	0.100	0.097 - 0.104	872	0.052	0.048 - 0.055	2,578	0.147	0.142 - 0.153
Alaska	589	0.117	0.107 - 0.126	165	0.062	0.053 - 0.072	424	0.178	0.161 - 0.196
Arizona	8,198	0.135	0.132 - 0.138	1,872	0.062	0.059 - 0.065	6,326	0.207	0.202 - 0.212
Arkansas	2,719	0.112	0.108 - 0.117	673	0.056	0.052 - 0.061	2,046	0.167	0.160 - 0.174
California	35,582	0.122	0.121 - 0.124	8,460	0.058	0.057 - 0.059	27,122	0.187	0.185 - 0.189
CA - Greater California	20,951	0.121	0.119 - 0.123	4,921	0.057	0.055 - 0.058	16,029	0.185	0.182 - 0.188
CA - Greater Bay Area	5,423	0.120	0.116 - 0.123	1,442	0.063	0.060 - 0.066	3,981	0.178	0.172 - 0.184
CA - Los Angeles	9,209	0.127	0.125 - 0.130	2,097	0.058	0.056 - 0.061	7,112	0.197	0.192 - 0.201
Colorado	7,199	0.142	0.139 - 0.145	1,835	0.072	0.069 - 0.075	5,364	0.213	0.207 - 0.219
Connecticut	5,748	0.199	0.194 - 0.204	1,428	0.101	0.096 - 0.106	4,320	0.293	0.284 - 0.301
Delaware	1,096	0.160	0.151 - 0.170	252	0.076	0.067 - 0.086	844	0.240	0.224 - 0.257
District of Columbia	486	0.148	0.135 - 0.162	126	0.077	0.064 - 0.092	360	0.219	0.197 - 0.243
Florida	20,773	0.124	0.122 - 0.126	5,084	0.062	0.060 - 0.063	15,689	0.184	0.181 - 0.187
Georgia	8,365	0.129	0.126 - 0.132	2,057	0.064	0.061 - 0.067	6,308	0.193	0.188 - 0.198
Hawaii	482	0.134	0.122 - 0.146	141	0.072	0.061 - 0.085	341	0.206	0.184 - 0.229
Idaho	2,252	0.134	0.129 - 0.140	529	0.063	0.058 - 0.068	1,724	0.206	0.197 - 0.216
Illinois	15,297	0.155	0.153 - 0.158	3,825	0.078	0.076 - 0.081	11,472	0.231	0.226 - 0.235
Indiana	6,853	0.119	0.116 - 0.122	1,633	0.057	0.055 - 0.060	5,220	0.179	0.174 - 0.184
Iowa	3,916	0.135	0.131 - 0.140	978	0.068	0.064 - 0.073	2,938	0.202	0.194 - 0.209
Kansas	3,822	0.149	0.145 - 0.154	923	0.073	0.068 - 0.077	2,899	0.225	0.217 - 0.234
Kentucky	5,877	0.148	0.144 - 0.152	1,436	0.074	0.070 - 0.078	4,441	0.221	0.214 - 0.227
Louisiana	4,623	0.156	0.152 - 0.161	1,140	0.078	0.073 - 0.082	3,483	0.233	0.225 - 0.240
Maine	1,954	0.152	0.145 - 0.159	539	0.086	0.079 - 0.093	1,415	0.216	0.204 - 0.227
Maryland	5,856	0.162	0.158 - 0.166	1,438	0.081	0.076 - 0.085	4,418	0.241	0.234 - 0.249
MI - Detroit	4,642	0.175	0.170 - 0.180	1,109	0.085	0.080 - 0.090	3,533	0.264	0.255 - 0.273
Minnesota	5,943	0.124	0.121 - 0.127	1,542	0.065	0.062 - 0.068	4,401	0.183	0.178 - 0.188
Mississippi	2,104	0.118	0.113 - 0.123	533	0.061	0.056 - 0.066	1,571	0.175	0.166 - 0.183
Missouri	6,274	0.122	0.119 - 0.125	1,554	0.061	0.058 - 0.064	4,720	0.180	0.175 - 0.186
Montana	1,313	0.136	0.129 - 0.143	361	0.074	0.067 - 0.082	952	0.199	0.186 - 0.212
Nebraska	2,375	0.138	0.132 - 0.144	551	0.064	0.059 - 0.070	1,824	0.211	0.202 - 0.221
New Hampshire	1,976	0.154	0.148 - 0.161	515	0.081	0.075 - 0.089	1,461	0.226	0.214 - 0.238
New Jersey	13,927	0.215	0.211 - 0.218	3,479	0.109	0.106 - 0.113	10,448	0.317	0.311 - 0.323
New Mexico	2,678	0.154	0.148 - 0.160	612	0.071	0.066 - 0.077	2,066	0.235	0.225 - 0.246
New York	28,817	0.209	0.207 - 0.211	7,351	0.109	0.106 - 0.111	21,466	0.306	0.302 - 0.310
North Carolina	9,462	0.126	0.124 - 0.129	2,359	0.064	0.062 - 0.067	7,103	0.187	0.182 - 0.191
North Dakota	1,005	0.150	0.140 - 0.159	249	0.073	0.064 - 0.082	756	0.230	0.214 - 0.247
Ohio	14,437	0.149	0.147 - 0.152	3,324	0.070	0.067 - 0.072	11,113	0.226	0.222 - 0.230
Oklahoma	3,472	0.114	0.110 - 0.118	818	0.054	0.051 - 0.058	2,654	0.172	0.166 - 0.179
Oregon	4,666	0.125	0.121 - 0.129	1,155	0.062	0.059 - 0.066	3,511	0.186	0.180 - 0.193
Pennsylvania	22,011	0.208	0.205 - 0.211	5,512	0.106	0.103 - 0.109	16,499	0.306	0.302 - 0.311
Rhode Island	1,811	0.201	0.192 - 0.211	457	0.105	0.095 - 0.115	1,354	0.292	0.277 - 0.308
South Carolina	4,106	0.115	0.112 - 0.119	1,030	0.059	0.055 - 0.063	3,076	0.170	0.164 - 0.176
Tennessee	7,139	0.132	0.129 - 0.135	1,847	0.069	0.066 - 0.073	5,292	0.192	0.187 - 0.197
Texas	25,557	0.111	0.110 - 0.113	6,115	0.053	0.052 - 0.055	19,442	0.169	0.167 - 0.171
Utah	4,341	0.148	0.144 - 0.153	994	0.067	0.063 - 0.072	3,347	0.230	0.222 - 0.238
Vermont	851	0.143	0.133 - 0.152	218	0.074	0.065 - 0.085	633	0.209	0.193 - 0.226
Washington	7,681	0.125	0.122 - 0.128	1,972	0.064	0.061 - 0.067	5,709	0.187	0.182 - 0.191
WA - Seattle	5,330	0.133	0.130 - 0.137	1,407	0.070	0.066 - 0.074	3,923	0.197	0.191 - 0.203
West Virginia	2,889	0.170	0.163 - 0.176	669	0.080	0.074 - 0.086	2,220	0.257	0.247 - 0.268
Wisconsin	6,866	0.134	0.131 - 0.137	1,757	0.069	0.066 - 0.072	5,109	0.199	0.194 - 0.205
Wyoming	756	0.139	0.129 - 0.149	185	0.067	0.058 - 0.077	571	0.214	0.197 - 0.232

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	58,594	0.023	0.023 - 0.023	32,014	0.025	0.025 - 0.026	26,581	0.021	0.020 - 0.021
Alabama	622	0.018	0.017 - 0.020	344	0.020	0.018 - 0.023	278	0.016	0.014 - 0.018
Alaska	96	0.019	0.015 - 0.023	52	0.019	0.015 - 0.026	44	0.018	0.013 - 0.025
Arizona	1,055	0.017	0.016 - 0.018	580	0.019	0.018 - 0.021	475	0.016	0.014 - 0.017
Arkansas	528	0.022	0.020 - 0.024	294	0.025	0.022 - 0.028	234	0.019	0.017 - 0.022
California	5,930	0.020	0.020 - 0.021	3,269	0.022	0.022 - 0.023	2,661	0.018	0.018 - 0.019
CA - Greater California	3,430	0.020	0.019 - 0.020	1,882	0.022	0.021 - 0.023	1,548	0.018	0.017 - 0.019
CA - Greater Bay Area	1,067	0.024	0.022 - 0.025	593	0.026	0.024 - 0.028	474	0.021	0.019 - 0.023
CA - Los Angeles	1,432	0.020	0.019 - 0.021	795	0.022	0.020 - 0.024	638	0.018	0.016 - 0.019
Colorado	1,072	0.021	0.020 - 0.022	614	0.024	0.022 - 0.026	458	0.018	0.017 - 0.020
Connecticut	861	0.030	0.028 - 0.032	465	0.033	0.030 - 0.036	396	0.027	0.024 - 0.030
Delaware	173	0.025	0.022 - 0.029	99	0.030	0.024 - 0.036	74	0.021	0.017 - 0.026
District of Columbia	95	0.029	0.023 - 0.035	46	0.028	0.021 - 0.037	49	0.030	0.022 - 0.039
Florida	4,166	0.025	0.024 - 0.026	2,231	0.027	0.026 - 0.028	1,935	0.023	0.022 - 0.024
Georgia	1,291	0.020	0.019 - 0.021	675	0.021	0.019 - 0.023	616	0.019	0.017 - 0.020
Hawaii	90	0.025	0.020 - 0.031	57	0.029	0.022 - 0.038	33	0.020	0.014 - 0.028
Idaho	325	0.019	0.017 - 0.022	181	0.022	0.019 - 0.025	144	0.017	0.014 - 0.020
Illinois	2,419	0.025	0.024 - 0.026	1,306	0.027	0.025 - 0.028	1,113	0.022	0.021 - 0.024
Indiana	1,387	0.024	0.023 - 0.025	766	0.027	0.025 - 0.029	621	0.021	0.020 - 0.023
Iowa	714	0.025	0.023 - 0.027	403	0.028	0.025 - 0.031	311	0.021	0.019 - 0.024
Kansas	538	0.021	0.019 - 0.023	301	0.024	0.021 - 0.027	237	0.018	0.016 - 0.021
Kentucky	883	0.022	0.021 - 0.024	499	0.026	0.023 - 0.028	384	0.019	0.017 - 0.021
Louisiana	710	0.024	0.022 - 0.026	385	0.026	0.024 - 0.029	325	0.022	0.019 - 0.024
Maine	348	0.027	0.024 - 0.030	182	0.029	0.025 - 0.033	166	0.025	0.022 - 0.029
Maryland	840	0.023	0.022 - 0.025	452	0.025	0.023 - 0.028	388	0.021	0.019 - 0.023
MI - Detroit	738	0.028	0.026 - 0.030	417	0.032	0.029 - 0.035	322	0.024	0.021 - 0.027
Minnesota	1,282	0.027	0.025 - 0.028	724	0.030	0.028 - 0.033	558	0.023	0.021 - 0.025
Mississippi	350	0.020	0.018 - 0.022	191	0.022	0.019 - 0.025	159	0.018	0.015 - 0.021
Missouri	1,166	0.023	0.021 - 0.024	623	0.024	0.023 - 0.026	543	0.021	0.019 - 0.023
Montana	230	0.024	0.021 - 0.027	126	0.026	0.022 - 0.031	104	0.022	0.018 - 0.026
Nebraska	409	0.024	0.022 - 0.026	231	0.027	0.024 - 0.031	178	0.021	0.018 - 0.024
New Hampshire	342	0.027	0.024 - 0.030	195	0.031	0.027 - 0.035	147	0.023	0.019 - 0.027
New Jersey	1,954	0.030	0.029 - 0.032	1,057	0.033	0.031 - 0.035	897	0.027	0.025 - 0.029
New Mexico	330	0.019	0.017 - 0.021	187	0.022	0.019 - 0.025	143	0.016	0.014 - 0.019
New York	4,197	0.030	0.030 - 0.031	2,271	0.034	0.032 - 0.035	1,927	0.027	0.026 - 0.029
North Carolina	1,536	0.021	0.020 - 0.022	835	0.023	0.021 - 0.024	701	0.018	0.017 - 0.020
North Dakota	180	0.027	0.023 - 0.031	112	0.033	0.027 - 0.039	68	0.021	0.016 - 0.026
Ohio	2,221	0.023	0.022 - 0.024	1,222	0.026	0.024 - 0.027	999	0.020	0.019 - 0.022
Oklahoma	602	0.020	0.018 - 0.021	330	0.022	0.020 - 0.024	272	0.018	0.016 - 0.020
Oregon	800	0.021	0.020 - 0.023	416	0.022	0.020 - 0.025	384	0.020	0.018 - 0.023
Pennsylvania	3,033	0.029	0.028 - 0.030	1,667	0.032	0.031 - 0.034	1,366	0.025	0.024 - 0.027
Rhode Island	281	0.031	0.028 - 0.035	143	0.033	0.028 - 0.039	138	0.030	0.025 - 0.035
South Carolina	735	0.021	0.019 - 0.022	387	0.022	0.020 - 0.024	348	0.019	0.017 - 0.021
Tennessee	1,142	0.021	0.020 - 0.022	595	0.022	0.021 - 0.024	547	0.020	0.018 - 0.022
Texas	4,300	0.019	0.018 - 0.019	2,350	0.020	0.020 - 0.021	1,950	0.017	0.016 - 0.018
Utah	616	0.021	0.019 - 0.023	313	0.021	0.019 - 0.024	304	0.021	0.019 - 0.023
Vermont	157	0.026	0.022 - 0.031	84	0.029	0.023 - 0.035	73	0.024	0.019 - 0.030
Washington	1,354	0.022	0.021 - 0.023	771	0.025	0.023 - 0.027	583	0.019	0.018 - 0.021
WA - Seattle	949	0.024	0.022 - 0.025	540	0.027	0.025 - 0.029	409	0.021	0.019 - 0.023
West Virginia	354	0.021	0.019 - 0.023	201	0.024	0.021 - 0.027	153	0.018	0.015 - 0.021
Wisconsin	1,360	0.027	0.025 - 0.028	748	0.029	0.027 - 0.032	612	0.024	0.022 - 0.026
Wyoming	104	0.019	0.016 - 0.023	60	0.022	0.017 - 0.028	44	0.016	0.012 - 0.022

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

White

III-196 Prevalence – Hodgkin Lymphoma

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	370,687	0.145	0.145 - 0.146	198,417	0.157	0.156 - 0.158	172,279	0.134	0.133 - 0.135
Alabama	4,253	0.124	0.120 - 0.128	2,288	0.136	0.130 - 0.141	1,965	0.112	0.107 - 0.117
Alaska	638	0.126	0.117 - 0.136	372	0.139	0.126 - 0.154	266	0.112	0.099 - 0.126
Arizona	6,754	0.111	0.109 - 0.114	3,623	0.120	0.116 - 0.124	3,131	0.102	0.099 - 0.106
Arkansas	3,223	0.133	0.128 - 0.138	1,722	0.144	0.137 - 0.151	1,501	0.122	0.116 - 0.129
California	37,029	0.127	0.126 - 0.129	20,203	0.139	0.137 - 0.140	16,826	0.116	0.114 - 0.118
CA - Greater California	21,118	0.122	0.120 - 0.124	11,503	0.133	0.130 - 0.135	9,615	0.111	0.109 - 0.113
CA - Greater Bay Area	7,480	0.165	0.161 - 0.169	4,186	0.182	0.177 - 0.188	3,294	0.147	0.142 - 0.152
CA - Los Angeles	8,436	0.117	0.114 - 0.119	4,522	0.125	0.121 - 0.129	3,914	0.108	0.105 - 0.112
Colorado	5,929	0.117	0.114 - 0.120	3,264	0.128	0.123 - 0.132	2,665	0.106	0.102 - 0.110
Connecticut	5,402	0.187	0.182 - 0.192	2,857	0.202	0.195 - 0.210	2,545	0.172	0.166 - 0.179
Delaware	1,173	0.171	0.162 - 0.181	624	0.187	0.173 - 0.203	549	0.156	0.143 - 0.170
District of Columbia	274	0.084	0.074 - 0.094	167	0.102	0.087 - 0.119	107	0.065	0.053 - 0.079
Florida	30,885	0.184	0.182 - 0.186	16,212	0.197	0.194 - 0.200	14,673	0.172	0.169 - 0.175
Georgia	8,471	0.131	0.128 - 0.134	4,603	0.143	0.139 - 0.147	3,868	0.118	0.115 - 0.122
Hawaii	615	0.170	0.157 - 0.184	371	0.190	0.171 - 0.210	244	0.147	0.129 - 0.167
Idaho	1,998	0.119	0.114 - 0.125	1,086	0.129	0.122 - 0.137	912	0.109	0.102 - 0.117
Illinois	14,853	0.151	0.148 - 0.153	7,839	0.160	0.157 - 0.164	7,014	0.141	0.138 - 0.144
Indiana	7,736	0.134	0.131 - 0.137	4,091	0.144	0.139 - 0.148	3,645	0.125	0.121 - 0.129
Iowa	4,663	0.161	0.157 - 0.166	2,495	0.174	0.167 - 0.181	2,168	0.149	0.143 - 0.155
Kansas	3,617	0.141	0.137 - 0.146	1,969	0.155	0.148 - 0.162	1,648	0.128	0.122 - 0.134
Kentucky	5,725	0.144	0.141 - 0.148	2,982	0.153	0.147 - 0.158	2,743	0.136	0.131 - 0.141
Louisiana	4,499	0.152	0.147 - 0.156	2,411	0.164	0.158 - 0.171	2,089	0.139	0.134 - 0.146
Maine	2,283	0.178	0.170 - 0.185	1,230	0.196	0.185 - 0.207	1,053	0.160	0.151 - 0.170
Maryland	5,485	0.152	0.148 - 0.156	2,896	0.162	0.156 - 0.168	2,589	0.141	0.136 - 0.147
MI - Detroit	4,639	0.175	0.170 - 0.180	2,452	0.187	0.180 - 0.195	2,187	0.163	0.157 - 0.170
Minnesota	8,084	0.169	0.165 - 0.173	4,443	0.187	0.181 - 0.192	3,641	0.151	0.146 - 0.156
Mississippi	2,425	0.136	0.131 - 0.142	1,267	0.144	0.136 - 0.152	1,158	0.129	0.121 - 0.136
Missouri	7,267	0.141	0.138 - 0.144	3,885	0.153	0.148 - 0.158	3,382	0.129	0.125 - 0.134
Montana	1,469	0.152	0.144 - 0.160	840	0.173	0.161 - 0.185	629	0.131	0.121 - 0.142
Nebraska	2,527	0.147	0.141 - 0.153	1,350	0.157	0.149 - 0.166	1,177	0.136	0.129 - 0.144
New Hampshire	2,259	0.177	0.169 - 0.184	1,210	0.191	0.181 - 0.202	1,049	0.162	0.152 - 0.172
New Jersey	12,293	0.190	0.186 - 0.193	6,447	0.203	0.198 - 0.208	5,846	0.177	0.173 - 0.182
New Mexico	2,024	0.116	0.111 - 0.121	1,035	0.120	0.113 - 0.128	989	0.113	0.106 - 0.120
New York	25,811	0.187	0.185 - 0.189	13,477	0.199	0.196 - 0.203	12,334	0.176	0.173 - 0.179
North Carolina	10,202	0.136	0.134 - 0.139	5,472	0.149	0.145 - 0.153	4,730	0.124	0.121 - 0.128
North Dakota	925	0.138	0.129 - 0.147	499	0.145	0.133 - 0.159	426	0.130	0.118 - 0.143
Ohio	14,304	0.148	0.145 - 0.150	7,643	0.161	0.157 - 0.164	6,661	0.135	0.132 - 0.139
Oklahoma	3,655	0.120	0.116 - 0.124	1,931	0.128	0.122 - 0.134	1,724	0.112	0.107 - 0.117
Oregon	5,327	0.143	0.139 - 0.147	2,886	0.156	0.150 - 0.162	2,441	0.130	0.125 - 0.135
Pennsylvania	18,503	0.175	0.172 - 0.177	9,697	0.186	0.183 - 0.190	8,806	0.163	0.160 - 0.167
Rhode Island	1,513	0.168	0.160 - 0.177	810	0.185	0.173 - 0.199	703	0.152	0.141 - 0.163
South Carolina	4,719	0.133	0.129 - 0.136	2,557	0.146	0.141 - 0.152	2,162	0.119	0.114 - 0.124
Tennessee	7,223	0.133	0.130 - 0.137	3,848	0.145	0.140 - 0.149	3,375	0.123	0.118 - 0.127
Texas	25,088	0.109	0.108 - 0.111	13,539	0.118	0.116 - 0.120	11,549	0.100	0.098 - 0.102
Utah	2,889	0.099	0.095 - 0.102	1,649	0.112	0.106 - 0.117	1,239	0.085	0.080 - 0.090
Vermont	1,031	0.173	0.162 - 0.184	556	0.189	0.173 - 0.205	475	0.157	0.143 - 0.172
Washington	8,894	0.145	0.142 - 0.148	4,940	0.161	0.156 - 0.165	3,954	0.129	0.125 - 0.133
WA - Seattle	6,297	0.157	0.153 - 0.161	3,524	0.175	0.169 - 0.181	2,773	0.139	0.134 - 0.144
West Virginia	2,726	0.160	0.154 - 0.166	1,437	0.171	0.162 - 0.180	1,289	0.149	0.141 - 0.158
Wisconsin	8,622	0.169	0.165 - 0.172	4,719	0.185	0.180 - 0.191	3,903	0.152	0.147 - 0.157
Wyoming	681	0.125	0.116 - 0.135	376	0.136	0.122 - 0.150	305	0.114	0.102 - 0.128

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	94,845	0.037	0.037 - 0.037	53,984	0.043	0.042 - 0.043	40,866	0.032	0.031 - 0.032
Alabama	1,081	0.031	0.030 - 0.033	619	0.037	0.034 - 0.040	462	0.026	0.024 - 0.029
Alaska	135	0.027	0.022 - 0.032	78	0.029	0.023 - 0.036	57	0.024	0.018 - 0.031
Arizona	1,730	0.028	0.027 - 0.030	1,012	0.034	0.031 - 0.036	718	0.024	0.022 - 0.025
Arkansas	891	0.037	0.034 - 0.039	496	0.041	0.038 - 0.045	395	0.032	0.029 - 0.036
California	9,206	0.032	0.031 - 0.032	5,272	0.036	0.035 - 0.037	3,934	0.027	0.026 - 0.028
CA - Greater California	5,446	0.031	0.031 - 0.032	3,128	0.036	0.035 - 0.037	2,317	0.027	0.026 - 0.028
CA - Greater Bay Area	1,716	0.038	0.036 - 0.040	1,014	0.044	0.041 - 0.047	702	0.031	0.029 - 0.034
CA - Los Angeles	2,047	0.028	0.027 - 0.030	1,131	0.031	0.029 - 0.033	916	0.025	0.024 - 0.027
Colorado	1,616	0.032	0.030 - 0.033	945	0.037	0.035 - 0.039	671	0.027	0.025 - 0.029
Connecticut	1,401	0.048	0.046 - 0.051	799	0.057	0.053 - 0.061	602	0.041	0.038 - 0.044
Delaware	270	0.039	0.035 - 0.044	149	0.045	0.038 - 0.053	121	0.034	0.029 - 0.041
District of Columbia	88	0.027	0.022 - 0.033	48	0.029	0.022 - 0.039	40	0.024	0.017 - 0.033
Florida	8,584	0.051	0.050 - 0.052	4,792	0.058	0.057 - 0.060	3,792	0.044	0.043 - 0.046
Georgia	2,301	0.036	0.034 - 0.037	1,285	0.040	0.038 - 0.042	1,016	0.031	0.029 - 0.033
Hawaii	149	0.041	0.035 - 0.049	97	0.049	0.040 - 0.060	53	0.032	0.024 - 0.042
Idaho	544	0.032	0.030 - 0.035	345	0.041	0.037 - 0.046	199	0.024	0.021 - 0.027
Illinois	3,536	0.036	0.035 - 0.037	1,942	0.040	0.038 - 0.042	1,594	0.032	0.030 - 0.034
Indiana	2,005	0.035	0.033 - 0.036	1,108	0.039	0.037 - 0.041	897	0.031	0.029 - 0.033
Iowa	1,175	0.041	0.038 - 0.043	679	0.047	0.044 - 0.051	496	0.034	0.031 - 0.037
Kansas	937	0.037	0.034 - 0.039	533	0.042	0.038 - 0.046	404	0.031	0.028 - 0.035
Kentucky	1,412	0.036	0.034 - 0.038	825	0.042	0.039 - 0.045	587	0.029	0.027 - 0.032
Louisiana	1,034	0.035	0.033 - 0.037	581	0.040	0.037 - 0.043	452	0.030	0.027 - 0.033
Maine	546	0.042	0.039 - 0.046	317	0.050	0.045 - 0.056	229	0.035	0.031 - 0.040
Maryland	1,282	0.035	0.034 - 0.037	716	0.040	0.037 - 0.043	566	0.031	0.028 - 0.034
MI - Detroit	1,101	0.042	0.039 - 0.044	627	0.048	0.044 - 0.052	475	0.035	0.032 - 0.039
Minnesota	2,001	0.042	0.040 - 0.044	1,183	0.050	0.047 - 0.053	818	0.034	0.032 - 0.036
Mississippi	608	0.034	0.032 - 0.037	358	0.041	0.037 - 0.045	250	0.028	0.024 - 0.031
Missouri	1,798	0.035	0.033 - 0.036	1,024	0.040	0.038 - 0.043	774	0.030	0.028 - 0.032
Montana	424	0.044	0.040 - 0.048	252	0.052	0.046 - 0.059	172	0.036	0.031 - 0.042
Nebraska	608	0.035	0.033 - 0.038	353	0.041	0.037 - 0.046	255	0.030	0.026 - 0.033
New Hampshire	547	0.043	0.039 - 0.046	316	0.050	0.045 - 0.056	231	0.036	0.031 - 0.041
New Jersey	3,023	0.047	0.045 - 0.048	1,704	0.054	0.051 - 0.056	1,319	0.040	0.038 - 0.042
New Mexico	550	0.032	0.029 - 0.034	331	0.038	0.034 - 0.043	219	0.025	0.022 - 0.028
New York	6,916	0.050	0.049 - 0.051	3,929	0.058	0.056 - 0.060	2,988	0.043	0.041 - 0.044
North Carolina	2,908	0.039	0.037 - 0.040	1,635	0.044	0.042 - 0.047	1,273	0.033	0.032 - 0.035
North Dakota	232	0.035	0.030 - 0.039	137	0.040	0.033 - 0.047	95	0.029	0.023 - 0.035
Ohio	2,996	0.031	0.030 - 0.032	1,684	0.035	0.034 - 0.037	1,312	0.027	0.025 - 0.028
Oklahoma	926	0.030	0.028 - 0.032	511	0.034	0.031 - 0.037	415	0.027	0.024 - 0.030
Oregon	1,214	0.033	0.031 - 0.034	712	0.038	0.036 - 0.041	502	0.027	0.024 - 0.029
Pennsylvania	4,378	0.041	0.040 - 0.043	2,499	0.048	0.046 - 0.050	1,879	0.035	0.033 - 0.036
Rhode Island	333	0.037	0.033 - 0.041	199	0.046	0.039 - 0.052	134	0.029	0.024 - 0.034
South Carolina	1,239	0.035	0.033 - 0.037	702	0.040	0.037 - 0.043	537	0.030	0.027 - 0.032
Tennessee	1,818	0.034	0.032 - 0.035	1,036	0.039	0.037 - 0.041	782	0.028	0.026 - 0.030
Texas	7,332	0.032	0.031 - 0.033	4,111	0.036	0.035 - 0.037	3,221	0.028	0.027 - 0.029
Utah	763	0.026	0.024 - 0.028	465	0.031	0.029 - 0.034	298	0.020	0.018 - 0.023
Vermont	237	0.040	0.035 - 0.045	138	0.047	0.039 - 0.055	99	0.033	0.027 - 0.040
Washington	2,224	0.036	0.035 - 0.038	1,308	0.043	0.040 - 0.045	916	0.030	0.028 - 0.032
WA - Seattle	1,561	0.039	0.037 - 0.041	919	0.046	0.043 - 0.049	642	0.032	0.030 - 0.035
West Virginia	623	0.037	0.034 - 0.040	353	0.042	0.038 - 0.047	270	0.031	0.028 - 0.035
Wisconsin	2,224	0.043	0.042 - 0.045	1,264	0.050	0.047 - 0.052	960	0.037	0.035 - 0.040
Wyoming	174	0.032	0.027 - 0.037	102	0.037	0.030 - 0.045	72	0.027	0.021 - 0.034

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	234,163	0.092	0.092 - 0.092	136,659	0.108	0.108 - 0.109	97,516	0.076	0.075 - 0.076
Alabama	2,425	0.071	0.068 - 0.073	1,385	0.082	0.078 - 0.087	1,040	0.059	0.056 - 0.063
Alaska	361	0.071	0.064 - 0.079	219	0.082	0.072 - 0.094	142	0.060	0.050 - 0.070
Arizona	3,628	0.060	0.058 - 0.062	2,095	0.069	0.066 - 0.072	1,533	0.050	0.048 - 0.053
Arkansas	2,038	0.084	0.080 - 0.088	1,198	0.100	0.095 - 0.106	840	0.068	0.064 - 0.073
California	22,174	0.076	0.075 - 0.077	12,980	0.089	0.087 - 0.091	9,194	0.063	0.062 - 0.065
CA - Greater California	13,021	0.075	0.074 - 0.076	7,533	0.087	0.085 - 0.089	5,488	0.063	0.062 - 0.065
CA - Greater Bay Area	4,024	0.089	0.086 - 0.092	2,417	0.105	0.101 - 0.109	1,607	0.072	0.068 - 0.075
CA - Los Angeles	5,125	0.071	0.069 - 0.073	3,027	0.084	0.081 - 0.087	2,098	0.058	0.056 - 0.061
Colorado	3,926	0.077	0.075 - 0.080	2,343	0.092	0.088 - 0.096	1,583	0.063	0.060 - 0.066
Connecticut	3,222	0.111	0.108 - 0.115	1,845	0.131	0.125 - 0.137	1,377	0.093	0.088 - 0.098
Delaware	650	0.095	0.088 - 0.103	392	0.118	0.106 - 0.130	258	0.073	0.065 - 0.083
District of Columbia	170	0.052	0.044 - 0.060	110	0.067	0.055 - 0.081	60	0.037	0.028 - 0.047
Florida	21,412	0.128	0.126 - 0.129	12,018	0.146	0.143 - 0.149	9,394	0.110	0.108 - 0.112
Georgia	5,727	0.088	0.086 - 0.091	3,314	0.103	0.100 - 0.107	2,413	0.074	0.071 - 0.077
Hawaii	345	0.096	0.086 - 0.106	215	0.110	0.096 - 0.126	131	0.079	0.066 - 0.093
Idaho	1,590	0.095	0.090 - 0.100	950	0.113	0.106 - 0.120	639	0.077	0.071 - 0.083
Illinois	8,116	0.082	0.081 - 0.084	4,756	0.097	0.095 - 0.100	3,360	0.068	0.065 - 0.070
Indiana	4,643	0.080	0.078 - 0.083	2,697	0.095	0.091 - 0.098	1,946	0.067	0.064 - 0.070
Iowa	3,114	0.108	0.104 - 0.112	1,867	0.130	0.124 - 0.136	1,248	0.086	0.081 - 0.090
Kansas	2,496	0.098	0.094 - 0.102	1,501	0.118	0.112 - 0.124	995	0.077	0.073 - 0.082
Kentucky	3,741	0.094	0.091 - 0.097	2,139	0.110	0.105 - 0.114	1,602	0.080	0.076 - 0.084
Louisiana	2,733	0.092	0.089 - 0.096	1,538	0.105	0.100 - 0.110	1,196	0.080	0.075 - 0.084
Maine	1,449	0.113	0.107 - 0.119	831	0.132	0.123 - 0.142	618	0.094	0.087 - 0.102
Maryland	3,000	0.083	0.080 - 0.086	1,715	0.096	0.092 - 0.101	1,285	0.070	0.066 - 0.074
MI - Detroit	3,015	0.114	0.110 - 0.118	1,784	0.136	0.130 - 0.143	1,231	0.092	0.087 - 0.097
Minnesota	5,170	0.108	0.105 - 0.111	3,179	0.134	0.129 - 0.138	1,991	0.083	0.079 - 0.086
Mississippi	1,416	0.080	0.075 - 0.084	827	0.094	0.088 - 0.101	589	0.065	0.060 - 0.071
Missouri	4,436	0.086	0.083 - 0.089	2,587	0.102	0.098 - 0.106	1,849	0.071	0.067 - 0.074
Montana	1,075	0.111	0.105 - 0.118	699	0.144	0.133 - 0.155	376	0.078	0.071 - 0.087
Nebraska	1,427	0.083	0.079 - 0.087	870	0.101	0.095 - 0.108	557	0.064	0.059 - 0.070
New Hampshire	1,263	0.099	0.093 - 0.104	784	0.124	0.115 - 0.133	479	0.074	0.068 - 0.081
New Jersey	7,330	0.113	0.111 - 0.116	4,226	0.133	0.129 - 0.137	3,105	0.094	0.091 - 0.097
New Mexico	1,522	0.087	0.083 - 0.092	857	0.100	0.093 - 0.106	664	0.076	0.070 - 0.082
New York	17,305	0.126	0.124 - 0.127	10,152	0.150	0.147 - 0.153	7,153	0.102	0.100 - 0.104
North Carolina	7,325	0.098	0.096 - 0.100	4,293	0.117	0.113 - 0.120	3,032	0.080	0.077 - 0.083
North Dakota	687	0.102	0.095 - 0.110	420	0.122	0.111 - 0.135	267	0.081	0.072 - 0.092
Ohio	7,011	0.072	0.071 - 0.074	4,112	0.086	0.084 - 0.089	2,899	0.059	0.057 - 0.061
Oklahoma	2,362	0.077	0.074 - 0.081	1,356	0.090	0.085 - 0.095	1,006	0.065	0.061 - 0.070
Oregon	2,982	0.080	0.077 - 0.083	1,729	0.093	0.089 - 0.098	1,253	0.067	0.063 - 0.070
Pennsylvania	11,034	0.104	0.102 - 0.106	6,465	0.124	0.121 - 0.127	4,569	0.085	0.082 - 0.087
Rhode Island	953	0.106	0.099 - 0.113	568	0.130	0.119 - 0.141	385	0.083	0.075 - 0.092
South Carolina	2,779	0.078	0.075 - 0.081	1,621	0.093	0.088 - 0.097	1,158	0.064	0.060 - 0.068
Tennessee	4,549	0.084	0.082 - 0.087	2,642	0.099	0.096 - 0.103	1,907	0.069	0.066 - 0.072
Texas	17,961	0.078	0.077 - 0.079	10,327	0.090	0.088 - 0.092	7,634	0.066	0.065 - 0.068
Utah	2,085	0.071	0.068 - 0.074	1,252	0.085	0.080 - 0.090	832	0.057	0.053 - 0.061
Vermont	546	0.091	0.084 - 0.099	322	0.109	0.098 - 0.122	224	0.074	0.065 - 0.084
Washington	5,853	0.095	0.093 - 0.098	3,485	0.113	0.110 - 0.117	2,368	0.077	0.074 - 0.081
WA - Seattle	4,319	0.108	0.105 - 0.111	2,581	0.128	0.123 - 0.133	1,738	0.087	0.083 - 0.091
West Virginia	1,773	0.104	0.099 - 0.109	1,051	0.125	0.118 - 0.133	722	0.084	0.078 - 0.090
Wisconsin	6,017	0.118	0.115 - 0.121	3,630	0.142	0.138 - 0.147	2,387	0.093	0.089 - 0.097
Wyoming	444	0.082	0.074 - 0.090	254	0.092	0.081 - 0.104	190	0.071	0.061 - 0.082

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, White, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	4,863	0.002	0.002 - 0.002	3,142	0.002	0.002 - 0.003	1,722	0.001	0.001 - 0.001
Alabama	51	0.001	0.001 - 0.002	33	0.002	0.001 - 0.003	18	0.001	0.001 - 0.002
Alaska	14	0.003	0.002 - 0.005	*	*		*	*	
Arizona	94	0.002	0.001 - 0.002	63	0.002	0.002 - 0.003	31	0.001	0.001 - 0.001
Arkansas	37	0.002	0.001 - 0.002	27	0.002	0.001 - 0.003	10	0.001	0.000 - 0.001
California	490	0.002	0.002 - 0.002	299	0.002	0.002 - 0.002	191	0.001	0.001 - 0.002
CA - Greater California	296	0.002	0.002 - 0.002	178	0.002	0.002 - 0.002	118	0.001	0.001 - 0.002
CA - Greater Bay Area	96	0.002	0.002 - 0.003	52	0.002	0.002 - 0.003	44	0.002	0.001 - 0.003
CA - Los Angeles	98	0.001	0.001 - 0.002	67	0.002	0.001 - 0.002	31	0.001	0.001 - 0.001
Colorado	77	0.002	0.001 - 0.002	47	0.002	0.001 - 0.002	30	0.001	0.001 - 0.002
Connecticut	65	0.002	0.002 - 0.003	45	0.003	0.002 - 0.004	20	0.001	0.001 - 0.002
Delaware	32	0.005	0.003 - 0.007	21	0.006	0.004 - 0.010	11	0.003	0.002 - 0.006
District of Columbia	*	*		*	*		*	*	
Florida	351	0.002	0.002 - 0.002	238	0.003	0.003 - 0.003	113	0.001	0.001 - 0.002
Georgia	92	0.001	0.001 - 0.002	67	0.002	0.002 - 0.003	25	0.001	0.000 - 0.001
Hawaii	*	*		*	*		*	*	
Idaho	40	0.002	0.002 - 0.003	28	0.003	0.002 - 0.005	12	0.001	0.001 - 0.003
Illinois	213	0.002	0.002 - 0.002	135	0.003	0.002 - 0.003	78	0.002	0.001 - 0.002
Indiana	92	0.002	0.001 - 0.002	61	0.002	0.002 - 0.003	31	0.001	0.001 - 0.002
Iowa	55	0.002	0.001 - 0.002	34	0.002	0.002 - 0.003	21	0.001	0.001 - 0.002
Kansas	38	0.001	0.001 - 0.002	21	0.002	0.001 - 0.003	17	0.001	0.001 - 0.002
Kentucky	61	0.002	0.001 - 0.002	40	0.002	0.001 - 0.003	21	0.001	0.001 - 0.002
Louisiana	81	0.003	0.002 - 0.003	47	0.003	0.002 - 0.004	34	0.002	0.002 - 0.003
Maine	40	0.003	0.002 - 0.004	29	0.005	0.003 - 0.007	11	0.002	0.001 - 0.003
Maryland	76	0.002	0.002 - 0.003	45	0.003	0.002 - 0.003	31	0.002	0.001 - 0.002
MI - Detroit	67	0.003	0.002 - 0.003	40	0.003	0.002 - 0.004	27	0.002	0.001 - 0.003
Minnesota	118	0.002	0.002 - 0.003	74	0.003	0.002 - 0.004	44	0.002	0.001 - 0.002
Mississippi	33	0.002	0.001 - 0.003	21	0.002	0.001 - 0.004	12	0.001	0.001 - 0.002
Missouri	77	0.001	0.001 - 0.002	52	0.002	0.002 - 0.003	25	0.001	0.001 - 0.001
Montana	26	0.003	0.002 - 0.004	14	0.003	0.002 - 0.005	12	0.003	0.001 - 0.004
Nebraska	28	0.002	0.001 - 0.002	*	*		*	*	
New Hampshire	29	0.002	0.002 - 0.003	*	*		*	*	
New Jersey	183	0.003	0.002 - 0.003	113	0.004	0.003 - 0.004	70	0.002	0.002 - 0.003
New Mexico	21	0.001	0.001 - 0.002	*	*		*	*	
New York	314	0.002	0.002 - 0.003	197	0.003	0.003 - 0.003	116	0.002	0.001 - 0.002
North Carolina	124	0.002	0.001 - 0.002	81	0.002	0.002 - 0.003	43	0.001	0.001 - 0.002
North Dakota	15	0.002	0.001 - 0.004	*	*		*	*	
Ohio	191	0.002	0.002 - 0.002	126	0.003	0.002 - 0.003	65	0.001	0.001 - 0.002
Oklahoma	42	0.001	0.001 - 0.002	24	0.002	0.001 - 0.002	18	0.001	0.001 - 0.002
Oregon	66	0.002	0.001 - 0.002	50	0.003	0.002 - 0.004	16	0.001	0.000 - 0.001
Pennsylvania	272	0.003	0.002 - 0.003	184	0.004	0.003 - 0.004	88	0.002	0.001 - 0.002
Rhode Island	21	0.002	0.001 - 0.004	*	*		*	*	
South Carolina	70	0.002	0.002 - 0.002	46	0.003	0.002 - 0.004	24	0.001	0.001 - 0.002
Tennessee	66	0.001	0.001 - 0.002	43	0.002	0.001 - 0.002	23	0.001	0.001 - 0.001
Texas	346	0.002	0.001 - 0.002	224	0.002	0.002 - 0.002	122	0.001	0.001 - 0.001
Utah	31	0.001	0.001 - 0.002	15	0.001	0.001 - 0.002	16	0.001	0.001 - 0.002
Vermont	11	0.002	0.001 - 0.003	*	*		*	*	
Washington	131	0.002	0.002 - 0.003	88	0.003	0.002 - 0.004	43	0.001	0.001 - 0.002
WA - Seattle	92	0.002	0.002 - 0.003	60	0.003	0.002 - 0.004	32	0.002	0.001 - 0.002
West Virginia	41	0.002	0.002 - 0.003	24	0.003	0.002 - 0.004	17	0.002	0.001 - 0.003
Wisconsin	121	0.002	0.002 - 0.003	79	0.003	0.002 - 0.004	42	0.002	0.001 - 0.002
Wyoming	17	0.003	0.002 - 0.005	*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, All Sites**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	980,979	2.108	2.104 - 2.113	490,463	2.194	2.188 - 2.201	490,676	2.029	2.023 - 2.035
Alabama	30,293	2.256	2.231 - 2.281	15,405	2.466	2.427 - 2.505	14,888	2.073	2.040 - 2.107
Alaska	480	1.318	1.203 - 1.441	274	1.366	1.209 - 1.538	206	1.259	1.093 - 1.443
Arizona	5,079	1.191	1.158 - 1.224	2,645	1.207	1.161 - 1.253	2,434	1.174	1.128 - 1.222
Arkansas	10,540	2.142	2.101 - 2.183	5,527	2.356	2.294 - 2.419	5,013	1.947	1.894 - 2.002
California	57,374	2.007	1.990 - 2.023	29,242	2.054	2.031 - 2.078	28,132	1.959	1.936 - 1.982
CA - Greater California	23,554	1.695	1.673 - 1.717	12,380	1.738	1.707 - 1.768	11,174	1.650	1.620 - 1.681
CA - Greater Bay Area	12,067	2.392	2.350 - 2.435	6,294	2.507	2.445 - 2.570	5,773	2.279	2.220 - 2.338
CA - Los Angeles	21,846	2.263	2.233 - 2.293	10,621	2.310	2.266 - 2.354	11,225	2.220	2.179 - 2.262
Colorado	4,609	1.497	1.454 - 1.541	2,515	1.542	1.483 - 1.604	2,094	1.447	1.385 - 1.510
Connecticut	9,589	2.059	2.018 - 2.101	4,742	2.131	2.071 - 2.193	4,846	1.994	1.938 - 2.051
Delaware	5,552	2.351	2.289 - 2.413	2,804	2.513	2.421 - 2.608	2,748	2.205	2.123 - 2.289
District of Columbia	9,228	2.733	2.677 - 2.789	4,311	2.810	2.726 - 2.895	4,917	2.668	2.594 - 2.744
Florida	70,191	1.864	1.850 - 1.877	35,379	1.946	1.926 - 1.966	34,812	1.787	1.768 - 1.806
Georgia	71,763	2.033	2.019 - 2.048	35,757	2.165	2.142 - 2.187	36,006	1.918	1.898 - 1.938
Hawaii	578	1.327	1.221 - 1.439	392	1.534	1.386 - 1.694	186	1.032	0.889 - 1.191
Idaho	180	0.807	0.694 - 0.934	121	0.974	0.808 - 1.164	59	0.597	0.455 - 0.770
Illinois	46,928	2.413	2.391 - 2.435	22,411	2.444	2.412 - 2.476	24,517	2.385	2.356 - 2.415
Indiana	13,356	1.842	1.811 - 1.873	6,500	1.851	1.806 - 1.897	6,856	1.833	1.790 - 1.877
Iowa	1,808	1.198	1.144 - 1.255	970	1.216	1.141 - 1.295	837	1.178	1.100 - 1.261
Kansas	4,031	1.931	1.872 - 1.992	2,153	1.998	1.915 - 2.084	1,878	1.859	1.776 - 1.945
Kentucky	8,544	2.099	2.054 - 2.144	4,211	2.074	2.012 - 2.138	4,333	2.123	2.060 - 2.187
Louisiana	35,899	2.299	2.275 - 2.323	18,435	2.487	2.451 - 2.523	17,464	2.129	2.097 - 2.160
Maine	257	0.939	0.828 - 1.061	163	1.092	0.931 - 1.273	94	0.756	0.611 - 0.925
Maryland	45,944	2.362	2.340 - 2.383	22,339	2.455	2.423 - 2.487	23,605	2.280	2.251 - 2.309
MI - Detroit	25,956	2.603	2.572 - 2.635	12,900	2.816	2.767 - 2.865	13,056	2.423	2.381 - 2.465
Minnesota	5,456	1.251	1.218 - 1.285	2,952	1.326	1.279 - 1.375	2,504	1.173	1.127 - 1.220
Mississippi	25,848	2.258	2.230 - 2.286	13,370	2.482	2.440 - 2.524	12,478	2.059	2.023 - 2.095
Missouri	16,536	2.137	2.104 - 2.169	7,783	2.106	2.060 - 2.154	8,753	2.164	2.119 - 2.210
Montana	80	0.767	0.609 - 0.955	60	1.000	0.763 - 1.288	20	0.454	0.278 - 0.699
Nebraska	1,872	1.625	1.552 - 1.700	1,006	1.698	1.594 - 1.806	866	1.548	1.446 - 1.654
New Hampshire	290	0.998	0.886 - 1.120	183	1.133	0.974 - 1.309	107	0.829	0.680 - 1.002
New Jersey	32,372	2.300	2.275 - 2.325	16,187	2.415	2.378 - 2.452	16,185	2.196	2.162 - 2.230
New Mexico	826	1.245	1.162 - 1.333	476	1.320	1.204 - 1.444	350	1.156	1.038 - 1.284
New York	90,733	2.506	2.490 - 2.522	45,384	2.674	2.649 - 2.699	45,349	2.357	2.336 - 2.379
North Carolina	56,880	2.355	2.336 - 2.375	28,278	2.495	2.466 - 2.524	28,602	2.231	2.206 - 2.257
North Dakota	133	0.454	0.380 - 0.539	82	0.494	0.393 - 0.614	51	0.402	0.300 - 0.529
Ohio	34,171	2.082	2.060 - 2.105	16,805	2.129	2.097 - 2.162	17,366	2.039	2.009 - 2.070
Oklahoma	6,198	1.749	1.706 - 1.793	3,213	1.807	1.745 - 1.871	2,985	1.691	1.630 - 1.752
Oregon	1,710	1.408	1.342 - 1.476	977	1.503	1.410 - 1.600	733	1.299	1.206 - 1.396
Pennsylvania	35,983	2.188	2.165 - 2.211	17,110	2.150	2.118 - 2.183	18,873	2.223	2.192 - 2.255
Rhode Island	1,496	1.472	1.398 - 1.548	742	1.469	1.365 - 1.579	754	1.474	1.371 - 1.583
South Carolina	32,337	2.266	2.242 - 2.291	16,159	2.420	2.383 - 2.457	16,178	2.131	2.099 - 2.165
Tennessee	24,895	2.064	2.039 - 2.090	12,285	2.151	2.113 - 2.190	12,610	1.986	1.952 - 2.021
Texas	68,643	1.779	1.766 - 1.792	33,673	1.800	1.781 - 1.819	34,970	1.759	1.741 - 1.778
Utah	500	0.846	0.774 - 0.924	308	0.939	0.837 - 1.050	192	0.730	0.630 - 0.841
Vermont	106	0.946	0.775 - 1.145	68	1.082	0.840 - 1.371	38	0.773	0.547 - 1.061
Washington	6,050	1.471	1.434 - 1.508	3,346	1.519	1.468 - 1.572	2,704	1.415	1.362 - 1.469
WA - Seattle	5,741	1.629	1.587 - 1.672	3,183	1.699	1.640 - 1.759	2,558	1.550	1.490 - 1.611
West Virginia	1,619	2.166	2.061 - 2.274	931	2.310	2.164 - 2.464	688	1.996	1.850 - 2.151
Wisconsin	8,600	1.991	1.949 - 2.034	4,371	2.049	1.988 - 2.110	4,229	1.935	1.878 - 1.995
Wyoming	72	0.734	0.574 - 0.924	44	0.785	0.570 - 1.053	28	0.666	0.442 - 0.962

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Oral Cavity and Pharynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	17,981	0.039	0.038 - 0.039	11,590	0.052	0.051 - 0.053	6,402	0.026	0.026 - 0.027
Alabama	538	0.040	0.037 - 0.044	334	0.053	0.048 - 0.060	204	0.028	0.025 - 0.033
Alaska	*	*		*	*		*	*	
Arizona	91	0.021	0.017 - 0.026	69	0.031	0.024 - 0.040	22	0.011	0.007 - 0.016
Arkansas	215	0.044	0.038 - 0.050	120	0.051	0.042 - 0.061	95	0.037	0.030 - 0.045
California	1,139	0.040	0.038 - 0.042	786	0.055	0.051 - 0.059	353	0.025	0.022 - 0.027
CA - Greater California	482	0.035	0.032 - 0.038	338	0.047	0.042 - 0.053	144	0.021	0.018 - 0.025
CA - Greater Bay Area	256	0.051	0.045 - 0.057	177	0.071	0.061 - 0.082	79	0.031	0.025 - 0.039
CA - Los Angeles	400	0.041	0.037 - 0.046	270	0.059	0.052 - 0.066	130	0.026	0.021 - 0.031
Colorado	102	0.033	0.027 - 0.040	77	0.047	0.037 - 0.059	25	0.017	0.011 - 0.025
Connecticut	177	0.038	0.033 - 0.044	115	0.052	0.043 - 0.062	62	0.025	0.019 - 0.033
Delaware	87	0.037	0.030 - 0.045	47	0.042	0.031 - 0.056	40	0.032	0.023 - 0.044
District of Columbia	171	0.051	0.043 - 0.059	100	0.065	0.053 - 0.079	71	0.039	0.030 - 0.049
Florida	1,203	0.032	0.030 - 0.034	769	0.042	0.039 - 0.045	434	0.022	0.020 - 0.024
Georgia	1,257	0.036	0.034 - 0.038	790	0.048	0.045 - 0.051	466	0.025	0.023 - 0.027
Hawaii	13	0.030	0.016 - 0.051	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	958	0.049	0.046 - 0.052	603	0.066	0.061 - 0.071	355	0.035	0.031 - 0.038
Indiana	278	0.038	0.034 - 0.043	178	0.051	0.044 - 0.059	100	0.027	0.022 - 0.033
Iowa	39	0.025	0.018 - 0.035	*	*		*	*	
Kansas	88	0.042	0.034 - 0.052	57	0.053	0.040 - 0.069	31	0.031	0.021 - 0.044
Kentucky	163	0.040	0.034 - 0.047	109	0.053	0.044 - 0.065	54	0.026	0.020 - 0.035
Louisiana	595	0.038	0.035 - 0.041	400	0.054	0.049 - 0.059	196	0.024	0.021 - 0.027
Maine	*	*		*	*		*	*	
Maryland	759	0.039	0.036 - 0.042	474	0.052	0.048 - 0.057	285	0.028	0.024 - 0.031
MI - Detroit	500	0.050	0.046 - 0.055	318	0.069	0.062 - 0.078	182	0.034	0.029 - 0.039
Minnesota	127	0.029	0.024 - 0.035	69	0.031	0.024 - 0.039	58	0.027	0.021 - 0.035
Mississippi	492	0.043	0.039 - 0.047	324	0.060	0.054 - 0.067	168	0.028	0.024 - 0.032
Missouri	344	0.044	0.040 - 0.049	235	0.064	0.056 - 0.072	109	0.027	0.022 - 0.033
Montana	*	*		*	*		*	*	
Nebraska	39	0.034	0.024 - 0.046	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	567	0.040	0.037 - 0.044	372	0.055	0.050 - 0.061	195	0.026	0.023 - 0.030
New Mexico	15	0.023	0.013 - 0.037	*	*		*	*	
New York	1,514	0.042	0.040 - 0.044	915	0.054	0.050 - 0.058	598	0.031	0.029 - 0.034
North Carolina	1,074	0.044	0.042 - 0.047	720	0.064	0.059 - 0.068	354	0.028	0.025 - 0.031
North Dakota	*	*		*	*		*	*	
Ohio	677	0.041	0.038 - 0.044	444	0.056	0.051 - 0.062	233	0.027	0.024 - 0.031
Oklahoma	110	0.031	0.026 - 0.037	83	0.047	0.037 - 0.058	27	0.015	0.010 - 0.022
Oregon	28	0.023	0.015 - 0.033	18	0.028	0.016 - 0.044	10	0.018	0.008 - 0.033
Pennsylvania	740	0.045	0.042 - 0.048	462	0.058	0.053 - 0.064	278	0.033	0.029 - 0.037
Rhode Island	29	0.029	0.019 - 0.041	18	0.036	0.021 - 0.056	11	0.022	0.011 - 0.038
South Carolina	581	0.041	0.037 - 0.044	390	0.058	0.053 - 0.064	191	0.025	0.022 - 0.029
Tennessee	418	0.035	0.031 - 0.038	275	0.048	0.043 - 0.054	143	0.023	0.019 - 0.027
Texas	1,230	0.032	0.030 - 0.034	757	0.040	0.038 - 0.043	473	0.024	0.022 - 0.026
Utah	12	0.020	0.010 - 0.035	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	119	0.029	0.024 - 0.035	91	0.041	0.033 - 0.051	28	0.015	0.010 - 0.021
WA - Seattle	116	0.033	0.027 - 0.039	89	0.047	0.038 - 0.058	27	0.016	0.011 - 0.024
West Virginia	29	0.039	0.026 - 0.056	17	0.042	0.025 - 0.068	12	0.035	0.018 - 0.061
Wisconsin	161	0.037	0.032 - 0.044	101	0.047	0.039 - 0.058	60	0.027	0.021 - 0.035
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Esophagus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,952	0.006	0.006 - 0.007	1,840	0.008	0.008 - 0.009	1,114	0.005	0.004 - 0.005
Alabama	102	0.008	0.006 - 0.009	66	0.011	0.008 - 0.013	36	0.005	0.004 - 0.007
Alaska	*	*		*	*		*	*	
Arizona	12	0.003	0.001 - 0.005	*	*		*	*	
Arkansas	32	0.007	0.004 - 0.009	20	0.009	0.005 - 0.013	12	0.005	0.002 - 0.008
California	140	0.005	0.004 - 0.006	84	0.006	0.005 - 0.007	56	0.004	0.003 - 0.005
CA - Greater California	60	0.004	0.003 - 0.006	37	0.005	0.004 - 0.007	23	0.003	0.002 - 0.005
CA - Greater Bay Area	34	0.007	0.005 - 0.009	20	0.008	0.005 - 0.012	14	0.006	0.003 - 0.009
CA - Los Angeles	46	0.005	0.004 - 0.006	27	0.006	0.004 - 0.008	20	0.004	0.002 - 0.006
Colorado	11	0.004	0.002 - 0.006	*	*		*	*	
Connecticut	31	0.007	0.005 - 0.009	15	0.007	0.004 - 0.011	16	0.007	0.004 - 0.011
Delaware	11	0.005	0.002 - 0.008	*	*		*	*	
District of Columbia	25	0.007	0.005 - 0.011	*	*		*	*	
Florida	187	0.005	0.004 - 0.006	97	0.005	0.004 - 0.007	90	0.005	0.004 - 0.006
Georgia	201	0.006	0.005 - 0.007	133	0.008	0.007 - 0.010	68	0.004	0.003 - 0.005
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	157	0.008	0.007 - 0.009	99	0.011	0.009 - 0.013	58	0.006	0.004 - 0.007
Indiana	51	0.007	0.005 - 0.009	35	0.010	0.007 - 0.014	16	0.004	0.002 - 0.007
Iowa	*	*		*	*		*	*	
Kansas	11	0.005	0.003 - 0.009	*	*		*	*	
Kentucky	28	0.007	0.005 - 0.010	18	0.009	0.005 - 0.014	10	0.005	0.002 - 0.009
Louisiana	115	0.007	0.006 - 0.009	74	0.010	0.008 - 0.012	41	0.005	0.004 - 0.007
Maine	*	*		*	*		*	*	
Maryland	105	0.005	0.004 - 0.007	64	0.007	0.005 - 0.009	41	0.004	0.003 - 0.005
MI - Detroit	79	0.008	0.006 - 0.010	52	0.011	0.008 - 0.015	27	0.005	0.003 - 0.007
Minnesota	37	0.008	0.006 - 0.012	22	0.010	0.006 - 0.015	15	0.007	0.004 - 0.012
Mississippi	82	0.007	0.006 - 0.009	60	0.011	0.008 - 0.014	22	0.004	0.002 - 0.005
Missouri	68	0.009	0.007 - 0.011	43	0.012	0.008 - 0.016	25	0.006	0.004 - 0.009
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	87	0.006	0.005 - 0.008	51	0.008	0.006 - 0.010	36	0.005	0.003 - 0.007
New Mexico	*	*		*	*		*	*	
New York	256	0.007	0.006 - 0.008	144	0.009	0.007 - 0.010	112	0.006	0.005 - 0.007
North Carolina	173	0.007	0.006 - 0.008	112	0.010	0.008 - 0.012	61	0.005	0.004 - 0.006
North Dakota	*	*		*	*		*	*	
Ohio	110	0.007	0.006 - 0.008	72	0.009	0.007 - 0.011	38	0.004	0.003 - 0.006
Oklahoma	20	0.006	0.003 - 0.009	10	0.006	0.003 - 0.010	10	0.006	0.003 - 0.010
Oregon	*	*		*	*		*	*	
Pennsylvania	159	0.010	0.008 - 0.011	87	0.011	0.009 - 0.013	72	0.008	0.007 - 0.011
Rhode Island	*	*		*	*		*	*	
South Carolina	115	0.008	0.007 - 0.010	82	0.012	0.010 - 0.015	33	0.004	0.003 - 0.006
Tennessee	74	0.006	0.005 - 0.008	50	0.009	0.006 - 0.012	24	0.004	0.002 - 0.006
Texas	166	0.004	0.004 - 0.005	115	0.006	0.005 - 0.007	51	0.003	0.002 - 0.003
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	25	0.006	0.004 - 0.009	*	*		*	*	
WA - Seattle	22	0.006	0.004 - 0.009	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	33	0.008	0.005 - 0.011	15	0.007	0.004 - 0.012	18	0.008	0.005 - 0.013
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Stomach**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	13,191	0.028	0.028 - 0.029	6,655	0.030	0.029 - 0.031	6,540	0.027	0.026 - 0.028
Alabama	436	0.032	0.029 - 0.036	213	0.034	0.030 - 0.039	223	0.031	0.027 - 0.035
Alaska	*	*		*	*		*	*	
Arizona	73	0.017	0.013 - 0.022	42	0.019	0.014 - 0.026	31	0.015	0.010 - 0.021
Arkansas	132	0.027	0.022 - 0.032	69	0.029	0.023 - 0.037	63	0.024	0.019 - 0.031
California	704	0.025	0.023 - 0.026	349	0.025	0.022 - 0.027	355	0.025	0.022 - 0.027
CA - Greater California	264	0.019	0.017 - 0.021	134	0.019	0.016 - 0.022	130	0.019	0.016 - 0.023
CA - Greater Bay Area	171	0.034	0.029 - 0.039	83	0.033	0.026 - 0.041	89	0.035	0.028 - 0.043
CA - Los Angeles	268	0.028	0.025 - 0.031	132	0.029	0.024 - 0.034	136	0.027	0.023 - 0.032
Colorado	66	0.021	0.017 - 0.027	38	0.023	0.016 - 0.032	28	0.019	0.013 - 0.028
Connecticut	141	0.030	0.026 - 0.036	70	0.031	0.024 - 0.040	72	0.029	0.023 - 0.037
Delaware	56	0.024	0.018 - 0.031	28	0.025	0.017 - 0.036	28	0.022	0.015 - 0.032
District of Columbia	131	0.039	0.032 - 0.046	59	0.038	0.029 - 0.050	72	0.039	0.031 - 0.049
Florida	1,016	0.027	0.025 - 0.029	530	0.029	0.027 - 0.032	486	0.025	0.023 - 0.027
Georgia	866	0.025	0.023 - 0.026	432	0.026	0.024 - 0.029	433	0.023	0.021 - 0.025
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	641	0.033	0.030 - 0.036	298	0.032	0.029 - 0.036	343	0.033	0.030 - 0.037
Indiana	191	0.026	0.023 - 0.030	95	0.027	0.022 - 0.033	96	0.026	0.021 - 0.031
Iowa	22	0.015	0.009 - 0.022	*	*		*	*	
Kansas	34	0.016	0.011 - 0.023	17	0.016	0.009 - 0.025	17	0.017	0.010 - 0.027
Kentucky	118	0.029	0.024 - 0.035	52	0.026	0.019 - 0.034	66	0.032	0.025 - 0.041
Louisiana	462	0.030	0.027 - 0.032	250	0.034	0.030 - 0.038	212	0.026	0.022 - 0.030
Maine	*	*		*	*		*	*	
Maryland	624	0.032	0.030 - 0.035	277	0.030	0.027 - 0.034	347	0.034	0.030 - 0.037
MI - Detroit	253	0.025	0.022 - 0.029	127	0.028	0.023 - 0.033	125	0.023	0.019 - 0.028
Minnesota	77	0.018	0.014 - 0.022	47	0.021	0.016 - 0.028	30	0.014	0.009 - 0.020
Mississippi	308	0.027	0.024 - 0.030	157	0.029	0.025 - 0.034	151	0.025	0.021 - 0.029
Missouri	217	0.028	0.024 - 0.032	113	0.031	0.025 - 0.037	104	0.026	0.021 - 0.031
Montana	*	*		*	*		*	*	
Nebraska	23	0.020	0.013 - 0.030	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	448	0.032	0.029 - 0.035	201	0.030	0.026 - 0.034	247	0.034	0.029 - 0.038
New Mexico	*	*		*	*		*	*	
New York	1,427	0.039	0.037 - 0.041	707	0.042	0.039 - 0.045	719	0.037	0.035 - 0.040
North Carolina	793	0.033	0.031 - 0.035	395	0.035	0.031 - 0.038	398	0.031	0.028 - 0.034
North Dakota	*	*		*	*		*	*	
Ohio	472	0.029	0.026 - 0.031	248	0.031	0.028 - 0.036	224	0.026	0.023 - 0.030
Oklahoma	87	0.025	0.020 - 0.030	35	0.020	0.014 - 0.027	52	0.029	0.022 - 0.039
Oregon	26	0.021	0.014 - 0.031	11	0.017	0.008 - 0.030	15	0.027	0.015 - 0.044
Pennsylvania	398	0.024	0.022 - 0.027	191	0.024	0.021 - 0.028	207	0.024	0.021 - 0.028
Rhode Island	39	0.038	0.027 - 0.052	20	0.040	0.024 - 0.061	19	0.037	0.022 - 0.058
South Carolina	488	0.034	0.031 - 0.037	255	0.038	0.034 - 0.043	233	0.031	0.027 - 0.035
Tennessee	329	0.027	0.024 - 0.030	170	0.030	0.025 - 0.035	159	0.025	0.021 - 0.029
Texas	907	0.024	0.022 - 0.025	507	0.027	0.025 - 0.030	400	0.020	0.018 - 0.022
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	65	0.016	0.012 - 0.020	40	0.018	0.013 - 0.025	25	0.013	0.008 - 0.019
WA - Seattle	58	0.017	0.013 - 0.021	34	0.018	0.013 - 0.026	24	0.015	0.009 - 0.022
West Virginia	21	0.028	0.017 - 0.043	10	0.025	0.012 - 0.046	11	0.032	0.016 - 0.057
Wisconsin	123	0.028	0.024 - 0.034	73	0.034	0.027 - 0.043	50	0.023	0.017 - 0.030
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Colon and Rectum**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	93,763	0.202	0.200 - 0.203	45,286	0.203	0.201 - 0.205	48,491	0.201	0.199 - 0.202
Alabama	3,230	0.241	0.232 - 0.249	1,521	0.243	0.231 - 0.256	1,709	0.238	0.227 - 0.250
Alaska	37	0.102	0.072 - 0.140	22	0.110	0.069 - 0.166	15	0.092	0.051 - 0.151
Arizona	438	0.103	0.093 - 0.113	215	0.098	0.085 - 0.112	223	0.108	0.094 - 0.123
Arkansas	1,105	0.225	0.212 - 0.238	536	0.228	0.210 - 0.249	569	0.221	0.203 - 0.240
California	5,424	0.190	0.185 - 0.195	2,633	0.185	0.178 - 0.192	2,791	0.194	0.187 - 0.202
CA - Greater California	2,202	0.158	0.152 - 0.165	1,126	0.158	0.149 - 0.168	1,076	0.159	0.150 - 0.169
CA - Greater Bay Area	1,113	0.221	0.208 - 0.234	535	0.213	0.195 - 0.232	578	0.228	0.210 - 0.247
CA - Los Angeles	2,116	0.219	0.210 - 0.229	974	0.212	0.199 - 0.226	1,141	0.226	0.213 - 0.239
Colorado	426	0.138	0.126 - 0.152	212	0.130	0.113 - 0.149	214	0.148	0.129 - 0.169
Connecticut	877	0.188	0.176 - 0.201	420	0.189	0.171 - 0.208	457	0.188	0.171 - 0.206
Delaware	480	0.203	0.185 - 0.222	230	0.206	0.180 - 0.235	250	0.201	0.176 - 0.227
District of Columbia	890	0.264	0.247 - 0.281	397	0.259	0.234 - 0.285	493	0.268	0.244 - 0.292
Florida	6,305	0.167	0.163 - 0.172	3,120	0.172	0.166 - 0.178	3,185	0.163	0.158 - 0.169
Georgia	7,052	0.200	0.195 - 0.205	3,380	0.205	0.198 - 0.212	3,673	0.196	0.189 - 0.202
Hawaii	51	0.116	0.086 - 0.153	39	0.151	0.107 - 0.206	12	0.067	0.034 - 0.117
Idaho	20	0.090	0.055 - 0.139	*	*		*	*	
Illinois	4,957	0.255	0.248 - 0.262	2,313	0.252	0.242 - 0.263	2,644	0.257	0.248 - 0.267
Indiana	1,340	0.185	0.175 - 0.195	643	0.183	0.169 - 0.198	697	0.186	0.173 - 0.201
Iowa	160	0.106	0.090 - 0.124	89	0.111	0.089 - 0.137	71	0.100	0.078 - 0.126
Kansas	369	0.177	0.159 - 0.196	192	0.178	0.154 - 0.205	177	0.175	0.150 - 0.203
Kentucky	892	0.219	0.205 - 0.234	442	0.218	0.198 - 0.239	449	0.220	0.200 - 0.242
Louisiana	4,081	0.261	0.253 - 0.269	1,999	0.270	0.258 - 0.282	2,082	0.254	0.243 - 0.265
Maine	20	0.073	0.045 - 0.113	*	*		*	*	
Maryland	3,852	0.198	0.192 - 0.204	1,780	0.196	0.187 - 0.205	2,072	0.200	0.192 - 0.209
MI - Detroit	2,501	0.251	0.241 - 0.261	1,185	0.259	0.244 - 0.274	1,316	0.244	0.231 - 0.258
Minnesota	488	0.112	0.102 - 0.122	263	0.118	0.104 - 0.133	225	0.105	0.092 - 0.120
Mississippi	3,080	0.269	0.260 - 0.279	1,541	0.286	0.272 - 0.301	1,539	0.254	0.241 - 0.267
Missouri	1,639	0.212	0.202 - 0.222	753	0.204	0.189 - 0.219	886	0.219	0.205 - 0.234
Montana	*	*		*	*		*	*	
Nebraska	182	0.158	0.136 - 0.183	94	0.159	0.128 - 0.194	88	0.157	0.126 - 0.194
New Hampshire	32	0.110	0.075 - 0.155	20	0.124	0.076 - 0.191	12	0.093	0.048 - 0.162
New Jersey	2,897	0.206	0.198 - 0.213	1,313	0.196	0.185 - 0.207	1,584	0.215	0.204 - 0.226
New Mexico	63	0.095	0.073 - 0.121	33	0.091	0.063 - 0.128	30	0.099	0.067 - 0.142
New York	7,807	0.216	0.211 - 0.220	3,671	0.216	0.209 - 0.223	4,136	0.215	0.209 - 0.222
North Carolina	5,057	0.209	0.204 - 0.215	2,464	0.217	0.209 - 0.226	2,593	0.202	0.195 - 0.210
North Dakota	11	0.038	0.019 - 0.067	*	*		*	*	
Ohio	3,053	0.186	0.180 - 0.193	1,453	0.184	0.175 - 0.194	1,600	0.188	0.179 - 0.197
Oklahoma	584	0.165	0.152 - 0.179	282	0.159	0.141 - 0.178	302	0.171	0.152 - 0.191
Oregon	143	0.118	0.099 - 0.139	82	0.126	0.100 - 0.157	61	0.108	0.083 - 0.139
Pennsylvania	3,149	0.191	0.185 - 0.198	1,472	0.185	0.176 - 0.195	1,677	0.198	0.188 - 0.207
Rhode Island	113	0.111	0.092 - 0.134	46	0.091	0.067 - 0.121	67	0.131	0.102 - 0.166
South Carolina	3,142	0.220	0.213 - 0.228	1,548	0.232	0.220 - 0.244	1,594	0.210	0.200 - 0.221
Tennessee	2,457	0.204	0.196 - 0.212	1,164	0.204	0.192 - 0.216	1,293	0.204	0.193 - 0.215
Texas	7,171	0.186	0.182 - 0.190	3,580	0.191	0.185 - 0.198	3,591	0.181	0.175 - 0.187
Utah	31	0.052	0.035 - 0.074	20	0.061	0.037 - 0.094	11	0.040	0.020 - 0.073
Vermont	*	*		*	*		*	*	
Washington	537	0.131	0.120 - 0.142	291	0.132	0.117 - 0.148	246	0.129	0.113 - 0.146
WA - Seattle	507	0.144	0.132 - 0.157	280	0.149	0.132 - 0.168	227	0.138	0.120 - 0.157
West Virginia	152	0.203	0.172 - 0.238	77	0.191	0.151 - 0.239	75	0.218	0.171 - 0.273
Wisconsin	822	0.190	0.178 - 0.204	424	0.199	0.180 - 0.219	398	0.182	0.165 - 0.201
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Liver and Intrahepatic Bile Duct**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	10,520	0.023	0.022 - 0.023	7,311	0.033	0.032 - 0.033	3,217	0.013	0.013 - 0.014
Alabama	209	0.016	0.014 - 0.018	153	0.024	0.021 - 0.029	56	0.008	0.006 - 0.010
Alaska	*	*		*	*		*	*	
Arizona	57	0.013	0.010 - 0.017	43	0.020	0.014 - 0.026	14	0.007	0.004 - 0.011
Arkansas	88	0.018	0.014 - 0.022	65	0.028	0.021 - 0.035	23	0.009	0.006 - 0.013
California	687	0.024	0.022 - 0.026	493	0.035	0.032 - 0.038	194	0.013	0.012 - 0.016
CA - Greater California	316	0.023	0.020 - 0.025	226	0.032	0.028 - 0.036	90	0.013	0.011 - 0.016
CA - Greater Bay Area	181	0.036	0.031 - 0.042	140	0.056	0.047 - 0.066	41	0.016	0.012 - 0.022
CA - Los Angeles	190	0.020	0.017 - 0.023	127	0.028	0.023 - 0.033	63	0.013	0.010 - 0.016
Colorado	71	0.023	0.018 - 0.029	48	0.029	0.022 - 0.039	23	0.016	0.010 - 0.024
Connecticut	111	0.024	0.020 - 0.029	77	0.035	0.027 - 0.043	34	0.014	0.010 - 0.020
Delaware	72	0.030	0.024 - 0.038	50	0.045	0.033 - 0.059	22	0.018	0.011 - 0.027
District of Columbia	186	0.055	0.047 - 0.064	129	0.084	0.070 - 0.100	57	0.031	0.023 - 0.040
Florida	609	0.016	0.015 - 0.018	393	0.022	0.020 - 0.024	216	0.011	0.010 - 0.013
Georgia	541	0.015	0.014 - 0.017	353	0.021	0.019 - 0.024	189	0.010	0.009 - 0.012
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	417	0.021	0.019 - 0.024	273	0.030	0.026 - 0.034	144	0.014	0.012 - 0.016
Indiana	156	0.022	0.018 - 0.025	108	0.031	0.025 - 0.037	48	0.013	0.009 - 0.017
Iowa	42	0.028	0.020 - 0.038	*	*		*	*	
Kansas	48	0.023	0.017 - 0.030	38	0.035	0.025 - 0.048	10	0.010	0.005 - 0.018
Kentucky	95	0.023	0.019 - 0.029	64	0.032	0.024 - 0.040	31	0.015	0.010 - 0.022
Louisiana	387	0.025	0.022 - 0.027	290	0.039	0.035 - 0.044	96	0.012	0.010 - 0.014
Maine	*	*		*	*		*	*	
Maryland	531	0.027	0.025 - 0.030	365	0.040	0.036 - 0.044	166	0.016	0.014 - 0.019
MI - Detroit	285	0.029	0.025 - 0.032	195	0.043	0.037 - 0.049	90	0.017	0.013 - 0.021
Minnesota	129	0.030	0.025 - 0.035	88	0.040	0.032 - 0.049	41	0.019	0.014 - 0.026
Mississippi	160	0.014	0.012 - 0.016	112	0.021	0.017 - 0.025	48	0.008	0.006 - 0.011
Missouri	216	0.028	0.024 - 0.032	158	0.043	0.036 - 0.050	58	0.014	0.011 - 0.019
Montana	*	*		*	*		*	*	
Nebraska	27	0.023	0.015 - 0.034	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	284	0.020	0.018 - 0.023	184	0.028	0.024 - 0.032	99	0.013	0.011 - 0.016
New Mexico	15	0.023	0.013 - 0.037	*	*		*	*	
New York	987	0.027	0.026 - 0.029	660	0.039	0.036 - 0.042	327	0.017	0.015 - 0.019
North Carolina	490	0.020	0.019 - 0.022	332	0.029	0.026 - 0.033	158	0.012	0.010 - 0.014
North Dakota	*	*		*	*		*	*	
Ohio	395	0.024	0.022 - 0.027	280	0.035	0.031 - 0.040	115	0.014	0.011 - 0.016
Oklahoma	51	0.014	0.011 - 0.019	35	0.020	0.014 - 0.027	16	0.009	0.005 - 0.015
Oregon	38	0.031	0.022 - 0.043	*	*		*	*	
Pennsylvania	612	0.037	0.034 - 0.040	449	0.056	0.051 - 0.062	163	0.019	0.016 - 0.022
Rhode Island	22	0.022	0.014 - 0.033	*	*		*	*	
South Carolina	209	0.015	0.013 - 0.017	150	0.022	0.019 - 0.026	59	0.008	0.006 - 0.010
Tennessee	247	0.020	0.018 - 0.023	155	0.027	0.023 - 0.032	92	0.014	0.012 - 0.018
Texas	980	0.025	0.024 - 0.027	693	0.037	0.034 - 0.040	287	0.014	0.013 - 0.016
Utah	11	0.019	0.009 - 0.033	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	144	0.035	0.030 - 0.041	97	0.044	0.036 - 0.054	47	0.025	0.018 - 0.033
WA - Seattle	128	0.036	0.030 - 0.043	89	0.047	0.038 - 0.058	40	0.024	0.017 - 0.033
West Virginia	14	0.019	0.010 - 0.031	*	*		*	*	
Wisconsin	123	0.028	0.024 - 0.034	95	0.045	0.036 - 0.054	28	0.013	0.009 - 0.019
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Pancreas**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	9,613	0.021	0.020 - 0.021	4,117	0.018	0.018 - 0.019	5,496	0.023	0.022 - 0.023
Alabama	274	0.020	0.018 - 0.023	97	0.016	0.013 - 0.019	177	0.025	0.021 - 0.029
Alaska	*	*		*	*		*	*	
Arizona	66	0.015	0.012 - 0.020	36	0.016	0.012 - 0.023	30	0.014	0.010 - 0.021
Arkansas	100	0.020	0.017 - 0.025	52	0.022	0.017 - 0.029	48	0.019	0.014 - 0.025
California	558	0.020	0.018 - 0.021	260	0.018	0.016 - 0.021	299	0.021	0.019 - 0.023
CA - Greater California	246	0.018	0.016 - 0.020	126	0.018	0.015 - 0.021	120	0.018	0.015 - 0.021
CA - Greater Bay Area	114	0.023	0.019 - 0.027	40	0.016	0.011 - 0.022	74	0.029	0.023 - 0.037
CA - Los Angeles	200	0.021	0.018 - 0.024	94	0.021	0.017 - 0.025	105	0.021	0.017 - 0.025
Colorado	38	0.012	0.009 - 0.017	17	0.010	0.006 - 0.017	21	0.015	0.009 - 0.022
Connecticut	87	0.019	0.015 - 0.023	50	0.023	0.017 - 0.030	37	0.015	0.011 - 0.021
Delaware	43	0.018	0.013 - 0.025	18	0.016	0.010 - 0.025	25	0.020	0.013 - 0.030
District of Columbia	94	0.028	0.022 - 0.034	41	0.027	0.019 - 0.036	53	0.029	0.022 - 0.038
Florida	760	0.020	0.019 - 0.022	340	0.019	0.017 - 0.021	420	0.022	0.020 - 0.024
Georgia	638	0.018	0.017 - 0.020	253	0.015	0.013 - 0.017	385	0.021	0.019 - 0.023
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	514	0.026	0.024 - 0.029	223	0.024	0.021 - 0.028	291	0.028	0.025 - 0.032
Indiana	123	0.017	0.014 - 0.020	52	0.015	0.011 - 0.019	71	0.019	0.015 - 0.024
Iowa	11	0.007	0.004 - 0.013	*	*		*	*	
Kansas	40	0.019	0.014 - 0.026	18	0.017	0.010 - 0.026	22	0.022	0.014 - 0.033
Kentucky	87	0.021	0.017 - 0.026	35	0.017	0.012 - 0.024	52	0.025	0.019 - 0.033
Louisiana	296	0.019	0.017 - 0.021	119	0.016	0.013 - 0.019	177	0.022	0.018 - 0.025
Maine	*	*		*	*		*	*	
Maryland	480	0.025	0.023 - 0.027	189	0.021	0.018 - 0.024	291	0.028	0.025 - 0.032
MI - Detroit	257	0.026	0.023 - 0.029	125	0.027	0.023 - 0.032	132	0.025	0.021 - 0.029
Minnesota	58	0.013	0.010 - 0.017	34	0.015	0.011 - 0.021	24	0.011	0.007 - 0.017
Mississippi	208	0.018	0.016 - 0.021	88	0.016	0.013 - 0.020	120	0.020	0.016 - 0.024
Missouri	188	0.024	0.021 - 0.028	80	0.022	0.017 - 0.027	108	0.027	0.022 - 0.032
Montana	*	*		*	*		*	*	
Nebraska	20	0.017	0.011 - 0.027	10	0.017	0.008 - 0.031	10	0.018	0.009 - 0.033
New Hampshire	*	*		*	*		*	*	
New Jersey	287	0.020	0.018 - 0.023	124	0.019	0.015 - 0.022	162	0.022	0.019 - 0.026
New Mexico	*	*		*	*		*	*	
New York	833	0.023	0.021 - 0.025	337	0.020	0.018 - 0.022	496	0.026	0.024 - 0.028
North Carolina	586	0.024	0.022 - 0.026	249	0.022	0.019 - 0.025	337	0.026	0.024 - 0.029
North Dakota	*	*		*	*		*	*	
Ohio	303	0.018	0.016 - 0.021	116	0.015	0.012 - 0.018	187	0.022	0.019 - 0.025
Oklahoma	53	0.015	0.011 - 0.020	24	0.013	0.009 - 0.020	29	0.016	0.011 - 0.024
Oregon	19	0.016	0.009 - 0.024	*	*		*	*	
Pennsylvania	372	0.023	0.020 - 0.025	151	0.019	0.016 - 0.022	221	0.026	0.023 - 0.030
Rhode Island	16	0.016	0.009 - 0.026	*	*		*	*	
South Carolina	334	0.023	0.021 - 0.026	136	0.020	0.017 - 0.024	198	0.026	0.023 - 0.030
Tennessee	232	0.019	0.017 - 0.022	85	0.015	0.012 - 0.018	147	0.023	0.020 - 0.027
Texas	743	0.019	0.018 - 0.021	324	0.017	0.015 - 0.019	419	0.021	0.019 - 0.023
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	65	0.016	0.012 - 0.020	44	0.020	0.015 - 0.027	21	0.011	0.007 - 0.017
WA - Seattle	58	0.016	0.012 - 0.021	36	0.019	0.013 - 0.026	22	0.013	0.008 - 0.020
West Virginia	15	0.020	0.011 - 0.033	*	*		*	*	
Wisconsin	102	0.024	0.019 - 0.029	41	0.019	0.014 - 0.026	61	0.028	0.021 - 0.036
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Larynx**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	8,780	0.019	0.018 - 0.019	6,920	0.031	0.030 - 0.032	1,870	0.008	0.007 - 0.008
Alabama	296	0.022	0.020 - 0.025	254	0.041	0.036 - 0.046	42	0.006	0.004 - 0.008
Alaska	*	*		*	*		*	*	
Arizona	25	0.006	0.004 - 0.009	*	*		*	*	
Arkansas	112	0.023	0.019 - 0.027	88	0.038	0.030 - 0.046	24	0.009	0.006 - 0.014
California	392	0.014	0.012 - 0.015	310	0.022	0.019 - 0.024	82	0.006	0.005 - 0.007
CA - Greater California	156	0.011	0.010 - 0.013	126	0.018	0.015 - 0.021	30	0.004	0.003 - 0.006
CA - Greater Bay Area	83	0.016	0.013 - 0.020	64	0.025	0.020 - 0.032	19	0.007	0.005 - 0.012
CA - Los Angeles	153	0.016	0.013 - 0.019	120	0.026	0.022 - 0.031	33	0.007	0.005 - 0.009
Colorado	28	0.009	0.006 - 0.013	*	*		*	*	
Connecticut	85	0.018	0.014 - 0.022	68	0.030	0.024 - 0.039	17	0.007	0.004 - 0.011
Delaware	25	0.011	0.007 - 0.016	13	0.012	0.006 - 0.020	12	0.010	0.005 - 0.017
District of Columbia	70	0.021	0.016 - 0.026	55	0.036	0.027 - 0.047	15	0.008	0.005 - 0.013
Florida	501	0.013	0.012 - 0.015	424	0.023	0.021 - 0.026	77	0.004	0.003 - 0.005
Georgia	612	0.017	0.016 - 0.019	515	0.031	0.029 - 0.034	98	0.005	0.004 - 0.006
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	518	0.027	0.024 - 0.029	389	0.042	0.038 - 0.047	129	0.013	0.010 - 0.015
Indiana	156	0.022	0.018 - 0.025	119	0.034	0.028 - 0.041	37	0.010	0.007 - 0.014
Iowa	16	0.011	0.006 - 0.017	*	*		*	*	
Kansas	29	0.014	0.009 - 0.020	*	*		*	*	
Kentucky	101	0.025	0.020 - 0.030	76	0.037	0.029 - 0.047	25	0.012	0.008 - 0.018
Louisiana	452	0.029	0.026 - 0.032	358	0.048	0.043 - 0.054	94	0.011	0.009 - 0.014
Maine	*	*		*	*		*	*	
Maryland	326	0.017	0.015 - 0.019	254	0.028	0.025 - 0.032	72	0.007	0.005 - 0.009
MI - Detroit	255	0.026	0.022 - 0.029	195	0.043	0.037 - 0.049	59	0.011	0.008 - 0.014
Minnesota	57	0.013	0.010 - 0.017	43	0.019	0.014 - 0.026	14	0.007	0.004 - 0.011
Mississippi	339	0.030	0.027 - 0.033	277	0.051	0.046 - 0.058	62	0.010	0.008 - 0.013
Missouri	183	0.024	0.020 - 0.027	132	0.036	0.030 - 0.042	51	0.013	0.009 - 0.017
Montana	*	*		*	*		*	*	
Nebraska	12	0.010	0.005 - 0.018	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	207	0.015	0.013 - 0.017	154	0.023	0.019 - 0.027	53	0.007	0.005 - 0.009
New Mexico	*	*		*	*		*	*	
New York	580	0.016	0.015 - 0.017	431	0.025	0.023 - 0.028	149	0.008	0.007 - 0.009
North Carolina	625	0.026	0.024 - 0.028	505	0.045	0.041 - 0.049	120	0.009	0.008 - 0.011
North Dakota	*	*		*	*		*	*	
Ohio	372	0.023	0.020 - 0.025	288	0.036	0.032 - 0.041	84	0.010	0.008 - 0.012
Oklahoma	54	0.015	0.011 - 0.020	40	0.022	0.016 - 0.031	14	0.008	0.004 - 0.013
Oregon	16	0.013	0.008 - 0.021	*	*		*	*	
Pennsylvania	328	0.020	0.018 - 0.022	241	0.030	0.027 - 0.034	87	0.010	0.008 - 0.013
Rhode Island	*	*		*	*		*	*	
South Carolina	387	0.027	0.024 - 0.030	319	0.048	0.043 - 0.053	68	0.009	0.007 - 0.011
Tennessee	234	0.019	0.017 - 0.022	175	0.031	0.026 - 0.036	59	0.009	0.007 - 0.012
Texas	599	0.016	0.014 - 0.017	468	0.025	0.023 - 0.027	131	0.007	0.006 - 0.008
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	51	0.012	0.009 - 0.016	41	0.019	0.013 - 0.025	10	0.005	0.003 - 0.010
WA - Seattle	47	0.013	0.010 - 0.018	*	*		*	*	
West Virginia	11	0.015	0.007 - 0.026	*	*		*	*	
Wisconsin	78	0.018	0.014 - 0.023	59	0.028	0.021 - 0.036	19	0.009	0.005 - 0.014
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Lung and Bronchus**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	55,407	0.119	0.118 - 0.120	26,124	0.117	0.115 - 0.118	29,291	0.121	0.120 - 0.123
Alabama	1,508	0.112	0.107 - 0.118	850	0.136	0.127 - 0.146	658	0.092	0.085 - 0.099
Alaska	24	0.066	0.042 - 0.098	12	0.060	0.031 - 0.105	12	0.073	0.038 - 0.128
Arizona	293	0.069	0.061 - 0.077	127	0.058	0.048 - 0.069	166	0.080	0.068 - 0.093
Arkansas	668	0.136	0.126 - 0.146	371	0.158	0.142 - 0.175	297	0.115	0.103 - 0.129
California	2,905	0.102	0.098 - 0.105	1,282	0.090	0.085 - 0.095	1,623	0.113	0.108 - 0.119
CA - Greater California	1,181	0.085	0.080 - 0.090	505	0.071	0.065 - 0.077	676	0.100	0.092 - 0.108
CA - Greater Bay Area	685	0.136	0.126 - 0.146	322	0.128	0.115 - 0.143	363	0.143	0.129 - 0.159
CA - Los Angeles	1,038	0.108	0.101 - 0.114	454	0.099	0.090 - 0.108	584	0.116	0.106 - 0.125
Colorado	207	0.067	0.058 - 0.077	100	0.061	0.050 - 0.075	107	0.074	0.061 - 0.089
Connecticut	555	0.119	0.110 - 0.130	252	0.113	0.100 - 0.128	303	0.125	0.111 - 0.140
Delaware	307	0.130	0.116 - 0.145	143	0.128	0.108 - 0.151	164	0.132	0.112 - 0.153
District of Columbia	596	0.176	0.163 - 0.191	255	0.166	0.146 - 0.188	341	0.185	0.166 - 0.206
Florida	3,246	0.086	0.083 - 0.089	1,572	0.086	0.082 - 0.091	1,674	0.086	0.082 - 0.090
Georgia	3,438	0.097	0.094 - 0.101	1,709	0.103	0.099 - 0.108	1,729	0.092	0.088 - 0.097
Hawaii	13	0.030	0.016 - 0.051	*	*		*	*	
Idaho	10	0.045	0.022 - 0.082	*	*		*	*	
Illinois	3,242	0.167	0.161 - 0.173	1,362	0.149	0.141 - 0.157	1,880	0.183	0.175 - 0.191
Indiana	922	0.127	0.119 - 0.136	415	0.118	0.107 - 0.130	507	0.136	0.124 - 0.148
Iowa	112	0.075	0.061 - 0.090	55	0.069	0.052 - 0.090	57	0.081	0.061 - 0.105
Kansas	283	0.136	0.120 - 0.152	152	0.141	0.120 - 0.165	131	0.130	0.108 - 0.154
Kentucky	659	0.162	0.150 - 0.175	297	0.146	0.130 - 0.164	362	0.177	0.160 - 0.197
Louisiana	2,003	0.128	0.123 - 0.134	1,096	0.148	0.139 - 0.157	907	0.110	0.103 - 0.118
Maine	15	0.055	0.031 - 0.090	*	*		*	*	
Maryland	2,429	0.125	0.120 - 0.130	987	0.108	0.102 - 0.115	1,442	0.139	0.132 - 0.147
MI - Detroit	1,671	0.168	0.160 - 0.176	748	0.163	0.152 - 0.175	924	0.171	0.161 - 0.183
Minnesota	338	0.078	0.069 - 0.086	170	0.076	0.065 - 0.089	168	0.079	0.067 - 0.092
Mississippi	1,554	0.136	0.129 - 0.143	862	0.160	0.149 - 0.171	692	0.114	0.106 - 0.123
Missouri	1,247	0.161	0.152 - 0.170	564	0.153	0.140 - 0.166	683	0.169	0.156 - 0.182
Montana	*	*		*	*		*	*	
Nebraska	109	0.095	0.078 - 0.114	48	0.081	0.060 - 0.107	61	0.109	0.083 - 0.140
New Hampshire	13	0.045	0.024 - 0.076	*	*		*	*	
New Jersey	1,515	0.108	0.102 - 0.113	634	0.095	0.087 - 0.102	882	0.120	0.112 - 0.128
New Mexico	52	0.079	0.059 - 0.103	24	0.067	0.043 - 0.099	28	0.093	0.062 - 0.134
New York	4,252	0.117	0.114 - 0.121	1,841	0.108	0.104 - 0.114	2,412	0.125	0.120 - 0.130
North Carolina	3,431	0.142	0.137 - 0.147	1,727	0.152	0.145 - 0.160	1,704	0.133	0.127 - 0.139
North Dakota	*	*		*	*		*	*	
Ohio	2,484	0.151	0.145 - 0.157	1,078	0.137	0.129 - 0.145	1,406	0.165	0.157 - 0.174
Oklahoma	368	0.104	0.094 - 0.115	199	0.112	0.097 - 0.129	169	0.096	0.082 - 0.111
Oregon	116	0.096	0.079 - 0.115	68	0.105	0.081 - 0.133	48	0.085	0.063 - 0.113
Pennsylvania	2,657	0.162	0.155 - 0.168	1,050	0.132	0.124 - 0.140	1,607	0.189	0.180 - 0.199
Rhode Island	113	0.111	0.092 - 0.134	54	0.107	0.080 - 0.139	59	0.115	0.088 - 0.149
South Carolina	1,817	0.127	0.122 - 0.133	950	0.142	0.133 - 0.152	867	0.114	0.107 - 0.122
Tennessee	1,511	0.125	0.119 - 0.132	753	0.132	0.123 - 0.142	758	0.119	0.111 - 0.128
Texas	3,716	0.096	0.093 - 0.099	1,845	0.099	0.094 - 0.103	1,871	0.094	0.090 - 0.098
Utah	13	0.023	0.012 - 0.038	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	329	0.080	0.072 - 0.089	155	0.070	0.060 - 0.082	174	0.091	0.078 - 0.106
WA - Seattle	320	0.091	0.081 - 0.101	155	0.083	0.070 - 0.097	166	0.100	0.086 - 0.117
West Virginia	97	0.130	0.105 - 0.158	54	0.134	0.101 - 0.175	43	0.125	0.090 - 0.168
Wisconsin	646	0.150	0.138 - 0.162	323	0.151	0.135 - 0.169	323	0.148	0.132 - 0.165
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Melanoma of the Skin**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	2,269	0.005	0.005 - 0.005	974	0.004	0.004 - 0.005	1,294	0.005	0.005 - 0.006
Alabama	65	0.005	0.004 - 0.006	24	0.004	0.002 - 0.006	41	0.006	0.004 - 0.008
Alaska	*	*		*	*		*	*	
Arizona	20	0.005	0.003 - 0.007	*	*		*	*	
Arkansas	29	0.006	0.004 - 0.008	17	0.007	0.004 - 0.012	12	0.005	0.002 - 0.008
California	136	0.005	0.004 - 0.006	65	0.005	0.004 - 0.006	71	0.005	0.004 - 0.006
CA - Greater California	62	0.004	0.003 - 0.006	27	0.004	0.002 - 0.005	35	0.005	0.004 - 0.007
CA - Greater Bay Area	31	0.006	0.004 - 0.009	18	0.007	0.004 - 0.011	13	0.005	0.003 - 0.009
CA - Los Angeles	43	0.004	0.003 - 0.006	21	0.004	0.003 - 0.007	22	0.004	0.003 - 0.007
Colorado	*	*		*	*		*	*	
Connecticut	31	0.007	0.004 - 0.009	16	0.007	0.004 - 0.012	15	0.006	0.003 - 0.010
Delaware	19	0.008	0.005 - 0.013	*	*		*	*	
District of Columbia	26	0.008	0.005 - 0.011	12	0.008	0.004 - 0.014	14	0.008	0.004 - 0.013
Florida	231	0.006	0.005 - 0.007	117	0.006	0.005 - 0.008	114	0.006	0.005 - 0.007
Georgia	153	0.004	0.004 - 0.005	61	0.004	0.003 - 0.005	92	0.005	0.004 - 0.006
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	79	0.004	0.003 - 0.005	25	0.003	0.002 - 0.004	54	0.005	0.004 - 0.007
Indiana	31	0.004	0.003 - 0.006	13	0.004	0.002 - 0.006	18	0.005	0.003 - 0.008
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	21	0.005	0.003 - 0.008	*	*		*	*	
Louisiana	81	0.005	0.004 - 0.006	31	0.004	0.003 - 0.006	50	0.006	0.005 - 0.008
Maine	*	*		*	*		*	*	
Maryland	107	0.006	0.005 - 0.007	56	0.006	0.005 - 0.008	51	0.005	0.004 - 0.006
MI - Detroit	42	0.004	0.003 - 0.006	12	0.003	0.001 - 0.005	30	0.006	0.004 - 0.008
Minnesota	12	0.003	0.001 - 0.005	*	*		*	*	
Mississippi	57	0.005	0.004 - 0.006	23	0.004	0.003 - 0.006	34	0.006	0.004 - 0.008
Missouri	24	0.003	0.002 - 0.005	11	0.003	0.001 - 0.005	13	0.003	0.002 - 0.005
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	72	0.005	0.004 - 0.006	27	0.004	0.003 - 0.006	45	0.006	0.004 - 0.008
New Mexico	*	*		*	*		*	*	
New York	223	0.006	0.005 - 0.007	88	0.005	0.004 - 0.006	135	0.007	0.006 - 0.008
North Carolina	112	0.005	0.004 - 0.006	53	0.005	0.004 - 0.006	59	0.005	0.004 - 0.006
North Dakota	*	*		*	*		*	*	
Ohio	68	0.004	0.003 - 0.005	28	0.004	0.002 - 0.005	40	0.005	0.003 - 0.006
Oklahoma	19	0.005	0.003 - 0.008	*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	77	0.005	0.004 - 0.006	39	0.005	0.003 - 0.007	38	0.004	0.003 - 0.006
Rhode Island	*	*		*	*		*	*	
South Carolina	63	0.004	0.003 - 0.006	19	0.003	0.002 - 0.004	44	0.006	0.004 - 0.008
Tennessee	43	0.004	0.003 - 0.005	14	0.002	0.001 - 0.004	29	0.005	0.003 - 0.007
Texas	181	0.005	0.004 - 0.005	75	0.004	0.003 - 0.005	106	0.005	0.004 - 0.006
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	22	0.005	0.003 - 0.008	12	0.005	0.003 - 0.010	10	0.005	0.003 - 0.010
WA - Seattle	13	0.004	0.002 - 0.006	*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	15	0.003	0.002 - 0.006	*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Breast**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		206,807	0.855	0.852 - 0.859
Alabama	N/A	N/A		N/A	N/A		6,760	0.941	0.919 - 0.964
Alaska	N/A	N/A		N/A	N/A		88	0.538	0.431 - 0.662
Arizona	N/A	N/A		N/A	N/A		1,013	0.489	0.459 - 0.520
Arkansas	N/A	N/A		N/A	N/A		2,065	0.802	0.768 - 0.837
California	N/A	N/A		N/A	N/A		12,411	0.864	0.849 - 0.880
CA - Greater California	N/A	N/A		N/A	N/A		4,876	0.720	0.700 - 0.741
CA - Greater Bay Area	N/A	N/A		N/A	N/A		2,487	0.982	0.943 - 1.021
CA - Los Angeles	N/A	N/A		N/A	N/A		5,058	1.001	0.973 - 1.028
Colorado	N/A	N/A		N/A	N/A		906	0.626	0.586 - 0.668
Connecticut	N/A	N/A		N/A	N/A		2,012	0.828	0.792 - 0.865
Delaware	N/A	N/A		N/A	N/A		1,186	0.952	0.898 - 1.007
District of Columbia	N/A	N/A		N/A	N/A		2,059	1.117	1.070 - 1.167
Florida	N/A	N/A		N/A	N/A		13,832	0.710	0.698 - 0.722
Georgia	N/A	N/A		N/A	N/A		15,803	0.842	0.829 - 0.855
Hawaii	N/A	N/A		N/A	N/A		89	0.494	0.397 - 0.608
Idaho	N/A	N/A		N/A	N/A		18	0.182	0.108 - 0.288
Illinois	N/A	N/A		N/A	N/A		10,299	1.002	0.983 - 1.022
Indiana	N/A	N/A		N/A	N/A		2,902	0.776	0.748 - 0.805
Iowa	N/A	N/A		N/A	N/A		299	0.421	0.374 - 0.471
Kansas	N/A	N/A		N/A	N/A		779	0.771	0.718 - 0.827
Kentucky	N/A	N/A		N/A	N/A		1,725	0.845	0.806 - 0.886
Louisiana	N/A	N/A		N/A	N/A		7,522	0.917	0.896 - 0.938
Maine	N/A	N/A		N/A	N/A		35	0.281	0.196 - 0.391
Maryland	N/A	N/A		N/A	N/A		10,510	1.015	0.996 - 1.035
MI - Detroit	N/A	N/A		N/A	N/A		5,435	1.009	0.982 - 1.036
Minnesota	N/A	N/A		N/A	N/A		895	0.419	0.392 - 0.448
Mississippi	N/A	N/A		N/A	N/A		5,239	0.864	0.841 - 0.888
Missouri	N/A	N/A		N/A	N/A		3,676	0.909	0.880 - 0.939
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		318	0.568	0.508 - 0.634
New Hampshire	N/A	N/A		N/A	N/A		45	0.349	0.254 - 0.467
New Jersey	N/A	N/A		N/A	N/A		6,769	0.918	0.897 - 0.940
New Mexico	N/A	N/A		N/A	N/A		149	0.493	0.417 - 0.579
New York	N/A	N/A		N/A	N/A		18,292	0.951	0.937 - 0.965
North Carolina	N/A	N/A		N/A	N/A		12,617	0.984	0.967 - 1.002
North Dakota	N/A	N/A		N/A	N/A		11	0.087	0.043 - 0.155
Ohio	N/A	N/A		N/A	N/A		7,229	0.849	0.829 - 0.869
Oklahoma	N/A	N/A		N/A	N/A		1,297	0.735	0.695 - 0.776
Oregon	N/A	N/A		N/A	N/A		304	0.539	0.480 - 0.603
Pennsylvania	N/A	N/A		N/A	N/A		7,310	0.861	0.841 - 0.881
Rhode Island	N/A	N/A		N/A	N/A		295	0.577	0.513 - 0.647
South Carolina	N/A	N/A		N/A	N/A		7,266	0.957	0.935 - 0.980
Tennessee	N/A	N/A		N/A	N/A		5,374	0.847	0.824 - 0.869
Texas	N/A	N/A		N/A	N/A		14,531	0.731	0.719 - 0.743
Utah	N/A	N/A		N/A	N/A		71	0.270	0.210 - 0.340
Vermont	N/A	N/A		N/A	N/A		16	0.326	0.186 - 0.529
Washington	N/A	N/A		N/A	N/A		1,046	0.547	0.515 - 0.582
WA - Seattle	N/A	N/A		N/A	N/A		1,008	0.611	0.574 - 0.650
West Virginia	N/A	N/A		N/A	N/A		298	0.865	0.769 - 0.969
Wisconsin	N/A	N/A		N/A	N/A		1,639	0.750	0.714 - 0.787
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Cervix Uteri**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		11,904	0.049	0.048 - 0.050
Alabama	N/A	N/A		N/A	N/A		368	0.051	0.046 - 0.057
Alaska	N/A	N/A		N/A	N/A		*	*	
Arizona	N/A	N/A		N/A	N/A		48	0.023	0.017 - 0.031
Arkansas	N/A	N/A		N/A	N/A		135	0.052	0.044 - 0.062
California	N/A	N/A		N/A	N/A		510	0.036	0.033 - 0.039
CA - Greater California	N/A	N/A		N/A	N/A		216	0.032	0.028 - 0.036
CA - Greater Bay Area	N/A	N/A		N/A	N/A		81	0.032	0.025 - 0.040
CA - Los Angeles	N/A	N/A		N/A	N/A		214	0.042	0.037 - 0.048
Colorado	N/A	N/A		N/A	N/A		43	0.030	0.021 - 0.040
Connecticut	N/A	N/A		N/A	N/A		87	0.036	0.029 - 0.044
Delaware	N/A	N/A		N/A	N/A		57	0.046	0.035 - 0.059
District of Columbia	N/A	N/A		N/A	N/A		107	0.058	0.048 - 0.070
Florida	N/A	N/A		N/A	N/A		1,137	0.058	0.055 - 0.062
Georgia	N/A	N/A		N/A	N/A		787	0.042	0.039 - 0.045
Hawaii	N/A	N/A		N/A	N/A		*	*	
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		658	0.064	0.059 - 0.069
Indiana	N/A	N/A		N/A	N/A		180	0.048	0.041 - 0.056
Iowa	N/A	N/A		N/A	N/A		23	0.032	0.021 - 0.049
Kansas	N/A	N/A		N/A	N/A		31	0.031	0.021 - 0.044
Kentucky	N/A	N/A		N/A	N/A		95	0.047	0.038 - 0.057
Louisiana	N/A	N/A		N/A	N/A		476	0.058	0.053 - 0.063
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		456	0.044	0.040 - 0.048
MI - Detroit	N/A	N/A		N/A	N/A		267	0.050	0.044 - 0.056
Minnesota	N/A	N/A		N/A	N/A		69	0.032	0.025 - 0.041
Mississippi	N/A	N/A		N/A	N/A		346	0.057	0.051 - 0.063
Missouri	N/A	N/A		N/A	N/A		193	0.048	0.041 - 0.055
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		26	0.046	0.030 - 0.068
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		403	0.055	0.049 - 0.060
New Mexico	N/A	N/A		N/A	N/A		*	*	
New York	N/A	N/A		N/A	N/A		1,179	0.061	0.058 - 0.065
North Carolina	N/A	N/A		N/A	N/A		579	0.045	0.042 - 0.049
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		356	0.042	0.038 - 0.046
Oklahoma	N/A	N/A		N/A	N/A		60	0.034	0.026 - 0.044
Oregon	N/A	N/A		N/A	N/A		12	0.021	0.011 - 0.037
Pennsylvania	N/A	N/A		N/A	N/A		472	0.056	0.051 - 0.061
Rhode Island	N/A	N/A		N/A	N/A		18	0.035	0.021 - 0.056
South Carolina	N/A	N/A		N/A	N/A		367	0.048	0.044 - 0.054
Tennessee	N/A	N/A		N/A	N/A		332	0.052	0.047 - 0.058
Texas	N/A	N/A		N/A	N/A		957	0.048	0.045 - 0.051
Utah	N/A	N/A		N/A	N/A		*	*	
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		61	0.032	0.024 - 0.041
WA - Seattle	N/A	N/A		N/A	N/A		53	0.032	0.024 - 0.042
West Virginia	N/A	N/A		N/A	N/A		13	0.038	0.020 - 0.065
Wisconsin	N/A	N/A		N/A	N/A		129	0.059	0.049 - 0.070
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Corpus and Uterus, NOS**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		37,444	0.155	0.153 - 0.157
Alabama	N/A	N/A		N/A	N/A		937	0.130	0.122 - 0.139
Alaska	N/A	N/A		N/A	N/A		11	0.067	0.034 - 0.120
Arizona	N/A	N/A		N/A	N/A		172	0.083	0.071 - 0.096
Arkansas	N/A	N/A		N/A	N/A		356	0.138	0.124 - 0.153
California	N/A	N/A		N/A	N/A		2,328	0.162	0.156 - 0.169
CA - Greater California	N/A	N/A		N/A	N/A		833	0.123	0.115 - 0.132
CA - Greater Bay Area	N/A	N/A		N/A	N/A		508	0.201	0.183 - 0.219
CA - Los Angeles	N/A	N/A		N/A	N/A		988	0.195	0.183 - 0.208
Colorado	N/A	N/A		N/A	N/A		124	0.086	0.071 - 0.102
Connecticut	N/A	N/A		N/A	N/A		420	0.173	0.157 - 0.190
Delaware	N/A	N/A		N/A	N/A		231	0.185	0.162 - 0.211
District of Columbia	N/A	N/A		N/A	N/A		418	0.227	0.206 - 0.250
Florida	N/A	N/A		N/A	N/A		2,888	0.148	0.143 - 0.154
Georgia	N/A	N/A		N/A	N/A		2,616	0.139	0.134 - 0.145
Hawaii	N/A	N/A		N/A	N/A		11	0.061	0.031 - 0.109
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		1,858	0.181	0.173 - 0.189
Indiana	N/A	N/A		N/A	N/A		493	0.132	0.120 - 0.144
Iowa	N/A	N/A		N/A	N/A		66	0.093	0.072 - 0.118
Kansas	N/A	N/A		N/A	N/A		123	0.122	0.101 - 0.145
Kentucky	N/A	N/A		N/A	N/A		285	0.140	0.124 - 0.157
Louisiana	N/A	N/A		N/A	N/A		1,101	0.134	0.126 - 0.142
Maine	N/A	N/A		N/A	N/A		11	0.088	0.044 - 0.158
Maryland	N/A	N/A		N/A	N/A		1,830	0.177	0.169 - 0.185
MI - Detroit	N/A	N/A		N/A	N/A		1,032	0.191	0.180 - 0.203
Minnesota	N/A	N/A		N/A	N/A		194	0.091	0.079 - 0.105
Mississippi	N/A	N/A		N/A	N/A		854	0.141	0.132 - 0.151
Missouri	N/A	N/A		N/A	N/A		623	0.154	0.142 - 0.167
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		45	0.080	0.059 - 0.108
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		1,330	0.180	0.171 - 0.190
New Mexico	N/A	N/A		N/A	N/A		30	0.099	0.067 - 0.142
New York	N/A	N/A		N/A	N/A		4,127	0.215	0.208 - 0.221
North Carolina	N/A	N/A		N/A	N/A		2,085	0.163	0.156 - 0.170
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		1,319	0.155	0.147 - 0.163
Oklahoma	N/A	N/A		N/A	N/A		206	0.117	0.101 - 0.134
Oregon	N/A	N/A		N/A	N/A		54	0.096	0.072 - 0.125
Pennsylvania	N/A	N/A		N/A	N/A		1,493	0.176	0.167 - 0.185
Rhode Island	N/A	N/A		N/A	N/A		50	0.098	0.073 - 0.129
South Carolina	N/A	N/A		N/A	N/A		1,285	0.169	0.160 - 0.179
Tennessee	N/A	N/A		N/A	N/A		935	0.147	0.138 - 0.157
Texas	N/A	N/A		N/A	N/A		2,323	0.117	0.112 - 0.122
Utah	N/A	N/A		N/A	N/A		12	0.046	0.024 - 0.080
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		183	0.096	0.082 - 0.111
WA - Seattle	N/A	N/A		N/A	N/A		176	0.107	0.092 - 0.124
West Virginia	N/A	N/A		N/A	N/A		56	0.163	0.123 - 0.211
Wisconsin	N/A	N/A		N/A	N/A		313	0.143	0.128 - 0.160
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Ovary**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		N/A	N/A		8,862	0.037	0.036 - 0.037
Alabama	N/A	N/A		N/A	N/A		287	0.040	0.035 - 0.045
Alaska	N/A	N/A		N/A	N/A		*	*	
Arizona	N/A	N/A		N/A	N/A		50	0.024	0.018 - 0.032
Arkansas	N/A	N/A		N/A	N/A		85	0.033	0.026 - 0.041
California	N/A	N/A		N/A	N/A		548	0.038	0.035 - 0.041
CA - Greater California	N/A	N/A		N/A	N/A		221	0.033	0.028 - 0.037
CA - Greater Bay Area	N/A	N/A		N/A	N/A		127	0.050	0.042 - 0.060
CA - Los Angeles	N/A	N/A		N/A	N/A		200	0.039	0.034 - 0.045
Colorado	N/A	N/A		N/A	N/A		24	0.017	0.011 - 0.025
Connecticut	N/A	N/A		N/A	N/A		96	0.039	0.032 - 0.048
Delaware	N/A	N/A		N/A	N/A		41	0.033	0.024 - 0.045
District of Columbia	N/A	N/A		N/A	N/A		101	0.055	0.045 - 0.067
Florida	N/A	N/A		N/A	N/A		693	0.036	0.033 - 0.038
Georgia	N/A	N/A		N/A	N/A		652	0.035	0.032 - 0.037
Hawaii	N/A	N/A		N/A	N/A		*	*	
Idaho	N/A	N/A		N/A	N/A		*	*	
Illinois	N/A	N/A		N/A	N/A		460	0.045	0.041 - 0.049
Indiana	N/A	N/A		N/A	N/A		107	0.029	0.023 - 0.035
Iowa	N/A	N/A		N/A	N/A		16	0.023	0.013 - 0.037
Kansas	N/A	N/A		N/A	N/A		28	0.028	0.018 - 0.040
Kentucky	N/A	N/A		N/A	N/A		59	0.029	0.022 - 0.037
Louisiana	N/A	N/A		N/A	N/A		277	0.034	0.030 - 0.038
Maine	N/A	N/A		N/A	N/A		*	*	
Maryland	N/A	N/A		N/A	N/A		402	0.039	0.035 - 0.043
MI - Detroit	N/A	N/A		N/A	N/A		244	0.045	0.040 - 0.051
Minnesota	N/A	N/A		N/A	N/A		48	0.022	0.017 - 0.030
Mississippi	N/A	N/A		N/A	N/A		208	0.034	0.030 - 0.039
Missouri	N/A	N/A		N/A	N/A		137	0.034	0.028 - 0.040
Montana	N/A	N/A		N/A	N/A		*	*	
Nebraska	N/A	N/A		N/A	N/A		10	0.018	0.009 - 0.033
New Hampshire	N/A	N/A		N/A	N/A		*	*	
New Jersey	N/A	N/A		N/A	N/A		327	0.044	0.040 - 0.049
New Mexico	N/A	N/A		N/A	N/A		*	*	
New York	N/A	N/A		N/A	N/A		892	0.046	0.043 - 0.050
North Carolina	N/A	N/A		N/A	N/A		474	0.037	0.034 - 0.040
North Dakota	N/A	N/A		N/A	N/A		*	*	
Ohio	N/A	N/A		N/A	N/A		295	0.035	0.031 - 0.039
Oklahoma	N/A	N/A		N/A	N/A		55	0.031	0.023 - 0.041
Oregon	N/A	N/A		N/A	N/A		14	0.025	0.014 - 0.042
Pennsylvania	N/A	N/A		N/A	N/A		317	0.037	0.033 - 0.042
Rhode Island	N/A	N/A		N/A	N/A		11	0.022	0.011 - 0.038
South Carolina	N/A	N/A		N/A	N/A		245	0.032	0.028 - 0.037
Tennessee	N/A	N/A		N/A	N/A		217	0.034	0.030 - 0.039
Texas	N/A	N/A		N/A	N/A		681	0.034	0.032 - 0.037
Utah	N/A	N/A		N/A	N/A		*	*	
Vermont	N/A	N/A		N/A	N/A		*	*	
Washington	N/A	N/A		N/A	N/A		41	0.021	0.015 - 0.029
WA - Seattle	N/A	N/A		N/A	N/A		37	0.022	0.016 - 0.031
West Virginia	N/A	N/A		N/A	N/A		*	*	
Wisconsin	N/A	N/A		N/A	N/A		72	0.033	0.026 - 0.041
Wyoming	N/A	N/A		N/A	N/A		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Prostate**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		269,321	1.205	1.200 - 1.210	N/A	N/A	
Alabama	N/A	N/A		8,798	1.408	1.379 - 1.438	N/A	N/A	
Alaska	N/A	N/A		150	0.748	0.633 - 0.878	N/A	N/A	
Arizona	N/A	N/A		1,301	0.593	0.562 - 0.627	N/A	N/A	
Arkansas	N/A	N/A		3,058	1.303	1.258 - 1.350	N/A	N/A	
California	N/A	N/A		15,780	1.109	1.091 - 1.126	N/A	N/A	
CA - Greater California	N/A	N/A		6,650	0.933	0.911 - 0.956	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		3,341	1.331	1.286 - 1.376	N/A	N/A	
CA - Los Angeles	N/A	N/A		5,789	1.259	1.227 - 1.292	N/A	N/A	
Colorado	N/A	N/A		1,274	0.781	0.739 - 0.825	N/A	N/A	
Connecticut	N/A	N/A		2,555	1.148	1.104 - 1.193	N/A	N/A	
Delaware	N/A	N/A		1,674	1.500	1.429 - 1.574	N/A	N/A	
District of Columbia	N/A	N/A		2,234	1.456	1.396 - 1.518	N/A	N/A	
Florida	N/A	N/A		19,828	1.091	1.075 - 1.106	N/A	N/A	
Georgia	N/A	N/A		20,422	1.236	1.219 - 1.253	N/A	N/A	
Hawaii	N/A	N/A		211	0.825	0.717 - 0.944	N/A	N/A	
Idaho	N/A	N/A		61	0.491	0.376 - 0.631	N/A	N/A	
Illinois	N/A	N/A		12,072	1.316	1.293 - 1.340	N/A	N/A	
Indiana	N/A	N/A		3,245	0.924	0.893 - 0.956	N/A	N/A	
Iowa	N/A	N/A		454	0.570	0.518 - 0.624	N/A	N/A	
Kansas	N/A	N/A		1,087	1.009	0.950 - 1.071	N/A	N/A	
Kentucky	N/A	N/A		2,052	1.011	0.968 - 1.055	N/A	N/A	
Louisiana	N/A	N/A		10,086	1.361	1.334 - 1.387	N/A	N/A	
Maine	N/A	N/A		69	0.462	0.360 - 0.585	N/A	N/A	
Maryland	N/A	N/A		13,133	1.443	1.419 - 1.468	N/A	N/A	
MI - Detroit	N/A	N/A		7,246	1.582	1.545 - 1.618	N/A	N/A	
Minnesota	N/A	N/A		1,379	0.619	0.587 - 0.653	N/A	N/A	
Mississippi	N/A	N/A		7,441	1.381	1.350 - 1.413	N/A	N/A	
Missouri	N/A	N/A		3,779	1.023	0.990 - 1.056	N/A	N/A	
Montana	N/A	N/A		31	0.517	0.351 - 0.734	N/A	N/A	
Nebraska	N/A	N/A		530	0.894	0.820 - 0.974	N/A	N/A	
New Hampshire	N/A	N/A		103	0.637	0.520 - 0.773	N/A	N/A	
New Jersey	N/A	N/A		9,561	1.426	1.398 - 1.455	N/A	N/A	
New Mexico	N/A	N/A		253	0.700	0.617 - 0.792	N/A	N/A	
New York	N/A	N/A		26,742	1.576	1.557 - 1.595	N/A	N/A	
North Carolina	N/A	N/A		15,565	1.373	1.352 - 1.395	N/A	N/A	
North Dakota	N/A	N/A		38	0.229	0.162 - 0.314	N/A	N/A	
Ohio	N/A	N/A		9,030	1.144	1.121 - 1.168	N/A	N/A	
Oklahoma	N/A	N/A		1,762	0.991	0.945 - 1.038	N/A	N/A	
Oregon	N/A	N/A		487	0.749	0.684 - 0.819	N/A	N/A	
Pennsylvania	N/A	N/A		8,687	1.092	1.069 - 1.115	N/A	N/A	
Rhode Island	N/A	N/A		377	0.746	0.673 - 0.826	N/A	N/A	
South Carolina	N/A	N/A		9,102	1.363	1.335 - 1.391	N/A	N/A	
Tennessee	N/A	N/A		6,728	1.178	1.150 - 1.207	N/A	N/A	
Texas	N/A	N/A		16,921	0.905	0.891 - 0.918	N/A	N/A	
Utah	N/A	N/A		171	0.521	0.446 - 0.605	N/A	N/A	
Vermont	N/A	N/A		36	0.573	0.401 - 0.793	N/A	N/A	
Washington	N/A	N/A		1,633	0.741	0.706 - 0.778	N/A	N/A	
WA - Seattle	N/A	N/A		1,584	0.845	0.804 - 0.888	N/A	N/A	
West Virginia	N/A	N/A		520	1.290	1.182 - 1.406	N/A	N/A	
Wisconsin	N/A	N/A		2,186	1.025	0.982 - 1.068	N/A	N/A	
Wyoming	N/A	N/A		19	0.339	0.204 - 0.529	N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Testis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	N/A	N/A		2,723	0.012	0.012 - 0.013	N/A	N/A	
Alabama	N/A	N/A		70	0.011	0.009 - 0.014	N/A	N/A	
Alaska	N/A	N/A		*	*		N/A	N/A	
Arizona	N/A	N/A		19	0.009	0.005 - 0.014	N/A	N/A	
Arkansas	N/A	N/A		24	0.010	0.007 - 0.015	N/A	N/A	
California	N/A	N/A		198	0.014	0.012 - 0.016	N/A	N/A	
CA - Greater California	N/A	N/A		96	0.013	0.011 - 0.016	N/A	N/A	
CA - Greater Bay Area	N/A	N/A		42	0.017	0.012 - 0.023	N/A	N/A	
CA - Los Angeles	N/A	N/A		60	0.013	0.010 - 0.017	N/A	N/A	
Colorado	N/A	N/A		21	0.013	0.008 - 0.020	N/A	N/A	
Connecticut	N/A	N/A		26	0.012	0.008 - 0.017	N/A	N/A	
Delaware	N/A	N/A		*	*		N/A	N/A	
District of Columbia	N/A	N/A		24	0.016	0.010 - 0.023	N/A	N/A	
Florida	N/A	N/A		185	0.010	0.009 - 0.012	N/A	N/A	
Georgia	N/A	N/A		179	0.011	0.009 - 0.013	N/A	N/A	
Hawaii	N/A	N/A		*	*		N/A	N/A	
Idaho	N/A	N/A		*	*		N/A	N/A	
Illinois	N/A	N/A		112	0.012	0.010 - 0.015	N/A	N/A	
Indiana	N/A	N/A		35	0.010	0.007 - 0.014	N/A	N/A	
Iowa	N/A	N/A		*	*		N/A	N/A	
Kansas	N/A	N/A		17	0.016	0.009 - 0.025	N/A	N/A	
Kentucky	N/A	N/A		24	0.012	0.008 - 0.018	N/A	N/A	
Louisiana	N/A	N/A		97	0.013	0.011 - 0.016	N/A	N/A	
Maine	N/A	N/A		*	*		N/A	N/A	
Maryland	N/A	N/A		123	0.014	0.011 - 0.016	N/A	N/A	
MI - Detroit	N/A	N/A		69	0.015	0.012 - 0.019	N/A	N/A	
Minnesota	N/A	N/A		32	0.014	0.010 - 0.020	N/A	N/A	
Mississippi	N/A	N/A		78	0.014	0.011 - 0.018	N/A	N/A	
Missouri	N/A	N/A		44	0.012	0.009 - 0.016	N/A	N/A	
Montana	N/A	N/A		*	*		N/A	N/A	
Nebraska	N/A	N/A		*	*		N/A	N/A	
New Hampshire	N/A	N/A		*	*		N/A	N/A	
New Jersey	N/A	N/A		93	0.014	0.011 - 0.017	N/A	N/A	
New Mexico	N/A	N/A		*	*		N/A	N/A	
New York	N/A	N/A		266	0.016	0.014 - 0.018	N/A	N/A	
North Carolina	N/A	N/A		161	0.014	0.012 - 0.017	N/A	N/A	
North Dakota	N/A	N/A		*	*		N/A	N/A	
Ohio	N/A	N/A		77	0.010	0.008 - 0.012	N/A	N/A	
Oklahoma	N/A	N/A		18	0.010	0.006 - 0.016	N/A	N/A	
Oregon	N/A	N/A		13	0.020	0.011 - 0.034	N/A	N/A	
Pennsylvania	N/A	N/A		97	0.012	0.010 - 0.015	N/A	N/A	
Rhode Island	N/A	N/A		*	*		N/A	N/A	
South Carolina	N/A	N/A		66	0.010	0.008 - 0.013	N/A	N/A	
Tennessee	N/A	N/A		74	0.013	0.010 - 0.016	N/A	N/A	
Texas	N/A	N/A		182	0.010	0.008 - 0.011	N/A	N/A	
Utah	N/A	N/A		*	*		N/A	N/A	
Vermont	N/A	N/A		*	*		N/A	N/A	
Washington	N/A	N/A		25	0.011	0.007 - 0.017	N/A	N/A	
WA - Seattle	N/A	N/A		21	0.011	0.007 - 0.017	N/A	N/A	
West Virginia	N/A	N/A		*	*		N/A	N/A	
Wisconsin	N/A	N/A		28	0.013	0.009 - 0.019	N/A	N/A	
Wyoming	N/A	N/A		*	*		N/A	N/A	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Urinary Bladder**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	22,688	0.049	0.048 - 0.049	15,901	0.071	0.070 - 0.072	6,807	0.028	0.027 - 0.029
Alabama	665	0.050	0.046 - 0.053	450	0.072	0.066 - 0.079	215	0.030	0.026 - 0.034
Alaska	15	0.041	0.023 - 0.068	*	*		*	*	
Arizona	153	0.036	0.030 - 0.042	108	0.049	0.040 - 0.059	45	0.022	0.016 - 0.029
Arkansas	220	0.045	0.039 - 0.051	163	0.069	0.059 - 0.081	57	0.022	0.017 - 0.029
California	1,517	0.053	0.050 - 0.056	1,122	0.079	0.074 - 0.084	396	0.028	0.025 - 0.030
CA - Greater California	601	0.043	0.040 - 0.047	453	0.064	0.058 - 0.070	149	0.022	0.019 - 0.026
CA - Greater Bay Area	323	0.064	0.057 - 0.071	242	0.096	0.085 - 0.109	81	0.032	0.025 - 0.040
CA - Los Angeles	593	0.061	0.057 - 0.067	427	0.093	0.084 - 0.102	166	0.033	0.028 - 0.038
Colorado	104	0.034	0.028 - 0.041	85	0.052	0.042 - 0.064	19	0.013	0.008 - 0.020
Connecticut	215	0.046	0.040 - 0.053	145	0.065	0.055 - 0.076	70	0.029	0.022 - 0.036
Delaware	157	0.066	0.056 - 0.078	110	0.099	0.081 - 0.119	47	0.038	0.028 - 0.050
District of Columbia	265	0.078	0.069 - 0.089	170	0.111	0.095 - 0.129	95	0.052	0.042 - 0.063
Florida	1,374	0.036	0.035 - 0.038	978	0.054	0.050 - 0.057	396	0.020	0.018 - 0.022
Georgia	1,417	0.040	0.038 - 0.042	983	0.060	0.056 - 0.063	434	0.023	0.021 - 0.025
Hawaii	29	0.067	0.045 - 0.096	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	1,121	0.058	0.054 - 0.061	793	0.086	0.081 - 0.093	328	0.032	0.029 - 0.036
Indiana	357	0.049	0.044 - 0.055	258	0.073	0.065 - 0.083	99	0.026	0.022 - 0.032
Iowa	43	0.029	0.021 - 0.038	32	0.040	0.027 - 0.057	11	0.015	0.008 - 0.028
Kansas	118	0.057	0.047 - 0.068	91	0.084	0.068 - 0.104	27	0.027	0.018 - 0.039
Kentucky	205	0.050	0.044 - 0.058	145	0.071	0.060 - 0.084	60	0.029	0.022 - 0.038
Louisiana	807	0.052	0.048 - 0.055	598	0.081	0.074 - 0.087	209	0.026	0.022 - 0.029
Maine	10	0.037	0.018 - 0.067	*	*		*	*	
Maryland	1,100	0.057	0.053 - 0.060	739	0.081	0.075 - 0.087	361	0.035	0.031 - 0.039
MI - Detroit	669	0.067	0.062 - 0.072	453	0.099	0.090 - 0.108	217	0.040	0.035 - 0.046
Minnesota	132	0.030	0.025 - 0.036	98	0.044	0.036 - 0.054	34	0.016	0.011 - 0.022
Mississippi	518	0.045	0.041 - 0.049	383	0.071	0.064 - 0.079	135	0.022	0.019 - 0.026
Missouri	427	0.055	0.050 - 0.061	285	0.077	0.068 - 0.087	142	0.035	0.030 - 0.041
Montana	*	*		*	*		*	*	
Nebraska	50	0.043	0.032 - 0.057	32	0.054	0.037 - 0.076	18	0.032	0.019 - 0.051
New Hampshire	*	*		*	*		*	*	
New Jersey	761	0.054	0.050 - 0.058	517	0.077	0.071 - 0.084	244	0.033	0.029 - 0.038
New Mexico	25	0.038	0.025 - 0.056	*	*		*	*	
New York	2,051	0.057	0.054 - 0.059	1,411	0.083	0.079 - 0.088	640	0.033	0.031 - 0.036
North Carolina	1,379	0.057	0.054 - 0.060	922	0.081	0.076 - 0.087	457	0.036	0.032 - 0.039
North Dakota	*	*		*	*		*	*	
Ohio	946	0.058	0.054 - 0.061	657	0.083	0.077 - 0.090	289	0.034	0.030 - 0.038
Oklahoma	179	0.051	0.043 - 0.058	126	0.071	0.059 - 0.084	53	0.030	0.022 - 0.039
Oregon	52	0.043	0.032 - 0.056	38	0.058	0.041 - 0.080	14	0.025	0.014 - 0.042
Pennsylvania	988	0.060	0.056 - 0.064	687	0.086	0.080 - 0.093	301	0.035	0.032 - 0.040
Rhode Island	40	0.039	0.028 - 0.054	27	0.053	0.035 - 0.078	13	0.025	0.014 - 0.043
South Carolina	690	0.048	0.045 - 0.052	453	0.068	0.062 - 0.074	237	0.031	0.027 - 0.035
Tennessee	507	0.042	0.038 - 0.046	350	0.061	0.055 - 0.068	157	0.025	0.021 - 0.029
Texas	1,331	0.034	0.033 - 0.036	945	0.051	0.047 - 0.054	386	0.019	0.018 - 0.021
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	154	0.037	0.032 - 0.044	119	0.054	0.045 - 0.065	35	0.018	0.013 - 0.025
WA - Seattle	147	0.042	0.035 - 0.049	112	0.060	0.049 - 0.072	35	0.021	0.015 - 0.029
West Virginia	44	0.059	0.043 - 0.079	*	*		*	*	
Wisconsin	227	0.053	0.046 - 0.060	167	0.078	0.067 - 0.091	60	0.027	0.021 - 0.035
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Kidney and Renal Pelvis**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	47,355	0.102	0.101 - 0.103	27,688	0.124	0.122 - 0.125	19,689	0.081	0.080 - 0.083
Alabama	1,475	0.110	0.104 - 0.116	852	0.136	0.127 - 0.146	623	0.087	0.080 - 0.094
Alaska	17	0.047	0.027 - 0.075	*	*		*	*	
Arizona	292	0.068	0.061 - 0.077	205	0.094	0.081 - 0.107	87	0.042	0.034 - 0.052
Arkansas	555	0.113	0.104 - 0.123	293	0.125	0.111 - 0.140	262	0.102	0.090 - 0.115
California	2,835	0.099	0.096 - 0.103	1,736	0.122	0.116 - 0.128	1,099	0.076	0.072 - 0.081
CA - Greater California	1,223	0.088	0.083 - 0.093	746	0.105	0.097 - 0.113	477	0.070	0.064 - 0.077
CA - Greater Bay Area	598	0.118	0.109 - 0.128	376	0.150	0.135 - 0.166	222	0.088	0.076 - 0.100
CA - Los Angeles	1,017	0.105	0.099 - 0.112	616	0.134	0.124 - 0.145	401	0.079	0.072 - 0.087
Colorado	234	0.076	0.067 - 0.086	158	0.097	0.082 - 0.113	76	0.052	0.041 - 0.066
Connecticut	422	0.091	0.082 - 0.100	271	0.122	0.108 - 0.137	151	0.062	0.053 - 0.073
Delaware	264	0.112	0.099 - 0.126	163	0.146	0.125 - 0.170	101	0.081	0.066 - 0.098
District of Columbia	387	0.115	0.103 - 0.127	219	0.143	0.124 - 0.163	168	0.091	0.078 - 0.106
Florida	2,758	0.073	0.071 - 0.076	1,602	0.088	0.084 - 0.093	1,156	0.059	0.056 - 0.063
Georgia	3,159	0.090	0.086 - 0.093	1,789	0.108	0.103 - 0.113	1,371	0.073	0.069 - 0.077
Hawaii	25	0.057	0.037 - 0.084	*	*		*	*	
Idaho	11	0.049	0.025 - 0.088	*	*		*	*	
Illinois	2,282	0.117	0.113 - 0.122	1,341	0.146	0.138 - 0.154	941	0.092	0.086 - 0.098
Indiana	731	0.101	0.094 - 0.108	444	0.126	0.115 - 0.139	287	0.077	0.068 - 0.086
Iowa	112	0.074	0.061 - 0.089	55	0.069	0.052 - 0.090	57	0.080	0.061 - 0.104
Kansas	204	0.098	0.085 - 0.112	127	0.118	0.098 - 0.140	77	0.076	0.060 - 0.095
Kentucky	503	0.123	0.113 - 0.135	277	0.136	0.121 - 0.153	226	0.111	0.097 - 0.126
Louisiana	1,810	0.116	0.111 - 0.121	1,025	0.138	0.130 - 0.147	785	0.096	0.089 - 0.103
Maine	13	0.048	0.025 - 0.081	*	*		*	*	
Maryland	2,103	0.108	0.104 - 0.113	1,163	0.128	0.121 - 0.135	940	0.091	0.085 - 0.097
MI - Detroit	1,269	0.127	0.120 - 0.134	734	0.160	0.149 - 0.172	535	0.099	0.091 - 0.108
Minnesota	265	0.061	0.054 - 0.069	173	0.078	0.067 - 0.090	92	0.043	0.035 - 0.053
Mississippi	1,478	0.129	0.123 - 0.136	803	0.149	0.139 - 0.160	675	0.111	0.103 - 0.120
Missouri	901	0.116	0.109 - 0.124	498	0.135	0.123 - 0.147	403	0.100	0.090 - 0.110
Montana	*	*		*	*		*	*	
Nebraska	131	0.114	0.095 - 0.135	86	0.145	0.116 - 0.179	45	0.080	0.059 - 0.108
New Hampshire	10	0.034	0.017 - 0.063	*	*		*	*	
New Jersey	1,428	0.101	0.096 - 0.107	876	0.131	0.122 - 0.140	552	0.075	0.069 - 0.081
New Mexico	46	0.069	0.051 - 0.093	*	*		*	*	
New York	3,657	0.101	0.098 - 0.104	2,233	0.132	0.126 - 0.137	1,423	0.074	0.070 - 0.078
North Carolina	2,816	0.117	0.112 - 0.121	1,588	0.140	0.133 - 0.147	1,228	0.096	0.091 - 0.101
North Dakota	*	*		*	*		*	*	
Ohio	1,784	0.109	0.104 - 0.114	1,053	0.133	0.125 - 0.142	731	0.086	0.080 - 0.092
Oklahoma	324	0.091	0.082 - 0.102	189	0.106	0.092 - 0.123	135	0.076	0.064 - 0.090
Oregon	97	0.080	0.065 - 0.097	62	0.095	0.073 - 0.122	35	0.062	0.043 - 0.086
Pennsylvania	1,950	0.119	0.113 - 0.124	1,169	0.147	0.139 - 0.156	781	0.092	0.086 - 0.099
Rhode Island	60	0.059	0.045 - 0.076	38	0.075	0.053 - 0.103	22	0.043	0.027 - 0.065
South Carolina	1,541	0.108	0.103 - 0.114	880	0.132	0.123 - 0.141	661	0.087	0.081 - 0.094
Tennessee	1,387	0.115	0.109 - 0.121	774	0.136	0.126 - 0.145	613	0.097	0.089 - 0.105
Texas	3,727	0.097	0.094 - 0.100	2,136	0.114	0.109 - 0.119	1,591	0.080	0.076 - 0.084
Utah	16	0.027	0.015 - 0.044	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	347	0.084	0.076 - 0.094	226	0.103	0.090 - 0.117	121	0.063	0.053 - 0.076
WA - Seattle	334	0.095	0.085 - 0.106	218	0.116	0.102 - 0.133	116	0.070	0.058 - 0.084
West Virginia	70	0.094	0.073 - 0.118	47	0.117	0.086 - 0.155	23	0.067	0.042 - 0.100
Wisconsin	492	0.114	0.104 - 0.124	285	0.134	0.119 - 0.150	207	0.095	0.082 - 0.109
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Brain and Other Nervous System**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	6,941	0.015	0.015 - 0.015	3,605	0.016	0.016 - 0.017	3,337	0.014	0.013 - 0.014
Alabama	190	0.014	0.012 - 0.016	98	0.016	0.013 - 0.019	92	0.013	0.010 - 0.016
Alaska	*	*		*	*		*	*	
Arizona	40	0.009	0.007 - 0.013	25	0.011	0.007 - 0.017	15	0.007	0.004 - 0.012
Arkansas	66	0.013	0.010 - 0.017	38	0.016	0.011 - 0.022	28	0.011	0.007 - 0.016
California	407	0.014	0.013 - 0.016	237	0.017	0.015 - 0.019	171	0.012	0.010 - 0.014
CA - Greater California	176	0.013	0.011 - 0.015	94	0.013	0.011 - 0.016	82	0.012	0.010 - 0.015
CA - Greater Bay Area	81	0.016	0.013 - 0.020	51	0.020	0.015 - 0.027	30	0.012	0.008 - 0.017
CA - Los Angeles	149	0.015	0.013 - 0.018	90	0.020	0.016 - 0.024	59	0.012	0.009 - 0.015
Colorado	39	0.013	0.009 - 0.017	22	0.013	0.008 - 0.020	17	0.012	0.007 - 0.019
Connecticut	68	0.015	0.011 - 0.018	40	0.018	0.013 - 0.025	27	0.011	0.007 - 0.016
Delaware	39	0.017	0.012 - 0.023	17	0.015	0.009 - 0.024	22	0.018	0.011 - 0.027
District of Columbia	63	0.019	0.014 - 0.024	35	0.023	0.016 - 0.032	28	0.015	0.010 - 0.022
Florida	602	0.016	0.015 - 0.017	316	0.017	0.016 - 0.019	286	0.015	0.013 - 0.016
Georgia	503	0.014	0.013 - 0.016	234	0.014	0.012 - 0.016	268	0.014	0.013 - 0.016
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	291	0.015	0.013 - 0.017	152	0.017	0.014 - 0.019	139	0.014	0.011 - 0.016
Indiana	113	0.016	0.013 - 0.019	62	0.018	0.014 - 0.023	51	0.014	0.010 - 0.018
Iowa	20	0.013	0.008 - 0.020	*	*		*	*	
Kansas	31	0.015	0.010 - 0.021	20	0.019	0.011 - 0.029	11	0.011	0.005 - 0.019
Kentucky	70	0.017	0.013 - 0.022	37	0.018	0.013 - 0.025	34	0.016	0.011 - 0.023
Louisiana	212	0.014	0.012 - 0.016	119	0.016	0.013 - 0.019	93	0.011	0.009 - 0.014
Maine	*	*		*	*		*	*	
Maryland	259	0.013	0.012 - 0.015	124	0.014	0.011 - 0.016	135	0.013	0.011 - 0.015
MI - Detroit	152	0.015	0.013 - 0.018	66	0.014	0.011 - 0.018	87	0.016	0.013 - 0.020
Minnesota	72	0.017	0.013 - 0.021	39	0.018	0.012 - 0.024	33	0.015	0.011 - 0.022
Mississippi	145	0.013	0.011 - 0.015	78	0.014	0.011 - 0.018	67	0.011	0.009 - 0.014
Missouri	126	0.016	0.014 - 0.019	61	0.017	0.013 - 0.021	65	0.016	0.012 - 0.020
Montana	*	*		*	*		*	*	
Nebraska	24	0.021	0.013 - 0.031	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	228	0.016	0.014 - 0.018	113	0.017	0.014 - 0.020	115	0.016	0.013 - 0.019
New Mexico	*	*		*	*		*	*	
New York	607	0.017	0.015 - 0.018	337	0.020	0.018 - 0.022	271	0.014	0.012 - 0.016
North Carolina	362	0.015	0.013 - 0.017	173	0.015	0.013 - 0.018	189	0.015	0.013 - 0.017
North Dakota	*	*		*	*		*	*	
Ohio	256	0.016	0.014 - 0.018	136	0.017	0.014 - 0.020	120	0.014	0.012 - 0.017
Oklahoma	38	0.011	0.008 - 0.015	16	0.009	0.005 - 0.015	22	0.012	0.008 - 0.019
Oregon	15	0.012	0.007 - 0.020	*	*		*	*	
Pennsylvania	283	0.017	0.015 - 0.019	145	0.018	0.015 - 0.021	138	0.016	0.014 - 0.019
Rhode Island	14	0.014	0.008 - 0.023	*	*		*	*	
South Carolina	184	0.013	0.011 - 0.015	94	0.014	0.011 - 0.017	90	0.012	0.010 - 0.015
Tennessee	179	0.015	0.013 - 0.017	95	0.017	0.013 - 0.020	84	0.013	0.011 - 0.016
Texas	585	0.015	0.014 - 0.016	299	0.016	0.014 - 0.018	286	0.014	0.013 - 0.016
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	51	0.012	0.009 - 0.016	26	0.012	0.008 - 0.017	25	0.013	0.008 - 0.019
WA - Seattle	45	0.013	0.009 - 0.017	21	0.011	0.007 - 0.017	24	0.014	0.009 - 0.021
West Virginia	11	0.015	0.007 - 0.026	*	*		*	*	
Wisconsin	71	0.016	0.013 - 0.021	34	0.016	0.011 - 0.022	37	0.017	0.012 - 0.023
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Thyroid**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	32,791	0.070	0.070 - 0.071	5,694	0.025	0.025 - 0.026	27,063	0.112	0.111 - 0.113
Alabama	752	0.056	0.052 - 0.060	134	0.021	0.018 - 0.025	618	0.086	0.079 - 0.093
Alaska	20	0.055	0.034 - 0.085	*	*		*	*	
Arizona	248	0.058	0.051 - 0.066	49	0.022	0.017 - 0.030	199	0.096	0.083 - 0.110
Arkansas	294	0.060	0.053 - 0.067	66	0.028	0.022 - 0.036	228	0.089	0.077 - 0.101
California	1,724	0.060	0.057 - 0.063	360	0.025	0.023 - 0.028	1,365	0.095	0.090 - 0.100
CA - Greater California	775	0.056	0.052 - 0.060	169	0.024	0.020 - 0.028	605	0.089	0.082 - 0.097
CA - Greater Bay Area	243	0.048	0.042 - 0.055	53	0.021	0.016 - 0.027	191	0.075	0.065 - 0.087
CA - Los Angeles	707	0.073	0.068 - 0.079	138	0.030	0.025 - 0.035	569	0.113	0.103 - 0.122
Colorado	181	0.059	0.051 - 0.068	38	0.023	0.016 - 0.032	143	0.099	0.083 - 0.116
Connecticut	386	0.083	0.075 - 0.092	64	0.029	0.022 - 0.037	322	0.132	0.118 - 0.148
Delaware	206	0.087	0.076 - 0.100	32	0.029	0.020 - 0.040	174	0.140	0.120 - 0.162
District of Columbia	348	0.103	0.093 - 0.114	73	0.048	0.037 - 0.060	275	0.149	0.132 - 0.168
Florida	2,235	0.059	0.057 - 0.062	375	0.021	0.019 - 0.023	1,860	0.095	0.091 - 0.100
Georgia	2,147	0.061	0.058 - 0.063	331	0.020	0.018 - 0.022	1,816	0.097	0.092 - 0.101
Hawaii	15	0.034	0.019 - 0.056	*	*		*	*	
Idaho	12	0.054	0.028 - 0.094	*	*		*	*	
Illinois	1,368	0.070	0.067 - 0.074	229	0.025	0.022 - 0.028	1,139	0.111	0.104 - 0.117
Indiana	372	0.051	0.046 - 0.057	76	0.022	0.017 - 0.027	296	0.079	0.070 - 0.089
Iowa	55	0.036	0.027 - 0.047	13	0.016	0.009 - 0.028	42	0.059	0.043 - 0.080
Kansas	173	0.083	0.071 - 0.096	47	0.044	0.032 - 0.058	126	0.125	0.104 - 0.149
Kentucky	325	0.080	0.071 - 0.089	52	0.026	0.019 - 0.034	273	0.134	0.118 - 0.150
Louisiana	1,182	0.076	0.071 - 0.080	201	0.027	0.023 - 0.031	981	0.120	0.112 - 0.127
Maine	12	0.044	0.023 - 0.077	*	*		*	*	
Maryland	1,688	0.087	0.083 - 0.091	314	0.035	0.031 - 0.039	1,374	0.133	0.126 - 0.140
MI - Detroit	883	0.089	0.083 - 0.095	153	0.033	0.028 - 0.039	730	0.136	0.126 - 0.146
Minnesota	234	0.054	0.047 - 0.061	49	0.022	0.016 - 0.029	185	0.087	0.075 - 0.100
Mississippi	709	0.062	0.057 - 0.067	99	0.018	0.015 - 0.022	610	0.101	0.093 - 0.109
Missouri	481	0.062	0.057 - 0.068	73	0.020	0.015 - 0.025	408	0.101	0.091 - 0.111
Montana	*	*		*	*		*	*	
Nebraska	68	0.059	0.046 - 0.075	15	0.025	0.014 - 0.042	53	0.095	0.071 - 0.124
New Hampshire	10	0.034	0.017 - 0.063	*	*		*	*	
New Jersey	1,172	0.083	0.079 - 0.088	196	0.029	0.025 - 0.034	976	0.132	0.124 - 0.141
New Mexico	33	0.050	0.034 - 0.070	10	0.028	0.013 - 0.051	23	0.076	0.048 - 0.114
New York	3,451	0.095	0.092 - 0.099	565	0.033	0.031 - 0.036	2,886	0.150	0.145 - 0.156
North Carolina	1,780	0.074	0.070 - 0.077	290	0.026	0.023 - 0.029	1,490	0.116	0.110 - 0.122
North Dakota	*	*		*	*		*	*	
Ohio	1,352	0.082	0.078 - 0.087	207	0.026	0.023 - 0.030	1,145	0.134	0.127 - 0.142
Oklahoma	187	0.053	0.045 - 0.061	33	0.019	0.013 - 0.026	154	0.087	0.074 - 0.102
Oregon	72	0.059	0.046 - 0.075	11	0.017	0.008 - 0.030	61	0.108	0.083 - 0.139
Pennsylvania	1,733	0.105	0.100 - 0.110	297	0.037	0.033 - 0.042	1,436	0.169	0.161 - 0.178
Rhode Island	84	0.083	0.066 - 0.102	20	0.040	0.024 - 0.061	64	0.125	0.096 - 0.160
South Carolina	1,006	0.071	0.066 - 0.075	169	0.025	0.022 - 0.029	837	0.110	0.103 - 0.118
Tennessee	688	0.057	0.053 - 0.061	102	0.018	0.015 - 0.022	586	0.092	0.085 - 0.100
Texas	2,188	0.057	0.054 - 0.059	397	0.021	0.019 - 0.023	1,791	0.090	0.086 - 0.094
Utah	24	0.041	0.026 - 0.060	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	215	0.052	0.046 - 0.060	42	0.019	0.014 - 0.026	173	0.091	0.078 - 0.105
WA - Seattle	209	0.059	0.051 - 0.068	37	0.020	0.014 - 0.027	172	0.104	0.089 - 0.121
West Virginia	57	0.076	0.058 - 0.099	20	0.050	0.030 - 0.077	37	0.107	0.076 - 0.148
Wisconsin	276	0.064	0.057 - 0.072	50	0.023	0.017 - 0.031	226	0.103	0.090 - 0.118
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	9,619	0.021	0.020 - 0.021	5,043	0.023	0.022 - 0.023	4,578	0.019	0.018 - 0.019
Alabama	260	0.019	0.017 - 0.022	139	0.022	0.019 - 0.026	121	0.017	0.014 - 0.020
Alaska	*	*		*	*		*	*	
Arizona	86	0.020	0.016 - 0.025	53	0.024	0.018 - 0.032	33	0.016	0.011 - 0.022
Arkansas	112	0.023	0.019 - 0.027	62	0.026	0.020 - 0.034	50	0.019	0.014 - 0.026
California	524	0.018	0.017 - 0.020	278	0.020	0.017 - 0.022	246	0.017	0.015 - 0.019
CA - Greater California	226	0.016	0.014 - 0.019	126	0.018	0.015 - 0.021	100	0.015	0.012 - 0.018
CA - Greater Bay Area	121	0.024	0.020 - 0.029	67	0.027	0.021 - 0.034	54	0.021	0.016 - 0.028
CA - Los Angeles	177	0.018	0.016 - 0.021	85	0.018	0.015 - 0.023	92	0.018	0.015 - 0.022
Colorado	62	0.020	0.015 - 0.026	38	0.023	0.016 - 0.032	24	0.017	0.011 - 0.025
Connecticut	108	0.023	0.019 - 0.028	60	0.027	0.020 - 0.035	48	0.020	0.015 - 0.026
Delaware	58	0.025	0.019 - 0.032	30	0.027	0.018 - 0.038	28	0.022	0.015 - 0.032
District of Columbia	80	0.024	0.019 - 0.029	40	0.026	0.019 - 0.036	40	0.022	0.016 - 0.030
Florida	694	0.018	0.017 - 0.020	345	0.019	0.017 - 0.021	349	0.018	0.016 - 0.020
Georgia	672	0.019	0.018 - 0.021	335	0.020	0.018 - 0.023	337	0.018	0.016 - 0.020
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	441	0.023	0.021 - 0.025	246	0.027	0.024 - 0.030	195	0.019	0.016 - 0.022
Indiana	137	0.019	0.016 - 0.022	75	0.021	0.017 - 0.027	62	0.017	0.013 - 0.021
Iowa	33	0.022	0.015 - 0.031	18	0.023	0.013 - 0.036	15	0.021	0.012 - 0.035
Kansas	33	0.016	0.011 - 0.022	21	0.019	0.012 - 0.030	12	0.012	0.006 - 0.021
Kentucky	84	0.021	0.016 - 0.026	45	0.022	0.016 - 0.030	39	0.019	0.014 - 0.026
Louisiana	322	0.021	0.018 - 0.023	170	0.023	0.020 - 0.027	152	0.019	0.016 - 0.022
Maine	*	*		*	*		*	*	
Maryland	429	0.022	0.020 - 0.024	220	0.024	0.021 - 0.028	209	0.020	0.018 - 0.023
MI - Detroit	201	0.020	0.017 - 0.023	110	0.024	0.020 - 0.029	91	0.017	0.014 - 0.021
Minnesota	66	0.015	0.012 - 0.019	42	0.019	0.014 - 0.026	24	0.011	0.007 - 0.017
Mississippi	235	0.021	0.018 - 0.023	124	0.023	0.019 - 0.027	111	0.018	0.015 - 0.022
Missouri	174	0.022	0.019 - 0.026	91	0.025	0.020 - 0.030	83	0.021	0.016 - 0.025
Montana	*	*		*	*		*	*	
Nebraska	28	0.024	0.016 - 0.035	*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	332	0.024	0.021 - 0.026	166	0.025	0.021 - 0.029	166	0.022	0.019 - 0.026
New Mexico	12	0.018	0.009 - 0.032	*	*		*	*	
New York	919	0.025	0.024 - 0.027	457	0.027	0.024 - 0.029	463	0.024	0.022 - 0.026
North Carolina	535	0.022	0.020 - 0.024	271	0.024	0.021 - 0.027	264	0.021	0.018 - 0.023
North Dakota	*	*		*	*		*	*	
Ohio	317	0.019	0.017 - 0.022	167	0.021	0.018 - 0.025	150	0.018	0.015 - 0.021
Oklahoma	66	0.019	0.014 - 0.024	32	0.018	0.012 - 0.025	34	0.019	0.013 - 0.027
Oregon	22	0.018	0.011 - 0.027	*	*		*	*	
Pennsylvania	381	0.023	0.021 - 0.026	196	0.025	0.021 - 0.028	185	0.022	0.019 - 0.025
Rhode Island	20	0.020	0.012 - 0.030	*	*		*	*	
South Carolina	277	0.019	0.017 - 0.022	147	0.022	0.019 - 0.026	130	0.017	0.014 - 0.020
Tennessee	251	0.021	0.018 - 0.024	135	0.024	0.020 - 0.028	116	0.018	0.015 - 0.022
Texas	715	0.019	0.017 - 0.020	378	0.020	0.018 - 0.022	337	0.017	0.015 - 0.019
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	90	0.022	0.018 - 0.027	46	0.021	0.015 - 0.028	44	0.023	0.017 - 0.031
WA - Seattle	84	0.024	0.019 - 0.029	43	0.023	0.017 - 0.031	41	0.025	0.018 - 0.034
West Virginia	15	0.020	0.011 - 0.033	*	*		*	*	
Wisconsin	105	0.024	0.020 - 0.029	63	0.030	0.023 - 0.038	42	0.019	0.014 - 0.026
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Non-Hodgkin Lymphoma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	34,817	0.075	0.074 - 0.076	17,530	0.078	0.077 - 0.080	17,293	0.072	0.070 - 0.073
Alabama	859	0.064	0.060 - 0.068	417	0.067	0.060 - 0.073	442	0.062	0.056 - 0.068
Alaska	25	0.069	0.044 - 0.101	*	*		*	*	
Arizona	189	0.044	0.038 - 0.051	119	0.054	0.045 - 0.065	70	0.034	0.026 - 0.043
Arkansas	364	0.074	0.067 - 0.082	191	0.081	0.070 - 0.094	173	0.067	0.058 - 0.078
California	2,182	0.076	0.073 - 0.080	1,149	0.081	0.076 - 0.085	1,034	0.072	0.068 - 0.076
CA - Greater California	845	0.061	0.057 - 0.065	461	0.065	0.059 - 0.071	383	0.057	0.051 - 0.063
CA - Greater Bay Area	538	0.107	0.098 - 0.116	293	0.117	0.104 - 0.131	245	0.097	0.085 - 0.110
CA - Los Angeles	799	0.083	0.077 - 0.089	395	0.086	0.078 - 0.095	404	0.080	0.072 - 0.088
Colorado	202	0.066	0.057 - 0.075	124	0.076	0.063 - 0.091	78	0.054	0.043 - 0.067
Connecticut	334	0.072	0.064 - 0.080	175	0.079	0.067 - 0.091	159	0.065	0.056 - 0.076
Delaware	198	0.084	0.073 - 0.096	94	0.084	0.068 - 0.103	104	0.083	0.068 - 0.101
District of Columbia	321	0.095	0.085 - 0.106	156	0.102	0.086 - 0.119	165	0.090	0.076 - 0.104
Florida	2,770	0.074	0.071 - 0.076	1,385	0.076	0.072 - 0.080	1,385	0.071	0.067 - 0.075
Georgia	2,591	0.073	0.071 - 0.076	1,330	0.081	0.076 - 0.085	1,261	0.067	0.064 - 0.071
Hawaii	22	0.049	0.031 - 0.075	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	1,554	0.080	0.076 - 0.084	738	0.080	0.075 - 0.086	816	0.079	0.074 - 0.085
Indiana	448	0.062	0.056 - 0.068	237	0.067	0.059 - 0.077	211	0.056	0.049 - 0.065
Iowa	75	0.050	0.039 - 0.062	46	0.057	0.042 - 0.077	29	0.041	0.027 - 0.058
Kansas	142	0.068	0.057 - 0.080	68	0.063	0.049 - 0.080	74	0.073	0.058 - 0.092
Kentucky	304	0.075	0.067 - 0.084	169	0.083	0.071 - 0.097	135	0.066	0.055 - 0.078
Louisiana	1,128	0.072	0.068 - 0.077	556	0.075	0.069 - 0.081	572	0.070	0.064 - 0.076
Maine	11	0.040	0.020 - 0.072	*	*		*	*	
Maryland	1,570	0.081	0.077 - 0.085	737	0.081	0.075 - 0.087	833	0.080	0.075 - 0.086
MI - Detroit	948	0.095	0.089 - 0.101	453	0.099	0.090 - 0.108	495	0.092	0.084 - 0.100
Minnesota	237	0.054	0.048 - 0.062	135	0.061	0.051 - 0.072	102	0.048	0.039 - 0.058
Mississippi	779	0.068	0.063 - 0.073	377	0.070	0.063 - 0.077	402	0.066	0.060 - 0.073
Missouri	629	0.081	0.075 - 0.088	314	0.085	0.076 - 0.095	315	0.078	0.070 - 0.087
Montana	*	*		*	*		*	*	
Nebraska	76	0.066	0.052 - 0.083	32	0.054	0.037 - 0.076	44	0.079	0.057 - 0.106
New Hampshire	10	0.034	0.017 - 0.063	*	*		*	*	
New Jersey	1,123	0.080	0.075 - 0.085	572	0.085	0.078 - 0.093	551	0.075	0.069 - 0.081
New Mexico	39	0.059	0.042 - 0.080	23	0.064	0.040 - 0.096	16	0.053	0.030 - 0.086
New York	3,404	0.094	0.091 - 0.097	1,629	0.096	0.091 - 0.101	1,775	0.092	0.088 - 0.097
North Carolina	1,935	0.080	0.077 - 0.084	967	0.085	0.080 - 0.091	968	0.076	0.071 - 0.080
North Dakota	*	*		*	*		*	*	
Ohio	1,188	0.072	0.068 - 0.077	611	0.077	0.071 - 0.084	577	0.068	0.062 - 0.074
Oklahoma	208	0.059	0.051 - 0.067	106	0.060	0.049 - 0.072	102	0.058	0.047 - 0.070
Oregon	55	0.045	0.034 - 0.059	35	0.054	0.038 - 0.075	20	0.035	0.022 - 0.055
Pennsylvania	1,363	0.083	0.079 - 0.087	711	0.089	0.083 - 0.096	652	0.077	0.071 - 0.083
Rhode Island	46	0.045	0.033 - 0.060	24	0.048	0.030 - 0.071	22	0.043	0.027 - 0.065
South Carolina	937	0.066	0.062 - 0.070	482	0.072	0.066 - 0.079	455	0.060	0.055 - 0.066
Tennessee	825	0.068	0.064 - 0.073	402	0.070	0.064 - 0.078	423	0.067	0.060 - 0.073
Texas	2,560	0.066	0.064 - 0.069	1,284	0.069	0.065 - 0.073	1,276	0.064	0.061 - 0.068
Utah	29	0.049	0.033 - 0.070	14	0.043	0.023 - 0.072	15	0.057	0.032 - 0.094
Vermont	*	*		*	*		*	*	
Washington	276	0.067	0.059 - 0.075	156	0.071	0.060 - 0.083	120	0.063	0.052 - 0.075
WA - Seattle	257	0.073	0.064 - 0.082	152	0.081	0.068 - 0.095	106	0.064	0.052 - 0.078
West Virginia	56	0.075	0.057 - 0.097	35	0.087	0.060 - 0.121	21	0.061	0.038 - 0.093
Wisconsin	308	0.071	0.064 - 0.080	145	0.068	0.057 - 0.080	163	0.075	0.064 - 0.087
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Myeloma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	27,915	0.060	0.059 - 0.061	13,331	0.060	0.059 - 0.061	14,588	0.060	0.059 - 0.061
Alabama	811	0.060	0.056 - 0.065	376	0.060	0.054 - 0.067	435	0.061	0.055 - 0.067
Alaska	10	0.027	0.013 - 0.050	*	*		*	*	
Arizona	148	0.035	0.029 - 0.041	77	0.035	0.028 - 0.044	71	0.034	0.027 - 0.043
Arkansas	323	0.066	0.059 - 0.073	140	0.060	0.050 - 0.070	183	0.071	0.061 - 0.082
California	1,596	0.056	0.053 - 0.059	842	0.059	0.055 - 0.063	754	0.053	0.049 - 0.056
CA - Greater California	640	0.046	0.043 - 0.050	340	0.048	0.043 - 0.053	300	0.044	0.039 - 0.050
CA - Greater Bay Area	356	0.070	0.063 - 0.078	198	0.079	0.068 - 0.090	158	0.062	0.053 - 0.073
CA - Los Angeles	600	0.062	0.057 - 0.067	304	0.066	0.059 - 0.074	296	0.058	0.052 - 0.066
Colorado	143	0.046	0.039 - 0.055	76	0.047	0.037 - 0.058	67	0.046	0.036 - 0.059
Connecticut	322	0.069	0.062 - 0.077	156	0.070	0.060 - 0.082	166	0.068	0.058 - 0.079
Delaware	156	0.066	0.056 - 0.077	77	0.069	0.054 - 0.086	79	0.063	0.050 - 0.079
District of Columbia	231	0.068	0.060 - 0.078	97	0.063	0.051 - 0.077	134	0.073	0.061 - 0.086
Florida	2,389	0.063	0.061 - 0.066	1,131	0.062	0.059 - 0.066	1,258	0.065	0.061 - 0.068
Georgia	2,167	0.061	0.059 - 0.064	1,018	0.062	0.058 - 0.066	1,149	0.061	0.058 - 0.065
Hawaii	14	0.032	0.018 - 0.054	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	1,229	0.063	0.060 - 0.067	554	0.060	0.055 - 0.066	675	0.066	0.061 - 0.071
Indiana	372	0.051	0.046 - 0.057	169	0.048	0.041 - 0.056	203	0.054	0.047 - 0.062
Iowa	61	0.040	0.031 - 0.052	30	0.038	0.025 - 0.054	31	0.044	0.030 - 0.062
Kansas	123	0.059	0.049 - 0.070	61	0.057	0.043 - 0.073	62	0.061	0.047 - 0.079
Kentucky	208	0.051	0.044 - 0.058	114	0.056	0.046 - 0.067	94	0.046	0.037 - 0.056
Louisiana	877	0.056	0.052 - 0.060	424	0.057	0.052 - 0.063	453	0.055	0.050 - 0.060
Maine	*	*		*	*		*	*	
Maryland	1,150	0.059	0.056 - 0.063	520	0.057	0.052 - 0.062	630	0.061	0.056 - 0.066
MI - Detroit	654	0.066	0.061 - 0.071	303	0.066	0.059 - 0.074	352	0.065	0.059 - 0.072
Minnesota	128	0.029	0.024 - 0.035	69	0.031	0.024 - 0.039	59	0.028	0.021 - 0.036
Mississippi	648	0.057	0.052 - 0.061	298	0.055	0.049 - 0.062	350	0.058	0.052 - 0.064
Missouri	427	0.055	0.050 - 0.061	200	0.054	0.047 - 0.062	227	0.056	0.049 - 0.064
Montana	*	*		*	*		*	*	
Nebraska	54	0.047	0.035 - 0.061	28	0.047	0.031 - 0.068	26	0.046	0.030 - 0.068
New Hampshire	*	*		*	*		*	*	
New Jersey	935	0.066	0.062 - 0.071	443	0.066	0.060 - 0.073	492	0.067	0.061 - 0.073
New Mexico	20	0.029	0.018 - 0.046	*	*		*	*	
New York	2,716	0.075	0.072 - 0.078	1,238	0.073	0.069 - 0.077	1,478	0.077	0.073 - 0.081
North Carolina	1,749	0.072	0.069 - 0.076	866	0.076	0.071 - 0.082	883	0.069	0.064 - 0.074
North Dakota	*	*		*	*		*	*	
Ohio	861	0.052	0.049 - 0.056	438	0.055	0.050 - 0.061	423	0.050	0.045 - 0.055
Oklahoma	169	0.048	0.041 - 0.055	88	0.049	0.040 - 0.061	81	0.046	0.036 - 0.057
Oregon	40	0.033	0.024 - 0.045	29	0.045	0.030 - 0.064	11	0.019	0.010 - 0.035
Pennsylvania	989	0.060	0.056 - 0.064	461	0.058	0.053 - 0.063	528	0.062	0.057 - 0.068
Rhode Island	51	0.050	0.037 - 0.066	28	0.055	0.037 - 0.080	23	0.045	0.029 - 0.067
South Carolina	985	0.069	0.065 - 0.073	468	0.070	0.064 - 0.077	517	0.068	0.062 - 0.074
Tennessee	620	0.051	0.047 - 0.056	296	0.052	0.046 - 0.058	324	0.051	0.046 - 0.057
Texas	2,047	0.053	0.051 - 0.055	948	0.051	0.048 - 0.054	1,099	0.055	0.052 - 0.059
Utah	21	0.036	0.022 - 0.054	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	166	0.040	0.034 - 0.047	98	0.044	0.036 - 0.054	68	0.036	0.028 - 0.045
WA - Seattle	155	0.044	0.037 - 0.052	87	0.046	0.037 - 0.057	68	0.041	0.032 - 0.052
West Virginia	43	0.058	0.042 - 0.077	21	0.052	0.032 - 0.080	22	0.064	0.040 - 0.097
Wisconsin	263	0.061	0.054 - 0.069	128	0.060	0.050 - 0.071	135	0.062	0.052 - 0.073
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Leukemias**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	21,772	0.047	0.046 - 0.047	11,680	0.052	0.051 - 0.053	10,098	0.042	0.041 - 0.043
Alabama	561	0.042	0.038 - 0.045	306	0.049	0.044 - 0.055	255	0.036	0.031 - 0.040
Alaska	19	0.052	0.031 - 0.081	*	*		*	*	
Arizona	106	0.025	0.020 - 0.030	60	0.027	0.021 - 0.035	46	0.022	0.016 - 0.030
Arkansas	253	0.051	0.045 - 0.058	139	0.059	0.050 - 0.070	114	0.044	0.037 - 0.053
California	1,308	0.046	0.043 - 0.048	768	0.054	0.050 - 0.058	540	0.038	0.034 - 0.041
CA - Greater California	539	0.039	0.036 - 0.042	340	0.048	0.043 - 0.053	199	0.029	0.026 - 0.034
CA - Greater Bay Area	258	0.051	0.045 - 0.058	147	0.059	0.049 - 0.069	111	0.044	0.036 - 0.053
CA - Los Angeles	511	0.053	0.048 - 0.058	282	0.061	0.054 - 0.069	229	0.045	0.040 - 0.052
Colorado	129	0.042	0.035 - 0.050	71	0.044	0.034 - 0.055	58	0.040	0.030 - 0.052
Connecticut	208	0.045	0.039 - 0.051	109	0.049	0.040 - 0.059	99	0.041	0.033 - 0.050
Delaware	111	0.047	0.039 - 0.057	58	0.052	0.039 - 0.067	53	0.043	0.032 - 0.056
District of Columbia	142	0.042	0.035 - 0.050	79	0.051	0.041 - 0.064	63	0.034	0.026 - 0.044
Florida	1,964	0.052	0.050 - 0.055	1,026	0.056	0.053 - 0.060	938	0.048	0.045 - 0.051
Georgia	1,656	0.047	0.045 - 0.049	853	0.052	0.048 - 0.055	803	0.043	0.040 - 0.046
Hawaii	19	0.044	0.026 - 0.068	*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	950	0.049	0.046 - 0.052	513	0.056	0.051 - 0.061	437	0.043	0.039 - 0.047
Indiana	293	0.040	0.036 - 0.045	170	0.048	0.041 - 0.056	123	0.033	0.027 - 0.039
Iowa	62	0.041	0.032 - 0.053	36	0.045	0.031 - 0.062	27	0.037	0.025 - 0.055
Kansas	112	0.054	0.044 - 0.065	50	0.046	0.034 - 0.061	62	0.061	0.047 - 0.079
Kentucky	212	0.052	0.045 - 0.060	109	0.054	0.044 - 0.065	103	0.050	0.041 - 0.061
Louisiana	741	0.047	0.044 - 0.051	415	0.056	0.051 - 0.062	327	0.040	0.036 - 0.044
Maine	*	*		*	*		*	*	
Maryland	897	0.046	0.043 - 0.049	457	0.050	0.046 - 0.055	440	0.042	0.039 - 0.047
MI - Detroit	571	0.057	0.053 - 0.062	302	0.066	0.059 - 0.074	269	0.050	0.044 - 0.056
Minnesota	160	0.037	0.031 - 0.043	86	0.039	0.031 - 0.048	74	0.035	0.027 - 0.044
Mississippi	512	0.045	0.041 - 0.049	280	0.052	0.046 - 0.058	232	0.038	0.034 - 0.044
Missouri	386	0.050	0.045 - 0.055	195	0.053	0.046 - 0.061	191	0.047	0.041 - 0.054
Montana	*	*		*	*		*	*	
Nebraska	50	0.043	0.032 - 0.057	30	0.051	0.034 - 0.072	20	0.036	0.022 - 0.055
New Hampshire	*	*		*	*		*	*	
New Jersey	736	0.052	0.049 - 0.056	408	0.061	0.055 - 0.067	328	0.045	0.040 - 0.050
New Mexico	27	0.040	0.026 - 0.058	*	*		*	*	
New York	1,890	0.052	0.050 - 0.055	966	0.057	0.053 - 0.061	924	0.048	0.045 - 0.051
North Carolina	1,226	0.051	0.048 - 0.054	665	0.059	0.054 - 0.063	561	0.044	0.040 - 0.048
North Dakota	*	*		*	*		*	*	
Ohio	626	0.038	0.035 - 0.041	314	0.040	0.036 - 0.044	312	0.037	0.033 - 0.041
Oklahoma	145	0.041	0.035 - 0.048	85	0.048	0.038 - 0.059	60	0.034	0.026 - 0.044
Oregon	37	0.030	0.021 - 0.042	24	0.037	0.024 - 0.055	13	0.023	0.012 - 0.039
Pennsylvania	732	0.045	0.041 - 0.048	375	0.047	0.042 - 0.052	357	0.042	0.038 - 0.047
Rhode Island	31	0.030	0.021 - 0.043	20	0.040	0.024 - 0.061	11	0.022	0.011 - 0.038
South Carolina	614	0.043	0.040 - 0.047	306	0.046	0.041 - 0.051	308	0.041	0.036 - 0.045
Tennessee	529	0.044	0.040 - 0.048	286	0.050	0.044 - 0.056	243	0.038	0.034 - 0.043
Texas	1,719	0.045	0.042 - 0.047	935	0.050	0.047 - 0.053	784	0.039	0.037 - 0.042
Utah	13	0.022	0.012 - 0.038	*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	160	0.039	0.033 - 0.045	98	0.044	0.036 - 0.054	62	0.032	0.025 - 0.042
WA - Seattle	148	0.042	0.035 - 0.049	94	0.050	0.041 - 0.061	54	0.032	0.024 - 0.042
West Virginia	39	0.052	0.037 - 0.071	24	0.060	0.038 - 0.089	15	0.044	0.024 - 0.072
Wisconsin	251	0.058	0.051 - 0.066	140	0.066	0.055 - 0.077	111	0.051	0.042 - 0.061
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.

**Ten-Year Limited-Duration Prevalence on January 1, 2019
for Cancers Diagnosed 2009–2018 by Registry, Black, Mesothelioma**

Registry	MALES AND FEMALES			MALES			FEMALES		
	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.	Count	Prev %	95% C.I.
NAACCR U.S. Combined	319	0.001	0.001 - 0.001	178	0.001	0.001 - 0.001	141	0.001	0.000 - 0.001
Alabama	*	*		*	*		*	*	
Alaska	*	*		*	*		*	*	
Arizona	*	*		*	*		*	*	
Arkansas	*	*		*	*		*	*	
California	26	0.001	0.001 - 0.001	*	*		*	*	
CA - Greater California	12	0.001	0.000 - 0.002	*	*		*	*	
CA - Greater Bay Area	*	*		*	*		*	*	
CA - Los Angeles	*	*		*	*		*	*	
Colorado	*	*		*	*		*	*	
Connecticut	*	*		*	*		*	*	
Delaware	*	*		*	*		*	*	
District of Columbia	*	*		*	*		*	*	
Florida	17	0.000	0.000 - 0.001	*	*		*	*	
Georgia	15	0.000	0.000 - 0.001	*	*		*	*	
Hawaii	*	*		*	*		*	*	
Idaho	*	*		*	*		*	*	
Illinois	12	0.001	0.000 - 0.001	*	*		*	*	
Indiana	*	*		*	*		*	*	
Iowa	*	*		*	*		*	*	
Kansas	*	*		*	*		*	*	
Kentucky	*	*		*	*		*	*	
Louisiana	21	0.001	0.001 - 0.002	11	0.001	0.001 - 0.003	10	0.001	0.001 - 0.002
Maine	*	*		*	*		*	*	
Maryland	15	0.001	0.000 - 0.001	*	*		*	*	
MI - Detroit	11	0.001	0.001 - 0.002	*	*		*	*	
Minnesota	*	*		*	*		*	*	
Mississippi	*	*		*	*		*	*	
Missouri	*	*		*	*		*	*	
Montana	*	*		*	*		*	*	
Nebraska	*	*		*	*		*	*	
New Hampshire	*	*		*	*		*	*	
New Jersey	18	0.001	0.001 - 0.002	*	*		*	*	
New Mexico	*	*		*	*		*	*	
New York	27	0.001	0.000 - 0.001	13	0.001	0.000 - 0.001	14	0.001	0.000 - 0.001
North Carolina	19	0.001	0.000 - 0.001	*	*		*	*	
North Dakota	*	*		*	*		*	*	
Ohio	11	0.001	0.000 - 0.001	*	*		*	*	
Oklahoma	*	*		*	*		*	*	
Oregon	*	*		*	*		*	*	
Pennsylvania	12	0.001	0.000 - 0.001	*	*		*	*	
Rhode Island	*	*		*	*		*	*	
South Carolina	10	0.001	0.000 - 0.001	*	*		*	*	
Tennessee	*	*		*	*		*	*	
Texas	25	0.001	0.000 - 0.001	*	*		*	*	
Utah	*	*		*	*		*	*	
Vermont	*	*		*	*		*	*	
Washington	*	*		*	*		*	*	
WA - Seattle	*	*		*	*		*	*	
West Virginia	*	*		*	*		*	*	
Wisconsin	*	*		*	*		*	*	
Wyoming	*	*		*	*		*	*	

Abbreviations: C.I., Confidence Interval

National population coverage by CiNA Prevalence is about 92% for the United States and 74% for Canada. For U.S., Canadian, and NAACCR North American statistics, we estimated prevalence counts by multiplying prevalence percentages for the respective registries included in CiNA Prevalence by the total population estimates by age, sex, and race/ethnicity (U.S.). NAACCR U.S. combined and NAACCR Canadian combined prevalence percentages may not be representative of the total national populations.

N/A Not applicable, statistics not calculated.

* Prevalence statistics are suppressed when prevalence estimate counts are less than 10.