





# Top Five Most Commonly Diagnosed Cancers in the United States by Race/Ethnicity, Males 2017–2021



	1. Prostate	24.5%
	2. Colon & Rectum	10.9%
	3. Lung & Bronchus	7.4%
	4. Kidney & Renal Pelvis	6.4%
	5. Non-Hodgkin Lymphoma	5.4%



	1. Prostate	23.5%
	2. Lung & Bronchus	12.6%
	3. Colon & Rectum	8.2%
	4. Bladder	7.0%
	5. Melanoma of the Skin	6.5%




	1. Prostate	36.8%
	2. Lung & Bronchus	12.5%
	3. Colon & Rectum	9.1%
	4. Kidney & Renal Pelvis	5.0%
	5. Liver & Intrahepatic Bile Duct	3.4%

Abbreviation: NOS, Not otherwise specified


Data Source: CINA (Cancer in North America) is produced by the North American Association of Central Cancer Registries (NAACCR) and is based on U.S. and Canadian incidence data from the Centers for Disease Control and Prevention National Program of Cancer Registries (NPCR); Canadian Cancer Registry (CCR) Provincial and Territorial Registries; and the National Cancer Institute (NCI) Surveillance, Epidemiology, and End Results (SEER) Registries. Data for years of diagnosis 2017–2021 were submitted to NAACCR in December 2023.




# Top Five Most Commonly Diagnosed Cancers in the United States by Race/Ethnicity, Males 2017–2021



1. Prostate	18.4%
2. Lung & Bronchus	12.6%
3. Colon & Rectum	11.7%
4. Kidney & Renal Pelvis	9.1%
5. Liver & Intrahepatic Bile Duct	5.9%



1. Lung & Bronchus	17.5%
2. Prostate	16.8%
3. Colon & Rectum	11.6%
4. Liver & Intrahepatic Bile Duct	7.0%
5. Stomach	5.3%




1. Prostate	27.2%
2. Colon & Rectum	12.4%
3. Lung & Bronchus	11.2%
4. Bladder	6.0%
5. Non-Hodgkin Lymphoma	5.2%

Abbreviation: NOS, Not otherwise specified


Data Source: CiNA (Cancer in North America) is produced by the North American Association of Central Cancer Registries (NAACCR) and is based on U.S. and Canadian incidence data from the Centers for Disease Control and Prevention National Program of Cancer Registries (NPCR); Canadian Cancer Registry (CCR) Provincial and Territorial Registries; and the National Cancer Institute (NCI) Surveillance, Epidemiology, and End Results (SEER) Registries. Data for years of diagnosis 2017–2021 were submitted to NAACCR in December 2023.




# Top Five Most Commonly Diagnosed Cancers in the United States by Race/Ethnicity, Males 2017–2021



	1. Prostate	24.0%
	2. Lung & Bronchus	15.6%
	3. Colon & Rectum	11.6%
	4. Non-Hodgkin Lymphoma	5.6%
	5. Liver & Intrahepatic Bile Duct	5.0%



	1. Lung & Bronchus	19.9%
	2. Liver & Intrahepatic Bile Duct	13.6%
	3. Colon & Rectum	12.7%
	4. Prostate	12.4%
	5. Non-Hodgkin Lymphoma	4.6%



	1. Prostate	15.0%
	2. Colon & Rectum	14.0%
	3. Lung & Bronchus	13.7%
	4. Stomach	9.8%
	5. Liver & Intrahepatic Bile Duct	6.4%

Abbreviation: NOS, Not otherwise specified

Data Source: CiNA (Cancer in North America) is produced by the North American Association of Central Cancer Registries (NAACCR) and is based on U.S. and Canadian incidence data from the Centers for Disease Control and Prevention National Program of Cancer Registries (NPCR); Canadian Cancer Registry (CCR) Provincial and Territorial Registries; and the National Cancer Institute (NCI) Surveillance, Epidemiology, and End Results (SEER) Registries. Data for years of diagnosis 2017–2021 were submitted to NAACCR in December 2023.